LIBRARY
BALTIMORE COLLEGE OF
DENTAL SURGERY

Digitized by the Internet Archive
in 2017 with funding from
University of Maryland, Baltimore, Health Sciences and Human Services Library

https://archive.org/details/unset07gale

Di Girollamo Raffaelli fisico Monterchiese costò cō gl'altri
Corpi de Galeni scudi dieci in Perugia, legati l'anno 1579
cioè ——————————— 70 ———



ANTONII
MVSAE BRASAVOLI
Medici Ferrarienſis.

INDEX REFERTISSIMVS
IN OMNES GALENI LIBROS.

Qui ex Iuntarum quinta editione extant.

Illuſtriß. & Excellentiß. Herculi II. *Ferrarienſium Duci.* IIII. *Dicatus.*

Galenus. Librorum

Hieronymi Raphaelli
Ex libris Trauid Viligiandi

VENETIIS, APVD IVNTAS.
M D LXXVII.

Sursum Tendimus.

Hieronymi Raphaelly Physici.

10354

Hist. Coll

AD ILLVSTRISSIMVM ATQVE EXCELLENTISSIMVM HERCVLEM ESTENSEM DVCEM FERRARIÆ IIII.

Antonius Muſa Braſauolus.

CVM Deus optimus maximus, Illuſtriſſime atque Excellentiſſime Princeps, eximias, innumeras, ac immenſas humano generi ſua innata ac inſita benignitate præſtiterit dotes: nullam tamen vel magis iucundam ſanitate præſtitit, qua nihil dulcius eſt, & magis optatum. Nam cum omnium rerum ſatietas hominibus contingat, integræ ſanitatis nunquam fit expletio, neque vllum fœlicem iudicauit Ariſtoteles, qui eadem ſanitate non frueretur. opes nimirum deſpiciuntur, theſauri, prædia, oppida, vrbes, niſi præſens ſanitas id efficiat, vt his homo frui poſſit. Illa enim abſente, omnia obſcura videntur, frigida, atque iniucunda, vt denique neque ipſa vita abſque ſanitate placere poſſit: quam & Dij expetunt, & de qua Ariphron Sicyonicus in quodam hymno in hunc modum cecinit.

O qua nec altera vetuſtior eſt cœlitum,
O vna cunctis expetita ſanitas,
Quodcunque reliquum eſt vitæ, tecum vtinam
Agam, & vna omnium contubernalis ſis mihi.
Quicunque enim fortunis fruitur, aut liberis,
Aut eſt aliter obnoxius voluptæ,
Te vna fauente cuncta habet propitia,
Afflant & illum charites & ſi media hyems
Rigeat, tamen ver illi floſculos parit.
Abſente te ſunt cuncta dura & aſpera,
Nec grata prorſus cætera eſt fœlicitas,
Quin eſſe planè deſinit fœlicitas.

Legitur inſuper apud Lucianum, Pyrrhum Epirotarum Regem, cum Dijs innumera ſpolia dicaſſet, innumeras aras erigi, & innumeras victimas ante aras mactari iuſſiſſet, nunquam ab illis aliud expoſtulaſſe, quàm ſanitatem: ratus vir ille præſtantiſſimus ac prudentiſſimus, omnia facilè adfutura, nihilque penitus illi deeſſe poſſe, qui integra ſanitate fruatur: nam ſanus homo, omnia, quæ cupit aſſequitur, modo vt illa aſſequatur impenſe ſtudeat. Si verò quiſpiam ſanitate deſtitutus ſit, laboribus haud parcit, vigilijs, inedijs, & ſquallidæ ſiti, amara bibit pharmaca, fœtida-

qúe tranſglutit catapotia, ſe incidi ſponte ſinit, ac inuri, dummodo amiſſam ſanitatem recuperet: quam & his omnibus adamuſſim perfectis plerunque non reſtauratꝰ. Ad hanc verò aſſequendam, aurum, argentum, & cętera bona profundit: maximamqúe arbitrantur eſſe virtutem mortales, ſanitatem nunquam amiſſam, aut denuo recuperatam tueri. Ob hoc ſummum bonum, quod Græci, ὑγίειαν Latini ſanitatem vocant, facultas quædam ab hominibus, immo à Dijs ipſis, inuenta eſt, qua facilè defendi poſſit præſens, & amiſſa recuperari. Hanc vero facultatem medicam artē appellant, quam nemo plenius, nemo elucubratius, nemo denique emunctius in lucem, ac publicum vſum promulgauit in ſuis de arte medica libris Galeno, è quibus ampliſſimum collegimus Indicem. Nunc verò eiuſcemodi Galeni libros tam caſtigatos, tam emunctos, tam pulchris characteribus ornatos, vir optimus Thomas Iunta in lucem prodire curauit, vt nunquam aliàs fuerint tam accuratè impreſſi libris nuper repertis, fragmentisq́; , ac argumentis adaucti, & pulcherrimis characteribus conformati: Et quod maximum affert his voluminibus momentum, eſt ſedula diligentia, qua in ipſis ordinandis ornatiſſimus ac illuſtris Ioannes Baptiſta Montanus vſus eſt, vir tali doctrina præditus, vt cum Galeno de æqualitate prorſus certare poſſitꝰ. Verum vt ampliori decore in publicum exirent, nobiliſſimus Iunta Excellentiſſimum Gabrielem Falopium me oratum miſit, vt prædictum Indicem (pro meipſo tantum, filijs ac amicis collectum) in publicam vtilitatem exire ſinerem. potuitqúe Excellentiſſimus ille medicæ rei candidatus: ſuis melliſluis verbis tam belle mihi perſuadere, vt illi Indicem publicandum non denegarem. Veruntamen priuſquàm per hominum ora illum vagari voluerim, quid acturus eſſem te conſului, Excellentiſſime Princeps. at ſtatim ſuaſiſti publicam vtilitatem priuatæ eſſe anteferendam: quod maturum & probè excogitatum conſilium adeo efficax fuit, vt Indicem ipſum illico in publicum exire permiſerimꝰ. cum tamen haud eſſem ignarus quantum hoc colligendi authorum ſententias munus ſecum afferat calumniæ, & difficultatis: calumniæ inquam, quia inglorius labor videtur Indices parare: difficultatis vero, quoniam difficile admodum eſt authorum ſententias exquiſitè abſolutèqúe colligereꝰ. neque enim ita colligere, vt nos fecimus vnicuique datum eſt, nec à quolibet fieri poſſe arbitramur: qui non ſolas Galeni ſententias ſemel adduximus, ſed illas omnes (vt conuenit, & res ipſa exigit) ad diuerſos alphabeti characteres retulimus: non paucaqúe annotauimus, quæ à Galeno explicatè ſcripta non ſunt, ſed ex authore ipſo colligi poſſunt: nihilqúe vel minimum, quod in Galeni libris ſcriptum ſit, à nobis prætermiſſum inuenies: & denique ſingularum materierum capita, ita per ordinem ſe ſequuntur, vt vnaquæque materia, & Galeni loca ad illam ſpectantia in ictu oculi intueri poſſint, tam in vna ſerie cuncta ſunt rectè diſpoſitaꝰ. In his autem materiebus ordinandis adiutorē elegi Excellentiſſimum Iacobum Antonium Bonum, iuuenem hac noſtra ætate in vtraque literatura, & præterea in naturali philoſophia, ac medica facultate nemini ſecundumꝰ. Cum denique tam pulchrè, tam ornatè, tam diligenter, tam denique accuratè Galeni libri ſint impreſſioni mandati, digni nobis viſi ſunt, vt noſtro etiam Indice decorarentur: non vt volumini ex Indice aliquid adderetur præſtantiæ, ſed vt diſcentibus facilitas præberetur, & vt ſaluberrimo, ac chriſtianiſſimo Excellentiæ tuæ conſilio ſatisfactum iretur: quod tam optimum, & tam ſanctum fuit, quàm ab illo herculeo, & integro animo prodijtꝰ. Cum igitur Index in publicum proditurus ſit illum Inuictiſſimæ Excellentiæ tuæ nuncupo ac deuoueo, vt tua illa ferrea claua fretus, per detrahentium ora abſque vllo timore vagari poſſitꝰ. Valeꝰ.

IACOBVS ANTONIVS BONVS
FERRARIENSIS MEDICVS
Medicinæ Studioſis S.

MIRVM *profectò eſt, & dictu difficile, quantum Deo optimo maximo genus humanum debeat, non modo q; ea omnia, quæ ab illius incredibili bonitate manarunt, in vnius gratiam condidit, eumq; tanti, tamq; admirandi operis ſpectatorẽ, & omniũ, neſcio quo pacto, finem conſtituit: ſed quòd rerũ omniũ ſimilitudinem, fluxum inquam, & ſtabile, corporeum et quod corporis expers eſt, quod ſub ſenſum cadat & ſenſu carens, mortale & immortale in eodem vno ita collocauit, vt vniuerſi differentias vniuerſas Dei ſui munere in ſe vnus contineat, et magnũ naturæ miraculum nõ iniuria appelletur. Ad hæc illud quoq; accedit, quod infinito propemodũ interuallo reliqua omnia antecellit, q; vnus ex omnibus animantibus immortalem animum, vnus rationem adeptus eſt: quam, artem ante oẽs artes appellare poſſumus: cuius auxilio, quæcũq; homini deeſſe videri poterant, ita copioſe ſuppeditantur, vt nihil amplius deſyderet, nihil illi ad fœlicitatem deeſſe poſſit: hac enim fretus non plantarum more, quæ radicibus veluti ore alimentũ à terra continenter trahunt, ventri ſeſe dedit, non voluptatibus veluti pecora in terrã prona, ſed ſeipſum ſuperans, atq; à mortalitate inter ea, quæ mori non poſſunt quodammodo tranſlatus ſupernis mentibus, Deoq; ipſi immortali conatur ſe, quoad eius fieri poteſt, ſimilem reddere. Quòd ſi homo non modo ratione rectè vtatur, ſed etiam orationẽ, & manũ in omni vitæ ratione ad aliorũ cõmodũ afferat: illa conſulendo, docendo, conſolando: hac vel agendo, vel ea conſcribendo, quę vel doctrina, vel experientia ſuggerit, quæ Dei cultũ, mores probatiſſimos, præclaras artes explicent: nõ ſolũ humani à ſe nihil alienũ putaſſe, ſed cũ totus ſit in hoĩbus iuuandis, quaſi Deus merito videri poterit. Quamobrem cũ à Deo diſceſſimus, cui vni primum ea omnia iure accepta referuntur: quę bene homines cogitant, incipiunt, perficiunt, ijs hominibus plurimũ debemus, qui dies ac noctes nihil aliud mente voluunt, quàm quo pacto vel agendo, vel ſpeculando, vel ſcribendo, ratione, oratione, manu ad cæterorũ mortalium cõmodum vtantur. etenim perrarũ eſt hoĩum genus. Neq; mirum id videri debet. nam ex aĩantibus omnibus nullum eſt tam varium, ac multiplex, atq; homo ipſe, vt planè verũ ſit verbum illud vetus, quot capita tot ſentẽtias in hoĩbus inueniri. Quãuis enim cõmunis ferè ſententia ſit præclariſſimorum philoſophorum, hoĩes hominum cauſa eſſe generatos: non nulli tamen ſunt, qui naturæ operũ contẽplationi dũtaxat ſe totos dedant, & in abditiſſimarum naturæ rerũ cognitione conquieſcant, curent præterea nihil: ſibi ipſis tantũ proximi, ſibi nati eſſe velint, à publicarũ, priuatarumq; rerũ tractatione abhorreant. At hoc hominũ genus illud magis in inuidiam trahit, q; hi quaſi alios ſcire ægrè, moleſtè q; ferant, quæ ab ipſis ſumma diligentia perquiſita, ſummis laboribus, longo rerũ vſu inuenta ſunt, nolunt cũ alijs cõmunicare, atq; ideo horum nomen, & ſcientia cum ipſis intereat neceſſe eſt. Hoc genus hominum tũ diuinus Plato Academiæ princeps; tũ eloquentiæ parens M. Cicero merito accuſat: quippe quod ſibi tantum vtile, alijs prorſus inutile ſit. Huic aliud eſt hoĩum genus pene proximum, qui paucos ſibi diſcipulos deligunt: ex quibus qui acerrimo præditi ingenio videntur, ſacroſanctæ philoſophiæ myſterijs initiantur: qui minus ingenio pollent, ad communia quædam nullius ferè precij admittuntur. Quocirca neque hi merita reprehenſione vacant: fit enim vt perpaucis, idq; perbreui admodum proſint. quòd ſi malo quodam fato in diſcipulos inciderint, qui præceptorem tanquam numen non ſuſpiciant, (vt Plato et Xenophon gratiſſimi fecere, quorum ſcripta diuiniſſima Socratis præceptoris*

ptoris doctrinam & mortem immortalem reddidere) nonne labores illorum omnes irriti sunt? Scientia abiecta? nomen extinctum? Aliud porrò præter hoc hominum genus videre est, quod alijs non sibi se viuere profitetur, vt amantes ij, quos se odio habere, alios amare poetæ dicunt, immo vero qui ita amant in seipsis mori, in alijs viuere dicuntur, si redamentur: quòd si vsu veniat vltro sese morti obijciunt quasi furiata mente, vt amanti satisfaciant, vt amantem defendant, sui prorsus curam negligunt. In ijs multi illud in primis admirantur ac laudant, quòd pro amicis, pro patria, pro aris & focis uitam intrepide profundunt. verum cum omnibus animãtibus sit à natura tributum, ut ea omnia declinent, quæ uidẽtur nocere posse, uitamq; indefesse tueantur, hæc propriæ salutis despicientia, & in seipsos crudelitatis facies multis insaniæ nota uacare non uidetur: sed quia est in alios pietas, non solum uenia, sed etiam laude digna censetur. itaq; honorifica ipsorum mentio per historicorum scripta ad posteros transit: & si hac ratione pericula non subierint, ut suum nomen immortalitati consecrarent, cuius non nulli contra ita auidi extiterunt, ut nihil illis potius fuerit, quàm nomen quacunq; ratione adipisci. His, quos hactenus memorauimus, adijcitur tertium genus hominum, qui & sibi, & alijs penitus sunt inutiles, eorum scilicet, qui in ocio degentes uitam omnem silentio transcunt: neque enim rerum cognitione animum excolentes sibi utilitatem pariunt, neque rebus agendis intenti cuiquam prosunt, immo vero tum sibi, tum alijs tandem obesse videri possunt. nam cum nimio ocio natiuus calor marcescat, vitales spiritus penè extinguantur, inualidi fiunt atq; imbecilles. quòd si corporis voluptatem captiui reddãtur, gula, venere, atq; omnis generis libidinibus pernicioſissimis totos dies consumant, quis nõ videt quàm breuis, ne dicam infœlix horum vita futura sit? alios verò qui fieri potest, vt non lædant, cum ocium & voluptas sint vitiorũ omnium semina? Nam exemplo suo haud dubie corrũpunt adolescentes, ac necesse est, vt ij quibus ocium primò, deinde vitium dominatur, dum omnes cupiditates suas quærunt explere, alijs molesti atq; iniurij sint. Sed veniamus tandem ad quartũ illud genus hominum, ac penè Deorum, huic ex diametro aduersum, quod tanquam rarissimum ab initio proposui, quod tum sibi, tum cæteris omnibus maximo est commodo atq; ornamento. hi sunt qui Deum imitati: qui semper operatur, aut magna negocia tractant, aut rerum optimarum scientias scribendo ad posteros transmittunt. Et vt negotiatorum, atq; omne id genus hominum, qui rebus agendis intenti sunt, necessitas atque vtilitas in aliud tempus differatur. Scriptores optimi primum assiduamentis exercitatione sibi mirum in modũ vtiles existunt: nanq; illã ad omnia intelligenda facultatem, quã sibi natura benigne concesſit, artium & scientiarum instrumẽto in opus deducunt. Itaq; nihil est in naturæ penetralibus tam abditum, quod ij intellectus sui lumine, qui diuini inaccessibilis splẽdoris portio quædam à sapientissimis iudicatur, non lustrent, atq; peruadãt quibus animæ habitibus tantum reliquis hominibus præstant, quantũ reliquis animantibus homines, immo fœlicitatẽ contemplatricem ab Aristotele in Ethicis descriptam, ac vera illa animi bona consequũtur, quæ neq; fortunæ instabilitati, neq; temporum vicissitudinibus subiecta sunt: postea verò quã ex hac vita migrarunt, suis lucubrationibus posteris omnibus magnã vtilitatẽ afferũt. Quàm vero vtile sit, atq; adeo necessarium homines res à seipsis inuentas literarum monumentis cõmendare, nemo est qui grato animo non fateatur, nemo qui scriptores pleno ore non laudet. Nam cum scire omnia singulis non liceat, vel propter intellectus imbecillitatẽ, vel propter rerum difficultatẽ, vel propter vitæ breuitatẽ, vel (quod magis crediderim) propterea quòd animi dotes diuisas esse Dij immortales voluerunt, operæpretium est commentaria relinquere, quibus eruditi à se cognita, atq; inuenta explicent, vt deinceps alij addere inuentis possint, quæ ipsi quoque inuenere. ita artes atque scientiæ per additionem perficiuntur, ita nomẽ eorũ qui bene vixere, & fœliciter scripsere, æternum euadit. Sed quia scriptorũ plæraque ita obscura sunt, vt oraculo Apollinis Pythij indigeãt: vel quia aliqui, licet belle omnes recessus difficillimarũ rerũ mentis acie penetrarint, tamẽ ita aridi & iciuni atque infantes sunt, vt quæ subtiliter inuenerunt satis explicare nõ possint: vel quia patria lingua, qua cõscribunt, ita fert: vel certe quia aliqui (quacunque id ratione fecerint) scripta sua dedita opera obscurarunt: nõ modo scriptores qui aptè, distinctè, & copiosè sententiam

rentiam ſuam exprimerent, deſiderari cœpti ſunt, ſed interpretum quoque opera neceſſaria fuit, qui obſcuras maximorum virorum vigilias ijs, qui minus acuta mente prædi ti ſunt aperirent, atque in apertum explicarent, quibus cum à Deo diſceſſimus, infinitum eſt, quantum debeamus. Jn eorum autẽ numero, qui dilucidè ſcripſere, quiq; à veteribus obſcurè ſcripta luce interpretationis clarareddidere, honeſtiſſimum ſibi locum meritò vindicat ANTONIVS MVSA BRASAVOLVS *Ferrarienſis, qui & ſibi, & alijs vtiliſſimum ſe præſtitit: ſibi quidem, quòd honeſta voluntate, & ſtudio incredibili, & honeſtiſſimos mores imbibit, & omnium ſcientiarum abdita penetrauit alijs autem, quòd liberos primum tum moribus, tum literis optimis inſtituit, eiſdem patrimonium honeſtiſſimè quæſitum, & præclaram gloriæ hæreditatem relicturus. quid quòd ingenuos nobiles q; ex tota Europa viros ita docet, ut ad honeſtarum diſciplinarum faſtigia facile ſubuehat? patriæ vero, tum priuatim eſt vtilis, dum ægros abſque perſonarum diſtinctione humaniſsimè inuiſit, curat, ſanat, ab inferis propemodum reuocat, tum publice, dum quæ à diuino Hippocrate breuiter, ac propterea obſcurè ſcripta ſunt in Ferrarienſi Academia, cui multos ab hinc annos meritò præfectus eſt, perſpicuè viua voce interpretatur. Poſtremo omnibus gentibus, dum tot volumina, tamq; diuerſi generis vtilia conſcripſit, atque edidit, vt mirum ſit, quo pacto vir ille diligentiſsimus, qui in ægrotis curandis aſsiduus eſt, tantumq; temporis lectionibus conſumit, tot tantaq; excogitare, ne dum ſcribere potuerit, præſertim cum quinquageſimum ætatis ſuæ annum plus minus attingat. Et ne quis ſibi fucum factum putet, En tibi ſtudioſe lector librorum à Muſa noſtro conſcriptorum fidiſsimum catalogum, quorum bona pars iam in lucem prodijt, reliqui mox ad commune commodum exibunt.*

Jam primum omnium cum Muſa planè perſpiceret, eorum culpa, qui doctos ſe haberi volunt, cum quiduis aliud potius ſint, factum eſſe, ut noſtri temporis philoſophi, de religione ac fide, ſine qua Deo placere non poſſumus, peſsimè audiant: Vitam IESV CHRISTI *ſeruatoris Jtalica lingua conſcripſit, in qua paraphraſtæ more quatuor diuini verbi Euangelicos ſcriptores obiter interpretatus eſt, vt hinc Deo auſpice hunc virum ad ſcribendum acceſsiſſe facile poſsis agnoſcere. Hoc verò argumentum ea lingua tractare inſtituit, vt familia eius vniuerſa æqualem ex heri, & patris ſcriptis vtilitatem perciperet, bene ac fideliter chriſtianam religionem indueret. Deinde cum certò ſciret eum qui mortem contemneret, alijs q; mortem contemnendam ſuaderet, haud vulgarem ex philoſophia fructum percepiſſe, maximaq; laude dignum eſſe, ad* ANNAM *Illuſtriſsimi ac ſapientiſsimi* HERCVLIS *Ateſtij Ferrarienſium Principis filiam, quę huius erat philoſophicæ ſententiæ, ut mortem, quæ terribilium omnium vltimum eſt, fortiter contemnere ſe profitetur, dialogum illum conſcripſit, cuius inſcriptio eſt, Quod mors nemini placeat. Deinde vt ſtilum exerceret (ita vt fit) Muricis encomium, quaſi ludum luſit, ne quod ocij à negocijs ſuffurabatur inutiliter cõtereret. Scripſit etiam de Cæna & Prandio, quod argumentum in inſtituenda victus ratione, tum ad ſanitatem tuendam, tum ad morbum depellendum non mediocriter conducit. Deinde quẽadmodum Hippocrates omniũ bonorũ in re medica author tẽpora anni, ac cœli ſtatus apud Thaſios diligenter obſeruauit, quæ obſeruatio non ſolum Thaſijs profuit, ſed Illiricos quoque à grauiſsima peſte liberauit, nobisq; etiam hoc tempore ad prędictiones vtiliſsima eſt, Ferrariẽſis aeris temperie accuratè obſeruata, libellum de hac materia feliciter ſcripſit. Deinde cum ad logicen, quã philoſophię inſtrumentum peripatetici appellant, in Ferrarienſi gymnaſio interpretandam animum appuliſſet, ad eam illuſtrandam ſe totum conuertit. Jtaque orationem ſcripſit de laudibus Dialecticæ, ſcripſit de Ordine librorum logicę: de Vnitate logicę: de ſuppoſitionibus ſecundum antiquos: Commentaria in Paulum Venetum: in Porphyrium phœnicem: porphyrij panoplia, in qua defenditur author ab his, qui ex profeſſo illum reprehendunt: Commentaria in Prædicamenta Ariſtotelis Stagyritę: Jn librum de Interpretatione: in Poſteriora Analitica: in libellum Antij Manlij Seuerini Boethi de diuiſionibus. Deinde cum ad philoſophię exponendę munus euectus eſſet, commentaria ſcripſit in librum Auerrois de Subſtantia orbis: in libros Phyſicorum Ariſtotelis: in libros de Anima. Deinde cum aliquot poſt annos medicinam publicè profiteretur, in Aphoriſmos*

Hippocratis

Hippocratis Coi commentaria edidit, quæ nunc ad incudem reuocauit. Scripſit etiam commentaria in Prognoſtica:in libros De ratione victus in morbis acutis: in libros Epidemiorum. Poſtremo cum animaduertere quantum detrimenti mortalibus omnibus afferret vetus ac peruulgata quędă medicorum penè omnium conſuetudo,qui quaſi inſigni medico indignum eſſet ſimplicia medicamẽta de facie noſcere,illa ſæpe tractare, à falſis vera,ab adulteratis integra exactè cognoſcere,totum hoc onus alioqui honorificum, & medico perneceſſarium in ſeplaſiarios & pharmacopolas homines ignaros literarum reiiciebant: tantam rei indignitatem ferre diu non potuit,ſed quia abſque exquiſita medicamentorum ſimplicium cognitione, neque medicinas componere, neque compoſitis rectè uti quiſquă poteſt, in animum induxit ſimplicia quęque et compoſita medicamenta, quorum apud Ferrarienſes publicus vſus eſt, diligenter inſpicere & examinare, atque eò redigere, vt ægroti vix iam amplius,aut lędi poſſint aut decipi:quod alijs quoque ciuitatibus non parum prodeſſe poſſe certum eſt; quamobrem librum ſcripſit de Simplicibus medicamentis, in quo vno multos errores primus correxit, multa ab alijs intacta primus edocuit. Poſtmodum de Syrupis egit, de Pillulis,de Medicamentis catharticis de Electuarijs, quę minime ſoluunt tam opiatis quam non opiatis.de Sief, id eſt collyrijs,de Suffuph, id eſt pulueribus. de Oleis,de Ceratis, de Vnguentis, de Emplaſtris, de Trochiſcis, de Loch, id eſt linctibus, vel eclegmatibus.de Aquis,de Infuſionibus, de Decoctionibus, de Proprijs medicamentis humores educentibus tam ſimplicibus, quam compoſitis, & de eorundem prębendorum modis ac doſi: Neque vero hic finẽ ſcribendi Muſam feciſſe exiſtimetis (medicinę ſtudioſi.) Nã indicem in omnes, qui extant Galeni libros refertiſſimum nunc vobis exhibet. Quo vtili atque honorifico labore vos non minus Muſæ, quã Galeno ipſi debere vltro (niſi fallor) fatebimini. Nam ſiue vobis ęgri curandi ſint, ſiue cum aliis de eorum vita ac morte diſceptandum, ſiue publice rem medicam profiteamini,ſeu de medica materia aliquid conſcribere in animo habeatis, ita copiosè, ita diſtinctè, ita ſuo ſingula vobis ordine ſeſe offerent, vt nihil ſit vobis prętera requirendum. Duobus igitur nominibus vobis tam gratus eſſe debet Index hic, quam qui gratiſſimus. tum quod nihil quicquam prętermiſſum eſt, quod adnotatu dignum in Indicem referendum eſſe videretur, ita vt nullus adhuc Galeni index copiosior exierit, tum (quod à nemine adhuc tentatum eſt) ita cuncta ſunt ſuo ordine collocata, vt vniuſcuiuſque dictionis commentariolum quoddam habere poſſitis. Quantam verò ex hoc ordine vtilitatem percepturi ſitis, tum ad ea, de quibus dubitatis celeriter inuenienda, tum ocyus memorię commendanda, vos eritis iudices. Enimuero quæcunque recto ſunt ordine diſpoſita admirabilia ſunt: nam, vt de ordine vniuerſi nihil dicam, qui omnes in ſui admirationem trahit, ſummique opificis ſapientiam oſtendit, ſine ordine nullę artes conſtituerentur, nullæ ſcientiæ. Quare Braſauolo ſcriptori optimo ingentes gratias agite, (medicinę ſtudioſi) illique vos multum debere ingenuè profiteamini, qui quaſi ad veſtrum commodum natus tantum vobis prodeſſe voluit, quantumque voluit, tantum profuit. Qui cum ratione, oratione, ac manu ad omnium hominum vtilitatem vſus fuerit, ſtatuam auream non minus meretur, quam Antonius ille Muſa Auguſti medicus magni nominis. Neque verò minus multis laudibus virum nobiliſſimum Thomam Iuntam proſequi omnes debetis, qui nulla ſumptuum magnitudine deterretur, quo minus vobis rem gratam facere perſeueret: nam acerrimi iudicij vir vtiliſſimos quoſque libros elegantibus typis quam emendatiſſime deſcribendos in dies curat, vt horum integritate & elegantia capti ad optimos authores legendos inuitemini, & à diurna, nocturnaque illorum lectione mirificos atque vberrimos fructus percipiatis. Valete.

ANTONII MVSAE BRASAVOLI
MEDICI FERRARIENSIS
IN OMNES GALENI LIBROS
REFERTISSIMVS INDEX

AARONIS *medicamentum vmbilico suspendẽdum in libro de incãtatione, adiuratione, & suspensione. Septima Classe. fol. 182. litera. C*

ABAPTISTAE *terebellæ quæ sint. 6°. met. med. 7ª. 42. C*

ABASCANTI Medici Lugdunensis antidotus. 2°. de antidotis. 5ª. 117. D

Abascanti colica medicamenta. 9°. de comp. me. se lo. 5ª. 202. A

Abascanti Cletij potio. 7°. de comp. med. se. lo. 5ª. 183. C

apud ABDERITAS multi fatui nati sunt. quod ani mor. 1ª. 321. H

Abderitanæ virginis casus. in 3ᵐ. de mor. vul. com. 3°. 3ª. 149. H

Abderitæ Heropyti casus. in 3ᵐ. de mor. vul. com. 3°. 3ª. 150. D

Abderitani Nicomedis casus. in 3ᵐ. de mor. vul. com. 3°. 3ª. 150. E

de ABDITIS *omnibus empirici dicunt se dubitare. 6°. de dec. Hip. & Plat. 1ª. 263. H*

Abditum nihil vtile reperitur fm Methodicos. de opt. sect. Is. 21. A

ABDOMEN ἐπιγάστριον *græci vocant. 3°. de san. tuen. 2ª. 77. B*

Abdomen vnde oriatur. introductio. Is. 53. D

Abdominis anatomen. 6°. meth. med. 7ª. 39. B/C

Abdominis musculi octo quales, & eorum exortus, ac finis. de musc. dissect. 1ª. 49. H/5°. de lo. aff. 4ª. 33. C

Abdominis musculorũ dissectio. 5°. ḍ ana. ad. 87. B/6°. 93. F/7°. 1ª. 87. H

Abdominis musculi statim incidant ãali mortuo. 6°. de an. ad. 1ª. 87. B

in Abdomine musculorum consideratio. 6°. de ana. ad. 1ª. 93. F

Abdominis musculorum vtilitas. de mus. diss. 1ª. 50. C

Abdominis octo musculi quid faciant, dum animal excernit. 6°. de ana. adm. 1ª. 93. H

Abdominis & thoracis musculi, necessarij sunt ad deiectionem. 3°. de symp. cau. 3ª. 27. D/6°. de loc. aff. 4ª. 38. F

Abdominis musculos si feriari patiamur, non excludentur excrementa ventris, & intestinorum. 2°. de san. tuen. 2ª. 77. B

Abdominis musculi fœtum expellunt. 3°. de nat. fac. 1ª. 303. B

in Abdomine musculorum exercitatio est spiritus cohibitio. 2°. de san. tuenda. 2ª. 75. C

Abdominis musculi leuiter contrahuntur in retentione spiritus. 3°. de san. tuenda. 2ª. 77.

Abdominis musculi cõducũt cõtractioni thoracis. de mus. dis. 1ª. 49. F

Abdominis, & artuum diuersitas in motu musculorum. 1°. de motu musculorum. 1ª. 309. F

Abdominis motus quomodo videatur. 1°. de mot. mus. 1ª. 309. H

Abdominis musculi a quibus venis nutriãtur. de ven. arte. dis. 1ª. 58. D

Abdominis musculis inflãmatis febris fit. 4° de præ. ex pul. 4ª. 121. D

in Abdomine vulnus in quo loco habet minus periculi. 6°. methodi medendi. 7ª. 39. B

in Abdominis vulnere quid agendum. 6°. meth. med. 7ª. 39. A

Abdominis vulnus paruum quomodo curandum, quando intestinum exierit. 6°. meth. med. 7ª. 39. D

in Abdomine vulnerati qualis esse debeat situs. 6°. met. me. 7ª. 39. D

in Abdominis vulneribus deligatio extrinseca necessaria est. 6°. met. medendi. 7ª. 39. G

in Abdominis vulnere qñ omẽti ps amputãda sit. 6°. met. me. 7ª. 40. B

in Abdomine vulnerato quæ pars iungenda. 6°. meth. med. 7ª. 39. G

in Abdomine vulnerato clysteres ex oleo puro. 6°. meth. me. 7ª. 39. G

Abdũis, seu vẽtris futuræ gastroraphiæ vocãtur. de mus. diss. 1°. 50. C

Abdominis suẽdi ratio species est cõpositionis chirurgiæ. intro. Is. 59. E

Abdominis sutura quæ. 6°. de ana. ad. 1ª. 90. H/6°. met. med. 7ª. 39. E

Abdomen pingue habentia corpora non rubescere ob cucurbitularum applicationem, collige. de cucur. scar. 6ª. 3. C

in Abdomen gracile habentibus videtur iecinoris tumor. 5°. de loc. affectis. 4ª. 33. E

Abdomine cyclamino illito venter subducit. 7°. de sim. me. fa. 5ª. 53. E

Abdominis membrana interior, peritonæum dicitur. commen. 6°. aphorismo. 58°. Ex. 53. F

Abdominis membrana, cerebri, medullæ dorsi, thoracis succinctorium eodem tempore fiunt. 1°. de semine. 1ª. 332. A

Abdominis membrana operiuntur arteria & vena testium. 1°. de semine. 1ª. 333. E/2°. 339. E

ad Abdominis membranam in herniæ curatione adstringendam laqueus. de laqueis. 7ª. 307. G

ABDVCTIO *quid sit. de iis, quæ in med. fi. com. 3°. 7ª. 219. G*

ABDVCENS *paruos digitos manus ab aliis musculus. de muscul. dissect. 1ª. 48. C*

Abducens paruum manus digitum longissime à reliquis musculus. de mus. dissectione. 1ª. 49. B

Abducẽs paruũ pedis digitũ extrorsum musculus. de mus. dis. 1ª. 52. E

Abducens magnum digitum pedis longissime ab indice musculus vbi oriatur, & finiat. de mus. diss. 1ª. 49. B

Abducens retrorsum magis femur, ad alterum femur leniter adducẽs musculus. de mus. diss. 1ª. 50. H

Abducens totum pedem retrorsum simul cum osse musculus. de musc. dissect. 1ª. 52. A

Abducẽtes retrorsũ simulq; extrorsum pedẽ musculi. ḍ mu. di. 1ª. 52. B

Abducentes extrinsecos pedis digitos longissime ab aliis musculi. de muscul. diss. 1ª. 52. H

ABHORRERE & appetere eandẽ rem: eadem gaudere & molesta ri non potest vnũ simplex & incompositũ. 5°. de decretis. 1ª. 259. E

ABIETIS semen quando pulcherrimum. 4°. de san. tuen. 2ª. 86. G

Abietis semen colligendi tempus. 4°. de san. tuen. 2ª. 86. G

ex Abietis semine acopum. 3°. de san. tuen. 2ª. 81. C

ex Abiete acopo vti debent qui humores in carne & toto corpore cõ gessere. 4°. de san. tuen. 2ª. 86. G

Abietinũ oleũ sine morsione p halitũ digerit. 4°. de san. tuen. 2ª. 86. H

Abietina resina qualis. 8°. de simpl. med. fac. 59. G/2°. de comp. med. per genera. 5ª. 219. F

Abietina resina ad quid vtilis sit. 4°. de san. tuen. 2ª. 87. C

qũo ABIICIANT *virus hirudines. de cucur. scar. 6ª. 4. C*

ABLATA vuula raucedinem facit. de ana. viu. Sp. 49. E

Ablationem sui indicantia. 3°. meth. med. 7ª. 16. D

de Ablatione sui indicat quod est præter naturã. 3°. met. me. 7ª. 18. B

de Ablatione sui indicat humor hydroceles & hydropis. 14. methodi medendi. 7ª. 90. G

Ablationem sui docet morbus. 11°. meth. me. 7ª. 68. E

ABLVENS *edulium quibus acutis conueniat. de vic. rat. in mor. ac. commen. 1°. 7ª. 111. G*

Ablutio capitis ad confortandum caput. secret. Sp. 98. A

Abluit sine morsu & extergit per clysteres serum. 10°. de simp. med. facul. 5ª. 73. G

Abluere aliquos prius quàm sanguinem detrahas, præstiterit, alios prius ob ambulare. præsa. exper. conf. Sp. 77. H

ABNVAT caput in posteriora, & annuat in priora qua de articulatione. de mus. diss. 1ª. 45. D

Abnuendo qui fit motus capitis, a quibus fiat musculis recte, & a quibus cum inclinatione ad latera. de mus. diss. 1ª. 45. G

Abnuendo obliquum caput mouent obliqui musculi totam ceruicem ocupantes, recti verò rectum id faciunt. de mus. diss. 1ª. 45. H

ABOMINABILI cibo, qui sapit, est digestibilior. de dis. cõ. Sp. 73. D

Abominabile est vinum nimis ponticum. de diss. cont. Sp. 73. B

Abominabilem saporẽ habentia tarde digeruntur. de diss. con. Sp. 73. D

Abominabilia & monstruosa vomunt melancholici. de melan. ex Gal. Ruf. & Poss. Sp. 109. C

p ABORTV ἀποφθορὰ. *i. deperditio est apud Hippocratem. in 6ᵐ. de morb. vul. com. 1°. 3ª. 152. G*

Abortus apud Atticos ἄμβλωσις. in 6^m. de mor. vul. c. 1°. 3^a. 152. G
Abortus quomodo apud Atticos & Hippocratem vocatur. in 6^m. de morb. vulg. com. 1°. 3^a. 152. G
Abortus fit propter multas causas. com. 7°. aph. 27°. Ex. 55. H
Abortus quibus causis fiat. in 3^m. de mor. vul. com. 2°. 3^a. 139. F
Abortum quæ faciant. 3°. de nat. fac. 1^a. 305. G
Abortus causæ, febris vehemens, alui fluxus, sanguinis fluxus, eryſi pelas uteri, ſaltus vehemens, vel clamor, vel triſtitia, vel ira, vel timor, victus parcus, ſeu alia paſſio ſimilis, mucor in acetabulis uteri. com. 5°. aph. 45°. 41. G/& aph. 53°. Ex. 42. D
Abort^o fit ſi p̄gnans habuerit alui profluuiū. cō. 5°. aph. 34°. Ex. 40. E
Abortus quando maxime fit mulieribus: & ſi non fiat, infantes ſunt debiles. com. 3°. aph. 12. Ex. 21. E
Abortiēs ſecūdo, tertio, aut quarto mēſe, p̄p quid. 6°. de lo. af. 4^a. 41. E
Abortus quo tempore fiat, & quot modis fiat. cō. 4°. aph. 1°. Ex. 27. A
Abortus fit ſi ſanguis mittatur ex vena, prægnanti. cō. 5°. aph. 31. Ex. 40. D/de ſper. Sp. 36. D
Abortus fit propter inediam. com. 5°. aph. 53.° Ex. 42. D
Abortum facit mulieri vtero gerenti, ſi tentio ſuperuenerit. comm. 7°. aph. 27°. Ex. 55. H
Abortū facit grauida ſi ſupgrediat amphisbenā. de the. ad Piſ 5^a. 93. G
Abortus cauſa moles nimia, pondus, morſus. 3°. de nat. fa. 1^a. 305. H
Abortus fit ſi mammæ prægnantis ſunt repente graciles. commen. 5°. aph. 37°. Ex. 40. H
Abortus etiam ob alias cauſas euenientes, quàm defectum alimenti, mammarum gracilitas præcedit, com. 5°. aph. 53°. Ex. 42. F
Abortum difficilem habent grauidæ febricitantes ſine occaſione manifeſta. com. 5°. aph. 55. Ex. 42. G
Abortit marem prægnās ex gemellis, ſi māma dextra gracilis fiat, ſi ſiniſtra, fœminam. com. 5°. aph. 38°. Ex. 41. A/de ana. viu. Sp. 51. F
Abortum facturis mammæ extenuantur, quæ ſi rurſus dureſcant, dolores fient mammarum, aut coxarum, aut oculorum, aut genuum, & non corrumpent. com. 5°. aph. 53°. Ex. 42. C
Abortiunt grauidæ tenues præter naturam prius quàm craſſeſcant. com. 5°. aph. 44°. Ex. 41. F
Abortiua medicamenta. in 6^m. de mor. vul. com. 1°. 3^a. 152. G
Abortum affert ſtachys. 8°. de ſimp. med. fac. 5^a. 61. C
Abortū facit decoctū florū leucoij, ſi bibatur. 7°. de ſim. me. fa. 5^a. 54. C
ad Abortum impellens cataplaſma. de med. fa. par. 7^a. 169. A
Abortus qui cauſa eſt, punitur legibus. an animal ſit. 1^a. 328. E
i Abortiētib^o cur maxime dolet ſinciput. i 6^m. ḋ mor. uul. c. 1°. 3^a. 153. D
in Abortu cur appareant caruncul æ. de anat. viu. Sp. 52 B
in Abortibus. xxx. dierum iecur longe maius corde & cerebro. de fœ. form. 1^a. 323. A
in Abortibus. xxx. dierum iecur, cor, cerebrum, iuxta ſe locata cernuntur. de fœt. form. 1^a. 323. A
ne Abortiat mulier, & fœtum cōtineat, quid agēdū. de dyn. Sp. 29. H
Abortus mulieris. in 3^m. de morb. vulg. com. 2°. 3^a. 139. B
ex Abortu caſus Oecetai. in 3^m. de mor. vul. com. 2°. 3^a. 139. E
Abortum an fecerit mulier vt cognoſcatur. de me. fac. par. 7^a. 168. H
ABRASIO nouacula fit vt capilli facile, & cito naſcantur. 1°. de comp. med. ſec. lo. 5^a. 123. E
ad Abraſa. 1°. de comp. med. per gen. 5^a. 215. E
ad Abraſos valens emplaſtrum. 2°. de comp. me. per gen. 5^a. 223. A
Abradit pumex. de ſimp. med. Sp. 88. H
ABRENGI *fit mentio ſecret. Sp. 103. B*
ABROTONVM *quid, & eius vires. de ſimp. med. Sp. 81. B*
Abrotoni duæ ſpecies, mas & fœmina. 6°. de ſimp. med. fa. 5°. 40. F
Abrotonum calidum medicamentum. 10°. de com. me. ſe. lo. 5^a. 207. C
Abrotonum calidū & ſiccū in tertio ordine. 6°. de ſim. me. fa. 5^a. 40. C
Abrotonum digerit & incidit. 6°. de ſimp. med. fa. 5^a. 40. D
Abrotonon, & ſantonicum differunt. 6°. de ſimp. med. fa. 5^a. 40. F
Abrotonum thebaicum. 11°. de comp. med. ſe. lo. 5^a. 208. B
Abrotono minus eſt tenuiū partiū abſinthiū. 6°. de ſim. me. f. 5^a. 40. G
Abrotono minus extenuat abſinthium. 6°. de ſimp. me. fa. 5^a. 40. G
Abrotono non minus exiccat abſinthium. 6°. de ſimp. med. fa. 5^a. 40. G
Abrotonon valde amarum. 6°. de ſimp. med. fa. 5^a. 40. C
Abrotonon coctum in aqua deponit qualitatem. 3°. de ali. fac. 2^a. 32. A
Abrotonū pauciſſimæ acerbitatis particeps. 6°. de ſim. me. f. 5^a. 40. D
Abrotoni coma contuſa poſita ſupra vlcus, mordax videtur. 6° de ſim. med. fac. 5^a. 40. C
Abrotonum inimicum ſtomacho. 6°. de ſimp. me. fa. 5^a. 40. D/G
Abrotoni flores contuſi poſiti ſupra vlcus mordaces videntur. 6°. de ſimp. med. fa. 5^a. 40. C
Abrotoni palea p̄ter comā cū florib^o inutilis ē. 6°. de ſim. me. f. 5^a. 40. C
Abrotonum in cibo ſumptum meatus purgat. 5°. de ſim. me. fa. 5^a. 35. C
Abrotonum purgat indigeſtibiles cibos & lumbricos rotundos. Spu. de cathar. 95. C/de ſim. me. 81. B/6°. de ſimp. me fac. 5^a. 40. D
Abrotonon ex oxymelite in peripneumonia. de uic. rat. in morb. acut. com. 4°. 7^a. 144. C
Abrotonon tritum & coctum cum farina hordeacea digerit phymata. 6°. de ſimp. med. fac. 5^a. 40. D
Abrotonum vſtum magis exiccat quàm cucurbita ſicca vſta, & anethi radix. 6°. de ſimp. med. fac. 5^a. 40. H
Abrotonum rigores mitigat. 6°. de ſimp. med. fa. 5^a. 40. C
Abrotono cum malo cydonio cocto aut pane, ſanantur phlegmonæ oculorum. 6°. de ſimp. med. fa. 5^a. 40. D
Abrotonon quo modo ad alopecias faciat. 6°. de ſimp. me. fa. 5^a. 40. H
Abrotono quomodo procuretur barba. 6°. de ſimp. me. fa. 5^a. 40. H
ABRVPTIO *quid ſit. de iis, quæ in me. fi. com. 3°. 7^a. 219. G*
ABSCEDERE *quæ intelligant. de iis, quæ in me. fi. com. 2°. 7^a. 211. H*
ABSCEDENTIA *quæ. de iis, quæ in me. fi. com. 2°. 7^a. 213. B*
ABSCESSIO *quid ſignificet. de iis, quæ in me. fi. com. 2°. 7^a. 212. D*
ABSCESSVS *qui vocatur. 2°. de arte cur. ad Glau. 7^a. 105. B/in 6^m. de mor. vulg. com. 3°. 3^a. 178. E*
Abſceſſum non ſignificare, vel ſub ſe comprehendere inflammationem elice de palp. 3^a. 55. B
Abſceſſus quid. fi. med. If. 49. A/de tumor. præter nat. 3^a. 83. C
Abſceſſus eſt morbus inſtrumentalis. 1°. de ſym. cau. 14. G/3°. 3^a 24. G
Abſceſſus morbi cauſa, non morbus eſt. 1°. meth. med. 7^a. 7. D
Abſceſſus quot modis fiat ſecundùm Hipp. in 1^m. de mor. vul. com. 2°. 109. B/1°. de ſymp. cau. 3^a. 14. G
Abſceſſus qñ fiāt, & quid ſignificēt in 1^m. de mor. vul. c. 2°. 3^a. 111. C
Abſceſſuum differentia. in 1^m. de mor. vul. com. 2°. 3^a. 112. A
Abſceſſus duplex. 14°. meth. med. 7^a. 90. D/in 3^m. de morb. vulg. com men. 1°. 3^a. 127. G
Abſceſſus & ſinus differentia. de iis, quæ in me. fi. com. 2°. 7^a. 212. A
Abſceſſuum tria genera. 14° meth. med. 7^a. 90. E
Abſceſſus, quancunq; corporis partem infeſtare poteſt. intr. If. 59. D
p Abſceſſu intelligitur decubitus. in 6^m. de mor. uul. cō. 3°. 3^a. 178. F
Abſceſſus per decubitum maximi fiunt in longis morbis. in 1^m. de mor. vul. com. 2°. 3^a. 111. E
Abſceſſus per effluxionem. in 1^m. de morb. vul. com. 2°. 3^a. 111. F
Abſceſſus incidunt ibi, vbi laborauerint, qui ex morbis conualeſcunt com. 4°. aph. 32°. Ex. 30. H
Abſceſſus in contactu quid. ſini. med. If. 49. B
Abſceſſus vt fiſtulæ. in 6^m. de mor. vul. com. 3°. 3^a. 178. E
Abſceſſuū diuerſitas, & q̄ boni, q̄ mali. in. 1^m. de mor. uul. c. 3°. 3^a. 118. B
Abſceſſus qui boni. com. 2°. in. 1^m. prorrh. 4^a. 187. H
in Abſceſſus malos deflectunt cruda, & inconcocta. in. 1^m. de morb. vul. com. 2°. 3^a. 116. B
ad Abſceſſus malos cruda conuerſa ſignificāt iudicationis carētiā, labores, tpa, mortes, uel eorūdē malorū reddit^o. c. 4°. aph. 22°. Ex. 29. G
Abſceſſus nullus bonus ante coctionē. in. 3^m. de mor. vul. cō. 1°. 131. F/de inæq. intemp. 3^a. 43. F
Abſceſſus in ſuperioribus partibus ſunt difficiliores. in. 6^m. de morb. vul. com. 2°. 3^a. 162. H
Abſceſſus aurium, vel articulorum, ſi fiant in die iudicatorio, vel incipiant, bonum, & notantur qui ſint iſti dies in quibus fieri debent, & in quibus non. com. 4°. aph. 36°. Ex. 31. G
Abſceſſus poſt aures, ſignificatur à colore faciei. in. 1^m. prorrh. com. 2°. 4^a. 171. A/in. 6^m. de mor. vul. com. 2°. 3^a. 163. G
Abſceſſus poſt aures qñ fiat. cō. 2°. in p̄g. 201. C/3°. de criſi. 4^a. 144. B
p Abſceſſus poſt aures cauſus ſanatus. de vict. rat. in mor. acut. commen. 4°. 7^a. 135. E
Abſceſſus cerebri qui bonus, & qui malus. de inæq. intemp. 3^a. 43. F
Abſceſſus affectus albi oculorum. introductio. If. 58. D
Abſceſſus, oris affectus. introd. If. 59. C
Abſceſſus in gula incoctus qūo eē deprehēdatur. 5°. de loc. af. 4^a. 32. D
ex Abſceſſu gulæ obiere multi. 5°. de loc. aff. 4^a. 32. D
de Abſceſſu in gula caſus. 5°. de lo. aff. 4^a. 32. D
Abſceſſus in clauiculis eſt morbus longus intrinſecus. fin. med. If. 56. B
Abſceſſum ſuſtinere cor, pulmonem, & ligamenta dolorem impoſſibile eſt. 1°. de loc. aff. 4^a. 6. C

Abſceſſus in pulmone eſt paſſio diuturna.com.4°.aph.34°. Ex.31.D
Abſceſſus ex pulmonia quomodo erupturi cognoſcantur. in prognoſt. commen.2°. 4ª.205.A
Abſceſſus in pulmonia qñ bonus & qñ malus.in prog.cõ.2°.4ª.205.D
in Abſceſſu in pulmone & thorace, magna fit thoracis dilatatio, ſed non multus trahitur ſpiritus. 4°.de loc.aff. 4ª.27.A
Abſceſſus qui ex pulmonia infeſtant, quandoque ad aures, quandoque deorſum eunt.in progn.com.2°. 4ª.205.A/D
Abſceſſus in medio latere eſt morbus lõgus intrinſecus.intro. Iſ.56.B
Abſceſſus circa coſtas boni,& mali.de inæq.intem. 3ª.43.F
Abſceſſum ad ſepti tranſuerſi regiones infernas expectare debent, quibus vrinæ tenues, & crudæ minguntur diuturnæ, ſi alia ſigna tanquam euaſuris adfuerint,de vri.ſign.ex Hip. Sp.78.G
Abſceſſus ventriculi qui bonus.de inæq.intem. 3ª.43.F
Abſceſſus ventriculi qui malus.de inæq.tem. 3°.43.F
Abſceſſus ex ſuperioribus ad inferiores vmbilico partes ſalubres ſunt.in 6ᵐ.de morb.vul.com.1°. 3ª.157.H
Abſceſſus renum quo modo cognoſcãtur.6°.de loc.aff.4ª.37.D/com. 7.apho.36°. Ex.56.G
Abſceſſus in vtero quando fiat.ſi.med. Iſ.48.A/50.A
Abſceſſus in vtero nõ iuuatur ſternutatione.cõ.5°.aph.35°. Ex.40.F
Abſceſſus in veſica,cauſa eſt ſtillicidij vrinæ.cõ.3°.aph.16°.Ex.23.D
Abſceſſus in teſtes quandoque incidunt tuſſientibus ſine dolore coſtarum.in 6ᵐ.de morb.vulg.com.2°. 3ª.162.H
Abſceſſuũ gñatiões pritãt cibi dulces,& craſſi.de bo.& vi.ſu.2ª.36.E
Abſceſſus poteſt facere anguſtationem partium,adeo vt nihil poſſit ad eas tranſire.com.6°.aph.44°. Ex.51.C
Abſceſſus quomodo cognoſcantur ſuperius vel inferius erupturi. in progno.com.2°. 4ª.205.C
per Abſceſſum futura criſis quomodo cognoſcatur. 3°.de criſi.144. G/4°.de præſag.ex pul. 4ª.122.E
Abſceſſum futurum ſignificat rubedo faciei in longo morbo. in 6ᵐ. de morb.vulg.com.2°. 3ª.163.G
Abſceſſus quando ab vrinis prædicantur.de vri.ſig. Sp.78.H
Abſceſſus vnguium.8°.de comp.med.ſec.loc. 5ª.188.G
Abſceſſu futuro ad articulos liberãt vrina multa craſſa facta vel fluxu ſanguinis nariũ.cõ.4°.aph.74°.Ex.35.H/i.pg.cõ.2°.4ª.201.E
Abſceſſum futurum in coxualituris ſignificat vrina tenuis cruda.com. 2°.in progno. 4ª.201.C
Abſceſſibus putredinoſis iudicabantur ægrotantes ob malos cibos. de bo.& vit.ſuc. 2ª.33.H
Abſceſſus i ſanguinis profluuiũ in 1ᵐ.de morb.vul.com.2°.3ª.104.D
Abſceſſum,aut profluuium ſanguinis narium qui capitis dolor ſignificet.in prog.com.3°. 4ª.208 F
Abſceſſum ſequuntur labores,& dolores.com.4°.aph.44°.Ex.32.G/ 4°.de loc.aff. 4ª.77.D
Abſceſſus faciunt viſcerum dolores.com.4°.aph.66°. Ex.34.E
Abſceſſus in febribus qui non ſoluunt ad primas iudicationes, longitudinem morbi ſignificant. com.4°.aph.51°. Ex.35.C
Abſceſſus in febribus quando expectandus ad articulos. in prog. com. 3°.4ª.209.F/in 6ᵐ.de mor.vul.com.2°.163.D/com.4°.3ª.179.E
Abſceſſus articulorum fieri in laborantibus, qui propter motum habuerint calidos articulos,non mirum.com.4°.aph.31°. Ex.30.G
Abſceſſus in articulis cur faciat clauditatẽ.in progn.cõ.2°.4ª.205.D
Abſceſſus articulorum,aut maxillarum fiunt laſſitudinem habentibus in febribus.com.4°.aph.31°. Ex.30.G
in Abſceſſu arteriæ pulſus ſentitur cum dolore.2°.de lo.aff. 4ª.8.G
Abſceſſum in profundis abdominis muſculis habentis, Steſiani caſus. 5°.de loc.aff. 4ª.34.B
Abſceſſus poteſt fieri in oſſibus.com.7°.aph.54°. Ex.58.G
Abſceſſus oſſis à corruptione.com.7°.aph.73°. Ex.60.G
Abſceſſus nõ fiũt p morbos bilioſos,ſed p lõgos.i.pgn.cõ.2°.4ª.205.A
Abſceſſum,vel excretiones euidenter requirunt morbi ſubitæ ſolutionis.1°.de die.decre. 4ª.147.B
p Abſceſſum finiũt morbi craſſarũ materierũ.in pgn.cõ.2°. 4ª.201.C
p Abſceſſum iudicantur longi morbi.in prog.com.2°.4ª.205.B/com. 4°.aph.36°.Ex.31.H/de vic.rat.in morb.acu.com.4°. 7ª.140.F
per Abſceſſum aut per coctionem ſoluuntur humores crudi & craſſi. in progno.com.3°. 4ª.209.G
p Abſceſſum euacuãtur frigidi humores.in progn.com.3°. 4ª.210.E
Abſceſſ' qñ fiat i cõtinua,q i quartanã diſcedat.i pg.cõ.3°.4ª.210.A
Abſceſſus in quartanam.in 1ᵐ.de morb.vul.com.2°. 3ª.110.A
ob Abſceſſum in morbis ſtultitia,& obliuio.2°.de ſym.cau. 3ª.24.B
Abſceſſus hieme potius accidunt, tardius deſinunt, minus retrocedunt.in progn.com.3°. 4ª.210.D
Abſceſſus ſecũdũ humores & vires qñ fiunt.in prog.cõ.3°. 4ª.209.H
Abſceſſus in quibus ætatibus magis fiant.in progn.com.3°. 4ª.209.G
Abſceſſus cito fiũt in febrib⁹ laſſitudinariis.cõ.4°.aph.74°.Ex.36.A
p Abſceſſ⁹ iudicari ſolẽt febres molliores.1°.de ar.cu.ad Gl.7ª.100.C
Abſceſſus raro fiunt in febribus cum rigore. in 6ᵐ.de morb.vulg. commen.1°. 3ª.157.A
an Abſceſſu facto ex inferioribus in ſuperiora rectitudo membri ſemper vtiliter ſeruetur, ex ſuperioribus autem in inferiora, corrumpatur.in 6ᵐ.de morb.vulg.com.2°. 3ª.162.F
in Abſceſſibus an ſemper ſitus rectitudo ſeruetur.in 6ᵐ.de mor.vul. commen.2°. 3ª.162.G
Abſceſſus corporum arteriis circunfuſorum quos pulſus faciant.2°. de cau.pul. 4ª.91.F
Abſceſſus in veſica facit vrinæ difficultatem cum dolore.commen.4°. apho.48°. Ex.58.A
in Abſceſſum dũ inflãmatio vertitur, quid ſequatur.de palp.3ª.55.B
Abſceſſus euaneſcẽs facit periculum vitæ.in prog.com.2°. 4ª.205.D
Abſceſſus craſſitudo quanta fuerit,tanta erit cauitas vlceris.com.6°. apho.45°. Ex.51.G
Abſceſſus quorum aut pars capax non eſt,aut ſi ſit,non ferat.in 3ᵐ.de morb.vul.com.3°. 3ª.149 F
in Abſceſſibus qui ad maturitatem perduci queunt, non eſt inutile vt nihil eius qui adhuc ſuppurat humoris excernatur, & cur.de iis, quæ in med.ſi.com.2°. 7ª.212.G
ex Abſceſſu diſrupto quandoque defluit pus bene expurgans partes. commen.4°.aph.47°. Ex.33.A
ex Abſceſſuum ruptura animi defectus quo modo curandus.1°.de arte cur.ad Glau. 7ª.99.F
Abſceſſum diſtentum cum dolore pulſantem quando aperimus,& pus emittimus,non eſt curatio ſymptomatis.12°.meth.med. 7ª.74.G
Abſceſſibus & vlceribus ſuppurantibus,rigor fit.in 6ᵐ.de morb.vul. commen.3°. 3ª.174.D
in Abſceſſus ſectione cum totum pus exit, animi defectus fit. 1ª.de ar.cur.ad Glauc. 7ª.98.H
in Abſceſſibus quæ inueniantur.de tum.præt.nat.83.G/de diff.morb. 3ª.4.F/2°.de ar.cur.ad Glau.105.B/14°.meth.med. 7ª.92.D
Abſceſſuum a ſinuum curatione diuerſa curatio eſt.de iis,quæ in med. ſi.commen.2°. 7ª.212.H
in Abſceſſib⁹ ſcopus curationis.de iis,quæ in med.ſi.cõ.2°.7ª.211.C
Abſceſſus ſimplici ſectione ſecantur.introductio. Iſ.59.E
Abſceſſus debent cito incidi.de ther.ad Piſ. 5ª.90.D
Abſceſſus qui his in die curandi.de rem.par.fac. 7ª.155.E
in Abſceſſibus quidam vtuntur menta.6°.de ſimp.med.fa. 5ª.48.B
Abſceſſus ſanat menta cum polenta.3°.de me.fa.par. 7ª.174.G
pp Abſceſſum qui ſuppurantur illis elleborus non dandus. de vic. rat.in morb.acut.com.4°. 7ª.144.G
Abſceſſus prohibens.5°.de comp.med.per gen. 5ª.249.A
Abſceſſum patientibus dari non debere vinum.8°.de comp.medi.ſecundum locos. 5ª.194.G
in Abſceſſibus non eſt multum calfaciendum,& exiccandum.6°.de ſimp.med.fa. 5ª.48.B
ad Abſceſſus.7°.de cõp.me.ſe.lo.182.F/1°.de cõp.me.per ge.217. A/3°.234.H/5°.246.H/247.F/6°.258.C/267.F/7°. 5ª.266.G
Abſceſſuum in ſuperficie curatio.2°.de ar.cur.ad Glau. 7ª.105.B
Abſceſſus ſuperficiarij facile ſanantur.2°.de ar.cu.ad Glau.7ª.105.B
ad Abſceſſus particulares.6°.de cõp.me.per gen.261.G/5ª.262.A
de Abſceſſibus iuxta aures.de remed.par.fac. 7ª.155.D
Abſceſſus poſt aures diſcutit cicerum genus orobicum appellatum.6°. de ſimp.med.fa. 5ª.47.E
ad Abſceſſus occultos.7°.de comp.med.ſec.lo. 5ª.185.G
ad Abſceſſus latentes in collo & peritonæo prohibendos.6°.de comp. med.per gen. 5ª.256.D
ad Abſceſſus in mammis & alis.5°.de comp.me.per gen. 5ª.246.E
ad Abſceſſus mammarum.6°.de comp.med.per gen. 5ª.262.B
ad Abſceſſus in ſpacio coſtali curatio.introd. Iſag.59.H
ad Abſceſſus præcordiorum.6°.de comp.med.per gen. 5ª.262.F
ad Abſceſſus in viſceribus medicamenta.14°.meth.med. 7ª.99.F
Abſceſſus in viſceribus indigent medicamentis ex aromatibus.14°. metho.medendi. 7ª.90.E

ad Abscessus squamarũ quid faciat. 5°. de cõp. med. per gen. 5ª. 248. E
ad Abscessus interiores sine dolore discutiendos. 2°. de comp. me. per genera. 5ª. 222. F
Abscessus in profundo quibus curentur. 7°. de comp. me. secun. locos. 5ª. 265. B
186. D. 7°. de comp. med. per gen.
Abscessus in profundo absorbẽs malag. 9°. de cõp. me. se. lo. 5ª. 200. C
ad Abscessus in alto corporis obortos. 7°. de cõ. me. per ge. 5ª. 265. B
Abscessus furẽtes mitigãs Cyzicenũ. 5°. de cõp. me. per gen. 5ª. 250. B
Abscessus iternos discũpit thlaspi semẽ potũ. 6°. de sim. me. f. 5ª. 48. D
Abscessus iternos pbe repurgãs catapotiũ. 7°. de cõ. me. se. l. 5ª. 183. G/H
Abscessus digerit adiantum. 6°. de simp. med. fa. 5ª. 41. E
Abscessus concoquit sanguis vrsorum. 10°. de simp. med. fa. 5ª. 73. D
Abscessum rumpens pharmacum. 3°. de comp. med. se. lo. 5ª. 146. F
ad Abscessus humore ablato. 2°. de comp. med. per gen. 5ª. 227. E
Abscessus locum celerius diuidit emplastrum quam scalpellum. de theriaca ad Pis. 5ª. 90. D
ad Abscessus quibus cõueniãt aromata. 6°. de cõ. me. se. lo. 5ª. 186. G
Abscessus vide etiam apostema.
ABSCINDERE partem affectam totam circunciſam vndique ad incolumẽm vsque non est curare. de atra bile. 1ª. 35. F
Abscisso neruo non mouebitur musculus. de vo. & anhel. Sp. 60. F
Abscisa spinali medulla apud tertium spondylum quid sequatur de vo. & anhel. Sp. 62. A
Abscißis omnibus prodest cinis impositus. de simp. me. Sp. 86. A
ABSINTHIVM & marrubiũ fere non differũt. de op. sect. Isag. 23. H
Absinthium quid, & eius vires. de simp. med. Sp. 80. C
Absinthij tres spẽs, põticũ, sãtonicũ, seriphiũ. 6°. & sim. m. f. 5ª. 40. F/G
Absinthio specie simile est seriphum. 8°. de simp. med. fa. 5ª. 60. C
Absinthium seriphum stomacho inimicum. 6°. de sim. me. fa. 5ª. 40. G
Absinthij pontici descriptio. 11°. meth. med. 7ª. 72. F
Absinthij pontici fit mentio. 10°. de comp. me. se. lo. 5ª. 208. H
Absinthium ponticum quale. 11°. meth. med. 7ª. 72. F
Absinthium ponticum redolet, vt aroma. 11°. meth. med. 7ª. 72. F
Absinthium ponticum purgat vesicam. de cathar. Sp. 95. D
Absinthium ponticum valet ad inflammationes iecoris, & vẽtriculi. 11°. meth. med. 7ª. 72. F
Absinthiũ quale. 6°. de sim. me. fa. 44. D/8°. de cõp. me. f. lo. 5ª. 190. B
Absinthiũ calidũ ẽ i prio ordie, siccũ i tertio. 6ª. de sim. me. f. 5ª. 44. D
Absinthij vis qualis sit. 6°. de san. tuen. 2ª. 99. A
Absinthium habet duplicem facultatem. 11°. meth. med. 7ª. 72. F
Absinthiũ videt magis dulce q̃ amarũ de cura icteri (mẽtiũ) Sp. 111. A
Absithio gustato, q̃ gustãt videt amara. i 6ta. & mo. vul. c. 5°. 3ª. 192. C
Absinthiũ plus adstringit quã amarum sit. 6°. de sim. me. fa. 5ª. 44. D
Absinthium amarum coctum in aqua deponit qualitatem. 3°. de alimentorum facultatibus. 2ª. 32. A
Absinthio amariora sunt Aristolochia, Gentiana, Centaurea. de cura icteri. Sp. 111. A
Absinthium amarum, & acerbum. 5°. de simp. med. fa. 5ª. 35. B
Absinthium magnam habet acerbitatem. 6°. de sim. me. fa. 5ª. 40. D
Absinthium minus calidum abrotono, quoniam plurimam obtinet adstrictionem. 6°. de simp. me. fac. 5ª. 40. G
Absinthiũ minus extenuat quã abrotonon. 6°. de sim. med. fa. 5ª. 40. G
Absinthiũ nõ minus exiccat quã abrotonon. 6°. de sim. med. f. 5ª. 40. G
Absinthiũ ẽ minus tenuiũ ptiũ q̃ abrotonon. 6°. de sim. me. fa. 5ª. 40. G
Absinthium roborat omnia membra. 1°. de arte cur. 7ª. 99. D
Absinthium gratum est stomacho. 6°. de simp. med. fa. 5ª. 40. D/G
Absinthium conuenit stomacho imbecillo. de opt. secta. Isag. 23. H
Absinthio vtebãtur antiq̃ i stõ imbecillo, & qũo. 7°. met. me. 7ª. 43. H
Absinthium pro frigiditate ventriculi. 1°. de arte cur. 7ª. 99. C
Absinthium conuenit in vẽtriculo hõte destillationẽ. 7°. met. me. 7ª. 48. B
Absinthiũ cõuenit in vẽtriculo q̃ affectibe fomẽtet vẽtriculus. 8°. m. m. 7ª. 53. C
ex Absithij oleo i qua affectibe fomẽtet vẽtriculus. 8°. m. m. 7ª. 53. C
Absinthium est summum stomachi remedium ex melicrato, vbi infestauerit bilis. 1°. de arte cur. 7ª. 97. B
Absinthium iecori, & ori vẽtriculi conuenit. de rem. pa. fa. 7ª. 158. F
Absinthij oleum pro ventriculo in quo pituita multa sit aceruata. 1°. de arte cur. 7ª. 99. D
Absinthiũ vinum, ventrem, & choleram emundat. de sim. me. Sp. 92. C
Absinthij vino curata est stomachi dissolutio quæ fecit atrophiam. de theri. ad Pis. 5ª. 90. D
Absinthio excutit humor cõtẽt i tunicis uẽtriculi. 1°. de lo. aff. 4ª. 5. F
Absinthium in mulsa coctum valet quando pituita tenuis fuerit in ventriculo. 7°. meth. med. 7ª. 48. D
Absinthium quo modo nidorem amittit. 8°. meth. med. 7ª. 53. B
Absinthium bilioſos ventris humores per egestionem infernam propellit, ac per vrinas euacuat. 6°. de simp. me. fa. 5ª. 44. D
Absinthio vtaris i tertiana facta coctiõe. 1°. de dr. c. ad Gl. 7ª. 97. B/E
Absinthium quale medicamentum est iecori, tale lieni est capparis cortex. 13°. meth. med. 7ª. 84. F
Absinthium conuenit iecinori, & lieni. 14°. meth. me. 7ª. 88. D
Absinthium purgat gibbam hepatis partem. de cathar. Sp. 95. 4
Absinthium in splene duro ex flatu conuenit. 2°. de ar. cur. 7ª. 108. C
ex Absinthio, oxymelite, & cappari cataplasma pro liene. 11°. metho. medendi. 7ª. 74. A
Absinthium non confert genu, oculis, & ori. 14°. meth. med. 7ª. 88. D
Absinthij potio quibus non conducat. 6°. de san. tuen. 2ª. 99. C
Absinthium non debet accipere exiccatus, & qui ferè ad marasmum deuenerit. 7°. meth. me. 7ª. 44. C/de sim. me. Sp. 80. E
Absinthium perimere potest vermes teretes. 14°. meth. me. 7ª. 93. H
Absinthium purgat cibos indigestibiles, & lumbricos rotundos. de cathar. Sp. 95. C
Absinthiũ cur misceatur medicamentis. 8°. de cõp. me. se. lo. 5ª. 190. B
Absinthium valet in epilepsia. de puero epil. 7ª. 181. A
ex Absinthio relaxantia in syncope. 11°. meth. me. 7ª. 76. A
Absinthium cur intus purget, extra non. 5°. de simp. me. fa. 5ª. 35. B
Absinthij coma quantum purget. 6°. de sani. tuen. 2ª. 99. A
Absinthij coma i iecoris dolore dãda i aliquo liquor. 6°. & fa. t. 2ª. 96. B
ex Absinthij coma seruefacta olcum pro stomachi ore. 8°. de comp. med. se. lo. 5ª. 187. D
Absinthij coma in iecoris phlegmone. 11°. meth. med. 73. A/13°. 83. G
2°. de arte cur. 7ª. 104. D
Absinthij comam in melicrato potandam dat Gal. pro deiectione deinceps vinum in animi defectu ex vitiosis succis in ore ventriculi. de arte cur. ad Glau. 7ª. 99. E
Absinthij coma purgandus cui biliosus humor in ventre colligitur. 6°, de sanit. tuen. 2ª. 99. A
Absinthij succus calidior herba. 6°. de simp. me. fa. 5ª. 44. D
Absinthij succus vitandus in capitis doloribus a stomacho, & ab aliis. 2°. de comp. me. se. lo. 5ª. 137. B
in Absinthij succũ marrubiũ miscẽt quũ adulterat. 1°. de ant. 5ª. 100. D
Absinthij succum dedit Gal. vt bilem (atram) contemperaret, ac veluti edulcoraret. de ther. ad Pis. 5ª. 96. A
Absinthij succus infusus in aqua cum nardo quibus conueniat. de cura icteri. Sp. 111. A
Absinthij cremore bilis euacuatur. 2°. de comp. med. se. lo. 5ª. 136. H
Absinthiũ melli mixtũ qd iprimit in linguã. 3°. de sim. me. fa. 5ª. 21. A
Absinthij succi pars vna, aloes & scammonij partes duæ, medullæ colocynthidos pars vna, succo pomorum omnia excepta, ac in pilulas redacta faciũt ad alopeciam, & ophiasin. de rem. par. fa. 7ª. 154. G
Absinthij decoctio purgat matricem. de cathar. Sp. 95. C
Absinthij potio non admodum detergit. 6°. de sani. tuen. 2ª. 99. C
Absinthij decoctum aluo, & ventriculo prodest. de mel. ex Galeno, Ru. & Pos. Sp. 110. B
Absinthij, & centaureæ decoctio aperit obstructionem minus quàm decoctio iridis. de med. exper. Sp. 104. B
Absinthium oleum adhibebimus cum iecur, & ventriculus laborabunt. 11°. meth. med. 7ª. 73. D
Absinthium in oleo pro iecoris phlegmone. 11°. meth. med. 7ª. 73. A
pro Absinthio quæ accipienda. 11°. meth. med. 7ª. 72. H
ABSORBENS humiditates ex alto malagma. 5°. de comp. med. secundum locos. 5ª. 200. B
Absorbẽs absceſſus in pfundo malagma. 9°. de cõp. me. se. lo. 5ª. 200. C
ABSTERSIO habet ordines. 7°. de simp. med. fa. 5ª. 53. B
Abstergit, incidit, parum desiccat, adstringit nonnihil tamarix. 7°. de simp. med. fa. 5ª. 56. D
Abstergendi vim habent amari sapores. 4°. de simp. me. fa. 5ª. 29. G
Abstergere, terminus est amari saporis. 4°. de simp. me. fa. 5ª. 29. F
Abstergunt amara. 8°. de simp. me. fa. 5ª. 61. A/62. E
Abstersio ab amaritudine non verenda. 8°. de simp. med. fa. 5ª. 61. B
Abstergentia valde medicamenta. 2°. de comp. me. per gen. 5ª. 221. G
Abstergit vehementissime mel. 6°. de comp. med. se. lo. 5ª. 171. H
Abstergunt cibi sapidi, dulces, subtiles. de diss. cont. Sp. 72. E
Abstergẽtia leuiter carnẽ ulceri i ducer apta sũt. 9°. & si. m. f. 5ª. 66. A
Abstergentibus adduntur adstringentia vt eorum facultatem in profundum ducant. 2°. de comp. med. per gen. 5ª. 225. C

Abſtergendi vim habet atriplicis ſemen.6°.de ſimp.med.fa. 5ª.44.C
Abſtergendi vim habet radix vitis albæ.6°.de ſimp.me.fa. 5ª.42.F
Abſtergit populus alba.7°.de ſimp.med.fa. 5ª.54.D
Abſtergit myrrha.8°.de ſimp.med.fa. 5ª.61.A
Abſtergit lamp ſane.7°.de ſimp.med.fa. 5ª.54.A
Abſtergit rhu ſiccum cum melle.3°.de ſimp.med.fa. 5ª.20.A
Abſtergentia quid faciant.5°.de ſimp.med.fa. 5ª.36.E
Abſtergit viſum quid.ſecret. Sp.101.F
Abſtergatur quomodo ventriculus pituitæ plenus.in 6ᵐ.de mor.vul. com.2°.3ª.160.H/de diſſol.cont. Sp.74.G
Abſtergit viſcera chamæpitys.8°.de ſimp.med.fa. 5ª.63.F
Abſtergẽtiũ qñ usº ſit ĩ melãcholia.d melã.ex Gal.Ru.et Poſ. Sp.110.C
Abſtergũt,& mũdificant renes ficus hũidæ,et ſiccæ.de diſ.cõ. Sp.74.G
Abſtergens,& amarum eſt aphronitrum.9°.de ſim.me.fa. 5ª 68.G
Abſtergit aphronitrum omnes ſordes de corpore.de ſim.me. Sp.80.C
Abſtergentia & parum adſtringentia exaſperant.ars me. Iſ.70.E
Abſtergentia, & exiccantia medicamenta,ac vlcera pura reddentia. de fract.com.3°. 7ª.242.D
Abſtergit & exiccat crethmõ ſalsũ ſubamarũ.7°.d ſim.me.f. 5ª.52.H
Abſtergunt exiccantq, ſalſa amara.7°.de ſimp.med.fa. 5ª.52.H
Abſtergunt,& exiccant vehementer æris ſquama & ærugo.4°.de cõ po.med.per genera. 5ª.240.H
Abſtergit & adſtringit caries lignorum.8°.de ſimp.me.fa. 5ª.60.A
Abſtergendi non ſunt ægri cum lauantur, niſi ſordidi ſint, & pruritu vexentur.de vict.rat.in morb.acut.com.3°. 7ª.132.A
Abſtergendus eſt mucor hirudinum ſpongia.de cucur.ſcar. 6ª.4.C
ABSTINENTIA *à cibo idem ſignificat, quod inappetentia. comm. 4°.aph.17°.* Ex.29.A
Abſtinens à cibo,id eſt non appetens, debet per ſuperiora purgari. cõ. 4°.aph.17°. Ex.29.A
ex Abſtinentia à cibo quidam breuiſſima vexabatur conuulſione.5°. de loc.affect. 4ª.32.G
Abſtinens à cibo ſanus,præſertim ſi ſit cholericus, quid patiatur.com men.6.aph.50°. Ex.52.G
Abſtinentia cibi euacuat per accidens.14°.meth.med. 7ª.89.A
Abſtinentia tribus vel quatuor diebus facta plethoram ſanat abſque ſanguinis miſſione.de vict.rat.in mor.acu.com.4°. 7ª.136.H
Abſtinere à potu,et cibo decimo quoq; die,deinde poſtero die lauari,ci boq, firmo vti,remediũ eſt ad impetũ morborũ.de dyna. Sp.20.B
Abſtinentia maceratis,& alimenti defectu ſit tremor.1°.de palp.con-uulſ.& rig.3ª. 3ª.52.H
Abſtinere à venere quando debeamus.de dynamid. Sp.20.D
ob Abſtinentiã viri dolori matricis quid proſit.de paſſ.mul. Sp.95.G
ABSTRAHENTIVM *non eſſe mendacium probatur pulſuum exẽplo.1.de diff.pulſ.* 4ª.56.H
ABSVRDA *dicentes deridentur.com.2°.de nat.hum.* 7ª.183.D
*ABVNDARE ſanguinẽ ætate puerili & vere, bilem flauã vigenti ætate,& æſtate,atrã bilẽ declinante ætate, & autũno, pituitã in ſenectute & hyeme placet Hipp.breu.dcuot.dogm.Hipp.*1ª.231.B.
Abundantia ſanguinis valetudinem vitiat.de dynamidiis. Sp.19.D
Abundans ſanguis minuendus eſt.de cucur.ſcar. 6ª.3.G
Abundantiam ſanguinis valde ſtringit menta.de ſimp.med. Sp.87.D
Abundantiam ſanguinis reprimit hypociſthis.de ſim.med. Sp.92.E
Abundantiam ſanguinis reprimit rhu.de ſimp.medicamin. Sp.89.F
*Abũdãtiã humorũ iduxit obſtructio cutis.ĩ 3ᵐ.d mo.uul.c.3°.3ª.*149.G
*ĩ Abũdãtia q̃tuor humorũ uena ĩcidẽda.d ren.af.dig.et med.*7ª.193.E
*Abũdãtia humorũ alterare põt pulsº,nõ efficer.1°.de ca.pul.*4ª.86.G
*Abundans cholera citrina quibus ſit nutriendus.de diſſ.cont.*Sp.72.C
Abundantiam carnium adipis & ſuccorum exercitatio minuit.in 6ᵐ. de morb.vul.com.3°. 3ª.173.C
Abũdãs calor & frigus corporis languorẽ efficit.de dynam. Sp.19.D
ad ABVLSAM *cutem efficax emplaſtrũ album medicis conuenit habere.1°.de comp.me.per gen.* 5ª.217.G
ACACIA *quid, & eius vires. de ſimplicibus medicaminibus.* Sp.79.G.
Acacia quo modo fiat,& quo tempore.de dynamidiis. Sp.22.H
*Acacia acerba,ſicca,& frig.ẽ ĩ ſcõ,ſicca ĩ tertio.6°.d ſi.me.f.*5ª.41.C
Acacia qualis.1°.de antid.107.C/7°de comp.med.ſec.lo. 5ª.184.B/ *de ocul.* 7ª.188.G/H
Acacia terroſa habet aliquid aquei.6°.de ſimp.med.fa. 5ª.41.C
Acacia qualis,& quomodo lauetur.4°.de cõp.me.ſe.lo. 5ª.151.F
in Acacia adſtrictio conſideranda.4°.de ſimp.me.fa. 5ª.26.A
Acacia adſtringit.9°.de ſimp.med.fa. 5ª.64.C
Acacia vehementius adſtringit.4°.de comp.me.ſe.lo. 5ª.149.H
*Acacia vehemẽter adſtringentẽ eſſe iudicat Gal.5°.met.me.*7ª.31.G
Acacia ſtringit viſcide.de ſimp.med. Sp.79.G
Acaciæ rufæ fit mentio.7°.de comp.med.ſe.lo. 5ª.180.D
Acacia rufa ad quid vtilis.3°.de med.fac.par. 7ª.173.G
Acacia facile leuigatur.4°.de comp.med.per gen. 5ª.237.H
Acacia toſta.9°.de comp.me.ſe.lo. 5ª.203.C
Acacia oculis conuenit.de ocul. 7ª.188.G
Acacia ſiſtit oculorum fluorem.introd. Iſ.58.C
Acacia in aſperitatem palpebrarum.de ocul. 7ª.189.C
Acacia ſiſtit ſanguinem.intro. Iſ.56.F
Acacia internis vlceribus opitulatur.4°.meth.med. 7ª.28.H
ACACII *ad ſanguinem reiicientes.7°.de comp.me.ſe.lo.* 5ª.184.A
ACADEMIAE *diuerſæ.de hiſtoria philoſoph.* Sp.2.E
Academia media,quæ de hiſtoria philoſoph. Sp.2.E
ACADEMICI *negant haberi ſcientificam oſtenſionem.de cuiuſq; ani. pec.not.* 2ª.56.D
ACALEPHE *quid.6°.de ſimp.me.fa.* 5ª.41.C
ACANTHI *folia mediocriter digerunt.6°.de ſimp.me.fa.* 5ª.41.H
Acanthi radix calfacit.6°.de ſimp.med.fac. 5ª.41.H
*Acãthi radix exiccat,ĩcidit,et ẽ tenuiũ partiũ.6°.d ſim.me.f.*5ª.41.H
Acanthi radices ad arquatos.de med.fa.par. 7ª.166.F
ACANTHION *quid ſignificet.1°.de comp.me.ſe.lo.* 5ª.125.D
Acanthionis terreſtris corium.1°.de comp.me.ſe.lo. 5ª.125.B
ACANTHA *leuce quid.6°.de ſimp.me.fac.* 5ª.41.H
Ακάνθα. i.ſpina quid ſignificet in vertebris.de art.com.2°.7ª. 271.D
Ακανθνα ligna arida Græci vocant.4°.de ſan.tuen. 2ª.85.D
q̃ ACCENDUNTUR citius non protinus nobis apparent calidiora.1°.de ſimp.me.fac. 5ª.4.H
Accenſiones fiũt, ſi mars dederit ſchema præſertim diametrũ lunæ motu,& lumine augeſcente.de decub.progn.ex math.ſcietia. Sp.12.H
Accenſio atræ bilis quomodo fiat.2°.de diff.feb. 3ª.37.C
*Accẽſus humor unuſquiſq; habet ſuũ calorẽ.aduerſus Lycũ.*Ex.65.H
in ACCENTV *eſt tertius modus ſophiſmatum in dictione.de ſophiſmat.* Iſa.7.B
*Accẽtus,& noĩa q ſectãtur nõ sũt admittẽdi.de fract.cõ.2°.7ª.*240.H
ACCESSIO *quid ſignificet.com.1°.aph.12.* Ex.5.F
Acceſſio febris ἐπισημασίας dr.i.annotatio.cõ.2°.aph.1°. Ex.11.A
Acceſſionum repetitio & acceſſionum proportio idem. ad eos, qui de typ.ſcrip. 3°.92.D
Acceſſionis inſultus,quid.de morb.temp. 3ª.86.H
Acceſſio quinta die & circuitus quinque dierum non idem. ad eos,qui de typ.ſcrip. 3ª.94.E
Acceſſiones febrium dicuntur accidentia.com.2°.aph.30°. Ex.16.H
Acceſſiones partim neceſſario,partim contingenter exiſtunt.2°.de dif. reſp. 3ª.66.C
Acceſſiones numerandæ ſunt,non dies attendendi, in febribus intermittentibus.in 1ᵐ.de mor.vul.com.3°. 3ª.120.F.
Acceſſio in intermittentibus eſt idem, quod vna dies in continuis.com. 4°.aph.59°. Ex.33.H
Acceſſio febris quota hora inuaſerit quibus videatur ſolennis interrogatio.8.meth.med. 7ª.50.D
Acceſſiones quomodo fiant aliquibus morbis.cõ.1°.aph.12. Ex.5.D
*Acceſſiões dieb° pibus.ĩ 1°.de mor.uul.cõ.3°.121.B/ĩ 3ᵐ.cõ.3ª.*150.F
*Acceſſio febrilis multorum dierum quomodo fiat.8°.met.me.*7ª.56.F
Acceſſiones ad dies pares vehementiores transferuntur,ſi morbus debeat tardare com.4°.aph.36° Ex.32.A
Acceſſiones ſi ſint diebus paribus,erunt etiã & iudicia.in 3ᵐ.de mor. vulg.com.2°. 3ª.138.A
Acceſſio ſi per dies impares fiet,etiam per impares fit iudicatio.in 6ᵐ. de morb.vulg.com.3°. 3ª.171.C
Acceſſiones in diebus imparibus cito iudicantur, in diebus paribus tarde.com.4°.aph.36°. Ex.32.A
*Acceſſio particularis morbi poteſt prænoſci.com.1°.aph.12°.*Ex.5.B
Acceſſio particularis in febribus prohibet venæ ſectionem. de præſag. exper.confir. Sp.78.D
Acceſionum particularium vigorem temporis ſpatium fieri conſpexit Galenus.de tot.morb.temp. 3ª.89.A
Acceſſionis principiũ quo fiat.de vict.ra.in mor.ac.cõ.1°. 7ª.115.G
in Acceſionum principiis cur interiora calent,exteriora frigent.com. 4°.aph.48°. Ex.33.B

in Acceſsionum principiis ſomni cur, & quo modo aggrauent. 2°. de locis affectis. 4ª.14.C
Acceſſionis initiũ, qui pulſus ĩdicat. 3°. de præſag. ex pulſ. 4ª.118.B/G
Acceſſionum initia, quæ eſſe indicent. 3°. de præſag. ex pulſ. 4ª.118.G
in Acceſſionum principiis cerebrũ refrigeratur. 2°. de lo. aff. 4ª.14.C
in Acceſsionibus, quod nihil dandum. com. 1°. aph. 19°. Ex.9.F
in Acceſſione cibi dandi tẽpus. de vic. rat. in mor. ac. cõ. 1°. 7ª.115.G
in Acceſsionis principio quidam ſunt cibandi. 1°. met. me. 7ª.62.F/G
Acceſsionis principio febrienti dedit victum debitum Galenus. 10°. methodi medendi. 7ª.63.B
añ Acceſſionem quando cibus poteſt exhiberi. 11°. met. me. 7ª.74.D
añ Acceſſionem quando cibus, & vini potus poſſit offerri. de cauſ. procatarct. 3ª.95.G
añ Acceſſionem p duas horas æger põt cibari. 10. met. me. 7ª.62.G
añ Acceſſionem cibauit Galenus. 12°. met. med. 7ª.78.A
añ Acceſſionẽ qũ pernicioſiſſimum eſt cibare. 11°. met. me. 7ª.74.D
añ Acceſsionẽ p tres horas balneum põt fieri. 8°. met. med. 7ª.52.H
Acceſsiões tertio quoq; die fiũt plurimũ ĩ acutis. 3°. d die. dec. 4ª.158.G
añ Acceſsionẽ nox moleſta ĩ tertianis. ĩ 16ᵐ. d mor. vul. c. 2°. 3ª.164.B
Acceſsio tertianarum præſertim purarum nunquam tranſit duodecim horas. com. 4°. aph. 59°. Ex.33.H
Acceſsio horrida eſt ſemitertianæ exquiſitæ ppria. 2°. de criſ. 4ª.136.D
Acceſsionis horridæ ſit mentio. 2°. de dif. feb. 3ª.38.H
Acceſsio in febribus tertianis non puris quanto longior acceſſione purè, tanto morbus eſt longior. com. 4°. aph. 43°. Ex.32.F
Acceſsionem primam morbi peracuti vehementiſſimam habent. com. 4°. aph. 36°. Ex.32.A
in Acceſſione prima febres cognouit Gal. 1°. de diff. feb. 3ª.35.H
in Acceſsiõe pria Gal. nouit tertianã et q̃rtanã. 1ᵉ. d die. dec. 4ª.150.H
in Acceſsionis primæ declinatione balneum utile eſt in febre ex obſtructione. 8°. meth. med. 7ª.50.A
in Acceſſionibus plurimũ cõtingũt indicia. 1°. de die. decr. 4ª.148.F
in Acceſſione cur iudicia fiant. in 1ᵐ. de morb. vulg. 3ª.120.C
in Acceſsionibus vehemẽtioribus iudicia fiũt. c. 4°. aph. 36°. Ex.32.A
in Acceſsionis tempore occidunt quædam ægritudines, quædam in vigore. 1°. de criſi. 4ª.125.G
Acceſsionis incremẽtũ qũo fiat. de vict. ra. in mor. ac. cõ. 1°. 7ª.115.G
Acceſsionis ſtatus qũo fiat. de vic. rat. in morb. acu. com. 1°. 7ª.115.G
p Acceſsiones maximas finit ſtatus. de tot. morb. temp. 3ª.89.G
Acceſsionis vigorem ceſſantem in febricitantibus ãduertere debes, vbi ſanguinem detrahis. de præſag. exper. conf. Sp.77.H
Acceſsionis declinatio qũo fiat. de vict. rat. in mor. ac. cõ. 1°. 7ª.115.G
Acceſſiones qũo doceant regulari ægrũ in victu. c. 1°. aph. 17°. Ex.9.C
Acceſsio breuis cur. 2°. de diff. feb. 3ª.41.H/42.A
Acceſsio breuiſſima vnde. 2°. de diff. feb. 3ª.42.A
Acceſſio longa cur. 3°. de diff. feb. 3ª.41.H
Acceſsio longiſſima vnde. 2°. de diff. feb. 3ª.42.A
Acceſsio cur non æque longa. 2°. de diff. feb. 3ª.41.H
Acceſſionum cauſa ſi fuerit fixa, longus eſt morbus: ſi non, breuis. cõ. 4°. aph. 30°. Ex.30.F
Acceſsiones cum diebus paribus ſtatim à principio fiunt, interim ad ſextum diem criſim peſſimam fore prænuntiant: interim in longum producendum morbum. in 1ᵐ. de morb. vulg. com. 2°. 3ª.115.B
in Acceſsione tota frigus malum. in 1ᵐ. de mor. vul. com. 3°. 3ª.118.B
Acceſsiones ſimiles faciunt quædam continuæ, quæ alterno die acceſsionem faciunt. 2°. de diff. feb. 3ª.36.G
Acceſsionum varius implexus. ad eos, qui de typ. ſcrip. 3ª.92.D
Acceſsiones diſſimiles quædam faciunt. 2°. de diff. feb. 3ª.36.G
Acceſsione vna finiuntur ſynochæ. 2°. de diff. feb. 3ª.42.G
Acceſsiones inordinatæ à quibus cauſis fiant. 2°. de diff. feb. 3ª.42.G
Acceſsiones tres vna hora cõcurrere põt. ad eos, q de typ. ſcri. 3ª.92.E
Acceſsiões ſi p duas horas ãticipet, qd ſequaẽ. ad eos, q ty. ſcr. 3ª.91.H
Acceſsio ſi ſecunda & quarta ſit vehemens, tertio, quinto, ſexto, morietur æger. de præſag. exper. confir. Sp.77.D
ſm Acceſſionũ tpa dãt inſõnia cõſiderari. ĩ 1ᵐ. d mor. uul. c. 3°. 3ª.118.A
cũ Acceſsionibus deiectiones alui innadunt iecinore afflicto virtute imbecillos. 11°. meth. med. 7ª.74.D
Acceſſiones ægritudinum, quæ per circuitus aliquos fiunt, ex membrorum diſpoſitionibus ortum habent. 2°. de dif. feb. 3ª.42.H
in Acceſsionum principiis tumores increſcunt in laterum & pulmonis inflammationibus, in declinationibus autem euaporant ac ſubmittuntur. 2°. de diff. feb. 3ª.40.F
Acceſsiões qũo ſtẽdãt quonãmõ ſit euacuãdũ. quos purg. cõu. 5ª.88.F
ad Acceſſiones omnes facit hydropoton. de dynamidiis. Sp.32.D
Acceſsio, lege Paroxyſmus, & Circuitus.
ACCESSVS quid ſignificet. in 6ᵐ. de morb. vul. com. 2°. 3ª.175.F
Acceſſus & receſſus maris quomodo fiat. de hiſt. phil. Sp.8.G
ACCIDENTIA in ſanis nuncupantur, quæ conſtitutionem neceſſariò ſequentur. 1°. meth. me. 7ª.8.D
ex Accidente quod prouenit ſeparare ab eo, quod eſt per ſe ſenſu, Galeno pulchrum videtur. 1°. de ſimp. med. fa. 5ª.7.D
p Accidens cur diſtinguendum à per ſe. de ſymp. diff. 3ª.10.G/1°. de ſimp. med. fa. 2. E/2°. 5ª.12.E
ex Accidenti idem eſt, quod ſecundo loco. de ſymp. diff. 3ª.10.G
Accidens cauſæ opponitur. de cauſ. procatar. 3ª.96.H
Accidẽtia, cauſas, tẽperiẽ ſcire debet medicus. de med. exp. Sp.103.H
Accidentia euidentia prænoſcenda. in progno. com. 1°. 4ª.189.C
Accidentia morborum tria. de ocul. 7ª.185.H
Accidentia ſuperuenientia tripliciter diuiduntur. 3°. de criſi. 4ª.140.C
Accidẽtiũ cõcurſº, q empirico ĩdicat obſeruationẽ memo. d ſec. Iſ. 16.F
Accidẽtiũ cõcurſus, qui rõnali indicat euacuationẽ. de ſect. Iſ. 16.E/F
Accidens putatur ægritudo ab aliquibus. de diff. mor. 3ª.3.E
Accidẽti originẽ pſtat ægritudo. de dif. mor. 3ª.4.D/de ocul. 7ª.185.H
ab Accidentibus exercitatio circa affectorum locorum notitiam quo modo fiat. 2°. de lo. aff. 4ª.8.D
ab Accidentiũ proprietate affectuũ indicia oriunt. 1°. de lo. aff. 4ª.6.D
ex Accidentibus propriis affectus locus quo modo innoteſcat. 1°. de lo. affect. 4. G/ 4ª.6.C
ex Accidentibus in morbi cognitionem venimus. de ocul. 7ª.186.A
Accidentia ſanantur remotis cauſis. com. 1°. aph. 22°. Ex.15.B
in Accidentibus ẽt ſunt ſpẽs per rõnem ad vnum. 2°. met. me. 7ª.13.G
Accidentia quædam mutantur de prauis in bona, & è contra. in prog. commen. 3°. 4ª.212.D
in Accidẽtiũ gñe ſunt ſigna decretoria in prognoſtica. cõ. 3°. 4ª.212.G
Accidentium criticorum duplex natura. 1°. de criſi. 4ª.131.B
Accidẽtalis differẽtia nulla põt eẽ firma ĩ ſua ſũba. de ſpmate. Sp.37.F
Accidens ineuitabile tranſitus per œſophagum eſt eleuatio nodi guttu ris. de mot. man. & obſ. Sp.70.F
Accidentia præter naturã earũ, quæ in corpore ſunt, diſpõnum ſunt, ſi in principio morbi aliquid excernatur. com. 4°. aph. 22°. Ex.29.G
Accidentia quomodo tempore fortiora, & imbecilliora. commen. 2°. apho. 30°. Ex.16.H
Accidentia oculi qualia per ſuffuſiones, vnde. 5°. de lo. af. 4ª.32.E
Accidentium melancholicorum cauſæ omnes explicari non poſſunt. de mel. ex Gal. Ru. & Poſſ. Sp.108.D
ex Accidenti pulmo eſt frigidus, & humidus. de anat. viu. Sp.52.H
Accidentia quæ fiunt in ſuffocatione matricis. de paſſ. mul. Sp.95.F
Accidentalis euacuatio dicitur ea, quæ fit per inediam. commento. 2°. aphor. 17°. Ex.13.E
Accidentales eſſe infirmitates quibuſdam. de ſpermate. Sp.39.G
Accidentales infirmitates phlegmatico ſunt cauſus, & ſynochus in æſtate. de ſpermate. Sp.39.G
Accidentales aquæ differentiæ, calor, & frigiditas. de ſper. Sp.40.F
Accidentaliter mutantur corpora noſtra in ſe inuicẽ. de ſper. Sp.40.H
Accidentia quæ bona, & mala ſunt. in progn. com. 3°. 4ª.212.E
in Accidentibus nulla conſtitui poteſt propoſitio vniuerſalis. 2°. de ſimp. me. fac. 5ª.10.E
Accidentia ſexto die difficiliora. com. 4°. aph. 29°. Ex.29.E
Accidentis ratione ſudantis caſus. in progn. com. 1°. 4ª.289.E
ab Accidente notiſſimo totum morbum vocat Hippocrates. commen. 7°. aph. 58°. Ex.59.C
Accidentia, lege Caſus.
ACCIPITER habet oſſium concrẽtionem minus denſam, ac duram quàm aquila. 11°. de vſu par. 1ª.191.E
Accipitris oculis ſimiles oculos quando que habet conceptus in hora phlegmatis. de ſpermate. Sp.37.C
Accipitrinum ſtercus ob nimiam acrimoniam inutile eſt. 10°. de ſimp. med. facul. 5ª.77.B
Accipiter, nomen vinculi. de faſciis. 7ª.293.H
Accipiter vinculum ad naſum ex tribus faſciolis. de faſciis. 7ª.298.F
Accipiter ad naſum ex binis faſciolis. de faſciis. 7ª.298.F
Accipiter Menecratis. de faſciis. 7ª.299.C
ACCLIVIS ambulatio, cur exercitatio robuſta. 2°. de ſanitate tuenda. 2ª.74.C

ACCVBITVS *cum rõne notat bonã crisim. cõ.* 4°. *aph.*7 1°. *Ex.*35.C
ACCVMVLATA *& pinguis hypostasis quid significat. de vrinæ significatione ex Hippo.* *Sp.*78.H
ACCVRATVS *non potest esse breuis & manifestus. de puero epileptico.* 7ª.179.F
ACCVSANTES *æquo aũo audiri debent. de cog. cu. aĩ. mor.* 2ª.52.G
ACEDVLA est de cibariis mediis. de diff. cont. *Sp.*74.C
ACERBVM *quid significet.* 4°. *de compo. med. per gen.* 5ª.239.F
Acerbum vocabulum est spetiale. 2°. *de lo. aff.* 4ª.12.D
Acerbum quid. 4°. *meth. med.* 7ª.28.H
Acerbũ fit ex miscella calidi, frigidi, hũidi, et sicci. 1°. *de al. fa.* 2ª.9.*A*
Acerba quæ. 2ª. *de loc. aff.* 4ª.12.D/6°. *de comp. med. sec. loc.* 172.G/ 1°. *de simp. med. fac.* 5ª.8.D
Acerbitas qualitas gustus. fin. med. Is. 50.B/*de na. hu. cõ.* 1°.1ª.28.H
Acerbum in gustu, & tactu, 3°. *de diff. puls.* 4ª.62.H
Acerbitas ex frigore. 4°. *de simp. med. fac.* 5ª.25.G
post Acerbitatem aciditas. 4°. *de simp. med. fac.* 5ª.27.F
Acerbum, austerum, adstringens, hæc tria saporis nomina, vnam qualitatem significant. 2°. *de ali. fac.* 2ª.19.F
Acerbi, & austeri, genus est adstringẽs. 1. *de ali. fa.* 9.*A*/ 2°.2ª.19.F 1°. *de simp. med. fac.* 8.G/9.*A*.9°. 5ª.64.C
Acerba adstringunt, sed per magis & minus. 4°. *de simplicium medicamentorum facultatibus.* 5ª.25.H
Acerba quomodo ab austeris differant. 2°. *de ali. fac.* 2ª.19.F
Acerba, austera, & adstringentia, quo differunt. 1°. *de simplicium medicamentorum facultatibus.* 5ª.8.H
Acerbum magis adstringit austero. 2°. *de loc. aff.* 4ª.12.D/6°. *de compos. med. sec. loc.* 5ª.172.F
Acerbum dissolutum, est austerum, & quomodo fiat. 4°. *de simp. medicamentorum facultatibus.* 5ª.26.E/F
in Acerbis adstringẽdi qualitas intensa est. de bo. & vi. suc. 2ª.36.C
Acerbus est vuæ acerbæ amaræq; succus. de vict. rat. in morb. acu. commen. 4°. 7ª.152.G
Acerbæ omnino paucæ fiunt vuæ passæ. 2°. *de ali. fac.* 2ª.18.D
Acerbarum vuarum vsus vitandus. 2°. *de ali. fac.* 2ª.18.B
Acerbarum vuarum mustum ad oĩa pessimum. 2°. *de ali. fac.* 2ª.18.C
Acerbæ vuæ passæ quid agant. 2°. *de ali. fac.* 2ª.18.D
Acerbo gustu cum acrimonia odorata est macer. 7°. *de simp. medicamentorum facultatibus.* 5ª.55.A
Acerbus est semper fructus arbuti. 4°. *de simp. med. fac.* 5ª.26.F
Acerbum est mespilum. 7°. *de simp. med. fac.* 5ª.55.E
Acerba sunt quercus, ilex, arbutus, fagus, lentiscus, & hedera. 8°. *de simp. med. fac.* 5ª.62.C
Acerbæ qualitatis est phyllitis. 8°. *de simp. med. fac.* 5ª.63.E
Acerbum est lemnium. 7°. *de simp. med. fac.* 5ª.54.B
Acerbum esse frigidum probatur, & terrenum. 4°. *de simp. medicamentorum facultatibus.* 5ª.25.H
Acerbus sapor magis terrenus. 4°. *de simp. med. fac.* 5ª.25.G
Acerba sunt crassarum partium. 4°. *de simp. med. fac.* 5ª.25.H
Acerba refrigerant, & exiccant. 7°. *meth. med.* 7ª.46.H
Acerbitas densat, contrahit, constringit. 7°. *de simplicium medicamentorum facultatibus.* 5ª.49.G
Acerba repellunt. 6°. *de simp. medic. fac.* 47.G/ 3°. *de comp. medicamentorum sec. loc.* 5ª.147.F/G
Acerba sunt adstrictoria. de subf. empi. *Is.*33.F
Acerba sunt styptica. 1°. *de san. tuen.* 2ª.68.*A*
Acerbi sapores tarde transeunt. 4°. *de simp. med. fac.* 5ª.25.H
Acerbi, & crassi cibi tardi sunt transitus. 3°. *de symp. cau.* 3ª.27.D
Acerba remorantur cibum in ventre. 1°. *de sani. tuen.* 2ª.68.*A*
Acerba in superficie agunt. 4°. *de symp. med. fac.* 5ª.25.H
Acerbitas duci potest in altum a caliditate quã habent cupressi folia. 7°. *de simp. med. fac.* 5ª.53.G
Acerbũ uinũ nõ p metaphorã, sed proprie dicit. 3°. *de di. pul* 4°.63.H
Acerba vina frigida sunt. 3°. *de comp. med. sec. loc.* 5ª.147.*A*
Acerba vina non sanant famem. com. 2°. *aph.* 21°. *Ex.*14.H
Acerbũ ẽ amicũ stõ. 6°. *de simp. me. fa.* 5ª.40.D/5°. *d usu par.* 1ª.143.F
Acerba, acida, acria, nutriunt, si simul dulcia sint. 4°. *de simp. medica mentorum facultatibus.* 5ª.28.F
Acerba qualitas amaritudini mixta abstergit, & abluit bilio sos, & salsos succos. 6°. *de simp. med. fac.* 5ª.41.D
Acerba & amara quid faciant. 6°. *de simp. med. fac.* 5ª.47.F
Acerbis amaris, & acidis cibis delectantur, qui sunt extra naturalẽ statum. in 6ᵐ. *de morb. vulg. com.* 5. 3ª.191.G
Acerbus cibus, vel qualitas exiccant corpora: acer cibus vel qualitas exiccant corpora. com. 4°. *aph.* 13°. *Ex.*28.G
Acerba participant dulcedine in fructibus. 4°. *de sim. med. fa.* 5ª.26.H
Acerba & dulcia sunt crassioris essentiæ & frigida. 4°. *de simp. med. facultatibus.* 5ª.28.F
Acerba, adstringentia, repellentia, non recte iunguntur discussoriis sine discrimine. 6°. *de comp. med. sec. loc.* 5ª.176.*A*
Acerba non sunt iucunda. 2°. *de loc. aff.* 4ª.12.D
Acerba quid faciant in linguam. 4°. *de symp. med. fa.* 5ª.25.G
Acerba faciunt stuporem dentium. de opti. secta. Isa. 22.H/3°. *de ali. fa.* 2ª.28.C/1°. *de symp. cau.* 3ª.16.B
Acerba adstringunt gulam. 5°. *de loc. affe.* 4ª.32.D
Acerba maxime appetuntur a grauidis cur. 1°. *de symp. cau.* 3ª.18.C
Acerba augent famem. com. 2°. *aph.* 21°. *Ex.*14.H
Acerba summe non nutriunt. 4°. *de simp. med. fac.* 5ª.28.E
Acerba multum adstringunt omnia, quæ fluunt. 6°. *de simp. medicamentorum facultatibus.* 5ª.48.E
Acerba sanguinis vomitum sanant. com. 2°. *aph.* 37° *Ex.*56.H
Acerbis curantur vlcera sine inflãmatione. co. 7°. *aph.* 37°. *Ex.*57.*A*
Acerba & mordacia medicamenta dimittenda, ubi adstrictionis actio exploranda est. 4°. *de simp. med. fac.* 5ª.25.H
Acerba exacte non habent odorem. 4°. *de simp. med. fac.* 5ª.31.B
Acerbum, & austerum in moribus. quòd animi mores. 1ª.319.F
Acerbus homo per metaphoram vocatur. 3°. *de diff. pul.* 4ª.63.G
Acerbum odorẽ non dicimus quid habere. de simp. med. fa. 5ª.31.*A*
Acerbus dolor. in 6ᵐ. *de morb. vulg. com.* 1°. 3ª.155.C
ACER *sapor vnde fiat. de vict. rat. in morb. acut. com.* 3°. 7ª.125.H
Acer cibus si acrimoniã seruaret itus, ẽt exulceraret. 3°. *de tẽp.* 1ª.23.*A*
Acer est adeps bouis. 4°. *de simp. med. fac.* 5ª.25.E
Acer est adeps ouis. 4°. *de simp. med. fac.* 5ª.25.E
Acerrima sunt multa medicamenta, nisi ignem sint experta. de ther. ad Piso. 5ª.97.D
Acerrimas vires habet laser. de simp. med. *Sp.*85.G
Acerrimas vires habet thapsia. de simp. med. *Sp.*91.F
Acerrimas vires habet scilla. de simp. med. *Sp.*90.H
Acerrimas vires habet calisiua. de simp. med. *Sp.*82.E
ACERIS *radix qualis.* 8°. *de comp. me. sec. lo.* 5ª.195.D
Aceris multum habet tragus. de alim. fac. 2ª.12.G
Acerum emplastrum. 4°. *de comp. me. per gen.* 5ª.245.C
ACERVVS *vel soretica dicta ambiguitas. in prog. com.* 3°. 4ª.208.C
ACESIS, *emplastrum.* 1°. *de comp. med. per gen.* 5ª.216.F
ACETABVLVM *& pupilla quid significet apud quosdam. de fracturis. commen.* 2°. 7ª.238.C
Acetabulum quid. de fract. com. 2°.240.H/ *de artic. com.* 10. 255. D/ *commen.* 3°. 7ª.276.C
Acetabula quid sint. de diff. vuluæ. 109.F/15°. *de vsu. part.* 211.G/ *de semine.* 1ª.331.B
Acetabula sunt ora venarum & arteriarum, quæ feruntur ad vterũ com. 5°. *aph.* 45°. *Ex.*41.G
Acetabula sunt etiam in brutis. de diff. vuluæ. 1ª.109.G
Acetabula vteri plena mucore abortum faciunt. com. 5°. *aph.* 45°. 41.G/*aph.*53°. *Ex.*42.D
Acetabulum mensuræ nomen. 2°. *de antidotis.* 118.C/1°. *de comp. med. sec. loc.* 126.*A*/132.C/139.D/4°.153.E/7°.185.E/2°. *de compo. medicamen. per genera.* 221.D/ *de ponderibus & mensuris.* 275.G. 276.B/E/G. 5ª.277.C/D/E
ACESCERE *cito faciunt ipsum vinum vasa vinaria aperta. in* 6ᵐ. *de morb. vulg. com.* 4°. 3ª.182.H
Acescũt aliũ sorbitiones in vẽtriculo et innatãt. 10°. *met. me.* 7ª.62.E
Acescunt velociter in stomacho medullæ & vinum nouum, crassum, nigrum, ponticum. de diff. cont. *Sp.*74.F
Acescit quibusdam facile ptissana. 7°. *meth. med.* 7ª.46.D
Acescit quibus cibus in ventriculo, quod medicamentum conueniat. de remed. par. fac. 7ª.158.G
Acescit quibus in ventre cibus, remedium. 8°. *de compositione medicamentorum sec. loc.* 5ª.191.D
Acescant nisi primis tribus quatuorue annis aquosa vina, celerrime inueterascunt. de vinis. *Sp.*77.*A*
ACETVM *uinũ mortuũ esse quidã asserunt.* 1°. *de simp. me. fa.* 5ª.5 D
Acetum ex vino non austero quale. 3°. *de comp me. per gen.* 5ª.232.B
Aceti qualitates. 8. *de sim. me. fa.* 57.D/6°. *de cõp. med. se. lo.* 170.E/5°.

de comp.me.per genera.5ª.247.D/11°.meth.med. 7ª.73.E
Acetum dubium facit apud medicos an calidum, an frigidũ poteſtate. 3°.de temp 1ª.24.G/1°de ſimp.me.fa.5.D/5°. 5ª.32.A
Acetum non eſt ad vnguem vnum.4°.de ſimp.me.fa. 5ª.25.B
Acetum ex contrarijs partibus vt lac.1°.de ſimp.me.fa. 5ª.5.D
Acetũ frigidũ tenuiũ ptiũ habet aliq̃ caliditatẽ.10°.met.med.7ª.64.H
Acetum frigidius eſt quàm calidius.1°.de ſimp.me fac. 5ª.5.E
Acetum parum calidum eſt,plurimum frigidum tenuium partium.1°. de comp.me.ſe.lo. 5ª.128.H
Acetum cur nec frigidũ nec calidũ in totum.4°.de ſim.me.fa. 5ª.27.E
Acetum refrigerat & calfacit.1°.de ſimp.me.fa. 5ª.6.B
Acetum quomodo probetur eſſe frigidum.1°.de ſim.me.fa.5ª.5.F/6.A
Acetum valide refrigerat.3°.de ſimp.me fa. 5ª.18.A
Aceto reſtinguitur thapſiæ ardor.1°.de ſimp.me.fa. 5ª.5.G
Acetum tenue frigidum eſſe.1°.de ſimp.me.fa. 5ª.5.D
Acetum quo argumento probabant calidum quidam.1°.de ſimp.med. fac.5.E/H/4°. 5ª.27.H
Acetum calidum probabant qui id calidis medicamentis mixtum inue nerant.1°.de ſimp.me.fa. 5ª.6.H
Acetum fit calidius,& tenuius vetuſtate.11°.de ſimp.me.fa. 5ª.79.C
Acetum quomodo habeat calorem, & ob acrimoniam videatur cale facere.1°.de ſimp.me.fa. 5ª.5.G
Acetum tempore fit acre.3°.de comp.me.per gen. 5ª.233.H
Acetum caliditatem vini amiſit, & quãdam ex putredine caliditatem adeptum eſt,& quomodo.1°.de ſimp.med.fa.5.D/4°. 5ª.24.H
Acetũ hẽt acrimoniã quãdã a putrido calore.4°.de ſim.m.fa. 5ª.27.D
Acetum caliditatem habens,quale ſit.2°.de comp.me.ſe.lo. 5ª.133.F
Acetum vnde obſcure videatur caleſacere.1°.de ſimp.me.fa. 5ª.6.D
Aceti fæx caloris non expers.1°.de ſimp.me.fa. 5ª.5.D
Aceti pauco plurimo melle mixto ſtatim ſentitur manifeſte calor & frigus.4°.de ſimp.me.fa. 5ª.27.F
Acetum magis frigidũ quã mel calidum.4°.de ſimp.me.fac. 5ª.27.F
Acetum,& omphacium differunt.4°.de ſimp.me.fa. 5ª.25.B/27.D
Acetum eſt tenuius omphacio.4°.de ſimp.me.fa. 5ª.27.E
Aceti vires quales ſint.2°.de comp.me.ſe.lo. 5ª.136.C
Acetum tenue refrigeratorium ſiccatoriũq; eſt.1°.de ſim.me.fa. 5ª.6.F
Acetum,& cinis calore participant.3°.de ſymp.cau. 3ª.28.B
vt Acetum & cinis atra bilis calida eſt.3°.de ſymp.cau. 3ª.28.B
Acetum actu eſt humidum.1°. de ſimp.me.fa. 5ª.9.C
Acetum eſt ſiccum.de diſſ.cont. Sp.74.D
Acetum in tertio deſiccat.8°.de ſimp.me.fa. 5ª.57.D
Acetum ſiccat.5°.de ſimp.me.fa. 5ª.32.A
Acetum ſiccat corpora quæ contingit,licet ad imaginationem ſit humidum.10°.meth.med. 7ª.64.H
Acetum ſubtile vt ignis.1°.de ſimp.me.fac. 5ª.5.H
Acetum inter acria ponitur 6°.de ſimp.me.fa. 5ª.256.F
Aceto ſolo ad humectandum, & refrigerandum cur non vtimur.10°. meth.med. 7ª.64.H
Acetum per ſe ſolum cur non venit in vſu in medicamẽtis.2°.de comp. med.ſec.loc. 5ª.156.C
Acetũ nõ dẽt referre vini minimã ſpẽm.3°.de cõp.me.p gen. 5ª.232.B
Acetũ incidit & attenuat.2°.de atte.vic.2ª.46.B/de diſſ.cõt.Sp.72.H
Acetum incidit,diſcutit,& reprimit.1°.de comp.me.ſe.lo. 5ª.128.H
Acetum attenuat & perrodit.8°.de comp.me.ſe.lo. 5ª.189.D
Acetum quæ ſecet,& erodat.1°.de ſimp.me.fa. 5ª.5.H
Acetum per veſtes prõptius perfluit q̃ aqua.1°.de ſim.me.fa. 5ª.6.A
Acetum aquæ miſcetur vt penetret.1°.de ſimp.me.fa. 5ª.7.D
Acetum mixtum aquæ veluti alas illi ad omnes corporis partes permeandas addit.1°.de ſimp.me.fa. 5ª.7.D
Acetum permeat ex quiſite & infrigidat.1°.de ſimp.me.fa. 5ª.7.E
Acetum penetrat quia tenuium partium, & refrigerãs.3°.de com.me. per genera. 5ª.228.D
Acetum penetrare facit caliditas a putrido calore.4°.de ſimp.medic. faculta. 5ª.27.E
Acetum repellit,& digerit.14°.meth.med. 7ª.88.G
Acetum acrius facit citri acidum.2°.de ali.fac. 2ª.21.H
Acetum mixtũ cum attenuãtibus auget illis vim.de attẽ.vic. 2ª.44.C
Acetum quidam omnibus permiſcent.de atten.vict. 2ª.44.C
Aceti vſus quando tutus,& quando non.14°.meth.med. 7ª.88.C
Acetum quam ſitim ſanet,& quam non.1°.de ſimp.me.fa. 5ª.7.E
Acetũ aliquibus infert ſitim,& alijs ſedat.1°.de ſimp.me.fac. 5ª.7.E
cũ Aceto lactucã comedãt qb° caput dolet.2°.de cõ.me.ſe.lo. 5ª.133.E
in Aceto condita tantum a priſtinis viribus immutantur, quantum a conditura fuerint alterata.de atten.vic. 2ª.46.B
Aceti parum addendum farri 4°.de ſani.tuen. 2ª.84.E
Acetum cur recipere debent alica,& ptiſſana.de marc. 3ª.48.E
Acetum ponitur in alica ad diſtributionem.8°.meth.med. 7ª.51.B
Aceto cocta alica prodeſt lichenicis.5°.de comp.me.ſe.lo. 5ª.161.A
Acetũ venenis aduerſat,& qũo.in 6ᵐ.de morb.vul.cõ.6°. 3ª.196.H
Acetum forte calidum contra morſum tyri de med.exper. Sp.106.D
Acetum auxiliatur ventriculo.3°.de ali.fac. 2ª.29.G
Acetũ rectificat ſtomachũ debilem,& mollem.de diſſ.cont. Sp.74.D
Aceto pedes & brachia madeſcũt p ſtõ.8°.de cõp.me.ſec.loc.5ª.192.D
cetum acre,& ſinapi non fert oris ventriculi ſenſus,in aliquibus. de locis affectis. 4ª.20.G
Acetum aluum modice ſiſtit.1°.de ali.fa. 2ª.9.C
ex Aceto cimolia contra fauos.de remed.par.fac. 7ª.154.D
Aceti pauxillum aqua accipiens conglutinat.1°.de ſimp.me.fa.5ª.7.G
Acetum ſicut & roſaceum,quomodo neutra.1°.de ſimp.me.fa.5ª.6.B
Acetum in principijs non ſit valde acre.5°.de cõp.me.ſe.lo. 5ª.159.C
Aceti & roſacei vſus i principijs affectũ capitis.11°.met.m.7ª.73.E
cum Aceto roſaceum inflammationibus incipientibus conuenit.2°. de comp.med.ſec.loc. 5ª.134.B
Acetum cum roſaceo adhibetur auribus inflãmatis.de ſectis. Iſ.18.C
Acetum cum roſaceo auri conuenit.13°.meth.med. 7ª.83.C
Acetum cum roſaceo oculis inflãmatis nõ adhibetur.de ſectis. Iſ.18.C
Acetum cum roſaceo pro capitis dolore ex ſolis æſtu. de remediis paratu facilibus. 7ª.153.E
Acetũ ad reſpirationẽ apponit ad ozænas.3°.de cõ.me.ſe.lo.5ª.147.G
Aceto ſingultus ſanatur.de remed.par.fac. 7ª.159.A
Acetũ adſtringẽs prohibet ſanguinis fluxum.1°.de ſimp.me.fa.5ª.5.F
Acetum facit ruborem.1°.de ſimp.me.fa. 5ª.6.E
Acetum mouet odoratum guſtumq;.4°.de ſimp.me.fac. 5ª.30.H
ab Aceto cum in ſublime attolluntur amara deſciſcunt in pituitam.de vict.rat.in morb.acut.com.3°. 7ª.130.G
ex Aceto & bitumine emplaſticum optimum.5°.meth.me.7ª.32.H
ex Aceto lẽticula cõtra pleuritim.de vic.rat.in morb.acu. 7ª.113.C
Acetum cum ſtercore caprino quale.7°.de comp.me.per gen.5ª.265.F
Aceti diluendi mẽſura. de vict.rat.in morb.acu.com.2°. 7ª.117.A
Acetum quo pacto medicamentis miſcẽdum.1°.de ſimp.me.fa.5ª.6.F
Acetũ validiſſimũ facit medicamẽtũ.6°.de cõp.me.per gen. 5ª.159.D
Aceti guttis de digito irrorati medicamenti fit mentio.7°. de compoſi. med.ſecun.loc. 5ª.186.B
Acetum plus recipiens medicamentum quomodo coquendum. 6°. de compoſi.med.ſecun.lo. 5ª.170.E
Acetum in hebetanda acrimonia vincit aquam,oleum, & oleum roſaceum.1°.de ſimp.med.fac. 5ª.5.H
Acetum quomodo aqua temperandum in inflammatione ex fluxione. 2°.de arte cur.ad Glauc. 7ª.101.H/103.F
Acetũ & aqua qũo temperabãtur pro œdemate.14°.met.me. 7ª.87.F
Aceti parum habenti aquæ ſpongia infuſa pro œdemate ex pituita in locum influxa.2°.de arte cur. 7ª.103.F
Acetum pro mitigando.14°.meth.med. 7ª.88.G
ex Aceto & aqua fomẽtũ p pituitoſa materia.14°.met.me. 7ª.87.F
in Aceto & in aqua intincta ſpongia ſupra inflammationem. 2°. de arte curandi. 7ª.101.G
Acetum & aquam miſce cum indiges herbis frigidis.17°.de comp.me. per genera. 5ª.211.H
Aceto & aqua ſitis aufertur febriũ ardẽtiũ.1°.de ſimp.me.fa. 5ª.7.F
ex Aceto, & eruo fomẽtũ.de vic.ra.in morb.acu.com.2°. 7ª.116.H
ex Aceto vel orobo vel ſale fotº q̃lis.de vic.ra.i mor.ac.c.2°.7ª.116.F
ex Aceto & hordeo fomẽtũ.de vict.rat.in mor.acu.cõ.2°.7ª.116.H
ex Aceto & ſinapi expimẽtũ an vlcus ſit in gula.5°.met.me.7ª.34.F
Acetum quale ad achoras.1°.de comp.med.ſe.lo.128.H. 5ª.129.G
Aceto, vino, & aqua, terra madeſcit.2°.de ſimp.med.fa. 5ª.14.G
Aceto acerrimo cur i dolore dẽtiũ vtamur.5°.de cõ.me.ſ.lo.5ª.163.A
Aceto vtitur in capitis fracturis.2°.de comp.me.per gen. 5ª.226.H
Acetũ & oleũ roſaceũ i capite vulnerato.2°.de cõp.me.ſe.l.5ª.134.A
cum Aceto oleum roſaceum ſupra caluariam ponitur in ardore capitis.2°.de comp.med.ſe.lo. 5ª.134.B
ex Aceto, aut oxycrato illita omnis terra leuis ambuſta iuuat prohibens bullas.9°.de ſimp.me.fac. 5ª.66.B
Acetũ acre in terrã eiectũ eleuat partes.in.1ᵐ.prorrh.c.2°.4ª.174.G
Acetum cur terram fermentat.1°.de ſimp.med.fa. 5ª.7.C

Aceto cõparatur atra bilis in mordacitate.cõ.4°.aph.23°. Ex.29.H
vt Acetum est atra bilis.14°.meth.med. 6ª.89.E
Acetum quando imponendum erysipelati.14°.meth.med. 7ª.87.E
Acetum & pulegium odoranda,ne in animi deliquium incidant in balneo.9°.de comp.med.se.lo. 5ª.199.B/F
Aceti albi fit mentio.6°.de comp.med.se.lo. 5ª.170.D
Acetum album est tenuium partium.6°.de comp.me.se.lo. 5ª.170.E
Acetũ albũ i aurẽ instillatũ ad grauẽ auditũ.de reme.par.fa. 7ª.155.D
Acetum albissimum & lucidissimum pro aqua accipitur.1°. de comp. me.per genera. 5ª.217.F
Acetum,& hydromeli purgat aures.de cathar. Sp.95.B
*Acetum ponitur in infrigidante medicamento.10°.meth.med.*7ª.65.A
Aceto & melli quid faciat coctura.de puero epil. 7ª.181.A
*Acetum & mel optime misceri facit coctura.de puero epil.*7ª.181.A
in Aceto simul & melle æque mixta frigiditas prævalet.4°. de simpl. med.facul. 5ª.27.F
*Acetũ tẽperat in melle quod bilioſum.de vic.rat.in morb.ac.*7ª.13.A
cũ Aceto & melle aphronitrum purgat aures.de cathar. Sp.95.B
Acetum mixtum cum melle tenuat ventrem, & expellit inflationem. de diſſ.cont. Sp.74.G
ex Aceto,melle,zingibere,pipere albo,& ſucco citoniorum,medicamentum ad appetentiam deiecti.2°.de ali.fa. 2ª.20.D
cũ Aceto, & ſale tenuato, & garo præparatis ficubus vulgo veſcuntur.2°.de ali.fa. 2ª.17.F
*cũ Aceto ſucc° cẽtaureæ valet ad furfures capitis.de vir.cẽ.*Sp.93.B
cũ Aceto,& muria cathaſ comedi oportet.de diſſ.cont. Sp.74.E
cũ Aceto,& melle cappares quid faciant.de diſſ.cont. Sp.74.G
cũ Aceto, & melle capparis præparatus ſtomachum roborat & corrugat.de diſſ.cont. Sp.74.E
cũ Aceto ſolo capparis præparatus ſtomachum roborat, & corrugat.de diſſ.cont. Sp.74.E
cũ Aceto qñ comedit fumuſterræ mũdificat ſtõm.de diſſ.cõt. Sp.74.E
*cũ Aceto qñ oliuæ põticæ poſt cibũ edũt,qd faciãt.de diſ.cõt.*Sp.75.A
*cũ Aceto ſucc° radicũ iridis nihil calfacit.2°.de cõ.me.ſe.l.*5ª.136.E
Aceti aliquid miſcemus ad lienem.11°.meth.med. 7ª.73.C
Acetum lieni conuenit,& cur.9°.de comp.me.ſe.lo. 5ª.198.D
cũ Aceto ammoniacum lieni duro confert.14°.meth.med. 7ª.88.C
Aceto vtaris in ſcirrho,& in duritie.11°.meth.med. 7ª.73.C
Aceto in ſplene duro vtitur.2°.de arte cur.ad Glauc. 7ª.104.C
*i Aceto extinct° pyrites lapisp magnis ſcirrhis.14°.met.me.*7ª.88.B
Aceti uis ſcirrhis quando ſalutaris.14°.meth.med. 7ª.88.B
Acetum incidit,& eo vtitur in ſcirrhis.14°.meth.med. 7ª.88.A
Acetum attenuat metalla 3°.de comp.me.per gen. 5ª.232.B
Aceto trita metalla qualia.4°.de comp.me. per gen. 5ª.241 D
Acetum bilioſis vtiliſſimum.1°.de ſimp.me.fa. 5ª.7.F
Aceti acredo picrocholis prodeſt, & atrabilariis obeſt.de vict.rat.in morb.acu.com.3°. 7ª.130.G
Acetum melancholicis aduerſiſſimum.1°.de ſimp.me.fa. 5ª.7.F
*Acetũ pbet copioſe melancholicis.de mel.ex Gal.Ru.& Poſ.Sp.*110.D
Acetum educit atra.de vict.rat.in morb.acut.com.3°. 7ª.130.G
*Acetũ mẽtẽ,& neruos ferit.de vict.rat.in mor.acu.com.1°.*7ª.113.F
*Acetum neruis noxiũ.de puero epil.*181.C/*de vict.rat. in morb.acut. com.3°.*130.H/*de fract.com.2°.*7ª.236.A/*de diſſ.cont. Sp.*74.D
Acetũ neruorũ ſubſtãtiã debilitat quomodo.14°.meth.med. 7ª.88.B
*Aceto quomodo vtitur in neruis.3°.de comp.med.per gen.*5ª.229.D
*Acetũ coctũ ad nocẽdũ ifirmius eſt.de vic.ra.i mor.ac.c.3°.*7ª.130.G
*Aceti vſus qũo cõueniat tẽdonibus,& ligamẽtis.14°.met.m.*7ª.88.A
Acetum formidandum in febre ſingultuoſa.de vict.rat. in morb. acut. commen.4°. 7ª.143.E
Acetum cur valeat in phreniticis.2°.de comp.me.ſe.lo. 5ª.134.B
Aceto thymum, pulegium, & origanum incocta naribus applicanda in lethargo.13°.meth.med. 7ª.85.F
Aceto, & oleo roſaceo vtimur in lethargicis, & phreniticis. 2°. de comp.med.ſecun.lo. 5ª.134.A
Aceto vti non debemus in lethargo,ſed euphorbio.2°.de comp.medi. ſecun.loc. 5ª.134.A
*Acetũ peius ẽ mulierib°,q̃ viris.de vic.rat.i mor.ac.cõ.3°.*7ª.130.H
Acctũ infert dolorẽ vtero.de vict.rat.in morb.acut.cõ.3°. 7ª.130.H
Acetum non mitigat dolorem.2°.de comp.med.ſe.lo. 7ª.134.B/G
*Acetum exaſperat,erodit,& dolorem excitat.1°.de ſim.med.fa.*7.G/ *3°.de comp.med.per gen.* 5ª.232.H
*Acetum contrarium inflammationibus.2°.de cõp. me.ſe.lo.*5ª.134.B
Acetum mordax vlceribus & cuti.5°.de comp.me.ſe.lo. 5ª.159.A
*Acetum mulſum in febribus ſecurum.9°.de comp.me.ſe.lo.*5ª.197.G
*Acetum mulſum attenuat & perrodit.8°.de comp.me.ſe.lo.*5ª.189.D
Acetũ mulſum oĩb° vtiliſſimũ ſan.tuẽ.gratia.de bo.& vit.ſu. 2ª.39.A
Acetum mulſum è fauis confectum.de vſu theriacæ. 5ª.98.H
Aceto mulſoniæ omnes angustæ expediuntur, vt nuſquam craſſus glutinoſusq̃ humor hæreat.de bo.& vitio ſuc. 2ª.39.A
Aceto mulſo i neruoſis ptibus vti nõ debemus.de frac.c.2°. 7ª.236.A
Acetum mulſum lieni conuenit,& cur.9°.de cõp.me.ſe.lo. 5ª.198.D
Aceti ſcillini confectio ex Galeno.3°.de med.fac.par. 7ª.178.B
Aceti ſcillitici confectio.de dynamidijs. Sp.26.G
Acetum ſcillinum ad quæ valet.3°.de med.fac.par. 7ª.178.B
Acetũ confectũ ex ſcilla vinã bũ pronocat.5°.de ſimp.me.fac. 5ª.35.E
Acetum confectum ex ſcilla incidens, quibus eſt minus calidum. 5°.de ſimp.med.fac. 5ª.35.E
*Acetũ ſcilliticũ mire cõuenit orthopnoicis.7°.de cõ.me.ſe.lo.*5ª.186.G
Acetum ſcilliticum lapidem frangit.de ocu. 7ª.188.F
Acetum ſcilliticum in epilepſia.de puero epil. 7ª.180.E
ACETOSVS *ſapor qualis ſit & vnde oritur.de ocul.* 7ª.188.A
Acetoſa quæ ſint.de ocul. 7ª.188.A
Acetoſa ſunt frigida.de diſſ.cont. Sp.74.D
Acetoſi operationes.de ocul. 7ª.188.A
Acetoſa prouocant appetitum.de anat.viuorum. Sp.50.A
Acetoſa parum nutrit,cur.de diſſol.cont. Sp.73.F
Acetoſum cur penetret.de ocul. 7ª.188.B
Acetoſi cibi attenuant & incidunt.de diſſ.cont. Sp.72.E
Acetoſi cibi quibus conueniant.de diſſ.cont. Sp.72.E
Acetoſa frigida puncturam,morſuram,& tumorem generant in oculo vulnerato.de ocul. 7ª.189.B
*Acetoſus & põticus ſapor qũo cõueniãt,& differãt.de ocu.*7ª.188.B
Acetoſi quomodo fiant fructus pontici.de ocul. 7ª.188.B
Acetoſa poma,& granata ſi inueniunt in ſtomacho humorem malum, & craſſum incidunt,& expellunt,& leniunt ventrem:ſi inueniunt mundum,ſtringunt ventrem.de diſſ.cont. Sp.75.C
Acetoſorũ granatorũ aquæ incidũt,& attenuãt.de diſſ.cont. Sp.72.G
Acetoſum lac eſt cibus craſſus.de diſſ.cont. Sp.73.A
Acetoſo lacti dominatur vehemens frigiditas.de diſſol.cont. Sp.73.B
Acetoſum lac tarde digeritur.de diſſ.cont. Sp.73.D
Acetoſitas citri incidit,& attenuat.de diſſol.cont. Sp.72.G
*Acetoſus ſyrupus ad conſeruãdam ſanitatem corporis.ſecr.*Sp.103.D
ad Acetoſitatem in ſtomacho.ſecret. Sp.102.F
ad Acetoſam eructationem.ſecret. Sp.98.E/100.F
Acetoſæ radix ſuſpenſa ad ſcrophulas.de incant.adinu. 7ª.182.B
Acetoſulæ fit mentio.de cura icteri. Sp.111.B
ACHAASOS medicinæ.de med.exper. Sp.106.C
ACHARISTVM *medicamentum.4°.de comp.me.ſe.lo.* 5ª.154.A
Achariſton.4°.de comp.med.ſe.lo. 5ª.152.D
ACHERDVS *frutex ſylueſtris.2°.de ali.fac.* 2ª.21.H
Acherdi fructus habet exiguum alimentum, & eſt praui ſucci.2°.de alimen.facul. 2ª.22.B
ACHILLES *heros,præſtans.de cogn.curan.* 2ª.51.F
Achilles ſimpliciter formoſus.de bona habi. 1ª.39.C
Achilles maior erat Aiace.2°.de dign.pulſ. 4ª.76.F
Achilles iracundiæ ſuccumbebat.3°.de decr.Hipp. 1ª.242.F
Achillæ paſtillus.5°.de comp.med.per gen. 5ª.252.C
Achillis Compunctoris medicamentum.7°.de cõp.me.ſe.lo. 5ª.184.H
Achilleos Sideritis qualis.8°.de ſimp.med.fa. 5ª.60.D
Achilleos ſideritis ad ſanguinis eruptiones, muliebre profluuium, & dyſenterias congruit.8°.de ſimp.med.fa. 5ª.60.
Αχλὺ *quid ſit.in 1m.prorrh.com.2°.* 4ª.170.E
ACHLYS *quid.introd.* Iſag.58.H
Achlys affectus iridis oculi.introd. Iſag.58.D
ACHNAE *quid ſit.1°.de comp.med.per gen.* 5ª.213.E
de ACHORIBVS *& quid ſint.de med.fa.par.* 7ª.171.G
Achor quid ſit.de tum.præt.nat. 3ª.84.F
*Achor quid ſit,& qũo fiat & curetur.1°.de cõp.med.ſe.lo.*5ª.128.G
Achores,exterior capitis affectus.introd. Iſag.59.C
Achores fiunt ex commiſtis humoribus.de cau.mor. 3ª.8.B
Achorum meminit.in 6m.de morb.vulg.com.2°. 3ª.161.A
Achoribus quæ conueniant.1°.de comp.me.ſe.lo. 5ª.128.H
*de Achoribus ſecũdũ Critonẽ ſermo.1°.de comp.me.ſe.lo.*5ª.130.E
*ad Achoras.1°.de comp.me.per gen.*217.A/2°.224.E/9°.*de comp. med.*

med.sec.loc. 5ª.204.H
ad Achoras inflammatos. 1°.*de comp.me.sec.lo.* 5ª.129.A
ad Achoras puerorum, mulierum, & diuersarum ætatum. 1°. *de compo.med.sec.loc.* 5ª.129.G
in Achoribus in principio quæ conueniant, & quæ in processu. 1°.*de comp.me.sec.loc.* 5ª.129.D
ad Achoras medicamenta cephalica, introd. Isa.58.C
ad Achoras qbus iũcta ẽ ulceratio dolorosa.đ reme.par.fa. 7ª.154.D
ad Achoras medicamenta fortissima. 1°.*de comp.med.se.lo.* 5ª.129.D
ad Achoras securum medicamentum. 1.*de comp.med.se.lo.* 5ª.131.B
ad Achoras smegma. 1°.*de comp.med.se.lo.* 5ª.131.A
ad Achoras emplastrum album. 1°.*de comp.me.se lo.* 5ª.130.G
ad Achoras Apollonij medicamẽtũ. 1°.*de comp.me.se.lo.* 5ª.129.G
ad Achoras Archigenis medicamentũ 1°.*de cõp.me.se.lo.* 5ª.129.B
ad Achoras Cleopatræ. 1°.*de comp.med.se.lo.* 5ª.131.C
ad Achoras Critonis medicamentum. 1°.*de comp.me.se.lo.* 5ª.130.D
ad Achoras Sorani. 1°.*de comp.me.se.lo.* 5ª.131.D
ad Achoras Thebæi emplastrum. 1°.*de comp.me.se.lo.* 5ª.130.H
in Achoribus vrinam humanam reprehendit Gal. 1°. *de comp.me.se. loc.* 130.D/10°.*de simp.med.fa.* 5ª.75.D
ad Achoras simplicium diuersitas. 1°.*de comp.me.se.lo.* 5ª.129.E
Achoras iuuat lupinus. 6°.*de simp.med.fa.* 5ª.48.D
Achores extergunt radice liliorũ cũ melle. 7°.*de sim.me.fa.* 5ª.53.B
Achoras extergit balanus. 6°.*de simp.me.fa.* 5ª.44.D
ad Achoras acetum quale. 1°.*de com.me.se.lo.* 5ª.129.F
ad Achoras ceruſſa qualis. 1°.*de comp.med.se.lo.* 5ª.129.G
ad Achoras semper viuum quale. 1°.*de comp.me.se.lo.* 5ª.129.G
ACHRADES, *& earum vires.* 6°.*de simp.me.fa.* 5ª.43.D
ACIA *quid sit.de iis, quæ in med.fi.com.* 2°. 7ª.208.C
Acia qualis eße debet.de iis, quæ in med.fi.com. 2°. 7ª.208.C
per ACICVLAS *compunctio cutis quomodo fiat in alopecia.* 1°.*de composi med.se.lo.* 5ª.122.H
ACIDVM *quid sit.* 1°.*de simp.me.fa.* 5ª.8.D
Acidæ qualitates sunt qualitates gustus non medicamentorum facultates. 5°.*de simp.me.fac.* 5ª 38.H
Acida qualia sint. 1°.*de simp.med.fac.* 25.F/*de vict.rat.in morb.acut. commen.* 1°. 5ª.111.D
vt Acidum & dulce, & amarum, & salsum succorum species sunt, ita & adstringens & austerum, & acre & pingue in animalibus, & plantis, & terra.de nat.hum.com. 1°. 1ª.31.H
Acidus sapor magis humidus. 4°.*de simp.me.fa.* 5ª.25.G
Aciditas manifesta cum sentitur sine acrimonia, iudica illum succum frigidum, & ad calidos affectus vtitur. 4°.*de simp.me.fa.* 5ª.25.B
Acidum est subtile frigidum. 4°.*de simp.me.fa.* 25.F/5°. 5ª.29.D
Aciditas quenit a calore mutãte, nõ tñ uicẽte. 4°.*đ sim.me.fa.* 5ª.28.B
Aciditas fit vi frigoris. 4°.*de simp.me.fa.* 25.G/ 5ª.27.D
Acidum tantum, est frigidum. 4°.*de simp.me.fa.* 5ª.25.B
Acida omnia, frigida. 4°.*de simp.me.fa.* 5ª.26.D
Acida adstringentia frigida sunt. 4°.*de simp.me.fa.* 5ª.26.E
Acidi sapores sunt frigidi omnes. 4°.*de simp.me.fa.* 5ª.28.C
Aciditas sequitur acerbitatem. 4°.*de simp.me.fa.* 5ª.25.F
Acidus sapor est acris. 4°.*de simp.me.fa.* 5ª.29.D
Aciditas in saporibus quomodo nascatur. 4°.*de simp.me.fa.* 5ª.28.B
Acida frigiditas tenuium partium. 4°.*de simp.me.fa.* 5ª.25.B
Acida, & dulcia sunt tenuiora, quàm dulcia, & frigida. 4°. *de simpli. med.facult.* 5ª.28.F
Acidum quid faciat. 5°.*de simp.me.fa.* 5ª.39.A
Acida altius agunt. 4°*de simp.me.fa.* 5ª.25.H
Acidi sapores velociter transeunt. 4°.*de simp.me.fa.* 5ª.25.F
Acido succo magis penetrat acris. 4°.*de simp.med.fa.* 5ª.27.E
Acida exasperant.de vict.rat.in morb.acut.com. 1°. 7ª.111.D
Acidorum & acrium incidendi differentia. 2°.*de ali.fa.* 2ª.19.G
Acida crassos succos icidũt, subducũt, & humectãt. 2.*de al.f.* 2ª.19.G
Acida, acria, acerba, nutriunt, si simul dulcia sint. 4°.*de simpl.medica. facultatibus.* 5ª.28.F
Acida summe, non nutriunt. 4°.*de simp.med.fa.* 5ª.28.E
Acido vt frigido & subtili, amaro et acri vt calidis communis est mordicatio. 4°.*de simp.me.fa.* 5ª.29.D
Acida medicamenta mordicant oculos. 4°.*de comp.me.se.lo.* 5ª.150.C
Acida adstringunt gulam. 5°.*de lo.aff.* 4ª.32.D
Acida quid agant in linguam. 10.*de simp.med.fa.* 5ª.9.A
Acidum a sola lingua percipitur. 4°. *de sim.me.fa.* 5ª.28.D
Acida faciunt stuporem dentium.de opt.sect.Isa. 22.H/3°.*de alim.fa.* 2ª.28.C/1°.*de symp.cau.* 3ª.16.B
Acidi & austeri cibi stuporem dentium faciunt. 2°.*de lo.aff.* 4ª.9.H
Acida omnia mouent odoratum. 4°.*de simp.me.fa.* 5ª.30.H
Acidum odorem dicimus quid habere. 4°.*de simp.me.fa.* 5ª.31.A
Acidus succus facit famem caninam. 1°.*de symp.cau.* 3ª.18.B
Acida lac prohibent.de med.fa.par. 7ª.166.B
Acida valde melãcholia facit magnã appetentiã. 6°.*de lo.aff.* 4ª.36.B
Acidi humores in ore ventriculi sunt causa appetitus canini.commen. 2°.*apho.* 21°. Ex.15.A
Acida austera pituitosis excrementosisq; stomachis sunt apta. 7°.*de simp.me.fac.* 5ª.50.H
Acida, acria conueniunt in victu attenuante.de atte.vic. 2ª.46.A
Acida nullam noxam afferant ventriculo. 5°.*de vsu par.* 1ª.143.F
Acida sistunt ventrem, si purum inuenerint. 2°.*de ali.fac.* 2ª.19.G
Acidas mutationes facit venter sub morbis frigidioribus. 3°.*de symp. cau.* 3ª.24.H
Acidi ructus quomodo fiant. 4°.*de simp.me.fa.* 5ª.28.B
Acidi ructus quomodo ex frigore. 3°.*de symp.cau.* 3ª.25.D
Acidos ructus creat frigida fluxio in ventrẽ. 6°.*de sani.tuen.* 2ª.98.F
Acidi ructus ab aliis emittuntur, ab aliis nidorosi. 1°.*de loc.aff.* 4ª.5.F
ad Acidum & nidorosum ructum conuersio ciborum, ad causas & affectus ventriculi referenda est. 1°.*de loc.aff.* 4ª.5.H
Acidi ructus qbus causis fiãt.de vict.rõne i morb.acu.cõ. 2°.7ª.119.E
Acidus ructus significat pituitam.com. 4°.*apho.* 2°. Ex.37.F
ex Acido ructu & cruditate coctionis non consequitur diaria febris. 8°.*meth.med.* 7ª.53.G
Acidum ructantes ventriculi vitio iuuat antidotus zopyria. 2°.*de antidotis.* 5ª.115.B
Acidum ructantibus auxilio est betonica. 7°.*de simp.me.fa.* 5ª.51.A
ad Acidum ructũ valet acetum scillinum. 3°.*de med.fa.par.* 7ª.178.C
Acidum qui eructant non valde morbo laterali corripiuntur.com. 6°. *apho.* 33°. Ex.5.A
Acidus ructꝰ i lõgis læuitatibus iteſtinorũ, bonũ.c. 6°.*aph.* 1°.Ex.45.G
Acida eructatio læuitatem inteſtinorum sanat.in 6ᵐ.*de mor.vulg.com men.* 4°. 3ª.196.E
Acida est atra bilis.de na.& ord.vniuscuiusq; corp. Sp.41.D
Acida est atra bilis syncera.de vict.rat.in morb.acu.cõ. 3°. 7ª.130.H
Acida, & fermentosa atra bilis. 2°.*de fa.nat.* 1ª.301.G/*com.* 4°. *aph.* 21°.Ex.29.D/14°.*meth.me.* 7ª.89.E
Acidæ pituitæ.& animor. 1ª.319.A
Acida pituita qualis. 2°.*de diff.feb.* 3ª.37.F
Acida pituita species pituitæ. 7°.*de diff.feb.* 7ª.37.F
Acida pituita vitiosa.in 6ᵐ.*de morb.vulg.com.* 2°. 3ª.167.G
Acidum forte participat pituita vitrea. 2°.*de diff.feb.* 3ª.37.E
in Acidum vertuntur cibi à frigiditate. 1°.*de loc.aff.* 4ª.5.D
in Acidum ciborum conuersio est ventriculi indicium frigidioris. in 6ᵐ.*de morb.vulg.com.* 4°. 3ª.186.D
Acidæ ciborum corruptiones ex quibus cibis. 3°.*de sym.cau.* 3ª.24.H
Acida excrementa a quibus cibis. 3°.*de symp.cau.* 3ª.24.H
in Acidum conuersi cibi sunt minus mali. 8°.*meth.me.* 7ª.53.B
Acidis acerbis & amaris cibis delectantur, qui sunt extra naturalem statum.in 6ᵐ.*de morb.vulg.com.* 5°. 3ª.191.G
in Acidũ raro cõuertunt cibi i bilioſis naturis. 8°.*met.me.* 7ª.53.B/G
in Acidum vertentibus cibum mel dandum. 1.*de lo.aff.* 4ª.5.E
Acidæ vuæ quid agant. 2°.*de ali.fac.* 2ª.18.B
Acidarum vuarum vsus vitandus. 2°.*de ali.fac.* 2ª.18.B
Acidæ vuæ quibus noceant. 2°.*de ali.fac.* 2ª.18.B
Acidarum vuarum mustum ad omnia pessimum. 2°.*de ali.fac.* 2ª.18.B
Acida qualitas vinorum separata est ab adstringente, vt bonitas a vitio.aduersus Lycum. Ex.63.H
Acidum nullum est vinum secundã naturam.aduersus Lycũ. Ex.63.H
ACILEA *mistura genus ad pilos tollendos.de simp.me.* Sp.80.B
ACINVS *totius vitis est fructus.* 2 *de ali.fa.* 2ª.16.C
Acinorum substantia qualis. 2°.*de ali.fac.* 2ª.17.H
Acini vuarum terreni sunt. 9°.*de simp.me.fac.* 5ª.64.H
Acinos mutare non est ventriculi humani officium. 1°.*de lo.aff.* 4ª.5.C
Acinus eiectus nullam ostendit esse cruditatem. 1°.*de lo.aff.* 4ª.5.B
ΑΚΙΝΗΣΙΑ *nomen mediæ quietis in pulsibus.* 1°.*de diff.pul.* 4ª.48.C
ACMASTICA & anabatica, & paracmastica, synochæ species. 2°.*de diff.feb.* 3ª.36.F/8°.*meth.me.* 7ª.57.A
in Acmastica homotona & paracmastica febre humorũ in caua vena putrefactio

putrefactio.2°.de diff.feb. 3ª.47.H
Acmasticus pulsum habet vigentem, & sordidum sine intermissione. de dynamidijs. Sp.34.C
Ακμὴν quid vocant Græci.6°.de san.tuen. 2ª.95.F
ACONCIAS serpens qualis.de ther.ad Pis. 5ª.93.A
ACONITVM quid,& eius vires.de simp.medicamin. Sp.80.F
Aconitum est venenum.in 6ᵐ.de morb. vulg.com.6°. 3ª.197 A
Aconitum veneno sum val de est.de simp.medicamin. Sp.80.F
Aconitum,thapsiam, erificium proprio gustu probare deuita. de simpl.medicamin. Sp.83.H
Aconitum septicum & deleterium medicamentum. 5°. de simp.med. facultatib.36.B/6°. 5ª.42.B
Aconitum aptum est ad putrefaciendum extra os et sedem. 6°.de simpl.me.facul. 5ª.42.B
Aconitum lupos necans.6°.de simp.med.fa. 5ª.42.B
ad Aconitum remedium.2°.de antid. 5ª.114.B
ad Aconitum valet theri.de theri.ad Piso. 5ª.91.E
Aconitũ qui sumpserint ijs lac exhibetur.10°.de simp.med.fa.5ª.73.H
Aconiti fit mentio.4°.de comp.med.sec.lo.153.B/10°. 5ª.109.C
de ACOPIS & quid significet nomen.7°.de comp. medica.per genera. 5ª.269.D/E
Acopa quæ sint,& ad quem finem.7°.de comp.med.sec.lo. 5ª.177.E
Acopa quæ.3°.de comp.me.per gen. 269.D/E
ab Acopis qũo differant myracopa.7°.de cõp.me.per gen. 5ª.269.G
Acopa quæ vnguenta.3°.de comp.me.per gen. 5ª.230.C/233.B
Acopa medicamenta extrinsecus admouenda.introd. Is.58.B
Acopum est viticis semen.6°.de simp.med.fa. 5ª.41.B
Acopon medicamentum.6°.de comp.med.per gen. 5ª.256.D
Acopa quæ debeant recipere,colligc.1°.de comp.me.se.lo.5ª.207.H
Acopa apud antiquos liquida erant.7°.de cõp.me.per gen. 5ª.269.F
Acopon.5°.de comp.med.per gene. 5ª.247.D
Acopa vnguenta euaporantia sunt.6°.de san.tuen. 2ª.98.C
ad Acopa aqua vtilior quàm vinum.4°.de sani.tuen. 2ª.87.A
Acopis,emplastris, & malagmatibus miscetur cera. de simplicibus medicaminibus. Sp.82.B
Acoporum adipum differentiæ.7°.de comp.med.per gen. 5ª.269.F
pro Acopis olea diuersa.7°.de comp.med.per gen. 5ª.269.E
ad Acopa,& malagmata facit oleum,in quo est cocta bryonia.de simplicibus medicamin. Sp.81.E
Acopon bonum.7°.de comp.med.per gen.265.C/ 5ª.271.H
Acopon bonũ diutinis resolutionibus.10°.de cõp.me.se.lo. 5ª.207.H
Acopum ex abietis semine.3°.de sani.tuen. 2ª.81.C
Acopon calefaciens.7°.de comp.med.per gen. 5ª.272.D
Acopon fœtidum dictum.3°.de comp.med.sec.loc.142.F/7°.de compo.med.per gen. 5ª.270.B/272.A/D
Acopon metasyncriticum.7°.de comp.me.per gen. 5ª.271.F
Acopon quod ex melle inscribitur.7°.de cõp.med.per gen.5ª.270.A
Acopon viride.7°.de comp.me.per gen. 5ª.270.D/272.C
Acopon viride Haliei.7°.de comp.med.per gen. 5ª.271.H
Acopon ex argenti spuma cruda,& oleo.7°. de compo. medi.per genera. 5ª.264.H
Acopon ex rubeta.7°.de comp.me.per gen. 5ª.271.B
Acopon confectum ut Aphrodas 7°.de comp.me.per gen.5ª.272.B
Acopon Barbaricum ex euphorbio.7°.de comp.me.per ge.5ª.272.C
Acopon ex Aphrodisei collectaneis.7°.de comp.me.per ge.5ª.270.B
Acopo ex abiete vti debent, qui humores in carne, & toto corpore congessere.4°.de san.tuen. 2ª.86.G
Acopon ad lassitudinum molestias.7°.de comp.me. per gen.5ª.269.C
Acopon ad paralyticos.7°.de comp.me.per gen. 5ª.273.B
Acopon ad omnem dolorem neruorum consentientem.7°.de composi. me.per gen. 5ª.270.B
Acopon viride ad Ischiadicos.7°.de comp.me.per gen. 5ª.273.F
Acopon aliud ad coxendicum dolores.7°.de cõp.me.per ge.5ª.273.B
Acopon aliud ad coxarum dolores.7°.de comp.me.per gen.5ª.273.C
Acopon quo Arũtius Aquila curatus ẽ.7°.de cõp.me.pge.5ª.272.C
Acopa Damocratis.7°.de comp.me.per gen. 5ª.273.C
Acopa Heræ.7°.de compo.me.per ge. 5ª.273.A
Acopon Orionis Pexoris.7°.de comp.me.per gen. 5ª.272.D
Acopon Quadrati.7°.de comp.medi.per gen. 5ª.272.A
ACOR vna est ex qualitatibus gustabilibus.fi.med.Isa.50.B/de natu.hu.com.1°. 1ª.28.H
ACORVS quid,& cius vires.de simp.medicamin. Sp.81.A
Acorum siccum,& calidum in tertio.6°.de simp.me.fa. 5ª.42.A
Acorum acre, modice amarum, odore non iniucundo, calidum est & tenue.6°.de simp.med.fac. 5ª.42.A
Acoron nobis admotum videtur calidum.3°.de temp. 1ª.21.H
Acoron calidum & acre vrinam ciens.5°.de simp.me.fa. 5ª.35.D
Acorus vrinas frequentes ducit.de ren.aff.dig. 7ª.196.E
Acorum lienes induratos iuuat, & ceratoidis crassitiem detergit, & vrinam mouet.6°.de simp.med.fa. 5ª.42.A
Acori semẽ splenẽ videt cõsumere,potũ.de sim.medicamin. Sp.81.A
Acorus expurgat in icteris.3°.de cura icteri. Sp.111.B
Acorus menstrua prouocat.de ocul. 7ª.188.F
Acorus maturatiuus est.de ocul. 7ª.189.C
Acoron sanguinem extenuat & secernit.5°.simp.me.fa. 5ª.35.D
Acorum admodum exiccat.4°.de comp.me.per gen. 5ª.240.G
Acorum vlcera sanat.4°.de comp.med.per gen. 5ª.240.G
Acorum discutit.6°.de comp.me.se.lo. 5ª.169.D
Acori radice intensior est asari radix.6°.de sim.me.fa. 5ª.43.H
Acori radicis succus claritatem oculis mirifice facit. de simplicibus medicaminibus. Sp.81.A
Acori radix ad neruos vulneratos valet.3°.de cõ.me.pge. 5ª.234.B
Acori radix cum melle crustas optime disrumpit.2°.de arte curan.ad Glauc. 7ª.107.B
Acori apozema purgat vesicam.de cathar. Sp.95.D
ACOSMIA est ataxia.in progno.com.3°. 4ª.207.G
ACOSTROR medicamen.de med.exper. Sp.104.G
ACQVISITIVAE artes,quæ.ad Thrasy. 2ª.106.D
ACREDO humorum quomodo cognoscitur.in 1ᵐ.de morb.vulg. commen.3°. 3ª.125.B
Acredo humorum alterare potest pulsus, non efficere. 1°. de causis puls. 4ª.86.G
Acredo attrahit humorem.de dyna. Sp.20.F
Acredinem & morsum medicamẽtis tollit lotio.6°.met.me.7ª.38.C
ab Acredine mordaci dolor auris non sanatur calidis.3°.de compos. me.sec.lo. 5ª.141.C
ab Acredine vel adstrictione nascitur asperitas.de ptis. 2ª.47.E
Acredine nulla infectus humor inter flauum,& pallidum.4°.de locis affect. 4ª.28.C
Acredinem remouent rosaccũ & oleũ dulce.7°.de sim.me.fa.5ª.51.F
Ακρεμόνας quid græci vocent.6°.de simp.me.fa. 5ª.42.F
ACRIMONIA vna ex qualitatibus gustabilibus.fi.med.Isa.50.B/ de nat.huma.com.1°. 1ª.28.H
Acrimonia significat caliditatem.9°.de simp.me.fa. 5ª.66.C
Acrimonia deprehenditur mire in allio & cæpis.4°.de simpli. medica.faculta. 5ª.25.C
in Acrimonia simile est allio scordion.8°.de simp.me.fa. 5ª.60.H
Acrimoniam habent,quæ sunt tenuium partium.3°.de ali.fa.2ª.32.G
Acrimoniæ faciunt differentiam in partibus dissimilaribus.3°.de simpli.med.fac. 5ª.20.G
Acrimonia calfacit,incidit,digerit.7°.de sim.me.fa. 5ª.49.G
Acrimonia facit dolorem.4°.de comp.med. per gen. 5ª.236.A
Acrimonia humoris lædit partes propinquas.15°.de vsu par.1ª.211.H
Acrimonia humorum facit deliriũ. in 3ᵐ.de mor.vul.cõ.1°.3ª.131.E
Acrimoniam humorũ infrenant oua,simila, & chondrus. de vict. rat. in morb.acu.com.4°. 7ª.149.D
cum Acrimonia trahunt,ex alto humiditates trahentia & digerẽtia. 4°.de comp.med.per gen. 5ª.235.H
Acrimonia aluum ad excretionem proritat.3°.de ali.fac. 2ª.32.G
Acrimonia cum dulcedine euacuat.7°.de simp.me.fa. 5ª.50.G
Acrimonia cum amaritudine,non obtinebit vehementiam vacuationis.7°.de simp.me.fa. 5ª.50.G
Acrimoniam quandam à putrido calore habet acetum.4°.de simp.me dic.facul. 5ª.27.D
Acrimoniæ expertia sunt fœni græci decoctum,lac,tenuis ouorum liquor,gummi,tragacantha.4°.de comp.me.sec.lo. 5ª.151.C
Acrimonia quomodo dematur melli.3°.de ali.fa. 2ª.32.G
Acrimonia melli adempta facit ipsum ad distributionem, & coctionẽ accommodatius.3°.de ali.fa. 2ª.32.G
Acrimonia adimit adstrictionem.2°.de ali.fa. 2ª.19.D
Acrimoniã retũdit caseosũ & crassũ lactis.10°.de sim.me.fa.5ª.73.G
Acrimonia humorum quomodo curetur.introd. Isa.55.E
ACRITONIS medicamen.de med.exper. Sp.107.C
ACRITVDO acquiritur in melancholia quando supra modum exuritur.

exuritur.com.6°.aph.56°. Ex.53.E
Acritudo mordax fieri non potest, vt in longum extendatur, si omnia circa ægrum opportune fiant.com.7°.aph.22°. Ex.55.E
Acritudo excitat ad excretionem.com.2°.aph.18°. Ex.13.F
Acritudo pituitæ irritat ītestina ad deiectionē.cō.6°.aph.33.Ex.50.B
Acritudo humorum abradit in summa parte intestina com. 4°. aphoris.24°. Ex.29.H
Acritudo humorū facit difficultatē ītestinorū.cō.6°.aph.3°.Ex.46.F
Acritudo puris ora uasorū arteriosorū apit.cō.6°.aph.27°.Ex.48.H
Acritudo vrinæ aperit ora arteriarum quæ sunt in renibus . commē. 7°.apho.34°. Ex.56.E
Acritudo vrinæ, causa stillicidij vrinæ.cō.3°.aph.16°.23.D/& cō. 7°.aph.48° Ex 57.H
Acritudines malorū humorū lædūt vesicā.cō.3°.apho.22°. Ex.24.F
Acritudo eorū quæ excernuntur prouocat hæmorrhoidas. ex quo sumi potest illius sententiæ fundamētū, aloen nō prouocare hæmorrhoidas, sed ea quæ euacuantur.com.6°.aph.47°. Ex.52.C
Acritudinem pargantium medicamentorum non fert natura ob æstū exusta.com.4°.aph.5°. Ex.28.A
ACRE & pingue, & austerum, & adstringens succorū species sunt, vt acidum, dulce, amarum & salsum in animalibus, plantis, & in terra.de nat.hum.com.1°. 1ª.31.H
pro Acri adstrictoriū dixit Dioscorides.11°.de simp.me.fa. 5ª.79.D
Acria quidam adstringentia vocant.11°.de simp.me.fa. 5ª.79.D
Acres & acuti qui non nunquam dicātur.in 6ᵐ. de morbis vulgarib. commen.1°. 3ª.158.H
Acria quæ sint, & eorum effectus multi.de atten.vict.rat. 2ª.43.G
Acre fit ex miscella calidi, frigidi, humidi et sicci.1°.de ali.fa. 2ª.9.A
Acria quæ.in 6ᵐ.de mor.uul.cō.5°.3ª.192.G/1°. de sim.me.fa.8.D/ & 9°.5ª.64.C/de vict.rat.in mor.acu.com.4°. 7ª.135.C
Acria quæ sint, inter quæ ponit acetū.6°.de cōp.me.per gc. 5ª.256.E
Acria qualia sint.de vict.rat.in morb.acu.com.1°. 7ª.111.D
Acria tenuis essentiæ, qualia.4°.de simp.med.fa. 5ª.29.H
Acria crassæ essentiæ terreæ, qualia.4°.de simp.med.fa. 5ª.29 H
Acrium distinctio.4°.de simp.med.fa. 5ª.29.E
Acri aduersatur dulcis succus.de vict.rat.in morb.acu. 7ª.130.B
Acria sunt quæ sensus nostros pungunt, ac mordicant.de atten. victus ratione. 2ª.43.G
Acria omnia calefaciunt.2°.de ali.fac. 2ª.19.C
Acria sunt magis calida amaris.4°.de simp.med.fa. 5ª.28.F
Acria calida, & sicca vrinā mouent.de ren.aff.dig.& med.7ª.196.E
Acria & calida vrinam cientia.5°.de simp.me.fa. 5ª.35.D
Acria ad quæ vtilia, & potissimū lapides.9°.de simp.me.fa. 5ª.67.G
Acre quid faciat.5°.de simp.med.fa.39.A/& 9°. 5ª.64.D
Acria quid agant in linguam.1°.de simp.me.fa. 5ª.9.A
Acria vehementer quid faciant.5°.de comp.me.se.lo. 5ª.162.H
Acria quibus conueniant.5°.de ali.fa. 2ª.19.G
Acria conueniunt corporibus habentibus humores frigidos, & crassos, & lentos.de atten.vict.rat. 2ª.43.H
Acria trahunt venenum.de sectis. Is.16.G
Acria et calida, conueniunt ad venenata.7°.de simp.me.fac. 5ª.49.D
ab Acribus afficitur oculus.5°.de comp.med.sec.loc. 5ª.159.H
Acria & calida oculos non iuuant.4°.de comp.me.se.lo. 5ª.150.C
Acria oculis non conueniunt.4°.de comp.me.sec.lo. 5ª.150.B
Acria medicamenta non tolerant oculi.2°.de arte cur. 7ª.103.D
Acria sunt aphthis aduersissima.de reme.par.fac. 7ª.158.C
Acria exasperant.de vict.rat.in mor.acut.com.1°. 7ª.111.D
Acria tenuium partium miscenda adstringentibus vt penetrent.4°. de comp.med.per gen. 5ª.239.G
Acre quibus aliquid transpirat à quibus debent abstinere.8°. metho. medendi. 7ª.51.C
cum Acribus pugnant adstringentia.9°.de simp.me.fa. 5ª.64.C
Acria irritant, mordent, calefaciunt, & fluorem affectis partibus cōcitant.5°.de comp.me.per gen. 5ª.246.B
Acria phlegmonas irritant.13°.meth.med. 7ª.81.D
Acria primo fiunt vina aquosa, postea amara.de vinis. Sp.77.A
Acria vina, & vetusta vtilia his sunt, qui frigidum humorem in venis collegerunt.de vinis. Sp.76.G
Acria omnia inter obsonia connumerantur.2°.de ali.fa. 2ª.23.F
ob Acres cibos bile aceruata non leuarunt quendam sinapi & beta. 1°.de alim.fac. 2ª.8.G
Acriū ōium semē cōuenit in dieta attenuāte.de atte.vic.rat.2ª.44.E
Acria & acida cōueniunt in victu attenuāte.de atte.uic.ra. 2ª.46.A
Acrium, & acidorum incidendi differentia.2°.de ali.fa. 2ª.19.G
Acria non acida postulat succus frigidus.2°.de ali.fa. 2ª.19.G
Acres cibi exhibeant, ut medicinę, melācholicis.de melāch.Sp.110.D
Acrio euacuat.ars med. Is.70.D
Acria, & amara digerunt, & incidunt humores crassos & lentos.8°. de simp.med.fac. 5ª.58.D
Acria et subamara expurgat iecur et renes.6°.de sim.me.fa.5ª.45.G
Acria & mordacia tussim prouocant, nō contra.2°.de simplicium medicamen.fac. 5ª.13.B
Acria esui idonea, habēt aliquā dulcedinē.4°.de simp.me.fa. 5ª.29.E
Acria quæ non gustantur.4°.de simp.me.fa. 5ª.29.E
Acria mordicant non solum linguam, sed et carnem.4°.de simplicium medic.fac. 5ª.29.D
Acria vellicant gulam.5°.de loc.aff. 4ª.32.D
Acria modice quæ frigida.4°.de simp.me.fa. 5ª.26.D
Acria inhorrere faciunt.5°.de simp.me.fa. 5ª.36.A
Acria debēt facere sitim, aliter pessimē est.in 1ᵐ.de mor.uul.3ª.106.F
Acria mouent odoratum gustumq.4°.de simp.me.fa. 5ª.30.H
Acria vlcus cuti nostræ moliuntur.4°.de simp.me.fa. 5ª.29.E
Acria non adstringere, collige.1°.de simp.me.fa. 5ª.7.H
Acria adstringunt, & euacuant quomodo.3°.de simp.me.fa. 5ª.20.A
Acria vsta amittunt calorem.9°.de simp.me.fa. 5ª.64.E
Acria sunt cum ratione sumenda.de atten.uic.rat. 2ª.43.H
Acria ventriculum mordicant, si largius æquo sumpta fuerint. de atte.vict.rat. 2ª.43.G
Acria maxime appetuntur à grauidis, cur.1°.de symp.cau.3ª.18.C
Acria decocta faciunt aquam acrem, & ipsa acritudinem deponunt. 3°.de alim.fac. 2ª.32.A
Acria crassos succos attenuant.de atten.uic.rat. 2ª.43.G
Acria succos crassos incidunt.2°.de alim.fa. 2ª.19.G
Acria cōueniūt phymatibus & furunculis.de atten.uic.ra. 2ª.43.G
Acria cauēda in affectib⁹, q in cute sūt, curādis.14°.met.me.7ª.93.D
Acria, quæ vlceribus nō conueniunt.4°.de cōp.med.per ge. 5ª.236.H
Acria, & tenuia excrementa faciunt vlcerosum lasitudinis affectū. 3°.de san.tuen. 2ª.78.G
Acria non debent esse animalium nutrimenta, quorū lacte sis usurus. 5°.de san.tuen. 2ª.91.H
de Acribus pharmacis.4°.de comp.me.se.lo. 5ª.149.F
Acre, & calidū medicamentū vlceri admodū primo dolorem infert, mox horrorem, deinde rigorem excitat.de pal.con.et rig.3ª.55.B
Acria medicamenta qualia.de uic.rat.in mor.acu.com.4°.7ª.138.G
Acria & calida sunt medicamenta purgantia.de uict.rat.in mor.acu. commen.4°. 7ª.135.C
Acria medicamenta trahunt.in 6ᵐ.de morb.vulg.com.2°. 3ª.166.B
Acria medicamenta reuellunt à capite et viscеribus.de hirud.6ª.2.E
Acria medicamenta febrium causæ.de cau.morb. 3ª.6.G
Acria medicamēta ferūt, sensū difficilē habētia.2°.de ar.cu.7ª.103.D
Acria medicamenta brachijs, & manibus imposita succos ad caput, & viscera vergentes reuellunt.de cucur. 6ª.4.G
Acria medicamenta non fert os ventriculi.2°.de ar.cur. 7ª.103.D
Acria medicamenta, & acres humores corpora facile sentientia non ferunt.2°.de arte cur.ad Glau. 7ª.103.C
Acrioribus medicamentis vtaris in neruorū puncturis, quæ seruent apertum vulnus.3°.de comp.me.per gen. 5ª.234.F
ab Acribus medicamētis fit inflāmatio, quia mordent, & faciūt dolorem, & trahunt materiam.4°.de comp.me. per gen. 5ª.236.A
Acria sunt emplastra viridia, & quæ his sint acriora. 2°. de arte cur. ad Glau. 7ª.105.H
Acria quo carnē progignere possint.6°.de cōp.me.per gen.5ª.255.G
Acres herbæ.13°.meth.med. 7ª.84.H
Acrium herbarum vsus qualis.6°.de comp.me.per gen. 5ª.255.C
Acres herbæ vel amaræ sine adstrictione ad neruos vulneratos valent.3°.de comp.me.per ge. 5ª.234.B
Acria olera miscenda lactucæ.2°.de ali.fa. 2ª.23.F
Acriū omniū asparagus humidior est quā folia.2°.de ali.fac. 2ª.24.B
Acres cibi & calidi, qui.de cau.mor. 3ª.6.G
Acres cibi caliditatē augent, & febrem accēdunt.de ca.mor. 3ª.6.G
Acres & extenuantes cibi, morbosi.1°.de diff.feb. 3ª.32.A
Acre est cardamomum.5°.de comp.me.se.lo. 5ª.159.C
Acre est helenium.5°.de comp.med.per gen. 5ª.246.B
Acre modice est polium, & amarum.8°.de simp.me.fa. 5ª.59.A

Acris eſt ſampſucus. de ſimp. med. Sp. 90. G
Acris eſt, & excalfaciens calamus aromaticus. de ſimp. me. Sp. 82. G
Acre, & excalfactorium eſt cinnamum. de ſimp. med. Sp. 83. A
Acria ſunt nepitæ folia. de ſimp. med. Sp. 87. H
Acre eſt fœnugrecum. de remed. par. fa. 7ª. 156. A
ex Acri & amara ſubſtãtia conſtat onoſma. 8°. de ſim. m. fa. 5ª. 57. C
Acres ſunt groſſi, cur. 8°. de ſimp. med fa. 5ª. 57. B
Acres vires habet anethum. de ſimp. med. Sp. 81. B
Acres vires habet origanum. de ſimp. med. Sp. 88. E
Acres vires habet viſcus. de ſimp. med. Sp. 91. H
Acres vires habet thymus. de ſimp. med. Sp. 91. G
Acres vires habet ſcorodon. de ſimp. med. Sp. 91. A
Acres vires habet herbum. de ſimp. med. Sp. 85. B
Acres vires habet hyſſopum. de ſimp. med. Sp. 92. E
Acres vires habet thlaſpi. de ſimp. med. Sp. 91. G
Acres vires habet ſmyrnium. de ſimp. med. Sp. 91. B
Acres vires habet ſcopa regia. de ſimp. med. Sp. 91. C
Acres vires habet ſauina. de ſimp. med. Sp. 85. C
Acres vires habet paſtinaca. de ſimp. med. Sp. 89. B
Acris eſt omnis myrrha. de ſimp. med. Sp. 87. B
Acres vires habent chamæpityos ſpecies omnes. de ſimp. me. Sp. 85. F
Acris eſt lathyris. de ſimp. med. Sp. 86. E
Acres vires habet gentiana. de ſimp. med. Sp. 84. H
Acres vires marrubium habet. de ſimp. med. Sp. 87. E
Acres vires habet ſori. de ſimp. med. Sp. 90. F
Acres vires habet lapis pyrites. de ſimp. med. Sp. 86. F
Acres & excalfactorias vires habet daucũ omne. de ſim. m. Sp. 83. E
Acres vires, excalfactorias, & relaxantes habet ladanum. de ſimpli. medi. Sp. 86. D
Acres leniter vires habet vetonica. de ſimp. med. Sp. 92. A
Acres & ſtypticas vires habet lixiuia. de ſimp. med. Sp. 85. H
Acres, & aliquatenus ſtypticas vires habet ebenũ. de ſi. me. Sp. 83. F
Acris res, & ſtyptica eſt cinis. de ſimp. med. Sp. 86. A
Acres, & relaxantes vires habet chamædrys. de ſimp. med. Sp. 82. G
Acres, & relaxantes vires habet ſilix. de ſimp. med. Sp. 84. D
Acria, & exulcerantia folia clematis habet. de ſimp. med. Sp. 83. B
Acriores aliquatenus vires oleo, bẽt opobalſamũ. de ſim. m. Sp. 88. D
Acre ignitum eſt. 5°. de ſimp. med. fa. 5ª. 38. H
Acris ſapor omnium calidiſſimus. 4°. de ſimp. med. fa. 5ª. 29. D
Acria, acida, acerba, nutriunt, ſi ſimul dulcia ſint. 4°. de ſimplicium medi. fa. 5ª. 28. F
Acri nullo vtimur pro cibo. 4°. de ſimp. me. fa. 5ª. 29. E
Acres ſapores quam vim habeant. 4°. de ſimp. me. fa. 5ª. 29. G
Acris ſaporis terminus eſt vrere. 4°. de ſimp. med. fa. 5ª. 29. F
Acres ſapores ſumme ſunt calidi, deinceps poſt illos ſunt amari, deinde vero dulces. 4°. de ſimp. med. fa. 5ª. 29. F
Acre proprium in ſaporibus à ſola lingua percipitur. 4°. de ſimp. medica. fa. 5ª. 28. D
Acres ſapores quo mõ ab amaris differãt. 4°. de ſimp. me. fa. 5ª. 29. H
Acrem odorem dicimus quid habere. 4°. de ſimp. med. fa. 5ª. 31. A
Acres & tenues humores quos dolores faciant, & quòd faciunt conuulſionem. 12°. meth. med. 7ª. 80. A
ex Acri humore oculi dolor. 2°. de arte cur. ad Glau. 7ª. 103. D
Acris, & tenuis humor eſt cũ exulcerationũ. cõ. 4°. aph. 12°. Ex. 28. E
de Acribus humoribus proprie dicitur morderi, non de doloribus. de vic. rat. in mor. acu. com. 4°. 7ª. 144. F
Acris humor olfactũ angit, & horrorẽ incutit. 15°. de vſu p. 1ª. 211. H
Acris humor in ore ventriculi ſæpe facit animi defectum. 2°. de arte cur. ad Glauc. 7ª. 103. F
Acris humor non manet in hepate. 5°. de vſu par. 1ª. 145. F
Acris humor & ſingultum, & conuulſionem per totum corpus efficere poteſt. 3°. de lo. aff. 4ª. 20. A
Acris humor quo modo dolorem faciat. 1°. de ſymp. cau. 3ª. 16. H
vt ab Acri humore afficitur acu vulneratus. 2°. de loc. aff. 4ª. 9. D
Acris humiditas facultate ſiccatoria, corpus incendit. de vict. rat. in mor. acu. com. 4°. 7ª. 134. D
Acri & amaro vt calidis, acido vt frigido & ſubtili communis eſt mordicatio. 4°. de ſimp. me. fac. 5ª. 29. D
Acris ſuccus magis penetrat, quàm acidus. 4°. de ſim. me. fa. 5ª. 27. E
ab Acri ſucco rigor in multis fit. de pal. conuulſ. & rig. 3ª. 55. C
ab Acri fiunt horrores. 10°. meth. med. 7ª. 62. H
Acribus ſuccis poſtulant miſceri aquca. 2°. de ali. fac. 2ª. 16. H
Acres ſucci ſunt educendi. 4°. de ſan. tuen. 2ª. 84. D
de Acribus a quibus experimẽtum ſumẽdum. 4°. de ſim. me. fa. 26. B
Acribus omnibus id eſt commune, vt ſoluta ipſorum acrimonia, exiguum corpori præbeant alimentum. 2°. de ali. fa. 2ª. 19. C
Acribus magis ſiccant ſalſa. de vict. rat. in mor. ac. com. 4°. 7ª. 135. C
Acribus curanda non eſt caro, & neruus nigrefactus, ſed lenibus. de fract. com. 3°. 7ª. 244. A
Acribus quidã utebatur, & in priapiſmũ incidit. 6°. de lo. aff. 4ª. 42. F
Acre & mordax calidum eſt quod exhalat ab impenſe calidis temperamento. 6°. de ſan. tuen. 2ª. 96. A
Acribus & mordacibus quæ imponantur. 1°. de ſimp. med. fa. 5ª. 8. B
ab Acribus exacerbãtur inflammata. 6°. de com. me. ſe. lo. 5ª. 173. C
ab Acribus excremẽtis ſtrãguria. in 3ᵐ. de mor. vul. cõ. 1°. 3ª. 128. D
Acribus palatum vngendum in lethargo. 13°. meth. med. 7ª. 85. F
ab Acribus mordicatio. 2°. de ſymp. cau. 3ª. 23. B
Acribus, & mordacibus per aluum excretis quæ auxilientur. 1°. de ſimpli. med. fa. 5ª. 8. B
Acris, & mordax ſuperfluitas vnde. 1°. de diff. feb. 3ª. 31. F
ab Acribus eſcharæ fiunt. de atten. vic. rat. 2ª. 43. G
ab Acribus abſtinẽdũ in febre tertiana. 1°. de ar. cu. ad Gla. 7ª. 97. D
Acris fluxio quid agat ad vẽtrem, & guttur. 6°. de ſan. tuen. 2ª. 98. E
Acris materia vbi adſit, ſcarificatione vtimur. de cucur. ſcar. 6ª. 3. F
Acria ſuppoſitoria, & clyſteria, inteſtina mouẽt. de dynami. Sp. 20. F
Acres clyſteres reuellũt quod per vomitũ exit. de cucur. ſcar. 6ª. 4. F
Acris humor facit vt inteſtina eiiciant. 5°. de vſu partium. 1ª. 145. F
Acres qualitates ſunt qualitates guſtus, non medicamentorum facultates. 5°. de ſimp. me. fa. 5ª. 38. H
Acris qualitas deiectionem excitat. 2°. de ali. fa. 2ª. 19. A/23. C
Acrem qualitatem habẽtia concoctionem iuuãt. 2°. de ali. fa. 2ª. 21. G
ab Acrium aſſiduo vſu abſtinendum, potiſſimum bilioſis. 2°. de alim. facult. 2ª. 25. E
ad Acres & tenues fluxiones oculorũ. 4°. de cõp. me. ſe. lo. 5ª. 149. E
Acrior eſt omnibus cineribus cinis caprifici. de ſimp. med. Sp. 86. A
Acriore lixiuia lauanda ſunt vulnera ſordida. de ſimp. med. Sp. 86. A
ACRISIA *quid ſignificet. in 2ᵐ. de mor. vul. com. 2°.* 3ª. 112. C
i Acriſias deflectũt icocta & cruda. i 2ᵐ. de mo. vul. cõ. 2°. 3ª. 124. E
Τὸ Ἀκροχειρίζεσθαι *iter exercitatiões numerat. 2°. de ſa. tu.* 2ª. 73. G
Acrochiriſmi, brachiorum & manuũ propriè ſunt exercitationes. 2°. de ſani. tuen. 2ª. 74. H
ACROCHORDON *vnde dicta. 2°. meth. med.* 2ª. 74. H
Acrochordon quid. ſin. med. Iſag. 49. B
Acrochordon tumor eſt præter naturam toto genere. de diff. morb. 3ª. 4. F/14°. meth. med. 7ª. 90. E
Acrochordones verrucarum genera. de diff. mor. 3ª. 4. F
Acrochordones eſt genus verrucarum, & tuberculorum. commen. 3°. aphor. 26°. Ex. 25. G
Acrochordones fiunt ex commixtis humoribus. de cau. mor. 3ª. 8. B
Acrochordones cutis affectus. introd. Iſag. 59. D
Acrochordonibus præditi ſunt homines non natura. ſi. me. Iſag. 45. E
Acrochordones cur fiant in pueris. com. 3°. aph. 26°. Ex. 25. G
Acrochordonum curatio. intro. Iſag. 60. D
Acrochordonibus quid conferat. de virt. centa. Sp. 93. G
Acrochordonas quidam ore ſanabat. 14°. meth. med. 7ª. 92. H
Acrochordonas detrahunt caulis & folia virentia batrachij. 6°. de ſimpli. med. fa. 5ª. 44. G
ad Acrochordonas caput ſaurarum facit. 11°. de ſimp. me. fa. 5ª. 79. G
Acrochordonas auferunt tithymalli. 8°. de ſimp. med. fa. 5ª. 62. D
Acrochordonas auferũt caules chamæſyces. 8°. de ſim. me. fa. 5ª. 63. G
ad Acrochordonas ouillum ſtercus. 10°. de ſimp. med. fa. 5ª. 76. H
Acrochordonibus difficilius curãt myrmecia. 10°. de ſim. m. f. 5ª. 73. E
ACRODRYA *qui ſint fructus. intro.* Iſag. 51. B
Ἀκρώμιον *quid ſignificet. de articulis. com. 1°.* 7ª. 251. F
Acromion quid ſit. de oſſibus. 1ª. 42. G
ACRON *Agrigẽtin⁹ auctor ſectæ empiricæ cur ſit dictus. itr.* Iſ. 51. D
Acron vnus ex primis empiricis. de ſubfig. empi. Iſ. 31. D
Ἀκροχόλιαγον *qd ſignificet. de vict. rat. in mor. acu. com. 3°.* 7ª. 129. H
ACTE *quid. 6°. de ſimp. med. fa.* 5ª. 42. B
ACTIO *quid ſit. 1°. de nat. fac.* 1ª. 291. B/*de mult.* 77. C/*de ſymp. diff.* 3ª. 10. F/1°. de lo. aff. 4ª. 3. E
Actio eſt opus naturæ, ſed opus nõ dicit actio. 1°. de nat. fa. 1ª. 291. C
Actionem & opus dicere nihil refert quãdoq;. 1°. meth. med. 7ª. 5. H
Actio eſt agentis motus. de ſymp. diff. 3ª. 10. D

Actio eſt motus agens. de motibus manifeſtis & obſ. Sp. 66. G/ 1°. met. med. 6. C/. 2°. 7ª. 10. A/B

per Actionem quid intelligat. de mot. man. & obſ. Sp. 66. D

Actio in quo conſiſtat. de ſymp. differentiis. 3ª. 10. E

Actiones habent eſſe ſuum in fieri. 2°. meth. med. 7ª. 10. B

Actionis, & motus differentia. de mot. man. & obſ. Sp. 66. G

Actio, & corpus differunt. 1°. meth. med. 7ª. 7. E

Actio, ſanitas, & pulchritudo, quomodo ſe habent ad inuicem. ad Thra. 2ª. 104. A

Actio partis qũo differat ab vſu. 17°. de vſu par. 1ª. 221. C

Actiones præcedit corpus & illas gignit. 1°. meth. med. 7ª. 7. G

ab Actionibus prima vtilitas animalibus. 17°. de vſu par. 1ª. 221. C

Actiones omnes cuius cauſa fiant. ad Thraſ. 2ª. 105. B

Actionis cauſa in ſingulis inſtrumentis eſt temperies ſecundum naturam. 2°. de nat. fac. 1ª. 301. A

Actionis cauſa eſt ſanitas. de ſymp. diff. 3ª. 13. A

ad Actionem cauſæ vicem præſtat conſtitutio. 1°. meth. med. 7ª. 8. D

Actionis cauſa non inuenienda ſecundum Theſſalum. 2°. methodi medendi. 7ª. 11. G

Actio & paſſio quomodo fiant. 3°. de nat. fac. 1ª. 304. A

Actiones fiũt a ſolidis animãtium partibus. 3°. de ſimp. me. fa. 5ª. 22. A

Actio quomodo diſtinguitur a paſſione. de ſymp. diff. 3ª. 10. E

Actionis ſcopus eſt agendorum prima cauſa. 6°. de vſu par. 1ª. 152. F

pp Actionem, atque ex accidenti a nobis expeti id quod eſt ſecundum naturam in quibus ipſa deficit, non primo, nec propter ſeipſum. 14°. meth. med. 7ª. 91. B

Actionum vis, quæ. ad Thraſyb. 2ª. 103. H

Actionem propriam habet quælibet pars animalis. 7°. methodi medendi. 7ª. 43. F

Actio quælibet in animantis corpore peculiarem habet particulam. per quam perficitur. 1°. de loc. aff. 4ª. 3. H

Actionem propriam habet membrum compoſitum. de ocul. 7ª. 182. G

Actiones proprias ſtatim ab initio cognoſcunt genitalia. 6°. de locis affectis. 4ª. 42. C

Actionem ſuam perficiẽdi facultatem habent inſtrumẽta nãturalia, vt magnes lapis facultatem habet trahẽdi ferrũ. 1°. de lo. aff. 4ª. 8. A

Actiones proprias quælibet particula habet & vſus. 1°. de nat. fac. 1ª. 291. G

Actionum proprium inſtrumentum, quod. 2°. de decretis. 1ª. 236. G

pp Actionem vnam cur quandoque natura facit multa inſtrumenta. 12°. de vſu par. 1ª. 195. G

Actionibus duabus vnũ inſtrumentũ ſeruit. 7°. de vſu par. 1ª. 158. A

ex Actione vtili, partis vſus apparet. 17°. de vſu par. 1ª. 221. D

Actio, & vtilitas ſingularum partium neceſſario ſciri debet: de conſti. ar. If. 40. G

Actio cuiuſq; partis cognoſci debẽt ex anatome. 1°. de loc. aff. 4ª. 3. E

Actio primo in omni particula, quæ ſecari debet, conſideranda eſt. 4°. de vſu par. 1ª. 138. D

Actiones conſiderandas, collige. 1°. meth. med. 7ª. 7. G

Actionũ cognitio præcedit vſus inuẽtionem. 16°. de vſu par. 1ª. 220. E

Actionum cognitio confert ad partem affectam cognoſcendam. 17°. de vſu par. 1ª. 222. E

Actiones debent præcedere vtilitates. 6°. de vſu par. 1ª. 155. E

Actio primo, deinde vtilitas cognoſcenda. 9°. de vſu par. 1ª. 172. E

Actione cognita inuenitur partis vtilitas. 1°. de vſu par. 1ª. 114. H

Actiõe cognita vtilitates exponẽdæ. 7°. de vſu p. 163. F/ 8°. 1ª. 166. B

in Actionibus ſicuti eſt, ita eſt in vtilitatibus. 2°. de vſu par. 1ª. 222. E

ad Actionem obeundam quæ exigantur. de conſt. If. 36. H

Actionum duplex genus. de conſt. ar. If. 37. B

Actionis genus alteratio, ſed nõ vt ignãtione. 1°. de nat. fac. 1ª. 292. B

Actiones tres quæ operibus reſpondent. 1°. de nat. fac. 1ª. 291. D

Actiones ipſæ non conſiderandæ ſm empiricos. 2°. meth. med. 7ª. 11. G

Actio inſtrumenti niſi prius ſciatur, particulæ vſus inueniri non poteſt. 5°. de vſu par. 143. F/ 16. 1ª & 215. F

Actio ſequitur corporis affectum. 1°. meth. med. 7ª. 7. E

Actionis conſtantiam tantam nullum membrum habet, quantam habet cor. 6°. de vſu par. 1ª. 150. D

Actionibus & vſibus membrum vnumquodque, non forma corporis iudicatur. 1°. de Hipp. & Plat. decretis. 1ª. 233. E

Actio dignitate poſterior vtilitate. 11°. de vſu par. 1ª. 189. C

Actio poſterior ſecuritate ad ſanitatis diuturnitatem. 12°. de vſu partium. 1ª. 196. C.

Actionem ignorat qui muſculi poſitionem ignorat. 2°. de vſu partium. 1ª. 126. D

Actionis vbi æqualis vtilitas, ibi æqualia dextra ſiniſtris. 6°. de vſu partium. 1ª. 140. A

in Actione quod melius eſt, temperamento commodo referendum. 2°. de nat. fac. 1ª. 300. F

Actiones quæ conueniunt ad ſanitatis tuendæ rationem. 7°. methodi med. 7ª. 48. E

in Actione quod deterius, temperamento vitioſo referendum. 2°. de natu. fac. 1ª. 300. F

Actioni nocet morbus ſine mediatore. de ocul. 7ª. 185. H

Actiones vniuerſaliores, quæ. ad Thraſy. 2ª. 108. F

Actionum variæ differentiæ. ad Thraſy. 2ª. 105. A

Actionum duæ primæ differentiæ. de ſymp. diff. 3ª. 11. D

Actionum differentiæ affectum partis declarant. 1°. de loc. aff. 4ª. 6. D

Actiones oẽs proueniũt a ſimilaribus corporibus. 2°. met. me. 7ª. 13. D

Actiones primæ à ſimilaribus corpibus. de cur. ra. p ſang. miſ. 6ª. 16. E

Actiones primæ ſingulæ quæ ſint. ad Thraſ. 2ª. 108. F

Actiones ſecundæ ab inſtrumentariis corporibus. de cur. rat. per ſan. miſſ. 6ª. 16. E

Actiones duplices in animalibus, corporales, & animales. 6°. de ſanitate tuenda. 2ª. 95. F

Actionum aliæ naturales, aliæ animales. 1°. de ſymp. cau. 3ª. 14. B

Actiones tres ſunt, animalis, naturalis, vitalis. de ocul. 7ª. 185. H

Actionum genera tria. de vo. & anhel. Sp. 61. G

Actio rectrix in quot diuidatur. de ſymp. diff. 3ª. 11. D

Actionis rectricis ſymptomata. 2°. de ſymp. cau. 3ª. 24. B

Actionis rectricis amiſſio conſiſtit in ſtoliditate, & obliuione. 2°. de ſympto. cau. 3ª. 24. B

Actio voluntaria quæ. de nat. hum. 7ª. 182. F

Actiones voluntariæ ſunt muſculorum, neruorum, tendonum. 2°. de ſanita. tuen. 2ª. 75. A

Actio voluntaria fit ex nobiliſſimo motu animæ, ſcilicet ex motu cogitationis, & deliberationis. de vo. & anhel. Sp. 61. H

Actiões volũtariæ fiũt p muſculos & nervos. de vo. inſt. diſ. 1ª. 106. D

ad Actionem omnem voluntariam adoleſcentes aptiſſimi. 1°. de ſanit. tuenda. 1ª. 64. D

ad Actiones voluntarias ſunt inepti ſenes & infantes. 1°. de ſan. tu. 2ª. 64. D

Actio voluntaria nobiliſſima, eſt vox. de vo. & anhel. Sp. 61. H

in Actionibus volũtariis conſiſtit vita. de mot. man. & obſ. Sp. 67. F

Actiones voluntariæ quando vitiantur. in 6m. de mor. vulg. com. 3°. 3ª. 173. H

Actiones voluntarias lædit phrenitis, quia calidus & ſiccus morbus eſt. 3°. de ſymp. cau. 3ª. 29. D

vt Actiones à voluntate muſculi affecti lædere poſſunt, ita veſica, & inteſtina naturales. 1°. de loc. aff. 4ª. 8. A

Actiones manuum ſunt voluntariæ. de mot. man. & obſ. Sp. 69. A

Actiones pedum ſunt voluntariæ per intentionem primam. de mot. man. & obſ. Sp. 69. A

Actiones volũtariæ ſecũda intẽtione, quæ. de mot. ma. & obſ. Sp. 69. A

Actiones volũtarias q̃ habẽt infirmas. 4°. de præſa. ex pulſ. 4ª. 120. H

Actio generationis inſtrumentorum non fit à voluntate tãtum. de mot. man. & obſ. Sp. 68. E

Actiones animales habẽt tãtũ duas ſpecies ſenſus. de ocul. 7ª. 186. A

Actio nulla animalis ineſt cordi, ideo non eget magnis neruis. 6°. de vſu partium. 1ª. 155. F

Actiones animales in quot diuiduntur. de ſymp. diff. 3ª. 11. D

Actiones animales cur à multis cauſis offendãtur. 3°. de lo. af. 4ª. 16. G

Actiones animi ſunt præcipuæ poſt pueritiam. 6°. de ſan. tuen. 2ª. 95. F

Actiones animæ alterantur ab humoribus, & temperie corporis. 3°. de loc. aff. 4ª. 19. C

Actiones animæ irrationalis morales vocantur. 3°. de loc. aff. 4ª. 16. G

Actiones naturales quæ ſint. 1°. de ſan. tuen. 2ª. 64. D

Actiones naturales cur in pueris auctæ. 5°. de ſimp. med. fa. 5ª. 33. H

Actio naturalis primum eſt quod maxime deſideratur. 1°. methodi med. 7ª. 8. C

Actio naturalis communis etiam plantis. de nat. hum. 7ª. 182. F

Actionum naturalium prima præcipua, & maxime neceſſaria nutritio. 3°. de ſymp. cau. 3ª. 26. C

Actionis naturalis opera quatuor. de nat. hum. 7ª. 182. F

in Actionibus naturalibus magis vigẽt infantes quàm alij. 1°. de ſan. tuen.

tuenda. 2ª.64.D
Actionum naturalium ſymptomata.de ſimp.diff. 3ª.12.A
Actio anhelitus,naturalis eſt ſm aliquos,cur.de uo.et anhe.Sp.62.B
an Actio naturalis ſit anhelitus,ſpectat ad dialecticum quærere . de mo.man.& obſ. Sp.66.H
Actio anhelitus ſecundum aliquos eſt media inter voluntatem & naturam.de voc.& anh. Sp.62.B
Actione naturali egemus. 1°. & propter hanc egemus ſanitate . 2°. meth.med. 7ª.10.D
Actiones corporales pueri præcipuas obtinent.6°.de ſan.tu.2ª.95.F
Actio ipſa nutritio eſt.1°.de nat.fa. 1ª.292.H
Actio vitalis,qua arteriæ,& cor pulſant.de nat.hum. 7ª.182.F
p Actiones ſingulas eẽ artes diſtinctas,ẽ abſurdũ.ad Traſ.2ª.105.A
circa Actionem ſecundo verſatur ars.ad Thraſ. 2ª.104.B
Actiones manuariæ,quæ per ſe fiunt.ad Thraſ. 2ª.105.A
ab Actione medicus manuarius dicitur.ad Thraſ. 2ª.105.D
Actiones quæ à medicamentis fiunt.ad Thraſ. 2ª.105.A
Actiones aliquæ contrariæ in re medica.ad Thraſ. 2ª.105.D
Actio proba non poteſt eſſe ſine corporis naturali affectu , aut vitioſa,niſi cum corpus ſit vitio affectum.1°.meth.med. 7ª.7.G
Actio an ſit læſa primo conſiderandum.2ª.de loc.aff. 4ª.13.D
Actio læditur inſtrumento læſo,quod illã efficit.1°.de loc.aff. 4ª.3.H
Actio læſa in quo conſiſtat.3°.de ſymp.cau. 3ª.26.H
Actionum vitia,quæ.de ſym.diff. 3ª.11.C
Actionis vitium morbus poteſt dici.1°.meth.me. 7ª.7.E
Actionem vitians affectus eſt cauſa cõtinens, & eſt proprie morbus. 2°.meth.med. 7ª.12.F
Actio vitiata ſemper primo conſideranda , pòſt, quænam ſedes, vel ipſa afficiatur, vel alteri conſentiat.3°.de loc.aff. 4ª.15.C
Actionis noxa morbus eſt.ad Thraſ. 2ª.102.E
Actio læſa poteſt morbus vocari,& ex hoc nihil mutatur curatio.2°. meth.med. 7ª.12.F/F
Actionem lædens affectus poteſt morbus vocari , & ex hoc nihil mutatur curatio.2°.meth.med. 7ª.12.F/F
Actionis amiſſio defectus et prauitas in omnium ſymptomatum genere,quid diſtent.3°.de ſymp.cau. 3ª.25.A
Actionis amiſſio,ſymptoma.2°.de ſymp.cau. 3ª.24.B
Actionis læſio eſt ſymptoma.de ſymp.diff.10.H/13.G/2°.de ſymp. cau.3ª.24.D/1°.meth.med. 7ª.7.H
Actionum offenſæ ſunt ſymptomata & pathe.2°.meth.med.7ª.10.C
in Actione læſionis cauſa,morbus eſt.de ſymp.dif. 3ª.13.A
Actionis læſio eſt affectus præter naturam. 2°.meth. med. 7ª.12.E
Actione vna læſa,quandoque aliæ læduntur.2°.de lo.aff. 4ª.14.C
Actio eſt læſa etiam ſi prorſus periit.1°.de ſymp.cau. 3ª.14.B
Actio læſa,vel integra non eſt affectus.2°.meth.med.| 7ª.9.H
Actioni læſæ nõ applicãtur remedia,ſed morbo.2°.meth.me.7ª.10.D
Actionum læſarum modi docent partem affectam , & curandi facultatem.3°.de lo.aff. 4ª.14.E
Actio læſa affectam partem indicare poteſt.1°.de loc.aff. 4ª.6.A
Actionũ noxę,affectã dũtaxat pticulã declarãt. 1°.de loc.af. 4ª.6.D
in Actione ppria obeũda dolẽt partes inflãmatæ.5°.de lo.af.4ª.32.B
in Actione oĩ tria ſymptomata,de ſymp.dif.3ª.12.B/de oc.7ª.185.H
Actio leuiter ĩpedita ad quã partẽ artis ptinet. 7°.met.med.7ª.48.E
Actio extra noxam,ſed imbecilla,inutilis eſt.ad Thraſ. 2ª.102.E
Actionis læſæ ſymptoma peſſimum.3°.de ſymp.cau. 3ª.26.H
Actionis propriæ noxa,eſt proprium ſymptoma cuiuſcunque partis . 2°.de loc.aff. 4ª.10.H
Actionis læſionem auferre cupimus,& propter hoc morbum.2°.meth.med. 7ª.10.D
Actio imbecilla ad quam medicinæ tractationem pertineat.7°.meth. medendi. 7ª.48.E
Actionem læſam vbi eſſe perſpexeris , læſionis modus eſt conſiderandus.2°.de loc.aff. 4ª.13.C
Actio nulla lædit,niſi pars q ipſam facit,afficiat. 1°.de lo.af. 4ª.4.E
Actio quandoque perit nulla exiſtente noxa in propriis inſtrumentis ex materiæ defectu.1°.de lo.aff. 4ª.6.E
Actio ex materia nõ trãſmiſſa lædit parte non læſa.1°.de lo.af.4ª.7.B
Actioni paruam noxam afferunt intemperies ſimilarium partiũ paruæ:magnæ vero,magnam.1°.de ſymp.cau. 3ª.15.B
Actiones multæ vitiatæ uñ ſequanti,explicatio.4°.de loc.af.4ª 25.C
in Actione nutriendi,priuatio actionis in atrophia eſt.3°. de ſympt. cauſis. 3ª.25.B
ad Actiones pigritiam non eſt neceſſe ſequi,ſiquis male concoxit.3°. de ſympto.cau. 3ª.30.B
Actio praua et errãs in uẽtre,in quo cõſiſtit.3°.de ſymp.cau.3ª.25.A
Actionis priuatio in ventre,quæ ſit.3° de ſymp.cau. 3ª.25.A
Actio deficiẽs ĩ uenis eſt cũ ſucci sũt ſemicocti.3°.de ſym.cau.3ª.25.A
Actionis priuatio in uenis eſt cum ſucci omnino ſunt crudi.3°.de ſympto.cau. 3ª.25.A
Actio praua in venis,eſt cũ ſucci ſunt uitioſi.3°.de ſym.cau.3ª.25.A
Actionis in aliam ſpeciẽ mutatio,ſymptoma.2°.de ſym.cau. 3ª.24.B
Actio motiua in quo conſiſtat.de ſymp.diff. 3ª.11.D
Actionum motiuarum prima ſymptomata, quę.de ſym.diff. 3ª.11.F
Actiones communes partium omnium.5°.de loc.aff. 4ª.34.D
ab Actione partis qũo ſecũda indicatio ſumat.7°.met.med. 7ª.48.H
ab Actione membri:q ipſa ſit vel omnibus partibus communis,aut paucis,aut ſibi ipſi,indicationem ſumi.7°.meth.me. 7ª.49.B
Actiones homini conuenientiores ſunt ratiocinari, & loqui. de mot. man.& obſ. Sp.67.F
Actiones ſuas faciũt ptes corpis ſine doctrina.6°.de lo. af. 4ª.42.A
Actiones quæ dependẽt à capite. de virt.noſtrũ corp.diſpẽſ. Sp.60.C
Actio oris ſtomachi eſt deſiderium.de mot.man.& obſ. Sp.70.H
Actionem ſuam facerent in omni parte cor, iecur,& ſplen,et reliquæ partes.6°.de loc.aff. 4ª.42.D
Actiones iecoris que ſint.de virt.noſtrum corp.diſpen. Sp.60.D
Actiones lienis vt conſeruentur,debent auſtera & adſtringentia miſceri ipſius medicamentis.9°.de com.me.ſe.lo. 5ª.198.D
Actio pulmonis perpendenda quæ ſpiritum & humores attrahit, ac expedit.5°.de lo.aff. 4ª.30.F
Actio cannæ in voce,quæ.de vo.& anhe. Sp.61.G
Actiones quæ dependent à corde.de virt.noſtrum corp.diſp. Sp.60.D
Actio vniuerſi cruris ambulatio eſt.de conſt.art. Iſ.36.H
de Actione trina virtutis regitiuæ.de ocul. 7ª.183.G
Actio qñq; impediĩ et muſculi nõ ſunt affecti.de art.cõ.3°.7ª. 280.E
Actionem eandẽ in omni parte habent arteriæ.6°.de lo.aff. 4ª.42.D
Actio partium,quæ ſentiendi & mouendi vim ſolum habẽt , perit ipſis non affectis.1°.de lo.aff. 4ª.8.B
Actionẽ nullã uolũtariã facit neruus ſine muſculo.1°.de lo.af.4ª.7.D
Actio muſculorum circa ſcapulas.1°.de diff.reſp. 3ª.62.H
Actio lacertorũ fit p motũ ad ſuã originẽ.de mot.mã. et obſ.Sp.70.C
Actionis lacerti laxatio an ſit naturalis, vel voluntaria . de motibus manifeſtis & obſcuris. Sp.68.H
Actio ſimplex eſt vnius lacerti.de palp.conuulſ. 3ª.52.A
Actione vna pereunte,muſculus,vel neruus eſt affectus. 4°. de locis affectis . 4°.25.C
in Actione poſitus eſt oĩs motus.in 3ᵐ.de mor.vul.cõ.1°. 3ª.129.D
Actiones aliquæ indigent materia ab aliis partibus præparata. 1°.de loc.affec. 4ª.6.E
Actioni qui nec proſunt affectus,nec obſunt.1°.meth.med. 7ª.7.G
Actio particulæ quomodo defendatur.7°.meth.med. 7ª.43.F
Actionum firmitas ex robore,virium robur ex actionum firmitudine conſequitur.de mult. 3ª.79.A
Actiones firmæ exigunt robur firmum.de mult. 3ª.78.G
Actionibus firmior eſt viribus robuſtus.de mult. 3ª.79.A
Actiões uehemẽtes hñt muſculos magnos,et binos.2°.đ uſu p.1ª.123.D
Actioni ualidæ gemini tendones præficiuntur.1°.de vſu par. 1ª.119.F
Actiones ſortes manº ſũt articuli carpi motus.2°.de uſu par.1ª.124.C
Actionũ perfectio eſt exquiſite bonus habitus. ad Thraſy. 2ª.102.F
Actiones firmiores producit habitus bonus . ad Thraſ. 2ª.102.E
ad Actionem prompti ſunt calidi.2°.de ſani.tuen. 2ª.73.E
Actiones debiles producit ſanitas in affectione.ad Thraſy.2ª.102.E
Actiones imbecilles habent paruos muſculos , & paruos tendones . 2°.de vſu partium. 1ª.123.D
Actio libera ab imbecillitate,ſed nõ robuſta q. ad Thraſy. 2ª.102.E
Actiones nondum firmas, non amplius autem debiles producit ſanitas in habitu.ad Thraſ. 2ª.102.E
Actio imbecilla ad quam partẽ artis pertinet.7°.meth.med.7ª.48.E
Actionum infirmitas ſignificat vires non robuſtas. de mult. 3ª.78.A
in Actionibus ſuis chirurgici celeres eſſe debẽt.de faſcijs . 7ª.293.C
cuius Actio ſit ruminatio ĩ ruminãte aĩali.de mot.mã.et obſ.Sp.68.F
Actio digerẽtis põt ad digerẽdũ ſine occurſu puenire. đ an.u.Sp.45.B
Actio tãgibilis abſq; obuiatione rei tãgendæ nõ fit. de an.vi. Sp.45.B
præter Actionem ipſam in ſaltatoria nihil oſtendere poſſumus . ad Thraſybulum . 2ª.105.H

Actionem augere & vtilitatem nõ idem.2°.de simp.me.fac. 5ª.16.C
in Actionibus symmetria vacuatorum.11°.meth.med. 7ª.71.A
Actionum densitatis causa in pulsibus, quæ.1°.de diff.resp. 3ª.57.H
Actio crebra, & actio celer differunt.2°.de digno.pul. 4ª.75.E
Actiones omnes fiũt crebriores ex defectu.1°.de cau.pul. 4ª.90.A
Actiuus motus qui sit.1°.meth.med. 7ª.6.C
Actiuus motus est actio.2°.meth.med. 7ª.10.A/B
Actiuæ artes & effectiuæ quo differunt.ad Thras. 2ª.105.H
Actiua pars philosophiæ.9°.de decr.Hipp. 1ª.285.F
Actiuæ qualitates sunt humiditas & siccitas.3°.met.med. 7ª.18.F
Actiua magis sũt calidũ et frigidũ sm Hipp.1°.de nat.fac. 1ª.291.C
Actiua cur dicantur calidum & frigidum.7°.meth.med. 7ª.44.D
ACTV *tale quot modis distinguatur.3°.de simp.med.fa.* 5ª.17.B
Actus quomodo pulcher.5°.de decr.Hipp. 1ª.256.B
Actum & acre vinum, quale.de theri.ad Piso. 5ª.95.G
ACVS *non sentitur ab ossibus.1°.de elemen.* 1ª.2.H
Acus non sentitur à chartilaginibus.1°.de elem. 1ª.2.H
Acus non sentitur à pilis.1°.de elem. 1ª.2.H
Acu vulneratus afficitur vt si ab acri humore facta fuisset erosio.2°. de loc.affe. 4ª.9.D
ex Acu vulnera quid exigant in curatione.6°.meth.me. 7ª.37.A
ob Acus punctura in cute phlegmone infestabitur, cui vlcera difficulter sanescunt.6°.meth.med. 7ª.36.H
Acu puncta exigua parte digiti, quid eueniat.2°.de diff.feb. 3ª.41.A
Acu pungi quidam dolentes videntur.2°.de lo.aff. 4ª.12.F
Acu in cute puncti casus.6°.meth.med. 7ª.36.H
Acus quidam colligantes ita, vt cuspides ipsarum in eundem locum porrigantur, per ipsas cutem compungunt ad alopecias.1°. de cõposi.med.sec.lo. 5ª.124.D
Acũ in manu sinistra tenenti ægro medicamentũ propinare, superstitio est, de qua in remedio ad spleniticos fit mentio.de dyna. Sp.27.E
Acus acumen non posset ingredi collum matricis in conceptione. de ana.viuorum. Sp.51.E
ex ACVLEIS *plagas iuuat pharmacum ex succo centaureæ. de virtute centaureæ.* Sp.93.G
Aculeum quomodo eximatur.14°.meth.med. 7ª.93.A
ad Aculeos educendos.5°.de cõp.me.per gen.246.H/247.F/248. C/249.B/6°. 5ª.256.H
Aculeos educens malagma.19°.de comp.me.se.lo. 5ª.207.G
ACVMEN *palpebræ inuersatur extrinsecus, eius q; motio vix fit: & albugineus ascendit super nigredinem in tertia ophthalmiæ specie.de oculis.* 7ª.186.F
Acuminata cur sit cordis figura.de anat.viu. Sp.46.B
ab Acumine cordis corpus totũ incipit formari.de ana.vi. Sp.46.B
ACVENS *mentem med.cina.secret.* Sp.101.F
ad Acuendum visum electuarium.de med.exper. Sp.107.H
ACVITAS *in cibis facit descendere superfluitates ciborũ de stomacho & inteſtinis.de diſſ.cont.* Sp.75.A
Acuitas sequitur ad choleram citrinam.de anat.viu. Sp.45.E/F
ex Acuitate bilis synochus, & causus.de sper. Sp.39.H
Acuitatem stomachi extinguentia, cõueniũt stomacho, in quo generatur cholera velociter multa.de diſſ.cont. Sp.71.F
ACVTIES *ægritudinis quibus horis fiat considerandum.de spermate.* Sp.39.H
Acuties quousq; pcedat in morbis cõtinuis.cõ.2°.aph.23°. Ex.15.G
Acuties vrinæ est causa stillicidij vrinæ.com.3°.aph.16°. Ex.23.D
ACVTOS, *& acres aliquos nominamus, quod idem est ac si celeres dixeris.in 6ᵐ.de mor.vul.com.1°.* 3ª.158.H
Acutus morbus qui intelligatur.3°.de diebus decr. 160.C/*in pgnoſt. com.3°.* 4ª.208.C
Acutus morbus vnde dicatur.3°.de dieb.decre. 4ª.160.D
Acuti morbi, qui.fi.med.45.F/intro.Isa.55.E/in 1ᵐ.de morb.vul.cõmen.3°.117.C/in 6ᵐ.comm.1°.3ª.158.H/de ratione vict.in mor. acu.commen.1°.108.H/7ª.111.C/com.1°.aphor.12°.5.D/cõ.2°. aphor.24°. Ex.14.B
Acutus morbus differt à lõgi tpis morbo.3°.de diebus.dec. 4ª.160.D
Acutus nõ est semper morbus breuis tpis.3°.de diebus dec.4ª.160.D
Acutum & non acutũ morbũ motu & natura non solum temporibus solis nudis appellauit Archigenes.2°.de dieb.decre. 4ª.155.G
Acutorum morborum natura duplex.com.2°.aph.19°. Ex.14.B
Acutorum morborum differentiæ.in progn.com.3°. 4ª.208.B
de Acutorum victu librũ non nulli contra Gnidias sententias, alij de ptissana inscribunt.9°.de decre.Hipp. 1ª.282.G
de Acutorum morborũ victu, aphorismorũ, aquis, aere, & locis, libri sunt Hippocratis.3°.de diff.resp. 3ª.69.E
de Acutis morbis alium librũ se scripturum promittit Hippocrates. de vic.rat.in mor.acu.com.2°.122.H/124.B/4°. 7ª.134.D
de Acutorum victu frustra legit, qui de naturalibus facultatibus nõ legit.de vict.rat.in morb.acu.com.1°. 7ª.111.H
de Acutis, & longis morbis, qui ex acutis depẽdent loquitur in prognosticis Hippocrates.2°.de die.decr.155.H/1°.de crisi.4ª.128.A
Acutæ ægritudines qñ naturaliter generantur.de sper. Sp.39.C
Acuti morbi, & malefici à quibus fiant.de bon.& vi.suc. 2ª.39.D
Acutas accendere ægritudines proprium est flauæ bilis.in progn.cõmen.2°. 4ª.202.D
Acuti morbi secundum Hippocratem fiunt vt plurimũ à bile, & sanguine, ætate vigente, æstiuo, aut verno tempore. breuis denotatio dogmatum Hippocratis.231.D/intro. Is.55.E
Acutissimæ febres ex bile.8°.de decretis Hippocratis. 1ª.277.C/*de spermate.* Sp.38.B
Acutus affectus, qui.fin.med Is.45.F
per Acutus affectus, qui.fin.med. Is.45.F
Acutus exacte morbus, qui.2°.de dieb.decre. 4ª.155.F
Acutus non exacte morbus, qui.2°.de dieb.decre. 4ª.155.F
Acutus simpliciter morbus, qui 2°.de dieb.decre. 4ª.155.F
Acutissimi morbi, qui.in 1ᵐ.de mor.vul.com.3°. 3ª.118.F
Acutissimi morbi sunt in febre continua.in 1ᵐ.de morbis vulgarib.cõmen.3°. 2ª.118.F
Acutorum morborum proprium est febris continua.2°.de diebus decretorys.4ª.156.B/de vic.rat.in morb.acu.comm.1°.108.H/7ª. 111.C/com.2°.apho.19°. Ex.14.B
Acutæ non dicuntur febres diariæ.3°.de dieb.decre. 4ª.160.D
Acuta febris inuadens neq; medicos, neque idiotam quemlibet latére potest.1°.de dieb.decre. 4ª.147.F
Acuta febris communis est pleuritidi, & peripneumoniæ. de subfigura.empi. Is.32.E
Acutas febres facit iracundia.6°.de san.tuen. 2ª.96.E
Acutæ sunt febres cacoethes.3°.de cau.pul. 4ª.99.D
Acutos morbos esse quandoq; sine febre, potest ex illis verbis colligi, In omnibus acutis morbis quicunq; febres habent.cõ.2°.aph.23°. 15.E/com.5°.aph.30°. Ex.40.D
Acuti morbi raro sine febre.com.2°.aph.19°. Ex.14.B
Acuti morbi sine febre.in progno.com.1°. 4ª.195.A
Acutissimi morbi in synochis.in 1ᵐ.de mor.vul. 3ª.118.G
Acuti humores tempore æstiuo à venis exiccatis trahuntur, qui faciũt febres ardentes.com.4°.aph.58°. Ex.33.G
in Acutis septimana comparatur mutationi temporum anni in chronicis.3°.de dieb.decre. 4ª.158.B
Acuti morbi i quatuordecim diebus iudicanť.cõ.2°.aph.23°. Ex.15.D
Acuti morbi qui transeunt vsq; ad quadragesimum diem, appellãtur à Galeno acuti, qui in quadraginta diebus iudicantur, vel acuti ex decidentia com.2°.aph.23°. Ex.15.E
Acutus morbus ex delapsu, qui.2°.de dieb.decre.155.F/H/in pgnoſt. commen 1°. 4ª.195.B
Acuti morbi ex decidentia habent quandoque terminũ sexagesimum diem.2°.de dieb.decre. 4ª.156.D
Acuti ex decidentia in quos affectus conuertantur. in prognoſt. commen.1°. 4ª.195.B
Acutorum morborũ sint repentinæ mutationes.3°.de crisi. 4ª.139.F
Acute decernentium dierum principium est tertius dies.3°. de dieb. decretorijs. 4ª.158.D
in Acutis tertio quoq; die accessiones fiunt.3°.de dieb.dec. 4ª.158.G
in Acutis morbis ut apoplexia, aut nihil indicat principiũ, aut quippiam aliud quàm incrementum prohibere. de opt.secta. Is.29.C
Acuta febris nunquam est in primo insultu in summo vigore.1°.de crisib. 4ª.132.B
in Acutis morbis status raro hẽt tres accessiones.1°.de crisi.4ª.128.H
Acutorum, & longorum morborum differentia in nutritione. de vict. rat.in morb.acut.com.4°. 7ª.150.E
in Acutis morbis cur in principio interdicatur cibus. de opt. sec. Is.28.G
in Acutis morbis pro cibis dandis quæ considerandа.de victꝰ ratio.in mor.acu.com.2°. 7ª.121.B
in Acutis quidam dant ptissanã non colatã.de victus ratione in morbis acutis

bis acutis com.1°. 7ª.109.D
in Acutis secundum aliquos hordeum non vorandum,secundum alios cremor dandus.de uic.rat.in mor.acu.com.1°. 7ª.109.D
in Acutis morbis datur panis,& chondrus. de vict.rat.in morb.acu. commen.1°. 7ª.111.B
in Acutis morbis ptissana non est temere danda.de ptis. 2ª.47.H
Acutis febribus aliquoties facit aqua frigida.de simp.med. Sp.92.E
de ass. 2ª.60.D
in Acutis morbis omnibus non probe abluente vtimur edulio.de uic. rat.in mor.acu.com.1°. 7ª.111.G
in Acuta febre Petronę victus ratio.de victus ratione in mor.acutis. commen.1°. 7ª.110.H
in Acutis qñ solus datur potus.de vic.rat.in mor.ac.cō.3°.7ª.133.D
in Acutis quando conueniat vinum dulce. de vic.ratio.in morb.acu. commen.3°. 7ª.126.B
qbus Acutis melicratum,& mulsa sint idonea. de vict. rat. in morb. acu.com.3°.127.C/ 7ª.128.E
in Acutis mel bilescit.de vic.rat.in mor.acu.com.3°. 7ª.128.B
in Acuta febre qūo somnus conciliandus sit.de dynam. Sp.32.G
in Acutis quando vsus sit adstringentibus Galenus . de victus rat. in mor.acu.com.1°. 7ª.111.G
in nō Acutis morbis sunt pauca medicamenta à Cnidiis scripta . de vic.rat.in mor.acu.com.1°. 7ª.108.F
p Acutis morbis potiones.de vic.rat.in mor.acu.com.3°. 7ª.131.G
in Acuto morbo vena secanda.de bon.& vitio suc.2ª.34.C/præs.ex per.confir. Sp.78.D
in Acutissimis cur venam quandoq; non secuerit Hippocrates. in 1ᵐ. de morb.vulg.com.3°. 3ª.124.H
in Acutis quibus secanda sit vena brachij dextri interna.de vic.rat. in mor.acu.com.4°. 7ª.137.G
Acuti,& vehementis morbi vbi pericula insideant, puero sanguis est detrahendus.præsag.exper.confir. Sp.78.A
in Acuta febre non est secanda vena,in regione valde frigida, vt Scythia,vel valde calida,vt Aethiopia.de sectis. Is.16.E
in Acuta febre non est secanda vena in anni tempore multum calido vel multum frigido.de sectis. Is.16.E
in Acuto asthmate minuuntur venæ iugulares.de ana.viu.Sp.55.A
in Acutis morbis cum febre vehementissima medicamenta euitanda, sed vena secanda potius.de vic.rat.in mor.acu.com.2°. 7ª.118.C
nō Acutorum medicamenta quibus Cnidij vtebantur. de vict.rat. in mor.acu.com.1°. 7ª.108.F
in Acutis morbis raro medicamenta exhibemus.de his quos purgare opor.88.H/5ª.89.A/com.1°.aph.24°. Ex.10.E/H
in Acutis morbis circa principia statim,id est prima die,euacuandū, vel non post secundum.com.1°.aph.14°. Ex.10.G
in Acutis solum datur occasio purgandi in principio . in 1ᵐ. prorrh. commen.2°. 4ª.174.D
in Acutis morbis à principio soluendum , si humores turgeant . quos pur.opor.quib.med.& quo temp. 5ª.88.G
in Acutis morbis vacuatio insignis quibus fiat.de victus rat.in morb. acut.com.2°. 7ª.116.C
ab Acutis morbis æstate capi assuetus quomodo à Galeno seruatur . 5°.de san.tuen. 2ª.93.G
Acutorum morborum pręcognitionibus omnibus fidere non debemus. com.2°.aph.19°. Ex.14.C
Acuti morbi qui breui iudicantur inter initia facile præiudicantur . in progno.com.3°. 4ª.207.E
in Acuto morbo extremitates frigidæ & liuidæ lethales cur. in 3ᵐ. de morb.vulg.com.2°.136.C/ 3ª.137.F
in Acutis repentina sanguinis destillatio quid significet in æstate , & autumno.de vict.rat.in morb.acu.com.4°. 7ª.142.A/H
in Acutis febribus colliquatiuis vires labuntur.1°.met.me.7ª.77.C
in Acutis abradi interdum intestinum,bonum non est.de vict.ratio.in mor.acu.com.3°. 7ª.130.C
in Acutis ęgritudinibus pernicioſa vt plurimum atra vrina est.quæs. in Hippo. Sp.113.E
Acuta febris in tertianam conuertetur , si vrina turbulenta, & tarde residens in synocha fuerit,cum sanitate intraneorum, quæ per multos dies perseuerauerit.de dyna. Sp.34.C
in Acutam ægritudinem lapsum cum male olens vrina & hypostasis atra fuerit,non mori impossibile est.quæs.in Hip. Sp.113.E
cū Acuta febre frigidi sudores mortem significant. præsag. expert. conf. Sp.77.F
ad Acutos morbos sequitur aqua inter cutem.6°.de loc.af. 4ª.36.B
ex Acuto morbo lerbalis aqua inter cutē.in prog.com.2°. 4ª.197.F
in Acutis cur aures frigidæ,& contractæ.in prog.com.1°.4ª.191.D
in Acutis vultus similis sibi sano bonus , dissimilis vero malus . in prog.commen.1°. 4ª.190.G
in Acutis qñ fit intenta cutis circa frontem.in prog.cō.1°.4ª.191.D
in Acutis sudor multus inutilis.in 1ᵐ.prorrh.com.2°. 4ª.172.G
in Acutis surditas mala.in 1ᵐ.prorrh.com.1°. 4ª.167.H
in Acutis, nigris ex deiectionibus sanguinem si deiecerint , pernicioſum.in 1ᵐ.prorrh.com.2°. 4ª.185.B
in Acutis morbis propter quid ἄφωνοι fiunt. in 1ᵐ. prorrheticorum commen.1°. 4ª.167.H
in Acuto quid significet vlcus.in progn.com.1°. 4ª.194.D
in Acutis cur color viridis & niger.in prog.com.1°. 4ª.191.D
in Acutis cur festucæ euelluntur.in prog.com.1°. 4ª.194.G
Acuti morbi per excretionem iudicantur.in prog.com.2°. 4ª.205.B
in Acutis oculi quomodo caui fiant.in progn.com.1°. 4ª.191.C
in Acutis oculi clausio mala.in 1ᵐ.prorrh.com.2°. 4ª.175.H
ad Acutas quotidianas in æstate.de dynam. Sp.32.E
ad Acutas tertianas.de dynamidiis. Sp.32.F
Acutus morbus exigit diligentem curationem.de dyna. Sp.20.A
Acuta febris quomodo curetur.de sectis. Is.16.E
ad Acutas febres omnes rhodosachara.de dyna. Sp.32.H
in Acutis qui medici laudandi. de vic.rat.in mor.ac.cō.1°.7ª.108.G
ad Acutas febres omnes Diacydonium.de dyna. Sp.32.H
ad Acutas febres omnes epithemata.de dyna. Sp.32.G
ad Acutas febres omnes antidotum.de dyna. Sp.32.G
ad Acutum dolorem.de med.exper. Sp.104.A
in Acutum morbum Sexti incidentis casus.de pręcognitione ad Posthumum. 4ª.218.D
Acuti morbi.lege morbi acuti,& ægritudo acuta.
Acutissimum est euphorbium.de dyna. Sp.22.B
Acuta est lathyris.de simp.medicamin. Sp.86.E
Acuta ossa quæ,& cur.de sper. Sp.36.C
Acutum secat quod contingit.de const.ar. Is.38.E
Acutus sapor qualis sit,& vnde oriatur.de ocul. 7ª.188.A
Acuta calida & sicca sunt,& quomodo.de ocul. 7ª.188.C
Acuta sunt subtilia & ignea.de ocul. 7ª.187.H
Acuti cibi adurunt.de diss.cont. Sp.72.E
Acuti cibi calefaciunt sanguinem calefactione nimia , & redit plurimum eius cholera citrina.de dissol.cont. Sp.72.F
Acuti cibi incīdunt,aperiunt,& qui sint.de diss.cont. Sp.72.E
Acuti cibi attenuant corpus,& debilitant.de diss.cont. Sp.72.E
Acuti cibi quibus conferant.de diss.cont. Sp.72.E
ex Acutorum ciborum continuo vsu plurimum sanguinis fit cholera nigra,& quandoque generatur lapis in renibus nociturus.de diss. cont. Sp.72.F
Acuta est,aperitiua,& dissolutiua medicina,& quomodo valeat oculis.de ocul. 7ª.189.B
Acuta medicamenta sæpe accipientes quomodo febrem incidant. 1° de diff.feb. 3ª.31.G
Acutum si quis comedat vt piper & aqua calida vinum dilutum bibat,singultum incidit,com.6°.aph.39°. Ex.50.H
Acuta non debent esse animalium nutrimenta , quorum lacte sis vsurus. 5°.de san.tuen. 2ª.91.H
Acuta maxime appetuntur à grauidis,cur.1°.de simp.cau. 3ª.18.C
Acuta lac prohibent.de med.fa.par. 7ª.166.B
Acuti oculi sunt concepti in horis melancholix.de sper. Sp.37.C
Acuta lingua peccat in formatione vocis.de anat.viu. Sp.49.C
Acuta vox quomodo fiat.de vo.& anhel. Sp.61.G
Acuta vox cur fiat.de vo.& anhel. Sp.61.D
Acutæ voces vnde.in 1ᵐ.prorrh.com.1°. 4ª.162.D
Acutos pueros facit cholera rubra.de dyna. Sp.19.E
Acuta est ambulatio hominis concepti in horis bilis & melancholiæ . de spermate. Sp.37.C
ACYLI austeri,duri,& insuaues.de bo.& vitio suc. 2ª.36.C
Acyli cur vitandi.de bo.& vitio suc. 2ª.36.C
Acyli aliis glandibus magis acerbæ.de bo.& vitio suc. 2ª.36.C
in Acylis & roborum glandibus & castaneis priuatim pro arborum diuersitate non multum inest in fructu discriminis.de bonitate & vitio succorum. 2ª.36.D

ADAEQVARE, *dissoluere, perforare, siquis velit, ad hæc valet*
Andreæ malagma. 10°.*de comp.med.se.loc.* 5ª.207.*H*
ADAMAS *habet plurimum terræ.* 9°.*de simp.med.fa.* 5ª.64.*G*
Adamas est impatibilis. 1°.*de san.tuen.* 2ª.63.*A*
Adamãtẽ rũpit plũbũ, qđ ferrũ nõ facit.đ incã.adiu.& susp. 7ª.182.*D*
ADARCION, *vel adarcon, vel adarce quid sit, & quale.* 11°.*de simplicium med.* 5ª.83.*B*
Adarcium, vel adarce quo loco reponatur inter calida quæ conueniũt alopeciis. 1°.*de comp.med.sec.lo.* 5ª.122.*D*
Adarce, caliditate vlcus facit. 6°.*de comp.me.per gen.* 5ª.256.*B*
Adarce conuenit paraly. 6°.*de san.tuen.* 2ª.99.*F*
ADDISCERE pauca multi expetunt, & nihil prætermittere. 2°.*de crisi.* 4ª.136.*B*
q Addiscit medicinam & non exercet, permultum abest à perfectione. 1°.*de die.decre.* 4ª.149.*E*
ADDITAMENTA *cordis cur facta sint.de anat.viu.* *Sp.*56.*D*
ADDVCENS *indici magnum digitum manus musculus. de muscul. diss.* 1ª.49.*B*
Adducens tres manus digitos aliis musculus.de mus.diss. 1ª.48.*C*
Adducens introrsum totum femur musculus.de mus.diss. 1ª.51.*C*
Adducẽs femur introrsum, & retrorsũ musculus.de mus.diss. 1ª.50.*F*
Adducẽs femur ad aliud femur leniter musculus.de mus.diss. 1ª.50.*H*
Adducens vinculum Hippocratis.de fasciis. 7ª.299.*E*
Ἀδελφιξία id est fratratio, appellatur cognatio ab Hip. de articulis. commen. 3°. 7ª.280.*F*
ADEN *quid.fin.med.* *If.*49.*B*
Adenum natura est exanguis & frigida, præsertim eorum qui sunt in mammis.com. 5°.*aph.* 40°. *Ex.*41.*D*
Adenes qualia corpora. 2°.*de diff.feb.* 3ª.41.*A*
Adenes ex se gubernantur.ars med. *If.*63.*B*
Adenum duplex vsus, & qui. 2°.*de semi.* 1ª.340.*D*
Adenes sensu carent.de mult. 3ª.77.*G*
Adenes sunt ex illis partibus, quæ in homine sunt laxiores, & humidiores. 9°.*de simp.med.fa.* 5ª.65.*H*
Adenes apti ad suscipienda excrementa, cur.de cur.rati.per sang.mis. 6ª.17.*H*/.13°.*meth.med.* 7ª.80.*H*/*com.* 3°.*aph.* 26°. *Ex.*25.*G*
ad Adenas & aures cur materia à capite transmittatur. 2°. *de diff. febrium.* 3ª.40.*H*
Adenibus robustiores sunt arteriæ, venæ, musculi, & nerui. 13°. *met. medendi.* 7ª.80.*H*
Adenes non habent pulsationem. 2°.*de loc.aff.* 4ª.9.*B*
in Adenibus struma. 13°.*meth.med.* 7ª.80.*A*
Adenes vbi sunt, ibi fiunt tubercula.com. 3°.*aph.* 26°. *Ex.*25.*G*
Adenes secus aures cur quandoq; intumescant. 13°.*met.me.* 7ª.81.*A*
Aden, os, & membranula, satis sunt ossibus narium colatoriis tegendis 9°.*de vsu par.* 1ª.172.*C*
Adenes circa maxillas suscipiunt ea quæ in febribus transmittuntur ad caput.com. 4°.*aph.* 31°. *Ex.*30.*H*
Adenes in collo cur quandoq; intumescunt. 13°.*met.med.* 7ª.81.*A*
Adenes in sunt alis, & in sunt inguinibus.com. 4°.*aph.* 31°. *Ex.*30.*H*
Adenes q sunt circa alas suscipiũt supfluitates.cõ. 4°.*aph.*31°. *Ex.*30.*H*
Adenes q insũt mãmis quales sũt, & q̃ vim hñt.c. 5.*aph.* 39°. *Ex.*41.*C*
Adenes mammarum quanto frigidiores hepate, tanto lac frigidius sanguine.com. 5°.*aph.* 40°. *Ex.*41.*D*
Aden in medio brachij. 2°.*de diff.feb.* 3ª.41.*B*
Adenes tumidi, sunt bubones. 13°.*meth.med.* 7ª.81.*A*
Adenes multi in inguinibus.com. 3°.*aph.* 26°. *Ex.*25.*G*
*Adenes duo testiculorũ attrahẽtes, & purgãtes sperma.de sp.Sp.*36.*F*
Adenum passiones. 2°.*de arte cur.ad Glau.* 7ª.101.*D*
Adenum excedentium naturam curatio.intro. *If.*59.*H*
ad Adenes eliquandos. 5°.*de comp.med.per gen.* 5ª.248.*C*
Adenũ robori nõ ẽ cõsulẽdũ, si phlegmõe laborẽt. 13°.*met.me.* 7ª.84.*E*
Adeni, quæ cœpit phlegmone vrgeri, apponit lanam ex oleo calente. 13°*meth.med.* 7ª.81.*B*
p Adenũ phlegmone macedonicũ medicamentũ. 13°.*met.me.* 7ª.81.*B*
ADIPIS *anatomia quarto loco consideranda.* 1°.*de ana.ad.* 1ª.64.*B*
Adeps 1ª.*& simplicißs.particula ẽ quo ad sẽsũ.* 1°.*de ele.*6.*D*/*E*/1ª.7.*E*
Adeps est pars similaris.de nat.hum.com. 1°. 1ª.26.*C*
Adipis causa materialis non est sperma.de anat.viu. *Sp.*55.*G*
Adipis causa materialis est vnctuositas sanguinis, frigiditas & humiditas efficiens.de anat.viu. *Sp.*55.*G*
Adeps ex frigiditate gignitur. 1°.*de tem.* 1ª.18.*D*
Adeps ex quibus fiat. 3°.*de simp.me.fa.* 5ª.17.*D*
Adeps exanguis, est tamen ex sanguine factus. 2°.*de nat.fa.* 1ª.297.*E*
Adipis situs vbi sit.de anat.viu. *Sp.*55.*G*
Adeps adiacet membranis. 1°.*de temp.* 1ª.15.*C*
Adeps nascitur ad internam membranam cutis. 1°.*de temp.* 1ª.18.*D*
Adeps neruosis, & mẽbranosis ptib⁹ ẽ affusa. 16°.*đ usu par.* 1ª.214.*H*
Adipis vtilitas, & origo. 16°.*de vsu par.* 1ª.214.*H*
Adeps, et medulla ptes aĩalis, et q̃, et earũ iuuamẽtũ.đ an.ui. *Sp.*44.*D*
Adeps habet similem functionem in omni parte. 6°.*de decr.* 1ª.266.*B*
Adeps ex se gubernatur.ars med. *If.*63.*B*
Adeps non indiget neruis. 16°.*de vsu par.* 1ª.214.*H*
Adeps non dolet, quia non sentit.de const.ar. *If.*38.*C*
Adeps & pinguedo differunt. 2°.*de simp.med.fa.* 5ª.12.*C*
Adeps & pinguedo quomodo differant. 11°.*de simp.med.fa.* 5ª.78.*H*
Adeps est multo siccior pinguedine. 3°.*de ali.fac.* 2ª.27.*D*
Adeps & pinguedo vtrunq; oleosum est. 3°.*de alim.fac.* 2ª.27.*D*
Adeps instar olei pinguis est. 16°.*de vsu par.* 1ª.214.*H*
Adeps, & pinguedo confunduntur. 11°.*de simp.med.fa.* 5ª.78.*H*
Adeps dicitur pingue ob crassitiem. 4°.*de simp.med.fa.* 5ª.25.*E*
Adeps qualis. 1°.*de comp.med.per gen.* 5ª.210.*H*
Adeps sequitur animalis tẽperamẽtũ. 7°.*de cõp.me.per ge.* 5ª.263.*E*
Adeps est humidum & calidũ secundũ exuperantiã. 1°.*de ele.* 1ª.6.*E*
Adeps quomodo probatur esse calidus. 3°.*de simp.med.fa.* 5ª.17.*G*
Adeps humidus dicitur à prædominio. 1°.*de temp.* 1ª.12.*G*
Adeps humidior cerebro. 1°.*de temp.* 1ª.15.*C*
Adipẽ humidissimã esse cõmode dictũ est veteribus. 1°.*de tẽp.* 1ª.17.*G*
Adeps calfacta liquatur, quoniam cogitur per id quod valde est frigidum. 1°.*de temp.* 1ª.15.*D*/*de anat.viu.* *Sp.*44.*G*
Adeps non facile funditur, & facile coit. 11°.*de simp.me.fa.* 5ª.78.*H*
Adeps cur congeletur. 1°.*de temp.* 1ª.15.*C*
Adeps nõ põt coire circa iecur, uenas, arterias, aut cor. 1°.*đ tẽ.* 1ª.15.*D*
Adeps ob quid exiccetur, & indurescat. 16°.*de vsu.par.* 1ª.214.*H*
Adeps est potius carniũ condimentũ q̃ alimentũ. 3°.*de ali.fa.* 2ª.27.*D*
Adeps parum nutrit. 3°.*de ali.fac.* 2ª.27.*D*
Adipem, aut pinguedinem obtinent quæcunq; bene nutriuntur. 11°. *de simp.med.fac.* 5ª.78.*G*
Adipis abũdãtiã exercitatio minuit.in 6ᵐ.*de mor.uul.cõ.* 3°. 3ª.170.*C*
Adipis plus habẽtes, plus habẽt frigidi, & humidi. 1°.*de tẽp.* 1ª.18.*E*
Adipis pluris causa. 1°.*de temp.* 1ª.18.*F*
Adipes diuersarum animalium quomodo digerant & emolliant. 7°. *de comp.med.per gen.* 5ª.264.*A*
Adipum differentiæ vt acopa. 7°.*de comp.me.per gen.* 5ª.269.*F*
Adipum comparatio in caliditate. 11°.*de simp.med.fa.* 5ª.79.*B*
Adipum gradus ſm animalia. 7°.*de comp.med.per gen.* 264.*A*/*E*/5°. *de simp.med.fac.* 5ª.34.*E*/2°.*de arte cur.ad Glauc.* 7ª.104.*A*
Adeps agrestium animalium acrior est et siccior quàm domesticorum. 5°.*de simp.med.fac.* 5ª.34.*B*
Adeps animalium in vrbibus altorum humidior est, & crassior. 3°.*de comp.med.per gen.* 5ª.232.*H*
Adipem minus calidum perfectis habent iuuenilia in omni animante. 1°.*de comp.med.per gen.* 5ª.216.*G*
Adeps marium semper calidior fœminarum, & non castratorum eorum qui sunt castrati. 11°.*de simp.med.fac.* 5ª.79.*A*
Adeps tenuium partium, & acris in quibus sit animalibus. 3°. *de compositione med.per gen.* 5ª.233.*H*
Adeps anserinus gallinaceus, suillus, & vitulinus parum differunt. 1°.*de comp.med.per gen.* 5ª.217.*F*
Adeps anserinus qualis. 7°.*de comp.med.per gen.* 5ª.263.*E*
Adeps anserinus laudatur, sed syluestris. 3°. *de composit. medicam. per gen.* 233.*H*/4°. 5ª.242.*A*
Adipem anserinum præfert omnibus in medicamento gratia sedandi doloris. 1°.*de comp.med.per gen.* 5ª.115.*A*
Adeps anseris quo loco reponatur inter calida quæ valent alopeciis. 1°.*de comp.med.se.lo.* 5ª.122.*D*
Adeps anserinus in quo ordine sit inter adipes acopos. 7°.*de composi. med.per gen.* 5ª.269.*F*
Adeps anserinus curatus. 9°.*de comp.med.se.lo.* 5ª.204.*G*
Adeps anserinus odoramẽtis cõditus. 7°.*de cõp.me.per ge.* 5ª.272.*E*
Adeps anserinus suillo calidior. 11°.*de simp.med.fa.* 5ª.79.*A*
Adeps anserinus q̃ gallinaceo sit fortior. 2°.*de simp.me.fa.* 5ª.12.*D*
Adeps anserinus valentior adipe gallinarum & gallorum. 5°. *de simp. medica-*

medicamentorum facul. 5ª.34.E
Adeps anſerum ad digerendum potentior adipe gallinaceorum. 5°. *de ſimp.med.fac.* 5ª.34.B
Adeps anſerum tenuium partium. 3°.*de comp.me.per gen.* 5ª.232.H
Adeps anſerũ ſubſtantia tenuior gallinaceo. 5°.*de cõp.me.fa.* 5ª.34.B
Adeps anſerũ ſylueſtriũ tenuiũ partiũ. 3°.*de cõp.me.per ge.* 5ª 232.H
Adeps anſerinus exiccat citra moleſtiã. 2°.*de cõp.me.ſe.lo.* 4ª.134.F
Adeps anſerinus laxat. 7°.*de comp.med.per gen.* 5ª.264.E
Adeps anſerinus qũo ĩ doloribus valet. 3°.*de cõp.me.ſe.l.* 5ª.142.A
Adeps anſerinus doloroſas omnes affectiones iuuat. 3°. *de compoſit. medic.ſec.loc.* 5ª.141.H
Adeps anſerinus pro inflammatione cum dolore. 2°. *de arte curat.ad Glauconem.* 7ª.104.G
Adeps anſerinus oleo roſaceo coniunctus inflammationibus medetur. de iber.ad Piſo. 5ª.93.F
Adeps anſerũ familiariſſimus phlegmonis. 5°.*de ſim.me.fa.* 5ª.34.B
Adeps anſerinus liquatus in oleo rutæ ſanat doloresex intemperie cum mordicatione. 2°.*de ſimp.med.fac.* 5ª.12.D
Adeps anſerinus q̃ ĩ alto mordicãt obtũdit. 11°.*de ſim.me.f.* 5ª.79.A
Adeps anſerinus imponitur mordacia & acria per aluum excernenti bus. 1°.*de ſimp.med.fac.* 5ª.8.B
Adeps anſerinus pro reſolutione tumoris ne aliqd duri remaneat. 2°. *de arte cur.ad Glauc.* 7ª.105.F
℞ *Adipe anſerino gallinaccus ſumẽdus ẽ.* 1°.*de cõp.me.p ge.* 5ª.215.A
℞ *Adipe anſerino ſuillus adeps.* 2°.*de arte cur.ad Glauc.* 7ª.105.F
Adeps anſerinus pro adipe hyænæ. 1°.*de comp.med.ſe.lo.* 5ª.122.F
Adeps bouũ qualis. 4°.*de comp.med.per gen.* 239.E/7°. 5ª.263.F
Adeps bubulus in quo ordine ſit inter adipes acopos. 7ª. *de compoſitione medic.per gen.* 5ª.269.F
Adeps bouis acer. 4°.*de ſimp.med.fa.* 5ª.25.E
Adeps bubulus calidior ſuillo, & vehementius digerit. 1°. *de comp. medic.per gen.* 5ª.216.G
Adipem habent capræ & boues, & cur. 11°.*de ſimp.me.fa.* 5ª.78.H
Adeps caprarum qualis. 7°.*de comp.med.per gen.* 5ª.263.F
Adeps caprinus in quo ordine ſit inter adipes acopos. 7°. *de compoſi. medic.per gen.* 5ª.269.F
Adeps caprarũ minus calidus q̃ hircorum. 11°*de ſim.me.fa.* 5ª.79.B
Adeps capræ acrior ſuillo & vitulino. 5°.*de ſimp.med.fac.* 5ª.34.B
Adeps caprinus in quibus valet. 11°.*de ſimp.med.fac.* 5ª.78.H
Adeps caprinus aduerſiſſimus ẽ adſtringẽtibus. 1°.*de ſim.me.f.* 5ª.8.B
Adeps caprinus potius quàm ſuillus cur tineſmoſis & dyſentericis imponatur. 1°.*de ſimp.med.fac.* 8.B/11°. 5ª.79.A
Adeps caprinus emollit ſcirrhum. 5°.*de ſimp.med.fac.* 5ª.33.G
Adeps caprinus indurata iuuat. 5°.*de ſimp.med.fac.* 5ª.34.E
Adipẽ capræ nõ adhibemus oculis.in 6ᵐ.*de mor.uul.cõ.* 6°.3ª.196.D
℞ *Adipe caprino cera.* 8°.*meth.med.* 7ª.53.F
Adeps crocodili cõtra læſiones ab ipſo factas.de ther.ad Piſ. 5ª.94.A
Adeps gallinaceus qualis 7°.*de comp.med.per gen.* 5ª.263.F
Adeps gallinaceus in quo ordine ſit inter adipes acopos. 7°. *de comp. medic.per gen.* 5ª.269.F
Adeps agreſtium gallorum & gallinarum eſt tenuium partium. 3°. *de comp.med.per gen.* 5ª.232.H
Adeps gallorum & gallinarum eſt in medio anſerini & ſuilli. 11°. *de ſimp.med.fac.* 5ª.79.A
Adeps gallinaceus laxat. 7°.*de comp.med.per gen.* 5ª.264.E
Adeps gallinarum indurata iuuat. 5°.*de ſimp.med.fac.* 5ª.34.E
Adeps gallinaceus doloroſas omnes affectiones iuuat. 3°. *de compoſ. med.ſec.loc.* 141.H/ 5ª.142.A
Adeps gallinaceus liquatus in oleo rutæ, ſanat dolores ex intemperie cum mordicatione. 2°.*de ſimp.med.fac.* 5ª.12.D
Adeps gallinaceus imponitur mordacia et acria per aluum excernen tibus. 1°.*de ſimp.med.fac.* 5ª.8.B
Adeps gallinaceorum familiariſſimus phlegmones. 5°.*de ſimplicium med.fac.* 5ª.34.B/2°.*de arte cur.ad Glauc.* 7ª.104.G
℞ *Adipe gallinaceo ſuillus.* 1°.*de comp.med.per gen.* 5ª.215.A/ 2°. *de arte cur.ad Glauc.* 7ª.105.F
Adeps hædorũ minus calidus ẽ q̃ caprarũ. 11°.*de ſim.me.fa.* 5ª.79.B
Adeps hircinus qualis. 3°.*de cõp.med.per gen.* 233.H/7°. 5ª.263.F
Adeps hirci morſibus medetur. 2°.*de ſimp.med.fac.* 5ª.12.C
Adeps hyenæ qualis. 4°.*de comp.med.per gen* 5ª.242.A
Adeps hyenæ tenuũ partiũ. 3°.*de cõp.med.per ge.* 232.H/ 5ª.233.H
Adeps hyenæ in quo ordine ſit inter adipes acopos. 7°. *de compoſit. medic.per gen.* 5ª.269.F
Adeps hyenæ quo loco reponatur inter calida quæ valent alopeciis. 1°.*de comp.med.ſec.loc.* 5ª.122.D
℞ *Adipe hyænæ anſerinus.* 1°.*de comp.med.ſe.loc.* 5ª.122,E
Adeps infantis informis ad quid vtilis. 1°.*de cõp.me.ſe.lo.* 5ª.125.B
Adeps leoninus qualis. 7°.*de comp.med.per gen.* 5ª.263.E
Adeps leoninus in quo ordine ſit inter adipes acopos. 7°. *de compoſi. med.per gen.* 5ª.269.F
Adipis leonini fit mentio. 6°.*de comp.med.per gen.* 5ª.261.F
Adeps leonis quo loco reponatur inter calida quæ valent alopeciis. 1°.*de comp.med.ſec.loc.* 5ª.122.D
Adeps leonis eſt tenuiũ partiũ. 3°.*de cõp.me.per ge.* 232.H/ 5ª.233.H
Adeps leonis cæteris potentius digerit. 11°.*de ſimp.me.fa.* 5ª.79.B
Adeps leonum quæ iuuet, & quibus obſit. 11°.*de ſimp.me.fa.* 5ª.79.B
Adeps leoninus tumoribus inueteratis, & ſcirrhi in morem induratis, tam nervorum curuaturis, & quæcunq; ſcirrhoſa ſunt conuenit. 11°.*de ſimp.med.fac.* 5ª.79.B
ex Adipe leonino, & taurino, pice, reſina, & terebinthina medicamentum. 2°.*de arte cur.ad Glauc.* 7ª.105.A
Adeps leoninus odoramẽtis cõditus. 7°.*de cõp.med.per gen.* 5ª.272.E
Adeps ouis acer eſt. 4°.*de ſimp.med.fac.* 5ª.25.E
Adeps pardalis quo loco reponatur inter calida quæ valent alopeciis. 1°.*de comp.med.ſec.loc.* 5ª.122.D
Adeps pardi qualis. 3°.*de compoſitione medic.per gen.* 232.H/ 233. H/4°.242.A/7°. 5ª.263.E
Adeps pardi in quo ordine ſit inter adipes acopos. 7°.*de comp.medic. per genera.* 5ª.269.F
Adeps phaſiani in renum calculo.de ren.af.dig.& med. 7ª.193.H
Adeps piſcium ad ſuffuſiones facit. 11°.*de ſimp.med.fac.* 5ª.79.E
Adeps ſciuri. 3°.*de comp.med.ſec.loc.* 5ª.142.G
Adeps ſuillus qualis. 7°.*de comp.med.per gen.* 5ª.263.F
Adeps ſuillus in quo ordine ſit inter adipes acopos. 7°. *de compoſitione medic.per gen.* 5ª.269.F
Adeps ſuillus & oleum & ſimilia, quo differant. 1°. *de compoſitione medicamentorum per gen.* 5ª.211.A
Adeps ſuillus quomodo differat ab oleo veteri. 4°. *de compoſi.medic. per genera.* 5ª.240.A
Adeps ſuillus elaboratus. 1°.*de comp.med.per gen.* 5ª.217.B
Adeps ſuillus recens curatur. 7°.*de comp.med.per gen.* 5ª.263.H
Adipis ſuilli veteris ſit mentio in medicamento quodam. 10°.*de compoſitione med.ſec.loc.* 5ª208.A
Adeps ſuillus molliens imbecillum. 7°.*de comp.me.per ge.* 5ª.263.H
Adeps ſuillus molliſſimus, tempore acrimoniam acquirit. 3°. *de comp. medic.per gen.* 5ª.233.H
Adeps ſuillus laxat. 7°.*de comp.med.per gen.* 5ª.264.E
Adeps ſuillus emplaſticus. 4°.*de ſimp.med.fa.* 25.E/5°. 5ª.34.D
Adeps ſuillus mouet pus. 5°.*de ſimp.med.fac.* 5ª.34.B
Adeps ſuillus imponitur, mordacia & acria per aluum excernentibus. 1°.*de ſimp.med.fac.* 5ª.8.B
Adeps ſuillus phlegmonis familiariſſimus ẽ. 5°.*de ſim.me.fa.* 5ª.34.B
Adeps ſuillus vtilis eſt ulcerato capiti ex medicaminum impoſitione. de remed.par.fac. 7ª.154.H
Adeps p̃ſertim ſuillus ĩ vlceribꝰ vitãdus. 4°.*de cõ.me.p ge.* 5ª.236.H
Adeps ſuillus quibus non conuenit. 11°.*de comp.med.fac.* 5ª.79.C
Adeps ſuillus uetꝰ p oleo ueteri vẽdit. 4°.*de cõp.me.p gen.* 5ª.240.A
Adeps ſuillus pro anſerino, & gallinaceo. 2°.*de arte curatiua ad Glauconem.* 7ª.105.F
Adeps taurinus qualis. 3°.*de comp.med.per gen.* 233.H/7°.5ª.263.F
Adeps tauri eſt acrior ſuillo, & vitulino. 5°.*de ſimp.me.fa.* 5ª.34.B
Adeps taurorum calidior & ſiccior ſuillo. 11°.*de ſimp.me.fa.* 5ª.79.B
Adeps taurorũ minus calidũ eſt q̃ leonum. 11°.*de ſimp.me.f.* 5ª.79.B
Adeps taurinus valẽtior eſt adipe caprarũ. 5°.*de ſimp.me.f.* 5ª.34.E
Adeps taurinꝰ ẽ medius ĩter ſuillũ et leoninũ. 11°.*de ſim.me.f.* 5ª.79.B
Adeps tauri vetuſtus acris eſt & tenuium partium. 3°. *de compoſitione med.per gen.* 5ª.233.H
Adeps taurinus curatus. 6°.*de comp.med.per gen.* 5ª.257.B
Adeps taurinus emollit ſcirrhum. 5°.*de ſimp.med.fac.* 5ª.33.G
Adeps taurinus miſcetur vtriq; medicamẽto, & ei qđ ſcirrhoſis medetur, & ei qđ phlegmonas cõcoquit. 11°.*de ſimp.me.fa.* 5ª.79.B
Adipis taurini ſubacti fit mentio. 9°.*de comp.med.ſec.lo.* 5ª.200.D
Adipem viperarum non ſinere pilos ſub alis eiuſdem creſcere falſum eſt, & etiam ſuffuſionum initia ſanare. 11°.*de ſimp.me.f.* 5ª.79.E

Adeps vitulinus est taurino minus calidus. 11°.*de sim.me.f.* 5ª.79.*B*
Adeps vitulinus ora vlcerum indurata emollit. 4°. *de compositione medicamentorum per genera.* 5ª.240.*A*
Adeps vitulinus mouet pus. 5°.*de simp.me.fa.* 5ª.34.*B*
℔ *Adipe vitulino suillus antiquus.* 4°.*de comp.me.per ge.* 5ª.239.*E*
Adeps ursi est tenuiũ partiũ. 3°.*de comp.me.per ge.* 232.*H*/5ª.233.*H*
Adeps vrsæ quo loco reponatur inter calida quæ valent alopecas. 1°. *de comp.med.se.lo.* 5ª.122.*D*
Adipem vrsorũ alopecias curare verũ est. 11°.*de sim.me.fa.* 5ª.79.*E*
Adeps vulpis in quo ordine sit inter adipes acopos. 7°. *de comp.med. per genera.* 5ª.269.*F*
Adipem vulpinum dolores quoscunque aurium sanare non est attendendum. 11°.*de simp.med.fa.* 5ª.79.*E*
Adeps vulpinus ad auris affectiones. 3°.*de comp.me.se.l.* 5ª.144.*D*
Adipis vulpis fit mentio. 3°.*de comp.med.sec.lo.* 5ª.146.*A*
Adipi omnes membranulæ auferuntur, & quomodo paretur. 1°. *de comp.med.per gen.* 5ª.211.*B*
Adeps & medulla vetustate fiunt acriora. 5°.*de simp.me.fa.* 5ª.34.*F*
Adeps recens magis conuenit in phlegmone cum magno dolore, antiquus sine dolore. 1°.*de comp.med.per gen.* 5ª.211.*A*
Adeps recens dolorem leuat. 1°.*de comp.med.per gen.* 5ª.215.*C*
Adeps recens non iuuat ad cicatricem inducendam. 1°. *de comp.med. per genera.* 5ª.215.*C*
Adeps insulsus vetustissimus cur sumendus in emplastro ex chalcitide. 1°.*de comp.me.per gen.* 5ª.211.*A*
Adeps quadraginta annorũ vlcera sanat. 4°.*de cõp.me.pge.* 5ª.240.*B*
Adeps vetus & recens faciunt quatuor differentias in compositione. 7°.*de comp.med.per gen.* 5ª.264.*F*
Adeps vet° ꝑdest phlegmoni cõtumaci. 1°.*de cõp.me.pge.* 5ª.211.*A*
Adeps iucteratus calidior seipso & tenuior. 11°.*de sim.me.fa.* 5ª.79.*C*
Adeps vetus abunde digerit sine mordicatione. 4°. *de compos.medic. per genera.* 5ª.239.*E*
Adipem tenuiũ partiũ facit vetustas. 1°.*de cõp.me.per ge.* 5ª.211.*A*
Adipes tenuiũ partiũ, qui. 3°.*de cõp.med.per ge.* 232.*H*/7°.5ª.263.*F*
Adeps tenuium partium dolorẽ sedat. 3°.*de cõp.me.per ge.* 5ª.232.*H*
Adipes mollificantes, qui. 2°.*de arte cur.ad Glauc.* 7ª.104.*A*
Adeps qui conuenit teneris corporibus. 7°.*de cõp.me.ꝑge.* 5ª 263.*F*
Adeps quando opportunus sit asperitati. 2°.*de simp.med.fa.* 5ª.12.*G*
Adipes oẽs in vlceribus vitandi. 4°.*de cõp.me.per ge.* 5ª.236.*H*
Adeps collinit et mitigat acres mordicationes. 10°.*de sim.me.f.* 5ª.73.*F*
Adipes schirrhum in hepate sanant. 2°.*de arte cur.ad Gla.* 7ª.104.*E*
de Adipibus emplastrum.secret. *Sp.*103.*A*
Adipis si sit maior copia in medicamento, digerit fortius. 7°.*de comp. med.per gen.* 5ª.264.*G*
cũ Adipe plurimo cæpe succus purgat aures.de cathar. *Sp.*95.*B*
Adeps debet depurari a fibris in aurium doloribus. 3°. *de comp. med. secundùm loc.* 5ª.147.*B*
Adeps non potest ostendi in tetrapharmaco, tamen per hoc non est dicendum quòd non insit.de nat.hum.com. 1°. 1ª.27.*B*
Adeps & caro regeneratur non cutis. 3°.*meth.med.* 7ª.19.*C*
Adeps ablata cur crescat. 1°.*de semine.* 1ª.332.*D*
Adipem consistentiam iecinoris, lienis, & pulmonis appellare Erasistratus audet.intro. *Isa.*52.*F*
Adeps & arteria digitorum partes.de inæq.intemp. 3ª.43.*D*
Adipis colliquati commune signum.com. 7°.*aph.* 35. *Ex.*56.*E*
Adipis renum colliquatio quo cognoscatur.com. 7°.*aph.* 35. *Ex.*56.*F*
Adipis colliquatio est, si alui excrementum sit pingue. com. 7°. *aphoris.* 35. *Ex.*56.*E*
Adipis omnium partium corporis colliquatio quomodo cognoscatur. com. 7°.*aph.* 35°. *Ex.*56.*F*
ab Adipe veniunt unguinosa corpuscula in vrinis. in 6ᵐ. *de morbis vulg.com.* 5°. 3ª.192.*A*
Adeps quando q; auferatur.de diff.mor. 3ª.5.*A*
ADHAERENTIAM, & adsimilationem differre docet vitiligo. 1°.*de nat.fac.* 1ª.292.*F*
ADHAERERE *indiget tempore.* 3°.*de nat.fac.* 1ª.302.*E*
ADIANTVM, qui de herbis scribunt, magis appellant callitrichum quàm trichomanes. 2°.*de comp.med.sec.loc.* 5ª.138.*C*
Adiantum quæ præstat, eadem præstat trichomanes. 8°. *de simp. med. facultate.* 5ª.62.*G*
Adiantum & polytrichon nõ sunt idem. 3°.*de med.fa.par.* 7ª.179.*D*
Adianti vires. 6°.*de simp.med.fac.* 5ª.41.*E*/*de cura icteri.* *Sp.*111.*B*
Adiantum desiccat, extenuat, digerit, temperatum est in actiuis. 6°.*de simp.med.fac.* 5ª.41.*E*
Adiantum in riuis plurimum nascitur.de bon.aquæ. *Sp.*75.*F*
Adiantum aquis prodest.de bon.aquæ. *Sp.*75.*F*
Adιαπνευσιx id est minor quàm iustum sit excrementi effluxus. 11°. *meth.med.* 7ª.70.*H*
ADIAPTOTOS *dicta colica.* 9°.*de comp.med.sec.loc.* 5ª.202.*B*
ADICIALIS *vesicæ pars. de compagine membrorum, siue de natu. humana.* *Sp.*59.*B*
Adιxτα pharmaca quæ.de remed.par.fac. 7ª.160.*A*
ADIECTIO *semper fit à natura.com.* 1°.*aph.* 3°. *Ex.*3.*G*
ADIPIMINIBVS *quid conferat.de virt.cent.* *Sp.*93.*G*
ADIPSON *catapotium.* 8°.*de comp.med.sec.loc.* 5ª.189.*G*
ADIVMENTORVM *materiam inuenire, est magna pars artis medicæ.de const.art.* *Isa.*40.*A*
ad Adiumentorum vsum quæ scire oporteat.de const.art. *Isa.*41.*C*
ADIVNCTIONIS, *& agglutinationis differentiam docet anasarca.* 1°.*de nat.fac.* 1ª.292.*F*
Adiuncta crura quid faciant in organis.de machin. 7ª.310.*F*
ADIVVANS *digestionem medicina.de med.exper.* *Sp.*104.*A*
de ADIVRATIONE. *de in cant.adiurat.& susp.* 7ª.181.*F*
ADMIRATVR vulgus peregrina spectacula, non admirabilia. 6°.*de loc.affect.* 4ª.42.*B*
ADMISSARIIS *equis datur cicer.* 1°.*de ali.fac.* 2ª.14.*B*
Admissarij equi sanguis non facit crustam, nec septicus est, vt quidam dicunt. 10°.*de simp.med.fa.* 5ª.73.*D*
ADMOVENDA *causa sanitatis, quæ sint.* 1°.*de san.tuen.* 2ª.68.*H*
ex ADNATIS accipitur nota sedis affectæ. 1°.*de loc.aff.* 4ª.2.*F*
Adnascentes res essentiæ proprietatem obtinent. 1°.*de loc.aff.* 4ª.2.*F*
ADOLESCENTIA quando sit.com. 3°.*aph.* 29°.26.*B*/*com.* 5°. *aphor.* 9°. *Ex.*38.*D*
Adolescentia est omnium ætatum optima.com. 3°.*aph.* 18°. *Ex.*23.*G*
in Adolescẽtia corpus obtinet optimã tẽperiẽ. 6°.*de san.tu.* 2ª.95.*F*
in Adolescentiam quando transeunt pueri.in 6ᵐ. *de morbis vulgari bus, com.* 4°. 3ª.186. *i*
Adolescentes calidi ob ætatem.in 1ᵐ.*de morbis vulg.com.* 1°.105.*Aj commen.* 2°. 3ª.115.*E*
Adolescentes sunt calidiores pueris fm aliquos.de vti.resp. 1ª.225.*F*
Adolescentes sunt minus calidi pueris.de vti.resp. 1ª.225.*F*
Adolescens non est seni comparandus. 3°.*de ali.fac.* 2ª.26.*B*
cũ Adolescente disputare est infra dignitatem senioris. de venæ sec. aduersus Erasistratum. 6ª.10.*A*
Adolescẽtes aptissimi ad oẽm actionẽ volũtariã. 1°.*de san.tu.* 2ª.64.*D*
Adolescẽtum naturæ ad quæ pronæ sint.de cogn.cur.aĩ mor. 2ª.54.*A*
Adolescentes cur insani.quòd animi mores. 1ª.320.*H*
Adolescentes qui volunt se saluos fieri insatiabilitatem fugiant. de cogn.cur.animi mor. 2ª.55.*F*
Adolescentes melius se habent vere.com. 3°.*aph.* 18°. *Ex.*23.*G*
Adolescentes qui ægrotent.in progn.com. 3°. 4ª.210.*C*
Adolescentes quibus abundat sanguis.in prognost.com. 3°. 4ª.210.*C*
Adolescentibus sanguis è naribus ex ratione erumpit. in 1ᵐ.*de morb. vulg.com.* 2°. 3ª.114.*C*
Adolescentis casus, qui excernebat rubidam profluuiem.in 1ᵐ.*prorrh. commen.* 2°. 4ª.171.*G*
Adolescẽtes in aqua sanguisugis plena ludebãt. 4°.*de loc.aff.* 4ª.26.*A*
Adolescentium duorum casus, qui vario modo didicerunt pulsus. 3°. *de diff.puls.* 4ª.69.*F*
Adolescentis epileptici casus, cui à crure veluti aqua frigida videbatur ascendere. 3°.*de loc.aff.* 4ª.19.*F*
Adolescentis casus ex lassitudinibus febrientis.in 3ᵐ.*de morbis vulg. commen.* 2°. 3ª.137.*E*
ADRASTIAE lex qualis. 6°.*de vsu par.* 1ª.152.*E*
ADRIANVM *sequutus est Antoninus.ad eos, qui de typ.scrip.* 3ª.91.*H*
Adrianꝰ ipator eruit oculũ seruo suo stylo.de cog.cur.aĩ mor. 2ª.51.*H*
Adrianum vinum quale. 4°.*de san.tuen.* 85.*H*/5°. 2ª.90.*H*
Adriani vini fit mentio. 2°.*de antid.* 5ª.116.*F*
Adrianum vinum austerum. 7°.*meth med.* 7ª.45.*F*
Adrianum vinum quibus dandum. 7°.*meth.med.* 7ª.47.*B*
Adriano & Sabino vino Titacazenum & Ariusium sunt similia. 5°.*de san.tuen.* 2ª.90.*H*
Adrianum balsamatum vtile est nephriticis, & turbulentam vrinam facientibus, & in vesica lapidem habentibus.de dyna. *Sp.*28.*B*

ADSTRICTIO quid sit secundum Methodicos. de op. secta. If. 26. F
Adstrictio, & profluuium in eodem foramine consistere nequeunt. de sectis. If. 18. H
Adstrictionẽ facere põt aer frigidus et aqua frigida. d cau. mor. 3ª. 7. b
Adstrictum q̃ est ἀθρόον. i. simul totum est. com. 7°. aph. 35°. Ex. 56. F
Adstrictionem facit caseus. de vic. rat. in mor. acu. com. 4°. 7ª. 145. D
Adstrictio alui in febre fit luna in coniunctione solis, saturno in tetragono. de decu. progn. ex math. scientia. Sp. 13. A
Adstrictam aluum cur ferè semper habeant melancholici. de Mel. ex Gal. & Ruff. & Poss. Sp. 109. E
ex Adstrictione quomodo fiat calor. de cau. mor. 3ª. 6. F
ob Adstrictionem accenditur febris. præsa. exper. conf. Sp. 77. D
ob Adstrictionem quomodo fiat febris. præsag. exper. conf. Sp. 77. D
Adstrictio quid. 3°. de simp. med. fac. 5ª. 21. D
Adstrictio est qualitas gustus. de nat. hum. com. 1°. 1ª. 28. H
Adstrictionis natura quæ. 3°. de simp. med. fac. 5ª. 21. G
Adstrictio ẽ opus crassę, & terrenæ substãtię. 7°. de sim. me. fa. 5ª. 50. F
Adstrictio à frigido vincente perficitur. 4°. de simplicium med. facul. 27. C/9°. 66. C. 5ª. 68. C
Adstrictio iuncta frigiditati facit aliud frigiditatis genus quàm sit frigiditas puræ aciditatis. 4°. de simp. med. fac. 5ª. 25. B
p Adstrictionẽ quo cognoscanť q̃ refrigerãt. 4°. de simp. me. fa. 5ª. 26. B
Adstrictio subit in altũ cũ à caliditate ducit. 7°. de sim. me. fa. 5ª. 53. G
Adstrictionis cuiusdam est particeps pyrum, vinum, malum, rosa. 3°. de simp. med. fac. 5ª. 21. E
Adstrictione participant amomum, spica nardi, & malabathrum. 3°. de comp. med. per gen. 5ª. 234. F
Adstrictionis aliquid habet salsus sapor. de simp. med. fac. 5ª. 8. G
Adstrictio deprehenditur in galla & rhu. 4°. de simp. med. fa. 5ª. 25. E
Adstrictorium multum est alumen. 6°. de comp. med. se. lo. 5ª. 169. H
ab Adstrictione non degenerat vinum a quosum. de vic. rat. in morbis acu. com. 3ę. 7ª. 125. G
Adstrictio ad coctionem facit. 7°. de simp. med. fac. 5ª. 53. C
cũ Adstrictiõe cõcoquẽdi uim hẽt crocus. 7°. de cõp. me. se. l. 5ª. 179. A
citra Adstrictionem cibi facile subsident. 2°. de ali. fac. 2ª. 16. G
Adstrictio qũo faciat penetrare, & quæ. 3°. de simp. med. fac. 5ª. 21. G
Adstrictoria qualitas p̃dñat ĩ stomachicis. 8°. de cõ. me. se. l. 5ª. 193. A
ab Adstrictione vel acredine nascitur asperitas. de ptis. 2ª. 47. E
Adstrictio in quo potissimũ consideranda. 4°. de simp. me. fa. 5ª. 26. A
Adstrictio est in substantiis glutinantibus. 6°. de simp. med. fa. 5ª. 45. A
citra Adstrictionem refrigerantia, & corporis substantia tenui, febri hectic æ extrinsecus admota conueniunt. 10°. meth. me. 7ª. 64. H
Adstrictio pyri, mali, mali punici suauis est. 3°. de sim. me. fa. 5ª. 20. D
Adstrictio ęris squamæ ingrata est & medicamentosa. 3°. de simplic. medic. fac. 5ª. 20. D
Adstrictio aloes ingrata est & medicamẽtosa. 3°. de sim. me. f. 5ª. 20. D
Adstrictio quibus inimica sit. 3°. de simp. med. fac. 5ª. 18. H
Adstrictione non indigent pectus, & pulmo. 11°. meth. med. 7ª. 73. B
Adstrictio cõuenit inducẽdis cicatricibus. 1°. de cõ. me. p ge. 5ª. 214. A
Adstringens vocabulum generale. 2°. de loc. aff. 4ª. 11. F
Adstringens quid significet. 2°. de loc. aff. 4ª. 11. F
Adstringens quid sit. 3°. de simp. med. fac. 21. D/4°. de comp. med. per gen. 5ª. 239. F/4°. meth. med. 7ª. 28. H
Adstringens austerum, acerbum, tria hæc saporis nomina, vnam qualitatem significant. 2°. de ali. fac. 19. F/9°. de simp. med. fac. 64. C/. 3°. de comp. med. se. lo. 5ª. 147. F
Adstringens genus est austeri & acerbi. 2°. de alim. fa. 2ª. 19. F/1°. de simp. med. fac. 5ª. 9. A
Adstringit austerum, sed acerbum magis. 2°. de loc. aff. 4ª. 12. D
Adstringẽtia q̃ dñr austera & acerba. 5°. de cõp. me. p gen. 5ª. 246. C
Adstringunt tum austera, tum acerba, sed per magis & minus inter se differunt. 4°. de simp. med. fac. 5ª. 25. H
Adstringentia, austera, & acerba quo differũt. 1°. de sim. me. f. 5ª. 8. H
Adstringunt debilius acerbis austera. 6°. de comp. me. se. lo. 5ª. 172. F
Adstringens pro vna specie saporis. 1°. de simp. med. fac. 5°. 8. G
Adstringentia quidam vocant acria. 11°. de simp. me. fa. 5ª. 79. C/D
Adstringere quæ dicta sint falsò ab antiquis. 1°. de sim. me. fa. 5ª. 7. H
Adstringẽtia qualia sint. 4°. de sim. me. fa. 5ª. 25. F/3°. me. me. 7ª. 19. D
Adstringẽtia habẽt aliã qualitatẽ, & quã. 3°. de simp. me. fa. 5ª. 20. E
Adstringentia iudicat gustus. 8°. meth. med. 7ª. 51. A
Adstringentes qualitates sunt qualitates gustus non medicamentorum facultates. 5°. de simp. med. fac. 5ª. 38. H
Adstringentibus quæ opposita sint. 1°. de simp. med. fa. 5ª. 8. G
Adstringens est terrestre frigidum. 4°. de simplic. medic. facul. 26. D/ 5ª. 38. H/6°. 5ª. 44. F
Adstringentia vehementer refrigerant. 1°. de cõp. me. se. lo. 5ª. 125. E
Adstringentia acida, frigida. 4°. de simp. med. fac. 5ª. 26. D
Adstringentia possint colligi. com. 2°. aph. 20°. Ex. 14. D
Adstringentia quæ sint. 5°. de comp. me. per gen. 247. C/9°. de simpli. med. facul. 5ª. 64. C
Adstringens vinorum qualitas ab acida separata est, vt bonitas à vitio. aduersus Lycum. Ex. 63. H
Adstringentia vina generosa sint. aduersus Lycum. Ex. 63. H
de Adstringentibus pharmacis & eorum differentia. 4°. de compos. med. sec. loc. 5ª. 149. G
Adstringentis succi discrimina. de bo. & vit. suc. 2ª. 36. C
Adstringentium gradus qui. 1°. de comp. med. sec. loc. 5ª. 129. E
Adstringẽtia diuersa q̃ hñt effectus diuersos. 3°. de sim. me. fa. 5°. 20. D
Adstringẽtia olea. 1°. de cõp. me. p ge. 5ª. 211. D/13°. met. me. 7ª. 83. G
Adstringendi vim habens oleum. 11°. meth. med. 7ª. 72. G
Adstringunt cum caliditate oleum cyprinum & lentiscinum. 2°. de comp. medic. per gen. 5ª. 220. F
Adstringit oleum Hispanum. 1°. de cõp. med. per ge 5ª. 211. B/214. A. 8°. meth. med. 7ª. 51. D/11°. 75. D
Adstringit oleum omphacinum. 1°. de cõp. med. per ge. 5ª. 214. A
Adstringit oleum Histricum. 1°. de composit. med. per gen. 5ª. 211. B/ 11°. meth. med. 7ª. 75. D
Adstringit parum, & amaricat oleum Histricum. 1°. de comp. medic. per gen. 5ª. 214. A
Adstringit vehementer oleum Histricum. 11°. meth. med. 7ª. 72. G
Adstringit oleum myrtinum. 2°. de comp. med. per gen. 5ª. 220. F/11°. meth. med. 7ª. 72. H
Adstringit magis oleum myrteum, & melinum oleo Hispano & Histrico. 1°. de comp. med. per gen. 5ª. 211. B
Adstringentia parum oleosa, quæ. 4°. de comp. med. per gen. 5ª. 237. F
Adstringentia leuia. 5°. meth. med. 7ª. 31. G
Adstringentia mediocriter, quæ. 4°. de comp. med. se. loc. 5ª. 149. G
Adstringendi vis quibus modica sit. 8°. methodi med. 7ª. 51. C
Adstringentia moderate arida. 6°. de comp. med. se. lo. 5ª. 172. G
Adstringit moderate ladanum. 1°. de comp. med. sec. loc. 5ª. 125. E
Adstringunt modice nardina. 14. meth. med. 7ª. 92. B
Adstringit modice purpura, & optima nardus. 8°. meth. me. 7ª. 53. C
Adstringit moderate crocus. 7°. de simp. med. fac. 53. C/4°. de comp. med. sec. loc. 5ª. 151. D/14°. meth. med. 7ª. 92. B
Adstringit solanum mediocriter. 10°. meth. med. 7ª. 65. B
Adstringũt mediocriter è glaucio medicamẽta. 14°. met. me. 7ª. 92. D
Adstringunt parum rosa. 4°. de comp. med. sec. loc. 5ª. 151. C
Adstringit sal. 9°. de simp. med. fac. 5ª. 68. F
Adstringit sal potius quàm purget. 2°. de comp. me. per ge. 5ª. 222. A
Adstringit parum sal. 6°. de comp. med. per gen. 5ª. 258. D
Adstringit parum cyperum, & exiccat sine morsu. 6°. de composit. medic. per gen. 5ª. 256. F
Adstringit parum lappæ tertia species. 6°. de sim. med. fac. 5ª. 43. F
Adstringit, & calfacit parum schœni flos. 8°. de simp. med. fa. 5ª. 61. H
cũ Adstringendi modica facultate fortiter resiccat amomum. 7°. de comp. med. sec. loc. 5ª. 178. G
Adstringũt sufficiẽter cortices punicorũ. 6°. de cõ. me. se. lo. 5ª. 168. H
Adstringit in secundo & refrigerat Solanum hortense. 8°. de simp. me. facul. 5ª. 62. G
quãtũ Adstringit Solanum, tantum habet crassæ, & terreæ substantiæ. 2°. de comp. med. sec. loc. 5ª. 136. C
Adstringant quæ euidenter. 1°. de simp. med. fac. 7. H/4°. de com. med. per genera. 5ª. 239. E
Adstringentia exigue quæ discutiunt. 5°. de comp. med. se. lo. 5ª. 159. B
Adstringentia vehementius quæ. 5°. de comp. med. sec. loc. 5ª. 149. G/ 5°. meth. med. 7ª. 31. G
Adstringit vehementer myrtus. 5°. de comp. med. sec. lo. 5ª. 159. B
Adstringit vehementer rheum. 1°. de antid. 5ª. 106. G
Adstringunt valde paliuri folia. 8°. de simp. med. fac. 5ª. 57. G
Adstringentia vehementer qualia. 5°. de simp. med. fac. 5ª. 39. D
Adstringit vehementer galla. 6°. de comp. med. sec. loc. 5ª. 173. G
Adstringit efficaciter aloe extrinsecus. de simp. medic. Sp. 80. H
Adstringentia vehementer quid faciant. 5°. de comp. me. se. l. 5ª. 162. A
Adstringentia vehementissima arida. 6°. de cõp. med. sec. lo. 5ª. 172. G

Adſtringit fortiter & reſiccat purulenta, alumen ſciſsile. 3°. de comp. med. ſec. loc. 5ª. 143. A

Adſtringentia fortiora arida. 6°. de comp. med. ſec. loc. 5ª. 172. G

Adſtringentia fortius ad quæ valeant. 6°. de cõp. me. per ge. 5ª. 259. A

Adſtringens ſummum quod. 3°. de ſimp. med. fac. 5ª. 21. D/E

Adſtringens ſummum eſt alumen. 3°. de ſimp. med. fa. 5ª. 21. D

Adſtringit magis alumẽ ſciſsum q̃ liqdũ. 6°. de cõp. med. ſe. lo. 5ª. 168. G

Adſtringens ſummum eſt atramentum ſutorium. 3°. de ſimplic. medic. fac. 21. E/9°. 5ª. 71. C

Adſtringit parum & valde calefacit atramentum ſutorium et ſal. 6°. de comp. med. per genera. 5ª. 256. B

Adſtringit ærugo, & chalchantũ. 4°. de comp. med. per gen. 5ª. 235. E

Adſtringit perſea. 8°. de ſimp. med. fac. 5ª. 58. B

Adſtringit aliquantulũ mãna, nõ tñ thus. 6°. de cõ. me. per ge. 5ª. 256. E

Adſtringit magis thure manna. 5°. meth. med. 7ª. 31. A

Adſtringit lapathi ſemen. de ther. ad Piſ. 5ª. 90. H

Adſtringit cupreſſi reſina. 3°. de comp. med. per gen. 5ª. 230. D

Adſtringit purpura tyria. 7°. meth. med. 7ª. 46. H

Adſtringunt vuæ ſemina. 2°. de alim. fac. 2ª. 17. H

Adſtringit aliquo modo aqua pluuia. 7°. de compoſitione medicamen. ſec. loc. 178. D/ 5ª. 184. B

Adſtringit lyſimachios. 7°. de ſimp. med. fac. 5ª. 54. H

Adſtringens eſt malum granatum. 8°. de ſimp. med. fa. 5ª. 59. H

Adſtringit aſpalathus. 8°. de comp. med. ſe. lo. 5ª. 194. F

Adſtringens æs alium effectum habet à meſpilo, aloe, moro, galla, corti ce mali granati, alumine, & rhu. 3°. de ſimp. med. fa. 5ª. 20. D

Adſtringunt magis æris ſquama, ære vſto, multa quæ comeduntur. 3°. de ſimp. med. fac. 5ª. 20. D

Adſtringit æris ſquama minus cydonio. 3°. de ſimp. me. fa. 5ª. 20. C

Adſtringunt magis aloe multa quæ comeduntur. 3°. de ſimpli. medic. facult. 5ª. 20. D

Adſtringentia aliqua nigrorũ inducunt. 1°. de cõp. me. ſe. lo. 5ª. 126. F

Adſtringit rhu ſiccum cum melle. 3°. de ſimp. med. fa. 5ª. 20. A

Adſtringit lignorum acerborum cinis. 8°. de ſimp. me. fac. 5ª. 62. C

Adſtringit medicamẽtũ ex rhu & melle. de præco. ad Poſth. 4ª. 219. C

Adſtringit & emollit maſtiche. 7°. de ſimp. med. fa. 5ª. 55. D

Adſtringit & abſtergit caries lignorum. 8°. de ſimp. med. fa. 5ª. 60. A

Adſtringit morum immaturum. 7°. de ſimp. med. fa. 5ª. 56. C

Adſtringit multum mororum ſuccus. 6°. de comp. me. ſe. lo. 5ª. 167. D

Adſtringit ſine morſu ſtœbe. 8°. de ſimp. med. fac. 5ª. 61. D

Adſtringit rubus caninus. 1°. de comp. med. ſec. loc. 5ª. 130. B

Adſtringit magis quàm roſa, roſarum flos, ac proinde exiccatorius eſt 8°. de ſimp. med. fac. 5ª. 59. G

Adſtringẽtia cur miſceant attrahẽtibus. 6°. de cõp. me. pge. 5ª. 260. H

Adſtringentia, acerba, & repellentia, non recte iungunt diſcuſſoriis ſine diſcrimine. 6°. de comp. med. ſe. lo. 5ª. 176. A

Adſtringẽtia cõcoquẽtia & diſcutiẽtia. 4°. de cõp. me. ſe. lo. 5ª. 150. H

Adſtringentia cum digerentibus habentia medicamenta, qualia ſint, et quæ ſint. 6°. de comp. med. per ge. 5ª. 258. C

Adſtringentia quæ calefaciunt. 1°. de ſimp. med. fa. 5ª. 8. A

Adſtringentia & calefacientia parum medicamenta ſunt emplaſtica, & peptica, id eſt concoquentia. 7°. de ſimp. med. fa. 5ª. 53. D

Adſtringentia parum, calida, & tenuium partium metalla. 3°. de comp. med. per gen. 5ª. 228. E

Adſtringentia tenuium partium quo caſu proficiunt. 6°. de comp. me. ſecun. loc. 5ª. 167. H

Adſtringentia craſſarum partium quid agant. 6°. de compoſit. medic. ſecun. loc. 5ª. 167. H

Adſtringentia aliqua quæ aperiant intus non extra, qualia. 5°. de ſimplic. med. facul. 5ª. 35. B

Adſtringẽtia qũo cõpellant aperientia. 6°. de cõp. me. ſe. lo. 5ª. 167. D

Adſtringentia vicina vrentibus, quæ. 5°. de ſimp. me. fac. 5ª. 39. C

ex Adſtringentibus parabilia. 6°. de comp. me. ſe. lo. 5ª. 169. F/G

Adſtringentia magis medicaminoſa, quæ. 11°. de ſimp. me. fa. 5ª. 81. E

Adſtringentia & mordacia medicamenta dimittenda, vbi adſtrictionis actio exploranda eſt. 4°. de ſimp. med. fac. 5ª. 26. A

Adſtringit, & mordicat æris ſquama. 3°. de ſimp. me. fa. 5ª. 20. B

Adſtringentibus cibis quando vſus ſit in acutis Galenus. de victꝰ. rat. in morb. acu. com. 1°. 7ª. 111. G

Adſtringentem cibum accipientes appetentiores euadunt. in 6ᵐ. de morb. vulg. com. 4°. 3ª. 185. B

Adſtringentes cibi quomodo aluum deiiciant. 6°. de ſan. tuen. 2ª. 97. G

Adſtringentes cibi quando à bilioſis ſumendi. 6°. de ſan. tuen. 2ª. 97. G

ex Adſtringente, & non facile corruptibili cibo ſanatum colon. 1°. de loc. affect. 4ª. 5. H

Adſtringentia poma. 13°. meth. med. 7ª. 83. G

Adſtringunt poma ceſtiana. 6°. de comp. med. ſe. lo. 5ª. 176. F

Adſtringit caſeus. de ther. ad Piſ. 5ª. 90. H

Adſtringit vua paſſa. 8°. de compoſi. med. ſec. loc. 5ª. 194. F

Adſtringere allium quidam dixere. 9°. de ſimp. med. fac. 5ª. 64. D

Adſtringentes fructus. 6°. de comp. med. ſec. loc. 5ª. 176. F/ 7°. meth. medendi. 7ª. 44. B

Adſtringit vinum. 2°. de comp. med. ſec. loc. 5ª. 134. F

Adſtringit mire vinum ſcybellite. 1°. de dign. pulſ. 4ª. 70. H

Adſtringit vinum atrum auſterum. 8°. de ſimp. med. fac. 5ª. 61. D

Adſtringit vinum auſterum vetus. 5°. de comp. me. per ge. 5ª. 250. D

Adſtringit plus q̃ oportet uinũ omphaciũ. 1°. de cõp. me. p ge. 5ª. 211. G

Adſtringunt braſſica ipſa, cochlearum carnes, & gallorum uetulorum carnes. de ther. ad Piſ. 5ª. 90. H

Adſtringit gallinarum ius ſimplex. 11°. de ſimp. med. fa. 5ª. 82. C

Adſtringens quid faciat. 5°. de ſimp. med. ſa. 5ª. 39. A

Adſtringentia quæ agãt in corpora. 1°. de ſim. med. fa. 8. B/9°. 5ª. 64. C

Adſtringentia quædam non agunt vt alia. 1°. de ali. fac. 2ª. 9. B

Adſtringens qualitas in vno quid agat. 1°. de ali. fac. 2ª. 9. C

Adſtringentia ad quæ valent. 9°. de ſimp. med. fac. 5ª. 68. C

Adſtringentia omnia quid faciant. 4°. de comp. med. per gen. 5ª. 239. F

Adſtringentia quibus conueniant, & quibus non. 8°. de comp. medic. ſec. loc. 5ª. 188. F

Adſtringentia quæ pueris conueniant. 6°. de cõ. med. ſec. lo. 5ª. 176. F

Adſtringentia in principio ante euacuationem quo caſu ſint adhibenda. de ſectis. Iſa. 18. D

Adſtringentia & auſtera medicamenta extenuant. in 6ᵐ. de mor. vul. commen. 2°. 3ª. 177. A

Adſtringentia parum exaſperant. ars med. Iſa. 70. E/4°. de comp. me. per gen. 235. H/ 6°. de comp. med. ſec. loc. 5ª. 169. H/ *de victꝰ. rat. in morb. acu. com. 1°.* 7ª. 111. D

Adſtringentia ſicca. 5°. meth. med. 7ª. 32. E

Adſtringentia valenter ſiccant. 7°. meth. med. 7ª. 46. H

Adſtringentia quomodo exiccent. 1°. de ſan. tuen. 2ª. 68. C

Adſtringentia non exiccant. 4°. de comp. med. ſec. loc. 5ª. 150. C

Adſtringens & ſicca rhus eſt. 8°. de ſimp. me. fac. 5ª. 59. H

Adſtringit & deſiccat macer. 7°. de ſimp. med. fac. 5ª. 55. A

Adſtringit & exiccat oloſtium. 8°. de ſimp. med. fac. 5ª. 57. C

Adſtringentia reſiccantia ſine morſu. 7°. de comp. med. ſe. lo. 5ª. 183. E

Adſtringentia non penetrant. 4°. de comp. me. per gen. 5ª. 239. F

Adſtringentibus miſcenda acria tenuium partium vt penetrent. 4°. de comp. medic. per gen. 5ª. 239. G

Adſtringentia reprimunt. com. 1°. aph. 66°. Ex. 45. C

Adſtringendi, & reprimẽdi quæ vim habẽt. de rem. par. fac. 7ª. 156. D

Adſtringentia citius influxũ repellunt. 6°. de comp. me. ſe. lo. 5ª. 167. A

Adſtringendo repellitur. ars med. Iſa. 70. G

Adſtringentia repercutiũt. 4°. de cõp. me. per ge. 235. H/ 5°. 5ª. 249. F

Adſtringendo & refrigerando debent repelli morbi ex influxu humorum. 1°. de comp. med. ſec. loc. 5ª. 121. F

Adſtringentibus, & repercuſſoriis in principio vti oportet. 4°. de compoſi. med. ſec. loc. 5ª. 157. D

Adſtringentes herbæ & repercutiẽtes. 4°. de com. me. ſe. lo. 5ª. 157. D

Adſtringente medicamento, quando vti oporteat. de conſt. ar. If. 41. E/ 11°. meth. med. 7ª. 72. E

Adſtringere multum non debent refrigerantia, quæ capiti adhibentur. 2°. de comp. med. ſec. loc. 5ª. 132. F

Adſtringentia addere debemus in hemicraneæ medicamentis. 2°. de comp. med. ſec. loc. 5ª. 139. H

Adſtringentia adhibemus oculis inflammatis. de ſectis. Iſa. 18. C

Adſtringentia admonentur phlegmone incipiente. de opt. ſec. Iſa. 29. G

Adſtringentibus & frigidis potius vtendum, q̃ digerentibus ad phlegmonas incipientes. 13°. meth. med. 7ª. 82. C

Adſtringentia cur in principiis ſint idonea. 11°. meth. med. 7ª. 72. D

Adſtringẽtia q̃ in finẽ nõ cõueniant. elicẽ. 5°. de cõp. me. ſe. lo. 5ª. 159. B

Adſtringit & refrigerat potamogitum & polygonon. 8°. de ſimp. med. facꝰlta. 5ª. 59. B

p Adſtringentia quando q; phlegmone deſinunt. de opt. ſecta. If. 29. E

Adſtringentia, quæ in phlegmone danda. 13°. meth. med. 7ª. 85. C

Adſtringentia quid agant in lingua. 1°. de ſimp. med. fac. 5ª. 9. A

Adſtringunt gulam acida & acerba. 5°.*de loc.aff.* 4ª.32.D
Adſtringẽtia in diamorõ deducit myrrha. 6°.*de cõp.me.ſe.l.* 5ª.67.D
Adſtringẽtia uenenoſa cautẽda ī diamorõ. 6°.*de cõ.me.ſe.l.* 5ª.167.D
Adſtringẽtia moderata,p gargariſmis. 6°.*de cõp.med.ſe.lo.* 5ª.172.F
Adſtringẽtia fortiora,p gargariſmis. 6°.*de cõp.med.ſec.lo.* 5ª.172.G
Adſtringẽtia fortiſſima,p gargariſmis. 6°.*de cõp.med.ſe.lo.* 5ª.172.G
Adſtringentia ſanguinem ſuppr.munt.de victus ratio.in morbis acu. commen. 4°. 7ª.152.G/F
Adſtringentibus, & emplaſticis ſiſtendus eſt ſanguis ab hirudinibus tractus quando nimis fluit,non frigidis.de cucur.ſcar. 6ª.4.D
Adſtringẽtibus nõ vtẽdũ in phlegmone vulmonis. 11°.*me.me.* 7ª.73.D
Adſtringentia tuſſientibus ſanguinem ex pulmone aduerſantur. de conſt.ar. Iſa.41.F
ab Adſtringentibus qñ pulmo iuuetur. 9°.*de ſimp.med.fac.* 5ª.66.H
Adſtringens amicum ſtomacho. 3°.*de ſimp.med.fac.* 20.C/6°.40.D/42.F/45.E.8°. 5ª.60.F
Adſtringentia cur præ cæteris expetant ventriculus & iecur. 11°.*methodi medendi.* 7ª.72.E
Adſtringentibus etiam non ſolis laxatoriis debet curari os ventriculi inflammatum,& iecur inflammatum. 8°. *de compoſ.med. ſec. loc.* 5ª.187.C/*de reme.par.fac.* 7ª.158.F
Adſtringentibus & ſubamaris cibis vtebantur antiqui in ventriculo imbecillo. 7°.*meth.med.* 7ª.43.H
Adſtringẽtia roborant membrũ affectũ. 1°.*de cõp.me.ſe.lo.* 5ª.128.D
Adſtringẽtia robur addunt. 2°.*de cõp.me.ſe.lo.*139.H/.8°. 5ª.187.C
Adſtringentia roborant & firmant os ventriculi. 2°.*de ali.fac.* 2ª.20.B/*de vict.rat.in mor.acu.com.* 1°. 7ª.111.F
Adſtringens aliquid & odoratum exterius ſuperponimus in ventriculi dolore.in 6ᵐ.*de morb.vulg.com.* 6°. 3ª.196.D
Adſtringentia aliqua ſemper apponenda in curatione iecoris.ar.med. Iſ.71.A/13°.*meth.med.* 7ª.83.F
Adſtringentibus iecur roboratur. 6°.*de ſimp.med.fac.* 5ª.47.F
Adſtringẽtia qñ in phlegmone iecoris inangẽda. 11°.*me.me.* 7ª.73.A
Adſtringentia bilis meatum arctant,ideo nõ conueniunt iecoris phlegmoni. 13°.*meth.med.* 7ª.83.E
Adſtringentia & auſtera debẽt miſceri medicamentis lienis,vt actiones conſeruentur. 9°.*de comp.med.ſec.loc.* 5ª.198.D
Adſtringentia quando miſcenda in liene. 11°.*meth.med.* 7ª.73.B
Adſtringentia,quæ non habent amaritudinem,vel acorem,debent accipi in difficultate inteſtinorum.de ſubſig.empi. Iſa.33.F
Adſtringens contrarium purganti. 3°.*de ſimp.med.fac.* 5ª.20.E
Adſtringens qualitas nihil confert ad ſubductionem, immo ventrem conſtipat,& cohibet alui deiectionem. 2°.*de alim.fac.* 2ª.19.G
Adſtringentia vltimo ſumpta in habentibus ventriculum imbecillum, ſunt deiectionis cauſa. 2°.*de alim.fac.* 2ª.20.C
Adſtringẽs qd poſt cibũ sũptũ quos facit excernere. 6°.*đ ſa.tu.* 2ª.99.E
Adſtringentes & refrigerantes ſucci. 1°.*de arte cur.ad Glau.* 7ª.99.C
Adſtringentia & refrigerantia omnia excedit plantago. 6°. *de ſimpli. med.fac.* 5ª.43.G
Adſtringens frigiditas craſſarum partium. 4°.*de ſimp.me.fa.* 5ª.25.B
Adſtringentibus,& frigidis fit euacuatio. 13°.*meth.med.* 7ª.82.C
Adſtringentia quomodo in aliquibus ſoluant. 2°.*de ali.fac.* 2ª.20.A
Adſtringunt,& euacuant acria quomodo. 3°.*de ſimp.me.fa.* 5ª.20.B
Adſtringentia purgant cum acribus. 9°.*de ſimp.med.fac.* 5ª.64.C
Adſtringentia faciunt deiicere habentes bilem pallidam. 2°. *de alim. facultatibus.* 2ª.20.B
Adſtringentia decocta,pſunt vlceribus internis. 4°.*met.me.* 7ª.28.H
Adſtringentia etiam non ſolùm ſiccantia deſiderat vlcus habens ſinum. 5°.*meth.med.* 7ª.29.G
Adſtringentia valent ad cicatricem.de ſuſig.empi. Iſa.33.F
Adſtringentia pro dyſenteria,quæ. 11°.*de ſimp.med.fa.* 5ª.81.E
Adſtringẽtia nõ ſunt medicamẽta profluuiorũ. 1°.*de ſim.me.f.* 5ª.8.B
Adſtringentibus viendum, & quibus vas magnum perruptum in inteſtinis,vtero,& veſica,& quibus vas paruum in iiſdem locis ſit ruptum. 5°.*meth.med.* 7ª.31.G
Adſtringentia parum cum digerendi virtute ſine morſu in neruis detectis afferre conuenit. 3°.*de comp.med.per gen.* 5ª.234.F
Adſtringentia,& refrigerantia. 4°.*de comp.med.per gen.* 5ª.237.A
Adſtringendo ac refrigerando patentia cogere opus eſt.in 6ᵐ.*de mor. vulg.com.* 2°. 3ª.160.F
Adſtringentia cogunt & denſant ſuperficiem corporis. 6°. *de comp. med.ſec.loc.* 5ª.167.A
ab Adſtringentibus cum coguntur corpora, in ſeipſa ſubſident. de cauſis mor. 3ª.9 B
Adſtringentibus & refrigerantibus diapedeſis curanda. 5°.*methodi medendi.* 7ª.32 A
Adſtringentia quæ valent ad aſperitudines, ſycoſeis, & callos. 4°. *de comp.med.ſe.lo.* 5ª.151.F
Adſtringentia quodam modo & ſicca pilos defluere prohibent. 7°. *de ſimplic.medic.fac.* 5ª.55.A
Adſtringendi vim habeant & caliditatem medicamenta profluuij capillorum. 1°.*de comp.med.ſec.loc.* 5ª.125.E
Adſtringentia pro capillis tenuium partium cur exigantur. 1°. *de compoſi.med.ſec.loc.* 5ª.126.G
Adſtringit,& exiccat ladanum, quando capillos fluentes cohibet. 7°. *de comp.med.ſec.loc.* 5ª.55.A
Adſtringentia debent puluerizari cur,et quo modo. 2°.*de comp.med. per gen.* 5ª.225.C
Adſtringentiam non habentibus medicamentis partes effœminantur. 1°.de comp.med.per gen. 5ª.212.C
Adſtrigẽtibus aduerſaī amylũ,et farĩa triticea. 1°.*de ſim.me.f.* 5ª.8.B
Adſtrigẽtibus aduerſiſſimus ẽ adeps caprinus. 1°.*de ſim.me.fa.* 5ª.8.B
Adſtringentias quæ nihil habent,nõ ſunt tuta pletonicis. 1°. *de comp. med.per gen.* 5ª.215.H
Adſtringẽtia quibus mẽbris nõ ſunt admouenda. 11°.*met.me.* 7ª.73.B
Adſtringentia quę ſint euitanda in ſiccitate. 7°.*meth.med.* 7ª.44.C
Adſtrigẽtia oĩa nõ agglutinãt,neq, è cõtrario. 1°.*de ſim.me.fa.* 5ª.7.G
Adſtringentia quæ glutinare non poſſunt 1°.*de ſimp.med.fac.* 5ª.7.H
Adſtringentia non ſunt apta ad carnem generandam. 6°. *de compoſi. medicamentorum per genera.* 5ª.260.H
Adſtringens cur vitemus in carne generanda. 3°.*meth.med.* 7ª.19.D
Adſtringentia medicamenta vnà cum eo quòd refrigerant, ad vlcera rebellia omnia,& ad fluxiones & putredines conueniunt,ac proinde & ad dyſenterias. 6°.*de ſimp.med.fac.* 5ª.43.G
Adſtringit,& exiccat ſupercreſcentes vlcerum carnes aloe,& ſquama æris.de ther.ad Piſonem. 5ª.90.H
Adſtringentibus ſolis non debent curari humidi & frigidi. 8°. *de cõp. med.ſec.loc.* 5ª.188.A
Adſtringentia noxia deuorata. 13°.*meth.med.* 7ª.85.C
Adſtringentia denſis corporibus potius obſunt quàm proſunt. de optima ſecta. Iſa.29.F
Adſtringentia cruſtis non conueniunt. 6°.*de comp.me.ſe.lo.* 5ª.172.D
Adſtringentes & cogentes ſcutiformem chartilaginem muſculi, qui. de muſc.diſ. 1ª.46.B
Adſtringentes aſperam arteriam muſculi,qui.de muſc.diſ. 1ª.40.E
Adſtringenda linteis alliganda ſunt.de faſciis. 7ª.293 F
ad Adſtringendam membranam abdominis in herniæ curatione laqueus.de laqueis. 7ª.307.G
ADVENAE ægyptiaci medicina.de med.exper. Sp.104.B
Aduenę cuiuſdam medicamentum de med.exper. Sp.104.C
ADVERSARIOS medicamento conſtringere ac vincire vt in iudicio nihil poſſint eloqui,ridiculum eſt. 10°.*de ſimp.med.fa.* 5ª.72.D
ADVLATOR eſt,qui frequentat ędes diuitum,potentum,& tyrannorum.de cog.cur.animi morb. 2ª.50.H
Adulatoris officium. 12°.*meth.med.* 7ª.75.A
Adulari nõ dẽt medicus,nec aſper eẽ.in 6ᵐ.*de mor.uul.cõ.* 4°.5ª.181.E
Adulationem euitans qũo probandus.de cog.cur.animi mor. 2ª.50.H
ADVLTERATORES monetarum puniendi. 2°.*de diffic.puliſſium.* 4ª.54.F
Adulterantur ſimplicia quę. 9°.*de ſim.me.fa.*69.B/1°.*de antid.*9.B/3°.*de comp.me.per gen.* 5ª.228.F
Adulteria ſimpliciũ cur Gal.ſcribere nõ uult. 9°.*de ſim.me.f.* 5ª.69.C
Adulteria ſimplicium non ſunt diuulganda. 1°.*de antid.* 5ª.105.F
Adulterata medicamenta quomodo cognoſcenda. 3°. *de comp.medic. per gen.* 5ª.228.H
Adulteria medicaminum didicit Gal.puer. 9°.*de ſimp.me.fa.* 5ª.69.B
Adulterari quæ ſimplicia non poſſint. 1°.*de antid.* 5ª.100.C
Adulterari non poſſunt vitrum,& aurum. 1°.*de antid.* 5ª.104.D
ADVLTI ſunt calidiſſimi.in 1ᵐ.*de morb.vul.com.*2°. 3ª.115.E
Adultorum ętati cum ſit plus iuſto calida & ſicca, vtilis eſt vſus contrariæ diætæ.de ſal.diæ. 2ª.40.E
Adultis vinum modice ſumendum. 1°.*de ſan.tuen.* 2ª.66.H
ex Adultis non conſueti timent in tenebris. de melancholia, ex Galeno,Ruffo & Poſſidonio. Sp.109.D

ADVNATIO *similium quo fiat in nutrimento.de vtil.resp.* *Sp.64.A*
Adunatur granum seorsum à palea in ventilatione per commotionem. de vtil.resp. *Sp.64.B*
ADVNCI *possint esse ex vi formatrice potius quàm ex temperamento.2°.de temp.* 1ª.20.G
Adunci sicci sunt secundum aliquos. 2°.de temp. 1ª.20.F
ADVRAGI *caro est cibus subtilians.de dissol.cont.* *Sp.72.D*
ADVRENTIVM *materia,quæ.intro.* *Isa.58.B*
Adurentia medicamenta extrinsecus admouentur.intro. *Isa.58.B*
ex Adurentibus partium apertio.intro. *Isa.58.B*
Adurentibus quando vtimur.intro. *Isa.58.B*
Adurentibus in palpebris relaxatis vtimur.intro. *Isa.58.B*
Adurentibus quandoq; vtimur in Cephalæa.intro. *Isa.58.B*
Adurunt acuti cibi.de diss.cont. *Sp.72.E*
Adurunt sory,chalcitis,& misy.9°.de simp.me.fac. 5ª.70.D
Adurit citra dolorem lixiuium, quia tenue. 9°. de simplicium medic. facultatibus. 5ª.69.G
cũ Aduretibus febribus tertianæ generatio cõis.2°.de crisi.4ª.134.E
in Adurentibus febribus non peruenitur ad infebricitationem.2°. de crisi. 4ª.134.E
qñ Aduritur vena temporis.de anat.viu. *Sp.55.B*
Adustio minus toleratur in consistentibus,quàm in iuuenibus.com.3°. aphor.30°. *Ex.26.D*
ex Adustione solis multa genito capiti dolori confert succus centaureæ.de virt.cent. *Sp.93.B*
ex Adusta bile quartanã esse quo deprehẽdaẽ.de spermate. *Sp.39.H*
ex Adustis humoribus parum aut nihil excrementi prouenit,ideo minorem pulsum habent senes. 3°.de cau.puls. 4ª.96.F
ad Adustiam febrem secret. *Sp.98.E*
Adustæ febris trochisci.secret. *Sp.98.E*
ad Adustionem in stomacho,secretorum. *Sp.98.E*
Adustio est species diuisionis chirurgiæ.intro. *Isa.59.E*
Adustione resoluatur lentus humor.si medicamentis non potest.de artic.commen.3°. 7ª.276.C
ad Adustiones excoriatas cum ad cicatricem perueniunt.1°.de comp. medic.per gen. 5ª.214.G
ad Adustiones cum lacte mulierum inungi solet lactuca. 6°. de simp. med.fac. 5ª.48.E
ad Adustiones hyemis inunctio.3°.de me.fa.par. 7ª.176.B
Adusti oleo rosaceo iuuantur.2°.de simp.med.fac. 5ª.16.F
Adusti ad balnea mittendi.1°.de arte cur.ad Glauc. 7ª.99.C
post Adustionem succus porri.2°.de art.cur.ad Glauc. 7ª.107.A
p Adustione ferramenta qualia.de artic.com.1°. 7ª.258.B
in Adustione os non debet calefieri. 7ª.269.F
Adurentes sunt & calidi in quarto tithymalli.8°. de simplicium med. facultatibus. 5ª.62.D
AEDES cur ædificatæ fuerint.ad Thrasy. 2ª.104.C
Aedibus extruẽdis & cõputãdis expẽsis quãtũ conducit arithmetica & geometria,tm ipsis vtuntur diuites.de præcognitione. 4ª.214.C
Aedes fabricanti lignum est materia.ad Thrasy. 2ª.106.A
AEDIFICATORIAE *artis finis qui.ad Thrasy.* 2ª.105.G
Aedificatoria cur constituta.ad Thrasy. 2ª.106.C
Aedificatoria,arithmetiça, & oratoria nullum commune propositum habent.ad Thrasy. 2ª.105.C
Aedificatores ignorãt vires motuũ quos exercẽt.2°.de san.tu. 2ª.75.E
Aedificiis firma fundamenta iaci debent.11°.meth. med. 7ª.71.E
AEGAVSIEN vinum in Asia quale.5°.de san.tuen. 2ª.91.B
Aegis prouenientia vina media inter Theræum & Cilicium, cum nec exquisite sunt dulcia,vt Theræum, nec euidenti ita adstringendi vi polleant,ut Cilicium.de bon.& vitio suc. 2ª.38.C
AEGIMIVS *de palpitationibus librum fecit.1°.de dif.puls.4ª.47.A*
Aegimius scripsit de palpitatione & pulsu.4°.de dif.puls. 4ª.68.G
AEGILOPS *quid.intro.Isa.58.H/5°.de comp.med.se.lo.5ª.159.H/ de ocul.* 7ª.187.A
Aegilops oculi affectus extrinsecus.intro. *Isa.58.D*
ad Aegilopas.de medicinis fac.parabilibus.163.C/3°. de medicinis facile parabilibus. 7ª.170.D
Aegilopis curatio.intro. *Isa.59.G*
Aegilops manu indiget.intro. *Isa.59.G*
Aegilops non manuaria opera indiget, sed pharmacis secundum genus.5°.de comp.med.sec.loc. 5ª.160.A
in Aegylope musculus qui abscinditur.11°.de vsu par. 1ª.181.F
Aegilopas quid sanet.5°.de comp.med.per gen. 5ª.245.A
ad Aegilopas emplastrum.2°.de antid. 5ª.117.B
ad Aegilopas,Lamponis.3°.de comp.med.se.lo. 5ª.148.A
ad Aegilopas liquida compositio.4°.de comp.med.sec.lo.5ª.153.D
Aegilopas sanat auena.6°.de simp.med.fa. 5ª.41.F
Aegilopas sanat oleum ex nucibus.7°.de simp.med.fa. 5ª.50.B
ad Aegilopas,Asclepiadis.5°.de comp.med.sec.loc. 5ª.160.B
ad Aegilopas,Archigenis.5°.de comp.med.se.lo. 5ª.160.A
ad Aegilopas Diasmyrnum.4°.de comp.med.se.lo. 5ª.156.A
Aegilopibus myrta vtiliter facit.de simp.medicamin. *Sp.87.E*
ad Aegilopas Heræ.5°.de comp.med.sec.loc. 5ª.159.H
in Aegilope cauterio vtitur.5°.de comp.med.sec.loc. 5ª.160.B
Aegilops auena est.5°.de comp.med.se.lo.160.A/6°. de simplicium med.fac. 5ª.41.F
Aegilops herba nascitur inter frumenta.de med.fac.par. 7ª.163.C
Aegilops ex mutatione nascitur quandoq;.1°.de ali.fac. 2ª.15.G
AEGOCEROS *quid.1°.de comp.med.sec.loc.* 5ª.125.D
ad AEGYPTVM ac Lybiam attinentia loca calida sunt ac sicca,exceptis & hic illis quæ mari adiacent locis.cõ.3°.aph.14°.Ex.22.E
apud Aegyptios ne per somnium quidem inueniestemperatum. 2°. de san.tuen. 2ª.73.C
Aegyptij vehementer calidi.de aere aquis & loc. 2ª.5.C
Aegyptum incolentes dura habent corpora.4°. de compositione med. per genera. 5ª.236.F
Aegyptij sunt graciles.2°.de simp.med.fac. 5ª.14.E
Aegyptij nigri.1°.de san.tuen. 2ª.64.A
Aegyptiorum nigritia est affectus sm naturã.1°.de san.tu. 2ª.64.A
Aegyptij non patiuntur phlebotomiam.de sectis. *Isa.18.B*
in Aegypto fascinant infantes.de aere.aq.& lo. 2ª.6.F
apud Aegyptios literas inuenit Theuth.9°.de decr.Hip. 1ª.282.E
Aegypti rex Ptolemæus.in 3m.de morb.vulg.com.2°. 3ª.136.H
Aegypti aquæ paludosæ solæ sunt sanæ.de bon.aquæ. *Sp.75.E*
in Aegypto aqua quo percolet.in 6m.de morb.vulg.cõ.4°.3ª.184.D
in Aegypto & Alexandria quomodo aqua refrigeratur. in 6m. de morb.vulg.com.4°. 3ª.182.B
in Aegypto est fluuius, cuius aquam si quis bibat depilatur eius caput.de bon.aquæ. *Sp.76.B*
in Aegypto viperę & serpentes comeduntur.3°.de ali.fac. 2ª.26.D
in Aegypto reperit vina tenuia Galenus,quod est mirum.de vict.rat. in morb.acu.com.3°. 7ª.127.B
Aegyptia palmula dura,sicca,& austera.de bon.& vit.suc.2ª.36.D
Aegyptiæ spinæ fructus modicè exiccat.3°.meth.med. 7ª.20.A
Aegyptię spinæ fructus vnum est ex adstringentibus parabilibus. 6°. de comp.med.sec.loc. 5ª.169.F
Aegyptia spina adstringit,& exiccat.6°.de simp.med.fac. 5ª.41.H
Aegyptiæ fabæ natura.1°.de ali.fac. 2ª.14.A
in Aegypto habentur oleũ cicinum & raphaninũ.3°.de sa.tu.2ª.81.C
Aegyptium medicamentum.3°.de comp.med.sec.lo. 5ª.144.B
Aegyptium medicamentum.3°.de comp.med.per gen. 5ª.235.D
Aegyptium vnguentum.3°.de comp.med.per gen. 5ª.145.A
Aegyptium emplastrum.6°.de comp.medic.per gen. 5ª.256.H
Aegyptium præseruans absq; phlegmone diuisa quælibet & contusa. 6°.de comp.med.per gen. 5ª.260.C
Aegyptiũ Claudij Philoxeni chirurgici.3°.de cõp.me.per ge.5ª.235.B
Aegyptia Andromachi.6°.de comp.med.per gen. 257.E/5ª.258.F
AEGYRI FLORES *in primo calidi parum sicci. 6°.de simp.medic. facult.* 5ª.41.C
Aegyri resina calida.6°.de simp.med.fac. 5ª.41.C
AEGRI *quibus noibus apud græcos vocentur.2°.met.med.7ª.10.D*
Aegrum,& sanum corpus vnde.de spermate. *Sp.40.C*
Aegrum quomodo sit animal.de diff.morb. 3ª.2.H
Aegris omnia insunt præter naturã.ars med.Isa.67.D/4°. de vsu partiũ.1ª.140.H/cõtra ea quæ à Iul.in Hipp.aph.dicta sunt. Ex.68.B
Aegris infirmitas functionũ est præter naturã.1°.de san.tuẽ. 2ª.64.A
Aegrum est immoderatum,sanũ vero moderatũ.de const.ar. *Isa.39.C*
Aeger habet læsas operationes.de const.ar. *Isa.38.H*
Aeger nullus esse potest per totum ętatis suæ decursum in omni parte. 2°.de loc.affec. 4ª.10.B
Aegrum & sanum habere medium,potest colligi: vbi Galenus,posita sanitate in moderantia,& egritudine in immoderantia, dicit, quæ vero nondum id quod plurimum obtinent ægritudinum,generationem ostendere.com.2°.aph.4°. *Ex.11.F*

Aegri quandoque fortiores sanis, cur.3°.de die.decre. 4ª.158.F
Aegrorum scientia quando habetur.de const.ar. Isa.39.B
Aegrorũ quidã statim decũbũt, quidã nõ.1°.de dieb.decr. 4ª.147.E
Aegri quidam expectant quintum aut sextum diem prius quàm vocent medicum.de cur.rat.pro sang.miss. 6ª.21.B
Aegri quorũ medicorũ manib⁹ se cõcredere audẽt.i.pg.c.1°. 4ª.189.C
Aegri per compita olim ponebantur.intro. Is.50.G
Aegri ob pestilentiam non sunt visendi, dum humores ad putredinem paratos habemus.collige.1°.de diff.feb. 3ª.32.B
Aegros quos curaturus ẽ medicus, eos sanos cognoscere debet.de ijs, q̃ in me.fi.cõ.1°. 7ª.198.A *de vict.rat.in mor.ac.cõ.2°.* 7ª.119.A
ad Aegrum cum accedis, quæ sunt consideranda.1°.de arte curat.ad Glauc. 7ª.94.E/F/H
ad Aegros medici introitus, quis esse debet.in 6ᵐ.de morb.vul.commen.4°. 180.H 3ª.181.D
Aegros quandoque raro, quandoque sæpe debet inuisere medicus. in 6ᵐ.de mor.vul.com.4°. 3ª.181.D
Aegri à medicis quomodo interrogandi.com.1°.in prog. 4ª.192. C/in 6ᵐ.*de mor.vul.com.2°.* 3.168.E
Aegro non referente medicus debet multa discere. de vict.ratione in mor.acut.com.1°. 7ª.108.C
ab Aegro quæ petenda.de vict.rat in mor.acu.com.4°. 7ª.141.D
Aegri ingeniũ ex fmone cognoscim⁹.ĩ 6ᵐ.de mor.vul.c.2°. 3ª.168.G
Aegri sermo ad præsagium & diuinationem confert.in 1ᵐ.de morb.vul.com.3°. 3ª.117.F
Aegri man⁹ tãgẽda ut calor ꝓcipiat, qualis sit.in pg. cõ.1°. 4ª.192.A
Aegri medicis fidẽ habere debẽt.de ijs, q̃ in med.fi.cõ.2°. 7ª.205. D
Aegri ad portantem onus comparatio.3°.de crisi. 4ª.141.D
Aegri mores quando consyderandi.1°.de diff.resp. 3ª.61.B
Aeger quomodo se habet ad morbũ.ĩ 1ᵐ.de mor.vul.cõ.2°. 3ª.112.G
Aegri vtilitas semper quærenda.11°.meth.med. 7ª.75.B
Aegri qui futuri sunt, tamen nondum sunt, euacuari debent vt præseruentur.commen.6°.aph.47°. Ex.52.B
Aegri vere faciunt omnia præsidia.intro. Isa.61.E
Aegri macilenti quibus fiant.com.2°.aph.28°. Ex.16.D/E
Aegri anxij, qui dicantur.com.7°.aph.6°. Ex.59.A
Aegrum animal quando.de atra bile. 1ª.35.E
Aegri conditio.i.natura morbi.in prog.com.1°. 4ª.189.C
ab Aegri natura indicatio.de sectis. Is.16.D
Aegri natura adamussim nescitur.de cur.ra.per sang.miss. 6ª.19.F
Aegris, & sanis vnus cibandi scopus, & qui.de vict.ratio.in morb.acu.com.1°. 7ª.115.C
Aegri victus ratio ex viribus.com.1°.aph.9°. Ex.4.H
Aegri vires ex quibus & q̃o cognosci p̃nt.com.1°.aph.12°. Ex.5.B
Aeger quãdoque expetit idoneã viuẽdi rationẽ.de fascys. 7ª.293.C
in Aegro adolescente quomodo procedendum circa victus rationẽ.2°.de die.decre. 4ª.155.F
Aegris vtilissimum est assumptos cibos conficere, & nutriri.in 6ᵐ.de morb.vul.com.4°. 3ª.180.F
Aeger non fert subitam mutationem ad cõtrarium.de uict.ra.in mor.acut.com.4°. 7ª.132.D
Aegris repentinæ ciborum mutationes obsunt, sic etiã sanis. de vict.rat.in morb.acu.com.2°. 7ª.119.A
Aegrorũ cibus alicæ ptissana secundũ aliquos.1ª.de ali.fa. 2ª.10.H
Aegro frequenter prohibetur ptissanæ cremor, vt supra mediocritatem.2°.de digno.puls. 4ª.76.G
Aegris & sanis hordeum dandum.1°.de ali.fa. 2ª.9.A
Aegris quandoque fructus dandi.in 6ᵐ.de morb.vul.c.4°. 3ª.180.E
Aegrorum alimentis debemus acres humores remouere, & quãdo.com.2°.aph.18°. Ex.13.F
Aegri reficiendi sunt cibis post crisim.1°.de dieb.decret. 4ª.148.A
Aegris debent imperare medici.1°.meth.med. 7ª.2.E
Aegris non sunt iubenda exercitia, nec motus, nec vomitus, nec purgamenta, nec phlebotomiæ, nec frictiones simul cum inedia. commen.2°.aphor.16°. Ex.12.H
Aegri in quibus debent obedire medico.com.6°.aph.49°. Ex.52.E
Aeger debet agere, quæ conueniunt, & quæ à medico præcipiuntur. commen.1°.apho.1°. Ex.2.B
Aegri quidam simplices sunt omnia agentes aperte, et quomodo medicus erga hos habere se debet.1°.de præsag.ex puls. 4ª.105.C
Aegri pauci obtemperant.1°.de dieb.decr. 4ª.150.E
Aegri non obediunt illis, quos non libenter aspiciunt. in 6ᵐ.de morb.vul.commen.4°. 3ª.180.G
Aegri magis obediunt illis, quos libenter aspiciunt. in 6ᵐ.de morbis vul.commen.4°. 3ª.180.G
Aeger cur obedit.in 6ᵐ.de mor.vul.com.4°. 3ª.180.G
Aegri nõ semper dicunt verũ medico.1°.de præsa.ex pulf. 4ª.105.B
Aeger quando verum nõ dicit, quid agere debet medicus.1°.de præsag.ex pulf. 4ª.105.B
Aegri quidam insidiantur medico & illum decipere volunt, & quomodo agendum.1°.de præsa.ex pulf. 6ª.105.B
Aegros in quibus decipiãt medici.in 6ᵐ.de mor.vul.cõ.5°. 3ª.191.d
Aeger quomodo morbum adiuuet.in 1ᵐ.de mor.vul.cõ.2°. 3ª.112.G
in Aegris tanto magis morbi augebuntur ob cibos.si in sanis morbos cibi faciunt.2°.de diff.feb. 3ª.43.G
Aegri rogant medicos vt omnia faciant.intro. Isa.61.E
Aegris debemus assentire q̃nque in cibis.com.2°.aph.38°. Ex.17.G
Aegris grata cõcedẽda q̃o ĩtelligat.ĩ 6ᵐ.de mor.uul.c.4°. 3ª.180.F
Aegrorum delectationi in pharmacis cur attendere debeat medicus.6°.de comp.med.sec.loc. 5ª.168.C
Aegro exteriora nocent quæ.com.1°.aph.1°. Ex.3.B
Aegro exteriora, quæ.in 6ᵐ.de mor.vul.com.2°. 3ª.169.A
Aegrorũ ministri, qui esse debeãt.in 6ᵐ.de mor.uul.cõ.4°. 3ª.180.H
Aegri quid postulant.ad Thrasy. 2ª.107.C
Aegris non obsunt nomina.de mor.temp. 3ª.85.C
Aegris conuenit habere iecoris meatus apertos.2°.de ali.fa. 2ª.17.f
Aeger quomodo cubare debet.in pro.com.1°. 4ª.193.C
in Aegri cubiculum inferri debent ea quibus delectat.in 6ᵐ.de mor.vul.commen.4°. 3ª.181.A
Aegris renunciari debent omnia ipsum vehementer oblectantia. in 6ᵐ.de mor.vul.commen.4°. 3ª.181.A
Aeger nihil cõspiciat tristi animo.in 6ᵐ.de mor.vul.cõ.4°. 3ª.180.H
Aegris tristia non sunt dicenda.in 6ᵐ.de mor.vul.com.4°. 3ª.181.A
Aegris si falsa dicenda, assistentibus tamen vera dicenda. in 6ᵐ.de mor.vul.com.2°. 3ª.168.E
in Aegris & in sanis, quæ cognoscuntur ex oculis.1°.de arte cura.ad Glauc. 7ª.95.C
in Aegris oculi sunt certiora indicia.1°.de ar.cur.ad Glau. 7ª.95.C
Aegris ĩter dormiẽdũ uisit in respiratione spũs missio maior plerũque cũ efflatu, maxime ubi largius comederint.de usu pulsuũ.1ª.229.e
Aegris et sanis luna põt p̃nũciar dies q̃les erũt.3°.de die.de. 4ª.157.b
Aegris malæ, sanis sanæ, sunt stationes lunæ.3°.de die. dec. 4ª.257.H
Aegri febriunt vehementius, vigilant, grauiter se habẽt quando sunt propinqui iudicationi.com.4°.aph.71°. Ex.35.C
Aegri si velint sedere malum.in pro.com.1°. 4ª.194.A
in Aegris uellicatio festucæ, & floſculi, quid significẽt.in 1ᵐ.de mor.vul.com.3°. 3ª.118.A
Aeger si sine ratione bene se habet, non fidendum: si etiam male, non timendum.com.1°.aph.27°. Ex.16.B
Aegri omnes non possunt sanari.in pro.com.1°. 4ª.189.A
Aegri quando possunt sanari, & quando non.cõ.2°.aph.17°. Ex.14.f
Aegri habentis omnia signa salutis exemplum.3°.de crisi. 4ª.140.D
Aegri quomodo sanentur.1°.meth.med. 7ª.5.H
Aeger sanabitur à Ioue, si Iuppiter cum sole sit.de decubitus pro. ex mathem.scientia. Sp.12.F
Aeger decumbens luna diminuente sanabitur. de decubitus pro. ex mathem. scientia. Sp.12.F
Aeger qui ægrotare incipit quando luna incipit in vno signo, et faciat etiam tunc coniunctionem cum sole, morietur. de decubitus ꝓgno. ex mathe.scientia. Sp.12.F
Aegri in augmento & statu moriuntur. de tot.morb.temp. 3ª.88.C
Aegri moriuntur medico tñ culpa vacante.in pro.com.1°. 4ª.189.E
de Aegro desperãdũ, qui vrit in ambiẽte frigido.11°.me.m. 7ª.70.H
Aeger quando in syncope desperatus.1°.meth.med. 7ª.75.H
Aegri cum sumus cerebri opus necessarium non est, nisi ijs instrumentis, quæ ad respiratum sunt deputata.7°.meth.med. 7ª.49.B
Aeger cur ad balneum ducitur.de vict.ra.in morb.acut. 7ª.132.E
Aegri non sunt immodice rarefaciendi.12°.meth.med. 7ª.77.B
in Aegram partem semper deferuntur humores.11°.me.me. 7ª.74.B
in Aegris symptomata dicuntur, quę in sanis accidentia.1°.methodi medendi. 7ª.8.D
Aegrorũ curatrix, pars cũ curationis corporis.ad Thrasy. 2ª.108.A
Aegri natura ignorata, quo modo debes dare medicamentum. de vi.ra.in mor.acu.com.2°. 7ª.118.C

Aegrum nullus curſibus & luctationibus curauit. 3°. in 6m. de mor. vul. commen. 3°. 3a.170.A
Aegros ob animi mores, ſanauit Gal. 1°. de ſan. tuen. 2a.65.G
Aegri pulſũ iuſto maiorẽ hñtis caſus. 1°. de præſa. ex pulſ. 4a.105.E
Aegrum organum per idipſum læditur, per quod ſanũ exiſtens actionem iuuit. 1°. de diff. reſp. 3a.61.C
Aegri animus conſulendus ante inciſionem. 4°. meth. med. 7a.23.F
Aeger quomodo ligandus ſupra ſcalas. de machin. 7a.311.F
Aegri vlcera quando liceat bis terue in die aqua frigida irrigare. 4°. de comp. med. per ge. 5a.238.F
AEGRITVDO *eſt immoderantia. commen. 2°. apho. 4°. 11. F/ & aphor. 17°.* Ex.13.C
Aegritudo quid. ſecundùm Zenonem. 4°. de dec. Hip. 1a.248.F
Aegritudo quid, ſecundum Chryſippum. 3°. de decret. Hip. 245. F/4°. 248. E/ 1a.253.A
Aegritudo, paſſio, & affectus idem. de diff. morb. 3a.5.A
Aegritudine quomodo ſit antiquior ſanitas. ſecret. Sp.96.G
Aegritudines quæ ſint. de diff. morb. 3a.4.A/D/F/G
inter Aegritudinem, & ſanitatem non eſſe pathos dicẽtem Olympicum cur derideat Galenus. 1°. meth. med. 7a.7.B
Aegritudines quæ non ſint, tñ à medio diſcedunt. de diff. mor. 3a.2.H
Aegritudinale nominatiũ eſt à ſubiecta materia. ad Thraſy. 2a.108.f
Aegritudo quando ſit. de anat. viuo. Sp.47.A
Aegritudo fit per humorum corruptionem, exuſtionem, frigefactionẽ, cruditatem. com. 2°. aph. 17°. Ex.13.C
Aegritudinum cauſæ quæ ſint. de diff. morb. 3a.4.A/F/G
Aegritudo, & cauſa ſimul, quæ. de diff. morb. 3a.4.H
Aegritudo putatur accidentis cauſa. de diff. morb. 3. E/ 3a.4.D
Aegritudines quæ uocantur, & ſymptomata diuerſo reſpectu. de diffe. morborum. 3a.3.F
Aegritudinum magna pars ex habilitate corporis paſſuri. 1°. de differ. feb. 3a.32.C
in Aegritudine ſenſus debet eſſe iudex. ars med. Iſa.63.A
Aegritudo futura prohibenda. ars med. Iſa.69.C
Aegritudinem futuram oſtendentia. ars med. 61. D/ Iſa.67.D
Aegritudinis futuræ ſigna ex tactu. ar. med. Iſa.67.H
Aegritudinis futuræ ſigna ex viſu. ar. med. Iſa.67.H
Aegritudinis futuræ ſigna ex auditu. ar. med. Iſa.67.G
Aegritudinis futuræ ſigna ex odoratu. ar. med. Iſa.67.G
Aegritudinis futuræ ſigna ex guſtu. ar. med. Iſa.67.G
Aegritudo à prauo medico prorogata, à bono abbreuiatur. de natura, & ord. vniuſcuiuſque corp. Sp.41.G
de Aegritudinis cognitione ſecundum planetam, diem, & horam. de ſpermate. Sp.40.B
Aegritudines primæ tot ſunt, quot elementa ſm eos, qui putant elementa inter ſe alterari, id eſt quatuor. de diff. morb. 3a.2.H/6.D
Aegritudo in ſimilaribus duplex ſecundum ſecundam ſuppoſitionem, ampliatio & anguſtatio meatuum. de diff. morb. 3a.2.G
Aegritudinum in ſimilaribus duæ ſpecies ex ſecunda ſuppoſitione, uel alteratio ſola, vel alteratio cum materia. de diff. morb. 3a.3.D
Aegritudines cõpoſitæ, quæ ſint ex prima ſuppõe. de diff. mor. 3a.5.E
Aegritudines compoſitæ ex ſecunda ſuppoſitione tam partium ſimilarium, quàm diſſimilarium. de diff. morb. 3a.5.E/F/G/H
Aegritudinũ diſtinctio ĩ ordinatã et ĩ ordinatã. c. 1°.*aph.* 19°.*Ex.9.F*
Aegritudinum genera duo. ſecret. Sp.96.G
Aegritudinem ſecundo, ſanitatem primo oſtendentia ſigna, quæ ſint. ars medicinalis. Iſa.67.D
Aegritudinis recentis ad herbas dum naſcuntur comparatio in cognitione. in 1m. prorrh. com. 1°. 4a.160.H
Aegritudinis primi dies, qui ſint. 1°. de criſi. 4a.133.B
Aegritudinis forma qũo primis diebus noſcenda. 2°. de criſi. 4a.138.d
Aegritudo naturas immutat. de puero epilep. 7a.179.F
de Aegritudinis ſpecie inquiſitio facienda eſt. 6°. de ſan. tu. 2a.97.C
Aegritudinis principium ſcire eſt ſcitum præcipuum. de vict. rat. in morbis acut. com. 4°. 7a.141.D
Aegritudinis cauſa primò cognoſcenda. de vict. ra. in morbis acut. cõmen. 4°. 7a.141.A
Aegritudinibus incipientibus qñque accidit, quod ebrijs, cum comate laborant & titubant, & grauedine capitis occupantur, nequc ſi cogantur, palpebras tollere poſſunt. de comate. 3a.50.H
Aegritudines acutæ qñ naturaliter generant. de ſpermate. Sp.39.C
Aegritudo an debeat augeri prĩo ſciẽdũ, et vñ. de ſpermate. Sp.39.G
Aegritudo quibus horis acuitur conſiderandũ. de ſpermate. Sp.39.H
Aegritudo prima ĩ inſtrumẽtis eſt in formatione. de diff. mor. 3a.3.A
Aegritudo ĩ inſtrumẽtis in quatuor gñibus cõſiſtit. de dif. mo. 3a.3.A
Aegritudines inſtrumentorum compoſitorum. de diff. mor. 3a.2.H
Aegritudinũ cõpoſitarũ cauſas facile eſt inuenire. de cau. mor. 3a.9.b
Aegritudinum in cõpoſitionis genere diuerſitates. de ca. mor. 3a.9.E
Aegritudines in cõpoſitione à repentinis, & vehementibus motibus fiunt. de cau. morb. 3a.9.E
Aegritudo compoſita non habens nomen. de cau. mor. 3a.9.G
Aegritudinis quintũ genus, ſolutio cõtinuitatis. de dif. morb. 3a.5.D
Aegritudo celeriter facta eſt cum dolore. 1°. de ſymp. cau. 3a.17.F
Aegritudinis nullum eſt genus neq; in ſimplicibus, neq; in cõpoſitis corporibus, quod vtriuſque ſit proprium, præter uitium in temperatura & compoſitione. de diff. morb. 3a.3.B
ĩ Aegritudine audiũ ſternutamẽtũ, tuſſis, flatº, ſtrepitus, delirãtis uox, clangor, raucedo, et id genus. de ijs, quæ in med. fi. cõ. 1°. 7a.199.A
Aegritudo frigida partim ex contactu frigidi tantùm, partim potẽtia conſiſtit. de cau. morb. 3a.7.D
Aegritudines ſiccæ ex quibus fiant. de cau. morb. 3a.7.H
Aegritudines regionales docet Hippo. in libro de aqua, aere, et locis. 1°. de morb. vul. 3a.100.H
ab Aegritudine aliqua omnis operatio læditur. de diff. mor. 3a.4.H
Aegritudinũ acceſſiones, quæ per circuitus aliquos fiunt, ex membrorum diſpoſitionibus ortum habent. 2°. de diff. feb. 3a.42.H
Aegritudo inſenſibiliter facta eſt inſenſibilis. 1°. de ſym. cau. 3a.17.F
Aegritudines, quę fiũt in numero partiũ ſimpliciũ. de dif. mor. 3a.4.F
Aegritudines quę vere apparent. 5°. de ſa. tu. 2a.94.D
Aegritudines quę fiant & quales luna in ſcorpione exiſtente. de decu. progn. ex math. ſcientia. Sp.14.H
Aegritudines quę, & quales fiant luna exiſtente in libra. de decubitus progn. ex math. ſcientia. Sp.14.E
Aegritudines quę fiant luna exiſtente in piſcibus. de decub. prognoſt. ex mathem. ſcientia. Sp.15.G
Aegritudines quę fiant, luna exiſtente in aquario. de decub. prognoſt. ex mathem. ſcientia. Sp.15.F
Aegritudines quę fiant, ſi luna ſit in uirgine. de decub. progno. ex mathem. ſcientia. Sp.14.D
Aegritudines quę, & quales fiant, luna exiſtente in ſagittario. de decub. progn. ex math. ſcientia. Sp.15.G
Aegritudines quę, & quales fiant, ſi quis decumbat luna exiſtente in capricorno. de decub. prog. ex math. ſcientia. Sp.15.D
Aegritudines quę inferantur à capricorno. de decub. prognoſt. ex mathem. ſcientia. Sp.15.D
Aegritudinibus plenus eſt leonis annus. de ſpermate. Sp.39.D
Aegritudines q̃ reuerti ſolẽt, uere mouẽtur. de puero epil. 7a.179.H
Aegrotatio quę grauis, & quę non grauis. ex progno. in 1m. de morb. vul. com. 3°. 3a.117.C
Aegritudinem celerem ſignificant bilioſę hypoſtaſes, ſuperne autem tenuitates. de vri. ſig. ex Hipp. Sp.78.H
Aegritudinem circa veſicam ſignificat, ſi ſanguinẽ meiat, & grumos, ſtrangoriaq; affligatur, dolorq; ad perinęum ac epigaſtriũ incidat. de vri. ſign. ex Hipp. Sp.78.H
Aegritudinem crudam, & diuturnam, & non ſine periculo ſignificat vrina tenuis, & rutila. de vri. ſign. ex. Hipp. Sp.78.G
Aegritudinem ex renibus ſignificant bullę in vrinis inſidentes. de uri. ſignificatione ex. Hipp. Sp.78.H
Aegritudinis ſolutionẽ ſignificat vrina alba ſpumoſa, & nebuloſa, ſi in critico die, aut poſt criticũ diẽ ſupernenerit. de dynam. Sp.34.D
in Aegritudinibus acutis pernicioſa vt plurimũ eſt urina atra. queſi. in Hipp. Sp.113.E
in Aegritudinẽ acutã lapſum, cũ vrina male olens et hypoſtaſis atra fuerit, non mori impoſſibile. queſi. in Hipp. Sp.113.E
Aegritudo acuta, uide ĩ dictione acuti morbi, et dictione morbi acuti.
Aegritudines quędam occidunt hominem in tempore acceſſionis, quędam in vigore. 1°. de criſi. 4a.125.G
Aegritudines omnes ſunt breues eſtate. com. 2°. aph. 25°. Ex.16.A
Aegritudo facta curari debet. ars med. Iſa.69.C
in Aegritudine omni primus & præcipuus curandi ſcopus eſt exacta victus ratio. de remed. par. fac. 7a.156.B
Aegritudinem quando ignoramus coniectura aliqua artificioſa, bona victus ratio debet aſſignari. 1°. de criſ. 4a.133.E
Aegritudo docet rationem victus. com. 1°. aph. 17°. Ex.9.E

Aegritudines quæ volunt integrã diætam.cõ.1°.aph.4°. Ex.4.A/B
ab Aegritudine ad ſanitatem progreſſio quomodo,& qualis ſit. ad Thraſyb. 2ª.102.E
Aegritudo copulata exigit curam copulatã,& ſimplex ſimplicem, ſi autem in copulata vna fuerit maior,illi incumbendum eſt, non neglecta altera.com.1°.aph.16°. Ex.8.H
Aegritudine ſublata eũandi ſunt,q̃nõ appetũt.cõ.2°.ap.8°.Ex.11.H
Aegritudines diſcutientia an cuſtodiant uitã.9°.meth.me. 7ª. 59.A
Aegritudo longa fit quoties ex quatuor humoribus aliquis excreuerit.de natura,& ordine vniuſcuiuſque corp. Sp.41.F
in Aegritudinib⁹ lõgis ſemp expectãda digõ.cõ.1°.aph.24°.Ex.10.F
Aegritudo pituitæ quo modo curanda.de natura,& ordine vniuſcuiuſque corp. Sp.41.G
Aegritudo calida quo modo curãda.de partibus artis med. Sp.18.D
Aegritudo ſanguinis quo modo curãda ſit.de natura,et ordine uniuſcuiuſque corp. Sp.41.G
Aegritudo bilis q̃uo curãda.de natura,et or.uniuſcuiuſq;cor.Sp.41.g
Aegritudo atræbilis quo modo curanda.de natura,& ordine uniuſcuiuſque corp. Sp.51.G
ſm Aegritudines varias,quæ venæ ſecandæ.ſecret. Sp.97.D
Aegritudinibus,q̃ fiunt ex materiebus ad caput declinantibus,et ægritudinibus matricis cõfert ſectio uenarũ pedũ.de ana.vi.Sp.5.a
in Aegritudinibus plenis,& laterum ſecantur iugulares venæ. de anat.viuo. Sp.55.B
in Aegritudinibus ſplenis ſecatur vena ſupra ventrem in ſiniſtra.de anato.viuo. Sp.55.B
ad Aegritudines omnes emplaſtrum.ſecret. Sp.102.B
ad Aegritudines phlegmaticas.de med.exper. Sp.107.B
ad Aegritudines phlaticas,& melicas.ſecretorũ.102.E/Sp.103.e
Aegritudinibus antiquis quid bonum.ſecret. Sp.97.H
ad Aegritudines cerebri et hepatis valet agarici decoctio.de medic. exper. Sp.106.E
ad Aegritudines pectoris dantur penidiæ.de med.exper. Sp.106.F
Aegritudinibus viſcerum quid conferat.ſecret. Sp.100.F
Aegritudinibus omnibus hepatis,et ſplenis conferens medicamentũ. ſecret. Sp.101.G
Aegritudinibus veſicæ quid conferat.ſecret. Sp.101.F
ad Aegritudines fortes in matricibus mulierũ euenientes electuarium.de med.exp. Sp.107.H
Aegritudò,lege morbus,& morbus longus:morbus acutus pro egritudine longa,& acuta.
Aegrotare quos arbitrentur omnes homines.de dif.morb. 3ª.2.C
Aegrotare non dicuntur qui capite grauantur,aut dolẽt,aut uigilãt, cũ nondũ in conſuetis impediuntur operationibus.ars me.If.67.G
Aegrotare quæ proprie dicantur.1°.de lo.aff. 4ª.5.A
Aegrotant qui.de nat.hum.com.1°. 1ª.30.E
Aegrotare medicũ eſt turpiſſimũ.in 6ᵐ.de mor.vul.cõ.4°. 3ª.181.H
Aegrotatio quid.ſi.med. Iſa.45.E
Aegrotare ſæpe ſimulãt homines ꝓpter multas cauſas.intro. If.61.B
Aegrotanti diſſimile ſanum.4°.de decr.Hipp. 1ª.281.B
Aegrotaturi qui ſint,eos incunte vere purgare oportet.quos pur.op. quib.medi.& quo temp. 5ª.88.B
Aegrotaturi plurimum vigilant,cibos faſtidiunt, capite grauantur, ſegnes & ad motum pigri fiunt,toto corpore laſſitudinem ſentiũt, & id genus alia infinita.1°.de die.decr. 4ª.147.D
Aegroti,dũ ſani ſũt à medicis cognoſcẽdi.1°.d ar.cu.ad Gla. 7ª.94.D
Aegrotantium corporum ſigna vnde ſumantur.ars med. If.67.H
Aegrotans vere ſcit morbum referre.intro. Iſa.61.E
cum Aegrotantibus medicorum ſermones quales.in 6ᵐ. de mor.vul. commen.4°. 3ª.181.D
Aegrotat grauiter naturæ ſuæ contrarius, vt ſi modeſtus acerbe reſpondeat.in 1ᵐ.de mor.vul.com.3°. 3ª.117.C
Aegrotos conſiderat Galenus in arte curatiua ad Glauconem, quorũ natura ante quàm morbum cõtrahèrent, nobis erat exquiſitè perſpecta.1°.de ar.cu.ad Glauc. 7ª.94.F
Aegrotari vnde cœptum eſt occaſiones debent conſiderari. in 6ᵐ. de morb.vul.com.2°. 3ª.178.B
Aegrotandi multi modi.9°.de vſu par. 1ª.171.C
Aegrotantis mores ſunt cognoſcendi.1°.de præſa.ex pulſ. 4ª.105.B
Aegrotantes ob dimiſſionem exercitij.5°.de ſan.tuen. 2ª.93.E
*Aegrotãtibus maxime neceſſariũ cordis officiũ.7°.meth.me.*7ª.49.B
Aegrotare caput quando dicatur.1°.de loc.aff. 4ª.5.A
*Aegrotare quãdo dici poteſt,& debet vẽtriculus.1°.de lo.af.*4ª.5.A
Aegrotãt minime qui habẽt humidã ventrẽ.cõ.6°.aph.33°.Ex.50.B
ab Aegrotantis viribus iudicatio faciendorum petenda eſt.9°.meth. meden. 7ª.58.C
Aegrotãtis natura docet humorẽ peccãtẽ.cõ.4°.aph.20°.Ex.27.E/G
Aegrotãtis ẽt natura ĩdicat bonas excretiões.c.4°.ap.27°.Ex.33.A
Aegrotant quidam quodam modo ob prauam victus rationem.6°.de ſani.tuen. 2ª.97.B
Aegrotationi opportuna,quæ.fin.med. Iſa.45.F
Aegrotantibus cur præbeatur melicratum,oxymeli,vinum. de bon. aquæ. Sp.75.H
Aegrotis piſces molles accommodati.3°.de ali.fac. 2ª.31.E
Aegroti non tangunt aquam frigidam ſine læſione.de vict. ra. in mor. acut.commen.3°. 7ª.132.D
Aegroti tolerandi facilitas in diaria ſignum bonitatis febris. 1°. de ar.cur.ad Glauc. 7ª.95.A
Aegrotantes ſæpe,& imbecilli facile ſeruantur in morbis.2°.de præſa.ex pulſ. 4ª.110.E
in Aegrotantibus vrinæ deficientes à ſanis,quæ.de vrinis. 4ª.125.C
Aegrotantium vrina optima,quæ.de vrinæ ſig.ex Hippoc.Sp.79.B/ de vrinis. 4ª.125.C
in Aegrotante deterior vrina,quæ.de vri.ſig.ex Hipp. Sp.79.B
Aegrotantes facile,ſunt medicandi.6°.de ſa.tu. 2ª.100.A
Ἀεζωων.6°.de ſimp.med.fac. 5ª.41.F
AELII Halli antidotus,quæ Cæſarem liberauit,ad quæ valeat.2°. de antidotis. 5ª.110.H
Aelij Galli antidotus contra morſum canis rabidi. 2°. de antidotis. 115.G/ 5ª.116.A/H
Aelij Talij emplaſtrum.6°.de comp.med.per ge. 5ª.257.A
AELIANI, *Pelopis,& Lyci muſculorum diſſectio cur in pretio habita eſt.de muſ.diſſ.* 1ª.44.B
AENEAE medicamenta pituitam detrahentia.2°.de compo.medic.ſec.loc. 5ª.139.E
AENEVM *vas,in quo ponit punica.3°.de cõp.me.ſec.loc.*5ª.147.G
Aenei vaſis fit mentio.6°.de compoſi.med.ſec.loc. 5ª.170.A
de ocul. 7ª.191.F
in Aeneo vaſe fit medicamentum ad oculorum dolores.de victus ra. in morb.acut.com.4°. 7ª.152.G
Aenea an ferrea debeant potius eſſe inſtrumẽta.de mach. 7ª.309.D
Aenearum cucurbitularum vſus frequentior erat apud antiquos. de cucur.ſcar. 6ª.3.D
Aenearum cucurbitularum tractus,quemadmodum etiam vitrearũ, per ignem fit.de cucur.ſcar. 6ª.3.E
AEOLICAM linguã nõ pfecte callebat Gal.ad Thra. 2ª.107.A
AEQVABILITAS ars admirabilis.17°.de vſu par. 1ª.221.G
Aequabilitatem difficulter aſſequuntur ſtatuarij, etiam cum multis inſtrumentis.17°.de vſu par. 1ª.221.G
AEQVALE *quid ſit.in progn.com.2°.* 4ª.200.F
Aequale quod prorſus eſt,erit ſibi ſimile.de faſcijs. 7ª.293.E
Aequalibus deteriora inæqualia.in progn.com.2°. 4ª.200.F
Aequalis,& inæqualis ſunt duæ ſpecies doloris,ſi dolor addatur. cõ. 6°.aphor.5°. Ex.47.A
Aequalis pulſus à phlegmate fit.de dynamidijs. Sp.19.F
Aequalem leuem & albam eleuationem habens vrina deterior eſt. de vrinæ ſign.ex Hipp. Sp.79.B
*Aequales ſint inter ſe ſe magnitudine ĩ ſcarificatione inciſiones,et quæ inter eas ſũt ĩterualla,inter ſeſe æqualia ſint.de cucur.ſcar.*6ª.3.G
AEQVALITAS *rerum iuſtitia dicitur,1°.de tem.* 1ª.13.D
ad Aequalitatem febris quid exigatur.8°.meth.med. 7ª.56.C
de Aequalibus inæqualitatibus in pulſu.1°.de diff.pulſ. 4ª.49.D
Aequalitas,& inæqualitas pulſus quo modo,& quot fiat modis.1°. de diff.pulſ. 4ª.48.H
Aequalitas tẽperaturæ fit à calore febrili.cõ.6°.apho.40°.Ex.51.A
Aequalitas a ſolis ortu æquale regioni temperamentũ affert.de aere, aquis,& locis. 2ª.4.E
AEQVILIBRE *membrum,quale.de art.com.2°.* 7ª.266.A
AEQVINOCTIVM *vniuerſale eſt. in 1ᵐ. de morb. vulgar. commento 1°.* 3ª.102.C
Aequinoctia,& ſolſtitia cur eadem in varijs regionibus,& ortus ſyderum varius.in 1ᵐ.de morb.vul.com.1°. 3ª.101.H
Aequinoctium quod hiemem ſequitur,veris eſt initium.in1ᵐ. de mor. vul.com.2°. 3ª.108.C

Aequinoctium vtrunque periculosum, maxime autumnale. de aere, aquis, & locis. 2ª.4.D
Aequinoctialium horarum meminit Galenus. 2°.*de diffe. feb.* 36. H/ *de morb. temp.* 3ª.85.G
Aequinoctiales horæ vigintiquatuor faciunt spatium diei & noctis. de sep. partu. 1ª.341.B
Aequinoctiales horæ æquales. de sep. par. 1ª.341.B
Aequinoctiales horæ mediæ iter maximas et minimas. de sep. par. 1ª. 341.B
AEQVITAS *pro probabilitate. de fract. com.* 3°. 7ª.246.D
AEQVIVOCA *quæ sint. de ijs, quæ in med. fi. com.* 3°. 7ª.218.C
Aequiuoca duplicia, analoga, & æquiuoca simpliciter. de victus rat. in morb. acut. com. 4°. 7ª.135.G
Aequiuoca distinguenda sunt. 1°.*de diff. resp.* 3ª.57. C/1°. *de præsag. ex pulsibus.* 104.D/ 4ª.108.D
Aequiuoca prius distinguenda, quàm definienda probat Galenus. 2°. *de diff. puls.* 4ª.53.G
in Aequiuocis nõ esse vnũ, qđ significat, collige. 2°.*meth. med.* 7ª.13.g
in Aequiuocis nomine generis quandoque vtuntur antiqui. de uict. ra. in morb. acut. com. 4°. 7ª.135.G
Aequũ seu æquale ĩ partibus unius rei existit. de frac. cõ. 3°.7ª.246.b
Aequus est Mercurius secundum calidum & humidum, frigidum & siccum. de compag. memb. siue de nat. hum. Sp.59.G
AER & spiritus, idem. 1°.*de diff. feb.* 3ª.31.B
Aeris nomen ab essentia sumptum est. 1°.*de sani. tu.* 2°.62.E
Aer non dicitur corpus secundùm quosdam. 3°.*de diff. puls.* 4ª.62.C
Aer ex corporibꝰ in sublime eiaculatis ortus est. de hist. phil. Sp.4.E
Aeris substantia est humiditas. de spermate. Sp.41.B
Aer quo mõ intelligitur esse solũ elemẽtũ. de nat. hum. c. 2°. 7ª.28.A
Aerem elementum esse dicentes, cui innituntur. 1°.*de elem.* 1ª.4.E
Aer & aqua cur inter ignẽ & terrã sint sita. 8°.*de vsu par.* 1ª.169.a
Aer, & aqua non sunt elementa. de vtil. resp. Sp.64.A
Aerem esse intra aquam probatur. de vtil. resp. Sp.63.B
Aer quo modo transeat in alia elementa. 1°.*de elem.* 1ª.4.E
ex Aere fit aqua euaporatione ignearũ partiũ. de util. resp. Sp.64.A
Aer per digestionem fit ignis. de vtil. resp. Sp.64.A
Aer & ignis sunt formalia. in Timæum Plat. 1ª.287.B
Aer multus non fit ex multa aqua. de vtil. resp. Sp.62.E
ex Aere plurimo fit multo minor ignis. de vtil. resp. Sp.62.E
ex Aere modico fit multus ignis, ſm quosdam. de vtil. resp. Sp.62.E
Aer, & ignis sunt elementa spiritus. 5°.*de decr. Hipp.* 1ª.155.G
Aer non est æque mobilis, vt ignis. de vtil. resp. Sp.62.D
Aer est corpus dissimilium partium habens caliditatis, & frigiditatis particulas in seipso de vtil. resp. Sp.64.A
Aer non reperitur syncerus. 2°.*de elem.* 1ª.5.D
Aer, qui simili sit calore, varie tangenti occurrit. 1°.*de temp.* 1ª.17.e
Aeris natura debet sciri secundùm rationales. de sec. Is.16.D
Aeris intemperies cognoscenda est. in 1ᵐ.*de mor. vul. cõ.* 1°. 3ª.101.a
Aere nunquam est vacuus locus. de caus. procat. 3ª.97.A
Aer semper mouetur, sed nos fugit. in 3ᵐ.*de mor. vul. cõ.* 3°. 3ª.140.b
Aer & ignis corpora sunt præter cætera tenuioribus partibus, ac molliora, habiliora, & tractabiliora. de mult. 3ª.77.E
Aeris substantia tenuissima est. 1°.*de diff. feb.* 3ª.31.B/4°.*de simplic. medic. fac.* 5ª.24.F
Aer omnis natura calidus. 2°.*de simp. me. fa.* 5ª.14.B
Aeres actu sunt calidi, potentia medicinæ. de simp. me. fa. 5ª.15.G
Aer à qbus calidus et à qbus frigidus dicat. 2°.*de sim. me. fa.* 5ª.14.C
Aere semper multo calidius est cerebrum. 8°.*de vsu par.* 1ª.165.E
Aer siccus exiccat. de cau. morb. 3ª.7.H
Aer mari comparatur. in 3ᵐ.*de morb. vul. com.* 3°. 3ª.140.H
Aer est necessarius ad conseruationẽ ignis, nõ ut quidã putant ꝓpter refrigerationem, sed nutrimenti causa. de vtil. resp. Sp.63 H
Aer est nutrimentum ignis. de vtil. resp. 62.D/63.H/ Sp.64.C
Aer est ad spiritus nutrimentum. de anat. viu. Sp.47.G
Aer ĩ nobis uocat spũs, et ẽ vocis materia. de voc. instr. diff. 1ª.106.C
Aerẽ et ignẽ cõtinere, et terrã et aquã cõtineri dicũt. de mul. 3ª.77.C
Aer in animantium corporibus est causa, secundùm Hippocratem. in 3ᵐ.*de morb. vul. com.* 1°. 3ª.129.C
Aerem adesse in corpore aãlis, qũo cognoscatur. 1°.*de elem.* 1ª.5.E
Aeris elementum deprehenditur in homine ex pulsibus & respirationibus. 8°.*de decr. Hipp.* 1ª.275.D
Aere vtitur natura ad fabricam membrorũ, quæ habent sinus, & vẽ triculos. 2°.*de semi.* 1ª.339.F
Aer exquisitam mediocritatem habere debet. ars med. Is.68.D
Aeri moderato ꝓportionat oleũ et pinguedo. 2°.*de sim. me. fa.* 5ª.15.g
in Aere moderata temperatio, quæ. 2°.*de sim. me. fa.* 5ª.15.F
Aere vtitur visus. 7°.*de decr. Hipp.* 1ª.271.B
Aeris mediocritate fit visus. de ocul. 7ª.185.C
Aer ambiens est instrumentum oculi. 7°.*de dec. Hipp.* 1ª.271.A
Aer an sit instrumentum ad visum, vt neruus ad alios sensus. 7°. *de decr. Hipp.* 1ª.272.D
Aer circunfusus tale instrumentum nobis est quo tempore videmus, quale est semper neruus in corpore. 7°.*de decr. Hipp.* 1ª.270.D
Aer illustratus à sole tale visus instrumentum efficitur, quale is, qui à cerebro proficiscitur spiritus. 7°.*de dec. Hipp.* 1ª.272.D
ad Aerem eandem rationem habet oculus, quam cerebrum ad neruum. 7°.*de dec. Hipp.* 1ª.271.A
per Aerem circunfusum non fit visio quasi per baculum, vt Stoici dicebant. 7°.*de dec. Hipp.* 1ª.272.E
Aer quanto est crassior luce, tanto vapor est crassior aere. 8°. *de vsu partium.* 1ª.168.A/1°.*de symp. cau.* 3ª.17.C
Aer non est splẽdidus ex propria natura, sed ex radio solari. 17°. *de vsu par.* 2ª.222.C/*in* 6ᵐ.*de morb. vul. com.* 4°. 3ª.182.G
Aer clarus ducit colorem in aliũ parietem. 7°.*de dec. Hip.* 1ª.272.a
in Aere lucido dormiri nõ põt, nisi tectis oculis. de inst. odor. 1ª.112.B
Aer purus coloratur, probatur exẽplo recumbentis in aere nitido sub arbore: nã arboris colore totus pfundit. 7°.*de dec. Hipp.* 1ª.272.A
Aer quo modo in colore mutetur. de oculis. 7ª.185.B
Aeris sensus est auditus. 1°.*de sympt. cau.* 3ª.17.C
Aereum auditus instrumentum. 7°.*de dec. Hipp.* 1ª.271.B
Aere plena pellicula ẽ intra aurẽ ĩ qua fit auditꝰ. de vti. resp. Sp.63.D
Aeris iter cur prolongatur per aurem. de anat. viu. Sp.48.H
Aerem recipit qui inspirat. 1°.*de elem.* 1ª.6.H
Aeris, quem respiramus, ꝙ cura habẽda sit. 12°.*meth. med.* 7ª.77.B
Aerem extrinsecum trahunt arteriæ. 1°.*de diff. feb.* 3ª.32.B
Aer in arterijs est sanguini mistus. 1°.*de diff. feb.* 3ª.31.A
Aeris receptionem per insensibiles meatus & expirationẽ Erasistratus per circulum fieri dicebat, Plato per duos semicirculos. in Timæum Platonis. 1ª.290.A
Aerẽ refrigerantẽ plus cæteris requirit pulmo. 10°.*met. me.* 7ª.64.G
Aer in tussi tanquam manus ad emittendos humores iuuat. de vi. rat. in morb. acut. com. 3°. 7ª.126.A
Aerem trahunt etiam carnes. in 6ᵐ.*de mor. vul. com.* 6°. 3ª.194.H
ad Aerem spiraudum, quòd conferat thorax. 5°.*de loc. af.* 4ª.29.A
Aer quo modo transeat ad cor, & arterias. de cau. morb. 3ª.7.F
Aeris attractio ad pulmonem fit per cannam magnam, & per canales nasi. de anat. viu. Sp.47.C
Aeris attracti receptaculum interius, cur fuit necessarium. de anato. virorum. Sp.53.A
Aeris inspiratio ad sinistrum ventrem cordis, per quæ foramina fiat. de vtil. resp. Sp.64.C
Aer alterat pulsus. de vsu pulsuum. 1ª.229.E
Aeris aliqua pars in cor attrahitur. de vtil. resp. 1ª.226.E
Aer nutrit cordis calorem. de vtil. resp. Sp.63.C
Aerẽ spirare pisces maiores extra aquam cõstat. de uti. resp. Sp.63.b
Aer inspiratus refrigerat. de vtil. resp. Sp.63.C
Aer ex inspiratione attractus per nares defluit. 2°.*de semi.* 1ª.340.c
Aere suffocamur si copiosissime impleamur. de vtil. resp. 1ª.223.D
Aeris q̃dã qualitas familiaris est et amica spũi. 7°.*de vsu p.* 1ª.159.B
Aer inspiratu attractus in febre non debet esse calidior, q̃ conueniat. in 6ᵐ.*de morb. vul. com.* 2°. 3ª.178.B
Aer frigidus est. in 1ᵐ.*de morb. vul. com.* 1°. 3ª.104.D
Aer frigidus est, ob ignẽ fit tẽperatus ſm stoicos. ꝙ animi mor. 1ª.318.F
Aere frigido existente, cur quæ sunt in ventre fiunt duriora. in 6ᵐ. *de morb. vul. com.* 5°. 3ª.193.B
Aer frigidus inspiratus qd faciat. in 6ᵐ *de morb. vul. cõ.* 2°.3ª.164.G
Aeris inspirati uel nihil, uel parũ ad cor descẽdit. an sãg. ĩ ar. 1ª.62.A
Aer nimium frigidus syncope ex cruditatibus contrarius. 11°.*meth. medendi.* 7ª.76.B
Aer frigidus subito adhibitus horrorẽ facit. 2°.*de symp. cau.* 3ª.23.A
Aer circũfusus luxationẽ, aut adstrictionẽ facere põt. đ ca. mor. 3ª.7.g
ex Aere frigido dolor, statĩ abit, aere frigido remoto. 3°.*đ l. af.* 4ª.14.e
Aer frigidissimus à febriente debet attrahi ad cor, sed non debet contingere hominem. 10°.*meth. med.* 7ª.64.E

Aer frigidus sanat laborantes exustione solis. de instr. odor. 1ª.112.E
Aer frigidissimus densat. 10°.*meth.med.* 7ª.64.E
Aer borealis tenuis est, purus, frigidus, 1°.*de simp.me.fa.* 5ª.6.D
Aer aquilonaris serenus, qualis. 2°.*de com.med.sec.lo.* 5ª.136.C
Aer quandoque est frigidior nobis. 2°.*de sim.me.fa.* 5ª.15.F
Aer in porositatibus rerū facilius accēditur. 1°.*de sim.me.fa.* 5ª.4.F
Aeris humiditas, & frigiditas transpirationem prohibet. 8°.*metho. meden.* 7ª.58.A
Aer humidus est simpliciter, & non comparatus ad aliud vllum. 1°. *de temp.* 1ª.12.F
Aer quò plus humidis corporibus obuiat, crassior, & corpulentior redditur. an sang. in arter. nat. conti. 1ª.60.D
Aereum quod est, siccum esse colligitur. aduersus Lycum. Ex.62.A
Aer accensus flamma est. 1°.*de sim.me.fa.* 5ª.4.F
Aeris calor calefacit. 1°.*de diff.feb.* 3ª.32.B
ab Aere vicino, tantum à pinguedine nutritur flamma. de vtil. resp. Sp.62.D
Aer præter modum frigidus lucernam sub dio & ignem exiguū extinguit. de cau.mor. 3ª.7.C
Aer quandoque calidior nobis. 2°.*de simp.me.fac.* 5.15.F
Aeris feruor æstus appellatur. com. 7ᶜ.*aph.* 13°. Ex.54.H
Aeri calidiori proportionatur pyrethrum, napi, & piper. 2°.*de simpli.medi.fac.* 5ª.15.G
Aer australinus qualis. 2°.*de arte cur. ad Glau.* 7ª.104.E
Aer nubilus facit humores nubilosos. ī 1ᵐ.*de mor.uul.cō.* 1°.3ª.104.B
Aer nubilus medicamenta denigrat, Syncerus dealbat. 1°. *de cōp.me di.per gen.* 5ª.212.G
Aer semper serè nubilus, vbi. de aere, aquis, & locis. 2ª.5.E
Aer humidus, qui. aduersus Lycum. Ex.62.D
Aer suliginosus, qui. aduersus Lycum. Ex.62.E
Aer domus inclusus, qualis. 1°.*de san.tuen.* 2ª.67.B
Aer, quo modo rarus. 2°.*de san.tuen.* 2ª.72.F
Aer q̄ sit tenuis, & quo modo. 1°.*de simp.me.fa.* 5ª.6.C
Aerea tenuis substantia intus ducit terrestre frigidum. 8°. *de simplicium medica.fac.* 5ª.59.E
Aerem tenuem animalia inspirantia, alijs præstantiora sunt. de attē. vict.rat. 2ª.45.D
Aeream substantiam habent leuia. 9°.*de simp.me.fa.* 5ª.66.C
Aereæ substātiæ aliq̄d esse, probāt leuitate. 9°.*de sim.me.fa.* 5ª.66.A
Aeris statum considerant supra omnes, agricolæ et nautæ. 3°.*de dieb. decret.* 4ª.157.E
sub Aeris temperie seu cœli statu continetur anni tempus & regio. 8°.*meth med.* 7ª.58.A
sub Aeris temperie intelligitur, & tempus anni, & præsens constitutio. 10°.*de simp.me.fa.* 5ª.75.B
Aer temperatus cui comparetur. 2°.*de simp.med.fa.* 5ª.15.F
Aer quo modo dicitur temperatus. 1°.*de san.tuen.* 2ª.64.B
Aer contentus in cerebro, erumpens facit sternutamentum. cōm. 7°. *aph.* 51°. Ex.58.C
Aerem tria immutant in instanti. de ocul. 7ª.185.C
*Aer ambiens, vnum est à quibus necessario corpus alteratur. ars me. Isa.*68.B/*in* 1ᵐ. *de morb. vulg. com.* 1°. 3ª.100.H/ 1°.*de san.tuen.* 63.B/ 2ª.68.H
in Aere ambiente duplici ratione versamur. ad Thrasy. 2ª.104.D
Aere corpora animaliū alterantur. in 1ᵐ.*de mor.uul.cō.* 1°.3ª.104.B
*Aer quo modo afficiat corpus. ars med. Isa.*68.B/*in* 1ᵐ.*de mor. vulg. commen.* 1°. 3ª.103.C
Aer nos continēs si immoderatius calefiat, vel frigescat, vel humescat, vel siccescat, corporū symmetriā, quæ sanitas est, confundit, interturbat, ac corrumpit. in 1ᵐ.*de morb. vul.com.* 1°. 3ª.100.H
Aer ambiens quo modo faciat intemperiem. 1°.*de san.tuen.* 2ª.68.B/ *de vict.rat. in mor. acut. com.* 4°. 7ª.134.C
Aer ambiens humidus chordas implet. com. 6°.*aph.* 39°. Ex.50.G
Aer immutat lac. de diff.cont. Sp.74.A
Aer ambiens facit defluxus è corpore. com. 7°.*aph.* 59°. Ex.59.D
ex Aeris nos ambientis temperie in locum & tempus diuisa sumit sanguinis mittendi quantitas. de cur.ra. per sang.mis. 6ª.18.D
in Aeris ambientis qualitate calida & sicca febres tertianæ fiunt. 2°.*de diff.feb.* 3ª.36.D
Aer ambiens facit nos deuenire in cognitionem morborum. com. 1°. *aph.*12°.Ex.5.E/9°.*met.med.* 59.G/11°. 7ª.67.H
Aer ambiens tempore æstatis trahit humores extra, quos intra trahit medicina. com. 4°. *aph.* 5°. Ex.28.A
Aer causa est morborū vulgariū. in 1ᵐ.*de mor. vul.cō.* 1°. 3ª.101.C
ab Aere qui fiunt morbi quo cognoscātur. de na.hu.cō. 2°.7ª. 182.B
Aeris tēperatura nō est sola causa morborum, aliter semper haberemus ægritudines complexionis aeris tunc existentis.cō. 3°. *apho.* 19°.Ex.23.H/*in* 3ᵐ.*de mor.vul.com.* 3°. 3ª.141.F
Aeris qualitatibus diuersitas non perinde se ad omnes homines habet. 1°.*de san.tuen.* 2ª.67.B
Aeris temperies in vlceribus considerāda. 3°.*meth.med.* 7ª.21.C
ex Aeris tēperamento præsagia. in 1ᵐ.*de mor.vul.cō.* 3°. 3ª.117.D
Aerem ex luna mutari nemo dubitat. 3°.*de die.decre.* 4ª.157.E
Aere spirituali, & terrestri grauitate admista medicamina superiorē purgant ventrem & inferiorem. de cath. Sp.94.F
Aerem solum, animam esse non licet dicere. q̄ animi mores. 1ª.318.E
Aer largus quo exeat aperta aspera arteria. de vtil.resp. 1ª.223.H
Aer in folles aliter trahit, q̄ ferrū à magnete. 3°.*de nat.fa.* 1ª.307.G
Aerem vehentia corpora non dilatant. ut. de instr. odor. 1ª.111.F
Aerem duntaxat recipiunt pori, qui sunt in brāchijs piscium, adeo sunt tenues. de vtil.resp. Sp.64.C
Aer peruenit ad cor piscium, & non aqua. de vtil.resp. Sp.63.B
Aer non intrat poros metallorum, sed ignis. de vtil.resp. Sp.64.A
Aer influens per poros cineris ignitur ad restaurationē euaporationis ignis. de vtil.resp. Sp.63.H
Aer cor non nutriat. de anat.viu. Sp.47.F
Aer, ex quo fit vox, quo indiget. de vo. & anhel. Sp.61.D
Aerem plurimū habet nix, quemadmodū spuma. de vtil.resp. Sp.62.e
per Aeris expressionem ex aqua fit glacies. de vtil.resp. Sp.64.C
Aer purus conuenit omni ætati. 1°.*de san.tuen.* 2ª.67.B
Aer qualis homini temperato conuenit. 1°.*de san.tuen.* 2ª.67.B
Aer qualis conuenit intemperatis. 1°.*de san.tuen.* 2ª.67.B
Aer qui vitandus. 12°.*meth.med.* 7ª.77.B
Aer quando offendit. de inæqual.intemp. 3ª.44.C
Aer, qui noxius est omni ætati. 1°.*de san.tuen.* 2ª.67.B
Aer in peste corruptus est. de theria. ad Pison. 96.G/*de vsu theria. ad Pamphil.* 5ª.98.D
Aer pestilens est circa Sardos & Hieradolin. 1°.*de san.tuen.* 2ª.67.B
Aer pestilens febrem facit. 1°.*de diff.feb.* 3ª.31.B
in Aeris pestilenti statu, calor extrinsecus sanguinem opprimit. 2°. *de diff.feb.* 3ª.40.B
Aerem vicinum quæ inficient. in 3ᵐ.*de morb.vulg.com.* 1°. 3ª.133.F
Aerem contaminantes venti, qui spirant ex barathris charonijs, morbos generant. in 1ᵐ.*de mor.vul.com.* 1°. 3ª.101.D
Aeris statum euitare victus contrarius potest. in 1ᵐ. *de morb. vulg. com.* 2°.108.F/*in* 3ᵐ.*com.* 3°. 3ª.143.E
quibus Aer dominatur, linguam pati faciunt vel cum delectatione, vel cum nocumento. de ocul. 7ª.187.H
Aer delatus per gulam ad ventriculum, si paucus sit, non lædit. com. 2°.*aphor.* 17°. Ex.13.B
Aer cur euitandus in capite fracto. 8°. *de vsu par.* 1°.165.E/F
Aer exsufflat vulnerato pectore, peritonæo, et gutture, an sanguis in art.nat.cont. 1ª.60.E
Aer balnei quo fiat tpatus, et modice humidus. 10°.*meth.me.* 7ª.66.H
Aerem balnei non desiderat Galenus in siccis. 7°.*meth.med.* 7ª.44.F
ab Aere, cibo, & potu quid habeat iecur. 10°.*meth. med.* 7ª.64.F
Aere ex causa frigida remediū est calefactio. 2°.*de symp.cau.* 3ª.23.A
de Aere, aquis, & locis liber quid tractet. 3°.*de dif.resp.* 3ª.73.D
de Aere, aquis, & locis, aphorismorum, et acutorum morborum victu libri sunt Hippocratis. 3°.*de diff.resp.* 3ª.69.E
de in Aere conspectis rebus Aratus librum fecit. in 1ᵐ. *prorr. commen.* 1°. 4ª.160.H
Aera quid. 6°.*de sim.me.fa.* 5ª.41.F
Aerina farina exiccat, & quomodo. 5°.*de sim.me.fa.* 5ª.33.H
Aerina farina non mouet pus. 5°.*de simp.med.fac.* 5ª.33.H
ad Aeram. de med.fac.par. 7ª.163.F
Aerianum medicamentum. 4°.*de comp.med.sec.lo.* 5ª.154.H
Aerianum collyrium. 4°.*de comp.med.sec.loc.* 5ª.156.E
AERVGO, *vel vitreolum, quomodo fiat, quid sit, & eius vires. de sim.medica.* Sp 79.G
Aerugo præparatur arte. 9°.*de sim.med.fac.* 5ª.71.B
Aeruginis præparatio. 2°.*de comp.med.per gen.* 5ª.220.E
Aerugo funditur quomodo. 1°.*de comp.med.per gen.* 5ª.212.F
Aerugo Cypria. 4°.*de cō.me.se.lo.*156.D/2°.*d cōp.me.p g e.* 5ª.222.h

Aerugo Corinthia.4°.de comp.med.sec.lo.152.H/5°.de comp.med. sec.loc.160.G/5°.de comp.med.per ge. 5ª.251.F
Aerugo habetur Puteolis.1ª.de antid. 5ª.100.D
Aeruginis vermiculata fit mentio.4°.de cõp.med.sec.lo.154.G/156. D/6°.175.H/5°.de comp.med.per gen. 5ª.249.C
Aerugo campana quo modo fiat.de dyna. Sp.22.F
Aerugo qualis sit.9°.de sim.med.fa.169.D/1°.de cõp.med.per gen. 210.B/4°.238.B/5°.247.D/4°.de comp.med.sec.loc.151.E/5ª. 176.D/de oculis. 7ª.189.A
Aeruginis viuæ meminit.3°.de comp.med.per ge. 5ª.234.B
*Aerugo cõbusta,et nõ cõbusta qualis.4°.de cõp.me.per ge.*5ª.236.D
Aerugo combusta qualis.3°.de comp.med.per gen. 5ª.232.B
Aerugo lota vsta qualis.3°.meth.med. 7ª.20.C
Aerugo acris est.6°.de comp.med.per gen. 5ª.256.F
Aerugo adstringit.4°.de comp.med.per ge. 5ª.236.E
Aerugo euidenter siccat.4°.de comp.med.per ge. 5ª.240.H
*Aerugo exiccat et abstergit mediocriter,4°.de cõp.me.p ge.*5ª.240.b
*Aerugo morsũ et rosionẽ facit.2°.de cõ.me.p ge.218.G/4°.*5ª.240.b
Aeruginis erosio quo modo mitescat.2°.de cõp.med.p ge. 5ª.219.H
*Aerugo cocta & incocta varia facit.2°.de cõp.med.per gen.*5ª.222.B
Aerugo quid faciat vlceri.3°.meth.med. 7ª.17.A
Aerugo ignem nondum experta vlceribus sola nõ admouetur.4°. de compo.med.per gen. 5ª.236.G
*Aerugo quo modo præparãda ad vlcera.2°.de cõp.me.p ge.*5ª.219.G
Aerugo qũo aceto læuiganda.2°.de comp.med.per ge. 5ª.221.D
Aerugo cum cera ulceri cauo cõuenit.2°.de cõp.med.p ge. 5ª.218.G
*Aeruginis usus ĩ extrinsecis ulceribus,innoxius est.4°.met.me.*7ª.28.b
Aerugo carnem minuit.3°.meth.med. 7ª.20.C
*ex Aerugine, & cerato fit incarnans medicamentum, tamẽ utrunq; est contrariũ incarnationi,6°.de cõp.me.se.lo.176.H/1°.de cõp. med.per gen.*5ª.210.B/3°.*meth.med.* 7ª.17.B
Aerugo quomodo miscenda medicamentis.2°.de comp.medi.per ge. 221.E/222.F/H 5ª.223.B
Aerugo & tbus quomodo simul misceantur in medicamentis.2°.de compo.med.per gen. 5ª.219.D
Aerugo oculis conuenit.de ocul. 7ª.188.G
Aerugo valet contra vngulas,scabies palpebrarũ, pruritus et crassas pustulas.de ocul. 7ª.189.C
*& Aeruginẽ et pallidũ signãt χλορὸν.in 1ᵐ.prrh.c.2°.*4ª.180.A
Aeruginosus succus vnde oriatur.in 1ᵐ.prorrh.com.1°. 4ª.164.D
Aeruginosus humor quid significet.in 1ᵐ.prorrh.com.1°. 4ª.164.D
Aeruginosa primò fit bilis cũ assaf̃,et cur assaf̃.ĩ 1ᵐ.pr.c.1°. 4ª.164.D
Aeruginosa bilis quo colore inficiet.1°.de crisi. 4ª.129.E
Aeruginem euomere,& eruginosus vomitus differunt.cõ.5°.aphorismo.1°. Ex.37.C
Aeruginẽ euomuit quidã.12°.meth.7ª.80.A/cõ.5°.aph.1°.Ex.37.C
Aeruginosi vomitus meminit.in 6ᵐ.de mor.vul.cõ.1°. 3ª.155.C/*in 1ᵐ.prorrh.com.1°.*4ª.164.D/*com.7°.aph.6°.* Ex.54.D
Aeruginosus vomitus quibus superueniat,& cur.in 6ᵐ.de mor.vul. commen.1°. 3ª.155.E
pro Aeruginoso humore euomendo dedit aquam tepidam Galenus, 12°.meth.med. 7ª.80.A
Aerugo quam euomimus,quo modo differat ab ærugine ferri, et quo modo cognoscantur choleræ.com.5°.aph.1°. Ex.37.C
Aerugo habet defruti crassitudinem.com.5°.aph.1°. Ex.37.C
Aerugo facit conuulsionem.com.5°.aph.1°. Ex.37.C
Aerugine euacuata cessauit febris et conuulsio.com.5°.aph.1°. Ex.37.C
*Aeruginosa epanubisinata in vrinis.in 1ᵐ.prorrh.com.2°.*4ª.172.H
Aeruginosum colorem hãs vrina spasmũ significat.de dyna. Sp.34.B
Aeruginosum Mantix.4°.de comp.med.per gen. 5ª.244.E
Aeruginosa vrina stranguriam significat.de dyna. Sp.34.B
AES,ferrũ,lapis,est superioris generis q̃stirpes.1°.de tẽp. 1ª.13.C
Aes habet substantiam constantem & stabilem propter siccitatẽ & frigiditatem.9°.meth.med. 7ª.60.H
Aes,aurum,ferrum,& lapis, quoniam duriora, non coalescunt, neque agglutinantur.3°.de symp.cau. 3ª.29.A
Aes valde siccum est,propterea aduenicnte calore non eleuat vapores.com.1°.aph.14°. Ex.7.F
Aes siccum esse colligc.in 3ᵐ.de mor.vul.com.3°. 3ª.141.A
*Aeris duplex differẽtia,aliud ductile,aliud cõflatile.d̃ mac.*7ª.309.e
Aes conflatile facilius rumpitur ductili.de machin. 7ª.309.E
Aeris duo genera.de spermate. Sp.41.A

Aeris Cyprij fit mentio.2°.de cõp.me.per gen.226.D/5°. 5ª.250.H
Aeris Cyprij vas.5°.de com.med.per gen. 5ª.254.D
Aeris Cyprij pyxis.5°.de comp.med.se.lo. 5ª.161.F
Aeris rubri fit mentio.3°.de comp.med.se.lo. 5ª.148.A
*Aeris rubri radiꝰ ad medicamẽta agitãda.3°.de c.me.se.lo.*5ª.148.A
Aeris rubri olla.6°.de comp.me.per gen. 5ª.256.E
Aeris rubri vas.3° de cõ.me.se.lo.148.A/2°.d̃ cõ.me.p ge. 5ª.226.C
Aeris rubri pyxis.de med.fac.par. 7ª.102.G
Aeris adstrictio alia est à mespilo,aloe,moro,galla, cortice mali granati,alumine,& rhu.3°.de simp.med.fa. 5ª.20.D
in Aeris fodina cinis repertus ad quid vtilis.de ocul. Sp.191.C
Aes vstum quo modo fiat,& eius vires.de simp.me. Sp.79.F
Aes vstum habetur Puteolis.1°.de antid. 5ª.100.D
Aes vstum ex Cypro Galenus asportauit.1°.de antid. 5ª.100.C
*Aes vstum quale.9°.de sim.me.fa.71.E/4°.de com.me.p gen.241.A/ 4°.de comp.me.se.lo.*5ª.151.E/*de ocul.* 7ª.188.H
*Aes cõbustum mite medicamentũ.4°.de cõp.med.per ge.*5ª.238.G
Aes vstum vicinum adurentibus.5°.de simp.med.fa. 5ª.39.C
Aes vstum quo modo lauandum.2°.de simp.med.fac. 5ª.13.A
Aes vstũ lauatur vt argẽti spuma.1°.de cõp.me.per gen. 5ª.213.E
Aes vstum & lotum.4°.de comp.med.se.lo. 5ª.153.H
*Aes vstum lotum est in medio tertij calidũ.5°.de sim.me fac.*5ª.39.C
Aes vstum cuius vsus.2°.de comp.med.per gen. 5ª.220.B
Aes vstum lotum minus purgat.3°.de simp.me.fa. 5ª.20.D
Aes vstũ corpora adstringit & purgat.3°.de simp. med.fa.20.C/5°. de comp.me per gen. 5ª.247.C
Aere vsto magis adstringunt multa eorum quæ comeduntur.3°. de simp.medi.fac. 5ª.20.D
Aes vstum adstringens noxium,si deuoretur.13°.meth.med. 7ª.85.C
Aes vstum pro oculis.de vict.rat.in morb.acu.com.4°. 7ª.152.G
Aes vstum iuuat oculorum scabritiem.intro. If.58.C
Aes combustum exiccat.4°.de comp.med.per gen. 5ª.240.H
Aes vstum quantum exiccet.3°.meth.med. 7ª.20.A
Aes combustum desiccat & indurat.5°.de sim.me.fa. 5ª.36.C
Aes vstum extergit,& repurgat.4°.de comp.me.sec.loc. 5ª.149.G
Aes vstum corpus in aquam resoluit secundũ Asclepiadem, et hydropas auget.1°.de nat.fac. 1ª.294.B
Aes vstum in extrinsecis vlceribus conuenit, in intrinsecis noxiũ est. 4°.meth.med. 7ª.28.H
Aes vstum vlcera conglutinare non potest.1°.de sim.med.fa. 5ª.7.H
Aes vstum in ducendis cicatricibus pulcherrimum est medicamẽ.9°. de simp.med.fac. 5ª.71.E
Aes combustũ lotum cicatricẽ mire inducit.5°.de sim.me.fa. 5ª.36.C
*Aes cõbustũ vlcera vix sanabilia curat.2°.de cõp.me.p ge.*5ª.220.B
*Aeris vsti fit mentio.3°.de comp.med.sec.lo.148.B/4°.*5ª.152.D/E
*Aeris flos qualis.9°.de simp.me.fac.71.F/4°.de cõp.med.sec.lo.*5ª. 151.E/*de ocul.* 7ª.188.H
Aeris flos oculis conuenit.de ocul. 7ª.188.G
Aeris flos contra asperitatem palpebrarum.de ocul. 7ª.189.C
ex Aeris flore facta collyria extergunt,auferunt q̃ superciliorũ magnas asperitates.9°.de simp.me.fa. 5ª.71.F
Aeris flos extergit & repurgat.4°.de comp.me.sec.lo. 5ª.149.G
Aeris flos valet contra scabiem vetustam, asperitatem, ungulam vetustam & pruriginem oculorum.de ocul. 7ª.189.C
Aeris flos adstringens noxium deuoratum.13°.meth.med. 7ª.85.C
*Aeris squamã significat squama simplr.4°.de cõ.me.per ge.*5ª.238.D
Aeris squama habetur Puteolis.1°.de antid. 5ª.100.D
*Aeris squama qualis.9°.de sim.me.fa.69.H/4°.de cõp. med.sec.loc. 151.E/3°.de cõp.me.p ge.232.B/5°.254.D/6°.255.C/*5ª.258.C
Aeris squama calida tenuium partium, & parum adstringens.3°. de comp.med.per gen. 5ª.228.E
Aeris squama vicina adurentibus.5°.de simp.me.fac. 5ª.39.C
Aeris squama est medicamẽtũ forte.2°.de cõp.me.per gen. 5ª.219.G
*Aeris squamæ nigræ fit mẽtio.1°.de cõp.me.p ge.223.G/4°.*5ª.245.C
Aeris squamæ torrefactæ fit mentio.4°.de cõp.me.sec.loc. 5ª.156.C
Aeris Cyprij squamæ fit mentio.5°.de comp.me.sec.lo. 5ª.161.G
Aeris squamæ Cypriæ lotæ fit mẽtio.4°.de cõp.me.sec.lo. 5ª.155.H
Aeris rubri squamæ fit mentio.3°.de comp.med.sec.lo.148.C/2°.de compo.med.per gen. 5ª.226.B
Aeris squama per os sumpta aluum ducit.de theriaca, ad Pis.90.H/ 3°.de simp.me.fa. 5ª.20.B
*Aeris squama nõ lota q̃dã cathereticũ obtinet.5°.d̃ sim.me.f.*5ª.36.C

Aeris ſquamæ lota minus purgat.3°.de ſim.me.fa. 5ª.20.D
Aeris ſquama educit pituitã,et aquoſos humores.de dyna. Sp.22.A
Aeris ſquamæ doſis,& quibus miſcetur.de dyna. Sp.22.A
Aeris ſquama debet cribrari.3°.de comp.med.per gen. 5ª.232.B
*Aeris ſquama dẽt leuigari aliquo humido.6°.d cõ.med.pge.*5ª.259.d
Aeris ſquama quo modo lauãda.2°.de ſimp.med.fa.13.A/5°.de cõpo.med.per gen. 5ª.213.E
Aeris ſquama adſtringens noxia deuorata.14°.meth.med. 7ª.85.C
*Aeris ſquama adſtringit,& mẽbra repurgat.de opti.ſecta.23.H/de ſubſig.empi.Iſa.33.F/1°.de ali.fa.*2ª.9.B/3°.*de ſim.me.fa.*5ª.20.c
Aeris ſquama extergit,et repurgat.4°.de cõp.med.ſe.lo. 5ª.149.G
*Aeris ſquama aſtringit et mordicat.3°.d ſim.me.f.20.B/4°.*5ª.26.A
Aeris ſquama aſtringit minus cydonio.3°.de ſim.me.fa. 5ª.20.D
Aeris ſquama magis adſtringunt multa eorum quæ comedũtur.3°.de ſimp.med.fac. 5ª.20.D
Aeris ſquama adſtringit,& exiccat ſupercreſcentes vlcerũ carnes. de theriaca ad piſ. 5ª.90.H
Aeris ſquamæ adſtrictio ingrata.3°.de ſimp.med.fa. 5ª.20.D
Aeris ſquama ſiccat euidenter.4°.de comp.med.per ge. 5ª.240.H
Aeris ſquama quantum exiccat.3°.meth.med. 7ª.20.A
Aeris ſquama iuuat oculorum ſcabritiem.intro. If.58.C
Aeris ſquama in extrinſecis vlceribus ſumi debet, in intrinſecis minime.4°.meth.med. 7ª.28.H
Aeris ſquama quid faciat ad vlcera.3°.de ſimp.me.fa. 5ª.20.B
Aeris ſquama ad vlcera,qualis.4°.de comp.me.per ge. 5ª.236.F
*Aeris ſquama vlcera cõglutinare non poteſt.1°.de ſim.me.fa.*5ª.7.H
*Aeris ſquama lota cicatricẽ mire inducit.5°.de ſimp.me.fa.*5ª.36.C
*Aeris ſquama ulcera uix ſanabilia curat.2°.d cõp.me.p ge.*5ª.220.B
Aeris ſquamæ eroſio qũo miteſcat.2°.de com.me.per gen. 5ª.219.H
*ex Aeris ſquama fit albũ emplaſtrũ.1°.de comp.me.per ge.*5ª.217.D
Aeris ſquama corpus in aquam reſoluit ſecundũ Aſclepiadẽ,et hydropas auget.1°.de nat.fa. 1ª.294.B
Aerea vel ferrea quæ organa eſſe debent.de machin. 7ª.309.D
*Aerei uaſis fit mẽtio.3°.de cõp.me.ſe.lo.145.H/4°.152.H/6°.170. C/9°.205.B/2°.de cõp.med.per ge.225.F/4°.243.F/5°.*5ª.246.F
*in Aereũ uas ſemp ponit malũ punicũ.3°.de cõp.me.ſe.lo.*5ª.148.D
Aereum vas eligit pro coctura.de remed.par.fac 7ª.155.F
Aerei mortarij fit mentio.5°.de comp.med.per gen. 5ª.252.E
Aereæ teſtæ fit mentio.5°.de comp.me.ſec.loc. 5ª.166.E
Aereæ pyxidis fit mentio.2°.de cõp.me.ſe.lo.139.B/4°.152.H.158. C/5°.de comp.med.per ge. 5ª.254.E
Aerea patina.9°.de comp.med.ſec.loc. 5ª.199.D
*Aerariã facultantes exercentur,& operantur.2°.de ſan.tu.*2ª.73.H
AESCRION empiricus medicamẽtorũ peritiſſimus,Galeni præceptor,& Pergamenus.11°.de ſimp.me.fa. 5ª.81.H
AESCVLAPIVS, *& Apollo Dei artis medicæ, diuinandi,canendi,ſagittandi.oratione ſuaſoria.* If.2.C
Aeſculapio,& Apollini veram artem medicam qui concedunt.3°. meth.med. 7ª.20.H
*Aeſculapius inuenit medicinam perfectam, & diuinã.intro.*If.50.G
*Aeſculapius ab Apolline inſtitutus rẽ medicã edocuit.intro.*If.50.F
Aeſculapius patrium numen Galeni.1°.de ſan.tuen. 2ª.65.G
ab Aeſculapio originem traxit Praxagoras.1°.meth.med. 7ª.4.F
Aeſculapius medicamenti nomen.7°.de comp.med.per ge. 5ª.267.B
AESOPI *manticæ fit mentio.de cuiuſque animi pecc.not.* 2ª.56.F
Aeſopi aſello Iulianum comparat.contra Iulianum. Ex.70.B
AESTAS *quando ſit.in 1ᵐ.de mor.vul.com.3°.* 3ª.103.B
Aeſtatis principium eſt ortus pleiadum.com.3°.aph.14°. Ex.22.F
Aeſtas finit oriente arcturo.in 1ᵐ.de mor.vul.com.1°. 3ª.103.B
Aeſtatẽ pauciſſimorũ dierũ habẽt Scythæ.d aere,aquis,et lo. 2ª.5.e
Aeſtatem poſſe diuidi in multas partes,ſicut & alia tempora,colligе.commen.3°.apho.23°. Ex.24.H
Aeſtatis,et hyemis diuiſio.in 1ᵐ.d mor.uul.c.1°.102.B/cõ.3°. 3ª.107.G
Aeſtas meridiei ſimilis eſt.in 6ᵐ.de mor.vul.com.1°. 3ª.157.G
Aeſtas ſuapte natura, non ex alterius comparatione eſt calida, & ſicca.1°.de temp.11.C/F/de nat.hum.com.1°. 1ª.32.D/*in 1ᵐ.de mor.vulg.commen.1°.* 3ª.101.C
Aeſtatis calor fit à ſole.de nat.hum.com.1°. 1ª.32.D
Aeſtatis caloris ad calorẽ balnei comparatio.c.4°.aph.5°. Ex.28.A
*Aeſtas caliditſima & ſicciſsima quomodo intelligatur.2°.de cri.*4ª.134.D/10.meth.med. 7ª.63.E
Aeſtate eſt magnus æſtus cum venti non ſpirant.in 1ᵐ. de morb.vul. commen.3°. 3ª.141.D
Aeſtate partes maritimæ in locis frigidis ſunt calidæ, quoniam humiles,in calidis frigidæ,quoniam venti qui ſpirant ab arctо,refrigerant.com.3°.aph.14°. Ex.22.F
Aeſtate Aquilonibus expoſita loca adeunda eſſe, collige. de cau. proc. 3ª.96.A
Aeſtas nubiloſa.in 1ᵐ.de mor.vul.com.1°. 3ª.104.A
*Aeſtatis tpe abundat flaua bilis ſm Hippocratẽ.bre.denot.dog.Hippo.231.B/de natu.hum.com.1°.32.B/8°.de decre.Hippo.*1ª.276. D/*in 1ᵐ.de mor.vul.com.1°.*1ª.100.H.104.B/*comm.1°.apho.2°. 3.D/com.3°.aph.2°.24.C/aph.22°.* Ex.24.E
Aeſtate cur bilis abundet.8°.de decr.Hipp. 1ª.276.F
Aeſtate plus bilis medicamentis euacuatur.1°.de nat.fac. 1ª.294.C
Aeſtate etiam ſanguis abundat.8°.de decr.Hipp. 1ª.276.E
Aeſtate humores ſunt aſſati.com.3°.aph.9°. Ex.20.G
Aeſtate peruſti ſanguine et flaua bile abundant, atra autumno.in 1ᵐ. de morb.vul.com.1°. 3ª.100.H
Aeſtate pituita imbecilliſſima eſt.8°.de decr.Hipp. 1ª.266.F
*Aeſtate homines caliditſimi,& rubri ſunt.8°.de decr.Hip.*1ª.276.E
Aeſtas alterare poteſt pulſus,non efficere.1°.de cau.pul. 4ª.86.G
Aeſtate cur ſemina iacta non naſcantur.com.5°.apho.62°. Ex.43.G
*Aeſtas facit celeritatẽ morbis.cõ.2°.aph.9°.16./A/aph.25°.*Ex.16.A
Aeſtate morbi citius ſanantur ſecundum Galenum, contrarium tamẽ ſenſit Diocles.com.2°.apho.34°. Ex.17.C
*ĩ Aeſtate humores mouẽtur ad cutẽ,et diffland. c.3°.ap.9°.*Ex.20.H
Aeſtas parit morbos.de nat.hum.com.2°. 7ª.182.B
*Aeſtatis,et autũni morbi.d na.hu.c.1°.1ª.32.C/c.3°.aph.21°.*Ex.24.c
Aeſtas naturalis plurimas affert febres.2°.de criſi. 4ª.134.D
Aeſtas facit tertianas.com.4°.aph.59°. Ex.33.H
Aeſtate aliqui tertianis vexantur, ſed præſeruantur,ſi in fine veris euacuentur.com.6°.aph.47°. Ex.52.D
Aeſtate fiunt cauſi plures.2°.de criſi. 4ª.134.E
Aeſtate homines laborant inteſtinorum difficultate.8°.de decr.Hippo.276.E/de nat.hum.com.1°. 1ª.32.A
Aeſtate ſi qui tempore quo fructus maturanť, vitioſos habeant humeres,incidunt in podagram autumno.com.6°.aph.55°. Ex.53.D
Aeſtate terminanť morbi qui hyeme augẽtur.de na.hu.c.1°.1ª.33.D
Aeſtate diſcuti prorſus morbos hyemales mendacium eſt. in 3ᵐ. de mor.vulg.com.3°. 3ª.147.D
Aeſtate homines patiuntur deſtluuia ſanguinis ex naribus.8°.de decre.Hipp.276.E/de nat.hum.com.1°. 1ª.32.B
Aeſtas feruens dolorem facit.de nat.hum.com.1°. 1ª.28.H
*Aeſtas ſimilis veri facit multos ſudores ĩ febrib⁹.c.3°.ap.6°.*Ex.20.e
Aeſtas borealis neque ſub caniculã neque ſub arcturum pluuioſa pituitoſis confert,bilioſis nocet.de aere,aquis,& locis. 2ª.4.C
Aeſtas ſi ſit ſicca & auſtro perfletur,et autumnus ſequens pluuioſus ac ventris ſeptentrionalibus agitatus,qui morbi accidant in hyeme.de aere,aquis,& locis. 2ª.4.C
*Aeſtas ſi ſit pluuioſa,& auſtro multum perfletur et autumnus ſimilis ſequatur,quales morbi hyeme pariantur.de aere,aquis,& locis.*2ª.4.C/*com.3°.aph.13°.* Ex.21.H
Aeſtate qui contingant morbi, ſi hyems borealis ſit & ſicca, & ver auſtrinum,& pluuioſum.de aere,aquis,& locis. 2ª.4.C
Aeſtatis mutationes ſentiuntur in generatione,& in ſemine. de aere, aquis,& locis. 2ª.6.B
Aeſtate venæ exiccatæ trahunt humores acutos & bilioſos, quibus fiunt febres acutæ.com.4°.aph.58°. Ex.33.G
Aeſtatis principio debent purgari flauæ bilis morbi. quos pur. op. quibus med.& quo temp. 5ª.88.D
Aeſtate purgationes ſunt moleſtæ, nam natura tunc exuſta non fert acritudinem medicamentorum,& multi eo tempore purgati incidunt in febres,& diſſoluuntur.com.4°.aph.5°. Ex.28.A
*Aeſtate pſupiora purgãdũ eſt.c.4°.apho.4°.27.H/aph.7°.*Ex.28.B
Aeſtate bilis innatans deorſum trahenda.de ſal.diæ. 2ª.41.E
*Aeſtas arida multam abſumit humiditatem.cõ.3°.aph.6°.*Ex.20.E
Aeſtas ſuperueniens veri,humores veris euacuat, quod nõ facit autumnus.com.3°.aph.22°. Ex.24.E
Aeſtate non accipienda theriaca.de ther.ad Piſo. 5ª.97.B
Aeſtate qui plethoricis morbis corripiuntur,illis vere vena ſecãda. de cur.ra.per ſang.miſſ. 6ª.17.E
*in Aeſtate qui febre corripi ſolẽt,illis æque pars quæuis in ſãguinis detractionẽ vere accõmoda eſt.de cur.ra.per ſang.miſ.*6ª.20.H

in Aestate cur non detrahatur sanguis, vel parum, rationem collige. 9°.meth.med. 7ª.60.H
Aestate calida & sicca graciles sunt imbecilles.10°.met.med.7ª.66.c
in Aestate & hyeme humida & calida bene se habent. c. 3°.aph.2°. Ex.20.A
Aestas est optima pueris,& senibus.com.3°.apho.18°. Ex.23.G
Aestas pdest naturis frigidis.c.3°.aph.2°.20.A/aph.18°. Ex.23.H
Aestate senes magis sunt sani.com.3°.aph.3°. Ex.20.B
in Aestate exiccare timebat Galenus corpus frigidæ & humidæ temperaturæ.de progn.ad Posth. 4ª.217.G
Aestate appetitus minor, hyeme maior.com. 1°.aphor. 15°.8.A.& aphor.18°. Ex.9.E
Aestiui cibi qui.de bon.& vitio suc. 2ª.39.B
Aestate quo modo edendum & bibẽdum,& qualia.de sal.diæ.2ª.40.C/de ren.aff.dig.& med. 2ª.195.C
Aestate cibi mali succi quibus nõ vitãdi.de bon.& vitio suc. 2ª.39.B
Aestate quo modo debeant nutriri ægri.com.1°.apho.17°. Ex.91.C
Aestate vtendum cibis frigidis & humidis.1°.de ali.fa. 2ª.13.F
Aestate frigidæ sint potiones.11°.meth.med. 7ª.76.B
Aestate siccis & calidis debemus dare cibaria ex lacte.de boni.& vitio suc. 2ª.39.B
Aestate qui fructus & quo modo refrigerati dari possint siccis, & calidis.de bon.& vitio suc. 2ª.39.B
Aestate debemus dare aphrogala siccis,et cali.de bo.et ui.su.2ª.39.B
Aestate siccis & calidis debent dari ficus,et cucurbitæ frigidæ.de bo.& vitio suc. 2ª.39.B
Aestate,hyeme,in loco calido,in loco frigido,viro,puero,seni,mulieri non æque conueniunt capilli.11°.de vsu par. 1ª.189.F
Aestate vestes debent esse oleo infectæ.de sal.diæ. 2ª.41.A
Aestate & hyeme idẽ amictus Scythis.de aere,aquis,et locis. 2ª.5.E
Aestate ab omnibus meridies euitatur.de cau.procat. 3ª.96.A
Aestate quid agere debeant exercitantes se.de sal.diæ. 2ª.42.E
Aestate quomodo præparandus locus,in quo fit exercitatio.2°.de sanit.tuen. 2ª.73.C
Aestate multis lauacris vtendum.de salubri diæta. 2ª.41.A
Aestate debent esse duriora medicamenta,hyeme molliora.7°.de cõpo.med.per gen. 5ª.268.E
Aestate & hyeme medicamenta vario modo applicanda. 2°.de arte cur.ad Glauc. 7ª.101.G
Aestate frigidum, hyeme calidum oxymeli dandum. de vict.rat.in mor.acut.com.1°.114.F/de puero epil. 7ª.180.E
Aestate medicamẽta rosaceo sũt contẽperanda.6°.meth.me. 7ª.38.E
Aestiuum tempus est calidum & siccum quocunque tempore sit. de vict.ra.in mor.acut.com.4°. 7ª.134.C
ut Aestiuo tempore aqua fontana,medicamentum refrigerat.de præcogn.ad Posth. 4ª.217.G
Aestiuũ solstitiũ maxime periculosum.de aere,aquis,& loc. 2ª.4.D
Aestiuo tempore ruri manens quos humores coaceruet.in 1ᵐ.de mor. vulg.com.3°. 3ª.117.F
Aestiuo soli se exponentes post vehementes motus quicquid vitiatum est in habitum corporis recipiunt.1°.de diff.feb. 3ª.31.H
Aestiuo soli caput exponere quid faciat.de cau.procat. 3ª.96.B
Aestiuos morbos tollit bruma.in 3ᵐ.de mor.uul.cõ.3°.147.B/3ª.151.b
AESTVS apud antiquos significat febres,aeris ambientis feruorem, cauteria,escharas.com.7°.aph.13°. Ex.54.H
Aestum & frigus posse pati,pulchrum.oratio.suasoria. If.5.B/C
Aestus perpessò Galeno ptissanæ cremor bene refrigeratus satis fuit. de bo.& vitio suc. 2ª.39.C
Aestus vitandus.de sal.diæ. 2ª.40.H
Aestus,& frigus fugiuntur ab animalibus.de cau.procat. 3ª.96.A
Aestus consolationes,quæ.de cau.procat. 3ª.96.A
ob Aestum pastores gestant coronas ex virentibus ramis. de cau. proc. 3ª.96.A
in Aestu qui uersatus est, is febrem sentit,quæ in capite primũ exorta,in vniuersum corpus mox diffunditur tanquàm à lare, vbi accensa est.de cau.proc. 3ª.98.G
sub Aestu caniculæ fit quoddã cephalicũ.2°.de cõp.me.p ge.5ª.226.B
Aestus circa canis ortum febrem facit.1°.de diff.feb. 3ª.31.C
ex Aestu diaria.4°.de san.tuen. 2ª.88.F
ex Aestu & ambulatione causus factus.de vict.rat.in mor.acut.cõmen.4°. 7ª.134.E
per Aestus magnos qui iter fecerint,loqui non possunt,nisi larynx eis sit perfusus.7°.de vsu par. 1ª.161.C
Aestu imbecilles expurgatione dissoluuntur.cõ.4°.aph.5°.Ex.28.A
ab Aestibus fortibus cõuulsio aut distẽsio malũ.c.7°.aph.13°.Ex.54.b
Aestus ventriculi fit à flaua bile.com.4°.aph.65°. Ex.34.E
Aestus lateris cũ dolore quid significet.in 1ᵐ.prorr.cõ.2°.4ª.173.G
Aestus circa spinã significat mẽses erupturos.in 1ᵐ.pr.cõ.2°.4ª.186.B
Aestus plurimum valent ad animi mores.& animi mores. 1ª.320.E
Aestuantes omnes non rigent.de palp.conuul.& rig. 3ª.55.C
Aestuosi rigores pernicioſi sunt.in 1ᵐ.prorr.com.2°. 4ª.173.H
Aestuantes adiuuat portulaca.6°.de simp.me.fa. 5ª.43.A
in Aestuosis febribus qui delirant.de vtil.resp. 1ª.226.C
Aestuosis debet dari vinũ dilutũ refrigeratũ.de bo.et ui.suc. 2ª.39.C
AETATES in numero plurali quid significent apud Hippocratẽ. com.5°.aph.9°. Ex.38.C
Aetates annorũ numero non circunscribuntur.6°.de san.tuẽ.2ª.95.F
Aetatum differentiæ.8°.de decr.Hip. 1ª.276.G
Aetates quadrifariam distinguit Hippocrates.breuis denot.dog.Hip. 1ª.231.B/fin.med. If.44.G
Aetates quæ,vt iuuentus,senectus,pueritia,consistentia.c.1°.aphoris.13°. Ex.6.G/H
Aetates per septimanas possumus diuidere.com.3°.apho.30°.26.D/com.5°.apho.7°. Ex.38.A
Aetates numerat quibus temporibus sunt.com.5°.aph.9°. Ex.38.C
Aetatum qualitates.1°.de temp. 1ª.11.C
Aetates variæ quo modo variũ habeãt calorẽ.cõ.1°.aph.14°. Ex.7.D
per Aetates aãl nõ semp fit calidius aut frigidius.1°.d sa.tu. 2ª.67.C
Aetatum temperaturæ distinctæ.de sal.diæ. 2ª.40.E
Aetates diuersæ quæ exigant tempora.com.3°.aph.18°. Ex.23.G
Aetates oẽs nõ afficiuntur ab anni tẽporibus.2°.de dig.pulf. 4ª.78.F
Aetas debet referri ad dubium corporis & non ad virtutem. de vic. ratio.in mor.acu.com.4°. 7ª.137.G
Aetas spectanda secundum Hippocratẽ.8°.de decre.Hipp. 1ª.276.G
Aetas,& natura sunt in omni statu consyderanda.m 1ᵐ.de mor.vul. com.2°. 3ª.108.E
Aetatum consideratio.2°.de temp. 1ª.15.H
Aetas pubertatis quo tpe incipiat & desinat.cõ.5°.aph.7°.Ex.38.A
Aetas pubertatis nõ habet certissimum terminũ, sed tardius et citius fiunt secundũ caliditatẽ & frigiditatem.com.3°.aph.27°.Ex.25.H
Aetas tẽperatissima media inter pueros adultos.de sal.diæ. 2ª.40.H
Aetates omnes deteriores adolescentia.6°.de san.tuen. 2ª.95.F
Aetate calidi adolescentes.in 1ᵐ.de mor.vul.com.2°. 3ª.105.A
Aetates calidiores sunt biliosiores.2°.de nat.fa. 1ª.300.D
Aetates tẽperatæ quæ,et quid cõueniat ipsis.cõ.3°.aph.18°. Ex.23.G
fm Aetatem homo habet medium.3°.de ali.fac. 2ª.33.D
Aetates mediæ habent medium modum inter duritiem, & mollitiẽ. 2°.de tem. 1ª.16.B
Aetas habet vigorem.de mor.temp. 3ª.86.D
Aetas consistentium biliosissima omnium.2°.de diff.fe. 3ª.36.D
in Aetatis vsq; uigorẽ homo fit semp valẽtior.1°.de san.tuen.2ª.62.F
in Aetatis vigore quid agatur.1°.de san.tuen. 2ª.62.F
Aetate florentes aliqui quietem postulant.5° de san.tuen. 2ª.89.F
Aetas floresçens,membra habet mediocriter se habentia in duritie, & mollitie.2°.de temp. 1ª.16.B
ad Aetate florentes tantùm pertinet venus.2°.de san.tuen. 2ª.69.D
Aetate florẽtib⁹ mel fit succus amarissim⁹.4°.de sim.me.fa. 5ª.29.B
in Aetate florentibus matrices maximæ.14°.de vsu par. 1ª.205.C
Aetatis remissio vnde incipiat fm aliquos.6°.de san.tuen. 2ª.95.F
Aetati senili mel vtiliter datur.de bo.& vitio suc. 2ª.39.A
Aetas frigida vertit mel in sanguinem.2°.de nat.fac. 1ª.300.H
in Aetatibus senum, in rebus præter naturam febris tabida est verus marcor.de marcore. 3ª.46.H
Aetates frigidiores sunt pituitosæ.2°.de nat.fa. 1ª.300.D
Aetates mutãt respirationẽ.de util.resp.1ª.225.G/1°.d dif.res.3ª.58.c
Aetatum diuersarum pulsus,quales.de pul.ad tyrones. 4ª.44.A/B
Aetas quælibet suum habet pulsum.1°.de diff.puls. 4ª.48.G
ad Aetatum portionem augetur vesica.14°.de vsu par. 1ª.205.C
Aetatis ratione corpus deficit à temperie.5°.de san.tuen. 2ª.89.E
in Aetatis successione omnes succescimus.6°.de san.tuen. 2ª.96.D
Aetatis cursu homo ad interitum tendit.1°.de san.tuen. 2ª.63.A
Aetas vt in animalibus,ita tẽpora in morbis.de mor.temp. 3ª.85.B
Aetatum morbi.8°.de decr.Hipp. 1ª.276.G
Aetati calidæ morbi calidi sũt cõgruẽtes,frigidę frigidi,humidę humidi,

midi, siccæ sicci. com. 2°. aph. 34°. Ex. 17. C
Aetates quibus fiunt tabes. com. 5°. aph. 9°. Ex. 38. C
Aetas calida & sicca facit tertianas. com. 4°. aph. 59°. Ex. 53. H
ẽ Aetate puella corp° nõ ẽ humidũ et frigidũ. 3°. de sym. cau. 3ª. 29. C
ẽ Aetate declinãte, et ĩ autũno febres fiũt ẽrtanę. 2°. d̃ dif. fe. 3ª. 36. C
ẽ Aetate senili ac puerili quotidianæ febres fiũt. 2°. de dif. fe. 3ª. 36. D
Aetatis imbecillitas facit omnia mala peiora senioribus. commen°. 7. aphor. 41°. Ex. 57. C
Aetas cui contingit apoplexia. com. 6°. aph. 57°. Ex. 53. E
Aetate qua fluat sanguis. in progn. com. 1°. 196. D/com. 3°. 4ª. 208. G
Aetatis scopus iuuat. de vict. rat. in mor. acu. com. 1°. 7ª. 115. F
ab Aetate indicatio 9°. meth. med. 60. H/11°. 63. B/F/13°. 7ª. 84. D
ab Aetate inditia vnde sumantur. in progn. com. 3°. 4ª. 209. H
Aetas docet humorem peccantem. com. 4°. aph. 2°. Ex. 27. E
Aetas considerandа in inuentione curationis. 3°. de loc. aff. 4ª. 15. D
Aetas, & ægri vires ab Hippocrate considerantur in sanguinis missione & magnitudo morbi. in 3ᵐ. de morb. vulg. com. 1°. 3ª. 127. F
Aetas confert ægritudinibus dignoscendis. com. 4°. aph. 2°. Ex. 27. E
Aetas indicat febres & morbos. com. 1°. aph. 12°. Ex. 5. E
Aetas multũ facit ad præsagiendũ. in 1ᵐ. de mor. vul. cõ. 3°. 3ª. 117. F
ab Aetate colligit ex tpe ꝓportio. in 1ᵐ. de mor. vul. c. 1°. 3ª. 103. G/F
Aetates similibus deprimunt, dissimilibus iuuantur, vt calidæ calidis perimunt, seruãtur frigidis, & ita de aliis. cõ. 3°. aph. 3°. Ex. 20. B
Aetates, anni tempora, & regiones, quomodo se habeant ad purgationes. quos pur. op. quib. me. & quo temp. 5ª. 88. E
Aetas indicat bonas excretiones. com. 4°. aph. 47°. Ex. 33. A
Aetatum deiectiones qũo ratione mutentur. cõ. 2°. aph. 20°. Ex. 14. E
Aetates sũt magis ĩclinatæ ad resolonẽ ꝓ febrẽ. c. 2°. aph. 28°. Ex. 16. D
Aetas sicca soluit morbum comitialem. com. 2°. aph. 7°. Ex. 38. A
Aetatum mutatione epilepsia sanatur si victus ratio consentiat. in 1ᵐ. de morb. vulg. com. 5°. 3ª. 193. B
Aetatis beneficio qui seruatus. 5°. de loc. aff. 4ª. 32. D
Aetas docet vnde accipitur victus ratio. com. 1°. aph. 17°. Ex. 9. B
ꝓ Aetate victus ratio immutanda. de sal. dix. 2ª. 40. H
Aetas similem victum postulat. 8°. meth. med. 7ª. 55. A
cb Aetatem qui ante cibum exerceri non possunt, vitent cibos crassi & lenti succi. de bon. & vitio suc. 2ª. 35. A
fm Aetates & temperaturas medicamentorum variatio. 7°. de comp. med. sec. loc. 5ª. 181. B
fm Aetates & horas diacodij variatio. 7°. de com. me. se. lo. 5ª. 181. B
Aetas frigida expetit alia medicamenta. 1°. de com. me. se. l. 5ª. 125. F
Αἰτωμα testudinatum tecti. de art. com. 3°. 7ª. 270. F
ÆTALODES quid. 6°. de simp. med. fac. 5ª. 62. B
ÆTHER & aer quid significet. in 6ᵐ. de mor. vul. cõ. 4°. 3ª. 184. G
ÆTHIOPIAE habitatores quales. de incant. adiu. & susp. 7ª. 181. F
Aethiopes sunt graciles. 2°. de simp. med. facul. 5ª. 14. E
Aethiopum cutis, qualis. 2°. de temp. 1ª. 20. B
Aethiopes habent paucos capillos, & tamen non facile caluescũt. 11°. de vsu par. 1ª. 190. B
Aethiopes cur crispi. 2°. de temp. 1ª. 13. B
Aethiopica lingua deterior Persica. de sophis. in. Isa. 8. G
Aethiopum linguæ si aliquod sit vocabulum, ab ipsis Aethiopibus res discenda est. ad Thrasy. 2ª. 106. H
Aethiopicum cuminum cæteris præstat. 4°. de san. tuen. 2ª. 85. A
AFFECTIO quid significet. de iis, quæ in med. fi. cõ. 1°. 7ª. 197. G
Affectio vnde dicatur. de cur. rat. per sang. mis. 6ª. 16. B
Affectio quid. 6°. de decr. Hipp. 1ª. 260. F
Affectiones quæ sint. 2°. meth. med. 7ª. 10. C
Affectionum præter naturã causas cognoscat medicus, qui ratione curaturus est, vt illas è corpore eiicere possit. de voc. inst. diff. 1ª. 106. B/de palp. conuulf. & rig. 3ª. 53. B/in progn. com. 1°. 4ª. 189. D
Affectiones futuræ præno scendæ sunt. in progn. com. 1°. 4ª. 189. D
in Affectionum cognitione consistit artis coniecturale. 2°. de comp. med. sec. loc. 5ª. 136. A
ad Affectionem morbosam parato corpore ita, vt prope cõpleta sit, aliquo extrinseco detegitur. de vic. rat. in morb. ac. c. 4°. 7ª. 150. G
ad Affectionẽ pertinẽtia scribit Hippocrates. 2°. de dif. resp. 3ª. 65. F
Affectio, & operatio potest vna & eadem res appellari. 6°. de decr. Hippocr. 1ª. 260. H
Affectiones à doloribus distinguit. 3°. de comp. med. sec. lo. 5ª. 143. D
Affectiones calidæ, quæ. 1°. de simp. med. fac. 5ª. 5. H
Affectiõs corpis nigræ, ex lingua cognoscunt. 8°. de dec. Hip. 1ª. 275. H
Affectiones certæ sunt in solidis animalis partibus, vt œdema, inflammatio, & scirrhus. in 3ᵐ. de mor. vulg. com. 1°. 3ª. 129. D
Affectio quandoq; mitior est, & symptomata grauia. de vict. ratio. in mor. acu. com. 3°. 7ª. 133. E
Affectio ut facilĩ° à sẽsu dignoscat facit ĩbecillitas. 4°. d̃ lo. af. 4ª. 25. E
Affectio vnde reperiatur. in 1ᵐ. prorrh. com. 1°. 4ª. 163. B
Affectionis quandoq; causa est sola particula. 4°. de loc. aff. 4ª. 23. C
Affectio qñ primo, & qñ p cõsensũ, qũo cognoscat. 3°. de lo. af. 4ª. 17. B
Affectus p cõsensũ, deletis cãis efficiẽtibus deficit. 3°. de lo. af. 4ª. 17. B
Affectio permanet dispositione permanente, causa efficiente quiescente. 3°. de loc. aff. 4ª. 17. B
Affectio quæ facilior, & quæ difficilior. in progn. com. 2°. 4ª. 202. D
Affectiones solum difficiles efficere, proprium est atræ bilis. in progn. commen. 2°. 4ª. 202. D
Affectiones intrinsecæ difficilius cognoscuntur. de const. ar. Isa. 40. B
Affectio quæ lassitudo ferè sit, qualis sit, & quomodo differat ab aliis lassitudinibus. 3°. de san. tuen. 2ª. 78. H
Affectio nulla peior q̃ quæ cum insania. in 1ᵐ. prorrh. cõ. 2°. 4ª. 174. H
Affectio pessima cum humores sunt in tunicis ventris cerebri. 2°. de comp. med. se. lo. 5ª. 134. A
Affectiones magnæ vehementes q̃ virtute languentibus permitiosæ. in 1ᵐ. prorrh. com. 2°. 4ª. 179. B
Affectionis corporalis prouidentia oĩs, ꝓpria eius internoscenda essentia, & in viribus materię præsidiorũ cõsistit. 5°. de san. tu. 2ª. 92. H
Affectio indicat auxilia. 2°. de comp. med. sec. loc. 5ª. 134. A
Affectio, signũ, & curatio qũo se habeãt adinuicẽ. 4°. met. me. 7ª. 27. A
ad Affectiones longas. 7°. de comp. med. per gen. 5ª. 274. E
Affectionũ longarum librum fecit Archigenes. 3°. de loc. af. 4ª. 20. D
ad Affectiones inueteratas. 7°. de comp. medicam. sec. loc. 182. C/9°. 199. E/10°. 5ª. 208. B
in Affectionibus inueteratis conuenit sanguinis detractio. 2°. de cõp. med. sec. loc. 5ª. 137. H
ad Affectiones fluidas. 7°. de comp. med. se. lo. 5ª. 184. F
ad Affectiões humectas ualde diu durãtes. 7°. d̃ cõ. me. se. l. 5ª. 182. D
Affectio eadem intrinseca alia quærit pharmaca, quàm extrinseca. 2°. de compositione medicamen. sec. loc. 5ª. 134. A
ad Affectiones omnes internas. 7°. de compos. medic. sec. loc. 179. F/186. A/8°. 5ª. 190. D
ad Affectiões ĩternas p circuitũ repetẽtes. 7°. de cõ. me. se. l. 5ª. 182. F
ad Affectiones internas corporis antidotus multum efficax. 2°. de antidotis. 5ª. 115. G
ad Affectiones malas internas corporis efficax est mithridatica antidotus. 2°. de antid. 5ª. 110. C
ad Affectiones malas & internas corporis valet antidotus Mithridatis Eupatoris Diascinci nominata. 2°. de antid. 5ª. 115. C
Affectionum internarum librum fecit Asclepiades. 7°. de comp. med. sec. loc. 5ª. 181. H
Affectionum internarum librum fecit Andromachus. 7°. de compos. med. sec. loc. 5ª. 178. C
Affectio quæ facit dolorem capitis difficulter cognoscitur. 2°. de cõp. med. sec. loc. 5ª. 132. A
ad Affectiones oculorum recentes. 4°. de comp. med. se. lo. 5ª. 154. C
ad Affectiones oculorũ in declinatione. 4°. de cõp. med. se. lo. 5ª. 154. E
ad Affectiones thoracis. 7°. de comp. med. sec. lo. 5ª. 182. B
in Affectione sanitas ꝓducit operationes debiles. ad Thrasy. 2ª. 102. E
AFFECTVS, passio, & ægritudo idem. de dif. mor. 3ª. 5. A
Affectus quid. de subfig. emp. 32. C/& fin med. If. 45. F/de cogn. cur. animi morb. 2ª. 50. C/de sympt. dif. 3ª. 11. B/1°. de loc. af. 4ª. 4. C
Affectus est motus præter naturam. 6°. de decr. Hipp. 1ª. 260. H
Affectus partis qui proprie dicatur. 1°. de loc. af. 4ª. 5. B
Affectus cum vmbra quid secundum Archigenẽ. 1°. de loc. af. 4ª. 3. H
Affectus vnum & ex his quæ accidunt corporibus nostris à naturæ suæ modo egressis. 2°. meth. med. 7ª. 9. B
Affectus an aliquis sit innatus. in 3ᵐ. de mor. vul. com. 2° 3ª. 135. G
Affectus omnis præter naturam, aut morbus est, aut causa morbi, aut symptoma morbi. de sympt. dif. 3ª. 10. C
in Affectibus præter naturã febris tabida numeratur. de mar. 3ª. 46. H
Affectus quę dici possint, & quæ non. 2°. meth. med. 7ª. 9. H
Affectus sanorum & ægrorum & neutrorum omnium commune est. de symp. dif. 1ª. 10. C
Affectus, & passionis differentiæ. de symp. dif. 3ª. 310. D
Affectuum vniuersalis distinctio. 3°. de præs. ex puls. 4ª. 14. F

Affectus omnes diuini sunt fm aliquos. de aere aquis, & lo. 2ª.5.G
Affectus diuini Scythis, qui. de aere, aquis, & lo. 2ª.5.G
Affectus esse cãm morbi medico fatẽdũ, & tenẽdũ. 1°.*met.me.* 7ª.7.E
Affectus omnes non potest vnus homo perpeti. 2°.*de loc.af.* 4ª.12.G
Affectus in quo consistat. de sympt. dif. 3ª.10.D
Affectum naturalem corporis sequitur actio naturalis, & econtra. 1°. *meth. med.* 7ª.7.E
Affectu aliquo oĩo p̃ditũ ẽ qcq̃d quocũq; mõ se hẽt. 2°.*me.me.* 7ª.10.A
Affectus qui fit differt à iam facto. 1°.*de loc.af.* 4ª.4.G
Affectus qui dum sunt, sunt. in 3ᵐ.*de morb. vulg. com.* 1°. 3ª.129.D
Affectus qui relinquuntur in corpore ex frictione, sunt ex his quæ fiũt. 2°.*de san. tuen.* 2ª.71.F
Affectum creantes causæ considerandæ sunt. 1°.*meth. med.* 7ª.7.G
Affectus qui actionem impedit potest habere causam, et potest esse remota causa. 1°.*meth. med.* 7ª.7.G
Affectus à principio idem est specie, causis agentibus tamen non appareat. 1°.*de loc. af.* 4ª.4.F
Affectus mouent causas continentes, & sunt præcedentes illorum causæ. 1°.*de cau. puls.* 4ª.86.G
Affectus permanet plerunq; causa ablata. 1°.*de lo. af.* 3.H/ 4ª.4.C
Affectus, & causa simul, quæ. 11°.*meth. med.* 7ª.71.D
Affectus in causas nõ diducit, sed in differentias. 9°.*meth. me.* 7ª.59.G
Affectus in quibus morbis non videtur. 13°.*meth. med.* 7ª.85.F
Affectus simplex est diaria, quando causa abiit. 10°.*met. me.* 7ª.61.C
Affectus firmus in particula non permanet causa efficiente pertranseunte. 1°.*de loc. af.* 4ª.3.H
Affectus qui nondum pertinaciter inhæret. 1°.*de loc. af.* 4ª.4.G
Affectus ꝓprius potius nominãdus q̃ primarius. 1°.*de loc. af.* 4ª.4.H
Affectꝰ primarios ab aliis uocatos ipse uocat ꝓprios. 1°.*d̃ l. af.* 4ª.6.D
Affectus primario loco inuestigandos esse præcipit Hippocrates, & quid inde vtilitatis habeatur. bre. den. dogm. Hipp. 1ª.231.D
Affectus ille primo inueniendus, qui est causa effectrix functionis. 2°. *meth. med.* 7ª.12.F
Affectus et symptoma functionũ noxę. i 3ᵐ.*de mor. uul. c.* 1°.3ª.129.D
Affectus lædens, vel functio læsa est morbus. 2°.*meth. med.* 7ª.9.C
Affectus qui lædit actionem potest morbus vocari, & ex hoc nihil mutatur curatio. 2°.*meth. med.* 7ª.12.E
sine Affectu corporis naturali actio proba esse non potest, nec vitiosa nisi cum corpus sit vitio affectum. 1°.*meth. med.* 7ª.7.G
Affectũ tertio mõ corpus põt dici causa morbi. 1°.*met. me.* 6 F/ 7ª.7.E
Affectus qui est morbus. 2°.*meth. med.* 7ª.9.C/D
Affectus inflammatorius, qui. 2°.*de loc. af.* 4ª.8.H
Affectus calidiores faciunt nimij motus. 1°.*de san. tu.* 2ª.65.G
Affectus caliditate vincente. de palp. conuul. & rig. 3ª.54.C
Affectus frigiditate vincente. de pal. conuul. & rig. 3ª.54.D
Affectus mollis, qui. 5°.*de san. tuen.* 2ª.89.D
Affectus mollis & humidus, qui. 5°.*de san. tuen.* 2ª.89 D
Affectus humidus, qui. 5°.*de san. tuen.* 2ª.89.D
Affectus siccus durum habitum facit. 5°.*de san. tuen.* 2ª.89.D
Affectus acutus, qui. fin. med. Isa.45.F
Affectus acutus, qui. fin. med. Isa.45.F
Affectus dum alterantur, mouentur. 2°.*meth. med.* 7ª.10.A
Affectus non potest dici permutari. de ven. sect. aduer. Eras. 6ª.11.E
Affectæ partes non permutantur. de ve. sec. ad Eras. 6ª.11.E
Affectus implicati, qui. in 3ᵐ.*de morb. vulg. com.* 2°. 3ª.135.B
Affectus an possit speciem suam seruare remotis pathognomonicis signis. in 3ᵐ.*de morb. vulg. com.* 3°. 3ª.143.H
Affectus quidam lassitudini proximus quem prauè lassitudinem nominant. 3°.*de san. tuen.* 2ª.78.F
Affectus similis lassitudini, & qui non est lassitudo, qualis & quando incidat. 3°.*de san. tuen.* 2ª.79.E
in Affectibus ex frictione quæ insint cõtrarietates. 2°.*de sa. tu.* 2ª.71.F
Affecta particula an tumore vel dolore infestetur, tertio loco considerandum. 2°.*de loc. af.* 4ª.13.D
in Affectu vnico quod quisque notauit, non est tribuendum multis. 3°. *de san. tuen.* 2ª.80.F
Affectus, quos incidebant, qui malos cibos ob annonæ penuriam ederant. de bo. & vitio suc. 2ª.33.G
in Affectibus tenuiũ spiramẽtorũ symmetriã itelligẽs ex vtraq; parte duo ĩmodica, q̃ inter se sint cõtraria inuenies. 11°.*me.me.* 7ª.71.A
ex Affectibus sanguis exiens est in toto genere præter naturam. 3°.*de sympt. cau.* 3ª.26.H
Affectus pilorum sunt nouem. fi. med. Isa.48.B
Affectus multi in ventriculo. 7°.*meth. med.* 7ª.48.F
Affectuum cognitrix medicinæ pars. fin. med. Isa.48.A
Affectuum consideratio medicinæ pars. intro. Isa.51.H
ꝓ Affectus qualitate, & affecto loco cognoscẽdo, medicus exercitatissimus esse debet. 1°.*de lo. af.* 3.D/3°.4ª.15.C/14°.*me.me.* 7ª.88.A
ad Affectuum notionem, quæ conducunt. 5°.*de san. tuen.* 2ª.93.B
ad Affectus cognitionem multum faciunt causæ procatarcticæ. 2°.*de comp. med. sec. lo.* 5ª.132.A
Affectus proprius partis qũo cognoscatur. 2°.*de loc. af.* 4ª.14.C
Affectus ꝓtiũ i superficie cõstitutarũ facile cognoscunt. 1°.*d̃ lo. af.* 4ª.2.C
Affectus raro euenientes qũo deprehenduntur. 3°.*de loc. af.* 4ª.15.B
Affectuum inuentio, & cognitio præsentium est idem. 4°.*de præsag. ex puls.* 4ª 121.F
Affectuum notæ vnde accipiantur. 1°.*de loc. af.* 4ª.6.A
Affectũ indicia oriuntur ab accidẽtiũ ꝓprietate. 1°.*de loc. af.* 4ª.6.C
Affectum significat color. 1°.*de loc. af.* 4ª.6.D
Affectus locus ex propriis accidentibus innotescit. 1°.*de lo. af.* 4ª.6.C
Affectuum paucæ sunt propriæ notæ, quæ non ostendant locum affectum. 1°.*de loc. af.* 4ª.6.D
Affecti loci qui dicantur. 3°.*de loc. af.* 4ª.14.D
Affectis locis qũo natura fiat imbecillior. de artic. com. 3°. 7ª.276.A
Affecta pars cum priore statu semper est conferenda. in 1ᵐ.*de morb. vulg. com.* 3°. 3ª.117.B
Affectos locos inueniendi via & ratio. 2°.*de loc. af.* 4ª.13.A
ꝓ Affectis locis ĩueniẽdis exercitatio qũo moliẽda. 2°.*de lo. af.* 4ª.13.C
de Affectis locis exercitatio duplex, & qualis. 4°.*de loc. af.* 4ª.27.E
circa Affectos locos exercitationis modi tres. 2°.*de loc. af.* 4ª.8.C
Affecta sedes vnde cognoscatur. 3°.*de loc. af.* 15.D/4°. 4ª.25.C
Affectæ partis ꝓpriũ indiciũ est eßẽtiæ ꝓprietas. 6°.*de loc. af.* 4ª.39.B
Affectum locum plerunq; significat magnitudo: & non solum essentiæ proprietas. 1°.*de loc. af.* 4ª.2.D
Affectam partem positus significat. 1°.*de loc. af.* 4ª.6.B
ad Affectorum locorum cognitionem valet totius corporis dispositio. 1°.*de loc. af.* 4ª.3.E
Affectam sedẽ maximè ostendunt oculi & lingua. 2°.*de lo. af.* 4ª.13.C
Affectã particulã dũtaxat, declarãt actionũ noxæ. 1°.*de lo. af.* 4ª.6.D
Affectum partis declarant noxarum differentiæ. 1°.*de lo. af.* 4ª.6.D
Affectum locum docent symptomata. 1°.*de loc. af.* 4ª.7.G
ad Affectam sedem inueniendam non solum symptomata præsentia consideranda, sed etiam præterita. 6°.*de lo. af.* 4ª.39.A
de Affectis locis hr̃ coniectura ab inmatis rebus. 1°.*de loc. af.* 4ª.4.G
Affecta sedes ab excrementorũ natura cognoscitur, & dupliciter. 1°. *de loc. af.* 4ª.4.G
Affectæ partis excrementa per quem meatum vacuentur, considerandum. 2°.*de loc. af.* 4ª.13.D
Affectam partem significãt excrementorũ species. 1°.*de lo. af.* 4ª.6.B
Affectæ partis an aliquid essentiæ secernatur, quarto loco considerandum. 2°.*de loc. af.* 4ª.13.D
in Affectorum locorum notitia semper exercendus est medicus. 2°.*de loc. af.* 4ª.8.C
Affectus in profundo corporis qũo noscãtur. 7°.*de vsu par.* 1ª.222.F
Affectus locus doloris capitis difficulter cognoscitur. 2°.*de composit. med. sec. loc.* 5ª.132.A
Affectum primo die plerunq; cognouit Galenus. 8°.*met.me.* 7ª.52.D
Affectam sedem qui scire vult, in quibus libris debet exercitari. 1°. *de loc. af.* 4ª.7.G
de Affectis locis cõmẽtaria fecit Gal. pp. amicos. 2°.*de lo. af.* 4ª.13.C
de Affectis locis scripsit Archigenes. 1°.*de loc. af.* 4ª.3.H
de Affectis locis librum fecit Galenus iam senex, tamen non intelligebat Archigenem. 2°.*de loc. af.* 12.H/.3°. 4ª.15.C
de Affectis locis libro quid agat Galenus. 1°.*de loc. af.* 4ª.4.F
de Affectis locis libris, de his quæ sensu non percipiuntur, agit Galenus. 4°.*de loc. af.* 21.F/22.F/23.B/5°.29.G. 4ª.31.H
de Affectis locis libro tertio quid acturus erat Galenus, & quæ ex consequenti egit. 3°.*de loc. af.* 4ª.21.D
de Affectis locis libro quarto Galenus agit de partibus faciei, quæ intrinsecus afficiuntur. 4°.*de loc. af.* 4ª.21.F
Affecti loci vllũ signum in quibus morbis nõ sit. 3°.*de loc. af.* 4ª.16.B
in Affecto loco cognoscendo quæ prius, & quæ posterius considerandа. 2°.*de loc, af.* 4ª.13.C
Affectus qui nec prosunt, nec obsunt curationi. 1°.*meth. med.* 7°.7.G

ex

ex Affectibus prima sumitur indicatio. 1°. de comp. med. sec. loc. 5ª. 121. B/3°. meth. med. 16. C/4°. 26. B/29. B/C/9°. 58. G/. 7ª. 61. A
ab Affectu indicatio sequit indicationē à viribus. 9°. me. me. 7ª. 59. F
Affectus antea cognoscendus q̄ facias curationē. 1°. de ali. fac. 2ª. 9. D
Affecti loci cum affectione multum faciunt ad remediorum inuentionem. 2°. de comp. med. sec. lo. 5ª. 134. C
Affecta sedes simulq; dispositio eius inuenienda est, aliter recte curare non possumus. 3°. de loc. af. 4ª. 21. C
Affectus curatio facile inuenit vel experientia. 10°. met. me. 7ª. 65. D
Affectus non potest sanari causa manente. 7°. meth. med. 7ª. 48. G
Affectam partem, & curandi facultatem docent læsarum actionum modi. 3°. de loc. af. 4ª. 14. E
Affectus lædentis operationem est curatio. 2°. meth. med. 7ª. 9. C
Affectui debet curatio nō symptomati. i 6ᵐ. de mor. uul. c. 2°. 3ª. 161. F
Affectum adimunt, non symptoma, sanguinis missio, balneum, purgatio, & vini potio. 11°. meth. med. 7ª. 75. D
Affectus sanat, & symptoma i cōtrariū ducit, 11°. met. me. 7ª. 70. H
Affecti corporis solum est curatio. 1°. meth. med. 7ª. 7. G
Affectum non curemus in virium imbecillitate. 9°. meth. me. 7ª. 59. F
ab Affectibus non debent sumi conferentia. de opt. secta. Isa. 21. D
Affectus idem in diuersis locis non postulat eadem remedia. in 6ᵐ. de morb. vulg. com. 6°. 3ª. 196. D
Affectus diuersi dependentes ab vna causa, eodem modo curantur. de opt. secta. Isa. 25. C
Affectus iidem diuerso modo curantur propter differentiam causarū. de opt. sect. Isa. 25. C
Affectus varij in idem coeuntes si vnam medendi rationem indicent, illam rationem magis, quàm si singuli seorsum consisterent, intendi conueniet. 3°. de san. tuen. 2ª. 81. D
Affectum, qui trahit ad se curationem debet sanare medicus, causa quandoq; relicta. 3°. meth. med. 7ª. 22. A
Affectus quando ante causam curandus. 7°. meth. med. 7ª. 48. G
Affectus si sit in loco penitiori, quid agendum. ars med. Isa. 69. F
aū Affectum quemcunque particularem totum corpus purgandum. 6°. de comp. med. sec. loc. 5ª. 166. H
Affectu forti & viribus imbecillis an euacuādū. 9°. meth. me. 7ª. 59. C
Affectus quando sunt mixti, curatio quomodo aggredienda. 4°. de san. tuen. 2ª. 87. C/7°. meth. med. 7ª. 48. E
in Affectibus complicatis primo attendendum ei, quod vires prosternit. 7°. meth. med. 7ª. 48. F
Affectiones cōpositæ compositis sunt sanandæ. 2°. de nat. fa. 1ª. 301. B
in Affectibus contrariis, ille qui superat prius est corrigendus, alio non despecto. 3°. de san. tuen. 2ª. 81. D
Affectus habens causam non habet simplicem curationem, & quam habeat. 10°. meth. med. 7ª. 61. C
Affectui respondere proportione debet medicamentum. 1°. de comp. med. per gen. 5ª. 210. C
p Affectus ratione medicamenta augenda, et minuenda. 6°. de comp. med. sec. loc. 5ª. 169. D
ad Affectum vnum cur plura pharmaca fiant. 2°. de comp. medicam. sec. loc. 5ª. 136. A
Affectibus diuersis quo modo varia sint applicanda medicamēta. 7°. de compositione medic. per gen. 5ª. 264. D
ad Affectus inueteratos. 10°. de comp. me. se lo. 207. G/4°. de comp. med. per gen. 243. F/5°. 250. D/7°. 270. E/5ª. 271. F/270. F/2°. de arte cur. ad Glauc. 7ª. 103. G
ad Affectus internos. 7°. de comp. med. sec. loc. 5ª. 185. A/B/C/
Affectis locis vel propinquis non pinguibus applicantur hirudines. de cucur. scar. 6ª. 4. D
Affectus aliqui obstant educendi rationi. 4°. de san. tuen. 2ª. 83. A
ad Affecta ptē applicat remedia i hemicrania. de me. fa. par. 7ª. 170. H
de Affectibus oculorum. 4°. de loc. af. 4ª. 21. F
de Affectibus linguæ. 4°. de loc. af. 4ª. 22. G
Affectus similis lassitudini curatio. 3°. de san. tu. 2ª. 79. F
in Affectu simili lassitudini vberius cibandum. 3°. de san. tu. 2ª. 79. H
Affectui, & vinciēdę pti debet vinculū cōuenire. de fasciis. 7ª. 294. A
Affectus aī, q sint. de cog. cur. aī mor. 2ª. 50. G/12°. meth. me. 7ª. 77. D
Affectus & sensus in qua sint aīæ parte. de hist. philosoph. Sp. 10. B
Affectus & cogitatio non sunt in eadē sede. 3°. de dec. Hip. 1ª. 241. H
in Affectum acquisititium & originalem naturam diuiditur virtus. 11°. meth. med. 7ª. 68. B
Affectus sit ob expertē rōnis appetitū. de cog. cur. animi mor. 2ª. 50. G
ab Affectibus animæ ephemera. 2°. de crisi. 4ª. 138. F
cōtra Affectus proprios de subsidio scripsit Antonius Epicureus. de cogn. cur. animi morb. 2ª. 50. B
de Affectibus librum fecit Possidonius. 5°. de decr. Hipp. 1ª. 257. F
dē Affectibus dogmati annexum est necessarium decretum de virtutibus. 5°. de decr. Hipp. 1ª. 257. F
sine Affectibus nullus inuenitur. de cog. cur. animi mor. 2ª. 51. E
Affectui quando resistit ratio. 4°. de decr. Hipp. 1ª. 249. D
Affectus nouem, qui per quinq; sensus resultant. de compag. memb. siue de natura humana. Sp. 59. C
Affectus immodici euitandi. ars med. Isa. 68. E
Affici aliquem quid sit. 1°. de loc. af. 4ª. 4. C/H
Affici quæ proprie dicantur. 1°. de loc. af. 4ª. 4. H
Affici nullam partem arbitratur Erasistratus nisi vel tumor, vel vlcus in ipsa consistat. 6°. de loc. af. 4ª. 36. C
Affici caput quando dicatur. 1°. de loc. af. 4ª. 5. A
Affici quando dici potest, & debet ventriculus. 1°. de loc. af. 4ª. 5. A
AFFIXIO quid sit in nutrimento. 3°. de symp. cau. 3ª. 29. A
Affigantur commodius cucurbitulæ quæ. de cucur. scar. 6ª. 3. E
AFFLICTIONIS dies debent numerari, non alij in febribus intermittentibus. in progn. com. 3°. 4ª. 207. G
Affligendum est fame & siti animal incidendum, & scarificandum. de mot. man. & obs. Sp. 70. D
AFFVLCIRI quid significet. de artic. com. 4°. 7ª. 285. A
Affulta pro firmata. de fract. com. 2°. 7ª. 241. H
Assultas fascias esse, quid significet in deligatione. de frac 7ª. 229. A

AGAMEMNON heros præstans. de cogno. curan. animi morbis. 2ª. 51. F

AGARGEI medicamen. de med. exper. Sp. 104. E
AGARICVM quid sit, & eius vires. 6°. de simp. med. fac. 5ª. 41. E/ de simpl. medicamin. Sp. 80. E
Agaricum compositum est ex substantia aerea & terrea à caliditate extenuata. 6°. de simp. med. fac. 5ª. 41. D/E
Agarici probatio. de dyna*. Sp. 21. G
Agaricum quale esse debet. 1°. de antid. 5ª. 106. G
Agaricum fraudem non admittit. 1°. de antid. 5ª. 106. B
Agarici radix qualis. 6°. de simp. med. fa. 5ª. 41. D
Agaricum cacostomachum. de dynam. Sp. 21. F
Agaricum vomitum facit, vt experientia ostendit, contra id quod scriptum est. de simp. med. Sp. 80. E
Agaricum per os prouocat sudorem. de cathart. Sp. 95. D
Agaricum purgatorium. 6°. de simp. med. fac. 5ª. 41. E
Agaricum purgat choleram. de cathart. Sp. 94. F
Agaricum pituitam, & bilem mediocriter purgat. de dyn. Sp. 21. F
Agaricum purgat gibbam hepatis partem. de cathart. Sp. 95. C
Agaricum purgat splenem. de cathar. Sp. 95. C
Agaricum resistit venenosis morsibus & potibus, ventrem purgat, choleram, & phlegma deponit. de simp. med. Sp. 80. E
Agarici decoctio quomodo fiat. de med. exper. Sp. 107. E
Agarici decoctio dolorē antiquū capitis sanat. de med. exp. Sp. 194. D
Agarici decoctio contra ægritudines cerebri & hepatis. de medicinis expertis. Sp. 106. E
Agarici electuarium. de med. expert. Sp. 108. C
AGATHII infusum. 9°. de med. sec. loc. 5ª. 203. H
AGATHINVS de semitertianis. in 1ᵐ. de morb. uul. c. 2°. 3ª. 110. D
Agathini pulsus definitiones. 4°. de dif. puls. 4ª. 68. F
ex Agathini libris medicamentum. 5°. de comp. med. per ge. 5ª. 251. G
ex AGATHOCLE ad erysipelata. 5°. de com. me. per ge. 5ª. 252. A
Αγαθὸν de quo antiquitus diceretur. de artic. com. 2°. 7ª. 266. H
Αγαθῶς pro καλῶς. de fract. com. 2°. 7ª. 234. G
Αγκτῆρες quid sint. 3°. meth. med. 7ª. 19. B
Αγκύλαι quid significet. 11°. de simp. med. fac. 5ª. 79. B
Αγκύλλη quid. de artic. com. 3°. 7ª. 279. F
Αγκὼν. i. cubiti gibbus. de fract. com. 2°. 226. G/com. 3°. 7ª. 249. D
AGER naturæ, est matrix. de anat. parua. Sp. 43. C
AGERE quid sit. 1°. de loc. af. 4ª. 4. H
Agere fm totam substantiam, quid. 4°. de simp. med. fac. 5ª. 28. D
Agunt omnia gratia alicuius. de caus. procathar. 3ª. 96. F
Agere celeriter quid sit. de fasciis. 7ª. 293. C
Agere eleganter quid sit. de fasciis. 7ª. 293. C
Agere iucunde quid sit. de fasciis. 7ª. 293. C

Agere vbi possumus in arte decore ac recte, decore ac recte agere conuenit. de fasciis. 7ª.293.C
Agendorum prima causa est scopus actionis. 6°. de vsu par. 1ª.152.F
Agentis motus est actio. de sympt. dif. 3ª.10.D
Agens semper patitur in agendo. 3°. de simp. cau. 3ª.26.F
Agentia magis in nos, quàm patientia, quæ. 3°. de temp. 1ª.23.H
Agentia simul in nos & patientia, quæ. 3°. de temp. 1ª.23.H
Agens agit multo excellentius, quàm quod patitur, propterea hoc latet. 3°. de temp. 1ª.24.D
Agens omne debet habere mensurã quãdã. 3°. de simp. me. fa. 5ª.23.B
Agens exigit tempus, & magnitudinem, et vt sit proximum patienti. de cau. morb. 3ª.7.A
Agentes aliquid, & non considerantes similes sunt dormientibus. 1. de diff. resp. 3ª.60.A
Agẽtes bene, & cognoscẽtes, regunt scientia. 7°. de dec. Hip. 1ª.268.D
Agentes male, & falsò cognoscentes, reguntur ignorantia. 7°. de decretis Hipp. 1ª.268.E
ad Agendum & intelligendum quid reddat homines tardiores. in 6m. de morb. vulg. com. 4°. 3ª.186.F
Agendum aliquid vel periclitari, consilium est Thucydidis. 10°. met. medendi. 7ª.66.E
Agere membra propter alia membra non est verum. de mot. man. & obs. Sp.68.B
Agens femur introrsum, & parumper retrorsum musculus. de musc. dissect. 1ª.51.F
AGERATVS *lapis, quasi nunq̃ senescens. de me. fa. par.* 7ª.164.H
Ageratus lapis qualis. 9°. de simp. med. fac. 5ª.67.H
Ageratus lapis, quo sutores muliebria calciamenta expoliant. 6°. de compos. it. med. sec. loc. 172. G/ 5ª.174.F
Ageratus lapis inter arida moderate adstringentia. 6°. de comp. med. sec. loc. 5ª.172.G
Ageratus lapis columellas phlegmone grauatas euidenter iuuat. 9°. de simp. med. fac 5ª.67.H
Ageratus digerit, & à phlegmone liberat. 6°. de sim. me. fa. 5ª.41.E
AGGLVTINATIO semper fit à natura. cõ. 1°. aph. 3°. Ex. 3.G
Agglutinatio est diuersa à nutritione. 3°. de nat. fac. 1ª.307.B
Agglutinatio præcedit nutritionem. 1°. de nat. fac. 1ª.292.F
Agglutinatio, appositio, adsimilatio se sequunt. 1°. de nat. fa. 1ª.292.F
Agglutinatio ante adsimilationem. 3°. de nat. fac. 1ª.302.D
Agglutinationem præcedit appositio. 3°. de nat. fac. 1ª.302.D
Agglutinatio fit per appositionem. 1°. de nat. fac. 1ª.292.F
Agglutinationis & adiunctionis differentiam docet anasarca. 1°. de nat. fac. 1ª.292.F
Agglutinatio nõ fit si succus aliũ et aliũ mutet locũ. 3°. de na. f. 1ª.302.E
Agglutinatio et appositio, cõcoctio et nutritio optima est pulsionibus, & qui calidũ humidũq̃ corpus habent. 3°. de sympt. cau. 3ª.29.A
Agglutinantur & coalescunt facilius & celerius humida, dura vero partim nunquam, partim vix. 3°. de symp. cau. 3ª.29.A
nõ Agglutinantur neq; coalescunt, vtpote duriora, ferrum, æs, lapis, & aurum. 3°. de symp. cau. 3ª.29.A
Agglutinans quale esse debet. 5°. meth. med. 7ª.29.G
Agglutinantia quæ medicamenta. 2°. de arte cur. ad Glauc. 7ª.106.A
Agglutinantia omnia non adstringunt, neque è contrario. 1°. de simp. med. fac. 5ª.7.G
Agglutinatoria fluxiones cohibent. 4°. de comp. med. se. lo. 5ª.153.F
nõ AGGREDIENTES *quæ non nouerunt, minus errant, quàm qui illa tractant, quæ nunquam didicerunt. de ve. sec. ad Erasi.* 6ª.13.A
AGGREGARI, *& euacuari tam facile vt spiritus, nihil potest. de palp. conuulf. & rig.* 3ª.52.D
ad AGIBILIA quæ instrumẽta potiora. 3°. de symp. cau. 3ª.29.C
AGILIOR *cur sit cunctis natura humana. de spermate.* Sp.37.D
de AGINE *colore fit mentio. de simp. med.* Sp.87.A
AGIOLÆ *succus ad quid sit vtilis. de dyn.* Sp.24.H
AGITARI *verbum vetus. de palp. conuulf. & rig.* 3ª.54.H
Agitari membrum est iudicationis futuræ signum. 1°. de arte curat. ad Glauc. 7ª.100.D
Agitatio rigoris in quartanis est sufficiens excernere humorem. commen. 5°. aph. 70°. Ex.45.E
Agitantur facilius mares. in 6m. de morb. vulg. com. 2°. 3ª.169.E
ex Agitatorio principio, quod à mare proficiscitur, & menstruo fit generatio. 1°. de semi. 1ª.329.E
Ἀγμοὶ quid significet. de fract. com. 1°. 7ª.223.F
cũ AGNASCENTIBVS proportionem habent oua animaliũ, fructus arborum, grauidarum fœtus. 11°. de simp. me. fa. 5ª.81.C
AGNI, *natura humidi sunt. de bo. & vitio suc.* 2ª.35.H
Agnina caro qualis. 3°. de ali. fac. 26. A/de suc. bon. & vitio. 37. C/5°. de san. tuen. 2ª. 91. D/de ren. aff. dign. & med. 7ª.195.F
Agnorum carnes faciunt crassum sanguinem cum bono succo. in 6m. de morb. vulg. com. 3°. 3ª.175.C
Agno digeritur velocius anniculus ex pecude. de diff. cont. Sp.73.C
Agni anniculi carnem dat in pituitoso ventriculo. 3°. de medic. facult. par. 7ª.175.H
Agni caput, & caro cibus viscosus, & humidus. de dif. cont. Sp.73.A
Agni & hædi anniculi velocius digeruntur, quàm caro antiquorum, & quàm capra. de diff. cont. Sp.73.C
Agninus sanguis non incidit. 2°. de simp. med. fac. 5ª.73.C
Agnorum sanguinem epilepsię conuenire negat Galenus. 10°. de simp. med. fac. 5ª.73.C
Agninus pulmo intertrigines à calciamentis curare creditur. 11°. de simp. med. fac. 5ª.79.H
Agninum pingue. 7°. de comp. med. per gen. 5ª.272.D
AGNOS *quid. 6°. de simp. med. fac.* 5ª.40.H
de AGNOSCENDO *præsagiendoq̃ plurima scripsit Hippocrates. 5°. de san. tuen.* 2ª.93.C
Ἀγνοια quod symptoma sit. in 1m. prorrh. com. 2°. 4ª.177.E
Ἀγωνισικῶς frigida præbenda in marcore quid sit. de marc. 3ª.48.A
Ἀγωγὴ quid. in 1m. de mor. vulg. com. 1°. 3ª.104.B
Ἀγωγίμων meminit. 10°. de simp. med. fa. 5ª.72.D
AGRANONES pilos qũ habent fœtus. de spermate. Sp.36.E
AGRESTA *stomachũ debilẽ & mollem rectificat. de dif. cont.* Sp.74.E
AGRESTIA *sunt antiquiora domesticis. in Timæum Plat.* 1ª.286.H
Agrestes mores habẽt, qui ad Septẽtrionẽ degunt. q; aï mor. 1ª.319.H
Agrestia animalia habent vngues acutos, magnos, fortes, ac rotundos, 11°. de vsu par. 1ª.187.G
Agrestium animalium alimentum, quale. 3°. de ali. fac. 2ª.27.E
Agrestia omnia sunt hortensibus acriora, & sicciora. 7°. de simpl. medic. fac. 5ª.42.E
Agrestia olera sunt praui cibi. 1°. de diff. feb. 31. G/ 3ª.33.G
Agrestia omnia domesticis valentiora. 8°. de simp. med. fac. 5ª.61.A
Agrestium theriaca vocatur allium à Galeno. 12°. meth. me. 7ª.79.F
Agrestis cucumer stomachum non euertit. de dyn. Sp.21.H
Agrestis cucumer pituitam educit, & qua dosi. de dyn. Sp.21.H
Agrestis cucumeris radix educit aquosam pituitam, propterea hydropicis vtilissima est. de dynam. Sp.22.B
Agrestis malua sanguinem purgat. de dyn. 22. C/de cathart. Sp.94.G
AGRICOLÆ *duri, & aridi. 6°. de comp. med. se. lo.* 5ª.176.I
Agricola similis est vestes resarcienti, & veteres calceos instauranti ad Thrasyb. 2ª.104.I
Agricolæ ignorãt vires motuũ quos exercent. 2°. de san. tuen 2ª.75.E
Agricolæ seminant eligendo semina, & homines non considerant sua semina. 11°. de vsu par. 1ª.188.C
Agricola quidam ob labores in colendis vitibus, & tenuem victum, memoriam rationem q; vitiatam habuit. 3°. de loc. aff. 4ª.17.A
Agricola vitiosum corpus instaurat. ad Thras. 2ª.104.C
Agricolæ quõ ἔτνον, & λέκυθον parent. de bo. & vitio suc. 2ª.36.F
AGRIMONIA *ad curandum vulnera. de dyn.* Sp.35.E
AGRIOCARDAMVS. *10°. de comp. medic. sec. loc.* 5ª.208.G
AGRIOSELINI *semen calidum & acre vrinam ciens. 5°. de simp. med. fac.* 5ª.35.D
Agrioselini semen sanguinem extenuat ac secernit. 5°. de simp. medic. facult. 5ª.35.D
AGRIPPÆ *Iulij fit mentio. 8°. de comp. med. se. lo. 193. D/7°. de compos. it. med. per gen.* 5ª.271.F
Ἀγριοπυρὸ ξονέους, quos vocent. 3°. de diff. puls. 4ª.65.D
AGROSTIS *quid. 6°. de simp. med. fac.* 5ª.41.B
Agrostis radix vbi mollis fuerit, vt aqua dulcis est. 6°. de simplic. medic. facul. 5ª.41.B
Ἀγρυπνία, à symptomate nomen habuit. 2°. meth. med. 7ª.9.E
in AHENVM *magnum mustum condit. 7°. de compos. it. med. per gen.* 5ª.272.H
Aheni ad febrem comparatio. præsag. exp. confir. Sp.77.E
AIAX *heros præstans. de cognoscendis curandisq; animi morbis.* 2ª.51.F
Aiace maior erat Achilles. 2°. de dig. puls. 4ª.76.F

Αἰακοφόβος

Αἱμοφόβος quis. 9°. meth. med. 7ª. 58. B

ALAE volatilium sunt fibrosæ, duræ, ac salubres. 3°. de alim. fac. 2ª. 29. E

Alæ volatilium quales circa coctionẽ. de bon. & vitio suc. 2ª. 35. H.

Alç dari languentibus consueuerunt. de vict. rat. in morb. acutis. commentario. 1°. 7ª. 113. C

Alæ gallorũ his qbus dolet caput, dant. 2°. de cõp. me. se. lo. 5ª. 133. E

Alæ gallinaceorũ lacte altorũ dantur in siccitate. 7°. met. me. 7ª. 45. D

Alæ auium quæ molli admodum carne non constant, possunt concedi pro cibo in tertiana. 1°. de arte cur. ad Glauc. 7ª. 97. C.

Alas mille habentes formicæ. secret. Sp. 100. A

Alæ siue pinnulæ nominantur exteriores narium partes. intro. Is. 53. B

Alæ nasi, quæ. de ossib. 1ª. 41. A

Alarum nasi motus quid significet. 1°. de diff. resp. 3ª. 62. H.

Alas nasi aperientes musculi vbi sint. de musc. diss. 1ª. 44. F

Alæ nasi inspirationis impetum insequuntur. de musc. diss. 1ª. 44. F

Alæ in mulieribus, quæ. intro. Isa. 53. D

Alarum formam habent orificia vasorum spermatis. de comp. memb. siue de natura humana. Sp. 59. C

Alati qui dicantur à medicis. in 6ᵐ. de morb. vul. com. 3°. 3ª. 172. D

Ala locum qui sub humero est, significat. de fract. com. 2°. 7ª. 240. C.

sub Alis nerui cur tenores vocentur. de artic. com. 1°. 7ª. 259. A

Alarum affectarũ & inguinum pulsus. 4°. de præsa. ex puls. 4ª. 120. F

Alarum & inguinũ glandulæ ob vlcus manus aut pedis intumescunt. 2°. de diff. feb. 3ª. 41. B/13°. meth. med. 7ª. 81. A

Alarũ fœtores in quo sint genere symptomatũ. de symp. dif. 3ª. 13. B

Alarum & totius corporis graueolentiam sanat scolymos. 8°. de simpli. med. fac. 5ª. 60. H

ad Alarum tetros odores. de med. fac. par. 7ª. 166. C

ad Alarum abscessus. 5°. de comp. med. per gen. 5ª. 246. E

Alarum pilos euulsos crescere non sinere adipem viperarum salsum est. 11°. de simp. med. fac. 5ª. 79. E

Alas addit timor, & impendens necessitas. 4°. de. cau. puls. 4ª. 99. G

sub Ala tumor durus, & rotundus significat brachium luxatum. de iis, quæ in med. fi. com. 1°. 7ª. 198. E

in Alã prolapsum humeri caput qũo restituatur. de mach. 7ª. 312. A

in Alam prolapsum humerum restituens scala. de machin. 7ª. 311. F

in Alam quando excidit caput humeri, quomodo in scala plana restituatur. de machin. 7ª. 313. H

in Alam prolapsum humeri caput, quo pacto per fabri organum restituatur. de machin. 7ª. 318. A

ĩ Alã plapsi humeri capitis ꝑ Hip. scãnã repositio. de mach. 7ª. 319. D

sub Ala lana rotũda in luxatis. de iis, quæ in med. fi. cõ. 3°. 7ª. 222. D

ad Alam, & pectus Sostrati vinculum rectum. de fasciis. 7ª. 301. F

ad Alam, & pectus vinculum in speciẽ literæ X. de fasciis. 7ª. 301. G

Alæ quid sint in organis. de machin. 7ª. 309. F

Alæ ad quid sint in organis. de machin. 7ª. 310. B

ἄλας ὀξύκτους græci nominant sal fossile. 9°. de simp. me. fa. 5ª. 64. F

ALABASTRITES lapis vnguis dicitur. 9°. de simp. me. fa. 5ª. 78. B

Alabastrites combustus bibendus datur stomachicis à quibusdam. 9°. de simp. med. fac. 5ª. 68. B

Alabastritis vsti fit mentio. 5°. de comp. med. sec. loc. 5ª. 164. A

ALAVDA vel galerita vsta si edatur, mirifice colicos subinde iuuat. de ther. ad Pis. 5ª. 93. G

ALBANVM vinum quale. 4°. de san. tuen. 85. H/5°. 2ª. 50. H

Albanum vinum est tenuis substantiæ. de bon. & vitio suc. 2ª. 38. F

Albanum vinum aquosum est. 1°. de antid. 5ª. 100. H

Albanum vinum inter austera & nobilia vina numeratur. 7°. metho. medendi. 7ª. 45. F.

Albanum vinum tuto ebibitur. de bon. & vitio suc. 2ª. 38. F

Albates vinum austerum & dulce. 4°. de simp. med. fac. 5ª. 26. F

Albates vinum nigrũ austerũ vnà ac dulce. de bo. & vit. suc. 2ª. 38. C

ALBEDROGIEZ, id est ameos. secret. Sp. 97. A

ALBEDO est qualitas secundum colorem, & ad quas qualitates sequatur. de nat. hum. 1ª. 28. H

Albedo nunquam dicitur corpus ipsum. 1°. de temp. 1ª. 13. H

Albedinem significat quandoq; album. 1°. de simp. 1ª. 13. H

Albedo propter frigus fit fulua. de aere, aquis, & locis. 2ª. 5. F

Albescat quomodo facies, & mollescat. de dyn. Sp. 25. H

ꝑ Album, an pura qualitas, vel etiam corpus subiectum intelligatur. 1°. de elementis. 1ª. 6. A

Album facit passiones & pathemata visus. de symp. diff. 1ª. 10. D

Album, & splendidum corpus opponitur cito, et velociter coloribus. de oculis. 7ª. 182 G

Album splendens visui inimicum cur. 1°. de symp. cau. 3ª. 17. A

Albus color nocet lippientibus. de subf. emp. Isa. 32. B

Albicans color ex pallido ὠχρόλευκον dicitur. 5°. de san. tu. 2ª. 91. A

Albo colori paucum cæruleum si admistum sit, quid sequatur. 4°. de comp. med. sec. loc. 5ª. 150. D

Albus color ex spumarum generatione. 8°. de decr. Hipp. 1ª. 277. D

Albam spumam facit mare viride, & vinum nigrum commotum. de natura, & ordine vniuscuiusq; corp. Sp. 42. C

Albi facile recipiunt oẽm colorem. in 6ᵐ. de mor. vul. c. 2°. 3ª. 163. G

Album fit nigrũ per oẽs medias alterationes. 1°. de nat. fac. 1ª. 292. D

ab Albo sit transitus primo in fuluum, pòst in flauum. de vict. rat. in morb. acu. com. 3°. 7ª. 126. E

Alba febris cur dici non possit. 3°. de præs. ex puls. 4ª. 117. E

Albus & niger dicitur pulsus, sicuti vox dicitur alba & nigra. 3°. de diff. puls. 4ª. 62. H

Alba vox quæ dicatur. 3°. de diff. puls. 4ª. 63. G

inter Albam & nigram media nubes quo modo fiat. in 1ᵐ. de morbis vulg. com. 1°. 3ª. 104. D

Albũ notat frigidũ tẽperamẽtũ. in 3ᵐ. de mor. vul. com. 3°. 3ª. 146. D.

Album omne non est frigidum. 1°. de simp. med. fac. 5ª. 2. E

Alba quædam frigida, quædam calida. 1°. de simp. med. fac. 5ª. 2. E

Albicans color significat pituitam. com. 4°. aph. 2°. Ex. 27. F

Albus humor est pituita. de atra bile. 34. E/8°. de decr. Hip. 1ª. 277. D

Alba pituita est species aquæ intercutis. com. 7°. aph. 29°. Ex. 55. H

Albiores fiunt homines pituita superante. 4°. de san. tuen. 2ª. 84. A

Albus est, conceptus in horis phlegmatis. de sperma te. Sp. 37. C

Albus partim est vultus cõcepti ĩ horis melãcholię. de sperm. Sp. 37. C

Albius corpus solito, indicat succum pituitosum abundare. 4°. de san. tuenda. 2ª. 84. B

Albæ mulieres & molles gignunt multum tenuemq;, sanguinem. in 6ᵐ. de morb. vul. com. 1°. 3ª. 156. C

Alba caro in quibus sit membris. de anat. viu. Sp. 44. D

Alba mẽbra albificãt materias, quas cõuertunt. de ana. viu. Sp. 44. D

Albus cur sit pulmo. de anat. viu. Sp. 47. G

Alba exanguia & foraminibus carentia sunt, neruus, tẽdo, copula. de decr. Hipp. & Plat. 1ª. 233. G

Alba est caro glandis, & testiculorum. de anat. viu. Sp. 55. H

Albior est caro vberũ, q̃ glãdium, & testiculorũ. de ana. viu. Sp. 55. H

cur Album sperma sit, cum sit sanguis. de natura, & ordine vniuscuiusque corp. Sp. 42. C

in Album ius anhetum, & porrum iniicit. 12°. meth. med. 7ª. 78. A

ex Albis vinis nullum est dulce. de vinis. Sp. 76. F

Album vinum crassum dulce in nutriendo, quale. de dif. cont. Sp. 73. F

Albæ valde ab initio vina si inueterauerint, flauitiem quandam contrahunt, vnde primum pallidula, mox planè pallida fiunt, tandem ex pallido flauentia cernuntur. 5°. de san. tuen. 2ª. 91. B

Alba vina non possunt omnino fieri flaua. 5°. de san. tu. 2ª. 91. B

Album vinum subtile minus est nutritiuum. de diff. cont. Sp. 73. F

Album vinum non facit dolere caput. de diff. cont. Sp. 74. F

Album vinum non calidum. 5°. de san. tuen. 2ª. 91. A

Album vinum ponticum est minus calidum albo. de diff. cont. Sp. 74. D

Alba vina, & austera, sensibiliter refrigerant. de vinis. Sp. 76. H

Album vinum vinosum, quale. 9°. de decr. Hipp. 1ª. 283. E

Alba vina, & subst yptica, & subtilia, & non valde antiqua optima sunt ictericis. de cura ictteri. Sp. 111. D

Albus elleborus vomitum facit. de cathart. Sp. 95. C

Albus elleborus purgat per vomitum. de cathart. Sp. 94. F

Albus elleborus educit phlegma. de cathart. Sp. 94. G

Albus elleborus purgat nates. de cathart. Sp. 59. B

Albæ spinæ fructus stringunt ventrem cum styptic itate, & ponticitate. de diff. cont. Sp. 95. B

Albæ violæ sanguinem purgant. de dynam. Sp. 22. C

Alba, & tenuis vrina ob quid mingatur. quæst. in Hipp. Sp. 113. E

Alba vrina est aquosa. de vri. sign. ex Hipp. Sp. 79. A

Alba vrina, & aquosa, & nebulam bonam habens, & cum odore bono egesta, phrenitim purgat. de dynam. Sp. 34. D

Alba vrina, & nuda in omnibus debilitatem, & frigiditatem significat corporis. de dynam. Sp. 35. D

Alba vrina, & spissa bonam significat sanitatem. de dyn. Sp. 34. A

Alba vrina si longo tpe perseuerauerit, frigora soluit. de dyn. Sp. 34. F

Alba vrina sine febre in masculis siue fœminis, dolorem laterum, & aliquando renum significat, & pregnantem fœminam significat aliquando. de dynam. Sp.35.D

Alba vrina, & aquosa in augumẽto egritudinis, aut in statu veniẽs laborẽ corporis cũ frigore, & maciẽ nuntiat futurã. de dyn. Sp.34.A

Alba vrina, & aquosa in cardiacis cum nebulis albis, eorum ægritudinis solutionem ostendit. de dynam. Sp.34.H

Albæ vrinæ, perspicuæ, præcipue in phreniticis apparentes, improbæ. de vrinæ significatione ex Hipp. Sp.78.H

Albam leuem, & æqualem eleuationem habens vrina deterior est. de vrinæ significatione ex Hipp. Sp.79.B

Albã nebulã habẽs vrina colore cholerico, & furfures supernatãtes, aut longam ægritudinem, aut mortem significat. de dyn. Sp.34.C

Alba vrina, & subluuida in pleuriticis mortẽ ostẽdit. de dyn. Sp.34.H

Alba vrina, aut subluuida in phrenitica, vel pleuritica, synocha, causo, tertiana. de dynam. Sp.35.D

Alba vrina spumosa, et nebulosa in synocha, si i critico die aut post criticũ diẽ supuenerit, solutionem ægritudinis ostendit. de dyn. Sp.34.D

Alba vrina si se mutauerit in synocha, aposiema celerius venturum scias. de dynam. Sp.34.C

Alba vrina, & turbulenta in synocha, & non composita, dolorem cum periculo significat. de dynam. Sp.34.F

Albę hypostases, et tenues admodũ, male. de vri. sig. ex. Hip. Sp.78.H

Albicans si fuerit color vrinæ, hypostasis rara, quid fieri debeat. de vrinæ significatione ex Hipp. Sp.79.D

Alba si fuerit hypostasis, color vrinæ biliosus, erit bilis cum pituita. de vrinæ significatione ex Hipp. Sp.79.D

Alba et pinguedinosa vrina peripneumoniã significat. de dyn. Sp.35.D

Alba vrina si se subito in malum colorem mutauerit, proximam nunciat mortem. de dynam. Sp.34.G

Alba si retineant à partu i sanitũt mulieres. in 1m. *prrh. c.* 2°. 4ª.175.D

Album si videatur palpebris commissis in dormientibus est letale, nisi ab extrinseco aduenerit. com. 6°. *aph.* 52°. Ex.53.A

Albidã cutẽ habẽtes qũ moriebant. in 1m. *de mor. vul. c.* 2°. 3ª.115.D

Albidior si sit color cutis, pituitosi humoris purgatio fieri debet. 14°. *meth. med.* 7ª.93.D

Albicans deiectio quæ, et quid significet. in 1m. *prorrh. c.* 2°. 4ª.183.C

Albicantes spumosæ deiectiones malæ. in 1m. *prorrh. cõ.* 2°. 4ª.171.G

in Albis colore vehemens refrigeratio non est inducenda. 2°. *de comp. med. sec. loc.* 5ª.132.E

Albi qui non sunt, neq; carne molliculi, his ad euacuandum minus est parcendum. præfag. exper. confir. Sp.77.H

ad Album colorem. de med. fac. par: 7ª.163.G/H

ad Albedinem vtitur cornu cerui. 9°. *de comp. med. se. lo.* 5ª.202.F

ad Albas maculas præsidium. de dynam. Sp.25.F

Albidas maculas emendant radices asphodeli combustæ, & in cinerem redactæ. de simp. med. Sp.81.B

ad Albam morpheam nigram, & serpiginem. de dynam. Sp.25.G

ad Albam morpheam trochisci. de dynam. Sp.25.F

ad Albas cicatrices oculorum valet succus centaureæ. de virtute centaureæ. Sp.93.B

Albis alcolis oris, & nigris cõfert succ⁹ cẽtaureæ. de vir. cẽt. Sp.93.D

ad Alba faucium vulnera. de dynam. Sp.26.B

ad Album rheumatismum. de pass. mul. Sp.96.B

ALBI *vnguenti confectio. de dynam.* Sp.32.A

Alba emplastra quibus fiant. 1°. *de comp. medic. per gen.* 5ª.217.C

Albũ Heræ medicamentũ ad canis rabidi morsum. 2°. *de ant.* 5ª.117.B

Album ad rabidos morsus. 1°. *de comp. med. per gen.* 5ª.216.C

Album Damocratis emplastrum. 1°. *de comp. med. per gen.* 5ª.217.F

Album Ariobarzanion. 1°. *de comp. me. per gen.* 5ª.216.D

ALBOTIZ *fit mentio. secret.* Sp.98.C

ALBVCVS, *seu asphodelus quid sit, & eius vires. de simplicibus & medicaminibus.* Sp.81.B

Albuci radicis fit mentio. 5°. *de comp. med. sec. loc.* 5ª.161.A

Albucus quo mõ ponat in medicamẽta. 5°. *de cõp. me. se. lo.* 5ª.161.C

de ALBVGINIBVS. *de med. fac. par.* 7ª.163.A

Albugo, vlceratio oculorum. fi. med. Isa.48.D/E

Albugo quo modo differat à cicatrice in oculo. intro. Isa.59.A

ad Albugines oculorum. 4°. *de comp. med. se. lo.* 152.H/5ª.158.C/ *de rem. par. fac.* 156.G/3°. *de med. fac. par.* 170.D/7ª.172.F/ *de dynam.* 24.H/*sec. et.* Sp.97.F

ad Albugines applicatur phorbium. 8°. *de simp. med. fac.* 5ª.63.D

Albuginum oculorum tinctura. 4°. *de comp. med. se. lo.* 5ª.153.B

Albugo oculi vnde oriatur. de vtil. resp. Sp.63.D

Albugo in piscibus est valde dura. de vtil. resp. Sp.63.D

Albugineus humor oculi. de oculis. 7ª.182.H

Albugineus est superfluitas crystallini. de anat. viu. Sp.48.C

Albuginei oculi humoris situs. de anat. parua. 43.D/ Sp.48.D

Albugineus humor, quando dilatatur, & constringitur. Sp.48.F

Albugineus humor qualis, & propter quid talis. de ocul. 7ª.183.D

Albugineus cur liquidus sit. de anat. viu. Sp.48.E

Albuginei humoris accidentia. de ocul. 7ª.186.C

Albugineo læso destruitur visus. de anat. viu. Sp.48.C

Albugineæ humiditatis fit mentio. de anat. viu. Sp.44.E

ALBVLÆ *aquæ aluminosæ sunt.* 8°. *meth. med.* 7ª.50.B

Albulæ aquæ adstringunt. 8°. *meth. med.* 7ª.51.C

Albulis qui se lauerat, quid contigerit. 8°. *meth. med.* 7ª.50.C

Albulæ fontis aquę valent vlceribus, & fluxionibus. 1°. *de simp. medic. fac.* 5ª.3.D

ALBVMEN *oui quale.* 11°. *simplicium medicam. fac.* 5ª.81.D/F/ *de oculis.* 7ª.189.A/B

Albumen oui magis terrenum oleo est. 4°. *de simp. med. fac.* 5ª.25.E

Albuminis oui temperiẽ lac sæpe habet. 11°. *de simp. med. fa.* 5ª.81.D

Albumina ouorum difficilius concoquuntur, quàm vitelli. 1°. *de arte cur. ad Glauc.* 7ª.97.D

vt Album oui tenue est humor secundus oculi. de compag. memb. siue de natura humana. Sp.58.C

Albuminis oui vsus. 11°. *de simp. med. fac.* 5ª.81.D

Albumen oui collinit & mitigat acres mordicationes. 10°. *de simp. med. fac.* 5ª.73.F

ALBVRNI *cortices ad quid vtiles. de dynam.* Sp.30.G

Alburni carbo ad fistulam claudendam. de dynam. Sp.31.C

ALBVZARAN *fit mentio. secret.* Sp.100.C

ALCARASIM tarde digeritur. de diss. cont. Sp.73.D

ALCETII *sophistæ meminit.* 8°. *de comp. med. sec. loc.* 5ª.189.B

ALCHEISIM *dissoluit ventositatem. de diss. cont.* Sp.74.G

ALCHOHOL *ad conseruandam sanitatem oculi. secret.* Sp.97.F

ALCHORONIA *est thucia Inda. secret.* Sp.97.F

ALCIBIADIÆ *anchusæ vis.* 6°. *de simplic. med. fac.* 5ª.41.D

ALCIMII *ad dispnœam.* 7°. *de comp. med. se. lo.* 5ª.186.H

ALCIMIONIS fit mentio. 2°. *de composi. medic. per gen.* 221.B/ 5°.252.C/ 5ª.253.A/B

Alcimionis arteriaca. 7°. *de comp. med. sec. loc.* 5ª.179.F

Alcimionis viride. 5°. *de comp. med. per gen.* 5ª.249.D

Alcimionis titulo inscriptũ malagma. 7°. *de comp. me. per ge.* 5ª.265.F

ALCIMONIVM *qd, & eius species ac vires. de simp. med.* Sp.80.C

Alcmæon in cerebro præcipuam animæ partem constituit. de historia philosophica. Sp.9.F

Alcmena Herculem procreans, incutiebat terrorem aduersarius. an animal sit. 1ª.328.F

Alcolis oris tam albis, quàm nigris confert succus centaureæ. de virtute centaureæ. Sp.93.D

ALCYONII *species & qualitates describuntur.* 11°. *de simp. med. facult.* 5ª.83.B

Alcyonium quale esse debet. 1°. *de comp. med. sec. loc.* 5ª.122.E

Alcyonium quo loco reponatur inter calida quæ valent alopeciis. 1°. *de comp. med. sec. loc.* 5ª.122.D

Alcyonij torrefacti meminit. 4°. *de comp. med. sec. lo.* 5ª.152.H

Alcyoniũ quo mõ ponat in medicamẽto. 5°. *de comp. me. se. lo.* 5ª.161.C

Alcyonium pilos restituit. 7°. *de simplic. med. fac.* 5ª.53.D

Alcyonium quale pilos vrere potest. 11°. *de simp. med. fac.* 5ª.83.C

Alcyoniũ asperũ ad alopeciam & ophiasim. de rem. par. fa. 7ª.154.G

ALEFINIS succus quid faciat. secret. Sp.99.G

ALES *alta non videtur volare.* 1°. *de mo. mus.* 1ª.311.F

ALES, *id est sales, quales.* 9°. *de simp. med. fac.* 5ª.68.F

ALEXANDER *ex Olympiade nondum natus ab omnibus Ammonis filius dicebatur. an animal sit.* 1ª.328.F

Alexandri figura ab astris. de spermate. Sp.38.G

Alexander à leone tenuit crispitudinem capillorum, citrinũ colorem, iram, & robur. de spermate. Sp.38.G

Alexander ex tauro contraxit cornutã frõtem. de spermate. Sp.38.H

Alexander habuit à proprietate sui signi oculum vnum aquileum, & nasum. de spermate. Sp.38.H

Alexandro quid dedit vt totũ orbem superaret. de spermate. Sp.38.H

Alexander Philalethes librũ fecit placitorũ.4°.de dif.pulſ. 4ª.66.F
Alexandri Philalethæ pulſus definitiones.4°.de dif.pulſ. 4ª.66.F
Alexãdri Philalethę diſcipulus Ariſtoxenus.4°.de dif.pul.4ª.68.D
Alexãdri medicamẽtũ ad capitis dolorẽ.2°.de cõp.me.ſe.lo. 5ª.138.G
Alexandri emplaſtrum.6°.de comp.med.per gen. 5ª.261.F
ALEXANDRIA, *& Roma alit multitudinem hominum.de partibus art.med. Sp.16.G*
Alexãdrię fuit bibliotheca magna.in 3ᵐ.de mor.vul.cõ.2°. 3ª.136.H
in Alexãdria ars ſophiſtica docet.in 6ᵐ.de mor.vul.cõ.1°. 3ª.153.C
in Alexãdria dies quatuordecim horarum eſt.6°.de ſan.tu. 2ª.97.C
Alexandrinorum victus qualis.com.2°.aph.20°.Ex.14.D/.2°.de arte cur.ad Glauc. 7ª.107.E
Alexãdrię comedunt carnes aſininę, et camelinę.1°.de ali.ſa.2ª.10.A
in Alexandria, & Aegypto quo modo refrigeratur aqua .in 6ᵐ. de morb.vulg.com.4°. 3ª.182.B
Alexandrinæ aquæ in clyſtere ad renum dolorem fit mentio.de dynamidiis. Sp.27.H
Alexãdriæ qũo aqua percoletur.in 6ᵐ.de morb.vul.cõ.4°.3ª.184.D
in Alexandria ſola,eſt perſea.2°.de comp.med.ſec.loc. 5ª.137.H
in Alexandria Perſium plantam vidit Gal.2°.de alim.fac. 2ª.21.F
in Alexandria peculiaris eſt elephantis morbus.2°.de arte curat.ad Glauc. 7ª.107.D
ALEXIPHARMACA *medicamenta.intro. Iſa.57.H*
Alexipharmaca medicamenta,quæ.1°.de ſemi.328.A/1ª.335.B/in 6ᵐ.de mor.vulg.com.6°. 3ª.196.H
Alexipharmaca,& alexiteria quo modo differant.5°. de ſimpl.med. facult. 5ª.36.H
Alexipharmaca & alexiterias facultates dicere nihil intereſt.5°. de ſimp.med.fac. 5ª.37.A
Alexipharmaca cur debeant eſſe media veneni & corporis quod euacuatur.5°.de ſimp.med.fac. 5ª.36.H
Alexipharmaca quo modo alterent & quomodo euacuent.5°.de ſimplic.med.fac. 5ª.36.F
in Alexipharmacis etiam medicamenta ſumenda ſunt à contrariis. 5°.de ſimp.med.fac. 5ª.36.G
Alexipharmacis venena miſcentur.3°.de ſimp.med.fac. 5ª.23.A
Alexipharmacũ omnis fere muſtella eſt.11°.de ſimp.me.fa.5ª.82.D
Alexiteria quo modo attrahant.5°.de ſimp.med.fac. 5ª.36.F
Alexiterias antidotos q̃ ingredi nõ poſſunt.5°.de ſimp.me.fa.5ª.37.C
ALFENID, id eſt penidis,dantur contra infirmitates pectoris,& aſima.de med.exper. Sp.106.F
ALGA quid.6°.de ſimp.med.fac. 5ª.45.D
Alga ſicca & frigida eſt in ſecundo.8°.de ſimp.med.fac. 5ª.63.D
Alga medicamentum.14°.meth.med. 7ª.92.E
ALGOR *quid ſit.1°.de mor.vulg.com.3°. 3ª.118.B*
ab Algore congelatio fit.in 1ᵐ.de dif.feb. 3ª.34.D
Algor minꝰ tolerat̃ i cõſiſtẽtibus,q̃ i iuuenibus.c.3°.ap.30°.Ex.26.D
Algentes habent pulſum,& reſpirationem rariorem,tardiorem,ac minorem.de vſu pulſ. 1ª.227.F
ex Algore nimio fit pulſus durus in ephemeris.1°.de dif.feb.3ª.34.C
Algentibus oleum prodeſt.2°.de ſimp.med.fac. 5ª.15.H
nõ Algere,non eſurire,non ſitim pati, primus eſt finis eorum quæ poſſidentur.de cogn.cur.animi morb. 2ª.54.F
ALICA *nomen eſt rarum apud antiquos.1°.de alim.fac. 2ª.10.H*
Alica genus tritici.1°.de alim.fac. 2ª.10.H
Alica contraria eſt orizæ.intro. Iſa.51.A
Alicæ ſimile eſt tragi ſemen.1°.de alim.fac. 2ª.12.G
Alica eſt ptiſſana triticea ſecundum Dioclem.1°.de alim.fa. 2ª.10.H
de Alica fit mentio.13°.meth.med. 7ª.83.H
Alica in Italia quo modo paretur.2°.de alimen.fac. 2ª.13.A
Alica maceratur.7°.de comp.med.ſec.loc. 5ª.185.E
Alica ex qbus paret̃.cõ.2°.aph.18.Ex.13.H/de attẽ.vic ra. 2ª.44.G
Alicæ lotæ,& nõ lotæ eadem eſt præparatio.1°.de alim.fac.2ª.11.A
Alica conditur modico anethi & ſalis.8°.meth.med. 7ª.51.B
Alica cum granis punici.12°.meth.med. 7ª.79.A
in Alica acetum ponitur ad diſtributionem.8°.meth.med. 7ª.51.B
Alicæ ſorbitio qualis.1°.de alim.fac. 2ª.10.H
Alicæ varia coctura.1°.de alim.fac.10.H/ 2ª.11.A
ex Alica ſorbitio cibus eſt qui nulla indiget contritione.8°. de compo. med.ſec.loc. 5ª.187.H
ad Alicam prope accedit ouorũ natura.de bon.& vit.ſuc. 2ª.34.G
Alica multũ alit.1°.de alim.fac.10.H/de attẽ.victꝰ.rat. 2ª.44.G/8°. meth.med. 7ª.50.H
Alica facit victum plenum.com.1°.aph.4°. Ex.4.C
Alica dat alimentum humens.de ptiſ. 2ª.48.B
Alica qui poſſint veſci,& quo modo.de atten.victꝰ.rat. 2ª.44.G
Alica cibus craſſus.3°.de alim.fac.28.B/de bo.& vit.ſuc. 2ª.34.F
Alica habet ſuccum lẽtum.1°.de alim.fac.10.H/ 2ª.12.B
Alica cremore ptiſſanæ condita eſt cibus frigidus & humidus. 10°. meth.med. 7ª.67.A
Alica ſorbitio cibus boni ſucci.de ſucc. bon. & vitio. 2ª. 39.C/2°.de comp.med.ſe.lo.5ª.133.D/de remed.par.fac. 7ª.159.C
Alica generat ſanguinẽ bonũ,ſed viſcoſum.de puero epilep. 7ª.180.G
Alica eſt difficilis coctionis.com.2°.aph.18°. Ex.13.H
Alica ſi à vẽtriculo coquatur,& à iecore in ſanguinẽ vertat̃,probatiſſimos humores gignit & parũ glutinoſos.de bo.& vit.ſuc.2ª.34.F
ex Alica panes ſũt plurimi alimẽti & minꝰ ſubſidẽt.1°.de ali.f.2ª.10.H
Alicæ ſuccus quid operetur.de ſimp.medic. Sp.90.A
Alica quid mali faciat.13°.meth.med. 7ª.83.E
Alica nihil detergit.1°.de alim.fac. 2ª.13.H
Alica iecur obſtruit & renum grauitatem & dolorem nonnunquam facit.de bon.& vitioſuc. 2ª.34.F
ex Alica adaugentur iecoris,& lienis tumores,maxime cum melle. de atten.victꝰ.rat. 2ª.44.G
Alicæ vſum qui vitare debent.1°.de alim.fac. 2ª.10.H
Alica purgatis tuto exhibetur.præſag.exper.confir. Sp.78.D
Alicæ farina.5°.de comp.med.ſe.lo. 5ª.161.C
ex Alicę ptiſſana cibus eſt ægrorũ ſm aliquos.1°.de alim.f. 2ª.10.H
Alica pot̃ moderate guſtari i victu attenuãte.de att.victꝰ.rat.2ª.44.G
Alica ptiſſanæ qñ præparata in diaria cõueniat.8°.meth.me.7ª.53.E
Alica frigida ex mulſo,& vino frigido ſumpta calori & ſiccitati corporis ſuccurrit.de bon.& vitio ſuc. 2ª.39.C
Alica vt ptiſſana præparata in ſiccitate datur.7°.meth.med. 7ª.45.C
Alica poſt ptiſſanam in calidis & ſiccis offertur.8°.meth.me.7ª.51.B
Alica in febre danda eſt.4°.de ſan.tuen. 2ª.87.G
ex Alica ſorbitiones dandæ in febribus continuis.1°.de arte cura.ad Glauc. 7ª.98.A
Alicę ſorbitio dãda pro cibo in tertiana.1°.de ar.cur.ad Gla.7ª.97.C
Alicam Galenus dat cuidam,qui debebat incidere in maraſmum.10°. meth.med. 7ª.62.D
Alica calente, quæ cocta in aqua eſſet immiſſis ei mali punici granis, quo caſu vſus fuerit Galenus.12°.meth.med. 7ª.79.A
ex Alica ſorbitionis fit mentio.13°.meth.med. 7ª.83.F
Alicam & vinum dat in capitis dolore per conſenſum.2°.de compoſi. med.ſec.loc. 5ª.136.H
Alica conuenit epilepticis de puero epilep. 7ª.180.G
Alica flaccida,calida,probè cocta ſit pro ventriculo roborando.2°.de comp.med.ſec.loc. 5ª.133.D
Alica cibus eſt cõueniẽs ſtomachicis.8°.de comp.med.ſec.loc.5ª.152.C
in Alicam elixatam vinum infuſum datur,cum timemus animi defectum conſecuturum.1°.de arte cur.ad Glauc. 7ª.99.E
Alica quando danda in ſyncope.11°.meth.med. 7ª.75.H
p Alica ptiſſanæ cremor in ſyncope.11°.meth.med. 7ª.76.A
Alicã colatã accipiãt uẽtris mordicationẽ habẽtes.1°.de ali.f. 2ª.11.A
Alica aceto cocta,prodeſt lichenicis.5°.de comp.med.ſec.lo.5ª.161.A
ex Alica probè cocta ſorbitio leniſſima in arteriæ inflammationum principiis.7°.de comp.med.ſec.lo. 5ª.177.H
Alica exhibet̃ in phlegmone glãdularũ & artuũ.13°.me.me.7ª.83.D
ALIENA *ſemper ſpectamus,propria nunquam.de cognoſc.cura.animi morb. 2ª.50.F*
Alienum à viribus duplex eſt.de cur.rat.per ſang.miſſ. 6ª.17.G
Alienum expellit vis expultrix.de cur.ra.per ſang.miſſ. 6ª.17.G
Alienorum auerſio ineſt omnibus membris.3°.de nat.fa. 1ª.303.G
ALIENATIO *mentis eſt vehemens furor.com.7°.aph.5°.Ex.54.C*
Alienatio mentis quid indicet in 1ᵐ.prorrh.com.1°. 4ª.166.B
Alienatio mẽtis à furore bonũ,d̃ quo ambigit Gal.c.7°.ap.5°. Ex.54.C
Alienatio mentis & phrenitis quo lunæ aſpectu fiant.de decub.progn. ex mathem.ſcientia. Sp.12.G
Alienationes mẽtis fiũt ſi mars dederit ſchema,præſertim diametrum lunę,motu et lumine augeſcẽti.de decu.pgn.ex math.ſcia. Sp.12.H
Alienationes tenet orobi farina.de ſimp.med. Sp.78.F
Alienationes ſtringit periſtereon.de ſimp.med.fac. Sp.89.C
Alienationes continet ſori.de ſimp.med. Sp.90.F
ALIMENTVM *q̃d ſit.1°.de element.1ª.7.B/3°.de ſimp.med.fa. 5ª.17.C*

Alimenti significatio triplex. 1°. *de san.tuen.* 2ª. 69. *A/cõ.* 1°. *aph.* 4°. 4. *B/com.* 5°. *aph.* 39°. *Ex.* 41. *B*

Alimentum maxime proprium quod sit.com. 2°. *aph.* 17. *Ex.* 13. *B/* 3°. *de temp.* 1ª. 22. *H/de bon.& vitio suc.* 34. *B/.* 2ª. 36. *E*

de Alimentorum facultatibus, scilicet caliditate, frigiditate, humiditate, & siccitate, vtilissima est doctrina. 3°. *de ali.fac.* 2ª. 28. *F*

Alimentorum facultates scire cur sit omnium vtilissimum in re medic. 1°. *de alim.fac.* 2ª. 7. *C*

de Alimentis dissidebant antiqui. 1°. *de alim.fac.* 2ª. 7. *C*

de Alimentis scribendi ordo antiquus. 2°. *de alim.fac.* 2ª. 16. *B*

de Alimentis scripsit Maesitheus. 2°. *de alim.fac.* 2ª. 24. *C*

de Alimentis adducit librum Galenus, nec dicit non esse Hipp. in 6ᵐ. *de mor.vul.cõ.* 3°. 3ª. 170. *B/* 1°. *de comp.med.per gen.* 5ª. 216. *H*

de Alimentorum facultate commentariis tribus tota singulatim alimentorum sylua constat. de sal.diæ. 2ª. 40. *B*

Alimentorum facultates sola experientia nobis innotescere, aliqui me dici contenderunt. 1°. *de alim.fac.* 2ª. 7. *C*

in Alimentorum, & temperamentorum substantiæ cognitionem, per quæ deueniamus. 3°. *de alim.fac.* 2ª. 28. *F*

in Alimentis quæ sint consideranda. 3°. *de alim.fac.* 2ª. 28. *F*

Alimento nutritur calor, vt ignis lignorum materia. in 6ᵐ. *de morbis vulg.com.* 5°. 3ª. 194. *A*

Alitur totum corpus in vigilia. in 6ᵐ. *de mor.vul.com.* 5°. 3ª. 194. *A*

Alimenta cur fomenta dicantur.com. 1°. *aph.* 14°. *Ex.* 7. *H*

Alimenta, medicamenta, & tegumenta sunt calida potestate. 2°. *de simplic.med.fac.* 5ª. 15. *D*

vt Alimentum calefacit oleum, intro in corpus assumptum. 2°. *de simplic.med.fac.* 5ª. 15. *E*

Alimenta quæ sint, & nõ medicamẽta, & qualia. 1°. *de alim.fa.* 2ª. 8. *E*

in Alimẽtis substantia in quo consistat. 3°. *de alim.fac.* 2ª. 28. *F*

Alimẽtũ habet ptẽ seros am gra distributionis.c. 3°. *aph.* 15°. *Ex.* 22. *H*

Alimenti necessitas.com. 1°. *aph.* 15°. *Ex.* 8. *D/ad Thras y.* 2ª. 104. *E/ de ren.aff.dig.& med.* 7ª. 195. *A*

Alimenti defectus, corpus exiccat. ars med. *Isa.* 68. *G*

Alimenti defectus ab aliquibus dicitur ægritudo, cũ membra minuuntur. de diff.morb. 3ª. 5. *B*

Alimenti defectus interficit fœtum. commen. 5°. *aph.* 30°. 40. *D/ aph.* 31°. 40. *D/aph.* 37°. *Ex.* 40. *H*

Alimento maiori indiget maior fœtus.com. 5°. *aph.* 31°. *Ex.* 40. *D*

Alimento indigens fœtus calcitrat, & membranas frangit, vnde facit initium partus.com. 5°. *aph.* 37°. *Ex.* 41. *A*

Alimenti magnus defectus ostenditur ex capillis cadentibus. commen. 5°. *aph.* 11°. *Ex.* 38. *D*

Alimẽto multo indigemus calido supabũdãte. c. 1°. *aph.* 15°. *Ex.* 8. *A/B*

Alimẽti penuria quo modo stirpes marcescãt. 1°. *de symp.cau.* 3ª. 18. *A*

Alimenti inopia generat bilem. in 6ᵐ. *de mor.vul.com.* 1°. 3ª. 157. *A*

Alimenti defectu, & abstinentia maceratis fit tremor. de palpit. conuulf.& rig. 3ª. 52. *H*

Alimentum plurimum, humectat corpora.com. 4°. *aph.* 13°. *Ex.* 28. *F*

Alimento pluri vtitur, si quis ex morbo cibum assumens non corroboratur.com. 2°. *aph.* 8°. *Ex.* 11. *H*

Alimenta cur proportionanda sint alito.com. 1°. *aph.* 15°. *Ex.* 8. *C*

Alimentum quo modo toti corpori datur. 11°. *meth. med.* 7ª. 72. *E*

Alimento eodem non aluntur omnes partes. 6°. *de vsu par.* 1ª. 154. *H*

Alimẽtũ ppriũ habet unaquæq; pars corporis.c. 2°. *aph.* 17°. *Ex.* 13. *B*

Alimentum proprium trahit quælibet pars. 6°. *meth.med.* 7ª. 40. *D*

Alimentum trahitur ex partibus propinquis. 13°. *de vsu par.* 1ª. 202. *B/.* 1°. *de symp.cau.* 17. *H. de marc.* 3ª. 48. *D*

Alimẽta alia sũt magis apta vt trahant alis, & q̃ sint d̃ mar. 3ª. 48. *C*

Alimẽtũ sibi ipsi alterat quælibet pars aãlis.c. 5°. *aph.* 39°. *Ex.* 41. *B*

Alimenti quantum capiant artus. 13°. *meth.med.* 7ª. 83. *D*

Alimẽti partes singulis dieb° expurgãdæ quæ.c. 3°. *aph.* 15. *Ex.* 22. *H*

Alimẽtis q recte vsurus est, qd agere debet. de bo.& vit.suc. 2ª. 38. *B*

Alimenta multa ex contrariis constant. 1°. *de alim.fac.* 2ª. 7. *G*

Alimentum est quod alit, & quod est veluti alimentum, & quod debet alere.com. 5°. *aph.* 39°. *Ex.* 41. *B*

Alimentum quando celeriter permeet. 5°. *de vsu par.* 1ª. 142. *H*

ẽ Alimẽtis qualitas nobis familiaris et cõtraria. 7°. *d̃ usu par.* 1ª. 159. *B*

Alimentum humidum & siccum. 2°. *de decr. Hipp.* 1ª. 240. *F*

Alimentum humidum, & præsertim natura calidum magis nutrit. com. 2°. *aph.* 11°. *Ex.* 12. *D*

Alimentum humidius vt distribuitur, ita etiam discutitur celerius. 3°. *de aliment.fa.* 2ª. 25. *H*

Alimento humidiore egent laxa, & quæ facile inaniuntur. de bonitate & vitio succorum. 2ª. 38. *A*

Alimento sicciore egent quæ perspirare non possunt, & sunt densa. de bon.& vitio suc. 2ª. 38. *A*

Alimenta quæ tota substantia ab alendis animalibus sunt aliena, ea aut non prorsus, aut insuauiter manduntur. 3°. *de alim.fac.* 2ª. 30. *F*

Alimẽto boni succi, & nõ glutinosi qbus vtẽdũ. 4°. *de san.tu.* 2ª. 86. *C*

Alimentum conueniens duplex, & quale. 6°. *de san.tuen.* 2ª. 96. *C*

Alimenta facilia coctu vel difficilia alicui, inquirendum est vel symptomate, vel experientia. 2°. *de alim.fac.* 2ª. 17. *C*

Alimentum vitiosum facit sanguinẽ vitiosum. c. 2°. *aph.* 36°. *Ex.* 17. *F*

Alimenti vitia sunt crassitudo, & lentitia. 3°. *de symp.cau.* 3ª. 26. *A*

Alimẽtis tẽperatis cur seruatur corpus tẽperatũ. 1°. *de ali.fac.* 2ª. 8. *E*

Alimenta quæ plurimum seminis pariunt & excitant ad libidinem. 6°. *de loc.aff.* 4ª. 42. *F*

ad Alimenti rationẽ, instrumẽtorũ opus variãt. 2°. *de san.tu.* 2ª. 75. *B*

Alimenti instrumentorum peritiam habere cupiens, in quibus debet esse exercitatus. 5°. *de vsu par.* 1ª. 143. *F*

de Alimenti digestione sm Platonem. 8°. *de decr. Hipp.* 1ª. 277. *G*

Alimentum ex ventre in venas, ex venis ad carnes digeritur. 3°. *de symp.cau.* 3ª. 25. *A*

Alimentum dum in venis ab innato calore alteratur, sanguis fit ex mediocri calore. 2°. *de nat.fac.* 1ª. 300. *C*

Alimentũ coquitur, etiã intrãsitu intestinorũ. 4°. *de vsu par.* 1ª. 140. *E*

p Alimento sanguis qui defertur, non est similis parti vsque quaque. 2°. *de diff.feb.* 3ª. 41. *H*

Alimentum semper habent, nisi in maxima penuria sanguinis, cor, & iecur. de marc. 3ª. 46. *G*

Alimenti principiũ qd. de vtil.resp. 226. *A/*2°. *de decr. Hip.* 1ª. 240. *F*

Alẽtis sanguinis principiũ nõ ẽ cor, sed iecur. 6°. *de dec. Hip.* 1ª. 264. *C*

Alimẽti secunda principia, quæ. 2°. *de decr. Hipp.* 1ª. 240. *F*

Alimenti tertium principium, quod. 2°. *de decr. Hipp.* 1ª. 240. *F*

Alimenti quartum principium, quod. 2°. *de decr. Hipp.* 1ª. 240. *F*

Alimẽtũ quãtũ eẽ debeat sm varias naturas. 17°. *d̃ vsu pa.* 1ª. 220. *F*

ad Alimẽti distributionẽ facit balnei vsus opportunus. d̃ mar. 3ª. 48. *E*

Alimentorum coctionem sequitur alteratio. 3°. *de alim.fac.* 2ª. 29. *B*

Alimentum aliquod partes alterantes illud sibi assimilant. 4°. *de vsu partiũm.* 1ª. 138. *E*

inter Alimenta panum esus vtilissimus est. 2°. *de alim.fac.* 2ª. 16. *B*

Alimenta à plantis, & animalibus. 2°. *de alim.fac.* 2ª. 16. *A*

Alimenta animalium. 8°. *de decr. Hipp.* 1ª. 275. *A*

Alit multum caro suilla. 8°. *de comp.med.sec.lo.* 5ª. 192. *E*

pp Alimenta pisces sunt boni & mali succi. 3°. *de ali.fa.* 2ª. 30. *G*

ab Alimento ægrorum debent esse remoti humores mordaces. com. 2°. *aph.* 18°. *Ex.* 13. *H*

ab Alimento quæ syncope sanatur. 11°. *meth.med.* 7ª. 75. *D*

Alimento vitioso vescentes facile exoluuntur in purgationibus. com. 2°. *aph.* 36°. *Ex.* 17. *F*

ad Alimentũ non sentientes infantes. 7°. *de comp.med.se.lo.* 5ª. 185. *F*

ad Alimenta non retinentes. 6°. *de comp.med.per gen.* 5ª. 256. *A*

Alimentum. lege Cibus & Nutrimentum.

Aluntur assidue, qui sufficientem cibum accipere non possunt. de diffic. respirationis. 3ª. 58. *H*

Aluit hœdum Galenus sine matre. 6°. *de loc.aff.* 4ª. 42. *A*

ALIMVM *dissimilare est, maior pars eius calida est temperate cũ humiditate inconfecta, & leuiter flatuosa.* 6°. *de simp.med.fa.* 5ª. 42. *B*

Alimũ est acris & substringentis gustus. 6°. *de simp. med.fac.* 5ª. 42. *B*

Alimum generat lac. 6°. *de simp.med.fac.* 5ª. 42. *B*

ALIPES, *id est pinguis expers.* 1°. *de comp.med.per gen.* 5ª. 215. *E*

Alipes medicamentum non potest adhærere cuti sine ligatura. 1°. *de comp.med.per gen.* 5ª. 216. *F*

ALIPTA *ingreditur antidotum ad lumborum dolorem, & frangendos lapides. de dynam.* *Sp.* 28. *D*

ad ALIQVID *est cõmune multis generibus.* 2°. *de dif.puls.* 4ª. 55. *F*

ad Aliquid est multitudo. 11°. *meth.med.* 7ª. 71. *D*

ad Aliquid est quod vehementius dicitur. 2°. *de san.tuen.* 2ª. 69. *E*

ad Aliquid sint, an qualia, magnum & paruum disputatur. 2°. *de differentis pulsuum.* 4ª. 54. *E*

ad Aliquid sunt magnum & paruum, & significant quantitatem. 2°. *de diff.puls.* 4ª. 55. *G*

ad Aliquid sunt parum mons & magna formica. in 1ᵐ. *de mor.vulg. commen.*

commen.1°. 3ª.104.A
Αλις quid significet.in 1m.prorrh.com.1°. 4ª.168.E
ALISMA quid.6°.de simp.med.fac. 5ª.42.B
Αλυσμος id est inquietatio semper mala videtur, & quando non sit mala.in 1m.prorrh.com.2°. 4ª.173.C
ALIVD agēdo,scripta Galeni nō sunt legenda.1°.de semi. 1ª.335.C
ALLANTOIS quid.de diff.vulue. 1ª.109.D
Allantoidis membranæ etymologia.1°.de semi. 1ª.331.B
ALLEVIATIONIBVS sine ratione non est fidendum.in 1m.prorrhe.commen.2°. 4ª.171.D
Alleuationem tantùm considerant,& gaudent ignari medici.in 3m.de morb.vulg.com.1°. 3ª.132.C
Alleuiare gravitates potest cucurbitula.de cucurb.scarif. 6ª.3.F
ALLIGANTIVM insitiũ multos lædit.de fascijs. 7ª.293.D
Alligabimus lana quæ tegēda,aut cōtinenda sunt.de fascijs. 7ª.93.F
Alligabimus membrana nasum & maxillam.de fascijs. 7ª.293.F
Alligabimus linteis quæ adstringenda sunt.de fascijs. 7ª.293.F
Alligantur quæ parti alicui περιαπτα vocantur,latine amuleta.de reme.par.fac. 7ª.154.A
Alligatum fuit caput cuidam vario vinculo, cui oculi procidere.de fascijs. 7ª.293.D
ALLIVM calidum est & siccum in quarto gradu.8°.de simplicium medic.fac. 5ª.60.H
Allia nunquam erunt frigida, sed plus minusue calefaciunt. de bon. & vitio succo. 2ª.38.H
Alliũ fortiter dum gustatur excalfacit.4°.de simp.med. fac. 5ª.29.D
Allium non refert maiorem caliditatem, quàm cæpa. de vict. rat. in mor.acu.commen.4°. 7ª.145.C
Allium & ampeloprasum calefaciunt corpus.2°.de ali.fac. 2ª.25.E
in Allio,& capis acrimonia mire deprehenditur.4°.de simp.medic. facul. 5ª.25.C
ab.Allio experimētū sumi debet de acredine.4°.de sim.me.fa.5ª.26.b
Allium habet acritudinē.2°.de ali.fa.2ª.25.E/in 6m.de morb.vulga. 180.C/3ª.192.G/9°.de simp.me.fac. 5ª.64.C
Alliũ habet radicem caule & foljs acriorem.2°.de ali.fac. 2ª.24.D
Allium acre in aqua coctum amittit acredinem. 2°. de alim.fac.23. A/25.E/3°. 2ª.32.A
Allio simile in acrimonia scordion.8°.de simp.me. fa. 5ª.60.H
Allia movent odoratum gustumq.4°.de simp.me.fac. 5ª.30.H
Alliorũ odor nō debet inesse medico.in 6m.de mor.vul.cō.4°.3ª.181.b
Allia numerant inter cibos calidos.de diffol.cont. Sp.74.C
Allium quando in cibis dandum. 5°.de san.tuen. 2ª.91.D
Allium est cibus acutus incidens,& aperiens.de diff.cont. Sp.72.F
Allium agreste,quid,& eius vires.de simp.med. Sp.90.H
Allium agreste,est efficacius domestico.8°.de simp.med.fa. 5ª.60.H
Allij bona,quæ.de victū.rat.in mor.acut.com.4°. 7ª.145.C
Alliũ venenis aduersatur,& quo.in 6m.de mor.vul.cō.6°. 3ª.196.G
Alliũ, agrestium theriaca vocatur à Galeno.12°meth.med.7ª.79.F
Allium habet facultatem digerendi,& obstructiones aperiēdi. 2°.de alimen.facul. 2ª.25.E
Allium deobstruit. 5°.de san.tuen. 2ª.91.D
Allium incidit.de ocul. 7ª.188.F
Allium attenuat.de atten.victus.ra. 2ª.43.H
Allia incidunt,& attenuant humores crassos.de diff.cont. Sp.74.H
Alliũ et ampeloprasũ crassos humores tenuāt.2ª.de ali.fac. 2ª.25.E
Allia aperiunt.5°.de simp.med.fac. 5ª.35.F
Allium quidam dixere adstringere.9°.de simp.me.fac. 5ª.64.D
Allij radices sunt cōcoctu difficiles,et turbant.2°.de ali.fa. 2ª.24.C
Allij radices malum succum generant.de bo.& vitio suc. 2ª.37.G/1°.de diff.feb.3ª.31.G/de diff.cont. Sp.74.C
Allium parum alit.2°.de alim.fac. 2ª.25.E
Allia qñ comeduntur cruda non bene nutriunt, sed qñ coquuntur in cibis nutriunt nutrimento parco bono.de diff.cont. Sp.73.G
Alliũ potius p obsonio comedit,q pro alimēto.2°.de ali.fac.2ª.22.H
Allium manditur vt medicamentū,non vt obsonium.2°. de ali.fa.25.E/de atten.victus.rat. 2ª.45.G
Allium inter obsonia.2°.de alim.fac. 2ª.23.B
Alliũ,cæpe,coriãdrũ faciũt cibos in delicijs.de attē.victus.ra. 2ª.44.C
Allium educit pituitam.de dynam. Sp.21.H
Allij dosis,& quibus miscetur.de dynam. Sp.21.H
Allia gallinaceos pituita tentatos sanant.2°.meth.med. 7ª.12.D
Alliũ assumat senex q cibis obstructibus sit vsus. 5°.de sa.tu.2ª.91.D
Allium flatum discutit,& sitim non facit.22°.meth.med. 7ª.79.E
Allio maiorem sitim excitant cepe.12°.meth.med. 7ª.79.E
Allia assa,et cruda comesta expurgāt i icteris de cur.icte. Sp.111.B
Allium pro dolore coli.12°.meth.med. 7ª.79.E
Allium in vrinam statim mittit suā qualitatē.1°. de semi. 1ª.335.A
in Allio superuacuum,& acre excernitur per aluum,vrinas,& sudorem.3°.de temp. 1ª.22.G
Allium quæ mala faciat.de vict.rat.in mor.acut.com.4°. 7ª.145.C
Allia qñq; faciunt bilē,quandoq; melancholiam.de diff.cōt.Sp.74.C
Allia caliditatem augent.& febrem accendunt.de ca.mor. 3ª.6.G
Allia addita temperamento calido accendunt febrem. præsa. experientia confir. Sp.77.D
Allium pro dolore auris apud rusticos.3°. de cō.med.se.lo. 5ª.140.F
Allia ventriculum offendunt.de vict.rat.in mor.acu.cō.2°. 7ª.34.B
Allij coma non iuuat in sanguinis profluuio.de opt.secta. Isa.23.H
Alliũ irritat dolores cōsuetos.de vic.rat.in mor.acu.c.4°.7ª.145.C
Allium pruritum mouet.de cathart. Sp.95.D
Allium mordicat carnem.4°.de simp.med.fac. 5ª.29.D
Allia imposita cuti exulcerant,& erodunt.3°.de temp. 1ª.22.G
Alliũ excitat strāgulatus vteri olfactu.9°. de cō.me.se.lo. 5ª.205.G
Ἀλλοφάσσοντες quid significet.in prog.com.3°. 4ª.209.E
ALMACROR anhelitus quando fiat.de vo.& anhel. Sp.61.H
Almacror anhelitus fit per musculos,qui sunt inter costas.de voce et anhelitu. Sp.62.B
ALMARV semen quid faciat.secret. Sp.102.B
ALMESCVS est cibus subtilians.de diff.cont. Sp.72.D
Almescus inflat.de diff.cont. Sp.74.F
ALOE quid,& eius vires.de simp.med. Sp.79.H
Aloes vires.& animi mores. 1ª.317.D
Aloe vbi melior habeatur.6°.de simp.me.fac. 5ª.42.C
Aloes indicę fit mentio.2°.de com.me.per gen.221.C/3°.235.F/5°.249.C/250.H/251.C/7°.266.F/de composi.med.sec.loc.154.C/8°.188.F/189.B/9°. 5ª.204.C
Aloen Indicam Galenus habuit.9°.de simp.med.fac. 5ª.69.B
Aloes iecoraricæ meminit.de med.fac.par. 7ª.162.D
Aloes vis qualis sit.6°.de san.tuen. 2ª.99.A
Aloe qualis,& quo modo differat a myrrha. 5°. de cōp.med. per ge. 246 D/6°.255.C/8°.de comp.med.sec.loc. 5ª.190.F
Aloe est mistæ facultatis,& qualis.4°.de comp.med.sec.lo.5ª.151.F
Aloe in tertio ordine sicca est,calida in primo intense, vel in secundo remisse.6°.de simp.med.fac. 5ª.42.C
Aloe sicca est præter mordacitatem.6°.de sim.med.fac. 5ª.42.B
Aloe exiccat sine morsu.de arti.com.2°. 7ª.268.A
Aloen esse frigidæ,& calidæ temperantiæ,& condensatoriæ,& extenuatoriæ,nihil mirum.de cathar. Sp.94.E
Aloe vētrē subducit.6°.de sim.me.fa.42.C/de ther.ad Piso.5ª.90.H
Aloe quid attrahat,& quo modo. Sp.94.E
Aloe non euacuat totum corpus,& quam partem euacuet, & quem humorem.de dyna. Sp.20.H
Aloe quo modo purgatoria sit.8°.de comp.med.sec.loc. 5ª.188.E
Aloe ad quantam partem purget.8°.de comp.med.sec.loc.5ª.188.E
Aloe dentur duæ drachmæ quotidie.de dyna. Sp.20.H
Aloe lota,& non lota,qualis.7°.met.med. 7ª.48.C
Aloe illota magis ducit.8°.de comp.med.sec.lo. 5ª.188.D
Aloe elota minus purgat.3°.de simp.med.fac. 5ª.20.D
Aloe lota febricitantibus dari potest.8°.de comp.me.se.l. 5ª.188.D
Aloe potius detur mane,quàm vesperi post cibum,quia illum corrūpit.de dyna. Sp.20.H
Aloe bilis euacuatur.2°.de cō.me.sec.lo.5ª.136.H/de cath.Sp.94.F
Aloe est optimum medicamentum in biliosis affectionibus.8°.de cōp.med.sec.loc. 5ª.188.E
ex Aloes compositione purgandus, cui biliosus humor in ventrem colligitur.6°.de san.tuen. 2ª.99.A
Aloe purgat cibos indigestibiles in intestinis,& lumbricos rotundos. de cathart. Sp.95.C
ex Aloe hiera dupliciter fit.8°.de com.med.se.lo. 5ª.188.D
Aloe an lota an non lota in hiera recipi debeat. 8°. de compositione medic.sec.loc. 5ª.188.D
Aloe picra quo modo ventrem purget.6°.de san.tuen. 2ª.99.A
ex Aloe hiera vbi conuenit.4°.de locis affectis.4ª.22.C/8°.de cōp.med.sec.loc. 5ª.188.E
Aloe,& sal cum melle ventrem purgat.de cathar. Sp.95.D

ex Aloe

ex Aloe qui iuuantur morbi. 8°. de compo. me. sec. loc. 5ª. 188. E/de dynamidijs. Sp. 20. H
ex Aloe, scãmonia, et colocynthide pilulæ Gal. 14°. met. me. 7ª. 89. C
ex Aloe, scammonia, & colocynthide catapotia quo modo cõficiantur. 1°. de comp. med. sec. loc. 121. G/ 5ª. 131. F
Aloes pilulæ qũo fiant, & quibus dandæ. 5°. de san. tuen. 2ª. 92. F
ex Aloe, scammonia, & colocynthide æqualiter brassicæ succo exceptis catapotia ad achoras. de remed. par. fac. 7ª. 154. D
Aloes & scammonij partes duæ, medullæ colocynthidos pars vna, succi absinthij pars vna, excepta succo pomorum pilulas faciunt ad alopeciam, & ophiasin. de remed. par. fac. 7ª. 154. G
ex Aloe catapotijs bilis euacuat. 2°. de comp. med. sec. loc. 5ª. 136. H
ex Aloe, scãmonia, & colocynthide catapotia educunt bilem & pituitam à toto corpore, & à capite. 1°. de cõp. me. sec. loc. 5ª. 121. E
Aloe oculis conuenit. de ocul. 7ª. 188. G
Aloe euslomatica est, supra omnia. de dyn. 20. H/de cathar. Sp. 94. E/ 6°. de simp. med. fac. 5ª. 42. C
Aloe ori stomachi confert. 8°. de comp. me. sec. loc. 187. D/ 5ª. 188. E
Aloes & mastiches puluis quo modo sit adhibendus ad os ventriculi imbecillum. 8°. meth. med. 7ª. 53. D
ex Aloe medicamenta, & aloe ipsa conuenit cum succi ipsi sunt in tunicis ventriculi. 7°. meth. med. 7ª. 48. C
ex Aloe medicamentum amarum datur comitiali ex ore vẽtriculi. 5°. de loc. aff. 4ª. 32. G
Aloes drachmæ duæ dantur ad tristitiam, & confortandum os stomachi. de med. exper. Sp. 106. E
Aloe iecori, & ori ventriculi conuenit. de remed. par. fac. 7ª. 158. F
Aloe nõ cõducit vẽtriculo frigido pituita pleno. 6°. de san. tu. 2ª. 99. C
Aloe non danda seni. 5°. de san. tuen. 2ª. 92. E
Aloe humores crassos non trahit. 8°. de comp. med. sec. lo. 5ª. 188. E
ex Aloes medicamento colicos sanauit Galenus, & quid ipsum mouerit. 1°. de loc. aff. 4ª. 5. G
Aloe quæ miscenda ob insuauitatem. de dynam. Sp. 20. H
Aloe non fert coctionem. 2°. de comp. med. per gen. 5ª. 222. H
Aloe quibus inspergitur. 5°. de san. tuen. 2ª. 92. F
Aloe facile læuigatur. 4°. de comp. med. per gen. 5ª. 237. H
ex Aloes vsu immodico in tabem quidam deueniunt. 8°. de composi. med. sec. loc. 5ª. 188. E
Aloe ad vteri & vesicæ vlcerationes apta. 9°. de cõ. me. se. l. 5ª. 205. d
Aloe adstringit, sed habet saporem prauũ. de subfigu. empi. Isa. 33. F/ 1°. de alim. fac. 2ª. 9. B
Aloes adstrictio ingrata. 3°. de simp. med. fa. 5ª. 20. D
Aloe extrinsecus admota efficaciter adstringit. de sim. med. Sp. 80. A
Aloe adstringit parum, & amara est. 6°. de simp. me. fac. 5ª. 42. C/ 5°. meth. med. 31. G/ 7ª. 32. E
Aloe inter arida moderate adstringentia numeratur. 6°. de compositio. medic. sec. loc. 5ª. 172. G
Aloe magis adstringunt multa eorum quæ comeduntur. 3°. de simplicium med. fac. 5ª. 20. D
Aloe habet aliũ effectũ ab alijs adstrigẽtibus. 3°. de sim. m. fa. 5ª. 20. D
Aloe extinguit sitim (ambigo an sit verum) de simp. med. Sp. 80. A
Aloe repellit, digerit, & extergit. 6°. de simp. med. fac. 5ª. 42. C
Aloe in declinatione phlegmõis cur uti posſumus. 13°. me. me. 7ª. 85. c
Aloes cur non conuenit, quando phlegmone aliqua in visceribus sit. 13°. meth. meden. 7ª. 85. C
ex Aloe medicamẽtũ ad sanguinẽ sistẽdũ. de cur. ra. p sã. mis. 6ª. 21. F
Aloes partis vnius semissis, thuris pars vna cum oui candido mista, excepta pilis leporis, medicamentum sunt ad sanguinem supprimendum. 5°. meth. med. 7ª. 30. H
Aloes quando plus immiscendum, quando plus thuris in medicamento ad sanguinem sistendum. 5°. meth. med. 7ª. 31. A
Aloes trita ad fracturã q̃ nõ possit glutinari. de rem. par. fa. 7ª. 154. a
Aloe vulnera glutinat. 6°. de sim. me. fac. 5ª. 42. C
Aloe sinus glutinat. 6°. de simp. med. fac. 5ª. 42. C
Aloe quibus vlceribus conueniat. 5°. meth. med. 7ª. 36. E
Aloe phlegmonas ani, et pudẽdorũ iuuat, uulnera glutinat, ad phlegmonas in ore, naribus, et oculis valet. 6°. de simp. med. fa. 5ª. 42. C
Aloe supercrescentes vlcerũ carnes adstringit et exiccat. de theriaca ad Pisonem. 5ª. 90. H
Aloe lota recentibus vlceribus, & siccis bona est. 9°. de compositione medic. sec. loc. 5ª. 205. D
Aloe adiungenda melli pro fistulis, & lacerosis cutibus. 2°. de arte cur. ad Glau. 7ª. 106. G
Aloes lignum quid agat in medicamentis. de med. exper. Sp. 104. B
ALOGOS, id est irrationalis, pulsus, in quo consistat. compendium pulsuum. Sp. 65. D
Aλωπεκία nomen habuit similitudine ad aliquid extra positum. 2°. metho. med. 7ª. 9. E
Alopecia vnde dicta, et quã formã habeat. de remc. par. fa. 7ª. 154. E
Alopecia quid. fin. medicæ. 48. B/C/intro. Isa. 59. C/F/de remed. par. fac. 7ª. 154. E
Alopecia est passio capillorũ, et qũo genereť. cõ. 6°. aph. 34°. Ex. 50. C
Alopecia ꝓpter quid fiat, et vnde dicať. 1°. de cõ. me. sec. lo. 5ª. 121. E
Alopecia qui morbus sit, & quo mõ differat ab ophiasi, ptilosi, myrmecia, leuce, vitiligine, spacelo, elephante, scabie, & lepra. 14°. meth. medendi. 7ª. 92. B
Alopecia prouenit a vitiosa nutritione. de symp. diff. 3ª. 12. A
Alopecia a quo humore fiat, et quibus cureť. 7°. de sim. m. fa. 5ª. 51. E
Alopecia quo modo fiat. 14°. meth. med. 7ª. 93. C
Alopecia qualis. 1°. de comp. med. sec. loc. 5ª. 121. D
ad Alopeciam Crito conscripsit. 1°. de comp. med. sec. loc. 5ª. 123. B
Alopecia incipiens nõ est alopecia. 1°. de comp. med. sec. lo. 5ª. 121. G
in Alopecia amittitur particula vtilis. 14°. meth. med. 7ª. 93. C
in Alopecia colores considerandi sunt. de remed. par. fac. 7ª. 154. F
Alopecia vitiatum caput est indecorũ. 1°. de cõp. me. se. lo. 5ª. 126. B
Alopeciã habeť medicũ turpissimũ ẽ. ť 6ᵐ. de mor. uul. cõ. 4°. 3ª. 131. H
Alopeciæ intentio. 1°. de comp. med. sec. loc. 5ª. 125. E
Alopecia an debeat sanari experimẽtũ. 1°. de cõ. med. se. lo. 5ª. 122. G
de Alopecia. 1°. de cõp. me. se. l. 5ª. 121. E/de me. fac. par. 7ª. 161. E
de Alopecia secundũ Asclepiadẽ. 1°. de com. med. sec. lo. 5ª. 124. A
Alopeciam patientiã cibus, & potus. de comp. med. sec. loc. 124. A
in Alopecia adhibenda sunt cataplasmata, fomenta, scarificationes, cucurbitulæ, & cerata. 1°. de comp. med. sec. lo. 5ª. 122. H
in Alopecijs vocatis, & ophiasi, & ciliorum & superciliorum casu quid conueniat. in 6ᵐ. de mor. vulg. com. 2°. 3ª. 160. H
Alopeciam quæ sanant, sint tenuium partium, vt in profundum penetrent. 1°. de comp. med. sec. loc. 5ª. 122. D
Alopecia parua, & incipiens sola purgatione curatur. 1°. de compo. medic. sec. loc. 5ª. 122. E
Alopecias iam factas Galenus sola purgatione curauit. 1°. de cõpos. med. sec. loc. 5ª. 121. G
Ad Alopeciã paruã medicamentũ, quale. 1°. de cõ. me. se. l. 5ª. 122. E
Alopecia fortis quibus sanetur. 1°. de com. med. sec. loc. 5ª. 122. D
ad Alopeciam simplicia. 1°. de comp. med. sec. loc. 5ª. 122. D
Alopecias quæ species alcyonij sanat. 11°. de simp. med. fac. 5ª. 83. C
Alopecijs atrita pilos restituit cæpa citius alcyonio. 7°. de simp. medica. fac. 5ª. 53. D
Alopecia glabrũ capillis caput cõuestit adiãtũ. 6°. ć sim. m. fa. 5ª. 41. E
Alopecias sanare non potest ladanum. 7°. de sim. med. fac. 5ª. 51. E
Alopecijs imposita viperæ pellicula in puluerem redacta, pilos mirifice regenerat. de ther. ad Piso. 5ª. 93. F
in Alopecia quo modo nascantur pili. 1°. de com. me. se. lo. 5ª. 124. C
in Alopecia capilli quibus renascanť. 1°. de com. me. se. lo. 5ª. 224. C
Alopecias & alphos sanant nymphææ. 8°. de sim. me. fa. 5ª. 57. A
Alopecias iuuant pauco tempore admota batrachy caulis & folia virentia. 6°. de simp. me. fac. 5ª. 44. G
pro Alopecia calidorum orbo. 1°. de comp. med. sec. loc. 5ª. 122. D
ad Alopecias qũo abrotonon cõueniat. 6°. de simp. med. fac. 5ª. 40. H
Alopecias sanat asphodelus. 6°. de simp. med. fa. 5ª. 44. B
Alopeciam emendant radices asphodeli combustæ, & in cinerem redactæ. de simp. medic. Sp. 81. B
Alopecias curat cyclamini radix. 7°. de simp. med. fac. 5ª. 53. F
Alopecias capitis iuuat raphanus. de simp. med. Sp. 89. F
ad Alopeciã Thapsiã miscuit, et ponit curationẽ. 14°. me. me. 7ª. 93. d
in Alopecia quo modo cognoscať qñ cutis præter modum cõcalescat in applicatione pharmacorũ. 1°. de cõp. med. sec. loc. 5ª. 122. G/H
ad Alopecias caput leporis. 11°. de simp. med. fac. 5ª. 79. G
Alopeciam sanant capita murium. de ther. ad Piso. 5ª. 93. E
ad Alopecias stercus murium. 10°. de simp. me. fa. 77. D/de theria. ad Pisonem. 5ª. 93. F
ad Alopecias stercus caprinũ vstum. 10. de simp. med. fac. 5ª. 76. E
Alopecias sanat ranarũ vstarum cinis. 11°. de sim. med. fa. 5ª. 82. D
Alopecijs prodest hippocampus vstus. 11°. de simp. me. fac. 5ª. 82. D
Alopecias quomõ sanãt vngues caprarũ. 11°. de sim. me. fa. 5ª. 80. E

Alopecias curare vrsorũ adipẽ verũ est. 11°.*de simp.me.fa.* 5ª.79.*E*
ad Alopeciam & ophiasim localia.de reme.par.fac. 7ª.154.*G*
in Alopecia supra caput scarificatio. 1°.*de cõp.med.se.lo.* 5ª.123.*d*
ad Alopeciã cõposita medicamenta. 1°.*de cõp.med.se.lo.* 5ª.122.*e*
ad Alopeciam pharmaca fortia. 1°.*de comp.med.sec.lo.* 5ª.123.*A*
ad Alopeciam admiranda pharmacã. 1°.*de compositione medicamentorum sec.loc.*123.*E*/124.*H*/ 5ª.162.*D*
ad Alopeciam pharmaca debilia. 1° *de comp.med.sec.lo.* 5ª.123.*A*
ad Alopeciam pharmaca media. 1°.*de comp.med.sec.lo.* 5ª.123.*A*
in Alopecia fortia & debilia medicamenta quo modo humectanda. 1°.*de comp.med sec.loc.* 5ª.122.*D*
in Alopecia pharmaca in aere calido sunt adhibenda. 1°. *de compo. medic.sec.loc.* 5ª.122.*H*
ad Alopeciam & ophiasim pilulæ.de reme.par.fac. 7ª.144.*G*
ad Alopecias Archigenis. 1°.*de comp.med.sec.loc.* 5ª.123.*F*
ad Alopecias Cleopatræ. 1°.*de comp.med.sec.loc.* 5ª.123.*D*
ad Alopeciã medicamẽta Heræ. 1°.*de compo.med.se.lo.* 5ª.122.*H*
pro Alopecia puerorũ Heræ pharmacũ. 1°.*de cõ.me.se.lo.* 5ª.123.*b*
ad Alopecias compositio Moschi. 1°.*de cõp.med.sec.loc.* 5ª.123.*C*
*Alopeciæ diuturnæ,et renascẽtibus capillis ꝑsidia.de dyna. Sp.*23.*E*
ad Alopecias inueteratas. 1°.*de cõ.med.se.lo.*124.*A*/5°.5ª.161.*G*
ad Alopecias inueteratas Orestini. 1°.*de cõp.med.sec.lo.* 5ª.123.*E*
ad Alopecias Orthonis medicamẽtũ. 7°.*de com.me.se.lo.* 5ª.123.*D*
ad Alopecias Sorani medicamenta. 1°.*de cõp.me.sec.lo.* 5ª.124.*D*
Alopecia perseuerante quid agendũ. 1°.*de comp.me.se.lo.* 5ª.122.*H*
in Alopecia rusticũ quo Gal.curauerit. 1°.*de cõp.me.se.l.* 5ª.123.*A*
in Alopecia casus adolescentis,quem curauit Galenus. 1°.*de cõpo. med.sec.loc.* 5ª.121.*G*
ALOSARDIVM *quid,& eius vires.de simp.me.* *Sp.*80.*C*
ALPHOS, albus,& niger affectus cutis.intro. *Isa.*59.*D*
Alphi vitiliginũ species à pituita procreati.cõtra Iulianũ. *Ex.*67.*E*
Alphi quo modo fiant.in 6ᵐ.*de morb.vulg.com.*3°. 3ª.178.*E*
*ad Alphos accõmodi sũt vtriq; ellebori.*6°.*de simp.me. fa.* 5ª.47.*C*
*Alphos in sole abstergit capa.*7°.*de simp.med.fac.* 5ª.53.*D*
*Alphos & alopecias sanant nymphæa.*8°.*de simp.me.fac.* 5ª.57.*A*
Alphos quæ alcyonij species sanent. 11°.*de simp.me.fac.* 5ª.83.*C*
ad Alphos.de rem.fac.par. 7ª.163.*G*
*ALSINE quid.*6°.*de simp.me.fac.* 5ª.42.*D*
*ALTARIVM medicos laudat,et cæteris nobiliores appellat,qui curant cum cibis sacrificiorum.de me.exper.*104.*A*/ *Sp.*108.*G*
ALTERATIO *quid sit.*7°.*de decre.Hippo.* 1ª.271.*H*/ 1°.*metho. me.*6.*C*/2°. 7ª.10.*A*
*Alteratio est commune nomen omnibus his quæ mouentur in qualitate.*1°.*de nat.fac.* 1ª.290.*H*
*Alteratio est motus passiuus.*2°.*meth.med.* 7ª.10.*A*
*Alterationes habent esse suum in fieri.*2°.*meth.med.* 7ª.10.*B*
Alteratio quæ ĩ passo remanet,affectus eius est.de sym.diff. 3ª.10.*D*
Alteratio actionis genus.sed nõ vt in gẽratione. 1°.*de na.fa.* 1ª.292.*B*
ad Alterandi actionem,& negociorum actionem diuersum statũ requirit particula. 3°.*de sym.cau.* 3ª.28.*G*
*Alteratio quibus fiat.*1°.*de elemen.*7°.*B*/6°.*de sanita.tuen.*2°.96.*D*/ 13°.*meth.med.* 7ª.82.*C*
Alteratio quot modis fiat.ars med. *Isa.*68.*C*
*Alterationes duplices sunt in genere.*3°.*de sim.me.fa.* 5ª.17.*D*
*ad Alterationẽ ducẽs,immodicũ duplex est,aut cum in admoti consistit robore,aut in tẽporis diuturnitate.*4°.*de sim.me.fa.* 5ª.29.*B*
Alterationes cur multiformes. 1°.*de inæq.intemp.* 3ª.43.*H*
*Alteratio & mutatio secundùm qualitatem nihil aliud est quam rei affectæ assimulatio ad efficientem.*1°.*de semi.* 1ª.333.*C*
*Alteratio substantiæ secundum solam qualitatem fit per medicinas non per alimentum.*1°.*de elem.* 1ª.7.*B*
*Alteratio ꝑ solas has qualitates,caliditatẽ, frigiditatẽ, humiditatẽ, & siccitatẽ,totã per totã trãsmutat substantiam.*1°.*de ele.*1ª.7.*A*
*Alteratio potissimum perficitur à calido.*2°.*de nat.fa.* 1ª.298.*A*
*Alterationẽ humidũ facit.si calidũ vnà sit.*3°.*de sym.cau.* 3ª.28.*H*
*Alteratio facilius fit a similibus.com.*2°.*apho.*50°. *Ex.*19.*B*
*Alteratio facile suscipit ĩ re molli vt cerebrũ.c.*5°.*aph.*69.*Ex.*45.*D*
*ex Alteratione et formatiõe cõstat generatio.*1°.*de na.fa.* 1ª.291.*E*
*Alteratrices facultates primæ,& elementares sunt humiditas, siccitas,caliditas,& frigiditas.*1°.*de nat.fac.* 1ª.291.*F*
*Alterationes quæ nascũtur ex primis inter se mistis, tot sunt in omni animali,quot sensibilia elementa in eo.*1°.*de nat.fac.* 1ª.291.*F*
Alteratio fit in animalium corporibus ob aerem. in 1ᵐ.*de mor.vulg. commen.*1°. 3ª.104.*B*
*Alterationes tres fiunt in animalium corpora,vna secundũ naturam, altera ꝑter naturã,tertia ex utraq; mista.*5°.*de sim.me.fa.* 5ª.33.*c*
*Alterationes sunt concoctio,& nutritio.*3°.*de sym.cau.* 3ª.29.*A*
Alterationis est species concoctio.ars med. *Isa.*69.*E*
*Alterationis species est nutritio.*3°.*de sym.cau.* 5ª.26.*C*
*Alteratio est concoctio,quæ in ventre fit.*3°.*de sym cau.* 3ª.26.*C*
*Alteratio quæ fit in ventriculo minore, est minor quàm illa quę fit in iecore & venis.*3°.*de nat.fac.* 1ª.304.*A*
*Alteratio naturalis concoctio est.*5°.*de simp.med.fac.* 5ª.33.*C*
*Alteratio sequitur alimentorum coctionem.*3°.*de alim.fac.* 2ª.29.*B*
Alteratio in sanguinem est actio naturę intro. *Isa.*55.*B*
*Alteratio est concoctio quę in venis fit.*3°.*de sym.cau.* 3ª.26.*C*
ab Alteratione differt incrementum.de tumor.prę.nat. 3ª.82.*H*
*Alteratio naturę quando fiat.*1°.*de ineq.intemp.* 3ª.43.*G*
*Alteratio prẽter naturam putrefactio est.*5°.*de simp.me.fa.* 5ª.33.*C*
*Alteratio media inter eam quę est secundùm naturam,et prẽter naturam.*5°.*de simp.med.fac.* 5ª.33.*C*
Alterationes sẽsuũ Plato pathemata appellauit.de sym.diff. 3ª.10.*d*
*Alteratio quo modo fiat in spiritu.*12°.*met.med.* 7ª.77.*C*
*Alteratio qualitatis quo modo fiat in corpore cõtinuo.*7°.*de decretis Hippocratis.* 1ª.269.*G*
*Alterationes quę apparent in substantia secundum Anaxagoram secretione ac concretione accidunt.*1°.*de nat.fac.* 1ª.291.*A*
*Alterationem fieri à motu in corporibus indicat nauigatio.comm.*4°. *aphor.*15°. *Ex.*28.*H*
Alteratio dolores facit.de const.ar. *Isa.*38.*C*
*Alteratio,et solutio cõtinui sunt duę doloris species.*2°.*de loc.affect.* 4ª.9.*C*/*D*/12°.*meth.med.* 7ª.78.*D*
*Alterationem exigit dolor.*1°.*de elem.* 1ª.3.*B*
*Alteratione vehementi fit dolor.*7°.*de decr.Hippo.* 1ª.272.*A*
*Alteratio ꝙ sensim fit ñ facit dolorẽ,sed violẽta.*12°.*me.me.*7ª.78.*D*
*Alteratio fit subito simulq; ab efficientibus qualitatibus, cum corpore sensibilia & calefiunt,& refrigerantur,& siccantur,et humectantur.de vict.rat.in mor.acut.cum.*2°. 7ª.116.*C*
Alteratio sanguinis habet similitudinẽ cũ vinis qũ acescũt. *Ex.*13.*E*
*Alterationis sanguinis duplex est causa.*2°.*de diff.feb.* 3ª.42.*C*
Alterationẽ validam,ira,exercitatio,& vinum concitant. 4ª.88.*A*
*Alterationis pulsuum causę,quę.*1°.*de cau.puls.* 4ª.86.*G*
de Alteratione signorum & septẽ climatũ mundi.de sper. *Sp.*39.*D*
de Alteratione quatuor partium mundi.de spermate. *Sp.*39.*F*
Alterationes ĩ his certe cognoscunt,quorũ scimus naturã. 4ª.104.*G*
*Alteratio nulla,ẽ morbus,nisi sint læsę operationes.*1°.*me.me.*7ª.8.*C*
*Alteratio fit in contraria.*1°.*de tem.* 1ª.10.*E*
*Alteratio per contrarias qualitates plus iuuat, quàm quo modolibet euacuatio.*1° *de arte cur.ad Glauc.* 7ª.97.*B*
Alteratione humorũ fit cõcoctio.in 2ᵐ.*de mor.vul.com.*2°. 3ª.112.*C*
Alteratio est indicatio febris.ars med. *Isa.*69.*E*
*Alteratio corpis nulla fieri dẽt ęgris cũ inedia.c.*2°.*aph.*16°. *Ex.*12.*b*
*Alteratio ex calido ac frigido cur facile curat.*7°.*meth.me.* 7ª.44.*C*
*Alteratio ex hũido et sicco cur difficulter curat.*7°.*met.me.*7ª.44.*D*
*Alterat calor sup omnes qualitates.*3°.*de sym.cau.*28.*H*/ 2ª.29.*E*
Alterantur primò alteratu facilia.de ineq.intemp. 3ª.43.*H*
Alterat.ur promptius substantia tenuis, quàm crassa. 1°. *de diff. feb.* 31.*B*,*de ineq.intemp.* 3ª.43.*H*
*Alteratur facilius corpus exile.*1°.*de simp.med.fac.* 5ª.4.*B*
ad Alterandum cur sit promptus spiritus.de ineq.intemp. 3ª.43.*H*
*Alteratur flaua bilis leui momento.*1°.*de inęq.intemp.* 3ª.43.*H*
*Alterat celerrime proprium nutrimentum & assimilat humidissimũ calidissimumq; corpus.*3°.*de symp.cau.* 3ª.28.*H*
*Alteratum quod prompte est in se recipit id quod humidissimũ mollissimumq; est.*3°.*de symp.cau.* 3ª.29.*A*
Alteratur primò sanguis sinistri sinus cordis.de inæq.intẽ. 3ª.44.*A*
Alterat difficulter ꝙquid ẽ crassarũ partiũ.de inęq. intẽp. 3ª.43.*H*
Alterascit nigra bilis ęgre.de inęq.intemp. 3ª.43.*H*
*Alteratur difficilius corpus grandius.*1°.*de simp.me.fac.* 5ª.4.*B*
Alterandi propriũ nutrimentũ vim habent singulæ partes. 2ª.100.*C*
*Alterari aliquid indiget tempore.*3°.*de nat.fac.* 1ª.302.*E*
*ꝙ Alterentur per se tota quę alterantur, Hippocraticum simul & Aristotelicum est dogma.*2°.*de nat.fac.* 1ª.297.*H*
*Alterantur quidam a medicamentis.*1°.*de præsag.ex puls.* 4ª.105.*B*

Alterantia quæ non sunt pharmaca.3°.de simp.med.fac. 5ª.17.D
Alterant solo tactu quædã per qualitatis vim ea quæ eis vicina sũt. 6°.de locis affectis. 4ª.40.B
nisi Alteraremur,non esset mors.de morb.temp. 3ª.85.B
Alterant stellæ puerum in conceptu.de spermate. Sp.38.G
in Alterãdo frustratio,symptoma ẽ coctionis,& vẽtriculi. 3ª.24.F
Alteranda sunt aut expellenda excrementa siue calida sint,siue frigida.4°.de sanit.tuen. 2ª.82.H
Alterandus est corruptus sanguis.de cucur.scar. 6ª.3.G
Alterat̃ qua via ps,eadẽ retro ferri dẽt p cõtraria.7°.me.m.7ª.49.a
Alterare p cõtraria quãdo debeamus,& qũo.de const. ar. Isa.42.E
ALTERATRIX *facultas,attractrix,retentrix, & excretrix naturales sunt.de nat.hum.com.2°.* 7ª.182.F
Alteratrix vis ĩter quatuor vires naturales ñ minĩe valet.7ª.140.D
Alteratrices facultates quot sint in animali.1°.de nat.fac. 1ª.291.g
Alteratrix uix generatim dicta,speciatim sanguifica vocat̃. 4ª.34.D
Alteratrix vis generaliter est in omni animalis particula. 1ª.302.D
Alteratricis cuiuslibet partis officium est, vt succus attractus similis euadat parti quæ alitur.5°.de loc.aff. 4ª.35.B
Alteratrici facultati retentrix & expultrix deseruiunt. 4ª.35.B
Alteratrix vis quo modo inuenta fuerit.1°.de nat.fac. 1ª.292.F
Alterans & concoquens vis, qũo cognoscat̃.in prog.cõ.2°.4ª.200.C
Alteratrix vis adiuuat auctricem.1°.de nat.fac. 1ª.292.A
Alteratrix facultas puerorũ fortior ẽ q̃ uigẽtiũ.3°.de sym.ca.3ª.29.b
Alteratrix potentia calida facit humorẽ bilio sum & melancholicũ. 3°.de symp.cau. 3ª.26.B
Alteratrix potẽtia frigida humorẽ facit aquosũ & pituitosũ.3ª.26.b
Alteratricem vim esse in tunicis.1°.de nat.fac. 1ª.291.G
Alteratrix vis iecoris, quæ.8°.de com.med.sec.loc. 5ª.194.A
Alteratricem habet vesica.1°.de crisi. 4ª.129.H
Alteratrix vis habet duo symptomata.de symp.diff. 3ª.12.B
Alteratricis in quaque particula virtutis noxa atrophiam necessario inducit.3°.de symp.cau. 3ª.30.D
Alterans debet tangere alteratum.de const.ar. Isa.38.E
ALTERCVM *est hyoscyamus.8°.de simp.med.fac.* 5ª.63.A
Altercum humidum præter semen.5°.de simp.med.fac. 5ª.37.C
Alterci semen,anodynũ,in quo errant medici.11°.meth.me.7ª.75.B
Altercũ refrigerat.1°.de simp.med.fa.5ª.2.C/13°.met.me.7ª.87.B
Altercum stupefacit.in 6ᵐ.de mor.uul.cõ.2°.161.B/cõ.6°.3ª.196.E
Altercũ ĩmodice sũptũ obstupefacit et necat.5°.de sim.m.fa.5ª.35.g
Altercũ dolores mitigat,quo modo.6°.de cõp.med.per ge.5ª.255.C
ex Alterco medicamẽta refrigerant,et siccãt.12°.meth.me.7ª.79.C
Altercum potui non est vtile.5°.de simp.med.fac. 5ª.37.C
Altercum fugiendum est in vlceribus.3°.meth.med. 7ª.21.C
Altercum ualde excalfactum non solum excalfacit,sed etiã vrit corpus humanum.1°.de simp.med.fac. 5ª.3.C
℔ ALTERES *fatigare corpus ẽ exercitatio.2°.de san.tuen.* 2ª.73.G
℔ *Alteres exercitiũ exercet supernas partes.6°.de sa.tu.* 2ª.100.F
ALTHEA *est quædam agrestis malua.2°.de alim.facul.* 2ª.24.D
Althea qualis sit.6°.de simp.med.fac. 5ª.46.F
Althea rarefacit.5°.de simp.med.fac. 5ª.35.F
Altheæ radix emollit.5°.de simp.med.fac. 5ª.34.F
Althea digerit.14°.meth.med. 7ª.91.E
Althea resoluit.2°.de arte cur.ad Glauc. 7ª.105.F
Altheæ radix parum adstringit.6°.de simp.med.fac. 5ª.46.F
Altheæ radix & semẽ vitiligines detergunt: semen renũ calculos cõfringit,& radicis decoctum ad dysenteriam, diarrhœã, & sanguinis deiectionem aptum est.6°.de simp.med.fac. 5ª.46.F
Altheæ semen lapidẽ renũ frangit.de ren.aff.dig. & med. 7ª.196.D
Altheæ radix ad neruos vulneratos ualet.3°.d̃ cõp.me.p ge. 5ª.234.B
Altheæ radix discutit tumores pituitosos, quod folia sua efficere nequeunt.2°.de alim.fac. 2ª.24.D
ex Altheæ radicibus aqua cuius vsus.2°.de arte ad Glau.7ª.105.C
Altheę decoctum ad sicca liquanda.7°.de cõp.med.per ge. 5ª.264.C
Altheæ radicẽ cur q̃q; oleo incoquat Gal.14°.me.me.p ge.7ª.88.B
Altheæ,bryonyæ, cucumeris agrestis radicibus in oleo decoctis, cur Galenus vteretur.6°.de comp.med.per ge. 5ª.258.A
Altheę radix sumenda pro rosmarino,si ipsũ ad manũ nõ sit.2ª.87.b
ex Althea oleum mitigatoriũ est.3°.de comp.med.per ge.5ª.235.A
Altheæ oleum rarefacit.5°.de simp.med.fac. 5ª.35.F
ex Althea cataplasmate quando vti debemus.14°.met.me.7ª.88.C
ALTIT *dulcis fit mentio.secret.* Sp.98.C

ab ALTO *in terram lapsu ruptiones in plagarum genere numerantur.3°.de symp.cau.* 3ª.26.H
ex Alto euocantia pharmaca,quæ.1°.de cõp.med.sec.loc. 5ª.124.E
in Altũ penetrãs medicamẽtũ,quale.3°.de cõp.me.p gen. 5ª.228.D
in Altiore parte cur sit cerebrum.de ana.viu. Sp.47.D
ALTRIX *põt vocari anima vegetatiua,quæ est in iecore.7ª.58.H*
Altricis facultatis initium est iecur.6°.de dec.Hipp. 1ª.262.H
Altrix ab Aristotele dicitur animæ pars cõcupiscibilis. q̃ animi mores.318.E/de fœt.for. 1ª.323.C
Altrix vis ad magnitudinem instaurandam in nobis inest. in 6ᵐ. de mor.vulg.commen.5°. 3ª.188.E
Altricẽ uim debilitatã quid sequat̃.2°.de arte cur.ad Glau.7ª.103.E
in ALVEARI nouo facti mellis fit mẽtio.3°.de me.f.par.7ª.170.e
Alueoli vel præsepiola quid.fin.med. Isa.44.D
ALVMINIS, *id est stypteriæ,nomen ab adstrictione deductum est: nam adest illi vehementissima.9°.de simp.med.fac.* 5ª.71.A
Alumea vnde dictum.6°.de comp.med.per ge. 5ª.256.C
Alumen significat,simpliciter scisile.4°.de cõp.me.p gen. 5ª.239.G
Alumen quid,& eius species ac vires.de simp.med. Sp.80.A
Alumen vbique facile paratur.6°.de comp.med.sec.loc. 5ª.168.G
Aluminis gña,ex adstrigẽtibus parabilia.6°.de cõ.me.se.lo. 5ª.169.f
Aluminis genera adstringentia arida vehementissima.6°.de composi. medic.sec.lo. 5ª.172.G
Aluminis differentiæ.9°.de simp.med.fac. 5ª.71.A
Alumen quale.4°.de comp.med.per gen. 5ª.236.E
Alumen habet diuersum effectum ab alijs adstringentibus. 5ª.20.D
Alumen adstringens summum.3°.de sim.med.fac.21.D/5°.39.B/6°. de comp.med.sec.loc. 5ª.169.H
Alumẽ adstringit,et dr̃ austerũ et acerbũ.5°.de cõp.me.pg. 5ª.246.B
Alumen siccat euidenter.4°.de comp.me.per ge. 5ª.240.H
Alumẽ exiccat tertio ordine & nõ vrit.5°.de simp.med.fac. 5ª.39.B
Alumen desiccat & indurat carnem.5°.de simp.med.fac. 5ª.36.C
Alumen scissile præstat.1°.de cõp.med.per gen. 5ª.214.B
Alumen scissum quale.6°.de composi.med.sec.loc.170.H/172.G/6°. de compo.med.per gen. 5ª.255.C
Alumen scissile adstringens eximiũ.4°.de cõp.med.per gen. 5ª.239.E
Alumẽ scisũ magis adstringit q̃ liquidũ.6°.de cõp.me.se.l. 5ª.168.G
Alumen scisile fortiter adstringit & resiccat purulenta. 5ª.143.A
Alumen fissum quantum exiccat.3°.meth.med. 7ª.20.A
Alumẽ fissum in vlceribus repellens.2°.de cõp.med.per ge. 5ª.220.B
Alumẽ scisũ vstũ & vino austero extinctũ.5°.de cõ.m.s.l. 5ª.166.A
Alumen scisile adhibetur vuæ inflammatæ.de sectis. Isa.18.C
Aluminis scisilis meminit.5°.de comp.med.per gene. 5ª.251.C
pro Alumine scisili diphyges.4°.de comp.med.per gen. 5ª.237.F
Alumen rotundum pro scissili.4°.de comp.med.per gen. 5ª.237.E
Aluminis rotũdi fit mẽtio.3°.de cõp.me.sec.lo.148.A/8°.5ª.192.H
Alumẽ rotũdũ in vlceribus repellẽs.2°.de cõp.me.per ge. 5ª.220.B
Aluminis Aegyptij meminit.4°.de cõp.me.per ge.237.E/5°.5ª.254. E/de remed.par.fac. 7ª.162.F
Alumẽ de Aphrica ad iliũ dolorẽ et ad frãgẽdũ lapidẽ.de dy. Sp.28.b
Alumẽ mãsuetissimũ pro stomaticis.6°.de cõp.me.sec.loc. 5ª.171.E
Alumen qũo in splene conuenit.2°.de arte cur.ad Glauco. 7ª.104.D
Alumẽ et sulfure cõstãs medicamẽtũ,p duritiẽ splẽis ex flatu.7ª.104.d
Alumen vlcera cõglutinare nõ potest.1°.de simp.med.facul. 5ª.7.H
Alumen ad cicatricem ducit.1°. de comp.med. per gen. 5ª.214.B
ex Alumine malagma.7°.de comp.med.per gen. 5ª.266.C
Alumẽ adde primis p̃sidijs cũ nõ sanat̃ œdema.14°.met.me. 7ª.87.F
Alumen chartæ inuoluit ut cõburatur.5°.de cõp.med.sec.lo. 5ª.165.c
Alumen cõbustũ in vlcere exedente.ĩ 6ᵐ.de mor.uul.c.4°.3ª.180.D
Aluminosa aqua medicamẽtosa est.7°.de cõp.me.per gen. 5ª.264.D
Aluminosæ aquę praue sunt.de ptis. 2ª.47.B
Aluminosę aquę quid mali agant.1°.de san.tuen. 2ª.68.F
Aluminosum balneum densat.3°.de san.tuen.81.B/6°.2ª.98.G/2°. de crisibus. 4ª.138.H
Aluminosa aqua facit obstructionem inseparabilem.10°.meth.med. 61.C/1°.de arte cur.ad Glau. 7ª.95.D
Alumĩosę aq̃ frequẽs vsus cutẽ dẽsat,et febrẽ facit.8°.me.m.7ª.50.B
ex Aluminosa aqua lotio est contraria febri ex obstructione.8°.met. med.50.A/11°. 7ª.69.H
Alumĩosa aqua valet ulceribus et fluxionibus.1°.de sim.m.fa.5ª.3.d
Aluminosæ aquę exiccant.de cau.mor. 3ª.7.H
Aluminosa balnea fortius resiccãt.7°. de cõp.med.sec.loc. 5ª.177.E

Alumino ſa aqua indurat pulſum. 3°. de præſa. ex pulſ. 4ª.119.C
ALVTAE *corio animalis conficiuntur. de artic. com. 2°.* 7ª.265.E
Alutæ Cartaginenſis mcminit. de artic. com. 2°. 7ª.265.D
Aluta ægyptia, eſt valida & mollis. de fracturis. com. 3°. 7ª.245.H
ad ALVVM *pertinẽtia inſtrumẽta q̃ ſint. cõ. 4°. aph. 12°. Ex. 28.E*
ad Aluum via à pulmone vna. 6°. de loc. aff. 4ª.39.C
per Aluum quæ partes expurgentur. 6°. de loc. aff. 4ª.39.B
p Aluum raro purgantur thorax, & pulmo. 6°. de loc. aff. 4ª.39.C
p Aluũ colliquatiões videtur deſcẽdere ĩ febre colliquatiua. 7ª.67.f
Alui deiectiones ex qua vi fiant. com. 7°. apho. 21°. Ex.55.D
Alui deiectio ampla q̃nq; valentibus accidit. de ſym. diff. 3ª.13.G
Alui deiectiones una cum acceſſionibus interdũt iecinore afflicto virtute imbecilles. 11°. meth. med. 7ª.74.D
Alui deiectio ẽ cõe auxiliũ ſuccos pranos habẽtiũ. 6°. de ſi. 2ª.97.F
in Alui deiectiones graviter olẽtes, et mordaces, ĩ affectib⁹, quos ob malos cibos cõtraxerũt in annonę caritate quidã ĩcidebãt. 2ª.33.b
p Aluum deiecta excrementa cruditatem, & coctionẽ ex ſua forma arguunt. in 1ᵐ. de mor. vul. com. 2°. 3ª.112.A
Alui deiectiones ſemper cohibent adſtringentia. 2°. de ali. fa. 2ª.19.g
ĩ Alui deiectionibus mordẽtibus iniectũ ſenũ mitigat dolorẽ. 7ª.86.a
ad Alui deiectiões, et ſudores vrinas revellesd cuc. ſcar. 6ª. 2. D/4.F
Aluus dura ſit ĩ aquilonijs cõſtitutionibus. com. 3°. aph. 5°. Ex.20.C
Aluum durã habentes craſſiſſimi pueri cur incidant in convulſionem facile. com. 3. aph°. 25°. Ex.25.C
p Aluũ exeũtia q̃ ſint apud Hippocratẽ. cõ. 7°. aph. 64°. Ex.60.A
Alui excremẽta ad ſignificẽt, et quo ſe habeãt. 1°. de criſi. 4ª.129.A
in Aluo coctiones & incoctiones per excrementa inferne ſublabentia agnoſces. de conſt. ar. Iſa.42.B
in Alui excrementis non eſt expedita ſubſiſtẽtium cognitio, quia nõ fiunt in vaſe vitreo. com. 7°. apho. 64°. Ex.60.B
Alui excrementa bilioſa ſi ſint, quædam ſimilia ſtrigmentis per aluũ excernuntur. com. 7°. apho. 64°. Ex.60.B
Alui excrementa poſſunt habere ſtrigmenta, ſed nõ vrina. Ex.60.B
Alui aut veſicæ excremẽta qualia fuerint & ex carnibus, & ſicubi alibi natura corpus exierit, ſi parũ, paucus eſt morbus: ſi multũ, multus: ſi valde multum, letale eſt. com. 7°. aph. 75°. Ex.60.H
Alui excremẽta ſi fiãt in die iudicatorio, vel incipiãt, bonũ. Ex.31.g
Alui excremẽta in principio, p criſim nũquã morbũ finierũt. 4ª.128.e
p Alui excrementa quando criſis futura ſit. 3°. de criſi. 4ª.144.G
p Aluũ inferiorẽ vel per vrinas bene exeuntes excretiones liuidæ, cruentæ, fœtidæ, & bilioſæ, bonæ. commen. 4°. aph. 47°. Ex.32.H
Alui excremẽtũ ſi pĩgue ſit, adipis colliquatio ẽ. v. 6°. ap. 35°. Ex.56.e
Aluus qñq; fluit ĩ ĩclinatione. quos pur. op. q̃b. me. et quo tẽp. 5ª.88.G
Alui fluor cuius aquæ inter cutẽ ſit ppriũ. in prog. com. 2°. 4ª.197.H
in Alui fluorib⁹ immodicis fiunt pulſus vermiculantes. 4ª.113.A
Alui fluxiones ex defluxionibus ad partes imbecillas. 3ª.109.A
ad Alui fluores magnos ſequuntur pulſus vermiculantes. 4ª.99.D
Aluus fluens compreſſionem indicat. de ſectis. Iſa.17.D
Aluum fluxu rentatã ſiſtit aſtragalus. 6°. de ſimp. med. fac. 5ª.44.A
Alui fluxus deſiccat lagopus. 7°. de ſim. med. fac. 5ª.54.A
Alui fluxũ ſiccant milium, & panicum. de atten. vic. rat. 2ª.55.B
Alui fluxus curat idæa radix. 6°. de ſimp. med. fac. 5ª.48.E
ĩ Alui fluxiões ſiſtẽdas vinis auſteris utimur. de bo. et uit. ſuc. 2ª.38.d
ad Aluũ fluẽtia p urinas uel uterũ trãſmittẽda ſũt. 5°. me. m. 7ª,30.E
Aluo fluẽte ſãguis nõ ẽ mittẽd⁹. de uic. ra. in mor. acu. c. 4°. 7ª.151.C
Aluum humidam & adſtrictam plus iuſto qui habent, non ſunt laudãdi. de vict. rat. in morb. acu. com. 3°. 7ª.133.A
Aluus humidior, & aluus ſiccior vnde fiat. cõ. 2°. aph. 20° Ex.14.D
Alui humiditatis tres cauſæ. com. 2°. apho. 20°. Ex.14.D/E
Alui humidiores ſiunt in auſtrali tẽpeſtate. cõ. 3°. apho. 17. Ex.23.E
Aluũ inferiorẽ maxime humidũ hãt Scythę. de aere, aq. et lo. 2ª.5.E
Aluus humida eſt vt plurimum ſenibus. com. 3°. aph. 31°. Ex.26.F
Aluus humida in iuventute ſit ſicca in ſenio, & è converſo. Ex.19.E
Aluus humida paucas ſignificat vrinas. com. 4°. aph. 83°. Ex.37.B
Aluus humectatur ijs qui habent ilia ſuſpenſa, lumborum dolore adueniente, niſi multitudo vrinæ, aut flatus erumpat. cõ. 4°. aph. 73°. Ex. 35.F/de vri. ſig. ex Hipp. Sp.78.H
Alui cur humectantur ijs quibus in febribus ſanguinis fluxus ineſt, aliqua ex parte cum reſiciuntur. com. 4°. apho. 27°. Ex.30.C
Aluus liquida quæ dicatur. in 1ᵐ. prorrh. com. 2°. 4ª.169.A/C
Aluus ob quot cãs poſſit eſſe liquida. de uict. ra. ĩ mor. ac. c. 4°. 7ª.139.G
Aluum liquidã habenti, ſi cauſus ſuperuenerit, quando purgandũ. de vict. rat. in mor. acut. com. 4°. 7ª.139.E
Aluus liquida in febribus cũ mentẽ turbat, quid agendũ. 7ª.139.G
circa Aluũt lætitas ĩteſtinorũ, ita circa veſicã diabete. 4ª.129.H
Alui profluuium longum eſt paſſio propria ventriculi ex humiditate imbecillis. com. 6°. apho. 32°. Ex.50.A
Alui profluuiũ fit q̃nq; a cibo & potu, q̃nq; morbi ratione. Ex.47.G
Alui profluuia in tẽporibus pluuioſis fiunt. cõ. 3°. aph. 16°. Ex.22.H
Alui pfluuio maxime capiunt balbi, et quare. c. 6°. aph. 32°. Ex.49.g
Alui profluuiũ ĩ fluxione ex capite ĩ tabe. cõ. 7°. aph. 74°. Ex.60.H
Alui profluuium facit famem. com. 2°. aph. 21°. Ex.14.H
Alui profluuium facit abortum prægnanti. com. 5°. aphor. 34°. 40. E/ apho. 45°. Ex.41.G
in Alui profluuijs quibus excrementa ſpumoſa ſunt bis ex capite pituita defluit. com. 7°. aph. 30°. Ex.56.A
Alui pfluuiũ a tabe habitis ſi ſupueniat, malũ. c. 5°. aph. 14°. Ex.38.E
Alui pfluuio ſuperueniẽte ijs quibus tabe laborantibus capilli à capite defluant, moriunt. cõ. 5°. apho. 12°. 38. D/apho. 14°. Ex.38.F
Alui profluuiũ lõgũ ſpõtaneo vomitu ſoluit. cõ. 6°. aph. 15°. Ex.47.F
Alui profluuium aduenies morbo laterali aut pulmonia habito, malum. com. 6°. apho. 16°. Ex.47.F
Alui pfluẽs ĩ hepatis iflãmationib⁹ malũ. in 1ᵐ. prr. cõ. 2°. 4ª. 177.C
in Alui profluuio in tabe adſtrictio purgationis ſuperioris in adſtrictione mors. com. 7°. aph. 74°. Ex.6.H
ab Alui profluuio difficultas inteſtinorũ. com. 7°. aph. 71°. Ex.60.G
Alui pfluuiũ phlegmonẽ oculorũ ſanat. ĩ 6ᵐ. d mo. uul. c. 6°. 3ª.196.E
Alui profluuio corripi, lippienti bonum. com. 6°. apho. 17°. Ex.47.G
Alui profluuium facit apparere quid albi in oculis dormientium cõmiſſis palpebris. com. 6°. aph. 52°. Ex.53.A
Alui profluuiũ quidã habuere ĩ peſtilẽtia, et quidã euomere. 7ª.35.B
pro Alui profluuijs debet poni ferrum candens in lacte. 5ª.73.G
Alui pfluuioſi exercitãtes ſe corripiant, qd agẽdũ. d ſal. dix. 2ª.42.F
ex Alui pfluuio aĩ defectus q̃o cureť. 1°. de ar. cur. ad Glau. 7ª.98.g
ad Alui profluuium ſupprimendum. 3°. de med. fac. par. 7ª.170.B
Aluũ ſolãt p glãdẽ ĩ ſtomachi diſtẽtione. 8°. de cõp. me. ſe. l. 5ª.192.D
Alui profluuiũ, lege vẽtris fluxus, fluxus vẽtris, & profluuiũ alui.
Aluo & ventriculo prodeſt abſinthij decoctum. de mel. ex Gal. Ruf. & Poſſi. Sp.110.B
ad Alui affectus valet lentiſcus. 8°. de ſimp. med. fac. 5ª.61.H
p Aluum q̃ vis purgare, humectare debes. cõ. 7°. aph. 66°. Ex.60.E
Aluo non purgata quanto plures dederis ſorbitiones, tanto magis lædes. com. 7°. aph. 64°. Ex.6.A
Alui purgatio fieri debet ijs quibus deiectiones ſunt veluti ſtrigmẽta. com. 7°. aphor. 64°. Ex.60.A
Aluum qui nolunt purgari, quid agere debeat. 4°. de ſan. tuẽ. 2ª.84.C
per Aluum & vomitũ iecur expurgari poteſt. 7°. meth. me. 7ª.49.D
per Aluum purgatur canum iecinoris. 13°. meth. med. 7ª.83.H
per Aluũ ĩferiorẽ purgãda ẽ caua iecoris pars. 13°. me. mc. 7ª.84.F
per Aluum ſolum purgatur lien. 13°. meth. med. 7ª.84.F
Alui ĩferioris ſubductio qbus, et q̃ fieri debeat. c. 7°. ap. 61. Ex.59.f
Aluus quando ſoluenda. 4°. de ſan. tuen. 2ª.84.C
Alui purgatorijs ano immittẽdũ medicamẽtũ. d reme. f. par. 7ª.167.E
Aluus q̃ prouocãda in renũ affectu. de ren. aff. dig. et me. 7ª.193.D
Aluus reſtricta ſm varias cauſas q̃o cureť. 1°. de ſan. tuen. 2ª.68.E
Aluus reſtricta ex paucitate comeſtorum & ſiccitate quo modo ſanetur. 1°. de ſan. tuen. 2ª.68.E
Aluus aſſidue ſoluta ſit calculoſis, niſi quid aliud obſtet. de ren. aff. dig. & medela. 7ª.194.F
ad Aluum molliendum. 8°. de com. med. ſec. loc. 5ª.188.H
Aluum emollit muſtum. de bo. & vitio ſuc. 2ª.38.F
Aluum molliens paſtillus. 9°. de comp. med. ſec. loc. 5ª.198.H
ad Aluũ deiciẽdã pruna Hiſpana p̃cedũt Damaſ. 5°. de ſa. t. 2ª.92.E
Aluum ſubducit ficus. 8°. de ſimp. med. fac. 5ª.61.F
Aluum deijciunt olera cum garo. 6°. de ſan. tuen. 2ª.97.G
Aluũ ducit braſſica et digerit. in 6ᵐ. de morb. vulg. com. 2°. 3ª. 167.E
Aluum mouent braſſicarum ſuccus, gallorum vetulorum ius, & cochlearum marinarum humor. de ther. ad Piſ. 5ª.90.H
Aluũ quo modo ſubducat fumus terræ. 7°. de ſimp. med. fac. 5ª.49.G
Aluũ quo modo ſubducit thus in ictericis. 9°. de cõ. me. ſe. l. 5ª.197.g
Aluũ cur lens aliquibus mouet, alijs cohibet. 1°. de alimẽ. fac. 2ª.7.G
Aluum ſubducunt vina craſſa, & dulcia. de bo. et vitio ſuc. 2ª.38.E
per Aluũ citiſsime ſubducũt panes hordeacei. 1°. de ali. fac. 2ª.11.G
Aluum deijcit fœnum græcum. de atten. vict. rat. 2ª.45.B

Aluum omnibus non subducit melicratum. 1°.*de ali.fac.* 2ª.7.F
Aluum egregie mouet serum.de bonitate & vitio suc. 2ª. 35.D/*de mel.ex Gal.Ru.& Poss.* *Sp.*110.*A*
Aluus citat sero lactis, sale et melle cõdito. cõ. 5°.*aph.*64°.*Ex.*44.F
Alui deijciendæ gratia caseus recens ante cibum cum melle sumitur. de bonitate & vitio suc. 2ª.35.D
Aluus quo modo deijciat à cibis adstringẽtibus. 6°.*de sa.tu.* 2ª.97.G
Aluus magis laxatur ex carne acini cum succo, ablato semine et cortice. 2°.*de alim.fac.* 2ª.17.H
Aluũ qũo deijcere faciat medicamẽtũ dispoliticõ. 4°.*de sa.t.* 2ª.86.D
Aluũ ducũt aloe et æris squama p os sũpta.de ther.ad Piso. 5ª.90.H
Aluum soluunt catapotia ex castoreo.de ve.sec.ad Erasi. 6ª.11.C
Aluũ q̃ ducãt medicamẽta extrĩsecus imposita.de me.f.par. 7ª.168.B
Aluum deijcientia, biliosum ventrem habentes semper primo debent comedere, & bibere. 6°.*de san.tuen.* 2ª.97.F
Aluum humidam habentes plus comedant, minus bibant, & econtra in sicca.com. 4°.*aph.* 83°. *Ex.*37.B
Alui vias aperit balneũ, tamen non calefacit. 11°.*meth.me.* 7ª.70.E
Aluus quotidie soluenda senibus, & quibus. 5°.*de san.tuen.* 2ª.92.E
Aluus cur ferè semper melancholicis astricta est.de mel.ex Gal.Ruf. & Possi. *Sp.*169.E
Aluus cohibetur in aquilonia tempestate. cõ.3°.*apho.*17°. *Ex.*23.E
ad Aluum suppriméndam. 3°.*de med fac.par.* 7ª.178.G
Aluum modice sistit acetum. 1°.*de alim.fac.* 2ª.9.C
*Aluus debet sisti, qñ volum*ª *purgare p vomitũ.c.* 7°.*ap.*66°.*Ex.*60.e
Aluum sistit damasonium. 6°.*de simp.me.fa.* 5ª.46.*A*
Aluum sistit lens excorticata bis cocta. 1°.*de alim.fac.* 2ª.9.C
Aluum omnibus non cohibet lens. 1°.*de alim.fac.* 2ª.7.F/G
Aluum cur sistit corpus solidum. 1°.*de alim.fac.* 2ª.7.G
Aluũ, et sãguinẽ cohibẽt tauri femora vsta.de ther.ad Piso. 5ª.93.E
*Aluũ constipat macer arboris arabici cortex.de subfig.empi. Is.*33.B
Aluum retinent panis siligineus, & similagineus. de ren.affe.digno. & medela. 7ª.195.E
per Aluum per vrinas transferenda sunt quæ per vterum erumpũt. 5°.*methodi med.* 7ª.30.E
Aluus sicca multas vrinas significat.com. 4°.*apho.*83°. *Ex.*37.B
Alui tormina si fiant dormienti post potum aquæ mulsæ cõcepit, si nõ, minime.com. 5°.*aph.*41°. *Ex.*41.D
Aluus turbata in febribus surditatẽ soluit. cõ. 4°.*apho.*6°.*Ex.*34.*A*
Ad alui lumbricos. 3°.*de med.fac.par.*172.*A*/175.F/ 7ª.178.H
Aluus, lege Corpus.
ALYSSVS herba quænam sit. 2°.*de antid.* 5ª.116.G
Alysson vnde dicta. 6°.*de simp.med.fac.* 5ª.42.C
Alysson exiccat, digerit, & abstergit. 6°.*de simp.med.fac.* 5ª.42.C
Alysson morsos à cane rabido iuuat, vitiliginẽ & ephelin expurgat. 6°.*de simp.me.fac.* 5ª.42.D

AMALOZ *medicinæ.de me.exper.* *Sp.*106.B

AMANTES *cæci sunt circa id quod amant.de cogn*ᵒ *cur.animi mor.* 2ª.50.F/*in* 6ᵐ.*de morb.vulg.com.* 4°. 3ª.183.B
in Amante quo modo fiat cordis cõcussio, et duo spiritus ab eo exeãt. de compag.memb.siue de natu.huma. *Sp.*59.C
Amantis pulsus varius.de præcog.ad Posth. 4ª.216.F/G
*in Amãtibus qũo erigat priapus.de cõpa.mẽb.siue de na.hu.Sp.*59.c
*Amantium & puerorũ satyriasis, quæ.de mot. man. & obs. Sp.*67.D
Amans quidam volebat amicam desinere, & non poterat. de cogn. cur.animi morbis. 2ª.53.*A*
Amantibus conceditur periurium a Dijs. 4°.*de decre.Hip.* 1ª.252.F
Amare mulierẽ qũo deprehendit Gal.de præco.ad Posth. 4ª.216.*A*
Amat quod mens, & sibi profuturum sperat, illud corpus iuuat. de incant.adiu & susp. 7ª.181.G
vt Amator ancillarum, gloriæ succumbit medicus, qui studiosus eius est.de ijs, quæ in med.fi.com. 2°. 7ª.205.D
Amatores Phœnices à cibo abstinere phibentur. 6°.*de lo.aff.* 4ª.40.F
*quasi Amatorium describitur dorinci scmen.de sim.med. Sp.*83.E
AMARACVS *vbi nascatur.* 1°.*de antid.* 5ª.104.H
Amaracus in Italia prouenit. 1°.*de antid.* 5ª.104.H
Amaracus ægre Romæ inuenitur. 3°.*de cõp.med.per gene.* 5ª.234.E
*Amarac*ᵒ *calida ẽ i tertio gradu, sicca ĩ sco.* 6°. *d sim.m.fa.* 5ª.42.D
Amaracus tenuium partium. 3°.*de comp.med.per gen.* 5ª. 234.B
Amaracum odore superat marus. 1°.*de antid.* 5ª.104.H
*Amaracus nigrã bilẽ educit.de mel.ex Gal.Ruff.& Poss. Sp.*110.*A*
Amaracus ad neruos vulneratos valet. 3°.*de cõ.me.per ge.* 5ª.234.*b*
AMARACINVM *fit in Cyzico.* 2°.*de comp.med.sec.lo.* 5ª.135.F
Amaracino vtebantur antiqui. 3°.*de simp.med.fac.* 5ª.18.F
Amaracinum nigrũ quo modo fieret. 3°.*de cõp.me.per ge.* 5ª.233.G
Amaracinum primum. 7°.*de comp.med.per gen.* 5ª.271.G
Amaracinum vnguentum, quale. 1°.*de antid.* 5ª.104.H
Amaracinum in oleo coctum colorem expurgat, & sudorem mouet. de cura icteri. *Sp.*111.C
Amaracinũ unguẽtũ rarefacit et discutit. 9°.*de cõ.me.se.l.* 5ª.197.F
Amaracinum vnguentũ frigiditatibus conuenit. 3°.*de sa.tu.* 2ª.81.C
Amaracinum vnguentũ hæmorrhoidas occæcatas aperit. 5°. *de sim. medic.fac.* 5ª.35.G
AMARANTHVM *incidit, & extenuat.* 6°.*de simp.me.fa.* 5ª.42.D
Amaranthum menses cũ vino pota educit, grumos sanguinis liquare, & soluere creditur, fluxiones epota desiccat, stomacho infesta est. 6°.*de simp.med.fac.* 5ª.42.E
AMARANTHI *grammatici antidotus.* 2°.*de antid.* 5ª.120.G
Amarãti eclegma ad sãguinis reiectionẽ. 7°.*de cõ.m.s.l.* 5ª.184.D
AMARESCVNT *liquores augmentato calore, postquam dulces facti sunt ab eodem.de ocul.* 7ª.188.C
Amarescit mel inueteratum & coctum.de ocul. 7ª.183.C
Amaricat, & adstringit parum oleum histricum. 1°.*de composi.med. per gen.* 5ª.214.*A*
AMAROR *qualitas gustus.de nat.hu.com.* 1°.1ª.28.H/5°.*de sim. medic.fac.* 5ª.38.H
Amaritatem fastidiosã habet polygonatũ. 8°.*de sim.me.fa.* 5ª.58.H
Amaritudo per decoctiones amittitur. 3°.*de ali.fac.* 2ª.31.H
Amaritas deprehenditur in nitro et felle. 4°.*de simp.me.fa.* 5ª.25.C
Amaritates faciunt differentiam in partibus dissimlaribus. 3°. *de simp.medi.fac.* 5°.20.G
Amaritas lienem, iecur, renes expurgat, psoras, lichenes, lepras extergit. 6°.*de simp.med.fa.* 5ª.47.E
Amaritudo calidis & siccis substantijs accidit, tenuibus & terrenis. 4°.*de simp.medi.fac.* 5ª.30.*A*
Amaritudo suapte natura crassa, et lẽta incidit. 2°.*de ali.fa.* 2ª.25.*A*
Amaritudo incidit. 7°.*de simp.med.fac.* 5ª.49.G
Amaritudo est in substãtijs extergẽtibus. 6°.*de simp.me.fa.* 5ª.45.*A*
Amaritudinis absersio non verenda. 8°.*de sim.med.fac.* 5ª.61.B
Amaritudine necantur lũbrici. 6°. *de simp. med.fac.*40. D/48.B/7°. 50.*A*/52.F/56.*A*/C/5ª.59.H/14°.*meth.med.* 7ª.93.H
Amaritudine filicis latus lumbricus necat. 8°.*de sim.me.fa.* 5ª.59.C
Amaritudo oris vnde sit, & quo modo.com. 4°.*aph.*17°. *Ex.*29.*A*
Amaritudo oris notat debere fieri purgationem per superiora. cõ.4°. *apho.*17°. *Ex.*29.*A*
Amaritudo oris ventriculi significat cholericum humorem.commen. 4°.*aphor.*2°. *Ex.*27.E
Amaror dulcis γλυκύπικρος appellatur amor à poetis. 3°.*de simp. med.fac.* 5ª.21.*A*
AMARVM *fit ex miscella calidi, frigidi, humidi, & sicci.* 1°. *de aliment.fac.* 2ª.9.*A*
Amarum efficitur à caloris excessu. 4°.*de sim.me.fac.* 5ª.26.G
Amara partim sunt proprio & insito calore, partim vero adscititio. 4°.*de sim.med.fac.* 5ª.27.B
Amarorum corporum generatio constat excalfactis dulcibus siue ab igne, siue à calore ingenito. 4°.*de simp.med.fac.* 5ª.29.H
ex Amaris qui fructus dulces fiant. 4°.*de sim.med.fac.* 5ª.28 F
Amarus sapor ex nitrosi intẽtione prouenit. 1°.*de sim.me.fa.* 5ª.8.G
Amarus sapor adstringentibus est oppositus. 1°.*de sim.me.fa.* 5ª.8.G
Amari sapores sũt post acres in caliditate. 4°.*de sim.med.fa.* 5ª.29.F
Amarus sapor quomodo generetur. 4°.*de sim.me.fac.* 5ª.31.*A*
Amarus sapor qualis sit, & vnde oriat. 7°. *de sim.med. fa.* 5ª.55.D/ *de oculis.* 7ª.188.*A*
Amarus sapor calidus est & terrenus. 4°.*de simp.med.fac.* 5ª.30.G
Amarus sapor terrenæ est essentiæ, & est à largo calore extenuatus. 6°.*de simp.med.fac.* 5ª.40.C
Amarus sapor acris est. 4°.*de simp.med.fac.* 5ª.29.D
*Amarũ saporẽ inesse siccis corporib*ᵒ *pbat.* 4°.*de sim.me.fa.* 5ª.30.C
Amari saporis differentiæ. 4°.*de simp.med.fac.* 5ª.30.G
Amari sapores quam vim habeant. 4°.*de simp.med.fac.* 5ª.29.G
Amari saporis terminus est abstergere. 4°.*de sim.me.fac.* 5ª.29.F
Amari sapores abstergunt, expurgant, incidunt, menses mouent, educunt pus è pulmone. 4°.*de sim.me.fac.* 5ª.29.G

Amara qualia ſint. 5°. de comp. me. per ge. 5ª. 246. B
Amarum eſt terreſtre ſubtile. 5°. de ſimp. med. fac. 5ª. 38. H
Amara ſunt calida. 4°. de ſimp. med. fac. 5ª. 28. E
Amarum eſt calidius dulci. 4°. de ſimp. med. fac. 5ª. 27. B
Amara calidiora dulcib°, et ſicciora eĕ, qūo. pbet. de ocul. 7ª. 188. C
Amaro, acri vt calidis, acido vt frigido ſimul & ſubtili, communis eſt mordicatio. 4°. de ſimp. me. fac. 5ª. 29. D
Amaris acria ſunt magis calida. 4°. de ſim. me. fa. 5ª. 28. F
Amara omnia ſunt ſicca. 4°. de ſim. med fac. 5ª. 30. C
Amara, ſicca ſunt & incidentia. de atten. vict. rat. 2ª. 44. D
Amara aliqua tendunt ad frigidum. 3°. de cōp. me. per gen. 5ª. 228. F
Amara quæ frigida. 4°. de ſimp. me. fa. 5ª. 26. D
Amara frigida & ſicca cur ſint danda, ſi culpa ſanguinis fuerit ægri tudo. de dyna. Sp. 19. F
Amara ſūt cōtraria ſāguinē expuĕtibus. 4°. de ſimp. me. fa. 5ª. 29. G
Amarum fuligini fauillæ comparatur. 4°. de ſimp. me. fac. 5ª. 30. B
Amara ſunt cineri ſimilia. 4°. de ſimp. med. fac. 5ª. 29. H
Amarorum conſiſtentia qualis. 4°. de ſimp. med. fa. 5ª. 30. A
Amara, quæ. 1°. de ſimp. med. fac. 5ª. 8. F
Amariora abſinthio ſunt Ariſtolochia, Gentiana, Centaurea. de cura icteri. Sp. 111. A
Amarum & abſtergens eſt aphronitrum. 9°. de ſim. me. fa. 5ª. 68. G
Amarus admodum eſt chamæciſſi flos. 8°. de ſimp. me. fac. 5ª. 63. E
Amara eſt chamælea. 8°. de ſimp. me. fac. 5ª. 63. F
Amarum coſtum ad quid ſit vtile. ſecret. Sp. 97. A
Amarum eſt eruum non candidum. 1°. de antid. 5ª. 104. E
ex Amara et acri ſubſtātia cōſtat onoſma. 8°. de ſimp. me. fa. 5ª. 57. C
Amarum eſt polium & modice acre. 8°. de ſimp. me. fac. 5ª. 59. A
Amara parū et emplaſtica eſt ſarcocolla. 8.° de ſimp. me. fa. 5ª. 60. B
Amaræ amygdalæ frāgunt lapidē renū et ueſicæ. de calhar. Sp. 95. D
Amaræ amygdalæ purgant veſicam. de dyna. Sp. 95. D
Amaris & acerbis & acidis cibis delectantur qui ſunt extra naturalem ſtatum. in 6ᵐ. de mor. vul. com. 5°. 3ª. 191. G
Amara omnia guſtanti ſi videātur, quid ſignificet. de ijs, quæ in me. ſi. commen. 1°. 7ª. 199. D
Amara cū vñr cibi, et potus, indiciū morbi ex uētre. ā dyn. Sp. 19. H
Amara apparent dulcia ictericis. de cura icteri. Sp. 111. A
Amara ob quid accipiantur. de vict. rat. in mor. acu. cō. 3°. 7ª. 127. G
Amarū qd faciat. 5°. ā ſim. me. fa. 39. A/ 6°. 5ª. 47. F/ de ocu. 7ª. 188. A
Amara quid agant in linguam. 1°. de ſim. me. fa. 5ª. 9. A
Amara abſtergūt. 8°. ā ſim. m. f. 61. a/ 62. F/ 4°. de cō. me. ſ. l. 5ª. 151. F
Amara abſtergunt & expurgant in iecinore obſtructiones. 7°. de ſim. medica. facul. 5ª. 49. E
Amara abſtergūt cū manifeſta caliditate. 10° de cō. me. ſe. lo. 5ª. 205. b
Amara non adſtringunt. 1°. de ſimp. me. fac. 5ª. 8. H
Amara aperiunt. de ocul. 7ª. 188. E
Amara omnia abſq; morſu, aperiunt meatus, et ſunt tenuium partiū. 3°. de comp. med. ſec. loc. 5ª. 141. B
Amara nitroſa valent ad purgādos meatus. 5°. de ſim. me. fa. 5ª. 35. A/ *de ocul.* 7ª. 188. C
Amara valde extenuant, purgant, abſtergunt, obſtructione liberant. 6°. de ſimp. me. ſa. 5ª. 45. E
Amara attenuant. de atte. vict. rat. 1ª. 44. C/ 11°. *meth. med.* 7ª. 72. b
Amara competunt comitiali morbo. 5°. de lo. aff. 4ª. 32. G/ 4°. *de ſimpli. medic. facul.* 5ª. 29. G
Amara & acria digerunt & incidunt humores craſſos & lentos. 8°. de ſimp. med. fac. 5ª. 58. D
Amara deſciſcunt in pituitam cum ab aceto in ſublime attolluntur. de vict. rat. in mor. acut. com. 3°. 7ª. 130. G
Amara dolores auferunt ſecundum Homerum. 1°. de antid. 5ª. 102. B
Amarum medicamentum in colico datur. 1°. de loc. aff. 4ª. 5. G
Amarum numquam odoratum eſt. 4°. de ſimp. me. fac. 5ª. 30. H
Amarum odorē nō dicimus quid habere. 4°. de ſimp. me. fa. 5ª. 31. A
Amara ſiccant corpora. com. 4°. aph. 13°. Ex. 28. G
Amara magis, magis ſiccant. 8°. de ſimp. me. fac. 5ª. 63. H
Amara vina ſiccant immodice. 7°. meth. med. 7ª. 47. B
Amara & ſubacerba grata ſtomacho. 6°. de ſimp. med. fac. 48. B/ 8°. 5ª. 60. F/ 11°. *meth. med.* 7ª. 73. D
Amarū ipsū p ſe oſfariā infenſum eſt ſtō. 6°. de ſim. med. fa. 5ª. 40. D
Amara & ſalſa ſtomacho inimica. 6°. de ſimp. me. fac. 5ª. 40. G
Amarū inimicū eſt hominibus et viuētibus. 4°. de ſim. me. fa. 5ª. 30. F
Amarum omne edi nequit. 4°. de ſimp. me. fac. 5ª. 26. G
Amara ſumme, non nutriunt. 4°. de ſimp. med. fac. 5ª. 28. E
Amara diſplicēt uētri et uiſcerib. de uic. ra. ī mor. acu. c. 3°. 7ª. 127. G
ſub Amaris & adſtringentibus cibis vtebantur antiqui in ventriculo imbecillo. 7°. meth. med. 7ª. 43. H
Amarum præit, & viam adſtringenti facit. 11°. meth. med. 7ª. 72. G
Amara iecur, ac lienē obſtructione liberant, pulmonem et pectus expurgant, menſes mouent. 8°. de ſimp. med. fac. 59. B/ 5ª. 63. E
Amara adſtringētia auxilio ſūt lienoſis. 6°. de ſimp. me. fac. 5ª. 48. b
Amara valde, & auſtera lieni conueniunt, & cur. 9°. de comp. med. ſec. loc. 5ª. 198. D
Amara medicamenta in lieue. 11°. meth. med. 7ª. 73. C
Amara hiera melācholicis pdeſt. de mel. ex Gal. Ruf. et Poſſ. Sp. 110. a
Amara ſunt quæ ſerpentibus aduerſantur. 1°. de antid. 5ª. 102. B
Amara multa recipiunt theriaca et mithridatū. 1°. de antid. 5ª. 102. B
Amara lumbricos, et fatū necāt. 8°. de ſimp. me. fac. 60. E/ 5ª. 61. A
Amara non putreſcunt. 4°. de ſimp. med. fac. 5ª. 30. C
Amaræ herbæ ſine adſtrictione uel acres ad neruos vulneratos valent. 3°. de comp. med. per gen. 5ª. 234. B
Amara medicamēta mordicant oculos. 4°. de cō. me. ſec. lo. 5ª. 150. C
Amara bilis ſimpliciter ab antiquis dicit bilis, ſed melācholia ſimplr non dicitur bilis, ſed cū additione atra. com. 7°. aph. 32°. Ex. 56. D
Amarus humor flauus eſt uel pallidus. de atra bile. 1ª. 34. E
Amarus & mordax humor eſt pallida & flaua bilis. 2°. de compo. med. ſec. loc. 5ª. 135. D
Amaro humore abundant iuuenes. in progn. com. 3°. 4ª. 210. C
Amarā bilē aliquibus euacuari conuenit. com. 6°. aph. 47°. Ex. 52. B
Amara bilis quā difficultatē ītestinorū faciat. cō. 6°. aph. 3°. Ex. 46. F
Amarum ſupra modum ſputum in pleuritide, & peripneumonia mortem minatur. de tot. morb. temp. 3ª. 89. G
Amara ſaliua quādo fiat ī paſſionibus matricis. de paſſ. mul. Sp. 95. F
Amara ſemper & ſicca ſunt guttur, os, & ſputum homini cōcepto in horis bilis. de ſper. Sp. 37. C
Amari et triſtes q fiāt et qūo. ā uic. ra. ī mor. acu. c. 2°. 122. F/ 7ª. 123. a
Amarus & dulcis pulſus dici non poteſt. 3°. de diff. pul. 4ª. 62. H
Ἀμαρτημα quid. de cuiuſque animi pec. not. atque mede. 2ª. 56. B
AMATHONIS *malagma ad quid valeat. de cura icteri.* Sp. 111. C
Amathonis malagmate cerotum cyprinum fortius eſt in icteris, de cura icteri. Sp. 111. C
Ἀμυγδὸν quid ſignificat. 3°. de diff. pul. 4ª. 61. C
Amaurōſis affectus pupillæ. intro. If. 58. D
Ἀνάγωσις quid. in 1ᵐ. prorrh. com. 2°. 170. E/ 4ª. 182. C
AMAZONES *virgines, non deuirginantur niſi poſt tres hoſtes occiſos. de aere, aquis, & loc.* 2ª. 5. C
Amazonas exarticulare conſueuiſſe mares vt claudi efficerentur, fabuloſum eſt. de artic. com. 3°. 7ª. 278. A
Amazones quare ſibi mammā inciderent. cō. 7°. aph. 44°. Ex. 57. E
Amazonum paſtillus. 8°. de comp. me. ſec. loc. 5ª. 190. D
Ἀμβαι quid ſignificent apud Iones. de artic. com. 1°. 7ª. 255. B
Ἀμβη, ideſt crepido. de artic. com. 1°. 7ª. 255. A
AMBIDENTATA *ſunt ſolipeda. de artic. com. 1°.* 7ª. 256. H
AMBIDEXTRVM *quid ſit ſm Euripidē. cō. 7°. aph. 44°. Ex.* 57. E
Ambidextera nō ē mulier, ſed hñ uir, et quare. c. 7°. aph. 44. Ex. 57. e
AMBIENS *cauſa ſine qua non obtinet rōnē. 9°. meth. me.* 7ª. 60. A
Ambiens quo modo ſit cauſa & remedium. 9°. meth. med. 7ª. 60. A
ab Ambiente aere ſumuntur medicatoriæ indicationes. 9°. methodi medendi. 59. G/ 7ª. 60. D
in Ambientem aerem facile diſſipatur ſubiectum calidorum & humidorum. 9°. meth. med. 7ª. 60. H
Ambiens corpus aer replet thoracē ſm Plat. in Tim. Pla. 1ª. 289. F
Ambiens aer quomodo eſſe debet in febre. 10°. meth. med. 7ª. 64. D
in Ambiente frigido quando vritur æger de eo deſperandum. 11°. meth. medendi. 7ª. 70. H
AMBIGVITATES *numero octo. de ſophiſ.* Iſa. 7. B
Ambiguitas ſecūdus modus ſophiſmatū in dictione. de ſophiſ. If. 7. B
Ambiguitas ſoretica q̄. de ſubſig. empi. Iſa. 31. F/ in pgn. c. 3°. 4ª. 208. c
AMBILAEVVM *quid ſit ſm Ariſtophanē. c. 7°. aph. 44°. Ex.* 57. E
Ambit frontem μετωπιαῖος circuitus. de faſcijs. 7ª. 295. A
AMBITIONIS *cauſa qui bona aut mala conſtituunt, maxime peccant. de cuiuſque animi pec. not.* 2ª. 56. F
Ambitioſi dānādi, quī ſemp aliqd aſtute texūt. 3°. ā nat. fa. 1ª. 302. C
Ἄμβλωσις apud Atticos abortum ſign. ī 6ᵐ. ā mor. uul. c. 1°. 3ª. 152. g
Amblotica medicamēta, i. abortiua. ī 6ᵐ. de mor. uul. cō. 1°. 3ª. 152. G

Amblyopia quid. 5°.de sim.me.fa. 38.D/2°.de cõ.me.se.lo. 5ª.134.g
Amblyopia, id est visus hebetudo. 1°.de symp.cau. 15.G/ 3ª.16.B
Ἀμβώναι quid significet apud comicũ quendã.de art.c. 1°. 7ª.255.b
AMBROSIA *calefacit & exiccat. 8°.meth.med. 7ª.54.D*
Ambrosia adstringit repellitq. 6°.de simp.med.fac. 5ª.42.D
Ambrosia compositio. 4°.de loc.aff. 4ª.28.D
Ambrosia potio. 7°.de comp.me.sec.loc. 5ª.182.F
Ambrosia Philippi Macedonis antidotus. 2°.de antid. 5ª.115.A
Ambrosia & sacra dicta antidotus Archiuij. 2°.de antid. 5ª.115.H
Ambrosiã assumat senex q cibis obstructib⁹ sit vsus. 5°.de s.t. 2ª.91.e
Ambrosia ad abscessus in visceribus. 14°.meth.med. 7ª.90.F
Ambulatio, vniuersi cruris actio est. de const.ar. Is. 37.A/3°. de vsu par. 135.C/15°.213.F/17°.1ª.222.F/7°.met.me. 7ª.43.D
Ambulationis organum est crus. 17°.de vsu par. 1ª.221.G/1°.de dif. respirationis. 3ª.58.G
Ambulationis instrumentum ut conuenit sapienti animali est crus. 3°. de vsu par. 1ª.128.H
Ambulationis instrumentum pes. 12°.de vsu par. 1ª.194.A
Ambulatio quo modo fiat. 3°.de vsu par. 129.B/15°. 1ª.213.F
Ambulatio perficitur formatione, & motu. 3°.de vsu par. 1ª.129.B
Ambulationes, inter vitæ rõnes connumerant. 5°.de sym.cau. 3ª.25.b
Ambulationes, vehicula, frictiones, balneę, sunt motus materiæ. ars medicinalis. Is.71.F
Ambulatio accliuis cur exercitatio robusta. 2°.de san.tuen. 2ª.74.D
Ambulatio facienda causa sanitatis. 1°.de san.tuen. 2ª.68.H
Ambulatio quibus possit auferri. 17°.de vsu par. 1ª.222.F
Ambulare cur nequeãt pueri, et crura hñt. cõ. 6°.aph. 32°. Ex.49.H
Ambulatio inæqualis quo modo fiat. 1°.de diff.resp. 3ª.61.C
Ambulatio acuta hominis concepti in horis bilis. de sper. Sp.37 C
Ambulationẽ grauẽ habet cõcept⁹ ī hora phlegmatis. d sper. Sp.37.C
Ambulatio moderata est hominis in tribus horis sanguinis concepti. de spermate. Sp.37.B
Ambulatione cur laborioſior est mãsio. de palp.cõuul. et rig. 3ª.51.b
ab Ambulationibus non sunt penitus prohibendi quartanarij. 1°. de arte cur.ad Glau. 7ª.97.F
ex Ambulatione & æstu causus factus. de vict.rat. in morb. acu. cõmen. 4°. 7ª.134.E
Ambulationibus plenitudo exhauriẽ. de cur.rat.p sang.mis. 6ª.18.E
Ambulare alios præstiterit, alios abluere prius, quàm sanguinem detrahas. præsa. exper. confir. Sp.77.H
Ambulabilia animalia, et sãguinea pulmonẽ hñt. de ana. ui. Sp.48.B
Ambulantes post sumpta humida, facile & breuius deiciunt. 1°. de alim.facul. 2ª.8.C
Ambulantes quidam dormiunt. 2°.de mo.mus. 1ª.314.D
AMBVSTVS *dicitur, vstus aqua feruenti, & quo modo curetur. 1°. de comp.med.per ge. 5ª.211.F*
Ambusti non nulli & exacti ex vstione, & incisione riguerunt. in 6ᵐ. de mor.vul.com. 3°. 3ª.174.D
Ambusti bullas habent. de tumo. præter.nat. 3ª.83.H
Ambusta iuuantur ab omni terra leui & aceto, vel oxycrato, et prohibentur bullæ. 9°.de sim.me.fa. 5ª.66.B
Ambusta debent lenibus curari. de fract.com. 3°. 7ª.44.A
Ambustis conueniunt digerentia leuiter, & parum adstringentia. 6°. de simp.me.fac. 5ª.48.B
ad Ambusta valent exiccantia sine morsu, & in actiuis qualitatibus temperata. 9°.de simp.me.fa. 5ª.66.A
Ambustis aqua feruenti optime faciens pharmacum. 1°. de compo. me.per gen. 5ª.211 F
ad Ambusta. 1°.de comp.med.per ge. 211.C/E/212.G/217.C/ 5°. 5ª.247.D/3°.de med.fac.par. 7ª.174.A
ad Ambusta Diophanti. 5°.de comp.med.se.lo. 5ª.162.B
ad Ambusta, vt citra cicatricis vestigium sanentur, emplastrum. 5°. de comp.med.se.loc. 5ª.162.B
Ambusta curare credunt androsæmi folia. 6°.de sim.me.fa. 5ª.43.A
Ambustis igni prodest hemerocalles. 6°.de simp.med.fac. 5ª.48.B
Ambusta sanare potest non solum decoctum lappæ minoris, sed etiam eius caules teneriores. 6°.de simp.me.fac. 5ª.43.F
Ambusta fouent decocto foliorum cypri. 7°. de simp.me.fa. 5ª.53.H
ad Ambustos qũo hederæ flores cõueniãt. 7°.de sim.me.fa. 5ª.51.F
Ambustis quoad cicatrix obducatur, imponitur radix liliorũ tosta, & deinde rosaceo contrita. 7°.de sim.me.fac. 5ª.53.B
Ambusta ad cicatricem ducit hypericum. 8°.de sim.med.fa. 5ª.63.A
ad Ambusta vlcerum remedia pulcherrima sunt terra Selinusia & Chia. 9°.de simp.me.fac. 5ª.66.A
ad Ambustiones vtile est albumen oui. 11°.de sim.me.fa. 5ª.80.F
Ambusta ulcerũ curat cinis ueterũ coriorũ. 11°.de sim.me.fa. 5ª.80.f
AMENITAE *fungi secundi post boletos. 2°.de ali.fac. 2ª.25.C*
AMENTIA *dicitur veluti paralysis functionis ratiocinatricis. de symptomatibus. 3ª.11.G*
Amentia molestat multos propter vitiosum humorem in ore ventriculi aceruatum. 5°.de lo.aff. 4ª.32.H
Amentiæ fortunæ signum satis aptum ostenderunt antiqui eam in fœmineam speciem exprimentes. oratione suasoria. Isa.2.D
Amentem esse quid significet. in 3ᵐ.de mor.vul.com. 1°. 3ª.127.C
Amentiam imminere à qua vrina significetur. de vri.sign. ex Hipp. 78.H/quæs. in Hip. Sp.113.E
Amens iudicandus est modestus & prudens, audacter respondens. in 6ᵐ.de mor.vul.com. 2°. 3ª.168.G
Amẽtiã nõ ẽ necesse sequi siquis male cõcoxit. 3°.de sym.cau. 3ª.30.c
Amentes quibus neglectis fiant. de dyna. Sp.19.H
AMENTVM *quid. de arti.com. 3°. 7ª.279.F*
Amenti dulcis, & salsi fit mentio. de dyna. Sp.25.H
Amentum salsum & dulce ad cancrum. de dyna. Sp.31.A
Amentũ dulce ad vuluam stringẽdã quasi virgo sit. de dyna. Sp.29.D
AMERINAE *semen qñ det Gal. in priapismo. 14°.met.me. 7ª.89.B*
Amcrinæ molles frondes & rutæ dedit Gal. cuidam, qui nocturnis Veneris imaginibus vexabatur. 6°.de san.tuen. 2ª.100.G
AMETHYSTA *ab ebrietate præseruat. 2°.de c.me.se.lo. 5ª.138.B*
AMICI *& Deo noti sunt probi viri. de præsag. ex ins.sum. 4ª.214.B*
Amici quãto meliores, tãto utiliores. de cogn.cur.animi mor. 2ª.55.G
Amicus maximus est, qui nobis detegit nostros errores. de cogn.curã. animi morbis. 2ª.52.F
Amicos pp q de vitijs non reprehẽdimus. de cog.cur.aĩ mor. 2ª.51.A
Amicos, & seipsos quidam ignorabant. de symp.dif. 3ª.11.H
Amicissimos formidãt melancho. de mel.ex Gal.Ru. et Pos. Sp.109.C
ob Amicos Gal. scripsit de dieb⁹ decretorijs. 3°. de die.decr. 4ª.159.H
ab Amicis coactum se scripsisse contra antiquos dicit Galenus. 3°. de diff.puls. 4ª.64.B
in Amicorum gratiam librum de locis affectis composuit Galenus. 2°. de loc.aff. 4ª.13.C
Amicum per translationem dicere consueuerunt proprium, ac domesticum. in 6ᵐ.de mor.vul.com. 2°. 3ª.177.G
in AMICVLO *fœtus humoris vtilitas. 15°.de vsu par. 1ª.211.G*
AMICTVS *idẽ ẽ æstate et hyeme Scythis. de aere, aq. & loc. 2ª.5.E*
Ἀμυδρόν quid significet. 3°.de diff.pul. 4ª.61.B
AMI *quid, & eius vires. de simp.me. Sp.80.G*
Ami quale sit. 6°.de com.me.se.lo. 5ª.170.G
Ami calidum est. 10°.de comp.me.sec.loc. 5ª.207.C
Ami est tenuiũ partiũ, subamarũ, acre, digerit. 6°.d sim.me.f. 5ª.42.D
Ami sanguinem extenuat, & secernit. 1°.de simp.me.fac. 5ª.35.D
Ami crudum longo tempore in ventre durat. 4°.de san. tuen. 2ª.85.B
Ami vrinã mouet. 5°.de sim.me.fa. 35.D/6°. 5ª.42.D/1°.de art.cur. ad Glau. 99 F/de ren.aff.dig. & med. 7ª.196.E
Ami inflationẽ sedat, vrinam, et mẽstrua puocat. de sim.me. Sp.80.G
Amios torrefacti fit mentio. 7°.de comp.me.se.lo. 5ª.182.B
Ami theriacam ingreditur. de ther. ad Piso. 5ª.92.G
AMINAEAE *vites. 6°.de comp.med.sec.lo. 5ª.171.E*
Aminea vua austera. 6°.de comp.me.sec.loc. 5ª.169.B
Aminæum mustum. 7°.de comp.med.per gen. 5ª.272.G
Aminæa oĩa uina q ĩ Italia nascunt qualia sint. 5°.de san. tu. 2ª.90.H
Aminæũ Neapolitanũ differt à siculo, et à Bithyno. 1°.d nat 5ª.100.b
Aminæũ uinũ Siculi ĩ magnis fictilibus reponũt. 11°.meth.me. 7ª.76.G
Aminæum à Bithynia quale sit. 5°.de san.tuen. 2ª.91.B
Aminæum vinum Bithynum cuiusmodi fuerit generis, haud facile cognoscitur. de bo. & vitio suc. 2ª.38.F
Aminæi vini meminit. 2°.de antid. 116.F/118.F/1°.de comp.me.sec. loc. 124.H/3°.148.C/4°.153.E/6°. 5ª.171.E
AMINTAE *thorax. de fascijs. 7ª.301.H*
Amintę vallum. de fascijs. 7ª.299.A
Amintæ vallũ ad nasum in alterã partẽ declinatũ. de fasc. 7ª.299.D
AMISSIO *actionis, defectus, & priuatio in omnium symptomatum genere. 3°.de symp.cau. 3ª.25.A*
ANITHAONIS *malagma. 7°.de comp.med.per gen. 5ª.266.A*
Ἀμματα quid Græci appellant. 2°.de san.tuen. 2ª.77.D

AMMÔNIACVM quid,& eius vires.de simpl.med. Sp.79.H
Ammoniacũ pingue,est añ est rectẽs.2°.de arte cur.ad Gla.7ª.104.B
Ammoniacũ optimũ.odore subsimile est castorio.de sim.me.Sp.79.H
Ammoniacũ quale sit.10°.de cõp.me.se.l.5ª.207.D/de ocu.7ª.188.H
Ammoniacum oculis conuenit.de ocul. 7ª.188.G
Ammoniacum est oculorum tenoticum.de cathart. Sp.85.B
Ammoniacũ emollit.5°.de simp.med.fac.34.F.6°.42.H/2°.de comp. med.per ge.222.C/6°.5ª.258.A/2°.de ar.cur.ad Gla. 7ª.104.B
Ammoniacum mollit,& in quo gradu sit.de ocul. 7ª.188.D
Ammoniacum inter emollientia principatum obtinet.6°. de composi. med.per gen. 5ª.258.B
Ammoniacum,thymiama, & bdellium molliendo digerunt.14°.meth. medendi. 7ª.87.H
Ammoniacũ idẽ potest qđ & propolis.7°.de cõp.med.pge. 5ª.264.C
Ammoniacum articulorum tophos dissolvat, lienes induratos sanat, chœradas per habitum digerit.6°.de simp.med.fac. 5ª.42.H
Ammoniacum dolorem iunctvrarum ex humore crasso curat.de med. exper. Sp.104.C
Ammoniacum quo modo confert scirrhis.14°.meth.med. 7ª.88.C
Ammoniacum thymiama scirrhum in hepate sanat.2°.de arte cur. ad Glauconem. 7ª.104.E
Ammoniacum cum aceto lieni duro confert.14°.meth.med. 7ª.88.C
Ammoniaci drachmæ tres splenetico dãtur.de med.exper. Sp.106.D
Ammoniacum concoquit.intro. Isa.58.B
Ammoniacum aquam educit.de dynam. Sp.22.B
Ammoniaci dosis,& quæ illi miscenda.de dynam. Sp.22.B
Ammoniaci guttã qũo pararet Galenus.4°.de cõp.me.pge. 5ª.241.F
Ammoniaci gutta liquat aq,aceto,et vino.3°.de cõ.me.pge.5ª.233.F
Ammoniacæ gutta purgata fit mentio.7°.de cõp.med.pge. 5ª.271.E
ex Ammoniaci gutta & oleo ricino medicamentum.6°.de comp.medicam.per gen. 5ª.258.A
Ammoniaci gutta vlceribus nõ cõuenit.4°.de cõp.me.pge.5ª.236.H
Ammoniaci gutta vlceris ora indurata emollit.2°.de composi medic. per gen. 5ª.220.B
Ammoniacum sal quale sit.de ocul. 7ª.188.H
Ammoniacum sal oculis conuenit.de ocul. 7ª.188.G
Ammoniacum sal valet ad vngulas,scabies palpebrarum, pruritus, & crassas pustulas.de ocul. 7ª.189.C
AMNIOS membrana quædam sit.de diff.vul.109.D/6°.de decr. Hipp.264.H/de fœtuum form. 1ª.322.F
AMOMVM quid,& eius vires.de simp.med. Sp.80.H
Amomũ flores habẽs origano similes,reprobãt.de simp.me. Sp.80.H
Amomum quale.4°.de cõp.me.se.lo.151.G/6°.170.G/7°. 5ª.179.D
Amomi racemi fit mentio.6°.de comp.med.sec.lo.170.H/9°.200.B/ 7°.de comp.med.per gen. 5ª.272.H
Amomi scybici fit mentio.8°.de comp.med.sec.loc. 5ª.196.H
Amomum inter aromata numeratur.7°.meth.med. 7ª.44.A
Amomus est aroma calidum com.5°.aph.18°. Ex.40.C
Amomum odoratas reddit cõpositiones.1°.de cõp.me.se.l. 5ª.128.C
Amomum medicamentũ odoratum.9°.de comp.med.se.lo. 5ª.201.G
Amomum ingreditur theriacam.de ther.ad Pis. 5ª.92.F
Amomum adstrictionis particeps est.3°.de cõp.med.per ge. 5ª.234.F
Amomum maturatiuum est.de ocul. 7ª.189.C
Amomum fortiter resiccat.7°.de comp.med.sec.loc. 5ª.178.G
Amomum valde concoquit.6°.de simp.med.fa. 5ª.42.H
Amomum discutit generose.6°.de comp.med.sec.loc. 5ª.169.D
Amomum vrinas prouocat.5°.de simp.med.fac. 5ª.38.A
Amomum menses prouocat.5°.de simp.med.fa. 5ª.38.A
Amomum pro oris putore.in 6ᵐ.de mor.vul.com.4°. 3ª.182.A
de AMOMIDE herba fit mentio.de simp.med. Sp.80.H
AMORONIS Regis medicamen.de med.exper. Sp.108.C
AMOR à poetis amaror dulcis,id est γλυκὺ πικρον,appellatur.3°. de simp.med.fac. 5ª.21.A
Amoris Deus describitur.in progn.com.1°. 4ª.190.E
Amor quid.4°.de decr.Hip. 1ª.248.E
Amoris affectus non est diuinus morbus.in progn.com.1°. 4ª.190.D
Amore nimio cuiusq, rei detineri,est animi affectus.de cognosc.curan dis q animi morbis. 2ª.50.H
Amor ad quam partem animæ spectet.4°.de decr.Hip. 1ª.252.G
Amoris receptaculum est sanguis terrestris plurimum calidius.de vti litate respirationis. Sp.64.F
Amor quo modo magis infestet.4°.de decr.Hip. 1ª.252.E
Amore laborare quẽdã qũo dicẽdus Gal.đ pcog.ad Post.4ª.211.F G
Amoris pulsus nullus proprius.in progn.com.1°. 4ª.192.B
Amor facit nos cæcos in cognoscendis erroribus.de cognosc.curã.animamor.2ª.53.G/in 6ᵐ.de mor.vul.com.4°. 3ª.183.B
Amor detrimentũ tam amãti.quam amato.9°.de dec.Hip. 1ª.280.B
Amor Medeæ & Iasonis,qualis.3°.de decr.Hip 1ª.244.A
AMORGE.i.amurca.6°.de simp.me.f.5ª.42.E/c.7°.aph.45°. Ex.57.F
AMPELINI pannículi fit mentio.1°.de cõp.med.se.lo.5ª.123.C
AMPELITIS terra quid,& eius vires.de simp.med. Sp.85.A
Ampelites terra vnde dicta.9°.de simp.med.fac. 5ª.66.E
Ampelites terra qualis.5°.de comp.med.per gen. 5ª.246.C
Ampelitis terræ nigræ fit mentio.2°.de antid.119.G/2°.de comp.medic.per gen. 5ª.221.C
Ampelitis terra capillos inficit,& in callibleph ara mittitur. de simp. medicamin. Sp.85.A
Ampeloprasi,& porri differentia.2°.de alim.fac. 2ª.25.E
Ampeloprasum est siccius & acrius porro.6°.de simp.me.fa.5ª.42.E
Ampeloprasum stomacho nocentius porro.6°.de simp.me.fa.5ª.42.E
Ampeloprasum hẽt radicẽ caule,et foliis acriorẽ.2°.đ ali.fa.2ª.24.D
Ampeloprasum habet acritudinem.2°.de alim.fac. 2ª.25.E
Ampeloprasum quo modo deponat acritudinem.2°.de ali.fa.2ª.25.E
Ampeloprasum quo modo paretur.2°.de alim.fac. 2ª.23.A
Ampeloprasum inter obsonia commumeratur.2°.de ali.fa. 2ª.23.F
Ampeloprasa aceto condiuntur.2°.de alim.fac. 2ª.25.E
Ampeloprasum parum alit.2°.de alim.fac. 2ª.25.E
Ampeloprasum & allium calefaciunt corpus.2°.de ali.fa. 2ª.25.E
Ampeloprasum crassos humores tenuant,& lentos incidũt. 2°.de alim.fac. 2ª.25.E
Ampeloprasum crassos & lẽtos humores protinus incidit, infarcta organa obstructione liberat,et vrinas prouocat.6°.đ sim.me.f.5ª.42.E
Ampeloprasum exulcerat illitum.6°.de simp.med.fa. 5ª.42.F
AMPELOS agria est vitis agrestis.6°.de simp.med.fa. 5ª.42.F
Ampelos hemeros est vitis sativa,& culta.6°.de sim.me.fa. 5ª.42.F
Ampelos leuca vitis alba.6°.de simp med.fac. 5ª.42.F
Ampelos melæna est vitis nigra.6°.de simp.med.fac. 5ª.42.G
Ἀμφιβληστροειδὴς tunica quæ appelletur.7°.de decr.Hip. 1ª.270.H
Ἀμφιβληστροειδὴς tunica,pars & particula animalis, non instrumentum vocatur.1°.meth.med. 7ª.6.D
AMPHIBOLOGIA quid.4°.de dign.puls. 4ª.85.H
AMPHIMERINA, non cathemerina dicenda est febris quotidiana. 2°.de differentiis feb. 3ª.38.B
Amphimerinæ quæ febres vocẽtur.in 1ᵐ.de mor.vul.c.3°.3ª.118.D
Amphimerinę,id est quotidianę febris circuitus.1°.de dif.fe. 3ª.33.A
Amphimerina febris natura longa.1°.de crisi. 4ª.132.C
Amphimerina adest conceptis in hora phlegmatis.de sperm. Sp.37.C
AMPHIONIS medicamentum.4°.de com.med.per gen.5ª.243.A
AMPHISBÆNÆ morsibus cofert cemaurea.de vir.cent.Sp.93.H
cõtra Amphisbænas theriaca valet.de ther.ad Pis. 5ª.91.F
AMPHISMELA nomen instrumenti.6°.de ana.adm.92.H/1ª.93.D
AMPHORA mensuræ nomen. de ponderibus & mensuris. 275.F/ 276.F/H/ 5ª.267.B
Amphora frequentis aquæ in heminam frigidæ iniecta,& econtra,quid eueniat.3°.de sympt.cau. 3ª.26.F
Amphoræ Romanæ fit mentio.9°.de simp.med.fac. 5ª.71.D
AMPLIATIONIS duplex differentia.de diff.mor. 3ª.3.C
ad Ampliationẽ epiglottidis qd sequatur.de voce,& anhel. Sp.60.H
Amplissima vocis instrumẽta vocẽ destruũt.de vo.& anhel.Sp.62.A
AMPVLLÆ quæ.1°.de simp.med.fac. 5ª.8.D
AMPVTANDA quæ.14°.meth.med. 7ª.91.C
AMVLETA quæ dicantur.de remed.par.fa. 7ª.154.A
Amuleta pro capitis dolore.2°.de comp.med.sec.loc. 5ª.118.B
Amuletum est quod ad aquarum formidinem admirabile proponitur. 2°.de antid. 5ª.120.G
AMVRCÆ vires.de simp.med. Sp.80.F
Amurca olei crassum vocatur.1°.de simp.med.fac.5.D/2°. 5ª.13.E/ com.7°.aph.45°. Ex.57.C
Amurca cõtrahit vt resina,pix sicca,et bitumẽ.6°.de si.me.f.5ª.42.E
Amurca vlcera corporum temperatura siccorum curat.6°. de simp. med.fac. 5ª.42.E
Amurca simile quid in abscessibus quandoq; videtur.2°.de arte cura. ad Glauc. 7ª.105.B
AMYDA dicitur testudo palustris.2°. de compositione medic. sec.

locos. 5ª.138.D/*de rem.par.fac.* 7ª.154.B

AMYGDALÆ, *genere fœminino, & Amygdala genere neutro dici poteſt.* 2°.*de alim.fa.* 2ª.21.C

Amygdala quid, & eius vires.de ſimp.med. Sp.80.G

Amygdalas qũo probabat pater Galeni.de bo.& vitio ſuc. 2ª.36.G

*Amygdalę quales.*8°.*de comp.med.ſec.lo.* 5ª.195.E

Amygdalę ſũt cibi dulces ſapidi, ſubtiles abſtergẽtes.& diſc. Sp.72.E

cũ Amygdalis caricæ ſunt præſtantiores.de bo.& vitio ſuc. 2ª.37.F

Amygdalę parum nutriunt, & cur.de diſſ.cont. Sp.73.F

*Amygdalę nõ ſubducunt, & parum nutriunt.*2°.*de alim.fa.* 2ª.21.B

*Amygdalę cur ab aliquibus potius darentur ſenibus, quàm cucumeres maturi, & cucurbitæ, & pruna, & mora.*5°.*de ſan.tuen.* 5ª.92.C

*Amygdalæ tenuant, & detergunt.*2°.*de alim.fa.* 2ª.21.B

*Amygdalę dulces habẽt aliquã amaritudinẽ.*6°.*de ſim.me.f.* 5ª.42.G

Amygdalæ dulces mundificant.de ocul. 7ª.188.E

Amygdalæ humores è pulmonibus ac thorace expectorant. 2°.*de alimen.fac.* 2ª.21.B

Amygdalæ purgant pulmonem, & thoracem.de cathar. Sp.95.B

*Amygdalæ purgant viſcera.*2°.*de alim.fac.* 2ª.21.B

*Amygdalæ nihil adſtringunt.*2°.*de alim.fac.* 2ª.21.B

*Amygdalę recẽtes tritę p purulẽtis.& vic.ra.i mor.ac.c.*4°.7ª.152.G

*Amygdalæ quædam amaræ.*4°.*de ſimplic.med.fac.* 5ª.26.E

*Amygdalę amaræ inter nuces numerantur.*3°.*de cõ.me.p ge.* 5ª.228.F

*Amygdalæ amaræ, quales.*2°.*de comp.med.ſec.lo.* 5ª.136.F

*Amygdalarum excorticatarum meminit.*7°.*de compoſi.med.ſec.loc.* 179.H/9°.197.H/10°. 5ª.206.B

*Amygdalæ amaræ & dulces quid agant.*5°.*de ſimp.med.fac.* 5ª.35.B

Amygdalæ amaræ nõ iprobãdæ i victu attenuãte.& at.vi.ra. 2ª.45.H

*Amygdalæ amaræ pharmacorum fortium vim exoluunt.*1°.*de comp.med.ſec.loc.* 5ª.122.F

*Amygdalæ amaræ in auricularia medicamenta miſcentur.*3°.*de compoſi.med.ſec.loc.* 5ª.141.B

*Amygdalæ amaræ quo loco reponantur inter calida quæ valent alopecijs.*1°.*de comp.med.ſe.loc.* 5ª.122.D

*Amygdalæ amaræ q̃p extenuẽt expiẽtia.p.bat.*6°.*de ſim.me.f.* 5ª.42.G

*Amygdalę amarę ſuccos craſſos, et lẽtos incidũt.*2°.*de ali.fa.*2ª.21.B

*Amygdalæ amaræ ſuccos craſſos & lentos ex thorace & pulmone educunt.*2°.*de alim.fac.* 2ª.21.B

Amygdalæ amaræ aperitiuæ.de ocul. 7ª.188.E

*Amygdalæ amarę expurgãt ephelin, et excretionibus ex pectore pulmoneq̃, impẽdio cõferunt, et in iecore craſſorũ viſcoſorũq̃ humorum in extremis vaſis impactorũ obſtructiones abũde expurgant, expediuntq̃, quin & laterũ dolores ab huiuſmodi cauſa natos & lienis & colli & renum ſanant.*6°.*de ſimp.med.fa.* 5ª.42.G

Amygdalæ proprie amaræ mundificant, & tenuãt, & aperiunt oppilationes hepatis & ſplenis, & adiuuant ad ſpuendum humiditatem ex pectore & pulmone.de diſſ.cont. Sp.74.G

*cum Amygdalis amaris & melle butyrum valet pro educendo ſputo.*10°.*de ſimp.med.fac.* 5ª.74.D

Amygdalæ amaræ coctæ in ptiſſana optimè expurgant in icteris.de cura icteri. Sp.111.B

*ex Amygdalis amaris, aniſo, & abſinthij coma compoſitum ad iecoris dolores.*6°.*de ſan.tu.* 2ª.96.B

Amygdalę amarę frãgũt lapidẽ renum, et veſicę. de cathar. Sp.95.D

Amygdalæ amaræ purgant veſicam.de cathart. Sp.95.D

*ex Amygdalis ſorbitionem facit.*7°.*de comp.med.ſec.loc.* 5ª.177.H

*Amygdalus habet eandem vim cum fructu.*6°.*de ſim.me.fa.* 5ª.42.G

*Amygdalę oleoſę ſunt & pinguis qualitatis.*2°.*de alimen.fa.*2ª.21.B

*Amygdalę tardius quàm nuces fiunt oleoſę.*2°.*de alim.fa.* 2ª.21.B

*ex Amygdala fit oleum.*4°.*de ſimp.med.fac.* 5ª.26.G

*Amygdalinum oleum quale.*6°.*de ſimp.med.fac.* 5°.46.H

*Amygdalinum oleum.*6°.*de ſimp.med.fac.* 5ª.46.H

Amygdalæ oculis conueniunt.de ocul. 7ª.138.G

Amygdalinum oleum eſt oculorum cenoticum.de cathar. Sp.95.B

Amygdalinum oleum purgat aures.de cathar. Sp.95.B

*Amygdalinum oleum in auricularia medicamenta miſcetur.*3°.*de cõpoſi.med.ſec.lo.* 5ª.141.B

Amygdalinũ oleum frangit lapidẽ renũ, & veſicæ.de cathar. Sp.95.B

Amygdalæ duæ organa locutionis.de anat.viu. Sp.49.B

Amygdalę duę ſunt quaſi duę auriculę añ os gulę.de ana.viu. Sp.49.F

AMYLVM *quid ſit, & ad quæ valeat.de ſimp.med.* Sp.80.A

Amylum quo modo fiat.de dynam. Sp.22.E

*Amylum ex tritico fit.*1°.*de alim.fac.* 2ª.11.C

*Amylũ ex tritico, eo frigidius eſt & ſiccius.*8°.*de ſimp.me.f.* 5ª.59.D

*Amylum quale ſit.*4°.*de comp.med.ſec.lo.* 5ª.149.F

*Amylũ habet ſimilem facultatem panibus lotis.*1°.*de ali.fa.*2ª.11.C

*Amylum eſt cibus craſſus.*3°.*de alim.fac.* 2ª.28.B

*Amylũ cũ lacte decoctũ craſſum ſuccũ pſtat.de bo.& vi.ſuc.*2ª.35.D

*Amylum non mali ſucci, ſed craſſioris.de bon.& vitio ſucco.*2ª.35.F/ *in* 6ᵐ.*de mor.vul.com.*3°. 3ª.175.C

Amylum cur ſit pauci nutrimenti.de diſſ.cont. Sp.73.G

Amylo elixata multum nutriunt.de ve.ſec.ad Eraſi. 6ª.14.D

*Amylum neq; calefacit, neq; refrigerat.*1°.*de alim.fac.* 2ª.11.C

*Amylum nihil detergit.*1°.*de alim.fac.* 2ª.13.H

*Amylum lotum quale ſit.*4°.*de comp.med.ſe.lo.* 5ª.150.A

*Amylum elotum emplaſticum eſt.*4°.*de ſimp.med.fac.* 5ª.25.D

*Amylum adſtringentibus aduerſatur, & eſt emplaſticum.*1°.*de ſimp.med.fac.* 5ª.8.B

*Amylum ſecundũ Herodotum adſtringit.*1°.*de ſimp.med.fa.* 5ª.7.H

Amylum quidam addunt ptiſſanæ.de ptiſſ. 2ª.47.D

Amylũ miſcẽt collyriis ad lachrymã faciẽtibus.& ſim.me.f. Sp.80.A

*ex Amylo, ceruſſa lota, & papauere fiunt quædam collyria in oculorum doloribus.com.*6°.*aph.*31°. Ex.49.I

*Amylum partes exaſperatas mollit, & læuigat.*1°.*de ali.fac.*2ª.11.C

*Amylum leuiſſimum in arteriæ inflammationum principiis.*7°.*de compoſi.med.ſec.loc.* 5ª.177.H

Amylum profluuio ventris prodeſt.de ſimp.med. Sp.80.A

*& Amylo ſiligo.*7°.*de comp.med.ſec.loc.* 5ª.177.H

AMYTHAONIS *malagma.de comp.med.per gen.* 5ª.265.I

AN EST *primo quærendum, deinde quid eſt, ſm Ariſtotelem.in* 6ᵐ.*de mor.vulg.com.*1°. 3ª.153.I

Ἀνάβασις, & ἐπίδοσις, & ἄυξησις *ſignificant augumentum, uel incrementum.de morb.temp.* 3ª.85.I

*Anabatica & acmaſtica febris, id eſt aſſurgens, atq; inualeſcens, eſt ſecunda ſynochæ ſpecies.*2°.*de diff.feb.* 3ª.36.I

ANABROSIS *vel diabroſis venæ eroſionem ſignificat.*5°.*de lo.aff* 4ª.32.D/4°.*meth.med.* 7ª.23.I

Ἀναβρόγχισμὸς *ſignificat pilorum in palpebris manualem operationem.de victꝰ.rat.in morb.acu.com.*4°. 7ª.152.H

Anacardinum pallidis valde facit.de dyn. Sp.25.H

Anachardinum Theodoricum ictericis medetur.de dyn. Sp.26.F

ANACOLLEMATA *vocant medici medicamenta, quæ fronti, dum oculi fluxione laborant, imponuntur.*11°. *de ſimp.med.fac.*81.F/ 6°.*de comp.med.per gen.* 5ª.258.D/*de reme.par.fac.* 7ª.156.F

Ἀνασπονδυλομαλάχη *quæ ſit.*14°.*meth.med.* 7ª.88.C

ANAGALLIS *quid, & eius vires.de ſimp.med.* Sp.80.G

*Anagallidis habentis florem cæruleũ meminit.*4°.*de comp.med.ſe.lo.* 155.B/9°.199.G/4°.*de cõp.me.per ge.*244.A/6°.255.B/ 5ª.257.A

*Anagallidis cæruleum florem habentis ſuccus mitigat & lenit fortia medicamenta.*2°.*de comp.med.ſec.loc.* 5ª.139.G

*Anagallis extergit, & trahit infixa corpi.*6°.*de ſimp.med.fa.* 5ª.42.H

*Anagallis exiccat ſine mordicatione.*6°.*de ſimp.med.fac.* 5ª.42.H

*Anagallides vulnera agglutinant, & putrida adiuuant.*6°.*de ſimplic.med.fac.* 5ª.42.H

Anagallis ad abolendũ colorẽ è facie ictterici.de cura icteri. Sp.111.F

Anagallidum ſuccus cum melle attico ad oculorum facit claritatem.de ſimp.med. Sp.80.G

*Anagallidum ſuccus ex naribus purgat.*6°.*de ſimp.med.fac.* 5ª.42.H

Anagallidis radiculæ viribus ſtringentes.de ſimp.med. Sp.80.G

ANAGYRVS *digerit & calfacit.*6°.*de ſimp.med.fac.* 5ª.42.H

*Anagyri folia tumentia reprimunt.*6°.*de ſimp.med.fac.* 5ª.42.H

*Anagyri ſemen vomitum prouocat.*6°.*de ſimp.med.fac.* 5ª.42.H

ANALEPTICE, *id eſt renutritoria, victus ratio quæ ſit medicinæ pars.de conſt.art.Iſa.*42.F/5°.*de ſan.tuen.*90.E/ *ad Thraſybulum.* 2ª.106.E/7°.*meth.med.* 7ª.45.H

Analeptice parua minus caſtigat, quàm ſalubris medicinæ pars. ad Thraſybulum. 2ª.106.F

Ἀνάλειον, *id eſt oleum expers ſalis.*2°.*de ſimp.med.fac.* 5ª.12.B

*Analogiſmus.de opt.ſecta.*21.F/H/*de ſubſigu.empir.*If.32.G/*de mul.* 3ª.76.E/*in progn.com.*1°. 4ª.191.B

Analogiſmi vſus, qui.de opt.ſecta. Iſa.21.F

ANALOGISTICAM *& epilogiſticam cauſam reddere quid ſit, colligede victꝰ.rat.in morb.acu.com.*4°. 7ª.140.D

in ANALYTICORVM *ſecundorum librũ ſecundum commentaria, ſcripſit*

scripsit Galenus. 4°.*de diff.puls.* 4ª.65.*A*

Analyticorum libros priorum scilicet & posteriorum vnum librum esse & distingui in duas partes. 4°.*de diff.puls.* 65.*A*/ 4ª.69.*H*

ANAPLEROTICA *medicamenta sunt quæ cicatrices crassant, quę alta vulnera complent, & limpidant.de dyn.* *Sp.*18.*H*

Anapleroticis, & lenibus rebus curantur vulnera alta, cauа, & limpida.de dynam. *Sp.*19.*A*

A'ναφωνήσεις *uociferationes phonasci appellãt.* 5°.*de san.tu.* 2ª.93.*A*

ANARRHOPHEMA *quid græci vocent. de natura & ordine vniuscuiusq; corporis.* *Sp.*41.*H*

ANASARCA *est nomen quo recentiores vtuntur. de victus rat. in mor.acu.com.* 4°. 7ª.148.*G*

Anasarca, species hydropis.fin.med. *Isa.*47.*F*

Anasarca, hepiala, & febres, præter hæcticam, sunt intemperies inæquales per totum corpus. 1°*de inæq.intemp.* 3ª.43.*B*

Anasarcæ causæ non sunt atrophiæ, & tabes. 1°.*de nat.fac.* 1ª.292.*F*

Anasarca docet differentiam adiunctionis, & agglutinationis. 1°.*de nat.fac.* 1ª.292.*F*

in Anasarca est sanguis pituitosus p totũ corpus. 5°.*de lo.af.* 4ª.33.*H*

in Anasarca qualis caro. 3°.*de symp.cau.* 3ª.26.*G*

Anasarca quo modo fiat. 1°.*de nat.fac.* 1ª.292.*F*

Anasarcæ pulsus, qualis. 4°.*de cau.puls.* 4ª.103.*E*

in Anasarca qui pulsus. 2°.*de præsag.ex pul.* 4ª.112.*H*

Anasarca et leucophlegmatia lethargo cõparat. 3°.*d symp.ca.* 3ª.29.*D*

Anasarcam patientibus phlegmagoga danda.de dyn. *Sp.*21.*D*

Anasarcas adiuuat theriaca.de iher.ad Pis. 5ª.96.*D*

Anasarca laborantibus prodest erinacei terrestris desiccata caro. 11°. *de simp.med.fac.* 5ª.78.*F*

Anasarca quo modo finiat. 3°.*de symp.cau.* 3ª.25.*C*

Anastomosis membranarum oculi affectus.intro. *Isa.*58.*D*

A'νασόμωσις, *id est apertio oris vasorum.* 6°. *de vsu par.* 1ª.151.*H*/ 4°.*meth.med.*23.*B*/ 5°. 7ª.30.*A*

Anastomosis quo modo fiat. 5°.*meth.med.* 7ª.30.*B*

Anastomaticæ, id est aperientes medicamentorum facultates. 5°.*de simp.med.fac.* 5ª.35.*E*

Anastomaticũ medicamen oẽ essentiæ quidẽ terreæ simul & igneæ est, hactenus tñ excalfaciẽs, vt nõdũ vrat. 5°.*de simp.med.fa.* 5ª.36.*A*

Ανασχέφειν *quid significet.* 2°.*de simp.med.fac.* 5ª.10.*B*

ANATASIS *quid.fi.med.* *Isa.*50.*D*

Ανάτρισις, *id est refrictio.de iis, quæ in med.fi.com.* 3° 7ª.218.*E*

A'νάτριψιν, *aut τρίψιν dicas nihil refert.* 2°.*de san.tuen.* 2ª.70.*D*

A'νατρίψεως *nomen veteribus vsitatus est, quàm τρίψεως.* 2°. *de san.tuen.* 2ª.70.*D*

ANATES *habent ossium consistentiam laxam, cauam, & leuem.* 11°. *de vsu par.* 1ª.191.*E*

Anatis caro quibus sit durior. 3°.*de alim.fac.* 2ª.29.*C*

Anatis sanguis aduersatur omnibus venenosis & mortiferis.de med. fac.par. 7ª.169.*F*

Anates conueniunt stomachicis. 8°.*de comp.med.sec.loc.* 5ª.192.*C*

de Anatis ouis exemplum. 1°.*de vsu par.* 1ª.113.*F*

ANATOME *proprie in partibus intrinsecis.intro.* *Isa.*53.*F*

Anatomes vocabulum per abusum significat exteriores etiam corporis partes, quæ non inciduntur.intro. *Isa.*53.*F*

*Anatome quid.fin.med.Isa.*43.*G*/*de anat.par.* *Sp.*42.*G*

Anatome propter quid inuenta.de anat.par. *Sp.*42.*G*

Anatomes præstantia. 3°.*de loc.aff.* 4ª.20.*H*

Anatomen quanti faciat Galenus.an sang.in art.nat.con. 1ª.62.*H*

Anatomes contemplationem libris medicinalibus, in quibus aut affectuum dignotiones, aut præsagia, aut curationem describeris, immiscere cur fuerit potius. 2°.*de anat.adm.* 1ª.68.*G*

Anatome quid faciat ad rem medicam. 1°.*de loc.aff.* 4ª.7.*C*

Anatome cui sit vtilis.de decr.Hip. 1ª.239.*A*

Anatome chirurgiæ proficua est. 1°.*de ana.adm.* 1ª.64.*C*

Anatome quo modo diuersis artificibus vario modo subseruiat. 2°. *de anat.admin.* 1ª.69.*A*

Anatomen scire oportet.de sectis. 19.*A*/*Isa.*18.*F*/9°. *de decr. Hipp.* 281.*F*/*de fœt.for.*322.*C*/1ª.325.*A*/1°.*de loc.aff.*7.*F*/ 3°. 20.*H*/ 21.*C*/4°.23.*H*/25.*C*/6°.4ª.40.*D*/5°.*meth.med.*33.*D*/ 6°. 39.*A*/ 13°.82.*G*/85.*D*/2°.*de arte cur.ad Glauc.* 7ª.101.*D*

Anatomes vtilissima pars est quæ versat circa musculos, neruos, arterias, & venas, non cordis, aut alicuius visceris, verũ q̃ in cruribus manibusq;, ac thoracis exteriore regione iuxta spinã, aut pect9, aut costas, aut scapulas, aut abdomen, aut collum, aut caput sunt conspicuæ. 2°.*de anat.adm.* 1ª.69.*B*

Anatome quid præstet. 7°.*de decr.Hip.*270.*A*/1°.*de sem.*1ª.335.*C*/ 1°.*de loc.aff.* 4ª.2.*C*

Anatome multa docet. 7°.*de decr.Hip.* 1ª.269.*F*

Anatome docet vnde anima habeat principatũ.de dec.Hip. 1ª.235.*B*

Anatomia ostẽdit principẽ animã nõ esse in corde. 1°.*de lo.aff.* 4ª.3.*G*

Anatomistæ mirantur artem naturæ. 9°.*de decr.Hip.* 1ª.284.*G*

ex Anatome cognosci debet q̃ sit cuiusq; partis essentia, deinde actio, & societas quam cum proximis habet. 1°.*de loc.aff.* 4ª.3.*E*

ex Anatomes contemptu quid sequatur. 6°.*de vsu par.* 1ª.152.*H*

Anatomes imperiti in sexcentos incidunt errores. 3°. *de anat. admin.* 73.*D*/*F*/4°. 1ª.79.*G*

Anatomen ignorantium comparatio ad iter agentes. 3°. *de composit. med.per gen.* 5ª.232.*A*

in Anatome olim à pueritia exercebantur. 2°.*de ana.adm.* 1ª.68.*E*

Anatome incubuerunt antiqui philosophi, & medici. 2°.*de anatomicis administ.* 1ª.68.*E*

Anatomes scriptores antiqui.de nat.hu.com. 2°. 7ª.183.*E*

Anatome amissa à quibus restaurata fuerit. 8°.*de decr.Hip.* 1ª.273.*C*

Anatomes scriptores noui.de nat.hum.com. 2°. 7ª.183.*E*

Anatomicos aggressus Marinus scripsit. 2°.*de ana.adm.* 1ª.68.*H*

Anatomistæ Martiani meminit.de præcog.ad Posth. 4ª.215.*B*

Anatomen scripsit Galenus tempore Antonini. 1°.*de ana.adm.*1ª.63.*B*

de Anatome qui nihil scripserunt, antiquos non vituperat Galenus. 2°.*de anat.admin.* 1ª.68.*E*

in Anatome Galenus non fuit primus, qui discordiam fecerit, sed anti qui. 1°.*de anat.admi.* 1ª.64.*H*

Anatomẽ nemo añ Galenũ diligẽter ptractauit. 2°.*de vsu par.*1ª.121.*F*

in Anatomicis quæ egit Galenus ab aliis non dicta. 3°. *de comp.med. per gen.* 5ª.232.*A*

Anatomen quanto amore prosequebatur Flauius Boethus. 1°.*de anat. administrationibus.* 1ª.63.*B*

Anatomen discendi ordo. 1°.*de anat.adm.* 1ª.68.*B*

Anatomes librorum ordo. 4°.*de anat.adm.* 1ª.79.*H*

Anatomes librorum ordinis ratio. 4°.*de anat.adm.* 1ª.79.*F*

Anatomicos commentarios seorsum cur scripserit Galenus. 2°.*de ana. administrationibus.* 1ª.68.*G*

Anatomicis libris non est credendum, sed oculis spectandum. 2°. *de vsu partium.* 1ª.121.*F*

Anatome spectanda est. 1°.*de anat.adm.* 1ª.64.*A*

Anatomico quid agendum priusquam spectator accedat. 3°.*de anato. administrationibus.* 1ª.74.*C*

Anatome fortuita, quæ sit. 3°.*de comp.medicam.per gen.* 5ª.232.*A*

Anatomen artuum in ægris videbant empirici quando erant detecti. 1°.*de anat.admin.* 1ª.64.*A*

Anatomen ex partium motu quidam cognoscere studebant. 1°.*de ana. administrationibus.* 1ª.64.*B*

Anatomen hominum fieri prohibet humanitas. de natura, & ordine vniuscuiusq; corp. *Sp.*41.*G*

Anatomen hominis docet Galenus. 6°.*de vsu par.* 1ª.150.*H*

Anatomen in brutis facit Galenus. 2°.*de semi.* 1ª.336.*A*

℔ *Anatome brutorum, animal debet esse antiquius.de motibus manifestis & obs.* *Sp.*70.*E*

℔ *Anatome sumenda sunt animalia quæ habent quinq; digitos.* 6°.*de anatom.admin.* 1ª.89.*F*

Anatomizanda animalia in aqua suffocabat, & laqueo suspendebat Galenus. 8°.*de anat.adm.* 1ª.103.*D*

in Anatomica exercitatione animaliũ ordo. 6°.*de ana.adm.* 1ª.90.*F*

Anatomen fecit simiarum, & aliorum animalium Galenus. 5°.*de loc. affectis.* 4ª.33.*E*

℔ *Anatome simia eligenda est.de mus.diss.*46.*F*/1°. *de anato.admin.* 63.*G*/*H*/5°. 1ª.87.*B*

℔ *Anatome laudat simias cynocephalas.de mot.ma.& obs.Sp.*70.*E*

℔ *Anatome simia sumẽda q̃ homini simillima sit.* 6°.*d ana.ad.* 1ª.89.*D*

Anatomen hominum ex simiis disces. 3°.*de cõp.med.per ge.* 5ª.231.*F*

℔ *Anatome cur suffocabat simias in aqua Galenus.* 1°. *de anatomicis administrationibus.* 1ª.64.*G*

Anatome simiarũ in quibus musculis fecerit errare.de motibus man. & obscuris. *Sp.*70.*E*

Anatomizandus sus quo modo debet situari.de anat.par. *Sp.*42.*G*

ad Anatomen magis necessaria extrinseca quã intrinseca. 4°. *de anatomic.*

tomic.admin. 1ª.79.F
Anatomica instrumenta.9°.de anat.adm. 1ª.104.A
Anatomicus in quo debeat esse diligens.16°.de vsu par. 1ª.220.D
Anatomici industrij etiam errant.2°.de anat.adm. 1ª.69.C
in Anatome iuuenes q̃ debẽt omittere,& q̃ seq.2°.de ana.ad.1ª.69.D
Anatome ossium primò spectanda in homine aut simia, & non solum ex libro legenda.1°.de ana.adm.63.E/ 1ª.64.B
Anatomen ossium auditoribus ante oculos ponebant Alexandrini medici.1°.de ana.adm. 1ª.63.F
Anatome musculorum secundo videnda.1°.de anat.adm. 1ª.64.B
in Anatome post musculos discere primum licet quod vis, siue arterias,siue venas,siue neruos.1°.de anat.adm. 1ª.64.B
Anatome viscerum,adipis, intestinorum, glandularum, quarto loco consideranda est.1°.de ana.adm. 1ª.64.B
Anatome arteriarum.de anat.viu. Sp.47.E
Anatomicus nullus dedu nomẽ arterię venosę.6°.de vsu par.1ª.153.G
de Anatome aurium.de anat.viu. Sp.48.G
de Anatome cerebri.de anat.par. Sp.43.D
de Anatome cordis.de anat.viu. Sp.52.F
de Anatome dentium.de anat.viu. Sp.49.D
de Anatome diaphragmatis.de anat.viu. Sp.53.F
de Anatome Gulæ.de anat.viu. Sp.49.F
de Anatome hepatis.de anat.viu. Sp.50.F
de Anatome intestinorum.de anat.viu. Sp.50.A
Anatome manus,& cruris propter quid à Galeno proponitur.2°.de anat.admin. 1ª.69.D
in Anatome quæ inuenerit Galenus in summa manu & pede.1°.de anat.admin. 1ª.64.H
de Anatome matricis.de ana.par.43.B/de anat.viu. Sp.51.D
de Anatome membrorum consimilium.de anat.viu. Sp.55.C
in Anatome musculorum,& partium intrinsecarum,postea in viscerum latentium functionibus medicus debet esse optime exercitatus.2°.de anat.admin. 1ª.69.B
Anatomicis ignotus fuit musculus qui valde confert ad sermonem,& masticationem.11°.de vsu par. 1ª.190.H
Anatomici quos duos musculos manus vnum putarint.2°.de vsu partium. 1ª.121.F/G
ab Anatomicis musculi quidam spinales prætermissi.5°.de anatomi. administ. 1ª.85.B
Anatomicorum error ante Galenum in musculo vlnæ, quem putarunt flectere digitos.2°.de vsu par. 1ª.121.E
de Anatome nasi.de anat.viu. Sp.48.H
Anatomen neruorũ nullus ante Galenũ cognouit.1°.de loc.aff. 4ª.7.E
de Anatome neruorum primi post Hippocratem scripsere Herophilus & Eudemus.3°.de loc.aff. 4ª.21.C
de Anatome neruorum à spinali medulla orientiũ.de an.viu.Sp.53.B
de Anatome oculorum.de anat.viu. Sp.48.C
de Anatome oris.de ana.viu. Sp.49.B
de Anatome panniculorum fœtus.de anat.viu. Sp.52.C
de Anatome pulmonis.de anat.viu. Sp.53.A
de Anatome renum.de anat.viu. Sp.51.B
de Anatome stomachi.de anat.viu. Sp.49.G
Anatomici ignari de quatuor venarum paribus à capite.6°.de decre. Hippocratis. 1ª.262.E
de Anatome venæ concauæ.de anat.viu. Sp.54.D
Anatomia venarum profundarum brachij.3°.de ana.adm. 1ª.77.D
de Anatome venarum manus.de anat.viu. Sp.54.G
Anatome ventris inferioris quo modo incipienda & perficienda sit.5°.de anat.admin. 1ª.87.F
de Anatome vesicæ fellis,& splenis.de ana.viu. Sp.50.H
de Anatome vesicæ.de anat.viu. Sp.51.C
de Anatome virgæ genitalis.de anat.viu. Sp.52.E
de Anatome vuluæ.de anat.viu. Sp.49.E
Anatomicis quid difficile circa neruos laryngis visum fuerit.7°.de vsu partium. 1ª.162.C
Anatomici quid ignorarint.5°.de anat.administ.86.D/7°.de vsu par. 161.A/D/162.B/9°.172.B/16°. 1ª.216.F
Anatomicorũ error ante Galenũ.2°.de vsu par.123.A/8°.1ª.168.H
ANAXAGORÆ opinio de alteratione.1°.de nat.fac. 1ª.291.A
Anaxagoras nunciata illi morte filij dixit, sciebam me genuisse mortalem.4°.de decr.Hip. 1ª.253.B
ANAXIONIS casus.2°.de diff.resp.66.D/in 6ᵐ.de mor.vul.cõ.3°. 3ª.150.B/1°.de crisi. 4ª.132.F
in Anaxionis casu status qui fuerit,& quãtus.1°.de crisi. 4ª.132.H
ANCHILOS quid.fn.med.48.F/G/intro. Isa.58.D/H
ANCHORALIS spatulæ processus.de artic.com.1°. 7ª.251.F
ANCHVSÆ quadruplex species.6°.de simp.med.fac. 5ª.41.C
Anchusæ onocleæ qualitates.6°.de simp.med.fac. 5ª.41.C
Anchusæ Alcibiadiæ vis.6°.de simp.med.fac. 5ª.41.D
Anchusa ad quid valeat.de cura ictteri. Sp.111.B
Anchusa colorat medicamenta.2°.de cõp.me.se.lo.139.D/ 5ª.224.D
Anchusa bilioſi & salsi humores absterguntur, & abluuntur.6°.de simp.med.fac. 5ª.41.C
ANCHYLE quid.fi.med.49.B/intro. Isa.59.D
ad Anchylas Damocratis.6°.de comp.med.per gen. 5ª.162.H
ANCI qui sint.de artic.com.1°.259.G/3°.278.D/ 7ª.28.E
vt ANCILLARVM amator gloriæ succumbit medicus qui studiosus est gloriæ.de iis,quæ in med.fi.com.2°. 7ª.205.D
in ANCIPITE casu agendum est quod est minus noxium.11°.meth. medendi. 7ª.74.C
ANCON quid.intro. Isa.53.B
Ancona vocãt Græci cubitũ gibberũ.3°.de cõp.me.per ge. 5ª.231.E
in Ancone sanguinis detractionibus quæ membra iuuentur. præfat. exper.conf. Sp.78.B
ANCYLE, id est poplites.intro. Is.53.E
ANCYROIDES, vel coracoides processus,qui.de oss. 1ª.42.G
ANDARCE palpitationis remedium.de palp. 3ª.52.G
ANDRACHNE est portulaca.6°.de simp.med.fac. 5ª.43.A
ANDREAS rudis, temerarius, & ab Hippocratis grauitate alienus.de subst.empi. Isa.33.D
Andreas herbarius qui inuexit præstigiaturam herbis non legendus. 6°.de simp.med.fac. 5ª.39.H
Andreæ antidotus ad phalangiorum morsus.2°.de antid. 5ª.117.G
Andreæ catapotium.9°.de comp.med.sec.lo. 5ª.198.G
Andreæ malagma.10°.de comp.med.se.lo.207.G/7°.de comp.medi. per gen. 5ª.266.F
Andreæ emplastrum.4°.de comp.med.per gen. 5ª.243.A
ANDREZEOS medicam.de med.exper. Sp.106.I
ANDROMACHVS memoria dignus Neroni conuixit. de theriaca ad Pisonem. 5ª.91.D
Andromachus primus inter Neronis medicos.1°.de antid. 5ª.99.F
Andromachi fit mentio.2°.de comp.medic.per gen. 5ª.217.E
Andromachus diligens in commiscendis medicinis appellatur. de theriaca ad Pisonem. 5ª.95.A
Andromachi liber Mnasonis inscriptus.2°.de antid. 5ª.114.A
Andromachus librum fecit inscriptum, Virtutes ad exteriora.1°.de comp.med.per gen.215.C/3°.235.D/5°.251.H/ 5ª.252.E
Andromachus librum fecit affectionum internarum.7°.de comp.medic.sec.loc.178.C/8°. 5ª.194.D
Andromachus medicamentorum scriptor.7°. de compo.med.sec.loc. 178.B/2°.de comp.med.per gen.222.A/3°. 5ª.234.G
Andromachus omnia medicamenta scripsit per denarios.6°. de comp. medic.per gen. 5ª.259.C
ab Andromacho conscripta ani medicamenta.9°. de comp.medicam. sec.loc. 5ª.204.F
Andromachus librum fecit de externis medicamentis.10°. de comp. med.sec.loc.207.B/2°.de comp.med.per ge.219.C/ 5ª.257.D
Andromachi liber de medicamentis intra corpus assumendis. 2°. de antidotis. 5ª.114.A
Andromachum de confectionibus internis libros conscripsisse, colligе. 7°.de simp.med.fac. 5ª.182.D
Andromachi libri optimi cur ab omnibus neglecti.6°. de compo. med. per gen. 5ª.257.E
Andromachi pharmaca.7°.de comp.med.sec.loc. 5ª.186.H
Andromachi sicca medicamenta.4°.de comp.med.per gen.5ª.242.C
Andromachi theriacæ descriptio.de ther.ad Pis. 5ª.95.A
Andromachi cõpositione theriacę uti debemus.de ther.ad Pis.5ª.95.G
Andromachum taxat Galenus.de ther.ad Pis. 5ª.89.C
Andromachi antidotus ad omnes malas internas q̃, corporis affectiones.2°.de antid. 5ª.110.C
Andromachi ægyptia.3°.de comp.med.per gen.234.H/6°. 5ª.258.F
Andromachi arteriacæ.7°.de comp.med.se.lo. 5ª.178.B
Andromachi compositiones auriculares vigintiquatuor.3°. de comp. med.sec.loc. 5ª.142.G

Andromachi confectiones.7°.de comp.med.se.lo. 5ª.184.H
iuxta Andromachũ cõfectio gleucini.7°.de com.me.per ge. 5ª.272.E
ab Andromacho confectiones renales conscriptæ.10°.de comp.med. sec.loc. 5ª.206.A
Andromachi cyphoides vnde dicta.8°.de comp.med.se.lo. 5ª.194.E
Andromachi catagmatica.2°.de comp.med.per gen. 5ª.226 F
Andromachi crocosus.5°.de compos.med.per gen. 5ª.251.G
Andromachi diacodion.7°.de comp.med.sec.lo.178.C/ 5ª.180.B
Andromachi diamoron.6°.de comp.med.sec.lo. 5ª.169.H
Andromachi melina emplastra.2°.de comp.med.per gen. 5ª.222.C
ſm Andromachum emplastri Attalici albi compositio.1°.de compo. medic.per gen. 5ª.214.F
Andromachi emplastrũ viride.2°.de cõp.me.p ge.219.B/5°.5ª.249.E
Andromachi emplastra ad vlcera maligna.4°.de cõ.me.p ge. 5ª.238.C
Andromachi emplastrũ.5°.de com.mc.per ge.250.E/6°. 5ª.262.A
Andromachi epulotica.2°.de comp.med.per gen. 5ª.224.F
Andromachi fuscum.6°.de comp.me.per ge. 5ª.258.H
vt Andromachus Helleſpontia.6°.de comp.med.per gen. 5ª.259.E
Andromachi hypogloſsis ex filice.7°.de comp.med.se.lo. 5ª.181.F
Andromachi iceſium nigrum.5°.de comp.med.per gen. 5ª.249.F
Andromachi in vſu malagma.10°.de comp.me.se.lo. 5ª.207.F
Andromachi malagma ex meliloto.8°.de com.me.se.lo. 5ª.193.D
Andromachi malagma.8°.de comp.med.sec.lo. 196.D/9°. 199.A/E/ 7°.*de comp.medica.per gen.* 5ª.265.H
Andromachi panacea.2°.de comp.me.per gen. 5ª.225.A
Andromachi ſtomaticum ex punicis.6°.de cõp.med.sec.lo. 5ª.170.A
Andromachi ſtomaticum ex muſto.6°.de comp.med.sec.lo. 5ª.170.B
Andromachi ſtomaticum.6°.de comp.med.sec.loc. 5ª.171.C
Andromachi,ad aphthas.6°.de comp.med.se.lo. 5ª.175.C
Andromachi iunioris ad caluitiem.1°.de comp.med.se.lo. 5ª.126.E
Andromachi ad dentium dolores.5°.de comp.med.sec.lo. 5ª.165.A
Andromachi ad dyſenteriam.4°.de comp.medic.sec.loc. 5ª.203.A
ex Andromacho ad hydropicos,& inflationes.9°.de compoſ.medic. sec.loc. 5ª.200.E
Andromachi ad ſanguinis è naribus eruptiones.3°.de compoſit.med. sec.loc. 5ª.149.B
Andromachi,ad ſanguinis reiectationẽ.7°.de cõp.me.se.lo. 5ª.183.F
ab Andromacho pharmaca potabilia conſcripta ad ſpleniticos.9°.de comp.med.se.lo. 5ª.198.E
ANDRONIS *medicamenti meminit.14°.meth.med.* 7ª.90.B
Andronis medicamento vtendum in aurium exulcerationibus.6°.de ſan.tuen. 2ª.100.C
Andronis medicamentum vlceribus protractis in longum tempus conuenit.2°.de arte cur.ad Glauc. 7ª.102.D
Andronicus paſtillus.3°.de cõp.me.ſe.lo.141.D/6°.167.E/174.G/ 5°.de cõp.med.per gen.251.C/5ª.252.B/6°.meth.med. 7ª.38.E
Andronis paſtillorum vſus valet ad vlcera contumacia.9°.de ſimpli. med.facult. 5ª.65.F
Andronis paſtillis vtendum in ſanguinis profluuio ex eroſione.5°.me thodi medendi. 7ª.31.H
Andronis trochiſci ad putreſcẽtia valẽt.2°.de ar.cu.ad Gl. 7ª 107.A
Andronicus laudatur, quia de animæ ſubſtantia locutus eſt, nihil obſcuritate inuoluens.quòd animi mores. 1ª.318.E
Andronicus tollit liberum arbitrium ex his quę dicit.de ſper.Sp.40.C
Andronici ad orthopnœam.7°.de comp.med.ſec.loc. 5ª.187.A
Andronio paſtillo vlcera in naris meatibus a Galeno curata.3°.de comp.med.ſec.loc. 5ª.148.G
ANDROSACES *amara & acris herba eſt.6°.de ſimp.med.fa.* 5ª.43.A
*Androſaces urinã puocat,digerit,& deſiccat.6°.de ſim.m.f.*5ª.43.A
ANDROSÆMI *herbæ vſus.7°.de comp.med.per gen.* 5ª.267.B
*Androſæmi folia modicè extergũt & ſiccãt.6°.de ſim.me.fa.*5ª.43.A
Androſæmi folia ambuſta curare creduntˉ.6°.de ſimp.me.fa. 5ª.43.A
Androſæmi ſemen purgat.6°.de ſimp.med.facult. 5ª.45.A
ANDRVS *inſula eſt in mari ægeo,quæ vnam habet ciuitatem ex nomine inſulæ.9°.de ſimp.med.fac.* 5ª.65.C
ANECTHERMANTOS rigor,qui.in 6ᵐ.de morb.vulgaribus com.1°. 3ª.156.F
ANALECTICEN *poteſtatem,id eſt retentiuam,vindicant ſibi nerui tranſuerſi.de comp.memb.ſiue de natura humana.* Sp.58.H
ANEMONES *herbæ meminit.1°.de comp.med.ſec.loc.* 5ª.123.F
Anemones flos.de remed.par.fac. 7ª.154.C
Anemones ſuccus pituitam ex naribus purgat, et oculorum cicatrices extenuat.6°.de ſimplicium medic.fac. 5ª.43.B
Anemonæ omnes extrahunt,attrahunt,& poros aperiunt.6°.de ſimplic.medicamen.fac. 5ª.43.B
Anemonæ ſordida vlcerum expurgant,lepras detrahunt,menſesq; apposita eliciunt,& lac trahunt.6°.de ſimplic.med.fac. 5ª.43.B
Anemonæ pituitam euocat.6°.de ſimplic.med.fac. 5ª.43.B
ANETHVM *quid,& eius vires.de ſimp.med.* Sp.81.B
Anethum quandoq; ſua ſponte naſcitur.2°.de ali.fac. 2ª.23.H
Anethum eſt tam cibus,quàm medicamentum.3°.de temp. 1ª.24.D
Anethum eſt cibus acutus,incidens,& aperiens.de diſſ.cont.Sp.72.F
Anethum pro condimento ſeruatur.2°.de alim.fac. 2ª.23.H
Anethum quale ſit.8°.de comp.med.ſec.loc. 5ª.195.D
Anethum mediam temperaturam ſortitur,aut paulum ab ea recedit. 3°.de ſimp.med.fac. 5ª.19.B
Anethum in primo ordine calidum eſt.3°.de ſimp.med.fac. 5ª.19.G
*Anethũ calidũ in ſecundo,ſiccũ in primo.6°.de ſimp.med.fac.*5ª.43.B
Anethum vſtum calidum eſt & ſiccum in tertio gradu.6°.de ſimp.medic.fac. 5ª.43.B
Anethum calfacit,incĩdit,& attenuat.de atten.vic.rat. 2ª.44.B
Anethum exiccat.3°.de alim.fac. 2ª.26.D
Anethũ acres,diureticas, & excalfactorias vires habet, & idoneas rurſus ad infrigidationes omnes inteſtinorũ.de ſimp.med. Sp.81.B
Anethum prouocat vrinam.1°.de arte cur.ad Glauc.97.B/ 7ª.99.F
Anethi,fœniculi,& eruca differentiæ cum ſint ſicca, & cum ſint humida.5°.de ſimpl.med.fac. 5ª.37.G
Anethum viride magis concoquit & ſomnum conciliat,ſed minus digerit anetho ſicco.6°.de ſimp.med.fac. 5ª.43.C
Anethum ruta,& capa.inter ea quæ eduntur differunt caliditate.1°. de comp.med.per gen. 5ª.210.C
Anethum expetit ptiſſana.1°.de alim.fac. 2ª.13.F
Anethi,& ſalis parum in alica iniicitur.8°.meth.med. 7ª.51.B
cũ Anetho & porro ius album.12°.meth.med. 7ª.78.A
Anethum lac purgat,& multiplicat.5°.de ſimp.med.fac. 5ª.37.G
Anethi germẽ miſcẽdũ cũ coctura viperę.de the.ad Piſ.92.C/ 5ª.95.F
Anethum aufert venenum viperæ.de ther.ad Piſ. 5ª.94.A
Anethum digerit,dolorem ſedat,ſomnũ conciliat,crudos, & incoctos humores concoquit.6°.de ſimp.med.fac. 5ª.43.B
Anethum digerit inflationem.de ren.aff.dig.& med. 7ª.194.B
Anethũ doloribus iternis ex frigore ſuccurrit.2°.de ſim.me.f. 5ª.12.D
Anethũ vlceribus nimis humidis mollibusq; prodeſt, & quæ in ꝓputio ſunt inueterata ea probe cicatrice includit.6°.de ſim.me.f. 5ª.43.C
Anethum pro oleo debet eſſe viride.4°.de ſan.tuen. 2ª.87.B
Anethum ſit maturum pro oleo.4°.de ſan.tuen. 2ª.87.B
Anethinum oleum facile paratur.4°.de ſan.tuen. 2ª.87.B
Anethinum oleum in duplici vaſe coquendum.4°.de ſan.tu. 2ª.87.B
Anethum in oleo per tempus madefactum thermanticum comprobatur.de ſimp.med. Sp.88.D
*Anethum in oleo decoctũ quæ bona faciat.6°.de ſimp.me.fa.*5ª.43.B
Anethinum oleum eſt verum anodynum calidum in primo ordine.5°. de ſimp.med.fac. 5ª.37.B
Anethinum oleum ſanat dolores ex intemperie cum mordicatione.2°. de ſimp.med.fac. 5ª.12.C
Anethum in oleo ebullitum pro inflammatione cum dolore.2°.de arte curandi ad Glauc. 7ª.104.G
*Anethinũ oleũ p capitis dolore ex frigore.de reme.par.fac.*7ª.153.F
*Anethi oleũ pus mouẽtibꝰ medicamẽtis ſimile.6°.de ſim.me.f.*5ª.43.B
Anethinum oleũ rarefacit & diſcutit.9°.de comp.me.ſe.lo. 5ª.197.F
*ex Anetho oleũ,euacuat,& diſſoluit.1°.de ar.cur.ad Gl.*7ª.100.A
Anethum in oleo ad relaxandum.11°.meth.med. 7ª.75.F
ex Anethino oleo frictio poſt balneum aquæ dulcis ad morbum regium.de remed.par.fac. 7ª.159.E
Anethinum oleum ſudorem prouocat.de cathar. Sp.95.D
Anethinum oleum eſt oculorum cenoticum.de cathar. Sp.95.B
*Anethinũ oleũ p lapide et dolore renũ.de ren.aff.dig.et me.*7ª.193.H
*Anethinũ vnguentũ ex viridi anetho calidius eſt.3°.de ſa.tu.*2ª.81.C
Anethinũ vnguẽtũ ſanãdæ cutis denſitati cõuenit.3°.de ſa.tu. 2ª.81.C
ANEVRISMA *qd.ſin.me.If.48.H/de tum.præter naturã.* 3ª.84.D
Aneuriſma facit arteria in cubito inciſa.5°.meth.me.30.H/ 7ª.32.D
Aneuriſma fit etiam cicatrice inducta in vulnerata arteria.de cur.rat. per ſang.miſ. 6ª.21.D
ANESVEN *fit mentio.3°.de med.fac.par.* 7ª.176.G
ANFRACTVM, hoc eſt περιέρρηκτος,*circumcirca inflexũ appellat*

lat Hippocrate. de artic. com. 2°. 7ª.261.H
ANGEOLOGIA *numeratur inter species illius actionis chirurgiæ quæ diuisio dicitur.* Isa.59.E
Angeologia quo modo perficiatur. intro. Isa.59.H
Angeologia sistit fluorem. intro. Isa.59.G
ANGINA *interior, & exterior dicuntur epiglottidis apostemata. de voce & anhel.* Sp.61.H
Angina quid. fin. med. 47. A/ intro. Isa.55.G
Anginæ species. introduct. Isa.55.G
Anginæ differentiæ. 4°. de loc. aff. 4ª.24.E
Angina vbi fiat, & eius species. de anat. par. Sp.42.H
Anginæ quatuor species. 4°. de loc. aff. 4ª.24.E
Anginæ secunda species. de vict. rat. in mor. acu. com. 4°. 7ª.138.H
Anginæ quinta species. 4°. de loc. aff. 4ª.24.F
Anginam nullo existente in gutture proprio affectu raro vidit Galenus. 4°. de locis aff. 4ª.23.G
Angina ex affecta gula, qualis. 5°. de loc. aff. 4ª.32.B
Angina quæ ad vertebrarum in ceruice luxationem sequatur. 5°. de locis affectis. 4ª.32.B
Anginæ peripneumoniæ, & pleuritidis concursus quo modo differant. 4°. de loc. aff. 4ª.24.C
Angina quo modo fiat, & quo tempore, & quo modo curetur. de vic. rat. in mor. acu. com. 4°. 7ª.138.E
Angina vnde fiat. com. 3°. aph. 16°. Ex.23.A
Anginæ fiunt ex humiditate cerebri. com. 6°. aph. 2°. Ex.46.E
Anginam ex biliosis humoribus & etiam pituitosioribus fieri posse collige. com. 3°. aph. 22°. Ex.24.F
Angina est morbus acutus. com. 2°. aph. 19°. Ex.14.B
Angina est morbus peracutus. com. 1°. aph. 12°. Ex.5°.D
Angina quæ longa. in progn. com. 3°. 4ª.209.B
Angina longissima. in progn. com. 3°. 4ª.209.B
Angina quandoq; est sine febre. intro. Isa.55.G
Anginæ, ad cerebri, & spinalis medullæ læsionem comparatio. 1°. de symp. cau. 3ª.16.D
Anginæ cur fiant in vere. com. 3°. aph. 20°. Ex.24.A
Anginæ veris differunt ab anginis autumni. cõ. 3°. aph. 22°. Ex.24.F
Anginæ spiritus qui. 3°. de diff. resp. 71.C/75.E/in 3ᵐ. de morb. vulg. com. 2°. 3ª.136.C/.4°. de loc. aff. 4ª.24.H
Angina quo modo faciat dyspnœam. 4°. de loc. aff. 4ª.27.A
Angina quam faciat vocem. in 1ᵐ. prorrh. com. 2°. 4ª.172.E
Angina quo modo vocem tollat. 1°. de loc. aff. 4ª.7.A
Anginæ pulsus qualis. de pul. ad Tyr. 46.B/4°. de cau. pul. 4ª.102.H
in Angina morientium pulsus qualis. 4°. de cau. pulsi. 4ª.102.H
Anginæ symptomata. de vict. rat. in mor. acu. com. 4°. 7ª.139.C
Angina quanto inferior primis duabus vertebris, tanto mitior. 4°. de locis aff. 4ª.23.H
Angina securissima, quæ. in progn. com. 3°. 4ª.209.D
Angina habito si tumor fiat in collo, bonum. com. 6°. aph. 37. Ex.50.D
Anginæ rubor si nõ deleatur, quid sequatur. in progn. cõ. 3°. 4ª.209.D
in Angina sacer ignis, qui. in progn. com. 3°. 4ª.209.C
Angina quando in conuulsionem mutabitur. de pulsi. ad Tyr. 4ª.46.B
Angina qñ in peripneumoniam mutabitur. de pulsi. ad Tyr. 4ª.46.B
ex Angina purulenti, qui. in progn. com. 3°. 4ª.209.D
Anginæ in costarum vitium mutationis meminit. in 6ᵐ. de mor. vulg. com. 2°. 3ª.162.F
Anginæ quæ praue, & letales. in progn. com. 3°. 4ª.209.A
Anginæ exitiosæ primo die suffocant statim & altero & tertio. in 3ᵐ. de morb. vul. com. 2°. 3ª.137.B
ab Angina qui suffocantur pinnas narium mouent. in 3ᵐ. de morbis vulg. com. 2°. 3ª.136.A
q ab Angina liberantur iis ad pulmonem vertitur, & in sepsẽ diebus pereunt: q si hos effugerint suppurantur. cõ. 5°. aph. 10°. Ex.38.D
Angina in qua resoluta fuit manus. 4°. de loc. aff. 4ª.24.C
Anginã aliq patiẽtes habebãt colli vertebras intro, & collũ extra apparebat hãre cauitatẽ, & hoc tactũ dolebat. cõ. 4ᶜ. aph. 35. Ex.31.F
Anginæ curatio. intro. Isa.55.G
in Anginam qui prompte incidunt, illis vere vena secanda. de cura. rat. per sang. miss. 6ª.17.E
Anginæ pericula vbi insideant, puero sanguis est detrahendus. præsag. expert. conf. Sp.78.A
in Angina quid agendum. de vict. rat. in mor. acu. com. 4°. 7ª.137.A/ *præsag. exper. confir.* Sp.78.E
Anginosi cur debẽt esse vacui. de vict. rat. in mor. acu. cõ. 4°. 7ª.138.G
in Angina quantũ repellendũ, & qñ. 6°. de comp. med. se. lo. 5ª.167.E
in Anginæ fortis principio confert sectio venarum iugularium. de anat. viu. Sp.55.A
Angina corripi solitis sanguinem mittendum persuasit Galenus. de cur. rat. per sang. miss. 6ª.18.E
in Angina quæ vena secanda. 13°. meth. medendi. 7ª.83.B
in Angina, venæ sub lingua secanẽ. de cur. rat. per sang. miss. 6ª.20.G/ præsag. exper. confir. Sp.78.D
in Angina gutturis & arteriæ quæ vena secanda. de ratio. curan. per sang. miss. 6ª.20.G
Anginam quidam sanabat sine sanguinis missione sicco stercore pueri, qui lupinis victitarit, cum melle attico ad leuorem trito. 10°. de simplic. med. fac. 5ª.76.B
in Angina quo gargarismate vtẽdũ. de præcog. ad Postbu. 4ª.219.C
Anginam mitigat lac. 10°. de simp. med. fac. 5ª.73.H
Anginæ quos male hãt, iis q̃ exercitatio vitãda. 5°. de san. tu. 2ª.90.A
in Angina quando concoquendum. 6°. de comp. med. se. lo. 5ª.167.E
Angina laborantibus prodest elaterium. 8°. de simp. med. fac. 5ª.60.E
ad Anginam valet dyphriges post cadmiam repertus. 9°. de simplic. med. fac. 5ª.69.B
i Angina vsus asellorũ sub aquariis vasis. 6°. de cõp. me. se. l. 5ª.174.B
ad Anginam qũo caninũ stercus pareẽ. 10°. de simp. med. fa. 5ª.76.A
in Angina quamuis conueniat stercus, tamen non est comedendũ. 10°. de simp. med. fac. 5ª.72.B
ad Anginas. 6°. de comp. med. sec. lo. 170.H/7°. 183.A/2°. de comp. med. per ge. 5ª.222.F/*de med. fac. par. 165.A/3°. 171.H/172.C/* 7ª.178.G/*secre.* Sp.97.B
ad Anginam Musæ. 6°. de comp. med. sec. loc. 5ª.172.C
ad Anginam Sorani. 6°. de comp. med. sec. loc. 5ª.172.C
in Angina cataplasma, et diaclysma. i 3ᵐ. de mor. vul. c. 2°. 3ª.137.B
ad Anginam emplastrum. secre. Sp.102.A
in Angina vltimum auxilium. intro. Isa.55.G
Anginæ laborantis casus. in 3ᵐ. de mor. vulg. com. 2°. 3ª.135.H
ANGOR *inæquales habet motus. 2°. de symp. cau.* 3ª.23.D
Angores, pauores, omnesq; id genus affectus in corde consistunt. 3°. de decr. Hipp. 1ª.245.C
Angores animi numerantur inter extrinsecas causas biliosum corpus reddentes. in 6ᵐ. de mor. vul. com. 1°. 3ª.157.A
Angor, & vigiliæ in ardẽtibus febribus semper exitiosum symptoma. in 1ᵐ. de mor. vul. com. 2°. 3ª.115.A
ANGVILLÆ *viuunt aqua salsa, & dulci. de bo. & vit. suc.* 2ª.37.H
Anguillæ nunquam sunt boni succi. de bo. & vitio suc. 2ª.37.H
Anguillæ cur non mãdendę iis qui tenuante diæta vti volunt. de atten. victus ratione. 2ª.45.E
ab Anguillarum multo esu cauere debet senex. 5°. de san. tu. 2ª.91.D
ANGVIS *senectæ fit mentio. 3°. de comp. medic. sec. loc.* 5ª.142.F
ANGVLARIS *figura, quæ. 2°. de mo. mus.* 1ª.313.H/ *de iis, quæ in med. fi. com. 3°.* 7ª.216.H
Angularis figura quæ sit ꝑm Hippocratem. de fract. com. 2°. 7ª.226.C
Angularis figura non admittit magis & minus. de iis, quæ in medic. fi. commen. 3°. 7ª.216.H
Angulorum differentiæ. de iis, quæ in med. fi. com. 3°. 7ª.216.H
Angulares manus, quæ. de iis, quæ in med. fi. com. 1°. 7ª.203.A
ad Angulos lachrymales oculorum exeunt duo foramina, quæ sunt superius in radice nasi. de anat. viu. Sp.49.B
in Angulis lachrymalibus oculorum venæ duæ non apparent multũ. de anat. viu. Sp.55.A
Angulorum magnorum oculi venæ parum sanguinis mittũt. de curan. rat. per sang. miss. 6ª.19.G
in Angulis oculorum posita, in ore sentiuntur. de ana. vi. Sp.49.A
in Angulis oculorum venæ sectio quo casu fieri debeat. 6°. de compo. med. sec. loc. 5ª.174.A
ad Angulos oculorum scabros & corrosos. 4°. de comp. med. sec. loc. 151.H/152.D/156.A/D G/H/ 5ª.157.B
iuxta Angulum nasi excrescentis carnis remedia. 4°. de comp. med. sec. loc. 5ª.152.F
ANGVSTIA *vnde oriatur. ars med.* Isa.66.F
Angustia viarum vnde fiat. 3°. de symp. cau. 3ª.26.A
Angustia alicui⁹ partis à quot causis fieri põt. c. 6°. aph. 44°. Ex.51.C
Angustiationis duplex differentia. de diff. mor. 3ª.3.C
Angustiam faciunt humores crassi & lenti. de cau. mor. 3ª.9.A

Anguſtia foraminum facit febrem, quæ ſanatur balneo. commen. 7°. aph. 42°. Ex. 57. C
Anguſtia partium obſtruit ora vteri. com. 5°. aph. 62°. Ex. 43. F
Anguſtia & calor in ſpiritalibus inſtrumentis quando adſunt, quę ſymptomata contingunt, & quæ ſpiratio. 4°. de loc. aff. 4ª. 26. H
Anguſtia ſpiritalium inſtrumentorum quo modo deprehendatur. 4°. de loc. aff. 4ª. 26. H
Anguſtia ſtrangulationis quid, & vnde fiat. cō. 4°. aph. 34°. Ex. 31. B
i Anguſtatione anhelitus, minuunt iugulares venę. de ana. vi. Sp. 55. A
Anguſtiam pulmonis vaſorum facit aſthma. cō. 3°. aph. 26. Ex. 25. E
Anguſtia ſtrangulosa circa pulmonem vexatus quo modo curatus fuerit. de cucur. ſcar. 6ª. 4. A
Anguſtia loci c̄ cauſa cur vramº ſuppuratos. c. 6°. aph. 27°. Ex. 48. G
Anguſtatio loci facit triſtem ſenſum laborantibus ex motu arteriarū. com. 7°. aph. 21°. Ex. 55. D
Anguſtia loquendi quo modo fiat. de voce & anhel. Sp. 62. A
Anguſtus exitus aeris facit ſonitum. com. 7°. aph. 51°. Ex. 58. C
Anguſtia quibus fiat in cauitatibus. de cau. morb. 3ª. 9. A
Anguſtia aboletur cauitas. de cau. morb. 3ª. 9. A
ꝑ Anguſta aliqua quęcunq; natura craſſa trāsfundere volumus, quæ calore eliquata ſunt facile ꝑuadere, quæ nō fuſa neq; eliquata ſunt tranſire non poſſe cernimus. in 6ᵐ. de morb. vul. com. 3°. 3ª. 173. D
ad Anguſtias facit hydropoton. de dyn. Sp. 32. D
ANHELATIO ex quibus cōponaī. de mot. man. & obſ. Sp. 66. G
Anhelitus quo modo fiat. de anat par. Sp. 43. A
Anhelitus almacror quando fiat. de voc. & anhel. Sp. 61. H
Anhelitus almacror ſit per muſculos qui ſunt inter coſtas. de voce & anhelitu. Sp. 62. B
Anhelitum quidam exiſtimarunt motum naturalem eſſe. de mot. man. & obſcuris. Sp. 69. H
Anhelitus actio naturalis eſt ſm quoſdam. de voce & anhel. Sp. 62. B
an Anhelitus ſit actio naturalis ſpectat ad dialecticum quærere. de motibus man. & obſ. Sp. 66. H
Anhelitus actio voluntaria eſt ſm aliquos. de voce & anhel. Sp. 62. B
Anhelitū eſſe motū volūtariū probaī. de mot. man. & obſc. Sp. 67. A
Anhelitus actio ſecundum alios media eſt inter voluntatem, & naturam. de voce & anhel. Sp. 62. B
ex Anhelitu ſit vox, q eſt ei vti materia. de voce & anhel. Sp. 60. F
Anhelitus, & vox non fiunt niſi extendantur muſculi pectoris. de voce & anhelitu. Sp. 61. A
in Anhelitu magno, quę partes moueant. de mot. man. & obſ. Sp. 66. H
Anhelitus longus medetur continuis oſcitationibus. in 6ᵐ. de morbis vulg. com. 2°. 3ª. 162. D
Anhelitus ſtrictūræ cauſæ. de cura lap. Sp. 112. D
Anhelitum conſtringentes muſculi comparantur muſculis ani, & veſicæ. de voc. inſt. diſſ. 1ª. 107. H
in Anhelitus anguſtatione minuuntur venæ iugulares. de anatomia viuor. Sp. 55. A
Anhelitū habet homo arteria aſpera inciſa. 2°. de decr. Hip. 1ª. 236. C
neq; Anhelitus, neq; vox amittitur fracta ſpinali medulla in coſtis. de voce & anhel. Sp. 60. F
Anhelitus & vox deſtruetur neruis inter coſtas prope ſpondylos læſis. de voce & anhel. Sp. 60. E
Anhelitum quando magis exercemus. de par. pi. exer. 2ª. 49. F
ex Anhelitu probatur exercitatio. 2°. de ſan. tuen. 2ª. 69 E
Anhelitus crebri quo modo fiant ob exercitia. c. 3°. aph. 26°. Ex. 25. E
Anhelitus crebri cur fiant in puerulis accedentibus ad pubertatem. com. 3°. aph. 26°. Ex. 25. E
Anhelitus crebri cur fiant in cōſiſtētibus. com. 3°. aph. 30°. Ex. 26. E
Anhelitus crebri cur fiant in ſenibus, & quo modo. com. 3°. aph. 30°. 26. E/aph. 21°. Ex. 26. G
Anhelitus crebri, id eſt aſthmata, concomitantur ſenes ad mortem. com. 2°. aph. 40°. Ex. 18. A
Anhelitus difficultas quando bona & quando non bona conſiderandum. 1°. de criſi. 4ª. 128. B
Anhelitus difficilis ſanguinem è naribus fluxurū indicat. 1°. de arte cur. ad Glauc. 7ª. 100. G
Anhelitus difficultas, febris acuta, tuſsis, ſputum coloratum, ſunt communia pleuritidi & peripneumoniæ. de ſubfig. emp. Iſa. 32. E
Anhelitus ſi prius fuerit frigidus, & vapor deinde calidus per cutem exeat eſt ſignum mortiferum. in 6ᵐ. de mor. vul. com. 4°. 3ª. 187. C
Anhelitus difficiles vnde fiant. de bo. & vitio ſuc. 2ª. 39. D
Anhelitus difficiles quo modo ex humoribus & frigiditate fiant. com. 3°. aph. 22°. 24. F/aph. 31°. Ex. 26. G
Anhelitus difficilis ſit autumno, & qūo. com. 3°. aph. 22°. Ex. 24. E/F
Anhelitus difficilis per compaſſionem quomodo fiat. commentario. 6°. aph. 16°. Ex. 47. G
Anhelitus difficultatem quæ faciunt perniciosa ſunt, quę ſint, & quot. com. 6°. aph. 46°. Ex. 52. A
Anhelitus difficilis cur ineſt ſuppuratis & peripneumonicis. 7°. de comp. med. ſe. lo. 5ª. 186. C
Anhelitus difficultas cauſa eſt cur vramus ſuppuratos. commen. 6°. aph. 27°. Ex. 48. G
Anhelitus quo modo cohibeatur. 5°. de ſan. tuen. 2ª. 93. A
in Anhelitus retentione clauditur coopertorium epiglottidis. de voce & anhel. Sp. 61. C
Anhelitus cohibitio quando vitanda. 2°. de ſan. tuen. 2ª. 77. C
Anhelitu cohibendo ſi ilia implere velis, oleo perfundendum, & apotherapia vtendum eſt deinceps. 2°. de ſan. tu. 2ª. 76. B
ꝑ Anhelitus cōtentionē qūo fiat conatus omnis. de vtil. reſp. Sp. 63. D
Anhelitus carētia vnde ſit, & quo modo fiat. cō. 4°. aph. 34°. Ex. 31. B
Anhelitus ablatio accidit in paſſione vterina. cō. 5°. aph. 35°. Ex. 40. F
Anhelitus dilatio in retentione menſtruorum. ſecret. Sp. 99. B
Anhelitus dilatationis quid conferat. ſecret. Sp. 103. E
Anhelitus difficultas exigit euacuationem pituitæ. quos pur. op. qui. me. & quo temp. 5°. 88. C/com. 6°. aph. 47°. Ex. 52. C
ad Anhelitus difficultatem. 3°. de med. fac. par. 7ª. 178. F
ad Anhelitus ſtrictūram. ſecret. 98. E/de cu. lap. Sp. 112. B
ad Anhelitum malum decoctio hyſſopi. de med. exper. Sp. 107. D
Anhelitus ſi olet quando perrexeris dormitum, quod præſidium. de dynam. Sp. 25. C
i Anhelantiū medicamētis inditur myrrha. 8°. de ſimp. me. fa. 5ª. 61. A
Anheloſis exhibetur cyclamini radix ſicca. 7°. de ſim. me. fa. 5ª. 53. F
Anheloſi qui dicantur. 3°. de diff. reſp. 3ª. 74. E/7°. de compo. medica. ſec. loc. 5ª. 186. C
ad Anheloſos valet ſmyrnij ſemen. 8°. de ſimplic. med. fac. 5ª. 61. B
Anheloſis ex frigida cauſa quid prodeſt. de cura. lap. Sp. 112. H
Anheloſis valens medicamentum. de med. exper. Sp. 104. C
ad Anheloſos. 9°. de cōp. med. ſec. lo. 5ª. 198. B
ad Anhelos. 7°. de comp. med. ſec. lo. 5ª. 186. H
ANICETON emplaſtrum. 1°. de comp. med. ſec. lo. 130. H/6°. de comp. med. per gen. 5ª. 256. D
ANICETVS aſter ad quid ſit vtilis. 4°. de comp. me. ſe. lo. 5ª. 154. H
ANIMAM appellant philoſophi principem ac primigenitū diffuſum ſpiritum per omnia quæ ſunt in mūdo. an animal ſit. 1ª. 327. A
Anima mundi, quæ. de hiſt. philoſ. Sp. 5. G
Anima vniuerſi inſita eſt cum ſemine vt corpus gubernet. an animal ſit. 1ª. 327. F
Anima quæ per totum mundum diffuſa eſt, fœtum format ſecundùm Platonicos. de fœt. for. 1ª. 326. B
Anima quid ſignificet ſecundum Ariſtotelem, quid ſecundum Platonem & quid ſecundum Stoicos. in 6ᵐ. de mor. vul. com. 3ª. 192. B
de Anima quæſtiones quæ ſciendæ. de mot. man. & obſc. Sp. 67. G
in Anima q̄ conſiderātur ſm Chryſippum. 5°. de decr. Hip. 1ª. 255. A
de Anima quid debet ſcire medicus. in 6ᵐ. de morbis vulgaribus, com. 5°. 3ª. 189. H
de Anima quærere quid ſit, non eſt neceſſe medico. in 6ᵐ. de mor. vul. commen. 5°. 3ª. 187. G
de Animæ facultatibus doctrinam inſtituere philoſophum decet. 6°. de decr. Hipp. 1ª. 266. G
Anima & ratio non ſunt idem. 5°. de decr. Hipp. 1ª. 255. F
Aiæ & corpis morbos cōprehendēs diffinitio. 5°. de dec. Hip. 1ª. 255. C
Anima quid. ſin. med. If. 43. F/de hiſt. phil. Sp. 4. H
Anima quid ſecundùm Chryſippum. 3°. de decr. Hipp. 1ª. 241. C
de Anima liber Chryſippi. 3°. de decr. Hipp. 1ª. 241. C
Animam eſſe ſolum aerem non licet dicere. ꝙ animi mores. 1ª. 318. E
Anima eſt temperatura, aut vis temperaturæ comes. quòd animi mores. 1ª. 318. E
Animę ſubſtantia in ſimilari parte pro temperaturę ratione conſiſtens efficitur à corpore. quòd animi mores. 1ª. 318. G
Animæ ſubſtantia eſt ſpiritus ſm aliquos. 2°. de decre. Hip. 1ª. 240. H/de ſpermate. 37. H/de mot. man. & obſ. Sp. 67. G
Animam ſpiritum quendam eſſe volunt Stoici. ꝙ animi mo. 1ª. 318. E
Aiæ ſubſtantia eſt ſpiritus in vētriculis cerebri. de vti. reſp. 1ª. 226. D

Anima nutritur ſpiritu.an animal ſit. 1ª.137.D
Anima, & natura nihil eſt præter calidum innatum.de palpit. cõuulſ. & rig.53.B/in 6in.de mor.vulg.com.5°. 3ª.189.H
Animæ ſubſtantiam alio quouis opere definire quàm naturali caloris intro foràsq; de latione cum ſpiritu & ſanguine, audacia eſt. 2°. de ſymp.cau. 3ª.25.C
Aia qua viuimus cõtineť calido, ide eſt quod ſentimus.de dy.Sp.19.D
Anima eſt ſanguis ſecundum quoſdam.2°.de decr.Hipp. 1ª.240.H
Anima ſanguine alitur ſecundum aliquos.2°.de decr.Hip. 1ª.240.H
Animam eſſe tanquam tabulam raſam,elice.de hiſt.phi. Sp.9.B
Animæ materia & forma ſm Stoicos quæ ſit.q animi mor. 1ª.318.E
Animæ humanæ vna eſt ſubſtantia, facultates tres,ſcilicet rationalis, iraſcibilis,concupiſcibilis.in Thimæum Plato. 1ª.287.C/*de anato. viuor.* Sp.45.G
Animam formalem ſubſtantiam dixit Ariſtoteles.q aĩ mor. 1ª.318.E
*Aię ſubſtãtia nõ eſt vna.de vtil.reſp.*224.C/9°.*de dec.Hip.* 1ª.285.G
Animæ duæ in corpore humano.de mot.man.& obſ. Sp.67.E
de Animæ ſubſtantia,& loco non habetur demonſtratio.5°. de decre. Hippocratis. 1ª.258.E
Animarum ſubſtantiis differunt pueri.q animi mores. 1ª.317.C
Animæ ſubſtantia ſi eſſet eadem pueris,iiſdem fingeretur actionibus. quòd animi mores. 1ª.317.C
Animæ naturam Plato inuenire vult, vt Hippocrates inuenit naturam corporis.1°.meth.medendi. 7ª.3.C/D
Animæ quæ apud Platonem.9°.meth.med. 7ª.58.H
Animæ ſubſtantiam vt à ſe immortalem ſumerẽt iuſſit Deus filiis ſuis, (ſecundum Platonem)ſed illud tamen adderent vt generabilis efficeretur.9°.de decr.Hipp.& Pla. 1ª.285.C
de Animæ ſubſtantia quæ dicuntur à Platone ſunt probabilia, & non excedunt veriſimilitudinem.9°.de decr.Hipp. 1ª.285.D
de Animæ ſubſtantia nihil obſcurum locutus eſt Andronicus. quòd animi mores. 1ª.318.E
*Animæ ſubſtantiã fatetur ſe ignorare Galenus.7°.de vſu.par.*159.C/*de vti.reſp.*225.G/226.D/*de ſubſt.fac.nat.*230.E/9°.*de decr.Hip poc.*285.D/*quòd animi mor.*317.F/H/1ª.326.B/C/*in 6m.de mor. vul.com.5°.*3ª.189.H/5°.*de ſimp.med.fac.* 5ª.33.H
*Animæ ſubſtantia qualis ſecundum Galenum. de vtil.reſp.*224.C/7°. *de decr.Hipp.* 1ª.272.F/3°.*de loc.aff.* 4ª.18.D
Animæ eſſentiam concludit Galenus eſſe temperamentum quatuor qualitatum,vel corporum.quòd animi mores. 1ª.317.G
Animas quotidie creari Stoici dicebant.de ſpermate. Sp.38.A
Animam & cor,& hepar creat ſol.de compag.memb. Sp.59.F
Anima deforis venit.de ſubſt.fac.nat. 1ª.230.E
Anima à cœlo delabitur & eius excellentia.an animal ſit. 1ª.327.H
Aia influit,& effluit in corpus ſecũdũ Platonẽ.q ani.mor. 1ª.318.C
Animæ generatio eſt reſpiratio ſm Aſclepiadẽ.de vtil.reſp. 1ª.223.C
Animæ progreſſus.de ſpermate. Sp.37.H
Anima quo modo diuidatur.de ſpermate. Sp.37.H
in Anima idẽ eſt ſpecies & pars ſm Platonem.de dec.Hip. 1ª.286.C
Animæ partiũ nominũ dĩria apud diuerſos.6°.de decr.Hip. 1ª.261.H
Anima conſtat ex partibus diuerſis genere.5°.de dec.Hip. 1ª.256.D
Animæ partes ſunt rõnalis,& irrationalis.5°.de dec.Hip. 1ª.258.H
de Animæ partibus Ariſtoteles, & Plato non multum differunt. 7°. de decr.Hipp. 1ª.268.C
de Animæ partibus Platonis opinio.5°.de decr.Hipp. 1ª.258.E
Animæ partes tres apud Platonem.de Hiſt.philoſ. Sp.5.A
Animæ tres partes habent propriam ſpeciem, nec vnam facultatem, ſed plures iuxta Platonem.9°.de decr.Hipp. 1ª.285.G
Animæ ſpecies quæ dici poſſunt.6°.de decr.Hipp. 1ª.261.C
*Animæ noſtrę tres ſpecies.6c.de dec.Hip.*261.C/*q ani.mor.* 1ª.317.F
Animæ tres partes,& quomodo appellentur.7°. de decretis Hippoc. 268.C/9°. 1ª.285.E
Animæ tres partes quidã falſo vnã putarunt.9°.decr.Hip. 1ª.279.H
*Animæ tres partes quo ſimul coniungantur.5°.de dec.Hipp.*1ª.259.H
Animæ partes tres, quibus incitamur ad motum voluntarium. 5°. de decr.Hipp. 1ª.258.E
Animæ quatuor partes ſecundùm Stoicos.de hiſt.phi. Sp.5.A
Animæ quinq; partes.de ſpermate. Sp.37.H
Animæ partes ſunt pulchræ.7°.de decr.Hipp. 1ª.268.C
Animæ pulchritudo quæ ſit ſm Platonem.5°.de decr.Hipp. 1ª.256.B
Animæ omnes particulæ vtiles ſunt.1°.de vſu par. 1ª.113.C
Anima & facultas eſt idem.9°.meth.med. 7ª.58.H
Animæ facultates quæ ſint.intro. Iſa.55.B
Animarũ facultates Plato vocat aĩarũ ſpecies.in Tim.Pla. 1ª.287.D
Animæ tres facultates.5°.de decr.Hipp. 1ª.256.D
Aię facultates in quibus viſceribus ſitę ſint.4°.de dec.Hip. 1ª.248.D
Animæ facultates omnes ſunt in corde,ſecundum Ariſtotelem. 4°. de decr.Hipp. 1ª.248.D
Animæ facultates omnes à corde oriri dicunt Ariſtoteles, & Theophraſtus.de decr.Hipp. 1ª.260.E
ex Animæ facultatibus dependent ſcientia de virtutibus & ſcientia moralis.4°.de decr.Hipp. 1ª.253.E
Animæ facultates ad quæ trahant.5°.de decr.Hipp. 1ª.256.H
Animæ facultates ſequuntur ſanguinis vteri temperaturam, ſecundùm Ariſtotelem.quòd animi mores. 1ª.319.C
Animæ naturalem partem addit Ariſtoteles.de hiſt.philoſ. Sp.5.A
Anima cum ſtirpibus nobis communis,quæ.9°.meth.med. 7ª.58.H
Anima vegetabilis ab Ariſtotele dicta,concupiſcibilis à Platone, natura à Stoicis dicitur.de fœ.for. 1ª.326.B
Animæ vegetatricis, & naturalis principium eſt iecur.in 3m. de mor. vulg.com.1°. 3ª.133.C
Anima vegetatiua quæ in iecore eſt,poteſt vocari appetitrix, naturalis,& altrix.9°.meth.med. 7ª.58.H
Anima cum brutis communis in corde eſt.9°.meth.med. 7ª.58.H
Animæ irrationalis partes ſunt concupiſcibilis & iraſcibilis. 2°. de decr.Hippoc. 1ª.239.G
Anima altrix,& concupiſcibilis eadem.de fœt.for. 1ª.323.C
Anima ratiocinatrix quo modo dicatur concupiſcibilis. quòd animi mores. 1ª.317.E
Anima concupiſcibilis quæ ſit in communi ſignificato. quòd animi mores. 1ª.317.E
Animæ pars concupiſcibilis dicitur à Platone quæ in iecore,ab Ariſtotele altrix,& naturalis.quòd animi mores. 1ª.318.E
Animæ pars appetitrix vbi ſit ſecundùm Platonem. 5°. de ana.admin. 86.H/6°.*de decr.Hipp.* 1ª.267.A
Animæ pars concupiſcibilis,& iraſcibilis in corde eſt. 2°. de decretis Hippocratis. 1ª.239.G
Anima inſigniter concupiſcibilis à Platone appellata, quæ ſit. quòd animi mores. 1ª.317.E
Anima animoſa dicitur vis animalis.9°.meth.med. 7ª.58.H
Aia iraſcibilis an ſit pars diſtincta ab aliis.5°.de decr.Hip. 1ª.259.D
Animæ pars animoſa vbi ſit ſecũdũ Platonẽ.5°.de ana.adm. 1ª.87.A
Animæ pars iracunda eſt temperatio cordis.q ani.mo. 1ª.318.D
Anima ratiocinatrix quæ ſit.quòd animi mores 1ª.317.E
Animam rationalem ſolã non eſt concedendũ.7°.de dec.Hip. 1ª.267.G
Animæ facultatem qua ratiocinamur, vnam tantùm eſſe Ariſto.putauit,& quid ad hanc opinionem ſequatur.7ª.de dec.Hip. 1ª.268.D
*Anima rationalis vna cum ſit,habet multas facultates.9°.de decretis Hipp.*286.D/*quòd animi mores.* 1ª.317.E
in Anima cõſiſtunt cogitatio,ſciẽtia,& opinio.2°.de loc.aff. 4ª.12.E
in Anima rationali adſunt habitus,potentiæ,& ſcientia. 7°. de decr. Hippocratis. 1ª.268.D
Aia rõnalis ſi eſſet ſola,prudentia ſola eſſet.7°.de dec.Hip. 1ª.267.G
Animæ vis ratiocinandi vbi ſit.7°.de decr.Hipp. 1ª.267.F
*Animæ rationalis domicilium eſt cerebrum.9°.de vſu par.*172.F/17°. 222.F/*quòd animi mor.* 1ª.317.G/1°.*de ſan.tu.*2ª.68.D/3°.*de victus rat.in mor.acu.com.3°.* 7ª.131.F
Animam rationalem eſſe in corde argumentum commune antiquorũ probans.2°.de decr.Hipp. 1ª.140.A
Animæ præcipua pars quæ ſit ſm Chryſippũ.8°.de dec.Hip. 1ª.237.D
Animæ pars princeps,quæ.fin.med. Iſa.45.A
Animæ principatus is eſt, vnde origo & ſenſus & motus ex voluntate exiſtit.8°.de decr.Hipp. 1ª.273.A
Animæ principalis facultas ſpiritus eſſe videtur.de hiſt.phi. Sp.3.D
Anima vbi habeat principatũ anatome docet.2°.de dec.Hip. 1ª.235.B
Animæ principalis vis non inquirenda.3°.de loc.aff. 4ª.17.C
Animæ pars principalis in quo loco ſit ſcire non confert philoſopho, ſed medicis.9°.de decr.Hip. 1ª.284.B
de Animæ principatu in demonſtratione qui erubeſcere debent.8°. de decretis Hip. 1ª.273.E
de Anima demonſtrationes quę fieri poſſunt.9°.de dec.Hip. 1ª.285.E
*Animæ principatus vbi ſit.2°.de decretis Hip.*1ª.235.A/*de hiſtoris philoſophica.* Sp.10.A
Animæ principatum inueniendi via.2°.de decr.Hip. 1ª.235.B

Animæ partis principalis nomina, & quòd sit in cerebro. 2°. de decr. Hipp. 1ª.239.H/com.7°.aph.14°. Ex.54.H

Aīa principatus est in capite secundùm Peripateticos. 2°. de decre. Hippocratis. 1ª.275.B

Animæ principatus est vbi neruorũ origo. 7°. de decre. Hippocratis. 267.F/8°. 1ª.273.B

Anima cur in supremo corporis loco habitat. de consuet. 2ª.61.F

Animæ præcipua pars in cerebro est secundùm Alcmeonem. de hist. philo. Sp.9.F

Animæ viriũ principaliũ affectus sũt in cerebro. 3°. de lo.af. 4ª.16.f

Anima sedet in cerebro, & operationes omnes ibi habet ratiocinãdi, memorandi, & sentiendi. 3°. de loc.aff. 4ª.17.H

Aīæ principatus p ī cerebro sit, demõstratio. 8°. de de.Hip. 1ª.273.f

Aīæ prima facultas an ī cerebro, vel ī mẽbranis. 2°. de l.af. 4ª.13.H

Animæ principatus est in membranis cerebri. 1°. de vsu par. 1ª.114.b

Animæ principatum esse in pectore, quibus argumentis probet Chrysippus. 2°. de dec. Hipp. 234.F/ 1ª.235.F

Animæ principatum esse in pectore, vel in corde nullo sensu percipimus. 2°. de dec. Hip. 1ª.239.G

Animæ principalis vis an in corde. 2°. de decr. Hip. 1ª.235.H

Aīæ principatus ab aliquibus in corde ponit. 1°. de vsu par. 1ª.114.H

Animæ principatus quòd sit in corde argumentum a cordis situ. 2°. de decre. Hippo. 1ª.236.A

Animæ principatum qui volunt esse cor, vnde debent sumere argumentum. 2°. de decre. Hipp. 1ª.235.B

Animæ præcipuam partem Diogenes in cordis arteriis ponit cum spiritu qui ad pulmonem descendit. de hist. philosoph. Sp.9.F

Animã principẽ nõ esse in corde ostẽdit anatomia. 1°. de lo.af. 4ª.3.G

Animæ principem partem in corde statuentes reprehenduntur. 13°. met.me. 7ª.85.D

Anima an separabilis, & an forma corporis, ingens pugna est inter philosophos. 2°. de loc.aff. 4ª.13.F

Animæ habẽt suam vitã stabilem, & firmam. de spermate. Sp.38.A

Animæ differentiæ firmæ, & immortales. de spermate. Sp.37.F

Aīa rõcinatrix immortalis est sm Platonẽ. p animi mores. 1ª.317.F

Anima sine corruptione separatur à corpore. de spermate. Sp.37.H

in Anima nostra est præsensio. in 1ᵐ. prorrh.com.1°. 4ª.160.G

Animal simul cum corpore constituitur. an animal sit. 1ª.327.G

Anima cui sit connexa. de spermate. Sp.37.G

Anima non per se existit, sed est quid ex corpore. de mot. mani. & obs. Sp.67.G

Anima quomodo iungatur corpori. de spermate. Sp.37.E/F

Animam corpoream esse quomodo probatur. de spermate. Sp.37.G

Animam esse corpoream argumẽta probãtia. p animi mores. 1ª.318.H

si Aīa est forma similaris corporis, quid sequat. p ani.mo. 1ª.318.H

Anima nec est corporea, nec in loco. de spermate. Sp.37.G

Anima si nihil est corporis, nescit videre Galenus quo modo in totum possit extendi. p animi mores. 1ª.317.H

Anima si corporea est, spiritus qui in ventriculis cerebri continetur, est anima. 7°. de decr. Hipp. 1ª.269.C

Anima si incorporea est, spiritus, qui est in vẽtriculis cerebri, est primum eius domicilium. 7°. de decr. Hip. 1ª.269.C

Aīa si immortalis est, cur affecto cerebro separat. p ani.mo. 1ª.317.b

Anima si immortalis est, cur necant sanguinis larga euacuatio, & cicuta. p animi mores. 1ª.317.H

Anima cur relinquat corpus supercalescens aut superfrigescẽs, nescit Galenus. p animi mores. 1ª.317.H

Aīa ratiocinatrix mortalis est sm Galenũ. p animi mores. 1ª.317.G

Animæ pars mortalis corporis est tẽperies. p animi mores. 1ª.318.D

Animæ, & corpori quæ sunt communia, obeunt in senecta. in 6ᵐ. de morb.vulg.commen.4°. 3ª.190.E

Aīa q̃ in corde, & q̃ in iecore, moriũtur cũ corpe. p ani.mo. 1ª.317.F

Anima quot modis à corpore digreditur. de subst.fac.nat. 1ª.230.F

Animæ pars famulatrix quæ sit. fin.med. Isa.45.A

Animæ primum instrumentum est spiritus. in 6ᵐ. de morb.vul.cõ. 5°. 3ª.189.G/4°. de loc.af. 4ª.23.A

Animæ saltem primum instrumentum est calor innatus, si non est eius essentia. 5°. de simp.med.fac. 5ª.34.A

per Animæ omnia organa transit spiritus. de vti.resp. 1ª.226.A

Animæ mouentis instrumenta sunt musculi. 17°. de vsu par. 1ª.221.C

Animæ instrumenta quot habent symptomata. de symp.dif. 3ª.12.B

Animæ artem, ciuilem appellat Plato. ad Thrasyb. 2ª.107.D

Animæ opera quæ propriè sint. 2°. de loc.aff. 4ª.13.F

Anima non agit absque organis. 1°. de vsu par. 1ª.113.F

Animæ organum corpus est. 1°. de vsu par. 1ª.113.C

ab Anima operatio procedens vt melius in actum procedat, in corporibus nostris perficitur. de anat. viuo. Sp.55.C

Aīa opatur quædã sine corpe, & quædã cũ corpore. introd. Isa.55.B

Animæ opera sunt sensus, & motus voluntarius, cũ sint propria animalium. 1°. de nat.fac. 1ª.290.F

Animal, vel Deus fœtum format. de fœt.for. 1ª.325.B

Animam materiæ tantam artem assecutã fuisse vt fœtus formare potuerit, credibile non est. de fœt.for. 1ª.326.C

ab Anima & natura regitur animal. 1°. de nat.fac. 1ª.290.G

Anima ad oña magis idonea est quàm natura. an animal sit. 1ª.328.A

ab Aīæ vna facultate, quæ fiunt, nõ fiunt ab alia. p ani.mo. 1ª.317.F

Animę actionũ oũm principalissima est vox. 16°. de vsu par. 1ª.215.E

Anima sustinet vitam. de dynamidijs. Sp.19.D

Animæ actio, est vita. de vti.resp. 1ª.223.C

Anima prauũ corpus rõne sui nequit regere. de spermate. Sp.40.D

Aīa ẽ principiũ motus. ī Ti.Plat. 1ª.287.B/17°. de vsu par. 1ª.221.C

Anima est ī primo mẽbro quod mouetur. 2°. de decr.Hipp. 1ª.234.H

Anima est causa virtutis motiuæ cordis. de anat.viu. Sp.56.D

Animæ officium est mouere musculos. 1°. de mo.mus. 1ª.314.H

Aīæ ẽ mouere, nõ musculi, neq; nerui. de palp. cõuul. & rig. 3ª.53.C

Anima, in quibus per se ipsam moueatur, & in quibus ipsa corpus moueat. 12°. meth.med. 7ª.77.D

ab Anima motus thoracis. 7°. de vsu par. 1ª.159.H

Animæ motus in perturbationibus. 3°. de symp.cau. 3ª.23.C

Aīæ motus corporis tpamentũ calidius faciunt. 1°. de sa.tu. 2ª.65.G

ex Animæ nobilissimo motu, cogitationis scilicet & deliberationis, fit actio voluntaria. de vo. & anbel. Sp.61.H

Aīa q̃ vsũ dat partibus, hũc vsum callet optime. de fœt.for. 1ª.325.e

Anima rationalis quæ habet opera. 9°. meth.med. 7ª.58.H

Animæ rationalis actiones, principales vocant. 3°. de lo.af. 4ª.16.G

Aīa rõnalis semẽ neruorũ mittit in cerebrũ. 12°. de vsu par. 1ª.193.E

Aīæ pars imperat, pars obedit, pars nutrit. 9°. de dec.Hip. 1ª.279.G

Animæ pars famulatrix quæ sit. fin.med. Isa.45.A

Animæ rationalis parti naturale est dominari, & imperare alijs. 4°. de decre.Hippo. 1ª.252.G

Animæ pars imaginatiua recordatur. 2°. de mo.mus. 1ª.315.B

Animę irrationalis actiones, morales vocãtur. 2°. de loc.aff. 4ª.16.G

in Anima irrationali virtutes quæ existunt, habitus tantùm & potentiæ sunt. 7°. de decre.Hip. 1ª.268.D

Animæ irascibilis affectus, & opera. 3°. de decre.Hip. 1ª.245.F

Aīę opationes ī aqlonia tẽpestate melius fiũt. cõ. 3°. aph. 17°. Ex.23.E

Animę exercitia quę sint. de consue. 2ª.61.E

Animæ delectans exercitatio, optima est. de par.pi.ex. 2ª.48.G

Anima quo modo se habet ad venationes diuersas. 1°. de sa.t. 2ª.65.G

Animæ functiones iuuant boni humores. p animi mores. 1ª.319.B

Animam confirmat sanguis integer. de dynam. Sp.19.D

sm Animæ mores est forma corporis. 11°. de vsu par. 1ª.189.D

Animę virtutem sequi complexionem corporis omnes antiqui videntur concedere. de incant. adiur. & susp. 7ª.181.F

Ani ne facultates corporis temperaturas sequi verum est & vtile animos excolere volentibus. quòd ani.mor. 1ª.317.B

Animã tpaturis corpis ancillari q fateri cogãtur. p ani.mo. 1ª.318.C

Animę cessatio in dormientibus est quies non perfecta, sed quasi quędam intermissio vigoris. 2°. de mo.mus. 1ª.314.F

Anima dormientium non quiescit. 2°. de mo.mus. 1ª.314.F

Aīę bona nõ sunt vnius generis, neq; similiter. ad Thrasy. 2ª.103.H

de Animę virtutibus q̃stiones vnde ortę. 9°. de decr.Hipp. 1ª.283.H

Aīę virtutis vna ne an plures subę ĩueniant. 7°. d decr.Hip. 1ª.268.B

Animę virtutum diuisio. 9°. de decre.Hipp. 1ª.283.H

in Anima quo modo quatuor virtutes sint. 7°. de dec.Hip. 1ª.268.C

Animę moribus & facultatibus, omnibus animalibus aptum corpus natura dedit. 1°. de vsu par. 1ª.113.C

Animę moribus & facultatibus natura prępărat corpus idoneum. 2°. de semi. 1ª.337.C

Anima tota cur iusta. 7°. de decre.Hip. 1ª.168.C

Anima quo modo fiat prudens. quòd animi mores. 1ª.318.G

Anima non impellitur à corporis partibus, vt sit timida, strenua, aut sapiens. 1°. de vsu par. 1ª.113.F

Aīæ brutorũ quo mõ sint prudẽtes et potẽtes. d mo.ma. et ob. Sp.67.F

Anima fit fortis circa quartumdecimũ annũ. 5°. de dec. Hip. 1ª. 257. D
Animæ opera quo lædantur. & ani. mo. 1ª. 318. H/2°. de lo. aff. 4ª. 13. F
Animæ partem rationalem hebetem turbidamq; vinum reddit. 1°. de san. tuen. 2ª. 66. H
Animam corpus mouet. de sperm. Sp. 40. D
Anima afficitur a corporeis malis. & ani. mor. 1ª. 319. A
ad Animæ opera & ad vitam est maximum malum dissolutio corporis. com. 3°. aph. 17°. Ex. 23. F
Animæ functiones lædũt praui humores. & animi mor. 1ª. 319. A/B/ 3°. de loc. aff. 4ª. 19. B
Animæ functiones non solum immutat temperatio corporis, sed etiã seiungere ipsam a corpore valet. & ani. mor. 1ª. 318. B
Animæ operæ detrimentum patiuntur ex passione ventriculi. commẽ. 4°. aphor. 17°. Ex. 29. A
Animæ essentia quibus dissoluatur. 5°. de loc. aff. 4ª. 29. B
Aĩa linquit stomachice. 13°. meth. me. 84. G/de art. cõ. 2°. 7ª. 264. H
Anima deficit in euacuatione vniuersa. com. 6°. aph. 27°. Ex. 48. G
Animæ defectus est bulimos. 1°. de arte cur. ad Glau. 7ª. 98. E
Animæ defectus facit frigiditatem extremarum partium. commẽ. 7°. aph. 26°. Ex. 55. G
in Animæ affectibus vehemẽtib⁹ si humiditates roridæ superuenerint, nõ in tempore fit animi defectus. 1°. de arte cur. ad Glau. 7ª. 98. F
in Animæ affectibus vehementibus fit senibus & imbecillis animi defectus. 1°. de arte cur. ad Glauc. 7ª. 98. E
ab Animæ affectibus ephemera. 2°. de cris. 4ª. 138. F
Animæ rationalis tenebræ atra bilis. 2°. de symp. cau. 3ª. 24. D
Animæ & corporis motu sit febris. præs. exper. conf. Sp. 77. D
Animæ partes in quibus sanitas, & ægritudo locum habet. 5°. de decretis Hippocratis. 1ª. 255. C
Animæ sanitas & ægritudo non recte comparatur sanitati & ægritudini corporis. 5°. de decre. Hipp. 1ª. 254. E
Animæ sanitati, honor, gloria, diuitiæ, authoritas postponenda est. 2°. de alim. fac. 2ª. 18. F
Anima etiam est causa abortus. com. 4°. aph. 1°. Ex. 27. A
Animæ morbus qui secundùm Platonem. 5°. de decr. Hip. 1ª. 256. A
Aĩæ morbus febriculosæ cõstõni simillimus. 5°. de dec. Hip. 1ª. 254. G
Animæ affectiones cur magis obseruandæ quàm motus corporis. de par. pi. ex. 2ª. 48. G
Animæ affectus, vnũ ex sex rebus non naturalibus. ars medi. Is. 68. C
Animæ affectus quo modo alterent corpus. ars medi. Isa. 68. C
Animæ affectiones nulla corporis quamuis vehemens passio vincit. de par. pi. ex. 2ª. 48. G
Animæ turpitudo, quæ. 5°. de decre. Hip. 1ª. 256. C
Animæ quo modo peccent. de hist. philosoph. Sp. 5. A
Animæ non sunt vitia naturalia. de spermate. Sp. 40. D
Animæ vitium insanabile, quod. de cogn. cur. animi mor. 2ª. 53. A
Anima. vide Animus.
ANIMATIO *totius corporis quid. de spermate. Sp. 37. F*
Animata sunt sub substantia tãquam sub genere. 1°. de temp. 1ª. 13. F
Animantia, & inanimata quo modo frigida dicant, & calida. de vict. rat. in mor. acut. 7ª. 113. E
Animata corporea substãtia omnis ex elemẽtis est. de sper. Sp. 39. A
Animata corporea substãtia omnis, teste Hip. iuncta est, & ligata in planetis, et signis, et quatuor elemẽtorũ nexibus. de sper. Sp. 38. G
bene Animati qui. 3°. de decre. Hippo. 1ª. 245. B
Animatum emittitur semen. de spermate. Sp. 36. B
Animatum quãdo venit sperma in matricem. de spermate. Sp. 38. A
Animosa animæ pars vbi secundùm Platonem. 5°. de ana. ad. 1ª. 86. b
Animosa virtus dicitur vis animalis. 9°. meth. med. 7ª. 58. H
Animosæ virtutis initium est cor. 7°. de ana. ad. 1ª. 96. C
Animosi, sunt calidi. 2°. de san. tuen. 2ª. 73. E
Animosiora sunt animalia, quæ lato sunt pectore & calidiora. 5°. de decre. Hippo. 1ª. 257. B
ANIMAL *est deus. 1°. meth. med. 7ª. 4. C*
pro Animalibus omnibus pecudis nomen sumitur. de ar. commen. 1°. 7ª. 256. F
Animal vnum significat. 4°. de diff. puls. 4ª. 68. H
Animal quid sit. an animal sit. 1ª. 327. A
Animalis natura, quæ. 2°. de semi. 1ª. 337. C
Animalium natura quæ sit fm Hippocratẽ. cõ. 1°. aph. 15°. Ex. 8. A/E
Animal à nõ animali differt sẽsu, et motu. 1°. de motu. musc. 1ª. 309. B
Animalis opifex pars habet intellectum, vt gubernator ciuitatis. cõ. 5°. aph. 39°. Ex. 41. B
Animalis opifex primaria est natura. ad Thrasy. 2ª. 105. G
Animalium ortus quo modo. de hist. philosophica. Sp. 11. D
Animalis generatio, dispensatio à tribus principijs constitit. de virt. nostrum corp. dispens. Sp. 60. C
Animalia habent quatuor naturales vires quibus gignãtur. 2°. de dis. feb. 3ª. 40. F
Animalium corpora quare augeantur, formentur, & nutriantur. cõmen. 1°. aph. 15°. Ex. 8. D
Animalibus omnibus in lucẽ editis commune naturę opus est augere, & quantum fieri potest, seruare in vita. 1°. de nat. fac. 1ª. 291. E
Animalis substantiæ quæ sint. 1°. meth. med. 7ª. 4. C
Animalia quæ sint. de mot. man. & obsc. Sp. 67. G
Animalium et plantarũ differẽtia. 4°. de vsu par. 136. E/5°. 1ª. 145. C
Animalia sint ne stirpes. de hist. philoso. Sp. 11. H
Animalia, et plãtas fingens facultas nunq; sistit. de fæt. for. 1ª. 324. F
Animalia, & plantas fingens facultas omnes partes simul fingit. de fœ. for. 1ª. 324. F
ad Animal à plantis quum incedit natura, habet gradus. 2°. de sem. 1ª. 339. G
in Animalibus, et plantis diuerso modo Aristoteles naturæ opera exponit. 1°. de semi. 1ª. 331. F
inter Animal & plantam media. de fæt. for. 1ª. 323. F
Animalia, plantæ, & semina viuere tantũ dicuntur. de marc. 3ª. 45. B
Animalis nullum genus perire qua arte natura instituit. 14°. de vsu partium. 1ª. 204. D
Animalium corpora constant calido, frigido, humido, sicco, non tamen æqualiter. 1°. de temp. 1ª. 10. B
Animalia ex quatuor elementis. 1°. de elem. 1ª. 5. F
Animalia generantur ex elementis multis interuenientibus mutationibus. 8°. de decre. Hipp. 1ª. 275. A
Animal propter quid vnum dicitur. 1°. de vsu par. 1ª. 113. B
Animalis corpus non est vnum, vt atomus Epicuri, & incompacta Asclepiadis corpuscula. de dif. mor. 3ª. 2. E
Animal vt fiat duo principia exigũtur. 1°. de semi. 331. H/1ª. 338. D
Animalia proprie generantur, non morbi. de morb. temp. 3ª. 85. C
Animal debet augeri, absolui, & diu durare. 1°. de na. fac. 1ª. 292. B
Animalia oĩa habẽt instrumẽta cõcipiendi. 14°. de vsu par. 1ª. 204. D
Animal nullum concipit semen excernens. 1°. de semi. 1ª. 329. A
Animal omne semen continens est grauidum. 1°. de semi. 1ª. 329. A
Animalis semine cur vulua indiget. 1°. de semi. 1ª. 331. G
Animalia ita corpori matris inclusa cohærent, vt plantarum semen terræ. 2°. de semi. 1ª. 338. E
in Animalibus ita fit chorion, sicut plantæ semen radices facit. 1°. de semi. 1ª. 331. G
in Animali trunci inspiciuntur in vnoquoque principio vnum, aorta, cana vena, & dorsi medulla. 1°. de semi. 1ª. 331. G
in Animali concepto vbi colligitur vrina. 1°. de semi. 1ª. 331. H
Animal potentia est, in vtero existens. an animal sit. 1ª. 327. D
Animal sit ne fœtus in vtero. de hist. philosoph. Sp. 11. A
Animal spirans in vtero. an animal sit. 1ª. 327. E
Animalis particulæ sunt naturæ operà dum est in vtero. 1°. de nat. facul. 1ª. 291. E
Animalia procliuia ad saliendum, qualem ligaturam habeant in matrice. 15°. de vsu par. 1ª. 211. D
Animalia quę commoda ad saliendum. 3°. de ali. fac. 2ª. 33. B
Animalia quæ ad saliendum inepta. 3°. de alim. fac. 2ª. 33. C
Animal recenter formatum in vtero est calidissimum et humidissimũ. 2°. de temp. 1ª. 16. A
Animalia cur primò sint mollia. de marc. 3ª. 46. C
Animalia parua cur sugunt lac. 14°. de vsu par. 1ª. 205. A
Animalia parua maiorẽ pariũt admirationẽ. 17°. de vsu p. 1ª. 222. D
Animalium constructio admirabilis est. 17°. de vsu par. 1ª. 222. B
de Animaliũ fabrica nescit Gal. validã rõnẽ, de fœt. for. 1. 1ª. 325. G
in Animali omni, non solum in homine, ars & sapientia artificis cõspici potest. 17°. de vsu par. 1ª. 222. D
Animalium cuique natura cõdidit corpus idoneum animi affectibus. 6°. de ana. ad. 89. G/3°. de vsu par. 1ª. 135. E
Animalium particulæ differunt, quia & animæ differunt. 1°. de vsu par. 1ª. 113. C
Animalium instrumenta formæ conuenientia sunt. 14°. de vsu partium. 1ª. 204. E

Animalia,& homo conſtant ex ſolidis, humidis, & ſpiritibus. bre. denot.dogm.Hippo. 1ª.231.A

Animalium ſanguineorum proprium elementum.2°.de cle. 1ª.9.F

Animalium ſanguineorum calor ſimilis eſt caliditati quæ in domibus ſentitur æſtatis tempore.de fœt.for. 1ª.323.F

Animalia calidiora ſunt ſanguine prædita.2°.de nat.fac. 1ª.300.C

Animalia quæ lato ſunt pectore & calidiora, ſunt animoſiora. 5°. de decre.Hippo. 1ª.257.B

Animalia cum ſanguine tenui ſapientiora ſunt.q; ani.mo. 1ª.319.C

Aïalia q̃dã nõ hãtia ſanguinẽ, prudẽtiora ſunt.q; ani.mo. 1ª.319.C/D

Animal aliquod collatum homini eſt calidum, collatum leoni frigidũ. 1°.de temp. 1ª.12.F

Animal omne plus minus q; eſt humidum.4°.de ſimp.me.fac. 5ª.30.C

Animalia frigida & ſicca, quæ.2°.de temp. 1ª.15.G

Animalia frigidiora, ſunt exanguia.2°.de nat.fac. 1ª.300.C

Animalia frigida hyeme latẽt veluti mortua.2°.d l.af.14./B. 4ª33.E

Animalia ſunt diuerſa ſecundũ loca, licet ſint in eadem ſpecie, et ſimiliter quæ ſunt in animalibus.10°.de ſim.me.fa. 5ª.77.B

inter Animalia differentia maxima eſt, quorum latitudo accipitur per comparationem ad plantas.14°.de vſu par. 1ª.205.G

de Animalium numero cum quæritur, non conuenit vnam differẽtiarum oppoſitionem reſpondere.1°.meth.med. 7ª.4.A

*Aïaliũ ſpẽs gñationi ſubiectas ſubſtãtias ſequunt.2°.de ſem.*1.337.C

Animalis propriæ differentiæ quæ ſint.1°.meth.med. 7ª.4.C

Animalium differentiæ ab Ariſtotele in primo de partibus animaliũ enumerantur.1°.meth.med. 7ª.4.D

Animalium genera quatuor, & an ſenſu prædita rationem habeant. de biſt.philoſophica. Sp.11.E

in Animalis oĩ gñe mas eſt validior fœmina.3°.de cau.pul. 4ª.95.G

Animalia ſæpe in lapidibus & terra gignuntur, vbi eundem penitus locum occupat opifex & opificium.de cauſ.procatar. 3ª.97.A

Animalia quædam habent oculos duros.de anat.viuo. § Sp.48.C

Animalia communia terræ & mari, quæ arabice dicuntur cenalia, et piſces reſpirant vaporem per branchias.de anato.viuo. Sp.48.C

Animalia plurimum oſſuoſa, quæ.de vtil.reſp. Sp.64.E

Animalia quæ multum poſſunt ſub aqua morari.de ana.viu. Sp.53.B

Aïalia q̃dam venenũ ictu infundere obſeruatũ eſt.de opt.ſec. Iſ.22.E

Animalculi ex arboribus fit mentio.3°.de cõp.med.ſe.lo. 5ª.145.A

Animalculũ q̃d inteſtinũ terræ appellãt.3°.de cõ.me.ſe.lo. 5ª.145.A

*ad Animaliũ habitationem metalla nocua ſunt.de ho.aquæ.*Sp.75.F

Animalia ſæpe in abſceſſibus inuenta ſunt.de tu.præter.nat. 3ª.83.G

*Aïal oẽ abũdãs ſepo, et pĩguedĩe, abũdat et medulla.d an.vi.*Sp.44.e

Animalia quædam habent ſanguinem valde ſpiſſum, ac terreſtrẽ, qui coagulatur ſtatim.de vtil.reſp. Sp.64.F

Animalia quę latibula habitant hyeme, cur non comedant.de ve.ſec. ad Eraſ. 6ª.9.A

Animalia quæ hyeme deliteſcunt, adipe obeſa ſunt.1°.de tẽp. 1ª.13.d

Animaliũ carnes crudæ familiaris cibus leoni.2°.de alim.fa. 2ª.17.C

Animalia æſtum, & frigus effugiunt.de cauſ.procat. 3ª.96.A

*Animalia ea parte ſe defendũt, qua aliis præſtãt.de fœt.for.*1ª.325.E

Animalibus quibuſdam dantur dentes, aliis cornua ad armaturam. de anato.viuo. Sp.49.E

Aïalia q̃ calidiora, et magis terrena ſuibus.4°.de ſim.me.fa. 5ª.25.e

Animalia calida, & audacia, quæ.de vtil.reſp. Sp.64.F

Animalia cordis parui cur audacia ſint.de anat.viu. Sp.46.H

Animalia quædam paruum cor habent, tamen ſunt audacia, quia calidum habent cor.de anat.viuo. Sp.53.A

Aïalia laticlunia et frigidiora, ſunt timidiora.5°.de de.Hip. 1ª.257.b

Animalia timidiora à quo ſanguine fiant.q; animi mo. 1ª.319.C/D

Animalia timida ſunt, eo quòd habent ſanguinem frigidum, et aquoſum.de vtil.reſp. Sp.64.E

Animal inter vrſum & ſuem in Lucania.3°.de alim.fac. 2ª.26.C

Animal pedeſtre bipes, definitio qualis.1°.de diff.pulſ. 4ª.48.A

*ĩ Animalibus vt ætas, ita i morbis ſunt tẽpora. de mor.temp.*3ª.85.B

*Aïal p ętates nõ ſemp fit calidius, aut frigidius.1°.de ſa.tuen.*2ª.67.c

Animal nullum pedeſtre, præter ſimias & ſatyros, incedit binis innixum pedibus.4°.de ana.admi. 1ª.80.G

Animalia carniuora propter quid habent pedes multifidos & curuos vngues.3°.de vſu partium. 1ª.128.B

Animaliũ herbiuororum alia habẽt vngulas ſolidas, alia bifidas.3°. de vſu partium. 1ª.128.B

Animalia iuuenilia quo modo erudiant.5°.de decre.Hipp. 1ª.258.B

Animalia cõparãtur ſm gradꝰ caliditatis.11°.de ſim.me.fa. 5ª.78.E

Animalia cõparanť ſm gradus ſiccitatis.11°.de ſim.med.fa. 2ª.33.D

Animalium ſingulæ naturæ habent ſuum proprium mediũ. 3°. de ali. fac. 2ª.33.D

Animal perfectũ, cui nulla propriarũ actionũ deeſt.de marc. 3ª.46.B

*Animalia, quæ nõ generanť ex ſemine non ſat habent putredine vt generentur, ſed indigent etiã magno calore.cõ.3°.aph.26°.Ex.*25.F

Animalia in limo, in colluuie, in paludibus, in plantis, fructibus q; putrentibus gignuntur.17°.de vſu partium. 1ª.222.C

Animalium partes quæ penitus ſunt exangues, frigido læduntur. cõmen.5°.apho.18°. Ex.39.A

Animalibus quædã familiaria adnaſcunť.11°.de ſim.med.fa. 5ª.81.C

*Aïalia in corpe hñt ſilem ſtatũ cœli.in 1m.de mor.vul.c.1°.*3ª.104.D

Animalis genus ex ſubſtantia habetur.2°.de ſemi. 1ª.339.H

Animalibus omnibus caro cõmunis eſt.11°.de ſim.med.fac. 5ª.77.F

Animal vnum ſufficit ad omnes ſectiones.8°.de ana.adm. 1ª.102.F

Animalia quæ ſumenda pro anatomia.6°.de ana.admi. 1ª.89.F

Animal debet eſſe antiquius pro anatomia brutorum.de mot.ma. & obſ. Sp.70.C

*Animaliũ ordo in exercitatione anatomica.6°.de ana.admi.*1ª.90.G

Animalia habentia ſerratos dentes ſequuntur habentia quinque digitos in manu.6°.de anato.admi. 1ª.89.F

Animantia quæ non multum differunt ab hominum natura.4°. de ana. admi. 1ª.80.B/G

Animalia excoriabilia, quæ.7°.de anat.admi. 1ª.98.F

Aïal male excoriãtes ignorarũt muſculũ latũ.de muſc.diſſ. 1ª.44.E

Animalium ad ſectionem differentiæ.6°.de ana.adm. 1ª.90.D

Animalia anatomizanda ſuffocabat in aqua & laqueo ſuſpendebat. 8°.de anato.admi. 1ª.103.D

Animal incidendum & ſcarificandum fame & ſiti affligendum. de motibus man.& obſ. Sp.70.D

*ĩ Aïali viuo tres modi ſecãdi.7°.de ana.adm.*97.E/H/8°.1ª.100.A

in Animali mortuo primo exerciteris, vt in viuo præter effuſionem ſanguinis anatomen videre poſſis.8°.de anat.adm. 1ª.100.B

*Animal lõgo tpe mortuũ cur non põt diſſecari.1°.de anat.ad.*1ª65.E

Animalis mortui partes perfundantur aqua calida, vt facile videãtur.8°.de vſu partium. 1ª.168.B

Animal calidum eſſe debet, vel calefactum arte, quod ſpectari debet in buccis.4°.de anato.admin. 1ª.80.E

Animalia bruta incidit Galenus.4°.de anato.admin. 1ª.80.B

Animalia q̃ diſſecauit Galenus, & q̃ non.6°.de anat.admi. 1ª.89.G

in Aïalis ptibus cõſtruẽdis tres ſcopi primi.14°.de vſu p. 1ª.204.C

in Animalibus perfectis membra officialia.de anato.viuo. Sp.45.C

in Animalibus imperfectis membra cõſimilia officialibus perfectorum.de anato.viuo. Sp.45.G

Animalis partes ſunt adeps, & medulla.de anato.viuo. Sp.44.D

*Animalis particula propter quid vna dicitur.1°.de vſu par.*1ª.113.B

Animalium partes terrenæ quæ ſunt.9°.de ſimp.med.fac. 5ª.64.H

in Animali viuẽte capitis anatome.7°.de dec.Hip.& Pla. 1ª.369.B

Animalia quædã carent capite.7°.de vſu partium. 1ª.166.C

*Animalia carniuora hñt dẽtes ſupra, & infra.de ar.cõ.1°.*7ª.256.G

*Animalia ruminãtia hñt tãtũ dẽtes inferiores.de art.cõ.1°.*7ª.256.G

Animalia quædam habent duas tantùm dentium maneries, ſcilicet inciſiuos, & molares.de ana.viuo. Sp.49.E

*Animalia ad mordendum parata, qualia.16°.de vſu partiũ.*1ª.217.A

Animalia habentia dentes ſerratos quale habent temporalis muſculi caput.16°.de vſu partium. 1ª.217.B

Animalia habentia maxillam magnam quale habent temporalis muſculi caput.16°.de vſu partium. 1ª.217.B

Animalia omnia mouent inferiorem maxillam præter cocodrillum. 4°.de anato.adminiſtr. 1ª.80.B

*Animaliũ aliorum maxilla plixior eſt q̃ ſimiæ.4°.de ana.ad.*1ª.80.G

Animalibus omnibus à qua coniugatione commune eſt neruos accipi. 15°.de vſu partium. 1ª.215.H

in Animalibus habentibus magnas vertebras, vt ſunt animalia dẽtes ſerratos habentia & cornigera, prima neruorum colligi coniugatio eſt magna.de neruorum diſſectione. 1ª.54.E

in Animalibus habentibus vertebras paruas vt in ſimijs, prima cõiugatio neruorum colli parua eſt.de ner.diſſ. 1ª.54.E

in Animalibus, quæ non multum diuerſam ab homine naturam habent, ſeptem ſunt vertebræ in collo.de ner.diſſ. 1ª.54.H

Animalia longũ collum habentia inclinato corpore deglutiunt. 3°.de natural.

natural.facultat. 1ª.305.C
Animal habens ampliſſimam vocem aptum eſt ad ſectionẽ thoracis. 8°.de anatomicis adminiſtrationibus. 1ª.100.B
Animalia habentia magnam vocem quot muſculos habeant in aſpera arteria.7°.de vſu partium. 1ª.160.D
Animalia prædita magna voce qualia.16°.de vſu partiũ. 1ª.216.H
in Animante omni qui muſculi chartilaginem cogũt, et guttur claudunt.de muſ.diſſ. 1ª.46.C
Aĩalia ꝓua quot muſculos habeãt ĩ arteria aſpa.7°.de vſu ꝓ. 1ª.160.d
inter Aĩalia parua voce ꝑdita eſt ſimia.de voc.inſtr.diſſ. 1ª.107.A
Animalia vtrinque dentata an habeant vnum vẽtriculum, ſenſus indicat.de natu.huma.com.2°. 7ª.183.C
Animal non habens dentes ſuperiores habet plures ventriculos. 6°. de anatomicis adminiſtrationibus. 1ª.90.D
Aĩalia q̃ hñt magnũ & aſperũ ventriculũ.6°.de ana.admi. 1ª.90.D
Animal habens dentes ſuperiores non ruminat, nec habet multos vẽtres.6°.de anat.admini. 1ª.90.E
Animalia ruminantia an habeant quatuor vẽtriculos, ſenſus indicat. de natu.huma.com.2°. 7ª.183.C
Aĩalia ambulabilia, et sãguinea pulmonẽ habẽt.de ana.vi. Sp.48.B
Animal omne habens calorem magnum, neceſſarium fuit habere pulmonem magnum.de ana.viuo. Sp.47.F
Animalia quadrupeda magnũ pulmonem habent.de ana.vi. Sp.45.F
Animalia plura habẽt plures lobos quàm bõ.6°.de vſu par. 1ª.149.b
in Animali quocũque lobi pulmonis ſunt plus in dextra parte quàm in ſiniſtra.6°.de vſu partium. 1ª.149.A
Animalia propter quid reſpirãt.de vtilitate reſpirationis. 1ª.225.B
Animalia tenuem aerem inſpirantia alijs præſtantiora ſunt. de attenuante vict.rat. 2ª.45.D
Animalium trahentium aerem eadem eſt ſtructura pulmonum. 7°.de anato.adminiſtrationibus. 1ª.96.H
ĩ Animalibus quibuſdã loco pulmonis sũt canales.de an.vi. Sp.48.C
Animalia quæ degũt in cauernis, an reſpirent.4°.de loc.aff. 4ª.27.D
Animal & maximum & minutum habet ſimilem cordis ſtructurã. 7°.de anatomicis adminiſtrationibus. 1ª.96.H
Animalia ex corde ſortiuntur igneã caliditatẽ. de fœt.for. 1ª.323.F
Aĩalia multa nõ hñt dextrũ cordis vẽtriculũ.6°.de dec.Hip. 1ª.263.e
in Animalibus paruis videtur vnus ſolus vẽtriculus cordis. de vtilitate reſpirationis. Sp.64.D
Animalia hñtia arterias amplas et manifeſtas.de vſu pul. 1ª.228.G
Animalis totius erectio ſupra cor poſita eſt à natura tanquam ſupra radicem vltimam.de ana.viuo. Sp.47.B
Animalia aliqua nõ hñt veſicã fellis, tñ hñt fel.4°.de vſu ꝓ. 1ª.138.E
Animalia quæ hñt lienem albũ, & quæ nigrũ.6°.de ana.ad. 1ª.92.G
ĩ Animalibus q̃ augent veſica ẽ maior matrice.14°.de vſu ꝓ. 1ª.205.c
ĩ Animalibus iã auctis veſica minor matrice.14°.de vſu par. 1ª.205.c
Animal putatur eſſe ab aliquibus, vterus.6°.de lo. aſſe. 4ª.40.D
Animalis vires in teſtibus. 1°.de ſemi. 1ª.334.C
Animalia præter hominem conuenienter habent quatuor pedes. 3°.de vſu par. 1ª.128.A
Animalia qua potentia regantur.com.2°.apho.17°. Ex.13.A
Aĩaliũ rõnẽ habet natura.17°.de vſu ꝓ. 1ª.222.G/ad Traſ. 2ª.105.G
Animal oẽ à natura ſimul, et ab anima regit.de atra bile.34.H/1°.de fa.na.1ª.290.G/cõtra ea q̃ à Iuliano ĩ Hip. aph. dicta sũt.Ex.68.A
Animal gubernãs facultas motus arbitrarij eſt opifex. de palpitatione, conuulſ.& rig. 3ª.53.C
Animal ſm aliquos memorijs gubernatur. 1°.de natu.fac. 1ª.293.A
Animal alimento & ſpiritu gubernatur.introd. Iſa.54.A
Animal adminiſtrãtia tria principia.7°.de vſu partium. 1ª.164.A
Animal requirit tres naturæ facultates ſolum.1°.de nat.fac.1ª.292.C/9°.meth.med. 7ª.58.H
per Animales quinque virtutes corpus fruitur nouem voluptatibus. de compag.memb.ſiue de natu.huma. Sp.59.B
in Animali nihil prius vita.9°.meth.med. 7ª.59.F
Animalis sẽſus expectãt vt offeraĩ sẽſibile.7°.de dec.Hip.1ª.271.a
Animali viuente diffiatio, expiratio, & inſpiratio fit ſemper. in Timæum Platonis. 1ª.289.C
Animalia quo tempore per os inſpirant. 11°.de vſu partium. 1ª.188.E
Animalia occluſa latebris non videnſ ſpirare. 6°.de lo.affe. 4ª.39.E
Animalia non poterunt durare, niſi ſtatim ab initio à natura ſit tributa facultas quædam naturalis vnicuique inſtrumento. 2°. de nat. fac. 1ª.297.C

Aĩalibꝰ oĩum inſtrorũ corpis ita facultates ĩſitas dedit natura, vt ſine ulla diſciplina illis ad ꝓprias functiões vterenſ. 2°.de ſemi.1ª.340.a
Animalibus, et ſtirpibꝰ natura ĩſitas quaſdã vires deficiẽtis ac deſiderati ſemp appetẽtes ab initio ſtatim dedit. 1°.de ſa. tu. 2ª.62.G
Animal nullũ alimẽto carere debet.de renũ affe.dig.et med. 7ª.195.a
Animalis q̃libet pars hẽt naturales potẽtias plures, ſed ꝑcipue ẽt hẽt potẽtiã, per quã alterat alimentũ ſibi ipſi.cõ. 5°.aph.39°.Ex.41.B
ĩ Animalis qualibet parte vis eſt, quã alteratricẽ gñaliter, particulariter aſſimilatricẽ, et nutritoriã nominamus. 3°.de na.fa. 1ª.302.D
Aĩalia et plãtæ reddũt ſibi ſiẽ alimẽtũ.de dec.Hip.et Pla. 1ª.264.g
Aĩal oẽ ſuarũ partiũ vires nullo doctore ꝑſentit.1°.de vſu ꝓ. 1ª.113.F
Aĩalia accedũt ad alimẽta virtute quadã innata. 15°.d vſu ꝓ.1ª.213.B
Animal conuenienti alimento nutritur.3°.de temp. 1ª.22.C
Aĩalia quo modo naturaĺr veniũt ad ꝓpria nutrimẽta.de cõſ.2ª.61.A
Animal omne non nutritur quocunq; cibo.1°.de natu. fac. 1ª.292.D
Animal omne à totius ſubſtantiæ proprietate cibum habet familiarẽ: 2°.de alimen.facult. 2ª.17.B
Animalis partes ex partibus propinquis trahũt alimẽtũ. 13°. de vſu partium. 1ª.202.B/1°.de ſymp.cau. 17.H/de marcore. 3ª.48.D
Animalium alimenta, quæ.8°.de decre.Hippo. 1ª.275.A
Animalia nutriunt fructibus, herbis, & lacte. 2°.de ſemi. 1ª.338.E
Animalis partes quo ſanguine nutriantur.com.2°.aph.47°. Ex.18.H
in Animalibus angignaĩ bilis, vel ſit in cibis.2°.de nat.fac.1ª.300.F
Animalibus quibuſdã guloſis vẽter in os rapiť. 3°.de na.fa. 3ª.305.a
Animalia quæ ſine cibo poſſunt perdurare.com.1°.aph.15°. Ex.8.B
Animalia latẽtia in latibulis, alimento nullo aliqua indigent, aliqua pauco.commen.7°.aph.59°. Ex.59.D
Animalibus nutriunt homines.8°.de decre.Hip.& Plat. 1ª.275.A
ab Animalibus alimenta.2°.de alimentorum facultatibus. 2ª.16.A
Animalium quæ membra ſint bona, quæ mala.de diſſ.cont. Sp.74.A
Animalium carnes diuerſæ.3°.de ſymp.cau. 3ª.26.D
Animalium iuniorũ caro præſtãtiſſima eſt.3°.de alimen.fac. 2ª.29.F
Animalium herbam viridem non habentiũ carnes ſunt malæ.de vict. rat.in mor.acu.com.4°. 7ª.147.B
Animalia omnia habẽtia alimẽta ſunt meliora, quàm quibus deſunt. 3°.de alim.fac. 2ª.26.B
Animalia q̃ exercẽtur ꝑferenda ſunt ocioſis.de atten.vic.ra. 2ª.45.C
ex Animalibus humidis quod eſt maius, velocius digeriť antequam dureſcat, quàm minus.de diſſ.cont. Sp.73.C
ex Animalibus ſiccis quod paruum eſt uelocius digeritur, quàm quod magnum.de diſſ.cont. Sp.73.C
Animalia domeſtica quo differãt ab agreſtibus. 3°.de ali.fa. 2ª.27.E
Animalium domeſticorum alimentum quale.3°.de alim.fac.2ª.27.F
Animalium domeſticorum carnes edendæ ſunt potius aſſæ quàm elixæ.de cura icteri. Sp.111.D
Aĩaliũ aliorũ carnes ut alimẽti bonitate sũt ſuilla ĩferiores, ita excarnes eorũ ꝓtes ſuũ excarnibus sũt deteriores.3°.de ali.fa. 2ª.26.F
Animalium agreſtium alimentum, quale.3°.de alim.fac. 2ª.27.F
Animalium ſylueſtrium carnes elixæ magis quàm aſſæ edendæ ſunt. de cura icteri. Sp.111.D
Animalia mõtana qualia.3°.de alim.fa.27.E/3°.de vict.ra. 2ª.45.C
Animalia montuoſa diutius ſeruantur imputria, quàm domeſtica.3°. de alim.facul. 2ª.27.E
Animalia in ſtagnis, locis aquoſis, & campeſtribus degentia qualia. de attenuante vict.ratione. 2ª.45.C
Aĩalia humida ĩ floreti ætate sũt ĩ mediocritate.3°.d ali.fa.2ª.25.H
Animalia ſicca ĩ adoleſcẽtia sũt ĩ mediocritate.3°.de ali.fa. 2ª.25.A
Animalis quod eſt in augmento et cremento caro velocius digeritur, quàm eius quod inueteratum eſt.de diſſ.cont. Sp.73.C
Animalia recentia qualia.8°.meth.med. 7ª.51.B
Animalia ſeniora non ſunt boni ſucci.de bo.& vitio ſuc.2ª.36.B/8°. methodi medendi. 7ª.51.B
Animaliũ oĩum antiquorũ caro parũ nutrit, cur.de diſſo.cõ. Sp.73.F
Animalis multorum annorum caro eſt ſuilla. de diſſ.conti. Sp.74.D
Animalium paruorum caro lenit ventrem.de diſſolu.cõti. Sp.75.A
Animalia pinguia non ſunt gracilibus comparanda in nutriendo. 3°. de alim.fac. 2ª.26.C
Animalium gracilium caro peſſima eſt.3°.de alimen.fac. 2ª.29.F
Animalium partes extremæ quales.de boni.& vitio ſuc. 2ª.35.G
Animalium omnium aures tarde digeruntur.de diſſ.conti. Sp.73.D
Animalium oĩum hepata tarde digeruntur.de diſſo.conti. Sp.73.D
Animalia quæ herbis tenuioribus veſcuntur, primo vere pingueſcũt. 3°.de

3°.de alimen.faculta. 2ª.26.B
Animalia,quorum pascua sunt in desertis,et in locis siccis,non habẽt superfluitates.de dissol.cont. Sp.73.E
Animalium omnium interiora sunt multarum superfluitatum.de diss. conti. Sp.73.E
Animalis lactãtis caro est multarũ superfluitatũ.de diss.cõt. Sp.73.e
ex quali Animali sumendum sit lac.de disso.continua. Sp.73.H
Animal cuius lac sumis,cuius ætatis esse debet. 5°.de sa.tu. 2ª.91.H
Animalium,quorum lacte sis vsurus,qualia debent esse nutrimenta. 5°.de san.tuen. 2ª.91.H
Animalium ignotorum præparationes sunt discendæ ab his,in quorũ regionibus nascuntur.3°.de alim.fac. 2ª.26.C
in Animalibus quæ augentur,cur nihil superfluum benigni alimenti relinquatur.14°.de vsu partium. 1ª.205.D
Animal omne particeps est rationis.ora.suasoria. Isa.2.C
Animalia omnia excedit homo ratione.ora.suasoria. Isa.2.C
Animalia irrationalia habent concupiscibilem,& irascibilem facultatem.5°.de decre.Hippo. 1ª.258.C
Animalia irrõnalia sola cupiditate regũtur.5°.de dec.Hip.1ª.258.C
Animalis spiritus nomenclatura,& potentia vbi discenda.3°.de loc. affec. 4ª.17.H
Animalis spiritus quis.intro.Isa.55.B/de vti.respi.1ª.226.G/1°.de præsag.ex pul.4ª.104.E/de vir.nostr.corp.disp. Sp.60.C
Animalis spiritꝰ est exhalatio sãguinis benigni.6°.de vsu p.1ª.155.C
Animalis spiritus multum discrepat ab alijs spiritibus.16°. de vsu par. 1ª.219.C
Animalis spiritus vnde oriatur.2°.de decre.Hippo. 1ª.240.F
Animalis spiritus in cerebri ventriculis oriẽ.7°.de decre. 1ª.269.D
Animalis spiritus quo modo conficiatur.7°.de vsu partiũ. 1ª.169.D
Animalis spiritus ex qua materia fiat.7°.de decr.Hip. 1ª.269.E
Animalis spũs fit spiritu attracto ex arterijs.8°.de dec.Hip.1ª.278.b
Animalis spiritus fit ex vitali spiritu elaborato.de ocu.7ª.183.G/de virtu.nostrum corpus dispen. Sp.60.C
ad Animalem spiritum generandum facit substantia spiritualis,quã habent arteriæ.4°.de diff.puls. 4ª.65.E
Animalis spiritus multitudini non est potius tribuẽda bonitas ac perfectio intellectus,quàm qualitati.8°.de vsu partium. 1ª.170.D
Animalis spiritus cur in toto cerebri corpore contineatur.8°.de vsu par. 1ª.170.C
Animalis spiritus ex coctione cerebri fit.9°.de vsu partiũ. 1ª.172.F
Animalis spiritus pleni sunt vẽtriculi cerebri.de vsu pul. 1ª.227.H
Animalis spiritus augetur cum corpore.1°.de diff.resp. 3ª.58.C
Animalis spiritus quo modo penetret ad membra.de ocul. 7ª.184.F
Animali spiritu plenum esse sinum spiritus asserit Chrysippus.1°.de decre.Hippoc.& Plato. 1ª.232.A
Animalis spiritus principium per se mobile.1°.de semi. 1ª.331.D
Animalis spiritus est aĩæ primũ instrumentum.4°.de lo.aff. 4ª.23.A
Animalis spiritus nutritur,& quo nutriatur,& per quem locum.de vtili.resp.225.G/H/de vsu pul.228.A/ 1ª.228.D
Animalis spiritus præstat auribus virtutem audiendi.de cõpa.mem. siue.de natu.humana. Sp.58.B
Animalis spiritus qualis in oculo sit.1°.de symp.cau. 3ª.15.C
Animalis spiritus copia est in oculo.7°.de decre.Hippoc. 1ª.269.ℍ/ 1°.de sympt.cau. 3ª.15.C
Animalis spiritus consumiẽ in motu voluntario.de vsu puls.1ª.227.H
Animalis spiritus si euacuet,quid sequatur.7°.de decretis.1ª.269.E
de Animalibus sensibus.de cõpag.mẽbrorũ,siue de nat.hu. Sp.59.B
Animalis vis quibus nominibus dicatur.9°.meth.med. 7ª.58.H
Animalis vis vnde sit,et quo mõ cognoscat.de ar.cu.ad Gla.7ª.99.G
Aĩalis vis nõ dat cerebro à corde p arterias.2°.de dec.Hip.1ª.239.d
Animalem virtutẽ a cerebro nerui accipiũt.1°.de vsu par. 1ª.117.B
Animalis vis primum mouet ad respirationẽ.1°.de diffi.resp. 3ª.61.B
Animalis vis in statu morbi fatigat,naturalis vel vitalis fortes persistunt.commen.2°.apho.29°. Ex.19.G
Animalis vis quiescit in somno,et maxime viget naturalis.1°.de sym pt.cau.3ª.18.H/com.4°.aph.15°. Ex.28.H
Animalis vis quo mõ deijcit et ꝓsternit.4°.de ꝑsag.ex pul. 4ª.123.G
Animalia & naturalia instrumenta differunt.1°.de lo.aff. 4ª.8.A
Animalia instrumẽta indigẽt venis & arterijs.1°.de loc.affec.4ª.8.B
Animalis actio nulla inest cordi,ideo nõ eget magnis neruis.6°.de vsu partium. 1ª.155.F
Animales actiones in quot diuiduntur.de sym.diffc. 3ª.11.D
Animales actiones habẽt tãtũ duas species sensus,de ocu.7ª.186.A
Animales actiões cur à multis causis offendãtur.3°.de lo.aff.4ª.16.G
Animale officium est appetens cibum & potum ventriculi cupiditas. 6°.de locis affectis. 4ª.37.H
Animalium partium officium quod.in progno.com.1°. 4ª.197.B
Animali appetitu fiunt motus musculorum.commen.6°.aphor.39°. Ex.50.G/1°.de motu muscu. 1ª.309.B
Animalibus partibus insunt diuersa symptomata ratione qua animata,& ratione qua naturalia.1°.de loc.affec. 4ª.8.B
Animalium symptomatum enumeratio.de symp.diffe. 3ª.12.B
de Animaliũ vtilitate librũ fecit Xenocrates.10°.de sim.m..f.5ª.73.c
Animalibus prima vtilitas est ab actionibus.17°.de vsu par.1ª.221.c
Animalibus secunda vtilitas est a partibus.de vsu partiũ. 1ª.221.C
Animalis quælibet pars necessaria est.de diff.morb. 3ª.4.A
Animalis nulla pars extrinseca inutilis est.17°.de vsu par. 1ª.221.E
in Animalibus duplices sunt actiones corporales,& animales.6°. de sani.tuen. 2ª.95.F
Animales actiones diuiduntur in sentientes,actiuas,& rectrices.1°. de symp.cau. 3ª.14.B
Animalia magis natura,quàm ratione artem aliquam exercent.1°.de vsu par. 1ª.113.G
Animal vt animal ex seipso mouetur.11°.de vsu partium. 1ª.191.E
Animal quum vult,illico mingit.2°.de decr.Hipp. 1ª.237.G
Animalis motus principiũ est cerebrũ.7°.de vsu partium.1ª.164.A
Animalis partium munia quæ.de diff.mor. 3ª.4.H
Animalis p solidas partes fiunt operationes.cõ.3°.aph.17°. Ex.23.G
Animalis membra motura instrumenta debent esse robusta.de decre. Hippo.& Plato. 1ª.234.A
in Animalibus instrumentorum finis.de diff.mor. 3ª.4.A
ĩ Aĩali parte nulla sine neruo ẽ motus,vel sensus.de ner.diff.1ª.53.b
Animalis solidæ partes quiete humectantur non per se,sed ex accidẽti.commen.4°.apho.13°. Ex.28.G
Animalia aliqua concoquunt spiritus gratia.2°.de nat.fac.1ª.300.E
Animalis partes quæ aptæ sunt generare aliquos humores,propter quid eos generent.commen.5°.apho.39°. Ex.41.B
ĩ Aĩali ruminãte cuiꝰ sit actio ruminatio.de mo.mani.et obs.Sp.68.F
Animali cum in perpetuo sit fluore,cur substantia similis restituenda sit.1°.de san.tuen.2ª.62.F/G/6°. 2ª.95.B
Animalium corpora difflantur occulte.com.1°.apho.15°. Ex.8.D
Animalium corpora semper dupliciter difflantur,et quo modo.1°.de diff.feb. 3ª.31.F
Animalia p cutim exteriorẽ trãspirãt.de venæ sec.adu.Erasi.6ª.8.H
Animalis natura æstate propter aerem ambientem magis ad superiora mouetur.commen.4°.apho.4°. Ex.27.H
Animal non delectatur aliquo immodico.1°.de san.tuen. 2ª.65.H
Animalia differunt in recessu a naturali habitu.de cau.mor. 3ª.6.G
Animal quo modo sanũ & quo modo ægrum sit.de diff.mor. 3ª.2.H
Animal quando bene se habere dicitur.1°.de temp. 1ª.13.D
Animal plenum malis humoribus,& non obstructum,sanum est vt nunc.1°.de diffe.feb. 3ª.31.G
Animalia quocũq; rarescere,et dẽsescere nõ possũt.d̃ dif.mor.3ª.2.b
Animaliũ corpora hãt magis,et minus,& quo. de diff.mor. 3ª.2.E
Aĩalis partes quo seruãdæ.6°.de sa.t.2ª.96.F.11°.met.me.7ª.68.F
Animalia habentia naturalem temperiem inculpatam debent similibus nutriri.3°.de ali.fac. 2ª.33.D
Animalibus prauam temperiem habentibus cibi contrarij cõueniũt. 3°.de alim.fac. 2ª.33.D
Animalia bruta & ipsa tollunt morbos contrarijs.5°.de natu.huma. commen.2° 7ª.181.H
ex Animalibus quæ sumantur ad medicinas oculorum. 7ª.183.G
in Animalibus an possit fieri corruptio adeo vehemens,vt venenum æquetur.6°.de loc.asse. 4ª.40.B
Aninalis vox ex medulla spinali impedita.d̃ mot.mã.et ob.Sp.67.c
ex Aĩaliũ putredine aer coinquinatus pestilẽs est.1°.de sa.t.2ª.67.B
ex Animalium putredine temperiẽ cõtrahẽs aer vitandus. 7ª.77.E
Animalia immortalia dicere est dementia.ad Thrasyb. 2ª.108.C
Animal periret si vnũ elementum destrueretur.1°.de elemen.1ª.5.F
Animal quomodo perit extincto calore.de palp.cõuul.et rig.3ª.55.F
Animal quare nõ capiat frequẽter apoplexia.8°.de vsu par.1ª.168.B
Animalia quæ in febribus bene concoquunt.2°.de nat.fac. 1ª.300.E
Animal viuit detecto etiam corde.7°.de ana.adm. 1ª.97.E
Animalia quædã cur viuũt sine corde,et pulmone.de vti.re. Sp.63.B

Animal non poteſt mori quin cor ceſſet ab agendi munere. 3°. *de ſimpli.medi.facul.* 5ª.22.B

ab Animali cor extractum contrahitur diutius, ac dilatatur. in Timæ.Platonis. 1ª.290.D

Animal ſine ſpiratione viuere non poteſt. 2°.*de loc.aff.* 4ª.27.D

Animal nihil patitur arterijs circa collum conſtrictis. de vtilit. reſpi. 1ª.225.H

Animal per diẽ viuit vinctis iugularibus venis.de vſu pul. 1ª.227.H

Animal quibus venis et arterijs ſcisis peribit. 2°.*de dec.Hip.* 1ª.239.B

Animal cur tam cito obeat nõ reſpirans.de vtilitate reſpi. 1ª.225.A/ *de vict.rat.in morb.acu.commen.* 4°. 7ª.139.C

Animal qua vertebra læſa amittat ſpirationem, & totum corpus fiat immobile. 8°.*de ana.ad.* 1ª.103.A

Animal quomodo ſuffocaẽ ſm Eraſiſtratũ.de vtilitate reſp. 1ª.223.G

Animalia non ſuffocantur ob inopiam ſubſtantiæ aeris, ſed ob aliud quippiam.de vti.reſpi. 1ª.224.A

Animalia ſuffocant ob penuriã alicui⁹ qualitatis.de vti.reſp. 1ª.224.d

Animal illico periret, ſi totũ pectus impleret. 2°.*de nat.fa.* 1ª.297.E

Animal moritur per incluſionem caloris vt non poſſit exteriorẽ aerẽ communicare.de cau.mor. 3ª.7.E

in Animali viuo non poteſt conſumi cerebrum in totũ.in 6ᵐ. *de mor. vulg.commen.* 2°. 3ª.370.A

Animal totum repente ſopitum collabitur cerebri ventriculis colliſis vel vulneratis. 3°.*de dec.Hippo.* 1ª.245.D

Animal quo modo reddet ſemiuocale.de neru.diſſo. 54.B/ 8°.*de anatomicis admini.* 1ª.101.H

Animal quo modo reddetur mutum. 8°.*de ana.ad.* 1ª.101.H

Animalis in corpore prius illæ partes abſumuntur quæcunque ſunt humidiores.commen. 7°.*apho.* 59°. *Ex.*59.D

Animalia ſeniora carnes modicas, & aridas habẽt, & reliquas partes. 4°.*de ana.ad.* 1ª.80.D

Animalis partes omnes quando priuantur ſeroſo humore, & ſpiritu vitali. 1°.*de ſemi.* 1ª.335.D

Animal omne ab ortu ſemper ſit ſiccius. 1°.*de ſan.tuen.* 2ª.67.C

Animal omne a principio ortus ad finem ſemper ſicceſcit. 6°. *de ſan. tuen.* 2ª.95.B

in Animalibus ſenium quid ſit. 1°.*de ſanit.tuen.* 2ª.62.F

Animalia cur citius veniunt ad ſenium. 6°.*de ſan.tuen.* 2ª.96.F

Animal quo modo nunquam ſeneſceret.de marcore. 3ª.46.C

cum Animali generatur pulſus, et moritur cum eo.compendium pulſuum. *Sp.*65.C

in Animali mortuo omnia ſunt perfrigerata ac denſata. 3°. *de nat. facul.* 1ª.307.H

ad Animal ingreſſum aures. 3°.*de compo.med.ſec.lo.* 5ª.145.H

ab Animalibus vinculorum nomen.de faſcijs. 7ª.293.H

ANIMANTIS *curam habet natura.* 3°.*de na.fac.* 1ª.302.E

Animanti cuiq, ſua natura ſatis eſt ad proprias excitãdas appetitiones, quibus ſanitatem ſalutemq, tueatur. 1°.*de ſani.tuen.* 2ª.65.E

Animans eſt etiã in ventre, qñ eſt cõformatũ. 5°.*de vſu par.* 1ª.212.D

de Animantis ſtructura ex voce iudicat. 6°.*de anato.admi.* 1ª.89.H

Animanti neceſſaria inſtrumenta. 6°.*de anatomicis adm.* 1ª.90.C

Animãtibus oĩbus ſanguĩeis quæ ſint cõia. 6°.*de anat.adm.* 1ª.92.G

Animanti toti cões ſunt venæ, arteriæ, & nerui. 2°.*meth.me.* 7ª.12.G

Animantium ſylueſtrium carnes ſale conditæ calefaciunt, & exiccãt. de ſal.diæta. 2ª.40.B

ANIMVS *ſapiẽtiſſimus eſt ſm Heraclitum.q animi mores.* 1ª.318.G

Animus apparet tũc ſcire, quũ vſus poſtulat.de ther.ad Piſ. 5ª.90.A

Animus inuite ignorat. 5°.*de decr.Hipp.* 1ª.256.C

Animi cõſtitutiones, quas vocet Ariſtoteles. 5°.*de dec.Hip.* 1ª.257.C

Animi intentio in vniuerſa arte adhibenda eſt.de faſcijs. 7ª.293.C

Animũ & corpus ad exercitationem excitat mutatio; ſimilitudo & æqualitas perpetua ſegnitiem parit.de aere, aquis, & lo. 2ª.6.C

Animi actiones ſunt præcipuę poſt pueritiam. 6°.*de ſa.tuen.* 2ª.95.F

ĩ Animi ſunctiõibus ĩmobilitas, et inſẽſibilitas. 3°.*de ſym.ca.* 3ª.24.f

Animi virtutes, quæ ſinitiones med. *Iſa.*45.D

ad Animi virtutẽ nõ nihil valent cibus & potus. q animo. 1ª.317.B

de Animi moribus quomodo loquantur philoſophus et medicus. 3°. *de ſani.tuen.* 2ª.65.F

Animum ab alijs diuerſum debet philoſophus habere, non veſtem. de hiſt.philoſo. *Sp.*2.D

Animi mores curare ad medicum ſpectat, & non ſolũ ad philoſophũ. 1°.*de ſani.tuen.* 2ª.65.F

ob Animi ægritudinẽ magnanimus nõ moritur. 5°.*de lo.af.* 4ª.29.C

de Animi ægritudinibus librũ fecit Chryſippus. 3°.*de lo.af.* 4ª.14.E

Animi ſubitam concitationẽ conſuluit Hippocrates vires diſſolutas habentibus, vt incitationis robore, ſolutionis imbecillitati medeamur, poſtea dat cibum, & cur.de ther.ad Piſ. 5ª.94.D

Animi mores ægrorum ex geſtu produntur quomodo.in 1ᵐ.*de morbis vulg.commen.* 3°. 3ª.117.H

ob Animi mores ægros, ſanauit Galenus. 1°.*de ſan.tuen.* 2ª.65.G

de ea quę in Animis puerorũ ẽ diſpẽſatione. 5°.*de dec.Hip.* 1ª.256.G

de Animo durum dicitur. 3°.*de diff.pul.* 4ª.65.F

Animi dexteritas & prudentia proficiſcitur a bilioſo humore.de natu.huma.commen. 1°. 3ª.33.B

Animus agit ad prudẽtiã ſiccitate ſm Platonẽ.q animi mo. 1ª.318.C

Animi integritas & conſtantia proficiſcitur ab atra bile. de natura humana, commen. 1°. 1ª.33.B

Animi modeſtia quartodecimo anno cõparãda. 1°.*de ſan.tu.* 2ª.67.D

Animi benigniores & cultiores ſunt Aſianis, quàm Europæis. de aere, aquis & locis. 2ª.4.E

Animi mores quibus corrumpantur. 1°.*de ſan.tuen.* 2ª.65.F

Animis impuris ſi nutrientes ſermones offeras, non modo nihil pfueris, ſed etiam magnopere obfueris. 1°.*de ſimp.med.fac.* 5ª.9.D

Animos ſuos excolere volentibus vtile eſt ſcire animæ facultates ſequi corporis temperaturas.q animi mores. 1ª.317.B

Animi vis rationis expers duplex eſt in nobis.de cog.curandisq; animi morbis. 2ª.53.A

ad Animi facultates momentum habent æſtus, & venti, ſecundùm Platonem.q animi mores. 1ª.320.E

Aĩ affectus q ſint. de cog.cur.ani.mo. 2ª.50.G/ 12°.*met.me.* 7ª.77.D

Animi affectus diuerſi.de cog:cur.animi mor. 2ª.50.E

Animi perturbatio quid ſit. 5°.*de decr.Hipp.* 1ª.254.D

Animi perturbationes quinque.de cog.cur.animi morb. 2ª.52.E

ex Animi affectibus motus ſunt duplices. 2°.*de ſan.tuen.* 2ª.75.A

Animi affectibus careat iudex.de ordi.librorum ſuorum. *Iſa.*14.G

Animi affectus alterant pulſus.de vſu pul. 1ª.229.E

Animi perturbatio pulſum mutat.in progno.commen. 1°. 4ª.192.C

in Aio perturbato pulſus immutaẽ.de pcog.ad Poſthumũ. 4ª.216.F

Animi affectus ſi poſt ephemeram reſtet, pulſus conſiderandus. 1°.*de arte cur.ad Glauc.* 7ª.95.B

Animi affectus corpus exiccant.ars medic. *Iſa.*68.C

in Animi vehementibus affectibus cur in poſterum non recordemur vllius eorum quæ egerimus. 2°.*de mo.muſ.* 1ª.315.B

Animi paſſiones ſi ſint variarũ rerum, altera alterã obſcurat: ſi eiuſdem rei, magis augentur.commen. 2°.*aph.* 46°. *Ex.*18.H

Animo imbecillis, & relaxatus qui dicaẽ. 4°.*de dec.Hipp.* 1ª.252.C

in Animo ex his quæ audiuntur, fiunt horror, & ſtupor. 4°.*de ſanita. tuenda.* 2ª.86.A

Animi ſimplicitas & ſtupiditas proficiſcitur a ſanguine. de natu.humana.commen. 1°. 1ª.33.B

Animus omnino deſes decoloratos reddit. 1°.*de ſan.tuen.* 2ª.65.F

Animi ignauiam inducit frigiditas primo, humiditas ſecundò. 3°.*de locis affectis.* 4ª.16.G

Aĩ hebetudo nõ naturalis oñdit futurã ægritudinem. ars me. *Iſ.*67.F

Animos ſtupidos excitant exempla. 2°.*meth.med.* 7ª.10.G

Animi ſeruitute preſſi, non libenter pro alijs ſe periculis exponunt. de aere, aquis, & lo. 2ª.5.B

Animi ſecuritas humidarũ ægritudinum eſt cauſa.de ca.mor. 3ª.7.H

Animus agit ad demẽtiã humiditate, ſm Platonẽ.q ani.mo. 1ª.318.C

Animi deformitas quantã in iraſcentibus, in memoria habendum eſt. de cog.cur.animi morb. 2ª.52.F

Aĩo ob q mediocriter liceat cõmoueri.de cog.cur.ani.morb. 2ª.50.E

Animi voluptates longe maiores quàm corporis. de cuiuſque animi pec.notitia. 2ª.58.G

Animũ in cõſenſu ducit os vẽtriculi.in 6ᵐ.*de mor.vul.c.* 4°.3ª.186.f

Animo vacillantes quid agant. 1°.*de diff.reſp.* 3ª.60.A

ad Animi perturbationẽ remedia pertinentia ſcripſerunt Chryſippus, Ariſtoteles, & Plato.de cog.cur.animi mor. 2ª.50.D

Animi perturbationes & perplexas cogitationes ſomno adducto ſanare poteſt theriaca.de ther.ad Piſo. 5ª.96.A

Animo affecto auxiliatur theriaca.de ther.ad Piſo. 5ª.96.D

Animi angores gñant bilem.in 6ᵐ.*de mor.vulg.comm.* 1°. 3ª.157.A

Animus ſanguine corrupto vitiatur.de dynamidijs. *Sp.*19.D

cum Animi mœrore facies florida, mala.in 1ᵐ.*pror.cõ.* 2°. 4ª.170.G

Animi triſtẽ habitũ ſoluit antidotus Aelij galli.2°.d antid. 5ª.110.H
Animus quibus acuitur.de cuiuſque animi pec.not. 2ª.56.G
ad Animi prudẽtiã acrimoniãq; valet ther.de ther.ad Piſo. 5ª.96.H
Animi morbi quomodo ſanentur. 1°.*de ſan.tuen.* 2ª.65.H
Animi qui ſanantur magis ſeruantur,quàm ſi corpore ægrotantes ſanarentur.de cogn.curan.animi mor. 2ª.51.A
Animi defectus,& diſſolutio de vna re dicunt medici. 1°.*de arte curat.ad Glauco.* 7ª.98.E
*inter Animi deliquium,lipopſychiam ſcilicet,& ſyncopam diſſerẽtia.*12°.*met.med.* 7ª.77.F
ad Animi defectum vſque ſanguis ducendus, niſi quid aliud vetat. 4°.*de ſan.tuen.* 2ª.87.F
ad Animi defectum vſque ducere ſanguinem in maximis doloribus, & maximis inflammationibus,eſt præſidium,quo nullum maius. præſa.exper.confirma. Sp.77.H
Animi defectio multiplex.com. 1°.*aph.*23°. Ex.10.D
*Animi defectus ex pluribus cauſis.*1°.*de ar.cur.ad Glauc.* 7ª.98.E
*Animi deliquia in quibus fiant.de vic.ra.in mor.ac.cõ.*2°. 7ª.122.F
*Animi deliquia facit dolor vnius partis.*2°.*de ſymp.cau.* 3ª.23.F
*Animi deliquia faciunt timor,& gaudium.*2°.*de ſym.cau.* 3ª.23.F
*Animi deliquia ſtomachica,quæ.*2°.*de comp.med.ſec.loc.* 5ª.135.C
*Animi defectus ex ore ventriculi pleno humoribus quandoque fit. commen.*1°.*aphor.*23°. Ex.10.D
*Animi defectio ex pituita ĩ ore vẽtris.de ven.ſect.adu.Eraſ.*6ª.12.C
Animi defectio ex bile in ore ventris.de ve.ſec.adu.Eraſ. 6ª.12.C
*Animi defectus ex humoribus mordicantibus os ventriculi.*1°.*de ar. cura.ad Glau.* 7ª.99.C
*in Animi defectu ex cruditatibus febres fiunt quotidie verſus veſperam.*12°.*metho.med.* 7ª.77.G
*Animi defectꝰ ẽ cõis cauſus oĩs ĩmodicæ euõnis.c.*5°.*ap.*56.Ex.42.H
*Animi defectus qñq; fit p ſectionẽ venæ.com.*1°.*apho.*23°. Ex.10.E
*Animi defectus ſi ĩ fluxu muliebri fiat,malũ.cõ.*5°.*ap.*56°.Ex.42.b
Animi defectio fit pp vitalis ſpũs excretionẽ.cõ 7°.*aph.*8°. Ex.54.E
*Animi defectus fit à tuberculi intus ruptione.cõ.*7°.*aph.*8°.Ex.54.D
*Animi defectus fit cum totum pus exit per abſceſſum.*1°.*de arte cur. ad Glauco.* 7ª.98.G
*Animi defectus ex vtero quot modis fiat.*1°.*de ar.cu.ad Gla.*7ª.98.e
*Animi defectus ex inedia fit.*8°.*meth.med.* 7ª.50.F
*Animi defectus quos morbos antecedit.*1°.*de ar.cu. ad Gla.* 7ª.98.F
*Animi defectu tenuia excrementa in ventrem defluunt et faciunt vomitum,& alui profluuium. de art.commen.*2°. 7ª.264.H
*Animi deliquium ne incidant in balneo,acetum,et pulegium odoranda.*9°.*de compo.med.ſec.lo.* 5ª.199.B/F
Animi deliquium quibus curetur. 8°.*de comp.me.ſe.loc.* 5ª.192.E
in Animi defectu quando vinum dandum,& quod,& in qua ætate. 12°.*metho.meden.* 7ª.77.G
*Animi deliquium patiẽtes vel ex ſtomachi, vel ex cordis dolore,vinum ſanat.*3°.*de ſimp.med.fac.* 5ª.22.F
*ad Animi deliquium adſtringentium vſus conuenit. de vict. rat. in mor.acut.commen.*1°. 7ª.111.G
*Animi defectus ex cholera,profluuio alui,& euacuationibꝰ magnis, quo modo curetur.*1°.*de arte cur.ad Glauc.* 7ª.98.G
*Animi defectꝰ ex ore vẽtriculi qũo cureẽ.*3°.*de ar.cu.ad Gl.*7ª.99.B
*Animi defectus ex multitudine quo modo curandus.*1°.*de art.curat. ad Glau.* 7ª.99.B
*Animi defectus ex vtero quo mõ curãdus.*1°.*de ar.cu.ad Gl.*7ª.99.B
Animi defectus ex multitudine ſudoris quo modo curetur. 1°.*de art. cu.ad Glau.* 7ª.99.B
*Animi defectꝰ ex ſiccitate quo mõ curãd°.*1°.*de ar.cu.ad Gl.*7ª.99.E
Animi defectus ex membri principalis obſtructione quo modo cureẽ. 2°.de arte cur.ad Glau. 7ª.99.F
*Animi defectus ex ruptura abſceſſuum,& euacuationibus quo modo curetur.*1°.*de arte cur.ad Glauc.* 7ª.99.F
*Animi defectus ex dolore inteſtini laxi,& ilei quo modo curetur.*1°. *de arte cur.ad Glauc.* 7ª.99.G
*Animi defectus ex triſtitia,gaudio,ira,timore,terrore, vulneribus, purgationibus,doloribus articulorum,neruorum,et tendonũ quomodo curandus.*1°.*de arte cur.ad Glauc.* 7ª.99.G
Animi defectus ex propria virium imbecillitate quo modo curãdus. 1°.de arte cur.ad Glauc. 7ª.99.G
*ad Animi deliquiũ cũ exuſtione ſtomachi.*8°.*de cõ.me.ſe.lo.* 5ª.191.b
ad Animi deliquiũ ſanguinis euacuatio quid boni faciat. de cur.rat. per ſang.miſ. 6ª.19.B
*Animi deliquia leuat cucurbitula.de hirud.reuul.cuc.& ſcar.*6ª.2.f
*Animi defectiones remouere poteſt cucurbitula.de cucur.ſcar.*6ª.3.f
*ex Animi defectu quidam periere facta euacuatione in calidis conſtitutionibus.*1°.*de arte cur.ad Glauc.* 7ª.98.C
*Aĩ deliquio duos vidit mortuos Gal.ĩ venę ſectiõe.*9°.*me.me.*7ª.54.a
Animi defectus,ad quos ſequitur mors,fiunt ex calore.comment. 5°. *aphor.*16°. Ex.38.H.
*ad Animi defectũ vſq; qñq; euacuãdum.cõ.*1°.*aph.*23°.Ex.10.C/E
ad Animi deliquium non mittendus ſanguis, niſi in magna neceſſitate.de cur.rat.per ſang.miſſ. 6ª.19.D
*ad Animi defectum quando ſanguis educi debet.de vict. rat. in mor. acu.commen.*4°. 7ª.134.G
Animus.vide Anima.
ANISI *deſcriptio & vires.de ſim.medicam.* Sp.80.D
*Aniſo ſimillimum eſt ſemen comi herbæ.de ſim.medicamini.*Sp.81.g
*Aniſum miſceẽ purgãtibꝰ medicamẽtis.*8°.*de cõ.me.ſe.lo.* 5ª.190.B
*Aniſum Cretenſe optimum eſt.*4°.*de ſan.tuen.* 2ª.85.C
*Aniſum quale.*6°.*de cõ.me.ſe.l.* 5ª.170.G/3°.*de me.fa.par.* 7ª.175.b
*Aniſi ſemẽ calidũ eſt cũ ſubtili ſubſtãtia.*2°.*de ar.cu.ad Gla.*7ª.104.g
*Aniſum calidũ & ſiccum in tertio gradu.*6°.*de ſimp.me.fa.* 5ª.43.C
*Aniſum acre & ſubamarum.*6°.*de ſim.med.fac.* 5ª.43.C
Aniſorum amarorum fit mẽtio in paſtillo de ſeminibus ad tuſſientes. 3°.*de medi.fac.par.* 7ª.173.D
Aniſi ſemen conuenit in dixta attenuante.de atte.vic.rat. 2ª.44.E
Aniſum diſſoluit ventoſitatem.de diſſ.cont. Sp.74.G
Aniſũ lac prohocat,& auget odore eius ſuaui.de ſimp.me. Sp.80.E
*Aniſi ſemẽ craſſitudinẽ humorũ attenuat.*9°.*de cõ.me.ſe.l.* 5ª.201.b
*Aniſi ſemẽ vrinã prouocat, et attenuat.*9°.*de cõ.me.ſe.lo.*5ª.201.H
Aniſum vrinam mouet.de mel.ex Gal.& Ruff.& Poſſ. Sp.110.B
Aniſum vrinam ciet,digerit,& flatus ventris reprimit. 6°.*de ſimpl. medic.fac.* 5ª.43.C
*Aniſum cur miſtum medicamentis.*8°.*de comp.med.ſec.lo.* 5ª.190.B
*Aniſum decorticatum.*10°.*de compo.med.ſec.loc.* 5ª.206.C
*Aniſi torrefacti fit mentio.*7°.*de comp.med.ſec.lo.*186.E/ 5ª.206.C
*ex Aniſo,amygdalis amaris,et abſinthij coma compoſitum ad iecoris dolores.*6°.*de ſan.tuen.* 2ª.96.B
Aniſum expurgat in icteris.de cura icteri. Sp.111.B
Aniſum purgat pulmonem,& thoracem.de cathart. Sp.95.B
Aniſum ingreditur theriacam. de ther.ad Piſo. 5ª.92.F
*Aniſum,liguſticum, caron, petroſelinon, & cyminum ſunt eiuſdem vſus.*7°.*de ſimp.med.fac.* 5ª.53.E
*pro Aniſo fœniculum & cuminum.*7°.*de cõp.med.ſec.loc.*5ª.182.B
ANIVDEM *nigri fit mentio.ſecret.* Sp.102.D
in ANNONAE *caritate quadam ciues in vrbem portarunt frumentum,hordeum,fabas,lentes,partem leguminum & chedropũ reliquerunt ruſticis.*4°.*de ſani.tuen.* 2ª.33.G
Annonæ caritas vitioſos ſuccos gignit aptos ad morbos generandos. 4°.*de ſan.tuen.* 2ª.33.G
ANNOTATIONES *debent ſibi conficere homines.in* 6ᵐ. *de morbis vulg.com.*2° 3ª.169.B
*Annotatio,eſt acceſſio febris.commen.*2°.*aph.*1°. Ex.11.A
*Annotatio in compreſſa,quæ.*1°.*de diff.feb.* 3ª.35.C
ANNI, *& eorum menſura.de hiſt.philoſ.* Sp.7.D
Annus quantus ſit.ad eos qui de typ.ſcripſ. 3ª.94.E
*Annus quot diebus conſtet.in progn.com.*3°.4ª.207. C/*de die. decre.* 3ª.159.D/2°.*de criſi.* 4ª.133.H
*Annus eſt dierum trecentorum ſexagintaquinque computatis etiãnoctibus.*7°.*de comp.ſec.loc.* 5ª.180.G/H
Annus trecentis ſexagintaquinque diebus,& quarta diei parte conſtat.de ſept.par. 1ª.341.A
*Annus integris diebus non numeratur.in prog. com.*3°. 4ª.207.C
Annuum tempus vnde incipere poſſit.de ſep.par. 1ª.341.B
Anni tempora ſm Macedonas.in 1ᵐ.*de vulg.mor.com.*1°. 3ª.102.D
Anni et mẽſes Paleſtinorũ et Indorũ.ĩ 1ᵐ.*de mor.vul.cõ.*1°.3ª.102.E
Annus Romanorũ duodecim mẽſiũ.in 1ᵐ.*de mor.vul.cõ.*1°. 3ª.102.D
Anni Romanorum dies.in 1ᵐ.*de mor.vul.com.*1°. 3ª.102.E
*Anni totius conſideratio vniverſalis.com.*3°.*aph.*16°. Ex.23.C
Anno toti proportione correſpondet dies, & habet ver, æſtatem, autumnum,& hyemem.in 6ᵐ.*de mor.vul.com.*1°. 3ª.157.G
Anni temporum differentiæ.in 1ᵐ.*de vul.morb.com.*1°. 3ª.103.A
Anni diuiſio.in 1ᵐ.*de mor.vul.com.*2°. 3ª.107.G

Anni temporum quodlibet ex ſuapte æſtimatur naturâ, non ex alterius comparatione. 1°. *de temp.* 1ª.11.F

Anni diuiſio in quatuor tẽpora.in 1ᵐ. *de morb.vulg.cõ.* 1°.3ª.102.B

Anni tẽpa quibus diſtinguantur.in 1ᵐ. *de mor.vul.com.* 1°. 3ª.102.A

Anni quæ pars horẽũ tẽpus dicat̃.in 6ᵐ. *de mor.vul.cõ.* 4°.3ª.184.F

Anni quatuor temporum auctor eſt ſol. 3°. *de dieb.decret.* 156. H/*de ſpermate.* Sp.40.E

Anni horas ſol facit, & non curat Diagoræ, Anaxagoræ, neque Epicuri calumnias 12°. *de vſu par.* 1ª.194.D

Anni dimidium quantum ſit. de ſept.par. 1ª.341.D

Anni dimidij tempus, eſt primus terminus fœtus ſeptimeſtris editionis. de ſeptim.par. 1ª.340.H

Annus ſemper æqualis. de ſept.par. 1ª.341.B

Anno quarto eſt biſſextus.in 1ᵐ *de mor.vulg.commen.* 1°.3ª.102.E

in Anno biſſextili errat toto cœlo Gal.in 1ᵐ. *de mor.vul.c.* 1°.3ª.102.e

Anni temporum temperies cauſa eſt omnium bonorum in Aſia.& ani. mo. 1ª.319.H

Anni, & menſes decretorij ſunt poſt centum viginti dies. 2°. *de dieb. decret.* 4ª.156.D

Annis, mẽſibus, et diebus morbi iudicant̃. 2°. *de die.decre.* 4ª.154.D

Anni iudicant de annis, dies de diebus, menſes de menſibus, ſeptimanæ de ſeptimanis.com. 3°. *apho.* 28°. Ex.26.A

Anni tempus inſpectandum ſecundùm Hippocratem. 8°. *de dec.Hippocra.* 1ª.276.G/3°. *de loc.affe.* 4ª.15.D

Anni tẽpº cõfert ad auxiliorũ ĩuẽtionẽ. 9°. *me.me.* 58.G/13°.7ª.84.d

Anni tempus indicat euacuationem. de ſectis. Iſa.16.E

Anni tẽpus dat indiciũ bonæ euacuationis. com. 4°. *aph.* 2°. Ex.27.G

Anni tempus docet bonam excretionem.cõ. 4°. *aphor.* 47°. Ex.33.A

Anni tempora, ætates, & regiones, quomodo ſe habeãt ad purgationes. quos purg.op. quib.med. & quo temp. 5ª.88.E

Anni tẽpora ad victus rationẽ conferunt.cõ. 1°. *aphor.* 15°. Ex.8.A

pro Anni tẽpore cœli ſtatus conſiderandus. 10°. *meth.med.* 7ª.63.D

Annus particeps omnium, calidi, frigidi, ſicci, & humidi omnibus tẽporibus. 8°. *de decre.Hipp.* 1ª.276.F

in Anni partibus non inuenitur temperamentum calidum, & humidum. 1°. *de temp.* 1ª.11.H

Anni temporis caliditas eſt ita cauſa reſolutionis, vt in pueris ſubſtantia mollis. de vict.ratio.in morb.acu.com. 1°. 7ª.115.F

Anni tempus ſi calidum eſt, quæ vina non conueniant. de bon. & vitio ſuc. 2ª.38.E

Anni tempora calidiora, ſunt bilioſa. 2°. *de nat.fac.* 1ª.300.D

Anni tempora frigidiora, ſunt pituitoſa. 2°. *de nat.fac.* 1ª.300.D

in Anni tempore multum frigido, aut multum calido, non eſt ſecãda vena, vel in febre acuta. de ſectis. Iſa.16.E

Anno eodẽ venas ſæpius ſecare nõ ẽ idoneũ. de cucurbi. ſcarifi. 6ª.3.b

ab Anni temporibus non afficiunt̃ nec omnes naturæ, nec omnes ætates, nec omnes pulſus. 2°. *de digno.ſ.pul.* 4ª.78.F

circa Anni tempora iter quomodo faciendum. de ſal.diæ. 2ª.40.H

Anni temporum nomina morbos non faciunt, ſed temperamenta. in 3ᵐ. *de mor. vulg.com.* 3°. 3ª.147.C

Anni cõſtitutio calida habet cõuenientes morbos calidos, frigida, frigidos, humida humidos, ſicca ſiccos.com. 2°. *apho.* 34°. Ex 17.C

Annus conſtans qui ſit.com. 3°. *apho.* 8°. Ex.20.G

Annus inconſtans facit reciduum.com. 3°. *apho.* 8°. Ex.20.G

Annus temperatus naturalem ſeruat tẽperiem. de vict.ratio.in mor. acut.commen. 4°. 7ª.134.C

Anni qualitates mutant̃ ferè ĩſenſibiłr.ĩ 1ᵐ. *de mor.vul.c.* 1°.3ª.103.c

Anni temporum mutationi in chronicis, comparatur ſeptimana in acutis. 3°. *de die.decre.* 4ª.158.B

Anni tempus alterat pulſus. de vſu pul. 1ª.229.E

Anni partium diuerſarum pulſus. 2°. *de digno.pulſ.* 78. F/3°. *de cauſ. pulſ.* 4ª.96.H

Annis ſingulis qui ſolebant ægrotare præſeruauit Galenus in vere purgando, aut ſecando venam.com. 6°. *aph.* 47°. Ex.52.C

Anno humido exiſtente, frigido, aquilonio, quid ſecutum ſit.in 1ᵐ. *de morbis vulg.com.* 2°. 1ª.108.A

Annus auſtrinus pluuius ſine vẽtis.ĩ 3ᵐ. *de mor.vul.cõ.* 3°. 3ª.140.F

Annorum numero ætates non circunſcribuntur. 6°. *de ſan.tu.* 2ª.95.F

Annorum numerus non tantùm conſiderandus, ſed etiam habitudo præſag.exper.confir. Sp.78.A

ad Annum quartum decimũ vſq;, cur pueris non ſit mittendus ſanguis. præſag.exper.conf. Sp.77.H

intra Annos ſexaginta detractio ſanguinis facienda eſt à quartodecimo. præſag.exper.confir. Sp.78.D

Annorum menſuram habent aliqui morbi.in prog.com. 3°. 4ª.208.D

in Annis ſeptem finiunt aliqui morbi, aliqui in quatuordecim, aliqui in viginti. de die.decr. 4ª.149.D

Annos ſexaginta viuũt æthiopes ſm Aſclepiadẽ. de hiſt.phil. Sp.12.B

Annos centum viginti viuunt Britanni de hiſt.philoſ. Sp.12.B

Anni tempora quo modo mutentur in qualitatibus. de ſper. Sp.38.B

Annus cancri qualis. de ſpermate. Sp.39.D

Annus leonis plenus ægritudinibus. de ſpermate. Sp.39.D

Annus librę qualis. de ſpermate. Sp.39.D

Annuales venti dicuntur Eteſiæ. de cau.procatarct. 3ª.96.A

Anni conſtitutio, lege tempora.

ANNICVLI *hædi caput, bonum generat humorem mediũ inter craſſum, & tenuem. de diſſol.cont.* Sp.73.H

Annicul⁹ ex pecude velocius digerit̃ quã agnus. de diſſ. cõt. Sp.73.C

ANNVENDO, *dearticulationem primæ vertebræ ad latera mouentes muſculi. de muſc.diſſ.* 1ª.45.H

Annuat caput in priora, & in poſteriora abnuat qua dearticulatione muſculus. de muſc.diſ. 1ª.45.D

Annuendo ſolum caput mouentes muſculi, qui. de muſc.diſſ. 1ª.45.H

Ανόδυνος *quid.* 5°. *de ſimp.med.fac.* 5ª.32.B

Anodyna medicamenta, quæ.intro.Iſa. 57.H/7°. *de comp.med. ſecun. locos.* 184.G/9°. 5ª.200.H

Anodyna nomine qualia ſint, & quæ re vera anodyna. 5°. *de ſim.me. fac.* 37.A/1°. *de comp.med. per gen.* 5ª.210.G

Anodyna auxilia dolorem leuant.in 6ᵐ. *de mor.vul.com.* 2°. 3ª.161.g

Anodyna, id eſt ſedantia dolorem, collyria ad oculorum dolorem. cõmen. 6°. *aphor.* 31°. Ex.49.E

Anodyna facultas duplex. 5°. *de ſimp.med.fac.* 5ª.37.A

Anodyna nihil debent habere adſtrictionis. 5°. *de ſim.me.fa.* 5ª.37.B

Anodynorum munus. 5°. *de ſimp.med.fac.* 5ª.37.B

Anodyna medicamenta ex pompholyge. 10°. *de ſim.me.fa.* 5ª.73.H

Anodyna, in quibus errant medici. 11°. *meth.med.* 7ª.75.B

Anodynos dici poteſt homo mortuus, quia dolore vacat. 5°. *de ſimplic.med.fac.* 5ª.37.A

Ανοδυνίαν *ſana corpora habent. de mor.vul.com.* 2°. 3ª.112.C

Ανωμαλία *quid ſignificet. de vict.rat.in morb.acu.cõ.* 4°. 7ª.141.E

ANOEA *dicitur veluti paralyſis functionis ratiocinatricis. de ſympt.differ.* 3ª.11.G

ANSERVM pulli ſunt tardæ digeſtionis. de diſſol.cont. Sp.73.D

Anſerum pullorum caro eſt multarum ſuperfluitatũ præter axillas. de diſſol.cont. Sp.73.F/E

Anſerinæ partes exceptis alis ſunt duræ & excrementoſæ, nec facile coquuntur. de bo. & vitio ſuc. 2ª.37.B

Anſeribus abſtinendum in dieta attenuante. de atte.vict.ra. 2ª.45.C

Anſeres male dat in quartana. de dyna. Sp.33.A

Anſeris ventriculus præſtantiſſimus. de bo. & vitio ſuc. 2ª.37.B

Anſeris alas & ventriculum edat temperatus homo & æſtuans rediens ex balneis. de bo. & vitio ſuc. 2ª.39.C

Anſerum hepata, & axillæ ſunt temperata. de diſſol. cont. Sp.73.A

Anſerum pullorum hepata, & axillæ ſunt velocis digeſtionis. de diſſol.cont. Sp.73.C

Anſerini oui putaminis meminit. de remed.par.fac. 7ª.160.A

Anſerinus adeps, qualis. 7°. *de comp.med.per gen.* 5ª.265.E

Anſerinus adeps ſuillo calidior. 11°. *de ſimp.med.fac.* 7ª.79.A

Anſerũ adeps ſubſtãtia tenuior gallinaceo. 5°. *de ſimp.me.fa.* 5ª.34.B

Anſerum ſylueſtrium adeps tenuium partium. 3°. *de comp. med. per gene.* 5ª.232.H

Anſerinus adeps laxat. 7°. *de com.medic.per ge.* 5ª.264.E/2°. *de art. cur.ad Glauc.* 7ª.104.A

Anſerinus adeps exiccat citra moleſtiã. 2°. *de cõ.me.ſec.lo.* 5ª.134.F

Anſerinum adipem præfert omnibus. 1°. *de compo. med.per gen.* 215. A/3°.232.H/4°. 5ª.242.A

Anſerinus adeps odoramẽtis cõditus. 7°. *de cõp.me.per ge.* 5ª.272.E

Anſerinus adeps curatus. 9°. *de comp.med.ſec.lo.* 5ª.204.G

in Anſerini & ſuilli adipis medio eſt adeps gallorum & gallinarum. 11°. *de ſimp.med.fac.* 5ª.79.A

Anſerum adeps ad digerendum potentior adipe gallinaceorum. 5°. *de ſimp.med.fac.* 5ª.34.B/C

Anſeris adeps quo loco reponatur inter calida quæ valent alopecijs. 1°. *de comp.med.ſec.loc.* 5ª.122.D

Anſerinus adeps in quo ordine ſit inter adipes acopos.7°.de compoſit. med.per gen. 5ª.269.F
*Anſerinus adeps q̃ in alto mordicãt obtũdit.11°.de ſim.me.f.*5ª.79.A
Anſerinus adeps doloroſas omnes affectiones iuuat.3°.de comp.med. ſec.loc.141.H/ 5ª.142.A
*Anſerũ adeps familiariſſimus phlegmonis.5°.de ſimp.med.f.*5ª.34.B
Anſerinus adeps valet pro inflammatione cum dolore.de ther.ad Piſ. 5ª.39.F/2°.*de arte cur.ad Glauc.* 7ª.104.G
Anſerinus adeps confert pro reſolutione tumoris, ne aliquid duri remaneat.2°.de arte cur.ad Glauc. 7ª.105.F
*Anſerinũ adipẽ ſequitur gallinaceus.2°.de ar.cur.ad Glau.*7ª.104.A
℞ *Anſerino adipe gallinaceus ſumit.1°.de comp.me.ſe.lo.*5ª.215.A
℞ *Anſerino, & gallinaceo adipe ſuillus adeps accipitur.2°. de arte cur.ad Glauc.* 7ª.105.F
*Anſerinus adeps pro adipe hyænæ.1°.de comp.med.ſec.lo.*5ª.122.F
Anſeris pinguedo calidior & ſiccior quam ſuum,& tenuior, & minimum terreſtris.4°.de ſimp.med.fac. 5ª.25.E
*ex Anſeris pinguedine et oleo ſabino cliſter admorſ°.8°.me.me.*7ª.53.F
℞ *Anſeris pinguedine pinguedo gallinacea.8°.met.me.53.F/12°.*7ª.79.F
*Anſeris ſeuũ tenuiũ eſt partiũ,et altius deſcẽdit.14°.met.me.*7ª.93.E
Anſerini ſeui ſit mentio.7°.de comp.medic.per gen. 5ª.270.D
Anſeris ſeuum in clyſteri in coli dolore.12°.meth.med. 7ª.79.F
℞ *Anſerino ſeuum gallinaceum ſumitur.14°.meth.med.* 7ª.88.C
*Anſerinus ſimº à colũbino recedit ad calidius.5°.de ſim.me.fa.*5ª.36.F
Anſerinum ſtercus ob nimiam acrimoniam inutile eſt.10°. de ſimp.medicam.fac. 5ª.77.B
ANTECEDENTES *cauſas ponit Gal.cõ.7°.aph.30°.Ex.56.A*
Antecedentes cauſæ,quæ intro.iſ.52.B/1°.meth.med. 7ª.7.H
Antecedens cauſa eſt plenitudo.contra ea quæ à Iul.in Hippoc.aphor. dicta ſunt. Ex.68.H
Antecedentes cauſæ quomodo differant à continentibus.contra ea quę à Iul.in Hipp.aph. Ex.68.G
Antecedentia vaſa ſeminaria,quæ.de anat.viu. Sp.51.G
in ANTERIORI *parte cur cerebrum ſit mollius, & humidius. de anat.viuo.* Sp.53.G
Anteriorum cerebri ventriculorum figura.de ner.diſſ. 1ª.53.C
Anteriora corporis ſunt venoſa,& arterioſa.c.5°.aph.65°.Ex.45.A
*Anterior & interior idem ſunt in vertebris.de art.com.3°.*7ª.272.A
ad Anteriora ferunt canales duo colli pneumaticus vel ſpiritualis & œſophagus.de compag.memb.ſiue de natura humana. Sp.58.F
Anteriora magis reſpicit cõcauitas pulmonis.de ana.viu. Sp.48.A
i Anterioribus partibus nõ inchoãt rigores.cõ.5°.aph.69°. Ex.45.D
Anteriora an cõuellantur,& quare,& qũo.cõ.5°.aph.68°. Ex.45.B
Anterioribus partibus ſi tumor in vlceribus repente euaneſcat,inſaniunt.com.5°.aph.65°. Ex.45.A
Anteriores partes diuertunt à poſterioribus.cõ.5°.aph.68°.Ex.45.D
ANTESOLANI *quomodo circa ſolem vel lunam exiſtant ſecundùm Ariſto.7°.de decr.Hipp.* 1ª.272.C
ANTHELE *ſignificat cannæ florem.7°.de ſimp.med.fac.* 5ª.49.F
ad ANTHEMATA *facit ardacha.de ſimp.medicamin.* Sp.80.H
ANTHEMIS, *eſt chamæmelum.6°.de ſimp.medic.fac.43.C/2°.de comp.medic.ſec.loc.* 5ª.138.D
*Anthemis calfacit et deſiccat i primo ordine,eſt tenuiũ partiũ, et digerẽdi,laxãdi,& rarefaciẽdi vim obtinet.6°.de ſimp.me.fa.*5ª.43.C
Ἀντινδέξεις *quid ſignificet.9°.meth.med.* 7ª.58.D
ANTHERA *medicamentum.5°.meth.med.* 7ª.34.B
*Antheræ compoſitiones quæ.5°.de cõp.me.ſe.lo.164.H/6°.*5ª.172.C
*Anthera pro oculorum doloribus.4°.de comp.med.ſec.loc.*5ª.153.E
Antheræ fit mentio.3°.de comp.med.ſe.lo. 5ª.147.H
Antheræ pulueris fit mentio.de dynam. Sp.29.H
ANTHILION *euitandum eſt in herpete exedente.2°.de arte cur.ad Glauc.* 7ª.102.B
Anthillis chamepityi adſimilis,comitialibus competit.6°.de ſimplic. med.facult. 5ª.43.C
Ἄνθρακες *nomen habuit à ſimilitudine ad aliquid extra poſitum.2°.methodi medendi.* 7ª.9.E
Anthrax,id eſt carbo,eſt vlcus eſcharoſum,& quo modo fiat.com.6°. aph.45°. Ex.51.F
Anthraces ſunt caliditate vincente.de palp.conuulſ.& rig. 3ª.54.C
Anthraces ex commixtis humoribus fiunt.de cau.mor. 3ª.8.B
*Anthracode vlcera iuuant tithymalli.8°.de ſimpli.med.fac.*5ª.62.E
ANTHRACOSIS *affectus meatuum pupillæ.intro.* Iſa.58.E
ANTIAS *quid.3°.de ſymp.cau.* 3ª.29.F
*Antiades ſaniem à capite decidentẽ conſequunt.6°.de ſan.tu.*2ª.98.F
*Antiades quos male hãt,iis q̃ exercitatio vitãda.5°.de ſa.tu.*2ª.90.A
*Antiadas phlegmone affectas mitigat la.10°.de ſimp.me.fa.*5ª.73.H
ad Antiadas diſſipandas.de med.fac.par. 7ª.165.C
ANTICANIS *quid,ex quo aphoriſmum expone,Sub cane, & ante canem.in 1ᵐ.de mor.vulg.com.1°.* 3ª.102.A
ANTICHEIRA *quaſi promanum, id eſt pollicem, dicas, appellant magnum digitum.de muſc.diſſ.* 1ª.49.B
Anticyricos helleborus vocatur ſeſamoides magnum.8°. de ſimplic. medic.fac. 5ª.60.D
ANTICIPATIONES, *& notiones quæ ſint.de hiſt.philo.* Sp.9.B
*Anticipatio multa acceſſionis ſignificat icremẽtũ.1°.de criſ.*4ª.126.A
Anticipantes febres quæ,& quæ tardantes.1°.de criſi. 4ª.125.H
ANTICNEMION *quid appellent.de muſc.diſſ.*1ª.51.E/*de fract. com.2°.236.E/de artic.com.3°.* 7ª.280.D
ANTIDOTVS *quid ſignificet.2°.de antid.* 5ª.113.H
Antidotus quid ſit.1°.de antid. 5ª.99.F
Antidota conficere ingenioſi facile diſcunt.1°.de antid. 5ª.100.B
℞ *Antidotis conficiendis quæ loca vitanda.1°.de antid.* 5ª.105.D
Antidota carmine ſcripta habent vera pondera, & facile memoriæ mandantur.2°.de antid. 5ª.111.A
Antidotis apium miſcetur.de ſimp.med. Sp.80.D
in Antidotis aliquibus faciunt cantharides.de ſimp.med. Sp.82.D
in Antidotis,& purgatoriis careum mittitur.de ſimp.med. Sp.82.C
in Antidotis mittitur caſia.de ſimp.med. Sp.82.H
in Antidotis pretioſum valde eſt cinnamum.de ſimp.med. Sp.83.A
Antidotis omnibus mel commiſcetur.de ſimp.med. Sp.87.B
*Antidotis excalfactoriis immittiť naſcaphthũ.de ſimp.med.*Sp.88.A
in Antidota mittitur pelecinus.de ſimp.med. Sp.89.B
*Antidotis cõtra maligna admiſceť roſmarinus.de ſimpl.med.*Sp.89.E
Antidotis admiſcetur rhu.de ſimp.med. Sp.89.E
Antidotis plurimis miſcetur ſeſeli ſemen.de ſimp.med. Sp.90.D
Antidotis miſcetur ſilphij radix.de ſimp.med. Sp.90.D
Antidotis miſcetur ſtœchas.de ſimp.med. Sp.90.G
*i Antidota,q̃ aduerſus venena faciũt,mittiť ſyrũ.de ſim.me.*Sp.90.H
Antidotis immittitur triſolij radix.de ſimp.med. Sp.91.G
Antidotorum differentiæ.1°.de antid. 5ª.99.F
Antidotorum tria genera.2°.de antid. 5ª.113.H
Antidotus Abaſcanti medici Lugdunenſis.2°.de antid. 5ª.117.D
Antidotus Aelij Galli, qua Cæſarem liberauit, ad quæ valeat, & ex quibus fiat.2°.de antid.110.F/H/115.G/ 5ª.116.H
Antidotus Amaranthi grammatici.2°.de antid. 5ª.120.G
Antidotus ambroſia Philippi Macedonis.2°.de antid. 5ª.115.A
Antidotus Andreæ ad phalangiorum morſus.2°.de antid. 5ª.117.G
Antidotus,quam cõpoſuit Andromachus,ad omnes malas internasq̃ corporis affectiones.2°.de antid. 5ª.110.C
Antidotus Apellis contra venena.2°.de antid. 5ª.114.H
Antidotus Apollodori.2°.de antid.117.H/ 5ª.118.A
Antidotus ab Aphroda ſumpta.2°.de antid. 5ª.120.F
Antidotus apyretos.8°.de compoſit.med.ſec.loc. 5ª.192.C
Antidotus Antipatri quæ theriaca dicitur.2°.de antid. 5ª.115.H
Antidotus Tyrannis appellata,ab Antipatro compoſita fuit.2°.de antidotis. 5ª.116.D
Antidotus Antonij Coi.2°.de antid. 5ª.116.G
Antidotus Archiuij ambroſia & ſacra dicta.2°.de antid. 5ª.115.H
Antidotus Ariſtarchi.7°.de comp.med.ſe.lo. 5ª.186.A
Antidotus Arpuli ad quartanarios.2°.de antid. 5ª.116.F
Antidotus Athanaſia.8°.de comp.med.ſec.lo. 5ª.194.H
Antidotum Baſilij hemitritæis omnibus conferens.de dyn. Sp.33.F
Antidotus qua vtebatur circulator Samius.2°.de antid. 5ª.117.H
Antidotus calliſta & eximie bona.2°.de antid. 5ª.117.D
Antidotus Charitonis circulatoris ad phalangiorum morſus.2°. de antidotis. 5ª.117.F
Antidotus Codij tuſci, qua Craterus vtebatur contra venena.2°. de antidotis. 5ª.114.H
Antidotus vocata charmen.2°.de antid. 5ª.112.E
Antidotus centena.2°.de antid.115.E/ 5ª.120.D
*Antidotus Cratippi viri alendis canibus dediti.2°.de antid.*5ª.116.G
Antidotus diæmaton,id eſt ex ſanguine.2°.de antid.112.C/ 5ª.115.B
Antidotus ad omnium reptilium ictus.2°.de antid. 5ª.118.D
Antidotus hepatica Dioſcori.8°.de comp.med.ſec.lo. 5ª.194.H

Antidotus Heraclidis enneapharmacos dicta, cõtra viperæ morsum. 2°. de antid. 5ª.118.D
Antidotus Heraclidis. 2°. de antid. 5ª.117.H
Antidotus Heræ cappadocis ad rabidos canes. 2°. de antid. 5ª.116.H
Antidotus Hybristi acuti rostri. 2°. de antid. 5ª.118.E
Antidotus Mithridatis athanasia dicitur. 2°. de antid. 5ª.114.H
Antidotus Mithridatis Eupatoris diascinci notata. 2°. de ant. 5ª.115.C
Antidotum Mithridaticum quale. de theria. ad Pisonem. 97. A. 2°. de antidotis. 5ª.110.C/D
Antidotus Mithridatica, vt Xenocrates ait apud Nicostratum, quid faciat. 2°. de antid. 5ª.116.D
Antidotus nectarea. 8°. de composit. medic. sec. loc. 5ª.194.H
Antidoti nephriticæ quæ sint. 10°. de comp. med. se. lo. 5ª.205.H
Antidotus ĩ Orbanũ indũ relata ad fœtus eiicidos. 2°. de ant. 5ª.110.E
Antidotus panacea. 2°. de antid. 5ª.110.F
ad Antidotos polij minoris vsus. 8°. de simp. med. fa. 5ª.59.A
Antidotus prognostica. 2°. de antid. 5ª.113.G
Antidotus rustici medici ad morsus viperæ. 2°. de antid. 5ª.118.B
Antidotus scorpiaca. 2°. de antid. 5ª.117.E
Antidotus Themisonis hiera dicta. 8°. de compositione medicament. sec. loc. 5ª.190.H
Antidotus Theophanis. 2°. de antid. 5ª.117.G
Antidotus thespesiana. 7°. de comp. medicam. sec. loc. 5ª.186.A
Antidotus Zenonis ad canes rabidos est bona theriaca. 2°. de antidotis. 5ª.116.H
Antidotus Zoili pro scorpionis punctura. 2°. de antid. 5ª.117.E
Antidotus Zopyria ex quibus fiat, & eius dosis. 2°. de ant. 5ª.110.H
Antidotus Zopyria. 2°. de antid. 115. A/. 5ª.120.E
p Antidota curatio quo modo fiat. 1°. de sem. 1ª.335.A
Antidoto magno non debet sanari morbus paruus. de vsu theriacę ad Pamphi. 5ª.99.A
Antidotus ad multa bona. 2°. de antid. 5ª.111.F
Antidotus contra aquam timentes. 2°. de antid. 5ª.119.F
Antidotis, q̃ colicis ꝑsunt, miscet̃ lib ysticũ. de sim. medicami. Sp.85.H
Antidotis q̃ colicis sunt ꝑpria, admiscet̃ vrtica. de simp. me. Sp.92.A
Antidotus ad conuulsiones. 2°. de antid. 5ª.116.C
Antidotis crocũ cõmissũ mitigat dolores oẽs. de sim. medicami. Sp.81.E
Antidotus qua Galenus vtebatur ad dolorẽ pedũ. 2°. de ant. 5ª.120.G
Antidotum ad omnes acutas febres. de dyn. Sp.32.G
Antidotum ad lumborum dolorem, & frangendos lapides, vt & lumbi pingueſcant. de dynam. Sp.28.D
Antidotum contrà plagas. de dynam. Sp.31.F
Antidotum ad splenem. de dynam. Sp.26.G
Antidotum ad stringendũ ventrẽ ex quacunq; causa. de dyn. Sp.27.G
Antidotum probatissimum ad præclusionem vesicæ. de dyn. Sp.29.A
Antidotum ad furfuris mictus. de dyn. Sp.29.A
Antidotus ad omnia valens ad quæ theriaca. 2°. de antid. 5ª.112.C
Antidota medicamenta quæ præseruãt à venenis. 2°. de ant. 5ª.114.G
Antidotus contra venena. 2°. de antid. 119. D/ 5ª.120.E
Antidotus celebris ad rabidum canem. 2°. de antid. 5ª.116.F
Antidotus ad phalangiorum morsus. 2°. de antid. 5ª.117.G/H
Antidota ad scorpionum ictus. 2°. de antid. 5ª.117.C/D
ANTIGENES *medicus. de præcogn. ad Posthu.* 4ª.215.B
ANTIGONVS *insignis medicus in castris. 2°. de compositione med. sec. loc.* 5ª.138.G
Antigoni medicamentum ad capitis dolorem. 2°. de compo. medicam. sec. locos. 5ª.138.G
ANTIMACHVS. *7°. de comp. med. per gen.* 5ª.272.B
ANTIMONIVM *quale sit. de ocul.* 7ª.188.H
Antimonium oculis conuenit. de ocul. 7ª.188.G
Antimoniũ valet ad vulnera, & pustulas oculorũ. de ocul. 7ª.189.C
ANTIOCHEI *Isidori emplastrũ. 6°. de cõp. med. per ge.* 5ª.257.A
ad Antiochidem librũ fecit Heraclides. 6°. de comp. me. se. lo. 172. D/ 174. G/4°. de comp. med. per gen. 242. A/5°. 5ª.249.H
Antiochidis malagma. 9°. de comp. med. se. lo. 199. D/10°. 5ª.207.E
ANTHIOCHVS *medicus plus quàm octoginta annos natus quo modo se in victu regeret. 5°. de san. tuen.* 2ª.90.F
Antiochi Philometoris theriaca cõtra vipę morsus. 2°. d̃ ant. 5ª.118.B
Antiochi Placcij meminit. 9°. de comp. med. se. lo. 5ª.202.F
ANTIPATER *methodicæ sectæ auctor. intro.* Isa.51.E
Antipatri antidotus q̃ & theriaca dicit. 2°. de ant. 115. H/ 5ª.116.D
Antipatri emplastrum. 6°. de composi. med. per gen. 5ª.261.E
Antipatri hiera ad stomachicos. 8°. de comp. med. se. lo. 5ª.189.A
Antipatri in vsu malagma. 10°. de comp. med. sec. locos. 208. B/7°. de comp. medica. per gen. 5ª.266.G
Antipatri medicamentum. 9°. de comp. med. sec. lo. 5ª.203.C
Antipatri ad nomas. 5°. de comp. med. per gen. 5ª.253.A
Antipatri potio. 7°. de comp. med. sec. loc. 5ª.182.G
Antipatri potio ad splenicos. 9°. de comp. med. sec. loc. 5ª.198.E
Antipatri ad polypos. 3°. de comp. med. sec. loc. 5ª.148.B
Antipatri medici casus. 4°. de loc. aff. 4ª.28.E
ANTIPHON *librum scripsit de veritate. in 3ᵐ. de morbis vulgar. com. 3°.* 3ª.143.C
ANTIQVATAM, *& longam consuetudinem, & si sit non bona, imitari debet medicus in cibando ægro. de dissol. cont.* Sp.72.C
Antiqtus multa non erant, q̃ nũc sunt inuenta. 14°. meth. me. 7ª.92.H
Antiquiora sunt agrestia domesticis. in Tim. Plat. 1ª.286.H
Antiquior est sanitas ægritudine. secre. Sp.96.G
Antiquorum philosophorum ordo. de hist. philos. Sp.2.D
ab Antiquis cur cœna præferretur prandio. de diss. con. Sp.72.B
Antiqui viuebant moderate, propterea rigores sine febre non incidebant. 2°. de symp. cau. 3ª.23.B
Antiq nõ habebãt frequentẽ vsum balneorũ. 2°. de symp. cau. 3ª.23.B
Antiqui cum nec balneis post cibum nec vita otiosa vterentur, veteres medici scripsere febrim comitari necessario rigores. de palp. conuul. & rigo. 3ª.55.H
apud Antiquos ænearum cucurbitularum vsus frequentior erat. de cucur. scar. 6ª.3.D
Antiquorum dicta non temere approbanda, nec negligenda sunt. in 6ᵐ. de morb. vulg. com. 2°. 3ª.165.A
Antiqui Galeno viam aperuere. 4°. de dign. puls. 4ª.85.E
ab Antiquis ne Galenus in re minima dissentiat, cum ostenderit musculos genu dearticulationem mouentes esse nouem, tamen dicit esse octo. de musc. diss. 1ª.51.G
Antiqui p purgatione magnã seri copiã offerebãt. de sal. diæ. 2ª.41.G
Antiqui breuitati studuerunt. 4°. meth. medendi. 7ª.26.H
apud Antiquos multa scripta defectiuo modo reperiuntur. de victus rat. in mor. acu. com. 4°. 7ª.139.D
cõtra Antiquos scripsit Galenus coactus ab amicis. 4°. de differen. puls. 4ª.64.B
Antiquos qui contemnit, non interpretatur aperte, neque perspicue. de differ. resp. 5ª.57.B
Antiqui mutabant obscuros locos veterum scriptorum. in 1ᵐ. prorrh. commen. 2°. 4ª.182.D
Antiqui viscera scrutati sunt, vt scirent vnde, & quo modo homines morerentur. de nat. & ordine vniuscuiusq; corp. Sp.41.G
Antiqui ponunt priores musculos tibiæ esse tres, Galenus vero septẽ. de musc. diss. 1ª.52.C
ab Antiquis & ab Hippocrate qui musculi mansorij appellentur. de musc. diss. 1ª.44.H
Antiquos mordet Galenus in vocabulo inflationis. commen. 4°. aphorismo. 34°. Ex.31.C
Antiquorum errores in anatomis, & causam eorum scripsit Galenus. 2°. de vsu par. 1ª.121.E
Antiqui ignorarunt motũ labrorum in priora. de musc. diss. 1ª.44.F
ab Antiquis ignorata circa digitos. 2°. de vsu par. 1ª.121.E
Antiquos si in omnibus sequeretur in gloria nulla se apud omnes futurum quidam sibi persuadebat. de cau. procatar. 3ª.98.C
Antiquarum auium, & macrarum axillis velocius digeruntur axillæ auium pinguium, & iuuenum. de diss. cont. Sp.73.C
Antiquorum agnorum, & hœdorum carne, hœdi, & agni anniculi velocius digeruntur. de diss. cont. Sp.73.C
Antiqui animalis caro est sicca. de dissol. cont. Sp.74.D
Antiquæ pecudis caro mala est. de diss. cont. Sp.74.B
Antiquæ capræ caro facit atram bilem. de diss. cont. Sp.74.A
Antiquus caseus est cibus calidus. de diss. cont. Sp.74.C
Antiquum frumentum generat atram bilem. de diss. cont. Sp.74.A
Antiqua farina generat atram bilem. de diss. cont. Sp.74.A
Antiqui, & saliti pisces generant melancholiam. de diss. cont. Sp.74.B
Antiqui galli brodium lenit ventrem. de diss. cont Sp.75.A
Antiquum vinum, citrinum, clarum, subtile, calidũ, est cibus acutus, incidens, & aperiens. de diss. cont. Sp.72.F
Antiquum vinum, citrinum, facit dolere caput. de diss. con. 7ª.74.F
Antiquum vinum dulce citrinũ, est cibus calidus. de diss. con. Sp.74.C

non

nõ *Antiqua valde vina alba, substyptica, subtilia, sunt optima ictericis. de cura icteri.* Sp. 111. D
Antiqua vina & acria conueniunt frigidum humorem habentibus in venis. de vinis. Sp. 76. G
Antiquum byzanticum conuenit ictericis. de cura icteri. Sp. 111. C
ad Antiquas ægritudines vnguentum bonum. secret. Sp. 97. G
ad Antiquum asthma valens medicamen. de med. exper. Sp. 106. C
Antiquũ dolorẽ capitis sanat decoctio agarici. de med. exp. Sp. 114. D
Antiquo dolori hepatis confert sectio arteriarum post aures. de anat. viuorum. Sp. 55. B
Antiquis doloribus hepatis & diaphragmatis mire confert sectio arteriæ manus. de anat. viu. Sp. 54. H
ad Antiquas febres medicina. de med. exper. Sp. 104. A
Antiquis febribus valens electuarium. de med. exper. Sp. 105. B
ad Antiquum fluxum qui contingit ex frigiditate membrorum. de med. exper. Sp. 106. D
ad Antiquas omnes dispositiones oculorum valet succus centaureæ. de virt. cent. Sp. 93. E
Antiquæ ophthalmiæ confert sectio venarum temporum, & quæ sunt in angulis oculorum lachrymalibus. de anat. viu. Sp. 55. A
ad Antiquas oppilationes medicina. de med. exper. Sp. 104. B
ad Antiqua vlcera valet succus centaureæ. de vir. cent. Sp. 93. F
ad Antiquata vulnera peucedanũ facit. de simp. medicami. Sp. 89. B
Antiquius debet esse animal pro anatomia brutorum. de moti. manif. & obscuris. Sp. 70. E
ANTIRRINVM *habet semen vituli naribus simile.* 6°. *de simpli. med. fac.* 5ª. 43. D
ANTISTHENES *philosophiam primus in opus deduxit. de histo. philosoph.* Sp. 2. E
Ἀντίσπασις *quid significet.* 5°. *meth. med.* 7ª. 30. D
Ἀντισπᾶσαι, *id est reuellere. de vict. ra. in mor. acu. c.* 4°. 7ª. 149. B
Ἀντισπαστικὸν *quid significet.* 13°. *meth. med.* 7ª. 83. A
ANTISPODIO *nunquam vsus est Galenus, cum haberet pompholigem.* 9°. *de simplicium med. fac.* 5ª. 70. H
Ἀντιστρέφειν *mutuo conuerti significat.* 2°. *de simp. med. fac.* 5ª. 10. B
Ἀντιστρέφοντες *propositiones, quæ.* 2°. *de simp. med. fac.* 5ª. 13. D
Ἀντίτασις *quid sit.* 6°. *meth. med.* 40. G/ 7ª. 41. C
Ἀντίτυπον *significat renitens.* 5°. *de simp. med. fa.* 5ª. 32. G
ANTONINVS *Galeni tempore. ad eos qui de typ. scrip.* 3ª. 91. H/ *de præcog. ad Posth.* 4ª. 217. H
Antoninus seipsum mutato nomine vocauit Seuerum, qui fuit tempore Galeni. ad eos qui de typ. scrip. 3ª. 91. H
Antoninus sequutus est Adrianum. ad eos qui de typ. scrip. 3ª. 91. H
Antonini Imperatoris laus. 6°. *de san. tuen.* 2ª. 97. C
Antonini ipe oës ad cutẽ detonsi. in 6ᵐ. *de mor. vul. com.* 4°. 3ª. 181. G
Antonini Imperatori theriacam fecit Galenus. 1°. *de antid.* 5ª. 105. G
Antoninus Imperator theriacã quotidie sumebat. 1°. *de ant.* 1ª. 99. H
Antoninus theriacã accepit añ duos mẽses factã. 1°. *de anti.* 5ª. 105. H
Antonini Imperatoris casus. de præcog. ad Posth. 4ª. 218. H
ANTONIVS *Epicureus scripsit de subsidio aduersus proprios affectus. de cogn. cur. animi mor.* 2ª. 50. B
Antonius herbarus experientia multa clarus. 2°. *de comp. me. se. lo.* 138. G/ 6°. *de comp. med. per gen.* 5ª. 262. A
Antonij herbarij ad capitis dolorem medicamentum. 2°. *de composit. med. sec. loc.* 5ª. 138. G
Antonius Musa plures libros scripsit. 6°. *de comp. me. se. lo.* 5ª. 175. C
Antonij Musæ cõpositio exacuẽs visum. 4°. *de cõp. me. se. lo.* 5ª. 153. A
Antonij Musæ ad aurium abscessus in profundo. 3°. *de compo. medic. sec. loc.* 5ª. 143. G
Antonij Musæ cataplasma ex elaterio. 9°. *de cõp. me. se. lo.* 5ª. 200. E
Antonij Musæ cõpositio dolores sedans. 7°. *de comp. me. se. lo.* 5ª. 182. A
Antonij Musæ ad dyspnoicos. 7°. *de comp. med. sec. loc.* 5ª. 186. E
Antonij Musæ hepatica. 8°. *de composit. med. sec. loc.* 5ª. 195. B
Antonij Musæ ad hordeolos. 4°. *de comp. med. se. lo.* 5ª. 153. C
Antonij Musæ medicamentum. 3°. *de comp. med. sec. lo.* 5ª. 148. C
Antonij Musæ nephritica compositio. 10°. *de comp. me. se. lo.* 5ª. 206. C
Antonij Musæ panacea. 7°. *de cõp. med. sec. loc.* 5ª. 186. B
Antonij Musæ ad suffusiones. 4°. *de comp. med. sec. loc.* 5ª. 153. B
Antonij Musæ ad trichiasim. 4°. *de comp. med. sec. loc.* 5ª. 153. B
Antonij Musæ ad vocẽ interceptam. 7°. *de comp. me. se. lo.* 5ª. 181. B
Antonij pharmacopolæ ad coli inflatiões. 9°. *de cõp. me. se. l.* 5ª. 202. D
ex ANTYLLI *libris, de Hirudinibus. de cucur. scar.* 6ª. 4. B
ex Antyllo de scarificatione. de cucur. scar. 6ª. 3. F
ANVM vocat circulum pudicum. de compagine memb. siue denatura humana. Sp. 59. F
Anus calidus est & humidus vt os. 9°. *de simpli. med. fac* 5ª. 69. B
Anus incumbit oræ vltimæ recti intestini. 5°. *de vsu par.* 1ª. 147. A
circa Anum cur sint nates. 11°. *de vsu par.* 1ª. 190. C
ad Anũ ventriculi fundus puenire non põt. 4°. *de vsu par.* 1ª. 140. G
in Ano qui musculi. 1°. *de san. tuen.* 2°. 67. F
Ani musculi quo modo se habent. 2°. *de mo. mus.* 1ª. 315. G
ad Anum musculi parui vnde sint. 16°. *de vsu par.* 1ª. 218. D
Ani musculus sphicter dicitur. 3°. *de symp. cau.* 3ª. 25. H
Ani musculus cur factus. 2°. *de mo. mus.* 1ª. 315. H
ad Anum musculus pertinens. 2°. *de ana. adm.* 1ª. 71. D
ex Ani musculis vnus est solutº ac sine pari. 5°. *de vsu par.* 1ª. 146. E
in Ano musculi existentis motus. 1°. *de mo. mus.* 1ª. 309. H
Ani musculus differt ab illo qui est in collo vesicæ, & quomodo. 6°. *de vsu partium.* 1ª. 147. E
in Ano quo modo se habeat media cõstitutio. 2°. *de mo. mus.* 1ª. 315. G
Ani musculº orbicularis relaxatĩ in excretione. 6°. *de ana. ad.* 1ª. 94. H
Ani musculis resolutis superflua inuitis nobis exeunt. 4°. *de vsu partium.* 1ª. 141. E
Ani musculo resoluto pueri inuite excernẽtis casus. 1°. *de lo. af.* 4ª. 7. b
Ani musculo exciso, sterc⁹ effluit inuitis nobis. 2°. *de mo. mus.* 1ª. 315. H
Ani musculus quo mõ afficiatur frigore aut ictu. 1°. *de lo. aff.* 4ª. 7. H
ad Anũ depellunt vniuersa pp diaphragma. 5°. *de vsu par.* 1ª. 148. B
p Anum melius est transmittere excrementa quàm per stomachum. 5°. *de vsu par.* 1ª. 147. A
Ani excrementa quorum sunt notæ. 6°. *de loc. aff.* 4ª. 41. E
Ani morbos curantes medici Romæ appellabantur anales. de par. art. med. Sp. 16. F
Anus & os gaudẽt similibus medicamẽtis. 9°. *de simp. me. fa.* 5ª. 69. B
Ano quæ medicamẽta apta, & quę non. 9°. *de cõp. me. se. lo.* 5ª. 204. E
Ani medicamenta ab Andromacho conscripta. 9°. *de compo. medica. sec. loc.* 5ª. 204 F
Anus aqua lauandus & extrema manuum, & pedes in aqua mittendi, quando non vis amplius purgari. de dyn. Sp. 21. F
Anus non est lauandus aqua si Ision debeat educere, sed absterg̃das panno lineo. de dyn. Sp. 21. F
Ano quæ metalla conueniant. 9°. *de comp. med. sec. loc.* 5ª. 204. E
ad Ani affectus. 5°. *de composit. med. per gen.* 5ª. 251. D
ad Ani affectus valet succus centaureæ. de vir. centau. Sp. 93. E
ad Ani dolorem. secre. Sp. 99. G
ad Ani eminentias. 3°. *de comp. med. per gen.* 225. E/ 5ª. 235. C
ad Ani eminentias pastillus. 9°. *de comp. med. sec. loc.* 5ª. 205. C
ad Ani exitus confert succus centaureę. de virt. cent. Sp. 93. E
ad Ani internas prominentias. 3°. *de med. fac. par.* 7ª. 178. H
ad Ani pminẽtias ĩteriores, et exteriores. 3°. *de me. fa. par.* 7ª. 179. A
ad Ani inflammationes, ac rimas. 9°. *de compo. medicam. sec. locos.* 204. G/ 5°. 5ª. 252. E
Ani phlegmonas, vlcerationes, quassationes, depascentias, putredines mitigat succus centaureæ. de virt. cent. Sp. 93. E
ad Ani pondus. de dynam. Sp. 28. A
ad Anum procidentem. de remed. par. fa. 7ª. 160. B/ *de dy.* Sp. 28. A
ad Ani procidentiam cum sanguine. de dyn. Sp. 27. H
ad Ani pruritus. 9°. *de comp. med. secundùm lo.* 5ª. 204. F/ *de remed. par. fac.* 7ª. 160. B
ad Ani rhagadas ĩtumescẽtes, Apollonij. 6°. *de cõp. me. se. lo.* 5ª. 150. C
ad Ani rhagadas. 4°. *de comp. med. per ge.* 5ª. 241. B
ad Ani rhagadas & nomas. 5°. *de comp. med. per gen.* 5ª. 251. G
ad Ani rugas intumescentes. 1°. *de comp. med. se. loc.* 5ª. 130. C
in Ano cur sanguinis exituræ plerunq; fiant. de anat. viu. Sp. 44. C
ad Ani tumores exterius prominentes. 3°. *de med. fa. par.* 7ª. 176. E
ad Ani tumores internos. 3°. *de med. fac. par.* 7ª. 172. G
de Ani vitiis, & affectibus & cur difficillime curentur. 9°. *de comp. med. sec. lo.* 5ª. 204. E
ad Ani vitia. 2°. *de comp. med. per gen.* 224. E/ 5°. 5ª. 253. A
Ani vlcera sanat aloe. 6°. *de simp. med. fac.* 5ª. 42. C
ad Ani vlcera valet dyphriges post cadmiam repertus. 9°. *de simp. med. fac.* 5ª. 69. B
ad Anum assuta iunctura. de fasciis. 7ª. 304. D
iuxta Anum vbi curantur corpora quo laqueo figuranda sint. de laqueis. 7ª. 308. G

ṗ Anum & qũo curanť vlcera inteſtinorum. 5°.meth.med. 7ª.34.D
in Anũ qũo mittenda clyſteris fiſtula. 4°.meth.med. 7ª.29.B
i Anũ immittẽdũ medicamẽtũ ad coli dolores.de me.fa.par.7ª.168.A
Ano immittendũ medicamẽtũ alui purgatoriũ.de me.fa.par.7ª.167.E
Anus.lege ſedes.
in ANVLO Phaetõ quatuor equis ĩſculptus.7°.de vſu par.1ª.222.D
in Anulis ſculpturæ an aliquid ſignificent & proſint. 9°. de ſimplic. med.fac. 5ª.67.D
Anulus deglutitus cur facile excretus.3°.de nat.fac. 1ª.303.C
Anulus in homine,qui.intro. Iſa.53.E
Anuli gutturis.de anat.viu. Sp.53.D
Anulari digito perdito q̃ actiones perdũtur. 1°.de vſu par. 1ª.120.C
Anuli ad quid organis adhibeantur.de machin. 7ª.310.E
ANXIETVDO quid ſit,& quo modo fiat,& quo modo dicatur à Græcis.com.7°.aph.56°. Ex.59.A
Anxietudo dolor eſt ſecundum Chryſippum.3°.de dec.Hip.1ª.245.F
Anxietates quibus fiant.de vic.rat.in morb.acu.com.2°. 7ª.122.F
Anxietudinem habent ſani & ægri.com.7°.aph.56°. Ex.59.A
Anxietudinis & mœſtitię ẽ quaſi genus dolor.3°.de dec.Hip.1ª.245.F
ex Anxietate reſoluuntur vires.1°.meth.med. 7ª.77.D
Anxietudo vino ſoluitur,& quo modo.com.7°.aph.56°. Ex.59.A
ad Anxietatem.ſecret. Sp.102.F
AORTAE vocabuli inuentor fuit Ariſtoteles. de ven.& arter.diſſ. 1ª.55.G
Aortam vocat Ariſtoteles arteriam maximam à corde procedentem. 1°.de ſemine. 1ª.331.D
Aortæ venæ officiũ,& ex quibus compoſita ſit.de ana.viu. Sp.52.H
Aorta arteria quorſum procedat.de vtil.reſp. Sp.62.G
Aˊοχλησίαν,id eſt moleſtiæ vacationem,habent corpora ſana.in 1ᵐ.de morb.vul.com.2°. 3ª.112.C
Απακμαστικὴ febris eſt ſpecies ſynochi.8°.meth.med. 7ª.57.A
Aˊπωγμα nomen ſolutionis continui in oſſe proprium medicis ignotum.6°.meth.med. 7ª.40.B
Aˊπώγματα,id eſt abductiones.de iis,quę in med.ſi.cõ.3°.7ª.219.G
Aπαλὰ pharmaca quæ.de remed.par.fac. 7ª.160.A
APARACHYTON vinũ quale.4°.de comp.med.per ge.5ª.241.F
APARINE ſtrangulat lentem.1°.de alim.fac. 2ª.15.H
Aparine extergit,& deſiccat.6°.de ſimp.med.facult. 5ª.43.D
Aˊπαρτὶ quid ſignificet.de vict.rat.in morb.acu.com.2°. 7ª.122.E
Aˊπαρτὶ ſignificat perfectè.com.1°.aph.20°. Ex.9.H
Aˊπάρθρωσις ſignificat dearticulationem.de art.com.2°. 7ª.263.E
APECHEMA quid.fin.med.48.C/intro. Iſa.59.C/F
APELLARVM curatio duplex.intro. Iſa.60.A
vt APELLES medicamentum.5°.de comp.me.per ge. 5ª.254.B
Apellis antidotus contra venena.2°.de antid. 5ª.114.H
APELLIDES, & Archimedes non fuere medici,ſed architecti. de machin. 7ª.316.C
Apellidis,ſeu Archimedis triſpaſtum.de machin. 7ª.316.C
Aˊπεψία à ſymptomate nomen habuit.2°.meth.me. 7ª.9.D
Apepſia quod ſymptoma ſit.3°.de ſymp.cau. 3ª.24.F
Apepſia quid.de ſymp.dif. 3ª.12.D
Apepſia quæ eſt cruditas.3°.de ſymp.cau. 3ª.24.F
Apepſia quæ eſt deprauatio.3°.de ſymp.cau. 3ª.24.F
Apepſia facit particulam gracilem.de ſymp.diff. 3ª.12.H
APERIRE quid.in 6ᵐ.de mor.vul.com.2°. 3ª.165.E
Aperta et expãſa q̃ vocet Hip.de iis,quæ in med.fiũt.cõ.2°.7ª.213.A
Aperire denſata & rarefacere mediocriter calefaciendo opus eſt. in 6ᵐ.de morb.vulg.com.2°. 3ª.160.F
Aperientium natura qualis.5°.de ſimplic.medic.fac. 5ª.35.F
Aperitiua qualia ſint,& quæ ſint.de ocul. 7ª.188.E
Aperientia quæ ſint.5°.de ſimp.med.fac.35.F/5ª.36.A/commen.2°. aph.20°. Ex.14.D
Aperientia quo modo compellant adſtringentia.6°.de compo.medica. ſec.loc. 5ª.167.D
Aperitiua,quæ ſtypticitatem,& ponticitatem habent extra poſita nõ aperiunt,ſed potata viſcerũ aperiũt obſtructionẽ.de ocu.7ª.188.E
Aperiunt,& incidunt cibi acuti.de diſſ.cont. Sp.72.E
ad Aperiendum,melangia valet.de dynam. Sp.35.E
Aperit mel deducendo humorem.de ſimp.medicamin. Sp.87.B
Aperit oppilationes decoctio aſſari, & decoctio ſquinanthi. de med. exper. Sp.107.B
Aperit obſtructionem decoctio abſinthij,& centaureæ, ſed minus quã decoctio iridis.de med.exper. Sp.104.B
Aperit obſtructionẽ craſſam decoctio iridis.de med.exper. Sp.104.B
Aperit craſſas oppilationes decoctio aſſę fętidę.de med.exp.Sp.107.C
Aperiens oppilationes medicamentum.ſecret.101.H/de med.exper. 105.G/106.C/ Sp.107.D
Aperiens oppilationes electuarium.de med.exper. Sp.107.D
Aperit oppilationes electuarium cẽtaureæ.de med.exper. Sp.107.G
Aperiunt oppilationem hepatis fiſtici.de diſſ.cont. Sp.74.G
Aperit ſicla oppilationes hepatis.de diſſ.cont. Sp.74.G
in Apertione hepatis valens medicina.de med.exper. Sp.106.F
Aperit oppilationes hepatis electuariũ gaſit.de med.exp. Sp.108.A
Aperit oppilationem hepatis & ſplenis lac ſi comedatur cũ origano, cum mentaſtro ſyluęſtri,cum pipere.de diſſ.cont. Sp.74.H
Apertione oppilationis ſplenis,hepatis,pectoris,& cerebri indigenti cõuenit cibus acutus,qui incidit & aperit.de diſſ.cont. Sp.72.F
Aperit oppilationẽ hepatis,& ſplenis ſecaniabin.de diſ.cõt. Sp.74.H
Aperit aqua temperata.7°.meth.med. 7ª.44.F
Aperit vias vrinæ,ſudoris,& alui,balneum,tamen non calefacit.11°. meth.med. 7ª.70.E
Aperiens canales medicamentum.de med.exper. Sp.104.G/H
Apertio vaſorum quibus fiat cauſis.3°.de ſymp.cau. 3ª.27.A
Aperiens venas medicina.de med.exper. Sp.104.A
qd Aperiat ora venarum.de cura.lap. Sp.112.H
Aperit orificia hæmorrhoidum ſectio ſaphenæ.de anat.viu. Sp.54.H
Apertio venæ quo modo cognoſcatur.de ren.aff.dig & med.7ª.192.G
ad Aperiendum,Tractum.de dynam. Sp.31.F
Aperitiuæ medicinæ ad oculos pertinent.de oculis. 7ª.189.A
ad Aperiendum oppilationes quæ accidunt in membris interioribus valent drach.ij.cubebarum.de med.exper. Sp.106.E
Apiť coopertoriũ epiglotidis ĩ vociferatiõe.de vo.& anhel. Sp.61.C
Aperientes alas naſi muſculi vbi ſint.de muſc.diſſ. 1ª.44.F
APERISTATA emplaſtra,id eſt aperta,quæ ſint.2°.de comp.med. per gen. 5ª.222.B
Aperiſtatum vlcus.2°.de comp.med.per gen.218.F/ 5ª.220.E
Aˊπεῤῥωγε.i.abrupta eſt.de vict.rat.in morbis acu. 7ª.139.B
APES quo modo generentur.9°.de comp.med.ſe.lo. 5ª.201.E
Apes quo modo ex equis & bobus naſcantur.an animal ſit. 1ª.328.B
Apes cur habent crura longa & gracilia.5°.de vſu par. 1ª.128.C
Apes cur ingẽnioſiores multis ſanguine præditis.q̃ aĩ mor. 1ª.319.C
Apes obeunt oleo madefactæ.2°.de ſimp.med.fa. 5ª.14.E
Apum punctura ſanans medicamentum.2°.de ant. 1ª.118.H
Apum morſus iuuat ſtercus bubulum.10°.de ſimp.med.fa. 5ª.76.G
APHACES ſubſtantia,natura,& vſus.de alim.fac. 2ª.15.G
Aphace ſicca eſt in tertio gradu, calida in primo. 6°. de ſimplic. med. facult. 5ª.44.C
Aphace adſtringit vt lenticula.6°.de ſimp.medic.fac. 5ª.44.C
ex Aphace humor melancholicus generatur. 1°.de alim.fac. 2ª.15.G
Aphlegmantis dictis phlegmonis aduerſus eſt lęchen. 7°. de ſimplic. medicam.fac. 5ª.54.B
APHONIA quæ ſit.de ſymp.cau. 3ª.19.G
Aphoniæ quomodo fiant.in 1ᵐ.prorrh.com.1°. 4ª.166.E
Aphoniæ variæ cauſæ explicantur.in 1ᵐ.pror.com.3°. 4ª.178.G
Aphoniæ ex capitis dolore.in 1ᵐ.pror.com.3°. 4ª.178.F
Aphoniæ cum exolutione vnde fiant.in 1ᵐ.pror.com.1°. 4ª.166.E
Aphoniæ in acutis morbis pp quid fiant.in 1ᵐ.pror.com.1°.4ª.167.H
Aphoniæ cum exolutione perniciоſæ.in 1ᵐ.pror.com.3°. 4ª.179.B
Aphoniæ in febre quæ deſinunt in ecſtaſim,pernitioſę ſunt.in 1ᵐ.pror. com.2°. 4ª.172.B
Aphoniæ cum ſingultu peſſimæ ſunt.in 1ᵐ.pror.com.1°. 4ª.166.E
Aphoniæ quibus ex dolore, hi cum dolore moriuntur. in 1ᵐ.prorrh. com.2°. 4ª.172.D
ad Aphoniam ob ſuffocationem matricis.de paſſ.mul. Sp.95.B
APHORISMORVM liber an ſit primo loco inter Hipp. libros legendus.com.1°.aph.1°. Ex.2.F
Aphoriſmorum,& de aquis,aere,& locis, & de acutorum morborũ victu libri ſunt Hippocratis.3°.de diff.reſp. 3ª.69.E
Aphoriſmos vocat ſnas.de vict.rat.in morb.acu.comp.4°.7ª.137.E
Aphoriſmorum, & epidemiorum libri differentia.in prognoſt. commentario.3°. 4ª.212.B
añ Aphoriſmos ſcripti fuerũt libri epidemici.2°.de die.dec.4ª.154.D
in Aphoriſmis ſola capita ponit Hippocrates,quæ in prognoſticis particulariter dicuntur.1°.de criſi. 4ª.127.D

Aphoriſtica doctrina qualis.com.1°.aph.1°.2.G/3.A/aph.14°.7.G/com.2°.aph.28°.Ex.16.D/6°.de ſimp.med.fa. 5ª.40.E

in Aphoriſmis,in paucis verbis vis magna continetur. de victꝰ.ratio. in mor.acu.com.4°. 7ª.136.F

Aphoriſmi non habent ſolœcum,& ſi cum maxima breuitate enuntiẽtur. in 1ᵐ.pror.com.1°. 4ª.162.E

Aphoriſtica breuitas quod nõ ſeruetur ab Hippocrate, & quænã ſit. com.5°.aph.64°. Ex.44.H

Aphoriſmum eundem aliqui bis ſcribunt,& in eiſdem cõmentarijs cũ exponunt.com.5°.aph.64°.44.H/com.7°.aph.53°. Ex.58.E

ĩ Aphoriſmis particularem cãm ponit Hip.c.7°.aph.26°. Ex.55.G

Aphoriſmorũ ſermones quomõ ſint intelligendi.c.7°.ap.22°.E.55.E

Aphoriſmos verificari vt in pluribus ſatis eſt.c.6°.aph.58.Ex.53.F

Aphoriſmos Hippo.legenti quid obſeruandũ ſit.c.6°.ap.58°.Ex.55.F

Aphoriſmos explanare quos decet. aduerſus Lycum. Ex.61.G

Aphoriſmi ab interpretibus ampliãdi ſunt.com.3°.ap.18°.Ex.23.g

Aphoriſmorum librum ante librum de ratione victus in acutis expoſuit Gal.de vic.ra.in mor.acu.com.2°. 7ª.123.E

Aphoriſmi fuerũt ĩterptati a ꝓbatiſſimis viris.c.5°.ap.62°.ex.43.H

Aphoriſmos ab alijs expoſitos fuiſſe preter Galenum collige.com.2°.aph.34°.17.E/com.4°.aph.65°.34.E/c.4°.aph.76°.36.C/ cõ.5°.aph.13°.38.E/com.6°.aph.33°.50.A/aph.44°.51.C/ in proœmio.c.7°.53.H/c.7°.aph.37°.56.H/aph.53°.58.E/a.59°.59.D/ aph.64°.60.D/aph.74°. Ex.60.H

Aphoriſmos interpretatus eſt Marinus.com.7°.apho.13°.apho.24°.55.F/aph.13°. Ex.54.H

Aphoriſmorum quorundam ordo.com.5°.aph.62°. Ex.43.E

Aphoriſmorum plurium cõis quædã gloſſa.c.6°.aph.16°. Ex.47.G

Aphoriſmi tertij libri ordinantur a Galeno.com.3°.aph.15°.Ex.22.g

Aphoriſmum quendam ſe non intelligere fatetur Galenus. comm.7°.apho.46°. Ex.57.G

Aphoriſmum, Sub canem & ante canem,exponere vbi poſsis. in 1ᵐ. de mor.vul.com.1°. 3ª.102.A

Aphoriſmis Hippocratis plura fuere addita.c.5°.aph.64°.Ex.44.G

Aphoriſmus quidam interiectus com.7°.aph.47°. Ex.57.G

Aphoriſmi quidã nothi in fine aphoriſmorũ additi.de vic.ra.in morb. acu.com.4°. 7ª.134.B

Aphoriſmus qui non eſt Hippocratis.com.5°.aph.62°.43°.H/ apho.63°.44.C/commen.6°.aph.26°.48.F/aph.44°.51.C/ commen.7°. apho.63°. Ex.59.H/ & ſequentes.

APHRA *Diophantis emplaſtrum.2°.de comp.me.per ge.* 5ª.222.F

APHRODES *mecon quid.* 7°.*de ſim.me.fa.*55.H/8°. 5ª.58.A

ab Aphroda ſumpta antidotus.2°.de antid. 5ª.120.F

vt Aphrodas confectum acopon.7°.de comp.me. per ge. 5ª.272.B

Aphrodæ cephalicum viride.2°.de comp.me. per ge. 5ª.226.G

Aphrodæ viride ex cyprino.2°.de comp.me.per ge. 5ª.221.D

Aphrodæ molaris.5°.de comp.me.ſe.lo. 5ª.165.A

Aphrodæ paſtillus amarus.8°.de comp.me.ſe.lo. 5ª.188.H

Aphrodæ medicamentum. 4°.de comp.med.per ge. 5ª.243.C

ex APHRODISEI *collectaneis acopon.7°.de compoſitio.medic. per ge nera.* 5ª.270.B

Aphrodiſiacum Clidion.7°.de comp.me.ſe.lo. 5ª.184.F

APHRODITARIVM *medicamentum.4°.de compoſi.medica.ſecundũ locos.* 5ª.154.B

APHROCALA *eſt ſpuma lactis.de bo.& vitio ſuc.* 2ª.39.B

Aphrogala cibus romanus. 7°.*me.me.* 7ª.44.B

PPHROLITRVM *quale.9°.de ſim.me.f.68.H/11°.83.D/3°. de cõp. med.per ge.* 5ª.230.F

Aphrolitrum,nitrum, & nitri ſpuma differunt.1°.de compo. me.ſec. loc.128.B/ 3°. 5ª.141.B

inter Aphrolitrum & ſalem medium eſt aphronitrum. 9°.de ſimp.me dic.fac. 5ª.68.H

in Aphrolitri & ſalis medio eſt nitrum.11°.de ſimp.me.fa. 5ª.83.E

Aphrolitro carnes ſeruantur.11°.de ſimp.me.fa. 5ª.83.D

Aphrolitrum quo loco reponatur inter calida quæ valent alopecijs. 1°.de comp.me.ſe.lo. 5ª.122.D

Aphrolitrum in auricularia medicamenta miſcetur.3°.de compo.me. ſec.loc. 5ª.141.B

Aphrolitrum molle,ꝙ re vera aphrolitrum eſt, vlceribus ſolum non admouetur.4°.de comp.med.per ge. 5ª.236.G

Aphrolitrum ad vulnera neruorum.3°.de comp.me.per g. 5ª.230.F

APHRONITRVM *quid,& eius vires. de ſim.me.* Sp.80.C

Aphronitrum quomodo fiat. de dyn. Sp.23.A

Aphroniri probatio.14°.me.me. 7ª.88.H

Aphronitrum quale.4°.de ſimp.me.fac.30.F/9°.68.H/7°.de compo. med.per ge. 5ª.265.G

Aphronitrum eſt ſubtilium partiũ.3°.de com.me.per ge. 5ª.228.E

Aphronitrorum differentiæ. 4°.de ſimp me.fa. 5ª.30.G

Aphronitrum laxum quomodo differat a ſale.3°.de ali.fa. 2ª.33.C

Aphronitrũ mediũ eſt ĩter aphrolitrũ et ſalẽ.9°.de ſim.m.f. 5ª.68.H

ĩter Aphronitrũ et ſalẽ media ẽ ſpuma nitri.9°.de ſim.me.fa. 5ª.68.G

Aphronitrum album ad quid vtile. 3°.de me.fac. 7ª.173.E

*Aphronitrum non excedit fines tuendæ ſanitatis.1°.de ſa.tu.*2ª.68.H

Aphronitrum ſtomacho eſt inimicum.9°.de ſimp.me.fa. 5ª.70.A

*Aphronitrum in cibo ſumptũ meatus purgat.5°.de ſim.me.f.*5ª.35.C

Aphronitrum eſt amarum & abſtergens.9°.de ſim.med.fa. 5ª.68.G

Aphronitrum detergit.1°.de alim.fac.2ª.13.H/8°.methodi medẽdi. 51.A/ 7ª.52.H

*Aphronitro ſordes balneorum exteruntur.9°.de ſim.me.fa.*5ª.68.H/ *de ſimp.med.* Sp.80.C

Aphronitro,nitro,& aqua lixina detergenda eſt ſpongia non noua in nouæ defectu.14°.me.me. 7ª.87.F

Aphronitrum in lixiuij penuria.14°.me.me. 7ª.88.H

Aphronitrum ſiccat,vt ſal,& non habet vim adſtringendi.2°.de cõ. med.per ge. 5ª.222.A

Aphronitrũ mordicat excreſcentias carniũ.4°.de ſim. me.f. 5ª.30.G

Aphronitro ad fungos ſuffocantes ruſticus quidam vtiliter vtebatur. 9°.de ſimp.med.fa. 5ª.70.A

Aphronitrum pruritum ſanat. 9°.de ſimp.me.fa. 5ª.68.H

Aphronitrum ad vulnera neruorũ facit.3°.de cõ.me. per g. 5ª.230.F

Aphronitrum cum melle,& aceto purgat aures.de cathar. Sp.95.B

APHROSELINVM *quid.de ſimplicibus med.* Sp.80.D

Aphroſelinum omnia vitia capitis potatum emẽdat,cephalalgicis,et epilepticis vtiliter prodeſt.de ſim. me. Sp.80.D

*Aphroſelinus contra comitialẽ morbũ valet.9°.de ſim.me.f.*5ª.67.E

APHTHÆ *ſimpliciter dictæ,quid ſignificent.6°.de comp.me. ſecund. locos.* 5ª.175.D

Aphtha quid.fin.med.48.H/intro. Iſa.59.C

Aphtha,id eſt oris vlcera in pueris.com.3°.aph.24°.25.A/ com.4°. aphor.12°. Ex.28.E

Aphthæ quid ſint,& vnde habeant ortum.c.3°.aph.24°. Ex.25.A

Aphthæ cur fiant circa ora puerorum,& cur fiant.in 3ᵐ.de mor.vul. commen.2°. 3ª.135.G

Aphthæ quæ ſint,quibus fiant,& quomodo curentur. 6°.de com.me. ſecun.loc. 5ª.175.B

Aphtharum differentiæ viſu ſimul & tactu cognoſcuntur. 6°.de com. med.ſe.lo. 5ª.176.E

in Aphthis nomæ, id eſt vlcus depaſcens.6°.de cõ.me.ſe.l. 5ª.175.B

in Aphthis ſaliua multa quid ſignificet.6°.de cõ.me.ſe.lo. 5ª.175.G

Aphtharum curatio.in 3ᵐ.de mor. vul.com.2°. 3ª.135.G

Aphthas quomodo Galenus curat.6°.de comp.me.ſe.loc. 5ª.176.F

Aphthis accõmoda ſunt cypri folia cõmanſa.7°.de ſim.m.f. 5ª.53.H

Aphthas ſanant rubi folia & germina recens nata ſi mandantur.6°. de ſimp.med.fac. 5ª.44.F

ad Aphthas,hoc eſt oris vlcera.3°.de med.ſa.par.174.G/de remed. par.fac. 7ª.158.B

ad Aphthas, Andromachi.6°.de comp.me.ſe.lo. 5ª.175.D

ad Aphthas, Apollonij.6°.de comp.me.ſe. lo. 5ª.175.G

ad Aphthas, Archigenis.6°.de comp.med.ſe.lo. 5ª.176.C

ad Apthas, Aſclepiadis.6°.de comp.med.ſec.lo. 5ª.175 G

ad Aphthas,Critonis.6°.de comp.med.ſe.lo. 5ª.175.D

ad Aphthas adhibeĩ decoctũ leucoi cũ melle.7°.de ſim.me.f. 5ª.54.D

*ad Aphthas albas. 6°.de compo.med.ſec.lo.*5ª.175.G/*de reme. par. facil.* 7ª.158.B

ad Aphthas nigras.6°.de eompoſi.med.ſe.loc. 5ª.175.H/ *de remed. par.fac.* 7ª.158.C

ad Aphthas nigras malignas.6°.de comp.med.ſe.lo. 5ª.175.D

ad Aphthas nigras,& depaſcentes.de reme. par.ſa. 7ª.158.B

ad Aphthas in pueris.6°.de compoſi.med.ſecun.loc. 5ª.168.E/ *de remed.par.fa.* 7ª.158.C

in Aphthis puerorum a quibus abſtinere nutrices debent.6°.de cõpo. med.ſe.lo. 5ª.176.B

ad Aphthas oris. 6°.de comp.me.ſe.lo. 5ª.170.C

Aphthis teſticulorum quid vtile ſit.9°.de comp.me.ſe.loc. 5ª.205.F

ad Aphthas putredinosas. 6°.de comp.me.sec. lo. 5ª.175.D
ad Aphthas sordidas, Galeni.6°.de comp.me.se.lo. 5ª.176.C
Aphthis vehementer acria sunt aduersissima.de reme.pa.fa. 7ª.158.C
in Aphthis non sunt danda,quæ putrefactis conueniunt. 6°.de compo. med.se.loc. 5ª.176.H
Aphthæ insensissimum est oleum.6°.de comp.med.se.lo.5ª.176.G/ de remed.par.fa. 7ª.158.C
Aphthæ insensissima chalcitis.6°.de comp.me.se.lo. 5ª.176.G
Aphtha appellatum infusum.9°.de comp.me.se.lo. 5ª.203.G
APHYSON *est, hoc est flatus extinguit, petroselini semen. 8°.de sim. med.fac.* 5ª.58.C
sup APICEM *pinnaculi, aut montis excelsi incedens cur timet, & pedes eius tremunt. de mot.man.& obs.* Sp.69.D
APICVLARVM, *& similium animalculorum punctura confert sisymbrium.de simp.med.* Sp.91.B
APIOS *significat pyrum. 6°.de simp.me.fa.* 5ª.43.D
APIONIS *ad carbunculos. 5°.de comp.med.per ge.* 5ª.254.D
APIVM *quid sit,& eius vires. de simp.med.* Sp.80.D
Apiũ habet caulem inutilẽ post semen effusum. 2° de ali.fa. 2ª.24.B
Apium non habet caulem hyeme. 2°.de alim. fa. 2ª.23.E
ex Apij,& petroselini genere est smyrnium.8°.de sim.me.f. 5ª.61.B
Apium qualc.6°.de compo.med.sec.loc. 5ª.170.G/ *3°.de medic. facil.par.* 7ª.175.H
Apij semen calidum & acre.5°.de simp.me.fa.35.D/8°. 5ª.60.B
*Apũ semẽ calidũ est cũ subtili substantia.2°.de ar.cu.ad Gl.*7ª.104.g
Apium exiccat.3°.de ali.fa. 2ª.26.D
Apium adstringit & repercutit.4°.de comp.me.sec.lo. 5ª.157.D/*de reme.par.fac.* 7ª.156.D
Apium vsitatissimum est,& gratum stomacho.2°.de ali.fa. 2ª.23.E
Apium condendi modus.2°.de alim.fa. 2ª.23.F
Apium est cibus ca'idus.de diff.cont. Sp.74.C
Apium est cibus acutus incidens,& aperiens. de dif.cont. Sp.72.F
Apio, & carbtho facilius digeruntur,lactucæ,endiuia,cituli,cucurbita.de diff.cont. Sp.73.D
Apij semen conuenit in diæta attenuante. de atte.vic.ra. 2ª.44.E
Apij decoctũ solũ post balneũ quibus põt offerri.8°.me.me. 7ª.53.A
cũ Apio vel ocymo panis crustas optime disrumpit. 2°.de arte cur. ad Glau. 7ª.107.B
Apium detergit.8°.met.med. 7ª.52.G
*Apiũ interdũ degustare epilepticis conuenit.de puero epil.*7ª.180.c
Apij semen flatus sanat. 8°.me.med. 7ª.53.F
Apiũ & Asarũ ebullita in aqua pro humore aqueo in corpore. 4°.de præcogni. ad Posth. 4ª.217.H
Apij semen inflationem sedat. 14°.me. med. 7ª.88.F
*Apium cit vrinas.2°.de ali.f.*2ª.23.E/*8°.de simp.med.fac.60.B/ 9°. de compo.med.sec.loc.200.H/*5ª.201.H/*13°.me,med.83.H/ 1°. de arte cur.ad Glau.97.B/*7ª.99.F/*de simp. med.* Sp.80.D
Apij seminis,& carui decoctio prouocat vrinam,& mẽstrua fortiter & subtiliat humores crassos. de med. exper. Sp.104.D
Apio mouenda est vrina senibus. 5°.de san.tu. 2ª.92.E
Apium menses cit. 8°.de simp.me.sa. 5ª.60.B
Apium cur misceatur purgantibus medicamentis.8°.de compo.med. sec.loc. 5ª.190.B
Apium mittitur in purgatorijs,& antidotis.8°.de simp.me. Sp.80.d
Apij radix non calefacit & euacuat. 11°.me.med. 7ª.69.G
Apium lac purgat & multiplicat. 5°.de simp.me.fa. 5ª.37.G
Apium mundificat stomachum. de diff.cont. Sp.74.E
Apij semen purgat renes.de cathar Sp.95.C
*Apij semen sanguinem extenuat,ac secernit. 5°.de simp.me.f.*5ª.35.D
A"πνοια *a symptomate non habuit.2°.met.med.* 7ª.9.D
*Apnœa quid sit.2°.de symp.cau.*3ª.19.G/*4°.de loc.affe.* 4ª.27.D
Apnœæ vnde proueniant.1°.de symp.cau. 3ª.18.F
Apnœas facit os ventriculi,ratione societatis. 1°.de sym.cau. 3ª.17.G
APNVS *dictus liber Heraclidis. 6°.de lo affe.* 4ª.39.E
APOCYNON *calidũ est non instrenue. 6°.de simp.me.f.* 5ª.43.E
Apocynon illitum admodum digerentis est facultatis. 6°.de sim.me. facult. 5ª.43.E
Apocynon est venenum hominibus. 6°.de simp.me.fa. 5ª.43.E
Apocynon canes celerrime interimit.6°.de simp.me.fac. 5ª.43.D/E
APOCRETICEN *facultatem.i.expulsiuam, vindicant sibi nerui obliq. de compag.memb.sine de natura humana.* Sp.58.H
A'ποκλάσματα *.i.abruptiones.de ijs,quæ in med.fi.com.3°.*7ª.219.g
APODACRYTICA, *id est delacrimatiua pharmaca, quæ.4°.de comp. med.se.lo.* 5ª.151.G
A'ποκλυσις *quid significet.in 1m. pror.com.2°.* 4ª.183.G
APOLLO, *& Aesculapius Dei artis medicæ, diuinandi, canendi, sagittandi.oratio suasoria.* Isa.2.C
Apollini & Aesculapio veram medicam artem qui concedunt.3°. met. med. 7ª.20.H
Apollinis catapotium album.7°.de comp.me.se.loc. 5ª.183.D
APOLLINAREM *herbam si quis comederit, quid conferat. 2°.de antido.* 5ª.114.C
APOLLETES *scripsit de arte augurandi.de vict.rat.in mor.acutis,commentario 1°.* 7ª.110.C
APOLLODORI *antidotus contra viperas.2°.de antid.* 5ª.117.H
APOLLONIVS *discipulus Hippocratis.de vict.rat.in morb.acu. c.1°.* 113.*A/com.3°.* 7ª.131.F
Apollonius Alexandriæ diu vixit.2°.de comp.med.se.loc. 5ª.132.G
Apollonius quid scripserit.6°.de simp.me.fa. 5ª.39.H
*Apollonius librum de parabilibus cõscripsit.11°.de sim.me.fa.*82.H/ *2°.de comp.med.se.lo.*132.B/*3°.*141.F/144.G/148.D/ *5°.*159.D/ 163.H/*6°.*174.C/ 5ª.175.G
ex Apollonij libris de scarificatione . de cucur. 6ª.3.G
Apollonij Archistratoris asmilinus.5°.de com.me. per ge. 5ª.252.C
Apollonij Abderitani casus. in 3m.de mor.vul.com.3°. 3ª.151.B
Apollonij Claudij medicamentum contra canem rabidum, & est theriaca.2°.de antid. 5ª.117.A
Apollonius cognomento Cyclas. in 3m.de mor.vul.cõ.2°. 3ª.137.H
Apollonius empiricus.in 3m.de mor.vul.com.2°. 3ª.137.H
Apollonij iunioris ἡμιχειρώνιος. *de fasciis.* 7ª.302.G
Apollonius Organicus. 5°.de comp.med.per ge. 5ª.254.D
Apollonium & Dexippum omnibus affectibus inediam opitulari existimasse,collige.de ve.sec.edu.Erasi. 6ª.8.G
contra Apollonij sententiam conyxa calfacit.2°.de compo. medicam. sec.loc. 5ª.132.H
Apollonij ad achoras. 1°.de com.med.se.lo. 5ª.129.G
Apollonij ad aphthas.6°.de comp.med.se. lo. 5ª.175.G
Apollonij arteriaca.7°.de comp.med.se.loc. 5ª.179.F
Apollonij colica. 9°.de comp.med.se.lo. 5ª.202.B
vt in Apollonio & putiolio,Publius colica.9°.de comp. med.secundum locos. 5ª.202.D
Apollonij confectio ad tussim commoda.7°.de cõp.me.se.l. 5ª.183.B
vt Appollonius confectio.10°.de comp.me. se.lo. 5ª.206.C
Apollonij ad dolorẽ capitis pp ardorem.2°.de cõp.me.se.l. 5ª.132.B
Apollonij hiera. 8°.de comp.med.se.lo. 5ª.189.A
Apollonij ad ictericos.9°.de comp.me. se.lo. 5ª.197.G
Apollonij malagma ad multa vtile.7°.de comp.med.per ge. 266.E/ *8°.de comp.med.se.lo.* 5ª.196.D
vt Apollonius medicamentum.9°.de comp.me.se.loc. 5ª.204.F
Apollonij ad orthopnœas. 7°.dc comp.me.se.lo. 5ª.187.A
Apollonij Tarsei aridum.5°.de comp.med.per ge. 5ª.253.C
Apollonij thespiana ad internos abscessus.7°.de comp.med.secundum locos. 5ª.182.H
Apollonij Thirij paruum templum.de fasciis. 7ª.302.H
in Apollonium & Dexippum calices cereos Erasistratus retorsit. de vict.rat.in mor.acu. com.4°. 7ª.135.A
APOLLOPHANIS *malagma.7°.de comp.med.per ge.* 5ª.266.C
Apollophanis medicamentum.5°.de comp.med.per ge. 5ª.251.G
A'πομέλι. *i.mella.de frac.com.3°.* 7ª.248.D
Apomeli est medium inter mulsam, & oxymeli.8°.me.me. 7ª.52.G
Apomeli quo modo fiat. 4°.de san.tu. 2ª.85.G
ĩ Apomelite cõficiẽdo fauus nõ debet eẽ vitiosus.4°.de s.tu. 2ª.85.g
pro Apomelite aqua qualis debeat esse. 4°.de sa.tu. 2ª.85.G
Apomeli tota æstate bibitur vice refrigerantis.4°.de sa.tu. 2ª.85.G
Apomeli leuiter refrigerat. 4°.de sa.tu. 2ª.87.G
Apomeli non calefacit, & euacuat.11°.me.me. 7ª.69.G
Apomeli quibus conueniat. 4°.de san.tu. 2ª.84.F
APONEVROSIS *quid significet.6°.me.me.* 7ª.39.A
*Aponeurosis quid.3°.de alim.fac.*2ª.26.G/*in 6m.de mor.vulg. commenta.1°.* 3ª.153.B
*Aponeurosis dicũtur tẽdones quasi deneruationes.1°.de loc.af.*4ª.7.d
A'πονευρώσεις *.i.pneruatiões, fines musculorũ. de ar.c.2°.* 7ª.263.B
Απονεύρωσις *vbi & qualis.de bo.& vitio.suc.* 2ª.35.H
Απονίαν *sana corpora habent. 2°.de morb.vul.com.2°.* 3ª.112.C

ΑΠΟΠΑΤΕΜΑ significat stercus. 10°. de simp. med. fa. 5ª. 75 H
APOPHYSIS quid sit. de ossibus. 1ª. 39. H
Ἀποφλεγματίζειν qd significet. 6°. de sim. me. f. 44. B/7°. 5ª. 49. H
Apophlegmatizonta quæ sint. 5°. de sim. med. fa. 5ª. 37. E
Apophlegmatisma, sunt ea quæ pituitam eliciunt. 6°. de sa. tuen. 2ª. 100. B/6°. de simp. me. fa. 32. B/2°. de comp. med. se. lo. 5ª. 137. F/13°. met. me. 83. F/de reme. par. fa. 7ª. 154. F
de Apophlegmatismis, & quæ naribus infunduntur. 2°. de composi. med. sec. loc. 5ª. 138. H
Apophlegmatismata ex quibus fiunt. de rem. par. fa. 7ª. 156. B
ex Apophlegmatismis facienda est particularis purgatio per os post purgationem vniuersalem. 1°. de comp. medi. se. lo. 5ª. 121. F
Apophlegmatismi Critonis. 2°. de comp. med. se. lo. 5ª. 139. D
Apophlegmatismi quibus opitulentur. 3°. de loc. affe. 4ª. 16. F
Apophlegmatismis quandoque vtatur qui est temperamẽto humido. 6°. de san. tu. 2ª. 96. G
Apophlegmatismi in dentium doloribus. 2°. de cõ. med. se. lo. 138. H/5°. 5ª. 163. F/de reme. par. fa. 7ª. 157. E
Ἀποφορα ideſt deperditio, pro abortu apud Hippocratem. in 6ᵐ. de mor. vul. com. 1°. 3ª. 152. G
APOREXIS affectus meatuum oculorum. intro. If. 58. D
APOPLEXIAM vocant morbum attonitum. de diff. mor. 3ª. 3. E
Apoplexia quid. si. med. 47. B/intro. Isa. 56. A/13°. me. med. 7ª. 85. F
Apoplexia cur subito fiat. 2°. de sym. cau. 3ª. 24. C
Apoplexia quo modo fiat. de cur. ra. per sang. miss. 6ª. 17. A
Apoplexiæ propter quid fiant, & vnde sint. 1°. de sym. cau. 19. C/2°. 3ª. 24. C/de vic. rat. in mor. acutis, com. 4°. 7ª. 137. F/commen. 2°. aph. 42°. 18. B/com. 3°. aph. 16°. Ex. 23. a
Apoplexia quo modo differat a caro. 4°. de loc. affe. 4ª. 22. H
Apoplexiæ & comitialis morbi differentia, & in quo loco fiant, & a quo humore. com. 2°. aph. 45°. Ex. 18. G
Apoplexiæ, comitialis, catochi, cari, catalepsis, & soporis vigilantis differentiæ. 4°. de loc. aff. 4ª. 23. A
Apoplexia quo modo differt a paraplexia. fin. med. If. 47. B
Apoplexia quandoq; dicitur paraplegia. c. 2°. in 1ᵐ. pror. 4ª. 175. F
Apoplexia est morbus diutinus. quos pur. op. quib. med. & quo temp. 5ª. 88. C/com. 6°. aph. 47°. Ex. 52. B
Apoplexia morbus acutus. intro. If. 55. E
Apoplexia morbus peracutus. fin. med. If. 45. F
Apoplexia acutissima q̃ sit, & multi modi ipsius. c. 2°. ap. 42°. E. 18. b
Apoplexia potest esse sine febre. com. 2°. aphor. 19°. 14. B/comm. 5°. aphor. 30°. Ex. 40. D
Apoplexia alto somno comparatur. 1°. de sym. cau. 3ª. 19.
Apoplexiæ sunt agritudines capitis. de vir. nost. cor. diſp. Sp. 60. B
Apoplexia qua cerebri parte affecta fiat. 4°. de loc. aff. 4ª. 22. G
Apoplexiam sequitur paralysis. 2°. de loc. affe. 4ª. 22. H
Apoplexia est totius corporis paralysis. 2°. de symp. cau. 3ª. 19. H
Apoplexia quæ proprie sit. 3°. de loc. affe. 4ª. 20. G
Apoplexia dicitur cũ est neruorum totius corporis resolutio. de sym. differentijs. 3ª. 11. F
Apoplexiæ cur subitæ, & a quo humore fiant, & quo modo. 3°. de lo. affe. 4ª. 20. B/com. 2°. aph. 42°. Ex. 18. B
Apoplexia fit ex humore plurimo, & crasso. de vtil. resp. Sp. 63. E
Apoplexia est ex crassis humoribus, qui hanc patitur debet in vere purgari. com. 6°. aphor. 47°. Ex. 52. D
Apoplexia morbus est ex pituita ortum habẽs. c. 3°. a. 16°. Ex. 23. a
Apoplexia est morbus pituitosus, in quo debet euacuari pituita. cõ. 6°. aph. 47°. Ex. 52. C
Apoplexia fit ab humore pituitoso, & etiã a melancholico. com. 6°. aphor. 56°. Ex. 53. D/E
Apoplexias facit plenitudo quo ad vasa. de cu. ra. per sa. mi. 6ª. 17. B
Apoplexia fit cum pleni sunt ventriculi cerebri. de instr. od. 1ª. 112. F
Apoplexia ex oppilatione. de vtil. resp. Sp. 63. E
Apoplexia potest fieri sine oppilatione per solam inflammationem. com. 2°. aphor. 42°. Ex. 18. B
Apoplexia capiuntur maxime senes. 2°. de temp. 1ª. 16. D/comm. 3°. aphor. 31°. Ex. 26. H
Apoplexiæ cur fiant hyeme. com. 3°. aph. 23°. Ex. 24. H
Apoplexia cur non facta fuerit in cõstitutione frigida & humida. in 1ᵐ. de mor. vul. com. 2°. 3ª. 108. H
Apoplexiæ fiunt maxime a quadragesimo anno vsque ad septuagesimum. com. 6°. aph. 57°. Ex. 53. E
Apoplexia quæ fit a quadragesimo vsque ad sexagesimũ annũ. fit a atra bile solum. com. 6°. aph. 57°. Ex. 53. E
Apoplexia plures senes laborãt ex sola atra bile. c. 6°. a. 57°. E. 53. E
Apoplexia nascitur qñq; ex supfluitate sanguinis. de sper. Sp. 36. G
Apoplexia facta ob clausas euacuationes hæmorrhoidarum. de ve. sec. aduer. Erasi. 6ª. 7. E
Apoplexia ex immodico vini potu. 3°. de temp. 1ª. 22. G
Apoplexiæ plerunq; excipiunt pituitosam & frigidam habitudinem. 1°. de sa. tu. 2ª. 65. G
Apoplexia cur frequenter non capiat animal. 8°. de vsu p. 1ª. 168. B
in Apoplexiam quomodo posimus per exercitium incidere. com. 3°. aphor. 20°. Ex 24. C
Apoplexia habet tempora quo modo. de totius morbi tem. 3ª. 89. C
Apoplexia nõ habet principium, quia statim venit in summũ vigorẽ, ideo non indicat principium. de opt. secta. Isa. 29. C
Apoplexia magis cognoscitur ex spiratione. 3°. de loc. af. 4ª. 21. B
Apoplexia habet magnitudinem periculi ex anhelitus nocumento. 3°. de loc. affe. 4ª. 20. B
i Apoplexia oẽs musculi thoracis operant̃. c. 2°. aph. 42°. Ex. 18. C
in Apoplexia spiritus quo modo habeatur. 4°. de lo. af. 4ª. 27. E
Apoplexia qui affectus sit. com. 6°. aphor. 51°. Ex. 52. H
Apoplexia manifeste ostendit cerebrum læsum. 3°. de lo. aff. 4ª. 21. a
Apoplexia lædit vocem. 4°. de loc. affe. 4ª. 26. D
Apoplexia totum corpus sensu repẽte privat, ac motu, solus restat anhelitus. com. 2°. apho. 42°. Ex. 18. B
Apoplexia laborantes sine sensu iacent. com. 7°. aphor. 58°. Ex. 59. C
cur Apoplexia laborantes, cum non habeant læsa sensuum instrumenta, non sentiant. 8°. de vsu par. 1ª. 267. F
in Apoplexia cur afficiatur cor. 5°. de loc. aff. 4ª. 29. A
Apoplexiam significat vrina pinguis sine febre senibus eueniens. de dynamidijs. Sp. 34. B
Apoplexiæ fortis indicium est stertere. com. 6°. aph. 51°. Ex. 52. H
Apoplexia duplex est: fortem impossibile est soluere, debilem vero non facile. com. 6°. aph. 51°. Ex. 52. H
Apoplexia quando letalis est. de dyn. Sp. 24. D
in Apoplexia moriuntur qui spirare non pñt. 3°. de loc. aff. 4ª. 21. C
in Apoplexia vrina rubra mortẽ prædicit futuram. de dy. Sp. 35. D
Apoplexia soluta, vrina pinguis sine febre senibus eueniens oculorũ caliginẽ cito transeuntẽ, & delectationẽ cibi ostendit. de dy. S. 34. b
Apoplexiæ febris superueniens quare cõferat. c. 6°. ap. 51°. Ex. 52. b
Apoplexiæ curatio. intro. If. 56. B
in Apoplexia remedia capiti applicantur. 3°. de lo. affe. 4ª. 17. B
Apoplexia sanatur calefaciendo caput. 3°. de lo. aff. 4ª. 17. C
Apoplexia laborãtibus q̃dã infunduntur. de mot. mã. & obs. Sp. 70. f
Apoplexiæ venæ sectio conuenit. de cur. rat. per ven. sect. 6ª. 17. G
in Apoplexiam qui prompte incidunt illis vere vena secanda. de cur. rat. per san. miss. 6ª. 17. E
Apoplexia infestante vtimur catharticis. de dy. Sp. 20. E
in Apoplexia damus phlegmagoga. de dy. Sp. 21. C
APOPLECTOS qui dicitur. 1°. me. med. 7ª. 8. E
Apoplectici nerui falso dicti. de mot. mani. & obs. Sp. 67. B
Ἀπορία quid significet. de vic. ra. in mor. acutis, com. 2°. 7ª. 123. B
APOSCEPARNISMVS quid. fin. med. If. 48. C
Aposceparnismus fractura in capite. fin. med. If. 48. C
Ἀπόσπασμα appellatur continui solutio in ligamẽto. 4°. met. me. 7ª. 23. B/de const. ar. If. 37. D
Ἀπόσιτοι dicuntur qui oblatum cibum fastidiunt, ἄσιτοι appetentia carentes. in 1ᵐ. de mor. vul. com. 1°. 3ª. 106. F
Ἀποσίτους vocat Hippocrates more antiquorum græcorum carentes appetentia. in 3ᵐ. de mor. vul. com. 3°. 3ª. 148. A
APOSITIA, ideſt abstinentia a cibo, idem significat quod anorexia, id est inappetentia. com. 4°. apho. 17°. Ex. 29. A
Ἀπόστασις ideſt abscessus. de vict. rat. in mor. acu. com. 4°. 7ª. 143. b
de Apostasi mamillarum. de med. fac. par. 7ª. 166. A
Ἀποσήματα dicuntur abscessus. de ijs quæ in med. si. c. 2°. 7ª. 211. C
Ἀπόσημα nomen est quod nec locum affectum, nec causam quæ effecit representat. 2°. me. me. 7ª. 9. E
Apostemata numerantur inter passiones sanguinis. de sper. Sp. 38. B
Ἀπόστημα duplex est. 14°. me. med. 7ª. 90. D
Apostematum omnium causæ. de oculis. 7ª. 189. D
Ἀρα q̃ interius est quasi pingue seũ, a quo gñatur. de ocul. 7ª. 189. E
in Apostematibus quibusdam humores quales. 14°. me. me. 7ª. 90. E

Apostema futurũ scias, licet soluat morbus, si ĩ synocha vrina tenuis sit, & boni coloris, frequens, & multa egesta. de dy. Sp.34.C
Apostema celerius vĕturũ scias, si vrina alba se mutauerit ĩ synocha de dynam. Sp.34.C
Apostema ĩ articulis cõtingũt cõcepto ĩ hora phlatis, de spe. Sp.37.C
de Apostematibus oculorum. de oculis. 7ª.189.D
Apostemata musculorum epiglottidis dicuntur angina interior & exterior. de vo, & anhel. Sp.61.H
Apostemata multimoda diaphragmatis ex superfluitate sanguinis nascuntur. de sper. Sp.36.G
Apostema diaphragmatis fit ex superfluitate pituitæ. de spe. Sp.36 G
Apostemata diaphragmatis ex bile in stomacho. de sper. Sp.36.H
Apostema in ventre. secr. Sp.100.H
Apostemata hñt quatuor tpa, & q̃ cõueniãt in illis. de ocu. 7ª.189.G
in Apostematis initio venæ sectio. de ocu. 7ª.189.F
Apostema ex sanguine quo modo curatur. de oculis. 7ª.189.F
Apostema a sanguine crasso quo modo curatur. de oculis. 7ª.189.G
Apostemata phlegmatica quo modo curentur. de oculis. 7ª.189.G
Apostema aquosum quo modo curetur. de ocu. 7ª.189.G
Apostema ex flatu quo modo curetur. de ocul. 7ª.189.H
Apostema mellinum quo modo curetur. de ocu. 7ª.189.G
in Apostematibus dolor, quo modo curetur. de ocu. 7ª.189.H
ad Apostemata omnia exteriora, siue tumores. de dy. Sp.30.E
ad Apostemata omnia dura. de cura lapidis. Sp.112.G
ad Apostema subtiliandum. de dy. Sp.30.E
ad Apostema rumpendum. de dy. Sp.30.E
Apostema dispergit emplastrum diachrysu. de dy. Sp.32.B
ad Apostematos, & quassatos vngues valet succus centaureæ. de virtute centau. Sp.93.E
ad Apostemata ĩcisa, parua, valet succus cẽtaureæ. de vi. cẽ. S.93.H
ad Apostema oculorum die vno dissoluendum, & ophtalmiam valẽs collyrium. de ocul. 7ª.191.B
Apostematib⁹ labiorũ cõfert venarũ labiorũ sectio. de ana. vi. S.55.B
ĩ Apostemate pulmonis secant iugulares venæ. de ana. viu. Sp.55.A
ad Apostema in hepate. secr. Sp.99.C
ad Apostema splenis emplastrum. de cura lap. Sp.112.G
ad Apostema matricis. de dy. 29.H/ de pas. mul. Sp.95.H
ad Apostema testiculorum. secr. Sp.100.B
Apostema. vide abscessus.
APOSYRMATVM *meminit. 1°. de comp. med. per ge.* 5ª.214.C
Ἀποθεραπευτική *quid significet. 2°. de san. tu.* 2ª.72.H
Apotherapia qd voceĩ gymnastis. 2°. de sa. tu. 72.C. 3°. 76.F/ 2ª.81.D
Apotherapiam quid vocet Theon & Thrypho. ad Tras. 2ª.109.F
Apotherapia duplex est. 3°. de san. tu. 2ª.76.F
Apotherapiæ pars aliqua quomodo fiat balneum probe adhibitum. 2°. de san. tu. 2ª.78.A
Apoterapia exercitatio qualis. 3°. de san. tu. 2ª.79.B
Apotherapiæ scopus proprius. 3°. de san. tu. 2ª.76.F
Apotherapię non exigua portio spũs cohibitio. 3°. de san. tu. 2ª.77.B
ad Apotherapiam spiritus cohibitio qualis. 2°. de san. tu. 2ª.77.D
Apotherapia vtendum si ilia, cohibendo anhelitu, implere velit. 2°. de san. tu. 2ª.76.B
Apotherapiæ motus proprij nec vehementes, nec continui. 2°. de san. tuenda. 2ª.77.D
Apotherapia deuitantur lassitudines. 3°. de san. tu. 2ª.76.F
Apotherapia exercitatio corpus relaxat. 3°. de san. tu. 2ª.81.E
Apotherapia exercitatione qui vti debent. 6°. de san. tu. 2ª.97.G
Apotherapia quibus seruanda. 2°. de san. tu. 2ª.73.H
Apotherapia vtantur temperati. 3°. de san. tu. 2ª.76.G
Apotherapia quando vtendum. 3°. de san. tu. 80.G/ 2ª.81.D
Apotherapia semper vti tutissimũ est. quę qualis adhibenda sit, ipsa finiũ, ad quos tẽdimus, demõstrabit natura. 3°. de sa. tu. 2ª.76.G
Apotherapia exercitatio idonea est post vigilias, & tristitias. 3°. de san. tuen. 2ª.81.F
circa Apotherapiã quæ perperam a plerisq; scripta sunt refellendi satis seminũ nõ hebetibus dedisse Gal. collige. 3°. de sa. tu. 2ª.77.b
Ἀπόξυσις *ideſt in acutum abeuntia. de ijs, quæ in med. fi. c. 3°. 214.D/ de fract. com. 1°.* 7ª.228.F
Ἀποξηρά *ideſt desiccanda quæ vocet. de fra. com. 1°.* 7ª.228.F
APOZEMA *acori purgat vesicam. de cathar.* Sp.95.D
APPARATV *non indiget paruę pilę ludus. de par. pi.* 2ª.48.H
APPARERE *ea dicunt empirici q̃ sub sensum cadunt, nosci vero quæ memoria tenentur, apparere simul, & nosci quæ & ante aliq̃n sub sensum venerũt & nũc simili modo veniũt. 1°. met. me.* 7ª.5.C
Apparentium duplex genus sm antiquos. 1°. met. me. 7ª.5.D
Apparentia vituperabat Democritus. aduer. emp. med. 1ſ.35.C
Apparentia sola traditurus est Galenus in libro de motu musculorũ. de mus. diss. 1ª.44.C
Apparentia manifeste libro de locis affectis non tractantur. 5°. de lo. affectis. 4ª.31.H
APPELLATIONES *quas vocãt, olim fuisse colligere, cum inquit Gal. sed alicui fortasse, quocare ad aliũ iudicẽ licebit. 1°. me. me.* 7ª.3.b
Appellationes transferre a pathematis ad patientes, & a patientibus pathemata antiqui omnes consueuerunt. de vict. ratione in morb. acutis, com. 4°. 7ª.141.D
APPENDICES *magnis ossibus adnascuntur. de ossibus.* 1ª.39.H
circa Appendicẽ frãgitur qñq; caput brachij. de fra. c. 3°. 7ª.250.E
Appendix cuneata, & lunata in organis ĩmobilis est. de mac. 7ª.310.f
Appẽdicibus duabus cõstãs laqueus ad qd vtilis. 7°. de vsu p. 1ª.161.b
APPENSÆ *vuæ sunt cibaria media. de diss. cont.* Sp.74.C
Appensiones, peregrinationes, equitationes, in sole nudari, per se natis balneis vti tentare oportet in longa icteritia. de cura icteri. S. 111.e
APPETERE, *abhorrere eandẽ rẽ, eadem gaudere & molestari non põt vnũ, simplex, & incõpositũ. 5°. de dec. Hip. & Pla.* Ex.259.E
Appetere cibum idẽ est apud Asianos quod assumere cibum, e cõtrario non assumere. com. 2°. aph. 8°. Ex.11.H
APPETITRIX *potest vocari anima vegetatiua quę est in iecinore. 9°. meth. me.* 7ª.58.H
Appetitrix animæ pars vbi sit sm Platonem. 5°. de anat. ad. 86.H/ 6°. de dec. Hipp. 1ª.267.A
APPETITVS, *desideriũ, & voluntas idem. in prog. c. 2°.* 4ª.198.E
Appetitus quid. fi. med. 1ſ.44.F/ 5°. de dec. Hip. 1ª.259.A
Appetentia est sensus penuriæ. 1°. de symp. cau. 3ª.18.A
Appetitus, naturæ actio est. intr. 1ſ. 55.B/ 1°. de symp. cau. 3ª.17.H
Appetentia est opus ad vitam necessarium. com. 6°. aph. 3°. Ex.46.F
Appetentia ex frigore. 2°. de temp. 16.E/ 4°. de vsu par. 1ª.136.F/ 1°. de loc. aff. 4ª.5.D
Appetitum prouocat melancholia transmissa a splene ad os stomachi. de ana. viu. Sp.51.A
Appetitũ quo modo facit sanguis melancholicus. de ana. viu. Sp.50.a
Appetendi vis vbi sit. com. 2°. aph. 20°. Ex.14.E
Appetimus cibum virtute proueniente ex hepate. de virtute nostrum corpus dispen. Sp.60.B
Appetẽtia cur semp sit in aialibus & stirpibus. 1°. de sa. tu. 2ª.62.G
Appetentia conuententiũ inest omnibus membris. 3°. de na. f. 1ª.305.g
ad Appetitiones proprias excitandus cuiq; animanti sua natura satis est. 1°. de san. tu. 2ª.65.E
Appetẽtia ciborũ est ventriculi opus. in 3ᵐ. de mo. vul. c. 3°. 3ª.145.e
Appetit nõ cõcoquit os vẽtriculi. de vic. ra. in mor. acu. c. 1°. 7ª.111.f
Appetens cibum & potum ventriculi cupiditas, animale officium est, & non est citra sensum nostrum. 6°. de loc. aff. 4ª.37.H
in Appetentia ordo attrahendi. de ana. viuo. Sp.49.G
Appetentiam vacuatio præcedit. 1°. de symp. cau. 3ª.18.A
in Appetitu, quæ symptomata. de sympt. diff. 3ª.12.A
Appetentia naturalis euacuatorum secundum est symptoma oris vẽtriculi pro fame inducenda. 1°. de symp. cau. 3ª.18.A
Appetentia ventriculi animalis quintum & vltimum symptoma oris ventriculi pro fame inducenda. 1°. de symp. cau. 3ª.18.B
Appetenda sunt quæ ad seruandam valetudinem conducunt. de cog. cur. animi mor. 2ª.54.H
q̃ Appetuntur & sapiunt, sunt velocioris actionis. de dis. cõ. Sp.73.B
Appetentes cur ocyssime deglutiunt. 3°. de nat. fac. 1ª.304.H
Appetentiæ languidæ vnde fiant. 1°. de symp. cau. 3ª.18.B
Appetentia diminuta quid. 1°. de symp. cau. 3ª.17.H
Appetitũ diminutũ habet os vẽtriculi p seipsum. 1°. de sy. cau. 3ª.17.b
Appetentia potus diminuta, quæ. 1°. de symp. cau. 3ª.18.D
non Appetere & non sitire in febribus, propter quid eueniat. in 3ᵐ de mor. vul. com. 1°. 3ª.133.A
Appetentia carentes dicuntur ab antiquis græcis & ab Hippocrate. in 3ᵐ. de mor. vul. com. 3°. 3ª.148.A
Appetentiæ amissio vnde fiat. 1°. de sympt. cau. 18.B/ in 3ᵐ. de morb. vul. com. 1°. 132.G/ com. 2°. 3ª.135.H
Appetitus defectus causaq; est quandoq; caliditas, qñq; frigiditas. com. 2°. aph. 20°. Ex.14.F

Appetitus defectus significat colericũ humorẽ.c.4°.ap.2°. Ex.27.F
Appetitus cur deficiat in senibus. com. 2°.aph.20°. Ex.14.E
Appetitus quo mõ pereat vitio iecoris.ĩ 3m.de mo.vul.c.1°. 3a.133.c
Appetentiam prohibet os ventriculi non fundus. 5°.de lo.aff.4a.32.e
Appetentiam euertunt cibi pingues & lenti. 3°.de ali.fa. 2a.30.F
Appetentiam, hirudinum oleum subuertit. de cucur.scar. 6a.4.D
Appetitricis ciborum facultatis emorientis maximum signum.in 3m. de mor.vul.com.2°. 3a.135.H
Appetentiam qui amiserunt, Galenus inedia macerans esurientes reddidit.in 6m.de mor.vul.com.4°. 3a.184.A
Appetentiam cur pariat vigilia.in 6m.de mor. vul.c.4°. 3a.185.B
Appetere quæ faciant.in 6m.de mor.vul.commen.4°.3a.185.B/Secret. Sp.101.F
Appetentiam quo modo excitet succus frigidus.1°.de sym.ca.3a.18.b
Appetitum prouocant styptica, & acetosa. de anat.viu. Sp.50.A
Appetentiam cibum fastidientibus excitat vua seruata.2°.de alimentorum fac. 2a.18.A
Appetentiam excitant oliuæ cum oleo repositæ.2°.de ali.fa.2a.20.H
Appetentiam prouocant plantæ seruatæ in aceto vel muria.2°.de alimen.fac. 2a.22.C
Appetentiã collapsam gingidiũ cũ aceto excitat.2°.de ali.fa.2a.23.G
Appetentia quibus deiecta est iuuãt poma cũ pane.2°.de al.f.2a.19.b
Appetentiam deiectam excitat capparis.2°.de ali.fa. 2a.21.E
ad Appetẽtiam deiectam medicamentum.2°.de ali.fa.2a.20.D/3°.de med.fac.par. 7a.174.C
Appetentiam cibi excitans antidotus.7°.de com.me.se.lo. 5a.186.A
ad Appetẽtiã pditã, cũ stomachi exustiõe.8°.de cõp.me.se.lo. 5a.191.b
ad Appetentiam excitandam vtile medicamentum ex malorũ succo. 6°.de san.tu. 2a.101.B
Appetentias reuocare potest cucurbitula.de cucur.scar.6a.3a.F/2a.F
Appetitum confortans vnguentum. de dy. Sp.23.H
Appetentia quibus augetur.in 6m.de mor.vul.com.4°. 3a.185.B
neq; Appetentiam intensam neq; alia multa est necesse sequi si quis male concoxit. 3°.de sympt cau. 3a.30.B
Appetitus maior est hyeme, quàm æstate.com.1°.aph.15°. Ex.8.A
Appetitũ permanere ẽ bonũ signũ in oĩ morbo.c.2°.aph.33°.Ex.32.a
Appetentes in principio morborum, prius euadunt, quàm non appetentes.com. 2°.apho.32°. Ex.17.A
Appetitus vehemens ciborum in morbis longis his inest, qui debent sanari.com.7°.apho.6°. Ex.54.D
Appetentiã magnã facit melãcholia acida valde.6°.de lo.af.4a.36.b
vt Appetitio vltra rationis terminum redundet quid in causa. 4°.de dec.Hip.1a.249.F/5°.de loc.aff.34.A/6°. 4a.36.B
Appetitũ sine rõe intensum reprimit theriaca.de the.ad Pi. 5a.96.A
Appetentia canina subito fieri non potest. 6°.de loc.aff. 4a.37.H
Appetitus caninus vnde ꝓcedat, & qũo saneĩ.c.2°.ap.21°. Ex.14.H
Appetitus caninus fit ex superflua transmissione melancholiæ a splene ad os stomachi.de anat. viuo. Sp.51.A
Appetentia canina significat læsum os ventriculi.5°.de locis affectis. 32.H/6°. 4a.37.H
Appetitũ caninũ habẽtes dicunt stomachici.8°.de cõ.me.se.l.5a.188.C
in Appetentia canina implentur, & euomunt.6°.de loc.aff. 4a.37.H
in Appetẽtia canina excretiõis cõparatio ad renes.6°.de l.af. 4a.37.b
ad Appetitum caninum.secre. Sp.100.F
Appetuntur quædam non recte.de cogn.cur.animi mor. 2a.54.H
cur Appetant extranea pregnantes. 1°.de symp. cau. 3a.18.C
Appetentia ciborum malorum significat lœsum os ventriculi.5°.de lo. affectis. 4a.32.H
Appetentia vitiosa, quid.1°.de symp.cau. 3a.17.H
Appetentia potus vitiosa, quę.1°.de sym. cau. 3a.18.D
Appetentiæ vitiosæ vnde proueniant.1°.de symp.cau. 3a.18.B
Appetentiæ vitiatæ in senibus causa. 2°.de temp. 1a.16.D
Appetitur qui magis cibus, prębeat, si sint duo boni cibi.de dissolutione continua. Sp.72.C
si Appetatur cibus deterior, & sit cibus melior alio, deterior prębeatur.de diff. cont. Sp.72.D
Appetẽtes minime post morbũ sunt euacuandi.cõ.2°.aph.12°.E.12.D
Appetẽtes minime dẽt per superiora purgari.c.4°.aph.17°. Ex.29.A
Appetitiui motus sunt motus musculorum.com.4°.aph.15°. Ex.28.b
Appetitu animalis fiunt motus musculorũ. c.6°.aph.39°. Ex.50.G
APPLICANDA *cui parti sint remedia scire, valde confert ad curãdi rationem. 2°.de loc.affe. 4a.13.G*
Applicantur facile remedia in lateral morbo, colica, iecoris, splenis, & præcordiorum inflammatione.3°.de loc. affe. 4a.16.B
APPOSITIO, *agglutinatio, adsimilatio, se sequuntur.1°.de natu.facultat. 1a.292.F*
Appositio antecedet agglutinationem.1°.de nat. fac. 1a.292.F
per Appositionem fit agglutinatio.1°.de nat.fac. 1a.292.F
Appositio quo modo fiat. 3°.de symp. cau. 3a.29.A
Appositio cibi assumpti fit virtute proueniente ab hepate. de vir.nostrũ corpus dispen. Sp.60.B
Appositio est vitiata in senibus.2°.de temp. 1a.16.D
Apponunt optime & agglutinant, concoquunt, & nutriunt pusiones, vt qui calidũ humidumq; corpus habeant.3°.de sym.cau. 3a.29.a
APPREHENSIONEM *pro reprehensione & ansa dixit Hippocrates.de art. com.3°. 7a.274.E*
Apprehensionis instrumentum manus.12°.de vsu par. 1a.194.A
Apprehensorium organum quo modo optime constitutum sit. 1°.de vsu par. 1a.113.H
Apprehendunt carnem facile mites hirudines de cuc. scar. 6a.4.B
APPROPINQVANTIA *alicui, licet sint valentiora, semper tamen aliquid patiuntur. 3°.de symp. cau. 3a.26.F*
APRI cur sint animosi, iracundi, & furibundi.quod aĩ mo.1a.319.D
in Apris ira percitis calor generat spumam.c.2°.aph.43°. Ex.18.D
Apris dantur dentes ad armaturam. de ana. viu. Sp.49.E
Apri suibus domesticis quando anteponendi.de atte.vic.ra. 2a.45.B
Apri quomodo olim condirentur.4°.de fa.tu. 2a.85.B
Apri caro facit humorem melancholicum. 3°.de loc.affe. 4a.18.F
Aprorũ sanguinem nemo gustare tentauit, propterea q; insuauis est, & ad coquendum difficilis. 3°.de ali.fac. 2a.29.C
Aprorũ vrina ualida est & acerrimo odore.10°.de sim.me.f.5a.75.d
APRILIS *est triginta dierum.in 1m.de mor.vul. com.1°. 3a.102.E*
APTA est mulier alia medicinæ, alia minime, & sic in reliquis.9°. de dec.Hip. 1a.280.H
Ἀπτυος id est sputo carens. aduersus Lycum. Ex.62.G
Ἀπτυοι laterum dolores, qui.in 1m.de mor.vul.com.1°. 3a.105.B
Ἀπτοιτο. quid significet.de vi.ra.in mor.acu.com.3°. 7a.131.E
APYRETOS dicta antidotus.8°.de comp.med.se.loc.5a.192.C
AQVA *quomodo facta fuerit.de historia philosophica. Sp.4.E*
Aqua fit ex euaporatione ignearum partium.de vtil. resp. Sp.64.A
Aqua & aer non sunt elementa. de vtil. resp. Sp.64.A
Aquam duntaxat rerum elementum esse dicentes, cui innitantur.1°. de elem. 1a.4.E
Aqua quo mõ itelligaĩ esse solũ elementum.de nat.hum.c.1°. 1a.28.a
Aqua & aer cur inter ignem & terrã.8°.de vsu par. 1a.169.A
Aqua, & terra materialia sunt. in Tim.Plato. 1a.287.B
Aqua quomodo transeat in alia elementa. 1°.de elem. 1a.4.E
Aqua potest in aerem.sed non in ignem mutari.3°.de temp. 1a.23.E
Aqua nullatenus est nutrimentum ignis, sed aer.de vtil.resp. Sp.64.B
intra Aquam aerem esse probatur. de vti.resp. 1a.63.B
Aquarum natura debet sciri secundum empiricos.de sectis.If.16.D/de aere, aquis, & loc. 2a.2.C
Aquæ nomen ab essentia sumptum esse.1°.de san.tu. 2a.62.E
de Aquis, aere, & locis, aphorismorum, & acutorum morborum libri sunt Hippoc. 3°.de diff.resp. 3a.69.E
de Aquis, aere & locis liber quid tractet.3°.de diff.res. 5a.73.D
Aquę nomine simpliciter dicto proprie dulcis intelligitur. de ptiss.2a. 47.B/11°.met.me. 7a.69.H
Aquã & terrã contineri, aerẽ & ignẽ continere dicũt.de mul.3a.77.c
Aquæ natura. 1°.de simp.med.fa. 5a.7.D
Aqua est corpus molle. 3°.de diff.pul. 4a.63.D
Aquam esse tenuis substantiæ probatur. 1°.de simp.me.fac. 5a.4.G
Aqua media inter illa quæ sunt tenuium partium, & quæ crassarum. de simp.med.fa. 5a.24.F
Aqua est humida simpliciter, & non comparata.1°.de tẽp.1a.12.F/g
Aqua est frigida & humida, quæ.de ptissa. 2a.47.B
Aqua, & oleum natura humida.11°.de simp.med.fa. 5a.80.B
Aqua humida in summo.1°.de temp. 1a.10.C
Aqua omnium humidissima est.1°.de simp.med.fa. 5a.7.E
Aquæ humiditas est idem quod eius frigiditas.de sper. Sp.41.B
Aqua humectat.2°.de simp.med.fac. 16.A/5°. 5a.32.A
Aqua semper humectat, & refrigerat.1°.de cõp.me.per ge.5a.212.H
Aqua semper humectat, non semper calefacit.1°.de simp.me.f. 5a.3.E

Aqua quo modo corporibus applicanda, vt eius facultas sciatur. 1°. de simp. med. fa. 5ª.2.G
Aquam vnde didicimus frigidam esse. 1°. de simp. me. fa. 5ª.7.D
Aquã refrigerare probat cerati humidi exẽplo. 1°. de sim. m. f. 5ª.3.C
Aqua refrigerat, sed non adstringit. 5°. de sim. me. fa. 5ª.35.G
Aquam, oleum, & rosaceum vincit acetum in refrigerando calore. 1°. de simpl. me. fa. 5ª.5.H
Aqua non est exacte humida & frigida. de nat. hum. com. 1°. 1ª.32.b
Aquæ correspondet pituita. 8°. de dec. Hip. 1ª.275.D
Aqua, vino, & aceto, & aliis liquoribus probe terra madescit, oleo non probe. 2°. de simp. me. fa. 5ª.14.G
Aqua non reperitur sincera. 1°. de elem. 1ª.5.D
Aqua pura quibus sensibus iudicetur. 1°. de simp. me. fa. 5ª.3.B/*de re num affec. dig. & med.* 7ª.195.G
Aquæ puriores sunt in summitatibus. de bo. aquæ. Sp.75.E
Aqua neq; alia elementa sunt syncera, sed ad sensum duntaxat cõpa rata. 1°. de sim. me. fa. 5ª.3.C
Aqua optima quæ. de ptissana. 47.A/1°. de san. tu. 2ª.67.A/ in 6ᵐ. de morb. vul. com. 4°. 3°. 182.C/de vict. ratione in morb. acutis com. 2°. 125.D/cõ. 3°. 131.B/de ren. aff. dign. & med. 7ª.195.H/ de bonitate aquæ. Sp.75.D/H
Aquam bonam facit terra pinguis. de bo. aquæ. Sp.76.B
Aqua optima nullam habet qualitatem. 2°. de ali. fa. 5.D/ 2ª.16.E
Aquas expertas qualitatis sensibilis, ἀποίους Græci vocãt. 2°. de ali men. fac. 2ª.16.F
Aquę color qualis esse debet. de ptissa. 2ª.47.A
Aquæ odor qualis esse debet. de ptissa. 2ª.47.A
Aqua est inodora. de vict. rat. in mor. acu. com. 3°. 7ª.125.E
Aquæ gustus qualis esse debet. de pti. 2ª.47.A
Aqua gustui insipida est. 4°. de simp. med. fac. 5ª.28.F
Aquę gustus in re sicca ostẽdit rẽ tẽperatã. 4°. de simp. me. f. 5ª.25.E
Aqua medium qualitatum gustabilium. 4°. de sim. me. fa. 5ª.25.C
Aquã q iudicãt ex potu, licet, bene iudicẽt, nõ tñ perfecte. Ex. 40.A
Aq̃ æstate calidæ, hyeme frigidæ, sũt sublimes. de aere, aq. et lo. 2ª.3.c
Aquæ virtus est esse hñ alterabilẽ, sicut et cibi. c. 5°. ap. 25°. Ex. 40.a
Aquę pbatio ex ijs quæ incoquũtur. in 6ᵐ. de mor. vul. cõ. 4°. 3ª. 182.d
Aqs bonis siqd decoquat, cito decoqtur, et si aliqd calefiat, cito calefit, si vino pmiscueris modicã, ad digestionẽ & vrinarũ secessionẽ erit benigna, & hepati, & splenі, & renibᵒ, et pulmoni. de bo. a. S. 75.f
Aquarũ probatio per cursus versus mũdi partes. 1°. de sa. t. 2ª.67.a
Aquã ire per intestina est malũ, per vrinã bonũ. de bo. aquæ. Sp.76.a
Aqua optima conuenit omni ętati. 1°. de sa. tu. 2ª.67.A
Aquæ viribus contraria vina. 7°. met. me. 7ª.45.F
Aquæ vitia. 7°. me. med. 7ª.45.F
Aqua mala, quæ, & quid faciat epota. 1°. de diff. feb. 3ª.31.F
Aquæ malæ sunt q̃ æstate calidæ, hyeme sũt frigidæ. de bo. aq. S. 75.d
Aquæ, quæ consimiliter se habent in caliditate & frigiditate, omnibus horis pessimæ sunt. de bon. aquæ. Sp.75.H
Aqua acris & putrida praua est. 1°. de simp. me. fa. 5ª.3.C
Aquæ cauendæ, quæ. 1°. de san. tu. 2ª.66.H
Aquam infectã bibentibus quid euenerit. de na. hu. com. 2°. 7ª.182.B
Aqua vitiosa corrumpitur epota. de bo. & vitio suc. 2ª.38.H
Aquæ infectæ hausłus interdum efficit morbum vniuersalẽ. in 1ᵐ. de morb. vul. com. 1°. 3ª.101.D
Aqua vitiosa naturale robur exoluit. de bo. & vitio suc. 2ª.28.H
Aqua potest habere aliquid mali ingenitũ ab ignota causa. in 6ᵐ. de mor. vul. com 4°. 3ª.182.D
Aquam sæpe haurire illam reddit bonam. de bon. aquæ. Sp.75.D
Aquam ducere de loco ad locum illam rectificat. de bo. aquæ. Sp.76.B
Aqua elixari debet vt transeat in meliorem naturã, & quantũ. in 6ᵐ. de mor. vul. com. 4°. 3ª. 182.C/de bon. aquæ. Sp.75.D
Aqua quomodo percoletur Alexãdriæ & in Aegypto. in 6ᵐ. de mor. vulg. com. 4°. 3ª.184.D
Aqua limosa per fictilia percolata efficitur pura, & quomodo. 1°. de simpl. med. fa. 5ª.3.B
Aqua male olẽs medicamẽtosa est. de vic. ra. in mor. acu. c. 3°. 7ª. 131.b
Aquæ habentes odores prauos, & sapores quomodo corrigãtur. i 6ᵐ. de mor. vul. com. 4°. 3ª.182.D
Aqua quando est praua, cocta bibenda est. de bon. aquæ. Sp.76.B
Aqua coquenda in lagenis figularibus. de bon. aquæ. Sp.76.B
Aqua qũo præparetur per artificiũ. in 6ᵐ. de mor. vul. c. 4°. 3ª.184.E
ab Aquis prauis liberat theriaca. de vsu ther. ad Pamph. 5ª.98.D

Aquæ differũt gustu, pondere, statione, virtute. de aere, aq. et l. 2ª.2.c
Aquarũ differentiæ. 2°. de san. tu. 77.H/de aere, aq. & loc. 2ª.2.C/*de ren. affec. dig. & med.* 7ª.195.G
Aquæ differunt fm colorem, & regionem. de bon. aquæ. Sp.76.A
Aquarum differentia ex ventis. de bon. aquæ. Sp.75.G
Aquæ versus austrum fluentes, quales. de bon. aquæ. Sp.75.E
Aquæ fluentes versus septentrionem dulces quidem sunt, in frigiditate autem excedunt. de bon. aquæ. Sp.75.E
Aqua si flauerit boreas, dulcior quidem erit, & frigidior, si vero auster minus q̃dem dulcis, calida vero magis. de bon. aquæ. Sp.75.G
Aquæ ciuitatum a septentrione tutarum. de aere, aq. & lo. 2ª.2.E
Aquæ permutant naturam. de acre, & aq. & lo. 2ª.3.A
Aquarum differentia ex metallis, & herbis. de bon. aquæ. Sp.75.F
Aquis aliquando nocent herbæ, aliquando pſunt. de bo. aquæ. S.75.F
Aquarum differentiæ in saporibus. de bon. aquæ. Sp.75.E
Aquæ differẽtiæ accidẽtales sunt calor & frigiditas. de sper. Sp.40.F
Aquæ differũt fm naturã terræ p quã trãseunt. de bo. aq. Sp.75.E
ad Aquarũ effluxiones terra plana deterior est. de bon. aq. Sp.75.E
Aquæ Alexãdrinæ in clystere ad renũ dolorẽ fit mẽtio. de dy. S.27.g
Aquæ autũmnales, & æstiuæ, malæ & quibus. de bon. aquæ. S.75.F/g
Aqua lacus bituminosi amarior æstate q̃ hyeme. 4°. de si. m. f. 5ª.30.E
Aquę in ariditatibus, quales. de bon. aquæ. Sp.75.G
Aqua in bilijosis est bilijosa. de vict. ra. in mor. acu. com. 3°. 7ª.131.A
Aqua calybeata non danda febricitantibus. de reme. par. f. 7ª.159.F
Aquæ crudæ quæ vocãtur ab antiqs. in 6ᵐ. de mor. vul. c. 4°. 3ª. 182.d
Aqua cruda, & glacialis quid agat. 3°. de san. tu. 2ª.78.D
Aqua quo modo densa dicatur. 2°. de san. tu. 2ª.72.F
ex Aquis sponte nascentibus dulcium tantum vsus in calida capitis intemperie sine noxa est. 6°. de san. tu. 2ª.98.G
Aquæ duræ, quæ. 3°. de diff. pul. 4ª. 63.F/de bon. aquæ. Sp.75.G
Aqua dura quibus obsit. de bon. aquæ. Sp.75.G
Aqua edax, vigilia edax. in 6ᵐ. de mor. vul. com. 4°. 3ª.185.B
Aqua fabrorum ad quid vtilis. 3°. de med. fac. par. 7ª.174.E
Aquæ fluxibiles subtiliores sunt. de bon. aquæ. Sp.75.E
Aqua fontana qualis esse debeat in frigiditate & caliditate, vt competat hecticis. 10°. met. me. 7ª.67.C
vt Aqua fontana frigidum est glaucium. 6°. de simp. me. fac. 5ª.45.E
Aquam fontanam, & non niualem qui bibere debent. de ren. aff. dig. & med. 7ª.195.H
Aqua grauis quæ sit, & quas conditiones habeat, & quo modo cognoscatur. com. 5°. aph. 25°. Ex.39.H
Aqua grauissima, quæ. 4°. de simp. me. fa. 5ª.30.E
Aqua ignita quo modo fiat. de dy. Sp.23.B
Aquæ indomitæ q̃ vocãtur ab antiqs. in 6ᵐ. de mor. vul. c. 4°. 3ª.182.d
Aquæ lactosæ fit mentio. 8°. de com. me. se. lo. 5ª.189.C
Aqua leuis quæ sit, & quas conditiones habeat, & quo modo cognoscatur. c. 5°. ap. 25°. 39.H/Ex. 40.A/de ptiss. 2ª.47.B
Aqua limosa medicamentosa. de vic. ra. in mor. acu. com. 3°. 7ª. 131.B
Aqua limosa est composita. 1°. de simp. med. fa. 5ª.3.B
Aquæ lixiuij figulini meminit. 10°. de comp. me. se. lo. 5ª.209.D
Aqua lutulenta ingredit medicamentũ. 6°. de cõp. me. per g. 5ª.262.C
Aquæ medicamentosæ, quę. de vict. rat. in mor. acu. com. 3°. 7ª.131.B
Aquæ paludosæ omnes, sunt pessimæ. de bon. aquæ. Sp.75.D
Aquæ petrosæ plus alijs, & absq; hypostasi, quæ. de bon. aquæ. S. 75.f
Aquę impluuij, quales. de bon. aquæ. Sp.75.G
Aqua procellosa, quæ horæa. i. temporaria dicitur, in 6ᵐ. de mor. vul. commen. 4°. 3ª.184.E
Aqua rara quo modo intelligatur. 2°. de san. tu. 2ª.72.F
Aquæ scaturiginosæ quales, & quæ. de bon. aquæ. Sp.75.D
Aquæ Sodominæ quales. 11°. de simp. med. fac. 5ª.83.D
Aqua splendida non est ex propria natura, sed ex radio solari. in 6ᵐ. de mor. vul. com. 4°. 3ª.182.G
Aquæ stagnantes a sole putrefiunt, & augentur ab imbribus. de aere aquis, & loc. 2ª.4.H
Aquas stagnãtes, æstate calidæ sunt crassæ et olẽtes. de aere, a. 2°. 3.a
Aquæ stagnantes & olentes lædunt ventrem & splenem. de aere, aqs & loc. 3.B/ 2ª.6.D
Aquæ Tragesiæ, quæ & quales. 11°. de simp. me. fac. 5ª.83.D
Aqua temporaria, quæ. in 6ᵐ. de mor. vul. com. 4°. 3ª.184.F
Aquę vernales, & hyemales optimæ. de bon. aquæ. Sp.75.F
Aquæ vires, quæ. de simp. medic. Sp.92.B
Aqua quem vsum præstet animalibus. 4°. de vsu par. 1ª.136.C

Aqua communissima

Aqua cõmuniſſima oĩbus, & vitæ neceſſaria ẽ.1°.de ſim.me.f. 5ª.2.g
Aquæ dulces remedio ſunt ſitientibus.1°.de ſimp.me.ſa. 5ª.3.E
Aquæ dulcis multi effectus.2°.de ſa.tu. 2ª.78.A
Aqua potabilis eſt humida. 1°.de ſimp.med. fac. 5ª.3.D
Aqua potabilis refrigerat. 1°.de ſim.med.fa. 5ª.3.B
Aqua eſt ad corporis nutrimentum. de anat.viuo. Sp.47.G
Aquę, nutrimentum comparat.in Tim.Plato. 1ª.287.F
Aqua nulla particula nutriri poteſt.4°.de vſu par. 1ª.136.C/ *de vict. ra.in mor.acut.com.3°.*7ª.128.F/ *de bon.aquæ.* Sp.75.G
Aqua cur non nutriat. de ana.viu. Sp.47.F
*Aquæ potus quibus accommodatior vino.de bon.& vitio ſuc.*2ª.38. H/*de vinis.* Sp.76.D
Aqua bibenda calidis.in 6m.de mor.vul.com.4°. 3ª.183.E
Aqua quando bibenda.de vict.ra.in mor.acu.com.3°. 7ª.131.D
Aquam bibentes, appetunt.in 6m.de mor. vul.com.4°. 3ª.185.B
Aquam bibens aquam in corpus dicitur recipere.1°.de ele. 1ª.6.H
Aqua ſtomachum ſupinat.de vic.ra.in mor.acu. com.1°. 7ª.111.E
Aquæ potio potiſſimum vitioſæ dolorem capitis facit. de bonitate & vitio ſuc. 2ª.38.H
Aquæ potatio præter conſuetudinẽ, quid agat. de vic. rat. in morbis acutis.com.2°. 7ª.121.B
*Aqua ne an vino vti debeat iuuenis qui exercitaẽ.5°.de ſa.tu.*2ª.94.e
*Aqua non vinũ ſtatim bibenda ab exercitationibus.de ſal.diç.*2ª.41.c
*Aqua qñ debet dari ſitientibus, & qñ vinum.c.5°.aph.27°. Ex.*40.a
Aqua quomodo vino miſcenda.de vic.rat.in mor.acu.c.3°. 7ª.131.d
*Aqua dũ vino miſcetur vtriuſq; partes ad minima cõfringũtur.*1ª.8.d
*Aqua mixta vino quid agat. com.7°.aph.56°. Ex.*59.B
*Aqua mixta vino cur ſitim magis auſert, quam ſi ſola bibatur.*5ª.7.d
Aquæ non dulces ſitim augent.11°.de ſim.med.fa. 5ª.3.D
Aqua mixta vino quẽ colorẽ habeat, & faciat.5°.de ſan.tu. 2ª.91.A
*quã Aqua magis calefacit vinũ auſterũ, & roborat inteſtina.*7ª.39.d
Aquã poſt vinũ bibe, ne caput tẽtet.de vic.ra.in mo.acu.c.1°. 7ª.131.e
*Aquæ aut aquei vini pot° vrinæ quales.ĩ 6m.de mo.vu.c.5°.*3ª.192.a
*Aquã paucam ſuſtinẽs vinũ non facit dolore caput.de diſ.cõ. S.*74.f
*Aquę potus quandoq, inducit capitis dolorẽ, & qũo.de vinis.S.*76.c
*ad Aquarum potationem metalla nocua ſunt.de bon.aquæ. Sp.*75.F
Aquæ potabiles omnes carnes corrumpunt, & putrefaciunt, muria & aqua marina ſiccant, et incorruptas ſeruãt.2°.de na.f. 1ª.301.c
ꝑ Aqua accipitur vinum albiſſimũ lucidiſſimũ, & acetum albiſſimũ lucidiſſimum.1°.de comp.med.per ge. 5ª.217.F
*Aqua, & oleũ ſi coquanĩ, prius aqua cõſumit.1°.de ſim.me.f.*5ª.4.H
in Aqua ſola q̃ coquunt reliquis ſunt humidiora.2°.de ali.f. 2ª.26.C
*Aqua elixãs recipit qualitatẽ eius quod elixatur.3°.de ali.f.*2ª.31.b
in Aqua dulci elixa dant alimentum humidus.3°.de ali.fa. 2ª.29.D
in Aqua triticum elixum raro vidit Galenus.1°.de alim.fa. 2ª.11.B
ex Aqua & farina potio datur ſuibus. 3°.de nat.fa. 1ª.303.D
Aqua in eo ꝙ calẽs, aut frigida eſt, maxime cõtraria facere nata eſt. de comp.med.per gen. 5ª.229.E
Aqua gelida nix frigidior eſt.de mar. 3ª.48.B
Aquam frigidam niue præparabant Romæ.7°.me.me. 7ª.44.B
Aqua quomodo refrigeratur in Alexandria, & Aegypto. in6m.de mor.vul com.4°. 3ª.182.B
*Aqua frigida qd faciat.2°.de ſim.m.f.*5ª.11.C/*c.5°.aph.22°.E.*39.b
Aqua frigida infrigidat animata & inanimata.3°.de temp. 1ª.24.H
Aqua quo modo infrigidet. 1°.de ſimp.med.fac. 5ª.2.E
*Aqua frigida quomodo mordax dicitur. com.5°.aph.20°. Ex.*39.B
*Aqua frigida quo modo calefaciat.1°.de ſim.me.f.*5ª.2.E/*2°.de arte cur.ad Glau.*7ª.103.D/*com.5°.aph.21°. Ex.*39.B/C
ꝙ Aqua frigida per ſe non calefaciat. 3°.de temp. 1ª.24.H
Aqua per ſe frigida, ex accidenti calida. 3°.de temp. 1ª.23.C
Aqua frigida cur per accidens calefaciat.3°.de tem. 1ª.25.A
Aqua frigida calorem repercutit.2°.de ſim.med.fa. 5ª.14.H
Aqua frigida humens ſpongia repercutit, & elidit quod in loco eſt.1°. de comp.med.per gen. 5ª.13.A
*Aqua frigida quatenus frigida raro ẽ vtilis.de ijs, q̃ in me.ſi.c.*3°.221. D/*de vict.ra.in mor.acu.com.4°.* 7ª.140.D
Aquæ frigidæ potio quæ proſit & quæ obſit. 3°.de temp. 1ª.23.B
*Aquæ frigidæ potio quibus innocua ſit.de ren.aff.dig.& me.*7ª.195.b
*Aqua frigida non lædunt, qui corpus nõ habent attenuatũ.*7ª.47.F
Aqua niue refrigerata fertur a calidis vẽtriculis. 3°.de ali.f. 2ª.28. D/7°.*me.me.*47.F/8°. 7ª.51.H
*Aqua frigidiſſima quo mõ fiat, et cur.ĩ 6m.de mor.vul.c.4°.*3ª.183.a
Aqua frigida lauari quomodo non lædat. 2°.de ſa.tu. 2ª.78.C
ex Aqua frigida ſanata fuit vẽtriculi imbecillitas.7°.me.m. 7ª.44.b
Aqua frigida datur ſi coctionis adſint indicia in declinatione. 7ª.57.G
Aqua frigida quando vti debemus.11°.me.med. 7ª.70.A
Aqua frigida quo tpe anni & die debemus vti.2°.de ſa. tu. 2ª.78.C
Aqua frigida qua ætate debemus vti. 2°.de ſan.tu. 2ª.78.C
Aqua frigida quando vti poteſt temperatus.2°.de ſa.tu. 2ª.78.B
ꝑ Aqua frigida exhibẽda cõſiderãdũ nunqd particula q̃piã, cui frigida natura ſit, lædi magnope ex eius potiõe poſſit.9°.m.m. 7ª.60.E
Aqua frigida qui ĩcipit lauari q̃ debeat obſuare.2°.de ſa.tu. 2ª.78.C
añ Aquã frigidã profrictionibus duriora lintea accipiantur. 2ª.78.C
*Aqua frigida quas paſſiones ſanat.com.5°.aph.25°. Ex.*39.H
Aqua dulci quotidie lauari debent calidi.in 6m.de mor.vul. 3ª.183.E
Aquæ frigidæ balneũ his qui quadrato ſunt habitu, cõcediẽ. 7ª.160.G
Aqua frigida in continua febre febricitantibus quãdo danda.11°.me. med.69.B/H/de vict.ra.in mor.acu.com.1°. 7ª.114.G
*Aqua frigida cõfert febri liq̃factiuæ.de vic.ra.ĩ mor.ac.c.3°.*7ª.128.a
Aqua gelida hectici s febribus quæ nõ ſint cum putridis implicatæ, p̃benda.1°.de marc. 3ª.47.E
Aquã frigidã in hectica cum putrida dedit Gal.10°.me.me. 7ª.63.F
Aqua corrigitur intemperies ſicca carnis.4°.met.me. 7ª.23.E
Aquę frigidæ potu febris ex ira ſub cane ẽ extincta.10°.m.m. 7ª.63.F
Aqua frigida quandoq; iuuat in his qui exuruntur.1°.de arte cur. ad Glau.98.A/ 7ª.99.C
Aqua frigida quando danda in ardẽtiſſima febre.11°.me.me. 7ª.70.a
ex Aqua frigida ſanata fuit febris ardens.9°.me.me. 7ª.60.G
Aqua frigida multa epota quid fecerit.7°.met.med. 7ª.47.D
Aqua niſi in tpe bibaĩ, aut ea lauemur, qd faciat.1°.de diff.fe. 3ª.24.d
Aquis frigidis qui febricitantes lauandi.10°.me.med. 7ª.66.B
Aqua primo die quo eius balneum fit, nõ ſit admodũ frigida.3°.de ſanita.tuenda. 2ª.78.D
Aquę frigidæ balneum in ardente febre.11°.met.med. 7ª.70.B
*Aquã frigidã ingrediẽti cibus quãtus capiendus ſit.3°.de ſa.t.*2ª.78.d
Aquã frigidam ingreſſuri oleo perfricandi. 2°.de ſa.tu. 2ª.78.C
Aquã frigidam ingreſſus oleo fricandus. 3°.de ſa.tu. 2ª.78.D
in Aqua frigida quantum immorandum.3°.de ſa.tu. 2ª.78.D
Aqua gelida aridã corporis caliditatẽ curat.de bõ.& vi.ſu. 2ª.39.C
in Aquam frigidam proijciatur hectici s.10°.me.me. 7ª.66.H
Aqua non eſt perfundendum caput hectici.10°.me. me. 7ª.66.H
Aqua & oleum maxime oĩum humectãt.4°.de cõp.me.p g. 5ª.237.D
*Aqua & oleũ eſt remediũ exiccatis corporib.2°.de ſim.me.f.*5ª.16.C
*Aquæ frigidæ perfuſio ſanat conuulſionẽ, & quam, & qũo, & quo tẽ pore.com.5°.aph.21°. Ex.*39.B/C
*Aqua frigida claudit, & cogit cutim.3°.de ſa.tu.*2ª.80.E/ *de ſimp. med.*5ª.35.G/*com.5°.aph.20°. Ex.*39.B
*Aqua frigida corpus roborat, & cutem denſam & duram facit. 2°. de ſa.tu.*2ª.78.B/*de ocul.* 7ª.188.E
Aqua quomodo vires recreet.de vi.ra.in mor.acu.com.3°. 7ª.128.F
Aqua frigida non exiccat.1°.de ſimp.med.fa. 5ª.3.G
Aquæ incommoda & noxæ.de vict.rat.in mor.acu.com. 3°.131.A/ 8°.*met.me.* 7ª.57.E
Aquam frigidam non tangunt ægroti ſine læſione. de vict. ra.in morb. acut.com.3°. 7ª.132.D
*Aquæ frigidæ potus quam euitandus.5°.de lo.affe.*4ª.34.A/ 10°.*me thodi med.* 7ª.64.C
Aquã frigida euitãda ĩ herpete exedẽte.2°.de ar.cu.ad Gl. 7ª.102.b
*Aquæ frigidæ potio quibus minus tuta.8°.m.me.*57.F/G/11°.7ª.70.b
Aqua frigida non danda hectici s.8°.met.me. 7ª.57.H
Aqua gelida quomodo obſit hectici s. de mar. 3ª.46.F
Aqua frigida in inflãmatiõe nõ daĩ.de vi.ra.in mor.ac.c.1°. 7ª.114.b
Aqua dulcis lædit laborantes aqua intercutem, cæteræ iuuant. 1°.de ſimpl.med.fac. 5ª.3.E
Aqua frigida qũo hydropẽ faciat.5°.de lo.aff.34.A/6°. 4ª.36.C
ex Aquæ frigidæ potu tranſglutiendi difficultas.7°.me. me. 7ª.47.D
Aqua frigida latenter frigus corpori infirmo inſinuat. 7ª.44.F
Aqua frigida impedit incrementum.2°.de ſa.tu.76.B/ 2ª.78.B
Aqua qui ventriculum fecerit inualidum, tunc ſolent eo ex corpore deferri humores ex bile tenues quidam, id quod ieiunantibus etiã vſu venit. de bo.& vitio ſuc. 2ª.38.H
ab Aqua quomodo tractetur plenum corpus, carne carens. de ijs, quæ in medi.ſi.com.3°. 7ª.215.H
ex Aqua frigida lotio eſt contraria febri ex obſtructione, 8°.metho. medendi

medendi. 7ª.50.A
Aquâ frigida quo venas frangit. 4°.*de lo.aff.* 4ª.28.A
ab Aquæ frigidæ lauatione quid fiat. 3°.*de sani.tuenda.* 2ª.78.D/ cõmen. 1°.*apho.* 15°. Ex.8.B
in Aqua frigida natans quomodo læditur. de cau.mor. 3ª.7.D
ab Aqua quomodo tractetur corpus non plenũ, carne carens. de iis,q̃ in med.fi.com. 3°. 7ª.215.H
Aqua frigida laxationẽ aut adstrictionẽ facere potest.de ca.mo. 3ª.7.b
Aqua quo modo facit intemperiem. 1°.*de sa.tu.* 2ª.68.B
Aquæ omnes tarde descendunt.de diff.cont. Sp.74.H
Aqua cũ frigida ẽ nõ põt penetrare.de vi.ra.in mo.ac.c. 4°.7ª.135.b
Aqua neq; epota neq; extrinsecus adhibita partes solidas corporis humectat.com. 4°.*aph.* 13°. Ex.28.G
Aqua frigida non euacuat humores. 11°.*me.me.* 7ª.69.H
Aqua frigida infusa fit rigor. 2°.*de symp.cau.* 3ª.22.F
ex Aqua frigida horror quo modo fiat. 3°.*de sa.tu.* 2ª.78.D
ex Aqua frida color statũ abit aqua frigida remota. 3°.*de l.af.* 4ª.14.e
ĩ Aqua frigida panis est cõmodus cibus hectticis. 10°.*me.me.* 7ª.67.a
ex Aqua admodũ frigida cerata refrigerant. 14°.*me.me.* 7ª.87.A
veluti Aqua frigida videbatur quiddam ascẽdere a crure adolescẽti qui conuulsione arripiebatur. 3°.*de lo.aff.* 4ª.19.F
Aquæ frigidæ potu quidam obijt in causone. 1°.*de sym.cau.* 3ª.18.E
Aquã frigidissimã ex niue potãtiũ vẽæ sectiõe pſeruatorũ cas°. 6ª.11.b
Aquã cottã, quæ debet refrigerari, vbi fontibus rapide labẽtib° subijcimus, cur vas aliqua ex pte ĩane eẽ dẽt.ĩ 6ᵐ.*de mo.vul.* 3ª.182.H
Aqua fugienda in Syncope. 11°.*me.med.* 7ª.76.H
ex Aquæ redundantia febres tertianæ. 8°.*de dec.* 1ª.277.B/ *de natur. huma.com.* 2°. 7ª.181.B
Aqua feruens est tutior frigida. 3°.*de san.tu.* 2ª.80.E
Aqua valde calida accipit igneã qualitatẽ, et ẽ aqua cõposita. 5ª.3.b
Aquam maiorẽ debẽt habere balnea publica. 16°.*de vs.p.* 1ª.214.F
Aquã minorẽ debent habere balnea priuata. 16°.*de vsu pa.* 1ª.214.F
Aquæ mistur æ mult æ in balneis.de vic.ra.in mor.acu.c. 3°.7ª.132.C
Aqua, q̃n calidiore, & quãdo nõ, debemus vti. 3°.*de sa.tu.* 2ª.80.D
Aqua calida, humectat, & calefacit. 1°.*de tẽp.* 1ª.10.D/ *de assuet.* 61. D, 2°.*de sa.t.* 74.B/ 5°.89.F/ 2ª.92.D/ 5°.*de simp.me.fa.* 5ª.33.B
Aquarum dulciũ balneis pueri humectandi sunt. 1°.*de sa.tu.* 2ª.65.C
ex Aqua & oleo balneum multum humectat, & calefacit. 5ª.33.B
Aqua calefacta facile digeritur & exhalat. 9°.*met.me.* 7ª.60.H
ex Aqua humida, aduenẽte calore multi vapores eleuantur. Ex.7.E
Aqua dulcis vapores quales. com. 1°.*aph.* 14°. Ex.7.E
Aquæ dulcis balneum calens non prodest sensibus, si humectationis nõ indigent. 5°.*de sa.tu.* 2ª.92.D
Aquarum dulcium balnea humidarũ ægritudinũ sunt causæ. 3ª.7.H
Aquæ calidæ soliũ quibus exercitatiõib° cõueniat, et qbus nõ. 2ª.80.f
Aqua persentitur attrahi ab hominibus sitientibus, quãdo balnea ĩgrediuntur. in 6ᵐ.*de mor.vul.com.* 6°. 3ª.195.B
Aqua calida qũo calefacit, & refrigerat.de ijs, quæ in me.fi. 7ª.215.b
ex Aquę calidæ lotione fit mollities. 1°.*de simp.me.fa.* 5ª.3.F
Aqua calida lentitionẽ affert cũ calefactiõe.d re.af.di.et me. 7ª.194.b
Aquæ calidæ moderata perfusione q̃ fieri soleãt.de iis q̃ ĩ me. 7ª.215.b
Aquarum calidarum potus somnum conciliat. 2°.*de lo.affe.* 4ª.14.A
Aqua calidior tenues meatus cogit, constringit, ac densat. 7ª.44.F
Aqua calida qũo facit intumescere, & decumbere corpus. 2ª.73.D
ex Aqua dulci temperata fit lotio in febre ex obstructione. 7ª.50.A
Aquæ calidæ balneum quos dolores oculorũ sanet, & qũo. Ex.57.G
Aquarum dulciũ lauacra cõueniũt lassitudinibus. 2°.*de si.m.f.* 5ª.16.a
Aquæ feruentis lauatio minus lassitudini obnoxios reddit. 2ª.80.B
Aquas calidiores volunt affectus similes lassitudini. 3°.*de s.t.* 2ª.80.a
Aqua feruens claudit & cogit cutim. 3°.*de san.tu.* 2ª.80.E
Aqua feruens non exiccat, licet vrat. 1°.*de simp. me.fa.* 5ª.3.G
Aqua feruens in sanum infusa facit horrorem. 2°.*de sym.ca.* 3ª.22.E
Aquæ feruentis lauatio, ξεσολυσια dicitur. 3°.*de sa.tu.* 2ª.80.B
Aquæ calidæ balneum facit ad sudores.de cura ictteri. Sp.111.C
Aqua calida quomodo euacuat. 5°.*de simp.me.fa.* 5ª.33.C
Aquæ calidissimæ quales. 2°.*de san. tu.* 2ª.78.A
Aqua ora aperiendi vim habens nimium laxat.de cau.morb. 3ª.9.B
Aquæ dulces calefactæ, sed tepidæ, quales. 2°.*de sa.tu.* 2ª.78.A
Aquæ dulcis lauacrũ temperatum oẽs euacuationes pmouet. 7ª.69.b
Aqua temperata non similiter tactũ afficit vt aer tẽperatus. 1ª.17.E
Aqua temperata aperit, dilatat, & relaxat. 7°.*me.me.* 7ª.44.F
Aqua tepida quid agat. 3°.*de san.tu.* 2ª.78.D/ 2°.*de simplicium med. fac.* 5ª.11.C/ 7°.*met.me.* 7ª.45.B
Aquã tepidã dedit Galenus pro æruginoso humore euomẽdo. 7ª.80.a
Aquis mediũ tẽperamẽti in qbus vti possimus, et ĩ quibus nõ. 2ª.79.b
Aquæ tepidiores desiderat lassitudo phlegmonodes. 3°.*d s.t.* 2ª.79.b
Aqua calida frequens vires soluit.de ren.aff.dig. & med. 7ª.194.B
Aq pluuialis ẽ iustissima et certissima põderis rõ.d põd.et 5ª.277.C
Aqua pluuialis quæ bona, quæ non.in 6ᵐ.*de mor.vul.c.* 4°. 3ª.184.e
Aquæ pluuiales leuissimæ sunt, subtiles, puræ, & bonæ, & dulcis gustus.de bon.aquæ. Sp.75.F
Aqua pluuia aliquo modo adstringit. 7°.*de com.me.* 178.A/ 5ª.183.b
Aqua pluuialis cur putrescat citissime omniũ.de bon.aquæ. Sp.75.F
Aquam pluuiam adhibet in arteriace diacodion, dicens aqua pluuia additur quo minus putredini obnoxium sit pharmacum. habet aũt adstringens quippiam in se hæc aqua, tamen alibi habes eã esse maxime putrescibilem. 7°.*de comp.med. se.lo.* 5ª.178.D
Aqua pluuia vtit. 1°.*de cõ.me.se.l.* 131.B/ 2°.141.C/ 4°.153.F/ 154. B/ 7°.180.C/ 182.H/ 184.D/ 185.C/ 8°.188.F/ 9°.5ª.202.F/ 3°.*de med.fa.par.* 170.E/ *de ocu.* 7ª.197.C/ *de dy.* Sp.29.C
Aqua pluuialis medicamẽtis oculorũ adhibetur.de mo.vu. 3ª.184.F
Aqua pluuialis frigido p sanguinis eruptione. 3°.*de cõ.m.* 5ª.148.H
Aqua pluuia vtitur in sanguinis reiectatione. 7°.*de cõp.me.* 5ª.183.F
Aquam pluuiam non probat Galenus. 4°.*de sa.tu.* 2ª.85.G
Aquæ pluuialis incommoda, quæ. de bon. aquę. Sp.75.F
Aquarum pluuialium melior est tonitrualis quã procellaris. Sp.75.g
Aqua tonitrualis cur approbetur ab Hippocrate, in 6ᵐ.*de mor.vul. commen.* 4°. 3ª.184.G
Aquæ medicamẽtosæ vitandæ, & q̃ sint. 7°.*de cõ.me.per g.* 5ª.264.D
Aquas sponte nascentes αὐτοφυη vocant. 1°.*de sim.me.fa.* 5ª.5.C
Aquarum sponte nascentium naturæ. 4°.*de sa. tu.* 2ª.83.C
Aquæ aliquæ sponte natæ, & calentes numerantur inter medicamẽta quæ non excedunt fines tuendæ sanitatis. 1°.*de san.tu.* 2ª.68.H
Aquis sponte nascentibus vtebantur antiqui ad excrementa vacuanda. 4°.*de sa. tuen.* 2ª.83.C
Aquarũ spõte nascẽtiũ lauacri meminit.de vi.ra.in mor. ac. 7ª.132.b
Aquæ calidæ sponte nascentes quibus malæ. 6°.*de san.tu.* 2ª.98.G
in Aquis calidis sponte nascentibus, in vasis, vbi calescit aqua quotidie, fit lapis.in 6ᵐ. *de mor.vul.com.* 3°. 3ª.173.B
Aquarum sponte natarum vsus calculosis prodest, cum nihil phibet. de renum affe.dig. & med. 7ª.144.F
Aqua naturalis digerens in Lesbo. 14°. *me.med.* 7ª.91.E
Aquis digerentibus quando vtendum.de art.com. 4°. 7ª.288.B
Aquæ ex pugnãtibus qualitatibus cõpositæ, quæ. 1°.*de si.me.f.* 5ª.6.F
Aquæ Albulæ quales. 8°.*me.me.* 7ª.51.C
Aquæ fontis albulæ valent ad vlcera, & fluxiones. 5ª.3.D
Aqua aluminosa est mista. 1°.*de simp.me.fa.* 5ª.3.B
Aquæ aluminosæ valent ad vlcera & fluxiones. 1°.*de si.m.f.* 5ª.3.D
Aquæ Balneorum aluminosorum cutem densant. 2°.*de crisi.* 4ª.138.H
Aquæ aluminosæ frequentius vsæ cutem densant, & febrem faciunt. 8°.*me.med.* 7ª.50.B
Aqua aluminosa pulsum indurat. 3°.*de præsag.ex pul.* 4ª.119.C
Aqua aluminosa facit obstructionẽ inseparabilem. 10°.*me.me.* 61.G/ 1°.*de arte cur. ad Glau.* 7ª.95.D
ex Aqua aluminosa lotio est contraria febri ex obstructione. 7ª.50.a
Aquæ balneorum multum differunt a marina. 1°.*de sim.me.f.* 5ª.3.D
Aquæ omnes balneorum exiccant, si medicam vim habeant. 2ª.65.C
Aquę bituminosæ, sulfureæ, aluminosæ tantũ a propria aquæ natura recedunt, quantum fuerint adulteratæ.de ptiss. 2ª.47.B
Aqua bituminis non est frigida. 1°.*de sim.me. fac.* 5ª.3.B
Aqua bituminosa ex pugnantibus qualitatibus cõposita. 5ª.3.B/ 6.F
Aqua calcãthodes obstructionẽ inseparabilẽ facit. 10°.*me.m.* 7ª.61.g
Aqua marina non est frigida. 1°.*de simp. me.fa.* 5ª.3.B
Aqua marina quomodo sit sicca, cũ maiorem partem humidi habeat. 3°.*de simp.me.fac.* 5ª.17.E
Aqua marina quo modo probetur esse sicca per fomenta. 5ª.17.F
Aqua marina desiccat. 5°.*de sim.me.fa.* 5ª.32.A
Aqua marina siccat carnes, & incorruptas seruat. 2°.*de na.f.* 1ª.301.c
ex Aqua marina balneũ non debet fieri febrienti. 11°.*me.m.* 7ª.69.H
Aquæ marinæ, salsæ, nitrosę, & sulfureæ balnea, ducunt plus biliis, sed multo minus prosunt, quã potabiles. 1°.*de ar.cur.ad Glau.* 7ª.97.B
Aqua marina epota quid faciat. 1°.*de symp. cau.* 3ª.18.E
cũ Aqua marina vinum ad quod sit opportunum. 2°.*de arte curat.ad Glauconem.* 7ª.101.H

Aquam marinam

Aquam marinã habens vinum siquis siticulosus biberit corpus incẽditur. de vict.ra. in morb. acu. com. 4°. q^a.134.D
Aqua marina, aut bituminosa, aut sulfurosa, aut muria, si inspergas erysipelas, adures partem. 1°. de simp. med. fac. i^a.3.B
Aqua marina quãdo imponenda erysipelati. 14°. meth. me. 7^a.87.E
Aquæ marinę flos salis mistus facit corpulẽtis, et hydropicis. 7^a.91.E
Aqua marina & aliæ aquæ thermarum quomodo conficiant arte 1°. de simp. med fac. 5^a.3.E
pro Aqua marina muria. 3°. de comp. med. sec. loc. 5^a.147.B
Aqua marina quo modo fiat, vbi nõ habeť. 4°. de sim. me. fa. 5^a.30.E
Aqua maris mortui salsa & amara. 4°. de simp. med. fac. 5^a.30.D
Aqua maris mortui cur amara. 4°. de simp. med. fac. 5^a.30.E
Aqua maris mortui pondere tantum superat marinam, quantum marina fluuiatilem. 4°. de simp. med. fac. 5^a.30.D
in Aquam maris mortui non submerguntur homines & animalia. 4°. de sim. med. fac. 5^a.30.D
Aqua maris mortui copiosa portaťi Italiã. 4°. de sim. me. fa. 5^a.30.E
Aqua maris mortui qũo fiat arte. 4°. de simp. med. fac. 5^a.30.E
Aqua nitri non est frigida. 1°. de simp. med. fac. 5^a.2.H
Aqua nitrosa ex pugnantibus qualitatibus composita. 3. B| 5^a.6.F
Aqua salsa praua est. 1°. de simp. me. fac. 5^a.3.C
Aqua salsa medicamentosa est. de vict. ra. in mor. acu. cõ. 3°. 7^a.131.B
Aquæ quæ sũt salsæ rectificãt stomachũ mollem, & debilem. Sp. 74.D
Aqua salsa quo modo ventrem soluat. 2°. de sim. me. fa. 5^a.12.B
Aqua diutius decocta tandem fit salsa. 3°. de alim. fac. 2^a.32.B
Aqua sulfurosa est mista. 10°. de sim. med. fac. 3^a.3.B
Aqua sulfuris non est frigida. 1°. de simp. med. fac. 5^a.2.H
Aquæ sulfureæ, nitrosæ, bituminosæ, marinæ palpitationis sunt remedia. de palp. conuul. & rig. 3^a.52.G
Aqua sulfurea pulsum indurat. 3°. de præsa. ex puls. 4^a.119.C
Aq̃ calide, i. thermarũ qb⁹ sint locis apud Grẽcos. 6°. de sa. t. 2^a.98.G
Aquæ thermarum capiti obsunt. 6°. de sa. tuen. 2^a.98.G
Aquarum thermarum vsus pro ventriculi imbecillitate. 7^a.44.A
Aqua sulfurosa ex pugnantibus qualitatibus composita. 5^a.6.F
de Aquis sordidis thermarũ pisces sũt multarũ superfluitatũ. Sp. 73.E
Aquæ intellectum suggerit inspicienti in corporibus animaliũ, rarum humidum, ac fusile. 2°. de elemen. 2^a.5.E
ex Aqua fit glacies per expressionem aeris. de vtil. resp. Sp. 64.C
Aqua frigore congelascit. q⁹ animi mores. 1^a.319.D
Aqua minor est glacies. de vtil. resp. Sp. 64.B
ex Aqua modica fit secundum quosdam multus aer, nec ex modico aere ignis multus. de vtilitate resp. Sp. 62.E
Aqua primo decocta quo modo fiat frigida. i 6^m. de mor. vul. 3^a.182.C|7°. *meth. med.* 7^a.44.B
Aqua an lignis grauior esset, duo philosophi altercabantur. 2^a.59.G
Aqua fontis tpe hiberno tepida videtur. 3°. de simp. med. fa. 5^a.22.G
Aquã puteorum cur calidam existimemus frigore rigentes. 3^a.18.C
Aqua puteorum hyeme tepida videtur. 3°. de simp. me. fac. 5^a.19.D
Aqua tepida cur frigida videaťi existẽtibus in balneis calidis. 5^a.18.B
Aqua cum vehementem caliditatem accipiat, cur nec flamma fiat, nec pruna. 4°. de simp. med. fac. 5^a.24.G
Aqua calida extinguit flammam. 3°. de temp. 1^a.23.C
Aquæ ductum Plato vocauit sanguinis lationẽ per venas. 1^a.288.C
Aqua quo modo posit descendere per asperam arteriã, & tussim non excitare. 8°. de dec. Hippo. 1^a.278.H
q⁹ Aqua ingrediaťi p tunicã asperæ arteriæ, experimentum. 1^a.278.H
i Aquã iactus lapis circulos multos facit. 3°. de sim. med. fa. 5^a.20.H
Aqua i estate, et nõ i hieme abũdãt fõs i Delo, putei i Pytho. Sp. 75.H
Aqua i q⁹dã fontib⁹ hyeme disparet, æstate abundat, cur. Sp. 75.H
Aqua Nili est limosa & composita. 1°. de simp. med. fac. 5^a.3.B
Aquæ Nili bonitas paucis fluuijs est cõparãda. de bo. aquę. Sp. 75.E
Aquæ paludosæ Aegypti solæ sanæ, cur. de bon. aquæ. Sp. 75.E
Aquã bibũt Scythę resolutã à niuib⁹ et glacie. d aere, aq. & l. 2^a.4.H
Aquæ tiburtinæ per lapides fistulas Romã deriuatæ crudiusculę sũt. in 6^m. de mor. vul. com. 4°. 3^a.182.E
Aqua in vrbem vnde debet deriuari. 6°. de dec. Hip. 1^a.164.B
cũ Aqua per canales ducenda est, quibus debeant illiniri. 3^a.184.D
Aqua p plũbeos canales trãsiens fugiẽda, et ideo colligo aquas à lambico, quibus hodie vtũtur, fugiẽdas esse. 7°. de com. me. 5^a.180.H
ex Aqua p plũbcũ canalẽ deriuãte dysẽteria. 7°. de cõ. me. 5^a.180.H
sub Aqua quæ animalia multũ possunt morari. de anat. viuo. Sp. 53.B
extra Aquã spirare aerẽ pisces maiores cõstat. de vtil. resp. Sp. 63.B
extra Aquam cur spirent pisces aliqui. de vtil. resp. Sp. 64.C
Aquã in Ereo Arcadiæ si quis bibit, moritur. de bon. aquæ. Sp. 76.A
Aquam in Leontinis siquis bibit, moritur. de bo. aquæ. Sp. 76.A
Aqua est Susis, quã si quis biberit, amittit dẽtes. de bo. aquę. Sp. 76.A
Aqua est i Thracia, quã si quis biberit, moritur. de bo. aquæ. Sp. 76.A
Aqua euaporante vinum suspensum ad ignem in vtribus indurescit in modum salis. de vtil. resp. Sp. 64.F
Aqua accenditur lapis thracius. de sim. med. Sp. 86.G
in Aqua sanguisugis plena ludebãt adolescẽtes. 4°. de lo. af. 4^a.26.A
Aqua non peruenit ad cor piscium. de vtil. resp. Sp. 63.B
Aqua cur colligatur in fœtus pelliculis. de anat. viuo. Sp. 52.C
i Aq̃ ad ei⁹ motũ mouet iũcus ex sua mollicie et flexibilitate. Sp. 52.b
Aqua bathecæ generat succum frigidum. de diss. cont. Sp. 74.B
Aqua ciceris confert in dolore lapidis. de cur. lap. Sp. 111.H
Aqua casei saliti est cibus salsus, dissoluens, ac attenuans. Sp. 72.F
Aquæ caulium, & lentium quid faciant. de dissol. cont. Sp. 75.A
Aquæ granatorũ acetosorũ incidũt, et attenuãt. de dis. cont. Sp. 72.G
Aquã hordei videť innuere. de vic. ra. in morb. acut. cõ. 3°. 7^a.131.H
Aquæ hordei mentio fit. de vic. ra. in morb. acu. com. 4°. 7^a.143.E
Aqua hordei est cibus sapidus, dulcis, subtilis, abstergens. Sp. 72.E
Aquã mellis velociter tendit in venas. de diss. cont. Sp. 75.B
i Aqua mellis infusa pruna sicca leniũt ventrẽ. de diss. cont. Sp. 75.A
Aqua mulsa per noctẽ sub dio exponẽda. 9°. de cõ. me. se. l. 5^a.199.H
Aqua mulsa austera, mella est. de fract. com. 2°. 7^a.235.H
Aqua mulsa ad quæ valet. 11°. meth. med. 7^a.70.F
Aqua mulsa nihil adstringit, sed extergit. 6°. de cõ. me. se. l. 5^a.173.G
Aqua mulsa, & ptissanæ cremor detergunt humores in ventre infarctos. de vict. rat. in morb. acut. com. 1°. 7^a.111.E
Aqua mulsa vt ptissana humectat, & secat, non tamen roborat. de vict. rat. in morb. acu. com. 1°. 7^a.113.C
Aqua mulsa non calefacit, & euacuat. 11°. meth. med. 7^a.69.G
Aqua mulsa meracior per vomitum purgat. de art. cõ. 2°. 7^a.267.H
Aqua mulsa in quo morbo satis sit. de vic. rat. in mor. acu. 7^a.127.C
Aqua mulsa vsq; ad vigorẽ dãda i pleuritide, si vires cõstẽt. 7^a.115.D
ex Aqua mulsa hyssopus datur in pleuritide. 5°. de loc. affe. 4^a.34.G
Aqua mulsa cũ hyssopo vsq; ad septimum datur in syncope. 7^a.76.A
Aqua mulsa non sunt nutriendi qui syncope ex tenuibus humoribus correpti sunt. 12°. meth. med. 7^a.78.A
Aqua mulsa quo modo noxia in febribus. 11°. meth. med. 7^a.70.F
Aqua mulsa in qua roſæ ferbuerint ad quid vtilis. 4^a.219.C
Aquam mulsam si dederis mulieri, & dormiens post potũ sentiat alui tormina, concepit, si non, minime. com. 5°. aph. 41°. Ex.41.D
Aquam mulsam expuunt vulnerati thorace. 5°. de lo. aff. 4^a.31.A
ex Aqua mulsa panis pro cataplasmate. 5°. de cõ. me. se. lo. 5^a.161.G
præ Aqua mulsa cremor ptissanæ. 11°. meth. med. 7^a.75.H
Aqua si fluat per nares, per os, aut per aures caput dolenti morbus soluitur. com. 6°. aph. 10°. Ex.47.C
Aquæ mixtum piper quibus bibere liceat. 6°. de san. tuen. 2^a.99.B
Aqua calida si quis vinum diluat ac bibat, ac comedat aliquid acutum, vt piper, in singultum incidit. com. 6°. aph. 39°. Ex.50.H
Aqua aliqui aloen inspergunt. 5°. de san. tuen. 2^a.92.E
Aqua igni aduersissima. 1°. de simp. med. fac. 4.H| 5^a.5.C
Aqua febris naturę aduersissima. de vic. ra. i mor. ac. cõ. 1°. 7^a.114.g
Aqua tẽpestiue data illico febres extinguit. de vi. ra. i mor. a. 7^a.114.b
Aqua calla supinfusa qũo et quas febres sanet. c. 7°. aph. 42°. Ex.57.c
Aqua vtendũ ad sitim in pleuritide. de vic. ra. in morb. acu. 7^a.114.F
Aqua dulci vtimur in fluxionibus acrib. ad oculos. 13°. me. m. 7.86.d
Aquæ potus ad capitis dolorẽ ex vini potu. de reme. par. f. 7^a.153.G
Aq̃ i qua ãbustũ medicamẽ ablutũ est, calidã asciuit qualitatẽ. 5. 64.f
Aquæ tantum miscendum medicamento, quantum coquẽdo totum vanescet. 4. de sani. tuen. 2.87.A
Aqua cũ ceruſſa et lithargyro simul ebullita, aq̃ prius digeriť. 5^a.4.b
Aqua ad ptissanam conficiendam qualis. de ptiss. 2.47.A
Aqua qualis exigatur pro apomeli. 4°. de san. tuen. 2^a.85.G
Aqua miscenda est oxymeliti vt vino misceť. 4. de san. tuen. 2^a.85.E
Aquæ q̃ bonæ & q̃ pravæ calculosis. de ren. af. dig. & me. 7^a.194.E
Aqs qbus lædãt renes, et vesica calculo obnoxia. de m. vu. 3^a.184.D
ex Aqua vel vino accipitur diatrion pipereon. 1°. de loc. aff. 4^a.5.F
Aqua è mespilis, myrtis, malis, sorbis, palmulis, & œnanthe quibus danda. de vict. rat. in mor. acu. com. 4°. 7^a.149.B
Aqua calida mitigatoria est. de remed. par. fac. 7^a.154.A
Aqua calida fluxionibus aduersatur. 2°. de arte cu. ad Gla. 7^a.101.b

ex *Aqua*

ex Aqua calida fomentũ ad dolorem capitis ex vini potu quando cõueniat.de remed.paratu fac. 7ª.153.H
Aqua calida in vtre,vel in veſica,vel vaſculo aut æneo, aut teſtaceo poſita fomentũ eſt calidũ.de vic.ra.in mor.ac.com.2°. 7ª.116.D
Aquæ calidæ fotus qd boni habeat.ĩ 6ᵐ.de mor.vul.cõ.6°.3ª.196.A
Aqua calida ẽ optimũ fomẽtũ cũ ſpõgia ĩ doloribꝰ oculorũ. Ex.49.G
Aqua calida ſedat dolorem ad tempus, ſed magis deinde augetur & quare.com.6°.apho.31°. Ex.49.F
ex Aqua fomenta ad dolores partium extremarum. 3ª.196.A
Aqua calida madente ſpongia molli ac mox expreſſa inteſtinum inflatum quo modo mitigandum.6°.meth.med. 7ª.39.D
Aquæ calidæ potus pro vomitu in diſſolutione ex humoribus mordicantibus os ventriculi.1°.de arte cur.ad Glauc. 7ª.99.C
Aqua quo modo temperandum acetum in inflãmatione ex fluxione. 2°.de arte cur.ad Glauc. 7ª.101.H
Aquam & acetum miſce cum indiges herbis frigidis. 1°. de compoſi. med.per gen. 1ª.211.H
ex Aqua et aceto fomẽtũ p pituitoſa materia.7ª.14°.me.me. 7ª.87.F
Aqua,oleo,et lini ſemine tepidis illinenda ſunt hypochondria, quãdo ſunt tenſa.de vict.rat.in mor.acu.com.4°. 7ª.140.H
Aquæ ſedes eſt pulmo,cur.de anat.viuo. Sp.47.H
in Aqua calida ſit manus quæ phlebotomatur.de ana.viuo. Sp.54.H
Aquã prius bibiſſe à leui nutrimento etiã ſubducto oportet,quàm cucurbitulæ applicẽtur,aut prius comediſſe oĩno.de cu.ſa. 6ª.3.C
in Aqua debet ſuffocari ſimia,in qua fieri debet ſectio, & excoriari. de muſc.diſſ. 1ª.44.D
Aqua abſtineat manu & pede vulneratus.3°.de comp.me. per ge.5ª 231.A/2°.de arte cur.ad Glauc. 7ª.101.H
Aquæ,quæ vlcera exaſperant.1°.de ſimp.med.fac. 5ª.3.D
Aqua tepente vlcera abluenda.4°.de comp.med.per gen. 5ª.244.E
Aqua valet in vlcere cũ phlegmone.1°.de cõp.me.per ge. 5ª.217.A
Aqua potabili ſanantꝰ vlcera calida,et ſicca.1°.de ſim.me.fa. 5ª.3.D
Aquæ cæteræ pter potabilẽ vlcera deſiccãt.1°.de ſim.me.fac. 5ª.3.D
Aqua expertiſſima acrimoniæ,in vlceribus eſt mordax.5°.de compo. med.ſec.locos. 5ª.159.A
Aqua aut vino frigidis madidam ſpongiam vlceri applicat.4°. de cõpoſi.med.per gen. 5ª.236.H
Aqua frigida balneandum vlcus deligatum.4°.de compoſitio.medic. per gen.237.D/ 5ª.238.F
Aqua vulneribus cancroſis,ſi ſola adhibeatur,perniciẽ infert.de ſim. medicaminibus. Sp.92.C
Aqua calida vulneratis neruis inimiciſſima eſt.6°.meth.me.7ª.37.d
Aqua neruo vlnerato inimica.6°.meth.med. 7ª.38.E
Aqua calida ſi perfundatur caro vlcerata fit mollis & fluida.1°. de ſimp.med.fac. 5ª.3.F
Aqua calida plurima laxat,et attenuat.de ijs q̃ ĩ me.fi.c.3°.7ª.215.g
Aqua calida modica mollit,et carne replet.de ijs q̃ in me.fi.7ª.215.G
ex Aqua,oleo,& farina hordei cataplaſma ad pus cito mouendum. 4°.meth.med.27.D/2°.de arte cur.ad Glau.102.A/ 7ª.105.C
ex Aqua,oleo,et farina cataplaſma cõcoquẽs.2°.de ar.cu. 7ª.105.C
Aqua calida cum oleo maturat.de oculis. 7ª.183.E
Aqua tẽperata aptiſſima ẽ ad puris gñationẽ.5°.ĩ ſim.me.f. 5ª.34.A
Aquæ calidæ fomentum pus mouet.4°.meth.med. 7ª.27.D
Aqua et oleũ aptiſſima ad puris gñationẽ.5°.de ſimp.me.fa. 5ª.34.A
ex Aqua,& oleo panis pus mouet celerrime.4°.meth.med. 7ª.27.D
Aqua lixina cum farina hordeacea in ea cocta, medicamentum eſt ad putrefactionem in neruo vulnerato.6°.meth.med. 7ª.37.F
Aquæ calidæ vſus in fracturis.de ijs,quæ in med.fi.com.3°.7ª.215.F
Aqua infundenda in deligatura oſſis.6°.meth.med. 7ª.41.D
Aq̃ dulcis ex ſpõgia fomẽtũ mitigat phlegmonẽ,qñ irritata ẽ. 7ª.81.D
Aqua et aceto ĩtincta põgia qñ ĩponẽda ſit ſupra ĩflãmationẽ.7ª.101.G
Aqua ſimplici perfuſum eryſipelas nihil ſentit incommodi. 5ª.3.A
Aqua calida quando imponenda eryſipelati.14°.meth.med. 7ª.87.E
Aqua frigida ſanandum eſt verum eryſipelas.8°.meth.med. 7ª.57.F
Aqua et acetũ quo mõ tẽperabanꝰ p ædemate.14°.met.me. 7ª.87.F
in Aqua quæ parum aceti habeat ſpongia infuſa ædemati ex pituita in partem influxa prodeſt.2°.de arte cur.ad Glau. 7ª.103.F
vt Aqua coagulata lucidiſſima eſt humor primus oculi,in quo eſt vis viſiua.de com.memb.ſiue de natura humana. Sp.58.C
ad Aquæ deſcenſum in oculum.ſecre. 101.D/Sp.107.A
ex Aqua auriũ nocumenta quo curentur.de reme.par.fac. 7ª.155.A
ad Aquã q̃ in aurẽ illapſa eſt.3°.de cõp.me.ſe.lo. 5ª.145.F/Sp.97.H
Aquã multam ĩ p̃cordijs exiſtẽtẽ nequeũt curaꝛ malagmata. 5ª.197.B
Aqua inter cutem eſt morbus diuturnus.fin.med.Iſa.45.F/ Ex.5.D
Aqua intercus eſt morbus frigidus et humidus.10°.de temp. 1ª.11.C
in Aqua inter cutem an ſpiritus vel humor ſit, non poteſt tactu percipi & quo modo.4°.de dign.pulſ. 4ª.85.F
Aqua ĩter cutẽ quali cõtingat naturę.ĩ 6ᵐ.de mor.vul. c.1°.3ª.156.C
Aqua inter cutem quot fiat modis.4°.de præſag. ex pul. 4ª.121.E
Aqua ĩtercus fit cũ gñatio ſanguinis fruſtraꝛ.cõ. 6°.ap.12°. Ex.47.E
Aqua intercus fit qñ exit multus ſanguis, qñqùe aut ex vtero mulieris vel ex hæmorrhoidibus,aut ex venis,aut ex vlcere. Ex.15.B
Aqua intercus fit per hepatis compaſsionẽ, aut lienis, aut venoſi generis in lienoſis.com.6°.apho.43°. Ex.51.C
Aqua inter cutem ſequitur iecoris ſcirrhum.5°.de locis aff.4ª.33.F/ 2°.de arte cur.ad Glauc. 7ª.104.D
Aqua inter cutẽ ex vitio aliorũ mẽbrorũ q̃ iecoris.5°.de l.af.4ª.33.H
Aqua inter cutem à iecore,qualis.in prog.com.2°. 4ª.197.H
Aqua inter cutem fit indurato liene.6°.de loc.aff. 4ª.36.B/C
Aqua intercus fit in lienoſis,ſi longa inteſtinorum difficultate capiantur,& moriuntur.com.6°.apho.43°. Ex.51.B
Aqua ĩtercus qua tẽpeſtate ſequaꝛ quartanã.cõ.3°.ap.11°. Ex.21.D
Aqua intercus quartanã à liene factã,hanc mors ſecuta eſt.3ª.118.H
Aqua inter cutem ſequitur ad acutos morbos.6°.de loc. aff. 4ª.36.B
Aquæ inter cutẽ ſpecies vna dicitur leucophlegmatia.cõ.7°.aph. 29°. 56.H/aph.70°.Ex.60.G/in 3ᵐ.de mor.vul.com.3°. 3ª.146.D
Aqua intercus fit ob clauſas euacuationes hæmorrhoidarum. 6ª.7.E
Aqua inter cutem fit ex frigidæ aquæ potu.5°.de loc.aff. 4ª.34.A
Aqua intercus,quando ex inflammatione procedat.intro. Iſa.56.H
Aquæ inter cutẽ cuius eſt propriũ alui fluor.in prog.cõ.2°. 4ª.197.G
Aqua ĩter cutẽ laborãtes lędunt ab aqua dulci,ab alijs iuuant. 5ª.3.E
Aqua intercus à quo humore fiat.1°.de morb.vulg. 3ª.111.C
Aqua quo in loco ſit in hydrope.3°.de loc.affect.18.D/5°. 4ª.33.H
Aqua hydropum vbi congregetur.com.7°.apho.56°. Ix.58.H
Aqua ĩter inteſtina et peritoneũ collecta ẽ cã aq̃ inter cutẽ. Iſa.56.H
in Aqua inter cutẽ reſpiratio qualis.de vtil.reſp. 1ª.225.G/3ª.59.D
in Aqua inter cutẽ oĩ,pedes intumeſcũt,et cur.in pgn.c.2°. 4ª.197.G
in Aqua inter cutẽ quæ ſit cauſa præcedens pulſus mollis. 4ª.109.D
Aqua intercus à furore bonum.com.7°.apho.55°. Ex.54.C
Aqua inter cutem habito,ſi aqua è venis in ventrem fluxerit,ſoluitur morbus.com.6°.apho.14°. Ex.47.F
Aqua intercute laborantibus vlcera in corpore facta difficulter ſanantur.com.6°.apho.8°. Ex.47.B
Aqua inter cutẽ laborãtibꝰ tuſſis ſupueniẽs malũ.c.1°.ap.35°.Ex.50.C
Aqua ĩter cutẽ laborãs ſi a tuſſi habeaꝛ deſpatꝰ.c.7°.ap.47. Ex.57.H
Aqua plenum hepar quibus in omentum eruperit, ijs venter aqua repletur,& moriuntur.com.7°.apho.55°. Ex.48.H
Aqua inter cutẽ ex acuto morbo letalis eſt.in prog.com.2°. 4ª.197.F
Aquæ inter cutem curatio.cõ. 7°. aph.6°.Ex.58.H/de theriaca.90. G/9°.de comp.med.ſec.loc. 5ª.200.A
Aqua intercus quo modo à Galeno ſanetur.de pur.med.fa. 5ª.86.G
in Aqua inter cutem punctiones magis quàm vſtiones antiquis medicis in vſu erant.com.6°.aph.27°. Ex.48.H
Aquam inter cutem patientes.ſi vrantur,vel ſecentur, & tota aqua exeat,omnes moriuntur.com.6°.aph.27°. Ex.48.G
in Aquam inter cutem periculum eſt incidere à diuturnis ſanato hæmorrhoidibus,ſi vna non ſeruatur.com.6°.aph.10°. Ex.47.D
Aqua intercus,et febris,q ſunt morbi cõtrarij, qũo curentur. Ex.8.H
Aqua inter cutem laborantibus prodeſt erinacei terreſtris deſiccata caro. 5ª.78.F
Aqua inter cutem laborantium toti ventri cochleæ impoſitæ valde deſiccant. 5ª.81.G
Aqua ĩtercute tumẽtẽ carnẽ exiccãt arẽæ fluuiatiles et marĩæ.5ª.67.g
Aqua ĩter cutẽ laborãtibus sãguis caprarũ cũ melle exhibeꝛ.5ª.73.B
Aqua inter cutẽ qũo ſtercore bubulo ſaneꝛ.10°.de ſim.me.fa.5ª.76.G
ad Aquã ĩter cutẽ ſterc⁹ caprinũ accõmodũ ẽ.11°.de ſim.m.f. 5ª.76.E
ad Aquã inter cutẽ vt exeat per vrinam.de med.fac.par. 7ª.167.D
ĩ Aqua inter cutẽ dicto morbo nõ euacuãda ſimul tota aqua. 7ª.98.G
Aq̃ ĩtercutis exolutio ex aq̃ ĩmodica euacuatiõe qũo curãda. 7ª.99.F
Aqua ĩtercus qũo euacuãda.quos pur.op.q̃b.me. & q°. tẽp 5ª.88.E
Aqua ab aliqua medicina trahit et euacuat.cõ.6°.aph.14°.Ex.47.F
Aquas trahẽtia medicamẽta p̃ſunt hydropicis.de atra bile. 1ª.36.B
Aquã inter cutẽ trahentia medicamẽta qualia eſſe debeant.5ª.86.H
Aquã hydropis non educit medicaᵐ.flauæ bilis.de pur.m.fa.5ª.86.G

Aqua ĩter cutẽ laborãtes adiuuat ther.de ther.ad.Pi.96.D/5ª.98.G
Aqua intercute laborãtes quo mõ curent terrę ęgyptię luto. 5ª.65.G
ad Aquas inter cutẽ incipiẽtes effundi,antidotus zopyria. 5ª.120.E
ad Aquam intercutem.5°.de comp.med.per gen. 5ª.247.A
ad Aquam inter cutẽ malagma.7°.de comp.med.per gen. 5ª.266.H
Aquam educit ammoniacum.de dyna. Sp.22.B
Aquã ducũt ęris flos, æris squama, æs vstum. 1°.de nat.fa. 1ª.294.B
Aquam educens medicamentũ non educet bilem,& ecõtra. 1ª.31.C
Aquã ducẽs medicamẽtũ si ictherico deĩ qd agat.1°.de na.f. 1ª.294.A
ad Aquam citrinam in hepate.secret. Sp.99.E
Aqua plenum hepar quibus in omentũ eruperit,his uenter aqua impletur,& moriuntur.com.7°.apho.55°. Ex.58.H
Aqua intercus,lege Hydrops.
ĩ Aquę prĩcipio secanĩ venę et arterię post aures.de an.vi.Sp.55.A/B
Aquæ reformidatio quid.fin.med. Isa.47.D
Aquę pauor pessimum malum,& quale.de ther.ad Piso. 5ª.96.E
ad Aquam expauescentes ex rabidi canis morsu. 5ª.215.F
in Aquarum formidinem deueniẽtes morsos à canibus rabidis quid adiuuet.2°.de antid. 5ª.120.G
Aquæ pauorem pessimũ morbum tollere consueuit theriaca 5ª.96.D
ad Aquam timentes antidotus.2°.de antid.119.F/ 5ª.120.F/G
AQVARIVS *calidus est in primo gra.humidus in secũdo. Sp.38.H*
Aquarius,gemini,& libra sunt occidentales,aerei,calidi & humidi. de spermate. Sp.39.A
Aquatici sunt cancer,scorpio,pisces.de spermate. Sp.39.A
Aquaticis omnibus inest,vt ex aere non respirent,neque habeãt pulmonem.6°.de decre.Hippo. 1ª.263.F
in Aquatilibus sunt species & differentiæ.3°.de alim.fac. 2ª.30.A
Aquatilia mollia,quæ sint & qualia.de h o.& vitio suc. 2ª.35.E
Aquatilia non conueniunt ictericis.de cura icteri. Sp.11.D
Aquatylis dryini morsibus confert centaurea.de virt.cent.Sp.93.H
Aquatũ oui ad qd sit vtile.de re.par.f.155.F/156.D/159.A/7ª.160.G
Aquea q̃ sũt plus quã cõueniat, siccitate corrigi debẽt.4°. 5ª.128.H
Aqueam qualitatẽ habentia omnia succis acribus,vel acidis,vel austeris,uel salsis admisceri postulant,si in cibo suauia sint futura,et nauseam non paritura.2°.de ali.fac. 2ª.16.H
Aqueũ oĩa equaliter penetrat et peruadit.4°.de simp.me.fa. 5ª.25.H
Aquei admixtio qualitates oẽs exoluit.4°.de simp.med.fac. 5ª.31.C
Aquei sapores vocati ab aliis à Galeno dulces vocantur. 4°.de simplicium med.fac. 5ª.25.C
Aquea essentia in pumilium fructibus.4°.de simp.med.fac. 5ª.28.G
Aqueus quidam succus & qualitatis expers in fructibus, vt aqua ip sa in medio saporum est.2°.de alim.fac. 2ª.19.G
Aqueus succus & qualitatis expers in omnibus fructibus stomachũ non iuuat.2°.de alim.fac. 2ª.19.G
Aquei omnes cibi attenuantiũ vim minuũt.de atte.vict. ra. 2ª.44.C
Aqueũ succũ habẽtia et tenuẽ sunt pauci alimẽti.2°.de ali.fa.2ª.16.g
Aquei coloris vrinę sũt multũ tenues.ĩ 1ᵐ.de mor.vul.c.3°. 3ª.124.b
Aquea medicamenta quid agant.5°.de sim.med.fa. 5ª.35.H
Aqueus humor numerat inter affectus iunctur æ cubiti.intr. Is.59.G
pro Aqueo humore in corpore apium et asarum ebullita in aqua vtilia sunt.de præcog.ad Posthu. 4ª.217.H
Aqueus,vide Aquosus.
AQVILÆ *hãt densissimã ossiã cõcretionẽ.11°.de vsu par. 1ª.191.E*
Aquila habet proprietatem leonis.de spermate. Sp.38.H
Aquilæ optime cernunt.1°.de san.tuen. 2ª.63.H
Aquilæ euitãt partim æstũ,partim frigꝰ.de venæ sec.ad Erasi. 6ª.7.D
Aquilæ pinnæ commodæ ad verrucas.14°.meth.med. 7ª.93.A
Aquilæ lingua ad quid faciat.3°.de med.fac.par. 7ª.171.B
Aquilæ fel quale.10°.de simp.med.fac. 5ª.75.A
Aquilę fel ad quid valeat.4°.de comp.med.sec.loc. 5ª.153.A
ab Aquila iecur Tityo erosum poetæ,pictores, & sculptores fingunt cur.3°.de loc.aff. 4ª.16.E
de Aquilæ ouis exemplum.1°.de vsu par. 1ª.113.F
Aquilarũ sterc⁹ ob nimiã acrimoniã ĩutile ẽ.10°.d sim.me.f. 5ª.77.B
Aquila piscis habet carnem duram.3°.de ali.fac. 2ª.31.G
Aquilinum oculum vnum & nasum habuit Alexander ex proprietate sui signi.de spermate. Sp.38.H
Aquilatum tectum,quid.de art.com.2°. 7ª.270.F
AQVILIÆ. *Secũdilla meminit.7°.de cõ.me.p ge.265.H/5ª.271.G*
AQVILONII *venti sunt frigidi & salubres. in 1ᵐ.de morbis vul. commen.1°. 3ª.103.F*
Aquilo in tractu Galeni frigidus est,auster calidus.in 1ᵐ.de mor.vulga.commen.1°. 3ª.103.D
Aqlonẽ magnũ et lõgo tpe hẽre solet hyẽs.ĩ 1ᵐ.d m.vul.c.1°. 3ª.103.H
Aquiloniæ hyemis meminit.in 1ᵐ.de mor.vul.com.2°. 3ª.107.G
Aquilone spirante multi & magni imbres qua tempestate fuerint. in 1ᵐ.de morb.vulg.com.2°. 3ª.113.E
Aquilone et austro simul spirãtibus,q̃ fuerit cõstitutio.ĩ 1ᵐ. 3ª.107.F
Aquilonio, & frig. & hu. existente anno quid secutum sit.in 1ᵐ. de morbis vulg.com.2°. 3ª.108.A
Aquilone spirante quo modo factæ sunt ardentes febres paucæ, & paucis sanguis profluit.in 1ᵐ.de mor.vul.com.1°. 3ª.104.E
Aquilo quibus obsit.ars med. Isa.64.A
Aquilonijs & frigidis ventis spirantibus caput apertum plurimum læditur.in 1ᵐ.de mor.vul.com.2°. 3ª.113.F
Aquilo obest thoraci vniuersaliter.in 3ᵐ.de mor.vul.cõ.3°.3ª.146.b
Aquilonius aer, qualis.2°.de composi.med.sec.loc.5ª.136.C/2°. de arte cur.ad Glauc. 7ª.104.E
Aquilone existẽte q̃n nõ sint nubes.in 1ᵐ.de mor.vul.cõ.1°.3ª.104.c
Aquilo.lege ventus.
Aquilonij et tẽperati status meminit.ĩ 3ᵐ.de mor.vul.c.3°. 3ª.140.b
AQVOSITATES, *vnctuositates,salsitates,amaritates, dulcedines,acerbitates,austeritates,siccitates,acrimoniæ, faciunt differẽtiam in partibus dissimilaribus.3°.de sim.me.fac. 5ª.20.G*
Aquositatem paucam coagulato sanguine supernatare vidit Galenus ijs,quibus secatur vena.5°.de vsu par. 1ª.144.F
Aquositatem lactis remouent lapides fluuiales & frusta ferri igniti. de dissol.cont. Sp.75.B
Aquosa,& subtiliatiua, vel terrestria & crassa sunt constringentia. de oculis. 7ª.188.A
Aquosa ad gustũ nullã habẽt insignẽ qualitatẽ.2°.de ali.fac. 2ª.25.B
Aquosum vinum quid.de vinis. Sp.76.B
Aquosum vinum,quale sit.7°.meth.med. 7ª.45.A
Aquosa vina cum vrinam cieant, paucissimum nutrimentum præbẽt corpori.de vinis. Sp.76.D
Aquosa vina cito inueterascunt.de vinis. Sp.76.H
Aquosa vina primò acria postea amara fiunt.de vinis. Sp.77.A
Aquosa vina quibus sint conseruanda locis.de vinis. Sp.77.A
Aquosum vinũ omnes euacuationes promouet.11°.met.me. 7ª.69.b
Aquosum vinum subtile adiuuat ad spuendum humiditatem ex pulmone.de dissol.cont. Sp.74.H
Aquosũ vinũ cõuenit imbecillas habẽtibus vires.7°.me.me.7ª.45.E
Aquosus humor in vapores breui dirigitur.7°.de vsu par. 1ª.161.C
Aquosus humor est vehiculum nutrimenti.4°.de vsu par. 1ª.136.C
Aquoso humore & tenui sanguis est plenus.4°.de vsu par. 1ª.136.C
Aquosus humor postquam suo officio functus est,mittitur ad renes. 4°. de vsu par. 1ª.136.D
Aquosus humor nõ relinqt sitim ĩ purgatiõe.c.4°.aph.19°. Ex.29.C
Aquosa substãtia quæ etiam in venis est, habet suum pharmacũ proprium.com.2°.apho.36°.17.F/com.7°.aph.55°. Ex.58.H
Aquosus sanguis exiens desuper malus.com.4°.aph.25°. Ex.30.A
Aquosum,& frigidum sanguinem habentia animalia timida sunt. de vtil.respir. Sp.64.E
Aquosa humiditas miscetur humoribus, & facit deiectiones non sinceras.com.7°.apho.6°.54.D/apho.32°. Ex.56.D
cũ Aquosa humiditas in hydrope tantũ adaucta fuerit, vt iã asperas arterias occupet,si tussis superueniat,tunc periculum est ne homo haud ita multo pòst strangu letur.com.6°.aph.35°. Ex.50.C
Aquosũ et humidũ corpus quo durius reddat.ĩ 6ᵐ.de mor.3ª.161.A
Aquosi & tenues humores euacuandi sunt in principio morbi nulla facta coctione.de his quos purg.opor. 5ª.88.F
Aquosum,& pituitosum humorem facit alteratrix potentia frigida. 3°.de symp.cau. 3ª.26.B
Aquosa pituita descendit cum vero spermate.de spermate. Sp.36.F
Aquosam pituitam quæ educunt.de dyna. Sp.22.B
Aquosam pituitam educit maxime euphorbiũ.de dynami. Sp.22.B
Aquosos humores, et pituitã educit ęris squamma.de dyna. Sp.22.A
Aquosa purgat chamelæa.de dynamidijs. Sp.22.B
Aquosos humores, & pituitam ducit coccus Cnidius. de ther.ad Piso.5ª.90.F/de dynami. Sp.21.F
Aquosos humores laxat electuarium.9°.de med.exper. Sp.107.G
ad Ad aquosum rheumatismum.de pass.mul. Sp.96.B
Aquosa cur per tussim non possunt expelli.2°.de symp. cau. 3ª.21.F

Aquoſo excremento abundant ſenes. 5°.de ſani.tuen. 2ª.91.B
Aquoſa ſupfluitas fit multa tpibus pluuioſis.cõ.3°.aph.7°. Ex.20.F
Aquosũ excremẽtũ copioſiſſimũ,et tenuiſſimũ. 5°.de vſu p. 1ª.144.e
Aquoſæ vrinæ quæ ſint.com.7°.aphor.32°. Ex.56.D
Aquoſa ẽ vrina alba integre tenuis.de vrinæ ſigni.ex Hip. Sp.79.A
Aquoſa vrina cruda eſt & diuturna.com.7°.aph.32°. Ex.56.D
Aquoſa vrina in infantibus peſſima eſt. de vrinæ ſignificatione ex Hippocrate.78.G/quæſ.in Hippo. Sp.113.F
Aquoſa,albaq; vrina cum albis nebulis in cardiacis,eorum ægritudinis ſolutionem oſtendit.de dynamidijs. Sp.34.H
Aquoſa et alba vrina,in augmẽto ægritudinis, aut inſtatu veniẽs laborẽ corporis cũ frigore,et maciẽ futurã ſignificat.de dy. Sp.34.B
Aquoſa vrina,alba bonam habens nebulam cum odore bono egeſta phrenitim purgat.de dynamydijs. Sp.34.D
Aquoſa vrina,male olens,& atra, & craſſa letalis eſt. de vrinæ ſignificatione,ex Hippocrate. Sp.78.G
Aęa coniunctione cum tono circunflexa vtimur cum de aliquibus rebus dubitamus.in 1ᵐ.prorrh.com.1°. 4ª.161.C
ARA *parua Soſtrati.de faſcijs.* 6ª.302.H
ARABVM *linguæ ſi ſit vocabulum, ab ipſis arabibus res diſcenda eſt.ad Thraſy.* 2ª.106.B
apud Arabes ne p sõniũ quidẽ inuenies tẽperatũ.2°.de ſa.tu. 2ª.73.C
Arabes ſunt graciles.2°.de ſimp.med.fac. 5ª.14.E
Arabiã incolentes dura habẽt corpora.4°.de com.me.p ge. 5ª.136.F
Arabũ cutis cur vſta,dura,ſicca,et nigra reddat.2°.de tẽp. 1ª.20.B
ARABIVS *lapis elephãti ſimilis,et qualis.9°.de ſim.me.f.* 5ª.68.b
ARABICA *ſpina quid.6°.de ſimp med.fac.* 5ª.41.H
ARAKIERI. *fit mentio.ſecret.* Sp.103.E
ARACVS, *doſis nomen.7°.de comp.med.ſec.loc.183.A/* 5ª.185.d
ARACI *ſubſtantia,figura,& vſus.1°.de alim.fac.* 2ª.14.H
Aracum in lente naſcitur.1°.de alim.fac. 2ª.15.H
Αραχνοειδὴς,*tunica,pars et particula animalis non inſtrumentũ vocatur.1°.meth.med.* 5ª.6.D
Αραδον,*quid ſignificet.de victꝰ rat.in morb.acu.com.4°.* 7ª.146.F
Αραιοσυγκρίτους *quid appellant Græci.6°.de ſan.tuen.* 2ª.97.D.
ARANEA *anſam dedit telas conficiendi.* 5ª.94.F
Aranei tela à phlegmone tucĩ vlcera cutis.1°.de ſim.me.fac. 5ª.80.f
Araneorum oua.5°.de comp.med.ſec.loc. 5ª.163.E
ad Aranei muris ictus.5°.de comp.med.per gen. 5ª.246.H
Aranei muris morſus ab eodem contuſo et impoſito ſine dolore ſanatur.de theriaca ad Piſo. 5ª.94.A.
Aranęæ morſibus confert centaurea.de vir.cent. Sp.93.H
Aranei morſibus medetur trifolium.de ther.ad Piſo. 5ª.90.H
ad Aranei muris morſum.de med.fa.par. 7ª.169.F
ARANEA *quæ tunica ſit,& vnde naſcatur.de anato.viuo.48.E/de anato.oculorum.* Sp.57.F
Aranea tela ẽ ĩter cryſtallinũ,et albugineũ humorẽ.de ocu.7ª.182.H
Araneas illas tenues,q̃ à pupilla ad circuli circumferẽtiã extenduni, nõ amplius araneas,ſed viſiones voca.10°.de vſu par.1ª.182.D
Araneoſæ pinguedines vrinis ſuperne innatantes quid ſignificent.de vr.ſi. Sp.78.G
ARATILLI *ſuccus ſanguinem purgat.de dyna.* Sp.22.C
ARATIO *eſt exercitatio,& opus.2°.de ſan.tuen.* 2ª.73.G
ARATRA *qui pangit,exercetur & operatur.2°.de ſa.tu.* 2ª.73.H
ARATVS *librum fecit de his quæ in aere cõſpiciunt. in 1ᵐ. prorrh. com.1°.* 4ª.160.G
Arathus Atheniẽſis venenorũ cõpoſitiões ſcripſit.2°.de ant. 5ª.114.F
ARBITRARII *motus opifex ẽ facultas q̃ aĩal gubernat.* 3ª.53.C
Arborum generationis initium à ſemine in terram moderate humidã & calidam iacto ſumitur.de fæt.for. 1ª.323.C
Arbores quando perfectæ ſunt.de hiſto.philoſ. Sp.11.F
Arbores frigidiſſimæ & ſicciſſimæ,quæ.4°.de ſimp.med.fa. 5ª.26.F
Arbores frigidæ pro capite.2°.de comp.med.ſec.loc. 5ª.132.H
Arbores quæ ſemper frondeant,& cur.de hiſt.philoſ. Sp.11.H
Arbor duriſſima corallus naſcitur in terra molli & lutoſa in mare ſecundùm Ariſt.de anato.viuo. Sp.46.A
in Arbore duplex eſt germinatio.de fæt.for. 1ª.323.C
Arborum germina quæ ſint.2°.de alim.fac. 2ª.24.C
Arborum & fruticum germina inter ſe quodam modo ſunt ſimilia, tamen arborum ſunt ligneſiora.2°.de ali.fac. 2ª.24.B
Arborum ac fruticum germina olerum aſparagis proportione reſpondent.2°.de alim.facul. 2ª.24.C
Arborum germina cocta manduntur.2°.de ali.fac. 2ª.24.C
Arborum germina pariunt malos ſuccos.de bo.& vitio ſuc. 2ª.33.G
ab Arboribus & olcribus hortenſibus fructus plantarum ſumuntur, 2°.de alimen.facul. 2ª.16.D
Arborum ſtipes perpetuo manet.2°.de alim.fac. 2ª.24.C
Arborum ſtipes proportione reſpondet cauli oleraceorum & herbaceorum.2°.de alim.fac. 2ª.24.C
in Arbore matureſcentes fructus multũ differunt à non matureſcentibus.de puero epil. 7ª.180.D
Arbor ne fructũ amittat,quid fieri debeat.3°.de me.fa.par. 7ª.175.d
Arborum fructus tantum non omnes mali ſucci, exceptis caſtaneis glandibus.de bo.& vitio ſuc. 2ª.37.E
Arborum fructus humidi,tenue & humidum corpori alimentũ præbent.2°.de alimen.facul. 2ª.17.D
ex Arborum fructibus conſiſtentia ſolidis alimẽtũ copioſius corpori apponitur,tardiusq; permeat, maxime cum ſuccum in ſeipſis habeat craſſum,aut lentum,aut adſtringentem. 2ª.17.D
vt Arbor à radicib⁹ attrahit cibũ,ita iecur à meſeraicis.6°. 4ª.37.G
Arboribus tumores cõtingũt et quales.ĩ 6ᵐ.de mor.vul.c.1°. 3ª.152.g
in Arboribus quibuſdam appendices ſunt, quas congros vocant.in 6ᵐ.de mor.vul.com.3°. 3ª.172.G
Arborũ quarũdã halit⁹ ĩficit uicinũ aerẽ.ĩ 3ᵐ.de mor.vul.c.1°. 3ª.153.f
ex Arboribus animalcula cuius ſint vſus.3°.de cõ.me.ſ.l. 5ª.145.a
Arborib⁹ ĩmodice fructiferis q̃ viri cõparant à Pla. 6°.d̃ l.af. 4ª.39.G
Arbori quo modo cõpareť conuulſio vniverſalis.3°.de lo.af. 4ª.17.D
Arbori ſiccæ comparatur ſenectus.1°.de diff.feb. 3ª.34.F
Arbitrariarũ functionũ iſtra muſculi exiſtũt.in 1ᵐ.pr.cõ.1°. 4ª.163.G
ARBVTVS *arbor frigidiſſima & ſicciſſima eſt.* 5ª.26.F
Arbuti fructus memecylus dicitur.de ſimpl.medic.facul.52.A/2°. de comp.med.ſec.loc. 5ª.137.B
Arbuti fructus ſemper acerbus eſt.4°.de ſimplicium medi.fac.26.F/ 7°.52.A/8°. 5ª.62.C
Arbutus infenſus ſtomacho,et capiti dolorem commouet.7°.de ſimp. med.fac.52.A/2°.de comp.med.ſec.loc. 5ª.137.B
ex Arbuti decocto fit adſtringens fortius pro gargariſmis. 5ª.172.G
ARBYLA *genus calciamenti.de art.com.4°.* 7ª.284.C
ARCADES diu in cibo glãdes retinuerunt.2°.de ali.ſa. 2ª.22.A
ĩ Arcadię Ereo aqua eſt,quã ſi quis biberit,moriť.de bo.aq.Sp.76.A
ARCHELAI *pharmacum.9°.de comp.med.ſec.loc.* 5ª.205.A
ARCHEVS *Tryphon.4°.de comp.med.per gen.* 5ª.243.H
ARCHIBIVS 5°.*de comp.med.per gen.* 5ª.253.G
ARCHIVII *antidotus ambroſia,& ſacra dicta.2°.de ant.* 5ª.115.H
ARCHIGENES *Apameus Syrius meth.ſectę author.intr.If.51.E*
Archigenes qua ætate fuerit.com.6°.aph.1°. Ex.46.C
Archigenes circa medicæ artis opera ſtudioſus.2°.de loc.af. 4ª.10.A
Archigenes exercitatiſſimus in curandi ratione.3°.de lo.af. 4ª.16.C
Archigenes nõ fuit vulgaris medicus.2°.de cõp.me.ſec.lo. 5ª.134.H
Archigenes non fuit indoctus.2°.de loc.aff. 4ª.12.A
Archigenes dignus eſt vt alijs præferatur.3°.de loc.aff. 4ª.14.D
Archigenes laudatur.3°.de dif.pulſ.59.F/60.H/2°.de die.decr. 4ª. 155.G/1°.*de comp.med.ſec.loc.* 5ª.126.H
*Archigenem laudat,& vituperat.3°.de diff.pulſ.*4ª.64.D/6°.*de cõpoſ.med.ſec.loc.* 5ª.176.D
Archigenes vt reprehendit alios,ita à Galeno reprehendẽdus.2°. de compoſi.med.ſec.loc. 5ª.135.A
apud Archigenem dolorum nomina,quæ.2°.de loc.affe. 4ª.9.H
Archigenes libros vndecim epiſtolarũ ſcripſit.3°.de loc.aff. 4ª.15.F
*Archigenes logicas ãſtiones,et obſcuras ſcribebat.1°.de lo.af.*4ª.3.C
*ab Archigene ſolo motu diſtincti sũt acuti,et nõ acuti morbi.*4ª.155.g
Archigenes librũ ſcripſit de ſignis febris.3°.de differen.pulſ.64.A/ 2°.de criſibus. 4ª.136.B/D
*Archigenis liber de pulſibus.2°.de loc.aff.9.H/12.H/2°.de diff.pul. 54.B/55.F/4°.69.A/4°.de dig.pul.85.C/de p̃.ad Poſth.*4ª.219.b
Archigenis pulſus definitio.4°.de diff.pulſ. 4ª.69.A
ſm Archigenẽ qbus cõſtet pulſus formicãs.1°.de dign.pulſ. 4ª.75.D
Archigenis liber de reſtauratione leſę memorię.3°.de lo.aff. 4ª.15.E
*Archigenes de lõgarũ affectionũ notitia librũ fecit.3°.de l.af.*4ª.20.d
Archigenes de locis affectis ſcripſit.1°.de locis affectis.3.G/2°.10. D/de criſi. 4ª.136.C
Archigenem non intelligebat Galenus, ſenex tamen librum fet· dce locis affectis.2°.de loc.affect. 4ª.12.H
*Archigenes librũ fecit de pharmacis.2°.de cõ.me.ſe.l.*133.C/134.H/ 6°.173.D/

6°.173.D/176.D/7°.178.B/2°.de composi.med. per genera.222.A/4°.5°.242.D/de reme.par.fac. 7ª.156.C

Archigenes librũ fecit de pharmacis secundũ genus.1°.de comp.med. secũ.locos.125.H/3°.142.D/146.G/4°.157.C/5°.158.G/160.A/162.C/8°.191.F/196.B/9°.198.A/199.G.10°.206.G/5ª.208.G

Archigenes de castorei vsu librum fecit.11°.de simp.me.fa. 5ª.80.A

Archigenis hiera pro melãcholicis.de melãcholię.109.H/Sp.110.A

Archigenis præsiduũ ad alopecias.1°.de cõp.m.s.l.133.F/5ª.125.H

Archigenis ad furfures medicamentũ.1°.de cõp.me.sec.lo.5ª.128.E

Archigenis capillos denigrantia.1°.de comp.med.sec.lo. 5ª.126.H

Archigenis ad achoras medicamẽtum.1°.de cõp.me.se.lo.5ª.129.B

Archigenis præsidia ad dolorem capitis qñ est sine febre. 5ª.134.H

Archigenes de capitis dolore ex ebrietate.2°.de cõp.m.s.l. 5ª.138.B

Archigenis ad apthas.7°.de comp.med.sec.loc. 5ª.176.C

Archigenis ad aurium dolores.3°.de comp.med.se.loc. 5ª.142.D

Archigenis ad parotidas medicamẽtũ.3°.de cõp.me.se.lo. 5ª.146.G

Archigenis ad crustas.6°.de comp.me.sec.loc. 5ª.172.B

ſm Archigenem cucurbitula supra caput memoriam deperditam restaurat.3°.de locis aff. 4ª.15.F

Archigenis ad dentiũ dolores.5°.de comp.med.se.loc. 5ª.163.A

Archigenes ad gurguliones inflãmatos.6°.de cõp.me.se.lo. 5ª.143.D

Archigenis ad ozenas medicamentũ.3°.de cõp.me.sec.lo. 5ª.147.G

Archigenis ad fugillata.5°.de comp.med.sec.loc. 5ª.158.H

Archigenis de fissuris et cõtusionibꝰ ĩ capite scĩs.2°.ꝺ cõ.m. 5ª.138.D

Agχηγονον.i.primogenitum,innatũ nobis.aduersus.Lycũ. Ex.65.A

ARCHIMEDES, *& Appellides non fuere medici, sed architecti.de machin.* 7ª.316.C

Archimedis, seu Apellidis trispastum.de machin. 7ª.316.C

ARCHISTRATORIS *Apollonij Smylinus.* 5ª.252.C

ARCHITECTONICA *quæ comprehendat.de lib.prop. Isa.*13.G

in Architectonica certa methodus.de cuiusq; animi.pec.not. 2ª.57.B

*Architectõica quorũ descriptiões cõplectat.ꝺ cuiusq.aĩ pe.no.*2ª.57.B

*Architectura innititꝰ arithmeticę et linearũ scĩę.de aĩ pec.no.*2ª.58.B

Architecturam callebat Galeni pater.de cog.cur.animi mor. 2ª.54.D

*Architecti sunt in secunda sede apud deũ Mercuriũ.in ora.suus.Is.*2.F

*Architecti inter rationales numerantur.de cuiusq; aĩ.pec.no.*2ª.60.A

*Architecti ad medicum cõparatio.in 6ᵐ.de mor.vul.cõ.5°.3ª.*188.C

Architectus philosophus deridet.de cuiusq; animi pec.no. 2ª.59.H

ARCTICI *vel Bunij vires.6°.de simp.med.fac.* 5ª.45.B

ARCTIVM *est lappa minor.6°.de simp.med.fac.* 5ª.42.F

ARCTVRVS *quando oriatur.in 1ᵐ.de mor.vulg.comp.1°.*3ª.102.D

Arcturo oriente principium est autumni & æstatis finis. 1°.*de morbis vulg.*3ª.103.B/*com.*3°.*aph.*14°. *Ex.22.F*

Arcturo oriente pluit ferè,ac frigidi venti spirãt.in 1ᵐ.de morbis vulgaribus,comm.1°. 3ª.103.B

inter Arcturum & virgilias quod temporis spatium intersit.in 1ᵐ.de morbis vulg.com.1°. 3°.102.B

ab Arcturo ad vigilias duo menses intercedunt.in 1ᵐ.de morbis vulgaribus.com.2°. 3ª.107.G

ARCVS *cœlestis quo modo fiat.de hist.philos.* Sp.7.H

Arcus cœlestis colorum exemplum.de hist.philos. Sp.8.A

Arcum intendendi impotentiam facit humerorum humiditas.de aere aquis, & locis. 2ª.5.C/F

ARDACHA quid, & eius vires.de simp.medic. Sp.80.H

ARDENTIA *& anthraces affectus fiunt caliditate vincente. de palp. conuulſ.& rigo.* 3ª.54.C

Ardens febris quo modo fiat & quãdo.de victus ratio.in morbis acutis commen.4°. 7ª.134.C

Ardens febris est synochus.2°.de cris. 4ª.135.G

Ardens febris ob cerebri inflãmationem.1ᵐ.pror.com.1°. 4ª.166.A

*Ardẽtissimæ febres ex inedia frequẽter supueniũt.8°.met.me.*7ª.52.D

*Ardẽtes febres facit inedia primũ,postea hecticas.10°.me.m.*7ª.63.F

Ardens febris exquisita quæ sit.2°.de cris. 4ª.135.E

*Ardentissimæ febres ex bile.8°.de dec.Hipp.*1ª.277.B/*in 1ᵐ.de mor. vulg.commen.1°.* 3ª.104.E

in Ardente febre atra bilis superaßatur.3°.de loc.aff. 4ª.18.A

in Ardentibus, & tertianis bilis mouetur per carnes, & fit rigor.de palp.conuulſ.& rig. 3ª.55.E

*Ardens febris habet breue tempus.1°.de cris.*126.F/2°. 4ª.135.G

in Ardentium febrium vigore vigilant & delirãt, in inclinatione dormiunt & sapiunt.2°.de loc.aff. 4ª.14.B

*Ardẽtes febres aliquæ sunt extra periculũ.3°.de ỹsag.ex pul.*4ª.111.B

Ardens febris maligna est,cuius supremæ partes non calescunt.in 1ᵐ. pror.com.1°. 4ª.187.B

in Ardentibus quæ signa mala.in 1ᵐ.pror.com.1°. 4ª.175.E

Ardens febris cum refrigeratione,est symptoma prauum.in 1ᵐ.pror. commen.2°. 4ª.175.F

in Ardẽtibus pernicioſis cõuulſio fit ex ſola ſiccitate.de palp.cõuul. & rig. 3ª.56.C

Ardentium febrium dementia a quo fiat.3°.de loc.affec. 4ª.18.B

Ardentium febrium ſpiritus, qualis.4°.de loc.affec. 4ª.25.A

Ardentis febris inſpiratio, qualis.4°.de loc.aff. 4ª.27.A

Ardentes febres pulſum habẽt crebrum.2°.de præſ ex pul. 4ª.111.B

in Ardentibus febribus tanta eſt vis vrinæ, vt illi ſoli credendum ſit. in 6ᵐ.de mor.vulg.com.1°. 3ª.156.H

in Ardente febre tempora pulſant.3°.de diff.pulſ. 4ª.64.C

Ardens febris.in 6ᵐ.de morb.vulg.com.1. 3ª.160.A

Ardentibus febribus demptus,cor prope mortẽ frigida intemperie affectum eſt.4°.in 6ᵐ.de morb.vulg.com.1°. 3ª.187.D

Ardens febris quo modo ſanetur.3°.de criſi. 4ª.139.D

in Ardentiſſima febre qñ aqua frigida danda.11°.met.med. 7ª.70.A

Ardens febris ex aqua frigida ſanata.9°.meth.med. 7ª.60.G

in Ardente febre aquæ frigidæ balneum.11°.met.me. 7ª.70.B

Ardens febris ex pituita ſalſa nõ peiit balneum.de victꝰrat.in morbis acu.commen.3°. 7ª.133.E

Ardens febris quo modo abeat.2°.de ſymp.cau. 3ª.22.F

nec Ardẽtes febres,nec profluuiũ ſanguinis facit aquilo.in 1ᵐ.de morbis vulg.com.1°. 3ª.104.E

*Ardentem febrem ſemel habuit Galenus. de palp.conuulſ.& rig.*3ª.56.A/4°.*de locis affectis.* 4ª.22.E

ARDOR *febris, qui.ſi.med.Iſa.*46.C/*com.*7°.*aph.*42°. *Ex.*57.D

Ardor ſit ob calidam & ſiccam intemperiem.de atra bile. 1ª.35.A

*Ardores, febres exiccæ ſiccæ ſunt, aduerſus.Lycum. Ex.*62.A

*Ardores & ſitis ppriũ ardẽtis febris.in 1ᵐ.de mo.vul.cõ.2°.*3ª.115.A

Ardors vigilias inducit.3°.de loc.aff. 4ª.16.F

*Ardores cur in iuuenibus fiant.com.3°.apho.29°. Ex.*35.B

*Ardores cur fiant in conſiſtentibus,& qũo.com.3°.aph.30°.Ex.*26.E

cum Ardore frigidi ſudores ſignificant morbi longitudinem. præſa.ex per. confir. (corruptus eſt textus.) Sp.77.G

Ardor externus numeratur inter cauſas extrinſecis doloris capitis. 2°.de comp.med. ſec.loc. 5ª.131.H

Ardor ex quo fit dolor capitis ſignificat ex ſole æſtiuo circa caput factã perſeuerantem caliditatem.2°.de comp med.ſec loc. 5ª.132.E

ob Ardorem, & dolorem reſpiratio difficilis.1°.de diff.reſp. 3ª.59.A

Ardorem facit & ventrem procurat vua paſſ.de ſimp.med.Sp 92.B

in Ardoribus oleum eſt ſolatium.2°.de ſimp.med.fac. 5ª.15.B

*Ardoribus prodeſt omphax & qũo.4°.de ſimp.me.fac.*25.B/5ª.27.F

Ardorem ſtringit ſiligo tritici.de ſimp.med. Sp.90.A

ad Ardorem malt um perferentes.8°.de comp.med.ſec.loc. 5ª.189.G/*de remed.par.fac.* 7ª.160.E

ab Ardore ſtomachi ſi quꝛ vt male,electuariũ vile.de dy. Sp.26.C

ad Ardorẽ ſtomachi.8°.de comp.med.ſec.loc. 5ª.189.G/190.D

ad Ardorem ſtomachi confert oriza cum butyro.8°.de compoſitio.medicam.ſec.loc. 5ª.191.H

*ad Ardorẽ ſtomachi cũ ſyncope ſorbitiões.8°.ꝺ cõp.me.ſ.l.*5ª.191.H

ad Ardorẽ ſentientes ſtomachicos.8°.de comp.med.ſec.lo. 5ª.190.H

AREIS, barbatis, trabibus, columnis quam cauſam aſſignent Peripatetici.de hiſt.philoſ. Sp.7.F

AREA *quid ſit & quo modo curetur.de reme.par.fac.* 7ª.154.E

Aream, vel tineam quid tollat.de dy. Sp.23.D

AREO *Aſclepiadeo traditam pharmacum a Dioſcoride.Tharſeo miri fice ſanguinis profluuia cõprimens.5°.de cõp.me.per gen.*5ª.254.E

ex Areo medicamentum ad colicos,& pſoras.10°.de cõpoſitione medicam.ſec.loc. 5ª.208.A

Arei medicamentum,ad nomas, & valuæ exeſſm. 5°.de compoſitione medic.per gen. 5ª.254.A

Arei ad pſoras depaſcentes.5°.de comp.med.per gen. 5ª.251.F

Arei ad herpetas.5°.de comp.med.per gen. 5ª.251.E

Arei Lexauy aridum e vedens 5°.de comp.med.per gen. 5ª.252.H

AREOTICA *medicamenta dicuntur quæ rarefaciunt.5°.de ſimpli.ũ med.fac.* 5ª.35.F

AREFACERE *medicamenta emplaſtica colligę.in 6ᵐ.de morbis vulga. commen.2°.* 3ª.161.A

ab Arefacientibus cũ marceſcũt corpora in ſeipſa ſubſident.de cauſis

morborum. 3ª.9.B
Arefactis ſub ſole remedium expeditũ et facillimum eſt ſm quoſdã nõ mõ bibere, ſed calidæ & dulcis aquæ balneo vti. 1°.de tẽp.1ª.10.E
ARENAE *fluuiatiles, & marinæ tum ẽtem carnem ab aqua intercutem exiccant.* 5°.de ſimp.med.fac. 5ª.67.G
Arena, pilus, ſordes, oleum, & idgenus, & oris vlnerũ glutinationẽ prohibent. 4°met. med. 7ª.23.C
Arenoſam terram vt ad pleraq; inutilem damnant agricolæ. 9°.de ſimplicium medic.fac. 5ª.64.G
Arenoſa & petroſa terra intemperata eſt. 11°.de vſu. par. 1ª.190.B
Arenula in oculo quo modo eximatur. 14°.meth.med. 7ª.93.A
ab Arenis, vel craſſis, & tenacibus ſuccis cum tantum fit obſtructio, & lapis nondũ conſtitit, neq; magnus eſt quid agendum ſit.de renum affectuum & dign. & med. 7ª.194.D
Arenularum & lapidum differentia.de ren.af.dig.& med. 7ª.193.C
*Arenulæ quomodo fiant in renibus.in 6ᵐ.de mor.vulg.cõ.*1°.3ª.155.G
Arenam habens vrina, & veluti raſuram, & in nebulis quaſi ſanguinem, renum colliquationem oſtendit.de dyn. Sp.34.G
Arenulæ tenues quãdo excernuntur, ſe non putãt ægrotare. de re.aff. dig. & med. 7ª.193.C
*Arenoſa in lotijs ſupſidẽtia quid ſignificẽt.de nat.hu.cõ.*1°.7ª.180.F
Arenoſa in vrinis materies quibus ſubeſt, ijs veſica calculeſcit.de vrine ſignificatione ex Hippo. Sp.78.H
Arenalis mictus ſigna.de dyna. Sp.28.H
Arenalis mictus curatio.de dynamidijs. Sp.28.H
*ad Arenoſas ſubſidentias.*10°.de comp.med.ſec.loc. 5ª.206.E
*Arenæ ſimile in abſceſſibus eſſe vr.*2°.de ar.cur.ad Glauc. 7ª.105.B
Arenoſum ſedimentum quando ſit.de ren.aff.dig.& med. 7ª.192.D
ARGEMON *eſt vlceratio, quæ in nigro oculi alba apparet, in albo autem ſubrubra.ſm.med.* Iſa.48.D
Argemon in iridis circulo, vel in albo, interdum etiã nigro, vlcus rotundum & ſubalbidum oritur.intro. Iſ.58.H
ARGEMON *vel eupatorium quid ſint.de ſimp.med.* Sp.80.D
Argemone eſt diuretica valde.de ſimp.med. Sp.80.D
*Argemone abſtergit & digerit.*6°.de ſimp.med.fac. 5ª.43.E
*Argemone vlcera exiccat.*4°.de comp.med.per gen. 5ª.236.G
*Argemone ad nervos vulneratos valet.*3°.d cõp.med.pge.5ª.234.B
Argemone valet contra venena.de ſimp.med. Sp.80.D
ARGEMAS *expurgat lactucæ agreſtis ſemen.*6°.de ſimplicium medicamentorum facul. 5ª.48.E
ARGENTVM *purum Romani candidũ vocant.*1°.de antid. 5ª.104.D
Argentum eſſe ſiccum, collige.in 3ᵐ.de morb.vulg.com.2°.3ª.141.A
Argenti talenti meminit.in 3ᵐ.de mor.vul.com.2°. 3ª.137.A
*in Argenteis metalis etiam eſt cadmia.*9°.de ſimp.med.fac. 5ª.69.E
Argentum viuum extinguii ſputo, & cinere.de dyna. Sp.30.E
Argenti ſpuma lythargyrium dicitur.de ſimp.med. Sp.90.F
Argenti ſpuma eſt venenum.in 6ᵐ.de mor.vulg.com.6°. 3ª.197.A
*ad Argenti ſpumam haurientes quid valeat.*2°.de antid. 5ª.114.D
*Argẽti ſpuma qualis.*1°.de comp.med.per gen.212.E/4°.240.H.5°. 247.D/6°.5ª.257.F/5°.meth.med. 7ª.36.E
*Argenti ſpumæ chryſitidis.*1°.de cõp.med pge.215.G/2°. 5ª.223.A
*Argenti ſpuma funditur, & quo modo.*1°.de cõp.me.per ge.5ª.212.F
*p Argenti ſpuma fundenda oxelaũ.*1°.de cõp.med.per gen. 5ª.212.F
*Argenti ſpuma quo modo cito liqueſiat.*1°.de cõp.me.pge.5ª.217.E
*Argenti ſpuma cruda quid agat.*1°.de comp.med.per gen. 5ª.213.D
*Argenti ſpuma per coctura fit melior.*6°.de cõp.me.ſe.lo. 5ª.168.E
*Argenti ſpuma fit nigrior coctione.*6°.de cõp.me.per gen. 5ª.257.H
*Argenti ſpuma quo modo lauanda.*1°.de med.per gen. 5ª.213.D
*vt Argenti ſpuma quæ lauentur.*1°.de comp.med.per gen. 5ª.213.E
*Argenti ſpumæ torreſactæ fit mentio.*5°.de cõp.med.ſec.loc. 5ª.162.B
*Argenti ſpuma quo mõ roſione carebit.*1°.de cõp.med.pge.5ª.213.D
Argẽti ſpuma ſtringit aliquatenus, & refrigerat.de ſimp.m. Sp.90.F
*Argenti ſpuma auferi mordacitatem pharmaci ex charta.*1°.de cõpoſitione medicamen.ſec.lo. 5ª.128.H
*Argẽti ſpumæ duplex vſus in emplaſtris.*6°.d cõp.med.pge. 5ª.257.F
*Argenti ſpuma ponitur pro forma emplaſtri, & qualis ſit.*5°.de cõpoſitione medic.per gen. 5ª.246.C
*Argẽti ſpumæ & ceruſſæ cõparat molybdena.*1°.de cõ.m.pg.5ª.215.A
*Argenti ſpuma, & molybdena valet ad eoſdem vſus, & quo mõ differant.*1°.de com.med.per gen. 5ª.213.F
cũ Argenti ſpuma quando eſt ceruſſa, quo modo ponẽda in emplaſtrũ. 1°.de comp.med.per gen. 5ª.215.G
*ex Argenti ſpuma, & œnelæo emplm.*1°.de cõp.med.pge.5ª.213.C
*ex Argenti ſpuma, & hydrelæo emplm.*1°.de cõp.me.pge.5ª.212.H
*ex Argẽti ſpuma & ceruſſa empla alba.*1°.de cõp.m.per ge.5ª.213.G
*ex Argenti ſpuma cruda & oleo acopon.*7°.de cõp.m.pge.5ª.264.H
*ex Argenti ſpuma, & oleo emplaſtrũ.*1°.de cõp.me.pgen.5ª.213.A
*Argenti ſpuma achoribus conuenit.*1° de cõp.med.ſec.loc. 5ª.128.H
*pro Argenti ſpuma ceruſſa vti abſurdũ.*1°.de cõp.me.ſe.lo.5ª.130.B
*Argenti ſcoria helcyſma dicitur.*9°.de ſimp.med.fac. 5ª.71.A
*ex Argẽto nõ puro vaſa rubiginẽ cito cõtrahũt.*1°.de antid.5ª.104.D
*Argenti vaſis meminit.*7°.de comp.med.ſec.loc.181.G. 5ª.274.F/G/ de incant.adiur.& ſuſp. 7ª.182.B
*Argenteæ phialæ meminit.*7°.de comp.med.per gen. 5ª.274.F
*Argenteæ pyxidis meminit.*7°.de comp.med.ſec.lo.179.E/5ª.186.A
Argenteæ cucurbitulæ, quia vehementius igniuntur, reijciendæ ſunt. de cucur.ſcari. 6ª.3.C
ARGYRITES *terra, quæ.*9°.de ſimplicium medic.facult. 5ª.66.D.de ſimplici.medicaminibus. Sp.85.C
Ἀργυροτρόφημα *quid.de ſuc.bon.& vitio.* 2ª.39.B
ARCILLA *candida eſt friabilis, & nihil habet pinguedinis.*9°.de ſimplicium med.fac. 5ª.64.G
*Argylloſa terra vt inutilis ad multa damnator ab agricolis.*9°.de ſimplicium med.fac. 5ª.64.G
ARGVMENTVM *quid ſit.in* 1ᵐ.de mor.vulg.com.3°. 3ª.117.H
*Argumẽtorum variæ ſpecies in libris tum antiquorũ, tum Galeni tractantur.*2°.de decre.Hippo. 1ª.235.A
*Argumẽtationes quo ordine dũt poni ĩ ſcietijs.*2°.de de.Hip.1ª.135.C
*i Argumẽtationib⁹ veris debem⁹ exerceri.d cuiuſq; aĩ.pe.no.*2ª.57.E
*Argumẽta remotiora quæ dicantur.*2°.de dec.Hippo. 1ª.235.C
*Argumentum ex modo loquendi.commen.*1°.apho.20°.9.H/com.2°. apho.23°.16.F/com.7°.apho.63°. Ex.59.H
*Argumentũ per diſtinctionem a contrario.com.*1°.aph.21°.Ex.10.B
*Argumentũ quo quis poteſt vti, qñ intendit probare aliquã ſententiã, vel aliquẽ librũ nõ eſſe alicuius authoris.cõ.*7°.aph.63°.Ex.39.H
Argumentum Galeni in empiricos, qui ex ſingularibus experientiam fieri volebant.aduerſus emp.med. Iſ.35.E
ARIDITAS *pilorum affectus.ſi.med.* Iſa.48.B/C
Ariditate corporis cognoſcuntur morbi ſicci venarum & arteriarum. de vict.rat.in mor.acu.com.1°. 7ª.112.F
*Ariditas cutis eſt in cauſa cur nõ ſudemus.com.*5°.aph.71°.Ex.45.F
*ob Ariditatem ſenes vigilant.*3°.de loc.aff. 4ª.16.F
Ariditas ſolidorum mẽbrorũ quibus reparetur.de marcore. 3ª.48.D
in Ariditatibus aquę quales.de bon.aquę. Sp.75.G
*Aridi & duri qui dicantur.*6°.de comp.med.ſec.loc. 5ª.176.F
*Arida valde eſt ſepti tranſuerſi temperies.*6°.de loc.aff. 4ª.40.F
Aridiore ſunt temperatura aues quã nos ſimus.in 6ᵐ.de morbis vulgaribus.commen.4°. 3ª.186.H
*Aridum ſi conſumitur iam alendi inſtat occaſio.ad Thraſy.*2ª.104.E
*Aridum corpus quo modo ſanetur.*3°.de ſan.tuen. 2ª.81.F
in Aridioribus morbis ptiſſana non danda.de ptiſſ. 2ª.47.H
*Aridis damnoſe præbetur lens.*1°.de ali.fac. 2ª.13.E
*Aridæ diſpoſitione non conuenit cucurbitula.*3°.de loc.aff. 4ª.15.G
*Aridæ & viridis mẽtæ differentiam non facit Gal.*2°.de compoſitione med.ſec. loc. 5ª.138.G
*Arida & viridis ruta multũ differunt.*2°.de cõp.me.ſec.lo. 5ª.136.D
*Aridũ ſerpillũ & viride multũ differũt.*2°.de cõp.me.ſe.lo.5ª.136.E
ARIDA *quæ ſint.*9°.de comp.med.ſec.loc. 5ª.205.D
*Arida moderate adſtringentia.*6°.de comp.med.ſec.loc. 5ª.172.G
*Arida fortiora adſtringentia.*6°.de comp.med.ſec.loc. 5ª.172.G
*Arida adſtringentia vehementiſſima.*6°.de comp.med.ſe.lo.5ª.172.G
*Aridum erodens.*5°.de comp.med.per gen. 5ª.253.B
*Aridum exedens ſine morſu.*5°.de comp.med.per gen. 5ª.252.E/H
*Aridum capiti accommodatum.*5°.de comp.med.per gen. 5ª.252.G
*Aridum cicatricem inducens.*5°.de comp.med.per gen. 5ª.252.G
*Arida collyria pro oculis.*4°.de comp.med.ſec.loc. 5ª.151.H
*Aridis vtitur ad columellam.*6°.de comp.med.ſec.loc. 5ª.172.G
*Aridum Galeni ad tuendam oculorum valetudinem.*4°.de compoſitione medica.ſec.loc. 5ª.152.A
*Aridum Galli.*5°.de comp.med.per gen. 5ª.252.F
ARIES *eſt calidus in ſecundo gradu, ſiccus in tertio.de ſper.* Sp.38.H
*Aries, leo, ſagittari⁹, ſũt oriẽtales, calidi, ignei & ſicci.de ſp.*Sp.39.A
*Aries ſi capram inierit, facit capræ molliori pilo.*2°.d ſemi.1ª.336.G
*Arietes nõ vndequaque laudabilis ſunt alimẽti.atte.vict.ra.*2ª.45.E

Arictum

Arietum caro qualis.3°.de alim.fac. 2ª.26.A
Arietum carnes quidam cum delectatione edunt, quidam non possunt etiam odorem sentire.de consuet. 2ª.61.A
Arietum testes insuaues sunt, coctu difficiles, & mali succi.3°.de alimentorum facultatibus. 2ª.27.A
ARIES *vinculi nomen.de fascijs.* 7ª.293.H
ARIETINA *cicera qualia.1°.de alim.fac.* 2ª.14.B
ARII *Tarsensis medicamentum.9°.de comp.med.sec.loc.* 5ª.199.C
Arei Asclepiadei malagma.8°.de com.med.sec.lo. 5ª.193.A
ARIOBARZANION *album.1°.de comp.med.per gen.* 5ª.216.D
ARIOREPANII *radicem in vinum dulce demittito ; & egrotanti potui dato ad vulnera incurabilia.3°.de med.fac.parab.* 7ª.167.C
ARISARVM *radicem habet oliuę magnitudine.6°.de simplicium medicamen.facul.* 5ª.43.F
ARISTARCHI *Tarsei pastillus.5°.de comp.med.per gen.* 5ª.251.B
Aristarchi Antidotus.7°.de comp.med.sec.loc. 5ª.186.A
ARISTIDES *quo modo iustus euasisset.de cog.cur.aī.mor.* 2ª.54.A
ARISTION *cuius Glossocomi fuerit author.de machin.* 7ª.315.E
ARISTIPPVS *voluptatem statuit finem philosophię, & quid eam esse dixerit.de hist.philos.* Sp.2.H
ARISTO *putauit vnam tantum esse animæ facultatem, idest rationalem,& vnam virtutem.7°.de decr.Hipp.* 1ª.268.D
ARISTOCHIVS *5°.de decr.Hippo.* 1ª.257.E
ARISTOCLES. *8°.de comp.med.sec.loc.* 5ª.195.A
Aristoclis malagma.7°.de comp.med.per gen. 5ª.265.H
Aristoclis stomaticum.6°.de comp.med.sec.lo. 5ª.170.D
ARISTOCRATIS *ad dolores dentium & gingiuarum.5°.de compositione med.sec.loc.* 5ª.165.B
Aristocratis molaris.5°.de comp.med.sec.loc. 5ª.165.B
ARISTOLAVS. *9°.de comp.med.sec.loc.* 5ª.203.F
ARISTOLOCHIA *quid,& eius vires.de simp.med.* Sp.80.F
Aristolochiæ tres sunt species, tenuis,crassam radicem habens,& rotunda.1°.de antidot. 5ª.107.D
Aristolochia clematite vtuntur vnguentarij ad vnguenta.6°.de simplicium med.fac.43.E/7°.de comp.med.sec.loc. 5ª.186.H
Aristolochia Cretica rotunda est.5°.de comp.med.per gen. 5ª.251.D
Aristolochia Cretica est tenuis corticis.11°.de cōp.me.se.l. 5ª.207.H
Aristolochię Creticæ vsus.10°.de comp.med.sec.loc. 5ª.207.G/H
Aristolochię dactylitis vsus.7°.de comp.med.sec.loc.179.G/273.C/2°.de comp.med.per gen. 5ª.326.B
Aristolochia qualis.6°.de comp.med.sec.loc.270.G. 5°.de cōp.med.per gen.247.C/6°.5ª.258.B/3°.meth.med. 7ª.18.A
Aristolochiæ et iris qb⁹ subtiliores sint. & cur.4°.de sim.m.f. 5ª.30.B
Aristolochiam esse herbam tenuium partium, collige.3°.de compositione medic.per gen. 5ª.234.B
Aristolochia leuissima est.5°.de comp.med per gen. 5ª.249.A
Aristolochia medicamentaria & calida facultate.9°.de compositione medicamen.sec.loc. 5ª.197.F
Aristolochia est amara & subacris.6°.de simp.med.fac. 5ª.43.E
Aristolochia est amarior absinthio.de cura icteri. Sp.111.A
Aristolochia imbecillior centaurio,& chamelæa. 5°.de compositione medicamen.per gen. 5ª.246.A
Aristolochia numeratur inter digerentia med.14°.meth.me. 7ª.91.E
Arist.& iris detergentiū summæ lenia,et immordacia sunt. 5ª.256.F
Aristolochia parum extergit.6°.de comp.me.sec.loc. 5ª.271.H
Aristolochia magis detergit moderatissime detergentibus.8°.methodi medendi. 7ª.52.H
Aristolochia rotunda subtilissima est.6°.de simp.med.fac. 5ª.43.E
Aristolochia rotūda dolores ab infarctu,aut crassitie crudorū spiritūq́ natos curat,spicula extrahit,putredies sanat,sordida vlcera repurgat,dētes,& gingiuas cādidas efficit,asthumaticis auxilio est,singultiētibus,comitialibus,podagricis,si cū aqua bibat, tū ruptis & cōuulsis idoneū est medicamentum.6°.de simp.med.fac. 5ª.43.F
Aristolochia rotunda incidit corpulentiam.14ª.met.me. 7ª.191.D
Aristolochiæ eustomacha.de dynamidijs. Sp.21.G
Aristolochia rotunda pituitam purgat,& cholerā.de dyna. Sp.21.G
Aristolochia rotunda asthumatico datur.de med.exper. Sp.104.C
Aristolochia rotunda,quibus sit efficacior longa.6°.de simplicium medicamentorum facul. 5ª.43.E
*Aristolochię tenuis vsus.5°.de compositione med.per gen.*5ª.249.D/*de cura icteri.* Sp.111.B
Aristolochiæ longæ vsus qualis.6°.de simp.med.fac. 5ª.43.E
Aristolochia longa abstergit,& digerit minus quam rotunda. 5ª.43.E
Aristolochia vrinas,& menses prouocat.5°.de simp.me.fa. 5ª.38.A
Aristolochia ad viperarum morsus,& ad alia venena intrinsecus facit.de simp.medic. Sp.80.F
ex Aristolochia oleū mitigatorium quibus sit valentius in duris corporibus.3°.de comp.med.per gen. 5ª.235.A
Aristolochia cephalicum est medicamentum.6°.met.me. 7ª.42.B
Aristolochia longa vlceribus carne explendis,et fomētationibus veteri commodior est.6°.de simp.med.facul. 5ª.43.E
Aristolochia vlcera abstergit,& expurgat.4°.de simp.me.f. 5ª.29.F
Aristolochia vulnera exiccat.4°.de comp.med.per gen. 5ª.236.G
Aristolochia carnem explet.2°.de comp.med.per gen. 5ª.220.B/*3°.meth.med.16.G/* 7ª.18.A
Aristolochia vlceri cauo conuenit.2°.de comp.me.per ge. 5ª.218.G/*de simp.medicamin.* Sp.80.F
Aristolochia vlcera sanat.4°.de comp.med.per gen. 5ª.240.G
Aristolochiarum radices ad neruos vulneratos valent.3°.de compositione medic.per genera. 5ª.234.B
Aristolochię radix cum melle crustas optime disrumpit. 2°.de ar.cur. ad Glauconem. 7ª.107.B
Aristolochiæ in auricularia medicamenta miscentur.3°.de compositione med.sec.loc. 5ª.141.B
Aristolochia in emplastris mittitur.de simp.med. Sp.80.F
*ex Aristolochia duplici nigrum.5°.de compo.med.per gen.*5ª.247.B
*ex Aristolochijs duabus emplastrum.5°.de cōp.me.per gen.*5ª.250.F
Aristolochiæ electuarium.de med.exper.105.F/ Sp.108.A
ad ARISTONEM *refertur liber de salubri victu,qui & ipsi inscribitur Hippocrati.com.6°.apho.1°.* Ex.46.D
Aristonis colica.9°.de comp.med.sec.lo. 5ª.202.C
ARISTOPHANES *in nebulis Socratem lacerat.in 6ᵐ.de morbis vulgaribus.com.4°.* 3ª.191.B
ARISTOTELES *solus verus veritatis ostensor.de vti.re.* Sp.64.H
Aristoteles & Theophrastus non sunt legendi sine methodo.3°.de simplicium medic.fac. 5ª.17.E
*Aristotelis scripta sunt commentaria physiologiæ Hippocratis.2°.de natura fac.*1ª.297.H/*1°.meth.med.* 7ª.3.E
*Aristot.interptatus est Hippocratē & Plato.2°.de nat.fac.*1ª.300.H
*Aristoteles & Athenæus delectātur demōstrationib.1°.de se.*1ª.333.B
Aristoteles multum tribuit suis principijs.1°.de sem. 1ª.330.D
*nō Aristoteles solus,sed multi alij resolutoria scripsr.2°.d̄ de.*1ª.235.D
*apud Aristotelē quid sint lemmata probabilia.2°.de dif.pul.*4ª.54.D
Aristoteles arbitratur cœlum,& stellas animal immortale,& ratione præditum.de hist.philo. Sp.11.E
*Aristot.de duro & molli,Platone elimatius egit.3°.de dif.p.*4ª.63.E
Aristoteles primus reducere aggressus est particulariū oīum causas ad actiuas,& passiuas qualitates.1°.de nat.fac. 1ª.192.C
Aristoteles in libris de generatione,& corruptione quattuor qualitatibus ad elementorū generationē vtitur,in meteorologicis,& pble matibus,atque alibi tantum duabus.1°.de nat.fac. 1ª.291.C
Aristoteles vtitur calido.frigido,humido,sicco,alijs veluti agētibus, alijs veluti patientibus.2°.de na.fac. 1ª.299.G
*Aristoteles accusari potest, q̄ suorū decretorū oblitus , naturæ opera diuerso modo in animalibus,& plātis exponit.1°.de sem.*1ª.331.F
Aristoteles ait calorem aggregare similia,& disgregare dissimilia.de vtil.resp. Sp.64.A
Aristotelis opinio de instrumento odoratus.de instr.odor. 1ª.111.D
*Aristoteles ponit actū fieri ī carne totius corpis.de vtil.resp.*Sp.63.D
Aristoteles animæ naturalē partē addidit.de hist.philos. Sp.5.A
Aristoteles & Plato de animæ partibus non multum differunt.7°.de decre.Hippocra. 1ª.268.C
Aristoteles appellat facultates animæ quas Plato partes & species. 6°.de decr.Hipp. 1ª.261.D
*Aristoteles quid de aīæ facultatibus senserit.3°.de dec.Hip.*1ª.145.G
Aristoteles in corde posuit omnes animæ facultates.4°.de decr.Hippocratis.248.D/6°. 1ª.260.E
Aristoteles quid sentiat de ratiocinatrice parte,irascibili, ac concupiscibili.5°.de decr.Hipp. 1ª.259.F
apud Aristotelem animę partium nominum differentia. 6°.de decre. Hippo. 1ª.261.H
Aristoteles scripsit quæ ad animi perturbationū temedia pertinebāt. de cogn.cur.animi mor. 2ª.50.D
Aristoteles Chrysippus & Plato discrepant de virtutū differētia,sed

conueniũt in concluſiones. 5°. de decr. Hippo. 1ª. 258. F
Ariſtoteles primus de corporis partibus locutus eſt intro. Iſa. 52. G
Ariſtoteles inqt humores mortuo hoĩe ĩ terrã redire. de ſper. Sp. 40. E
ſm Ariſtotelẽ ſperma in quo ſit genere cauſarũ. de ana. viuo. Sp. 55. G
ſm Ariſtotelẽ oẽ membrũ fit ex ſanguine mẽſtruo. 1°. de ſe. 1ª. 332. A
Arles appellat humorẽ chryſtallinũ grãdinẽ glacialẽ, ḋ ana. vi. S. 48. D
Ariſtotelis ratio cur natura animalibus ijs quorũ oculos exterior tunica dura protegit palpebras non dederit. de inſtr. od. 1ª. 112. B
Ariſtoteles poſuit mẽbrũ vnũ principale cor. de ana. viuo. Sp. 56. A
Ariſtoteles ponit cor frigidæ cõplexionis de ſubſtãtia. ḋ an. vi. Sp. 56. B
Ariſtoteles ſenſit calorẽ et oĩa ortũ hr̃e a corde. de anato. viu. Sp. 45. G
ſm Ariſtotelẽ cor eſt principium ſanguinis, & cur. de ana. vi. Sp. 50. F
ſm Ariſtotelẽ generaẽ ſanguis in vẽtriculis cordis. de vti. re. Sp. 62. F
ſm Ariſtotelẽ motus et ſenſus principiũ eſt ĩ corde. de vti. re. Sp. 63. D
Arles ponit cor eſſe principiũ venarũ, & arteriarũ. de ana. vi. Sp. 56. E
ſm Ariſtotelem, arteria & vena ſeroſi humoris ſubſtantiam gignunt. 1°. de ſemine. 1ª. 332. G
Ariſtoteles fuit inuentor huius vocabuli aorta. de ven. art. diſ. 1ª. 55. G
Ariſtoteles ſenſit in hepatem nullam eſſe arteriã. de vtil. reſp. Sp. 64. E
ſm Ariſtotelem lien eſt hepar ſiniſtram. de vtil. reſp. Sp. 64. H
Ariſtoteles vngues dicit eſſe munimentum. 1°. de vſu par. 1ª. 114. F
Ariſtoteles rectẽ cenſuit fœminam mare eſſe imperfectiorem, non tñ to tam hanc diſputationem eſt executus. 14°. de vſu par. 1ª. 205. E
neque Ariſtoteles neque ſuperiorũ quisquam omnes organorum actiones dixit. 1°. de vſu partium. 1ª. 114. H
Ariſtoteles mire errat in vnguium vtilitate. 1°. de vſu par. 1ª. 114. E
Ariſtoteles accuſatur a Galeno, qm̃ caloris cordis refrigerandi cauſa cerebrũ extitiſſe confirmat ſui ipſius immemor, qui reſpirationem huius rei cauſa paratam dixerit. 8°. de vſu par. 1ª. 165. G
Ariſtotelis error ĩ tribus vnius naturæ partibus. 6°. ḋ de. Hip. 1ª. 261. D
Ariſtoteles reprehenditur de viſione. 7°. de decr. Hipp. 1ª. 272. C
Ariſtoteles neſciuit vnde ſomnus fieret. 1°. de ſym. cau. 3ª. 19. A
Ariſtoteles de neruis confuſe, & indiſtincte bis tractauit. 1°. de decretis Hippocratis. 1ª. 233. D
Ariſtoteles quo modo errauerit ponendo cor principium neruorum. 1°. de decr. Hippo. 233. H/ 1ª. 234. A
cõtra Ariſtotelem cor non eſſe principium neruorum. 1°. de dec. Hippoc. 232. C/233. D/ 1ª. 272. H
Ariſtoteles teſtibus ſeminis gnationẽ auferebat, et male. 1°. de ſe. 1ª. 33. C
Ariſtoteles ignorauit vaſorum ſeminalium coniunctionem in muliere, de diſſ. vuluæ. 1ª. 109. C
Ariſto. non ſeruauit ſuã ipſius legẽ in nominibus. 11°. met. me. 7ª. 71. B
Ariſtotelis cõtradictio citaẽ q nunc dicit aerẽ non eſſe intra aquã, nunc glaciem fieri ex aqua per expreſſionem aeris. de vtil. reſp. Sp. 64. C
ARISTOXENVS Alexandri philaletis diſcipulus. 4°. de diffẽr. pulſuum. 4ª. 68. D
Ariſtoxeni pulſus definitio. 4° de diff. pulſ. 4ª. 67. C
ARITHMETICA eſt ars nobilis. in ora. ſuaſoria. Iſa. 5. G
Arithmetica principalis ſciẽtia appellaẽ. de cog. cur. ani. mor. 2ª. 54. D
in Arithmetica eſt certa methodus. de cuiuſq; animi pec. noc. 2ª. 57. B
Arithmetica, oratoria, & ædificatoria, nullum commune propoſitum habent. ad Thraſy. 2ª. 105. C
Arithmeticæ finis in contemplatione poſitus eſt. ad Thraſy. 2ª. 106. D
Arithmetica acuit animum. de cuiuſque animi pec. not. 2ª. 56. G
Arithmeticę innituntur architectura & aſtronomia. de cuiuſque animi pec. not. 2ª. 58. B
Arithmetica, exercitatio iuuenũ eſſe dẽt. ad eos. q de typ. ſcri. 3ª. 92. G
Arithmeticam antiquiores primo docebantur. de lib. prop. Iſa. 13. F
Arithmeticam callebat Galeni pater. de cog. cur. animi mor. 2ª. 54. D
Arithmeticam didicit a patre Galenus. de or. lib. ſuorum. Iſa. 15. D
Arithmetica & geometrica tm̃ vtuntur diuites, quãtũ extruẽdis ędibꝰ, et cõputandis expenſis conducit. de prę ſag. ex inſ. ſum. 4ª. 214. C
in Arithmetica & ſupputatione caſus. 2°. de decr. Hipp. 1ª. 135. D
Arithmetici occupant primã ſedẽ apud deũ Mercuriũ in or. ſu. Iſa. 2. F
Arithmetici inter rõnales numerãtur. de cuiuſq; animi pec. not. 2ª. 60. A
Arithmeticus ſimul grãmaticus, & philoſophus ſi fuerit idem homo, poterit quiſpiam vnius artis has omnes eſſe particulas exiſtimare. ad Thraſybulum. 2ª. 105. E
ARIVS Aſclepiades librum fecit de proprijs pharmacis. 4°. de compoſ. med. ſec. loc. 5ª. 156. B
ARIVSIVM vinum celebratiſſimum eſt. de atte. vic. rat. 2ª. 46. D/ de vinis, Sp. 77. B
Ariuſium vinum prouenit in Chio. 2°. de compoſi. med. per gen. 223. C/ de vinis. Sp. 77. B
Ariuſium vinum in Aſia aquoſum. 2°. de comp. med. ſec. loc. 5ª. 133. D
Ariuſiũ vinũ quale. 4°. de ſa. tu. 85. H/5°. 2ª. 90. H/ 1°. de ant. 100. H/ 2°. 118. E/1°. de cõp. med. per gen. 5ª. 213. D
Ariuſium vinum calidum de bo. & vitio ſuc. 2ª. 38. E
Ariuſium vinum ſuluum & odoratum. 4°. de cõp. me. ſe. loc. 5ª. 152. B
Ariuſium vinum ſuluum in Aſia optimum. de vinis. Sp. 77. B
Ariuſium vinum ſimile Adriano. 5°. de ſan. tuen. 2ª. 90. H
Ariuſium vinum bibere poſſunt ſenes, quibus caput eſt valentius. 5°. de ſanitate tuenda. 2ª. 90. H
Ariuſium vinum dandum pituitoſis, frigidiſq; temperementis, ac humorũ crudorũ copia refertis, ocioſe viuentibus, in regione frigida, & hyeme, & cœli ſtatu frigido, ac humido. de vinis. Sp. 76. G
Ariuſium vinum quibus non eſt dandum. de vinis. Sp. 76. G
Ariuſium vinum non eſt idoneum bilioſis, vel natura, vel alia cauſa. de bo. & vitio ſuc. 2ª. 38. E
ARMA cur non dederit natura hominibus. 1°. de vſu par. 1ª. 113. G
ad Armaturam dantur cornua quibuſdam animalibus, quibuſdã dentes. de anato. viuo. Sp. 49. E
Arma conueniebant audacibus. 1°. de vſu par. 1ª. 113. B
Armorũ meditatio, motus hoplomachicus dr̃. 2°. de ſan. tuen. 2ª. 75. D
Armorum vmbratilis meditatio, eſt exercitatio celeris citra robur. 2°. de ſanitate tuenda. 2ª. 74. F
Arma ſunt exercitationes magnæ. in 6m. de morb. vul. cõ. 1°. 3ª. 156. A
Armatus qui pugnat exercetur, & operatur. 2°. de ſan. tue. 2ª. 73. G
Armatura grauis tectum celeriter agitari, eſt vehemens exercitatio. 2°. de ſanitate tuenda. 2ª. 74. G
ARMEONIVM eſt minium. de ſimp. me. Sp. 81. C
Armeonium a proprietate genas ſiccat, & nutrit palpebras. de ſimp. medicam. Sp. 81. C
ARMENIACA mala aliqui nominant, alij armenia. 2°. de alimentorum facultatibus. 2ª. 19. E
Armeniaca ſunt ex genere perſicorum. 2°. de ali. fac. 2ª. 19. E
Armeniaca bonitate ſuperant perſica. 2°. de ali. fac. 2ª. 19. E
Armeniaca non corrumpuntur, neque aceſcunt in ventriculo, vt perſica. 2°. de alim. fac. 2ª. 19. E
Armeniacis præſtantiora ſunt præcocia. 2°. de ali. fac. 2ª. 19. E
Armeniaca non poſſunt ſiccari. de bo. & vitio ſuc. 2ª. 36. H
ARMENIACVM ſal foditur. de ſimpl. med. Sp. 90. A
Armeniacum ſal, quale. 9°. de ſimp. med. facul. 5ª. 68. G
Armeniacum ocularibus miſcetur facultatibus, & ad pilorum in ſuperciliȳs incrementum valet. 9°. de ſimp. med. fac. 5ª. 68. G
ARMENIA terra ad dyſenterias, ventris profluuia, ſanguinis expuitiones, catharros, putreſcentia oris vlcera competit, illos magnifice iuuat quibus ex capite in thoracem fluxio decumbit, & eos etiam qui phthoe laborant. 9°. de ſimp. med. fac. 5ª. 66. G/H
ARNOGLOSSVM eſt plantago. 6°. de ſimp. med. fac. 5ª. 43. G
ex Arnogloſſa, lente, pane, & oleo roſaceo cataplaſma. 2°. de arte cura. ad Glauconem. 7ª. 101. G
Arnogloſſi folia adhibẽda ſunt in herpete excedente. 2°. de arte curati. ad Glauconem. 7ª. 102. C
Arnogloſſi ſuccus ad herpetes ſupficiarios. 2°. ḋ ar. cu. ad gl. 7ª. 102. D
Arnogloſſi ſuccus in inflammatione. 2°. de ar. cur. ad Glau. 7ª. 102. D
Arnogloſſi radix ad ſcrofulas. de incant. adur. & ſuſp. 7ª. 182, B
AROMATA quæ ſint. 7°. meth. med. 7ª. 44. A
Aromata quæ ſint odor, & guſtus docent. 2°. de alim. fac. 2ª. 19. C
Aromata calida, ſunt caſia, coſtus, cinnamomum amomum. comm. 5°. Aphoriſ. 28°. Ex. 40. C
Aromata redolet macer. 7°. de ſimp. med. fac. 5ª. 55. A
Aromatum natura eſt calida. com. 5°. apho. 28°. Ex. 40 C
Aroma omne calidum eſt. 2°. de alim. fac. 2ª. 19. C
Aromati ſpẽm guſtu repſentãs calm̃ ẽ viribus. ḋ atte. vi. ra. 2ª. 44. B
Aromatum ſubſtantia eſt ſubtilium partium. ars. med. Iſa. 71. A/de ſimpli. med. 49. E/7°. de comp. med. ſec. lo. 5ª. 186. G
Aromatum ſuffitus caput grauare, experientia, & ratio docet. cõ. 5°. aphoriſ. 28°. Ex. 40 C
Aromatum ſuffitus eſſet ad frigidas, & humidas diſpoſitiones vtilis, niſi caput grauaret. com. 5°. apho. 28°. Ex. 40. C
Aromatũ ſuffitus q̃ menſtrua curẽt, et q̃ nõ. cõ. 5°. aph. 28°. Ex. 40, B
Aromatum qualitas extinguitur ab humiditate, & conſumitur a caliditate. com. 5°. apho. 62°. Ex. 44. B

Aromatica medicamenta, quæ. 9°. de com. me. sec. loc. 5ª. 201. G
Aromatica medicamenta coquendo amittunt vires. 6°. de compositione med. sec. loc. 5ª. 168. E
Aromata odorata quæ sint miscenda purgantibus medicamentis. 8°. de comp. med. sec. loc. 5ª. 190. B
Aromata in compositionibus debent poni crassa, et integris partibus. 7°. de comp. med. sec. loc. 5ª. 178. H
Aromata debere crasso modo contundi, elice ex cõpositione arteriacę delingibilis. 7°. de comp. me. sec. loc. 5ª. 179. G
Aromaticum croceum collyrium. 4°. de comp. med. sec. loc. 5ª. 156. G
Aromatica Galli optime ad omnia facit. 2°. de anti. 5ª. 115. G
Aromaticum inscriptum malagma. 8°. de comp. me. sec. loc. 5ª. 193. A
Aromaticum melinum inscriptum. 8°. de comp. me. sec. loc. 5ª. 193. A
Aromatica Mithridatis. 7°. de comp. me. sec. loc. 5ª. 181. E
Aromatici nardini Asiani meminit. 8°. de comp. me. sec. loc. 5ª. 193. C
Aromaticus pastillus ad qd vtilis. 9°. de comp. me. sec. loc. 5ª. 205. C
Aromata ad quos abscessus conueniant. 7°. de cõp. me. sec. lo. 5ª. 186. G
ex Aromatis medicamentis indigent absceſſus in visceribus. 14°. method. meden. 7ª. 90. E
AROMATICVS *calamus inter aromata numeratur. 7°. methodi medendi.* 7ª. 44. A
Aromaticus calamus purgat matricem. de cathar. Sp. 95. C
Aromaticus calamus prouocat menstrua. de cathar. Sp. 95. D
AROSTROCAMET *medicamentum conſtipans naturam. de medica. exper.* Sp. 104. G
ARPVLI *antidotus ad quartanarios. 2°. de antido.* 5ª. 116. F
ARQVATVS *morbus quid. fin. 47. D/intro.* Isa. 55. H
Arquatus & cholera ab eadem causa fiunt. de op. secta. Isa. 25. C
Arquati causa, & curatio. intro. Isa. 55. H
in Arquatis totius corporis color mutatur. de symp. diff. 3ª. 13. B
Arquati cum mutant colorem, an sit vitium alteratricis venarum. de sympto. diff. 3ª. 12. H
Arquati coloris quæ sit causa. de symp. diff. 3ª. 13. C
in Arquatis symptoma ī gustatrice facultate. 1°. d symp. cau. 3ª. 16. H
Arquatorum deiectio qualis. in progn. com. 2°. 4ª. 199. E
Arquato morbo laborantium fit mentio. 8°. de cõp. me. se. lo. 5ª. 194. H
Arquatis seu regio morbo affectis quæ fortuito visa sunt conferre. contra ea quę à Iul. in Hipp. apho. Ex. 66. E
Arquatis dat asellos sub aquario vase reptos. d re. fac. par. 7ª. 166. G
Arquatus morbus quo medicamẽto sanetur. de ther. ad Piso. 5ª. 90. G
in Arquatis scammoniam bilem trahit, secundum Asclepiadem illam facit. 1°. de nat. fa. 1ª. 294. B
Arquatos nõ iuuat medicamẽtũ pituitã ducẽs. 1°. de nat. fa. 1ª. 294. B
Arquatum morbum ex aliquo iecoris vitio reficit theriaca. de theriaca ad Pisonem. 1ª. 96. A
Arquatos liberans antidotus. 2°. de anti. 5ª. 116. C
ARRHABIANI *põticũ medicamẽtũ. 7°. de cõp. me. se. lo.* 5ª. 184. C
ARRHENICVM *antiquitus dicebatur, quod nunc arsenicum. 4°. de comp. med. sec. loc.* 5ª. 151. G
Arrhenicum in vulneribus neruorũ. 3°. de comp. me. per gen. 5ª. 230. G
ARRIGI *mentulam non sinit eruca semen ex melle aut cũ fœno græco ieiunio illitum. 3°. de medic. fac. para.* 7ª. 174. H
ARROGANTIAE *causa, aliqui bona aut mala constituunt. de cuiusq; ani. pec. not.* 2ª. 56. F
Ἀῤῥωσία, *id est infirmitas. 2°. meth. me.* 7°. 10. D
ARS *quid. fin. med. Isa. 43. D. 11°. metho. med.* 7ª. 68. A
Ars sola est, quę ad vsum vitę pertinet. in ora suasoria. Isa. 4. A
Ars, exercitatio, experientia, in quo differãt secundum Platonẽ. adu. emp. med. Isa. 35. E
Ars circa quę versetur. de pulsi. ad tirones. 4ª. 44. F
in Artẽ refertur quod perfectionẽ consequitur. 9°. de dec. 1ª. 284. G
Artes iudicãtur ex vniuersalibus & per finẽ. ad Thrasyb. 2ª. 106. A
ex Arte quid sit. de vict. rat. in mor. acu. com. 1°. 7ª. 108. D
Artẽ vnã in multas discerpere pp artificũ inscitiã, aut pp eorundem excellẽtiã multas in vnã cõiungere, vitiosum est. ad Thra. 2ª. 105. E
Artes vel à filijs deorum, vel propinquis inuentę. intro. Isa. 50. F
Artium inuentum in Aegypto columnis inscribebatur in sacris locis positis. contra Iulianum. Ex. 66. B
Artes inueniuntur succeſſu. de mo. musc. 1ª. 312. B
ad Artem quæ spectant inuenienda duæ sunt instrumenta, experimentum & ratio. 8°. de comp. me. sec. loc. 5°. 187. C/in prog. com. 3°. 4ª. *208. D/com. 1°. apho. 1°.* Ex. 2. C/H
Artium inuentio non est consideranda sed vsus. 3°. de loc. aff. 4ª. 14. H
Artium fides contra se habent quàm inuẽtiones. 3°. de crisi. 4ª. 142. C
Artes à bruti natura habentur, si quę habentur. in ora. suaso. Isa. 2. C
Artes cur non datę à natura hominibus. 1°. de vsu par. 1ª. 113. G
Artes oẽs hõ assequitur ingenio, etiam diuinas. in ora. suaso. Isa. 2. C
ab Artis operibus multũ differũt naturæ opera. 1°. de dif. feb. 3ª. 31. A
Arte qualibet potẽtior est vis naturę. ī 6ᵐ. de mor. vul. cõ. 5°. 3ª. 188. C
Arte & prouidentia quod fit, contrariũ est ei quod casu et fortuito fit 11°. de vsu par. 1ª. 186. E
Artes in speciebus, & generibus positæ sunt. 2°. de diff. pul. 4ª. 57. B
Artes quomodo distingui debent. ad Thrasyb. 2ª. 105. F
Artium diuisio & enumeratio. de const. art. Isa. 36. D
Artes esse distinctas p singulas actiones est absurdũ. ad Thr. 2ª. 105. B
Artiũ duo prima genera, aliæ nobiles, aliæ ignobiles. in or. sua. Isa. 5. G
Artes nobiles quę. in ora. suaso. Isa. 5. G
Artes illustres quæ. ad Thrasybulum. 2ª. 105. E
Artium aliæ quæ non sunt efficiunt, aliæ facta cõseruant, aliæ vtriuſq; præstant. de opt. secta. 20. D/de const. art. Isa. 36. F
Artis refectricis differentię. intro. Isa. 52. C
Artium quędam finem suum semper consequuntur, quædã finem suum seu scopum desiderant, contingũt autem non semper, sed plurimum introductio. Isa. 5. F
Artium aliquæ, dum fiunt, sunt & simul atq; ab actione desiterint, nihil quod perfecerint ostenditur. nõ nullę in actione euidens opus plane nullum habent, sed tanquam futuri cuiusdam præparatoria existunt, vbi vero à functione cessauerint, tũc quid effecerint apparet, tum aliæ quarum opera post actionem perdurant. intro. Isa. 51. F
Artium aliquarum finis est in sola natura rerum, quas considerant. de const. art. Isa. 36. D
Artes, quarum finis in contemplatione positus est. ad Thra. 2ª. 106. D
Artium aliquæ methodo rationali, aliquæ obseruatione conficiuntur. 9°. de decr. Hipp. 1ª. 282. F
Artes rationales multi tractant qui non intelligunt quid dicant. 9°. de decretis Hippo. 1ª. 284. E
in Artibus effectiuis vnde sumitur indicatio. de const. art. Isa. 39. E
Ars effectiua nulla alia egens rara inuenitur. in 6ᵐ. de morb. vulgaribus commen. 5°. 3ª. 188. C
Artes effectiuæ, & actiuæ quo differunt. ad Thrasyb. 2ª. 105. H
Artes acquisitiuæ, quæ. ad Thrasybulum. 2ª. 106. D
Artes duas ponit Plato, cum duæ sint tres, alteram animæ, alterã corporis. ad Thrasybulum. 2ª. 107. D
Ars quæ versatur circa corporis bonũ, vna est. ad Thrasy. 2ª. 106. C
Artes improbæ bonum apparens vnicuique eorũ quæ sunt, artes autẽ verum bonum comparant. ad Thrasyb. 2ª. 103. A
Ars an sint reponere vestes & calceos ne surripiantur, & à muribus erodantur. ad Thrasy. 2ª. 104. B
Artis cuiusque propria quæ sint. ad Thrasyb. 2ª. 106. B
Ars textrix quot artibus indigeat. in 6ᵐ. de mor. vul. cõ. 5°. 3ª. 188. C
Artium indicationes primę ab omnibus hominibus natura sciuntur. 6°. methodi medendi. 7ª. 37. A
Ars quęlibet oritur ex propriorum à cõmunibus distinctione. de vict. rat. in morb. acut. com. 1°. 7ª. 110. E
Artes vnde sunt incipiendæ. 9°. de decr. Hipp. 1ª. 84. B
Artis principia non sunt nota sensui. de opt. secta. Isa. 20. A
Ars quælibet ex quibus procedat. de cur. ra. per san. mis. 6ª. 16. B
Ars aliud est, & eius finis aliud. intro. Isa. 51. G
Artium finis est ipsum opus, & nõ facere opus. ad Thrasy. 2ª. 105. G
Ars quælibet appetit finem. ad Thrasy. 2ª. 103. E
Artis finis p se cõsiderat ab artifice. de ijs q̃ in me. fi. cõ. 1°. 7ª. 197. F
Ars raro frustatur suo fine. 9°. de decre. Hipp. 1ª. 285. B
in Artibus omnibus est vnum primum bonum. ad Thrasy. 2ª. 105. D
in Arte aliqua medium quid est. 1°. de crisi. 4ª. 136. D
ad Artes constituendas facultates tres in nobis. de ijs quæ in medi. fi. commen. 1°. 7ª. 199. D
Artes quo modo constituantur. 5°. de simp. med. fac. 5ª. 33. D
Artium constituendarum principiũ, est finis notio. 1°. meth. me. 7ª. 7. C
Artis constitutio à fine initium sumit. ad Thrasy. 2ª. 106. B
Arti omni constitutio à finis notione efficitur. de const. ar. Isa. 36. D
Artis finis cõstituit ppria p̃cepta artis et dijudicat. ad Thr. 2ª. 106. B
Artes à fine iudicare præcepit ratio. ad Thrasy. 2ª. 106. B
Artis cõstituẽdæ quã methodũ docuerit Plato. meth. meden. 7ª. 61. A
Artẽ q volũt cõstituere q̃d agũt. de vict. ra. in mor. acu. cõ. 1°. 7ª. 110. G

Ars non põt cõstitui obseruatione, remota rõne. 2°. de dig. pul. 4ª. 77. G
Ars perfecta est quãdo nihil superfluum & nihil diminutum habet 9°. de vsu partium. 1ª. 170. H
Ars agit mediãte materia. 11°. meth. me. 7ª. 68. A
Ars vna permultis vti materijs videtur. ad Trasyb. 2ª. 106. A
Ars in nulla materia finẽ efficit, quẽ alia cõseruet. ad Trasy. 2ª. 104. B
Artes non sunt iudicandæ ex materia. ad Trasy. 2ª. 106. A
Artes quoque sequũtur temperaturã regionis. & animi mo. 1ª. 320. B
Artes quo modo se habent circa tempus. 4ª de decr. Hipp. 1ª. 253. H
Artes hominum negligentia laborant. 2°. de ana. admi. 1ª. 68. G
Artes bonæ contemnebantur tempore Galeni. 3°. meth. me. 7ª. 17. E
Artium studia non sunt contemnenda propter genus, gloriam, formam. in ora. suasoria. Isa. 3. G
Artes illæ sunt comparandæ quæ cum possessore in naufragio enatẽt. in ora. suasoria. Isa. 2. H
ad Artes exemplum dedere Hipp. & Pla. 9°. de dec. 1ª. 280. C
Artẽ ad quã sunt propensi debẽt addiscere pueri. 9°. de dec. 1ª. 284. D
ad Artes addiscendas præstat multum à pueritia didicisse disciplinas, & esse ingeniosum. 2°. de comp. med. sec. loc. 5ª. 134. H
ad Artes qui homines solertes sint. 6°. de aere, a quis, & loc. 2ª. 6. E
ad Artes tractandas crassi vbi nascantur. quòd animi mo. 1ª. 320. B/ de aere, aquis, & locis. 2ª. 6. B
ad Artem quamlibet acquirẽdam, quibus homo debeat esse imbutus. de consti. ar. Isa. 37. H
in Arte omni, & scientia est ordo. 2°. de diff. pul. 4ª. 58. B
in Arte omni optimum docendi genus, quod fin. med. Isa. 43. B
Artis genera lia et particularia sciẽda sunt. 6°. ḋ cõ. me. ṗge. 5ª. 257. C
Artis minimę partes addiscendę. de partibus art. med. Sp. 16. G
Artes non addiscunt in particulari, neque pleuritis addiscit in Dione. 2°. de diff. pul. 4ª. 57. B
in Arte sua credendum vnicuique. in ora. suasoria. Isa. 4. C
in Artibus debemus esse exercitati. 9°. de decre. Hippo. 1ª. 284. D
Artium opera exercitio firmantur. 6°. de comp. me. per gen. 5ª. 257. C
Artis suæ methodus semper exercenda est. de const. ar. Isa. 36. H
in Artibus quid possit experientia & speculatio. 8°. de compositione med. sec. loc. 5ª. 193. F
Ars tota ex plurimis experimentis conflatur. de subfig. emp. Isa. 31. F
Ars musicę in corde cur sit, & quo modo. de ana. viuo. Sp. 46. H
Ars nulla indiget dialectica. de sectis. Isa. 17. B
Artes quibus antiqui exercebant animum præter dialecticam. de cuiusque ani. pec. not. 2ª. 56. G
Artis opera perquirenda, & sophistica dimittenda sunt. in 6ᵐ. de morbis vulga. com. 5°. 3ª. 191. F
Artem sophisticam odio habuit Gal. in 6ᵐ. ḋ mor. vul. cõ. 2°. 3ª. 167. A
Ars sophisticam in Alexandria docetur. in 6ᵐ. Hippo. de morb. vul. commen. 1°. 3ª. 153. C
in Arte oĩ turpe est ostẽtare, & nihil efficere. de art. cõ. 2°. 7ª. 271. A
Artium cõtrouersiæ partim sensu partim demonstratione iudicantur. de natura humana. com. 2°. 7ª. 183. C
Artis quę per esperientiam iudicat, dissidentia oritur ex distincta, & indistincta rerũ cognitione. de vict. rat. in morb. acu. cõ. 1°. 7ª. 110. B
Artis opus nõ est dicere notissima. de vic. rat. in mor. ac. cõ. 1ª. 7ª. 108. B
in Artibus euidentias maximas omnes discernunt. de cogn. cura. animi morbis. 2ª. 50. E
in Artibus euidẽtias minimas soli prudentes discernere sciunt. de cog. cur. animi mor. 2ª. 50. E
Artis studium, quale ad Thrasy. 2ª. 107. G
Artis vnius has omnes esse particulas poterit quispiam existimare, si idẽ homo fuerit ar. thmeticus simul grammaticus, & philosophus, ad Thrasybulum. 2ª. 105. E
Ars arti quo modo deseruit. ad Thrasy. 2ª 108. H
Artium omnium parẽs est philosophia. de prço. ad Posthu. 4ª. 214. A
Ars Asclepiadum. quæ. de crisi. 4ª. 134. A
Ars medica non erat ante Apollinem, sed tantum quasdam herbas cognoscebant. intro. Isa. 50. F
Ars medica, quid sit. de sectis. Isa. 15. H
Ars medicinę est de factricium genere. de const. artis. Isa. 36. F
Artis medicę gloria, de aere, aquis, & locis. 2ª. 2. D
Artes reliquas prœcedit medicina. 1°. meth. med. 7ª. 3. B
quibus Artibus præsit ars medica. ad Thrasy. 2ª. 108. H
Artes medicę materia est humanũ corpus. de partib. art. me. Sp. 18. C
Artes septem circa corpus humanum versantur, quorũ finis est sanitas. ad Thrasybulum. 2ª. 103. A
Artem vnam circa corpus humanum, quomodo septem facimus. ad Thra. 2ª. 102. C
Ars primo circa sanitatem versatur, secundo circa actionem & pulchritudinem. ad Thrasy. 2ª. 104. B
Artes quæ circa humanũ corpus vnum finẽ habẽt. ad Thra. 2ª. 103. E
Artes quę per accidens sanitatem, & vitam seruãt. ad Thr. 2ª. 104. C
Artis corpus curantis diuisio secundum Platonẽ. ad Thra. 2ª. 108. D
Ars per quã medicus fit est prior dignitate medico. in 6ᵐ. de mor. vulgaribus. com. 5°. 3ª. 188. B
Artes multæ prẽparant materiam medico. in 6ᵐ. de morbis vulgaribus. commen. 5°. 3ª. 188. C
Ars diuinatrix ad rem medicam quid faciat. de const. ar. Isa. 41. F
Artis vel naturæ minister medicus dici potest. in 1ᵐ. de morb. vulgaribus. commen. 2°. 3ª. 112. G
Artes quæ prædiscendæ medico. 1°. meth. me. 7ª. 2. E
Ars medica omnibus ciuitatibus vtilis est. de cauſ. proca. 3ª. 95. H
Artis vtilitas, quæ. 9°. meth. med. 7ª. 58. D
Arti qui tribuit minus quàm diuitijs, hic finem non assequitur. si quis op. Med. Isa. 6. E
Ars medica tota magna est. 11°. meth. me. 7ª. 71. H
Ad artẽ acquirẽdã medicus indiget multo tpe. 1°. de dig. pul. 4ª. 70. C
Ars quo modo longa, & quo modo breuis esse intelligatur, & quid sit, & quo modo fiat. com. 1°. apho. 1°. 2. C/H/ Ex. 3. A
Artem sex mensibus se docturũ profitebantur Thessalus. 1°. methodis medendi. 7ª. 2. E
in Arte continue exercitari debet medicus. 3°. meth. med. 7ª. 21. F
in Arte vniuersa animi intentio adhibenda est. de fascijs. 7ª. 293. C
Artis necessaria sæpe tractanda sunt. com. 4°. apho. 22°. Ex. 29. F
ad Artem nihil faciunt nomina. 1°. de diff. pulſ. 4ª. 46. F
in Arte medica nihil potest cognoscere qui ignorat quibus elemẽtis homo constat. intro. Isa. 52. L
Ars medica ſm formam & materiã quibus cõstet. de cõst. ar. Isa. 39. A
Ars medica quibus constet. in 1ᵐ. de mor. vulg. cõ. 2°. 3ª. 112. G. 1°. de arte cura. ad Glau. 7ª. 94. C
Artis constitutio apud empiricos, quę. de sectis. Isa. 16. A
Artis cõstitutionẽ à finis notione demõstrauit Gal. ḋ cõst. ar. Isa. 42. G
Artis medicæ scopus, qui. de vict. rat. in mor. acu. com. 1°. 7ª. 108. C
Ars medica vna est, quæ tamen duas habet partes. secr. Sp. 96. F
Artium mechanicarum comparatio ad medicinam, & eius diuisio. ad Thrasybulum. 2ª. 106. G
Artis totius duæ partes, & quę. ad Thrasy. 2ª. 108. D
Artis medicę tres partes, & quę. de const. ar. Isa. 42. C
Artis medicę diuisiones multę. de parti. ar. med. 16. D/ Sp. 17. E/F
Ars medica nil mirum si in multas partes diuidatur, maxima existẽs. de partibus artis medicinæ. Sp. 16. G
Ars medica agit & conseruat. de opt. secta. Isa. 20. E
Artis medicę prima pars prophilactice est. de const. ar. Isa. 42. C
Ars corporis conseruatrix, circa quę versetur. ars med. Isa. 68. B. 11°. meth. med. 7ª. 68. G
Artes conseruatrices, quæ. ad Thra. 2ª. 104. C
Artis medicæ pars est causas cognoscere. de partib. art. med. Sp. 18. B
Artis coniecturale in affectionum cognitione consistit. 2°. de com. med. sed. loc. 5ª. 136. A
Artis quę pars est curatrix. 11°. meth. med. 7ª. 68. D
ad Artis medicę quam partem pertineat actio perdita, imbecilla, & leuiter impedita. 7°. meth. med. 7ª. 48. E
Artis magna pars est adinuenire adiumentorum materiam. de constitutione artis. 40. A/ Isa. 41. A
Ars maxima pars est ratio victus ordinandi. 11°. meth. me. 7ª. 71. H
Artis finis est curatio, non dignotio, vel prænotio. de vict. rat. in morbis acu. com. 1°. 7ª. 108. E
Ars quo modo & quando causa sit sanitatis. 11°. meth. med. 7ª. 68. A
ex Arte q̃ quis ṗfiteẽ sumĩ indicatio remediorũ. 11°. meth. me. 7ª. 68. B
Ars curandi post q̃ methodũ dicitur librum de arte curatiua ad Glauconem scripta fuit à Galeno. 2°. de arte cura. ad Glau. 7ª. 107. G
post Artem curandi ad Glauconem quos libros scripserit Galenus. 2°. de art. curat. ad Glau. 7ª. 107. G
in Arte vbi decore, ac recte agere possumus, decore ac recte agere conuenit. de fascijs. 7ª. 193. C
Arte mittendus non est sanguis, si natura vult ipsum transmittere. de pręcogni. ad Posthu. 4ª. 219. F

ad Artē punctoriā ſuffuſionū quæ requirant̄.de par.ar.me. Sp.17.B
in Arte medica hæretici aliqui dicuntur.de cathart. Sp.94.H
ARSENICVM nunc,antiquitatis arrhenicum dicebatur.4°. de compo. medic.ſec.loc. 5ª.151.G
Arſenicum vocatū auripigmētum. 5°.de comp.med.per ge. 5ª. 251.D
Arſenicum quid.de ſimplicibus medicaminibus. Sp.80.B
Arſenici pontici meminit.6°.de com.med.per ge. 5ª.263.A
Arſenicum quale.4°.de cōp.me.per ge.5ª.242.D/ de ocu.7ª. 188.H
Arſenicum vrit.1°.de comp.med.ſec.loc.5ª.127.F/2°.de arte curat. ad Glauconem. 7ª.102.D
Arſenicum per eroſionē interimit.4°.de ſimp.med.fac. 5ª.30.E
Ἀρσενικόν ſepticum medicamentum.5°.de ſimp.med.fac. 5ª.36.B
Arſenicū ſciſſile ad qd vtile.3°.de med.fac.par.172.E/H/ 7ª.173.B
Arſenicum fiſſile ad tabeſcentes.3°.de med. fac. par. 7ª.171.C
Arſenicum oculis conuenit.de ocul. 7ª.188.G
Arſenicum valet contra ſcabiem veteſtam,aſperitatem,vngulam veteſtam,& pruriginem oculorum.de oculis. 7ª.189.C
Arſenicum in vulneribus neruorū.3°.de cōp.med.per gen. 5ª.230.F
pro Arſenico quæ ſatis ſunt.3°.de comp.med.per gen. 5ª.232.B
ARSIYNVM vinum quale.4°.de ſan.tuen. 2ª.85.H
Arſyenium vinum in Aſia aqueoſum.2°.de cōp.me.ſec.loc. 5ª.133.D
Arſyinum vinum facile ad contrarias qualitates tranſmutatur ad aci dam in principio,ad amaram ſi perdurauerit.de vinis. Sp.77.A
Arſyinum vinum cito redditur idoneum vt bibatur. de bo.et vit.ſuc. 2ª.38.G.de vinis. Sp.76.D
Arſinium vinū pro ſiccis in Aſia,& quale ſit.7°.meth.me. 7ª.45.E
ARTABA ægyptia qualis.de pon.& menſ. 5ª.275.G
ARTEMIDORI qui capito appellatus eſt fit mentio.de ijs,quæ in med.fi. commen.1°. 7ª197.E
Artemidor⁹ Capito Hippocratis libros edidit.de na.hu.cō.1°.1ª.27.D
Artemidorus Phocas de arte augurandi ſcripſit.de vict.rat. in morbis acut.com.1°. 7ª.110.C
ARTEMISIA quid,& eius vires.de ſimp.med. Sp.80.F
Artemiſiæ maternæ mentio fit.7°.de comp.med.per gen. 5ª.272.H
Artemiſia calida in ſcō,ſicca in primo.6°.de ſimp.me.fa. 5ª.43.H
Artemiſia colorē expurgat & ſudorē mouet.de cura icteri.Sp.111.C
Artemiſia per os prouocat ſudorem.de cathar. Sp.95.D
Artemiſia matricem purgat.de cathar. Sp.95.C
Artemiſia relaxat menſtrua,& vrinam prouocat,& partum expellit.de ſimp.med. 80.F/ de cathar. Sp.95.D
Artemiſiæ ad renum calculos mediocriter commodæ ſunt,& ad fomētationes vteri.6°.de ſimp. med.fac. 5ª.43.H
Artemiſia vlcera exiccat.4°.de comp.med. per gen. 5ª.236.G
Artemiſius menſis nomen.in 1ᵐ. de morb. vulg. 3ª.102.D
ARTEMONIVM collyrium.4°.de compoſitione medicamentorum ſec. loc.156.D/10°. 5ª.206.D
Arterias antiqui vocabant venas.6°.de decre.Hippo.266.E/ ī Tim. Plat.287.G/ quòd animi mor.320.C/de fœt.form.1ª.323.G/ & cauſis. morb.7.E/in 6ᵐ.de morb. vul. commen.6°.3ª. 195.C/in 1ᵐ. prorh.4ª.180.D/7°.de compoſ.medic.ſec.loc.5ª.177.B/ de cur. rat.per ſanguinis miſſionem. 6ª.21.D
Arteria quid ſit.7°.de ana. admi.94.F/H/1ª.95.A/ de ve.ſect. ad Eraſ.6ª.6.G/de anat.viuo.44.B/ Sp.55.F
Arteriarum ſubſtantia ne prope quidem accedit ad cordis naturam.& fœtuum formationē. 1ª.324.E
Arteria eſt ſimilarium partium.de diff.mor. 3ª.2.F
Arteria tres habet dimēſiones,vt alia corpa.1°.de diff.pulſ. 4ª.47.C
ab Arterijs multi meatus differunt.1°.de nat.fac. 1ª.291.G/H
Arteria quam figuram referat.3°.de digno.pulſ. 4ª.81.B
Arteriæ,venæ,& nerui referunt formam oſſium,ſecundum quæ porriguntur.1°.de anato.admi. 1ª.63.E
Arteriæ ſunt frigidæ natura & exangues.1°. de tempe. 1ª.15.C
Arteriæ quo modo poſſunt eſſe frigidæ.3°.de præſa.ex pul.4ª.115.C
Arteria exanguis eſt,tamen ex ſanguine facta.1°. de nat.fa.1ª.297.E
Arteriarum corpus cum prorſus exāgue ſit,veriſimile eſt habere primam è ſemine generationem.de fœtuum formatione.322.G/324.A 1°.de ſemine.330.C/ 1ª.331.H
ad Arteriæ generationem quæ ſunt neceſſaria, in ſeminis ſubſtantia inueniuntur.1°.de ſemi. 1ª.330.E
Arteria eſt minus ſicca chartilagine.1°.de temp. 1ª.15.C
Arteriæ quam habent carnem.1°.de temp. 1ª.18.A
Arteriæ et venæ alendæ ſemī accōmodatum eſt.1°. de ſemi. 1ª.332.G
Arteriæ faciunt ſemen paucum,& tarde. 1°. de ſemi. 1ª.335.A
Arteriam difficillimum eſt fieri carnem.1°. de ſemi. 1ª.332.E
Arterias vis faciens qualis.de fœt.for. 1ª.324.G
Arteriæ fiunt latæ ob ſpiritum calidum.2°. de ſemi. 1ª.339.B
Arteriæ citius fiſtulantur caliditate,et ſiccitate.2°.de ſemi.1ª.339.B
Arteriæ ſunt membra compoſita.cum tamen vocentur ſimplicia. de anatomia viuorum. Sp.44.G
Arteriam, vena,et neruus ſūt elemēta hominis.2°.met.me.7ª.11.H
Arteria ex quibus fiat.3°.de ſimp.med.fac.5ª.17.D/ Sp.44.G
Arteriæ,& venæ ex fibris, mēbraniſque fiunt.de inæq.intēp.3ª.43.D
Arteriæ quas habent fibras.1°.de temp. 1ª.18.A
Arteriarum operimēta eiuſdem ſubſtantiæ cum operimentis cerebri. de fœtuum formatione. 1ª.324.D
Arteriarum tunica denſior eſt quàm venarū.4°.de vſu par.1ª.140.C
Arteria habet duas tunicas,& cur.ſin.me.Iſa.44.C/ 7°.de anato.ad min.95.A/6°.& vſu par.1ª.155.C/& ana.viu.45.A/46.F/Sp.56.A
Arteria cur videatur tritunicalis, & quatritunicalis. de part. art. med. Sp.16.H
Arteria quales tunicas habet.7°. de anat.admi. 1ª.95.A
Arteriæ tunicæ ex quibus fibris conſtent.3°.de nat.fac. 1ª.35.F
Arteriæ tunicarum fibræ,quales.de partibus.artis med. Sp.16.H
Arteriarum tunicæ ſunt earum elementa.1°.de nat.fac. 1ª.291.G
Arteriæ tunicæ differentiæ,quæ.1°.de cauſis pul. 4ª.87.B
Arteriarum tunicæ habent quandam vim qua diſtenduntur & atrahunt quicquid vicinum eſt.an ſan.in art. 1ª.62.E
cui Arteriæ ſubſtrata ſit membrana & chartilago.16°. de vſu partium. 1ª.218.G
cui Arteriæ ſubiecta ſit glandula molliſſima inſtar ſtrati. 1ª.218.G
Arteriarum veluti fulcimentum glāduleæ.16°.de vſu par.1ª. 220.A
Arterię in quas glandulas inſerantur.2°.de ſemi. 1ª.340.D
Arteriæ ſunt robuſtiores adenibus.13°.meth.med. 7ª.80.H
Arteriæ neceſſariæ ſunt.6°.de vſu partium. 1ª.155.C
Arteriarū vtilitas,quæ.1°.de vſu par.117.B/ 6°.de vſu pul.1ª. 228.H/ de anatomia viuorum. Sp.44.B
Arteriæ ex principaliſſimis vitalibus organis.de vtilita.reſpir. 225.H/de cau.reſp. 1ª.226.H
pp Arteriam & venam cur muſculus inſtrumentum naturale factus eſt.1°.de motu muſ. 1ª.309.B
Arteriæ,uenæ,nerui, ſi ab inſtrumentis demantur, reliquum corpus, quatenus ſenſu animaduerti licet.ſimplex elemētare q3 ē. 1ª.291.G
Arteria eſt commune corporis inſtrumentum. 16°. de vſu part. 214.D/1ª.& ſe.330.C/6°.de dec.1ª.266.A/2°.met.m.12.G/7°.7ª.49.B
Arteriæ cur inditæ membris.6°.de dec.Hip. 1ª.266.A
Arterijs indigent partes compoſitæ.ars med. Iſa.63.B
Arterijs,& venis cur indigent membra naturalia & animalia.1°. de locis affectis. 4ª.8.A/B
ex Arteria,vena,& neruo contextæ ſunt omnes animalis particulæ. 7°.de vſu partium.158.H/16°. 1ª.220.D
Arteria,uena,neruus continuantur unicuique lacerto.de mot.man.et obſcuris. Sp.66.E
ex Arteria,uena,& neruo irrigant muſculi.1°.de mo.mu. 1ª.309.B
Arteria & uena nullus muſculus caret.16°.de uſu par. 1ª.220.A
cur Arterijs & venis egeant muſculi.1°.de loc.aff. 4ª.8.A
Arteriarum pulſu aeream igneamq3 ſubſtantiam tuemur. 1°. de ſan. tuen. 2ª62.G
Arteriæ refrigerante et purgāt omnes partes.de vſu pulſ.1ª. 229.A
ex Arterijs,venis,neruis,oſſibus.& carne compoſitum, incorruptibile eſſe non poteſt.14°.de vſu partium. 1ª.204.D
Arteriæ ſunt æquales numero neruis.13°.de vſu par. 1ª.202.A
Arterijs fœtus non indiget in principio.de fœt.for. 1ª.323.B
Arteriarum vſus eſt exiguus hepati ī fœtu.15°.de vſu par. 1ª.212.F
Arteriæ cur ſint rotundę.6°.de vſu par. 1ª.153.B
Arterijs tutius erat per interna iter facere.16°.de vſu par. 1ª.217.H
Arterię & venæ differentia.6°.de vſu partiū.151.A/1ª.152.G/.4°. de diſſe.pulſ. 4ª.65.D
Arteria ſiccior,quàm vena.5°.meth.med. 7ª.32.D
Arteria ſexcuplo craſſior eſt vena.1°.de ſemi. 1ª.333.A
Arteria cur ſit craſſa in omni animali.6°. de vſu par. 1ª.151.A
quā Arteria tenuior eſt ac imbecillior vena.5°.de loc. aff. 4ª.30.F
Arteriæ vas magis albicat quam venæ.6°.de ana.admi. 1ª.93.B
Arteriæ cur ſint inferiores venis,& magis profundæ.16°.de vſu partium, 1ª.219.E/F

Arteria cur sit in parte anteriore, vena vero ad dorsum. 7°. de vsu partium. 1ª.159.C

ex Arteriarum sanguine calidiore & subtiliore, quàm is qui in neruis est, fit cor. 1°. de semi. 1ª.331.C

Arteriarum, & venarũ differẽtia in meatibus. de vsu puls. 1ª.228.G

Arteriarum meatus manifesti sunt. de diff. mor. 3ª.4.C

de Arteriarum anatomia. 1°. de anato. viuo. Sp.47.E

Arteriarum, aut venarum, aut neruorum anatomia cõsideranda post ossa & musculorum concisionem. 1°. de ana. admi. 1ª.64.B

Arteriæ, & venæ in conceptibus non perfectis visuntur. de venarum & arteriarum dissectione. 1ª.59.E

Arteria in omni animali dissecto à Galeno semper visa est. 6°. de decretis Hippocratis. 1ª.263.F

Arteriæ semper dissidentibus videntur partibus propter alteram earum tunicam, quæ dura est. de vsu puls. 1ª.229.B

Arteriæ omnes non sunt æquales, nec æqualiter distant. 2°. de dignot. puls. 4ª.78.C

Arteriarum diuisio. 7°. de ana. admi. 1ª.95.B

Arteria diuisa est in duas partes. 16°. de vsu partium. 1ª.214.F

Arteriæ duplex genus. 7°. de ana. admi. 1ª.94.B

Arteria qua parte oriatur. 7°. de ana. admi. 95. A/6°. de vsu par. 1ª.153.F/*de vtil. resp.* Sp.63.H

Arteriæ depẽdẽt à corde, ars med. Isa. 63. B/de vẽ. arte. dissect. 55. G/1°. de vsu par. 117. B/6°. 152. D/15°. 212. E/16ª. 214. D/2°. ḍ decr. Hippo. 239. D/3°. 245. D/6°. 262. F/266. D/G/in Timæum Plato. 287. D/de fœtuũ formatione. 1ª.323.G/*5°. methodi med.* 7ª.30.B/*de anatomia viuorum.* Sp.56.E/G

Arteriarum corpora non videntur à iecore vel corde progerminasse. de fœtuum for. 1ª.324.G

Arteria maxima quomodo intelligatur apud anatomicos. 3°. de anato mi. adminisi. 1ª.75.C

Arteria maxima é sinistro cordis sinu oritur. de ven. arte. disse. 58.H/*1°. de decr. Hipp. & Plat.* 1ª.232.D/*de anat. viuo.* Sp.46.E

Arteria in fœtu cur non eat ad sinistrum cordis ventriculũ. 15°. de vsu partium. 1ª.211.D

Arteriæ maximè ppagines. 16°. ḍ vsu par. 219. A/6°. ḍ decr. 1ª.263.E

Arteria magna quibus nominibus vocetur. 7°. de ana. admi. 1ª.94.B

Arteria magna dicta aorta, quorsum procedat, de vtil. resp. Sp.62.G

Arteriæ magnæ sectio quomodo fieri debeat. 7°. de ana. admi. 1ª.98.G

Arteria magna à cord oriẽ. ḍ vẽ. art. disse. 55. G/16°. ḍ vs. par. 1ª.214.F

Arteria, & vena magna procedunt à duobus ventriculis cordis ad sum primum spondylum colli. de vtil. resp. Sp.62.G

Arteria magna, & vena caua sub septo transuerso super vertebras incumbit. in Tim. Plat. 1ª.287.H

Arteria magna ad quintum spondylũ attinet. 6°. de vsu par. 1ª.149.E

Arteriæ magnæ situs diuisio. 16°. de vsu par. 1ª.218.E

ab Arteria magna quæ in sinistro cordis ventriculo est, oriuntur arteriæ omnes. 1°. de decr. Hipp. 1ª.133.C

Arteriæ in fœtu quo modo incedant. 6°. ḍ decretis Hippocratis. 265. B/de fœtuum form. 1ª.322.H

Arteriarũ incessus. 16°. de vsu par. 218. E/1°. ḍ dec. Hipp. 1ª.233.A

Arteriæ semper altius super musculos ingrediuntur. 3°. de ana. adminisi. 1ª.79.D

Arteriæ magnæ incessus, qualis. 6°. ḍ vsu partiũ. 149. F/16°. 216. A. B/6°. de decr. Hipp. 1ª.262.B/*1°. de symp. cau.* 3ª.18.G

Arteriæ magnæ comparatio ad arborem. 6°. de decretis Hipp. & Platonis. 262. B/8°. 1ª.273.G

Arteria aorta vel magna est tanquam caudex in arbore. de ve. art. diss. 1ª.55.G

Arteriæ aliæ ab arteria magna sunt veluti rami, aliæ veluti germina & folia. an sang. in art. 1ª.61.E

ab Arteria magna quædã arteria it in pulmonem. 5°. de lo. af. 4ª.30.G

Arterias & venas cõparat nassularũ funibus. in Tim. Plat. 1ª.288.G

Arteriæ & venæ cum inseruntur in aliquã partem semper propagines mittunt, sed differenter. 16°. de vsu par. 1ª.220.D

Arteriæ quæ sunt in dextra parte, sunt etiam in sinistra. 9°. de decr. Hipp. 1ª.284.H

Arteriam magnam venæ, quę fertur ad pulmonem, vas cõnectens semper minuitur. 15°. de vsu par. 1ª.212.H

Arteria magna cur deriuetur in pulmones. de ven. art. diss. 1ª.58.H

ab Arteria magna quando cor attrahit aerem secundum Erasistratũ. de vtil. resp. 1ª.223.E

Arteriæ pars q̃ tendit deorsum, cur maior. 16°. de vsu par. 1ª.214.F

Arteriam magnam sanguine vacuam dicentes errant. 7°. de anato. adminisi. 1ª.98.D

Arteriam magnam secantis casus. 7°. de ana. admi. 1ª.97.G

Arteria à qua omnes dependent. de anato. parua. Sp.42.H

Arteriæ omnes à qua arteria oriantur. 16°. de vsu par. 1ª.220.B

Arteria magna per vrinæ meatũ expurgatur. 11°. meth. me. 7ª.73.F

Arteriæ quibus sint angustæ. com. 2°. apho. 44°. Ex.18.F

Arterias & venas à propinquis vasis natura ducit ad partes omnes minimo interuallo. 16°. de vsu par. 1ª.219.C/220.A

Arteriæ omnes in vnam magnã contrahuntur. 4°. de vsu par. 141. G/15°. 211. D/6°. de decr. 1ª.266.B

Arteriarum & venarum ora perueniunt ad cutem. 1°. de simpl. met. fac. 5ª.4.D

Arteriæ paruæ cur aliquę ad cutim perueniũt. 16°. de vsu par. 1ª.29.F

Arteriæ carotides numerantur inter ea quæ connectũt cor cerebro. 2°. de decr. Hippo. 1ª.239.B

Arteriæ euntes ad caput, quæ. 16°. de vsu par. 1ª.219.G

Arteriæ cur ab infernis partibus veniunt in cerebrum. 9°. de vsu partium. 172. F/ 1ª.73.A

Arterias quamplurimas quidem in facie & toto capite, venas autem cum venis natura cõmisit, tum à dextris ad sinistra, tum ex sinistris ad destra, tum à parte anteriore ad posteriorem, & rursus à posteriore in anteriorẽ, & ab externis intro, & ab internis foras ducẽs. 16°. de vsu par. 1ª.220.D

Arteriæ quamplurimæ exiguæ veluti fibræ quædam per ossa capitis inueniuntur. 16°. de vsu par. 1ª.220.D

cur tot Arterię sint in cerebro. 6°. de decr. Hippo. 1ª.269.D

Arteriæ quo modo tendant ad cerebrum. 9°. de vsu par. 1ª.172.D

quæ Arteria faciat plexum retiformem. 16°. de vsu par. 220. C/de dec. Hippocra. 1ª.233.A

Arteriarum plexus retiformis est in capite sub dura meninge, quæ retardet spiritus. 4°. de vsu par. 1ª.139.B

Arteria ad basim cerebelli. 16°. de vsu par. 1ª.220.B

per Arterias non datur ãalis vis à corde cerebro. 2°. de dec. 1ª.239.E

ex Arterijs spiritu attracto fit spũs animalis. 8°. de dec. Hip. 1ª.278.B

Arteriæ ad oculos q̃. 16°. de vsu pa. 1ª.220.C/*4°. de loc. aff.* 4ª.22.F

cum Arterijs ascendunt nerui optici. 16°. de vsu par. 1ª.220.C

Arteriæ maiores post aures in capite, quę. 3°. de loc. aff. 4ª.20.D

Arterię faciei & nasi, quæ. 16°. de vsu. par. 1ª.220.C

Arteria ad linguam, quę. 16°. de vsu par. 1ª.220.B

Arteriæ in lingua maiores & plures sunt, quàm linguę corpus exigat. 3°. de alim. fac. 2ª.26.G

Arterię in lingua, & priapo sunt maiores quàm in alijs mẽbris. de mo. man. & obs. Sp.67.H

Arterię in lingua communes cum alijs carnibus. 3°. ḍ ali. fac. 2ª.26.G

Arterias multas et venas cur habeat vuea. de ocul. 7ª.183.C

Arterię omnes superiores ab arteria ceruicis & capitis oriunt. an san. in arterijs. 1ª.61.A

Arteria ad internos maxillę interioris musculos, quę. 1ª.220.B

Arteria carotida est antiquum nomen. 16°. de vsu par. 1ª.220.A

Arteria carotis à qua parte fiat & quorsum eat. 6°. de vsu partium. 216. B/ 1ª.220.A

Arterię carotidis collum ascendentis implexus reticularis. de vsu partium. 1ª.227.H

Arterię quo modo ferantur in collum. 16°. de vsu par. 1ª.218.G

Arterię colli, & faciei vnde oriantur. 16°. de vsu par. 1ª.219.G

Arterię colli continuant cor cum cerebro. de vsu pul. 1ª.227.E

Arteria quę à corde subit ad collũ quid trahat. 3°. ḍ nat. fac. 1ª.307.F

Arterię solum vocabantur asperę apud antiquos. 6°. de decretis Hippocratis. 1ª.266.F

Arteria aspera bronchos nominatur. 7°. de vsu par. 1ª.160.A

Arteria aspera quę sit. intro Is. 54. C/7ª. de ana. adm. 1ª.94.B/*in prog. com. 2°.* 4ª.202.B/*7°. de comp. med. sec. loc.* 5ª.177.B

Arteria aspera sanguinis omnino esẽt expers, quando secundum naturam se habet animal. 7°. de vsu par. 1ª.157.E

Arteria trachea, & œsophagus vbi sint. de ana. par. Sp.42.H

Arteria aspera corpus chartilaginosum. 2°. de symp. cauſ. 3ª. 21. E/5°. de locis affect. 4ª.31.B

Arterię asperę chartilaginum figura. 4°. de loc. aff. 4ª.27.F

Arterię asperę natura qualis, & cur talis. 7°. de vsu par. 1ª.157.C/E/*1°. de loc. affect.* 4ª.2.C

Arteria aſpera cur media ſit inter leuem arteriam & venam.7°.de vſu.par. 1ª.159.C

Arterię aſpę nulla potuit fieri cõſtructio melior.7°.de vſ.par. 1ª.160.C

Arterię aſperæ gratia quę exiſtant.8°.de vſu par. 1ª.165.A

Arteriæ aſperę miniſterium neceſſarium.7°.meth.me. 7ª.49.B

Arteria trachea,lingua,epiglottis ſunt voci, & orationi neceſſaria.& voce,& anhel. Sp.61.C

Arteria aſpera & pulmo ſecundum ſe ſunt inſenſibilia & immobilia, de vtil.reſp. Sp.63.G

per Arteriam aſperam & fauces purgantur pectus & pulmones.7°. metho.me.49.D/11°. 7ª.73.F

Arteriæ aſperæ non ſunt inſtrumentũ odoratus.de inſt.odor. 1ª.111.A

Arteriarũ aſperarũ oũm vnũ eſt os maximũ.7°.de vſu par. 1ª.159.F

Arteriæ aſpere caput eſt larynx.de ven.art.diſſ.58.A/6°.de vſ.par. 156.H/8°.165.A/1°.de motu muſc. 1ª.309.G/ *6°.de ſani. tuen. 98.E/2ª.100.A/5°.meth.me.* 7ª.35.B

Arteria & larynx ſumuntur pro re diuerſa.de vſu par. 1ª.160.G

Arteriæ aſperæ officia.intro. Iſa.54.A

Arteria laryngi vocem concinnat.7°.de vſu par. 1ª.157.G

*ad Arterias tracheas aer ſolus ex pharynge puenit.7°.& v.p.*1ª.158.F

in Arterias aſperas ſpiritus tractus primo in carne pulmonis conficitur.7°.de vſu par. 1ª.159.C

cum Arterijs quo modo cor contrahatur, & diſtendatur.4°.de preſa. ex pulſ. 4ª.122.C

Arterię aſpera in collo & pulmone,quæ.8°.de vſu par. 1ª.164.H

ad Arteriam aſperam in collo vaſa perucnientia capillorum ſpeciẽ referunt.1°.de loc.affec. 4ª.2.D

Arteriæ aſpę chartilagines mouent p muſculos.7°.de vſu p. 1ª.160.C

Arteria aſpera habet motũ voluntarium.7°.de vſ.par. 1ª.160.C

*Arteria aſpa p eãdẽ viã attrahit & expellit.3°.de nat. fac.*1ª.306.H

Arteriæ aſperæ ſeruiunt motui pulmonis.7°.de vſu partiũ. 1ª.159.G

Arteriæ nutriunt pulmonem.6°.de vſu partium. 1ª.155.C

*Arteria aſpa qñ et quo loco carne pulmonis tegat.13°.& v.p.*1ª.201.D

in Arteria aſpa quot muſculos habeant animalia habentia magnã vocem.7°.de vſu par. 1ª.160.D

Arteriam aſperam qui muſculi adſtringunt.de muſ.diſſ. 1ª.46.E

Arteriæ aſperæ muſculi quatuor peculiares ſunt,qui illam arctant,& contrahunt.de muſc.diſſect. 1ª.46.A

*Arteriæ tracheæ anuli nõ ſunt rotũdi pp cibũ.7°.de vſu p.*1ª.158.C

per Arteriam aliam q̃ ſit aſpera,cor participat fructum reſpirationis. 7°.de vſu par. 1ª.158.G

Arteria trachea facit pellem plenam fiſtulis, quæ recipiunt aerẽ, & non ſanguinem.de vtil.reſp. Sp.94.C

Arteriæ aſperæ meatu ſuperiore aperto largus aer cum quodam ſtrepitu foris fertur,qui efflatus dicitur.de vtil.reſp. 1ª.223.H

in Arteriam aſperam nobis tranſglutientibus aliquid humidi deſcendit.6°.de vſu par. 1ª.154.H

per arteriæ aſperæ tunicam q̃ aqua ingrediatur experimentum.8°.de decr.Hippo. 1ª.278.H

*in Arteriã aſpam hũiditas decedẽs qũo deſcẽdat.7°.de vſ.p.*1ª.163.B

cum Arterias aſperas aquoſa humiditas occupat in aqua inter cutem,ſi tuſſis ſuperuenerit, periculũ imminet ſtrangulationis.cõ.6°. apho.35°. Ex.50.C

in Arteriã aſperã recipitur oris excrementũ.6°.de ſan.tuẽ. 2ª.98.E

ad Arterias aſpas pulmonis qũo mã permeet.c.7°.aph.35°. Ex.56.B

in Arterias aſperas quot modis confluunt materiæ.2°.de præſag. ex pulſ. 4ª.109.G

*i Arteriã aſperã quæ incidũt,moleſta ſunt.2°.de ſimp.me.fa.*5ª.13.E

in Arteriam aſperam & in ventriculum capitis fluxio deſcendit.3°. de ſymp.cau. 3ª.29.F

Arteria aſpera vnà cũ larynge fluxione capitis humectatur. 2ª.98.B

Arteria aſpera offendit à mã exñte i cerebro.c.6°.apho.2°.Ex.46.E

Arteriarũ aſperarũ læſio coarctatio q̃dã eſt.1°.de diff.reſp. 3ª.59.F

in Arteriam aſperam quando tendunt medicamenta, quid accidat.4°. methodi medendi. 7ª.29.A

*in Arteriã aſperam qũo medicamentũ deſcendat.5°.met.me.*7ª.34.G

in Arteriam aſperam ſi largius incidat medicamentũ,tuſſis excitatur, 4°.meth.med. 7ª.29.A

per Arteriam aſperam quomodo poſſit deſcendere aqua, & tuſſim nõ excitare.8°.de decr.Hippo. 1ª.278.H

Arteriæ aſperæ ægritudines qũo cognoſcantur.ars med. Iſa.67.C

Arteriarum & venarum morbi ſicci cognoſcuntur linguæ ſiccitate,et corporis etiam ariditate.de vict.rat.in morb.acu.com.1. 7ª.12.F

Arteria aſpera laborat ob ſanguinem vel humorem ingredientem.8°. de decr.Hippo. 1ª.274.F

in Arteriam aſperam quomodo ſanguis ex thorace tranſmittatur.5°. methodi medendi. 7ª.32.F

in Arteria aſpera concreſcit ſanguis.de atra bile. 1ª.34.D

*in Arterijs ſanguis craſſus & lẽtus qd faciat.2°.de cau.pul.*4ª.91.G

in Arteria aſpera ſanguis facit tuſſim & eiectionem ſanguinis per os. 7°.de vſu par. 1ª.159.A

in Arteria aſpera quomodo fit expulſio.2°.de ſymp.cau. 3ª.21.F

Arteriæ tunica quandoque expuitur.4°.de loc.affec. 4ª.25.G

*Arterię aſperæ inæqualitas tuſſim facit.2°.de ſimp.med.fac.*5ª.13.E

Arteria aſpera cur ſenſibiliter exaſperatur.in 6m.de morbis vulgaribus,com.2°. 3ª.160.H

Arteriæ aſperitates ſanat cacaliæ radix,& tragacanthe.7°.de ſimpl. medicamentorum facultatibus. 5ª.49.F

Arterię aſperitates ſanat ſymphytum petræum.8°. de ſimplici.med. facultatibus. 5ª.61.G

*Arteriæ aſperitates lenire põt glycyriza.6°.de ſimp.med.fa.*5ª.45.F

Arterijs proſunt caricæ.de ſimp.med. Sp.84.C

*ad Arteriæ aſpritudinem.7°.de compo.med.ſec.loc. 179.F/*5ª.181. *D/de reme.par.fac.* 7ª.158.C

Arteriam offendit puluis ſupra folia platani exiſtens.8°.de ſimpliciũ medicamentorum facultatibus. 5ª.58.G

*ad Arteriã ex pituita deſtillãte laborãtẽ.3°.de med.fa.par.*7ª.171.D

Arteriæ & venæ à fluxione incaleſcunt.de inæq.intemp. 3ª.43.E

Arteria cur vlceret ſynãchicis.de vict.ra.i mor.ac.cõ.4°. 7ª.139.C

Arteria vbi affecta eſt.aut pulmo,aut thorax,ponuntur calida tenuiũ partium,tamen infeſtiſſima ſunt ſanguinis reiectationi.7°.de comp. medic.ſec.locos. 5ª.183.E

ex Arterijs & venis ad neruos noxij humores tranſmittuntur,& è cõtrario.comm.6°.apho.26°. Ex.48.G

Arteria aſpera cum ex capite ægrotat,quo modo curanda.6°.de ſanita te tuenda. 2ª.100.A

Arteriæ aſperæ inflammatio anguſtiam anhelitus facit. commen.4°. apho.34°. Ex.31.D

circa Arteriã aſperã iflãmatorũ vict°.7°.de cõ.me.ſec.loc. 5ª.177.H

in Arteriæ inflammationibus a vino abſtinendum,tamen medicamẽta facit ex vino.7°.de compo.med.ſec.loc. 5ª.177.H

in Arteriæ affectione braſsicam dat & porrum.ibidem. 5ª.178.A

in Arteriæ aſperæ laſſitudinibus tenſiuis quid agendum per quatuor tempora.7°.de comp.med.ſec.loc. 5ª.177.G

Arteria lenitur humidis.ars med. Iſa.70.F

Arterijs aſperis plenis quomodo ſpiretur.4°.de loc.affect. 4ª.26.H

per Arteriam aſperam cur excrementa partiũ inflammatarũ exeãt. 2°.de loc.affect. 4ª.13.B

in Arteria humores adhærentes magis expellit ſternutatio,quàm tuſſis.2°.de ſympt.cau. 3ª.21.F

in Arteria aſpera qũo vlcus deprehendatur.4°.de loc.af. 4ª.28.B

*Arteriæ aſperæ vlcera ſunt cum pauco dolore.4°.de loc.aff.*4ª.28.B

ab Arteriæ aſperæ vlceribus quomodo differat vlcus pulmonis.4°.de locis affectis. 4ª.28.B

in Arteria aſpera vlcus quomodo ſit curandum.4°.methodi medendi.29.A/5°. 7ª.34.E

ex Arteria aſpera & pulmone feruntur,quæ extuſſimus.commen.7°. aphoriſ.37°. Ex.56.H

*Arteria aſpera,& ſtomachus cõparantur tibię.in Tim.Pla.*1ª.288.F

*ad Arteriam aſperã.7°.de comp.med.ſec.loc.*5ª.180.A/3°.*de reme. facile par.* 7ª.171.D

ad Arterias exaſperatas accommodum eſt gummi ceraſorum.7°.de ſimpli.med.facul. 5ª.51.A

Arteriæ quo modo ſe habeant in reſpiratione.8°.de decre. 1ª.278.D

Arteriæ læues quæ iungunt aſperas arterias cordi, quibus ſint plenæ, 7°.de vſu partium. 1ª.158.G

Arteria tendens ad partes ſupra cor.16°.de vſu pár. 1ª.219.G

*Arteria qũo recipiatur ab oſſe medij pectoris.16°.de vſu p.*1ª.218.F

Arteriæ venæ nutriẽtis octo coſtas inferiores thoracis,qualis.16°.de vſu partium. 1ª.219.A

Arteriæ non eodem ſemper modo diſtributæ ſunt in primis quatuor coſtis.de ven.ar.diſſ. 1ª.59.B

cum Arteria quomodo feratur vena caua ad ſpinalẽ medullam.16°. de vſu partium. 1ª.219.D E

ab Arteria ad ſpinam ſpacium breuiſſimum eſt. 6°. de uſu par. 1ª. 149. F
Arteria ſpinæ inhærẽs eſt veluti truncus arboris. an ſang. in ar. 1ª. 61. E
Arteriæ coniugationes per ſpinam quot ſint. 16°. de vſu par. 1ª. 219. D
Arteria fertur ſuper venã, vena ſuper vertebras. ḋ ven. ar. di. 1ª. 59. D
Arteria longiſſime ſuper vertebras exporrigitur eis partibus, quę ſu pra ſeptum ſunt. in Tim. Plat. 1ª. 287. H
Arteriæ ad muſculos dorſales, quæ. 16°. de vſu par. 1ª. 219. D
Arteria magna, & magna vena in dorſo. de anato. parua. Sp. 43. B
Arteria quæ ſita eſt ſecundũ dorſũ qũ ſentiatur. de pulſ. ad tir. 4ª. 43. C
Arteriæ brachij ſectio. 3°. de anato. admi. 1ª. 77. F
Arteria ab axilla ĩ brachiũ venit cũ vena axillari. 3°. ḋ an. ad. 1ª. 76. D
Arteria vna in brachio vicina venæ axillari, & vnde veniat. 3°. de anatomi. adminiſtra. 1ª. 77. E
de Arteria, quæ ad cubitum ſiniſtrum meat. 6°. de decr. Hip. 1ª. 266. E
Arteriarum manus ſectio. 3°. de anato. admi. 1ª. 76. B
Arteriarum & venarum manus cõis ratio. 16° de uſu par. 1ª. 221. A
Arteriæ quomodo eant ad manus. 16°. de vſu partium. 1ª. 220. A
Arteria vna propagatur in totam manum. 3°. de anat. admini. 1ª. 76. B
Arteriæ rami ad varias partes manus pertingũt. 3°. de an. ad. 1ª. 77. F
Arteria manus quę phlebotomatur, eſt arteria quæ inter pollicem & indicem exiſtit. de ana. viuorum. Sp. 54. H
Arteria venoſa, quæ, & cur ſic dicta. 7°. de ana. adm. 94. H/6°. de dec. Hip. 1ª. 264. C/de ana. viuo. 46. F/ Sp. 47. E
in Arteriæ venoſæ adminiſtratione quidã reprehenſus. 7°. 1ª. 98. B
Arteria venalis cur vnam habet tunicã, & mollem. de an. vi. Sp. 52. H
Arteria habens tunicam venoſam vbi, & quorſum tendat, & qualis. de dec. Hip. & Plato. 1ª. 233. C
Arteria venoſo corpore cõſtãs in corde oritur. 2°. de decre. 1ª. 236. A
Arteria venoſa in pulmone. 6°. de vſu partium. 1ª. 151. A
Arteriæ venoſæ membranis nullus anatomicus dedit nomen. 6°. de uſu partium. 1ª. 153. G
Arteriæ venoſæ orificiũ cur hẽt duas tunicas. 6°. de vſ. par. 1ª. 154. D
ex Arteriæ venoſę ore plus retro ferĩ q̃ ex aliis. 3°. de n. fa. 1ª. 307. E
in Arteriam venoſam vena caua cur pertuſa ſit in fœtibus. 15°. de vſu partium. 1ª. 212. G
in Arteria venali ſanguis qui defertur, qualis. de ana. viuo. Sp. 47. E
ad Arteriam venalem iunci comparatio. de anat. viuo, Sp. 52. H
Arterioſa vena, quæ. 7°. de ana. admi. 1ª. 94. H
Arterialis vena quæ ſit, vbi, & ob quem finem. de anat. viuo. Sp. 47. F
Arterioſa vena cur dicta. 7°. de ana. admi. 1ª. 94. H
Arterialis vena habet duas tunicas. de anato. viuo. Sp. 46. F
in Arterioſa vena mẽbranæ σιγμοειδεῖς ſunt. 6°. de vſu par. 1ª. 153. F
per Arterialem venam cor alimentum ad pulmonem tranſmittit. 2°. de naturalibus facultatibus. 1ª. 296. H
ex Arterioſis cordis partibus natura facit venas, quę tendunt ad pul monem. 6°. de vſu. par. 1ª. 153. A
Arteriæ quæ tendunt ad pulmonem, factæ ſunt à natura ex venoſis cordis partibus. 6°. de vſu partium. 1ª. 153. B
Arteriam aſperam pulmonis gñatio ſequitur. 13°. de vſu par. 1ª. 201. D
Arteria propria particula pulmonis. 7°. de vſu partium. 1ª. 158. A
Arteriæ pulmonis vnde oriantur. 2°. de dec. Hip. 1ª. 236. A
Arteriæ à corde ad pulmonem duæ, & quæ. de ven. art. diſſ. 1ª. 58. H
Arteriæ pulmonis quomodo ſe habeant. 7°. de ana. admi. 1ª. 94. F
Arteria q̃ tendit ad pulmonẽ minor eſt illa q̃ eſt in corde. 6°. 1ª. 155. D
Arteriæ ſparſæ ad pulmones ſunt veluti radices. de ven. ar. diſſ. 1ª. 55. G
Arteria in pulmone radicì arboris comparatur. 6°. de decr. 1ª. 262. B
Arteria venæ, vena autem arteriæ habuit tunicas in ſolo pulmone. 6°. de vſu partium. 1ª. 151. A
in Arterias pulmonis quo mõ ſanguis deueniat. 6°. de vſu pa. 1ª. 151. H
Arteriarum tunica in pulmone cur craſſa. 7°. de vſu partiũ. 1ª. 159. E
Arterijs quæ ſunt à corde in pulmones, quæ venæ reſpondeant. 16°. de vſu partium. 1ª. 220. F
Arteriæ duæ cordis vnde oriãtur, et eorũ iuuamẽtũ. de a. vi. Sp. 47. E
Arteria, & vena, quæ veniũt a corde, faciũt pelles duas, circa pulmo nẽ plenas venis, et arteris pluribus, et ſubtilibus. de vt. re. Sp. 64. C
Arteria & vena totũ cordis corp⁹ amplectũtur. 6°. ḋ vſu pa. 1ª. 155. F
Arterijs quæ ſunt in corde, q̃ venæ rñdeãt. 16°. de vſu par. 1ª. 220. E
per quam Arteriam cor attrahat ſuccum cibi ab inteſtinis aliunde quam per hepar. de vtil. reſp. Sp. 64. E
Arteriæ pars ſub corde maior eſt. 6°. de vſu partium. 1ª. 149. D
Arteriæ pars maior, quæ a corde ſe promit, quorſum tendat. de vena rum art. diſſ. 1ª. 59. B
per quas Arterias fuliginoſum quod eſt in corde tranſmittitur. 7°. de vſu partium. 1ª. 159. E
Arteriæ ꝓpinquæ cordi trahũt aliquid ab illo. 3°. de nat. fac. 1ª. 307. E
Arteriæ a corde diſtantes quid trahant. 3°. de nat. fac. 1ª. 307. F
Arteriarum proceſſus ſurſum. de ven. art. diſſ. 1ª. 59. A
Arteriæ inferne ſurſum feruntur. 7°. de vſu par. 1ª. 165. B
Arteriæ inferiores oriunt ab arteria quę deſcẽdit. an ſan. in ar. 1ª. 61. A
Arteriã vnde accipiãt vẽtricul⁹, liẽ, et hepar. 16°. de vſu p. 1ª. 219. A
Arteria eſt principalior ſtomacho ad vitã. 16°. de vſu partiũ. 1ª. 218. H
Arteriæ ad vmbilicum, quæ. de ven. ar. diſ. 59. D/de diſſ. vul. 108. H/ 15°. de vſu partium. 1ª. 211. C/F
Arteria cur per vmbilicũ ſolum ingreditur. 15°. de vſu par. 1ª. 211. D
ex Arterijs tenue attrahitur. 4°. de vſu partium. 1ª. 140. C
ex Arterijs trahit ſpiritum & tenuem ſanguinem fœtus dum auge tur. 1°. de ſemine. 1ª. 330. H
Arteria cur in iecore ſit. 4°. de vſu partium. 138. G/ 1ª. 139. C
Arteriæ ſitus in iecore conueniens. 4°. de vſu partium. 1ª. 139. C
Arteriæ iecoris cur paruæ. 4°. de vſu partium. 1ª. 140. D
Arteriæ non facile apparent ad iecoris portas. 6°. de ana. ad. 1ª. 92. B
Arteria nulla eſt in hepate ſecundum Ariſtotelem. de vt. reſp. Sp. 64. B
ab Arteria etiam, non ſolum a vena hepatis ſunt meatus quidam ad renes. de vtil. reſp. Sp. 64. G
Arterias vnde habeat veſica fellis. 5°. de vſu partium. 1ª. 145. A
Arteria nulla eſt in ſplene, nec ĩ hepate. ſm Ariſt. de vti. reſp. Sp. 64. H
Arteriæ, & venæ inueniuntur in curuatura hepatis. & ſplenis. de vti litate reſpirationis. Sp. 64. H
ad Arteriam hepatis partim ſuccum cibi tranſmitti, non omnino ad venam hepatis manifeſtum eſt. de vtili. reſp. Sp. 64. G
nec Arteria, nec vena eſt in gibbo ſplenis. de vtil. reſp. Sp. 64. H
Arteriæ ad muſculos epigaſtrij. 16°. de vſu par. 1ª. 219. D
Arteriæ peritonæo quantum ſunt craſſiores. 4°. de dig. pulſ. 4ª. 85. G
Arteria quæ protenditur a corde per dorſum, & coniungitur meſen terio, non tranſit per hepar. de vtil. reſp. Sp. 64. E
Arteriæ cuidã ꝓcẽdti a dorſo cõtinuãt meſeraicũ. de vt. reſ. Sp 64. G
Arteriæ extremæ ſunt quæ meſenteriũ occupãt. an ſang. in ar. 1ª. 61. D
Arteriæ quæ ueniũt ad meſenteriũ unde oriant. an ſang. in ar. 1ª. 61. E
Arterias meſenterio propinquos lacte plenas habent hædi nuper nati. an ſang. in art. 1ª. 61. D
Arteria uena, neruus diſſeminantur, in ſingulas circumuolutiones inte ſtinorum. 5°. de uſu partium. 1ª. 145. E
Arteriæ inteſtinorum ortus. 16°. de uſu partium. 1ª. 219. A
Arteriæ ad lactes, & inteſtina, quæ. in 6°. de mor. uul. cõ. 4°. 3ª. 180. E
Arteriæ iunguntur in magna arteria q̃ eſt ad lũbos. 15°. de v. p. 1ª. 211. D
Arteria non eſt uenæ ſubiecta in ultimis lumborum uertebris, ſed e contrario. de uen. art. diſſ. 1ª. 58. D
ab Arteria magna rami deſcendunt ad renes. 6°. de lo. aff. 4ª. 39. C
Arteriæ ad renes a corde quæ, cur, & quo modo. de ren. affect. digno. med. 7ª. 192. A
Arteria quæ peruenit ad renes, ubi ſit. 16°. de uſu par. 1ª. 219. A
Arteriæ renum omnium maximæ ſunt, quæ a magna arteria deducun tur. 2°. de nat. fac. 1ª. 298. B
Arteriæ cur tam magnæ in renibus. 5°. de uſu partium. 1ª. 144. A
Arteria dextri renis unde oriatur. 16°. de uſu partium. 1ª. 219. B
in Arterijs renum ſanguis continetur. 5°. de uſu partium. 1ª. 144. C
Arteriæ renũ hãt ora, per quæ exit ſpũs. com. 7°. apho. 34°. Ex. 56. E
Arteriæ circa urinaculũ ſunt ĩferioribus ptib⁹. 15°. de v. p. 1ª. 211. G
Arteriæ cur magnæ in ueſicis. 5°. de uſu partium. 1ª. 144. H
Arterias unde habeat ueſica urinæ. 5°. de uſu partium. 1ª. 145. A
Arteriæ & uenæ ſunt organa ſpermatis. de ſpermate. Sp. 36. E
Arteriæ cur maximæ & duplices in pudendis, & quorſum eant. 14°. de uſu partium. 1ª. 209. A
Arteriæ ad teſticulos, quales. 16°. de uſu partium. 1ª. 219. B
Arterias teſticulorum natura a longinquis partibus ducit. 16°. de uſu partium. 1ª. 219. C
Arteriæ breui ad genitalia ueniunt & unde. 14°. de uſu pa. 1ª. 209. C
Arteria teſtium operitur abdominis membrana. 1°. de ſemi. 1ª. 333. E
Arteriæ & uenæ teſtium inceſſus. 1°. de ſemi. 1ª. 333. E
Arteriæ ante teſticulos, et ſub dura meninge cur multipliciter inuol uantur. 4°. de uſu partium. 139. B/16°. 1ª. 219. C
Arteria & uena cur oblique deſcendunt ad utrunque teſtem, & non recte. 1°. de ſemi. 1ª. 332. F
in Arterijs & uenis teſtium ſanguis albeſcit. 1°. de ſemi. 1ª. 332. F

Arteriæ teſticulorum debebãt aliquid impuri,& ſeroſi recipere 16°. de vſu partium. 1ª.219.B

Arteria & vena teſtium gignunt ſubſtantiam ſeroſi humoris ſecundũ Ariſtotelem 1°. de ſemi. 1ª.332.G

Arteriæ magnæ ſunt in priapo & cur.6°.de lo.aff.41.H/ 4ª.142.E

Arteria & vena in matrice vbi ſit,& ad qd.15°.de vſu par.1ª.211.B

quæ Arteriæ vterum nutriant.de diſſ.vul. 1ª.108.G

Arteriæ in vtero minores ſunt quàm venę.de diſſ.vul. 1ª.108.G/H

Arteriarum & venarum ora quæ feruntur ad vterum, acetabula vocat Praxagoras.com.5°.aphor.45°. Ex 42.G

Arteriæ ad os latum quales.16°.de vſu partium. 1ª.219.E

Arteriæ crurum vnde naſcãtur.de decre.Hip.& Pla. 1ª.233.B

Arterię ad crura quo modo incedunt.de ven.art.diſſol. 59.D/ 16°.de vſu partium. 1ª.218.E

Arteria malleoli liberat à coxæ dolore.de cur.rat.p sãg.miſ.6ª. 21.F

Arteria cruris & pedis qũo ramificeť & eat.3°.de an.adm. 1ª.79.C

Arterię cur vbique cum venis ponuntur à natura,niſi quid maius obſtiet.5°.de vſu partium. 1ª.142.C

Arteriam habent venæ profundæ.de ven.ar. diſſ. 1ª.59.G

Arteriæ & venæ habent ora communia.de vſu pulſ. 1ª.228.G

Arteriarum orificiorum apertiones ad venas non ſine ratione paravit natura.6°.de vſu partium. 1ª.155.B

ad Arteriam vena meatum aliquem eſſe.de vtil.reſp. Sp.64.F

Arterię & venæ ī qbus partibus ſe cõtingũt.9°.ď vſu par.1ª.172. H

Arteria non inueniuntur ſine vena ſua.16°.de vſu partium. 1ª.220.E

ab Arteria nuſquam vena relinquitur.16°.de vſu par. 1ª. 220.H

Arteria ſine vena.de ven.art.diſſ. 1ª.59.C/D/E/G

Arteria ſine vena eſt rete mirabile.de ven.ar.diſſ. 1ª.59.H

ſine Arterijs ſunt venę iugulariæ externæ.de ven.ar.diſſ. 1ª.59.B

Arteriæ non egent qualitate extrinſeca,& maxime caliditate. de vtilitate reſp. 1ª.226.A

Arteria habet quatuor facultate.3°.de natu.facul. 1ª.305.C

Arteriarũ,neruorum,& venarũ facultas eſt diuerſa.de mul.3ª.77.B

in Arteriam aliquid deſtillare.de op.ſecta. Iſa.21.F

Arteriæ quid contineant.6°.de vſu partium. 1ª.154.H

in Arterijs negat eſſe humores Praxagoras.de dignoſ.pulſ.4ª.84.H

in Arterijs an ſanguis contineatur, & impleantur ſpiritu à corde. an ſang.in art. 1ª.62.D

in Arterijs naturalr sãguis cõtineť.4°.de vſu par.141.B/de vſu pulſ. 1ª.229.A/ de ven.ſect.aduer. Eraſ.6ª.6.H/de vtil.reſp. Sp.64.G

in Arterijs eſſe ſanguinem quo modo deprehenditur. 1ª.61.H

in Arterijs eſſe sãguinẽ qũo oſtẽdiť p ſectionẽ.7°.de ana.admi.1ª. 98.G

in Arterijs aer eſt ſanguini mixtus.1°.de diff.feb. 3ª.31.A

in Arterijs ſanguis paucior eſt quam in venis.fin.med. Iſa.44.B

in Arterijs q ſanguis cõtineat.6°.de vſu par.155.C/de fę.for.323.F/ď vſu pulſ.1ª.228.A/1°.de inæq.intẽp.3ª.43.G/5°.met.me.7ª.32.E

Arteriarum ſanguis tenuiſſimus & calidiſſimus.6°. de dec. Hippo.r. 266.D/.1°.de mo.muſ. 1ª.309.B

Arteriarũ ſanguis calidior ſanguine venarũ.ď fœt.for.323.F/de vſu pulſ.228.D/1°.de ſemi.1ª.331.C/de tum.præter naturã.3ª.84. D

Arteriarum ſanguis ſubtilior & vaporoſior quàm venarum. 4°. de vſu partium. 1ª.140.C

Arteriæ ſanguis liquidior eſt quam venæ.de vtil.reſp. Sp. 64.E

Arteriarum ſanguis cur primo calefiat.1°.de inæqua.intem. 3ª.43.G

Arteriarum ſanguis vbique ſimilis eſt.6°.de decr.Hippo. 1ª.263.C

Arteriæ quam habent calidũtatem.1°.de temp. 1ª.18.A

Arteriæ ſunt calidæ ex tactu ſanguinis,& veniunt ad medium temperamentum.1°.de tempe. 1ª.15.C

Arteria calidior ẽ omni particula animalis.8°.de vſu par. 1ª.165.E

Arteriarum & cordis motu an calor oriatur,vel ſit comitatus,vt cordi motus.aduer.Lycum. Ex.61.H

Arteria habet vim attrahendi debilem.de vtil.reſp. Sp. 64.E

Arteriæ trahunt ex venis.6°.de vſu partium. 1ª.156.F

in Arterias q ſanguis ex venis feratur.3°.de nat.fac. 1ª.307.G

Arterijs datur ſanguis conſectus in venis.6°.de vſu partiũ. 1ª.155.C

Arteriæ ſemper primo trahũt quod leuius eſt.3°.de na.fac.1ª. 307.G

Arteriæ trahunt & aerem,& tenuia.1°.de ſim.med.fa. 5ª.4.D

Arteriæ in capitibus per cutem attrahunt.8°.de decre.Hip.1ª. 278.B

Arteriæ ad cutim trahunt externum aerem.3°. de nat.fac. 1ª.307.E/ 1°.de diffe.febrium. 3ª.32.B

in Arteria cor mittit aerem.de vtil.reſp. 1ª.226.E

Arteriæ attrahunt piper ad exactiſſimum redactũ pollinem ſimul cũ aere.1°.de ſimpli.medica.facul. 5ª.4.D

Arteriarum attractio eſt prima cauſa deducẽdi per corpus medicamẽta.3°.de ſimp.med.fac. 5ª.22.A

Arteriæ trahunt ſanguinem tenuiſſimum à venis propinquis.3°.de naturalibus facult.307.E/ 1ª.308 D

Arteriarum ſanguis eſt fomentum ſpiritus.6°.de vſu par. 1ª.155.C

Arteriæ sãguis nõ coagulaī,vt ille q eſt in venis.de vti. reſ. Sp.64.E

in Arterias trahitur ſpũs et à corde et vndequaque an sã.ī ar.1ª.62.E

in Arterijs qui ſpiritus contineatur.4°.de digno. pulſ. 4ª.84.G

in Arterijs & corde generatur ſpiritus vitalis.6°.de decretis Hipocr. 1ª.269.D/E/11°.met.me.7ª.77.C/de vir.noſtrũ cor.diſ. Sp.60.C

in Arterijs non ſunt ſolum ſpiritus, vt Eraſiſtratei putarunt.6°.de locis affectis.4ª.39.C/2°.meth.med. 7ª.12.H

per Arterias non fertur ſpiritus tanquam per canales lapideos. an sã. in arterijs nat.con. 1ª.62.F

in Arterijs quo modo clarificetur ſpiritus.de ſpermate. Sp.37.G

ex Arterijs in venas fit trãſultº ſpũum.de venæ ſec.aduer.Era.6ª.5.F

in Arterias aliquid ex vẽtre,ſed exiguũ ďfertur.3°.ď na.fa.1ª.307.G

Arteriarũ orificia ad inteſtina pertingentia parum cibi ſumunt.4°.de vſu par.141.A/3°.de na.facul.307.B/F/ 1ª.308.D

in Arterijs excremẽtũ ẽ ſicuti ſerũ ī lacte cõcreto.1°.de ſa.t. 2ª.67.G

ab Arterijs omnibus,& venis corporis mittitur vrina, & ſudor. de vtilitate reſpir. Sp.64.G

Arteria habet quandam vim,qua excernit aliena per ſudores,p profluuia ſanguinis,per deiectiones inferiores.cõ.7°.aph.21°.Ex.55.D

Arteriæ motus, qui.fi.med. Iſa.44.H

Arteriæ motus,qũo fit.4°.de diff.pul.64.G/1°.de cau. pul. 4ª.87.B

Arteriarum motus à calore fit.8°.de decr.Hipp. 1ª.277.E

Arteriarum,& cordis motus quomodo differant.2°.de ſa.tuen.75.A/ 3°.de preſ.ex pul. 2ª.115.C

Arteriarum motus multi.3°.de diff.pulſ. 4ª.64.E

Arterię mouẽtur motu naturali nõ volũtario.9°.ď vſu pa.180.H/16° 214.H/1°.de mo.muſ.309.B/2°.1ª.314.H/2°.ď ſan.tuẽ.2ª.75.A

Arteriarum exercitatio per accidens fit a motibus voluntarijs.2°.de ſanitate tuenda. 2ª.75.A

præter Arterias, venas,& pelliculas,& neruos nihil de corpore ſenſibile eſt.de vtil.reſp. Sp.62.G

Arteria, neruus, vena,et vẽtriculus diuerſo mõ sẽtiũt.ď mu.3ª.77.F

Arteriæ non habent ſenſum.16°.de vſu partium. 1ª.220.D

Arteriarum omnium motus æqualiter fit circa reſpirationem & eius cohibitionem.de vtil.reſp. 1ª.223.F

Arteriarum motus in animalibus quid præſtat.4°.de vſu partium.1ª. 140.D/in3ᵐ.de mor.vulg.commen.3°. 3ª.141.A

Arteriarum motu calor natiuus in omnibus animalis partibus temperatur.de cau.morb. 3ª.7.E

Arteriarũ motũ primus Hippo.pulsũ appellauit.q ani.mo.1ª.320.C

Arteriæ eſt pulſuum organum.1°.de diff.reſp. 3ª.58.G

Arteriarum,& pulſus origo.de marcore. 3ª.46.G

circa Arterias ſolum,& cor fit pulſus.comp.pulſ. Sp.65.B

ab Arterijs & corde motus vitales sũt.de palp.cõnuſ.& ri. 3ª.51.D

Arterijs repletis,corde vacuato,pulſum fieri docet.cõ.pul. Sp.65.C

per Arterias tranſpiratio fit à corde.4°.de locis affe. 4ª.27.E

Arteriam tangere quo modo debemus.1°.de dign.pul.70.F/ 4ª.74.H

Arteriarum motus duplex & compoſitus eſt.de vſu pulſ. 1ª.228.F

Arteriarum pulſus eſt compoſitus motus.2°.de ſymp.cau. 3ª. 20.C

Arteriarum motum duplicari quid ſit.de vti.reſp. 1ª.224.B

Arteriarum actio an ſyſtole & diaſtole.de vſu pulſ. 1ª. 229.A

Arteriarum vterque motus q actio ſit.de vſu pulſ. 1ª.229.C

Arteriæ in omni parte habent eandem actionem.6°.de lo. aff.4ª.42.D

Arteriæ mouentur à corde ob virtutẽ in tunicas tranſmiſſam.an ſan. in ar.62.G/H/1°.de vſu par.117.B/6°.de dec. Hip.265.D/278.B/ 1°. de ſemine.1ª.335.B/de multitu.3ª.77.B/3°.ď præſ. ex pulſ.4ª. 115.C/7°.met.me.49.C/ď vict.rat.in mor.ac.cõ.2°.7ª. 123.H/ de ana. viuo 47.A/de virtu.noſtrũ corpus diſpenſantibus. Sp.60.D

Arteriarum pulſus non eſt à cerebro.2°.de decre.Hippo. 1ª.237.A

Arteriæ pulſant proprio rhythmo.15°.de vſu partium. 1ª.210.D

Arteriæ ſecũdum aliquos ex ſeipſis pulſant.6°.de dec.Hip. 1ª.265.D

Arteriæ in extremis manibus pulſant.de ven.art.diſſ. 1ª.59.D

cuius Arteriæ ſit pulſus q in brachio tãgitur.3°.ď ana.admi. 1ª.77.F

Arterię per tarſos pedum pulſant.de ven.ar.diſ. 1ª.59.D

Arteriarum pulſatus,& caloris dignotio à quibus differant.ad Thra Pybulum. 2ª.105.A

Arteriæ & cor habent eãdem pulsandi rationẽ.de pul.ad tir. 4ª.43.C
Arteriæ vis quæ extenditur, à corde est.an sang.in art. 1ª.62.F
in Arterijs singulis vis quædã à corde qua dilatãtur & cõtrahuntur 3°.de na.fac. 1ª.307.E
Arteriæ quomodo dilatentur & constringãtur.de vsu pul. 1ª.228.E
Arteriæ cur dilatentur.2°.de symp.cau. 3ª.20.G
Arteria quantum dilatetur in pulsu.2°.de digno.pul. 4ª.79.D
Arteria dum dilatatur, vacuatur: dum contrahitur, impletur secundum antiquos.de vsu pulſ. 1ª.228.E
Arteriæ non dilatantur quum spiritum reddunt.de vsu pul. 1ª.228.F
Arteriæ inter dilatãdũ attrahunt oẽ vicinũ.3°.de simp.me. 5ª.22.A
Arteria attollat qñ cor demittit, an submittat qñ cor attollit, vt cõspiciamus, cor in viuo animante denudamus. 7°. *de ana.ad.* 1ª.97.H
Arteriæ cur habent eleuationem, & depressionem.de cau.mor. 3ª.7.E
*de Arteriæ cõtractione et de alijs fuit incertus Galenus per multos annos.*1°.*de digno.pulſ.* 4ª.70.E
Arteriæ vacuãtur per tractionem aeris.de vtil.resp. 1ª.224.B
Arteriæ vacuantur per externam superficiẽ.2°.de cau. pulſ. 4ª.95.B
Arteriæ quo tempore trahunt, dilatantur.de vsu pulſ. 1ª.228.E
in Arteria vnde fiat constrictio.1°.de præsag.ex pulſ. 4ª.107.F/G
Arteriarum adstrictio quæ toti corpori contingit, contingit & parti.de causis morborum. 3ª.7.G
Arteriæ plenæ distenduntur.de vtil.resp. 1ª.224.B
Arteriarum tensio vnde fit.1°.de præsag.ex pulſ. 4ª.107.G
Arteriæ à robore distenduntur.1°.de cau.pulſ. 4ª.87.B
*Arteriam magis tendunt & indurant mẽbranæ.5°.de loc.aff.*4ª.29.H
Arteriæ distentio quanta sit.de pulſ.ad tirones. 4ª.43.C
in Arteriæ distentione quid tactus patiatur.4°.de dign.pulſ. 4ª.84.C
Arteriæ tẽdunt ob affectũ diaphragma.4°.de præs.ex pul. 4ª.120.C
in Arterijs & corde vires debiles vel robustæ cognoscũtur ex functionibus pulsuum.de cur.ra.per sang.miſs. 6ª.17.D
Arteriæ & duorũ hoũm incedentiũ exẽplũ.2°.de cau.pul. 4ª.91.D
Arteriæ implentur, quia distenduntur vt folles: non distenduntur, quia impleantur.an sang.in ar.62.E/ de vsu pulſ. 1ª.229.A
Arteriæ non ob id quod dilatantur implentur, sed quia implentur dilatantur.6°.de vsu par. 1ª.156.E
Arteriæ trahunt à venis, dum dilatantur.de vsu pul. 1ª.228.G
in Arterias mittit spiritus cor, vbi contrahitur naturali modo se habẽte animali.de vtil.resp. 1ª.224.A
*Arteriæ cũ cõtrahũtur ĩ oẽm partem expellunt.de vsu pulſ.*1ª.228.F
*Arteriæ cur plus accipiũt à corde et minº reddũt.đ vsu pul.*1ª.228H
Arteriarũ expletionis gra fit respiratio fm Eraſ.de vti. resp. 1ª.223.B
Arteriæ mittunt in venas cum constringũtur.de vsu pulſ. 1ª.228.G
*Arteriarũ altera introducit, altera educit spiritũ.6°.de dec.*1ª.263.D
in Arterijs quies illa, quæ contractui earum succedit, multo maior est ea, quæ dilatationem sequitur.de vsu pulsuum. 1ª.228.F
*Arteriam totam pulsare quo oculis videri possit.an sang.in ar.*1ª62.G
*Arterias maiores et validius pulsãtes habẽt calidi.2°.đ sẽ.*1ª.339.B
*ex Arteriæ motu qũo cognoscãtur iracũdi & furiosi.đ decr.*1ª.266.E
Arteriæ multæ sentiuntur in macilentis.de ven.art.diſſ. 1ª.59.E
*Arteriæ tracheę motus videtur ĩ aĩali mortuo.7°.đ vsu par.*1ª.157.G
*Arteriarum motus nũquã oĩno intermittitur.2°.de san.tuen.*2ª.75.A
Arteriæ motus perpetuus est.6°.de loc.affe. 4ª.42.D
Arteriæ & cor semper pulsant in vita.1°.de cau.pulſ. 4ª.86.H
Arteriosarum partium pulsus sunt maiores aliarum partiũ.4°.de præsa.ex pulſ. 4ª.123.E
Arteriæ pulsatio quantus sit calor ostendit.4°.de loc.affe. 4ª.24.G
*Arteriæ opus qbus de causis mutationẽ suscipiat.2°.đ sa.tuẽ.*2ª.75.B
Arteriæ quomodo contumaces.fiant.2°.de cauſ.pulſ. 4ª.92.H
ex Arteriæ corpore pulsus differentiæ.1°.de diff.pulſ.47.D/ 4ª.48.B
ab Arteriæ sede inæqualitas in pulsu.1°.de diff.pulſ. 4ª.51.G
*Arteriæ inæqualitas in diuersis partibus qualis.1°.đ dif.pulſ.*4ª.51.E
Arteriæ corporis inæqualitas, quæ.1°.de diff.pulſ. 4ª.51.F
*in Arteriæ cauitate inæqualitas à materia ĩfusa.1°.đ dif.pul.*4ª.51.F
in Arteria vnde fiat siccitas.1°.đ p̃sag.ex pulſ.107.F/3°. 4ª.119.C
Arteriæ rugositas auget numerum corporum impositorum.1°.de præsag.ex pul. 4ª.106.D
*Arterijs duritiesvñ.1°.de dif.feb.3ª.34.D/1°.đ p̃sa.ex pul.*4ª.107.F
Arteriæ duræ pulsus, qualis.1°.de præsag.ex pulſ. 4ª.107.C
Arteria calida, & dura quales faciat pulsus.1°.de cau.pulſ. 4ª.89.F
*Arteria dura, & frigida quem faciat pulsum.1°.de cauſ.pul.*4ª.89.D
Arteria dura cũ facultate imbecilli quos faciat pulsus.ibidẽ. 4ª.89.H
Arteria calida, & mollis quales faciat pulsus.ibidem. 4ª.89.E
Arteria mollis & frigida quales faciat pulsus ibidem. 4ª.89.G
*Arteria mollis cũ facultate ibecilli quales faciat pulsus.ibid.*4ª.89.H
Arterias molles habent mulieres, tamen habent pulsus parvos. 3°. *de cauſ.pulsan.* 4ª.95.H
ab Arteriæ infusione pulsuum differentiæ.1°.de diff.pulſ. 4ª.48.B
ex Arteriarum & cordis siccitate & humiditate pulsus mutatio. 3°. *ex præsag.ex pulſ.* 4ª.119.C
Arteriarũ frigidarũ, & cordis calidi pulsus. 3°.*đ p̃s.ex pul.*4ª.115.C
in Arteria qd sentiatur & ad quantũ.2°.de dign.pul.79.D/ 4ª.80.D
Arteriæ quæ illustrem habent motum.de pulſ.ad tirones. 4ª.43.C
Arteriarum motus in quibus augetur.com.7°.apho.21°. Ex.55.D
Arteriæ & venæ intenduntur in inflammatione.2°.đ loc.aff. 4ª.10.G
*Arteriæ solæ citra dolorẽ pulsãt aĩali bene valente.2°.đ lo.af.*4ª.8.G
Arteriarum motus sensibilis cum dolore est.in inflammationibus. de tu.præter natu. 3ª.84.*A*/2°.*de loc.aff.* 4ª.8.G
Arteriarũ motus qñ facit pulsũ, & dolorẽ.cõ.7°.aph.21°. Ex. 55.D
Arteriarũ motus facit tristẽ sensum laborantibus, qñ sũt mẽbra inflata, et locus angustatus, et depositio dolorifica.c.7°.aph.21°.Ex.55.D
Arteriæ pulsant post ictum vulneris.2°.de decre. Hippo. 1ª.237.A
Arteriæ & venæ vario dolore afficiuntur.1°.de inæq. intẽp. 3ª.43.E
Arteriarum dolores, qui.2°.de lo.affe. 4ª.11.E
*Arterijs dilatatis dupl.dolor sẽtit musculo iflãmato.2°.đ.l.af.*4ª.8.H
Arteriarũ dilatatio dolorem infert, musculis intercostalibus inflammatis.2°.de locis affectis. 4ª.9.A
ad Arteriæ dolorem.7°.de comp.med.sec. loc. 5ª.180.D
*in Arteriarum motu bubo habet alterationem.2°.de na.fac.*1ª.300.E
Arteriarum motus dolorem non excitat in scirrhis, & œdematis proprie, & in intẽperiebus appellatis sine tumore.2°.de lo.aff. 4ª.8.H
in Arterijs adest palpitatio.2°.de symp.cau. 3ª.20.F
in Arteriarum motu non est febrium essentia, vt quidam putarunt. in 6m.de mor.vulg.commen.1°. 3ª.158.F
Arteriæ circunstantibus partibus calidiores maximum est febrium hecticarum indicium.1°.de diff. feb. 3ª.35.G
Arteriarũ et venosi generis passiones sunt febres, ideo vrinæ in febribus sunt considerandæ.1°.de crisi. 4ª.128.C
*Arteriæ qũo se habeãt ĩ febribus liperijs.3°.de p̃sag.ex pul.*4ª.115.D
Arteriarum motiones lęduntur corde collisso, aut vulnerato.2°.de decre. Hippo. 1ª.245 D
Arteria de sede sua raro migrat.1°.de præsag.ex pulſ. 4ª.106.F
Arteriarum motus cessat cum corpus frigore vel veneno frigefactum est.8°.de decre.Hippo. 1ª.277.F
in Arterias inter alas, & inguina sanguis incidens febrem facit. an sang.in ar. 1ª.61.B
Arteriarum satietatis indicia scientifica habentur in libro de pulsibus. de multitudine. 3ª.77.F
ex Arteriarũ plenitudine cur sequatur strãgulatio.de cau.mor. 3ª.7.E
*per Arterias qũo cognosces materiam fluere.13°.meth.med.*7ª.86.E
propter Arteriarum tẽperamẽtũ capita in vertigines incidentia quibus curentur.6°.de sanitate tuenda. 2ª.98.H
*ab Arteria longissime sanguis detrahendus est.3°.de an.admi.*1ª.77.C
ad Arteriæ vitia.3°.de med.fac.par.172.C/ 7ª.178.G
ad Arteriam affectam 7°.de comp.med.sec.loc.179.D/G/ 5ª.181.E
cum Arterijs cor patitur.de fract.com.2°. 7ª.235.C
*in Arteria solutio vnitatis nullã hẽt appellationẽ.6°.me. me.*7ª.36.G
Arteria quandoque vulnerata exit sanguis.an san.in arte.nat.cõ.60.B/6°.de vsu partium. 1ª.155.A
ex Arterijs et venis qui effunditur vna appellatione vocatur sanguis de atra bile. 1ª.34.D
*ex Arterijs sãguis effusus flauior est quã q ẽ venis.đ atra. bi.*1ª.34.D
*Arteria pforata acu tenuissimo sãguinẽ eiaculatur.an sãg.ĩ ar.*1ª.60.E
Arteriarum sanguis quo modo exit.de tum.præter.nat. 3ª.84.D
Arteriis sectis maius sanguinis profluuium contingere quàm sectis venis colligit.7°.de anat.admi. 1ª.97.C
Ex Arterijs magnis sanguinis profluuium quod sedari nõ potest.3°. de anat.admi. 1ª.73.F
Arteria incisa totus sanguis illuc confluit, nisi supprimatur. an sang. in ar.61.B/ de vsu pulſ. 1ª.228.F
ab Arteria exire sanguinem qũo cognoscatur.1°.de loc.affe. 4ª.2.E
Arterias apertas animalia habentia pereunt.de vsu pulſ. 1ª.228.G
*Arteriã coxa vulnerata nullo pacto sanatur aĩal.3°.đ vsu p.*ª.131.B
Arteriæ os quomodo claudatur.5°.meth.med. 7ª.30.D

Arteria magna

Arteria magna vulnerata.quibus curaꝫ.3°.me.m.5ª.30.A/7ª.32.B
Arteriæ vulnus non eſt ſuendum.5°.meth.med. 7ª.30.D
Arteria vulnerata q̃ non poſſit coaleſcere.5°.me.med. 7ª.32.B/D
Arteria quòd poſſit conſolidari.5°.meth.med. 7ª.32.D
Arterioſæ partes vulneratæ magis exiccandæ ſunt.2°.de arte cura. ad Glauconem. 7ª.102.E
ad Arteriam exulceratã.7°.de compo.med.ſec.loc.181.C/ 5ª.183. *G/3°.de med.fac.par.* 7ª.171.D
ꝑpe Arteriã magnã aut venã vlcus bubões excitat.13°.m.m.7ª.81.A
Arteriarum oſculorum & venarum apertio in toto corpore, anaſtamoſis dicitur.6°.de vſu partium. 1ª.151.H
Arteriam ſecare, & venã ſoluere inter ſe diſtãt.ad Thraſy.2ª.105.A
Arteriæ q̃n debẽt ſecari gñalis regula.de rat.cur.ꝑ ſang.miſſ.6ª.21.D
Arteriã ſecare aliquis eſt idoneus, aliquis non.ad Thraſy. 2ª.105.E
Arteria ſecatur eodẽ mõ, quo vena.de rat.cur.per ſan.miſſ.6ª.21.D
ad Arterias manũ pone, cũ venã ſecas.de rat.cur.ꝑ sãg.miſſ.6ª.21.C
Arterias cur medici incidere timent.de cur.ra.per ſang.miſſ.6ª.21.E
Arterię inciduntur in capitis doloribus.6°.de ſan.tuen. 2ª.98.H
Arteriarum ſectio in oculis quandoque fit.4°.de comp.me.ſec.loc.5ª. 150.B/13°.meth.med. 7ª.86.E
Arteria temporis quandoque phlebotomatur, et quãdoque inciditur, & quandoque extrahitur, & quãdo aduriꝫ.de anat.viu.Sp.55.B
Arteriæ temporum propter oculos ſecantur ob fluxum calidum & ſpirituoſum.de ra.cur.per ſang.miſſ. 6ª.21.D
Arteria poſt aures non ſunt temere ſecandæ.de anato.viuo. Sp.55.B
Arteriæ poſt aures ſecantur in vertiginoſis.3°.de loc.affe. 4ª.20.D
Arteriæ poſt aures ſecãtur propter vertigines & dolores capitis longos, calidos, & ſparſos.de ra.cur.per ſang.miſſ. 6ª.21.D
in Arterię angina quæ vena ſecanda.de cur.ra.ꝑ ſang.miſs. 6ª.20.G
Arterias diſſecuit Galenus ab inſomnio monitus, & quo modo.de ra. cur.per ſang.miſſ. 6ª.21.E
Arteriam in malleolo ſectam vulnere, quæ non poterat claudi, totam incidit Galenus.de cur.ra.per ſang.miſſ. 6ª.21.F
Arteria debet tota incidi, cur.5°.meth.med. 7ª.30.G
Arteria inter indicem, & pollicem ſecta liberat à dolore inter iecur et ſeptum.de cur.ra.per ſang.miſſ. 6ª.21.E
Arteriaĩ cubito ſecta quid mali fecerit.de cur.ra.ꝑ ſan.miſſ.6ª.21.E
Arteria in cubito inciſa aneuriſma facit.5°.meth.med. 7ª.32.D
Arteria in ſumma manu inciſa liberauit miniſtrum dei à dolore lateris.de cur.rat.per ſang.miſſ. 6ª.21.F
Arteria exciſa quid faciat.13°.meth.med. 7ª.86.E
Arterijs ligatis aut ſectis quid ſequatur.de fæ.for. 1ª.324.D
Arteria ſecta obeſt voci, ſed nõ priuat reſpiratione.1°.de lo.af.4ª.7.A
Arterijs conſtrictis quid ſequatur.de fæ.for. 1ª.324.D
Arteriæ colli ſi ligentur, quid ſequatur.2°.de decre.Hipp. 1ª.239.B
Arterijs circa collum cõſtrictis nihil patitur ãial.de vti.reſ.1ª.225.H
Arteriæ colli vinculo exceptæ non obſunt.de vſu pul. 1ª.227.D
Arteriæ eius, cui compreſſum forcipe fuit cor, non mouebantur, tamen non amiſit ſenſum vel motum.de decre.Hip.& Pla. 1ª.232.B
Arterias circa vmbilicum ſi liges vel comprimas, quid ſequatur.6°. de decre.Hippo. 1ª.265.A
Arteriæ ligatæ frigidas partes reddunt.de vſu pul. 1ª.228.D
Arteriæ fractæ ægre ſanantur.ſi.med. Iſa.50.A
Arteria fracta quibus deligetur.5°.meth.med. 7ª.30.G
pro Arterijs vincula qualia eſſe debent.13°.meth.me. 7ª.86.E,F
pro Arteria liganda ſericum ſtlum.13°.meth.med. 7ª.86.F
Arteria quo modo intorquenda ſit.5°.meth.med. 7ª.30.G
Arteria aſpera inciſa aĩal ſit innocale.2°.de decre.Hippo. 1ª.236.A
Arteria aſpera inciſa homo habet anhelitũ.2°.de decr.Hip. 1ª.236.C
Arterijs quibus præciſis animal peribit.2°.de decr.Hip. 1ª.239.B
Arteria nũq̃ vel raro v ſa renaſci ĩ magnis vulnerib.1°.d ſe. 1ª.332.H
Arteria ablata cur non creſcat.1°.de ſemi.332.D/ 1ª.333.A
Arteriæ ſectæ qũo poteſt induci cicatrix.de cur.ra.ꝑ ſang.miſ.1ª.21.E
Arteria cũ diuellitur, q morbus ſit, & quib.cõe.de dif.mor. 3ª.5.D
Arteriæ cur poſt mortem in ſe non decidant.de vſu pul. 1ª.229.B
Arterię quandoque auferuntur.de diff.mor. 3ª.5.A
Arterioſum corpus quid ſit 4°.de diff.pulſ. 4ª.67.F
Arterioſa ſunt anteriora.com.5°.aph.65°. Ex.45.A
Arterioſum vas vbi eſt, ibi adeſt etiã vena.16°.d vſu par.1ª.220.H
Arteriaca medicamenta à meatu in pectus deſcẽdente nominantur.de vſu thor.ad Pamph. 5ª.98.G
Arteriaca quæ ſint medicamenta.7°.de comp.med.ſec.lo. 5ª.177.B
Arteriaca medicamẽta debẽt recipe myrrã.8°.de ſim.me.fa. 5ª.61.B
Arteriaca acris, quæ.7°.de comp.med.ſe.lo. 5ª.177.C
Arteriacæ Andromachi.7°.de comp.me.ſe.lo. 5ª.178.B
Arteriaca Apollonij, & Alcimionis.7°.de comp.med.ſe.lo.5ª.179.F
Arteriaca Blaſti ad tabeſcentes.7°.de comp.med.ſe.lo. 5ª.178.D
Arteriaca bona.7°.de comp.med.ſe.loc. 5ª.179.C
Arteriaca Charixenis.7°.de com.med.ſec.loc.187.H/ 5ª.181.C
Arteriacæ Critonis.7°.de com.me.ſec.loc. 5ª.179.H
Arteriaca Galli.7°.de com.med.ſec.loc. 5ª.179.D
Arteriaca Heraclidæ.7°.de comp.med.ſec.loc. 5ª.179.G
Arteriaca Lyſiæ.7°.de comp.me.ſec.loc. 5ª.181.D
Arteriaca Moſchionis.7°.de com.med.ſec.loc. 5ª.179.E
Arteriaca Marini.7°.de com.med.ſec.loc. 5ª.179.B
Arteriaca media.7°.de comp.med.ſec.loc. 5ª.177.C
Arteriaca meatus obducens.7°.de com.me.ſe.lo. 5ª.177.C
Arteriaca Origenię.7°.de comp.me.ſec.loc. 5ª.184.E
Arteriaca Perigenis.7°.de comp.med.ſec.loc. 5ª.179.G
ad Arteriacæ ſpiſſitudinem docet confectionem quãdam conficere.9°. de comp.med.ſec.loc. 5ª.202.F
Aꝛθρίτις à leſa particula nomen habet.2°.meth.me. 7ª.9.D
Arthritim poſſe nominari dolorem non vnius articuli, ſed multorum, colligitur.com.3°.aph.16°. Ex.23.B
Arthritis quid ſit ſi.me.Iſa.47.H/10°.de cõ.med.ſec.loc. 5ª.206.G
Arthritim.i.articulorum morbum, fluxionibus, et acrimonia fieri poſſe, collige.com.3°.aph.16°. Ex.23.B
Arthritis eſt morbus diuinus.quos purgare op.quibus medicamentis, & quo tempore. 5ª.88.B
Aꝛθριτικὸς hoc eſt articularis.de fract.com.2°. 7ª.240.G
Arthritici habent artus imbecilliſſimos.de na.hu.com.2°. 7ª.182.G
Arthritis articulorum oſſa nudat.de atten.vic.ra. 2ª.43.F
ex Arthritidis gñe ẽ tũ iſchias, tũ podagra.10°.de cõ.m.ſ.l. 5ª.206.G
Arthriticos nõdũ appellat Hip.genua dolẽtes.c.3°.aph.16°. Ex.23.B
Arthriticum vocare iſchiadicum eſt præter morem græcorum.in 6ᵐ. de morb.vulg.com.4°. 3ª.179.H
in Arthritide tophi quo modo generentur.1°.de alim.fac. 2ª.10.G
in Arthritide tophi ex qua materia fiãt.16ᵐ.d mor.v.cõ.1°. 3ª.155.F
Arthriticorum vrina, qualis.de dynamidijs. Sp.35.D
Arthritides victu attenuante ſanatæ ſunt.de atte.vic.ra. 2ª.43.F
Arthriticis ſedans dolorem.10°.de comp.med.ſe.lo. 5ª.208.H
ad Arthriticum dolorem.de dynamidijs. Sp.31.D
Arthritico dolore non moleſtabitur qui vſus fuerit puluere cirico.de dynamidijs. Sp.30.C
Arthriticis et podagricis ex cauſa frigida remediũ.d cu.la. Sp.112.G
Arthritides quibus ſanentur, & fiant.10°.de cõ.me.ſe.lo. 5ª.208.G
Arthritica ſi qs laboret, catharticis vtimur.de dynamidijs. Sp.20.E
in Arthritide principium curationis ab euacuatione.10°.de compo. medic.ſecundum loc. 5ª.207.A
Arthritici in principio veris euacuandi vel ſectione venæ, vel medicamento.quos purg.opor.5ª.88.C/de cur.ra.per ſang.miſ. 6ª.17.F
Arthriticis ſanguiñẽ mittẽdũ ꝓhibuit Ga.de cu.ra.ꝑ ſan.miſ. 6ª.18.E
in Arthritide quando bilis, & quãdo pituita euacuãda ſit.de his quos purg.oportet, quib.med. 5ª.88.C
Arthriticis vtiliter datur colocynthis.de dynami. Sp.21.D
Arthriticis ſuccurrit potio ſancti Pauli, & opopyri.de dyna. Sp.31.C
Arthriticis medicamẽtis ebibitis articulorũ vitijs laborãtes, ſi ſit carnoſi, craſſi, et pingues, nullũ ſentiũt incõmodũ.6°.de ſa.tu. 2ª.99.H
Arthriticos iuuans epithema.10°.de cõ.me.ſe.lo.207.H/ 5ª.209.A
ad Arthriticos malagma.10°.de comp.med.ſec.loc. 5ª.209.C
Arthriticis prodeſt diapenidion magnum.de dynam. Sp.26.D
Arthritidi, et podagræ oleũ cũ ſale perfricaĩ.2°.de ſim.m.fa. 5ª.13.H
pro Arthriticis ſclroſmon.de dynamidijs. Sp.28.C
Arthriticis febrientibus cur cõmoda ſint balneа.11°.me.m. 7ª.74.A
in Arthriticis articulorum tumoribus impenſe deſicant cochleæ vſtæ.11°.de ſimp.med.fa. 5ª.81.G
Arthritiços aliqui curãt.vulpes totas in oleo coquentes.11°.de ſim. med.fac. 5ª.82.H
ad Arthriticos muſtelæ cinis quo mõ faciat.11°.de ſi.me.fa. 5ª.82.D
ad Arthritides podagricas ſtercus colũbinũ.10°.de ſi.me.fa. 5ª.77.A
Arthritim ſanant oſſa hominum.1°.de ſimp.med fa. 5ª.80.E
ad Arthriticos.8°.de compo.me.ſec.loc.191.F/9°.199.A/D/H/11°. 207.E/F/H/209.B/6°.de com.me.per ge.262.B/7°.267.B/269. C/270.H/271.D/F. 5ª.273.G

Arthritis.reliqua vide in dictione Articuli.
ARTHRODIA *quid.de ossibus.* 1ª.40.*A*
de ARTICVLIS *liber Hippocratis est exactum opus. in 6m. de morbis vulgaribus com.2°.* 3ª.169.*B*
de Articulis liber sequitur librum de fracturis.de ar.cō.1°.7ª. 251.*B*
de Articulis liber præcedit librum de ijs,quæ fiunt in medicatrina. de ijs,quæ in med.fi.com.3°. 7ª.219.*G*
Articulus quid significet.de ossibus.1ª.40.A/de fract.com. 2ª.238. *C/de artic.commen.1°.* 7ª.251.*E*
Articulus quid.fi.med. *Isa.50.C*
Articulorum duæ differentiæ.de ossibus. 1ª.40.*A*
Articuli ex quibus componantur.12°.de vsu par. 1ª.192.*G*
per Articulum naturalis fit compositio ossium.de ossibus. 1ª.39.*H*
Articulos omnes stabiles & firmos cur construxit natura. 1ª.126.*H*
in Articulis cur sint ligamenta.1°.de vsu partium. 1ª.116.*H*
ante Articulos cur caro multa.1°.de vsu partium. 1ª.116.*C*
in Articulis digitorum cur caro pauca.1°.de vsu partium. 1ª.116.*C*
Articuli rotundissimi ac laxissimi,qui.12°.de vsu par. 1ª.194.*A*
ad Articulos à musculis tēdo ē exquisite rotūdus.1°.d vs.p. 1ª.117.*D*
Articuli cauitas cur semp æqualis sit ossi qđ iponit.1°.d vsu p.1ª.116.G
in Articulis sæpe humor pituitosus aceruatur.c.6°.aph.59°.Ex.53.G
in Articulis omnibus cur viscosus humor.13°.de vsu partiū.1ª. 201. *H/de art.commen.3°.* 7ª.271.*E*
Articulorum compagines glutinosis humoribus nutriuntur. commentario.5°.aphoris.39°. *Ex.41.C*
in Articulis spondylorum est humiditas crassa,& viscosa.13°.de vsu partium. 1ª.201.*G*
Articulorum immodica humiditas facit ægritudines in genere compositionis.de cau.mor. 3ª.9.*E*
Articulos exustos habent ob humiditatem multi Nomades.de aere, aquis,& locis. 2ª.5.*F*
Articulorum quorundam præ humiditate luxationes rubrificat enul. 6°.de simpli.medi.fac. 2ª.47.*B*
Articulis non apparentibus homines vbi inueniantur,& vbi articulis probe disiunctis.de aere,aquis,& locis. 2ª.6.*E*
Articulis,& carnibus exercitatio est veluti cibus, idest alimentum, robur, adiumentum.in 6m.de morb.vulg.com.4°. 3ª.190.*G*
Articuli & musculi primo motum excipiunt.de cau.mor. 3ª.6.*F*
Articuli cuiuscunque motus sunt quatuor.3°.de vsu par. 1ª.131.*H*
Articulus primus,& tertius a quo tendone flectatur,& quo modo.de musc.diss. 1ª.48.*H*
Articulū primū mouēs tēdo si patiat̄,qd sequit̄.1°.d vsu par.1ª. 118.*D*
Articulorum secundam dearticulationem flectentes musculi, & quomodo.de muscu.diss. 1ª.49.*G*
Articuli vibrantur vibratis musculis.2°.de symp.cau. 3ª.22.*G*
Articuli maiores per magnos musculos vel multos, vel robustos tēdones mouentur,minores vero per minores aut pauciores, aut imbecilliores.3°.de vsu partium. 1ª.135.*D*
Articuli in cursu non torquentur,sed extenduntur & flectuntur.2°. de anatom.admi. 1ª.70.*B*
Articulus capitis cur duplex sit.12°.de vsu par. 1ª.194.*B*
Articulum nullum detinet musculus latus in collo, nec in articulum inseritur.de muscu.diss. 1ª.44.*D*
Articulus brachij & magnus est & sinus plures habet. de fracturis, commentario.3°. 7ª.248.*H*
Articulus angularis ad gibberum.2°.de mo.mus. 1ª.315.*G*
Articuli digitorum,vt ianuarum cardines,eminētiam cauitati immissam habent.1°.de vsu partium. 1ª.116.*G*
Articuli in digitos vtriusque manº sūt triginta.1°.d vsu p.1ª. 119.*G*
Articuli digitorum quibus extenduntur & quibus flectuntur tendonibus.1°.de vsu partium. 1ª.118.*C*
Articuli duo superiores pollicis quādo agūt.1°.de vsu par.1ª. 117.*F*
Articulum digiti primum qui musculi flectant.de mus. diss. 1ª.49.*C*
Articulus primus magni digiti euidētē habet motū.d mu.dis.1ª.49.D
Articulū scđm cuiusque digiti q musculi flectant.de mus.dis.1ª.52.G
Articulum digiti medium qui musculi flectant.de mus.diss. 1ª.52.*H*
in Articulo primo medij digiti dexteræ manus luxati pueri casus.3°. de comp.med.per gen. 5ª.229.*A*
Articulus coxæ mouetur sine doctrina.6°.de lo.asse. 4ª.42.*C*
Articulus solus in genu, iusta & æquali dearticulatione iungitur. de fracturis,com.3°. 7ª.248.*H*
Articuli non debent repente moueri ad actiones. de victus ratio. in morbis acutis,commentario.2°. 7°.124.*C*
in Articulis q̄ impediāt,et q̄ dfendāt actiones.de fract. cō.3°.7ª.249.C
Articulorum motum tardum reddit repletio.in 6m.de morbis vulgaribus,commentario.4°. 3ª.190.*H*
in Articulo quolibet vnica figura indolēs est,scilicet media.1°.de vsu partium. 1ª.119.*A*
in Articulo figuræ dolorificæ,quæ.1°.de vsu par. 1ª.119.*A*
Artículi quot modis inepti rediguntur ad motum.de diff.mor. 3ª.4.*B*
Articulorum morbi,qui.intro. *Isa.59.E*
Articularis morbus, quid.fin.med. *Isa.47.H*
Articulorum vitia,quæ intro. *Isa.57.F*
Articulorum vitiorum causa.intro.Isa.57.F/d bo.& vitio.su. 2ª.39.*D*
Articularis morbus fit ex coitu,vino,ocio,& desidia,cōmentario.6°. aphorismo.28°. *Ex.49.A*
Articulare morbum promouet libido. intro. *Isa.52.B*
Articulorum morbus diuturnus est fin.med.45.F/introd.Isagog.56. F/1°.de crisi. 4ª.126.*F*
Articularis morbus per totam vitam durat.6°.de san.tuen. 2ª.98.*A*
Articularis morbus est morbus senum.5°.de san.tuen. 2ª.92.*B*
Articularis morbº cōcomittat̄ senes ad mortē.c.2°.aph.40°.Ex.18.A
Articularem morbum habere medicum est turpissimū.in 6m. de morbis vulgaribus,commen.4°. 3ª.181.*H*
Articulari morbo turpe ē virū robustū ęgrotare.5°.de sa.tu. 2ª.88.*H*
Articulorū dolores nō est necesse sequi,si quis male concoxit. 3ª.30.*C*
Articulorum morbo qui laborant maxima ex parte prius podagrici fiunt.com.6°.aphor.28°. *Ex.49.B*
Articulorum dolores differunt à podagra.intro. *Isa.57.F*
Articulorum dolores conueniunt & differunt cum coxarū doloribus, & podagra.intro. *Isa.57.F*
Articulares morbi ponuntur inter morbos vere apparentes.5°.de sanitate tuenda. 2ª.94.*D*
Articulorum dolores cur fiant in vere.com.3ª.aph.20°. *Ex.24.B*
Articulorum dolores fiunt in coniunctione Solis,Saturno in tetragono. de decub.prog.ex math.scientia. *Sp.13.A*
Articulorum & aurium dolores per circuitus exacerbātur.2°.de diff.febr. 3ª.40.*E*
in Articulis dolores quibuscunque ex febre decumbunt,aut tubercula diutina,ij cibo pleniore vtuntur.com.7°.apho.61°. *Ex.59.G*
Articulorum dolorum curatio.intro. *Isa.57.F*
ad Articulorum phlegmonas valet ouum totum crudum cum rosaceo. 11°.de simp.medic.fac. 5ª.81.*E*
Articulis dolentibus prodest raphanus.de simp.med. *Sp.89.G*
Articulorū dolores auferens malagma.10°.de cō.me.se.lo. 5ª.209.*D*
ad Articulorum dolores.8°.de comp.med.sec.lo.193.A/5°.de compo.me.per gen.246.H/7°.5ª.265.B/de rem. par.fac. 7ª.160.*C*
ex Articulorum doloribus animi defectus quo modo curandus.1°. de arte cur.ad Glauconem. 7ª.99.*G*
Articularem morbum aut vitium in renibus significant caruncułæ cū vrina crassa in speciem pilorum.de nat.huma.com.2°. 7ª.180.*H*
in Articulari morbo materiæ lapidescunt.14°.meth.med. 7ª.87.*H*
Articulorum maligna vlcera animi defectum inducunt.1°.de arte cu. ad Glauconem. 7ª.98.*G*
in Articulari morbo quando humores transmittuntur ad membrum nobile sequitur mors.de nat.hum.com.2°. 7ª.183.*B*
in Articulari morbo quando humores transmittuntur ad membrū nobile,spes salutis est reuocare humores ad artus.de na.hu. 7ª.183.*B*
Articuli genuū, & manuū intumescunt pueris cur.com.6°. *Ex.49.C*
Articuli morbo comparat morbum puerorum, quo articuli genuū & manuum tument.com.6°.aph.30°. *Ex.49.C*
Articulorum caliditas sequitur labores ex pluribus meatibus commentario.4°.aphoris.31°. *Ex.31.G*
Articulorum absceßus non mirū est fieri in laborantibus, qui propter motū habuerint articulos calidos.com.4°.aph.31°. *Ex.30.G*
in Articulis apata cōtingūt cōcepto in horis phlatis. de sper. Sp.37.C
in Articulis absceßus quibus sit expectandus.in 6m.de morbis vulgaribus,commen.2°. 3ª.163.*D*
ad Articulos quando expectandus absceßus in febribus. in prognosti. commen.3°. 4ª.209.*F*
Articuli qui habent spatia lata ad suscipiendas superfluitates,ideo ad ipsas fluxiones decumbunt.com.4°.apho.31°. *Ex.30.G*
Articulorum futuri absceßus liberantur vrina multa crassa facta, vel fluxu sanguinis narium.com.4°.apho.74°. *Ex.35.H*

Articulorum abſceſſus ſi fiant iu die iudicatorio vel incipiant, bonũ. com 4°.aphor.36°. Ex.31.G

Articulorũ abſceſſus quibus fiãt,& qũo.cõ.4°.apho.74°. Ex.35.H

Articulorum abſceſſus fiunt laſſitudinem habentibus in febribus.cõmenta.4°.apho.31°. Ex.30.G

Articulorum abſceſſus in morbis alijs qui per abſceſſus iudicantur,rariores, in laboribus preſertim ſpontinis maxime à multitudine,plures.commen.4°.apho.31°. Ex.30.G

ad Articulos abſceſſus fiunt in morbis longis.in 6^m.de morbis vulgaribus,commen.4°.3ª.179.E/com.4°.apho.44°. Ex.32.F

Articulorum labores ſi fiant in conualeſcentibus,i] pluribus vtuntur cibis.com.4°.aph.45°. Ex.32.G

in Articulis abſceſſus cur faciat clauditatẽ.in prog.cõ. 2°.4ª. 205. E

in Articulis casu quo modo fiant.7°.de comp.med. per gen. 5ª.267.G

Articulorum vulnera,qualia.4°.meth.med. 7ª.28.A

Articulorum vitiorum curatio.intro. Iſa.57.F

Articularis morbi qb. ẽ ſuſpicio,quo vino vti debẽt.5°. d ſ.t.2ª.91.C

Articulares morbos patientes debent in vere purgari. commentario. 6°.apho.47°. Ex.52.C

Articulares morbi ſi calidi ſunt,amara bilis euacuari debet,ſi cum frigidis humoribus,pituita.com.6°.apho.47°. Ex.52.C

Articulares morbos incipientes prohibuit Galenus euacuatione.commen.6°. Aphor.47°. Ex.52.B

ad Articularium morborum medicamenta vinũ vtilius eſt,quã aqua. 4°.de ſanitate tuenda. 2ª.87.A

ad Articulorum abſceſſus.6°.de com.med. per ge. 5ª.261.G

in Articulos fluxiones, ſtatus vigore data abſumit & auertit theriaca.de ther.ad Piſo. 5ª.96.C

Articulorum tumores & dolores abſque vlcere quomodo aqua frigida ſanantur.com.5°.apho.25°. Ex.39.G

Articulis myrta vtiliter imponitur.de ſimp.med. Sp.87.E

Articulos mollit balneum.de vict.ra.in mor.acu.com.3°. 7ª.132.H

Articulos diſſoluit eruum.2°.de com.med.ſec.loc. 5ª.137.B

Articulorũ tophos diſſoluit ammoniacum.6°.de ſim.me.fa. 5ª.42.H

circa Articulos conſiſtentes collectiones reſorbens malagma. 10°.de compo.med.ſec.loc. 5ª.209.D

ad Articulorum morbos.1°.de cõp.med.per genera. 211.C/ 2°.222. F/ 7°. 5ª.270.G

Articulorum morbo laborantes adiuuãs antidotus.2°.de ant.5ª.116.D

ad Articulorũ vitia oĩa.2°.de com.me.p ge.5ª. 227 G/ 6°.5ª.262.A

ad Articulorum difficiles motus.7°.de comp.med.per ge. 5ª.265.B

ad Articulorũ epiphora emplaſtrũ.6°.de com.me.per gen. 5ª.256.H

ad Articulos obſtrictos.7°.de comp.med.per ge. 5ª.265.B

ad Articulos recenti cicatrice contractos.7°.de co.me.p ge. 5ª.265.C

ad Articulos tumentes.7°.de comp.med.per gen. 5ª.268.F

Articuli cũ ſuis ſedibus excidunt,quæ ægritudo ſit.de dif.mor.3ª.5.C

Articuli ſuis ſedibus decidunt,ob morbi,qui arthritis dicitur, magnitudinem.de diff.morb. 3ª.4.B

Articulus cur facile luxetur.de art.com.1°. 7ª.252.E

Articulus citius excidit,et reponit carne exptib.d ar.cõ.1°.7ª.256.g

Articulus vt frequenter & ex leui occaſione excidat duæ cauſæ.de art.commentario.1°. 7ª.252.E

Articuli luxati reponendi modus nõ cõmunis.de ar.cõ. 1°.7ª.253.B

Articulus capitis non patitur luxationem,aliter animal moritur.12ª. de vſu partium. 1ª.194.A

Articulus cruris repandus eſt. de art.com.3°. 7ª.273.A

Articulus humeri facile luxatur.12°.de vſu partium. 1ª.194.A

Articulus humeri facilius omnibus excidit.de ar.com.1°. 7ª.252.A

Articulos humeri qũo nouit Hippo.lubricare.co.6°.aph.59.Ex.53.G

Articulum coxæ debemus intelligere,quando dicimus coxam excidere.commen.6°.apho.59°. Ex.53.G

Articulos plus iuſto laxatos contrahentibus medicamentis palmæ velut tegumentum miſcetur.8°.de ſimp.med.fa. 5ª.63.D

Articuli reficiendi modus eſt circumuagatio.de art.com.1°.7ª.252.H

Articuli reponendi ſunt,vbi adhuc ſunt calidi.de ar.co.4°.7ª.292.A

Articuli non ſunt reponendi tertio, aut quarto poſt die.de ijs, quæ in med.fi.commen.1°. 7ª.201.A

in Articulorum repoſitionibus paruis & facilibus minimum attenuandus homo eſt.de ar.com.4°. 7ª.292.B

in Articulorum repoſitionibus omnibus attenuatione & inedia ad ſeptimum diem vtendum eſt.de ar.com.4°. 7ª.292.G

Articulus contractus reductusq; ex loco vbi eſt, ſanguis detrahendus atque ſyndrome plethorica.d vi.ra.ĩ mor.ac.cõ. 4°.7ª.136.H

ad Articulum reponendum efficacius eſt in diuerſa cõtendere.de machinamentis. 7ª.320.C

Articulũ ĩ propriũ ſitũ reponere fit ſine ſcalpello.ad Thraſ. 2ª.104.H

ad Articulamentum luxatum ac peruerſum.2°.de compoſi.medica.p gen.225.E/ 5ª.226.D

ad Articulos ſolutos.5°.de comp.me.per ge. 5ª.247.B/ 5ª.248.G

ad Articulos fractos.3°.de com.med.per gen.235.C/7°. 5ª.267.C

Articulos inciſos iungit emplaſtrum barbarum.de dynamid.Sp.35.F

Articulorum ligationes.7°.de com.med.per gen.265.B/ 5ª.273.B

ad Articulos reponendos machinæ.de art.com.4°. 7ª.289.H

Articulis reponendis Hip.ſcamnũ per ſe ſatis eſt.de machi.7ª.310.G

Articulum reſtitutum eſſe,quæ fidem faciant.de machin. 7ª.320.C

Articulorum morbus.reliqua vide in dictione Arthritidis.

ARTICVLATIO *quid ſit.12°.de vſu par. 1ª.192.G*

Articulationes cur exigunt dura oſſa.11°.de vſu par. 1ª.191.G

Articulationes oſſium quomodo eſſe debeant.de conſti.ar. Iſa.37.B

Articulatio ſecũda facit motus rectos ĩ capite.12°.d vſu par.1ª.194.e

Articulationes humeri laxæ cur ſint.2°.de vſu par. 1ª.126.H

Articulatio digitorum eſt miraculum. 1°.de vſu par. 1ª.116.G

Articulationes digitorum quales.1°.de vſu partium. 1ª.116.H

Articulatio oſſis ſacri.13°. de vſu partium. 1ª.201.F

Articulationẽ genu q muſculus ad exteriora ĩuertat.d mu. dif.1ª.51.A

Articulationis ligamẽta quo mõ fiant laxa.cõ.6°.aph.59°. Ex. 53.G

Articulationes iplẽt ĩ podagricis doloribus.c.6°.aph.49°. Ex. 52.D

in Articulationibus humores exiſtentes per ligamenta per modum vaporis euacuantur.com.6°.aph.49°. Ex.52.F

ARTIFEX *ab arte deducitur quàm facit.2°.de ſa.tuen. 2ª.73.H*

Artifex qui dicatur.9°.de decre.Hip. 1ª.284.F

Artificem fieri quid ſit.2°.de criſi. 4ª.136.H

Artifex quomodo differat ab experte artis.in prog.cõ. 3°. 4ª. 207.F

Artifices omnes continentur in tertia ſede prope deum Mercurium. in oratione ſuaſoria. Iſa.2.G

de Artifice qui nos finxit,nihil ſcit Galenus.de fæt.for. 1ª.325.G

Artificis ſapientiam omne animal habet non homo tantum.17°.de vſu partium. 1ª.222.D

Artifices à natura accipiunt. 16°.de vſu par. 1ª.214.F

ab Artifice per ſe conſideratur artis finis.de ijs, quæ in med.fiunt commentario.1°. 7ª.197.F

Artifex non agit abſque organis.1°.de vſu par. 1ª.113.E

Artificis exemplum, qui iubeat diſcipulum operari, et non det inſtrumenta.de op.docendi genere. Iſa.30.F

Artifex minime errat.in progn.com.3°. 4ª.212.H

Artifices cur non ſiant tam præclari,ſicut antiquitus,cum ſit idẽ mundus,idem Sol.ſi quis optimus medicus. Iſa.6.D

Artifices alijs pſtantiores facit celeritas,et elegantia.de faſ.7ª.293.C

Artifices optimi in multitudine operum allucinantur.15°.de vſu partium. 1ª.213.B

Artificum opera circa formas indiuiduas verſantur. in 1^m.de morbis vulg.com.3°. 3ª.120.H

Artifices motuum,quos exercẽt,ignorãt,vires.2°.de ſan.tu. 2ª.75.E

Artifices ijs,q̃ tractãt ñ ſibi vtilitates cõparare.9°.d de.Hi.1ª.281.G

Artifex quando eſt ſanitatis cauſa.11°.meth.med. 7ª.68.A

Artifex debet ſæpe repetere q̃ ſũt neceſſaria.c.4°.aph.22°. Ex. 29. F

Artificem minus acutum fallit quandoque pus cum vrina excretũ,& ſubſidẽs,iecore,aut renibus languẽtibus.de vri.ſig.ex Hip.Sp.79.C

Artifices non poſſunt venationibus incumbere.de par.pi.ex. 2ª.48.H

Artifices deſipientes in ægritudine cogitãt de ſuis artibus.in 1^m. pror. commentario.1°. 4ª.167.B

Artificioſum omne pulchrum & ordinatum ex Deo & cælo eſt.1°.de die.decre. 4ª.151.H

ARTISCI *theriaci quo modo conficiantur, & cur viperæ caput & cauda abijciantur.11°.de ſim.med.fac. 5ª.78.C*

A'ρτίως *integre ſignificat.com.1°.apho.20°. Ex.9.H*

ARTOMELI *p cataplaſmate in phlegmone.11°.meth.med. 7ª.73.C*

ARTVVM *anatomiam in ægris videbant antiqui, quando caſu aliquo erant detecti.1°.de ana.admi. 1ª.64.A*

Artuum naturam quibus conſtet.3°.de ana.admi. 1ª.73.D

Artus expectunt nervos darisſimos.9°.de vſu par. 1ª.174.G

Artuum muſculi habent duos motus.1°.de mo.muſ. 1ª.309.H

Artuum & abdominis muſculorum diuerſitas in motu.1°.de motu muſculorum. 1ª.309.H

ab Artuum functionibus differunt oculi, aures, lingua, meninges, cerebrum, & collum. 4°. de præsag. ex pul. 4ª.120.G
Artus quantum cupiant alimenti. 13°. meth. med. 7ª.83.D
Artuum dolores varices sanant. in 6m. de mor. vul. c. 6°. 3ª.196.E/F
ad Artuum dolorem. 3°. de med. fac. par. 7ª.176.B/E
in Artibus quorundam intemperies est. 1°. de san. tuen. 2ª.64.H
in Artuũ & glãdularũ phlegmone alica exhibeť. 13°. me. m. 7ª.83.D
circa Artuum particulas si sit phlegmone, quo modo sit curãda. 13°. methodi med. 83.B/14°. 7ª.88.F
Artus quando luxatur simul, & inflammatur. de diff. mor. 3ª.5.H
Artus in quibus affectibus vinciatur. 13°. meth. me. 7ª.83.B
ad Artus fractos. 2°. de compos. me. per gen. 226.D/234.H/5°. 246.C/6°. 258.F/7°. 5ª.267.C
Artus effracti male alligati figuram euariant. de cau. mor. 3ª.8.G/H
Artus effracti si exerceantur antequam callus sit factus, membra euertunt. de cau. mor. 3ª.8.H
ad Artus è loco motos. 2°. de compo. me. per gen. 5ª.223.A
ad Artuum difficiles motus. 7°. de comp. med. per gen. 5ª.265.B
Artubus sæpius tota ossa eximuntur. de diff. mor. 3ª.4.G
ARVM diuersum est in diuersis locis. 2°. de alim. facul. 2ª.24.F
Arum calidũ & siccũ est in primo ordine. 6°. de sim. me. fac. 5ª.43.H
Arum acerrimum & amarissimum est. de bo. & vitio suc. 2ª.35.F
Arum ad Cyrenẽ nõ est medicamẽtosum et acre. 2°. de ali. fa. 2ª.24.F
Ari succus crassior. 2°. de alim. fac. 2ª.24.G
Ari radices mediæ inter illa quæ sunt boni, & mali succi. de bo. & vitio succorum. 2ª.37.G
Ari radix longiori tpe sine germine põt pdurare. 2°. ď ali. fa. 2ª.24.G
Ari radices præstantiores folijs. 2°. de ali. facul. 2ª.24.D
Ari radix manditur vt rapi. 2°. de alim. facul. 2ª.24.F
Ari radix bis coquenda est vt brassica & lens. 2°. de alim. fa. 2ª.24.F
Ari radices comestæ crassitiem humorũ mediocriter incidũt, et excreationibus ex pectore idoneæ sunt. 6°. de simp. med. fac. 5ª.43.H
Ari radix tenuium partium est, & lapidem atterit in renibus. 3°. de composi. med. sec. loc. 5ª.141.B
Ari radix acrior ac medicamẽtosa, conueniẽtior admaterias in pectore. 2°. de alim. fac. 2ª.24.G
Arum tostum. 7°. de comp. med. se. lo. 5ª.182.B
ex Aro oleum mitigatorium in duris corporibus. 3°. de composi. med. per genera. 5ª.235.A
ARVNDO *græca. 1°. de compo. med. sec. loc.* 5ª.124.G
Arũdinis cortex & radix pharmacorum fortium vim exoluunt. 1°. de compo. med. sec. lo. 5ª.122.F
Arundinis radix quo loco reponatur inter calida quę valent alopecijs. 1°. de compo. med. sec. loc. 5ª.122.D
ꝑ Arũdinẽ, & ꝑ stipulã fomẽta fiebãt. 3°. de cõ. med. sec. lo. 5ª.145.B
ꝑ Arũdinẽ qũo accipiatur fumus in os 6°. de com. me. se. lo. 5ª.174.B
ex Arũdinũ viridiũ radicibus spathula. 4°. de cõ. med. ꝑge. 5ª.243.D
per Arundinem insufflatio. 3°. de comp. med. sec. loc. 5ª.148.C
ARVNTIVS *Aquila quo acopo curatus est. 7°. de composi. medicamentorum per genera.* 5ª.272.C
ARVSPICES *qui. 1°. de diebus decr.* 4ª.150.G/*de vict. ratio. in morbis acutis.* 7ª.110.A
Aruspices quid cõmentantur. de vict. ra. in mor. acu. cõ. 1°. 7ª.110.A
ARITHMI pulsus quo modo intelligantur & tres eius differentiæ. 1°. de diffe. pul. 4ª.48.F
Arytænotides chartilago q̃ ď musc. dis. 46.B/*ď voc. instr. diff.* 1ª.105.H

AS *de ponderibus & mensuris.* 5ª.276.D/G

ASACRAIATI fit mentio. secret. Sp.100.E
A'σαφῶς. *i. obscure loquẽtes, qbus causis fiãt. i 1m. pr. cõ. 2°.* 4ª.169.B
ASARVM *quid, & eius vires. de simp. medic.* Sp.80.H
Asarum calidum est & acre. 5°. de simp. medic. fa. 35.D/*8°. de composi. medic. sec. loc.* 5ª.190.F
Asari radix intensior est radice acori. 6°. de simp. me. fa. 5ª.43.H
Asaron sanguinem extenuat & secernit. 5°. de simp. med. fa. 5ª.35.D
Asaron purgat renes. de cathart. Sp.95.C
Asaron purgat vesicam. de cathart. Sp.95.D
Asarõ vrinã ciẽs. 5°. de sim. me. fa. 35.D/38.A/*9°.* 5ª.202.A/*de ren. aff. dig. & me.* 7ª.196.E/*de mel. ex Gal. Ruff. & Poß.* Sp.110.B
Asari decoctio puocat vrinã & mẽstrua fortiter. ď m. exp. Sp.104.D
Asaron menses prouocat. 5°. de simp. me. fa. 5ª.38.A
Asari drachma vna curat stranguriam. de med. exper. Sp.106.D
Asarum & apium ebullita in aqua pro humore aqueo in corpore. de præcogni. ad Posthu. 4ª.217.H
Asaron in phlegmone gibbæ partis iecoris cõfert. 13°. me. me. 7ª.83.H
Asaron expurgat in ictteris. de cura ictteri. Sp.111.B
Asari radix pro resolutione tumoris, ne aliquid duri remaneat. 2°. de arte cur. ad Glauc. 7ª.105.F
Asarum maturatiuum est. de ocul. 7ª.189.C
Asari radix ad neruos vulneratos valet. 3°. de cõ. me. per g. 5ª.234.B
pro Asaro par pondus opobalsami. 9°. de cõ. me. sec. lo. 5ª.200.F
pro Asaro carpesium ponendum in dolore capitis ex consensu ventriculi. 2°. de compo. med. secundum loc. 5ª.135.E
A'σβόλη, *fuligo. in 1m. pror. commen. 2°.* 4ª.171.F
ASCALABOTA *sanat à scorpio ictos. 11°. de sim. me. fac.* 5ª.82.G
Ascalabotæ morsibus confert centaurea. de vir. centau. Sp.93.H
ASCARIDES *vermes quidam minuti. de diff. mor.* 3ª.4.F
Ascarides sunt ex toto genere præter naturã. de dif. mor. 3ª.4.F/*14°. methodi medendi.* 7ª.93.G
Ascarides numerantur inter morbos, qui oriuntur, cum prius nõ essent 14°. meth. med. 92.D/ 7ª.93.C
Ascaridas enecat succus calaminthæ. 7°. de simp. med. fa. 5ª.49.D
Ascarides educuntur ex intestino extremo. de cathart. Sp.94.G
Ascaridas educit triphera magna. de dynamid. Sp.26.E
ASCENSVS *morbi est aliud tẽpus à principio. 1°. de crisi.* 4ª.128.D
Ascensus, incremẽtum, & augmentum idem. de morb. temp. 3ª.85.F
Ascensus quidam in eo qui propria peccata obseruat quomodo fiat. de cuiusque animi pec. not. 2ª.58.A
ASCIA *vocatur quæ lunata figura ab vna parte sima est, ab altera gibba. de fascijs.* 7ª.295.B
Ascia cst sima. de fascijs. 7ª.293.E
Ascia fasciatio. de fascijs. 315.G/de frac. com. 3°. 244.F/de art. commẽtario. 2°. 7ª.266.D
Asciatim quo mõ ligãdæ plagulæ. de ijs q̃ i med. fiũt. cõ. 2°. 7ª.208.G
ASYRON *& ascyrodes altera species androsemi. 6°. de simp. medicamentorum facult.* 5ª.43.A
ASCITES *genus hydropis quid sit, & vnde dicatur. commentario. 4°. aphoris. 11°.* Ex.28.D
Ascites hydrops quando fiat. 3°. de sym. cau. 3ª.26.C
Ascites fit à maiore frigiditate q tympanias. cõ. 4°. aph. 11°. Ex.28.E
Ascitis pulsus qualis. 4°. de cãu. puls. 4ª.103.E
in Ascite nihil cruentum per aluum secerni solet. 5°. de lo. aff. 4ª.33.H
Ascitem per sanguinis missionem nullus sanare est ausus. de victus ra. in morbis acut. commen. 4°. 7ª.149.A
ASCLEPIADVM *ars. 1°. de crisi.* 4ª.134.A
Asclepiadæ antiqui quam medicinæ parte non sunt admodũ vsi. ad Thrasybulum. 2ª.107.B
ex Asclepiadarum genere fuit Hippocrates. 1°. meth. med. 7ª.2.G
Asclepiadæ duo. C°. de com. med. sec. loc. 5ª.175.C
Asclepiadæ duo, & quis eorum gloriatur se reperisse viam curandi. 1°. de comp. med. sec. loc. 5ª.124.A
Asclepiades adnomas. 5°. de comp. med. per gen. 5ª.254.A
Asclepiadis Marci Talẽtij malagma. 7°. de com. me. per ge. 5ª.265.F
Asclepios Machaonis ex Scribonio Largo ad veteres affectiones, et oculos suppuratos. 4°. de comp. med. sec. loc. 5ª.155.H
Asclepiades cognomento Pharmacion. 1°. de com. me. per ge. 5ª.216.E
Asclepiadis Pharmacionis scriptura. 3°. de cõ. me. per gen. 5ª.234.G
Asclepiades qui philosophicus dicitur. 7°. de copo. me. se. lo. 5ª.185.H
Asclepiadæ, qui philosophicus dictus est, pharmacum. 8°. de compositione medica. secundum locos. 5ª.192.G
Asclepiades commentatus est medicatrinam Hippocratis, de ijs, quæ in med. fiunt, commentario. 1°. 7ª.197.E
Asclepiades medicus cõrẽtiosus. de vene sect. ad Eras. 6ª. 6.G/7ª. 3.F
Asclepiades admirabilis caullando. 3°. de crisi. 4ª.141.H
Asclepiadem impudentem dicit. de pur. med. fa. 5ª.86.C
Asclepiadis principium, quæ. in 3m. de morb. vulg. com. 1°. 3ª.129.B
Asclepiades spũs cohibitionẽ caput opplere dicebat. 2°. de s. t. 2ª.77.H
Asclepiades existimauit plenitudinem nunquam esse causam continentem. contra ea quæ à Iul. in aphor. Ex.68.H
Asclepiadis sententiã cõfutat de cõpone rerũ. de the. ad Piso. 5ª.94.C
ab Asclepiade medicandi ratio antiqua vocata est mortis meditatio. de venæ sect. adu. Eras. 6ª.6.G
Asclepiadis incompacta. dif. mor. 3ª.2.E
Asclepiades de medicamẽtis egregię pertractauit. 2°. de cõpositione medicamentorum

medicamentorum per genera. 5ª.222.A
Asclepiades de medicamentis scripsit. 7°.*de comp.me.se. loc.* 178.B/ 3ª.*de comp.me.per gen.* 5ª.236.G
Asclepiades Arius librum fecit de proprijs pharmacis. 4°.*de compo. me.secun.locos.* 5ª.156.B
Asclepiades librum fecit interiorum. 7°.*de com. me.se.lo.* 181.B/186. D/8°.189.C/9°.195.B/ 5ª.197.H
Asclepiades librum fecit exteriorum. 2°.*de compos.me.se.lo.* 138.G/ 3ª.143.F/148.B/149.A/4°.152.D/5°.160.B/164.A/8°.192.G/ 9°.199.C/200.A/205.A/10°.207.E/208.H/1°.*de compositione medica.per genera.* 216.E/2°.224.B/225.D/226.A/4°.237.G/ 5°.249.H/250.D/7°. 5ª.265.A
Asclepiades librum fecit de alopecia. 1°.*de comp.me.se.lo.* 5ª.214.A
Asclepiades scripsit de respiratione & pulsu. 4°.*de diff.pu.* 4ª.69.C
Asclepiadis, & discipulorum pulsus definitio. 4°.*de diff.pul.* 4ª.69.C
ab Asclepiade pharmaca potabilia ad splenicos. 9°.*de composi.med. secundum locos.* 5ª.198.G
Asclepiadis attrahentia. 6°.*de comp.me.per gen.* 5ª.261.G
vt Asclepiadis cyzicem. 5°.*de comp.me.per gen.* 5ª.250.D
Asclepiadis cineritium. 5°.*de comp.me.per gen.* 5ª.253.G
Asclepiadæ dolorem sedans. 7°.*de comp.me.se.loc.* 5ª.185.B
Asclepiadis discutientia. 6°.*de comp.me.per gen.* 5ª.262.B
Asclepiadis emplastrum. 6°.*de comp.me.per gen.* 5ª.261.F
Asclepiadeum emplastrum cephaleum. 3°.*de com.me.se.lo.* 5ª.146.B
Asclepiadis epulotica. 2°.*de comp.med.per gen.* 5ª.224.B
Asclepiadæ malagma. 8°.*de comp.me.se.lo.* 5ª.193.B
apud Asclepiadem malagma dolorem submouendo. 7°.*de compositio. medica.per gen.* 5ª.267.A
Asclepiadeum medicamentum. 4°.*de comp.me.sec.* 155.G/5°.*de com po.me.per ge.* 253.A/7°. 5ª.265.F
Asclepiadis medicamẽtũ ad carbũculos. 1°.*de cõ.me. p ge.* 5ª.254.C
Asclepius pastillus. 5°.*de comp.me.per gen.* 5ª.252.H
Asclepiadæ stomaticũ ex hirundinibus. 6°.*de cõ.me.se.lo.* 5ª.171.A
Asclepiadæ stomaticæ illitiones. 6°.*de com.me.se.lo.* 5ª.171.B/D
ab Asclepiade stomachica. 8°.*de comp.me.se.lo.* 5ª.189.C
Asclepiadis, ad aphthas. 6°.*de comp.me.sec.loc.* 5ª.175.G
Asclepiadis ad capitis dolorem. 2°.*de comp.me.se.lo.* 5ª.138.G
Asclepiadis ad cicatricem ducendam. 1°.*de com.me.per ge.* 5ª.216.H
ſm Asclepiadem ad coli affectus. 9°.*de comp.me.se.lo.* 5ª.202.D
Asclepiadis ad columellas laxatas. 6°.*de comp.me.se.lo.* 5ª.174.G
Asclepiadæ ad dysentericos. 9°.*de comp.me.se.lo.* 5ª.204.A
Asclepiadæ ad ægilopas medicamentum. 5°.*de com.me.se.l.* 5ª.160.B
Asclepiadæ ad hæmoptoicos. 7°.*de comp.me.se.lo.* 5ª.184.C
Asclepiadis sanguinem sistens. 5°.*de comp.me.per ge.* 5ª.254.E
Asclepiadis ad serpentium.noxas. 2°.*de anti.* 5ª.116.F
Asclepiadis ad splenis recẽtes iflãmationes. 9°.*d cõ.me.s.l.* 5ª.198.H
Asclepiades Pharmaceon dabat stercora pos. 10°.*de si.m.f.* 5ª.75.H
Asclepiadæ ad tussim. 7°.*de comp.me.sec.loc.* 5ª.182.H
Asclepiadem damnat.de theri.ad Piso. 5ª.90.G
Asclepiadis herbæ periculũ nõ fecit Galenus. 6°.*de sim.me.f.* 5ª.43.H
ASCVTIANVM *medicamentum.* 7°.*de comp.me.per ge.* 5ª.270.C
ASELLI pisces pelagici sunt.de atte.vic.ra. 2ª.45.E
Ascelli non sunt saxatiles.de vict.ra.in morb.acu.com. 1°. 7ª.113.C
Aselli pisces, quales. 3°.*de alim.fa.* 2ª.31.B
Aselli pisces non multũ differunt ex locis inter se. 3°.*de ali.f.* 2ª.31.C
Asini pisces molles carne. 3°.*de alim.fac.* 2ª.31.A
Asellorum piscium caro mollis est.de atte.vic.ra. 2ª.45.D
Aselli piscis caro friabilis.de bo.& vitio suc. 2ª.37.H
Aselli pisces inter illos qui facilius cæteris conficiuntur. 3°.*de alimen torum facultatibus.* 2ª.31.A
Aselli pisces neq; crassi, neque tenuis succi sũt.d bo.vitio suc. 2ª.34.H
Aselli pisces non semper optimi. 3°.*de alim.fa.* 2ª.31.C
Aselli vbi praui. 7°.*meth.med.* 7ª.51.B
Aselli, qui in puro mari degunt, ad saliendum non sunt accommodi. 3°. *de alim.fac.* 2ª.33.C
Aselli vtiles sunt calidis, & siccis. 8°.*meth.me.* 7ª.51.B
Asellus ex iure albo in siccitate datur. 7°.*meth.me.* 7ª.45.D
Aselli in aquarijs vasis nascentes. 3°.*de comp.me.se.lo.* 5ª.142.F
Aselli sub hydrijs quales sunt. 7°.*de comp.me.se.lo.* 5ª.186.G
Aselli sub aquario vase nascentes ad capitis dolorem.valent. 2°.*de cõ posi.me.sec.loc.* 5ª.137.E
Asellorũ sub aquarijs vasis ĩ angina vsus. 6°.*de cõ.me.se.lo.* 5ª.174.B
Asellos sub aquario vase dat arquatis.de med.fac.par. 7ª.166.G
Aselli in sterquilinijs. 7°.*de comp. me.sec. loc.* 5ª.186.H
Aselli axes appellantur ab Hippocrate.de fract.com. 2°. 238.A/3°. 247.B/*de art.com.* 3°.270.H/*com.* 4°. 7ª.290.B
ASIAE situs.de aere, aquis, & locis. 2ª.4.E
Asiæ & Europæ terminus.de aere, aquis, & locis. 2ª.4.E
Asiæ regio temperata austris perflatur.de aere, aq.& lo. 2ª.4.E
Asiæ pars similis optimæ constitutioni.de aere, aq. & loc. 2ª.4.E
Asiæ & Europæ differentia ex terræ nascẽtibus & hominibus. de aere, aquis & locis. 2ª.4.E
Asiæ pars fertilissima.de aere, aquis, & locis. 2ª.4.E
in Asia oĩa maiora & pulchriora nascunt.de aere.aq.& lo. 2ª.4.E
Asia habet homines cultiores & benigniores.de aere, aq.et lo. 2ª.4.E
Asiæ regio cur non multum habitata.de aere, aq.& lo. 2ª.5.B
Asiæ pars maxima sub regibus est.de aere, aq.& lo. 2ª.5.A
in Asia quæ vina fulua, vel alba, & tenuia. 4°.*de fa.tu.* 2ª.85.H
in Asia non mirum gigni vina tenuia.de victus ratione in morbis acu tis, com. 3°. 7ª.127.B
in Asia Aegausien vocatum vinum, quale. 5°.*de san.tu.* 2ª.91.B
in Asia vinũ Aphrodisiẽse, aut austerũ Tmolite. 11°.*me.me.* 7ª.76.G
in Asia Tibenum vinum cito redditur idoneum vt bibatur.de bon.& vitio succ. 2ª.38.G
in Asia olyra frequens, qualis.de atte.vic.rat. 2ª.44.H
in Asia frequentia sunt olyra & typha. 1°.*de alim.fac.* 2ª.12.G
in Asia pestilẽtia vehemẽs.de cuc.scar. 6ª.4.B/*pf.exp. conf.* Sp.78.C
ex Asia literas accipiebat Galenus. 4°.*de loc.asse.* 4ª.22.C
in Asia constituere significat restituere, & in propriam sedem reduce re.de fract.com. 3°. 7ª.246.H
Asiaticæ Phrygiæ vltimum oppidum Poryle. 1°.*de ali.fa.* 2ª.12.A
Asiatici homines pulchri.de aere, aq.& lo. 2ª.4.E
Asiani cur sint timidiores, effœminatiores, magis imbelles, & mansue tiores Europæis.de aere, aq.& lo. 2ª.5.A
Asiani sunt minus magnanimi Europæis.de aere, aq.& lo. 2ª.6.C
Asiatici non sunt viriles, tolerantes laborum, audaces, constantes, & amatores.de aere, aquis, & locis. 2ª.4.F
Asiani cur imbelles.de aere, aq.& lo. 2ª.5.A
Asiaticum panicum est peius Italico. 1°.*de alim.fac.* 2ª.13.C
Asianum aromaticum nardinum. 8°.*de comp.me.se.lo.* 5ª.193.C
Asianum emplastrum Neapolitæ. 6°.*de comp.me.per ge.* 5ª.262.C
ASIVS *lapis quid.de simpli.medicam.* Sp.86.F
Asius lapis qualis. 9°.*de simp.me.fa.* 5ª.67.H
Asium lapidem sarcophagon appellant.de simp.med. Sp.86.F
Asius lapis subtilium partium. 3°.*de comp.med.per ge.* 5ª.228.E
Asius lapis viscide relaxat.de simp.med. Sp.86.F
Asij lapidis flos.qualis. 4°.*de simp.me.fa.* 30.G/9°.67.H/68.H/7°. *de comp.med.per gen.* 5ª.265.G
Asij lapidis flos calidus est, & subtilissimus omnium terrestriũ. 3°.*de comp.med.per ge.* 5ª.228.E
Asij lapidis flos molles carnes ac fluidas eliquat. 9°.*de si.m.f.* 5ª.67.H
Asij lapidis flos septicum medicamentum. 5°.*de sim. me.fa.* 5ª.36.C
Asij lapidis flos siccat vt sal, & non habet vim adstringendi. 2°. *de cõ posi.me.per ge.* 5ª.222.A
Asij flos erodit. 4°.*de comp.me.sec.loc.* 5ª.149.G
Asij lapidis floris meminit.de cõ.me.secundũ locos. 152.H/ 5ª.168.E
ASINI *cognoscunt & recordantur.* 2°.*met.me.* 7ª.14.A
Asini habent duplicem cognitionem. 2°.*meth.me.* 7ª.14.E
Asino vtilissimum habere tergus densum. 1°.*de san.tu.* 2ª.66.F
Asinorum cibi. 2°.*de ali.fa.* 2ª.17.B
Asinis agrestibus nonnulli vescuntur. 3°.*de alim.fac.* 2ª.26.A
Asinorum agrestium caro, qualis. 3°.*de alim.fac.* 2ª.26.A
Asini agrestes laudantur à quibusdam medicis. 3°.*de ali.fa.* 2ª.26.B
Asinorum domesticorum caro, qualis. 3°.*de alim.fac.* 2ª.26.A
Asinina caro facit humorem melancholicum. 3°.*de lo.aff.* 4ª.18.F
Asinina caro comeditur Alexandriæ. 1°.*de ali.fac.* 2°.10.A/2°.*de ar te cur.ad Glau.* 7ª.107.E
Asinorũ esus hominibus asininis relinquẽdus.de atte.vic.ra. 2ª.45.E
Asinarum lac, quale. 3°.*de ali.fa.* 2ª.27.F/7°.*meth.med.* 7ª.44.G
Asinę lac subtilius est lacte camelæ.de diff.cont. Sp.73.F
inter Asinæ & camelæ lac, medium est lac capræ.de diff.cont. Sp.73.F
Asininum lac & caprinum quo modo differant. 5°.*de fa.tu.* 2ª.91.H
Asinino lacti contrarium est ouillum.de bo.& vitio suc. 2ª.35.B
Asinæ lac tenue, et serosum ẽ. 5°.*de san.tu.* 2ª.91.H/5°.*me.m.* 7ª.35.A

Asininum lac cæteris est tenuis. 2°. de sa.tu. 2ª.99.G
Asininum lac habet plus seri. de bon.& vitio suc. 2ª.35.C
Asininum lac habet minimum pinguedinis. 3°. de alim.fa. 2ª.27.H
Asininum lac caseum non facit, & cur. 1°. de simp.med.fa. 5ª.73.F
Asininum lac coagulatur in ventriculo, si calidum sit epotum. 3°. de alimentorum facultatibus. 2ª.27.H
Asininum lac facit multum deijcere. 3°. de alimen.fa. 2ª.27.H
Asinæ lac est humidius lacte omni, et ventrem magis subducit. de vic. ra. in morbis acu.com.4°. 148.F/ 7ª.152.F
Asinæ lac mitius inter purgantia medicamenta. de victus ratio. in morbis acut.com.4°. 7ª.148.F
Asininũ lac expurgat, cõtẽperat. ḋ vic.ra.in mor.ac. cõ.4°. 7ª.149.D
Asinæ lacte purgat in causo. de vi.ra.in morb.acu.com.4°. 7ª.135.B
Asininum lac siccis concedendum, sed non alijs. 6°. de san.tu. 2ª.99.G
Asinini lactis dandi modus. 10°. meth.me. 7ª.67.B
cũ Asinæ lacte miscet aliquid mellis, & salis. de victus rat. in morbis acutis com.4°. 7ª.138.E
Asinæ lactis quãtitas sumenda. de vi.ra.in mor.ac.cõ.4°. 7ª.138.D
Asininũ lac & capræ alternis diebus sumẽdũ est. 5°. de sa.tu. 2ª.91.H
Asininum lac datur hecticis, & quomodo. 10°. meth.med. 7ª.67.B
Asina caius lac accipiendum est, qũo sit tractãda. 7°. met.m. 7ª.45.A
Asininum lac ab vbere dabat in siccitate Gal. 7°. met.me. 7ª.44.F
Asininum lac adhuc calidum in tabe, nisi quis toleret mammam muliebrem in ore apprehendere. de marcore. 3ª.48.D
Asinæ lac dat in dolore. de vict.rat.in morb.acu.com.4°. 7ª.148.E
Asini aut equi sylvestris lien p splenicis. 9°. de cõ.me.se.lo. 5ª.198.G
Asininus splen ad quid vtile. 1°. de comp.me.se.loc. 5ª.124.H
Asinorum vngues comitiales morbos sanãt. 11°. de sim.me.f. 5ª.80.E
Asinorum vnguium cinis perniones siue chimethla sanat. 11°. de simpli.med.facul. 5ª.80.E
Asinorum vngues chœradas digerũt. 11°. de simp.me.fa. 5ª.80.E
Asininum membrum ad quid vtile. 1°. de comp.me.se.loc. 5ª.124.H
Asini vrina non est bibenda. 6°. de comp.me.se.lo. 5ª.174.E
Asininus fimus dentium dolorem tollit. de simp.me. Sp.84.E
Asinus non percipit lyram. de cuiusque ani.pec.not. 2ª.56.G
de Asini vmbra prouerbium. 3°. de diff.pulſ. 4ª.59.D
Ἀσύνδετον orationis genus, & quod. in 1ᵐ. de mor.vul.cõ.3°. 3ª.118.F
ASIRTÆ *medicamen. de medicamen. exper.* Sp.108.F
Ἄσιτία. i. ciborum abstinentia, κενεαγγεία. i. vasorum inanitio sæpius dicitur. de vict.ra.in morbis acut.com.2°. 7ª.123.F
Ἄσώδη quid significet. de vi.rat.in morb.acu.com.4°. 7ª.142.A
Ἄσωδεις febres, q̃ appellẽtur. de vi.ra.ĩ mor.acu.com.4°. 7ª.140.G
ASPHARAGVS *dr ab Atheniẽsibus p ph.6°. de sim.me.fa.* 5ª.44.A
Asparagi qui dicantur. de atte.vic.rat. 2ª.44.D
Asparagus quid sit. 2°. de alimen.fac. 2ª.24.A
Asparagus quid, & eius vires. de simp.med. Sp.80.G
Asparagorum alius regius, alius ἐλεεινος, alius bryoniæ. 2°. de alimentorum facultatibus. 2ª.24.B
Asparagus in plantis fruticosis proueniens. 2°. de alim.fa. 2ª.24.B
Asparagus non vr calidus vel frigidus. 6°. de sim. me.fa. 5ª.44.A
Asparagum habentium olerum, & caulem, caulis est siccus. 2°. de alimentorum facultatibus. 2ª.24.A
Asparagorum regiorum radices incidentes, quibus sunt minus calidæ. 5°. de simp.med.fac. 5ª.35.E
Asparagi omnes parum nutriunt. 2°. de alim.fac. 2ª.24.B
Asparagus abstergit. 6°. de simp.med.fac. 5ª.44.A
Asparagi omnes iuuant stomachum. 2°. de alim.fac. 2ª.24.B
Asparagus pruritũ mouet. de cathar. Sp.95.D
Asparagi oẽs ciẽt vrinas. 2°. de ali.fac. 2ª.24.B/de cura icter. Sp.111.D
Asparagus vrinã prouocat, duritiem relaxat, diureticas vires habet. de simp.med. Sp.80.G
Asparagorũ regiorũ radices vrinã bene puocãt. de sim.me.fa. 5ª.35.E
Asparagorum regalium radix lapidem renum frangit. de ren.as. dignotione & medela. 7ª.196.D
Asparagos renes, & iecur infarctu liberat, & dentium dolores sanat. 6°. de simp.med.fac. 5ª.44.A
Asparagi amari perperam dati exiccato. 7°. meth.med. 7ª.44.C
Asparagus paluſtris exhibeatur melancholicis. de mel. ex Galeno Ruso, & Poss. Sp.110.D
Asparagorum paluſtriũ radices. 9°. de comp.me.se.lo. 5ª.197.H
ASPASIVS 9°. *de comp.me.se.loc.* 5ª.104.B
ASPECTVS *pusillanimitas, solitudo, timor, tarditas, fetus, gra[illegible]tas, cogitatio, taciturnitas accidit p melãcholiã. de ana. vi.* Sp.45.F
ASPERVM *læui opponitur. de ijs, quæ in med.fi.com.3°.7ª.215.B/de vrinæ significa. ex Hipp.* Sp.79.B
Asperæ quæ sint. 1°. de simp.med.fac. 5ª.8.D
Asperantes causæ quid faciant. de cau.morb. 3ª.3.C
qbus Asperantur quæ prius erant leuia. de cau.mor. 3ª.9.C
Asperantia ob quid accipiantur. ḋ vi.ra.in mor.acu.cõ.3°. 7ª.127.G
Asperãtia displicẽt vẽtri, et viscerib. de vi.ra.ĩ mor.ac.c.3°. 7ª.127.g
Asper nõ dẽt medicus eẽ, nec adulari. in 6ᵐ. ḋ mor.vul.c.4°. 3ª.181.E
Asperæ arteriæ, quæ. in progn.com.2°. 4ª.202.B
Aspera arteria est via, quæ vadit ad pectus, põt colli vbi distinguit ip sum contra gulã, quæ tẽdit ad ventriculũ. cõ. 2°. aph. 17°. Ex. 13.B
Aspera arteria corpus cartilaginosum. 2°. de sympto.cau. 21.E/5°. de locis affectis. 4ª.31.B
Asperæ arteriæ chartilaginum figura. 1°. de loc.aff. 4ª.27.F
Asperæ arteriæ quibus constent. 1°. de loc.aff. 4ª.2.C
Asperæ arteriæ suprema pars quæ ori coniungitur, larynx dr. 2ª.98.E
in Asperã arteriã recipitur oris excrementum. 6°. de san.tu. 2ª.98.E
per Asperam arteriam cur excrementa partium inflammatarũ exeãt. 2°. de locis affectis. 4ª.13.B
Aspera arteria cur sẽsibilr exasperat in 6ᵐ. ḋ mor. vul.c.2°. 3ª.160.H
ad Asperas arterias pulmonis quomodo materia permeet. commentario 7°. aph. 30°. Ex.56.B
in Aspas arterias quot modis cõfluũt materiæ. 2°. ḋ pres. ex. 4ª. 109.G
per Asperã arteriã fertur destillatio à capite cõ. 7°. ap. 38°. Ex. 57.A
Aspera arteria offenditur à materia existente in cerebro. commẽtario 6°. aph. 2°. Ex.46.E
Asperæ arteriæ ĩflãmatio angustiã anhelit⁹ facit. c.4°. a. 34°. Ex. 31.D
Asperæ arteriæ inflãmatio difficultatẽ spirandi facere põt, sed nõ strangulationẽ propter magnitudinem meatus. c.4°. aph. 34°. Ex. 31.D
Asperis arterijs plenis erecti spiramus. 4°. de loc.aff. 4ª.26.H
Aspera arteria cum ex capite ægrotat, quo modo curanda. 6°. de sanitate tuenda. 2ª.100.A
in Aspera arteria quomodo vlcus deprehẽdatur. 4°. de lo. af. 4ª.28.A
ab Asperæ arteriæ vlceribus quo modo differat vlcus pulmonis. 4°. de locis affectis. 4ª.28.B
Asperæ arteriæ vlcera sine dolore. 4°. de loc.aff. 4ª.28.B
in Aspera arteria vlcus quomodo curandum. 7°. meth. me. 7ª.29.A
ex arteria Aspera & pulmone feruntur, quę extussimus. commen. 7°. apho. 37°. Ex.56.H
in Aspera arteria quomodo fit expulsio. 2°. de symp.cau. 3ª.21.F
Aspera arteria tussi purgatur. com. 7°. apho. 51°. Ex.58.D
Aspera arteria, & stomachus cõparantur tibiæ. in Tim.Pla. 1ª.288.F
ad Asperatos cãcros oculorũ valet succ⁹ centaureę. ḋ vir.cen. Sp.93.B
Asperum multum est milium, & panicum. de diss.cont. Sp.73.B
Asper pulsus fit à cholera rubra. de dyn. Sp.19.F
Asperũ vinũ, nigrũ, crassum quale sit nutriendo. de diss.cont. Sp.73.F
Asperũ vinũ, rubrũ, crassum, quale sit in nutricẽdo. de dis.cõt. Sp.73.F
Aspero vino, dulce est digestibilius. de dissol.cont. Sp.7.D
Aspera vox vnde. in 1ᵐ. de mor.vul.com.2°. 3ª.115.F
Asperã habentes vocẽ qñ moriebãtur. ĩ 1ᵐ. de morb.vul.c.2°. 3ª.115.D
Aspera vrina si post crisim fuerit, in eandem febrem reintegrari demõstrat ægrotum. de dyn. Sp.34.G
ASPERITAS *nascitur ab adstrictione vel acredine. de ptissa.* 2ª.47.E/6°. *de comp.me.se.lo.* 5ª.169.H
Asperitas ex siccitate oritur. in 1ᵐ. de mor.vul.com. 2°. 3ª.115.F
Asperitatẽ nõ frustra molit partiũ opifex natura. de dif.mor. 3ª.4.E
Asperitas in quo genere ægritudinis. de diff.mor. 3°. A/ 3ª.4.E
fm Asperitatem vel lenitatem vel concauitatem, vel foramen, vel figuram est causa morbi composita, & quomodo. de ocu. 7ª.185.G
Asperitates læuigantia. 7°. de comp.me.se.lo. 177.E/ 5ª.182.E
Asperitati quando opportunus sit adeps. 2°. de simp.me.fa. 5ª.12.H
Asperitati leniendæ congruit coni fructus. 7°. de sim. me.fa. 5ª.54.A
Asperitati medẽtur chõdrus, lac, et ptissana. 2°. de sim.me.fa. 5ª.12.G
Asperitatibus medentur gummi. 7°. de sim.me.fa. 5ª.52.B
contra Asperitatẽ valent putrefactiua. de ocul. 7ª.189.C
ad Asperitatem smegma. 1°. de comp.me.se.lo. 5ª.131.A/B
ad Asperitudines sycoseis & callos oculorum quæ valeant adstringentia. 4°. de comp.med.sec.loc. 150.E/ 5ª.151.F
Asperitudines oculorum extenuat thlaspi. de simp.me. Sp.91.G
ad Asperitudines oculorũ. 4°. de cõp.me.se.lo. 5ª.152.H/ 5ª.155.H
Asperitas palpebrarum lachrymas cit. ccm. 4°. aph. 52°. Ex.33.D

Aſperitudinibus palpebrarum accõmadatum collyrium ex vino.4°. de comp.med.ſec.loc. 5ª.150.D
ad Aſperitatem palpebrarum collyrium.de ocul. 7ª.191.E
*ad Aſperitudines palpebrarum. 4°.de comp.med.ſec.loc.*150.D/ 5°. 156.D/*de ocul.* 7ª.189.C
in Aſperitatibus palpebrarum quid agant medici ad conſilij inopiam redacti.4°.de comp med.ſec.loc. 5ª.150.E
ad Aſperitates circa os.6°.de comp.med.ſec.loc. 5ª.175.D
Aſperitas faucium tuſſim facit.2°.de ſymp.cau.3ª.21.G/commen.4°. aphoriſ.54°. Ex.33.E
Aſpitas linguæ quo lunę aſpectu fiat.de dec.pg.ex meth.ſciẽ.Sp.12.G
Aſpera lingua melle fricanda eſt.de dyn. Sp.20.A
Aſperitas arteriæ quomodo tuſſim faciat.2°.de ſimp.me.fac. 5ª.13.E
ad Aſperitatem arteriæ vocalis.de remed.par.fac. 7ª.158.C
Aſperitates non modo in arteria,ſed & in veſica ſcabra lenire poteſt glycyriza.6°.de ſimp.med.fac. 5ª.45.F
ad Aſperitudinem arteriæ,& gutturis.7°.de cõp.med.ſe.l. 5ª.179.F
*Aſperitates arteriæ ſanat ſymphytum petræũ.8°.de ſimp.m.f.*5ª.51.G
ex Aſperatio in oſſibus ob quæ fiat.de cau.morb. 3ª.9.C
ASPHALTON, *id eſt bitumen.* 11°.*de ſimp.med.fa.* 5ª.83.F
Aſphalton optimum e Iudea aduehitur.1°.de antid. 5ª.105.E
Aſphaltum ſiccum quid.de ſimp.med. Sp.80.C
*Aſphaltum calidũ eſt cũ ſubtili ſubs.2°.de arte cur.ad Gla.*7ª.104.G
ex Aſphalto medicamenta.2°.de arte cur.ad Glau. 7ª.106.A
Aſphaltus fugiendus in vlceribus.3°.met.me. 7ª.21.C
Aſpalathus acris & adſtringens.6°.de ſimp.med.fa. 5ª.44.A
Aſpalathus deſiccat.6°.de ſimp.med.fa. 5ª.44.A
Aſpalathus adſtringit,concoquit,putrefactiones corrigit.8°.de comp. med.ſec.lo. 5ª.194.F
Aſpalathi decoctũ adſtringẽs p gargariſmis.6°.de cõp.me. 5ª.172.F
Aſpalathus ad putredine et fluxiões ẽ vtilis.6°.d ſim.me.f. 5ª.44.A
ASPHALARTESII *acopon.7°.de cõp.med.per ge.* 5ª.272.B
ASPHODELLVS, *& albucus ſunt idem.de ſimp.med.* Sp.81.B
*Aſphodelus fuluus,flauus,& ruber,albo calidior.4°.d ſim.m.*5ª.31.D
Aſphodeli radix ſcillæ ſimilis eſt.2°.de alim.fac. 2ª.24.B
Aſphodeli radix qualis.7°.de ſimp.med.fac. 5ª.44.B
Aſphodelum in fame ruſtici ederunt.2°.de alim. 2ª.24.H
Aſphodeli radix,amaritudinem deponit,ſi paretur vt lupini.2°.de ali men.facultatibus. 2ª.24.H
Aſphodelum habet vim tenuandi & aperiẽdi.2°.de alim.fa. 2ª.24.H
Aſphodelus menſtrua,& vrinam prouocat.de ſimp.med. Sp.81.B
Aſphodeli radix ictericis conuenit.2°.de alim.fac. 2ª.24.H
Aſphodeli radices combuſtæ,& in cinerem redactæ alopeciam emendant,& albidas maculas de ſimp.me. Sp.81.B
Aſphodelus ad tuſſim veterem facit.de ſimp.med. Sp.81.B
Aſphodelus duritiem emollit.de ſimp med. Sp.81.B
A'σφυξία ẽ pſus priuatio.d ſym.ca.3ª.12.A/1°.d ṗſ.ex pul.4ª.106.A
A'σφυξίαν *nunquam habet corpus viuũ.1°.de præſ.ex pul.*4ª.106.A
A'σφυκτον *quid ſignificat.1ª.de præſ.ex pulſ.* 4ª.106.B
ASPIDVM *triplex ſpecies ptyas,chelidonia, cherſea, & quales ſint. de ther.ad Piſ.* 5ª.93.A
Aſpides quomodo parandæ pro cibo.2°.de ar.cur.ad Gla. 7ª.107.F
Aſpidibus nutriuntur Marſi.2°.de ar.cur.ad Glau. 7ª.106.F
Aſpidis exuuium viſum acutiſſimum reddit.de ther.ad Piſ. 5ª.93.F
Aſpis aſpidem non necat.de inæqu.intemp. 3ª.44.C
*cõtra Aſpidem valet theriaca.de ther.ad Piſ.*91.E/ 5ª.98.E
*ad Aſpidis morſus valet antidotus Antipatri.2°.de antid.*5ª.115.H
*ad Aſpidum morſus theriaca Euclidis Palatiani.2°.de antid.*5ª.116.B
Aſpidis morſum ſanans medicina.2°.de antid. 5ª.118.H
ex Aſpidibus emplaſtrum.6°.de comp.med.per gen. 5ª.261.B
ASPLENVM,*& ſcolopendra dicitur & hemionitis.* 5ª.198.E/H
*Aſplenum tenuium eſt partium non tñ calidũ.6°.d ſimp.m.f.*5ª.44.A
*Aſplenos obſtructiones fortes lienis curat.5°.de ſimp.me.fac.*5ª.35.C
*Aſplenum lapides frangit & lienes liquat.6°.de ſimp.me.f.*5ª.44.A
ASYRACVS *vocatus percuſſis a ſcorpio exhibetur.*11°.*de ſimp.med. faculta.* 5ª.82.G
ASSA *qualis ſit.de ocul.* 7ª.188.G
Aſſa maturatiua eſt.de ocul. 7ª.189.C
Aſſa oculis conuenit.de ocul. 7ª.188.B
Aſſa fœtida contra morſum ſcorpionis.de med.exper. Sp.106.D
Aſſæ fœtidæ electuarium.de med.exper. Sp.108.D
ASSANDA *quo modo ſint ſimplicia.4°.de cõp.med.ſec.loc.* 5ª.152.E
Aſſata ſimplicia quo modo cognoſcanꝰ.4°.de cõp.me.ſe.lo. 5ª.152.F
Aſſata conſiderandum an deponant qualitatis vehementiam.2.de ali mentorum facultate. 2ª.24.H
Aſſatio præparat alimentum ori.de bo.& vitio ſuc. 2ª.37.A
*Aſſa ſunt ſicciora.3°.de alim.fa.*2ª.29.D/11°.*de ſimp.m.f.* 5ª.78.E/ *de diſſol.cont.* Sp.74.D
Aſſata quale nutrimentum dant.3°.de ali.fac. 2ª.26.C
Aſſa allia et cruda comeſta expurgãt in icteris.& cura icteri.Sp.111.B
Aſſæ potius quam elixæ edendæ ſunt carnes animalium domeſticorũ. de cura icteri. Sp.111.D
Aſſa elixis commutanda vere ineunte.de ſal.diæ. 2ª.40.C
quomodo Aſſetur caro ſine nidore.de puero epil. 7ª.180.G
ob Aſſationem ambuſtæ carnes quales ſint, & quem gignunt humorẽ. de vict.rat.in mor.acu.com.4°. 7ª.147.C
Aſſæ fabæ cibus craſſus,& cur.de diſſ.cont. Sp.72.H
Aſſa oua dura,cibus eſt craſſus,& cur.de diſſ.cont. Sp.72.H
Aſſa oua dura tarde deſcendunt.de diſſ.cont. Sp.74.H
Aſſatus panis cibus craſſus.de diſs.cont. Sp.72.H
Aſſos piſces dat non febrientibus,elixos vero febrientibus. de vic.rat. in morb.acu.com.4°. 7ª.149.B
ASSAFATI *fit mentio.ſecret.* Sp.97.G
ASSARION. *de pond.& menſ.* 5ª.276.D/G
ASSENTIVNTVR *quandoque homines alicui quæcunque dicenti. de cuiuſque animi pec.not.* 2ª.59.D
Aſſenſum temerarium ſemper refugit Gale.3°.de loc.affe. 4ª.15.A
ASSIMILATIO *quædã eſt nutritio.3°.de ſymp. cau.26.C/* 3ª.29.A
Aſſimilatio ſemper fit a natura.com.1°.aph.3°. Ex.3.G
Aſſimilare quod optimum eſt natura conatur, quod vero peſſimum expellere.2°.de diff.feb. 3ª.37.D
Aſſimilat celerrime proprium nutrimentum, & alterat humidiſſimũ calidiſſimumq; corpus.3°.de ſymp.cau. 3ª.29.A
Aſſimilari alicui dicitur fratrare.de art.com.3°. 7ª.272.A
A'σσος.*i.cibi faſtidium.de vict.rat.in morb.acut.commen.* 2°.119.E/ *commen.4°.* 7ª.145.C
A'σσας *Græci vocant ſtomachi faſtidia.4°.de ſan.tuen.* 2ª.84.E
ASSIDENTIA *ſigna,quæ in* 3ᵐ.*de mor.vulg.com.3°.*3ª.143.H/*com. 1°.aphor.12°.* Ex.5.H
Aſſidentium librum fecit Praxagoras.com.6°.aph.1°. Ex.46.C
ASSISTENTES *debent agere circa ægrum quæ conueniunt.commẽ.1°. apho.1°.* Ex.2.B
Aſſiſtẽtibus vera dicẽda de morbo.in 6ᵐ.de mor.vul.cõ.2°. 3ª.168.E
ASSISTA *electuarium.de med.exper.* Sp.107.B
A'σσῶδες *id eſt faſtidioſi ſiũt bifariam.in* 1ᵐ.*pror.com.2°.* 4ª.175.B
de ASSVETVDINIBVS *ſcripſit Eraſiſtratus.de conſue.* 2ª.61.G
Aſſuetudines debent ſciri ſecundum empiricos.de ſect. Ifa.16.D
ab Aſſuetudinibus ſumitur vna intentio curatiua.de conſue. 2ª.60.C
Aſſuetudinis ratio in inuentione eorũ quæ ad ſanandum cõferunt,magnam ſibi partem vendicat.de conſue. 2ª.60.D
Aſſuetudines cur non mutandæ.5°.de ſan.tuen. 2ª.93.D
Aſſueſcentes alicui rei magna ex parte conuenientẽ ſuæ naturę deligunt conſuetudinem.5°.de ſan.tuen. 2ª.93.H
ASSVTAE *faſciæ,quæ.de faſcijs.* 7ª.293.F
Aſſuta faſcia ad mammam.de faſcijs. 7ª.303.C
Aſſuta iunctura ad anum.de faſcijs. 7ª.304.A
ASSYRIORVM *linguæ ſi ſit vocabulum,ab ipſis Aſſyrijs res diſcenda eſt.ad Thraſy.* 2ª.106.H
Aſſyrius ſuccus.in 6ᵐ.*de mor.vul.com.6°.* 3ª.196.B
AST ACI non habent collum neque caput.8°.de vſu.p. 1ª.164.H
*Aſtaci piſces habent tenuem & mollem teſtam.3°.de ali.fa.*2ª.32.D/ *de ren.aff.dig.& med.* 7ª.195.F
ASTAPHIS, *id eſt vua.6°.de ſimp.med.fac.* 5ª.44.B
Aſtaphis agreſtis ad pſoram accõmoda eſt,ſed & vrendi vim habet. 6°.de ſimp.med.fa. 5ª.44.B
Aſtaphis capite purgat pituitam.6°.de ſimp.med.fac. 5ª.44.B
ASTAINVS *Icodoti cõpoſitione a vitijs ſedis liberatus. 9.de compo. med.ſec.lo.* 5ª.204.H
ASTER *anicetus ad quid ſit vtilis.4°.de comp.med.ſec.lo.*5ª.154.H
ASTER *atticus quid.6°.de ſimp.med.fac.* 5ª.44.A
Aſter atticus refrigerat,reprimit, eſt mixtæ potentiæ vt roſa, tñ non adſtringit.6°.de ſimp.med.fac. 5ª.44.B
Aſter atticus bubones ſanare creditur.6°.de ſimp.med.fac. 5ª.44.B
ASTER *ſamius,qualis.7°.de comp.med.ſec.* 5ª.183.E

Aſter ſamius frigidus & albus.1°.de ſimp.med.fac. 5ª.2.E
Aſter ſamius magis tenuium partium quàm ſamia terra.4°.de comp. med.ſec.loc. 5ª.150.A
Aſter ſamius tenax eſt,& viſcoſus.9°.de ſimp.med.fac. 5ª.66.A
Aſter ſamius leniſsimus in arteriæ inflammationem principijs.7°.de compoſi.med.ſec.loc. 5ª.177.H
Aſter ſamius ad ſanguinis expuitiones valet.9°.de ſimp.m.f. 5ª.65.H
Aſter ſtomachicus.8°.de comp.med.ſec.lo. 5ª.191.D
Aſteris terrę fit mentio.4°.de comp.med.ſec.loc. 5ª.155.A
Aſter inexuperabilis.8°.de comp.med.ſec.loc. 5ª.191.E
Aſter confectio.7°.de comp.med.ſec.loc. 5ª.185.A
Aſteris medicamentum.4°.de comp.med.per gen. 5ª.243.A
Aſterica vrina quæ,& quid ſignificet.de dyn. Sp.34.D
Ασθμα in curſibus,vel exercitijs vehementibus reſpiratio dicebatur tempore Galeni.com.6°.apho.46°. Ex.52.A
Aſthma quid.in 3ᵐ.de mor.vulg.commen.2°.3ª.136.B/commen.6°. apho.46°. Ex.52.A
Aſthma,quid dicitur orthopnęa,quid.com.6.aph.46°. Ex.52.A
Aſthma vnde fiat.in 6ᵐ.de morb.vul.com.4°. 3ª.180.A
Aſthma fit ex ſuperfluitate pituitæ.de ſpermate. Sp.36.G
Aſthma ex bile in ſtomacho quo modo fiat.de ſpermate. Sp.36.H
Aſthmate efficitur pulmo.3°.de præſa.ex pul. 4ª.116.C
Aſthma contingit cõceptis in hora phlegmatis.de ſpermate. Sp.37.C
Aſthmata cur fiant in puerulis accedẽtibus ad pubertatem.com.3°. apho.26°. Ex.25.E
Aſthma quo modo autumno fiat.com.3°.aph.22°. Ex.24.F
Aſthma cur fiat in conſiſtentibus.com.3°.aph.3°. Ex.26.E
ex Aſthmate aut tuſſi qui gibbi fiunt,ante pubertatem moriũtur.cõ-men.6°.apho.46°. Ex.51.G
Aſthma morbus ſenum.5°.de ſan.tuen. 2ª.92.B
Aſthmata cur fiant.in ſenibus.com.3°.aph.31°. Ex.26.G
Aſthma concomitantur ſenes ad mortem.cõ.2°.aph.40°. Ex.18.A
in Aſthmate acuto minuuntur iugulares.de anat.viuorum. Sp.55.A
Aſthmate infeſtante catharticis vtimur.de dyn. Sp.20.E
in Aſthmate & orthopnœa cauenda ſunt calefacientia valde & refri gerantia.7°.de comp.med.ſec.loc. 5ª.186.G
Aſthmatici qui dicantur.7°.de comp.med.ſec.loc. 5ª.186.C
Aſthmaticis quæ conueniant.7°.de comp.med.ſec.loc. 5ª.186.F/G
Aſthmaticis medicamentis inditur myrrha.8°.de ſimp.me.fa. 5ª.61.A
Aſthmaticorũ remedijs cur naſturtiũ miſcetur.7°.& ſimp.m.f. 5ª.50.A
Aſthmaticis idonea eſt ariſtolochia rotunda.6°.de ſim.m.f. 5ª.43.F/ *de med.exper.* Sp.104.C
Aſthmaticis prodeſt calamintha.7°.de ſimp.med.fac. 5ª.49.E
Aſthmaticos iuuat ſuccus centaureę.de virt.centau. Sp.94.A
Aſthmaticis prodeſt cyclamini cyſſanthemi fructus.7°.de ſimp.med. facultatibus. 5ª.53.F
Aſthmaticis ſiue anhelantibus exhibetur cyclamini radix ſicca.7°.& ſimp.med.fac. 5°.53.E
Aſthma curat decoctio hyſſopi.de med.exper.106.F/ Sp.107.D
Aſthmaticis datur lapis armenus.de dyn. Sp.21.C
ad Aſthma dantur penidia.de med.exper. Sp.106.F
Aſthmaticis facit diapenidion magnum.de dyna. Sp.26.D
Aſthmaticos adiuuat pix humida.8°.de ſimp.med.fa. 5ª.58.E
Aſthmaticos iuuat pulmo vulpinus.11°.de ſimp.med.fac. 5ª.79.H
ad Aſthmata ſiue anhelationes valet ſmyrnij ſemen.8°.de ſimp.med. facultatibus. 5ª.61.B
Aſthmaticis auxiliatur ſotira.de dyn. Sp.26.B
ad Aſthma aptum eſt ſpondilij fructus.8°.de ſimp.med.fac. 5ª.61.G
ad Aſthma valet theriaca.de thear.ad Piſo. 5ª.91.F
ad Aſthma medicamen.de me.exp.140.B/H/105.B/G/Sp.160.E/G/C
ad Aſthma antiquũ valẽs medicamẽ.de me.exp.106.C/ Sp.107.A/E
ad Aſthma valet electuariũ ſcillæ.de med.exper. Sp.108.D
Aſthmaticos peculiariter adiuuans electuarium.de dyn. Sp.27.C
ad Aſthmaticos.7ᵛ.de cõp.me.ſe.l. 5ª.186.E/ *de medi.facile par.7°. 165.F/ſecret.97.B/99.A/de med.exper.* Sp.105.E
ASTORONIS *experimentatoris medicina.de med.exp.* Sp.104.A
ASTRAGALITIS *iris.1°.de comp.med.ſec.loc.* 5ª.125.A
ASTRAGALVS *adſtringit,& exiccat.6°.de ſimp.me.fac.* 5ª.44.A
Aſtragalus vlcera vetera glutinat,& aluum fluxu tẽtatam ſiſtit.6°. de ſimp.med.fac. 5ª.44.A
Aſtragali fit mentio.9°.de comp.med.ſec.loc. 5ª.202.D
ASTRA *mouentur,& non videntur.4°.de diff.pulſ.* 4ª.66.C
Aſtro nullo indiget Sol.3°.de die.decre. 4ª.157.A
Aſtrorum ortus & occaſus medico obſeruandi ſunt. de aere, aquis, & locis. 2ª.2.D
Aſtra quæ præcipue conſideranda.de aere,aquis,& locis. 2ª.4.D
ab Aſtris figuram contraxit Alexander.de ſpermate. Sp.38.G
ASTRONOMI *inter rõnales nũerãtur.de cuiuſq; aĩ pec.no.* 2ª.60.A
Aſtronomia prædiſcenda medico.ſi quis opt.med.Iſag.6.B/1°. meth. medendi. 7ª.2.D
Aſtronomia innititur arithmetice & linearum ſcientiæ. de cuiuſque animi pec.not. 2ª.58.B
Aſtronomiæ methodus quæ.de cuiuſq; animi pec.not. 2ª.57.B
Aſtronomiæ finis in contemplatione conſiſtit.ad Thraſy. 2ª.106.D
Aſtronomia acuit animum.de cuiuſque animi pec.not. 2ª.56.G
de Aſtronomia ſcribentes laudandi.3°.de die.decr. 4ª.157.C
Aſtronomia callebat Galeni pater.de cogn.cur animi mor. 2ª.54.D
Aſtronomia a nonullis contẽnebatur.1°.de nat.fac. 1ª.293.A
de Aſtronomicis inſtrumentis exemplum.14°.de vſu par. 1°.205.E
ASTROLOGIA *& diuinatione tm̃ vtuntur diuites, q̃tum ad quidendũ faciat quorum hæredes eſſe debeant.de præcog.ad Poſth.* 4ª.214.C
Aσθενία.i.imbecillitas.2°.meth.med. 7ª.10.D
Ασθενοῦντες *qui vocentur.2°.meth.med.* 7ª.10.D
ASTVTORVM *forum Athenis. in 3ᵐ.de morb.vulg.com.2°.137.G/ commen.3°.* 3ª.140.E
ad ASTYDAMANTEM *Heraclidis.2°.de anti.117.H/ 4°.de comp.me dicamen.per ge.* 5ª.241.C
ATAGENES volucres laudabiles.de ren.aff.dig.& me. 7ª.195.F
Atagenes neq; craſſum faciũt,neq; tenuãt.de bo.& vit.ſuc. 2ª.34.H
Atagenis caro concoctu facilis.3°.de ali.fac. 2ª.29.C
Atagenarum caro quibus commoda.6°.de ſan.tu. 2ª.99.G
Atagenes conueniunt ſtomachicis.8°.de comp.med.ſec.loc. 5ª.192.C
ATAXIA *eſt acoſmia.in prog.com.3°.* 4ª.207.G
ATERAMNA *quæ dicuntur.de bo.& vitio ſuc.* 2ª.36.G
ATHANASIA *compoſitio.4°.de loc.aff.* 4ª.28.D
Athanaſia antidotus.8°.de comp.med.ſec.loc. 5ª.194.H
Athanaſia antidotus Mithridatis.2°.de antid. 5ª.114.H
Athanaſia calefacit,& exiccat.8°.meth.med. 7ª.54.D
Athanaſia ad quotidianas acutas in æſtate.de dyn. Sp.32.E
Athanaſiam aſſumat ſenex,qui cibis obſtruentibus ſit vſus. 5°.*de ſa-nitate tuenda.* 5ª.91.E
Athanaſia ad abſceſſus in viſceribus.14°.met.med. 7ª.90.F.
ATHENAEVS *inter pneumaticæ ſectæ probatiſſimos numeratur.2°.de ſymp.cau.* 1ª.21.H
Atheneus et Ariſtoteles delectanť demõſtratiõib.2°.& ſem.1ª.337.B
Athenæus quę elementa poſuit.intro. If.52.F
Athenæus de arte augurãdi ſcripſit.& vic.rat.ĩ mor.acu.c.1° 7ª.110.C
ſm Athenęum plus habent nati a matre q̃ a patre.2°.de ſem.1ª.336.G
Athenæo nõ eſt adhibẽda fides in mẽbris ſeminalib.mulierũ. 1ª.336.C
Athenæus elaborauit ſcientiã medicã vniuerſam.1°.& elemẽtis.1ª.5.G
Athenæi opinio de febris materia.1°.de diff.feb. 3ª.32.G
Atheneus ſcripſit de pulſibus.3°.de diff.pul. 4ª.62.D
Athenæi pulſus definitio.4°.de diff.pulſ 4ª.69.B
cũ Athenæo ſentit Galenus in motu pulſus.4.de diff.pulſ. 4ª.69.A
Athenæus reprehendit medicos de rigore.2°.de ſymp.cau. 3ª.21.B
Athenæi infuſum.9°.de comp.med.ſec.loc. 5ª.203.F
ATHENA,*hoc eſt Minerua, appellatum emplaſtrum.2°.de compoſit. med.per gen.221.C/6°.* 5ª.258.H
Athena emplaſtrum.2°.de comp.med.per gen. 5ª.221.C
ATHENIENSIBVS *leges dedit Pallas.an animal ſit.* 1ª.328.E
Athenis myſteria ſunt qñ mẽſis Septẽber Romę.4°.de ſan.tu.2ª.86.G
Athenis pauci imprudentes & multi philoſophi.q̃ aĩ mor. 1ª.321.H
Atheniẽſiũ lingua multas paſſa eſt mutatiões.2°.de dif.pul.4ª.54.H
Athenis Aſtutorum forum.in 3ᵐ.de mor.vulga.comment.2°.137.G/ commen.3°. 3ª.140.C
Athenis peſtis magna.de ſymp.diffe. 3ª.11.H
A'θέρα *pulticulam ſignificat.2°.met.me.9.E/14°.* 7ª.90.E
A'θέρωμα *nomen habuit a ſimilitudine ad aliquid extra poſitum.2°. methodi medendi.* 7ª.9.E
Atheroma quid.ſi.med. If.48.H
Atheroma affectus circa cutem capitis.intro. If.59.F
Atheroma futurarum diſtentio.intro. If.59.C
Atheroma affectus iuncturarum cubiti.introd. If.59.C
A'θέρω. *apoſtematis genus.14°.met.met.* 7ª.90.E

Atheromata

Atheromata fiunt ex commixtis humoribus.de cau.morb. 3ª.8.B
Atheromata sunt ex toto genere præter naturam.de diff.mor. 3ª.4.F
Atheromata numerantur inter morbos, qui oriuntur, cum prius non essent.14°.met.me.92.D/ 7ª.93.C
Atheromatum tumor differt ab alijs.ad Thrasyb. 2ª.105.A
Atheromatum fit mentio.1°.de tumor.præt.nat. 3ª.83.G
Atheroma quo modo sanetur.14°.meth.med. 7ª.93.F
Atheromata oblationem sui indicant.3°.met.me. 7ª.16.D
in Atheromatibus inutile abijcitur.de cau.morb. 3ª.9.D
Atheromatibus quid conferat.de virt.cent. Sp.93.G
Atheroma excidere, & putrefacere licet.14°.met.me. 7ª.90.E
ATHLETICA *an sit ars.in ora.suasoria.* Isa.4.A
Athleta vnde dicatur.in ora.suasoria. Is.5.A
Athletarum ars quando cœpit.ad Thrasy. 2ª.107.B
Athletica est ars scelerata.ad Thras. 2ª.107.H
Athleticam artem odit bene instituta respub.ad Thras. 2ª.109.B
Athleticæ species pancratium.in or.suasoria. Isa.5.A
Athleticæ species cæstus.in or.suasoria. Is.5.A
Athletarum exercitationes quædam.de sal.diæ. 2ª.41.D
Athletis solis qd exercitationis genus in vsu sit.3°.de sa.tu. 2ª.80.F
Athletas exercentes quo modo appellentur.ad Thra. 2ª.109.B
Athletæ cur se oleo fricant.2°.de simp.med.fac. 5ª.11.B
Athletarum emplastrum.5°.de comp.med.sec.lo. 5ª.162.A
ad Athleticã affectionem quod pertinet luctatoria athleticæ arti adipiscitur.ad Thra. 4ª.109.B
Athletæ diu, et vehemẽter mouenĩ citra lassitudinẽ.d cau.mor.3ª.6.h
Athletis præsto adsunt lassitudines, nisi apotherapia deuitentur, & cur.2°.de san.tu. 2ª.76.G
Athletæ cur potius obstruuntur in exercitatione, quàm expurgẽtur.2°.de san.tuen. 2°.77.G
Athleticus habitus, qui ad Thras. 2ª.102.C
Athleticũ habitũ hẽt Gal.p optima cõstitutione.de atra bile. 1ª.37.D
Athletæ bonũ habitũ hõt, sed periculosum.cõ.1°.apho.3°. Ex.3.E/F
Athleticus habitus nõn sanus.2°.de san.tuen. 2ª.77.G
Athletæ cur vtantur cibis crassis & viscosis.1°.de alim.fac. 2ª.10.B
Athletę suã carne vescebanĩ.3°.de ali.fa.25.G/2°.de san.tu.2ª.77.G
Athletæ cur soli vtuntur suillis carnibus & pane ex caseo.1°.de alẽmen.facultatibus. 2ª.10.B
Athletarum panis qualis.5°.de san.tuen. 2ª.91.F
Athletæ deterius coquunt panes optimos, quàm messores & fossores robusti.1°.de alim.fac. 2ª.10.A
Athletæ qui panis commodus.1°.de alim.fac. 2ª.10.A
Athletis carnis duæ minæ sunt parum.2°.de digno.puls. 4°.76.G
Athletæ cur multum comedere possint.com.1°.aph.15°. Ex.8.B
Athletæ cur cibos valentiores acciperent in cœna.7°.me.m. 7ª.46.B
Athletæ quibus vesci debent.de ren.aff.dig.& med. 7ª.195.B
Athletarum sanguis qui.de atra bile. 1ª.35.C
Athletæ quo modo extenuatis parare carnem studerent, & è contrario.de sal.diæ. 2ª.41.D
Athletæ non vtuntur venere 6°.de loc.aff. 4ª.42.G
Athletæ cui affectui sint proni.3°.de san.tuen. 2ª.80.F
Athletæ quo genere mortis obeunt.ad Thras. 2ª.107.G
Athletæ ex puluere suffocati.11°.de vsu par. 1ª.188.E
Athletis rhododaphnis terga dirumpuntur.in or.suasoria. Isa.4.G
contra Athletas inuehitur Galenus.in or.suasoria. Isa.4.C/*ad Thras.* 107.B/H/ 2ª.109.E
Athletæ studium pessimum est.ad Thra. 2ª.107.G
Athletis valentior Galenus.ad Thra. 2ª.109.C
Athleta non melior bestijs.in or.suasoria. Isa.4.A
Athletarum comparatio ad concussum murum.in or.suas. Isa.4.H
Athletis quę acciderent in 1ᵐ.de morb.vulg.com.1°. 3ª.105.A
Athleti Secundi nominati casus ex imbecillitate septi transuersi.4°.de locis affectis. 4ª.25.A
ATHROOS *significat vniuersum vel magnis portionibus, & celeriter.1°.de symp.cau.* 3ª.16.H
ATOMVS *quid.1°.de elementis.1ª.2.F/de diff.morb.* 3ª.2.E
Atomos primus excogitauit Leucippus.de hist.philos. Sp.2.G
Atomus Epicuri.de diff.mor. 3ª.2.E
Atomos, vacuum aera putabat Democritus.aduer.emp.med. Is.35.C
ex Atomis est corporũ cõpositio secũdũ Democritũ.1°.d elem.1ª.2.E
ex Atomis qualitates fiunt secundum Democritum.1°.de elem.1ª.2.E
Atomi sunt clementa secundum aliquos.17°.de vsu par. 1ª.221.E
Atomus nullam habet qualitatem.de const.ar. Is.38.A
ex Atomis corpora humana esse conflata dicentes reprehendũtur.11°.de vsu partium. 1ª.186.G
ex Atomis corpora non constare probatur.1°.de elem. 1ª.2.F
ex Atomis q homo non constet.de diff.mor. 3.2.E
Atomus dicitur ab aliquib° spũs primus in mũdo.an ani.sit.1ª.327.A
Aτοvία.i.imbecillitas.4°.meth.me. 7ª.26.D
ATRVM quandoque frigiditatem ostendit, quandoque caliditatem, quæsita in Hippo. Sp.113.E
Atrum quo modo cognoscitur esse a frigido, at quo modo a calido.quæsita in Hippo. Sp.113.E
Atra bilis cum adiectione atra nominatur, sed amara bilis sæpe dicitur bilis simpliciter.com.7°.apho.32°. Ex.57.D
p Atra bile bilis vocabulo vtitur Galenus.ad ther.ad Piso. 5ª.96.D
Atra bilis & pituita, quid sint, & quos pariant morbos secundum Platonem.contra ea quæ à Iul.in Hippo.aph. Ex.67.E
Atra bilis affinis est pituitæ.de spermate. Sp.38.C
Atra bilis cur sit nigra.de mel.ex Gal.Rv.& Poss. Sp.109.E
Atra bilis fit ex sanguinis fæce.9°.de comp.med.sec.lo. 5ª.198.C
in Atrã bilẽ et bilẽ flauã quo mõ vertat sanguis.2°.de crisi. 4ª.138.D
Atra bilis ex calore sufficienter immodico fit.2°.de crisi. 4ª.138.D
Atra bilis ad dupliciter fit ex crasso sanguine, et bile combusta.in 6ᵐ.de morb.vulg.com.6°. 3ª.195.F
Atra bilis generatur dupliciter.& quo modo.in 1ᵐ.prorh.cõ.1°.162.F/164.D/in progn com.3°.4ª.210.A/com.3°.aph.22°.24.F/com men.6°.aph.53°. Ex.53.B
Atra bilis dupliciter generatur, & quo mõ.in prog.cõ.3°. 4ª.210.A
Atra bilis superassatur in febre ardente.3°.de loc.affe. 4ª.18.A
Atra bilis ex bile assata malefica.fit in prog.com.3°. 4ª.210.A
Atra bilis fit ex sanguine assato, crasso, adusto.d vic.ra.in morbis acutis.com.2°. 7ª.120.F
Atræ bilis differentię.3°.de loc.affe. 4ª.18.A
inter Atram bilem & melancholicum sanguinem ponit differentiam.5°.de locis affectis. 4ª.34.E
Atra bilis quomodo generetur, & differat ab humore melancholico.com.4°.aph.21°. Ex.29.D
Atra bilis et sanguis niger, quo mõ differũt.cõ.4°.aph.23°.Ex.39.H
Atra bilis quę propria sit, & qui humor melancholicus.com.4°.aph.21°.29.D/com.6°.aph.53°. Ex.53.B
Atra bilis quæ dici non possit, & vnde fiat.2°.de loc.aff. 4ª.18.A
Atrabilarius sangnis habet serum atrabilarium.4°.d sa.tu.2ª.83.H
Atræ bilis serum, quale.in 6ᵐ.de morb.vulg.com.2°. 3ª.167.E
Atram bilem nullum animal gustauit.14°.meth.med. 7ª.89.E
Atræ bilis qualitates.14°.meth.med. 7ª.89.E
Atra bilis ẽ veluti aceũ.14°.met.7ª.89.E/cõ.4°.aph.23°.Ex.29.H
Atra bilis acida, & fermentosa est.14°.met.med. 7ª.89.E
Atra bilis quo modo acida intelligatur.14°.met.med. 7ª.89.E
Atra bilis sincera acida est.de vict.rat.in morb.acu.cõ.3°.7ª.130.H
Atra bilis in terram eiecta eleuatur.in 1ᵐ.pror.com.2°. 4ª.174.G
Atra bilis est acris, corrodens, effusa in terram bullit, acida est veluti sanguinis limus, qualis fax in vinis crassioribus consistentibus.cõ.4°.aph.21°. Ex.29.D
Atra bilis fusa non concreta, fulgentem habẽs calorẽ, mordax vt acetum, terram abradit, fermentat.com.4°.aph.23°. Ex.29.H
in Atra bile quid sit fermentatio, & feruor.14°.med.med. 7ª.89.E
Atra bilis p oculos hẽt respirationẽ.de na.& or.vniuscu.cor. Sp.41.E
Atra bilis per quas partes descendit.2°.de arte cur.ad Gla.7ª.107.C
Atra bilis abundat ætate declinante, & autũno. breuis denotatio dogmatum Hippocratis. 1ª.231.B
Atra bilis autumno abundat, duobus succis æstate perustis, sanguine, & pallida seu flaua bile.in 1ᵐ.de morb.vul.com.1° 3ª.100.H
Atra bilis cur autũno & vere generetur.cõ.3°.aph.20°.Ex.24.A/B
Atra bilis dominantis indicium est temporis inæqualitas.1°.de arte curatiua ad Glauconem. 7ª.96.B
Atra bilis quo tpe crescat.de nat.& ord.vniuscuiusq; corp. Sp.41.D
Atra bilis quibus horis dominetur.de spermate.38.C/de natura, & ordine vniuscuiusque corporis. Sp.41.E
Atrabilaris infans quibus horis efficiatur.de spermate. Sp.38.A
Atræ bilis horis si puella sit concepta, quid sequatur.de sper. Sp.38.C
in Atræ bilis horis si puer sit conceptus, pater in horis flauæ bilis mater in horis sanguinis quid eueniat.de spermate. Sp.38.D
in Atræ bilis horis si cõceptio oĩum fuerit, qd sequat.& sper. Sp.38.E

Atra bilis cui proportionatur. 2°. de arte cur. ad Glau. 7ª.107.C
Atræ bilis exhalationis ad caput comparatio ad fuliginem in aere. in prognost. com. 3°. 4ª.210.F
Atram bilem qui facile gignant, & quę ad illam generandam adiuuẽt. de mel. ex Gal. Ruf. & Poss. Sp.109.F
Atrabilarijs, vel bilioſum ſuccũ gignũt laborãtes. 4ª. de ſa. t. 2ª.83.F
Atram bilem maxime generant labores diuturni. 4°. de ſa. tu. 2ª.83.G
Atram bilem generantes cibi, qui ſint. de diſſol. con. Sp.74.A
Atram bilem quando faciunt alia, & capræ. de diſſol. cont. Sp.74.C
Atram bilem generant caules. de diſſol. cont. Sp.74.C
Atram bilem facit caro capræ antiquæ. de diſſol. cont. Sp.74.A
Atram bilem generant lentes. de diſſol. cont. Sp.74.B
Atram bilem generant piſces ſaliti, antiqui. de diſſ. cont. Sp.74.B
Atra bilis ĩ ſplene dominatur. de na. & or. vniuſcuiuſq; cor. Sp.41.D
Atra bile nutritur ſplen. 2°. de ar. cur. ad Glauc. 7ª.107.C
Atra bilis manet in ſplene, quoad deijciatur. de ana. viu. Sp.51.B
Atra bilis cur nõ coacernatur ĩ venis. 2°. de ar. cur. ad Glau. 7ª.107.C
Atra bilis qd faciat in humano corpore. bre. denot. dog. Hip. 1ª.231.C
Atra bilis quos faciat mores. de na. & ord. vniuſcuiuſq; cor. Sp.41.E
ab Atra bile, & phlegmate diuturnos fieri morbos inquit Hippocra. bre. denot. dogm. Hippo. 1ª.231.D
Atra bilis morbus chronicus. com. 1°. apho. 12°. Ex.5.D
Atræ biles faciunt melancholiam. com. 3°. aph. 22°. Ex.24.G
Atra bilis tenebræ animæ rationalis. 2°. de ſymp. cau. 3ª.24.D
ex Atra bile cũ principiũ rationalis animę occupauit, cur timor mærorq; ac mortis expectatio accidant. 2°. de ſymp. cau. 3ª.24.D
Atræ bilis color reddens mentem ſimilem tenebris, timorem efficit. 3°. de locis affectis. 4ª.19.C
ad Atræ bilis naturam ſi vergat humor infeſtus, in ſomnis tendens ad caput timores facit. com. 4°. aph. 67°. Ex.34.F
Atra bilis ex flaua fcã facit ĩſanias ſatis furioſas. c. 6°. a, 53°. Ex.53.B
Atra bilis comitialem facit. 3°. de loc. aff. 4ª.18.C
Atra bile plenus ſi exerceatur incidit ĩ apoplexiã, vl̃ comitialẽ morbum, aut ruptionem vaſis in pulmone. com. 3°. aph. 20°. Ex.24.C
Atra bilis facit inſanabilem difficultatem inteſtinorum. Ex.29.H
Atra bilis habet febres per quartum diem. com. 1°. aph. 12°. Ex.5.D
Atra bilis redundat in quartana febre. 2°. de criſi. 4ª.134.G
Atræ bilis pũlſus. de natura, & ord. vniuſcuiuſque corpo. Sp.41.F
Atrabilarij habent vapores vti ſuffuſiones. de mel. ex Gal. Sp.109.G
Atra bilis quo mõ cognoſcatur præualere. 6°. de cõp. m. ſ. l. 5ª.176.E
Atra bilis deterrima. in progn. com. 2°. 4ª.202.E
ab Atra bile corrupta vitium capitis eſſe indicat nigrior cutis capitis color. de remed. par. fac. 7ª.154.F
Atræ bilis ſignificatur timore, & mœſtitia longo tempore perſeuerãtibus. com. 6°. apho. 23°. Ex.48.E
Atra bilis futuræ ſigna. com. 6°. aph. 23°. Ex.48.E
Atram bilem ſignificat ſomnium ſumi, caliginis, & tenebrarum. de præſag. ex inſom. ſum. 4ª.213.C
Atra bilis ſi abundat ſputum eſt nigrum. 5°. de loc. aff. 4ª.29.H
Atrę bilis ſymptomata ſunt flatus hypochondriaci accidentia. 5°. de locis affectis. 4ª.32.H
Atræ bilis ægritudo quo modo curanda. de natura & ordine vniuſcuiuſque corporis. Sp.41.G
Atra bilis inueterata difficulter curaĩ. de mel. ex Gal. Ruf. Sp.109.H
Atrabilarijs qui cibi cõueniant. de mel. ex Gal. Ruf. & Poſ. Sp.110.D
Atra bilis a mordentibus irritatur. 14°. met. me. 7ª.89.H
Atrabilarijs obeſt aceti acredo. dẽ victꝰ ra. in mor. ac. cõ. 3°. 7ª.130.G
ad Atram bilem præſidia communia. de mel. ex Gal. Ruf. Sp.109.H
in Atra bile quę vena ſecanda. de mel. ex Gal. Ruf. & Poſſ. Sp.109.H
Atrabilarijs mulieribus quibus menſes defecerunt quæ vena ſecãda. de mel. ex Gal. Ruf. & Poſſ. Sp.109.H
ab Atra bile multos ſeruauit Galenus eos ineũte vere euacuãs. quos pur. op. quib. me. & quo temp. 5ª.88.C
Atram bilem educente medicamento purgantur melancholia, cancer & elephantiaſis. quos purg. oportet. 5ª.88.F
ad Atrabilarias materias craſſas medicamenta mediocria. 14°. methodi medendi. 7ª.89.H
Atra bilis quibus euacuari debet. com. 6°. aph. 47°. Ex.52.B
Atrã bilẽ medicamẽto purgãte ſanauit Gal. cõ. 6°. aph. 47°. Ex.52.C
Atra bilis quibus quandoque ſaneĩ. in 6ᵐ. de mor. vul. c. 2°. 3ª.163.A
Atram bilem educentibus in quibus vtamur, & qñ. de dyn. Sp.21.B
Atra bilis purganda cum vincit. 4°. meth. med. 7ª.28.E
Atra bilis difficulter euacuatur. 14°. met. med. 7°.92.G
Atra bilis non eſt euacuanda niſi cocta. quos purg. oportet. 5ª.83.F
Atrorum medicamenta ſero quàm aqua diluere præſtat. 10°. de ſimp. med. fac. 5ª.73.G
Atram bilem educentia, quæ de cathart. 94. G/ de mel. ex Galeno Ruf. & Poſſ. Sp.110.A
Atra educit acetum. de victꝰ rat. in morb. acut. com. 3°. 7ª.130.G
Atram bilem educit epythimus. de dynamid. Sp.21.B
Atram bilem educunt epithymus & elleborus. de cathart. Sp.94.E
Atrã bilẽ purgat hiera ex veratro nigro. 1°. de cõp. med. ſ. l. 5ª.121.E
Atram bilem educit lapis armenius. de dynamidijs. Sp.21.C
Atram bilem educit peplium. de dyn. Sp.21.A
Atram bilem educit polypodium. de dyn. Sp.21.B
Atram bilem educit pulegium. de dyn. Sp.21.C
Atram bilem educit tithymalum. de dyn. Sp.21.F
Atram bilem educit tragoriganum. de dyn. Sp.21.C
Atra bilis de ſe eſt ſincera deiectio. com. 7°. aph. 23°. Ex.56.E
Atra bilis qũo differat a deiectiõibus nigris. cõ. 4°. aph. 29°. Ex.29.D
Atra bilis vel ſupra vel infra exiens in principio morbi letale. cõmẽ. 4°. apho. 22°. Ex.29.F
Atra bile deſubter exeunte extenuatis poſtridie moriuntur. commen. 4°. apho. 23°. Ex.29.G
Atram bilem generantibus ſi inflatur ſtomachus, quid ſuccurrat. 8°. de comp. med. ſec. loc. 5ª.192.B
ad Atræ bilis vomitum. de remed. par. fa. 7ª.159.B
ad Atrabilarem vomitum. 3°. de med. fa. par. 7ª.176.H
Atra bilis facta ob retẽtas euacuationes hæmorrhoidũ. de venæ ſect. aduer. Eraſ. 6ª.7.E
ab Atra bile habitis ſuperueniẽtes hæmorrhoides bonũ. & venæ ſect. adu. Er. 6ª.7.E/ com. 6°. aph. 11°. Ex.47.D
Atra bilis. lege Melancholia, & Cholera nigra.
Atrabilarij humores qui proprie ſint. 3°. de loc. aff. 4ª.18.A
Ater humor excretus quandoque bonum. de atra bile. 1ª.34.E
Atri humoris utriuſq; notas a pueritia didicit Gal. & atra bile. 1ª.34.b
Atre nubes quo modo. in 1ᵐ. de mor. vul. com. 1°. 3ª.104.C
Ater ſanguis craſſus quos morbos faciat. de atra bile. 1ª.35.A
Atras venas habentibus, & mediocriter tenues minus parcẽdum in miſſione ſanguinis. præſag. exper. confir. Sp.77.H
Atra vrina aut raro aut nunquam eſt tenuis. quæſ. in Hipp. Sp.113.E
Atræ vrinæ quid ſignificent. quæſ. in Hip. Sp.113.E
Atræ vrinæ in lienoſis ſunt minus perniciоſæ. quæſ. in Hip. Sp.113.E
Atra vrina in viro, & muliere eſt peſſima. & vri. ſig. ex Hip. Sp.78.G
Atra vrina in viris, & mulieribꝰ peßima eſt. quæſ. in Hip Sp.113.F
Atra vrina, & aquoſa, & craſſa, & male olens letalis eſt. de vrinæ ſignific. ex Hipp. Sp.78.G
Atra hypoſtaſis, vrina male olente in acuta ægritudine, letale eſt. quæ ſita in Hipp. Sp.113.E
Atra vrina in acutis ęgritudinibus vt plurimum pernicioſa eſt. quæſita in Hippocratem. Sp.113.E
Ἀτραχήλος *homo. 1°. de diff. pul.* 4ª.48.F
ATRACTYLIS *planta ſpinoſa. 2°. de ali. fac.* 2ª.22.E
Atractilis deſiccat, & parum digerit. 6°. de ſimp. med. fac. 5ª.44.B
ATRACIS *planta ſpinoſa. 2ª. de ali. fac.* 2ª.22.C
ATRAMENTVM *Indicum, quale. de compoſi. medicam. ſecundum locos. 151. F/* 5ª.156.F
Atramentum librarium. 4°. de comp. med. ſec. loc. 5ª.158.A
Atramentum memphiticum. 4°. de comp. med. ſec. loc. 5ª.158.A
ad Atramentum ſcriptorium. in progn. com. 1°. 4ª.190.E
Atramentum ſcriptorium præparabatur in vſum medicamentorum. 2°. de comp. med. ſec. loc. 5ª.140.B
Atramentum ſcriptorium, quale. de ſimp. med. fa. 5ª.70.B
Atramẽtũ ſcriptoriũ pergamenũ laudat. 2°. de cõp. me. ſe. lo. 5ª.140.B
Atramentum ſutorium quid. 9°. de ſimp. med. fac. 5ª.71.B
Atramentum ſutorium quomodo colligatur. 9°. de ſimp. m. fa. 5ª.71.C
Atramentum ſutorium quale. 5°. meth. me. 7ª.31.D/ 3°. *de comp. med. ſecun. loc. 147. B/ 6°.* 5ª.172.H
Atramentum ſutorium crudum. 4°. de comp. med. ſe. lo. 5ª.155.G
Atramẽtũ ſutoriũ vſtũ. 3°. de comp. med. ſec. loc. 147. H/ 5ª.148.A/B/C
Atramentum ſutorium adſtringit. 1°. de alim. fac. 2ª.9.B
Atramentum ſutorium adſtringens ſummum. 3°. de ſimp. m. f. 5ª.21.E
Atramentum ſutorium vehementer adſtringit, & habet magnam caliditatem. 9°. de ſimp. med. fac. 5ª.71.C

Atramentum sutorium calefacit valde, & adstringit parum. 6°. de cõ po. med. per gen. 5ª. 256. B

Atramentũ sutoriũ siccat euidenter. 4°. de cõp. med. per ge. 5ª. 240. H

Atramentum sutorium omnium maxime condire seruareq; carnes humidas potest. 9°. de simp. med. fac. 5ª. 71. C

Atramentum sutorium olentia balnea, fortius resiccant. 7°. de comp. med. sec. loc. 5ª. 177. E

Atramentum sutorium stomacho valde obest, & est contrarium humanæ naturæ. 6°. de comp. med. sec. loc. 169. A/8°. 5ª. 190. A

Atramento sutorio vlcera maligna in ore sanantur. 6°. de comp. medi. secundum locos. 5ª. 169. B

Atramentum sutorium seruat colorem medicamẽtorum viridium. 2°. de comp. med. per gen. 5ª. 220. B

Atramentum sepiæ. 1°. de comp. med. sec. loc. 5ª. 124. F

ATRAPHAXIS *id est triplex. 6°. de simp. med. fac.* 5ª. 44. C

ATRETORVM *curatio introd.* If. 60. B

Atretæ fœminæ quæ. 3°. de symp. cau. 3ª. 29. H

ATRIPLEX *frigidum est. in 6m. de morb. vul. com. 5°.* 3ª. 194. B

Atriplex humidum est in secundo ordine, frigidum in primo. 6°. de simplic. medic. fac. 5ª. 44. C

Atriplex perhumidum & lentum est. 1°. de alim. fac. 2ª. 8. C

Atriplex hortense humidius est, & frigidius sylueſtri. 6°. de simplici. medic. fac. 5ª. 44. C

Atriplex calefaciendi vim non habet. de bo. & vitio suc. 2°. 38. H

Atriplex & blitũ aquosiora sunt aliis oleribus. 2°. de ali. fac. 2ª. 23. B

Atriplex aqueum est & terreũ vt malua. 6°. de simp. me. fa. 5ª. 44. C

Atriplex aqueum est, & minimum habet acris facultatis. de attenuãtis victus rat. 2ª. 43. H

Atriplex abstergendi vim habet, & ad auriginem ex pituitæ infarctu prognatam vtile est. 6°. de simp. med. fac. 5ª. 44. C

Atriplicis caulis est siccus. 2°. de alim. fac. 2ª. 24. A

Atriplex est de cibarijs medijs. de diff. cont. Sp. 74. C

Atriplex manditur ex oleo, garo, & aceto. 2°. de alim. fac. 2ª. 23. C

Atriplex ẽ mediocris ĩ bonis et malis succis. & bo. et vitio suc. 2ª. 37. g

Atriplex generat humores viscosos, crassos, & frigidos. 2°. de simp. me. fac. 5ª. 14. D/*de puero. ep.* 7ª. 180. D

Atriplex parum nutrit. 2°. de alim. facul. 2ª. 23. C

quam Atriplex cur potius brassicam aliqui offerunt senibus. 5°. de sanitate tuenda. 2ª. 92. C

Atriplex cur facile descẽdat & subducat ventrẽ. 1°. de ali. fa. 2ª. 8. C

Atriplex semẽ supprimit, nõ tñ corrũpit. 6°. de simp. me. fa. 5ª. 38. C

Atriplex in febre dandum. 4°. de san. tuen. 2ª. 87. G

Atriplex danda p cibo ĩ tertiana febre. 1°. & ar. cur. ad Glau. 7ª. 97. C

Atriplex pro cibo in cancro. 2°. de arte cur. ad Glau. 7ª. 107. E

Atriplex conuenit epilepticis. de puero epilep. 7ª. 180. C

Atriplex pro obsonio in cubiti fractura. de frac. comp. 1°. 7ª. 230. G

Ἀτρυτον. *i. sine fistula vlla. de simp. med.* Sp. 90. E

Ἀτροφία *appellatur cum ali corpus desit. 12°. meth. me.* 7ª. 74. H

Atrophia quid sit. 3°. de san. tuen. 2ª. 82. B/ *3°. de symp. cau.* 26. G/*de tot. morbi temp.* 3ª. 89. D

Atrophiæ sunt frustrationes in nutriendi actione symp. diff. 3ª. 12. A

in Atrophia est actioni, priuatio in nutriendi actione. 3°. de symptom. causis. 25. B/ 3ª. 26. C

Atrophia non habet typum. de Typ. 3ª. 90. D

Atrophia secundum quos non est morbus. 1°. met. me. 7ª. 8. B

Atrophia fit in toto animali, & in parte. de symp. diff. 3ª. 12. G

Atrophiam necessario inducit actionis digerendi in corpus alimenti siue priuatio, siue imbecillitas, sicuti etiam alteratricis in quaq; particula virtutis noxa. 3°. de symp. cau. 3ª. 30. D

Atrophia pilorum affectus. fin. med. If. 48. B/C

Atrophia in oculo quid. fin. med. If. 48. E

Atrophia oculorum vlceratio. fin. med. If. 48. D

Atrophia in oculo totum oculum exercet. intro. If. 58. D

Atrophiã præcedũt multa symptomata & quæ. de symp. diff. 3ª. 12. G

Atrophiæ sunt ægritudines iecoris patiẽtis. de vic. nñm corp. Sp. 60. B

Atrophia ex nimia excretione. de symp. diff. 3ª. 12. G

ex Atrophia quomodo fiat virium lapsus in longissimis morbis. 12°. methodi medendi. 7ª. 77. C

Atrophia cur facit graciles. 1°. de san. tuen. 2ª. 65. G

Atrophia laborans aliqua particula qd patitur. de symp. diff. 3ª. 2. G

Ἀτροφίαν *qui patiuntur. 14°. met. med.* 7ª. 91. C

Atrophiæ & tabes non sunt causæ anasarcæ. 1°. de nat. fac. 1ª. 292. F

Atrophia laborantibus atram bilem educimus. de dy. Sp. 21. B

Atrophia quã facit stomachi dissolutio, curata vino ex absinthio. de theria. ad Piso. 5ª. 90. D

in Atrophia ad expurgandam & remouendã prolixam humorum dispositionem vtimur catharticis. de dyn. Sp. 20. E

in Atrophia de malis humoribus facta vtimur catharticis ad restaurandam corporis habitudinem. de dyn. Sp. 20. E

Atrophia macerati iuuant a vespertina frictione. 3°. de sa. tu. 2ª. 82. A

Ἀτροφοῦντας *quo mõ carne impleuit Galenus. 5°. de san. tu.* 2ª. 89. F

Ἀτροφοῦσαι. *i. q̃ ex nutrimẽto fructũ nõ sentiũt. 7°. met. me.* 7ª. 47. B

ATROX *est calumniari hominem qui benedicat. 2°. de sa. tu.* 2ª. 71. H

ATTALVS & Ptolemæus reges inter se certamẽ habuere de libris comparandis. de nat. hu. com. 2°. 7ª. 181. D

Attallus rex Pergamenorum, studiosus medicamentorum. 1°. de cõp. med. per gen. 5ª. 214. D

Attalus rex quæ ambitiosissime ad experientiam conquireret. 10°. de simp. med. fac. 5ª. 72. D

Attalus & Mithridates omniũ simpliciũ, quæ venenis aduersantur, vim experti sunt in condemnatis morti. 1°. de antid. 5ª. 99. F

ATTALICVM *ad digerendum. 1°. de comp. med. per ge.* 5ª. 216. H

Attalica cõpositio ex Mãtiæ cõpõnibus. 8°. de cõp me. se. lo. 5ª. 191. C

Attalici emplastri albi secundum Andromachum compositio. 1°. de cõposi. med. per gen. 5ª. 214. F

ATTENVARE *quid sit. de ijs quæ in med. fi. com. 3°.* 7ª. 218. E

Attenuatio qd sit, et quot fiat modis. in 6m. de mor. vul. cõ. 3°. 3ª. 176. D

Attenuatio a medico facta, qualis. de art. com. 1°. 7ª. 257. B

Attenuatio ex euacuatione continue quidem sequitur, sed laxatio nõ cõtinuo, sed per alia media. de ijs quæ in med. fi. com. 3°. 7ª. 215. G

Attenuantes cibi gustu & olfactu discernuntur. de attenu. victus ratione. 43. G/ 2ª. 44. B

Attenuantia quæ sint. de atte. vic. rat. 2ª. 43. H

Attenuant & incidunt sibi acetosi. de diff. cont. Sp. 72. E

Attenuat corpus & debilitat nimius vsus ciborum subtiliantium. de diffol. cont. Sp. 72. E

Attenuant ac dissoluunt cibi salsi. de diff. cont. Sp. 72. E

Attenuantes cibi, & incidentes humores crassos. de diff. cont. Sp. 74. G

Attenuare corpus & otiosa vita posset, & quo modo. in 6m. de morbis vulgaribus. com. 3°. 3ª. 170. D

Attenuares humores corporis & per inuisibilia foramina excernere nõ põt calor naturalis. de vict. rat. in morb. acu. com. 4°. 7ª. 140. A

Attenuantis facultatis mel est. 7°. de comp. med se. lo. 5ª. 181. A

Attenuat, & excalfacit ferulæ semen. 8°. de simp. med. fac. 5ª. 56. H

quæ Attenuent, & vrinã prouocent. 9°. de cõp. me. se. lo. 5ª. 201. H

Attenuantis victus ratio multos sine medicamentis sanauit. de attenu. vict. ratione. 2ª. 43. F

quæ Attenuent, & perrodant. 8°. de comp. med. sec. loc. 5ª. 189. D

ad Attenuandum pinguem hominem. de dyn. Sp. 30. B

Attenuatoria victus ratio. 3°. de comp. med. sec. lo. 5ª. 145. B

Attenuantibus & calidis miscent cibi flatulenti. 1°. de ali. fa. 2ª. 14. A

in Attenuãte victu a quibus ingñe abstinẽdũ. de atte. vic. rat. 2ª. 45. D

Attenuantibus citra manifestam caliditatem indiget lien. 9°. de cõp. med. secundum loc. 5ª. 198. D

Attenuãtib. ĩdiget obstructio ex qualitate hũorũ. 10°. me. me. 7ª. 62. B

Attenuantia medicamina non possunt efficere bonam habitudinem. de bo. & vitio suc. 2ª. 39. A

Attenuãti victui cõtraria sunt põtica et austera. de att. vi. ra. 2ª. 45. H

Attenuantium vim minuentia, quæ. de atte. vic. rat. 2ª. 44. C

Attenuas phlegma medicamentum. secre. Sp. 101. G

Attenuatorum duplex affectio. 1°. de marc. 3ª. 47. B

Attenuatum corpus qui non habent, aqua frigida non lædunt. 7°. methodi medendi. 7ª. 47. F

Attenuati qui curari possint. de marc. 3ª. 47. B/C

quæ Attenuent pilos. 1°. de comp. med. sec. loc. 5ª. 128. B

Attenuatoria pilorum, & capillorũ. 1°. de comp. me. sec loc. 5ª. 127. E

ATTENTVM *quomodo esse oporteat. 7°. de vsu par.* 1ª. 162. B

ATTICORVM *lingua quadam ex parte vtitur Hippocrates. de frac. commentario. 1°.* 7ª. 223. E

Attica lingua tẽpore Galeni multũ a proprietate sua deciderat, §quid nunc est. § 1°. de comp. med. per ge. 5ª. 213. F

Attica nomina scitu exquisite Gale. ad Thrasy. 2ª. 107. A

Atticam locutionem non curat Gale. in scientijs. de ord. lib. If. 15. F

Attici sermonis affectatores taxat Gale. 2°. de ali. fac. 2ª. 18. F

Atticiſmi affectatores non curant de ſanitate. 2°. de ali. fac. 2ª.18.F
de Atticiſmo non curant medici. 2°. de alim. fac. 2ª.18.F
Atticus thymus optimus eſt. 4°. de ſan. tuen. 2ª.85.C
Atticum mel probatiſſimum eſt. 5°. de ſan. tuen. 2ª.92.E
Atticum mel coctum & crudum quibus vtile. 5°. de ſa. tue. 2ª.90.G
Atticum mel melius habetur ad claritatem faciei & oculorũ. de ſim plic. medica. Sp.87.A
Attica vel pontica cera alba ad phlegmonas & eryſipelata eſt vtilis. 10°. meth. med. 7.65.A
Atticum congium vas magnæ capacitatis. de ſal. diæ. 2ª.41.G
ATTOLIENS *muſculus baſim ſcapularum è directo capitis, vbi & quo modo procedat. de muſ. diſſ.* 1ª.45.B
Attollens brachium ſurſum p̃ rectã lineã muſculus. d̃ muſ. diſ. 1ª.47.F
Attollens brachium ad interna muſculus qui. de muſ. diſ. 1ª.47.E
Attollentes ſurſum teſtem muſ. diſſ. 1ª.50.D
Attollente ſurſum ſedem muſculi. de muſ. diſſ. 1ª.50.E
Attollens tibiam altam quoquo modo muſculis, & ſimul illam flectẽs ad interiora. de muſ. diſſ. 1ª.51.D
Attollendo tibiam in rectum qui muſculus illam introrſum inuertat. de muſ. diſſ. 1ª.51.D
Attollentis laquei ratio. de laqueis. 7ª.306.F
ATTONITA *& aquoſa frigida ſunt omnia. de palpitatione conuul. & rigore.* 3ª.53.E
Attoniti affectus ſunt frigiditate vincẽte. de pal. cõuul. et rig. 3ª.54.d
Attoni. um morbum apoplexiam vocant. de diff. mor. 3ª.3.E
Attonitus morbus, quem græci dicũt apoplexiam, eſt morbus acutus ſine febre. com. 2°. aph. 19°. 14. B/com. 5°. aph. 30°. Ex.40.D
Attonitus morbus ex ebrietate. de cau. mor. 3ª.7.D
in Attonito morbo quę paſſio ſæpius accidat. de diff. mor. 3ª.3.E
Attonitum morbũ cum malignus eſt antecedit animi defectus. 1°. de arte cur. ad Glauconem. 7ª.98.F
Attonitum vel apoplectum dicimus eum, qui aliquo temporis ſpatio toto corpore tam vehementer ſit arreptus vt neque ſentiat, neque moueatur. 1°. meth. med. 7ª.8.E
Attoniti, quos græci ἀπόπληκτους dicunt, fiunt temporibus pluuioſis. com. 3°. aph. 16°. Ex.22.H
Attoritorũ pulſus quales. de pul. ſi. ad tir. 46. B/4°. de cau. p. 4°. 102.b
Attonitus exigit euacuationẽ pituitæ. quos pur. op. quib. ne. 5ª.88.D
ATTRACTRIX *facultas eſt naturalis. de natu. hum. com. 2°. 7°.* 182. F *de anato. viuo.* Sp.44.H
Attractio inter facultates nãles eſt maxĩe p̃cipua. in Tim. 1ª.290.C
Attractione vtitur Hippocrates in multis naturalibus operationibus. 8°. de decr. Hippo. 1ª.278.A
Attractionem tollit Plato. 8°. de decr. Hippo. 1ª.278.A
Attractionem, ſi poneret Plato, & non circumpulſionem, idẽ cũ Hip. ſentiret. in Tim. Plat. 1ª.290.G
Attractio eſt vt ſit appoſitio. 3°. de nat. fac. 1ª.302.D
ad Attractionem quæ fit in corpore noſtro, tibiæ vel arundinis cõparatio. 8°. de decr. Hip. 278. A in Tim. Plat. 1ª.290.C
Attratio fit breui tempore. 3°. de nat. fac. 1ª.302.E
Attrahere eſt calidi. 2°. de diff. reb. 3ª.41.A
Attrahentia q̃ et qualia ſint. 5°. de ſim. m. f. 5ª.36.E/*de ocu.* 7ª.188.F
Attrahentia omnia ſunt calida. 5°. de ſimp. med. fa. 5ª.36.E
Attrahentia ſponte nata, quę. 5°. de ſimp. med. fa. 5ª.36.E
Attractrix vix attrahit familiare. de cur. ra. per ſang. miſ. 6ª.17.G
Attrahentia ex putrefactione. 5°. de ſimp. med. fac. 5ª.36.E
Attrahere & digerere ſunt vires vicinæ. 6°. de cõp. m. p g. 5ª.260.G
Attrahentis vis pars vel ſpecies eſt purgantis medicamenti. de purga. med. fac. 5ª.87.H
Attrahendi proprium nutrimentum vim habent ſingulæ partes. 6°. & ſanitate tuenda. 2ª.100.C
Attractiua virtus eſt in oĩ particula corporis. cõ. 1°. aph. 22°. Ex.10.C
Attractrix vis trahit ſibi conueniens nutrimentũ. 3°. de na. fa. 1ª.302. D/*de vtil. reſp.* 64.A/*de mot. man. & obſ.* Sp.68.B
Attrahendi ordo in appetentia. de ana. viu. Sp.49.G/*de ocu.* 7ª.189.E
Attrahunt & expellunt ſingula membra. de victꝰ. rat. in morb. acutis, commentario. 4°. 7ª.34.E
Attractricem vim propriorũ, & expultricẽ eſſe in carnibus collige. in 6ᵐ. de morb. vulg. com. 6°. 3ª.195.F
Attractiuam poteſtatem quæ helctice dicitur, vindicant ſibi nerui lineares. de compag. memb. Sp.58.H
Attrahendi debilem vim habet arteria. de vtil. reſp. Sp.64.E
Attrahentes villi qui ſint. de ana. viu. Sp.44.H
Attrahunt villi longitudinales. de ana. viuo. Sp.55.H
Attractrices facultates in villis rectis. 4°. de vſu p. 1ª.141.B/*de ana. viuorum.* 44.G. Sp.55.H
Attrahunt cur ſanguinem partes. 13°. meth. med. 7ª.80.F
Attractio eſt inſpiratio. in 6ᵐ. de mor. vulg. com. 5°. 3ª.194.B
Attractiuã vim habet pulmo cũ ſit ſpongioſus, & calidus. de vtilitate reſpirationis. Sp.64.D
Attractio aeris ad pulmonem fit per canam magnam, et canales naſi. de anato. viuorum. Sp.47.G
Attractus ſpiritus vbi excoquatur. de compag. memb. ſiue de natura humana. Sp.58.G
Attrahit ac expellit humores & ſpiritum actio pulmonis. 5°. de locis affectis. 4ª.30.F
Attrahit ab hepate dexter ventriculus cordis. de anat. viuo. Sp.56.C
Attrahit a pulmone ſiniſter ventriculus cordis. de ana. viu. Sp.56.C
Attrahit cor ſibi ſuccum cibi aſplene per venam, quæ protenditur ab ipſo ad ſplenem. de vtil. reſp. Sp.64.H
Attractrice icoris vitiata quid ſequatur. 5°. de lo. aff. 4ª.35.B
ad Attrahẽdũ lõgaon habet villos longitudinales. de ana. vi. Sp.50.E
Attractiua vis magis viget in exteriore tunica veſicæ. de anatomia viuorum. Sp.51.D
Attrahi perſentitur aqua ab hominibus ſitientibus, qñ balnea ingrediuntur. in 6ᵐ. de morb. vulg. com. 6°. 3ª.195.B
Attractrix vis habet duo ſymptomata. de ſym. diff. 3ª.12.B
Attrahentis vis pars vel ſpecies eſt purgantis medicamenti. de purg. med. facul. 5ª.87.H
ad Attractione medicamentorum quæ humores attrahunt, cur Hipp. non ſcripſit. de pur. medica. fac. 5ª.86.C
Attractrice virtute p̃pollent trahẽtia. 6°. de cõp. med. p gen. 5ª.260.H
Attractio fit a qualitate ſubſtãtiali. 3°. de ſimp. m. fa. 23. C/5°. 3ª.36.f
Attractricia exiccant. 5°. de comp. med. per gen. 5ª.247.E
Attrahat quo modo aloe. de cathart. Sp.94.E
Attrahentia Aſclepiadis. 6°. de comp. med. per gen. 5ª.261.G
Attractione tepida ventrem purgat chamælea. de ſim. med. Sp.85.F
ad Attrahendum Cyrti emplaſtrum. 6°. de comp. me. per ge. 5ª.261.C
Attrahens emplaſtrum. 6°. de comp. med. per gen. 5ª.261.D
Attrahens emplaſtrum Harpali. 6°. de comp. med. per gen. 5ª.261.D
Attrahens nigrum emplaſtrum. 6°. de comp. med. per gen. 5ª.261.H
Attrahendi & digerendi ea quæ in aluo ſunt, vim habet fermentum. 8°. de ſimp. med. fac. 5ª.59.D
Attrahit digerit, & ſiccat gladiolus. 8°. de ſimp. med. fa. 5ª.57.B
Attrahens medicamentum. 5°. de comp. med. per gen. 5ª.247.A
Attrahens & eruens melinum. 2°. de comp. med. per gen. 5ª.222.F
Attrahit, & detergit phorbium, & tenuium partium eſt. 7°. de ſimpl. med. fac. 5ª.63.D
Attrahens ſplenium. 6°. de comp. med. per gen. 5ª.259.F
Attrahit in profundo reſidẽtia magis cæteris reſinis terebinthina. 8°. de ſimp. med. fac. 5ª.59.F
Attractio ad partes oppoſitas, ſpecies euacuationis. ars. medi. I ſ. 59.E
Attrahẽdi cõmunis indicatio eſt ad maxime diſtãtia. ars med. I ſ. 71.E
Attrahentiũ applicationes cur dẽt præcedere eũo. 8°. met. me. 7°. 52.F
Attrahunt vehementer cucurbitulę in capite cum multo igne affixæ. de cucur. ſcar. 6ª.3.D
Attrahentes magis cucurbitulę, quæ. de cucur. ſcar. 6ª.3.E
Attrahere φθοροποιοῦς δυνάμεις. i. facultates corruptionem inducentes, poteſt cucurbitula. de cucur. ſcar. 6ª.3.F
Attractio, et erectio nodi gutturis, vnde. de mot. man. & obſ. Sp.70.E
Attrahens caput brachij muſculus. de muſ. diſſ. 1ª.47.G
Attrahentes muſculi chartilaginem ſcutiferam ad ſuperiora & priora, qui. de muſc. diſſ. 1ª.46.B
ATTRITIO *quid. de art. com. 1°.* 7ª.255.D
Attritio inſtrumentorũ, qd & vñ. in 6ᵐ. de morb. vul. cõ. 3°. 3ª.170.B
ad Attritiones calceorum coria vetera. 11°. de ſimp. me. fa. 5ª.80.F
Attritæ veſtes & vaſa ex diuturno vſu fiunt ſicciora. in 6ᵐ. de mor. vulg. commen. 3°. 3ª.170.B
Attritionem curat ſuccus mororum. de ſimp. med. Sp.87.H
Attritæ ſimul partes duritiam quandam, & διαπάθειαν acquirunt, 1°. de ſanitate tuenda. 2ª.68.G
Attritis proprie iunctio facit olei, in quo cucumeris agreſtis radix admixta, & decocta fuerit. de ſimp. med. Sp.88.E
Attritis dẽtiũ part. b. impoſitũ medicam. 6°. de cõp. me. p ge. 5ª.256.A

ad Attritos. 1°.*de compositione med.per ge.*213.*D*/3ª.234.*H*/235.*C*/4°.241.*D*/6°. 5ª.258.*F*

Auaros est senium in stirpibus, & quid sit. 1°.*de san.tue.* 2ª.62.*F*

AVAROS *facit cholera.nigra.de dynamidijs.* *Sp.*19.*F*

AVCTRICIS *facultatis proprium.* 1°.*de nat.fa.* 1ª.292.*A*

Auctricem adiuuat vis alteratrix & nutrix. 1°.*de nat.fac.* 1ª.291.*H*

*Auctio quid.fin.med.Isa.*44.*G*/1°.*de nat.fac.* 1ª.291.*E*

Auctionis & generationis differentia. 2°.*de nat.fac.* 1ª.297.*H*

Auctio est actio naturæ.intro. *Isa.*55.*B*

Auctio est primũ naturæ operũ, et veluti caput. 1°.*de na.fa.* 1ª.292.*C*

Auctio plantis ẽt est cõis, & opus naturæ. 1°.*de na.fac.* 1ª.290.*G*

Auctio vna ex actionibus quæ operibus rñdẽt. 1°.*de na.fa.* 1ª.291.*E*

Auctio quo modo fiat. 2°.*de nat.fac.* 1ª.298.*A*

Auctio non est sine nutrimento. 1°.*de nat.fac.* 1ª.292.*B*

Auctione & nutritione exceptis omni functioni contraria est humiditas. 3°.*de symp.cau.* 3ª.29.*E*

Auctione nihil æque aduersat vt siccitas.de re.as.dig.et me. 7ª.195.*D*

ad AVDACIAM & timiditatem faciũt regiones. 5°.*de decretis Hippocratis.* 1ª.257.*B*

Audacia a natura inest Europæis.de aere, aquis, & loc. 2ª.6.*C*

Audacia animalia & calida, quæ.de vtil.resp. *Sp.*64.*F*

*Audacia animalia, propter quid sint talia.de ana.vi.*46.*H*/*Sp.*56.*E*

Audacia sequitur ad dominium bilis.de ana.viuo. *Sp.*45.*E*/*F*

Audax non est cor magnum.de ana.vi. *Sp.*46.*H*

Audacia sunt quædam animalia, quæ tamen habent cor paruum, sed calidum.de anat.viuo. *Sp.*53.*A*

Audacia cur sint animalia parui cordis.de anato. viuo. *Sp.*36.*H*

Audaciæ signum est cordis calor excellens.de ana.viuo. *Sp.*53.*A*

Audacia est signum delirij, maxime cum impudens est.in 6ᵐ. de morb. vulgaribus, commen. 1°. 3ª.160.*D*

Audacter respondens, modestus & prudens, iudicandus amens. in 6ᵐ. de morbis vulgar.com. 2°. 3ª.168.*G*

Audacibus sua arma conueniebant. 1°.*de vsu par.* 1ª.113.*C*

Audax quodpiam & strenuum non destituit nudum natura. 1°. *de vsu partium.* 1ª.113.*D*

Audacissimi cõmẽdant.cõtra ea quæ à Iul.in aph.dicta sunt. *Ex.*66.*C*

AVDIENDI *virtutem auribus præstat spiritus animalis. de compag. memb.siue.de natura humana.* *Sp.*58.*B*

Audiendi facultas per duo foramina. intro. *Isa.*54.*F*

Auditorius spiritus, & visuus, vocalis, & genitalis sunt partes animæ. 5°.*de decre.Hippo.* 1ª.255.*G*

Audibilis qualitas calida est, & humida.de compag.memb. *Sp.*58.*C*

Audibilium qualitatum habemus nomina. 2°.*de loc.aff.* 4ª.12.*E*

Auditorius meatus, qui introd. *Isa.*53.*A*

Auditorius meatus non solum vsque ad cerebri duram membranam pertinet, sed etiam neruum contingit, qui in ipsum à cerebro desc en dit. 6°.*methodi medendi.* 7ª.42.*H*

*Auditorij meatus, cum sint occupati præsertim cholera, surditatem faciunt.com.*4ª.*aph.*28°. *Ex.*30.*D*

Auditorius meatus medicamẽta tolerat fortissima. 6°.*me.m.* 7ª.42.*H*

*Auditus quid.fin.med.Isa.*45.*B*/1°.*de sympt.cau.* 3ª.17.*C*/*de historia philosophica.* *Sp.*9.*H*

Auditus cur dicatur aereus.de oculis. 7ª.185.*B*

Audiendi instrumentũ cur aereum. 7°.*de instr.odor.*110.*E*/7°.*de decre.Hippocratis.* 1ª.271.*B*

Auditus instrumentum auris.de instru. odor. 1ª.110.*E*

Auditus quarto loco adiungitur cum natura incedit à plantis ad animal. 2°.*de semine.* 1ª.339.*G*

ad Auditum ita se habet ossis petrosi pars, vt humor crystallinus ad vuũ.de anat.viuorum. *Sp.*48.*H*

*Auditus quo fiat.de hist.philosophica.*9.*E*/*de cõpag.memb.* *Sp.*58.*B*

Auditus fit in pellicula plena aere intra aurẽ.de vti.resp. *Sp.*63.*D*

*Audiendi sensorium, quale.*4°.*de loc.affe.* 4ª.22.*G*

*Auditus duplex.in 6ᵐ.Hippo.de mor.vulg.com.*4°. 3ª.181.*A*

Auditorius neruus dicitur qui ad aures venit.de anat.par. *Sp.*43.*D*

Auditorij neruũ exortus & processus, qui.de ner.diss. 1ª.53.*G*

Auditorius neruus cur durior sit quàm vt actioni conueniat. 8°. *de vsu partium.* 1ª.167.*H*

ad Auditum quæ pertinent.an qual.incorp.sint. *Isa.*9.*A*

*Audiunt melius aures in aquilonia tẽpestate.c.*3°.*aph.*17°. *Ex.*23.*E*

Auditui q̃ vox iucũdissima, & q̃ infestissima sit. 1°.*d sym.ca.* 3ª.17.*C*

Auditus qua voce contristetur. 1°.*de symp.cau.* 3ª.16.*H*

in Auditu quomodo voluptas fiat. 1°.*de symp.cau.* 3ª.17.*C*

in Auditu delectatio, & dolor contingunt euidenter post odoratum, et tactum, & gustum. 1°.*de symp.cau.* 3ª.16.*F*

Auditu priuati fiere aliqui in magnis tonitrib⁹. 1°.*d sym.ca.* 3ª.16.*H*

Auditus dolores nõ sunt sed tactus auriũ phlegmões.d sym.dif. 3ª.11.*e*

Audim⁹ oẽs cõfuse et oblæse si cũ Melãpo d cõparemur. 1°.*s.t.* 2ª.63.*b*

Audiẽdi prauæ consuetudine mores aĩ corrũpunt. 2°.*de sa.tu.* 2ª. 65.*F*

ex Auditu signa futuræ ægritudinis.ars med. *Isa.*67.*F*

Auditus hebetior ostendit futuram ægritudinem.ars med. *Isa.* 67.*F*

*Auditus si deficiat in febre continua, existente corpore debili, lætale est.com.*4°.*apho.*49°.33.*B*/*com.*7°.*apho.* 66°. *Ex.*60.*F*

*Auditus instrumenti propria & præcipua passione factam in febrib⁹ surditatem sanguis ex naribus fluens, aut aluus turbata soluit. com men.*4°.*apho.*60°. *Ex.*34.*A*

in Auditu omnimodum silentium simile quid est atque tenebra inuisa. 1°.*de sym.cau.* 3ª.17.*C*

*Auditus sensus affectiones.*4°.*de locis affectis.* 4ª.23.*B*

Auditus grauis, affectus aurium.intro. *Isa.*59.*C*

Audiendi grauitas vnde fiat. 1°.*de symp.cau.*15.*F*/ 3ª.16.*B*

in Auditu barycoia, id est audiendi difficultas, proportione respondet diminute gustandi symptomati. 1°.*de sym.cau.* 3ª.16.*G*

*Auditus cur grauis sit in senibus.com.*3°.*apho.*31°. *Ex.*26.*H*

*Auditus grauis cur fiat ab austro.com.*3°.*apho.*5°. *Ex.*20.*C*

ad Auditus grauitatẽ ex capitis dolore. 3°.*de cõp.me.se.lo.* 5ª.145.*B*

*ad Auditus grauitatẽ.*3°.*de compo.med.sec.loc.*145.*B*/*F*/ *de remedijs par.fac.*155.*B*/*C*/162.*E*/3°.*de med.fac.par.* 170. *A*/ 7ª.175.*A*

ad Auditum obtusum quo modo spongiæ medicamentum conferat. 3°. *de comp.med.sec.loc.* 5ª.145.*D*

Audiendi difficultas quo modo sanetur. 3°.*de comp.me.se.l.* 5ª.141.*D*

*ad Auditus difficultatẽ confert succus centaureæ.de vir.cen.Sp.*93.*C*

Auditus difficultatẽ sedare potest theriaca.de ther.ad Piso. 5ª.95.*H*

in Auditus poro phlegmonas in superficie mitigat succus cẽtaureæ.d vir.centaureæ. *Sp.*93.*C*

ad Auditum.de dynamid. *Sp.*25.*A*

Audire et intelligere omnia Galeni, est omnibus commune ita clare explicantur. 2°.*de crisi.* 4ª.133.*G*

*Auditor q̃ nõ intelligit est Galeno molestus.*12°.*de vsu par.* 1ª.194.*C*

Auditores quę confundunt nomina. 1°.*de diff.resp.* 3ª.57.*B*

AVELLANA nux pontica, & λεπτοκάρυα, idem. 2°.*de alimentorũ facultatibus.* 2ª.21.*A*

*Auellana, qualis.*7°.*de simp.med.fac.* 5ª.50.*C*

Auellana difficilius coquiuur quàm nux. 2°.*de alimentorum fa.* 2ª.21. *A*/*de dissol.cont.* *Sp.*73.*D*

Auellanæ parum nutriunt, cur.de dissol. cont. *Sp.*73.*F*

Auellana plus alit quàm nux regia, & cur. 2°.*de ali.fa.* 2ª.21.*A*

*Auellana nux, dosis nomen.*8°. *de comp.me.se.lo.* 5ª.195.*H*/9°. 197. *G*/1°.*de comp.med.per ge.* 5ª.215.*F*/*de reme.fac.par.* 7ª.159.*D*

AVELLVNTVR *difficulter cucurbitulæ quæ in capite cum multo igne affiguntur.de cucur.scar.* 6ª.3.*D*

Auelli quãdo non possint cucurbitulæ, quid agẽdũ.de cuc.sca. 6ª.3.*D*

Auellendæ quo modo sint hirudines.de cucur.scar. 6ª.4.*D*

AVENA *inter cerealia semina numeratur. de vict. rat.in morbis acutis, commen.* 1°. 7ª.111.*B*

Auena quid, & eius vires.de simpl.med. *Sp.*81.*A*

Auena dicitur ægylops. 5°.*de comp.med.sec.loc.* 5ª.160.*A*

Auena multum calida est. 1°.*de ali.fac.* 2ª.13.*C*

*Auena digerit, & est acris tenuiter.*6°.*de simp.med.fac.* 5ª.41.*F*

Auena vbi plurima proueniat. 1°.*de alim fac.* 2ª.13.*B*

Auena iumentorum alimentum. 1°.*de alim.fac.* 2ª.13.*B*

Auenæ panis insuauis. 1°.*de alim.fac.* 2ª.13.*C*

Auena comeditur citra famem cum vino dulci, aut sapa, aut mulso, nõ aliter quàm typha. 1°.*de ali.fac.* 2ª.13.*C*

ex Auena non sunt panes nisi in extrema fame. 1°.*de ali.fac.* 2ª.13.*C*

Auena minus nutrit quàm typha. 1°. *de ali.fac.* 2ª.13.*C*

Auena licet vti vt ptissana in victu attenuante.de att.vic.ra. 2ª.44.*H*

Auena est cortice commendanda cum vtimur.de atte.vic.ra. 2ª.45.*A*

Auena facit ad omnem tumorem.de simp.med. *Sp.*81.*A*

AVERTATVR *quo modo sanguis.* 5°.*meth.me.* 7ª.30.*D*

Auersio duplex in sanguine è naribus. 5°.*met.med.* 7ª.31.*H*

*Auersio fit per contrarium à membri positu.*14°.*met.med.*7ª.89.*D*/*cõmen.* 5°.*apho.*68°. *Ex.*45.*D*

*Auersio ad contraria quando sit facienda.*4°.*meth.me.* 7ª.28.*C*

Auersio alienorum

Auerſio alienorum ineſt omnibus membris. 3°. de nat. fac. 1ª. 303. G
Auerſio. lege Diuerſio.
AVFERENDA, quæ. 14°. meth. med. 7ª. 91. B
Auferri quæ non poſſunt, tranſponuntur. ars med. Iſa. 71. C
Auferens tremorem in febribus medicina. de med. exper. Sp. 106. B
Auferens triſtitiam electuarium. de med. exper. Sp. 107. A
Auferens dolorem frigidum electuarium. de me. exper. Sp. 107. D
Auferens dolorẽ fortẽ decoctio chamemœli. de med. exper. Sp. 107. D
Auferens dolores decoctio aſſari. de med. exper. Sp. 107. B
Auferens vomitum medicamen. de med. exper. Sp. 105. G
AVGERE & augmentum, imminui & imminuere quid ſignificet apud Hippo. 2°. de diff. reſp. 3ª. 64. D
Augendi vis præſtat fœtui augmentum. an animal ſit. 1ª. 327. E
Auget animalia calor naturalis. com. 1°. apho. 15°. Ex. 8. D
Augemur virtute proueniẽte ex hepate. de vir. noſ. cor. diſp. Sp. 60. B
Augeri faciunt calorem pori obſtructi. de vtil. reſp. Sp. 62. F
Augenda debent facillime tum tendi, tum perflari vndique. 3°. de ſym ptomatum cauſis. 3ª. 29. E
quæ Augeantur. 1°. de nat. fac. 1ª. 297. H
Augetur quidque, ac nutritur a ſimilibus. 1°. de inæq. intem. 3ª. 44. C
Augeẽ celerius à partu femina, cur. in 6ᵐ. de mor. vul. cõ. 2°. 3ª. 169. E
Auget ſuccos tempeſtas vnaquæque pro ratione ſuæ temperaturæ ac non propter nomen. in 1ᵐ. de mor. vul. com. 1°. 3ª. 100. H
ad Augendum lac. de paſſ. mul. Sp. 96. D
Auget craſſities ſplenis, & hepatis lac ſi comedatur ſolum. de diſſolu tione continua. Sp. 74. H
Augeatur per quas partes priapus. de mot. man. & obſ. Sp. 68. B
Augeri vulnera eſt aliquam generari ſubſtantiam, qualis abſciſſa, ſi cut caro germinat in cauis vlceribus. com. 6°. apho. 19°. Ex. 48. B
non Augentur abſciſſa, os, chartilago, neruus, gena, præputium. com. 6°. apho. 19°. 48. B/com. 7°. apho. 28°. Ex. 55. H
Augeri ne debeat ægritudo primo ſciendum, & vnde. de ſper. Sp. 39. G
AVGMENTVM & augere, imminui & imminuere quid ſignificet apud Hippo. 2°. de diff. reſp. 3ª. 64. D
Augmentum quid. 1°. de nat. fac. 1ª. 290. H
Augmentum ſtirpium quo modo fiat. de biſio. philo. Sp. 11. H
Augmentum minus fit in ætate pubertatis. com. 3°. aph. 27°. Ex. 25. H
in Augmento exiſtentia animalia velocius digeruntur quam antiqua de diſſol. cont. Sp. 73. C
Augmentum, aſcenſus, & incrementum idem. de mor. temp. 3ª. 85. F
Augmentum morbi eſt aliud tempus à principio. 1°. de criſi. 4ª. 128. D
Augmentum tempus tertium morbi. de morb. temp. 3ª. 86. E
Augmentum, principium, ſtatum & declinationem quandoque morbi habent. 1°. de tot. morb. temp. 3ª. 89. D
Augmentum & principium non videntur quandoque diſtingui poſſe. de tot. morb. temp. 3ª. 89. D/1°. de criſ. 4ª. 126. C
Augmentũ ẽt dici poteſt tempus inæqualitatis. de mor. temp. 3ª. 86. E
Augmenti diuiſio in continuis. de tot. morb. temp. 3ª. 87. D
Augmentum febris quando. 2°. de diff. feb. 3ª. 42. B
Augmentum inflammationis, quale. 1°. de tot. mor. temp. 3ª. 88. F
in Augmento inflammationis quo modo diamoro vti debemus. 6°. de compoſitione medic. ſec. loc. 5ª. 167. E
Augmentum in pleuritide quibus ſignis cognoſcat. 1°. de cri. 4ª. 132. D
Augmentum morbi quo modo cognoſcatur. 6°. de criſi. 4ª. 125. H
Augmenti ſigna, quæ. 1°. de criſi. 4ª. 126. C
Augmentum morbi vnde cognoſcatur. com. 1°. apho. 12°. Ex. 5. G
ante Augmentum non cognoſcitur principium. 1°. de criſi. 4ª. 128. F
Augmentum non cognoſcitur ante ſtatum. 1°. de criſi. 4ª. 128. F
Augmentum cognoſcendi exemplum. 1°. de criſi. 4ª. 126. B
Augmentorum cognitio. 1°. de criſi. 4ª. 132. B
Augmentum non amplius fit in cõſiſtentia. com. 3°. aph. 30°. Ex. 26. E
Augmenti pulſus in tertiana. de mor. temp. 3ª. 85. G
Augmentum ſignificat vrina liuida caput dolẽtibus. de dyn. Sp. 34. G
in Augmento colliquefactionis vrina, qualis. quæſ. in Hippo. Sp. 113. E
in Augmento nigra excrementa, malum. com. 4°. aph. 21°. Ex. 29. E
Augmẽto ſomnus cõfert, ſed ĩ vltima parte. cõ. 2°. aph. 21°. Ex. 29. E
in Augmento aliud agendum, aliud in principio. de opt. ſect. Iſa. 22. D
in Augmento quibus vti debemus. 6°. de com. med. ſec. loc. 5ª. 167. C
in Augmentis cibi obſunt. de vict. ra. in mor. acu. com. 1°. 7ª. 115. G
in Augmento cur non fiat balneum, nec in princip. o. 1°. me. m. 7ª. 65. F
in Augmento & principio mittitur ſanguis. de opt. ſecta. Iſa. 27. G
in Augmento & ſtatu moriuntur ægri. de tot. mor. temp. 3ª. 88. C
ĩ Augmẽto, ĩ ſtatu, & circa initia moriũt ægri. 3°. & cr. 141. F/4ª. 142. E
in Augmento particulari rari moriuntur, & quo modo moriãtur. 3°. de criſibus. 4ª. 142. G
Augmentandis capillis remedium. de dynamidijs. Sp. 23. F
AVGVRIA à non nullis contemnebantur. 1°. de na. fac. 1ª. 293. A
Auguriorum periti meminit. 11°. de ſimp. med. fac. 5ª. 78. A
Augures quid cõmentantur. de vict. rat. in mor. acu. c. 1°. 7ª. 110. A
Augures niſi à Galeno, diſcordes. de vi. ra. in mor. acu. c. 1°. 7ª. 110. B
AVIVM corporum ſubſtantia non parum habet aeris. 4°. de ſim plicium medic. fac. 5ª. 25. E
Auis nuper nata poteſtate volatilis eſt. 3°. de temp. 1ª. 22. F
Aues habent corpus ſiccum. 14°. de vſu partium. 1ª. 205. B
Aues aridiore sũt q̃ nos tẽperatura. ĩ 6ᵐ. & mor. vul. cõ. 4°3ª. 186. H
in Auium pullis amor à natura eſt cauſa cur nutriant illos. 14°. de vſu partium. 1ª. 205. B
cur Aues cum ſint frigidioris naturæ, habent paruum pulmonem. de anatomi. viuorum. Sp. 47. F
Auicularum crura oſtẽdũt motũ muſculorũ. 1°. de motu mu. 1ª. 310. F
Aues habẽtes crura lõga cur hñt collũ longũ. 1°. de vſu par. 1ª. 185. A
in Auibus viſcera habent proportionem ad carnem, vt in pedeſtribus. 3°. de alim. fac. 2ª. 29. E
in Auib⁹ aliquibus eſt duplex inteſtinũ cæcũ. 4°. de vſu par. 1ª. 141. D
in Auibus fortibus bina excremẽtorũ receptacula. 4°. & vſu p. 1ª. 141. e
Aues facientes oua ſine mare, sũt ſiccę tẽperaturæ. 2°. de ſe. 1ª. 338. D
Aues cur non habent mammas. 14°. de vſu par. 1ª. 205. B
in Auibus teſtes altiores ſunt quàm vaſa ſeminaria. 1°. de ſe. 1ª. 333. G
Aues habent intra peritonæum. 1°. de ſemi. 333. G/ 1ª. 334. F
ex Auibus & piſcibus cognoſcuntur vaſa ſpermatica in mare magna. 14°. de vſu partium. 1ª. 208. G
in Auibus vaſa ſpermatica longa. 14°. de vſu par. 1ª. 208. G
Aues licet habeant minus ſpatium vaſorum ſeminalium, tamen ſunt in loco calidiori. 1°. de ſemine. 1ª. 333. G
Aues quædam cur non potent. de anat. viuo. Sp. 47. F
Aues ſel eucides locuſtas edunt, & per anum celeriter emittunt. 6°. de locis affectis. 4ª. 37. H
Auis volare nõ põt ſup aquã, q̃ ẽ in Sauromatibus. & bo. aq. Sp. 76. A
Auiũ carnes velocius digeruntur, quã quadrupedũ. 3°. de tẽ. 1ª. 22. C/ 3°. de alim. fac. 2ª. 29. C/de diſſ. cont. Sp. 73. C
Auiũ paruarum caro generat ſanguinem calidiorem, & craſſiorem tẽ perato. de diſſ. cont. Sp. 73. A
Auis quæ eſt multi motus, & cuius paſcua ſunt in locis boni nutrimen ti, eſt melior multum & ſubtilior. de diſſ. cont. Sp. 74. A
Auis quietis eſt oppoſita aui multi motus, & eſt peior & immũdior. de diſſol. cont. Sp. 73. A
Aues montanæ præſtantiores alijs. de atte. vic. rat. 2ª. 45. C
Aues monticolæ optimæ ad detergendum. 4°. de ſan. tuen. 2ª. 84. F
Aues monticolæ ſunt boni ſucci, & non glutinoſi. 4°. de ſa. tu. 2ª. 86. C
Aues quæ in turr bus & vineis degũt, quales. de atte. vi. ra. 2ª. 45. D
Aues concluſæ in caueis à cauponibus quod alimentum dant. 6°. de ſa nitate tuenda. 2ª. 99. G
Aues paucum præſtant alimentum, comparatæ ad greſſibilia, potiſſi mum ad ſues. 3°. de alim. fac. 2ª. 29. C
Aues quę tarde digeruntur. de diſſol. cont. Sp. 73. D
Auium omnium antiquarum caro parum nutrit. de diſſol. con. Sp. 73. F
Aues quæ habent carnem excrementitiam. de atten. vict. ra. 2ª. 45. C/ 8°. methodi medendi. 7ª. 51. B
Aues de paludibus, & lacubus, & culturæ ſunt multarum ſuperfluitatum. de diſſol. cont. Sp. 73. E
Aues paluſtres quando & cur vitandæ. 7°. met. med. 7ª. 45. D
Aues paluſtres vitent epileptici. de puero epil. 7ª. 180. G
Auis boni ſucci non paluſtres dandæ ſunt quartanarijs. 1°. de arte cur. ad Glauconem. 7ª. 97. F
Auium piſciumq̃ vniuerſorum prope modum ſuccus bonus eſt, et quę excipiantur. de bon. & vitio ſuc. 2ª. 37. G
Auis ex iure ſimplici eſt boni ſucci, nec facile putreſcit. 5°. de ſanita te tuenda. 2ª. 90. G
Auium cerebri natura 3°. de alim. fac. 2ª. 29. F
Auium montanarũ & paluſtriũ cerebri natura. 3°. de ali. fa. 2ª. 29. F
Auium axillæ non habent ſuperfluitates. de diſ. cont. Sp. 73. E
Auiũ omniũ axillę ſunt boni chymi, & ſubtilis. de diſſ. cõ. Sp. 73. D/H
Auium omnium pinguium, et iuuenum axillæ velocius digerũtur quã macrarum & antiquarum. de diſſ. cont. Sp. 73. C

Auium omnium ventres tarde digeruntur.de dissol. cont. Sp.73.D
Auium omnium ventriculi nutriunt eum, qui digerit eos, nutrimento multo crassio.de dissol.cont. Sp.73.E
Auiũ vẽtriculus si coquatur, vberrime nutrit.& bo.et vi.suc. 2ª.37.B
Auium intestina non manducantur.3°.de alim.fac. 2ª.29.E
Auicularum iuscula boni succi sunt.de reme.par.fac. 7ª.159.C
Auium carnes in iure albo post lactucam.12°.meth.med. 7ª.78.H
Aues quæ sicci commodæ.5°.de san.tuen. 2ª.91.D
Aues quę commodæ siccis.6°.de sanitate tuenda. 2ª.99.G
AVIDIVS trahunt sanguinem hirudines vbi illum gustarunt.de cu. cur.sic. 6ª.4.E
AVRAM *frigidam cũ potu introducere id est vẽtum vna cum potu frigidus attrahere sitim extinguit.in 6m.de mor.vul.cõ.2°. 3ª.178.B*
ab Aura quomodo fiat obstructio.3°.de san.tuen. 2ª.81.B
AVRIGA *quos motus sciat,et circa q̃ sit ignarus.2°.de su.tu. 2ª.75.E*
Aurigæ & histriones à diuitibus ditantur.de præsag.ex ins.4ª. 214.B
ad Aurigam & equos animæ comparatio.in TimæumPlat.1ª.287.D
Auriga nomen vinculi.de fasciis. 7ª.303.A
AVRIGO *quid.fin.med. Isa.47.D*
Aurigo vnde sit,& quomodo fiat.in 3m.de mor.vulg.cõ.1°. 3ª.131.F
Auriginosa febris,quæ.fin.med. Isa.46.D
Aurigini est vtilis anchusæ onocleæ radix.6°.de simp.me.fa. 5ª.41.D
Aurigini ex pituitæ infarctu prognatæ vtilis est attriplex.6°.de simplicium med.fac. 5ª.44.C
Auriginosis bonum est remediũ chamæpitys.8°.de sim.m.fa. 5ª.63.F
ad Auriginem ab obstructione iecoris proficiscentem quidam vtuntur chelidonij radice.8°.de simp. med.fac. 5ª.63.G
Aurigini vtile est cornu ceruinum.11°.de simp.med.fa. 5ª.79.G
Aurigini prodest cyclaminis radix.7°.de simp.med.fa. 5ª.53.E
Auriginosos sanat hippomarathri radix, & semen.7°. de simplicium medicamen.facul. 5ª.55.C
Auriginẽ purgãt quidã per nares marrubio.8°.de simp.me.f. 5ª.59.B
Aurigini prodest spondylion.8°.de sim.med.fa. 5ª.61.G
ad Auriginem stercus caprinum.10°.de simp.me.fa. 5ª.76.F
AVRIPIGMENTVM *vocatum arsenicum.5°.de compositione medicamen.per genera. 5ª.251.D*
Auripigmentum quid,& eius vires.de simp.med. Sp.80.B
Auripigmentum calidũ est,et tenuiũ partiũ.de cõ.me.per g.5ª.228.E
Auripigmentum numeratur inter adurentia.intro. Isa.58.C
Auripigmentum septicum medicamentum.5°. de simplicium medicamen.facul.36.B/9°. 5ª.68.H
Auripigmentum erodit.3°.de com. med.sec.loc. 5ª.149.G
Auripigmentũ auri coloris.9°.de com.me.se.lo.199.E/ 10°.5ª.207.F
Auripigmentum quale ad vlcera.6°.de comp.med.per ge. 5ª.255.C
Auripigmentum ad denudandam pilis partem quam vis valet.9°.de simp.med.fac.5ª.68.H/de sim.med. Sp.80.B
Auripigmentũ scissile ad tabescentes.3°.de me.fa.p.170.B/ 7ª.171.B
Auripigmenti fit mentio.2°.de comp.med.per gen. 5ª.221.E
Auripigmentum torrefactum.3°.de comp.med.se.lo. 5ª.143.B
AVRES *habent proprium nomen substantiæ.8°.de vsu par. 1ª.166.D*
Auris est instrumentum auditus.de instr.odor. 1ª.110.H
de Aurium anatomia. de ana.viuorum. Sp.48.G
Aurium situs & partes.intro.43.H/52.H/ Isa.53.A
Aurium partes,quæ. 5°.de decre.Hippo. 1ª.255.F
Aures cur habent mollem substantiam.1°.de vsu par. 1ª.115.H
Auris constat sola cute & chartilagine.3°.de alim.fac. 2ª.26.F
Auris foramen à petroso osse incipit.de anat.viuo. Sp.48.G
Auris residua pars ab osse petroso extra apparens chartilaginosa est. de anato.viuorum. Sp.48.H
Aures cur chartilaginosæ.11°.de vsu par. 1ª.188.H
Auribus germina adnascuntur.3°.de symp.cau. 3ª.28.D
Aurium alæ pteryzia dicuntur. 11°. de vsu par. 1ª.188.H
Aurium finis,& figuræ ratio redditur.de anat.viuo. Sp.48.G
Aurium magnus est vsus.6°.de san.tuen. 2ª.100.B
Aures ad viuendum cõmodius fecit natura.14°.de vsu par.1ª.204.C
Auris cur posita ad latus.de anat.viuo. Sp.48.A
Aures duæ sunt pp æqualẽ vtilitatẽ act onis.6°.de vsu par. 1ª.149.A
Auris dextera non plus audit quam sinistra.in 6m.de morb.vulg.commentario.2°. 3ª.109.C
Aures cur promineant.11°.de vsu par. 1ª.188.H
Aures cur patulæ sint.de anat.viuo. Sp.49.B
Aures cur intus cauæ sint,extra conuexæ.11°.de vsu par. 1ª.189.B
Auri supponitur os frigidũ,& siccũ.de cõ.me.siue de na.hu. Sp.58.B
Auribus quare os durũ ac densũ oppositũ sit.8°.de vsu par.1ª.167.H
in Auribus cur multi flexus.11°.de vsu.p.1ª.189.B/& ana.vi.Sp.48.G
Aurium sensus principium esse cerebrum dicentes,posituræ vicinitate decipiuntur.2°.de decre.Hipp. 1ª.237.B
Auri sensibilitatem præstans panniculus vbi sit.de ana.viuo.Sp.48.H
ad Aures neruus veniens auditorius dicitur.de ana.parua. Sp.43.D
Aures habent vnum genus neruorum.8°.de vsu par. 1ª.166.H
Aurium nerui,quales.16°.de vsu par.215.A/D/ 1ª.217.B
Aures habẽt maximos neruos propter sensũ.5°.de vsu par.1ª.145.C
circa Aures partes vnde accipiant neruos. 9°.de vsu par. 1ª.176.C
circa Aurem nerui minimi quibus.16°.de vsu par. 1ª.217.B
circa Aures & faciem venæ.de ven.arte.diss. 1ª.57.H
post Aures venæ quædam sunt grandiores,in ipsis vero auribus perexiguæ vixq̃ aspectabiles, & plerunque neque perspicuæ in 6m.de morbis vulgaribus.com.5°. 3ª.192.F
post Aures arterijs arteriæ ad cerebrum ex ipsius basi per retiformẽ plexum ascendẽtes sunt maiores in capite.3°.de lo.aff. 4ª.20.D
sub Auris radice musculus.4°.de ana.admi. 1ª.83.G
circa Aurem deliniamenta quædam musculorum sunt animalibus exiguis.16°.de vsu partium. 1ª.217.B
Aures habere tegumentum,exemplum.11°.de vsu par. 1ª.189.A
in Aure finis meatus prope neruũ dilatati se habet vt crystallinus humor in oculo.1°.de symp.cau. 3ª.15.F
Auris quæ partes rhagoidi comparentur.1°.de symptoma.cau.1ª.15.F/de anat.viuorum. Sp.48.E
Auribus virtutem audiendi præstat spiritus animalis.de compag.mẽbr.siue de natu.humana. Sp.58.B
intra Aurẽ est pellicula plena aere,in qua fit auditus.& vti.re.Sp.63.d
Aures differunt functionibus ab artubus.4°.de præs.ex pul. 4ª.120.G
Auris operationes sunt sonorum acuti,grauis,magni,parui,lenis,aspe ri.5°.de decre.Hipp. 1ª.255.F
ad Aures ppago à cerebro, qua soni recipiunt.8°.& vsu par. 1ª.167.G
Aures dolent ex magno sono.de symp.diff. 3ª.11.E
Aures in sermonibus mysticis,prophanis olim obturare imperabant. 12°.de vsu partium. 1ª.194.C
Aurium physionomia.quod animi mores. 1ª.319.G
Aures magnæ,& vltra modum arrectæ,indices stultitiæ,aut loquacitatis.quod animi mores. 1ª.319.G
Aures paruę,iudices malorum morum.quod animi mo. 1ª.319.G
Aures mediocres,indices morum optimorum,q animi mo. 1ª.319.G
Aures non mouentur in hominibus,vel est motus minimus.11°.de vsu partium. 1ª.189.B
Aurũ suba fere ĩmobilis in boĩbus et simijs.16°. de vsu p. 1ª.217.A
Aures magnas animalia habentia cur vertũt illas ad sonum et voces. 11°.de vsu partium. 1ª.189.A
Aurũ suba magna est,facileq̃ ac multum mouetur ijs animalibus,quibus temporalis musculus est maximus.16°.de vsu par. 1ª.217.A
Aures mobiles & magnæ quales habẽt neruos.16°.& vsu p. 1ª.217.B
Aures cur breues equis bellicosis.11°.de vsu par. 1ª.189.A
Aures cur nil offenduntur à pileis & galeis.11°. de vsu par.1ª.188.H
per Aures,& nares,& palatũ purgat cerebrũ.7°.met.me. 7ª.49.D
per Aures bilis respirationẽ habet.de nat.& ordine vni.cor.Sp.41.E
per Aures expurgatio est aliena à natura.com.3°.aph.24°. Ex.25.B
per Aures expelluntur ceratæ gummæ.de compag.memb. Sp.59.B
Aurium sordes vnde & cur.in 6m.de morb.vul.com. 5°. 3ª.189.B
Aurũ sordes naturaliter amaræ sunt in 6m.de mor.vul.cõ.5°. 3ª.192.D
in Auribus hominibus sordes dulcis cur mortifera sit.in 6m.de morbis vulgaribus,commen.5°. 5ª.192.D
ex Aure quæ exeunt qualia sint probãtur igne & odore.in 6m.de morbis vulgaribus.com.5°. 3ª.191.D
Aurium sordes quidam medici gustant.de symp.diff. 3ª.13.C
per Aures exeuntia ostendunt cerebri robur.de const.ar. Isa.42.B
per Aures exeuntia ostendunt futuram ægritudinem.ars.me.Is.67.F
Aurium sordes obstruunt.1°.de symp.cau. 3ª.15.F
Aurium sordes cõferunt paronychijs.10°.de simp.med.fac.5ª.77.E
Aurium variæ conduurę.3°.de alim.fac. 2ª.26.E
Aures sunt cibaria media.de diff.cont. Sp.74.C
Aures omnium animalium tarde digeruntur.de diff.cont. Sp.73.D
Aures cibus est viscosus,& cur de diff.cont. Sp.72.H
Aures parum nutriunt, cur.de dissol.cont. Sp.73.F
Auribus saltis licet vesci si quis se exerceat.& atte.vic.rat.2ª.45.D

Auriũ chartilago ſicca eſt,& non nutrit.de bo.& vitio ſuc. 2ª.37.B
Aurium cutis exterior tenuis & arida ægre coquitur, & parum nutrit,de bon.& vitio ſuc. 2ª.37.B
Aures frigidæ,contracteq;,& fibræ earum verſæ malæ.in progn.commentario. 1°. 4ª.191.B
Aures cur frigidæ & contractæ in acutis.in progn.com. 1°. 4ª.191.D
Aures frigidas eſſe qñ malum,et quando non.cõ. 7°.*aph.* 1°.*Ex.* 54.A
Aures extenuantur elephantiaſi laboramibus.de cu.mor. 3ª.8.H
Auriũ morbi,q intro.Iſa. 59.C/*de ſym.dif.*11.E/1°.*d ſym.cau.* 3ª.15.F
de Aurium vitijs.de med.fac.par. 7ª.162.C
in Auribus quot modis fiat ſonitus. 3°.*de comp.med.ſe.lo.* 5ª.144.D
Aurium ſonitus in febribus,quales.de com.med.ſec.loc. 5ª.144.E
in Auribus quod ſymptoma ſint ſonitus, quando nihil extra ſonat. 1°.*de ſymp.cau.* 3ª.15.H
Aurium tinnitus in phrenitide,cauſa.in 1ᵐ.*prorrh.cõ.* 1°. 4ª.166.B
Aurium tinnitus quibus moleſtus eſt,medicamentum non eſt exhibendum.de vic.rat.in morb.acu.com. 4°. 7ª.150.F
Aurium pulpæ inflammatio in infantibus. 3°.*de cõ.me.ſe.l.* 5ª.146.B
in Auribus qũo fiat exacerbatio per circuitum. 2°.*de dif.fe.* 3ª.41.H
Aurium & articulorum dolores quotidie & tertia die infeſtãt. 2°.*de differen.febrium.* 3ª.40.E
ex Auribus quibus liquor fluat.in 6ᵐ.*de mor.vul.com.* 1°. 3ª.154.F
Aurium fœtores in quo genere ſymptomatum.de ſymp.dif. 3ª.13.B
*Aurium dolor dicitur otalgia.de ſymptomatum differentijs.*3ª.11.F/*in progn.commen.*3°. 4ª.208.H
Auriũ dolores morbos minutos appellat Ga.d vſu the.ad Păp. 5ª.99.a
*Auris dolore minor eſt capitis dolor.*2°.*de com.med.ſec.lo.* 5ª.134.G
Aurium dolores quot fiant modis,& quo modo cognoſcantur. 3°.*de com.med.ſec.loc.*140.E/F/G/141.A/B/ 5ª.142.A
Aurium dolor à pituita quibus neglectis fiat.de dyna. Sp.19.G
*Aurium dolores æſtate fiunt,& cur.com.*3°.*apho.*21°. Ex.24.D
*Aurium dolor lætalis,qui in prog.com.*3°. 4°.208.H
*Auriũ dolores quo die interimant,et non.in progn.com.*3°. 4ª.208.H
*ad Aures & adenas cur materia à capite traſmittatur.*2°.*de differentijs febrium.* 3ª.40.H
*Aurium adenes cur quandoque intumeſcant.*13°.*met.med.* 7ª.81.A
Aurium phlegmonæ ſunt proprij dolores tactus non auditus. de ſymptomatum differentijs. 3ª.11.E
*ad Aures quandoque & quandoque deorſum eunt abſceſſus ex pulmonia.in progn.com.*2°. 4ª.205.A/D
Aurium abſceſſus ϖαχωτὶς *dicitur.com.*4°.*apho.*74°. Ex.36.B
poſt Aures abſceſſuum meminit.in 6ᵐ.*de morbis vul.com.* 2°.163.G/*de remed.par.fac.* 7ª.155.D
poſt Aures abſceſſus in febribus laborioſis conſueuere fieri. commen. 4°.*aphor.*74°. Ex.36.A
*Aurium abſceſſus ſi fiant in die iudicatorio,vel incipiant, bonum, & notãtur dies in quibus fieri debẽt,i quib⁹ nõ c.*4°.*aph.*36°.*Ex.*31.G
*poſt Aures abſceſſus quando fiat.*3°.*de criſi.*144.B/*in progn. commẽtario.*2°. 4ª.201.C
poſt Aures abſceſſus ſignificat à colore faciei.i 1ᵐ.*pr.c.*1°.4ª.171.A
poſt Aures tubercula in febribus ardentibus.in 1ᵐ.*de morbis vulgaribus,com.*1°.104.G/*commen.*2°. 3ª.116.E
*poſt Aures abſceſſus cauſus ſanatus.d vi.ra.in mor.ac. c.*4°.7ª.135.E
poſt Aures tubercula quæ euanuerant quo decumbebant.in 1ᵐ.*de morbis vulgaribus,com.*2°. 3ª.114.D
poſt Aures tumores qui euaneſcunt, faciunt recidiuam.in 6ᵐ. *de morbis vulgaribus.com.*4°. 3ª.179.E
poſt Aures tumores præter naturam ſunt eparmata. in 6ᵐ. *de morbis vulgaribus com.*4°. 3ª.170.D
poſt Aures tumores in principio per criſim nũquam finierunt morbũ. 1°.*de criſi.* 4ª.128.E
*poſt Aures tumores quando boni.*1°.*de criſi.* 4ª.128.B
inſta Aures tumores nigricantes quando fiebant.in 1ᵐ.*de morbis vulgaribus,commen.*1°. 3ª.111.D
Aurium & narium poros obturat quandoque ſperma à capite deſcendens.de ſpermate. Sp.36.F
Aurium obturationem, & narium, capitis grauitatem ſuperius, inferius dolorem rerum ſignificat vrina ſuperius ſubnigra & plena, quæ inferius claritatem habuerit.de dyna. Sp.35.D
*Aures quæ roborent,& quomodo.*6°.*de ſan.tuen.* 2ª.100.B
Auribus purgatoria medicamenta ſunt danda.de cathar. Sp.94.G
Aurium cenotica,quæ.de cathar. Sp.95.B
*Auri acetum cum roſaceo conuenit.*13°.*meth.med.* 7ª.83.C
*ad Aures valet acetum ſcillinum.*3°.*de med.ſac.par.* 7ª.178.C
*pro Auribus quo modo paretur glaucium.*6°.*de ſan.tuen.* 2ª.100.B
*Auribus qñ optimũ nardinũ ſit iſtillãdũ aſſidue.*6°.*d ſan.tu.* 2ª.100.B
*ad Aures quæ inſufflantur.*3°.*de comp.med.ſec.loc.* 5ª.145.A
*in Aures quæ inſtillanda.*2°.*de com.med.ſec.loc.* 5ª.140.D
in Aurẽ quo ĩſtillãdũ et calefaciẽdũ.in 6ᵐ.*de mor.vul. cõ.*4°.3ª.191.C
in Aurem infundi apta.de remed.par.fac. 7ª.155.D
*Auribus inſtillat vnguẽtũ pſtrigilem.*3°.*de comp.med.ſe.lo.*5ª.142.E
*Auribus inſtillatum medicamentum ex caſtorco ſedat dentium, & oculorum dolores.*12°.*meth.med.* 7ª.79.G
*Aures incaleſcunt oleo & caſtoreo.*12°.*meth.me.* 7ª.79.H
*Auribus quæ lanæ apponendæ.*3°.*de comp.med.ſec.lo.* 5ª.145.E
ad Aurem quo modo vapor rutæ feruefactæ per lanam penetret. 3°. *de comp.me.ſec.loc.* 5ª.142.E
in Aurem fomẽtationem frequentem fieri debere,collige.in 6ᵐ.*de morbis vulgaribus commen.*5°. 3ª.191.D
*ad Aurium dolorem fomenta.*3°.*de com.med.ſec.loc.* 5ª.145.D
*pro Auribus cataplaſmata.*3°.*de comp.med.ſec.lo.* 5ª.146.C
*ad Aures accommoda arteriaca.*7°.*de comp.med.ſe.loc.* 5ª.180.A
*ad Aures infuſilia.*3°.*de com.med.ſec.loc.* 5ª.144.H
in Auribus quando ſint vſui lenientia cataplaſmata. 3°. *de compoſitione medic.ſec.loc.* 5ª.146.E
*ad Auris affectiones adeps vulpinus.*3°.*de cõ.med.ſec.loc.*5ª.144.D
Auribus non adhibetur fructus ſpinæ Aegyptiæ, & alumen ſciſſile.de ſectis. Iſa.18.C
*Aures offendũt ex papaueris ſucco compoſita.*2°.*de compoſitione medicamen.ſec.loc.* 5ª.134.G
ad Aurium vitia.de dynamidijs. Sp.25.A
*ad Auris inueteratas affectiones.*3°.*de comp.med.ſec.lo.* 5ª.144.A/*de med.fac.par.* 7ª.162.F
*Aurium humiditates cur puerulis fiant.com.*3°.*aph.*24°.*Ex.*25.A/B
*ad Aures humẽtes medicamẽtũ.*3°.*de cõ.me.ſe.lo.*144.B/ 5ª.145.A
Aurium frigidis affectibus debent apponi calida mediocriter. 3°. *de compoſitione med.ſec.loc.* 5ª.144.G
ad Aurium affectus valet ſuccus centaureæ.de virt.cent. Sp.93.C
*ad Auris affectiones connatas.*3°.*de com.med.ſe.lo.* 5ª.144.B
*ad Auriũ affectiones extra meatum.*3°.*de com.me.ſec. loc.* 5ª.146.B
*ad Auriũ ſonitus.*3°.*de cõ.me.ſe.loc.*141.A/143.D/ 5ª.144.D/E/G/*de rem.par.fac.*155.B/3°.*de med.fac.par.* 7ª.175.A
ad Aurium ſonitus intra ſeipſas.de med.fac.par. 7ª.162.D
ad Aurium ſonitus ex profundo.de med.fac.par. 7ª.162.E
*ad Aurium ſonitus à morbis.*3°.*de comp.med.ſec loc.* 5ª.146.A
ad Aurium diuturnos ſonitus.de dyna. Sp.25.A
ad Aurium ſonitus confert ſuccus centaureæ.de virt.cent. Sp.93.C
*ad Aurium ſonitum cum dolore.*3°.*de comp.med.ſec. loc.* Sp.143.B
*ad Aurium tinnitus ſonoſq; repente exortos.de med.fa.par.*7ª.162.E
*Aurium ſonitum quomodo ſanauit Galenus, qui erat ex audiendi ſubtilitate.*3°.*de comp.med.ſec.loc.* 5ª.144.E
Aures prurientes curat myrta.de ſimp.med. Sp.87.F
Aurium paſsionibus frigidis quid valeat.de cura.lap. Sp.112.F
*Auriũ rubores et quaſſatiões mitigat ſuccus cẽtaureę.d vi.cẽ.*Sp.93.C
ad Aurium feruorem igneum.de remed.par.fac. 7ª.155.B
Aurium difficilem auditum quæ iuuant.intro. Iſa.58.C
Aurium confuſionem quæ remedia iuuant.intro. Iſa.58.C
Aurium influxum quæ remedia iuuant.intro. Iſa.58.C
*in Aurium multo fluxu.*3°.*de compo.med.ſec. loc.* 5ª.143.H
*Auribꝰ qñ rheuma frequẽter nocet, vtimur catharticis.d dy.*Sp.20.E
*ad Aurium fluxiones vtunt echini herbæ fructu.*6°.*d ſim.fa.* 5ª.47.G
Aures cum ex capitis excrementis ægrotant, quo modo curandæ. 6°. *de ſanitate tuenda.* 2ª.100.B
*in Aures ſi larga fluxio à capite feratur, & adſit exulceratio, quo medicamento vtendum.*6°.*de ſan.tuen.* 2ª.100.C
*Auriũ vetuſtas fluxiones ſanat hedere ſuccus.*7°.*de ſi.m.fa.* 5°.51.F
*ad Aures fluentia deriuãda ſũt ad naſum vel os.*6°.*de ſa.tu.*2ª.100.B
*de cucurb.ſcar.*6ª.4.E/5°.*meth.med.* 7ª.30.F
*ad Aures qñ permittẽdus naturæ motus.*3°.*de cõ.me.ſe.lo.*5ª. 146.E
Aurium inflammatio extrinſeca,rubor,& plaga,quo modo curetur. 3°.*de com.med.ſec.loc.* 5ª.146.B
*Auribus inflammatis adhibetur accetum cũ roſaceo.de ſect.Iſa.*18.C
Aures phlegmone laborantes,& dolentes mitigat ſuccus centaureæ. de virtute centau. Sp.93.C

ad Aurium phlegmonas valet ouum totum crudũ cum rosaceo. 11°. de simplicium med.fac. 5ª.81.E
Auribus inflammatis non laxantur manus, sicuti inflammato crure. & sectis. Isa.18.C
ad Aurium inflammationes. de reme.par.fac.155.B/ 7°.156.F
ad Aures inflammatas & purulentas. 3°. de comp.me.se.l. 5ª.143.D
ad Aurium inflammationes cum fluxu. 3°. de com.me.se.l. 5ª.143.H
ad Auriũ inflamationes & exulcerationes. 3°. & c.me.s.l. 5ª.143.D/G
Aurium dolores quos male habent, ijs quæ exercitatio vitanda. 5°. de sanitate tuenda. 2ª.90.A
in Aurium dolore præceptum. 3°. de comp.med.sec.loc. 5ª.141.A
Aurium dolores indigent quiete. 3°. de comp.me.se.loc. 5ª.145.D
ad Auriũ dolores succus viridis canabis valet. 7°. de si.me.f. 5ª.49.F
Aurium dolores sedat castorei medicamentum. 12°. met.me. 7ª.79.G
in Aurium dolore collyria ex glaucio, & croco. 5°. de compositione me dicamentorum sec.loc. 5ª.141.C
ad Aurium dolores cataplasma quo confectũ. 12°. me.med. 7ª.79.G
pro Auris dolore cæpa & allium apud rusticos in vsu est. 3°. de compositione med.sec.loc. 5ª.140.F
ad Aurium dolores Archigenis. 3°. de comp.me.sec. loc. 5ª.142.D
ad Auris omnem dolorem auricularis Heræ compositio. 3°. de compositione med.sec.loc. 5ª.141.E
ad Aurium dolores, Galeni. 3°. de comp.med.sec.loc. 5ª.141.E
in Auriũ dolore nihil infundit Galenus. 3°. de cõ.me.se.lo. 5ª.140.H
Aurium dolores mitigare vermes terræ in oleo coctos scripsit Apollonius. 11°. de simp.med.fac. 5ª.82.H
ad Aurium dolores paulatim ingruentes. de med.fac.par. 7ª.162.D
ad Aurium inflammationes & dolores. de med.fac.par. 7ª.162.D
ad Aurium acres dolores. de med. fac.par. 6ª.162.D/E
Aurium dolores cum phlegmone iunctos sanat cucurbitæ ramentorũ succus. 7°. de simp.med.fac. 5ª.52.A/de med.fac.par. 7ª.162.E
ad Auriũ dolores iueteratos adhibeẽ marrubiũ. 8°. & sim.m.f. 5ª.59.B
de Auriũ dolore ex flatu ventoso. 3°. de cõ.m.se.l. 141.A/5ª.143.B
Aurium doloris, ventositatis, & surditatis remedia. de dyn. Sp.25.A
Auriũ dolores in febribus quo modo curentur. 12°. me.me. 7ª.79.G
ad Aurium dolorem calidum, & tumorem. de dyna. Sp.25.A
Auricularum dolorem mitigat opium. de simp.med. Sp.88.B
ad Auriũ dolores oui candidũ valet. 3°. de cõ.me.se.lo. 5ª.140.G
ad Auriũ dolores. 2°. de cõ.me.se.loc. 139.A/5°.163.H/7°. 180.A/ 7°. de com.me.per ge. 5ª.273.G/de med. fa.par. 162.D/F/172.D/ 3°. de med.fac.par. 7ª.175.F/de dyna. 25.A/secre. Sp.97.B/H
ad Aurium dolores omnes animalibus, quæ sub situlis oriuntur, quidã vtebantur. 3°. de simp.med.fac. 5ª.82.H
p Aures caput dolẽti si aqua fluat morbũ soluit. c. 6°. ap. 10°. Ex.47.C
Aurium dolores finit scarabæus. de ther. ad Piso. 5ª.93.G
ad Aurium dolores absque vlcere. de med.fa.par. 7ª.162.E
Aurium dolores sanare vulpinum adipẽ non est attendendum. 11°. de simplicium med.fac. 5ª.79.E
in Aurium doloribus exhibet stupefacientia. 11°. meth.med. 7ª.75.C
in Auriũ dolore quo mõ adhibeẽ opiũ. 3°. de cõ.me.se.lo. 5ª.140.G
Aurium doloribus contrarijs præsidijs ind gent surdastri. 3°. de compositione medic.sec.lo. 5ª.145.D
post Aures abscessus discutit cicerum genus orobiæum appellatum. 6°. de simplicium med.fac. 5ª.47.E
ad Aurium abscessus in profundo, Antonij Musæ. 3°. de compositione medicamentorum sec.loc. 5ª.143.G
Aures in febribus si obsurdescant, sanguis è naribus vel aluus turbata soluit morbum. com. 4°. aph. 60°. Ex.34.A
Aures obturãdæ pro sanguine è naribus fluẽte. de re.par.fa. 7ª.155.H
ex Auribus erũpẽtis sanguinis remedia. 3°. de cõ.me.se.lo. 5ª.144.B
de Auriũ vlceribus, & quibus curentur. 3°. de cõ.me.se.lo. 5ª.141.D
Auris vlceratæ curatio Galeni. 5°. meth.med. 7ª.34.A
Aurium remedia quæ iuuant earum exulcerationem. intro. Isa.58.C
ad Aures resiccatoria. 3°. de comp.med.sec.loc. 5ª.144.H
Auris siccissima siccissimis indiget. 5°. methodi meden. 34.B/ de articulis, cõmentario 2°. 7ª.268.D
Aurium vlceribus prodest polygonon. 8°. de simp.me.fa. 5ª.58.H
ad Aurium vlcera diuturna conuenit spondylij floris succus. 8°. de simplicium med.fa. 5ª.61.G
ad Aurium vlcera bilis domesticarum suũ. 10°. de sim.me.fa. 5ª.74.H
Aurium vlcera sanat succus centaureæ. de vir.centau. Sp.93.C
ad Auriũ vlcera. 6°. de compositione. med sec.loc. 170.D/7°.180.A/ 5°. de comp.med.per gen. 5ª.248.D/ de rem.par.fac. 7ª.155.B
ad Aures vlceratas, cruentas, ac dolentes medicamentum. 3°. de compositione med.sec.loc. 5ª.144.C
in Auribus vetera vlcera sanat hederæ succus. 7°. & si.me.fa. 5ª.51.F
ad Aurium vlcerationes siccas. 3°. de comp.me.se.lo. 5ª.143.G
ad Aures exulceratas ex plaga. 3°. de comp.med.sec.loc. 5ª.146.D
ad Aurium vulnera, & saniem. de ocul. 7ª.191.D
ad Aures exulceratas & purulentas. 3°. de comp.me.se.lo. 5ª.144.H
Aurium pure manantium curatio. 3°. de comp.med.sec. lo. 5ª.141.D
ad Aures pure fluentes valet vrina humana. 10°. de si.me.fa. 5ª.75.D
ad Aures pure fluentes valet Lycium. 7°. de simp.me.fa. 5ª.75.D
Auribus pure fluentibus injcitur ſtæbe. 8°. de simp.me.fa. 5ª.61.D
Auribus sanie manantibus, & humidis, & fœtidis confert succus centaureæ. de vir.centaureæ. Sp.93.C
ad Aures sanie manantes. de med.fac.par. 7ª.162.D/E
ad Aurium teredines & saniem. de med.fac.par. 7ª.162.D
ad Auriũ saniem, & magnũ dolorem. de med.fac.par. 7ª.162.F
ad Aures purulentas. 3°. de com.me.se.lo.43.B/46.B/4°. 5ª.152.H
ad Aures purulentas cum inueterata affectione. 3°. de compositione medicamen. sec.lo. 5ª.143.H
ad Aurium dolores cum purulentia & humiditate. 3°. de compositione med.sec.lo. 5ª.146.A
ad Aures purulentas cum dolore. 3°. de comp.med se. loc. 5ª.143.H
ad Aures quæ longo iam tempore pure fluxerunt valet scoria ferri. 9°. de simp.med.fa. 5ª.71.A
Aures suppurantes curans pastillus Asclepiadis. 5°. de compositione med.per gen. 251.B/ 5ª.254.D
ad Aures vlceratas & purulentas. de med.fac.par. 7ª.162.E
ad Auris corruptiones, & fœtores. 3°. de com.me.sec.lo. 5ª.144.A
ad Aurium fœtorem, & vlcus depascendo proserpens. 3°. de compositione.med.sec.lo. 5ª.144.A
Aures quibus opplentur, illis elleborus dandus. de vict.rat. in morbis acutis, commentario 4°. 7ª.144.G
Aures deobturantur ab atterẽtibus lapides in reñibus, & ab illis quæ sunt tenuium partium sine morsu. 3°. de com.me.se.lo. 5ª.141.B
ad Aurium sordem. 3°. de compositione medicam. se.loc. 5ª.145.H/ de med.facile para. 7ª.162.F
Aurium mucos purulentos quo modo desiccat mucus limacis. 11°. de simplicium medi.fac. 5ª.78.F
in Aure vbi generantur vermiculi, quid agendum. 3°. de composi. me. se.loc. 5ª.143.B/de med.fac.par. 7ª.162.F
Aurium vermes amaritate sua digerit capparis fructus. 6°. de simplicium medic.facul. 5ª.49.H
Aurium vermes nepita occidit. de simp.med. Sp 87.H
Aurium vermes enecat succus calaminthæ. 7°. de sim. me.fa. 5ª.49.D
ad Aurium vermes. 3°. de compositione med.sec.locos. 5ª.144.D/ de remed.par.fac. 7ª.155.D/secre. Sp.97.H
in Aurẽ quæ inciderunt, quo mõ extrahi possint. de me.fa. p. 7ª.162.F
ad Auribus illabentia corpuscula. 3°. de com.me.se. loc. 5ª.145.F/G/H
in Aure corpusculum aliquod habẽtium situs qualis esse debet, vt extrahatur. 3°. de comp.med.sec.loc. 5ª.145.G
in Auribus si sint pulices, & cimices iuuat succus centaureæ. de virtute centaureæ. Sp.93.C
ad Aures ingressos pulices, & vermiculos. 3°. de cõ.me.se.l. 5ª.145.H
ab Aure quo extrahat calculus & faba. 3°. de cõ.me.se.lo. 5ª.145.G
Auris dolor ex aqua quo modo curetur. 3°. de cõ.me.se.lo. 5ª.140.G/ de reme.par.fac. 7ª.155.A
in Aure si aqua cadat, quo modo extrahatur. secre. Sp.97.H
in Aurem illapsæ aquæ remedia. 3°. de comp.me.sec.loc. 5ª.145.F
ex Aure per os & p stipulam exactio egregie aquam extrahit. 3°. de compo.med.sec.loc. 5ª.145.G
in Auribus si vulnus fuerit, aut auditus grauetur quod remedium. de dynamidijs. Sp.25.B
ad Aurem percussam, aut vulneratam. de dyna. Sp.25.A
pro Auribus contusis quæ debeant esse remedia. 3°. de com. med.sec. loc. 146.B/C/6°. de com.med.per ge. 5ª.256.H
ad Auris os corrosũ & pigui humore ibutũ. 3°. de cõ.m.se.l. 5ª.144.D
in Auribus carnium incrementi remedia. 3°. de compositione medicamen. sec.loc.144.A/ 5ª.145.D
in Aure quæ deficiunt quo curent, & nominẽt. 14°. meth.me. 7ª.92.B
Auris quæpiam particula quãdo deficit, quo modo decorẽ liceat adijcere. 14°. meth.med. 7ª.93.B

Aurium mutilationes quæ dicantur.de diff.mor. 3ª.4.G
Aurium curtarum restauratio.intro. Isa.60.D
in Aure curtos reficere non licet. 14°.*meth.med.* 7ª.93.C
Auris fracta non restituitur.intro. Isa.60.E
*Aures quibus distendendæ.*8°.*de comp.med.sec.loc.* 5ª.192.E
Aurium venæ quando secandæ.in 6ᵐ.*de mor.vul.com.* 5°. 3ª.192.F
*post Aures venæ inciso quo casu fieri debeat.de oculis.*7ª.191.*A/de anatomia viuorum.* Sp.55.A
post Aures venæ incisæ faciunt somnum.de aere,aquis,& lo. 2ª.5.H
post Aures arteriæ non sunt temere secandæ.de ana.viuo. Sp.55.B
post Aures venæ sectæ pariunt sterilitatem.de aere, aq. & lo. 2ª.5.H
*in Aure sinistra venæ sectionis supstitio.*9°.*d cõ.me.se.lo.* 5ª.200.A
post Aures arteriæ quando secandæ.de anat. viuo. Sp.55.B
*post Aures arteriæ secantur in vertiginosis.*3°.*de loc.aff.* 4ª.20.D/*de cur.ra.per sang.misionem.* 6ª.21.D
ad Aures linteum scissum in quatuor partes. de fascijs. 7ª.299.E
Auris ex fascia glomerata.de fascijs. 7ª.299.F
quæ iuxta Aurem & maxillæ processum sunt,deuinciens vinculũ.de fascijs. 7ª.296.F
Auricula genus vinculi quod gladiatoribus decoris gratia datur. de fascijs. 7ª.297.C
Auriculæ nuncupati laquei ratio.de laqueis. 7ª.308.E
*Auricularij medici cur dicti.ad Thra.*2ª.105.B/*d par.ar.me.*Sp.16.F
Auriculis comparantur additamenta cordis.de anat. viuo. Sp.56.D
*Aurium cordis dissectio.*7°.*de ana.admi.* 1ª.96.E
Aures cordis ñ factæ frustra,sed temere noiatæ. 6°.*d vsu p.* 1ª.154.B
*Aures qd faciãt in corde.*6°.*de vsu par.* 1ª.154.*A/de an.vi.*Sp.46.F
*in Auricularia medicamẽta q̃ miscẽtur.*3°.*de cõ.me.se.lo.* 5ª.141.B
*Auricularium specillum.*3°.*de comp.med.sec.lo.*142.B/ 5ª.145.G
*Auricularis clyster.*3°.*de comp.med.sec. loc.* 5ª.148.H
*Auriculares compositiones vigintiquatuor Andromachi.*3°.*de compositione med.sec.loc.* 5ª.142.G
*Auricularis bona.*7°.*de comp.med.sec.loc.* 5ª.184.E
Auricularis Heræ compositio ad omnem dolorem auris. 3°. *de compositione medic.sec.loc.* 5ª.141.E
*Auricularis digitus est veluti operculum aliorum digitorũ.*1°.*de vsu partium.* 1ª.120.C
*Auriculari digito perdito q̃ actiones perdunt.*1°.*de vsu par.* 1ª.120.C
AVRICVLA *muris refrigerat & humectat citra adstrictionem.* 6°. *de simp.med.fa.* 5ª.42.D
*Auricula muris sicca est in secundo ordine,temperata in actionis qualitatibus.*7°.*de simpli.med.fac.* 5ª.56.D
*Auricula muris ad phlegmonas feruẽtes, et mediocria erysipelata valet.*6°.*de simp.med.fac.* 5ª.42.D
AVRISCALPIO *naribus illapsa extrahit.*3°.*de compositione medicamentorum sec.loc.* 5ª.148.E
*Auriscalpium ad dentes.*5°.*de comp.med.sec.loc.* 5ª.165.E
*Auriscalpiũ ad extrahẽdũ illapsa in aures.*3°.*de cõ.me.se.l.*5ª.145.H
*per Auriscalpium fomentum.*5°.*de comp.med.sec.loc.* 5ª.164.G
*cor Auritum quis se parum recte putet,si quod sexaginta stadijs abest non audiat.*1°.*de san.tuen.* 2ª.63.H
Auritus,est vinculum & laqueus.de fascijs. 7ª.293.H
Auritus lepus quid sit.de fascijs. 7ª.297.C
ad AVRORAM *in medio solis exortu sita est Asia.de aere, aquis, & locis.* 2ª.4.E
AVRVM *habet substantiam constantem & stabilem propter siccitatẽ & frigiditatem.*9°.*meth.med.* 7ª.60.H
Aurũ siccum esse collige.in 3ᵐ.*de morb.vulg.com.*3°. 3ª.141.A
Aurum igne iudicatur.de ther.ad Piso. 5ª.97.D
*Auro nihil fraudulenter admisceri potest.*1°.*de antido.* 5ª.104.D
*Aurum,æs,ferrum,& lapis, quoniam duriora,non coalescunt,neque agglutinantur.*3°.*de symp.cau.* 3ª.29.A
Auro glutinando idoneum,est hustolex.de sim.med. Sp.85.D
*Aurum fabrefacientes,igne ex palcis vtunt.aduersus Lycũ.Ex.*64.A
*Aureo filo dentes alligandi.de articulis,com.*2°. 7ª.265.A
*Aureum medicamen,quo vtitur Galenus.*5°.*de cõ.me.pge.*5ª.253.B
*Aureum collyrium.*4°.*de comp.med.sec.loc.* 5ª.157.A
*Auri colorem referens malagma.*9°.*de compositione medicamentorũ sec.loc.*199.*A/E/*11°. 5ª.207.F
*Auri fusoria specilla.*3°.*de comp.med.sec.loc.* 5ª.140.H
AVSTER *semper calidus.in* 3ᵐ.*de mor.vul.com.*3°. 3ª.141.D
Auster feruidus est in tractu Galeni. in 1ᵐ.*de mor.vul.c.*1°.3ª.103.D
Auster quando frigidus vere ineunte.in 1ᵐ.*de mor.vul.* 3ª.103.D
Auster fm aliquos ẽ semp humidus.in 3ᵐ.*de mor.vul.c.*3°. 3ª.141.C
Auster quandoque siccus.in 3ᵐ.*de mor.vul.com.*3°. 3ª.141.C
Auster quomodo caliginosus.in 1ᵐ.*de mor.vul.com.*1°. 3ª.104.D
*Austrinus aer qualis.*2°.*de arte cur.ad Glauc.* 7ª.104.E
ad Austrum sitæ vrbes differunt ab his quæ sitæ sunt ad Septentrionem Orientem,& Occidentem.de aere,aquis & locis. 2ª.2.E
Austris pflatur Asiæ regio temperata.de aere aquis,& locis. 2ª.4.E
Auster ventus frequens Phasianis.de aere,aq.& loc. 2ª.5.A
Austri quando regnent.in 1ᵐ.*de mor.vulg.com.*1°. 3ª.103.B
Austro flãte fiunt pluuiæ,& quales.in 1ᵐ.*de mor.vul. c.*1°. 3ª.101.H
Austrinus ventus qualis sit.in 1ᵐ.*de mor.vul.com.*1°. 3ª.102.H
Auster dissoluit corpora fundit humores,& putrefacit largioribus cõiunctus imbribus in 1ᵐ.*de mor.vulg.com.*2°. 3ª.114.A
*Austro flãte fiunt putredines.*1°.*de temp.* 1ª.12.B
Austro spirante capitis grauitas fit.de ther.ad Piso. 5ª.94.D
Auster quibus obsit.ars med. Isa.64.A
Austrinum,& squalidum videntur opposita.in 1ᵐ.*de morb.vulg.cõmentario* 1°. 3ª.104.B
Austrina tempestas qualis.in 3ᵐ.*de mor.vul.com.*3°. 3ª.140.H
Austrina tempestas potest esse humida, & non humida. in 1ᵐ. *de morbis vulgaribus,commen.*1°. 3ª.105.D
Austrinæ tempestates diuturne putredines inducunt. in 1ᵐ. *de morbis vulgaribus,commen.*1°. 3ª.105.D
Austrinus annus pluuius sine vẽtis.in 3ᵐ.*d mor.vul.cõ.*3°. 3ª.140.F
Austrina hyems.in 1ᵐ.*de mor.vul.com.*1°. 3ª.103.G
Austro perflante si estas sit sicca, et autũnus pluuialis morbi expectãdi in hyeme vẽtis septẽtrionalibꝰ vigentibꝰ.de aere,aq.et lo. 2ª.4.C
*Austro spirãte,si sit æstas pluuiosa,& autumnus ita sit, qualis sequat hyems vẽtis septẽtrionalibus vigentibus.de aere.aq.& lo.*2ª.4.C
Austro & aquilone simul spirantibus quæ fieret constitutio. in 1ᵐ. *de morbis vulgarib.com.*2°. 3ª.107.F
Austrinũ & frigidũ si sit, ver,parũ pluit.in 1ᵐ.*de mor.vul.*3ª.104.A
Austrinus & tranquillus status.in 3ᵐ.*de mor.vul.com.*3°. 3ª.140.H
Austrum versus fluentes aquæ quales.de bon.aquæ. Sp.75.E
Auster si flauerit aqua minus est dulcis, quàm si flauerit boreas, sed magis calida.de bon.aquæ. Sp.75.G
AVSTERVM *quid significet.*4°.*de comp.med.per ge.* 5ª.239.F
*Austerum & acerbum.*1°.*de alim.fa.* 2ª.9.A
*Austerum,adstringens,acerbum hæc tria saporis nomina vnam qualitatẽ significãt.*2°.*de ali.fa.*19.F/3°.*de com.me.sec.loc.* 5ª.147.F
Austerum quid. 4°.*meth.med.* 7ª.28.H
*Austerum est acerbum exolutũ,& quo fiat.*4°.*de sim.me.fa.* 5ª.26.E
*Austerũ fit ex miscella calidi,frigidi,humidi,et sicci.*1°.*d ali.f.*2ª.9.A
*Austerũ in ãalibus,plantis,necnon in terra.de nat.hu.c.*1°. 1ª.31.G
*Austera,quæ.*2°.*de loc.aff.*4ª.12.D/1°.*de simplicium med.fac.*8. D/4°.*de compo.med.per gen.* 5ª.241.G
*Austera qualia sint.*3°.*meth.med.* 7ª.19.D
Austera sunt adstrictoria.de subfig.empi. Isa.33.F
*Austera adstringunt,sed p magis et minus.*4°.*de sim.snc.fa.* 5ª.25.H
*Austeri,& acerbi,genus adstringens.*2°.*de alimentorum fa.*2ª.19.F/1°.*de simp.med.fac.*8.G/9.*A/*9°. 5ª.64.C
*Austera,acerba,& adstringentia quo differũt.*1°.*de sim.me.fa.*5ª.8.H
*Austera quo modo ab acerbis differant.*2°.*de alim.fac.* 2ª.19.F
*Austerũ adstringit,sed acerbum magis.*2°.*de locis affectis.* 4ª.12.D/6.*de comp.med.sec.loc.* 5ª.172.F
in Austeris adstringẽdi qualitas remissa est.d bo.et vitio suc. 2ª.36.C
*Austera sunt stiptyca.*1°.*de sanitate tuen.* 2ª.68.A
*Austero calidius est dulce.*4°.*de simp.med.fac.* 5ª.27.D
*Austera quid faciant in linguam.*4°.*de simp.med.fac.* 5ª.25.G
*Austera & nitrosa simul quo linguam afficiãt.*3°.*de si.me.f.* 5ª.21.A
*Austeri fructus.*12°.*methodi medendi.* 7ª.79.A
*Austeræ vuæ.*2°.*de alim.fac.* 2ª.18.B
*ex Austera & dulci qualitate mistæ sunt plurimæ vuæ passæ.*2°.*de alimentorum facultatibus.* 2ª.18.D
*Austeræ vuæ passæ frigidiores sunt.*2°.*de alim.fac.* 2ª.18.B
*Austeræ vuæ quibus noceant.*2°.*de alim.fac.* 2ª.18.B
*Austera vina vocat nobilia,& qualia sint.*7°.*met.me.* 7ª.45.F
*Austera vina frigida sunt.*3°.*de comp.med.sec.loc.* 5ª.147.A
*Austerum vinum nigrum, quale.*9°.*de decr.Hippo.* 1ª.283.E
*Austerum vinum nigrum repellit.*14°.*meth.med.* 7ª.88.G
Austerum vinum ruffum,quale. 9°.*de decre.Hippo.* 1ª.283.E

Austeri vini meminit.6°.meth.med. 7ª.39.D
inter Austera vina optimum est Italicum.3°.de cõp.m.pg. 5ª.230.D
Austerum est & dulce vinum Albates.4°.de sim.med.fac. 5ª.26.F
Austera vina alba ætate fiunt fulua.11°.met.me. 7ª.76.F
Austerum vinum adstringit.com.2°.aph.20°. Ex.14.D
Austerum vinum ad quidnam vtile.8°.de simp.med.fac. 5ª.63.F
Austera vina omnia stomacho resoluto robur addunt & ventri, qñ est ex calida intemperie, tamen non præstãt bonum succum.de bon.& vitio suc.2ª.38.D/de vinis. Sp.76.G
Austerum uinum aquosum conuenit imbecillas habentibus vires.7°. methodi medendi. 7ª.45.E
Austerũ vinũ magis calefacit aq̃, et roborat ĩtestina.6°.m.m.7ª.39.D
Austeris vinis vtimur ad alui fluctiones sistendas, & non ad aliud.de bonitate & vitio suc. 2ª.38.D
Austera vina vitent biliosum ventrem habentes.6°.de sa.tu.2ª.97.G
Austera repellunt.3°.de comp.med.sec.loc. 5ª.147.F
Austera victui attenuanti contraria.de atte.vict.rat. 2ª.45.H
Auster sunt contraria siccitatibus.7°.met.me. 7ª.44.D
Austeri mel adipisceri debet.6°.de comp.med.sec.loc. 5ª.173.G
Austerus solus sapor summus itidem est.3°.de simp.me.fac. 5ª.20.G
Austerũ succũ facit cucurbita cũ cydonijs elixa.2°.de ali.fa. 2ª.16.H
Austerus succus gratus est stomacho.2°.& alimentorum fa. 2ª.20.G/ *6ᶜ.de simp.medicam.fac.* 5ª.40.D
Austera vẽtriculo ĩbecillo et vẽtris fluxui cõueniũt.& att.vi. 2ª.45.b
Austero cibo utebant antiq in stomacho imbecillo.7°.med.m. 7ª.43.H
Austeri & acidi sibi stuporem dentium faciunt.2°.de loc.aff. 4ª.9.H
Austera acida pituitosis excrementosisq̃, stomachis apta sunt.7°.de simplicium medicamen.fac. 5ª.50.H
Austera remorantur cibum in ventre.1°.de san.tuen. 2ª.68.A
Austera vbi sumpta sunt, cibi innatantes deorsum detrudunt.6°.de sanitate tuenda. 2ª.99.E
Austera non conueniunt oculis.4°.de comp med.sec.lo. 5ª.50.B
Austera admodum esse non debent animalium nutrimenta, quorum lacte sis vsurus.5°.de san.tu. 2ª.91.H
Austeræ cuiusq̃ herbę decoctio lauãdũ vlcus humidũ.4°.m.m.7ª.23.E
Austera & adstringentia medicamenta extenuant.in 6ᵐ.de morb.vulgaribus.com.2°. 3ª.177.A
Austera & valde amara lieni conueniunt.9°.de cõp.m.s.l. 5ª.198.D
Austera & adstringẽtia dñt misceri medicamẽtis lienis vt eius actiones conseruentur.9°.de comp.med.sec.loc. 5ª.198.D
Austerum odorem nõ dicimus quid habere.4°.de simp.me.f. 5ª.31.A
Austerum & acerbum in moribus.quod animi mores. 1ª.319.F
Austeritas vna ex q̃litatib⁹ gustabilibus.fi.me.50.B/& na.hu. 1ª.28.H
Austeritas ĩ vinis ppria rõne iuuat et obest.& uic.ra.ĩ mo.ac. 7ª.125.f
Austeritates faciunt differẽtiam in partibus dissimilaribus.3°.de simplicium medic.fac. 5ª.20.G
AVTEM coniunctionem in principio etiam orationis constituere morem esse veterum scriptorum existimarunt aliqui loco Xenophontis decepti.de art.com.1°. 7ª.251.C
AVTHOREM *antiquum vocat Hippocratem Gal.1°.de cri.* 4ª.127.D
ꝙ Authores fide digni adducendi pro suis sententijs, astruẽdis.de vic. ratione in mor.acu.com.1°. 7ª.110.C
ob Authores magnæ famæ & nominis flecti sine demonstratione non debemus.2°.de diff.resp. 3ª.63.D
Authorum inuenta non occultanda.2°.de diff.resp. 3ª.63.E
Authorem aliquod opus non edidisse quo modo potest probari.cõ.7°. apho.64°. Ex.60.B/C
ꝙ Authores ab interpretibus ampliãdi sint.com.3°.aph.18°.Ex.23.G
Authores cum dicunt vnum aut duo, nos debemus subintelligere, q̃ in sunt ipsis potentia.com.1°.aph.16°.9 E/com.4°.aph.41°.Ex.32.D
Authores si qñque aliquid bis dicant, est ad maiorem utilitatem, vt in altera libri parte id in memoriam reducant, quod prius dictum erat.com.5°.aph.25°. Ex.10.H
Authores non solum vtile est scire vbi cõueniunt, se opus est scire vbi dissentiunt.9°.de decr.Hippo. 1ª.279.B
in Authoribus obscuritas vnde proueniat.3°.de decr.Hip. 1ª.243.E
Authore quid de medicamentis scripsere.7°.de cõp.m.s.lo. 5ª.178.B
Authoritatibus sine ratione non credendum.2°.meth.med. 7ª.12.A/B
Authoritas postponẽda sanitati animæ, & corpis.2°.& ali.fa. 2ª.18.F
AVTOCRATOR *hologrammatos titulus Menecratis libri.7°.de cõp. med.per gen.* 5ª.268.A
AVTHEMERON *medicamentũ.9°.de comp.med.sec.loc.* 5ª.199.E/G
Αὐτόῤῥυτος *quare dicatur resina.2°.de simp.med.fac.* 5ª.15.A
Αὐτοφυῆ *vocant aquas sponte nascentes.1°.de simp.med.fac.* 5ª.5.C
per Autumnum quid intelligendum.de cura lap. Sp.111.H
Autũni ortus quãdo.in 1ᵐ.de mor.vulg.cõ.1°.101.H/cõ.2°.3ª.107.F
Autumnus inchoat oriente arcturo.in 1ᵐ.de mor.vul.cõ.1°.3ª.103.B/ com.3°.aph.14°. Ex.22.F
Autumnum posse in plures partes diuidi sicut & alia tẽpora, collige. commen.3°.aph.23°. Ex.24.H
Autumnus habet duos menses.in 1ᵐ.de mor.vulg.com.1°. 3ª.102.B
Autumnus duorum mensium.in 1ᵐ.de morb.vul.com.1°. 3ª.102.F
Autũni finis Vergiliarũ occasus.ĩ 1ᵐ.& mor. vul.c.1°.103.H. 3ª.107.G
Autumni fini respondet initium veris.de pulsad tirones. 4ª.44.B
Autumno ver contrariũ est.de nat.hu.com.1°. 1ª.32.C
Autumni & veris differentia.1°.de temp. 1ª.11.G
Autumni ad ętatem comparatio, vt iuuentutis ad consistentiam.cõmentario.3°.apho.30°. Ex.26.D
Autumnus vesperi similis est, in 6ᵐ.de mor.vul.com.1°. 3ª.157.G
Autumni nã tota est ex natura tẽporis ætatis.de cura lap. Sp.111.H
Autũnus frigidus & siccus.1°.de tẽp.11.G/& de na.hu.c.1°.1ª.33.D
Autumnus inæqualis est, tamen in eo siccum frigidumq̃ dominatur.in 1ᵐ.de morb.vulg.com.1°.101.C/ 3ª.103.A
Autumnus nõ recte frigidus siccusq̃ dicitur simplr.1°.de tẽp.1ª.11.G
Autumnus mixtus est in calore & frigore.1°.de temp. 1ª.11.G
Autumnus nec calidus nec humidus.com.3°.aph.6°. Ex.20.E
Autumnus cur quandoque multum intemperatus.de sperm. Sp.39.B
Autumno qui humor abundet.de nat.hum.com.1°. 1ª.32.B/C
Autumni conuersio quando sit, & qui humor crescat, & quibus vti debemus.de dynam. Sp.20.D
Autumno abundat atra bilis secũdũ Hip.bre.denot.dog. Hip.231.B/ 8°.& dec.276.E/F/2°.& na.fa.1ª.301.D/cõ.3°.aph.20°.Ex.24.B
Autumno abundat atra bilis perustis æstate sanguine & pallida seu flaua bile.in 1ᵐ.de mor.vulg. 3ª.100.H
in Autũno cur frigidus & siccus humor abũdet.& na.hu.c.1°. 1ª.32.C
Autumnus contrarius sanguini.de nat.hu.com.1°. 1ª.32.B
in Autumno cur sanguis paucus.de natura huma comm.1°.1ª.32.C/ com.1°.apho.15°. Ex.8.F
Autumno coguntur & densantur corpora.com.1°.aph.18°. Ex.9.F
in Autumno humores depelluntur ad interiora.cõ.3°.apho.9°.20.H/ aphoris.22°. Ex.24.E
Autumnus omnibus ætatibus, naturis, ac regionibus malus.comm.3°. apho.18°. Ex.23.H
Autumnus tabidis malus.cõm.3°.apho.10°. Ex.20.H
Autumnus quod habeat mala.cõ.3°.aph.9°.20.G/aph.22°.Ex.24.E
Autumno cur praua procreantur.in 6ᵐ.de morbis vulgaribus cõmentario.1°.157.E/de vrinis. 4ª.123.E
Autumnus si inueniat aliquem bene temperatum, ipsum non ita cõseruat.commen.3°.apho.20°. Ex.24.B
Autumnus cur morbiferus.1°.de temp. 1ª.11.G
Autumni & æstatis morbi.de nat.hum.com.1°. 1ª.32.C
Autũn⁹ morbos facit acutissimos ac mortiferos.c.3°.aph.9°.Ex.20.G
Autumno fiunt morbi ex extranea qualitate, & non ex similudine.cõmen.6°.aph.55°. Ex.53.D
Autumnales morbos expectare oportet, quando ea lẽ die modo calor modo frigus.com.3°.aph.4°. Ex.20.C
Autumnus si sit pluuiosus & æstas sicca, austro perflante, qui morbi expectandi in hyeme, ventis septentrionalibus vigentibus. de aere, aquis, & locis. 2ª.4.C
Autumnũ pluuiosũ, & æstatẽ siccã sequitur hyems in qua fiũt capitis dolores, tusses, raucedines, grauedines, tabes.c.3°.aph.13°.Ex.21.H
Autumno multi insaniunt.com.3°.apho.30°. Ex.26.D
Autũno, in ætate declinãte, febres fiũt quartanæ.2°.& dif.fe. 3ª.36.E *in prog.comm.3°.* 4ª.210.B
Autumno & vere magna ex parte podagrici dolores fiunt.comm.6°. aphoris.55°. Ex.53.D
Autũno finiũt morbi veris, et morbi autũni vere.& na.hu.c.1°.1ª.32.C
Autumnus quando possit esse saluber.com.3°.aph.11°. Ex.21.D
Autũnus calidis & humidis minus aduersat.cõ.3°.aph.18°.Ex.23.H
Autumno probatissimam carnem habẽt vulpes ob vuas, sic etiam passer & ficedula.de vict.rat.in mor.acu.com.4°. 7ª.147.B
Autumno qũo edendum & bibendum, & qualia.de sal.diæ. 2ª.40.D
Autumno & æstate carnes caprinæ pessimæ.de vict.rat. in morb.acutis.commen.4°. 7ª.147.A

Autumno quo regẽdus æger præsertim in victu.cõ.1°.aph.18. Ex.9.C
Autũno abstinendũ a cibis melãcholicis et siccis.1°.de ali.fa.2ª.13.G
Autumnus,& ver, sunt purgandi tempora.de dyna. Sp.20.G
Autũno possunt fieri euacuationes per superius,& inferius,nisi naturæ obstent.com.2°.apho.7°. Ex.28.B
Autumno etiam purgauit Gal.eum,qui singulis annis in melancholiã, incidebat non solum vere.com.6°.apho.47°. Ex.52.C
Autumnalium fructuum principatum obtinent ficus & vuę.2°.de alimentorum facultatibus. 2ª.17.G
Autumnales fructus magis iuuant stomachum ipsis melopeponibus. 2°.de alimentorum facultatibus. 2ª.17.B
Autumnales fructus sunt praui succi.2°.de alimen.fa. 2ª.17.B
Autumnales omnibus fructibus multi medici anteposuerũt lactucas. 2°.de alimentorum facultatibus. 2ª.22.D
Autumnales fructus exigue nutriunt.2°.de alim.fac.17.B/ 2ª.19.A
Autumnales fructus magis lædunt ficubus.2°.de alim.fac. 2ª.17.E
Autumnales aquæ malæ sunt & quibus.de bon.aquæ. Sp.75.F
AVI FIGVRAM retinet puer quando principium habet in horis sanguinis sicut auus eius.de spermate. Sp.38.F
Aui & patres podagrici simili morbo filios procreãt,quare.com.6°. aphoris.28°. Ex.49.B
AVVLSA *quæ.de const.artis. Is.37.D*
Auulsio quid sit.de ijs,quæ in med.fi.com.3°. 7ª.219.G
Auulsiones sunt instrumentariarum partium propriæ passiones.di differentys morb. 3ª.5.D
AVXILIVM qui vocetur.11°.meth.me. 7ª.68.A
Auxilium quid. fin.med.Isa.46.B/11°.met.me. 7.68.A
q̃ Auxilia in curatione alopeciæ adhibẽda sint.de cõ.m.s.l. 5ª.121.E
ad Auxiliorum inuentionem quæ conferunt.9°.met.me. 7ª.58.G
Auxilia indicat affectio.2°.de comp.med.se.lo. 5ª.134.A
Auxiliorum dexter vsus præcipua artis pars.de const.artis.Is.41.A
Auxiliorum tempora.de opt.sect. Isa.27.E
Auxilia diuersa in temporibus diuersis.de tot.morbi tem. 3ª.89.A
Auxiliorum quantitas vnde sumenda.2°.de comp.me.se.l. 5ª.134.A
Auxiliorum quantitas,& temporis occasio ad recte medendum plurimum conferunt.1°.de art.cur.ad Glauc. 7ª.94.C
Auxiliũ describens medicus qd agere dẽt.d̃ ve.sec.adu.Eras.6ª.11.H
Auxilia magna quando sunt præstanda, quid considerandũ. in 1ᵐ.de morb vulg.com.2°. 3ª.112.F
Auxiliari cum repente volumus ægro,& ipsi velocẽ præsidij sensum moliri,celerrima fit mutatio in corporib.de ther.ad Pis. 5ª.94.D
Auxilijs pprijs cur cõtraria,qñq; miscem°.2°.d̃ cõp.m.s.l. 5ª.134.B
Auxiliorum materiæ.9°.met.me. 7ª.58.D
ab Auxiliorũ mã medicamentariũ & gymnasticũ noĩatũ est.2ª.108.F
Auxiliorũ materiæ,& non auxilia quæ.in 6ᵐ.de morbis vulgaribus. commen.5°.180.D/ 3ª.188.A
Auxiliaria signa quæ.fin.med. Isa.46.B
Auxilium ad omnia.5°.de comp.med.per gen. 5ª.252.H
Αὔξυσις,& ἐπίδοσις, ἀνάβασις idem significant. de mor.tẽp. 3ª.85.F
AVTOPSIA *quid de sectis. Isa.16.G*
AXIS *quid.10°.de vsu partium. 1ª.182.C*
Axes pars organorum de machin. 7ª.309.E
Axes ad quid in organis.de machin. 7ª.309.G
Axes cum organa mouentur vsui sunt.de machin. 7ª.310.F
Axes plerique mouentur in eodem.de machin. 7ª.310.F
Axis vsus in instrumento,qđ cruribus subijcitur.6°.met.m.7ª.41.H
Axem & suculum significat asellus.de art.com.3°. 7ª.270.H
AXILLAE omnium auium sunt boni chymi, & subtilis. de dissolu. continua.72.D/ Sp.73.H
Axillæ omnium auium pinguium & iuuenum velocius digeruntur,q̃ axillæ macrarum,& antiquarum.de dissol.cont. Sp.73.C
Axillæ auium superfluitates non habent,de dissol.cont. Sp.73.E
Axillæ pullorũ anserũ nõ sunt multarũ supfluitatũ.de diss.cõt.Sp.73.E
Axillarum glandulæ.de anato.vino. Sp.55.G
sub Axilla quãdã paruã carnem inuenit Galen.1°.de ana.ad. 1ª.64.F
Axillæ partem carnosam qui musculus faciat.de mus.diss. 1ª.47.C
in Axillis pili plurimi sunt incrementi.11°.de vsu par. 1ª.190.A
Axillarum odor non debet inesse medico. in 6ᵐ.morbis vulgar.commentario.4°. 3ª.181.H
Axillarum odor potest curari.in 6ᵐ.de mor.vul.com.4°. 3ª.182.A
in Axillis & inguinibus quo modo cutis incidenda in speciem myrti. 13°.methodi medendi. 7ª.81.E

AXILLARIS *vena per totum brachium decurrit. 3°.de anatomicis administrationibus. 1ª.77.D*
Axillaris vena humerali multo maior est.3°.de ana.admi. 1ª.76.D
Axillari venę in brachio vna arteria vicina,& vnde veniat.3°.de anatomicis administra. 1ª.77.E
Axillaris vena vna ẽ ex qnq; venis brachij q̃ secant.Φan.vi.S.54.G
Axillaris vena secari debet super iunctura.de ana.viuo. Sp.54.G
AXIOMATA *quæ sint.1°.met.me. 7ª.5.B*
Axiomata si dicantur aut lemmata,aut principia,aut propositiones, nihil refert.1°.de simp.me.fac. 5ª.4.C
Ἀξίωμα συνημμένον, nuncupatur hypothetica propositio.2°.de simplicium med.facul. 5ª.13.C
Ἀξίωμα ex sensu.2°.de simp.med.fac. 5ª.13.C
AXVNGIA *quid.11°.de simp.med.fa.80.H/1°.de comp.me.per gen. 211.B/4°.239.E/7°., 5ª.264.F*
Axungia a rotis derasa.1°.de comp.med.sec.lo. 5ª.124.G
Axungias luna replet.de compag.memb.siue de na.hu. Sp.59.G
Axũgia porci virginis ingreditur medicamentũ.de pass.mul.Sp.95.H
AZANITAE *emplastrum.5°.de comp.medica.per genera. 5ª.247.D*
AZARICONIS *philosophi medicinæ.de med.exper. Sp.105.F*
AZEGIZ vt flertitio.de vo.& anhel. Sp.60.H
AZYMVM panem accipi iubet in curationes ossis fracti. de dynamidijs. Sp.31.E

BABYLONICI *gummi inest in pilulis ad dysenteriam.de dyn. Sp.28.3*
Babylonicarum rosarum fit mentio in cõpositione quæ dr triasandali.de dy. Sp.26.E
BACCAS *lauri calidas esse conijcitur.10°. de composi.med.sec. 5ª.208.B*
Bacca lauri colorem expurgat,& sudorem mouet.de cura icteri. Sp.111.C
Baccis lauri purgatis vtitur in malagmate ex silphio.10°.de comp. med.sec.loc. 5ª.208.B
Baccarum myrti nigræ exacinatarum fit mentio in catapotijs ad stomachi subuersiones.8°.de comp.med.sec.loc. 5ª.189.F
cum Bacca lauri decoctum oleum plusquàm oporteat thermanticum esse certum est.de simp.med. Sp.88.D
BACCHIVS *antiquus medicus empiricus interpretatus est Aphorismos.com.7°.aph.64°. Ex.60.D*
Bacchius interpres sexti epidemiorũ.in 6ᵐ.de mor.vul cõ.1°.3ª.152.C
Bacchij malagma, quo Cæsar vsus est.7°.de cõp.me.per.g. 5ª.267.B
BACVLA *versantia, pars organorum.de machin. 7ª.309.E*
Bacula versantia ad quid in organis.de machin. 7ª.309.H
BALENAE inter cetacea numerantur.3°.de alim.fac. 2ª.32.E
Balena habet multum sanguinem,et respirat in aere miro modo.6°.de vsu partium. 1ª.150.H
Balenæ vbi habeant oculos.8°.de vsu partium. 1ª.166.F
Balenarum cutes summe durę, & propemodum insensibiles sunt.3°. de vsu partium. 1ª.134.A
Balenæ habet saporem ingratum,& mucosum.3°.de ali.fa. 2ª.31.F
Balenæ carnes salsæ faciũt humorem melãcholicũ.3°.de lo.af.4ª.18.F
BALANI *ex testaceis conueniunt stomachicis.8°.de compositione medicamentorum sec.loc. 5ª.192.C*
BALANVS *myrepsica,hoc est glans vnguentaria, affertur ex barbarica regione.6°.de simp.med.fac. 5ª.44.D*
Balani vnguentariæ carnis succus facultate calidus est.6°.de simplicium medic.facul. 5ª.44.D
Balani vnguentariæ carnem si quis dragmæ pondere cum melicrato bibat,medicamen experietur vomitorium.6°.de simp.me.f.5ª.44.D
Balani vnguentariæ reliquiæ,vnde est expressus succus,terrestres sunt & durę,vincentem hñt qualitatem amaram cum quadam adstrictione.6°.de simp.med.fac. 5ª.44.D.E/
Balanus vnguentaria sæpe per infernam aluum largiter subducit, ad iecinoris,& lienis expurgationem ex oxycrato datur.6°.de simplicium med.fac. 5ª.44.D
Balani vnguentariæ recrementa ad ionthos,lentes,ephelin,pruritum, deinde ad psoram,& lepram conueniunt,& lienes liquant,iecur q̃ indurescentia.6°.de simp.med.fac. 5ª.44.D
Balanus vnguentaria exantemata,achoras,tum vlcerosa & q̃ crassi sunt

sunt succi omnia extergit. 6°. de simp. med. fac. 5ª.44.E
Balan⁹ unguẽtaria cicatricibus decorẽ affert. 6°. de sim. me. f. 5ª.44.E
Balani unguẽtariæ cortex admodũ adstringit. 6°. de sim. me. f. 5ª.44.E
Balaniũ olei fit mentio. 2°. de simp. med. fac. 11. G/6°. 5ª.46.H
℔ BALANO *& pessο subditi nomine vtitur Hippocrates. in 6ᵐ. de morb. vulg. com. 3°.* 3ª.122.D/H
Balano seu glande vtendum est virtute imbecilla existente. de vic. ra. in morb. acu. com. 1°. 7ª.115.E
Balani in coli dolore ex quibus fiant. 12° meth. med. 7ª.79.F
Balanum ex sapone innuit, cum inquit gallicum saponem lana inuolutum submittito. de rem. par. fac. 7ª.167.E
BALANVS *nomen ponderis. de pond. & mens.* 5ª.277.F
BALAVSTIVM *quid. & eius vires. de simp. med.* Sp.81.D
Balaustiũ floris meminit. 7°. de comp. med. sec. lo. 5ª.183.F
Balaustium & Cytinum ponuntur tanquam distincta. 7°. de compositione med. sec. lo. 183. G/H/184. F/8°. 5ª.192.H
Balaustia refrigerat, repugnat, desiccat, et cõfortat. de ocul. 7ª.188.H
Balaustium siccum est & frigidum. 6°. de simp. med. fac. 5ª.44.F
Balaustiũ exiccat tertio ordine, & non vrit. 5°. de sim. me. fa. 5ª.44.F
Balaustium cibis non conuenit. 6°. de comp. med. sec. lo. 5ª.175.A
Balaustium acerbum est. 2°. de loc. affec. 4ª. 12. D/6°. de comp. medic. sec. loc. 5ª.172.G
Balaustium austerum est. 4°. de comp. med. per gen. 5ª.241.H
ex Balaustiis, hypocistide, & palmularũ carne confecta medicamenta ad refrigerandum, & firmandum vẽtriculũ. 8°. met. me. 7ª.53.D
Balaustium vnum ex adstringentibus medicamentis. 9°. de simp. med. fac. 67.A/11°. 84. G. 6°. de comp. med. sec. loc. 5ª.175.H
in Balaustio adstrictionis actio cõsiderãda ẽ. 4°. de sim. me. f. 5ª.26.A
Balaustium adstringit vehementer. 6°. de simpli. med. fac. 44. F/4°. de comp. med. sec. loc. 5ª. 154. G/5°. meth. med. 7ª.31.G
Balaustium sistit sanguinem. intro. If.56.F
Balaustiũ intertriginibus, & aliis vlceribus si illinatur, celerrime illa cõtrahũt cicatricẽ: & ad sanguinẽ reiicientes, ad dysenteriã, & vẽtris uteriq; pfluuia illo usi sunt oẽs medici. 6°. de sim. me. f. 5ª.44.F
Balaustiũ ad hæmoptoicos & dysentericos. 7°. de cõp. me. f. l. 5ª.184.A
Balaustium internis vlceribus opitulatur. 4°. meth. med. 7ª.28.H
Balaustia ad asperitatem palpebrarum faciunt. de oculis. 7ª.189.C
BALBVTIRE *est vitiũ prolationis nõ vocis. cõ. 6°. aph. 32°.* Ex.49.G
Balbi quare impediuntur. 4°. de loc. aff. 4ª.26.F
Balbuties vnde proueniat. in 1ᵐ. prorrh. com. 1°. 4ª.26.F
Balbuties quare, qũo, & quot causis fiat. com. 6°. aph. 32°. Ex.49.H
cur Balbutiant pueri. com. 6°. aph. 32°. Ex.49.H
Balbe loquuntur melancholici. de mel. ex Gal. Ruf. & Poss. Sp.109.E
Balbutiunt aliquando ebrij. com. 6°. aph. 32°. Ex.49.H
Balbi ab alui profluuio maxime capiuntur. cõ. 6°. aph. 32°. Ex.49.G
BALNEA *cum simpliciter dicitur, intellige balneum aquarum dulcium. 7°. de comp. med. se. lo.* 5ª.177.E
de Balneis calidarum & frigidarum aquarum quatenus ad tuendam sanitatem comparantur. 3°. de san. tuen. 2ª.77.H
post Balnei vsum quæ in fine sunt libri de Ptissana, pleriq; tollũt, quæ vero eousq; habentur omnes conseruant. 3°. de diff. resp. 3ª.71.F
Balneorũ usum frequentẽ nõ habebãt antiqui. 2°. de symp. cau. 3ª.23.B
Balneorum inopia tempore Hippocratis ostenditur. de iis quæ in med. fiunt. com. 3°. 7ª.220.G
Balneorum nomina secundum Quintum. 3°. de san. tuen. 2ª.81.H
Balnei partes quæ, & quales. 8°. meth. med. 7ª.65.E
Balneorum quatuor partes. 10°. meth. med. 7ª.65.E
Balneorũ partes, q̃ promalacteria dñr, quæ. 9°. de simp. me. fa. 5ª.71.D
ex Balnei prima parte quid hecticis proueniat, modo tempestiue balneo vtantur. 10°. meth. med. 7ª.63.H
Balnei secunda pars, qđ lauacrũ uocaẽ, quid agat. 10°. me. me. 7ª.65.H
Balnei tertia pars, qualis. 10°. meth. med. 7ª.65.H
Balnei quarta pars. 10°. meth. med. 7ª.66.A
Balneorũ ἄρμενα, id est commoda, vocãtur ab Hippocrate aluei rotæ, pelues, labra & id genus. de his quę in med. fiunt. com. 1°. 7ª. 200.H
Balnei tectum qũo esse debet. de vict. ra. in mor. ac. com. 3°. 7ª. 131.H
Balnearum aqua habet tres calores. 2°. de temp. 1ª.17.D
Balnei calori similis ẽ caliditas febris ex sãguine. 2°. de dif. fe. 3ª.40.C
Balnea publica debent habere aquã maiorem, priuata minorem. 16°. de vsu partium. 1ª.214.F
Balneis quæ sunt necessaria in paucis domibus parantur. de vict. rat. in morb. acu. com. 3°. 7ª.131.H
in Balneis aq̃ multæ mixturæ. de vic. ra. in mor. ac. com. 3°. 7ª. 132.C
Balneo vehementiori egentes, id est qui multa aqua perfundendi sunt. de vict. rat. in morb. acu. com. 3°. 7ª.133.C
in Balnei solio cur longiori temporis spatio sit immorandum cruribus extra aquam emotis. 8°. de comp. med. se. lo. 5ª.199.B/F
Balnearũ aer adeo frigid⁹ ẽ qñq;, vt nõ iducat sudorẽ. 2°. & tẽp. 1ª.17.D
Balnearum aer quandoq; temperatus. 2°. de tempe. 1ª.17.D
Balnei aer qũo fiet tẽperatus, & modice humid⁹. 10°. me. me. 7ª.66.H
Balneum temperatũ dicimus nõ solũ cũ alterũ huic, alterũ illi tale est, sed ẽt cum ad eũdẽ hominẽ in latitudine tale est. 1°. de sa. tu. 2ª.64.B
Balnearũ aer adeo calidus est qñq; vt nõ feratur. 2°. de temp. 1ª.17.D
Balneorum intemperies tres, quæ sint adu. Lycum. Ex.62.B
in Balneis sudorem detergebant strigili. 14°. meth. med. 7ª.87.B
in Balneis spongiis primum, deinde linteis vtebãtur ad detergendum. 10°. meth. med. 7ª.67.A
in Balneis spõgiis utaris p strigili. de uic. ra. in mor. ac. c. 3°. 7ª. 132.E
vt Balnea, ita etiam nostra corpora purgantur. de sal. diæ. 2ª.41.E
Balneorum sordes exteruntur aphronitro. 9°. de simp. me. fa. 5ª.68.H
Balnei sordium spissitudinis similitudine vtitur in docenda compositione medicamenti. de remed. paratu facil. 7ª.173.D
Balneorum strigmenta emolliunt. 6°. de simp. me. fac. 5ª.45.F
Balneas, venerem, & id genus vocat Galenus vitæ rationem. 3°. de symp. caus. 3ª.25.B
Balneæ, frictiones, ambulationes, vehicula, sunt motus materiæ. ars medicinalis. If.71.F
Balneum quo modo apotherapiæ pars sit. 3°. de san. tuen. 2ª.78.A
in Balneis aliqui se citra exercitationem elixant. 3° de san. tu. 2ª.78.B
ad Balneum via sit breuis, & ingressus, & egressus facilis. de victus rat. in morb. acu. com. 3°. 7ª.132.B
Balnea intrantibus rigor atque horror quandoque accidunt. de palp. trem. conuul. & rig. 3ª.55.F
Balnea præcalida faciunt horrorem. 2°. de symp. cau. 3ª.22.E
in Balneo qui horrescant, & cur. 10°. meth. med. 7ª.65.E/F
añ Balnea & post qui palmularum glandes multas teneras & recentes pluribus diebus comederat in horrorem & rigorem incidit. de palp. trem. conuul. & rig. 3ª.55.G
Balneo frigido rigor incitatur. 2°. de symp. cau. 3ª.22.E
Balneo calescunt rigentes. de marc. 3ª.47.H
Balneũ ingressi cruditate laborãtes horruere. 2°. de symp. cau. 3ª.22.D
Balneum ingressus, qui non horruit, sed laxata illi rarefactaq; cutis sit, quæ assequatur commoda. 10°. meth. med. 7ª.65.H
Balneorum vsus debet esse in tempore. 3°. de cau. puls. 4ª.98.F/*de arte cur. ad Glauc.* 7ª.97.C
Balnea obsunt nisi tempore fiant. de marc. 3ª.44.E
Balneis calidis post vsũ pilæ vtebant antiq. de par. pilæ. exer. 2ª.49.E
Balneum nõ est tutũ, nisi prius corpus sit inanitũ. 3°. de sa. tu. 2ª.94.E
Balnea non sunt vtilia nisi post euacuationem, aut coctionem. com. 7°. aphor. s. 42°. Ex.57.D
Balnea a coctione exhibenda sunt. de marc. 3ª.48.E
cur Balnea vacuato corpore adhiberi debent. de vict. rat. in mor. acu. commen. 3° 7ª.133.E
añ Balnea qui poterit, exerceatur. de bon. & vitio suc. 2ª.39.B
añ Balneum qui debeant aliquid comedere. 6°. de san. tuen. 2ª.97.F
añ Balneum per sex horas comedendum. 6°. de san. tuen. 2ª.97.G
añ Balneum quæ obsonia comedenda. 6°. de san. tuen. 2ª.97.G
Balneandi non sunt qui nuper comedére vel bibére. de vic. rat. in mor. acu. commen. 3°. 7ª.132.G
in Balneo melicratum bibitũ quibus cõferat. de cura icteri. Sp.111.C
Balneũ aliqui oleo perfusi protinus ingrediuntur. 6°. de sa. tu. 2ª.97.C
Balneum ex aqua, & oleo multum humectat, & calefacit. 5°. de simp. medic. fac. 5ª.33.A
in Balneo inungendi non sunt cruditatem, aut plethoricum corpus habentes. 2°. de simp. med. fac. 5ª.15.H
a Balneo, siue balnei expertes quos sudare volũt homines, iis nõ protinus ab initio oleũ admouent, uerum in iis qui morbo laborarunt vbi sudare inceperint tũ excalfactũ pfundũt, in his uero, qui etiamnũ laborant, vbi abunde iã satis sudarint. 2°. de simp. med. fa. 5ª.15.H
in Balneo vtuntur butyro, vbi oleum deest. 3°. de ali. fa. 2ª.27.G
in Balneo perungendum est, quando ægri corpus humidum existit. de vict. rat. in morb. acu. com. 3°. 7ª.132.E
i Balneis cur frigidũ mingimus, foris tepidũ. 3°. de simp. me. f. 5ª.18.B
i Balneis sudor est coloris urinæ iis qui diutius cibo abstinuerunt. 14°.

methodi medendi. 7ª.87.*A*
Balneis vbi abunde incalueris, aqua tepida cur frigida videatur. 3°.*de simp.med.* 5ª.18.*C*
à Balneis tepidioribꝰ exeũtes frigiditatẽ sentiũt.de cau.pcat. 3ª.96.*B*
Balnea an in morbis conferant.de vic.ra.in mor.ac.com. 3°.7ª.131.*H*
Balnea ægrorũ qualia esse debẽt.de vict.ra.in mor.ac.c. 3°.7ª.132.*A*
qui Balneãtur quid agere debẽt.de uict.ra.in mor.ac.cõ. 3°.7ª.532.*C*
Balneum quid boni faciat. 12°.*meth.med.* 7ª.74.*A*
Balneum non est opus medici spectantis symptoma, sed eius qui totum affectum adimere studet 12°.*meth.med.* 7ª.75.*D*
*ex Balneis conuenientibus vires roborantur.*7°.*de renũ affect.digno. & medela.* 7ª.196.*F*
Balneum lassitudines tollit, mollit articulos, & cutem per summa apparentem, vrinas ciet, capitis soluit grauitatẽ, & nares humectat. de vict.rat.in morb.acu.com. 3°. 7ª.132.*H*
Balnea in fluxibus ad ventrem aptissima sunt, sanguinis vero fluxum acriter irritant. 1°.*de arte cur.ad Glauconem.* 7ª.99.*A*
Balneum corpus calfaciendo maxime foris ad digestionem confert, & digestorum appositionem.de sal.dia. 2ª.41.*C*
Balneis vti prodest his qui ventriculum habent ad coquendum non idoneum.de mel.ex Gal.Ruf.& Poss. *Sp.*110.*D*
Balneũ calfaciẽs mediocriter maturat.i 1ᵐ.*de mor.uul.c.* 2°.3ª.112.*A*
Balneum trahit foras humores. 4°.*san.tuen.* 2ª.86.*A*
Balneum ad quid conducat. 3°.*de san.tuen.* 2ª.80.*A*
Balneum quibus sit salubre. 5°.*de san.tuen.* 2ª.94.*C*
Balnea debent infantibus adhiberi ex aquis dulcibus salubribus. 2°.*de san.tuen.* 2ª.65.*B*
Balneum mediocre adhibendum temperato. 2°.*de san.tuen.* 2ª.75.*H*
Balnea pauca temperatis debentur. 3°.*de san.tuen.* 2ª.78.*A*
Balnea bene coquenti non admodum sunt necessaria. de mel. ex Gal. Ruf.& Poss. *Sp.*110.*D*
Balnea sitientibus sitim leuant.de marc. 3ª.47.*H*
Balnea ingredientes homines sitientes aquam attrahi sentiunt. in 6ᵐ. *de morb.vulg.com.*6°. 3ª.195.*B*
Balnea non sitientibus sitim accendunt.de marc. 3ª.47.*H*
Balneum plus cõuenit gracilibus, quã corpulẽtis.de sal.dia. 2ª.41.*A*
*Balneum non fit in pletorica dispositione sine maximo detrimento.com men.*7°.*aph.*46°. *Ex.*57.*G*
tũ Balneo frequenti, tum sanguinis missione, tum exercitatione, tum frictione, digerentibus medicamentis, & inedia plethora curatur. 13°.*meth.med.* 7ª.81.*H*
*Balneis multis sanatur plethora absq; sanguinis missione. de vict. rat. in morb.acu.com.*4°. 7ª.136.*H*
Balneis plenitudo exhauritur.de curan.rat.per sang.miss. 6ª.18.*E*
Balnea quo modo extenuant.de sal.dia. 2ª.41.*H*
*Balneũ aq̃ dulcis humidũ ẽ et calidũ moderate.*1°.*de vsu par.*1ª.116.*E*
Balnea dulcium aquarum calefaciunt, & humectant. 1°. *de temp.* 1ª. 10.*E*/*de rerum affect.digno.& medela.* 7ª.94.*B*
in Balneis adhibendis intentio sit vt corpus madeat atq; humectetur. 1°.*de arte curatiua ad Glauc.* 7ª.97.*B*
Balnea calida ex aqua potabili humectant & refrigerant potentia. 1°. *de arte cur.ad Glau.* 7ª.97.*B*
*ad Balneum sæpius æger ducitur non vacuandi corporis gratia, sed vt humectetur, & madescat quod immoderatius exaruit. de vict.rat. in morb.acu.com.*3°. 7ª.132.*E*
Balnea siccitates omnes calidas, & frigidas iuuant. de marc. 47.*H*/ 7°.*meth.med.* 7ª.44.*E*
ad Balnea mittendi sunt adusti. 1°.*de arte cur.ad Glauc.* 7ª.99.*C*
*Balneum auxilio esse quibusdam æstuantibus febribus, colligitur. de vict.rat.in mor.acu.com.*3°. 7ª.133.*A*
*Balneum impense calidis satisfacit.*6°.*de san.tuen.* 2ª.96.*A*
Balnea extinguunt flammam de vtil.respi. 1ª.224.*F*
Balneo frigescunt a sole calefacti.de marc. 3ª.47.*H*
*Balnei aerem non desiderat Galenus in siccis.*6°.*meth.med.* 7ª.44.*F*
*Balnea calefaciunt ẽt mortuos.de iis quæ in med.fiunt, cõ.*3°.7ª.215.*H*
Balneum aperit vias vrinæ, sudoris, & alui, tamen non calefacit. 11°. *meth. med.* 7ª.70.*E*
*ex Balneis duo ægro cõpendia accedũt, & redundãtia humorũ aliquid vacuatur, & multũ caloris febrilis trãspirat.*11°.*met.me.*7ª.75.*H*
Balneum ex aquis potissimum digerentibus est vnum ex auxiliis vacuantibus. 14°.*meth.me.* 7ª.89.*A*
*Balnea sunt in quinto ordine euacuationis.com.*2°.*aph.*17°. *Ex.*13.*E*
*Balnea quid & quantum euacuent, & quòd non satis sint pro euacuatione superfluitatum quotidianarum.com.*3°.*aph.*15°. *Ex.*22.*G*
Balneo excalfaciente non est vacuanda succorum exuberantia in febriente. 13°.*meth.med.* 7ª.81.*H*
*ex Balneis quicquid in corpore vel fumidum est, vel fuliginosum euacuatur.*8°.*meth.med.* 7ª.76.*A*
Balneorum vsus quando sit sine periculo. 11°.*meth.med.*70.*A*/74.*B*/ *de vict.rat.in morb.acu.com.*3°. 7ª.133.*C*
Balneum perpetuo iuuat affectionem, quæ cum igneo calore coniuncta est, de marc. 3ª.47.*H*
*Balnea quibus febribus conferant, & de eorum vtilitate. commen.*7°. *aphor.*42°. *Ex.*57.*C*
Balneum requirit febris per se nulli alteri implicata, sicut omnes aliæ siccitates.de marc. 3ª.47.*H*
*Balnearum vis marasmo, hecticæ, &, vt semel dicam, omnibus febribus est accommoda.*8°.*meth.med.* 7ª.65.*D*
*Balnei vtilitas duplex in febribus.*8°.*meth.med.* 7ª.65.*H*
Balnea podagricis, & arthriticis commoda sunt propter febrem. 11° *methodi medendi.* 7ª.74.*A*
*Balnea in quacunq; febre feceris, tria considera.*11°*met.me.*7ª.73.*H*
*Balneum calidi, & humidi diaria laborantes requirunt, ceu quòd cutim laxet, ceu quòd humectet, non requirunt.*8°.*met.me.* 7ª.54.*C*
Balneo iuuatur febris ex itinere.de motu.musc. 1ª.315.*C*
quo Balneo iuuemur, postquam in sole feruenti iter fecerimus. 8°. *meth.meden.* 7ª.66.*A*
*Balneum quo vis tempore non conuenit febricitantibus, sed in accessionis remissione.*8°.*meth.med.* 7ª.51.*F*
*ad Balneum ducendi sunt in prima accessione inclinante, qui diaria ex meatuum stipatione febricitant.*8°.*met.med.* 50.*A*/ 7ª.51.*E*
*Balneo qũo cureẽ ephemera ex labore.*1°.*de arte cur.ad Gla.*7ª.95.*E*
Balnea lassitudinem sedant.de mel.& Gal.Ruf.& Poss. *Sp.*110.*D*
*Balneum bis ante prandium ingressus est laborans diaria ob æstum.*8°. *meth.meden.* 7ª.50.*D*
*Balneo bis breui interiecto spatio utitur Galenus in febricitante diaria ob meatuum stipationem.*8°.*meth.med.* 7ª.50.*B*
ꝙa Balnei aere febre diaria laborantes citissime oporteat remouere. 1°.*de arte cur.ad Glauc.* 7ª.95.*E*
*Balnei tẽpus in febribus intermittẽtibus qñ sit.*11°.*met.me.* 7ª.74.*C*
*Balneũ potest adhiberi ꝑ tres horas añ accessionẽ.*8°.*met.me.*7ª.52.*H*
*Balneũ, cur neq; fiat in principio, neq; in augmẽto.*8°.*me.me.*7ª.65.*E*
*Balneum in declinatione fiat.*8°.*meth.med.*65.*E*/11°. 7ª.73.*H*
*Balneũ ẽt post cibũ toto corpe extenuatis cõuenit.*14°.*me.me.*7ª.91.*G*
Balneo delectãtur hectici.d marc. 3ª.47.*F*/3°.*d præf.ex pul.* 4ª.116.*F*
ad Balnea accedentes hectici nisi in frigidam sint dimissi nihil iuuantur. 10°.*meth.med.* 7ª.66.*D*
*Balnea frigida in hecticis recusamus, qñ his & pauci sanguinis, & nudũ carne, & exps adipis redditũ corpus est.*10°.*met.me.* 7ª.66.*B*
Balnea ꝙbus febribus tabidis cõueniãt, & ꝙbus nõ.de mar. 3ª.48.*A*
Balneis quando hectica febris sanatur.de marc. 3ª.44.*E*
Balneis marasmatos curauit Galenus.de marc. 3ª.47.*E*
*Balneãdꝰ hecticus, qũo sit tractãdus, et exuẽdus.*10°.*me.me.*7ª.66.*D*
Balneum prohibet putrida hectica coniuncta. 10°.*met.med.* 7ª.66.*G*
*Balnea dicebat Philippus hecticis noxia esse.*8°.*meth.med.* 7ª.65.*C*
Balneo, & relaxantibus non vtitur Galenus in febre putrida, nisi post purgationem. 11°.*meth.med.* 7ª.72.*D*
Balneis quando putrida febris sanatur.de marc. 3ª.47.*E*
*Balnea calida ex aq̃ potabili i tertiana qd faciãt.*1°.*de ar.cu.* 7ª.97.*B*
Balneandum non est in tertianis non exquisitis, statim, sed apparentibus signis coctionis. 1°.*de arte cur.ad Glauc.* 7ª.97.*E*
*Balnea sæpius in die adhiberi p̃nt laborãtibus exquisita tertiana post signa coctiõis, p̃sertim si his delectenẽ.*1°.*de ar.cur.ad Gla.*7ª.97.*C*
*Balneis cur non sunt inspergenda nitrum, sal, & sinapi.*1°.*de arte cur. ad Glauconem.* 7ª.97.*B*
*Balnea marina in tertianis sunt inutilia.*1°.*de arte cur.ad Gla.* 7ª.97.*B*
Balneum marinæ aquæ ducit plus bilis, sed minus prodest tertianis quàm potabilis. 1°.*de arte cur.ad Glauc.* 7ª.97.*B*
*Balneũ aquæ salsæ, nitrosæ, & sulfureæ plus bilis ducit, sed minus prodest tertianariis quàm potabilis.*1°.*de arte cur.ad Glauc.*7ª.97.*H*
*Balnea mineralia tertianis inutilia esse, collige.*1°.*de arte cur. ad Glauconem.*97.*B*/11°.*meth.med.* 7ª.69.*H*
à Balneis non penitus sunt arcendi quartanarij, tamen melius esset, si ab his possent abstinere. 1°.*de arte cur.ad Glauc.* 7ª.97.*F*

Balneo lauatus Menãder ſubito febre leuatus eſt. de ca. pcat. 3ª. 95. *D*
Balneo ſi abſtineãt frigidi & humidi, nõ lædũtur. 5°. *de ſa. tu.* 2ª. 94. *E*
Balneum quid faciat in capitis dolore. 2°. *de comp. me. ſe. lo.* 5ª. 133. *E*
Balneũ capitis caliditatẽ iuuat. de ra. vic. in mor. ac. com. 4°. 7ª. 140. *B*
Balnea quandoq; in pleuritide ſunt exhibenda. 9°. *de dec.* 1ª. 282. *G*
Balnea utero geſtãtis mulieris qd faciãt fœtui. 11°. *de uſu par.* 1ª. 188. *B*
Balneum quando prohibetur in lichenibus, quid agendum. 5°. *de compoſitione med. ſec. lo.* 5ª. 161. *G*
Balneũ calidæ valet in dolore renũ. de renũ affe. dig. & me. 7ª. 199. *D*
Balneis multis cur vtantur, & cibos lenes ac laxantes edant citharœdi, phonaſci, præcones, tragœdiam ac comœdiam agentes. 7°. *de cõpoſitione med. ſec. loc.* 5ª. 177. *E*
Balnea voci congrua ſunt. 7°. *de comp. med. ſec. loc.* 5ª. 177. *E*
Balneo plerunq; in affectu oculorum vſus eſt Galenus. 2°. *de dif. feb.* 3ª. 41. *G* 3°. *meth. med.* 7ª. 17. *D*
in Balneo lauationes ubi concocta iam phlegmone fuerit, & ſimul corpus vacuum, ſedant dolorem ſtatim, & fluxiones quæ ad oculos feruntur, ſiſtunt. 13°. *meth. med.* 7°. 86. *B*
Balnea quem dolorem oculorum ſanent. commen. 6°. *apho.* 31°. 49. *F*/ *com.* 7°. *aph.* 46°. *Ex.* 57. *G*
Balneati adoleſcentis caſus in oculorũ dolore. com. 6°. *aph.* 31°. 49. *D*/ *com.* 7°. *aph.* 46°. *Ex.* 57. *G*
à Balneo antiquiores, linteo homines contegebant, aut veſtibus & potiſſimùm puris, vt plurimum ſudarent, obuoluebant. de vict. rat. in morb. acu. com. 3°. 7ª. 132. *E*
Balnea quæ ceſſare faciunt pruritus. de cura icteri. *Sp.* 111. *C*
Balneum aquæ calidæ facit ad ſudores. de cura icteri. *Sp.* 111. *C*
in Balneo ægrum non ſemper conuenit copioſe ſudare. de vic. rat. in morb. acu. com. 3°. 7ª. 132. *E*
Balneorum ſudores, quales. 3°. *de ſym. cau.* 3ª. 28. *F*
à Balneo calido ægri dum tranſeunt in frigidum, lauantur prius tepida triplici prima admodum tepida, ſecunda minus, tertia magis ad frigidum declinante. de rat. vict. in morb. acu. com. 3°. 7ª. 132. *D*
Balnea calida, poſtea frigida ingredientibus, quid eueniat. 3°. *de ſimp. medic. fac.* 5ª. 21. *D*
ex Balneis calida velocem, & magnam, & denſam faciunt reſpirationem, frigida vero contrariam. 1°. *de dif. reſp.* 3ª. 58. *D*
à Balneis qui pulſus. 3°. *de dif. pul.* 4ª. 61. *F*
Balneæ frequentiores ſunt cauſæ precedentes pulſus mollis. 1°. *de præſ. ex pulſ.* 4ª. 109. *D*
Balneæ calidæ, quos pulſus creent. de pulſ. ad tyro. 44. *D*/ 3°. *de cauſis pulſ.* 4ª. 98. *F*
Balneo loti habent reſpirationem & pulſum arteriarum frequentiorẽ & maiorem. de vſu pul. 1ª. 227. *F*
Balneum frigidæ quibus faciendum. 10°. *meth. med.* 7ª. 66. *C*
Balneæ frigidæ ſtatim refrigerant. 3°. *de cau. pul.* 4ª. 98. *H*
in Balneũ frigidæ tutũ non eſt coniici imbecillos & graciles, niſi prius fuerint in balneo æqualiter excalfacti. 10°. *meth. med.* 7ª. 66. *C*
ex Balneo impenſe frigido conuulſio euenire poteſt, vt accidit Alexandro, dum tempore æſtiuo in Cydno Ciliciæ flumine ſe lauaret. de cauſ. procatar. 3ª. 97. *F*
Balneo aquæ frigidæ non lædetur ardentiſſima febre laborans, valentibus viribus, concoctionis notis euidentibus, non ſenex, bona corporis habitudine, ſtatu cœli calido, & ſicco. 11°. *meth. med.* 7ª. 70. *A*
Balneũ aduerſiſſimum eſt febri ardenti ex pituita ſalſa putrefacta. de vict. rat. in morb. acu. com. 3°. 7ª. 133. *E*
cur Balneum magis iuuat peripneumonias, quàm febres ardentes. de vict. rat. in morb. acu. com. 3°. 7ª. 132. *H*
Balneum aquæ frigidæ his qui quadrato ſunt corpore ad choleram dictum affectum conuenit. de reme. paratu facil. 7ª. 160. *G*
à Balneo frigido quando cauendum. 11°. *meth. med.* 7ª. 73. *B*
Balneum nimium frigidum ſyncopæ ex cruditatibus contrarium eſt. 12°. *meth. med.* 7ª. 76. *B*
ex Balneo frigidæ quando ſudor fiet. 10°. *meth. med.* 7ª. 66. *C*
Balneũ frigidũ pulſus alterãdi, nõ gñandi cã eſt. 1°. *de cau. pul.* 4ª. 86. *G*
ex Balneis frigidis pulſus mutatio. 3°. *de cau. pul.* 4ª. 98. *G*
Balneæ frigidæ quos pulſus creent. de pulſ. ad tyro. 4ª. 44. *E*
ex Balneis pulſus mutatio non eſt diuturna. 1°. *de ꝑſ. ex pul.* 4ª. 104. *H*
ex Balneis redeũtis uictus qualis eſſe debeat. de bo. & vi. ſu. 2ª. 39. *C*
Balneum ſequatur cibus. 1°. *de ſan. tuen.* 2ª. 66. *E*
à Balneo non eſt confeſtim ſorbendum vel bibendum. de vict. rat. in morb. acu. com. 3°. 7ª. 132. *G*
Balneo qui potus non conueniãt. de renum affec. dign. & me. 7ª. 176. *C*
à Balneo non conuenit vinum. de renum affec. dig. & med. 7ª. 196. *C*
mox à Balneo vinum potum caput tentat, ſi præ aliis omnibus cibis, & potibus bibitur. de ſal. diæ. 2ª. 41. *C*
à Balneo quando ſenex debet bibere vinũ album. 5°. *de ſa. tu.* 2ª. 91. *C*
poſt Balneũ ad vomitum vinum dulce bibebant. 4°. *de ſan. tu.* 2ª. 83. *C*
poſt Balneum ſola aqua, in qua apium ſit coctum, quibus danda. 8°. *methodi medendi.* 7ª. 53. *A*
Balneum calidum capitis ſomnum cõciliat. 1°. *de ſymp. cau.* 3ª. 19. *A*
Balnea, qñ caput madefaciunt, ſoporifera ſunt. 3°. *de loc. aff.* 4ª. 16. *G*
Balneo lõgo q uſi ſunt, ex victoria caloris dormiũt. 2°. *de tẽp.* 1ª. 16. *F*
à Balneo ſomnus ſuper omnia cõncoquit, quæ concoqui poſſunt, & malos ſuccos per halitum digerit. 4°. *de ſan. tuen.* 2ª. 84. *D*
à Balneo non poſſe dormire, nec eſt cauſa, nec ſignum commodum ſperat & utilitatis. 4°. *de ſan. tuen.* 2ª. 84. *E*
Balneum relaxat in toto corpore. 11°. *meth. med.* 7ª. 73. *H*
poſt Balneum relaxitas, quomodo corrigenda. 3°. *de ſan. tu.* 2ª. 82. *A*
Balnea quibus fieri non debent. 8°. *meth. med.* 7ª. 65. *E*
Balnea obſunt inflãmationi, eryſipelati et cruditati, de marc. 3ª. 48. *A*
Balnea conſueta minus nocent inconſuetis. com. 2°. *aph.* 50°. *Ex.* 19. *B*
Balneum qui affectant, & qui aſſueti ſunt, minus lædũtur à balneo. de vic. rat. in morb. acu. com. 3°. 7ª. 132. *H*
Balnea frequẽtia aquæ dulcis effœminant. 7°. *de cõp. me. p ge.* 5ª. 263. *F*
Balnea quomodo ſint præter naturam. de pulſ. ad tyro. 4ª. 44. *F*
Balnea idonea ſunt vt generent cauſas antecedentes cuiuſq; morbi. de na. hum. com. 2°. 181. *G*/ 7ª. 182. *B*
Balneis ſupfluis vtẽtes facile febribus corripiunt. 1°. *de dif. fe.* 3ª. 31. *H*
Balneũ utãdũ in dolore capitis ab ardore. 2°. *de cõp. me. ſe. l.* 5ª. 132. *B*
Balneum nimium calidum ſyncopæ ex cruditatibus contrarium. 12°. *methodi medendi.* 7ª. 76. *B*
Balneæ calidæ comparatio ad calorem æſtatis. cõ. 4°. *aph.* 5°. *Ex.* 28. *A*
Balneæ calidæ obſiſtunt purgationibus. com. 4°. *aph.* 5°. *Ex.* 28. *A*
Balnea poſt cibum quid faciant. 9°. *meth. med.* 60. *D*/ 14°. 7ª. 92. *H*
Balneati à cibo exercitati in viſcerum dolores incidunt, potiſſimùm in iecore. de ſal. diæta. 2ª. 43. *C*
Balneo poſt cibum vtentes, quibus vitiis iecinoris tententur. 6°. *de ſanitate tuenda.* 2ª. 96. *A*
Balnea à cibo trahũt humorũ copiã. in 1ᵐ. *de mor. vul. cõ.* 3°. 3ª. 122. *G*
Balneis poſt cibos vtentibus quotidianæ fiunt. 2°. *de dif. fe.* 3ª. 36. *D*
Balneis calidis ſe exponentes quicquid vitiatum eſt, in habitum corporis recipiunt. 1. *de diff. feb.* 3ª. 31. *H*
Balneo vti Galenum, licet vitioſo ſucco ventriculi tunicæ plenæ ſint, collige. 6°. *meth. med.* 7ª. 48. *D*
in Balneis cur exoluuntur hoïes, & moriuntur. de vtil. reſp. 1ª. 225. *C*
in Balneo ne animi deliquium accidat, acetum & pulegium odorandum. 8°. *de comp. med. ſe. lo.* 199. *B*/ 9°. 5ª. 199. *F*
Balneum & poculum quomodo necant. 4°. *de ſimp. med.* 1ª. 24. *E*
q̃n Balneo concluduntur, mortem obeunt. de cau. proca. 3ª. 96. *C*
Balnea obſunt in fluxu ſanguinis. 1°. *de arte cur. ad Glauc.* 7ª. 99. *B*
à Balneo abſtineat vlceratus. 4°. *de comp. med. per gen.* 5ª. 237. *D*
in Balneis uerſantiũ ulcera humida ſunt ac mollia. 1°. *de ſim. me.* 5ª. 3. *D*
Balneum excrementa quicta calefacit, attenuat, & ad motum excitat. 2°. *de ſymp. cau.* 3ª. 22. *D*
Balnea aquarum ſponte naſcentium laudantur. de vic. rat. in morb. ac. com. 3°. 7ª. 132. *B*
Balneorum aqua quæcunq; ſulfur, aut bitumen, aut nitrum, aut chalcanthum, aut miſy, aut chalcitem, & id genus aliquod guſtu refert, multum differt à dulci, & inimica eſt calidis corporum noſtrorum affectibus de ſimp. med. fac. 5ª. 3. *D*
Balneis p ſe natis uti tẽtãdũ eſt ĩ lõga icteritia. de cura. icter. *Sp.* 111. *E*
Balneũ aluminoſum denſat. 3°. *de ſan. tu.* 2ª. 81. *B*/ 2°. *de criſi.* 4ª. 138. *G*
Balneum aluminoſum fortiter reſiccat. 7°. *de compoſitione medicamentorum ſec. lo.* 5ª. 177. *E*
Balneum atramentum ſutorium olens fortiter reſiccat. 7°. *de compoſi. med. ſec. loc.* 5ª. 177. *E*
Balneum bituminoſum fortiter reſiccat. 7°. *de comp. me. ſe. l.* 5ª. 177. *E*
Balneum marinum fortiter reſiccat. 7°. *de comp. me. ſe. lo.* 5ª. 187. *E*
Balnea marina & mineralia duxerunt quendam ad tabem. 1°. *de arte cur. ad Glauconem.* 7ª. 97. *B*
Balnea nitroſa, ſulfurea, bituminoſa, euacuant totum corpus æqualiter. com. 4°. *aph.* 2°. *Ex.* 27. *D*
in Balneo in Sabanis ſedenti bibenda cũ vino dat leporis vulua aſſata

trita ad concipiendum.de dyna. Sp.29.G
Balneum sulfurulentũ fortiter reſiccat.7°.de cõp.me.ſe.l. 5ª.177.E
Balneatorum non medicorum vocabula ſunt calidum & frigidum ſecundum aliquos, qui explodendi ſunt.1°.meth.med. 7ª.12.B
ex Balneis potabilium aquarum quid vulgaribus quibuſdam acciderit.in 6ᵐ.de morb.vulg.com.6°. 3ª.195.B
Balneo deficiente qũo lauandum.de vic.ra.in mor.ac.cõ.3°.7ª.132.B
Balneum.vide aqua, lauacrum, lauatio.
BALSAMVM *quid ſignificet.2°.de comp.me.ſe.lo.* 5ª.136.F
Balſamum inter aromata numeratur.7°.meth.med. 7ª.44.A
Balſamum tenuium partium, et odoratum eſt.6°.de ſimp.me. 5ª.44.E
Balſamũ calidum eſt & ſiccũ in ſecũdo ordine.6°.de ſim.me. 5ª.44.E
Balſamum plurimis artibus adulteratur, vt internoſci vix queat.1°. de antidotis. 5ª.105.F
Balſamum prouocat menſtrua.de cathar. Sp.95.D
Balſamũ habuit Galenus in Paleſtina Syriæ.1°.de antid. 5ª.100.C
Balſami fructus non poteſt adulterari.1°.de antido. 5ª.100.C
Balſami fructus ingreditur theriacam.de ther.ad Piſo. 5ª.92.F
Balſami ſemen purgat veſicam.de cathar. Sp.95.D
Balſami ſemen per ſuffumigationem prouocat ſudorẽ.de cat. Sp.95.D
Balſami lignum non poteſt adulterari.1°.de antido. 5ª.100.C
BALSAMATVM *adrianum vtile eſt nephriticis turbulentã vrinã facientibus, & in veſica lapidem habentibus.de dyna.* Sp.28.B
BALSAMITA *cum oleo trita, & expreſſa cerebro & fronti tepida vngendo appoſita ad capitis vertiginem facit.de dyna.* Sp.23.H
BARATHRORVM *aerem vitandum eſſe, collige.12°.methodi medendi.* 7ª.77.E
BARBA *Iouis, nomen herbæ ad guttam.de dyna.* Sp.31.E
Barba ſyluana & cẽtũcruia eſt idẽ, ualet ad epilepſiã.d dy. Sp.24.D
Barbæ ſyluanæ radix qũo ſit ad concipiẽdum vtilis.de dyna. Sp.29.G
Barba eſt pars animalium marium.2°.de ſemine. 1ª.338.G
Barbã qd faciat creſcere.de ſim.me.f. 5ª.40.H/*de re.par.fa.* 7ª.179.D
Barba quomodo abrotono procũretur.de ſimp.med.fac. 5ª.40.H
Barba & pubes qbus tardior & imperfectior.de ar.cõ.3°.7ª.269.H
Barbam nutriebant ſophiſtæ, & tetrici erant.2°.de pul.diff. 4ª.53.G
Barbam nutrire, & tetricum eſſe habebatur pro grauitate.2°. de pulſuum differentiis. 4ª.53.G
Barba quomodo denigrari poſſit.1°.de comp.me.ſe.lo. 5ª.127.A
circa Barbæ pilos accidit vt cutis exaſperetur. in 6ᵐ. de morbis vul. commen.2°. 3ª.160.H
ad Barbæ defluuium.de reme.par.facil. 7ª.170.H
BARBARAE *linguæ brutis comparantur.2°.de pul.diff.* 4ª.54.H
iter Barbaras linguas alia eſt alia melior.de ſophiſ.in ver.cõt. If.8.F
Barbari græcis peiores.2°.de dec.Hipp. 1ª.235.A
Barbari bellicoſiſſimi omnium exiſtunt.d.aere, aquis, & loc. 2ª.5.B
Barbari vincuntur ab ira.3°.de dec.Hipp. 1ª.243.B
Barbara enema a medicis dicta medicamenta ad quid ſint vtilia.5°.me thodi medendi. 7ª.32.H
Barbara dicuntur emplaſtra ex bitumine.2°.de comp.medic. per gen. 5ª.227.F/*de arte cur ad Glauc.* 7ª.106.A
Barbarum ex bitumine.2°.de comp.med.per gen. 5ª.227.C
Barbarum emplaſtrum ad quid valeat.de dyn. 5ª.227.C
Barbarum medicamentum.9°.de ſimp.med.fa. 5ª.68.A
Barbarum medicamentum ſanat capitis mala.intro. If.58.B
Barbarum medicamentum ſanat canum morſus.intro. If.58.B
Barbarũ Galeni ad vulnera minora.2°.de comp.me.per gen. 5ª.227.H
Barbarum Galeni ad uulnera maxima.2°.de cõp.me.per ge. 5ª.227.G
Barbarum Heræ.2°.de comp.me.per gen. 5ª.227.E
Barbaricum vinculum.2°.de locis affec. 4ª.10.C
BARDANAE *fit mentio.in 6ᵐ.de ſimp.med.fac.* 5ª.43.F
BARYCOLA *in auditu eſt audiendi difficultas.1°. de ſymptomatum cauſis.15.G/* 3.16.B
BASANVM eſt ruta ſylueſtris.8°.de ſimp.me.fa. 5ª.58.E
BASILICA *eſt vna ex quinque venis brachij quæ ſecantur.de anatomia viuorum.* Sp.54.G
Baſilica vena, quinam ramus ſit venæ concauæ.de anat.uiu. Sp.54.E
Baſilicam ſecare cur ſit periculoſum.de anat.viuo. Sp.54.G
Baſilicam cum ſecas, tende verſus brachium.de anat.viuo. Sp.54.G
Baſilica debet ſecari ſuper iunctũram.de anat.viuo. Sp.54.G
in Baſilica quando fieri debet ſectio venæ.ſecretorum. Sp.74.D
Baſilica in quibus affectibus ſecatur.de anat.viuo. Sp.54.H
BASILICVM *id eſt regiũ collyriũ.4°.de comp.me.ſe.lo.* 5ª.156.F
Baſilica contra canis rabidi morſum compoſita.2°.de antido. 5ª.117.C
Baſilicum malagma.8°.de comp.med.ſec.loc. 5ª.193.C
Baſilicum pharmacum ad dolorem auris ex inflammatione.3°.de com poſitione med.ſec.loc. 5ª.140.G
cũ Baſilico medicamine nardus immiſſa, iuuat aurium inflammationes.de remed.paratu facilibus. 7ª.155.B
BASILIDION *hoc eſt regineũ pſoriũ.4°.de comp.med.ſe.lo.* 5ª.157.B
BASILISCVS *qualis ſit.de ther.ad Piſo.* 5ª.92.H
Baſiliſcum nunquam vidit Galenus.de ſimp.me.fa. 5ª.72.D
Baſiliſci morſibus confert centaurea.de vir.cen. Sp.93.H
BASILII *antidotum ad hemitritæos omnes.de dyna.* Sp.33.F
BASIS, *& radix virtutum moralium eſt cor.de anat.viu.* Sp.46.B
circa Baſim oculi muſculus ſiue ſimplex, ſiue duplex, ſiue triplex ſit, dubitatur.de muſcu.diſſ. 1ª.44.F
circa Baſim oculi muſculi faciũt ad firmãdũ oculũ.de muſ.diſ. 1ª.44.F
Baſim ſcapularum è directo capitis attollens muſculus vbi & quo modo procedat.de muſ.diſſ. 1ª.45.B
Baſis pars organorum.de machin. 7ª.309.E
Baſis organorũ ex robuſtiori materia cõficiẽda eſt.de mach. 7ª.309.D
Baſis organis immobilis eſt.de machin. 7ª.310.F
Baſis ſemper immobilis manet.de mach. 7ª.310.F
Baſis ad quid fiat.de mach. 7ª.309.F
BASSA *vxor Marii.10°.de comp.med.ſec.loc.* 5ª.200.B
BASSI *pharmacum.7°.de comp.med.pergen.* 5ª.270.E
Baſſò inſcriptum pharmacum ad hæmoptoicos & ſuppuratos.7° de comp.med.ſe.lo. 5ª.182.C
Baſſi ſtoici acopon.7°.de comp.med.per gen. 5ª.271.H
Baſſus longo tpe paralyſi infeſtatus.7°.de comp.me.per ge. 5ª.270.F
BATHECA *eſt frigida & humida.de diſſ.cont.* Sp.74.D
Batheca eſt ex cibariis mediis.de diſſ.cont. Sp.74.C
Batheca eſt cibus dulcis, ſapidꝰ, ſubtilis, abſtergẽs.de diſ.cõt. Sp.72.E
Batheca facit incenſionem in ſtomacho.de diſſ.cont. Sp.74.F
Batheca velociter corrumpitur in ſtomacho.de diſſ.cont. Sp.74.H
poſt Batheca comeſtionem accipiatur plurimus cibus boni chymi.de diſſol.continua. Sp.74.F
Batheca mundificat.de diſſ.continua. Sp.74.G
Batheca lenit ventrem.de diſs.cont. Sp.75.A
Bathecam comedenti accidit indigeſtio.de diſſ.cont. Sp.74.B
Bathecæ aqua generat chymum frigidum.de diſs.cont. Sp.74.B
Βαθιὰ quid vocet Hippoc.de fract.com.1°. 7ª.226.B
Βάθρον recentiores appellant organum Hippocratis. 7ª.318.H
Βάθινον rubi fructũ appellãt.2°.de al.fa. 2ª.19.B/6°.de com. 5ª.169.A
Batina prius abluenda quàm edenda.2°.de alim.fa. 2ª.19.B
Batina acerba adſtringunt multum.2°.de alim.fac. 2ª.19.B
Batina moris magis adſtringunt.2°.de alim.fac. 2ª.19.B
ex Batinis medicamẽta efficaciora ſunt, quàm ex mororum ſucco.2°. de alim.fac. 2ª.19.B
BATRACHIDES *lapis quid.de ſimp.med.* Sp.87.A
Batrachides lapis lenit, & relaxat.de ſimp.medic. Sp.87.A
BATRACHIVM *quid.de ſimp.med.* Sp.81.D
Batrachium herba ſimilis eſt coriandro vel apio.de ſimp.me. Sp.81.D
Batrachium herba calida eſt & ſicca valde.6°.de ſim.me.fa. 5ª.44.G
Batrachium vires habet cauſticas.de ſimp.med. Sp.81.D
Batrachium acre eſt & exulcerat cum dolore.6°.de ſimp.me. 5ª.44.G
Batrachij caulis, & folia pſoras, & lepras excoriant, vngues diuellunt, leproſis ſtigmata digerunt, acrochordonas & myemecias detrahunt, & alopecias iuuant.6°.de ſimp.med.fac. 5ª.44.G
Batrachij radix arefacta, ſternutationem prouocat, & dentes dolẽtes iuuat.6°.de ſimp.med.fac. 5ª.44.G
BATVS *id eſt rubus.6°.de ſimp.med.fac.* 5ª.44.F
BAVCIAE *ſeminis fit mentio.de dynamidiis.* Sp.27.A
BAVRACH in quibus cibis poſitum eſt, hi diſſoluunt, ac attenuãt ſalſedine ſua.de diſſol.cont. Sp.72.F
BDELLIVM *quid, & eius vires. de ſimpli.medicaminibus.* Sp.81.C
Bdellium inter aromata numeratur.7°.meth.med. 7ª.44.A
Bdellium, quale.7°.de comp.med.per gen. 5ª.264.C
Bdellium duplex eſt.14.met.med. 7ª.88.H
Bdellĩ duplex arabicũ & ſcythicũ.7°.de cõp.me.per gen. 5ª.264.A
Bdellij ſcythici, & arabici differentia.6°.de ſimpliciũ med.fac.44.H/ 7°.de comp.med.per gen. 5ª.264.C
Bdellium lucidum eſſe debere, collige.8°.de comp.me.ſe.lo. 5ª.196.H

Bdellium pellucens.7°.de comp.me.per gen.266.H/ 5ª.267.B
Bdelliũ est pingue quando recens est.2°.de arte cur.ad Glau. 7ª.104.B
Bdellium ad bronchocelas,hydrocelas, salina matutina iciunaq; subactum valet.6°.de simp.med.fa. 5ª.44.H
Bdellium pituitam educit de dyna. Sp.22.A
Bdellij dosis,& quibus misceatur.de dyna. Sp.22.A
Bdellium proprium est oculis rheumatizantibus.de dyna. Sp.22.A
Bdellium emollit,& in quo gradu sit.de ocul. 7ª.188.D
Bdelliũ emollit,cõcoqt,moderate discutit.8°.de cõp.me.se.l. 5ª.194.G
*Bdellium scythicum emollit.5°.de sim.me.fa.*5ª.44.H/*2°.de arte cur. ad Glauc.* 7ª.104.A
Bdellium molliendo digerit.14°.meth.med. 7ª.88.H
Bdellium emollit scirrhum.5°.de simp.me.fa. 5ª.33.G
Bdellium quibus admistum hepatis scirrhum sanat.2°. de arte cur. ad Glauconem. 7ª.104.E
Bdellium potest in instanti excalfacere, durities neruorum emollire, strictũras relaxare.de simp.med.fa. Sp.81.C
Bdellium arabicum, calculos renum in potu sumptum frangere apparet,& vrinas ciere,& crudorum flatuum discursus, præterea lateris dolores & rupturas persanare.6°.de simp.me.fac. 5ª.44.H
Bdellium frangit lapidem renum,& vesicæ.de cathar. Sp.95.D
*Bdellium ex arabia renũ lapidẽ frangit.de re.aff.dig.& me.*7ª.196.D
Bdellium per suffumigationem sudorem prouocat.de cathar. Sp.95.D
Bdellium vlceribus non conuenit.4°.de comp.me.per gen. 5ª.236.H

BECHICAE *medicamentorũ facultates à bechos i.tussi dictæ.* 5°.*de sim.me.f.*5ª.32.B
Bechica bifariam nominata sunt,partim quia tussim prouocent,partim quia sedent.5°.de simp.me.fac. 5ª.37.E
Bechica medicamenta,quæ.5°.de sim.me.fac. 5ª.37.E
*Bechicharũ pillularũ formula quædã habetur.de re.par.fa.*7ª.158.C
Bechium.i.tussilago,inde nuncupatum est,q; bechas, hoc est tusses,& orthopnœas iuuare sit creditum.6°.de sim.med.fac. 5ª.44.H
BED ARVC tarde digeritur.de diff.cont. Sp.73.E
BEDARVS *calefacit sanguinẽ calefactione forti.de dif.cõt.*Sp.74.C
BELLVM est dulce inexperto.4°.de pulsuum diff. 4ª.69.G
in Bello germanico medici nihil didicerũt.3°.de cõp.me.p gẽ. 5ª.231.F
in Bello contra Romanos Chartaginensis dux ollas multas plenas serpentibus,qui confestim, interimere solent, in hostes eiaculatus est. de ther.ad Pisonem. 5ª.91.C
Bello intestino ægrotant ciuitates.5°.de decr.Hipp. 1ª.255.C
Bellicosos homines quæ terra faciat.de sper. Sp.40.E
Bellicosiores sunt Europæi Asianis.de aere,aquis,& loc. 2ª.5.A
*Bellicosiores cæteris sunt viuentes suo iure.de aere,aquis,& lo.*2ª.5.B
*ne Bellicosi uideant curãt q sub legibus degũt.de aere,aq.& lo.*2ª.5.B
Bellantes vi & coacti male se gerunt.de aere aquis,& loc. 2ª.5.B
BELENOIDIS *processus.de musc.diff.* 1ª.46.D
BENE qui cauerint in dieta.i.qui recte se rexerint,non sunt purgandi.de dyna. Sp.20.F
Bene,& male se habent homines secundum lunæ & planetarum stationes.3°.de dieb.decre. 4ª.157.H
*Bene se habere cum signis prauis pessimũ.in 3ᵐ.de mor.vul.*3ª.132.D
ad BENE OLENTIAM, *& graueolentiam reducuntur omnes odores.4°.de simp.me.fac.* 5ª.31.A
BERENGI *ad humorem crudum.secr.* Sp.100.D
BERENICIVM *nitrũ est tenuũ partiũ.6°.de cõp.me.se.lo.*5ª.167.E
*Berenicij nitrũ ad vulnera neruorum.3°.de comp.me.per ge.*5ª.230.F
*Berenicariũ nitrum ingreditur med.dispoliticon.6°.de san.tu.*2ª.99.D
BERONICE *ad quid vtilis.rem.par.facil.* 7ª.171.D
BERRHEA *vrbs Syriæ.2°.de alim.fac.* 2ª.21.C
BERYTHII *medicamẽti cõpositio,& usus.4°.de cõp.me.se.lo.*5ª.153.H
*Berytij pastilli ad dysentericos,et cœliacos.9°.de cõp.me.se.l.*5ª.203.B
Berytij pastyllus aromaticus.9°.de comp.me.se.lo. 5ª.204.C
BES gummi.7°.de comp.med.se.lo. 5ª.179.B
BESASA *est semen rutæ syluestris.9°.de comp.med.se.lo.*5°.200.A
Besasa in tertio ordine calefacit.6°.de comp.me.se.lo. 5ª.170.G
Besasa stomatica illitio.6°.de comp.me.se.lo. 5ª.170.F
Besasæ compositionem an ingrediantur hirundines,an nidi ipsarum.6°. de comp.me.se.lo. 5ª.170.G
Besasa Heræ.6°.de comp.me.sec.lo. 5ª.170.H
BESTIAE *secundùm aliquos non habent in animo neq; iracundiam, neque concupiscentiam.5°.de decr.Hipp.* 5ª.260.C
ad Bestiarum venenum iaculantium plagas antidotus.7°. de compos. med.sec.loc. 5ª.186.A
à Bestiis frigore lædentibus morsos aut compunctos quomodo sanat agaricum.6°.de simp.med.fac. 5ª.41.E
BETA nulla est agrestis.2°.de alim.fac. 2ª.22.H
Beta agrestis lapathon dici posset.2°.de alim.fac. 2ª.22.H
Beta,blito,lapathо à simili vocantur empirici.intro. Isa.50.B
*Beta est potiº medicamẽtũ,q̃ alimẽtũ et obsoniũ.2°.de ali.fa.*2ª.22.H
Beta alba,qualis.8°.de simp.me.fac. 5ª.62.B
Betæ albæ radix potest sumi pro rosmarino.4°.de san.tu. 2ª.87.B
Beta nigra,qualis.8°.de simp.me.fac. 5ª.62.B
Betæ caulis est siccus.2°.de ali.fac. 2ª.24.A
Beta habet radicẽ,quæ plus habet viriũ,q̃ folia.2°.de ali.fa. 2ª.24.D
Betæ radix discutit humores pituitosos,quod folia sua efficere non possunt.2°.de ali.fac. 2ª.24.D
Beta,sinapi,& porrum leuarunt quendam,qui de ore ventriculi querebatur,ob aceruatam pituitam.1°.de ali.fac. 2ª.8.G
Beta nitrosam participat qualitatem.8°.de simp.med.fac. 5ª.62.B
Beta ventrem excitat.2°.de ali.fac. 2ª.22.H
Beta quo modo soluit & adstringit.de simp.me.fac. 5ª.20.B
Beta numeratũ inter cibos q posterius accipiebantũ.2°.de ali.fa. 2ª.18.G
Beta continet multam bilem.2°.de nat.fa. 1ª.300.A
*Beta ædiget multa alteratiõe,si debet fieri sanguis.1°.de na.f.*1ª.292.D
Beta facile nutrit,sed parum.8°.meth.med. 7ª.50.H
Beta parum nutrit.2°.de ali.fac. 2ª.22.H
*Betã assumãt q semel tm̃ comedũt.de vic.ra.in mor.ac.cõ.*4°.7ª.145.B
Beta numeratũ inter cibos cõuenientes stomachicis.8°.d̃ cõ.m.s.l. 5ª.192.E
Beta obest stomacho.2°.de ali.fac. 2ª.22.H
Beta stomachum mordicat.2°.de ali.fac. 2ª.22.H
Betæ cum lente edulium τευτλοφακὴ.1°.de ali.fa.9.C/. 2ª.13.G
Beta repugnans est & extergens.1°.de comp.me.se.lo. 5ª.129.H
Betæ succus est tenuium partium,& detergit.2°.de ali.fa. 2ª.22.H
Beta digerit,extergit,& per nares purgat.8°.de simp.me.fa. 5ª.62.B
Betæ succus purgat nares.de cathar. Sp.95.B
Betæ succus purgat aures.de cathar. Sp.95.B
Betæ succus mitigat medicamenta.2°.de comp.me.se.lo. 5ª.139.C
Beta in febre danda.4°.de san.tuen. 2ª.87.G
Beta obstructum hepar malua magis aperit.de ali.fa. 2ª.22.H
Beta cum sinapi & aceto hepar aperit.2°.de ali.fa. 2ª.22.H
Beta & sinapi non leuarunt quendam à bile ob cibos acres aceruata. 1°.de alim.fac. 2ª.8.G
Beta vtile medicamentum lienosis.2°.de ali.fac. 2ª.22.H
*Beta facultatem habet phlegmoni aduersam.8°.de sim.me.fa.*5ª.62.B
Beta pro obsonio in cubiti fractura datur.de fract.com.1°. 7ª.230.G
Beta valet in dearticulatione.de articulis,com.4°. 7ª.285.E
BETARNEM *medicina.de med.exper.* Sp.106.B
BETONICA *cum minimum calida sit, & incidere valeat,ad callosas seu tophaceas consistentias incidendas idonea est. 5°. de simpl. medic.facul.* 5ª.35.E
Betonica incidit,amariuscula est & subacris.7°.de simp.me. 5ª.51.A
Betonica vrinam bene prouocat.5°.de simp.me.fac. 5ª.35.E
Betonica renibus prodest peculiariter.de ther.ad Piso. 5ª.91.A
Betonica calculos in renibus consistentes rumpit,pulmonem,iecur,& pectus expurgat abstergit q̃, mẽses ciet,comitialibus prodest,rupta conualsaq; curat,& omnibus bestiarum morsibus vlceri illita auxiliatur, acidum ructantibus, & ischiadicis bibita auxilio est.7°. de simp.med.fac. 5ª.51.A
Betonica est immiscenda vino p calculosis senibus.5°.de sa.tu. 2ª.91.C
Betonica lapidem renum frangit.de ren.aff.dign.& medic. 7ª.196.D
Betonica pro febre.de dyna. Sp.35.F
BETINI *pastillorũ vsus valet ad vlcera cõtumacia.9°.d̃ sim.*5ª.65.F

BIBERE *nusquam à quoquã discimus, sed in nobis facultates habemus quæ pficiũt.1°.de sa.tu.* 2ª.62.G
*Bibere & edere sunt nobis necessaria, pptrea q; è corpe nostro aliquid semper defluit.1°.de san.tu.*62.H/2ª.67.F/*de diff.cont.* Sp.71.C
*Bibentes & edentes necessariò faciũt excremẽta.1°.de san.tu.*2ª.62.H
Bibentes tempore Galeni inuicem sibi propinabant, & de poculorum magnitudine certabant.1°.meth.me. 7ª.2.D
Bibendum non est post cœnam ante cibi concoctionẽ conualescentibus, quia innatant cibi si bibant.6°.meth.med. 7ª.46.B
Bibere post coctionem sinendi sunt sitibundi.6°.met.me. 7ª.46.B
Bibẽs minus per multos dies potest viuere, sed minus quàm oportet respirans ne minimam quidem diei partem.1°.de diff.resp. 3ª.60.B

de vict.rat.in mor.acu.com.3°. 7ª.126.C
in Bilem amaram vertuntur dulcia & pinguia supra modum calefacta.1°.de crisi. 4ª.130.A
Biliosus succus plurimus ex pingui alimenti parte procreatur. in 6m. de morbis vulg.com.5°. 3ª.191.G
in Bilem qñ conuertitur dulce.de vic.rat.in mor.ac.cõ.3°. 7ª.127.H
in Bilem vertuntur mel & dulcia omnia, si vehementer incaluerunt, aut in ventriculo morata fuerint.in 6m.de mor.vul.cõ.5°.3ª.191.G
in Bilẽ trãsit mel sumptũ à calidis corporibus.de bo.& ui.su.2ª.39.A
in Bilem facile vertitur mel in calidis natura,& ætate florentibus.2°. nat.fac.1ª.300.G/3°.de alim.fac. 2ª.32.H
in Bilem flauam vertitur mel totum,in eo qui in flore ætatis est, si sit natura calidior & vitam degat laboriosam.2°.de nat.fa.1ª.300.B
Bilescit maxie oĩum mel.de ui.ra.in mor.ac.cõ.3°.126.C/4°.7ª.135.A
Biliosi fugiant mel.1°.de alim.fac. 2ª.8.G
Biliosis naturis & morbis mel non conuenit.2°.de nat.fa. 1ª.300.G
in Bilem mel conuersum non nutrit.3°.de ali.fac. 2ª.32.H
Biliosum quod est in melle temperat acetum.de vict.rat. in morb. acu. commen.3°. 7ª.130.A
Bilis flauæ materia sunt omnia vina dulcia.de vinis. Sp.76.E
Bilis parum continent vinum,& panis.2°.de nat.fac. 1ª.300.A
Bilem aggregant aliqui quocunq; genere victus vtañ.de atr.1ª.35.H
Biliosis qui cibi conueniant.de dissol.cont. Sp.71.E
Biliosis quando sumendi sunt cibi adstringentes.6°.de san.tu. 2ª.97.G
Biliosis vtilissimum acetum.1°.de simp.med.fac. 5ª.8.E
Bilis amaræ acrimoniã mitigat vinum,ac frangit.1°.de sa.tu.2ª.66.H
Biliosũ vẽtrẽ habẽtes à quibus debẽt abstinere.6°.de sa.tuẽ. 2ª.97.H
Biliosis quæ vina non conueniant.de bo.& vi.suc. 2ª.38.E
Biliosum ventrem habẽtes vitent vina austera.6°.de sa.tuen. 2ª.97.F
Biliosis corporibus nec falernũ,nec Tmolites fuluũ,& dulce,nec Arinsium,nec Lesbium odorum,ac fuluum conuenit.de vinis. Sp.76.E
in Biliosis cibi raro in acidum conuertuntur.8°.metb.med.7ª.53.B/G
Bilis quos faciat mores.de na.& or.cui.cor.41.E/de ana.uiu.Sp.45.E
à Bilioso humore proficiscitur animi dexteritas & prudentia.de nat. hum.com.1°. 1ª.33.B
Bilem significat somnium incendij.de præsag.ex insomnio su.4ª.213.C
Bilis flaua alteratur leui momento.1°.de inæq.intemp. 3ª.44.H
Bilis mater morborum.de dyna. Sp.19.D/H
Bilis amara quid faciat.3°.de symp.cau. 3ª.26.B
Bilis flauę morbi.8°.de dec.Hipp.275.F/1ª.276.A/de sper. Sp.36.H
à Bile morbi calidi.2°.de nat.fac. 1ª.300.D
Bilis flauæ proprium est acutas ægritudines accendere. in progn.commentario.2°. 4ª.292.D
Bilis septem morbi sm Cnidios.de vic.ra.in mor.acu.com.1°.7ª.108.H
Bilis vbi est,concitat calorem,pruritum, dolores inteslinorum,inflationem qua corpus extenditur vt rumpi videatur.de dyna. Sp.19.D
ex Bile flaua fit regius morbus.2°.de diff.feb.3ª.36.C/de iis quæ in medic.fi.com.1°. 7ª.199.D
Bile flaua septima die transmissa per cutem sanatus fuit quidam febre acuta.5°.de loc.aff. 4ª.25.G
Bilis flaua & bilis lutea sola si superauerit,non facit plethoram,sed affectus talis humorum vitium est.de mult. 3ª.81.E
Bilis est febrium soboles.de nat.hum.com.2°. 7ª.180.H
Bilem augeri non sufficit ad generationem febrium.2°.de dif.fe.3ª.36.C
Bilis flaua, & bilis atra si non putrescunt, non faciunt febrem.2°.de differentiis feb. 3ª.37.D
Bilis cur cito putrescit.2°.de nat.fac. 1ª.302.A
ex Bile pallida febris.in 6m.de mor.vulg.com.1°. 3ª.159.G
Biliosa febris,& pituitosa,simul commisceri possunt,& atrabilaria cũ vtraq; earum.2°.de diff.feb. 3ª.39.F
ex Bile flaua prouenientiũ febriũ continuarum species est duplex,synocha,& quæ idẽ cũ genere nomẽ sortiũ cõtinua.2°.de dif.fe. 3ª.36.F
à Bile flaua, que & pallida dicitur,ardens febris fit. in 1m. de morb. vul.com.1°. 3ª.104.E
ex Bilis acuitate fit causus,& synochus.de sper. Sp.39.H
Bilis horis si magis acuitur synocha,non est propriè synocha,quia mutabitur in tertianam,vel in causum.de sper. Sp.39.H
Bilis copiam significat febris causus.quæs.in Hipp. Sp.113.C
Biliosi magnopere impedita totius vaporatione corporis in ardentem febrem inciderunt.in 6m.de mor.vul.com.2°. 3ª.109.E
ex Biliosis humoribus febris ardens, cum tamen cruda deiicerentur, quo modo.in 3m. de mor.vul.com.2° 3ª.139.C
ob Bilem flauam dominantem quo modo in ardentibus febribus sanguinis profluuium efficitur.in 1m.de mor.vul.com.2°. 3ª.114.C
ex Bile flaua febres tertianæ.8°.de decr.Hipp.1ª.277.B/2°. differentiis febrium. 3ª.36.E
Biliosissimæ sunt tertianæ veræ.in progn.com.3°. 4ª.211.A
Bilis horis si acuitur tertiana,vera tertiana est,& propria, in illam.n. aliquando mutabitur febrem.de sper. Sp.39.H
Bilis horis si quotidiana acuitur & mutatur, cito vertitur in tertianã. de spermate. Sp.39.H
Bilis vomitus,tertianarũ ppriũ est signũ.1°.de ar.cu.ad Glau.7ª.96.B
à Bile flaua febris indicia.2°.de diff.feb. 3ª.36.H
Bilis flauæ pulsus.de mul.3ª.81.H/de nat.& ord.cuius.cor. Sp.41.F
Biliosorum,& crudorum humorum vrinæ.in prog.com.2°.4ª.200.D
qbus Biliosæ in vrinis sunt hypostases,suberue autem tenuitates,celerem æruginem significant.de vri.sign.ex Hipp. Sp.78.H
Biliosæ febris tempus durationis.2°.de diff.feb. 3ª.36.H
Biliosi,& calidi morbi quę symptomata faciant.3°.de loc.aff.4ª.16.F
à Bile secundùm Platonem fit rigor.de palp.trem.con.& rig.3ª.55.B
à Bile flaua quo mõ rigor generetur.in 1m.de mor.uul.cõ.2°.3ª.114.B
à Bile vehementer mota rigor fit.2°.de crisi. 4ª.144.C
cũ Bilis mouetur per carnes in tertianis & ardentibus febribus, fit rigor.de palp.trem.conuul.& rig. 3ª.55.E
Bilis flaua quando ad solidas corporis partes peruenit ac eà permeat, fit rigor.in 1m.de mor.vul.com.2°. 3ª.114.G
Bilis per vrinam,& per sudorem diuertenda in tertiana.1°.de arte cur.ad Glauconem. 7ª.97.B
Bilis plus ducunt balnea aquæ marinæ,salsæ,nitrosæ,& sulfureæ, sed multo minus prosunt in tertianis quàm balnea aquarum potabiliũ. 1°.de arte cur.ad Glauc. 7ª.97.B
Biliosa mera curi acutissimis febribus gignanť.de ar.cõ.2°.7ª.264.H
Bilis cum pituita erit,si biliosus fuerit color vrinæ, hypostasis autem alba.de vrinæ signi.ex Hipp. Sp.79.D
Bilis horis si acuitur tertiana phlegmatica cur sit minus periculosa.de spermate. Sp.40.A
in Biliosis naturis,febris ex cruditate pessima est.8°.met.me.7ª.53.B
Bilis quæ sursum recurrit,quæ mala faciat.de vict.ra.in morbis acut. commen.3°. 7ª.130.D
Bilis quo modo cognoscatur in capite corrũpi.de re.pa.facil.7ª.154.F
Biliosa cruda interdum à capite,& thorace attrahuntur,vigiliæq; accedunt,& quid sequatur.de vic.ra.in mor.acu.com.2°. 7ª.122.F
ex Bilioso & calido succo redundante ægri efficiuntur insomnes,& sitibundi.in 1m.de mor.vul.com.3°. 3ª.123.B
à Bile fit phrenitis & vnde.4°.de causis puls.102.B/in 1m.prorrhe. commentario.1°. 4ª.162.C
Bilis flauæ sanguis facit phrenitim.de vtil.resp. 1ª.226.C
à Bile flaua in corde accumulata,& putredine affecta supponitur excitari phrenitim.2°.de loc.aff. 4ª.13.H
ex Bile assata fiunt deliramenta ferina.3°.de loc.aff. 4ª.18.A
Bile flaua in cerebro redundante cur fiat dementia, nesciuit Galenus. quod animi mores. 1ª.318.A
Bilis,& sanguis æqualiter mixta quid faciant.de tumo. 3ª.84.B
Bilis,& pituita mixta,quid faciant.in 1m.prorrh com.1°. 4ª.161.D
ex Bilis,& pituitæ cõmixtione febris,qualis sit.2°.de dif.fe. 3ª.37.G
Biliosus & pituitosus humor cum abundauerit,fit sopor vigilans. 3°. de loc.affect. 4ª.16.H
q̃ Biles recipiantur ad oculos.10°.de simp.med.fa. 5ª.74.F
per Biliosos morbos non fiunt abscessus, sed per longos. in prognost. comimen.2°. 4ª.205.A
Bile abundantibus qua tempestate costarum, & pulmonis abscessus fiunt.de aere,aquis,& loc. 2ª.4.C
Biliosus humor cur medius sit quo ad simplicitatem malignitatemq; inter eos à quibus prouenit pleuritis.de const.ar.med. Is.40.H
Bilis flaua appareat permista admodum screationi oportet. 4ª.202.C
Biliosum magis sputum sæpenumero in pleuritide, in peripneumonica vero magis pituitosum sequi consueuit.2°.de loc.aff. 4ª.13.B
Biliosa post cruenta expui,conuenientem esse ordinem,morbo laterali recte ad iudicationem tendente, dicunt quidam Hippocratis interpretes.in 6m.de morb.vulg.com.4°. 3ª.179.C
Biliosus si fuerit sanguis inflammationis flauum aut pallidum erit sputum.4°.de loc.aff.12.B/5°. 4ª.29.H
Bilis cocta,quæ sit.de vict.rat.in morb.acu.com.2°. 7ª.122.H
Bilis portionẽ cur natura in ventriculũ infixit.5°.de vsu par.1ª.143.C

Bilis

Bilis flaua, quibus ex causis in ventriculum venit. 2°. de decre. Hippocr. & Plato. 1ª.240.C

Bilis copia in ventriculo acernatur, vel ob malam quampiam temperiem, vel ob peculiarem constructionem. 1°. de ali. fac. 2ª.7.G

Bilis quibus in ventre gignitur. 2°. de temp. 1ª.20.D

Biliosus humor ne in ventrem prorsus confluat quo modo caueamus. 6°. de sani. tuen. 2ª.98.H

Biliosus humor ex iecore in intestina descendit. 2°. de semine. 1ª.340.C

Bilis hominibus in quibusdam ex iecore in intestina defluens regurgitat in ventriculum. 1°. de alim. fac. 2ª.7.F

Bilis à iecore in ventriculum raro confluit. 2°. de temp. 1ª.20.C

Bilis in stomacho quid faciat. de sper. Sp.36.H

Bilis flaua quo modo euertit vētriculi officiū. 5°. de usu par. 1ª.143.D

n Biliosis cibi corrumpuntur in nidorulentam et fumosam qualitatē.
i 8°. meth. med. 7ª.53.B

à Bile redundante fastidiosi, i. appetitu carentes, efficiuntur. in 1ᵐ. de mor. vulg. com. 3°. 3ª.123.B

Bilis in ventriculo facit sitim continuam. 2°. de nat. fac. 1ª.301.C

Biliosus aut salsus quispiam malus succus facit sitim immodicam, si in ventris tunicis contineatur. 1°. de symp. cau. 3ª.18.D

in Bilioso succo ventrem mordente magis potio, q̄ cibus desyderatur. 1°. de symp. cau. 4ª.18.B

ex Biliosō succo dolor mordax. 3°. de loc. aff. 4ª.20.F

ex Bile flaua in ventriculo dolet caput. 3°. de loc. aff. 4ª.19.B

Biliosos, & salsos succos acerba qualitas amaritudini mixta abstergit, & abluit. 6°. de simp. med. fac. 5ª.41.D

Bilis ob naturalē leuitatē ad uētris os sursū fert. 2°. d̄ cōp. me. 2ª.135.D

Bilis in ore ventriculi, quid faciat. 5°. de usu par. 1ª.143.E

ex Bile flaua circa os vētriculi syncope, quo modo sit curāda. 12°. methodi medē. 7ª.76.D

Bilis multa quibus quotidie in ventrem effunditur, ante cibos debent vomere. 3°. de temp. 1ª.20.D

Biliosum ventrem habentes, semper primo loco debent comedere, & bibere aluum deijcientia. 6°. de san. tuen. 2ª.97.F

Biliosō stomacho malū punicū est optimus cibus. 8°. met. med. 7ª.62.E

Biliosus humor cui i vētre colligit, qb° purgādus. 6°. de sa. t. 2ª.99.A

Biliosarum ventris affectionum optimum medicamentum est aloes. 8°. de comp. med. secun. loc. 5ª.188.E

ad Bilem in ventre, præsertim quæ ipsis in tunicis in alto continetur, pharmacum. 8°. de comp. med. sec. loc. 5ª.191.B

tū à Bile flaua, tū sāguine fit iflāmatio. 6°. d̄ cōp. med. sec. lo. 5ª.176.E

Bilis meatū arctāt adstringentia, ideo non conueniunt iecinoris phlegmoni. 13°. meth. med. 7ª.83.E

à Bile inflāmationibus conueniunt fomenta humida. de uic. ra. in morbis acu. com. 2°. 7ª.116.E

Bilis flaua erysipelas facit. de atra bile. 1ª.35.F/*de diff. mor.* 3ª.5.F

à Bile et materia caligiosa fit sacer ignis. 11ᵐ. d̄ mor. uul. c. 1°. 3ª.104.G

ex Bile flaua herpetibus, & erysipelatibus respondent cācri, & phagedænæ ex atra. 2°. de diff. feb. 3ª.37.D

Biliosioris fluxionis munus est cogere, siccare, tendere, indurare. 4°. de causis pulsuum. 4ª.101.G

Biliosus fluor cutem vlcerat. de tum. præter. 3ª.84.B

Bilem significat tumor pallidus, & flauus. 14°. meth. med. 7ª.89.D

Biliosus & pituitosus humor nō uacuat per cutim ob balnea in febre ardente ob salsam pituitā. de uict. rat. in mor. acut. cō. 3°. 7ª.133.E

Bilis multa ne gignatur satius est prohibere, quàm iam genitā euacuare. 2°. de nat. fac. 1ª.299.E

Bilis vt mordet, indicat vt temperetur: vt grauat, remotionem sui. de opti. secta. ad Thras. Is.29.A

Bilis ægritudo quo mō curāda. de nat. et ord. cuiuslibet corp. Sp.41.G

Biliosum vbi sit totius corporis temperamentum, & venter imbecillus, quid agendum. 6°. de san. tuen. 2ª.98.H

Bilis redundans in aliquo sine febre quo modo à Galeno purgetur. de purgan. med. fac. 5ª.86.F

Bilis flaua aliter euacuatur quàm atra. de const. ar. med. Is.42.E

Bilis flauæ morbi debēt purgari in principio ætatis. quos purga. opor. quib. med. & quo tempore. 5ª.88.C

ante Bilis eductionē præparat hoicm Galenus. de purg. med. 5ª.86.F

Biliosi humores extenuāt, et extergunt anchusa. 6°. de sim. me. 5ª.41.C

Bilis flauæ excrementū moratur in corpore aut propter attrahētis expellentis ue facultatis infirmitatem, aut propter vasorum, quibus deducitur atq; excernitur angustiam. 1°. de san. tuen. 2ª.68.B

Bilis flaua retēta p̄m uarias causas qūo aperiat. 1°. de san. t. 2ª.68.

Bilis dissipari cōsumax, quibus auxilijs leuetur. 5°. d̄ loc. aff. 4ª.35.

Bilis flauæ purgationem quid indicet. 14°. meth. med. 7ª.93.I

Biliosa magis vrina notat esse euacuandum per urinā, vel per secessū. de signi. urinæ ex Hipp. Sp.78.H

Bilem purgādam esse cum uincit, suadet Hipp. 4°. meth. med. 7ª.28.E

Bilis p quot uias educit. quos pur. op. quib. med. et quo temp. 5ª.88.F

Bilis qñ euacuat p aluū, et qñ per vomitum. 2°. de symp. cau. 3°. 22.F

Bilis si repat sursum, per vomitum: si deorsum, per secessum educēda est. 1°. de arte cur. ad Glau. 7ª.97.B

Bilis præ leuitate fluitare natura assolet: et ob eā rē ad stomachū redūdat, relinquēs uētriculi fundū, et facile vomit. i pg. cō. 3°. 4ª.210.G

Bilis p supiora excernit. quos purg. op. quib. med. et quo tpe. 5ª.88.E

Biliosis ventre, prouocetur vomitus ante cibum ex potione vini dulcis. 6°. de sani. tuen. 2ª.97.H

Bilis si euomat, sedat magis sitim, q̄ si abūde bibam°. 2°. d̄ na. f. 2ª.301.C

Bilem vomere iciunum melius est. de dyna. Sp.19.H

Bilē nō vomūt, nec sudāt, nec urinas biliosas habēt, nec excremēta biliosa, quotidiana, et quartana febre laborātes. 2°. d̄ dif. fe. 3ª.36.D

Bilis flaua ēt sine morbo euomit & deijcitur. 3°. de ali. fac. 2ª.32.H

Bilem quidā nunq̄ euomentes, tamen graciles, & hirsuti, & musculosi & nigri, & venosi fuerunt, affatimq; calidi. 2°. de alim. 1ª.20.C

Biliosus vomitus præcedit κατὰ λυσιν. 5°. de usu par. 1ª.143.D

Biliosi vomitus rigorē sequuntur. in 1ᵐ. de morb. vul. cō. 2°. 3ª.114.B

Bilis vomitum facit rigor. in progn. com. 3°. 4ª.210.G

Biliosi & exigui vomitus mali. in 1ᵐ. prorr. com. 2°. 4ª.175.D

Biliosa vomitio, quando expectanda. in progn. com. 3°. 4ª.210.E/F

Biliosō vomitu supernenente à cōuulsione protinus liberati sunt quidam per febres repente conuulsi 5°. de loc. aff. 4ª.32.G

Bilē flauā euomebat Paulº rhetor. de uic. rat. i mor. ac. c. 2°. 7ª.120.D

ad Biliosum vomitum. de remed. par. facil. 7ª.176.H

ad Bilē uomētes, et secernētes antidot°. 7°. d̄ cōp. med. sec. l. 5ª.186.A

ad Bilē vomētes pharmacū Polyarchi. 8°. d̄ cōp. me. sec. lo. 5ª.193.C

Biliosa ructātes nō sunt laudādi. de vic. rat. in mor. acu. c. 3°. 7ª.133.A

Bilis quando per inferiora debeat purgari. quos purg. oport. quibus medi. & quo temp. 5ª.88.E

Bilis innatans æstate deorsum trahenda. de sal. diætæ. 2ª.41.E

Biliosa excrementa in venis alijs à primis per purgationem euacuantur. de const. ar. med. Is.42.F

Bilis quando euacuanda, & quādo pituita, in podagra, & arthritide. quos purg. opor. quib. med. & quo temp. 5ª.88.C

Bilem educens medicamentum datum laboranti ascite quā minimum aquæ educet. de nat. hum. com. 1°. 1ª.31.C

Bilis flauæ medᵐ. nō educit aquā hydropis. de purg. med. fa. 5ª.86.G

Bilem non edocet medᵐ. educens aquam. de nat. hu. com. 1°. 1ª.31.C

Biliosō homini si medᵐ. pituitā educēs dederis, nocebis. 2°. d̄ ele. 1ª.9.B

Bilē flauā trahētia medicamēta qualia eē debēt. de purg. me. 5ª.86.H

Biliosa, prius purgatione, deinde cutis euacuatione purgantur. de cōsti. ar. medi. Is.42.F

Bilis flaua facile euacuatur. 14°. meth. med. 7ª.93.G

Bilis quibus euacuāda in dolore capitis ob humorem biliosum. 2°. de compo. med. secun. loc. 5ª.136.H

Bilem flauam quæ purgent. de cathar. Sp.94.F

vt Bilis edulcescat, dat absinthij succum. de ther. ad Piso. 5ª.96.E

Biliosos ventris humores per egestionem educit absinthium. 6°. de simp. medic. facul. 5ª.44.D

Bilem purgare absinthium, collige. 1°. de arte cur. ad Glau. 7ª.97.B

Bilis vbi mordicauerit stomachū absinthij coma melicrato intincta sūmum remedium est. 1°. de art. cur. ad Glauc. 7ª.97.B

Bilem, & pituitā à toto corpore, et à capite educūt catapotia ex aloe, scammonio, & colocyntide. 1°. de comp. med. sec. lo. 1ª.121.F

Bilem purgat centaurium minus. de dyna. Sp.21.C

Bilem purgat chamælea. de dyna. Sp.22.B

ex Biliosis humoribus prouenientes febres chamæmelon discutit, & dissoluit. 3°. de simp. med. fac. 5ª.18.H

Bilem, & pituitā mediocriter purgat coccus Cnidius. de dyn. Sp.21.F

Bilem, & pituitam purgat cyclaminus. de dyna. Sp.21.H

Bilem per sudorem emittit cyclaminus. 7°. de simp. me. fac. 5ª.53.E

Bilis aquosa exit cum sudore. 14°. meth. med. 7ª.87.A

Biliosis tēperamentis diacalaminthes cauenda. 6°. de san. tu. 2ª.96.B

Bilem & pituitam purgat elaterium. de dyna. Sp.21.F

Bilem & pituitam educit empetron. 6°. de simp. me. fa. 5ª.47.D

Biles detrahit origanum.de ſimp.med. Sp.88.E
Bilem educit peplium.de dyna. Sp.21.A
Bilem diſtrahentes & ventrem ſoluentes vires habet polypodium. de ſimplic.medicam. Sp.89.C
Bilem flauam purgat radix pycnocomi.8°.de ſimp.med.fac. 5ª.59.D
Bilẽ flauã trahit ſcãmonia.quos purgare op.qb.me.& quo tẽ. 5ª.90.f
Bilem flauam purgat ſcammonium.1°.de compo.med.ſecun.locos 5ª. 121.*Eſde dynami.* Sp.20.H
Bilis vbi deorſum repat,ſcammonia danda eſt.de vic. rat.in mor. acutis,commentario.4°. 7ª.142.F
Bilem in arquatis ſcammoniam attrahit.1°.de nat.fac. 1ª.294.B
Bilẽ flauã trahẽtia medicamẽta proſunt regio morbo.de atra. 1ª.36.B
Bile peccãte purgatio neceſſaria eſt ad icteri curam. de cur. Sp.110.G
Bilem educens medicamentum,multam bilem euacuat in icteritia. de natu.huma.com.1°. 1ª.31.C
Bilem detrahit ſpondylium.de ſimp.med. Sp.91.B
Bilem,& pituitam purgat thymnus,& qua doſi,& cum quibus miſcetur.de dyna. Sp.21.H
Bilioſos humores thlaſpi euacuat.6°.de ſimp.med.fac. 5ª.48.D
Bilioſos humores neque ſecum vnà ducunt,nec euacuant vina dulcia. de vinis. Sp.76.E
ad Bilem flauam educandam medicina.ſecretorum. Sp.99.D
Bilis cur aſcẽdat,et nõ deſcẽdat p ĩteſtina.ĩ 1ᵐ.*prorrh.c.1°.* 4ª.165.B
Bile infeſta ſunt ſanorum excrementa.5°.de vſu par. 1ª.143.G
Bile carẽtia excremẽta quid ſignificẽt.in 1ᵐ.*prorrh.cõ.3°.*4ª.179.D
Bilis vtraq; eſt aduerſiſſima inteſtinis.5°.de vſu par. 1ª.146.B
Bilis ſincera quid faciat in inteſtinis.5°.de vſu par. 1ª.145.E
Bilis flaua erodit inteſtina.de atra bile. 1ª.35.F/*de vict.rat. in mor. acut.comment.3°.* 7ª.130.C
Bilis flaua acris mordens omnia abradit.5°.de vſu par. 1ª.143.D
à Bile flaua exulcerata curantur difficulter.de atra bile. 1ª.35.F
à Bile flaua profluuium difficile.de atra bile. 1ª.35.F
Bilioſa proluuies,quæ.in 1ᵐ.*prorrh.com.1°.* 4ª.162.B
*Bilioſa cruda q̃ appellenĩ ab Hipp.de uic.ra.ĩ mor.acu.c.2°.*7ª.122.G
Bilioſum aut melancholicum excrementum facit alteratrix potentia ad calidius mutata.3°.deſymp.cau. 3ª.26.B
Bilis ſincera quid ſignificet.5°.de loc.affect. 33.D/*in progn. com.2°.* 200.F/*in* 1ᵐ.*prorrh.com.1°.* 4ª.166.D
*Bilioſa ſincere ſubducta vitioſa ſunt.de vic.ratio.in morbis acutis,cõmentario.3°.*127.H/ 7ª.128.C
Bilioſa plãe excremẽta mera uocaĩ ſolet Hi p.ĩ 1ᵐ.*đ mor.uul.*3ª.106.D
Bilis,& bilis atra,cum meræ deijciuntur,ſemper ſunt prauæ.in 1ᵐ.*de mor.vul.com.3°.* 3ª.121.C
Bilioſæ,& meræ deiectionis in Critone ægroto fit mẽtio.in 1ᵐ. *de mor. vulg.commen.3°.* 3ª.124.G
Bilis viridis ex ventre,notat malam coctionem.2°.de temp. 1ª.20.E
Bilem flauam deijciebat Eudemus philoſophus temperamento bilioſus.de vic.rat.in mor.acu. com.2°. 7ª.120.D
Bilis eodem die deiecta,ſudata,& vomita.2°.de ſymp. cau. 3ª.22.F
neq; Bilioſas vrinas nec excrementa bilioſa habent quotidiana & quartana laborantes.2°.de diff.feb. 3ª.36.D
Bilioſa quæ ſubducantur in febribus liquefactiuis,et ad tabem perducentibus.de vic.rat.in mor.acu.com.3°. 7ª.128.G/A
Bilis atra ſemper cum adiectione dicitur.de tum.præter nat. 3ª.84.B
Bilis atra nigra dicitur.de nat.hu.com.1°. 1ª.28.E
Bilis atra potius ad nigrius declinat.de multitudine. 3ª.81.E
Bilem atram,acidam veteres nominarunt,vt pallidam,amaram.14°. meth.medcn. 7ª.89.E
Bilis acida p melãcholia ſumiĩ à Galeno.ĩ 1ᵐ.*de mor.vulg.*3ª.103.B
Bilis acidæ humor cur niger.8°.de decr.Hipp. 1ª.275.H
de Bile atra diuerſi diuerſimode locuti ſunt.de atra bile. 1ª.34.B
de Bile atra optime ſcripſit Rufus Epheſius.de atra bile. 1ª.34.C
de Bile atra Aſclepiadis opinio.1°.de nat.fac. 2ª.293.H
Bilis atræ generatio neceſſaria eſt ſecũdum Hip.de atra bile. 1ª.35.H
Bilem atram nonnulli putarunt nõ generari in corpore ſano, ſed ſolum in corpore male affecto.de atra bile. 1ª.37.D
Bilis atra præter naturam in ægris gignitur.de atra bile. 1ª.37.E
Bilis atra quomodo fiat.10°.de ſimp.med.fac. 5ª.74.F
Bilis atræ differentia.de mult. 3ª.81.G
Bilis nigra duplex eſt.14°.meth.med. 7ª.89.E
Bilis atra dupliciter gñaĩ,et quo mõ.in 1ᵐ.*prorrh. com.1°.*4ª.162.F
Bilis atra dupliciter fit ex craſſo ſãguine,et bile aduſta.in 6ᵐ. *de mor-bis vul.com.6°.*3ª.195.B/*in* 1ᵐ.*prorrh.com.1°.* 4ª.164.D
Bilis atra ex ſanguine aſſato,aduſtoq;,atq; etiam ex craſſo generatur. de vict.rat.in morb.acut.com.2°. 7ª.120.F
Bilis,& ſanguis tranſeunt in melancholiam. de ſper. Sp.40.G
in Bilem atram,quo modo tranſeat ſanguis.de aere,aq.& lo. 2ª.4.C
in Bilem atram vertitur ſanguinis craſſior pars, ſi ſanguis aſſetur 2°. de differ.febr. 3ª.40.C
in Bilẽ atrã uel flauã trãſit ſanguis,q putreſcit.2°.de dif.fe. 3ª.42.F
Bilis nigra facillime efficitur ſanguis craſſus,qui velut limus purioris eſt.13°.meth.med. 7ª.84.C
Bilis atra non eſt fæx ſanguinis.de tum. 3ª.84.C
Bilis atra eſt contraria ſanguini.de nat.hum.com.1°. 1ª.32.C
Bilis atra in quo differat à ſanguine atro.de atra bile. 1ª.34.G
*Bilis atra dici nõ põt melãcholicᵒ ſuccᵒ,et vñ fiat.3°.de lo.af.*4ª.18.A
Bilis atra quando non eſt melancholicus humor. de mult. 3ª.81.H
*Bilis atra,et ater ſuccus quo modo differant.2°.de nat.fac.*1ª.301.G
in Bilem atram,quo modo flaua bilis vertatur.2°.de criſi. 4ª.138.D
Bile aduſta fit atra bilis.in 6ᵐ.de mor.vul.com.6°. 3ª.195.G/*in* 1ᵐ. *prorr.*4ª.164.D/*de ſper.* Sp.40.A
*Bilis atra à flaua bile ſuperaſſata,eſt cęteris peior.de atra bile.*1ª.34. G/*in progn.com.3°.* 4ª.210.A
Bili atræ ſanguis mixtus qualis ſit.3°.de ſymp.cau. 3ª.28.A
Bilis atra quo calore fiat.2°.de criſi. 4ª.138.D
Bilis atræ natura.fin.med.Iſa.44.B/de nat.hum. com.2°. 7ª.181.A
Bilis atra naturalis,quæ.2°.da nat.fac. 1ª.301.H
Bilis atra proprie,quæ.de tum. 3ª.84.C
Bilis atræ qualitates.14°.meth.med. 7ª.89.E
Bilis atra poſt pituitam frigida eſt.de in æq.intemp. 3ª.44.H
Bilis atra frigida eſt,eo quòd terrea.3°.de ſymp.cau. 3ª.28.B
*Bilis nigra frigida ẽ,putrefacta calida efficit.1°.de ſymp.cau.*3ª.23.C
*Bilis atra ẽ,caloris pticeps,uelut cinis et acetũ.3°.de ſym.ca.*3ª.28.B
*Bilis atra frigida eſt et ſicca.8°.de decr.Hippo.*1ª.275 D/*de differentijs morborum.* 3ª.5.G
*Bilis atra frigida eſt & ſicca poteſtate.2°. de natura. facul.*1ª.301. D/*de cauſis morborum.* 3ª.8.B
Bilis atra quo modo ſicca dicitur & terrena, tamen habet in ſe humiditatem.de nat.hum.com.1°. 1ª.33.B
Bilis atra correſpondet terræ.8°.de dec.Hipp. 1ª.275.D
Bilis atra ſemper craſſior eſt flaua,ſed non modice in ipſa eſt magis,& minus.de natu.hu.com.1°. 1ª.30.H
*Bilis atra amurcæ,et fęci ẽ ſil'is.đ atra bi.*34.G./2°.*đ nat.fa.*1ª.301.G
Bili atræ aſſimilauit Deus oſſa,chartilagines,ingues,& ligamenta.de anatom. viuorum. Sp.45.F
Bilis atra bitumini iudaico ex mari mortuo, quod ſplẽdidum eſt, comparatur.3°.de ſymp.cau.28.A/de tum. 3ª.83.H
Bilis atræ notá ex guſtu,& olfactu.de atra bile. 1ª.34.G
Bilẽ atrã,neq; muſca,neq; aliud animal guſtat.de atra bile. 1ª.34.G
*Bilẽ atrã nullũ aĩal,ne ipſi qdẽ mures guſtauerĩt.14°.met.me.*7ª.89.E
Bilis atra non eſt,quæ neque acerbitate,neque acore manifeſte participat.de atra bile. 1ª.34.G
*Bilis atra,acerba & acida eſt.5°.de vſu par.*1ª.143.F/4°. *de ſimp. medic.fac.*51.29.A/*de vic.rat.in morb.acut. commen.3°.*130. H/*de fractu.commen.3°.* 7ª.248.D
*Bilis atra acida eſt & terram fermenti ritu eleuans.2°. de nat.fa.*1ª. 301.G/14°.*meth.med.* 7ª.89.E
*in Bile atra quid ſit fermentatio,& feruor.14°.meth.med.*7ª.89.E
Bilis atra abradit terram.com.4°.aph.23°. Ex.29.H
*Bilis atra aceto acerrimo ſimillima eſt. de atra bile.*34.G/2°. *de nat. fac.*1ª.301.G/14°.*meth.med.* 7ª.89.E
Bilis atra præter naturam malignior eſt quàm ſit naturalis & flaua. 2°.de natu.facul. 1ª.301.G
*Bilis atra præter naturam non habet nomen,2°.de nat.fac.*1ª.301.G
Bilem atram trahit lien,& à bile atra ſanguinem purgat.de atra bile. 36.G/2°.*de nat.fac.* 1ª.301.E
Bilis atra exuperat in liene.intro. If.55.B
*Bilis atra cũ aliquo ſanguine trahitur à liene.5°.de vſu par.*1ª.144.G
Bilis atræ quanta portio ſecernitur.2°.de nat.fac, 1ª.302.A
cur Bilis atra mittatur in ventriculum.1°. de ſan. tuen. 2ª.67.F
*Bilis atra nõ offendit uẽtriculũ:cũ. n.ſit acerba et arida cõtrahere ipſum & conſtringere põt,ſed illi prodeſt.5°.de vſu par.*1ª.143.H
in Bilis atræ horis ſi ſit conceptio omnium, parentum, inquam et infantis, quid ſequatur.de ſper. Sp.38.E

Bilẽ atrã vnde, quando, & in quibus abundare censuerint sapiẽtes medici, & philosophi. 2°. de nat. fac. 1ª. 301. D
Bilis atra quibus temporibus fiat. de atra bile. 1ª. 35. H
Bilis atra in autumno viget. 2°. de nat. fac. 1ª. 301. D/in 1ᵐ. de morb. vulg. commen. 1°. 3ª. 103. B
Bile flaua, & sanguine æstate peruslis, atra bilis abundat autumno. in 1ᵐ. de morb. vul. com. 1°. 3ª. 110. H
Bilis atra cur vigeat in autumno. de natu. hum. com. 1°. 32. D/8°. de decre. Hipp. 1ª. 276. E
Bilis atra qua tempestate accidat biliosis. de aere, aq. & loc. 2ª. 4. C
Bilis atra in quibus redundat. fin. med. Isa. 44. G
Bilis atra copiosior gñari videt in aĩantibus, q̃ tẽperaturis calidiores siccioresq; sunt, in calidioribus simul, et siccioribus anni tpibus, locis, cœli cõstitutionibus, studijs lassitudines, curas, et vigilias exigẽtibus, edulijs quoq; crassis atq; siccissimis. de atra bile. 1ª. 35. H
Bilis atra abundat in ætate post vigorem. 2°. de nat. fac. 1ª. 301. D
Bilẽ atrã aggregãt aliqui quocũq; gñe uictꝰ utant. de atra bile. 1ª. 35. H
Bilis atra fit in morbis ardentibus. de atra bile. 1ª. 36. A
Bilis atræ generatio cur exitialis. de atra bile. 1ª. 34. G
Bilis atra nutrire non potest. de vict. ra. in mor. acu. com. 2°. 7ª. 122. G
à Bile atra proficiscitur animi integritas, & constantia. de natu. hum. commen. 1°. 1ª. 33. B
Bilem atram significat somnium fumi, caliginis, & tenebrarũ. de præsag. ex insom. su. 4ª. 213. C
Bilem atram aggerere natura aptis color totius corporis nigrior est. de atra bile. 36. A/4°. de san. tu. 2ª. 84. B
Bilem flauam abundare significat vrina ruffa, & atra. de morb. vuul. commen. 1°. 3ª. 131. C
Bilis atræ pulsus. de mult. 3ª. 81. H
Bilem atram quæ sequuntur. de mult. 3ª. 81. G
Bilis atra alterascit ægre. de inæq. intemp. 3ª. 44. H
Bilis atra longos morbos parit. intro. Isa. 55. E
ex Bile atra et flaua ægrotationes difficiliores et solutu difficiles censentur. in prog. com. 2°. 4ª. 202. D
Bilis atra, vel nigrum sputum, ac nigra vrina cum inter initia morborum apparet, & vim maximam habet, & dignotionem facillimam affert. de ijs quæ in med. fi. com. 1°. 7ª. 198. C
Bilis atræ morbi. 8°. de decre. Hipp. 1ª. 275. E
Bilis nigra facit carbunculum, et cancrum. de atra bile. 1ª. 35. B/F/D/ de differ. morbor. 3ª. 5. F
ad Bilis atræ naturam cõuersus sanguis carbunculos facit. 1°. de diffe. feb. 32. A/ 3ª. 40. C
ex Bile atra sine feruore cancri efficiuntur. de tum. 3ª. 83. H
Bilis atræ ex cremẽtũ quo mõ fiat, et qbꝰ de cãis. 1°. de sa. tu. 2ª. 68. C
Bilis atra crassiorũ partium corporibus inhæret. de atra bile. 1ª. 34. G
Bilis atra qd faciat ĩ intestinis. de atra bile. 35. F/5°. ḋ vsu. par. 1ª. 145. E
Bilis atra pter naturã rodit corpus animalis. 2°. de nat. fac. 1ª. 301. G
Bilis atra exedendo exulcerat. de atra bile. 1ª. 34. D
à Bile atra quandoque fit dysenteria. 3°. de symp. cau. 3ª. 28. B
à Bile atra dysẽteria lethalis. de atra bile. 35. F/5°. de usu par. 1ª. 145. E
à Bile atra vlcus incurabile est. de atra bile. 1ª. 35. F
Bilis atra exacte excreta semp significat mortẽ. de atra bile. 1ª. 34. H
Bile atra affecti quando febricitant. 2°. de diff. feb. 3ª. 37. D
Bilis atra quo modo accenditur. 2°. de diff. feb. 3ª. 37. C
ex Bile atra quartanæ originem habent, & quibus fiant. 2°. de differentijs febrium. 3ª. 36. E
ex Bile adusta quartanã esse quo mõ deprehẽdatur. de sper. Sp. 40. A
Bilis atræ sanguis in vitiosos vapores solutus ad melãcholiam perducit. de vtil. resp. 1ª. 226. C
Bilis atræ color mentem reddens tenebris similem timorem efficit. 3°. de loc. affect. 4ª. 19. B/C
Bile atra in cerebro abundante, cur ad melancholiam trahamur, nesciuit Gal. ꝙ animi mores corp. temp. seq. 1ª. 318. A
Bilis atra quo modo cognoscatur, in capite corrumpi. de remedijs para. facilibus. 7ª. 154. F
in Bile atra agitatis, capitis cura habenda est. de fæt. form. 1ª. 324. C
Bilis atra euomitur. in 6ᵐ. de mor. vul. com. 4°. 3ª. 180. B
Bilis atra si abundat ĩ pleuritide sputũ est nigrũ. 5°. de lo. af. 4ª. 29. H
à Bile atra varices in cruribus. de atra bile. 1ª. 35. C
à Bile atra morbi statim à principio strenue purgãdi. de atr. 1ª. 37. D
Bilem atram euacuandam quid indicet. 14°. meth. med. 7ª. 93. D
Bilis atra aliter euacuatur, quàm flaua. de const. ar. med. Is. 42. E
Bilis atra difficulter euacuatur. 14°. meth. med. 7ª. 93. G
Bilem atram trahentia medicamenta, qualia esse debent, de purgantiũ medicamentorum facultate. 5ª. 86. H
Bilem educens, medicamentum quo ordine trahit alios humores. 2°. de elemen. secundum Hipp. 1ª. 9. B
Bilem nigram prouocat centaurea. de simp. med. Sp. 82. A
Bilem atram educit epithymum. de ther. ad Piso. 5ª. 90. F
Bilẽ atrã purgat biera ex veratro nigro. 1°. de cõp. me. sec. lo. 5ª. 121. E
Bilem atram trahentia medicamenta prosunt cancro, & elephanto. de atra bile. 1ª. 36. B
Bilis atra à mordentibus medicamentis irritat. 14°. met. me. 7ª. 89. H
Bilẽ atrã deijciẽtes ĩ pestilẽtia tpe Galeni oẽs piere. de atra bi. 1ª. 35. B
Bilis admiscetur cyclisis vocatis medicamentis & trochiscis. 10°. de simpli. med. fac. 5ª. 74. F
à Bile atra vlcerum cicatrices nigræ. 2°. de nat. fac. 1ª. 301. F
Bilem siccorẽ præferet, vlcus vbi diuturnum fuerit, multamq; saniẽ, pus contineat. 10°. de simp. med. fac. 5ª. 74. H
Bilis domesticarũ suũ ad ulcera auriũ ualet. 10°. de sim. me. fa. 5ª. 74. H
Bilis, lege Cholera, & Melancholia.
Βιωτικῶς quid significet. 4°. meth. med. 7ª. 26. D
BIPEDEM esse cur fuit melius homini. 3°. de vsu par. 1ª. 128. A
Bipes & gressibile addita rationali animali speciem hominis constituunt. 1°. meth. med. 4. C/ 7ª. 15. E
BIRRENVM vas. f. lebes. secretorum. Sp. 98. D
BIRRHAE hordeaceæ vel herbaceæ potionis pro morbis acutis fit mentio. de vict. rat. in mor. acut. com. 3°. 7ª. 131. G
BIRRVM de lana succida ad dolores matricis. de dyna. Sp. 29. H
BIS idem dici non debet, & quomodo ab Hippocrate & suis interpretibus dicatur. com. 7°. aphor. 53°. Ex. 58. F
Bis terq; idem relatum quid faciat. 5°. de cõp. med. per gen. 5ª. 248. H
BISSEXTVS est quarto quoque anno. 1°. de mor. vul. 3ª. 102. E
BITHYNIAE vrbes. 1°. de alim. fac. 2ª. 12. E
Bithyni sunt pingues. 2°. de simp. med. fac. 5ª. 14. E
in Bithynia zeopyrum prouenit. 1°. de ali. fa. 12. E/ 2ª. 13. A
à Bithynia vinum aminæum quale. 5°. de san. tuen. 2ª. 91. B
in Bithynia non mirum gigni vina tenuia. de vict. rat. in mor. acut. cõmentario. 3°. 7ª. 127. B
Bithynum vinum album, cum inueteratum est, Romani cæcubum vocant. de vinis. Sp. 76. H
Bithynus Demetrius. 4°. de comp. med. per gen. 5ª. 241. G
Bithynꝰ pastillꝰ ĩ Sicilia factꝰ ad q̃ ualeat. 5°. de cõ. me. p ge. 5ª. 252. E
Bithynum emplastrum. 9°. de compositione me. fe. lo. 5ª. 200. C
BITVMEN nascitur in caua Syria Palæstinæ parte. 9°. de simp. medic. fac. 65. B/68. A/11°. 5ª. 83. F
Bitumen iudaicum ex mari mortuo splendidum est, cui atra bilis comparatur. 3°. de symp. cau. 3ª. 28. A
Bitumen iudaicum non potest adulterari. 1°. de antid. 5ª. 100. C
Bitumen congelatur. 1°. de simp. me. fa. 5ª. 5. B
Bitumen barbarum, & cyzicenum. de artic. com. 4°. 7ª. 286. H
Bitumen quale sit, & quomodo vtaris. 2°. de compo. medic. per genera. 227. C/7°. 5ª. 264. B
Bitumen potestate calidum est. 3°. de temp. 1ª. 21. G
Bitumẽ in mari mortuo calidũ est & siccũ. 11°. de simp. me. fa. 5ª. 83. F
Bitumen calidum & siccum est in tertio ordine. vt triphyllum. 8°. de simpli. med. fac. 5ª. 62. F
Bitumen est calidissimum. 1°. de simp. med. fac. 5ª. 5. B
Bitumen calefacit & exiccat. 2°. de simp. med. fac. 16. D/5°. de composi. med. per gen. 5ª. 246. C
Bitumen adstringit, & calefacit. 1°. de simp. med. fac. 5ª. 8. A
Bituminis iudaici fit mentio. 2°. de composi. med. per gen. 225. D/226. E/227. G/5°. 247. A/6°. 5ª. 262. F
Bitumen humidum est. com. 1°. aph. 14°. Ex. 7. F
Bituminis non sicci fit mentio. 2°. de simp. med. fa. 5ª. 15. A
Bitumen à calore extrinseco in spiritũ soluit. cõ. 4°. aph. 7°. Ex. 35. B
Bitumen pro doloribus internis ex frigore. 2°. de simp. med. fa. 5ª. 12. C
Bitumen excitat strãgulatus uteri olfactu. 9°. de cõp. me. se. l. 5ª. 205. G
Bitumẽ cõmodũ est ꝙ ceratis et malagmatibus. 8°. de cõp. me. 5ª. 198. D
ex Bitumine emplastra barbara dicuntur à recentioribus. de comp. medi. per gen. 5ª. 227. F/de arte cur. ad Glauc. 7ª. 32. H
ex Bitumine quæ conficiuntur medicamenta, cruenta appellantur. de fract. com. 3°. 7ª. 242. E
ex Bitumine & aceto emplasticum optimum. 5°. meth. med. 7ª. 32. H

Bitumen nigrum medicamentum, 22°. de comp. med. per gen. 5ª.21.E
Bitumen iudaicũ nigrum ingredit theriacã. de ther. ad Piso. 5ª.92.G
Bitumen glutinat in corporibus admodum siccis, quæ vulnera & sinus. de simp. med. fac. 5ª.42.E
Bitumen in mari mortuo ad glutinationes vulnerum cruentorum valet. 11°. de simp. med. fac. 5ª.83.F
Bituminis quo fabri ferrarij vtuntur fit mentio in medicina ad partũ accelerandum. de reme. par. facil. 7ª.168.G
Bituminis vis ineſt aliquibus aquis thermarũ. 4°. de san. tuẽ. 2ª.83.C
Bituminosa aqua ab aqua ad calidius accedit. 1°. de sim. me. fa. 5ª.5.C
Bituminis aqua non eſt frigida. 1°. de simp. med. fac. 5ª.2.H
Bituminosa aqua compoſita eſt ex pugnantibus qualitatibus. 1°. de simp. med. fa. 3ª. A/ 5ª.6.F
Bituminosæ aquæ prauæ ſunt. de ptiſ. 2ª.47.C
Bituminosæ aquæ quibus malæ. 6°. de san. tuen. 2ª.98.G
Bituminoſum balneum fieri non debet febrienti. 1°. meth. me. 7ª.63.H
Bituminosa balnea euacuãt totũ corp° æqualr. cõ. 4°. aph. 2°. Ex. 27.D
Bituminosæ aquæ exiccãt. 1°. de san. tuen. 2ª.65.C/*de cauſis morb. 3ª. 8°. A/ 7°. de comp. med. ſecun. loc.* 5ª.177.E
Bituminosa aqua, aut ſulfurosa, aut marina, aut muria, ſi inſpergas, adures partem. 1°. de ſimp. med. fac. 5ª.3.A
Bituminoſum trifolium ad morſum viperæ, & muris aranei. de medica. facile parab. 7ª.169.G
BYZANTICVM *antiquũ cõuenit ictericis. de cura icter. Sp.* 11.C
Βλάβας. i. offenſas ſolet Hippocrates σίνεα dicere. de uict. ra. in mor. acu. com. 3°. 7ª.128.C
BLANCA *antidotum in cephalea. de dyna.* Sp.23.C
BLANDOS *pueros facit ſanguis. de dyna.* Sp.19.D
BLASTI *arteriaca ad tabeſcentes. 7°. de comp. med. ſec. lo.* 5ª.178.D
BLATTAE *byzantiæ pannum ad epilepſiam. de dyna.* Sp.24.B
Blattæ domeſticæ meminit. 3°. de comp. med. ſec. loc. 5ª.144.C
Blatta piſirinaria. 5°. de comp. med. ſec. loc. 5ª.163.E
Blattis detrahebant pennas. 3°. de comp. med. ſec. loc. 5ª.143.D
BLENA apud Hippocratẽ apud alios mucus dr. 2°. de ſe. 1ª.340.C
Bleſi quare impediti. 4°. de loc. affec. 4ª.26.F
Bleſi quo modo fiant. in 1ᵐ. de mor. vul. com. 2°. 3ª.115.F
Bleſi quãdo, et qua de re moriebant. in 1ᵐ. de mor. vul. cõ. 2°. 3ª.115.D
Βλεσός. i. valgus acuto accẽtu pronunciatur. de fract. cõ. 2°. 6ª.240.G
BLISCVNA proſtomacho. de remed. par. facil. 7ª.176.D
BLITVM, *beta, malua, lapathum cùm ſimilia ſpecie appareãt, vtuntur his empirici ſine diſcrimine. intro.* If.51.A
Blitum qualitatis expers. 2°. de alim. fac. 2ª.23.B
Blitũ aquoſius eſt alijs oleribus. 2°. de ali. fa. 23. B/ de att. vic. 2ª.43 H
Blitum lentum eſt & humidum. 1°. de alim. fac. 2ª.8.C
Blitũ debiliter humectat, et frigefacit. 2°. de cõp. med. ſec. lo. 5ª.134.G
Blitũ certiſſime refrigerare noſcit. in 6ᵐ. de mor. uul. com. 5°. 3ª.194.B
Blitum calefaciendi vim non habet. de bon. & vitio ſuc. 2ª.38.H
Bliti caulis eſt ſiccus 2°. de alim. fac. 2ª.24.A
Blitum minus ſiccat, quàm braſſica. 5°. de san. tuen. 2ª.92.C
Blitum manditur ex oleo, garo, & aceto. 2°. de alim. fa. 2ª.23.C
Blitum parum nutrit. 2°. de alim. fac. 2ª.23.C
Blitum eſt in medio boni & mali ſucci. de bon. & vi. ſuc. 2ª.27.G
Bliti ſuccus eſt frigidus & viſcoſus. 2°. de ſimp med. fac. 5ª. 14. D/ de puero epileptico. 7ª.180.D
Blitum eſt olus minime pituitoſum. de attenu. vict. ra. 2ª.45.G
Bliti radix quibus ſit vitanda. de atten. vict. rat. 2ª.45.G
Blitum quo modo ventrem ſoluat. 3°. de ſimp. med. fac. 5ª.12.B
Blitum cur facile deſcendit, & ventrem ſubducit. 1°. de ali. fa. 2ª.8.C
Blitum ſemen ſupprimit, nõ tñ corrumpit. 5°. de ſimp. med. fa. 5ª.38.C
Blitum epilepticis conuenit. de puero epile. 7ª.180.C
Blitum pro cibo in cancro cõcedit. 2°. de arte cur. ad Glau. 7ª.107.E
Blitum pro obſonio in cubiti fractura datur. de frac. com. 1°. 7ª.230.G
BOETHI *filij caſus, qui ſæpe in febris recidiuam incidit. de præcog. ad Poſth.* 4ª.16.H
BOEOTIA *vecors. in oratione ſuaſoria.* Iſa.3.E
pro Βοιθύσσει *vtuntur plerunq; veteres & Hippocrates* τιμωρῆσσι *de vict. rat. in mor. acu. com. 1°.* 7ª.113 F
BOLETI elixi belle accedũt ad cibos inſipidos. 2°. de ali. fa. 2ª.25.C
Boleti incocti aliquibus cholerã excitarunt. de bo. & vi. ſuc. 2ª.33.F
Boletos edentium caſus, & ſymptomata. 2°. de ali. fac. 2ª.25.C
ex Boletis ſolis nemo fertur interijſſe. de bon. & vi. ſuc. 2ª.35.F
BOLVS *Armenus, ſiue lapis armenus, ſiue terra armena noceẽt, nihil refert. 9°. de ſimp. med. fac.* 5ª.67.A
BOMBOS faciũt flatus in inteſtinis latis. 3°. de ſymp. cau. 3ª.27.G
BOMBYLIIS vaſculis quo modo exugunt infantes. 8°. de decretis Hippocra. 1ª.278.A
BONITATIS Dei pfectiſſimæ ſpecimẽ, & cultu cõueniẽte exornarit oĩa, nihilq; ſuis beneficijs priuatũ eẽ uoluerit. d vſ. par. 1ª.133.D
Bonitas aquæ Nili paucis fluuijs eſt cõparanda. de bon. aquę. Sp.75.E
BONVM *quid 7°. de decre. Hipp.* 1ª.268.F
Bona ſunt ſecundum aliquos quæ propter ſe ſequenda ſunt, & adepta poſſidentibus vtilitatem apportent. de hiſtoria philoſ. Sp.2.H
Bonum cuiuſque rei virtus, & perfectio, idem. ad Thraſ. 2ª.103.G
Bonum de quo antiquitus dicebatur. in 1ᵐ. de artic. com. 2°. 7ª.266.H
Bonum apud Hippocratem pro certo, ſtabili, vero, & perpetuo. de frac. com. 2°. 7ª.236.B
Boni et mali noĩbus quo mõ vtit Hipp. 1°. de criſi. 130. G/H/ 4ª.131.D
Bonum vel malum in morbis ſignificantes dictiones, quibus vtitur Hippo. in progno. com. 3°. 4ª.211.E/F
Bonum non tanquam bonum aliquando dictum apud Hippo. ſed tanquam melius. com. 4°. aph. 25°. Ex.30.B
Bonum triplex eſt genus. in oratione ſuaſoria. Iſa.4.E
Bonos agnoſcim° atq; amam°, ſiue tales ex natura, ſiue ex inſtitutione, ſiue ex ꝓpoſito, ac meditatione euaſerint, & animi mores. 1ª.321.C
vt Bonum amplectamur, ambiamus, amemus præ omnibus inſitum eſt. quod animi mores. 1ª.321.C
Bonũ maximũ ẽ in diuinis bonis philoſophia. i orõne. ſuaſoria. Iſ.2.C
Bona quo modo det fortuna. in oratione ſuaſo. Iſ.2.E
circa Bonum corporis ars verſans vna eſt. ad Thraſ. 2ª.106.C
Bonus nemo quicquam inuidet. 12°. de vſu par. 1ª.194.D
Boni non fiunt mali Romæ, ſed qui mali prius erãt, hîc materiam male agendi nanciſcuntur, & maius lucrum Romæ quàm in alijs vrbibus faciunt. de præcog. ad Poſthu. 4ª.215.F
Bonarũ aquarũ, et malarũ cognitio, q̃. de bonit. aquæ. 75. H/ Sp. 76.B
Bonarum aquarum proprietates. de bon. aquæ. Sp.76.A
Bonæ aquæ effectus. de bon. aquæ. Sp.75.F
Bona quo modo fiat aqua ex prana. de bon. aquæ. Sp.76.B
Bonam reddit aquam, illam ſæpe haurire. de bon. aquæ. Sp.75.D
Boni humoris cibi, qui. de diſſ. cont. Sp.73.G
Boni nutrimenti cibi & tenuis, qui. de diſſol. cont. Sp.73.H
Bonum humorem, & craſſum quæ generant. de diſſ. cont. Sp.74.A
Bonos humores iter tenues et craſſos q cibi generẽt. d diſſ. cõ. Sp.73.H
Boni nutrimenti piſces, qui ſint. de diſſ. cont. Sp.73.B
Boni nutrimenti fructus & vuæ, quæ. de diſſ. cont. Sp.73.B
Boni nutrimenti eſt vinum coloris granati. de diſſ. cont. Sp.73.B
Boni odoris vinum leue, in quo eſt dulcedo pauca, bonum generat humorem inter craſſum, & tenuem. de diſſ. cont. Sp.73.H
Boni odoris vinum perſicum, vel citrinum eſt boni chymi, & ſubtilis. de diſſol. conti. Sp.73.H
Boni chymi cibus plurimus eſt accipiendus poſt coneſtionem bathecæ. de diſſ. cont. Sp.74.F
Bonis cibis duobus propoſitis, præbeat qui magis appetitur ab ægro. de diſſ. cont. Sp.72.B
Bonus ſanguis efficit, ut qs calorẽ, et frigꝰ facile ferat. de dyn. Sp.19.D
Bonũ medicũ præceptorũ mathematices meminiſſe operæpretiũ eſt, et quæ ſint illi perſpicienda. de decub. prog. ex mathe. ſcientia. Sp.15.H
Bona, bonum ſemper portendunt. in progn. com. 3°. 4ª.211.E
neq; Bonũ, neq; malũ portendentia ſymptomata. 1°. de criſi. 4ª.131.C
Boni ſudores qui ſint. de præſag. exper. confir. Sp.77.G
Bonum eſt aquam ire per vrinam. de bon. aquæ. Sp.76.A
Bonum odorem dari medicinis à petroſelino, vel dauco, vel pulegio, vel ſatureia, collige. de dyna. Sp.21.B
Boni ſaporis, et dulcia cur miſceanẽ medicinis. de med. exp. Sp.108.G
Bonæ ſunt medicinæ in aliquibus locis, in alijs ſunt venena. de medicinis expertis. Sp.108.H
BORRORYGMON quod genus ſonitus. 3°. de ſymp. cau. 3ª.28.G
BOREAS *ab Vrſis, & Rhiphæis montibus ſpirat. de aere, aquis, & locis.* 2ª.5.D
Boreas debilis, & leuis eſt cùm peruenit ad partes longinquas. de aere, aquis, & locis. 2ª.5.A
Boreas frigidus eſt & ſiccus, omniaq; ſiccat & infrigidat. 1°. de temperamentis. 1ª.10.E
Boreas facit frigus, & ſerenitatem. 2°. de ſymp. cau. 2ª.27.F
Borea flante non fiunt putredines. 1°. de temp. 1ª.10.E

à Borea, Euro, & Subsolano tutus est sinus inter Surrentũ & Neapolim ob collem longitudine ad Tyrrhenum mare porrectum. 5°. meth.med. 7ª.34.H
Boream versus regiones æstate adeundas esse, elicitur. de causis procatarcticis. 3ª.96.A
ad Boream pisces meliores. 3ª. de alim.fac. 2ª.30.C
Boreas si flauerit, dulcior erit aqua, et frigidior. de bo.aquæ. Sp.75.G
Borealis aer tenuis, non calidus. 1°. de simp.med.fac. 5ª.6.D
Boreales constitutiones faciunt fructus tenuis essentiæ & frigidos. 4°. de simp.med.facul. 5ª.28.C
BOVEM speciem vel genus animalis appellare possumus. 2°. de semine. 1ª.339.H
Bos à natura hominis non longe aliena in fœtu. de fœtuũ for. 1ª.322.E
Bos medium locum obtinet inter prona exacte, & planè recta animalia. 3°. de vsu par. 1ª.128.F
Boues habent musculum tẽporalẽ maximũ. 11°. de vsu par. 1ª.184.G
Boum gena inferior maxima. 11°. de vsu par. 1ª.185.A
Boues habent tantùm dentes incisiuos et molares. de ana.uiu. Sp.49.E
Boum nerui ad profundam laryngem euidentissime apparent. 16°. de vsu partium. 1ª.216.E
Boues sine cornibus vbi. de aere, aquis, & locis. 2ª.5.D
Bobus cur eximantur testes. 3°. de alimen.fac. 2ª.27.B
Boue exerto calidior est taurus. 11°. de simp.med. 5ª.78.E
de Bouis temperie si quæratur, quid respondendum. 1°. de tem. 1ª.13.E
Bos est multo siccior sue. 3°. de alim.fac. 2ª.25.H
Bos siccior est capra. 11°. de simp.med.fac. 5ª.78.E
Boue siccior est leo. 11°. de simp.med. 5ª.78.E
Boues ob siccitatẽ adipem plurimũ generãt. 11°. de simp.me. 5ª.78.H
Boum adeps, qualis. 7°. de comp.med.per gen. 5ª.263.E
Bouis adeps acer est. 4°. de simp.med. 5ª.25.E
Boum fel supra ouillum est acre. 10°. de simp.med. 5ª.74.H
Bouina medulla emollit, & in quo gradu sit. de oculis. 7ª.188.D
cur Boues non possunt depascere herbam breuẽ. de ar.cõ. 1°. 7ª.256.H
Boues vescuntur eruo. 2°. de alim.fac. 2ª.17.C
Boues saginat herbum, si decoctum detur. de simp.med. Sp.85.B
Boues fiunt macilentissimi sub finem hyemis. de art.cõ. 1°. 7ª.256.D
Boum lac, quale. 3°. de alimen.fac. 2ª.27.F
Boum lac spissum est. 5°. meth.med. 7ª.35.A
Boum lac habet multum pinguedinis. 3°. de alimen.fac. 2ª.27.G
Bouina caro cur quosdam lædit & quosdam non. de assuetudinibus. 2ª.60.H
Boum carnes quidam cum delectatione edũt, quidam etiam nõ possunt odorem sentire. de assuetudin. 2ª.60.A
Bouinas carnes aliqui facilius digerũt piscibus saxatilibus. 6°. de ali. fa. 7.F/8.G/de assuetudinibus. 2ª.60.H
Bouinas carnes cur aliqui digerãt, & nõ pullinas. de diff.cõ. Sp.72.C
Bouis caro tardè digeritur. de diff.cont. Sp.73.D
Bouis carne velocius digeritur caro vituli. de diff.cont. Sp.73.C
Bouis caro mala est. de diff.cont. Sp.74.A
cur Bouis caro sit cibus crassus. de diff.cont. Sp.72.H
Boum caro quibus obsit. de atten.uic. 2ª.45.E
Bouinæ carnes fugiendæ sunt in epilepsia. de puero epilep. 7ª.180.H
Bobus lien est nigrior præsertim ubi cõsenuerint. de atra bile. 1ª.36.A
ex Bobus quomodo apes, & vespæ gignantur. an animal sit. 1ª.328.B
Bouis talus lumbricos rotundos educit, lienẽ consumit, et leucas tollit illitus, & mediocriter venereus est. de theriaca ad Piso. 5ª.93.E
Bouis talus dentes vacillantes confirmat. de theria. ad Piso. 5ª.93.E
Bouis armẽtariæ stercus ad qd vtile. 8°. de cõp.med.sec.loc. 5ª.192.C
Bouis armentariæ stercus pro cataplasmate in hydrope. 9°. de cõposi. med.sec.loc. 5ª.200.E
Bouillum stercus hydropem sanat. de theria. ad Piso. 5ª.93.F
Bouis siccum stercus quo modo melancholicis prosit. de mel. ex Galeno Ruf. & Poss. Sp.110.C
Bouis tonij lotio buccinum vstum extinguunt ne penis erigatur. de remed.paratu facilibus. 7ª.169.D
Boues ne ægrotent quid agendum. de remed.paratu.facil. 7ª.173.A
Bouis articulus ad coxam luxatur. de articu.com. 4°. 7ª.288.G
Bobus tunc magis femora ex acetabulis elabuntur, dum sunt macilentissimi. de articulis, commen. 1°. 7ª.256.F/G
Bos. lege Bubulus.
BOSCADAE columbæ, quales. 2°. de comp.med.per gen. 5ª.223.C
BOTRIA appellant foramina quæ dẽtes subeunt. de ossib. 1ª.41.F
Bothrion quid. fin.med. 48.D/introd. Isa.58.D/H
BOTRVS vuæ maturus infundit, & procurat ventrem. de simpli. medic. Sp.92.B
Botrus vuæ immaturæ ventrem stringit. de simp.me. Sp.92.B
BOTRYOS medicamentum. 3°. de comp.med. 5ª.144.B
BOTRYTES cadmia quæ. 9°. de simp.med.fac. 5ª.69.E/de simplicibus medicaminibus. Sp.81.F
Βουφθαλμος herba, hoc est bouis oculus. de artic.com. 4°. 7ª.286.H
Βούφθαλμος durities sanat. 6°. de simp.med.fac. 5ª.47.B
BRABYLA fructus habent exiguum alimentum. 2°. de alimen.fac. 2ª.22.B
Brabyla fructus sunt praui succi. 2°. de alim.fac. 2ª.22.B
ex Brabylis, & prunis & cornis stomatica fiunt medicamenta. 6°. de comp.med.sec.loc. 5ª.169.B
BRACHIVM quid vocetur. introd. Isa.53.B
Brachij noẽ fm nõnullos quid ĩtelligat Hipp. de frac.cõ. 2°. 7ª.231.H
Brachiũ os solũ vocatur ab Hipp. fm aliquos. de frac.cõ. 2°. 7ª.236.E
Brachium appellatur quod inter duas iuncturas humeri & cubiti intercedit. de articu.com. 4°. 7ª.252.C
Brachium est os magnum ab humero. de motu musculorum. 1ª.313.F
Brachium est pars manus. 2°. de vsu partium. 2ª.121.A
Brachium est pars maxima manus 1°. de motu muscu. 1ª.313.F
℔ Brachio et manu, manus noie utitur Gale. 17°. de usu par. 1ª.221.g
Brachia, crura à græcis dicuntur κῶλα. i. membra longa. de cucurbitulis. scarifica. 6ª.4.D
cur Brachium non est longum vsq; in terram. 17°. de usu par. 1ª.221.G
Brachiũ in manu tale est, quale femur in crure. 3°. de ana.ad. 1ª.74.A
quod Brachiũ est ĩ manu, id ĩ crure est femur. de fract.cõ. 2°. 7ª.232.H
Brachia, et crura posteriora sũt in formatione fœtus. de semi. 1ª.331.f
ne Brachia frangantur timendum est, quando pedes in partu præcedunt. de anat.viuo. Sp.52.E
in Brachio vnum os. 2°. de vsu partium. 1ª.126.A
in Brachium cur vnum os. 2°. de vsu partium. 1ª.126.G
Brachij os cur gibberosũ exterius, simũ ĩterius. 2°. de vsu p. 1ª.126.A
Brachy ossa caua sunt, ne grauissimum sit brachium ac gestatu difficile. 11°. de vsu partium. 1ª.191.D
Brachij os tria ligamenta valida ligant. 13°. de vsu par. 1ª.203.C
Brachij ligamenta quæ. 13°. de vsu partium. 1ª.203.C/D
Brachij ligamenta vndc oriantur. 14°. de vsu partium. 2ª.203.D
Brachiorũ ossa à quibus musculis moueant. 17°. de vsu par. 1ª.221.C
Brachij rotundam regionem græci appellant τροχιλώδη. 2°. de vsu partium. 1ª.125.G
Brachij caput cur rotundum sit. 13°. de vsu partium. 1ª.203.B
Brachij acetabulum, quod. de articulis, com. 1°. 7ª.255.D
Brachiũ debebat esse circundatũ undiq; carne. 2°. de vsu par. 1ª.126.B
in Brachij medio adeo est. 2°. de diff.feb. 3ª.41.B
Brachium est maius cubito. 2°. de vsu partium. 1ª.126.F
Brachij articulus & magnus est, & sinus plures habet. de fracturis commentario. 3°. 7ª.248.H
Brachium vtrunq; humeri articulo coarctatur. intro. Isa.54.H
in Brachio q̃ partes sint cõdylus, et tuberculus. de fra.cõ. 1°. 7ª.226.F
in Brachium cur inseruntur vasa tenuia. 13°. de usu partiũ. 1ª.202.B
Brachijs cur nõ immittuntur nerui à cerebro. 16°. de vsu par. 1ª.215.E
Brachij neruorum sectio. 3°. de anat.adm. 1ª.74.F
Brachiorum, & manuum nerui forma differt à forma neruorũ pedũ, & crurum. de ana.viuo. Sp.54.C
Brachiorum exercitationes, quæ. 2°. de san.tuen. 2ª.74.G
Brachia exercentur paruæ pilæ ludo. de paruæ pilæ exer. 2ª.49.B
Brachiorũ ptes mediæ quã exercitationẽ desiderãt. 5°. de sa.t. 2ª.90.B
Brachium quoquo uersus circumagitur. 12°. de vsu par. 1ª.194.A
Brachij motus fit à ui animali. 2°. de sympt.cau. 3ª.20.A
in Brachio ex motibus obliquis fiunt recti. 11°. de vsu par. 1ª.190.G
Brachij musculorum dissectio. 1°. de anat.adm. 1ª.67.H
℔ Brachium totum musculi duo inuicem uniti prius quàm in tendinũ radices terminentur. 1°. de anat.adm. 1ª.65.D
in Brachio quatuor musculi. 2°. de vsu par. 1ª.126.A
Brachium mouentes musculi vndecim sunt, qui, & quo modo, & vbi complantati sint ac finiant. de musc.diss. 1ª.47.B
de Brachij totam articulationem mouentibus musculis, ac tẽdonibus. 13°. de vsu partium. 1ª.203.E
Brachiorũ motus magni musculi, qualis. de motu musculorũ. 1ª.309.g
Brachij nodi exterioris musculi. 1°. de anat.adm. 1ª.66.F

Brachium attollentes musculi vehementius mouent, quàm deprimentes. 13°. *de vsu par.* 1ª.203.H
Brachiũ totũ eleuãt musculi q sũt ad epomida. 16°. *de vsu par.* 1ª.217.g
p Brachio attollẽdo neruũ ualidũ flagitãt musculi. 16°. *de u.p.* 1ª.217.g
pro Brachio attollendo neruus vnde oriatur. 16°. *de vsu p.* 1ª.217.H
Brachiũ qui musculus sursũ p rectã lineã attollat. de musc. dis. 1ª.47.F
Brachium qui musculus attollat, sed ad interiora inclinans. de musculorum dissectione. 1ª.47.F
Brachium quibus causis non potest attolli. de ijs quæ in medi. fiunt. cõmenta. 1°. 7ª.198.D
Brachiũ q musculus ad exteriora oblique abducit. de musc. dis. 1ª.47.F
Brachij caput qui musculus attrahat. de musc. diss. 1ª.47.G
Brachium qui musculus pectori adducat. de musc. dis. 1ª.47.G
Brachium totum qui musculus pectori adducat. de musc. diss. 1ª.47.G
Brachium qui musculus ad latera detrahat. de musc. diss. 1ª.47.G
Brachium ad costas rectum extendens musculus. de musc. diss. 1ª.47.G
in Brachio toto quo modo fit flexio, et extẽsio. de motu musc. 1ª.313.G
Brachij extensio iustissima quæ sit, & quo modo paretur. de fractu. cõmentario. 2°. 7ª.232.A
Brachium extentum duobus fit motibus, virtute sursum attollente, et naturali pondere pessum trahente. 2°. *de symp. cau.* 3ª.20.B
Brachij corpus deorsum trahit, virtus attollit, ac sustinet. 2°. *de symptomatum cau.* 3ª.20.A
Brachij extenti habitus est ex actionum & motuum genere. 2°. *de sympto. causis.* 3ª.20.B
Brachiũ & crus qui in altum sustulerunt, deinde ita vt habent seruãt, immotos esse ne arbitreris. de pal. trem. conuul. 3ª.52.A
in Brachio tres quietes, quo modo à diuersis fiant, & ita in alijs membris. 2°. *de symp. cau.* 3ª.20.B
Brachij immobilitas sm naturã fit à ui aĩali. 2°. *de sym. cau.* 3ª.20.A
Brachiorum sensum & motum perdere facit spina in quinta uertebra vitiata. 1°. *de symp. cau.* 3ª.16.D
Brachium cum tenditur, vel conuellitur, est vitium vnius nerui, qui particulam mouet. 1°. *de symp. cau.* 3ª.19.D
Brachia & cubiti gracilia sicui sunt, crura autem crassiora, huic omnia, q quæ per manus fiunt exercitia, sunt petenda, fugienda uero quæ cruribus obeuntur. 5°. *de sani. tuen.* 2ª.90.D
Brachij venarum consideratio. de venar. art. diss. 1ª.56.G
Brachij venarum positus non semper idem, sed tres habet differẽtias. de vena. arte. dissect. 1ª.56.G
in Brachij externis atq; anterioribus partibus natura proprias mittit venas per superficiem sine arterijs. 17°. *de vsu par.* 1ª.221.A
per Brachium totum duæ uenæ, axillaris, et humeraria. 3°. *de anatomicis administ.* 1ª.77.E
per Brachium totum, quæ fertur vena ὠμιαῖα. i. humeralis, vocatur. 1ª. *de anat. adm.* 1ª.67.H
Brachium nutrientes venæ vnde oriantur. de ijs quæ in medica. fiunt, cõmentario. 3°. 7ª.220.E
in Brachio quæ venæ incidendæ. 3°. *de anat. adm.* 1ª.77.C
in Brachio tres venæ secandæ. præs. exper. confir. Sp.78.B
in Brachio sunt venæ quinque, quæ secantur. de anat. viu. Sp.54.G
Brachij funis ẽ una ex qnq; uenis brachij q secanť. de anat. vi. Sp.54.g
Brachij funis in quibus affectibus secatur. de anat. viu. Sp.54.H
Brachij venarum occultarum consideratio. de vena. art. diss. 1ª.57.A
Brachij venarum profundarum sectio. 3°. *de ana. adm.* 1ª.77.D
Brachiorum venæ non secandæ in suppressis mensibus. de cur. rõe. per sanguinis miß. 6ª.18.F
ex Brachij dexteri interiore vena sanguis in angina detrahẽdus. præsa. exper. confir. Sp.78.E
Brachium versus tende cum secas basilicam. de anat. viu. Sp.54.G
in Brachio in parte inflammata vena non est incidenda, quia arteria propinqua est. 3°. *de anat. adm.* 1ª.77.C
Brachij arteriæ sectio. 3°. *de anat. adm.* 1ª.77.E/F
in Brachio vna arteria vicina venæ axillari, & vnde veniat. 3°. *de anat. administra.* 1ª.77.E
Brachia quo modo pulsu priuabis. de vsu puls. 1ª.227.D
Brachia & pedes madescunt acerrimo aceto, pro stomacho. 8°. *de cõpo. medica. secun. locos.* 5ª.192.D
Brachys & manibus imposita acria medicamenta succos ad caput, & viscera vergentes reuellunt. de cucur. scar. 6ª.4.G
Brachiorum, & crurum uincula reuellunt. de cucur. scar. 6ª.4.F
Brachiorũ & extremorum ligaturæ fortes stomachicis adhibentur. 8°. *de comp. med. sec. loc.* 5ª.192.D
ad Brachiorũ, dolorẽ, & mẽbrorũ quid faciat. de cura. lap. Sp. 112.D
ad Brachiorum dolorem. de cura lap. Sp. 112.B
in Brachio pũcti pueri casus emplastico curati, qui perijt. 3°. *de med. comp. per gen.* 5ª.231.G
Brachij robori nõ cõsulẽdũ si phlegmone laboret. 13. *met. me.* 7ª.84.E
Brachiorũ, & crurũ vulnerum differentia. de fract. com. 2°. 7ª.238.F
Brachium ad costas alligatũ in ulceribus. de articulis. cõ. 1°. 7ª.259.f
Brachij caput si frangatur circa appendicẽ, quid accidat. de fracturis commen. 3°. 7ª.250.E
Brachium nudum exigit operatio, honestas tectum. de ijs quæ in medicatri. fiunt. com. 1°. 7ª.202.H
in Brachij fractura quomodo debet appendi manus, quando homo deambulat. de fract. com. 1°. 7ª.232.A
Brachij os in quadraginta diebus corroborat. de fract. cõ. 2°. 7ª.232.g
de Brachij luxatione. de decre. Hipp. 1ª.281.E
Brachium cur frequenter non luxetur. 13°. *de vsu par.* 1ª.203.C
Brachij ala in luxato, et sano quomodo se habeat. 9°. *de dec.* 1ª.291.B
Brachium luxatũ, cur non potest circumagi. 13°. *de vsu par.* 1ª.202.G
Brachium luxatum cognoscitur ex tumore sub ala duro, & rotundo. de ijs quæ in medic. fi. com. 1°. 7ª.198.F
in Brachij laxatione qui sit error minor. de fract. com. 1°. 7ª.224.G
Brachium sæpe excidit. de articulis. com. 1°. 7ª.252.A
Brachij luxationem quinquies vidit Gal. de artic. cõ. 1°. 7ª.256.G/H
Brachium an exciderit signum. 9°. *de decre. Hipp.* 1ª.281.B
Brachium quo modo cognoscetur è propria sede excidisse in alam prolapsum. de ijs quæ in med. fi. com. 1°. 7ª.198.G
Brachium iugiter excidens vri debet. com. 6°. *aph.* 60°. Ex.53.G
cur Brachia exusta humeris manuum iuncturas, pectora, coxas, & lumbos habent Nomades. de aere, aq. & loc. 2ª.5.F
Brachium si in posteriorem partem exciderit maximos omniũ dolores febres continuas, mereq; biliosas, et lethales, paucisq; diebus conficientes affert. de artic. com. 3°. 7ª.250.C
quibus Brachij aut femoris os extra eminet, hi non euadunt. de fract. comm. 3°. 7ª.248.A
Brachiũ, et crus habẽt diuersã deligationẽ. de fract. cõ. 2°. 7ª.239.A
Brachio quæ deligatio fieri potest. de ijs quæ in me. fi. cõ. 2°. 7ª.206.C
Brachium qua figura illigandum. de fract. com. 1°. 7ª.225.H
Brachiorum motus, & figurationes quales. de fract. cõ. 1°. 7ª.226.A
Brachij figura anguiosa, ἐγχώνιος, dicta est à dolore libera & maxime naturalis. 6°. *meth. med.* 7ª.41.B
in Brachio quæ figuræ quibus cõtrariæ sint. de fract. cõ. 1°. 7ª.226.B
Brachij ossis primus repositionis modus. de artic. com. 1°. 7ª.252.F
BRACHIALE *quod dicatur. introd.* If.53.C
Brachiale appellatur prima pars palmæ. de ossibus. 1ª.43.A
Brachiale seu carpus est nodus, quo cubitus extremæ manus cõmittitur. de venarum, arteriarumq; dissec. 1ª.56.F
Brachialis cutis ĩ articulo, diligẽter eximi debet. 1°. *de ana. adm.* 1ª.65.f
Brachiale quibus compositum sit. de ossibus. 1ª.43.B
Brachialis ossa tria. intro. If.54.H
Brachialis, & postbrachialis ossa nectentia, ligamenta dura crassaq; sunt. 1°. *de anat. adm.* 1ª.67.F
Brachiale flectimus, & reflectimus ad vtranque partem recti. de motu musculorum. 1ª.315.G
Brachiale à quibus musculis extendatur. de musc. diss. 1ª.48.C
Brachiale extendens musculus. de diss. 1ª.48.D
Brachiale qui musculus flectit cum inclinatione ad supinum, & qui cũ declinatione in pronum. de musc. diss. 1ª.48.G
Brachiale flectentes duo musculi. 1°. *de ana. adm.* 1ª.65.F
Brachiale mouentis musculi apud magnum digitum exortus. de musculorum dissect. 1ª.48.H
Brachiale apud magnum digitum flectẽs in pronum musculus. de musculorum dissect. 1ª.49.A
Brachiale mouentis musculi apud paruum digitum exortus. de musculorum dissect. 1ª.48.H
Brachiale & digitos flectere quorum musculorum sit officium. de musculorum dissect. 1ª.48.F
post Brachiale quid appelletur. de ossibus. 1ª.43.B
post Brachiale quibus compositum sit. de ossibus. 3ª.43.C
post Brachialis ossa quinque. introd. If.54.H
cum Brachiali postbrachialis motus est latens, & obscurus. de musculorum dissect. 1ª.49.D

Βραχύστοτοι, qui, in 3m. de mor. vul. com. 3°. 3a. 149. A
BRADYPEPSIA id est tarditas coctionis, quid sit. de symptomatũ disse. 12. E/3°. de symp. cau. 3a 24. F
Bradypepsia quomodo gracilitatem faciat. de symp. diff. 3a. 13. A
BRANCA lupina, quæ inferius est rotunda, ad cãcrum quo modo ualeat. de dyna. Sp. 31. A
Brãca lupina, ad caducos, et q spumãt, et paralyticos. de dyn. Sp. 24. C
BRANCHIARVM piscium compositio. de vsu par. 1a. 150. H
Branchias habent pisces vice pulmonis. 6°. de vsu par. 1a. 150. H/de anat. viuo. Sp. 48. B
Branchia ad pisces, ita se habet vt pulmo ad terrestria animalia. de anat. viuor. Sp. 53. B
in Branchijs piscium sunt pori adeo tenues, vt non recipiant nisi aerẽ. de vtil. resp. Sp. 64. C
per Branchias vaporem respirant delphinus, lepus marinus, et alia animalia, quæ sunt communia terræ, & mari, quæ arabici cenalia dicantur, & pisces. de anat. viu. Sp. 48. C
BRANCHVS siue raucitas, quid. 3°. de symp. cau. 3a. 29. F
Branchus quo modo fiat, & vbi. de anat. parua. Sp. 41. H
Branchis occupat qui biberit aquam pluuialem. de bon. aq. Sp. 75. F
BRASSICA qũo antiquitus appellabatur. 2°. de alim. fa. 2a. 23. B
Brassica habet naturam compositã ex repugnantibus facultatibus. 2°. de ali. fa. 2a. 7. G/de rat. vict. in mor. acu. com. 1°. 7a. 111. G
Brassicæ mordaces humores pparatione auferre oportet, si uis de eius substantia quæ alit, rectũ iudicium ferre. cõ. 2°. aph. 18°. Ex. 13. H
Brassica agrestis est vehementior domestica. 7°. de sim. me. fa. 5a. 52. H
Brassica agrestis ab humana temperatura longius recedit domestica. 7°. de simp. me. fa. 5a. 52. H
Brassicæ sylvestris semen, quale. 9°. de comp. me. se. lo. 5a. 202. A
Brassica vt obsonium manditur. 2°. de alim. fac. 2a. 22. H
Brassica hyeme edenda. de sal. diæta. 2a. 40. B
Brassica quo modo præparetur. com. 2°. aph. 18°. Ex. 13. H
Brassicæ facile nutriunt, sed parum. 8°. meth. med. 7a. 50. H
Brassica paucũ habet alimẽtũ. 2°. de ali. fa. 2a. 23. B/de di. fe. 3a. 31. G
Brassicæ succus prauus. 2°. de alim. fa. 2a. 23. B
Brasica crudum, crassum, & frigidum humorem gignit. de bo. et vitio succorum. 2a. 35. E
Brassica sola iter olera facit sãguinẽ melãcholicũ. 3°. de lo. af. 4a. 18. F
Brassica qũo astrĩgat et soluat. 1°. de ali. fa. 2a. 7. G/3°. de sim. 3a. 20. A
Brassica ipsa adstringit. de ther. ad Piso. 5a. 90. H
Brassicæ succus purgat. 2°. de alim. fa. 22. H/2a. 23. A/de theria. ad Pisonem. 5a. 90. H
Brassicam ducere aluum & digerere, elicitur, in 6m. de morb. vulg. cõmenta. 2°. 3a. 167. E
Brassicæ folia naturaliter ebrietati resistunt. 2°. de compo. med. secundùm locos. 5a. 133. C
Brassica cocta conuenit stomachicis. 8°. de comp. me. se. lo. 1a. 192. C
Brassica calefacit & sicca. de sal. diæta. 2a. 40. B
Brassica desiccat. 7°. de simp. med. fa. 5a. 52. G
Brassica bis cocta sicca. 2°. de ali. fa. 2a. 23. A
Brassica & lens æque exiccant. 2°. de alim. fa. 2a. 23. A
Brassica magis siccat, quàm malua, blitum, lapathum, atriplex, & lactuca. 5°. de san. tuen. 2a. 92. C
Brassicæ cyma minus siccat, quàm brassica 2°. de ali. fa. 2a. 24. A
Brassica corpus exiccat & stringit. 2°. de alim. fa. 2a. 23. A
Brassica vapores resiccat. 2°. de comp. med. se. lo. 5a. 133. D/de reme. par. fa. 7a. 153. G
Brassica nunq̃ erit humectantis naturæ. de bon. & vitio suc. 2a. 38. H
Brassica acris est. de attenu. vic. rat. 2a. 43. H
Brassica attenuat. de attenu. vic. rat. 2a. 43. H
Brassica hebetat visum. 2°. de ali. fa. 2a. 23. B
Brassicæ, careæ, & buxi halitus aerem vicinum inficiunt. in 3m. de mor. vulg. com. 3°. 3a. 133. F
Brassicarum cinis adurit. 7°. de simp. me. fa. 5a. 52. G
Brassicarum cinis cum adipe ad inueteratos laterum dolores valet. 7°. de simp. me. fa. 5a. 52. G
cum Brassicæ succo aloes pillulæ conficiuntur ad soluẽdam aluum senibus, quod non laudat Galenus. 5°. de sani. tuen. 2a. 92. E/1°. de cõpo. me. se. lo. 5a. 131. F
Brassicæ succus aloes insuauitatem remittit. de dyna. Sp. 20. H
Brassica epilepticis conuenit. de puero epilep. 7a. 180. B
Brassica ad phtysicos. de remed. paratu. faci. 7a. 172. C
Brassicam, & porrum dat in arteriæ affectione. 7°. de compo. med. secundum locos. 5a. 178. A
Brassicæ semen lumbricos amaritudine necat: ephelidas, & lentes absterstione adiuuat. 7°. de simp. med. fa. 5a. 52. G
Brassica vlcera glutinat, maligna vlcera sanat, phlegmonas iam induratas, ac ægre solubiles, & id genus erysipelata, epinyctidas, & herpetes sanat, lepras curat. 7°. de simp. me. fa. 5a. 52. G
Brassicæ, quæ choloros. i. viridis, dicitur, fit mentio. in prognost. commen. 1°. 4a. 191. D
Brassicam marinam thalassocramben vocant. 5°. de san. tuen. 2a. 92. F
Brassica marina soluenda senum aluo accommoda est. 5°. de san. tuen. 2a. 92. F/7°. de simp. med. fa. 5a. 52. H
BRATHYOS vires. 6°. de sim. me. fa. 5a. 45. B
Brathyos fit mentio. 5°. de cõp. me. pge. 251. D/7a. 269. G/H/5a. 271. E
BREGMA seu sinciput describit. ĩ 6m. de mor. vul. cõ. 3°. 3a. 169. H
BRENITI confectio. 9°. de comp. med. se. lo. 5a. 202. H
BRETANICAE herbæ folia adstringunt. 6°. de simp. me. fa. 5a. 45. C
Bretonica est vulnerum glutinatoria. 6°. de simp. med. fa. 5a. 45. C
BREVILOQVENTIA antiquis propria. 3°. de diff. resp. 3a. 71. C
BREVITATI studuerunt antiqui. 4°. meth. me. 7a. 26. H
Breuis, & manifestus haud quaquàm accuratus esse potest. de pue. epilep. 7a. 179. F
Breues loquutiones dedita opera fieri uidẽtur ab his qui enunciare obscure aliquid volunt. de ijs. quæ in med. fiunt. com. 1°. 7a. 200. D
Breuiloquio & obscuritate tegere vult Chrysippus ea à quibus redarguitur. de decre. Hipp. 1a. 243. E
Breuitatem perpetuam profitetur Galenus. 3°. de pul. diff. 4a. 63. B
Breuitas Chrysippo insueta est, et qñ ea utatur. 3°. de decre. 1a. 243. E
inter Breuitatem & prolixitatem, mediam viã profitetur Galenus. 4°. de decr. Hipp. 1a. 248. B
Breuissima res, indiuisibilis res, & elementum idem sunt. 8°. de decre. Hippoc. 1a. 274. C
Breuissimæ sunt propriæ motiones capitis. de musc. diss. 1a. 45. D
BREXANTES quidam appellãt virides ranas paruas. 1°. de simp. med. fac. 5a. 73. D
BRITANNI viuunt annos centum viginti, secundùm Asclepiadem. de historia philosophica. Sp. 12. B
BRITVS tractus in Mysia. 1°. de antido. 5a. 101. E
BRODIVM galli antiqui lenit ventrem. de dissol. cont. Sp. 75. A
Βρώματα quid significet. de vict. rat. in mor. acu. com. 4°. 7a. 145. C
BROMVS similis hordeo in viribus. 6°. de simp. me. fac. 5a. 45. D
Bromus frigidior hordeo. 6°. de simp. med. fac. 5a. 45. D
Bromij fit mentio. 5°. de comp. med. sec. lo. 5a. 166. E
BRONCHVS quid. introd. If. 54. C/7°. de vsu par. 1a. 158. F/7°. de comp. me. sec. lo. 5a. 177. B/de art. com. 3°. 7a. 269. E
Bronchi proprietatem, illi tantum cognoscunt, qui viderunt. 1°. de loc. affect. 4a. 2. C
Bronchi caput quid. 7°. de anatomicis administra. 1a. 94. B
Bronchi caput, & laxynx, idem. 7°. de vsu par. 1a. 160. A
qua Bronchi figura ratione dormientes maxime stertunt. de ar. commen. 3°. 7a. 269. E
Bronchij tunica quandoque expuitur. 4°. de loc. aff. 4a. 25. G
Bronchium quod expuitur, à pulmone est. 1°. de loc. aff. 4a. 2. C
in Bronchio non fit vlceratio, quin animal prius moriatur. 1°. de locis affect. 4a. 2. C
Bronchiorum musculi sunt in collo. de voce, & anhel. Sp. 60. F
Bronchij quid sint. 4°. de loc. aff. 4a. 27. F
in Bronchijs pulmonis aliqñ sũt humores crassi. 4°. de loc. af. 4a. 27. F
BRONCHOCELE quasi dicas gutturis ramex. fin. me. If. 49. B
Bronchocelæ sunt fauciũ tumores 2°. de comp. med. per ge. 5a. 225. E
ad Bronchocelas bdellio vtebantur saliua matutina subigentes. 6°. de simp. med. fac. 4a. 44. H
ad Bronchocelas Moschionis catagmaticum. 3°. de comp. medica. per genera. 3a. 235. C
ad Bronchocelen discutiẽdã. 6°. de cõp. med. per ge. 261. B/5a. 262. H
in BRVMATI leni quid reponendum sit. secret. Sp. 102. A
BRVTA sunt eiusdem complexionis. de sper. Sp. 37. D
Bruta cur non imitantur naturam humorum. de sper. Sp. 37. C
Bruta non mutantur secundùm planetas. de sperma. Sp. 37. D
Bruta animalia incidit Galenus. 4°. de anato. admini. 80. B/7°. 97. B/2°. de semine. 1a. 336. A
p Brutorũ anatomia aĩal debet eẽ antiquiº. d mo. ma. et obs. Sp. 70. E
in Brutis

in Brutis vociferationis vasa, quæ de ana. viuorum. Sp.49.B
Bruta quædam vertunt aures ad somnum, quoniam magnas illas à natura sunt nacta. 11°. *de vsu par.* 1ª.89.A
in Brutis ventriculi fundus tendit versus anteriora ad hypochondrion. 4°. *de vsu par.* 1ª.136.H
Bruta quædam nutriuntur per odoratum. de anat. viu. Sp.49.B
Bruta habent aliter flexiones, quàm homo. 3°. *de vsu par.* 1ª.128.E
in Brutis musculi qui flectunt & extendunt, sunt similes illis qui sũt in homine. 6°. *de ana. adm.* 1ª.90.A
Bruta cur non stent recta, vt homines. 3°. *de vsu par.* 1ª.128.D
in Brutis crura et spina faciunt angulũ rectũ. 3°. *de vsu par.* 1ª.128.D
in Brutis sunt etiam acetabula. de diss. vul. 1ª.109.F
Bruta coeunt vt excernant semen, sicut etiam mingunt & cacant. 6°. *de loc. affect.* 4ª.39.H
in Brutis an semẽ retineat, Galeni obseruatio. 1°. *de semine.* 1ª.329.A
cum Brutis communis anima est in corde, & quibus nominibus appelletur. 8°. *meth. med.* 7ª.58.H
Brutorũ animæ quo mõ sint prudẽtes. de moti. man. & obsc. Sp.67.F
Bruta non concupiscunt nec irascuntur secundum aliquos. 2°. *de decre. Hipp.* 234.D 1ª.243.C
Bruta concupiscunt et irascuntur, contra stoicos. 2°. *de decr.* 1ª.234.E
Brutis an aliqua ratio insit. in oratione suasoria ad artes. Isa.2.B
Bruta non habent imaginationem. de hist. philo. Sp.9.C
Bruta natura hũt artes, si quas hũt. i ora. suaso. ad bonas artes. Is.2.C
Bruta cur vitent frigus & calorem. de opt. secta. Is.21.E
in Brutis, nõ tantum in hominibus, sine vlla doctrina, natura ducẽ est fides, & persuasio. 9°. *de decre.* 1ª.279.E
Bruta volunt vincere. 5°. *de decre. Hipp.* 1ª.256.G
Brutis quomodo similis efficitur homo. à cogn. cur. animi mo. 2ª.52.H
Brutis comparantur barbaræ linguæ. 2°. *de puls. diff.* 4ª.54.H
Βρυώδ^ες *quid significet.* 3°. *meth. med.* 7ª.19.B
BRYON *thalattiõ. i. alga, gustũ adstringit, & calidis quibus vis illitum, ea refrigerat & adiuuat.* 6°. *de simp. med. fa.* 5ª.45.D
Bryon aut splanchnon, id est musculus, quale sit, & eius vires. 6°. *de simpl. med. fa.* 5ª.45.D
BRYONIA *quid, & eius vires. de simp. med.* Sp.81.D
Bryonia vocatur proprie vitis nigra. 6°. *de simp. me. fa.* 5ª.42.G
Bryoniæ cauliculi vrinam excitant cum natura pigra est. de renum affc. dignot. & med. 7ª.196.E
Bryonia purgat vesicam. de cathar. Sp.95.D
Bryoniæ radix tenuium partium est, & lapidem atterit in renibus. 3°. *de comp. me. se. lo.* 5ª.141.B
Bryoniæ aut assari radix in aqua cucumeris agrestis decocta sæpius p se sola, nonnunquã carycis pinguibus adiectis facit p solutione tumoris, ne aliquid duri remaneat. 2°. *de arte cur. ad Glau.* 7ª.105.F
Bryoniæ radix ad neruos vulneratos. 3°. *de cõp. me. per ge.* 5ª.234.B
ex Bryonia oleum. 3°. *de comp. me. per gen.* 5ª.235.A
Bryoniæ radicibus oleum, pro veteri, faciebat Galenus. 5°. *de compo. medi. per gen.* 5ª.258.A
Bryoniæ oleum ad acopa, & malagmata facit. de simp. me. Sp.81.E

BVBO *& phygethlon quid. de tumoribus.* 3ª.84.F

Bubo quæ sit adenarum passio. 13°. *meth. med.* 81.A/2°. *de arte curat. ad Glauco.* 7ª.101.C/D
Bubones simplices inguinum affectus. introd. Is.59.D
Bubo inguinũ tumor, est ex gñe inflãmationum. 1°. *de diff. feb.* 3ª.32.G
Bubones sub alis quando exurgunt. 2°. *de diff. feb.* 3ª.41.A
Bubones excitat ulc⁹ ppe magnã arteriã et uenã. 13°. *met. me.* 7ª.81.A
Bubo habet alterationem in motu arteriarum & cordis. 2°. *de nat. facultatibus.* 1ª.300.E
Bubo hẽt immodicã quãtitatẽ caloris naturalis. 2°. *de nat. fa.* 1ª.300.E
Bubonibus pars cõtinua primũ caliditatẽ assumit. de cauſ. mor. 3ª.6.G
ex Bubonibus febres lenes. 2°. *de dignoscendis pul.* 4ª.91.B
ex Bubonibus febrium lenium pulsus, qualis. 2°. *de dig. pul.* 4ª.91.C
ex Bubone diariæ febres. 1°. *de digno. pul.* 4ª.73.A
ex Bubone diariæ curatio. 8°. *meth. med.* 7ª.53.H
Bubo nõ satis est vt labefactet uẽtriculi actionẽ. 2°. *de na. fa.* 1ª.300.D
Bubone quidẽ laborabũt q præparati ad sanitatẽ ad vnguẽ sunt, si modo corũ corpus ab utroq; excrementorũ genere vacet, et eo quod ĩ quãtitate cõsistit, & eo quod in qualitate. 5°. *de san. tuen.* 2ª.88.G
Bubonũ curatio qualis esse debeat. 2°. *de artẽ cur. ad Glau.* 7ª.102.B
Bubones solis relaxantibus curantur. 13°. *meth. med.* 7ª.83.F

ad Bubonas, & parotidas butyro vtuntur. 10°. *de simpli. medic. facul.* 73.F/ 5ª.74.C
Bubonas sanare creditˉ aster atticᵘs suspẽsus. 6°. *de sim. me. fa.* 5ª.44.B
ad Bubonas vtilis est terra samia. 9°. *de sim. me. fa.* 5ª.65.H
ad Bubonem sordes valent. 10. *de simp. me. fa.* 5ª.75.C
ad Bubonas caprinum stercus. 10°. *de simp. me. fa.* 5ª.76.F
BVBONOCELE *in inguine, et exomphalos in vmbilico quid. de tu. præter naturam.* 3ª.84.G
cur BVBONIVM *appelleˉ aster atticus.* 6°. *de sim. me. fa.* 5ª.44.B
Bubonium modice calidum est nec vehementer nec ita deficcat. 6°. *de simp. me. fa.* 5ª.45.A
BVBVLCI *quo modo differunt ab opilionibus.* 9°. *de decr.* 1ª.281.H
BVBVLA *cerebra ꝑ anatomia accipit Gal.* 9°. *de ana. admi.* 1ª.103.H
Bubulam lignam dissecuit Pelops. de musc. diss. 1ª.46.E
Bubula lingua discrepat multũ ab humana. 2°. *de ana. admi.* 1ª.69.E
Bubulæ linguæ musculi sedecim sunt. de musc. diss. 1ª.46.E
Bubulum cor discrepat multum ab humano. 2°. *de ana. adm.* 1ª.69.E
Bubulus sanguis est crassus, & melancholicus. 3°. *de ali. fa.* 2ª.29.C
Bubula caro in magno vsu est. 2°. *de ali. fa.* 2ª.16.B
Bubula caro est duræ coctionis. 2°. *de tẽp.* 20.E/3°. 1ª.22.C/1°. *de ali. fa.* 2ª.10.A/*in* 6ᵐ. *de mor. vul. com.* 4°. 3ª.180.C
Bubulæ carnes à quibusuis ventriculis non concoquuntur. de vict. ra. in mor. acu. com. 4°. 7ª.146.H
Bubulæ carnes duræ quo mõ fiũt coctibiles. 8°. *de simp. me. fa.* 5ª.66.F
Bubulam carnem quidam facile concoquunt. 6°. *meth. me.* 7ª.46.D
Bubula & suilla caro & panis facilius concoquentur q̃ pisces saxatiles, vbi siccum, et igneum ventriculi calorem conuersio ad biliosũ sequitur. 2°. *de temperamentis.* 1ª.20.E
Bubula caro tarde & paulatim nutrit. com. 2°. *aph.* 18°. Ex.13.F
Bubula caro multùm alit, sed sanguis est crassus, quẽ facit. 3°. *de alim. facultatib.* 2ª.25.G
Bubulæ succus nunq̃ aquosus, et humidus euadet 2°. *de ali. fa.* 2ª.17.C
Bubulæ carnes maxime sunt crassi succi. 1°. *de cõ. med. se. lo.* 5ª.128.D
Bubula caro magis crassa est suilla. 3°. *de ali. fa.* 2ª.25.H
Bubula caro minus lenta est suilla. 3°. *de alim. fa.* 2ª.25.G
Bubula carne præstantiores sunt ad coquendũ carnes suum ætate florentium hominibus ætate florentibus, fortibus, & qui se multum exercent. 3°. *de alim. fac.* 2ª.25.H
Bubula caro est inutilis senibus. 5°. *de sani. tuen.* 2ª.91.D
Bubulæ carnes vetustæ sunt pessimæ. de vict. ratione in morbis acu. cõment. 4°. 7ª.146.H
à Bubula carne lien quibusdam intumuit. 3°. *de alim. fa.* 2ª.25.G
Bubula caro facit sanguinem melancholicum. 3°. *de lo. aff.* 4ª.18.F
ex Bubula carne melancholici incidunt in affectus melãcholicos. 3°. *de ali. fa.* 2ª.25.G/*de vict. rat. in mor. acu. com.* 4°. 7ª.146.H
à Bubula carne hydropes. 3°. *de ali. fac.* 2ª.25.H
Bubulæ carnes cum laserpitio choleram vocatã siccã faciunt. de vict. rat. in mor. acu. com. 4°. 7ª.146.G
è Bubulis carnibus distillans serosus cruor ad quid vtilis. 3°. *de cõp. me. se. lo.* 5ª.143.F
ex Bubulis carnibus cum assantur defluens humor pro vermibus aurium. de remed. paratu. facil. 7ª.155.D
Bubulus adeps qualis. 4°. *de comp. me. per gen.* 5ª.239.E
Bubulᵘ adeps ẽ ĩ primo ordine iter acopa. 7°. *d cõp. me. ꝑge.* 5ª.269.F
Bubulum lac pinguissimum est. 3°. *de alim. fa.* 27. G/*de bon. & vitio suc.* 2ª.35.B/C/10°. *de simp. me. fa.* 5ª.73.F
Bubulum lac crassum est. 10°. *de sim. me. fa.* 5ª.73.F
Bubuli lactis frequẽs est vsus apud nõnullos. de bo. et vitio suc. 2ª.35.B
in Bubulo lacte butyrum pingue, & oleosum admodũ est. 10°. *de simp. me. fa.* 5ª.74.A
Bubulum stercus non grauiter olet. 10°. *de simp. me. fa.* 5ª.75.H
Bubulum stercus ad quæ valeat. 10°. *de simp. me. fa.* 5ª.76.G
Bubulus. vide Bos.
BVCCA *siue mala. i.* γνάθον *quid significẽt. d arti. cõ.* 2°. 7ª.262.G
Buccæ, labia, maxilla inferior, quibus moueantur neruis. de musculorum dissectione. 1ª.54.G
Buccæ fines inferiores multum conferunt ad mastìcationem. 11°. *de vsu partium.* 1ª.185.F
in Buccis animal quod spectari debet, debet esse calidum, vel calefactum arte. 4°. *de anat. adm.* 1ª.80.E
de Buccarum musculis. 4°. *de anat. adm.* 1ª.80.B
Buccam mouens musculus, qualis. 16°. *de vsu par.* 1ª.217.B

Buccam

Buccam mouens musculus, quales habet fibras & quorsum incedat. 16°.de vsu partium. 1ª.217.B

Buccas vnà cum labris mouentium musculorum sectio, inferiore maxilla quiescente.4°.de anat.adm. 1ª.80.A

in Buccam & labra cessantes duos musculos latos & tenues ignorauerunt antiqui anatomici.4°.de anat.adm. 1ª.79.G

Buccas mouet musculus latus.de musc.dissectione. 1ª.44.D

Buccarũ latus musculus quo modo aperiat.9°.de vsu par. 1ª.175.G

Buccæ auulsæ ad alteram partem, quibus musculis per peram incisis, efficiantur.4°.de anat.admin. 1ª.79.G

in Buccis fit motus maxilla inferiore quiescẽte.4°.de ana.ad. 1ª.80.A

Buccarum pars tenuis non potest consolidari.3°.meth.med. 7ª.16.E

BVCCINAE *mediæ sunt inter alal & plantã.de fœtũ form.* 1ª.323.F

Buccina, qualis sit.3°.de comp.me.se.lo. 5ª.147.B

Buccinæ habẽt carnẽ durã.3°.de ali.fa.32.C/de bon.& vi.suc. 2ª.35.E

Buccinæ sunt admodum crassi succi.de bo.& vitio suc. 2ª.35.E

Buccinæ conueniunt stomachicis.8°.de comp.med.sec.lo. 5ª.192.C

Buccinarum testa, qualis.11°.de simp.med.fac. 5ª.80.G

Buccinarum testæ vstæ pro vlceribus exiccandis.4°.de compositione med.per genera. 5ª.236.F

Buccinarum cinis valide exiccat.1°.de comp.me.per ge. 5ª.216.E

ex Buccinis fit album emplastrum.1°.de comp.med.per ge. 5ª.217.C

Buccinæ marinæ fit mentio.3°.de comp.me.se.lo. 5ª.147.G

BVGLOSSVM calidũ est & humidum.6°.de simp.me.f. 5ª.45.B

Buglossum in vinis iniectum lætitiæ, & hilaritatis causam esse creditũ est: & illis, qui ob supremi gutturis asperitatem tussiunt, coctum in melicrato conuenit.6°.de simp.med.fac. 5ª.45.B

Buglossę pisces neq; crassi, neq; tenuis succi sũt.d bo.et ui.suc. 2ª.34.H

BVGLVM *id est herba ventimaior, id est consolida, ad plagam.de dynamidiis.* Sp.35.F

BVLBO similis est myles radix.7°.de simp.med.fa. 5ª.56.D

Bulbus cauẽ habet inutilem post semen effusum.2°.de ali.fa. 2ª.24.B

Bulbi quales.de atten.vic. 2ª.45.G

Bulbus excitat ad appetendum.2°.de alim.fac. 2ª.24.H

Bulbi crudi magis excitant ad cibum.2°.de alim.fac. 2ª.25.A

Bulbi asparagus interdum vere comeditur.2°.de ali.fac 2ª.24.H

Bulbi cibus hyemis.de nat.hum.com.1°. 1ª.32.F

Bulbi radix sine foliis manditur.2°.de alim.fac. 2ª.24.H

Bulbi quo modo edantur.2°.de ali.fac. 2ª.25.A

Bulbi tarde, & paulatim nutriunt.com.2°.aph.18°. Ex.13.G

Bulbi vires reficere possunt.8°.de composi.med.sec.loc. 5ª.192.E

Bulborum variæ condituræ.2°.de alim.fac. 2ª.25.A

Bulbi non sustinent diuturnam decoctionem.2°.de alim.fac. 2ª.25.A

Bulbi bis cocti quam habeant vim.2°.de alim.fac. 2ª.25.A

ex Bulbis lotis, & sæpius iterata coctura, quicquid supersit crassi succi habetur.de bon.& vitio suc. 2ª.35.F

Bulborum succus qualis.2°.de alim.fac. 2ª.25.B

Bulbus habet facultatem amaram & austeram.2°.de alim.fac.24.H/de bon.& vitio suc. 2ª.35.F

Bulbus facit expuere quæ sunt in thorace.2°.de ali.fa. 2ª.25.A

Bulbi si omnem amarorem deposuerint, aduersantur iis quæ sunt spuẽda.2°.de alim.fac. 2ª.25.A

Bulbi crassi sunt succi.1°.de comp.med.se.lo. 5ª.128.D

Bulbus satiuus pituitam gignit crassam.6°.de simp.med.fa. 5ª.45.A

Bulbi venerẽ excitãt.2°.de ali.fa.2ª.25.A/6°.de simp.me.fa. 5ª.45.A

Bulbi semen augent.2°.de ali.fa.2ª.25.A/5°.de simp.med.fa. 5ª.38.C

Bulbi flatus, & tormina facitũt, nisi belle sint elixi.2°.de ali.f. 2ª.25.B

Bulbi quo modo concoctu faciliores efficiantur, & flatus non pariant.2°.de alim.fac. 2ª.25.A

Bulbi cocti conueniunt stomachicis.8°.de comp.me.se.lo. 5ª.192.C

Bulbi crudi sæpius usi faciunt cruditates.2°.de alim.fa. 2ª.25.B

Bulbi fugiendi sunt in epilepsia.de puero epilep. 7ª.180.H

Bulbi euitandi sunt in siccitate.7°.meth.med. 7ª.44.C

à Bulborum multo esu senes debent cauere.5°.de san.tuẽn. 2ª.91.D

Bulbꝰ cãdidus cũ ouo ac melle ad sigillata facit.de rem.pa.f. 7ª.157.A

Bulbus flauus, qualis.5°.de comp.med.se.lo. 5ª.159.B

Bulbi rubri meminit.5°.de comp.med.sec.loc.159.G/8°. 5ª.192.C

BVLBVS *erraticus quid, & eius vires.de simp.med.* Sp.81.E

Bulbus vomitorius calidior est satiuo.6°.de simp.med.fa. 5ª.45.A

Bulbus narcissi maculas in facie tollit, suppurationem ponit, intumescere non permittit.de simp.med. Sp.87.H

BVLLAE *quo modo fiant in vrinis, & quæ sint stabiles, & quæ non. com.7°.aph.34°.* Ex.56.E

Bullæ in vrinis morbum renalem, & longum significant. com.7°.aph.34°.Ex.56.E/de vrinæ sign.ex Hip. Sp.78.H

Bullas habent ambusti de tum.præt.nat. 3ª.83.H

Bullæ, quemadmodum in ambustis, præcedunt vlcus gangrenæ & carbunculi.de tumoribus. 3ª.83.H

Bullæ ambustis prohibentur ab omni terra leui, cum aceto & oxycrato.9°.de simp.med.fac. 5ª.66.B/C

ad Bullas oculorum accommoda sunt remedia ocularia, quibus mista est Ebenus.6°.de simp.med.fa. 5ª.46.F

inter BVLLIENDVM *mouet sine requie.2°.de compositione med.per genera.* 5ª.224.B

Bullit effusa in terram atra bilis.com.4°.aph.21°. Ex.29.D

BVLIMOS *quid.fin.med.Isa.47.D/1°.de arte cur.ad Gla.* 7ª.98.E

Bulimos quæ fames sit.com.2°.aph.21°. Ex.15.A

Bulimos vnde sit, & quæ illum comitantur.1°.de symp.cau. 3ª.18.E

Bulimos, siue caninus appetitus, fit ob superfluam transmissionem melancholiæ à splene ad os stomachi.de anat.viu. Sp.51.A

in Bulimo infrigidantur partes circa cor.de vtil.resp. 1ª.224.D

Bulimos quomodo curetur.8°.de comp.med.secun.loc. 5ª.192.D/1°.de arte cur.ad Glauc. 7ª.99.D

ad Bulimon incurrentes.de remed.paratu facil. 7ª.159.C

BVNIVM calidum est.6°.de simp.med.fac. 5ª.45.B

Bunium vrinas & mẽses puocat.5°.de simp.me.fa.38.A/6°. 5ª.45.B

Buniados id est napi dulcis semina ponuntur in theriaca.de theriaca ad Pisonem. 5ª.92.E

BVPRESTIS similis cantharidibus specie & viribus.11°.de simpli.med.fac. 5ª.82.F

Bupreslibus vescuntur viperæ.de theria.ad Piso. 5ª.95.D

Bupreste os ventris stomachumue afficiunt.1°.de symp.cau. 3ª.18.G

Bupreslim ebibentibus quid auxilietur.2°.de antid. 5ª.114.D

BVRSAE testiũ, cõparatur cauitas matricis.de anat.viu.Sp.51.E

BVSELINI fit mentio.1°.de comp.med.sec.loc. 1ª.123.F

BVTYRVM vnde dictum.10°.de simp.med.fa. 5ª.74.C

Butyrum quid.10°.de simp.med.fac.5ª.73.G/de simp.med. Sp.81.D

Butyrum ex oue & capra non fit.10°.de simp.med.fac. 3ª.74.C

in Butyro taxat Dioscoridem Galenus.1°.de simp.med.fa. 5ª.74.C

Butyrum fit ex pingui succo lactis.3°.de alim.fa.2ª.27.G/10°.de simpli.med.fac. 5ª.73.G

Butyrum multum habent boues.10°.de simp.med.fac. 5ª.73.G

Butyrũ pingue facit vt oleũ, si corpus inũgatur.3°.de ali.fa. 2ª.27.G

Butyro pingue fit corium animalis mortui.3°.de alim.fac. 2ª.27.G

Butyrum si ignitis carbonibus infundatur, excitat flammam, vt pinguedo.3°.de alim.fac. 2ª.27.G

Butyrum temperatum esse elicitur.4°.de simp.med.fa. 5ª.29.C

Butyrum fit calidius & tenuius vetustate.11°.de sim.me.fa. 5ª.79.C

Butyrum adhibendũ dẽtientibus gingiuis.10°.de simp.me.fa. 5ª.74.D

Butyrum emplasticam vim habet.5°.de simp.med.fa.34.D/4°.de composi.med.per gen. 5ª.238.E

Butyrum est laxantis, & concoquentis facultatis.10°.de simp.medicamen.facul. 5ª.73.G

vt Butyrum concoquunt sordes lanarum.10°.de simp.me.fa. 5ª.77.E

Butyri esus in cataplasmatibus.3°.de alim.fac. 2ª.27.G

Butyrũ cataplasmatis inditur quæ extrinsecus imponunt parotidibus hypochõdrij, & bubonibus, ex expuitionibus ex pulmone in pleuriticis, & peripneumonicis cõfert.10°.de simp.me.fa.73.G/ 5ª.74.D

Butyrum ad omnes oris phlegmonosos affectus valet.10°.de simplic.medic.facul. 5ª.74.C

Butyrum in mollibus, vt eunuchorum, mulieris, & puerorum parotidibus satis est.3°.de comp.med.sec.loc. 5ª.146.H

Butyrum in inflammationum arteriæ principiis leniissimum.7°.de composi.med.sec.loc. 5ª.177.H

Butyrũ ad uuluæ dolores, & tumores, & loca neruosa, & delicata, & siccitatem pulmonis proprie videtur facere.de simp.med.Sp.81.D

Butyrum ad sicca liquanda.7°.de comp.med.per gen. 5ª.264.C

ex Butyro, cera, adipibus, oleo relaxante composita emollientia.7°.de comp.med.per gen. 5ª.268.A

Butyrum quos tumores sanet.10°.de simp.med.fac. 5ª.74.C

cũ Butyro cocta oriza ad stomachi ardorem cum syncope.8°.de com.posi.med.sec.loc. 5ª.192.A

Butyrum cum melle, & amygdalis amaris pro educendo spuro.10°.de simp.med.facul. 5ª.74.D

Butyro & similagine placentæ sunt pessimi cibi, nisi mel recipiant. 5°. *de san.tuen.* 2ª.91.E
Butyri insulsi fit mentio.de remed.paratu facil. 7ª.179.D
BVXVS nocet capiti.de subfig.empir. If.32.C
Buxi, careæ, & brassicæ aerem vicinum inficiunt. 3°. *de morb. vulga. commen.* 1°. 3ª.133.F
ex Buxo nõ debent fieri lecti, fores, nec vasa.de subfig.empir. If.32.B
ex Buxo instrumenta anatomica. 6°. *de anat.adm.* 1ª.92.H
Buxeum vas ad quid vtile. 7°. *de comp.med.per gen.* 5ª.273.E
Buxea vocat melina medicamenta. 2°. *de comp.me.per ge.* 5ª.223.D
BVZARAN ad humorem crudum, secretorum. Sp.100.D
BVZIDEN, *idest satyrij, ad ischiadem.secret.* Sp.100.D

BYCIVM *vinum, quale.de bo. & vitio suc.* 2ª.38.D
BYTHINVM aminæum vinum inueteratum, cæcubum Romani vocant.de bon. & vitio suc. 2ª.38.F
Bythino pastillo vlcera in naris meatibus à Galeno curantur. 3°. *de comp.med.se.lo.* 5ª.148.G
BYZANTIAE blattæ pannum ad epilepsiam.de dyn. Sp.24.B

CABBALLICEN *nolant Lacones artẽ luctatoriã seu prostratoriã.i. vim sternẽdi habẽtẽ: eũq; magis cabballicum, non qui robustior, sed qui magis in hac arte uersat° fuerit.ad Thrasy.* 2ª.109.B
CABDATI mensuræ nomẽ.secr. Sp.102.E
CACALIA essentiam crassam, & emplasticam habet. 7°. *de simp.med.fac.* 5ª.49.F
Cacaliæ succus defluens prodest arteriæ vt glycyriza. 7°. *de simp.medicamen.fac.* 5ª.49.F
CACARE *vehementer appetunt, qui tentionem habent. commẽ.* 7°. *aphoris.* 27°. Ex.55.H
ad Cacandum surgentes, postea tamen id obliti ob mentem motam, nõ cacabant. 1°. *de diff.resp.* 3ª.60.A
CACHEXIA, *idest malus habitus corporis.* 4°. *meth.med.* 7ª.25.G
Cachexiæ ægritudines sunt iecoris patiẽtis.de vir.no.cor.di. Sp.60.B
Cachexia est in omnibus partibus corporis. 3°. *de loc.affect.* 4ª.18.D/ *de mel.ex Gal.Ruff. & Poss.* Sp.109.A
Cachexia infestante vtimur catharticis.de dyna. Sp.20.E
in Cachexia aquea, lens vtiliter præbetur. 1°. *de alim.fa.* 2ª.13.E
Cachexiæ optimum remedium est theriaca.de theria.ad Pis. 5ª.96.E
Cachecticorum pulsus, qualis.de dyna. Sp.35.A
Cachecticis, hoc est qui malo sunt habitu, prodest erinacei terrestris caro desiccata si bibenda præbeatur. 11°. *de simp.med.fac.* 5ª.78.F
Καχλικας *vocatos calculos ignitos lacti admiscet ad dysenteriam.* 10°. *de simp.medic.fac.* 5ª.76.A
Κακοχρόους *quos vocet.de rat.vict.in morb.acu.com.* 4°.7ª.150.H
CACHRYS *est rosmarini semen.de simp.med.* Sp.89.D
Cachrys emollientis nihil habet, sed est digerens dũtaxat. 7°. *de comp. med.per gen.* 5ª.265.E
Cachrys & staphis agria est detergens, & concoquens generosius manna. 6°. *de comp.med.* 5ª.256.F
CACOCHYMIA *quid sit.* 5°. *de san.tuen.* 2ª.81 A/ 4°. *meth. med.* 25.G/13°. 7ª.81.H
Cacochymiam, & plethoram differre, collige.de mult. 3ª.81.E
Cacochymia à quibus causis fiat. 3°. *de temp.* 1ª.23.A
Cacochymiæ fiunt patiente hepate.de virt.nost.corp.disp. Sp.60.B
Cacochymum est corpus cum tumet lien. 2°. *de nat.fac.* 1ª.301.E
ex Cacochymia qui morbi oriantur. 3°. *de temp.* 1ª.23.A
in Cacochymiis pulsus proprij.de mult. 3ª.81.H
Cacochymi rigent omnes.de palp.trem.conuulf. & rig. 3ª.55.C
Cacochymia quibus corrigatur. 13°. *meth.med.* 7ª.81.H
Cacochymiam indigere purgatione collige.de rat.vic.in morb. acutis, commen. 4°. 7ª.150.H
Cacochymia & plethora, quando non adsunt statim deueniendum ad localia remedia. 5°. *de comp.med.sec.loc.* 5ª.166.H
Cacochymum vel plethoricum quando fuerit corpus, statim vtimur venæsectione, & purgatione, clysteribus, & inedia. 6°. *de comp. med.sec.loc.* 5ª.166.H
Cacochyma & biliosa omnia sunt, quæ mordent & abstergunt cibaria. 5°. *de vsu par.* 1ª.143.F
Cacochyma mordicationẽ mitigare, collige. 2°. *de simp.me.fa.* 5ª.12.F
Cacochyma aliqua id quod mordicabat educendo, mordicationes sanarunt. 2°. *de simp.med.fac.* 5ª.12.G
CACOETHES, *vel mali modi morbus, qui sit.in* 1ᵐ. *de mor.vul.cõ.* 3°. 117.D/*in* 3ᵐ.*cõ.* 2°.3ª.141.G/*de vic.ra.in mor.ac.cõ.* 2°.7ª.122.D
Cacoethes febres non possunt non acutæ esse. 3°. *de cau.pul.* 4ª.99.D
Cacoethe febre oppressam facultatem sequuntur pulsus formicantes. 3°. *de caus.pul.* 4ª.99.D
Cacoethes morbus quo modo se per vrinas nigras prodat.in 1ᵐ. *de morb.vulg.com.* 3°. 3ª.121.C
Cacoethe vlcera quæ sint, & quæ vocentur. 1°. *de comp.med.per ge.* 217.B/C/4°. 5ª.235.C
Cacoethe sunt vlcera exedentia. 4°. *meth.med.* 7ª.28.C
Cacoethe vlcera prætumida dura. 1°. *de comp.me.per ge.* 5ª.217.D
Cacoethes vlcus omne statim etiam cauum esse, vtpote ex rosione natum, quis est qui norit? 4°. *meth.med.* 7ª.25.C
Cacoethe omnia admittunt difficulter cicatricem. 1°. *de comp.med.per genera.* 5ª.214.H
Cacoethes vlcus ex pruritu factum. 4°. *meth.med.* 7ª.25.F
ex Cacoethe dictis vlceribus dysenteriæ. 3°. *de symp.cau.* 3ª.27.E
Cacoethe sanat centaurij minoris decoctũ. 7°. *de simp.med.fa.* 5ª.52.H
Cacoethe dictis vlceribus facit chamæleon nigra.de simp.me. Sp.82.F
aduersus Cacoethe & maligna vlcera omnia ẽt si putrescant, exedãtur, ac erodant, mirabiliter resistit isatis. 6°. *de sim.me.fa.* 5ª.48.G
ad Cacoethe vlcera valet Lycium. 7°. *de simp.med.fac.* 5ª.54.G
ad Cacoethe vlcera adhibetur petasites. 8°. *de simp.me.fa.* 5ª.58.C
Cacoethe vlcera sanat solanum manicum. 8°. *de simp.me.fa.* 5ª.62.H
ad Cacoethe vlcera, & putrida terra lemnia adhibetur. 9°. *de simp. medic. fac.* 5ª.65.E
ad Cacoethes nomas. 6°. *de comp.med.per gen.* 5ª.257.A
ad Cacoethe vlcera. 1°. *dc comp.me.per gen.* 216.D/217.B/5°.252.G/253.A/6°.259.A/ 5ª.261.A
CACOPHONIAE *differentiæ.de symp.diff.* 3ª.11.G
CACOREMATA *fiunt ex osiride herba.* 8°. *de simplicium medicamentorum facul.* 5ª.57.F
CACOSPHYXIA *idest pulsus vitiosus, circa pulsuum actionem est symptoma.de symp.diff.* 3ª.12.A
CACOSTOMACHA *sunt medicamenta purgantia omnia præter aloen.de dyna.* Sp.20.H
Cacostomachum est præ omnibus catharticis scãmoniũ.de dy. Sp.20.H
CACOTROPHIA *idest vitiosa nutritio.de symp.diff.* 3ª.12.H
CACOZELVM *quid significet.com.* 7°. *aph.* 62°. Ex.59.G
CACTVS *arbor vel smilax est venenosæ facultatis.* 8°. *de simp.medicamen.facul.* 5ª.61.A
CADAVERA super scordium existentia non computruere. 1°. *de antidotis.* 5ª.105.E
Cadauerum dissectione multa etiam quæ manu administrantur apud primos medicos inuenta esse videntur.intro. If.50.G
in Cadauere mox post ossium cognitionem, ad musculorum concisionẽ properandum. 1ᶜ. *de anat.adm.* 1ª.64.B
Cadauera interfecta videntes, præter ea quæ in simiis iam didicerunt nihil amplius præter viscerum situm addiscere potuerunt. 3°. *de anatomicis admin.* 1ª.77.B
Cadauera humana non ita in promptu fuisse Galeni tempore, collige. 3°. *de anat.adm.* 1ª.27.B
Cadauera sepulchris quibusdam vel monumẽtis dissolutis, inspexit Galenus, & quoddã qđ sibi fluuius casu obtulit. 1°. *de anat.ad.* 1ª.63.F
Cadauer si collocetur in latus, prorsus aut in partem pronam, aut supinam conuertetur.in progn.com. 1°. 4ª.193.F
CADERE *ad terram, & volare ad terram, in auibus diuersa sunt.* *de palp.trem.conuulf. & rig.* 3ª.52.A
Cadere cum decoro studuit Polyxena.de ther.ad Pis. 5ª.93.B
Cadentes, & calcitrati quandoq; expuunt sanguinem per tussim bene coloratum.com. 5°. *aph.* 13°. Ex.38.F
Cadentem vuulam subleuat diamoron.de rubis.de dyna. Sp.26.B
cũ Cadit quis in epilepsia, quid agendum.de cura lap. Sp.112.G
CADMIAM *victoriã vincere, prouerbiũ.* 1°. *de dieb.decr.* 4ª.147.G
CADMIA *quid.de simp.med.* Sp.81.E
Cadmia quo modo fiat. 9°. *de simp.med.fac.* 5ª.69.D
Cadmia, æs, pompholix, spodium, & diphryges per fornaces fit. 9°. *de simp.med.* 5ª.71.E
Cadmia fit ex pyrite lapide ĩ fornacibus usto. 9°. *de sim.me.fa.* 5ª.69.E

Cadmia etiam in argenteis metallis efficitur.9°.de sim.me.fa.5ª.69.E
Cadmia botryites, quæ.9°.de simp.med.fac.69.E/4°. de comp.me.se. loc.5ª.156.B/de simp.med. Sp.81.F
Cadmia onychites, quæ.de simp.med. Sp.81.F
Cadmia ostracitis, quæ.de simp.med. Sp.81.F
Cadmia placitis, quæ.9°.de simp.med.fac. 5ª.69.E
Cadmia absq; fornace in Cypro inuentur, ac iure quispiam illam lapidem nuncupet.9°.de simp.med.fa. 5ª.69.E
Cadmiæ cypriæ meminit.4°.de comp.medic.secundùm loc.152.D/E/ 156.D/E/ 5ª.157.E
Cadmiam portauit ad amicos Galenus ex Cypro.9°.de simp.med.fac. 69.E/1°.de antid. 5ª.100.B
Cadmia qualis.9°.de simp.med.fac.5ª.69.E/1°.de comp.med.sec.lo. 129.E/4°.5ª.151.D/de ocul. 7ª.188.H
Cadmia est sicca & temperata in actiuis.9°.de simp.med.fa. 5ª.69.F
Cadmia ois styptica est, et uehemẽter stringere põt.de sim.me.Sp.81.F
Cadmia obstruit.de ocul. 7ª.187.H
Cadmia modice siccat, & quomodo magis exiccabit.4°.de comp.med. per genera. 5ª.236.D
Cadmia inter oculorum medicinas.de ocul. 7ª.188.G
Cadmia collyriis miscetur, vulnera sordida expurgat, & ad cicatricem perducit.de simpli.med. Sp.81.F
Cadmia vtilis est ad vlcera carnis repletionem poscentia, & in oculis & in toto corpore humida, aut putrescentia, in corporibus impendio mollibus adiuuat.9°.de simp.med.fac. 5ª.69.F
ex Cadmia medicamen cicatricem inducit.9°.de simp.med.fa.5ª.70. G/3°.meth.med. 7ª.81.F
ex Cadmia medicamen cicatricem in quibus partibus inducit.5°. me thodi medendi. 7ª.33.G
Cadmia in extrinsecis vlceribus adhibetur, in intrinsecis minime.4°. meth.med. 7ª.28.H
Cadmia carnem facit, & qualis sit.3°.meth.med. 7ª.18.A
Cadmia, thus, cornu ceruinum & caprinum, & vt dicit Galenus, anti monium inter mundificantia colatiua numerantur, & valent contra paruas pustulas, & vulnera.de ocul. 7ª.189.C
Cadmia quo abstergit absq; mordicatione.9°.de simp.med.fa.5ª.69.F
Cadmia achoribus conuenit.1°.de comp.me.se.lo. 5ª.128.H
Cadmia lacte extinguitur.4°.de comp med.sec.loc.154.B/ 5ª.155.F
Cadmia vt argenti spuma lauatur.1°.de comp.med.per ge. 5ª.213.E
Cadmia vino elota qualis.5°.meth.med. 7ª.36.E
Cadmiæ ex vino præparatæ meminit.2°.de com.me.per ge. 5ª.224.B
Cadmia vsta & lota calido & humido tpamẽto vicina.d ocu.7ª.189.B
Cadmia exacte elota est ex pharmacis emplasticis. 4°. de simplicium med.fac. 5ª.25.D
Cadmia vsta ac lota deobstruit.4°.de comp.med.se.lo. 5ª.150.A
Cadmiæ vstæ meminit.4°.de comp.med.se.lo.152.E/F/ 5ª.154.B/C
Cadmia tosta.2°.de comp.med.per gen. 5ª.224.B
Cadmia album emplastrum fit.1°.de comp.med.per gen. 5ª.217.C
ex Cadmia medicamentum.2°.de comp.med.per gen. 5ª.224.B
CAECITAS nomen est propriũ, nõ cõe.1°.de symp.cau.3ª.16.B
Cæcitas ob quid.1°.de symp.cau. 3ª.14.F
Cæcitas cur senibus nõnunq; adueniat.in 1ᵐ.de mor.vul.c.2°.3ª.113.D
Cæcitatẽ q maxime oculorũ morbus inferat.10°.de vsu par.7ª.179.G
Cæcitates qbus vulneribus oculorũ succedãt.1°.de symp.cau.3ª.15.D
Cæcitas fit magna ex parte cum cornea, quæ pupillæ prætenditur, vul nus accepit, si id vulnus introrsum desc̃dit.1°.de sym.cau.3ª.15.D
Cæcitas adueniens in febre continua, debili existente corpore letale est.com.4°.aph.49°. Ex.33.B
ex Cæcitate talpæ nihil habent commodi.2°.de sem. 1ª.339.G
Cæcorum deuiantium comparatio.de venæ sect.adu.Eras. 6ª.6.B
Cæco proportionatur colon.4°.de vsu par. 1ª.141.D
Cæcum foramen vbi, & cur ita dictum.de neruo.diss. 1ª.53.G
Cæcũ intestinũ principiũ crassorũ intestinorũ.4°.de vsu par.1ª.141.D
Cæcum intestinum quartum est in ordine intestinorum. 5°. de vsu partium.1ª.142.E/de anat.viu. Sp.50.B
Cæcum intestinum vnum est in pedestribus.4°.de vsu par. 1ª.141.D
Cæcũ intestinũ duplex est in aliqbus animalibus.4°.de vsu par.1ª.141.D
Cæcum intestinum ad infernas partes extẽditur.6°.de lo.aff. 4ª.36.H
Cæci intestini vsus.4°.de vsu par. 1ª.141.D
Cæcum intestinum facile descendit in scrotum, secundum aliquos. in 6ᵐ.de morb.vul.com.4°. 3ª.179.G
Cæcas hæmorrhoides dissoluit marrubiastrum.de simp.med. Sp.87.C
CAELVM *quid.in 1ᵐ.de mor.vul.com.2°. 3ª108.A*
d Cæli eẽntia opinio Anaximenis, Empedoclis, & Arist.d hist. Sp.6.C
Cælum quibus factum.de hist.philos. Sp.4.E
Cælum, & stellæ animal immortale, & ratione præditum arbitratur Aristoteles.de hist.philos. Sp.11.E
ex Cælo, & Deo omne pulchrum ordinatum & artificiosum. ex materia vero inordinatũ & erraticũ prouenit.2°.de dieb.dec.4ª.151.H
Cælum quibus agitur.de hist.philos. Sp.4.E
Cæli zonæ quinq; fm Thaletem, & Pythagoram.de hist.phil.Sp.6°.C
Cælũ et mũdũ uniuersum uolẽtes philosophi cõsiderare, primo man⁹, et digitorũ structurã cõsiderare debebãt.1°.de fœt.formatiõe.1ª.325.C
Cælũ vulgariũ morborũ causa.in 1ᵐ.de mor.vul.com.1°.3ª.101.D/F
Cæli status vniuersus, et singularis q.in 1ᵐ.de mor.vul.c.3°.3ª.117.E
sub Cæli statu comprehendit aeris temperiem, sub aqua anni tempus, & regionem.8°.meth.med. 7ª.57.B
Cæli status pro anni tempore.10°.meth.med. 7ª.63.E
Cæli status facit ad auxiliorum inuentionem.8°.meth.med. 7ª.58.G
Cæli statu frigido, & humido dandum Falernum, Tmolites, Ariusium, & Lesbium.de vinis. Sp.76.G
Cæli huius similem statum intus habere aliquando animantium corpora non est mirandum.in 1ᵐ.de mor.vul.com.1°. 3ª.104.D
Cæli mutatiões quo mõ euitare possũt.ĩ 6ᵐ.de mor.vul.cõ.3°.3ª.175.H
Cælestis arcus quo modo fiat.de hist.philos. Sp.7.H
Cælestis arcus tres habet colores, & quos, & qũo.de hist.phi.Sp.8.A
Cælestis arcus colorum exemplum.de hist.philos. Sp.8.A
Cælestis lilij radicis drach.iij.purgãt pectus.de med.exper. Sp.106.D
Cælo acuto quando scarificat caput in alopecia. 1°. de composi.medic. sec.loc. 5ª.124.C
CENCHRON *ventus peculiaris Phasianorũ.de aere, aq. 2ª.5.A*
CAEPAE *habent radicem caule, & foliis acriorem. 2°. de alimentorum facultatibus. 2ª.24.D*
Cæpa, anethum, & ruta inter ea, quæ eduntur, differunt caliditate. 1°. de compositione med. per genera. 5ª.210.C
Cæpæ mouent odoratum, & gustum.4°.de simp.med.fac. 5ª.30.H
Cæpa fortiter excalfacit, dum gustatur.4°.de simp.med.fac. 5ª.29.D
Cæpa maiorem caliditatem non habet allium.de vict.rat.in morb.acu. commen.4°. 7ª.145.C
Cæpæ cibus calidus.de dissol.cont. Sp.74.C
Cæpa calida est in quarto ordine.7°.de simp.me.fa. 5ª.53.D
Cæpæ nunquam erunt frigidæ, sed plus minus ve calefaciunt. de bonitate & vitio suc. 2ª.38.H
Cæpa, scilla, vinum quanto fuerint albidiora, tanto & minus sunt calida.4°.de simp.med.fa. 5ª.31.D
Cæpæ sunt acres.2°.de alim.fa.25.E/3°.32.A/de atte.vict.2ª.43.H/ de caus.morb.6.G/in 6ᵐ.de morb.vul.commentario.5°.3ª.192.G/ 9°.de simp.med.fac. 5ª.64.C
in Cæpis, & allio mire deprehenditur acrimonia.4°. de simplic.med. faculta. 5ª.25.C
à Cæpis expimentũ sumi debet de acredine.4°.de simp.me.fa.5ª.26.B
Cæpæ quo modo acritudinem deponant.2°.de ali.fa. 5ª.25.E
Cæpa incendit.de oculis. 7ª.188.F
Cæpa carnem mordicat.4°.de simp.med.fa. 5ª.29.D
Cæpa imposita cuti hanc exulcerat, & erodit.3°.de temp. 1ª.22.G
Cæpa calfacit corpus.2°.de alim.fac. 2ª.25.E
Cæpa exiccat.3°.de alim.fac. 2ª.26.D
Cæpa attenuat.de att.vict.rat. 2ª.43.H
Cæparum vsus immodicus febrem accendit.de cau.mor. 3ª.6.G
Cæpas ãpliter comedẽtiũ calor ẽ acris, et mordax.5°.de sa.tu.2ª.93.F
Cæpa parum alit.2°.de alim.fac. 2ª.25.E
Cæpæ radices malum succum gignunt.de bon.& vit.suc.2ª.37.G/1°. de diff.feb.3ª.31.G/de diss. Sp.74.C
Cæpa potius pro pharmacis, quàm pro alimẽtis habenda est.de atten. vict.rat. 2ª.45.G
Cæpæ bis elixæ succi prauitatem non retinent.2°.de alim.fa. 2ª.25.E
Cæpa potius pro obsonio sumitur, quàm pro alimento.2°. de alimentorum fac.22.H/ 2ª.23.F
Cæpis, alliis, coriãdro præparãtur cibi p deliciis.de attẽ.vict.2ª.44.C
Cæpæ à rusticis in muria, vel in aceto seruantur.2°.de alimentorum facultatibus.22.C/23.H/ 2ª.25.E
Cæpas non comedat medicus.4°.in 6ᵐ.de mor.vul. 3ª.181.H
Cæpæ radices sunt concoctu difficiles & turbãt.2°.de ali.fac.2ª.24.E
Cæpæ non nutriunt, nisi coquantur.2°.de alim.fac. 2ª.19.D

Cæpę, quando comeduntur crudę, non bene nutriunt, sed qñ coquuntur in cibis, nutriunt nutrimento pauco bono. de dissol. cont. Sp. 73. G
Cępæ situm excitant. 12°. meth. med. 7ª. 79. E
Cępę gallinaceos pituita tentatos sanat. 2°. meth. med. 7ª. 12. D
Cępę, et allia qñq; faciunt bilẽ, qñq; melancholiã. de diss. con. Sp. 74. C
Cepa flatuosa est. 7°. de simp. medic. fac. 5ª. 53. D
cũ Cæpis faba minus est flatuosa 1°. de alim. fac. 5ª. 14. A
Cæpę caput replent, & inflammant. de puero epilep. 7ª. 180. E
in Cæpa superuacuum & acre excernitur per aluum, vrinas, & sudorem. 3°. de temp. 1ª. 22. H
Cæpæ numerantur inter cibos subtiliantes secundi generis. de dissolutione continua. Sp. 72. E
Cępæ incidunt, & attenuant humores crassos. 2°. de alim. fac. 2ª. 25. E/ de dissol. cont. Sp. 74. G
Cæpæ aperiunt. 1°. de san. tuen. 2ª. 91. D/ 5°. de simp. med. fa. 5ª. 35. F
Cępa vtatur senex qui cibis obstruẽtibus sit vsus. 5°. de san. tu. 2ª. 91. D
Cæpa expurgat ictericos. de cura icteri. Sp. 111. B
Cæpa hæmorrhoidas aperit, in sole alphos abstergit, alopeciis attrita pilos alcyonio citius restituit. 7°. de simp. me. fac. 5ª. 53. D
Cæpa hortensis vrinam mouet. de cura icteri. Sp. 111. D
Cæpæ coma non iuuat in sanguinis profluuio. de opt. secta. Is. 23. H
Cæpa cum pane in dysenteria à quibus dabatur. 12°. met. me. 7ª. 75. A
Cępę succus cum adipe plurimo purgat aures. de cathar. Sp. 95. B
Cæpa pro dolore auris apud rusticos. 3°. de comp. med. se. lo. 5ª. 140. F
Cępę succus purgat nares. de cathar. Sp. 95. B
Cæpæ succus est oculorum cenoticus. de cathar. Sp. 95. B
Cæpæ succus iis, qui suffusi sunt, prodest. 7°. de sim. me. fa. 5ª. 53. D
Cæpa excitat strangulatas ex vtero olfactu. 9°. de composi. medicam. sec. loc. 5ª. 205. G
Cępæ oblique concisæ meminit. 1°. de comp. med. se. lo. 5ª. 123. G
Cæpa canina quid, & eius vires. de simp. med. Sp. 89. B
Καιρὸς quid significet. de rat. vict. in morb. acu. com. 3°. 129. F/ de articulis, commentario. 4°. 7ª. 290. B
Καιροὶ tempora morborum. de morb. temp. 3ª. 85. B
CAERVLEVM quomodo fiat. 1°. de symp. cau. 3ª. 17. B
Cæruleum, & fuscum colorem habent pictores ante oculos, quando albũ quid pingunt, quia oculos recreat. 10°. de vsu par. 1ª. 178. H
Cęruleus color visui iucundissimus est. 1°. de symp. cau. 3ª. 17. A/B
Cærulei coloris pauci albo admisti comparatio ad pharmacum. 4°. de comp. med. secun. loc. 5ª. 150. D
Cæruleus, cyanos, qualis. 9°. de simp. med. fa. 5ª. 69. G
Cæruleæ bilis meminit. 5°. de loc. aff. 4ª. 35. H
CAESARES habebant optima simplicia. 1°. de antid. 5ª. 101. F
Cęsari theriacam confecit Galenus. 1°. de antid. 5ª. 101. G
Cæsar vsus est malagmate Bacchij. 7°. de comp. med. per ge. 5ª. 267. B
Cæsaris Titi meminit in malagmate Asclepiadis ad podagricos, & arthriticos. 10°. de comp. med. sec. loc. 5ª. 209. C
Cæsaris Tiberij ad herpetas. 5°. de comp. me. per gen. 5ª. 252. D
CAESTVS species artis athleticæ. in oratione suaso. Isa. 5. A
CAFITH decoctio datur contra debilitatem hepatis, & oppilationem. de med. exper. Sp. 106. E
CAII colica. 9°. de comp. med. sec. loc. 5ª. 201. H
Caij Neapolitani pastillus. 5°. de comp. med. per ge. 5ª. 251. G
CALAMINTHA & pulegium potissimum est ex Creta. 4°. de san. tuen. 2ª. 86. E
Calamintha in riuis plurimum nascitur. de bon. aquæ. Sp. 75. F
Calamintha iuuantur aquę. de bon. aquæ. Sp. 75. F
Calaminthę buniſæ meminit in confectione Ioachi martyropolitæ. de med. fac. parab. 5ª. 175. B
Calamintha calida est & sicca in tertio quodam modo ordine, 6°. de simp. med. fac. 5ª. 49. C
Calamintha acris est. de atten. vict. rat. 2ª. 43. H/ 9°. de simp. me. fa. 5ª. 64. C/ 13°. meth. med. 7ª. 84. H
Calamintha infirmior est menta. 6°. de simp. med. fac. 5ª. 48. B
Calaminthæ loco nepitam scripsit Andromachus iunior lingua romana. 1°. de antid. 5ª. 103. H
Calamintha pro origano poni potest. 6°. de comp. med. sec. loc. 5ª. 168. F
Calamintha tam cibus, q̃ medicamẽtum calidum. 3°. de temp. 1ª. 24. D
Calamintha numeratur inter obsonia, quæ sponte proueniunt. 2°. de alimento. facul. 2ª. 25. D
cũ Calamintha ficus ante cibũ qñ exhibeatur. 2°. de alim. fa. 2ª. 17. F
Calamintha menses & vrinas prouocat. 5°. de simp. med. fac. 5ª. 38. A
Calamintha sudores cit, contra rigores per circuitũ repetentes adhibetur, coxendicibus, atq; ischiadicis ægritudinibus tanquam strenuũ remedium illinitur, menses tum apota tũ apposita efficaciter prouocat, elephanticorum bonum est remedium, cicatricibus atris candorem reddit, & sugillata digerit. 6°. de simp. medic. fac. 5ª. 49. C
Calaminthæ radix lapidem frangit. de ocul. 7ª. 188. F
Calamintha arefacta ad venenatarum bestiarum morsus assumitur. 6°. de simp. med. fac. 5ª. 49. D
Calamintha ingreditur theriacam. 1°. de theria. ad Pis. 5ª. 92. E
Calamintha attenuat. de atten. vict. rat. 2ª. 43. H
Calamintha detergit. 8°. meth. med. 7ª. 52. G
Calaminthę succus ascaridas, & lumbricos, & auriũ vermes enecat, conceptum seu pota, seu admota interimit & eiicit, asthmaticis prodest & ictericis, purgat obstructiones. 6°. de simp. med. fa. 5ª. 49. D
Calaminthę decoctum in aqua mulsa est discussorium parabile moderatum. 6°. de comp. med. sec. loc. 5ª. 169. G
Calamintha si in oleo ebullierit, facit ipsum euacuare, & dissoluere. 1°. de arte cur. ad Glauc. 7ª. 100. B
ex Calamintha cretica medicamentum Galeni ad abscessus in visceribus. 14°. meth. med. 7ª. 90. F
Calaminthes compositio. 4°. de san. tuen. 2ª. 86. D
dia Calaminthes quo modo coquatur. 4°. de san. tuen. 2ª. 86. F
dia Calaminthes quo modo sumenda. 4°. de san. tuen. 2ª. 86. F
dia Calaminthes perfertur per totum corpus. 4°. de san. tu. 2ª. 85. E
dia Calaminthes lenta & crassa attenuat, & per halitum educit. 4°. de san. tuen. 2ª. 86. F
dia Calaminthes ad iecoris dolorem confert. 6°. de san. tu. 2ª. 96. B
dia Calaminthes eget pituita in ventrẽ defluẽs. 6°. de sa. tu. 2ª. 99. D
dia Calaminthes medicamento vtatur senex, si cibis obstruentibus sit vsus. 5°. de san. tuen. 2ª. 91. D
dia Calaminthes urinas mouet, & mulieribº mẽses. 4°. de sa. t. 2ª. 86. F
dia Calaminthes quibus potest esse in cõtinuo vsu. 6°. de sa. tu. 2ª. 99. C
dia Calaminthes vsus cauendus est bilio sis. 6°. de san. tuen. 2ª. 96. B
de Calaminthe syrupus spasmo conferens. secretorum. Sp. 103. E
CALAMVS phragmites, ideſt canna. 7°. de simp. med. fac. 5ª. 49. E
Calami virides dulcem habent saporem. 4°. de simp. med. fac. 5ª. 25. C
Calami teneri quos insufflamus, tantum extenduntur, quantum possunt extendi. an. sang. in art. nat. cont. 1ª. 60. G
in Calamis quibus trahitur aqua abeunte aere, sequitur aqua, sed non ita in venis. 2°. de nat. fac. 1ª. 296. H
Calami mediocriter tenti ad interiora flectuntur, ita & spina dorsi. com. 6°. aph. 46°. Ex. 51. H
Calamos aridos obtinere multos meatus plenos aeris, summum argumentum est ipsius lenitatis. 1°. de simp. med. fac. 5ª. 4. F
Calami arentes primo attractu inflammantur. de cau. mor. 3ª. 6. H
Calamus prompte accenditur non solum quia siccus, sed quòd plurimi aeris est particeps. 1°. de simp. med. facul. 5ª. 4. G
Calami aridi ignem facilius in maximam flammam attollunt. de causis morborum. 3ª. 6. E
Calami arefacti ab igne nos contra recalfaciunt, & velut partes fiunt quædam caloris natiui sicut illi ignis. 1°. de simp. med. fac. 5ª. 4. B
cur Calami aridi licet facile accendantur, tamen nos contactu non calefaciunt. 1°. de simp. med. fac. 5ª. 4. E
Calami græci cinis. 4°. de composi. med. sec. loc. 5ª. 158. A
ex Calamis incensis & incineratis fit sal, sm Aristotelem si mistus fuerit aquę, & eadem aqua bulliat ad ignem. de vtil. resp. Sp. 64. F
℔ Calamum arctum applicantur hirudines. de cucur. scar. 6ª. 4. D
℔ Calamum facit fomentum. de remed. para. facil. 7ª. 155. D
℔ Calamum inspirat naribus nepetam siccatam, & tritam. de remediis paratu facil. 7ª. 155. G
℔ Calamum fumum accipi iubet in remedio ad tusses nocturnas. de med. facil. parab. 7ª. 165. E
ad Calami ictum. de medic. facil. parab. 7ª. 174. C
ex Calamis plagis quid conferat. de virt. centau. Sp. 93. G
Calamos ad scribendum quo modo aptarent in Alexandria. 9°. de anatomicis administrationibus. 1ª. 105. G
CALAMVS aromaticus quid. de simp. med. Sp. 72. G
Calamus aromaticus inter aromata numeratur. 7°. met. me. 7ª. 44. A
Calamus indicus, quem odoratum appellant, calefacit in pulueremredactus. 1°. de simp. med. fac. 5ª. 4. E
Calamus odoratus siccus calidus est in secundo ordine. 7°. de simplic. medic. fac. 5ª. 49. E

Calamus aromaticus viribus stypticis est acris, & excalfaciens. de simp.med.fac. Sp.82.G
Calamus odoratus moderate vrinam mouet & miscetur in fomenta vteri, quæ phlegmones gratia, aut irritandis mensibus assumuntur. 7°.de simp.med.fa. 5ª.49.E
Calamus aromaticus matricem purgat.de cathar. Sp.95.D
Calamus aromaticus prouocat menstrua.de cathar. Sp.95.C
in CALATHIS *quo modo expellantur quæ intus insunt.3°.de sanitate tuenda.* 2ª.77.F
Καλάθιον *quid sit.de machin.* 7ª.310.A
Καλάθιον, & σκιθάλιον *communiter parata sunt, vt epipigma ferãt. de machinamentis.* 7ª.310.A
CALCANEI *descriptio.3°.de vsu par.* 1ª.130.B
Calcanei situs.3°.de vsu par. 1ª.130.B
Calcaneus principalissimum os ad firmationẽ.3°.de vsu par. 1ª.130.E
Calcanei ossa, quæ.3°.de vsu par. 1ª.130.B
Calcanei ossium positio.3°.de vsu par. 1ª.130.B
Calcanei ossis pars anterior cur tenuior & angustior est.3°.de vsu partium. 1ª.130.A
Calcanei ossis pars anterior cur spectare videatur ad paruum digitũ. 3°.de vsu par. 1ª.130.A
Calcaneo adiacet quartum os tarsi.3°.de vsu par. 1ª.130.A
Calcaneus cur rotundus.3°.de vsu par. 1ª.130.B
Calcaneus quibus ligetur tibia.3°.de vsu par. 1ª.130.G
Calcaneus cur nõ sit inarticulatus tibiæ, & fibulę.3°.de usu p. 1ª.130.G
iter Calcaneũ & tibiã cur medius sit astragalus.3°.de vsu p. 1ª.130.G
Calcaneus cur excedat astragalũ i magnitudine.3°.de vsu p. 1ª.130.F
Calcanei substantia cur dura.3°.de vsu par. 1ª.130.G
Calcanei cutis inferior cur dura.3°.de vsu par. 1ª.130.G
Calcaneo subiacet totum ferè corpus quando salire volumus aut gradum magnum facere.3°.de vsu par. 1ª.130.F
Calcaneum tres musculi mouent.3°.de vsu par. 1ª.132.G
in Calcaneo sui tendonis germen disseminatum est ad totam pedis cutem.3°.de vsu par. 1ª.133.H
sup Calcaneum vena est saphenæ ramus.de anat.viu. Sp.54.H
à Calcaneo ad cor citius peruenit frigiditas quam à cerebro ad cor.8°. de vsu par. 1ª.165.D
Calcanea cur nihil min° frigida iuenias, q̃ cerebrũ.8°.de vsu p. 1ª.165.D
Calcaneo nihil vilius, cum sole tũ comparatur.3°.de vsu p. 1ª.133.F
Calcanea hyeme exulcerantur frigore, sanantur calore. comment.5°. aphoris.22°. Ex.39.E
CALCARIA *pars animalium marium.2°.de semi.* 1ª.338.G
Calcar ex qua sit substantia.1°.de vsu par. 1ª.115.G
Calcaria tertio ordine sicca sunt.2°.de temp. 1ª.18.A
Calcar durum dicitur per excessum.4°.de simp.med.fac. 5ª.32.E
CALCEAMENTORVM *genera.de artic.com.4°.* 7ª.284.C
Calceamenta plura duobus habere alienum est ab vsu.de cogn.curandisq; animi morbis. 2ª.54.H
Calceant omnes calopodio vno, prouerbium.8°.meth.med. 7ª.60.E
Calceamentum vnius cubiti quatenus ad finem spectat, inutile est. de cog.cur.animi mor. 2ª.54.H
Calceis usq; ad tibiã Cretẽses, et Asiani utebant.de art.c.4°. 7ª.284.E
ad Calceamenta mulierum polienda ageratus lapis.6°.de comp.med. sec.loc. 5ª.174.F
Calceos veteres instauranti similes sunt medicus, & agricola.ad Thrasybulum. 2ª.104.B
Calceamenta fracta ars restituẽs neruorũ sutoria dr.ad Thras. 2ª.102.B
Calceos reponere, ne surripiantur an sit ars.ad Thras. 2ª.104.B
ad Calceorum attritiones coria vetera.11°.de simp.med.fa. 5°.80.F
Calcei plumbei meminit.de artic.com.4°. 7ª.284.B
Calceus vinculi nomen.de fasciis. 7ª.306.C
CALCITRAT *infans si quando est maior & ipsi desit cibus, & tunc est principium partus.com.5°.aph.37°.* Ex.41.A
ex Calcitratu equi casus difficulter spirantis.4°.de loc.aff. 4ª.25.B
CALCVLVS *in aurem illapsus quo modo extrahatur. 3°. de comp. med.sec.loc.* 5ª.145.G
CALCVLARIS *morbus quid.fin.med.* Isa.47.G
Calculo turpe est virum robustum ægrotare.3°.de san.tuen. 2ª.88.H
Calculi in quibus corporibus nascantur.3°.de alim.fac. 2ª.28.H
Calculus in quibus gignatur.6°.de san.tuen. 2ª.99.F
Calculi in puero efficiens causa.de nat.hum.com.2°. 7ª.180.B.
Calculi cur nascantur pueris.de nat.hum.com.2°. 7ª.184.H
Calculorum creandorum prima causa est vrinæ crassitudo. in 6m. de morb.vulg.com.3°. 3ª.173.B
Calculescit vesica iis, quibus materies arenosa in vrinis subest.de vrinæ sign.ex Hipp. Sp.78.H
Calculo laborantium vrinæ quales.de ren.affe.dig.& med. Sp.193.B
Calculi initium proxime venturum, aut in renibus eruptionem ostẽdit vrina sanios a, plurimũ egesta, & velut coagulata.de dyn.Sp.35.C
Calculi in vesica signa.1°.de locis affectis. 4ª.3.A
cũ Calculus trãsit per vrinarios meatus, præcedit dolor quidã acutus medio inter renes, & vesicam loco.1°.de nat.fac. 1ª.293.C
Calculosi, quibus neglectis fiant.de dynam. Sp.20.A
Calculosi quos cibos cauere debent.de ren.aff.dign.& med. 7ª.194.D
Calculos in calidioribus generant cibi crassi succi.3°.de ali.fa. 2ª.28.F
Calculosis quæ cauenda.de ren.affec.dignot.& med. 7ª.194.E
Calculosis aduersissima cruditas.de ren.aff.dign.& med. 7ª.194.E
Calculo obnoxia vesica, & obnoxij renes quibus aquis lædantur. in 6m.de morb.vulg.com.4°. 3ª.182.D
Calculosis quæ aquæ bonæ, & quæ pravæ. de renum affectuum dignotione, & medela. 7ª.194.E
ad Calculos gignendos aptum est lac. in 6m. de morbis vulgaribus, commentario.3°. 3ª.173.E
in Calculũ incidunt senes vina nigra crassa bibẽtes.5°.de sa.tu. 2ª.91.B
Calculosis quæ vina cõueniãt, & q̃ nõ.de re.aff.dign.& med. 7ª.194.E
Calculi quibus suspicio est, quo vino vti debent.5°.de san.tu. 2ª.91.C
℞ Calculosis vinum medicatum.5°.de san.tuen. 2ª.91.C
Calculosus obesus qua uictus ratione sit redẽdus.6°.de sa.tu. 2ª.99.H
Calculosis quæ auxilientur.10°.de comp med.sec.loc. 5ª.205.H
Calculosis ira quando q; conuenit.de ren.aff.dign.& med. 7ª.194.E
Calculosis exercitia vbi faciẽda sint.de ren.affe.dign.et me. 7ª.194.E
Calculosis vomendũ à cœna, quando.de ren.aff.dig.& med. 7ª.194.F
Calculosis cõueniũt quæ sunt.tenuiũ partiũ.7°.de simp.me.fa. 5ª.51.H
Calculis prosunt incidentia.7°.de simp.med.fac. 5ª.53.H
Calculosis non sunt danda multum exiccantia.6°.de san.tuẽ. 2ª.99.H
Calculis vexatos adiuuat ceraſorũ gummi.7°.de sim.me.fa. 5ª.51.H
Calculos confringit cotyledon.7°.de simp.med.fa. 5ª.52.G
Calculo vexatis congruit cyperi radix.7°.de simp.med.fac. 5ª.53.H
Calculos frangere potest radix, & semen hippomarathri.7°. de simp. med.fac. 5ª.55.E
Calculos confringit, & iecori prodest cortex radicis lauri.6°.de simp. med.facul. 5ª.46.B
Calculos vesicæ comminuit paliuri succus.8°.de simp.me.fa. 5ª.57.G
Calculo infestatis conuenit peponum semen.2°.de ali.fac. 2ª.16.H
Calculos vesicæ comminuit murium stercus.de ther.ad Pis. 5ª.93.F
Calculos expellit scolopendria.de simp.med. Sp.91.C
Calculos vesicæ conterit scorpius.de ther.ad Pis. 5ª.93.E
Calculum prouocat syricium.de simp.med. Sp.90.C
Calculis vesicæ prodest theriaca.de vsu theria.ad Pamphi. 5ª.98.H
℞ Calculis ponebat ferrum in lacte Gal.10°.de simp.med.fa. 5ª.76.A
Calculosis alnus soluta assidue cõuenit.de re.aff.dig.& me. 7ª.194.F
Calculosis quando sanguis mittendus, et quando purgatio facienda. de renum affect.dign.& med. 7ª.194.F
ad Calculosos.de rem.par.facil.160.B/ 7ª.178.E/F
ad Calculosos insperſile.10°.de comp.med.se.lo. 5ª.206.E
ad Calculosos valens antidotus.2°.de antid. 5ª.116.D
Calculos atterens antidotus.10°.de comp.med.se.lo. 5ª.206.F
ad Calculos exterendos.de medic.fac.parab. 7ª.178.F
Calculos frangens.de medic.fac.parab. 7ª.179.A
ad Calculosos.7°.de comp.med.sec.loc.186.C/10°.5ª.206.B/C/D/de reme.par.fac.160.C/de med.fac.par.178.E/ 7ª.179.A
Calculosi pueri casus.4°.de loc.affect. 4ª.3.A
Calculus per totam vitam durat.6°.de san.tuen. 2ª.98.A
Calculus vesicæ non ætatis mutatione, sed manuum opera duntaxat curari potest.in 6m.de morb.vul.com.6°. 3ª.193.B
Calculus vesicæ quid primò indicet.3°.meth.med. 7ª.16.C
Calculus i vesica de sui remotione penitus indicat.14°.me.me. 7ª.91.F
Calculi detractores, perforatores, & herniæ dissectores, medici communi nomine vocitantur.ad Thrasy. 2ª.105.B
circa Calculi extractionem actio qualis.ad Thras. 2ª.104.H
Calculo euulso quod vinculum aliqui adhibeant, quorum opinio reiicitur, & qua fascia vtatur Galenus.de fasciis. 7ª.304.E
CALCVLVS *in renibus est morbus senum.5°.de san.tuen.* 2ª.92.B
Calculi in renibus quomodo & quando fiant.fin.med. Isa.47.G

Calculi quo modo gencrant in renibus.2°.de bon.& vit.suc. 2ª.34.G
Calculi an in cauitate renum oriantur,an in carne.in 6m. de mor.vul. commentario.1°. 3ª.155.C
Calculi in renibus cur fiant.14°.meth.med. 7ª.87.H
Calculũ in renibus gignẽs æqualis cõpositio,que.6°.de sa.tu. 2ª.99.F
Calculi renum quibus generentur.3°.de alim.fac. 2ª.28.F
Calculos renum gignunt satietas,& cruditas. de renum affec.dignot. & medela. 7ª.194.D
Calculi quo victu generentur in renibus.14°.meth. med. 7ª.91.C
Calculos in renibus gignunt edulia ex triticea farina & lacte. de ali. facultatibus. 2ª.10.G
Calculos in renibus gignunt itria ex similagine.1°.de ali.fac. 2ª.10.E
Calculus in renibus ex vsu lactis cuidã est natus.5°.de san.tu. 2ª.91.G
Calculos renum gignit caseus.3°.de alim.fac. 2ª.28.C
Calculi in renibus ex casei succo.3°.de alim.fac. 2ª.28.H
Calculus renum, vel vesicæ significatur ab arenosis vrinis. com.4°. aphor.79°. Ex.36.G
*à Calculo renum præseruatio,qua.de ren.affe.dig.& me.*7ª.194.D
Calculis gignendis quorum renes sunt appositi,alica vsum vitare debent.1°.de alim.fac. 2ª.10.H
Calculus quo modo non generabitur in renibus. in 6m. de morbis vul. comment.1°. 3ª.156.B
in Calculo renum subito inuadente quid agendum.de renum affe.dig. & medela. 7ª.196.C
in Calculo renum nihil æque conducit quàm habere ventrem lęuem. de ren.affe.dign.& medela. 7ª.195.E
ꝑ Calculo renum panis furfuraceus. de renum affectuum dignotione & medela. 7ª.195.E
in Calculo renum quædam agunt à proprietate.de renum affec.dign. & medela. 7ª.194.H
Calculos renum constringit althææ semen.6°.de simp.med.fa. 5ª.46.F
Calculos renum frangere apparet bdellium arabicum in potu sumptũ. 6°.de simp.med.fac. 5ª.44.H
Calculos in renibus rumpit betonica.7°.de simp.med.fac. 5ª.51.A
*Calculis ꝗgrauatos renes expurgat carpesiũ.7°.de sim.me.fa.*5ª.50.C
Calculos renum confringit ciceris arietini decoctum.6°.de simp. medic.facultа. 5ª.47.E
Calculos in renibus cõminuere damasonium aqua in qua decoctũ fuerit epotum,expertus est Galenus.6°.de simp.med.fa. 5ª.46.A
in Calculo renum phasiani adeps.de ren.aff.dign.& med. 7ª.193.H
Calculos renum frangit sion.8°.de simp.med.fac. 5ª.60.F
Calculos renum conterit theriaca.de ther.ad Pis. 5ª.96.B
Calculus.lege Lapis,tam.

CALEFACTIO *quot modis fiat.2°.de diff.feb.* 3ª.41.A
Calefactio & refrigeratio si absint,humidum et siccum contingunt corpus sine violentia.1°.de simp.cauf. 3ª.16.G
*Calefactio tribus generibus medicaminũ cõis est, lac ꝓcreantibus,mẽses,& vrinã cientibus,& quo differant.5°.de sim.me.fa.*5ª.38.A
ex Calefactione viri & mulieris semen emittitur.de sper. Sp.36.A
Calefactio si sit consueta,minus nocet, è contrario si inconsueta. com. 2°.aph.50°. Ex.19.B
Calefactio in duplici vase.5°.de composi.med.sec.loc. 5ª.162.H
*Calefactio sanguinis in febribus quomodo fiat.de inæq.intẽp.*3ª.44.A
*Calefactio semper peruenit per partes ad cor.1°.de diff.feb.*3ª.32.A
Calefactio cuius sit remedium.3°.de san.tuen. 2ª.81.B
Calefactio.vide Caliditas,& Calor.
*Calefaciẽtes causæ tot sunt,quot refrigerãtes.1°.de præs.exp.*4ª.105.b
Calefacientium aliud simpliciter est calidum,aliud exuperantia.1°.de simp.med.fac. 5ª.4.H
nõ Calefaciunt calida potestate,priusquàm in tenuia sint comminuta. 1°.de simp.med.fac. 5ª.4.A
ꝗ Calefacere valent corpus humanum aut refrigerare,aut exiccare, aut humectare,non inquiritur an pinguia sint,aut lenta, aut leuia. 1°.de simp.med.fa. 5ª.2.E
Calefiat corpus quot modis.de palp.trem.conuulf.& rig. 3ª.54.H
Calefacientia, & infrigidantia corpus humanum non absolute calida & frigida inquirit Galenus.2°.de simp. med.fac. 5ª.10.D
Calefacientia nostra corpa ab externo,quæ sint.2°.de san.tu. 2ª.74.B
Calefacere medicamentum putandum est,si sana corpora ab eo incalescant,& calidi affectus exasperentur,frigidiq; inuentur.4°.de simp. med.fac. 5ª.26.B
*Calefacere quo modo obscure videatur acetũ.1°.de sim.me.fa.*5ª.6.D
Calefacit,incidit,digerit,acrimonia,hoc collige exemplo corticis radicis capparis.7°.de simplic.medic.fac. 5ª.49.G
Calefaciant quæ adstringentia.1°.de simp.med.fac. 5ª.8.A
Calefacientia parum & adstringentia medicamenta sunt emplastica & peptica.i.concoquentia.7°.de simp.med.fac. 5ª.55.C
Calefaciendi vim habent amari sapores.4°.de simp.med.fac. 5ª.29.G
qũo Calefaciat,& refrigeret aqua calida.de iis quæ in medicat. fiunt. commen.3°. 7ª.215.H
*qũo Calefacit aqua frigida.1°.de simp.medic.fac.*5ª.2.E/2°.*de arte cur.ad Glau.* 7ª.103.D
Calefaciunt parum,& valde adstringunt atramentum sutorium, & sal.6°.de comp.med.per genera. 5ª.256.C
*Calefaciunt & humectant cito balnea.de ren.aff.dig.& me.*7ª.194.B
*Calefaciunt ẽt mortuos balnea.de iis quæ in med.fiunt.cõ.3°.*7ª.215.H
Calefacti & siccati à sole,balneo frigescunt,& humectantur. de marcore. 3ª.47.H
*Calefacit sanguinem hedarus calefactione forti.de diff.cont.*Sp.74.C
Calefacit in tertio besasa.6°.de comp.med.sec.loc. 5ª.170.G
Calefacientes acriter, & stringentes vires habet omnis casia fistula. de simp.med.fa. Sp.82.H
Calefacit,& desiccat castoreum.11°.de simp.med.fa. 5°.80.B
Calefaciens vt Castus acopon.7°.de comp.med.per ge. 5ª.272.D
Calefacit abunde cedria.1°.de comp.med.sec.loc. 5ª.126.F
*Calefaciũt sanguinẽ calefactione nimia cibi acui.de dif.cont.*Sp.72.F
Calefaciunt corpus plethoricum cibi multi,cum vero ante vacuatum fuerit siccant abunde.de vict.ra.in mor.ac.com.4°. 7ª.145.C
Calefaciunt quædam cum nutriunt.3°.de temp. 1ª.24.B
Calefacit coitus robustos.in 6m.de mor.vul.com.6°. 3ª.191.G
Calefaciens,emolliens,& remittens confectio 7°. de composit. medic. per genera. 5ª.272.G
*Calefacit conyza contra Apollonium.2.de comp.med.se.lo.*5ª.132.H
Calefaciunt & resiccant nos vehementer chalcitis,sandarache,& misy.2°.de simp.med.fa. 5ª.16.D
Calefacit primo imbecilles,deinde frigefacit coitus.in 6m.de mor.vul. commen.6°. 3ª.192.G
Calefacit,& exiccat venus frequens.8°.meth.med. 7ª.54.D
Calfaciens corpus electuarium.de med.exper. Sp.107.B/D
Calefacit renes electuarium turbit.de med.exper. Sp.103.C
Calefacit fortiter euphorbium.1°.de comp.med.se.lo. 5ª.122.B
Calefit exercitio proprie nostrum corpus.2°.de san.tuen. 2ª.74.B
*Calefacit febris pituitam,& spiritũ flatuosum.c.6°.aph.51°.*Ex.52.H
Calefacit leniter fœniculi succus.de simp.med. Sp.84.D
Calefactio per fomenta.in 6m.de morb.vul.com.6°. 3ª.196.A
Calefactre commune est omnis frictionis.2°.de san.tuen. 2ª.71.G
Calefaciat quo modo frigidum.in 6m.de morb.vul.com.2°. 3ª.161.E
Calefacit git.de simp.med. Sp.84.F
Calefactorias vires habet hyssopus.de simp.med. Sp.92.E
Calefacientes acriter vires habet laurus.de simp.med.fa. Sp.85.H
Calefacit in tertio ordine leontopetalon.7°.de simp.me.fa. 5ª.54.B
Calefacit in primo ordine leucacanthon.7°.de simp.me.fa. 5ª54.B
*Calefaciẽdi vim habent medicamẽta tenuãtia.de bo.& vi.suc.*2ª.34.F
Calefacientia tenuiũ partiũ qualia sint.8°.de cõp.me.se.lo. 5ª.196.A
Calefacit multum lolium.3°.de.comp.med.per ge. 5ª.228.E
Calefacit in secundo ordine lotus agrestis.7°.de simp.me.fa. 5ª.54.H
Calefaciens corpus medicamen.de med.exper. Sp.103.B
Calefaciens renes medicamen.de med.exper. Sp.107.H
*Calefactoriã,& extersoriã vĩ habet mel.7°.de com.me.se.lo.*5ª.178.G
Calefacit corpora motus.de fracturis.com.2°. 7ª.238.G
Calefaciẽdi,& resiccãdi vim habet myrrha.2°.de com.me. 5ª.134.F
*Calefacit,fundit,& emollit myrrha bœotia.8°.de sim.me.fa.*5ª.61.A
Calefacit oleum.in 6m.de morb.vulg.com.3c. 3ª.163.B
Calefacit vt alimentum oleum.2°.de simp.med.fa. 5ª.15.E
Calefacit sufficienter laurinum oleum & vnguentum.1°.de comp.me. sec.loc. 5ª.122.B
Calefacit valde oleum laurinum.de comp.med.per gen. 5ª.256.C
Calefacit opopanax.de simp.med. Sp.88.C
Calefacit & digerit peucedani radix.8°.de simp.me.fa. 5ª.58.C
*Calefacit et humectat humana corpa pĩguedo ois.11°.de sim.me.*5ª.79.A
Calefaciunt tanto citius piperis particulæ,quanto accuratius in minimas comminutæ fuerint.1°.de simp.med.fac. 5ª.4.C
Calefacit pulegium cum aliqua acrimonia.de simp.med. Sp.88.H
Calefacit acriter pyrethrum.de simp.medic.fac. Sp.88.H

Calefaciunt

Calefaciunt resinæ omnes. 1°.*de comp. medic.per gen.* 5ª.210.C
Calefaciunt & exiccant resinæ omnes. 2°.*de com.me.per ge.* 5ª.219.E
Calefaciunt resina & pix applicatæ parti. 2°.*de diff.feb.* 3ª.41.A
Calefacit parum & adstringit schini flos. 8°.*de simp.med.fa.* 5ª.60.H
Calefaciat quo mõ somnus, & qũ.in 6ᵐ.*de mor.vul.c.*4°.3ª.184.A/B
Calefacit leniter spica nardi.de simp.med. Sp.89.H
Calefacit styrax.de simp.med. Sp.90.E
Calefacit & discutit sulfur. 1°.*de comp.med.sec.loc.* 1ª.130.A
ad Calefaciendũ tempus requirit thapsia. 6°.*de simp.me.fa.* 5ª.48.F
Calefacit domum turba hominum, quare arcenda est à febricitãtibus. 10°.*meth.med.* 7ª.64.E
Calefacit pectus pulmonemq; tussis vehemens.in 6ᵐ.*de mor.vul.commentario.* 2°. 3ª.164.F
Calefactoria gustu est vella.de simp.med. Sp.92.A
Calefactionis vinorum ordo.de vict.rat.in mor.ac.com. 3°.7ª.126.G
Calefacere valenter non possunt vina alba.de vic. rat.in morb. acutis commentario. 3°. 7ª.126.G
Calefacit vinum antiquum.de præcog.ad Posthu. 4ª.214.E/7°.*meth. medendi.* 7ª.44.B
Calefacit magis quàm aqua calens, vinum austerum, & roborat intestina. 6°.*meth.med.* 7ª.39.D
Calefacit mediocriter vinũ dulce.de vic.ra.in mor.ac.c. 3°.7ª.125.H
Calefacit valde vinum falernũ & surrentinum. 7°.*meth.me.* 7ª.44.B
Calefaciens vnctio trahit foras humores. 4°.*de san.tuen.* 2ª.86.A
Calefacit valentius vnguentum nardinum. 11°.*meth.med.* 7ª.72.H
Calefacit Xylobalsamum.de simp.med. Sp.92.C
Calefacere plurimum nocet.com. 2°.*aph.* 51°. Ex.19.C
Calefacientia plurimum grauitatem capitis maxime faciunt. com. 5°. *aph.* 28°. Ex.40.C
Calefacientia immoderate lædunt cerebrum.de instr.odo. 1ª.112.E
Calefacientia valenter vires deiiciunt.de cur.rat.per san.mi. 6ª.17.E
q̃ Calefaciendo sanitatem corrumpunt non omnibus nota sunt. 1°. *de san.tuen.* 2ª.63.B
Calefacientia vehementer & consistentia crassa qualia sint. 5°. *de simplic.med.fac.* 5ª.36.A
q̃ Calefacere magis periculosum est infrigidare. 7°.*met.me.* 7ª.44.D
Calefaciendum quando est corpus totum celeriter, quid agendum. 6°. *de simp.medic.facult.* 5ª.47.H
Calefacientium euidenter acrium & odoratorum semen conuenit in diæta attenuante.de atten.vic.rat. 2ª.44.E
Calefacere aliquod corpus intendentes medici quid ipsis agendum. 1°. *de elementis.* 1ª.7.B
Calefacienda quando est pars aliqua refrigerata, quid agendum. 6°. *de simp.med.fac.* 5ª.47.H
Calefaciendum est & refrigerandum quantum vnumquodq; calidius aut frigidius factum.ars medicinalis. Is.71.B
Calefactæ partes frigidiores, debent magis infrigidari, & calidiores partes infrigidatæ magis calefieri. 7°.*meth.med.* 7ª.49.A
Calefacienda sunt omnia frigida, his demptis quibus sanguis fluit, aut fluxurus est.com. 5°.*aph.* 19°. Ex.39.A
Calefacientia corpus cum accepere principium mutationis ab eo, tum demum ipsum recalefaciunt. 3°.*de temp.* 1ª.23.B
Calefacientes & refrigerantes partes potest habere idem corpus. 1°. *de alim.fac.* 2ª.9.C
quæ Calefaciunt magis quàm refrigerent, desiccant plus quàm humectent, lassitudinis sensus non admodum soluere valent. 2°. *de simpl. med.fac.* 5ª.16.D
Calefacientia modice pharmaca, cum superfluitatem euacuant, protinus quod affectum est phlegmone, frigidius efficiunt. 1°. *de simplic. med.fac.* 5ª.2.H
Calefaciunt mediocriter illa quæ incidunt humores crassos. de curan. ratio.per sang.miss. 6ª.17.E
Calefacientia nisi etiam valenter digerant, liquant ac in flatum mutãt lentos omnes crassosq; & frigidos humores. 12°.*meth.med.* 7ª.79.E
Calefacientia humorem superfluum euacuant, dum contentum in calescentibus corporibus humorem in vapores dissoluunt. 4°. *de simpl. med.fac.* 5ª.33.A
Calefacientia digerunt. 14°.*meth. med.* 7ª.92.C
Calefacientia omnia vbi digerunt substantiæ contactæ quippiam, continuo illam siccant, nisi quid natura fuerit humidum, ceu oleum & aqua. 11°.*de simp.med.fac.* 5ª.80.B
Calefacientibus modice, dolor sedatur. 13°.*meth.med.* 7ª.82.F
cũ Calefit modice quod lentum, & absq; morsu est, dolorem tollit. 13°. *meth.med.* 7ª.86.A
Calefacientia nimium, exiccant. 7°.*meth.med.* 7ª.46.F
Calefacientia & exiccantia medicamenta. 8°.*meth.med.* 7ª.54.L
Calefacientia & desiccantia vehementer quid agant. 8°.*de simp.med facult.* 5ª.62.L
Calefacientia, & siccantia eliciendo per halitum humore siccitatem inducunt. 1°.*de san.tuen.* 2ª.68.C
Calefacientibus & exiccantibus est vtendum in fine, omnium morborum ex succis vitiosis. 14°.*meth.med.* 7ª.89.C
Calefacientia & exiccantia sunt neruosarum partium medicinæ. com. 5°.*aph.* 66°. Ex.45.C
Calefacientium atq; exiccantium medicaminum immodicus vsus tertianas facile affert. 2°.*de diff.feb.* 3ª.36.D
nõ Calefacientia, & euacuantia quæ accipienda pro febre. 11°.*meth. medendi.* 7ª.69.G
Calefacientia, & incidentia vehementer, vrinã & menses prouocant, fœtum euellunt. 6°.*de simplicium med.facul.* 5ª.48.E
Calefacit ad lucernæ flammam, aut ad candelam cereum quod in aurem instillandum est.in 6ᵐ.*de mor.vul.com.* 6°. 3ª.191.D
Calfactum vehementer nullum edibilium durare imputre potest. 3°. *de symp.cau.* 3ª.25.D
Calefactũ corpus & rarefactum aquæ calidæ perfusione frigidum efficit, transpirante immoderatius calore natiuo. 1°.*de simp.me.* 1ª.3.F
q̃ Calefaciant, & humectent. 5°.*de san.tuen.* 2ª.89.E
Calefacto, aut humectato, quod in capite inane, fit sternutamentum. com. 7°.*aph.* 51°. Ex.58.C
p̃ Calefacientia fiũt maturationes.in 1ᵐ.*de mor.vul.cõ.* 3°.3ª.112.A
Calefacientia valde cauenda in orthopnœa, & asthmate. 7°. *de comp. med.sec.loc.* 5ª.186.G
cũ Calefiunt horrescunt succis malis pleni.in 6ᵐ. *de mor. vulg. commentario.* 3°. 3ª.175.G
Calefactum corpus vbi rursus refrigeretur morbi longitudinem significat.præsag.exper.confir. Sp.77.G
Calefactus hõ postea in frigidã positus fit fortis. 10°.*met.me.* 7ª.66.C
Calefaciẽtes affatim ad ignẽ manus frigidas dolorẽ intolerabilẽ sentiũt maxime in vnguiũ radice.de ĩæq.intẽ. 3ª.44.E/2°.*de lo.af.* 4ª.9.D
Calefiunt, & frigefiunt facile tenuia essentia, non tamen congelantur. 1°.*de simp.med.fac.* 5ª.5.B
Calefiunt quæ pregnantes in febribus absq; causa manifesta, difficulter pariunt, & cum periculo, aut abortum facientes periclitantur. com. 5°.*aph.* 55°. Ex.42.G
qũo Calefiunt ea quæ sunt in cerebro.com. 7°.*aph.* 51°. Ex.58.D
Calefacti, magis respiramus.de vtil.resp. 1ª.224.E
Calefit venter vacuus.de anat.viuo. Sp.47.G
cur Calefiant vestes.de vtil.resp. Sp.62.F
*si Calefiat cito, et citoĩfrigidet aqua, bona ẽ.de bo.aq.*75.F/ Sp.76.A
Calefieri non debet os in adustione.de artic.com. 3°. 7ª.276.B
Calescere, & calefactum esse multum differunt. 1°.*de dif.feb.* 3ª.30.B
Calescunt cum subito manus frigidæ, dolor fit. 12°.*meth.me.* 7ª.78.D
Calescunt balneo rigentes.de marcore. 3ª.47.H
Calens.i. parum febriens, sicut igni correptus pro valde febriens. in 3ᵐ.*de morb.vul.com.*1°. 3ª.131.A
Calescentis.i.parum febrientis ægroti duodecimi casus, qui post intẽpestiuum cibũ magis ægrotauit, obiitq; in 1ᵐ.*de mor.cõ.* 3°. 3ª.125.D
Calent magis hectici post cibum. 1°.*de diff.feb.* 3ª.35.B
Calescentis & frigescẽtis pulsus quo mutetur. 1°.*de pls.ex.* 4ª.105.G
cur Calentia trahunt ad se humores. 2°.*de diff.feb.* 3°.41.A/ *de ren. aff.dig.& med.* 7ª.193.H
Calescere cutim præter modum, quomodo cognoscatur in applicatione pharmacorum in alopecia.de comp.med.se.lo. 5ª.122.G
CALICREON *quid sit.de venar.arte.diss.* 1ª.55.G
CALIDITAS *quid sit, collige.* 1°.*de diff.feb.* 5ª.35.C
Caliditas dicitur etiam calidum. 1°.*de temp.* 1ª.13.H
Caliditas nunquam dicitur de subiecto. 1°.*de temp.* 1ª.13.H
Caliditas, frigiditas, humiditas, siccitas sunt qualitates primæ. 3°. *de simp.med.fac.* 5ª.17.C
Caliditas est efficacissima qualitatum.de const.art. Is.38.E
Caliditas alterat totam rem.de const.ar. Is.38.E
Caliditas citius corrũpit mẽbra aliis qualitatib⁹.de vtil.resp. 1ª.226.C
Caliditas ignis, qualis. 1°.*de simp.med.fac.* 5ª.4.A
Caliditatis et frigiditatis ꝑticulas habet aer ĩ seipso.q̃ vtil.re. Sp.64.A

in Caliditate, & frigiditate coæquiliter se habentes aquæ omnibus horis, pessimæ sunt. de bo. aquæ. Sp. 75. H
sine Caliditate, & frigiditate notabili humiditas humectat corpora. de affuendis. 2ª. 61. D
Caliditas quæ refrigeret. in 6ᵐ. de mor. vulg. com. 5°. 3ª. 194. F
pp Caliditatẽ & frigiditatem spuma fit. in 1ᵐ. prorrh. cõ. 1°. 4ª. 166. D
Caliditatem magnam habet atramentum sutorium & vehementer adstringit. 9°. de simp. med. fac. 5ª. 71. B
Caliditatem, & adstringendi vim habent medicamenta profluuij capillorum. 1°. de comp. med. se. lo. 5ª. 125. E
Caliditatem in summo nullum animal habet. 1°. de temp. 1ª. 10. C
fm Caliditatis gradus cõparant ãalia. 11°. de simp. med. fa. 5ª. 79. B
Caliditas, et humiditas hũr statim i primo ãantis ortu. 1°. d tẽ. 1ª. 10. H
Caliditas moderata quãtũ vtilitatis ãali afferat. de vti. resp. 1ª. 226. B
Caliditas humana, qualis. 1°. de simp. med. fac. 5ª. 4. B
Caliditas pinguedinis suum talis est, qualis est in nobis. 11°. de simpli. med. fac. 5ª. 79. B
Caliditatem in corpore, Plato vocauit ignem. in Tim. Pla. 1ª. 287. D
Caliditatis innatæ principium est in corde. in Tim. Pla. 1ª. 287. D
Caliditatem in sanguine, & venis veluti fontem ignis habet animal omne. in Tim. Pla. 1ª. 289. H
Caliditas interna quibus corroboretur. de vtil. resp. 1ª. 225. A
Caliditatem ingenitam moderatur respiratio. in 6ᵐ. de morb. vulgar. commen. 6°. 3ª. 190. B
Caliditas innata ad quæ opera conferat. 3°. de simp. med. fac. 5ª. 21. H
Caliditate, venæ, & arteriæ citius sistulantur. 2°. de sem. 1ª. 339. B
Caliditate, nerui citius extenduntur. 2°. de sem. 1ª. 339. B
Caliditate & siccitate ossa citius concrescunt. 2°. de sem. 1ª. 339. B
Caliditas facit mares, & quare. com. 5°. aph. 48°. Ex. 41. H
Caliditas in viris facit sterilitatem. com. 5°. aph. 63°. Ex. 44. C
Caliditas pubertatem festinare facit (quod & in aliis ætatibus intelligẽdũ est) è cõtrario frigiditas retardat. com. 3°. aph. 27°. Ex. 25. H
Caliditas propria coquit. 2°. de diff. feb. 3ª. 40. A
Caliditas in animalis corpore semper excrementa facit, quæ indigent euacuatione. in 6ᵐ. de morb. vulg. com. 6°. 3ª. 195. F
Caliditas facit fortem virtutem retentiuã. com. 2°. aph. 20°. Ex 14. F
Caliditas facit debilem appetitum. com. 2°. aph. 20°. Ex. 14. E
Caliditas est cõtinẽs causas nõ cõsuriẽdi, & cur. 1°. de sym. cau. 3ª. 18. B
à Caliditate cibi vertuntur in fumum. 1°. de loc. aff. 4ª. 5. D
Caliditas vehemens dominatur melli. de hon. aquæ. Sp. 73. B
à Caliditate vehementi quo magis distant vina dulcia, eo minus capitis grauedinem mentisq; læsionem faciunt. de vinis. Sp. 76. E
Caliditatem nimiam habentia tarde digeruntur. de diff. cont. Sp. 73. D
Caliditatem modicam, quæ facere possint. de cons. art. Ipse. 42. F
Caliditas moderata generat flatum ventosum in humoribus viscosis & crassis. 9°. de comp. med. secun. loc. 5ª. 205. E
Caliditas & humiditas facile phalitũ digerunt. aduer. Lyc. Ex. 65. D
Caliditas extrinseca vrinas iumentorum, bitumen, picem, resinam in spiritum soluit. com. 4°. aph. 70°. Ex. 35. B
Caliditas maxima vincit aromatum facultatem, alterat, atq; corrumpit. com. 5°. aph. 62°. Ex. 44. B
Caliditas immoderata non minus frigiditate noxia est. 4°. de simp. medic. facul. 5ª. 28. B
Caliditas naturalem symmetriam excedens est prima ægritudo. de differentiis morborum. 3ª. 2. H
Caliditas aliena qualis sit, & quid faciat. 2°. de diff. feb. 3ª. 40. A
à Caliditate aliena oritur putredo. 2°. de diff. feb. 3ª. 40. A
Caliditas quomodo fiat ex putredine. de cau. symb. 3ª. 6. D
Caliditatem semper ad continua dispartitam continet quod putrescere natura aptum est. 1°. de diff. feb. 3ª. 32. H
Caliditatem ex putredine acquisiuit acetũ. 1°. de simp. me. fa. 5ª. 2. E
Caliditas quam acetum à putrido calore contraxit, facit acetum penetrare. 4°. de simp. med. fac. 5ª. 27. D. E
Caliditas quomodo tot sensim recedat ab imputrescibilibus. 1°. de differentiis febrium. 3ª. 32. H
Caliditas ex putredine potest esse vehementissima, tamen naturalis erit pauca. com. 4°. aph. 37°. Ex. 32. B
Caliditas putredinis ad cor peruenit. 2°. de diff. feb. 3ª. 41. C
Caliditas quot modis generetur, & augeatur. 1°. de diff. feb. 3ª. 31. E
Caliditas quibus fiat. de cau. morb. 3ª. 6. D
Caliditatis vicinia quo modo faciat calorem. de cau. morb. 3ª. 6. D
Caliditatem augent cibi acres. de cau. morb. 3ª. 6. G
Caliditas maximã ter canis, et arteriæ ortũ. 1°. d ar. cu. ad Gl. 7ª. 98. C
Caliditas maior accẽdit à motib° vehemẽtibus. c. 4°. aph. 32°. Ex. 30. D
Caliditas quo modo fiat ex motu. de cau. morb. 3ª. 6. D
Caliditas articulorũ fit ex motibus pluribus. c. 4°. aph. 31°. Ex. 30. G
Caliditas, & dolor, fluxionum sunt causæ. 2°. de diff. feb. 3ª. 41. A
Caliditas pubis fit fluitates ad locũ affectũ. c. 4°. aph. 32°. Ex. 30. H
Caliditas insignis, in qua parte corporis fuerit, ibi significatur esse morbum. com. 4°. aph. 39°. Ex. 32. E
Caliditas phlegmonosa fit à sanguinis fluxione. 1°. de diff. feb. 3ª. 32. A
Caliditas erysipelatodes fit à fluxiõe exquisite biliosa. 1°. de dif. 3ª. 32. A
Caliditas, quam ab humidiorum potestate medicamentis editur, tardius accenditur, & durat diutius. 6°. de simp. med. fac. 5ª. 47. H
Caliditas, quæ sicca potestate medicamentis editur, celerrime accenditur & vndequaq; dispergitur. 6°. de simp. med. fac. 5ª. 47. H
Caliditatis magna permutatio facit morbos. com. 3°. aph. 1°. Ex. 19. H
Caliditate vincẽte q affectus fiãt. de palp. trem. cõuul. & rig. 3ª. 54. C
ex Caliditate ĩmodica fit a vini defectus. 1°. d arte cu. ad Gl. 7ª. 98. G
Caliditas quo mõ inesse possit in singulis ãalis ptibus. de diff. 3ª. 3. D
Caliditate ẽ fiãmati uteri febris aucta. cĩ 6ᵐ. de mor. uul. c. 1°. 5ª. 151. d
Caliditas præternaturalis in corde febris est. 1°. de diff. feb. 3ª. 31. D
Caliditas est essentia febris. in 6ᵐ. de mor. vul. com. 1°. 3ª. 158. F
Caliditatis febrilis differentiæ. in 6ᵐ. de mor. vul. com. 1°. 3ª. 158. F
Caliditatis differentiæ vnde sumantur. 1°. de diff. feb. 3ª. 31. D
CALIDITAS *ephemeræ suauis est. 1°. de diff. feb. 3ª. 33. H*
Caliditas febris ex sanguine, ẽ vt caliditas balnei. 2°. d dif. f. 3ª. 40. C
Caliditatis substantia fumosa est in febribus pituitosis. de vict. rat. in morb. acu. com. 4°. 7ª. 136. B
Caliditas febris refert multitudinẽ ad caput. c. 4°. aph. 31°. Ex. 30. H
Caliditatis innatæ ebulitio est passio à corde dependens. de vir. nostrũ corpus dispen. Sp. 60. D
Caliditas habet sanguinẽ materialẽ vnde accẽdit. de vti. ref. 1ª. 224. H
Caliditas sublemans materiam facit profluuium sanguinis, aut parotidas. com. 4°. aph. 74°. 3ª. 36. A
à Caliditate, & frigiditate fiunt vehementissimi dolores capitis. 2°. de comp. medic. sec. loc. 5ª. 131. H
Caliditas sola sine humore vitioso, quo modo desipientiam faciat. commentario. 6°. aph. 53°. Ex. 53. B
Caliditas quo modo faciat ad excitandam insaniam. in 6ᵐ. de mor. uul. commen. 3°. 3ª. 178. D
ex Caliditate carbonum, desipientiæ. in 1ᵐ. prorrh. com. 1°. 4ª. 164. B
ob Caliditatem immoderatam spiritus patitur. de vtil. resp. 1ª. 226. D
Caliditate abundante, & frigiditate quomodo respiratio se habet. 1°. de diff. resp. 3ª. 58. C
Caliditas acuta qd faciat in pulsu, & respiratiõe. 1°. de dif. re. 3ª. 58. B
ad Caliditatis multitudinem necessariò sequitur magna & frequens respiratio. de vtil. resp. 1ª. 225. F
Caliditatis & facultatis crescentis, pulsus. 1°. de cau. pul. 4ª. 89. A
Caliditas fumosa quam respirationem facit. 1°. de diff. resp. 3ª. 62. D
ob Caliditatem immoderatam qui suffocantur. de vtil. resp. 1ª. 226. E
Caliditate externa non egent arteriæ. de vtil. resp. 1ª. 226. A
Caliditas imminuta quid faciat in respiratione. 1°. de diff. resp. 1ª. 58. B
in Caliditatis genere quæcunque fuliginosa, fauillosa, ac fumosa recrementa sunt, omnia sunt terrea, & veluti semicocta cum innato calore. 1°. de diff. resp. 3ª. 62. D
Caliditas, et siccitas uẽtriculi, pportiõe rũdet febri. 7°. me. me. 7°. 47. C
Caliditati praue vẽtriculi iũcta siccitas qũo cureť. 7°. me. me. 7ª. 47. C
Caliditas nimia exiccat & consumit humorem, quo naturalis calor nutritur, humores nigrefacit, non aliter atq; sol fructus & hominum corpora. de mel. Sp. 109. F
Caliditas callum porumue contrahit, ac procreat, non incidit, neq; dividit. 5°. de simp. med. fac. 5ª. 35. E
Caliditas quo modo deprehendatur in thorace. 4°. de loc. aff. 4ª. 24. G
Caliditas præter naturam circa cor, & thoracem in æstuosis morbis. de vtil. resb. 1ª. 224. D
Caliditatem significat acrimonia. 9°. de simp. med. fac. 5ª. 66. C
Caliditatẽ qñq; significat atrũ, qñq; frigiditatẽ. quæst. in Hip. Sp. 113. E
Caliditatem flammeam hypochondriorum sudores per totum corpus exigui, qui non remouent, non boni. in 1ᵐ. prorrh. com. 1°. 4ª. 164. B
Caliditatis hora non est accipiendus cibus. de dissol. cont. Sp. 72. B
Caliditas intensè sicut etiam frigiditati, nihil magis prodest, quàm balneum aquæ calidæ. 1°. de vsu par. 1ª. 116. E
Caliditatẽ capitis affecti iunat balneũ. d uic. ra. ĩ mor. ac. c. 4°. 7ª. 140. C

Caliditatem tepidam generant aqua & oleum mixta. de rat. vic. in mor.acu.com. 4°. 7ª.140.D

ob Caliditatē intēta quo laxanī.de ijs quæ in med.ſi.cō. 3°.7ª.215.H

Caliditate multiplicatio cauenda eſt & ad frigiditatem potius debet medicus declinare.ſecretorum. Sp.97.B

Caliditatē ſi animalibus cohibueris atq; intercluſeris ita, vt nihil eū aere exteriori cōmunicet, ſtatim exitiū aſſeres.d cauſ.mor. 3ª.7.e

Caliditas in moriētibus extinguit.de pal.trem.cōuul. et rig. 5ª.54.F

Caliditatis extinctæ ſigna, qualia. 2°.*de diff.reſp.* 3ª.67.B

Caliditas, vide Calor.

CALIDVM, *& frigidum vocabula ſunt balneatorum, non medicorum ſecundum Empiricos.* 2°.*meth.med.* 7ª.12.B

Calidum quid ſignificet. 1°.*de temp.* 1ª.12.E,G

Calidum quot modis dicatur. 2°.*de ſimp.med.fac.* 17.B/3°. 5ª.18.D

Calidū eſt nomē à qualitate ſamptū, nō ab eſſentia. 1°.*de ſa.tu.* 2ª.62.E

per Calidum an pura qualitas, vel etiam corpus ſubiectū intelligaī. 1°.*de alimentis.* 1ª.6.A

Calidū accipitur pro qualitate, et corpore.com. 1°.*aph.* 14°. *Ex.*7.B

Calidū quod ē mediocriter, et quod ab hoc multū deficit, ad hæc quoq; et quidqd calidius eſt, calidū appellamus. 3°.*de ſim.me.f.* 5ª.19.D

Calida à nobis non nunquam dicuntur appellationis ab uſu poculū, & balneum cum temperata ſunt. 4°.*de ſimp.med.fac.* 5ª.24.E

Calidæ vel gelidæ minimo iniecto tpatū nō im̄utaī. 1°.*de ſ.t.* 7ª.64.b

Calidū, frigidū, humidū, et ſiccū Hipp. primū fuerexit. 1°.*me.me.* 7ª.3.e

Calidū, humidum, frigidum, & ſiccum, cauſas rerum ponit Hippocrates. 3°.*de mor.vul.com.* 1°. 3ª.129.C

pp Calidū, frigidū, humidū, et ſiccū unūquodq; ē tale. 1°.*me.m* 7ª.6.e

Calidū et trāquillū uocat lenē Hip.in 3ᵐ.*de mor.vulg.c.* 2°.3ª.141.e

Calido, frigido, hūido, ſicco alys velut aētibus, alijs velutl patiētibᵍ oīa quæ in corpore animalis ſunt gubernari ſenſerunt Hipp. Diocles, Praxag. Philiſt. Plat. Ariſt. Theop. 2°.*de nat.fa.* 1ª.299.G

de Calido, frigido, humido, ſicco, quomodo tractent medici, et philoſophi. 3°.*de ſimp.med.fac.* 5ª.17.E

Calidū eſſe aiunt aliqui medici omne quod viſcoſum eſt, alij quidquid adſtringit, nonnulli quidquid eſt dulce, quidam etiam quod auſterū acerbumue eſt, ſed errant. 1°.*de ſimp.med.fac.* 5ª.5.C

Calidum, & frigidum, tantùm ſunt elementa.de vtil.reſp. Sp.64.A

Calidum in elementis eſt ſincerū, reliqua verò omnia corpora in medio illorum collocata ſunt. 1°.*de temp.* 1ª.14.A

Calidum, qualitas effectrix.de cur.rat.per ſang.miſſ. 6ª.16.C

Calidum, & frigidum actiua ab aliquibus dicuntur. 1°.*de na.fa.* 191.C/2°.*de ſemine.* 1ª.339.A

Calidum, & frigidum cur dicantur actiua. 7°.*meth.med.* 7ª.44.C

Calidum maxime actiuum. 2°.*de nat.fac.* 1ª.297.H

Calidum efficaciſſimum inter qualitates. 2°.*de nat.fac.* 1ª.300.C

Calidū, frigidū, hūidū, ſiccū, agūt et patiuntur ſe. 2°.*de na.* 1ª.297.H

inter Calidū, et frigidū eſt tepidū, & tēperatū. 1°.*meth.med.* 7ª.7.C

Calidū eſt quod facile accendiī, qa proxime accedit ad flammæ naturam. 4°.*de vſu par.* 1ª.137.D/1°.*de ſimp.me.fac.* 5ª.3.H

Calida quædam ſunt quæ facile accenduntur, nos vero non facile calefaciunt. 1°.*de ſimp.med.fac.* 5ª.4.B

Calidius protinus ad nos non apparet ſimpliciter quod citius accenditur. 1°.*de ſimp.med.fac.* 5ª.4.H

Calidum energia, vel actu quo modo intelligatur. 3°.*de temp.* 1ª.21.e

Calidum actu eſt & quod ſimpliciter eſt calidum, et quod per exuperantiam, & quod ad ſui generis ſymmetrum comparatur, & quod ad quid vis obuium. 2°.*de ſimp.med.fac.* 5ª.15.D

Calida ſunt aliqua tactui.q̄ ſūt alioqui frigida. 3°.*de ſim.me.* 5ª.18.B

Calidum actu, tactu diſcerni poteſt. 2°.*de temp.* 16.H/ 1ª.17.C/F

Calidū ſm potētiā vocat quod re ipſa vere tale exiſtit, quale eſſe dicitur: ſm imaginationē aūt, quod ex prompto quidem ſenſu, tale eſſe imaginamur, cum tamen vere tale non ſit.ars med. If.69.D

Calidum poteſtate ratione inuenitur. 2°.*de temp.* 1ª.17.A

Calidum poteſtate vt ad hominem quid ſit. 3°.*de temp.* 1ª.25.D

Calida poteſtate vt ad nos medicamenta alteri animalium generi ſunt actu calida. 3°.*de ſimp.med.fac.* 5ª.22.H

Calidū facultate aliud ē eiuſmodi ut ad id qd̄ prīo et abſolute ē calidū aliud vero ut ad id qā p exuperātiā dicīt. 1°.*de ſimp.me.fa.* 5ª.4.H

Calidū poteſtate primū diſtinguīt cōtra id quod ex accidēti, deinde tot habet ſignificationū dīas, quot actu calidū. 2°.*de ſim.me.* 5ª.15.d

Calidum poteſtate non præpollet ſua natura frigido, tamen in propinquo eſt vt præpolleat. 3°.*de temp.* 1ª.22.B

Calida poteſtate, quæ. 3°.*de temp.* 1ª.21.H

Calidæ facultate ſunt omnia diſcuſſoria. 1°.*de cōp.me.ſe.lo.* 5ª.121.F

quæ Calida ſunt poteſtate partim alimenta ſunt, partim medicamenta, partim tegumenta. 2°.*de ſimp.med.fac.* 5ª.15.D

Calida ptāte, sūt alimēta, medicamēta, et tegumēta. 2°.*de ſim.* 5ª.15.D

Calida poteſtate maxime conſideranda, ſunt ne ex natura eorum quæ corpus nutrire poſſint. 3°.*de temp.* 1ª.23.C

Calidū ptāte breuē opē requirit vt mutetur in actū. 3°.*de tēp.* 1ª.22.b

Calida poteſtate, quæ celerrime calida actu ſiūt, et celerrime inflāmantur, & admota humano corpori calefaciunt. 3°.*de temp.* 1ª.21.G

à Calido eſſe atrum quo modo cognoſcatur. quaſi.in Hipp. Sp.113.E

Calidum in continuo motu eſt.de vtil.reſp. Sp.64.B

Calidum, & frigidum faciunt diuerſitatem motibus, & ſunt eorum principia. 14°.*de vſu par.* 1ª.206.C

Calida quo modo agant. 1°.*de comp.med.per gen.* 5ª.210.A

Calidū facile alterat, et in aliam ducit naturam. 4°.*de ſimp.* 5ª.28.A

Calidum alterat totum per totum. 1°.*de elem.* 1ª.7.H

Calidum prompte omnia ſubintrat.com. 5°.*aph.* 5°. *Ex.*37.G

Calidiora redduntur, quæ per vim trahuntur.de na.hu.cō. 5°.1ª.31.b

Calidum paratum eſt vt calidius fiat.de cau.mor. 3ª.7.A

Calidum ſemper exiccat. 6°.*de ſan.tuen.* 2ª.95.E

Calida vbi habent multa excrementa non calefaciunt niſi tēpore. 6°.*de ſimp.med.fac.* 5ª.48.F

Calidiſſimum et humidiſſimū corpus palàm eſt celerrime alterarū, id eſt tum concoctum proprium nutrimentum, tum ſibi ipſi aſſimilacum eſſe. 3°.*de ſym.cau.* 3ª.28.H

Calidum quo modo refrigerat.in 6ᵐ.*de mor.vulg.com.* 2°.3ª.161.F/2°.*de arte cur.ad Glau.* 7ª.103.E

Calida refrigerant quandoque per accidens.de conſt.ar. If.40.B

Calidum remiſſius ab intenſiui calido frigidius factum, collige. 3°.*de ſimp.med.fac.* 5ª.18.A

Calidorum haud pauca craſſæ eſſentiæ ſunt, nec pauciora frigidorum, tenuis. 1°.*de ſimp.med.fac.* 5ª.6.F

Calido craſſo quo comparetur frigidum tenue. 1°.*de ſimp.me.* 5ª.6.C

Calida parum ſi etiam humida ſint, id habent ex propria natura, cum calore tamen copioſo ſunt ſicca. 3°.*de temp.* 1ª.23.D

Calidi proprium eſt ſubiectam materiam ſundere, & liquare. 4°.*de ſimplic.med.fac.* 5ª.24.F

à Calido cur diſſoluitur adeps.de anat.viuo. Sp.44.G

Calidi eſt ſecundum quoſdam ſecare atque diuidere: frigidi contrahere, & refrigerare. 1°.*de ſimp.med.fac.* 5ª.5.H

Calida tenuiū partiū & amara incidere. 1°.*de ſimpl.me.fa.* 5ª.49.D

*Calido cōtinet aīa, inde eſt qua viuimus quod ſentimus.de dy.Sp.*19.d

ī Calido, et humido cōſiſtit vita, et ita in ſanguine.de an.vi.Sp. 50.F

Calidum delectat aliter quàm frigidum. 1°.*de ſym.cau.* 3ª.16.G

Calidum ad quæ conferat.com. 5°.*aph.* 22°. *Ex.*39.C

Calidum quibus partibus vtile ſit.com. 5°.*aph.* 18°. *Ex.*39.A

Calidū plurimū valet ad ſuccorū generationē. 2°.*de nat.fac.* 1ª.299.g

Calidum elementum quo modo ad ciborum mutationem in ventriculo conferat. 3°.*de ſymp.cau.* 3ª.25.A

Calidum perpetuò coctioni opitulatur, frigidum vero aduerſatur. 3°.*de victꝰ.rat.in mor.acu.com.* 3°. 7ª.130.A

à Calido quo fiat coctio.in 6ᵐ.*de mor.vul.com.* 4°. 3ª.186.C

Calidum à frigido in profundum corporis fugit.in 6ᵐ.*de mor.vulgar. commen.* 5°. 3ª.193.D

Calido ſupabūdāte, multo alimēto indigemus.cō. 1°.*aph.* 15°.*Ex.*8.?

Calidi inſolēs appetitus oſtendit futurā ęgritudinē.ars med. Ifa.67.F

in Calido, & ſicco retentiua vis fortior. 3°.*de ſym.cau.* 3ª.29.D

Calida exquiſite in longo proceſſu ætatis, ſortem habent retentiuæ virtutem.com. 2°.*aph.* 20°. *Ex.*14.F

Calidum rarefacit & aperit.in 6ᵐ.*de mor.vulg.com.* 2°. 3ª.160.F

Calidum ſuperabundans digerit humorem. 1°.*de temp.* 1ª.10.D/G

Calida et penitus tenuia magis digerūt, diſcutiūtq̄, humores ex corporibus quibus admouenī, quā alios ipſa apponār. 2°.*de ſim.* 5ª.15.g

Calida & ſicca ſunt quæ per halitū digerūt. 14°.*meth.med.* 7ª.89.A

Calida et ſicca diſcutiūt, quorū ſyluā ponit. 3°.*de cōp.me.ſ.l.* 5ª.147.f

Calidum, acre, & mordax quibus exhalet. 6°.*de ſan.tuen.* 2ª.96.A

Calida ſunt omnia euacuantia. 1°.*de compo.med.ſec.lo.* 5ª.121.H/*de victus rat.in mor.acu.com.* 4°. 7ª.135.C

Calidæ, & humidæ medicinæ eſt omnis detractio.de cathar. Sp.94.E

Calida omnia guſtu acria ſternutationē prouocant. 8°.*de ſim.* 5ª.61.E

à Calida prouocantur excretiones.ī 6ᵐ.*de mor.vul.c.* 5°.3ª.133.D

Calida, & humida, & vacuāt cōtenta ī partibus phlegmone affectis, & non exiccant partes, ſed potius humectāt. 3°. de temp. 1ª. 21. D
Calidum, frigidū, ſalſum, non dant vt aliquid aluum aut vrinam moueat, ex Diocle. 1°. de alim. fac. 2ª. 7. D
Calida, & humida pus mouent. 5°. de ſimp. med. fac. 5ª. 34. C
Calidum ſuppurat, & prohibet aliquando ſuppurationem. comm. 5°. aphoriſ. 22°. Ex. 39. B
Calidi eſt attrahere. 2°. de diff. ſeb. 3ª. 41. A
Calida valde & acria cū humiditate coniuncta ex alto violenter extrahere, et digerere q̄ extraxere, collige. 6°. d̄ ſim. me. fa. 5ª. 48 c
Calida trahunt venena. de ſectis. If. 16. G
Calida medicamenta et acria, tenuium q̄ partiū quæque facile ex alto ad ſeſe circumiacentē omnē humiditatē poſſunt attrahere, ad venenatarum beſtiarum morſus valent. 7°. de ſimp. med. fa. 5ª. 49. D
Caliā immodicū q̄d faciat, et quas paſſiones. c. 5°. aph. 16°. Ex. 38. G
Calidi natura eſt ſuperiora petere. com. 5°. aph. 28°. Ex. 40. C
Calida plus quàm ſicca capitis dolorē mouēt. 7°. de ſimp. me. 5ª. 56. B
Calidiſſima excitant dolorem. ars med. If. 70. G
Calidū mediocre & humidum non faciunt dolorem. ars med. If. 70. G
Calida & acria oculos non iuuant. 4°. de comp. med. ſec. loc. 5ª. 150 C
Calida medicamª vigilias, et motiōes uarias īducūt. 2°. d̄ l. af. 4ª. 14. a
Calida cauſa motum excitat, & vigilias. 2°. de lo. aff. 4ª. 14. B
Calidum mordax eſt. com. 5°. aph. 2°. Ex. 39. B
Calida cauſa etiam facit rigorē & horrorem. 4°. de ſan. tuen. 2ª. 82. G
ex Calido, & frigido fiunt horror, & rigor. 4°. de ſan. tuen. 2ª. 86. A
Calida lac alterant ad fumoſum. com. 5°. aph. 64°. Ex. 44. E
Calido aſſatur, & torretur ſemen. com. 5°. aph. 63°. Ex. 44. D
Calidum ſi ampliter exuperat, morbus eſt. 1°. de temp. 1ª. 11. B
Calidum multum exuperans, mors. 1°. de temp. 1ª. 11. B
Calidus natura omnis aer ſecundùm Ariſtotelem, ſecundum Stoicos frigidus. de ſimp. 5ª. 14. B, C
Calidus actu aer. 2°. de ſimp. med. fac. 5ª. 15. G
Calidior nobis quandoque aer. 2°. de ſimp. med. fac. 5ª. 15. F
CALIDI *ob ætatē adoleſcentes. in 1ᵐ. de mor. vulg. cō. 1°. 3ª. 105. A*
Calidior quo modo eſt puer iuuene, et è contrario. in 6ᵐ. de morb. vul. com. 1°. 144. H/in 6ᵐ. com. 3°. 3ª. 173. B
Calidum in ætatibus tactu iudicatur. 2°. de temp. 1ª. 16. H
Calidiſſimę ætates, quæ. 1°. de mor. vulg. com. 2°. 3ª. 115. E
Calidiores ætates, regiōes, nāg, anni tpa, sūt bilioſa. 2°. de na. 1ª. 300. d
Calidius iuſto corpus, et tēperatum in paſſuis qualitatibus in vigore ætatis ſit ſiccum. 6°. de ſan. tuen. 2ª. 96. E
CALIDO, *frigido, humido, ſicco conſtant animalium corpora, non tamen æqualiter. 1°. de temp. 1ª. 10. B*
Calida, & frigida quo modo dicantur animalia & inanimata. de vic. ra. in morb. acut. com. 1°. 7ª. 113. E
Calidus et hūidꝰ aīal ad quorū cōparationē ſit dictū. 1°. de tē. 1ª. 12. E
Calidum corpus multis modis. 3°. de temp. 1ª. 25. C
Calidiora animalia ſunt ſanguine prædita. 2°. de nat. fac. 1ª. 300. C
Calidum nullum animal exangue eſt. de fœt. for. 1ª. 323. F
Calidæ & ſiccæ naturæ ſunt animalia, quæ pectinatim inſerunt iunguntq̄ dentes. de atra bile. 1ª. 36. A
Calidiora animalia, & magis terrena ſuibus ſunt boues & oues. 4°. de ſimpl. med. fac. 5ª. 25. E
Calidiſſima animalia, quæ. 8°. de vſu par. 1ª. 165. D
Calidior eſt mas fœmina. com. 5°. aph. 42. 41. E/aph. 48°. Ex. 41. H
Calidiores sūt partes anteriores poſterioribus. c. 5°. ap. 69°. Ex. 45. D
Calida ſuperiora, & frigida inferiora habent, lienem decliuem habentes. in 6ᵐ. de mor. vul. com. 2°. 3ª. 167. H
Calidior ne ſit ſiniſtra, an dextra, & quomodo. ī 6ᵐ. de mor. 3ª. 169. c
Calidiorē eē dextrā pbat̄ p diſſectiōes. ī 6ᵐ. de mor. vul. c. 2°. 3ª. 169. f
Calidior eſt pars dextera vteri ꝓpter hepar. cō. 5°. aph. 48°. Ex. 41. H
Calidiꝰ ē, & fortius ſperma viri ſpermate mulebri. de ſper. Sp. 36. B
Calida humiditas cur ſit in carne. 1°. de vſu par. 1ª. 116. D
Calidior pars ſtomachi, quæ. de anat. viuo. Sp. 50. A
Calide, et ſiccę cōplionis ē cor fm Galenū. de ana. viu. 56. B/E/Sp. 58. g
Calidiꝰ eſt cor oībus mēbris corpis. d̄ cōpag. mēb. ſiue de nat. Sp. 58. G
Calidiſſimꝰ locus ī corpore eſt diaphragma. 14°. de vſu par. 1ª. 208. g
Calidi admodū ſumꝰ virtute ꝓueniēte à corde. de vir. noſ. cor. Sp. 60. b
Calidum cor habent licet paruum ſerpens, thirus, muſtella, et propterea ſunt animalia audacia. de ana. viuo. Sp. 53. A
Calidū pluriműq̄ hēnt in corde sūt vocaliſſimi. ī 6ᵐ. de mor. 3ª. 185. H
Calida, et fortia aīalia hūt affatim lienē nigrū. 6°. de ana. adm. 1ª. 92. g
Calidorū et ſiccorū aīaliū lien niger, et vix pōt comedi. de atr. 1ª. 36. a
Calidam & ſiccam complexionem cur habeat pulmo ſecundum aliquos. de anat. viuo. Sp. 52. H
Calidꝰ cū ſit pulmo et ſpōgioſus vim hēt attractiuā. de vtil. Sp. 64. D
Calido & ſicco ſanguine nutritur pulmo. de anat. viuo. Sp. 52. H
CALIDÆ *aquę hyeme, frigidę eſtate optīę sūt. de bo. 75. H/Sp. 76. a*
Calidiſſimi cur sīt hyeme ꝓfundi fōtes, eſtate frigidiſſimi. d̄ bo. Sp. 75. b
Calidæ aquæ æſtate, hyeme frigidæ, malæ ſunt. de bon. aquæ. Sp. 75. D
Calida magis erit aqua flante auſtro, quàm ſi flauerit boreas, ſed minus dulcis. de bon. aq. Sp. 75. G
Calida bibenda eſt aqua cocta ob prauitatem. de bon. aq. Sp. 76. B
Calidas aquas ſtagnātes qui populi bibāt. de aere, aq. & loc. 2ª. 4. H
Calida potio, et n̄ frigida cur poſt exercitationē dāda. de ſal. di. 2ª. 41. c
Calidæ potiones quæ ſint. de dynami. Sp. 32. F
Calida aquæ quomodo ferenda. 3°. de ſimp. med. fac. 5ª. 22. G
Calidarum aquarū potus ſomnum conciliat. 2°. de loc. affec. 5ª. 14. A
in Calida aqua ſit manus illius qui phlebotomatur, ne cito ſanguis reſtringatur. de anat. viuo. Sp. 54. H
Calidæ aquæ ſponte naſcentes, quæ mala gignant, quibus, & cur. 6°. de ſanit. tuen. 2ª. 98. G
CALIDA *balnea ex aqua potabili refrigerant potentia. 1°. de arte cur. ad Glauconem. 7ª. 97. B*
Calidæ aquæ balneum facit ad ſudores. de cura icteri. Sp. 111. C
Calidæ lotio vires diſſoluit. de ren. affect. digno. & medela. 7ª. 196. D
poſt Calidæ perfuſionem frigida affundebatur in furfuratione curanda. 1°. de comp. med. ſec. 1ª. 128. E
Calida lotus non ſtet multum aere in furfuratione curanda. 1°. de cōpoſitione medic. ſec. loc. 5ª. 128. E
in CALIDARIIS *manet calor igne extincto. de vſu pul. 1ª. 228. B*
CALIDI, *& acres cibi, qui. de cau. morb. 3ª. 6. G*
Calidi cibi quibus conueniunt. de diſſol. cont. Sp. 74. C
Calidis & attenuātibus corrigūtur cibi flatulenti. 1°. de ali. 2ª. 14. A
inter Calida malitiā habentia rapas numerat. de diſſol. con. Sp. 74. C
Calida, & ſicca cibaria prætermittamus quando caput eſt calidū ſuſcipiens vapores. de diſſol. cont. Sp. 71. F
Calidæ carnes, & ægre coctiles. in 6ᵐ. de mor. vulg. com. 4°. 3ª. 180. c
CALIDVM *aut frigidum excrementum vel expellendum eſt, vel certe alterandum. 4°. de ſan. tuen. 2ª. 82. H*
CALIDA *fomenta quæ ſint, & quot eorum genera. de victus ratione in morb. acutis, com. 2°. 7ª. 116. C*
Calida fomenta trahunt foras humores. 4°. de ſan. tuen. 2ª. 86. A
Calida fomenta cur obſint frigidis & ſiccis. 7°. meth. med. 7ª. 47. B
Calida pars plus trahit, q̄ euaporet p fomenta, in pleuritide vbi adeſt humorum redundantia. de vict. rat. in mor. acu. com. 2°. 7ª. 116. C
ex CALIDIS *medicamentis liquidis fricti o. de ijs quæ in medicatrina fiunt. commen. 3°. 7ª. 220. C*
CALIDI *humores à qbus cauſis fiant. de cur. rat. p ſan. miſ. 6ª. 16. g*
Calidum in ſanguine præpolleat frigido, & humidum ſicco. 1°. de ſan. tuen. 2ª. 62. E
Calidus minus, & humidus, & humano ſimilis temperiei eſt ſanguis ſuum. 10°. de ſimp. med. fac. 5ª. 72. F
Calidiorem ſanguinem temperato generat caro pullorum, columbarum, & paruarum auium. de diſſol. cont. Sp. 73. A
Calidus & ſiccus humor bilis pallida æſtate gignitur. in 1ᵐ. de morb. vul. commen. 1°. 3ª. 104. C
Calidiſſimus humor flaua bilis, æſtate abundat, hora calidiſſima. in 1ᵐ. de morb. vulg. com. 2°. 3ª. 100. H
Calidior, & ſiccior eſt bilis omni humore (dubitandum de atra bile quæ eſt ſiccior) 1°. de arte cur. ad Glau. 7ª. 97. B
Calidus, & ſiccus quicunque fuerit humor idem cum bile genus ſubibit. de cauſ. morb. 3ª. 8. C
Calidi humores quomodo cognoſcantur. de reme. par. facil. 7ª. 160. C
Calidi humores qūo in doloribus cognoſcantur. 3°. de loc. aff. 4ª. 20. F
Calida humorū materia decūbit ſurſū. ī 1ᵐ. de mor. vul. cō. 1°. 3ª. 105. a
Calidi ſucci, & mordaces efficiunt vigilias. 4°. de ſan. tuen. 2ª. 84. E
Calidos & mordaces humores ſequuntur vigiliæ & deliria. in 3ᵐ. de morbis vulg. com. 1°. 3ª. 131. A
Calidus humor facit tubercula alta, & acuta. cō. 6°. aph. 9°. Ex. 47. c
ad Calidum humorem in tunicis ventriculi contentum ſequitur nauſea. 1°. de loc. affect. 4ª. 5. E
Calidos humores habentes neque acre neque vetuſtum bibant vinum. de bonitate, & vitio ſuc. 2ª. 38. D

Calidi tenues

Calidi tenues humores sunt paratissimi ad excretionem. in prognostica commen. 3°. 4ª.209.F
Calidi humores per excretionẽ euacuantur. in progno. cõ. 3°. 4ª.210.e
CALIDVM *innatum vnde dictum. aduersus Lycum.* Ex.65.C
Calidum innatum est natura & anima. de palp. trem. conuul. 3ª.54.B
Calidũ innatũ nobis ex semine, et sãguine mẽstruo. adu. Lycũ. Ex. 61.b
Calidum innatum, quod est sanguis, & semen, fit minus, quo magis crescit fœtus. aduersus Lycum. Ex.65.B
Calido innato senescere corpa ac tãdẽ corrũpi verũ ẽ. de mar. 3ª.46.B
Calidi naturalis affectus rigor. de palp. trem. conuul. & rig. 3ª.54.A
Calm insitũ quia digeriẽ, tãtũ dẽ caloris addẽdũ ẽ. ad Thra. 2ª.104.E
CALIDA, *& humida loca in primo gradu Mercurio subiecta sunt. de spermate.* Sp.40.C
Calida loca in secundo gradu, humida in primo, sunt sub ditione Martis. de spermate. Sp.40.C
Calida est Lybia. in prog. com. 3°. 4ª.212.H
in Calidis regionibus vina crassa, odora, & fortia gignuntur. de vict. rat. in mor. acu. com. 3°. 7ª.127.B
in Calida admodum regione non est secanda vena etiam in febre acuta. de sectis. Isa.16.E
Calida si sint loca & tempus consentiat. sanguis non est mittendus. 1°. de arte cur. ad Glau. 7ª.98.C
in Calidis vel frigidis supra modum locis sanguis non est mittendus. 1°. de art. cur. ad Glauc. 7ª.98.C
ĩ Calidis locis dintius mansitia in putredinẽ labuntur. de bo. 2ª.34.F
Calida loca promptissime putrefaciunt res calidas humidasq;, nisi differentur. 1°. de diff. feb. 3ª.31.H
Calida cum putrescunt, pars in qua putrescunt, fit calidior. de curan. rat. per sang. miss. 6ª.16.H
Calidis et siccis locis tertianæ febres maxime fiũt. 2°. de diff. 3ª.36.D
CALIDVM *medicamentũ quod dicat. 4°. de cõp. me. p gen.* 5ª.240.F
Calida, humidaq;, medicamẽta quo dicant. 5°. de simp. me. fa. 5ª.33.B
Calidũ an sit medicamẽtũ quo mó probet. 3°. de cõ. med. fa. 5ª.230.D
Calidi iudiciũ vũ sumat. 3°. de tẽp. 1ª.24.F/6°. de sim. me. fa. 5ª.45.f
Calidum non est quidquid est rubrum. 1°. de simp. me. fac. 5ª.2.E
Calida & frigida nõ quærit Galenus, in libris de simp. me. fac. sed calefacientia, & refrigerantia. 2°. de sim. me. fac. 5ª.10.D
Calidũ ꝙrim° nõ simpliciter, sed ad hũcm cõparatũ. 3°. de sim. 5ª.17.g
Calidum quo ad nos quid. 3°. de temp. 1ª.25.D
Calida sunt quæ admota corporibus nostris primario ac per se excalfaciunt. 1°. de simp. me. fac. 5ª.2.E
Calidum primi ordinis est quod nos calefacit, non tamen euidenter. 5°. de simp. med. fac. 5ª.39.B
Calida & frigida in primo ordine vocat Galenus quæ paululum à media temperie ad calidiorem declinant. 2°. de simp. me. fac. 5ª.16.F
Calida secundi ordinis dicuntur quæ nos manifeste calfaciunt. 5°. de simpl. med. fac. 5°.39.B
Calida tertij ordinis dicuntur, quæ vehementer calefaciunt, nõ tamen summe. 5°. de simp. med. fac. 5ª.39.B
Calida et sicca ĩ tertio ordine sũt substãtiæ tenuis. 8°. de simp. 5ª.58.a
Calida quarti ordinis dicunt, quæ adeo excalfacere possunt, vt eschara moliantur, & vrant. 5°. de sim. med. fac. 5ª.39.B
Calida in quarto ordine quæ sunt tenuium partium carnem mollẽ putrefacere sine dolore, collige. 7°. de simp. med. fac. 5ª.50.D
Calida in quarto ordine vrunt. 3°. de comp. med. per gen. 5ª.230.H
Calida subtiliũ partiũ qũq; omnino non mordicant, sed calfaciũt duntaxat, qũq; mordicãt, & tñ nõ vrunt. 4°. de simp. me. fa. 5ª.24.F
Calida crassarum partium, quoniã plus viscerant, iccirco violẽtius affligunt. 3°. de simp. med. fac. 5ª.24.F
Caliditas medicamentorum procedit ad vsionem vsq; vbi in crassa consistit essentia. 4°. de simp. med. fac. 5ª.24.G
quæ Calida vlcus faciunt. 6°. de comp. med. per ge. 5ª.256.C
Calidissima medicamenta aliqua numerant. 10°. de cõp. me. 5ª.297.C
Calida cum subtili substantia. 2°. de arte cur. ad Glau. 7ª.104.G
Calidorum ordo pro alopecia. 1°. de comp. med. sec. loc. 5ª.122.D
Calidum parum, frigidum plurimum, & tenuium partium est acetũ. 1°. de compo. med. sec. loc. 5ª.128.H
Calidum acetũ esse, quo probetur argumento. 5°. de sim. me. fa. 5ª.5.H
Calidus quo modo probatur esse Adeps. 3°. de simp. med. fac. 5ª.17.G
Calidior suillo adipe est bubulus adeps. 1°. de cõp. me. p ge. 5ª.216.G
Calidior, et siccior ẽ anseris pĩguedo, q̃ suũ. 4°. d̃ sim. 25.E/11°. 5ª.79.A
Calidum et siccũ in quarto ordine Allium. 8°. de sim. me. fa. 5ª.61.A
Calidæ, & frigidæ temperantiæ, & condensatoriæ, et extenuatoriæ est Aloe. de cathar. Sp.94.E
Calidum in primo ordine est Anethum. 3°. de simp. me. fac. 5ª.19.G
Calidum est Apium. 8°. de simp. me. fac. 5ª.60.H
Calida, & acria vrinã cientia sunt semen Apij, petroselini, fœniculi, dauci, angoselini, smyrnij, seseli, amni, phu. meum, asaron, & acoron. 5°. de simp. med. fac. 5ª.35.D
Calida, sicca, et acria sunt, vrinã mouentia. de ren. asse. dig. 7ª.196.E
Calidus & subtilissimus omnium terrestrium est Asiæ petræ flos. 3°. de compo. med. per gen. 5ª.228.E
Calidum & siccum in secundo ordine est bitumen in mari mortuo. 11°. de simp. med. fac. 5ª.83.F
Calida & sicca est in tertio Chamædrys. 8°. de simp. me. fac. 5ª.63.E
Calidus, & humidus est Canis testiculus. 8°. de simp. me. fac. 5ª.57.F
Calidum, et siccum tertio ordine est Cerdamine. i. Sisymbrium siccũ, viride in secundo. 8°. de simp. med. fac. 5ª.60.G
Calida in quarto ordine est Cepa. 7°. de simp. med. fac. 5ª.53.D
Calida est in secundo ordine & sicca in tertio Chamæleontis radix. 8°. de simpl. med. fac. 5ª.63.E
Calida est in tertio ordine & sicca in primo Chamæleuce. 8°. de simpl. medicamen. facul. 5ª.63.F
Calida ĩ secũdo ordĩe et sicca ĩ tertio ẽ Chamæpytis. 8°. d̃ sim. 5ª.63.g
Calidũ et siccũ ĩ tertio ordine ẽ Chelidoniũ maius. 8°. de sim. 5ª.63.G
Calidũ ẽ in quarto ordine Chelidoniũ minus. 8°. de sim. me. fa. 5ª.63.g
Calida, & sicca in tertio ordine est Colocynthis. de cathar. Sp.94.E
Calidũ et siccũ est Crocodilij semẽ, acre, odoratũ. 7°. de simp. 5ª.53.C
Calidus in secũdo ordine siccus ĩ primo ẽ Crocus. 7°. de simp. 5ª.53.C
Calidum in tertio ordine est Cyminum. 7°. de simp. med. fac. 5ª.53.F
Calida, & sicca est Cyperi radix. 7°. de simp. med. fac. 5ª.53.H
Calidus et tenuis est Cyrenaicus succus. 8°. de simp. me. fac. 5ª.57.D
Calidę et tenuissimę substãrię ẽ Cyrenaicus succus. 3°. d̃ cõp. 5ª.228.E
Calidum est in secundo ordine Elaterium. 8°. de simp. med. fa. 5ª.60.C
Calida & sicca sunt Epithymum, & Elleborus, & atram bilem educunt. de catharticis. Sp.94.E
Calida, & tenui natura consistit Epithymum, & Elleborus, & frigidam, & terrestrem habent substantiam. de cathar. Sp.94.F
Calidũ in primo ordine siccũ in secũdo est Eruum. 8°. de simp. 5ª.57.C
Calidus, et tenuiũ partiũ ẽ Euphorbij liquor. 3°. de cõp. med. 5ª.228.E
Calidissimũ ex ijs quæ valent alopecys est Euphorbium. 1°. de cõpos. medica. sec. loc. 5ª.122.D
Calidũ in tertio ordine est Fœniculũ, siccũ ĩ primo. 7°. de simp. 5ª.55.b
Calidum in secundo ordine, siccum in primo est fœnum græcum. 8°. de simpl. medic. fac. 5ª.62.D
Calida valde est Ficus arbor. 8°. de simp. med. fac. 5ª.60.F
Calidæ in primo ordine cõpletè sunt Ficus aridæ. 8°. de simp. 5ª.61.E
Calidũ in tertio ordine, et siccũ ĩ secũdo Galbanũ. 8°. de simp. 5ª.63.E
Calidum & siccum multum est Garum. 11°. de simp. med. fa. 5ª.83.G
Calidum est et siccũ ĩ tertio ordine Hypericon. 8°. de simp. me. 5ª.63.a
Calidum & siccum in tertio Hyssopum. 8°. de simp. med. fac. 5ª.63.B
Calidissima sunt Lauri folia. 2°. de comp. me. sec. loc. 5ª.136.F
Calidum in quarto ordine est Lepidium. 7°. de simp. med. fa. 5ª.54.B
Calida et sicca ĩ tertio ordine ẽ Leucas. 7°. de simp. med. fac. 5ª.54.B
Calidum est Libysticum. 7°. de simp. med. fac. 5ª.54.F
Calidum in primo ordine & temperatum in passiuis qualitatibus est Lini semen. 7°. de simp. me. fac. 5ª.54.F
Calidi & tenuium partium Liquores. 8°. de simpli. me. fa. 60.A/5ª. de compo. me. per gen. 5ª.228.E
Calida est virtus Lupinorum. de simp. me. Sp.86.C
Calida, & sicca in secundo ordine Lychnis coronaria. 7°. de simpliciũ medicamen. fac. 5ª.54.G
Calida, & sicca in tertio ordine est Maiorana. 8°. de sim. me. 5ª.60.A
Calida, & sicca est Mastiche. 7°. de simp. me. fac. 5ª.55.C
Calida est, & humida Medulla. de anat. viuo. Sp.44.E
Calidũ et siccũ in secundo ordine est Mel. 7°. de simp. me. fac. 5ª.55.D
Calida magis, quàm frigida Melilotus. 7°. de simp. me. fac. 5ª.55.D
Calida tenuium partium, & parum adstringentia Metalla, quæ. 3°. de composi. me. per gen. 5ª.228.E
Calidum in tertio siccum in secũdo Meum. 7°. de simp. me. fa. 5ª.56.B
Calida est Milax lævis. 7°. de simp. me. facul. 5ª.56.B
Calida est Milax aspera. 7°. de sim. me. fac. 5ª.56.B
Calidum tertio ordine est Moly. 7°. de simp. med. fac. 5ª.56.F
Calida et sicca ĩ secũdo ordine est Myrrha. 8°. de sim. me. fa. 5ª.61.A

Calida in ſecundo ordine Myrrhis.7°.de ſimp.med.fac. 5ª.56.E
Calidũ et ſiccũ in quarto ordine eſt Napy.8°.de ſimp.me.fa. 5ª.56.H
Calidior aliis eſt Nardus gallica.8°.de ſim.med.fac. 5ª.56.H
Calida & ſicca eſt in tertio ordine Nigella.7°.de ſimp.med. 5ª.55.C
Calidum eſt in ſecundo ordine Ocimum, & humiditatem habet recrementitiam.8°.de ſimp.med.fac. 5ª.64.H
Calida in tertio ordine eſt Ononis.8°.de ſimp.med.fac. 5ª.57.D
Calidum eſt Opobalſamum.7°.meth.med. 7ª.47.A
Calidum in tertio ordine, ſiccum in ſecundo eſt Opoponax.8°.de ſimp. medic.fac. 5ª.57.H
Calidus eſt, ſiccus, extenuãs, & incidẽs Origanus.8°.de ſimp. 5ª.57.E
Calidi & tenuium partium ſunt liquor Panacis, & liquor tithymallorum.3°.de comp.med.per gen. 5ª.228.E
Calidum in primo ordine ſiccum in tertio eſt Pentaphyllũ.8°.de ſimpli.med.fac. 5ª.58.A
Calidũ et ſiccũ ĩ tertio ordine eſt Petroſelinũ.8°.de ſimp.me. 5ª.58.D
Calida et ſicca ĩ tertio ordine eſt Pe cedari radix.8°.de ſim. 5ª.58.d
Calida, & tenuis eſt Phaleris.8°.de ſimp.med.fac. 5ª.63.B
Calidum eſt facultate album Piper, granum cnidium, cnicus, calx, & veratrum album.1°.de ſimp.med.fac. 5ª.2.E
Calidum facultate eſſe Piper, & facile poſſe incaleſcere, idem eſt.1°. de ſimp.med.fac. 5ª.4.D
Calidi medicamenti vt piperis multa aſſumptio, deinde ſuper id calidã potionem bibere quid efficiat.3°.de ſymp.cau. 3ª.25.F
Calida & ſicca in ſecundo ordine eſt Pix ſicca.8°.de ſimp.me. 5ª.58.e
Calidũ ĩ ſecũdo ordine ſiccũ ĩ tertio ẽ Poliũ minus.8°.de ſim. 5ª.59.a
Calidũ et ſiccũ in ſecũdo ordine eſt Polycnemõ.8°.de ſim.me. 5ª.59.a
Calidũ et humidũ eſt Polygalum, & lac generat.8°.de ſimp. 5ª.58.H
Calida eſt in ſecundo ordine Propolis.8°.de ſimp.med.fac. 5ª.59.B
Calida, & ſicca in ſecundo ordine eſt Ptarmice viridis, in tertio, ſiccata.8°.de ſimp.med.fac. 5ª.59.C
Calidꝰ ĩ tertio ordine, ſiccus ĩ ſecũdo ẽ Raphanus.8°.de ſimp. 5ª.59.E
Calidæ & ſiccæ ſunt Reſinæ.8°.de ſimp.med.fac. 5ª.59.F
Calida in ſecundo radix Rhodia.8°.de ſimp.med.fac. 5ª.59.G
Calida & ſicca in quarto Ruta agreſtis.8°.de ſimp.med.fac. 5ª.58.D
Calidũ tenuiũ partiũ Sagapenum.3°.de cõp.med.per gen. 5ª.228.E
Calida & ſicca in primo gradu eſt Scammonia.de catbar. Sp.94.E
Calida et ſicca in ſecundo ordine Scandix.8°.de ſimp.me.fac. 5ª.60.G
Calida in ſecundo ordine eſt Scilla, & multum ſcindens.8°.de ſimpl. medicamen.fac. 5ª.60.H
Calidus, & ſiccus in ſecundo ordine eſt Scolimus.8°.de ſimp.medica. facul. 5ª.60.H
Calida in tertio, & ſicca in ſecundo ordine eſt Scorpioides.8°.de ſimp. medic.fac. 5ª.61.A
Calidũ in ſecũdo ordine ſiccũ ĩ tertio eſt Scriphũ.8°.de ſimp. 5ª.60.C
Calidum in ſecundo ordine eſt Siſaron.8°.de ſimp.med.fac. 5ª.60.F
Calidũ, et ſiccũ in tertio ordine eſt Smyrniũ.8°.de ſimp.me.f. 5ª.61.B
Calida ĩ primo ordine ſicca ĩ ſecũdo eſt ſpica nardi.8°.de ſimp. 5ª.56.C
Calida in tertio ordine eſt Stachys.8°.de ſimp.med.fac. 5ª.61.C
Calidũ & ſiccũ in quarto ordine eſt Struthium.8°.de ſimp. 5ª.61.D
Calidũ et ſiccũ eſt in ſecũdo ordine Telephiũ.8°.de ſimp.me. 5ª.62.C
Calida in ſecũdo ordine et ſicca eſt Terebinthus.8°.de ſimp. 5ª.62.A
Calidũ in ſecũdo ordine ſiccũ in tertio ẽ Teucriũ.8°.de ſimp. 5ª.62.H
Calidum eſt mediocriter Thus.4°.de comp.med.ſec.loc. 5ª.151.C
Calidũ in ſecũdo ordine ẽ Thus, ſiccũ in primo.7°.de ſim.me. 5ª.54.D
Calidus ſiccus ĩ tertio ordine ẽ Thuris ramus.7°.de ſim.me. 5ª.54.E
Calidi sũt ĩ quarto ordine Tithymalli, et aduretes.8°.de ſimp. 5ª.62.D
Calidum in tertio ordine eſt Tragion.8°.de ſimp.me.fac. 5ª.62.E
Calidũ, et humidũ tẽperatura ẽ Triphyllũ.i.Satyriũ.8°.d ſim. 5ª.60.B
Calidũ, et ſiccũ ẽ Triphyllũ, ut bitumẽ, ĩ tertio ordie.8°.d ſim. 5ª.62.f
Calidum eſt in tertio ordine Tripolium.8°.de ſimp.me.fac. 5ª.62.F
Calidum in primo ordine, temperatũ in actiuis qualitatibus eſt Triticum.8°.de ſimp.me.fac. 5ª.59.D
Calida parũ, et tenuiũ partiũ ſemĩa fumẽtaria q̃ ſint.3°.d c. 5ª.228.f
Calidæ fruges quo modo cognoſcantur eſſe.1°.de alim.fac. 2ª.13.A
Calida in tertio ordine, et ſicca ĩ pº eſt Rododaphne.8°.de ſim. 5ª.59.g
Calida Venena, quæ.q animi mores corp.temp.ſeq. 1ª.318.B
Calidum eſt Vinum omne.de ſimp.med. Sp.92.B
Calidum vinũ eſt quod aquã ducit.in 1ᵐ.de mor.vul.cõ.2°. 3ª.108.F
Calidum & ſiccũ in primo ordine eſt muſtum.8°.de ſimp.me. 5ª.57.B
Calidum eſt in ſecundo ordine vinum.8°.de ſimp.med.fac. 5ª.57.B
Calidum eſt in tertio ordine vinũ vetus.8°.de ſimp.med.fac. 5ª.57.B
Calidum eſt vinum antiquum.2°.de loc.affec. 4ª.14.A
Calida ſunt natura vina vetuſta.1°.de arte cur.ad Glauc. 7ª.97.G
Calidiora & tenuiora omnia fiunt vetuſtate quæ non putreſcere anticipent.11°.de ſimp.med.fac. 5ª.79.C
Calidum vinum antiquum, ſubtile, clarum, citrinum, eſt cibus acutus, incidens, aperiens.de diſſol.cont. Sp.72.F
Calidum vinum dulce, eſt cibus calidus.de diſſol.cont. Sp.74.C
Calidum eſt vinum auſterum.6°.meth.me. 7ª.93.D
Calidũ minus eſt vinũ nigrũ ponticum vino albo.de diſſ.cõt. Sp.74.D
Calidũ vinũ ĩcidit phlegma, et mũdificat ſtomachũ.de diſ.cõt.Sp.74.e
Calidum vinum quibus dandum.5°.de ſan.tuen. 2ª.94.F
Calidiore natura vinũ modicũ frigidis, et humidis corporibus humido & frigido exiſtente aere dandũ.in 1ᵐ.de mor.vul.cõ.2°.3ª.108.F
Calidiora vina ſunt commodiora ſeni.5°.de ſan.tuen. 2ª.91.A
Calidiſſimũ vinũ frigidiſſimis intẽperãtijs dãdũ ẽ.5°.de ſa.tu.2ª.94.G
Calidiora reddũtur, & capita, & corpora vniuerſa ob nimiam potationem.com.7°.aph.7°. Ex.54.D
Calida ſunt comptoria vnguenta (aliàs comagenũ vnguentum) 2°.de compoſi.me.ſec.loc. 5ª.132.H
Calida sũt vnguẽtũ foliatũ et ſpicatũ.2°.de cõp.me.ſec.loc. 5ª.133.A
cur Calidis multis medicamentis frigidũ vnum miſtum ſit, aut refrigerantibus quod calfaciat.1°.de ſimp.me fac. 5ª.6.H
Calida cur ponant cũ opio et ſtupefaciẽtibus.8°. d cõp.med. 5ª.190.A
CALIDI *morbi ſeptuplex cauſa.de oculis.* 7ª.185.F
Calidum eſt pathema ſeu paſſio tactus.3°.de ſymp.diffe. 3ª.10.D
Calidæ intemperiei cauſæ.de cauſ.mor. 3ª.6.D
Calidiores affectus faciunt multi motus.1°.de ſan.tuen. 2ª.65.F
Calidi morbi in regionibus calidis facilius generant ur, & ſunt minus periculoſi.com.3°.aph.3°. Ex.20.B
in Calidos morbos facile ĩcurrũt calidiores natura.5°.d ſa.t.2ª.93.C
Calidiora membra per naturam facile patiũtur à cauſis calidioribus. de natu.hum.com.2°. 7ª.182.H
Calidæ particulæ calidis, frigidæ frigidis morbis facile corripiuntur. 1°.de comp.me.ſec.loc. 5ª.126.H
Calidæ partes vel frigidæ fiunt vel per intemperiem ſolũ, vel per humores.de curan.rat.per ſang.miſſ. 6ª.16.G
ad Calidius corpora quædã verſa vãr in ingẽtibus exuſtionibus extra aut mãlũ ſuccũ, aut pectoris uiſcerisue ĩflamationẽ.2°.d ſim. 5ª.14.b
ad Calidum, & frigidum inordinata & repentina permutatio, quos faciat morbos.com.3°.aph.22°. Ex.24.F
Calidi morbi à bile.2°.de nat.fac. 1ª.300.D
Calidæ paſſiones ſunt phlegmone, phygethla, eryſipelata, carbunculi. 1°.de ſimpli.med.fac. 5ª.5.H
Calidus affectus eſt inflammatio.2°.de loc.aff. 4ª.13.B
Calida moderate tubercula pruritum ſolũm excitant.in 6ᵐ.de morb. vulg.com.2°. 3ª.165.G
Calida vehementer tubercula mordent & contriſtant.in 6ᵐ.de morb. vulgarib.commen.2°. 3ª.165.G
Calida quæ per cutis denſitatem ſua craſſitudine traduci non poſſunt, ſed intus detinentur, carbones gignunt, minus verò talia faciunt cancros.de atra bile. 1ª.35.C
Calidi dolores noui.in 6ᵐ.de mor.vul.com.1°. 3ª.156.E
Calida, et frigida intẽperies dolorẽ facit.in 1ᵐ.de mor.vul. 3ª 104.H
ad Calidæ cauſæ icteritiam.ſecretorum. Sp.101.C
Calidi, et bilioſi morbi q̃ ſymptomata faciant.3°.de loc.aff. 4ª.16.F
Calidi morbi quo ppinquas partes primo calefaciãt.3°.d cau. 3ª.6.F
Calidæ affectiones cito ad vigorẽ veniũt.ĩ 1ᵐ.prrh.cõ.1°.4ª.164.E
Calidis morbis ſuccedentia frigora perniciosiſſima, & inſanabilia. in 3ᵐ.de morb.vulg.com.1°. 3ª.132.A
in Calidorum, & ſiccorum ciborum parcitate vita aſſueta tertianas inducit febres.2°.de diff.ſeb. 3ª.36.D
Calido in ſtomacho & in reliquo corpore conueniunt cibi acetoſi. de diſſolutione cont. Sp.72.G
Calida et humida intẽperies vẽtriculi quo curat.7°.met.me.7ª.47.F
in Calido, et hũido uẽtriculo frigida aqua cõuenit.7°.me.me.7ª.47.F
Calidꝰ et ſiccꝰ vẽtriculꝰ nõ debet temere refrigerari.7°.met.7ª.48.B
Calidus, et ſiccꝰ vehemẽter vẽtriculus nõ põt ſanari.7°.me.7ª.47.F
Calidum, et ſiccũ habentis ventriculum caſus.7°.meth.me. 7ª.47.D
in Calido ſtomacho quando generatur pituita cuſcutæ & apiũ mundificant eam.de diſſol.cont. Sp.74.E
Calido iecori dulcia prohibenda ſunt.de diſſol.cont. Sp.71.F
Calidam intemperiẽ iecoris quæ comitantur.5°.de loc.affec. 4ª.34.E

Calida ægri-

Calida ægritudo quo modo curanda.de part.med.art. Sp.18.D
Calido affecti causa frigida cõtraria exiſtit.ars med.If.69.D/1ª.de natu.hum.1°.de loc.aff.4ª.5.E/4°.de ſimp.med. 5ª.28.H
Calidiores partes infrigidatæ,debẽt magis calefieri.7°.me.me.7ª.49.a
Calidiora tãto debent eſſe medicamẽta, quãto frigus exuperat: tãto ſ. humidiora,quanto vincit ſiccitas.4°.de ſimp.med.fac. 5ª.33.A
in Calidis,quibus fiat refrigeratio.8°.meth.med. 7ª.50.G
Calida,et hũida moderate ꝑsũt frigiditate et æſtui.1°.de vſu.1ª.116.d
Caliditas febrium putridarum,qualis.1°.de diff.feb. 3ª.34.D
Calida medicamenta cur exhibentur in febre,cum calida non exigat. quos purg.opor. 5ª.88.G
Calida,& medicamentoria facultate lædunt febricitãtes,& quæ ſint talia.9°.de compo.med.ſec.loc. 5ª.197.F
Calidis affectibus mel aduerſum eſt.de marc. 3ª.48.E
Calida,et humi.et dulcia dãda ægrotãti ex cholera nigra.ꝺ dy.Sp.19.f
Calida ſicca,et dulcia dãda,ſiggritudo ſit ex phlegmate.ꝺ dy. Sp.19.f
Calida ſi ſint interiora, & exteriora frigida in febre continua, letale eſt.com.7°.apho.68°. Ex.60.F
ex Calido alteratio facile curatur,cur.7°.meth.med. 7ª.44.C
Calida pars calefacta pauco frigore reducitur.7°.meth.med.7ª.49.A
ſub Calidioribus morbis nidoroſas facit mutationes venter. 3°.de ſymp.cauſ. 3ª.24.H
Calida,et humida uẽtriculi intẽperies qũo cureꝰ. 7°.met.me. 7ª.47.H
Calidi morbi per excretionem iudicantur, ſi vires ægri validæ ſint, in prognoſt com.3°. 4ª.209.G
Calida ĩ dolore coli,et dolore lapidis,adhibentur.2°.de loc.af.4ª.9.F
Calida actu danda in ſyncope.12°.meth.med. 7ª.76.D
Calida quando,et quando frigida debent eſſe remedia in cephalea.2°. de comp.med.ſec.loc. 5ª.137.D
Calidi ſi ſint morbi,choleram amaram euacuare debemus. commen. 6°.aphoriſ.47°. Ex.52.C
per Calida medicamenta curantur ſucci inhærentes cuti. in 6ᵐ. de mor.vulg.com.2°. 3ª.165.G
Calida ſemper præcordijs applicanda.intro. If.55.F
Calida tenuiũ partiũ ĩſeſtiſſima sãguinis reiectiõi cur ponunt vbi pulmo aut thorax,aut arteria affecta eſt.7°.de cõp.me ſe.lo.5ª.183.E
Calidis vehementer ſiccis ue non debet curari ſcirrhus,ſed ys q̃ molliẽ do digerunt.14°.meth.med. 7ª.87.H
Calida vrinã puocãtia lapidẽ indurãt. de ren. aff.dig.et me.7ª.194.C
Calida moderate q̃ lapidi rũpẽdo magis cõueniũt.de re.af.di.7ª.196.e
Calida quando porrigenda in renum lapide.de ren.aff.dig. 7ª.194.D
ad Calidam podagram.de dyn. Sp.30.B
Calida nimis fugienda in vlceribus.3°.meth.med. 7ª.21.C
Calida ſemp ĩ vulneribus neruorũ applicãda.3°.ꝺ cõp.me. 5ª.229.H
Calida qũo manere debeat lana ĩ vulneꝝ neruorũ.3°.ꝺ cõ.me.5ª.229.g
CALIDAE naturæ q̃ apud Hipp.in 6ᵐ.de mor.vul.cõ.4°.3ª.183.E
Calidũ ſimul et frigidũ eſſe idẽ tẽperamẽtũ nõ põt.1°.de tẽp. 1ª.10.G
Calidum & frigidum an poſſit vnà fieri corpus.de car.mor. 3ª.8.A
Calidi,& frigidi habent diuerſam naturam.de pulſ.ad tyr. 4ª.44.A
Calidi temperamenti triplex differentia.5°.de ſan.tu. 2ª.94.F
Calidiores temperamento ſunt animoſi, certaminis auidi, & prompti ad actionem pluſquam expedit.2°.de ſani.tuen. 2ª.73.E
Calidiſſimus primo die hõ qũo & cur.de nat.hu.com.2°.7ª.180.A/B
Calidi intemperies efficacior eſt ſicca & humida.6°.de ſa.tu.2ª.96.D
Calidis reſpiratio ſemper maior,& denſior.de vtil.reſp. 1ª.225.G
Calidiores ſunt,qui habent venas latas.2°.de temp. 1ª.18.C
Calidi habẽt arterias maiores,et ualidꝭ pulsãtes.2°.ꝺ ſem.1ª.339.B
Calidiorũ pulſus nã qualis.de pul.ad tir.44.B/3°.de cau.p.4ª.46.B
Calidius tẽperamẽtũ ſignificat pulſus celerior.1°.de præſ.4ª.108.D
Calidi habẽt corpꝰ robuſtũ,et prõptũ ad oẽs motiões.2°.de ſe.1ª.339.b
Calidius corpus procliuius ad motum.3°.de præſ.ex pulſ. 4ª.116.E
Calidi habent plurimos pilos.11°.de vſu par. 1ª.190.B
Calidũ tpamẽtũ ſignificat rubẽs color.in 3ᵐ.de mor.cõ.3°. 3ª.146.D
Calidi quidam fiunt ex aloes vſu.8°.de comp.med.ſec.loc. 5ª.188.E
Calida intemperies,temperata in humido,& ſicco, quomodo ſeruetur & quo modo mutetur.6°.de ſan.tuen. 2ª.95.H
Calidæ naturæ hyeme melius ſe habent.com.3°.aph.18°. Ex.23.H
an Calidis omnibus vinum non ſit idoneum: ſed vtilior his aquæ potio ſit.5°.de ſan.tuen. 2ª.94.E
Calido naturaliter frigida potio conuenit & quieſcere.de ſal.2ª.43.B
Calidis aqua bibẽda.ĩ 6ᵐ.ꝺ mor.uul.cõ.4°.3ª.183.E/de vi.Sp.76.D
Calidam intemperaturã patientibus dari non debet vinum. 8°.de cõpoſitio.med.ſec.loc. 5ª.194.F
Calidi natura aut ætate quo vino vti debent. de bo.& vitio ſu.2ª.38.H/de vinis. Sp.26.D
Calidæ naturę calidis ledũtur,frigidis ſanant.cõ.3°.aph.3°.Ex.20.b
Calidiores natura facile ĩcurrũt ĩ calidos morbos.5°.de ſa.tu.2ª.93.c
Calidæ naturæ,& ætati,et habitui,et tẽpori,et anni cõſtitutioni,et regioni,morbi calidiores ſunt cõgruentes.com.2°.aph.34°.Ex.17.C
Calido temperamento additum piper, ſinapi, allia accendit febrem. proſag.exper.conf. Sp.77.D
Calidi debẽt quotidie lauari aqua dulci.ĩ 6ᵐ.ꝺ mor.uul.c.4°.3ª.183.e
Calida natura ſomnum capiat in frigido cubili calido tempore. in 6ᵐ. de mor.vulg.com.4°. 3ª.185.E
Calidæ temperiei homo quibus ſit nutriendus.de diſſ. cont. Sp.72.C
Calida corpora calidis nutriuntur.ars med. If.68.G
Calidiores frigidis nutriendi.in 6ᵐ.de mor.vul.com.4°. 3ª.183.E
Calidi cibos frigidos fortius digerunt.de diſſol.cont. Sp.73.B
in Calido corpore quid efficiant cibaria craſſa.de diff.cont. Sp.72.G
Calidę naturæ quo modo debent ſe gerere poſt cibos.in 6ᵐ. de morbis vulg.commen.5°. 3ª.194.E
in Calidis natura,& ætate florentibus cur mel facile in bilem vertit. 2°.de natu.fac.1ª.300.G/1°.de alimen.facul.10.A/3°.2ª.32.G/ 4°.de ſimp.med.fac. 5ª.29.B
Calidis impenſe quibus modis ſint exercitandi. 6°.de ſa.tu. 2ª.96.A
Calidis naturis quo mõ quietẽ imponit Hipp.5°.de ſa.tuen. 2ª.94.A
Calidi debent abſtinere à curis.in 6ᵐ.de mor.vulg.com.4°. 4ª.183.E
in Calidis breui ſit putrefactio.8°.de comp.med.ſec.loc. 5ª.193.E
Calida hũida ĩ locis calidis facile putreſcũt.ꝺ cur.rat.p ſan. 6ª. 16.H
Calidi moriunt,conuulſi,cõtra ac illi qui corripiũtur ſyncopa,hi enim ẽt vehementer frigidi viuunt adhuc.1°.de ꝑſag.ex pul.4ª.107.H
Calidæ,& humidę complexionis ſunt corporis rari, & habent ſemen fecundum.com.5°.aph.63°. Ex.44.C
Calidis,& humidis venus innocua eſt.6°.de ſan.tuen. 2ª.96.H
Calida flatuoſa adhibenda perineo,et lumbis pro coitu excitando frigida pro ipſo remouendo.6°.de loc.affe. 4ª.42.E
Calida,& ſicca venerem cohibent.8°.de ſimp.med.fac. 5ª.57.F
Calida et humida habent ſubſtantiam quę quàm celerrime in ambientem diſſipatur.8°.meth.med. 7ª.60.H
Calida,& humida temperies,vt puerorum, facile abſumitur. de curan.rat.per ſang.miſſ. 6ª.19.F
Calida,& humida natura æſtate, & hyeme bene ſe habet.comm.3°. aphoriſ.2°. Ex.20.A
Calidę,& humidę naturę minus quàm alię lęduntur in autumno. commen.3°.aphor.18°. Ex.23.H
Calidi,et humidi qua victus ratione regẽdi.1°.de mor.vul.3ª.108.G
Calida et humida corpa cur optime nutrianꝰ.3°.de ſymp.cau.3ª.28.b
Calidiſſimum humidiſſimumq̃ corpus celerrimè alterat proprium nutrimentum & aſſimilat.3°.de ſymp.cau. 5ª.28.H
Calidum, et humidum qui habent corpus concoquunt, apponunt, agglutinant,& nutriuntur.3°.de ſymp.cau. 3ª.29.A
Calidi,& humidi quo modo balneũ requirunt.8°.meth. me.7ª.54.C
Calidorũ et humidorũ tẽperies bircis ſimilis ẽ, ideo prõpta ẽ qualibet occaſione tũ aliis morbis,tũ febribus corripi.8°.met.med.7ª.54.b
Calida,& humida promptiſſime putreſcunt.1°.de differ.feb. 3ª.31.H/8°.meth.med.54.B/ 7ª.57.A
Calidum,& humidum temperamentum interdum incidit in peſtilenti & morbido aeris ſtatu.1°.de temp. 1ª.11.H
Calidiores & humidiores naturę quibus morbis tententur in pueritia.6°.de ſan.tuen. 2ª.96.F
Calidi,et humidi ſecũdo loco ſunt ad febrẽ proni.8°.met.me.7ª.54.E
Calidi,& in paſſiuis qualitatibus temperati tertio loco ſunt ad febrẽ proni.8°.meth.med. 7ª.54.E
Calidi,& humidi febricitãt ſtatim ſtipata cute. 8°.meth.me.7ª.54.C
Calidę & humidę naturę promptius digeruntur,& exhalant.8°.metho.meden. 7ª.60.H
Calida,& humida temperato homini conueniunt. de ocul. 7ª.188.C
Calidi,et humidi ꝑpẽſi ſũt ad ſuccos digerẽdos. 8°.met.me.7ª.58.A
Calidi,et ſicci hoĩes,quales.8°.meth.med.50.F/60.D/10°. 7ª.63.D
Calidum,et ſiccũ temperamentum quę faciat.14°.meth.med.7ª.91.c
Calida,et ſicca intẽperies facile cognoſcitur.10°.meth.med. 7ª.63.D
Calidę & ſiccę naturę ad hyemem bene ſe habent, ad æſtatem male.cõmentario.3°.apho.2°. Ex.20.A
Calidi, & ſicci ad febres opportuniſſimi ſunt.8°.meth.med. 7ª.54.E

Calidum & ſiccum corpus febricitans non poteſt eſſe viribus valentibus. 10°.methodi meden. 7ª.63.H
Calidi,& ſicci qui febre corripiuntur ex ſiccitate, & caliditate poſſunt in principio acceſſionis cibari. 10° meth.med. 7ª.62.G
Calidis,& ſiccis aduerſiſſima eſt media. 10°.meth.med. 7ª.63.D
Calidis,& ſiccis qui cibi bon.8°.meth.med 7ª.51.B
Calidis et ſiccis æſtate argyrotrophema dãda,de bo.et vi.ſuc. 2°.39.b
Calidis et ſiccis ſic⁹ et cucurbitæ æſtate dari debẽt.de bo.et ui.2ª.39.b
Calidis,& ſiccis lactis ſpuma æſtate danda.de bo.& vi.ſu. 2ª.39.B
in Calidis,& ſiccis volatilia optima.8°.meth.med. 7ª.51.B
in Calida & in ſicca intemperie quæ Galenus adhibeat. 2°.de compoſi.medica.ſec.loc. 5°.138..A
in Calidis & ſiccis vrinæ bilioſæ ſunt.8°.meth.med. 7ª.50.F
Calidi et ſicci ab elixationib⁹ plenis offendũt.de ar.cu.ad Gla.7ª.98.d
Calidum,& ſiccum corpus febricitans,ſi habet phlegmonem, morietur.10°.meth.med. 7ª.63.H
CALIDA *& tenuia quadantenus ſunt,quæ odorata ſunt.4°.de ſimp. medic.facul. 5ª.31.B*
Calidum eſſe ſequitur non quicquid bene redolet, neq; quicquid calidum eſt bene olere,neque ſi quid graue olens eſt calidum eſſe, neq; ſi calidum etiam graue olere.2°.de ſimp.med.fac. 5ª.10.C
Calidorum innumera ſunt partim bene olẽtia, partim grauiter olẽtia, partim neutra.2°.de ſimp.med.fac. 5ª.10.D
Calidi odores capitis dolorem faciunt.3°.de loc.aff. 4ª.20.G
Calida sũt oĩa odorata.4°.de ſimp. 5ª.31..A/cõ.5°.ap.28°.Ex.40 C
Calidum viribus eſſe oportet olfactui odorem bonũ inferens aromati ſpeciem guſtui repræſentans.de atten.vic.rat. 2ª.44.H
CALIDI *ſunt palæſtritæ, & gymnaſiæ ob vitæ inſtitutum. in 1ᵐ. de morb.vulg. 3ª.105..A*
CALIDA *ſigna & planetæ.*
Calidus eſt, Aries in ſecundo gradu,ſiccus in tertio.de ſper. Sp.38.H
Calidi,& humidi ſunt,gemini,libra aquarius.de ſper. Sp.39..A
Calidus et humid⁹ eſt Iuppiter.de cop.ag.mẽb.ſiue de nat.hu. Sp.59.f
Calidus eſt & ſiccus leo in quarto gradu. de ſper. Sp.38.H
Calidus & ſiccus eſt Mars.de comp.ag.memb.ſiue de nat.hu.Sp.59.F
Calidus,frigidus,humid⁹,ſicc⁹ æque ẽ Mercuri⁹.de cõp.me. Sp.59.G
Calidus ĩ primo gradu eſt ſagittarius,ſicc⁹ in ſecũdo.de ſper. Sp.38.H
Calidus,et ſicc⁹ ẽ Sol minus marte. de cõp.me.ſiue d na.hu. Sp.59.F
CALIDA, *& humida cur ſit qualitas audibilis.de cõp.mẽb.Sp.58.c*
Calida,& ſicca cur ſit qualitas viſibilis.de comp.memb. Sp.58.C
EX CALIDI, *frigidi, humidi, & ſicci miſcella fiunt ſapores. 1°. de alimen.facul. 2ª.9..A*
Calidi ſimnẽ ſunt acres ſapores,deinceps poſt illos ſunt amari, deinde vero dulces.4°.de ſimp.med.fac. 5ª.20.E
Calidi primũ exacte ſunt acres ſapores,deinde exedẽtes, vrentes,erudam molientes, ac denique ẽt colliquates.4°.de ſimp.me.fa.5ª.20.g
Calidus auſtero eſt dulce.4°.de ſimp.med.fac. 5ª.27.C
Calidiora tanto ſunt dulcia,quanto dulciora.de cathar. Sp.40.E
Calidus dulci eſt amarum.4°.de ſimp.me.fa.5ª.27.C/de ocu.7ª.188.c
Calidum immodice eſt amarum.4°.de ſimp.med.fac. 5ª.27..A
Calida,& ſicca ſunt acuta,& ſalſa,& quo modo.de ocul. 7ª.188.C
CALIDVS *quando ſit ſpiritus.4°.de loc.aff. 4ª.27..A*
Calidum,& frigidum ſunt elementa ſpiritus.1°.de decre. 1ª.255.G
CALIDVS *ſudor,& multus quid indicet.com.7°.aph.61°.Ex.50.f*
Calidi ſudores ſunt minus malum frigidis.com. 5°.aph.42°. Ex.32.E
Calidiſſima pars hominis non poteſt continere frigidos ſudores.comm. 4°.aphor.37°. Ex.32.B
Calida intima,exteriora frigida,malum.in progn.com.2°. 4ª.198.C
Calidũ vaporem exire per cutẽ ĉh prius anhelitus fuerit frigidus,eſt ſignum mortiferum.in 6ᵐ.de mor.vul.com.4°. 3ª.187.C
Calidus vapor ſuperiora petit.in 1ᵐ.de mor.vul.com.3°. 3ª.104.D
CALIDA *tempora anni.*
Calida,& ſicca eſt æſtas.brevi.denot.dog.Hip.1ª.231.B/in 3ᵐ.de mor. vulg.commen.1°. 3ª.101.C
Caliditſſimus et ſiccitſſim⁹ ſtatus nõ fit niſi ĩ æſtate.10°.met.me.7ª.63.e
Calida ſunt valde tempora ante canem, quare à venæ ſectione abſtinendum.in 6ᵐ.de mor.vulg.com.3°. 3ª.179.B
Calida,& ſicca vnde ſit æſtas.de ſper. Sp.39.B
Calidum,& ſiccũ tẽpus pro æſtiuo intelligit Hippocrates quocunque tempore ſit.de vic.rat.in mor.acu.com.3°. 7ª.134.C
Calidũ,et humidũ ẽ ver.brevi.de dog.1ª.231.B/de ſper.39.B/ Sp.40.E
Calidi & humidi ſtatus, temperamenta calida & humida offendũt.in

1ᵐ.de morb.vulg com.2°. 3ª.108.F
Calidum & humidum cum eſt tempus,ne putreſcant veſtes, quatiuntur.in 3ᵐ.de mor.vulg.com.2°. 3ª.141..A
Calida vt ſicca tpa regiones,cõſtones extenuãt.cõ.2°.aph.28°.Ex.16.d
in Calido admodum tempore anni non eſt ſecanda vena etiam in febre acuta.de ſectis.Iſa.16.E/1°.de arte cur.ad Glau.97.C/de vict.ra. in morb.acu.com.4°. 7ª.136.H
in Calidis admodum conſtitutionibus euacuati, ex animi defectio, & diſſolutione periere.8°.de ar.cur.ad Glau. 7ª.98.C
Calidum, vide Calor.
CALIGATIONES *oculorum numerantur inter morbos longos ad intrinſecas partes pertinentes.intro. Iſa.56.B*
Caligo oculis offuſa cognata eſt comitiali morbo.intro. Iſa.56.C
Caliginis cauſa.intro. Iſa.56.C
Caliginem barbando inducit lenticula.de ſimp.med. Sp.86.B
Caliginẽ oculorũ cito tranſeuntẽ et delectationẽ cibi oſtendit vrina pinguis ſine febre ſenibus euenientis apoplexia ſoluta.de dyn.Sp.34.B
Caliginis oculorum præſidia.de dyna. Sp.24.G
ad Caligines oculorũ valet ſuccus centaureæ.de virt.cen. Sp.93.B
ad Caliginẽ oculorũ pdeſt collyriis miſta chelidõia.d ſim.me.Sp.82.B
Caligines oculorum eximit fel.de ſimp.med. Sp.84.E
Caligines expurgat lactuca.6°.de ſimp.med.fac. 5ª.48.E
Caliginem oculorum extenuat lapis thyites.de ſimp.med. Sp.86.H
ad Caliginem oculorum ſanat oleum.de ſimp.med. Sp.88.D
Caligini oculorum facit vtilia lachryma.de ſimp.med. Sp.85.G
ad Caliginem oculorum.de med.fac.para.163.B/ 7ª.172.F
Caliginis,& tumoris,& ſanguinis oculorũ præſidia.de dyn. Sp.24.G
Caligini,& nebulæ quãdo ſimilis ſpiritus.in 1ᵐ.de mor.vul 3ª.104.C
Caliginoſa in ſomnis quid ſignificẽt.in 1ᵐ.de mor.vul.cõ.3°.3ª.111.b
Caliginis ſomniũ ſignificat atrã bilẽ.de præſ.ex inſom.ſian. 4ª.217.C
Caliginoſus eſt auſter.in 1ᵐ.de mor.vulg.com.1°. 3ª.104.D
Caliginoſa & flatuoſa materia cum diuerſis humoribus quid faciat. in 1ᵐ.de mor.vulg.com.1°. 3ª.104.G
à Caliginoſa materia cũ bile fit ſacer ignis.1°.de mor.vul. 3ª.104.G
CALISIVA *cauſtica eſt,et vires habet acerrimas.de ſim. Sp.82.E*
Caliſtua mittitur in emplaſtris,& in cauſticis.de ſimp.med. Sp.82.E
CALIX *menſura.de med.fac.parab. 7ª.170.B*
Calices cervos in Apollonium & Dexippum retorſit Eraſiſtratus. de vict.rat.in mor.acu.com.4°. 7ª.135..A
CALOPODIVM *vnum ad omnes homines non poteſt ſutor accommodare.5°.de ſan.tuen. 2ª.93.D*
Calopodio vno omnes calceant,prouerbium.8°.meth.med. 7ª.60.E
in CALORE *mediocri durum ſiccum eſt.2°.de temp. 1ª.17.G*
in Calore mediocri molle,humidum eſt.2°.de temp. 1ª.17.G
cũ Caliditate humiditatẽ ee nõ poſſe nõnulli putabãt.1°.de tĩp.1ª.10.D
Caloris humidi & caloris ſiccĩ ſit mentio.de aſſect. 2ª.61.D
cũ Calore vehementi molle neceſſario nõ ẽ humidũ.2°.de tẽp. 1°.17.G
quæ Calor eſſent eodem,& odore,& ſapore,non omnia eaſdem vires obtinent ex Diocle.1°.de alim.ſuc. 2ª.7.D
Calori non eſt expers aceti ſuc.1°.de ſimp.med.fac. 5ª.5.D
Calorem quo modo habeat acetum.1°.de ſimp.med.fac. 5ª.5.G
Caliditatem vini amiſit acetum, & quandam ex putredine adeptum eſt,& quo modo.4°.de ſimp.med.fac. 5ª.24.H
Calore ex atrio aſcẽdẽte calefactæ cellæ vinariæ partĩ herba ſtœbe tepefactæ uinũ quodcũq; repoſitũ aceſcere nõ ſinit.1°.d ana. 5ª.101.B
Calore præcipitat cinis et acetũ,vt et bilis nigra.3°.de ſym.can. 3ª.28.b
Calor egit in calce,cinere,& ſale.de vtil.reſp. Sp.64.F
Calor,& frigiditas ſãt differẽtiæ accidẽtales aquæ.de ſper. Sp.40.F
in Caliditate, & frigiditate quo modo ſe habeat aqua fontana. 10°. meth.med. 7ª.67.C
Calorem tepidum habet chamæmelum.11°.meth.me.79.H/ 7ª.73.C
Calorem temperatum habet lini ſemen.11°.meth.med. 7ª.73.C
Calor duplex eſt,genuinus videlicet & acquiſititius ſiue ſpurius. 1°. de diſſi.reſp.62.C/in 6ᵐ.de mor.vulg.com.4°. 3ª.184.B
Calor duplex apud Hippocratem,alterũ quod ipſe ingenitum vocat, eſſentiam in ſanguine, ſanguineiſq; viſceribus repoſitam habens, alterum vero acre,mordax,& igneum,ſub quo genere eſt febris. in 6ᵐ.de mor.vulg.com.4°. 3ª.186.B
Calor naturalis eſt diſtinctus à febrili.1°.de criſi. 4ª.132.H
Caloris innati,& febrilis diuerſitas.com.1°.aph 14°. Ex.7.D
Calor naturalis,& febrilis quòd ſint duo diſtincti calores,põt ĩde colligi,ubi dixit frigidos hũores neq; à calore natiuo neq; à febrili poſſe calefieri,

calefieri, & considera totum commentũ.cõ.4°.aph.37°. Ex.32.C
de Calore innato quæ fuerit sẽtia Hippo. & Plat. 8°.de dec. 1ª.277.E
Caloris natiui differentia, quæ. 1°.de cau.pul. 4ª.87.E
Calor innatꝰ ẽ natura nr̃a.de marc.3ª.46.A/cõ.5°.aph.22°. Ex.39.E
Calor naturalis est illa natura, quæ regit solida corpora, secundũ Hippocra.com.4°.aph.37°. Ex.32.B
Calor naturalis est animæ substantia apud Hippocratẽ.in 6ᵐ.de mor. vulg.com.6°. 3ª.190.A
Calor natiuus est substãtia viriũ ſm plures & sũmos medicos, vel saltẽ primũ et necessariũ viriũ instrm.2°.de ar.cu.ad Glauc. 7ª.103.C
Calorẽ naturalẽ ignẽã substãtiã vocat Galenus. 1°.de sa.tue.2ª.62.E
Calorem naturalem habere fundamentũ in sanguine & spiritibus, potest ex Galeno colligi, ubi inquit, ∝ spiritus, sanguisue, atq; calor is qui in eis est ≻ com.2°.aph.1°. Ex.11.B
Caloris naturalis substantia ex sanguine et pituita (alias spiritu) ℞.de decre.Hippo. 1ª.277.F
Calor natiuus in bono sanguine consistit.de sal.diæta. 2ª.40.F
Calor naturalis est cẽtia potẽtiq; vitalis.ĩ 6ᵐ.d mor.vul.c.3°.3ª.174.b
Calor innatus est natiuus spiritus.5°.de sim.me.fac. 5ª.33.H
Caloris innati substantia ex quibus sit.com.1°.aph.14°. Ex.7.D
Calor naturalis temperatus.8°.de decr.Hippo. 1ª.277.F/ de sal.diæ. 2ª.40.F/3°.de cau.pulſ.4ª.97.C/com.1°.aph.14°. Ex.7.D
Calor natiuus non modo est calidus temperatus, sed etiam humidus. de natu.hum.com.2°. 7ª.180.B
Calor naturalis essentia est se ipsum mouens, et semper. de palp.trem. conuulſ.& rig. 3ª.54.B
Caloris substãtia nõ dijudicat rõne molis corpis.adu. Lycũ. Ex.65.A
pp Calorem homo est perfectior muliere.14°.de vſu.par, 1ª.205.H
Calor quo modo varius sit secundum ætates.com.1°.aph.14°.Ex.7.b
Caloris pueri differentia a iuuenili.2°.de temp. 1ª.17.F
Calor in pueris magis baliuosus est, & multus, & suauis: in florentibus exiguus, siccus, nec similiter suauis est caloris, occursus. 1°. de temp.1ª.17.F/3°.de ſymp.cau. 3ª.29.C
Calor pueri admoti ventriculo superat omnem calorem fomentorum. 5°.de simp.med.fac. 5ª.33.D
à Calore pueri & catuli iuuatur ventriculus. 7°.meth.me. 7ª.47.B
Caloris natiui plus habent pueri.de sal.diæta. 2ª.40.F
Calor naturalis plurimꝰ his ẽ q media tẽperie sũt. 5°.de sa.tu.2ª.94.E
Caloris puerilis cum iuuenili æqualitas.2°.de temp. 1ª.17.F
Calor pueri salubris est.com.1°.aph.14°. Ex.7.D
ad Calorem naturalem in pueris comparatio lignorum humidorũ. de marcore. 3ª.45.H
Calor eorum qui in ætatis vigore consistunt est mordax. comment.1°. aphoriſ.4°. Ex.7.D
Caloris naturalis senum ad lucernã qua extinguitur cõparatio. commen.1°.aph.13°. Ex.7.B
Calor naturalis non põt rẽ flammæ ignis comparari.de marc.3ª.45.H
Calores vehementes quibus populis sint.de aere, aq. & lo. 2ª.6.B
Calor mordens vade.2°.de diff.feb. 3ª.40.C
Calor capax ampliter comedẽdi ẽ acris et mordax.5°.de ſ.t.2ª.93.F
Calor naturalis prio humidꝰ, et ibi cillꝰ iuxta aliquos.d mar.3ª.45.H
Caloris innati substantia est humida.com.1°.aph.14°. Ex.7.E
Caloris natiui partes quædam sunt calami aridi ab igne dum nos recalfaciunt.1°.de simp.med.fac. 5ª.4.B
Calor naturalis frigoris aliquatenus particeps est.de pal.tre. 3ª.54.C
Calori natiuo magnũ vſum exhibet ẽt frigiditas.de pal.trem. 3ª.54.C
Calor an ex motu cordis, & arteriarũ oriatur, an sit connatus et cordi motus aduersus Lycium. Ex.71.H
Caloris cordis causa est motus.de anat.viuo. Sp.56.D
Calor multus insitus est in corde, & in iecore. in 6ᵐ. de morb. vulgar. commen.4°. 3ª.186.F
Calor cordis est diuersus ab aliarũ partiũ calore.de vſu pul.1ª.228.b
Caloris focus est cor.5°.de vſu par.1ª.150.B/in 6ᵐ.de morb.vulg.cõ. 4°.3ª.185.H/5°.de loc.aff. 4ª.28.H
Calor vehemẽtissimus est in vẽtriculo sinistri cordis.de inæq. 3ª.44.a
Calor qꝫ ẽ ĩ sinistro vẽtre cordis et ĩ arteryis, a quo nutriãt.d ut.Sp.63.a
Calor cordis minimus est.de vſu pul. 1ª.228.C
Calor vitalis incipit a corde.de anat.viu. Sp.47.B
in Calorem naturalem mutatur spiritus a corde. de ſper. Sp.37.F
Calor naturalis cordis est principiũ oĩum aliorũ.de ana. viu. Sp.45.G
Calor & ipſius via, secundum Aristotelem, sicut effectus & causa, à cordis radice consurgunt.de anat.viu. Sp.45.G
Calor à corde ad venas continue effluit & per venas ad totũ corpus, & inde continue effluit extra corpus.de vtil.respi. Sp.62.F
Calor per arterias & venas confluit in corpus.de vſu pul. 1ª.228.D
Calor effluit per poros venas subtilissimas.de vtil.respi. Sp.62.F
ob Calorem naturalem quotidie cũctis animalibus nonnulla substãtiæ portio defluit.1°.de san.tuen.2ª.62.H/com.7°.aph.59°.Ex.59.D
Calor naturalis seruatur modicis tum corporis, tum animi exercitijs. 1°.de sani.tuenda. 2ª.65.F
Calor naturalis euacuat superflua tantum: calor circunfusus euacuat tam bona, quam superflua.com.1°.aph.15°. Ex.8.D
Calor numeratur inter ea quæ euacuant totum corpus æqualiter.cõmen.4°.aph.2°. Ex.27.D
Caloris naturalis ad cucurbitulas cõparatio.cõ.7°.aph.1°.Ex.54.A
Calor proprius quid agat.1°.meth.med. 7ª.69.E
Calor proprius nihil corrumpit.1°.meth.med. 7ª.69.E
Calor naturalis corrumpit corpus, vt ignis ligna.de marc. 3ª.46.B
Calor naturalis alimento nutritur, vt ignis lignorum materia. in 6ᵐ. de morb.vulg.com.5°. 3ª.194.A
Calor naturalis indiget multa humiditate.3°.de cauſ.pulſ. 4ª.98.C
Calor naturalis humido semper inhæret.de marc. 3ª.46.A
Calor uitalis nutrimẽto idiget nõ refrigeratione.de util.respi.Sp.64.B
Calor naturalis nutritur vt flamma ab oleo.de vtil.respi. Sp.62.C
Calor vitalis qui est in corde nutritur sanguine pinzui & vaſuoſo, secundum Ariſt.de vtil.respi. Sp.62.C
Calor sinistri ventriculi cordis ingens est.de vſu pul. 1ª.228.C
Calorem cordis aer inspiratus nutrit secundum Hippocratem. de vtilitate respi.63.C/ Sp.64.B
Calorem magnum habentia animalia necesse fuit habere pulmonem magnum.de anat.viuo. Sp.47.F
Calor cordis excellens signũ est audatiæ, & manis.de ana.vi.Sp.53.a
Calor natiuus in quibus non accenditur, non sunt despicatiæ. cõmentario.7°.aph.7°. Ex.54.D
Calor naturalis ĩ somno potius seruãtur, quã extra.de vſu p.1ª.229.E
Calor primum naturæ instrumentum.14°.de vſu par. 1ª.205.H
Calor innatus omnium operum naturaliũ author, secundum Hippocratem.8°.de dec.Hip.1ª.277.E/in 6ᵐ.de mor.vulg.com.6°.3ª.190. A/com.1°.aph.15°. Ex.8.D
Calor innatus quid agat in corpus.16°.de vſu par.220.G/2°.de nat. fac.1ª.298.A/de mar. 3ª.46.A
Calor insitus uel spiritus insitus vel bona temperatura, secundu Aristotelem est causa roboris membrorum.1°.de ſem. 1ª.334.G
Calor facit caput firmum.in 1ᵐ.de mor.vul.com.1°. 3ª.194.B
Calor in vigilia extra in somno intus.in 6ᵐ.de mor.vul.c.6°.3ª.193.a
Calore excitato vis nutriendi firmatur.6°.de san.tuen. 2ª.98.C
Calor naturalis est concoctionum opifex.in 6ᵐ.de mor.vul.cõ.4°.3ª. 183.D/com.1°.aph.15°. Ex.8.D
Calore nativo debilitato p sãguinis fluxũ, nõ possunt cõcoqui cibi, neq; in sanguinẽ distribui, vñ fit alnus humida.cõ.4°.aph.27°.Ex.30.C
Calorem naturalem igneum & squallidum habentes facile coquunt quæ alij difficile.2°.de alim.fac. 2ª.17.C
Calor præter naturam nocet concoctioni ex sua substantia. 2°. de naturalibus facul. 1ª.300.E/F
Calor inspissat nutrimentum.de vtil.respi. Sp.64.B
Calor naturalis generat sanguinem.com.6°.aph.12°. Ex.47.E
a Calore mediocri fit sanguis.de nat.hum.cora.1°. 1ª.300.F
Calor nativus temperatus sanguinem gignit.in 3ᵐ.de morb.vulgarib. commen.2°. 3ª.142.D
Calor mediocris in motibus remissoribus prodest sanguificationi & nutritioni.de sal.diæta. 2ª.41.A
Calorem, et frigus facile ferimus ob sanguinem bonũ.de dya.Sp.19.D
Calore matricis sperma vertitur in sanguinem.de ſper. Sp.36.B
Calore matricis pinguescit sperma viri mulieri associatum cum spiritu quodam in ea receptum.de ſper. Sp.36.B
ex Calore veniente a matrice per spiritum naturalem crassescunt ossa.de spermate. Sp.36.C
Calore fiunt ossa.1°.de ſem. 1ª.332.B
Caloris plurimum habet sanguis terrestris, ideo est receptaculũ amoris.de vtil.respi. Sp.64.F
ob Calorẽ sãguis bonꝰ emittit fumos, vapores.de uti.respi.1ª.226.C
ex Calore fructus primo dulcescunt, post amarescũt.de ocu.7ª.563.B
Calor duplex fructus maturat, alter proprius et cuiq; ingenitus, alter externus a sole, sed tamẽ natura ipsorũ cõueniens ac familiaris.4°. de simplicium

de simplicium med.fac. 5ª.25.G
Calore fit concoctio.in progno.com. 1°. 4ª.196.E
Calor naturalis dissoluit,& effundit, & attenuat humores corporis. de rat.uict.in mor.acu.com. 4°. 7ª.149.A
Calor naturalis deducit ad suppurationẽ ulcera.c. 5°.*aph.* 2°.*Ex.*39.b
Calor in pure unde fit.in progn.com. 1°. 4ª.197.C
Calor innatus instrumentum auctionis.de nat.hum. cõ. 2°.1ª. 180.A
Calor insitus quibus augeatur. 2°.*de san.tuen.* 2ª.74.B
Calor naturalis hyeme augetur.com. 1°.*aph.* 15°. *Ex.*8..A
Calor innatus hyeme,æstate aduẽtitius abũdat. 8°.*de decr.* 1ª.277.G
Calor in corporis penitioribus partibus crescit,cute præfrigore densata.de assuet. 2ª.61.C
Calor naturalis si est uehementior hyeme, igitur hyeme non deberet gigni pituita.de nat.hum.com. 1°. 1ª.32.F
Calor natiuus internus in omni exercitatione augetur. 2°. *de san. tu.* 69.F/2ª.74.B/*com.* 1°.*aph.* 15°. *Ex.*8.B
ex Caloris genuini augmento ob exercitationem quot bona fiant in corpore. 2°.*de san.tuen.* 2ª.69.F
Calorem auget angustatio.de cauſ.mor. 3ª.6.E/*de util.resp.* *Sp.*62.F
Calor quomodo ex frigore fiat & adstrictione.de cau.mor. 3ª.6.F
Calorem innatum exiccat ira. 3°.*de diff.resp.* 3ª.74.B
Calor uehemens est in biliosis. 2°.*de diff.feb.* 3ª.40.C
Calor auctus nõ est ira.sed ueluti feruor est caloris in corde. 2°.*de sanit.tuen.* 2ª.74.B
*Calor naturalis hẽt latitudinẽ quæ nõ põt trãsiri.adu.Lycũ.Ex.*62..A
Calor naturalis præter cætera intra sanitatis fines seruandus est. 1°.*de sanitate tuenda.* 2ª.65.F
Calore proprio quælibet res in propria natura seruatur. 4°. *de simpl. medica.facul.* 5ª.28.B
Caloris natiui modus,ut ad unguem seruetur non omnes partes similiter postulant. 16°.*de usu par.* 1ª.220.D
Calor cordis quo modo seruetur. 11°.*meth.med.* 7ª.69.E
Calor cordis sola respiratione seruatur.de usu pulſ. 1ª.228.C
Caloris augmentatio fit nutrimento deficiente, ratione uacuitatis. de utilitate respirationis. *Sp.*63.C
Calorem natiũ adauget uinum modice hausſtum.de cauſ.mor. 3ª.7.D
Calor cordis quot modis calidior uel frigidior fiat. de curan. ratione per sanguinis missionem. 6ª.16.G
Calor natiuus ubi efferuescit,pallidam & flauã bilem gignit. in 3ᵐ. *de morb.uulg.com.* 2°. 3ª.142.D
ex Calore nimio sunt biles,secundũ Hippocratẽ & Pla. 1°. *de decr. Hipp.*276..A/2°.*de nat.fac.* 1ª.300.F
Caloris naturalis auctio,& diminutio est una cauſa mutandi pulsus. 2°.de sani.tuen. 2ª.75.B
à Calore fit arteriarum motus. 8°.*de decr.Hipp.* 1ª.277.E
Calor quantus sit,arteriæ pulsatio ostendit. 4°.*de loc.aff.* 4ª.24.G
Calor uenarum minor est calore arteriarum.de usu pul. 1ª.228.D
Caloris imbecillitas unde proueniat. 1°.*de sani.tuen.* 2ª.68.D
Calor diminutus facit flatus. 3°.*de symp.cau.*28.E/*in* 6ᵐ.*de mor.uul. com.*3°.3ª.172..A/14°.*meth.med.* 7ª.89.A
Calor fortis non facit flatus,& si facit,qui nam sit & quantus. 3°.*de symp.cauſis.* 3ª.27.E
Caloris natiui defectus pulſus,quales. 1°.*de cauſ.pulſ.* 4ª.87.F
*ex Calore deficiẽte et facultate robuſta pulſus.*1°.*d cauſ.pul.*4ª.89.a
Calor naturalis ſpatio temporis languet iuxta aliquos & quo modo. de marcore. 3ª.45 H
Calor naturalis ſpatio temporis crescit iuxta recentiores aliquos. de marcore. 3ª.45.H
Calor uitalis dupliciter extinguitur.de util.resp. *Sp.*62.D
Calor natiuus ob multitudinem accenditur,ſed extinguitur. commen. 7°.*aphoriſ.*7°. *Ex.*54.D
*Calor naturalis quo extinguaẽ à multitudine.cõ.*6°.*aph.*12°.*Ex.*47.E
*Calorem natiuum extinguunt refrigerantia ſupra modũ.*2°. *de arte curatiua ad Glauc.* 7ª.103.C
Calor intenſus extinguit flammam.de util.reſp. 1ª.224.F
*Calor natiuus extinguitur in forti dolore uentris,& ideo fit extremitatum frigiditas.com.*7°.*aph.* 26°. *Ex.*55.G
Caloris extinctio quo modo cognoſcatur fieri.in 3ᵐ.*de morbis uulgar. commen.* 1°. 3ª.132.G
cum Calor inſitus extinguitur & natura enecatur, exitioſa ſymptomata contingunt.in 3ᵐ.*de mor.uul.com.*1°. 3ª.132.C
*Calor naturalis uel extinctus, uel proximus extinctioni facit quæ euacuantur frigida.com.*3°.*aph.*37°. *Ex.*32.B
*Calor innatus q̃ diuret uſq; ad mortẽ,collige.c.*1°.*apho.*15°.*Ex.*8.D
Calor naturalis in morte extinguitur.de marc. 3ª.45.H
*Calore extincto quo modo perit animal.de pal.trem.conuul.*3ª.55.F
Calor in igne eſt differentia uirtutis ipſius.deſper. *Sp.*41.B
Calor, ut ait Ariſtoteles,aggregat ſimilia, & diſgregat diſſimilia. de utilitate reſp. *Sp.*64.A
Calor agit in partes remotas,ſicut in propinquas.de ana.ui. *Sp.*49.b
*ex Calore fit motus ĩmodicus,ex frigore ſegnitia.*13°.*met.me.*7ª.85.e
Caloris non innati, motiones quot modis euarient.in 6ᵐ.*de morb.uul. commen.*4°. 3ª.186.G
CALOR *aſcititius,qui.de pal.trem.conuulſ.& rig.* 3ª.54.A
*Calor aſcititius eſt intemperatus.*3°.*de cauſ.pulſ.* 4ª.97.C
*Caloris aduentitij ſubſtantia ignea, fumida, fuliginoſa, & acris eſt. commen.*1°.*aph.*14°. *Ex.*7.D
*Calor alienus quid facit in corpore.*11°.*meth.med.* 7ª.69.E
*Calorem igneum renes habentes tophos faciunt.*1°.*de ali.fac.*2ª.10.g
Calor immodicus quo modo ex numero primorum morborum. 2°. *de naturalibus facul.* 1ª.300.E/F
*Calor mordax horrorem,& rigorem facit.*2°.*de ſymp.cau.* 3ª.22.E
*Calor,& frigus qua parte corporis,ibi morbus.com.*4°.*aph.*39°.*Ex.* 32.C/*præſag.exper.conſ.* *Sp.*77.G
Calor in meridie,& frigus mane & veſpere, facit morbos. comm. 3°. *aphoriſ.*22°. *Ex.*24.G
*Calor & frigus ſi fiat eadem die,morbi autumnales expectandi ſunt. commen.*3°.*apho.*4°. *Ex.*20.C
*Caloris & frigoris mutationes in toto corpore longitudinem morbi ſignificant.com.*4°.*aph.*40°.32.D/*com.*7°.*aph.*60°. *Ex.*39.E
Calor,& frigus abundans corporis languorem facit, uel malum generat odorem.de dyna. *Sp.*19.D
Calor & frigus quo modo ſimul ab extrinſeco ſentiantur. de inæquali intemperie. 3ª.44.F
*à Calore uehementi fit dolor.*12°.*meth.med.* 7ª.78.E
*Calor ſolus facit dolorem capitis.com.*4°.*aph.*7°. *Ex.*35.B
*à Calore immodico læditur uentris actio.*2°.*de nat.fac.*1ª.300.D/E
Calor & frigus quo modo ſoluunt unitatem.de inæq.intemp. 3ª.44.C
*Calor extrinſecus quo mõ ſanguinẽ opprimat.*2°.*de diff.ſe.* 3ª.40.A
Calor extraneus eſt cauſa efficiens putredinis.in 3ᵐ.*de morb. uul.cõmen.*3°.141..A/ 3ª.142.D
*Calor putrefacit facillime humorẽ,qui nõ eſt in ſuo loco,immo eſt alienus à natura corporis in quo continetur.cõ.*2°.*aph.*12°.*Ex.*12.E
*Calor præter naturam putredinem ſequitur.*2°.*de diff.feb.* 3ª.41.C
*Calore humido corrumpuntur res.*4°.*de ſimp.med.fac.* 28..A/3°.*de compo.med.per gen.* 5ª.228.C
Calor putredinis,qualis.de cur.rat.per ſang.miſſ. 6ª.16.H
*Calore plurimo indigent animalia,quæ fiunt ex putredine, & non ſola putredine.com.*3°.*aph.*26°. *Ex.*25.F
*ex Calore pulſu,& urina poteſt cognoſci an putredo ſit in ſuccis.*10°. *methodi meden.* 7ª.63.D
*Calor eſt cauſa fluxionis.*13°.*meth.med.* 7ª.81.C
*Calor naturalem auctum & alterationem motus eius, qui eſt in corde & arterijs,habet bubo.*2°.*de nat.fa.* 1ª.300.E
*Calor loci phlegmones cauſa.*13°.*meth.med.* .80.H
*Calor quomodo phlegmonem augeat.*13°.*meth.med.* 7ª.82.F
*Calor inflammationis qui ſit.com.*5°.*aph.*47°. *Ex.*18.H
*Calor inflammationis magnus in morbis acutis trahit per modũ cucurbitulæ ſanguinẽ ex toto corpore, ijsq; qui ita ſe habẽt, viſcera peruruntur, extremæ autem partes frigeſcunt propter defectum ſanguinis ad viſcera ſe recipientis.com.*7°.*aph.*1°. *Ex.*54..A
*Calor & anguſtia adeſt in peripneumonia.*4°.*de loc.aff.* 4ª.26.H
Calorem iecoris ſignificant excrementa torrida combuſtaue. in 3ᵐ.*de morb.uulg.com.*1°. 3ª.131.B
Calor punctionis.de ſim.med. *Sp.*80.H
*Calor febrilis,qualis.de uic.rat.in mor.acu.com.*2°. 7ª.119.F
*ut Caloris qualitas percipiatur, manus ægri tangenda eſt in progno. commen.*1°. 4ª.194.G
*Calorẽ naturalẽ immodicũ eſſe febrẽ,colligit.*2°.*de nat. fa.* 2ª.300.E
*Calor ita auctus,ut eius occaſione corpus laboret,eſt febris.*2°.*meth. med.*15.D/8°. 7ª.49.G
Calor ſi in totum corpus extendatur,eſt febris.de cau.mor. 3ª.6.E
in Calore præter naturam febris ſubſtantia. 1°.*de diff.feb.*3ª.30.H/ *de fractu.commen.*3°. 7ª.243.D

ob Caloris

ob Caloris extranei acceſſum accendiť febris. de præſ. exp. Sp. 77. D
Calor acris non ſemper eſt cum febre, licet ſub eius genere reponatur. in 6m. de morb. vulg. com. 4°. 3a. 186. B
Calor ꝑter naturã nõdũ febris, cũ cor nõ affert. 1°. de dif. fe. 3a. 31. E/F
Calor ventriculi immodicus ſi ad cor peruenit, facit febrem. 7°. meth. med. 47. F/8°. 7a. 53. B
Calor aeris cor calefacit. 1°. de diff. feb. 3a. 32. B
Calor multus dum humorem abſumit, reddit temperamentum ſiccius. 6°. de ſan. tuen. 2a. 93. H
Calorem, & ſiccitatem conſequitur corpus totum ex dominio bilis. de anat. viu. Sp. 45. F
Caloris febrilis differentiæ. 1°. de diff. feb. 1a. 30. H
Calor & habitus in quibus febribus conſiderandus. 1°. de arte cur. ad Glauconem. 7a. 96. H
Caloris febrilis multitudo conſiſtit in multitudine defluxus. 2°. de diff. febrium. 3a. 40. C
Caloris qualitas tibi febrẽ ĩdicat ex quo fiat hũore. 2°. ď dif. fe. 3a. 40. C
Calor, qui febris eſt, vnde incipit in ephemeris. 1°. de diff. fe. 3a. 31. A
Calor febrilis ex tranſmutatione ſanguinis eſt mitior, & ſimplicior, ac ex humoris acredine eſt moleſtior. 2°. de diff. feb. 3a. 40. C
Calor pituitoſæ febris, qualis. 2°. de diff. feb. 37. B/ 3a. 40. C
Caloris multitudo pituitoſiorem humorem exiccando lentores circa dentes facit. com. 4°. aph. 53°. Ex. 33. D
Calor tertianæ, qualis. 2°. de diff. feb. 3a. 37. A
Calor ardens, & ſitis propria ſunt febrium ardentium. in 3m. de morb. vulg. com. 21°. 3a. 143. G
Caloris auctι proprium indicium eſt exufflare. 4°. de loc. aff. 4a. 27. A
Calor, & anguſtia in ſpiritalibus inſtrumentis quando adſunt, quę ſymptomata contingunt, & quæ ſpiratio. 2°. de loc. aff. 4a. 26. H
Calor, & frigus qualem faciant reſpirationem. 2°. de diff. reſp. 3a. 65. E
Calor intenſus in febribus acutis facit conuulſiones malas, & viſcerum dolores. com. 4°. aph. 66°. Ex. 34. E
Calor quartanæ, qualis. 2°. de diff. feb. 3a. 37. C
ex Calore maraſmus, qui. de marc. 3a. 45. C
Calor hectlcorum, qui. progn. com. 2°. 4a. 204. D
Calor eſt cauſa vigiliarum. com. 2°. aph. 3°. Ex. 11. E
à Calore abundanti febris, delirium ſit. 2°. de loc. aff. 4a. 14. B
Calor ſurſum eleuat. in 1m. de mor. vulg. com. 1°. 3a. 104. D
Calor aſcendit per ſedem vſq; ad ventrem. com. 5°. aph. 22°. Ex. 39. F
Caloris febrilis vis immodica lędit actionem ventriculi. 2°. de naturalibus facult. 1a. 300. D
Calor febrilis quædam ex humidis deteriora reddit, quædam diſſlat. contra. Iul. Ex. 70. F
Calor febrilis ad temperaturæ æqualitatem perducit. commentar. 6°. aphor. 40°. Ex. 51. A
Calor febris incidit, extenuat, diſſol. com. 6°. aph. 40°. Ex. 51. A
Calor extrinſecus aliqua concoquit, aliqua diſcutit, & euacuat. com. 5°. aph. 22°. Ex. 39. E
Calor febrilis concoctionem facit quandoq;, præſertim humorum pituitoſorum. com. 5°. aph. 70°. Ex. 45. E
Calor febrilis ſanguinis multũ digerit. de cur. ra. per ſang. miſſ. 6a. 19. F
Calor quas diſpoſitiones ſoluat. com. 5°. aph. 21°. Ex. 39. B
Calor febrilis eſt aptus ſanare ileum. com. 6°. aph. 40°. Ex. 51. A
Caloris diuerſi à natiuo pulſus. 3°. de præſag. ex pulſ. 4a. 115. B
à Calore facti pulſus q. 1°. de cau. pul. 87. C/ 88. E/ 3°. de præ. 4a. 114. G
Caloris dignotio, & arteriarum pulſatus quorum non eſt ſimilis. ad Thraſybulum. 2a. 105. A
Calor alterat ſuper omnes qualitates. 3°. de ſymp. cau. 2a. 28. H
Calor adauctus valenter alterat. 3°. de ſymp. cau. 3a. 29. E
Calor nimis adauctus colliquat. 3°. de ſymp. cau. 3a. 29. E
Calore quo modo liquefiant caro & pinguedo. in 3m. de mor. vulgarib. commen. 3°. 3a. 147. H
citra Calorem nullũ corpus in haliũ digeri põt. 8°. met. me. 7a. 60. H
Calor omnis febri eſt inimicus. 10°. meth. med. 7a. 65. H
Caloris æſtiui ſudores, quales. 3°. de ſymp. cauſ. 3a. 28. F
Calorem naturalem in corporibus ſenum confortans medicamen. de medicinis expertis. Sp. 108. A
Calor mordax qbus natura ẽ, iis balneũ eſt ſalubre. 5°. de ſa. t. 2a. 94. C
Calor mordax quibus natura eſt, iis aduerſiſſimus eſt motus multus, & celer: exiguus, & lentus, ſalubris eſt. 5°. de ſan. tu. 2a. 94. C
Calorem mordacem habentium cibi qui ſunt. 5°. de ſan. tuen. 2a. 94. C
ex Calore intemperies quomodo curanda. 13°. meth. med. 7a. 82. C
Calor qñ ſuperat in membro affecto quid agendũ. 11°. me. me. 7a. 73. C
Calori & ſiccitati corporis ſuccurrit aqua frigida. de bo. et vi. 2a. 39. C
Calorem repercutit aqua frigida. 2°. de ſimp. med. fac. 5a. 14. H
Caloris reuocationem facit aqua frigida non viſua, ſed ex accidenti, et quomodo. com. 5°. aph. 21°. Ex. 39. C
Calor naturalis ex occurſu aquæ frigidę, aut uincitur, aut colligitur, & cur. com. 5°. aph. 21°. Ex. 39. C
Calor ex accidenti refrigerat. 3°. de temp. 1a. 25. A
Calor medicamenti tepidus affectionem frigidam non perſanabit. 3°. de ſimp. med. fac. 5a. 19. B
Calor medicamenti quando acceperit ſcintillam caloris naturalis, totus accenditur. 3°. de temp. 1a. 22. A
Calor animalium à medicamentis non mutatur, niſi prius medicamenta ſint mutata à calore. 3°. de temp. 1a. 21. H
Calor naturalis vtitur medicamento quaſi nutrimento, ſicut ignis ligno. 3°. de temp. 1a. 22. A
Caloris excitandi latentem poteſtatem habent omnia purgantia. quos pur. opor. quib. med. & quo temp. 5a. 88. G
Calor æſtatis nocet purgationibus, vt balneæ calidæ, quia extrahunt humores quos intro trahit medicina. com. 4°. aph. 5°. Ex. 28. A
Calor æſtatis fit à ſole. de nat. hu. com. 1°. 1a. 32. C
Calor febrilis plerunq; impedit ſi ãmonij operationẽ. de dyn. Sp. 20. H
Calor doloroſus in capite cũ flatu ventoſo quando abundat, quid agendum. 2°. de comp. med. fec. loc. 5a. 136. B
à Calore capitis dolor facile ſoluitur. 2°. de comp me. ſe. lo. 5a. 132. A
ad Calorem membrorum. de dynam. Sp. 30. E
Calorem interiorum conſuetum extirpat triaſandali. de dyn. Sp. 26. E
ex Calore dolorẽ hepatis potẽter emẽdat triaſãdali. de dyn. Sp. 26. E
ex Calore pditã uocẽ pfecte reparat diapenidiõ magnũ. de dy. Sp. 26. D
ex Calore exoluriones qũo curentur. 1°. de arte cur. ad Gla. 7a. 99. D
Caloris ventriculi cum ſiccitate curatio. 7. meth. med. 7a. 48. F
ꝑ Καλῶς, ἀγαθῶς, ponitur. de fract. com. 2°. 7a. 234. G
CALLAINA teſta aſſata ac trita dentibus affricatur, ad eorum denigrationem. 5°. de comp. med. ſe. lo. 5a. 163. H
CALLIBLEPHARA medicamenta, quæ. 9°. de ſimp. me. f. 5a. 68. G
Calliblepharon medicamentum. 4°. de comp. med. ſe. lo. 5a. 152. F
in Calliblephara mittitur terra ampelitis. de ſimp. med. Sp. 85. A
ad Calliblepharas facultates vſurpant fuliginem thuris. 7°. de ſimp. med. fac. 5a. 54. F
CALLICEROS quid ſignificet. 1°. de comp. med. ſec. loc. 5a. 125. D
Callicerios ſuccus. 1°. de comp. med. ſe. lo. 5a. 125. B
CALLINICI malagma ex collectaneis Paccij. 7°. de comp. medic. per gen. 5a. 266. G
CALLIONYMI piſcis fel ad oculos eſt inferior bilis ſelle hyænarũ. 10°. de ſimp. med. fac. 5a. 74. H
Callionymi piſcis fel. 3°. de comp. med. ſe. lo. 145. C/4°. 5a. 151. H
CALLISTA Antidoti nomen. 5°. de antid. 5a. 117. D
CALLITRICHVM magis ꝗtrichomanes appellatur adiantum. 2°. de comp. med. ſec. loc. 5a. 138. C
ex Callitricho corona pro capitis dolore. de rem. par. fac. 7a. 154. B
CALLVS quid. de fract. com. 1°. 7a. 230. A
Calli cutis affectus ſunt. intro. Iſa. 59. D
Calli (i. pori) ꝙ incidũt in pulmones et ĩ articulo ſunt morbus, ĩ quo ſubſtãtia quæ prius non erat, poſtmodũ gñata eſt. 14°. met. me. 7a. 93. C
Callus qua fiat materia. ars med. Iſ. 70. A
Callus ex ſeroſa humiditate non gignitur, ſed ex craſſa, & renali. 6°. meth. med. 7a. 41. E
Callum porumue contrahit ac procreat caliditas, non incidit neq; diuidit. 5°. de ſimp. med. fac. 5a. 35. E
Calloſæ ſubſtantiæ in abſceſſibus inuentæ. 14°. meth. med. 7°. 92. D
Calli curatio. introd. Iſa. 60. D
Callus cũ gigniť, quibus cibis corpus nutriendũ. 6°. meth. me. 7a. 41. E
Calloſæ & inſcirrhum verſæ phlegmonæ molliuntur. in 6m. de morbis vulg. com. 2°. 3a. 161. A
ad Calloſam carnem. 5°. de comp. med. ſec. loc. 5a. 166. C
ad Callum. 4°. de comp. med. per gen. 5a. 243. A
ad Calloſas durities. 6°. de comp. med. per gen. 264. D/ 5a. 255. A
ad Calloſa, & vetera admodum. 4°. de com. me. per ge. 5a. 242. B/H
ad Calloſa vlcera. 4°. de comp. med. per gen. 242. H/ 5°. 5a. 50. F
Calloſa vulnera ad ſanandum difficilia ad ſanitatem perducit lixiuia. de ſimp. med. Sp. 85. H
ad Calloſas cicatrices. 4°. de comp. med. per gen. 5a. 241. B

ad Callos oculorũ exterendos. 4°. de cõp. me. se. lo. 152. H/ 5ª. 156. D
ad Callos & cicatrices oculorum exterendas. 4°. de comp. medicam. sec. loc. 5ª. 156. D/F/H
ad Callos oculorũ exterẽdos collyriũ melinũ. 4°. de cõp. me. 5ª. 157. A
Callos antiquos oculorum quæ sanent. 4°. de comp. me. se. lo. 5ª. 151. B
Callis & sycosi oculorũ q̃ cõueniãt. 4°. de cõp. me. se. lo. 5ª. 151. E/F/H
ad Callos palpebrarum. 4°. de comp. med. se. lo. 5ª. 156. C/ de remed. para. fac. 7ª. 156. F
Callos fistularum tollit spondylum. 8°. de simp. med. fac. 5ª. 60. G
Callos fistularum eximunt tithymalli. 8°. de simp. med. fa. 5ª. 62. D
ad Callos fistularum. 5°. de composi. med. sec. lo. 5ª. 16. G
Calli in articulis quo modo fiant. 10°. de comp. med. sec. lo. 206. H/ 7°. de comp. me. per genera. 5ª. 267. H
ad Callosos excessus in manibus pedibusq;. 2°. de compositione med. per gen. 225. C/ 3°. 5ª. 235. C
Callum pedis mire curat emplastrum diachrisu. de dyn. Sp. 32. C
Calloſa quædã veluti caro vel callus carnosus gignitur loco ossis ex toto sublati, & processu tẽporis magis ac magis ad calli duritiẽ transfertur, cũ ab initio carnis potius imitetur naturã. ars med. Isa. 71. C
Callus obducitur in fracturis ossium. 5°. de loc. aff. 4ª. 31. A
Callum fieri in ossibus fractis exemplo brutorum cognoscitur. com. 6°. aph. 19°. Ex. 48. B
Callus ex quo generetur in osse. de fract. com. 1°. 7ª. 230. A
ad Callo obducenda ossa, Moschionis catagmaticum. 3°. de composit. med. sec. loc. 5ª. 235. C
ad Callum perducens ossa cum conuenienti ligatura pharmacum. 2°. de comp. med. per gen. 5ª. 225. E
Callum ducens celerrime. 5°. de comp. med. per gen. 246. E/ 5ª. 248. C
Callus quando maxime fit in osse. 6°. meth. med. 7ª. 41. D
Callus quo modo prohibetur crescere. 6°. meth. med. 7ª. 41. F
Calli magnitudo quanta esse debet. 6°. meth. med. 7ª. 41. F
à Callo vendicans. 2°. de comp. med. per gen. 5ª. 224. F
Callus fit sinus, ni probe curetur. de tum. præter nat. 3ª. 83. F
Calloſa emolliens emplastrum. 6°. de comp. med. per gen. 5ª. 258. D
Callos excidens. 2°. de comp. med. per gen. 224. C/ 5°. 5ª. 253. H
Callos consumens. 5°. de cõp. me. per ge. 245. G/H/ 5°. 248. C/ 5ª. 53. D
ad Callos excoriandos. 6°. de comp. med. sec. loc. 5ª. 175. D
Callos demens. 6°. de comp. med. per genera. 5ª. 260. B
Callum detrahit elleborus niger, si duobus vel tribus diebus in fistulã callo induratam infundatur. 6°. de simp. med. fac. 5ª. 47. C
ad Callos. 2°. de comp. med. per gen. 226. C/ 7°. 5ª. 268. D
CALVARIA dicitur os capitis. de ossibus. 1°. 40. D
Calvariæ ossa septem. intro. Isa. 54. F
ad Calvariæ similitudinẽ cerebrum factũ est. 1°. de ana. adm. 1ª. 63. E
Calvaria in anatomia non est sæpe ferẽda. 9°. de anat. adm. 1ª. 104. A
Calvariæ membrana habet continuam substantiam per totum caput extensam. 2°. de comp. med. se. lo. 3ª. 133. F/G
Calvaria subtilissima est in sincipite & plures habens meatus. in 6ᵐ. de morb. vulg. com. 1ᶜ. 3ª. 153. E
Calvariam tangit, & oẽm interiorẽ cauitatẽ complet cerebrũ in iuuenibus cũ molle sit, atq; humidũ. in 6ᵐ. de mor. vul. cõ. 3°. 3ª. 170. A
Calvariæ foramen per quod quædam neruorũ portio deorsum fertur, & soporariæ arteriæ per quod eius reliquum ad cerebrum ascendit, commune est. de ner. diss. 1ª. 53. E
à Calvaria distat cerebrum siccescens in senibus. in 6ᵐ. de mor. vulg. commen. 3°. 3ª. 170. D
intra Calvariam dolores, quales. 2°. de comp. med. sec. lo. 5ª. 137. C
Calvariæ fracturarum differentiæ. 8°. meth. med. 7ª. 42. A
Calvariæ fracturarum quinq; differentiæ existunt. intro. Isa. 59. C
Calvaria fracta vsq; ad menyngem ossibus admodum motis cyclisci vti vult. 6°. meth. med. 7ª. 42. C
de Calvariæ fracturis vsq; ad secundam laminã. 6°. met. me. 7°. 42. A
Calvariæ fracturæ quo modo sanantur. intro. Isag. 59. G/ 6°. methodi medendi. 7ª. 42. A/F
in Calvariæ fractura sanguis turturis super membranam instillatur. 10°. de simp. med. fac. 5ª. 72. G
Calvariam perforantes in quo peccare possunt. 4°. de loc. aff. 4ª. 23. A
Calvariam perforantes caueant ne cerebri ventriculos immoderate comprimant. de instr. odor. 1ª. 112. F
ad Calvariã usq; ulnus quo mõ curãdũ. 2°. de cõp. me. se. lo. 5ª. 133. H
Calvariæ fractura cũ contusione quo debet curari. 6°. met. me. 7ª. 42. B
ad Calvariam scapha vel tholus vinculum. de fasciis. 7ª. 295. C

CALVITIES affectus superioris partis capitis & mentis. intr. Is. 59. C
Caluitij causæ. fin. med. Is. 44. E/ 1°. de comp. medic. sec. loc. 5ª. 121. E/ 14°. meth. med. 7ª. 93. D
Caluities ex siccitate prouenit. 2°. de temp. 1ª. 20. F
Caluities à cerebri exiccatione. in 6ᵐ. de mor. vul. com. 3°. 3ª. 170. A
Caluities non accidit mulieribus & eunuchis propter humidam temperaturam. com. 6°. aph. 28°. Ex. 48. H
in Caluitie amittitur particula vtilis. 14°. meth. med. 7ª. 93. C
Caluitiem incipientem quidam prohiberi posse, quidam non posse dicunt. 1°. de comp. med. se. lo. 5ª. 121. D
Caluitium est passio insanabilis. com. 6°. aph. 34°. Ex. 50. B
de Caluitie. 1°. de comp. med. se. lo. 5ª. 121. D
Caluities qua re sanetur. 1°. de comp. med. sec. loc. 5ª. 124. H
ad Caluitiem præter ætatem. 1°. de comp. med. se. lo. 5ª. 124. H
ad Caluitiem Andronachi iunioris. 1°. de cõp. med. se. lo. 5ª. 126. E
ad Caluitiẽ. 1°. de cõp. me. se. l. 123. E/ 5ª. 124. H/ de med. fa. 7ª. 171. A
Calui vnde fiant homines magis. 2°. de temp. 1ª. 19. E
Calui cur aliqui fiunt citius. 2°. de temp. 1ª. 19. E
Calui qui difficulter fiant. ars med. Isa. 63. F
Calui non fiunt eunuchi. com. 6°. aph. 28°. Ex. 48. H
Caluorum cutis valde arida est. in 6ᵐ. de mor. vul. com. 3°. 3ª. 170. A
in Caluo dolor capitis ex causa calida. 2°. de cõp. me. se. lo. 5ª. 132. G
Calui magnas varices non habent, si vero varices fiant, capillati iterũ fiunt. com. 6°. aph. 34°. Ex. 50. B
Calui caluos generant. de aere, aq. & loc. 2ª. 4. G
CALVMNIARI hominem qui bene dicat, & eius inuenta sibi tribuere, atrox est. 2°. de san. tuen. 2ª. 71. H
Calumniæ æquo animo ferendæ sunt. de cog. cur. animi mor. 2ª. 51. D
in CALCE libri scribuntur epodi. in 1ᵐ. prorrh. com. 2°. 4ª. 178. B
CALX in pede quid. de ossibus. 1ª. 43. F
Calx pedis pars posterior. introd. Isa. 53. F
Calcis ossa quibus communicent. de fract. com. 2°. 7ª. 234. D
Calcis tendo cur sit robustus. 3°. de comp. med. per gen. 5ª. 231. E
Calcis morbi, qui. introd. Isa. 59. D
Calcis os quibus affectionibus vitietur. de fract. com. 2°. 7ª. 235. B
Calcis os sideratur. de fract. com. 2°. 7ª. 235. A
in Calcis sideratione quæ febres fiant. de fract. com. 2°. 7ª. 235. C
in Calcis dimotione veratrum dat. de fract. com. 2°. 7ª. 235. E
Calcis deligatio qualis esse debeat. de fract. com. 2°. 7ª. 235. E
Calx non patitur ferulam. de fract. com. 2°. 7ª. 240. A
ad Calcem alligandum vinculum. de fasciis. 7ª. 306. A/D
Calcis male deligati malignitas quo cognoscat. de frac. c. 2°. 7ª. 235. G
CALCES quid sint in organis. de machin. 7ª. 309. F
CALX absolute dicta significant viuã. 4°. de cõ. me. per ge. 5ª. 239. G
Calx est petra combusta. 9°. de simp. me. fa. 5ª. 66. G
in Calce egit calor. de vtil. resp. Sp. 64. F
Calx viua qualis. 9° de sim. me. fa. 7 1. B/ 4°. de cõp. me. pge. 5ª. 238. B
Calx cineris species qualis. 8°. de simp. med. fac. 5ª. 62. C
Calcis, & rosæ, qualitates, pbãt visus, & tactus. de ther. ad Pis. 5ª. 9. E
neq; Calcem, neq; cinerem, neq; puluerem, neq; fauillam animal vllum esitat. 4°. de simp. med. fac. 5ª. 30. C
Calx terrenæ est consistentiæ. 4°. de simp. med. fac. 5ª. 30. A
Calce cinereq;, crassiora sunt ferrum, & lapis ignita, multoq; magis q̃ fauilla, ad hæc quoq; & calidiora. 4°. de simp. med. fa. 5ª. 30. B
Calx frigida non dicenda, licet sit alba vt nix. de ther. ad Pis. 5ª. 90. C
Calx calida est. 3°. de simp. med. fac. 5ª. 22. G
Calx aqua perfusa ebullit. 1°. de diff. feb. 3ª. 35. D
Calci & lapidibus calefactis cùm aqua insperguntur, quod contingit, idem hecticis contingit sumpto cibo. 1°. de diff. feb. 3ª. 35. D
Calx viua adurit. intro. Isa. 58. B/ 2°. de arte cur. ad Glau. 7ª. 102. D
Calx vrit, non tamen habet vim adstringendi. 5°. meth. med. 7ª. 31. D
Calx viua crustas efficit. 9°. de simp. med. fa. 5ª. 71. B
Calx viua est valde digerẽs & exiccãs. 4°. de cõp. me. pgen. 5ª. 240. C
Calx viua nõ est adhibẽda teneris corporibus. 1°. de cõp. me. 5ª. 212. A
Calx non vsta exedit. 4°. de comp. med. per ge. 5ª. 240. H
à Calce sumi debet experimentũ de acredine. 4°. de simp. me. 5ª. 26. B
Calcis viuæ nouæ meminit. 9°. de comp. med. se. lo. 5ª. 203. H
Calx vnum ex fortissimis medicamentis ad achoras. 1°. de comp. med. secun. loc. 5ª. 129. D
Calx non extincta vrit. 1°. de comp. me. sec. loc. 5ª. 127. F
Calx quando lauari debet. 6°. meth. med. 7ª. 38. C
Calx quo modo lauetur 6°. meth. med. 7ª. 37. E

Calx vt argenti ſpuma lauatur. 1°.*de comp.med.per gen.* 5ª.213.*E*
*Calx elota aqua marina,qualis.*8°.*de ſimp.med.fac.* 5ª.62.*C*
*Calx exacte alota ẽ ex pharmacis emplaſticis.*4°.*de ſim.me.* 5ª.25.*D*
*Calx quomodo abſq; mordicatione exiccat.*9°.*de ſimp.med.* 5ª.71.*B*
*Calx elota citra morſum deſiccat.*8°.*de ſimp.med.fac.* 5ª.62.*C*
*Calx lota in vulneribus neruorum.*6°.*meth.med.*37.*E/* 7ª.38.*B/C*
*Calx viua reſtincta ĩ vulneribus neruorũ.*3°.*de cõp.me.p ge.*5ª.230.*G*
*Calx viua ſola vlceribus nõ admoueẽt.*4°.*de cõp.me.per ge.*5ª.236.*G*
*ex Calce,& ſorde balnei medicamẽtũ.*2°.*de ar.cu.ad Gla.* 7ª.105.*A*
*Calce album emplaſtrum fit.*1°.*de comp.med.per gen.* 5ª.217.*C*
*ex Calce lixiuium,quale.*9°.*de ſimp.med.fac.* 5ª.71.*B*
*Calce nup illitas domos incolẽtes qũo morianť.*7°.*de vſu pa.*1ª.159.*B*
ex Calcis ſeruante qualitatem domo, deſipientiæ. in 1ᵐ. *prorrheti. commen.*1°. 4ª.164.*B*
CALYBITIDIS *vulpis pellis quibus proſit.de dyn.* *Sp.*23.*F*
CAMAROSIS quid.ſm.med. *Iſa.*48.*C*
Camaroſis vna ex differentiis fracturarum caluariæ.intro. *Iſ.*59.*C/F*
*Camaromata fracturæ quæ ſint.*6°.*meth.med.* 7ª.42.*D*
CAMELVS *cornibus caret,tũ ruminat & multos habet ventres,qa alimentum ſpinoſum & ligneũ depaſcitur.*6°.*de ana.adm.*1ª.90.*E*
*Cameli interior oris membrana cur aſpera ſit.*6°.*de ana.adm.*1ª.90.*E*
*Cameli ventres cur aſperi.*6°.*de anat.admin.* 1ª.90.*E*
*Cameli comedunt iuncum.*1°.*de antid.* 5ª.106.*F*
*Camelina caro comeditur in Alexandria.*1°.*de alim.fac.* 2ª.10.*A*
*Camelorum carnes,quales.*3°.*de alim.fac.* 2ª.26.*A*
*Camelorũ carnes faciunt humorẽ melancholicũ.*3°.*de loc.af.*4ª.18.*F*
*Camelorum lac,quale.*3°.*de alim.fac.* 2ª.27.*F*
Camelinum lac habet plurimum ſeroſitatis.de bon.& vi.ſuc. 2ª.35.*C*
Camelæ lacte,lac aſinæ ſubtilius eſt.de diſſ.cont. *Sp.*73.*F*
inter Camelæ,& aſinæ lac mediũ eſt lac capræ.de diſſ.cont. *Sp.*73.*F*
Camelinum ſeuum maturat.de ocul. 7ª.188.*E*
*Cameli vrina,qualis.*1°.*de comp.medic.ſec.loc.* 5ª.129.*H*
Cameli cerebrum comitialibus prodeſt.de ther.ad Piſ. 5ª.93.*E*
*Cameli medullæ meminit.*9°.*de comp.med.ſec.loc.* 5ª.204.*H*
CAMINORVM *aer vitandus.*12°.*meth.med.* 7ª.77.*E*
CAMISIA *pueri quæ dicatur pellicula.de anat.viu.* *Sp.*52.*C*
CAMMARI *tarde nutriunt,& ſunt difficilioris digeſtionis.com.*2°. *aph.*18°. *Ex.*13.*G*
Καμνοντες, *ideſt laborantes.*2°.*meth.med.* 7ª.10.*D*
CAMPÆ *vermiculi genus.de med.fac.par.* 7ª.164.*F*
CAMPANÆ *ærugo quo modo.de dyn.* *Sp.*22.*F*
*in Campania fuit Galenus.*6°.*de ſan.tuen.* 2ª.99.*F*
CAMPHORAM *non cognouit Galenus, ideo collige librum de dyna midiis non eſſe Galeni.de dyn.* *Sp.*23.*D*
Καμπτύλεσθαι *quid.de artic.com.*3°. 7ª.282.*F*
CANALES duo ex memoriali parte cerebri tenues, & humidi procedunt.de compag.memb.ſiue de nat.hum. *Sp.*58.*B*
Canales duo in collo ſunt,qui ad anteriora feruntur.de compag.memb. ſiue de nat.hum. *Sp.*58.*F*
p Canales naſi fit attractio aeris ad pulmones.de anat.viu. *Sp.*47.*C*
Canalis pneumaticus qui ſit & vbi.de nat. & ord.cuiuslibet cor. 41. *H/de comp.memb.* *Sp.*58.*F*
Canalis ſpũalis ĩ pulmone diuidiť in duos canales.de cõp.mẽb. *Sp.*58.*F*
Canalem ſpiritualem aperit lingua quando loquimur, claudit quando manducamus.de natura & ordine cuiuslibet corp. *Sp.*41.*H*
Canales ſunt in aĩalibus quibuſdã loco pulmonis.de ana.viu. *Sp.*48.*C*
Canales pulmonis, & hepatis mundificat decoctio corticis fiſticis. de medicinis exper. *Sp.*104.*D*
ad Canales hepatis valens medicina.de med.exper. *Sp.*104.*H*
Canales aperiens medicina.de med.exper. *Sp.*104.*G/H*
*Canalis quãtus debet fieri in crure.de üs q̃ in med.fi.cõ.*3. 7ª.216.*D*
*Canali cur vti nõ debemus in cruribus fractis.de fract.cõ.*2°.7ª.239.*B*
*à Canali contineri non poteſt coxæ articulus nec à capſula. de fract. commen.*2°. 7ª.239.*E*
*Canales ex arbore tilia confecti.de fract.com.*2°. 7ª.239.*F*
*in Canali non ita,vt in puluino tibia collocãda.de frac.c.*2°.7ª.239.*B*
*Canalis quomodo habendus.de fract.com.*2°. 7ª.240.*F*
*Canali quomodo circundanda mitella.de fract.com.*2°. 7ª.241.*G*
CANCANVS *cacalia.*7°.*de ſimp.med.fac.* 5ª.49.*F*
CANCELLI *piſces qui ſint.*3°.*de alim.fac.* 2ª.31.*G/B*
CANCRI *viuunt aqua dulci,& ſalſa.de bo.& vit.ſuc.* 2ª.37.*H*
*Cancri non habent collum,neq; caput.*7°.*de vſu par.* 1ª.164.*H*
*Cancri ſunt humidi carne & ſicci cute.*2°.*de temp.* 1ª.21.*A*
*Cancri habent tenuem teſtam.*3°.*de alim.fac.* 2ª.32.*D*
Cancri mollem teſtam habent.de ren.aff.dign.& med. 7ª.195.*F*
*Cancrorum cutis inſenſibilis eſt.*3°.*de vſu par.* 1ª.134.*A*
*Cancri vbi habeant oculos.*8°.*de vſu par.* 1ª.166.*F*
Cancri habent oculos duros.de anat.viu. *Sp.*48.*C*
Cancri non habent palpebras.de inſtr. 1ª.112.*B*
*Cancris non oriuntur pili.*2°.*de temp.* 1ª.18.*G*
*Cancri cinis,qualis.*11°.*de ſimp.med.fac.* 5ª.81.*H*
*ex Cancris medicamentum probatum à Galeno pro morſis à cane rabido.*1°.*de comp.med.per gen.* 5ª.216.*A*
Cancri agunt ex proprietate ſubſtantiæ contra canis rabidi morſum. 11°.*de ſimp.med.fac.* 5ª.82.*A*
Cancer ſpicula,& ſurculos extrahit.de ther.ad Piſ. 5ª.93.*F*
*Cancros coq iubet in qua nati ſunt aqua.*9°.*de cõp.me.ſe.lo.* 5ª.200.*F*
CANCER, *ſcorpio,piſces,ſunt aquatici, frigidi, & humidi,ſeptentrionales.de ſpermate.* *Sp.*39.*A*
Cancer eſt lunæ ſedes.de ſpermate. *Sp.*38.*H*
Cancri annus qualis ſit.de ſpermate. *Sp.*39.*D*
CANCER *morbus à ſimilitudine ad animantem.*2°.*meth.me.*7ª.9.*F*
*Cancri radices per ſimilitudinem nominare malum non eſt,& quę ſint ſuæ radices.com.*6°.*aph.*38°. *Ex.*50.*F*
Cancri natura,quæ.de diff.morb. 3ª.5.*F*
*Cancer in parte,eſt inæqualis intemperies cum fluxione.*1°. *de inæquali intemp.*43.*A/* 3ª.44.*F*
*Cancrum facit fluxum ad membra.in progn.com.*2°. 4ª.202.*D*
Cancer quomodo fiat.de tum.præter nat. 3ª.84.*D*
*Cancer ex qua fiat materia.*2°.*de criſi.* 4ª.138.*C*
*Cancer ex cacochymia oritur.*3°.*de temp.* 1ª.23.*A*
*Cancri ex vitioſis ſuccis naſcuntur.*3°.*de ſymp.cau.* 3ª.25.*B*
Cancer à quo humore.de tum.præter nat. 3ª.84.*C*
*Cancer ex humore craſſiſſimo.*14°.*meth.med.* 7ª.92.*E*
*Cancer affectus melancholicus.*3°.*de alimentorum facul.* 2ª.25.*G/ com.*7°.*aph.*40°. *Ex.*57.*B*
*Cancer à bile nigra.de atra bile.*35.*B/E/*8°.*dec.*1ª.275.*F/de bo.& vitio ſuc.*2ª.39.*D/de diff.morb.*5.*F/de tumo.præt.naturã.*3ª.83.*H/ de ocu.*7ª.189.*F/com.*1°.*aph.*2°.3.*D/com.*4°.*aph.*2°. *Ex.*27.*F*
*Cancer dicitur nigra bilis in vna quapiam particula redundans.*3°. *de ſymptomatum cau.* 3ª.26.*B*
*Cancroſa ſunt omnia quæ ab atrabilario ſucco indurantur.*5°. *de ſimp. medicamen.* 5ª.34.*E*
*Cancri quibus fiant,& quomodo.*2°.*de arte cur.ad Glauc.* 7ª.107.*C*
*Cancer contingit ſenioribus.in progn.com.*3°. 4ª.210.*D*
*in Cancros incurrunt qui largius lente vtuntur.*1°.*de ali.fa.* 2ª.13.*E*
Cancri fiunt patiente hepate.de virt.noſtrum corp.diſpen. *Sp.*60.*C*
*Cancri & phagedænæ reſpondent herpetibus,& eryſipelatibus ex flua bile.*2°.*de diff.feb.* 3ª.37.*D*
Cancri à carbunculo diſtantia.de dyn. *Sp.*30.*F*
*Cancri meminit.de tum.præ.natu.*3ª.84.*E/*2°.*meth.med.* 7ª.9.*E/F*
*Cancer qualis ſit cùm incipit,& qualis poſtea.*14°.*meth.me.* 7ª.89.*G*
*Cancer in principio ſanatur.*2°.*de arte cur.ad Glauc.* 7ª.107.*D*
*ad Cãcros incipiẽtes ſanãdos q̃ magnã uim habẽt.*14°.*me.me.*7ª.89.*H*
*Cancer quo modo curetur.*14°.*meth.med.* 7ª.89.*G*
*Cancrorum remedia.com.*6°.*aph.*38°. *Ex.*50.*E*
*in Cancro qui cibi dandi.*2°.*de arte cur.ad Glauc.* 7ª.107.*E*
Cancri à principio ſtrenue purgandi.de atra bile. 1ª.37.*D*
*Cancro proſunt medicamenta trahentia bilẽ atrã.de atra bile.*1ª.36.*B*
Cancer purgatur medicamento educẽte atrã bilem.quos pur.op.quib. med.& quo temp. 5ª.88.*F*
*in Cancris ſanguis mittendus.*2°.*de arte cur.ad Glauc.* 7ª.107.*E*
*in Cancro vacuatione facta quid agendum.*14°.*meth.med.* 7ª.89.*H*
*Cancri occulti, ideſt non apparentes, abſconditi in profundo corporis ſine vlceratione.com.*6°.*aph.*38°. *Ex.*50.*D*
Cancer latens quo modo & quando.de atra bile. 1ª.35.*B*
*Cancros occultos,melius eſt non curare,curati enim cito perimunt,nõ curati longius tempus perdurant.com.*6°.*aph.*38°. *Ex.*50.*D*
*Cancros non permittunt curari multi medici digni auctoritate.com.*6°. *aph.*38°. *Ex.*50.*F*
*ſi Cancer in ſumma parte exiſtens, vbi poſſunt applicari remedia, uel difficulter, vel omnino inſanabilis eſt, quanto magis is qui eſt in interſtinis,per quæ feces tranſeunt?com.*4°.*aph.*24°. *Ex.*30.*A*
*Cancris occultis cataplaſtri in morem illitum prodeſt eryſimum.*6°.*de*

simp.med.fac. 5ª.47.F
ad Cācros oculorū asperatos valet succus cētaureę.de vir.cē.Sp.93.B
Cancri in māmis mulierū potißimū fiūt.2°.de ar.cu.ad Gla. 7ª.107.B
*Cācer in māmis similis cācro animali.2°.de ar.cur.ad Glau.*7ª.107.D
*Cancrum in māmilla aduentantē quomodo purgatione prohibuit Galenus.quos pur.op.quib.me.& quo.*5ª.88.C/*c.*6°.*aph.*47°. *Ex.*52.C
ad Cancrum vberum.de pass.mul. *Sp.*96.D
Cancer vteri potest facere paucitatem menstruorum. commentario 5°.*aph.*57°. *Ex.*43.A
Cancri matricis signa,& curatio.de pass.mul. *Sp.*96.A
*Canceroſa vlcera à Galeno ponuntur,com.*5°.*aph.*22°. *Ex.*39.D
Cancer vlceratus & difficultas intestinorum ex atra bile,idem. com. 4°.*aph.*24°. *Ex.*30.A
*Cancri vlcerati quo modo curentur.*14°.*meth.med.* 7ª.92.D
Cancroſa causa ſtalticis, & chatartieis, & acerrimis rebus, & igne curantur.de par.art.med. *Sp.*19.A
Cancroſis vulneribus ſi frigida aqua ſola adhibeatur, perniciem affert.de ſimp.medicamin. *Sp.*92.C
Cancer ſemper lauari præcipitur cum melle,& aqua iuncta, aut e v li xiuia,aut cum vino,& melle ſimul.de ſimp.med. *Sp.*92.C
ad Cancroſa vulnera quæ depaſcuntur in circuitu.de dyn. *Sp.*30.H
*Cancros,& polypodas eliquare creditus eſt dracunculi fructus.*6°.*de ſimp.med.fac.* 5ª.46.D
ad Cancroſa vlcera faciunt ederæ folia,de ſimpli.med. *Sp.*84.A
*Cancroſis vlceribus applicatur lac.*10°.*de ſimp.med.fac.* 5ª.73.H
Cancerata vulnerum aufert lixiuia ex cinere de ſarmentis oliuæ. de ſimp. med. *Sp.*86.A
*ad Cancros mirabilis eſt plumbeus quidam ſuccus à Galeno deſcriptus.*9°.*de ſimp.med.* 5ª.70.F/G
*ad Cancroſa vlcera idonea eſt põpholyx.*9°.*de ſimp.me.fa.*5ª.70.H
*ad Cancrum valent medicamenta ex pompholyge,& chalcitide confecta.*2°.*de arte cur.ad Glauc.* 7ª.107.E
*ad Cancrum valet ſolani ſuccus.*2°.*de arte cur.ad Glauc.* 7ª.107.E
cõtra Cancrum valet theriaca.de ther.ad Piſ. 5ª.91.E
*Cancroſa ſanat vrtica.*6°.*de ſimp.med.fac.* 5ª.41.H
*ad Cancroſa vlcera.*4°.*de comp.med.per gen.*242.G/ 5ª.244.E
*ad Canceroſas durities.*5°.*de comp.med.per gen.* 5ª.250.B
*ad Cancrum puluis.de dyn.*30.G/H/ *Sp.*31.A
ad Cancrum occidendum remedium.de dyn. *Sp.*30.G
*Cancer quo modo per chirurgiam curatur.*14°.*meth.med.* 7ª.89.H
*Cancer quo modo curetur,et quòd non incidendus.de oculis.*7ª.189.G
*Cancer excidendus.*14°.*meth.med.* 7ª.91.F
*Cācri q debent incidi,vel vri,& curari,qnō.cō.*6°.*aph.*38°.*Ex.*50.E
*Cancri in palato, ſede, ſinu mulicbri non perueniunt ad cicatricem,ſi vrantur vel ſecentur.com.*6°.*aph.*38°. *Ex.*50.E
*Cancros,qui in ſumma parte corporis hærent, ſi poſſumus, debemus cum radicibus reſecare.com.*6°.*aph.*38°. *Ex.*50.F
*Cancri quo modo vrantur & quando.*11°*de ſimp.med.fac.* 5ª.81.H
Cancer, vide Carcenoma.
CANCER *vinculi genus.de faſciis.*293.H/ 7ª.294.G
Cancri,faſcię ad capitis vulnera,ſiue in quatuor partes ſcindantur,ſiue in ſex,ſiue in octo.de faſciis. 7ª.293.F
*Cancrum vinculum pro inguine.de faſ.*304.B/ 7ª.305.B
CANCHRY *nos excalfacit.*1°.*de ſimp.med.fa.* 5ª.4.E
*Canchry ſolū nō cōuenit vlceribus.*4°.*de comp.med.per ge.*5ª.236.H
CANDENTI *ferro ſimilis eſt affectus hecticorum ex caliditate & ſiccitate ſolidarum partium.*10°.*meth.med.* 7ª.66.D
Candenti pallore herbis infectis quandoq; aſſimilatur corpus. 5°.*de locis affectis.* 4ª.34.H
Candor niuis maioris minoriſq; ratione differt ab eo, qui eſt in lacte. 1°.*de ſan.tuen.* 5ª.63.F
*Candorem ex diutina vmbratili conſuetudine contractum non eſſe morbum,collige.*1°.*de ſan.tuen.* 2ª.64.A
Candidi & molles ſunt Galli.de curan.rat.per ſang.miſſ. 6ª.19.F
*Candidæ mulieres,molles ſunt.*4°.*de comp.med.per gen.* 5ª.236.F
*Candidæ,& carnoſæ mulieres paruas habent venas.*1°.*de curan.rat. per ſang.miß.* 6ª.18.G
*Candidi,molles,& obeſi non habent ſanguinem melancholicum.*3°.*de locis affectis.* 4ª.18.E
*Candidi imbecilles ſunt.*2°.*de comp.med.per gen.* 5ª.218.H
*Candidi cute quæ medicamēta requirāt.*1°.*de cōp.me.per ge.*5ª.212.H
Candida nubes quomodo fiat.in 1ᵐ.*de morb.vulg.com.*1°. 3ª.104.C
*Candidi ad digerendum.*6°.*de comp.med.per gen.* 5ª.261.A
*Candidum quod magnum dicitur.*2°.*de comp.med.per ge.*5ª.224.A
*Candidum Telephanis.*2°.*de comp.med.per gen.* 5ª.225.A
Candida vt fiat tota facies.de dyn. *Sp.*25.G
CANENDI *ars inter illuſtres numeratur.ad Thraſ.* 2ª.105.E
Canendi Deus Apollo eſt.in oratione ſuaſoria. *Iſa.*2.C
*Canendo tibiam defeſſi cur balbutiunt.com.*6°.*aph.*32°. *Ex.*49.H
CANIS *nomen æquinocum.*2°.*de diff.pulſ.* 4ª.53.H
Cani ſimilem membrorum naturam habet homo. in 6ᵐ. *de morb. vulg. com.*4°. 3ª.180.C
*Canis habet oſſium ſubſtantiam denſiorem,ſub capris & ouibus.*11°. *de vſu partium.* 1ª.191.D
*Canes habent multos dētes caninos vtrinq;.*11°.*de vſu par.*1ª.187.E
Canini dentes vnde dicti,& qui.de oſſ. 1ª.41.F
Canini dentes pineale habent acumen, & eorum officium ſpeciale eſt frangere,ſiue incidere.de anat.viu. *Sp.*49.D
*Canum dentes ſimiles leoninis.*11°.*de vſu par.* 1ª.187.C
*Canini dentes cum generantur,febres, conuulſiones, & fluxus generant.com.*3°.*aph.*25°. *Ex.*25.C
*Canibus in larynge commixtio eſt neruorum recurrentium cum neruis à ſexta coniugatione productis.*16°.*de vſu par.* 1ª.216.E
*Canibus maxillæ commiſſura euidens eſt.*4°.*de anat.adm.* 1ª.81.F
*Canes habent muſculos temporales maximos & neruoſiſſimos.*11°.*de vſu partium.* 1ª.184.F
*Canes cur vertāt aures ad ſonos,& ad voces.*11°.*de uſu par.*1ª.189.A
*ĩ Canib⁹ crura anteriora sūt ſiccia poſteriorib⁹.*2°.*de uſu pa.*1ª.127.D
*Canū pedes cur mediꝰ iter pedes hoiem et equorū.*3°.*d uſu p.*1ª.129.E
*Canis ẽ medius in rectitudine & pronitate corpis.*3°.*de vſu.*1ª.128.F
*Canis habet lienem affatim nigrum.*6°.*de ana.admi.* 1ª.92.G
*de Canis temperie ſi quæratur,quid reſpõdendū.*1°.*de temp.*1ª.13.D
*Canis eſt ſiccus ſecundùm quoſdam.*1°.*de temp.* 1ª.12.H
*Canis homini collatus eſt ſiccus.*1°.*de temp.* 1ª.12.E
Canes ſunt temperamento ſiccо.de atten.vic.rat. 2ª.45.F
*Canis quo modo humidus,ſiccus frigidus,& calidus.*1°.*de tē.*1ª.12.E
*Canis cõparatus ad apim & formicā eſt humidus.*1°.*de tem* 1ª.12.E
*Canis eſt calidior tauro.*11°.*de ſimp.med.fac.* 5ª.78.E
Canes numerantur inter animantia calidiora, ſicciora, & graciliora: 2°.*de ſimp.med.fac.* 5ª.14.E
*Cani comparat gracilem,& muſculoſum.*10°.*meth.med.* 7ª.62.C
*Cane calidior eſt leo.*11°.*de ſimp.med.facult.* 5ª.78.E
*Canis ipſa recipit ſperma lupi,& vulpis.*2°.*de vſu par.* 1ª.127.F
*ex Canibus,& vulpibus generatur miſtum animal. de nat. humana, com.*1°.29.D/2°.*de ſem.* 1ª.336.F
*Canis p̄ feſtinatione parit catulos cæcos,puerbiū.*2°.*de ſem.* 1ª.339.F
*Canis nuper natus poteſtate venaticus eſt.*2°.*de temp.* 1ª.21.F
*Canis bonitas in quibus conſiſtat.*1°.*de temp.* 1ª.13.D
*Cani conuenientia.*1°.*de temp.* 1ª.14.H
Canis Lycurgi vocati meminit.de med.fac.par. 7ª.165.E
*Canis nilum tranſeunter delibat.*2°.*de ſan.tuen.* 2ª.71.D
*Canes apud quaſdam gentes manduntur.*3°.*de alim.fac.* 2ª.26.B
Canum caro qualis ſit.de atten.vic.rat. 2ª.45.F
*Canis & leo animalia ſunt craſſi ſucci.*6°.*de anat.admin.* 1ª.91.H
*Canina caro facit humorem melancholicum.*3°.*de loc.aff.* 4ª.18.F
Canes quando volunt purgari gramen edunt.de ſimp.med. *Sp.*81.C
Canis vomitum ſibi parat.de venæ ſect.aduer.Eraſ. 6ª.7.C
Caninum lac non ſinere pilos renaſci falſum eſt. 10°. *de ſimp. medica. facult.* 5ª.74.A
*Canis nigræ adeps.*2°.*de antid.* 5ª.117.C
*Canis vrina.*1°.*de comp.medic.ſec.loc.* 5ª.127.G
*Canibus hominum ſtercus ſuauiſſimum eſt.*3°.*de nat.fac.* 1ª.305.D
*Caninum ſtercus quo modo ad anginam, & quomodo ad dyſenteriam paretur.*10°.*de ſimp.med.fac.* 5ª.76.A
Canum ſtercus vbi oſſibus veſcuntur, non grauiter olet. 10°. *de ſimp. med.fac.* 5ª.76.A
Canum ſtercus ſimile eſt medicamentis extergentibus. 5°. *de ſimplic. med.fac.* 5ª.36.F
Caninus fimus tumores,& vulnera delicate mūdat.de ſimp. *Sp.*84.E
*Caninum ſtercus pro vlceribus malignis quomodo paretur.*1°.*de ſimplic.med.fac.* 5ª.76.A
*Canino vtitur ſtercore,& vſum laudat ad cruſtas.*6°.*de comp.medic. ſecun.loc.* 5ª.172.B
*Canis ſtercus albus ad oris putredines et cruſtas.de re.pa.fa.*7ª.158.A

Caninum ſtercus album.9°.de comp.medic.ſec.loc. 5ª.198.B
Canini pediculi ſanguis ad pilos palpebris innatos oculum infeſtantes. de reme.para.facil. 7ª.156.G
Caninarum muſcarum ſanguis.4°.de comp.med.ſec.loc. 5ª.153.C
Canes ne latrent.de incant.adiur.& ſuſp. 7ª.182.C
Canes interimit cynomoros.6°.de ſimp.med.fac. 5ª.43.D
ad Canum impetum timentes.de med.para.fac. 7ª.172.B
Canis quo modo furorem deponat.de med.par.fac. 7ª.172.B
CANIS *ſolus rabie afficitur.6°.de loc.aff.* 4ª.40.C
Canis rabidus quo modo cogneſcitur.de ther.ad Piſ. 5ª.96.F
Canis rabidi ſputum poteſt excitare rabiem.6°.de loc.aff. 4ª.42.C
*Canis rabidi morſus ſimilis morſui cāis nō rabidi.& the.ad Pi.*5ª.96.E
Canum rabidorum morſus eſt venenum.11°.de ſimp.med.fa. 5ª.82.A
Canis rabidi morſus pernicioſiſſimus.1°.de cōp.me.per ge. 5ª.216.A
Caninum virus.in 1ᵐ.prorrh.com.1°. 4ª.171.E
Canis rabidi virus difficulter cognoſcitur.de conſt.art. Iſa.42.C
Canis rabidi morſus quo modo ſenſim inficiat, ac tandem cito perimat. in 3ᵐ.de morb.vulg.com.3°. 3ª.149.D
Canis rabidus q̄ ſymptomata faciat in cōmorſo.2°.de antid. 5ª.119.D
ex Canis rabidi morſu aquam expaueſcentibus.1°. de compoſi.med. per gen. 5ª.215.F
à Canibus rabidis morſos in aquarum formidinem deuenientes quid adiuuet.2°.de antid. 5ª.120.G
à Cane rabido morſi quāto tpe moriunt.in 1ᵐ.prorrh.c.1°. 4ª.171.E
à Cane rabido morſi qñ non pōt curari.in 1ᵐ.prorrh.cō.1°. 4ª.171.E
à Cane rabido morſi quo modo curantur.11°.de ſimp.med.fa.81.H/ de ther.ad Piſ. 5ª.96.E
*à Cane rabido morſis vulnus eſt ampliandum.de ther.ad Piſ.*5ª.96.F
de virtute cent. Sp.93.H
Canis rabidi vlcus quādiu debet ꝑmanere apertū.2°.de ant. 5ª.117.B
Canis rabidi morſus medicinæ duplicem habent appellationem, & quam.com.2°.aph.22ᵇ. Ex.15.C
ad Canis rabidi morſum Hare Album.2°.de antid. 5ª.117.B
à Cane rabido morſos iuuat mirifice alyſſon.6°.de ſimp.med. 5ª.42.B
ad Canes rabidos antidotus Aelii Galli à Ceſare ſumpta.2°. de antidotis. 5ª.116.H
*à Cane rabido morſos ſeruans antidotus.2°.de antidotis.*116.G/118. F/119.D/ 5ª.120.D/E
ad Canes rabidos antidotus Herę Cappadocis.2°.de antid. 5ª.116.H
ad Canes rabidos antidotus Zenonis.2°.de antid. 5ª.116.H
ad Canis rabidi morſum Baſilica.2°.de antid. 5ª.117.C
*à Cane rabiēte morſi cācri cinis mirabilis eſt.11°.de ſim.me.*5ª.81.H
cōtra Canis rabidi morſum agunt cancri ex proprietate ſubſtantiæ. 11°.de ſimp.med.fac. 5ª.82.A
à Cane rabido morſorum medicamentum ex cancris certum & probatum à Galeno.1°.de comp.med.per gen. 5ª.216.A
*ad Canis rabidi morſus ualet iecur canis rabidi.11°.de ſim.m.*5ª.79.H
Canis omnis,& proprie rabioſi morſibus confert centaurea.de virtute centau. Sp.93.H
ad Canem rabidū Claudij Apollonij medicaᵐ.2°.de antid. 5ª.117.A
ad Canis rabidi morſum dētes ſuſpēſi.de incant.adi.& ſuſ. 7ª.182.B
ad Canis rabidi morſum electuarium.de med.exper. Sp.107.A
ad Canis rabidi morſum emplaſtrum.2°.de antid.117.A/ 5ª.119.F
ad Canem rabidum Menelai emplaſtrum.2°.de antid. 5ª.117.A
à Cane morſis opitulatur herbum.de ſimp.med. Sp.85.C
ad Canis rabioſi morſum medicina.ſecretorum. Sp.97.B
Cane mordente inflictis vlceribus competit mutulorum caro.11°. de ſimplic.med.fac. 5ª.78.F
Canis rabientis morſum ſanare dicitur terra lemnia in vino diluto.epo ta.9°.de ſimp.med.fa. 5ª.65.E
ad Canis rabidi morſum valet theriaca.de ther.ad Piſ. 5ª.91.H
à Cane rabido commorſis efficax remedium eſt theriaca. de vſu theriacæ ad Thamphi. 5ª.97.E
à Cane rabido morſi,cuius ætatis theriaca vti debeant.de theriaca,ad Piſonem. 5ª.95.G
ad Canis rabidi morſum.2°.de antid.116.F/120.B/2°. de comp.me. per gen.227.E/3°.233.G/235.B/5°.247.A/E/248.D/H/5ª.249.H/ de med.fac.par.170.H/172.A/B/7ª.178.G/ſec. Sp.102.B
à Cane rabido morſorum duorum caſus.de ſectis. Iſa.18.A
à Cane rabido morſi hominis exemplum.de ſectis. Iſa.16.G
CANINA *fames quæ ſit,& quo modo fiat.1°.de ſymp.cau.*3ª.18.B
Caninus appetitus qui ſit,vnde procedat, & quomodo ſanetur. com. 2°.aph.21°.14.H/ Ex.15.A/B
Canina appetentia aliena à natura eſt.6°.de ſan.tuen. 2ª.98.F
Canina appetentia multa impetuoſe ingerere,atq; ea excernere cogit. 6°.de loc.aff. 4ª.37.H
Canina appetentia ſignificat læſum os ventriculi.5°. de locis affectis. 32.H/6°. 4ª.37.H
Canina fames à quo humore fiat.1°.de ſymp.cau. 3ª.18.B
Caninus appetitus fit ex ſuperflua tranſmiſſione melancholiæ à ſplene ad oſtomachi.de anat.viu. Sp.51.A
Canina appetentia ſubito fieri non poteſt.6°.de loc.aff. 4ª.37.H
Caninæ famis pulſus.de pulſ.ad tyro.46.D/4°.de cau.pul. 4ª.103.C
ad Caninum appetitum.ſecretorum. Sp.100.F
CANINA *lupinaue melāncholia.de mel.ex.Gal.Ruf.& Poſſ.*Sp.100.F
CANINVS *ſpaſmus cuius muſculi affectio ſit.de muſ.diſſ.* 1ª.44.E
*ad Caninæ conuulſione affectos.7°.de comp.medic.per ge.*5ª.209.H
CANINA *cæpa quid,& eius vires.de ſimp.med.* Sp.89.B
CANIS *ſydus,quid ſit.in 1ᵐ.de mor.vulg.com.1°.* 3ª.102.A
Canis exortus conſiderandus.de aere,aq.& lo. 2ª.4.D
*Canicula oritur in medio horæ,quod eſt tempus anni.2°.de ali.*2ª.16.D
Canis ortus oporam appellatam inchoat, quam etiam ſecundam partem æſtatis vocant.com.3°.aph.14°. Ex.22.F
*Canicula per quadraginta dies durat,& qui ſint.de pue.epil.*7ª.181.B
circa Carnem Eteſiæ ſpirant.in 1ᵐ.de mor.vul.com.2°. 3ª.113.E
Cane oriente ſi fiant tempeſtates hybernæ, & ſpirent Eteſiæ, ſpes eſt quietis in morbis.com.3°.aph.11°. Ex.21.D
añ Canem tempora valde calida,proinde miſſio ſanguinis vitanda.in 6ᵐ.de mor.vulg.com.3°. 3ª.179.B
inter Canis & arcturi ortum maxima caliditas.1°.de arte curat.ad Glauconem. 7ª.98.C
*in Canis ortu ſemp ardentes febres.in 1ᵐ.de mor.vul.c.2°.*3ª.109.A
circa Canis ortum æſtus febrem facit.1°.de diff.feb. 3ª.31.C
ſub Cane furiunt viperæ,& ſerpentes.2°.de loc.aff. 4ª.14.B
ſub Cane cur ſemina iacta non naſcantur.com.5°.aph.62°. Ex.43.G
ſub Cane pluuia rarò accidit.6°.de comp.med.per gen. 2ª.257.C
ſub Caniculam æſtas non pluuioſa borealis & ſicca confert pituitoſis. de aere,aq.& loc. 2ª.4.C
ſub Canicula præparat medicamentum.4°.de comp.med.per ge.241. D/5°.252.C/E/6°.255.F/ 5ª.256.E
ſub Caniculæ æſtu fit cephalicum quoddam.2°. de compoſit.medicam. per gen. 5ª.226.C
ſub Caniculæ æſtu fit Iſis.2°.de comp.med.per gen. 5ª.226.B
*ſub Cane febris ex ira,extincta aqua frigida.10°.meth.med.*7ª.63.F
ſub Cane,et añ canē purgationes ſunt moleſtę.cō.4°.aph.5°.Ex.28.A
in Canicularibus diebus quodam anno ſecta vena cauſa mortis fuit. 1°.de arte cur.ad Glauc. 7ª.98.C
CANIS *piſcis in cetaceorum genere ponitur.3°. de alimentorum facultatibus.31.F/* 2ª.32.E
Canis piſcis,phoca,delphini,& cete omnia pulmonem habent, et plus caloris quàm cæteri piſces.de vtil.reſp. Sp.64.C
Cane piſce quo modo vulgus veſcatur.3°.de alim.fac. 2ª.31.F
Canes piſces habent duram carnem,ægre conficiuntur,& pariunt ſuccos craſſos,& ſalſos.3°.de alim.fac. 2ª.31.F
Canis piſcis ingrati ſaporis & mucoſus eſt.3°.de alim.fac. 2ª.31.F
*Canis marini caro ſalſa facit ſanguinē melācholicū.3°.de lo.af.*4ª.18.F
CANIRVBVS *frutex ſylueſtris.2°.de alim.fac.* 2ª.21.H
*Canirubi germina numerant inter præſtātiſſima.2°.de ali.fac.*2ª.24.C
Canirubi germina muria,vel oxyhalme condita faciunt humorem melancholicum.3°.de loc.aff. 4ª.18.F
Canirubi fructu paſſim veſcuntur ruſtici.2°.de alim.fac. 2ª.21.H
*Canirubi fructus exiguum habent alimentum.2°.de alim.fac.*2ª.22.B
Canirubi fructus eſt praui ſucci.2°.de alim.fac. 2ª.22.B
*Canirubi fructus multum adſtringit.2°.de alim.fac.*2ª.19.B/*de ſimp. med.fac.53.F/1°.de comp.med.* 5ª.130.B
in Canirubi fructu,quod lanæ ſpecie habet arteriam vitiat.7°.de ſimplic.medic.fac. 5ª.53.F
CANIS *teſticulus calidus & humidus.8°.de ſimp.med.fac.*5ª.57.F
CANIS *eſt morbus faciei.2°.de diff.pul.* 4ª.55.H
CANITIES *quid.fin.med.* Iſa.48.B/C
Caneſcunt vbi homines magis.2°.de temp. 1ª.19.E
Canities oſtendit temperamentum cerebri.2°.de temp. 1ª.20.F
Canos cito producentes phlegma facit.de dyn. Sp.19.F
Canos capillos habere non eſt turpe.1°.de comp.med.ſe.lo. 5ª.126.E

Canities quomodo retardetur. 1°.*de comp.medic.sec.loc.* 5ª.126.G
Canitiem tardantia quæ ex austeris & acerbis sunt composita. 1°.*de comp.medic.sec.loc.* 5ª.126.G
Canitiem tardans medicina.secretorum. Sp.101.F
à Canitie præseruatio.de reme.par.fac. 7ª.161.C
CANNÆ *flos,quem anthelem vocãt,si in aures incidat adeo tenaciter adhærens affigitur, vt auelli non possit, auditumq; vitiat, quam ob rem sæpissime exurdat.*7°.*de simp.med.fac.* 5ª.49.F
Canna abstergentem facultatem possidet non paucam, minimeq; acrẽ. 7°.*de simplic.med.fac.* 5ª.49.F
*Cannæ radicem cum bulbis aculeos ac stipites ex alto extrahere quidam scripsere.*7°.*de simplic.med.fac.* 5ª.49.E
Cannæ cortex vstus calidus est & siccus in tertio ordine. 7°.*de simp. med.fac.* 5ª.49.F
CANNÆ *pulmonis compositio,quæ.de anat.viu.* Sp.53.C
p Cannã magnam fit attractio aeris ad pulmonẽ.de ana.vi. Sp.47.C
Canna pulmonis non sonora est in radice, quia carnosa, & humida. de voce & anhelitu. Sp.61.F
Cannæ pulmonis inuamentum.de ana.viuo. Sp.53.D
Canna pulmonis est primum instrumentum formationis vocis, & ita virtutis voluntariæ mobilis.de ana.viu. Sp.53.D
Canna quam habeat actionem in voce.de voce & anhel. Sp.61.G
Canna prima vocis est epiglottis.de ana.viu. Sp.49.E
Canna secunda vocis est vuula.de ana.viu. Sp.49.E
CANNABIS *vitici quodam modo similis.* 1°.*de alim.fac.* 2ª.15.F
Cannabis est cibus calidus.de dissol.cont. Sp.74.C
*Cannabis semen flatus extinguit,adeoq; desiccat, vt si plusculum edatur,genituram exiccet.*7°.*de simp.med.fac.* 5ª.49.F
Cannabis semen concoctu est difficile, stomacho ac capiti nocet, praui est succi,multum calefacit. 1°.*de alim.fac.* 2ª.15.F
Cannabis semen medicamentosum est,& capiti tẽtat.de atte. 2ª.44.E
Cannabis agrestis semen.de med.fac.par. 7ª.171.D
CANON, *hoc est norma,Polycleti liber.de decr.* 1ª.225.H
CANTABRI *succus ad synochan.de dyn.* Sp.33.C
CANTHARIDES *quid.de simp. medica.fac.* Sp.82.D
Cantharidibus specie & viribus similis est bupreſtis. 11°.*de simp.medicamen.fac.* 5ª.82.E
Cantharides instrumento inuentæ aptiores. 11°.*de simp.md.fa.*5ª.82.E
Cantharidibus vescuntur viperæ.de ther.ad Pis. 5ª.95.D
*Cantharis terrenæ est consistentiæ.*4°.*de simp.med.fac.* 5ª.30.A
*Cantharidis qualitas est contraria nobis.*7°.*de vsu par.* 1ª.159.B
Cantharides venenosæ sunt.de simp.med. Sp.82.D
*Cantharides erosione aut putrefactione interimunt.*4°. *de simp.med. facult.* 5ª.29.E
*Cantharis interimit erodendo.*10°.*de simp.med.fa.* 5ª.73.H
*Cantharidis centesima drachmæ particula non necat.*3°.*de simp.med. facult.* 5ª.25.A
*Cantharides assumentibus quid prodest.*2°.*de antid.* 5ª.114.D
*Cantharidum alexiterium.*9°.*de simp.med.fac.* 5ª.65.E
cõtra Cantharides valet theriaca.de ther.ad Pis. 5ª.91.E
Cantharis vesicam lædit.de ther.ad Pis. 5ª.91.A
Cantharis quomodo vesicam lædat & inuet.de ther.ad Pis. 5ª.94.B
*Cantharis vesicam exulcerat.*3°.*de temp.*1ª.23.C/1°. *de comp.med per gen.* 5ª.209.H
*Cantharides sponte sua feruntur per vrinam ad vesicam, atque sic rodendo eam exulcerant.*3°.*de simp.med.fac.* 5ª.23.A
Cantharidum vsus. 11°.*de simp.med.fac.* 5ª.82.E
Cantharides faciunt ad aliquas antidotos, & ad aliqua caustica. de simp.med. Sp.82.D
*Cantharides qũo præparet.de vict.rat.in mor.acu.com.*4°. 7ª.152.E
Cantharides qũo accipiant,an tote,an partes. 11°.*de simp.me.*5ª.82.E
*Cantharidũ ventres accipit.*5°.*de cõp.me.se.lo.*161.F/H/ 5ª.162.C
*Cantharides dat in potu.de vict.rat.in mor.ac.com.*4°. 7ª.152.A
*Cantharis correcta per vrinam sine noxa educit.*3°.*de temp.* 1ª.23.C
*Cantharides non nihil recipiunt medicamenta ad vrinas mouendas efficaciora.*4°.*de simp.med.fac.*30.B/11°. 5ª.82.E
*Cantharidis parte sumpta, quibusq; oportet admista, præterq; quòd vesicã nihil offendit,et renes expurgat.*4°.*de simp.med.fa.*5ª.30.B
ex Cantharidibus vbi paucum multis miscetur bonis atq; vtilibus, illa quidem ad vesicam veluti manu ducunt, rodere tñ nequeunt. 3°.*de simp.med.fac.* 5ª.23.A
*ex Cantharide confectum medicamentum vrinæ ciendæ accommodũ est.*3°.*de simp.med.fac.* 5ª.23.A
*ex Cantharidibus medicamentum vrinarum prouocatiuum citra incommodum.de vic.rat.in mor.ac.com.*4°. 7ª.152.E
*Cantharides vngues pforodes sanant.*11°.*de simp.med.fac.* 5ª.82.C
Cantharis lumbricos educit.de ther.ad Pis. 5ª.93.F
*in Cantharidibus exhibendis actio iguari medici.de vict.rat.in mor. acu.com.*4°. 7ª.152.E
CANTERIVS *quid sit.de artic.com.*1°. 7ª.255.C
CANTORES *non vtantur venere.*7°.*de loc.aff.* 4ª.42.G
in Cantibus necessaria est longe vocis emissio.de ana.viu. Sp.48.B
CANTILENA *vetulæ,prouerbium.*1°.*de crisi.* 4ª.131.H
CANVBEA *cum absinthio & lupinorum apozemate purgat sima hepatis.de cathar.* Sp.95.C
CANVM *quid.de simp.med.* Sp.93.C
Canum acriter stringentes vires habet, & quodam modo causticas.de simplicium med. Sp.83 C
*Cani pars vna ingreditur Ponitij confectionem.de simp.med.*Sp.88.F
*in CAPACITATIBVS instrumentorum amplis quę continentur, vis expultrix non expellit.*2°.*de symp.cau.* 3ª.22.B
Κάωτοι.*i.fossilæ.de artic.com.*4°. 7ª.290.B
CAPILLORVM *nullũ est regimen,sed tantũ gñatio.ars med.*If.63.B
*Capillos,& pilos generare est naturæ opus.*14°.*meth.med.* 7ª.93.C
*p Capillos excernuntur superfluæ.de cõpag.mẽb.siue de ua.hu.*Sp.59.B
Capilli quando oriuntur.de fœt.for. 1ª.323.H
*Capilli fiunt modo maiores,modo minores, vt conuenit temporis mutationi.*11°.*de vsu par.* 1ª.189.F
Capilli cur pauci æthiopibus, & tamen facile non caluescunt. 11. *de vsu partium.* 1ª.190.C
*Capillis non semper indigemus.*11°.*de vsu par.* 1ª.189.F
*Capilli non æque conueniunt viro,puero,seni,mulieri, æstate, hyeme, in loco calido, in loco frigido.*11°.*de vsu par.* 1ª.189.F
*Capilli non itidem conueniunt ei qui ophthalmia aut capite alioqui laborauit & sanissimo.*1°.*de vsu par.* 1ª.189.F
*ad Capillorum generationem.*1°.*de comp.med.se.lo.* 5ª.125.H
*ad Capillos conseruandos Critonis.*1°.*de comp.med.se.lo.* 5ª.126.C
*Capilli vt crescant.de med.fac.par.*7ª.179.D/*de dyn.* Sp.23.E/F
*Capilli crispi quibus fiunt.*1°.*de comp.med.sec.loc.* 5ª.127.B
Capillorum crispitudinem à leone tenuit Alexander.de sper. Sp.38.H
Capilli in rubedinem homini tendunt si sperma conceptum fiat à mulie re in tribus sanguinis horis.de sper. Sp.37.C
*Capilli rubẽtes,& citrini sunt concepto in Bilis horis.de sper.*Sp.37.C
Capilli sunt flaui concepto in hora phlegmatis.de sper. Sp.37.C
*Capilli flaui quo modo reddantur.*1°.*de comp.med.sec.loc.*5ª.127.B/ *de reme.par.facil.* 7ª.161.C
*Capilli fului quo modo reddantur.*1°.*de comp.med.sec.loc.* 5ª.127.B
Capillos inficit terra ampelitis.de simp.med. Sp.85.A
Capillos tingit myrta.de simp.med. Sp.87.E
*Capillos tingere est comptorij generis.*1°.*de comp.med.se.lo.* 5ª.126.F
*de Capillorum tincturis.*1°.*de comp.med.sec.loc.*126.E/ *de remed. par.facil.* 5ª.161.B
*Capillos nigros habet conceptus in horis melancholiæ.de sper.*Sp.37.C
Capillos rectos,& nigros habentibus obturata fiunt spiramenta.in 1ᵐ. *de morb.vulg.com.*2°. 3ª.115.E
*Capillos denigrant vetulæ.*1°.*de comp.med.sec.loc.* 5ª.126.F
*Capillos qbus mulieribꝰ nigros facere liceat.*1°.*d cõp.me.se.l.*5ª.126.F
*Capilli quo modo fiant nigri.*1°.*de comp.me.se.lo.*125.A/5ª.126.A/ *de reme.para.fac.*7ª.154 C/*de dyn.* Sp.23.F
*Capilli subnigri quo modo fiant.*1°.*de comp.med.se.lo.* 5ª.126.C
*Capillos denigrantia.*1°.*de comp.med.se.lo.* 5ª.126.C
*Capillos denigrantia Archigenis.*1°.*de comp.med.sec.loc.* 5ª.126.H
*ad Capillos nigros faciẽdos medicamẽtũ quoddã Heracõ rite vsurpatum in quas ægritudines inducat.*1°.*de comp.med.se.lo.* 5ª.125.H
*Capillos denigrantibus qui morbi aliquando contingunt.*1°. *de comp. med.sec.loc.* 5ª.126.G
à Capillos denigrantibus,quæ capita facilius,quæ tardius lædantur. 1°.*de comp.med.sec.loc.* 5ª.126.H
in Capillis denigrandis mortui sunt aliqui ob refrigerationem capitis. 1°.*de compositione medicam.sec.loc.* 5ª.126.G
Capillos nigros habentes quando moriebantur.in 1ᵐ.*de morb. vulgar. commen.*2°. 3ª.115.D
ad Capillos albos faciendos.de rem.par.fac. 7ª.161.C
*p Capillis illinendis pix liquida.*1°.*de comp.med.sec.loc.* 5ª.126.G

ad Capillorum raritatem. 1°. de comp. medicam. sec. loc. 5ª. 124. H/
de dynam. Sp. 23. F
Capilli vt oriantur in loco cõbusto ab igne de reme. par. fac. 7ª. 161. E
Capillorum attenuatoria. 1°. de comp. med. se. lo. 5ª. 127. E
Capillorum affectiones sunt communes cum paucis partibus. 1°. de
comp. med. sec. loc. 5ª. 121. C
Capillorum vitium symptoma est affectionis capitis. 1°. de comp. med.
sec. loc. 5ª. 121. F
Capilli ob quas causas corrumpantur. 1°. de comp. me. se. lo. 5ª. 121. E
Capillorum radices à vitiosis humoribus corrumpuntur. commen. 6°.
aph. 34°. Ex. 50. C
Capillorum passiones à græcis dicuntur alopeciæ, & ophiasis. com. 6°.
aph. 34°. Ex. 60. C
Capilli nouacula sunt auferẽdi in alopecia. 1°. de cõp. me. se. l. 5ª. 122. G
Capillis glabrum caput ex alopecia contexit agaricum. 6°. de simpli.
med. fac. 5ª. 41. E
Capillorum psilothra. 1°. de comp. med. sec. loc. 5ª. 127. C
Capillos extirpantia. 1°. de comp. med. sec. loc. 5ª. 127. E
Capilli quibus renascant in alopecia. 1°. de comp. med. se. lo. 5ª. 124. C
Capilli vt facile & cito nascantur abrasio nouacula fit. 1°. de compo.
med. sec. loc. 5ª. 123. E
Capillos extirpãtia sunt periculosi vsus. 1°. de cõp. me. se. lo. 5ª. 127. F
de Capillorũ defluuio, & curatione. 1°. de comp. med. se. lo. 5ª. 125. D
Capilli defluũt facilius, quã pili palpebrarũ. 11°. de vsu par. 1ª. 190. B
Capillorum defluuium à medicis dicitur quando fluunt capilli. com. 6°.
aph. 34°. Ex. 50. B
Capillorũ defluuiũ ab Hipp. caluitiũ dicitur. cõ. 6°. aph. 34°. Ex. 50. B
Capillos reddere caluis. de med. fac. parab. 7ª. 171. A
Capillati fiunt calui quibus varices fiunt. com. 6°. aph. 34°. Ex. 50. B
Capilli defluunt ob pituitam. de dyn. Sp. 19. G
Capillorum profluuium citra morbum accidens. 1°. de comp. medica.
sec. loc. 5ª. 126. B
Capillorũ profluuiũ post morbos sæpe. 1°. de comp. me. se. lo. 5ª. 125. E
de Capillis qui cadunt iis qui resumuntur ex ægritudine. de remediis
paratu facilibus. 7ª. 161. D/E
Capillorum profluuium fit in phthisicis, cum ad extremum mali perdu
cuntur. com. 7°. aph. 16°. Ex. 55. B
Capillis à capite fluentibus, tabidis si superueniat alui profluuium mo
riuntur. com. 5°. aph. 1°. Ex. 38. D
Capilli si fluant in tabidis, & sputum graue oleat positum supra carbo
nes, letale est. com. 5°. aph. 11°. Ex. 38. D
de Capillorum casu. de reme. para. facil. 7ª. 161. D
Capillorum profluuij medicamenta quid agere debent. 1°. de comp. me
dic. sec. loc. 5ª. 125. E
Capillorum profluuij medicamenta caliditatem, & vim adstringendi
habeant. 1°. de comp. med. sec. lo. 5ª. 125. E
℔ Capillis, adstringentia cur admista debeant habere quippiam tenu-
ium partium. 1°. de comp. med. sec. lo. 5ª. 126. G
Capillorum defluuium sola purgatione sanauit Galenus. de purgantiũ
medicamen. facul. 5ª. 87. G
Capillos defluentes retinet ladanum. 7°. de simp. med. fa. 1ª. 51. E
Capillos defluentes cohibet ladanum, ideo adstringit, & exiccat. 7°. de
simp. med. fac. 5ª. 55. A
Capillos fluẽtes cũ oleo myrtino cõtinet ladanũ. de simp. med. Sp. 86. D
Capillis fluentibus myrta prodest. de simp. med. Sp. 87. E
℔ Capillorum defluuio optimum est oleum lentiscinum cum ladano.
1°. de comp. med. se. lo. 5ª. 125. F/de simp. med. Sp. 86. B
℔ Capillis fluentibus oleum hispanum. 1°. de comp. me. se. lo. 5ª. 125. F
in Capillorum defluuio valet oleum myrtinum, vnguentum nardinũ,
vnguẽtũ foliatũ, & vnguentũ spicatũ. 1°. de com. me. se. lo. 5ª. 125. F
ad Capillorum profluuium. 1°. de comp. me. se. lo. 5ª. 123. E/de reme.
par. fac. 154. B/de med. fac. par. 7ª. 170. H/de dyn. Sp. 23. E
ad Capillorum profluuiũ Archigenis. 1°. de cõp. me. se. lo. 5ª. 125. H
ad Capillorũ profluuiũ Heræ cõpositio. 1°. de cõp. me. se. lo. 5ª. 125. G
Capilli distendendi sunt in iis qui ex bulimo animo delinquuntur. 8°. de
comp. med. sec. loc. 5ª. 192. E
qbus veluti CAPILLI in vrina crassa existente, aut caruncula par-
ua vnà exeunt iis à renibus excerniũ. cõ. 4°. aph. 76°. Ex. 36. C/D
Capillitium appellatur à medicis passio, qua quis mingit veluti capil-
los. com. 4°. aph. 76°. Ex. 36. C
Capillitium ex quibus fiat, & quomodo, & in quo loco, & quibus cu-
retur. com. 4°. aph. 76°. Ex. 36. C
Capillitio laborans minxit quandoq; corpora tam longa, vt ad dimi-
dium cubitum extenderentur. com. 4°. aph. 76°. Ex. 36. C
Capillitium habentes semper habent vrinam crassam. commenta. 4°.
aph. 76°. Ex. 36. D
Capillitium nunquam vidit Galenus. com. 4°. aph. 76°. Ex. 36. D
CAPILLORVM veneris electuarium. de med. exper. Sp. 107. H
CAPISTRVM vocatum dimidiatum, vel ad alteram partem. de
fasciis. 7ª. 296. B
Capistrum ab inferiori parte sursum. de fasc. 7ª. 296. C
Capistrum ad vtranq; partem. de fasc. 7ª. 296. C
Capistrum in vtranq; partem ductum à superiori parte deorsum. de fa
sciis. 7ª. 296. D/Idem aliter. 296. E/aliter ibidem.
Capistrum obliquum ad alteram partem. de fasc. 7ª. 296. F
CAPITO librũ Hippocratis de morbis vulgaribus cõmẽtatus est. in
1ᵐ. de mor. vul. com. 2°. 113. A/in 3ᵐ. de mor. vul. cõ. 2°. 3ª. 136. A
Capito scripturas peruertit. in 6ᵐ. de mor. vul. com. 1°. 3ª. 152. D
Capito appellatus Artemidorus. de iis quæ in med. fi. cõ. 1°. 7ª. 197. E
CAPITONVM maritimorum caro quo differt à degentibus in aquis
vitiatis. de bon. & vit. suc. 2ª. 37. H
Capitones viuunt aqua salsa & dulci. de bon. & vit. suc. 2ª. 37. H
CAPNÆLEON. 2°. de comp. med. sec. loc. 5ª. 135. F
Capnæleos resina. 3°. de comp. med. per gen. 5ª. 233. E
CAPNIOS id est Fumus. 7°. de simp. med. fac. 5ª. 49. F
in CAPPADOCIA hordeũ nudum prouenit. 1°. de ali. fa. 2ª. 13. A
CAPPAR venarum fit mentio. secretorum. Sp. 99. E
CAPPARIM acrem esse, collige. 2°. de atten. vic. 2ª. 43. H
Capparis comeditur ceu obsonium ac medicamentum. 2°. de alimento.
facultat. 2ª. 21. E
Capparis est potius medicamentũ quã alimentũ. 2°. de ali. fa. 2ª. 21. E
Capparis conditur in aceto & muria. 2°. de alim. fac. 2ª. 21. F
Capparis cur sale aspergatur. 2°. de alim. fac. 2ª. 21. E
Capparis ante omnes cibos ex oxymelite vel oxelæo edi debet. 2°. de
alimen. fac. 2ª. 21. F
Cappares cum aceto, & melle quid faciant. de diff. cont. Sp. 75. G
Capparis est tenuium partium & parum nutrit. 2°. de ali. fa. 2ª. 21. E
Cappares cur parum nutriunt. de diff. cont. Sp. 73. F
Capparis salsus nisi eluaẽ, nihil alit, aluũ tũ subducit. 2°. & ali. f. 2ª. 21. E
Capparis viridis sicco magis alit. 2°. de ali. fac. 2ª. 21. E
Capparis præparatus cum aceto solum, aut cum aceto & melle, robo-
rat stomachum, & corrugat. de diff. cont. Sp. 74. E
Capparis valet ad appetentiam deiectam. 2°. de alim. fac. 2ª. 21. F
Capparis attenuat. de atten. vict. rat. 2ª. 43. H
Capparis ex oxymelite, vel aceto, vel oleo citra calorem extenuat.
4°. de san. tuen. 2ª. 85. G
Capparis fructus aurium vermes sua amaritudine occîdit. 7°. de simp.
med. fac. 5ª. 49. H
Capparis detergit pituitam existentem in ventre. 2°. de ali. fa. 2ª. 21. F
Cappares in epilepsia conueniunt. de puero epile. 7ª. 180. E
Capparis ex oxymelite edatur in principio cibationis, ubi grauitas est
in hypochondriis. 14°. meth. med. 7ª. 91. H
Capparis purgat obstructiones hepatis & lienis. 2°. de ali. fa. 2ª. 21. F
Capparis est lieni, vt absinthium iecori. 13°. meth. med. 7ª. 84. F
ex Cappari, absinthio, & oxymelite cataplasma pro liene. 11°. meth.
med. 73. D/13°. 7ª. 84. F
Capparis cortex, qualis. 7°. de simp. med. fac. 5ª. 49. G
Capparis cortex lienes induratos optime iuuat, & dolores coxarum,
menses promouet, ex capite purgat, & ruptis atq; conuulsis auxi-
liatur. 7°. de simp. med. fac. 5ª. 49. G
Capparis radicum cortices mirè spleni conueniunt. 2°. de arte cura. ad
Glauc. 7ª. 104. C/de cathar. Sp. 95. C
Capparis cortex euacuat. 5°. de simp. med. fac. 5ª. 49. G
Capparis radicis cortex vlceribus malignis impositus non malum est
remedium, dentium dolores sanat, vitiligines detrahit, chœradas et
tumores duros digerit. 7°. de simp. med. fac. 5ª. 49. H
Capparis radix lapidem frangit. de oculis. 7ª. 188. F
Capparis ægyptiæ radix lapidem renum frangit. de ren. affec. dign. &
medela. 7ª. 196. D
Capparis radix vrere potest. 5°. de simp. medic. fac. 5ª. 38. F
Capparis electuarium. de medici. exper. Ex. 108. B
CAPRAM si inierit aries, capram facit mollioripilo: si caper ouem,
ouem facit duriori lana. 2°. de sem. 1ª. 336. G
Capræ habent ossium substantiã minus durã ac densam canibus, lupis,

ac pardalibus. 11°.*de vſu par.* 1ª.191.*D*
Caprarum dentes,& leonum differunt. 11°.*de vſu par.* 1ª.187.*C*
Caprarum muſculus temporalis.qualis. 10°.*de vſu par.* 1ª.184.*G*
Capram diſſecuit grauidam,& viuentem Galenus,in 6ᵐ. *de mor. vul. com.*6°. 3ª.189.*E*
Capra habet vuluam vt mulier.de diſſect.vul. 1ª.108.*E*
Capræ quam ligaturam habeãt in matrice. 15°.*de vſu par.* 1ª.211.*D*
Capra à natura hominis nõ longe aliena in fœtu.de fœt.for. 1ª.322.*E*
*Capræ geminos ferre ſolent.*6°.*de loc.aff.* 4ª.41.*E*
*Capræ propter quid caſtrantur.*3°.*de alimen.fac.* 2ª.27.*B*
*Capra ſui,& homini comparata eſt multũ ſicca.*3°.*de ali.fa.* 2ª.25.*H*
Capra eſt ſiccior oue. 11°.*de ſimpli.med.fac.* 5ª.78.*E*
*Capra eſt minus ſicca quàm bos.*3°.*de alim.fac.*2ª.25.*H*/11°.*de ſimplic.med.fac.* 5ª.78.*E*
*Caprina caro in magno vſu eſt.*2°.*de alim.fac.* 2ª.16.*B*
*Caprinæ carnes quales.de vict.rat.in mor.acu.com.*4°. 7ª.147.*A*
*Caprinæ carnes optimæ ſunt æſtate,autumno peſſimæ. de victus rat.in morb.acu.com.*4°. 7ª.147.*A*
*Capræ prima æſtate & media pingueſcunt.*3°.*de alim.fac.* 2ª.26.*B*
*Caprinæ carnes,cur frigidæ potius quàm calidæ ſint edendæ. de victus rat.in morbis acu.com.*4°. 7ª.147.*A*
*Caprina caro difficulter coquitur..*1°.*de alim.fac.* 2ª.10.*A*
Capræ maiores cur tarde digerantur.de diſſol.cont. *Sp.*73.*D*
Capræ carne velocius digeritur hœdus anniculus,& agnus. de bonit. aquæ. *Sp.*73.*C*
*cũ Caprina & ouilla carne ruri comedit faba.*1°.*de alim.fa.*2ª.14.*A*
Caprarum & ouium genus omne non vndequaque laudabilis eſt alimenti.de atten.vict.rat. 2ª.45.*E*
*ex Capris alimentum,quale.de vic.ra.in mor.acu.cõ.*4°. 7ª.147.*A*
*Caprarum caro præter ſuccum vitioſum,habet acrimoniam.*3°.*de alimentorum fac.* 2ª.26.*A*
Caprinæ carnes choleram gignunt.de vict.rat.in mor.acu. 7ª.147.*A*
*Caprina caro facit humorem melancholicum.*3°.*de loc.aff.* 4ª.18.*F*
*Caprina caro eſt inutilis ſenibus.*5°.*de ſan.tuen.* 2ª.91.*D*
*Caprarum ventres pingui ſanguine pleni qui cibi ſint. de victus rat.in mor.acu.com.*4°. 7ª.147.*C*
*Caprarũ ſanguis in cibo iucũdus apud Homerũ.*3°.*de ali.fa.* 2ª.29.*C*
Caprarum ſanguis cum melle exhibetur a qua inter cutem laborantib. 10°.*de ſimp.med.fac.* 5ª.73.*B*
Caprarum ſanguis toſtus ad dyſenteriam,& fluxum ventris. 10°.*de ſimp.med.fac.* 5ª.73.*B*
*Caprino iecori idem valet iecur hircinũ.*11°.*de ſimp.med.fa.* 5ª.79.*H*
*Caprinum iecur ad nyctalopes.*11°.*de ſimp.med.fac.* 5ª.79.*H*
*Caprinus pulmo vſtus.*5°.*de comp.medicam.ſec.loc.* 5ª.159.*G*
*Caprarum lac,quale.*3°.*de alim.fac.* 2ª.27.*F*
*Capræ lac eſt mediocris ſubſtantiæ.*5°.*de ſan.tuen.* 2ª.91.*H*
*Caprinum lac,& aſininum quomodo differant.*5°.*de ſan.tu.* 2ª.91.*H*
Capræ lac medium eſt inter lac camelæ,& aſinæ.de diſſ.cont. *Sp.*73.*F*
Capræ lac eſt temperatius,& ſubtilius quàm lac pecudum & vaccæ, & craſſius,quàm lac aſinæ,& camelæ.de diſſ.cont. *Sp.*73.*H*
*Caprinum lac multo minus pingue,quã bubulũ.*3°.*de ali.fa.* 2ª.27.*H*
Caprinum lac non admodum pingue,nec craſſum.de bonit. & vit.ſuc. 2ª.35.*B*/5°.*meth.med.* 7ª.35.*A*
*Caprinum lac conueniens noſtris corporibus.de bo.& vi.ſuc.*2ª.35.*B*
Capræ quæ pauerit aut ſcammoniam, aut tithymallum, quale ſit lac. 3°.*de alim.fac.* 2ª.28.*A*
Caprini lactis vſus Pergami frequens.de bo.& vi.ſuc. 2ª.35.*B*
Caprinũ lac ſine melle ſumptũ periculoſum eſt.de bo.et vi.ſuc. 2ª.35.*C*
Caprinum lac pleriſque coactum eſt in ventriculo in ſpeciem caſei. de bon.& vit.ſuc. 2ª.35.*C*
*Caprinum lac & aſininum vicibus ſumendum.*5°.*de ſan.tu.* 2ª.91.*H*
*ex Capræ lacte non fit butyrum.*10°.*de ſimp.med.fac.* 5ª.74.*C*
*cur Capræ habent adipem.*11°.*de ſimp.med.fac.* 5ª.78.*H*
*Caprarum adeps,qualis.*7°.*de comp.med.per gen.* 5ª.263.*F*
*Caprarum adipe valentior ad emolliendum eſt hircinus.*5°.*de ſimplic. medic.fac.* 5ª.34.*E*
*Caprarum adeps minus calidus eſt,quàm hircorum.*11°.*de ſimp.medic.fac.* 5ª.79.*B*
*Caprarum adipe minus calidus eſt adeps hœdorum.*11°.*de ſimp.med. facult.* 5ª.79.*B*
*Capræ adeps,eſt acrior ſuillo,& vitulino.*5°.*de ſimp.med.fa.* 5ª.34.*B*
Capræ adipẽ non adhibemus oculis.in 6ᵐ.*de mor.vul.c.*6°.3ª.196.*D*

*Caprinus adeps ad quæ valet.*11°.*de ſimp.med.fa.* 5ª.78.*H*
*Caprinus adeps molliſicat.*2°.*de arte cur.ad Glauc.* 7ª.101.*A*
*Caprinus adeps,quæ indurata ſunt iuuat.*5°.*de ſimp.med.fa.*5ª.34.*E*
*Caprinus adeps cur potius quàm ſuillus tineſmoſis & dyſenterici is imponitur.*11°.*de ſimp.med.fac.* 5ª.78.*H*
*Caprinum pingue,quale.*7°.*de comp.med.per gen.* 5ª.269.*F*
*Caprina pinguedo pro gallinacea.*8°.*meth.med.* 7ª.53.*F*
*Caprinum ſeuum vel vitulinum indifferenter accipit.*5°.*de comp.med. per gen.* 5ª.249.*E*
Caprina medulla eſt minus efficax vitulina.de ſimp.med. *Sp.*87.*D*
Caprina medulla in quo gradu ſit inter emollientia.de ocul. 7ª.188.*D*
*Capræ fel ſuper ouillũ poſt vrſorũ & boum.*10°.*de ſimp.me.ſ.* 5.74.*H*
Capræ fel ad nyctilopas.de reme.par.fac. 7ª.156.*H*
*Caprinum fel.*5°.*de comp.med.ſec.lo.* 5ª.160.*E*
Caprina veſica, aut ouilla vſta ex poſca bibita ad eos qui ſe in ſomno permingunt 9°.*de comp.med.ſec.loc.* 5ª.205.*F*
*Caprarum pellis ſubſternenda.de fract.com.*3°. 7ª.245.*C*
*Caprarum cornu vſtum quale,& quomodo lauetur.*4°.*de comp.med. ſec.loc.* 5ª.151.*F*
*Capræ,& cerui cornu non differunt.*5°.*de comp.med.ſe.lo.*5ª.165.*H*
*Caprinum cornu mundificatiuum,& colatiuum eſt.de ocul.*7ª.189.*C*
*Capræ & cerui cornua ad candorem dentium.*11°. *de ſimplic. medic. facult.* 5ª.79.*G*
*Capræ & cerui cornua valent ad contrahendas mollitie fluidas gingiuas.*11°.*de ſimp.med.fa.* 5ª.73.*G*
Capræ nigræ cornu accipi iubet.de med.fac.parab. 7ª.173.*A*
*Caprarum pili vſti.*1°.*de comp.med.ſe.lo.* 5ª.124.*F*
*Caprarum vngues alopecias ſanant.*11°.*de ſimp.med.fac.* 5ª.80.*E*
*Capre vrinã calfactã dat ad bibendũ.*9°.*de comp.med.ſe.lo.*5ª.200.*G*
Caprarũ deiectiones vocãt,σπυρἀθους.in 1ᵐ.*prorrh.cõ.*1°.4ª.172.*H*
*Caprinum ſtercus non grauiter olet.*10°.*de ſimp.med.fac.* 5ª.76.*A*
*Caprinum ſtercus,quale.*10°.*de ſimp.med.fac.* 5ª.76.*E*
*cũ Caprino ſtercore acetũ,quale.*7°.*de comp.med.per gen.*5ª.265.*F*
*Caprinum ſtercus vſtum ad alopecias,lepras,pſoras,& lichenas.*10°. *de ſimp.med.fac.* 5ª.76.*E*
*Caprinum ſtercus ad aquam intercutem,& ad ſplenicos.*10°.*de ſimp. med.fac.* 5ª.76.*E*
*Caprinum ſtercus in hydrope.*9°.*de cõpoſi.med.ſec.lo.* 5ª.200.*F*
*Caprinum ſtercus competit lieni duro.*3°.*de comp.me.ſe.lo.*5ª.147.*A*
*Caprinum ſtercus ad genu tumorem habens inueteratum.*10°.*de ſimp. med.facult.* 5ª.76.*E*
Caprinum ſtercus ad parotidas,& ad bubonas confert. 10°.*de ſimp. med.fac.* 5ª.76.*E*
*Caprinũ ſterc⁹ induratę parotidi cõpetit.*3°.*de cõp.me.ſe.lo.*5ª.147.*A*
*Caprinum ſtercus ad viperarum morſus,ad auriginem, et profluuium muliebre.*10°.*de ſimp.med.facult.* 5ª.76.*E*
de CAPRIZANTE *pulſu.*1°.*de diff.pul.* 4ª.52.*D*
*Caprizans pulſus quid denotet.*2°.*de præſag.ex pul.* 4ª.112.*C*
Caprizans pulſus,qui.de pul.ad tyro. 4ª.43.*G*
*Caprizans pulſus omnium incõmodiſſimus eſt.*2°.*de præſa.* 4ª.111.*F*
Caprizans pulſus mortem præſentem denunciat. 2°. *de præſagitione ex pulſibus.* 4ª.113.*C*
CAPREOLI *caro non mala.de diſſ.cont.* *Sp.*74.*B*
ex Capreoli corio cingulum quibus proſit.de dyn. *Sp.*24.*B*
CAPREOLI *vitium ſternendi in cubiculo febricitantium.* 10°. *meth. medendi.* 7ª.64.*E*
*Capreoli vitiũ pro herpete exedente.*2°.*de ar.cur.ad Glau.*7ª.102.*B*
CAPREOLVS *ſimilis lenticulæ dimidiatæ.de machin.* 7ª.310.*C*
Capreolis cochleæ differunt.de machin. 7ª.310.*C*
CAPRICORNI *natura,& quos inferat morbos.de decub.progno. ex mathe.ſcientia.* *Sp.*15.*E*
Capricornus,taurus,virgo,terrei,frigidi,& ſicci, meridionales ſunt. de ſpermate. *Sp.*39.*A*
Capricornus frigid⁹ eſt i ſecũdo gradu,ſiccus i tertio.de ſper. *Sp.*38.*H*
CAPRIFICI *ficus,qualis.*8°.*de ſimp.medica.fac.* 5ª.60.*F*
Caprifici cinis eſt omnibus acrior.de ſimp.med. *Sp.*86.*A*
*ex Caprifico fit lixiuium.*3°.*de comp.med.per gen.* 5ª.228.*E*
in CAPSVLA *continetur cor & pulmo quilibet in ſua. de anatomia parua.* *Sp.*42.*H*
Capſula cordis,q̃,et cur facta,et vbi cordi colligat.de ana.vi. *Sp.*52.*F*
in Capſula cordis colligitur materia quæ facit ſyncopen. de anatomia parua. *Sp.*42.*H*

in

in Capsula pulmonis colligitur materia quæ facit peripneumoniam. Sp.42.H
de anatomia parua.
CAPSVLA machinaria quæ, & quo facta. de fract. cō. 2°. 7ª.239.F
Capsulæ pro cruribus ad quid vtiles. de fract. com. 2°. 7ª.239.D
Capsula quæ cruribus subijcitur, qualis. de frac. com. 2°. 7ª.239.D
Capsulæ differentia. de fract. com. 2°. 7ª.239.E
à Capsula contineri nequit coxæ articulus, nec à canali. de fractu. commentario. 2°. 7ª.239.E
CAPTÆ nuper hirudines p dies seruādę, et sāguis illis p nutrimento dādus, ita q̄ earū virulētia respirabit. de cucur. scarificatio. 6ª.4.c
CAPTI & capiuntur sunt verba, q̄ apud Hippocratē ꝑm Galenum longitudinem temporis significant. com. 5°. aph. 70°. Ex.45.E
CAPTIOSÆ scientiæ, quæ. 2°. de decr. Hippo. 1ª.240.A
Captiosa argumēta absūt ab suba rei q̄ quærit. 2°. d̄ dec. Hip. 1ª.235.d
à Captiosis differunt lēmata facientia scientiam. 2°. de dec. 1ª.235.F
CAPVT appellatur tota pars supra collum. 3°. de decr. 1ª.247.D
Caput præcedit in partu secundum naturalem ordinem exeundi, sequuntur cætera membra. de ana. viuo. Sp.52.D
Caput ab aliquibus factū dicit propter cerebrū. 8°. de vsu p. 1ª.165.c
Caput non est factum gratia cerebri. 8°. de vsu par. 1ª.166.B
Caput cur non est propter aures. 8°. de vsu par. 1ª.166.F
Caput cur non est propter nares. 8°. de vsu par. 1ª.166.F
Caput ī supiori parte positū ē ꝓcipue pp oculos. de anat. viu. Sp.48.c
Caput cur nō est factū pp os, sed pp oculos. 8°. de vsu par. 1ª.166.F
Capitis anatomen in animali viuente fecit Gale. 7°. de decr. 1ª.269.B
pro Capitis anatomia instrumenta. 9°. de anat. adm. 1ª.104.B
in Capite, supercilijs, ac palpebris pilorum generatio necessaria est. 17°. de vsu partium. 1ª.222.B
Capitis pili cur in nobis. 11°. de vsu par. 1ª.189.D
in Capite pili cur sunt plurimi incremēti. 11°. de vsu par. 1ª.189.F
Caput ea pilorū parte, quæ in regione superiori producitur, assimilat aruo cuipiā triticū, aut hordeum, aut quippiam exterorum cerealium seminū in se natorū habēti. 1°. de compo. med. se. lo. 5ª.121.C
per Caput totum continuam substantiam habēt caluariæ membrana, & cutis extrinseca capitis. 2°. de comp. med. secun. loc. 5ª.133.H
Capiti alligat dura menynx p tenues quasdā mēbranas, q̄ ab ipsa enascunt: vię aūt ut foras exeāt, sūt capitis suturę. 8°. d̄ vsu p. 1ª.169.c
ad Caput à corde membranæ non pertingunt. 7°. de decre. 1ª.268.A
Caput ambiens pellis non habet sensum. 4°. de loc. aff. 4ª.25.D
Capitis cutis pueris, mulieribus, & eunuchis humida est. in 6ᵐ. de mor. vulg. commen. 3°. 3ª.170.A
in Capitis posteriore parte cutis mollities vnde sit. de an. vi. Sp.45.c
Capitis posterior pars nō facile calefcit. 2°. de cōp. me. se. lo. 5ª.132.E
Capitis os caluaria dicitur. de ossibus. 1ª.40.D
in Capite conuenienter fuit os. 8°. de vsu par. 1ª.167.A
Capitis os post omnia alia ossa fit. de fœt. for. 1ª.323.G
Capitis os ex quo fiat. 1°. de sen. 1ª.531.D
Caput ī infantib⁹ cōstrictū manibus fit lōgū. de aere, aq. et loc. 2ª.4.G
Caput firmum facit calor. in 1ᵐ. de mor. vulg. com. 1°. 3ª.104.B
Capitis os quando firmatur. de fœt. for. 1ª.323.H
cum Capite augescit & roboratur materia ossium & musculorum. in 6ᵐ. de morb. vulg. com. 1°. 3ª.154.E
Capitis os sensu caret. 13°. meth. med. 7ª.86.A
Capitis os cur cauernosū sit et hīs multas suturas. 9°. d̄ vsu p. 1ª.171.F
Capitis ossa sunt sex, excepto sphenoide. de ossibus. 1ª.40.G
Capitis ossa sunt septem. 11°. de vsu. par. 1ª.191.B
Capitis ossa superiora tenuiora sunt. 11°. de vsu par. 1ª.192.B
Capitis ossa lateralia duriora sūt ac crassiora. 11°. de vsu par. 1ª.192.b
Capitis ossa lateralia cur squammæ similia. 9°. de vsu partium. 177. D/commen. 11°. 1ª.191.G
cū Capitis osse prima vertebra articulat. 12°. de vsu par. 1ª.194.F
Capitis os magis superat ossa primorum spondylorum, quàm os aliud ab altero osse superetur. 12°. de vsu par. 1ª.195.H
in Capitis ossibus cur solus omnium musculorū abditus sit musculus temporalis. 11°. de vsu par. 1ª.185.B
Capitis ossibus nullus motus ineſt perspicuus. 13. de vsu par. 1ª.201.H
Capitis ossa suturis constant. introd. Isa.54.F
Capitis figura variat numerū suturarū, et positurā. de ossibus. 1ª.40.d
Capitis suturarum diuisio. in 6ᵐ. de mor. vulg. com. 3°. 3ª.169.H
Capitis suturarum diuersitas. 13°. meth. med. 7ª.85.H
Capitis tres suturæ. de ossibus. 1ª.40.D
Capitis quinque suturæ. introd. Isa.54.F
ī Capite musculi hīt qnq; suturas. de natu. et or. cuius. corp. Sp.41.e
Capitis dextram partem à sinistra distinguit sutura per longitudinem ipsius protracta. 3°. de loc aff. 4ª.20.F
Capitis nō habētis tumorē in occipitio suturæ. 9°. de vsu par. 1ª.177.a
Capitis tumor in frōte si perit, perit etiam sutura coronalis. 9°. de vsu partium. 1ª.177.A
Capitis suturæ nisi essent, medicamenta extrinsecus applicata nihil proficerent. 13°. meth. med. 7ª.85.G
Capitis tres figuræ. 9°. de vsu par. 1ª.176.H
Capitis quatuor figuræ ab Hippocrate. 9°. de vsu par. 1ª.177.B
Capitis naturalis figura. de ossibus. 40.D/9°. de vsu par. 1ª.177.B
Capitis propria figura, quæ. ars med. Isa.63.C
Capitis optima figura, quæ. in 6ᵐ. de mor. vul. com. 1°. 3ª.154.D
Capitis vitia in magnitudine, & forma, qualia. in 6ᵐ. de morb. vulg. commentario. 1°. 3ª.154.B
Caput magnum quid significet. ars med. Isa.63.C
Capita nimis magna aut parua habentibus vis cogitandi oblæsa est. in 6ᵐ. de morb. vulg. com. 1°. 3ª.154.C
Caput magnū q̄nq; bonū ē, sed raro, cur. ī 6ᵐ. d̄ mor. vul. c. 1°. 3ª.154.c
Caput magnū est, si cerebrū magnū. in 6ᵐ. de mor. vul. cō. 3°. 3ª.174.B
Caput magnū habuit Pericles. in 6ᵐ. de morb. vul. com. 1°. 3ª.154.C
Caput paruum, quale. in 6ᵐ. de morb. vulg. com. 1°. 3ª.154.B
Caput paruum quid significet. ars med. Isa.63.C
Caput exiguum semper est malū. in 6ᵐ. de mor. vulg. cō. 1°. 3ª.154.C
Capita nimis parua habentibus vis cogitādi oblæsa est. in 6ᵐ. de mor. vulg. commen. 1°. 3ª.154.C
Caput paruū est, si cerebrū paruū. in 6ᵐ. de mor. vul. cō. 3°. 3ª.174.B
Caput paruū habent quædam animalia, & oculos declines positos in quibusdam neruorum extremitatibus, quos emittunt quandoque à se, & retrahunt ad se. de anat. viuo. Sp.48.C
Caput rotundum pranum est. in 6ᵐ. de morb. vul. com. 1°. 3ª.154.B
Capitis rotundi suturæ quam figurā habeāt. 9°. de vsu par. 1ª.177.A
Capite acuti φοξοὶ dicuntur. in 6ᵐ. de morb. vul. com. 1°. 3ª.154.F
Caput nō potest esse acuminatū circa aures. 9°. de vsu par. 1ª.177.A
Capitum acutorum figuræ quid ostendunt. 9°. de vsu par. 1ª. 176. H/in 6ᵐ. de morb. vulgar. com. 1°. 3ª.154.B
Caput acutū qñ vitiosum, & qñ nō. in 6ᵐ. de mor. vul. c. 1°. 3ª.154.D
Caput acutum qñ robustum. in 6ᵐ. de morb. vulg. com. 1°. 3ª.154.B
in Capite est cerebrum propter oculos. 8°. de vsu par. 1ª.167.A
Capitis ventriculorum trium harmonia vsque ad animam qui nerui dicantur. de spermate. Sp.37.G
in Capite sūt duo foramina ab ore ad cerebrū. cō. 7°. ap. 51°. Ex.58.D
Caput solidorū formationis et cōpactionis originē ponit Hippocrates ꝓbabiles sequutus rōnes. breuis denotatio dogmatū Hip. 2ª.231.B
in Capite quodnam principium sit. 7°. de decr. Hipp. 1ª.268.H
Caput propria est rationis sedes. 3°. de loc. affec. 3ª.16.E
ex Capite puenit virtus, qua ratiocinamur, et meminim⁹, et sētimus, et de loco ad locū permutamur. de virtu. nīm cor. dispens. Sp. 60.B
in Capite est situm sapere, & ea animæ pars quæ ratiocinatur. de vict. rat. in mor. acu. com. 3°. 7ª.131.F
è Capite Iouis Minerua, fabula. 3°. de decre. Hipp. 1ª.246.H
Caput Taurus respicit. de decub. prog. ex math. scientia. Sp.13.C
in Capite cur sensus. 8°. de vsu par. 1ª.165.C
in Capite quatuor instrumenta sensoria. 8°. de vsu par. 1ª.167.D
in Capite sensoria oīa sunt ꝓpter cerebrū. 8°. de vsu par. 1ª.167.A
in Capite neruorum origo. 7°. de decre. Hipp. 1ª.268. H/commentario. 5°. apho. 69°. Ex.45.D
Capitis nerui, & eorum differentia. 12°. de vsu par. 1ª.193.G
in Capitis lateribus neruorum exortus. 6°. meth. med. 7ª.42.G
à Capite neruorū dependentiū plātationes. 9°. de vsu par. 1ª.174.D
à Capite orientium neruorum miscella, qualis. de ner. diss. 1ª.54.B
à Capite orientium neruorum plurima pars in os ventriculi inserit. de neruorum dissectione. 1ª.54.C
ad Caput ascendunt nerui quatuor ex primis spinæ vertebris. 4°. de locis affectis. 4ª.25.D
à Capite q̄ actiōes depēdeāt. de virt. nīm corpus dispēsantib. Sp.60.c
à Capite, et pulmone vno ī pulsu spūs emittit. 2°. de symp. cau. 3ª.21.g
Caput pectori motus principium dat. 2°. de symp. cau. 3ª.21.G
Capitis articulus qui, & cur. 12°. de vsu par. 1ª.193.E
Capitis articulus cur duplex. 12°. de vsu par. 1ª.194.B
Capitis articulatio adeo est perfecta, vt aliter fieri non posset. 12°. de vsu partium. 1ª.195.B

inter

inter Caput,& thoracem cur spondyli.8°.de vsu par. 1ª.165.B
sub Capite partibus omnibus spinalis medulla est veluti cerebrum. 12°.de vsu partium. 1ª.196.E/F
Capitis,et faciei coagmẽtationes cões ĩ ossibus iugalib°.intr. Is.54.G
Caput cõmittẽtes musculi clauiculis et pectori.4°.de ana.ad. 1ª.83.f
Caput calidum mobile est naturaliter.de ocul. 7ª.183.H
Caput frigidum non est mobile.de ocul. 7ª.183.H
Capitis motus quomodo fiat.de ossib. 1ª.41.H
Caput magnis motibus agitatur.4°.de anat.adm. 1ª.82.D
Capitis motus genera in differẽtias diuisa.12°.de vsu par. 1ª.193.G
Capitis motus duplex est.de ossib. 1ª.41.H
Capitis totius motus duos genere esse oportet.12°.de vsu p. 1ª.193.F
Capitis motiones propriæ duplices sunt.de musc.diss. 1ª.45.D
Capitis motiones propriæ breuissimæ sunt.de musc.diss. 1ª.45.D
Capiti proprium motum musculi dãtes,quales.de musc.diss. 1ª.45.D
de Capitis motibus q eligibilior,sm spõdylos.12°.de vsu par. 1ª.194.b
Caput mouentes musculi,quot.12°.de vsu par. 1ª.195.B
Caput mouentes musculi qũo distribuãtur.12°.de vsu par. 1ª.195.B
Caput mouẽtiũ musculorũ quatuor genera.12°.de vsu par. 1ª.193.G
Capitis motus rectus est,si duo musculi agãt.de musc. diss. 1ª.45.H
ĩ Capite secũda articulatio facit motus rectos.12° de vsu p. 1ª.194.e
Capitis motus ẽ obliquus,si vn° musculus agat.de musc.diss. 1ª.45.H
Capitis obliqua motio quibus musculis fiat.4°.de anat.adm. 1ª.83.B
Capitis secundi musculi motus est obliquus, & circumagit caput in priorem partem.de musc.diss. 1ª.45.E
Capitis musculus secundus cur non sit vnus.de musc.diss. 1ª.45.E
Capitis musculus secundus quomodo in duas partes diuidatur,et vnde partes oriantur,ac finiant.de musc.diss. 1ª.45.D
in Capite non erat conueniens ex duobus motibus obliquis simplicibus fieri vnum rectum compositum.11°.de vsu par. 1ª.193.F
Caput annuendo mouentes musculi,qui.de musc.diss. 1ª.45.H
Capitis motus abnuendo à quibus fiat musculis recte, & à quibus inclinatione.de musc.diss. 1ª.45.G
Capitis dearticulatio, quæ in priora annuit, & in posteriora abnuit. de musc.dissect. 1ª.45.D
Capitis motus ad latera à prima vertebra fit.12°.de vsu p. 1ª.194.g
Caput in latera quibus musculis mouetur. 4°. de anat.adm. 1ª.83.F
Capitis dearticulatio,qua ipsum ad latera circumuertitur.de musculorum dissectione. 1ª.45.D
in Capitis articulatione in partibus posterioribus octo musculi. 12°. de vsu partium. 1ª.193.F
Caput in posteriora qui musculi flectant.4°.de ana.adm. 1ª.83.B
Caput quo mõ attollaĩ,et deprimaĩ.12°.de vsu par.192.F/ 1ª.194.E
Caput tollere,et deprimere officium est secundæ vertebræ. 12°.de vsu partium. 1ª.194.G
Capite inclinato exercitatio quibus fieri non dẽt. 5°.de sa.t. 2ª.90.A
Caput quibus musculis circumuertatur.4°.de anato.admi.83.F /11°. de vsu partium.192.F/12°. 1ª.195.G
Capitis flexio recta à quibus musculis fiat.12°.de vsu par. 1ª.195.G
Caput quando in neutram partem declinat. 4°.de anat.adm. 1ª.82.H
in Capitis dearticulatione quæ musculorum coniugationes habẽtur, vbi sint.de musc.diss. 1ª.45.G
Caput mouẽtes musculi circa dearticulationẽ solã,q.d musc.dis. 1ª.45.g
de Capitis,& faciei musculis.3°.de anat.adm. 1ª.79 G
Capiti & ceruici communes sunt musculi à capite orti, qui in ceruicẽ inseruntur.de musc.diss. 1ª.46.H
Capitis,& colli commune genus musculorum in octo diuiditur musculos. de musc.diss. 1ª.45.F
ad Capitis cognitionem confert capitis consideratio.in 6m.de morb. vulg.commen.1°. 3ª.154.C
ad Caput et collũ q sũt musculi,hñt motũ facilẽ.7°.de vsu p. 1ª.161.e
Caput & collum trahentes musculi,qui.12°.de vsu par. 1ª.195.B
Caput & collum retro attollunt tres musculorum coniugationes.16°. de vsu partium. 1ª.217.E
Caput vnà cũ ceruice tota mouentes musculi,qui.de musc.diss. 1ª.45.G
Caput vnà cum ceruice mouentes musculi duo in priori parte qui,& quorsum extendantur.de musc.diss. 1ª.45.H
Caput cum ceruice flectentes musculi,qui.de musc.diss. 1ª.45.H
ad Caput scapulas trahentium musculorum ortus, & processus. de musculorum dissectione. 1ª.45.A
è Capitis directo basim scapularũ attollens musculus quomodo procedat.de musc.dissec. 1ª.45.B
Caput qũo exerceatur in paruę pilæ ludo.de par.pil.exer. 2ª.49.A
Caput quibus venis nutriatur.de vic.rat.in mor.acu.c.2°. 7ª.117.E
à Capite quatuor venarum paria ferri non est verum. 6°. de decret. Hippocratis. 1ª.262.D/E
in Capitis venis,quæ phlebotomantur,quædam sunt quietæ,quædam pulsatiles.de ana.viuo. Sp.55.A
super Capitis cornu vena frontis,propter hemicraniam et vlcera capitis,secatur.de anat.viu. Sp.55.A
ad Caput arteriæ euntes vnde.16°.de vsu par. 1ª.219.G/H
p Capitis ossa quãplurimæ arteriæ disseminatæ.16°.de vsu p. 1ª.220.C
per Capitis ossa arteriæ quamplurimæ tum intro foras, tum è contra inuicem coniunguntur.16°.de vsu par. 1ª.220.C
in Capite toto arteriæ cum arterijs,& venæ cum venis committunt. 16°.de vsu par. 1ª.220.C
à Capitis & ceruicis arteria oriuntur omnes arteriæ superiores. an sangui.in art.nat.cont. 1ª.61.A
Capite quædam animalia carent.8°.de vsu par. 1ª.166.E
Caput animalia nõ habẽtia,neq; collũ habẽt.7°.de vsu par. 1ª.164.b
Caput aĩalia nõ hẽntia,hñt quid simile ĩ thorace.8°.de vsu p. 1ª.165.c
Caput non habentia ad ossa pectoris sensus omnes habẽt, ipsorũ principio videlicet illic necessario collocato,quod cerebro proportionale est secundùm Aristotelis opinionem, quem tamen reprehendit Galenus.8°.de vsu par. 1ª.166.C
in Capite carentibus cor pro cerebro.8°.de vsu par. 1ª.165.C
Capitis cura in quibus morbis sit habenda.de fœtus for. 1ª.324.C
in Capite exuperat pituita.introd.Isa.55.B/de natura & ordine cuiuslibet corporis. Sp.41.D
in Capite quo modo cognoscatur pituita corrumpi,quomodo bilis,& quomodo atra bilis.de reme.para.fac. 7ª.154.F
à Capite,thorace, ventre, & vesica, origo infirmitatis vel sanitatis ostenditur.de dynam. Sp.19.G
in Capite morbum esse quæ significent.in 1m.prorrh. commen.1°. 4ª. *164.E/de dynami.* Sp.19.G
qui Capitis affectus quo Lunæ situ cum Marte fiant.de decub. progn. ex mathem.scientia. Sp.12.H
Capitis exteriorum partium affectus.introd. Isa.59.C
Capitis cutis morbi,qui.introd. Isa.59.F
Capitis cutis morborum curatio.introd. Isa.59.F
Capitis cutis medicamenta debent esse vehementia. 1°. de composit. medicamen.secun.loc. 5ª.121.H
pro Capitis cute cur optimum medicamentum est thapsia. 1°.de cõposi.med.sec.loc. 5ª.122.H
ad Capitis omnia vitia medicamentis ex sinapi & thapsia quidam medicorum vtuntur.6°.de san.tuen. 2ª.98.G
Capita bibẽtiũ depilat fluuius quidã i Aegypto.de bo.aquæ.Sp.76.b
Caput alopecia vitiatũ indecorũ est.1°.de comp.med.se.lo. 5ª.126.B
Capitis alopecias raphanus iuuat.de simp.med. Sp.89.G
Caput exasperare pilis conuenit.in 6m.de mor.vul.cõ.2°. 3ª.160.H
Capita quæ facilius,& quæ tardius lædantur a capillos denigrãtibus. 1°.de comp.med.sec.loc. 5ª.126.H
ad Capitis ficosos humores.5°.de comp.me.sec.loc. 5ª.162.D
ad Capitis furfures medicamenta cephalica.intr. Isa.58.C
Capitis furfures iuuat succus centaureæ.de virt.cent. Sp.93.B
ad Capitis furfures.de rem.par.fac. 7ª.154.C
Capitis furfuribus myrta aduersatur.de simp.medica. Sp.87.E
ad Capitis papulas feruidas & eruptiones vlcerosas. 1°.de compo. med.sec.loc. 5ª.129.B
ad Capitis eruptiones medicamenta cephalica.introd. Is.58.C
ad Capitis vlcera. 1°.de comp.med.sec.loc.128.G/5°.de comp.medica.per genera. 5ª.251.F
de Capitis vlceribus manantibus.de rem.par.fa. 7ª.154.C
ad Capitis manantia vlcera,quæ achores dicuntur. 2°. de composit. medicam.per gen. 5ª.224.E
Capitis vlcuscula spissa,& parua, & rubicunda iuuat succus cẽtaureæ.de virt.centau. Sp.93.B
ad Capitis squammas tollendas sine foramine.6°.de compo.medica. per genera. 5ª.255.A
ad Capitis sudores confert succus centaureæ permistus cum vino & vnctus abraso capite.de virt.cent. Sp.93.B
ad Capitis pediculos.de remed.par.fac. 7ª.154.C
ad Capitis affect° multos valet succus cẽtaureæ.de virt.cẽ. Sp.93.B
Capitis vitia oĩa aphroselinũ potatũ emendat.de simp.med. Sp.80.D

de Capitis tremore.de med.par.facil. 7ª.161.H
ad Capitis tumores quos talpas noīant.de med.fac.parab. 7ª.174.G
ad Capitis vitia diuersa.de med.facile par. 7ª.170.F
Capitis agritudines sūt desipiētic,manie,melācholię,phreneses,lethargi,catarrhi,apoplexiæ,epilepsiæ.de virt.nīm corp° dispē.Sp.60.b
Caput se non habere cur quidam putaret.de melancholia ex Galeno, Rufo,& Possidonio. Sp.109.D
Caput semper lædit̄ in pleuritide,& in peripneumonia. 4°.*de causis pulsuum.* 4ª.100.H
Capiti in quibus morbis adhibentur præsidia. 3°.*de loc.aff.* 4ª.17.B
Capiti applicantur medicamenta in caro,lethargo,& comate. 1°.*de symp.cau.* 3ª.19.E
Capiti præsidia admonēt in curatione phrenitidis,pelirij,& vigiliarum. 1°.*de symp.cau.* 3ª.19.B
Capiti ægro quæ applicanda.intro. Isa.55.F
Capitalia pharmaca qualia sint. 2°.*de comp.med.per gen.* 5ª.225.C
Capiti accommodatum aridum. 5°.*de comp.med.per gen.* 5ª.252.G
Capitale emplastrum. 5°.*de comp.med.sec.loc.* 5ª.160.B
Capiti accommodatum Isis. 4°.*de comp.med.per gen.* 5ª.244.B
Caput balneo calido lauatum somnum conciliat. 1°.*de sym.cau.* 3ª.19.A/3°.*de loc.affect.* 4ª.16.F
Capiti phreniticorum oxyrhodinum applicatur. 13°.*met.me.* 7ª.85.d
Caput radebant in phrenitide. 13°.*meth.med.* 7ª.85.D
Capiti imponebatur spondylium in phrenitide. 13°.*meth.me.* 7ª.85.D
in Capitis affectuum processu aliquid spondylij et serpilli ad miscendum medicamenta. 11°.*meth.med.* 7ª.73.E
Capiti phreniticorum serpillum, castoreum, & cucurbitam imponebant. 13°.*metho.meden.* 7ª.85.D
Caput affici dicitur quando ventriculo consentit,& ægrotare quando proprio affectu laborat. 1°.*de loc.affe.* 4ª.5.A
Capitis affectus sanat castoreī suffitus. 11°.*de simp.med.fac.* 5ª.80.E
*in Capitis affectione ĩueterata medicam*ᵐ. 2°.*de cō.me.se.l.* 5ª.140.C
Capitis affectus quo modo finiant. 3°.*de crisi.* 4ª.139.F
Caput cur fricandum non est primo,sed post alias omnes partes cōfricatas.de pue.epilep. 7ª.180.B
Caput incipit sudare quando morbus est à thorace.de dyna. Sp.19.G
Caput proprium morbum habere significat deliriū permanās in morbo laterali. 2°.*de loc.aff.* 4ª.14.B
Caput calidum aliquibus est, & venter frigidus. de bon.& vi.suc. 38.B/6°.*de sani.tuen.* 2ª.95.D
Caput frigidum aliquibus est,& venter calidus. 6°.*de sa.tu.* 2ª.95.D
cum Capite frigido ventris complexio intemperanter calida grauis est,nec facile tractabilis. 6°.*de san.tuen.* 2ª.99.D
Caput frigidum habentes,et ventrem frigidum,quo modo sint curandi. 6°.*de sani.tuen.* 2ª.99.D
Caput frigidū et vētrē hāntes,quo mō sint regēdi. 6°.*de sa.tu.* 2ª.99.B
Capitis morbi frigidi,qui. 1°.*de comp.medica.sec.loc.* 5ª.126.H
Caput plurimū vitiat ītēperies frigida,et hūida. 13°.*me.me.* 7ª.86.D
Capiti frigido,et humido cedria illinenda in nigris reddendis capillis. 1°.*de comp.med.sec.loc.* 5ª.126.F
ad Caput calefaciendum cedrino vtuntur rustici Asiani. 2°. *de cōpo. med.secun.loc.* 5ª.135.F
in Capite caloris humorisq; excessus cur fugiendus sit puerilis præsertim. 1°.*de sani.tuen.* 2ª.66.G
Caput quidam habent temperatum,thoracem,ventrem, et partes genitales intemperatas. 1°.*de sani.tuen.* 2ª.64.H
Capite nudo esse in sole æstiuo quid faciat.de caus.procatar. 3ª.96.B
Capitis tegumēto indigent dormiētes,si aer sit frigidus.in 6ᵐ.*de morbis vulg.com.* 4°. 3ª.183.D
à Capite febris ex æstu incipit.de cau.procat. 3ª.98.G
Capitis febris nunq; pmittit ægrū quiescere,vel dormire.de dy.Sp.23.C
Capitis febrem quid tollat.de dyna. Sp.23.C
in Capitis phlegmone artus vinciuntur. 13°.*meth.med.* 7ª.83.B
Capiti à sole exusto aut modo quodam alio affecto remediū. de instrument.odor. 1ª.111.C
Capitis affecti caliditatē iuuat balneū.d uic.ra.ī mor.a.c. 4°.7ª.140.b
Capiti multa aqua calida affusa sanat febres,si non ex bile habeant.cō men. 7°.*aph.* 42°. Ex.57.C
pro Capite refrigerando cucurbitæ ramentis vuæ immaturæ succo admixtis ruri vsus est Galenus. 2°.*de comp.me.sec.lo.* 5ª.132.G
pro Capite infrigidādo vinū omphaciū. 2°.*de cōp.me.se.lo.* 5ª.132.G
Capitis fotus hapso lanæ ex oleo mitigat.de reme.par.facil. 7ª.154.a
in Capitis ardore afflictis rosaceo vti licet. 2°.*de sim.me.fa.* 5ª.10.a
Capitis optima est refrigeratio ex rosaceo. 2°.*de cōp.me.se.l.* 5ª.132.e
ī Capitis affectuū principiis vsus aceti et rosacei. 11°.*me.me.* 7ª.73.E
Caput quando refrigerare volumus, qui succi non debeant admisceri rosaceo. 2°.*de compo.med.sec.loc.* 5ª.132.F
pro Capite calido,frigida remedia ex quibus arboribus sumantur. 2°.*de comp.med.sec.loc.* 5ª.132.H
pro Capite refrigerādo mali punici acidi. 2°.*de cō.me.se.lo.* 5ª.132.g
Capitis posterior ps cur nō dēt infrigidari. 2°.*de cō.me.se.l.* 5ª.132.E
Caput refrigerādo cōuulsio aliqñ accidit.in 1ᵐ.*prorr.cō.* 3°.4ª.186.e
Capitis siccitas quo modo cognoscatur.de ptiss. 2ª.48.B
in Capite distentio,quid significet. 2°.*de comp.med.sec.lo.* 5ª.135.H
ex Capitis alteratione quidam cum esset in lecto, quis vētus spiraret cognouit.de theria.ad Piso. 5ª.94.D
Caput intemperatum cum gignāt multa excrementa, ad quas partes ea transmittat. 6°.*de san.tuen.* 2ª.98.E
ī Capite solo pōt esse lassitudo vlcerosa.de cur.ra.p san.miss. 6ª.16.F
Caput cur congregat materias. 2°.*de diff.feb.* 3ª.41.G
ad Caput ab oī parte possūt materiæ deferri.in 1ᵐ.*pr.c.* 3°.4ª.179.f
in Caput humores efferri quo modo cognoscitur.in 6ᵐ.*de morb. vul. commen.* 6°. 3ª.190.F
ad Caput declinantibus materiebus confert sectio venarum pedum. de anato.viuo. Sp.55.A
à Capite capilli defluunt & ob maximum alimenti defectum, & aliquando ob humorum corruptionem.com. 5°.*aph.* 11°. Ex.38.D
Caput ad quas partes materias transmittat. 2°.*de diffe.feb.* 3ª.40. H/*in* 1ᵐ.*prorrh.com.* 3°. 4ª.179.F
Capitis purgationē quandā,& euacuationem vocat, cum in quibusdā coacto amplius, & quasi cōpresso capite expressa materia inutilis ad loca capiti subiecta descendit.com. 3°.*aph.* 13°. Ex.22.C
Caput quot morborum est causa. 2°.*de diff.feb.* 3ª.40.H
Caput prōptissīe ī os,et nares trāsmittit excremēta. 6°.*d sa.t.* 2ª.98.E
à Capite sperma descēdēs,nariū,et auriū poros obturat.de sper.Sp.36.f
à Capite sperma descendens quo modo alteretur à partibus per quas transit.de spermate. Sp.36.H
à Capite fluxionum differentia duplex,tenuis,& crassa.de vict. rat. in mor.acu.com. 4°. 7ª.138.F
à Capite materia defluens,mali quid faciat. 6°.*de san.tuen.* 2ª.98.F
ex Capite læduntur quæ illi subiecta sunt. 6°.*de san.tuen.* 2ª.100.C
ex Capite ægrotātes partes quo mō curandæ. 6°.*de sa.tu.* 2ª.100.A
in Capite solum est grauedo, sed aliquando ex ipso capite, interdum vero ex causa externa.in 6ᵐ.*de morb.vul.com.* 3°. 3ª.171.E
Capitis grauedinib° occupatī q biberit aquā pluuialē.d bo.aq.Sp.75.F
Capitis grauedinem habentes raro incidunt in lienis tumores præter naturam.in 6ᵐ.*de mor.vul.com.* 3°. 3ª.168.D
Capitis grauedini quo mō medenī sternutamēta.de instr.odor. 1ª.112.d
Capitis dispositionem quo modo declarāt excrementa in destillatione, & grauedine. 3°.*de loc.aff.* 4ª.16.H
à Capite sunt defluxus ad oculos. 2°.*de diff.feb.* 3ª.40.F
à Capite ad oculos quo mō materiæ trāsmittantī. 13°.*me.me.* 7ª.86.d
ex Capite ad oculos fluxio quomodo curanda. 7°.*met.med.* 7ª.74.H
Caput primo sanandū est pro oculis curādis. 13°.*meth.med.* 7ª.86.D
Caput corpusq; totum primo euacuandū quàm aliquid oculis adhibeatur. 4°.*de comp.med.sec.lo.* 5ª.149.F/14°.*meth.med.* 7ª.92.B
Caput si quis non purgauerit, & oculos curet, in quæ incurrat. 4°. *de compo.med.sec.loc.* 5ª.149.F
Capiti Gal.applicata fuere fomēta aī purgationē. 4°.*de lo.af.* 4ª.22.E
Caput purgatur per nares,& per palatum.ars medi.Isa. 71. E/1°.*de ar.cur.ad Glau.* 7ª.100.B/*com.* 4°.*aph.* 2°. Ex.27.D
Caput per os,& nares purgatur.intro. Is.58.A
Caput per os purgantia.de cathar. Sp.95.B
Caput purgans gargarizatum.de med.fac.par. 7ª.178.E
à Capite pituitam extrahens medicamentum per manducationem,et quomodo.de med.fac.parab. 7ª.170.F
vt Caput purgent mandentes quo modo debent manere inclinati. 2°. *de comp.med.sec.loc.* 5ª.139.B
pro Capitis pituita detrahenda apophlegmatismi. 2°. *de compositio. medica.secun.locos.* 5ª.137.E
Caput quæ mansā purgant. 2°.*de comp.med.sec.loc.* 5ª.139.B
pro Capite purgando naribus indita Errhina. 2°.*de comp.medicam. secundum loc.* 5ª.139.A/C
de Caput purgantibus sternutatorijs. 2°.*de comp.me.se.lo.* 5ª.139.B

pro Capite purgãdo illitio iuxta palatũ. 2°. de cõp. mẽ. se. lo. 5ª. 139. D
Caput p q̃ euacueẽ. 4°. de cõp. med. se. lo. 5ª. 149. F/de dyna. Sp. 19. G
ex Capite purgat capparis cortex. 7°. de simp. med. fac. 5ª. 49. G
à Capite & à toto corpore bilẽ et pituitã educunt catapotia ex aloe, scammonia, & colocynthide. 1°. de comp. med. sec. loc. 5ª. 121. F
Capitis passionibus omnibus vtiliter datur colocynthis. de dyna. 21. D/de cathart. Sp. 95. A
Caput cur purget colocynthis. de cathar. Sp 94. F
à Capite purgat pituitam hiera ex colocynthide. 1°. de compo. medica. sec. loc. 5ª. 121. E
Caput purgat cyclamini succus quo modo. de simp. medi. Sp. 82. D
Capiti purgando idoneus est hederæ succus. 7°. de sim. me. fa. 5ª. 51. F
Caput polium purgat. de simp. med. Sp. 89. A
Caput purgat scammonia. de cathar. Sp. 95. A
Capite purgat, quod ἀποφλεγματίζειν græci dicunt, abstergit valẽter vua agrestis. 6°. de simp. med. fac. 5ª. 44 A
à Capite difficulter remouentur humores feroſi inserti. 1°. de compo. med. secun. loc. 5ª. 121. H
in Capitis partibus corruptionis terribiliorem speciẽ præbet humorum putredo. in 3ᵐ. de morb. vulg. com. 2°. 3ª. 142. E
à Capite vitiant dẽtes, & qũo. de nat. & ord. cuiusli. corp. Sp. 42 D
à Capite si larga fluxio ad aures feratur, & adsit exulceratio, quo medicamento sit vtendum. 6°. de san. tuen. 2ª. 100. C
ex Capite ijs pituita defluit, quibus in alui profluuijs excremẽta spumosa sunt. com. 7°. aph. 30°. Ex. 56. A
Capitis fluxio ĩ vẽtriculi, et in asperã arteriã. 3°. de sym. cau. 3ª. 29. f
ex Capite defluentem materiã ad asperas arterias pulmonis, primũ ad cordis ventriculos peruenire oportet. cõ. 7°. aph. 30°. Ex. 56. B
à Capite sanies decidens quid faciat. 6°. de san. tuen. 2ª. 98. F
Caput cum transmittit ad ventrem calidam saniem, & ipse vẽter est calidus, quid agendum. 6°. de san. tuen. 2ª. 99. A
Capitis destillationẽ tabes sequit. in 3ᵐ. de mor. vul. cõ. 2°. 3ª. 143. E
à Capite pituitosus succus in ventrem frigidum decidens remouetur ex diatrion pepereon medicamento. 6°. de sa. tuen. 2ª. 99. B
à Capite ad pectus in fluxionibus, quo medicamento vtendum sit. 4°. de san. tuen. 2ª. 88. B
Capitis fluxioni ĩ thoracẽ p̃dest armenica terra 9°. de sim. me. 5ª. 66. b
à Capite destillat humor ad pulmonem quasi pluuia, & ideo ex accidenti in illo abundat pituita. de ana. viuo. Sp. 52. H
à Capite in pulmonem destillationes quæ malignæ. in 6ᵐ. de mor. vul. commen. 3°. 3ª. 174. B
à Capite ad pulmonẽ destillatio tripliciter corrigit. 5°. in e. me. 7ª. 35. b
à Capite ad inteſtina quo modo permeet materia, & per quas partes, & venas. com. 7°. aph. 30°. Ex. 56. B
à Capite & visceribus reuellunt medicamẽta acria admota, brachijs vel pedibus. de hiru. reuul. cucur. & scarif. 2. E/ 6ª. 4. G
ad Caput, & viscera vergentes succos reuellunt acria medicamẽta brachijs & manibus imposita. de cucur. scar. 2. E 6ª. 4. G
circa Caput totum quibus fluxiones procumbunt, quæ exercitatio vitanda. 5°. de san. tuen. 2ª. 90. A
Caput firmandum est in fluxionibus. 6°. de san. tuen. 2ª. 98. F
à Capite defluxio mox reprimenda. de par. fac. 7ª. 157. G
à Capite reuulsio quibus fiat. 2°. de comp. me. sec. loc. 5ª. 137. D/ 1°. de arte cur. ad Glau. 7ª. 100. A
in Capitis affectibus purgat p̃ aluũ vt reuellas. 13°. me. me. 7ª. 83. A
in Capite affecto, quæ vena secanda. de const. ar. Is. 41. A/E
Capite vitiato purgandum per aluum, & secanda vena cubiti. in 6ᵐ. de morb. vulg. com. 2°. 3ª. 162. C
Capiti p̃sũt crura scarificata. de hirud. reuul. cuc. et scar. 2ª. F/ 6ª. 3. F
Capitibus quibus fluxio est, illis elleborum dare conueniat. de vict. rat. in morb. acu. com. 4°. 7ª. 144. G
in Capitis fluxione elleborus non est omnibus necessarius. de vict. ra. in mor. acu. com. 4°. 7ª. 144. G
à Capite catarrho tenui defluẽti cõuenit papauer. 1°. de ali. fa. 2ª. 15. e
Capitis fluxiones desiccat spica nardi. 8°. de simp. med. fac. 5ª. 50. G
à Capite fluxionem sistens medicamentũ. de medi. fac. par. 7ª. 171. F
ad Caput fluxione tentatum. de med. fac. par. 7ª. 173. C
Caput primum tentet torpedo illius quem morbi a cerebro profecti corripiunt. de sal. diæta. 2ª. 43. D
Capiti quæ noceant. de subſi. empir. Is. 32. C
Capitis grauitas non necessario sequitur male concoquentem. 3°. de sympt. causis. 3ª. 30. B
Capitis grauitatem faciunt quæcunque satis calefaciũt. commen. 5°. aphoris. 28°. Ex. 40. C
Capitis grauitas significat repletionẽ ĩ 1ᵐ. de mor. vul. cõ. 3°. 3ª. 124. e
quæ Capita faciliter implentur. 3°. de loc. aff. 4ª. 20. F
Capitis grauitas significat phlegma peccare. cõ. 4°. aph. 2°. Ex. 27. E
Capitis grauitatem superius, obturationem aurium, & narium, inferius dolorem renum, significat vrina inferius claritatem habens, superius subnigra, & plena. de dyna. Sp. 35. D
cum Capite simul aggrauatum collum, est indicationis ad partes superiores signum. 1°. de arte cur. ad Glau. 7ª. 100. D
Capitis grauitatem quando facit allium. de vict. ratio. in morb. acut. commen. 4°. 7ª. 145. C/D
Capiti quæ aquæ thermarum obsint. 6°. de san tuen. 2ª. 98. G
Capitis grauitas fit spirante austro. de ther. ad Piso. 5ª. 94. D
Capita aggrauat tempestas australis. com. 3°. aph. 17°. Ex. 23. E
Caput quo modo vento impleatur. 2°. de comp. med. sec. lo. 5ª. 135. G
Caput quando plurimùm leditur spirantibus ventis frigidis, & aquilonijs. in 1ᵐ. de mor. vul. com. 2°. 3ª. 113. F
Caput lædit crocus. 2°. de comp. med. sec. loc. 5ª. 135. D
Caput replent exercitia vehementia. 7°. de puero epilep. 7ª. 180. A
Caput implens exercitatio quibus vitanda. 5°. de san. tuen. 2ª. 90. A
Caput grauatur in febribus propter multitudinem, quæ ad caput refertur. com. 4°. aph. 31°. Ex. 30. H
Caput ferit fœnum græcum. 1°. de alim. fac. 2ª. 14. E
Caput grauat herbum. de simp. med. Sp. 85. B
Caput mire replet inedia. de venæ sect aduer. Eras. 6ª. 14. H
Caput calefacit iuniperi succus. 2°. de alim. fac. 2ª. 19. C
Capiti non conuenit lac. 3°. de alim. fac. 2ª. 28. B
Caput tentant tini, & cannabis semen. de atten. vic. rat. 2ª. 44. E
Caput grauant, & febrem faciunt menstrua suppressa. in 6ᵐ. de morb. vulga. com. 1°. 3ª. 153. D
Caput lædunt odores validi. de instr. odor. 1ª. 112. E
Caput grauant suffitus aromatum. com. 5°. aph. 28°. Ex. 40. B
Caput replet orobum. de simp. med. Sp. 88. F
Caput grauat papaueris semen. de atten. vict. rat. 2ª. 44. E
ad Caput prompte fertur spiritus flatuosus vnà cum calore. commẽtario. 4°. aph. 70°. Ex. 35. B
in Caput quomodo feratur flatus. 2°. de comp. med. sec. loc. 5ª. 135. G
Caput opplere spiritus cohibitionem, vt sensit Asclepiades, reprehẽdi potest. 3°. de sani. tuen. 2ª. 77. H
Capitis grauitatẽ facit sõnus fortis. de vic. ra. ĩ mor. ac. c. 2°. 7ª. 125. B
cur Caput nihil iuuant tusses. 2°. de symp. cau. 3ª. 21. F
Caput repleẽt ob tusses vehemẽtes. in 6ᵐ. de mor. vul. cõ. 3°. 3ª. 174. C
Caput ferit vua seruata largius sumpta. 2°. de alim. fac. 2ª. 18. A
Caput replet halitu vinum ijs qui humido calidoq̃ temperamẽto sũt. 1°. de sani. tuen. 2ª. 66. G
Caput facile petunt vina quæ calido seruantur. 1°. de antid. 5ª. 101. B
Caput feriunt vina salua. 12°. meth. med.. 7ª. 77. A
Caput tentat vinum odorum. de bon. & vi. succ. 38. D/de atten. vict. 2ª. 46. D/12°. meth. med. 7ª. 76. H
Caput implent vina rutila. de bon. & vi. suc. 2ª. 38. G
Caput tentat vinum, si mox à balneo præ omnibus alijs cibis, & potibus bibatur. de sal. diæta. 2ª. 41. C
Caput et mẽtẽ cur tẽtet vinũ. de vict. rat. in mor. acu. cõ. 3°. 7ª. 131. E
Capitis grauitatem eo minus faciunt vina dulcia, quo magis à vehementi caliditate distant. de vinis. Sp. 76. E
Caput nõ feriũt vina aquosa. 12°. meth. me. 7ª. 77. A/de dy. Sp. 76. E
Caput non tentat vinum dilutum album modice adstringens, et ventriculum robustum efficit. 5°. de loc. aff. 4ª. 32. F
Caput minime tentant vina austera. 12°. meth. med. 7ª. 76. H
Capiti nullam noxam infert vinũ tenue. de bon. & vit. suc. 2ª. 38. D
ĩ Capitis grauitate à vino abstinẽdũ. de vic. ra. ĩ mor. ac. c. 3°. 7ª. 131. e
ĩ Capitis oĩbº affectibº vitãda sũt vina odorata. de att. vic. 2ª. 46. D
Capiti affecto officit vini larga potio. in 3ᵐ. de mor. vul. c. 2°. 3ª. 135. C
Caput si non sit valentius senibus, quo vino vti debẽt: & si valẽtius, quo debeant vti. 5°. de san. tuen. 2ª. 90. H
Capiti imbecillo, quod facile vinis calidis impletur, quod vinum exhibendum. 12°. meth. med. 7ª. 76. G
ne Caput tentet vinum aquam superbibe. de vict. ratio. in morb. acu. commen. 3°. 7ª. 131. E
Capita, & corpora omnia redduntur calidiora ob nimiam potationẽ. commen. 7°. aph. 34°. Ex. 54. D

Caput replentia & inflammantia.de puero epile. 7ª.180.E
Caput quãdo eſt calidũ ſuſcipiẽs vapores prætermittamus cibaria calida,et ſicca,licet cõueniãt in reliquo corpore.de diff.cõt.Sp.71.F
Caput petunt aliqua non multitudine vaporum,ſed tenuitate. 6°.de ſimpli.medicamen.facul. 5ª.41.A
Caput plenum & graue magnæ voces reddũt.de inſtr.odor.1ª.112.d
Caput validiſſime impletur tibiam inflantibus,& maximam et acutiſſimam vocem habentibus.3°.de ſan.tuen. 2ª.77.C
Caput replet vomitio.de venæ ſect.aduerſ.Eraſ. 6ª.14.H
Caput repleũ habenti quibus ſuccurratur.6°.de ſan.tuen. 2ª.97.H
Capitis grauitatẽ ſoluit balneũ.de vict.rat.in mor.acu.c.3°.7.132.H
ad Caput quibus ſpiritus calidus aſcendit ob humorum prauitatẽ nõ ſunt lauandi.de vict.rat.in morb.acu.com.4°. 7ª.140.B
Caput ardore grauatum Galenus olei admodum frigidi perfuſione refrigerat.2°.de ſimp.med. 5ª.11.D
in Capitis diſpoſitionibus quæ faciat calor,& quo modo eius grauitati ſuccurrat.com.5°.aph.22°. Ex.39.E
Capitis grauitas qũo allio ſaneẽ.de vic.ra.ĩ mor.acu.cõ.4°.7ª.145.d
Caput leuant ſternutamenta,quæ ex capite motus initium habent.cõmen.7°.aph.51°. Ex.58.D
Capitis poſterioris partis grauitati confert ſectio venæ frõtis.de anato.viuo. Sp.55.A
Capitis parte poſteriore laborãte q̃ vena ſecãda.13°.met.me.7ª.83.B
Caput quando ſtomachi fumum recipit fit ſectio venarum poſt aures. de anato.viuo. Sp.55.A
Caput repletum humore deſcendente ſoluit fluxus.commen.4°.aph. 28°.30.D/aph.60°. Ex.34.A
Caput leuiſſimum facit frigus.in 1ᵐ.de morb.vul.com.1°.3ª.104.B
Caput alleuians vnguentum laxatiuum.de dyna. Sp.23.D
à Capite quomodo cognoſcatur vertigo fieri.3°.de loc.aff. 4ª.20.D
Capitis pulſus quid ſignificet.de vic.rat.in mor.acu.cõ.4°.7ª.140.A
Capitis pulſus,vertigines,& vrina tenuis cũ adſunt in febribus,expectla febris acceſſionem vſque ad iudicationẽ. de vict. rat.in mor. acu.com.3°.7ª.139.H/de vrinæ ſign.ex Hip. Sp.78.H
Capitis vertiginẽ infert vinum nigrum dulce.de ſimp.med. Sp.92.B
Capita propter arteriarum temperamentum in vertigines incidentia quibus curentur.6°.de ſan.tuen. 2ª.98.H
Capitis vertiginis præſidium.de dyna. Sp.23.H
ſuper Caput ex alto inſtillare plurimũ imprimit.13°.me.me.7ª.85.b
in Capite venas rumpi facile eſt.in 1ᵐ.de mor.vul.cõ.1°.3ª.104.G
à Capite vel ab eius partibus cruor quando eijcitur,quid conſiderãdum.4°.de loc.affect. 4ª.25.H
ex Capitis refrigeratione ob ſanguinis ex naribus fluxum,aliqui deterius habuerunt.5°.meth.med. 7ª.31.H
Caput in morbis acutis nõ laudãdum eſt his quibus de naribus erumpit ſanguis,niſi minus iuſto fluat. in 1ᵐ.de morb. vulg.cõ.3ª.123.D
Caput calida quando perfundendum citra reliquas corporis partes. de vic.rat.in morbis acu.com.3°. 7ª.133.B
Caput ſpongia ſiccandum.de vic.rat.in morb.acu.com.3°. 7ª.132.F
ad Caput per lumbos,et dorſum aſcendunt rigores mulieribus. commenta.5°.apho.69°. Ex.45.D
CAPITIS dolor dicitur cephalagia.de ſym.diff. 3ª.11.F
Capitis dolor paruus,non eſt ægritudo.de conſt.ar. Iſa.42.D
Capitis dolor minor eſt coli,auris,oculi,& dentis dolore. 2°.de compoſi.medic.ſec.loc. 5ª.134.H
Capitis dolores ĩter magnos morbos cõnumerant.6°.de ſa.t. 2ª.100.a
Capitis dolore qui ſæpe vexantur.in 6ᵐ.de mor.vul.cõ.1°.3ª.154.F
Capitis dolor ob varias contingit cauſas.de victus ratio.in mor.acu. commen.4°. 7ª.150.E
Capitis dolori obnoxij capite ĩfirmiſſimo ſũt.d̃ na.hu.cõ.2°.7ª.182.F
Capitis dolores ob quæ ſæpe cõtinguntur.2°.de cõp.me.ſec.lo. 5ª.138.C
Capite ſæpe dolet hõ ĩ tribus horis ſãguinis cõceptus.de ſper.Sp.37.B
Capitis dolores quo modo communibus ſubſint doloribus.3°.de compoſi.med.ſec.loc. 5ª.141.G
Capitis dolores quot modis fiant.2°.de comp.me.ſec.lo. 5ª.131.G/H
Capitis dolor à quibus fiat cauſis,& quomodo cognoſcatur.1°.de arte cur.ad Glauco. 7ª.99.H
Capitis dolorum differentiæ.3°.de loc.affec. 4ª.20.E
Capitis doloris tres differentiæ.in prog.com.3°. 4ª.210.G
Capitis dolores extra,et intra caluariã.2°.de cõp.me.ſe.lo. 5ª.131.H
Capitis dolor quo modo cognoſcatur eſſe ſupra caluariã, vel ſub ipſa. 3°.de loc.affect. 4ª.20.F
in Capitis dolore locum affectum difficile eſt cognoſcere.2°.de com. med.ſec.loc. 5ª.132.A
Capitis ſiue totius ſiue medietatis, quem græci hemicraniũ appellant, dolores cur quotidie tertio die infeſtant.2°.de diff.feb. 3ª.40.E
ad Capitis dolorem hemicranium.de med.fac.parab. 7ª.170.H
ad Capitis dolores ex vna parte.de med.fac.par. 7ª.162.B
Capiti poſteriorem partem dolenti recta vena inciſa prodeſt.com.5°. aph.68°. Ex.45.C
Capitis dolor fit,aut propter inflammationem, aut propter crudos humores in capite aceruatos,aut propter ſpiritum flatuoſum,aut propter multitudinem ſanguinis, aut propter bilem mordacem, aut propter temperaturam.com.6°.aph.10°. Ex.47.D
de Capitis dolore qũo ſint ægri ĩterrogãdi.2°.de cõp.me.ſ.l. 5ª.135.H
Capitis dolor cum tenſione ſine grauitate ac pulſu, ſignificat ſpiritus crudi, ac flatuoſi multitudinem: cum pulſu membranoſi corporis inflammationem: cum grauitate multitudinem intra membranas contentam.1°.de arte cur.ad Glauc. 7ª.99.H
Capitis dolor cum mordicatione ſignificat vaporis, vel humoris acritudinem.1°.de arte cur.ad Glauc. 7ª.99.H
in Capitis doloribus tempora pulſant.3°.de diff.pul. 4ª.64.C
in Capitis dolore cur pulſent tpum venę.ĩ 1ᵐ.prorrh.c.3°.4ª.180.A
q Capitis dolor ſignificet ſanguinem de naribus fluxurum.in progno. commen.3°.208.F/ 4ª.211.A
Capitis dolor eſt indicium inſeparabile vomitus decretorij & ſanguinis fluxus ex naribus.1°.de arte cur.ad Glauc. 7ª.100.B/D
in Capitis dolore qui fluxum ſanguinis,aut vomitum decretoriũ ſignificat,non ſunt quærenda remedia.1°.de ar.cur.ad Glauc.7ª.100.B
Capitis dolor mordax grauansue quid ſignificat.3°.de crif.4ª.144.F
in Capitis ſuperficie dolores qd ſignificẽt.de cõp.me.ſe.lo. 5ª.137.C
Capitis dolores profundi qd ſignificẽt.2°.de comp.me.ſe.lo.5ª.137.C
Capitis dolor quid ſignificet.in 1ᵐ.prorrh.com.3°. 4ª.188.C
Capitis dolor ex cauſa extrinſeca.2°.de comp.med.ſec.loc.5ª.131.H
Capitis doloris cauſæ procatarcticæ.2°.de cõp.med.ſe.lo. 5ª.131.H
Capitis dolor ab intẽperie ſine materia.2°.de cõp.me.ſe.lo.5ª.131.G
Capitis dolores cur,& vnde fiant hyeme.com.3°.aph.23°.Ex.24.H
Capitis dolores ad hyemem expectare conuenit, ſi æſtas ſicca ſit & auſtro perflatur,& ſequens autumnus pluuioſus & à ventris ſeptentrionalibus agitatus.de aere,aq.& loc. 2ª.4.C
Capitis dolores fiunt hyeme frigida & humida, quando præceſſerit æſtas ſicca & humidus autumnus.com.3°.aph.13°. Ex.22.A
Caput dolentis ob ſolem cuiuſdam caſus.de cau.procat. 3ª.98.A
Capitis dolores vehementiſſimi fiunt à caliditate,& frigiditate. 2°.de comp.med.ſec.loc. 5ª.131.H
Capitis dolor à caliditate et frigiditate facile ſanat.2°.cõ.me.5ª.132.a
Capitis dolor ex calor qũo cognoſcat,et curet.2°.d̃ cõ.me.ſ.l.5ª.132.D
Capitis dolores ex ardore eſſe,quibus cognoſcatur.2°.de comp.med. ſecun.loc. 5ª.132.D
Capitis dolor ex ſolis æſtu qũo curetur.de rem.para.fac. 5ª.153.E
in Capitis dolore ex ardore in principio repercutiendum.2°.de comp. med.ſec.loc. 5ª.132.D
in Capitis dolore calido oleum roſaceum in principio ponendum, & in qua parte.2°.de comp.med.ſec.loc. 5ª.132.E
in Capitis dolore calido ſanando menſura refrigerantium à quibus indicetur.2°.de comp.med.ſec.loc. 5ª.132.E
Capitis dolori qui fit propter multam aduſtionem ſolis, vel vini meri potationem confert ſuccus centaureæ.de virt.cent. Sp.93.B
Capitis dolores & exuſtiones à ſole efficaciter tollit cichorium impoſitum.de med.fac.par. 7ª.162.B
Capitis dolore laborantes ab ardore,in quo loco degere debeant.2°.de comp.med.ſec.loc. 5ª.132.C
ad Capitis dolorem propter ardorem Apollonij pharmaca. 2°.de comp.med.ſec.loc. 5ª.132.B
in Capitis dolore ob ardorẽ q̃ vitãda.2°.de cõp.med.ſe.lo. 5ª.132.B
Capitis dolorem,& pallorem luna conciliat dormientibus ſub ipſa.3°. de diebus decr. 4ª.157.A
Capitis dolorẽ aquæ potus quando q; ĩducit,et qũo.de vinis.Sp.76.C
Capitis dolor cur ab aqua vitioſa bibita excitet.d̃ bo.et iu.ſuc.2ª.38.b
Caput dolere facientes cibi.de diſſol.cont. Sp.74.F
Capitis dolorem commouet Arbutus.7°.de ſimp.med.fac. 5ª.52.A
Capiti dolorem infert Cedri fructus.2°.de alim.fac. 2ª.19.C
Capitis dolorem facit Cedrides eſus atq; ardorem & morſum in ventre.7°.de ſimp.med.fac. 5ª.50.F

Capitis dolorem Galenus patiebatur ex Croci odore. 2°. de composit. medic. sec. loc. 5ª. 135. D
Capitis dolorē facit Epimelis stō ingratus. 6°. de simp. me. fa. 5ª. 47. d
Capitis dolorem infert Eruca. 2°. de alim. fac. 2ª. 23. G
Caput dolentibus nocet Lac. com. 5°. aph. 64°. Ex. 44. D
Capitis dolorem facit vtraque Lora. 2°. de alim. fa. 2ª. 18. D
Capiti dolorem mouet Meum. 7°. de sim. me. fac. 5ª. 56. B
Capitis dolorem parit Myrrhæ odor. 2°. de comp. me. se. lo. 5ª. 134. E
Capite dolentes qui indigent rubrificatione, excalfaciunt Nasturtio. 7°. de simp. med. fac. 5ª. 50. A
Capitis dolorem pariunt Odorata omnia. 3°. de loc. aff. 4ª. 20. G
Capiti dolorem inferunt Palmæ. 2°. de alim. fac. 2ª. 20. G
Capitis dolorem pariunt à proprietate Palmarum glādes. 2°. de cōp. med. sec. loc. 5ª. 133. D/*de rem. par. fac.* 7ª. 153. G
Capitis dolorem inducit Triticum elixum. 1°. de alim. fac. 2ª. 11. B
Caput ex Vino dolet. 3°. de loc. aff. 4ª. 20. G
Caput dolere facit vinum citrinum antiquum. de dissol. cōt. Sp. 74. F
Capitis dolorem infert vinum rutilum dulce. de bon. vi. suc. 2ª. 38. E
Caput non facit dolere vinum album, & vinum paucā sustinēs aquā. de dissol. continua. Sp. 74. F
de Capitis dolore ex ebrietate, et solis æstu. de rem. par. fa. 7ª. 154. A
in Capitis dolore ex ebrietate lēs ē bōa. 2°. de cōp. me. se. lo. 5ª. 133. d
Capiti dolenti ex vini potu etiam post vini concoctionem apponit repercutientia. 2°. de comp. med. sec. lo. 5ª. 133. C
de Capitis dolore ex ebrietate. Archigenis. 2°. ā cō. me. se. l. 5ª. 138. A
ad Capitis dolorem ex ebrietate & vini potu. 2°. de comp. med. sec. loc. 5ª. 133. B/*de rem. par. fac.* 7ª. 153. G
ad Capitis dolores ex vini potu corona. de med. fac. par. 7ª. 170. H
ī Capitis dolore vehemēti phibet vinū. 1°. de ar. cu. ad Gla. 7ª. 99. A
Capitis dolori ex vino, Galeni præsidia. 2°. de cōp. me. se. lo. 5ª. 133. C
contra Capitis dolorem crapulamq; malum est ieiunium. de vic. rat. in morb. acu. com. 4°. 7ª. 145. B
ī Capitis doloribꝰ quibꝰ, cōueniat fames. 2°. de cōp. me. se. l. 5ª. 135. C
Capitis dolor ex calore, & flatu. 2°. de comp. med. sec. loc. 5ª. 137. E
Capitis dolor à causa calida, in caluo. 2°. de cōp. med. sec. lo. 5ª. 132. G
Capitis doloris ex frigiditate signa, & curatio. 2°. de comp. med. sec. loc. 132. H/5ª. 135. E/*de rem. par. fac.* 7ª. 153. F
Capitis dolor ex frigiditate facile curat. 2°. de cōp. me. se. lo. 5ª. 132. b
Capitis doloris à causa frigida remedia. 2°. de cōp. me. se. lo. 5ª. 136. E
ad Capitis dolorem ex frigore. 2°. de comp. med. sec. loc. 5ª. 132. C
in Capitis dolore frigido Euphorbium subito sanat & quomodo. 2°. de compo med. sec. lo. 5ª. 140. D
in Capitis dolore frigido quæ vitanda. 2°. de cōp. me. se. lo. 5ª. 132. C
in Capitis dolore frigido vinū ēt phibet. 2°. de cōp. me. se. lo. 5ª. 132. C
in Capitis dolore à frigido dat vinum tenuium partium. 2. de cōposi. med. sec. loc. 5ª. 133. A
Capitis dolor ab humiditate sola nullus. 2°. de compo. med. sec. lo. 5ª. 152. H/*de rem. par. fac.* 7ª. 153. E
Capitis dolorem non facit humiditas sine materia. 2°. de compo. med. secun. loc. 5ª. 132. H
Capitis dolor à siccitate moderatus. 2°. de comp. med. sec. lo. 5ª. 132. H
Capitis dolorē mouēt calida plus q̄ sicca. 7°. de simp. me. fac. 5ª. 56. B
Capitis dolor ex ībecillitate quo mō curet. 1°. ā ar. cu. ad Gl. 7ª. 100. a
Capitis dolor à qualitate humorum. 2°. de cōp. me. sec. loc. 5ª. 131. G
Capitis dolor à quib us fiat succis. in 1ᵐ. prorrh. com. 3°. 4ª. 188. G
Capitis dolor à multitudine humorum. 2°. de cōp. me. se. lo. 5ª. 131. G
Capitis dolor ob multitudinem cum obturatione qualis, & qualis sine obturatione. 2°. de comp. med. sec. loc. 5ª. 131. H
Capitis dolor ob multitudinem quo modo distinguendus. 1°. de arte cura. ad Glauco. 7ª. 99. H
Capitis dolor si perseverat ex relictis in tenuibus poris, humoribus, quid agendum. 2°. de comp. med. sec. loc. 5ª. 133. E
Capitis dolor ob humores acres, qualis. 2°. de cōp. med. se. lo. 5ª. 135. C
de Capitis dolore per consensum. 2°. de comp. med. sec. loc. 5ª. 136. H
Capitis dolorem faciens morbus difficulter cognoscitur. 2°. de comp. medic. sec. loc. 5ª. 132. A
Capitis dolor ex stomacho quo mō fiat. 2°. de cōp. me. se. lo. 5ª. 135. A
Caput dolere solet stomacho laborantibus cum è lecto surgunt. de remedijs para. facil. 7ª. 153. G
ad Capitis dolorē ex stomacho flatuoso. 2°. de cōp. me. se. lo. 5ª. 135. C
Capitis dolor ex spiritu flatuoso. 2°. de compositione medicamētorum sec. loc. 131. H/ 5ª. 135. G
Caput dolet ex flaua bile in ventriculo. 3°. de locis affectis. 4ª. 19. B/*de spermate.* Sp. 36. H
Capitis dolor à materia in ventriculo biliosa, non est affectio capitis. 1°. de locis affectis. 4ª. 3. F
Capitis dolor ob biliosum humorem quomodo oriatur, cognoscatur, et curetur. 2°. de comp. med. sec. loc. 5ª. 136. H
Capitis dolores quo modo cognoscuntur esse à ventriculo, vel ab intēperie capitis. 2°. de temp. 1ª. 20. E
Capiti dolenti ex stomacho, quando non sunt apponenda remedia. 2°. de compo. med. sec. loc. 5ª. 135. A
in Capitis doloribus à stomacho & ab alijs quæ medicamenta sunt vitanda. 2°. de comp. med. sec. loc. 5ª. 137. A
Capitis dolorem ab humoribus in ventriculo contentis sedant vina pauci fera. de bo. & vi. suc. 2ª. 38. G/*de vinis.* Sp. 76. C
Caput cui dolet ex vaporibꝰ nō dormiat ītērdiu. de re. par. f. 7ª. 153. F
ad Capitis dolorem ex vaporibus. de rem. par. fac. 7ª. 153. F
de Capitis dolore ex ventriculi cruditate. de rem. par. fac. 7ª. 153. F
Capitis dolores ex crassis & viscosis humoribus in stomacho fiunt quandoque. 2°. de comp. med. sec. loc. 5ª. 136. H
in Capitis dolore ex stomacho vomitum prouocat. 2°. de comp. med. sec. loc. 133. B/1°. *de arte cur. ad Glau.* 7ª. 99. H
in Capitis dolore ex crassis et glutinosis humoribus in stomacho quibus vtendum. 2°. de comp. med. sec. lo. 5ª. 137. A
in Capitis dolore per consensum, alicam & vinum dat. 2°. de comp. medica. sec. loc. 5ª. 136. H
in Capitis dolore ex stomacho quæ obsonia conueniant. 2°. de compo. medic. sec. loc. 5ª. 133. B
Capitis dolorem inferentem stomachum pituitæ plenum roborantia. de medica. fac. parab. 7ª. 175. H
Capitis, & stomachi dolorem tollens electuarium. de dyna. Sp. 23. D
de Capitis dolore ex hepate affecto, vel ventre, vel stomacho, et eius curatione. 2°. de comp. med. sec. loc. 5ª. 136. H
Capitis & colli dolores cum febribus, & sine febribus fiunt. in 1ᵐ. de morbis vulg. com. 2°. 3ª. 112. H
Capitis dolores cum febre qui. 2°. de comp. med. sec. loc. 5ª. 137. C/D
Capitis dolores in quibus fiant morbis. in 1ᵐ. prorrh. cō. 1°. 4ª. 174. H
Capite vbi doluit, principium non est, sed vbi febricitauit. 1°. de diebus decretorijs. 4ª. 147. F
Capitis grauitatem & dolorem stomachi multum in fœmina significat vrina asterica. de dyna. Sp. 35. D
Capitis dolor adest, vel aderit, quibus vrinæ perturbatæ, quales sunt iumētorū, & quare. cō. 4°. aph. 7°. Ex. 35. B/*quæs. in Hip.* Sp. 113. C
Capitis dolorem significant vrinæ iumentorum lotio similes. in 6ᵐ. de mor. vulg. commen. 5°. 3ª. 192. B
Capitis dolorem, vesicæ, & renum, significat vrina alba, & pinguedinosa vel iumentina. de dyna. Sp. 35. E
Caput si dolet, aut dolere debet, non est tamen necessarium vrinas esse perturbatas. com. 4°. aph. 70°. Ex. 35. B
Caput dolet aut ex solo calore, aut ex flaua bile, q̄ est in capite, vel in stomacho, aut ex multis humoribus ī capite, aut ob aliquā loci obstructionē, aut ob ventū in cerebro generatū, quæ omnia sunt præter vrinas perturbatas, vt iumentorum. com. 4°. aph. 7°. Ex. 35. B
Capitis dolorem patientes et prædicentes vrinæ cur sint crassæ. in 3ᵐ. de morb. vulg. com. 1°. 3ª. 131. E
cū Capitis dolore tenues esse vrinas falsū ē. cō. 4°. aph. 7°. Ex. 35. B
Caput dolentibus vrina liuida augmentū significat. de dyna Sp. 34. G
Caput dolenti & circundolēti pus, vel aqua, vel sanguis effluens per nares, os, aut aures, morbum soluit. com. 6°. aph. 10°. Ex. 47. C
ad Capitis dolorē ex febre q̄ agēda. 1°. de arte cur. ad Glau. 7ª. 100. B
Capitis dolor ob æstum vel febrem quo modo curetur. in 6ᵐ. de mor. vulgaribus, com 6°. 3ª. 196. B
cū Capitis dolore febrietis casus et curatio. de causis pcat. 3ª. 95. E
Capitis dolor, qui lethalis. in prognost. com. 3°. 4ª. 208. F
Capitis dolor quòd talis esse non possit, vt homo se necet. 2°. de comp. med. sec. loc. 5ª. 134. G
in Capitis dolore à causa calida quo modo procedendum in augmento & alijs temporibus. 2°. de comp. med. sec. loc. 5ª. 132. D
in Capitis dolore processu obest papauer. 2°. de cōp. me. se. lo. 5ª. 137. f
Capitis dolorem calidum curant erysipelas curantia. 2°. de composi. medicam. sec. loc. 5ª. 132. G
de Capitis dolore & temporum. de rem. par fac. 7ª. 161. H
Caput dolētibus dandi testiculi gallorū, alæ auium, pisces petrosi, & pulli

pulli columbarum. 2°. de comp.me.sec.loc. 5ª.133.E
Caput dolētes lactucā cū aceto comedāt. 2°. de cōp.me.sc.lo. 5ª.133.c
ad Capitis dolorem facit decoctio agarici. de med.exper. Sp.104.C
Capitis dolorē iuuat chamæmelum. 2°. de cōp.med.sec.loc. 5ª.138.D
pro Capitis dolore coronæ. 2°. de comp.me.sec.loc. 5ª.138.B
à Capitis dolore liberat corōa ex uerbena. 2°. de cōp.me.se.l. 5ª.138.d
Capitis dolores sanat elaterium. 8°. de simp.med.fac. 5ª.60.F
Capitis dolorem sedat menta. de simp.med. Sp.87.D
qbus Capitis doloribꝰ cōueniat polygonū. 2°. & cōp.me.se.l. 5ª.138.c
Capitis dolorem quo modo sedat Psyllium. de simp.med. Sp.89.A
Capiti quæ facienda pro resoluenda materia, quando dolet, & imbecillum est. 1°. de arte cu. ad Glau. 7ª.100.B
in Capitis dolore quid faciat balneum. 2°. de cōp.me.se.lo. 5ª.133.e
Caput fricandum siccis sindonibus ex balneis in dolore ipsius ex particulæ imbecillitate. 1°. de ar. cu. ad Glau. 7ª.100.B
Capite dolentes quando, & quæ loca debeant perambulare pro dolorum varietate. 2°. de comp.med.sec.loc. 5ª.133.E
in Capitis dolore sternutatoria. 2°. de cōp.me.sec.loc. 5ª.137.H/1°. de arte cur. ad Glau. 7ª.100.B
Capitis dolorem quo modo leuat sternutatio. in 6ᵐ. de morb. vulgari. commen. 6°. 3ª.196.G
Capitis dolorem sanat torpedo. 11°. de simp.med.fac. 5ª.82.F
ad Capitis dolorem medicamenta cæphalica. intro. If.58.C
ad Capitis dolorem, Heræ. 2°. de comp.med.sec.loc. 5ª.140.A
in Capitis dolore cataplasmata. 2°. de comp.med.sec.loc. 5ª.137.F
in Capitis dolore fomenta ex sale ob grauitatem sunt molesta. 2°. de composi.med.sec.loc. 5ª.137.F
in Capitis dolore fomenta ex milio sunt meliora q̄ ex sale. 2°. de cōp. med.sec.loc. 5ª.137.G
in Capitis dolore quidam agrestes pedes, & anos vngunt. 2°. de cōpo.med.sec.loc. 5ª.135.F
ad Capitis dolores malagma. 7°. de comp.me.per gen. 5ª.266.H
in Capitis dolore, amuleta. 2°. de comp.med.sec.loc. 5ª.138.B
ad Capitis clauos. de medic.fac.parab. 7ª.170.G
ex Capitis dolore aphoniæ, vnde in 1ᵐ. prorrh.com. 3°. 4ª.178.F
ob Capitis nimiū dolorē muti qūo curētur. de rem.par.fa. 7ª.153.G
Caput derelinquit à sanguine in forti dolore. cō. 7°. aph. 26°. Ex.55.c
Capitis dolor ex acuto neruorū sēsu quo mō curet. 6°. de sa.t. 2ª.98.H
ad Capitis lupinum dolorem. de medic.fac.par. 7ª.179.C
ad Capitis dolores citra causas manifestas. 2°. de c.me.se.l. 5ª.134.d
ad Capitis dolorem, Alexandri. 2°. de comp.med sec.loc. 5ª.138.G
ad Capitis dolorem, Antigoni. 2°. de comp.med.sec.loc. 5ª.134.G
ad Capitis dolorē, Antonij herbarij. 2°. de cōp.med.sec.lo. 5ª.138.G
ad Capitis dolorem quando est sine febre, præsidia Archigenis. 2°. de comp.med.sec.loc. 5ª.134.H
ad Capitis dolorem, Asclepiadis. 2°. de comp.med.sec.lo. 5ª.138.G
ad Capitis dolorem, Chariclis. 2°. de comp.med.sec.loc. 5ª.138.G
ad Capitis dolorē. 7°. de cōp.med.sec.lo. 182.C/8°. 191.E/10°. 207. D/2°. de cōp.medic.per ge. 224.E/3°. 234.H/5°. 246.H/249.B/6°. 256.A/258.F/7°. 5ª.271.F/de reme.par.fac. 161.H/de med. fac.par. 170.F/174.H/175.C/7ª.176.B/de dyna. 23.D/secret. 97.C/de med.exper. 107.F/de cura lap. Sp.112.C
Capitis dolor longus, quem veternus sequutus est. in 3ᵐ. de mor.vul. commen. 2°. 3ª.135.C
Capitis dolores longos sanare potest theriaca. de theri. ad Piso. 5ª.95. H/de med.exper. Sp.106.H
Capitis dolor diutinus sola purgatiōe sanatus. de purg.me.sa. 5ª.87.g
propter Capitis dolores longos calidos & sparsos, arteriæ post aures secantur. de curan.ra.per sang.miss. 6ª.21.D
Capitis mediocres dolores aufert crurum scarificatio. præsag. expert. confir. Sp.78.C
Capite affecto crura scarificamus. de cucur.scar. 3.F/ 6ª.4.B
in Capitis morbis quæ vena secanda. de med.fac.par. 7ª.176.A
in Capitis affectibus secat venas extrinsecas è directo. 2°. de ar.cur. ad Glauconem. 7ª.102.G
Capitis dolori confert sectio venarū, quæ sunt in angulis oculorum lachrymalibus & temporum. de anat. viuo. Sp.55.A
Capitis quos dolores leuat vena frontis. de cur.rat per sang. miss. 6ª. 20.G/de anat.viu. Sp.55.A
Capitis dolorē antiquū sanat decoctio agarici. de med.exp. Sp.104.G
Capitis dolores inueterati qūo curent. 2°. de cōp.med.se.lo. 5ª.133.a
Capitis veterē dolorem curantia medicamenta curant etiam hemicraniam. 2°. de comp.med.sec.loc. 5ª.140.A
ad Capitis veterē dolorē sternutatoria. 2°. de cōp.me.se.lo. 5ª.139.B
Capitis dolores vetustiores dissoluuntur scarificationum sectionibus. præsag.exper.conf. Sp.78.G
in Capitis dolore medicus senex quinquagenarius sibi venam secuit. 12°. meth.meden. 7ª.74.H
quibus Capitis doloribus arteriæ inciduntur. 6°. de san.tu. 2ª.98.H
ad Capitis dolorē inueteratū, Chariclis. 2°. de cōp.me.se.lo. 5ª.138.g
ad Capitis inueteratos dolores. 10°. de cōp.med.sec.loc. 5ª.208.C/G
ex Capitis dolore surditas quo mō sanet. 3°. de cōp.me.se.l. 5ª.145.f
Capitis dolor ex plaga est inflāmatio. 2°. de cōp.med.sec.lo. 5ª.133.G
in Capitis inflammationis principio non apponenda cucurbitulæ. de birud.reuul.cucurb. & scarif. 2.E/ 6ª.3.B
Capiti aptari non potest cucurbitula. 3°. de loc.aff. 4ª.16.A
Capiti quæ cucurbitulæ vtiliter applicantur. de cucur. & scar. 6ª.3.E
in Capite magis accommodantur cucurbitulæ humiliores. de cucurbitulis & scarifi. 6ª.3.E
in Capite corneis vtemur cucurbitulis. de cucur. & scar. 6ª.3.D
in Capite cucurbitulæ cū multo igne haud sunt infigendæ. vehementer enim attrahunt, difficulterq; auelluntur. de cucur.scar. 6ª.3.D
Capitis materiam vacuare potest cucurbitula. de cucur.scar. 6ª.3.F
Capiti cucurbitulam apponere in sanguinis profluuio, præsentissimū est remedium. de med.fac.par. 7ª.163.F
Caput radendum pro sanguine supprimendo. de vict.rat. in morb.acu. commen. 4°. 7ª.152.F
ad Capitis dolorē ex plaga aut casu. 2°. de cōp.med.sec.lo. 5ª.133.F
in Capitis dolore ex plaga rosaceo vtī. 2°. de cōp.me.se.lo. 5ª.133.F
Capitis dolor ex ictu, & casu ab alto. de rem.par.fac. 7ª.153.H
in Capitis verticem cadere difficile est. 11°. de vsu par. 1ª.192.B
à Capitis ictu, obstupescētia, et desipiētia, malū. c. 7°. ap. 14°. Ex.54.b
ad Capitis dolorem ex contusione. de rem.para.facil. 7ª.154.A
ī Capite qd significet erosio, et pūctio. 2°. de cōp.med.sec.lo. 5ª.135.H
Capitis fracturarum quinque genera. introd. If.59.C/F
Capitis vulnera quæ medico indigent legitimo, & quæ non. 2°. de cōp. medic.sec.loc. 5ª.138.E
in Capitis fracturis non est compertum plebeio an sit expectāda calli generatio, an aliter curandum. 3°. meth.med. 7ª.16.E
Capitis fracturæ faciunt vomitum biliosum, nauseam, & stomachi morsum. 3°. de loc.aff. 4ª.18.C
Capite percussis primo secanda est vena, si alia consentiunt. 2°. de cōpo.med.sec.loc. 5ª.133.H
in Capitis vulneribus radit pilos. 2°. de comp.med.sec.loc. 5ª.138.E
Capitis fracturis calor vtilissimus est. com. 5°. aph. 22°. Ex.39.E
in Capite fracto summopere cauendum ne ab aere refrigeretur. 8°. de vsu partium. 1ª.165.E
Caput fractum si ab aere tangatur, malorum id vltimum illi est. 8°. de vsu partium. 1ª.165.F
Capite vulnerati, à vino, & cibis crassis abstineant. 2°. de compo.med. sec.loc. 5ª.134.A
in Capitis fracturis vino vtitur. 2°. de comp.me.per gen. 5ª.225.F
in Capitis vulneribus oleo vtī simplici. 2°. de cōp.me.se.l. 5ª.133.H
in Capite vulnerato oleum rosaceum, & acetum, 2°. de compo. medica. secun.loc. 5ª.134.A
in Capitis fracturis aceto vtitur. 2°. de comp.med.per gen. 5ª.226.c
in Capite vlcerato porci adeps, et rosaceū. de rem.par.fac. 7ª.154.b
in Capitis fractura oleo vtitur, & re pingui. 6°. de composi.medica. per genera. 5ª.255.G
ad Capitis notatu dignas diuisiones nigrum emplastrum. 2°. de compo.med.per gene. 5ª.227.E
Capitis fissuræ & contusiones secundùm Archigenem quo modo curentur. 2°. de comp.med.sec.loc. 5ª.138.D
in Capite fracto fungi adnascuntur, menynge cerebrum custodiente affecta. 1°. de loc.affec. 4ª.2.F
in Capitis fracturis vsque ad membranas non peruenientibus, quo vtemur. 6°. de comp.med.per gen. 5ª.255.G
in Capitis ossibus sunt plures nuncupationes solutæ continuitatis. de causis morborum. 3ª.9.F
in Capitis & aliarū partiū ossibus denudatis pinguia pharmaca vitamus, siccis solis vtimur. 5°. de comp.med.per gen. 5ª.253.D
in Capitis ossibus denudatis fugimus emmota pharmaca, quoniā linamentis inunctis offeruntur. 5°. de comp.med.per gen. 5ª.253.D
Capitis os denudatū cur abradendum. 2°. de cōp.med.se.lo. 5ª.138.E

Capitis osse perforato quæ curatio adhibenda.6°.meth.me. 7ª.42.G
ad Capitis ossa innatamia,& ab alijs separata. 2°.*de compo.medic. per genera.* 5ª.225.D
in Capite os vehementer confractum totum auferendum est. 6°.*methodi medem.* 7ª.42.E
ex Capite sæpius tota ossa eximuntur.de diff.morb. 3ª.4.F
de Capite os confractum excidens quæ actio in medicina sit.ad Thrasybulum. 2ª.104.H
ad Capitis vulnera cũ ossiũ ꝑcisione. 5°.*de cõp.med.per ge.* 5ª.246.c
*Capitũ vulnera glutinare potest myrrha.*8°.*de simp.me.fa.* 5ª.61.A
*ad Capitis fracturas emplastra.*2°.*de comp.med.per gen.* 5ª.225.D
*ad Capitis vulnera.*2°.*de cõp.med.sec.loc.*138.E/*de dyna.Sp.*31.G
*ad Capitis fracturas.*2°.*de cõp.med.per ge.*226.B/C/6°/ 5ª.255.F
Capiti fracto præsidium.de dyna. Sp.23.H
*in Capite vtimur Rhombo.de ijs quæ in medic fi.com.*2°. 7ª.206.D
*in Capitis fracturis quando suspecti cyclisci, & quando illis vtendum.*6°.*meth.med.* 7ª.42.B
*in Capitis fracturis cur terebella sunt suspecta,& quando illis vtendum.*6°.*meth.med.* 7ª.42.B
*Caput vbi pluribus locis vulneratum sit, galea vtilis.de fas.*7ª.297. B/*galea aliter,ibidem.*
*Capitis quæ vulnera fibulis cõstringit.*2°.*de cõp.med.sec.lo.*5ª.138.e
*Caput quomodo deligandum.de ijs quæ in med.fi.com.*2°. 7ª.209.E
*Capiti partes contrariæ quomodo ligandæ. de ijs quæ in medicat.fiunt commen.*2°. 7ª.208.G
*Capitis lateribus quæ deligatio fieri debet.de ijs. quæ in medica. fiunt commen.*2°. 7ª.206.C
*Caput non est in orbem circumligandum,& quomodo ligandum sit.de ijs quæ in med.fi.com.*2°. 7ª.208.F
ad Capitis vulnera fasciæ.de fasciis. 7ª.293.F
Capiti,& faciei in orbem circundata fascia longior,dicitur κάτοχος. de fasciis. 7ª.294.H
ad summum Caput & ei proximam regionem quomodo fieri debeat linteum scissum.de fasciis. 7ª.294.D
ad Caput totum linteum scissum. de fasciis. 7ª.294.F
ad Caput vniuersum obuoluendum fascia.de fasciis. 7ª.294.H
ad Caput operculum scissum in partes octo.de fasciis. 7ª.294.G
Caput qua vinciendi ratione inuolutum sine nodis defenditur à tædio, quod nodi comprimendo faciunt.de fasciis. 7ª.294.G
*qa Caput cuidã fuit uario vĩculo alligatũ,illi oculi ꝑcidere.*7ª.293.d
ad summum Caput vinciendum & id quod inter ipsum est & frontem,vinculum.de fascys. 7ª.295.C
ad Capitis processus recondendos laqueus.de laqueis. 7ª.308.F
Capitis ornamentum quod κεφαλὸν appellant.de fasciis. 7ª.297.B
*Caput quid significat in fasciis.de ijs quæ in med.fi.com.*2°. 7ª.210.C
Capitis vinculum venas vnit.in Tim.Plat. 1ª.288.A
Caput quo modo luxatur.intro. Isa.60.G
*Capitis articulꝰ oĩum solꝰ nõ dico luxationẽ magnã, sed ne deflexionẽ quidẽ vel tẽporis momento ferre põt.*12°.*de vsu p.*193.E/1ª.194.A
*Caput agni et pecudũ cibus humidus,et viscosus.de diff.cõ.Sp.*73.A
Caput hedi anniculi generat humorem bonum,inter crassum et tenuẽ. de dissol.cont. Sp.73.H
*Caput leporis ad alopecias.*11°.*de simp.med.fac.* 5ª.79.G
Capita menidum sale inueteratarum ad sedis fissuras. 11°.*de simpli. medic.fac.* 5ª.79.F
*Caput milui podagricis auxiliatur.*5°.*de ther.ad Piso.* 5ª.93.E
Capita murium alopeciam sanant.de ther.ad Piso. 5ª.93.E
Capita muscarũ ad alopecias.de composi.medi.sec.loc. 5ª.124.D/H
ex Capitibus muscarum cataplasma.de ocul. 7ª.190.E
Capita porri purgant pulmonem,& thoracem de catha. Sp.95.C
Caput pulli in ouo primo apparet.de ana.viu. Sp.52.A
Caput saurarum myrmecias,acrochordonas,& clauos extrahit. 11°. *de simp.med.fac.* 5ª.79.G
*Caput saurarum palos,et spicula extrahit.*11°.*de sim.me.fa.*5ª.79.g
*Caput stellionis.*3°.*de comp.med.sec.loc.* 5ª.144.G
Capita viperarum cur abijciantur.de ther.ad Piso. 5ª.93.C
Caput peritius alijs feris habet vipera.de ther.ad Piso. 5ª.93.C
Caput maris truncat in coitu vipera.de ther.ad Piso. 5ª.93.C
*Capiti gutturis incumbens os quomodo vocatur.de musc.diss.*1ª.46.d
Capiti gurgulionis præstatur qualitas gustabilis.de cõpag.membrorũ sine de natu.huma. Sp.58.D
ad Capita venarum sanguinem fundentia vincienda laqueus. de laqueis. 7ª.307.G
CAPVT *in ossibus quid.de oss.b.*40.B/1°.*de mot.musc.* 1ª.312.C
*Caput humeri in alam prolapsum quo restituatur.de mach.*7ª.311.A
Caput humeri si in priorem vel posteriorem partem exciderit, quomodo reponatur.de machin. 7ª.312.F
ad Caput humeri caput restituendum in scala plana, quando in alam decidit.de machin. 7ª.313.H
ad Caput humeri in priorem,vel posteriorem partem excisum repositio.de machin. 7ª.314.B
ad Caput humeri suo loco motum.de machin. 7ª.316.A
ad Caput humeri restituendum per instrumentum Fabri,vbi in alam prolapsum sit.de machin. 7ª.318.A
Capitis humeri in alam prolapsi per Hippocratis scamnũ repositio. de machin. 7ª.319.D
*Caput femoris ad exteriorẽ regionẽ trahẽs musculꝰ.ꝺ musc.dis.*1ª.51.A
Caput femoris sursum simul & extrorsum trahens musculus.de musculorum dissectione. 1ª.51.B
Caput femoris sursum tollens & vnà ad interiora inuertens. de musculorum dissectione. 1ª.51.B
*Capita librorũ in suã vtilitatẽ solũ scribebat Gal.*7°.*met.me.*7ª.43.b
CARAVS *tolme.de medic.fac.parab.* 7ª.176.H
CARABI *mollem testã habent.de venum aff.dig. & med.* 7ª.195.F
de CARABE *trochisci ad sputũ sanguinis.de med.fac.pa.* 7ª.165.b
CARBO *terra est,aer accensus,flamma.*1°.*de sim.me.fac.* 5ª.4.F
*Carbones plerosque esse flauos,flammas subflauas, solem splendidum & id genus axiomata ex sensu et per sensum sumuntur.*2°.*de sim. med.fa.* 5ª.9.G
Carbones cur nigri sint.de med.ex Gal.Ruf.& Poss. Sp.109.E
*Carbones sunt primo vrendi, quàm concoquantur medicamenta.*1°.*de compo.med.per gen.* 5ª.212.G
ad Carbones coquit mel.de rem.fac.parab. 7ª.170.A
Carboni paruo si multum niuis aut glaciei imponas continuo extinguitur.de causis morborum. 3ª.7.B
*Carbones extincti maxime appetuntur à grauidis,cur.*1°.*de symptomatum causis.* 3ª.18.C
*ex Carbonum extinctorum quodam odore quo modo aliqui moriantur.*7°.*de vsu partium.* 1ª.159.B
à Carbonum fœtore cur suffocamur.de vtil.resp. 1ª.225.D
Carbo alburni quid faciat.de dyna. Sp.31.C
CARBVNCVLVS *qd.fi.med.*48.H/*int.If.*59.B/*de dif.mor.*3ª.5.F/5°. *de cõp.med.per gen.*5ª.254.C/2°.*de arte cur.ad Glau.* 7ª.101.C
*Carbo vlcus escharosum,cui adiungitur multum partium circunstantium inflammen.com.*6°.*aph.*45°. Ex.51.F
Carbunculorum crusta,qualis.de tum.præter nat. 3ª.83.H
Carbunculi & cancri distinctio.de dyna. Sp.30.F
Carbunculi,& gangrenæ generatio.de tum.præter nat. 3ª.83.B
in Carbunculis colores naturales mutantur.de symp.diff. 3ª.13.B
*Carbũculus morbus ex inæquali intẽperie.*1°.*de inæq.intẽp.* 3ª.44.F
*Carbũculi sũt morbi flãmates.de vic.rat.ĩ morb.acu.cõ.*4°.7ª.137.B
*Carbũculi inter calidas passiones numerant.*1°.*de sim.med.fa.* 6ª.5 H
Carbunculi immodicum calorem in partibus,in quibus sunt,efficiunt. de causis morborum. 3ª.6.F
*Carbunculus morbus est instrumentalis.*3°.*de symp.cau.* 3ª.24.G
Carbunculi affectus totius corporis.introd. Isa.59.B
*Carbunculus vnde generatur.*2°.*de præsag.ex pulſ.* 4ª.109.G
*Carbunculi ex cacochymia oriuntur.*3°.*de temp.*1ª.23.A/3°.*de symptо.causis.* 3ª.25.B
in Carbunculos incidebant,qui malos cibos ob penuriam ederant. de bonit.& vitio suc. 2ª.33.G
Carbo morbus fit à superfluis calidis.de atra bile. 1ª.35.C
Carbunculi fiunt ex sanguine calido ad atræ bilis naturam conuerso. 1°.*de diff.feb.*32.A/ 3ª.40.C
*Carbo morbus quo fiat ab humore melancholico.de atra bile.*1ª.35.B
Carbunculus à bile nigra.de atra bile. 1ª.35.E
Carbunculus ex crassa materia,sed calido feruore. in 3ᵐ. *de morbis vulgarib.commen.*2°. 3ª.144.H
Carbunculis, & morbis putridis quæ vrbes obnoxiæ sint. in 1ᵐ. *de morb.vulg.commen.*1°. 3ª.103.F
*Carbones cur facti sunt in Cranone.com.*3°.*aph.*11°. Ex.21.B
ex Carbunculorum fœda quadam lue in plerisque Asiæ ciuitatibus, multorum partes cute,nonnullorum etiam carne ipsa detectæ fuerunt.de ven.art.diss. 1ª.57.G

in Carbunculis in pestilentia Asiæ citra pustulas quibusdam cutis sta tim excoriata. 14°.*meth.med.* 7ª.90.*A*

Carbunculis laborantes in pestilentia necessario febricitant. 14°.*meth. medendi.* 7ª.90.*A*

Carbunculi excitant febrem.de caus.morb. 3ª.6.*F*

Carbunculi quomodo febrem faciant. 1°.*de diff.feb.* 3ª.32.*E*

Carbunculo vbi febris adiungit,fit alter morbus.de diff.mor. 3ª.4.*D*

ex Carbonis caliditate desipientiæ.in 1ᵐ.*prorrh.com.* 1°. 4ª.164.*B*

*Carbũculus vna est ex differẽtiis vlcerationũ oculorũ.fi.me.Isa.*48.*D*

Carbunculus in oculo,quid.sin.med. Isa.48.*E*

Carbunculus in oculo,totum oculum exercet.introd. Isa.58.*D*

ad Carbonem oculorum.de oculis. 7ª.190.*A*

Carbunculi semper periculosi,cur.in 3ᵐ.*de mor.vul.cõ.* 2°.3ª.141.*H*

Carbunculus quomodo curetur. 14°.*meth.med.*90.*B*/2°. *de arte cur. ad Glauconem.* 7ª.102.*D*

*Carbunculi scarificandi.*14°.*meth.med.* 7ª.90.*C*

ad Carbunculos, Apionis. 5°.*de comp.med.per gen.* 5ª.254.*D*

ad Carbunculos medicamenta ab Asclepiade posita. 5°.*de comp.me. per gen.* 5ª.254.*D*

ad Carbunculos Magni florida. 5°.*de comp.med.per gen.* 5ª.254.*D*

Carbunculis medicamenta idonea extrinsecus.intro. Isa.58.*A*

*Carbunculos exterens medicamentum citra dolorem.*4°.*de comp.me- dic.per gen.* 5ª.244.*E*

Carbunculos refrigerat Ceratum humidum. 1°.*de simp.med.fa.*5ª.3.*C*

ad Carbunculos Ceratum ex aceto. 1°.*de simp.med.fa.* 5ª.7.*G*

*ad Carbunculos quidam vtũtur Cupresso.*7°.*de simp.me.fa.* 5ª.53.*G*

*aduersus Carbunculos vtuntur Cypri foliorum decocto.*7°. *de simp. med.fac.* 5ª.55.*H*

Carbunculos dissipergit Emplastrum diachrysu.de dyn. Sp.32.*C*

Carbunculos malignos sanat Erbum.de simp.med. Sp.85.*B*

*Carbunculos sanat Oleum ex nucibus.*7°.*de simp.med.fac.* 5ª.50.*B*

*Carbunculos soluit Sabina.*6°.*de simplic.med.fac.* 5ª.45.*C*

ad Carbunculum auferendum.de dyn. Sp.31.*F*

ad Carbunculos. 1°.*de comp.med.per ge.*217.*A*/2°.224.*E*/225.*B*/ 5°.245.*H*/246.*H*/247.*E*/5ª.254.*C*/*de med.fac.par.* 7ª.170.*E*/ *de dynamidiis.* Sp.30.*D*

CARBTO *& apio facilius digeruntur lactucæ,endiuia, citruli, cucurbitæ.de dissol.cont.* Sp.73.*D*

in CARCERE *qui diu sunt inclusi, pereunt si prohibeantur inambu latione,vnctione,& lotione.*5°.*de san.tuen.* 2ª.94.*A*

CARCHESIVS *duplex.de artic.com.*1°. 7ª.256.*C*

*Carchesia nominant rudentes,qui de summo malo demittuntur.de ar- tic.commen.*3°. 7ª.269.*H*

CARCINADE *vescentes mulli sunt peiores reliquis mullis. de bon. & vitio suc.* 2ª.37.*H*

CARCINOMA. *fin.med.* Is.49.*A*

*Carcinomata in qbus partibº corporis maxime pueniãt.intro.*Is.60.*A*

Carcinoma tum occultum, tum vlceratum affectus cuiuslibet partis corporis.introd. Is.59.*D*

Carcinomata,mamillarum,tum naturalis sexus vtrisq; affectus sunt. introductio. Is.59.*D*

Carcinoma in vtero quid.fin.med. Is.48.*B*

Carcinomatum curatio.introd. Is.60.*A*

Carcinoma sola purgatione sanatum.de purg.med.fac. 5ª.87.*G*

*ad Carcinomata.*6°.*de comp.med.per gen.* 5ª.255.*A*

Carcinoma.vide Cancer.

vt CARDAMELEVM *coquere.*7°.*de comp.med.per ge.*5ª.267.*B*

CARDAMINE *vocatur sisymbrium.*8°.*de simp.med.fa.* 5ª.60.*F*

*Cardamine sisymbrium siccum calidum est & siccum,in tertio ordine: viride vero in secundo.*8°.*de simp.med.fac.* 5ª.60.*G*

CARDAMOMVM *quid.de simp.med.* Sp.82.*F*

*Cardamomum calidũ medicamentũ.*10.*de comp.med.se.lo.*5ª.207.*C*

*Cardamomũ non est calidũ vt nasturtium.*8°.*de simp.med.fa.* 5ª.50.*A*

*Cardamomum acre est.*5°.*de comp.med.sec.loc.* 5ª.159.*C*

Cardamomum vires habet acres & excalfactorias & relaxantes. de simp.med. Sp.82.*G*

Cardamomum ingreditur theriacam.de ther.ad Pis. 5ª.92.*G*

Cardamomum pruritum mouet.de cathar. Sp.95.*D*

*Cardamomum discutit.*6°.*de comp.med.se.lo.* 5ª.169.*D*

*Cardamomũ tortiones,& inflatiões vẽtris sedat.de simp.me.*Sp.82.*G*

Cardamomum ad tussem veterem facit.de simp.med. Sp.82.*G*

Cardamomum purgat nares.de cathart. Sp.95.*B*

Cardamomum vrinam,& menstrua prouocat.de simp.med. Sp.82.*G*

Cardamomum partum expellit.de simp.med. Sp.82.*G*

Cardamomum lumbricos interficit,& psoras detergit. 7°. *de simplic. medic.fac.* 5ª.50.*A*

Cardamomum frangit lapides renum & vesicæ.de cathar. Sp.95.*D*

*Cardamomi exenterati meminit.*7°.*de comp.med.sec.loc.* 5ª.185.*A*

*Cardamomum pro cinnamomo.*2°.*de antid.* 5ª.111.*E*

*℘ Cardamomo sinapi duplum.*7°.*de comp.med.sec.loc.* 7ª.182.*B*

CARDAMVM *est nasturtium.*7°.*de simp.med.fac.* 5ª.50.*A*

*Cardami asparagus est humidior quàm folia.*2°.*de ali.fac.* 2ª.24.*A*

*Cardamum est obsonium sponte proueniens.*2°.*de alim.fac.* 2ª.25.*D*

CARDIA, *id est cor, vnde dicatur.*3°.*de decr.Hip.* 1ª.245.*A*

Καρδία *etiam os ventriculi dicitur.*2°.*de alim.fac.* 2ª 20.*E*

Καρδίας πόνος,*ideſt oris vẽtris dolor.in* 1ᵐ.*prorrh.c.*1°. 4ª.174.*F*

CARDIACA *dispositio,quæ.fi.med.*47.*C*/*introd.* If.55.*H*

Cardiacus affectus,est morbus acutus.introd. Isa.55.*E*

Cardiaca passio.i.verberatio corporis, contingit conceptis in horis me lancholiæ.de spermate. Sp.37.*D*

*Cardiacæ syncopæ quando incidant.*1°.*de symp.cau.* 3ª.18.*F*

*Cardiaca syncopæ quos affectus sequatur.*5°.*de loc.aff.* 4ª.29.*C*

*Cardiacæ syncopæ quid faciant.*1°.*de mot.mus.* 1ª.313.*A*

Cardiacæ syncopes pulsus.de puls.ad tyro. 4ª.44.*H*

*Cardiacorum pulsus.de dynamidiis.*34.*G*/*comp.puls.* Sp.65.*G*

*Cardiacã phrenitĩ,paracopẽ,demẽtiã significat i synocha vrina tenuis si dolor capitis,& scapularũ,& insomnia fuerint.de dyn.*Sp.34.*E*

Cardiacorum vrina alba, & aquosa cum nebulis albis eorum ægritu- dinis solutionem ostendit:spissa vero , si spissitudo velut scissa appa- ret,paralysim significat.de dyn. Sp.34.*H*

Cardiaci,& stomachici frigefacti non admodum rigent.de palp. trem. conuulf.& rig. 3ª.53.*D*

Cardiaci et stomachici defectus causa est inopia alimenti. de palp.tre- more conuulf.& rig. 3ª.52.*H*

Cardiacæ passionis curatio.introd. If.55.*H*

ad Cardiacos facit electuarium dianthu.de dyn. Sp.26.*D*

Cardiacis prodest theriaca.de theria.ad Pis. 5ª.96.*B*

Cardiacis præ doloribus ventriculi deficientibus optime confert the- riaca.de vsu ther.ad Pamph. 5ª.99.*A*

*Cardiaca syncope quo modo homo moriatur.*5°.*de loc.aff.* 4ª.29.*D*

CARDINAMENTVM *quid vocet Hip.de fract.com.*1°.7ª.225.*H*

℘ CARDIOGMON, *id est cordis morsum, intelligunt aliqui quen- dam motum similem palpitationi.com.*4°.*aph.*65°. Ex.34.*E*

*Cardiogmi quibus fiunt.*3°.*de nat.fac.* 1ª.305.*H*

Cardiogmos,id est morsus ventriculi , signum futuri vomitus. in 1ᵐ. *prorrh.com.*1°. 4ª.167.*E*

CARDIALGIA *quid significet.*2°.*de decr.Hip.* 1ª.240.*B*

*Cardialgia,i.cordis dolor.de symp.diff.*3ª.11.*F*/8°. *de comp.med.sec. loc.*5ª.187.*F*/*com.*4°.*aph.*65°. Ex.34.*D*

*Cardialgia quid propriè sit.*2°.*de decr.Hip.* 1ª.240.*C*

*Cardialgiæ,quæ.*1°.*de symp.cau.* 3ª.17.*G*

*Cardialgia oris ventris infestũ est symptoma.*1°.*de symp.cau.*3ª.18.*E*

*Cardialgia vnde proueniat.*3°.*de symp.cau.* 3ª.18.*E*

*Cardialgia.i. ventris dolor , non necessario sequitur ad malam conco- ctionem.*3°.*de symp.cau.* 3ª.30.*B*

Cardialgia ex copia humorum.in 1ᵐ.*prorrh.com.*3°. 4ª.185.*C*

*Cardialgia sanata polẽta punici mali succo aspsa.*2°.*de ali.fa.*2ª.20.*E*

*Cardialgiæ meminit.*2°.*meth.med.* 7ª.9.*E*

*Cardialgici fiunt qui prandio præter solitum priuantur. de vict. rat.in morb.acu.com.*2°. 7ª.119.*H*

*Cardiossin.i. corde morderi ab aliquibus pro cardialgin.i. cor dolere, accipitur.com.*4°.*aph.*65°. Ex.34.*E*

Καρδιώσσειν *quid significat.*2°.*de alimen.fac.*2ª.20.*E*/ 8°. *de comp. med.sec.loc.* 5ª.187.*F*

peri CARDION *membrana,quæ.*7°.*de anat.adm.* 1ª.94.*D*

*periCardij membranæ sectio.*7°.*de anat.adm.* 1ª.94.*D*

*periCardion. i. cordis inuolucrum , vt in anatome inspici possit , quid agendum.*7°.*de anat.adm.* 1ª.95.*C*

*periCardiõ nõ ẽ tunica,sed ẽ domiciliũ uel uallũ.*6°.*de usu pa.*1ª.154.*F*

*periCardion est admirabile.*6°.*de vsu par.* 1ª.154.*G*

*periCardij forma & vsus.*6°.*de vsu.par.* 1ª.154.*E*

*periCardij distantia à corde.*6°.*de vsu par.* 1.154.*Fª*

*periCardio putrefacto,sanatus est puer.*7°.*de ana.adm.* 1ª.97.*G*

CARDVNCELLI *albi succus quid facit.de dyn.* Sp.25.*E*

ad CARDVVM colligendum vtitur oratione Dominica, hinc colli-
ge an liber de dynamidiis sit Galeni. de dyn. Sp. 28. B
Cardui decoctum obstructiones viæ vrinæ aperit, purgat renes et mea-
tus. de ren. aff. dign. & medela. 7ª. 194. F
Cardui radix vrinam crassam ducit. de ren. aff. dig. & med. 7ª. 196. D
Cardui molles vrinam mouent. de cura icteri. Sp. 111. D
CAREÆ halitus inficiunt vicinum aerem. in 3ᵐ. de morb. vulg. com-
mentario. 1°. 3ª. 133. F
CARENVM quo modo fiat. de dyn. Sp. 22. G
CAREVM quid. de simp. med. Sp. 82. C
Careum in antidotis, & in purgatoriis mittitur. de simp. me. Sp. 82. C
in CARIA dolichorum figura, quæ. 1°. de alim. fac. 2ª. 15. C
Καρηβαρία, id est capitis grauitas. com. 5°. aph. 22°. Ex. 39. E
CARICA lingua est varia. 2°. de diff. pul. 4ª. 53. D
CARYCÆ proportionantur ficubus. de alim. fac. 18. D/ 2ª. 20. H
Carycæ possunt conseruari. de puero epil. 7ª. 180. D
ex Carycarum vsu ficata sunt suauissima propter quid. de vic. rat. in
mor. ac. com. 3°. 7ª. 127. H
Carycæ, nux, & ruta, ante cibum valent contra medicamenta letalia.
2°. de alim. fac. 21. B/ de bo. & vit. suc. 2ª. 37. F
Carycæ habent facultatẽ tenuandi & incidendi. 2°. de alim. fa. 2ª. 17. F
Carycæ accommodatæ sunt ad victum attenuantẽ. 2°. de atte. 2ª. 45. H
Carycæ gignunt sanguinem non admodũ probum. 2°. de ali. fa. 2ª. 17. F
Carycæ cum amygdalis vel cum nucibus comestæ optimum succum
præbent. de bo. & vit. suc. 2ª. 37. F
Carycas esse boni succi, & mali succi, quo modo verificetur. de bo. &
vitio suc. 2ª. 37. E
Carycæ stomacho vtiles sunt, sitim operantur, ventrem stringunt, fau-
cibus, arteriis, renibus, & vesicæ vtiliter prosunt, spiritum tarde
recipientes iuuant, longa ægritudine pallidis hydropicis prosunt,
thoracis sorditiem purgant. de simp. med. Sp. 84. C
Carycis quando iuuantur sani. 2°. de alim. fac. 2ª. 17. F
Carycæ in copia sumptæ obsunt. 2°. de alim. fac. 2ª. 17. F
Carycæ cum aliquo crassi succi sumptæ obsunt. 2°. de alim. fa. 2ª. 17. G
Carycarum vsus pediculos gignit. 2°. de alim. fac. 17. F/ de bon. & vi-
tio succorum. 2ª. 37. E
cũ Carycis, aut cum dactylis comestus succus tithymalli purgat suc-
cos indigestibiles in intestinis, & lumbricos rotũdos. de cat. Sp. 95. C
in Carycas singulas tithymalli septem guttæ pro hydrope. de victus
rat. in mor. acu. com. 4°. 7ª. 152. G
Carycæ irritant ventrem ad excretionem. 2°. de alim. fac. 2ª. 17. F
Carycæ senibus hyeme sunt præ cæteris fructibus eligendæ. 5°. de san.
tuenda. 2ª. 92. D
Carycas hyeme soluere senum aluum, collige. 5°. de san. tuen. 2ª. 92. F
Carycæ cum acribus vtiliter ingeruntur in iecoris aut lienis obstru-
ctionibus. 2°. de alim. fac. 2ª. 17. F
Carycæ obstructionibus iecoris, lienis, & scirrho obsessis prosunt. 2°.
de alim. fac. 2ª. 17. F
Carycæ obsunt inflammationi iecoris, & lienis. 2°. de alim. fa. 2ª. 17. F
Carycæ renes purgant. 2°. de alim. fac. 2ª. 17. F
Carycarum decoctum, quale. 7°. de comp. med. sec. loc. 5ª. 177. F
Carycarum decoctum melli simile est consistentia, & facultate. 8°. de
simp. med. fac. 5ª. 61. E
Carycarũ decoctũ discussoriũ parabile. 6°. de comp. me. se. lo. 5ª. 169. G
Carycæ decoctæ cum hyssopo & careno tussibus antiquis prosunt, &
pulmonum vitia mundant, arteriis & tonsillis tumẽtibus optimum
gargarismum est, durities, & parotidas, & feruores soluunt sicut
iris, durities, & vulnerum rheumatismum emendant, impetigini et
maculis vtiles sunt. de simp. med. Sp. 84. C
Carycæ quales esse debent pro cataplasmate ex caricis conficiendo.
2°. de arte cur. ad Glauc. 7ª. 105. D
ex Carycis medicamentum quo modo cõficitur. 5°. de san. tu. 2ª. 92. F
cũ Carycis radix tithymalli siccata i vmbra reponit. de dy. Sp. 21. E
Carycæ combustæ. 5°. de comp. med. per gen. 5ª. 252. G
CARIDES habent tenuem testam. 3°. de alim. fac. 2ª. 32. D
CARIES lignorum vt vlmi adstringit, & abstergit. 8°. de simp. med.
facult. 5ª. 60. A
Caries lignorum implet vlcera humida. 8° de simp. med. fa. 5ª. 60. A
Caries querna ad ficos in sede. de med. fac. parab. 7ª. 170. B
CARIES ossium affectus. intr. Isa. 59. D
Caries quid sit in osse. de cau. morb. 9°. G/ 6°. meth. med. 7ª. 41. A
Caries & fractio dr cũ soluitur continuitas in osse. de cau. mor. 3ª. 9. F

Cariem in ossibus inducunt exasperantes causæ. de caus. mor. 3ª. 9. C
Caries in osse quæ τρῶσις græce dicitur, an sanari queat, sicut in car-
ne erosio, non est compertum vulgo. 3°. meth. med. 7ª. 16. E
CARMINE conscripta medicamenta cur aliis præstent. 7°. de comp.
med. per gen. 267. C/ 5ª. 268. B
Carmine conscripta antidota habent & vera pondera, & facile me-
moriæ mandantur. 2°. de antid. 111. A/ 5ª. 118. G
Carminibus qui res illustrant cõmendandi sunt. 2°. de antid. 5ª. 114. E
CARNEADES non vult euidentissimum esse credendum, quòd ma-
gnitudines vni cuipiam æquales sint etiam inter se æquales. de
optimo docendi genere. Isa. 30. E
CARO quæ vocetur. 2°. de loc. aff. 4ª. 8. G
Caro quid. fin. med. Isa. 44. D/ 12°. de vsu par. 1ª. 193. C
Caro est caro ob certam quandam temperaturam caliditatis, frigidita-
tis, humiditatis, & siccitatis. 1°. de vsu par. 1ª. 115. D
Caro quæ proprie sit. 10°. meth. med. 7ª. 67. D
Carnis vtilitas. 12°. de vsu par. 1ª. 193. D/ de ana. viu. 44. C/ Sp. 55. G
Caro est tegmen contra æstum & frigus. 1°. de vsu par. 1ª. 116. D
Caro est magis communis animalibus, quàm cæteræ partes. 11°. de
simp. med. fac. 5ª. 77. F
Carnes quando ossibus circumponantur. 1°. de semine. 1ª. 332. B
Caro, glandula, chartilago, & os non possunt esse vtiles ad pudendi
confectionem. 15ᶜ. de vsu par. 1ª. 210. D
Caro quo ad sensum est primum elementum. 1°. de elem. 1ª. 7. F
Caro an ex vnico elemento constet. de con. art. Is. 38. A
Caro quibus elementis constet. de hist. philos. Sp. 11. F
Carnis consideratio pro discussione an plura vno sint elementa. de con
stitutione artis med. Is. 38. A
Caro & si ex multis elementis constaret, si ea essent impatibilia, non
doleret. de const. art. Is. 38. B
Carnis causa materialis & efficiens, quæ sit. de ana. viu. Sp. 55. D
Carnis materialis causa non est sperma. de anat. viu. Sp. 55. G
Caro recens, non secus est, ac recenter coagulatus caseus. de iis quæ in
med. fi. com. 3°. 7ª. 215. H
Caro ad replenda loca vacua generatur ex solo sanguine spisso, quem
caliditas, & siccitas coagulauerat. de anat. viu. Sp. 44. G
Caro sola inter alias partes sanguinea est. aduersus Lycum. Ex. 65. C
Caro ex humoribus, humores ex cibis gignuntur. 3°. de simpl. medica.
facult. 5ª. 17. D
Caro est calida, & multi sanguinis, neruus exanguis & frigidus, cutis
media est inter vtrunq;. 1°. de temp. 1ª. 15. B
in Carne est vis attractrix propriorum, & expultrix alienorum. in
6ᵐ. de mor. vul. com. 6°. 3ª. 195. F
Caro trahit sanguinem, vt magnes ferrũ. 3°. de simp. med. fa. 5ª. 23. E
qũo Carnes trahant ex ventre ciborum & potionũ succum, & quid
extrinsecus trahant. in 6ᵐ. de mor. vul. com. 6°. 3ª. 194. H
p Carnis poros inspirationem ẽt fieri probatur. de vtil. resp. Sp. 63. B
à Carne separata est foraminum diuersitas. de anat. viu. Sp. 44. G
ad Carnes ex venis alimentum digeritur. 3°. de symp. cau. 3ª. 25. A
Carnem fieri sanguinem facillimum est. 1°. de sem. 1ª. 332. E
Caro debet nutriri ex sanguine. de ana. viu. Sp. 49. H
Carnea mẽbra sanguine generanī & nutriuntur. 1°. de sem. 1ª. 335. E
Carneam speciem habentia sunt è sanguine facta. 1°. de sem. 1ª. 332. C
Carnosæ partes ac sanguineæ, longius tempus requirunt ad generatio-
nem. de fœt. form. 1ª. 322. G
in Carnem qui spiritus semen conuertat. de sper. Sp. 36. B
Carnis gracilitas facit continere semen. de aere, aquis, & lo. 2ª. 5. G
Caro densa quibus nutriatur. 4°. de vsu par. 1ª. 140. C
Caro fungosa, & laxa quibus nutriatur. 4°. de vsu par. 1ª. 140. C
Caro calida est. de inæq. intemp. 3ª. 44. B
Caro potestate calida. 3°. de temp. 1ª. 23. D/E
Caro est calida & humida moderate, & cur. 1°. de vsu par. 1ª. 116. D
Caro secundo loco humida post adipem. 2°. de temp. 1ª. 17. G
Carnis varietas secundùm humiditatem. 1°. de tempera. 1ª. 15. E
Caro humidior cute & calidior. 1°. de temp. 1ª. 15. C
Caro est humidior cute & osse. 2°. de temp. 1ª. 19. E
Carne est siccior, & densior cutis. 3°. meth. med. 7ª. 19. H
Carne frigidior est cutis. de vict. rat. in mor. acu. 7ª. 147. C
Carnis substãtia mollior ẽ, et rarior ligamẽtis. c. 6°. aph. 49°. Ex. 52. E
Caro humida secundùm exuperantiam. 1°. de elemen. 1ª. 6. E
Caro hũidissima ẽ à pª genitura ad adolescẽtiã usq;. 6°. d sa. tu. 2ª. 96. d
Caro est impense sicca in senio. 6°. de san. tuen. 2ª. 96. D

Caro eſt pars ſimilaris. de nat. hu. cō. 1°. 1ª. 26. C/de diff. morb. 3ª. 2. F
Carnis, vt caro eſt, in compoſitione quatuor elementorum differentia conſiſtit. de differen. morb. 3ª. 2. F
Carnis, vt pars eſt inſtrumenti, in formatione & magnitudine diſcriminа ſunt. de diff. morb. 3ª. 2. F
vt Caro partim iuſta eſt, partim excedēs, ita et ſanguis. de mul. 3ª. 80. F
Caro ſimplex à ſeipſa gubernatur. ars med. Iſa. 63. B
Caro nulla ex ſeipſa ſenſum habet. 1°. de vſu par. 1ª. 118. D
ī Carne totius corporis fit tactus ſm Ariſtotelē. de vtil. reſp. Sp. 63. D
ī Carne cōmiſtis pelliculis, non in carne ſit tactus. de Vti. reſp. Sp. 63. D
Caro nuſquam ſola in corpore inuenitur. 2°. de loc. aff. 4ª. 8. G
Carnium ligamenta ſunt venæ. de ana. viu. Sp. 44. B
à Carne potius quàm à neruo naſcuntur venæ: neruo enim magis aſſimilantur. de anat. viu. Sp. 50. F
Carnem reticulatam eſſe pelliculis valde ſubtilibus, quæ à craſſis venis procedunt, & ab eis deportant ſubtilem ſanguinem ad nutrimentum carnis, manifeſtum eſt. de vtil. reſp. Sp. 63. D
Carnoſas, membranoſas, & fibroſas particulas habent partes ſimplices. 10°. meth. med. 7ª. 67. D
ex Carne, venis, neruis, oſſibus & arteriis compoſitum, incorruptibile eſſe non poteſt. 14°. de vſu par. 1ª. 204. D
Carnem fieri, terram impoßibile eſt. 4°. de ſimp. med. fa. 5ª. 28. D
in Carnium & humorum tanta colluuie tantam mentem admiratur. 17°. de vſu partium. 1ª. 222. D
bñ Carnoſum eſſe natum eſt optimum, & quid ſit eſſe carnoſum. commenta. 2°. aph. 44°. Ex. 18. F
bñ Carnoſi. i. εὐκρατοι, qui. 1°. de ſan. tuen. 2ª. 64. E
Carnoſos eſſe calidos natura, poteſt colligi. com. 5°. aph. 21°. Ex. 39. C
Carnoſi homines vbi naſcantur. de aere, aq. & loc. 2ª. 6. E
Carnoſi ſiue corpulēti q ſint, & à quibus cauſis fiāt. 2°. de tēp. 1ª. 18. D
Carnoſæ, & candidæ mulieres paruas habent venas. de cura. ratio. per ſang. miſſ. 6ª. 18. G
Carnis mediocritas ex mediocritate tēperamēti, puenit. 1°. de tē. 1ª. 15. a
Carnoſæ ſubſtantiæ magnitudo variatur. 11°. meth. med. 7ª. 68. B
Carnoſi generis plures ſunt ſpecies. 2°. de temp. 1ª. 17. G
Carniū quędā dura, quędā mollis, quędā mediocris. de ana. vi. Sp. 55. G
Carnis diuerſitas ſecundum colores. de ana. viu. Sp. 55. G
Caro, et sāguis rubra sūt ī corpe, ṗterea nihil. de tum. ṗter nat. 3ª. 82. H
Caro eſt rubra. 3°. de ſymp. cau. 3ª. 26. D
Caro, rubra eſt, vt in pluribus. de anat. viu. Sp. 55. H
Caro rufa ſeu roſea in quibus ſit membris. de anat. viu. Sp. 44. D
Caro alba in quibus ſit membris. de anat. viu. Sp. 44. D
Caro dura adiicit frictiōe dura vnà cū mediocri mō. 2°. de ſa. tu. 2ª. 71. H
Caro mollis adiicitur frictione molli, & quantitate mediocri. 2°. de ſanitate tuen. 2ª. 71. H
Caro mollis in quibus ſit membris. de anat. viu. Sp. 44. D
Carnes molles cum habeant homines liquidioris ſanguinis, ſunt timidi, ſed boni ſenſus, ſecundùm Ariſtotelem. de vtil. reſp. Sp. 64. F
Carnium alia villoſa eſt, alia caret villis. de anat. viu. Sp. 55. H
Carnium abundantiam minuit exercitatio. in 6ᵐ. de morb. vulgarib. com. 3°. 3ª. 170. C
Carnes, & ſuccos detrahit curſus, & exercitatio velox. in 6ᵐ. de mor. vulg. com. 3°. 3ª. 170. E
Carnis exercitatio fit per accidens à motibus voluntariis. 2°. de ſanit. tuenda. 2ª. 75. A
Carnibus & articulis exercitatio vtilitatem præbet, cibus vero, & ſomnus viſceribus. in 6ᵐ. de mor. vul. com. 6°. 3ª. 190. H
CARNIS tenuiſſimę modicū in ſe habet pānus, q diuidit inter memorialē, & rōnalem. de cōpag. mēbrorū, ſiue de natura huma. Sp. 58. B
cur Caro pauca ſit in articulis. 1°. de vſu par. 1ª. 116. C
cur Caro multa eſt ī partibus iter articulos mediis. 1°. ḋ uſu p. 1ª. 116. C
Carnoſa ſubſtātia in aure enata meatū obſtruit. 1°. de ſymp. cau. 3ª. 15. F
Carnoſam Axillæ partem qui muſculus faciat. de muſc. diſſ. 1ª. 47. C
Caro Cordis eſt rubicunda. de ana. viu. 44. D/ Sp. 55. H
Caro cordis eſt fortis, et ſolida et ſicca, et dura. ḋ an. vi. 46. D/ Sp. 55. G
ex Carne craſſa forti & dura cur conſtet cor. de an. vi. 46. D/Sp. 52. F
Caro cordis generat melancholiam. de anat. viu. Sp. 56. B
Caro cordis diſtemperata lapidibus reſarcitur corallis, margaritis, hyacinthis. de anat. viu. Sp. 56. B
Caro eſt Digitorum pars. de inæq. intemp. 3ª. 43. D
Caro in digito cur intrinſeca. 1°. de vſu par. 1ª. 114. C
Caro cur extra digitos nulla. 1°. de vſu par. 1ª. 116. C
Caro in digito cur ſupra extremas oſſiū partes. 1°. de vſu p. 1ª. 116. C
Carnes cur in lateribus digitorum. 1°. de vſu par. 1ª. 118. E
Caro in lateribus digitorum cur tanta. 1°. de vſu par. 1ª. 116. C
Carnium ſpecies ſunt Glandulæ. de anat. viu. Sp. 44. D
Caro glandis, & teſticulorum eſt alba. de anat. viu. Sp. 55. H
Carnoſum eſt Hepar. de anat. viu. Sp. 50. F
Caro hepatis quo modo vocetur. 10°. meth. med. 7ª. 67 D
Caro hepatis qualis. 2°. de arte cur. ad Glau. 7ª. 102. F
Caro hepatis eſt purpurea. de ana. viu. 44. D/ Sp. 55. H
Caro hepatis eſt mediocris inter mollitiē & duritiē. de ana. vi. Sp. 55. G
Caro in ſima hepatis parte anſentiat, dubitaī, & cur. de mul. 3ª. 77. G
Caro circa gibbam hepatis partem non ſentit. de mult. 3ª. 77. G
Caro Lienis quo modo vocetur. 10°. meth. med. 7ª. 67. D
Caro lienis qualis. 2°. de arte cur. ad Glauc. 7ª. 102. F
Caro ſubnigra ſeu nigra eſt in liene, & in vua. de an. vi. 44. D/ Sp. 55. H
Caro Maxillarum eſt crocea. de anat. viu. Sp. 55. H
Caro inter partes Muſculorum numeratur. 2°. de loc. aff. 4ª. 11 D
Caro eſt perpetuo muſculi pars. 2°. de temp. 1ª. 17. G
Carnes mediæ ſunt muſculorum partes. de bo. & vi. ſuc. 2ª. 35. G
Carnoſa cutis vel cuticuloſus muſculus dici poteſt muſculus ſedis. de muſcul. diſſ. 1ª. 50. E
Carnes pro muſculis accipit Hippocrates. de fract. com. 2°. 7ª. 240. F
Carnes quo modo fiant muſculi. 1°. de vſu par. 1ª. 118. E
Carnoſa pars muſculorū vulnerata piculo uacat. 3°. de cō. me. 5ª. 231. d
Caruncułæ duæ ſpongioſæ inſtar duarum paruarum mamillarum iacēt in oßis Naſi concauitate. de ana. viu. Sp. 49. A
Carne ſpongioſa plenæ pelliculæ ſunt intra nares, in quibus fit olfactus. de vtil. reſp. Sp. 63. D
Caro pulmonis quo modo vocetur. 10°. meth. med. 7ª. 67. D
Caro pulmonis, qualis. 2°. de arte cur. ad Glau. 7ª. 102. F
Caro pulmonis inſenſibilis eſt. de vtil. reſp. Sp. 62. H
Caro pulmonis eſt mollis. de ana. viu. Sp. 55. G
Caro pulmonis eſt flameola. de anat. viu. Sp. 55. H
Carnoſa, & humida eſt pulmonis canna in radice, propterea non ſonora. de voce. & anhel. Sp. 61. F
Carnis pulmonis quæ ſit vtilitas. de anat. viu. Sp. 47. H
Caro Renum qualis. 2°. de arte cur. ad Glauc. 7ª. 102. F
Carnoſæ partes renum, & hepatis quo modo cognoſcantur pati. com. 6°. aph. 5°. Ex. 46. H
Caro renum quo modo vocetur. 10°. meth. med. 7°. 67. D
Carnoſa aliquando naſcuntur in ſtomacho, quæ vel omnino ciborū viā obſtruunt, vel aliquatenus impediunt. 3°. de ſymp. cau. 3ª. 25. G
Carne vacat reliquū caput ṗter tpa in acutis. in progn. c. 1°. 4ª. 191. C
Caro Vberū eſt albior carne glandiū & teſticulorū. de ana. vi. Sp. 55. H
ex Carne plurima conſtant Viſcera. 11°. de ſimp. med. fac. 5ª. 77. F
Caro viſcerum parenchyma dicitur. 11°. de ſimp. med. fac. 5ª. 77. F/ 13°. meth. med. 7ª. 87. B/de part. art. med. Sp. 17. A
Carnoſæ partes quo modo cuſtodiantur. 11°. meth. med. 7ª. 68. E
Carniuora animalia toto habitu ſunt feroci. 3°. de vſu par. 1ª. 128. B
Carniuora ſunt animoſiora herbiuoris. 3°. de vſu par. 1ª. 128. B
Carniuora animalia propter quid habent pedes multifidos, aut vngues curuos. 3°. de vſu par. 1ª. 128. B
Carniuora animalia habēt dētes ſupra, & infra. de art. c. 1°. 7ª. 256. G
CARO ex Animalibus maxime editur. 11°. de ſimp. med. fa. 5ª. 77. F
Caro animalium maxima ex parte ex muſculorum ſubſtantia. 4°. de anat. admin. 1ª. 84. E
Caro proprie quæ eſtur, eſt muſculus. de bon. & vit. ſuc. 2ª. 35. G
Carnes omnes animaliū hominē non nutriūt. 11°. de ſim. me. f. 5ª. 77. G
q̄ Carnes ſunt in magno vſu. 2°. de alim. fac. 2ª. 16. B
Carnium malarum & bonarum diuerſitates. de diff. cont. Sp. 74. B
Carnes ſunt diuerſæ ex loci differentiis. 3°. de alim. fac. 2ª. 29. D
cur Caro cuius paſcua ſunt in locis ſiccis, velocius digeratur, quàm cuius paſcua ſunt in locis humidis. de bon. aquæ. Sp. 73. C
Carnem mutat nutrimentum. 3°. de ſymp. cauſ. 3ª. 26. D
Carnes animalium viridem herbam non habentium ſunt malæ. de vic. rat. in morb. acu. com. 4°. 7ª. 147. B
Caro omnis animalis quod eſt in augmento, velocius digeritur quàm eius quod antiquum eſt. de bon. aquæ. Sp. 73. C
Caro facilius coquitur quæ prius ſit occiſa (nos frollam vocamus). 7°. meth. med. 7ª. 46. A
Carnes nutriunt multum. de venæ ſect. aduerſus Eraſiſtr. 6ª. 14. C/8°. meth. med. 7ª. 50. H

Carnes dulcedine participant. 4°. de simp. medica. fac. 5ª. 26. H
ex Carne facile fit sanguis. 1°. de nat. fac. 1ª. 292. D
Caro quælibet dura, tarde nutrit, & est difficilioris digestionis. commentario. 2°. aph. 18°. Ex. 13. G
Carnes ex terrestribus animalibus quæ laudant. de ren. aff. dig. 7ª. 195. F
Caro bona, mollitie, & friabilitate cognoscit. 2°. de atten. vic. 2ª. 45. D
q̃ Caro præstantissima sit. 3°. de alim. fac. 2ª. 29. F
Carnes quæ faciunt bonum sanguinem cum bono succo. in 6m. de mor. vulg. com. 3°. 3ª. 175 C
Carnes facientes humorem melancholicum. 3°. de loc. aff. 4ª. 18. F
Caro animalis lactentis est multarũ superfluitatum. de dissol. cõ. Sp. 73. E
Caro omnis quiescens, non velocis exercitij est multarum superfluitatum. de dissol. cont. Sp. 73. E
Carne qualibet sui generis pinguedo est deterior ad concoctionem & nutritionem. de victus rat. in mor. acu. com. 4°. 7ª. 147. C
q̃ Caro pessima sit. 3°. de alim. fac. 2ª. 29. F
Carnes aliquæ letales sunt. 10°. de simp. med. facult. 5ª. 77. G
q̃ Carnes sint validæ, & ægre coctiles. in 6m. de morbis vulgaribus, commen. 4°. 3ª. 180. C
Carnes difficulter coctiles homines inaniti comedentes, incidunt in morbos grauissimos. 1°. de alim. fac. 2ª. 10. A
ex Carnibus, eæ quæ sunt ferarum, magis siccant quàm cicurum. 5°. de san. tuen. 2ª. 92. C
Caro animalis multorum annorum est sicca. de diss. cont. Sp. 74. D
Caro paruorum animalium lenit ventrem. de diss. cont. Sp. 75. A
Carnes humidæ quibus possint seruari. 9°. de simp. med. fac. 5ª. 71 B
Caro salita est siccior non salita. 11°. de simp. med. fac. 5ª. 78. E
Carnes salitæ magis siccant, quàm recentes. 5°. de san. tuen. 2ª. 92. B
Carnes salitæ tarde nutriunt, & sunt difficilioris digestionis. com. 2°. aph. 18°. Ex. 13. G
Carnes salsæ faciunt humorem melancholicum. 3°. de loc. aff. 4ª. 18. F
Caro animalium cruda est cibus familiaris leoni. 2°. de ali. fa. 2ª. 17. C
Carnes differre valde secundum modum quo parantur, colligere. commentario. 2°. aph. 18°. Ex. 31. H
Caro cocta est cibus familiaris homini. 2°. de alim. fac. 2ª. 17. C
Carnium coctura simplex, quæ sit. de puero epilep. 7ª. 180. G
Carnes assæ quales sint, & quem gignant humorem. de vict. rat. in mor. acu. com. 4°. 7ª. 147. C
Caro quo modo assetur sine nidore. de puero epilep. 7ª. 180. G
Caro tosta adstringitur in exiguam molem. in 6m. de morbis vulgarib. commen. 3°. 3ª. 171. A
Caro tosta creat carnem non humidam, nec laxam. in 6m. de morb. vul. commen. 3°. 3ª. 171. A
ad Carnes quæ in craticula torrentur colliquationis comparatio. 10. meth. medendi. 7ª. 67. E
Carnes assæ calefaciunt simul & siccant, si cum maza & oleribus conferantur. de sal. diæta. 2ª. 40. A
Caro assa est siccior elixa. 11°. de simp. med. facult. 5ª. 78. E
Carnes bene elixæ optimum sanguinem gignunt, si sit caro animalis boni succi. 3°. de alim. fac. 2ª. 25. G
Caro elixa cibus est Scytharum. de aere, aq. & lo. 2ª. 5. D
Caro extra modũ elixa nõ põt pbe cõcoq in vẽtre. 4°. de san. tu. 2ª. 88. B
Caro male cocta non coquitur probe in corpore. 4°. de san. tu. 2ª. 88. B
Carnes quales in oleo coctæ. 3°. de comp. med. per gen. 5ª. 229. E
q̃ Carnes calidæ, & quæ frigidæ edendæ sint. de vict. rat. in morb. acu. commen. 4°. 7ª. 147. D
Carnes Auiũ velocius digeruntur q̃ quadrupedũ. de dissol. cõt. Sp. 73. C
Caro auium paruarum generat calidiorem, & crassiorem sanguinem temperato. de dissol. cont. Sp. 73. A
Caro omnium auium, & animalium antiquorum cur parum nutriat. de dissol. continua. Sp. 73. F
añ Carnes auium in iure albo elixas, lactuca. 12°. meth. med. 7ª. 78. H
CARO *Adauragi est cibus subtiliãs primi generis. de diss. cõ.* Sp. 72. D
Caro adauragi est velocis digestionis. de bon. aquæ. Sp. 73. E
Caro Agnina qualis. de ren. aff. dign. & med. 7ª. 195. F
Caro agni & pecudũ cibus humidus, & viscosus. de diss. cõt. Sp. 73. A
Caro pullorum Anserum est multarum superfluitatum præter axillas. de dissol. cont. Sp. 73. E
Caro pullorum anseris est plurium superfluitatum. de bo. aq. Sp. 73. B
Carnes Asininæ ab Alexandrinis comeduntur. 2°. de arte curatiua ad Glauconem. 7ª. 107. E
Caro Bouis mala est. de dissol. cont. Sp. 74. A/B
Carne bouis velocius digeritur caro vituli. de bon. aq. Sp. 73. C
Caro bubula tardissime & paulatim nutrit. com. 2°. aph. 18°. Ex. 13. F
Caro bouis cur tarde digeratur. de dissol. cont. Sp. 73. D
Carnes bubulæ à quibus vis ventriculis non concoquuntur. de vic. rat. in mor. acu. com. 4°. 7ª. 145. H
Carnes bubulæ durę quo modo fiant coctibiles & friabiles. 8°. de simp. med. fac. 5ª. 61. F
Carnem bubulam quidam concoquunt. 7°. meth. med. 7ª. 46. D
Caro bouis nutrit eum qui digerit eam nutrimento multo crasso. de diss. solu. continua. Sp. 73. E
Carnes bubulæ crassi sunt succi. 1°. de cõposi. med. sec. lo. 5ª. 128. D/de dissol. continua. Sp. 72. H
Caro bubula in aliquibus facilius coquitur quàm pisces saxatiles. 1°. de alim. fac. 2ª. 8. G
Carnes bouinas cur aliq̃ digerãt, & nõ pullinas. de dissol. cõt. Sp. 72. C
Caro bubula nõ corrũpit velociter in stomacho. de dissol. cõt. Sp. 75. A
Caro bubula est de cibariis mediis. de diss. cont. Sp. 74. C
Carnes bubulæ vetustæ non bonam præstant alimoniam. de victus rat. in morb. acu. com. 4°. 7ª. 147. A
Carnes bubulæ cum laserpitio faciunt choleram siccam. de victus rat. in morbis acu. com. 4°. 7ª. 145. H
Carnes bouinæ fugiendæ sunt in epilepsia. de puero epilep. 7ª. 180. H
Carnes bubulæ generant affectus melancholicos. de victus rat. in mor. acu. com. 4°. 7ª. 145. H
à Carnibus bubulis cruor serosus destillans, dum torrentur, ad quid vtilis. 3°. de comp. med. se. lo. 5ª. 143. F
ex Carnibus bubulis cum assantur defluẽs liquor ad aurium vermes. de remed. paratu facil. 7ª. 155. D
Carnes caprinæ quales. de vic. rat. in mor. acu. com. 4°. 7ª. 147. A
Carnes caprinæ æstate optimæ sunt, autumno pessimæ. de victus rat. in mor. acu. com. 4°. 7ª. 147. A
Carnes caprinæ cur frigidæ potius, quàm calidæ edendæ. de vict. rat. in mor. acu. com. 4°. 7ª. 147. A
Carnes caprinæ choleram gignunt si incoctæ maneant, & cur. de vict. rat. in morb. acu. com. 1°. 7ª. 147. A
Caro capræ antiquæ facit atram bilem. de diss. cont. Sp. 74. A
Caro capreoli non mala. de dissol. cont. Sp. 74. B
Caro castrati est de cibariis mediis. de dissol. cont. Sp. 74. C
Caro castrati est multo melior non castrato. de diss. cont. Sp. 74. B
Caro ceruina, qualis. de ren. aff. dign. & med. 7ª. 195. F
Caro ceruina non mala. de dissol. cont. Sp. 74. B
Caro cerui cur tarde digeritur. de diss. cont. Sp. 73. D
Caro cerui est cibus crassus, & cur. de dissol. cont. Sp. 72. H
Caro pullorum Columbarum generat sanguinem calidiorem, & crassiorem temperato. de diss. cont. Sp. 73 A
Caro Gallinæ est velocis digestionis. de bon. aquæ. Sp. 73. C
Caro gallinæ generat humorem bonum inter tenuem, & crassum. de dissol. cont. Sp. 73. H
Caro Hirci maxime syluestris mala est. de diss. cont. Sp. 74. A
Caro hirci maximè non castrati mala est. de diss. cont. Sp. 74. B
Caro hirci cur tarde digeratur. de dissol. cont. Sp. 73. D
Caro hirci est cibus crassus, & cur. de dissol. cont. Sp. 72. H
Caro hœdina, qualis. de ren. aff. dign. & med. 7ª. 195. F
Caro hœdi anniculi est humida, & viscosa. de diss. cont. Sp. 73. A
Caro Hominis media inter carnẽ leonis & pecudis. de con. ar. If. 38. G
Carnis humanæ ius suauissimum est. 10°. de simp. med. fac. 5ª. 72. F
Caro Leonis calidior est, & siccior. de const. ar. If. 38. G
Caro Leporis non mala. de diss. cont. Sp. 74. B
Caro Leporis stringit ventrem cum crassitie. de diss. cont. Sp. 75. B
Caro Locustarum, & polypodum qualis. de symp. cau. 3ª. 26. D
Carnes duras habent Mulli pisces. 8°. de comp. med. se. lo. 5ª. 192. C
Carnes Murium pro remedio oculorum. de rem. par. fac. 5ª. 156. D
Carnem eandem semper habent Ostreæ. 3°. de symp. cau. 3ª. 26. D
Caro Ouilla, qualis. de ren. aff. dign. & med. 7ª. 195. F
Caro ouilla humidior & frigidior est. de const. art. If. 38. G
Caro ouilla est de cibariis mediis. de dissol. cont. Sp. 74. C
Caro ouilla cur tarde digeratur. de dissol. cont. Sp. 73. D
Caro ouilla multorum annorum mala est. de diss. cont. Sp. 74. B
Caro ouilla parum nutrit. in 6m. de morb. vulg. com. 3°. 3ª. 170. F
Caro ouilla facit pituitam. de dissol. cont. Sp. 74. A
Carnem ouis annualis dat pro cibo. secretorum. Sp. 102. I
Carnem probatissimam in autumno habent Passer & ficedula. de vict. rat.

rat.in morb.acu.com.4°. 7ª.147.B
Caro Phasiani est cibus subtiliãs primi generis.de diff.cont. Sp.72.D
Caro Piscium paruorum in quibus non est viscositas, est cibus subtilians primi generis.de dissol.cont. Sp.72.D
Carnis crassæ, & viscosæ pisces nutriunt eum qui digerit illos nutrimento multo crasso.de dissol.cont. Sp.73.E
Carnis non duræ pisces,nec multæ viscositatis sunt temperati.de bonitate aquæ. Sp.73.A
Carnis leuis,& paucæ pinguedinis saliti pisces sunt cibi salsi dissoluentes ac attenuantes cum salsedine sua.de diff.cont. Sp.72.F
Caro Pullorum est cibus subtiliãs primi generis.de diff.cont.Sp.72.D
Carnes Suillæ,quales.de vict.rat.in morb.acu.com.4°. 7ª.147.B/de ren.aff.dign.& medela. 7ª.195.F
Carnes suũ carnibus humanis sunt similes.10°.de simp.me.fa.5ª.72.F
℔ Carnibus suum qui coqui vendidere carnem humanam.10°. de simplic.med.fac. 5ª.72.F
Caro quorum suum optima sit,& quorum deterrima. de victus rat.in morb.acu.com.4°. 7ª.147.C
Carnium suillarum optima est montana.8°.meth.med. 7ª.51.B
Carnes suum syluestrium minimum supra prunas colliquantur,domesticorum vero plurimum.10°.meth.med. 7ª.67.E
Caro suilla laudatur.de ren.aff.dign.& med. 7ª.195.F
Caro suis debet esse eodem die occisa æstate.7°.meth.med. 7ª.46.A
Caro suis hesterna hyeme facilius coquitur, quàm recens necata. 7°. meth.med. 7ª.46.A
Carnem suillam recentem expetit ptissana.1°.de alim.fac. 2ª.13.F
Carnem suillam salsam expetit lens.1°.de alim.fac. 2ª.13.F
Carnes salsæ cum lente gencrant sanguinem crassum melancholicum. 1°.de alim.fac. 2ª.13.F
cũ Carnibus salsis lens comesta quid agat.1°.de alim.fac. 2ª.13.F
Carnes suillæ cibus hyemis.de nat.hum.com.1°. 1ª.32.F
Caro suilla multum nutrit.in 6ᵐ.de morb.vulg.com.3°. 3ª.170.F
Caro suilla multum alit.8°.de comp.med.sec.loc. 5ª.192.E
Caro suilla maxime nutrit, sed non est coctu facilis, generat succum crassum & glutinosum.7°.meth.med. 7ª.45.D
Caro suilla quos faciat humores.com.2°.aph.18°. Ex.14.B
Carnes suillæ gñant sanguinẽ bonũ,sed viscosum.de puc.ep.7ª.180.H
Caro suilla implet corporis habitum carne densa & constricta. 2°. de alim.fac. 2ª.13.E/G
Carne suilla vtuntur athletæ.3°.de san.tuen. 2ª.77.G
Carnes & panem edunt athletæ.de sal.diæta. 2ª.39.H
Carnis duæ minæ sunt parum athletis.2°.de dig.pul. 4ª.76.G
Carnem cœnant,& prandent panem luctatores & certatores. de vic.rat.in mor.acu.com.1°. 7ª.111.H
Carnes suillæ quando siccis dandæ.7°.meth.med. 7ª.45.H
Caro suilla tosta cur danda quando nimis detractum est.in 6ᵐ. de mor.vulg.com.3°. 3ª.171.A
Carnes suillæ anĩ hydrope dãdæ.de de vic.ra.in mor.ac.c.4°.7ª.149.B
Caro Starnæ est velocis digestionis.de bon.aquæ. Sp.73.C
Caro starnæ est cibus subtilians primi generis.de diff.cont. Sp.72.D
Caro Viperæ qualis.14°.de simp.med.fac. 5ª.78.D
Carnes viperarũ quales in albo iure coctæ.11°.de sim.me.fa. 5ª.77.G
Carnes viperarum quomodo excoquendæ pro theriaca, & quomodo ad elephantiasin.2°.de ar.cur.ad Glauc. 7ª.107.F
Caro viperarum quo tempore bona.11°.de simp.med.fac. 5ª.78.D
Caro viperarum generat pediculorum numerum,quibus affatim est in corpore mali succi.11°.de simp.med. 5ª.78.D
Caro viperarũ quo modo humores eiiciat.11°.de sim.me.fa.5ª.78.D
Caro viperæ euacuat totũ corpus per cutẽ.11°.de sim.me.f. 5ª.77.G
Caro Vituli velocius digeritur quàm caro bouis.de bo.aquæ.Sp.73.C
Caro vituli generat bonum chymũ,& crassum.de diff.cont. Sp.74.A
Carnem probatissimam habent Vulpes autumno ob vuas. de vict. rat. in mor.acu.com.4°. 7ª.147.B
Carnibus contusis, & similagine olim implebant intestina pro lucanicis.de fracturis. 7ª.245.H
Carnes quæ non conueniunt senibus.5°.de san.tuen. 2ª.91.D
CARNEM *& vinum febrientibus dabat Petronas. de vict.ratione in morb.acu.com.1°. 7ª.109.F*
Carnes suillas assatas in febre dabat Petronas.de opt.secta. Is.3.A
Carnem si petant febrientes dat pisces saxatiles,et oniscos in albo iure bene elixos.4°.de san.tuenda. 2ª.87.G
Carnis multa deuoratio magnam habet facultatem.de vict.ra.in mor.acu.com.2°. 7ª.121.C
Carnis multa deuoratio præter solitum, ventriculum offendit.de vict.rat.in mor.acu.com.2°. 7ª.121.B
in Carne, & toto corpore qui humores congessere, debent vti acopo ex abiete.4°.de san.tuen. 2ª.86.G
Carnis ĩcremẽtũ quo mõ accepere iuuenes emaciati.5°.de sa.tu.2ª.89.F
Carnis incrementum ex mediocri prouenit frictione, quæ parti augendæ & sanguinis moderatum accessum, & validam virtutem præstat.2°.de san.tuen. 2ª.71.F
Carnis augendæ causa qui fricantur,quando his frictio finienda. 2°. de san.tuen. 2ª.73.C
Carnem augent,& rarefaciunt motus tardi.2°.de san.tu. 2ª.75.E
Carnis abundantia, vel corpulentia ex copia boni sanguinis fit. 2°. de temperamentis. 1ª.18.D
ad Carne implendum qui sanguis sit vtilis.4°.meth.med. 7ª.23.D
Carne impleuit Galenus ἀτρεφοῦντας frictione adhibita.5°.de sanitate tuenda. 2ª.89.F
in Carnibus quibus est cachexia aquea,lens vtiliter præbetur.1°. de alimen.facul. 2ª.13.E
Carnes pro epilepticorum cibo quæ sint.de puero epilep. 7ª.180.G
Carnibus syluestris suis epilepticus vti potest.de puero epil.7ª.180.G
Carnium condimentum in epilepsia.de puero epilep. 7ª.180.G
Carnes quadrupedum vitent epileptici.de puero epil. 7ª.180.G
Carnes quæ conueniunt stomachicis.8°.de comp.med.sec.lo.5ª.192.E
Carnẽ dat post ona in syncope ex tenuibus succis.12°.met.me.7ª.78.A
Carnes habentibus humidas famem adhibere conuenit: fames enim corpora siccat.com.7°.aph.59°. Ex.59.C
Carnes humidas condire,seruareq; potest atramentum sutorium.9°.de simp.med.fac. 5ª.71.B
Carnes seruantur aphrolitro.11°.de simp.med.fac. 5ª.83.D
Carnes syluestres domesticis meliores in ictero.de cura icter. Sp.111.D
Carnes domesticorum animalium edendæ sunt potius assæ icterico. de cura icteri. Sp.111.D
Carnes auium montanarum exhibentur contra nimiam humiditatem. de præcog.ad Posth. 4ª.217.H
q̃ Carnes dandæ habentibus lapidem.de cura lapidis. Sp.112.A
Carne carens plenum corpus quomodo ab aqua afficiatur. de iis, quæ in medicatrina fiunt.com.3°. 7ª.115.H
Carne carens non plenum corpus quomodo ab aqua tractabitur.de iis quæ in med.fi.com.3°. 7ª.215.H
Carne qui sunt compacta cur citissime plenitudinem aceruent.de salubri diæta. 2ª.42.G
in Carne & cute humores lentos ac crassos euaporare facit oleum ex chamæmelo.4°.de san.tuen. 2ª.87.B
CARNES *sanas habentibus elleborus est periculosus, facit enim conuulsionem.com.4°.aph.16°. Ex.28.H*
cũ Carnibus,& pane veratri comparatio ad secundum librum de pulsibus.2°.de diff.puls. 4ª.53.C
Carnem dilabilem habentibus parcendum est in euacuatione. præsag. exper.confir. Sp.77.H
bñ Carnosus mediocriter si difficulter euomat, debet per inferiora purgari,æstatem cauendo.com.4°.aph.7°. Ex.28.A
Carne non mollibus neque albis in euacuando minus parcendum.præsag.exper.confir. Sp.77.H
Carnium loturæ similis excretio.3°.de symp.cau. 3ª.28.A
Carnium ablutioni similis cruoris tenuis sanies in iecoris inflammatione.5°.de loc.affec. 4ª.34.G
Caruncula paruæ in vrina significant à renibus proficisci,commen.4°. aph.76°. Ex.36.B
Caruncula sunt substantiæ partium renum exulceratorum. com.4°. aph.76°. Ex.36.D
Caruncula in mictu crasso prodeuntes simul capillorũ speciem referentes,has scire oportet à renib⁹ ꝓdire atq; ab articulosis,Aphorism⁹ est Hippocratis.de na.hu.com.2°.7ª.180.H/de vri.sign. Sp.78.H
in Caruncilis non est necessarium semper vrinam crassam.commẽ.4°. aph.76°. Ex.36.D
Caruncula si appareant in intestinorum difficultate,letale est. com.4°. aph.26°. Ex.30.C
Carunculas vidit sæpe Galenus,& in quibus febribus. comment.4°. aph.76°. Ex.36.E
Carunculas veras nunquam cum vrina exeuntes vidit Galenus.com. 4°.aph.76°. Ex.36.E

ex Carnibus si parum exierit, paucus est morbus: si multum, multus: si valde multum, letale.com.7°.aph.75°. Ex.60.H
Carunculæ quando appareant in abortu, & cur.de anat.viu.Sp.52.B
Caro alutæ quorsum aduertenda.de artic.com.2°. 7ª.265.E
ex CARNE *Cidoniorum lxuigata cum melle edulium.2°.de alimentorum facul.* 2ª.20.D
Caro Citri cur tarde digeratur.de dissol.cont. Sp.73.E
Caro Citri est cibus crassus, & cur.de dissol.cont. Sp.73.A
q̃ Caro generetur ex Faba, & ptisana.1°.de alim.fac. 2ª.13.G
Carnem sublaxam & subinanem generant ficus & fabæ.2°.de alimentorum facultatibus. 2ª.17.E
Caro Mali medici pituitosa est ac crassi succi.de att.vict.rat. 2ª.46.A
Caro non continetur in Pane.1°.de nat.fac. 1ª.291.B
ex Carnis esu est caro densa & firma.2°.de alim.fac. 2ª.17.G
Carnis & radiculæ differentia in nutriendo.1°.de nat.fac. 1ª.292.E
Carnem exercitatorum, & non exercitatorum comparat caseo coagulato, & non coagulato.de artic.com.3°. 7ª.277.E
Caro Peponis ad oculorũ dolores, quomodo.de rem.par.fa. 7ª.156.E
Carnis multum facit Rapa.de simp.med. Sp.89.F
in Carnem facile transeunt Triticum, & hordeum.4°. de simp.medic. facult. 5ª.28.D
CARO *bilios a non est idem, quod caro.3°.de symp.cau.* 3ª.26.C
Caro melancholica non est idem quod caro.3°.de symp.cau. 3ª.26.C
Carnem pituitosam facit sanguis pituitosus.3°.de symp.cau. 3ª.26.D
Caro pituitosa, non est idem quod caro.3°.de symp.cau. 3ª.26.C
Caro pituitosa, qualis est.3°.de symp.cau. 3ª.26.D
Carnium laxarum, & pituitosarum mulieres per vterum purgantur.6°.de loc.affect. 4ª.41.D
Caro hydropum flatuosa est.3°.de symp.cau. 3ª.26.G
Carnium effœminatio fit ex calido, quæ nihil aliud est quàm debilitas.com.5°.aph.16°. Ex.38.G
Carnem facit humidiorem, & excrementosam expultrix imbecilla.3°. de symp.caus. 3ª.26.G
Caro leucis defœdati, qualis, & vnde dicat.3°.de symp.cau. 3ª.26.D
Carnes ἐωλαι quæ in 1ᵐ.prorrh.com.3°. 4ª.182.F
Carnes quæ ϕθυεραι. in 1ᵐ.prorrh.com 3°. 4ª.182.F
Carnes quæ σαχναι. in 1ᵐ.com.3°. 4ª.182.F
Carnes animalium ab alimentis alterari.3°.de symp.cau. 3ª.26.D
Caro ex multa adustione nigrescit.8°.de decr.Hip. 1ª.276.A
Caro callosa gignitur loco ossis.ars medic. Isa.71.C
Caro nigra et callosa ab elephãte nomẽ habet.3°.de sym.cau. 3ª.26.D
Caro nigrefacta non est acribus curanda.de fract.com.3°. 7ª.244.A
Carnem etiam cuti subiectam dolere fatentur quidam lassitudine vlceris affecti inter mouendum.3°.de san.tuen. 2ª.79.A
Caro dolet.de const.ar. Is.38.A
in Carne media mẽbranæ, quos dolores faciant.2°.de loc.aff.4ª.11.D
Caro laborat ob flatus.8°.de decr.Hipp. 1ª.274.E
Carnes refrigerantur ex sanguinis penuria.in 6ᵐ.de mor.vulgaribus, commen.4°. 3ª.186.F
Carnosarum partium inflammationes morborum acutorum subiiciunt termino, scilicet quatuordecim diebus.com.6°.aph.49°. Ex.52.E
Carne oppletis & siccis maior superuenit inflammatio, quàm humidis, & macilentis.de artic.com.1°. 7ª.256.G
Carnosæ partes inflammatæ paulum exiccandę sunt.2°.de arte cur.ad Glauconem. 7ª.102.E
Caro à fluxione incalescit.de inæq.intemp. 3ª.43.E
Carnes teneras vrit in viuis ob calorẽ cedrea.7°.de sim.me.f. 5ª.50.E
Carnes & sanguinẽ colliquant medicamenta, quando non adest humor euacuandus. quos pur.opor.qui.med. & quo temp. 5ª.88.B
Carnes molles & fluidas eliquat asiæ petræ flos.9°. de simplicium medic.fac. 5ª.67.H
Caro quomodo calore liquefiat.in 3ᵐ.de mor.vul.com.3°. 3ª.147.H
Caro colliquata habet colliquationem pallidæ bili colore similem. 8°. de decr.Hipp. 1ª.277.D
Carnis colliquatio quid agat.3°.de symp.cau. 3ª.28.E
Caro colliquescens transit in prauam saniem. 4°. de compositione med. per gen. 5ª.237.C
in Carnis colliquatione sudores, quales.3°.de symp.cau. 3ª.28.F
Carnis intemperies sicca aqua corrigitur.4°.meth.med. 7ª.23.E
Caro sicca & squallens eo vsq; perfundenda ac humectanda, quousq; rubescat.4°.meth.med. 7ª.23.E
ad Carnes flaccidas & humectas.5°.de comp.me.per gen. 5ª.248.E
vt Carnes non siccentur, nec liquentur fibræ.10°.meth.med.7ª.67.E
Carnem mollem putrefacere citra dolorem calida in quarto, quæ sunt tenuium partium, collige.7°.de simp.med.fac. 5ª.50.D
Carnẽ mollẽ putrefacit cedrea absq; dolore.7°.de sim.me.fa. 5ª.50.D
Caro contusa alteratur.5°.de simp.med.fa. 5ª.33.C
in CARNE *vnitatis solutio quid sit.3°.meth.med.* 7ª.16.D/E
in Carnosis partibus continuitatis solutio dicitur ruptio.de diff.morborum.5.D/de cau.morb. 3ª.9.H
in Carnosõ genere omni continuitatis solutio communiter, dicitur vlcus.de diff.mor.5.D/de cau.morb.3ª.9.F/4°.meth.med.23.B/de fract.com.2°.231.H/de artic.com.2°. 7ª.267.E
Caro exulceratur à sanie ex osse corrupto manante. commentario. 6°. aph.45°. Ex.51.G
Caro quando ab extrinseco vulneratur & quassatur, magis læditur ab intrinseco osse propter sui duritiem.de ana.viu. Sp.55.D
in Carne vacuis locis vlcera sunt dolorosa, spasmosa, & deliria facientia.4°.meth.med. 7ª.28.B
Carnem subiectam corrumpentia vlcera dicuntur phagedęnę.com.6°. aph.45°. Ex.51.F
Caro vlcerata fit mollis & fluida, si aqua calida perfundatur.1°. de simp.med.facult. 5ª.3.F
Caro vlceris quando flaccida est, quid agendum.2°. de comp.medica. per gen. 5ª.220.A
℘ Carne sananda.de dyn. Sp.30.H
Caro calida in vlcere quo modo curanda.4°.meth.med. 7ª.23.E
Caro frigida in vlcere quo modo curanda.4°.meth.med. 7ª.23.E
Carnosum si desit, haud difficulter reficitur.14°.meth.med. 7ª.93.B
Caro germinare in cauis vlceribus videtur.cõ.6°.aph.10°. Ex.48.B
Caro nunquam visa est non crescere à Galeno in exesis vlceribus.commenta.6°.aph.19°. Ex.48.B
Caro regeneratur, non cutis.3°.meth.med. 7ª.19.G
Caro non potest crescere in intestinorum difficultate, vbi caruncułæ appareant.com.4°.aph.26°. Ex.30.C
Caro eadem specie gignitur.3°.meth.med. 7ª.19.G
Caro resecta, cur possit resici.de const.ar.Is.37.E/1°.de sem.1ª.332.D
Carne implenda omnino à phlegmone tuta sint. 6°. de comp.medicam. per gen. 5ª.255.E
Carne implendum corpus quomodo tractandum.7°.meth.me.7ª.45.B
Carne implendi tempus est præceps.7°.meth.med. 7ª.45.C
ad Carnis generationem quid præstent medici.6°.meth.med. 7ª.42.B
Caro non fit à medicamento, sed à natura, medicamenta remouent impedientia.2°.de comp.medic.per gen. 5ª.227.A
Caro naturæ opus.1°.de natu.facul.1ª.291.C/6°.meth.medendi.42 B/14°. 7ª.93.C
Carnis gñatio ex sana q̃ subiecta est, ortũ habet.3°.meth.me.7ª.21.G
Caro ex quo generatur.3°.meth.med. 7ª.19.G
Carne implenda vlcera quo mõ indiget.2°.de com.me.pge.5ª.218.G
in Carne cauitas quid exigat.3°.meth.med. 7ª.19.E
Carnem generantia medicamenta, qualia esse debent.2°. de composit. med.per gen.221.E/5°.253.F/6°.5ª.255.D/3°.methodi medendi. 19.C/5°. 7ª.29.G
Carnem vlceris apta sunt inducere quę leuiter abstergunt.9°.de simp. med.fac. 5ª.66.A
Carnẽ gñantia medicamẽta detergũt.1°.de com.me.per ge.5ª.217.C
Carnẽ faciẽtia sunt morsus expertia.2°.de comp.me.per ge.5ª.227.A
Caro vbi augmentanda est, non debet poni emplastrum acre dihalon. 2°.de comp.med.per gen. 5ª.222.A
Carnem progignunt acria quædam, si cum cerato temperentur. 6°. de comp.med.per gen. 5ª.255.G
Carnem quæ faciant, & cuius ordinis siccantium & detergentium sint.3°.meth.med. 7ª.18.A
Carnem producens medicamentum modice siccans, & detergens est in primo ordine.3°.meth.med. 7ª.18.A
ad Carnem generandam adstringentia non sunt apta.6°.de comp.medic.per gen.5ª.261.A/3°.meth.med. 7ª.19.D
Caro dura aliud vult medicamentum, quàm mollis.9°. de simpli.med. facult. 5ª.71.E
Carne tenera prædita corpora morsum facile recipiunt.4°. de compos. med.per gen. 5ª.236.F
Carne mollib⁹ quo mõ sint applicãda remedia.de rem.par.fa.7ª.154.E
in Carnem mollem habentibus vehemens infrigidatio non est inducenda in capitis dolore.2°de comp.me.se.lo. 5ª.132.E

Carnem quæ generent.8°.de ſimp.med.fa.57.H/2°. de comp.med.per gen.220.A/5ª.221.G/3°.meth.med. 7ª.17.F
Carnis explentia cerati miſtura fiunt digerentia, & extrahentia. 6°. de comp.med.per gen. 5ª.260.H
Carne implentia ſanguinem tuentur.2°.de cõp.med.per ge.5ª.227.A
Carnẽ gñantia,vt plurimũ viridia ſunt.2°.de cõp.me.per ge.5ª.225.B
Carne implet diaphanes vſtum,quod ſpeciarium nominant.11°.de ſimplic.med.fac. 5ª.80.H
Carnem procreat cortex radicis panacis Heraclij.8°. de ſimpli.med. facul. 5ª.57.H
ad Carne implenda vlcera valent lapides pollinis inſtar comminuti. 9°.de ſimp.med.fac. 5ª.67.G
Carnem generat thus.1°.de comp.med.per gen. 5ª.214.A
Carnem gignit,concoquit,& mouet pus,manna thuris.2°.de compoſi. med.per gen. 5ª.221.E
ad Carnem ſibi reſtitui ægre patiẽtia congruit terra vſta.9°.de ſimp. med.fac. 5ª.66.F
ad Carnẽ reſtaurãdã,picari optimũ remediũ eſt.14°.met.me.7ª.91.F
Caro procreatur ex roſaceo cũ melino.2°.de cõp.me.per ge.5ª.222.C
Carnem conficiens medicamentum ex oleo,cera,& ærugine.3°.meth. medendi. 7ª.17.B
Carnem genuinã generans.5°.de comp.med.per ge.245.G/5ª.253.E
Carne ſolida implens medicamentum.1°.de comp.me.per ge. 5ª.211.F
ad Carne ægre implebiles, & diuturnas ex fluxione cauitates valet teſta oſtrearum combuſta.11°.de ſimp.med.fac. 5ª.80.H
Caro q̃ producitur dẽt eſſe ſimilis priori.3°.met.me.18.B/4°. 7ª.23.D
in Carnis generatione duplex excrementum.3°.meth.med. 7ª.17.G
in Carnibus ſunt excrementa.2°.de ſymp.cau.22.D/3°. 3ª.26.G
Carnis diuerſitas ab excremẽtis diuerſis,cur.3°.de ſym.cau. 3ª.26.G
Carnis aggeneratio quo modo fiat.de iis quæ in med.fi.cõ.3°. 7ª.215.H
Carne quo modo implentur ſinus.2°.de comp.med.per ge.. 5ª.221.G
Caro cũ creuerit,quid proportionale cuti inducendũ.ars med.If.70.B
Carne ĩplẽtibus ſicciora ſunt glutinãtia.2°.de cõp.me.p ge.5ª.227.A
Carnem glutinans,et producens medicamentum, primaria ratione deterſorium appellatur.2°.de comp.medica.per gen. 5ª.227.A
ad Carnem glutinandam.de med.fac.parab. 7ª.173.A
Caro eſt illa,quæ glutinat.4°.meth.med. 7ª.23.D
Caro alteratur,vt fiat ſimilis cuti.3°.meth.med. 7ª.19.H
Caro durata efficitur cutis,& cicatrix. in 6m. de morbis vulgaribus. commen.2°. 3ª.161.A
Carnem liquare neque detrahere ſunt nata cicatricem inducentia,ſed indurare & deſiccare.5°.de ſimplic.med.fac. 5ª.36.D
Caro fit cutis in vlceribus per ea quæ illam contrahere, conſtringere, conſtipare,denſare,ſiccare, & calli inſtar indurare valeant. 5°. de ſimp.med.fac. 5ª.36.D
Caro in caput inducẽda eſt vt in aliis locis.2°.de cõ.me.ſe.lo.5ª.138.E
Carnoſum eſt collum ueſicæ,ideo quotidie ſanatur quando lapis extrahitur.com.6°.aph.18°. Ex.48.A
Carnium incrementum quid ſit.de mul. 3ª.80.F
Carnium incrementum ſignificat aliquando coitio cutis.in 6m. de mor. vulg.com.3°. 3ª.169.G
Carne adnata quãdoq; in cauitatibus fit anguſtia.de cauſ.mor.3ª.9.A
Carne ſupercreſcente,quid faciendũ.de conſt.art.39.C/intro.If.58.B
Caro ſupercreſcens quo modo curetur.3°.meth.med. 5ª.20.B
Carnem ſupercreſcentem tollentia medicamenta,qualia. 5°. de comp. med.per gen.5ª.253.E/de ocul. 7ª.188.F
Carnes vlcerum ſupercreſcentes adſtringunt & exiccant aloe, & ſquamma æris,de ther.ad Piſ. 5ª.90.H
Carnem minuit ærugo.3°.meth.med. 7ª.20.C
Carnes luxuriãtes ſtringit in ceratis poſita chryſocolla.de ſimplicibus medicaminibus. Sp.82.E
Carnium excreſcentiam minore cruciatu quàm aphronitrum colliquat aſiæ petræ flos.4°.de ſimp.med.fac. 5ª.30.G
Carnem ſupercreſcentem quæ detrahant.3°.meth.med. 7ª.20.B
ad Carnis omnem excreſcentiam.4°. de compoſitione medi.per gen. 157.D/5°. 5ª.251.B/F
ad Carnium in auribus incrementum.3°. de compoſit.medic.ſec.loc. 144.A/ 5ª.145.D
ad Carnis excreſcentiam in oculo.de oculis. 7ª.190.D
ad Carnis excreſcentiam in gengiuis.de med.fac.parab. 7ª.164.G
ad Carnem excreſcentem iuxta naſi angulum.4°.de comp.medicam. ſec.loc. 5ª.152.F/G
ad Carnem in naribus excreſcentẽ.3°.de comp.med.ſe.lo. 5ª.148.D
ad Carnem excreſcentẽ teſticulorũ.9°.de comp.med.ſe.lo. 5ª.205.E
Caro,quæ ſupercreuit,excidenda eſt.14°.meth.med. 7ª.90.G
Caro nigrefacta excidet ac etiam neruus.de fract.com.3°. 7ª.244.A
de Carne naturali tantum deperditur cruſta facta,quantum particulæ eſt aduſtum.5°.meth.med. 7ª.31.C
Caro quandoq; aufertur.de diff.morb. 3ª.5.A
ad Carnem malam.de dynam. Sp.31.A
ad Carnem corruptã in vlceribus.4°.de comp.me.per ge.5ª.243.H
ad Carnem mortuam exedendam vnguentum.de dyn. Sp.30.G
ad Carnem mortuam auferendam,tractum.de dyn. Sp.31.F
Carnem mortuorum tuetur cedrea.7°.de ſimp.med.fac. 5ª.50.E
Caro liuida in oſſe ægrotante malum.com.7°.aph.2°. Ex.54.B
Caro increſcit ſuper membrum ſeminarium denudatum, non tamen.li quid ſit illi membro ſimile.1°.de ſem. 1ª.332.D
Carnulentæ quæcunq; partes vel vi auulſæ, vel putrefactæ, vel exto reſectæ,mutilæ dicuntur.de diff.morb. 3ª.4.G
Caro quomodo oſſi inhærebit.6°.meth.med. 7ª.42.B
Carne ex ptibus cito excidit,& reponiť articulº.de art.c.1°.7ª.256.E
à Carne mucoſa fiunt oſſis ſiderationes.de artic.com.3°. 7ª.276.A
à Carne,& à vino abſtinẽdũ i cubiti fractura.de fract.c.1°. 7ª.230.G
Carnoſa membra non diſtenduntur,nec contrahuntur.in 6m.de morbis vulg.com.1°. 3ª.153.B
Carnem facile apprehendunt mites hirudines.de cucur.ſcar. 6ª.4.B
à Carnoſis particulis cur mangones cutem ſurſum trahunt.in 6m.de morb.vulg.com.3°. 3ª.176.D
CARON, *aniſum,liguſticum,petroſelinum, & cyminum ſunt in eodem vſu.7°.de ſimp.med.fac.* 5ª.53.F
Caron,aromaticum quiddam oſtentat.2°.de alim.fac. 2ª.25.B
Caron calefacit.2°.de alim.fac. 2ª.25.B
Cari ſemen calidũ eſt & ſiccũ in tertio ordine.7°.de ſim.me.f.5ª.50.A
Caron exiccat.3°.de alim.fac. 2ª.26.D
Cari ſemen,& planta flatus extinguit.7°.de ſimpl.med.fac. 5ª.50.A
Caron vrinam ciet.2°.de alim.fa.2ª.25.B/7°.de ſimp.me.fa.5ª.50.A
Cari radix paſtinaca præſtantior eſt.2°.de alim.fac. 2ª.25.B
Cari radices minus nutriũt,q̃ rapæ,& arum.2°.de alim.fac. 2ª.25.B
Cari radix media eſt inter illa quæ ſunt boni,& praui ſucci.de bon.& vitio ſuccorum. 2ª.37.G
Caron ſi quis eo copioſius utatur,vitioſum ſuccum mediocriter gignit. 2°.de alim.fac. 2ª.25.B
CAROS *quid proprie ſignificet.in 1m.prorrh.com.1°.* 4ª.173.D
Caros proprie nominatur totius corporis inſenſibilitas, atque immobilitas repentina.com.5°.aph.5°. Ex.37.G
Caros quid ſit.de ſymp.diff.3°.11.G/de articulis.com.2°. 7ª.264.G
Caros an poſſit appellari coma.in 1m.prorrh.com.1°. 4ª.173.F
à Caro quomodo differat apoplexia.4°.de loc.aff. 4ª.22.H
Cari,comitialis,apoplexiæ, catalepſis, catochi & ſoporis vigilantiæ differentiæ.4°.de loc.aff. 4ª.23.A
Caros & ſomnus profundus differũt.in 1m.prorrh.com.1°.4ª.173.E
Caron & coma faciunt frigida non ſomnum.1°.de ſymp.cau. 3ª.19.B
Caros.i.ſopor,ex immodico vini potu gignitur.3°.de temp. 1ª.22.G
Caros.i.ſopor,quando fit.4°.de loc.aff. 4ª.22.H
Carus fit cum pleni ſunt ventriculi cerebri.de inſtr.odor. 1ª.112.F
Caris quidã corripiuntur ex vitio ſtomachi.10°.de ſymp.cau.3ª.18.F
Cari fit mentio.13°.meth.med. 7ª.85.F
Caros morbus peſſimus.de dyn. Sp.20.E
Caros qñq; bonus tũ cauſa tum nota.in 1m.prorrh.com.1°.4ª.173.E
in Caro medicamenta capiti applicantur.1°.de ſymp.cau. 3ª.19.B
Caro infeſtante vtimur catharticis.de dyn. Sp.20.E
in Caro ſternutamenta prouocanda.de inſtr.odor. 1ª.112.D
Caros iuuatur ſternutamentis.de inſtr.odor. 1ª.112.D
CAROTIS *arteria antiquum nomen.16°.de vſu par.* 1ª.220.A
Carotides venæ vnde ſint dictæ.de vtil.reſp. Sp.63.F
Carotis arteria,à qua parte oriatur.16°.de vſu par. 1ª.216.B
Carotidum arteriarum inceſſus.16°.de vſu par.220.A/ 1ª.221.A
Carotides arteriæ qũo cõficiãt plexũ reticularẽ.de vſu pul. 1ª.227.H
Carotides arteriæ iungunt cor cerebro.2°.de decr.Hipp. 1ª.239.B
CARPASI *ſucci meminit.1°.de compoſitione medicament.ſec.loc. 127.B/5°.* 5ª.164.C
CARPENTARIO *lignum eſt materia.ad Thraſ.* 2ª.106.A
CARPESIVM *quid ſit.1°.de antid.* 5ª.106.D
Carpeſium,quale.1°.de antid. 5ª.106.E

Carpesium vbi nascatur. 1°. de antidotis. 106. D/ 3°. de comp. medica. sec. loc. 5ª. 141. B
Carpesij duo genera. 1°. de antid. 5ª. 106. E
Carpesio loco Cinnamomi vtebatur Quintus. 7°. de simp. med. facult. 50. D/ de antid. 5ª. 106. D
Carpesium cinnamomi viribus vicinum est, immo non paruo deterius optima casia. 7°. de simplic. med. fac. 5ª. 50. D
Carpesium duplo pondere, vel Casia pro cinnamomo. 3°. de cõp. med. sec. loc. 5ª. 141. B
Carpesium pro assaro ponendum. 2°. de comp. med. sec. loc. 5ª. 135. E
Carpesium pro phu. 1°. de antid. 5ª. 106. E
Carpesium miscetur medicamentis auricularibus. 3°. de compo. med. sec. loc. 5ª. 141. B
Carpesium viscerum obstructiones extergit, et vrinam mouet, renesq; calidis degrauatos expurgat. 7°. de simp. med. fac. 5ª. 50. C
Κάρφολογεῖν quid. in progn. com. 1°. 4ª. 194. F
CARPOBALSAMVM quid. de simp. medicamin. Sp. 88. C
Carpobalsamum ingreditur theriacam. de ther. ad Pis. 5ª. 92. F
Carpos quid de ossibus. 43. B/ de ven. arte. dissect. 1ª. 56. F/ de fractu. com. 2°. 233. A/ de artic. com. 4°. 7ª. 286. E
Carpus manus pars. de inæq. intemp. 3ª. 43. D
Carpus vbi situs. 2°. de vsu partium. 1ª. 124. B
Carpus habet figuram extra connexam, intus simam magis. 2°. de vsu partium. 1ª. 123. F
in Carpo sunt quatuor paruæ cauitates. 2°. de vsu par. 1ª. 123. F
Carpos quot ossibus sit compositus. de ossibus. 1ª. 43. B
Carpus ex octo ossibus. 2°. de vsu par. 1ª. 123. D
Carpi ossa cur octo. 2°. de vsu par. 123. H/ 1ª. 124. B
Carpi os octauum, quale. 2°. de vsu par. 1ª. 124. F
Carpi ossa omnia se inuicem contingunt. 2°. de vsu par. 1ª. 124. C
in Carpis ossa facta propter motum. 11°. de vsu par. 1ª. 191. C
Carpum cur in duos ordines oportuit cõponi. 2°. de vsu par. 1ª. 124. C
in Carpo radij finis cur crassior est. 2°. de vsu par. 1ª. 125. C
Carpi processus versus magnum digitum. 2°. de vsu par. 1ª. 124. G
Carpi particulæ versus magnum digitum. 2°. de vsu par. 1ª. 124. G
Carpi dearticulationes, quales. 2°. de vsu par. 1ª. 126. H
Carpi dearticulationes pluribus actionibus subseruiunt. 2°. de vsu partium. 1ª. 127. C
ad Carpi articulos omnes fortis manus actiones referendæ sunt. 2°. de vsu par. 1ª. 124. C
Carpus habet quatuor motus. 2°. de vsu par. 1ª. 121. H
Carpi motus à quibus fiant. 2°. de vsu par. 1ª. 121. H
Carpum qui musculi extendant. 1°. de mot. musc. 1ª. 311. A
in Carpi flexione duplices musculorum deneruationes. 1°. de vsu partium. 1ª. 118. B
in Carpi flexione musculorũ deneruationes in quot tendones tendant. 1°. de vsu part. 1ª. 118. B
ad Carpum tendones quod officium habent. 1°. de vsu par. 1ª. 117. C
Carpi tendones versus magnum digitum. 2°. de vsu par. 1ª. 124. G
in Carpo ex motibus obliquis fiunt recti. 11°. de vsu par. 1ª. 190. G
in Carpo ex duobus obliquis motibus fit vnus rectus. 12°. de vsu partium. 1ª. 193. F
in Carpo cur minimi motus obliqui. 2°. de vsu par. 1ª. 123. C
in Carpo manus, arteriæ illustrẽ habent motũ. de pul. ad tyr. 4ª. 43. C
in Carpo, ideſt brachiali, manum ægri medici apprehendit Galenus, vt pulsum arteriarum sentiret. 5°. de loc. aff. 4ª. 34. G
in Carpo latior pulsus quid significet. 2°. de præsag. ex pul. 4ª. 113. G
Carpo an conueniat pedis tarsus. 3°. de vsu part. 1ª. 130. D
meta CARPION quid. de ossibus. 1ª. 43. C
metaCarpium vbi situm. 2°. de vsu part. 1ª. 124. B
metaCarpion quibus compositum. de oss. 1ª. 43. C
metaCarpium ex quatuor ossibus. 2°. de vsu par. 1ª. 123. D
metaCarpij ossa cur quatuor. 2°. de vsu par. 123. H/ 1ª. 124. B
metaCarpij ossa à sese distant. 2°. de vsu part. 1ª. 124. C
metaCarpio manus, an cõueniat planũ pedis. 3°. de vsu par. 1ª. 130. D
Κάρτα, ideſt valde. de vic. rat. in morb. acu. com. 3°. 7ª. 129. F
CARTAMVM vrinam mouet. de cura icteri. Sp. 111. D
CARTERI medicamentum ad hæmoptoicos. 2°. de comp. medica. sec. lo. 5ª. 184. A
CARTILAGO quid. finitiones medicæ. Isa. 49. C/ de anatomia viuorum. 43. G/ Sp. 55. D
Cartilago est prima & simplicissima particula. 1°. de elem. 1ª. 6. E
Cartilago inter prima hominis elementa. 1°. de elem. 1ª. 7. E
Cartilago membrum similare. de nat. hum. com. 1°. 1ª. 26. C/ de differentiis morborum. 3ª. 2. F
Cartilago secundum membrum similare. de ana. viu. Sp. 43. G
Cartilago est inter primas partes, quæ generantur. 8°. de decr. Hippo. 275. C./ 1°. de nat. fac. 1ª. 291. F
Cartilagines vltimæ partes quæ perficiuntur. 2°. de temp. 1ª. 16. A
Cartilago quam habet qualitatem. 1°. de temp. 1ª. 18. A
Cartilago exanguis, est tamẽ ex sanguine facta. 2°. de nat. fa. 1ª. 297. E
Cartilago frigida est. 1°. de elem. 1ª. 6. D
Cartilagines sunt terrestre corpus in animali. 1°. de elem. 1ª. 5. D
Cartilago sicca. 1°. de temp. 1ª. 12. G
Cartilago minus sicca osse. 1°. de temp. 1ª. 15. C
Cartilago est mollior osse, sed durissima supra alias partes. 7°. de vsu partium. 1ª. 157. C
Cartilago vice ossis. 5°. de anat. admin. 1ª. 86. G
Cartilagines ab ossibus quandoq; procedunt. de vtil. resp. Sp. 62. H
Cartilago, neruus, ligamentum, à natura nunquam vnum in aliud transponitur. 12°. de vsu part. 1ª. 193. A
Cartilagines duæ maximæ in corpore sunt, & quæ sint. de vtilitate respirat. 1ª. 62. H
Cartilago magna ex parte est essentia asperarum arteriarum. 5°. de locis affectis. 4ª. 31. B
Cartilaginis asperæ arteriæ partes extremæ sigmoides vocantur. 4°. de loc. affect. 4ª. 26. C
Cartilago σιγμοειδὴς, quæ. 7°. de vsu par. 1ª. 157. D
Cartilaginum asperæ arteriæ figura, quæ. 4°. de loc. aff. 4ª. 27. F
Cartilago epiglottalis quæ dicatur. de anat. viu. Sp. 55. D
Cartilaginis fines coniungentes musculi, qui. de musc. diss. 1ª. 46. B
Cartilaginem qui musculi cogunt, & guttur claudunt, & quinam sint in omni animante. de musc. diss. 1ª. 46. C
Cartilago θυρεοειδὴς. i. scutiformis, quæ. de voc. instr. diss. 1ª. 106. G/ de anat. viuo. Sp. 53. E
Cartilaginẽ scutiformẽ qui musculi coniungunt. de musc. diss. 1ª. 46. B
Cartilago quasi ensis ante os stomachi cur posita sit. 6°. de vsu partium. 1ª. 148. E/ de anat. viu. Sp. 55. D
Cartilago cur multa super nothas costas. 7°. de vsu par. 1ª. 163. H
Cartilago cymbalaris, quæ. de anat. viu. Sp. 53. E
Cartilago nomen non habens, quæ sit. de ana. viu. Sp. 53. E
Cartilaginis vsus. 12°. de vsu par. 193. A/ 15°. 1ª. 214. G
Cartilagines quædam sunt iuuamenta buccellarum ingredientium vacuitates alterius ossis, quædam ponuntur in extremitate scapularum & humerorum, vt in hora percussionis minor fiat læsio, quædam ad defensaculum nocumenti exterius aduenientis. de anatom. viuorum. Sp. 55. D
Cartilago quædam suscipit, & retinet musculos à remotis partibus venientes. de anat. viu. Sp. 55. D
Cartilago quædam est suspensorium carnium inferiorum. de anatomia viuorum. Sp. 55. D
Cartilaginis substantia ad subiecta instrumenta tegenda ac defendenda maxime est idonea. 12°. de vsu par. 1ª. 197. F
Cartilago cur in iuncturis. 1°. de vsu par. 1ª. 116. H
Cartilago iuncturarum cur habeat humorem vnctuosum & viscosum. 1°. de vsu par. 1ª. 116. H
Cartilagini quoddam mucosum circunfunditur. 3°. de naturali facultate. 1ª. 308. C
Cartilago instar glutinis quid faciat. 11°. de vsu par. 1ª. 191. G
Cartilago commissuras omnes iungit. 2°. de vsu par. 1ª. 123. F
Cartilaginis nomen non habentis iuuamentum. de anat. viu. Sp. 53. E
Cartilago est digitorum particula. de inæqu. intemp. 3ª. 43. D
ex Cartilagine, & neruo corpus in paruis animalibus. 6°. de vsu partium. 1ª. 155. H
Cartilago à seipsa gubernatur. ars med. Isa. 63. B
Cartilagines cur non habent motum voluntarium. 15°. de vsu partium. 1ª. 214. H
in Cartilagine nullus neruus inseritur. 15°. de vsu par. 1ª. 214. G
Cartilagines omnes sunt insensibiles, quemadmodum & ossa. de vtilit. respirationis. Sp. 62. G
Cartilaginis commune cum vngue sensu carere. fin. med. Is. 49. D
Cartilagines non sentiunt acum. 1°. de elem. 1ª. 2. H
Cartilago non dolet, quia non sentit. de const. art. Isa. 38. C
Cartilago non palpitat. 2°. de symp. cau. 3ª. 20. F

Cartilaginibus subiecta tunica sanatu facilis est.7°.de vsu p.1ª.158.E
Cartilaginum affectus aut insanabiles sunt,aut sanatu difficiles.7°.de vsu partium. 1ª.158.E
Cartilagine deperdita an aliud gignatur.de const.ar. Isa.39.G
Cartilaginem non generari in confesso est.com.6°.aph.19°. 48. B/cō. 7°.aphor.18°. Ex.55.H
Cartilagines cur non crescunt ablatæ.1°.de semine. 1ª.332.D
in Cartilagine fractura improprie dicitur.de art.com.2°. 7ª.267.F
ad Cartilagines præcisas.2°.de comp.med.per gen. 5ª.227.E
ad Cartilagines alto corpore putrescentes. 5°.de composi. med.per gene. 5ª.250.G
Cartilago perfecti animalis omnino confici non potest. 3°. de alimen. fac. 2ª.26.F
Cartilago animalium quæ adhuc augescunt,si in ore bene lauigata & in ventriculo confecta fuerit, paucum alimentum dabit corpori. 3°.de alim.facul. 2ª.26.F
Cartilaginosa cur sit residua auris pars ab osse petroso extra apparens.de anat.viuo. Sp.48.H
Cartilagineum quid est in corde.4°.de ana.admi. 1ª.79.H
Cartilaginosum ligamentum,quale.1°.de temp. 1ª.18.A
Cartilaginosum os in magnis animalibus.6°.de vsu par. 1ª.155.G
Cartilaginosæ partes multū exiccādæ.2°.de ar.cur.ad Gla. 7ª.102.C
Cartilaginosis aluta opus est in fracturis.de artic.com.2°. 7ª.265.D
Cartilagineæ animalia habent partes ad caudam medijs partibus corpulentiorem.3°.de alim.fac. 2ª.32.E
Cartilaginea animalia habent asperam cutim.3°.de alim.fa. 2ª.32.D
Cartilagineorum nullum genus vtile senibus.5°.de san.tuen. 2ª.91.D
Cartilaginea omnia,quæ σελάχια dicuntur, cauenda in epilepsia. de puero epilep. 7ª.180.H
CARTOS *genus cepæ.12°.meth.med.* 7ª.75.A
CARVI *est cibus acutus,incidens,aperiens.de diss.cont.* Sp.72.F
Carui semen conuenit in dieta attenuante.de atten.vic.rat. 2ª.44.E
Carui quid faciat.de dynami. Sp.28.D
Carui decoctio & seminis apy prouocat vrinam et menstrua fortiter, & subtiliat humores crassos.de med.exper. Sp.104.D
Καρυκεία mixtura quædam est.4°.de san.tuen. 2ª.85.B
CARYA, *id est nuces.7°.de simp.med.fac.* 5ª.50.B
Καρύον βασιλικὸν latine iuglans dicit.7°.de simp.med.fac. 5ª.50.C
CARYINVM *oleum,quale.6°.de simp.med.fac.* 5ª.46.H
Caryini olei vires medicus norit oportet.2°.de simp.med.fac. 5ª.11.f
CARYINVM *vinum dulce.de bonita.& vitio suc.*2ª.38. C/7°.*de compo.medi.sec.loc.* 5ª.177.H
Caryino vino quando vti conueniat in victu attenuante. de atte. vic. ra. 2ª.46.E
Καρυωταὶ palmæ.2°.de alim.fac. 2ª.20.G
CASEVS *quomodo fit.de nat.fac.* 1ª.295.D
Casearij non faciunt caseum nisi lac fuerit conuenienter induratum. 2°.de semine. 1ª.339.B
Caseus est lac coagulatum.10°.de simp.med.fac. 5ª.74.A
Caseus assumit acrimoniā à coagulo dū paratur.3°.de ali.fac. 2ª.28.H
Caseus pinguis quomodo fiat.10°.de simp.med.fac. 5ª.74.A
Caseo recenter coagulato similis est caro recens.de ijs quæ in medicatrina fiunt.com.3°. 7ª.215.H
Caseo coagulato,& non coagulato comparat carnem exercitatorum & non exercitatorium.de artic.com.3°. 7ª.277.E
Caseum non facit lac asininum.10°.de simp.med.fac. 5ª.73.F
Casei genus oxygalactinus.1°.de alim.fac. 2ª.12.H
Caseus oxygalactinus,qualis.3°.de alim.fac. 2ª.29.A
Casei viridis meminit.5°.de comp.med.sec.loc. 5ª.165.H
Caseus declinat ad frigidum.4°.de simp.med.fac. 5ª.29.C
Caseus cibus hyemis.de natu.hum.com.1°. 1ª.32.F
Caseos bonos à deteriorib⁹ duo scopi cognoscēdi.3°.de ali.fa. 2ª.29.a
Caseus à gustabili qualitate consideratur.3°.de alim.fa. 2ª.29.A
Caseorum diuersi gustus.3°.de alim.fac. 2ª.29.B
Casei bonitatem docet ructus.3°.de alim.fac. 2ª.29.B
à Casei certa consistentia caseus est mollior,durior, laxior, glutinosior,ac friabilior.3°.de alim.fac. 2ª.29.A
Caseus rarus,& laxus duro & compacto præstantior est. 3°. de alim. fac. 2ª.29.B
Caseus mediocriter salitus præstantior est salito, et eo qui est omnino salis expers.3°.de alim.facul. 2ª.29.B
Caseus salsus,qualis.5°.de comp.med.sec.loc. 5ª.158.H
Casei recētis,et duri cōparatio.de vic.ra.in mor.acu.cō.4°. 7ª.145.D
Caseus mollior duro præstantior.3°.de alim.fac. 2ª.29.B
Casei recentes probatiores,& qui.3°.de alim.fac. 2ª.29.A
*Caseus minus malus q nō est vetus,neq; acris.3°.de ali.fac.*2ª.29.A
Caseus suauis est insuaui præstantior.3°.de alim.fac. 2ª.29.B
Caseus nullam habens vehementem qualitatem gustu si sit parū dulcis,est omnium præstantissimus.3°.de alim.fac. 2ª.29.B
Caseus præstantissimus Pergami, & in Mysia, quæ est supra Pergamum.3°.de alim.fac. 2ª.29.A
Caseus Romæ præstantissimus.3°.de alimen.fac. 2ª.29.A
Caseus recens facit crassum sanguinem cum bono succo.in 6ᵐ.de mor. vulg.commen.3°. 3ª.175.C
*Caseus recens facit bonum succum.de bonitate et vitio succor.*2ª.35. B/*de dissol.cont.* Sp.74.A
Caseus recens non mali succi.de bon.& vi.suc. 2ª.35.D
*Caseus recēs est minus crassi succi q̄ vetus.de bo.et vitio suc.*2ª.35.D
Caseus recens coagulatus repercutiendi vim habet, & leuiter refrigerat.10°.de simp.med.fac. 5ª.74.C
Caseus omnem humiditatē deponit præsertim inueteratus.3°. de ali. facul. 2ª.28.H
Caseus inueteratus acrior & calidior redditur & ardentior, & siticulosior,& ad coquendum difficilior, & peioris succi, quàm recens.3°.de alim.fac.28.H/10°.de simp.me.fac. 5ª.74.B
*Caseus antiquus acris fugiendus ppter quid.3°. de alim.fac.*2ª.29.A
Caseus dracontio à putredine cōseruatur.6°.de simp.me.fa. 5ª.46.D
Caseus cur non sit bonum edulium. de vic.rat. in mor. acu. commen.4°. 7ª.145.E
Caseus asper & friabilis,est vitiosus.3°.de alim.fac. 2ª.29.B
Caseus antiquus est cibus calidus.de dissol.cont. Sp.74.C
*Casei recentis & duri mala.de vict.ra.in mor.acu.com.4°.*7ª.145.D
Casei duri tarde nutriunt,& sunt difficilioris digestionis.commen.2°. aphorif.18°. Ex.31.G
Caseus cur tarde digeritur.de dissol.cont. Sp.73.D
Caseus vetus facit malum succum.de bon.& vitio suc. 2ª.35.B/D
Caseus & maxime antiquus generat nutrimentum crassum,& corruptibile.de diss.cont. Sp.74.B
Caseus vetus vbi in corpore fuerit supercalefactus, humorem melancholicum parit.3°.de loc.aff. 4ª.18.F
*Caseus omnis crassus.3°.de ali.fac.29.A/de bon.et vitio suc.*2ª.35.C. D/*de dissot.cont.* Sp.72.H
Caseus valde glutinosus est vitiosus.3°.de alim.fac. 2ª.29.B
*Caseo omni non inest crassities cum lentore.de bon.& vi.suc.*2ª.35.B
ex Caseo crassi succi & lacte placenta præbet crassum alimētum. de bonitate & vitio suc. 2ª.35.D
ex Caseo crassi succi & lacte placenta obstruit iecoris meatus. de boni.& vitio suc. 2ª.35.D
*Casei quid habentes panes azymi lædunt omnes.1°.de ali.fa.*2ª.10.A
Casei qui panis calidus expetit.1°.de ali.fac. 2ª.12.G
Caseus cum laserpitio facit choleram siccam.de vict.ra.in morb. acu. commen.4°. 7ª.145.G
ex Caseo,pane, carnibus suillis comestis qui incidant in plethoram. 1°.de alimen.facul. 2ª.10.C
Caseus subtiliat.de dissol.cont. Sp.74.G
ex Casei sicca prauitate,et ardenti calore,maior noxa accidit, quàm crassorum tenuatio conferre queat.3°.de alim.fac. 2ª.28.H
Caseus non habet citra noxā,id quod habēt cibi crassi, habētes acres & tenuantes facultates mixtas.3°.de alim.fac. 2ª.28.H
à Casei multo esu cauere debet senex.5°.de san.tuen. 2ª.91.D
Caseus vim obstruendi habet.5°.de comp.med.sec.loc. 5ª.158.H
Caseus multus cur obstruit.de dissol.cont. Sp.74.H
Caseum tenerum ac siccum sæpissime comedere,facit capillitium. cōmen.4°.apho.76°. Ex.36.C
Caseus tener,ac siccus,cib⁹ est crassus,collige.c.4°.aph.76°.Ex.36.c
Caseus facit lapides in renibus.in 6ᵐ.de mor.vul.com.3°. 3ª.173.E
Caseus fugiendus in epilepsia.de puero epilep. 7ª.180.H
Caseus adstringit.de ther.ad Piso. 5ª.90.H
Caseus sistit aluum,serum lactis eandem subducit.3°.de simp.med.fa. 5ª.21.A/*de dissol.cont.* Sp.75.B
à Caseo habet lac quod sistit.3°.de alim.fac. 2ª.27.H
Caseus aluum sistit,succos crassos gignit,iecoris obstructiones, & renum calculos.3°.de alim.fac. 2ª.28.B
Caseus recens et modo coactus ad deijciēdā aluum ante cibū sumitur.

de

de bonitate & vitio suc. 2ª.35.D
Caseus quando maxime admiscetur ei sal & mel, lenit ventrem. de dissolutione continua. Sp.75.A
Caseus decoctus in iure cruris sulli salsi pro tosis sanandis. 10°.*de simpl.medic.facul.* 5ª.74.B
Caseus recens quomodo sanat vulnera. 10°.*de simp.med.fa.* 5ª.74.C
Caseus oxygalactinus vulnus magnum conglutinauit. 10°. *de simpl. medica.facul.* 5ª.74.C
Caseus recens ad oculos purulentos.de rem.par.facil. 7ª.157.A
Caseosũ quod est in lacte,emplasticũ est. 4°.*de simp.med.fa.* 5ª.25.E
Caseosum lactis ad dysenterias,et vẽtris acres fluxiones. 10°.*de simpli.medicamen.fac.* 5ª.73.G
Caseosũ & crassũ lactis,acrimoniã retũdit. 10°.*de sim.me.f.* 5ª.73.G
Caseoso lacte multum vti periculosum est. 3°.*de alim.fac.* 2ª.28.A
Caseosum lac iecur obstruit. 3°.*de alim.fac.* 2ª.28.A
Caseosum lac offendit renes calculosos. 3°.*de alim.fac.* 2ª.28.A
CASIA *quid,& eius species.de simp.med.* Sp.82.H
Casia dicitur Ziger ab indigenis.de ther.ad Piso. 5ª.94.H
Casia sæpe non est bona quæ accipitur.de ther.ad Piso. 5ª.94.H
Casia quomodo distinguatur à pseudocasia.de ther.ad Piso. 5ª.94.H
Casiæ daphnitidis meminit.de comp.med.se.lo. 196.H/9°. 5ª.206.C
Casia gizi. 1°.*de antido.* 5ª.106.E
Casia fulua. 6°.*de comp.med.sec.loc.* 170.F/H/ 5ª.179.E
Casia fistula vilis,& cur ita dicta. 1°.*de antid.* 5ª.106.E
Casiæ fistulæ fit mentio. 4°.*de comp.med.sec. loc.* 156.A/H/157.A/B/7°.179.E/8°.191.F/9°.200.D/203.B/10°.206.E/7°.*de cõpo. medic.per gen.* 269.H/ 5ª.271.A
Casiæ nigræ meminit. 7°.*de comp.med.sec.loc.* 179.F/182.G/183.G/184.H/185.B/8°.188.F/7°.*de comp.med.per ge.* 5ª.272.H
Casia ponitur in theriaca.de ther.ad Piso. 5ª.92.E
Casia sit optima quæ theriacam ingreditur.de ther.ad Piso. 5ª.94.G
Casia optima,qualis.de ther.ad Piso. 5ª.94.H
Casia rosas spirans. 8°.*de compo.medi.sec.loc.* 193.D/7ª.*de composi. medica.per gen.* 5ª.271.G
Casiæ optimæ simile est cinnamomum. 1°.*de antid.* 5ª.106.A
Casia suprema ab infimo cinnamomo parũ differt. 1°.*de anti.* 5ª.105.g
Casia optima cinnamomum euadit. 1°.*de antid.* 105.B/ 5ª.106.C
Casia optima non paruo deterius est carpesiũ. 7°.*de sim.me.f.* 5ª.50.d
Casia vel carpesium duplo pondere pro cinnamomo sumi potest. 3°. *de composi medic.sec.loc.* 5ª.141.B
Casiæ duplum assumendum,cum deest cinnamomum. 6°.*de san.tu.* 2ª. 99.C/1°.*de antid.* 5ª.106.C/*de simp.med.* Sp.82.H
Casiæ plusquã duplũ pro cinnamomo. 8°.*de cõp.med.se.lo.* 5ª.190.D
Casia exquisitissima vtimur,ĩ cinnamomi penuria. 6°.*de s.t.* 2ª.99.C/3°.*de cõp.me.se.lo.* 141.B/8°.194.F/1°.*de cõp.me.p ge.* 5ª.215.A
quæ Casia theriacam ingredi debet. 1°.*de antid.* 5ª.106.E
Casia,qualis. 4°.*de comp.med.sec.loc.* 5ª.151.G/6°. 5ª.170.H
Casiæ aromaticæ meminit. 7°.*de comp.med.sec.loc.* 5ª.186.A
Casia est aromaticum medicamentũ. 9°.*de comp.med.sec.lo.* 5ª.201.g
Casia est aroma sufficienter calidum.com. 5°.*aph.* 28°. Ex.40.C
Casia calida est & sicca in tertio ordine. 7°.*de simp.med.fac.* 6ª.50.B
Casia acriter calfaciẽtes,et strigẽtes vires habet.de sim.me. Sp.82.H
Casiæ siccæ meminit. 7°.*de comp.med.per gen.* 5ª.272.H
Casia est idonea suppressis mensibus. 7°.*de simp.med.fa.* 5ª.50.B
Casia per os prouocat sudorem.de cathar. Sp.95.D
Casia colorem expurgat,& sudorem mouet.de cura icteri. Sp.111.C
Casia inter oculorum medicinas numeratur.de oculis. 7ª.188.G
Casia maturatiua est.de oculis. 7ª.189.C
ex Casia medicamẽtum in pectore perforato. 5°.*meth.med.* 7ª.33.C
Casia demẽda ẽ à medicamẽto διὰ ξηρῶν πεπέρεων. 4°.*de s.t.* 2ª.85.b
CASIONIS *Armeni medicinæ.de medic.exper.* Sp.104.H
CASII, *vt Crispus,colica.* 9°.*de comp.me.sec.loc.* 201.H/5ª.202.G
CASSVM *quid significet.de ijs quæ in med.fi.com.* 2°. 7ª.209.B
Cassæ partes corporis,quę sint.de ijs quę in med.fi.com. 2°. 7ª.209 B
CASTANEÆ *copiosę oriuntur Sardis & leucis.de bonitate & vitio succorum.* 2ª.36.C
Castaneę dictæ robustęe glandes, si calescant dũtaxat dulcedinem acquirunt. 4°.*de simpli.med.fac.* 5ª.26.E
inter Castaneas, acylos,quernas glãdes,in ipsis particulatim arboribus nõ magnũ fructus discrimẽ recipit. 2°.*de bo.et vi.suc.* 2ª.36.D
Castaneę sunt cibaria media.de dissol.cont. Sp.74.C
Castaneę semper sunt praue siue elixentur, siue assentur, siue frigãtur, & multo magis si crudę mandantur.de atten.vic. 2ª.46.A
Castaneę omnium glandium prestantissimę. 2°.*de alim.fac.* 2ª.22.A
Castanea excepta omnes arborum fructus sunt mali succi. de bonitate & vitio succorum. 2ª.37.E
Castaneę non sunt praui succi.de bon.& vit.suc. 2ª.36.D
Castaneę si recte in ventriculo cõficiantur alibiles sunt ac crassi succi, minime tamen mali.de bon.& vi.suc. 2ª.37.E
Castaneę nutriunt eum qui digerit illas nutrimento multo crassio. de dissolutione continua. Sp.73.E
Castaneę parum adstringunt.de bon.& vitio suc. 2ª.36.C
Castaneę superantur à glandibus in adstringendi facultate.de bonitate & vitio succ. 2ª.36.C
Castaneę stringũt vẽtrẽ cũ stypticitate,et põticitate.de diss. Sp.75.B
Castaneę crassi succi,ventrem supprimunt,ęgre concoquuntur, flatũ ẽ procreant.de bon.& vitio suc. 2ª.36.D
Castanearum bispidarum cortex. 1°.*de comp.med.sec.loc.* 5ª.124.H
CASTANEOLÆ *meminit.de dyna.* Sp.27.A
CASTIGARE, *quid antiqui dicerent.de cog.cur.ani.mor.* 2ª.52.H
CASTITAS *sequitur ad dominium phlegmatis.de ana.vi.* Sp.45.E
Castũ esse præstabat in certaminibus coronarijs. 1°.*de sem.* 1ª.334.A
Casto cuidam natura quid contigerit. 6°.*de loc.affec.* 4ª.42.G
CASTOR, *& Pollux quę stellę sint.de hist.philo.* Sp.6.F
CASTOREVM *quid.de simp.med.* Sp.81.G
Castorei gustus,& odor videntur humanę naturę aduersissima. 11°. *de simp.med.fac.* 5ª.80.C
Castorio subsimile odore est optimũ ammoniacũ.de simp.me. Sp.79.H
Castoreum quale. 3°.*de compositio.medic.sec.loc.* 142.C/4°.151.D/9°.5ª.201.G/*de ocul.* 7ª.189.A
Castoreum si spatio concoquitur,erit simul nutrimẽtum, simul medicamentum calidum. 3°.*de temp.* 1ª.24.D
Castoreum calidum cur dicatur. 3°.*de temp.* 1ª.21.G
Castoreum habet vim calefaciendi. 1°.*de simp.med.fac.* 5ª.2.C
Castoreum calefacit,& desiccat. 11°.*de simp.med.fac.* 5ª.80.B
Castoreum oppositũ opio in facultate. 8°.*de comp.me.se.lo.* 5ª.190.C
Castoreum & euphorbium quo modo temperauerit Galenus. 1°. *de simplicium medica.fac.* 5ª.7.F
Castoreum liquatur sapa. 12°.*meth.med.* 7ª.79.G
Castoreũ cur torrefaciãt,et an bn faciãt. 3°.*de cõp.me.se.lo.* 5ª.142.B
Castoreũ medicamẽtũ celebre,et multi vsus. 11°.*de sim.m.fa.* 5ª.50.A
de Castorei vsu fecit librũ Archigenes. 11°.*de simp.me.fac.* 5ª.80.A
Castoreum ingreditur theriacam.de ther.ad Piso. 5ª.92.G
Castoreo excepto,medª.oĩa aliqd mali faciũt. 11°.*de sim.m.fa.* 5ª.80.d
Castoreũ magis agit ĩ nostrũ corpus,q̃ patiat ab eo. 3°.*de tẽp.* 1ª.23.H
Castoreũ excitat strãgulatas ex vtero olfactu. 9°.*de cõp.me.* 5ª.205.g
Castoreũ valet mẽsib⁹ retẽtis. 11°.*de simp.me.fa* 8.D/*de cat.* Sp.95.D
Castoreũ cũ pulegio p suffumigationẽ puocat sudorẽ.de cath. Sp.95.D
Castoreum numeratur inter oculorum medicinas. de oculis. 7ª.188. G/*de cathar.* Sp.95.B
Castorei medicamentũ aurium dolores sedat. 12°.*met.med.* 7ª.79.G
ex Castoreo medicamentum oculorum & dentium dolores sedat auribus instillatum. 12°.*meth.med.* 7ª.79.G
Castoreo & oleo aures incalescunt. 12°.*meth.med.* 7ª.79.G
Castorei suffit⁹ pulmõis et capitis affect⁹ sanat. 11°.*de sim.me.* 5ª.80.D
Castorei vs⁹ ĩ phlegmõe cerebri et ei⁹ mẽbranarũ. 11°.*met.me.* 7ª.73.F
Castoreum capiti imponebant in phrenitide. 13°.*meth.med.* 7ª.85.D
à Castoreo potissimũ iuuãtur neruosę partes. 11°.*de simp.me.f.* 5ª.80.B
Castoris testiculi poti conuulsionibus medẽtur.de ther.ad Pis. 5ª.93. E/*de mel.ex Gal.Ruf.& Poss.* Sp.110.D
Castoreũ nõ cõuenit cõuulsiõi ex inanitione. 11°.*de sim.me.f.* 5ª.80.c
Castorium potest elimare longinqua vitia neruorũ, quę nimijs doloribus contrahuntur.de simp.med. Sp.81.H
Castoreum quomodo adhibendum, vt euacuet ea quę sunt in neruis. 11°.*de simpli.med.facul.* 5ª.8.C
Castoreum datur contra lapidem renum.de med.exper. Sp.106.E
Castoreũ concoquit. 4°.*de comp.me.sec.loc.* 149.H/*de ocu.* 7ª.189.D
Castoreum probe concoquit in lethargo. 13°.*meth.med.* 7ª.86.F
Castoreũ ad lethargicos et cataphoricos. 11°.*de simp.me.fa.* 5ª.80.D
Castoreũ adstringit,cõcoquit,et discutit. 4°.*& cõp.me.se.l.* 5ª.150.H
Castoreum facit stypticum.de ocul. 7ª.190.C
Castoreum iniectum valet in coli dolore. 12°.*meth.me.* 7ª.79.F/G
Castoreum locos morantes cycit,ventrem flatu distentum ita,vt tormina & singultus fiant,adiuuat. 11°.*de simp.med.fac.* 5ª.80.D

ex Castoreo catapotia soluunt aluũ.de venæ sect.adu.Eraſ.6ª.11.C
Castoreũ ijs vtiliſſimũ,q̃ p̃ plenitudine tremũt.11°.de ſim.me.5ª.80.c
ex Caſtoreo cõpoſitio contra rigores.de palp.trem.conuul.3ª.55.H
ex Caſtoreo medicamẽta p palpitatione.de palp.tre.conuul.3ª.52.g
Caſtoreo ſanatur ſingultus ex repletione.11°.de ſim.med.fa.5ª.80.c
ex Caſtoreo pharmacum.7°.de comp.med.per gen. 5ª.270.F
Caſtoreum vitandum vbi ſtomachus male affectus eſt.7°.de compoſitione medicam.ſec.loc. 5ª.178.E
Caſtorei vires habet coagulum Phocæ.10°.de ſimp.med.fa. 5ª.74.E
in CASTRIS vinum non guſtandum,ſed aqua.quòd animi mor.tẽper.corp.ſeq. 1ª.320.H
in Caſtris medicus inſignis Antigonus.2°.de cõ.me.ſe.lo. 5ª.138.G
CASTRATIS pecoribus prodeſt cinis impoſitus. de ſimplicibus medicaminibus. Sp.86.A
Caſtratũ animal frigidius,& imbecillius fit.1°.de ſemine. 1ª.334.A
Caſtratũ animal ſimile fœminę.10°.de ſim.me.fa.74.F/11°.5ª.79.A
ĩ Caſtrãdis fœminis cur maius ſiculũ,q̃ in marib⁹.1°.de ſe.1ª.333.H
Caſtrati quid emittant in coitu.14°.de vſu par. 1ª.208.C
Caſtrati habent carnes ſuauiores non caſtratis.1°.de ſemi. 1ª.333.H
non Caſtrati hirci caro mala eſt.de diſſol.cont. Sp.74.B
Caſtratarum victimarum caro ſuauior eſt.1°.de ſemine.1ª.334.B/de diſſol.cont. Sp.74.B
Caſtratorum carnes quibus præſtantiores.3°.de alim.fa. 2ª.26.A
Caſtrati caro eſt de cibarijs mediis.de diſſ.cont. Sp.74.C
Caſtratorum adipe calidior eſt adeps non caſtratorum.11°.de ſimpl. medic.facul. 5ª.79.A
Caſtratorũ ſuum grandiorum ſanguis editur.3°.de alim.fac. 2ª.29.C
vt CASTVS calefaciens acopon.7°.de comp.me.per ge. 5ª.272.D
vt Caſtus emplaſtrum Xenocratis dolorem ſedans.6°.de cõpoſitione medic.per gen. 5ª.26.F
Caſti nominatum medicamentũ.4°.de comp.med.per gen. 5ª.243.D
CASVS, & fortuna quo modo differant.de hiſto.philo. Sp.5.F
Caſu,& fortuito quod ſit,contrarium eſt ei,quod prouidentia,& arte fit.11°.de vſu par.1ª.186.E/in progn.com.1°. 4ª.189.G
Caſu quæ fiant.de ſubſi.emp. Iſa.31.D
Caſu quæ fiunt,non ita vocantur ex veritate,ſed ex noſtra cognitione. 4°.de decr.Hipp. 1ª.250.H
Caſu quæ fiunt,ſine carent.de cau.procatar. 3ª.96.G
Caſu nihil fit pulchrum.de hiſt.philo. Sp.4.G
Caſu quædam ſunt obſeruata.intro. Iſa.50.G
Caſu inuenta eſſe multa medicamenta volunt empirici.3°.de compoſitio.medicam.per gen. 5ª.230.G
Caſus genus experimenti.de ſectis. Iſa.16.B
Caſus,trichiaſeos eſt differentia.ſin.med. Iſa.48.F
in CASIBVS ab alto ſimile accidit,ac ſi vter lapidi illideretur.5°. methodi medendi. 7ª.30.B
ex Caſu ab alto capitis dolor.de rem.par.fac. 7ª.153.H
ex Caſu ab alto vocis amiſſæ caſus.1°.de loc.aff. 4ª.6.F
Caſus qñq; facit gibbã ſpinã.6°.de lo.4ª.38.G/c.6°.ap.46°. Ex.51.b
Caſus ab alto facit mictum ſanguinis.com.4°.aph.78°. Ex.36.G
ex Caſu ſanguinem mingentis caſus.6°.de loc.aff. 4ª.38.H
in Caſibus ab alto ſanguis mittitur.4°.meth.med. 7ª.27.H
Caſui capillorum quid opem ferat.de dyna. Sp.23.E
CASVS & ſigna criſima,id eſt iudicatoria appellata, quomodo idẽ ſignificent.com.1°.aph.12°. Ex.6.D
Caſus pro accidentibus qui fiunt ex diſpoſitione,quæ eſt morbus. cõmen.2°.aph.29°. Ex.16.G
Caſus quæ dicatur.com.1°.aph.12°. Ex.6.D
Caſus,id eſt accidentia, nominat Galenus febrem, & conuulſionem propter dentes.com.3°.aph.25°. Ex.25.C
Caſus q̃ poſſit accipi p febre,collige vbi ĩquit Galenus, ſi qs dormiat in principio acceſſionũ,caſus ipſis ptẽdunt.cõ.2°.aph.1°. Ex.11.B
Caſus ſuperuenire caſibus cum dicũt antiqui medici,quid intelligat. com.6°.aph.35°. Ex.50.C
Caſus vehementiſſimi in morbis acutis ſolent bonas criſes quandoque operari.com.7°.apho.5°. Ex.54.C
Caſus ſunt debiliores in ſtatu eorum qui debent ſaluari,quàm in principio.comm.2°.aph.30°. Ex.16.H
Caſus ſi in diebus iudicatorijs incipiant,boni,& qui ſint hi dies.commentario.4°.aph.36°. Ex.31.H
cum Caſibus quandoque difficilibus ſextæ diei iudicium fit. commẽtario.4°.aphor.29°. Ex.30.E
Caſus eſt earum quæ præter naturam ſunt in corpore diſpoſitionũ, ſi in principio morbi aliquid excernatur.com.2ª.aph.22°. Ex.29.G
Caſus qui proueniunt ex extrinſecis nullam faciunt certam præcognitionem,commen.4°.aph.41°. Ex.32.D
ex Caſibus notitia humoris peccãtis q̃uirẽda ẽ.c.4°.ap.2°. Ex.27.c
CASVS pulcher inter medicos,alterum factis, alterum verbis confidentem.de ſubfig.emp. Iſa.34.E
Caſus de abſceſſu in gula.5°.de loc.aff. 4ª.32.D
Caſus adoleſcentis alopecia laborantis,quem curauit Galenus. 1°. de compoſi.med.ſec.loc.121.G/ 5ª.123.A
Caſus virginis Abderitanæ ægroti ſeptimi.in 3ᵐ. de morbis vulgari. commentario.3°. 3ª.149.H
Caſus Antipatris medici.4°.de loc.aff. 4ª.28.E
Caſus Antonini imperatoris.de præcog.ad Poſth. 4ª.218.H
Caſus Apollonij Abderitani ægroti tertijdecimi.in 3ᵐ. de mor. vulg. commentario.3°. 3ª.151.B
Caſus mulierum quæ aquam frigidã ex niue potarant, quæ venæ ſectione præſeruatæ fuerunt.de venæ ſect.aduer.Eraſ. 6ª.11.B
Caſus Arriæ.de ther.ad Piſo. 5ª.90.C
Caſus Arteriam magnam adeo ſtrenue ligãtis poſt ſectionem, vt gangrænam induxerit.7°.de anat.admi. 1ª.97.G
Caſus cuiuſdam,qui Bile multa abundabat.5°.de loc.affec. 4ª.35.H
Caſus pueri punctĩ in brachio curati emplaſtico,qui periit. 3°. de cõpoſi.med.ſec.loc. 5ª.231.G
Caſus de voce amiſſa ex Caſu ab alto.1° de loc.aff. 4ª.6.F
Caſus alter cuiuſdam,qui ab alto cecidit.1°.de loc.aff. 4ª.7.F
Caſus pueri calculoſi.1°.de loc.affe. 4ª.3.A
Caſus Cambyſis.com.7°.aph.50°. Ex.58.B
Caſus de Capillitio viſus.com.4°.aph.76°. Ex.36.C
Caſus Catochi.in 1ᵐ.prorrh.com.1°. 4ª.176.F
Casᵘ ĩ Smyrne Ioniæ,vbi cerebrũ vidit ſanari.c.6°.ap.18°. Ex.48.A
Casᵘ frigidi hũoris à cerebro ĩ vẽtriculũ defluẽtis.7°.me.me. 7ª.48.F
Casᵘ cuiusdã,cui ex pluuia ceruix infrigidata ẽ.4°.de lo.aff.4ª.25.D
Caſus de ægro non habentis ſigna coctionis.3°.de cri. 4ª.140.F
Caſus cuiuſdam,qui longo tpe à coitu abſtinuit.6°.de lo.affe. 4ª.42.F
Caſus penis magni ob abſtinentiam à coitu.6°.de loc.aff. 4ª.42.G
Caſus de Colis palpitatione.6°.de loc.aff. 4ª.42.F
Caſus patientis palpitationem Cordis.5°.de loc.aff. 4ª.29.E
Caſus famuli,cuius cor erat detectũ,et ſanatus ẽ.7°.d̃ ana.ad.1ª.97.F
Caſus galli tumore ſcirrhoſo tunicam Cordis affectam habentis.5°.de locis affectis. 4ª.29.D
Caſus ſimiæ,quæ quotidie emaciabatur ob tumorem in tunica Cordis. 5°.de loc.affectis. 4ª.29.D
Caſus Criſis in ſeptimo.1°.de dieb.decre. 4ª.148.F
Caſus cuiuſdam iudicati ſeptimo die.de præcog.ad Poſthu. 4ª.219.H
Caſus iudicati in ſextodecimo.1°.de dieb.decr. 4ª.148.E
Caſus ad præcognoſcendum ſtatum.1°.de cri. 4ª.131.H
Caſus quo oſtẽdit cognitionẽ principij ĩ lõgis morbis.1°.de cri.4ª.132.c
Caſus Criſis mortalis.3°.de cri. 3ª.143.A
Caſus Cyneſiæ.commen.7°.aph.44°. Ex.57.F
Caſus in Dealcir horto iacentis.com.7°.aph.31°. Ex.56.C
Caſus Dealcis vxoris ægroti qntidecimi.ĩ 3ᵐ.d̃ mor.vul.c.3°.3ª.151.d
Caſus Diuitis qui medicamentum ſumpſerat & fallere Galenũ quærebat.1°.de præſag.ex pul. 4ª.105.C
Casᵘ cuiuſdã,q̃ ſole fuit,et ĩ dolorẽ Capitis ĩcidit.d̃ ca.pca. 3ª.98.A
Caſus medici quinquagenarij in Dolore Capitis,qui ſibi venam ſecuit. 12°.meth.med. 7ª.74.H
Caſus Doloris Coli in inteſtinis.1°.de loc.affec. 4ª.5.G
Caſus alterius Doloris coli inteſtini à medicamẽto.1°.de lo.af. 4ª.5.b
Caſus Ruſtici Dolore Coli laborantis.12°.meth.med. 7ª.79.E
Caſus quadragenarij Dolentis ob mordaces ſuccos in tunicis inteſtinorum impactos.12°.meth.med. 7ª.78.G
Caſus quadragenarij qui noxam in inteſtinis ex ſcammonia contraxerat.12°.meth.meden. 7ª.78.H
Caſus adoleſcentis dolore Oculorum laborantis,quem Galenus balneo liberauit.com.6°.aph.31°. Ex.49.D
Caſus adoleſcentis Dolore Oculorum laborantis, quem Galenus vino liberauit.com.6°.aph.31°. Ex.49.F
Caſus Dolentis ſæpe in regione Renum qui febre cum horrore correptus eſt.6°.de loc.affect. 4ª.29.A
Caſus Dolentis circa Veſicam,& qui in febrem cum horrore incidit. 6°.de locis affectis. 4ª.39.A

Casus laborãtis Elephãte, qui casu sanatus est. 10°. d sim. me. f. 5ª. 77. *g*
Casus duorũ qui ab Elephãte sanati sunt. 11°. de sim. me. fa. 5ª. 77. *H*
Casus pueri Epileptici, quem suspensione radicis pæoniæ à conuulsione liberabat. 6°. de simp. medic. facul. 5ª. 45. *G*
Casus Grammatici qui in Epilepsiam ob oris ventriculi cõsensum incidebat. 5°. de loc. affect. 4ª. 32. *F*
Casus Epileptici ex Ieiunio. de venæ sect. aduer. Eras. 6ª. 14. *G*
Casᵘ adolescẽtis Epileptici, cui tibia videbat veluti aqua frigida ascẽdere femur, ilia, et latera, ceruicẽ, et caput. 3°. de lo. af. 4ª. 19. *E/F*
Casus Erysipelatis ob frigus indurati. 2°. de ar. cur. ad Glau. 7ª. 104. *a*
Casus Eudemi. de præcogn. ad Posth. 4ª. 214. *C*
Casus pueri qui inuitus Excernebat resoluto musculo circa sedem. 1°. de locis affectis. 4ª. 7. *H*
Casus senis, qui inuitus Excernebat. 1°. de loc. aff. 4ª. 7. *H*
Casus cuiusdam, qui infrigidata sede, & vesica Excrementa retinere non poterat. 4°. de loc. aff. 4ª. 25. *B*
Casus cuiusdã nõ potẽtis Excremẽta retinere. 4°. de loc. aff. 4ª. 25. *C*
Casus adolescẽtis q Excernebat rubidã pluuiẽ. ī 1ᵐ. pr. c. 1°. 4ª. 171. *f*
Casus qualia Excrementa ex cibis arenulentæ substãtiæ. in 1ᵐ. prorrhe. commentario. 3°. 4ª. 182. *G*
Casus Exiccati à medicis. 7°. meth. med. 7ª. 44. *B*
Casus quatuor de Exolutione. com. 2°. aph. 41. *Ex.* 18. *A*
Casus Febrientis cũ dolore capitis, & curatio. de cau. proc. 3ª. 95. *D*
Casus Febrientis quem, in accessione cibabat Galenus, contra famosũ aliorum medicorum diatriton. de cau. procatar. 3ª. 95. *F*
Casus Febrientis, qui balneis fuit sanatus. de cau. procat. 3ª. 95. *E*
Casus Febricitantis ob exercitium. de cau. procat. 3ª. 98. *B*
Casus sanati à febre acuta transmissa per cutem septima die bile flaua. 5°. de loc. affec. 4ª. 35. *G*
Casus febris horridæ. 2°. de crisi. 4ª. 136. *E*
Casus mulierculæ ex Febrium cõplicatiõe laborãtis. 2°. de cri. 4ª. 136. *g*
Casus adolescentis in febrium complicatione. 2°. de crisi. 4ª. 137. *B*
Casus habentis motum Febris tardiorem in primis diebus in morbo salubri. 3°. de crisi. 4ª. 140. *H*
Casus Febrientis decimæ diei hora. 1°. de dieb. decr. 4ª. 147. *H*
Casᵘ filij Boethi, q sæpe ī Febris recidiuã icidit. d præ. ad Po. 4ª. 216. *H*
Casus Febrientis Commodi. de præcogn. ad Posthu. 4ª. 219. *C*
Casᵘ et curatio hẽntis Febrẽ ex obstructiõe meatuũ. 8°. me. me. 7ª. 50. *B*
Casus cuiusdã qui Febricitauit ex cœna copiosa. 8°. met. me. 7ª. 54. *A*
Casus duorũ febricitantiũ in diuersis regionibus. 8°. me. me. 7ª. 55. *A*
Casus Febris synochi ex putredine. 8°. meth. med. 7ª. 56. *H*
Casus iuuenis correpti Febre, qui ob multa siccissimus erat. 10°. meth. medendi. 7ª. 62. *C*
Casus Febris tertianæ nothæ ī iuuene. 1°. de arte cur. ad Glau. 7ª. 96. *f*
Casus Febris semitertianæ. 2°. de crisi. 4ª. 136. *F*
Casus cuiusdam, quem Galenus primo nouit Febre quartana laborare. de præcog. ad Posth. 214. *D/* 4ª. 215. *H*
Casus Febris, & aquæ intercutis eodem tempore vexantium, & quæ sit curatio. com. 1°. aph. 16°. *Ex.* 8. *H*
Casus fistulæ post aures in puero. 1°. de comp. med. per gen. 5ª. 213. *B*
Casus Furoris mulierum ex collectione sanguinis in mammis, quẽ non vidit Galenus. com. 5°. aph. 40°. *Ex.* 41. *C*
Casus Genu, quod facile rigore afficiebat. 3°. de cõ. me. p ge. 5ª. 229. *B*
Casus fluxus ad Genu, in quo venam secuit, ex brachio. 2°. de arte cura. ad Glauconem. 7ª. 101. *F*
Casus de puero cui euulsa est rotula à Genu. 3°. de vsu par. 1ª. 134. *F*
Casus duorũ hominũ qui Grauantur, & qui pungunt. de mul. 3ª. 79. *D*
Casus de obstructione Hepatis. ars med. *Isa.* 69. *B*
Casus Hepatis affecti & pleni tenacium, lentorum, & crassorum humorum. ars mecicinalis. *Isa.* 70. *H*
Casus medici Glauconis philosophi amici ex Hepatis inflammatione laborantis. 5°. de loc. aff. 4ª. 34. *G*
Casus Theagenis Philosophi cynici in Hepatis phlegmone. 13°. meth. medendi. 7ª. 83. *F*
Casus Heropyti Abderitæ ægroti noni. ī 3ᵐ. d mor. vul. c. 3°. 3ª. 150. *d*
Casus mulieris habentis Herpetũ in malleolo. 14°. met. med. 7ª. 92. *F*
Casus humeri auulsi. de ijs quæ in med. fiunt, com. 1°. 7ª. 198. *C*
Casus ægrotantis ex Inopia & mœstitia. in progn. com. 1°. 4ª. 91. *H*
Casus suppositus de minore inspiratione, & maiore expiratione. 1°. de diff. respir. 3ª. 62. *C*
Casus iuris de pugile q pugno vetulã ĩterfecerat. de cau. pca. 3ª. 98. *c*
Casus alius in iure. de cauſ. procat. 3ª. 39. *F*
Casus iuris an Oreſtes Clytẽnestrã interfecerit. de cauſ. pcat. 3ª. 99. *D*
Casus iuris de medico, qui venenum dedit. de cau. procat. 3ª. 99. *F*
Casus Larissæ calui ægroti quinti. in 3ᵐ. de mor. vul. com. 3°. 3ª. 149. *E*
Casus virginis Larissæ ægroti duodecimi. de mor. vul. cõ. 3°. 3ª. 150. *b*
Casus suppositus tẽperati iuuenis, qui inciderat in laſſitudinẽ vlcerosam propter multa, & quo esset curandus. 4°. de san. tuen. 2ª. 83. *D*
Casᵘ luxati ad ptes externas q mingere ñ poterat. 6°. de l. af. 4ª. 38. *g*
Casus cuiusdam, qui non poterat mouere manus ad partes externas. 2°. de vsu partium. 1ª. 126. *E*
Casus cuiusdam qui per reliquas manus partes omnes ita fuit resolutus vt neque sentiret, neque moueretur, sed in tribus digitis sensum habebat integrum. 2°. de loc. affec. 4ª. 7. *F*
Casus cuiusdam, qui trium digitorum sensum amiserat, seruato motu. & curatio. 1°. de loc. aff. 4ª. 7. *B*
Casus morsi in digito. 1°. de comp. med. per gen. 5ª. 214. *E*
Casus resoluti in omnibus partibus, præter quàm in facie, & inspiratione. 3°. de loc. affect. 4ª. 21. *B*
Casus resoluti ī oĩbus partibus, dẽptis manibus. 3°. de lo. aff. 4ª. 21. *B*
Casus Pausaniæ, qui amiserat sensum minimorum digitorum sinistræ manus. 3°. de loc. aff. 4ª. 21. *C*
Casus pueri in primo articulo medij digiti dexteræ manus totũ circa neruum locum adeo humentem habentis ex contusione, vt iam cõputresceret. 3°. de comp. med. per gen. 5ª. 229. *A/B/C*
Casus habentis particulam putridam. 6°. meth. med. 7ª. 37. *F*
Casus in quo nullum seruauit Galenus. 4°. de loc. aff. 4ª. 28. *C*
Casus marasmi qui per annos superuixit. 10°. meth. med. 7ª. 66. *F*
Casus cuiusdã qui singulis annis in melancholiam incidebat, & mulieris tumorem cancrosum in mamilla patiẽtis, et alterius in quo elephas morbus erat inchoatus, & alterius qui tempore æstiuo febribus tertianis corripiebatur, quomodo curati omnes fuerint à Galeno. com. 6°. aph. 47°. *Ex.* 52. *C/D*
Casus adolescentis Melibææ ægroti sextidecimi. in 3ᵐ. de morbis vulgaribus, commen. 3°. 3ª. 151. *G*
Casus Melitonis. com. 7°. aph. 42°. *Ex.* 57. *C*
Casus menstrui retenti. de venæ sect. aduer. Eras. 6ª. 9. *H*
Casus mulieris ex retentione menstruorum, omissa sectione, mortuæ. de venæ sect. aduer. Eras. 6ª. 9. *D*
Casus menstruorum profluuij. de præsag. ad Posthu. 4ª. 217. *D*
Casus mulieris enixæ ī Mẽdaciũ foro. 3°. de mor. vul. cõ. 2°. 3ª. 140. *B*
Casus mulieris enixæ nec purgatæ apud aquam frigidam. in 3ᵐ. de morb. vulgarib. com. 3°. 4ª. 148. *C*
Casus mulieris gemiparæ ægroti quartidecimi. in 3ᵐ. de morb. vulg. ribus, commen. 3°. 3ª. 151. *C*
Casus mulieris morosæ ægroti vndecimi. ī 3ᵐ. de mor. vul. c. 3°. 3ª. 150. *f*
Casus mundorum ac immundorum corporum quo modo varie afficiãtur ab aere putredinoso. 1°. de diff. feb. 3ª. 32. *D*
Casus Stesiani habentis in musculis abscessum. 5°. de loc. aff. 4ª. 34. *B*
Casus ī Nascẽte respectu aspectus planetarũ. 3°. de dieb. dec. 4ª. 157. *b*
Casus Nicodemi Abderitani ægroti decimi. in 3ᵐ. de morbis vulgar. commentario. 3°. 3ª. 150. *E*
Casus Ossis sincipitis fracti. 6°. meth. med. 7ª. 42. *G*
Casus ossis in brachio fracti ad medullã ipsam. 6°. meth. med. 7ª. 42. *E*
Casus Parij ægroti primi. in 3ᵐ. de morb. vulg. com. 3°. 3ª. 147. *E*
Casus percussi in peritonæo qui vrinam reddere non poterat, cur, & quo modo cognoscatur. 1°. de loc. affec. 4ª. 3. *C*
Casus Periclis ægroti sexti. in 3ᵐ. de mor. vul. com. 3°. 3ª. 149. *H*
Casus de œconomo laborãte Phlegmone oculorũ quũ per sanguinis missionem è directo sanatus est. de cur. rat. per sang. miſ. 6ª. 20. *B*
Casus patientis vehementem peripneumoniam quæ passus sit symptomata. 4°. de loc. affec. 4ª. 25. *B*
Casus Phrenitici ægroti quarti. in 3ᵐ. de mor. vulg. com. 3°. 3ª. 149. *c*
Casus Phrenitici q hẽbat lęsã cogitationẽ, et sẽs°. 4°. de lo. af. 4ª. 22. *D*
Casus Phthisici. 4°. de loc. affect. 4ª. 28. *C*
Casus Plethoræ maximæ. de venæ sect. aduer. Eras. 6ª. 14. *G*
Casus Pleuritici humidi natura. de vic. ra. ī mor. acu. cõ. 1°. 7ª. 115. *A*
Casus Pleuritici sicci natura. de vic. rat. in mor. acu. cõ. 1°. 7ª. 115. *A*
Casus Pleuritidis. 3°. de locis. affec. 4ª. 14. *H*
Casus temporum in morbo laterali. 1°. de cri. 4ª. 132. *E*
Casus Anaxionis, Pleuritici. in 3ᵐ. de morb. vulg. com. 3°. 3ª. 150. *B/* *1°. de cri.* 4ª. 132. *F/com. 1°. apho. 12°.* *Ex.* 6. *A*
Casus Dionis, & Theonis in Pleurisi. com. 6°. aph. 5°. *Ex.* 47. *A*
Casus Podagrici q ex adhibitis medicamẽtis pęius habuit. 1°. d sim. li *cium*

cium medicamentorum facul. 5ª.7.B
Casus de affectu raro in Pulmone.4°.de loc.affec. 4ª.28.D
Casus celeris Pulsus.1°.de cauſ.pul. 4ª.90.G
Casus ægri Pulsum inſto maiorẽ habẽtis.1°.de præſ.ex pul.4ª.105.e
Casus in pulsu proponitur.1°.de diff.pulſ. 4ª.49.B
Casº adoleſcẽtiũ duorũ q uario mõ didicerũt Pulsus.3°.ibidẽ.4ª.69.f
Casus Pueri puncti in pupilla.1°.de ſymp.cau. 3ª.15.D
Casus Puncti acu in cute.6°.meth.med. 7ª.36.H
Casus in Punctura nerui.6°.meth.med. 7ª.37.B
Casus Simonis cui per hyemem latæ puſtulæ efflorverunt. in 6ᵐ. de mor.vulg.com.2°. 3ª.165.F
Casus habẽtis Puſtulas vlceroſas in toto corpe de purg.me. 5ª.86.F
Casus Pythionis ægroti tertij.in 3ᵐ.de mor.vul.com.3°. 3ª.148.G
Casus cuiuſdã q fumoſũ Ruſtũ sẽcit vt ab ouis fricſtis.1°. ℞l.af.4ª.5.c
Casus laborantis Salubri morbo.3°.de criſ. 4ª.140.G
Casus de ægro habente omnia ſigna Salutis.3°.de criſ. 4ª.140.D
Casus iuuenis Sani.1°.de digno.pul. 4ª.73.A
Casus de particula plena ob ſanguinẽ influẽtẽ.intro.ars med. If.70.E
Casus Sanguinem reijcientis ex catarrho.5°.meth.med. 7ª.35.C
Casus expuentis ex interuallis quotidie nõ ita multum ſanguinẽ tuſſiendo.4°.de loc.aff. 4ª.25.F
Casus expuentis Sanguinem floridum.5°.meth.med. 7ª.35.A
Casus iuuenis cui fluxurum ſanguinem ẽ nare dextra prædixit Galenus.de præcogni.ad Poſth. 4ª.219.E
Casus cuiuſdam qui Sanguiſugam ebibit.4°.de loc.affe. 4ª.26.A
Casus cuiuſdã q Sãguiſugãi naribus habebat.4°.de lo.aff. 4ª.26.A
Casus morſi à Scorpione.3°.de loc.affec. 4ª.19.F
Casus athletę Secundi nominati imbecillitatem ſentientis in Septo tranſuerſo.4°.de loc.affect. 4ª.25.A
Casus duo de Semine retento.6°.de loc.affe. 4ª.39.G
Casus mulieris neruorum diſtentione affectæ ob Semen retentum. 6°. de locis affectis. 4ª.39.H
Casus Sexti.de præcogni.ad Poſthu. 4ª.218.C
Casus Sileni.com.7°.aph.31°. Ex.56.C
Casus difficulter Spirantis ex calcitratu equi.4°.de loc.aff. 4ª.25.B
Casus cuiuſdã cui Spina ſinuata eſt pp ...ſm.6°.de loc.aff. 4ª.38.G
Casº cuiuſdã, grauiter offenſi circa Spinã.d ijs q̃ i me.cõ.2°.7ª.209.G
Casus amiſſionis vocis ob ſtrumas.1°.de loc.aff. 4ª.7.A
Casº habẽtis ſuppurationẽ ĩ nate,et qd ſecutũ ſit.4°.de lo.aff.4ª.25.b
Casus ſudantis ratione ſyncopes.in progn.com.1°. 4ª.189.E
Casus ſynanchi.de venæſect.aduer.Eraſ. 6ª.9.H
Casus Tuſſis ortæ ex frigore cũ sãguinis profluuio.5°.me.me.7ª.35.E
Casº cuiusdã q vẽtriculũ tripliciter affectum hẽbat.ars med. If.69.B
Casus habẽtis Ventriculum calidum & ſiccum.7°.meth.me.7ª.47.D
Casus quo oſtenditur prius Ventriculi oſ roborãdum, quàm medicamentum exhibendum.1°.de ar.cur.ad Glau. 7ª.98.B
Casus alicuius qui auerſet eſum boni ſucci,et à cibis abſtineat: cũ vero mandere cogit,ſi nauſeabundus, & ſolum acriora admittat cum hoc etiã intumeſcit ei vẽtriculus flatibus. 5°.de vſu par.1ª.143.A
Casus cuiuſdam,qui acribus vſus eſt.6°.de loc.aff. 4ª.42.F
Casus pueri grãmatici,q ob vinũ ĩcidit ĩ vigilias.2°.de lo.aff. 4ª.14.a
Casus alter ruſtici vinitoris commorſi à Vipera qui ſibi falce digitũ ſecuit.3°.de loc.aff. 4ª.19.H
Casº abſcindẽtis ſibi digitũ,quẽ vipa momorderat.3°.de l.af.4ª.19.H
Casus colligantis ſibi radicem digiti apud palmã validiſſimo vinculo ob ictum venenoſi animalis,& incidentis.3°.de lo.affe. 4ª.19.H
Casus morſi à vipera.5°.de lo.aff. 4ª.34.A
Casº mulieris Voluulo laborãtis apud tiſamẽtũ.3°.d mor.vul.3ª.138.b
Casus adoleſcentis qui æruginem euomuit.com.5°.aph.1°. Ex.37.C
Casus duo vrinæ ſuppreſſæ.6°.de loc.aff. 4ª.38.G
Casus habentis vrinam nigram, qui tabefactus obijt die ſeptima. in 1ᵐ.prorrhe.com.1°. 4ª.171.F
Casus mulieris,quæ vrinam nigram minxit.de atra bile. 1ª.36.H
Casus mingentis ſanguinem ex caſu.6°.de loc.aff. 4ª.38.H
Casus multorum qui vrinam & excremeata inuiti emittebãt, & cur. 1°.de loc.affect. 4ª.7.H
Casus Vlceris caui aperti.2°.de comp.med.per gen. 5ª.220.E
Casus vlceris in diuite.3°.de comp.med.per gen. 5ª.234.C
Casus vulneris in femore.3°.de comp.med.per gen. 5ª.231.C
Casus vulnerati ĩ neruo.d p̃cog.ad Poſt.4ª.216.A/6°.me.me.7ª.37.H
Casus cuiuſdam, qui exiuit domo nimis cito à vulnere nerui. 3°. de compoſi.medic.per gen. 5ª.229.F
Casus in quo Hippocrates & Galenus reprehenditur ab indocto & obſtinato quodam.2°.de diff.reſp. 3ª.64.B
Casus quo modo in quodã ægro procedendũ.2°.de dieb.dec.4ª.155.E
Casus quo mulier quædam ſeruari debebat lyſimachia, & ſeruata eſt ſpinæ ægyptiæ ſemine.de ſubſt.me. 5ª.48.C
Κατὰ τὸ ἐγχυμα plenitudo.de cur.rat.p ſang.miſſ.16.D/E/ 6ª.17.B
Κατὰ ἕξιν quid ſignificet.2°.de compoſi.medic.ſec.loc. 5ª.132.D
Κατ' ἕξιν id eſt ſecundũ rectitudinem,quid apud Hippocratẽ. in 6ᵐ. de morb.vul.com.1°.3ª.152.H/de cur.rat.per ſang.miſſ.6ª.19.H/ 2°.de arte cur.ad Glauc. 7ª.102.G
Κατακορέως quid.de vic.rat.in mor.acu.com.3°. 7ª.128.C
Κατὰ περίσφαλσιν modus reficiẽdi articulos.de ar.cõ.1°.7ª.152.H
Κατὰ σχέσιν quid ſignificet.2°.de compoſitio.med.ſec.lo.5ª.132.D
CATACLISIS quid.in 6ᵐ.de morb.vulg.com.1°. 3ª.160.C
CATACLEIDA ſiue acromion quid vocent.de oſſibus. 1ª.42.G
Cataclęda,q̃ſi ſubclauiũ dixeris,quã coſtã appellẽt.d muſ.diſ.1ª46.c
CATACLYSMA quid ſit.de ſal.diæta. 2ª.41.E/F
Cataclyſma quo anni tempore fieri debet.de ſal.diæta. 2ª.41.E
Cataclyſmata tenuiorũ et corpulẽtorũ,qualia.de ſal. diæta. 2ª.41.F
CATAGMA eſt ſolutio continuitatis in oſſe,& ita ab omnibus græcis proprio nomine appellatur.2°.meth.med.9.F/4°.36.G/6° 40. B/de fract.commen.1°. 7ª.223.E
CATAGMATICA quæ proprie medicamenta.2°.de compoſitione medica.per gen. 5ª.225.H
Catagmaticũ medicamẽtũ vnde dictũ.2°.de cõp.me.per ge. 5ª.225.C
Catagmatica ligamenta,quæ.1°.de comp.medic. per gen. 5ª.211.F
Catagmaticis potẽtiora sũt cephalica.2°.de cõp.me.per ge.5ª.226.a
de Catagmaticis ſcripſit Heras.2°.de cõp.med. per gen. 5ª.226.B
Catagmatica Andromachi.2°.de comp.med.per gen. 5ª.226.F
Catagmaticum Moſchionis.3°.de comp.med.per gen. 5ª.235.C
Catagmaticum Nigrum optimum.2°.de comp.med.per ge. 5ª.225.D
Catagmaticum Oenanthe.2°.de comp.med.per gen. 5ª.225.G
CATALEPSIS quid ſit.de ſymp.diff. 3ª.11.G
Catalepſis,cari,comitialis,apoplexiæ,catochi,& ſoporis differẽtiæ. 4°.de loc.affect. 4ª.23.A
in Catalepſi palpebræ ſunt apertæ.4°.de loc.aff. 4ª.23.A
in Catapleſi ſpiritus quo modo habeatur.4°.de loc.aff. 4ª.27.E
Catalepſis.i.deprehenſio,fit ex refrigeratione forti primæ partis ſenſitiuæ cum ſiccitate.com.2°.aph.3°. Ex.11.E
in Catalepſim quidã incidunt vitio ſtomachi.1°.de ſym.cau.3ª.18.F
in Catalepſi nullum eſt ſignum loci affecti.3°.de loc.aff. 4ª.16.B
Καταμολυνθέντα quid ſignificet.in 1ᵐ.prorrh.com.3°. 4ª.188.H
Κατάπασον medicamentum quod inſpergitur ad hæmoptoicos. 7°. de comp.med.ſec.loc. 5ª.184.D
Cataphora quid ſit.in 1ᵐ.prorrh.com.3°. 4ª.178.D
Cataphoræ duæ ſpecies.de comate. 3ª.49.G
Cataphora quandoque ſomnolenta,& vigil.de comate. 3ª.49.H
Cataphoræ vigilis duæ ſpecies.de comate. 3ª.50.C
Cataphora pigra,quæ.de comate. 3ª.50.D
Cataphoræ lethargũ referẽtes.ad eos qui de typ.ſcripſerunt. 3ª.90.F
Cataphorici habent oculos clauſos.in 1ᵐ.prorrh.com.1°. 4ª.176.F
Cataphora quando expectanda.in 1ᵐ.prorrh.com.1°. 4ª.175.D
in Cataphoris febres,quales.11°.de ſimp.med.fac. 5ª.80.C
ad Cataphoricos affectus valet caſtoreũ.11°.de ſim.me.fac.5ª.80.
à Cataphora,ideſt inclinatione in ſomnum, excitare poteſt cucurbitula.de cucurb.ſcar. 6ª.5.F
CATAPHRACTA vinculũ vnde nomẽ habeat.de faſcijs.7ª.301.E
CATAPLASMA eſt vnum ex auxilijs morbi. de vict.rat. in mor. acut.commen.1°. 7ª.115.C
Cataplaſmata inter modos euacuãdi.1°.de arte cur.ad Glau.7ª.98.D
Cataplaſma ſuperdare alicui membro eſt actio quæ fit ſine ſcalpello. ad Thraſybulum. 2ª.104.H
Cataplaſmatum differentia quo modo fiat.intro. Iſa.55.F
Cataplaſmatis ſpiſſitudinis meminit.de med.fac.parab. 7ª.173.H
Cataplaſmata nõ applicãda niſi foto prius loco.de re.par.f.7ª.156.D
Cataplaſmata adhibentes,miniſtri medicorum. in 6ᵐ. de morbis vulgaribus,commentario.5°. 3ª.188.C
Cataplaſma qũo ſeruet calidũ ſupra locũ.de ren.affe.dig. 7ª.194.A
Cataplaſmatis ex melle vſus,Galeni tempore.1°.de diff.feb. 3ª.35.F
Cataplaſmata adhibẽda in Alopecia.1°.de cõp me.ſec.lo.5ª.122.H
Cataplaſma in Angina ponendum.in 3ᵐ.de mor.vulg.cõ.2°. 3ª.137.B
Cataplaſmata pro Auribus.3°.de comp.med.ſec.loc. 5ª.146.B

Cataplaſmata

Cataplasmata sunt siccissima pro auribus. de artic. com. 2°. 7ª. 267. G
Cataplasma ad auriū dolores quō confectum. 12°. meth. me. 7ª. 79. G
Cataplasmata in Capitis dolore. 2°. de comp. med. sec. loc. 5ª. 137. F
Cataplasma ex plantagine reprimit, & simul digerit Carbunculos. 14°. methodi medendi. 7ª. 90. B
Cataplasma ex arnoglosso, lente, pane, & oleo rosaceo. 2°. de arte cura. ad Glauc. 7ª. 101. G
Cataplasma ad Contusionem. 6°. meth. med. 7ª. 38. G
Cataplasmate ex lixiuia stillatitia, et farina hordei putrescēs pars fouetur in Cōtusionibus neruorum. 3°. de cōp. med. perge. 5ª. 229. A
Cataplasma in Declinatione. de opt. secta. If. 27. G
Cataplasma ex farina hordeacea cō. uenit Erysipelati ex vlcere. 14°. metho. med. 87. E/2°. de ar. cur. ad Glau. 7ª. 102. A
Cataplasma ad Febres omnes. de dyna. Sp. 33. F
Cataplasma Hepaticum. 8°. de comp. med. sec. loc. 5ª. 196. C
Cataplasma pro Hepatis phlegmone. 13°. meth. med. 7ª. 83. F
post Cataplasma ceratum imponebat Galenus in Hepatis phlegmone. 13°. meth. med. 7ª. 83. H
Cataplasma nullum frigidum adhibendum in phlegmone hepatis. 13°. meth. meden. 7ª. 83. C
Cataplasma Antonij Musæ ex elaterio ad Hydropas. 9°. de composit. medicamen. sec. loc. 5ª. 200. E
Cataplasma in hydrope educens. 9°. de comp. med. sec. loc. 5ª. 200. E
Cataplasmāda sunt Hypochondria in ictero. de cura icteri. Sp. 110. H
Cataplasma pro Liene. 11°. meth. med. 7ª. 73. D
Cataplasma quo modo fiat pro liene. de medic. fac. para. 7ª. 172. D
p Cataplasmata fiūt Maturationes. in 1m. de mor. vul. c. 2°. 3ª. 112. a
Cataplasma Mitigatorium. de rem. par. facil. 7ª. 155. E
Cataplasma obuli. de dyna. Sp. 26. A
Cataplasmata supra Oculos, qualia. de ocul. 7ª. 190. C
Cataplasma Oedematum, & phlegmonum. 4°. meth. med. 7ª. 27. E
Cataplasma ex lente, qū adest Phlegmone. 2°. de ar. cu. ad Gl. 7ª. 101. b
pro Cataplasmate artomeli in phlegmone. 11°. meth. med. 7ª. 73. C
Cataplasmata adhibenī i phlegmōe post reprimētia. d op. sec. If. 22. d
Cataplasma ex lini semīe i Pleuritide. d vi. ra. i mor. ac. c. 4°. 7ª. 144. b
Cataplasma ex fare macerato. de artic. com. 2°. 7ª. 267. H
Cataplasma ex triticea farina, quale. 5°. de simp. med. fac. 5ª. 34. B
in Cataplasmate farinæ triticeæ facultas inest modice tum humida, tum calida. 5°. de simp. med. fac. 5ª. 32. C
Cataplasma quod ex farina triticea cōficitur emplasticam uim habet. 5°. de simp. med. facul. 5ª. 34. D
Cataplasmata ex faria triticea qūo moueāt pus. 4°. de sim. m. f. 5ª. 33. b
Cataplasma ex farina triticea, vel hordeacea. 13°. meth. me. 7ª. 81. B
Cataplasma ex aqua, oleo, & farina citius ad suppurationem perducit, quàm quod ex pane. 2°. de ar. cu. ad Glau. 7ª. 105. C
Cataplasma ex farina, oleo, & aqua pro inflammatione ad pus mouendum. 4°. meth. med. 27. D/2°. de arte cur. ad Glau. 7ª. 102. A
Cataplasma concoquens ex aqua, oleo, & farina triticea. 2°. de arte cur. ad Glauconem. 7ª. 105. C
Cataplasma ex pane, quale. 5°. de simp. med. fac. 5ª. 34. B
Cataplasma ex pane magis digerit, q̄ ex tritico. 8°. d sim. me. f. 5ª. 59. d
Cataplasma ex pane cur maxime dissoluat. 2°. de ar. c. ad Gl. 7ª. 105. C
pro Cataplasmate panis ex aqua mulsa. 5°. de cōp. me. se. lo. 5ª. 161. G
Cataplasma ex pane & melle. 13°. mtth. med. 7ª. 83. F
Cataplasma ex caricis in aqua decoctis pro his quę tarde suppurant. 2°. de arte cur. ad Glau. 7ª. 105. D
Cataplasmata, q̄ aut detergētia, aut validi° excalfaciētia halitus diffiare ꝓmittūt, exiccāt qdē, sed pus nō mouēt. 5°. d sim. m. f. 5ª. 33. b
Cataplasma Relaxans. 5°. meth. med. 7ª. 36. D
Cataplasma pro Renū dolore. de ren. affec. digno. & med. 7ª. 194. A
Cataplasmate ex althea q̄ vti debem° i Scirrhis. 14°. me. me. 7ª. 88. C
Cataplasma quo modo fiat pro stomacho. de medi. fac. par. 7ª. 172. E
Cataplasma ad ventriculum in melancholicis. de mel. ex Galeno, Rufo, & Possidonio. Sp. 110. C
in Cataplasmatibus difficilis est vsus milij. 7°. de sim. me. fa. 5ª. 50. D
Cataplasma ex muscarum capitibus. de ocu. 7ª. 190. E
ex Cataplasmatibus quæ non deberent apponi, multi moriuntur. 11°. methodi medendi. 7ª. 72. C
Cataplasma nulla desiderāt vlcera penis et sedis. 5°. met. me. 7ª. 36. d
CATAPTOSIS *est symptoma nō morbus. de to. mor. tēp. 3ª. 89. C*
CATAPOTIVM *adipson. 8°. de comp. med sec. loc. 5ª. 189. G*
Catapotia sitim extinguentia ex ardore. de rem. par. facil. 7ª. 159. A
Catapotia Galeni ex aloe, scammonia, & colocynthide quo modo cōficiantur. 1°. de comp. med. sec. loc. 5ª. 121. G
Catapotia Galeni ex aloe, scammonia, & colocynthide æqualiter suc co brassicæ exceptis. de rem. par. fac. 7ª. 154. D
Catapotia ex aloe, scammonia, & colocynthide educunt bilem. 1°. de composit. med. sec. loc. 5ª. 121. E
Catapotus ex aloe bilis euacuatur. 2°. de comp. med. se. lo. 5ª. 136. H
Catapotium Andreæ. 9°. de comp. med. sec. loc. 5ª. 198. G
Catapotium Bassi. 7°. de comp. med. sec. loc. 5ª. 182. C
Catapotia ex Castoreo soluūt aluū. de venæ sect. aduer. Eras. 6ª. 11. C
Catapotia ex Colocyntide. 3°. de comp. med. sec. loc. 5ª. 145. E
Catapotium Harmonia dictum. 7°. de comp. med. sec. loc. 5ª. 182. C
Catapotium pro Hepaticis. 8°. de comp. med. sec. loc. 5ª. 195. D
Catapotia Heraclidæ Tarentini ad vesicæ tofos & stillicidium. 10°. de comp. med. sec. loc. 5ª. 206. E
Catapotia pro Hydrope. de vict. ra. in mor. acu. com. 4°. 7ª. 152. G
Catapotium ex Marrubio Platonis. 7°. de comp. me. sec. lo. 5ª. 182. C
Catapotium Paonium dictum. 9°. de comp. med sec. loc. 5ª. 198. G
Catapotium Panacea. 7°. de comp. med. sec. loc. 5ª. 182. B
Catapotium Scribonij Largi ad phthisicos, & suppuratos. 7°. de cōp. medic. sec. loc. 5ª. 185. F
Catapotium Splenicis. 9°. de comp. med. sec. loc. 5ª. 198. G
Catapotia ad Stomachi subuersiones. 8°. de comp. me. se. lo. 5ª. 189. F
Catapotiū ad Tussim statim auxilians. 7°. de cōp. me. sec. lo. 5ª. 183. C
Catapotium Crispi liberti ad tussim. 7°. de comp. med. se. lo. 5ª. 182. H
Catapotium concoctorium ex libris Perigenis ad tussim & destillationem. 7°. de comp. med. sec. loc. 3ª. 183. A/D
Catapotium album Pritanis & Apollonis ad tussim. 7°. de composi. medicamen. sec. loc. 5ª. 183. D
Catapotia ciceris magnitudine. 8°. de comp. med. sec. loc. 5ª. 189. F
Catapotiū dat, postea ad semihorā dat mulsā. 7°. d cōp. me. s. l. 5ª. 186. b
Κατάπτοσις. de morborum temporibus. 3ª. 89. C
CATAPVTIA *pituitam magis purgat q̄ cnicus. de dyn. Sp. 21. G*
CATARACTA *quæ sit in oculo. de ocul. 7ª. 186. D*
Cataractas habētes oculi venetici dīr apud antiquos. de oc. 7ª. 187. D
ad Cataractam qui sint præparati. de ocul. 7ª. 186. D
Cataracta quot modis fiat, & quo modo, & quid sit, & quo modo prædicenda. de oculis. 7ª. 187. C
CATARRHVS *quid. fin. med. Isa. 47. D/3°. de symp. cau. 3ª. 29. F*
Catarrhi sunt ægritudines capitis. de virt. nostrum corp. dis. Sp. 60. B
Catarrhos conuenienter posse distingui cōmuniter & proprie vt faciunt recentiores potest colligi in fine. com. 3°. apho. 12°. Ex. 21. H
Catarrhi & coryzæ causæ, quæ. 3°. de symp. cau. 3ª. 29. E
Catarrhi multi in puerulis nuper natis. com. 3°. aph. 54°. Ex. 25. B
Catarrhi fiunt maxime tēporibus pluuiosis. cō. 3°. aph. 16°. Ex. 23. A
Catarrhi ponunt inter morbos, qui vere apparē. 5°. de sa. tu. 2ª. 94. D
Catarrhi faciūt intēperiē i naso, et cerebro. 1°. de symp. cau. 3ª. 16. A
Catarrhus ostendit temperamentum cerebri. 2°. de temp. 1ª. 20. F
in Catarrhis cur voces raucæ. 7°. de vsu partium. 1ª. 158. F
Catarrhi faciunt tussim. 2°. de sym. cau. 3ª. 21. G
Catarrhus descēdit ad pulmonē ex bile i stō, quo mō. de sper. Sp. 36. H
Catarrhus quosdam facit stupidos à dextra, vel sinistra. commentario. 3°. aphor. 12°. Ex. 21. H
Catarrhus decumbens dolorem perficit. com. 4°. aph. 32°. Ex. 30. H
Catarrhi quomodo dicantur coqui. de vict. rat. in mor. acu. 7ª. 122. H
Catarrhi cōparatio ad ventris incōcoctionē. 3°. de sym. cau. 3ª. 29. F
Catarrhis conuenit Armeniaca terra. 9°. de simp. med. fac. 5ª. 66. H
in Catarrho Ceratum thapsiæ supra pectus. 5°. meth. med. 7ª. 35. E
pro Catarrho Diaspermaton Galeni. 5°. metho. med. 7ª. 35. E
ex Catarrho sanguinem reijcientis casus, & quo modo curandi. 5°. methodi meden. 7ª. 35. C
i Catarrho, & sputo sāguinis, i cibo offert pisces. 5°. met. me. 7ª. 35. F
Catarrhos & coryzas palam desiccat melanthium frictum, siquis id in calidum linteum rarum liget, assidueq; calorem ex eo per inspirationem in nares attrahat. 6°. de simp. med. fac. 5ª. 45. H
Catarrhos sanat nigella olfacta. 7°. de simp. med. fac. 5ª. 55. C
supra Catarrhum habentis caput medicamentum ex palumbiū stercore. 5°. meth. med. 7ª. 35. C
Catarrho tenui à capite defluēti cōuenit papauer. 1°. de ali. fa. 2ª. 15. e
Catarrhis prodest Styrax. 8°. de simp. med. fac. 5ª. 61. E
in Catarrho dat theriacam. 5°. meth. med. 7ª. 35. C
Catarrhus, vide fluxio.

CATASARCA *quid.de vic.rat.in mor. acut.com.4°.* 7ª.148.G
Κατάσασις, *constitutio.de fract.com.3°.* 7ª.246.H
CATATASIS *quid.intro.fin.med.* *Isa.50.C*
Καθαίρεσθαι & φαρμακεύειν *idem significant. de vict. ra. in morb. acu.commen.4°.* 7ª.150.F
CATHARTICA *dicta est quædã facultas à purgatione.4°.de simp. medic.fac.* 5ª.32.C
Cathartica,quæ.de par.art.med. *Sp.18.H*
Cathartica experimẽta lõga sunt secundum aliquos.de cath. *Sp.94.H*
Catharticorum tria genera ſm phyſicos,& quæ.de cathar. *Sp.74.D*
de Catharticis liber Romæ crematus.de cathar. *Sp.94.C*
Catharticorum quædam quæ ventrem molliunt tantum,malactica dicuntur.de dyna. *Sp.20.G*
Cathartica euacuant à proprietate.de dyna. *Sp.20.G*
Catharticis miſcetur colocynthis.de ſimp.med. *Sp.89.D*
Catharticam virtutem habet oleum,in quo cucumeris agreſtis radix admiſta,& decocta ſit.de ſimp.med. *Sp.88.E*
Catharticum oxymeli quo modo fiat.de dyna. *Sp.32.F*
Catharticum ad phlegma deponendum.de dyna. *Sp.32.F*
Catharticis ſimplr qñ vti debemus,& in quibus.de dyna. *Sp.20.F*
Cathartico vtitur ad abundantiam humorum, ad prolixam eorũ diſpoſitionem,& in atrophia ob malos humores.de dyna. *Sp.20.E*
Catharticis ad reſtaurandã habitudinem qñ vtimur.de dyn. *Sp.20.E*
Catharticis vtimur in robuſtis virtute,& promptis ad exercitia,ſtomachumq; robuſtum habentibus, & multam inutilem materiam in corpore congregantibus.de dyna. *Sp.20.F*
Catharticis fortibus quando vtimur.de dyna. *Sp.20.G*
Cathartica quibus paribus danda.de cathar. *Sp.94.G*
Catharticis,ſtalticis,& acerrimis rebus,et igne curatur cancroſa cauſa.de part.art.med. *Sp.19.A*
CATENÆ *pars organorum.de machin.* 7ª.309.E
Catenulæ æreæ vel ferreæ fieri debent.de machin. 7ª.309.D
Catenæ dd quid in organis.de machin. 7ª.309.H
Κατεχόμενος. *de pulſ.ad tyro.* 4ª.45.H
CATHAF *eſt humida.de diſſol.cont.* *Sp.74.D*
Cathaf cum aceto,& muria comedere oportet.de diff.cont. *Sp.74.E*
Cathaf cur eſt mala ſtomacho.de diff.cont. *Sp.74.E*
CATHEGETES *Lucius.2°.de comp.med.per gen.* 5ª.224.B
CATHEMERINA, *id eſt quotidiana.2°.de diff.feb.* 3ª.38.B
non Cathemerina,ſed amphimerina dicenda febris, quæ.2°. de diff. feb. 3ª.38.B
Cathemerinæ febres quæ vocentur.in 1m.de mor.vul.c.3°. 3ª.118.D
CATHÆRETICA *ab excreſcentia carnis detrahenda quædam dicta eſt facultas.4°.de ſimp.med.fac.* 5ª.32.C
Cathæreticis,hoc eſt detractorijs, vtuntur ad inducendam vlceribus excreſcentibus cicatricem. 5°.de ſimp.med.fac. 5ª.36.B
Καθαιρικὸς *cõſtãs in febribus quid ſit.de vic.ra.in mor.acu.* 7ª.141.B
CATHETERES *inſtra quæ ſint. 9°.de comp.med.ſec.lo.* 5ª.205.D
Catheter eſt ſpecillus ſiue fiſtula.de opt.ſecta. *Iſ.25.B*
Cathetera,ſyringam,quæ nunc ex argento ſit,tempore Galeni æneam fuiſſe collige.1°.de loc.affec. 4ª.3.A
Cathetere rite vti ſine ſcalpello præſtatur.ad Thraſ. 2ª.104.H
CATILINÆ *medici medicinæ.de med.exper.* *Sp.105.A*
Κατιλλαίνειν, κατιλλαίνουσαι *quæ verba.in 3m. de morbis vulga. commen.2°.* 3ª.143.A/B
CATHOCVS *quidnam ſignificet.in 1m.prorrh.com.2°.* 4ª.177.E
Catochus quid.ſin.med.Iſa.47. B/in 1m.prorrh.com.3°. 4ª.187.H
Catochus,& mentis vacillatio an ſimul eſſe poſſit.in 1m.prorrh.commen.1°. 4ª.176.E
Catochi qui ſunt.4°.de cauſ.pul. 4ª.102.D
Catochi tria genera.ſin.med. *Isa.47.B*
Catochus à vigilante quo differat.in 3m.de mor.vul.cõ.2°. 3ª.140.A
Catochi,catalepſis,cari,comitialis morbi,apoplexiæ,& ſoporis differentiæ.4°.de loc.affect. 4ª.23.A
in Catocho nullum eſt ſignum loci affecti.3°.de loc.aff. 4ª.16.B
Catochi habẽt oculos apertos,et tenſos.in1m.prorrh.cõ.1°. 4ª.176.F
cum Catocho diſtorſio oculorum peſſimum.in 3m.de morb. vul.commen.2°. 3ª.140.A
Catochæ cum exolutione pernicioſæ.in 1m.prorrh.com.3°. 4ª.179.A
Catochorũ pulſ9,qualis.de pul.ad tyr.45.H/4°.de cau.pul. 4ª.102.D
Catochi caſus.in 1m.prorrh.com.1°. 4ª.176.F
Catochę fit mentio.13°.meth.med. 7ª.85/F
Καθολικὸς *ex faſcia fit oblonga.de faſcijs.* 7ª.294.H
Catoryctus,pulſus,ideſt deſoſſus vel deciduus,quando fiat cardiacis. de dynamidijs. *Sp.34.H*
CATOTERICA, *ideſt deiectoria pharmaca.7°.met.med.* 7ª.49.D
CATVLOTICA *medicamenta,quę.de part.art.med.* *Sp.18.H*
Catuloticis,& colleticis rebus curantur difficilia vulnera,& cicatrices craſſæ,de part.art.med. *Sp.19.A*
CATVLI *nuper nati potius imperfecti, quàm cæci ſunt dicendi.2°. de ſemine.* 1ª.339.F
Catulus incitatur ad mordendum,licet validos dentes non habeat. de fœt.for. 1ª.325.E
à Catuli calore iuuatur ventriculus.7°.meth.med. 7ª.47.B
CAVATA *ex colliſione mollia oĩa,magna ex parte ad naturæ ſuæ locum regrediuntur,vbi percuſſor diſceſſerit.de cau.mor.* 3ª.9.G
CAVCALIS *calfacit,& exiccat,vt daucus ſylueſter & vrinã ciet, & muria ad repoſitionem conditur.7°.de ſimp.med.fac.* 5ª.50.C
CAVDÆ *non ſunt excrementoſæ ob motum.de ho.& vitio.* 2ª.37.B
Caudæ ſunt duriores,quàm ventriculi.de bon.& vi.ſuc. 2ª.37.B
Caudæ piſcium cur magis nutriant.de ther.ad Piſo. 5ª.93.D
Caudæ Hirudinum ſunt incidendæ,quando opus eſt iterum eiſdem nos vti.de cucur.ſcar. 6ª.4.C
Cauda Viperarum cur abijciatur.de ther.ad Piſo. 5ª.93.C/D
Cauda Equina adſtringentem cũ amaritudine facultatem poſſidet, ac proinde valenter ſimulq; citra mordacitatem exiccantem.6°.de ſimpl.med.fac. 5ª.48.F
Caudæ equinæ ſuccus profluuio ſanguinis prorũpenti è naribus & fluxui obnoxijs in vẽtre paſſionibus prodeſt ex auſterorum minorum quopiã potus,ac ſi febre teneanť,ex aqua.6°.d ſim.me.fa. 5ª.48.F
Cauda equina vulnera vel maxima cõglutinat.6°.d ſim.me.f. 5ª.48.f
Cauda equina ſanauit non nunquam veſicæ & tenuium inteſtinorum vulnera ſecundùm quoſdam.6°.de ſimp.med.fac. 5ª.48.F
Cauda Lupina.de dyna. *Sp.25.H*
Caudæ Vulpinæ grana quid faciant.de dyna. *Sp.28.E*
CAVE *à medicinis non expertis.de med.exper.* *Sp.108.H*
in CAVEIS *aues concluſæ à cauponibus quod alimentum dent.6°. de ſan.tuen.* 2ª.99.G
in CAVERNIS *degentia aĩalia an reſpirent.4°.de loc.aff.* 4ª.27.D
è Cauernis trahit ſerpentes ceruus ſpiritu ſuo.de cathar. *Sp.94.H*
Cauernoſum eſſe pulmonem conſtat, ſi calamo intromiſſo infletur. de anatom.parua. *Sp.43.A*
CAVILLI *qui.de hiſto.philo.* *Sp.3.B*
Cauillatoria argumenta abſunt ab ſubſtantia rei,quæ quæritur.2°.de decr.Hippoc. 1ª.235.D
Cauillationes parit homonymia.1°.meth.med. 7ª.6.B
Cauillando admirabilis Aſclepiades.3°.de criſi. 4ª.141.H
Cauillatoribus meliores ſunt imperiti.de pur.med.fac. 5ª.86.F
CAVITAS *quælibet venter appelletur.cõ.6°.apho.20°.* *Ex.48.C*
Cauitates cum format natura,quid agat.2°.de temp. 1ª.339.F
Cauitas,& eminentia in cranij ſuturis quid.9°.de vſu par. 1ª.171.F
de Cauitatibus cordis.de ana.viuo. *Sp.46.E*
Cauitates quot in ventre,in inteſtinis,& in iecore.8°.de compoſitio. medicamen.ſec.loc. 5ª.193.B
Cauitates debent habere ſuam proportionem.de diff.mor. 3ª.4.B
Cauitas vlnę figurę cui literæ ſit ſimilis.2°.de mot.muſ. 1ª.313.G
Cauitas manẽti oſſi adeſt,ei qđ mouẽ cõuexitas.1°.d mo.mu. 1ª.312.C
in Cauitatibus quibus fiat anguſtia.de cauſ.mor. 3ª.9.A/B
Cauitatũ egritudines reducunť ad genª formatiõis. de dif.mor. 3ª.4.D
Cauitas non eſt affectus,ſed vlceris differentia.ars med. *Isa.70.B*
Cauitates quomodo corrigantur.ars med. *Isa.69.B*
Cauitatũ meatus in corporibus quo mõ aboleanť.de cau.mor. 3ª.9.A
Cauitates maiores, minores, inaniores iuſto, pleniores, craſſis humorib.confertæ,quo modo curandæ.de conſt.art. *Iſ.39.D*
Cauitas in carne quid exigat.3°.meth.med. 7ª.19.E
Cauitas impleri poſtulat.2°.meth.med. 7ª.17.B
ad Cauitates ægre carne implebiles,et diuturnas ex fluxione & fiſtuloſas valet teſta oſtrearum combuſta.11°.de ſimp.me.fa. 5ª.80.H
Cauitate inteſtinorum vulnerata cur ea rariſſime ſanetur.commẽ. 6°. aphoriſ.18°. *Ex.48.A*
Cauitas, vide Cauus.
CAVLATIM *facta fractura.de ijs quæ in med.fiunt.com.2°.219. G/de articulis,com.2°.* 7ª.265.B
Caulatim factæ fracturæ quo modo deligandæ. de ijs quæ in medicatrina

trina fiunt.commen.2°. 7ª.208.G
CAVLEDON *quæ scissura in osse.6°.meth.med.* 7ª.40.A
Cauledon ossis fracturæ curatio.6°.meth.med. 7ª.40.E
CAVLES, *radices,folia, fructus, semina, habent diuersas inter se facultates in vna planta.1°.de alim.facult.* 2ª.7.E
CAVLIVM, *& lentium iuris quæ sit vis.de dissol.cont.* Sp.75.A
Caules cocti stringunt ventrem crassitie sua.de dissol.cont. Sp.75.B
Caules succi.de dissol.cont. Sp.74.D
Caules cor parum nutriunt.de dissol.cont. Sp.73.F
Caules generant melancholiam.de dissol.cont. Sp.74.C
Caulis præter solitum ingestus ventriculũ offendit.de vic.rat.in mor. acu.commen.2°. 7ª.121 B
Caulis pruritum mouet.de cathar. Sp.95.D
Caulis succus expurgat in ictericis.de cura.icteri. Sp.111.B
Caules & orinibum eius vrinam mouet.de cura icteri. Sp.111.D
Καυλὸς pudẽdũ *virile appellatur.14°.de vsu par.208.E/* 1ª.209.B
CAVNIACE *2°.de comp.med.per gen.* 5ª.225.A
CAVPONES *quo modo vendant vina recentia pro vetustis.de bonitate & vitio suc.* 2ª.38.F
à Cauponibus in caueis aues conclusæ quod alimentum dent. 6°. de san.tuen. 2ª.99.G
CAVRVS, *qui & leuconotus,auster purus,id est sine imbribus.in 3ᵐ.de morb.vulg.com.2°.* 3ª.141.C
Caurus quandoque frigidus.in 3ᵐ.de mor.vulg.com.2°. 3ª.141.D
CAVSA *quid significet.& quod oĩbus notũ.de cau.proc.* 3ª.96.D/H
Causa principium potest dici.de causis procatar. 3ª.96.H
Causa,& principium quo modo differunt.de histo.philos. Sp.4.A
Causarum nomina.de cau.procatar. 3ª.99.A
Causæ rerum solum cognoscuntur à præstantissimis medicis. in 6ᵐ. de mor.vulg.commen.5°. 3ª.193.C
Causarum notitia medicinæ pars.introd.Isa.51.H/ de partibus artis medicæ.16.E/ Sp.18.B
Causarum,& affectuum notitia cur habenda.intr. Is.52.A
Causarum inquirendarum fructus.2°.de nat.fac. 1ª.301.B
Causæ valent in tuenda sanitate, vt ex quibus custodia sanitatis perficitur.1°.de sani.tuen. 2ª.58.G
Causas inutiles ad curationem dicentes methodicos arguit.de theriaca ad Pisonem. 5ª.96.E
Causas rerum nescientes reddere medici quidam, eas negant. 5°. de lo.affec. 4ª.30.H
Causas omnium volentibus assignare non attendendum,ex Diocle.1°. de alim.facul. 2ª.7.F
Causas semper studet inuenire Galenus.de ther.ad Piso. 5ª.93.H
Causas inquirens quo modo debet docere.aduer.emp.med. Isa.35.C
Causarum inuentio est secunda in actionibus.ars med. Is.62.B
Causa vbi non reperitur,ab euidentibus non discedendum. 2°. de motu musculorum. 1ª.314.H
Causa in quibus non reperiatur.2°.de motu musc. 1ª.314.H
sine Causa sufficit nouisse quod experientia comprobatur. comm.2° aphoris.24°. Ex.15.H
Causarum affectus inuentio, est cognitio præteritorum. 4°. de præsag. 4ª.121.F
Causa quæ vere sit.2° meth.med.9.C/H/de oculis. 7ª.185.E
Causæ sunt ex genere permanentium.2°.meth.med. 7ª.10.B
Causæ nihil est fortuitum.4°.de decre.Hipp. 1ª.251.A
Causa omnis est ad aliquid.ars med.Isa.68.A/1°.de nat.fa. 1ª.291.D
Causa est à quo fit aliquid.de cau.procatar. 3ª.97.B
Causæ.de const.ar. Isa.40.C
Causarũ diuersitas.fin.med.50.B/introd.Isa.52.B/1°.de præsagitione ex puls. 4ª.104.D
Causarum communissima differentia duplex.de opt.secta. Isa.20.H
Causæ quatuor genera.de hist.philos. Sp.4.A
Causarum quinque genera, cuius causa aliquid fit, à quo fit, ex quo, per quod,quale.6°.de vsu par. 1ª.152.F
Causarũ tot sunt genera,quot ẽt infirmitatis ac roboris particularum, quæ facile patiuntur vel nõ patiuntur.de na.hu.com.2°. 7ª.182.G
Causarum nulla per se perfecta.de cau.procatar. 3ª.99.A
con Causa,quæ.fin.med.46.A/introd. Isa.52.B
Causa adiutrix quę.fin.medic. Isa.46.A
Causarum ordo,ad calculorum seriem quandam comparatio. de sym. dif. 8ª.10.F
Causa dicitur & finis, & materia, & instrumentum, & efficiens. de causis procatar. 3ª.96.E
Causæ principalissimæ duæ,finis & efficiens.de cau.procat. 3ª.96.F
Causa prima rerum naturalium efficiens Deus.de hist.philo. Sp.3.F
Causa efficax,& effectrix idem.de mult. 3ª.77.B
Causam efficientẽ requirit definitio rerum, quæ positæ sunt in generatione.31.de diff.pul. 4ª.67.H
Causas ponit Hippocrates,calidum,humidum,frigidum, & siccum. in 3ᵐ.de mor.vulg.com.1°. 3ª.129.C
Causa quo modo sit sperma secundùm Aristotelem & Galenũ.de ana. viuo. Sp.55.H
Causæ efficientis opus auget eius aucta substantia.commen.6°.aphoris.5°. Ex.46.H
Causæ plures in agendo superant pauciores.de caus.mor. 3ª.8.A
Causa vocatur facultas,à qua procedit actio.1°.de na.fa. 1ª.291.B/D
Causa ad actionem est corporis constitutio.1°.meth.med. 7ª.8.D
Causa non agit nisi patiens sit aptum.1°.de diff.feb. 3ª.32.C
Causa materialis adipis quæ sit,& quæ efficiẽs.de ana.viu. Sp.55.G
Causa materialis carnis quæ sit,& quæ efficiens.de ana.viu. Sp.55.G
Causa materialis membrorum simplicium,id est consimilium,est sperma præter quàm carnis, & adipis siue pinguedinis. de anatomia viuorum. Sp.55.G
Causa motus cordis est fortitudo virtutis.de ana.viuo. Sp.56.D
Causa frequentię motus cordis est necessitas.de ana.viuo. Sp.56.D
Causa virtutis motiux cordis est anima, caloris autem motus,fortitudinis vero caloris fortis motus,& frequẽs.de ana.viuo. Sp.56.D
Causa dilatationis & constrictionis cordis,quæ.de ana.viu. Sp.56.D
Causa audaciæ non est cordis magnitudo,neque timiditatis paruitas. de anato.viuo. Sp.53.A
Causa prolationis vocum est compressio diaphragmatis, quæ fit in respirando.de vtil.resp. Sp.63.F
Causa erectiõis et dilatatiõis linguæ,q̃ sit.de mo.ma.& ob. Sp.67.H
Causæ erectionis priapi.de mot.man.& obs. Sp.67.H
Causæ tensionis nerui est spiritus neruum inflãs.de vtil.resp. Sp.63.D
Causæ cur cibi tarde digeruntur.de dissol.cont. Sp.73.D
Causa,qua exeat sudor per poros corporis.de vtil.resp. Sp.64.D
absque Causa manifesta sudor multus ex somno factus, corpus vti pluri cibo significat,si vero cibum non accipienti hoc accidat, scire oportet quòd euacuatione indiget.comm.4°.apho.41°.Ex.32.D/ de præsag.exper.conf. Sp.77.G
sine Causa nihil.4°.de decre.Hipp.250.F/2°.de na.fa. 1ª.298.B/1°. *meth.meden.* 7ª.6.E
Causæ sanitatis quæ dicantur.11°.meth.med. 7ª.67.H
Causa sanitatis quo modo est ars et artifex,et quo modo fortuna.11°. meth.meden. 7ª.68.A
Causa sanitatis est medicus.de cau.procatar. 3ª.96.F
Causæ sanitatis dici quo pũt dies iudicatorij.1°.de dieb.dec. 4ª.148.C
Causæ salubres partium instrumentariarum,quæ.ars med. Isa.69.A
Causæ salubres effectrices sanitatis.ars med. Isa.68.A
Causę cõseruatrices sũt priores tpe et dignitate alijs.ars med. Is.68.a
Causa præseruatiua triplex.ars med. Sp.71.D
Causę salubres quę.ars med. Isa.71.E
Causa naturalis concoquit.in progno.com.1°. 4ª.197.C
Causę insalubres.quę ars med. Isa.71.E
Causę neutrę,quę.ars med. Isa.71.E
Causę contrarię simul alia aliam superat.1°.de alim.fac. 2ª.8.A
Causa vnum ex tribus generibus rerum præter naturam. de constitutione artis medicę.40.C/ Isa.42.C
Causa morbi vnum est ex illis quę præter naturam sunt in corpore.1°. metho.meden. 7ª.8.H
Causę naturales,& non naturales,quo modo fiant præter naturam. de puls.ad tyro. 4ª.44.F
Causæ præter naturã sunt in numero infinito.de puls.ad tyro. 4ª.44.F
Causę præter naturam quid agant.de puls.ad tryo. 4ª.44.F
Causa præter naturam putrefacit.in progno.com.1°. 4ª.197.C
Causę faciunt affectiones.de vic.rat.in morb.acu.com.3°. 7ª.128.C
Causę quę poterũt corrũpere sanitatẽ,quę sint. de const.ar. Isa. 42.G
Causę morborum sunt multa genera.de symp.diff. 3ª.10.F
Causarũ in morbis renalibus distinctio.de ren.affect.dign. 7ª.196.G
Causę morborum duplices externę, & ex nobis ipsis. de natu.huma. commen.2°. 7ª.182.G
Causa morbi triplex.in 1ᵐ.de morbis vulgarib.commen.1°. 3ª.100. *G/de oculis.* 7ª.185.F

Causa quæ in morbis.ſi.med.Iſ.45.H/de ſymp.diff.3ª.10.F/1°.meth. med.6.F/7.D/E/2°. 7ª.10.C
Cauſarum ac etiam corporum vocibus vtitur Hippocrates inter ſigna.de vic.rat.in morb.acu.com.3°. 7ª.128.C
Cauſa morbi in confeſſo apud omnes homines eſt id, quo tãgente afficimur,& quo ſeparato ſtatim ceſſat affectus.1°.de loc.aff. 4ª.4.B
Cauſæ cum agant in corpus, à principio eadem eſt ſpecies affectus, tamen non apparet.1°.de loc.aff. 4ª.4.F
in Cauſas nõ diducit affectus, ſed in differẽtias.8°.meth.me. 7ª.59.G
Cauſa morbi eſt corporis ſtatus.1°.meth.med. 7ª.7.F
Cauſa quæ poteſt dici ægritudo.de diff.mor. 3ª.4.D
Cauſa & ſymptoma ſimul, quæ.11° meth.med. 7ª.71.C
vt Cauſa & vt ſignum ſymptoma.in 1ᵐ.prorrh.com.3°. 4ª.183.C
Cauſarum & criſis ſigna.1°.de criſi. 4ª.131.D
inter Cauſæ effectricis differentias numeratur modus quo ſymptoma generatur.3°.de ſymp.cau. 3ª.25.B
Cauſa & effectus ſimul, quæ.11°.meth.med. 7ª.71.D
Cauſæ quæ affectus ſignunt conſiderandæ.1°.meth.med. 7ª.7.G
Cauſa functionis effectrix qui eſt, affectus primò inueniendus.2°. methodi med. 7ª.12.F
Cauſa ægritudinis primo cognoſcenda.de victus rat.in morbis acutis, com.4°. 7ª.141.E
Cauſam morbi inuenire magnam vim habere ad morbum tollendum. 2°.de arte cur.ad Glauc. 7ª.101.D
Cauſa, vna ne ſit, vel plures conſiderandum.3°.de ſymp.cau. 3ª.30.A
circa Cauſam morbi quo modo medicus ſe habere debeat.3°.de comp. medica.ſec.lo. 5ª.142.D
Cauſam morbi qui ſcire vult, in quibus libris debet exercitari.1°. de loc.affect. 4ª.7.G
Cauſa epilogiſtica,& analogiſtica, quæ. de victꝰ.rat.in morbis acutis, com.4°. 7ª.140.D
Cauſæ paruæ morborum occaſiones dicũtur.in 3ᵐ.de mor.vul.com.1°. 133.F/com.2°. 3ª.142.C
Cauſas manifeſtas vocat προφάσεις. de victus rat.in morbis acutis, com.4°. 7ª.141.C
Cauſæ manifeſtæ quo noïe dicantur.in 1ᵐ.de mor.vul.cõ.1°. 3ª.104.H
Cauſæ manifeſtæ, quæ.fin.med.46.A/introd.Iſ.52.B/de nat.humana, commentario.2°. 7ª.181.G
Cauſæ non manifeſtæ, quæ.fin.med. Iſ.46.A
Cauſæ obſcuræ pro tempore, quæ.fin.med. Iſ.46.A
Cauſarum hæ internæ ſeu antecedentes, illæ externę ſeu primitiuæ.1°. meth.med. 7ª.8.A
Cauſæ externæ, quæ.1°.de cauſ.pul. 4ª.86.G
Cauſæ externæ quo modo lædant.2°.de nat.hum.com.2°. 7ª.182.G
à Cauſa extrinſeca factũ debet à medico diſtingui ab eo, quod eſt factum à morbo, vt melius ſciat prædicere.com.3°.aph.5°. Ex.20.C
à Cauſa externa indicationem curationis ſumi eſt abſurdum.4°.meth. medendi. 7ª.24.E
Cauſæ morborum intrancæ, quæ.de ocul. 7ª.185.G
Cauſarum meminit incipientium, antegreſſarum,& contentiuarum. in 6ᵐ.de mor.vul.com.3°. 3ª.174.G
Cauſam antecedentem potes ex Galeno colligere, vbi dicit plenitudinẽ eſſe ante morbum.com.2°.aph.22°.15.A/com.7°.aph.3°. Ex.56.A
Cauſæ procatarcticæ.i.initiatrices.6°.de loc.aff. 4ª.38.G
Cauſam, quæ προκαταρκτικὴ dicitur, non ineſſe in corpore animalis, collige.de ſan.tuen. 2ª.82.E
Cauſam, quæ προηγουμένη vocatur, intra corpus contineri, collige. 4°.de ſan.tuen. 2ª.82.E
Cauſa procatarctica, quæ.fin.med.45.H/intro. Iſ.52.B
Cauſæ procatarcticæ doloris capitis.2°.de comp.me.ſe.lo. 5ª.131.H
Cauſa antecedens, quæ.fi.med.45.H/intro.52.C/ars med.Iſ.69.D/de cauſ.morb.3ª.7.B/4°.de loc.aff.27.H/1°.de cau.pul. 4ª.86.G/1°. *meth.med.* 7ª.8.A
Cauſæ præcedentes affectus ſunt ex differentiis accidentium corporis à natura egreſſi.2°.meth.med. 7ª.9.B
Cauſas antecedentes inducentia.de nat.hum.com.2°. 7ª.181.G
Cauſa antecedens eſt plenitudo.contra Iulianum. Ex.68.H
Cauſarum in humoribus duplex genus, ex plenitudine,& ex corruptela.contra Iulianum. Ex.69.B
*Cauſa quædam antecedens eſt humorũ putredo.11°.meth.me.*7ª.70.C
Cauſæ abditæ antecedentes.de nat.hum.com.1°. 1ª.35.C
ad Cauſam antecedentem non ſunt omnia referenda.1°. de arte cura. ad Glauc. 7ª.94.G
Cauſæ procatarcticæ præcognoſcendæ.in progn.com.1°. 4ª.189.D
Cauſæ procatarcticę multum faciunt ad notitiam affectus.2°.de comp. med.ſec.loc. 5ª.132.A
Cauſa quæ morbũ præcedit, q affectus appelletur.de ſym.dif. 3ª.10.G
Cauſæ præcedentes ſiunt cauſæ, quæ ſunt continentes, motæ ab affectibus.1°.de cauſ.pulſ. 4ª.87.G
Cauſæ antecedentes in quibus febribus conſiderandæ.1°. de arte cur. ad Glauc. 7ª.96.H
Cauſæ primitiuæ non indicãt curationem.4°.meth.med. 7ª.24.A
Cauſa primitiuæ quæ vtilitas.4°.meth.med. 7ª.24.B
Cauſæ per accidens, quæ.de cauſ.procatar. 3ª.96.H
Cauſæ quæ ſimul cũ morbis inuadunt.1°.de ar.cur.ad Glau. 7ª.96.H
Cauſæ continentis nomen vnde.contra Iulianum. Ex.69.B
Cauſa continens quæ nominetur ab antiquis.2°.meth.med. 7ª.10.H
Cauſam continentem ſiue contentiuam aut proximam ponit Galenus. de nat.hu.cõ.1°.35.B/1°.de motu muſ. 1ª.312.G/1°.*de ſymp.cau.* 3ª.16.B/*com.7°.aph.30°.* Ex.56.A
Cauſa continens quid.fin.med.45.H/intro.Iſa.52.B/contra Iulianum. Ex.70.G/*de hiſt.philoſ.* Sp.4.A
Cauſæ continentes quo modo ab antecedentibus differant. contra ea quæ à Iul.in Hipp.aph. Ex.68.G
Cauſa continens coctionis.2°.meth.med. 7ª.11.A
Cauſa continens morborum ſecundùm Iulianum eſt plenitudo. contra ea quæ à Iul.in Hipp.aph. Ex.68.E
Cauſa continens ſecundum Aſclepiadem nunquam eſt plenitudo. contra ea quæ à Iuliano.in Hipp.aph. Ex.68.H
*Cauſa cõtinens nõ mutatur manẽte affectu ſuo.1°.de cau.pul.*4ª.86.G
*Cauſa continens per totũ affectum perdurat.contra Iulianũ.*Ex.70.G
Cauſas continentes mouent affectus,& fiunt præcedentes illorum cauſæ.1°.de cauſ.pul. 4ª.86.G
Cauſæ continentis in pulſibus exemplum.1°.de cau.pul. 4ª.86.G
*Cauſæ pulſuũ quæ primæ & cõtinentes.3°.de præſa.ex pul.*4ª.119.D
Cauſæ continentes gñationis pulſuũ tres ſunt.2ª.de cau.pul. 4ª.91.B
Cauſa continens pulſus ex inſtrumentis.1°.de cauſ.pul. 4ª.87.B
Cauſarũ continentiũ in pulſibus cõplexiones.1°.de cau.pul. 4ª.89.H
Cauſæ continentes pulſus vehementis languidi, mollis,& duri.1°.de præſag.ex pulſibus. 4ª.109.A
Cauſa continentes pulſus dicroti.3°.de præſag.ex pulſ. 4ª.116.B
Cauſæ omnes aliæ ſunt propter continentes.1°.de cau.pul. 4ª.86.G
Cauſæ quæ pulſus variant, partim eos generant, partim alterant,& quæ ſint.1°.de cauſ.pul. 4ª.86.G
Cauſa quæ pulſum facit, ignota.1°.de cau.pul. 4ª.86.H
Cauſarũ quot ſunt differentiæ, tot ẽt pulſuum.1°.de cauſ.pul. 4ª.87.B
in Cauſis pulſuum vſus exercitationis.1°.de cau.pul. 4ª.90.G
Cauſæ continentes ſunt præcipuæ.1°.de cauſ.pul. 4ª.86.G
Cauſa contentrix requiritur in omni re vt ſit, ne detur proceſſus in infinitum.de mult. 3ª.77.D
*Cauſę cõtinẽtis meminit.2°.de dig.pul.*4ª.77.E/10°.*meth.me.*7ª.65.E
Cauſam ſine qua non, deridet Galenus,& eius mentionem non facit. 6°.de vſu part. 1ª.52.F
*Cauſæ ſine quibus non, quæ ſint.de ſym.dif.10.F/de cau.proc.*3ª.97.A
Cauſa ſine qua non, eſt ambiens.8°.meth.med. 7ª.59.H
Cauſam motã magis infeſtare ęſcẽte, collige.2°.de ſym.cau. 3ª.22.D
Cauſa minima moueri ſenes, elice.5°.de ſanitate tuen. 2ª.90.F
Cauſa intellecta errores corriguntur.2°.de nat.fac. 1ª.301.A
à Cauſis curatio conueniens indicatur.10°.meth.med.61.D/1°.de arte cur.ad Glau. 7ª.99.H
Cauſa quando adhuc manet, indicatio quæ,& quæ efficiente ſummota. 11°.meth.med. 7ª.69.D
Cauſa effectrix cum manet in morbo, ab ea ſummouenda curatio incipiat.4°.meth.med. 7ª.25.B
Cauſa manente non poteſt affectus ſanari.7°.meth.med. 7ª.48.G
añ Cauſam quando affectus curandus.7°.meth.med. 7ª.48.G
Cauſa poteſt etiam adeſſe illius affectus, qui actionem impedit, poteſt & non adeſſe.1°.meth.med. 7ª.7.G
Cauſa per ſe finiens eſt, quæ ipſa per ſe finem facit.fin.med. Iſ.46.A
Cauſa ablata permanet plerunq; morbus,& affectus.1°.de loc.affect. 4ª.3.H/4°.meth.med. 7ª.24.A
Cauſa quandoq; adeſt præſente morbo, quandoq; abeſt, quandoq; morbum præcedit, quod variat curationem.com.2°.aph.22°. Ex.15.C
*Cauſa abſente, febris põt eſſe præſens.8°.meth.med.49.H/9°.*7ª.61.B

Cauſa in quibus diariis abit & in quibus manet. 10°.*met.me.* 7ª.61.*F*
Cauſa quando abiit, diaria eſt ſimplex affectus. 10°.*meth.me.* 7ª.61.*C*
Cauſa efficiente pertranſeunte non ſit firmus in particula affectus. 2°. *de loc.aff.* 4ª.3.*G*
quãuis Cauſa efficiẽs quieſcat, ipſa tñ permanet affectio, ſi cõſentiẽtes partes diſpoſitionem permanentem habuerint. 3°.*de lo.aff.* 4ª.17.*B*
Cauſarum febrium genera. 11°.*meth.med.* 7ª.71.*C*
Cauſæ quibus febris accenditur.præſag.ex per.confir. *Sp.*77.*D*
Cauſam effectricem, febrem, & putredinem inter ſe conferre difficile eſt. 11°.*meth.med.* 7ª.69.*H*
Cauſam habens affectus non habet ſimplicem curationem, & quomodo habeat. 9°.*meth.med.* 7ª.61.*C*
Cauſæ cuiuslibet morbi à quo remoueri debẽt.cõ. 2°.*aph.* 22°.*Ex.*15.*C*
de Cauſa & febre quid primo ſanandum. 10°.*meth.med.* 7ª.61.*D*
Cauſa febris remota, febris quæ ſit remouetur. 8°.*meth.med.* 7ª.51.*D*
Cauſæ quando intendendum poſt febrem. 10°.*meth.med.* 7ª.61.*E*
Cauſa febris quomodo auferatur. 11°.*meth.med.* 7ª.68.*H*
Cauſam febris primum auferẽs eſt ſanguinis miſſio, vbi humorũ abundantia eſt craſsities & viſcoſitas. 11°.*meth.med.* 7ª.69.*A*
Cauſam & febrẽ extinguẽs remediũ, eſt optimũ. 10°.*met.me.* 7ª.61.*D*
Cauſis remotis accidentia ruunt.com. 2°.*aph.* 22°. *Ex.*15.*B*
Cauſis efficiẽtibus deletis, affect⁹ p cõſenſum deficit. 3°.*d lo.af.* 4ª.17.*B*
Cauſæ efficientis morbos abolitionem curationem dici poſſe, collige. com. 2°.*aph.* 22°. *Ex.*15.*C*
Cauſis facientibus ſymptomata curatio per contraria debetur. de optima ſecta. *Iſa.*24.*C*
Cã cõtraria ſemp eſt adhibẽda retẽtionis cauſa. 1°.*de ſan.tu.* 2ª.68.*D*
Cauſas omnes accidentium melancholicorum explicare nemo poteſt. de mel.ex Gal.Ru.& Poſſ. *Sp.*109.*D*
Cauſæ generales dolorum ſolutio continuitatis & intemperiei. in 1ᵐ. *de mor.vul.com.* 1°.3ª.104.*H*/3°.*de comp.med.ſe.lo.* 5ª.141.*G*
Cauſæ quot ſunt, quæ dolorem inferant, tot debent eſſe remedia. 3°. *de comp.med.ſec.loc.* 1ª.141.*G*
Cauſæ intemperiei primo occurrendum, poſtea ipſi intemperiei. 5°.*methodi medendi.* 7ª.29.*H*
Cauſarum quæ intemperaturam efficiunt, curatio ſit per curationem. ars medicinalis. *Iſa.*69.*G*
ex Cauſa frigida dolori forti ſuccurrit decoctio chamæmeli. de medicinis exper. *Sp.*104.*H*
Cauſæ frigidæ podagram diſſoluens medicina. ſecretorum. *Sp.*101.*F*
ex Cauſa frigida membrorum interiorum debilitati quid opem ferat. de med.exper. *Sp.*107.*B*
ex Cauſa frigida debilitati hepatis valet rhabarbarum. de medicinis expertis. *Sp.*106.*E*
Cauſa frigiditatis membrorum fluxui conferens medicamentum. de medic.exper. *Sp.*104.*G*
Cauſas diuerſas profluuiorum ventris variare curationem, collige. de medic.exper. *Sp.*103.*H*
ex Cauſa frigida anheloſis quid valeat. de cura lap. *Sp.*112.*H*
Cã aſthmatis ſi ẽ humor craſſus medicamẽ valẽs. de me.ex. *Sp.*106.*G*
Cauſa calida motus varios excitat, & vigilias. 2°.*de lo.aff.* 4ª.14.*B*
Cauſa calida etiam facit rigorẽ, & horrorem. 4°.*de ſan.tu.* 2ª.82.*G*
Cauſæ calidæ ad icteritiam. ſecretor. *Sp.*101.*C*
Cauſa ſanitatis oculorũ eſt qñq; fomentum.com. 6°.*aph.* 31°. *Ex.*49.*G*
Cauſæ generationis lapidis. de cura lap. *Sp.*112.*C*
Cauſæ ſtrictura anhelitus in laborante lapide. de cura lap. *Sp.*112.*D*
Cauſa venæ ruptionis eſt aut vehemens motus, aut humorum abundantia. 4°.*de loc.aff.* 4ª.28.*E*
Cauſæ rationẽ quid habet in vlcere cauo ſordido. 3°.*met.me.* 7ª.21.*H*
Cauſa in quibus vlceribus deſit. 5°.*meth.med.* 7ª.30.*C*
Cauſa quando in vlceribus manet, qũo curandũ. 5°.*meth.me.* 7ª.30.*C*
ad CAVSIDICOS *falſa tuentes expoſitorum comparatio. in* 1ᵐ. *prorrh.com.* 2°. 4ª.177.*A*
Cauſidici quomodo viuere debent. de ren.aff.dig.& med. 7ª.195.*B*
CAVSVS, *id eſt ardor, qui.fin.med.* 46.*C*/*intro.If.* 55.*G*/*de fracturis commen.* 2°. 7ª.240.*G*
Cauſi febres ab incendio dictæ ſunt. 2°.*de diff.feb.* 3ª.36.*D*
*Cauſus morb⁹ acutus ẽ.intr.If.*55.*E*/*de vic.ra.in mor.ac.c.* 1°.7ª.108.*H*
Cauſorum duo genera. de vict.ra.in mor.acu.com. 4°. 7ª.135.*H*
Cauſus q nothus, q vero legitimus. de vic.ra.in mor.ac.c. 4°.7ª.135.*H*
Cauſus qui ſit legitimus & exquiſitus, qui verò ſimpliciter dictus. de vict.rat.in morb.acut.com. 4°. 7ª.135.*H*
Cauſum in toto corpore referens affectio quando ſit. de vic.rat.in mor.acu.com. 4°. 7ª.134.*D*
Cauſus proprie dictus qui calore, & ſiti conſtat. de vict.rat. in morb.acu.com. 4°. 7ª.134.*D*
Cauſi cauſa. introd. *Iſa.*55.*G*
Cauſus quo mõ fiat & qñ. de vict.rat.in mor.acu.com. 3°.7ª.134.*C*/*G*
Cauſus per calidam & ſiccam intemperiem fit. de atra bile. 1ª.35.*A*
Cauſus ex ambulatiõe, et eſtu fact⁹. de vic.ra.in mor.ac.c. 4°.7ª.134.*F*
Cauſus quandoq; factus ob potum vini meracioris. de vict.ra.in mor.acu.com. 4°. 7ª.134.*F*
Cauſus ex ſalſamentorum ſalſarumq; rerum vſu factus. de vict.rat.in morb.acu.com. 4°. 7ª.134.*F*
Cauſus ob iram factus. de vict.rat.in mor.acu.com. 3°. 7ª.134.*F*
Cauſus ob vigilias factus. de vict.rat.in mor.acu.com. 4°. 7ª.134.*F*
Cauſus alicuius partis, et totius. de vic.ra.in.mor.acu.c. 4°.7ª.134.*D*
Cauſum cum ſiti in vna parte facit os ventriculi primo, ſecundo ventriculus, tertio ſtomachus, quarto pulmo, quinto ieiunum inteſtinum. de vict.rat.in morb.acu.com. 4°. 7ª.134.*E*
Cauſi habẽtes ſedẽ in pulmõe, quales. de vic.ra.i mor.ac.c. 4°.7ª.136.*c*
Cauſi in hepate ſedem habentes, quales. de victus rat.in morb.acutis, commen. 4°. 7ª.136.*C*
Cauſi in ieiuno ſedẽ hñtes, quales. de vic.ra.in mor.ac.c. 4°.7ª.136.*C*
Cauſi & tertianæ differentia. 2°.*de criſ.* 4ª.134.*E*
Cauſus eſt paſſio ex ſanguine. de ſper. *Sp.*38.*B*
Cauſus, & ſynochus ſunt infirmitates naturales ſanguineis, & cholericis, in æſtate phlegmaticis accidentales. de ſper. *Sp.*39.*G*
Cauſus, & ſynochus ex bilis acuitate generantur. de ſper. *Sp.*39.*H*
Cauſus febris copiam ſignificat bilis. quæſi. in Hipp. *Sp.*113.*C*
Cauſus et ſynoch⁹, ambo hñt pulſum ſynochę cõſimilẽ. de dy. *Sp.*34.*A*
Cauſus & ſynocha ſi cõtingãt pituitoſo qd agendũ ſit. de ſper. *Sp.*39.*G*
Cauſi plures æſtate fiunt. 2°.*de criſi.* 4ª.134.*D*
Cauſi ſymptomata, quæ. in mor.acu.com. 4°. 7ª.134.*F*
in Cauſo laſſitudo vlceroſa, cur. de vict.ra.in mor.acu.c. 4°.7ª.134.*F*
in Cauſo rigor ſuperueniens cauſum ſoluit. de vict.rat.in mor.acutis, commen. 4°. 7ª.135.*F*
Cauſi alterius ſymptomata. de vict.rat.in mor.acu.com. 4°. 7ª.135.*G*
Cauſum indicantia ſigna pathognomonica dicta. de vict.rat. in morbis acu.com. 4°. 7ª.134.*G*
in Cauſo quæ vrinæ fiant. in 1ᵐ.*prorrh.com.* 1°.4ª.162.*F*/ *quæſita in Hippocr.* *Sp.*113.*C*
Cauſum ſynochum ſignificat vrina ſanguinea. de dyn. *Sp.*35.*E*
in Cauſonide phrenitis qua vrina ſignificatur. de vrinis. 4ª.123.*C*
Cauſi & phrenitides ab eadem cauſa. de comate. 3ª.49.*F*
Cauſus, & ſynochus quando lethales ſint. de dyn. *Sp.*34.*A*
Cauſus letalis quæ habeat ſigna. in 1ᵐ.*prorrh.com.* 1°. 4ª.164.*A*
in Cauſo vrina pinguis mortem ſignificat. de dyn. *Sp.*34.*B*
in Cauſo cur excremẽta pallida. de vic.ra.in mor.ac.cõ. 4°.7ª.136.*A*
in Cauſo vrina alba aut ſubluuida mortem ſignificat. de dyn. *Sp.*35.*D*
Cauſus p abſceſſus qñq; ſanatur. de vic.ra.in mor.ac.c. 4°.7ª.135.*E*
Cauſi ſecũdi iudicatio p q̃ fieri poſſit. de vic.ra.in mor.ac.c. 4°.7ª.136.*C*
Cauſus ſoluitur per fluxum ſanguinis narium et per ſudores iudicatorios. de vict.rat.in mor.acu.com. 4°. 7ª.135.*D*
Cauſi frigidæ potu ſanantur. de vict.rat.in mor.acu.com. 4°.7ª.135.*F*
in Cauſone quidam obiit potu aquæ frigidæ. 1°. *de ſymp.cau.* 3ª.18.*E*
Cauſo neq; pura aqua neq; pura mulſa bibenda, cur. de victus ratione in mor.acu.com. 4°. 7ª.135.*A*
in Cauſo quando vomitus conuenit, & ventris ſubductio. de vict.rat. in mor.acu.com. 4°. 7ª.135.*B*
Cauſus ſi ſuperuenerit liquidam habenti aluum, quando purgandum. de vict.rat.in mor.acu.com. 4°. 7ª.139.*E*
in Cauſo purgat lacte aſinę cocto. de vic.ra.in mor.ac.c. 4°.7ª.135.*B*/*C*
ad Cauſum remedia, & quomodo cognoſcatur. de dyn. *Sp.*33.*D*
CAVSTICA, *hoc eſt vrentia.* 5°.*de ſimp.med.fac.* 5ª.36.*A*
Cauſticum in craſſa. 5°.*de ſimp.med.fac.* 5ª.36.*B*
Cauſtica medicamenta habent duplicem ſimilitudinem ad attractionẽ, vnam actu, alteram potentia. 3°.*de ſimp.med.fac.* 5ª.23.*D*
Cauſticum eſt Auripigmentum. 9°.*de ſimplic.med.fac.* 5ª.68.*G*
Cauſtica vires habet Batrachium. de ſimp.med. *Sp.*81.*D*
Cauſtica eſt Caliſiua. de ſimp.med. *Sp.*82.*E*
Cauſticis aliquibus miſcentur Cantharides. de ſimp.med. *Sp.*82.*D*
Cauſticas quodam modo vires habet canum. de ſimp.med. *Sp.*83.*C*
Cauſticis Cedrum admiſcetur. de ſimp.med. *Sp.*82.*B*

in

in Cauſtica mittitur Fæcula. de ſimp.me. *Sp.84.D*
Cauſticis immittitur Lixiuium lauri.de ſimp.med. *Sp.85.H*
Cauſtica radix Pyrethri. 8°.de ſimp.med.fac. *5ª.59.D*
in Cauſtica mittitur Sapo.de ſimp.med. *Sp.90.G*
Cauſticis & deſiccantibus medicamentis miſcetur ſmiris. 9°.de ſim. med.fac. *5ª.67.C/de ſimp.med.* *Sp.87.A*
Cauſticas vires ignis in modum habet Thapſia.de ſim med. *Sp.91.F*
quaſi Cauſticũ vrit Tithymallus, ſi incidat ĩ cutẽ.de ſi.med. *Sp.91.F*
Cauſticũ non vehementer,eſſentiæ tenuioris,ab omni abeſt mordacita te,aut cum exiguo tũ dolore,tum morſu carnoſas partes cliquat. 5°.de ſimp.med.fac. *5ª.36.A*
Cauſticum medicamentum cum vlceratæ particulæ imponitur horrẽt rigent,& febricitant. 2°.de ſymp.cau. *3ª.22.E*
Cauſticis vtitur in columella. 14°.me.med. *7ª.91.A*
pro CAVTERIIS *& eſcharis quidam æſtus nomen exponunt. cõ.7°. apho.13°.* *Ex.54.H*
Cauterium,& Napy non ſimiliter vrunt. 5°.de ſimp.me.fa. *5ª.39.C*
Cauteriis vtitur.de ther.ad Piſo. *5ª.96.F*
Cauteriorum manubria pannis inuoluenda. 10°.de ſim.me.fa. *5ª.73.g*
Cauterio vtitur in ægilope. 5°.de comp.med.ſe.lo. *5ª.160.B*
Cauteriũ ad dẽtes pforatos & dolentes. 5°.de com.me.ſe.lo. *5ª.163.f*
Cauterio ad putredines in ore.6°.de cõp.med.ſe.lo. *5ª.172.E*
Cauteria candentia in fluxu ſanguinis. 1°.de ſimp.med.fa. *5ª.5.E*
Cauterium trahit. 13°.me.med. *7ª.82.D*
Cauteria ad venenum valere,collige.7°.de ſimp.med.fac. *5ª.49.D*
de CAVTIONE *adhibẽda in ſanguinis detractiõe.pſ.ex.cõſ.* *Sp.78.d*
CAVVM *conuexo oppoſitum dicitur.com. 6°.aph.46°.* *Ex.51.G*
Cauum fiat id quod colliditur neceſſe eſt. de cauſ.mor. *3ª.9.G*
Caua omnia,& anguſta,quę non poſſunt reſpirare, extinguunt ignem. de vtil.reſp. *1ª.224.F*
Caua cur ſint oſſium extrema. de ana.viu. *Sp.43.G*
in Caua Syria naſcitur bitumen. 9°.de ſimp.med.fa. *5ª.65.B*
in Cauam Syriam, & in Cyprum nauigauit Galenus diſcẽdi gratia. 9°.de ſimp.med.fac. *5ª.65.H*
Caua Vena propter quid dicta.de ven.art.diſſec. *1ª.56.C*
Caua vena vnde oriatur.de anato.viu. *Sp.50.H*
Caua vena,arteria magna ſub ſepto tranſuerſo ſuper vertebras incũbit.intim.Plato. *1ª.287.H*
Caua vena cur iuncta non eſt ſpinæ.16°.de vſu par. *1ª.218.G*
Caua vena comparatur trunco.de venarum arteriarũq; diſſe. *1ª.55.f*
Cauæ venæ inceſſus.de ven.art.diſ.57.F/de nat.hu.c.2°. *7ª.183.E*
Cauæ venæ inceſſus.16°.de vſu pa. *1ª.218.G/de vtil.reſp.* *Sp.62.G*
Caua vena ſurſum & deorſum per propagationes mittit ſanguinem per totum corpus, & quomodo.de ven.art.diſſe. *1ª.56.C*
a Caua uena quæ venæ oriuntur aſcendendo. de uen.ar.diſſ. *1ª.56.C*
Caua uena quo feratur ad ſpinam cum arteria.16°.de uſu p. *1ª.214.d*
a Caua deriuatio uenarum ad partes infernas.de uen.art.diſſ. *1ª.58.B*
a Caua uenæ renum ampliſſimæ. de uen.ar.diſſ. *1ª.58.C*
ex Caua vena ſanguis quomodo riuulo & fluuio comparatur.de nat. humana.com.2°. *7ª.184.B*
per Cauam venam hepatis quo modo tendat materia in gibbam.commen.7°.aph.30°. *Ex.36.B*
Cauum omne Vlcus eſt cacoethes.4°.met.me. *5ª.52.C*
Cauum ulcus apertum quo modo curetur.2°.de compoſi.medicamen. per ge. *5ª.218.F*
Caua ulcera quibus medicamentis curanda. in 6ᵐ.de morb.uulgarib. commen.2°. *3ª.160.H*
Cauis ulceribus quæ carnem inducant.2°.de cõp.me.per g. *5ª.221.G*
Caua uulnera comprehendit ariſtolochia. de dy. *Sp.80.F*
ad Caua implenda. 5°.de compo.med.per ge. *5ª.253.D*
Caua replens aliud. 5°.de comp.med.per ge. *5ª.253.E*
Cauis ulceribus uidetur caro germinare.c.6°.aph.19°. *Ex.48.B*
Cauæ cicatrices neceſſario fiunt in ulceribus diuturnis. comment.6°. aphor.45°. *Ex.51.E*
Cauæ tm̃ ſunt cicatrices quãtũ fuerit abſceſſus.c.6°.ap.45°. *Ex.51.g*
Vide concauum.

CEBI *habent muſculos temporales debiles & exiles.11°.de uſu par.* *1ª.184.F*
Ceborum maxilla inferior cur minima. 11°.de uſu par. *1ª.185.A*
CECIS, *galla.7°.de ſimp.med.fac.* *5ª.51.B*
CECVBVM *uinum quid appellent Romani. de uinis.* *Sp.76.H*
Cecubum uinum cuiuſmodi fuerit generis haud plane cognoſcas.de bonitate, & uitio ſuc. *2ª.38.F*
Cecubum uinum efficaciſſime calefacit.de bon.& ui.ſuc. *2ª.38.H*
CEDERE *diuerſimode contingit in tmmoribus,& quo modo.7°.de art.cur.ad Glauc.* *7ª.105.B*
CEDRIA *quid ſit.in 6ᵐ.de mor.uul.com.6°.* *3ª.192.F*
CEDRVM *quid & cius uires. de ſimp.me.* *Sp.82.B*
Cedrum cauſticis admiſcetur. de ſimp.me. *Sp.82.B*
CEDRVS *ſpecie duplex eſt,altera fruticoſa iuniperis ad ſimilis,altera arbor non exigua. 7°.de ſimp.me.ſa.* *5ª.50.D*
Cedrus eſt calida & ſicca in tertio ordine. 7°.de ſimp.me.ſa. *5ª.50.d*
Cedri fructus κέδρις dicitur.2°.de ali.fac. *2ª.19.C*
Cedrides, hoc eſt cedri baccæ.5°.de comp.me.ſe.lo. *5ª.198.H*
Cedri fructꝰ grano Iuniperi ſimilis,ſed iunipero durior, ſiccior,et exilior eſt. 2°.de alim.fac. *2ª.19.C*
Cedri fructus non præbet alimentum,niſi aqua maceretur. 2°.de ali. facultа. *2ª.19.C*
Cedris,id eſt cedri fructus,eſus capitis dolorem facit,ardorẽ, & morſum in uentre. 7°.de ſimp.med.fac. *5ª.50.F*
Cedri fructus ex genere eſt medicamentorum. 2°.de ali.fa. *2ª.19.C*
Cedri fructus non eſt aromaticus. 2°.de alim.fac. *2ª.19.C*
Cedri fructus capiti dolorem infert.2°.de ali.fac. *2ª.19.C*
Cedridum ſemen. 8°.de comp.me.ſec.lo. *5ª.195.G*
Cedrea, ideſt oleum cedri, in caliditate & ſiccitate quartum ordinẽ uidetur attingere.7°.de ſimp.med.fa. *5ª.50.D*
Cedria abunde calfacit. 1°.de comp.med.ſe.lo. *5ª.126.F*
Cedrinum oleum calefacit,& exiccat.2°.de ſimp.med.fac. *5ª.16.D*
Cedrino ad calefaciendum caput,ruſtici aſiani utuntur. 2°.de comp. med.ſec.lo. *5ª.135.F*
Cedrea lẽdes,pediculos,tineas,& in corpibus natos uermes interficere valet,fœtũ uiuentẽ interimit,mortuũ aũt eiicit, oculorum cicatrices extenuat,& viſus hebetudini medeꝰ.7°.de ſi.me.f. *5ª.50 e*
Cedria quo loco ponatur inter calida,quæ conueniunt alopecijs. 1°.de comp.med.ſe.lo. *5ª.122.D*
Cedria qũo nigros reddat capillos.1°.de comp.med.ſe.lo. *5ª.126.F*
Cedria illinenda capiti frigido & humido in nigris reddendis capillis. 1°.de comp.med.ſec.lo. *5ª.126.F*
Cedria qua mulieres inunguntur.1°.de comp.med.ſe.lo. *5ª.126.F*
Cedrea ſi dentium foraminibus inſtilletur,& dolores mitigat, & cõfringit dentes.7°.de ſimp.med.fac. *5ª.50.E*
Cedrea eſt tenuium partium.7°.de ſimp.med.fac.50.D/ 3°.de cõpo. med.ſec.lo. *5ª.228.F*
Cedriæ odor.1°.de comp.me.ſec.loc. *5ª.126.F*
Cedria olfacta excitat ſtrãgulatas ex utero.9°.de cõ.me.ſ.l. *5ª.205.g*
Cedrea carnem mortuorum quo modo tueatur a corruptione.7°.de ſimp.med.fa. *1ª.50.E*
Cedrea mollẽ carnẽ putrefacit abſq; dolore.7°.de ſimp.me.f. *5ª.50.d*
Cedrea in uiuis ob calorem carnes tenues urit.7°.de ſim.m.f. *5ª.50.E*
Cedrea ſanat uulnera ouium a forfice facta. 7°.de ſimp.me.f. *5ª.50.f*
Cedrea phlegmonem in ulceribus excitat.7°.de ſim.me.fac. *5ª.50.E*
Cedrinum oleum pro doloribus.in 6ᵐ.de mor.uul. c.6°. *3ª.196.B*
Cedria cocta. 9°.de comp.med.ſe.lo. *5ª.199.C*
ex Cedria malagma. 9°.de comp.med.ſe.lo. *5ª.199.D*
Cedri cortex cum oxymelite uomitum. de cathar. *Sp.95.C*
Cedri fuligo, qualis.7°.de ſimp.med.fac. *5ª.54.F*
Κεγχραμὶς fiſci ſemen.2°.de al.fac.16.C/ *2ª.17.H*
CELE, *id eſt Ramex,quid. ſim.med.* *If.49.D*
CELERITATEM *motus ouium ſignificat ſtridor apud Homerum.3°.de diff.pulſ.* *4ª.60.B*
Celeritas,& elegantia faciunt ut artifices ſint aliis præſtantiores.de faſciis. *7ª.293.C*
Celeritas aliquid facit ad paſionem.1°.de ſymp.cau. *3ª.16.H*
Celeritas motus in morbis, vnde.3°.de criſi. *4ª.140.E*
Celeritatem ægritudinis ſignificant quibus biliоſæ hypoſtaſes, ſuperne autem tenuitates.de uri.ſign.ex Hipp. *Sp.78.H*
Celeritate motus reſarcitur affectus. 1°.de cau.pul. *4ª.87.E*
Celeritas pulſus,unde.1°.de cau.pul. *4ª.87.C*
Celer tardus,creber,rarus pulſus, unde accipiantur, & quid ſint.1°. de diff.pul. *4ª.48.D*
Celer pulſus, qui.3°.de dig.pul.79.G/1°.de cau.pul. *4ª.88.E*
Celer motus,qui.2°.de ſymp.cau.21.A/3°.de dig. pul. *4ª.80.I*
Celer motus,& creber differunt. 2°.de dign.pul. *4ª.75.D*
Celeres in ſuis actionibus eſſe debent chirurgici.de faſciis. *7ª.293.C*

Celer primipilarius.7°.de comp.med.per ge. 5ª.271.G
Celerior qui motus,& qui tardior.2°.de dig.pul. 4ª.75.G
Celerrimi pulsus a quibus fiant. 1°.de cau. pul. 4ª.87.E
Celeriter agere quid sit. de fascijs. 7ª.293.C
Celeriter,& munde conficienda sunt quæcunq; mundiciem,& celeritatem admittunt. de fasciis. 7ª.393.C
*Celeriter injciendum est vinculum,vt opus expediat.de fa.*7ª.294.B
Celerrime & maxime vniuersim vinum alit.c.2°.ap.18°. Ex.13.F
CELLAE *vinariæ fm quosdã scriptores de re rustica in ædibus ad aquilonem expositis defodiendæ sunt. 4°.de sim.me. fa.* 5ª.27.H
Cella vinaria quo modo possit calida fieri.1°.de antid. 5ª.101.A
Cella quæ melior vinis infidelitas translatis.1°.de anti. 5ª.101.B
CELLVLAS *septem habet matrix. de anat.par.* Sp.43.C
*Cellulæ matricis non sunt quinque,neque septem.de ana.viu.*Sp.51.f
CELTARVM *multa nomina cur collegit Gal. ad Thr.* 2ª.106.H
ex Celtica accipiebat literas Gal. 4°.de loc.aff. 4ª.22.C
Celticum nardum.4°.de comp.med se.lo. 5ª.157.B
CENCHRIA *herpetis genus.14°.me.med.* 7ª.92.G
CENCHRVM, *id est milium.7°.de simp.med.fac.* 5ª.50.D
CENCHRAMIDES *minuta grana ficus.7°.de simp.me.* 5ª.55.E
Κενεαγγεία, *ideſt vasorum inanitio,sæpius ducitur ἀσιτία. de vic.ra. in mor.acu. com.2°.* 7ª.123.F
Κενεών, *quæ pars sit corporis.de ijs, quæ in medic.fi.c.2°.*209.D/ *de articulis.com.3°.* 7ª.276.H
Κενοδοξίαν, *ideſt vanam gloriam, ambitionem græci appellãt. 6°.de sani.tu.* 2ª.98.B
Κενόν *quid significet.de ijs,quæ in medica.fi.c.2°.* 7ª.208.B
Cenotica auriũ quæ sint,quæ nariũ, & quæ oculorũ.de cath. Sp.95.B
CENTAVREA *quid.de simp.med.* Sp.82.A
Centaureæ duæ species.de virt.cent. Sp.92.H
Centaurea origano assimilis est. de simp.me. Sp.82.A
Centauream Romæ inuenit Galenus. de antid. 5ª.102.B
*Cẽtaurea medicamẽtaria & calida facultate.9°.de cõ.m.s.l.*5ª.197.f
Centaurio & chamæleonte imbecilliora sunt aristolochia et iris. 5°.*de comp.med.per ge.* 5ª.246.A
Centaurium ingreditur theriacam.de ther. ad Pis. 5ª.92.G
Centauriũ maius acre est adstringẽs,subdulce.7°.de si.me.f. 5ª.50.F
Centaurium maius menses prouocat, fœtum mortuũ euellens, viuũq; corrumpens atque eiiciens,vlcera glutinat,& sanguinem rejciẽtibus prodest. 7°.de simp.med.fac. 5ª.50.F
Centaurium maius ruptis, conuulsis, spirandi difficultati,tum inueteratæ tussi conuenit.7°.de simp.me.fa. 5ª.50.F
Centaurij maioris succus pro lycio.7°.de simp.me.fa. 5ª.50.G
CENTAVRIVM *minus amarum adstringens exiccat citra mordacitatem.7°.de simp.me.fa.* 5ª.50.G
Centaurea est amarior absinthio.de cura icter. Sp.111.A
Centaurium tenue. 1°.de antid. 5ª.107.C
Centauriũ minus vires hẽt in foliis,& floribus.7°.de si.m.f. 5ª.50.G
*Cẽtaureæ succus quo mõ extrahaĩ & conseruetur.de vi.cẽ.*Sp.93.A
Centaurij succus tempore duresçit.6°.de comp.me.se.lo. 5ª.172.H
Centaurea nihil vtilius est ad multa. de vir. cen. Sp.92.G
Centaureæ succi vis, quæ.de vir.cent. Sp.93.B
Centaureæ succus ad ani affectus confert. de vir.cent. Sp.93.E
Centaureæ,& absinthij decoctio Aperit obstructionem minus,quã de coctio iridis.de medici.exper. Sp.104.B
*Centaureæ succus ad Ap̃ata incisa parua confert.de vir.cẽt.*Sp.93.b
Centaureæ succus ad Aurium affectus confert.de vir. cent. Sp.93.C
Centaurium minus purgat bilem pinguissimam, & mucilagines.de dynamidiis. Sp.21.C
Centaurea nigram Bilem prouocat. de simp. med. Sp.82.A
*Centaureę succus ad multos valet capitis affectus.de vir.cẽ.*Sp.93.B
Centaureę succus ad Combustos confert. de vir.cent. Sp.93.F
Centaurium minus Corpulentiam incidit.14°.met.me. 7ª.91.D
Centaurium digerit.14°.met.me. 7ª.91.E
*Centauriũ minus non dãdũ in Febre,collige.de med.fa.par.*7ª.167.A
Centaurij minoris herba arefacta glutinatorijs, et deficcatoriis miscẽt facultatibus, duritias veteres emollit, vlcerũ maligna, & cacoethe, sanat,& miscetur ijs quæ rheumaticis affectibus medetur.7°. de simp.med.fac. 5ª.50.G
Centauriũ tenue ad glutinandos sinus.2°.de art.cur.ad Gla. 7ª.106.G
Centaurium exile prædicabatur contra ictus venenosorum.9°.de simpl.med.fac. 5ª.65.E
Centaurij minoris herbæ decoctum cur Ischiadicis infunditur. 7°.de simpl.med.fac. 5ª.50.H
Centaureæ decoctio curat Ischiadẽ.de medi.exper. 104.D/ Sp.106.e
Centaureæ radicem tenuium partium esse absque morsu & Lapidẽ atterere in renibus, collige.3°.de comp.med.se.lo. 5ª.141.B
Centaurij minoris decoctum facit ad Melancholicos.de mel.ex Gale. Rufo,& Poss. Sp.110.B
Centaurea Menstrua amouet.de simp.med. Sp.82.A
*Cẽtaureæ succº ad Morsũ ferarũ uenenosarũ cõfert.de vir.cẽ.*Sp.93.b
a Centaurea sanatur morsus canis rabidi. de vir.cent. Sp.92.H
Centaureæ decoctio & rutæ valet contra morsum rutelæ. de medicinis expertis. Sp.106.F
Centaureæ succus ad Narium passiones confert.de vir.cent. Sp.93.C
Centaurium ad Neruos vulneratos valet.3°.de cõ.m.per g. 5ª.234.b
*Centaurij minoris succus cum melle oculis illinitur, menses,& fœtũ euocat,& illis præbetur,qbus nerui affecti sunt iecinoris obstructiones expedit,& lieni indurato remediũ est.7°.de sim.me.f.*5ª.50.b
*Centaureæ succus ad Oculorum affectus confert.de vir.cent.*Sp.93.B
Centaureæ succus ad hypopya,id est liuiditates oculorum,confert.de virtu. cent. Sp.93.D
Centaurea est oculorum cenotica. de cathar. Sp.95.B
Centaureæ succus Oedemati conuenit. de vir. cent. Sp.94.A
*Cẽtaureæ succus ad affectus Oris,& partiũ ei° cõfert.de vi.cẽ.*S.93.d
Centaurea Partum expellit. de simp.med. Sp.82.A
Centaurium minus in clysteri in Phlegmone iecoris in declinatione. 13°.met.med. 7ª.84.A
*Centaureæ succus ad pudendorum affectus confert.de vir.cen.*S.93.d
Centaureæ radicis succus confert suspirijosis,& tussientibus. de simpl. medicinis. Sp.82.A
Centaurea totum Ventrem purgat.de simp.med. Sp.82.A
*Centaureæ succus ad Vulnera & vlcera antiqua.de vir.cen.*Sp.93.F
Centaurium vlcera exiccat.4°.de comp.med. per ge. 5ª.236.G
Centauriũ vlcera maligna curare põt. 5°.de cõ.me.per ge. 5ª.246.A
Centaureæ succus ad Vngues quassatos, & apostematos confert. de vir.centau. Sp.93.C
Centaureæ dictum electarium Zenonis. de med.exper. Sp.107.G
CENTAVRI *habent quatuor crura.3°.de usu par.* 1ª.127.F
de Centauris fabula apud Pindarum. 3°.de vsu par. 1ª.127.F
CENTVM *pro multis. 9°.de dec.Hip.* 1ª.284.G
CENTENA *antidotus qua Galenus vtebatur,& composuit Cesari.2°. de antidotis.* 5ª.115.E
CENTENARIVS *senex quo victu sit usus. 5°.de san.tu.* 2ª.91.F
CENTESIMVS *vigesimus dies terminus est decretorium dierum, postea mensium & annorum decretoriorum numero soluũtur morbi. 2°.de diebus decr.* 4ª.156.D
CENTONIBVS *& operculo quo modo præparetur uas.7°.de comp. med.per ge.* 5ª.273.A
CENTRIO *vnde dictum.1°.de comp.med.per ge.* 5ª.213.E
CENTRVM *quid.fi.med.Is.45.A/ 10°.de vsu par.* 1ª.182.B
CEPHALALGIÆ *morbo nomen impositum est a læsa particula.2°.me. medendi.* 7ª.9.D/E
Cephalalgia quid,& quo modo differt a cephalæa.de lo.aff. 4ª.20.E
Cephalalgia,hemicrania,& cephalæa differunt. in 6m.de mor.vulga. commen.1°. 3ª.154.A
Cephalalgia capitis dolorem significat. de sym.diff. 3ª.11.F
Cephalalgia est passio ex bile. de sper. Sp.38.B
Cephalalgia vel adest, vel aderit quibus sunt vrinæ perturbatæ veluti iumentorum.de vri.sign.ex Hip. Sp.78.G
Cephalalgia laborantibus uitanda uina odorata.de att.ui.ra. 4ª.46.d
Cephalalgia affectis damus cholagoga.de dy. Sp.20.G
Cephalalgici,qui.2°.de comp.med.se.lo. 5ª.137.B
Cephalalgica puella unde naturaliter sit.de sper. Sp.38.C
Cephalalgicis prodest aphroselinum.de simp.med. Sp.80.D
CEPHALÆA *quid.sin.med.47.D/intro. Isa.56.C/ de compo. medica. secun.loc.* 5ª.137.B
Cephalæa cerebri morbus est,& cur,& quomodo.de loc.af. 4ª.20.E
de Cephalæa capitis dolore antiquo.2°.de comp.me.se. lo. 5ª.137.B
Cephalæa ex morbis longis internus capitis dolor est.intro. Isa.56.C
in Cephalæa quæ partes doleant.2°.de compo.med.se.lo. 5ª.137.C
in Cephalæa dolor turgidus euenire solet. 2°.de loc.aff. 4ª.10.E
Cephalæa habet accessiones,ut comitialis morb.3°.de lo.af. 4ª.20.E
Cephalæa intermittit q̃q; ut in comitialib.2°.de cõ.me.se.l. 5ª.137.B

Cephalęa laborantem moriturum esse quid significet.de dyn. Sp.23.B
Cephalææ curatio.de dyn. Sp.23.C
Cephalææ laborantibus vitanda vina odorata.de atte.vi.ra. 2ª.46.D
in Cephalæa,quæ repellant.2°.de comp.me.se.lo. 5ª.137.D
ad Cephalæam valēt Aseli sub aquario nascentes. 2°.de compositio. medicam.sec.lo. 5ª.137.E
in Cephalæa,quando calida,& quando frigida debent esse medicamēta.2°.de compo.med.sec.lo. 5ª.137.D
ad Cephaleā inueteratā stercus colūbinū.1°.de sim.me.fa. 5ª.77.A
Cephalææ auxilium.intro. Isa.56.C
Cephalæa infestante Cathartícis vtimur.de dyna.20.E/ Sp.23.C
ad Cephalæam Crocodialidis radix.2°.de comp med.se.lo.5ª.137.D
Cephalæa diuturna laborātibus datur Elleborus niger.de dy. S.21.A
ad Cephalæam veterem electuarium agarici.de med.exp. Sp.108.C
ad Cephalæam.de med.exper. Sp.107.F
in Cephalæa vena ex naribus incidēda.2°.de cō.me.se.lo. 5ª.137.D
CEPHALICA *medicamēta vnde dicta,& quæ sint.6°.me.m. 7ª.42.B*
Cephalica medicamenta quasi capiti dicata.intro. Isa.57.H
de Cephalicis Scripsit Heras.2°.de comp.med.per ge. 5ª.226.B
Cephalica quæ propriæ nominentur.2°.de comp.me.per g. 5ª.225.H
Cephalicum medicamentum vnde dictū.2°.de cō.me.per ge.5ª.225.C
Cephalicum medicamentum,quale.1°.de comp.me.per ge. 5ª.210.B
Cephalica sunt potentiora catagmaticis.2°.de com.m.per g.5ª.226.A
Cephalica medicamenta.4°.de compo.medic.per ge.5ª.243.H/5°.me thodi medendi. 7ª.32.E
Cephalicorum diuersorum compositio.3°.meth.med. 7ª.16.G
in Cephalicis cur repercutientia addant.2°.de cō.me.per g. 5ª.225.C
Cephalici cuiusdam sicci compositio.3°.meth.med. 7ª.15.G
Cephalicū quoddā sit sub caniculæ æstu.2°.de cō.me.per g. 5ª.226.C
Cephalicum emplastrū Asclepiadeū.3°.de comp.me.se.lo. 5ª.146.B
Cephalicum emplastrum Isis.2°.de comp.me.per ge. 5ª.226.B
Cephalicum Philotæ.5°.de comp.medi.per ge. 5ª.243.H
Cephalicum Tryphonis.5°.de comp.me.per ge. 5ª.253.E
Cephalicum viride.2°.de comp.me.per ge.5ª.226.G/4°. 4ª.243..G
Cephalica medicamenta ad diuersas capitis passiones accommodātur. introductio. Isa.58.C
Cephalica medicamenta ad capitis dolorem.intro. Isa.58.C
Cephalica medicamenta ad capitis eruptiones.intro. Isa.58.C
Cephalica medicamenta ad capitis furfures.introd. Isa.58.C
Cephalicum ad diuturna,& quæ difficulter curantur.4°.de comp.me. per genera. 5ª.243.H
Cephalicum cum melle adhibitum, vt crusta cito excidat. 2°. de arte curat.ad Glauco. 7ª.107.B
Cepbalicus pastillus.2°.de com.me.per gea. 5ª.226.C
Κέφαλον *capitis ornamentum.de fasc. 7ª.297.B*
CEPHALICA *vena est vna ex quinque venis quę secantur in brachio. de anat.viuo. Sp.54.G*
Cephalica vena secari debet super iuncturam.de ana.viu. Sp.54.G
Cephalica vena quinam ramus sit venæ concauæ.de an.viu. Sp.54.E
in Cephalica quando fieri debet sectio venæ.secre. Sp.97.D
Cephalica vena in quo euacuęt.de ana.viu. Sp.54.H
CERA plurimam substantiam humidam hēt.c.1°.aph.14°. Ex.7.F
in Ceris nō est magna differentia humiditatis ,& siccitatis. 3°. de cō po.med.per gene. 5ª.230.C
Cera est substantiæ crassæ emplasticæ.7°.de sim.me.fa. 5ª.51.D
Cera quodam modo medium tenet calfacientium, refrigerantium, humectantium,& desiccantium.8°.de simp.me.fac. 5ª.51.C
Cera quo calidior est pix eo etiam acrior est.de fra.com.3°.7ª.244.B
Cera congelatur.1°.de sim.me.fac. 5ª.5.D
Cera liquatur igne.3°.de comp.med.per ge. 5ª.233.F
Cera quando est in melle vel propolis est malum.7°.me.me. 7ª.43.H
Cerę vires.de simp.medica. Sp.82.B
Cera quomodo exiccet & humectet.7°.de sim.me.fa. 5ª.51.D
Cera cur vtamur in pluribus medicamentis.7°.de sim.me.fac.53.A/ 9°.70.4°.de comp.me.sec.lo. 5ª.140.D
Cera commoda pro ceratis & malagmatibus.9°.de com.me.se.lo.5ª. 198.D/de sim.med. Sp.82.B
Cera quid faciat in vnguentis.4°.de san.tu. 2ª.87.B
Cerę quantum miscendum sit medicamentis parandis,collige.4°.de sanitate tuenda. 2ª.87.A/B
Cerę ætas,et qd significet nouū in cera.4°.de com.me.per ge.5ª.238.b
Cera nouæ melior pro medicamento.4°.de comp.me.per ge. 5ª.238.b
Cera non debet esse sicca,nec antiqua.9°.de comp.me.per g. 5ª.219.B
Cera debet esse noua,quod si non sit,quomodo paranda. 4°.de compo. medica.per ge. 5ª.242.B
Cerę vnguentariæ meminit.3°.de com.me.per ge. 5ª.234.F
Cera additur oleis cum sunt fluida.1°.de com.me.se.lo. 5ª.122.B
Cera materia oīum medicamentorū.7°.de sim.me.fa.51.C/5°.de com med.per ge.247.C/6°.255.C/5ª.258.A/7°.meth.me. 7ª.46.H
Cera aqua calente prius calefit,q̄ ponatur in emplastris duobus Here. 4°.de comp.med.per ge. 5ª.245.A/B
Cera vim fortiū pharmachorū exoluit.1°.de comp.med.se.lo.122.G/ 4°.de comp.me.per ge. 5ª.240.A
Cera emplastica.6°.de comp.me per ge.255.E/ 5ª.258.B
Cera dulcis mitigans est.2°.de sim.med.facul. 5ª.12.H
Cera mordacitatis expers est cera lota.2°.de simp.med.fac. 5ª.12.D
Ceram expertem mordacitatis,& oleum effectum candidum ad eandem valere,collige.2°.de sim.me.fa. 5ª.12.D
Cera non potest ostendi in tetrapharmaco,tamen propter hoc non est dicendum q̄ non insit.de nat.hum.com.1°. 1ª.27.B
ex Cera,& refrigerātibus compō quo fiat.6°.de san tuen. 2ª.100.F
ex Cera,æsypo,& resina,cerata qualia.7°.de cō.me.per g.5ª.264.E
ex Cera & oleo rosato ceratū liquidū.2°.de cō.me.per ge. 5ª.218.H
Cera multo indiget oleo ad liquiditatem.3°.de com.me.per g. 5ª.230.C
Cera non potest per angusta transire nisi liquida.in 6ᵐ.de mor.vulga. commen.3°. 3ª.173.D
Cera quo dēt duplici vase liqueficri.8°.de com.me.sec.lo. 5ª.187.E
Cera quæ deligenda in vlceribus.4°.de comp.me.per gen. 5ª.237.D
Cera(sola)nō cōuenit vlceribus malignis.4°.de cō.me.p ge.5ª.236.H
Cera facit vlcus sordidum.2°.de comp.me.per ge. 5ª.218.G
Cera cū ærugine vlceri cauo conuenit.2°.de com.me.per ge.5ª.218.G
ex Cera,oleo,et ærugine carnē cōficiēs medicamētū.3°.m.m.7ª.17.B
ex Cera,euphorbio,resina fricta,& pice,emplastrum pro neruis vulneratis.6°.metho.med. 7ª.37.F
Cera omnis emollit,& laxat durities.de sim.me. Sp.82.B
Cera mediocriter emollit.5°.de com.me.per ge. 5ª.247.H
Cera emollit imbecillissime.7°.de comp.me.per ge. 5ª.263.H
Cera emollit,& tū cicatricē non generat.4°.de cōp.me.per g.5ª.241.C
Cera pro adipe caprino.8°.me.me. 7ª.53.F
Cera cum oleo maturat.de ocul. 7ª.188.E
Cera parum concoquit.7°.de sim.med.fa. 5ª.51.C
Cera liquefacta quopiam ex calidorum oleorum apta est in feruentibꝰ phlegmonibus pus mouere.5°.de sim.me.fac. 5ª.34.C
ex Cera,aloe,masticbe,& nardo ceratum Iecori,& ori ventriculi cō uenit.de rem.par.fac. 7ª.158.F
Cera ad lauandum idonea est quæ ex melle facta est tum aquositate,tū minime mordaci.4°.de sim.me.fac. 5ª.25.E
Cera lauatur vt mordacitatē amittat.1°.de comp.me.per ge.5ª.217.D
Cerę acres quomodo lauantur.1°.de com.med.per ge. 5ª.213.H
Cera lota pro neruis detectis.6°.met.med. 7ª.38.C
Cera elota emplastica est.4°.de sim.me.fa. 5ª.25.E
Cera quæ ex acri et thymoso melle cōficitur fugiēda est,cū medicamentū ab oi mordicitate alienū pparare volumus.4°.de si.m.f. 5ª.25.E
Cerarum electio.8°.de comp.medicam.sec.lo. 5ª.187.E
Cerę albę facit mentionem.8°.de comp.med.sec.lo. 5ª.197.A
Cera quòd scirent dealbare.1°.de comp.me.per ge. 5ª.213.H
Cera alba.9°.de compo.med.secun.lo.204.H/2°.de com.med.per ge. 225.A/B/6°.258.A/7ª.270.C/ 5ª.272.C
Cera non olens candidissima.7°.de com.me.per ge. 5ª.274.F
Cera alba quæ sua sponte prouenit est pōtica.1°.de c.m.per g.5ª.213.H
Cera cādida emolliens in primo ordine.7°.de cō.me.per ge. 3ª.264.D
Cera alba ad tubercula oculorum.de rem.par.fac. 7ª.156.H
ex Cera alba fomētum ad oculorū hordeolū.de me.fac.pa.7ª.163.B
Cera Chia.6°.de comp.med.per ge. 5ª.255.B
Cerę ponticæ meminit.5°.de comp.med.sec.lo.262.B/8°.193.B/196. E/F/10°.208.B/H/1°.de compositio.medica.per gener.213.H/217. B/G/2°.225.A/5°.250.G/6°.260.B/F/263.B/7°.269.C/ 272.D 273.E/H/ 5ª.274.C
Cera optima,vel alba pontica,vel attica.10°.meth.med. 7ª.65.A
Cera alba ponica.8°.de comp.me.sec.loc.197.C/1°.de comp.medica. per gen.215.G/2°.215.D/6°. 5ª.260.D
Cera pontica ex sua natura est amara,& ex absinthio amaritudinem obtinet,quam lotione non deponit.4°.de sim.me.fa. 5ª.25.E
Cera pontica amara.8°.de comp.med.secun.lo. 5ª.187.D

Cera alba pōtica vim habet medicamētosam. 1°. de c. m. p g. 5ª. 215. H
Cera pontica valet ad emplastra candida præparanda. 1°. de com. me dica. per gene. 5ª. 217. D
Cera præstantior est terebinthina. 6°. de com. me. per ge. 5ª. 258. B
Cera tyrrhenica valet ad emplastra candida præparanda. 1°. de com. med. per gene. 5ª. 217. D
Cera tyrrhenica, quæ. 3°. de com. me. sec. lo. 145. G/148. D/5°. 169. H/ 162. A/8°. 187. D/9°. 204. F/G/H/1°. de com. me. per ge. 5ª. 213. H
Cerę tyrrhenicæ fit mentio. 2°. de com. me. per ge. 222. D/226. D/ 3°. 234. F/4°. 242. E/7°. 267. A/5ª. 272. B/E/8°. meth. med. 53. D/de remed. par. fac. 7ª. 163. G
Cera tyrrhenica alba. 1°. de comp. me. sec. loc. 131. B/ 1°. de comp. me. per genera. 5ª. 213. H
Cera tyrrhenica sponte non nascitur alba. 1°. de cō. m. per g. 5ª. 213. H
vt in Cera sigillum imprimens se habet ad sigilli impressionem, ita se habet instrumētum generationis in muliere ad instrumētum genera tionis in masculo. de anat. viuo. Sp. 51. E
è Cera ficta mala, & punica, & apia, & vuæ, et nuces, prius q̄ olfa ctu, & gustu, & tactu tententur, a veris differre minime videntur. de ijs quæ in med. fi. com. 1°. 7ª. 199. C
Ceram secando gladius hebetatur. 3°. de simp me. fa. 5ª. 22. A
Κεφαλὰς *quid vocant græci. 14°. de vsu partium. 1ª. 208. D/E/ 3°. de sympt. cau.* 3ª. 29. H
CERAMIVM, *idest amphora, qua nota significatur. de ponderib. & mensuris. 275. D* 1ª. 276. H
Ceramium habet choas octo. de pond. & mens. 5ª. 275. E
Ceramium quæ mensura sit pro humidorum diuersitate. de ponderib. & mensuris. 5ª. 277. A/B/C/D
CERAMITIS *vsus multiplicis. 5° de comp. me. per ge.* 5ª. 252. D
CERASIA *habent qualitates easdem mororum, & fructuum rubi. 2°. de alimen. fac.* 2ª. 19. B
Cerasia quædam similia moris. 2°. de alim. fac. 2ª. 19. A
Cerasia frigida sunt. 4°. de sim. me. fa. 5ª. 26. D
Cerasorum sapores. 7°. de simp. medi. facul. 5ª. 50. H
Cerasia dulcia humida & lenta. 1°. de ali. fac. 2ª. 8. C
Cerasia adstringunt magis & minus. 2°. de ali. fa. 2ª. 19. B
Cerasia numerantur inter fructus minus noxios, qui non reponuntur, quia ventrem lubricant, & in tertio ordine. de att. vic. ra. 2ª. 45. H
Cerasa quæ stomacho conueniant, quæ non. 7°. de simp. med. 5ª. 50. H
Cerasa quando commode edi possunt. de bon. & vitio suc. 2ª. 39. B
Cerasorum gummi, quale. 7°. de simp. me. fac. 5ª. 50. H
Κέρασμα. *de vict. ra. in mor. acu. com. 3°.* 7ª. 132. C
CERASTAE *morsibus confert centaureum. de virt. cent.* Sp. 93. H
ad Cerasten valet theriaca. de theria. ad Piso. 5ª. 91. E
CERATIA *in regionibus orientalibus nascuntur. 2°. de ali. fa.* 2ª. 21. E
Ceratia nos ad nos non importari melius erat. 2°. de alim. fa. 2ª. 21. E
Ceratia sunt praui succi, lignosa, et coctu difficilia. 2°. de ali. f. 2ª. 21. E
Ceratia, idest siliquæ dulces. de rem. par. fac. 7ª. 159. H
Ceratonia si humida sumas, ventrem subducunt, si sicca magis fistunt. 7°. de simp. med. fac. 5ª. 51. A
Ceratonia exiccant, & adstringunt. 7°. de sim. me. fac. 5ª. 51. A
CERATIVM *mensuræ nomen, qua nota significetur. de ponderibus, & mensuris.* 5ª. 275. C
Ceratium, idest siliqua, quod pondus. de ponde. & mens. 5ª. 276. D/G
Ceratij mensuræ meminit. de med. fac. par. 7ª. 173. G
CERATOIDES, *idest cornea, panniculus oculi. de ocul.* 7ª. 182. H
Ceratoidis crassitiem detergit acorus. 6°. de sim. med. fa. 5ª. 42. A
Vide Cornea.
CERATAE *gumme per aures expelluntur. de comp. memb.* Sp. 59. B
CERATVM *quid sit, collige. 10°. meth. me.* 7ª. 65. A
Ceratum dicit simpliciter sine adiecto. 6°. de comp. me. se. lo. 5ª. 176. H
Ceratiformia. 8°. de compo. med. sec. lo. 5ª. 187. D
Cerati forma quæ constant. 3°. de comp. me. sec. lo. 5ª. 147. E
Cerati consistentiam pix seruat. 3°. de comp. med. per ge. 5ª. 233. C
Ceratum quomodo præparari debet 8°. de comp. me. se. loc. 5ª. 187. E
Cerati cuiusdam confectio. 6°. de comp. me. per ge. 5ª. 255. F
Ceratū quo modo emplasticis miscetur. 2°. de art. cu. ad Gl. 7ª. 106. A
Cerati speciem habent relaxantia. 7°. de comp. me. per ge. 5ª. 268. A
ad Cerati temperaturam. de rem. fac. par. 7ª. 167. B
ad Cerati crassitudinem medicamentum miscetur. 1°. de cō. me. se. lo. 130. E/2°. 136. E/5°. 160. E/7°. 186. H/9°. 199. F/3°. de cō. medi. per ge. 5ª. 232. H/*de rem. par. fac. 160. B/161. E/162. A/* 7ª. 167. B
Cerati spissioris crassitudo. 8°. de comp. med. sec. lo. 5ª. 192. G
Cerati liquidi spissitudo. 10°. de comp. medica sec. loc. 209. D/ 3°. de cō posi. medic. per ge. 230. A/C/7°. 5ª. 271. C
Ceratum liquidum, quale. 3°. de cō. me. per ge. 5ª. 233. B
Cerati liquidi duplex coniectio. de frac. com. 1°. 7ª. 227. D
Ceratū liquidū ex cera & oleo rosaceo. 2°. de cō. me. per g. 5ª. 218. H
Ceratum liquidum magis quam durum conuenit inflammationibus. de fracturis. com. 1°. 7ª. 227. D
in Cerato humido quantā esse debeat frigidæ mixtio. 1°. de sim. medic. facultat. 5ª. 3. C
Ceratum humidum prohibet phlegmonem. 6°. meth. med. 7ª. 41. B
Ceratum humidum ex aqua quibus conueniat affectibus. 1°. de simpl. medicamen. fac. 5ª. 3. C
Ceratum liquidum in vulneribus. de fract. com. 3°. 7ª. 245. A
Cerati liquidi meminit. 5°. de comp. me. sec. loc. 164. C/9°. 205. B/1°. de comp. med. per ge. 210. H/211. E/2°. 3ª. 224. B
Ceratum liquidum. 7°. de comp. me. per ge. 5ª. 269. D
Ceratum subliquidum. 1°. de comp. me. per gen. 5ª. 212. H
Cerata subhumida quæ sint, & quo modo ab emplastris differant. 1°. de comp. me. per ge. 5ª. 217. F
Cerati species 3°. de comp. me. per ge. 5ª. 234. C
Ceratum ex aceto ad erysipelata. 1°. de sim. me. fac. 5ª. 7. F
Cerato simplici quod neq; calfaciebat, neq; refrigerabāt Aqua admi sta frigida refrigerat. 1°. de sim. me. fa. 5ª. 7. F/*14°. me. me.* 7ª. 87. E
Ceratum Chamæmelinum refrigerat. 9°. de comp. me. se. lo. 5ª. 205. F
Cerati, quod κηρώλεον *dicitur, fit mentio. 6°. de sa. tuen.* 2ª. 100. G
Ceratum Cruentum. de fract. com. 3°. 7ª. 242. E
Ceratum Cyprium, quale. 3°. de comp. me. se. lo. 5ª. 147. B
Ceratum Cyprinum fortius est Amathonis malagmate in ictero. de cura icteri. Sp. 111. C
Ceratum Cyprinum. 3°. de comp. med. sec. loc. 5ª. 146. G
ex Cerato & ærugine fit Incarnans medicamentum, tamen utrunque per se est contrarium incarnationi. 7°. de cō. me. se. lo. 5ª. 176. H
Ceratum habens parum æruginis generat carnem; non ærugo. 1°. de simpli. med. fac. 5ª. 7. G
Ceratis adhibita chrysocolla carnes luxuriantes stringit. de simplicib. medicaminibus. Sp. 82. E
Ceratum Ligustrinum. de rem. par. fac. 7ª. 169. B
Ceratum Melinum ad ventriculum qui intus vrat. 8°. me. m. 7ª. 53. D
Ceroti Oesypi compositio. de dyna. Sp. 22. D
Cerotum iuris de lana. de dynam. Sp. 22. D
Cerata ex œsypo, resina, et cera, qualia. 7°. de cōp. me. per g. 5ª. 264. E
Ceratum œsypi ad phlegmonas præcordiorum. 14°. met. me. 7ª. 88. G
Cerelæon, quale. 7°. de comp. me. per gen. 5ª. 269. A
Cerelæon quomodo conficiatur. 7°. de cō. me. per ge. 5ª. 263. H
Cerelæon emolliens imbecillius. 7°. de comp. me. per ge. 5ª. 264. E
Ceratum ex eloto Oleo ceraq, confectum collinitur, & acres mordicationes mitigat. 10°. de sim. med. fa. 5ª. 73. F
Ceratum ex oleo dulci, morsibus frequenter succurrit. 2°. de sim. med. facultati. 5ª. 12. C
Ceratū dulce q̄n opportunū sit asperitati. 2°. de sim. me. fa. 5ª. 12. G
Cerata ex Ouis, qualia. 7°. de comp. me. per gen. 5ª. 264. E
Ceratis quibus misceatur vitellus ouorum. 11°. de sim. me. fa. 5ª. 81. E
Ceratum Picatum pro prurigine. de fract. commen. 3°. 7ª. 243. G
Ceratum picatum, quod. de fract. com. 1°. 7ª. 227. D
Ceratū picatū. de fract. com. 3°. 242. C/de arti. com. 2°. 7ª. 267. E
Ceratum picatum quale, & q̄n adhibendum. de fra. com. 3°. 7ª. 242. E
Ceratum picatum vbi ponendum. de fract. com. 3°. 7ª. 245. B
Ceratū interim fiat per Resinam pityinam. 5°. de cō. m. per g. 5ª. 248. C
Ceratum Rosaceum, quale. 3°. de comp. med. sec. lo. 5ª. 147. B
Ceratū ex simplici rosaceo pro priapismo. 14°. meth. me. 7ª. 89. B
Ceratū rosaceū parū hns resinæ vtæ. 8°. de compo. med. se. lo. 5ª. 192. B
Ceratum rosaceum, cui admistum sit aliquid calcis p erysipelate. 14°. methodi medendi. 7ª. 87. E
Ceratum ex rosaceo, & adipe aut pinguedine infusum morsibus continuo succurrit. 2°. de sim. med. fac. 5ª. 12. C
Ceratum rosaceum infusum valet in dysentericorū deiectionibus, vbi vehementer rodunt. 12°. meth. me. 7ª. 74. H
Ceratum rosaceum. 1°. de comp. med. sec. loc. 5ª. 124. E
Ceratum rosaceum. 3°. de com. me. sec. lo. 5ª. 146. G
Ceratum rosaceum 5°. de com. me. sec. lo. 5ª. 159. G
Ceratum cum oleo miscetur Thapsia ne ipsa vlceret. 1°. de composit. medicamen.

medicamentorum sec.loc. 5ª.122.A
Ceratũ Thapsiã recipiens pro habente catarrhum. 5°.*met.me.* 7ª.35.E
Ceratum thapsiæ supra pectus in catharro. 5°.*met.me.* 7ª.35.E
Ceratum habeant, qui cinctum non patiuntur. 8°.*met.me.* 7ª.53.D
Ceratum mitigat medicamenta. 2°.*de composi.med.per ge.* 5ª.220.D
Cerati quæ parum accipiunt medicamenta, efficaciora sunt. 5°. *de cõ. med.per gen.* 5ª.246.G
Ceratis valentiora sunt epithemata. 7°.*met.med.* 7ª.44.A
Cerata adhibenda in Alopecia. 1°.*de com.me.se.loc.* 5ª.122.H
Ceratum morsu carens non adhibemus Oculis.in 6ᵐ.*de mor. vulgari. commen.* 6°. 3ª.196.D
Ceratum post cataplasma imponebat Galenus in Iecoris phlegmone. 13°.*methodi meden.* 7ª.83.H
Ceratum ex aloe, mastice, cera & nardo Iecori & ori ventriculi conuenit.de reme.par.fac. 7ª.158.F
Ceratũ pro Hepate et ore vẽtriculi inflãmato. 8°.*de c.m.s.l.* 5ª.187.D
Ceratum pro ore ventriculi imbecillo. 8°.*meth.me.* 7ª.53.D
Ceratum in Ictero ad splenem.de cu.icte. Sp.111.A
Ceratum vel malagma applicandum hypochondrio Ictherici. de cura ictteri. Sp.111.C
Cerato malagmata, quæ. 7°.*de comp.me.per ge.* 5ª.269.E
Ceratum in Pleuritide.de vict.ra.in mor.acu.com. 4°. 7ª.144.B
Ceromate est vtendum ad pedes calefaciendos in febribus aluũ liquidam facientibus.de vic.ra.in mor.acu.com. 4°. 7ª.139.G
Ceratum pro hyeme & æstate. 8°.*de compo.medica.sec.lo.* 5ª.187.D
pro Ceratis quæ medicamẽta sint cõmoda. 9°.*de cõ.me.se.l.* 5ª.198.B
Κεράυνιος *a fulmine appellatum vinculum.de fasc.* 7ª.302.C
Κεράυνιος *Sostrati.de fasc.* 7ª.302.G
CERCILII *pueriulus quomodo a Galeno curatus.* 2°.*de art.curat.ad Glauconem.* 7ª.104.C
Κερκὶς *quid.* 2°.*de mot.musc.* 1ª.313.F
Κὲρκνειν *quid significet.* 2°.*de simp.med.fa.* 5ª.10.H
Κὲρκνος *est exiguus quidã ad tussiẽdũ impetus.* 2°.*de sim.ca.* 3ª.21.G
Cerchnos præcedit tussim. 2°.*de sym.cau.* 3ª.21.G
Cerchnum qñq; patiunt aliqui, & nõ tussiunt. 2°.*de sym.ca.* 3ª.21.G
Cerchnos ex quibus contingat. 2°.*de sym.cau.* 3ª.21.G
Cerchnos quibus superueniat. 2°.*de symp.cau.* 3ª.22.H
Κερχνῶδες ἀ κερκὶν *deducitur, quod sonum, & sibilum facere significat.de arti.commen.* 3°. 7ª.275.F
CEREALIA. *semina.* 2°.*de alim fac.* 2ª.16.B
Cerealia semina, quæ.de atten.vic.rat. 2ª.44.E
Cerealia semina quæ sint.de vict.ra.in mor.acu.com. 2°. 7ª.111.B
Cerealibus humida esse debet terra. 9°.*de sim.me.fac.* 5ª.64.F
CEREBRVM, *græce* ἐγκέφαλον, *habet nomen a situ.* 8°. *de vsu partium.* 1ª.166.C
Cerebrum non habet propriũ nomen substantiæ. 8°.*de vsu p.* 1ª.166.D
Cerebrum, quid.introd. 52.F/ Isa.53.G
Cerebrum inter partes instrumentales numerantur.de diff.mo. 3ª.2.F
Cerebrum ex quibus formetur in fœtu.de ana.viuo. Sp.52.A
Cerebrum ex solo semine oritur. 1°.*de sem.* 1ª.331.C
Cerebrum creat Sol.de com.memb.siue de nat.hu. Sp.59.F
ad Cerebri generationem intendit spũs animalis.de ana.viu. Sp.51.H
Cerebri membranæ, abdominis membrana, thoracis succintorium, medullæ dorsi, eodem tempore fiunt. 1°.*de sem.* 1ª.332.B
Cerebrum esse primum in creatione tenet Hippocrates, quia in ouo apparet primo caput pulli.de ana.viuo. Sp.52.A
Cerebrum posterius corde formatur, & qnando.de fœt.for. 1ª.323.G
Cerebro cur non indiget fœtus.de fœt.for. 1ª.323.G
Cerebri functiones in fœtu, quales de fœt.for. 1ª.323.H
Cerebrum, cor, & iecur, iuxta se locata cernuntur in abortibus triginta dierum.de fœt.for. 323.A/1°.*de semi.* 1ª.331.D
Cerebrum cur longius a corde.de fœt.for. 1ª.323.G
Cerebro & corde iecur maior in abortibus triginta dierum. de fœtũ formation. 1ª.323.A
Cerebrum viscus nominat. 3°.*de dec.Hip.* 243.F/ 1ª.245.D/E
Cerebrũ, cor, & iecur, viscera. 6°.*de dec.Hip.* 1ª.261.H
Cerebrum, cor, & iecur tria sunt principia, & quarum sint operationum.in 1ᵐ.*pror.commen.* 1°. 4ª.169.F
Cerebrum, cor, & iecur, & ab ipsis dependentia membra consideranda.de morbo.tempo. 3ª.89.H
Cerebrum, cor, hepar, stomachus sunt membra quatuor principalia secundum aliquos de anat.viuo. Sp.56.A
Cerebrũ, et cor sũt duo mẽbra principalia ſm alios.de ana.vi. S.56.A
Cerebrum est inter prima membra post cor.de ana.vi. Sp.47.B
Cerebrum principium in nostro corpore.ars med. Isa.63.B
Cerebrum est vnum ex principijs vniuersi corporis. 2°.*de art.curatiu. ad Glauconem* 7ª.103.B
Cerebrũ hẽt imperiũ corporis humani. 3°. *de dec.Hip.& Pl.* 1ª.245.A
Cerebrum propter quid, præcipuum, & princeps omnium quæ humano corpore continentur.intro. Isa.53.G
Cerebrũ pars ppria ad vitã.fin.me. Isa.45.E/14°.*de vsu p.* 1ª.204.C
p Cerebro est cor in carentibus capite. 8°.*de vsu par.* 1ª.165.C
pp Cerebrũ ab aliquibus dicitur esse factũ caput. 8°.*de vsu p.* 1ª.165.C
Cerebri gratia non est factum caput. 8°.*de vsu par.* 1ª.166.C
Cerebrum esse factum, vt refrigeret cor, absurdũ est dicere. 8°.*de vsu partium.* 1ª.165.D
Cerebrum a corde pari cum pedibus in interuallo in aliquibus animalibus distat. 8°.*de vsu pa.* 1ª.165.D
Cerebrum est situm in capite propter oculos. 8°.*de vsu p.* 1ª.167.A
Cerebrũ q aiunt a cranio cõformari q̃ lõge errẽt. 8°.*de vsu p.* 1ª.170.B
Cerebrum factum est ad caluariæ imitationem. 1°.*de ana. ad.* 1ª.63.E
Cerebrum si paruum est, caput quoq; est paruũ: & si cerebrum magnũ, caput quoq; magnum.in 6ᵐ.*de mor.vul.com.* 3°. 3ª.174.B
de Cerebri anatomia.de ana.par. 43.D/*de anat.viuo.* Sp.53.G
Cerebrum asinorum perplexum est vt in homine. 8°.*de vs.p.* 1ª.170.C
Cerebra bubula accipit pro anatome. 9°.*de ana.adm.* 1ª.103.H
Cerebrum seorsum potest videri sine reliquis corporis partibus. 4°.*de anatomi.administ.* 1ª.81.H
Cerebri anatomiæ administratio. 9°.*de ana.admi.* 1ª.103.H
Cerebrum duabus membranis comprehenditur.intro. Isa.53.G
Cerebri mẽbrana mollis & dura ob qd. 7°.*de dec.Hip.& Pl.* 1ª.269.B
Cerebri panniculi duo, & quales, & eorum officium.de ocu. 7ª.183.A
Cerebrum ambiri a tenui menynge argumẽtũ. 8°.*de vsu p.* 1ª.168.H
Cerebri tegmentum innatum est tenuis menynx. 8°.*de v.p.* 1ª.169.A
Cerebri tenuis membranæ dissectio. 9°.*de ana.admi.* 1ª.104.E
Cerebrum quo modo diuidatur a dyra menynge. 8°.*de vs.p.* 1ª.166.B
a Cerebro seiuncta est crassa menynx, vasis tamẽ cohærens. 8°.*de vs. partium.* 1ª.169.A
Cerebri membranas pulsare dicunt aliqui. 3°.*de diff.pul.* 4ª.64.E
in Cerebri membranis pulsus est motus naturalis.de ijs quæ in medi. fiunt.commen. 3°. 7ª.223.D
Cerebri inuolucrum crassum quædam membranulæ pericraneo tunicæ connectunt.in 6ᵐ.*de mor.vul.com.* 1°. 3ª.153.E
Cerebro nullum aliud operimentum extra crassam menyngem fuit circundatum. 13°.*de vsu par.* 1ª.201.H
Cerebri menynx frigida & sicca & densa est.de com.memb.siue de natu.humana. Sp.58.B
Cerebri membranæ cute sicciores sunt. 1°.*de temp.* 1ª.18.A
cum Cerebri operimentorum substantijs eiusdem substantiæ sunt operimenta medullæ dorsi & arteriarum.de fœt.for. 1ª.324.D
Cerebri membrana habet multa foramina.de inst.odo. 1ª.112.E
Cerebrũ cooperiẽtis pelliculæ duplex est inuamẽtũ.de an.vi. Sp.53.D
in Cerebrorum tunicis glacialis grandinis, & humorum suorum iuuamentum.de anato.viuo. Sp.44.C
per Cerebri corpus humiditas est dispersa. 3°.*de lo.aff.* 4ª.16.H
Cerebri humiditas cur nec essaria.de ocu. 7ª.183.H
Cerebri substantia, qualis. 8°.*de vsu par.* 1ª.167.B
Cerebri substãtiæ fil's, vt in nullo alio reperiat. 6°. ẽ *de.Hip.* 1ª.266.B
Cerebrum est medulla secundum Platonem. 8°.*de vsu par.* 1ª.166.C
Cerebrum eiusdem naturæ cum spinali medulla. 1°.*de tempe.* 17.G/*de fœt.forma.* 5ª.324.D
Cerebrũ nõ est superabũdantia spinalis medullæ. 8°.*de vsu p.* 1ª.170.B
cum Cerebro spinalis medulla quænam habet communia, & quænam propria. 13°.*de vsu par.* 1ª.201.G/H
Cerebro compacto similis est spinalis medulla. 1°.*de mo.m.* 1ª.308.H
vt Cerebrum, duplici pelle tegitur medulla spinalis, secundum anatomicos.de vtil.resp. Sp.62.G
Cerebri substantiæ consideratio. 8°.*de vsu pa.* 1ª.162.B
Cerebri diuisio.de ana.viuo. Sp.53.G
Cerebrum geminatum esse quod signum habeatur.de an.vi. Sp.48.A
Cerebrum duplex est mollius, & durius, & cur. 8°.*de vsu p.* 1ª.167.B
Cerebrum incipit molle, & vsq; ad spinalem usq; dullã fit magis ac magis durum: qua vero parte ei coniũgitur, ibi reliquis suis partibus est durius. 9°.*de vsu par.* 1ª.174.F

Cerebrum cur molle.de ana.viuo. Sp.51.G
Cerebrum cur neruis mollius.8°.de vſu par. 1ª.167.B
Cerebrum in iuuenibus molle cum ſit atq; humidum, caluariam tãgit, & omnem interiorem cauitatem complet, in ſenibus ſicceſcens diſtat a caluaria.in 6ᵐ.de mor.vul.com.3°. 3ª.170.A
Cerebrum paulatim fit durius.9°.de vſu par. 1ª.175.D
Cerebrum anterius quare mollius.8°.de vſu par. 1ª.167.B/*de ocul.7ª.* 183.H/*de ana.viuo.* Sp.53.G
Cerebri priores partes tãto humidiores, q̃to molliores.1°.de tẽ. 1ª.17.H
Cerebrum poſterius quomodo appelletur.9°.de ana.admi. 1ª.104.D
Cerebellum quid.fin.med. Iſa.43.H
Cerebelli forma, qualis, & cur.8°.de vſu par. 1ª.170.C
Cerebelli ſeu cerebri poſterioris figura cõcinna ſignũ ẽ optimũ. Iſ.63.D
ad Cerebelli baſim arteriæ.16°.de vſu par. 1ª.220.B
Cerebrum quo modo diſtinguatur a cerebello.8°.de vſu par. 1ª.169.F
Cerebellum multo durius cerebro.8°.de vſu par. 1ª.170.A
Cerebrum poſterius quare durius.8°.de vſu par. 167.B/1ᶜ.*de mo.mu.* 1ª.308.H/*de ana.viuo.* Sp.53.H
Cerebri plurima pars in ſincipite.in 6ᵐ.de mor.vul.com.1°.3ª.152.H
Cerebrũ ab vtraq; parte cerebelli duos proceſſus habet.int. Iſ.54.F
Cerebrum cur diuiſum ſit ſecundum latitudinem.de anat.vi. Sp.53.H
Cerebrum a qua linea diuidatur per medium.3°.de loc.aff. 4ª.20.F
Cerebri ventriculorum ſectio.9°.de ana.adm. 1ª.104.H
Cerebri duo ventriculi.intr. Iſa.53.H
Cerebri ventriculi cur duo, & non vnus.8°.de vſu par. 1ª.169.D
*in Cerebro quatuor ventriculi.7°.de dec.*1ª.269.B/*de ocu.* 7ª.183.G
Cerebri anteriorum ventriculorum figura.de ner.diſſ. 1ª.53.C
Cerebri anteriores ventriculi cur coeant.8°.de vſu par. 1ª.169.F
*Cerebri duo ventriculi anteriores quid faciant.8°.de vſu p.*1ª.169.D
in Cerebri anteriori ventriculo duo foramina oriuntur, quæ tendunt ad nares.de inſtr.odor. 1ª.110.D
in Cerebri anterioribus ventriculis odoris ſenſus ineſt.de inſtr.odor. 1ª.111.C/1°.*de ſymp.cau.* 3ª.15.G
in Cerebro cur olfactus præter alios ſenſus.8°.de vſu par. 1ª.168.C
a Cerebri a prioribus ventriculis meatus in poſteriorem ventriculũ.8°.de vſu par. 1ª.169.E
Cerebri ventriculorũ anteriorũ ſeptũ vbi ſit ſitũ.3°.de lo.af. 4ª.20.F
Cerebri poſterior ventriculus cur magnus.8°.de vſu pa. 1ª.169.E
*Cerebri poſterioris vẽtricul⁹ cur minor anteriorib⁹.8°.de v.*1ª.170.A
*Cerebri poſterior vẽtriculus cur nõ potuit eſſe duplex.ibidẽ.*1ª.169.E
in Cerebri tertio vẽtriculo meatus maximus.9°.de ana.ad. 1ª.105.D
Cerebri ventriculus medius non eſt contendendus quaſi non ſit nobiliſſimus.3°.de lo.affect. 4ª.17.H
*Cerebri quartus vẽtriculus qui dicaĩ a nõnullis.8°.de vſu p.*1ª.169.F
Cerebri vẽtriculi in q̃ vſq; partẽ veniant.7°.de dec.Hip. 1ª.269.H
Cerebri ventriculorum compreſſionem quomodo dura menynx prohibeat.9°.de vſu par. 1ª.173.E
*in Cerebri ventriculis ſpũs fit exacte animalis.7°.de vſu p.*1ª.159.C
ex Cerebri coctione fit ſpiritus animalis.9°.de vſu par. 1ª.172.F
*Cerebri ventriculi pleni ſunt ſpiritu animali.de vſu pu.*227.H/*de de. Hippocrat.* 1ª.269.E
*Cerebrũ fons ſpũs aĩalis.de de.Hip.*1ª.269.C/12°.*me.me.* 7ª.77.B
Cerebri ſpiritus animalis dicitur.de vir.noſtr.cor.diſp. Sp.60.C
p Cerebrũ totũ propter quid ſpiritus animalis.8°.de vſ.par. 170.C
Cerebri poſterior vẽtriculus accipit ſpiritum animalem a priorib⁹.8°.de vſu par. 1ª.169.E
Cerebri poſterioris ventriculus principalis ſecũdum Herophilum.8°.de vſu par. 1ª.169.G
*Cerebri ſinus nobiliſſimus in occipitio.in 6ᵐ.de mor.vul.c.*1°.1ª.154.D
Cerebrum obtinet animalem facultatem.fin.med. Iſa.50.B
Cerebrum eſt princeps animalium actionum.de vſu pul. 1ª.227.E
*Cerebro nõ datur uis animalis a corde per arterias.2°.de d.*1ª.238.d
*in Cerebro eſt ſpiritus, qui oẽs operationes facit.3°.de lo.aff.*4ª.17.H
in Cerebro ſpiritui animali potiſſima alimenti pars accedit ex inſpiratione per nares.de vſu reſp. 1ª.226.A
in Cerebri ventriculis ſpiritus eſt, vel animæ ſubſtantia, vel primum organum.de vtil.reſp. 1ª.226.D
in Cerebro animæ ſubſtantiam eſſe neceſſarium eſt, ſi ſpiritus in vẽtriculis cerebri contentus, eſt animę ſubſtantia.de vti.reſ. 1ª.226.D
*in Cerebro ab aliquibus poniẽ aĩę principatus.1°.de vſ.p.*1ª.114.b
in Cerebro eſt vna ſpecies animæ.q animi mo. 1ª.317.F
in Cerebro eſſe animæ principatus.com.7°.aph.14°. Ex.54.H
*in Cerebro eſſe animæ partem principalem probatur.2°.de decretis Hip.*238.H/8°. 1ª.273.F
*in Cerebro oẽs aĩæ principalium viriũ affectus ſunt.3°.de l.a.*4ª.17.b
*in Cerebro anima ratiocinatrix habitat.9°.de vſu par.*172.F/17°.1ª. 222.F/1°.*de ſa.tu.*2ª.68.D/3°.*de loc.affe.* 4ª.16.E
in Cerebri corpore ſedet anima, & operationes ibi habet, ratiocinandi, memorandi, & ſentiendi.3°.de loc.aff. 4ª.17.H
in Cerebri menyngem ſunt tres diuiſiones, phantaſia, rationalis, memorialis.de com.memb.ſiue de nat.hu. Sp.58.B
*in Cerebro ne an in mẽbranis aĩę ſit prima facultas.2°.de l.a.*4ª.13.H
in Cerebri membranis, ab aliquibus ponitur animæ principatus.1°. de vſu partium. 1ª.114.H
in Cerebrum aĩa ratiocinatrix mittit ſemen.12°.de vſu p. 1ª.193.E
Cerebri meatuum varij proceſſus.7°.de dec.Hi. 1ª.269.F
Cerebro idem Conarion quod ventriculo pyloro iuxta aliquos.8°.de vſu partium. 1ª.170.D
in Cerebro corpus turbinatum q̃o vocetur.9°.de ana.ad. 1ª.105.B
Cerebro ſuppoſitæ glandulæ pinealis iuuamentum.de ana.v. S.44.D
in Cerebro quid ſit nates, & gemelli.9°.de ana.admi. 1ª.105.F
*in Cerebro excreſcentia vermicularis.quæ.9°.de ana.adm.*1ª.105.G/ *de oculis.* 7ª.183.G
Cerebrum & dura menynx ſupra quæ feratur.9°.de vſu p. 1ª.173.F
in Cerebrum cur venæ ex vertice deſcendunt.9°.de vſu p. 1ª.172.F
Cerebri venæ ſpirituales vbi.de na.& ord.cuiusl.cor. Sp.41.H
ad Cerebrum quomodo tendunt arteriæ.9°.de vſu par. 1ª.172.D
*in Cerebrũ cur arteriæ veniũt ab ĩfernis partibus.9°.de vſ.p.*1ª.172.f
in Cerebrum arteriæ, & venę cur nõ coniunctæ.ſed diuerſo loco veniunt.9°.de vſu par. 1ª.163.A
*ĩ Cerebrũ p craniũ veniũt venę ab extrema pte.9°.de vſu p.*1ª.183.A
in Cerebro cur tot venæ & arteriæ.7°.de dec.Hip. 1ª.269.D
*in Cerebro cur reticularis plexus.7°.de dec.Hip.*1ª.269.E/*de virt. noſtr.cor.diſp.* Sp.60.C
Cerebrum in capite habet duo foramina, quæ ad os deſcendunt.cõmẽt.7°.apho.51°. Ex.58.D
Cerebrum cur habeat meatus patentes præter poros latentes tres cauſæ.1°.de ſani.tuen. 2ª.68.D
Cerebri partes cur habent inſtrumentum attrahendi nutrimentum a lõginquis.9°.de vſu par. 1ª.172.G
Cerebri partes quibus nutriantur.9°.de vſu par. 1ª.172.G
Cerebrum ęget hepate & corde ad conſeruandam ſubſtantiam ſuã.de mot.man.& obſ. Sp.66.G
Cerebrum & cor iuuantur a iecore.de fœt.form. 1ª.324.H
Cerebro miniſtrat ſanguinem cor vt ſibi ab hepate præparatum eſt. de com.memb.ſiue de nat.hu. Sp.59.B
*Cerebrũ ob caloris inopiã minus corde digerit.16°.de vſu p.*1ª.220.H
*Cerebrum non valde eget ſpiritu a corde allato.de vti.reſ.*1ª.226.A
Cerebro obedit cor.3°.de decr.Hip. 1ª.245.A
a Cerebro in quo iuuetur cor.de fœt.for. 1ª.324.H
Cerebrũ, & corpora hoĩum augentur creſcente luna.de dyn. Sp.20.B
Cerebrũ nullum habet fumum, quem reſpirare deſideret.9°.de anat. adminiſt. 1ª.105.E
Cerebrum cur trahat ſpiritum, & reddat.de inſt.odo. 1ª.111.C
*in Cerebrum inſpiratio neceſſaria ad vitam.8°.de vſu par.*1ª.168.C
*ad Cerebrum accedit ſpũs per nares.de ca.re.*226.B/E/H/ 1ª.227.G
Cerebrum reſpirationem efficit per thoracem.4°.de lo.aff. 4ª.27.E
in Cerebrum cur nulla pars odoris impellatur in motu ſpiritus per tunicas naſi, etiam ſi ſpiritus ſit violentus.de inſtr.odo. 1ª.111.H
in Cerebrum nihil impellitur, quamuis vehemẽter ſpiritum plenis naribus comprimas.de inſt.odo. 1ª.112.A
Cerebri pelles ex cõtentiõe ſpũs in conatu inflanť.de vt.reſ. Sp.63.D
Cerebrum quomodo ingrediatur vox.8°.de vſu par. 1ª.167.G
a Cerebro vox creatur ſecundum aliquos.2°.de dec.Hip. 1ª.236.D
in Cerebro non contineri vocem experimentum.1°.de dec. 1ª.231.F
*Cerebrum ſua natura aptum eſt ad generandum pituitam.com.3°.ap. 12°.*Ex.21.F/*de diff.cont.* Sp.74.B
Cerebro deſtillans excrementum, fortaſſe nec pituitam quis appellet. 2°.de natura.facul. 1ª.302.B
Cerebrum vnde expurgetur.de natu.humana, commen.2°. 7ª.180.D/ 1°.*de ſan.tuen.*2ª.68.D/ 2°.*de locis affectis.*4ª.13.C/ 2°.*de ar.cu. ad Glauconem.* 7ª.102.H
in Cerebro craſſiora unde excernantur.de inſt.odo. 1ª.110.D
*a Cerebro ſuę fluorũ craſſorũ uiã infundibulũ.9°.de uſu par.*1ª.172.A

Cerebrum per

Cerebrum per palatum, nares, & aures purgatur. 7°. meth. me. 49. D/ 11°. 7ª. 73. C/ com. 1°. aph. 21°. Ex. 10. A

Cerebri expurgatio per palatum, & nares naturæ conuenit, sed per aures minime, nisi in pueris. com. 3°. aph. 24°. Ex. 25. B

Cerebri muccus per nares & os excernitur. de instr. odor. 1ª. 110. D

Cerebrum expurgatur per duos canales in palato, qui sufficiunt quando animal recte omnino se habet. 8°. de vsu par. 1ª. 168. C

ex Cerebro excrementitius humor per palatum. 2°. de sem. 1ª. 340. C

Cerebrum per nares purgatur. de const. ar. Isag. 41. D/ commentar. 6°. aph. 2°. Ex. 46. E

Cerebri foramina ex naso orta sunt duo. de na. & or. cuius. cor. Sp. 41. b

Cerebri meatus cur ampli per nares. 9°. de vsu par. 1ª. 171. D

in Cerebro eorum quæ sunt, cruditatem aut concoctionem per nares excreta indicant. in 1ᵐ. de mor. vul. com. 2°. 3ª. 112. A

Cerebri robur ostendunt exeuntia per palatum. per nares, & per aures. de const. ars med. Is. 42. B

in Cerebro tenuia et vapori similia uñ excernunt. de inst. od. 1ª. 110. D

Cerebrum expurgatur etiam per commissuras. 1°. de san. tu. 2ª. 68. D

Cerebri halituosa excrementa per sinciput diffl antur. in 6ᵐ. de morb. vulg. com. 1°. 3ª. 153. D

a Cerebro ortum habentia, quæ. ars med. Is. 63. B

Cerebrum quorum principium. 8°. de vsu par. 1ª. 166. A/B

Cerebri instrumenta sunt nerui. de oculis. 7ª. 183. E

Cerebrum eandem rationem habet ad neruum, quam oculus ad aerẽ. 7°. de decre. Hipp. 1ª. 271. A

ex Cerebri substantia nerui. 3°. de ana. ad. 73. A/7°. de decr. 1ª. 270. F

Cerebrum densatum est nerui substantia. 1°. de mot. musc. 1ª. 308. H

Cerebro neruos esse similes dicentes, errant. 7°. de ana. admi. 1ª. 96. A

a Cerebro nerui ortum habent. ars med. Isa. 63. B/ de ner. diss. 53. B/ 14° de vsu p. 214. D/ 15°. 212. E/ 2°. de decr. 1ª. 239. A/D/ com. 6°. aph. 50°. Ex. 52. G/ com. 7°. aph. 3°. Ex. 54. B

a Cerebro oriũ nerui, nõ a mẽbranis uel ẽuolucris. 7°. ḋ dec. 1ª. 268. H

Cerebrum principium omnium neruorum. 1°. de v. p. 117. B/ 3°. 133. G/ 8°. 166. A/ 12°. 1ª. 193. E

Cerebrum est principium neruorum mollium. 9°. de vsu par. 1ª. 175. D

ex Cerebri posteriori parte nullus penitus neruus mollis. 8°. de vsu partium. 1ª. 167. C

a Cerebro nerui omnes non simpliciter, sed primarie nascuntur. 3°. de lo. affect. 4ª. 20. B

a Cerebro quot nerui procedant, & quo modo. de ocul. 7ª. 183. F

a Cerebro nullus neruus oritur non coniugatus. de ner. diss. 1ª. 53. E

a Cerebro orientium neruorum prima coniugatio. de ner. diß. 1ª. 53. C

a Cerebro orientium neruorum coniugatio secunda, qualis & ubi. de neruo. diß. 1ª. 53. D

a Cerebro orientium neruorum coniugatio tertia, qualis, & quorsum tendat. de neru. diss. 1ª. 53. D

a Cerebro orientium neruorum coniugatio quarta, qualis, & quorsum tendat. de ner. diss. 1ª. 53. D

a Cerebro orientium neruorum coniugatio quinta, qualis, & vnde orta. de ner. diss. 1ª. 53. G

a Cerebro orientium neruorum sexta coniugatio, qualis, & ubi. de neruor. diss. 1ª. 53. H

a Cerebro ꝓdeũtiũ neruorũ septima coniugatio. de ner. diss. 1ª. 53. H

a Cerebro orientium neruorum ordo in crassitie & tenuitate. de instrumen. odor. 1ª. 110. E

a Cerebro quanto sunt distantiores nerui, tanto etiam ab eius ui distãt. 7°. de decr. Hipp. 1ª. 270. F

a Cerebro nerui faciei procedunt. 3°. de loc. af. 4ª. 21. A

a Cerebro ad oculum neruus, porus ab Hcrophilo vocatur. 1°. de sym pto. cau. 3ª. 14. D

in Cerebri anteriori parte nerui duri, ut opinor, mouentes oculos. 8°. de usu par. 1ª. 167. C

ad Cerebri uẽtriculũ cur ꝓtingũt nerui optici. 16°. de v. par. 1ª. 215. D

Cerebri naturã cognoscat q oculorũ naturã scire vult. de oc. 7ª. 183. E

ad Cerebri naturã tanto propius accedit oculus quàm alia, quanto certius, subtilius q̃ primũ sensibile habet. 7°. de decre. Hipp. 1ª. 270. H

ex Cerebri ẽuolucris oriunt tunicæ oculorũ. 2°. de cõ. m. se. l. 5ª. 137. C

Cerebrum ad humorem crystallinum portionem quandam a sese producit. 8°. de vsu par. 1ª. 167. E

a Cerebro pura ac syncera ꝓpago ī oculũ ꝓficiscit. 8°. de v. p. 1ª. 167. f

a Cerebro propago ad aures, qua soni recipiũtur. 8°. de v. p. 1ª. 167. G

a Cerebro quæ partes sub facie habent neruos. 16°. de v. p. 1ª. 215. E

a Cerebro duo nerui orti diuiduntur in quatuor ramos vnusquisq;, qui tendunt supra costas. de vo. & anhel. Sp. 61. H

a Cerebro neruº ad os uẽtriculi necessario accedit. 16°. de v. p. 1ª. 215. e

a Cerebro ad uẽtriculũ nerui obliqua uia ĩcedũt. 6°. de v. p. 1ª. 149. G

a Cerebro neruorũ portio ad Cæteras partes mittitur exigua, magna uero ad os uentriculi. 6°. de v. p. 1ª. 216. E/ c. 6°. a. 51°. Ex. 52. F

a Cerebro neruorũ ꝓpagines ad q̃ viscera ueniãt. 16°. de v. p. 1ª. 215. f

a Cerebro descẽdẽs paruus neruus in cor infigitur. 1°. de de. 1ª. 233. H

a Cerebro nerui partim a prima, partĩ a tertia, partĩ a sexta perueniũt ad iecur, ad lienẽ, ad renes, ad uẽtrẽ, ad uiscera. de ne. di. 1ª. 54. D

a Cerebro cur non mittantur nerui ad manus, & ad pedes. 16°. de vsu partium. 1ª. 215. E

a Cerebro posteriori neruorum productio, quæ. 7°. de v. p. 1ª. 162. B

Cerebri posterior pars in sexaginta neruos diuiditur. 2°. de comp. med. sec. loc. 5ª. 132. E

Cerebri, & spinalis medullæ coniunctio, medium principium est medio rum neruorum substantiæ. 9°. de vsu par. 1ª. 76. A

ex Cerebro neruos alios, alios ex dorsali oriri dicendum est. de ner. diss. 1ª. 53. C/ de mot. man. & obs. Sp. 66. F

a Cerebro & spinali medulla orientes nerui proprie nerui appellãtur. 15°. de vsu par. 1ª. 210. D

a Cerebro aut spinali medulla neruos accipiunt musculi. 1°. de mot. mu. 1ª. 308. H/ de vo. & anhel. Sp. 60. F

cum Cerebro, spinali medulla, quomodo musculi communicant. 1°. de motu musc. 1ª. 308. H

a Cerebro nerui riuorum in morem tanquam ex fonte deducunt uires musculis. 1°. de mo. musc. 1ª. 309. A

a Cerebro neruum accipiente musculo caret mẽbrum nullum, quod uoluntarie mouetur. 1°. de dec. Hip. & Plat. 1ª. 234. B

a Cerebro progerminata sunt nerui & medulla dorsi. de ner. diss. 53. B de fet for. 324. G/ 7°. de decr. Hipp. 1ª. 272. G

a Cerebro oritur spinalis medulla. ars med. Isa. 63. B/ de neru. diss. 53. E/ 1°. de usu p. 117. B/ 15°. 214. G/ de decr. Hip. 262. F/ 1°. de sem. 1ª. 331. D/ de oculis. 7ª. 183. E

a Cerebro accipit uim tum sentiendi, tum mouendi pro arbitrio spinalis medulla. 7°. de decr. 1ª. 272. G/ 3°. de lo. af. 4ª. 20. H

Cerebrum insensibile est. de util. resp. Sp. 62. H

Cerebrum nõ sensibile a natura, sed organum sensuum factũ est. de uirtut. nostrum corp. disp. Sp. 60. C

Cerebri proprium corpus est elementũ sensibile. 1°. de nat. fa. 1ª. 291. G

Cerebrum sentiens organum a natura conditum non est, sed ꝓ ea quæ sentiant sentire possit. 1°. de sym. cau. 3ª. 18. H

Cerebrum & spinalis medulla sensum obtinent. de mult. 3ª. 77. G

Cerebrum, primum sensorium seu sensus cõmunis. 7°. de dec. 1ª. 272. f

Cerebrum sensus principium. 3°. de usu par. 1ª. 133. G

in Cerebro neruorum, uoluntariorumq; motuum, ac quinque præterea sensuum principium est. in tim. Plat. 1ª. 287. C

prope Cerebrum cur omnia sensoria. 8°. de vsu par. 1ª. 167. A

ꝓp Cerebrum in capite sunt omnia sensoria. 8°. de vsu par. 1ª. 167. A

Cerebrum omnibus neruis principium est sensus & motus. de const. ar. Isa. 37. A/ 3°. de dec. Hip. 245. D/ 1°. de sem. 1ª. 335. B

Cerebrum ueluti fons facultatis neruorum. de mult. 3ª. 77. A/ de uict. rat. in mor. acu. com. 2°. 7ª. 123. H

a Cerebro suppeditatur sẽsus, et motus uniuersis corpis partib. 5°. de lo af. 4ª. 28. H/ de an. vi. 45. H/ de vir. nĩm corp. disp. Sp. 60. C

Cerebrum non habet originem a corde sensus & motus, vt quidam uoluerunt. 2°. de decr. Hip. 1ª. 239. D

Cerebrum motus uoluntarij principium. 2°. de decr. Hip. 240. D/ 7°. 1ª. 272. G/ in 6ᵐ. de morb. vulg. comm. 6°. 3ª. 189. G/ in 1ᵐ. prorrhetic. com. 1°. 169. F/ in prognost. 4ª. 200. A/ de voce, & anheli. 61. H/ de mo. ma. & obs. Sp. 66. G

a Cerebro partibus habentibus sensum exactiorem neruus immittitur maior & mollior. 16°. de usu par. 1ª. 215. B

ex Cerebri mixtione partes, intra peritonæum sensum cæteris exactiorem assumunt. 16°. de usu par. 1ª. 216. E

a Cerebro quo mõ trãsmittitur sensoriũ ad uisum. 8°. de v. p. 1ª. 167. e

a Cerebro spiritum splendidum affluentem habet uisus instrumentum. 16°. de usu par. 1ª. 215. D

a Cerebro ad oculos spiritus animalis luminosus. in 6ᵐ. de morb. uul. comm. 4°. 3ª. 187. B

a Cerebro ad oculum quo modo eant ſpiritus. 1°.de ſym.cau. 3ª.14.D
ad Cerebrum cito peruenit colorum alteratio.8°.de vſu par. 1ª.167.f
Cerebrum eſſe principium ſenſus aurium,oculorum, & narium,eo qa ſit propinquum,qui dicunt decipiuntur.2°.de dec.Hipp. 1ª.237.B
Cerebro nihil propinquius muſculis tẽporalibus. 11°.de v.p.1ª.185.c
Cerebro nullus alius muſculus præter temporalem per plures neruos communicat. 11°.de vſu par. 1ª.185.C
a Cerebro p̃beni corpi nouæ uoluptates.de cõ.mẽ.ſine d̃na.b. Sp.59.B
a Cerebro nerui accipiunt uirtutem animalem. 1°.de v.p. 1ª.117.B
a Cerebro vis non tranſmittitur nerno inciſo.de ocu. 7ª.184.H
Cerebrum excipit omnes neruos & ſenſus.10°.de v.par. 1ª.184.G
Cerebrum neruis ac muſculis ſuppeditat uirtutẽ.7°.meth.me.7ª.49.C
a Cerebro nõ eſt principiũ pulſus neq; arteriarũ.2°.de dec. 1ª.237.A
ex Cerebro oriuntur tendones quatenus ſunt neruorum participes. 6°. meth.med. 7ª.38.H
ex Cerebro non eſt natum ligamentum. 1°.de vſu par. 1ª.117.C
Cerebrum principium motus animalis.7°.de vſu par. 1ª.164.B
in Cerebro ordinata volũtas in ſanis iuxta originẽ neruorũ motus prĩcipium primo dat neruis,poſtea muſculis.3°.de lo.aff. 4ª.17.E
Cerebrũ mouet tm̃,et nõ mouetur ab alio.de mo.ma.& obſ. Sp.66.G
Cerebrũ ad motum & ſenſum non indigere corde.2°.de dec. 1ª.239.c
Cerebro nõ indiget cor ad ſui motiontẽ,& è contrario.de dec.1ª.232.b
Cerebrum mouet alia,& ſeipſum.de inſtr.odor. 1ª.111.A
Cerebrum & cor mouetur motu dilatationis,& cõſtrictionis, licet differant.de ana.viuo. Sp.56.E
Cerebrum ſemper mouetur.6°.de vſu par. 1ª.153.E
Cerebrũ quoq; ipſum quidam pulſare dixerunt.3°.de diff.pul. 4ª.64.f
Cerebrum pulſat,non ſpinalis medulla.13°.de vſu par. 1ª.201.H
in Cerebro & neruis uires fortes, & debiles cognoſcuntur ex arbitrarijs functionibus.de cur.rat.per ſang.miſſ. 6ª.17.D
Cerebrum differt functionibus ab artubus.4°.de præſ.ex p.4ª.120.F
Cerebrum quarum operationum ſit initium.de ocul. 7ª.183.E
Cerebri miniſteria præcipua,quæ in prog.com.2°. 4ª.198.E
Cerebri officium ad uitam, quale.7°.meth.med. 7ª.49.C
Cerebrũ inducit ſomnũ naturalẽ,vt quieſcat.1°.de ſym.ca. 3ª.19.a/b
Cerebri officium quale ſit cum ſani ſumus,& quale cum ægrotamus. 7°.meth.med. 7ª.49.B
a Cerebro ad teſtes prodeuntes venæ vaſa ſeminaria antecedentia dicuntur.de ana.viuo. Sp.51.G
ad Cerebri nutrimentum qui erat dealbatus ſanguis defertur ad teſtes.de ana.uiuo. Sp.51.G
ex Cerebro ſperma deducitur.de nat.& ord.cuiuslibet corp. Sp.42.C
a Cerebro qũo ſemẽ deducatur.de cõp.mẽb.ſive de nat.hu. Sp.59.C
Cerebrum,quale.fin.med.Iſa.43.H/com.3°.aph.24°. Ex.25.B
Cerebri temperaturam quinque oſtendunt.ars med. Iſ.63.C/F
Cerebri temperamentorum notæ vnde ſumantur.2°.de temp. 1ª.20.F
Cerebri uaria compoſitio non facit intellectum, ſed temperies. 8°.de vſu par. 1ª.170.C
Cerebrum qũo iudicetur bene conſtitutum.com.2°.aph.33°. Ex.17.B
Cerebri bonæ temperaturæ ſigna.ars med. Iſa.63.F
Cerebri temperiem ſeruare debent qui recte viuere, & recte meditari volunt.de vir.noſt.corp.diſp. Sp.60.C
Cerebrum eſt frigidum,& propter ſubſtantiam mollem facile alterabile.com.5°.aph.69°. Ex.45.D
Cerebrum cur ſit frigidum & humidum.de oculis.7ª.183.H/de anat. uiuo.53.G/de compag.memb. Sp.58.A
Cerebrum cur a Deo genitum ſit frigidum membrum,& humidum,et phlegmaticum.de anat.uiu. Sp.45.E
Cerebrum obſtat caliditati cordis.ars med. Iſa.64.F
Cerebrum cur non debet eſſe calidum.de ocul. 7ª.183.H
Cerebrum ſemper eſt multo calidius aere.8°.de uſu par. 1ª.165.E
Cerebrum ſi refrigeretur ut aer,letale eſt.8°.de uſu.par. 1ª.163.H
Cerebrum calidius eſt ſpinali medulla.1°.de temp. 1ª.17.H
Cerebri frigidi indicia.ars med. Iſa.63.G
Cerebrum frigidum,& uentriculum calidum habẽtes ſunt morbis obnoxij. 3°.de alim.fac. 2ª.28.F
Cerebrum humidum eſt prope adipem.1°.de temp. 1ª.17.G
Cerebrum humidius eſt ſpinali medulla.1°.de temp.15.C/ 1ª.17.H
Cerebri humidi indicia.ars med. Iſa.63.H
Cerebri humiditatis proprium ſunt altus ſomnus & coma.4°.de præ. ex pulſ. 4ª.120.G
Cerebri calidi ſigna.ars med. Iſa.63.F
Cerebrum calidũ habentes ſunt inſtabiles,& mobiles.de ocu.7ª.183.h
Cerebri caliditatis pulſus.4°.de præſag.ex pulſ. 4ª.120.G
Cerebri ſicci indicia.ars med. Iſa.63.H
Cerebri calidi & ſicci indicia.ars med. Iſa.63.H
Cerebri calidi,& ſicci pulſus.4°.de præſ.ex pulſ. 4ª.120.G
Cerebri calidi,& humidi indicia.ars med. Iſa.64.A
Cerebri frigidi,& ſicci indicia.ars med. Iſa.64.B
Cerebri frigidi & humidi indicia.ars med. Sp.64.C
Cerebrum læditur quandoq; totius ratione,quandoque partis.de mel. ex Gal.Ruf.& Poſſ. Sp.109.B
Cerebro affecto aut per ſe aut per conſenſum,qui morbi cõtingant.17°. de uſu par. 1ª.222.F
Cerebrũ facile lædunt immoderate refrigerantia.de inſt.odo. 1ª.112.F
Cerebro frigidum inimicum eſt.com.5°.aph.18°. Ex.39.A
Cerebro inimicum frigidum,calidũ amicum.cõ.5°.aph.22°.Ex.39.E
Cerebrũ frigore ſtringitur ut a manu ſpongia.com.3°.a.12°. Ex.21.G
Cerebrum,glacies,& nix refrigerant adeo,ut deſtillationes fiant.commen.5°.aph.24°. Ex.39.G
in Cerebro,& naſo faciunt intemperiem coryze, & catarrhi. 1°.de ſymp.cau. 3ª.16.A
a Cerebro in uentriculum defluentis frigidi humoris curatio.7°.meth. medendi. 7ª.48.F
a Cerebro ad uẽtriculum fluxus curatio a cerebro incipiat, ſi nihil impediat.7°.meth.med. 7ª.48.H
Cerebrum refrigeratur in principijs acceſionũ. 2°.de lo.aff. 4ª.14.C
Cerebrum quo modo frigeſcat ex ſtomacho.1°.de ſymp.cau. 3ª.18.G
Ceebrum duobus modis læditur a deleterijs,aut cũ tota ſubſtãtia ſunt contraria, aut cum una duabusue qualitatibus temperaturam immutant.5°.de ſimp.me.fac. 5ª.37.C
in Cerebro grauitates fiunt.de mult. 3ª.77.F
Cerebri refrigerati ſymptoma eſt fatuitas.4°.de præſ.ex p. 4ª.120.G
Cerebrum non habere fatuum dicunt.3°.de loc.af. 4ª.16.E
ſine Cerebro dicitur imprudens.3°.de dec.Hip. 1ª.243.D
Cerebrũ,et neruos debilitat uenus.in 3m.de mor.v.com.3°.3ª.151.G
Cerebrũ facile lædunt immmoderate calefacientia.de inſtr.od.1ª.112.f
Cerebri extrema caliditas,deliria facit.4°.de p̃ſa.ex pul. 4ª.120.G
Cerebrum incaleſcet ſi menynges ſint calidæ.8°.de uſu p. 1ª.165.F
Cerebro quæ inſunt,quo modo calefiant.com.7°.aph.51°. Ex.58.D
Cerebro calefacto,aut humectato quod in capite inani, fit ſternutamẽtum.com.7°.aph.51°. Ex.58.C
Cerebri ſubſtãtia diſſoluit ex calidi ĩmodico uſu.c.5°.a.16°. Ex.38.H
Cerebro,& neruis obſunt pocula multa.in 3m.de m.v.c.3°.3ª.151.G
Cerebrum ebriorum multa humiditate perfunditur, & eius multitudine grauatur.com.6°.aph.32°. Ex.49.H
Cerebro tantum,ſiue corpore uniuerſo humidiores non contingit ſalubrem uitã omnis expertem noxæ traducere.c.6°.aph.2°. Ex.46.E
Cerebrum humidius quæ mala pariat.com.6°.aph.2°. Ex.46.F
Cerebro propinqua, communia, & prima maxime læduntur ſecundũ Hippoc.11°.de vſu par. 1ª.85.C
Cerebrũ humidum facit longa profluuia,qũo.cõ.6°.aph.32°. Ex.49.H
Cerebrum humidum facit balbutiem.com.6°.aph.32°. Ex.49.H
in Cerebro fluunt morbi ſoporiferi.3°.de loc.aff. 4ª.20.C
Cerebri uentriculus medius maximũ ſoporẽ facit.4°.de l.a. 4ª.23.A
Cerebri uentriculis plenis fiunt carus,apoplexia, & morbus comitialis.de inſtrum.odo. 1ª.112.F
Cerebri uẽtriculus medius ſi ſit attritus, oſſe terebra perforato ſopor ſit.4°.de loc.aff. 4ª.23.A
Cerebri ſiccitatis p̃rium ſunt uigiliæ.4°.de præſag.ex pul. 4ª.120.b
Cerebri morbus eſt cephalæa,& cur,& quo mõ.3°.de lo.af. 4ª.20.E
in Cerebri dura membrana dolor quo modo fiat. de ijs quæ in medica. fiunt.com.3°. 7ª.22.G
in quibus Cerebri partibus eſſe poſſunt intẽperies.3°.de l.af. 4ª.16.H
cum Cerebri anterior pars duntaxat afficietur ſola linguæ motio uitiabit.4°.de lo.aff. 4ª.22.H
Cerebri qua parte affecta fiat paralyſis.4°.de lo.aff. 4ª.22.G
in Cerebro noxam eſſe oſtenditur ſi cum toto corpore partes faciei paralyſi afficiantur.3°.de lo.aff. 4ª.21.B
Cerebri qua parte affecta fiat apoplexia.4°.de lo.af. 4ª.22.G
Cerebrum læſum eſſe oſtẽdit manifeſte apoplexia.3°.de lo.a. 4ª.21.A
in Cerebro humor frigidus redundans immobilitatis inſenſibilitatisq; eſt cauſa.13°.meth.med. 7ª.85.F
Cerebro affecto fit comitialis morbus.3°.de loc.aff. 4ª.19.E

Cerebrum debet esse imbecille si morbum comitialem passurum sit. cõ men.6°.aph.28°. Ex.49.A
Cerebri imbecillitas duplex.de ocul. 7ª.186.B
Cerebrum ob imbecillitatem uacillat.com.7°.aph.9°. Ex.54.E
Cerebrum aggrauatur in somnis,in plethoricis dispositionibus. comm. 4°.aph.67°. Ex.34.F
Cerebrũ habile est ad fluxiones recipiẽdas.de cu.ra.per sang. 6ª.18.G
ad Cerebrũ humor infestº pueniẽs ĩplet caput.c.4°.aph.67°. Ex.34.f
Cerebrum impletur uaporibus,& facit phrenitim quando inflammatio pulmonis ex calida.com.7°.aph.12°. Ex.54.G
in Cerebro humores quo modo illi obsint.3°.de loc.aff. 4ª.18.C
Cerebrum afficitur ex sanguine,quem habet.3°.de loc.af. 4ª.18.E
in Cerebro sanguis dupliciter lædit.3°.de loc.aff. 4ª.18.E
in Cerebro quandoq; fit sanguis melancholicus quando recipit ab alia parte.de mel.ex Gal.Ruf.& Poss. Sp.109.B
in Cerebro quando sit atrabilaris materia. 3°.de loc.affect. 4ª.19.D
in Cerebro ne sit an in toto corpore sanguis melancholicus quomodo cognoscatur.3°.de loc.aff. 4ª.18.E
Cerebrum esse melancholicum primo affectu quomodo cognoscatur. de mel.ex Gal.Ruf.& Poss. Sp.109.H
in Cerebro solo si est sanguis melancholicus, non est opus uenæ sectione.3°.de loc.aff. 4ª.18.E
Cerebrũ affectũ est causa oĩum desipientiarũ,& insaniarum siue primo & per seipsum,siue per cõpatiendi rõnem.c.6°.a.53°. Ex.53.B
Cerebri & cordis colligatio,qualis.2°.de cauſ.pul. 4ª.93.H
Cerebrũ in cõsensum trahit à præcordijs.de mel.ex Ga. Ruf.Sp.109.b
Cerebrum cordi tria uasorum genera connectunt.2°.de decr.1ª.239.b
Cerebrum cum corde colli arteriæ continuant.de vsu pul. 1ª.227.E
Cerebrum facile ducitur in similem affectum patiente ostiolo uentriculi.de mel.ex Gal.Ruf.& Poss. Sp.109.B
Cerebrum uentriculo,& ventriculus cerebro suas affectiones transmittit.3°.de loc.aff.18.C/5°. 4ª.32.H
Cerebrum septo transuerso & ori uentriculi consentit,& nerusis omnibus.in progn.com.1°. 4ª.197.H
Cerebrũ compatitur ex affectu totius corporis.8°.de vsu p.1ª.166.A 3°.de loc.aff. 4ª.18.D
Cerebrum patitur cum neruis.de fract.com.2°. 7ª.235.C
Cerebrũ qũo sentiat affectionem digiti pedis.in prog.com.1°.4ª.194.F
in Cerebro flaua bile redundãte,cur ad dementiã trahamur nescit Galenus,si aĩa est immortalis ac per se eẽ possit.q; ani.mor. 1ª.318.A
ad Cerebrum cholera tendens soluit fluxum,& è contrario. commen. 4°.aph.28°. Ex.30.D
Cerebrum,& oculos afficientia symptomata uaporationem uitiosorũ humorum sequuntur.5°.de loc.aff. 4ª.32.H
Cerebri suffusio quomodo cognoscatur.de ocul. 7ª.187.D
Cerebri inequalis ĩtẽperies spũm uertiginosũ parit.3°.de l.af. 4ª.20.d
in Cerebri qua parte fiat uertigo,& quo modo.3°.de loc.affe.4ª.20.C
Cerebri symptomata aliquot,surditas,conuulsio,insania.in 3ᵐ.de mo. uulg.com.2°. 3ª.135.D
a Cerebro descendens meatus obstructus aliud symptoma facit, quam cũ crura sunt resoluta per spinæ inflammationem.1°.de l.a. 4ª.6.G
Cerebri abscessus qui bonus,& qui malus.1°.de inæq.intemp. 3ª.43.f
Cerebri ægritudines siccæ,quæ.de vic.rat.in mor.ac. com.1°.7ª.112.F
Cerebro inarescente,& exortus neruorum inarescunt.in 6ᵐ.de morbis uulg.com.3°. 3ª.170.B
Cerebri consumptio pro comminutione ex siccitate,unde caluitium.in 6ᵐ.de mor.uul.com.3°. 3ª.170.A
a Cerebri consumptione,hoc est exiccatione, caluities. in 6ᵐ.de morb. uulg.com.3°. 3ª.170.A
Cerebrum in uiuo animali non potest esse consumptum in totum.in 6ᵐ. de mor.vulg.com.3°. 3ª.170.A
Cerebrũ cur cõcutiaĩ qñq;.3°.de lo.a.4ª.20.A/c.7°.aph.58°. Ex.59.c
Cerebri cõcussiones ad hyemẽ expectare cõuenit,si æstas sicca sit, & austro plectẽ,et sequẽs autũnus sit pluuiosus.de ae.aq.& lo. 2ª.4.C
Cerebrum quibus aliqua ex causa concussum fuerit, necesse est statim mutos fieri.com.7°.aph.58°. Ex.59.B
Cerebrũ põt diuidi,& pati solutionẽ unitatis.1°.de symp.cau.3ª.14.C
ad Cerebri læsionẽ,spinalis medullæ læsæ comparatio in his quæ ad hãc consequuntur incommoda.1°.de sym.cau. 3ª.16.D
Cerebro inflammato febris & deliria necessario sequũtur.4°.de præs. ex pul. 4ª.120.G
in Cerebro & eius inuolucris phlegmonem excitat phrenitis,non tantum ex calidis ortum habet succis.2°.de symp.ca. 3ª.24.C
ob Cerebri inflãmationem febris ardens.in 1ᵐ.prorr.cõ.1°. 4ª.166.A
Cerebrum pati magnam inflammationem significat rubor oculorum a uomitu.com.2°.aph.3°. Ex.54.B
Cerebri ĩflãmatio mortifera ægritudo ẽ.in 6ᵐ.de n.v.c.2°. 3ª.162.H
in Cerebri inflammationis principio non sunt apponendæ cucurbitulæ.de hirud.reuulſ.cucurb.& scarif.2.E/ 6ª.3.B
circa Cerebrum inflammatio qua re indiget.11°.meth.med. 7ª.73.F
ex Cerebri inuolucris profluuium sanguinis supprimentibus medicamentis miscetur uitellus ouorum.11°.de simp.med.fac. 5ª.81.D
a Cerebro et gurguliõe qñq; sãguis expellit tussiẽdo.4°.de l.a. 4ª.25.F
in Cerebri sinibus quo mõ sanguinẽ inuenies.de dec.Hipp. 1ª.231.F
Cerebrũ in ictu capitis qũo cognoscatur pati.com.7°.a.14°. Ex.54.H
Cerebrum læsum quo modo cognoscatur in 1ᵐ.prorrh.c.1°. 4ª.163.B
Cerebri patientis signa.ars med. Isa.67.A
Cerebro læso quid sequatur.1°.de sym.cau. 3ª.16.D
a Cerebro profecto morbo correptũ quid sequatur.de sal.diæ. 2ª.43.d
in Cerebro læsionem significat spiratio impedita.3°.de lo.af. 4ª.20.C
Cerebro patiente qualis sit spirandi difficultas.c.4°.a.50°. Ex.33.C
Cerebro patiente,spiritus apparet magnus ex multo interuallo, ideſt magnus & rarus.com.4°.aph.50°. Ex.33.C
Cerebrum læsum significat delirium.in 1ᵐ.de mo.uul.com.2°.3ª.115. A/de fract.com.2°. 7ª.235.C
Cerebri uitiũ,facit deliriũ,moº ac sẽsus priuationẽ.3°.d de.1ª.245.e
a Cerebro phrenitis delirium perpetuum facit.5°.de loc.aff. 4ª.31.H
Cerebrum per cõsensum affectum est,si deliria assidue non permanẽt, sed acutam febrem sequuntur.2°.de lo.aff. 4ª.14.C
Cerebrum stupefacere oportet cum deliria & perunigilia infestãt.13°. meth.med. 7ª.85.F
Cerebrum quando læsum sit & non neruus.4°.de lo aff. 4ª.23.D
Cerebrũ collisum aut uulneratũ,totũ corpus lædit.6°.de de. 1ª.261.G
Cerebrum quibuscunque præciditur,his necesse febrem,& bilis uomitum superuenire.com.6°.aph.5°. Ex.52.F
Cerebro affecto uomitus cur fiat.in 1ᵐ.prorr.com.1°. 4ª.164.E
Cerebro præciso compatitur uentriculus,& præsertim eius os per cõmunicationem.com.6°.aph.50°. Ex.52.F
propè Cerebri uẽtriculos peruenit medicamentũ.de instr.od.1ª.111.b
in Cerebro & membranis proxima existit passio in desipientia ob ossis præcisionem.com.7°.aph.24°. Ex.55.F
Crebri uentriculo cõpresso sensus amittitur & motus.1°.de decre.1ª. 232.A/B/in 3ᵐ.de morb.uul.com.1°.3ª.150.D/2°.de lo.a.4ª.13.f
Cerebri uentriculis immoderate compressis incidunt homines in affectum similem caro.de instr.odor. 1ª.112.F
Cerebri uentriculis collisis aut uulneratis,totum animal sopitum collabitur.3°.de dec.Hip. 1ª.245.D
Cerebri uẽtriculi uulnerati subitũ afferũt periculũ.7°.dec. 1ª.272.G
Cerebri posterioris uentriculi uulnera sunt peiora, postea medij, postea primi.7°.de dec.Hip. 1ª.269.C
Cerebrum uulneratum mortem affert.com.6°.aph.18°. Ex.47.H
Cerebrum si auelli contigerit,aut aliquam eius partem cõuelli, qui ita patiuntur non amplius restituuntur.com.7°.aph.58°. Ex.59.C
ĩ Cerebro spũs corruptus mortẽ ĩducit.ĩ 6ᵐ.de m.vul.cõ.6°.3ª.189.H
Cerebri læsio cur maxima.de util.respir. 1ª.226.C
ob Cerebrum læsum cur mors.de util.respi. 1ª.226.D
Cerebro affecto cur separatur aĩa,si est immortalis.q; aĩmo.1ª.317.b
Cerebro læso,et iecore,aĩal uiuit,corde nõ affecto.5°.de lo.a. 4ª.28.b
Cerebro affecto tardius fit mors q̃ corde affecto. de uict. ra. in mor.ac. comm.2°. 7ª.123.H
Cerebri substantia uulnerata raro sanatur.de subſig.emp. Is.32.E
Cerebrũ uulneratũ sæpe uidit Galenus sanari.c.6°.a.18°. Ex.48.A
Crebro mẽbrãis ẽnudato aĩal ñ patiẽ nisi spatio tpis.7°.d ẽcr.1ª.269.g
sine Cerebro põt eẽ affecta menynx dura.4°.de ẽpſa.ex pulſ. 4ª.121.B
Cerebrũ nõ patiẽ sine menynge,et e cõtrario.4°.de ẽpſ.ex pu 4ª.121.B
Cerebrum est agnatum multis partibus duræ mẽbranæ,ideo facile ipsi communicat omnes passiones.com.6°.aph.50°. Ex.52.G
in Cerebri & membranæ inflammatione non debemus uti cucurbitulis in principio.11°.meth.med. 7ª.74.B
Cerebri membranæ sanguinem effundentes difficulter compescuntur. fin.med. Isa.50.A
a Cerebro affecto febres malignæ sũt:febres a mẽbranis;quæ cerebrũ continent affectus,malignę:febres a pulmone affecto,malignę:febres a corde affecto,malignæ.in 3ᵐ.de morb.vul.c.2°. 3ª.135.A

Cerebri supe-

Cerebri ſuperiori membrana percuſſa quandoque moritur, quãdoque viuit æger. de ſubſi. cmp. *Iſ.32.E*
Cerebrũ, & cerebri mẽbranæ cadẽ ĩdigẽt curatiõe. 4°. de l. af. 4ª.13.*b*
Cerebri mẽbranæ vulnus quo mõ curetur. 2°. de cõ. me. ſe. l. 5ª.133.*h*
Cerebri membrana craſſa cur valentiſſimis gaudet medicamentis. 6°. met. med. 7ª.42.*H*
ad Cerebri membranas medicamentum. 5°. met. me. 7ª.31.*B*
Cerebri membrana quibus glutinetur. 2°. de comp. med. ſe. l. 5ª.138.*e*
ad Cerebri membranas in fractura ſimplici, ſi alpelli quales. 6°. methodi med. 7ª.42.*B*
in Cerebro generationem phlegmatis timenti conueniunt cibi ſubtiliã tes primi generis. de diſſ. cont. *Sp.72.E*
ad Cerebrum confortandum capitis ablutio. ſecre. *Sp.98.A*
Cerebrum confortans capitis ablutio. ſecr. *Sp.98.A*
ad Cerebri infirmitatem quid valeat. de med. exper. *Sp.106.H*
ad Cerebri ægritudines valet agarici decoctio. de med. exper. *Sp.106.e*
Cerebri & neruorum paſſionibus frigidis conferens medicamen. de medicinis exper. *Sp.104.E*
CEREBRVM *exiguum habent volucria. 3°. de alim fa.* 2ª.29.*F*
Cerebri auium natura. 3°. de alim. fac. 2ª.29.*F*
Cerebri auium montanarũ, & paluſtriũ natura. 3°. de alim. fa. 2ª.29.*F*
Cerebrũ craſſi ſucci eſt. de bon. & vi. ſuc. 2ª.35.*H/de diſ. cont. S.72.b*
Cerebrum cibus eſt pituitoſior craſſi ſucci, tarde permeans, ad coquẽdum difficilis. 3°. de ali. fa. 2ª.27.*B*
Cerebra ſunt multarum ſuperfluitatum. de diſſ. cont. *Sp.73.E*
Cerebra tarde deſcendunt. de diſſ. cont. *Sp.74.H*
Cerebra nutriũt eũ q digerit ea nutrimẽto multo craſſo. ḋ di. cõ. S.73.e
Cerebrum probe alit, ſi conficiatur. 3°. de ali. fa. 2ª.27.*C*
Cerebrum ſtomacho nocet. 3°. de ali. fac. 2ª.27.*B*
Cerebra omnia ſunt mala ſtomacho, & cum quibus ſunt edenda. de diſſolu. continua. *Sp.74.F*
Cerebrum cum origano, & ſale conditur. 3°. de ali. fa. 2ª.27.*C*
Cerebra ſunt edenda cũ origano, & mentaſtro ſylueſtri, & ſinapi, & ſale. de diſſ. cont. *Sp.74.F*
Cerebro cum oleo vel garo, condium quale ſit. de vict. rat. in morbis acutis, com. 1°. 7ª.111.*G*
Cerebrum non eſt dandum non appetentibus. 3°. de ali. fa. 2ª.27.*B*
Cerebrũ nauſeam & vomitũ excitat, & quo mõ. 3°. de ali. f. 2ª.27.*B*
Cerebrum cum incidentibus, & calefacientibus vomitũ magis parat. 3°. de ali. facul. 2ª.27.*C*
Cerebrum ſuis diligenter aſſum in ſyncope ex tenuibus ſuccis. 12°. meth. med. 7ª.78.*A*
Cerebra ſunt vilia in tertiana pro cibo. 1°. de ar. cur. ad Gla. 7ª.97.*c*
Cerebrum qui dant ægris ob mollitiem errant. 3°. de ali. fa. 2ª.27.*B*
cũ Cerebro eiuſdẽ generis eſt ſpinalis medulla. 3°. de ali. fa. 2ª.27.*C*
Cerebrum auſterũ ſi medullæ comparatur. 3°. de ali fa. 2ª.27.*C*
ex CEREBELLIS, *ſedis medica*ᵐ. *9°. de cõp. me. ſe. lo.* 5ª.204.*G*
Cerebrum Cameli comitialibus prodeſt. de ther. ad Pi. 5ª.93.*E*
Cerebrum Gallinæ. de med. fac. parab. 7ª.169.*F*
Cerebrum Gruis. 9°. de comp. med. ſe. loc. 5ª.204.*G*
Cerebrum Hirundinis ad ſuffuſiones oculorum. de ther. ad Pi. 5ª.93.*c*
Cerebrum Leporis aduerſus metum. 11°. de ſimp. me. fa. 5ª.79.*H*
Cerebrum Leporis ad mingentes in ſtragulis. de med. fa. pa. 7ª.179.*B*
Cerebrũ Leporis dẽtientibus pueris cõmodũ. 11°. de ſim. m. f. 5ª.79.*g*
Cerebellũ Leporinũ gingiuis ĩfantis illitũ. 5°. de cõp. me. ſe. l. 5ª.164.*F*
Cerebrũ Muſtelæ comitialibus prodeſt. de ther. ad Pi. 5ª.93.*E*
Cerebrũ Ouillum ad dentitionem puerorum. de ther. ad Pi. 5ª.93.*E*
Cerebrum Veſpertilionis. de rem. par. fac. 7ª.161.*E*
in CEREBRIS *ſacris cur mulieres viticem ſternant. 6°. de ſimpl. med. facul.* 5ª.41.*A*
ex CEREIS *cyathis duodecim pro dando potu ægris vnum vel duos quidam medici exhibeant. de vic. rat. in mor. acu. com. 3°.* 7ª.131.*f*
CERION *quid. fin. med. Iſa. 49. A/de tum. præter naturam.* 3ª.84.*F/ 1°. de comp. med. ſe. lo.* 5ª.128.*G*
Ceria eſt exijs morborum generibus, quæ cũ prius omnino nõ fuerint, poſtmodũ ſunt orta. 14°. me. med. 92. D/ 7ª.93.*C*
CERNENDI *ſenſus quibus de cauſis amittit. 4°. de loc. af.* 4ª.21.*G*
Cernimus omnes male, ſi cum aquilis & lynce comparemur. 1°. de ſa. tuenda. 2ª.63.*H*
CERNVAE *habent duram carnem. 3°. de ali. fa.* 2ª.31.*E*
Cernuæ ægre concoquuntur, & pariunt ſuccos craſſos & ſalſos. 3°. de alim. fac. 2ª.31.*E*
CEROSVM *mel, quale. 7°. met. med.* 7ª.41.*H*
CERRI *piſces inter teſtacea numerantur, quæ ſtomachicis cõueniunt. 8°. de comp. me. ſe. lo.* 5ª.192.*C*
CERTAMEN *honeſtum medicorum ſchola Coæ, Cnidiæ, & Italicæ de augenda ac perficienda arte medica. 1°. me. med.* 3ª.2.*F/G*
Certanis de reliqua re pulſus. de præcog. ad Poſth. 4ª.216.*F*
Certatores & luctatores prandent panẽ, & cœnant carnem. de vic. rat. in mor. acu. com. 1°. 7ª.111.*H*
Certatores cur nõ luxentĩ in magnis ictibus. de artic. cõ. 4°. 7ª.286.*H*
CERVISIAE *potio pro morbis acutis. de vic. ra. in mor. c. 3°.* 7ª.131.*g*
CERVIX *& collum idem. de oſſ.* 1ª.41.*G*
Ceruix quæ. introd. Iſa. 53. B/ de oſſ. 1ª.41.*G*
in Ceruice vertebræ quo modo ſe habent. 4°. de loc. aff. 4ª.23.*B*
in Ceruice vertebra eſt pars ſpinæ. in prog. com. 1°. 4ª.193.*E*
*Ceruix valida dicitur robuſta, cur. in 6*ᵐ. *de mor. vul. c. 1°.* 3ª.154.*A*
*Ceruicibus robuſtis homines, quibus nominibus a græcis appellentur. in 6*ᵐ. *de mor. vul. com. 1°.* 3ª.154.*A*
*Ceruices longæ vitioſæ ſunt. in 6*ᵐ. *de mor. vul. com. 1°.* 3ª.154.*B*
Ceruicis articulus repandus, quid. de artic. com. 3°. 7ª.273.*A*
a Ceruicis & capitis arteria oriuntur omnes arteriæ ſuperiores. an ſangui. in art. natura cont. 1ª.61.*A*
ſub Ceruice ptes oẽs q̃ a cõſilio, & volũtate moueri pñt, neruos habẽt qui eas moueant ex ſpinali medulla pcedentes. 3°. de lo. af. 4ª.20.*h*
Ceruicalis medullæ nomen clarioris gratia dignotionis excogitatũ eſt. 5°. de loc. affe. 4ª.31.*E*
*ex Ceruicis medulla nerui manus oriunt. ĩ 3*ᵐ. *de mor. vul. c. 1°.* 3ª.127.*d*
a Ceruicis ſecunda vertebra incipiunt muſculi ſpinales, & quot ſunt. de muſ. diſſ. 1ª.49.*F*
cũ Ceruice caput flectentes muſculi, qui. de muſ. diß. 1ª.45.*H*
cũ Ceruice tota caput mouentes muſculi, qui. de muſ. diſ. 1ª.45.*G*
cũ Ceruice caput mouentes muſculi duo in priori parte qui, & quorſum extendantur. de muſc. diſ. 1ª.45.*H*
Ceruici inſerti muſculi a capite ori, capiti & ceruici ſunt communes. de muſ. diſ. 1ª.46.*H*
Ceruicis pprij muſculi qui, & vũ orianṫ ac finiãt. de muſ. diſ. 1ª.46.*H*
in Ceruicis priorẽ regionẽ verſus proprium principium adducens ſcapulam muſculus. de muſ. diſ. 1ª.45.*c*
Ceruicis motus quibus fiat muſculis. de muſ. diß. 1ª.47.*A*
Ceruix recta quo modo moueatur. de muſ. diſ. 1ª.47.*A*
Ceruicis rectitudinem reſpicit in ſimijs. de artic. c. 3°. 7ª.273.*B*
in Ceruicem totam occupãtibus muſculis obliqui quidẽ obliquũ caput obnuendo mouent, recti vero rectũ id faciunt. de muſc. diſ. 1ª.45.*H*
Ceruicẽ qui muſculus in priora obliquã flectat. de muſ. diſ. 1ª.46.*H*
Ceruicis totius media flexura in latera efficitur. de muſ. diſſ. 1ª.47.*A*
ſub Ceruice thorax eſt. 4°. de lo. aff. 4ª.23.*c*
a Ceruice ad thoracem ſex muſculi ſunt. 8°. de anat. adm. 1ª.102.*F*
Ceruicis, an thoracis ſit muſculus dubius. de muſ. diſ. 1ª.47.*A*
Ceruix qũo exerceatur in paruæ pilæ ludo. de par. pil. exer. 2ª.49.*A*
Ceruicis morbi, qui. introd. *Iſa.59.c*
*Ceruicis dolor quando malus. in 1*ᵐ. *prorr. com. 1°.* 4ª.174.*H*
*Ceruicis dolor cum comate quid ſignificet. in 1*ᵐ. *pror. c. 3°.* 4ª.179.*c*
*Ceruicis, hypochondrij, lumborum dolores habet caput dolen. in 1*ᵐ. *pror. com. 1°.* 4ª.161.*H*
ad Ceruicis dolores ĩueteratos ſterc° colũbinũ. 10°. de ſim. m. f. 5ª.77.*a*
Ceruicis neruos omnes extentos habet tetanus. de muſ. diſ. 1ª.47.*A*
ad Ceruicis vertebrarum luxationem anginæ conſecutæ fit mentio. 5°. de lo. affe. 4ª.32.*B*
Ceruicis truncatio habet quatuor tempora. de tot. mor. temp. 3ª.89.*c*
ſupra Ceruicẽ cucurbita appoſita confert ſanguine e naribus profluente. 5°. met. med. 7ª.32.*A*
in Ceruice ſcalpello vti non licet. 5°. de comp. me. per ge. 5ª.250.*B*
ad Ceruicem vinculum ſimplex. de faſcijs. 7ª.302.*D*
ad Ceruicem vinculum duplex. de faſcijs. 7ª.302.*D*
CERVIX *vteri qũo dicatur neruoſa. in 6*ᵐ. *de mor. vul. c. 1°.* 3ª.153.*b*
Ceruix vteri cum vtero mouetur. 6°. de lo. aff. 4ª.40.*G*
in Ceruice vt plurimum vteri eroſio contingit. 6°. de lo. aff. 4ª.41.*D*
CERVICES *oſſium, quæ. de oſſibus.* 1ª.40.*B*
Ceruix ſcapulæ quid. de oſſibus. 1ª.42.*G*
CERVSIANA *antidotus. 7°. de comp. med. ſe. lo.* 5ª.186.*B*
CERVSSA *quomodo fiat. de dy. 22. F/ de ſimp. med.* *Sp.81.F*
Ceruſſa ſtypticas vires habet. de ſimp. med. *Sp.81.F*
Ceruſſa paratur ex metallis. 9°. de ſimp. me. fa. 5ª.68.*E*

Ceruſſa qualis ſit. 1°.*de com.me.ſe.lo.* 5ª.129.*F/de oculis.* 7ª.188.*H*
Ceruſſa qualis ad Achoras. 1°.*de comp.me.ſe.lo.* 5ª.129.*G*
Ceruſſa habetur Puteolis. 1°.*de antid.* 5ª.100.*D*
Ceruſſa Puteolis alba fiebat. 1°.*de comp.med. per ge.* 5ª.214.*C*
Ceruſſa Rhodiaca, qualis. 4°.*de comp.me.ſe.lo.* 5ª.150.*D*
Ceruſſæ Rhodiacæ meminit. 4°.*de comp.medicam. ſec.loc.* 156.*E/* 1°. *de comp.med. per gen.* 5ª.214.*C*
Ceruſſæ torrefactæ fit mentio. 5°.*de comp. med.ſec.loc.* 5ª.162.*B*
Ceruſſa aduſta tranſit in ſandyca. 9°.*de ſimp.med. fac.* 5ª.71.*G*
Ceruſſa, vt argenti ſpuma lauatur. 1°.*de com.med.per ge.* 5ª.213.*E*
Ceruſſæ & argenti ſpumę comparatur molybdena. 1°.*de comp.med. per ge.* 5ª.215.*A*
Ceruſſa lota, qualis. 4°.*de comp.me.ſe.lo.* 5ª.150.*A*
Ceruſſa lota calido & humido temperamẽto vicina.de ocu. 7ª.189.*b*
Ceruſſa exactè lota eſt ex pharmacis emplaſticis. 4°.*de ſimp. medic. facul.* 5ª.25.*D*
Ceruſſa emplaſtica eſt & refrigeratoria. 9°.*de ſim.me.fa.* 5ª.71.*G*
ex Ceruſſa lota, amylo, & papauere conficitur collyriũ anodynũ, id eſt dolorem ſedans, in doloribus oculorũ.c. 6°.*aph.* 31°. *Ex.*50.*E*
Ceruſſa, aut lithargyro, aut id genus aliquo cum aqua diligẽter cõmiſtis & ſimul decoctis aqua prius digeritur. 1°.*de ſim me.f.* 5ª.4.*H*
Ceruſſa apta ad emplaſtrũ conficiendũ. 5°.*de comp.me.per g* 5ª.247.*d*
Ceruſſa p colore ponit ĩ emplaſtris cãdidis. 6°.*de cõ.me.p g.* 5ª.257.*g*
ex Ceruſſa, & argẽti ſpuma emplaſtra alba. 1°.*de cõ.m.p g.* 5ª.213 *g*
Ceruſſa quo modo ponenda in emplaſtro, quando eſt cum argenti ſpuma. 1°.*de comp. med.per ge.* 5ª.215.*G*
Ceruſſa aſtringit modice. 3°.*me.med.* 7ª.19.*F*
ex Ceruſſa phycos quo modo. 9°.*de ſimp.med.fac.* 5ª.71.*A*
Ceruſſa in exterinſecis vlceribus vſitatur, in intrinſecus ſumi non debet. 4°.*met.med.* 7ª.28.*H*
Ceruſſa ex aqua, & vino potata venenoſa eſt.de ſimp.med. *Sp.*81.*E*
Ceruſſam aſſumentibus quid proſit. 2°.*de antid.* 5ª.114.*E*
Ceruſſa os ventris ſtomachumq; afficit. 1°.*de ſymp.cau.* 3ª.18.*G*
ad Ceruſſam ſumptam, & ſuffocantem. 2°.*de antid.* 5ª.120.*D*
CERVVS *animal timidum.* 1°.*de vſu par.* 1ª.113.*C*
Cerui, & lepores cur timida ſunt animalia, cum habeant cor magnũ. de anat.viu. 46.*H/* *Sp.*53.*A*
Cerui maſculi cornua habent quæ decidunt, & denuo recreſcunt. 11°. *de ſimp.med.fac.* 5ª.81.*C*
Cerui quam ligaturam habeant in matrice. 15°.*de vſ.p.* 1ª.211.*D*
ĩ Ceruis crura anteriora ſimilia sũt poſteriorib. 3°.*de vſ.p.* 1ª.127.*E*
Cerui corpus velox eſt, ſed nudum, & inerme. 1°.*de vſu.p.* 1ª.113.*C*
Ceruorum muſculus temporalis, qualis. 11°.*de vſu par.* 1ª.184.*G*
Cerui habent longa cornua, ceruæ non ita. 2°.*de ſem.* 1ª.338.*G*
Ceruus trahit ſpiritu ſuo ſerpentes.de cauernis.de cathar. *Sp.*94.*H*
Cerui trucidantur a ſpiculis venenatis, tamen caro ipſorum non eſt venenata. de ther.ad Pi. 5ª.93.*H*
Ceruina caro qualis.de ren.affe.dig.& medela. 7ª.195.*F*
Cerui ſunt affinis proximi, eoq; ab eorum eſu eſt abſtinendum. de attenuante victus rat. 2ª.45.*F*
Cerui caro cur tarde digeritur. de diſſol. cont. *Sp.*73.*D*
Cerui caro cur eſt cibus craſſus.de diſſol.cont. *Sp.*72.*H*
Ceruina caro vitioſum ſuccum generat, & concoctu eſt difficilis. 3°. *de alim.fac.* 2ª.26.*A*
Ceruina caro eſt inutilis ſenibus. 5°.*de ſan.tu.* 2ª.91.*D*
Cerui caro non mala.de diſs.cont. *Sp.*74.*B*
Ceruini cordis os mirabile ad vteri ſtrangulatum.de me.f.p. 7ª.175.*b*
Ceruinum Cornu ſtringentes habet vires. de ſimp.med. *Sp.*83.*C*
Ceruinum cornu mundificatiuum, & collatiuum eſt.de ocu. 7ª.189.*C*
Ceruinum cornu dyſenteriam, ſanguinis excretionem, & cœliacos affectus ſanat, aurigini vtile eſt, & collyriis deſiccantibus fluxiões oculorũ miſcet. 11°.*de ſimp.med.fa.* 5ª.79.*G/de ſimp.me.* *Sp.*83.*C*
Cerui cornu ſuffitur ad ſtrangulatas ex vtero excitandas. 9°.*de cõp. med.ſe.lo.* 5ª.205.*G*
Ceruinum cornu viperas, & ſerpentes fugat.de ſimp.me. *Sp.*83.*C*
Ceruinum cornu lumbricos expellit.de ſimp.med. *Sp.*83.*C*
Ceruinum cornu. 1°.*de comp. med.ſe.lo.* 5ª.131.*A*
*Cerui cornu abraſũ, et ĩ vio bibitũ expurgat ĩ icteris.de cu.ict.S.*111.*b*
Ceruinum cornu quo modo vratur.de med.fac.parab. 7ª.170.*C*
Cerui recẽs nati cornu vſtũ ad albedinẽ. 9°.*de comp.me.ſ.l.* 5ª.202.*F*
Cerui cornu tenerem vſtum. 9°.*de comp.me.ſe.lo.* 5ª.202.*C*
Ceruinum cornu vſtum. 10°.*de comp.med.ſe.lo.* 106.*D/* 4°.*de compoſit.med.per ge.* 5ª.242.*G*
Cerui & capræ cornu non differunt. 5°.*de comp.me.ſe.l.* 5ª.165.*C*
Cerui, & capræ cornua ad candorẽ dentiũ. 11°.*de ſimp.me.fa.* 5ª.79.*H*
Cerui & capræ cornua valent ad contrahendas mollitie fluidas gingiuas. 11°.*de ſimp.me.fa.* 5ª.79.*G*
Cerui cornu dentes vacillantes confirmat. de ther.ad Pi. 5ª.93.*E*
Ceruina Medulla quo modo fiat.de dy. *Sp.*22.*F*
Ceruina medulla elaborata. 2°.*de comp.me.per ge.* 5ª.225.*H*
Cerui medulla vetuſtiſſima pro vituli marini adipe. 7°.*de comp.me. per gen.* 5ª.270.*H*
Cerui medulla quo modo miſcenda medicamentis ad chironia. 4°.*de comp.med.per ge.* 5ª.273.*H*
Cerui medulla inflammationibus blandiſſimum eſt remedium.de ther. ad Piſon. 5ª.93.*F*
Ceruina medulla vlceris non indurata emollit. 2°.*de compoſ.medica. per gen.* 5ª.220.*B*
Ceruina medulla mollificat. 2°.*de ar.cur. ad Glau.* 7ª.104.*A*
Ceruina medulla emollit modice. 5°.*de ſimp.me.fa.* 5ª.34.*E*
Ceruina medulla molliendo digerit. 14°.*me.med.* 7ª.87.*H*
ex Ceruina medulla peſſi vterũ mollientes. 11°.*de ſim.me.fa.* 5ª.79.*f*
Ceruina medulla optima emollit, hanc ſequitur ĩ bonitate medulla vitulorum. 11°.*de ſim.med.fa.* 5ª.79.*F/de ſimp med.* *Sp.*87.*D*
Ceruinæ medullæ meminit. 3°.*de comp.med. per ge.* 5ª.234.*A*
Ceruorum Sanguis non habet fibras. q; ani.mores. 1ª.319.*C*
ĩ Ceruo Sanguis venæ nõ põt coagulari, q; tenuis eſt.de vti.re. *S.*64.*E*
Cerui ſperma. de dy. *Sp.*28.*C*
Cerui pudendi ſcobs.de med. fac.par. 7ª.169.*E*
CERYCAE, *hoc eſt buccinæ. de med.fa.par.* 7ª.163.*H*
CESII oculi quales, & quo modo cognoſcatur.in 3ᵐ.*de mor.vul. commen.* 3°. 3ª.146.*D*
Ceſij oculi calidi, & ſicci.in 3ᵐ.*de mor. vul. com.* 3°. 3ª.146.*E*
Ceſij oculi & glauci differentia. in 3ᵐ.*de mor.vul.c.* 3°. 3ª.146.*F*
CESSATIO *duplex in reſpiratione.* 1°.*de diff.reſp.* 3ª.63.*A*
CESTIANA *poma adſtringunt.* 6°.*de comp.med.ſe.loc.* 5ª.176.*F/* 7°. *met.med.* 7ª.44.*C*
Ceſtiana poma adſtringunt. 13°.*me. me.* 7ª.83.*G*
Ceſtiana mala cocta ſtomacho ſatis commoda ſunt. 2°.*de comp. med. ſecun.loc.* 5ª.133.*D*
Ceſtiana poma quo modo coquenda. 2°.*de comp.me.ſe.lo.* 5ª.133.*d*
Ceſtiana mala. 6°.*de comp.med.ſe.lo.* 167.*F/* 9°. 5ª.203.*A*
CESTRVM, *id eſt betonica.* 7°.*de ſimp.med.fac.* 5ª.51.*A*
Ceſtrum ſarxiphagon vocant. 5°.*de ſa.tu.* 2ª.91.*C*
Ceſtri ſemen. 8°.*de comp.med.ſe.lo.* 5ª.195.*H*
Ceſtri qui in gallijs naſcitur aliquid iniiciendum vino pro calculoſis. 5°.*de ſan. tu.* 2ª.91.*C*
CETACEA marina quæ, & qualia. 3°.*de alim.fa.* 2ª.32.*E*
Cete omnia pulmonem habent, & plus caloris quã reliqui piſces. de vtil.reſp. *Sp.*64.*C*
Cetacea conduntur ſale. 3°.*de ali.fac.* 2ª.32.*E*
Cetacea ſalita meliora euadunt. 3°.*de ali. fa.* 2ª.33.*C*
Cetacea ſalſa sũt magis accõmoda ſanguini faciẽdo. 3°.*de ali.f.* 2ª.32.*e*
Cetaceorum omnium carnes ſalſæ faciunt ſanguinẽ melancholicum. 3°.*de loc.aff.* 4ª.18.*F*
Cetacea habent ſuccũ craßum, & glutinoſum.de bo.et vi.ſuc. 2ª.35.*e*
Cetaceorum caro recens facit ſuccos crudos copioſe in venis. 3°.*de ali.fac.* 2ª.32.*E*
Cetaceum genus nullum vtile eſt ſenibus. 5°.*de ſa.tu.* 2ª.91.*D*
Cetacei piſces vitandi ſunt in victu attenuante. de att.vict. 2ª.46.*B*
Cetaceorum coria aſpera pro tuberculis vlceratis. in 6ᵐ.*de mor.vul. commen.* 2°. 3ª.161.*A*
CHAEREAE *molaris compoſitio.* 5°.*de compoſit. medic.ſec.lo.* 5ª.165.*A*
CHALASTICE *medendi ratio.* 4°.*met.med.* 7ª.28.*G*
Chalaſtica, id eſt relaxantia, ſiue remittentia medicamenta. 4°.*metho. med.* 29.*C/* 13°. 7ª.82.*B*
Chalaſtica medicamenta quæ vocentur. 7°.*de cõp.me.per g.* 5ª.267.*F*
Chalaſticõ relaxatorium remedium quot modis exponãt Methodici. de rat.vict.in morb.acu.com. 4°. 7ª.136.*F*
CHALAZA *numeratur inter affectus qui poſſunt occupare quãcunq; partem corporis. intro.* *Is.*59.*D/F*
Chalaza eſt globulus in gena, milij magnitudine, a ſimilitudine grãdinis ſic vocata.fin.med. 48.*F/intro.* *Isa.*58.*D*

ad Chalazia,hoc est instar grandinis in palpebris tubercula. 4°.de cõ po.med.se.lo. 3ª.153.D
Chalazion quomodo curandum.14°.me.me. 7ª.93.F
CHALBANE, id est galbanum.8°.de simp.med.fa. 5ª.63.E
Chalbanum, quale.10°.de comp.med.se.lo.207.C/5°.de comp. med. per gene. 5ª.246.C
Chalbani squamma,qualis.6°.de comp.med.per ge. 5ª.256.A
Chalbane est pinguis, qñ est recens.2°.de ar.cur.ad Glau. 7ª.104.B
Chalbani pars in sagapenum transit. 1°.de antid. 5ª.105.A
Chalbano adulteratur sagapenum.1°.de antid. 5ª.105.A
e Chalbano sagapenum cõfectum quomodo a vero sagapeno distingua tur.1°.de antid. 5ª.105.C
cum Chalbano nihil habet simile panacis succus.1°.de anti. 5ª.105.A
Chalbani, & opopanacis differentiæ in emolliendo, & coquendo.7°. de comp.med. per ge. 5ª.264.C
Chalbanum vlceris ora indurata emollit. 2°.de comp.med.per ge.5ª. 220.B/2°.de arte cur. ad Glau. 7ª.104.B
Chalbanũ solum non cõuenit vlcerib.4°.de cõp.me. per ge. 5ª.236.H
Chalbana pro doloribus.in 6m.de mor.vulgaribus, cõ.6°.3ª. 196.B/ 3°.de comp.me.per ge. 5ª.232.G
Chalbanum excitat strangulatas ex vtero olfactu.9°.de comp. medic. sec. loc. 5ª.205.G
Chalbanum non lignosum.7°.de comp.me.se.lo. 5ª.181.G
Chalbanum purgatum.2°.de comp.me. per ge. 5ª.226.F
Chalbanum liquatur igne.3°.de comp.med. per ge. 5ª.233.F
Chalbanũ debet liquari in duplici vase.3°.de cõp.me.per g. 5ª.233.f
Chalbani meminit. 7°.de compo.med.per ge. 5ª.268.A
Chalbano eisdem vires habet Thus,sed imbecilliores.5°.de cõp.me. per gene. 5ª.246.C
CHALCANTHVM neutro,& chalcanthus masculino & fœminino genere dr.4°.de cõp.me.se.lo.151.E/4°.de cõ.me.per ge. 5ª.236.E
Chalcanthos,id est atramentum sutorium.9°.de simp.me.fa. 5ª.71.B
Chalcanthum quid. de simp.med. Sp.81.H
Chalcanthos transit in chalcitin.9°.de simp.me.fa. 5ª.71.B
Chalcanthum, quale.4°.de comp.med.se.lo. 5ª.151.E
Chalcanthum optimum viscide stringere potest.de simp.med.Sp.81.b
Chalcanthos adstringit.1°.de simp.me.fa.8.A/4°.de comp.medi. per ge.236.E/5°. 5ª.247.C
Chalcanthum adstringit & mordicat.4°.de simp.me.fa. 5ª.26.A
Chalcanthum adstringens noxium denoratum.13°.me.med. 7ª.85.C
Chalcanthum inter metalla maxime exiccat non ærugo. 4°.de compo. med.per ge. 5ª.236.E
Chalcanthum medicamentum forte.2°.de comp.me.per ge. 5ª.219.g
Chalcanthi erosio quo modo mitescat.2°.de comp.me.per g.5ª.219.b
Chalcanthũ vstũ medicamentũ mite.4°.de com.me.per ge. 5ª.238.G
Chalcanthum inter oculorum medicinas.de ocul. 7ª.188.G
Chalcanthum est oculorum cenoticum.de cathar. Sp.95.B
CHALCANTHOSA aqua medicamentosa est.7°.de composi.medicam. per ge. 5ª.264.C
Chalcanthodes aqua obstructionem inseparabilem facit.10°.methodi medendi. 7ª.61.G
Chalcanthode balneum fieri non debet febrienti.11°.me.me.7ª.69.b
CHALCEDONIA ad inueteratas affectiones aurium.3°.de comp. me. sec. lo. 5ª.144.A
in CHALCIDE Eubœæ locus maris strictus. 3°.de morbis vulgarib. commen.2°. 3ª.140.H
CHALCIDEI emplastrum.5°.de comp.me.per ge. 5ª.249.A
CHALCIDIVM quo modo fiat. de dyn. Sp.22.H
CHALCIDONIAE meminit.7°.de comp.medic. sec.lo. 5ª.181.G
CHALCITIS quid,& eius vires. de simpl.medicaminib. Sp.81.C
Chalcitis,misy,& sory sponte nascuntur.9°.de simp.me.fa. 5ª.71.E
Chalcitis,misy,& sory qũo in vno sint loco.9°.de sim.me.fa. 5ª.70.B
supra Chalcitẽ orit misy,vt ærugo sup æs.9°.de sim.med fa. 5ª.70.C
Chalcitidi genere cognata sunt, misy, & sory.4°.de comp. medicam. per genera. 5ª.236.E
Chalcitis,sory,& misy earundem sunt virium,sed differũt tenuitate, & crassitudine.9°.de simp. me.fa. 5ª.70.C
Chalcitin ex Cypro Galenus asportauit. 1°.de antid. 5ª.100.C
in Chalcitin transit chalcanthos. 9°.de simp.me.fa. 5ª.71.B
Chalcitis funditur citissime. 1°.de comp.me. per ge. 5ª.212.F
Chalcitis,qualis.9°.de sim.me.fa.71.E/6°.de cõp.me.se.loc.180.H/ 174.D/1°.de cõp.me.pg.210.H/5°.5ª.246.B/5°.me.me.7ª.31.D
Chalcitis ex sua natura calida est.1°.de sim.me.fa.6.F/3°. 5ª.22.G
Chalcitis nobis admota videtur calida. 3°.de tempera. 1ª.21.H
Chalcitis calida est tenuium partium,& parum adstringens.3°.de cõ po.med.per ge. 5ª.228.E
Chalcitis nos vehemẽter calefacit,& exiccat.2°.de sim.me.f. 5ª.16.d
Chalcitis vrit ut ignis. 2°.de arte cur.ad Glau. 7ª.102.D
Chalcitis adurit,& escharas efficit.9°.de simp.me.fa.70.D/ 5ª.71.E
Chalcitis quantum exiccet.3°.me.med. 7ª.20.A
Chalcitis adstringit.1°.de ali.fac.2ª.9.B/1°.de simp.med.fa. 5ª.8.A/ de simpl.med. Sp.81.G
Chalcitis adstringit, & mordicat.4°.de simp. med.fa. 5ª.26.A
Chalcitis mordet vehementer. 6°.de comp.me. se.lo. 5ª.176.H
Chalcitis adstringens noxium denoratum. 13°.me.me. 7ª.85.C
Chalcitis per erosionem interimit. 4°.de simp.me.fa. 5ª.30.B
Chalcitis pro sanguine supprimẽdo.de vic.ra.i mor.ac.c.4°.7ª.152.F
Chalcitis extergit,& repurgat.4°.de comp.me.se.lo. 5ª.149.F
Chalcitis vlcera conglutinare non potest.1°.de simp.med.fa. 5ª.7.H
Chalcitis humidæ naturæ applicatum, carnem potius demit, quã cica tricem inducat.3°.me.med: 7ª.20.C
Chalcitis cocta, & cruda quid faciat. de ther.ad Pi. 5ª.97.E
Chalcitidis crudæ fit mentio. 3°.de composit.med.secun.loc. 148.A/ 4°.152.F/157.A/ 5ª.161.B
Chalcitide quare cocta vtamur. 6°.de comp.med.se.lo. 5ª.174.D
Chalcitis non vsta exedit. 4°.de comp.med.per ge. 5ª.240.H
Chalcitidis erosio quomodo mitescat.2°.de comp.me.per ge.5ª.219.b
Chalcitis quo modo vrenda.1°.de comp.med. per ge. 5ª.217.F
Chalcitis vsta qualis. 4°.de composi.medica.se.lo.151.E/4°.de cõp. med.per ge. 5ª.236.D
Chalcitis combusta exiccat plus pice.4°.de cõp.me.per ge.5ª.240.G
Chalcitis vsta medicamentum mite.4°.de comp.med.per ge.5ª.238.G
Chalcitide vsta vtimur in subtilibus medicamentis. 3°.de comp.med. per ge. 5ª.228.E
Chalcitidis vstæ meminit.3°.de comp.me.se.lo.147.H/148.A/B/4°. 156.B/2°.de comp.med.per ge. 5ª.221.E
Chalcitis tosta.2°.de comp.med.per ge. 5ª.224.B/C
Chalcitidis assatæ fit mentio.4°.de comp.med.se.lo.154.D/156.B/5°. 161.F/6°. 5ª.172.A
Chalcitidi quo modo fiat luteus & flauus color.1°.de anti. 5ª.107.b
Chalcitis iuuat oculorum scabritiem. intro. Is.58.C
Chalcitis ad oculorũ dolores.de vic.rat.in mor.acu.c.4°. 7ª.152.G
Chalcitis medicamentum forte.2°.de comp.me.per ge. 3ª.219.G
Chalcitis vnum ex fortissimis medicamentis ad achoras. 1°.de comp. med.se.loc. 5ª.129.D
Chalcitis seruat colorẽ medicamentorũ.2°.de cõp.me.per g.5ª.220.b
Chalcitidis etiam minima pars theriacam inficit.1°.de antid. 5ª.17.H
Chalcitis ingreditur theriacam.de ther.ad Pi. 5ª.92.F
Chalcitis quomodo assumenda pro theriaca.1°.de antid. 5ª.107.b
ex Chalcitide vsta fit album emplastrũ.1°.de cõp.me.per ge.5ª.217.C
ex Chalcitide emplastrum Galeni.1°.de comp.med.per ge. 5ª.210.H
ex Chalcitide medicamẽtũ emplasticũ ẽ.2°.de ar.cu.ad Gla.7ª.101.H
ex Chalcitide & pompholyge confecta medicamenta ad cancrum ualent.2°.de arte cur.ad Glau. 7ª.107.E
ex Chalcitide rosaceum ad fluxiones.2°.de arte cur.ad Glau.7ª.101.b
ex Chalcitide medicamẽum quo modo parandũ ad suppuratos tumo res dissectos,vbi pars aliqua sectioni circunstans fuerit inflãmata. 2°.de arte cur.ad Glau. 7ª.105.G
ex Chalcitide medicametti vires.2°.de art.cur.ad Glau. 7ª.106.F
Chalcitis debet lauigari aliquo humido.6°.de cõp.me.per ge.5ª.259.b
Chalcitis comminui non postulat.3°.de comp.me.per ge. 5ª.232.B
CHALCOS cecaumenos, id est æs vstum.9°.de simp.med.fa.5ª.71.E
Chalcoceucaumenon quo modo fiat. de dy. Sp.22.E
CHALCV anthos,id est flos æris.9°.de simp.me.fa. 5ª.71.E
CHALCVS .i.æreus,quod pondus.de pond. & mens. 5ª.276.B/D/G
Chalcos.i.æreus,qua nota significetur.de pond.& mens. 5ª.275.C
CHAMAE .i.hiatulæ,sunt admodum crassi succi.de bo.& vi. 2ª.35.E
Chamarum succus ducit aluum,non secus ac lactis serum.de bo.& vi tio succo. 2ª.35.E
CHAMAECISSI flos est admodum amarus. 8°.de simplicium medi. facul. 5ª.63.E
Chamæcissi flos iecur obstructione liberat, & ex coxendice laborãtibus datur. 8°.de simp.med.fa. 5ª.63.E
CHAMAEDAPHNE quid,& eius vires.de simpl.med. Sp.85.F

Chamædaphne genº asparagi in plãtis fruticosis.2°.de ali.fa.2ª.24.b
Chamædaphnes asparagi, quales.de att.vict. 2ª.44.D
Chamædaphnes germina tenera edi solent.6°.de simp.me.f. 5ª.46.C
Chamædaphne diureticum fructum habet.de simp.medic. Sp.85.E
Camædaphne valet ad vrinam excitandam, cũ natura pigra.de renũ affect.digno.& medela. 7ª.196.E
CHAMÆDRYS *quid.de simp.med.* Sp.82.G
Chamædrys in Italia nascitur,& qñ est optima.1°.de antid. 5ª.105.d
Chamædrys Italiæ æqualis illi quæ in Creta nascitur, & quando.1°. de antidotis. 5ª.105.D
Chamædryn Romæ inuenit Galenus.1°.de antid. 5ª.102.B
Chamædrys Romæ melior quàm in Creta.1°.de antid. 5ª.107.A
Chamędrys calida et sicca est i tertio ordine.8°.de sim.me.fa. 5ª.63.E
Chamædrys ingreditur theriacam.de ther.ad Piso. 5ª.95.A
*Chamædrys lienes colliquat, vrinas, ac mẽses prouocat, crassitudinem humorũ ĩcidit, et viscerũ obstructiões purgat.8°.de sim.m.*5ª.63.E
Chamædrys ad tussim veterẽ facit, mẽstrua,& vrinã prouocat, partum expellit, hydropicis prodest.de simp.med.fac. Sp.82.H
Chamædrys vires habet acres,& relaxantes. de simp.med. Sp.82.G
Chamædrys non ducit aquam, sed secundùm Asclepiadem illã facit. 1°.de natur.facul. 1ª.294.B
CHAMÆLEA *quid.de simp.med.* Sp.85.F
Chamælea est amara.8°.de simpl.medic.facul. 5ª.63.E
Chamelæa purgat aquosa, pituitam,& bilem.de dyna. Sp.22.B
Chamælea ventrem purgat tepida attractione.de simp.me. Sp.85.F
Chamæleæ dosis,& miscenda.de dyna. Sp.22.B
Chamælea admodum sordida vlcera, et quæ maximas crustas habẽt, purgare potest.8°.de simp.med.fac. 5ª.63.E
CHAMÆLEON *quid.de simp.medica.* Sp.82.F
Chamæleontem vtranq; quibusdam in locis circa folia viscus emittere dicunt.de simp.med. Sp.82.F
Chamæleontis altera species est planta spinosa.2°.de ali.fac. 2ª.22.C
Chamæleontis altera species exiguum dat corpori alimentum, & est praui succi.2°.de alim.fac. 2ª.22.C
Chamęleon alba vrinam mouet.de simp.med. Sp.82.F
Chamæleon alba lumbricos occidit.de simp.med. Sp.82.F
Chamæleon non ducit aquam, sed secundùm Asclepiadem illã auget. 1°.de natu.facul. 1ª.294.B
Chamæleon alba hydropicos siccat.de simp.med. Sp.82.F
Chamæleontis nigri radix in Creta bona est, deinde in Cilicia. 6°. de compo.med.per gen. 5ª.260.B
Chamæleontis nigri radix in tertio ordine sicca est, calfacit vero secundo ordine absoluto.8°.de simp.medic.fac. 5ª.63.F
Chamæleontis nigri radix extrinsecus ad pṡoras adhibeẽ et lichenas et vitiligines, digerẽtibus et emollientibus pharmacis cõmiscetur & phagedænica vlcera sanat illita.8°.de simp.med.fac. 5ª.63.F
Chamæleon nigra maculas,& lentigines tollit.de simp.me. Sp.82.F
Chamæleon nigra facit ad maligna vlcera, quæ græce cacoethe dicũtur.de simp.medic. Sp.82.F
Chamæleonte & ladano curantur vlcera sanatu difficilia.4°. de cõpo.med.per gen.241.B/5°. 5ª.246.A
Chamæleon eiusdẽ virtutis cũ ladano.4°.de cõp.me. per ge. 5ª.241.B
Chamæleon vlcera exiccat.4°.de comp.med.per gen. 5ª.236.G
Chamæleonte et centaurio imbecilliora aristolochia & iris, in curandis malignis vlceribus.5°.de comp.med.per gen. 5ª.246.A
Chamæleon niger letalis est.8°.de simp.med.fac. 5ª.63.F
Chamæleon niger mures necat.de med.fac.par. 7ª.164.D
CHAMÆLEVCE *calida est in tertio,& sicca in primo.8°.de simp. medic.facul.* 5ª.63.F
CHAMÆMELVS *quid,& eius vires.de simp.me.* Sp.82.G
Chamæmelum ab ægyptiorum sapiẽtissimis soli cõsecratũ est, febriũq; omnium vnicũ putatur remedium.3°. de simp.med.fac. 5ª.18.H
Chamæmelum solano contrarium est.3°.de simp.med.fac. 5ª.21.C
Chamæmelum calefacit & siccat in primo ordine.6°.de simp.medic. facul. 5ª.43.C
Chamæmelon temperatum est.3°.de simp.med.fac. 3ª.19.B
Chamæmelum habet colorem tepidum.11°.meth.me.69.H/ 7ª.73.C
Chamæmelum calefacit.5°.de simpl.med.fac. 5ª.35.F
Chamæmelo parti inflammatæ impositio quid sequatur.3°. de simpl. medic.fac. 5ª.21.B
Chamæmelũ lassitudini cõfert, dolores sedat et mitigat, tensa remittit, et laxat, q̃ mediocriter dura sunt emollit, constipata rarefacit, febres citra visceris alicuius inflãmationẽ infestantes discutit dissoluitq;, præsertim quæ ex humoribus biliosis, aut cutis densitate proueniunt.3°.de simp.med.fac. 5ª.18.H
Chamæmelum capitis dolorem iuuat.2°.de cõp.med.se.lo. 5ª.138.D
Chamęmelum mundificat.de ocul. 7ª.188.E
Chamæmelus expurgat in icteris.de cura icteri. Sp.111.B
Chamæmelus sudorem prouocat.de simp.med. Sp.82.G
*Chamæmelus sudorẽ mouet, colorẽ expurgat.de cura icter.*Sp.111.B
Chamęmelon est gratissimũ hypochõdrijs.3°.de simp.med.fa. 5ª.18.H
ex Chamęmelo medicamentum pro priapismo.14°.met.me. 7ª.89.B
Chamæmelinum ceratum refrigerat.9°.de comp.me.se.lo. 5ª.205.F
Chamæmelo decoctũ oleũ, metasyncreticũ videt.de sim.me. Sp.88.d
Chamæmelinũ oleũ proximũ rosaceo, quando vehementẽ frigiditatẽ inducere veremur in capitis dolore.2°.de cõp.me.se.lo. 5ª.132.E
Chamęmelino oleo vtit, qñ calidius est rosaceo.de re.par.fa. 7ª.153.b
Chamæmelino vtitur, in frigidis.2°.de comp.med.sec.loc. 5ª.137.A
ex Chamęmelo oleũ humores lentos & crassos in carne & cute cuaporare facit.4°.de san.tuen. 2ª.87.B
Chamęmelinum oleum prouocat sudorem.de cathar. Sp.95.D
Chamęmelinum oleum mitigatorium in puncturis neruorum.3°.de cõposi.medic.per gen. 5ª.235.A
Chamæmelini olei meminit.9°.de comp.med.sec.loc. 5ª.197.F
CHAMÆPITYS *quid.de simp.med.* Sp.85.F
Chamępitys Italię æqualis illi quæ in Creta nascitur, et quando.1°.de antidotis. 5ª.105.D
Chamæpityn Romę inuenit Galenus.1°.de antid. 5ª.102.B
Chamępitys Romę melior, quàm in Creta.1°.de antid. 5ª.107.A
Chamæpitys, qualis 8°.de simp.med.fac.63.F/ 5ª.195.D
Chamæpitys sicca est in tertio ordine, & calida in secundo.8°.de simpli.medica.facul. 5ª.63.G
Chamæpityos species omnes vires habẽt acres, et diureticas.de simp. medicaminibus. Sp.85.F
Chamæpitys ad quæ conferat.de cura icteri. Sp.111.B
Chamæpitys vrinam mouet.de mel.ex Gal.Ruf.& Poss. Sp.110.B
Chamæpitys ingreditur theriacam.de ther.ad Piso. 5ª.95.A
Chamæpitys expurgat, absterġitq;, viscera, auriginosis, & quibus facile iecur obstruitur bonum est remedium, menses ducit, vrinæ mouendæ medicamen est, & ijs, qui coxendicis doloribus torquẽtur, exhibetur.8°.de simp.med.fac. 5ª.63.F/G
Chamæpitys educit pituitam & quibus misceatur.de dyna. Sp.22.A
Chamæpitys numeratur inter illa, quibus vlcera maligna curari debent.5°.de comp.med.per gen. 5ª.246.A
Chamæpitys ad neruos vulneratos valet.3°.de cõp.me.p ge. 5ª.234.B
CHAMÆSYCE *qualis.8°.de simp.med.fac.* 5ª.63.G
Chamæsyce achrochordonas, & myrmecias aufert, crassas oculorũ cicatrices detergit, hebetudinẽ visus à crassitie natum, & suffusionum principia adiuuat.8°.de simp.med.fac. 5ª.63.G
CHANNÆ *piscis venter in os sursum rapitur auiditate perurgẽte. 3°.de natur.facul.* 1ª.305.A
CHARACIA *valẽtior cęteris tithymallis.8°.de sim.me.fa.* 5ª.62.e
Characia tithymallus mas dicitur.8°.de simp.med.fac. 5ª.62.E
CHARCHESIVS *simplex qua via impliceẽ. de laqueis.* 7ª.307.H
Charchesius duplex quo modo ex simplici fiat.de laqueis. 7ª.308.A
Charchesius duplex quo modo implicetur.de laqueis. 7ª.307.H
Charchesius duplex quo mõ impliceẽ circũponẽdo.de laqu. 7ª.308.B
CHARICLIS *pastillus ad calculosos.10°.de composit. medicamen. secun.loc.* 5ª.206.E
Chariclis confectio sedans dolorem.7°.de comp.med.sec.lo. 5ª.185.C
Chariclis ad Capitis dolorem.2°.de comp.med.sec.loc. 5ª.138.G
*Chariclis ad Capitis dolorẽ inueteratũ.2°.de cõp.med.se.lo.*5.138.G
Chariclis ad Coli inflationes.9°.de compo.medica.sec.loc. 5ª.202.D
Chariclis potio ad Dyspnoicos.7°.de comp.med.sec.loc. 5ª.186.E
CHARITONIS *circulatoris Antidotus ad phalangiorum morsus. 2°.de antidotis.* 5ª.117.G
CHARIXENIS *Arteriaca.7°.de comp.medic.sec.lo.* 5ª.181.A/E
Charixenis Eclegma ad dyspnoicos.7°.de cõp.med.sec.loc. 5ª.186.E
Charixenis ad Hæmoptoicos.7°.de comp.med.sec.loc. 5ª.184.C
Charixenis pharmacũ Ictericon.9°.de comp.med.sec.loc. 5ª.198.A
Charixenis cõfectio ad Tussiẽtes, etc.7°.de cõp.med.sec.lo. 5ª.185.H
CHARMÆ *Antidotus.2°.de antido.* 5ª.112.E
in CHARONIIS *barathris quo modo aliqui moriantur.7°.de vsu partium.* 1ª.159.B

Καχοπόος, id est flauidis oculis. 3°. de diff. puls. 4ª.67.E
Charopi oculi quales, & quomodo cognoscantur. in 3ᵐ. de mor. vulg. commen. 3°. 3ª.146.D
CHARTA inda. i. papyrus, ad fluxũ sanguinis narium. sec. Sp.98.B
Charta vtebatur Gal. p fulcimẽto præputij. 14°. meth. med. 7ª.92.A
Chartæ alumen inuoluit vt cõburatur. 5°. de cõp. med. se. lo. 5ª.165.C
in Charta ligat hordeum vt cõburatur. 5°. de cõp. me. se. lo. 5ª.165.d
ex Charta mordacitatem aufert argenti spuma. 1°. de comp. medica. sec. locos. 5ª.129.A
Chartã supne supponit medicamẽto. 10°. de cõp. me. sec. loc. 5ª.207.D
ex Charta quo modo Galenus fecit extẽplo medicamentum. 1°. de composi. medic. sec. loc. 128.H/129.A/5°. de comp. med. per gen. 5ª.254.B/2°. de arte cur. ad Glau. 7ª.105.H
ex Charta vsta medicamentum quo modo conficiatur. 9°. de compo. medicamen. sec. loc. 5ª.205.D
ex Charta vsta medicamentum valde reficcat. 9°. de comp. med. sec. loc. 5ª.205.D/5°. meth. med. 7ª.36.D
ex Charta medicamentũ siccum fit. 2°. de cõp. med. per gen. 5ª.22.H
ex Charta vsta Galeni pastillus. 3°. de comp. med. sec. loc. 5ª.141.F
Chartæ cinis exiccat, sed infirmius, quàm papyri. 8°. de simpli. medicamen. facul. 5ª.57.G
Chartæ cinis. 9°. de comp. med. sec. loc. 5ª.203.E
Charta vsta ex aceto ad fauos capitis. de rem. par. fac. 7ª.154.D
Chartæ vstæ meminit. 9°. de cõp. med. sec. loc. 203.F/G/H/9°. 204.A/C/D/5°. de comp. med. per gen. 253.A/254.A/B/ 5ª.255.A
CASCHASIS. de medic. fac. parab. 7ª.176.G
CATAF lenit ventrem. de dissol. cont. Sp.75.A
in Cathedra dũr multa, quæ nõ possunt ostẽdi. 2°. de anat. ad. 1ª.69.D
CHEDROPA quæ nuncupentur. de atten. vic. rat. 2ª.44.F
CHELIDONIA aspis. de ther. ad Piso. 5ª.93.A
CHELIDONES, ideſt hirundines. 11°. de simp. med. fac. 5ª.82.B
CHELIDONIA quid, & eius vires. de simp. med. Sp.82.B
Chelidoniũ maiº calidũ est, et siccũ in tertio. 8°. de sim. me. fa. 5ª.63.G
Chelidoniũ minus calidum est in quarto. 8°. de simp. med. fa. 5ª.63.G
Chelidonium minus cutem exulcerat, & vngues scabros cijcit. 8°. de simpl. med. fac. 5ª.63.G
Chelidonij succus ad acuendum visum commodus est. 8°. de simp. medicamen. facul. 5ª.63.G
Chelidõia collyrijs mista ad caliginẽ oculorũ facit. de sim. me. Sp.82.B
Chelidoniæ succus est oculorum cenoticus. de cathar. Sp.95.B
Chelidoniæ succus in icteritijs citrinis, & in nigris bibitur. de simplicib. medicaminibus. Sp.82.B
Chelidonij radix ad auriginem ab obstructione iecoris proficiscentem valet, & dentium doloribus confert. 8°. de simp. med. fac. 5ª.63.G
Chelidonij succus per nares purgat. 8°. de simp. med. fac. 5ª.63.G
CHELIDONIVM collyrium. 4°. de comp. med. sec. loc. 5ª.156.F
CHEMA quæ mensura sit. 5°. de comp. med. sec. loc. 160.D/ de ponderib. & mensuris. 276.D/G/ 5ª.277.C/D/E
Chema, drachma dimidia. 3°. de comp. med. sec. loc. 5ª.147.H
Chema qua nota significetur. de pond. & mens. 5ª.275.C
CHEMOSIS, est ambientis oculũ membranæ, quod album quoque appellatur, affectus albæ carni persimilis. fin. med. Isa.48.F
Chemosis affectus albi oculorum. introd. Isa.58.D
Chemosis numeratur inter oculorum vlcerationes. fin. med. Isa.48.D
Chemosis suscipit tunica circumocularis. de anat. ocul. Sp.57.C
ad Chemosis Libyanum. 4°. de comp. med. sec. loc. 5ª.155.A
ad Chemosis Nectarium Marci. 4°. de comp. med. sec. lo. 5ª.154.A
ad Chemosi similes oculorum affectiones Neapolite. 4°. de composi. medi. sec. loc. 5ª.154.C
ad Chemosis pharmacũ ex Thure. 4°. de cõp. med. sec. lo. 5ª.154.F
ad Chemosis Trypheron. 4°. de comp. med. sec. loc. 5ª.154.G
Chemosis. vide Chymosis.
CHENCHRIS non calcanda est quando furit, secundùm Nicandrũ. 2°. de loc. affect. 4ª.14.B
CHERÆMON de arte augurandi scripsit. de vict. rat. in mor. acutis, commen. 1°. 7ª.110.C
CHERIONIS ægroti quinti casus ob copiam biliosorum humorum. in 3ᵐ. de morb. vulg. com. 2°. 3ª.135.E
CHERSÆA aspis. de ther. ad Piso. 5ª.93.A
contra Chersydrum valet theriaca. de ther. ad Piso. 5ª.91.E
ad Chersydri morsum medicina. 2°. de antido. 5ª.118.G
Χιασός laqueus quomodo replicetur. de laqueis. 7ª.307.B
CHIFIEN quid. de simp. medica. Sp.82.H
Chifien potest acriter, & efficaciter relaxare. de simp. med. Sp.82.H
CHILIODYNAMON, id est polemoniũ. 8°. de simp. me. fa. 5ª.59.A
à CHYLOSITATE quæ excrementa distinguuntur. de vic. rat. in morbis acu. com. 4°. 7ª.136.E
CHINISCI, pars organorum. de machin. 7ª.309.E
Chinisci ad quid in organis. de machin. 7ª.309.H
CHIRAGRICI quibus neglectis fiant. de dyna. Sp.19.H
ad Chiragra & podagra toto corpore distortos. 7°. de compo. medicamen. per gen. 5ª.271.D
CHIRONIO vulneri nomen impositum fuit ab his, qui primũ illud sanarunt. 2°. metho. med. 7ª.9.F
Chironia, & telephia est superuacuum vocare vlcera: sat enim est ea dicere cacoethe, id est maligna. de tum. præter nat. 3ª.84.E
Chironia & telephia. 14°. meth. med. 7ª.92.E
Chironij vlceris à Galeno fit mentio, tamen hanc curiosam vocat appellationem. com. 6°. aph. 41°. Ex.51.F
Chironia vlcera, quæ. 4°. de comp. med. per ge. 237.G/ 5ª.239.C
Chironia vlcera suræ affectus. intro. Isa.59.D
Chironia vlcera, ex cacochymia. 3°. de temp. 1ª.23.A
Chironia per se sanat hordeum combustum insper sum. 5°. de composi. medica. per gene. 5ª.249.E
ad Chironia quæ faciant. 6°. de comp. med. per gen. 5ª.254.H
in Chironijs pharmacis quando laricina loco therebinthinæ ponenda sit. 4°. de comp. med. per gen. 5ª.244.G
in Chironijs vlceribus arida debent esse bene læuiga. 4°. de composi. medic. per gen. 5ª.244.G
Chironijs vlceribus conuenit plumbum. 9°. de simp. med. fac. 5ª.70.G
ad Chironia vlcera. 4°. de comp. med. per ge. 237.G/239.D/242.G/ 243.D/G/245.C/5°. 245.G/H/249.E/6°. 5ª.256.H
de CHIRVRGIA librum fecit Thessalus. 4°. meth. med. 7ª.24.G
Chirurgia quid. fin. med. 43.G/intr. Isa.59.E
Chirurgia ampliatur ad omnes artes manuarias, etiã si non sunt medicæ. 1°. de vsu par. 1ª.114.E
Chirurgiæ partes. introd. Isa.52.D
Chirurgiæ vtilis est anatomes cognitio. de anat. adm. 1ª.64.D
ad Chirurgiam quid faciat musculorum, & fibrarum cognitio. 1°. de anatom. admi. 1ª.64.D
Chirurgia indiget diætetica, & pharmaceutica. 3°. de composi. medicamen. per gen. 5ª.231.F
Chirurgias multas ponit. 1°. de dignos. pul. 4ª.70.D
Chirurgiæ studium. 14°. meth. med. 7ª.90.H
Chirurgia in quibus exercetur. de ijs quæ in med. fi. com. 1°. 7ª.200.F
Chirurgiæ primæ intentiones, quæ. intro. Isa.59.E
in Chirurgia habitum vocat Hippocrates ab habẽdo post deligationis tempus membrorum deligatorum collocationem. de ijs, quæ in medi. fiunt. commen. 3°. 7ª.217.H
post CHIRVRGIAM cionidi confert succus centaureæ. de virtute centaureæ. Sp.93.D
Chirurgi vestimẽtũ quale eẽ debet. de ijs q̃ in med. fi. com. 1°. 7ª.202.F
in Chirurgo quales esse debent vngues. de ijs quæ in medicatrina fiũt, commen. 1°. 7ª.204.B
Chirurgi celeres esse debent in suis actionibus. de fascijs. 7ª.293.C
Chirurgus quãdo debet suum opus exercere. de decub. progn. ex mathematica scientia. Sp.16.B
Chirurgus qũo se habere debet. de ijs quæ in med. fi. com. 1°. 7ª.201.E
Chirurgus qũo lucẽ debet recipere. de ijs q̃ in med. fi. cõ. 1°. 7ª.201.E
Chirurgi situs qualis esse debet. de ijs quę in med. fi. com. 1°. 7ª.202.E
Chirurgus stans qua figura stare debet. de ijs quæ in medica. fiunt, cõmentario. 1°. 7ª.203.C
Chirurgi aduertant. 3°. de comp. med. per gen. 5ª.231.C
Chirurgus segnis, qui totum membrum reddidit inutile ob ignauiam. 3°. de anatom. adm. 1ª.177.H
Chirurgis permittebat suas partes Gal. Romæ. 6°. meth. me. 7ª.42.H
Chirurgi multa habent ferramenta. de fract. com. 3°. 7ª.246.H
Chirurgica instrumenta. de ijs quæ in medi. fi. com. 1°. 7ª.200.H
Chirurgi debent habere omnia instrumenta præparata. de fractu. cõmentario. 2°. 7ª.238.B
Chirurgicę indicationes aliquid habent commune, & aliquid propriũ. 14°. methodi medendi. 7ª.90.F
CHITRAN quid, & eius vires. de simp. med. Sp.81.F
Chitran præstat quod dragantum. de simp. med. Sp.81.G

CHIVS *insula est in mari ægro, quæ vnam solam habet ciuitatem ex nomine insulæ.9°.de simp.med.fac.* 5ª.65.C

ex Chio oriunda puellæ casus.de venæ sect.adu.Eras.9.H/ 6ª.10.F

Chia terra quid,& eius vires.de simp.med. Sp.85.A

Chia terra, qualis.9°.de simp.med.fac. 5ª.66.A

Chia terra efficaciter stringit cutem,purgat,& extenuat, & splendidam facit.de simp.med. Sp.85.A

Chia terra pulcherrimum est remedium ad ambusta vlcerum remedia.9°.de simp.med.fac. 5ª.66.A

in Chio prouenit Ariusium vinum.2°.de comp.me.per ge. 5ª.223.C

Chij vini fit mentio.3°.de cõp.m.se.lo.147.G/4°.156.D/6°. 5ª.169.H

Chia crepida.de artic.com.4°. 7ª.284.B

χλοερὰ, *idest herbida, quæ in 6ᵐ.de mor.vul.com.1°.* 3ª.163.B

Chloron quid significet.in progn.com.1°.191.D/194.D/2°.4ª.202.E

χλωρὸν *significat & æruginẽ & pallidũ.in 1ᵐ.pror.c.3°.* 4ª.180.A

χλωερὰ *puredo viridis.in 1ᵐ.prorrh.com.3°.* 4ª.180.A

Chloron viride & quin proprie sit.de vict.rat.in morb.acutis, commentario.2°. 7ª.119.D

CHOENIX *quæ mẽsura.de põ.& mẽs.275.G/276.B/E/* 5ª.277.E

Chœnix qua nota significetur.de pond.& mens. 5ª.275.C

Chœnix.1°.de comp.med.sec.loc.129.H/9°. 5ª.198.H

CHOENICIDES *nomen instrumenti.6°.meth.med.* 7ª.42.C

CHOERAS.*i.strυma, quid.de tu.pt.na.3ª.84.F/14.meth.med.* 7ª.90.C

in Chœrada.i.strumam, transit qñque bubon ingens ab vlcere obortum in plethorico corpore.1°.de loc.aff. 4ª.4.H

Chœradas per halitum digerit Ammoniacũ.6°.de simp.m.fa. 5ª.42.H

Chœradas & duras tumores digerit Capparis radicis cortex idoneis ad ea medicamentis mixtus.7°.de simp.med.fac. 5ª.49.H

Chœradas cum eregmo discutit Coriandrum.7°.de simp.m.f. 5ª.52.E

Chœradas curat Lupinorum farina.6°.de simp.med.fa. 5ª.48.D

ad Chœradas Stercus bubulum adhibitum.10°.de sim.m.f. 5ª.76.G

Chœradas digerunt Vngues asinorum.11°.de simp.med.fa. 5ª.8.E/14°. *methodi meden.* 7ª.90.C

CHOHOL *cauben fit mentio.secretorum.* Sp.99.C

χοινὶξ *rotæ modiolus.de fract.com.2°.* 7ª.237.B

CHOLAGOGA *medicamenta, id est quæ educunt choleram, ab effectu nominantur.com.4°.aph.2°.* Ex.27.E

Cholagogis, id est bilem purgantibus, quando vtendum, in quibus, & quo tempore.de dyna. Sp.20.F/G

Cholagogum dandum in Erysipelate, na venæ sectio non conuenit.2°. de arte cur.ad Glau. 7ª.102.A

CHOLE, *id est fel.10°.de simp.med.fac.* 5ª.74.E

CHOLERA *appellatur spumosa superfluitas sanguinis superius calida,& sicca.de anat.viuo.* Sp.50.H

Cholera rubra, amara, viridis, est calida & sicca.de dyna. Sp.19.E

Cholerę porri colorem præ se ferentis,& æruginosę meminit.commẽ. 6°.aph.6°. Ex.54.D

Cholera rubra cũ parte sanguinis dominatur ab anno quartodecimo vsq; ad annũ trigesimũ quintũ vel quadragesimũ.de dyn. Sp.19.E

Cholera tpe æstiuo,& ætate consistente, fit.cõ.1°.aph.2°. Ex.3.D

Cholera gñatur in æstate ẽt in bñ tẽperato.com.3°.aph.20°. Ex.24.B

Cholera ẽstate magis superabundat.com.4°.aph.4°. Ex.27.H/ *de dynamidijs.* Sp.19.E

Cholera habet partem humidissimam,& aquosissimam, quæ exiccatur in æstate calida.com.3°.aph.14°. Ex.22.D

Choleræ pars crassissima, & acutissima linquitur exiccata, humidissima & aquosissima absumitur.com.3°.aph.14°. Ex.22.D

Cholera maxime in siccitatibus generatur.com.3°.aph.16°. Ex.22.H

Cholera habet potestatem in renibus.de spermate. Sp.36.G

Choleræ rubræ propria sedes est fel.de spermate. Sp.36.H

Choleræ rubræ virtus, est in dextero latere in hepate.de dyn. Sp.19.D

Cholera quæ vena gaudeat.de anat.viuo. Sp.54.E

Cholera habet meatus proprios, ad quos ex venis hepatis transfertur.com.4°.aph.64°. Ex.34.D

Cholera rubra per aures habet respirationem.de dyna. Sp.19.E

Cholera citrina fit plurimũ sanguinis ob acutos cibos.de dif.c. Sp.72.F

Choleram gignunt carnes caprinæ si incoctæ maneant, cur.de vic.rat. in morbis acutis, com.4°. 7ª.147.A

in Choleræ rubræ horis si infans sit conceptus, quid contingat.de spermate. Sp.38.B

Cholera rubra facit pueros acutos, ingeniosos,& leues, macilentos comedentes multum, ventres solubiles.de dyna. Sp.19.E

Choleræ pallidæ & flauæ est opus os sentire amaritudinem. commen. 4°.apho.17°. Ex.29.A

Cholera rubra tenuiorem, asperum, percutientemq; pulsum facit. de dynamidijs. Sp.19.E

Cholera plenũ corpus si exerceatur, incidit in apoplexiam, vel morbũ comitialẽ, aut fractionẽ vasis in pulmone.cõ.3°.aph.2°. Ex.24.C

Choleræ abundantia est causa vigiliarum.com.2°.aph.3°. Ex.11.E

Cholera flaua, quæ vel in capite, vel in ventriculo continctur, capitis dolorem facit.com.4°.aph.70°. Ex.35.B

Cholera mordax facit dolorem capitis.com.6°.aph.10°. Ex.47.D

Cholera si ad caput rapiatur facit delirium.com.4°.aph.72°. Ex.35.F

Cholera flaua facit desipientias cum studio.co.6°.aph.53°. Ex.53.B

Cholera superassata facit atram bilem.com.3°.aph.22°. Ex.24.E

Cholera flaua superassata, efficitur atra bilis,& facit desipientias periculosas.com.6°.aph.53°. Ex.53.B

Cholera facit phrenitides,& difficultates intestinorum. commentario 3°.aph.30°. Ex.26.E

Cholera furorem facit com.6°.aph.21°.48.D/aph.56°. Ex.53.E

ob Choleram flauam per membra sentientia veloci motu delatam fit rigor.com.4°.aph.58°.33.G/aph.65°. Ex.34.C

Cholera flaua ebulliente in tunicis stomachi fortis æstus generatur. cõmen.4°.aph.65°. Ex.34.E

Cholera facit febrẽ ardẽtẽ, q̃ expurgata soluit.c.4°.aph.58°. Ex.33.G

Cholera facit morbum regium.com.5°.aph.72°. Ex.45.F

Choleram flauam reponente natura ad totum corpus,& præcipue ad cutem fit interdum,& iudicatorie morbus regius.commentario 4°. aphorismo.62°. Ex.34.B

Cholera non potest iudicatorie ad corpus effundi citius septima die. com.4°.aph.62°. Ex.34.B/C

Colera nõ euacuata p sedẽ color pallidior in toto corpe appareret morbo regio laborantib.quod bilẽ notat peccare.cõ.4°.aph.2°. Ex.27.E

Cholera expurgata p aluũ soluit morbũ regiũ.c.4°.aph.62°. Ex.54.C

Choleræ multitudo ad aluum fluens irritat ad expulsionem.comment. 2°.apho.20°. Ex.12.E

a Cholera pallida vel flaua maxima ex parte incipit difficultas intestinorum.com.4°.aph.24°. Ex.29.H

Choleræ amaræ naturam habẽtes ichores ab hepate fluentes intestina abradentes faciũt difficultates intestinorũ.cõ.6°.aph.3°. Ex.46.F

Cholera facit intestinorum difficultates faciliores, quàm phlegma salsum.com.3°.aph.12°. Ex.21.G

Cholera rubra si fuerit ægritudinis causa, ad frigida, humida, & dulcia.de dynamidijs. Sp.19.F

Cholera citrina abundans hõ quib.nutriendus sit.de diff.con. Sp.72.C

Cholera si generatur in stomacho velociter multa, conueniunt quæ extinguunt acuitatem cholerę, aut quod prætermittãtur res generantes ipsam.de diff.cont. Sp.71.F

Cholera vomitur non solum vulnerato cerebro, sed & dura membrana ipsum circunstante.commen.6°.aph.50° Ex.52.G

Cholera quibus abundat his damus cholagoga.de dynami. Sp.20.G

Choleram amaram euacuare debemus, quando consuetus est homo ex ipsa pati.com.6°.apho.47°. Ex.52.B

Choleram deponit Agaricum.de simp.med. Sp.80.E

Cholerę abundantia si qui sitiunt his Aloẽ damus.de dyna. Sp.20.H

Choleram & pituitã purgat Aristolochia rotunda.de dyna. Sp.21.G

Choleram, cum melicrato purgat succus Centaureæ & soluit crassos, & viscosos humores.de virt.cent. Sp.94.A

Choleram deponit Cnicum.de simp.med. Sp.83.B

Choleram rubram deponit Lathyris.de simp.med. Sp.86.E

cum Cholera phlegma purgat Scammonia.de cathart. Sp.95.A

ad Cholerę rosiones proprie Sium facit.de simp.med. Sp.91.D

Choleram emundat Vinum absinthinum.de simp.med. Sp.92.C

Choleram rubram temperat Vinum sambucatum & mastichatum. de simpl.medic. Sp.92.C

Choleram citrinam refrenans medicamentum.secretorum. Sp.101.G

Choleram purgans medicamen.de medic.exper. Sp.105.A

Cholera amara facit sitim euacuata.com.4°.aph.19°. Ex.29.C

CHOLERA *nigra acida, frigida est,& sicca.de dynam.19.E/ de natura & ordine.cuiꝰ.corp.* Sp.41.D

Cholerę nigræ propria sedes est splen.de spermate. Sp.36.H

Cholera nigra in sinistro latere est in liene. de dynamidijs. Sp.19.D

Cholera nigra fit sanguis, ob continuum vsum ciborum acutorum. de dissol.cont. Sp.72.F

Cholera nigra in autumno crescit.de dynamidijs. Sp.19.E
Cholera nigra cum magna sanguinis parte dominatur ab anno trigesimo quinto, vel quadragesimo vsq; in suã ætatem.de dyna. Sp.19.E
Cholera nigra per oculos respirationem habet.de dynam. Sp.19.E
Cholera nigra facit subdolos, auaros, perfidos, tristes, seditiosos, & timentes.de dynam. Sp.19.F
Cholera nigra tardum, & segnem pulsum facit.de dynam. Sp.19.F
Cholera nigra si fuerit causa ægritudinis, da ei calida, & humida, & dulcia.de dynamidijs. Sp.19.F
Choleram nigram soluit Epithymum.de simp.med. Sp.84.A
CHOLERICI *humores in iuuentute vigẽt.cõ.3°.aph.29°.* Ex.26.C
Cholericus est æstiuus humor.com.5°.aph.22°. Ex.24.E
Cholerici humores valde gñantur in siccitatib.cõ.3°.aph.7°. Ex.20.F
Cholericus humor hyeme quandoq; raro tamen visus est abundare. com.4°.aph.4°. Ex.27.H
in Cholericum humorem conuerti posse pituitæ putrefactionem, colligi potest.com.7°.aph.43°. Ex.57.E
Cholericus humor est ferè semper cum serosa superfluitate. comment. 6°.apho.50°. Ex.52.E
Cholericus humor si in ventre fuerit, corrumpitur ab aqua dura, & frigida.de bon.aquæ. Sp.75.G
Cholericus humor facit vlcera oris.com.3°.aph.21°. Ex.24.D
à Cholerico humore calefacto sanguine tubercula fieri sunt apta.com men.2°.aph.15°. Ex.12.G
Cholericus, & acris humor dolorem auget, sicut & spiritus flatuosus non habens exitum.com.6°.aph.5°. Ex.46.H
Cholericus humor & melancholicus non tantum pituitosus facit mentes decolores.com.5°.aph.36°. Ex.40.G
Cholerici humores traluntur à venis exiccatis tempore æstatis, & ideo ardentes febres tunc fiunt.com.4°.aph.58°. Ex.33.G
Cholericos humores magis quàm pituitosos suscipere prompta est mẽbrana subcingens.com.6°.aph.33°. Ex.50.B
ex Cholericis humoribus ortum habet morbus lateralis, qui vnà cũ pallidis & flauis fit sputis.com.6°.aph.33°. Ex.50.A
Cholerico calidoq; humore quamuis fiant herpetes exedentes, tamen calido sanantur.com.5°.aph.22°. Ex.39.E
Cholericus humor quo modo per signa cognoscatur, & quo poterit facile quisque cognoscere an cholera peccet, omnia ponuntur indicia. com.4°.aph.2°. Ex.27.E
Cholericus humor solus euacuatus dicitur syncera deiectio. cõm.7°. aph.6°.54.D/aph.23°. Ex.55.E
Cholericus sanguis qui continetur in cysti, est alia sanguinis superfluitas.de anat.viuo. Sp.50.F
CHOLERICI *qui sint.7°.de comp.med.sec.loc.* 5ª.185.B
Cholerici sunt vt plurimum graciles.com.4°.aph.6°. Ex.28.B
Cholerici hyeme melius se habent.com.3°.aph.18°. Ex.23.H
Cholerici etiam sani si cibo abstinuerint, quid ipsis contingat. commenta.6°.aph.50°. Ex.52.H
Cholericis, & sanguineis synochus, & causus sunt naturales infirmitates, phlegmaticis accidentales.de spermate. Sp.39.G
Cholerici quando diu infirmi manebunt.de spermate. Sp.39.G
Cholerici si sint faciles ad vomendum, per superiora purgandi sunt, nisi hyems obstet.com.4°.aph.6°. Ex.28.B
Cholericos ventres turbat euphorbium.de simp.med. Sp.83.F
CHOLERICI *morbi æstate fiunt, & quare.c.3°.aph.21°.* Ex.24.D
Cholerica, & sanguinea passio mutationi temporum cõcordare, sed natura patientis discordare põt & è contrario.de sperm. Sp.39.F
Cholericus sicuti est morbus, melius esĩ sic vrinas apparere biliosas. com.4°.aph.73°. Ex.35.F
Cholericæ febres sudoribus sæpius sanantur.cõ.7°.aph.43°. Ex.57.D
Cholericæ pustulæ notant peccare cholerã.com.4°.aph.2°. Ex.27.E
Cholerica præter consuetudinem vrina est laborantibus ex tristitia, vigilijs, cogitationibus.de dynam. Sp.34.A
Cholerico colore vrina nebulam albam habens & furfures supernatantes, aut lõgã ægritudinẽ, aut mortẽ significat.de dyna. Sp.34.C
Cholerica vrina & spissa in augmento synochæ mortem significat. de dynamidijs. Sp.34.E
Cholericas nebulas si quotidianarij vrina habeat in ægritudinem acutam transire significat.de dynam. Sp.34.G
Cholerici vomitus fiunt post rigores.com.4°.aph.58°. Ex.33.G
Cholericus vomitus raro videtur exquisitus, cui non sit admista serosa superfluitas.com.6°.aph.50°. Ex.52.G

Cholerica cum fiunt alui inferioris excrementa, quædã similia strigmẽtis videmus per aluum excerni.com.7°.aph.64°. Ex.60.B
Cholerica superfluitas in magnis doloribus, et mœroribus fortibus ad ventriculum fluit.com.6°.aph.50°. Ex.52.F
Cholericæ excretiones si bene excernantur, sunt bonæ. commenta.4°. aphorismo.47°. Ex.32.H
Cholericæ excretiones in febrib.cõtinuis malæ, & si bene excernantur bonum, & per aluũ inferiorẽ, & per vesicã.c.7°.aph.65°.Ex.60.E
Cholerica deijcientibus nocet lac.com.5°.aph.64°. Ex.44.F
Cholericæ deiectiones surditate sanantur, & è contrario.commentario 4°.aph.58°. Ex.30.D
Cholerica excrementa in febribus soluunt surditatem.commentar.4°. aphoris.6°. Ex.34.A
CHOLERA *arida nomen mali. de vict.rat.in morbis acutis, commentario.4°.* 7ª.145.G
Cholera arida q̃ intelligatur.de vict.rat.in morb.acu.cõ.4°. 7ª.147.D
Choleram siccam quæ faciant.de vict.rat.in mor.acu.cõ.4°. 7ª.145.G
Cholera arida quid faciat.de vict.rat.in mor.acu.com.4°. 7ª.147.D
Cholera arida quo mõ cureť.de vict.rat.in morb.acu.cõ.4°. 7ª.147.D
Cholera, vide Bilis.
CHOLERAE *morbo ijs qui sunt à Cnido medicis nomen impositum est à causa putata.2°.meth.med.* 7ª.9.E
Cholera quid.fin.med. Isa.55.H
Cholera morbus acutus.introd. Isa.55.E
Cholera morbus peracutus fin.med.Isa.45.F/cõ.1°.aph.12°. Ex.5.D
Choleræ causa.introd. Isa.56.H
Cholera ab eadem causa, à qua arquatus morbus.de opt.sect. Isa.25.C
Choleræ morbo obnoxios efficere consueuit peponis vsus.de alimentorum facultatibus. 2ª.16.H
Cholerę morbus qua ętate fiat.com.3°.aph.36°. Ex.26.D
Choleræ quibusdam fiunt certis interuallis, & omnem corporis redũdantiam educunt.7°.meth.med. 7ª.48.B
in Choleris euacuatur cum malo bonum.3°.de symp.cau. 3ª.26.G
*in Choleris per quam viã humores euacuantur.3°.de na.fac.*1ª.306.F
in Choleris quo modo procedat purgatio.3°.de nat.fac. 1ª.306.G
in Choleris vocatis expellitur bilis per duo ora ventris.3°.de symptomatum causis. 3ª.25.F
Choleræ tremor, qualis.de palp.trem.& conuulſ.& rig. 3ª.52.G
ex Cholera fit defectus animi.1°.de arte cur.ad Glauc. 7ª.98.E
ex Choleris animi defectus proueniens quomodo curetur.1°.de arte curatiua ad Glauconem. 2°.98.G
Choleram morbum patientibus contractiones frequenter fiunt præsertim eorum quæ sunt in suris musculorum.com.5°.aph.1°. Ex.37.D
Cholerę pulsus, qualis.de pulſ.ad tiro. 4ª.44.H
Choleras sequuntur pulsus verniculantes.3°.de cauſ.pulſ.99.D/2°. de præsag.ex pul. 4ª.113.A
Cholerę curatio.introd. Isa.56.A
ad Choleram, quadratis balneum aquæ frigidæ conuenit.de remedijs paratu facil. 7ª.160.G
*Cholerę fluxu laborantibus cõducit theriaca.de theri.ad Pis.*5ª.96.B
ad Choleram & vomitum & voluulum & vomitum stercoris.de rem.paratu facil. 7ª.166.D
ad Choleram.8°.de comp.me.se.lo. 5ª.190.C/*de rem.pa.fa.*7ª.160.C
ad Cholera vexatos valde efficax.de med.fac.par. 7ª.166.E
CHOLERICIS *vinum aqua frigida dilutum datur.de venæ sect.aduer. Erasistr.* 6ª.7.F
Cholericis quibus iam vox intercepta est, optime confert theriaca. de vsu theria.ad Pamph. 5ª.99.A
ad Cholericos.7°.de comp.med.sec.loc.185.B/8°. 5ª.191.C/E
χώλωμα, quid.de articulis.com.4°. 7ª.284.B
χωλός, id est claudus.de fract.com.2°. 7ª.240.G
CHONDRILLA *cichorei species est.8°.de simp.med.fac.* 5ª.60.C
Chondrilla à quibusdam seris dicitur.8°.de simp.med.fa. 5ª.63.H
Chondrilla lactucę similis est.2°.de alim.fac. 2ª.22.F
Chondrilla habet lac vt tithymallus.2°.de alim.fac. 2ª.22.F
Chondrillam comedunt homines fame adacti.2°.de alim.fac. 2ª.22.B
Chondrilla est vitiosissimi succi.de bon.& vitio suc. 2ª.37.G
CHONDRVS, *id est cartilago, mollior osse, sed durissima super alias partes.7°.de vsu par.* 1ª.157.C
CHONDRVS *est semen.8°.de simp.med.fac.* 5ª.63.H
in Chondro medicorum plurium error vnde proueniat.8°.de simplic. medic.fac. 5ª.63.H

Chondrum fuisse tempore Hippocratis tum Hippocratis authoritate. tũ comicorum comprobatur. de vict. ra. in mor. acu. cõ. 1°. 7ª. 111. B

Chondrus farina triticea siccior est. 5°. de simp. med. fac. 5ª. 34. D

Chondro elixata nutriunt multum. de venæ sect. adiuer. Erasi. 6ª. 14. D

Chondrus plus nutrit tritico. 8°. de simp. med. fac. 5ª 63. H

Chondrus est optimum nutrimẽtũ vt triticũ. 8°. de simp. m. fa. 5ª. 63. H

Chondrus est ex genere euchymorum. 2°. de simp. med. fac. 5ª. 12. H

Chondrus est crassi succi & boni, & acrimoniam humorum infrenat. de vict. rat. in mor. acu. com. 4°. 7ª. 149. D

Chondrus primo in pituitam, post in sanguinem transit. de vict. rat. in morb. acu. com. 2°. 7ª. 120. F

Chondrus & ptissana cur acetum recipere debent. de mar. 3ª. 38. E

Chondrus dandus est his qui cibum in fumũ vertũt. 1°. de lo. af. 4ª. 5. e

Chondrus in acutis morbis dat. de vict. rat. in mor. ac. cõ. 1°. 7ª. 111. B

Chondrus est tantum cibus Pleuriticorum. de vict. rat. in mor. acutis, commentario. 1°. 7ª. 115. D

Chondrus, lac, ptissana, cibi Tabidorum. 1°. de marc. 3ª. 48. E

Chondri sorbitio, qualis. de vict. rat. in mor. acu. com. 1°. 7ª. 111. E

Chondri sorbitio humectat, & supinat os ventriculi. de vic. rat. in morbis acutis, com. 1°. 7ª. 111. F

ex Chõdro vni mordet stomachus, alteri nõ. 2°. de sim. me. fa. 5ª. 12. E

Chondrus roborat, non tamen humectat, nec secat. de vict. rat. in mor. acutis, com. 1°. 7ª. 113. C

Chondrus, vbi ventriculus habet igneum calorem, non coquitur. 1°. de locis affectis. 4ª. 5. E

Chondrus materia est apta ad accipiẽda liqda. 8°. de sim. m. fa. 5ª. 63. H

Chondrus epicerasticus est ex sua natura. 2°. de simp. me. fa. 5ª. 12. F

Chondrus exacte elotus, est ex pharmacis emplasticis. 4°. de simplic. med. fac. 25. D/8°. 5ª. 63. H

Chõdrus, lac, & ptissana asperitati medent. 2°. de simp. me. f. 5ª. 12. G

Chõdri succus morsibus frequẽter succurrit. 2°. de simp. me. f. 5ª. 12. C

Chondrum ex lacte coctum ad tormina sine febre. de vict. rat. in morb. acutis, com. 4°. 7ª. 149. C

Chondrus obest in affectibus Iecinoris, & qñ naturales eius meatus sunt angusti. de vict. rat. in mor. acu. com. 1°. 7ª. 111. E

ex Chondro fiunt deiectiones albæ. in 1ᵐ. prorrh. com. 1°. 4ª. 165. A

CHORDA, *seu tendo quid sit. de anat. viu.* *Sp. 55. D*

Chordæ vñ originẽ hẽant, & earũ iuuamẽtũ. de ana. vi 43. H. Sp. 55. D

Chordæ oriuntur ex finibus musculorum. com. 5°. aph 66°. Ex. 45. C

Chordarum substantia qualis sit. de anat. viu. *Sp. 43. H*

Chordarum natura ex ictu longiori tempore ad consistentiam inflammationis veniunt, ac tardius sanantur. com. 6°. aph. 49°. Ex. 52. E

in Chordas validas desinentes musculi non sunt in partibus anterioribus in tibia. com. 5°. aph. 65°. Ex. 45. A

Chordam maximam videmus in coxa in partibus geau anterioribus, ob quam per compatiendi rationem potest fieri conuulsio. commentario. 5°. aphor. 65°. Ex. 45. A

in Chordarum, & neruoram inflammationibus solent frequenter conuulsiones aduenire. com. 6°. aph. 45°. Ex. 52. E

Chordæ nõ inflãmant, sed dolẽt in podagricis. c. 6°. aph. 49°. Ex. 52. E

CHORDAS *cur relaxent citharistæ. 2°. de loc. aff.* 4ª. 11. A

Chordæ lyrarum quo modo & ipsæ conuellantur. 3°. de loc. af. 4ª. 17. F

Chordæ ab humido, & sicco tenduntur. 2°. de loc. aff. 4ª. 11. A

Chordæ implent ex humiditate aeris ambiẽtis. c. 6°. aph. 39°. Ex. 50. g

vt Chordæ in cithara, ita nerui tenduntur. de pal. trem. 3°. 56. B/2°. de loc. affect. 11. A/3°. 4ª. 17. E

Chordæ instrumentorum ostendunt genera conuulsionum. 2°. de sympto ma. causis. 3ª. 20. A

CHORDAPSON *quid significet. 6°. de loc. aff.* 4ª. 37. A

CHORION *quid sit. de diff. vuluæ. 109. D/15°. de vsu par. 211. G/6°. de decret. Hipp.* 1ª. 264. G

Choria, id est secundæ. com. 5°. aph. 3°. 5ª. 40. F/aph. 49°. Ex. 42. A

Chorij substantia. de fœt. for. 1ª. 322. E

Chorion quale erat ancillæ psaltriæ, cui saltanti genitura post sextum diem in terram desiliit. de fœt. for. 1ª. 322. D

Chorion in vulua oritur. de diff. vuluæ. 1ª. 109. D

Chorion quomodo vuluæ inhæreat. de diff. vul. 1ª. 109. D/E

Chorion quomodo fiat, exemplum. de diff. vul. 1ª. 109. G

Chorij id est secundarum situs & vsus. 15°. de vsu par. 1ª. 211. B

Chorio ita facit i alib. vt plãtæ semẽ radices facit. 1°. de sem. 1ª. 331. g

Chorij vasa difficulter numerantur. 15°. de vsu par. 1ª. 211. G

Chorij venarum & arteriarum origo vnde. de fœt. for. 1ª. 322. E

Chorij vasorum omnium collectio in duas venas, & arterias redigitur. de fœt. for. 1ª. 322. F

in Chorij magnarũ venarũ, et arteriarũ medio meatº qdã gignit ī fundũ vesicæ infantis pforatus dictus vrinaculum. de fœt. for. 1ª. 322. F

per Chorion membranam arteriç & venæ penetrant materias e vulua ad fœtum transmittentes. 1°. de sem. 1ª. 331. B

Chorion qua parte solum perforatum. de fœt. for. 1ª. 322. E

CHORIOIDES *plexus, qui. 7°. de decre. Hipp.* 1ª. 269. D

CHORYGII *fit mentio. de medic. fac. par.* 7ª. 176. C

χρησμολογοι *de vict. rat. in mor acu. com. 1°.* 7ª. 110. A

CHRISTVS *& Moyses legem tulere citra demonstrationem. 2°. de diff. feren. puls.* 4ª. 54. D

Christi assecle in secta obstinatissimi hũr à Galeno. 3°. de diff. 4ª. 60. H

CHRISTIANORVM *mentio fit, quibus se quoq; auctor annumerat. de ren. affect. digno. & medela.* 7ª. 195. A

in CHRONICIS *temporum anni mutationi comparatur septimana in acutis. 3°. de dieb. decre.* 4ª. 158. B

in Chronicis morbis accessiones fiunt quotidie, vel quarto. 3°. de diebus decretorijs. 4ª. 158. G

ad CHRONICVM *Asthma valet electᵐ laccæ. de me. ex.* *Sp. 107. A*

ad Chronicum asthma. de med. exper. *Sp. 107. E*

ad Chronicos Dolores valet electarium quod dicitur euadens. de medicinis expertis. *Sp. 108. E*

in Chronicis Febribus typum remouens electarium aristolochiæ. de medi. expertis. *Sp. 105. F*

ad Chronicas febres valet decoctio squinanti. de med. exper. S. 107. b

ad Chronicas febres expertum medicamen. de med. exper. Sp. 107. H

ad Chronicas febres, quæ fiunt ex humore crasso, medicamen. de medicinis expertis. *Sp. 108. D*

ad Chronicam febrem electarium. de med. exper. *Sp. 107. D*

ad Chronicas febres electarium assæ fœtidæ de med. exper. Sp. 108. D

ad Chronicas febres electarium turbit. de med. exper. *Sp. 108. C*

ad Chronicum fluxum medicamen bonum. de med. exper. Sp. 105. G

Chronicum fluxum intercipiens electarium. de med. exper. *Sp. 108. A*

ad Chronicas Obpilationes valet electᵐ laccæ. de med. exp. sp. 107. A

ad Chronicas Tusses decoctio hyssoppi. de med. exper. *Sp. 107. D*

ad Chronicam tussim valet electariũ laccæ. de med. exper. Sp. 107. A

contra Chronicum Vomitum medicamen. de med. exper. *Sp. 107. F*

χρῶτα, *id est corpus, pro carnosa parte accipitur ab Hippocrate. de fracturis, com. 3°.* 7ª. 242. H

χρῶτα. *de fract. com. 2°.* 7ª. 233. C

CHRYSERMI *pastillus. 9°. de comp. med. sec. loc.* 5ª. 198. H

Chrysermi pulsus definitio. 3°. de diff. pul. 4ª. 67. H

CHRYSIPPVS *proauus sectæ Archigenis. 2°. de diff. pul.* 4ª. 58. F

Chrysippus in Sicilia natus linguam græcam non callebat, & legem græcis dare voluit de nominibus. 2°. de diff. pul. 4ª. 58. G

Chrysippus de nominibus scita sanctius, q̃ Solon de numis, leges ferebat. 2°. de diff. puls. 4ª. 58. F

Chrysippus quo modo prudens effectus ex stoicorum sententia. quòd animi mores. 1ª. 318. F

Chrysippus antiquus scriptor Anatomię. de nat. hum. com. 1°. 1ª. 183. E

Chrysippus venæ sectionem auferebat. de cur. ra. per san. mis. 6ª. 15. H

Chrysippus quo modo existimauerit fieri visionem. de hist. phil. S. 9. e

Chrysippi libri. 5°. de decre. Hipp. 1ª. 259. F

Chrysippus librum fecit de animi ægritudinibus. 3°. de lo. aff. 4ª. 14. E

Chrysippus scripsit quatuor libros de affectibus. 5°. de decr. 1ª. 258. D

Chrysippus scripsit quæ ad remedia pertinerent animi perturbationũ. de cog. cur. animi mor. 2ª. 50. D

Chrysippus scripsit de anima. 2°. de decre. Hipp. 1ª. 234. F

Chrysippus animali spiritu plenum esse sinum spiritus asserit. de decretis Hipp. & Plat. 1ª. 232. A

Chrysippus cur breuis. 3°. de decr. Hipp. 1ª. 243. E

Chrysippus probabat argumenta ex vulgaribus poetis, & etymologia. 2°. de decre. Hipp. 1ª. 234. E

CHRYSITES *terra, quæ. 9°. de simp. med. fac.* 5ª. 66. C

Chrysites. 8°. de simp. med. fac. 5ª. 63. H

CHRYSOBALANVS, *qualis. 8°. de comp. med. sec. lo.* 5ª. 190. F

ex Chrysobalano medicamenta stomachica quo quo modo conficiant à Galeno damnantur. 8°. de comp. med. sec. loc. 5ª. 190. A

Chrysobalani. 9°. de comp. med. sec. loc. 5ª. 202. D

CHRYSOCOLLA *quid. de simp. med.* *Sp. 82. E*

Chrysocolla naturalis, quæ. 9°. de simp. med. fac. 5ª. 71. F

Chrysocolla fictitia quo mõ fiat.9°.de simp.me.fa.71.F/10°. 5ª.75.E
Chrysocolla qualis sit.9°.de simp.med.fac. 5ª.71.F
Chrysocolla tenuium partium est citra calorem.3°.de composi.medi. per genera. 5ª.228.E
Chrysocolla est septicum medicamentum.5°.de simp.med.fa. 5ª.36.B
Chrysocolla exiccat plus pice.4°.de comp.med.per ge. 5ª.240.H
Chrysocolla vires habet acriter stypticas.de simp.med. Sp.82.E
Chrysocolla miscetur collyrijs ad lachrymam facientibus. de simplici bus medicaminibus. Sp.82.E
Chrysocolla in cerotis posita carnes luxuriantes stringit. de simplicibus medicaminibus. Sp.82.E
Chrysocolla qualis sit ad vlcera.6°.de comp.med.per ge. 5ª.255.C
Chrysocolla ex vrina vlcera difficilia sanat.10°.de sim.m.fa.5ª.75.E
Chrysocolla aptissima est vlceribus contumacibus. 9°.de simpl.medi camen.facul. 5ª.71.F
Chrysocolla vlcera vix sanabilia curat. 2°.de compo.medicamentorum per gene.220.B/4°. 5ª.244.C
Chrysocolla ad vlcera maligna.4°.de compo.med.per genera.236.F/ 242.D/5°. 5ª.247.A
CHRYSOCOME *qualis.8°.de simp.med.fac. 5ª.63.H*
Chrysocome peripneumonijs, & hepaticis morbis prodest, & menstruæ purgationis quocandæ vim habet.8°.de simp.m.fa. 5ª.63.H
CHRYSOMELA *cur parum nutriant propter multitudinem humiditatis.de diff.cont. Sp.73.F*
Chrysomela velociter corrumpũtur in stomacho.de diff.con.Sp.74.H
CHVS *quæ mensura.de pond.& mens.275.E/276.B/E/ 5ª.277.E*
Chus quæ mensura humidorum pro eorum varietate.de pond. & mẽs. 275.F/276.F/H. 5ª.277.A/B/C/D
Chus,id est congius,qua nota significetur.de pond.& mens. 5ª.275.C
χυλὸς, *idest succus,vocatur humor incrassatus tum in animalibus, tum in plantis.1°.de simp.med.fac. 5ª.8.G*
Chylus assimilatur rei imperfecte cocte.4°.de vsu par. 1ª.136.A
Chylus alteratus à carne iecoris debet fieri ruber,simili debet assimilari.4°.de vsu par. 1ª.138.E
Chyli descensum retardat pylorus in vẽtriculo.4°.de vsu p.1ª.139.B
in Chylum non mutata deiectio significat ventriculum male concoquere.de tot.morb.temp. 3ª.88.G
CHYMETHLA *affectus digitorum.introd. Isa.59.C*
Chymethla,idest perniones,sanare possunt nõ modo decoctum radicis, & seminis lappæ minoris,sed & eius caules teneriores.6°.de simp. medicam.fac. 5ª.43.F
Chymethla,siue perniones,curat viri semen quod in mulieris cõgressu intus non remansit.10°.de simp.med.fac. 5ª.72.C
Chymethla sanat asinorum vnguium cinis.11°.de simp.m.f. 5ª.80.E
CHYMOSIS *affectus totum oculum exercens.intro. Isa.58.D*
Chymosis dicitur rubra,carnosaq; corneę oculi pelliculę inflammatio. de rem.par.fac. 7ª.156.D
Chymoses prima ratione pupillam obtenebrant.1°.de sym.ca. 3ª.15.E
ad Chymosin,hoc est vtriusq; palpebræ distortionem ex inflammatione obortam.4°.de comp.med.sec.loc. 5ª.157.E
ad Chymosin grauem,& difficilem.de rem.par.fac. 7ª.156.D
Chymosis, vide Chemosis.
CHYMVS *dictus est sapor ab antiquis.de oculis. 7ª.183.F*
Chymus quid significet apud Aristotelem & Plat.fin.med. Isa.50.B
Chymus quid apud Hippocratem.fin.med. Isa.50.B
Chymus est in iecore,& mittit ad nutriẽdũ ãial.4°.de vsu p.1ª.136.b
Chymum frigidum generant pira & poma,si matura comedantur, cucumeres,citruli,aqua bathecæ,cucurbitæ.de diff.con. Sp.74.B
Chymi boni cibus plurimus accipiatur post comestionem bathecæ. de diff.contin. Sp.74.F
Chymi mali cur sint cicera,& fœnum græcum.de diff.con. Sp.74.B
Chymi mali sunt renes,& cur.de diff.cont. Sp.74.B
Chymi mali sũt cæpæ,alia,raphanus,rapæ,pastinacę.de diff.Sp.74.C
χυλοῦσθαι *quid significet.2°.de simp.med.fac. 5ª.16.B*
CIBIVS *vocatus vtiliter vulneri à cane inflicto.imponitur.11°.de simp.med.fac. 5ª.82.G*
CIBORIVM *quid.de vsu theria.ad Pamph. 5ª.98.G*
CIBVS *id est σῖτος, quid significet.de vict.rat.in morbis acutis,commentario.1°. 7ª.113.G*
Cibo oppositus est potus.3°.de alim.fac. 2ª.33.A
Cibum & potum aliqñ Hipp.vocat victum.de nat.hu.c.2°.7ª.182.B
Cibi nomen quo modo pro excrementis quoq; sumatur.in 6ᵐ.de morbis vulgarib.com.1° 3ª.155.E
Cibaria significant panes.de vic.rat.in mor.acu.com.4°. 7ª.145.E/F
Cibi ex quatuor fiunt elementis.1°.de elemen. 1ª.7.E
Cibus & potº vnũ ex gñib.sex rerũ non naturaliũ.ars med. Isa.68.C
à Cibo & spiritu gubernatur animal.introd. Isa.54.A
Cibus necessario occurrit nostro corpori.ad Thras. 2ª.104.D
Cibo cur indigemus.de cog.cur.animi mor.2ª.54.G/de di.cõ.Sp.71.C
Cibo quicquid siccioris substãtiæ effluxit,resarcimus. 1°.de sa.tu. 2ª. 62.G/in 6ᵐ.de morb.vul.com.6°.3ª.190.B/de diff.cont. Sp.71.C
Cibum sumat corpus,cum est inanitum.ad Thras. 2ª.104.D
Cibo non indigeremus,si nihil à nostro effflueret corpore. de vic.rat in morb.acu.com.1°. 7ª.115.E
sine Cibo possunt perdurare animalia quæ in latebris degunt, cum se recondunt.com.1°.aph.15°. Ex.8.B
Cibo frequenti si indigeremus, vita nostra esset aliena a musis. de vsu partium. 1ª.164.C
Cibum quo reficitur habet membrum omne.de oculis. 7ª.182.H
Cibus membro conueniens,qui.de ocul. 7ª.183.A
Cibus a quo nerui aluntur.de atra bile. 1ª.36.E
bñ Cibati aliqui cur nõ possint instaurari.com.2°.aph.32°.Ex.17.A
Cibo refectis atque instauratis sanguinosius corpus efficitur.in 6ᵐ.de morb.vulg.com.3°. 3ª.177.C
Cibi omnes quomodo dicuntur nutrimenta.1°.de nat.fac. 1ª.292.G
Cibus quo modo nutriat corpus.de cog.cur.animi mor. 2ª.54.G
ex Cibis roborantur vires.de ren.affe.dign.& med. 7ª.196.F
Cibus vt nutrit,consideratur rõne substantiæ.de vtil.resp. 1ª.223.D
Cibus vt dulcis,vt austerus,vt frigidus, vt calidus, consideratur ratione qualitatis.de vtil.resp. 1ª.223.D
Cibus valet ad animi virtutem.& animi mor. 1ª.317.E
Cibus qui est cibus simpliciter per se humectat solidas partes corporis non ex accidenti.com.4°.aph.13°. Ex.28.G
Cibus plurimus humectat corpora.com.4°.aph.13°. Ex.28.F
Cibus non simpliciter copiosior humectat, sed qui non habet fortem qualitatem.com.4°.aph.13°. Ex.28.G
in Cibo vinũ ad sedãdũ sitim solũ inuentũ esse,collige.de dif. Sp.72.B
Cibo assumpto pro medicamento vinum accipitur.in 6ᵐ.de morb.vulgaribus,com.6°. 3ª.196.F
per Cibos fiunt maturationes.in 1ᵐ.de mor.vul. 3ª.112.A
Cibum in terra,quæ animalia prona sumunt.11°.de vsu par. 1ª.185.A
cibum in terra,quæ animalia pna non sumunt.11°.de vsu p.1ª.185.A
Cibi deglutitio est actio naturæ.introd. Isa.55.B
Cibum quo modo possumus videre animal deglutire ex anatome. 3°. de natur.facul. 1ª.305.B
Ciborum introitus os.1°.de nat.fac. 1ª.292.E
Cibus,& potus per fauces descendunt.2°.de sem. 1ª.340.C
Cibi non ingrediuntur laryngis meatum.7°.de vsu par. 1ª.163.C
Cibum spinosum & durum sumentia non indigent dentibus superioribus.6°.de anat.adminis. 1ª.90.E
Cibus si ingreditur asperam arteriam,strangulationes & tusses excitãtur.introd. Isa.54.C/D
propter Cibum maioris molis,chartilaginis anuli tracheæ arteriæ nõ sunt rotundæ.7°.de vsu par. 1ª.158.C
Ciborum instrumentorum differentia.6°.de anat.admi. 1ª.90.D
Cibus it per collum.11°.de vsu par. 1ª.186.B
inter Cibi instrumenta numerantur musculi in terminis vasorum. 6°. de anatom.adminst. 1ª.90.C
Cibi quo modo conficiantur & distribuantur.& animi mor. 1ª.320.F
Cibus quo musculo conteratur.11°.de vsu par. 1ª.185.F
Cibi qui nulla indigent contritione.8°.de comp.me.sc.lo. 5ª.187.H
Cibi primum instrumentum ventriculus.6°.de anat.adm. 1ª.90.C
Cibi per gulam trahuntur à ventriculo.3°.de nat.fac. 1ª.304.G
Cibi trahuntur à ventriculo esurienti,antequam sint in ore leuigati. 3°.de natu.facul. 1ª.305.E
Cibus,et potº trahunt a vẽtriculo villis rectis.4°.de vsu par.1ª.137.b
Cibus,& potus expelluntur a ventriculo villis transuersis. 4°.de vsu partium. 1ª.137.B
a Cibis vẽter trahit alimentum sibi accõmodatũ.6°.de decr.1ª.265.b
de Cibo in ventriculo Erasistrati opinio.3°.de nat.fac. 1ª.303.E
Cibi cõplectunt a ventriculo,vt fœtus ab vtero.3°.de nat.fa.1ª.303.E
Cibos amplecti ppriũ est ventriculi se circunstringendo certo tpe detinere,& rursus ad inferiora dimittere.com.6°.aph.1°. Ex.45.H
in Cibis quod optimum est,trahit sibi retẽtrix.3°.de nat.fa.1ª.303.H

Cibus quo modo exuccetur.com.2°.aph.20°. Ex.14.F
Cibus quando eſt in ventriculo,pyloros eſt clauſus vt os vteri. 3°.*de naturalibus fac.* 1ª.303.E
*poſt Cibũ ſũptũ vẽtricul⁹ inferi⁹ os ſuũ claudit.*2°.*de ſymp.ca.*3ª.21.C
*Cibi inſtrumentum omentum.*6°.*de anat.admi.* 1ª.90.F
*Cibi diſtributionis inſtrumentorum triplex differentia.*6°.*de anatom. adminiſtration.* 1ª.93.F
*Cibo concocto aperitur inferius os ventriculi.*3°.*de nat.fa.* 1ª.303.D
Cibus de ſtomacho educitur.de cathar. Sp.94.G
*Cibus quo modo a ventriculo ad iecur efferatur.de conſt.ar.Iſa.*41.D
Cibi ſuccus non omnino tranſmittitur ad venam hepatis,immo etiam partim ad arteriam.de vtil.reſp. Sp.64.G
*Cibum attrahit iecur à ventriculo per meſeraicas, vt arbor à radicibus.*6°.*de loc.affe.* 4ª.37.G
Cibi liquamen,vel cibylus,quod ex ventriculo, & inteſtinis in iecur tranſmittitur,partim tenuioribus portionibus,partim craſſioribus conſiſtit.de atra bile. 1ª.34.H
*Cibi tranſmiſsio à ventriculo in ieiunum inteſtinum non eſt opus naturę.*6°.*de loc.affect.* 4ª.38.E
Cibi ſuccum trahit hepar ab inteſtinis.de vtil.reſp. Sp.64.D
Cibus quo modo eat per iecur. 5°.*de loc.aff.* 4ª.33.G
*Cib⁹ i ſimã iecoris partẽ, deinde i gibbã prouenit.de cõſt.ar.Iſa.*41.D
*Cibi cur mutant qualitatem poſtquam à cana ad gibbam iecoris peruenerint.*13°.*meth med.* 7ª.83.E
Cibum aſſumptũ elaboramus virtute pueniente ab hepate,cõcoctione, & digeſtione,& ſanguificatione,& appoſitione,& pſphyſi,& di ſcretione,& excretione.de virt.noſtrum corp.diſp. Sp.60.B
*Cibus non mutatur à ventre propter iecur.*6°.*de decr.Hip.* 1ª.265.H
*à Cibis,& potibus,atq; aere quid habeat iecur.*10°.*met.m.* 7ª.64.F
*Cibum concoquenti in ventre potentiæ ſanguifica potentia proportionalis eſt.com.*2°.*aph.*17°. Ex.13.A
*Cibus vbi ſit ſanguis,ſit motus paſsiuus cibi.*1°.*de nat.fa.* 1ª.291.B
Cibum alterat iecur in ſanguinẽ,& mittit ad cor.an aĩal ſit. 1ª.326.E
*Cibi vltima coctio fit in cor ſecundũ Ariſtotelem.de vtil.reſ.Sp.*62.f
Cibatur cor ſpiritu,& ſanguine attracto.de anat.viu. Sp.56.D
*Cibus alteratus à iecore in totũ corpus tẽdit.*4°.*de anat.admi.*1ª.90.C
*Cibi à ventriculo in iecur,& ab hoc in totum corpus deductio, opus eſt naturale.*3°.*de ſymp.cau.* 3ª.26.A
*Cibi tantummodo vehiculum eſt humiditas,non autem cibus.de victt. rat.in mor.acu.com.*3°. 7ª.128.F
Cibum concoctum in diuerſas corporis partes reddi prohibet iccinoris obſtructio.de bon.& vitio ſuc. 2ª.34.F
*Cibus quo modo per totum corpus deferatur.*6°.*de lo.aff.* 4ª.38.A
Cibus per quas venas aſcendat.de venarum,art.diſſec. 1ª.56.B
Cibos comeſos non ſuſcipiunt venæ conſtipatæ.de ſal.diæta. 2ª.42.F
*Cibi aſſimilatio fit ſpatio temporis.in progn.com.*1°. 4ª.197.B
Cibum,& potum appetens ventriculi cupiditas animale officium eſt. 6°.*de locis aſſe.* 4ª.37.H
*Cibũ appetim⁹ virtute pueniẽte ex hepate.de vir.noſt.cor.di.*S.60.B
*Cibi defectum percipit ventriculus per neruũ.*9°.*de vſu par.*1ª.174.G
*Cibum plurimum cur melancholici appetant.de mel.ex Gal.Sp.*109.D
*Ciborum vehemens appetentia in morbis longis ſolet accidere in his qui ſunt euaſuri.com.*7°.*aph.*6°. Ex.54.D
*Cibi appetentiæ defectus,morſus & faſtidium in ventriculo,ſitis, ore ad amaritudinẽ alterato notãt peccare bilem.c.*4°.*aph.*2°.Ex.27.e
*Cibos,& potus amara videri indiciũ morbi ex vẽtre.de dyn.Sp.*19.H
Ciborum appetentia quæ non ſeruet tempus conſuetum oſtendit futuram ægritudinem.ars med. Iſa.67.E
Ciborum appetentia ad non vſitata edulia oſtendit futuram ægritudinem.ars medendi. Iſa.67.E
Ciborum appetentia intenta vel diſſoluta oſtendit futuram ægritudinem.ars medendi. Iſa.67.E
à Cibo prohibendi ſunt qui appetentiam amiſerunt. in 6ᵐ.*de morb. vulg.com.*4°. 3ª.184.A
*à Cibo abſtinentia quæ apoſitia dicitur, ſignificat idem quod anorexia,id eſt inappetentia.com.*4°.*aph.*17°. Ex.29.A
*Cibi pingues,ac lenti appetentiam euertunt.*3°.*de ali.fa.* 2ª.30.F
*Cibi appetentiam excitat cucurbitula.de hirud.reuul.ſ. cucurbitulis, & ſcarifi.*2.F 6ª.3.F
*Cibum nõ capiẽtes ſuauiter reſtituit theriaca.de ther.ad Piſo.*5ª.96.a
*Cibi appetentiam excitans antidotus.*7°.*de cõp.med.ſe.loc.* 5ª.186.A
*ad Cibi inappetentiam.*2°.*de antid.*113.D/*de med.fac.par.*7ª.174.C
Ciborum vehementiſsimæ inappetentiæ vitio lienis quando fiant. 6°.*de locis affectis.* 4ª.36.B
Ciborum inſatiabilitas appellatur vltra quam ſatis ſit progredi veſcendo.de cog.cur.animi mo. 2ª.54.G
Cibum inſatiabiliter appetentem ſtomachum ſanat theriaca.de theri. ad Piſonem. 5ª.96.A
Cibos vitioſos qui appetant,& cur. 1°.*de ſymp.cau.* 3ª.18.C
*Cibos præter naturam edunt prægnantes.*7°.*de loc.aff.* 4ª.41.B
*Cibi vitioſi cupiditatem facit fluxio corrupta.*6°.*de ſan.tu.* 2ª.98.F
*Ciborũ malorũ appetẽtia ſignat læsũ eẽ os vẽtriculi.*5°.*d lo.af.*4ª.32.b
*Cibus magis q̃ potio appetitur,vitioſo ſucco,qui ſalſus & biliоſus ſit, ventrem mordente.*1°.*de ſymp.cau.* 3ª.18.B
*Cibi faſtidium vnde oriatur.intro.Iſa.*57.C/*in* 6ᵐ.*de mor. vulg. com.* 1°.132.G/*com.*6°.*aph.*3°. 3ª.46.F
*Cibi faſtidium quando generat allium.de victus ratione in mor.acutis, commentario.*4°. 7ª.145.C
Ciborum magnam nauſeam inducunt acria,ſi largius æquo ſumpta fuerint.de atten.vic.rat. 2ª.43.G
Cibum faſtidientes,qui.in 1ᵐ.*de mor.vul.com.*1°. 3ª.106.F
*Cibi faſtidium in morbo diuturno & deiectiones ſinceræ,malum.com men.*7°.*aph.*6°. Ex.54.C
Cibi faſtidij curatio.intro. Iſa.57.C
Cibũ faſtidientib.excitat appetẽtia vua ſeruata. 2°.*de ali.fac.* 2ª.18.A
*ad Cibum faſtidientes.*8°.*de comp.med.ſe.lo.* 5ª.196.H
Cibos faſtidientes purgandi nõ ſunt in 1ᵐ.*prorrh.com.*1°.4ª.174.B/D
*Cibum faſtidientes non ſunt lauandi.de victt.rat.in morb.acutis,commentario.*3°. 7ª.133.A
*Cibum faſtidientes comeſſe coacti,euomunt.*3°.*de nat.fa.* 1ª.303.G
Cibi inter ſe ſe mutuo diſſidentes facilius vomitum cient. 2ª.41.H
*Cibi vomitum facientes.*3°.*de ſymp.cau.* 3ª.27.B
*a Cibo vomitum ſemel aut bis in menſe cur laudat Galenus.*5°.*de vſu partium.* 1ª.143.E
*Cibi quibus vti debent vomentes.*5°.*de vſu par.* 1ª.143.E
*ad Cibum vel alimenta non retinentes.*6°.*de cõp.m.per ge.*5ª.256.A
*Cibus ſi non poſsit retineri,medicamẽtũ.*8°.*de cõp.m.ſec.lo.*5ª.187.E
*ad Cibi reiectionem.*8°.*de comp.med.ſec.loc.*189.G/ 5ª.191.C
*Ciborum modus retinet cibum in ventre.*1°.*de ſan.tu.* 2ª.68.A
Cibum ſemel,& eum vnicum capere,& vinum vnum bibere intereſt, vt venter illa & retineat & coquat.de ſal.diæta. 2ª.42.C
*Cibum in ventre remorantur,auſtera,acerba,& ſicca natura.*1°.*de ſanitate tuenda.* 2ª.68.A
*ad Cibum non ſentientes.*7°.*de comp.med.ſec.loc.* 5ª.196.A
*Cibi omnes agunt,& etiam patiuntur aliquid in corpus noſtrum.*3°. *de temperamentis.* 1ª.24.D
*Cibi pauciſſimi ſunt qui non agunt in corpus.*1°.*de alim.fac.* 2ª.8.E
Cibus quo modo alteret corpus.ars med. Iſa.68.C
*Cibi mutationis pulſus,qualis.*3°.*de cauſ.pul.* 4ª.98.H
*ex Cibo pulſus mutatio eſt diuturna.*1°.*de præſag.ex pul.*4ª.104.H
Cibi largi pulſus,qui.de pulſ.ad tiro. 4ª.44.E
Cibi modici pulſus,qui.de pulſ.ad tiro. 4ª.44.E
Cibi parcioris q̃ qui nutriat,pulſus qui.de pulſ.ad tiro. 4ª.44.E
Cibum qui acceperunt,& biberunt,cur habent reſpirationem paruã, & frequentem.de vtil.reſp. 1ª.226.G
*Cibus humid⁹ eſt cã p̃cedẽs pulſus mollis.*1°.*de præſ exper.*4ª.109.D
*Cibi primo frigefaciunt corpus,humidi potiſſimum, poſtea cocti calefaciunt.*3°.*de tempe.* 1ª.22.F
*Cibi alterantur.*1°.*de nat.fac.* 1ª.291.C
*Cibus quo modo mutetur.*1°.*de nat.fac.* 1ª.292.F
*Ciborum mutationis cauſa eſt temperies quatuor elementorum, quæ ꝓprietatem corporis ventriculi effecit.*3°.*de ſymp.cauſ.* 3ª.25.A
*Ciborum mutationem efficit calidum elementũ.*3°.*de ſym.ca.*3ª.25.A
*Cibos accendit caſeus.de vic.ra.in mor.acu.com.*4°. 7ª.145.D
*Cibus non eſt quod non vincitur.*3°.*de nat.fac.* 1ª.304.A
*Cibi et itẽ aquæ virt⁹ eſt cẽ bñ alterabilẽ.com.*5°.*aph.*26°. Ex.40.A
Cibis tribuit coctionem Galenus.ars med. Iſa.70.H
*Cibus oĩs nõ coquitur in cuiuſuis ãalis ventre.*4°.*de ſani.tuẽ.*2ª.82.H
*Cibus non habet in omnibus vnum tempus coctionis præfinitum neq; vinum.com.*5°.*aph.*5°. Ex.37.H
*Cibi in dentibus amittunt ſpeciem.*3°.*de nat.fac.* 1ª.304.A
*Ciborum alteratio in ore,quanta.*3°.*de nat.fac.* 1ª.304.A
*Cibi in ore miſcentur cũ pituita,quæ in ore bĩ.*3°.*de nat.fa.*1ª.304.B
*Ciborum coctio eſt ventriculi actio.*17°*de vſu partium.* 1ª.222.F

ad Cibos concoquendos vis vētriculi.i 6m.de mor.vul.c.5°.3a.188.B
Ciborum concoctio in ventriculo,quæ.3°.de nat.fac. 1a.303.D
Cibus in stomacho vertitur in lacteum succum.de compag. mem.siue de natura humana. Sp.58.H
Cibi in stomacho mutant consistentiam,colorem,& odorem, & alias qualitates.com.6°.aph.1°. Ex.45 G
Cibus coctus in ventriculo non est propinqua materia carnis, sed fit primo sanguis.3°.de temp. 1a.21.G
Cibus modicus bene concoquitur.de cog.cur.animi morbis. 2a.54.G
Cibus debet adequari virtuti digestiuæ.de diff.cont. Sp.71.H
Cibos corruptu difficiles cur aliqui magis,quàm faciles concoquant. 1°.de alim.fac. 2a.7.F,G
Cibi cur non coquantur.de diff.morb. 3a.3.G
Ciborum copia cruditates facit.introd. Isa.55.C
propter Cibi immodicam copiam concoctio ab extrinseco impeditur. 3°.de symp.caus. 3a.24.H
propter Cibi qualitatem alienam & intempestiuitatem coctio ab extrinseco impeditur.de symp.caus. 3a.24.H
Cibos crudos reddit vigilia fortis.de vic.ra.in mor.ac.c.2°.7a.125.B
Cibi concoqui non possunt,nec distribui calore natiuo debilitato. com. 4°.apho.27°. Ex.30.C
circa Cibos mediocres & consuetos nihil in totum effeciſſe vētris maximam intemperiem ostendit.3°.de symp.cau. 3a.25.C
Cibi concoctio si ex frigiditate immodica perditur, quid sequatur,3°. de symp.caus. 3a.25.D
Cibi cur non coquantur,si inflammatio,aut vlcus, aut aliquid huiusce modi ventriculum infestet,nullam præterea causam exquirunt.de differentijs morborum. 3a.3.G
Cibus natans in stomacho non digeritur.de dis.cont. Sp.71.H
Cibus si natet in stomacho quibus cibandum.de dis.cont. Sp.71.F
Cibi innatantes,vbi sumpta sunt austiera,deorsum truduntur.6°.de sanitate tuenda. 2a.99.E
Cibus & si non exacte impleat conceptaculi mensuram,lædit si illum non bene concoquit stomachus.com.2°.aph.17°. Ex.13.A
Cibus qui non bene coquitur,quid agat.11°.meth.med. 7a.72.F
Cibi in ventriculo male cocti non coquuntur in iecore. in 6m. de mor. vulga.com.4°. 3a.186.D
Cibus non superatus putrescit.de cur.rat.per sang.miss. 6a.16.H
Cibi si non vincantur,refrigerant.3°.de temp. 1a.23.C
Cibos indigestibiles in intestinis quid purget.de cathart. Sp.95.C
ad Cibum minus concoquentes.8°.de comp.me.sec.lo. 5a.169.H
Cibum digerens medicina.secretorum. Sp.101.F
Cibum non mutari melius est,quàm si mutetur in peregrinam qualitatem.8°.de comp.med.sec.loc. 5a.194.B
qui Cibi velociter corrumpuntur in stomacho.de diff.cont. Sp.74.H
Ciborum qui non velociter corrumpũtur in stomacho, qui melior.de diff.cont. sp.75.A
Cibus sumptus antequam primus descenderit,facit corrumpere primum,& secundum.de diff.cont. Sp.72.A
Cibus quo modo corrumpatur,& quibus,3°.de symp.cau. 3a.25.C
Ciborum ad fumosum vel acidum ructum conuersio,ad causas,& affectus ventriculi referenda est.1°.de loc.aff. 4a.5.H
Cibos natantes corrumpere pertinct ad propriam rationem oris ventriculi.5°.de loc.aff. 4a.32.E
Cibos non corrumpit fundus ventriculi.5°.de loc.aff. 4a.32.E
Ciborum corruptionis tres generalissimæ differētiæ.1°.de lo.af.4a.5.B
Cibi vertuntur in fumum a caliditate.1°.de lo.aff. 4a.5.D
Ciborum corruptiones nidorosæ ex calidioribus, magis quàm biliosis veniunt cibis.3°.de symp.caus. 3a.24.H
Cibi in biliosis in nidorulentam, & fumosam qualitatem corrumpuntur.8°.meth.med. 7a.53.B
Cibum in nidorem vertentibus dandus est panis, & chondrus. 1°.de locis affectis. 4a.5.E
Cibi in biliosis raro in acidum conuertuntur.8°.meth.med.7a.53.B/G
Cibi in acidum conuersi sunt minus mali in calidis naturis.8°.methodi medendi. 7a.53.B
Ciborum corruptiones acidæ ex ijs cibis veniunt,qui frigidiores natura sunt magis q̄ pituitosi.3°.de symp.cau. 3a.24.H
Cibis corruptis in ventriculo similis ei affectus incidit, qui vtero ob fœtus corruptelam.2°.de symp.cau. 3a.21.C
Cibo corrupto quando aperiatur os ventriculi inferius.2°.de sympto matum causis. 3a.21.C
Ciborum corruptio quibus accidit in ventre,& si descendat in aluum, vel non descendat,quid agendum.6°.de san.tuen. 2a.97.H
ex Cibis corruptis fit q̄q; febris.in 6m.de mor.vul.cō.5°.3a 194.A
Cibos valde corruptos in stomacho habentes,quomodo curandi.8°.de comp.med.sec.loc. 5a.191.G
ad Cibum corrumpentes.8°.de comp.med.sec.loc. 5a.193.C
Cibos postridie eructant,& si præcordia aleuantur,his,tanquam cibis non percoctis,diuturnior somnus prodest.de sal.dieta. 2a.43.B
Cibi oīno incōcocti nō pñt facere ructus.com.6°.aph.1°. Ex.46.A
ad Cibos eructantes.8°.de comp.med.sec.loc. 5a.191.G
Cibus in ventre quibus acescit remediū.8°.de cōp.m.se.loc.5a.191.D
Cibum in acidum vertentibus dandum mel.1°.de loc.aff. 4a.5.E
Cibus in ventriculo quibus acescit,ijs auxiliabitur antidotus Athanasia Mitridatis.2°.de antid. 5a.114.H
Cibus non emittitur à ventriculo antequam sit perfecte coctus.4°.de vsu partium. 1a.140.G
Cibus crudus emittitur,si ventriculus acrimonia irritetur, aut multitudine grauetur.3°.de nat.fac. 1a.303.F
Cibus semicoctus qualis,& cur excernatur.3°.de symp.cau.3a.27.H
Cibi semicocti qui dicantur.4°.de simp.med.fac. 5a.28.B
Cib° si de stomacho añ digōnē exeat.qd agēdū sit. de dis. cōt. Sp.75.B
Ciborum qualitas & quantitas cur faciat remorari excrementa,quæ in ventriculo continentur 1°.de san.tu. 2a.68.A
Ciborum ordo cur causa sit cur retineantur excrementa in ventre.1°. de san.tuen. 2a.68.A
Ciborum cur maior aut minor fiat deiectio,q̄ pro comestorum multitudine.3°.de symp. cau. 3a.27.D
qñ Cibi superfluitas est difficilis descensus de stomacho et i tenuibus,ī digem° his q̄ descēdere faciūt et vētrē mollificēt. de diff.cōt.Sp.71.F
ad Cibum deponendum quæ excitent.de diff.cont. Sp.75.B
Cibi ex cōtrarijs substātijs quo mō turbēt vētrē.1°.de alim.fa. 2a.8.A
Cibi sliptici qui sint.de diff.cont.74.D/ Sp.75.B
Cibaria sliptica rectificant stomachum debilem & mollem.de dissolutione continua. Sp.74.D
Cibi linientes qui sint.de diff.cont. Sp.75.A
Cibus leniēs añ sliptic ū,& è cōtrario, quid agant.de dis.cōt.Sp.71.H
Cibus qui ducit ventrem.1°.de alim.fac. 2a.9.C
Cibos sibi similes adiuuant ad excretionem aut cohibitionem alui bilis & pituita.1°.de alim.fac. 2a.8.A
Cibaria salsa deiectiones moliri,collige.com.2°.aph.20°. Ex.14.D
Cibi humidiores & glutinosiores celerem efficiunt deiectionem.3°.de sympto.caus. 3a.27.C
Ciborum superflua si tarde descendant,dari debent cibi lenientes & pungentes,in quibus sit dulcedo,aut acuitas, aut salsedo, aut nitrositas.de diff.cont. Sp.75.A
Cibum q̄n de stomacho faciat descendere vinum.de dis.cont. Sp.72.B
post Cibum adstringens quid sumptum facit ventrem retinentem habentes excernere.6°.de san.tuen. 2a.99.E
Cibi indigesti de stomacho educuntur.de cathar. Sp.94.G
Cibus quando glande,vel clysteri educendus.8°.meth.med. 7a.53.F
Cibi nō quia oīno incocti permanent,ideo cito deijciūtur, sed quia citò deijciuntur,iccirco nullam hñt coctionē.com.6°.aph.1°. Ex.46.D
Cibus exit per intestina qualis fuit deuoratus in lienteria.6°.de locis affectis. 4a.37.G
Cibos extra protrudunt intestina.3°.de symp.cau. 3a.27.D
ex Cibo aut potu aliquo posse alui profluuium contingere,collige.com mentario.6°.aph.16°. Ex.47.G
Ciborum,& naturarum diuersitas est scienda.de dis.cont. Sp.71.D
Cibi quo modo diuersi sint.de diff.cont. Sp.71.D
Ciborum ratio maxima habenda est.6°.de san.tuen. 2a.101.A
Cibi naturā Medicum scire oportet,sm Rationales.de sect. Isa.16.D
Ciborum facultas breui non pōt comparari.1°.de alim.fac. 2a.9.D
Cibarijs medicis nomen à materia inditum est.ad Thras. 2a.105.B
Cibi pro viribus considerandi sunt.12°.meth med. 7a.77.E
Cibi,ac potus sunt materiæ medicinæ.ad Thras. 2a.106.A
Cibū exhibere iter primas medici actiōes numerat.ad Thr. 2a.108.F
qui Cibi sanguini faciendo maxime consentiant,qui dissentiant, magis quærendum erat Erasistrato,quam qui ventriculi operi facile cedant,qui aduersentur.2°.de nat.fac. 1a.299.E
Ciborum salubrium exacta cura non habetur, nisi corporum naturæ agnoscantur.de bon.& vit.suc. 2a.38.A
Cibus tota substantia singulis idoneus sola experientia discernit. 6°. de sani.tuen.

de san.tuen. 2ª.96.C/de vict.rat.in mor.acu.com.4°. 7ª.145.C
Cibi comesti quo deprehẽdunt ex substãtia.1°.de ꝑsa.ex pul.4ª.107.H
in Ciborum facultatibus diuturnæ experientiæ credendum ex Diocle.1°.de alimen.facul. 2ª.7.E
Cibi modus quo modo experientia inueniat.2°.de sa.tuen. 2ª.73.E/A
Cibi substantia alendo accommodata cognoscitur voluptate edẽdi.3°. de alimen.fac. 2ª.30.F
de Cibis quæ nesciat coquus.ad Thras. 2ª.108.H
Ciborum differentiæ.in 6ᵐ.de morb.vulg.com.5°. 3ª.194.G
Ciborũ aliq nõ hũt facultatẽ manifestã aliqui hnt.1°.de ali.fa. 2ª.9.B
Ciborum alium simpliciter cibum nalium,medicinalem cibum appellãdum esse,collige.com.4°.aph.13°. Ex.28.G
in Cibo,et potu quo vis ꝑpia medicinalis ẽmista.1°.de sa.t.2ª.68.B
Cibi quidam quando plane videntur agere & excellenter, non solum cibi sunt, sed medicamenta.3°.de temp. 1ª.24.D
Ciborũ usus,et veratri potio nulla societate ꝑticipãt.ad Thr.2ª.105.A
Cibi habent eandem facultatem cum medicamentis,cum quibus communicant in sapore.1°.de ali.fac. 2ª.9.B
Cibis ꝙ insunt qualitates,qb.aliũ vel exercere vel cohibere possint,nõ tanq alimentis,sed tanq medicamẽtis insunt.1°.de ali.fac.2ª.14.D
Cibi medicinales qui sint.8°.meth.med. 7ª.50.H
Cibi,& medicamẽti vim hẽt ptissana.de vic.ra.in m.ac.c.1°.7°.115.D
Cibus phacoptissana.i.ex ptissana & lente,qualis.1°.de ali.fa.2ª.13.E
Cibus medicinalis cur difficulter deglutitur.3°.de nat.fac. 1ª.304.H
Cibi habentes qualitatem medicamentosam omnino non nutriunt,nisi coctione,aut assatione,aut maceratione qualitatem illam deposuerint,tuncq,exigue nutriunt.2°.de ali fac. 2ª.19.D
cum Cibis sacrificiorum curantes medicos altarium laudat.de medicin.exper.104.A/ Sp.108.G
Cibi habentium calorem,mordacem,qui.5°.de san.tuen. 2ª.94.C
a Cibis calidis substantia caloris in animali augetur,qualitas tamen non intenditur.3°.de temp. 1ª.24.E
Cibi acres,& calidi,qui.de caus.mor. 3ª.6.G
Cibi acres caliditatem augent,et febres generãt.de caus.mor.3ª.6.G
Cibi acuti calefaciunt sanguinẽ calefactione nimia.de dis.cõ. Sp.72.F
Cibi calidiores sunt magis biliosi.2°.de nat.fac. 1ª.300.D
Cibi calidi quibus conueniunt.de diss.cont. Sp.74.C
Cibi potusue variis modis refrigerati.de bon.& vi.suc. 2ª.39.C
Cibi certissime refrigerantes,qui.in 6ᵐ.de mor.vul.com.5°. 3ª.194.B
Cibus frigidus infrigidat,postea cõcoctus calefacit.3°.de tẽp. 1ª.24.C
Cibi frigidi quibus præbendi.de diss.cont. Sp.74.D
Cibos frigidos fortius digerunt calidi.de diss.cont. Sp.73.B
Cibi qui magis excitent in omni genere.2°.de san.tuen. 2ª.92.D
Cibi sicci quibus conueniant,& qui sint.de diß.cont. Sp.74.D
Cibos siccos digerunt humidi.de diss.cont. Sp.73.C
Cibus mollior habet molliorem substantiam.3°.de ali.fac. 2ª.31.H
Cibi qui humectent,& qui non.quos purg.op.quib.med. 5ª.88.A
Cibi humectantes sunt quicunq; nullã hnt fortẽ qualitatẽ, hoc est neq; acerbã,neq; acrẽ,neq; salsã,neq; amarã.cõ.4°aph.13°. Ex.28.G
Cibi humidi quibus conueniant,& qui sint.de diss.cont. Sp.54.D
Cibos humidos digerunt sicci.de diss.cont. Sp.73.C
Cibi humectantes soporiferi sunt.3°.de loc.aff. 4ª.16.F
Cibi humidi citra adstrictionem facile subsident.2°.de ali.fa.2ª.16.G
Cibi frigidi,& humidi,qui.10°.meth.med. 7ª.67.A
Cibi qui boni,& qui mali in genere.de bo.& vi.suc.36.H/ 2ª.37.A
Cibi boni succi,qui.2°.de comp.med.sec.loc.5ª.133.D/de remed.para.facil.7ª.159.C/de diss.cont. Sp.73.G
Cibus idoneus ad coctionẽ,trãsit in sãguinẽ.cõ.2°.aph.17°.Ex.13.A
Cibi bonũ succũ gnant,q pbẽ i vẽtriculo coquunt.de bo.et vi. 2ª.37.A
Cibaria recte cõcocta bonũ sãguinẽ gnant.cõtra ea q a Iul. Ex.69.F
Cibi boni succi detergunt,nec glutinosi sunt,nec crassum succum efficiunt,nec valenter nutriunt.4°.de san.tuen. 2ª.84.F
Cibi boni succi qui non calefaciunt.de rem.par.fac. 7ª.149.A
Cibi optimi ad bonã valetudinem, quales.de bon.& vit.suc.2ª.36.E
Ciborum generantium chymum bonum temperatum inter subtile, & crassum,enumeratio.de diss.cont. Sp.73.H
Ciborum boni chymi,& subtilis enumeratio.de diss.cont. Sp.73.H
Cibi molles,ac friabiles maxime cõferunt ad sanitatẽ.3°.de ali.fa.2ª.3.E
Cibꝰ boni chymi plurimus accipiat post comestionẽ bathecæ.Sp.74.F
Cibus salubris cui curæ est,perdicibus, & turturibus vtat mortuis vno die asseruatis.de atten.vic.rat. 2ª.45.G
Cibi ꝑbati succi ex frumẽtaceorũ gnẽ sunt.de bo.& vit.suc. 2ª.34.E
Cibi non habentes superfluitates,qui sint.de diss.cont. Sp.73.E
Ciborũ qui malos generãt humores tres sunt spẽs.de dis.cõt.Sp.74.A
Cibi qui pariũt malos succos.de bo.et vi.2ª.33.G/ 1°.de dif.fe. 3ª.31.G
Cibi pessimi,qui.de puero epilep. 7ª.180.D
a Cibis gulã nimium irritantib.abstinẽdũ eẽ docet.de cog.cur.2ª.33.C
a Ciborum malorum succorum vel tenuium, vel crassorum esu semper abstinendũ.2°.de ali.fa.17.D/de bon.& vi.suc.36.B/2ª.39.B
Cibi vitiati febrem faciunt.1°.de diff.feb. 3ª.31.C
Cibi vitiosi succi quãdo gstate nõ vitandi.de bon.& vi.suc. 2ª.39.B
a Cibis paruis cur minus lædant exercẽtes se laborib.1°.d ali.2ª.10.B
Ciborum putridorum odores.3°.de symp.cau. 3ª.25.D
Cibi qui minus nutriunt,& plurimum nutriunt.de diss.cont. Sp.73.G
Cibus qui alimentum copiosius præstat.3°.de alimen.fac.2ª.30.E/1°. de marc.48.D/de venæ sect.aduer.Eras.6ª.14.C/8°.met.med.7ª. 50.H.de diss.cont. Sp.73.E
Cibi insipidi & dulces præsertim, & compacti corpus multum nutriunt.2°.de alim.fac. 2ª.24.H
Cibus coctu facilis nõ pot esse maxime nutriẽs.7°.meth.med.7ª.45.D
Cibi multi nutrimenti a quo summendi sint.de diss.cont. Sp.73.E
Cibi multi nutrimenti aggrauant stomachum.de diss.con. Sp.73.E
Cibi robusti,qui.in 6ᵐ.de morb.vulg.commen.4°.184.C/3ª.192.G/ de artica.com.3°. 7ª.275.F
Cibi imbecilli,qui.in 6ᵐ.de mor.vul.com.4°.184.C/ 3ª.192.E
Cibi qui facile nutriant,sed parum.8°.meth.med. 7ª.50.H
Cibus qui alimentum minus copiosum præstat.3°.de ali.fac. 2ª.30.F
Cibi oẽs acres & amari parcius corpus nutriũt.2.de ali.fac. 2ª.24.G
Cibus leuissimus est ouum sorbile.de dyna. Sp.19.H
Cibi tum tenuium partium,tum natura calidi faciles attractu sunt, sed parum nutriunt.de marc. 3ª.48.D
Cibus humidus minus nutrit,facilius coquitur ac distribuitur. 3°.de alim.facul. 2ª.30.F
Cibi subtiles sũt pauci nutrimẽti,et q alii sint pauci nutrimẽti.Sp.73.F
Cibi qui carent fere nutrimento.de venæ sect.aduer.Eras. 6ª.14.C
Cibi aliq vñr duri ac terrestres,q elixi molles reddunt.de bon. 2ª.36.F
Cibi qui velocius digerantur.de diss.cont. Sp.73.C
Cibariorum velocis digestionis modus primus. de diss.cont. Sp.73.B
Cibatio citissima per quæ fiat.com.2°.aph.11°. Ex.12.D
Cibi concoctu difficiles,& si pauciores,tardius digerũtur a natura ẽbecilli,q faciles,ẽi si plures,nã forti existẽte.c.2°.aph.17°.Ex.13.A
Cibus durior habet crassam substantiam.3°.de alim.fac. 2ª.31.H
Cibi crassi succi,q.3°.de ali.fa.2ª.28.B/1°.de cõp.ine.sec.lo.5ª.128.D
Cibi crassi viscosi si coquantur,multum nutrunt,aliter faciunt oppilationem.de diss.cont. Sp.72.G
Cibos crassos aliqui velocius digerunt.de diss.cont. Sp.73.C
Cibos crassos in hyeme sumere cur sit melius.de diss.cont. Sp.72.G
Cibus crassis cur vtantur athletæ.1°.de ali.fac. 2ª.10.B
Cibaria crassa dominante eis siccitate,duritie,& viscositate,& simplicia,& commista quid faciant.de dis.cont. Sp.72.G
Cibaria crassa in corpore calido quid efficiant.de dis.cont. Sp.72.G
Cibi crassi succi calculos generant in calidiorib.3°.de ali.fac.2ª.28.F
Cibi crassi faciunt capillitiũ dictum morbum.co.4°.aph.76°. Ex.36.C
Cibi crassi quo edẽdi sint a nõ calidis,et qui nõ mouent.de di. Sp.72.G
Cibi crassi & glutinosi ob putredinẽ cãe sũt febriũ.1°.de dif.3ª.32.A
Cibi humidi & glutinosi cur facile pmeant.3°.de symp.cau. 3ª.27.D
Cibi crassi & acerbi tardi sunt transitus.3°.de symp.cau. 3ª.27.D
Cibi qui obstruunt numerantur.de dis.con. Sp.74.H
Cibi crassi faciũt obstructionẽ i iecore & renib.de bo.et vi.su.2ª.36.B
Cibi crassi & lenti succi nihil faciunt grauitatis,aut tensionis,dex re parti hypochondriorum.de bon.& vi.suc. 2ª.35.A
Cibos crassi & lenti succi vitent, qui ob ætatem vel consuetudinem exerceri non possunt.de bon & vit.suc. 2ª.35.A
à Cibis crassis abstineãt capite vulnerati.2°.d cõp.me.se.lo. 5ª.134.A
a Ciborũ crassorũ esu,et si sint boni succi cur abstinẽdũ.d bo.2ª.36.B
Cibis crassis,et lẽti succi pñt vesci hoies sua spõte.d bo.et vi. 2ª.34.H
Cibi pingues ac lenti non possunt diu edi.3°.de ali.fac. 2ª.30.F
Ciborum subtiliãtium tria genera, & quod sit primum genus,& eius enarratio.de diss.cont. Sp.72.D
Ciborum subtiliantium 2m genus,eiusq; enarratio.de dis.cõ.Sp.72.E
Ciborum subtiliantium tertium genus,quod in quatuor secatur differentias.de diss.cont. Sp.72.E
Cibi qui attenuãt crassos humores.de at.vic.2ª.44.A/de dis.Sp.74.G
Cibi oẽs,qui sũt conditi,et ꝑparati ex aceto,sinapi,et oxymelite,at-

tenuant.de atten. vict.rat. 46.B
Cibi in quibus positum est sal muria,& baurach, dissoluũt,ac tenuant cum salsedine suæ.de diss.cont. Sp.72.F
Cibi salsi dissoluunt,ac attenuant, & qui sint.de diss.cont. Sp.72.F
Cibos attenuãtes,gustus,et olfactus discernere docẽt.de atte.2ª.43.G
Cibi acres,& extenuantes morbosi sunt.1°.de diff.fe. 3ª.32.A
Cibi oẽs aquei,& mucosi minuũt vim attenuantiũ. de atten.2ª.44.C
Ciborum mediorum differentiæ.1°.de alim.fac. 2ª.13.G
Cibaria media quæ sint.de diss.cont. Sp.74.C
Cibi qui neq; Crassi,neq; tenues sunt,quales.de bo.& vit.su.2ª.34.H
Cibi qui neq; Crassi,neq: tenues nullo mõ dãnãdi.de bo.et vi.2ª.34.G
Cibos temperatos in subtilitate,& crassitie dabimus quando motus est conueniens.de diss.cont. Sp.71.G
Ciborũ tẽperatorũ diuisio in crassũ,subtilẽ, & mediũ.de diss. Sp.73.G
Cibaria media inter subtilia & crassa danda sunt temperato qui non multum mouetur.de diss.cont. Sp.73.A
Cibi nõ tẽperati nõ gñant sanguinẽ purũ,mũdũ,clarũ.de diss.Sp.74.A
Cibi acuti incidunt,aperiunt,& qui sint.de diss.cont. Sp.72.F
Cibi acuti attenuant corpus,& debilitant.de diss.cont. Sp.72.F
Cibi acuti incisiui quibus conferant.de diss.cont. Sp.72.F
Cibi acuti adurũt sanguinẽ.si quis multum vtatur eis.de dis. Sp.72.F
Cibi acetosi incidunt,& attenuant,& qui sint.de diss.cont. Sp.72.G
ob Ciborum acutorum continuum vsum sanguis fit cholera nigra.de dis.con. Sp.72.F
Cibi aspredinosi,qui.de artic.com.3°. 7ª.275.F
Cibis pinguibus,dulcibus,& nulla vehemẽti qualitate præditis delectãtur,qui naturaliter se habẽt. in 6ᵐ.de mor.vul.cõ.6°.3ª.191.G
Cibis amaris,acerbis, acidis delectantur, qui naturaliter non se habent.in 6ᵐ.de mor.vul.com.6°. 5ª.191.G
Cibi sapidi dulces,subtiles abstergũt,& qui sint.de diss.cõt. Sp.72.F
Cibi dulces obsunt iecori,& lieni inflãmatis.2°.de alim.fac. 2ª.17.F
Cibi omnes dulces sunt mali hepati,& renibus quando est in eis crassities.de diss.cont. Sp.74.H
Cibi ex farina milij et panici apud rusticos sũt i vsu.1.de ali.f.2ª.13.C
Cibi milioſi qui.de artic.com.3°. 7ª.275.F
Cibus vt generet lac,debet esse modice calidus, nullamq; insignẽ habere adiunctã siccitatem,nullã crassitiẽ.5°.de simp.med.fa. 5ª.37.G
Cibi multi seminis dicuntur & sunt bulbi, cicer, fabę, polypodes, conus.5°.de simp.med.fac. 5ª.38.C
Cibi & medª.multi seminis sunt lini semẽ,et eruca.5°.de simp.5ª.38.C
Ciborum quorundam coctorum diuersitas.de diss.cont. Sp.72.E
qui Cibi cocti efficiuntur mali.de diss.cont. Sp.72.E
Cibi gignunt humores.1°.de elemen. 1ª.7.E
ex Cibis alus,atræ bilis non parum gignitur,ex alijs pituitæ vel flauæ bilis plurimum,ex alijs sanguis purus.de assuetud. 2ª.61.B
Cibi qui conueniunt sanguineo.de diss.con. Sp.71.E
in Cibis ne contineatur bilis an gignatur in animantium corporibus dubitare est hominis ignari.2°.de natu.fac. 1°.300.F
in Cibis ipsis bilis continẽ,sm Erasistratũ.2°.de nat.fac. 1ª.300.A
Ciborũ bilioſorũ nimiº vsus gñat bilẽ.in 6ᵐ.de mor.vul.c.1°.3ª.157.A
Cibi qui conueniunt bilioſis.de diss.cont. Sp.71.E
Cibi qui facile in pituitam vertantur.de nat.hum.com.1°. 1ª.32.F
Cibi hyemis pituitoſiores.de nat.hu.com.1°. 1ª.32.F
Cibi frigidiores sunt magis pituitoſi.2°. de nat.fac. 1ª.300.D
Cibi hũtes nãm pituitosã febres quotidianas faciũt.2°.de di.f.3ª.36.d
Cibi qui conueniunt pituitoſis.de diſ.cont. Sp.71.E
Cibi q̃ icidũt pituitã,mũdificãt stomachũ, et q̃sint.de diſ.cõt. Sp.74.E
Ciborũ assumptorũ crassitie,aut multitudine qñ gñaẽ phlegma in stomacho ac reliquo corpore,conueniunt cibi acetoſi. de diss. Sp.72.G
Cibis calidis,& siccis vtẽdũ pituitosũ sanguinẽ hñtib.de bo. 2ª.38.A
Cibi faciẽtes humorẽ melãcholicũ.3°.de lo.af.4ª.18.F/de di.Sp.74.A
a Cibis siccis,& crassis humor melãcholicº fit.1°.de ali.fac.2ª.13.E
Cibis calidis,& humidis vtendum melancholicum sanguinem habentibus.de bon.& uit.suc. 2ª.38.A
Cibi qui conueniunt melancholicis. de disso. cont.71.E/de melan. ex Gal.Ruf.& Poss Sp.110.D
Cibi acres exhibeantur ut medicinæ melancholicis.de melãch.ex Gal. Ruf.& Poss. Sp.110.D
Cibi debẽt eẽ oppoſiti naturis p̃ter q̃ qñ est tẽperata.de di.cõt.Sp.71.G
Cibi contrarij ad contraria bene,similes autem ad similia male se habent.com.3°.aph.3°. Ex.20.B
Cibi quib.indigẽt corpa q̃ egrediunt tẽperamẽtũ.de diſ.cõt. Sp.73.G
Cibi quib.indigẽt corpa tẽperata in tpe nõ tẽperato.de di.cõt.Sp.73.G
Cibi quibus corpora densa & quibus rara corpora sint nutrienda. de dissolu.cont. Sp.71.E
Cibus quo modo debeat exhiberi sanis,ægris,plenis,vacuis,fortibus, debilibus,& quo tempore,com.1°.aph°.17. Ex.9.B/C/D
vt Cibus opportunus eligatur ad duo spectãdũ.7°.met. me.7ª.45.D
Cibationis tria sunt capita,quantitas ciborum,qualitas,& vtendi modus.com.1°.apho.19°. Ex.9.E
Ciborum præbendorum quatuor regulæ.de dis.cont. Sp.71.H
Cibi qualitatẽ,& quantitatẽ facultas indicat.de opt.secta. Isa.29.A
Cibi offerẽdi qualitas in his quæ sunt præter naturã, sumiẽ à cõtrarijs. in his quæ sunt sm naturam à similibus.com.1°.aph.16°. Ex.8.H
de Cibi quãtitate quo modo dematur notum est.6°.de san.tu.2ª.97.E
de Cibi qualitate quo modo dematur.6°.de san.tuen. 2ª.97.E
Cibi mediocritas quæ.ars med. Isa.68.D
Cibus,potio,labor,sõnº,venº oĩa sint mediocria.2°.de sa.tu. 2ª.69.D
Cibus mediocris temperato adhibendus est.2°.de san.tu. 2ª.75.H
in Cibis qd satis est cibi idigẽtia metimur.de cog.cur.aí mor.2ª.54.G
Cibus multus quot modis dicatur.3°.de symp.cau. 3ª.27.C
Cibi plus iusto impleri temperatus non potest, si naturæ suæ impetus sequatur.2°.de san.tuen. 2ª.73.F
Cibo repleti vt venter extendatur, non leduntur, si virtute existente forti bene concoquant.com.2°.aph.17°. Ex.13.A
Cibº excedẽs nõ facit morbũ nisi multũ excedat.c.2°.aph.17°.Ex.13.d
de Ciborum ingestorum copia ex ventris mole non est coniectura facienda.1°.de diff.resp. 3ª.60.E
Cibo plurimo vsus est,qui sudat dormiẽs absq; cã manifesta, ideo phibendi cibi.cõ.4°.aph.41°.Ex.32.D/E/præs.exper.conf. Sp.77.G
Cibum siquis ex morbo assumens non corroboratur, significat corpus pluri alimento vti.com.7°.aph.62°. Ex.59.G
Cibũ siquis nõ acceperit,sudor multus ex sõno factº,illũ indigere euacuatiõe significat.c.4°.aph.41°.Ex.32.D/preſ.exper.con.Sp.77.G
Cibariorum vsus adeo erat auctus tempore Galeni vt nihil addi posse videretur.com.6°.aph.28°. Ex.49.A
Cibi copia inducit causas antecedentes.de nat.hu.com.2°. 7ª.181.G
Cibi pariunt morbos.de nat.hum.com.2°. 7ª.182.E
Cibus p̃ter naturã plus ingestus facit morbũ.cõ.2°.aph.17°.Ex.12.H
à Cibo,& à potu morbi qñ & quales.i 1ᵐ.de mor.vul.cõ.1°.3ª.101.D
Ciborum quantitas & qualitas inter causas frigidorum morborum numerantur.de cauſ.mor. 3ª.7.B
Cibi optimi,quiq; plurimum animali offerunt nutrimentum supra modũ assumpti morbos frigidos pariunt.de cau.mor. 3ª.7.D
Cibis plenum esse,et quiescere simul,facit ad torminum generationẽ. com.5°.aph.41°. Ex.41.D
Ciborum varietas præsertim vbi varijs constat facultatibus,est nocentissima.de uict.ra.in mor.acu.com.1°. 7ª.111.H
Ciborum vitia quid agant.3°.de symp.cau. 3ª.26.B
Cibis lõgo tpe repleti inexercitati & otioſi,tremũt.2°.de sym.3ª.20.E
Cibis vtũtur pluribus,quibus tubercula vel in articulis labores fiũt. com.4°.aph.45°. Ex.32.G
Cibi immoderate sumpti quid faciãt fœtui.11°.de vsu par.1ª.188.D
Cibus supra modũ sũptº facit vomitũ & p̃fluuiũ.2°.de dif.fe.3ª.40.G
ex Cibis & crapula dolores quandoq; veniunt ad lumbos & ad coxã.de vict.rat.in mor.acu.com.4°. 7ª.145.A
Cibi multi corpus plethoricũ calefaciunt,& uacuatũ siccant. de uict. rat.in mor.acu.com.4°. 7ª.145.C
Cibos plus cõsueto siquis assumpserit,æquali aũt prioribus,aut ẽt minori vtatur exercitio, moxq; aggrauato corpore cũ rubore atq; tumore venarũ incipiat febricitare nõ absq; rõne quispiã illũ ex multitudiue febricitare existimauerit.com.2°.aph.17°. Ex.13.D
Cibaria imbecilliora.i.parũ alimenti corpori exhibẽtia,ipsis vescẽtes breuis vitæ reddere apta sunt.in 6ᵐ.de mor.vul.co.6°. 3ª.192.E
ex Cibis quod oriẽ symptoma facile corrigit.3°.de symp.cau.3ª.25.C
Cibus supfluº recẽter assũptus corrigit ab euacuatiõe.ars me.Is.70.D
Cibi subtractio quid significet.de venæsect.aduer.Eras. 6ª.10.H
à Cibo qñ abstinẽdũ tpato cũ satis se ipleuerint.2°.de sa.tu. 2ª.73.F
Cibi parcitas lassitudinẽ tollit, & sitim extinguit pituitoſis et sãguinẽ multũ hñtibus,bilioſis nequaq̃.in 6ᵐ.de mor.vul.cõ.3°.3ª.176.A
Cibos,& labores minuant,& vinum dilutum quàm frigidissimum vibant, quos sitis infestat.de sal.diæta. 2ª.43.B
Cibi pauci habent paucum excrementum.3°.de symp.cau. 3ª.27.D
Cibatis parce euidẽtia phãtasmata sõniorũ vñr.i 1ᵐ.prr.c.1°.4ª.163.G

à Cibo si diu abstinuerunt sani, præsertim si cholerici sint, quid illis contingat.com. 6°.aph. 50°. Ex. 52.G
Cibũ si quis non sumat, augetur halitus bilios⁹. 10°.met.me. 7ª.62.H
sine Cibo quãdo manemus, urina fit rufa magis. 1°.de cris. 4ª.130.A
Ciborum inopia sanguis arefit, & densior se ipso redditur. de venæ sect.aduers.Eras. 6ª.11.A
in Ciborum calidorum præsertim & siccorum parcitate assueta vita tertianas faciliter affert febres. 2°.de diff.feb. 3ª.36.D
nisi Cibent, & lauentur sicci, affectus non finiunt. 10°.met.m. 7ª.63.C
ob Cibos prauos in fame, quæ contingunt. 1°.de diff.feb. 3ª.31.G
Ciborum penuria non tam perunt famelici post inedias, quàm qui iugulantur, spiritus inopia. 1°.de marc. 3ª.46.H
Cibi abstinentia euacuat per accidens. 14°.meth.med. 7ª.89.B
Cibi abstinẽtia p accidẽs vires euertit d vic.ra.ĩ m.ac.cõ. 3°. 7ª.128.E
Cibis omnibus sal admistus conuenit. de simp.med. Sp.90.A
Cibi modus. ars med. Isa.68.E
Cibus quo modo offerri debeat. com. 1°.aph. 17°. Ex.9.D
in Cibo omni oportet considerare regionem, anni tempus, & aeris cõstitutionem. 1°.de ali.fac. 2°.13.F
Cibi & potus veris, qui. de renum affe. digno. & med. 7ª.195.C
Cibi æstiui. de bo. & vi.suc. 2ª.39.B/de ren.aff.dig. & med. 7ª.195.C
Cibi hyemis, qui. de nat.hu.com. 1°. 1ª.24.E
Cibandum quomodo sit in hyeme. de diff.cont. Sp.71.G
Cibi multi hyeme dari possũt, & pauci æstate. cõ. 1°.aph. 18°. Ex.9.E
Cibus hyemis, quantus. de ren.affe.dig. & med. 7ª.195.B
Cibo ac potu semel impleti diem integrum, & noctem perduramus. 7°. de vsu partium. 1ª.164.C
Cibi intempestiue non sunt sumendi. 3°. de symp.cau. 3ª.24.H
Cibi sumendi sunt in sua hora. de diff.cont. Sp.71.H
Cibi accipiẽdi hora cõueniẽtior ẽ hora frigiditatis. et cur. d di Sp.72.B
Cibus non est accipiendus in hora caliditatis. de diff.cont. Sp.72.B
Cibandum sæpe, sed paulatim indicat imbecillitas. de vict.ratio. in mor.acu.commen. 2°. 7ª.121.G
Cibandi sunt sicci paulatim, & sæpius. 7°. meth.med. 7ª.46.A
Cibum sufficientem, qui semel ingerere non possint, assidue modice alũtur. 1°. de diff.resp. 3ª.58.H
Cibi hora consueta si mutetur, quid contingat. de diff.cont. Sp.72.C
Cibari, qui consueuerunt bis in die, & pransi non sunt, quid mali patiantur. de vict.ra. in mor.acu.com. 2°. 7ª.119.H
Cibum semel in die accipientes, in quæ incurrant. de vict.ra. in mor. acu.commen. 4°. 7ª.145.A
qui Cibari bis in die sunt consueti, bis cibandi, & qui semel, semel. de victus rat. in mor.acu.com. 1°. 7ª.112.C
Cibum qui capturi non sunt, ijs eo die labor aliquis iniungendus non est.com. 2°.aph. 10°. Ex.12.H
Cibos valẽtiores in cœna cur accipiebãt athletę. 7°.meth.me. 7ª.46.B
Cibus secundũ naturã vtentium dari debet. de bon. & vi.suc. 2ª.38.H
Cibi cuiusq; insueti quo natura exploranda. de bon. & vi.suc. 3ª.36.F
Cibi ex longo tpe cõsueti, & si deteriores sint, insuetis minus molestare solẽt. de vic.ra. in m.ac.c. 2°. 7ª.121.A/c. 2°.aph. 20°. Ex.19.B
Cibi inconsueti, etiam boni, difficulter feruntur. de vic.rat. in mor.ac. commentario. 2°. 7ª.121.A
circa Cibi quãtitatẽ, vel qualitatẽ, quæ in ante acta vita acciderũt, coindicãt sãguinis mittẽdi quãtitatẽ. de cur.ra. per san.m. 6ª.18.D
Cibi praua cõsuetudine mores animi corrũpũtur. 1°. de sa.tu. 2ª.65.F
Cibi quo modo mutent animi mores. & animi mor. 1ª.320.G
Ciborum repentinæ mutationes si bene valentibus læsionem, ergo & male valentibus, de vict.rat. in mor.acu.com. 2°. 7ª.119.A
in Cibis qui ordo seruandus. de diff.cont. Sp.71.H
añ Cibũ si vinũ potauerit q vel iecoris, vel fluxu alui, aut sãguinis fame scũt, cõuulsionib. atq; delirijs flati capiunt. c. 2°.aph. 21°. Ex.14.H
sine Cibo vinum lædere doloribus vexatum, Galenus expertus est. in 6ᵐ. de mor. vul.com. 6°. 3ª.196.F
Cibi qui debẽt pcedere, & q sequi. de vic.rat. in m.ac.cõ. 3°. 7ª.129.C
Cibi qui primo sumendi. 2°. de ali.fac. 18.G/ 2ª.19.E
Cibi duræ, & tardæ digestionis sunt præponendi in fundo stomachi. de diffol.cont. Sp.71.H
ante Cibum qui fructus sint comedendi. de diff.cont. Sp.75.A
añ Cibũ fic⁹ cũ thymo, aut calamĩthe qñ exhibeat. 2°. d ali.fac. 2ª.17.F
añ Cibũ si oliuæ cũ muria comedunt, leniũt vẽtrẽ. de dis.cõ. Sp.75.A
Cibus Romanus est aphrogalia. 7°. meth.med. 7ª.44.B
Cibi qui posterius sumendi. 2°. de alim.fac. 2ª.18.G
post Cibum si oliuæ ponticæ sine muria cum aceto edantur, confortãt stomachum. de diff.cont. Sp.75.A
pp Cibi icõgruũ ordinẽ coctio ab extrinseco ipediẽ. 3°. d symp. 3ª.24.H
Cibum antecedant labores. com. 2°.aph. 16°. Ex.12.H
ante Cibum exercitatio maximum affert commodum. de bon. & vi. suc. 35.A/de paruæ pil.exer. 48.F/2°. de san.tu. 2ª.73.H
Cibum bene concoquens, & mediocri vtens exercitio superfluitatibus vacat. com. 6°.aph. 28°. Ex.49.A
añ Cibũ et post cibũ ambulatiões quales eę debẽt. 6°. de sa.t. 2ª.97.H
Cibus ante motum quid facit. de diff.cont. Sp.72.A
ante Cibũ quando non est motus. quid agendum. de diff.con. Sp.71.G
añ Cibũ q nõ sũt liberi, vt possint exerceri, nec aptis tpib. cibũ sumere, in morbos incidũt, nisi deuciãt per aluũ. de bo. & vi.suc. 2ª.34.D
ante Cibum qui non sunt liberi, vt possint exerceri, nec cibum aptis tẽporibus sumere, egent interdum validiori vacuatione, & opportuna sanguinis missione. de bon. & vit.suc. 2ª.34.E
Cibos ilico assumere nõ debẽt exercitati. ĩ 6ᵐ. d mor.vul.c. 3°. 3ª.170.E
Cibum qui anhelando ab exercitationibus sumpserant, multis viscera sunt oppilata, in primis iecur. de sal.diæta. 2ª.41.B
Cibus post motum quid facit. de diff.cont. Sp.72.A
ante Cibũ si motus sit multus qũo cibandum sit. de diff.cont. Sp.71.G
ante Cibum vina nigra sumi. 5°. de san.tuen. 2ª.91.B
añ Cibũ et potũ clara est vox, post, min⁹ clara. de vo. & arb. Sp.61.G
post Cibum, & ante, quo modo deambulandum caput dolentibus. 2°. de comp.med.sec.loc. 5ª.133.E
à Cibo exercitatio non eadem quæ ieiuno. 2°. de digno.puls. 4ª.77.C
Cibo sumpto, qualiscunq; motus noxius. de bon. & vi.suc. 2ª.35.A
post Cibum motus quæ mala pariat, de bo. & vit.suc. 2ª.35.A/in 1ᵐ. de mor.vul.com. 3°. 3ª.122.A/de diff.cont. Sp.72.A
à Cibo exercitatio replet. de sal.dicta. 2ª.41.B
à Cibo exerceri multis obstruit viscera. de sal.diæta 2ª.41.B
à Cibo exercitati vel balneati in viscerum dolores incidunt, potissimum iecinoris. de sal.diæta. 2ª.43.C
post Cibum non laboret lapidem habens. de cura lap. Sp.112.B
post Cibũ quãdiu qescẽdũ caput dolẽtib. 2°. de cõp.med.se.lo. 5ª.133.E
post Cibum si homines vehementer non exercerentur, nunquam morbo corriperentur. de bon. & vit.suc. 2ª.35.A
à Cibis vigiliæ duplex finis. in 6ᵐ. de mor.vul.com. 4°. 3ª.185.C
post Cibum somnus quid facit. de diff.cont. Sp.72.A
à Cibo ad somnum cõuersi implent caput. com. 4°.aph. 67°. Ex.34.F
post Cibũ sõni multi digerũt, & nutriũt corpus nutrimento plurimo adhærente, et cõfortãt cõfortatione plurima. de dis.cõt. Sp.72.G
post Cibũ qñ somn⁹ est multus, quo mõ cibãdũ sit. de dis.con. Sp.71.G
post Cibũ ne an sine cibo sint isõnia, cõsiderãdũ. ĩ 1ᵐ. de mor. 3ª.118.A
post Cibũ qd faciant balnea. de mul. 3ª. 81.G/8°.meth.med. 7ª.60.D
à Cibo balnea trahũt humorũ copiã. ĩ 1ᵐ. de mor.vul.cõ. 3°. 3ª.122.G
post Cibũ balneo vtẽtes, qb. iecoris vitijs tẽtent. 6°. de sa.tu. 2ª.96.A
Cibus dãdus cũ pedes sũt calidi. de vic.ra. in mor.acu.cõ. 3°. 7ª.139.E
post Cibos balneis vtẽtib. febres quotidianæ fiũt. 2°. de dif.fe. 3ª.36.D
Cibus quãtus esse debet ingrediẽtis aquã frigidã. 3°. de san.tu. 2ª.78.D
a Cibis obstruentibus cauendum seni. 5°. de sani.tuen. 2ª.91.E
in Cibis piper albũ, tusum, cribratum, ac in pollinem redactum assumat senex qui cibis obstruentibus sit vsus. 5°. de san.tuen. 2ª.91.D
a Cibis non leuiter lęduntur senes si breue quippiam transgressi limites sint. 5°. de sani.tuen. 2ª.90.F
in Cibis quando danda Cæpa seni. 5°. de sani.tuen. 2ª.91.D
Cibandi indicatio vnde sumatur. 10°. meth.med. 7ª.63.H
Cibandi quantitas a viribus sumitur. de sal.diæt. 2ª.40.A/11°. methodi medendi. 7ª.69.A
Cibi dantur propter virtutẽ, nõ propter febrẽ. 11°. met.med. 7ª.71.G
Cibandi scopus vnus sanis, & ægris. de vict.rat. in morbis acutis, commentario. 1°. 7ª.115.C
Cibi nõ sine iudicio sumẽdi in morbis, in 1ᵐ. de mor.vul.c. 3°. 3ª.125.D
Cibãdi certa rõ hẽri nõ põt in morbis iordinatis. c 1°.aph. 19°. Ex.9.F
Cibandi ratio & remediorum qua proportione modo a facultate, modo a morbi tempore sumatur. de opt.secta. Isa.28.G
Cibi qualitas sumitur ex morbi affectu. 11°. meth.med. 7ª.69.B
Cibi febricitantium sint frigidi, & humidi. 8°. meth.med. 7ª.50.H
Cibus febricitãtiũ quãtũ frigidus & hũidus eę dẽt. 8°. me.me. 7ª.54.H
Cibus quib. febricitãtib. prosit, & quibus obsit. 10°. me.me. 7ª.63.G
in Cibis dandis quæ cõsideranda in acutis morbis. de vict.rat. in mor. acutis, commen. 2°. 7ª.121.E

Cibus cur interdicatur in principio inflammationis, & similium acutorum.de opt.secta. Isa.28.G
Ciborũ concoctioni ꝑspiciendum in omni febre.11°.met.me. 7ª.72.F
Ciborum coctio cur deterior sit in febrib.2°.de nat.fac. 1ª.300.D
Cibandi tẽpora in febre, quæ. de vict.rat.in mor.acu.c.4°. 7ª.149.D
de Cibo exiguo exhibendo non indicat initium, & incrementum morbi.de opt.secta. Isa.28.G
Cibi obsunt in accessionum principijs, & augmentis.de vict.ra.in mor.acu.commen.1°. 7ª.115.G
Cibandum potius in principio, quàm post, ante iudicationem. de vict.ra.in mor.acu.com.1°. 7ª.118.G
Cibus potius subtrahendus, quàm adhibendus ante iudicationem. de vict.rat.in mor.acu.com.2°. 7ª.121.H
Cibus non dandus in vigore.de vict.rat.in mor.acu.com.2°. 7ª.120.b
Cibum mutare post vigorem conuenit, non ante. de vict.rat.in mor.acutis.com.2°. 7ª.122.F
Cibi species non est mutanda ante signa coctionis.de victus rat.in mor.acu.com.2°. 7ª.121.E
Cibus in declinatione dandus.de opt.secta. Isa.27.G
Cibãdi qua hora sint febricitãtes a prin° ad finẽ.11°.met.me. 7ª.69.B
Cibus quo pacto dandus est in febribus æstimato initio ac vigore febris.11°.meth.med. 7ª.74.C
Cibus neq; cum iam adsunt, neq; cum haud ita multo post futuræ sunt accessiones, dandus est.com.1°.aph.11°. Ex.5.A
Cibare ante cessionem est pernicios issimum.11°.meth.med. 7ª.74.D
Cibus quib. dandus, ẽt si incipiant febricitare.10°.met.me. 7ª.63.H
Cibandũ aliqñ ante accessionẽ ꝑ duas horas.10°.met.med. 7ª.62.H
Cibus, & vini potus quando ante accessionem exhibendus.de cau.ꝓcatar.3ª.95.G/10°.meth.med. 7ª.62.G
Cibus quando exhibendus ante accessionem.11°.meth.med. 7ª.74.D
Cibus qñ non potest exhiberi ante accessionem.11°.meth.me. 7ª.74.D
Cibũ dedit Gale. accessione incipiente.10°.met.me.63.B/12°. 7ª.78.A
Cibi dãdi quod tps sit in accessione.de vi.ra.in m.acu.cõ.1°. 7ª.115.G
Cibandi sunt quidam in vigore summo.10°.meth.med. 7ª.63.C
Cibandum quando sit in statu.11°.meth.med. 7ª.74.C
Cibandi sunt ægri in febris declinatione.10°.meth.med. 7ª.63.C
Cibus in quacunq; parte inclinationis morbi dat.de mor.tẽp. 3ª.86.H
qui Cibi in febre ex obstructione conueniant.8°.met.med. 7ª.50.B/F
Cibum febricitanti siquis dederit, vt sano robur, sic laboranti morbus.com.7°.aph.62°. Ex.59.G
sine Cibo vsq; ad tertium diem permanere aliquos, vt tertianæ susp ectas horas prætereant, collige.1°.de diff.feb. 3ª.35.A
Cibandi ratio diatritariorum.10°.meth.med. 7ª.64.A
Cibo quando abstinendum ad septimum.2°.de die.decr. 4ª.155.F
absq; Cibo æger detinendus est vsq; ad septimum, si vires constent, & morbus sit finiendus.11°.meth.med. 7ª.74.C
Cibum per septem dies quibus non dedit Galenus, sed solam mulsam.10°.meth.med. 7ª.63.G
ad Cibum exhibendum in tertiana tempus.2°.de diff.fe. 3ª.39.H
Cibi vtiles in febre tertiana.1°.de arte cur.ad Glau. 7ª.97.C
ex Cibis vehementer calefactis sitiunt immodice, febricitantq; interdum tenui paruaq; hectica febre.3°.de symp.cau. 3ª.25.D
Cibus eorum qui in hecticam transeunt.10.meth.med. 7ª.64.A
post Cibum quid hectici patiantur.1°.de diff.fe. 3ª.35.B
post Cibum hectici magis calent.1°.de diff.fe. 3ª.35.B
Cibi tabidorum, lac, ptissana, alica.de mar. 3ª.48.E
Ciborum quantitas in siccis, quæ.7°.meth.med. 7ª.45.G
Cibus in siccis quo modo dandus.7°.meth.med. 7ª.45.G
Cibi qui boni in calidis, & siccis.8°.meth.med. 7ª.51.B
Cibus peculiaris corpori exiccato.de vic.ra.in m ac.cõ.2°. 7ª.120.C
Cibus si det ex lõgo ĩteruallo ꝓgnãti febriẽti, destruit fœtus, si crebro cibus exhibeat, augeẽ febris & mr occidit.cõ.5°.aph°.30°.Ex.40.d
Cibãdæ quo mõ sint ꝓgnantes ægræ.in 1m.de mor.vul.cõ.3°. 3ª.126.F
si Cibi praui ĩ sanis faciũt morbos, tãto magis ĩ ægris augebũt.3ª.42.g
Cibum cum accipit natura cessat ab omnibus motibus. de vict.rat.in mor.acu.com.4°. 7ª.140.E
Cibi quantum ægroti robur adaugent, tantum coctiones impediunt.1°. de arte cur.ad Glau. 7ª.97.D
Cibum offerre nihil aliud est, quàm plenitudinem suppeditare. de vena sect.aduersus Eras. 6ª.7.C
cur in Cibis qñq; debeamus ægris assentiri.cõ.2°.aph.38°. Ex.17.G
Cibus qui melius sapit digestibilior est abominabili.de di.cõ.Sp.73.D
duorum Ciborum bonorum si nobis optio sit, præbeatur ægro qui ex his magis ab eo appetitur.de diff.con. Sp.72.C
Cibos quos fastidit ventriculus, reijcit.3°.de nat.fac. 1ª.305.E
Cibus & potus parũ deterior, suauior aũt, meliorib.qdẽ, sed minus suauib.est ꝓferendus.cõ.2°.aph.38°.Ex.17.G/de diff.cõt. Sp.72.D
Cibi delectationem significat vrina pinguis sine febre senibus eueniẽs soluta apoplexia.de dina. Sp.34.B
inter Cibũ et venę sectionẽ tps interponẽdũ, collige.8°.m.m.7ª.56.H
Cibi nisi sint ꝓbe cocti in vẽtriculo, vena nõ secãda.in 3m.de mor.vul.c.1°.3ª.127.E/de cur.rat.ꝓ san.mis.6ª.19.A/8°.met.me.7ª.57.H
Cibus ilico dandus post sectionem venę, si ægrotus inediam non ferat.de opt.secta. Isa.28.F
sine Cibo q fuere ꝑ quatuor dies, illis vena nõ secãda.5°.m.m.7ª.35.C
Cibandum quo modo sit in scarificatione.de cucur.scar. 6ª.4.B
ante Cibum dandum per duas vel tres horas medicamentum ex malis cotoneis.6°.de san.tuen. 2ª.101.B
post Cibum quæ medicamenta sumi uon possunt.4°.de sa.tu. 2ª.86.E
añ Cibũ dꝫ fieri fomentũ, vel lõge post cibũ.de rem.para.fac.7ª.157.d
Cibũ aut potũ non petunt animo vacillantes.1°.de diff.resp. 3ª.60.A
Cibi languentibus dari consueti.de vic.ra.in mor.acu.cõ.1°.7ª.113.C
Cibaria cõueniẽtia mẽbro affecto sunt inuenienda.de di.con.Sp.74.D
Cibaria calida, & sicca prætermittamus quando caput est calidum suscipiens vapores.de diff.cont. Sp.71.F
qui Cibi faciunt dolere caput.de diff.cont. Sp.74.F
Cibi epilepticorum proprij, & contrarij.de puero epilep. 7ª.180.D
Cibos multos ideo noĩat Gale.vt variari possint.de pue.epi. 7ª.180.F
Cibi sint simplices.de puero epilep. 7ª.180.F
Cibi simplices, & vnius speciei mox saturant.de sal.diæ. 2ª.41.H
Cibi ventrem mollientes.de puero epilep. 7ª.180.C
Cibis viscosis crassis & frigidis debẽt abstinere epileptici.ibid. 180.D
Cibos præbet qui non conueniunt epilepsiæ.de dyna. Sp.24.A
pro Cibo dat carnem ouis annualis.secretorum. Sp.102.E
Cibi a quibus abstinendum esse vult Hippocrates in affectib.pectoris. in 6m.de mor.vul.com.4°. 3ª.180.C
Cibãdii ordo ĩ pleuritide qñ augenẽ cibi.de vic.ra.ĩ m.ac.c.1°. 7ª.118.b
Cibãdi qũo sint pleuritici post septimã.de vic.ra.in m.a.c.4°. 7ª.143.H
Cibi nocentes ventriculo: quales.1°.de loc.aff. 4ª.5.B
Cibi præditi insignibus viribus qui ventriculum offendunt præter solitum sumpti.de vict.rat.in mor.acu.com.2°. 7ª.121.B
Cibi inflantes ventrem.de diff.cont. Sp.74.F
Cibi inflatiui quo modo possunt corrigi.de diff.cont. Sp.74.G
Cibi flatulẽti corrigũtur calidis & attenuantib.1°.de ali.fa. 7ª.14.A
Cibi refrigerantes iuuant flatũ hypochondriacũ.3°.de loc.af. 4ª.18.H
Cibi sanantur partes propinquæ ventriculo.1°.de loc.aff. 4ª.5.H
Cibi salsi mũdificãt stomachũ et ĩtestina, et leniũt nãm.de diff. Sp.72.F
Cibi qui sumendi sunt stomacho & hepate frigidis.de diff.cõ. Sp.71.F
Cibos nõ exigit inflãmatio vẽtriculi, & iecoris.10°.met.med. 7ª.63.H
Cibi mordentes cur irritant phlegmonem iecoris eam magis quæ in cauo est, quàm quæ in gibbo.13°.meth.med. 7ª.83.E
Cibi adstringẽtes cur iecoris phlegmõis sint icõmodi.13°.m.m. 7ª.83.C
Cibis, ac potib.qui vim adstringẽdi habeãt, sanatur læuitas intestinorũ ex humorũ acritudine in vẽtriculi atq; intestinorũ abrasa superficie, cessante humorum malignitate.com.6°.aph.1°. Ex.46.A
Cibi, & pulmenta ictericorum.de cura icteri. Sp.111.C
ex Ciborum acutorum continuo vsu fit lapis in renibus nociturus.de dissect. Sp.72.F
Cibi habentium lapidem.de cura lap.111.H/ Sp.112.E
Cibus pro lapide, lepus.de cura lap. Sp.112.A
Cibi lapidem in renibus habentium.de ren.aff.dign.& med. 7ª.194.C
Cibi a quib.calculosi cauere debent.de re.aff.dign.& med. 7ª.194.D
Cibi qui ad Cicatricem ducunt.4°.meth.med. 7ª.28.H
Cibi emundantes vlcera.4°.meth.med. 7ª.28.H
Cibus si exit a vulnere, ipsũ ĩ vẽtriculo eẽ significat.1°.de lo.af. 4ª.2.E
Cibãdi tenuissime in principio quib.ossa sunt fracta.6°.me.m. 7ª.41.E
Cibus, lege Alimentum.
CICADAE ad colicos quo modo.11°.de simp.med.fa. 5ª.82.B
CICATRIX quid sit.14°.meth.med. 7ª.92.C
ad Cicatricem ducere ulcus quid sit.3°.meth.med. 7ª.19.H
ad Cicatricẽ qũo ꝓducãtur vlcera.2°.de arte cur.ad Glau. 7ª.106.F
ad Cicatricem qũo ducitur vlcus cum phlegmone.3°.met.m. 7ª.21.B
Cicatrix in vlcerib.vbi initium habet.1°.de cõp.med.sec.loc. 5ª.114.C
ad Cicatricem quæ duci debent, quæ postulent.5°.met.med. 7ª.29.G

ad Cicatricem proprie, & primario inducendam quid requiratur. 5°.de simp.med.fac. 5ª.36.D
Cicatricem inducens facultas. ἐπουλωτικὴ vocatur. 5°.de simp.medicamen.facul. 5ª.36.C
Cicatrix citra callum induci debet. 5°.de comp.med.sec.lo. 5ª.162.A
Cicatrix arteriæ sectæ quo pōt induci.de cur.rat.per san.mis. 6ª.21.E
Cicatrix quo maxime inducatur.7°.de simp.med.fac. 5ª.53.B
Cicatricem inducentia medicamenta.qualia.9°.de simp.med.fac.66. A/69.D/4°.de cōp.med.per ge. 5ª.242.D/de oculis. 7ª.188.F
Cicatricem obducunt exiccantia.ars med.Isag.70.E/commentario.6°. aphorismo.8°. Ex.47.C
Cicatricem quod probe inducit modice adstringat oportet,atq; desiccet. 5°.de simp.med.fac. 5ª.36.B
ad Cicatricem perduci vlcera inueterata ab exiccantibus citra morsum collige.6°.de simp.med.fac. 5ª.48.C
Cicatricem ducunt per accidens calherica hoc est detractoria. 5°.de simp.med.fac. 5ª.36.D
Cicatricibus inducēdis adstrictio cōuenit.1°.de cōp.me.p ge. 5ª.214.A
Cicatricē inducētia sicca & adstringētia.2°.de cōp.me.p ge. 5ª.227.A
Cicatricē contrahentium finis,qui.2°.de comp.me.per gen. 5ª.227.A
Cicatricē inducētia, et glutinatoria quo mō differāt.3°.me.m.7ª.19.H
Cicatricem inducentia medicamenta extrinsecus.intro. Isa.58.A
Cicatricibus inducendis pulcherrimum medicamen est Aes vstum.9°. de simp.med.fac. 5ª.71.E
ad Cicatricem inducendam præstantissimum est es combustum lotum. 5°.de simp.med.fac. 5ª.36.C
ad Cicatricem plana vlcera perducit Aloe.p ani.mor. 1ª.317.D
ad Cicatricem ducit Alumen.1°.de comp.med.per gen. 5ª.214.A
ad Cicatricem vlcus producens Andræ malagma.10°.de comp.med. secun.locos. 5ª.207.G
Cicatricem inducens Aridum. 5°.de comp.med.per gen. 5ª.252.G
ad Cicatricem ducendā Asclepiadis. 1°.de cōp.me.per ge.5ª.217.A
Cicatricem inducit medicamen ex Cadmia.9°.de simp.me.fa.5ª.70.G
Cicatricem in quibus partibus inducit medicamen ex Cadmia.5°.me thodi medendi. 7ª.33.G
Cicatricem vlcerib.inducit Chalcitis tosta.de ther.ad Piso. 5ª.97.E
ad Cicatricem Cibi ducentes.4°.meth.med. 7ª.28.H
Cicatricem inducens Cineritium. 5°.de comp.med.per gen. 5ª.253.F
Cicatricem prę nimia humiditate difficulter admittentibus vlceribus mirifice prodest Cyperi radix.7°.de simp.med fac. 5ª.53.H
Cicatricem ducens Cyzicenum. 5°.de comp. med.per gen. 5ª.250.B
Cicatrici inducendæ optimum medicamē est Emplastrum Hephestias. 9°.de simp.med.fac. 5ª.70.G
Cicatricē probe inducens emplastrum.2°.de cōp.med.p gen.5ª.224.E
Cicatrice includit exulcerationes igne factas Hedera viridis. 7°.de simp.med.fac. 5ª.51.F
ad Cicatricem ducit Hypericum.8°.de simp.med.fac. 5ª.63.A
ad Cicatricū claudēda vlcera valēt Lapides.9°.d sim.me.f.5ª.67.G
ad Cicatricem vlceribus inducendam vsurpatur Lapis in ægypto nascens cerato mixtus.de simp.med.fac. 5ª.68.E
ad Cicatricem ægre peruenientia vlcera curat Leuconij decoctum.7°. de simp.med.fac. 5ª.54.C
Cicatricem inducens,Magni. 5°.de comp.med.per ge. 5ª.253.G
ad Cicatricē inducēdā Medicamētū optimū.2°.de cōp.me.pge. 224.B
ad Cicatricum obducenda vlcera optimum medicamen est Plumbum lotum.9°.de simp.med.fac. 5ª.70.G
ad Cicatrices crassas.p valeant Rhyptica,& Syluam ponit.4°.de cōpo.med.secun.loc. 5ª.151.G
Cicatricem inducens Rufum. 5°.de comp.med.per gen. 5ª.253.G
ad Cicatricem vulnera contumacia perducit Scordion.8°.de simp.me dicamen.facul. 5ª.60.H
ad Cicatricem ducit vlcera Sina ægyptia.6°.de simp.me.fa.5ª.42.A
ad Cicatrici inducendæ contumacia vulnera valet Terra lemnia.9°. de simp.med.fac. 5ª.95.D
ad Cicatricem difficulter prouenientia iuuat terra vsta.9°.de simpli. med.fac. 5ª.66.F
ad Cicatricem perducit vlcera inueterata Thalictrum.6°.de simpli. medi.facul. 5ª.48.C
Cicatrices recētes attenuare pōt Thyites Lapis.9°.de sim.m.5ª.67.E
ad Cicatricem vlcera producens.6°.de comp.med.sec.loc.175.D/1°. de comp.med.per ge.210.H/215.G/216.G/2°.223.D/224.B/C/ F/G/4°.238.C/239.A/D/242.C/F/5°.245.G/253.A/F/6°.255. B/259.G/261.H/ 5ª.262.B/C
ad Cicatricem citra dolorem ducens. 5°.de comp.me.per ge.5ª.251.F
Cicatricem ducens sine morsu.4°.de comp.med.per ge. 5ª.242.D
Cicatrice carnes obducēs citra erosionē.5°.de cōp.me.p ge.5ª.252.H
ad Cicatricem venientib.vlcerib.1°.de comp.med.per ge.5ª.212.H
ad Cicatrice recēti cōtractos articulos.7°.de cōp.m.per ge.5ª.265.C
ad Cicatrice claudenda,& implenda vlcera humida quid sit vtile. 11°.de simp.med.fac. 5ª.80.H
Cicatrices cauæ necessario fiunt vlceribus diuturnis.commētario.6°. aphorismo.45°. Ex.51.E
cur Cicatrix quandoque non aducnit vlceribus, & quandoq; facta iterum soluitur.com.6°.aph.45°. Ex.51.E
Cicatricem cur nō inducant vlcera.4°.de cōp.med.per gen.5ª.242.H
ad Cicatricē q̄ nō p̄mittāt vlcera denouire.cō.6°.aph.4°. Ex.46.G
Cicatricē nō oia cacoethe admittūt difficulter.1°.de cō.m.p ge.5ª.214.b
Cicatrix non potest induci in intestinorum difficultate, vbi caruncula appareant.com.4°.aph.26°. Ex.30.C
Cicatrices crassæ, & vulnera difficilia catuloticis, & colleticis rebus curantur.de part.art.med. Sp.19.A
ad Cicatricem vix venientia vlcera quæ dysepulota dicuntur,quę vocentur.1°.de comp.med.per gen. 5ª.217.B
Cicatricem vlceribus difficillimis,callosis, & inueteratis maxime inducens.2°.de comp.med.per gen. 5ª.223.D
ad Cicatricē ægre recipiētia vlcera,p̄sertim vbi callosa & dura labra vlcus amplectant,claudenda.6°.de comp.me.per ge. 5ª.259.B
ad Cicatricem ægre ducentia vlcera.1°.de composi.medicamen. per genera.211.C/214.C/215.F/2°.223.A/224.D/3°.235.B/4°. 241.B.242.E/G/243.A/244.D/E/5°.246.H/247.E/248.H/ 249.C/E/253.G/ 5ª.259.A
ad Cicatrices malignas.10°.de comp.med.sec.loc.208.A/4°.de cōposi.med.per gen.242.C/6°. 5ª.258.D
ad Cicatricem tibiarum de dyna. Sp.30.A
Cicatricem ex rabiosi morsu vlcus ducere non sinens medicamentum. 3°.de comp.med.per gen. 5ª.233.G
Cicatrices indurata figuram euariant.de cauſ morb. 3ª.9.A
Cicatrices quàm conueniat duriores, remolliuntur. 1°.de mo.musſ. 1ª. 310.G/in 6ᵐ.de mor.vulg.com.2°. 3ª.161.A
Cicatrices cur turpes fiāt,et quo mō pulchræ fiāt.13°.met.me.7ª.81.F
Cicatricibus atris cādorē reddit calamintha.6°.de sim.me.f. 5ª.49.C
CICATRIX affectus iridis oculorum.introd. Isa.55.D
Cicatrices oculorum eximit fel.de simp.med. Sp.84.E
ad Cicatrices albas oculorū valet succ⁹ cētaureæ.de vir.cē. Sp.93.B
ad Cicatricē ægre recipiētia vlcera oculorū.4° de cō.m.se.lo.5ª.152.H
ad Cicatrices veteres oculorum.de med.fac.par. 7ª.170.D
ad Cicatricem oculorū male inductā.5°.de cōp.med.se.lo. 5ª.160.G
Cicatrices oculorum extenuat lapis thyites.de simp.med. Sp.86.H
Cicatrices oculorum extenuat thlaspi.de simp.med. Sp.91.G
ad Cicatrices oculorū exterēdas collyriū mellinū.4°.d cō.m.5ª.157.A
ad Cicatrices oculorum exterendas.4ª.de comp.med.sec.loc.152.H/ 154.H/155.A/156.C/D/E/F/ 5ª.157.A
ad Cicatrices oculorū et callos exterēdos 4°.de cō.me.se.lo.5ª.156.d
Cicatrices oculorū crassa detergit chamæsyce.8°.de sim.m.f. 5ª.63.G
Cicatrices crassas oculorū extenuāt leucoīj flores sicci.7.d sim.5ª.54.c
ad Cicatrices oculorum.4°.de comp.med.sec.loc.155.B/H/5ª.156.c
CICERA inter semina cerealia numerātur.de vic.rat.co.1°.7ª.111.B
Cicer legumen est flatuosum,copiosi nutrimenti, aluo mouendæ habile,ciendæ vrinæ idoneum,lacti,& semini generando aptum, & mēses ciens.6°.de simp.med.fac. 5ª.47.E
Cicer venerem incitat.1°.de alim.fac. 2ª.14.B
Cicer auget semen,& veneris desiderium.de bon.& vi.suc. 2ª.37.D
Cicer est cibus multi seminis.5°.de simp.med.fac. 5ª.38.C
Cicer pudenda intendit.de vict.rat.in morb.acu.com.4°. 7ª.145.F
Cicer à quibusdam datur equis admissarijs.1°.de alim.fac. 2ª.14.B
Cicerum immaturorum natura.1°.de alim.fac. 2ª.14.B
Cicera recentia sunt multarum superfluitatum.de diff.cont. Sp.73.E
Ciceris viridis siliqua non est esculenta.2°.de alim.fac. 2ª.16.C
Cicer cū ꝓpter humiditatem principio qualitatū prope expers sit tpis successu maturatū ac siccarū dulci⁹ euadit.4°.de sim.me.f.5ª.28.G
Cicerum siccorum meminit.9°.de comp.med.sec.loc. 5ª.197.H
Cicerum genus orobicum appellatum quibus viribus polleat.6°.de simp.med.fac. 5ª.47.E
Cicer quale sit.de vict.rat.in mor.acu.com.4°. 7ª.145.F

Cicer calidum est & modice siccum, particeps item amaritatis. 6°. *de simpl. med. fa.* 5ª.47.F
Cicera numerantur inter cibos calidos. de diss. cont. Sp.74.C
Cicer agreste ad omnia efficacius est domestico, hoc est tũ calidius, tum siccius, quãto & acrius, & amarius. 6°. *de simp. med. fa.* 5ª.47.E
Cicera, fulua, flaua, & rubra albis sũt calidiora. 4°. *de sim. m. f.* 5ª.31.D
Cicera, & fœnum græcum sunt mali chymi, cur. de diss. cont. Sp.74.B
Cicer egregie nutrit, non est boni succi, nec minus inflat, quàm faba. de bon. & vitio succo. 2ª.37.D
Cicera inflant ventrem. de diss. cont. Sp.74.F
Cicer vt faba flatulentum est. 1°. *de alim. fa.* 2ª.14.B
Cicera, & faba potissimũ iter legumina vẽtosa sũt. ḋ pu. ep. 7ª.180.H
Cicer magis nutrit quàm faba. 1°. *de alim. fa.* 2ª.14.B
Ciceribꝰ facultas abstergẽdi maior est q̃ est fabis. 1°. *de ali. fa.* 2ª.14.B
Cicera nutriũt eũ q̃ digerit: co nutrimẽto multo crassio. de di. cõ. Sp.73.E
Cicerum succus in aqua elixus potius bibendus. 1°. *de ali. fa.* 2ª.14.B
Cicera quo modo varie parabantur. 1°. *de alim. fa.* 2ª.14.B
Cicerum frixorum natura. 1°. *de alim. fa.* 2ª.14.B
Cicer elixum, vel frixum in cœna pro tragematibus sumitur. 1°. *de ali men. facul.* 2ª.14.B
Cicera frixa de tragematibus sunt optima ictericis. de cur. ict. S. III.D
Cicer eruinum ictericis prodest. 9°. *de comp. med. se. lo.* 5ª.198.C
Cicerum decoctio expurgat in ictericis. de cura icter. Sp.111.B/D
Ciceris aqua confert in dolore lapidis. de cura lap. Sp.111.H
Cicera parua nigra lapidem renum comminuunt. 1°. *de alim. fa.* 2ª.14. B/*de diss. cont.* Sp.75.G
Ciceris arietini decoctum calculos renum confringit. 6°. *de simplicium medicamen. fac.* 5ª.47.E
Cicer arietinum efficacius cęteris vrinam prouocat. 6°. *de simp. medicamen. fac.* 5ª.47.E
Cicer album in cura vesicæ. de dyna. Sp.20.A
ex Ciceribus plus haud frequenter fiebat. 1°. *de alim. fac.* 2ª.14.B
Ciceris farina excalfacit simul et exiccat. 5°. *de sim. m. f.* 33.H/5ª.34.a
Ciceris farina vsus est Galenus in neruorum vulneribus. 3°. *de comp. med. per gen.* 5ª.229.H
CICERIS *magnitudo, Dosis.* 7°. *de comp. med. sec. loc.* 182.C.183.A/ 185.H/186.F.8°.189.B/F/G/9°.204.B/10°.5ª.206.E/*de medi. facil. par.* 171.H/ 7ª.179.D
Ciceris magnitudine catapotia. 8°. *de comp. med. se. lo.* 5ª.189.F
CICERCVLA *inter cerealia semina numerantur. de vict. rat. in morb. acutis. com.* 1°. 7ª.III.B
Cicercula, eruia, phaseli, sunt vnũ gẽc, plura noïe. 1°. *de ali. fa.* 2ª.15.B
Cicercula sunt dolichi. 1°. *de alim. fa.* 2ª.14.G
Cicercula substantia & vsus. 1°. *de alim. fa.* 2ª.14.G
Cicercula quo modo explorabat Galeni pater. de bo. et vi. ſ. 2ª.36.g
Cicercula meliores sunt ochri, & dolichi. de bon. & vit. suc. 2ª.37.D
CICERELLI *meminit. de dynam.* Sp.24.B
CICHON *instrumentũ ad suffitũ faciendũ. de med. fa. par.* 7ª.171.C
CICHORIVM *frigidum & siccum in secundo ordine.* 8°. *de simpl. medicamen. fac.* 5ª.60.C
Cichorei facultas subfrigida est, subamara & modice adstringens. 8°. *de comp. med. se. lo.* 5ª.195.C
Cichorea est cibarij genus. 8°. *de comp. med. se. lo.* 5ª.195.B
Cichorea & cruda & cocta apud rurales edebatur. 8°. *de comp. med. secun. loc.* 5ª.195.B
Cichorion comedunt homines fame adacti. 2°. *de alim. fa.* 2ª.22.B
Cichorei cõdiẽdi modus ex Erasistrato. de vena sect. adu. Eras. 6ª.12.a
Cichorium est vitiosissimi succi. de bon. & vit. suc. 2ª.37.G
Cichorei species est chondrila. 8°. *de simp. med. fa.* 5ª.60.C
Cichorion ad capitis dolorem. de rem. par. fa. 7ª.154.B
Cichorion inter olera quæ cruda stomachicis conueniunt. 8°. *de compo. med. secun. loc.* 5ª.192.C
Cichoreũ optimũ medica^m est calidis iecoris intẽperaturis, qui vltra hoc q̃ moderate refrigerat, ampliꝰ robur visceri addit, & extergit cõmissuras osculorũ venarũ q̃ sũt in ipso. 8°. *de cõp. m. f. l.* 5ª.195.C
Cichoreum non admodum lædit frigidas iecoris intemperies. 5ª.195.C
Cichoreo vtitur Erasistratus abunde in cura affectionum, quæ sunt circa aluum. 8°. *de comp. med. se. lo.* 5ª.195.C
Cichorium cum vino expurgat in ictericis. de cura icter. Sp.111.B
CICI, *id est ricinus.* 7°. *de simp. med. fa.* 5ª.51.B
CICINVM *oleum quale, & vbi.* 7°. *de comp. med. per gen.* 5ª.269.E
Cicinum oleum in Aegypto habetur. 3°. *de san. tu.* 2ª.81.C
Cicini olei vires medicus noscat oportet. 2°. *de simp. med. fa.* 5ª.11.F
Cicinum oleum tenue est. 6°. *de simp. med. fac.* 5ª.40.H
Cicinum oleum vetustate fit calidius & tenuius. 11°. *de sim. me.* 5ª.79.c
Cicinũ oleũ habet nãm sabini inueterati. 1°. *de cõp. m. se. lo.* 5ª.122.A
Cicinum oleum rarefacit. 5°. *de simp. med. fa.* 5ª.35.F
Cicinũ oleũ discussoriũ, & rarefaciẽs cutim. 9°. *de cõ. m. se. lo.* 5ª.197.F
cũ Cicino oleo abrotanũ ad alopecias cõuenit. 6°. *de sim. m. f.* 5ª.40.H
Cicinum oleum soluit ventrem. 6°. *de simp. med. fa.* 5ª.46.H
Cicino oleo pus mouetur in phlegmonis frigidioribus. 5°. *de simpl. medica. facul.* 5ª.34.C
Cicino oleo simile est oleum lucernarum. 1°. *de comp. me. ſ. l.* 5ª.123.a
Κίγκλισις *quid de articulis. com.* 4°. 7ª.289.E
CICICONIAE *cur habent rostrum magnum, & collum longius.* 11°. *de vsu partium.* 1ª.187.D
Ciconiarum stercus epilepsiæ mederi quidam falso dicunt. 11°. *de simpli. med. fa.* 5ª.77.B
CICVRVM *carnes minus siccant, quã ferarũ.* 5°. *de san. tu.* 2ª.92.C
CICVTA *à græcis* κώνειον *dicta, & animi mores.* 1ª.318.A
Cicutæ simile est semen anisi. de simp. med. Sp.80.E
Cicutæ caryſtię fit mentio. de med. fa. par. 7.166.A
Cicuta frigida est. 2°. *de temp.* 1ª.21.G
Cicuta frigida iudicatur ab omnibus. 3°. *de simp. med. fac.* 5ª.17.H
Cicuta frigida extreme. 7°. *de simp. med. fa.* 5ª.53.H
Cicuta est frigidissima, hoc est frigida quarto gradu. 3°. *de simpl. medicamen. facul.* 5ª.19.G
Cicutæ semẽ est oĩum refrigerãtiũ valẽtissimũ, tũ cuti nostræ impositũ, antequã exacte cõminuaĩ, est imbecillũ. 1°. *de simp. me. fa.* 5ª.4.F
Cicutæ succus frigidus est & viscosus. 2°. *de simp. med. fa.* 5ª.14.D
Cicuta frigida cum sit, humiditatis item copiam obtineat. potui non est sumpta vtilis ad somnum inducendum. 5°. *de simp. me. fa.* 5ª.37.C
Cicuta & si detur calefacta, postea tñ fit frigida. 3°. *de temp.* 1ª.23.G
Cicuta calefacta vrit. 1°. *de sim. m. f.* 3.C/1°. *de cõp. me. pge.* 5ª.219.H
Cicuta frigida natura est, & parit frigidos morbos. de cau. mor. 3ª.7.D
Cicutæ succus odore pugnantiam cum homine quam habet ostendit. 4°. *de simp. med. fa.* 5ª.29.E
Cicuta refrigerat hominem. 1°. *de simp. med. fa.* 5ª.2.D
à Cicuta refrigeratur corpus. & animi mores. 1ª.317.H
Cicuta quãtã pariat refrigerationem. 1°. *de comp. me. per g.* 5ª.210.A
Cicuta numeratur inter medicamenta natura frigida, quæ deleteria nuncupantur. 3°. *de simp. med. fa.* 5ª.21.H
Cicuta numeratur inter medicamenta, quæ habent naturam exitialẽ, tamen non potest sine quantitate nocere. com. 2°. *aph.* 17°. *Ex.* 13.b
Cicuta summe nos refrigerat ac interimit, ac minime omnium est acida. 4°. *de simp. med. fa.* 5ª.28.C
Cicuta obstupefacit, & necat. 5°. *de simp. med. fa.* 5ª.35.F
Cicuta epota cur fiat stultitia nesciuit Galenus. & animi mor. 1ª.318.A
Cicutæ esu quidam mortui. de bon. & vit. su. 2ª.34.A
Cicuta hominem necat tum ob meatuum amplitudinem, caloris q̃ multitudinem, tum ob attractionis arteriarum robur validum ad cor pertingens. 3°. *de simp. med. fa.* 5ª.22.C
Cicuta si vino mixta bibatur cur necet citius. 3°. *de sim. m. fa.* 5ª.22.E
Cicuta cur necat si anima immortalis. & animi mores. 1ª.317.H
ad Cicutam valet theriaca. de ther. ad Piso. 5ª.91.D
Cicuta est nutrimentum aliquibus animalibus. 6°. *de san. tuẽ.* 2ª.96.D
Cicuta homines necat, sturnos nutrit. de ther. ad Piso. 5ª.91.A
Cicuta sturno nutrimentum, homini medicamentũ. 3°. *de tẽp.* 1ª.24.E
Cicuta vescuntur sturni. 2°. *de alim. fa.* 2ª.17.C
Cicuta non refrigerare sturnum & eum nutrire, collige. 1°. *de simpli. medi. facul.* 5ª.2.D
Cicuta sturnos nutrit & calefacit, non enecat. 3°. *de sim. m. f.* 2ª.17.H
Cicuta cur sturnos non necat. 3°. *de simp. med. fa.* 5ª.22.C
Cicutam anus Athenienſis comedebat, & quomodo tali cibo cœperit assuescere. 3°. *de simp. med. fa.* 5ª.22.C
in Cicutæ decocto macerata medicamenta exhibet per os. 7°. *de cõpo. medicam. se. lo.* 5ª.182.A
Cicutæ semen dat per os. 7°. *de composit. medi. secun. locos.* 183.G/H/ 185.D/184.A/10°. 5ª.206.A
Cicutæ semen quibus conueniat. 7°. *de comp. med. sec. loc.* 5ª.184.B
Cicutæ semen pro oculis. de reme. par. facil. 7ª.156.D
Cicuta adstringit & reprimit. de remed. par. fac. 7ª.156.D
CIENVS *qui & Prusias dictus est inter auctores sectæ rationalis. introductio.* Isa.11.D

Κιγκλισμὸς quid.de artic.com.1°. 7ª.261.B
Κήλαι testiculorum tumores nominantur.de tum.præter nat. 3ª.84.G
CILIA quæ.introd. Isa.53.A
Cilia propter quid facta.10°.de vsu par. 1ª.180.A
ex Ciliis pili decidentes quo mõ restaurentur.14°.meth.med. 7ª.93.C
Cilia pilis exasperare conuenit.in 6ᵐ.de mor.vul.com.2°. 3ª.160.H
in CILICIA fit capnelæon.2°.de comp.med.sec.loc. 5ª.133.F
in Cilicia quæ vina nascantur.5°.de san.tu. 2ª.91.B
in Cilicia vina valde tenuia & aquosa reperit Galenus.de vict.rati. in morb.acu.com.3°. 7ª.127.B
Cilicium vinum austerum & dulce, simul nigrum est,adstringit. de boni.& vitio suc. 2ª.38.C
CILINI fit mentio.secretorum. Sp.101.C
CIMICES hirudines eiciunt.11°.de simp.med.fac. 5ª.82.E
Cimices sistiti ad hirudines deuoratas.de medic.fac.par. 7ª.174.D
Cimices lecticuli ad vrinæ difficultatem.de med.fac.par. 7ª.178.E
Cimicum sanguis.4°.de comp.med.se.loc. 5ª.158.B
Cimicis sanguis ad pilos palpebris innatos oculum infestantes. de reme.par.fac. 7ª.156.G
Cimices ante suffusionem apparent.de oculis. 7ª.187.C
ad Cimices in auribus proprie valet succus centaureę cum oleo. de virtute centau. Sp.93.C
CIMOLIA terra quid,& eius vires.de simp.med. Sp.85.B
Cimolia terra duplex.9°.de simp.med.fac. 5ª.66.F
Cimolia terra qualis.9°.de simpli.med.fac. 5ª.66.B
Cimolia terra sicca est citra morsum.9°.de simp.med.fac. 5ª.66.F
Cimoliam terram qñq; appetunt grauidæ.1°.de symp.cau. 3ª.18.C
Cimolia terra debet sępe lauari.9°.de simp.med.fa. 5ª 66.F
Cimolia exacte elota ẽ ex pharmacis ẽplasticis.4°.de sim.m.f. 5ª.25.d
Cimolia terra in medicamentis ad defluuium capillorum.1°.de compo sitio.med.sec.loc. 5ª.126.A
Cimolia terra achoribus conuenit.1°.de cõp.med.sec.loc. 5ª.128.H
Cimolia ex aceto contra fauos.de remed.para.facil. 7ª.154.D
Cimolia terra illinitur ad ignem sacrum,& combusta: pustulas enim fieri prohibet.de simp.med. Sp.85.B
CINADAR quid, & eius vires.de simp.med. Sp.82.B
CINAEDI auiculæ fel.4°.de comp.med.sec.loc.153.B/ 5ª.158.B
CINARAE conditura,quæ.2°.de ali.fac. 2ª.23.E
Cinara melancholicum succum gignit.2°.de alim.fac. 2ª.23.E
CINCINNORVM imaginem referens fascia.de fascijs. 7ª.295.E
CINCTVM non patientes ceratum habeant.8°.meth.med. 7ª.53.D
CINENON quid & eius vires.de simp.med. Sp.83.C
CINERVLA qualis.1°.de comp.med.sec.loc. 5ª.129.E
Cinerulæ Cypriæ meminit.3°.de comp.me.se.lo.145.A/ 5°.de comp. med.per gen.5ª.251.H/de rem.par.fac. 7ª.163.E
Cinerula achoribus conuenit.1°.de comp.med.sec.loc. 5ª.128.H
CINETICOS catatopon,id est vis animæ ad omnia loca progrediendi. de spermate. Sp.37.H
CINGVLVM fasciolæ humeri.de fascijs. 7ª.302.E
Cingulum de corio capreoli quibus prosit.de dyna. Sp.24.B
CINIS quid significet.6°.de comp.med.sec.loc. 5ª.170.G
Cinis quid sit,& qualis sit.8°.de simp.med.fac. 5ª.62.B
Cinis tenue corpus est.4°.de simp.med.facul. 5ª.30.B
in Cinerem adustam vertitur consumptus lignorum natiuus liquor. 2°.de diff.feb. 3ª.41.D
Cineris adustio quo modo fiat.com.2°.aph.47°. Ex.18.H
in Cinere egit calor.de vtil.resp. Sp.64.F
vt Cinis & acetũ ita,& nigra bilis particeps est caloris.3°.de symptoma.causis. 3ª.28.B
vt Cinis & acetum,calida est atra bilis.3°.de symp.cau. 3ª.28.B
vt Cinis atra bilis fit è sanguine immodice cocto feruẽtiq;. 3°.de symptomatum causis. 3ª.28.B
Cinere,& calce crassiora sunt ferrum & lapis ignita, multoq; magis q̃ faulla,ad hæc quoq; & calidiora.4°.de simp.med.fa. 4ª.30.B
in Cinere taxat Dioscoridem.8°.de simpl.med.fac. 5ª.62.C
per Cineris poros influens aer ignitur ad restaurationem euaporationis ignis.de vtil.resp. Sp.63.H
Cinis pro materia combusta varius.8°.de simp.med.fac. 5ª.62.B
Cinis animalium vstorum,qualis.6°.de comp.med.sec.loc. 5ª170.G
Cinis Brassicarum adurit.7°.de simp.med.fac. 5ª.52.F
Cinis Brassicarum cum adipe ad inucteratos laterum dolores valet. 7°.de simp.med.fac. 5ª52.H
Cinis Cancri qualis.11°.de simp.med.fac. 5ª.81.H
Cinis Caprifici omnibus acrior.de simp.med. Sp.86.A
Cinis Chartæ exiccat,sed infirmius,q̃ papyri.8°.de simp.med.fac.57. G/9°.de comp.med.sec.loc. 5ª.203.E
Cinis Cochlearũ vstarũ adstringit dysenteriã.11°.de sim.m.f. 5ª.81.E
Cinis locorum vbi Aes funditur.de oculis. 7ª.191.C
Cinis ex Ferraria officina.9°.de comp.med.sec.loc. 5ª.199.H
Cinis Ficulneus,qualis.8°.de simp.med.fac. 5ª.62.C
Cinere ficulneo nunquam ad sanguinem supprimendum vti debemus. 8°.de simp.med.fac. 5ª.62.C
Cinis Ficuum.5°.de comp.med.sec.loc. 5ª.253.B
Cinis Hirundinum vstarum ad oris putredines ac crustas. de remed. paratu facil. 7ª.158.A
in Cineribus oĩbus vstorũ lignorũ aliquid veluti fomes quidã igneus per exiguas partes dispersum est,quod et valide calidũ est,reliquũ omne tũ terreum est,tum frigidum.4°.de simp.med.fac. 5ª.25.A
Cinis acerborum Lignorum sanguinis eruptionem supprimit.8°.de simplici.med.fac. 5ª.62.C
Cinis Mustelæ cõtra podagricos et arthriticos.11°.de sim.m.f.5ª.82.d
Cinis Myrrhæ.6°.de comp.med.per gen. 5ª.262.B
Cinis Nucum,qualis.6°.de comp.med.sec.loc. 5ª.175.A
Cinis sarmentorum Oliuæ,qualis.de simp.med.fac. Sp.86.A
Cinis Quercinus,qualis.8°.de simp.med.fac. 5ª.62.C
Cinis Ranarum sanguinis eruptionẽ sanat.11°.de simp.m.fa.5ª.82.D
Cinis Salamandræ quibus valeat.11°.de simp.med.fac. 5ª.82.F
Cinis Spinarum.5°.de comp.med.per gen. 5ª.253.B
Cinis spongiæ combustæ sanguinem inhibet.de theria.ad Pis. 5ª.97.E
Cinis tithymallorum,qualis.8°.de simp.med.fac. 5ª.62.C
Cineris species est calx.8°.de simp.med.fac. 5ª.62.C
neq; Cinerẽ,neq; puluerẽ, neq; faullã, neq; calcem animal vllũ esitat, neq; eorũ q̃ planè amara sunt quicquã.4°.de simp.me.fa.5ª.30.C
Cinis in recentia vulnera in profundum positus sanguinem statuit a cursu.de simp.med. Sp.86.A
Cinis pecoribus castratis impositus prodest,omnibusq; abscisis.de simplic.medic. Sp.86.A
Cinere,& sputo argentum viuum extinguit.de dyna. Sp.30.E
Cineri comparatur pulmo.de vtil.resp. Sp.63.H
in CINEREM vertitur humorum putridorum terrestris cocta superfluitas.2°.de diff.feb. 3ª.41.D
Cinis in febre quorsum mittatur.3°.de præsag.ex pul. 4ª.119.A
sub CINERITII panes omnium deterrimi.1°.de alim.fac. 2ª.10.C
Cineritius color q̃ñ in vrinis & cur.in 6ᵐ.de mor.vul.c.1°.3ª.155.F
Cinereum in vrinis quos colores significet præter ruffum.in 6ᵐ.de mor.vul.com.1°. 3ª.155.G
Cinereus est puris color.de fract.com.2°. 7ª.236.D
Cineritium Asclepiadis cicatricẽ inducẽs.5°.de cõp.m.pge.5ª.253.G
CINNABARI quale.9°.de simp.med.fac. 5ª.69.F
Cinnabaris viridis fit mentio.3°.de comp.med.sec.loc. 5ª.145.H
Cinnabari vnum ex fortissimis medicamentis ad achoras.1°.de comp. medi.sec.loc. 5ª.129.D
Cinnabarium collyrium.4°.de comp.med.sec.loc. 5ª.156.H
CINNAMOMVM quid.de simpli.med. Sp.83.A
Cinnamomi arboris descriptio.1°.de antid. 5ª.126.A
Cinnamomũ,ellebori,et damasonij figurã p̃sefert.1°.de antid.5ª.106.A
Cinnamomi arbor Romam portata.1°.de antid. 5ª.105.H
Cinnamomum cognitu facillimum est.1°.de antid. 5ª.105.G
Cinnamomum perfectissimum,quod theriacã ingreditur, describitur. de ther.ad Piso.94.G/1°.de antid. 5ª.106.A
Cinnamomum in antidotis valde prætiosum.de simp.med. Sp.83.A
Cinnamomum pro regibus.5°.de comp.med.sec.loc. 5ª.165.H
Cinnamomi probatio ex ætate.1°.de antid. 5ª.105.H
Cinnamomi vis ad quantum tempus durat.1°.de antid. 5ª.105.G
Cinnamomi diuersitas.de theria.ad Piso. 5ª.94.G
Cinnamomi sex species.1°.de antid. 5ª.105.G
Cinnamomis est veluti imbecillum cinnamomũ.7°.de simp.m.f.5ª.51.c
Cinnamomum,opocalpasum, & sagapenum tria hãt, quæ neq; chalbanum,neq; myrrha,neq; casia sunt,tñ non sunt perfecte sagapenum,opocalpasum,aut cinnamomum.1°.de antid. 5ª.105.B
Cinnamomum,quale.4°.de comp.med.sec.lo. 151.G/7°.170.G/179. C.8°.188.E/5ª.190.B/de oculis. 7ª.188.H
Cinnamomum calidum est in tertio ordine.7°.de simp.me.fa. 5ª.51.C
Cinnamomum quia est tenuium partiũ deficcat supra omnia quæ sunt calida

ealida in tertio ordine. 7°. de simp. med. fac. 5ª. 51. C
Cinnamomum est aroma calidum. com. 5°. aph. 28°. Ex. 40. C
Cinnamomum aromaticum medicam. 9°. de cop. med. sec. loc. 5ª. 201. G
Cinnamomum odoratum subtile. 5°. de comp. med. per ge. 5ª. 234. E
Cinnamomum omnium rerum odoratissimum. de simp. med. Sp. 83. A
Cinnamomum rutam præse fert. de theria. ad Piso. 5ª. 94. G
Cinnamomum est tenue. 1°. de antid. 5ª. 105. B
Cinnamomum acre est, & excalsactorium. de simp. med. Sp. 83. A
Cinnamomum acrimonia, & calore succos crassos, & lentos dissecat, ac detergit. 6°. de san. tuen. 2ª. 99. C
Cinnamomum dissoluit ventositatem. de diss. cont. Sp. 74. G
Cinnamomum putredinosas, & venenosas facultates corrigit. 8°. de compo. med. sec. loc. 5ª. 194. E
Cinnamomum per os prouocat sudorem. de cathar. Sp. 95. D
Cinnamomum menses & vrinas prouocat. 5°. de simp. me. f. 5ª. 38. A
Cinnamomi pessarium matricem purgat. de cathar. Sp. 95. C
Cinnamomum maturatiuum est. de oculis. 7ª. 189. C
Cinnamomum in auricularia medicamenta inijcitur. 3°. de composit. med. sec. loc. 5ª. 141. B
Cinnamomum quid agat in medicamentis. de med. exper. Sp. 104. B
Cinnamomum inter oculorum medicinas. de ocul. 7ª. 18. G
ex Cinnamomo collyrium pro oculis. 12°. meth. med. 7ª. 79. H
cum Cinnamomo aloen componunt diuites. 5°. de san. tu. 2ª. 92. E
pro Cinnamomo casia. 3°. de comp. med. sec. loc. 5ª. 141. B
in Cinamomi penuria exquisitissima casia vtimur. 6°. de san. tu. 2ª. 99. C
Cinnamomum cum deest, duplum casiæ assumendum est. 6°. de sa. tuen. 2ª. 99. C/1°. de antid. 106. C/8°. de comp. med. sec. loc. 5ª. 190. D
pro Cinnamomo Casia cur sumatur. 1°. de comp. med. per gen. 5ª. 215. A
à Cinnamomo optimo parum differt optima casia. 1°. de antidotis. 105. G/ 5ª. 106. A
Cinnamomum quandoq; ex Casia oritur. 1°. de antid. 5ª. 106. C
cum Cinnamomo eandem vim habet casia. 8°. de compositio. medi. secun. loc. 5ª. 194. F
pro Cinnamomo cardamomum. 2°. de antid. 5ª. 111. E
Cinnamomi loco carpesio vtebatur Quintus. 7°. de simp. me. sa. 50. D/ 1°. de antid. 106. D/3°. de comp. med. se. loc. 5ª. 141. B
pro Cinnamomo carpesium duplo pondere vel casia. 3°. de composit. med. sec. loc. 5ª. 141. B
CINNVS quid sit, Collige. 1°. de alim. fac. 2ª. 11. E
Κίων & σύλος appellatur columna. 1°. de alim. fac. 2ª. 15. B
Cion, hoc est gurgulio & columna. 6°. de comp. med. sec. loc. 5ª. 172. E
Cionida seu vuluam dislocatam, vel relaxatam, vel phlegmone affecta curat succus centaureæ. de vir. cent. Sp. 93. D
Cionidi post chirurgiã confert succus centaureæ. de vir. cem. Sp. 93. D
CIRCEAE radix ex vino dulci pota secundas purgat. 7°. de simplic. medicamen. fac. 5ª. 51. C
CIRCVITVS quid sin. med. Isa. 46. D/de morb. temp. 85. F/ad eos qui de typis scripserunt. 3ª. 89. D/com. 1°. aph. 12°. Ex. 5. F
Circuitus morbi diuisio in duas partes. de morb. temp. 3ª. 86. H
Circuitus totus potest in duas diuidi partes, accessionem & remissionem. de morborum temporib. 3ª. 90. A
ad Circuitum numerum non dierum fieri iudicationem tum in tertianis, tum in quartanis obseruauit Galen. com. 4°. aph. 59°. Ex. 33. H
Circuitus cur fiant eodem modo, & reuertantur dicbus statis. comm. 4°. aph. 63°. Ex. 34. D
Circuitus accessio non est consyderanda in febribus, sed modus & forma. 1°. de differ. feb. 3ª. 35. H
Circuitus quotidiani horarum vigintiquatuor. de mor. tẽp. 3ª. 85. F/G
Circuitus ternarius. de morb. temp. 3ª. 85. G
Circuitus febrium tertianarum cum quotidianis comparatus quãtus. de morborum temporib. 3ª. 87. H
Circuitus octo horarum. ad eos, qui de typ. scrip. 3ª. 93. C
Circuitus tertiani horarum quadraginta octo. de morb. temp. 3ª. 85. F
Circuitus non habent σύνοχοι. de morb. temporib. 3ª. 87. D/ 3°. de crisibus. 4ª. 139. H
Circuitus quartani horarum septuaginta duarum. de morborum temporibus. 3ª. 85. F/G
Circuitus quinq; dierum, & accessio quinta die, non est idem. ad eos, qui de typ. scripsi. 3ª. 94. E
Circuitus primus viginti dierũ perfectus est. 2°. de dieb. dec. 4ª. 154. G
per Circuitus aliquos quæ ægritudinum accessiones fiunt, ex membrorum dispositionibus ortum habent. 2°. de diff. feb. 3ª. 42. G
per Circuitus, pedum & articulorum dolores exarcebant. 2ª. de differ. febrium. 3ª. 40. F
Circuitus per dies referuntur ad septimanas & ad lunas. 3°. de dieb. decretorijs. 4ª. 158. A
Circuitus lunæ tum communes tum proprij. 3°. de dieb. decr. 4ª. 159. E
Circuitus per menses referuntur ad solem. 3°. de die. decr. 4ª. 158. B
Circuitus menstruorum cur seruatur, & qñ 2°. de diff. feb. 3ª. 42. E
Circuitus mensium suggerere põt cucurbitula. de cucur. scar. 6ª. 3. F
Circuitus morbi initiũ ex pulsu quo cognoscatur. de mor. tẽp. 3ª. 87. C
iuxta Circuitus paritas pulsum, quæ. 1°. de diff. resp. 3ª. 61. F
Circuitus soluere potest cucurbitula. de cucur. scar. 6ª. 3. F
per Circuitum repetentium affectionum remedium. 7°. de compositione med. sec. loc. 5ª. 182. H
per Circuitum repetentium internarum affectionum remedia 7°. de cõpo. med. sec. loc. 5ª. 182. D/G
Circuitus, lege Accessio, & Paroxysmus.
CIRCVLVS quid. 10°. de vsu par. 1ª. 182. C
Circulus maxima figurarum planarum habentium æqualem figuram. 4°. de vsu partium. 1ª. 136. G
de Circulis duobus à lapidibus duobus factis in aqua dubitatio. 3°. de simp. med. fac. 5ª. 20. H
Circulos duos qui per seipsos inuicem ferantur, efficiunt duo lapides conflicti vno tempore in diuersas placidæ tranquillæq; aquæ partes. 3°. de simp. med. fac. 5ª. 20. H
per Circulum fieri dicebat Erasistratus expirationem, & receptionem aeris per insensibiles meatus, Plato per duos semicirculos. in Thim. Pla. 1ª. 290. A
in Circulum est motus diaphragmatis. de anat. viu. Sp 53. F
CIRCVLOS cœli, qui Zonæ dicuntur, esse imaginabiles, collige. com. 3°. aph. 14°. Ex. 22. F
CIRCVLVS lacteus quid sit. de histo. philoso. Sp. 7. E
CIRCVLVM pudicum vocat anum. de compag. memb. Sp. 59. F
Circulus pudicus quando formetur. de compag memb. Sp. 59. E
Circuli pudici fit mentio. de compag. memb. siue de nat. hum. Sp. 59. A
Circulorum curribus per habenas aurige traijciunt & musculi cuiusdam vtilitas eadem. de musc. diss. 1ª. 52. H
CIRCVLVS quadruplex dicitur Plinthij laqueus. de laque. 7ª. 308. C
CIRCVMAGENTES brachium ad exteriora, posteriorá, musculi. de musc. diss. 1ª. 47. G
Circumagere radium in pronam, quorum musculorum sit officium. de muscul. dissect. 1ª. 48. F
Circumagens manum in supinum musculus, qui. de musc. diss. 1ª. 49. A
Circumagit caput in priorem partem secundus capitis musculus. de muscul. dissect. 1ª. 45. E
Circumagentes caput femoris musculi. de musc. diss. 1ª. 51. B
Circumagitur sub mento γενειὰς vinculum. de fascijs. 7ª. 295. A
CIRCVNCISIO vel circunsectio, quid. fin. med. Isa. 49. C
CIRCVNDEXTRVM quid sit apud Hom. com. 7°. aph. 44°. Ex. 57. E
CIRCVMINNVENTES pulsus, qui. de puls. ad tiro. 4ª. 45. D
Circumnuentes pulsus in quo sint genere. 1°. de diff. pul. 4ª. 51. E
CIRCVMLINIATVR primo pars parum, si sanguinem detrahere volumus. de cucur. scar. 6ª. 3. C
CIRCVMOCVLARIS tunica quæ sit, & cur sit facta. de anato. oculorum. Sp. 57. C
CIRCVMVAGATIO in articulis quid. de art. com. 4°. 7ª. 289. F
Circumuagatio modus reficiendi articulos. de artic. com. 1°. 7ª. 152. H
CIRCVMVERTATVR caput ad altera qua capitis dearticulatione. de muscu. diss. 1ª. 45. D
CIRCVMVOLVTIONIS motum in lingua qui musculi faciant. de anatom. viuor. Sp. 49. C
CIRCVS habet densissimã ossium concretionem. 11°. de vsu p. 1ª. 191. e
Circuunt vitreum humorem nerui oculum ingredientes, & se in latum extendentes. de ner. diss. 1ª. 53. D
Κιρελάιου cerati fit mentio. 6°. de san. tuen. 2ª. 100. G
CIRCVS puluis vtilis ad pingues homines attenuandos, curat leprosos, hernioso, pruriginosos, scabiosos: si quis vtat, neq; podagrico, neq; arthritico, neq; alio dolore molestabitur. de dyna. Sp. 30. B
Κιρρὸν ideſt fuluum, ξανθὸν, ideſt flauum, pro eodem sumi possunt. 5°. de sanitate tuenda. 2°. 91. A
Κιρρὸν fuluum vocat Hippocrates. 5°. de san. tuen. 2ª. 91. A
Cirrhum dictum Galeni medicamentum ad vulnera sanguinolenta. 2°. de arte cur. ad Glauc. 7ª. 106. E

Κιρσοὶ. i. varices, quid. de tum. præter naturam. 3ª.84.G
CIRSOCELE tumor scroti. fin. med. 49. C/D/ intr. 59. D/ Isa. 60. B
Cirsocele. de tum. præter natu. 3ª.84.G
CIRRI qui in vulua, secundum Eudemũ. de disse. vul. 1ª.108.D
Κιρσίκιον quid. de machin. 7ª.310.D
CISERIS, ideſt pumex. 9°. de ſimp. med. fac. 6ª.67.C/ 5ª.69.F
CISSAMPELOS dicta elixine digerendi facultatem obtinet. 6°. de ſimpli. med. fac. 5ª.47.C
CISSOS, ideſt hedera. 7°. de ſimp. med. fac. 5ª.51.F
CISTAE & ſportulæ fabricationis ſit mentio. ad Thraſ. 2ª.105.F
CISTARVS 7°. de ſimp. med. fac. 5ª.51.D
in CISTERNA ſanguinis eſſe ſomniare, ſignificat copiam ſanguinis. de digno. ex inſom. 4ª.213.D
CISTIS fellis eſt in ſubſtantia hepatis. de ana. par. Sp.43.A
CLSTHI flores cum vino poti dyſenterias, ventris imbecillitates fluxuſq; ac humiditates ſanant, cataplaſmatis ritu illita vlcerum putredinoſa iuuant. 7°. de ſimp. med. fac. 5ª.51.D
Ciſtibus a regione caliditatem accipit. 7°. de ſimp. med. fac. 5ª.51.D
Ciſtibus adſtringit. 7°. de ſimp. med. fac. 5ª.51.D
CITHARAE, & tibiæ ſonus non eſt a tibijs, ſed a tibicine. de palpi. trem. conuulſ. & rig. 3ª.53.C
Cithara perſonare ſolebant in ſympoſiis. 1°. meth. med. 7ª.2.D
Cithara non debent attingere ſenes. 5°. de ſan. tu. 2ª.89.H
Citharistæ cur remittant cordas intentas. 1°. de ſem. 1ª.334.G
Citharœdi cur multis vtantur balneis, & cibos lenes ac laxãtes edãt. 7°. de comp. med. ſec. loc. 5ª.177.E
Citharœdus ἄφωνος ῥύθμῳ pulſui ſimilis quo modo. 1°. de differentijs pulſuum. 4ª.48.F
CITHARI piſces molles carne. 3°. de alim. fac. 2ª.31.A
Citharus adſimilis Rhombo, ſed mollior. 3°. de alim. fac. 2ª.31.D
Citharus aſello inferior. 3°. de alim. fac. 2ª.31.D
Citharus coquitur in patinis. 3°. de alim. fac. 2ª.31.D
CITHE quid ſit. de vſu ther. ad Pamph. 5ª.98.G
CITINOS & balauſtia eſſe diuerſa, collige. 8°. de compoſiti. medicam. ſecun. loc. 5ª.192.H
in Citino adſtrictionis actionem explorare oportet. 4°. de ſimp. medicamento. fac. 5ª.26.A
CITO fieri quo modo intelligatur. in progno. com. 2°. 4ª.202.A
ex CITONII mali ſucco medica^m. quid agat. 4°. de ſa. tu. 2ª.86.F
CITRAGO eſt ſuperflua, vbi eſt marrubiũ. 7°. de ſimp. me. fa. 5ª.55.E
CITRIVM vocant quidam malum medicũ. 2°. de alim. fac. 2ª.21.G
Citri folia exiccant & digerunt. 7°. de ſimp. med. fa. 5ª.56.B
Citrij partes ſunt tres acida, caro, tegumentum. 2°. de ali. fac. 2ª.21.G
Citrij cortex in ſecundo ordine ſiccus eſt, in actiuis qualitatibus temperatus. 7°. de ſimp. med. fac. 5ª.56.A
Citrij cortex difficilis coctu, quia durũ & calloſum. 2°. de ali. f. 2ª.21.G
Citrij cortex aromaticus eſt odore & guſtu. 2°. de alim. fa. 2ª.21.G
Citrij cortex qñ accipit de eo parũ cõfortat ſtomachũ. de di. cõ. S.74.e
Citrij cortex quomodo confortet vel aggrauet. de diſſ. cont. Sp.74.E
Citrij corticis ſuccus aloes inſuauitatem remittit. de dyna. Sp.20.H
Citrij acidum facit acetum acrius. 2°. de alim. fac. 2ª.21.G
Citrij acetoſitas icidit, et attenuat cũ acetoſitate ſua. de di. cõ. S.72.G
Citrij caro comeditur cum aceto & garo. 2°. de alim. fa. 2ª.21.H
Citrij caro dura ad concoquendum. 2°. de ali. fac. 2ª.21.H
Citrij caro cur tarde digeritur. de diſſ. cont. Sp.73.E
Citrij caro cibus craſſus. de diſſ. cont. Sp.73.A
Citrij caro pituitoſa eſt frigida. 7°. de ſimp. med. fac. 5ª.56.A
Citrij ſemen quodam ſit. 7°. de ſimp. med. fac. 5ª.56.A
Citrij ſemen in tertio ordine frigidum & ſiccum. 7°. de ſimplicium medicam. fac. 5ª.56.A
Citriũ totũ miſceẽ medicamẽtis vẽtrẽ deijciẽtib. 2°. de ali. fa. 2ª.21.G
Citrium coctionem iuuat, ſi quis eo vt medicamento vtatur. 2°. de alimen. facul. 2ª.21.G
ad CITRINAM aquam in hepate. ſecretorum. Sp.99.E
Citrinum colorem habet conceptus in horis bilis. de ſper. Sp.37.C
Citrium colorem a leone tenuit Alexander. de ſper. Sp.38.H
Citrini coloris non nihil habet tertius humor oculi. de compag. membr. ſiue de natura hum. Sp.58.C
Citrinis colore extra rõnem infectis, aloen damus. de dyna. Sp.20.H
Citrino colori valens medicamẽ Azariconis. de med. exper. Sp.105.G
CITRINA Cholera fit plurimum ſanguinis ob acutos cibos. de diſſolutio. contin. Sp.72.F
Citrina cholera abundans hõ quib. ſit nutriendus. de diſſ. cõ. Sp.72.C
Citrinam choleram refrenans medicamentum. ſecreto. Sp.101.G
in Citrinis icteritijs ſuccus Chelidoniæ bibitur. de ſimp. med. Sp.82.B
ad Citrinam icteritiam. ſecret. Sp.99.D
Citrinas Venas habet conceptus in horis bilis. de ſper. Sp.37.C
Citrinæ venę fit mentio. ſecret. Sp.97.G
Citrinũ Vinũ boni odoris eſt boni chymi, & ſubtilis. de diſ. cõ. Sp.73.b
Citrinum vinum, clarum, ſubtile, antiquũ, calidum, eſt cibus acutus, incidens, aperiens. de diſſ. con. Sp.72.F
Citrinũ vinum, antiquũ dulce, eſt cibus calidus. de diſſ. cont. Sp.74.C
Citrinum vinum antiquum facit dolore caput. de diſſ. cont. Sp.74.F
CITRVLI ſunt frigidi. de diſſ. cont. Sp.74.D
Citruli humidi, frigidi, ac pituitoſi, potiſſimum ſi crudi & non elixi edantur. de atten. vict. 2ª.44.A
Citruli, cucurbitæ, endiuia, lactucæ, facilius digeruntur, quàm apiũ, & carbtum. de diſſ. cont. Sp.73.D
Citruli ſunt humidi. de diſſ. cont. Sp.74.D
Citruli generant ſuccum frigidum. de diſſ. cont. Sp.74.B
Citruli inter cibos craſſos numerantur. de diſſ. con. Sp.73.A
Citruli ſunt cibaria media. de diſſ. cont. Sp.74.C
Citrulos duriores cur quidam elixent. de atten. vict. rat. 2ª.44.A
CITTA, picatio. 1°. de ſymp. cau. 3ª.18.C
Citta ex ore ventriculi. 5°. de loc. affect. 5ª.32.H
Cittam quanto tempore habent prægnantes. 1°. de ſymp. cau. 3ª.18.C
CIVILIS potentia quærebatur tempore Galeni. 1°. meth. med. 7ª.2.C
Ciuilibus negocijs impliciti non poſſunt venationibus incumbere. de par. pil. exer. 2ª.48.H
Ciuilibus negocijs diſtrictus tutius eſt vt non mutet temperamentum. 6°. de ſan. tuen. 2ª.96.C
Ciuilem appellat Plato artem animæ in Gorgia. ad Thraſ. 2ª.107.D
ad Ciuilem philoſophiam nihil facit ſcire quænam ſit animæ eſſentia. de ſubſt. fac. nat. 1ª.230.F
in Ciuili contemplatione fieri non poteſt vt naturalem, & ratiocinatoriam prorſus non attingas. 9°. de decr. Hipp. 1ª.284.D
Ciuilia vocabula, quæ. in 3^m. de mor. vulg. com. 2°. 3ª.143.A
CIVES dant gloriam ciuitatibus. in oratione ſuaſoria. Isa. 3.D
Ciues in quo ſatius ſit cæteris antecedere. de cog. cur. ani. mor. 2ª.55.C
Ciues in annona fruges omnes in vrbẽ portãt. de bo. & vi. ſuc. 2ª.33.G
Ciues laudabantur, & vngebantur poſt febrem, non agreſtes. 10°. methodi medendi. 7ª.61.H
CIVITATES cur ædificatæ fuerint ad Thraſ. 2ª.104.C
Ciuitas nulla adeo floruit, quin tandem memoria conditoris ſit deleta. 14°. de vſu partium. 1ª.204.D
in Ciuitate tria ſunt hominũ genera, et quę. 5°. de decr. Hip. 1ª.260.A
Ciuitatibus omnibus ars medica vtilis. de cau. procat. 3ª.95.H
Ciuitatem dant gloriam ciuibus. in oratione ſuaſo. Isa. 3.D/E
Ciuitatis adminiſtrationem cum explicare volueris, prima eius origo tibi erit repetenda. 6°. de decr. Hipp. 1ª.264.B
in Ciuitatibus quid ſit lex. de ijs quæ in med. fi. com. 1°. 7ª.206.H
Ciuitatum gubernatori comparat naturam opificem in animali. com. 5°. aphor. 39°. Ex.41.B
Ciuitates ſacerdotis vel regis genus permanere ſtudentes, vbi mulieres non concipiunt, quærunt vtrius cauſa hoc accidat, vt facto diuortio mulieres concipiant. com. 5°. aph. 59°. Ex.43.C
Ciuitates ſeditione & aliquo bello inteſtino laborantes cur ægrotare deſinant. 5°. de decr. Hip. 1ª.255.C
Ciuitatẽ potius proderent aliqui q opinionem. 2°. de dif. pul. 4ª.59.B
Ciuitatis Lucæ horizontis ſit mentio. ſecret. Sp.98.H
Ciuitates ſitæ a ſeptẽtrione, quas aquas hẽat. de aere, aq. & lo. 2ª.2.E
Ciuitas ſita ad ventos calidos. de aere, aq. & lo. 2ª.2.E

CLAMARE põt non loqui ſola lingua reſoluta, in 3^m. de mor. vul. cõ. 3°. 3ª.149.C
ex CLAMORE acuto accidere poteſt inſtrumentorum ruptio. 3°. de ſympto. cauſ. 3ª.26.H
ex Clamore vas ruptum in pulmone. 5°. meth. med. 7ª.30.C
Clamor vehemens in cauſa eſt quandoq; cur iuuenibus fiant fluxus ſanguinis. com. 3°. aph. 29°. Ex.26.C
Clamor numeratur inter cauſas abortus. com. 5°. aph. 45°. Ex.41.G
Clamor vitandus eſt in capitis dolore ob ardorem. 2°. de compoſi. medi. ſec. loc. 5ª.132.B
CLANGENTES voces vnde oriant. in 1^m. prorr. cõ. 1°. 162.D/ 4ª.166.A
Clangores ſunt ſymptomata vocum. de ſymp. diff. 3ª.13.D

Clara

CLARA *habens ſuſpecta dubitationibus oblectatur.* 2°.*de motu muſcu lorum.* 1ª.315.*A*

Clara ſtudens euertere maxime fatuus eſt. 2°.*de mot.muſ.* 2ª.315.*A*

ad Clarificandam Faciem.de dyna. *Sp.*25.*H*

Claritatẽ Oculorũ mirifice facit ſucc⁹ radicis acori.de ſim.m. *Sp.*81.*A*

Claritati oculorum vtilis eſt ſucus anagallidis.de ſimp.med. *Sp.*80.*G*

ad Claritatẽ oculorũ cridrium maxime facit de ſimp.med. *Sp.*83.*E*

ad Claritatem faciei & oculorum melius habetur mel atticum alio molle. de ſimp.med. *Sp.*87.*A*

ad Claritatẽ oculorũ pprie cõfert lapis pyrites.de ſimp.me. *Sp.*86.*F*

Clarum Sanguinem purum & mundum non generant cibi non tempe rati.de diſſ.cont. *Sp.*74.*A*

Clarificatio Spiritus in arterijs quo modo fiat de ſpermate. *Sp.*37.*G*

Clarum Vinum citrinum, ſubtile, antiquum, calidum, eſt cibus acutus, incidens.de diſſ.cont. *Sp.*72.*F*

Clara eſt Vox añ potũ et cibũ, poſt min⁹ clara.de vo.& anhe. *Sp.*61.*G*

Clarioris vocis ſunt ſicca corpora q̃ humida.de vo.& anh. *Sp.*61.*G*

ad Clarificandam vocem electarium.de dyna. *Sp.*26.*B*

Clarificans vocem medicina.ſecretorum. *Sp.*101.*F*

*Clara Vrina ſuperius, inferius nebuloſa & ſubliuida dolorem ſignificat renũ, & genu, & coxæ, & ſuperioris ſtomachi.de dyna.S.*35.*d*

Claritatem habens vrina inferius, quæ ſit ſuperius ſubnigra, & plena ſignificat inferius dolorem renum, et ſuperius grauitatem capitis, & obturationem aurium, & narium.de dyna. *Sp.*35.*D*

CLAVDICANT *niſi vrantur, a coxendicum dolore diuturno moleſtati.com.*6°.*aph* 60°. *Ex.*53.*G*

*Claditatẽ cur faciat abſceſſus in articulos.in prog.com.*2°.4ª.205.*E*

*Claudicatio cruris quo ſignificetur.*17°.*de vſu par.* 1ª.222.*F*

*Claudi qui facti ob ignauiam medicorũ.*3°.*de cõp.med.p g.* 5ª.228.*C*

Claudos facit equitatio nimia.de aere, aq.& loc. 2ª.5.*H*

CLAVDII *Apollonij medicamentum contra canem rabidum.* 2°.*de antidotis.* 5ª.117.*A*

*Claudi Philoxeni chirurgi Aegyptium.*3°.*de cõp m.per g.* 5ª.235.*A*

*Claudi Philoxeni pharmachum Apoll̃.*2°.*de cõp.m.per g.* 5°.225.*G*

CLAVDITVR *cooperculum epiglottidis in retentione anhelitus. de vo.& anhel.* *Sp.*61.*C*

Clauditur perfecte coopertorium epiglottidis, quando comeditur aliquid.de vo.& anhel. *Sp.*61.*C*

Claudentes Guttur muſculi in omni animante, qui.de muſ.diſ. 1ª.46.*c*

Claudens Sedem muſculus tranſuerſus.de muſ.diſſ. 1ª.50.*E*

*Claudi cum non poſſint integre oculi, aut ob palpebrarum ſiccitatẽ, aut propter potẽtiæ ipſas mouentis imbecillitatem euenit. com.*6°. *aphor.*52°. *Ex.*53.*A*

Claudatur quo modo os Venæ, & arteriæ. 5°.*meth.med.* 7ª.30.*D*

Claudatur quo modo Vlcus. 5°.*meth.med.* 7ª.30.*D*

quæ Claudunt ventrem.de diſſ.cont. *Sp.*75.*B*

*in Clauſu, & fluxu cõſiſtũt morbi, ſm Theſſalum.*1°.*meth.me.*3ª.3.*H*

ad Clauſam Matricem.de paſſ.mul. *Sp.*96.*A*

CLAVICVLAE *quæ.introd.* *Iſa.*53.*B*

*Clauis generatio & vſus.*13°.*de vſu par.* 1ª.202.*H*

*Clauiculæ oßis forma.*1°.*de an.adm.*67.*H*/13°.*de vſu p.*1ª.203.*A*/*B*

Clauiculæ aliorum oſſium ad ſummum humerũ ligant̃.intro. *Iſa.*54.*G*

*Clauiculæ finis elatior thoracis.*8°.*de anat.adm.* 1ª.99.*C*

ad Clauiculã primã coſtam attrahentes muſculi.de muſ.diſ. 1ª.46.*D*

ſub Clauicula vnaquaq; muſculus vnus, & qualis, & eius ortus ac finis.de muſc. diſſ. 1ª.46.*C*

*ſupra Clauiculam ſi ſit morbus quo ordine ſecandæ venæ.*3°.*de anatom.admin.* 1ª.77.*D*

*Clauiculæ loca ſublimiora qua vena euacantur.de vict.rat. in morbis acu.com.*2°. 7ª.117.*F*

*ad Clauiculam pleuritis.*2°.*de diſſ.pulſ.* 4ª.57.*B*

in Clauiculis abſceſſus morbus longus intrinſecus.introd. *Iſa.*56.*B*

*infra Clauiculam ſi ſit morb.quæ vena ſecanda.*3°.*de ana.ad.*1ª.77.*D*

*Clauiculam ſi dolor lateralis contingat, fiat venæ ſectio. comment.*6°. *aphoriſmo* 5°. *Ex.*46.*G*

Clauiculæ dolor in iecoris affectu.de multitudine. 3ª.77.*G*

Clauicula fracta difficulter ſanatur.introd. *Iſa.*60.*E*

CLAVI *numerantur inter ea quę cutem, totiusq; corporis partes exagitant.introd.* *Iſa.*59.*D*

CLAVVS *eſt carnoſus nigri oculi exceſſus ſolidus, cum leui, albaq; velut cicatrice, frequenter etiam in albo nigro cohærenti conſurgens. introdu.* *Iſa.*59.*A*

CLAVVS, *græce gomphos, eſt quartus modus egreſſionis vueæ, quia egrediens pelliculas vueæ ſuperficietenus operit: vnde eius forma fit quaſi clauus.de oculis.* 7ª.187.*C*

CLAVVS, *eſt vlcus in pedis planta orbiculatum, quod callum contraxit.fin.med.* *Iſa.*49.*E*

Clauicurationis.introd. *Iſa.*60.*D*

Clauos, quos vocant, eijcientibus facultatibus miſcentur cantharides. 11°.*de ſimp.med.fac.* 5ª.81.*E*

*Clauos quos vocant, callos. (græci τύλους vocant) myrmecias tollit Cinis ex cortice ſalicis aceto macerata.*4°.*de ſimp.med.fac.*5ª.48.*H*

*Clauos eijcit Nigella.*7°.*de ſimp.med.fac.* 5ª.55.*D*

*Clauos extrahit caput Saurarum.*11°.*de ſimp.med.fac.* 5ª.79.*G*

*ad Clauos in manib.& pedib.*2°.*de cõp.me.per ge.*225.*E*/3°.5ª.235.*c*

*ad Clauos ſtercus ouillum.*10°.*de ſimp.med.fac.* 5ª.76.*H*

*ad Clauos.*5°.*de cõp.me.p ge.*5ª.247.*E*/*de med.fac.par.* 7ª.170.*G*

ad Clauos etiam in capite.de med.fac.parand. 7ª.170.*G*

ex CLAVIS *confecta melantreia.*5°.*de cõp.med.per gen.* 5ª.253.*B*

CLAVI, *pars organorum.de machin.* 7ª.309.*E*

Claui, ærei vel ferrei fieri debent.de machin. 7ª.309.*D*

Claui ad quid in organis.de machin. 7ª.309.*H*

CLAZOMENII *ægroti decimi caſus, magnum exemplum teſtimoniũ generalium præceptorum.in*1ᵐ. *de mor.vul.com.*3°. 3ª.125.*A*

CLEANTHIS *carmina de ratione & ira.*5°.*de decret.* 1ª.258.*C*

CLEMATIS *quid.de ſimp.med.* *Sp.*83.*B*

*Clematis daphnoides.*7°.*de ſimp.med.fac.* 5ª.51.*G*

Clematis folia habet acria, & exulcerantia.de ſimp.med. *Sp.*83.*B*

*Clematis eſt cauſtica, in quarto ordine calida.*7°.*de ſimp.m.f.*5ª.51.*G*

*Clematis phlegma deorſum deducit, & purgat.de ſimp.med.Sp.*83.*B*

CLEMATITES *ariſtolochia longa fragrantior eſt, ita q; ea vtuntur vnguentarij ad vnguenta, ſed ad ſanationes infirmior eſt.* 6°.*de ſimpl. medicamen.fac.* 5ª.43.*E*

CLEMENTIS *Flauij pharmaca.*7°.*de comp.med.per ge.* 5ª.271.*D*

CLEMENS *ſertorius curatus.* 6°.*de compoſi.medicamento. per genera.*26.*B*/7°. 5ª.272.*C*

CLEOBVLVS. 5°.*de comp.med.per gen.* 5ª.254.*C*

CLEONACTIDIS *ægroti ſexti caſus. in* 1ᵐ.*de morbis vulgarib. commentario.*3°. 3ª.123.*A*

CLEOPATRA *qua ſera interijt.de ther.ad Piſo.* 5ª.93.*A*

Cleopatræ libri geneſiæ dicti.de paſſ.mul. *Sp.*95.*G*

*Cleopatra librum fecit de ornatu corporis.*1°.*de compo.med. ſec.loc.* 123.*D*/125.*H*/ 5ª.130.*C*

Cleopatra librum fecit de fœminarum formanda ſpecioſitate de incanta.adiur.& ſuſ. 7ª.181.*H*

*Cleopatræ pharmaca ad Achoras.*1°.*de comp.med.ſec.loc.*5ª.130.*c*

*Cleopatræ ad Alopecias.*1°.*de comp.med.ſe loc.* 5ª.123.*D*

CLEOPHANTI *ad Hydropicos.*9°.*de comp.med.ſec.loc.* 5ª.200.*E*

*Cleophãtis malagma ad aquã intercutẽ.*7°.*de cõp.m.per g.*5ª.266.*b*

*Cleophanti compoſitio ad Sedem.*9°.*de comp.med.ſec.loc.* 5ª.204.*H*

CLEPSYDRARVM *inſtrumenta vera.de libris propriis.* *Iſa.*13.*F*

Clepſydrarum deſcriptiones architectonicę nemine complectuntur.de cuiuſque animi pec.not.atq; me. 2ª.57.*B*

Clepſydra quo modo inuenta ſit methodo reſolutoria. de cuiuſque animi peccat.not.atq; med. 2ª.58.*E*

in Clepſydra æquinoctium, & horę quo modo declarentur.de cuiuſq; animi pec.not.atque med. 2ª.58.*E*

Clepſydræ.de curan.rat.per ſang.miſſ. 6ª.16.*C*

CLETII *Abaſcanti potio ad tabeſcentes.*7°.*de cõp.me.ſe.lo.* 5ª.183.*E*

*in CLIBANO ſit ignis moderatus in coquendo panem.*1°.*de alimen. facultа.* 2ª.9.*H*

*in Clibano coctus panis, qualis.*14°.*meth.med.* 7ª.90.*B*

*Clibanitæ panes omnium optimi.*1°.*de alim fac.* 2ª.10.*C*

Clibani panis non confectus diligentia eſt cibus craſſi ſuci. de bon.& vitio ſuccorum. 2ª.34.*G*

*Clibani teſta dentes ſplendidi fiunt, & excreſcentiæ mediocriter exteruntur.*11°.*de ſimp.med.fac.* 5ª.81.*A*

de CLIBANI *pectoris motu in tuſſi, riſu, & ſternutatione. de mo.mani.& obſc.* *Sp.*69.*G*

CLIDION *Aphrodiſiacum.*7°.*de comp.med.ſec.loc.* 5ª.184.*G*

*Clidion ad dyſentericos.*9°.*de comp.med.ſec.loc.* 5ª.203.*B*

CLIMATA *ſeptem ſunt ſm planetarum rationem.de ſper.* *Sp.*39.*D*

de Clymatum mundi ſeptem, alteratione.de ſper. *Sp.*39.*D*

CLINICVS *inſcriptus liber Damocratis.* 10°.*de compoſitione medicamentorum*

dicamen.sec.loc. 3ª.208.C

CLINOPODIVM *calidum.siccum in tertio.7°.de sim.me.fa.* 5ª.51.F

CLISSISSIA *tritici,id est similia.secretorum.* *Sp.*100.D

CLOACAE & latrinæ in hortis repurgabãtur. in 3ᵐ.de mor.vulga. commen.1°. 3ª.133.F

ex Cloacis vrbem vel numerosum exercitum purgantibus aer qui vitium contraxit,pestilens est.1°.de san.tu. 2ª.67.E

CLONIACI *malagma boni coloris.7°.de comp.med.per ge.* 5ª.267.C

CLYDONAS vocant græci fluctuationes cum sonitu. de sympt.diff. 12.E/3°.de symp.cau. 3ª.25.D

CLYSMA, *vnum ex auxilijs morbi.de vict.rat.in mor.acutis, commentario.1°.* 7ª.115.C

CLYSTERE *vtimur,& purgamus,si opus sit,& secamus venam. de totius morbi temp.* 3ª.88.E

Clysteris vsus species euacuationis.ars med. *Isa.*69.E

Clysteres sunt euacuationes communes.ars med. *Isa.*71.E

Clystere corpus totum æqualiter nõ euacuat.cõ.4°.aph.2°. *Ex.*27.D

Clysteres molles inter molos euacuandi.1°.de arte cur.ad Gla. 7ª.98.D

Clysteris vsus,& inedia nulla societate participät.ad Thras. 2ª.105.a

Clysteris vsus vnde.introd. *Isa.*50.B

Clysterem auis Aegyptia imitatur.de venæ sect.aduer.Eras. 6ª.7.C

Clyster erat apud Galenũ ex cornu et vesica.2°.de cõ.me.pg. 5ª.21.G

Clyster qui in sedem immittebatur fiebat ex vesica, cui fistula recta ad finem erat annexa.5°.meth. 7ª.32.D/E

per Clysterem ex vesica,cui fistula directum foramen habens sit apposita, quo medicamenta injicit in fistulam,& in sinum. 2°.de arte cur.ad Glauconem. 7ª.105.H

Clysteria immittebant ministri medicorum. in 6ᵐ.de morbis vulgari. comment.5°. 3ª.188.C

Clysterio aliquis recte vtitur,alter perite fistula.ad Thras. 2ª.105.E

Clysterium quo tempore fieri debeat.introd. *Isa.*55.F

Clysteris indicatio vnde sumatur.de vict.ra.in mor.acu.c.1°. 7ª.115.E

Clysterium ponendus virtute existente forti. de vict.rat.in mor.acutis, commen.1°. 7ª.115.E

Clysteribus vtimur quando corpus fuerit cacochymum, vel plethoricum.6°.de comp.med.sec.loc. 5ª.166.H

Clysterium in morbi decremento.de opt.secta. *Isa* 27.G

Clysteres noctu,& quocunq; tempore exhibentur. de cur.rat.per sanguinis missionem. 6ª.19.B

Clysteris fistulæ probe in anum immittendæ indicatio sumenda a figura & positura partis.4°.meth.med. 7ª.29.B

per Clysterem in intestina medicamẽta immittant.5°.met.me. 7ª.31.F

per Clysteres infusa fortasse aliquando,si admodum nutaris,tenue tantum intestinum contingunt.13°.meth.med. 7ª.84.G

Clyster validus qui,& ad quantam partem intestinorum euacuet.2°. de comp.med.sec.loc. 5ª.136.D

Clysteres q̃ non ascendant ad ventriculum.5°.meth.med. 7ª.34.D

Clysteris aliqd nõ nullus vsq; vẽtriculũ subijt.3°.de sym.cau. 3ª.25.G

Clysteri sanare partes remotas a vẽtriculo.collige.1°.de lo.aff. 4ª.5.H

Clyster,quomodo agat in ventre tantum. in 6ᵐ.de morb.vulgar.commentario.2°. 3ª.166.E

p Clysteres purgabat inferiores partes laborãtes.13°.me.me. 7ª.84.G

per Clysterem iniectis medicamentis promptius adiuuantur partes quæ non multum a sede distant.1°.de loc.aff. 4ª.5.H

Clysteres ex quibus fiant.introd. *Isa.*55.F

Clysteris formula.de dyna. *Sp.*27.G

*Clyster ex melle,aqua,& oleo.8°.meth.med.*53.F/11°. 7ª.69.G

Clyster ex hemina olei.12°.meth.med. 7ª.79.F

Clyster pinguis quid agat.de vict.rat.in mor.acu.com.4°. 7ª.148.E

Clyster vbi pro aliqua occasione intromittatur ad superfluitates educendas,aloe vtimur.de dyn. *Sp.*20.H

Clysteri vel glande quando cibus educendus.8°.meth.med. 7ª.53.F

Clysteres acriores,qui.de rem.par.fac. 7ª.160.H

Clyster acer quo modo mordaces deiectiones curet. in 6ᵐ.de mor.vulga.commen.2°. 3ª.161.H

Clysteres fortes influxionib.oculorum.4°.de comp.me.s.l. 5ª.157.C

Clysteres acres reuellũt qđ per vomitũ exit.de cucu.scar.2.D/6ª.4.F

*Clysteres ex puro oleo in Abdomine vulnerato.6°.meth.me.*7ª.39.G

Clyster auricularis.3°.de comp.med.sec.loc. 5ª.148.H

Clysteres auriculares. ὠτεγχύται vocantur.5°.meth.med. 7ª.34.C

Clyster in capitis doloribus ob reuulsionem laudatur.2°.de composi. med.sec.loc. 5ª.136.D

Clyster in Coli dolore qui recipit anseris seuum.12°.met me. 7ª.79.F

Clystere vtitur Galenus oleo,in quo ruta cocta,in Dolore ex flatu & humore.12°.meth.med. 7ª.80.A

Clysteribus quibus curetur dolor ex flatu in ventre inferiori.2°.de arte cur.ad Glau. 7ª.104.G

per Clysterem muria infusa in Dysenteria.12°.met.med. 7ª.75.A

Clyster ex mulsa & sale in phlegmone cauæ partis iecoris.13°.meth. medendi. 7ª.84.A

Clysteribus iuuantur Intestina inferiora læsa.6°.de loc.aff. 4ª.36.E

Clyster acutus sæpe laxioris intestini incommoda statim sanat.2°.de diff.febrium. 3ª.37.F

Clysteribus sanantur passiones crassorum intestinorum.2°.de arte cura.ad Glauc. 7ª.104.H

Clysteribus & purgationibus medici omnes subducunt aluum in Lippitudinibus.com.6°.aph.17°. *Ex.*47.H

Clyster in Melancholia.de mel.ex Gal.Ruf.& Poss. *Sp.*109.H

*Clyster ex oleo sabino,& anseris seuo ad Morsus.8°.met.me.*7ª.53.F

Clystere cum sanguinis missione affectus Oculorum sanabat Galenus. 2ª.de diff.feb. 3ª.41.G

Clysteres in Quartana,quales.1°.de arte cur.ad Glau. 7ª.97.F

Clyster in Renum dolore.de ren.affect.digno.& medela. 7ª.193.G/*de dynamidijs.* *Sp.*27.G

*Clystere cur in renum dolore vtamur.de ren.aff.dig.& med.*7ª 193.g

Clysteres,venæ sectio conueniunt mire ijs qui Suffocantur. 6°.de cõp. med.sec.loc. 5ª.174.C

Clysteres molles in Tertiana.1°.de arte cur.ad Glau. 7ª.97.E

Clysteres non admodum molles in tertianis notis. 1°.de arte curati.ad Glauconem. 7ª.97.E

*Clysterem præmittit venæ sectioni.3°.de comp.med.se.loc.*142.D/6°. 5ª.174.A/*præs.exper.conf.* *Sp.*78.D

Clyster quando exhibendus a sanguinis missione.de vict.rat.in morb. acu.com.4°. 7ª.143.H

Clystere vtitur pro sectione venæ,vbi sectio venæ fieri non possit. 2°. de comp.med.sec.loc. 5ª.133.H

Clyster potest sanguinem exhaurire.de venæ sect aduer.Eras 6ª.8.A

Clyster præsidium commune omnium quæ in ventre præter naturam continentur.de vic.rat.in mor.acu.com.4°. 7ª.148.E

Clysterem mollem adhibe in ventre adstricto. de vic.ra.in mor.acut. commenta.4°. 7ª.151.C

Clystere quod facit ad nimiam ventris solutionem.de dyna. *Sp.*27.G

Clysteres veteri μητρευρύται dicunt.5°.met.me. 31.F/32.D/ 7ª.34.C

Clystere indigentibus ptissana non est danda.de ptis. 2ª.47.H

Clystere indigenti si ptissana offeratur,interimit.de ptis. 2ª.48.C

Clysteres assidui molesti.13°.meth.med. 7ª.86.B

ex Clysteribus vehementioribus animi defectus contingit.1°.de arte cura ad Glau. 7ª.98.G

CNEORVS, *quam aliqui chamælæam vocant.3°.de comp.med.secũ. loc.200.F/10°.* 5ª.206.F

in CNIDO, *Coo,& Rhodo,& Italia certabant medici, vtri inuentorum multitudine reliquos superarent.1°.meth.med.* 7ª.2.F

CNIDII *medici.de opt.secta.* *Is.*21.F

Cnidij quibus medicamentis vterentur in non acutis.de vic.ra.in morbis acut.com.1°. 7ª.108.F

CNIDIAE *sententiæ Euriphontis.in 6ᵐ.de mor.vul.cõ.1°.* 3ª.159.F

Cnidiæ sententiæ.1°.de vict.rat.in mor.acu.com.1°. 7ª.108.B

contra Cnidias sententias inscriptus est à quibusdam liber de ratione victus in morbis acutis.de vic.rat.in mor.acu.com.1°. 7ª.111.A

CNIDIVM *granũ & Cnicũ differre,collige.3°.de simp.me.fa.* 5ª.23.D

Cnidium granum facultate calidum,quamuis ipsum sit album. 1°.de simp.med.fac. 5ª.2.E

Cnidium educit pituitam.3°.de simp.med.fac. 5ª.23.D

Cnidium granum, si qñ a corpore nostro vincatur, vice purgationis alimentum efficitur.3°.de simp.med.fa. 5ª.23.D

CNICIVM *triphyllum.8°.de simp.med.fac.* 5ª.62.F

CNICVM *quid,& eius vires.de simp.med.* *Sp.*83.B

Cnicon planta spinosa.2°.de ali.fac. 2ª.22.C

Cnicũ exiguũ dat corpi alimẽtũ,& est praui suc.2°.de ali.fa. 2ª.22.C

a Cnico differre granum cnidium,collige.3°.de simpl.medicamentorum facul. 5ª.25.D

Cnicus facultate calida est,q̃is ipse sit albus.1°.de simp.m.fa. 5ª.2.E

Cnici semen in tertio ordine calfacit.7°.de simp.med.fac. 5ª.51.G

Cnicum a pituitæ natura alienũ nõ est,vti colore suo præ se fert,sed tã

men calore ipſo ą̃ pituita valentius eſt. 3°. de ſim. me. fa. 5ª. 23. D
Cnici ſemen purgat. 7°. de ſimp. med. fa. 5ª. 51. G
Cnicum in ptiſſana ſoluit ſenum aluum. 5°. de ſan. tu. 2ª. 92. F
Cnicum ventrem totum purgat & phlegma, & choleram deponit. de ſimpl. med. Sp. 83. B
Cnicus mediocriter purgat pituitam. de dyn. Sp. 21. G
Cnicus non trahit pituitam, ſed ſecundum Aſclepiadem illam facit. 1°. de decr. Hipp. 1ª. 294. B
Cnicus pituitam aquoſam educit. de dyna. Sp. 22. B
Cnicus cur pituitam ducit. 2°. de ſimp. med. fa. 5ª. 11. B
Cnicus cibis admiſcetur in phlegmone cauæ partis iccoris ad euacuandum per aluum. 13°. meth. med. 7ª. 84. A
Cnicus in clyſtere in phlegmone intrinſeca. 13°. meth. med. 7ª. 85. C
ex Cnico & ficis compoſitum leuiter deijcit. 6°. de ſan. tu. 2ª. 97. H
ex Cnico vel epithymo cõpoſitum leuiter deijcit. 6°. de ſa. t. 2ª. 97. H
Cnicum magnum facit adiutorium dyſentericis. de ſimp. me. Sp. 83. B
Cnicus agreſtis Attractilis dictus ex ſpinarum eſi genere, facultatem habet deſiccãdi & modice digerẽdi. 6°. de ſimp. med. fac. 5ª. 44. B

COAE ſcholæ fortuna plurimos & optimos dedit diſcipulos. 1°. meth. med. 7ª. 2. F

COACAE prædictiones non ſunt Hippocratis & ſcatent erroribus. in 3ᵐ. de mor. vul. com. 1°. 3ª. 134. D
COAGMENTATIO quid. fin. med. Iſa. 50. C
Coagmentatio ſpecies ſtabilitatis in capite. introd. Iſa. 54. F
Coagmentatione conſtant ſuperioris maxillæ oſſa. introd. Iſa. 54. G
COAGVLATIO quomodo fiat in lacte. 3°. de alim. fac. 2ª. 28. G
Coagulũ, quale. 10°. de ſimp. me. fa. 74. D/3°. de cõ. me. p ge. 5ª. 234. A
Coaguli vires quales. de ſimp. med. Sp. 83. C
Coagulo comparatur ſperma viri, ſm Ariſtot. de anat. viuo. Sp. 55. H
Coagulum ſtringit, & glutinat, ad omne profluuium vtiliſſimum habetur. de ſimp. med. Sp. 83. C
Coagulum inuolutum ad nares immiſſum ſanguinẽ ſupprimit. de vic. rat. in mor. acu. com. 4°. 7ª. 152. F
Coagulũ Eą̃ũ ad dyſentericos, et cœliacos. 10°. de ſim. me. fa. 5ª. 74. E
Coagulum Hinnuli. 7°. de comp. med. ſec. loc. 5ª. 184. F
Coagulum Leporinum ſanguinis reiectiones ex thorace ſupprimere pdiderunt. 10°. de ſimp. med. fac. 5ª. 74. D
Coagulum leporis cæteris præſtat. 10°. de ſimp. med. fac. 5ª. 74. D
Coagulum Phocæ habet vires caſtorei. 10°. de ſimp. med. fa. 5ª. 74. E
COAGVLATVS humor aqueus in ſuffuſionibus. de ana. ocu. Sp. 57. F
Coagulatur ſtatim ſanguis valde ſpiſſus, ac terreſtris quorundã animalium, vt tauri, cuius ſanguis venenoſus eſt. de vtil. reſp. Sp. 64. F
Coagulari non poteſt in ceruo & lepore ſanguis venæ, quia tenuis eſt. de vtilita. reſp. Sp. 64. E
Coagulata quodam modo vrina, ſanioſa, plurimum egeſta, aut aliquã eruptionem in renibus, aut initium calculi in proximo venturum oſtendit. de dyn. Sp. 35. C
COALESCERE eſt quando diſciſſi corporis labra agglutinantur. cõ. 6°. aph. 19°. 48. B/com. 7°. aph. 28°. Ex. 55. H
Coaleſcunt & agglutinantur humida, dura vero non item. 3°. de ſymptomat. 3ª. 29. A
Coaleſcunt quæ ſiccantur & refrigerantur. de vict. rat. in mor. acutis, comm. 4°. 7ª. 138. C
Coaleſcãt minime vulnera in quib. partibus. cõ. 6°. aph. 18°. Ex. 47. H
Coaleſcere non poteſt arteria vulnerata. 5°. meth. med. 7ª. 32. B
Coaleſcunt minime inteſtina gracilia. com. 6°. aph. 24°. Ex. 48. E
Coaleſcunt minime os, cartilago, neruus, gena, præputium. comment. 6°. aph. 19°. Ex. 48. B
non Coaleſcunt, neq; agglutinantur æs, ferrum, aurum, & lapis, quoniam duriora. 3°. de ſymp. cau. 3ª. 29. A
Coaleſcit quomodo cum alio plumbum. 3°. de ſymp. cau. 3ª. 29. A
COALITV læduntur cauitates. de cau. morb. 3ª. 9. A
Coalitum, id eſt connutritum accommodatum, & congruum apud Hippocratem. de fract. com. 3°. 7ª. 247. G
COARCTATIO, quædam eſt arteriarum aſperarum læſio. 1°. de differen. reſp. 3ª. 61. C
Coarctãdo ſegregata vinculũ partes alterat. 3°. de ſimp. me. f. 5ª. 17. D
COARTICVLATIO quid. de artic. com. 2°. 7ª. 263. E
Coarticulationes coſtarũ contrahens muſculus. de muſc. diſſ. 1ª. 50. A
COCCALOS, id eſt coni fructus. 7°. de ſimp. med. fac. 5ª. 53. H
COCCALVS, id eſt nux pinea. de victus ratio. in morbis acutis, commentario. 4°. 7ª. 143. D
Coccalus quomodo coquatur. de vic. rat. in mor. acu. cõ. 4°. 7ª. 143. D
Κόκκυγα quid vocent. de articulis. com. 3°. 7ª. 281. G
Coccyx os quodnam ſit. de oſſibus. 1ª. 42. D
Coccyx os ſacrum. 2°. de anat. adm. 1ª. 71. A
Coccyx os, quibus conſtet. de oſſib. 1ª. 42. D
Coccyx os, quale de oſſib. 1ª. 42. D
COCCVS cnidius, id eſt granum cnidium. 7°. de ſimp. med. fa. 5ª. 51. G/de ſimp. med. Sp. 82. C
Cocci cnidij naturæ igneę eſt. de dyna. Sp. 21. F
Coccus adſtringit, amarus eſt. 7°. de ſimp. med. fa. 5ª. 51. H
Coccus cnidius acris eſt. 6°. de comp. med. per gen. 5ª. 256. F
Coccus cnidius caliditate vlcus facit. 6°. de cõp. med. per ge. 5ª. 256. B
Coccus cnidius purgat vehementer. de ſimp. med. Sp. 82. C
Coccus cnidius inter aquoſos purgãtia eſt magis habẽdũ. ḋ dy. Sp. 21. F
Coccus cnidius pituitam & aquoſos humores ducit. de theria. ad Piſo. 5ª. 90. F/de dyna. Sp. 22. B
Coccus cnidius trahit pituitam, ſed ſecundum Aſclepiadem illam facit. 1°. de uatu. fac. 1ª. 294. B
Coccus cnidius pituitam, & bilem mediocriter purgat. de dy. Sp. 21. F
Coccus cnidius educit pituitam. de cathar. Sp. 94. F
Cocci cnidij doſis, & quibus miſceatur. de dyna. Sp. 21. F
Coccus ad ingentia vulnera congruit, & ad neruorum vulnerationes. 7°. de ſimp. med. fac. 5ª. 51. H
Coccymelæa. 7°. de ſimp. med. fac. 5ª. 51. H
COCHLEAE victus Alexandrinorũ. 2°. de arte cur. ad Gla. 7ª. 107. E
Cochlea tarde nutrit, & eſt difficilis coctionis. cõ. 2°. aph. 18°. Ex. 13. F
Cochleæ generant ſanguinem craſſum, & nigrũ. de atra bile. 1ª. 35. A
Cochleæ craſſi ſucci ſunt. de bon. & vitio ſuc. 2ª. 35. D
Cochleæ vires reficere poſſunt. 8°. de comp. med. ſec. loc. 5ª. 192. E
Cochleæ cibus hyemis. de nat. hum. com. 1°. 1ª. 32. F
a Cochlearum multo eſu cauere debet ſenex. 5°. de ſan. tu. 2ª. 91. D
Cochleæ cauendæ de epilepſia. de puero epilep. 7ª. 180. H
Cochlearum caro mire deſiccat. 11°. de ſimp. med. fa. 5ª. 78. F
Cochleæ non eſt vſtæ toti ventri aqua inter cutem laborantium impoſitæ valde deſiccant. 11°. de ſimp. med. fac. 5ª. 81. G
Cochleæ vſtæ deſiccant arthriticis articulorũ tumoribus impoſitæ, et in tumoribus ex ictu natis difficile ſolubilibus, & ex contuſione facta in auribus. 11°. de ſimp. med. fac. 5ª. 81. G
Cochleæ coctæ ſtomachicis cõueniũt. 8°. de comp. med. ſec. loc. 5ª. 192. c
Cochleæ tota ſubſtantia iecori cõferre vñr. 8°. de cõp. me. ſe. l. 5ª. 195. F
ex Cochleis pharmacum hepaticum. 8°. de comp. me. ſe. lo. 5ª. 195. F
Cochlearum carnes adſtringunt. de ther. ad Piſ. 5ª. 90. H
Cochlearum vſtarum cinis adſtringit dyſenteriam. 11°. de ſimp. med. facultatibus. 5ª. 81. E/G
Cochlearũ mucus quo mõ habeatur multus. 11°. de ſim. me. fa. 5ª. 78. G
Cochlearum mucus pilorum in ſupercilijs præter naturam gluten eſt. 11°. de ſimp. med. fac. 5ª. 78. G
Cochleæ mucoſitas cũ thure ſiccat abſq; morſu. de art. c. 2°. 7ª. 268. A
Cochleæ veteris cornu. 5°. de comp. med. ſec. loc. 5ª. 164. G
Cochlea ægyptia. 5°. de comp. med. ſec. loc. 5ª. 159. E
Cochleæ africanæ meminit. 8°. de compoſi. medicam. ſecundum locos. 192. B/9°. 5ª. 200. B
Cochlea africana varij coloris. 9°. de comp. med. ſec. loc. 5ª. 202. F
Cochlearum marinarum humor aluũ mouet. de ther. ad Piſ. 5ª. 90. H
COCHLEAE pars organi. de machin. 7ª. 309. E
Cochlea fœmina, pars organorum. de machin. 7ª. 309. E
Cochlearum differentiæ. de machin. 7ª. 310. C
Cochlea ſimplex, quæ. de machin. 7ª. 310. D
Cochlea duplex, quæ. de machin. 7ª. 310. D
Cochleæ differunt a capreolis. de machin. 7ª. 310. C
Cochlea quadrata, quæ. de machin. 7ª. 310. C
Cochlea quadrata quo modo teſtudinem habeat. de machin. 7ª. 310. C
Cochlearum diuerſi vſus. de machin. 7ª. 310. D
Cochleæ cum organa mouentur, vſui ſunt. de machin. 7ª. 310. F
Cochlea ad imaginem lentis mouent tympanum. de machin. 7ª. 310. D
Cochleæ mouentur in eodem loco manentes. de machin. 7ª. 310. F
COCHLEARIVM inſtrumentum, quo medicamenta mouentur ac læuigantur. 5°. de comp. med. per gen. 5ª. 252. E
Cochlearĩo mouet medicamentum poſtquam rudicula mouerit. 4°. de comp. med. per gen. 5ª. 239. C
Cochleari vtitur ad vuam contingendã. 6°. de comp. med. ſ. l. 5ª. 174. F
COCHLEARIVM doſis. 7°. de comp. med. ſec. loc. 5ª. 187. A

Cochlearij mensuræ nomen. 1 1°.*de simpli.medic.* 5ª.80.D/*de dynamidijs.*22.G/ Sp.26.C

*Cochleariũ quæ mẽsura.de põd.& mẽs.*27 5.E/276.D/G/H/5ª.277.e

*Cochlearium perum.*7°.*meth.med.* 7ª.48.D

Cochlearij magni mensura. 1 1°.*de simp.me.fa.*8 1.H/7°.*de comp.me. sec.loc.* 5ª.181.B/*de mel.ex Gal.Ruf.& Poss.* Sp.110.A

Κῶνος *quid.de vic.rat.in mor.acu.com.*4°. 7ª.143.D

COCTIONEM, *distributionem, sanguinis generationem, adiectionem agglutinationem, atque assimilationem semper operatur natura. com.*1°.*aph.*3°. Ex.3.G

Coctionẽ quo mõ tribuit cibis & potibus Gale.ars.med. Isa.70.H

*Coctio in omni est particula.*3°.*de syn.cau.* 3ª.26.C

Coctionis particula est alia a particula ἀναδόσεος, *id est distributionis.*4°.*de vsu par.* 1ª.140.G

*ante Coctionem exercitatio inter reliqua facit, vt cibi crudi descendant ad omnes partes.*1°.*de sani.tuen.* 2ª.69.G

ante Coctionem suam quando cibus de stomacho descendit, quid agendum sit.de diff.cont. Sp.71.F

*Cocti prius quàm sint, humores crudi nutrire non possunt.*12°.*methodi medendi.* 7ª.77.F

*Coctio aliqua fit in ore.*3°.*de nat.fac.* 1ª.304.A

Coctio prima, secunda, & tertia vbi fiant.de bo.& vi.suc. 2ª.37.A

*Coctio prima in ventriculo.*4°.*de vsu par.* 4ª.135.G

*Coctio ciborum est ventriculi actio.*17°.*de vsu par.* 1ª.222.F

Coctio fit in fundo ventriculi. 5°.*de loc.aff.* 5ª.33.A

*Coctio a qua vi fiat in iecore & in vẽtriculo.in prog.cõ.*1°. 4ª.197.B

*de Coctione quando sermo fit, & iecur, & splen consideranda sunt.*1°. *de loc.affec.* 4ª.5.E

*Coctio quæ fit in ventriculo minor est quàm illa quæ fit in iecore & venis.*3°.*de nat.fac.* 1ª.304.A

*Coctio secunda fit in venis.*4°.*de sanitate tuenda.*2ª.88.B/*in progno. commen.*2°. 4ª.197.F

*in Coctione secunda qũo cõtingat error ob splenẽ.de ana.vi.*Sp.51.A

Coctio in venis nõ bona qũo in vrina significatur.de vrin. 4ª.125.B

*Coctionis secundæ modo peractæ signum vrina quæ modice pallet.*2°. *de sanita.tuen.* 2ª.69.G

Coctio vltima cibi fit in corde sm Aristotelem.de vtil.resp. Sp.62.F

Coctionem primam bene admittentia, & secũdam & tertiam facilius admittunt.de bon.& vit.suc. 2ª.37.A

in Coctione tertia excrementi pituitosi non facit mentionem. 3°.*de symptom.caus.* 3ª.26.B

Coctio seminis vbi fiat, & accipiat formam seminis.de compag.mẽb. siue de natu.hu. Sp.59.C

ad Coctionem quid faciat fellis.de anat.viuo. Sp.50.A

*Coctiones, & sanguificationes, & nutritiones cur sint hyeme meliores.com.*1°.*aph.*15°. Ex.8.B

*ad Coctionem faciunt somni profundi.*1°.*de alimen.fac.* 2ª.10.B/3°. *de caus.puls.* 4ª.97.E

in Coctione quæ symptomata.de symp.diff. 3ª.12.A

*Coctionum noxarum diuisio in genera.*3°.*de sym.cau.* 3ª.24.F

*Coctionis læsæ quot sint species.*3°.*de symp.cau.* 3ª.24.G

*Coctionis duplex deprauatio est.*3°.*de symp.cau.* 3ª.24.F

Coctiones praue, duobus modis fiunt in ventre.de curand.rat.per sangui.missio. 6ª.16.G

Coctionis tarditas quid sit.de symp.diff. 3ª.12.D

Coctionis symptoma est frustratio in alteratione. 3°.*de symp.cau.*3ª. 24.F/8°.*de comp.med.sec.loc.* 5ª.194.B

*Coctionis frustrationes ex frigiditate prouenientes faciunt ructus acidos.com.*6°.*aph.*1°. Ex.46.A

*Coctionis carentia est lœnteria.com.*6°.*aph.*1°. Ex.45.G

*Coctionem nullam iccirco habent cibi in lœnteria, quia cito deijciuntur.com.*6°.*aph.*1°. Ex.46.D

*Coctionem noxarum causa.*3°.*de symp.cau.* 3ª.24.F

*Coctio ab extrinseco quot modis impeditur.*3°.*de symp.cau.* 3ª.24.G

*Coctionis tarditatem quid efficiat.*3°.*de symp.cau.* 3ª.24.H

*Coctionis tarditati conducere iecur deobstruentia, collige.*6°.*de sanita te tuenda.* 2ª.97.H

*in Coctione tertia, cruditas.*3°.*de symp.cau.* 3ª.25.A

Coctionem prohibet obstructio.de diff.mor. 3ª.4.D

Coctionis in ventre factæ alui excrementa cruditatem, & cõcoctionẽ ex sua formæ indicant.in 1ᵐ.*de mor.vul.com.*2°. 3ª.112.A

*Coctionem malam notat bilis viridis ex ventre.*2°.*de temp.* 1ª.20.E

*Coctionẽ adiuuare mergi vẽtriculũ qdã asserũt.*3°.*de ali.fac.* 2ª.29.G

*Coctionem perfectam faciunt pueri admoti ventriculo vt augeant calorem.*5°.*de symp.med.fac.* 5ª.33.D

*Coctioni magis conducunt vina fulua ij aquosa.*12°.*meth.me.* 7ª.76.H

Coctionem impensius adiuuat decoctum absinthij.de mel.ex Gal.Rufo & Poss. Sp.110.B

*Coctionem adiuuans.*7°.*de comp.med.per gen.* 5ª.271.G

Coctio quando non est facta lanæ manipulum nardino pigmento inunctũ ori ventriculi apponendum.de prœcogn.ad Posth. 4ª.219.A

Coctionis velocioris sunt quæ appetunt, & sapiũt.de dif.cõ. Sp.73.B

*Coctio in moliorib.facilius, in duriorib.ggrius fit.*3°.*de ali.fa.* 2ª.31.G

*Coctio puerorum in humidis, & mollibus rebus, est vt vigentium, in duris autem, deterius.*3°.*de symp.cau.* 3ª.29.C

*ante Coctiones qñq; excernit ventriculus.*3°.*de die.decr.* 4ª.158.E

*Coctioni idonea instrumẽta præparari oportuit.*4°.*de vsu p.*1ª.136.B

*Coctio nulla futura est in excrementorum instrumentis, eoq; gracilia ea iure fuerunt.*5°.*de vsu par.* 1ª.146.B

COCTA *immodice fiunt primo salsiora, postea amariora.*2°.*de natu. faculta.* 1ª.300.G

Coctana primo pontica sunt, deinde dulcescunt.de ocul. 7ª.188.B

Cocta facilius mutantur, quàm non cocta.de bon.& vit.suc. 2ª.37.A

*Cocta bis lens & brassica ventrem cohibet.*2°.*de ali.fac.* 2ª.23.A

Coctorum quorundam ciborum diuersitas.de diff.cont. Sp.72.E

*Cocta Aqua ob prauitatem calida bibenda est.de bon.aquæ.*Sp.76.B

Cocti caules stringunt ventrem cum crassitie.de diff.cont. Sp.75.B

*Cocta probe Chondrus, & ptissana faciunt ad succi in corpore bonitatem.*2°.*de simp.med fac.* 5ª.12.E

Coctum Frumentum est cibus calidus.de diff.cont. Sp.74.C

Coctum frumentum propter eius viscositatem tarde digeritur.de diff. continua. Sp.73.D

*Coctum esse Lac sumptum quomodo deprehendat.*7°.*met.me.*7ª.45.B

*Coctũ lac coctionib.plurib.est cibus crassus, et cur.de dif.cõ.*Sp.72.H

Coctum lac crassitie sua stringit ventrem.de diff.cont. Sp.75.B

non Coctum Mel lenit ventrem.de diff.cont. Sp.75.B

Cocta oua in tegamine, vel in testis generant nutrimentum crassum, & corruptibile.de diff.cont. Sp.74.B

*Coctum tenuius, ex pane est crassus cibus, & cur.de dif.cõt.*Sp.72.H

Coctura facit iudicium de seminibus.de bon.& vit.suc. 2ª.36.F

Coctum vinum ex vua crassa in natura sua, est cibus crassus, & cur. de diff.cont. Sp.72.H

*Coctu facilis cibus nõ põt esse maxime nutriens.*7°.*met.med.*7ª.45.D

*Coctu non facilis est sulla caro.*7°.*meth.med.* 7ª.45.D

*Coctionis difficilis sunt radices quæ manduntur.de pue.epi.*7ª.180.D

Coctu difficilia sunt oua in aqua durata.de puero epil. 7ª.180.H

*Coctibilia difficulter quibus facile coquantur.*1°.*de alim.fa.* 2ª.10.A

*Coctu difficilia coquentes vulgus beatos putat ob corporis robur.*1°. *de alimen.facul.* 2ª.10.B

*non Coquuntur a quibusuis ventriculis carnes bubulæ.de vic.ratio.in morb.acu.com.*4°. 7ª.145.H

*Cocta aliqua apud se morari non patiuntur ventriculus, & iecur.*3°. *de symp.caus.* 3ª.28.A

Coctura carnium simplex quæ sit.de puero epilep. 7ª.180.G

COCTIONEM *oportet præire, subsequi discretionẽ, & postea euacuationem, vt bona sit crisis siue iudiciũ.com.*4°.*aph.*22°. Ex.29.G

*Coctio quæ sit.*3°.*de cris.*4ª.141.B/*de vic.ra.in mor.ac.c.*4°. 7ª.140.D

*Coctio excrementorum, quæ.de vic.rat.in mor.acu.com.*2°. 7ª.122.H

Coctio morborum fit in alteratione humorum.in 1ᵐ.*de morbis vulga. commen.*1°. 3ª.112.C

Coctio non a medico, sed a sola natura fit.de const.ar. Isa.39.E

*aut per Coctionem, aut per absc essum soluuntur crudi, & crassi humores.in progn.com.*3°. 4ª.209.G

ante Coctionẽ nullus absc essus bon°.in 3ᵐ.*de mor.vul.c.*1°.3ª.131.F

Coctio semper expectanda in morbis longis.quos pur.op.quib.medic. & quo temp. 5ª.88.G

Coctio in longis morbis expectanda est.de dyna. Sp.20.D

Coctio expectanda est in pituita, & atra bile.de dyn. Sp.20.D

Coctio humorum quãtum faciat ante purgationem.in 6ᵐ.*de mor.vul. commen.*1°. 3ª.156.B

ante Coctionẽ vacuare qd mali iportet.i 6ᵐ.*de mor.vul.c.*1°. 3ª.156.B

Coctio non est expectanda in humoribus tenuibus, sed in principio euacuandum.de dyna. Sp.20.H

Coctione nulla facta in principio morbi tenues et aquosi humores eua

cuandi. quos purg. op. quib. med. & quo temp. 5ª.88.F
Coctionis causa continens. 2°. meth. med. 7ª.11.A
ad Coctionem quando q; aliquo indiget externo auxilio natura imbecillior reddita. de vict. rat. in mor. acu. com. 4°. 7ª.140.E
ad Coctionem quæ perducant. de const. ar. Isa. 42.F
Coctionem ex calefacientibus fieri censet. de const. ar. Isa. 39.F
Coctioni aduersatur frigidum, calidum vero perpetuo opitulatur. de vic. rat. in mor. acu. com. 3°. 7ª.130.A
Coctio a quo calido fiat. in 6m. de mor. vul. com. 4°. 3ª.186.C
Coctio a calido innato, alij aliter. fin. med. Isa. 44.F
Coctionem præsertim humorem pituitosorum fieri a calore febrili, colligе. com. 5°. aph. 70°. Ex. 45.E
ad Coctionem facit inedia. in 6m. de mor. vul. com. 3°. 3ª.175.C
Coctiones tantum impediunt cibi, quantum ægroti robur adaugent. 1°. de arte cur. ad Glau. 7ª.97.D
ad Coctionem quantum valent inediæ, tantum vel amplius officiunt viribus. 1°. de arte cur. ad Glau. 7ª.97.D
cur Coctionibus aduersantur purgantia medicamenta. de vict. rat. in mor. acu. com. 4°. 7ª.140.E
Coctiones morborum impediunt vigiliæ. de vict. ratio. in morbis acut. commentario. 2°. 7ª.122.F
Coctionis ratione plus afferunt vtilitatis somni, q̃ sit damnũ, quod ex motu materiæ ad interiora consequat. com. 4°. aph. 67°. Ex. 34.G
Coctiones fiunt temporis spatio. in 3m. de mor. vul. com. 1°. 3ª.131.D
Coctio quando fiat. in 1m. de mor. vul. com. 2°. 3ª.112.C
Coctiones morborum morbo iam consistente maxime fiunt. comm. 2°. aphoris. 29°. Ex. 16.G
Coctio exquisita fit tempore status. 3°. de cris. 4ª.141.A
Coctio omnia excrementa cogit & incrassat. de vic. rat. in mor. acutis, comment. 4°. 7ª.134.G
Coctionis signa in quo differant a iudicatorijs. com. 1°. aph. 12°. Ex. 6.F
Coctionis signa semper sunt bona, vt quæ morbi solutionem haud ita multo post futuram ostendant. com. 1°. aph. 12°. Ex. 6.D
Coctionis signa nunquam male apparent. 1°. de cris. 4ª.128.D
Coctio salubritatem significat. ars med. Isa. 68.A/1°. de cris. 4ª.128.c
Coctionis signa perfecta faciunt bonum iudicium, è contrario imperfecta. com. 4°. aph. 29°. Ex. 30.D
Coctiones omnes sceleritatem iudicationis, & securitatem significant. de const. ar. Isa. 42.B/com. 4°. aph. 22°. 29.G/aph. 29°. Ex. 30.D
Coctionis signis præcedentibus nullus obijt in crisi. 3°. de cris. 4ª.139.D
Coctionis cõstãtissimę notæ, quæ. de vic. ra. in mor. acu. cõ. 4°. 7ª.135.D
Coctio debilis, quæ. 1°. de cris. 4ª.132.C
Coctionis debilis ac perfectæ signa media, quæ. 1°. de cris. 4ª.132.C
quo ad Coctionẽ materiæ principium debet accipi. 1°. de cris. 4ª.128.d
Coctionis signis determinatur principium morbi. 1°. de cris. 4ª.128.D
ex Coctione quo modo principium præcognoscit. 1°. de cris. 4ª.133.b
Coctione principium esse perfectum cognoscitur. 1°. de cris. 4ª.133.B
Coctionis signa nunquam innadunt in primo statim morbi principio, terminant autem illud principium quod est pars totius morbi. commen. 1°. aph. 12°. Ex. 5.H
Coctionis indicium est spuere in dolore pectoris pulmonisue. in 6m. de mor. vul. com. 1°. 3ª.163.E
Coctionem mediocrem sputa liquida & tenuia, crassa vero perfectam significant. in 6m. de mor. vul. com. 2°. 3ª.163.E
Coctionẽ malã fætor excrementorum indicat. cõ. 3°. aph. 36°. Ex. 25.f
ad Coctionem multum spatium requirunt vrinæ tenues. in 1m. de mor. vulg. com. 3°. 3ª.123.B
Coctio morbi quomodo ex vrina cognoscat. in 1m. pror. c. 3°. 4ª.188.C
Coctionis signa, quæ sint in vrinis. com. 4°. aph. 71°. Ex. 35.D
Coctio perfecta quomodo ex vrinis cognoscitur. 1°. de cris. 4ª.132.C
Coctionis signum quæ vrina semper est. 1°. de cris. 4ª.131.C
Coctionem aliquam significant vrinæ conturbatæ, si statim subsidunt. in 3°. de mor. vulg. com. 1°. 3ª.131.E
Coctionis modũ & mẽsurã sedimẽtorũ sit° docet. de vrinis. 4ª.124.B
Coctionis signa non habentis ægri casus. 3°. de cris. 4ª.140.F
Coctio aliquando potest in parte fieri, toto morbo existente crudo. in 1m. de mor. vul. com. 2°. 3ª.116.F
Coctione nõ expectata mittebat sanguinem Galenus, postea dabat medicamentum. 11°. de simp. med. fac. 5ª.78.A
ante Coctionis signa cibi species non est mutanda. de vic. rat. in mor. acutis, com. 2°. 7ª.121.F
post Coctionẽ fit oĩs optima excretio. 4°. de præsag. ex puls. 4ª.122.E
Coctio & bona tolerãtia sunt maxima indicia bonæ excretionis. com. 4°. aph. 47°. Ex. 33.A
post Coctionem bibendum. 7°. meth. med. 7ª.46.B
post Coctionẽ vinũ dandũ in tertiana. 1°. de ar. cur. ad Gla. 7ª.97.C
post Coctionis signa, balnea. 1°. de arte cur. ad Glau. 7ª.97.C
Coctum, & incoctum vnum nomine & genere, sed plurimam per magis & minus habent differentiam. 1°. de cris. 4ª.129.F
non Cocta dicuntur imputrida apud antiquos. c. 6°. aph. 1°. Ex. 46.D
inter Coctum & crudum mediæ vrinæ. 1°. de cris. 4ª.130.E
Coctum bene est leue. 1°. de cris. 4ª.129.B
Cocta quæ sint dicenda. de vic. rat. in mor. acu com. 2°. 7ª.122.H
Coctum vt dicatur excrementum, quid exigat. 1°. de cris. 4ª.129.A
Coctum perfecte excrementum, quale. 1°. de cris. 4ª.129.C
Cocta mediocriter, an incocta sint excrementa secundo loco considerãdum. 2°. de loc. affe. 4ª.13.D
Cocta optime vrina qualis in sanis. 1°. de cris. 4ª.129.F
Coctum quo modo dicatur pus in phlegmone. de vic. rat. in mor. acut. commen. 2°. 7ª.122.H
Cocti humores statim expetuntur in affectibus thoracis. de vic. rat. in mor. acu. com. 3°. 7ª.133.D
COCTVRA quomodo fiat in vase duplici. 7°. de comp. medicamentorum sec. loc. 5ª.180.A
pro Coctura eligit vas æreum. de rem. par. fac. 7ª.155.F
Coctura emplastri quanta esse debet. 2°. de comp. med. per g. 5ª.222.F
Coctura ad carbones. 7°. de comp. med. per gen. 5ª.269.A
Coctura olei in medicamẽto qd faciat. 7°. de cõp. me. p ge. 5ª.264.A
Coctionem medicamenti retardat si plus olei iniectum fuerit. 6°. de cõpo. med. per gen. 5ª.259.F
Coctura facit mel, & acetum optime misceri. de puero epil. 7ª.181.A
Coctura melli, & aceto quid faciat. de puero epil. 7ª.181.A
Coctura melli tollit malignitatem. de vic. ratio. in morbis acutis, commentario. 3°. 7ª.129.C
Coctura non ferunt thus, myrrha, & aloe. 2°. de comp. medicamentorum per gen. 5ª.222.H
Coctura ad tertias quo mõ intelligẽda. 8°. de cõp. me. se. lo. 5ª.189.C
Coctura ad tertias. 5°. de comp. med. se. lo. 165.B/7°. 184.C/8°. 196.B/9°. 200.G/202.E/204.A/2°. de comp. me. per ge. 225.H/5°. 5ª. 248.G/de rem. par. fac. 167.A/ 7ª.170.B
Coctura indicat a colore. 7°. de comp. med. sec. loc. 5ª.179.E
Coctura ad dimidium. 5°. de compo. med. sec. loc. 165.D/7°. 181.A/F/9°. 190.B/ 5ª.203.F
Coctura ad glutinis compagem. 7°. de comp. med. sec. loc. 5ª.186.G
Coctura ad spissitudinem quæ non inquinet. 1°. de comp. me. per g. 211.C 4°. 243.B/E/F/245.C/5°. 246.A/H/ 247.E/249.A/ 251.A. 6°. 260.E/261.H/262.A/B/ E/263.B/7°. 268.F/ 5ª.269.B/C
Coctura vt cũ diffundit non inquinet. 7°. de comp. med. se. lo. 5ª.179.B
Coctura medicamentorum quando instillata in aquam non inquinant. 7°. de comp. med. sec. loc. 5ª.181.G
Coctura quoad digitos inquinet. 7°. de comp. med. per gen. 5ª.258.G
Coctura quoad non strepat. 4°. de comp. med. per gen. 5ª.243.H
in CODICIBVS tiliæ, & membranis libros scribebant. de ijs quæ in medica. fiunt. com. 1°. 7ª.197.E
CODII Tusci antidotus, qua vtebatur Cratercus contra venena. 2°. de antidotis. 5ª.114.H
COELIACA dispositio quid. fin. med. Isa. 47.E
Cœliacæ dispositiones vnde sint, & quæ. 6°. de loc. aff. 4ª.37.A
Cœliacus morbus vnde interdum fiat. in 6m. de morbis vulgarib. commentario. 5°. 3ª.193.C
Cœliaci quibus neglectis fiant. de dyna. Sp. 19.H
Cœliacæ, & stomachicæ affectioni comparatur hepatica affectio. 8°. de comp. med. sec. loc. 5ª.194.D
Cœliacos iuuat Acantha leuce, id est spina alba. 5°. de simpli. medicamen. facul. 5ª.41.H
Cœliacos sanans Antidotus. 2°. de antid. 5ª.116.C
Cœliacos iuuat Antidotus Zopyria. 2°. de antid. 5ª.115.A
ad Cœliacos Catapotia. 9°. de comp. med. sec. loc. 5ª.204.B
ad Cœliacos, & dysentericos Coagulũ eqnũ. 10°. de simp. m. f. 5ª.74.E
Cœliacos affectus sanat Cornu ceruinũ. 11°. de simp. med. fa. 5ª.79.G
Cœliacis prodest Coronopodis radix. 7°. de simp. med. fa. 5ª.52.F
Cœliacis quo modo exhibita est Faba. 7°. de simp. med. fa. 5ª.53.D
Cœliacis conuenit Ferula. 8°. de simp. med. fa. 5ª.56.H

Cœliacis profluuium omne ſtatuit Gypſum.de ſimp.med. Sp.84.H
ad Cœliacos affectus efficax remedium eſt Hypociſthis.7°.de ſimp. medicam.fac. 5ª.51.D
Cœliacis exhibetur Lemonij fructus.7°.de ſimp.med.fac. 5ª.54.D
Cœliacis cibus accommodus Lens.1°.de alim.fac. 2ª.13.E
Cœliacis affectibus accommodæ Loti lignorum aſſulæ deraſæ.7°.de ſimp.med.fac. 5ª.55.A
Cœliacis adhibetur Lycium.7°.de ſimp.med.fac. 5ª.54.G
Cœliacis & dyſentericis facultatibus admiſcetur Macer.7°.de ſimp. medic.fac. 5ª.55.A
ad Cœliacas affectiones accommodus eſt Mori ſuccus.7°.de ſimplic. medicam.fac. 5ª.56.B
Cœliacis & ſtomachi affectibus cur datur Opium.8°.de compo.medi cam.ſec.loc. 5ª.190.C
Cœliaco affectui conuenit Ouum,ſi illi adiungatur aliquid, quod ad affectum cœliacum valeat.11°.de ſimp.med.fac. 5ª.81.E
ad Cœliacos Paſtillus.9°.de comp.med.ſec.loc. 5ª.204.B
Cœliacis confert Rha.8°.de ſimp.med.fa. 5ª.59.E
ad Cœliacos affectus Stercus colũbarũ.10°.de ſimp.me.fa. 5ª.77.A
Cœliacis fortiter prodeſt Terra ſamia.de ſimp.med. Sp.84.H
Cœliacis valet Thuris radix.7°.de ſimp.med.fac. 5ª.54.C
ad Cœliacos.7°.de compo.med.ſec.loc.180.A/181.D/184.E/G/185. B/D/186.A/8°.188.H/189.E/191.C/192.G/H/ 196.A/9°.203. A/B/C/204.A/B/D/5°.de comp.med.per gen.5ª.251.B/de reme. par.fac.158.F/ 7ª.159.H
ad Cœliacos.i.ventriculoſos.de med.fac.parab.170.A/ 7ª.176.D
COELOMA *quid.introd. Iſa.58.D/H*
COENA *cur ab antiquis præferretur prandio de diff.cont. Sp.72.B*
Cœnam differunt laſſitudo valida, & ſiccitas immodica.3°.de ſanita.tuen. 2ª.82.B
in Cœna cicer elixum vel frixum pro tragematibus ſumitur.1°.de alimen.facul. 2ª.11.B
Cœnant carnem,& prandent panem luctatores,& certatores.de vict. rat.in mor.acu.com.1°. 7ª.111.H
in Cœna cibos valẽtiores cur accipiebãt Athletæ.7°.met.m.7ª.46.B
in Cœna exhibendos eſſe cibos valentiores,collige,& cauſam.7°.me thodi medendi. 7ª.46.B
in Cœna quando valentius alimentum exhibendum, quid ſeruandum. 7°.meth.med. 7ª.46.A
ex Cœna copioſa febre correpti caſus.8°.meth.med. 7ª.54.A
poſt Cœnam cur non eſt bibendum conualeſcentibus,q̃ ſi ſitiant,quo modo bibendum.7°.meth.med. 7ª.46.B
poſt Cœnam quibus ſit parum ambulandum.de vict.rat. in mor.acu. commentario.4°. 7ª.145.B
a Cœna vomendum calculoſis q̃n.de ren.aff.dig.& med. 7ª.194.F
Cœnabant medici apud potentes tempore Galeni.1°.meth.me.7ª.2.D
COENALIA *arabice dicuntur animalia communia terræ,& mari.de anato.viuo. Sp.48.C*
in COENO *eſſe ſomniare quid ſignificet.de dig.ex inſom. 4ª.213.E*
Cœno ſimilia in abſceſſibus inueniuntur.de tum.præter nat.3ª.83.G/ 14°.meth.med. 7ª.90.C
Cœnoſorum locorum vaporationes cauſæ ſunt morborum communiũ, qui fiunt vitio ambientis.de nat.hum.com.1°. 1ª.35.H
COEPIT *qui bene,dimidium facti habet.6°.meth.met. 7ª.42.E*
COEVNT *in vnum ſolum corpora mollia.5°.meth.med. 7ª.32.B*
COGITATIO, *mens & intellectus communiter dicitur.de ijs quę in medic.fiunt,com.1°. 7ª.199.B*
Cogitationes ratiocinia dicuntur.in 6ᵐ.de mor.vul.com.6°.3ª.191.A
de Cogitatione & mente vbi egit Plato.9°.de decr.Hipp. 1ª.279.H
Cogitatio intelligibilium rerum iudicium.9°.de decr.Hipp.1ª.279.D
Cogitatio eſt opus animæ.2°.de loc.aff. 4ª.13.F
Cogitatio in anima conſiſtit,& quo modo deliria fiant in morbis thoracis.2°.de loc.affect. 4ª.13.E
Cogitatio,voluntatis conſeruatio & imaginatio rerum ſunt tria genera actionis animalis.de voce & anhel. Sp.61.G
Cogitatio communicat corpori.de mot.man.& obſ. Sp.69.D
Cogitatio & affectus nõ ſunt in eadẽ ſede.2°.de decr.Hip. 1ª.241.H
ex Cogitationis & deliberationis nobiliſſimo motu fit vox, quæ eſt actio voluntaria.de voce & anhel. Sp.61.H
Cogitatio accidit per melancholiam.de anat.viu. Sp.45.F
Cogitantes intra ſe phlegma facit.de dyna. Sp.19.F
Cogitantes non ſentimus aliquem motũ in corde.2°.de decr.1ª.239.G
Cogitare multum inimicum eſt ijs quibus calor mordax natura eſt.5°. de ſanit.tuen. 2ª.94.C
Cogitationes generant bilem.in 6ᵐ.de mor.vul.com.1°. 3ª.157.A
Cogitantes quo modo in febrem incidant.1°.de diff.feb. 3ª.31.G
ex Cogitationibus laborantes vrinam hũt croceam igneã præter conſuetudinẽ,cholericã cum morſu veretri exeuntẽ.de dyna.Sp.34.A
ex Cogitatione nimis vehementi grammaticus morbo comitiali corripiebatur.5°.de loc.aff. 4ª.32.F
Cogitationem & imaginationem in ægritudine aliquid agere probatur.de mot.man.& obſ. Sp.69.F
Cogitationes & excandentiæ quibus vtiles.in 6ᵐ.de morb.vulgarib. commentario.6°. 3ª.191.B
Cogitanti vis oblæſa eſt capita nimis parua,aut nimis magna habentibus.in 6ᵐ.de mor.vul.com.1°. 3ª.154.C
Cogitatio quando vitiatur.4°.de loc.aff. 4ª.22.H
Cogitationẽ læſam qui ſcreatus ſignificet.in 1ᵐ.prrh.com.1°.4ª.163.H
Cogitationem,& ſenſus læſos habebat phreneticus quidam.4°.de locis affectis. 4ª.22.D
Cogitationis mentis q̃ ſegnitia quid faciat.1°.de ſan.tuen. 2ª.65.F
Cogitabundus,peruigil,loquax,ſobrius,ſi torpẽs & tardus appareat in reſpondendo,mentem læſam ſignificat.in 6ᵐ.de morb.vulgarib. commentario.2°. 3ª.168.G
ad Cogitationem.ſecretorum.98.H/100.G/ Sp.103.C
COGNATIO *eſſe debet eius quod concoquit, cum eo quod concoquitur.4°.de ſani.tuen. 2ª.83.A*
Cognata,& familiaria ſine dolore retinentur.5°.de vſu par.1ª.145.G
pro Cognationem habere fratrare ponitur ab Hippocrate.de fracturis.commen.3°. 7ª.246.F
COGNITIONEM *duplicem habent aſini & recordantur.2°.methodi medendi. 7ª.14.F*
Cognitio dei quo modo nobis aduenerit.de hiſt.philo. Sp.4.G
Cognitio ſenſibilium in quot ſit differentijs.3°.de dign.pul. 4ª.80.G
Cognitio apud Rationales medicos ab iiſdem naſcitur a quibus Empiricis obſeruatio de Ratione tantum inueniendi ea inter eoſdem diſſenſio eſt.de ſectis. Iſa.16.F
ad Cognitionem rerum nihil referũt nomina.1°.de diff.pul. 4ª.46.H
Cognitionem rei commendans,quam nullo pacto docuerit, eſt ridiculus ſcriptor.in progno.com.1°. 4ª.190.F
Cognitio præſentium eſt affectuũ inuentio.de præſag.ex pul. 4ª.121.F
Cognitio præteritorum eſt inuentio cauſarum affectus.4°.de præſag. ex pul. 4ª.121.F
ex Cognitione diſtincta & indiſtincta rerũ oriẽ diſſidentia artis,q̃ per experimẽta iudicat ſua theoremata.de vi.ra.in m.ac.c.1°.7ª.110.C
Cognitio Aquarum bonarum, & malarum ex quibus habeatur. de bon. Sp.75.H
Cognitio ægritudinis ſm planetam,diem,& horam.de ſperm.Sp.40.B
Cognitio Flatᵘ hypochõdriaci vñ ſumaẽ.de mel.ex Gal.Ruf. Sp.109.g
COGNOSCERE *quid ſit.3°.de comp.med.per gen. 5ª.228.H*
Cognoſcere accurate quid ſit.3°.de comp.med.per gen. 5ª.228.H
Cognoſcẽdũ eſſe ſe ipſum,collige,& cur.de cog.cur.animi mo.2ª.50.d
Cognoſcentes bene,& agentes reguntur ſcientia.7°.de decr. 1ª.268.E
Cognoſcentes male,& agẽtes reguntur ignorantia.7°.de dec.1ª.268.E
Cognoſcere cauſas eſt pars artis.de part.art.med. Sp.18.B
quæ Cognoſcenda ſint a medico ratione curante. de voc. inſt. diſ.1ª. 106.B/de vir.noſt.corp.diſp. Sp.60.A
Cognoſci omnia non poſſunt,vel ſi in triplum hæc vita noſtra prorogetur.3°.de diff.pul. 4ª.59.C
de Cognoſcendis febribus.de natu.& or.cuiuslib.cor. Sp.42.E
Cognoſcere debet oculos ſanos qui vult illos ægros curare. de anatom. oculorum. Sp.57.B
qũo Cognoſcat atrum eſſe a frigido,aut a calido.quæſ.in Hip.Sp.113.E
quomodo Cognoſcatur cerebrum eſſe melancholicum primo affectu. de mel.ex Gal.Ruf.& Poſſ. Sp.109.H
ad Cognoſcendum ſi conceperit mulier.de paſſ.mul. Sp.96.C
vt non Cognoſcatur Violata mulier.de paſſ.mul. Sp.96.D
COGNOMINA *philoſophiæ.de hiſt.philo. Sp.2.G*
COGVNT, *& denſant ſuperficiem corporis adſtringentia.6°.de comp. med.ſec.loc. 5ª.167.A/H*
Cogitur,& adſtringitur frigido.in 6ᵐ.de mor.vul.com.2°. 3ª.160.F
Cogit tenues meatus aqua calida.7°.met.med. 7ª.44.F
non Cogitur in ventriculo lac cum melle.5°.meth.med. 7ª.35.A
Cogens quædã,& criſpans emplaſtrũ.6°.de comp.me.per g.5ª.261.C

COHIBERE sanguinis eruptiones potest cucurbitula. de cucurbitulis, scarific. 6ª.3.F
COINDICANTIA quæ vocentur. 13°.meth.med. 7ª.84.D
in COITV naturalis semine excernendi cupiditas est, quia semen neminem non ad sui excretionem vi quadam stimulat. 6°. de locis affectis. 4ª.39.G
Coeũt bruta vt excernãt, sicut ẽ mingũt & cacãt. 6°.de lo.af. 4ª.39.H
ad Coitum incitatis animalibus per metaphoram ductum est irritari. in 6ᵐ.de mor.vul.com.2°. 3ª.162.B
Coitus pertinet ad tactum. 1°.de symp.cau. 3ª.17.G
Coitus voluntas vnde generatur. de sper. Sp.36.F
de Coitus appetentia Empedoclis opinio. 2°.de sem. 1ª.337.G
Coitus cupiditatem illam incredibilem, natura coniunxit animę instrumentis concipiendi vsuræ. 14°.de vsu par. 1ª.204.D
Coitus cupiditas confertur cũ pruritu in cute. 14°.de vsu p. 1ª.207.E
Coitus proprietas est sanguinem consequens. de anat.viu. Sp.45.D
Coitus desiderium sequitur ad dominium bilis. de ana.viu. Sp.45.F
Coitũ in iuuenib. cur præcedit cupiditas insana. 14°.de vsu. 1ª.207.D
ad Coitum vis magis accenditur ijs, qui coire a iuuentute assueti sũt. 6°.de loc.affect. 4ª.42.H
Coitum cur assidue appetant seniores aliqui affectu mirachiali laborantes. in 6ᵐ.de mor.vul.com.3°. 3ª.171.G
Coitus cupiditatis & voluptatis causa et modº.14°.d vsu p. 1ª.207.d
in Coitu maxima voluptas propter salutem generis, ac conseruationem. 14°.de vsu par. 1ª.204.E
de Coitus communi sapore. de cõpag.memb. siue de nat.hu. Sp.59.D
Coitus dulcedo in qua parte potissimum fiat in virinis, & mulieribus, de compag.memb. siue de nat.hum. Sp.59.D
Coitus quãtam cum mari, tum fœminæ voluptatem afferat. 1°.de symptom.caus. 3ª.17.G
in Coitu mulier videtur magis delectari. 1°.de symp.cau. 3ª.17.G
Coitũ nõ appeteret mulier, si semẽ et testes nõ hẽret. 2°.de se. 1ª.338.C
in Coitu cur fœmina extra emittat humorem in glanduloſis parastatis contentum. 14°.de vsu par. 1ª.208.D
in Coitu collum matricis eo vsq; patet, cum animal concepit, vt semẽ facile in matricum sinum perueniat. 14°.de vsu par. 1ª.204.F
in Coitu caput maris truncat vipera. de ther.ad Pis. 5ª.93.C
Coitui indulgendum non est ob voluptatem, sed ad euitandas noxas. 6°.de loc.affect. 4ª.39.H
Coitu quando vtendum. de medic.fac.parab. 7ª.176.A
in Coitu cur genitales partes extendantur. 14°.de vsu partium. 208.A/15°. 1ª.210.H
in Coitu tensio virgæ causa est semen longinque vibretur. 15°.de vsu partium. 1ª.210.H
in Coitu ad excernenda ea quæ in vasis continentur ipsum partium veluti spasmum conferre. 14°.de vsu par. 1ª.208.A
in Coitibus semen excerni. 1°.de sem. 1ª.335.B
in Coitu quid emittant spadones. 14°.de vsu par. 1ª.208.C
in Coitibus homo ex hoĩe gignitur. in 6ᵐ.de mor.vul.cõ.3°.3ª.161.H
a Coitu qui iuuantur. in 6ᵐ.de mor.vul.com 5°. 3ª.193.B
Coitus quando confert in ictericia. de cura icteri. Sp.111.E
a Coitu qui morbi lęduntur. in 6ᵐ.de mor.vul.com.6°. 3ª.193.A
a Coitu omnino abstinendum præcipitur in destillatione in oculos. de remed.par.facil. 7ª.156.C
Coitus effectus diuersi in diuersis hominibus. 6°.de lo.aff. 4ª.39.G
Coitus calefacit robustos. in 6ᵐ.de mor.vul.com.6°. 3ª.192.G
Coitus efficit corpus & laxius, & frigidius, & imbecillius, et siccius. 3°.de san.tuen. 2ª.81.C
Coitus incommoda eliciuntur. de cura icteri. Sp.111.F
ex Coitu lac odoris gratiam mutat in deterius. 1°.de san.tu. 2ª.66.B
Coitus cur maxime dissolutum corpus reddat. 1°.de sem. 1ª.335.D
Coitu immoderato vtentes cur imbecilliores. 1°.de sem. 1ª.335.D
Coitus calefacit primo imbecillos, deinde frigefacit. in 6ᵐ.de mor.vulgaribus, com.6°. 3°.192.G
Coitus voluptatem amouet dolor & frigus. de aere, aq.& lo. 2ª.6.A
Coitus refrigerando quibus prodest. in 6ᵐ.de mor.vul.c.5°.3ª.193.B
his qui Coiere qui cibus dandus. 3°.de san.tueu. 2ª.81.E
Coitus intempestiuus quorũ malorũ sit causa. 14°.de vsu p. 1ª.206.H
Coeuntibus immoderate quid contingat. 1°.de sem. 1ª.335.C
ex Coitu nimio exiccatus humor in glanduloſis parastatis contentus, quo modo reficiatur. 14°.de vsu par. 1ª.208.D
Coitus desiderij paucitas sequitur ad dominium phlegmatis. de anatomia viuorum. Sp.45.E
ad Coitum cur Scythę omnium hominum minime sint valentes. de aere, aquis, & locis. 2ª.6.A
ad Coitum impotentiores reddit homines equitatio continua. de aere, aq.& lo.5.F/G/ 2ª.6.A
a Coitu longo tempore quidam abstinuit. 6°.de loc.aff. 4ª.42.F
a Coitu abstinentia penem magnum fecit. 6°.de loc.aff. 4ª.42.G
Coeũdi cupiditatẽ amittit aĩal testibus exectis. 2°.de sem. 1ª.340.A
Coitum non appetunt sues castratæ. 2°.de sem. 1ª.338.C
Coire non potentis curatio. de incant.adiur.& sus. 7ª.181.H
pro Coitu perinæo, & lĩbis calida flatuoſa adhibenda, frigida p ipso remouẽdo, casus cuiusdã qui ibat præcinctus. 6°.de lo.af. 4ª.42.F
Coitum excitat Eruca. 2°.de alim.fac. 2ª.23.G
Coitum per suã virtutẽ ad venas portitat eruca. de simp.me. Sp.83.h
ad Coitum confectio. secretorum. Sp.100.A
ad Coitus debilitatem. secretorum. Sp.99.H
Coitus, vide Libido, Venus.
COLA græci vocant extrema. ad Thras. 2ª.105.H
Κῶλα, idest mẽbra longa, dicuntur a græcis crura, & brachia. de cucur.scar. 6ª.D/de fract.com. 1°.228.F/de art.com.3°. 7ª.275.D
Κολάσαι quid significet. de vic.rat.in mor.acu.com.3°. 7ª.130.A
COLATIVA potentia vna ex medicinis oculi. de ocul. 7ª.189.A
Colatica medicamenta quæ sint. de ocul. 7ª.189.C
COLATORIVM os nasi (sic omnes interpretes nominant) an instrumẽtum odoratus. de instr.odor. 1ª.110.F
Coli similia ossa multis sunt foraminib. traiecta. de instr.odo. 1ª.112.E
Cola ossa si aliqñ obturanĩ, olfaciendi vis lædit. 3°.de lo.af. 4ª.21.D
per Colatoria ossa spiritum halituosum caput per se exturbat. 2°.de sympt.caus. 3ª.21.G
COLAT per linteũ. 6°.de cõp.med.s.l. 5ª.170.B/de med.f. 7ª.172.A
Colat per saccum 9°.de comp.med.sec.loc. 5ª.202.E
COLCHICVM quid. de simp.med. Sp.83.B
Colchicum dicitur vicem fungi strangulatoris facere, & ferro precisos sanare linitum. de simp.med. Sp.83.B
COLES quid. introd. Isa.53.D
Coles genitalis cur cauernoſus neruus dicatur ab aliquibus. in 6ᵐ.de morbis vulg.com.1°. 3ª.153.B
a Cole affecto, quo modo differat vesica affecta. 6°.de lo.ass. 4ª.41.F
Colis affecti indicia. 6°.de loc.affect. 4ª.41.E
de Colis palpitatione assidua casus. 6°.de loc.af. 4ª.42.F
Colis excrementa quid portendant. 6°.de loc.aff. 4ª.41.E
in Colis phlegmõe nõ semp dãda q̃ vrinã puocat. 13°.me.me. 7ª.82.B
ad Colem pecten seu vinculum suspendens. de fascijs. 7ª.303.H/aliter. 304 A/Idem ex fascia scissa & zona. ibidem.
COLICA dispositio quid. fin.med. Isa.47.F
Colici dolores, qui. 2°.de loc.aff. 4ª.9.E
Colici dolores a vulgo vocant oẽs, ĕt si nõ sint i colo. 6°.d lo.af. 4ª.36.b
Colicã dispõnẽ in partibus sinistris qdã fieri negãt. 6°.de loc. 4ª.36.F
Colici nõ possunt flatum neq; ructũ excernere. 6°.de loc.aff. 4ª.36.G
Colico dolori quo modo similis sit nephritis, & quo modo distinguat. 6°.de locis affect. 4ª.37.C
in Colico & nephritico dolore üsdem præsidijs indigemus in principio postea diuersis. 6°. de loc.aff. 4ª.36.H
Colica contingit conceptis in horis phlegmatis. de sper. Sp.37.C
Colica ex indigestione, & infrigidatione prouenit. introd. Isa.61.C
Colicos affectus quæ præcedant. 2°.de loc aff. 4ª.9.F
Colicam patientium vrinæ quales sint. 6°.de loc.aff. 4ª.36.G
Colici doloris curatio. introd. Isa.56.A
Colica qui leuiter capiuntur non sunt purgandi. de dyna. Sp.20.F
Colicus dolor sanatus ex cibo non facile corruptibili, & adstringente. 1°.de locis affect. 4ª.5.H
Colicæ quid conferat. secretorum. Sp.100.F
Colicos subĩde mirifice iuuat Alauda vsta si edat. d the. ad Pis. 5ª.93.G
Colicos sanauit Galenus medicamento ex Aloe. 1°.de loc.asse. 4ª.5.G
in Colicis aloen vt daret quid mouerit Galenum. 1°.de loc.af. 4ª.5.G
Colico medicamentũ amarũ dare ausus est Gale. 1°.de lo.ass. 4ª.5.G
ad Colicos Cicadę quo modo. 11°.de simp.med.fac. 5ª.82.B
Colicis conuenit herba Corydalis. 11°.de simp.med.fa. 5ª.82.C
Colicis Eclegma Nectareum. 9°.de comp.med.sec.loc. 5ª.202.D
ad Colicam passionem electariũ Zacharonis. de med.exper. Sp.106.b
Colicis datur Euphorbium. de dyna.22.B/de simp.med. Sp.83.F
Colicos adiuuat Galerita. 11°.de simp.med.fac. 5ª.82.B

Colicos iuuantibus antidotis miſceẽ Libyſticum.de ſimp.me. Sp.85.H
in Colicis mirabile eſt Lupinum ſtercus.10°.de ſimp.me.ſa.5ª.74.C
pro Colica quo loco ſtercus lupinum inguinibus apponebatur.10°.de ſimp.med.fac. 5ª.76.D
in Colica Philonium.introd. Iſa.61.C
Colicis exhibet ſtupefacientia Galenus.12°.met.med. 7ª.75.B
in Colicis cur ſtupefacientibus vtimur.7°.de comp.medicament.ſecundum loc. 5ª.184.H
ad Colicum dolorem proprie facit Seſeli ſemen.de ſimp.me.Sp.90.D
ad Colicam,quæ eſt ileos,Triphera valens.ſecre. Sp.102.G
ad Colicã paſſionẽ ex ventoſitate electariũ turbit.de medi. Sp.108.C
in Colicę,& lapidis dubio medicamen.de med.exper. Sp.106.H
Colicæ paſſioni ex craſſis humoribus in inteſtinis valens medicina.de medi.exper. sp.106.G
Colicæ ex vẽtoſitate valẽs medicamẽ.de med.exp.106.A/ Sp.107.E
ad Colicã ex ventoſitate,& humore craſſo.de me.exper. Sp.107.E
ad Colicos.10°.de comp.med.ſec.loc.106.D/5ª.208.A/de rem.par. fac.159.G/7ª.167.F/de dyn.28.E/ſecre. Sp.99.G
in Colica facile applicantur remedia.3°.de loc.aff. 4ª.16.B
COLICA *medicamenta vnde dicta. 9°.de compoſitio.medicament.ſecundum loc. 5ª.201.F*
Colica medicamenta quo modo differant ab alijs anodynis.7°.de cõpo. med.ſec.loc. 5ª.284.H
Colica vocata medicamenta ſunt per ſedem immiſſa efficaciora: nã dolores auferunt,ſomnum cõciliant,& aluũ mouent.intr. Iſa.56.A
Colica medicamenta.9°.de comp.med.ſec.loc. 5ª.200.H
Colica ſedans dolorem.9°.de comp.med.ſec.loc. 5ª.202.H
Colica Abaſcanti.9°.de comp.med.ſec.loc. 5ª.202.A
Colica Adiaptotos dicta.9°.de comp.med.ſec.loc. 5ª.202.B
Colica Amirabilis.9°.de comp.med.ſec.loc. 5ª.202.B
Colica medicamenta Andromachi.9°.de comp med.ſec.lo. 5ª.201.H
Colica Apollonij.9°.de comp.med.ſec.loc. 5ª.202.B
Colica quam admiratus eſt Ariſton,vt Diophantus Lycius. 9°.de cõpo.med.ſec.loc. 5ª.202.C
Colica ſedãs dolorẽ,qua vſus eſt Caſſius.9°.de cõp.me.ſ.l. 5ª.202.G
Colica Caſſij.9°.de comp.med.ſec.loc. 5ª.201.H
Colica Caſſij vt Criſpus.9°.de comp.med.ſec.loc. 5ª.201.H
Colica Lingonis.9°.de comp.med.ſec.loc. 5ª.202.G
Colica ſedans dolorem Lucij.9°.de comp.med.ſec.loc. 5ª.202.G
Colica vt Nicoſtratus,Iſotheos appellata empta duobus talentis.9°. de comp.med.ſec.loc. 5ª.202.B
Colica vt Publius in Putiolo & Apollonio.9°.de cõp.m.ſ.l.5ª.202.D
Colica vt Scribonius.9°.de comp.med.ſec.loc. 5ª.202.B
Colica Sicula inſcripta.9°.de comp.med.ſec.loc. 5ª.202.G
Colica Sigonis,qua vſus eſt Valens.9°.de comp.med.ſe.lo. 5ª.202.F
Colica Terentij Valentis.9°.de comp.med.ſec.loc. 5ª.202.B
Colica Tullij.9°.de comp.med.ſec.lo. 5ª.202.A/C
Colica Tullij bona.9°.de comp.med.ſec.loc. 5ª.202.C
Vide Colon
COLLA *aut gluten.7°.de ſimp.med. 5ª.52.A*
COLLAPSIO *à Demiſſione & laxatione particulæ quo modo differat. 1°.de diff.reſp. 3ª.62.H*
Collapſio thoracis coaceruata quid agat.1°.de diff.reſp. 3ª.62.H
COLLECTIONIBVS *& compoſitionibus diuerſarum rerum arte factis quomodo reſpondeat naturalis animantis conſtitutio.3°.de anatom.adminiſt. 1ª.73.A*
ad Collectionem in cornea naſcentem.de ocul. 7ª.190.H
COLLECTIVA *quid ſit in pulſu.1°.de diff.pul. 4ª.48.H*
Collectiuæ inæqualitatis differentiæ in pulſu quæ.1°.de diffe. 4ª.49.D
Collectiua inæqualitatis differentia in pulſu.1°.de diff.pul. 4ª.51.A
COLLETICA *a glutinando quædam dicta eſt facultas.4°.de ſimp.medicam.fac. 5ª.32.C*
Colletica medicamenta ſunt glutinatoria.de par.art.med. Sp.18.G
Colleticis,& catuloticis rebus curantur vulnera difficilia,& craſſæ cicatrices.de part.art.med. Sp.19.A
Colleticum eſſe videtur oleum maſtiche miſtum.de ſimp.me.Sp.88.D
COLLIDI *quod debet oportet vt in ſeipſum cedat: hoc aũt & molle eſſe expoſtulat & minime durum.de cauſ.morb. 3ª.9.G*
Collidi quod debet cauum fiat oportet.de cauſ.mor. 3ª.9.G
Collidi non dicunt oſſa,ſed muſculi,& cutis.de fract.cõ.2°.7ª.240.A
Colliſio magna ex parte in partibus ſit carnulentis,nõ nunquam vero & in oſſibus capitis,in pueris præſertim.de cauſ.morb. 3ª.9.G
ad Colliſa.10°.de comp.med.ſec.loc. 5ª.208.A
COLLIGATIO *inter primas partes,quæ generantur.8°.de decr.Hippocratis. 1ª.275.C*
Colligamen ablatum cur non creſcit.1°.de ſem. 1ª.332.D
Colligatũ qua metaphora dicat de dẽſo,& duro.2°.de ſan.t. 2ª.72.F
COLLIGVNT *excrementum multum,& pranum membra imbecilla. in 6ᵐ.de mor.vul.com.1°. 3ª.154.F*
COLLIQVESCERE *quid ſignificet apud Hippocratem.commenta.2°. apho.28°. Ex.16.G*
Colliqueſcere & extenuari corpº q̃ faciãt.cõ.2°.aph.28°. Ex.16.D/E
Colliqueſcere pluſquã ratio expoſtulat,malũ.cõ.2°.aph.28°.Ex.16.C
Colliquat calor nimis adauctus.3°.de ſymp.cau. 1ª.29.E
Colliquationes facit iecoris calida intẽperies.8°.de cõ.m.ſ.l. 5ª.194.C
Colliquat quandoq; membra exercitium.de puero epil. 7ª.180.A
Colliquare carnem poteſt ſtaphiſagria.4°.de ſimp.me.fac. 5ª.29.G
Colliquatio carnis quid agat.3°.de ſymp.cau. 3ª.28.E
in Colliquatione carnis ſudores qũo fiant.3°.de ſymp.cau. 3ª.28.F
Colliquatiui,& diſcuſſorij morbi extenuant.in 6ᵐ.de morb.vulgarib. commentario 3°. 3ª.176.E
Colliquatiua febris qũo differat a maraſmode.10°.meth.me.7ª.67.E
quæ Colliquatio fiat in febribus peſtilentibus.8°.de compo.medica. ſecundum loc. 5ª.194.C
in Colliquantibus febribus acutis vires labunt.12°.met.me.7ª.77.C
Colliquatio quo modo fiat de vrinis.4ª.124.D/de vict.rat.in morbis acutis.com.4°. 7ª.149.B
Colliquationis comparatio ad carnes,quæ in craticula torrentur.10°. meth.meden. 7ª.67.E
Colliquantur minimum ſupra prunas carnes ſuum ſylueſtrium,domeſticorum vero plurimum.10°.meth.med. 7ª.67.E
Colliquatio & excretio difficulter diſtinguuntur,ſecundum Eraſiſtratum & Hippocratem.de opt.ſecta. Iſa.26.E
Colliquatio quo indicio ſignificetur.in 3ᵐ.de mor.vul.c.3°.3ª.147.G
in Colliquatiua febre videntur colliquationes deſcendere per aluũ. 10°.meth.med. 7ª.67.F
ex Colliquatione fiunt deiectiones acres ex ventre inferiori calido. de vict.rat.in mor.acu.com.4°. 7ª.149.B
in Colliquefactionis principio,qualis ſit vrina,qualis in augmento, in ſtatu,& declinatione.quæ.ſ.in Hipp. Sp.113.C
Colliquatio adipis facit vrinam,& excrementa pinguia. commentar. 7°.aph.35°. Ex.56.E
Colliquefactionis ſignum eſt vrina habens pinguedines ſuperne innatantes araneoſas.de vri.ſigni.ex Hipp. Sp.78.G
Colliquationem renum ſignificat vrina quæ velut raſuram habuerit, & arenam,& in nebulis quaſi ſanguinem.de dyn. Sp.34.G
Colliquatiuæ febres quo modo curentur.10°.meth.med. 7ª.67.F
in Colliquationibus ptiſſanæ cremore vtemur.de vic.rat.in mor.acu. commentario.3°. 7ª.128.E
Colliquatiuis febribus inimiciſſima eſt mulſa.10°.meth.med. 7ª.67.F
ex COLLIQVABILIBVS *medicᵐ.3°.de comp.med.per ge. 5ª.233.F*
COLLVM *& Cruix idem.de oſſib. 1ª.41.G*
Collum quid ſit.de voce,& anhel. Sp.60.F
Collum pars ſpinæ.12°.de vſu par. 1ª.196.G
Collum factum eſt propter pharynga.3°.de vſu par. 1ª.165.A
Collum homini,& ſimilib.ei animalib.tanta eſt magnitudine,quanta pharyngi ad ſuas actiones erat neceſſaria.8°.de vſu par. 1ª.165.B
Collum quale,& quantum eſſe debet.in 6ᵐ.de mor.vul.c.1°.3ª.154.B
Collum mobile factum eſt propter oculos.10°.de vſu par. 1ª.180.E
Collum cur conſidcrandũ pro capite.in 6ᵐ.de mor.vul.c.1°.3ª.154.C
in Collo ſimiæ homini ſimillimæ ſunt.de ner.diſſ. 1ª.54.E
Collũ lõgũ cur habeãt aues crura lõga hãtes.11°.de vſu par.1ª.185.A
Collum longius cur habeant grues,& ciconiæ.11°.de vſu p.1ª.187.D
Colla volatilium ſimilia caudis.de bon.& vitio ſuc. 2ª.37.B
Collum æquale cruribus,quæ animalia habeant.8°.de vſu p. 1ª.165.B
Collo pro manibus multa animalia vtuntur.8°.de vſu par. 1ª.165.B
Collum longius habent animalia vngulas ſolidas aut bifidas habentia.11°.de vſu par. 1ª.187.D
Collum longum animalia habentia corpore inclinato deglutiunt.3°.de natural.facu. 1ª.305.B
Collũ lõgũ aialia habentia cur ædunt clangorẽ.7°.de vſu par.1ª.157.D
Collum breuius cur habent animalia pedes fiſſos in digitos habentia. 11°.de vſu par. 1ª.187.D
Collum animalia non habentia,neq; caput.8°.de vſu par. 1ª.164.H

Collum habent habentia pulmonem, carentia pulmone capite carent. 8°.*de vſu partium.* 1ª.164.*H*
Collum cur non ineſt piſcibus. 11°.*de vſu par.* 1ª.187.*D*
Collum non habentia ſunt muta. 8°.*de vſu par.* 1ª.165.*A*
Collum cur non eſt ſorte in homine vt in leone. 11°.*de vſu p.* 1ª.191.*H*
in Collo inſtrumentorum multitudo maior eſt, quàm in aliqua tam exigua parte corporis. 11°.*de vſu par.* 1ª.186.*B*
Colli vertebræ quot ſint, & quo modo iunctæ.de oſſ. 1ª.41.*G*
in Collo ſeptem ſpondyli. 12°.*de vſu par.* 196.*G*/13°. 1ª.281.*F*
in Collo productionum vertebrarũ numerus. 12°.*de vſu p.* 1ª.197.*G*
Collum in animalibus, quæ non multum diuerſam ab hominibus naturam habent ſeptem vertebris conſtat.de ner.diſſ. 1ª. 54.*G*
Collũ cur ex ſeptẽ ſpondylis multis animalib. 13°.*de vſu p.* 1ª.200.*C*
per Collum totum ſtomachus ab initio ſpondylis inuectus fertur. 16°. *de vſu partium.* 1ª.218.*G*
per Collum eunt cibus, potus, & ſpiritus. 11°.*de vſu par.* 1ª.186.*B*
Collũ differt functionibus ab artubus. 4°.*de præſag.ex pul.* 4ª.120.*F*
Colli articuli tutiſſima conſtructio, oſſium exacta compoſitio, & figura. 11°.*de vſu par.* 1ª.193.*F*
in Collo ſunt canales duo, qui ad anteriora feruntur. de compa. mẽb. ſiue de natu.hum. *Sp.*58.*F*
circa Collum membranæ non ſunt à corde. 7°.*de decr.Hipp.* 1ª.268.*B*
in Collum quo modo ferãtur venæ, & arteriæ. 16°.*de vſu p.* 1ª.219.*a*
Collum quibus venis nutriat.de vic.ra.in mor.acu.cõ. 2°. 7ª.117.*E*
in Collo vena iugularis ſine coniuge. 16°.*de vſu par.* 1ª.221.*A*
Colli arteriæ vnde. 16°.*de vſu par.* 1ª.219.*G*
in Collo venæ, & magnæ arteriæ vbi & quomodo a corde veniãt. 7°. *de vſu partium.* 1ª.162.*F*
ad Colli ſpondylum ſupremum procedunt magna vena & arteria a duobus ventriculis cordis.de vtil.reſp. *Sp.*62.*G*
ad Collum q̃ ſubit arteria quid trahat a corde. 3°.*de nat.fa.* 1ª.307.*F*
Colli arteriæ officium. 8°.*de vſu par.* 1ª.154.*F*
Colli arteriæ continuant cor cum cerebro.de vſu pul. 1ª.227.*E*
in Collo & pulmone ſolis aſperarum arteriarum genus ineſt. 8°.*de vſu partium.* 1ª.164.*H*
in Collo vaſa peruenientia ad aſperam arteriam capillorum ferè ſpeciem referunt. 1°.*de loc.affe.* 4ª.2.*D*
in Collo neceſſariam habet poſitionem larynx. 13°.*de vſu p.* 1ª.201.*D*
in Collo ſunt muſculi bronchorum.de voce, & anhel. *Sp.*60.*F*
in Collo muſculus latus vocatur myœdes platiſma, id eſt muſculoſa dilatatio.de muſ.diſſ. 1ª.44.*E*
ſub Colli cute muſculus latus vnde incipiat, ac finiat, & eius ſubſtantia.de muſ.diſſ. 1ª.44.*D*
ſub Colli cute muſculus latus poteſt dici muſculoſa natura, vel muſculoſa ſubſtantia.de muſc.diſſ. 1ª.44.*D*
ſub Colli cuti muſculus latus facile laniatur.de muſ.diſſ. 1ª.44.*D*
ſub Colli cute muſculus latus nullum detinet articulum, nec in articulum inſeritur.de muſc.diſſ. 1ª.44.*D*
ſub Colli cute muſculus latus buccas mouet.de muſ.diſſ. 1ª.44.*D*
ſub Colli cute muſculus latus primo intenditur ijs qui ſpaſmo corripiendi ſunt.de muſ.diſſ. 1ª.44.*D*
ad Collũ qui ſunt muſculi, hñt motum facilẽ. 7°.*de vſu p.* 1ª.161.*E*
Colli, ac capitis commune genus muſculorum diuiditur in octo muſculos.de muſc.diſſ. 1ª.45.*F*
Collum, & caput trahentes muſculi, qui. 12°.*de vſu par.* 1ª.195.*B*
Collum, & caput retro attollunt tres muſculorum coniugationes. 16°. *de vſu partium.* 1ª.217.*E*
ad Colli muſculos nerui ab inferioribus partibus ſurſum feruntur. 16°.*de vſu par.* 1ª.217.*E*
Colli duorum neruorum origo vbi ſit.de voce, & anhel. *Sp.*61.*G*
Colli neruorũ prima cõiugatio in aĩalibus hñtibus vertebras paruas parua eſt vt in ſimijs, prima in hñtibus magnas vertebras eſt magna, vt ſunt hñtia dẽtes ſerratos & cornigera.de ner.diſ. 1ª.54.*E*
in Collo a ſpinali medulla orientium neruorum coniugatio prima quo modo procedat.de neru.diſſ. 1ª.54.*D*
Colli neruorũ ſecunda coniugatio vbi, & qũo exit.de ner.diſ. 1ª.54.*E*
Colli neruorũ tertia coniugatio vbi, et quo mõ exit.de ner.diſ. 1ª.54.*F*
quæ in Collo ſunt neruorũ cõiugationũ cõia q̃dã.de ner.diſ. 1ª.54.*F*
in Collo neruorum coniugationum peculiaria.de ner.diſſ. 1ª.54.*G*
in Collo ſuſcipiunt portionem quandam neruorum a ſexta coniugatione cor & pulmo.de ner.diſſ. 1ª.54.*D*
Collũ hz duas glãdulas in quib. gñat humiditas.de voc.et an. *Sp.*61.*C*
Collum omne dilatatur tibiam inflantibus, & maximam & acutiſſimam vocem edentibus. 3°.*de ſan.tuen.* 2ª.77.*C*
Collum præſertim gymnaſticorum in tumorem extollunt muſculi latiores. 4°.*de anat.adm.* 1ª.82.*F*
Collum etiam laborat in equitante. 2°.*de ſan.tuen.* 2ª.75.*C*
Collum quo modo lædatur. 5°.*de ſan.tuen.* 2ª.89.*H*
in Collo adenes cur quandoq; intumeſcunt. 13°.*meth.med.* 7ª.81.*A*
in Collo pullulãtibus, pariſthmijs præſertim, mirifice proſunt lina marinę purpuræ, ſi illis vipera ſuffocetur, & ea collo alicuius obuincias. 6°.*de ſimp.med.fac.* 5ª.45.*H*
ex Colli muſculorum extenſione alijs omnibus remanentibus in ſuo ſtatu accidit raucedo de vo. & anhel. *Sp.*60.*F*
Colli inflationes, et tẽſiones petroſelinũ remediat.de ſimp.m. *Sp.*89.*C*
in Collo ſi tumor fiat ab angina habito, bonum: foras enim morbus deducitur.com. 6°.*aph.* 37°. *Ex.*50.*D*
Colli ſuperficiarias partes melius eſt affici q̃mas.de vict.rat.in mor. acu.commen. 4°. 7ª.138.*G*
Collum ſi peruertitur a febre habito, & vix poteſt deuorare ſine vllo tumore, letale eſt.com. 4°.*aph.* 35°. *Ex.*31.*E*
Colli vertebræ intro vergebant, & extra apparebat collum habere cauitatem in angina.cõ. 4°.*aph.* 35°.31.*F*/*cõ.* 7°.*aph.* 59°.*Ex.*59.*E*
Collum ſi vertitur, et vix poteſt eger deuorare propter ſiccitatem ex cedentem, letalis eſt caſus.com. 4°.*aph.* 35°. *Ex.*31.*G*
Colli venę et arterię ſi ligent, quid ſequat. 2°.*de decr.Hip.* 1ª.239.*B*/*C*
circa Collũ arterijs cõſtrictis nihil patitur aĩal.de vtil.reſp. 1ª.225.*b*
Colli arteriæ vinculo exceptæ animali euidenter non obſunt. de vſu pulſuum. 1ª.227.*E*
Colli venis quibuſdam compreſſis fit homo inſenſibilis, & dormienti ſimilis, ſecundum Ariſtotelem.de vtil.reſp. *Sp.*63.*F*
Colli venis quibuſdam compreſſis fit homo abſque omni ſenſu, & motu.de vtil.reſp. *Sp.*63.*H*
Colli venæ abſciſæ cauſæ mortis.de cauſ.procatar. 3ª.99.*D*
Collum ſanguinem effundens difficulter compeſcitur.fin.med.Iſ. 50.*A*
Colli neruis præciſis quid ſequatur. 2°.*de decr.Hip.* 1ª.239.*B*
Collo circundato laqueo cur ſpuma fiat.com. 2°.*aph.* 43°. *Ex.*18.*E*
in Collo ſpina vitiata aufert vocem. 1°.*de ſymp.cau.* 3ª.16.*D*
Collum inflãmatum neceſſario dolorem habet.cõ. 4°.*aph.* 35°.*Ex.*31.*F*
in Colli phlegmone artus vinciuntur. 13°.*meth.med.* 7ª.83.*B*
Colli dolor oſtendit principium læſum.in 1ᵐ.*prorr.com.* 3°. 4ª.178.*H*
Colli dolorem ruta ſedat.de ſimp.med. *Sp.*89.*D*
ad Colli dolorem.de med.fac.parab. 7ª.178.*G*
ad Colli dolorem omnem. 5°.*de comp.med.per gen.* 5ª.246.*H*
Colli & capitis dolores cum febribus & ſine febribus ſunt. in 1ᵐ.*de morb.vulg.com.* 2°. 3ª.112.*H*
ad Colli & faciei impetigines. 1°.*de comp.med.ſec.loc.* 5ª.126.*A*
circa Collum quibus fluxiones procumbunt, quæ exercitatio vitãda. 5°.*de ſan.tuen.* 2ª.90.*A*
ad Colli vlcera emplaſtrum ex dictamno Damocratis. 5°.*de com.medica.per gen.* 5ª.250.*G*
ad Colli vulnera medicamentum. 5°.*meth.med.* 7ª.31.*B*
Colli vlceribus confert ſectio venarũ poſt aures.de ana.viu. *Sp.*55.*a*
in Collo affecto humeraria vena ſecanda.de conſt.ar. *Iſa.*41.*E*
Collo, & mento apponit cucurbitas. 6°.*de comp.med.ſe.lo.* 5ª.174.*A*
Collum ſimul cum capite aggrauatum iudicationis ſignum. 1°.*de arte cura.ad Glauco.* 7ª 100.*D*
circa Collum ſudores praui.de vic.rat.in mor.acu.com. 2°.7ª.122.*F*
Collo quæ ſuſpenduntur quo modo vocentur.de rem.par.ſa. 7ª.154.*A*
Collo ſuſpenſa adiuuant.de incant.adiur. & ſuſp. 7ª.182.*A*
Collo ſuſpenſa quo modo prodeſſe poſſint, collige pæoniæ exemplo. 6°. *de ſimp.med.fac.* 5ª.45.*H*
Collo duplicem manticã ſuſpenſam habemus.de cogn.cur.an. 2ª.50.*F*
COLLVM *matricis cur ſit lacertoſũ cũ multis picis.de an.vi.* *Sp.*51.*E*
Colli matricis diuerſitas.de anat.viuo. *Sp.*51.*F*
Colli altera extremitas, quæ pudendo muliebri cõiungit, nõ vteri, ſed ipſius colli os haud ſine rõne vocaret.cõ. 5°.*aph.* 46°. *Ex.*41.*H*
Collum vbi incipit, deſinit vero vterus, magis proprie os vteri dicere tur.com. 5°.*aph.* 46°. *Ex.*41.*H*
Collum matricis ſubintrat os veſicæ.de anat.viuo. *Sp.*51.*H*
Colli matricis & virgę virilis maxima pars eſt chartiligo quædã procedens ab oſſe pubis.de vtil.reſp. *Sp.*62.*H*
Collum matricis comparatur priapo.de anat.viuo. *Sp.*51.*D*
vt in Collo matricis, ita contingit in priapo, quia per aliũ meatũ exit vrina,

vrina,& per alium meatum intrat ſperma viri, tñ ipſi duo conueniunt in ipſo collo,& fit meatus vnus.de anat.viuo. Sp.52.E

Collo vtitur vterus tanquam manu.1°.de ſem. 1ª.329.H

Collum matricis dilatatur in defloratione virginis,& rumpuntur quę dã venæ ſubtilcs,quæ ſunt in dextra parte ipſius colli,& exit ſanguis.de anat.viu. Sp.51.E

Collum matricis non poſſet ingredi acumen acus in conceptionis hora,ita clauditur.de anat.viu. Sp.51.E

Collum vteri tantum aperitur in fœtu edendo, quantum fœtui facilis præſtetur exitus.2°.de ſymp.cau. 3ª.21.B

COLLI *veſicæ duæ partes.de compag.memb.due de nat.hu. Sp.59.B*

Colli veſicæ muſculi munus quale ſit.de muſ.diſſ. 1ª.50.D

Collum veſicæ quoniam carnoſum eſt,videmus quotidie ſanari quando lapis extrahitur.com.6°.aph.18°. Ex.48.A

COLLICVLVM *quid.introd. Iſa.53.D*

GOLLVSTRATIO *Platonis quid ſit.de hiſt.philo. Sp.9.D*

COLLVTIO *addentes molares.5°.de comp.med.ſec.loc. 5ª.164.B*

in Collutionibus mulierum quidem communiter,proprie vero matricis confert ſuccus centaureæ.de vir.cent. Sp.94.B

COLLVVIEM *vocat Galenus elementorum congregationem.17°.de vſu partium. 1ª.222.C*

COLLYRIA *ſunt formæ medicamentorum.2°.de compoſi.medicamento.per gene. 5ª.226.C*

Collyriorum formæ.3°.de comp.med.ſec.loc. 5ª.148.E

circa Collyria omnia quibus vtamur liquioribus. 4°.de comp.medicamen.ſec.loc. 5ª.151.C

Collyria quibus humectanda.de ocul. 7ª.190.C

Collyria optima viſitata ſint.de reme.para.fac. 5ª.156.A

Collyria in cotibus teruntur ex lacte.4°.de cõp.med.ſec.lo. 5ª.150.d

Collyria teruntur in cote medica.4°.de comp.med.ſec.loc. 5ª.151.C

Collyriũ reprimẽs hũores tenues deſcẽdẽtes ad oculos.de ocu.7ª.191.c

Collyrium in initio ophthalmię.de ocul. 7ª.191.A

Collyrium in augmento ophthalmiæ.de ocul. 7ª.191.C

Collyrium in ſtatu & declinatione ophthalmiæ.de ocul. 7ª.191.B

Collyrium duræ ophthalmiæ.de ocul. 7ª.191.D

Collyrium lippientibus.3°.de comp.med.per ge.234.H/6°.5ª.258.F

Collyrium in linteolo ad lippientes.5°.de comp.me.per ge.5ª.247 E

Collyrium ad aſperitatem palpebrarum.de ocul. 7ª.191.E

Collyrium pro ſoluendo apoſtemate vno die.de ocul. 7ª.191.B

Collyria repurgantia vlcus oculorũ,quæ.4°.de cõp.me.ſ.l. 5ª.151.A

Collyrium ad mundificandam vulneris putredinem.de ocul.7ª.191.C

Collyriũ valẽs ad vſtionẽ,ad exitũ vuę,& ad vulnera.ã ocu.7ª.191.d

Collyria qualia per gradus ad hypoſphagmata oculorum.10°.de ſimpli.med.facul. 5ª.73.A

Collyrium ad omnem paſſionem oculorum.de ocul. 7ª.191.C

Collyria diuerſa.de ocul. 7ª.190.C

Collyria facta ex flore æris extergunt,auferuntq; ſuperciliorum magnas aſperitates.9°.de ſimp.med.fa. 5ª.71.E

Collyriũ indicũ Aerianum inſcriptũ.4°.de comp.med.ſe.lo.5ª.156.E

Collyrium Aerianum Aſclepiadæ.4°.de cõp.me.ſe.lo. 5ª.154.G

Collyrium Aerianum Diomedi inſcriptum.4°.de cõp.m.ſ.l. 5ª.154.G

Collyrium album.4°.de comp.med.ſec.loc. 5ª.154.F

Collyrijs ad lachrymã facientib.miſcetur Amylũ.de ſim.m.Sp.80.A

Collyria Arida pro oculis,quæ.4°.de comp.med.ſec.loc. 5ª.151.H

Collyrium Aromaticum.4°.de comp.med.ſec.loc. 5ª.156.G

Collyrium Aromaticum croceum.4°.de comp.med.ſec.loc.5ª.156.G

Collyrium Artemonium.4°.de compoſi.medic.ſec.loc. 5ª.156.D

Collyrium Atarachum.4°.de comp.me.ſec.loc. 5ª.156.H

Collyrium Aureum.4°.de comp.med.ſec.loc. 5ª.157.A

Collyrium Baſilicum,ideſt regium.4°.de comp.med.ſe.lo. 5ª.156.F

Collyrium Baſilidion.4°.de comp.med.ſec.loc. 5ª.157.A

Collyrijs miſcetur Cadmia.de ſimp.med. Sp.81.F

Collyria Catharetica,ſiue detrahentia,quo modo effectum ſuũ præſtãtius efficiãt in ingẽtes oculorũ aſperitates.11°.de ſimp.me.5ª.81.B

Collyrium Chelidonium.4°.de comp.med.ſec.loc. 5ª.156.F

Collyrijs miſta Chelidonia ad caliginẽ oculorũ facit.de ſim.m.Sp.82.b

Collyrium Cinnabarium.4°.de comp.med.ſec.loc. 5ª.156.H

Collyrium ex Cinnamomo pro oculis.12°.meth.med. 7ª.79.H

Collyrium ex Cornu Cerui.4°.de comp.med.ſec.loc. 5ª.155.A

Collyrijs deſiccantibus fluxiones oculorum miſcetur Cornu cerninũ.11°.de ſimp.med.fac. 5ª.79.H

Collyrijs cõmiſtum Crocum omnes dolores mitigat.de ſim.m.Sp.81.E

Collyrijs ad lachrimã faciẽtib.miſcẽ Chryſocolla.de ſim.m. Sp.82.E

Collyrium Currus.4°.de comp.med.ſec.loc. 5ª.156.D

Collyria Cygni quæ,& vnde dicta.4°.de comp.med.ſec.lo.5ª.150.D

Collyria Dialibani.14°.meth.med. 7ª.93.G

Collyrium διὰπομφόλυγος valet ad oculos.5°.de ſimp.med. 5ª.38.E

Collyrium διὰῥοδον valet ad oculos.5°.de ſimp.med.fac.38.E/4°.de comp.med.ſec.loc. 5ª.155.C

Collyrium diarhodon in augmẽto doloris ophthalmiæ.de ocu.7ª.191.A

Collyrium Diaſmyrnum.4°.de compo.med.ſec.loc.155.D/5°.5ª.158.G/14°.meth.med. 7ª.93.G

Collyrium Diocleum.4°.de comp.med.ſec.loc. 5ª.154.F

Collyrijs miſcentur Ebeni ſcobes.de ſimp.med. Sp.83.F

Collyrio emplaſtico & anodyno cũ videretur vtendum in oculi dolore,& cur.com.6°.aph.31°. Ex.49.E

Collyrium Enſtaction,ideſt inſtillatitium.4°.de compoſitio.medicamento.ſecun.loc. 5ª.156.F

Collyrium Flori in Antonia Druſi.4°.de comp.med.ſec.loc. 5ª.155 E

Collyrium Gai ophtalmici.4°.de comp.med.ſec.loc. 5ª.155.G

Collyrium Gennadij.4°.de comp.med.ſec.loc. 5ª.154.H

Collyria ex Glaucio & croco in aurium dolore. 5°.de comp.medica. ſecundum locos. 5ª.141.D

Collyrium Hieracium.4°.de comp.ſec.loc. 5ª.156.F

Collyrium Hygidion.4°.de comp.med.ſec.loc. 5ª.154.H

Collyrium Horæum.4°.de comp.med.ſec.loc. 5ª.155.C

Collyrium Iſochryſon.4°.de comp.med.ſec.loc. 5ª.156.H

in Collyrijs propter quid Lac mulieris ponitur.4°.de compo.medic. ſecundum locos. 5ª.150.D

Collyria Libiana quæ,& vnde dicta.4°.de comp.med.ſe.lo.5ª.150.D

Collyrium Lyſiponion.4°.de comp.med.ſec.loc. 5ª.155.G

Collyrium Melinum.4°.de comp.med.ſec.loc. 5ª.157.A

Collyriorum Monobemeron diuerſitas.4°.de cõp.me.ſe.lo. 5ª.150.G

Collyria Monobemera ad Lippitudines.4°.de cõp.me.ſe.lo. 5ª.150.G

Collyrium Mordax.4°.de comp.ſec.loc. 5ª.154.E

in Collyrijs quid faciat Myrrha.1°.de antid. 5ª.105.C

Collyrio Nardino,quando,& cur vti debemus ad lippitudines. 4°.de comp.med.ſec.loc. 5ª.150.G

Collyrium Nigrum.4°.de comp.med.ſec.loc. 5ª.154.B

Collyrium Nili ex roſis diarhodon celebratum iandiu.4°.de compoſi. med.ſec.loc. 5ª.158.G

Collyrium Odoratiſſimum.4°.de comp.med.ſec.loc. 5ª.156.E

Collyria ex Opio pro oculorum doloribus vehementiſſimis. 12°.methodi medeu. 7ª.79.G

Collyrijs admiſtũ ſyncerũ opium lachrymã ſtringit.de ſimp. Sp.88.B

Collyria ex opio multis fuere detrimẽto.2°.de cõp.me.ſe.lo. 5ª.134 G

Collyrium Oribaſij in initio ophthalmiæ.& vulneris.de ocu.7°.191.D

Collyrium Oxydercicum.4°.de comp.med.ſec.loc.156.G/ 5ª.157.B

Collyrium Panchreſtum.4°.de comp.med.ſec.loc. 5ª.156.G

Collyrium Pauli.de ocul. 7ª.191.D

Collyrijs immittitur ſuccus herbæ Periſtereon.de ſimp.med. Sp.89.c

Collyrijs quæ ad oculorum imponuntur fluxiones inditur Pŏpholyx. 9°.de ſimp.med.fac. 5ª.70.H

Collyrium Proteus.4°.de comp.med.ſec.loc. 5ª.157.A

Collyrium ex Pumice ad aſpritudines palpebrarum.4°.de comp.medic.ſec.loc. 5ª.150.E

Collyrium Rhinema,hoc eſt lima.4°.de comp.med.ſec.loc. 5ª.156.c

Collyrium ex Sandice.5°.de comp.med.ſec.loc. 5ª.158.G

Collyrijs Sepia admiſcetur.de ſimp.med. Sp.90.c

Collyria Sicca.9°.de ſimp.med.fa. 5ª.71.A

Collyriũ Siccũ ex phyrgio lapide quib.ſit vtile.6°.de ſan.tu.2ª.100.B

Collyrium Sphericum.4°.de comp.med.ſec.loc. 5ª.156.G

Collyrium Terrenum.4°.de comp.med.ſec.loc. 5ª.154.F

Collyrium Thalaſſerum.4°.de comp.med.ſec.loc. 5ª.156.E

Collyrium Therimum,id eſt æſtiuum.4°.de comp.me.ſe.loc. 5ª.154.H

Collyrium ex Thure palpebrarum vlcera cauа explet. 4°.de compo.med.ſec.loc. 5ª.150.E

Collyrium Tripherum.4°.de comp.med.ſec.loc. 5ª.154.F/G

Collyrium ex Vino aſperitudinibus palpebrarum accommodatum.4°. de comp.med.ſec.loc. 5ª.50.D

Collyriũ Viride ad oculorũ affectiones.4°.de comp.med.ſ.l. 5ª.155.B

Collyrijs non indigemus ad ventris morſus.in 6ᵐ.de morbis vulgarib. commen.6°. 3ª.196.D

Collyrij loco cyziceuum.5°.de comp.med.per gen. 5ª.150.B

COLOBOMA *quid.fin.med.* Isa.49.A
Colobomata affectus partium exteriorum palpebrarum.intr. Is.58.D
Colobomatum fit mentio.2°.meth.med.9.F/14°. 7ª.92.A
Colobomatibus confert centaurea.de virt.cent. Sp.93.G
COLOCASIA *a rusticis in muria vel in aceto seruatur. 2°. de alimento.facul.* 2ª.22.E
COLOCYNTHE, *id est cucurbita.7°.de simp.med.fac.* 5ª.52.A
Colocynthis quid.de simpl.med. Sp.89.C
Colocynthidis probatio,& quomodo paranda.de dyna. Sp.21.D
Colocynthis calidum medicamentum.10°.de comp.me.se.l. 5ª.207.c
Colocynthis calida est,& sicca in tertio gradu.de cathar. Sp.94.E
Colocynthis in plura cathartica mittitur.de simp.med. Sp.89.D
Colocynthidis quæ pars sumenda.de dyna. Sp.21.D
Colocynthidis medulla.4°.de comp.me.sec.lo.152.H/10°. 5ª.208.B
Colocynthidis dosis,& cui miscetur.de dyna. Sp.21.D
Colocynthis quid mali faciat.de dyna. Sp.21.D
Colocynthis viscide ventrem purgare potest.de simpl.med. Sp.89.D
Colocynthis subducit ventrem,quia habet medicamentosas facultates commistas.1°.de alim.fac.2ª.8.D/de cathar. Sp.94.F
Colocynthis valide purgat.7°.de simp.med.fa. 5ª.52.A
Colocynthis educit phlegma.de cathar. Sp.94.G
Colocynthis phlegma purgat bilẽ,& mucilagines.de dyna. Sp.21.D
Colocynthis datur vtiliter omnibus capitis passionib.de dyn. Sp.21.D
Colocynthis caput purgat & phlegma.de cathar. Sp.95.A
Colocynthis cur caput purget.de cathar. Sp.94.F
ex Colocynthide hiera,proprie hiera dr.8°.de cõp.me.se.lo. 5ª.188.D
ex Colocynthide hiera pituitã a capite purgat.1°.d cõ.m.s.l. 5ª.121.E
ex Colocynthide hiera non solum pituitam,sed et alios purgat humores.1°.de comp.med.sec.loc. 5ª.121.E
ex Colocynthide hierę quantitas exhibenda,& frequentia.1°.de cõpo.med.sec.loc. 5ª.121.G
ex Colocynthide hiera purgatus qui fungis vsus fuit.1°.de comp.medica.sec.loc. 5ª.121.G
ex Colocynthide hiera quæ habet elleborum nõ aũt scãmoniã in pleuritide danda est.de vict.rat.in mor.acu.com.2°. 7ª.118.C
Colocynthis purgatiua est neruorũ,& eorũ passionũ.de dyn. Sp.21.D
ex Colocynthide catapotia.3°.de comp.med.sec.loc. 5ª.145.B
ex Colocynthide,aloe,& scãmonia pilulæ Galeni.14°.met. 7ª.89.C
ex Colocynthide,aloe,& scammonia catapotia quo modo conficiantur.1°.de comp.med.sec.loc. 5ª.121.G
ex Colocynthide,aloe,& scammonio pilulæ exceptæ succo brassicæ. 2°.de comp.med.sec.loc. 5ª.131.F/*de remed.par.fac.* 7ª.154.D
ex Colocynthide,aloe,& scãmonia catapotia educũt bilem & pituitam a toto corpore,& a capite.1°.de comp.med.se.loc. 5ª.221.F
Colocynthidis medullæ pars vna,aloes,& scammonij partes duæ,succi absinthij pars vna excepta succo pomorum pilulæ sunt ad alopeciam & ophiasin.de rem.par.facil. 7ª.154.G
Colocynthis i clysteri phlegmõe iecoris i declinatiõe.13°.met. 7ª.84.A
Colocynthis viridis succus intritus ischiadib.pdest.7°.d sim. 5ª.52.A
Colocynthidis prodest.10°.de simp.med.se.loc. 5ª.207.B
in Colocynthidis corio calefactum vinum.de reme.par.fa. 7ª.159.E
Colocynthidis electarium.de med.exper. Sp.107.G
COLON *intestinum vnde sit dictũ,& eius vtilitas.de ana.vi.* Sp.50.E
Colon vocat crassius intestinum.6°.de san.tuen. 2ª.98.F
Colon quintum in ordine intestinorum. 5°.de vsu part. 1ª.142.E/*de anat.viuorum.* Sp.50.B
Colon vt est in medio,ita iuuatur exercitatione inferiorum,& superiorum partium.5°.de san.tuen. 2ª.90.B
Colon cur sit obliquum.de anat.viuo. Sp.50.E
Colon proportionatur cæco intestino.4°.de vsu par. 1ª.141.D
in Colo,et cæco intestino seruat excremẽti portio.1°.de cris. 4ª.129.c
Colon intestinum.6°.de anat.admi. 1ª.92.F
in Colo intestino venæ & arteriæ adeo sibi mutuo sunt vicinæ & continuæ,vt se contingant.9°.de vsu par. 1ª.172.H
Colõ mouet ad motũ respiratoriorũ organorũ.1°.de diff.resp. 3ª.59.H
Colo turpe est virum robustum ægrotare.5°.de san.tuen. 2ª.88.H
ex Colo intestino fit quandoq; hectica.10°.meth.med. 7ª.64.F
in Colo intestino si fuerit affectus qũo cognoscat.2°.de loc.aff. 4ª.9.F
in Colo abscessum esse significauit stercus exiens ex incisione pani supurati.1°.de loc.aff. 4ª.2.B
ad Coli affectus sm Asclepiadem.9°.de comp.med.sec.lo 5ª.202.D
ad Coli affectus.8°.de comp.med.sec.loc.188.H/ 5ª.196.H
ad Colon pertinet dolor infixus.2°.de loc.aff. 4ª.11.A
Coli,& renum dolores decipiunt medicos,nec requirunt multum varia medicamenta.6°.de loc.aff. 4ª.36.E
Coli,& lapidis dolores difficulter distinguuntur.2°.de loc aff. 4ª.9.E
Coli,& renum communicatio in symptomatib.6°.de loc.aff. 4ª.36.D
Coli,& lapidis dolores hñt præsidia cõmuna.2.de loc.aff. 4ª.9.F
in Coli,& lapidis dolore calida adhibentur.2°.de lo.aff. 4ª.9.F
Coli doloris symptomata,& differentiæ.6°.de loc.aff. 4ª.36.F
Coli dolore minor est capitis dolor.2°.de comp.med.sec.lo. 5ª.134.H
Coli dolor talis,vt seipsos aliq interfecerint.2°.de cõp.m.s.l. 5ª.134.g
in Coli dolore vrina rubra mortem prædicit.de dyna. Sp.35.D
in Coli dolore fomentum siccum ex milio.12°.meth.med. 7ª.79.G/F
Coli dolor in aliquibus minus vexat,qui non vnguntur, neq; perfunduntur.12°.meth.med. 7ª.79.E
in Coli dolore quæ per sedem imponenda.12°.meth.med. 7ª.78.G
in Coli dolore balanus.12°.meth.med. 7ª.79.F
in Coli dolore clysser qui recipit auferis seuũ.12°.meth.me. 7ª.79.F
ad Coli & intestinorũ dolores oleũ rutaceum.12°.met.me. 7ª.78.H
ad Coli dolores medicamẽtũ ano imponẽdũ.de rem.par.fa. 7ª.168.A
Coli vitio obnoxijs theriaca prodest.de ther.ad Pis.96.B/d vsu ther. ad Pamph. 5ª.98.F/*12°.meth.med.* 7ª.79.F
in Coli vehementibus doloribus stupefacientia adhibentur.3°.de cõpo.med.sec.loc. 5ª.140.G
in Coli dolore q̃ stupefacientia.in 6m.de mor.vul.com.6°. 3ª.191.E
i Coli dolore valet succy papaueris et castor eũ ĩtecta.12°.met. 7ª.79.f
ad Coli dolorem.9°.de comp.med.sec.loc. 5ª.201.A
Coli dolor per duos dies vexauit.2°.de symp.cau. 3ª.23.F
Coli doloris in intestinis casus.1°.de loc.aff. 4ª.5.G
Coli intestini dõloris a purgante medicamẽto casus.1°.de lo.aff. 4ª.5.H
in Coli dolore casus rustici quo modo se curauerit,& sanatus sit.12°. methodi med. 7ª.79.E
Coli dolor cum febre quo modo curandus.12°.meth.med. 7ª.79.F
ad Coli inflationes Antonij pharmacopolæ.9°.de cõp.m.s.l. 5ª.202.D
ad Coli inflationes Chariclis. 9°.de comp.med.sec.loc. 5ª.202.D
Coli,& matricis prolixis inflationibus pdest pepliũ. de dyn. Sp.21.A
ad Coli inflationes.2°.de antid. 5ª.116.A
Coli inflammati pulsus,qualis.de puls.ad tiro. 4ª.45.A
ad Coli mordicationẽ valet adeps caprinus.11°.de simp.m.f. 5ª.78.H
ad Colon pulsu exagitatum theriaca valet. de ther.ad Pis. 5ª.91.F
ad Colon infestantes rugitus valens antidotus.2°.de antid. 5ª.111.F
Coli tormina qua pituitæ specie fiunt.2°.de diff.feb. 3ª.37.F
Coli,splenis,& hepatis tumores q̃ respiratione faciãt.d dif.re. 3ª.59.c
ad Colon turgidum.2°.de antid. 5ª.118.A
Colo vexatus solis purgationibus sanatus.de purg.med. 5ª.87.G
Colo laboranti non sunt admouẽda adstringentia.11°.met.me. 7ª.73.B
COLOPHONIA *quæ,& qualis.2°.de compositione medicamentorum per gen.219.E/3°.* 5ª.233.C
Colophonia õium resinarũ siccissima est.3°.de cõp.m.per g. 5ª.230.c
Colophonia,pinea,& phrycta resina accipiuntur pro eodem.7°.de cõpo.med.per gen. 5ª.264.B
Colophonia,& phryctę melior Terebinthina.1°.d cõ me.p.g. 5ª.215.D
Colophonia quædam est chia mastica persimilis.7°.de comp.medicamen.per gen. 5ª.264.B
Colophonia liquida.5°.de comp.med.per gen. 5ª.246.H
COLOR *quid sit.de hist.philos.* Sp.5.B
Color proprium sensibile visus.7°.de decr.Hipp. 7ª.271.A
Colores ex contrarijs facti.1°.de symp.cau. 3ª.17.B
Colores cõsequunt mixtionem ex qualitatibus.1°.de vsu p. 1ª.115.D
Colorum genera tantum quatuor.de hist.philo. Sp.5.B
Colorum causas tractare nõ spectat ad medicum.8°.de decr. 1ª.275.H
de Coloribus librum fecit Galenus.6°.de decr.Hipp. 1ª.226.D
propter Colorẽ fit actio oculorũ ex cõsequenti.1°.de vsu p. 1ª.115.E
Colorum dignotiones sunt operationes oculi.5°.de decr. 1ª.255.F
a Coloribus solus alteratur crystallinus humor.1°.de sym.ca. 3ª.14.B
Colorum alteratio cito peruenit ad cerebrum.1°.de vsu p. 1ª.167.F
in Colores quo modo aer mutetur.de ocul. 7ª.185.B
Coloratum cognoscit visus vnà cum colore.7°.de decr. 1ª.271.A
inter Colores medios non discernunt oculi piscium propter debilitatem visus ex continua apertione.de ana.viuo. Sp.49.B
Colorem non variat incrementum rerum.de tum.præter nat. 3ª.82.H
Coloribus cito,et velociter opponit albũ,et splẽdidũ.d ocul. 7ª.182.G
à Coloribus omnib.alterationes sunt pathemata,siue passiones visus. de symp.

de ſymptom.cauſ. 3ª.10.D
Color cęruleus confert lippientibus.de ſubfig.empirica. Iſa.32.B
*Color cęruleus viſui iocundus.*1°.*de ſymptomatum cauſis.* 3ª.17.A/ *de ana.ocul.* Sp.57.E
*Colores qui viſum conſolentur.*1°.*de ſymp.cau.* 3ª.14.F
Coloris citrini non nihil habet tertius humor oculi,qui eſt vt vitrum. de compag.memb.ſiue de nat.hu. Sp.58.C
Colores oculorum non ſignificant ſuper totam temperaturam.in 3ᵐ.*de mor.vulg.com.*3°. 3ª.146.D
Color vuæ tunicæ.de anat.viuo. Sp.48.F
Colorem Citrinum a Leone tenuit Alexander.de ſper. Sp.38.H
Color citrinus & aliqñ viridis eſt cõcepti i horis bilis.de ſper. S.37.C
Color Fulgidus aerem mutat in inſtanti.de oculis. 7ª.185.C
*Color Lacteus a lacte clare denominatur,ſed de porro & porraceo dubitatur.in progno.com.*2°. 4ª.201.G
Colorẽ Liuidum,& nigrũ facit frigus.de mel.ex Gal.Ruf. Sp.109.F
*Color Phœniceus vnde dicatur.in prognoſt.com.*2°. 4ª.201.G
*Coloris phœnicei quouſq; euadãt partes ſpõgijs ſouẽdæ ſunt,q̃ nec tumeſcũt,nec rubeſcũt,& deinceps ſcarificãdę.de cucur.ſcar.*6ª.3.c
*Color Ruber in ſanguine a quo fiat.*8°.*de decr.Hipp.* 1ª.277.G
Color rubeus nocet ſanguinem expuentibus.de ſubfig.emp. Iſa.32.B
*Color Rufus qui ſit.*1°.*de criſ.* 4ª.130.B
Color rufus eſt qualis eſt ſandarachę.in 6ᵐ.*de mor.vul.c.*1°. 3ª.155.F
*Color ſplendidus ſumme aduerſatur lippienti.de ſubfig.emp.*Iſa.32.B
*Coloris Vitalis flos.*1°.*de diff.feb.* 3ª.34.F
ſecundum Colores carnis diuerſitas. Sp.55.G
*in Coloribus humorum variationes.*8°.*de decr.Hip.* 1ª.276.A
Colores hominum conſiderare debet medicus.de ſper. Sp.39.F
*Color quando non eſt conſiderandus.*4°.*de ſan.tuen.* 2ª.84.A
*Color quem hæmorrhoides induxerunt a docto medico cognoſcitur.*1°. *de locis affectis.* 4ª.6.D
Colores ſignificãtes tẽperamẽta.in 3ᵐ.*de mor.vul.com.*3°.3ª.146.D
*bñ Colorata ſũt corpora in aglonia tẽpeſtate.cõ.*3°.*aph.*17°.*Ex.*23.f
*bene Colorata eſt mulier ad ſeipſam collata ſi marem concepit,ſi vero fœminam,male colorata.com.*5°.*aph.*42°. *Ex.*41.D
Coloratior facies quid ſignificat.in 1ᵐ.*prorrh.com.*1°. 4ª.170.H
*Colores varij ſecundum varium ſanguinem.*2ᶜ.*de elemen.* 1ª.9.A
*Coloris vitium non eſt morbus.*1°.*meth.med.* 7ª.8.C
*Color vitioſus eſt affectus.*2°.*meth.med.* 7ª.10.A
*Color ſignificat affectum.*1°.*de loc.aff.* 4ª.6.D
*Colores hominum oſtendunt humores abundantes.*8°.*de decr.*1ª.276. F/4°.*de ſan.tu.*2ª.84. B/14°.*meth.med.* 7ª.93.D
*Color prouenit a ſuccis, cum ſe ſucci in altum non receperunt.*4°.*de ſan.tu.*2ª.84.A/*com.*1°.*aph.*2°. *Ex.*3.D
*Color præter naturam totius corporis notat humorem euacuandum. com.*1°.*aph.*2°.3.D/*com.*4°.*aph.*2°. *Ex.*27.E
*Color albicans ſignificat pituitam.com.*4°.*aph.*2°. *Ex.*27.F
*Color niger toti corpori quo modo ex liene fiat.de atra bile.*1ª.36.A/ 5°.*de loc.aff.* 4ª.83.B
Color ater præter naturam,ſimilis eſt atro colori qui naturalis eſt.de opt.ſecta. Iſa.26.A
*Colorem plumbi aliqui habent.*4°.*de ſan.tuen.* 2ª.84.B
*Colorem mixtum ex albo,& liuido aliqui hñt.*4°.*de ſan.tu.* 2ª.84.B
Color liuidus in febribus ſemper malus.ĩ 6ᵐ.*de mor.vul.c.*1°.3ª.159.g
Color pallidus & ruber familiaris in febribus.in 6ᵐ.*de morb.vulgarib.commen.*1°. 3ª.159.G
Colore faciei rubro ſignificatur ſanguis è naribus & abſceſſus poſt aures.in 1ᵐ.*prorrh.com.*1°. 4ª.170.G
*Coloris viridis,& nigri in acutis cauſa.in progno.com.*1°. 4ª.191.D
*Color totius vultus viridis, aut niger,malus.in progn.cõ.*1°.4ª.191.B
*Colore malo qui ſint.de vict.rat.in mor.acu.com.*4°. 7ª.150.H
*Color patientium peſtilentiam,qualis.*3°.*de præſag.ex pul.*4ª.116.G
*ĩ Colore et alimẽto paulati lędii hõ iecore debilitato.*6ᶜ.*d dec.*1ª.261.b
*Color linguæ,et totiꝰ corpis alterat iecore vitiato.*2°.*de lo.aff.*4ª.13.E
*Colorũ vtijs cognoſcunt affectꝰ ex iecore et ſplene.*3°.*de lo.af.*4ª.18.e
*Colores varij ob iecur male affectum.*5°.*de loc.aff.* 4ª.34.B
Color pallidior in toto corpore apparens ſignificat bilis exceſſum.cõ. 4°.*aphor.*2°. *Ex.*27.E
Color a facie icterici quibus ſit abolendus.de cura icteri. Sp.111.F
Colorem quæ expurgent.de cura icteri. Sp.111.B
Colores malos emendant herbum.de ſimp.med. Sp.85.B
*Colori citrino valens medicamen Azariconis.de med.exp.*Sp.105.G
*Colorem ictericorum potenter emendat triaſandali.de dyna.*Sp.26.E
Coloratis male theodoricum emperiſton facit.de dyn. Sp.25.H
Colorem bonum facit acetum ſtillinum.de medic.fac.par. 7ª.178.C
*Colorem bonum in vniuerſum inducens confectio.*8°.*de comp.medic. ſecundum loc.* 5ª.195.G
Color hilaris quo modo per totum corpus inducatur.de dyn. Sp.25.G
*Colorem faciei nitidiorem per pharmaca facere eſt comptorij maleficij.*1°.*de comp.med.ſec.loc.* 5ª.126.B
Color in quibus viſibiliter mutetur.de ſymp.diff. 3ª.13.B
Colores naturales in quibus mutantur.de ſymp.diff. 3ª.13.B
*Coloris ſymptomata vnde.*3°.*de ſymp.cauſ.* 3ª.30.D
*Color quo modo muteť in corpore,& ex quib.*4°.*de ſan.tu.* 2ª.84.A
*Colores quo mõ i corpore affecto mutabunť.*3°.*de ſymp.cau.*3ª.30.A
*Color qũo muteť i leuce,& elephãtiaſi diſputatio.de ſym.dif.*3ª.12.H
Color vnius particulæ quandoq; mutatur.de ſymp.dif. 3ª.13.B
*Colores præter naturã morbos neceſſario ſequunť.de ſym.dif.*3ª.13.F
*Coloris mutationes in toto corpore longitudinem morbi ſignificant.cõmen.*4°.*aph.*40°.*Ex.*32.D/*de præſ.exper.conf.* Sp.77.G
Color mutatus ex fluxu ſanguinis ſuperfluo ſignum eſſe infrigidati,& humectati corporis,collige.ſecretorum. Sp.98.G
Coloris mutatio in ſanguine quo modo intelligitur.de venæ ſect.aduer. Eraſiſtratum. 6ª.7.G
*ex Coloribꝰ ſputorũ diuerſitas humoris oñditur.*2°.*de loc.af.*4ª.13.b
de Colore ſedimenti.de vrinis. 4ª.124.B
*Colores nigros in excremẽtis ſponte deiectis,malum portendere colligę.com.*4°.*aph.*21°. *Ex.*19.D
*Colores præter naturam plures in excrementis eductis a medicamento vim habente plures humorum ſpecies euacuare,nihil abſurdum ſignificant.com.*4°.*aph.*21°. *Ex.*29.F
Colores præter naturam multi ſponte euacuati multarũ atq; malarũ diſpoſitionum in corpore ſunt ſigna.com 4°.*aph.*21°. *Ex.*29.F
Colorẽ graminis habẽtia excremẽta.in 3ᵐ.*de mor.vul.cõ.*3°.3ª.148.f
*Colorem,odoremq; excremento quod euacuatur ſimilem habent ſudores.*3°.*de ſymp.cau.* 3ª.28.F
Colores nebularũ in vrinis cõſiderandi.de vri.ſigni.ex Hip. Sp.78.G
*Colores vrinarũ,& nebularũ quid importẽt.cõ.*4°.*aph.*71°. *Ex.*35.D
Colores vrinarum qui ſpectant,tinctiones per deriſum ab Eraſiſtratijs appellantur.de cauſ.procatar. 3ª.98.C
Colores vrinarum,quales.de vrinis. 4ª.123.A
Coloris ſubſidentiarum vrinarum varitas vnde proficiſcatur.in 6ᵐ. *de mor.vul.com.*1°. 3ª.155.F
*Color ſubrubeus vrinæ ſalutaris eſt.com.*4°.*aph.*71°. *Ex.*35.D
Coloratam bene duntaxat eſſe vrinam ſufficit quandoque ad ſolutionem morbi.de viri.ſign.ex Hipp. Sp.79.C
Color vrinæ ſi bilioſus fuerit,hypoſtaſis autem alba,erit bilis cum pituita.de vri.ſign.ex Hipp. Sp.79.D
*Colore cholerico ſi fuerit vrina albã habens nebulam,& furfures ſupernatãtes,aut lõgã ægritudinẽ aut mortẽ ſignificat.de dy.*Sp.34.c
Colorem æruginoſum habens vrina ſpaſmũ ſignificat.de dyn. Sp.34.B
Colorem non bonum habens vrina in ſynocha, & ſi nõ fuerit digeſta, vel conſtitutionẽ vrinę animalis ſimilem habuerit,et miſſa in calice cito reſederit,& amens patiens fuerit,& inſomniam ſenſerit,ſpaſmum ſignificat,aut mortem.de dyna. Sp.34.E
Color vrinæ ſi albicãs fuerit, & hypoſtaſis ruſa quid fieri debeat.de vri.ſigni.ex Hipp. Sp.79.D
Colorũ oleoſorũ in vrinis iudicia.in 3ᵐ.*de mor.vul.com.*3°.3ª.147.H
ſecundum Colorem,& regionem differunt aquę.de ho.aquę. Sp.76.A
*a Colore ſecũda bonarũ,et malarũ aquarũ cognitio.de ho.aq.*Sp.76.A
*Colore,& guſtu cognoſcimus fruges calidas eſſe vel frigidas.*1°.*de alimen.facultatib.* 2ª.13.B
*Color albus minime calidum indicat vinum.*5°.*de ſan.tu.* 2ª.91.A
*Color flauus calidiſſimum eſſe indicat vinum.*5°.*de ſan.tu.* 2ª.91.A
Coloris granati vinum eſt boni nutrimenti.de diff.cont. Sp.73.B
*Color vini per ſe nec prodeſt nec obeſt,ſed per accidens. de vic.ra.in mor.acu.com.*3°. 7ª.125.H
*in Coloribus ſingulis calida,frigida, humida,ſiccą,reperias.*4°.*de ſimp.med.fac.* 5ª.31.D
*Colores,odores,conſiſtentias, formas medicamenti cuiuſque non eſſe æſtimandas,collige.*2°.*de ſimp.med.fac.* 5ª.10.A
*neq; Colores,neq; odores,neq; alia accidẽtia ſunt conſideranda in expendendis facultatib.medicamentorũ.*2°.*de ſimp.med.fa.* 5ª.16.E
*ex Colore quærentes facultates medicamentorũ,reprehendũtur.*3°.*de ſimplic.*

simp.med.fac. 3ª.17.C
ex Coloribus certum, tutumq; non est de tota medicaminum facultate conijcere. 4°.*de simp.med.fac.* 5ª.31.D
ex Colore arguit similitudinem naturæ Galenus in cnico, & pituita. 3°.*de simp.med.fac.* 5ª.23.D
Colores quo mõ varietur in emplastris. 2°.*de cõp.med.p ge.* 5ª.222.B
sui Coloris cur debent esse fasciæ.de fascijs. 7ª.293.G
COLVMBAE *boscades, quæ.* 2°.*de comp.med.per ge.* 5ª.223.C
Columbæ non habent flauam bilem secundum aliquos, quia non habẽt vesiculam fellis, sed ridiculi sunt.de atra bile. 1ª.37.F
Columbæ volucres laudabiles.de ren.affect.dign.& med. 7ª.195.F
Columbæ nulla ex parte omnino damnandæ.de bo.& vi.suc. 2ª.34.H
Columbæ turricolæ sunt meliores domesticis ad tenuantem cibum. de atten.vict.rat. 2ª.45.C
Columbæ caro ad coquendum facilior gressilibus. 3°.*de ali.fa.* 2ª.29.C
Columbarum pulli sunt boni chymi,& subtilis.de diff.con. Sp.73.H
Columbarum pullorum caro generat sanguinem calidiorem, et crassio rem temperato.de diff.cont. Sp.73.A
Columbæ edendæ sunt modice si homo viuit ocioso.de atten.vi. 2ª.45.F
Columbę iuuenes vtiles in calidis,& siccis. 8°.*meth.med.* 7ª.51.B
Columbæ gregales in turri nidificantes conueniunt siccis. 6°.*de sanita te tuenda.* 2ª.99.G
Columbi languentibus dari consueti.de vict.ratio.in morb.acutis, com mentario. 1°. 7ª.113.C
Columbarum pulli dandi sunt his quibus dolet caput. de comp.medic. secun.loc. 5ª.133.E
Columbinus sanguis, qualis. 2°.*de comp.med.per ge.* 5ª.223.C
Columbarum sanguis nõ est inferior sanguine suũ. 3°.*de ali.fa.* 2ª.29.b
Colũbarũ sanguis multo peior sanguine leporino. 3°.*de ali.fa.* 2ª.30.a
Columbarum sanguiue quidam vescuntur. 3°.*de ali.fac.* 2ª.29.H
Columbæ sanguis menyngi affunditur in fractura cranei. 10°.*de simpli ci.medic.fac.* 5ª.72.G/H
Columbæ ne an colũbi, pulli vel adultæ sanguis debeat poni super menyngem. 10°.*de simp.me.fac.* 5ª.72.H
cum Columbino sanguine fœnugræci succus ad ophthalmias oculorum. 10°.*de simp.med.fac.* 5ª.72.H
Columbinus sanguis instillatus ad hæmalopas,& hyposphagmata. de remed.par.facil. 7ª.156.F
Columbę sanguis instillatus ad nyctalopas.de reme.par.fa. 7ª.156.H
Colũbæ sanguis ad hyposphagmata in oculis. 10°.*de sim.me.fa.* 5ª.72.b
Columbę sanguis ex pennis teneris in oculis cruentis & in plagis eorum. 4°.*de comp.med.sec.loc.* 5ª.157.G
Columbæ sanguis ad petiam oculi.de ocul. 7ª.190.D
Columbæ sanguis ad oculorum tumores.de ocul. 7ª.190.D
Columbarum stercus, quale. 3°.*de comp.med.per ge.* 5ª.234.A
Columbarum stercus non fœtidam. 10°.*de simp.med.fac.* 5ª.77.A
Columbino stercori accumulato, potissimum sylvestrium columbarũ, si manum inferas, etiam si calidam, manifestam tamen senties calidi tatem. 3°.*de simp.med.fac.* 5ª.22.G
Columbinum stercus acre. 6°.*de comp.med.per gen.* 5ª.256.F
Columbarum,& iumentorum excrementa a sole calefacta exurebãt. 1°.*de diff.feb.* 3ª.33.A
in Columbarum stercore ignem accẽsum ob putrefactionem vidit Galenus.de cauf.mor. 3ª.6.D
Columbarum agrestium stercus maiori tempore perfecte accenditur, & plurimo tempore durat. 6°.*de simp.med.fac.* 5ª.48.A
Columbinum stercus quo modo accendit domum ex reflexione solis. 3°.*de temperamentis.* 1ª.22.D
Columbinum stercus est minus subtile Euphorbio. 3°.*de compo.medi. per genera.* 5ª.234.B
Columbinus fimus admodum attrahit. 5°.*de simp.med.fac.* 5ª.36.F
Columbinum stercus ad pilorũ ablationem in oculis.de ocul. 7ª.190.E
ex Colũbarũ stercore medicametũ. 3°.*de cõp.med.per ge.* 5ª.234.A
Columbinum stercus quale sumi debet. 2°.*de comp me.se.l.* 5ª.140.B
Columbarum domesticarum stercus imbecillius est montanarum. 10°. *de simp.med.fac.* 5ª.76.H
Columbarum stercus ad quæ valet. 10°.*de simp.med.fa.* 5ª.77.A
Columbarum stercus ad rubrificandum. 10°.*de simp.me.fac.* 5ª.77.a
Columbarum stercus. 3°.*de comp.med.per ge.* 5ª.231.A
COLVMBINA *herba columbaria, verbena, & peristereon, idem est. de simp.med.* Sp.89.C
COLVMBARIA *pars organorum.de machin.* 7ª.309.F
Columbaria cur in organis.de machin. 7ª.310.B
COLVMNA *ita est matrix mulieri, vt masculo veretrum.de natura et ordi.cuiuslib.corp.* Sp.42.B
Columnæ quid.de hist.philos. Sp.7.F
Columella quid sit.de comp.med.sec.loc. 5ª.172.E
Columna & vua idem. 11°.*de vsu par.* 1ª.188.E
Columellæ vtilitas. 11°.*de vsu par.* 1ª.88.F
in Columellæ vitio quid agendum. 14°.*meth.med.* 7ª.90.H
Columella cum ex capite ægrotat qũo curanda. 6°.*de sa.t.* 2ª.100.A
in Columellam quibus fluxiones procumbunt, quæ exercitatio sit vitandæ. 5°.*de san.tuen.* 2ª.90.A
in Columellis tumentibus quæ vitanda. 6°.*de cõp.me.f.lo.* 5ª.174.H
Columellæ prodest acantha ægyptia. 6°.*de simp.med.fac.* 5ª.42.A
ad Columellæ affectus hirundines vsq; valẽt. 11°.*de sim.me.f.* 5ª.82.B
Columellæ inflammatio vua dicitur. 6°.*de comp.med.se.lo.* 5ª.173.E
Columellæ inflammationes quo modo secundum tempora curandæ. de reme.para.facil. 7ª.157.E
Columellæ phlegmonæ quæ conueniant. 7°.*de simp.med.fac.* 5ª.51.H
Columellas phlegmone grauatas iuuat euidenter lapis ageratus. 9°. *de simp.med.fac.* 5ª.67.H
Columellã phlegmone affectã mitigat lac. 10°.*de simp.me.fa.* 5ª.73.H
Columellam phlegmone affectam quo modo iuuat succus cyrenaicus collo suspensus. 6°.*de simp.med.fac.* 5ª.45.H
ad Columellas inflammatas. 6°.*de comp.med.sec.lo.* 173.C/5ª.174. D/F/*de rem.par.* 157.H/ 7ª.158.A
ad Columellã diu inueteratã capita mẽtidũ faciũt. 11°.*de simp.* 5ª.79.F
Columella pendula quid sit. 6°.*de comp.med.sec.loc.* 5ª.574.E
ad Columellam pendulam. 6°.*de comp.med.sec.loc.* 5ª.174.E
ad Columellas laxatas Asclepiadis. 6°.*de cõp.me.sec.lo.* 5ª.174.G
ad Columellam laxatam Heræ. 6°.*de comp.med.sec.loc.* 5ª.174.F
ad Columellam laxatam. 6°.*de compo.med.sec.loc.* 171.B/7°.5ª.181. G/*de rem.par.fac.* 7ª.158.A
Columella laxata reseccatur. 6°.*de comp.med.sec.loc.* 5ª.174.E
Columella quo casu incidat. 6°.*de sa.t.* 2ª.98.F/14°.*met.me.* 7ª.90.G
Columellã Galen.præsecuit, ac solo eo diphryge, quod post cadmiã reperta fuerat, ad cicatricẽ vsq; est vsus. 9°.*de simp.me.fa.* 5ª.69.B
Columella quo modo auferenda. 14°.*meth.med.* 7ª.90.G
ad Columellas Critonis. 6°.*de comp.med.sec.loc.* 5ª.175.A
Columellæ pharmacum. 6°.*de comp.med.sec.loc.* 5ª.173.F
ad Columellam vtitur aridis. 6°.*de comp.med.sec.lo.* 5ª.172.G
contra Columellã arida excipiunt cochleari, quod melius est vt in obliquã lineã desinat quã in rectã. 6°.*de comp.med.se.lo.* 5ª.172.G
in Columella causlicis vtitur. 14°.*meth.med.* 7ª.91.A
ad Columellas Sorani. 6°.*de comp.med.sec.loc.* 5ª.175.A
ad Columellam. 6°.*de compo.medi.sec.loc.* 5ª.172.E/*de medici.facil.parab.* 169.H/ 7ª.171.E
Columella sanguinẽ effundens difficulter cõpescitur.fin.med.Isa. 50.A
COLYMBADIS *herba, qualis.* 1°.*de antid.* 5ª.101.B
COLYMBAENAE *conueniunt stomachicis.* 8°.*de compositione medica. secundum loc.* 5ª.192.C
COMA nomen habuit a symptomate. 2°.*meth.med.* 7ª.9.E
Coma apud Hippocratem quid significet fm aliquos.de com. 3ª.48.H
Κῶμα, græci vocant marcorem frigidi succi. 4°.*de san.tu.* 2ª.84.E
Coma quid vocetur secundum consuetudinem.de comate. 3ª.49.H
Coma quid sit.de symp.diffe. 11.G/*de comate.* 3ª.49.G/*in* 1ᵐ.*prorr. com.* 1°.161.B/*com.* 3°. 4ª.178.C
Coma vnde oriatur.de comate. 3ª.49.A
Coma quo modo fiat.de mult. 3ª.81.G
Coma q̃ nã sit, & an caros possit appellari.in 1ᵐ.*prorr.cõ.* 1°. 4ª.173.F
Coma est somnus obstupidus.in progn.com. 1°. 4ª.192.A
Coma pro somno.de comate. 3ª.48.H
Coma vigiliæ opponitur.de comate. 3ª.49.E
Coma vigil.de comate. 3ª.49.H/*in* 1ᵐ.*prorr.com.* 1°. 4ª.161.B
cum Comate fiunt vigiliæ.in 1ᵐ.*prorr.com.* 1°. 4ª.161.B
Coma iunctum vigilantiæ quo modo fiat.in 1ᵐ.*prorr.c.* 3°. 4ª.178.D
Coma ecstasi contraria.in 1ᵐ.*prorrh.com.* 3°. 4ª.179.D
Coma a quo fiat humore. 1°.*de symptom.cau.* 3ª.19.B/*in* 1ᵐ.*prorrheti. commentario.* 3°. 4ª.188.G
Coma, & caron faciunt frigida non somnum. 1°.*de symp.cau.* 3ª.19.B
Coma & altus somnus proprium sunt cerebri humiditatis. 4°.*de præsag.ex puls.* 4ª.120.G
Comatis vitio stomachi quidam corripiuntur. 1°.*de symp.ca.* 3ª.18.F

Coma non neceſſario ſequit̃ male cõcoquentẽ. 3°. de ſymp. ca. 3ª. 30. B
Coma ex immodico vini potu. 3°. de temp. 1ª. 23. D
Comatoſis quæ ſyntomata contingunt. in 1ᵐ. prorr. cõ. 1°. 4ª. 160. H
Comatoſi habent oculos clauſos. in 1ᵐ. prorr. com. 1°. 4ª. 176. F
cum Comate deſipientia quo modo fiat. in 1ᵐ. prorr. com. 1°. 4ª. 168. B
cum Comate ceruicis dolor quid ſignificet. in 1ᵐ. prorrheti. commentario. 3°. 4ª. 179. C
Comata cur ſunt ſine inſomnijs. in 1ᵐ. prorr. com. 1°. 4ª. 163. G
cum Comate deſipientium pulſus, qualis. in 1ᵐ. prorr. cõ. 1°. 3ª. 168. B
Coma habentes non phrenitici. de comate. 3ª. 49. B
Comatoſus homo qũo fiat, & qui pulſus. 4°. de præſ. ex pulſ. 4ª. 121. A
in Comate cauſa præcedens pulſus mollis eſt præter naturam. 1°. de præſag. ex pulſib. 4ª. 109. D
in Comate euacuandũ ante aquarũ diẽ. in 1ᵐ. prorr. com. 1°. 4ª. 161. E
in Comate medicamenta capiti applicantur. 1°. de ſymp. cau. 3ª. 19. B
COMA *non alende ante curationem in defluuio capillorum. 1°. de compo. med. ſec. loc. 5ª. 125. F*
ad Comam. de medic. fac. par. 7ª. 175. F
COMAE *roſarum. 5°. de comp. med. ſec. loc. 5ª. 166. B*
COMACINVM *vnguentum conuenit frigiditatibus. 3°. de ſanitate tuenda. 2ª. 81. C*
Comacinum vnguentum ad quid vtile. 3°. de ſan. tu. 2ª. 81. C
COMAGENVM *ex Syria aſportatur. 2°. de compoſi. medicamen. ſecundum locos. 5ª. 135. F*
Comagenum oleum acopon. 7°. de compoſi. med. per gen. 5ª. 269. F
Comagenum oleum laxat. 7°. de comp. me. per ge. 5ª. 264. E
Comagenum ad ſicca liquanda. 7°. de comp. med. per gen. 5ª. 264. C
COMMANDVCATIONES *ad molares dentes. 5°. de compo. med. ſecundum locos. 5ª. 164. B*
COMARVS, *ideſt arbutus. 7°. de ſimp. med. fac. 5ª. 52. A*
Comarus eſt planta agreſtis. 2°. de alim. fac. 2ª. 21. H
COMBVRVNTVR *quandoque partes ſub cute ipſa refrigerata. commen. 4°. aph. 37°. 32. B/aph. 48°. 33. B/com. 7°. aph. 1°. 54. A/aphoriſmo. 68°. Ex. 60. F*
COMBVSTA *an calidiora ſint vel frigidiora. 9°. de ſimpli. medicamen. facultatibus. 5ª. 64. C*
Combuſta quæ calida, & quæ frigida fiant. 9°. de ſimp. med. fa. 5ª. 64. E
Combuſta ab aliquibus frigidiora putantur, ab aliquibus fieri magis calida. 9°. de ſimp. med. fac. 5ª. 64. E
Combuſtum nullum eſt frigidum. 9°. de ſimp. med. fac. 5ª. 64. E
non Combuſta, diphryges, ſarcocolla, chalcitis, æs, ærugo, chalcanthũ acria omnia. 4°. de comp. med. per ge. 4ª. 238. G
Combuſta diphryges, ſarcocolla, chalcitis, æs, ærugo, chalcanthum, moderata. 4°. de comp. med. per gen. 5ª. 238 G
COMBVSTIO *tollit eroſionem ſimplicib. 4°. de cõp. me. p ge. 5ª. 236. B*
ex Combuſtionibus ephemeræ tactu cognoſcuntur. 1°. de arte cura. ad Glauconem. 7ª. 95. D
ad Combuſtos ſuccus Centaureæ. de vir. cent. Sp. 93. F
ad Combuſta faciunt Ederæ folia. de ſimp. med. Sp. 84. A
Combuſtis mederi & ſanguinis profluuijs competere videtur Gallij flos. 6°. de ſimp. med. fac. 5ª. 45. D
Combuſta ſanat Hypericon p fomento poſitum. de ſimp. med. Sp. 92. E
ad Cõbuſta pficiũt Lilij folia cocta & impoſita. de ſimp. me. Sp. 86. D
ad Combuſta illinitur terra ſamia, vt prohibeat fieri poſtulas. de ſimplic. medic. Sp. 85. B
ad Combuſtos. 2°. de compo. med. per ge. 223. A/6°. 5ª. 259. F
ad Combuſtionem in ſtomacho. ſecretorum. Sp. 98. C
cur COMESSE *bibereq; nobis neceſſe eſt. 1°. de ſan. tuen. 2ª. 67. E*
non Comedant cur animalia & ferę quę latibula hyeme habitant. de venæ ſect. adueſ. Eraſ. 6ª. 9. A
Comedenda quæ ſint prius, & quæ poſterius. de vict. rat. in morb. acutis. com. 3°. 7ª. 129. C
Comedendi fructus ante cibum, qui. de diff. con. Sp. 75. A
Comedentes multum facit cholera rubra. de dyna. Sp. 19. E
Comedendi magnum deſiderium remittere, eundemq; proſtratum excitare theriaca poteſt. de vſu ther. ad Pamph. 5ª. 98. F
Comedunt quidam ſemel, ſed plus quam alij bis. de ſal. diæ. 2ª. 41. C
pro Comedentibus ſemel tantum quæ olera conueniant contra ipſorũ ſymptomata. de vic. rat. in mor. acu. com. 4°. 7ª. 145. B
Comederunt qui nuper & biberunt, lauandi non ſunt, neq; nuper loti ſtatim comedant bibantq;. de vic. rat. in mor. acu. com. 3°. 7ª. 132. G
quando Comeditur aliquid, clauditur perfecte coopertorium epiglottidis. de vo. & anhel. Sp. 61. C
Comediſſe oĩno prius oportet, vel aquã prius bibiſſe a leunutrimẽto, & iam ſubducto, q̃ cucurbitulas adhibeas. de cucur. reuul. 6ª. 3. C
per ea quæ Comeduntur, & bibuntur ſanantur vlcera ventriculi, pulmonis, & pectoris. 5°. meth. med. 34. D/10°. 7ª. 64. F
COMOEDIAM *agentes cur multis vtantur balneis, & cibos lenes ac laxantes edant. 7°. de comp. med. ſec. loc. 5ª. 177. E*
COMMENTARIA *differunt a tractatione rerum. in 3ᵐ. de morb. vulg. commentario. 1°. 3ª. 130. A*
Commentatoris enarratoriſue intentio, & officium quod ſit. in progno. commentario. 2°. 4ª. 200. H
Commentariorum officium. in 3ᵐ. de mor. vulg. com. 1°. 3ª. 130. A
Commentator non debet ſolum bene dicere, ſed debet etiam menti hęrere ſcriptoris. de comate. 3ª. 49. B
Commentationes longas eſſe non debere, collige. cõ. 1°. aph. 2°. Ex. 3. E
Commentaria ſua Galenus qua occaſione conſcripſerit. in 3ᵐ. de mor. vulg. com. 1°. 3ª. 134. E
Commentarios ſibi fecit Galenus ob ſenectutem obliuioſam. 3°. de differ. pulſuum. 4ª. 60. H
Commentaria Galeni in primum de morbis vulgaribus, qualia. in 1ᵐ. de mor. vul com. 2°. 3ª. 107. F
Commentaria libri de morbis vulgarib. Hippocratis poſt cõmentaria libri ꝓgnoſtic orũ fecit Galenus. in 1ᵐ. de mor. vul. cõ. 3°. 3ª. 121. A
Commentarius eſt liber ſextus Hippocratis epidemiorum non iuſtum volumen. in 6ᵐ. de mor. vul. com. 1°. 3ª. 154. F
Commentationes in Hippocratem ſuas cur Galenus voluerit eſſe inæquales. in prognoſt. com. 3°. 4ª. 206. E
Commentationes lege Expoſitiones.
COMI *ſemen eſt ſimillimum aniſo. de ſimp. med. Sp. 81. G*
COMMI, *id eſt gummi. 7°. de ſimp. med. fac. 5ª. 52. A*
COMICI *nihil volunt probare: & eorum finis. 5°. de decr. 1ª. 259. D*
Comici cur mordent ſtultitiæ, filios Hippocratis ex ſententia ſtoicorũ. ꝙ animi mores. 1ª. 318. F
COMMINVTAE *in minimas partes piperis particulæ calefaciunt citius. 1°. de ſimp. med. fac. 5ª. 4. C*
COMMISSVRAS *habet fœmina in circuitu, cui galea ſuperpoſita eſt, quã græce cranium appellant. de nat. & ord. cuiuſ. corp. Sp. 41. H*
Commiſſura cranij cur ſerrata. 9°. de vſu par. 1ª. 171. F
Commiſſurę ſquammoſę, quæ. in 6ᵐ. de mor. vul. com. 3°. 3ª. 169. H
Commiſſuras omnes iungit chartilago. 2°. de vſu par. 1ª. 123. F
per Commiſſuras expurgatur cerebrum. 1°. de ſan. tuen. 2ª. 68. D
Commiſſurarum diſtentio inter capitis exteriores connumeratur affectus. introd. Iſa. 59. C
Commiſſurarum diſtentio articulorũ omnium affectus. introd. Iſa. 59. E
de COMITIALI *morbo. 3°. de loc. affe. 4ª. 19. E*
Comitialem morbum epilepſiam vocant. de diff. mor. 3ª. 3. E
Comitialis morbus, cur magnus & puerilis dicatur. in 6ᵐ. de mor. vulgaribus, com. 6°. 3ª. 197. C
Comitialis cur Herculeus dicitur. in 6ᵐ. de mor. vul. com. 6°. 3ª. 197. C
Comitialis cur ſacer morbus, ſed falſa opinione dictus. in 6ᵐ. de mor. vulgarib. com. 6°. 3ª. 197. D
Comitialis non eſt diuinus morbus. in progn. com. 1°. 4ª. 190. D
Comitialis morbus quid. in rod. Iſa. 56. C
Comitialis morbus eſt genus quoddam conuulſionis, & quid ſit. 3°. de locis affectis. 4ª. 17. G
Comitialis morbus eſt conuulſio totius corporis. in 6ᵐ. de mor. vul. cõ. 6°. 3ª. 197. E/1°. meth. med. 7ª. 8. E
Comitialis morbus, et morbus attonitus eſt morbus acutus ſine febre. com. 5°. aph. 30°. Ex. 40. D
Comitialis morbus eſt diuturnus. com. 6°. aph. 47°. Ex. 52. B
Comitialis morbus, diuturnus eſt. fin. med. Iſa. 56. B/1°. de criſ. 4ª. 126. F/quos pur. opor. 5ª. 88. B/com. 6°. aph. 47°. Ex. 52. B
Comitialis morbus inter magnos morbos connumeratur. 6°. de ſanitate tuenda. 2ª. 100. A
Comitialem morbum paruum, in quibus concubitum eſſe Democritus ſentiebat. in 3ᵐ. de mor. vul. com. 1°. 3ª. 130. D
Comitialis morbus habet tempora. de tot. morb. temp. 3ª. 89. C
Comitialis morbus quo modo fiat. in 6ᵐ. de morb. vulg. com. 1°. 3ª. 155. A/4°. de loc. affec. 4ª. 22. H
à Comitiali morbo quo modo differt conuulſio, quæ a ſpinali medulla incipit. 3°. de loc. aff. 4ª. 17. G
Comitialis morbi, apoplexię, cari, catalepſis, catochi, & ſoporis vigilantiæ.

lantiæ differentiæ.4°.de loc.affe. 4ª.23.A
Comitialis morbi & apoplexiæ differentiæ.cõ.2°.aph.43°. Ex.18.G
Comitialis morbi quo modo oritur & in qua parte. in 6ᵐ.de mor.vul. com.6°.3ª.197.D/3°.de loc.aff. 4ª.17.G
Comitialis fit cum pleni sunt ventriculi cerebri.de instr.odor.1ª.112.F
Comitialis morbus propter quas causas iuuenibus fiat.commentario. 5°.aph.29°. Ex.26.c
Comitialis puerorũ morbus vnde.in 6ᵐ.de mor.vul.com.1°.3ª.144.G
Comitialis morbi tres differentiæ,a ventriculo, a cerebro, & ab alia parte.3°.de loc.aff. 4ª.19.E
Comitialis morbi quædam causæ adducuntur.5°.de loc.aff. 4ª.32.F
Comitiales morbi ex ĩmodico vini potu.3°.de tẽ.1ª.22.G/ḍ cau.3ª.7.D
Comitialis conuulsio ex vapore ichorum aliquib.oboritur.6°.de sanitate tuenda. 2ª.98.H
Comitialis morbus fit,siquis plenus humoribus exerceat corpus.commen.3°.aph.20°. Ex.24.c
Comitiales morbos faciunt pauci motus.8°.de san.tu. 2ª.65.F
Comitialis a coitu læditur.in 6ᵐ.de mor.vul.com.6°. 3ª.193.A
Comitialis morbus fit etiam a ventriculo.de symp.caus.3ª.18.F/3°. de loc.aff.19.C.5°. 4ª.32.E
Comitialis morbus ex ore ventriculi ob non probam coctionem,largũ meri potum,veneris immodicum vsum.5°.de loc.aff. 4ª.32.G
Comitialis morbi a ventriculo dependentis exemplo est melancholiæ tertium genus,quod medicorum aliqui hypochondriacum flatuosumq; morbum nominant.3°.de loc.aff. 4ª.18.G
Comitiales affectus sunt frigiditate vincente.de palp.trem.cõ.3ª.54.d
Comitialis morbi & apoplexiæ causa est humor frigidus, & crassus. com.2°.aph.45°. Ex.18.G
Comitialis morb.fit in pluuiarũ multitudine.cõ.1°.aph.16°.Ex.22.H
Comitialis morbus ex pituita ortum habet.com.3°.aph.16°.Ex.23.A
Comitialis morbus fit crassis,frigidis,& pituitosis humoribus.commẽ. 5°.aph.7°. Ex.38.A
Comitialem morbum faciunt atra bilis,& pituita.3°.de lo.af. 4ª.18.D
Comitiali morbo afficiuntur magna ex parte melancholici.3°.de locis affectis. 4ª.18.C
Comitialis morbº cur fiat in autũno,& qbº.cõ.3°.aph.22°. Ex.24.G
Comitialis morbus fit vere.com.3°.aph.2°. Ex.24.A
Comitialem passuro morbum,cerebrum imbecille esse debet.commen. 6°.aph.28°. Ex.49.A
Comitialem morbum antecedit animi defectus.1°.de arte cura.ad Glauconem. 7ª.98.F
in Comitiali morbo loci affecti nullũ est signum.3°.de lo.aff. 4ª.16.B
in Comitiali quæ passio sæpius accidat.de diff.mor. 3ª.3.E
in Comitiali morbo ratio,& memoria læduntur.3°.de lo.aff.4ª.17.g
in Comitiali morbo spiritus quomodo habetur.4°.de loc.affe.4ª.27.E
Comitialis morbus lædit vocem.4°.de loc.aff. 4ª.26.D
Comitialium pulsus qualis.de puls.ad tir.46.B/de cau.pul. 4ª.102.G
in Comitiali morbo quare fiat spuma.com.2°.aph.43°. Ex.18.D
Comitialis morbus proximus est apoplexiæ.com.2°.aph.43°.Ex.18.G
in Comitiali morbo semen quandoq; emittitur.6°.de loc.aff. 4ª.41.G
in Comitiali morbo velox discussio pp quid fit.3°.de loc.aff. 4ª.17.G
vt Comitialis morbus habet accessiones cephalæa.3°.de lo.aff.4ª.20. E/2°.de comp.med.sec.loc. 5ª.137.B
Comitiales circuitus luna custodit.3°.de dieb.decre. 4ª.157.A
Comitialem morbum a crure incipientem patientis pueri casus.3°.de locis affectis. 4ª.19.E
Comitiali morbo correpti grammatici casus.5°.de loc.aff. 4ª.32.F
Comitialis morb.an sanabilis sit,expimẽtũ.de med.fac.par. 7ª.162.C
Comitiales morbi quibuscunq; fiunt ante pubertatem,mutationem accipiunt,quibuscunq; autem vigesimoquinto anno, commoriuntur. com.5°.aph.5°. Ex.37.H
Comitialis puerorum cur finiat in pubescentia.in 6ᵐ.de morb.vulgaribus,com.1°. 3ª.144.G
in Comitiali morbo cõuulsio ex repletiõe partiũ neruosarũ nec acutissima,neq; similiter piculosa est vt ex euacuatiõe.c.5°.ap.7°.Ex.45.e
Comitialis morbus non finitur in paralysim.4°.de lo.aff. 4ª.22.H
Comitialem morbum quo modo iuuant diuturnæ febres & quartanæ. in 6ᵐ.de mor.vulg.com.6°. 3ª.197.D
Comitiaiis morbus a quartana ex pulsus.in 1ᵐ.de morb.vul.com.3°. 118.H/in 6ᵐ.com.6°. 3ª.197.D
Comitialis morbi curatio.introd. Isa.56.C
Comitiali morbo quæ conferant.com.2°.aph.45°. Ex.18.G
Comitialẽ morbũ incipiẽtẽ ꝓhibuit Galenus.cõ.6°.aph.47°. Ex.52.B
Comitiali morbo laborantes quo mõ regendi.6°.de san.tu. 2ª.100.A
ad Comitialẽ morbũ patiẽtẽ subito excitãdũ.de med.fa.par. 7ª.162.C
ad Comitialem morbum valde efficax.de med.fac.par. 7ª.174.C
ad Comitialẽ morbũ diuturnũ & incipiẽtẽ.de med.fac.par. 7ª.178.D
a Comitiali morbo multos seruauit Galenus, eos ineunte vere euacuans.de purg.med.87.G/quos purg.opor. 5ª.88.B
in Comitialem morbum qui prompte incidunt,illis vere vena secãda. de cur.rat.per sang.miss.17.E/G/ 6ª.18.E
Comitialibus morbis obnoxijs preseruationis causa potius in cruribus secanda est vena.de cur.rat.per sang.miss. 6ª.20.H
Comitialis morbus vere indiget purgatione humoris pituitosi,cum sit ex crassis humoribus.com.6°.aph.47°. Ex.52.D
Comitialis morbus exigit euacuationem pituitæ.quos purga.opor. quib.med.& quo temp.5ª.88.C/F/com.6°.aph.47°. Ex.52.B
Comitiali spasmo assidue vexatus grammatici stomachus quomodo roboratus fuerit a Galeno.6°.de san.tu. 2ª.100.H
ad Comitiali morbo apprehensos.2°.de comp.med.sec.loc. 5ª.139.A
in Comitialibus habenda cura capitis.de fæt.for. 1ª.324.C
in Comitiali morbo remedia capiti applicantur.3°.de lo.aff. 4ª.17.B
Comitialis morbus sanatur calefaciendo cerebrũ.3°.de lo.aff. 4ª.17.C
Comitiali correptus ex membro aliquo quomodo sit curandus.3°.de locis affectis. 4ª.19.H
pro Comitiali morbo ab aliqua parte medicamentum ex thapsia,& sinapi.3°.de loc.aff. 4ª.19.H
Comitiali morbo ex ore ventriculi laboranti cur dedit Galenus vinũ album modice adstringens.5°.de loc.af. 4ª.32.F
Comitiali morbo ex ore ventriculi laboranti medicamentum amarum ex aloe datur.5°.de loc.af. 4ª.32.G
Comitiali morbo competunt amara.4°.de simp.me.fac. 5ª.29.G
Comitiali morbo obnoxijs cõuenit Agaricũ.6°.de simp.me.fa. 5ª.41.E
Comitialibus competit Anthillis chamæpityi absimilis.6°.de simp.medicam.facul. 5ª.43.C
Comitiales iuuat Antidotus Zopyria.2°.de antid. 5ª.115.B
Comitiales iuuans Antidotus.2°.de antid. 5ª.116.D
ad Comitialẽ morbũ valet Aphroselinus.9°.de simp.me.fa. 5ª.67.E
Comitialibus auxilio est Aristolochia rotũda.6°.de sim.m f. 5ª.43.F
Comitiales sanant Asinorum vngues.11°.de simp.me.fa. 5ª.80.E
Comitialibus prodest Betonica.7°.de simp.med.fa. 7ª.51.A
Comitiali morbo obnoxios arguit,cõuulsionemq; illis acersit iecur Caprinum.11°.de simp.med.fa. 5ª.79.H
Comitiales curant æquorum Lichenes.11°.de simp.med.fac. 5ª.80.E
Comitialem morbum sanare proditum est coagulum Leporis.10°.de simpl.med.facul. 5ª.74.D
Comitialibus prodest cerebrum Mustelæ & cameli.de theria.5ª.93.e
Comitiali morbo afflictos iuuat caro Mustelæ epota.11°.de simp.med. fac.78.F/ 5ª.82.D
Comitialem morbum sanare Pæoniæ radicem recentem suspensam collo affirmat Galenus.6°.de simp.med.fac. 5ª.45.G
Comitiali morbo conuenit Seseli.8°.de simp.med.fac. 5ª.60.C
ad Comitialem morbum aptum est Spondylum.8°.de simp.medicamẽtorum facul. 5ª.60.G
Comitialibus auxiliatur theriaca.de theria.ad Piso.96.A/de vsu ther.ad Pamph. 5ª.98.H
Comitialis morbus.lege Epilepsia.
COMMODERATIONVM, & immoderationum distinctio.de const. artis. Isa.39.C
COMMODO suo,& reparationi intendit membrum omne.de mot.mani.& obscuris. Sp.68.A
COMMODVS imperator quæ dissipauerit.1°.de antid. 5ª.105.H
Commodi febrientis casus.de præcogn.ad Post. 4ª.219.C
COMMOTES græce,latine,comptor dicitur.ad Thras. 2ª.107.E
Commotica ars,quæ.de part.art.med. Sp.16.E
Commotica ars vitiosa est.ad Thras. 2ª.103.A
COMMOVET totum corpus vehementer piper omne.simplici.medicamen. Sp.88.G
in COMMISTIS speciebus non seruatur actio cuiusq; substantiæ simplic.3°.meth.med. 7ª.16.H
a COMMVNIBVS distinguendo propria fit ars.de vic.rat.in mor.acutis,commen.1°. 7ª.110.F
de Communibus tractare exordia,collige.de ijs quę in medi.fiunt,cõmentario.1°. 7ª.200.B

Communia debent plixius tractari.de ijs q̃ in med.fi.cõ.1°. 7ª.200.B
Communis sermo docetur ex particulari exemplo.de vict.rat.in mor. acu.com.1°. 7ª.109.G
Communia explicantur sermone.1°.de arte cur.ad Glau. 7ª.94.C
Communem esse sermonem de naturalibus facultatibus, collige.5°.de locis affectis. 4ª.35.B
Commune dixisse semel satis est.11°.de vsu par. 1ª.192.E
Communis sermo de re communi semel faciendus. in 6ᵐ.de mor.vulg. commenta.1°. 3ª.152.F
Cõe qui probet tenet,raro a vero aberrat.de puls.ad tir. 4ª.44.A
ad Communem sensum reducuntur omnes sensus particulares.de ana tom.viuo. Sp.45.G
Communia vsus secundum locum obtinent,propria primum.1°.de ar te cura.ad Glau. 7ª.94.D
ad Cõe cõfugiendum pprio ignorato.1°.de arte cur.ad Glau. 7ª.94.d
Commune est omnibus audire,& intelligere omnia Galeni: quippe qui clare omnia proponat explicetq̃.2°.de cris. 4ª.133.G
Communis caro est rubra.de anat.viu. Sp.55.H
Cõia quædã cõiugationũ neruorũ,quæ in collo sunt.de ner.diss. 1ª.54.F
Commune omnium musculorum,quid.de musc.diss. 1ª.45.C
Communes morbi.in 1ᵐ.de mor.vul.com.1°. 3ª.101.F
Communis morbis pestis.in 1ᵐ.de mor.vul.com.1°. 3ª.101.E
Communia signa melancholiæ.de mel.ex Gal.Ruf.& Poss. Sp.109.D
Communia præsidia ad atram bilem.de mel.ex Gal.Ruf. Sp.109.H
Communis salutis procuratio maxima imperandi pars ab Antonio ha bita est.de ther.ad Pis. 5ª.90.C
COMMVNITAS *quid.de opt.secta.* Isa.25.E
Communitates,quæ.8°.meth.med. 7ª.58.D
Communitatum Themison inuentor.1°.meth.med. 7ª.5.C
de Communitatibus librum fecit Thessalus.1°.meth.med. 7ª.2.G
COMPAGVM *dissidentia,quæ.de ijs quæ in med.fi.com.3°.* 7ª.222.F
COMPATIENS *quæ pars proprie dicatur.3°.de loc.aff.* 4ª.14.E
per Compatiendi rationem,vel primum & per se ipsum patiente ce rebro fiunt omnes desipientiæ.com.6°.aph.53°. Ex.53.B
COMPARATIONES *quomodo faciendæ & intelligendæ.1°.de alimen torum facul.* 2ª.10.D
Comparatio fieri debet ex optimo vnius generis,ad optimũ alterius. 3°.de alim.fac. 2ª.26.C
Comparatio, vt fieri debet in optimis eiusdem generis, ita fieri debet in optime comparatis.3°.de alim.fac. 2ª.26.D
Comparatio fieri debet partis ad partem in eadem.ars med.Isa.64.E
Comparatio pulcherrima.6°.de simp.med.fac. 5ª.40.A
Comparatio virtutis in animali,& gubernatoris vrbium.commenta. 5°.aph.39°. Ex.41.B
Comparatio fœtuum connexus ad vteros,& fructuum ad plantas.cõ men.4°.aph.1°. Ex.27.A
Comparatio statuarij ad Erasistratum.5°.meth.med. 7ª.36.C
Comparatio expositorum ad causidicos.in 1ᵐ.prorr.cõ.2°. 4ª.178.H
Comparatio de malo interprete.in 3ᵐ.de mor.vul.com.1°. 3ª.129.C
Comparatio bene scribentium,& viam a rubis spinis emundantium. de caus.procatar. 3ª.95.H
Cõparatio facientis iter ad celeritatem pulsus.1°.de cau.pul. 4ª.88.G
Comparatio illorum qui sunt incorrigibiles.3°.de diff.pul. 4ª.60.H
Comparationes de vino & mulsa quomodo faciendę.de rat.vic.in mor bis acu.com.3°. 7ª.129.A
Comparatio veratri cum pane & carnibus ad secundum de pulsibus librum.2°.de diff.pul. 4ª.53.C
Comparatio aquæ,quæ exiccatur ab igne,& sanguinis in viris a pro prio calore exiccati.de spermate. Sp.36.D
Comparatio vini acescentis ad sanguinis alterationem, & sanguis ad naturalem habitum non redeat amplius, vbi magna in eo facta sit corruptio,vt vina ex toto acida non redeunt rursum ad vini natu ram.com.2°.aph.17°. Ex.31.E
Comparatio lucernæ quæ extinguitur ad calorem naturalem senum.cõ men.1°.aph.13°. Ex.7.A
Comparatio cucurbitulæ ad naturalem calorem in tractione.commen ta.7°.aph.1°. Ex.54.B
Comparatio ignis lignorum multitudine superiniecta,& lucernæ flam mę oleo vniuersim superfuso ad calorem natiuum qui sanguinis & spiritus multitudine extinguitur.com.7°.aph.7°. Ex.54.D
Comparatio lignorum superingestorum igni, & multorum humorum ad calorem.com.6°.aph.12°. Ex.47.E
Comparatio lignorum carpentarij & corij coriarij ad corpus humanũ circa quod versatur medicus.com.1°.aph.1°. Ex.2.H
Comparatio lignorum ad virus rabiei.in 1ᵐ.prorrh.com.1°. 4ª.171.F
Comparatur ætas in vigore consistens ad iuuentutem vt autumnus ad æstatem.com.3°.aph.38°. Ex.26.D
Comparatio veris ad exercitia.com.3°.aph.20°. Ex.24.B
Comparatio iuuenis ad senem in motu.1°.de cau.puls. 4ª.88.A
Comparatio caloris æstatis ad calorem balneæ in prohibitione purga tionis.com.4°.aph.8°. Ex.28.A
Comparatio ægri ad portantem onus.3°.de cris. 4ª.141.D
Comparatio oneris ad hominem.de cur.rat.per sang.miss. 6ª.16.E
Comparatio recentis ægritudinis ad herbas dum nascuntur.in 1ᵐ.pror rhet.com.1°. 4ª.160.H
Comparatio colliquationis ad carnes,quæ in craticula torrentur.10°. methodi med. 7ª.67.E
Comparatio guttæ longo tempore cauantis lapidem ad humores cras sos & crudos in quibus remediorum vtilitas cito non elucet. com men.2°.aph.52°. Ex.19.D
Comparatio manus stringentis spongiam aqua plenam, & frigoris ce rebri humiditatem exprimentis. com.3°.aph.12°. Ex.12.G
Comparatio neruosarum partium conuulsionis ad chordas.cõ.5°.aph. 1°.37.D/& com.6°.aph.39°. Ex.50.G
Comparatio ascitis ad vtrem,& timpaniæ ad timpanum. commenta rio.4°.aph.11°. Ex.28.D
Comparatio fumi atre bilis ad fuliginẽ in aere.in prog.cõ.3°.4ª.210.e
Comparatio artis sagittandi ad medicinam.2°.de cris. 4ª.134.C
Cõparat sophismata Galen.spinis,rubis,& hamis.de cau.pca. 3ª.95.H
COMPLANARE *quibus conueniat.in 6ᵐ.de morbis vulgaribus, commentario.2°.* 3ª.160.H
COMPLEXIO *multipliciter dicitur.de oculis.* 7ª.185.D
Complexio in diuersis febribus quid.2°.de diff.feb. 3ª.39.F
Complexio est substantia corporis & natura eius.secreto. Sp.96.F
de Complexione dicitur natura.secretorum. Sp.96.F
Complexio humana qualis sit.de oculis. 7ª.187.H
Complexio naturalis in quo sit.de oculis. 7ª.185.D
Complexionem sequentes qualitates,quæ.secreto. Sp.96.F
Complexionẽ corporis sequi animæ virtutẽ.de incant.adiur. 7ª.181.F
Complexio imperfecta puerorum,senum, & mulierum quomodo pro betur.de incant.adiur.& suf. 7ª.181.F
Complexioni naturali contrarium quando non appetit,& quod est cõ ueniens accidentaliter diminuendo corpus aut addendo in ipsum, tarde digeritur.de diff.cont. Sp.73.D
Complexionis calidæ & siccæ est cor fm Galen.de anat.viu. Sp.56.B
Complexionem habet cor ex diuersis substãtijs.de anat.viu. Sp.56.B
Complexionis melancholicæ est splen.de anat.viuo. Sp.51.A
a Complexione sanguinis remota indigent vt multis conuersionibus sanguis ad sui nutritionem conuertatur.de anat.viuo. Sp.44.G
Complexioni sanguinis vicina non indigent multitudine conuersionis sanguinis ad sui nutritionem.de anat.viuo. Sp.44.G
Complexionis eiusdem sunt bruta. §quod tñ absurdum est,etiam si in telligat in diuersis ætatibus respectu vnius.§ de sper. Sp.37.D
ad Cõplexionẽ corruptã.secretorũ.101.G/de med.exper.Sp.104.A
ad Cõplexionis corruptionẽ electariũ gasit.de med.exper.Sp.108.B
Complexiones omnes, & constitutiones locorum & temporum qũo quis per methodũ facile possit habere.com.3°.aph.14°. Ex.22.D
Complexiones locorum docentur.com.3°.aph.14°. Ex.22.E/F
Vide Natura & Temperatura.
COMPLEXVS, *& mistura differunt.de mor.temp.* 3ª.87.E
Complexum cibi imbecillum modo clydones excipiunt, modo inflatio nes.de sympt.diff. 3ª.12.E
COMPLICATVS *& implicatus idem.ad eos qui de typ.scri.* 3ª.93.E
in Complicatis affectibus curationis ordo.7°.meth.med. 7ª.48.F/G
COMPONENDI *& diuidendi ars necessaria est.9°.de dec.* 1ª.282.A
in Componendo,& diuidendo quomodo exerceri debemus.9°.de de cretis Hippocratis. 1ª.282.A
Componendi,& diuidendi vim solus habet Dialecticus.2°.de differẽ tijs pulsuum. 4ª.56.C
ex Compositione & resolutione quæ inueniantur.de cuiusq; animi pec.not.atq.med. 2ª.58.C
Compositio quartus modus sophismatũ in dictione.de sophis.Isa.7.B
de COMPOSITIONE *dicitur natura.secretorum.* Sp.96.F
Compositiones ex elementis syncrimata vocanť,id est cõcretiones. de diff.morb.

differe n.morb. 3ª.3.C
Compoſitionem ob ſui nimiam ponderoſitatem terra non ingreditur ſecundum Hippocratem,ſed mandat ſuam frigiditatem, & ſiccitatẽ quæ temperet alia tria elementa.de ſperm. Sp.40.G
Compoſita omnia ſunt calida frigida, humida & ſicca comparatione aliorum.1°.de temp. 1ª.12.E
ex Compoſitionibus multis fit vnum tertium diuerſæ formæ & naturæ.1°.de element. 1ª.3.D
Compoſitum omne eſt poſterius ſimplici.4°.de ſan.tu.2ª.86.B/ 1°.de diff.reſp.3ª.56.H/de ijs quæ in medica.ſi.commen.1°.7ª.203.E/de anatom.viuo. Sp.50.F
Compoſito prius eſt ſimplex natura,atq; doctrina.comment.3°.aphoriſmo.15°. Ex.22.G
Compoſitio triplex in corporibus animalium.de diff.mor. 3ª.2.F
Compoſitio prima in corporibus animalium eſt partium ſimilarium, & quæ.de diff.morb. 3ª.2.F
Compoſitio ſecunda in animalium corporibus eſt partium inſtrumentalium.de diff.morb. 3ª.2.F
Compoſitio tertia in corporibus animalium eſt totius corporis.de differen.morborum. 3ª.2.F
Compoſitum nullum ſimilare.6°.de decr.Hipp. 1ª.261.F
in Compoſita,& ſimplicia diuiduntur corporalia inſtrumenta.de anatom.viuorum. Sp.55.C
Compoſita inſtrumenta corporalia,quæ.de ana.viuo. Sp.55.C
Compoſita membra quæ ſint.de anat.viuo. Sp.43.F
Compoſita membra quæ tamen vocentur ſimplicia a medicis.de anato.viuorum. Sp.44.G
Compoſitam particulam ſenſus indicat.de diff.mor. 3ª.3.B
Compoſitio Aortę a corde egredientis ex quib.ſit.de ana.viu.Sp.52.H
Compoſitio Cordis ex quibus conſtet.de ana.viu. Sp.46.D
Componitur cor ex omnibus generibus filorum.de anat.viu. sp.52.G
Compoſitio Corneæ tunicæ qualis ſit.de anat.viu. Sp.45.C
Cõpoſitio Gulę ex quot pãniculis,& qb.villis ſit.de ana.vi. Sp.49.F
Compoſitio Gutturis ex quibus ſit.de ana.viuo. Sp.53.D
Componitur Hepar ex venis.de anat.viu. Sp.50.F
Compoſitio Laryngis ex quibus.de voc.inſtr.diff. 1ª.106.G
Compoſitio Linguæ ex quibus conſtet.de anat.viu. Sp.49.C
Compoſitio Matricis quæ ſit.de nat.& ord.cuiusl.corp. Sp.42.B
Compoſitio Oeſophagi ex quibus ſit de mot.man.& obſ. Sp 68.F
Cõpoſitio Pericardij ex quib.ſit.de cõp.mẽb.ſiue de nat.hu. Sp.58.G
Cõpoſitio Priapi ex craſſis venis,neruis,et arterijs.de ana.vi.Sp.52.e
Compoſitio cannæ Pulmonis quæ ſit.de anat.viu. Sp.53.C
Compoſitio Splenis qualis ſit,& cur talis.de anat.viuo. Sp.51.B
Compoſitio Stomachi ex qb° ſit.de cõpag.mẽb.ſiue de nat.hu. Sp.58.b
Componitur panniculus interior ſtomachi ex filis quibuſdam longitudinalibus,& quibuſdam tranſuerſis.de anat.viu. Sp.49.H
Componitur exterior panniculus ſtomachi ex filis longitudinalib. & ex quibuſdam tranſuerſis.de ana.viu. Sp.49.H
Compoſitio Veſicæ fellis ex quibus ſit.de anat.viuo. Sp.50.H
Compoſitio interioris tunicæ Veſicæ ex quib° ſit.de ana.viu. Sp.51.D
Compoſitio anhelationis eſt ex aeris inſpiratione ab exteriori ad interius & expiratione è conuerſo.de mot.man.& obſ. Sp.66.H
Compoſitum corpus,& non ſimplex eſt nutrimentum corporis, & ſpiritus.de anat.viuo. Sp.47.G
Compoſitos corpore facit phlegma.de dyna. Sp.19.F
Compoſita ex pluribus particulis facilius fatigantur & flexa collabũtur.1°.de vſu par. 1ª.116.E
COMPOSITIONE, & formatione duntaxat paſſio atomis contingit. de diffe.morb. 3ª.2.F
in Compoſitis, & ſimplicibus corporibus nullum ægritudinis genus reperitur,quod vtriſq; ſit proprium.de diff.mor. 3ª.3.B
in Compoſitionis genere ægritudinũ diuerſitates.de cau.mor. 3ª.9.E
Compoſitæ particulæ ægrũdines,quæ.de diff.mor. 3ª.3.B
Compoſiti morbi difficulter cognoſcuntur.2°.de criſ. 4ª.135.H
ad Compoſitas febres medicamen.de med.exper. Sp.104.F
ad Compoſitas & chronicas febres expertum medicamen.de medic. expertis. Sp.104.F
COMPOSITIO ad paralyſin,& ad multa alia.ſecreto. Sp.97.A
Compoſitionem ſimpliciter optimam idiotæ,& medici ignari ſciri volunt.1°.de comp.med.per ge. 5ª.215.B
Compoſitores primi medicamentorum qui fuerint.2°.de compo.medi.per gen. 5ª.218.D
Compoſitiones medicamentorũ cur inuentæ.de theria.ad Piſ.5ª.91.A
Compoſita medicamenta cur inuenta.1°.de comp.me.per g. 5ª.210.E
Compoſito vtimur cum ſimplex non habemus.2°.de compoſit.medic. per genera. 5ª.218.G
Componendi ars a Galeno traditur.de antid. 5ª.102.C
de Compoſitionę medicamentorum librum ſcripſit Galenus ante librum methodi.3°.meth.med.17.B/20.A/5°.33.A/ 7ª.37.E
de Compoſitione medicamentorum ſecundum genera fecit Archigenes.5°.de comp.med.ſec.loc. 5ª.158.G
de Compoſitione medicamentorum per genera alias ſcripſerit duos libros Galenus.1°.de comp.med.per ge.217.B/ 5ª.209.D
de Compoſitione medicamentorum per genera librorum ordo. 2°.de comp.med.per gen. 5ª.218.D
de Compoſitione medicamentorum per genera librum præcedit liber ſimplicium.2°.de comp.med.per gen. 5ª.218.G
de Compoſitione medicamentorum per genera librum precedit methodus curatiua.2°.de comp.med.per ge.218.F/ 5ª.227.B
de Compoſitione medicamentorũ ſm gña liber præcedit ſm aliquos librum de compoſitione ſm locos.1°.de comp.med.ſec.loc. 5ª.121.C
in de Compoſitione medicamentorum per genera libro quid agat Galenus.1°.de comp.med per ge. 5ª.212.H
in de Compoſitione medicamentorum libro ſexto quid acturus ſit Galenus.6°.de comp.med.per ge. 5ª.254.G
de Compoſitione medicamentorum per genera libris vti non poſſunt medicinæ ignari.3°.de comp.med.per ge. 5ª.228.B
de Compoſitione medicamentorum ſm locos librum præcedit Methodus medendi.1°.de comp.med.ſec.loc. 121.C/2°.136.D/3°.141.H/ 4°.149.E/8°.188.A/ 5ª.193.E/F
de Compoſitione medicamentorum ſecundum locos librum confecit propter ſodales.6°.de comp.med.ſec.loc. 5ª.168.G
de Compoſitione medicamentorum ſecundum locos libri intentio.1°. de comp.med.ſec.loc. 5ª.121.C
de Compoſitione medicamentorum ſecundum locos liber,ad quid vtilis.8°.de comp.med.ſec.loc. 5ª.193.E
Compoſitiones quomodo perfectæ fiant.1°.de antid. 5ª.100.A
Compoſitionis medicamentorum regula.4°.de ſan.tu. 2ª.86.E
in Componendis medicamentis diſciplina mixta.2°.de comp.medicamen.per gen. 5ª.218.C
in Compoſitionibus medicamentorum quæ præſcienda.1°.de compo. med.per gen. 5ª.210.B
Compoſita qui facturus eſt,ſimplicia debet noſcere.7°.de comp.med. ſec.lo.175.C/177.F/ 5ª.178.B
Compoſito medicamento probe vti non poteſt qui ſimplicium vires neſcit.1°.de comp.med.per ge. 5ª.215.B
Compoſitorum medicamentorum virtus ex ſimplicium vigore eſt.1°. de an. 5ª.102.C
Componendi pharmaca ſcopus.4°.de comp.med.ſec.loc. 5ª.149.C
Componendi & vtendi methodus eadem eſt in pharmacis.4°.de cõpo. med.ſec.loc. 5ª.149.C
in Componendis pharmacis id maxime agendũ vt bona integraq, & in vigore ſint omnia quæ miſcentur.1°.de comp.me.ſe.loc.5ª.130.E
in Compoſitionibus ordo ſimplicium.1°.de cõp.med.per ge. 5ª.214.C
Compoſitionis ordo ſecundum ſimplicia in acopo, diaphrynon conficiendo.7°.de comp.med.per gen. 5ª.271.B
in Compoſitione quomodo ſimplicia diſponantur in acodo Flauij Clementis conficiendo.7°.de comp.med.per gen. 5ª.271.C
Compoſitio ſimplicium quo modo adminiſtranda in acopis Damocratis conficiendis.7°.de comp.med.per gen. 5ª.273.E
Compoſitionem quo ordine ingrediantur ſimplicia in myracopo Damocratis conficiendo.7°.de comp.med.per ge. 5ª.274.D
Compoſitiones quo modo ingredi debeant ſimplicia.7°.de ſimp.medic. ſecundum locos. 5ª.179.G
in Componendo quodam emplaſtro,quo ordine ingrediantur ſimplicia.2°.de comp.med.per ge. 5ª.226.E/F
in Componendo ægyptio Damocratis ſimplicium ordo.6°.de compo. med.per gen. 5ª.260.E
in Compoſitionem ſimplicium ſecundum aliquos contrariç inter ſe poteſtates corrumpuntur.1°.de comp.med.per ge. 5ª.209.H
in Compoſitionibus cur genere ſimilia miſcent empirici.3°.de comp. med.per gen. 5ª.230.H
Compoſitio inæqualis quæ calculum gignit,aut tophos.6°.de ſanitate tuenda. 2ª.99.F

Compositionem ingredientia minutissima simplicia prouocare vrinã, collige. 4°. *de san.tu.* 2ª.86.*E*

Compositiones Antheræ. 5°. *de comp.med.sec.loc.* 5ª.164.*G*

Compositio Gamel. de med.exper. *Sp.*106.*H*

Compositio Tripheræ ad anxietatẽ,& humectationẽ.secre. *Sp.*102.*G*

Compositio quædam tripheræ ad dolorem frontis, & acetositatem in stomacho & punctionem.secre. *Sp.*102.*F*

COMPOSITIO *est altera ex primarijs chirurgiæ intentionibus. introductio.* *Isa.*59.*E*

COMPREHENSIONEM *complexionem q̃, habent intestina, & cur.* 3°. *de symp.can.* 3ª.25.*G*

Comprehensionis bonæ membra debent esse sicut volę manuum.de anatomia viu. *Sp.*50.*G*

COMPREHENSAMENTVM *quid vocetur. de ijs quæ in medic. fiunt, commen.* 2°. 7ª.208.*C*

COMPRIMENS *linguam sapor inter nouem saporis species numeratur. de compag.memb.siue de nat.hu.* *Sp.*58.*E*

Comprimeus sine dolore digitus super os vulneris vasis sanguinem sistit. 5°. *meth.med.* 7ª.30.*G*

Compresso ventriculo cerebri,sensus amittitur & motus.de decr.Hippo.& Plat. 1ª.232.*A/B*

Compressum forfice cor,tñ animal non amisit sensum vel motum,sed arteriæ mouebantur.de decr.Hip.& Pla. 1ª.232.*B*

Compressione læduntur cauitates.de caus.mor. 3ª.9.*E*

ad Compressionẽ vertebræ q̃n sequit paralysis. 4°. *de loc.aff.* 4ª.23.*C*

Compressio diaphragmatis,quæ fit in respirando causa est prolationis vocum.de vtil.resp. *Sp.*63.*F*

Cõpressio a proximis partibus quibus causis fiat. 1°. *de san.tu.*2ª.68.*C*

Compressio vehemẽs in fasciãdo quid faciat.de fract.com. 1°.7ª.229.*c*

Compressæ particulæ quo modo curandæ.de const.art. *Isa.*39.*D*

COMPTOR *latine,græce commotes dicitur.ad Thras.* 2ª.107.*E*

Comptoriæ scopus qui. 1°. *de comp.med.sec.loc.* 5ª.126.*B*

Comptorij generis est tingere capillos. 1°. *de comp.me.se.lo.* 5ª.126.*F*

Comptoria ars malefica. 1°. *de comp.med.sec.loc.* 5ª.126.*B*

Comptiua ars vitiosa est.ad Thras. 2ª.103.*A*

de Comptoria qui scripsere. 1°. *de comp.med.sec.lo.* 5ª.127.*B*

Comptoria quo modo differat ab exornatoria medicinæ parte. 1°. *de comp.med.sec.loc.* 5ª.126.*B*

Comptoria vnguenta (alias comagenum vnguentum)calida. 2°. *de cõ po.med.sec.loc.* 5ª.1,2.*H*

COMPVTANDI *peritia ars nobilis. in oratione suas.* *Isa.*5.*G*

Vide Arithmetica.

COMVM *quid & eius vires.de simp.med.* *Sp.*81.*G*

CONARION *quid sit,& ppter quid.* 8°. *de vsu par.* 1ª.170.*D*

Conarium non est pars cerebri. 8°. *de vsu par.* 1ª.170.*E*

Conariõ idẽ est cerebro,quod vẽtriculo pyloros. 8°. *de vsu p.* 1ª.170.*D*

CONATELI *calami ad capillos defluentes.de med.fa.par.* 7ª.170.*H*

in CONATV *omni fit per contentionem anhelitus conclusio spiritus inter diaphragma,& in ipsis fistulis pulmonis,quæ procedunt a trachea arteria.de vtil.resp.* *Sp.*63.*E*

in Conatu omni fit oppilatio omnimodo tracheę arteriæ suppositę vuluæ.de vtil.resp. *Sp.*63.*G*

in Conatu inflantur omnes venæ.de vtil.resp. *Sp.*63.*H*

CONCAVITAS *in quo sit genere ægritudinis.de diff.mor.* 3ª.3.*A*

secundum Concauitatem morbi,qui.de oculis. 7ª.185.*G*

CONCAVITAS *lacteæ quæ sit,& vbi.de ana.viu.* *Sp.*50.*H*

CONCAVVM *quid.* 10°. *de vsu par.* 1ª.182.*C*

*Concaua quæ dicantur,& concaui homines qui appellent.intr.Is.*53.*B*

Concaua exacte manus quo modo fiat. 2°. *de vsu par.* 1ª.123.*G*

Concauitas oculorũ quorum sit commune accidens. 2°. *de cris.* 4ª.138.*g*

ad Concauitates oculorum. 4°. *de comp.med.sec.loc.* 5ª.155.*A*

in Concauitate ossis nasi iacent duæ carunculæ spongiosæ instar duarum paruarum mamillarum.de ana.vi. *Sp.*49.*A*

Concauitates duæ sunt sub linguæ radice in quibus saliua digeritur.de anato.viu. *Sp.*49.*C*

Concauum stomachum creauit Deus propter meliorem receptionem. de anat.viu. *Sp.*49.*G*

Cõcauitas pulmonis cur respiciat anteriora magis.de an.vi. *Sp.*48.*A*

ad Concauum lienis vena a gibbo ventriculi porrigitur. 6°. *de anatomicis admin.* 1ª.91.*D*

Concaua pars lienis ad dextram partem inclinat versus iecur. 6°. *de anatom.adm.* 1ª.91.*D*

Concauitas interior matricis cõparatã bursę testiũ.de ana.vi. *Sp.*51.*E*

de CONCAVAE *venæ anatomia.de anat.viu.* *Sp.*54.*D*

Concaua vena vnde oriatur & eius processus. de anat.par. *Sp.*42.*H*

Concaua vena quo modo ramificetur in partibus inferioribus.de ana. viuorum. *Sp.*54.*F*

CONCAVA *vulnera replere potest iris.de simpl.med.* *Sp.*85.*D*

Cõcaua loca pratẽsia æstuosa habitãtes quales sint.de aere,aq. 2ª.6.*D*

Concaua vide Caua.

CONCEPTACVLA *maxima sunt principia minorum.* 6°. *de decret.Hipocratis.* 1ª.265.*A*

Conceptaculum pro vtero dictum non sapit Hippocratis phrasim. in 6ᵐ. *de mor.vul.com.* 6°. 3ª.192.*D*

CONCIPIENDI *instrumenta oẽ aĩal habet.* 14°. *de vsu par.* 1ª.204.*D*

Concipiendi instrumentis natura tribuit eximiam quandam vim voluptatis effectricem. 14°. *de vsu par.* 1ª.204.*D*

Conceptio vnde dicta. 1°. *de sem.* 1ª.329.*B*

Cõcipiãt cur raro mulieres,ẽt si sæpe cõcubãt.de hist.philo. *Sp.*10.*E*

Conceptus habent sua tempora statuta. 2°. *de dieb.decr.* 4ª.151.*G*

Conceptionis tempus est incipientibus, vel cessantibus mensibus. de dis.vul. 1ª.109.*E/de nat.& ord.cuiusl.corp.* *Sp.*42.*C*

Concipiunt mulieres facile statim post menses. 1°. *de sem.* 1ª.329.*C*

Conceptus cur nõ fit antequam veniant menses.de diff.vul. 1ª.109.*E*

Cõcipere nõ põt mulier in tpe mẽsiũ intermedio.de diff.vul. 1ª.109.*E*

Conceptionis causa,quæ.fin.med. *Isa.*49.*H*

ad Conceptionem necessaria colliguntur.com. 5°. *aph.*93°. *Ex.*44.*C*

*Concipiant quo mõ mulieres.de hist.philo.*9.*D/de anat.par.* *Sp.*43.*C*

in Conceptu quæ vasa aperiantur.de diff.vul. 1ª.109.*E*

si Conceperit mulier quo modo cognoscatur.de pass.mul. *Sp.*56.*C*

Conceperit ne mulier si nosse velis,cum dormitura est ei aquã mulsam,potandam da,& si tormina patietur,concepit,si minus,nõ concepit.com. 5°. *aph.*41°. *Ex.*41.*D*

si non Cõcipit mulier.scire autẽ velis si conceptura sit, pannis circũtectã desubter fumigas,& si odor videat per corpus ire ad nares, & os,scito quod ipsa non ex seipsa sterilis est.c. 1°. *aph.*59°. *Ex.*43.*C*

Concepisse se quo modo sciant mulieres. 3°. *de nat.fa.* 1ª.302.*H*

Cõceperint vbi semẽ mulieres,quid dicãt se sentire. 1°. *de sem.*1ª.329.*b*

in Conceptus principio prægnantes sentiunt vterum in se ipsum concurrere. 3°. *de nat.fac.* 1ª.302.*H*

Concipit nullum animal semen excernens. 1°. *de sem.* 1ª.329.*A*

Conceptionis maximum indicium est si obstetrix potuerit immisso digito os vteri tangere.com. 5°. *aph.*5°. *Ex.*42.*B*

Conceptio in muliere quo modo ex oris vteri cõpressione cognoscatur. com. 5°. *aph.*54°. *Ex.*42.*F*

in Conceptibus os vteri conniuet. 3°. *de nat.fac.* 1ª.302.*H*

in Cõceptionis hora ita clauditur os interius matricis,in quo inchoatur collum,quod non posset etiam acus intrare.de ana.vi. *Sp.*51.*E*

Conceptionis indicium ex colore.com. 5°. *aph.*42°. *Ex.*41.*D*

Conceptus sex dierum qualis fuerit.de fœt.for. 1ª.322.*D*

in Conceptu quid fiat sex primis diebus.de ana.viu. *Sp.*52.*A*

in Conceptu quid fiat in tribus diebus sex primos sequẽtibus.de anatom.viuo. *Sp.*52.*B*

in Conceptibus non perfectis venæ arteriæ quo modo coeãt. de ven. art.dissect. 1ª.59.*E*

post Conceptum quo modo formetur fœtus.de anat.viu. *Sp.*52.*B*

post Conceptum loci inhærent fœtui. 1°. *de sem.* 1ª.329.*F*

in Cõceptione fœtus cõparatio matricis ad stipitẽ.de ana.vi. *Sp.*51.*F*

Conceptus quo humore enutriantur.com. 5°. *aph.*39°. *Ex.*41.*B*

Conceptum habere sanguinem ad sui alimentum deputatum, collige. com. 5°. *aph.*44°. *Ex.*41.*F*

Cõceptus nutritur ex sanguine vteri.de venę sect.aduer.Era. 6ª.6.*H*

Cõceptus nutriunt dulcissimo q̃d est ĩ sanguine.c. 5°. *aph.*37°. *Ex.*41.*A*

Concepto in sinistra parte matricis in horis sanguinis quid contingat. de spermate. *Sp.*38.*A*

Conceptum sperma a muliere in tribus horis sanguinis quid efficiat.de spermate. *Sp.*37.*B*

Concepti pueri in horis sanguinis natura.de sperma. *Sp.*37.*B*

Concepto in dextra parte matricis in horis sanguinis quid contingat. de spermate. *Sp.*38.*B*

Concepta in horis sanguinis puella fuerit,& parentes in horis phlegmatis,quid eueniet.de sper. *Sp.*38.*C*

Conceptio infantis si sit in horis sanguinis, patris in horis phlegmatis, matris in horis cholerę nigræ,quid sequatur.de sper. *Sp.*38.*C*

Conceptus si sit puer in horis sanguinis vel phlegmatis, parentes vero in horis choleræ rubræ, quid sequatur. de sper. Sp.38.D
Conceptio infantis & parentum si sit in horis sanguinis, quid sequat. de spermate. Sp.38.D
Conceptio omnium si sit in horis sanguinis & in sinistra sperma, & matris sperma sit debile, quid sequatur. de sper. Sp.38.D
Concepti si sunt pater & auus, infans vel puer in hora sanguinis, infantis mater in horis phlegmatis, & sperma matris superet, sed tamen debile, quid sequatur. de sper. Sp.38.F
Concepti pueri in bilis horis natura. de sper. Sp.37.C
Cõceptus si sit ĩfans in horis choleræ rubræ, qd eueniat. de sper. S.38.B
Cõcepto infanti in sinistra parte matricis in hora choleræ rubræ, genitoribus conceptis in hora sanguinis, quid accidat. de sper. Sp.38.B
Conceptio omnis si sit in horis choleræ rubræ, & sperma patris est forte, & matris debile, quid sequatur. de sper. Sp.38.E
Concepti pueri in horis melancholiæ natura. de sper. Sp.37.C
Cõcepta si sit puella in horis choleræ nigræ, qd sequat. de sper. Sp.38.B
Conceptus si sit puer in horis choleræ nigræ, pater in horis bilis, mater in horis sanguinis, quid eueniat. de sper. Sp.38.D
Conceptio oũm si fuerit in horis atræ bilis, qd sequat. de sper. Sp.38.E
Concepti pueri in horis phlegmatis natura. de sper. Sp.37.C
Conceptus puer in dextra matricis parte, in horis q̃ phlegmatis sit conceptio omnium, quid patietur. de sper. Sp.38.C
Conceptus si sit puer in sinistra matricis parte hora phlegmatis, parentes horis sanguinis, quid sequatur. de sper. Sp.38.D
Conceptio parentum, & infantis, & sperma sit in sinistra matricis parte, si sit in horis phlegmatis, quid sequatur. de sper. Sp.38.C
Conceptus in læua parte uteri constitutus est frigidior, si muliebre semen quod in sinistro testiculo continetur, serosius est, atque frigidius. com. 5°. *aph.* 48°. Ex.42.A
Conciperet nunquã mulier fœminam, nisi & uiri semen, & uterus mulieris frigidior eo tpe fuisset ĩ quo cõcepit. c. 5°. *ap.* 42°. Ex.41.E
in Conceptu stellæ alterant puerum. de sper. Sp.38.G
Conceptus in tauro ubi habebit mutationes. 3°. *de dieb. decr.* 4ª.157.G
nõ Cõcipiũt uero quecunq; ꝑter naturã crassę: ijs omẽtũ os uteri cõprimit, et priusq̃ extenuatę fuerint nõ cõcipiũt. c. 5°. *aph.* 45°. Ex.41.G
Concipientes extenuatæ præter naturam abortiunt anteq̃ crassescant. com. 5°. *aph.* 44°. Ex.41.F
Conceptus imbecillis significat si mulieri utero gerenti lac multum è mammis effluat. com. 5°. *aph.* 52°. Ex.42.B
non Concipere an sit culpa mulieris an uiri quo modo cognoscatur. de pass. mul. Sp.96.C
ut Concipiat mulier quid agendum. de dyn. Sp.29.F
Concipere nequeuntibus mulieribus opitulatur antidotus Mithridatis Eupatoris diascincinominata. 2°. *de antid.* 5ª.115.C
nõ Cõcipiẽtib. et qb⁹ mẽstrua nõ apparẽt potio utilis. de dyn. Sp.29.G
ad Conceptionem. de medic. fac. parab. 168.D/E/7ª.176.F/ *de dyna.* 29.G/ *de pass. mul.* Sp.96.C
ad Concipiendum eadem die sine periculo. de dyn. Sp.29.F
Conceptum seu pota. seu admota interimit, & ejicit calamintha. 7°. *de simp. med. fac.* 5ª.49.D
Conceptum uetare menta dicitur. de simp. med. Sp.87.D
ne Cõcipiat mulier. de incãt. ad. & sus. 7ª.182.B/*de pass. mul.* Sp.96.C
Concipiat ut nunq̃ mulier. de incant. adiur. & sus. 7ª.182.C
CONCEPTVS *animi communes seruandi, non subuertendi. de multitudine.* 3ª.79.C
quæ CONCERTATIO *& æmulatio pulcherrima sit. de cogn. curan. animi morbis.* 2ª.53.D
CONCHAE *omnes epilepticis malæ. de puero epil.* 7ª.180.G
Conchæ ustæ unum ex fortissimis medicamentis ad achoras. 1°. *de cõpo. med. sec. loc.* 5ª.129.D
CONCHA *magna & parua quæ mensuræ. de pond. & mẽs.* 5ª.276.E
Concha parua. 3°. *de comp. med. sec. loc.* 5ª.145.A
CONCHLAX *est nomen fictũ ad risum.* 6°. *de simp. med. fac.* 5ª.40.B
CONCHVLA *quæ. introd.* Isa.52.H
Conchularum maris cęterorumq̃ ferè ostreorum succus planè tum salsus est, tum ventrem soluendi uim obtinet quamuis eorum caro ventrem reprimat. 3°. *de simp. med. fa.* 5ª.20.B
CONCHYLII *sanguis.* 3°. *de comp. med. sec. loc.* 5ª.143.E
CONCILIARE *somnos potest cucurbitula. de cucur. scar.* 6ª.3.F
CONCITATIORES *motus quid faciat seni quam iuueni.* 1°. *de causis pulsuum.* 4ª.88.B
ad CONCLVSAM *febrem. secretorum.* Sp.97.C
CONCOCTIO *quot modis cupiatur. in* 6ᵐ. *de morb. uulgaribus. commentario.* 6°. 3ª.190.D
Concoctio. quid. de fin. me. Isa. 44.F/2°. *de nat. fa.* 1ª.298.A/*de symp. dif.* 12.C/3°. *de symp. cau.* 3ª.29.A/C
Cõcoctio est alteratio. 3°. *de nat. fa.* 1ª.305.C/3°. *de symp. ca.* 3ª.29.A
Concoctio est alteratio ĩ ppriã qualitatẽ nutriri. 3°. *de nat. fa.* 1ª.304.C
Cõcoctio est res diuersa a cõuersione ĩ cremorẽ. 3°. *de na. fa.* 1ª.303.D
Cõcoctio elixationi similis est, cõtra Erasistratũ. 3°. *de nat. fa.* 1ª.304.D
Cõcoquit cibos natura ualida sine impedimẽto. de ther. ad Pi. 5ª.96.B
Concoctio fit a calore innato. 2°. *de nat. fac.* 1ª.298.A/*in* 6ᵐ. *de morb. vulg. com.* 4°.3ª.183.D/*in progn. com.* 1°.196.E/ 4ª.197.C
Concoctio cur fuerit necessaria naturæ. 1°. *de san. tu.* 2ª.62.H
Cõcoquẽs, et alterãs uis quo mõ cognoscaĩ. in progn. cõ. 2°. 4ª.200.C
Concoquendi facultas quo modo sit intelligenda. 3°. *de san. tu.* 2ª.80.C
Concoquendi instrumenta, quæ. 3°. *de temp.* 1ª.22.C
ad Cõcoctionẽ instrumẽta idonea qualia esse debẽt. 3°. *de sym.* 3ª.29.D
Cõcoctio fit a solidis corporib⁹ sanis. in 1ᵐ. *de mor. vul. cõ.* 2°. 3ª.112.C
Concoctio prima ventriculo attribuitur. intro. Isa.57.D
non Concoquit, sed appetit os ventriculi. de vict. rat. in morb. acutis, commentario. 1°. 7ª.111.F
Concoctio propria actio ventriculi. 5°. *de usu par.* 1ª.143.E/*in* 6ᵐ. *de mor. vul. com.* 5°. 3ª.188.B
Concoctio in ventriculo actio naturæ. introd. Isa.55.B
Concoctio quæ in ventre agitur alteratio est. 3°. *de symp. cau.* 3ª.26.C
Concoctio cibi in ventre, aut in uisceribus, & uasis, qui inibi generatur succus, unde rursum pars unaqueq; nutriatur, est alteratio secundum naturam. 5°. *de simp. med. fac.* 5ª.33.C
Concoctio uocatur alteratio ipsa usque quo in similitudinem partis quæ nutritur, transmutatur, ubi uero parti apponitur, nutritio. 8°. *de comp. med. sec. loc.* 5ª.194.C
in Concoquendo est uis retentrix in ventre. 3°. *de nat. fac.* 1ª.305.C
Concoquit facilius ventriculus quęcumque cum uoluptate assumũtur. com. 2°. *aph.* 38°. Ex.17.G
Concoctio ciborum in ventriculo, quæ. 3°. *de nat. fac.* 1ª.303.D
Concocta qñ dicanť quæ sunt in ventriculũ ingesta. de assuet. 2ª.60.H
Concoctiones efficacius fiunt dormientibus. in 6ᵐ. *de mor. vulg. cõ.* 4°: 183.D/3ª.185.B/12°. *meth. med.* 7ª.75.G
Concoquuntur per quietem quæ in ventriculo, & in iecore. in 6ᵐ. *de mor. vulg. com.* 3°. 3ª.194.A
Concocto cibo aperitur inferius os ventriculi. 3°. *de nat. fa.* 1ª.303.D
in Concoctorum ciborum in tenue intestinum descensu, est uix expultrix in ventre. 3°. *de nat. fac.* 1ª.105.C
Concoquere alimentum ac sibi assimilare est principalissima iecoris facultas. 8°. *de comp. med. sec. loc.* 5ª.194.A
Concoctio quæ in uenis agiur est alteratio. 3°. *de symp. cau.* 3ª.26.C
in Concoctione uenarum, bilis amara, atra, & serositas sunt excrementa. 3°. *de symp. cau.* 3ª.26.A
Concoquunt, apponunt, agglutinant, & nutriuntur pustiones, & qui habent calidum & humidum corpus. 3°. *de symp. cau.* 3ª.29.A
Concoquitur ægre album ouorum. 12°. *meth. med.* 7ª.78.A
Concoctu facilia in quibus facile corrumpantur. 2°. *de ali. fa.* 2ª.17.C
Concoctu difficilia, in quibus non corrumpantur. 2°. *de ali. fa.* 2ª.17.C
Concoquunt facile carnem bubulam quidam. 7°. *meth. med.* 7ª.46.D
Concocta & in sanguinem conuersa an retineant aliquid propriarum uirium. in 6ᵐ. *de mor. vul. com.* 5°. 3ª.194.E
cur non Concoquunt senes. 3°. *de symp. cau.* 3ª.29.C
Concoctio uitiata est in senibus. 2°. *de temp.* 1ª.16.D
Concoquere male ventriculum significat deiectio nondum in chylum mutata. de tot. morb. temp. 3ª.188.G
Concoctorum male differentiæ ut uel ad frigidum pituitosumq̃, uel ad nidosorum calidumq̃ tendunt, faciunt diuersitatem symptomatum. 3°. *de symp. cau.* 3ª.30.C
ex Concoctione non probe facta comitialis morbus fit ex ore ventriculi. 5°. *de loc. affect.* 4ª.32.G
Concoctionem imperfectam indicat sonitus flatuantis humoris. 3°. *de natural. fac.* 1ª.303.C
Concoctionem in sanis, & ægris indicant excrementa. in 1ᵐ. *de morb. vulg. com.* 2°. 3ª.111.H
Cõcoctio uẽtris exquisita ex deiectionibus, iecoris, & uenosi generis ex naturalib⁹ urinis innotescit. de ren. affect. dig. & med. 7ª.196.C
Concoctionem malam ostẽdunt stercora humida olentia, & plena flatus, ut

tus, in asina. 7°. *meth.med.* 7ª.45.A
Concoctionem alimenti equorum quidam ex stercore odorato cognoscebant, vt bonã habitudinem cognoscerent. 7°. *met.med.* 7ª.45.A
Concoctio frustrata ventriculi est accidens. 1°. *de loc.aff.* 4ª.5.H
Concoquens male ventriculus quo mõ corrigẽdus. 2°. *met.m.* 7ª.10.H
ad Concoquendum non idoneum ventriculum habenti huic frequenter balneis vti prodest. de mel. ex Gal.Ruf.& Poss. Sp.110.D
ad Concoctionem, quæ in ventriculo fit adiuuandam, & ad concocta distribuenda, ad sanguinem creandum, ad nutriendum, ad lotium ciendum, & ad recte valentium corpora diffiandа vinum aquæ prę stat. in 6ᵐ. *de mor.vul.com.* 4° 3ª.185.C
Concoctionem qui non fecere, ijs dandum vinum pipere insperſum. de præcog. ad Posth. 4ª.219.A
qui Cõcoxerũt parũ qd medicamẽtũ assumere debẽt. 4°. *de s.t.* 2ª.85.B
Concoctione qui egent, assumant diatrion piperεon simplex. 4°. *de sanitate tuenda.* 2ª.86.E
Concoctionem difficilem ventriculi imbecillitatemq́, reficit theriaca. de theria. ad Pis. Sp.96.B
ad Concoctionem vtile medicamentum ex malorum succo. 6°. *de sanitate tuenda.* 2ª.101.B
ad Concoctionem adiuuandã oxyporiũ. de mel. ex Gal.Ruf. Sp.110.E
ad Concoctionibus ægris laborantem stomachum. 8°. *de compo.med. secun.loc.* 5ª.191.E
Concoctiones iuuans. 7°. *de comp.med.per gen.* 5ª.271.G
ad Concoctiones difficiles antidotus. 2°. *de antid.* 5ª.116.C
Cõcoctionis debilitatẽ nõ facit inedia. 8°. *de cõp.med.se.lo.* 5ª.187.H
Concoctio tarda non est cruditas. 8°. *de comp.med.sec.lo.* 5ª.194.B
Concoctioni tarditatem creat fluxio frigida. 6°. *de san.tu.* 2ª.98.F
ad Cõcoquẽtes tarde. 2°. *de anti.* 113.D/8°. *de comp.me.se.l.* 5ª.198.G
ad Concoquentes minus cibum. 8°. *de comp.med.sec.loc.* 5ª.196.H
Concoquentem male, quę non necessario sequuntur. 3°. *de sym.* 3ª.30.B
Concotrix vis potior ad febres, quam facultas voluntaria, et vitalis. 11°. *meth.med.* 7ª.70.A
Concoctioni ciborum ꝑspiciendum in omni febre. 11°. *met.me.* 7ª.72.F
Concoctio praua febres intendit. 11°. *meth.med.* 7ª.72.F
CONCOCTIO *quid sit in morbo. in* 1ᵐ. *de mor.vul.com.* 2°. 3ª.111.H
Concoctionis proprium quid. in 1ᵐ. *de mor.vul.com.* 2°. 3ª.112.C
Concoctio fundit & eliquat. de opt.secta. Isa.20.C
Concoquentia medicamenta. intro. Isa.57.H
Concoquentia sunt medicamenta parum calefacientia, & adstringentia. 7°. *de simpl.med.fac.* 5ª.53.C
ad Concoctionem facit adstrictio. 7°. *de simp.med.fac.* 5ª.53.D
Concoquentia non habent caliditatem vehementem. 7°. *de simp.medicament.fac.* 5ª.53.D
Concoctionem iuuant habentia acrem qualitatem. 2°. *de ali.sa.* 2ª.21.g
Concoquentia simul, & adstringentia, & discutientia quædam enumerat. 4°. *de comp.med.sec.loc.* 5ª.150.H
quæ Concoquuntur leni calore indigent. de vict.ra. in mor.acut. commentario. 4°. 7ª.140.E
Concoquentia medicamenta quæ sint. 5°. *de simp.med.sa.* 5ª.38.D
Concoquentia medicamenta ex quibus constent. iatr. Isa.58.B
Concoquit magis Anethum viride, quàm Anethum siccum. 6°. *de simpli.med.fac.* 5ª.43.C
Cõcoquẽtis, et laxãtis facultatis est Butyrũ. 10°. *de simp.me.fa.* 5ª.73.f
Concoquens, & detergens Cachrys. 6°. *de comp.med.per ge.* 5ª.256.F
Concoquere aliqua calorem extrinsecus, & ad melius alterare, quędã discutere & euacuare, collige.com. 5°. *aph.* 22°. Ex.39.E
Concoctorium Catapotium ex libris Perigenis ad tussim & destillationem. 7°. *de comp.med.sec.loc.* 5ª.183.A
Concoquit in lethargo probe Castoreum. 13°. *meth.med.* 7ª.86.F
Cõcoquit Crocus. 7°. *de simp.med.f.* 53.C/8°. *de cõp.me.se.l.* 5ª.194.F
Concoquit cum adstrictione crocus. 7°. *de comp.med.sec.lo.* 5ª.179.A
Concoctorium Eclegma. 9°. *de comp.med.sec.loc.* 5ª.202.D
Concoquunt tubercula dura Ficus aridæ. 8°. *de simp.med.fa.* 5ª.61.E
Concoquit vt butyrum Lanarum sordes. 10°. *de simp.me.fac.* 5ª.77.E
Concoctricem vim habet Lens. in 6ᵐ. *de mor.vul.com.* 5°. 3ª.194.C
Concoquit & exiccat mediocriter Lotus domestica. 7°. *de simp.medi. facul.* 5ª.54.H
Concoquit & digerit Melilotus. 7°. *de simp.med.fac.* 5ª.55.D
Concoquunt, & suppurare faciunt, dolores Mitigantia. 3°. *de compo. med.sec.loc.* 5ª.146.E
Concoquere communiter facit Piper. 4°. *de san.tu.* 2ª.85.A
Concoquere affectiones omnes sufficiẽter videtur plurimum Myrrha; & dolores leuare. 7°. *de comp.med.sec.loc.* 5ª.178.F
Concoquit affectiones myrrha, thus, & crocus. 7°. *de compo.medica. secun.loc.* 5ª.178.G
Concoquit & repellit Rosaceum. 2°. *de compo.med.per gen.* 5ª.220.G
Concoquit & emollit Seuũ vitulinũ. 2°. *de comp.med.per ge.* 5ª.221.D
Concoquit Thus. 1°. *de comp.med.per ge.* 214.A/2°. 5ª.219.G
Concoquit manna, mouet pus, & carnem gignit. 2°. *de compo.medica. per gen.* 5ª.221.E
Concoquens cataplasma ex aqua, oleo, & farina triticea. 2°. *de arte cur.ad Glau.* 7ª.105.C
Concoquendum quando est aliquid, oportet spiritum intus seruari. 5°. *de simp.med.fac.* 5ª.34.A
Concoquentia medicamenta quibus conducant. intro. Isa.57.H
de Concoquentibus medicamentis ocularibus. 4°. *de compo.medica. secun.loc.* 5ª.149.H
Cõcoquẽtia qd ad oculos faciãt, et q̃ sint. 4°. *de cõp.me.se.loc.* 5ª.150.C
Concoctio qñ maxime fit, tũc est affectionis vigor. de tot.morb. 3ª.88.F
Concoctio celere facit iudiciũ, & celerem securitatem. in 1ᵐ. *de mor. vul.com.* 2°. 112.B/116.F/*com.* 3°. 3ª.124.E
Concoquere, discernere, & excernere se consequi, collige. commen. 4°. *aph.* 23°. Ex.29.H
Cõcoctis humoribus natura euacuat. quos pur.op.quib.med. 5ª.89.A
Concocti debent euacuari humores in vno loco firmi. quos pur.op.qui. med. & quo temp. 5ª.88.H
Concoctione facta homo amplius non ægrotat. in 6ᵐ. *de morb.vulgar. commenta.* 3°. 3ª.161.F
Concoctiones sumuntur ex vrinis, sputis, & deiectionibus. de totius morbi temporibus. 3ª.88.G
Concoctio reddit crassiorem vrinam ac deiectionem. in progn.commentario. 2°. 4ª.201.B
Concoctus est morbus si vrina careat contentis. de vrin.sign. ex Hippocrat. Sp.79.C
absque Concoctione vrinarum iudicatus. in 1ᵐ. *de morb.vulgaribus. commen.* 3°. 3ª.124.E
si Concoctionis indicia adsint, aqua frigida datur. 8°. *met.me.* 7ª.57.g
Cõcoctionem necessario sequuntur puris generatio, & eius in aliquod spatium absceßio. de inæq.intemp. 3ª.43.F
non Concocta & cruda in malos abscessus deflectunt, & in quos. in 1ᵐ. *de mor.vul.com.* 3°. 3ª.124.E
Concoctio, vide Coctio.
CONCORDIAE *de rebus sensibilibus certæ & fideles in vita sunt. de subfig.empir.* Isa.33.B
Cõcordãtia optimũ est historiæ indicatorium. de subfig.empir. Isa.33.B
Cõcordia q̃ a rei natura producit, dogmatica est. de subfig.emp. Isa.33.C
CONCRESCENTIA *debent esse mollia.* 3°. *met.med.* 7ª.19.A
Concrescere non possunt dura. 3°. *meth.me.* 7ª.19.A
Concretum in humoribus exercitatione statim in spiritum vertitur, ac fimditur. 5°. *de san.tu.* 2ª.94.D
Concretus est sanguis denigratus, nigra autem bilis absque cõcretione. com. 4°. *aph.* 23°. Gx.29.H
ad Concretiones sanguinis. de med.fac.par. 7ª.174.D
CONCVRRERE *verbum vetus. de palp.tre.conuul.& rig.* 3ª.54.H
CONCVTI *& excuti verbum vetus. de tremore palpitatio. conuulſ. & rig.* 3ª.54.B
CONCVBITVS *quandoq; refrigerando quibus prosit. in* 6ᵐ. *de morb. vulg.com.* 5°. 3ª.193.B
Concubitus exiccat vt vigilia quo modo. in 6ᵐ. *de morbis vulgaribus commen.* 6°. 3ª.192.G
Concumbentibus imbecillibus vires imbecillitantur. 3°. *de s.t.* 2ª.81.D
Concumbentibus robustis corpora rarescunt potius q̃ in imbecillitatẽ mutentur. 3°. *de san.tu.* 2ª.81.E
Concumbentes robusti quomodo corrigantur. 3°. *de san.tu.* 2ª.81.E
Vide Coitus.
CONCVPISCIBILIS *anima, & altrix idem. de fœt.for.* 1ª.323.C
Concupiscibilis anima proprie, quæ & animi mores. 1ª.317.E
Concupiscibilis pars animæ irrationalis. 2°. *de decr.Hip.* 1ª.239.G
Concupiscibilis, rationalis, & irascibilis, sunt partes diuersæ secundũ Platonem. 5°. *de decr.Hip.* 1ª.259.G
Concupiscibilẽ nunquam adiuuat irascibilis. 5°. *de decr.Hip.* 1ª.259.G
Concupiscibilem quando sequitur ratio sponte vnà cum ratione etiam accedit irascibilis. 5°. *de decr.Hip.* 1ª.259.G

Concupiſcibilis pars animæ dicitur a Platone, quæ ab Ariſtotele altrix, & naturalis. quod animi mores. 1ª.318.E

Concupiſcibilis anima a Platone, vegetabilis ab Ariſtotele, natura a ſtoicis appellatur. de fœt. for. 1ª.326.B

Concupiſcibilis, non proprio, ſed communi vocabulo a Platone ſolet nominari anima ratiocinatrix & irraſcibilis. & animi mo. 1ª.317.E

de Concupiſcibili parte quid ſentiat Ariſtoteles, & Poſſidonius. 5°. *de decr. Hipp.* 1ª.259.F

Concupiſcibilis an ſit mortalis vel immortalis ſcire non confert medicinæ, neq; morali. 9°. *de decr. Hip.* 1ª.286.E

Concupiſcibilis in iecore ſita eſt. 9°. *de decr. Hip.* 1ª.285.E/3°. *de loc. affectis.* 4ª.16.E

Concupiſcibilis facultatis principium eſſe iecur demonſtratio. 8°. *de decr. Hipp.* 1ª.273.H

Concupiſcentiæ viſcus non debet eſſe caliditſimum. 6°. *de dec.* 1ª.266.g

Concupiſcibilem potentiam eſſe in corde, Ariſtotelis eſt dogma, non ſtoicorum. 3°. *de decr. Hipp.* 1ª.246.F

Cõcupiſcibilis animæ pars vbi, ſm Platonem. 6°. *de decr.* 1ª.267.A

Concupiſcibilem, & irraſcibilem habent animalia irrationalia. 5°. *de decre. Hipp.* 1ª.258.E

Concupiſcibilis anima ſeparata eſt ab alijs, ſecundum Platonem, in ſtirpibus. 6°. *de decr. Hipp.* 1ª.261.F

CONCVPISCENTIA *quid, ſecundum quoſdam.* 5°. *de decretis Hippocratis.* 1ª.259.B

Concupiſcentia (ſecundum quoſdam) praua eſt, & ſolum in prauis, & in ſtultis. 5°. *de decr. Hipp.* 1ª.259.B

ex Cõcupiſcibilibus ad voluptates trahimur. 5°. *de dec. Hip.* 1ª.256.b

Concupiſcibilis facultas ſi tollatur, continentia & temperantia non eſt. 5°. *de decr. Hipp.* 1ª.259.A

CONCVRSVS *quid. fin. med.* Iſa.46.A

Concurſus ſunt collectiones eorum quæ acciderunt, quæ conſiderantur ab empiricis. de ijs quæ in med. ſt. com. 1°. 7ª.198.G

p Concurſus empirici faciũt doctrinã. 2°. *de comp. me. ſe. lo.* 5ª.134.c

de CONCVSSIONE *terræ. de hiſt. philoſ.* Sp.8.E

CONCVSSIONES, *muſculorum propriæ affectiones.* 1°. *de differen. reſpiratio.* 3ª.61.C

Concuſſio cerebri, & in ſpinæ vertebris fit qñq; ob caſum totius corporis violentum ex locis altioribus. com. 7°. *aph.* 58°. Ex.59.B

Concuſſum quibus aliqua ex cauſa fuerit cerebrum, neceſſe eſt ſtatim mutos fieri. com. 7°. *aph.* 58°. Ex.59.B

Concuſſio cerebri cur facit mutos. com. 7°. *aph.* 58°. Ex.59.C

Concuſſio cordis quo modo fiat in amante, & duo ſpiritus ab eo exeãt. de compag. memb. ſiue de nat. hu. Sp.59.C

Concuſſio per interualla citra perpetuam conuulſionem cur fieret in epilepſia. 3°. *de loc. aff.* 4ª.20.A

Concuſſio in rigore, in morbis quo modo fiat. in 3ᵐ. *de morb. vulgarib. commenta.* 1°. 3ª.129.G

Concuſſio rigor. 1°. *de dieb. decr.* 4ª.148.A

Concuſſio, id eſt rigor, quo modo fiat. 10°. *meth med.* 7ª.62.H

Concuſſiones faciunt mordicantia. 10°. *meth. med.* 7ª.65.G

ad Concuſſionem, & dolorem ſtomachi cum ventris dolore remediũ. de dynamid. Sp.27.A

in CONDEMNATIS *ad mortem omnium ferè ſimplicium quæ venis aduerſantur vim experti ſunt Mithridates & Attalus.* 1°. *de antidotis.* 5ª.99.E

CONDENSANS *appellant quod poros contrahit.* 5°. *de ſimpl. medicam. facult.* 5ª.35.F

Condenſantium natura frigida eſt ſanè, ſed non terrena, neque aerea, ſed potius aquea. 5°. *de ſimp. med. fac.* 5ª.35.F

Condenſantia, græce πυκνωτικα, quæ ſint. 5°. *de ſimp. med. fa.* 5ª.35.H

Condenſatoriæ & extenuatoriæ, frigidæ & calidæ tẽperantiæ eſt aloe. de cathart. Sp.94.E

CONDERE *eſt eius quod fuit prius.* 2°. *de nat. fac.* 1ª.298.H

CONDIMENTA *a græcis vocata ὑπωτρίμματα.* 2°. *de alimento. facultatibus.* 2ª.24.G

Condimentum cuminum & fœniculũ. 1°. *de comp. med. ſe. lo.* 5ª.128.E

ad Condimenta excipienda vtuntur tuberibus. 2°. *de alim. fa.* 2ª.25.b

Condimentum acre debet adhiberi piſcibus cetaceis, & quale. de attenuante vict. 2ª.46.B

Condimenta qualia eſſe debent apud medicos. 2°. *de ali. fac.* 2ª.23.F

Condimentum carnium in epilepſia. de pue. epilep. 7ª.180.G

CONDITIO *ægri eſt natura morbi. in progn. com.* 1°. 4ª.189.C

in Conditione frigida non eſt exitioſa facies Hippocratica. in progno. commen. 1°. 4ª.191.E

CONDITIONALIVM *ſyllogiſmorum ſpecies ſeptem. de hiſtoria philoſophica.* Sp.3.E

CONDITVM *inter nouem ſpecies ſaporis numeratur. de compag. mẽb. ſiue de nat. hum.* Sp.58.D

ex Cõdito q̃dã exhibeni, quædam ex aqua. de rem. par. fac. 7ª.160.B

CONDRILLA *eſt nomen ſpeciei oleris a ruſticis impoſitum. de attenuante vict. rat.* 2ª.44.B

Condrilla haud dubie eſt frigida. in 6ᵐ. *de mor. vul. com.* 5°. 3ª.194.B

CONDVCENS, *conueniens, conferens, ſecundum naturam, & vtile, idem ſunt.* 14°. *meth. med.* 7ª.91.A

CONDYLOMA *quid. fin. med.* Iſa.49.C

ad Condylomata matricis. de paſſ. mul. Sp.96.C

ad Condylomata. 9°. *de comp. med. ſec. loc.* 204.F/H/ 1°. *de comp. medi. per ge.* 217.A/2°. 223.A/D/225.B/227.A/5°. 247.A/E/249.H/251.F/G/H 5ª.252.E/H

CONDYLON. *de muſcu. diſſect.* 48.D/11°. *de vſu partium.* 191.C/1°. *de motu muſcu.* 1ª.312.C

Condylus quæ pars ſit in brachio. de fracturis. commen. 1°. 226.E/cõmentario. 3°. 7ª.249.A

CONION, *id eſt cicuta.* 7°. *de ſimp. med. fac.* 5ª.53.H

CONFECTVM *& fermentatum, aut nimis digeſtum quod eſt ex pane, aut tenuius coctum eſt, cibus craſſus, & cur. de diſſ. cõt.* Sp.72.H

Cõfectiones oẽs ſunt optimæ, & nõ optimæ. 1°. *de cõp. me. p g.* 5ª.215.B

de Confectionibus internis librum fecit Andromachus. 7°. *de comp. med. ſec. loc.* 5ª.182.D

Confectio Apollonij. 7°. *de comp. med. ſec. loc.* 5ª.183.F

Confectio ad coitum. ſecret. Sp.100.A

Confectum vt Eunomus. 5°. *de comp. med. per ge.* 5ª.254.A

Confectio emplaſtri melini Mæneti. 2°. *de comp. med. per ge.* 5ª.222.g

Confectio finiens febrem Pamphili pharmacopolæ. 7°. *de comp. medic. ſec. locos.* 5ª.183.A

Confectio medicamenti Moſchionis ad fracturas ſecundum ordinẽ ſimplicium ingredientium. 2°. *de comp. med. per ge.* 5ª.225.E

Confectio ex fructibus. 8°. *de comp. med. ſec. loc.* 5ª.189.E

Confectio Gari Ioachi martyropolitæ. de med. fac. par. 7ª.175.B

Confectio gari optima. de med. fac. par. 7ª.175.C

Confectio Biemij ad hydropas. 9°. *de comp. med. ſec. loc.* 5ª.200.H

Confectio Hygijni emplaſtri. 2°. *de comp. med. per ge.* 5ª.223.B

Confectiones Hypoglottides, quæ. 7°. *de comp. med. ſec. loc.* 5ª.179.F

Confectio Iſotheos. 7ª. *de comp. med. ſec. loc.* 5ª.183.G

Confectio ad lapidem. de cura lap. Sp.111.H

Confectio quæ prouocat menſtrua. ſecre. Sp.99.C

Cõfectio Proxeni, in vſu Antonij Muſę. 7°. *de cõp. med. ſe. lo.* 5ª.182.D

Confectio Apollonij ad tuſſim. 7°. *de comp. med. ſec. loc.* 5ª.183.B

Confectio ad tuſſim Sacrificuli. 7°. *de comp. med. ſec. loc.* 5ª.182.E

CONFERENS, *conueniens, conducens, ſecundum naturam, & vtile, idem ſunt.* 14°. *meth. med.* 7ª.91.A

Conferentium indicatio ab effectibus non prouenit contra methodicos. de opt. ſecta. Iſa.21.D

CONFERTA *quæ dicantur.* 4°. *de dign. pulſ.* 4ª.83.G

in CONFESSA *re de nominibus litigare obſcenum. in prognoſti. commentario.* 3°. 4ª.209.C

CONFICIENDI *emplaſtri albi Ariabarzanij, modus.* 1°. *de comp. medi. per gen.* 5ª.216.D

Conficere cibos & nutriri ægris vtiliſſimum. in 6ᵐ. *de morb. vulgari. commen.* 4°. 3ª.180.F

CONFIRMATVRIO *quid ſignificet. de artic. com.* 1°. 7ª.251.H

CONFLATILE *æs facilius rumpitur ductili de machin.* 7ª.309.E

CONFLVXILE *ſibi totum corpus & conſpirabile. de vſu pulſuum.* 1ª.228.B/H

CONFORMATIO *ex his eſt quæ neceſſario accidunt.* 1°. *de vſu partium.* 1ª.115.E

Conformatio oſſium quæ appelletur. de fract. com. 1°. 7ª.224.C

CONFORTANT *confortatione plurima ſomni multi poſt cibum. de diſſ. cont.* Sp.72.G

Confortatiuum, conſtrictiuum, & conſolidatiuum eſt vinum mixtum licio, & nitro. de oculis. 7ª.189.G

Confortans Calorem naturalem in corporibus ſenum, medicamen. de medic. exper. Sp.108.A

ad Confortandum Cerebrum capitis ablutio. ſecretorum. Sp.98.A

Confortans Cor,& hepar,& ſtomachum medicina. de medicinis expertis. Sp.107.B
Confortans digeſtionem compoſitio.ſecr. Sp.102.A
in Confortatione Hepatis,& omnium membrorum interiorum quid ſit optimum.de med.exper. Sp.105.F
Confortant hepar fiſtici.de diſſ.cont. Sp.74.G
*Cõfortat hepar electariũ rhabarbari.de med.exper.*105.E/Sp.108.B
Confortans hepar confortatione maxima electarium ſquinanthi.de medicinis exper. Sp.107.H
*Confortans hepar confortatione magna medicamen. de medicinis exper.*105.B/ Sp.108.B
Confortans Inteſtina,& membra interiora uuedicamentum.de medic. expertis. Sp.104.G
Confortans Membra frigida medicamen.de med.exper. Sp.104.E
*Confortans ſtomachum drachmæ duæ aloes.de med.exper.*Sp.106.E
*Confortat ſtomachum decoctio corticis fiſtici.de med.exper.*Sp.104.D
Confortat ſtomachum debilem valde decoctio maſtiches. de medicin. expertis. Sp.104.D
*Confortans debilem ſtomachum electarium.de med.exper.*Sp.108.A
Confortans ſtomachum medicina.de med.exper. Sp.105.A/G
*Cõfortãs ſtomachũ,& hepar electariũ agarici.de med.exp.*Sp.108.C
Confortans Virtutem retentiuam medicamen.de med.exp. Sp.106.D
CONFRACTA *oſſa cur prius extendenda.de fract.com.*1°. 7ª.224.B
CONFVSIO *oĩum quid ſignificet.in* 6ᵐ.*de mor.vul.com.*3°. 3ª.170.C
*Confuſio in diuerſis febribus quid.*2°.*de diff.feb.* 3ª.39.F
Confuſio in oculo quid.fin.med. Iſa.48.D/E
*ad Confuſiones oculorum.*4°.*de comp.med.ſec.loc.* 5ª.155.B
Confuſe,& imperfecte formant voces qui habent foramina naſi ſtricta,vel oppilata.de anat.viu. Sp.49.B
CONGELATA *pluuia fit grando.de vtil.reſp.* Sp.62.E
Congelata nubes fit nix.de vtil.reſp. Sp.62.E
Congelatum membrum omne terreſtre,ſenſu priuatum, ex melancholia eſt.de ana.viu. Sp.45.F
*Congelari,& refrigerari quo modo differant.*1°.*de ſimp.me.f.* 5ª.5.B
*Congelatio fit ab algore.*1°.*de diff.feb.* 3ª.34.D
*Cõgelanĩ corpora vehemẽti dũtaxat frigore.*4°.*de ſim m.fa.* 5ª.32.H
*Congelatio ex frigore pulſum durum facit.*1°.*de dif.ſeb.* 3ª.34.B/D
Congelationibus vocatis paſſionibus non nulli affliguntur.de differen. morborum. 3ª.3.E
*a Cõgelatione induratũ excalfieri poſtulãt.*4°.*de ſim.me.fac.* 5ª.32.G
Congelatum ſanguinem in ſtomacho & veſica quid diſſoluat. de cura lapidis. Sp.112.H
ad Congelatum ſanguinem in veſica.de cura lap. Sp.112.F
CONGLVTINARE *vlcera non poteſt alumen, nec æs vſtum, nec æris ſquama.*1°.*de ſimp.med.fac.* 5ª.7.G
*Conglutinandi,& purgandi quo modo ſint ſinus.de ijs quæ in medica. fiunt.com.*2°. 7ª.211.H
*Cõglutinat ſinus pfundos melicratũ.*2°.*de ar.cur.ad Glau.* 7ª.106.C
*Conglutinat magna vulnera ſcordion.*8°.*de ſimp.med.fa.* 5ª.60.H
*Couglutinans emplaſtrum.*5°.*de comp.med.per ge.* 5ª.249.A
*Conglutinans helleſpontia.*6°.*de comp.med.per ge.* 5ª.159.E
*Cõglutinãs & dolore vindicãs medicᵐ.*5°.*de cõp.med.per g.* 5ª.149.b
Conglutinãs excolando. 6°.*de comp.med.per ge.* 5ª.256.H
*Conglutinans vulnera.*1°.*de comp.med.per g.*215.G/5°.5ª.248.C/D
*Conglutinans perfecte.*5°.*de comp.med.per ge.* 5ª.245.G
*Conglutinata an bene ſit pars profunda ſinus,& fiſtulæ,quo modo cognoſcatur.*2°.*de arte cur.ad Gla.* 7ª.106.D
CONGIVM *quæ menſura ſit.*6°.*de comp.med.ſec.loc.* 5ª.170.A
Congium menſura dicta non eſt apud omnes eiuſdem capacitatis. de ſalubri dieta. 2ª.41.F
*Cõgiũ atticũ mẽſurã eſſe magnæ capacitatis,collige.de ſal.die.*2ª.41.f
*Congius quot minas capit.*5°.*de comp.med.per ge.* 5ª.248.B
*quam Congij maris magis ignorantur,prouerbium. in prognoſtica, commen.*3°. 4ª.208.E
*Congij meminit.de nat.fac.*296.E/8°.*de compoſi.med.ſec.loc.* 189.E/196.B/4°.*de comp.med.per gen.* 5ª.244.A
Congius quæ menſura,vide Chus.
CONGRI *habent carnem duram,ægre conficiuntur, & pariunt ſuccos craſſos & ſalſos.*3°.*de ali.fac.* 2ª.31.E
*Conia,i.lixiuium.*4°.*de ſimp.med.fac.*25.A/7°.52.B/9°. 5ª.69.G
CONIECTVRA *habet multas ſpecies.* 3°.*de compoſi.medicamentorũ ſecun.loc.* 5ª.144.D
*Coniectura artificioſa,quæ.*1°.*de criſ.* 4ª.128.F
*Coniectura artificioſa media eſt inter exactam notitiam, & omnifariam ignorantiam.*1°.*de loc.aff.* 4ª.3.D
*Cõiecturæ artificioſæ in actionib.aliqñ aberrãt.c.*4° *aph.*12°.*Ex.*27.e
*Conijcere artificioſæ eius eſt qui omnia didicerit, meminerit, exercuerit.de vict.rat.in mor.acu.com.*2°. 7ª.122.A
Coniecturalis non eſt medicina,ſed ſcientifica in curatione. 2°.*de cõp. med.ſec.loc.* 5ª.135.H
Coniecturalis a quo maxime fiat medica ars. de curandi rat.per ſang. miſſionem. 6ª.18.H
*Coniectura artificioſa in quo conſiſtat.*3°.*de loc.aff.* 4ª.15.B
*Coniecturale artis in affectionum cognitione conſiſtit.*2°.*de comp.medi.ſec.loc.* 5ª.136.A
*Coniectura poteſt fieri a cauſis procatarcticis.*3°.*de compo.medicam. ſecun.loc.* 5ª.144.D
CONIVNGANTVR *quo modo ſpermata. de compagine membrorum, ſine de nat.hum.* Sp.59.E
CONIVGATIONES *quatuor faciunt duæ oppoſitiones inter ſe complicate.*3°.*de diff.reſp.* 3ª.69.G
*Coniugia reſpirationum quatuor conſtituunt duæ oppoſitiones inter ſe permutatæ,denſa & velox,rara,& tarda.*1°.*de diff.reſp.*3ª.62.E
Coniugatio prima neruorum a cerebro orientium.de ner.diſſ. 1ª.53.C
Coniugatio prima neruorum eſt mollior cæteris.de ner.diſſ. 1ª.53.D
*Coniugatio ſecũda neruorũ a cerebro qualis,et vbi.de ner.diſ.*1ª.53.D
Coniugatio tertia neruorum a cerebro qualis & quorſum tendat. de neruorum diſſectio. 1ª.53.D
Cõiugatio tertia neruorũ diuidit in multas partes.de ner.diſſ. 1ª.53.e
Coniugatio quarta neruorum a cerebro qualis & quorſum tendat. de neruorum diſſectione. 1ª.53.D
Coniugatio quinta neruorum a cerebro orientium, qualis, & vnde orta.de ner.diſſect. 1ª.53.G
Coniugatio ſexta neruorum a cerebro orientium qualis & vbi.de neruorum diſſectione. 1ª.53.H
Cõiugationes ſextæ neruorũ a cerebro diſtributio.de ner.diſſ. 1ª.54.B
*Cõiugationẽ ſextã neruorũ ñ eẽ totã ſecãdã, collige.*4°.*d lo.af.*4ª.26.C
Cõiugatio ſeptima neruorũ a cerebro pdeuntium.de ner.diſſ. 1ª.53.H
Coniugatio neruorum guſtatoria,quæ.de ner.diſſ. 1ª.53.F
Coniugatio prima neruorum a ſpinali medulla quæ in colla quo modo procedat.de ner.diſſ. 1ª.54.D
*Cõiugatio prima colli neruorũ in aĩalibᵒ hũtibᵒ magnus vertebras magna ẽ,vt aĩalia hũtia dẽtes ſerratos,et cornigera.d ner.diſ.*1ª.54.E
Coniugatio ſecũda colli neruorum vbi,& qũo exit.de ner.diſ. 1ª.54.e
*Coniugatio tertia neruorum colli vbi,& qũo exit.de ner.diſſ.*1ª.54.F
Coniugatio nõ neruorũ q̃ in collo ſunt cõia quędã.de ner.diſſ. 1ª.54.F
Coniugationum neruorum in collo particularia.de ner.diſſ. 1ª.54.G
Coniugatio prima colli neruorum in animalibus habentibus paruas vertebras parua eſt vt in ſimijs.de ner.diſſ. 1ª.54.E
*Cõiugationes neruorũ ex thoracis vertebris pdeũtiũ.d ner.diſ.*1ª.54.H
Coniugationes neruorũ pdeũtiũ ex vertebris lũb. de ner.diſſ. 1ª.55.B
*a Cõiugatione tum prima,tum tertia,tum ſexta nerui perueniunt ad iecur,ad lienem,ad renes,ad ventrẽ,ad viſcera.de ner.diſ.*1ª.54.d
a Coniugatione ſexta pulmo, ac cor quandam neruorum portionem in collo ſuſcipiunt.de ner.diſſe. 1ª.54.D
ſine Coniugio neruus vnus ſolus,& qui.de ner.diſſ. 1ª.53.e
Coniugationes muſculorum quæ in capitis.dearticulationes habentur vbi.de muſc.diſſ. 1ª.45.G
Coniugationes quatuor muſculorum maxillam inferiorem mouent, & vbi ſiti.de muſ.diſſ. 1ª.44.G
CONIVNGENTES *ſcutiformem chartilaginem muſculi, qui. de muſcu. diſſect.* 1ª.46.B
Coniungentes fines chartilaginis muſculi,qui.de muſc.diſſ. 1ª.46.B
Coniungere vbi ducta neceſſe eſt, vinculum.de faſc. 7ª.295.F
CONIVNCTIONIBVS *diſiunctiuis in quo ſermone vtamur.de ſympto ma.diff.* 3ª.13.F
Coniunctio ſubdiſiunctiua non diſiunctiua.de mul. 3ª.76.D
Coniunctio puncti cum ſuperficie in pineata figura egregie fit.de anat. viuorum. Sp.52.F
in CONIVNCTIONIBVS *caro alba, & mollis eſt. de anatomia viuorum.* Sp.44.D
CONIVNCTIVA *quæ tunica ſit,& vbi.de ana.viu.* Sp.48.G
CONIVNCTIVA *panniculus oculi.de ocul.* 7ª.182.H
Coniunctiua eſt oculi tunica quæ apparet alba.de anat.par. Sp.43.D

Coniunctiua septima ex oculorum tunicis extrinsecus adnata, vnde originem ducat. 10°. de vsu par. 1ª.128.C
Coniunctiua vnde procedit. de oculis. 7ª.183.C
Coniunctiua habet sex parta lacertorum ad motum oculi perficiendũ. de anat. viu. Sp.48.G
in Coniunctiua septem morbi. de ocul. 7ª.186.F
CONIVNCTAE *sunt vena pulsatilis & quieta, & quo modo. de anato. viuorum.* Sp.56.D
Coniunctum in excrementis quo modo intelligatur. 1°. de cri. 4ª.129.B
CONYLE. *i. origanus agrestis. 8°. de simp. med. fa.* 5ª.57.E
CONNEXIO *ex his est quæ necessario accidũt. 1°. de vsu par.* 1ª.115.E
Cõnexũ retiformẽ quæ arteriæ faciant. de decr. Hip. et Pla. 1ª.233.A
CONNIVERE *quid sit. in 6m. de mor. vul. com. 6°.* 3ª.188.F
cur Cõniuent oculis melãcholici. de mel. ex Ga. Ru. & Poss. Sp. 109.E
Conniuentia oculorum vlceratio. fin. med. Isa.48.D
CONSANGVINEI *vnde dicanť. de nat. & ord. cuius. cor.* Sp.42.C
CONSENSVS *communis est, nihil sine causa fieri. de decr.* 1ª.250.F
Consensus quantus sit oris ventriculi, & cordis acq; cerebri. 5°. de locis affectis. 4ª.32.H
per Consensum, & propria ratione idem potest laborare. 1°. de locis affectis. 4ª.4.H
per Consensum affici quid significet. 1°. de loc. aff. 6. E/2°. 4ª.14.C
Consentiat ne alteri, an ipsa afficiatur sedes, primo actione vitiata cõsiderandum. 3°. de loc. aff. 4ª.15.C
per Consensum quando sit prima affectio & quo modo cognoscatur. 3°. de loc. aff. 4ª.17.A
per Consensum partem læsam, nondum habere permanentem dispotionem, collige. 3°. de loc. aff. 4ª.14.D
per Consensum affectus, deletis causis efficientibus deficit. 3°. de loc. affectis. 4ª.17.B
per Consensum quando fit affectio, cui parti adhibenda sint remedia. 2°. de loc. aff. 4ª.13.G
Consentiens quæ pars proprie dicatur. 3°. de loc. aff. 4ª.14.E
in Consentientibus indicationibus, & dissentiẽtibus quo modo victus ratio ordinanda. 8°. meth. med. 7ª.55.A
Cõsentientes dispositiones corporũ lædunť facile. 1°. de diff. fe. 3ª.32.d
CONSEQVENTIA *vasa seminaria quæ sint. de anat. vi.* Sp.51.G
quæ CONSERVANTVR *perpetuo ac memoria tenentur. 2°. de mot. muscu.* 1ª.315.G
Conseruatrices artes quæ sint. ad Thras. 2ª.104.C
Conseruatricis artis diuisio. ad Thras. 2ª.106.E
Conseruatio est cõis actio corporum sanorum. ad Thras. 2ª.108.F
Conseruat quies in eodem statu: motus vero trãsmutat, atque alterat corpus. com. 4°. aph. 14°. 28. G/aph. 34°. Ex.17.C
ad Conseruationem substantiæ cerebri est indigentia cordis, & hepatis. de mot. man. & obs. Sp.66.G
ad Conseruandam sanitatem oculi alchohol. secret. Sp.97.F
ad Conseruandã sanitatem corporis syrupus acetosus. secr. Sp.103.d
ad Cõseruationem sanitatis tum ad eiusdem recuperationem optimũ præsidium est scarificatio in cruribus. de cucur. scar. 6ª.3.H
ad Conseruationẽ ignis necessarius est aer, non, vt quidam putant, propter refrigerationem, sed nutrimenti causa. de vtil. resp. Sp.63.H
Conseruetur quo modo succus centaureæ. de vir. cent. Sp.93.A/B
CONSIDENTIA *siue consistentia siue consequentia morbum sunt quę græce* συνεδρεύοντα *dicuntur. de vic. ra. in mor. acu. c. 4°.* 7ª.134.F
CONSIDERATIONIS *initium vnde fieri debet in omni re, & quæ sequuntur. de optima nostri corpo. consti.* 1ª.38.A
Consideratio pertinet ad præsagiũ. in 1m. de mor. vul. com. 2°. 3ª.112.A
non Considerantes, & aliquid agentes dormientibus sunt similes. 1°. de diff. resp. 3ª.60.A
Consilium. i. Metis. 3°. de decr. Hipp. 1ª.247.C
Consilium in pectore secundum poetam. 3°. de decr. Hipp. 1ª.242.D
Consilia potentior ira in Medea. 3°. de decr. Hip. 1ª.243.A
Cõsiliũ Thucydidis, Agentes aliqd vel periclitari. 10°. me. m. 7ª.67.d
Consilium de absurdis, & admirabilibus medicinis a Galeno petebant omnes medici Romæ. de artic. com. 1°. 7ª.255.H
CONSISTENS *ætas ad iuuentutem comparatur, vt autumnus ad æstatem. com. 3°. aph. 30°.* Ex.26.D
Consistentes declinant, quare collige incipere nos transacta iuuentute, declinare. com. 3°. aph. 3°. Ex.26.D
Consistentibus & iam declinantibus terrestris substantia superabũdat & minor est natiui caloris substantia, quam recenter natis. comm. 1°. aph. 14°. Ex.7.F
Consistentes non habent calidum corpus, vt prius. commentario. 3°. aphor. 30°. Ex.26.E
Consistentes habent paucum sanguinem. com. 3°. aph. 30°. Ex.26.E
Consistentibus hyems optima est. com. 3°. aph. 18°. Ex.23.H
Consistentes habent proprias passiones hæmorrhoidas, & melancholia. com. 3°. aph. 30°. Ex.26.F
Consistentiæ ætas biliosissima omnium. 2°. de diff. feb. 3ª.36.D
Consistens ætas gignit flauam bilem. com. 1°. aph. 2°. Ex.3.D
Cõsistentium ætate tertianæ febres maxime fiũt. 2°. de diff. feb. 3ª.36.d
Consistentibus phrenitides, & ardores, & choleræ, & difficultates in testinorum iuuenibus accidunt, occasionem sui ortus a flaua bile capientes. com. 3°. aph. 30°. Ex.26.E
CONSISTENTES *humores deriuantur. 2°. de arte cur.* 7ª.102.F
Consistentiam esse etiam in vinis, collige. com. 4°. aph. 21°. Ex.29.D
Consistentiæ indicant de temperamento plantæ. 2°. de ali. fa. 2ª.24.E
Consistentia medicamenti cuiusque non est consideranda. 2°. de simpli. med. facul. 5ª.10.A
ex Consistentia cuiusq; medicamenti existentem in singulis facultatem inuenire tentantes reprehenduntur. 3°. de simp. me. fa. 5ª.17.C
Consistentia quid in febrium circuitibus. de mor. temp. 3ª.86.B
Consistentia febris quando sit. 2°. de diff. feb. 3ª.42.D
Consistentia morbi quo modo comprehendatur. 1°. de cris. 4ª.126.B
CONSOLATIONES *æstus quæ. de caus. procat.* 3ª.96.A
CONSOLIDA *ad vulnera consolidanda valet. de dyn.* Sp.35.F
CONSOLIDANTVR *celerius fracturæ si fomententur aqua, in qua lentisci folia sint decocta. de simp. med.* Sp.86.B
quæ Consolidari non possint. 3°. meth. med. 7ª.16.E
CONSONANTIA *summa et exactissima in lyris vnica est et insectilis, quæ in vsum horum venit, habet latitudinem. 1°. de sa. tu.* 2ª.64.B
CONSORTIA *partium affectarum tribus modis fiunt. in 3m. de morb. vulg. com. 1°.* 3ª.130.C
CONSPIRABILE *sibi totum corpus & confluxile. de vsu pulsuum.* 1ª.228.B/H
Conspiratum confluxumq; in nostris corporibus esse ait Hippocrates. 1°. de naturalib. facul. 1ª.293.G
CONSTANTIA *animi ab atra bile proficiscitur. de natu. huma. commentario. 1°.* 1ª.33.B
Constantia quædam habent suam essentiam. 2°. meth. med. 7ª.10.A/B
CONSTANT *animalia, & homo solidis, humidis, & spiritibus. breuis denotatio dogmatum Hipp.* 1ª.231.A
CONSTIPATIONIS *causa est virtutis contentiuæ motus immodicus. de cau. mor.* 3ª.9.B
Constipat habitum corporis vsus. 10°. meth. med. 7ª.61.G
Constipans naturam medicamentum. de med. exper. Sp.104.G
Constipata rarefacit chamæmalum. 3°. de simp. med. fac. 5ª.18.H
Constipata pectora mollit diapenidion minus. de dyna. Sp.26.D
Cõstipatæ venæ p induratis, et quæ ægre intendant. de fal. die. 2ª.42.G
CONSTITVERE *quid in Asia significet. de fract. com. 3°.* 7ª.246.H
CONSTITVTIO *vnum ex tribus principijs medicinæ. intr.* Isa.50.H
Constitutio artis medicæ apud empiricos. de sectis. Isa.16.A
Constitutio omnis artis a finis notione. de const. ar. Is.36.D
Constitutiones, & colligationes diuersarum rerum non natura, sed arte factæ, quas natura imitatur. de anat. adm. 1ª.73.A
Constitutiones tres corporis, optima, vitiosa, ægrotans, de const. ar. Is.38.H/*de oculis.* 7ª.185.E
Constitutio optima corporis, quæ. de optima nostri corporis constitutione. 37. H/38. A/C/1°. de vsu par. 1ª.115.C
Constitutio optima idem cum dispositione habitudine, habitu, & de natura. opti. nost. corp. const. 1ª.37.C
Constitutio optima in quibus. de opt. nost. corp. const. 1ª.38.B/G
Constitutionis indicia vnde sumantur. ars med. Isa.62.G
Constitutionis optimæ signa ab essentia. ars med. Isa.62.G
Constitutio optima, nec re medica indigeret si corpus esset impatibile. ars medicinalis. Isa.68.B
Constitutio corporis est causa ad actionem. 1°. met. med. 7ª.8.D
Constitutiones praua corporis aliquando sunt cum intemperie totius, aliquando vero partis. in 6m. de mor. vul. com. 4°. 3ª.186.G
in Constitutionum, vel functionum genere morbum & sanitatem ponere ad quam disputationem nihil referat. 1°. de san. tu. 2ª.64.C
Constitutionis anni consideratio ad temperaturas vtilis est. commen. 3°. aph. 16°. Ex.23.C

Conſtitutiones omnes & complexiones locorum et temporum quo vn⁹ per methodum facile poſsit habere.com.3°.aph.14°. Ex.22.D
Conſtitutio præſens ad dignotionem & ſpeciem euacuationis facit.cō. 4°.aph.2°. Ex.27.G
Cōſtitutiōis calidæ & ſiccæ extenuāt corpora.c.2°.aph.28°.Ex.16.D
in Conſtitutionibus admodum frigidis euacuati, cum acceſſiones incipiunt, nimium refrigerati non poſſunt tolerare. 1°.de arte cura. ad Glau. 7ª.98.C
CONSTRICTIO *quid ſignificet.de ijs quæ in medic.cō.2°. 7ª.212.D*
Conſtrictū nomen eſt translatum de denſo,& duro.2°.de ſa.t. 2ª.72.F
Conſtringi maxime & dilatari proprium eſt neruoſorum.de vict.ra.in mor.acu.com.3°. 7ª.131.A
Conſtrictionis,& dilatationis motu mouetur cerebrum & cor, licet differant.de anat.viu. Sp.56.E
Conſtrictio humoris albuginei,& dilatatio qñ fiat.de ana.vi.sp.48.F
Conſtringitur,& dilatatur in horis neceſſarijs motus duorum lacertorum,qui ſunt in folijs narium.de anat.viu. Sp.49.A
ad Cōſtrictionē nimiā epiglottidis qd ſequaī.de vo.& anhel.Sp.60.H
Conſtringendo,& dilatando horis determinatis mouetur inferius orificium ſtomachi.de ana.viu. Sp.56.E
Conſtrictionis circa cibum potum opus quot modis vitioſum fuerit. de ſymp.dif. 3ª.12.E
Conſtringatur,& dilatetur quo modo pulmo.5°.de loc.aff. 4ª.31.C
ad Conſtrictionem,& dilatationem thoracis conſtringitur & dilatatur pulmo.de anat.viu. Sp.47.H
Conſtrictionis cordis motu quid fiat.de anat.viu. Sp.56.D
quando Conſtringitur cur rigoſa eſt intrinſecus forma cordis.de anatom.viuo. Sp.56.G
Conſtrictionis motus cordis cauſa,quæ.de anat.vi. Sp.56.D
in Cōſtrictione et dilatatione qd faciat cor.2°.de pſag.ex pul. 4ª.111.C
Conſtrictio vnde fiat in arteria.1°.de præſag.ex pulſ. 4ª.107.F
Conſtrictoriam & contentricem virtutem habent inteſtina. in 6m.de mor.vul.com.5°. 3ª.193.D/E
qñ Conſtringatur,& dilatetur vterus.de ana.vi. Sp.56.E
Cōſtrictorius,σφιγκτήρ,inteſtini recti muſculus.de art.c.3°. 7ª.272.G
CONSTRICTIO *ſolum quo febrem faciat.1°.de dif.feb. 3ª.31.G*
Conſtringentia qualia ſint.de oculis. 7ª.187.H
Cōſtrictiua,& pōtica multū ſunt terreſtria,et craſſa.de ocu.7ª.188.A
Conſtringentia vel ſunt craſſa terreſtria,vel ſubtiliatiua & aquoſa. de oculis. 7ª.188.A
Conſtringere,& exiccare eſt frigiditatis actio.de ocul. 7ª.188.B
Conſtrictiua medicina,qualis.de oculis. 7ª.189.C
Conſtrictiua potentia vna ex medicinis oculi.de ocu. 7ª.189.A
Conſtringit meatus tenues aqua calida.7°.meth.med. 7ª.44.F
Conſtringens anicetum.6°.de comp.med.per ge. 5ª.256.D
Conſtringit galla,& contrahit partes laxas,& languidas.7°.de ſimp. med.fac. 5ª.51.B
ad Conſtringendum plantago valet.de dyna. Sp.35.F
Conſtringit,& exiccat linguam ponticum.de ocul. 7ª.188.B
Conſtrictiuum,confortatiuum,& ſolidatiuum eſt vinum mixtum cum licio,& nitro.de oculis. 7ª.189.G
Conſtringere valenter & conſtipare quidquid robur quoddam renitens,& durum habeat,oportet.5°.de ſimp.med.fa. 5ª.35.H
Conſtringentia nihil lędunt ventriculum.5°.de vſu par. 1ª.143.F
Conſtringunt quo modo offendentia.7°.met.med. 7ª.44.F
Conſtringendæ quo ſint partes.de ijs,quæ in medi.com.3°. 7ª.214.E
CONSVETVDO *dicitur ſex modis.de ocul.5ª.185.D/de ijs quæ in medicat.fiunt.com.3°. 7ª.217.F*
Cōſuetudo eſt natura acquiſititia.3°.de mo.muſc.1ª.315.F/3°.de ſimp. me.fa.5ª.22.C/de ijs quæ in med.c.3°.7ª.217.F/de diſſ.cō.Sp.72.c
Conſuetudo,& natura conueniunt.2°.de mot.muſ. 1ª.315.F
a Cōſuetudine praua dimouere quępiā difficile eſt.2°.de decr. 1ª.235.g
in Conſuetudinibus malis perſiſtunt aliqui dulcedine victi vel præmia dementia.5°.de ſan.tu. 2ª.93.H
nō Cōſueti ex adultis timēt in tenebris.de mel.ex G.R.et Po.S.109.D
Conſuetudinis repentina mutatio corpora multum offendit.de vic.ra. in mor.acu.com.1°. 7ª.121.B
Conſuetudinem ſuæ naturæ conuenientem deligunt alicui rei magna ex parte aſſueſcentes.5°.de ſan.tu. 2ª.93.H
Conſuetudo omnis vniformis periculoſa eſt.com.2°.aph.30°. Ex.19.c
Conſuetudine fieri poteſt virilitas,& laboris tolerātia.de aere,aquis, & locis. 2ª.6.D
Conſuetudo in ſenibus multum facit ad exercitationis ſpeciem eligendam.5°.de ſan.tu. 2ª.89.H
Conſuetudinem cur non debet mutare ſenex.5°.de ſa.tu. 2ª.93.B
ob Conſuetudinem qui exerceri non poſſunt,vitent cibos craſſi & lenti ſucci.de bon.& vitio ſuc. 2ª.35.A
Conſuetudo maxime poteſt.de vic.rat.in mor.acu.com.2°. 7ª.121.B
Cōſuetudo hz maximā vim ad ptubationū motus.4°.de dec.1ª.253.b
Conſuetudo maximam vim habet in ſpectantibus ad medicinam. de ijs quæ in medic.fiunt,com.3°. 7ª.217.F
Conſuetudo noſcenda eorum quibus medemur.de ijs quæ in medic.fiūt. commen.1°. 7ª.198.B
Conſuetudo quantum valeat.8°.meth.med. 7ª.60.E
Conſuetudo facit ad præſagiendum.in 1m.de mor.vul.com.3°.3ª.117.e
Conſuetudo quo indicat.13°.meth.med. 7ª.84.D
Cōſuetudo facit ad auxiliorū intētionē.8°.me.me.58.G/11°.7ª.68.B
à Cōſuetudine ēdicatio ſimiliū quoad ægrotāt hoies.8°.me.me.7ª.55.c
Cōſuetudinē oēm ſuādā medici cēſentes min⁹ errāt.5°.de ſ.t. 2ª.93.H
Conſuetudo,vitę induſtria,pñs aeris conſtitutio,acceßionem,reciprocationē,& morbi conſtitutiones indicant.cō.1°.aph.12°. Ex.5.E
ex Conſuetudine,victus rō & alia multa ſumunt.7°.met.me. 7ª.46.c
Conſuetudo ſimilem victum poſtulat.8°.met.med. 7ª.54.H
Cōſuetus prādere ſi nō prādeat,quid illi contingat.de diſ.cō. sp.72.C
Conſueta hora cibi ſi mutetur,quid contingat.de diſſ.con. Sp.72.C
Conſuetudinem,qñ eſt antiquata & longa,& ſi ſit non bona, quando nō adducit aliquid neceſſitatis ad mutationem ſuam, imitari debet medicus in cibando ægro.de diſſ.cont. Sp.72.C
Conſueta quæ ſunt ex longo tempore,& ſi deteriora ſunt,inſuetis minus moleſtare ſolent.com.2°.aph.30°. Ex.19.A
quæ Conſueta ſunt vt minime laſſantia ſunt,quos exercent,etiam delectant.5°.de ſan.tu. 2ª.89.H
Conſuetis gaudent naturæ.8°.met.med. 7ª.54.H
Conſueta ſunt bona.in progn.com.2°. 4ª.198.H
Conſuetudo quid agat,et quo modo paulatim mutanda.in 6m.de mor. vulg.com.2°. 3ª.165.B
Conſuetudo multum facit ad euacuationem,quos purg.op.quib.5ª.88. E/1°.de arte cur.ad Glau. 7ª.98.D
propter Conſuetudinem euacuationibus corpora non indigent, et cur indigeant.de aſſuetu. 2ª.61.H
à Cōſuetis leuiorib.gñaliter laxare naturā debes.de me.ex.Sp.108.H
poſt Conſueta aliqua exercitia ſanguis è vena detrahendus eſt. præſag.experientia confir. Sp.77.H
niſi CONSVANTVR *cito vulnera,fiunt dolores intenſi. de ijs quæ in med.fiunt,com.1°. 7ª.201.A*
CONSVMPTIONEM *ſignificat pingue ſuper vrinam. in prognoſtica, commen.2°. 4ª.201.C*
Conſumptionem ex interna,& incerta cauſa patientibus ſubuenit theriaca.de vſu ther.ad Pamph. 5ª.98.F
Vide Tabes.
CONTAGIOSI *morbi enumerantur.1°.de diff.feb. 3ª.31.B*
CONTABEFACTA *quæ vocet Hippocrates. de ijs, quæ in medicatri. commen.3°. 7ª.220.F*
CONTEMPERAT *& expurgat lac aſininum. de vict.rat.in mor.acut. commen.4°. 7ª.149.D*
CONTEMPLATIO *præcedit actionem.ſm.med. Iſa.48.A*
CONTEMPLABILES *dies,& iudices qui ſint.com.2°.aph.24°. 15.G/ com.4°.aph.71°. Ex.35.c*
CONTENDENTIA *ſiue intendentia, ac ſoluentia proprie dñr de cauſis.ſicut intenta & ſoluta de corporibus.de na.hu. 7ª.182.A*
Contentio ſecundum plurimum quid ſit.3°.de diff.pul. 4ª.59.B
Cōtētio corporū quib.fiat,& qūo.in 1m.de mor.vul.com.1°.3ª.104.b
Contentione fit dolor.in 1m.de mor.vul.com.1°. 3ª.104.H
Contentio vitanda in capitis dolore ob ardorem, & etiam in dolore capitis frigido.2°.de comp.med.ſec.loc. 5ª.132.B
Contendenti & laxanti medicamentorum facultates ſunt contrariæ. 5°.de ſimp.med.fac. 5ª.38.H
Contentum opponitur laxo.in 3m.de morb.vulga.commen.1°.131.B/ in 6m.comm.1°. 3ª.160.B
CONTENTIVA *cauſa,ideſt de continenti facta.de cau.proc. 3ª.96.H*
Contentiuam cauſam ponit Galenus.com.7°.aph.30°. Ex.56.A
Vide Continens cauſa.
Contentrix facultas a ſtoicis orta.de mul. 3ª.77.C
in Contentrice facultate continens & contentum.de mul. 3ª.77.C

Contentrix causa requiritur in omni re vt sit,ne detur processus in infinitum. de mul. 3ª.77.D
Cõtentricem virtutem hñt intestina.in 6ᵐ.de mor.vul.c.5°. 3ª.193.F
Contentricem virtutem in vesica esse,collige.6°.de loc.aff. 4ª.41.H
*Cõtẽtiuæ virtutis motus ĩmodicus cõstructionis cã est.de cau.m.*3ª.9.b
Contentiua virtus in senib.multũ ibecillis est.cõ.3°.aph.30°.Ex.26.E
Contentiuæ virtutis imbecillitas nimium laxat.de caus.mor. 3ª.9.B
Contentiuæ potentiæ debilitas ostenditur per lachrymas.commẽt.4°. aphorismo.52°. Ex.33.D
ex CONTENTIS *in alieno spatio notitia etiam sumitur affectæ sedis. 1°.de loc.aff.* 4ª.2.F
Contentorum in vrina situm variat flatus.de vrinis. 4ª.124.A
CONTENTIONIS *& gloriæ & principatus appetitus est animi affectus,licet minor.de cogn.cur.animi mor.* 2ª.53.G
Contentio quando nulla foret mortalibus.3°.de dif.pul. 4ª.59.B
Contentionem aufert sapientiæ amor.3°.de dif.pul. 4ª.59.B
Contentiosi qui fuere.de hist.philo. Sp.3.B
CONTINERE *tempestiue,naturæ est officium, vt tempestiue excerne re.6°.de loc.aff.* 4ª.41.G
Continere qui se non possunt iacentes præ ægritudine,indigent summa custodia diligentiaq;.de vic.rat.in mor.acu.com.4°. 7ª.140.F
Continenda & tegenda lanæ alligabimus.de fascijs. 7ª.293.F
*ad Cõtinẽdũ mẽbra cũ ĩ suã sedẽ cõpellunt laqueis.de laque.*7ª.306.F
Continentis causæ nomen vnde.contra Iulianum. Ex.69.B
Cõtinentẽ siue cõtẽtiuã & ꝓximã cãm ponit Gal.1°.de symp. 3ª.16.B
Continentis causæ definitio.contra Iul. Ex.70.G
*Cõtinẽs seu ꝓxima cã.1°.de mot.musc.*1ª.312.G/*de hist.phil.Sp.4.A*
Cõtinentes causæ quo mõ differãt ab antecedẽtib.cõtra Iul. Ex.68.G
Cõtinẽs cã nunquã est plenitudo fm Asclepiadẽ.cõtra Iul. Ex.68.H
Continens cohærensq; causa omnium morborum.intro. Isa.52.B
Cõtinentis causæ exẽplũ in febre a bubone facta.contra Iul. Ex.70.G
Continens causa per totum affectum perdurat.contra Iul. Ex.70.G
Continentis causæ meminit.10°.meth.med. 7ª.65.E
CONTINENS *ab aliquibus vocata curatio est eius affectus qui actioni incommodat.2°.meth.med.* 7ª.12.E/F
CONTINENTIAE *nomen vnde sit deductũ.de cog.cur.animi.* 2ª.53.E
*Cõtinentia nõ est,si tollat cõcupiscibilis facultas.5°.de dec.*1ª.259.A
Continens sui suorumq; affectuum qui dicatur.4°.de decr. 1ª.249.E
CONTINERE *& non decidere medicamẽta idem est. de ijs quæ in medica.fiunt,com.2°.* 7ª.210.G
CONTINVVM *pelion apud græcos dicitur.de dif.morb.* 3ª.5.A
Continuat vnicuiq; lacerto,arteria,vena,neruus.de mo.ma.Sp.66.E
Continuæ,& tenuis substantiæ medicamentum vt facile ab igne altera tur,ita etiam a calore nostro.1°.de simp.med.fac. 5ª.4.G
Continuam, & indiuulsam hypostasim inquit Galenus lævem vocari ab Hippocrate.de vrinę sign.ex Hipp. Sp.79.B
CONTINVI *morbi qui sint.fin.med.* Isa.45.F
Cõtinuã febrẽ nunq; noĩauit σύνοχον Hipp.de na.hu.cõ.2°. 7ª.181.D
Continua febris,quæ.2°.de cris. 4ª.135.G
Continuarum febriũ cũ interpollatis differentiæ.2°.de cris. 4ª.135.E
*Cõtinuarũ febriũ aliæ cõtinuæ noĩant,aliæ tritęophyes.2°.ꝺ dif.*3ª.36.f
*Continua febris qũo fiat,& a quo humore.de nat.hu.cõ.2°.*7ª.180.H
Continuæ febres ex materia in venis fiunt,intermittentes vero ex materia extra venas.2°.de cris. 4ª.138.B
*Cõtinua febris fit ex ignis abũdãtia iuxta Platonẽ.ꝺ n.h.c.2°.*7ª.181.B
Cõtinua biliosa species habet,synochã,et cõtinuã.2°.de dif.fe. 3ª.36.F
*Cõtinua tertiana et cõtinua biliosa qñ sint simul mixta.2°.ꝺ dif.*3ª.39.d
Continuarum febrium cum intermittentibus mistio difficilior cognitu. 2°.de cris. 4ª.136.G
Continuarum quæ faciunt accessionem alterno die,quædam similes habent accessiones,quædam dissimiles.2°.de dif.feb. 3ª.36.G
in Continuis febribus posse rigorem paruum fieri, collige.1°.de arte cura.ad Glau. 7ª.95.H
Continuarum febrium vi sanguinis excitatarum vrinæ.quæs.Sp.113.B
Continua si sit febris,tempus sectioni venæ accommodatius est matutinum.præsag.exper.confir. Sp.78.D
*ĩ Cõtinua qñ fiat abscessus et ĩ quartanã discedat.ĩ pg.c.3°.*4ª.210.A
in Cõtinuo corpore qũo fiat alteratio qualitatis.7°.de decr. 1ª.269.G
CONTINVITATIS *solutio nomen est inuẽtum a Galeno.de cau.mor.* 3ª.9.F/9°.*meth.med.61.A*/13°. 7ª.80.D
Continui solutionis nomen proprium medicis est apagma,ignotum vulgo,6°.meth.med. 7ª.40.B
Continuitas quid.ars med. Isa.62.H
*Continuitatis solutio est quintum genus ægritudinis.de dif.mor.*3ª.5.D
Continui solutio morbus est communis partibus similaribus, & dissimilaribus.ars med.Isa.69.C/de dif.mor. 3ª.5.E
*Cõtinuitatis solutio põt esse simul cũ morbis in qualitate.de dif.*3ª.5.e
Continui solutio in omni parte animalis contingit,tamen nõ habet vnũ nomen in omnibus.4°.meth.med. 7ª.23.A
Continuitatis solutio, & vnitatis solutio idem sunt, & in quibus sint partibus.5°.meth.med. 7ª.29.H
Continui solutionis diuersæ appellationes, secundum diuersas partes in quibus fit.4°.meth.med. 7ª.23.B
*Cõtinuitatis solutio in carne dr̃ vlcus.de dif.m.5.D/de cau.m.*3ª.9.H
Continuitatis solutio in neruis dicitur conuulsio.de cau.mor. 3ª.9.H
Continuitatis solutio in osse est catagma,& ita ab omnibus græcis proprio nomine appellatur.6°.meth.med. 7ª.40.B
Continuitatis solutio in osse,dicitur fractio.de diff.mor. 3ª.5.D
*Cõtinuitas quot modis soluat.ars me.Isa.67.C/2°.de cõp.m.*5ª.135.H
Continuum quæ soluunt,cuius naturæ sint.12°.meth.med. 7ª.78.E
Continuitatem qui succi diuidant.1°.de symp.cau. 3ª.16.H
*Continui solutio & alteratio doloris duæ species sunt. 2°.de loc.af.*4ª.9.C/3°.*de comp.med.sec.loc.*5ª.141.G/*de fract.com.*3°.7ª.246.E
*Cõtinui solutio dolores facit.de cõst.ar.Isa.38.A/2°.de cõp.m.*5ª.135.b
Continui doloris significatio nota.2°.de lo.af. 4ª.12.G
Continui solutio quo modo fiat in pleuritide.de rat.vict.in mor.acutis, commentario 2°. 7ª.116.B
Continui solutio quo modo fiat in oculis.de ocul. 7ª.189.H
in Continui solutione quid agendum.ars med. Isa.69.G
ad CONTORSIONEM *tali, vel genu.2°.de compositione medicam. per genera.* 5ª.226.D
CONTRACTIVA *medicina quid facit ad oculos.de ocul.* 7ª.189.C
CONTRACTVM *relaxato contrarium est.11°.meth.med.* 7ª.71.B
Contractum in seipsum & adstrictum quod est, ἀθρόον, *id est simul totum nominant.com.7°.aph.35°.* Ex.56.F
CONTRACTIO *ꝓtinet ad irrationalẽ facultatẽ.4°.de lo.af.*1ª.248.F
*Contractio in seipsos est actio insita musculis.1°.de mot.mus.*1ª.310.E
Contrahentes & arctantes asperã arteriã musculi quatuor vnde oriãtur ac finiant.de musc.diss. 1ª.46.A
quibus Contrahatur thorax.de mus.diss. 1ª.49.F
Contrahentes thoracem fibræ vbi sitæ.de musc.diss. 1ª.49.E
Contractioni thoracis cõducũt musculi thoracis.de mus.diss. 1ª.49.F
*Cõtrahẽs costarũ coarticulationes costarũ musculus.de mus.dis.*1ª.51.A
Cõtrahat,et distẽdat vnde corpus cordis.2°.de præsa.ex pul. 4ª.111.G
Contrahitur diutius & dilatatur cor ab animali extractum. in Timæ. Platonis. 1ª.290.D
in Contractione cor aperte exprimit quod in seipso continet.in Timę. Platonis. 1ª.290.D
*Contractio pulsus quo modo inuenta a Galeno.1°.de dig.pul.*4ª.72.B
Contractio pulsus declaratur per alia vasa.1°.de dign.pul. 4ª.72.C
Contractionem manifestam habentes pulsus.1°.de dign. pul. 4ª.72.H
Cõtractionẽ sensibilẽ hñt pulsus vehementes.1°.de dign.pul. 4ª.73.E
*ad Cõtractionẽ pulsus ꝓcipiẽdã aliqd facit durities.1°.ꝺ dig.p.*4ª.73.b
Contractionis extremę partes non sentiuntur,secundum aliquos.1°.de differ.pul. 4ª.48.E
Contractionis & distentionis in pulsu pars quanta non sentiatur.1°.de dign.puls. 4ª.74.E
Contractionis finis in pulsu non sentitur.1°.de dign.pul. 4ª.64.H
Contractio pulsus excernit.2°.de caus.puls. 4ª.95.B
in Contractione cur pulsus altus,& celer promittit decretorias excretiones.4°.de præs.ex pul. 4ª.122.B
Contractio pulsus maxillarum quib.eueniat.præsag.exper. Sp.78.E
Cõtractionẽ corporis significat vrina tenuis,si ĩ malũ colorẽ se post crisim mutauerit,et ij q̃ patiunt̃ prima ætate fuerint.de dyna.Sp.34.G
Cõtractiones neruorũ quot modis,& qũo fiãt.c.4°.aph.49°.Ex.33.B
ad Contractiones neruorum.6°.de comp.med.per ge.256.D/7°.265.C/269.H 5ª.270.C
*ad Cõtractos articulos recenti cicatrice.7°.de cõ.me.per ge.*5ª.265.C
Contractionem,& distentionem quæ membra non patiantur. in 6ᵐ.de morb.vulg.com.1°. 3ª.153.B
Contrahi vires ad se facit dolor.in progn.com.2°. 4ª.198.H
Contrahit,densat,constringit acerbitas.7°.de sim.med.fac. 5ª.49.G
Contrahit & digerit salsa qualitas.11°.de simp.med.fac. 5ª.83.A
Contrahentia nihil lędunt ventriculum.5°.de vsu par. 1ª.143.F

CONTIACTIVA potentia vna ex medicinis oculi. de ocul. 7ª. 189. A
ad CONTRADICENTES, & discere volentes quid dicebat Galenus. 3°. de crisi. 4ª. 142. B
CONTRARIETAS est in quantitate. 11°. meth. med. 7ª. 71. B
Contrarietas in quãtitate est oppositio, secundum Aristotelem. 11°. methodi med. 7ª. 71. B
i Cõtraris singulis rõnẽ quãtitatis hẽre oportet. 5°. de san. tu. 2ª. 94. G
Contrarii quo modo intelligantur. 11°. meth. med. 7ª. 68. H
Contraria quæ sint. 1°. meth. med. 6. F/ 11°. 7ª. 71. A
Contraria vere quæ sint. 8°. de comp. med. sec. loc. 5ª. 193. G
Contraria sunt quæ maxime distant, secundum quosdam. in 6ᵐ. de morbis vulg. com. 3°. 3ª. 174. E
Contraria sunt eadem genere. 8°. de comp. med. sec. loc. 5ª. 193. G
Contrariissima esse possunt eadem genere. aduer. Lycum. Ex. 63. E
Contraria quo modo non possunt in eodem fieri. 5°. de decr. 1ª. 259. C
Contraria quo modo in eodem tẽpore fieri possunt. 9°. de dec. 1ª. 286. A
Contraria quomodo cognoscantur. 8°. de comp. med. sec. loc. 5ª. 193. G
Contrarium ne luminis tenebra sit, an eius priuatio, in quæstionem venit. 1°. de symp. cau. 3ª. 17. C
Contraria maxime sunt optimis pessima. com. 3°. aph. 18°. Ex. 23. H
per Contrariorum negationem exprimuntur media. de ijs quæ in medic. fiunt, com. 2°. 7ª. 210. D
Contraria opponuntur contrarijs, & etiam medio, aliquo pacto, colligе. com. 4°. aph. 76°. Ex. 36. E
iter Cõtrarios motᵒ duos necesse est qetẽ iterueuire. de an. vi. Sp. 46. H
Cõtraria euidentib. statuẽtis qs credat de reb. obscuris? ad emp. Is. 35. d
ex Contrarijs iudicare contraria est Hippocratis consuetudo in prog. com. 2°. 199. B/ 4ª. 202. C
Contrariorum vna est disciplina. ad Thras. 2ª. 102. F
Cõtraria q̃dã sũt totis substãtijs, q̃dã solis qualitatibᵒ. 13°. me. 7ª. 82. C
Contrarietate qualitatis aliqua alexipharmaca alterant, aliqua per totius substantiæ facultatem. 5°. de simp. med. fac. 5ª. 36. G
Cõtraria tota substãtia p experiẽtiã sunt inuẽta. 13°. met. me. 7ª. 82. C
ex Cõtrarijs vt nos multa facimᵒ, ita & natura. 1°. de alim. fa. 2ª. 7. G
Cõtrariorũ mixturę summitates ipsas frãgũt. de simp. me. fac. 5ª. 20. G
ex Contrarijs commixta sunt multa alimenta. 1°. de ali. fac. 2ª. 7. G
ex Contrarijs naturis lens constant adstringente & laxante. in 6ᵐ. de mor. vulg. com. 5°. 3ª. 194. C
ex Cõtrarijs mistã naturã habet oleũ myrteũ. 1°. de cõp. m. s. 5ª. 129. E
Contrarijs facultatibus præditis medicamentis maximus est vsus in morbis. 1°. de comp. med. per gen. 5ª. 210. G
Contrariorum mixtionem non hũtia medicamenta adstringentia, sunt myrti, rubus, & sycomorus. 1°. de comp. med. sec. loc. 5ª. 129. E
Cõtraria cur q̃q; misceamᵒ auxilijs pprijs. 2°. de cõp. me. se. 5ª. 134. B
si Contraria simul partim imponantur, vtrunq; sm suã operari facultatẽ, collige solani & chamemeli exẽplo. 3°. de simp. med. f. 5ª. 21. C
ex Cõtrarietate vnaquaq; tres itẽperies q̃n p̃didũt. 3°. d lo. af. 4ª. 16. H
Contraria ea natura cõstant vt fiant a contrarijs. de assuet. 2ª. 61. C
a Contrarijs omne quod est transmutatur, a similibus conseruatur. cõmen. 3°. aph. 18°. Ex. 23. G
in Cõtrariũ qui inclinant, q̃uo reddant meliores. 5°. de decr. 1ª. 257. C
per Contraria simpliciter, vel coniugate curandum est, morbi essentia considerata. 2°. de loc. aff. 4ª. 13. H
Contrariorum contraria esse remedia, discurrendo per omnia morborum genera. de const. ar. Isa. 39. C
p Cõtraria curatio adhibeť causis faciẽtib. symptomata. de op. Is. 24. C
in Contrarium auocatione ad pristinam naturam reducẽda sunt, quęcunq; a naturali situ euasere. de const. ar. Isa. 39. D
per Contraria in sanitatem q̃uo ducendum sit. de cõst. ar. Isa. 42. D
Cõtrarijs auferẽda cõtraria iuxta cõissimã curationẽ. ars me. Is. 69. D
per Cõtraria reducit corpus intẽperatum, & q̃uo. 1°. de ali. fa. 2ª. 8. F
Contraria cõtrarijs curant. de sal. dieta. 40. A/ 1°. de sa. tu. 65. B/ 5°. 93. C/ H/ 2ª. 94. G/ in 1ᵐ. de mor. vul. cõ. 2°. 108. F/ in 6ᵐ. cõ. 2°. 160. H/ 161. H/ com. 3°. 177. H/ com. 6°. 3ª. 190. C/ E/ 8°. de cõp. med. se. lo. 157. H/ 4°. de comp. me. per g. 5ª. 240. G/ de venæ sect. aduer. Eras. 6ª. 7. C/ 3°. met. me. 18. B/ 3°. 21. D/ 11°. 71. G/ de ijs quæ in medic. fi. com. 2°. 213. G/ de artic. com. 4°. 7ª. 283. H/ cõ. 2°. aph. 22ᵉ. 15. B/ aph. 34°. 17. C/ com. 7°. aph. 59°. Ex. 39. D
Contrarijs alteranda sunt corpora ægra. 1°. de san. tu. 2ª. 65. C
Cõtraria causa semp adhibẽda est retentionis causæ. 1°. de s. t. 2ª. 68. d
ex Contrario cuiusq; fit curatio in particulari. 4°. de san. tu. 2ª. 83. A
ex Contrario in genere fit curatio. 4°. de san. tu. 2ª. 83. A
Cõtraria male affecto corpori semp sunt adhibẽda. 5°. de sa. t. 2ª. 93. C
Contraria male affecto corpori exhibenda quod pristinum statum consecutum sit. 5°. de san. tu. 2ª. 93. C
Contrarijs corriguntur naturæ intemperatæ. 5°. de san. tu. 2ª. 94. D
per Contrarium non per simile fit curatio. 1°. de symp. cau. 3ª. 17. F
per Contraria ad naturalem statum reducimur, & quomodo sint accipienda contraria. 1°. de symp. cau. 3ª. 17. F
a Cõtraria viuẽdi rõe q̃uo cõseruat sanitas. 11ᵐ. de m. vul. c. 1°. 3ª. 101. a
per Contraria fit reditus ad naturam. 5°. meth. med. 7ª. 29. H
Contraria eo vsq; inducenda quoad particula in symmetriã & naturalem habitum reddat. 7°. meth. med. 7ª. 43. G
per Contraria retro ferri debet pars eadem via qua alterata fuerat. 7°. meth. med. 7ª. 49. A
Contraria postulat quod est præter naturam. 8°. meth. med. 7ª. 54. G
Contrariorum exhibitionem indicat sublatio. 11°. meth. med. 7ª. 68. E
Cõtrariũ in curatiõe debet eẽ cõtrario æquale. de artic. c. 4°. 7ª. 283. H
Contraria quo modo sint agenda in corpore. ad Thras. 2ª. 104. E
Contrarietatis mensuræ indicationes ostendunt temperies laborantis & morbus. 11°. meth. med. 7ª. 67. H
Contraria non semper adhibenda contrarijs. 1°. de san. tu. 2ª. 65. B
a Contrario & a simili purgatio quo modo. de cathar. Sp. 94. D
Cõtrarijs ãialia bruta & ipsa tollũt morbos. de nat. hu. c. 2°. 7ª. 181. H
Contrarietatem suam habet quisq; morbus. 11°. meth. med. 7ª. 68. C
Contrarij duo morbi si incidunt, fortior aggrediendus, altero non neglecto. 1°. de arte cura. ad Glau. 7ª. 98. E
Contraria si sint duo symptomata, aduersus fortius est instandum, altero non neglecto. 1°. de arte cur. ad Glau. 7ª. 98. E
ex Contrarijs vini affectui duobus medicamentis fit medicamentum optimum illi affectui. 6°. de comp. med. sec. loc. 5ª. 176. H
ad Cõtraria fit auersio. 4°. met. me. 7ª. 28. C/ c. 5°. aph. 68°. Ex. 45. D
ad Contrariũ reuocant frictio, & vincula stricta. 5°. met. me. 7ª. 30. F
in Contraria trahenda fluxio incipiens. 4°. met. med. 28. C/ 2°. de arte cur. ad Glau. 7ª. 101. F
in Cõtrariũ quomõ trahas a capite. 1°. de arte cur. ad Gla. 7ª. 100. A
Contraria sunt superiora inferioribus, & dextera sinistris. in 6ᵐ. de morbis vulg. com. 3°. 3ª. 174. E
Controuersiæ medicorum ostendunt ignorantiam. de vict. ra. in morb. acutis, com. 1°. 7ª. 109. H
Controuersiæ artium partim sensu, partim demonstratione soluuntur. de nat. hum. com. 2°. 7ª. 183. C
CONTVITVS est agentis. fin. med. Isa. 45. B
CONTVMACES homines vbi. de aere, aq. & lo. 2ª. 6. E
Cõtumacia vulnera ad cicatricẽ pducit scordiũ. 8°. de sim. me. 5ª. 60. H
ad Contumacia vlcera. 1°. de comp. me. per gen. 5ª. 216. D
CONTVMELIIS disputant sophistæ. 2°. de diff. pul. 4ª. 53. D
Contumeliæ causas in se iecur habet. 6°. de decr. Hipp. 1ª. 267. D
CONTVNDENTIA qualia sint. 5°. meth. med. 7ª. 30. B
Contũdẽdo lapis & plũbũ partes alterat. 3°. de simp. med. fa. 5ª. 17. D
Contundi quidam dolentes videntur. 2°. de lo. aff. 4ª. 12. F
Contusio quid. de const. ar. Isa. 37. D
Contusum quid. de const. ar. 37. D/ fin. med. Isa. 48. D/ de ijs quæ in med. fiunt, com. 3°. 7ª. 219. C
Contusio vnde proueniat. 12°. meth. med. 7ª. 78. F
Contusio affectus aurium. introd. Isa. 59. C
cũ Cõtusione & ruptione plurimũ fit ἐκχύμωσις. 4°. meth. me. 7ª. 23. B
Contusio facit impedimentum in motibus. 1°. de mo. mus. 1ª. 308. G
Contusa aliã exigũt curationẽ quã vlcerata. de frac. com. 3°. 7ª. 245. B
Contusionem omnem a phlegmone reseruans. 6°. de comp. med. per ge. 258. G/ 5ª. 260. C
ex Contusione capitis dolor. de rem. par. fac. 7ª. 154. A
cum Contusione si sit dolor, quid agendum. 6°. meth. med. 7ª. 38. G
in Contusione capitis quæ intentio in curatione. 2°. de composi. medic. secun. loc. 5ª. 133. G
Contusionis capitis præsidia, quæ. de rem. par. fac. 7ª. 154. A
Contusa vlcera non debent exiccari. 4°. meth. med. 7ª. 27. D
cum Contusione fractura caluariæ vsq; ad cerebri membranas perueniens quomodo curanda. 6°. meth. med. 7ª. 42. B
ex Contusione facta in auribus tumores cochleæ vsłæ desiccãt. 11°. de simp. med. fac. 5ª. 81. G
ad Contusiones aurium. 6°. de comp. med. per ge. 5ª. 256. H
in Contusione costarũ venã ad cubitũ secat. de fract. cõ. 2°. 7ª. 236. C
Contusi nerui quo modo curentur. 6°. meth. med. 7ª. 38. F

ad Contusionem neruorum,& musculorum proprie facit emplastrum barbarum.de dyna. Sp.35.F
in Contusionibus neruorum dolentem partem non putrescentem oleo calente perfunde.3°.de comp.med.per ge. 5ª.229.A
Contusi musculi quibus liniendi.14°.meth.med. 7ª.88.G
Contusio quando liganda.de artic.com.4°. 7ª.292.F
in Contusionibus ferula non vteris.de artic.com.4°. 7ª.292.F
ad Contusionem cataplasma.6°.meth.med. 7ª.38.G
Contusis conuenit lana succida cũ irrigat.11°.de simp.med.fa. 5ª.81.B
Contusis cruentum medicamentum.de fract.com.3°. 7ª.245.B
ad Contusiones ex ictibus.7°.de comp.med.per gen. 5ª.271.A
ad Contusione diuisa.2°.de comp.med.per gen. 5ª.225.E
ad Contusione factas diuisiones.3°.de comp.med.per gen. 5ª.235.C
ad Contusiones.1°.de compo.med.per gene.211.C/F/3°.234.H/5°.246.H/247.E/248.A/6°.256.D/ 5ª.258.F
ad Contusiones testiculorum.3°.de comp.med.per ge. 5ª.235.C
Contundant quo modo herbæ sciendũ.3°.de cõp.med.per ge. 5ª.234.B
Contundenda esse quæ in olea injcienda sunt.4°.de san.tu. 2ª.86.G
Contundenda contunduntur,& cribrantur.de ther.ad P.s. 5ª.95.F
in CONVALITVRIS *summa præsagationis.in prognostica, commentario.2°.* 4ª.198.D
ad Conualescentia omnia bona indicia sunt necessaria.in prognostica. commen.2°. 4ª.203.H
Conualituri quo modo se habeant.in progn.com.3°. 4ª.207.H
Conualescentes habent sanguinem exiguũ optimum.ars med.Isa.71.F
Conualescẽtes hñt spiritũ vitalem & aialem exiguũ.ars med. Is.71.F
Conualescentium vires quare imbecilliores.ars med. Isa.71.F
Conualescentibus si quid laborauerint,hic fiunt absessus. commẽ.4°. aphorismo.32°. Ex.30.H
Conualescentum & senum affectus videntur medij inter sanitatem,et ægritudinem.5°.de san.tu. 2ª.90.E
ad Conualescẽtes ptinens pars reficiẽs,& instaurans.ars med.Isa.71.F
Conualescentium domus qualis esse debet.7°.meth.med. 7ª.46.C
Conualescentes vehementer extenuati, indigent plurima adiectione, & refectione.2°.de nat.fac. 1ª.299.B
Conualescentes quibus cibis & potibus vti debent.ars med. Isa.71.F
a Conualescentibus post cœnam non est bibendum cur,& quomodo bibendum,si sitiant.7°.meth.med. 7ª.46.B
Conualescentes,quibus tubercula,vel in articulis labores fiunt,i; pluribus vtuntur cibis: his enim repleti plethorici casus adueniũt ob virium imbecillitatem.com.4°.aph.45°. Ex.32.G
Conualescentibus oleo alium soluebat Galenus.5°.de san.tu.2ª.92.G
ad Conualescentes ægre.7°.de comp.med.per ge. 5ª.273.D
ad Conualescentes & se reficientes ex infirmitate.8°.de comp.medi. secun.loc. 5ª.195.B
CONVENIENTIAE *medicorum ostendunt scientiam.de vic.ra.in morbis acu.com.1°.* 7ª.109.H
Conueniens,conferens,conducens,secundum naturam, & vtile,idem sunt.14°.meth.med. 7ª.91.A
Conuenientia oris ventriculi ad cerebrũ.de mel.ex Gal.Ruf.Sp.109.B
Conuenientium appetentia inest oĩbus membris.3°.de nat.fa. 1ª.303.G
CONVEXVM *quid.1°.de vsu par.* 1ª.182.C
Conuexitas quid.1°.de mot.mus. 1ª.312.C
Conuexo cauum opponitur.com.6°.aph.46°. Ex.51.G
Conuexi tempore Galeni dicebantur, quos Gibbos solet Hippocrates nominare.com.6°.aph.46°. Ex.51.G
CONVERSARI, *id est ὁμιλεῖν quid.de artic.com.1°.* 7ª.252.D
CONVERSIO *solis.de hist.philo.* Sp.6.H
Conuersio veris quando.de dyna. Sp.20.C
Conuersio æstatis quando.de dyna. Sp.20.C
Conuersio autumni quando.de dyna. Sp.20.C
Conuersio hyemis quando.de dyna. Sp.20.B
Conuersiones paradoxæ sæpe accidunt in morbis.in 3ᵐ.de morb.vulg. commen.2°. 3ª.136.D
Conuersione sanguinis multiplici indigent ea quorum est materia sperma & a sanguinis complexione remota.de anat.viu. Sp.44.G
Conuersione magna,sanguinis non indigent ad sui nutritionẽ quæ sunt complexioni sanguinis vicina.de ana.viu. Sp.44.G
CONVITIA *sunt æquo animo ferẽda.de cog.cur.animi mor.* 2ª.51.D
in CONVITIIS *coronæ ex rosis ob æstum adhibentur.de causis procatarcticis.* 3ª.96.A
in Conuiuijs hedera ob æstum adhibetur.de cau.procatar. 3ª.96.A
CONVOLVTIO *quid.de hist.phil.* Sp.7.G
CONVS *quid sit.7°.de comp.med.sec.loc.* 5ª.177.H
Conus arbor,qualis.8°.de simp.med.fac. 5ª.58.F
Conorum putamina terrena sunt.9°.de simp.med.fac. 6ª.64.H
Conus est cibus multi seminis.5°.de simp.med.fac. 5ª.38.C
Coni fructus purulentis accommodus est.7°.de simp.med.fac. 5ª.53.H
Coni fructus asperitati leniendæ congruit.7°.de simp.med.fa. 5ª.54.A
Conus emplasticus est.7°.de simp.med.fac. 5ª.54.A
Coni fuligo,qualis.8°.de simp.med.fac. 5ª.58.F
Coni fuligo ad pilos superciliorum,angulos oculorum lippientes,& lachrymantes accommoda est.8°.de simp.med.fac. 5ª.58.F
Conorum exiccatorum comparatio ad palpebras & alias corporis partes,quæ non possunt extendi.com.6°.aph.52°. Ex.53.A
CONO *cordis arteriæ, & venæ porriguntur per totum.de anatomia viuorum.* Sp.56.G
CONVVLSIO *quæ σπάσμα dicitur.3°.meth.med.* 7ª.16.E
Conuulsio quid.fin.med.Isa.47.A/3°.meth.med. 7ª.16.E
Conuulsum quod.de const.artis. Isa.37.D
Conuulsio est solutio continuitatis in partibus neruosis. de diff.morb. 5.D/de caus.mor.3ª.9.H/4°.met.med. 7ª.23.B
Cõuulsio cuius symptoma sit,nullus añ Gal.dixit.1°.de sym.ca.3ª.19.g
Conuulsio numeratur inter voluntariæ potentiæ læsiones.2°.de sympto.causis. 3ª.19.G
Conuulsio est passio inuoluntaria in partibus neruosis. commenta.6°. aphorismo.39°. Ex.50.G
Conuulsionis motus,qui.2°.de symp.cau. 3ª.22.G
Cõuulsio differt a motu nãli,qa est pter volũtatẽ.3°.de lo.af. 4ª.17.E
Cõuulsionis,tremoris,palpitationis,rigoris,horroris,singultus,tussis, ructus,sternutationis,pandiculationis,oscitationis, ex dentium cõcussione strepitus (trismon græci vocant) genus cõe est motus illegitimus,& quo hæc in genere differant.2°.de symp.cau. 3ª.19.E
Conuulsio,palpitatio,& rigor quomodo differant, & quomodo fiant. in 3ᵐ.de mor.vul.com.1°. 3ª.129.E
Conuulsio & tremor differũt toto gñe.in 3ᵐ.de mor.vul.c.1°.3ª.129.d
Conuulsio,palpitatio,& resolutio, noxæ sunt instrumentorũ. de palp. trem.conuuls.& rig. 3ª.53.C
Conuulsiui affectus,qui.in 1ᵐ.prorrh.com.3°. 4ª.188.A
Conuulsiuus affectus a quo fiat.1°.de præsag.ex pul. 4ª.107.H
Conuulsio vnde fiat.in 1ᵐ.prorr.com.1°. 4ª.166.C
Cõuulsio solius morbi est opus.2°.de sym.cau.19.F/ 3ª.20.A
Conuulsa parte,neruus aut musculus,qui illam mouet, affectus est.3°. de locis affectis. 4ª.21.B
Conuelluntur facile nerui.de artic.com.4°. 7ª.285.C
Conuulsio est affectio plena doloris.in 1ᵐ.prorrh.com.1°.4ª.172.D/ com.2°.aph.6°. Ex.11.G
Cõuulsionem parit dolor in neruosis partibus.de arti.cõ.4°. 7ª.285.B
Conuulsiones vt plurimum in parte posteriori fiunt, quia sunt neruosæ.com.5°.aph.65°. Ex.45.A
Conuulsio fit vbi nerui.in progn.com.1°. 4ª.191.D
Conuulsio quorum sit neruorum.3°.de loc.aff. 4.17.C
Conuulsio quid faciat circa neruos.2°.de symp.cau. 3ª.20.A
Conuulsiones vitium musculorum.de opt.sect. Isa.24.C
Conuulsiones,musculorum propriæ affectiones.1°.de diff.resp.3ª.61.c
Cõuulsiões,et tremores fiũt ex musculis affectis.d frac.cõ.2°.7ª.235.c
Cõuulsiones potissimũ fiũt læsis musculis tpalib⁹.11°.de vsu p.1ª.185.B
Conuulsio quo modo fiat.de palp.trem.conuuls.& rig.3ª.56.B/com. 6°.aph.39°. Ex.50.G
Conuulsio a quibus causis fiat.2°.de loc.aff. 4ª.11.A
Conuulsio a contrarijs fit causis.com.6°.aph.39°. Ex.50.G
Conuulsionis caput duplex est sm Hippocratem,repletio,& euacuatio.2°.de symp.cau.3ª.20.A/3°.de lo.af.4ª.17.F/8°.de comp.medi.sec.loc.5ª.190.E/com.6°.aph.39°. Ex.50.F
Cõuulsio ex qua ptiũ repletione et inanitiõe fiat.cõ.5°.aph.1°.Ex.37.D
Conuulsiones oĕs fiunt ex repletione & euacuatione partium neruosarum.com.7°.aph.57°.33.F/com.5°.aph.1°. Ex.37.D
Conuulsionis & palpitationis causa vnde sit.2°.de sym.cau. 3ª.20.H
Cõuulsio ex repletione est i phlegmonarũ gñib⁹.2°.de sym.ca.3ª.20.a
Conuulsio ex repletione qũo.de palp.trem.conuul.& rig. 3ª.56.C
Conuulsio ex siccitate quomodo.de palp.trem.conuuls.& rig. 3ª.56.C
Conuulsio qua causa fiat.& qũo chordis cõpareĩ.3°.de lo.af. 4ª.17.E
Conuulsionum genera ostendunt chordæ instrumentorum.2°.de symp. cau.20.A/de palp.trem.conuul.& rig. 3ª.56.B

Conuelli commune eſt corrigijs exiccatis.in progn.com.1°. 4ª.191.D
Conuellantur quomodo lora,& chordæ lyrarum.3°.de lo.af.4ª.17.F
Conuulſio quando accidat.in progn.com.3°. 4ª.211.B
Conuulſio ratione,non ſenſu cognoſcitur.3°.de loc.aff. 4ª.20.H
Conuulſoria inſpiratio.1°.de diff.reſp. 3ª.62.A
ex Conuulſione proueniens expiratus,muſculorum, qui expiratum efficiunt,conuulſionem ſequitur.2°.de ſymp.cau. 3ª.19.H
Conuulſionem ſignificat ſpiritus æqualis per vtranq; narem tractus redditusq;.de victꝰ.rat.in mor.acu.com.4°. 7ª.141.G
Conuulſionem ſignificat permutatio in phreniſi,& quid ſit permutatio.in 1ᵐ.prorr.com.1°. 4ª.167.A
in Conuulſionibus & rigoribus qui articulus primum ſignificationẽ faciat.de arti.com.2°. 7ª.263.F
Conuulſorum pulſus.de pulſ.ad tiro.45.H/1°.de diff.pul. 4ª.52.C
Conuulſiui pulſus cauſæ,quæ.2°.de cauſ.pul. 4ª.93.G
Conuulſiorum pulſus,qualis.4°.de cau.pul. 4ª.102.F
in Conuulſio pulſu qũo percipiat diſtentio.1°.de digno.pul. 4ª.71.C
Conuulſiuus pulſus cur violenter feriat.4°.de dign.pul. 4ª.83.C
qñ Conuelluntur labra,oculi,cutis frontis,mandibulæ totæ,& radix linguæ,quæ pars affecta ſit.3°.de lo.aff. 4ª.17.D
Conuulſio in oculum,totum oculum exercet.intro. Iſa.58.D
Conuulſionem pati poteſt pupilla.de diff.morb. 3ª.5.H
Conuellant quo pinnæ narium.de victꝰ.ra.in mor.acu.cõ.4°.7ª.141.G
Conuulſa quando eſt facies cum vniuerſo corpore, quid curemus.3°. de loc.aff. 4ª.17.D
Conuulſio quædam ſtomachi eſt ſingultus.com.5°.aph.4°.37.F/com. 6°.aph.39°. Ex.50.G
Conuulſio qualis paſſio eſt muſculis,talis eſt ſtomacho ſingultus.com. 7°.aph.3°. Ex.54.B
Conuulſiones fiunt ob oris ventriculi affectus.5°.de lo aff. 4ª.32.E
Conuulſione breuiſſima quidam vexabatur ſi abſtinere a cibo diutius cogeretur.5°.de loc.aff. 4ª.32.G
Conuulſionis caſus ex morſione ventriculi ob vomitum æruginis.com men.5°.aph.1°. Ex.37.C
Cõuulſio vicinarũ partiũ ſepti qd faciat.i 3ᵐ.de mo.vul.c.2°.3ª.135.D
Cõuulſio cur fiat in mulierib.ex vtero.in 6ᵐ.de mo.vul.c.1°.3ª.153.c
Conuulſi teſtes quid ſignificent.in progn.com.2°. 4ª.198.H
Conuulſio particularis qũo comparetur ramo.3°.de lo.aff. 4ª.17.D
Conuulſiones ex immodico vini potu.3°.de temp. 1ª.22.G
Conuulſio ex ebrietate fit repletis neruis a calida vini ſubſtantia. cõ. 5°.aph.5°. Ex.37.G
Conuulſionem ex vino vinum quãdoq; ſanat.com.5°.aph.5°.Ex.37.g
Conuulſionem facit lac.in progn.com.3°. 4ª.211.B
Conuulſio totius corpis eſt morb.ſpinæ in collo.1°.de ſymp.ca. 3ª.19.C
Conuulſio totius corporis non fit,niſi patiatur principium neruorum aut principaliter,aut per compaßionem.com.5°.aph.5°. Ex.37.G
Cõuulſio vniuerſalis qũo cõparet caudici arboris.3°.de lo.aff.4ª.17.d
Conuulſionis tres ſpecies & quæ.de trem.palp.conuulſ.& rig.3ª.56. D/12°.meth.med. 7ª.80.B
Conuulſiones ſunt totius corporis emproſthotonos,opiſthotonos,& tetanos.de ſym.dif.3ª.11.F/com.4°.aph.57°. Ex.33.F
Conuulſio totius corporis cum rectricis partis actionum cohibitione epilepſia dicitur.de ſym.dif.11.F/2°.de ſymp.cau.19.H/in 6ᵐ.de mor.vul.com.6°.3ª.197.E/1°.met.med. 7ª.8.E
Cõuulſionis gñis quoddã ẽ comitialis morb.et qd ſit.3°.d lo.af.4ª.17.g
Conuulſio,& comitialis morbus ſunt morbi acuti ſine febre.com.5°. apho.30°. Ex.40.D
Conuulſiones epilepticæ cur fiant.3°.de loc.aff. 4ª.19.H
Conuulſio comitialis ex vapore ichorum aliquibus oboritur.6°.de ſanitate tuenda. 2ª.98.H
Cõuulſio ẽ i epilepſiis,vt i sẽtiẽdi functiõe vigilia.1°.d ſym.ca.3ª.19.c i Cõuulſiõe ex comitiali morbo quare fiat ſpuma.c.2°.ap.43°.Ex.18.d
in Conuulſione ſemen emittitur.6°. de loc.aff. 4ª.41.G
Conuulſio in comitiali morbo ex repletione partium neruoſarum, nec acutiſſima,nec periculoſa.com.5°.aph.70°. Ex.45.E
Conuulſio a ſpinali medulla quomodo differat a comitiali morbo.3°. de loc.affect. 4ª.17.G
Conuulſio,apoplexia, cæcitas, fiunt propter pituitoſum humorem, fiunt etiam propter melancholicum.com.6°.aph.56°. Ex.35.E
Conuulſiones ex repletione humorũ lentorũ & pituitoſorum, qui partibus neruoſis inferti ſunt,ſanat quartana.c.5°.aph.70°. Ex.45.E
Conuulſiones quibus facile fiunt,de ſal.diæ. 2ª.42.D
Cõuulſiones pſertim craſſos hoies moleſtant.cõ.3°.aph.25°. Ex.25.C
cur Conuulſionibus opportuni ſunt pueri.in 1ᵐ.de mor.vul.com.2°. 3ª.113.C/in progn.com.3°. 4ª.211.C
Cõuulſiones cur fiãt pueris iã dẽtire icipiẽtib.cõ.3°.aph.25°.Ex.25.c
Conuulſiones quo minus tentent pueros infantes, quomodo ſint tractandi.de ſal.diæ. 2ª.42.C
Conuulſiones ſunt ex frigore.de dif.morb.3.E/de palp.trem.cõuul.& rig.3ª.54.D/in progn.com.3°.4ª.21.C/de fract.com.3°.7ª.247.H/ com.5°.aph.17°.38.H/aph.20°. Ex.39.A
Conuulſione capiuntur ſenes.2°.de temp. 1ª.16.D
cur Conuulſio non accidat in conſtitutione frigida,& humida.in 1ᵐ. de mor.vulg.com.2°. 3ª.108.H
Conuulſionem facere natura aptum eſt frigidum,tamen ſanat aliquando.com.5°.aph.22°. Ex.39.D
Conuulſio ſanatur per perfuſionem aquæ frigidæ,ſed quando,& qũo, & in quo.com.5°.aph.21°.39.B/aph.25°. Ex.39.G
Conuulſio cum ſanatur,aqua frigida ſanatur,per caloris repercuſſum. 1°.de ſymp.cau. 3ª.17.F
Cõuulſio ex vlceratiõe nũq ab aqua frigida ſanat.c.5°.ap.21°.Ex.39.c
Conuulſio ex repletione,mala.in 1ᵐ.progn.com.3°. 4ª.188.A
Conuulſio ex repletione curatur.de palp.trem.conuulſ.& rig.3ª.56. D/com.5°.aph.1°. Ex.37.D
Conuulſio ex repletione quomodo curetur.com.2°.aph.26°.Ex.16.B
Conuulſionem ſoluit febris ſuperueniens. de opt.ſect.Iſa.22.D/in 6ᵐ. de mor.vul.com.6°. 3ª.197.E
Conuulſioni febrem ſuperuenire melius eſt,q̃ febri conuulſionem.com. 2°.aph.26°.16 B/com.4°.aph.57°.33.F/com.5°.aph.5°.Ex.37.G
Conuulſiones ab initio febrium fiunt ex repletione, ideo ſanantur per febrem.com.7°.aph.57°. Ex.33.F
Conuulſiones fiunt phreniticis.in 1ᵐ.de mor.vul.com.2°. 3ª.112.H
Cõuulſionibus,atq; delirijs q ſtatim capiant.c.2°.aph.21°. Ex.14.H
Conuulſio ſi coniungatur deſipientiæ ex defectu,omnino ſalus eſt deſperata.com.7°.aph.9°. Ex.54.E
in Conuulſionem quando mutabitur angina.de pulſ.ad tiro. 4ª.46.B
Conuulſionum cauſa ſæpe eſt ſanguis.de opt.ſecta. Iſa.24.C
Conuulſionem non nunquam faciunt humores tenues,& acres.12°. morbo.med. 7ª.80.A
Conuulſionem,& ſingultum per totum corpus efficere poteſt acris humor.3°.de lo.aff. 4ª.20.A
Conuulſio ex ſiccitate fit ex vigilijs. commenta.7°.aphor.18°.55.E/ aphoriſ.24°. Ex.55.F
Conuulſio ex ſiccitate incurabilis.12°.meth.med. 7ª.80.B
Conuulſio ex ſiccitate eſt pene inſanabilis.com.2°.aph.26°.16.B/cõ. 5°.aph.1°.37.D/aph.4°. Ex.37.F
Conuulſio ex ſiccitate lætalis.de palp.trem.conuulſ.& rig. 3ª.56.D
Conuulſio ex euacuatione acutiſſima eſt & perniciоſiſſima non ex repletione.com.5°.aph.70°. Ex.45.E
Cõuulſio,aut diſtẽtio ab æſtibꝰ fortibus malũ.c.7°.aph.13°.Ex.54.H
Conuulſio ex inanitione ex febribus ardentiſſimis, ficciſimisq;. 2°.de ſymp.cau. 3ª.20.A
Conuulſiones quæ ſequuntur febres ardentes, fiunt ſiccitate & ſunt lęthales.com.4°.aph.57°. Ex.33.F
Conuulſioni quæ in febribus perniciоſis & ardentibus euenire ſolet, & etiam in phrenitide vehementi,contraria eſt conuulſio quæ fit ex repletione.de palp.trem.conuul.& rig. 3ª.56.B
Conuulſiones in febribus acutis,malum.com.4°.aph.66°. Ex.34.E
Conuulſio a febre lętalis.de op.ſecta. Iſa.22.D
Conuulſi ex febre vomitu biliоſo ſuperueniente liberati ſunt. 5°.de locis affectis. 4ª.32.G
Conuulſiones in febribus ex ſomnis,malum.c.4°.aph.67°. Ex.34.F
Conuulſionibus cur non admodum capiuntur a quartanis capti.com. 1°.aph.70°. Ex.45.E
Conuulſionẽ pati nunq̃ viſus eſt podagricus.c.6°.aph.49°. Ex.52.E
Conuelluntur qui habent ileum,compatiente neruorum principio ſtomachi paſſioni.com.7°.aph.10°. Ex.54.F
Conuulſio ab ileo,malum.com.7°.aph.10°. Ex.54.F
Conuulſio fit nimis purgatis.com.5°.aph.4°. Ex.37.F
Conuulſio ex medicamenti potione lętalis eſt.cõ.7°.aph.25°. Ex.55.F
Conuulſionem facit elleborus propter operationis vehementiam.com. 4°.aph.16°. Ex.29.A
Conuulſio ex elleboro duplex,& quæ magis minusue periculoſa.com. 5°.aph.1°. Ex.37.C

Conuulsio ex elleboro lætalis est.com.5°.aph.1°. Ex.37.C
Conuulsio propter immodicam euacuationem exitialem esse recte inquit Marinus.com.7°.aph.24°. Ex.55.F
Conuulsio est superflua purgatione,mala.com.5°.aph.4°. Ex.37.F
Conuulsiones cur fiant in hæmorrhagijs.in 1m.prorrh.cō.3°. 4a.186.E
Conuulsio superueniens,vbi sanguis plurimus fluxerit, malum.com.5°.aph.3°.37.C/com.7°.aph.9°. Ex.54.E
Conuulsis purgatio sistenda est.præsag.exper.confir. Sp.78.C
Conuulsione quando q; tentari aliquos in vulneris inflammatione, & sic interire,collige.de cog.cur.animi mor. 2a.51.H
Conuulsio fit vlnis vel tibijs inflāmatis.4°.de præs.ex pul. 4a.121.D
Conuulsio qñ sequit in vertebris inflāmationē.4°.de lo.aff. 4a.23.E
Conuulsio fit capite nerui puncto.3°.meth.med. 7a.21.H
Conuulsionem facit ossis temporis absciſſio.in1m.pror.c.3°.4a.183.H
Conuulsionis maior timor est in vulnere nerui transuerso. 6°.methodi medendi. 7a.38.F
non Conuelluntur valde,neq; insaniunt quibus tumores in vlceribus appareant.com.5°.aph.65°. Ex.44.H
Conuulsiones fiunt,si tumores vlcerum in partibus posterioribus derepente euanescant.com.5°.aph.65°. Ex.44.H
in Conuulsione ex vulnere q̄ primo cōuellant.cō.5°.aph.2°. Ex.37.E
Conuulsio ex vulnere lætalis est.com.5°.aph.2°. Ex.37.E
Conuulsi moriuntur calidi.1°.de præsag.ex puls. 4a.107.H
Conuulsionē quæ afferunt nō suppurant oīno.c.5°.aph.22°. Ex.39.D
in Conuulsione vniuersali cui parti applicantur remedia. 3°.de locis affectis. 4a.17.D
Conuulsis neruis,primis vertebris remedia adhibenda, sicuti etiam dimidia parte corporis resoluta.3°.de loc.aff. 4a.17.B
qui Conuelluntur melancholici quomodo tractandi.de mel.ex Galeno Ruf.& Poss. Sp.110.C
ad Conuulsione canina affectos.7°.de comp.med.per ge. 5a.169.H
illis qui Conuelluntur conuenit Acanthaleuce.i.spina alba. 6°.de simpli.med.facul. 5a.41.H
illis qui Conuellunt auxiliatur Acanthium.6°.de simp.me.fa. 5a.41.b
Conuulsis idonea est Aristolochia rotunda.6°.de simp.me.fa. 5a.43.F
Conuulsa curat Betonica.7°.de simp.med.fa. 5a.51.A
Conuulsis auxiliatur capparis cortex.7°.de simp.med.fa. 5a.49.G
Conuulsionibus medentur Castoris testiculi.de ther.ad Piso. 5a.93.E
Cōuulsioni ex inanitione nō cōuenit castoreū.11°.de sim.me.f. 5a.80.C
Conuulsis conuenit Centaurium maius:7°.de simp.med.fa. 5a.50.F
Conuulsis Costus conuenit.7°.de simp.med.fac. 5a.52.F
Conuulsionem patientibus prodest terrestris Erinacei deſiccata caro.11°.de simp.med.fac. 5a.78.F
Conuulsione tentatis Oleum calidum valet.2°.de sim.me.fa. 5a.11.E
neq; Cōuulsiones,neq; tremores,neq; sensum,tū difficilē,tum deperditū,oleū magnopere aut iuuat,aut lædit.2°.de simp.med.fa.5a.15.C
in Conuulsionem dat Polentam cocta.de vic.rat.in mor. acu. 7a.44.E
Conuulsis prodest Rha.8°.de simp.med.fac. 5a.59.E
Conuulsa sanat Scordium.8°.de simp.med.fac. 5a.60.H
ad Conuulsa bibitur cum oxymelite Symphytum petreum. 8°.de simpli.med.fac. 5a.61.F
in Conuulsione quando dandum Vinum creticum vinosum. de vict. rat.in mor.acu.com.4°. 7a.144.E
ad Conuulsos musculos.7°.de comp.med.per gen. 5a.267.C
ad Conuulsa.2°.de antid.116.A/C/7a.de comp.med.sec.loc. 185.B/186.A/8°.188.G/195.B/9°.198.F/201.A/2°.de comp.med.per gen.226.E/7°.271.G/ 5a.272.D
CONYZA quid.de simp.med. Sp.83.A
Conyza fruticosa planta.7°.de simp.med.fa. 5a.52.B
Conyza alia maior,alia minor,datur & tertium genus.7°.de simplic. medicamen.fac. 5a.52.B
Conyza prima & secunda species amara est acris, excalfactoria.7°. de simp.med.fac. 5a.52.B
Conyzæ primæ duæ species sunt calidæ,& siccæ in tertio ordine.7°.de simp.med.fac. 5a.52.B
Conyza calfacit,contra Apollonium.2°.de comp.me.sec.loc.5a.132.H
Conyzæ flores ad menses fortiter ducendos.7°.de simp.me.fa. 5a.52.B
Conyzæ folia vuluæ lōgings vitijs remedio sunt.de simp.me. Sp.82.B
Conyzæ folia p acrimōia sua vipas,et serpētes fugāt.de sim.m.Sp.83.a
Conyzæ oleum sanat rigores.7°.de simp.med.fac. 5a.52.B
COOPERIRI proprium est phreniticorum,& melancholicorum. in 3m.de mor.vulga.com.3°. 3a.151.F
Cooperculum epiglottidis quid,& vbi sit.de voce & anhel. Sp.61.B
Cooptorium epiglottidis claudit qñ comedit aliqd.de vo.et anh.Sp.61.c
Cooperculum epiglottidis in vociferatione aperitur,clauditur in anhelitus retentione.de voce & anhe. Sp.61.C
Cooperimentum pulmonis panniculosum & neruosum est,& cur tale. de anato.viu. Sp.48.A
COPIA, egestas,et qualitas mala humores occupāt.d mul.3a.79.c
Copia mellis pūgit stomachū,& facit incisionem.de dis.con. Sp.74.F
quæ Copia humorum facit cardialgiam.in 1m.prorr.com.3°.4a.185.C
Copia sanguinis in frigore cur non est educēda.p̄sa.exp.cōfir. Sp.78.A
Copia excrementi a quo proueniat.1°.de sa.tu. 2a.68.D
Copiam bilis significat febris causus.quæs.in Hipp. Sp.113.C
Copiam humiditatis significat sudor aduentante febre,nec deficiente febre.præsagium exper.confir. Sp.77.G
Copia vrinæ tenuis aduenies illis,quibus non febricitantibus erant vrinæ crassæ,grumosæ,paucę,prodest.de vri.sign.ex Hip.Sp.78.G
Copia vrinę nisi proueniat,aut flatus erumpāt quibus hypochondria suspensa murmurantia,ilium dolore superueniente,ijs alui humectātur.de vrinæ signifi.ex Hipp. Sp.78.H
Κόπρος quid significet.de vic.rat.in mor.acu.com.1°. 7a.113.G
Copros.i.stercus.10°.de simp.med.fac. 5a.75.H
Κοπροφάγοι.10°.de simp.med.fac. 5a.72.C
Coprotica medicamenta.i.stercora tm mouentia.de cathar. Sp.95.A
Κόπος quid significet.3°.de s.t.2a.78.F/7°.de cōp.me.per g.5a.269.D
COPTARIVM ad tussientes.7°.de comp.med.sec.loc. 5a.182.B
COPVLA quid,& quod offm habeat.in 6m.de mor.vul.cō.1°.3a.153.B
Copulæ a multis medicis dicuntur nerui.3°.de lo.aff. 4a.17.C
Copulæ quæ sunt,nerui dicuntur ab Hipp.de fract.com.3°. 7a.249.D
Copulas totius dearticulationis neruos vocat Hippocrates.de fracturis.com.3°. 7a.249.E
Copula,neruus,tendo quo mō differāt,& quid sint.1°.de decr.1a.233.F
Copula tendo,neruus alba sunt,exanguiæ,foraminibus carentia.1°.de decr.Hip.& Plat. 1a.233.G
Copulæ,& membranæ differentiæ.1°.de decr.Hip.& Pla. 1a.233.G
Copula sensu vacat.1°.de decr.Hip.& Pla. 1a.233.G
Copulæ non sunt teretes.1°.de decr.Hip.& Pla. 1a.233.F
COQVATVR si qd in bonis aquis,cito decoquit.de bon. Sp.75.F
Coquenda est aqua in lagenis fictilibus.de bon.aq. Sp.76.B
Coquendum est lac donec eius aquositas sit consumpta.de dis.Sp.75.B
si Coquatur mel non lenit ventrem.de dis.cont. Sp.75.B
COQVVS est minister medici,2°.de san.tu.2a.75.F/in 6m.de mor.vul. commen.5°. 3a.188.C
Coquis malis cōparant medici,qui nesciūt diuidere.2°.met.m.7a.13.B
Coquo proportione respondet luctator.ad Thras. 2a.108.G
Coquus quæ nesciat de cibis.ad Thras. 2a.108.G
Coquus præparat,sed non intelligit quam vim obtineat id quod præparauit.2°.de san.tu. 2a.75.F
Coquorū suauitas i cōdimētis plus obest,quā p sit.2°.de ali.f.2a.23.G
Coquorū apparatus in patinis sunt causæ cruditatis.3°.de ali.f.2a.31.d
Coqui diuitū ptissanā nō coquūt.de vic.ra.in mor.ac.cō.1°.7a.112.A
Coqui sciunt sitim renum,& meatus.1°.de nat.fac. 1a.293.C
Coqui elixant suum linguas cum musculis.3°.de alim.fac. 2a.26.G
quidam Coqui vendidere pro carnibus suum carnes humanas. 10°. de simp.med.fac. 5a.72.F
COQVIT caliditas propria.2°.de dif.feb. 3a.40.A
Coquitur per somnum.com.5°.aph.27°. Ex.40.A
Coquēdi alimēti facilitas & difficultas vnde sit.4°.de vsu p.1a.137.b
Coquuntur melius,& nutriunt grata. in 6m.de morb. vulgarib. commentario.4°. 3a.180.E
Coquitur facilius caro quæ prius sit occisa § nos frollam vocamus.§ 7°.meth.med. 7a.46.A
si Coquantur cibi crassi viscosi,multum nutriunt,aliter faciunt oppilationem.de diff.cont. Sp.72.G
Coquenti bene balnea non admodum sunt necessaria. de melan.ex Gal. Ruf.& Poss. Sp.110.D
Coquitur qui non bene cibus,quid agat. 11°.meth.med. 7a.72.F
Coquentem male non est necesse sequi spiritum flatuosum. 3°.de symp. causis. 3a.30.B
Coquit monomacū intestinū.de compag.memb.siue de na.hu.Sp.59.A
Coquunt mesaraicæ succum,qui in gibbo iecoris fit sanguis. de cōpag. memb.siue de nat.hu. Sp.59.A
Coquitur sanguis in venis,& iecore.in 6m.de mor.vul.cō.5°.3a.188.E

cur Coquuntur etiã corrupta quæ habent in corpore cibaria, nec inde febricitare possunt ij qui bono sunt habitu, et quo. de dif. fe. 3ª.31.H
quomodo Coquatur quod est corruptum, & fiat optimum in aliquib. naturis. 1°. *de diff. feb.* 3ª.31.H
COQVI *potest paulatim in morbus.* 1°. *de crisi.* 4ª.128.C
Coquuntur cito morbi pueris. in 1ᵐ. *de mor. vul. com.* 2°. 3ª.116.G
Cõcoquit & emollit magis oleo pinguedo suã. 11°. *de sim. me.* 5ª.78.H
COQVEBANT *aliqui in duplici vase medicamenta, & Galenus qñq;.* 4°. *de san. tu.* 2ª.87.A/7°. *de comp. med. sec. loc.* 179.D/ 1°. *de cõp. med. per ge.* 211.E/7°. 5ª.272.H
Coquenda quo igne sint medicamenta. 1°. *de comp. me. per g.* 5ª.215.A
Coquit in flamma fumo carente. 1°. *de comp. med. per ge.* 5ª.211.E
Coquit ad flammam ignis acerrimi. 6°. *de comp. med. per ge.* 5ª.263.B
Coquitur pruna non nimis acri. 6°. *de comp. med. per ge.* 5ª.257.A
Coquit ad tertias. 4°. *de comp. med. per ge.* 5ª.243.E
Coquit ad quartam partem. 8°. *de comp. med. sec. loc.* 5ª.196.B
Coquere vt cardameleum. 7°. *de comp. med. per ge.* 5ª.267.B
CORDI *adest proprium nomen substantiæ.* 8°. *de vsu par.* 1ª.166.d
Cor (id est cardia) vnde dicatur. 3°. *de decr. Hipp.* 1ª.245.A
Cor, cerebrum, & iecur viscera dicuntur. 6°. *de decre. Hipp.* 1ª.261. H/*de marcore.* 3ª.46.F
Cor pulsans viscus dr. 7°. *de ana. adm.* 1ª.94.E/c.4°. *aph.* 65°. *Ex.* 34.d
Cor est viscus. 2°. *de decr.* 240.C/3°.243.F/3°. *de nat. fac.* 1ª.304.B/ *in* 6ᵐ. *de mor. vul. com.* 1°. 3ª.154.C/*com.* 6°. *aph.* 27°. *Ex.* 48.H
Cor viscus præcipuum, quantum ad vitam. 3°. *de decr. Hip.* 1ª.245.A
Cor esse viscus non videtur, cum Galenus dicat in visceribus & corde. de inæquali intemp. 3ª.44.A
Cor dicitur os ventris. 1°. *de symp. cau.* 3ª.17.G/ 3°. *de loc. affe.* 32.E/ 3°. *de crisi.* 4ª.144.E/8°. *de compo. med. sec. loc.* 5ª.187.F/*com.* 4°. *aph.* 17°.29.A/ *aph.* 65°. *Ex.* 34.D
Cor dicitur ventriculi os, & cur valde sentit. in prog. com. 3°.4ª.210.F
Cor quid. fin. med. *Isa.* 43.H
Cor quid sit secundum Aristotelem. de anat. viu. *Sp.* 46.B
de Corde stoicorum opinio, & qp primo gignatur. de fœt. for. 1ª.324.B
a Cordis acumine totum corpus incipit formari. de ana. vi. *Sp.* 46.C
Cor primum est in generatione fm Aristotelem. de anat. viu. *Sp.* 52.A
Cor statim ab initio conformatur. 2°. *de decre. Hipp.* 1ª.240.D/*in* 6ᵐ. *de mor. vul. com.* 4°. 3ª.186.A
Cor ante cerebrum gignitur. de fœt. for. 1ª.323.G
Cor posterius iecore factum esse credendum est. de fœt. for. 1ª.323.G
Cor non est primo genitum, quia indiget sanguine, qui per venas a vulua trahitur. de fœt. for. 1ª.324.F
Cor perinde ac iecur primis fœturæ diebus esse quasi quoddam fundamentum cur dixerit Galenus. de fœt. for. 1ª.323.A
Cor, & cerebrum, & iecur iuxta se locata cernuntur in abortibus triginta dierum. de fœt. for. 323.A/1°. *de sem.* 1ª.331.D
Cor ab initio est vt millij granum vel fabæ. 2°. *de nat. fa.* 1ª.297.G
Cordis generatio ex quo & quando. de fœt. for. 1ª.323.B
Cor ex quibus formetur in fœtu. de anat. viu. *Sp.* 52.A
Cor ex sanguine arteriarum fit. 1°. *de sem.* 1ª.331.C
Cor creat sol. de compag. memb. siue de nat. hu. *Sp.* 59.F
ad Cordis generationem intendit spiritus vitalis. de ana. vi. *Sp.* 51.H
Cordi comparat radices stirpium. de anat. vi. *Sp.* 47.C
Cor, Cerebrum, & iecur, & ab ipsis dependentia membra consideranda. de morbo. temp. 3ª.89.H
Cor vnum principium in nostro corpore. ars med. *Isa.* 63.B
Cor principiũ vnum vniuersi corporis. 2°. *de arte cur. ad Gla.* 7ª.103.b
Cor est vnũ solũ principium regale fm sapientẽ. de ana. viu. *Sp.* 45.G
Cor est membrum vnum principale secundum Aristotelem, secũdum alios duo, cor & cerebrum. de ana. viu. *Sp.* 56.A
Cor, cerebrum, hepar, stomachus, sunt membra quatuor principalia, secundum aliquos. de anat. viuo. *sp.* 56.A
post Cor prima membra sunt cerebrum, & hepar, & pulmo & stomachus. de anat. viu. *Sp.* 47.B
Cor aut est principium vniuersale aut non, & quid ad hæc sequatur. de anat. viuo. *Sp.* 56.G
Cor, cerebrum, & iecur tria sunt principia. in 1ᵐ. *pr. cõ.* 1°. 4ª.169.F
Cor principalissimũ est spiritualiũ mẽbrorũ. de compag. mẽb. *Sp.* 58.G
Cor non habet vt dominetur. 3°. *de decr. Hipp.* 1ª.245.A
Cor quorum principium sit. 8°. *de vsu par.* 166.A/7°. *de decr.* 1ª.268.b
Cor cuius operationis principium. in 1ᵐ. *prorr. com.* 1°. 4ª.169.F
in Corde non est principium nutricandi. 2°. *de decr.* 1ª.240.F
Cor est principium mediatum digestionis. de ana. viu. *Sp.* 56.H
Cor pars propria ad vitam. fin. med. Is. 45.E/13°.202.E/ 14°. *de vsu par.* 204.C/1°. *de sem.* 1ª.334.C
a Corde ad cætera membra influit virtus vitalis. de ana. viu. *Sp.* 50.F
Corde, & hepate eget cerebrum ad conseruandum substantiam suam. de mot. man. & obs. *Sp.* 66 G
Cor nisi cesset ab agendi munere, animal non potest mori. 3°. *de simpl. med. facul.* 5ª.22.B
sine Corde, & pulmone cur viuãt aĩalia quædam. de vti. resp. *Sp.* 63.B
Cor pro Cerebro in carentibus capite. 8°. *de vsu par.* 1ª.165.C
in Corde vna species animi. qp animi mo. 1ª.317.F
in Corde est anima cum brutis communis. 8°. *meth. med.* 7ª.58.H
quæ in Corde est anima cum corpore moritur. qp animi mo. 1ª.317.F
in Corde ab aliquibus ponitur animæ principatus. 1°. *de vsu par.* 1ª. 114.H/13°. *meth. med.* 7ª.85.D
a Cordæ omnes animæ facultates oriri dicunt Aristoteles & Theophrastus. 6°. *de decr. Hipp.* 1ª.260.E
in Corde Aristoteles posuit omnes animæ facultates. 4°. *de decr. Hip. & Platonis.* 1ª.248.D
in Corde an principalis vis animæ. 2°. *de decr. Hipp.* 1ª.235.H
Cor esse animæ principium quibus argumentis probet Chrysippus. 2°. *de decr. Hipp.* 1ª.235.F
in Corde esse animam rationalem argumentum antiquorum commune. 2°. *de decr. Hipp.* 1ª.240.E
Cor volentes esse animæ principatum, vnde debent sumere argumentum. 2°. *de decr. Hipp.* 1ª.235.B
a Cordis situ argumentum demonstratiuum non desumitur, qp animæ principatus sit in ipso. 2°. *de decr. Hipp.* 1ª.236.A
in Corde esse animæ principatum nullo sensu percipimus. 2°. *de decr. Hippocratis.* 1ª.239.G
in Corde non esse rationem ratio probans. 5°. *de loc. aff.* 4ª.29.E
Cordi nihil accidit cum aliqua scientia quomodocunq; animus agitatur. 2°. *de decr. Hipp.* 1ª.240.D
in Corde nõ esse principẽ animã ostẽdit anatomia. 1°. *de lo. af.* 4ª.3.G
Cor animosæ virtutis initium. fin. med. Isa. 50.B/7°. *de anat. admin.* 96. C/3°. *de decretis.* 242.A/5°.254.B/6°.266.D/8°.273.F/9°.285.E/ *qp ani. mor.* 1ª.318.D/3°. *de loc. affectis.* 4ª.16.E/*de virtut. nostrum corp. dispen.* *Sp.* 60.B
in Corde concupiscibilem potentiam esse Aristotelis est dogma non stoicorum. 3°. *de decr. Hipp.* 1ª.246.F
Cor habet quatuor facultates. 3°. *de nat. fac.* 1ª.305.C
Cor nõ dat vim aĩalẽ cerebro per arterias. 2°. *de decr. Hip.* 1ª.239.D
Cor est basis, & radix virtutum moralium. de ana. viu. *Sp.* 56.H
Cordis situs. 2°. *de decr. Hipp.* 235.H/*de ana. viu.* *Sp.* 46.E/G
Cordis & pulmonis domus est venter superior. de anat. viu. *Sp.* 47.C
Cor est in medio totius. 7°. *de anat. adm.* 95.D/6°. *de vsu par.* 1ª.150. C/*de anat. viu.* 46.G/ *Sp.* 56.C
Cor cur in medio thoracis. 6°. *de vsu p.* 148.D/E/2°. *de decr.* 1ª.240.B
Cor non est in medio. 2°. *de decr. Hipp.* 1ª.236.B
Cor est in sinistra parte. de anat. par. *Sp.* 42.H
Cordis declinatio est magis ad sinistrã partẽ. de ana. vi. 48.A/*Sp.* 56.C
Cor cur versus sinistram partem. de anat. viu. *Sp.* 52.G
Cor non est in sinistra parte, vt vulgus putat. 6°. *de vsu part.* 148.D/ *in* 6ᵐ. *de mor. vul. com.* 2°. 3ª.169.C
Cor cur videatur in sinistra parte esse. 7°. *de anat. adm.* 1ª.95.D
Cor quo modo dicat esse in sinistris. in 6ᵐ. *de mor. vul. cõ.* 2°. 3ª.169.C
Cordi substernitur pulmo sicut culcitra sustentans, & leniens ipsum. de anat. viuorum. *Sp.* 48.A
in Cordis protectione positus est pulmo, vt folium in protectione fructus. de ana. viuo. *Sp.* 48.E
Cor ambitur a pulmone suis lobis veluti digitis. 6°. *de vsu par.* 148.D 149.H/7°. 1ª.159.H
Cordi ob nihil aliud pulmonem natura circundedit, quàm vt illi ministraret. 1°. *de symp. cau.* 3ª.19.B
a Corde pericardij distantia. 6°. *de vsu par.* 1ª.154.F
Cor, & pulmonem ambit thorax. 6. *de vsu par.* 1ª.148.D
Cor circundatur a thorace. 6°. *de vsu par.* 1ª.149.H
Cor positionem ac magnitudinem in thorace sibi ipsi habet conuenientem. 13°. *de vsu part.* 1ª.201.D
Cor tegitur a mammis. 7°. *de vsu par.* 1ª.164.E
Corde longius Cerebrum constitui conueniens fuit, quippe quod posterius etiam fabricetur. de fœt. for. 1ª.323.G

a Corde cerebrũ pari cũ pedib. interuallo distat. 8°. de vsu p. 1ª. 165. D
sub Corde partes sunt plures & maiores, quam quæ supra cor. 6°. de vsu par. 149. E/16°. 1ª. 118. E
Cordis structuram similem vel specie eandem habet & maximũ animalium & minimum. 7°. de anat. adm. 1ª. 96. H
Cor assimilatur Pineæ. de anat. viu. Sp. 46. C
Cordis figura cur sit pineata. de anat. viu. Sp. 52. F
Cordis pars superior cur elevata sit. de anat. viu. Sp. 46. C
Cordis figura cur acuminata. de ana. viu. 46. C/ Sp. 52. F
Cordis figura qualis & cur. 6°. de vsu p. 1ª. 150. A/ de ana. vi. Sp. 56. C
Cordis figura est prima & mater figurarum. de ana. viu. Sp. 47. B
Cordis forma rugosa est intrinsecus quando constringitur, plana quãdo dilatatur. de anat. viu. Sp. 56. C
Cordis mensurauit quantitatem Deus, & cur. de anat. vi. Sp. 46. G
Cor cristam galli habebat duos apices. 7°. de anat. adm. 1ª. 96. H
de Cordis anatomia. de anat. viu. Sp. 52. F
Cordis anatomia quo facienda sit. 7°. de ana. adm. 95. E/96. C/ 1ª. 97. B
Cor potest videri extra animal seorsum a reliquis partibus. 4°. de anatomia admi. 1ª. 81. H
Cor ab animali eximi debet, vt perfectius eius anatomia videatur. 7°. de anat. adm. 1ª. 96. D
Cor in omni animali dissecto a Galeno semp visum. 6°. de decr. 1ª. 263. f
Cor quo pacto detegendum. 7°. de anat. adm. 97. B/ 2°. de decre. Hipp. 236. H/6°. 1ª. 265. E
Cor cur denudetur. 7°. de anat. adm. 1ª. 97. H
Cor bubulum discrepat multum ab humano. 2°. de ana. ad. 1ª. 69. E
Cor inter partes instrumentales numeratur. de nat. hum. comment. 1°. 1ª. 26. C/ de diff. morb. 3ª. 2. F
Cor instrumentum spiritus. 7°. de anat. adm. 1ª. 94. A
Cor ex quibus componatur. de anat. viu. Sp. 46. D
Cordis fundamentum quale sit. de anat. viu. Sp. 46. C
Cordis basis caput visceris dicitur. 7°. de anat. adm. 1ª. 94. E
in Corde an chartilagineum quid reperiatur, inutilis quæstio est. 4°. de anat. admin. 1ª. 79. H
Cordis chartilago in quibus aĩalib. videt os. 7°. de anat. adm. 1ª. 96. E
Cordis os quo modo inueniri debeat. 7°. de anat. adm. 1ª. 96. G
Cordis os chartilago est. 7°. de anat. adm. 1ª. 96. E
in Corde osiculum. de ossibus. 1ª. 43. G
ex Corde elephantis magnum os. 7°. de anat. adm. 1ª. 96. F
ad Cordis caput propter qd os in magnis aĩalib. 6°. de vsu p. 1ª. 155. G
Cor inuoluentia, quæ. 7°. de anat. adm. 1ª. 96. C
Cor, & pulmo quilibet in sua capsula continet. de anat. par. Sp. 42. H
Cordis capsula q̃, & cur facta, et vbi cordi colligat. de an. vi. Sp. 52. F
in Cordis capsula colligit materia q̃ facit syncopẽ. de ana. p. Sp. 42. H
Cordis panniculus est densior quocunq; alio. de anat. viu. Sp. 46. E
Cordis panniculus vbi illud tangat. de anat. viu. Sp. 56. B
Cor ambiẽs pãnicul° iter partes ignobiles reputat. 5°. de lo. af. 4ª. 29. E
Cordis pars perfectissima, quæ. 6°. de vsu par. 1ª. 150. A
Cordis partes mediæ in dignitate, quæ. 6°. de vsu par. 1ª. 150. A
Cordis pars abiectissima, quæ. 6°. de vsu par. 1ª. 150. A
Cordis particula abiectissima dicitur per comparationem ad alias cordis partes. 6°. de vsu par. 1ª. 150. A
Cordis orificijs cur membranæ adnatæ. 6°. de vsu par. 1ª. 155. G
in Corde vasorũ osculis cur adnascãt mẽbranæ. 3°. de nat. fa. 1ª. 307. e
Cordis membranarum dissectio. 7°. de anat. adm. 1ª. 96. C
in Corde membranæ, quæ. 6°. de vsu par. 1ª. 153. F
in Corde membranæ quo modo se habent. 6°. de decr. Hip. 1ª. 264. D
a Corde vasorum proficiscentium orificia quales membranas habẽt, & earum vsus. 6°. de vsu par. 1ª. 152. B
Cordis membranæ trifulcæ. 7°. de anat. adm. 1ª. 96. C
a Corde ad caput membranæ non pertingunt. 7°. de decr. 1ª. 268. A
a Corde non sunt membranę circa collum. 7°. de decr. Hipp. 1ª. 268. B
Cor circumiens membrana vnde nutriatur. 6°. de decr. 1ª. 263. B
Cordis additamenta cur auriculis comparantur. de ana. viu. Sp. 56. D
Cordis aurium dissectio. 7°. de anat. adm. 1ª. 96. C
Cordis aures cur tenues, & neruosæ sint. 6°. de vsu par. 1ª. 154. C
Cordis aures nõ frustra factę, sed temere noĩatæ. 6°. de vsu p. 1ª. 154. B
in Corde quid faciant aures. 6°. de vsu partium. 1ª. 154. A
Cordis duæ aures propter quid sit creatæ, & cuius substantiæ. de anatomia viuorum. Sp. 46. F
Cordis propria caro numeratur inter primas partes quæ generantur. 1°. de nat. facul. 1ª. 291 G
Cordis caro qualis. 6°. de vsu par. 1ª. 150. C
Cordis substantia talis, vt in nullo talis reperiatur. 6°. de dec. 1ª. 266. B
Cor non habet simplicem carnem. 1°. de temp. 1ª. 17. H
Cor quidam in musculorum genere ponunt. de bon. & vit. suc. 2ª. 35. G
Cor esse musculum dicentes errant. 7°. de anat. adm. 1ª. 96. B
Cordis substantia a musculo differt. 7°. de anat. admi. 95. G/ 1°. de motu musculorum. 1ª. 309. E
Cordis caro, videtur musculus, tamen non est. 6°. de vsu par. 1ª. 150. C
Cor coctum habet diuersum gustum a musculo. 7°. de ana. adm. 1ª. 96. b
Cor durius est quolibet musculo. 7°. de anat. adm. 1ª. 95. H
Cor componitur ex carne crassa, forti, & dura. de anato. viuo. 46. D/ 52. F. 55. G/ Sp. 56. D
Cor paulo minus durum cute. 1°. de temp. 1ª. 15. C
Cordis caro cur dura sit. de anat. viu. Sp. 46. D
Cor cur ex duris & compactis & non liquabilibus sit confectum. de anatom. viuo. Sp. 46. D
Corde cur mollis iecur. 6°. de decre. Hipp. 1ª. 266. C
Cordis dextera pars cur mollis, & tenuis, sinistra vero crassa, et dura. 6°. de vsu par. 1ª. 154. E
Cordis caro quanto est durior carne lienis, renum, et iecinoris, tãto est siccior. 2°. de temp. 1ª. 17. H
in Corde est caro rubicunda. de anat. viu. Sp. 44. D
Cordis caro est rubicunda. de ana. viu. Sp. 55. H
Cor omnium partium animalium maxime sanguineũ. 1°. de tẽp. 1ª. 15. c
Cor eundem colorem, sed non vsquequaque habet cum iecore. 6°. de decr. Hipp. 1ª. 266. C
Corde cur rubicundius sit iecur. 6°. de decr. Hipp. 1ª. 266. C
Cor coctu difficile est. 3°. de alim. fac. 2ª. 27. E
Cor dat non paucum alimentum, neq; mali succi. 3°. de ali. fa. 2ª. 27. E
Cordis caro generat melancholiam. de ana. viu. Sp. 56. B
Cor habet carnem fibrosam duram. 3°. de alim. fac. 2ª. 27. E
Cor constat substantia duriore, fibrosiore q̃cętera viscera. de bon. & vitio succorum. 2ª. 35. F
in Corde est omne genus fibrarum. 6°. de vsu par. 1ª. 150. F
Cor componitur ex omnibus generibus filorum. de ana. viu. Sp. 52. G
in Corde diuersum fibrarum genus. 1°. de sem. 1ª. 332. C
Cordis villorum diuersitas, & cur. de anat. viu. Sp. 46. D
Cordis fibrarum natura. 1°. de temp. 1ª. 17. H
Cordis fibræ differunt ab alijs. 6°. de vsu par. 1ª. 150. C
in Cordæ fibræ multæ, solidæ & longæ, non secus atq; in musculis spectantur. de bon. & vit. suc. 2ª. 35. F
in Corde fibrę multiplices. 6°. de vsu par. 1ª. 150. D
Cor non est perforatum. de anat. viu. Sp. 56. F
Cordis pori imperceptibiles sunt pp̃ sui paruitatẽ. de vtil. resp. Sp. 64. D
de Cordis cauitatibus. de anat. viu. Sp. 46. E
Cordis fouea ob quid sit facta. de anat. viu. Sp. 46. E
in Cordis dextro latere q̃ sint, & q̃ in sinistro. de anat. viu. Sp. 46. E/F
Cor ventriculos habere collige. com. 7°. aph. 30°. Ex. 56. D
Cordis ventriculorum numerus in omnibus animalibus haudquaquã est idem. 6°. de vsu par. 1ª. 150. G
in Corde duos ventriculos non habent animalia, quæ non habent pulmonem. 6°. de vsu partium. 1ª. 152. D
Cordis vnus solus est ventriculus in animalibus paruis a quo procedit magna arteria. de vtil. resp. Sp. 64. D
Cordis tres folliculi. de anat. viu. Sp. 52. G
Cor habet tres ventres intrinsecus. de anat. viu. Sp. 56. C
Cordis ventriculus medius, qualis. de ana. viu. Sp. 56. C
Cordis tertiũ vẽtriculũ vbi esse putauit Arist. de vẽ. art. diss. 1ª. 58. H
Cor non habet triplicẽ sinũ, vt putauit Arist. 7°. de anat. adm. 1ª. 96. F
Cordis duo ventriculi. de fœt. for. 1ª. 323. F
Cordis ventriculos esse tm̃ duos visui patẽs est. de vtil. resp. Sp. 64. D
Cordis ventriculorum situs. 7°. de anat. adm. 1ª. 96. H
Cordis dextrum ventriculum cum pulmone generari & interire certum est. 6°. de decr. Hipp. 1ª. 263. F
Cordis dexter ventriculus necessario interit cum pulmone. 6°. de vsu partium. 1ª. 150. F
Cordis dexter vẽtriculus gratia pulmonis factus. 6°. de vsu p. 1ª. 152. D
Cordis dextrum ventriculum habent animalia inspirãtia aerẽ per os, nares, & pharynga. 6°. de vsu par. 1ª. 150. F
Cordis dextrũ vẽtriculũ multa animalia nõ hñt. 6°. de decr. 1ª. 263. E
Cordis dexter venter inferior est, & magis versus hepar dispositus, attrahens ab hepate. de anat. viuo. Sp. 56. C

Cordis

Cordis sinister venter minor est dextro, & superior versus pulmonẽ, attrahens ab eo. de anat. viu. Sp. 56. C

ad Cordis sinistrum ventriculum cur non eat vena in fœtu. 15°. *de vsu partium.* 1ª. 211. D

a Cordis dextro ventriculo quid transferatur in sinistrum. 3°. *de natural. facul.* 1ª. 307. H

Cordis sinister ventriculus quid agat. 4°. *de vsu par.* 1ª. 153. G

Cordis ventres ob quem vsum sint facti. de ana. viu. Sp. 46. E

in Cordis vẽtriculis sunt quædam ligamenta. 1°. *de mo. mus.* 1ª. 209. E

de Cordis vẽtriculis an pulsent, et qui pulsent. 3°. *de dif. pul.* 4ª. 64 G

in Corde quatuor orificia, bina in vtroq; ventriculo: alterum inducit materias, alterum educit. 6°. *de vsu par.* 1ª. 152. C/ 1ª. 153. F

in Cordis dextro sinu duo ora. 3°. *de nat. fac.* 1ª. 307. H

in Cordis sinistro ventriculo duo orificia. 6°. *de vsu par.* 1ª. 150. B

in Corde medio cur sint foramina. 6°. *de vsu par.* 155. C/ 3°. *de naturalib. faculta.* 1ª. 308. H

Cordis partium vtilitas. de anat. viu. Sp. 46. C

a Cordæ dependentia, quæ. ars med. Isa. 63. B

a Corde Arteriæ dependent. ars med. Is. 63. B/*de vena. arteriarumq; dissectione.* 49. F/ 1ª. *de vsu par.* 117. P/6°. 152. D/ 15°. 212. E/214. D/2°. *de decr. Hip.* 239. D/3°. 245. D/6°. 262. F/ 1ª. 266. D/F/G/*de anat. viu.* Sp. 56. E

Cor princeps visus, a quo arteriæ procedunt, quæ eundem cũ illo motum custodiunt. de vsu pul. 1ª. 227. E

Cor producit maximam arteriam. 1°. *de sem.* 1ª. 331. D

a Corde arteriæ maximæ. 6°. *de decr. Hipp.* 1ª. 162. G

a Corde est origo arteriarum, suspensio ligamentorum, & virtus omnis in vniuerso. de anat. viuo. Sp. 46. G

a Corde oritur magna arteria. de vena. arteriarumq; diss. 1ª. 56. C

in Corde est principium arteriarum. & innatæ caliditatis pulsusq; ac iræ. in Timæum Plat. 1ª. 287. D

Cor esse principium venarum & arteriarum tribus rationibus probatur secundum Aristotelem. de anat. viu. Sp. 56. E

a Corde vel iecore arteriarũ et venarũ corpa nũr germinasse, sicuti è cerebro et mẽbranis medulla dorsi et nerui. de fœt. for. 1ª. 324. G

ad Cordis magnam arteriam in fœtu arteriæ infiguntur. 15°. *de vsu partium.* 1ª. 211. D

a Cordis duabus ventriculis procedunt magna vena & arteria ad supremum spondylum colli. de vtil. resp. Sp. 62. G.

Cordis sinister ventriculus arteriarum origo. de ven. art. diss. 1ª. 58. H/*de ana. viu.* Sp. 46. F

in Cordis sinistro ventriculo est arteria magna, a qua omnes oriuntur. 1°. *de decr. Hip. & Plat.* 1ª. 233. C

a Cordis cono & radice & puncto arteriæ, & venæ porriguntur ad sui circulum, & sic ad totum. de ana. viu. Sp. 56. G

sub Corde arteriæ pars maior. 6°. *de vsu par.* 1ª. 149. E

a Corde arteriæ pars maior quorsum tendat. de ven. art. diss. 1ª. 59. B

Cordis arteria maior est ea q tẽdit ad pulmonẽ. 6°. *de vsu par.* 1ª. 155. D

ex Cordis venosis partibus natura fecit arterias quæ tendunt ad pulmonem. 6°. *de vsu par.* 1ª. 153. A/B

a Corde quædam arteria dirigitur ad hepar per medium hepatis ad renes, quæ his vitam defert. de ana. viu. Sp. 51. C

a Corde, quæ protenditur arteria per dorsum, & coniungitur mesenterio non transit per hepar. de vtil. resp. Sp. 64. E

ex Corde arteriæ venosæ ortus & disseminatio in pulmone. 2°. *de decre. Hipp.* 1ª. 236. A

Cor cur habeat duas arterias in ambitu. de ven. art. diss. 1ª. 58. H

Cordis totũ corpus amplectit vena & arteria. 6°. *de vsu par.* 1ª. 155. F

in Corde venæ & arteriæ se contingunt. 9°. *de vsu par.* 1ª. 172. H

Cordi arterias asperas iungentes, lẽues arteriæ quib. plenæ. 7°. *de vsu partium.* 1ª. 158. G

ad Cordis naturam ne prope quidem accedit arteriarum substantia. de fœtuum forma. 1ª. 324. D/E

a Corde venas oriri aliqui dicunt. 6°. *de decr. Hip.* 1ª. 261. H

a Corde & venæ nascantur, non ab hepate probat Aristoteles. de anat. viuorum. Sp. 45. H

Cor venarum principium non esse probatur. 6°. *de decr. Hipp.* 262. G/ 1ª. 263. G/*de ana. viu.* Sp. 56. F

a Corde vel iecore an oriatur vena cava incertum est quãtum ad substantiam. de fœt. for. 1ª. 324. E

Cor habet venas quatuor. de nat. & ord. cuiusc. corp. Sp. 42. A

a Cordis parte dextera vena magna egreditur. de ana. vi. Sp. 46. F

ex Corde nascitur magna quædam vena & quorsum tendat, & quæ ab illa nascantur, secundum Erasistratum. 5°. *de loc. aff.* 4ª. 30. F

Cordi q̃ insigit̃ vena maior est ea, q̃ ab eo exorit̃. 6°. *de vsu p.* 1ª. 155. D

a Corde ad pulmonem vena minor est ea, quæ cordi inscribitur. 6°. *de vsu partium.* 1ª. 155. D

ex Cordis arteriosis partibus natura fecit venas quæ tendunt ad pulmonem. 6°. *de vsu par.* 1ª. 153. A

in Cor quæ tendit venæ cauæ pars amplior est illa, quæ tendit in pulmonem. 3°. *de nat. fac.* 1ª. 307. H

a Corde, & non a iecore cur natura produxit venam quæ pulmonem nutrit. 6°. *de decr. Hip.* 1ª. 263. D

a Cordis auricula dextra vena sine pari omnes thoracis partes, quæ consistunt circa octo costas inferiores, alit. 5°. *de loc. aff.* 4ª. 30. H

sub Corde emergit vena alens partes inferiores thoracis. de vic. rat. in mor. acu. com. 2°. 7ª. 117. G

ad Cor venas duxit natura prius quàm ad mammas, & qua via incedant. 7°. *de vsu par.* 1ª. 164. D

ad Cor ventrem habens vena, q̃n venit in rectitudinem diaphragmatis, ramos ad ipsum nutriendũ transmittit. de anat. viu. Sp. 54. D

a Corde protenditur vena ad splenem quemadmodum ad hepar, per quam cor attrahit sibi succum cibi a splene quemadmodum ab hepate. de vtil. resp. Sp. 64. H

a Corde quo modo veniant venæ, & magnæ arteriæ in collum. 7°. *de vsu partium.* 1ª. 159. F

a Corde quæ subit arteria ad collũ, quid trahat. 3°. *de nat. fa.* 1ª. 307. F

a Corde in pulmones diuisis arteriis, quæ venę correspondeat. 16°. *de vsu partium.* 1ª. 220. E

in Corde arteriis existentib⁹ quę venę rñdeãt. 16°. *de vsu p.* 1ª. 220. F

Cor est radix vltima erectionis totius animalis. de ana. viu. Sp. 47. B

Cor est primum, & vniuersale instrumentum omnium sensuum secundum Aristotelem, non cerebrum. de vtil. resp. Sp. 62. F

in Corde est principium motus & sensus, secundum Aristotelem. de vtil. resp. Sp. 63. D

Cor q̃d sit principiũ sensus et mot⁹ cõtra Galenũ. de ana. vi. Sp. 45. H

Cor q̃ non sit principium sensus & motus probat Galenus. de anatomia vinorum. Sp. 45. H

Cor non præstat cerebro primam originem sensus & motus, vt aliqui voluerunt. 2°. *de decr. Hip.* 1ª. 239. D

in Corde non sentimus aliquem motum, cogitantes, & discentes, & docentes. 2°. *de decr. Hip.* 1ª. 239. G

in Corde neruorum origo fm aliquos. 2°. *de decr. Hip.* 1ª. 234. E

Cor non est principium neruorum. 3°. *de vsu par.* 1ª. 161. E/ 3°. *de locis affectis.* 4ª. 17. C

a Corde non oriuntur nerui, contra stoicos. 2°. *de decr. Hip.* 1ª. 234. E

Cor non esse principium neruorum, contra Aristotelem. 1°. *de decret. Hip. & Pla.* 232. C/ 233. D/H/2°. 1ª. 234. A

in Corde non sunt multi nerui, sed neruosæ discriminationes. 1°. *de de cre. Hip. & Pla.* 233. E/H/2°. 1ª. 240. E

Cor nõ habere multos neruos oñditur. 1°. *de decr. Hip. & Pl.* 1ª. 233. H

Cor nullam actionem animalem habet, ideo nõ eget magnis neruis. 6°. *de vsu partium.* 1ª. 155. F

in Corde nullus videtur nerus, tñ a pericardio aliquis paruus in ipsum deduci videtur in magnis animalibus. 6°. *de vsu par.* 1ª. 155. F

Cor ex animali exemptum mouetur, igitur nerui non faciunt ad eius motum. 7°. *de ana. adm.* 1ª. 96. B

Cor, & pulmonem qui neruus intret. de voce, & anhel. Sp. 61. H

in Cor insigit̃ nerus paruus a cerebro descẽdẽs. 1°. *de decr.* 1ª. 233. H

Cordi mittuntur nerui a sexta coniugatione neruorum a cerebro prodeuntium. 16°. *de vsu par.* 1ª. 215. H

Cor ac pulmo a sexta coniugatione quandam neruorum portionem in collo suscipiunt. de ner. diss. 1ª. 54. D

ad Cor cur fuit necesse neruos accedere. 16°. *de vsu par.* 1ª. 215. E

Cor cur habet aliquos paruos neruos. 6°. *de vsu par.* 1ª. 155. G

Cordi melius fuit habere neruos minimos. 7°. *de vsu par.* 1ª. 159. H

Cordi cur nerus syncerus. 16°. *de vsu par.* 1ª. 216. E

cur Cor sentiat in superficie non in cauitate. de ren. aff. dign. 7ª. 193. A

ad Cor habent colligantiam per venas, pelliculas, & neruos corporis particulæ omnes. de vtil. resp. Sp. 62. G

Cor cum cerebro colli arteriæ continuant. de vsu pul. 1ª. 227. E

Cor cerebro tria vasorum genera connectunt. 2°. *de decr.* 1ª. 239. B

Cordis mutua cũ cerebro colligatio quo modo. 2°. *de cau. pul.* 4ª. 93. H

Cordi quo modo copuletur iecur. 4°. *de vsu par.* 1ª. 130. F

Cor eſt frigidæ cõplexionis de ſubſtãtia ſm Ariſt. de ana. viu. Sp. 56. B
Cor omne ſecundum Galenum c ucum eſt, & ſiccum. de ana. viuo. 46. E/ 56. B de compag. ſiue de nat. hum. Sp. 58. G
in Corde, et ſtomacho ſemẽ mutat in calidũ, & ſiccũ. de ſper. Sp. 56. H
Cor omnibus membris corporis calidius eſt. de copag. memb. Sp. 58. G
Cor caloris fons. 7°. de ana. ad. 96. C/ 6°. de vſu p. 150. B/ de fœt. for. 1ª. 323. F/ in 6ᵐ. de mor. vul. com. 4°. 3ª. 185. H/ de ana. viu. Sp. 45. G
Cor non deberet eſſe, niſi eſſet arteriarum & caloris principium. 8°. de vſu partium. 1ª. 166. A
Cordis ad calorem & ſpiritum eadem eſt comparatio, quę fornacis ad ignem. de anat. viu. Sp. 46. D
in Corde innati caloris feruor, antiqua opinio. 2°. de decr. 1ª. 240. F
in Corde multus calor inſitus. in 6ᵐ. de mor. vul. com. 4°. 3ª. 186. D
Cor innati caloris eſt fons. 5°. de loc. aff. 4ª. 28. H/ de ana. viu. Sp. 45. G
ex Corde animalia ſortiuntur igneam caliditatem. de fœt. for. 1ª. 323. F
ſine Corde ſanguineorum animalium calor perſimilis caliditati, quæ ſentitur in domibus tempore æſtatis. de fœt. for. 1ª. 323. F
a Corde incipit calor vitalis. de anat. viu. Sp. 47. B
a Corde effluit calor cõtinuo ad venas, et p venas ad totũ corp⁹ et, ide extra corpus, vt flamma eſt in cõtinuo motu. de vtil. reſp. Sp. 62. F
Cordis calor minimus eſt maior omnibus. de vſu pul. 1ª. 228. C
Cor frigidiſſimũ multo iñ calidiꝰ ẽ cerebro calidiſſimo. ars me. Iſ. 64. E
Cordis caloris cauſa eſt motus. de anat. viu. Sp. 56. D
in Cordis ſiniſtro ventriculo ingens calor. de vſu pulſ. 1ª. 228. C/ de inequali intemp. 3ª. 44. A
Cordis calor eſt diuerſus ab aliarũ partiũ calore. de vſu pul. 1ª. 228. B
Cor cur debet eſſe ſemper calidum. de vſu pul. 1ª. 228. B
Corde ſeruato in calore, ſeruatur animal. de vſu pul. 1ª. 228. C
Cor prope mortem frigidum eſt præterquam in ardentibus febribus. in 6ᵐ. de mor. vul. com. 4°. 3ª. 187. D
Corde refrigerato omnia frigeſcunt. de vſu pulſ. 1ª. 228. B
Cordis calor quot modis calidior vel frigidior fiat. de cur. rat. per ſanguinis miſſionem. 6ª. 16. G
Cor ſiccius & calidius iecore. 6°. de decr. 1ª. 266. C/ de fœ. fo. 1ª. 323. f
Cordis qualitas. de compag. memb. ſiue de na. hu. Sp. 58. H
Cordis calidi ſigna. ars med. Iſa. 64 E
in Corde qui habent plurimum calidum, ſunt vocaliſſimi. in 6ᵐ. de mor. vul. com. 4°. 3ª. 185. H
Cordis calor excellens ſignum eſt audaciæ. de anat. viu. Sp. 53. A
Cordis magnitudo non eſt cauſa audaciæ. de anat. viu. Sp. 53. A
Cor magnum nõ tñ audax habent aĩalia plura. de ana. viuo. Sp. 46. H
Cor magnum habent cerui & lepores, tamen ſunt pauidi et timidi plurimum. de ana. viu. Sp. 46. H
Cor magnum habent lepus & ceruus, ſecundum menſuralem ſibi proportionem, cum timidi ſint. de anat. viu. Sp. 53. A
Cor paruum habent animalia quædam, tamen ſunt audacia, quia illud calidum habent. de anat. viu. Sp. 53. A
Cor paruũ nõ tñ timidum habent animalia plura. de ana. vi. Sp. 46. H
Cordis paruitas non eſt timiditas cordis. de ana. viu. Sp. 53. A
Cordis parui animalia cur audacia ſint. de ana. viu. Sp. 46. H
Cor paruum habet ſerpens, tyrus, & muſtela, tamen ſunt audacia, cũ calidum habeant. de ana. viu. Sp. 53. A
bene Cordati qui dicantur ſm Chryſippum. 3°. de decr. 1ª. 245. B
ſine Corde dicitur timidus. 3°. de decr. Hip. 1ª. 243. D
Cor deeſſe timido, & puſillanimi dicunt. 3°. de loc. aff. 4ª. 16. E
Cordis calor ſuperexcellens ſignum eſt maniæ. de ana. viu. Sp. 53. A
Cordis caliditas poteſt obtundere frigiditatem iecoris. ars me. Iſ. 65. B
Cordis frigidi indicia. ars med. Iſa. 64. F/ de marc. 3ª. 46. G
Cor humidius quàm cutis. 1°. de temp. 1ª. 15. C
Cor humidum quibus fiat. 3°. de præſag. ex pul. 4ª. 119. C
Cordis humidi ſigna. ars med. Iſa. 64. G
Cordis humiditas nõ põt obtũdere ſiccitatẽ hepatis. ars med. Iſa. 65. B
Cordis ſicci ſigna. ars med. Iſ 64. G
Cordis calidi, & humidi ſigna. ars med. Iſa. 64. H
Cordis calidi & ſicci ſigna. ars med. Iſa. 64. H
Cordis humidi, & frigidi ſigna. ars med. Iſa. 64. H
Cordis frigidi & ſicci ſigna. ars med. Iſa. 64. H
Cor habet proprium motum naturalem. 2°. de ſan. tu. 2ª. 75. A
Cordis motus eſt primus motuum. de anat. viu. Sp. 47. B
Cor cur habet duplicem arteriæ motum. 6°. de decr. Hip. 1ª. 266. C
Cordis motus proprius pulſus. 6°. de decr. Hip. 1ª. 260. G
Cor origo pulſus. de vſu pul. 1ª. 228. F
Cordis pulſatio quid. de anat. viu. Sp. 47. A
Cor quando incipit pulſare. de fœt. for. 1ª. 323. F
Cor motu perpetuo agitur. 6°. de vſu par. 148. G. 1°. de ſemi. 1ª. 331. C/ 2°. de ſan. tu. 2ª. 75. A/ 6°. de loc. aff. 4ª. 42. D
Cor quoad motibus ꝓprijs mouet, aĩal perire nequit. de marc. 3ª. 46. F
Cor cum arterijs ſemper pulſat in vita. 1°. de cauſ. pul. 4ª. 86. H
Cor habet maiorem actionis conſtantiam, q̃ alia membra. 6°. de vſu partium. 1ª. 150. D
Cor in omni parte ſuam faceret actionem. 6°. de loc. aff. 4ª. 42. D
in Cordis motu quies exigua. 6°. de vſu par. 1ª. 150. E
Cor non indiget multo tempore ad requiem. 1°. de ſymp. cau. 3ª. 19. A
Cor deſiſtit moueri, qñ reſpiratione fuerit priuatũ. de fœt. for. 1ª. 324. b
Cor non poteſt ceſſare ab actione ſine maxima intemperie. 3°. de ſimp. medic. fac. 5ª. 22. B
Cordis officiorum quies, vitæ finis eſt. de marc. 3ª. 46. F
Cordis motus a natura eſt. 7°. de vſu par. 1ª. 159. G
Cordis motus non eſt voluntarius. 7°. de anat. adm. 1ª. 95. G
Cordis motus non eſt voluntarius, nec animalis, ſed naturalis. 2°. de motu muſcu. 1ª. 314. H
Cordis pulſus motus diuerſus a motu volũtario. 2°. de dec. 1ª. 240. D
Cor motus inuoluntarij principium. 2°. de decr. Hip. 1ª. 240. D
a Corde & arterijs motus vitales ſunt. de palp. trem. conuul. 3ª. 51. D
Cor primo mouetur, vltimo quieſcit. 2°. de decr. Hip. 1ª. 240. D
in Corde ars muſicę reperit cur, & quo modo. de ana. viu. Sp. 46. H
Cordis pulſus non eſt concentus. 6°. de vſu par. 1ª. 148. C
Cordis motus vnde. de ana. adm. 1ª. 96 A/ 1°. de cau. pul. 4ª. 86. H
Cordis motus vbi fiat tanquam in inſtrumento. de ana. viu. Sp. 56. D
Cor non indiget cerebro ad ſui motionem, & è contrario. 1°. de decre. Hip. & Pla. 232. B/ 2°. 237. A/ 1ª. 239. C
ex Corde & arterijs pulſus. 8°. de decr. Hip. 1ª. 278. B
Corde vacuato, arterijs repletis, pulſum fieri probat. cõp. pul. Sp. 65. C
Cordis motui ſeruiunt læues arteriæ. 7°. de vſu par. 1ª. 159. G
Cor, & arteriæ eandem hñt pulſandi rõnem. de pulſ. ad tir. 4ª. 43. B
Cordis motus, & arteriarũ differunt. 3°. de præſag. ex pul. 4ª. 115. D
Cordis, & arteriarum motus quomodo differant. 2°. de ſa. tu. 2ª. 75. A
circa Cor, & arterias ſolum fieri pulſum Herophilus inuenit. compẽdium pulſuum. Sp. 65. C
Cordis motus principium eſt virtus motiua. de ana. viu. Sp. 56. D
Cordis motus cauſa eſt fortitudo virtutis. de anat. viu. Sp. 56. D
Cordis dilatatiui motus quæ cauſa ſit. de ana. viu. Sp. 56. D
Cor fortiter, & frequenter mouetur. de anat. viu. Sp. 56. D
Cor cur fortiter moueatur. de ana. viu. Sp. 56. D
Cordis motus frequentis cauſa eſt neceſſitas. de ana. viu. Sp. 56. D
Cor nõ facit pulſum pro alio mẽbro, ſed pro ſe. de mot. man. Sp. 68. A
Cordi qđ dat reſpiratio, id dat oĩb. partib. pulſus. de vſu p. 1ª. 228. D
Cordis motus creber, et vẽtorũ qd ſignificet. c. 4°. aph. 65°. Ex. 34. E
Cordis motus quo modo poßit videri. 6°. de vſu par. 1ª. 150. D
Cor, & Cerebrum mouetur motu dilatationis, & cõſtrictionis. de ana tom. viuo. Sp. 56. E
Cor viuit cum ſuis dilatationibus, & conſtrictionibus, & quietibus intermedijs. de anat. viuo. Sp. 53. A
Cor dilatari, ac comprimi quid ſit. 6°. de vſu par. 1ª. 150. E
Cor qd faciat in dilatatione, et cõſtrictione. 2°. de preſ. ex pul. 4ª. 111 G
a Corde pectus augeẽ, & minuitur. in 6ᵐ. de mor. vul. c. 3°. 3ª. 174. B
Cordis ventriculi cur nunquã comprimuntur. 9°. de vſu par. 1ª. 173. E
Cor quo modo contrahatur & diſtendatur cum arterijs. 4°. de preſag. ex pulſ. 4ª. 122. C
Cor quando demittitur, & quando attollitur, an arteria ſubmittatur, & attollatur. 7°. de anat. adm. 1ª. 97. H
Cordis corpus vnde diſtẽdaĩ et cõtrahaĩ. 2°. de præſ. ex pul. 4ª. 111. G
Cor ne cremetur quid prohibeat. de ana. viu. Sp. 47. F
propter Cor fit reſpiratio. 6°. de vſu par. 148. B/ 2°. de decr. 1ª. 237. A
Cor quantum indiget reſpiratione. de vtil. reſp. 1ª. 226. B
Cordis calor reſpiratione conſeruatur in quadam moderatione. de inſtrumento odor. 1ª. 112 E/ de vſu pulſ. 1ª. 228. C
Cor cui aſſimilatur in reſpiratione. de vtil. reſp. 1ª. 224. H
Cor quo modo ſe habeat in reſpiratione. 8°. de decr. Hip. 1ª. 278. D
Cor comparatur follibus fabrorum. 6°. de vſu par. 154. A/ 6°. de decr. Hippocratis. 1ª. 264. D
Cor comparatur magneti attrahenti ferrum. 6°. de vſu par. 1ª. 154. A
Cor comparatur flammæ trahenti oleum. 6°. de vſu par. 1ª. 154. A
Cor ſemper trahit primo quod leuius eſt. 3°. de nat. fac. 1ª. 307. G

Cor in dilatatione trahit quod repleturum est id quod ex eo vacuatum fuit.in Tim.Plat. 1ª.290.D
Cor dilatatum maiore vi attrahit, quàm contractum expellat. 6°.de vsu par. 1ª.154.C
Cor quo modo trahat ad se materias.6°.de vsu par. 1ª.153.H
Corde dilatato trahitur quod probe est.de vsu pul. 1ª.228.F
Cor refrigerat inspiratio.6°.de vsu par. 1ª.148.B
Cordi ad refrigerationē nihil est familiari° spū.6°.de vsu par.1ª.154.A
Cor non exposcit aeris substantiam,sed frigiditatem,qua recreetur.an sang.in art. 1ª.62.A
Cor dupliciter frigescit per respirationem.8°.de vsu par. 1ª.165.E
in Cor nihil vel parū aeris inspirati descendit.an sang.in art. 1ª.62.A
in Cor aliqua aeris pars attrahit circa distētionē.de vt.resp.1ª.226.e
Cordis infrigidatio per aerem attractam propinqua est infrigidationi stomachi,quæ euenit ei in hora suæ repletionis propter motum, & descensum ciborum.de anat.viu. Sp.47.H
Cor pōt extrahere aerem qñ non respiramus.de vtil.resp. 1ª.224.A
a Corde fit aeris tractatio p quā arteriæ vacuantur.de vsu resp.1ª.224.B
Cor refrigerabis si in frigido aere ipsum nudaueris,prēterea si frigidā aspersēris.de vsu pul. 1ª.228.B
ad Cor debet attrahi frigidissimus aer a febricente, sed non debet contingere cutim.10°.meth.med. 7ª.64.E
Cordis ardoris respiratio.1°.de diff.resp. 3ª.59.A
ad Cor piscium peruenit aer,& non aqua.de vtil.resp. Sp.63.B
ad Cor,& iecur quæ venæ & arteriæ in fœtu materias traducunt, quasi radices quædam sunt.1°.de sem. 1ª.331.C
a Corde in pulmonem non a pulmone in cor spiritus in embrione fertur.6°.de vsu par. 1ª.156.A
Corde non indiget fœtus in principio.de fœt.for. 1ª.323.B
Corde & cerebro iecur maior in abortibus triginta dierum. de fœtūm formatione. 1ª.323.A
Cordis functiones quales in fœtu.de fœt.for. 1ª.323.H
a Corde iuuatur cerebrum.de fœt.for. 1ª.324.H
Cor obedit cerebro.3°.de decr.Hip. 1ª.245.A
Cordis respirationis organum pulmo.de vtil.resp. 1ª.226.B
Cordi spiritum pulmo parat.6°.de vsu par. 1ª.148.C
Cor sumit a pulmone spiritum.fin.med. Isa.50.C
Cor trahit spiritum ex omni parte pulmonis.6°.de vsu par. 148.C/E/ de vtil.resp. 1ª.226.E
Cor trahit a pulmone spiritū,ab hepate sanguinē.de vtil.resp.Sp.64.E
Cor accipiens spiritum a pulmone distribuit ad omnes particulas. an omnes particulæ animalis fiant simul. 1ª.326.E
Cor vbi distenditur,attrahit ex pulmone.de vtil.resp. 1ª.224.B
ad Cor p pulmonē frigidū peruenit,nō p cutim.10°.met.me. 7ª.64.E
Cor solum in thorace pisces continent.6°.de vsu par. 1ª.148.A
Cor & pulmo cū augeat in his qui gibbi facti sunt ex asthmate ante pubertatē,locusq; cōtinēs minor efficiat,coste vero non augeant,& se flectendo pp gibbositatem thoracem faciant angustiorem, & ex anhelitus difficultate breui moriunt.com.6°.aph.46°. Ex.52.A
ad Cor quo modo transeat aer.de cau.mor. 3ª.7.E
a Corde respirationem fieri dicentes qūo errent. 3°.de dec. 1ª.237.B
Cor nō attrahit,nisi pmittit thorax,sm Erasist.de vtil.resp. 1ª.223.E
ad Cordis sinistrum ventrem inspiratio per quæ foramina fiat.de vtil. respi. Sp.64.C
ad Cor accedit spiritus per os.de caus.resp. 1ª.226.H
Cor non percipit fructum ex respiratione,nisi per aliam arteriam.7°. de vsu par. 1ª.158.G
Cor nō attrahit qñ nō respiramus,ne det vacuū.de vti.resp. 1ª.223.E
Cor a magna arteria trahit,quando non respiramus, secundum Erasistratum.de vtil.resp. 1ª.224.A
a Corde quo modo fiat spiratio exigua,spiratio magna & densa & celer,& spiratio rara.5°.de loc.aff. 4ª.29.F
Cordis constrictionis motus quæ sit causa.de anat.viu. Sp.56.D
Cordis constrictionis motu quid fit.de anat.viu. Sp.56.D
Corde constricto expellitur quod probe est.de vsu pul.228.F/in Tim. Platonis. 1ª.290.D
Cor vbi contrahitur spiritus in arterias mittit.de vtil.resp. 1ª.224.B
Cor quo modo expellat materias. 6°.de vsu par.1ª.153.H/ in 6m.de mor.vul.com.6°. 3ª.195.D
de Corde exemplum,& de vase aere pleno quod velit euacuari.6°.de vsu partium. 1ª.154.B
a Corde per arterias fit transpiratio.4°.de loc.aff. 4ª.27.E
in Corde feruēs et fuliginosum emittit expiratio.6°.de vsu p.1ª.148.B
in Corde quod fuliginosum,per quas arterias transmittat. 7°.de vsu partium. 1ª.159.E
a Corde quæ expellūtur,nō recipiūtur amplius.6°.de vsu p.1ª.152.B
in Corde vasorum ora non possunt ita claudi,vt nihil retro recurrat. 3°.de nat.fac. 1ª.307.E
Cor excreationes moderate mollitur.de ther.ad Pis. 5ª.96.H
Cor combureretur,nisi fumi expellerentur calidi.de ana.viu.Sp.45.E
Cordis motus in pulsibus est operatio.6°.de decr.Hip. 1ª.260.G
in Corde vires debiles,& robustæ cognoscuntur ex functionibus pulsuum.de cur.rat.per sang.miss. 6ª.17.D
Cordis motum sequitur motus arteriarum.de anat.viu. Sp.47.A
Cordis & arteriarum motu an calor oriatur,an sit connatus vt cordi motus.aduer.Lycum. Ex.61.H
a Corde hūt motum arteriæ.an sang.in art.62.F/G/H/6°.de dec.Hip po.265.D/3°.de na.fac.307.E/1°.de sem.1ª.335.B/de mul.3ª.77. A/3°.de præsag.ex pul.4ª.115.C/7°.meth.med. 7ª.49.C
a Corde cur pl° accipiūt arterię et min° reddūt.de vsu pul.1ª.228.H
a Corde arteriæ distantes quid trahant.3°.de nat.fac. 1ª.307.F
a Corde venæ accipiunt virtutem pulsatilem.1°.de vsu par.1ª.117.B
Cordis corpus qualitate extranea affectum quem pulsum facit.de præsag.ex pul. 4ª.107.D
Cordis calidi & arteriarū frigidarū pulsus q.3°.de pūsa.ex p. 4ª.115.C
Cordis frigidæ intemperiei pulsus quales.3°.de præs.ex pul. 4ª.115.F
Cordis corpus præter modum calidum, & materiæ frigidæ quomodo varientur.3°.de præsag.ex pulsi. 4ª.116.D
non Cor solum,sed & vicina cordi, sicut materia, pulsus mutant.3°. de præsag.ex pulsi. 4ª.117.A
Cor cum calidius sit quàm vicina frigida,qui pulsus fiat. 3°.de præs. ex pulsibus. 4ª.117.B
Cor cū frigidi° et vicina calidiora,qui pulsus.3°.de præs.ex p.4ª.117.B
ex Cordis & arteriarum humiditate,& siccitate pulsus mutatio.3°. de præsag.ex pulsi. 4ª.119.B
Cor cū calefacit pulmo,qualis fiat pulsus.4°.de præs.ex pul.4ª.119.F
Cordis ob pulmonem refrigerati pulsus.4°.de præs.ex pul. 4ª.119.G
Cor quia habet duram substantiam,& habet copiam calidi natiui, copiose debet nutriri.16°.de vsu par. 1ª.220.G
Cor crassum,& densum indiget cibo crasso.6°.de vsu par. 1ª.155.D
Cordi quo modo detur nutrimentum.6°.de vsu par. 1ª.155.E
Cor,quibus,& quo modo nutriatur.de ana.viu.46.H/ de cōpa.mēb. siue de nat.hu. Sp.58.G
Cor cibatur spiritu,& sanguine attracto.de anat.viu. Sp.56.D
in Cordis sinistro ventre calor a quo nutriatur.de vti.resp.Sp.63.A
Cordis calorem aer inspiratus nutrit,secundum Hippocratem.de vti lit.resp.63.C/ Sp.64.B
Cordi ad nutritionem nihil vtilius sanguine.6°.de vsu par.1ª.154.A
Cordis calor vitalis nutritur sanguine pingui,& vnctuoso.de vtilitate resp. Sp.62.C
Cor sumit a iecore sanguinem.fin.med. Isa.50.C
Cor attrahit ab intestinis succum cibi aliunde,quàm per hepar, id est per mediam arteriam.de vtil.resp. Sp.64.E
Cor est valentius,quàm iecur.3°.de nat.fac. 1ª.306.C
Cor nutritur a sanguine venæ cauæ.6°.de vsu par. 1ª.155.D
Cordi ministratur tenuior sanguinis pars,quē hepar vt vtiliorē ob sui nutrimentum seruarat.de compag.memb.siue de nat.hu. Sp.59.B
pro Corde iecur non præparat sanguinem.6°.de dec.Hip. 1ª263.A
Cor,& iecur semper habent alimentum,nisi in maxima sanguinis penuria,cur. de marc. 3ª.46.G
Cor in vtrisque sinibus sanguine repletum est,dum animal viuit.de de cre.Hip.& Pla. 1ª.231.F
in Cordis sinistro sinu animali mortuo adest sanguis.an sang.in art.61. B/de dec.Hip.& Plat. 1ª.231.F
Cordis sinistrum ventriculum esse sanguine plenum probat. de decre. Hipp.& Plat. 1ª.231.H
in Corde exsuperat sanguis.introd. Isa.55.B
in Cordis vētriculis gñat sanguis sm Aristote.de vtil.resp.Sp.62.F
Cor esse principium sanguinis,& non hepar,quibus rationibus probet Aristoteles.de anat.viu. Sp.50.F
Cor est primum principium sanguinis mediatum.de ana.viu. Sp.50.F
Cor cuius sanguinis sit initium.2°.de decr.Hip.241.F/6°. 1ª.266.D
Cor alicuius sanguinis initium & cuius concedat Galenus. 6°.de dec. Hippocratis. 1ª.264.C

Cor nõ eſt principiũ ſanguinis totũ corpus alẽtis. 6°. de decr. 1ª. 264. C
Cor auctor ſanguinis vitalis et arteriarũ ſm Pla. de fœt. for. 1ª. 323. G
Cordis ſanguis eſt ſpirituoſus. 6°. de decr. Hip. 1ª. 266. D
Cordis ſanguis flauior eſt ſanguine iecoris. 6°. de decr. Hip. 1ª. 266. C
in Cordis dextro ventriculo eſt copioſior ſanguis, q̃ in ſiniſtro. 6°. de vſu partium. 1ª. 154. H
ex Cordis dextro ſinu trahitur in ſiniſtrum quod tenuiſſimum eſt. 3°. de natur. facul. 1ª. 307. G
in Cordis dextrum ventriculum ingreditur ſanguis è iecore mediocriter calidus, in ſiniſtrum longe calidior. de fœt. for. 1ª. 323. F
Cordis ſanguis qui eſt in dextro ventriculo, non eſt diuerſus a ſanguine iecoris. 6°. de decr. Hip. 1ª. 263. C
Cordis vẽtriculi ſiniſtri ſanguis ſemp calidior eſt. 6°. de dec, 1ª. 263. D
in Cordis ſiniſtro vẽtriculo gigniť ſanguis flauus. 6°. de dec. 1ª. 266. d
Cordis ſiniſtri vẽtriculi ſanguis, q̃nq; tenuior & flauior, q̃nq; craſſior, nigriorq̃, calidior vero ſemper. 6°. de decr. Hip. 1ª. 263. D
in Corde ſanguis perfectionem conſequitur optimam & dignisſimã. de ana. viuo. Sp. 46. B
in Corde fit vltima cibi coctio ſm Ariſto. de vti. reſp. 62. F/Sp. 64. E
Cor ſanguinem tranſmittit per totum corpus. de ther. ad Piſ. 5ª. 96. H
Cor poſt iecur trahit alimentum in dextrum ſinum, & per venam arterialem ad pulmonem tranſmittit. 2°. de nat. fac. 1ª. 296. H
a Cordis dextro ventriculo per vnum duntaxat vas pulmonem recipere ſanguinem inter omnes conuenit. 5°. de loc. affe. 4ª. 30. G
ex Corde ſubminiſtratur ſanguis pulmoni per venam magnam. de nat. hu. com. 2°. 7ª. 184. A
Cor nutrit pulmonem. 6°. de vſu par. 1 50. H/ 1ª, 152. C
Cor præparat alimentum pulmoni non ſibi. 6°. de vſu par. 1ª. 155. E
Cor cerebro miniſtrat ſanguinem, vt ſibi ab hepate præparatum eſt. de compag. memb. ſiue de nat. hu. Sp. 59. B
ex Corde vitalis potentia quando robuſta. in 6ᵐ. de morb. vulg. commentario. 1°. 3ª. 154. E
a Corde influentes virtutes alijs communicantur. de ana. vi. Sp. 46. B
a Corde eſt origo ſpiritus. de vtil. reſp. Sp. 63. D
in Corde & in arterijs gigniť ſpiritus vitalis. 7°. de decr. 1ª. 269. D/E
in Corde & arterijs ſpiritus vitalis. 12°. meth. med. 7ª. 77. C/de virtutib. noſt. corpus diſp. Sp. 60. C
Cordis qui locus minera ſpirituum dicatur. de ana. viu. Sp. 52. G
in Cordis ſiniſtro vẽtriculo eſt copioſior ſpiritus. 6°. de vſu p. 1ª. 154. b
Cordis ſiniſtro ventriculo ſpiritibus euacuato moritur animal. an ſanguis in arterijs. 1ª. 61. B
a Corde mutatur ſpiritus in calorem naturalem, & in ſpiritualem vitam. de ſper. Sp. 37. F
a Corde ſpiritus oriens quorſum tendat. de ſper. Sp. 37. F
a Corde per quas vias tranſmittatur ſpiritus ad totum corpus. de compag. memb. ſiue de nat. hu. Sp. 58. G
a Corde & vndequaq; tẽdit ſpiritº in arterias. an ſang. in ar. 1ª. 62. F
a Corde arteriæ non implentur ſpiritu. an ſang. in art. 1ª. 62. D
Cordis miniſteria, quæ. in progn. com. 2°. 4ª. 198. E
a Corde quæ actiones fiant. de virt. noſt. corp. diſp. Sp. 60. D
Cordis, renum, vtriuſq; veſicæ, venarũ, arteriarum, & thoracis opus commune eſt. 7°. meth. med. 7ª. 49. B
Cordis officium maxime ægrotantibus neceſſarium. 7°. me. m. 7ª. 49. C
Cordis actiones non admodum manifeſtæ. 1°. de vſu par. 1ª. 114. G
Cor actionum vitalium inſtrumentum. de vſu pul. 1ª. 227. E
a Corde vox creatur ſecundum aliquos. 2°. de decr. Hipp. 1ª. 236. D
a Corde oriri vocem dicentium error. 2°. de decr. Hipp. 1ª. 236. D
a Corde non ſunt vox, & ſpiratio. 2°. de dec. Hip. 1ª. 237. A
Cor facit appetentes calidum & frigidum potum. ars med. Iſa. 66. D
Cor & pulmo facit minime ſitientes, ac etiam ſitibundos, non modo ſolus ventriculus. ars med. Iſa. 66. D
Cor & pulmo facit ſitibundos ac etiam minime ſitientes, non autem ſolus ventriculus. ars med. Iſa. 66. D
Cor facillime afficitur. de vſu pul. 1ª. 228. C
de Cordis affectibus, & vnde cognoſcantur. 5°. de lo. af. 4ª. 28. H
Cordis affectus proprij qui ſint. 5°. de loc. aff. 4ª. 29. B
Cordis affectus vnde oriatur. 5°. de loc. af. 4ª. 29. C
Cordis patientis ſigna. ars med. Iſa. 67. B
Cordis corpus dupliciter alteratur, vel per ſolam intemperiem, vel per humores. de cur. rat. per ſang. miſſ. 6ª. 16. G
Corde patiente in caliditate, & frigiditate alia etiam membra patiuntur, de cur. rat. per ſang. miſſ. 6ª. 16. G
Cor ſi ſit valde intemperatum vires deficiunt. 5°. de loc. af. 32. H/ 4°. de præſag. ex pul. 4ª. 121. G
Cor ſi laboret, aĩal non patitur delirium, nec ſenſus motus ue priuatio nẽ, ſed intermori, & perire ẽt q̃nq; cõſueuit. 3°. de dec. 1ª. 245. E
Cordis inflammatio mortifera eſt. in 6ᵐ. de mor. vul. com. 2°. 3ª. 162. H
Corde inflammato quomodo quidam obiere. 5°. de lo. aff. 4ª. 29. D
Cordis læſio cur maxima. de vtil. reſp. 1ª. 226. C
Cor calefacit acris calor. 1°. de diff. feb. 3ª. 32. B
circa Cor caliditas p̃ter nãm in morbis æſtuoſis. de vtil. reſp. 1ª. 224. d
Cor cum non affecit calor præter naturam, nondum febris eſt. 1°. de differen. feb. 3ª. 31. E
in Corde eſt febris caliditas. 1°. de diff. feb. 3ª. 31. D
Cor ſi percipiat caliditatem ventriculi, fit febris. 7°. met. me. 7ª. 48. F
ex Corde affecto fit febris. de fract. com. 2°. 7ª. 235. C
a Corde, & a cerebri membranis affectis febres malignæ ſunt. in 3ᵐ. de mor. vul. com. 2°. 3ª. 135. A
ad Cor per partes ſemper peruenit calefactio. 3°. de dif. feb. 3ª. 32. A
ad Cor tendunt fumi ex putredine. 1°. de dif. feb. 3ª. 33. H
Cor primum afficitur in hectica. 10°. meth. med. 7ª. 64. E
Cor in qua hectica lucernæ comparatur. 1°. de dif. feb. 3ª. 34. E
Cordis humor conſumitur in hectica. 1°. de dif. feb. 3ª. 34. D
Cor etiam & iecur exiccari aliquando contingit in extenuatis iuuenũ corporibus. de marc. 3ª. 46. G
Cor cur tabidis ſiccetur. da marc. 3ª. 45. D
Cor ſiccum quibus afficiatur. 3°. de præſag. ex pul. 4ª. 119. B
Corde emoriẽte nullus vapor excitat. in 6ᵐ. de mor. vul. c. 4°. 3ª. 187. D
Cor, vel iecur ſi quis humidiora efficere valeat, is eadem opera ſeniũ cohibebit. de marc. 3ª. 46. F
Cor debito frigidius, eſt vera tabes. 1°. de marc. 3ª. 47. B
Corde refrigerato animal cito obit. de vſu pul. 1ª. 228. B
circa Cor partes in bulimo refrigerantur. de vtil. reſp. 1ª. 224. D
Cor quomodo frigeſcat ex ſtomacho. 1°. de ſymp. cau. 3ª. 18. G
ad Cor a calcaneo citius peruenit frigiditas, q̃ a cerebro ad cor. 8°. de vſu par. 1ª. 165. D
in Cor ambiente tunica q̃nq; humoris tanta multitudo cumulatur vt ipſum ne attollatur, impedire poſſit. 5°. de loc. aff. 4ª. 29. D
in Corde exiſtente flaua bile putrente phrenetim fieri ſupponit gratia exempli. 2°. de lo. aff. 4ª. 13. H
Cor cur afficiatur in apoplexia. 5°. de loc. aff. 4ª. 29. A
a Corde quæ ſpirandi difficultas oriatur. 5°. de loc. aff. 4ª. 29. F
Cor quot modis reſpiratione priuatur. de fœ. for. 1ª. 324. H
Cor exturbant ira, & terror. 6°. de decr. Hip. 1ª. 261. G
in Corde angor & pauor. 3°. de decr. Hip. 1ª. 245. C
Cordis obſtructio omnium peſsima. 2°. de præſ. ex pul. 4ª. 110. D
Cordis tunicam ſcirrhoſo tumore affectam habentis Galli caſus. 5°. de locis affectis. 4ª. 29. D
ad Cordis ventriculos primum peruenire oportet quod a capite defluit, ad aſperas arterias pulmonis ſi permeat ad inferiora. cõ. 7°. apho. 30°. Ex. 56. B
Cordi cur dat celerrimam, & maximam noxam pulmo. 4°. de præſagitione ex pulſib. 4ª. 119. F
Cordis dolor cardialgia dicitur. de ſymp. diff. 3ª. 11. F
Cordis dolor quid ſignificet. 2°. de decr. Hip. 240. B/C/ 1ª. 245. B
Cordis dolores ĩter affect⁹ oris vẽtriculi numerant. 5°. de lo. af. 4ª. 32. b
Cordis dolor cur dicat morſus oris vẽtriculi. in prog. com. 3°. 4ª. 210. F
Cordis dolorẽ & morſus cur ſentiũt ieiunantes. 2°. de decr. 1ª. 240. C
Cor nunquam ſentitur morderi. 2°. de decr. Hip. 1ª. 240. B
Cordis morſus eſt oris ventriculi paſsio. com. 4°. aph. 17°. Ex. 29. A
Cordis morſus poteſt etiam ſignificare motum crebrum, & velocem cordis. com. 4°. aph. 65°. Ex. 34. A
Cordis morſus quando notat per ſuperiora debere fieri purgationem. com. 4°. aph. 17°. Ex. 29. A
Cordis perturbatio, quæ. 1°. de diff. reſp. 3ª. 61. F
Cordis concuſsio quo modo fiat in amante, et duo ſpiritus ab eo exeãt. de compag. memb. ſiue de nat. hu. Sp. 59. C
ad Cordis tremorem. ſecretorum. Sp. 100. G/H
ad Cordis tremorem electarium. de med. exper. Sp. 107. A
Cor quo modo a gaudio relaxetur. in 6ᵐ. de mor. vulg. cõ. 6°. 3ª. 190. G
Cor diſſolutum roborant coralli, margaritæ, ſapphyri, hyacinthi, & ſimilia. de anat. viu. Sp. 46. E
Cor confortans electarium. de med. exper. Sp. 107. B
Cor confortans medicamen. de med. exper. Sp. 107. F

Cordis

Cordis passio est syncope. de vtil. resp. Sp. 63. F
Cordis syncope fit in dolore vehementi. de vtil. resp. Sp. 62. G
ex Corde, vel stomacho syncopes pulsus. de pul. ad tiro. 4ª. 45. E
ex Cordis syncopa vel stomachi, licet vt antea suo munere non fungantur manus, tamen non sunt affectæ. 5°. de loc. aff. 4ª. 35. C
Cor, & pulmo non possunt pati abscessum neque syndesmi dolorem. 1°. de loc. aff. 4ª. 6. C
Cordis & oris ventriculi consensus maximus est. 5°. de lo. af. 4ª. 32. H
ad Cordis dolorem, vel oris stomachi. de medicinis facile parabilibus. 173. F/ 7ª. 175. E
in Corde adest palpitatio. 2°. de symp. cau. 3ª. 20. F
Cordis palpitatio quæ, & quo modo fiat. 5°. de loc. aff. 4ª. 29. D
Cordis motus in palpitationibus est affectio. 6°. de decr. 1ª. 260. G
Cor quo modo possit videri palpitare. 6°. de decr. Hip. 1ª. 265. E
Cordis palpitatio in sanis quandoque euenire visa est, & quo modo sanetur. 5°. de loc. aff. 4ª. 29. E
Cordis palpitationem patientis casus. 5°. de loc. aff. 4ª. 29. E
Cor cum fortiter cuidam, qui exoluebatur, palpitaret, de repente mortuus est. com. 2°. aph. 41°. Ex. 18. B
ob Cordis tunicæ tumorem simiæ, quæ quotidie emaciabatur, casus. 5°. de loc. aff. 4ª. 29. D
Cordis affectus qui statim necant. 5°. de loc. aff. 4ª. 29. C
Cordis vulnus quo modo neceſ, & quanto tpe. 5°. de loc. aff. 4ª. 29. D
Corde vulnerati non sunt curandi. in prorrh. com. 1°. 4ª. 174. B
Corde vulnerato semper sequitur mors. de subfi. emp. If. 32. D/ *de vic. rat. in mor. acu. com. 2°.* 7ª. 123. H
Corde sauciatus cur moriatur. de opt. secta. Isa. 20. B
a Corde non extrahuntur tela. 4°. de anat. adm. 1ª. 79. F
Cor continuo mouetur, ideo non possunt in ipso sanari discissiones. com. 6°. aph. 18°. Ex. 48. A
Cor nisi afficiatur mori non potest animal. 5°. de loc. aff. 4ª. 28. H
Corde collisо, aut vulnerato arteriarum motiones læduntur. 3°. *de decre. Hipp.* 1ª. 245. D
Cor patitur cum arterijs. de fract. com. 2°. 7ª. 235. C
Corde deperdito an aliud denuo aut simile quidpiam gigni queat. de constitutione artis. Isa. 39. G
Corde detecto, & manu apprehenso non priuatur homo voce aut spiratione. 2°. de decr. Hip. 1ª. 236. G/H
Corde etiam detecto animal viuit. 7°. de anat. adm. 1ª. 97. E
Cor totũ nudatũ viuenti ãali. 7°. de ana. ad. 94. D/ *de vsu pul.* 1ª. 228. B
Cor cuiusdã famuli erat detectũ, & sanatus est. 7°. de ana. ad. 1ª. 97. F
Corde denudato puer salutem consequutus est. de decretis Hippoc. & Platonis. 1ª. 231. F
Cor compressum fuit forfice, tamen animal non amisit sensum vel motum, sed arteriæ non mouebantur. 1°. de decr. Hip. 1ª. 232. B
Cor exemptum animali viuenti. 2°. meth. med. 7ª. 13. A
Corde erepto victima aufugit. 2°. de decr. Hip. 1ª. 236. H
Cor exemptum habet aliquandiu suã functionẽ. 6°. de decr. 1ª. 262. G
Cor ab ãali extractũ cõtrahit diutius, et dilatat. in tim. Pla. 1ª. 290. d
Cor pulsat aliquandiu post ictum. 2°. de decr. Hip. 1ª. 237. A
ad Cordis vitio vexatos. de med. fac. par. 7ª. 173. F
in Cordis affectu quæ vena incidenda. 13°. meth. med. 7ª. 83. B
CORACINE *sphragis. 5°. de comp. med. per ge.* 5ª. 251. C
CORACOIDES *processus quid sit. de ossibus.* 42. G/ 13° *de vsu partium.* 1ª. 203. E
CORALLVM *lapidem vocat. de incant. adiur. & suf.* 7ª. 182. C
Corallus quid. de simp. med. Sp 83. C
Corallus arbor durissima nascitur in terra molli & lutosa in mari. de ana. viu. 46. A/ Sp. 50. F
Coralli roborant cor. de anat. viu. Sp. 56. B
Corallus sanguinem excreantibus mire profuit. de simp. med. Sp. 83. C
Corallium. 7°. de comp. med. sec. loc. 5ª. 183. B/F/H
ex Corallio pastillus. 7°. de comp. med. sec. loc. 5ª. 184. F
de Corallo trochisci ad sputum sanguinis. de med. fac. par. 7ª. 165. H
CORIANNON. *i. coriandrum. 7°. de simp. med. fac.* 5ª. 52. C
Coriandrum quid, & eius vires. de simp. med. Sp. 82. E
Coriandro, vel apio similis est batrachiũ herba. de simp. med. Sp. 81. D
Coriandrum inter obsonia connumeratur. 2°. de alim. fa. 2ª. 23. F
Coriãdro, aliis, cepis præparanť cibi p delitijs. de attẽ. vic. 2ª. 44. C
Coriandri succus viscide refrigerat, & stringit. de sim. med. Sp. 82. E
Coriandrum adstringit & reprimit. de rem. par. fac. 7ª. 156. D
Coriãdrũ nõ est frigidũ cõtra Dioscoridem. 7°. de simp. med. fa. 5ª. 52. C
Coriandrum est amarum, tenuium partium & terrenarum, humidũ, tepidum, adstringens. 7°. de simpl. med. fa. 5ª. 52. C
Coriandrum calfacit, incidit, & attenuat. de atten. vic. 2ª. 44. B
Coriandrum viride in quo gustantem adiuuet. 2°. de antid. 5ª. 114. C
Coriandri succus cum muliebri lacte oculorum angulis instillatus ad vehementes eorum dolores. de comp. med. sec. loc. 5ª. 157. F
Coriandro sananť ructũ acidũ habẽtes. 8°. de comp. med. se. lo. 5ª. 191. G
Coriandrum lumbricos occidit. de simp. med. Sp. 82. E
Coriandrum discutit chœradas, & strumas cum eregmo. 7°. de simpl. med. fac. 5ª. 52. E
Coriandrum ad ignem sacrum proprie facit. de simp. med. Sp. 82. E
Coriandrum cum polenta pro erysipilate. 14°. meth. med. 7ª. 87. E
CORIARIAE, *& textoriæ respondet proportione natura effectrix. ad Thrasy.* 2ª. 104. B
CORIVM *celeriter adducit flora. de dyn.* Sp. 22. H
Corijs dẽpsandis vtilis est vitis albæ fructus. 6°. de simp. me. f. 5ª. 42. F
Coria, & pelles aqua madefacta fiunt laxa, quando oleo & seuo delibuntur. in 6ᵐ. de mor. vul. com. 3°. 3ª. 177. A
Coria vetera ad attritiones calceorum. 11°. de simp. med. fa. 5ª. 80. F
Coriorum veterum cinis vlcerũ ambusta, & intertrigines in feminib. existentes curat. 11°. de simp. med. fac. 5ª. 80. F
CORIVM *mali internis vlceribus opitulatur. 4°. meth. med.* 7ª. 28. H
CORNEA *oculi tunica vnde dicta. 11°. de vsu par.* 1ª. 178. E
Corneæ tunicæ cornu assimilatur. de anato. viuo. Sp. 48. F
Cornea panniculus oculi. de oculis. 7ª. 182. H
Cornea oculi tunica subnigra iuxta cõiũctiuã sita est. ď ana. p. Sp. 43. d
Corneæ tunicæ compositio qualis. de anat. viu. Sp. 45. C
Cornea habet multos cortices. de ocul. 7ª. 187. B
Cornea similis tunicæ cæpæ tenuis, sed & tenuior araneis. 10°. de vsu partium. 1ª. 179. G
Cornea muro comparatur. 10°. de vsu par. 1ª. 179. G
Cornea tenuis est alba & pura. 8°. de vsu par. 1ª. 167. F
Cornea oĩbus extrinsecis exposita, & vnde. 10°. de vsu p. 1ª. 180. A
Cornea vnde procedat. de oculis. 7ª. 183. C/ *de ana. viuo.* 48. F/ *de anatomia oculorum.* Sp. 57. C
Corneã multũ distare a pupilla ex quo apparet. 10°. de vsu p. 1ª. 179. d
Cornea cur non attingat humorẽ crystallinũ. 10°. de vsu par. 1ª. 178. G
post Corneam ordine sita est vuea. de diff. morb. 3ª. 5. H
Cornea oculi vnde nutriatur. 10°. de vsu par. 1ª. 178. G
Cornea tunica particula quidem est non tñ instrm. 1°. meth. me. 7ª. 6. D
Corneæ necessitas, qualis. de ocul. 7ª. 183. C
Cornea ante pupillam quid faciat ad visionem secundum suam dispositionem. 1°. de symp. cau. 3ª. 15. C
Corneæ accidentia. de ocul. 7ª. 186. D
Corneæ passiones quæ sint. de ocul. 7ª. 187. A
Cornea tunica qũo visum impedire potest. 1°. de symp. cau. 3ª. 14. D
Cornea humidior quem visum facit. 1°. de symp. cau. 3ª. 15. C
Cornea spissior, & crassior quem visum. faciat. 1°. de symp. cau. 3ª. 15. C
Corneę magni morbi visum impediunt. 1°. de symp. cau. 3ª. 15. D
Supra Corneã mẽbranæ vitia qũo visũ impediãt. 1°. de sym. ca. 3ª. 15. E
Corneæ phlegmone quid faciat. 1°. de symp. cau. 3ª. 15. E
Cornea insensibili duritie obsessa qd sequatur. 1°. de symp. cau. 3ª. 13. E
Cornea rugata visum tollit. 1°. de symp. cau. 3ª. 15. D
Cornea cur sit corrugata in senibus. 10°. de vsu par. 1ª. 179. E
Cornea perforata quo modo obest visui. de ocul. 7ª. 186. E
Corneæ propriæ passiones. de ocul. 7ª. 187. A
Corneæ passio propter aliud. de ocul. 7ª. 186. E
Cornea tunica quandoq; vlcus profundum habet. de diff. mor. 3ª. 5. H
Cornea exesa est ægritudo in oculo. de diff. mor. 3ª. 5. H
Cornea eroditur ab humoribus acribus ad oculos fluentibus. com. 6°. aph. 31°. Ex. 49. E
Corneæ exulceratio dicitur ex accidenti totius instrumenti ægritudo. de diff. morb. 3ª. 6. A
in Cornea prætensa pupillæ vulnus si introrsum descendit magna ex parte cæcum facit. 1°. de symp. cau. 3ª. 15. D
Corneæ suppuratio quid faciat. 1°. de symp. cau. 3ª. 15. E
Corneæ passiones cur aliquando curabiles, aliqñ non. de ocul. 7ª. 187. B
Corniformis tunica lacerata, & extensa difficulter curatur. 4°. de cõpo. med. sec. loc. 5ª. 150. B
in Cornea nascẽtis collectionis & pustulæ remedia. de ocul. 7ª. 190. H
CORNEARVM *cucurbitularum tractus fit sine igne. de cucurbitulis, & scarificatione.* 6ª. 3. E

Cornua caua trahunt citra calefactionem.13°.meth.med. 7ª.82.D
Cornea pyxis.2°.de comp.med.sec.loc.139.A/4°. 5ª.153.C
Corneum vas.8°.de comp.med.sec.loc. 5ª.189.C
CORNELIVS *medicus.9°.de comp.med.sec.loc.* 5ª.203.C
CORNEOLAE *differentiæ,& proprietates.de incantatione, & adiuratione,& suspensione.* 7ª.182.A
CORNIX *quid.de artic.com.2°.* 7ª.263.A
CORNVS *est planta agrestis.2°.de alim.fac.* 2ª.21.H
Corni lignum quale & cur ex eo virgæ pro cruribus conficiantur. de fractu,com.3ª. 7ª.246.A
Cornea virga in deligatura tibiæ.de fract.com.3°. 7ª.245.E
Corna acerba sunt.1°.de simp.med.fac.8.H/4°.26.F/7°. 5ª.52.G
Corna aliqua dulcedine participantia.4°.de simp.med.fa. 5ª.26.H
Corni fructus valenter ventrem adstringit.7°.de simp.med.fa.52.G/9°.64.C/6°.de comp.med.sec.lo. 5ª.176.F
Corna adstringunt dysenteriam.11°.de simp.med.fa. 5ª.81.E
Cornorum decoctum adstringens fortius pro gargarismis.6°.de cõpo.med.sec.loc. 5ª.172.G
Cornus fructu passim vescuntur rustici.2°.de alim.fa. 2ª.21.H
Corna exiguum habent alimentum.2°.de alim.fac. 2ª.22.B
Corna sunt praui succi.2°.de alim.fac. 2ª.22.B
ex Cornis stomatica fiunt medicamenta.6°.de cõp.me.se.l. 5ª.169.B
CORNVA *cur generantur.14°.de vsu par.* 1ª.208.D
Cornua post partum fiũt.an oẽs aĩalis particulę simul fiant. 1ª.326.E
Cornua ex qua substantia.1°.de vsu par. 1ª.115.G
Cornua terrena sunt.9°.de simp.med.fa. 5ª.64.H
Cornu siccum est.1°.de temp. 1ª.12.G
Cornu post pilum est siccissimum.1°.de temp. 1ª.18.A
Cornu durum dicitur per excessum.4°.de simp.med.fac. 5ª.32.E
Cornibus cur non indiguit homo.1°.de vsu par. 1ª.113.D
Cornu si esset in manu hominis ipse non posset vti manu ad construendam domum,in murum,vel turrim.1°.de vsu par. 1ª.113.D
super Cornu capitis vena frontis phlebotomatur propter hemicraniam,& vlcera capitis.de anat.viu. Sp.55.A
Cornua ob frigus non nascunt bobus Scythiæ.de aer.aq.& lo. 2ª.5.D
Cornu caprinum mundificatiuum,& colatiuum est.de ocul. 7ª.189.C
Cornu caprarum vstum quale,& quo modo lauetur.4°.de comp.med.secun.loc. 5ª.151.F
Cornua quæ decidunt,& denuo decrescunt habent cerui musculi.11°.de simp.med.fac. 5ª.81.C
Cornua quæ decidentia denuo recrescunt, sunt ex his quæ familiaria sunt animalibus.11°.de simp.med.fac. 5ª.81.E
CORNV *ceruinum quid.de simp med.* Sp.83.C
Cornu cerui,& capræ non differunt.5°.de comp.med.se.lo. 5ª.165.H
Cornua cerui,& capræ sunt frigida,& sicca.4°.de comp.medi.secundum locos. 5ª.151.F
Cornu ceruinum vires habet stringentes.de simp.med. Sp.83.C
Cornu ceruinum ad omne profluuium facit.de simp.med. Sp.83.C
Cornu ceruinum dysenterias,sanguinis excretionem,& cœliacos affectus sanat,aurigini vtile est,& collyriis miscetur desiccantibus fluxiones oculorum.11°.de simp.med.fac. 5ª.79.G
Cornua inter oculorum medicinas.de ocul. 7ª.188.G
Cornu ceruinum mundificatiuum & colatiuum est.de ocul. 7ª.189.C
ex Cornu cerui collyrium.4°.de comp.med.sec.loc. 5ª.155.A
Cornua cerui & capræ valent ad contrahendas mollitie fluidas gingiuas.11°.de simp.med.fac. 5ª.79.G
Cornu cerui dentes vacillantes confirmat.de ther.ad Pis. 5ª.93.E
Cornua cerui,& capræ ad cãdorẽ dẽtiũ.11°.de simp.med.fa. 5ª.79.G
Cornua deusta dentes splendidos faciunt.9°.de simp.med.fa. 5ª.69.G
Cornu cerui recens nati vsũ ad albedinẽ.9°.de cõp.me.se.lo. 5ª.202.F
Cornu cerui abrasum,& in vino bibitum expurgat in icteris. de cura icteri. Sp.111.B
Corno ceruinũ serpentes,& viperas fugat,lumbricos expellit.de simplicibus medicamin. Sp.83.C
Cornu ceruinum quomodo vratur.de med.fac.par. 7ª.170.C
Cornu cerui vsũ quale,& quo lauet.8°.de comp.med.sec.lo. 5ª.151.E
Cornu cerui suffitur ad strangulatas ex vtero excitãdas.9°.de comp.med.sec.loc. 5ª.205.G
Cornu cerui tenerum vstum.1°.de comp.med.sec.loc.131.A/9°.202.C/10°.206.D/4°.de comp.med.per gen. 5ª.242.C
Cornua insunt tauro quia vitur ira.3°.de vsu par. 1ª.128.B
Cornu taurini rasura sanguinem cohibet.de ther.ad Pis. 5ª.93.E
CORNV *veteris cochleæ.5°.de comp.med.sec.lo.* 5ª.164.G
per CORNV *cui sit alligata vesica suis tanquam per clysterem medicamentum immittit in anum.1°.de comp.med.per ge.* 5ª.211.E
Cornu cui applicata sit porcina vesica modo clysteris ad imponenda medicamenta in caua vlcera.2°.de comp.med.per.ge. 5ª.221.G
CORNIGERA *aĩalia magnas habent vertebras.de ner.dis.* 1ª.54.E
Cornigerorũ interior oris mẽbrana cur aspera.6°.de ana.ad. 1ª.90.E
Cornigerorum ventres cur asperi.6°.de ana.adm. 1ª.90.E
Cornigera magna ex parte non habent dentes superiores, & cur. 6°. de anat.adm. 1ª.90.E
CORNICVLARIS *spatulæ processus qui.de artic.com.1°.* 7ª.251.E
CORNVA *in vulua quæ.de diss.vul.* 1ª.108.D
Corniculos duos habent testiculi mulieris,per quos transit semen. cõ. 5°.aph.48°. Ex.41.H
Cornua duo matricis vbi sint & eorum vtilitas.de ana.viu. Sp.51.F
Cornua duo matricis vbi mamillis colligantur.de anat.viu. Sp.51.F
Cornua matricum cur sursum spectent.14°.de vsu par. 1ª.208.E
Cornuum vteri figura qualis,& cur talis.14°.de vsu par. 1ª.208.E
in Cornibus matricis quid contineatur.2°.de sem. 1ª.335.H
Cornuum in vulua neque vsum,neque functionem quidam ignorarũt. de dissectione vuluæ. 1ª.108.E
CORNVA *vulgus vocat extremitates limacis.de anat.viu.* Sp.48.C
CORNVTAM *frontem ex tauro cõtraxit Alexander.de sper.* Sp.38.H
ad CORNVTAE *morsum medicina.2°.de antid.* 5°.118.G
ex CORNV *libra fiebat Romæ.1°.de comp.med.per ge.* 5ª.214.C
Cornibus erat distincta libra romana per incisuras.6°.de compo.med. per gen. 5ª.257.G
Cornibus vtebantur signatis pro vncijs mensurandis.1°.de cõp.med. per gen.216.A/ 5ª.250.A
Cornua libralia habebant Romæ,quibus liquida mensurabant.1°.de comp.med.per gen. 5ª.216.F
Κόρον habere quid significet.de vic.ra.in mor.acu.com.4°. 7ª.141.E
CORONAE *ramorũ virẽtiũ ob æstũ adhibent.de cau.proc.* 3ª.96.A
Coronis ex viridi anetho plexis cur antiq vterent.6°.de simp. 5ª.43.C
Coronæ pro capitis dolore.2°.de comp.med.sec.loc. 5ª.138.B
Corona ex callitricho pro capitis dolore.de remed.par.fac. 7ª.154.B
Corona ex rosis pro capitis dolore.de rem.par.fac. 7ª.154.B
Corona ex rosis refrigerat.3°.de simp.med.fa. 5ª.18.E
Coronæ rosaceæ.2°.de comp.med.sec.loc. 5ª.138.C
Coronæ ex rosis in conuiuijs ob æstũ adhibent.de caus.proc. 3ª.96.A
Corona ex sanguinali pro capitis dolore.de rem.par.fac. 7ª.154.B
Corona ex herba sanguinali ad capitis dolores ex vini potu. de medi. fac.parand. 7ª.170.H
Coronam spinæ ponit in medicamento matricis.de pas.mul. Sp.96.B/C
in CORONARIIS *certaminibus præstabat esse castum.1°.de semine,* 1ª.334.A
CORONA *oculi quid sit,& vbi.de anat.viu.* Sp.48.F
Corona quæ pars oculi,& cui copuletur.in progn.com.1°. 4ª.192.F
Corona oculi habet quatuor cortices.de anat.vi. Sp.48.F
Corona & cora pupillę.de ocul. 7ª.186.B
Coronæ oculi affectus qui.introd. Isa.58.D
Κορώναι fœminini generis quid.de fract.com.3°.249.B/ de artic.commentario 2°. 7ª.263.A
Κόρονα neutri generis quid.de fract.249.B/de arti.com.2°. 7ª.263.A
Coronalis sutura a græcis stephaniæa dicitur.6°.de ana.adm. 1ª.89.E
Coronalis vbi,& cur ita dicta.de ossib. 1ª.40.D
Coronali sutura craniũ tenuissimũ & rarissimũ.13°.meth.me. 7ª.85.H
iuxta Coronalem suturam sinciput facile recipit alterationes.2°.de comp.med.sec.loc. 5ª.132.E
Coronali suturæ cur omnes apponunt infusiones.13°.met.me. 7ª.85.H
Coronaria sutura potissimum intromittit qualitates,& substantiam suprapositi medicamenti.13°.meth.med. 7ª.85.G
Coronaria sutura.in 6m.de mor.vul.com.3°. 3ª.169.H
CORONAE *in ossibus quid sit.de ossib.* 1ª.40.B
CORONOPODIS *radix cœliacis prodest.7°.de simp.me.fa.* 5ª.52.F
CORPVS *quid.fin.med.Isa.43.F/de hist.phil.* Sp.4.C
Corporis natura in quibus consistat.si quis op.mc.Isa.6.B/ quòd animi mo. 1ª.317.F/G
Corpora ex quib.cõstẽt,varię opiniones antiquorũ.5°.de dec. 1ª.255.H
Corporis cõpositio ex atomis secundum Democritũ.1°.de elem. 1ª.2.F
Corpa ex atomis nõ cõstare pbat.1°.de elem.2.G/11°.de vsu. 1ª.186.G
Corpus animalis nõ erit vnũ vt atomus Epicuri,nec quid incompacto rum

rum Aſclepiadis corpuſculorum.de diff.morb. 3ª.2.E
Corpora vel ſiunt ex ſentientibus,& patientibus, vel tranſmutabilibus.1°.de elem. 1ª.3.G
Corpus nullum eſt purum ſimplex.9°.de ſimp.med.fa. 5ª.66.C
in Corpore nihil ſyncerum habent vllæ partes,ſed omnia ab omnibus participantur,non tamen æqualiter.de vſu par. 1ª.154.D
in Corporibus quid ſit ſimplex,& inculpatum.2°.de ſa.tu. 2ª.69.C
Corpus maxime ſimplex atq; vnum neque intenditur, neque minuit. de diff.morb. 3ª.2.D
Corpora omnia naſcuntur ex calido,frigido,humido,& ſicco.de natu. hu.com.1°.29.G/de ſub.fac.nat.230.E/8°.de decr.1ª.274.F/1°. de diff.feb.3ª.31.D/de dyn.19.C/de ſper. Sp.39.A
Corpora noſtra vertuntur in terram, & vnum quodque vertitur in aliud.de ſper. Sp.40.H
Corpus primum nec generatur, nec interit. de nat.hu.com.1°.1ª.28.F
Corporea animata ſubſtantia omnis teſte Hippocrate iuncta eſt, & ligata in planetis & ſignis, quatuorq; elementorum nexibus. de ſperma. Sp.38.G
Corporis naturam terra generat per operationem Planetarum ſecundum Iſaac.de ſper. Sp.40.E
vt Corporis naturam inuenit Hippocrates, ita animæ naturam inuenire vult Plato.1°.meth.med. 7ª.3.D
Corpora quæ naturalia nominentur.9°.de ſimp.med.fa. 5ª.64.H
in Corporibus animaliũ triplex cõpoſitio atq; formatio.de dif.3ª.2.F
Corporum prima ſtructura.de nat.hu.com.1°. 1ª.26.C
Corporis totius compoſitio tertia animalium compoſitio dicitur. de differ. 3ª.2.F
Corpora aĩaliũ magis,& minꝰ admittũt,& quo mõ.de dif.mor.3ª.2.E
de Corporis totius habitu.ars med. Iſa.65.E
Corporis habitũ oñdũt muſculi,q oculiſ præſentanť.ars med.Iſa.65.E
Corporum naturæ,ſeu qualitates nouem ſunt,octo intemperatę,vna tẽperata.de ſper. Sp.41.B
quæ Corporibus inſint.1°.de vſu par. 1ª.115.D
Corporibus primo inſunt temperamenta.1°.de vſu par. 1ª.115.D
Corporis optima conſtitutio,quæ.de opt.noſtri cor.conſt. 38.H/1°.de vſu par.1ª.115.C/1°.de ſan.tu. 2ª.64.G
Corporis optima cõſtitutio habet meatꝰ patẽtes.de bo.et vi. 2ª.34.G
Corpus optime conſtitutum,ad actiones recte ſe habet,& difficiliꝰ quã alia corpora morbis corripiť.de opti.noſt.corp.conſt. 1ª.38.C
Corporis optima conſtitutio quo egeat.ars med. Iſa.68.D
Corpus totum æqualiter conditum cum partium ſymmetria poteſt eſſe temperatum.2°.de temp. 1ª.19.F
Corpus temperatum quæ habeat.de opt.noſt.corp.conſt. 1ª.38.E
Corpus temperatiſſimum,quale.de opt.noſt.cor.conſt. 1ª.38.G
Corpora quæ temperata eſſe non poſſint.2°.de temp. 1ª.19.F
Corpus tẽperate medium, in aliqua re inferius eſt ſingulis corporibus immoderatis,tamen optandum. de opt.noſt.corp.conſt. 1ª.38.G
Corpus moderatum quæ habeat.de opt.noſt.cor.con. 1ª.38.D
Corpus moderatum nõ facile corripitur a cauſis exterioribus.de opt. noſtr.corp.conſt. 1ª.38.C
Corpus moderatum rariſſimum eſt.de opt.noſt.cor.con. 1ª.38.E
Corpus ſpiſſum longiorem vitam habere facit.de hiſt.phil. Sp.12.C
de Corporis qualitate cum loquimur ſemper eſt diſtinguendum.1°.de temp. 1ª.12.H
de Corpore calido.ars med. Iſa.65.G
de Corpore frigido.ars med. Iſa.65.G
de Corpore humido.ars med. Iſa.65.G
Corpus viuum humidius eſt & calidius mortuo.2°.de temp. 1ª.15.F
Corpus viuũ nunquã habet ἀσφυξίαν.1°.de præſag.ex pul. 4ª.106.A
Corpus ſi perpetuo humidum ſeruaretur,homo nunquam moreretur. 6°.de ſan.tu. 2ª.96.F
de Corpore ſicco.ars med. Iſa.65.G
de Corpore calido,& humido.ars med. Iſa.65.H
de Corpore calido,& ſicco.ars med. Iſa.65.H
Corporis frigidi, & humidi ſigna.ars med. Iſa.66.A
Corporis frigidi & ſicci ſigna.ars med. Iſa.66.A
Corpus perit dempta vna qualitate.de nat.hu.com.1°. 1ª.33.A
Corporis humani natura quæ propriæ ſit.de ſper. Sp.37.A
Corpus humanum ex quibus conſtet.fin.med. Iſa.43.F
Corpus hominis rationabiliter ex quatuor humoribus conſtat.de dyn. 19.C/de natu.& ord.cuiuſ.cor. Sp.41.D
in Corpore generatur bilis.2°.de nat.fac. 1ª.300.G/H
cur per Corpus tendit bilis cum ſanguine.de ana.vi. Sp.45.F
Corpus totum conſequitur calorem,& ſiccitatem ex dominio bilis. de anat.viuo. Sp.45.F
Corpus hominis diuinum eſt.13°.de vſu par. 1ª.203.A
Corporis noſtri aliquis Deus cõditor fuit.9°.de decr.Hip. 1ª.285.B
ex Corporis humani fabrica oſtenditur opificis ſapientia, & potentia.de fœt.for. 1ª.325.A/B
Corporis noſtri fabrica non eſt fortuita,neq; inartificialis. 9°.de decre.Hipp. 1ª.285.B
Corporis conſtitutionem ſcire melius eſt,quàm mundi fabricam. de fœt.forma. 1ª.325.G
Corpus hominis ex diſſectione innoteſcit.de conſt.ar. Iſa.36.G
Corporum,quæ nec vnà committi,nec diuidi poſſunt, nullam in ſe formatricem,auctricem,nutricem,aut in ſumma artificem facultatem habent.2°.de nat.fac. 1ª.298.H
Corporis noſtri compoſitio triplex.6°.de ſan.tu. 2ª.98.D
in Corpore humano principia,ſunt cerebrũ, cor, hepar, teſticuli. ars medicina. Iſa.63.B
Corporis omnes partes non formantur eodem tempore.an omnes animali particulæ ſimul fiant. 1ª.326.D
Corpus totum incipit formari ab acumine cordis.de ana.vi. Sp.46.C
Corpus fœminæ tardius formatur quam corpus maris. de anatomia viuorum. Sp.52.B
in Corporis totius compagine omnia compatiuntur, & conſentiunt. 1°.de vſu par. 1ª.114.F
Corporis pulchritudo in quo cõſiſtat.5°.de decr.Hip.255.H/1ª.256.B
Corpora aliter laudantur ab Hippocrate,aliter a mangone.1°.de vſu partium. 1ª.115.D
Corporis ſtructuram mendoſam nullus cupit.ad Thraſ. 2ª.103.B
Corporis magnitudo proprie nominatur quæ longitudine,latitudine,ꝓfunditate moderantium exuperat.com.2°.aph.54°. Ex.19.E
Corporis partes augentur in longum,latum,et ꝓfundũ.1°.de vſu par. 1ª.115.H/de pulſ.ad tir.4ª.43.D/de nat.hu.com.2°. 7ª.180.B
Corpus magnum propter quid ſit.de opt.noſt.cor.conſt. 1ª.38.G
Corpus paruum propter quid ſit.de opt.noſt.corp.conſt. 1ª.38.G
Corpora duplici occaſione maturius aut ſerius deſiſtunt ab incremento.de opt.noſt.corp.conſt. 1ª.38.H
Corpora mollia facilius creſcunt,ꝙ in omnem partem facilius intendãtur.de ſal.diẽ. 2ª.42.D
Corpus iuſtum habent homines.9°.de decr.Hip. 1ª.284.H
de Corporis partibus primus Ariſtoteles locutus eſt.intro.Iſa.52.G
Corporis ſpecies,& partes quæ dici poſſunt.6°.de decr. 1ª.261.C
Corporis totius diuiſio apud ægyptios qualis.introd. Iſa.52.H
Corporis noſtri partium diſtinctio.ars med. Iſa.63.B
in Corpore pilos adaptat ſibi natura ad quædam iuuamenta. de anatomia viuo. Sp.53.D
in Corpore humano cur ſint diuerſa inſtrumenta.de ana.viu.Sp.43.F
de Corporis inſtrumentis medicus agere debet.6°.de decr.1ª.266.g
Corporis communia inſtrumenta,quæ.15°.de vſu par. 1ª.214.D
Corporalium inſtrumentorum alia ſunt ſimplicia, alia compoſita. de anat.viuo. Sp.55.C
Corporum ſimilarium tria genera in animalibus exanguia & ſinu carentia.in 6ᵐ.de mor.vul.com.1°. 3ª.153.A
Corporalia inſtrumenta ſimplicia quæ ſint.de anat.viu. Sp.55.C
Corporis totius fundamentum & erectio,& ſuſtentamentum motus, & ſenſus eſt os.de ana.viu. Sp.55.C
in Corpore ſunt duæ maximę chartilagines,& q̃ ſint.de vtil.Sp.62.B
Corporalia inſtrumenta compoſita,quæ de ana.viu. Sp.55.C
Corporis noſtri moles muſculorum ſubſtantia conſtat.de bonitate & vitio ſuc. 2ª.35.G
Corporum alioꝝ ſuſpẽſoria ſunt quidã panniculi.de ana.vi. Sp.44.C
Corpora glandulоſa ante veſicam quid agant.14°.de vſu p.1ª.207.F
in Corpore locus narium tutiſſimus quantopere munitus. 9°.de vſu partium. 1ª.172.B
Corpus gubernantes partes tres.5°.de loc.aff. 4ª.28.H
in Corpore quæ ſit habenda pars princeps.6°.de vſu par. 1ª.150.B
Corpori vniuerſo quæ ſint principia.2°.de arte cur.ad Gla.7ª.103.B
Corporis humani imperium habet cerebrum.3°.de dec.Hip.1ª.245.A
in Corporis noſtri ſupremo loco anima habitat, noſq; a terra vt cum cœlo affinitatem haberemus,attollit.de aſſuet. 2ª.61.F
Corporis partes omnes a cerebro ſenſum habent & motum. de virt. noſtrum corp.diſpen. Sp.60.C

Corpori toti attribuitur virtus tactibilis, sed maxime manibus. de cõpag. memb. siue de nat. hu. Sp. 58. E
in Corpis totius carne fit tactus ſm Ariſtotelẽ. de vtil. reſp. Sp. 63. D
de Corpore nihil ſenſibile eſt præter venas, & arterias, & pelliculas, & neruos. de vtil. Sp. 62. G
Corpus a neruis primo accipit motum. 12°. de vſu par. 1ª. 193. E
Corporis vires omnes ſunt ex tenſione neruorũ. de vtil. reſp. Sp. 63. D
in Corporis medio cur ſit cor. de anat. viu. Sp. 46. G
Corporis membris omnibus cor eſt calidius. de cõpag. memb. Sp. 58. G
Corporis quælibet particula duplici commoditate ſuperet cor, quo minus noxã ex caloris inopia celeriter cõtrahat. de vſu pul. 1ª. 228. C
Corporis partes omnes colligantiam habent ad cor per venas, pelliculas, & neruos. de vtil. reſp. Sp. 62. G
Corporis totius reſpirationis organa arteriæ. de vtil. reſp. 1ª. 226. B
Corpus totum inſpirat, & reſpirat. de vtil. reſp. 1ª. 226. B
Corpora aerẽ vehentia non dilatant inſpiratione. de inſtr. od, 1ª. 111. F
ad Corpus totum per quas vias tranſmittatur ſpiritus a corde. de cõpag. memb. ſiue de nat. hum. Sp. 58. G
in Corpore nullo eſt ſola iracundia. 6°. de decr. Hipp. 1ª. 261. F
in Corpore locus calidiſſimus, qui. 14°. de vſu par. 1ª. 208. G
Corporis pars ſuperior quo diſſidet cum inferiore. ꝙ animi mo. 1ª. 319. C
Corporis partes molles cur non habeant meatus. 9°. de vſu p. 1ª. 171. E
Corporis partes durę cur habeant meatus. 9°. de vſu par. 1ª. 171. E
Corpus totum poris plenum eſt. 1°. de ſan. tu. 2ª. 67. G
in Corpus per quæ foramina ingrediuntur res, & per quæ exeũt. 17°. de vſu par. 1ª. 222. B
in Corpore nihil inuenitur vacuum. 3°. de nat. fac. 1ª. 303. E
in Corporibus qũo quidam ponerent vacuum. de vtil. reſp. 1ª. 223. E
Corpus nihil hãs vacui dicitur aer a Galeno. 3°. de diff. pul. 4ª. 62. C
Corpus poteſt manere in vacuo vno loco, põt & non manere. de cuiuſque animi pec. not. atq; med. 2ª. 59. C
de Corpore in vacuo quid ſenſiſſet architectus. de cuiuſq; animi pec. no. atque med. 2ª. 59. F
in Corpore humano nihil ocioſum eſt, neq; imobile. 3°. d vſu p. 1ª. 135. b
Corporis ſingulæ partes motus continuitate quadam ac ſucceſſione a primo principio aſsidue agunt nullo qui præſit indigentes. 14°. de vſu partium. 1ª. 205. E
Corporis virtutes. ſin. med. Iſa. 45. D
Corpus noſtrum diſpenſantes virtutes ex tribus proueniũt partibus. de vir. noſt. corp. diſpen. Sp. 60. B
Corporis facultates propriæ ſunt quatuor. 3°. de temp. 1ª. 22. B
Corporis vel partis ꝓprietas ex functione accipiẽ. 6°. de dec. 1ª. 266. B
Corpus & actio differunt. 1°, meth. med. 7ª. 7. E
Corporeę materię opatio ligata eſt quatuor elemẽtis. de ſper. Sp. 40. D
Corporales actiones pueri præcipuas obtinent. 6°. de ſan. tu. 2ª. 95. F
Corpus calidius ꝓcliuius eſt ad motum. 3°. de præſag. ex pul. 4ª. 116. E
non Corporis forma, ſed actionibus, & vſibus membrum vnũquodq; iudicat. 1°. de dec. Hipp. 1ª. 233. E
Corpus oẽ abſq; naturali actione deorſum ferẽ. 13°. de vſu p. 1ª. 203. g
Corpus eſt organum animę. 1°. de vſu par. 1ª. 113. C
Corporis totius animatio quid ſit. de ſper. Sp. 37. F
a Corpore naturali fit animæ ſubſtantia ratione temperaturæ. quòd animi mor. 1ª. 318. G
Corporis cõplexionẽ ſeq animę virtutẽ. de incãt. adiur. et ſuſ. 7ª. 181. F
Corporum quatuor temperamentum, eſſe animæ eſſentiam concludit Galenus. ꝙ animi mor. 1ª. 317. G
Corporis ſtructura propria animi moribus. 6°. de anat. adm. 89. G/ 1°. de vſu par. 113. C/ 11°. 1ª. 189. D
Corporis partes non impellunt animam, vt ſit timida, ſtrenua, aut ſapiens. 1°. de vſu par. 1ª. 113. E
Corporis temperaturis anima ancillatur. ꝙ animi mo. 1ª. 318. B
Corporis temperatio immutat animæ functiones, & facit ſeiungere ipſam a corpore. ꝙ animi mo. 1ª. 318 B
Corpore læſo ſunt læſæ virtutes. 3°. de ſymp. cau. 3ª. 28. G
a Corporeis malis afficitur anima. ꝙ animi mo. 1ª. 319. A
Corpus cur animam moueat ſecundum Platonem. de ſper. Sp. 40. D
a Corpis vitioſo humore lædit anima ſm Platonẽ. ꝙ aĩ mo. 1ª. 319. A
Corpus in quibus actionibus ab anima moueaẽ. 12°. met. me. 7ª. 77. D
Corporis paſſio nulla eſt tam vehemens, quæ affectiones animę vincat. de par. pil. exer. 2ª. 48. G
Corporis motib9 ſunt magis obſeruandæ animæ affectiones tũ aliis de cauſis, tum ꝙ corpore dignior eſt anima. de par. pil. exer. 2ª. 48. G
Corporis temperamentũ quibus animoſæ partis motus vehemẽtiores calidius efficerent Aeſculapius multas ſcribi cãtilenas mimoſq; rĩ diculariũ rerũ fieri et quaſdã melodias inſtituit. 1°. de ſ.t. 2ª. 65. G
Corporis temperies eſt animæ pars mortalis. ꝙ animi mo. 1ª. 318. D
Corporis & animæ quæ ſunt cõmunia obeunt in ſenecta. in 6m. de morbis vul. com. 6°. 3ª. 190. D
Corpore am eſſe animam quo modo probetur ſecundum Ammonium, Democritum, & alios. de ſper. Sp. 37. G
ex Corpore quid eſt anima ſecundum aliquos non per ſe exiſtens aduenit corpori. de mot. man. & obſ. Sp. 67. G
Corporeus eſt ſpiritus ſecundum plures. de ſper. Sp. 37. G
in Corporibus noſtris perficitur omnis operatio animæ, vt melius in actum procedat. de anat. viu. Sp. 55. C
Corporea non eſt anima, nec in loco. de ſper. Sp. 37. H
ſi Corporis nihil eſt anima, neſcit videre Galenus quomodo in totum poſſit extendi. ꝙ animi mo. 1ª. 317. H
in Corpore humano duæ ſunt animæ, & quæ ſint. de mot. ma. Sp. 67. E
Corpori quo modo iungitur anima. de ſper. Sp. 37. F
Corporeæ ſubſtantię quo modo incorporea copuletur. de ſper. Sp. 37. E
a Corpore ſeparatur anima ſine corruptione. de ſper. Sp. 37. H
a Corpore quot modis anima digreditur. de ſub. fac. nat. 1ª. 203. F
Corpora generabilia, & corruptibilia duabus tranſmutationibus ſubiiciuntur. 1°. de elem. 1ª. 7. A
Corpus noſtrũ valde obnoxiũ eſt mutationibus neq; a cauſis externis tm, ſed ab internis etiam facile alteratur. com. 1°. aph. 1°. Ex. 2. C
Corpus quibus mutetur. 6°. de ſan. tu. 2ª. 95. C
Corpus quot modis alteretur. ars med. Iſa. 68. B
Corpus noſtrum quatuor materijs alteratur. ad Thraſ. 2ª. 107. C
Corpus totum immutant validæ facultates ſibi ſimili facultate. 1°. de ſemine. 1ª. 335. A
Corpus quib. moueaẽ et ꝓturbeẽ veheměter. de puero epil. 7ª. 179. G
Corporis affectibus inepte a Chryſippo comparantur animæ pertubationes. 5°. de decr. Hipp. 1ª. 254. D
Corpori communicat cogitatio. de mot. man. & obſ. Sp. 69. D
Corporis natura mouet corpus in conſuetudines malas & mutationes malas. de ſper. Sp. 40. E
in Corpore continuo quomodo fiat alteratio qualitatis. 7°. de decretis Hippocratis. 1ª. 269. G
Corpus totum mutatur digito in aquam calidam poſito. de theria. ad Piſo. 5ª. 94. D
Corpus omne vim hãs ſentiendi, ſentit, & patitur. 1°. de elem. 1ª. 3. D
Corpus ſit ſenſuale ex particularibus alterationibus. 1°. de ele. 1ª. 3. D
Corpus afficitur a qualitatibus temporis. de na. hu. com. 1°. 1ª. 32. D
Corporis natura ſequendo quatuor mutationes in die, mutat corpus ſecundum illas. de ſper. Sp. 37. A
Corpora variantur venti variatione. de ther. ad Piſ. 5ª. 94. D
Corpus inſectile, fieri nequit vt quicquã patiatur. de diff. mor. 3ª. 2. F
Corpus ſi eſſet impatibile & inalterabile, ſemper perduraret. ars medicinalis. Iſa. 68. B
Corpora prima impatibilia ſunt, ſecundum aliquos. 1°. de elem. 1ª. 2. F
Corpus omne nouum, & temporaliter creatum, mortale eſſe dicebant Stoici. de ſperma. Sp. 38. A
Corporis differentias mortales oſtendit Porphyrius. de ſper. Sp. 37. F
Corpus fruitur nouem voluptatibus per quinq; virtutes animales ſenſitiuas. de compag. memb. ſiue de nat. hu. Sp. 59. B
Corpus vniuerſum, & priuatim quædam corporis partes, quibus fruãtur, tertio loco conſiderandum eſt. 2°. de lo. aff. 4ª. 13. D
intra Corpus quæ ſumantur. 10°. meth. med. 7ª. 64. D
Corpus compoſitum, & non ſimplex eſt nutrimentum corporis & ſpiritus. de anat. viu. Sp. 47. G
Corpus quo modo nutriatur. 6°. de vſu par. 1ª. 151. D/ de cogn. cur. ani mi morbis. 2ª. 54. G
Corpus nutriendi principium eſt in iecore. in Tim. Pla. 1ª. 287. D/ com. 7°. aph. 18°. Ex. 14. A
Corporis ommibus partibus alimentum præparat iecur. de bon. & vitio ſucco. 2ª. 37. A
Corporis totius nutrimentũ in ſe continet hepar. de ana. vi. Sp. 50. A
Corpus cum eſt inanitum cibum ſumat. ad Thraſ. 2ª. 104. D
Corpus exiccatum accipiat potum. ad Thraſ. 2ª. 104. D
Corpora ſiccat fames. com. 7°. aph. 59°. Ex. 59. D
Corporis habitu exinanito, niſi ſenſim renutriatur, plurimum excrementorum congeritur. 4°. de ſan. tuen. 2ª. 88. B

Corpus totum in quibus eſt vacuũ, máxime experiri licet, qui cibi ſint vniuerſum & velociter nutrientes. com. 2°. aph. 18°. Ex. 14. A
in Corpus cibi pauciſſimi ſunt qui non agant. 1°. de alim. fac. 2ª. 8. E
Corporibus noſtris alimentum optimum ex quibus concilietur. de bo. & vitio ſuc. 2ª. 36. E
ad Corporis nutrimentum eſt aqua. de ana. viu. Sp. 47. G
Corpus nutriunt lupini. de ſimp. med. Sp. 86. C
Corpus debilitari nõ permittit omnium ſemicoctũ. de ſimp. me. Sp. 88. E
Corporis tutamentum eſt raphani radix a ieiuno comeſta. de ſimpli. medic. Sp. 89. F
Corpora ſicca ſalita, qualia. 3°. de ali. fac. 2ª. 33. C
Corpus nutriunt vina pallida, aut flaua, quæ ſunt ſubſtantiæ craſſæ. 5°. de ſan. tu. 2ª. 91. B
Corpori grauedinẽ infert vinũ nigrũ, & dulce. de ſimp. me. Sp. 92. B
Corpus vniuerſum ob nimiam potationem calidius redditur. com. 7°. aphoriſmo. 7°. Ex. 54. D
Corpora plethorica neq; vinum, neq; balneum abſq; maximo detrimento tolerant. com. 7°. aph. 46°. Ex. 57. G
Corpus plethoricum quid ſit. 7°. meth. med. 7ª. 48. A
Corporis tumor quid. de mul. 3ª. 80. F
Corpori habenti humorem craſſum & frigidum confert vinum tenue. de diſſ. cont. Sp. 74. H
Corpus attenuant, & debilitant cibi acuti. de diſſ. cont. Sp. 72. F
in Corpore aliquo cibi craſſi velocius digeruntur. de diſ. con. Sp. 73. C
ob Corporis robur vulgus illos putat beatos, qui coquunt difficiliacoctu. 1°. de ali. fac. 2ª. 10. B
in Corpore non bene coquuntur, quæ ſunt male præparata. 4°. de ſan. tuenda. 2ª. 88. B
Corpus ſolidũ elixũ in aqua qualitates quas habet deponit in aquã, & fit ἄποιον. 3°. de ali. fac. 2ª. 31. H
Corpus ſolidum cur ſiſtit aluum. 1°. de ali. fac. 2ª. 7. G
Corporis lenti proprietas. 1°. de ali. fac. 2ª. 9. F
Corpus nutriunt nutrimento plurimo adhærente ſomni multi poſt cibũ. de diſſ. cont. Sp. 72. G
Corpora vt ſunt diuerſa, ita victus rõ eſt diuerſa. 2°. de ſa. tu. 2ª. 69. C
Corpib⁹ iunioribus vtilis victus mollior & humidior. de ſal. 2ª. 40. E
Corpus rarum quibus eſt nutriendũ & quibus denſum. de diſ. Sp. 71. E
in Corpore calido quid efficiant cibaria craſſa. de diſſ. cont. Sp. 72. G
Corpus exercentes debent cibos firmiores edere. 3°. de ali. fa. 2ª. 31. E
Corporis labor naturalis cui eſt debilis, conueniunt cibi ſubtiliantes primi generis. de diſſ. cont. Sp. 72. D
Corpus tẽperatũ cur temperatis alimentis ſeruat. 1°. de ali. fa. 2ª. 8. E
Corpora temperata quibus indigent cibis in tempore non temperato. de diſſ. cont. Sp. 73. G
Corpora quæ ægrediuntur temperamentum quibus cibis indigent. de diſſol. cont. Sp. 73. G
Corpora quæ longo tempore extenuantur, lente reficere oportet, quæ vero breui, breuiter. com. 2°. aph. 7°. Ex. 11. H
Corpora impura, & ab excrementis parum purgata, quo magis nutriies, magis lædes. 2°. de ſa. tu. 2ª. 69. G/com. 7°. aph. 62°. Ex. 59. G
Corporis totius vaſa, & viſcera non debent intemperanter repleri. de cucurb. ſcar. 6ª. 3. H
per Corporis ſingula membra diſtributi alimiměti excremẽta ſunt. 1°. de ſan. tuen. 2ª. 67. G
Corpora animalium difflari ea quæ fit per occulta foramina difflatione omnes conſentiunt. com. 1°. aph. 15°. Ex. 8. D
Corpus omne ex pirabile eſt & inſpirabile. de vſu pul. 1ª. 228. G/in 6ᵐ. de mor. vul. com. 6°. 3ª. 195. A/1°. de ſimp. me. fa. 5ª. 4. C
Corpus totum ſpirabile intus & foris. de vſu pul. 1ª. 228. H
Corpus influens & effluens ex Platone. q animi mor. 1ª. 318. C
in Corpore defluxus quo modo fiant. com. 7°. aph. 59°. Ex. 59. D
Corporis exhalatio quo modo augetur. 6°. de ſan. tu. 2ª. 98. C
Corpus lædentia, & corrumpentia ſunt genere duplicia: nobiſcum genita & ineuitabilia: & nobiſcum non genita, & quæ declinare poſſis. 1°. de ſan. tu. 2ª. 62. D
Corpus humanum dupliciter conſumitur. 1°. de ſan. tu. 2ª. 63. A/1°. de diffe. feb. 3ª. 31. F
Corpori quæ extrinſecus occurrunt. 10°. meth. med. 7ª. 64. D
Corpus extrinſeca conſumentia quæ ſint. 1°. de ſan. tu. 2ª. 63. A
Corpus conſumit aer ambiens. 1°. de ſan. tu. 2ª. 63. B
Corporum ſymmetriam quæ ſanitas eſt, confundit, interturbat, ac corrumpit continens nos aer, ſi immoderatius caleſcat, vel frigeſcat, humeſcat, vel ſicceſcat. in 1ᵐ. de mor. vul. com. 1°. 3ª. 100. H
Corporum primorum ſanitas in quorum ſymmetria conſiſtat. in 1ᵐ. de mor. vul. com. 1°. 3ª. 101. C
Corpus diſſimilium partium eſt aer, habens in ſeipſo caliditatis & frigiditatis particulas. de vtil. reſp. Sp. 64. A
Corpus quo modo obſtruitur elice. 3°. de ſan. tu. 2ª. 77. F
in Corpore noſtro variæ ſpecies excrementorum. 1°. de ſa. tu. 2ª. 67. F
Corporis excrementa. introd. Iſa. 55. B
in Corpore cur proueniat excrementi copia. 4°. de ſan. tu. 2ª. 88. B
Corpus humanum debet ſeruari excrementis vacuum et apertum, colligere. 1°. de ſa. tu. 2ª. 62. H
ex Corporis cute quæ educantur. de cathar. Sp. 94. G
Corpus totum per quæ euacuetur. 4°. de comp. med ſec. loc. 5ª. 149. F
Corporis totius excrementa per ſudores euacuanti. de cõſt. ar. Iſa. 42. B
a Corporis venis omnibus, & arterijs mittitur vrina, & ſudor. de vtil. reſpi. Sp. 64. G
in Corpore qualis eſt ſuccus, tale eſt eius ſerum. 4°. de ſa. tu. 2ª. 83. G
per Corporis poros quã ob cãm exeat ſudor. de vtil. reſp. Sp. 64. D
Corporis totius ſuccorum nota eſt ſudor. 4°. de ſan. tu. 2ª. 83. G
Corporis ſuperfluitatem vnam. ſ. fæcem ſiue ſanguinem melancholicũ continet ſplen. de anat. viu. Sp. 50. A
ſi Corpus eſt ſiccum, non eſt neceſſe excrementum eſſe ſiccum. 2°. de temperamentis. 1ª. 21. B
Corpus rarum habentes viri non pauci habent ſemen fœcundiſſimum. com. 5°. aph. 6°. Ex. 44. C
ex Corporis humore omni ſemen deſcendit. de ſper. Sp. 36. A
a Corpore toto ad teſticulos trahunt nerui, & venæ propriæ, quas habet ſperma. de ſper. Sp. 36. A
Corpus totũ mulieris vt plurimũ cẽ ſile veteris. c. 5°. aph. 62°. Ex. 43. G
Corpora ſuppreſſis menſibus tabeſcunt. de opt. ſect. Iſa. 26. F
Corporis totius ſuperfluitates quo modo euacuantur. ars med. Iſ. 71. E
1°. de ſan. tu. 2ª. 58. E
Corpora noſtra euacuantur ſicut balnea. de ſal. diæ. 2ª. 41. E
Corpus noſtrũ quo modo ſit ſubiectũ exercitatorie. ad Thraſ. 2ª. 106. B
Corporis non vnum eſt bonum. ad Thraſ. 2ª. 103. F/H
Corporis humani vnum eſt bonum. ad Thraſ. 2ª. 106. C
Corporis vnum eſt primarie bonum, ad quod reliqua omnia referanti. ad Thraſ. 2ª. 103. F
Corporis bonũ abſolutiſſimum eſt pfectio actionũ. ad Thraſ. 2ª. 103. H
circa Corporis bonum vna ars verſatur. ad Thraſ. 2ª. 106. C
Corporis ars quæ ſit apud Platonem. ad Thraſ. 2ª. 107. D
circa Corpus vnam eſſe artem concluditur. ad Thraſ. 2ª. 103. G
Corporis curandi artis diuiſio. ad Thraſ. 2ª. 108. D
cur Corpori tuendo cum vna ars præſideat, vnicum ei nomen proprium inditum non eſt. 2°. de ſan. tu. 2ª. 74. A
Corpus artis curantis nullum erat proprium nomen apud Græcos. ad Thraſy. 2ª. 108. A
Corpus curans ars vna eſt. ad Thraſ. 2ª. 108. G
circa Corpus humanum artes multæ. ad Thraſ. 2ª. 103. E
circa Corp⁹ humanũ ſeptẽ artes, quarũ finis cẽ ſanitas. ad Th. 2ª. 103. A
circa Corpus humanum artes nouẽ, quarum ſeptem laudandæ, duæ vitioſæ ſunt. ad Thraſ. 2ª. 102. G
Corp⁹ curãs ars in duas principes partes diſtribuit. ad Thra. 2ª. 108. a
Corporis partes qui mouere nequit, ad vitæ functiones cenſetur inutilis. 3°. de loc. affect. 4ª. 21. B
Corpus non fit aptum exercitationibus, vbi non ſiunt temporum mutationes fortes. de aere, aq. & lo. 2ª. 5. E
Corpus ad exercitationem excitat mutatio. de aere, aq. & lo. 2ª. 6. C
circa Corpus humanum ſi vnam artem tranſeamus, ſeptem facimus. ad Thraſ. 2ª. 102. G
Corpus totum fricãdum mediocriter lintcolo ante exercitationem calfacere oportet. 2°. de ſan. tu. 2ª. 69. H
Corpus oleo fricandum poſt lintei frictionem ante exercitium. 2°. de ſan. tuenda. 2ª. 69. H
Corporis, & animi medicis exercitijs ſeruatur calor naturalis. 1°. de ſani. tuen. 2ª. 65. F
Corpus totũ mouet exercitatio paruæ pilæ. de par. pil. exer. 2ª. 49. A
Corpus cogit exercitatio præparatoria. 3°. de ſan. tu. 2ª. 81. E
Corpus implent lentæ exercitationes. 6°. de ſan. tu. 2ª. 96. A
Corpus relaxat exercitatio q̃ apotherapia dr. 3°. de ſan. tue. 2ª. 81. E
Corpus fatigans exercitatio optima eſt. de par. pil. exer. 2ª. 48. G
Corpora proprie caleſcunt ab exercitio. 2°. de ſan. tu. 2ª. 74. B

Corporis vt singulæ partes sint perfusæ, calor ob exercitia auctus facit.2°.de san.tu. 2ª.69.F
Corpora calida,& robusta ab exercitijs validis, & sole validiora efficiuntur.4°.de simp.med.fac. 7ª.28.A
Corporis pars quando sit validior & infirmior,quid sequatur. de nat. hum.com.2°. 7ª.182.H
Corpora validiora quæ dicantur.2°.de comp.me.per ge. 5ª.218.H
Corpus quo modo intelligatur validissimum.de na.hu.c.2°. 7ª.182.E
Corpus quodcũq; põt habere aliquam partem infirmissimam, aliquas vero validissimas.de nat.hu.com.2°. 7ª.182.H
Corpus siccat exercitatio multa.5°.de san.tu. 2ª.89.G
Corporis exercitium facit continere semen.de aere,aq.& lo. 2ª.5.G
Corpus colliquat celer motus augẽdo plurimũ calorẽ.d sal.di. 2ª.41.A
Corpus laxum efficit frictio mollis.6°.de san.tu. 2ª.98.C
Corpus est vngendum oleo,vbi cutis incaluerit,& meatus laxati sint. 2°.de san.tu. 2ª.69.H
Corpus nõ valde siccũ pungẽdũ.de vic.rat.in mor.acu.c.3°. 7ª.132.E
Corpora quiete in eodem ſtatu conseruantur motu alterantur, & trãsmutantur.com.4°.aph.14°. Ex.28.H
Corpori obest ocium.de assuet. 2ª.61.E
Corpus nostrum qũo sit subiectum philosophiæ.ad Thras. 2ª.106.B
Corpus hominis materia est artis medicę.de part.art.med. Sp.18.C
Corpus nostrum quo modo sit subiectum medicinæ.ad Thras. 2ª.106.B
Corpus est medicorum materia tanquam id ex quo finis,aut in quo.ad Thrasybulum. 2ª.106.A
Corporis naturã quã totius medicinæ ordinis principiũ statuit,optime cognoscendã esse præcipit Hippocrates.si quis optimus m. Isa.6.B
Corpori hominis tuendo ars medica dicata est.1°.de san.tu. 2ª.62.C
Corporis nostri optima cura haberi non potest in qualibet proposita vita.2°.de san.tu. 2ª.69.C
Corporum notitia est necessaria ad constitutionem artis curatricis. de const.ar. Isa.40.B
Corporum naturam si quis ignorabit,morbi curari non possunt.1°.methodi meden. 7ª.3.F
Corpori totam artem præsidem callebant Hippocrates,Diocles, Praxagoras,Philotimus,atq; Herophilus.ad Thras. 2ª.109.E
Corporis affectus q actionẽ gignit,est cõsiderãdus.1°.met.me. 7ª.7.G
Corporis affectus præcedit actiones,& illas gignit,nec vnum sine altero esse potest.1°.meth.med. 7ª.7.G
sine Corporis naturali aut vitioso affectu actio aut proba, aut improba esse non potest.1°.meth.med. 7ª.7.G
Corporum naturales differentiæ sciri debent.5°.de san.tu. 2ª.88.D
Corpus sanum sibi ipsi omnia inuenit proprio naturæ suæ impetu directum,maxime si in ijs,quæ ad animum pertinent recte sit educatũ. 2°.de san.tuen. 2ª.73.G
Corpus nullum offenditur a propria natura.2°.de symp.ca. 3ª.22.A
Corpora quæ secundum naturam se habent ijs seruari custodiriq; suum habitum decet.1°.de san.tu. 2ª.65.C
Corpus moderate sanum non debet mutari.ad Thras. 2ª.104.E
Corporum sanorum communis actio conseruatio.ad Thras. 2ª.108.F
Corporis ars conseruatrix circa quæ versetur.ars med. Isa.69.C
Corpus temperatum quibus seruetur in omnibus.5°.de sa.t. 2ª.89.A
ad Corporis sanitatem cõseruãdã syrupus acetosus.secr. Sp.103.D
Corpus vitiosum instaurant medicus,& agricola.ad Thras. 2ª.104.B
in Corporibus,causis,& signis vt primis tribus generibus quo modo consistit sanitatis tuendæ studium,æquę ac medendi methodus.1°. de san.tuenda. 2ª.58.G
Corpus salubre simpliciter quid.ars med. Isa.62.C
Corpus salubre simpliciter semper,quid.ars med. Isa.62.C
Corpus salubre simpliciter vt multum.quid ars med. Isa.62.C
Corpus salubre nunc,quid.ars med. Isa.62.C
Corpus insalubre simpliciter,quid.ars med. Isa.62.D
Corpus insalubre semper,quid.ars med. Isa.62.D
Corpus insalubre vt multum,quid.ars med. Isa.62.D
Corpus insalubre nunc,quid.ars med. Isa.62.D
Corpora neutra sunt quæ dũr cadere in ægritudinem.ars me. Isa.67.D
Corpus sanum non est vnum tantum.ars med. Isa.68.A
Corpus omne vnde sit sanum vel ægrum.de sper. Sp.40.C
Corporis moles solito maior aut minor,aut magis alba, aut magis rubra.vel vt liuidior, aut nigrior, ostendit futuram ægritudinem.ars medicinalis. Isa.67.F
Corporis totius habitus si habeat multam pituitã albam,aquam inter cutem incidit.com.7°.aph.7°. Ex.60.H
in Corpore quo modo mutetur color, & ex quibus.4°.de sanitate tuenda. 2ª.84.A
Corporum vitiosi status sunt genere duplices.6°.de san.tu. 2ª.95.C
Corpus vitiosum a quibus causis cito offendatur.de optima nostri corporis const. 1ª.38.D
extra Corpus quæ sunt, facillime deprehenduntur: quæ vero intra corpus difficillime.ars med. Isa.66.G
Corpora ægrotantia quo modo cognoscuntur.ars med. Isa.67.A
in Corpore pfundo affectus quo mõ noscant.17°.de vsu p. 1ª.222.E
in Corpore toto vbi mutationes & corpus refrigeratur, & rursus calefit,aut calorem alium ex alio commutat,longitudo morbi significatur.commenta.7°.aphor.60°.Ex.59.E/ præsagium experientia confirmatum. Sp.77.G
Corpora laxiora facilius offenduntur a cunctis causis externis.de op. nostri corp.const.1ª.38.F/de assuetu. 2ª.61.C
Corpora sensibiliora magis sentiunt dolores.in 6m.de morb.vulgarib. commen.1°. 3ª.153.E
Corpus molle facile sequitur ducentem, & segnius in suam vertitur naturam.de vsu puls. 1ª.229.G
Corpus si sit mollius quid considerandum.5°.de san.tu. 2ª.89.C
Corpora mollia quo modo fiant.3°.de diff.puls. 4ª.62.F
Corpora laxiora salubriora sunt, quo ad excrementa.de opti.nostri corp.const. 1ª.38.F
Corpora densiora difficilius afficiuntur a conctis causis expertis.de opt.nostri corp.const. 1ª.38.F
Corpora densiora minus salubria,quo ad excrementa.de opti.nostri corp.const. 1ª.38.F
Corpus si sit durius,quid considerandum.5°.de san.tu. 2ª.89.C
Corpora dura quo modo fiant.3°.de diff.pul. 4ª.62.F
Corpora affecta læsiones habent,causæ illas faciunt, & signa indicãt. de vic.rat.in mor.acu.com.3°. 7ª.128.D
Corporum ac etiam causarum læsorum vocibus vtitur Hippocrates inter signa.de vic.rat.in mor.acu.com.3°. 7ª.128.B
cum Corporis morbo vniuoce morbum animæ appellari dicit Chrysippus.5°.de decr.Hip. 1ª.155.D
Corporis affectus dici potest causa morbi,vel corpus certo modo affectum.1°.meth.med. 7ª.6.B
Corporis status est causa morbi.1°.meth.med. 7ª.7.F
Corporis varij status.3°.de san.tu. 2ª.80.H
Corporis status pessimus qui sit.6°.de san.tu. 2ª.100.E
Corpora curanda habent magnam differentiam.4°.de composi.medi. per genera. 5ª.240.G
Corporis ptes,q̃ facilius,et quæ difficilius curent.6°.de san.t. 2ª.98.E
Corporum constructiones quæ morbis sunt obnoxiæ, ex contrarijs tẽperamentis sunt.3°.de ali.fac. 2ª.28.F
Corporis morbus,qui fm Chrysippum.5°.de dec.Hip. 1ª.255.G
Corporis morbi vniuersales.intro. Isa.59.F
Corporum simplicium primæ ægritudines duplices sunt & quæ.de differ.morborum. 3ª.2.G
Corporum primorum ægritudo inflammatio est, & ex accidenti totius instrumenti.de diff.mor. 3ª.5.H
Corporum primorum ægrotationes ex intemperatura fieri primus dixit Hippocrates.8°.de decr.Hip. 1ª.275.B
Corporibus a naturæ modo egressis accidentia quatuor habent differẽtias.2°.meth.med. 7ª.9.B
Corpus quanto magis recedit a natura,tanto habet maiorem morbũ. com.7°.aph.75°. Ex.61.A
Corpus a tẽperie deficiens tribus de causis deficit.5°.de sa.tu. 2ª.89.E
Corporis intemperies indicat remedia,non senium aut ætas aliqua.5°. de san.tuen. 2ª.93.B
Corpus deficiens a moderate sano debet mutari secundum defectum. ad Thrasybulum. 2ª.104.E
Corpus intemperatum per contraria reducitur, & quomodo.1°.de ali.fac.8.F/1°.de san.tu. 2ª.65.C
in Corpore quo modo sint agenda contraria.ad Thras. 2ª.104.E
Corporis totius vbi temperamẽtum sit biliosius,& vẽter imbecillus, cibo qui ventrem roboret firmari postulat.6°.de san.tu. 2ª.98.H
in Corpora quid agat calor.16°.de vsu par. 1ª.220.G
in Corporibus considerandũ an suo,vel ascititio calore incaleant.2°. de temperamen. 1ª.20.B
Corpus iuuenis carnosi calefit nõ ex propria potestate,sed ex accidenti ab aqua

ti ab aqua frigida. 3°. de temp. 1ª. 21. G
Corpus carnosa pars appellaī ab Hippocrate. de fract. c. 3°. 7ª. 242. H
Corpora nostra a q ibus calefiunt ab externo. 2°. de san. tu. 2ª. 74. B
Corporis totius inordinata supercalefactio fit luna in cōiūctione solis, Saturno in tetragono. de decub. progn. ex math. scien. Sp. 13. A
Corpora excalfacere in augmento lunæ, periculosum est. de decub. pro gno. ex math. scien. Sp. 16. B
Corpus totum quando calefacere celeriter consilium est, quid agendū. 6°. de simp. med. fac. 5ª. 47. H
Corpus calefaciens electuarium. de med. exper. Sp. 107. B
Corpus calefaciens medicamen. de med. exper. Sp. 106. B
in Corporibus senum calorem naturalem confortans medicamen. de medicinis exper. Sp. 108. A
Corpus calefit a febre vehementi. q animi mores. 1ª. 317. H
Corporis totius veluti quædam immoderata caliditas est febris. de causis morborum. 3ª. 6. E
a Corporis, aut animæ motu fit febris. præsag. exper. conf. Sp. 77. D
Corpus rarum & spissum breuiores & longiores efficit febriles acces siones. 2°. de diff. feb. 3ª. 42. A
Corpa febricitatiū euacuatione indigere significat in somno sudor mul tus, si cibi plurimi eius causa nō fuerint. psag. exp. cōfir. Sp. 77. G
Corpus idem potest habere partes refrigerantes, & calefacientes. 1°. de alimen. fac. 2ª. 9. C
Corpus an possit vnà fieri calidum, & frigidum, humidum, & siccū. de caus. morb. 3ª. 8. A
a Corpore solido humor aerá, facillime accenduntur, non autem e con trario. 1°. de diff. feb. 3ª. 31. B
Corporum solidorum substantia crassissima est. 1°. de diff. feb. 3ª. 31. B
Corpora solida in morbis qūo custo tienda. 12°. meth. med. 7ª. 77. B/E
Corpora solida habent certam quantitatem. 12°. meth. med. 7ª. 77. C
Corpus non extenuatur in febriente ex cutis spissitudine, & humorū crassitudine. com. 2°. aph. 28°. Ex. 16. F
Corpus quod incendi, & tēdi videatur nō est affectus, sed symptoma. 3°. de san. tu. 2ª. 78. F
Corpus exiccatur in morbis diuturnis. 7°. med. 7ª. 45. H
Corpus nimium gracile, & nimis obesum non laudat Galenus. 1°. de san. tuenda. 2ª. 64. D
Corpus si sit obesum vel gracilius, qd cōsiderādū. 5°. de sa. tu. 2ª. 89. c
Corpora quo modo in se ipsa subsident. de caus. mor. 3ª. 9. B
Corpus fit gracile, & aridū a vigilia, & tristitia. 3°. de sa. tu. 2ª. 81. F
Corpus qūo intumescit, & decūbit aqua calida. 2°. de san. tu. 2ª. 73. C
Corpus aridum, & gracile qūo sanetur. 3°. de san. tu. 2ª. 81. F
Corpus si sit siccius quid considerandum. 5°. de san. tu. 2ª. 89. D
Corpis calori, et siccitati succurrit aqua frigida. & bo. et vi. su. 2ª. 39. C
Corpus roborat aqua frigida. 3°. de san. tu. 2ª. 78. B
Corpus roborat vinum frigidum. de sal. die. 2ª. 41. C
in Corporis siccitate humectanda, & refrigeranda quomodo vir pru dens se geret. de bon. & vit suc. 2ª. 39. B
ad Corporis debilitationem. secret. Sp. 100. D
Corpis debilitatē significat vrina alba et nuda in oībus. de dy. Sp. 35. D
in Corpora quid agat frigus. 16°. de vsu par. 1ª. 220. G
Corpus vbi fuerit infrigidatum & rursus incaluerit, lōgitudinem mor bi significat. præsag. exper. confir. Sp. 77. G
Corpora refrigerare luna imminuente, periculosum. de decub. progno. ex mathe. scien. Sp. 16. B
Corpus aquosum & subtumidum quo modo durius reddatur. in 6ᵐ. de morb. vulg. com. 2°. 3ª. 161. A
Corpora humectat humiditas sine caliditate, & frigiditate notabili. de assuetud. 2ª. 61. D
Corporibus humidis medicamenta magis humida adhibenda sunt. 2°. de comp. med. per ge. 5ª. 220. D
ad Corpus infrigidatum, & humectatum. secret. Sp. 98. G
ad Corporis humectationem, & infrigidationem multam electuariū diatrion pipereon. secret. Sp. 102. E
Corpus molle etiam quam pro natura amplius efficit lassitudo quæ phlegmones sensum præfert. 3°. de san. tu. 2ª. 79. A
in Corpore malus sanguis vbi sit. 4°. de san tu. 2ª. 84. G
in Corpore redundans semper ad partes imbecillas descendit. 1°. de alim. facul. 2ª. 10. H
Corporis paries quæ natura fuerint maxime infirmæ potissimum vni cuiq; afficiuntur. de bon. & vi. suc. 2ª. 39. D
Corpora imbecilliora q̄ dicant. 2°. de comp. med. per gen. 5ª. 218. G/H
Corpus potest nō esse plenum licet humores ad aliquam partē fluant & copia humoris in parte aliqua cōtineaī. c. 6°. aph. 31°. Ex. 49. F
Corpora tenuissima cumulata, robur acqrit. 15°. de vsu par. 1ª. 212. A
in Corporis affectib. quæ symptomata consistunt. de sym. dif. 3ª. 13. A
Corporum corruptelæ vnde nascantur. de sper. Sp. 41. A
Corpora quæ putrescunt. 11°. meth. med. 7ª. 68 G
in Corpore sanies ex aqueo & igneo elemento. 8°. de decr. 1ª. 275. F
in Corporis omnibus partibus qui fiant morbi. 3°. de lo. aff. 4ª. 18. D
Corporis pars dolēs, et in tumores eleuata qūo cureī. de sectis. Isa. 16. D
ex Corporis totius affectu crebrí compatitur. 3°. de lo. aff. 4ª. 18. D
Corporis partes quibus inæqualiter se habent, non est facile numera re. 6°. de san. tu. 2ª. 95. D
a Corporis variis partibus potest oriri profluuium. de sect. Isa. 18. F
Corpus nigrum fit liene peccante. 6°. de loc. affe. 4ª. 36. A
Corporis affectiones nigræ ex linguæ coloribus cognoscuntur. 8°. de decr. Hipp. 1ª. 275. H
Corporis color qñq; herbis cādētibus assimilaī. 5°. de loc. aff. 4ª. 34. B
Corporum cognitio, quæ ex signis habetur in agendis est prima. intro ductio. Isa. 62. B
a Corporis partibus sumenda iudicatio. de sectis. Isa. 18. C
Corporis extremæ partes si frigescant, quando malum, & quando nō. commen. 7°. aph. 1°. Ex. 54. A
Corporis quædam vitia propter magnitudinem insanabilia sunt. de co gnoscendis curandisq; animi mor. 2ª. 53. B
Corporis lāguor efficit a calore, & frigore abūdante. de dyn. Sp. 19. D
Corporis languorem mitigat opium. de simp. med. Sp. 88. B
Corpora flacida confirmat omphacomeli. de dyn. Sp. 22. C
Corpus omnibus numeris absolutum, & decorum, & simplex, & vnum, est regula medicamentorum facultatis inueniendæ. 3°. de simp. med. fac. 5ª. 19. F
Corpus admodum vile, facilius: grandius, difficilius alteratur et mu tatur ab eo cui admotum est. 1°. de simp. med. fa. 5ª. 4. B
Corpus acerbum, terreum est ac frigidum, tripliciterá, necessario ex soluitur. 4°. de simp. med. fac. 5ª. 26. E
Corpus refrigeratur a cicuta, & sanguinis euacuatione. quòd animi mores. 1ª. 317. H
Corpus totum breui immutat venenum deleterium in pauca quantita te. 1°. de semine. 1ª. 335. A
Corpus a deleterio venenatū curaī per alexipharmaca cōtraria qua luate sese diffundēte ac totū corpus immutante. 1°. de sem. 1ª. 335. b
Corpus quo modo purgetur, elice. 3°. de san. tu. 2ª. 77. F
Corporis totius curationem præmittendam in morbis omnibus est cō mune præceptum. 3°. de locis affectis. 4ª. 15. D/ 1°. de compo. medi. secun. loc. 5ª. 121. E
Corpus vniuersum debere primo purgari si malitia humorum infe stet, vel sanguinis missione euacuari redundante sanguine, antequā ad localia partis influxu laborantes remedia veniamus, collige. cō men. 6°. aph. 31°. Ex. 49. G
Corpus caputq; totum primo euacuandum, q̄ aliquid oculis adhibea tur. 4°. de comp. med. sec. loc. 5ª. 149. F
Corpora oportet, vbi quis purgare voluerit, fluida facere: & si supra, sistere alium si vero infra, humectare. com. 7°. aph. 66°. Ex. 60. E
Corpus debet esse fluxile, & transpirabile. 8°. meth. med. 7ª. 51. E
Corpora propter consuetudinem euacuationibus non indigent, & cur indigeant. de assuet. 2ª. 61. H
Corpora sana non sunt purganda. de dyna. Sp. 20. D
Corpus plenum non est euacuandū per patiētem locū. ars me. Is. 70. F
Corpus totum euacuatur quandoq; per vterum, quandoq; per renes. 6°. de loc. aff. 4ª. 41. D
Corporis substantia ignorata medicamenta sciri non possunt. 2°. de natural. facul. 1ª. 301. B
Corpus densum, & durum facile tolerat. de assuet. 2ª. 61. C
Corporibus duris quæ conueniant. 2°. de comp med. per ge. 5ª. 220. F
in Corpore duro quib⁹ vtēdū medicamētis. de rem. par. fac. 7ª. 154. H
Corpora dura habeant medicamenta valentiora. 7°. de composi. medi. per gene. 5ª. 269. F
Corporibus duris magis sicca adhibenda. 2°. de compositione medica mento. per gen. 5ª. 220. D
in Corporibus duris vsus medicamenti ad neruos. 3°. de comp. medi camento. per gen. 5ª. 233. G
Corporibus densis astringentia potius obsunt, quàm prosint. de optima secta. Isa. 29. F

Corporibus mollibus quæ conueniant. 2°. de comp. med. per ge. 220. F/ de rem. par. fac. 7ª. 154. H
Corpora mollia medicamenta habeant mitiora. 7°. de compo. medi. per genera. 5ª. 269. F
in Corpore molli vsus medicamenti ad neruos. 3°. de compo. medica. per genera. 5ª. 233. G
Corporibus fortioribus fortiora medicamenta, debiliora debilioribus sunt præbenda. 6°. de comp. med. sec. loc. 5ª. 176. F
Corpus vt reficiamus, fortibus vtimur catharticis. de dyn. Sp. 20. G
Corporis partium, & humorum ratione medicamentorum diuersitas. de cathar. Sp. 95. A
in Corporis totum halitum quæ medicamenta tenuia digerantur. 4°. de san. tu. 2ª. 86. D
ad Corpus vniuersum medicamenta. introd. Isa. 58. A/B
Corpus totum promouet elaterium. de simp. med. sp. 83. G
Corpus totum hiera purgauit. 1°. de comp. med. sec. lo. 5ª. 121. E
Corpus superius & inferius purgat scammonia. de cathar. Sp. 95. A
Corpora rarescunt robustis concumbentibus. 3°. de san. tu. 2ª. 81. E
Corpus cur maxime dissoluitur a coitu. 1°. de sem. 1ª. 335. D
Corpus primo præparãdũ venæsectione, vel medicamento, vel vtroq; 4°. de comp. me. per gen. 5ª. 236. C
Corporib⁹ euacuatis cucurbitulæ vtiles sunt. de cucurb. scar. 6ª. 3. B/C
in Corpore redundantem materiam minuere vbi volumus, scarificatione vtimur. de cucur scar. 6ª. 3. F
cui Corporis parti admouenda sint remedia conueniens est & necessarium scire de fæt. for. 1ª. 324. B
in Corporibus cauitates, & earum meatus quo modo aboleantur. de causis morb. 3ª. 9. A
Corpori infixa extrahit anagallis. 6°. de simp. med. fac. 5ª. 42. H
Corpori toto genere inimicum excidere oportet. in 6ᵐ. de mor. vulga. commen. 2°. 3ª. 161. B
in Corpore quando os, aut chartilago, aut neruus abscinditur, non augetur. com. 7°. aph. 28°. Ex. 55. H
Corpora neruosa ac tenuia non agglutinantᵉ. 15°. de vsu p. 1ª. 212. H
Corpus qua vertebra læsa fiat immobile. 8°. de ana adm. 1ª. 183. A
Corpus repente resolutum functionibus voluntarijs immobile reddit, & sensu orbatur. de fæt. for. 1ª. 324. B
ad Corpora figuranda vbi quid manu fieri oportet, laqueus. de laqueis. 7ª. 306. F
ad Corpora figuranda vbi manu curatio adhibetur, laqueus. de laqueis. 7ª. 308. E
ad Corpora figurãda vbi iuxta anũ curantᵉ, laque⁹. de laqu. 7ª. 308. G
ad Corpora mollia muliebria, & puerilia aptatur palæstricus modus componendi luxata. de machin. 7ª. 309. C
CORPVLENTIAM *in homine, vel multam carnem quid faciat. 2°. de temperamen.* 1ª. 18. F
Corpulenti qui sint. 2°. de temp. 1ª. 18. D
Corpulenti et graciles habent contrarias habitudines ex contrarijs ortas. 7°. de san. tu. 2ª. 64. E/*de pul. ad tir.* 4ª. 44. A
Corpulentia vel carnis copia quando sequatur. 2°. de temp. 1ª. 18. D
Corpulenti, molles, & rubicundi vnde hoc habent. de sal. diẹ. 2ª. 40. D
Corpulenti & multum molles & rubicundi quo victu sint nutriendi. de salu. dicta. 2ª. 40. D
Corpulenti habent pulsus breues. 1°. de presag. ex pul. 4ª. 106. B
Corpulentis minus conuenit balneũ. q̃ gracilibus. de sal. diæ. 2ª. 41. A
Corpulentia quo modo curetur. 14°. meth. med. 7ª. 91. D
Corpulentiam quibus curauerit Galenus. 14°. meth. med. 7ª. 91. E
Corpulentiam incidentia, quæ. 14°. meth. med. 7ª. 91. D
pro Corpulẽtis, & hydropicis flos salis aquæ marinæ mistus, in qua fiat lauatio. 14°. meth. med. 7ª. 91. E
in Corporis tumore elleborus dandus. de vict. ratione in morbis acu. commen. 4°. 7ª. 144. E
Corpulentorum cataclysmata, qualia. de sal. diæ. 2ª. 41. F
Corpulenti quo modo iter facere debent. de sal. diæ. 2ª. 41. A
CORRECTVRVS *aliqua, quid agere debet. de cogn. curandis q̃ animi morbis.* 2ª. 55. G
Corrector Hippocratis non minister, qui. 3°. de diff. resp. 3ª. 69. G
Correctiua medicina quæ appelletur. ad Thras. 2ª. 106. E
Correctiua medicina quo modo diuidatur. ad Thras. 2ª. 106. E
Corrigere circa humanum corpus errores, medici opus. 1°. de differẽ. febrium. 3ª. 32. F
qũo Corrigi possint cibi inflatiui. de diff. cont. Sp. 74. G

CORRIGIIS *exiccatis cõe est conuelli. in prog. com. 1°.* 4ª. 191. D
CORROBORATIO, *quæ. de consti. ar.* Isa. 42. F
Corroborat vires motus. de frac. com. 2°. 7°. 238. G
non Corroborari eum qui ex ægritudine bene cibatum, est affectio potentiæ nostrum corpus regentis. com. 2°. aph. 31°. Ex. 16. H
CORRODENS, *acris, & acida est atra bilis. c. 4°. aph. 21°.* Ex. 29. D
CORROSIS *gingiuis prodest succus centaureæ. de virtute centaureæ.* Sp. 93. D
Corrosionem afferunt causæ exasperantes. de cauſ. mor. 3ª. 9. C
in Corrosis vlceribus confert succus centaureæ. de vir. cent. Sp. 95. F
CORRVGATIO *membranarum oculi affectus. intro.* Isa. 58. D
quæ Corrugant, & roborant stomachum. de diff. cont. Sp. 74. E
pro CORRVMPERE *Hippocrates sæpe in libro de fracturis & articulis vsus est verbo sphacelare. com. 7°. aph. 50°.* Ex. 58. B
Corrumpere est putrescere. 2°. de diff. feb. 3ª. 40. A
omne quod Corrumpitur non dicimus putrescere, sed quibus id cum fœtore accidit. 5°. de simp. med. fac. 5ª. 36. B
Corrupta fœtidaq; inspiratio coram se detineri non posset, si numerus inspirationum, non pulsuum propter paruitatem pulmonis cogeretᵉ adæquari. de anat. viu. Sp. 48. B
CORRVPTIO *quis motus. 1°. de nat fac.* 1ª. 290. H
Corruptio videtur esse motus. 3°. de diff. pul. 4ª. 67. D
Corruptio & alteratio naturæ qũo fiat. de inæq. intemp. 3ª. 43. G
Corruptio duplex quæ sit, & quæ facta est. de marc. 3ª. 45. B
Corruptioni generationi q̃ subiecta est substantia. de mul. 3ª. 77. A
corruptionis necessitas duplex in oĩ genito corpe. 1°. de sa. tu. 2ª. 62. G
Corrumpi cur sit necesse nobis. 6°. de san. tu. 2ª. 96. F
Corruptio propter quid fiat. 2°. de diff. feb. 3ª. 37. D/*de sper.* Sp. 41. A
Corruptibilia corpora duabus transmutationibus subijciuntur. 1°. de elementis. 1ª. 7. B
Corruptio multis modis fieri potest. 5°. de simp. med. fac. 5ª. 36. B
Corruptionem duplicem patitur mediocritas, exuperantiam, & defectum. de diff. morb. 3ª. 2. G
Corrumpuntur res quatuor modis. de marco. 3ª. 45. C
Corruptio flãmæ quot modis fiat. de palp. tre. conuul. & rig. 3ª. 54. E
Corrumpuntur quæ non diffiantur. 2°. de diff. feb. 3ª. 40. B
Corrumpuntur tempore materiæ obstruentes. 2°. de diff. feb. 3ª. 42. C
Corrumpuntur res ab immoderatione extrinseca caloris alieni, aut frigoris abundantia. 4°. de sim. me. fa. 5ª. 28. B
Corrumpuntur duplici de causa stirpes. 14°. meth. med. 7ª. 93. C
quas Corruptiones a siccitate prouenientes marcorem per translationem appellemus. de marc. 3ª. 45. C
Corrupta a siccitate, a marasmo, et tabe arripi dicim⁹. de mar. 3ª. 45. C
Corruptum omne tabefaciens. 5°. de comp. med. per ge. 5ª. 245. H
Corruptionis in homine duplex causa, intrinseca, & extrinseca. 1°. de sanit. tuen. 2ª. 63. A
Corrumpit nihil calor proprius. 11°. meth. med. 7ª. 69. E
Corrumpitur ac perimitur quidque a dissimilibus, augetur vero ac nutritur a similibus. de inæq. intemp. 3ª. 44. C
Corrumpuntur cur cito humores in multitudine, ratione potentiæ. 1°. de differ. feb. 3ª. 31. H
qũo Corrumpitur sanguis aliqua in parte aceruatus; & quot modis. 2°. de diff. feb. 3ª. 40. A
Corrumpitur sanguis ob duplicem causam in inguinum tumoribus, & inflammationibus. 2°. de diff. feb. 3ª. 40. B
Corrumpitur tardius sanguis pituitosus. 2°. de diff. feb. 3ª. 42. B
Corruptio in sanguinis vomitu. com. 7°. aph. 74°. Ex. 60. H
Corruptus sanguis est alterandus. de cucur. scar. 6ª. 3. G
Corruptum quod est quo modo coquatur, et fiat optimum in aliquibus naturis. 1°. de diff. feb. 3ª. 31. H
Corrumpuntur humores q̃q; vt epoto veneno. 5°. de loc. aff. 4ª. 34. B
Corruptio an fieri possit in animalib. veluti venenũ. 6°. de loc. af. 4ª. 40. B
Corruptionem in venis signum esse humectati & infrigidati corporis, collige. secret. Sp. 98. G
ex Corruptione humorum fieri morbos, collige. com. 1°. aph. 17°. Ex. 9. D/*de oculis.* 7ª. 185. A
Corruptum est auferendum. 8°. meth. med. 7ª. 59. C
in Corruptela humorum dandum est medicamentum. quos purg. opo. quib. med. & quo temp. 5ª. 88. B
Corrupti humores debent per purgationeus euacuari. commentar. 6°. aphor. 47°. Ex. 52. B
Corruptum per quas vias euacuatur. 11°. meth. med. 7. 69. F

ad Corruptoriam & venenosam vim habentem materiam.7°.de cõpo.med.sec.loc. 5ª.186.B
ex Corruptione humorum dispositio exigit contemperamentum cibo rum.com.1°.aph.17°. Ex.9.C
Corrumpuntur quidam fructus,vt efficiantur sicut pernicioſum venenum in ſtomacho.de diſſ.cont. Sp.75.A
Corrumpit cibos os ventriculi non fundus.5°.de loc.aff. 4ª.32.E
Corrumpit primum cibum & ſecundum cibus ſumptus ante quàm primus deſcenderit.de diſſ.cont. Sp.72.A
Corruptibile,& craſſum nutrimentum generat oua cocta in tegamine vel in teſtis,& caſeus.de diſſ.cont. Sp.74.B
Corruptiones ciborum nidoroſæ,ex quibus cibis veniunt.3°.de ſymptoma.cauſ. 3ª.24.H
Corrupta licet ſint in corpore cibaria qũo tñ febrim facere nequeant in iis,qui bono ſunt habitu,ſed concoquantur.1°.de dif.ſe. 3ª.31.H
Corruptionem humorũ qñq;,qñq; defectum alimenti cauſam eſſe vt capilli ex capite defluant,collige.com.5°.aph.11°. Ex.38.D
Corrupta in ventre qũo ſtatim expellenda.4°.de ſan.tu. 2ª.83.A
ad Corruptionem ſtomachi ſecret. Sp.98.F
Corruptionem ſtringit ſiligo tritici.de ſimp.med. Sp.90.A
Corruptionem inducentes facultates attrahere poteſt cucurbitula.de cucurb.ſcari. 6ª.3.F
Corrupta vbi eſt materia,particulis repletis, cucurbitulæ admouẽdæ cum inciſione.de cucurb.reuul.&c. 6ª.3.C
quæ Corrupturæ ſunt fœtus,iis mammæ extenuantur,ſi vero rurſus duræ fiant,dolor aut mammas,aut coxas,aut oculos,aut genua infeſtabit,& non corrumpent.com.5°.aph.53°. Ex.42.C
ad Corruptelas.de med.fac.parab. 7ª.176.B
ad Corruptã cõplexionẽ.ſecr.101.G/de med.exper. Sp.104.A
ad Corruptionẽ cõplexionis electariũ gaſit.de med.exper. Sp.108.B
Corruptas humiditates reſoluens medicina.ſecret. Sp.102.A
a Corruptione,abſceſſus oſſis.com.7°.aph.73°. Ex.60.G
Corrupta eſſe nõ debẽt dici quæ marcida ſunt.de frac.c.3°. 7ª.247.G
CORTICES *quatuor habet corona oculi.de ant.viu.* Sp.48.F
Cortices oẽs ſunt ſicciores ſuis arboribus.6°.de ſimp.me.fa. 5ª.48.H
Cortices Alburni quid faciant.de dyn. Sp.30.G
Cortex Capparis purgat ſplenem.de cathar. Sp.95.C
Cortex Cedri cum oxymelite vomitum facit de cathar. Sp.95.C
Cortex Citri qñ accipitur de eo parũ, confortat ſtomachum : qñ multum,grauat,& cur.de diſſ.con. Sp.74.E
Corticis fiſtici decoctio confortat ſtomachum, & mundificat canales pulmonis,& hepatis.de med.exper. Sp.104.D
Cortex mali medici acris eſt,accida aũt pstima.de attẽ.vic.2ª.46.a
Cortex radicis Mori amarus eſt.7°.de ſimp.med.fac. 5ª.56.C
Cortex radicum mori lumbricos eijcit.de ſimp.med. Sp.87.H
Cortex virginis Nucis valet ad hæmorroides.de dyn. Sp.28.H
Cortex Pinus,qualis.5°.meth.med. 7ª.36.E
Cortex pinus adſtringens leue.5°.meth.med. 7ª.31.G
Cortex pinus.4°.de comp.me.ſe.loc. 5ª.157.F
Cortex pinus torrefactus.9°.de comp.med.ſec.loc. 5ª.203.D
Cortices Punicorum quando ſeruandi.6°.de comp.m.ſe.lo. 5ª.168.H
Cortices punicorum adſtringunt ſufficienter.6°.de compo.med.ſecun. locos. 5ª.168.H
Cortice radicis Rumicis hortenſis vtitur.5°.de comp.m.ſ.l. 5ª.161.A
Corticibus radicum rumicis agreſtis vtitur.5°.de comp.medic.ſecun. locos. 5ª.161.C
Cortex Thuris.7°.de comp.med.ſec.loc.184.D/5°.de comp.med.per gen.252.A/7°. 5ª.272.F
CORVO *albo ſimile,prouerbium.1°.de nat.fac.* 1ª.296.E
CORVSCATIO *quid.de hiſt.philo.* Sp.7.G
CORVRAE.*i.curæ.de artic.com.1°.* 7ª.257.B
CORYDALIS *herba colicis conuenit.11°.de ſimp.med.fa.* 5ª.82.C
CORYDOS.*i.alauda.11°.de ſimp.med.fac.* 5ª.82.B
CORYCO *fatigare corpus eſt exercitationis genus.2°.de ſanitate tuenda.* 2ª.73.G
Κόρυζας, *deſtillationes græci vocant.5°.de ſan.tu.* 2ª.92.B
Coryzæ quid.3°.de ſymp.cau. 3ª.29.F
Coryzæ faciũt intẽperiẽ in naſo,& cerebro.1°.de ſymp.cau. 3ª.16.A
Coryzæ,& catarrhi cauſæ,quæ.3°.de ſymp.cau. 3ª.29.E
Coryzæ cauſa eſt iter.de vic.rat.in mor.acu.com.4°. 7ª.143.A
Coryza quo mõ dicaẽ coqui.de vic.ra.in mor.acu.com.2°. 7ª.122.H
Coryzas,& catarrhos deſiccat melanthium frictum collo alligatum.

6°.de ſimp.med.fac. 5ª.45.H
COS inſula eſt in mari ægeo,quæ vnam ſolam habet ciuitatem ex nomine inſulæ.9°.de ſimp.med.fac. 5ª.65.C
in Co,Gnido,& Rhodo,& Italia certabant medici,vtri videlicet inuentorum multitudine ſuperarent.1°.meth.med. 7ª.2.F
Contra Coos Eraſiſtratus ſcripſit.8°.de decr.Hipp. 1ª.276.B
COS *medica.4°.de comp.med.ſec.loc.* 5ª.151.D
COSI *confectio.7°.de comp.med.ſec.loc.* 5ª.185.G
COSMOS *quid ſit.in progn.com.3°.* 4ª.207.G
Coſmos eſt taxis.in progn.com.3°. 4ª.207.G
Coſmos mundus,& mundi ordo.in progn.com.3°. 4ª.207.G
COSTAE *quæ.introd.Iſa.53.C/de artic.com.3°.* 7ª.272.B
Coſtæ a ſpina oriuntur.7°.de anat.adm. 1ª.95.E
Coſtas curuiſſimas habet homo ex omnibus animalibus.de artic.commentario.3°. 7ª.272.B
Coſtæ non habent figuram ſimplicem.de oſſib. 1ª.42.F
Coſtæ quot ſint.de oſſib. 1ª.42.E
Coſtæ ab vtroque latere duodecim.introd.Iſag.54.G/8°.de anatomicis admin. 1ª.99.C
Coſtæ vndecim rarius.8°.de ana.adm. 1ª.99.C
Coſtæ tredecim rariſſimæ.8°.de anat.adm. 1ª.99.C
Coſtæ habent duplicem ſedem.8°.de anat.adm. 1ª.99.D
Coſtæ non ſunt æqualiter longæ.de oſſib. 1ª.42.F
Coſtæ ſpuriæ propter quid dictæ.5°.de anat.adm. 1ª.86.G
Coſtæ nothæ quinque ſunt.de oſſib. 1ª.42.F
Coſtæ mẽdoſæ chartilagineæ ſunt in brutis paruis,in magnis oſſea chartilago.8°.de anat.adm. 1ª.99.D
ſupra Coſtas nothas cur multa chartilago.7°.de vſu par. 1ª.163.H
Coſtarum oſſa vbi chartilaginea videntur, ſecentur linea recta.7°.de anatom.adm. 1ª.94.G
Coſtæ primæ ſeptem quo modo articulantur.8°.de ana.adm. 1ª.99.D
Coſtæ octauæ articulatio.8°.de anat.adm. 1ª.99.D
Coſtarum quatuor inferiorum articulatio.8°.de ana.adm. 1ª.99.D
Coſta extrema quæ apud Galenum.5°.de ana.adm. 1ª.86.E
ad Coſtas octo ferẽ vena vna ex vtraq; parte.de art.c.3°.7ª.269.A
Coſtas ſuperioris thoracis venæ nutrientes. de venarũ arteriarumq; diſſectione. 1ª.57.D
Coſtas quatuor ſuperiores alit vena ad iugulum.5°.de lo.aff. 4ª.30.I
Coſtæ quatuor ſuperiores nutriuntur a venis ortis caua antequã in iugulares ſoluatur.de vic.ra.in mor.acu.com.2°. 7ª.117.D
in Coſtis primis quatuor,arteriæ non eodem ſemper modo ſe habent. de venarum,art.diſſ. 1ª.59.B
Coſtas octo inferiores thoracis vena nutriẽs.16°.de vſu p. 1ª.219.A
*Coſtas octo inferiores nutriens parua vena eſt ſine pari.16°.de vſu p.220.H/in tim.Plat.*1ª.287.H/5°.de loc.aff.4ª.30.H/de vic.ra.in morb.acu.com.2°.* 7ª.117.D
Coſtas octo inferiores alens vena quorſum tẽdat.5°.de lo.aff. 4ª.30.H
Coſtæ non creſcunt in latitudinem ſupra ſeptum pueris gibbis.de artic. commentario.3°. 7ª.269.C
Coſtæ cum non augmententur his,qui gibbi facti ſunt ex aſthmate antẽ pubertatẽ,pulmo vero vnà cum corde augeatur,quo modo breui ex anhelitus difficultate mori coganẽ.cõ.6°.aph.46°.Ex.52.A
quibus Coſtis alligetur iecur.2°.de loc.aff. 4ª.13.D
Coſtis mendoſis omnibus non coniungitur iecur per membranas.5°. de loc.aff. 4ª.33.E
a Coſtis ſummis notis cur phrenes nõ oriaẽ.7°.de vſu p. 1ª.163.H
Coſtarum caſſam partem appellat Hippocrates, quæ inter oſſa intercedit vbi intercoſtales muſculi ſunt.de artic.com.3°. 7ª.276.E
de inter Coſtalibus muſculis.5°.de ana.adm. 1ª.86.E
inter Coſtas muſculi ſunt vigintiduo.de vo.& anhe. Sp.62.B
Coſtarum muſculi conuexi ſunt,et quibus aſſimilentur.2°.de motu muſculorum. 1ª.316.E
Coſtis omnibus muſculus incumbens.1°.de anat.adm. 1ª.64.G
ſp inter Coſtalibus muſculis ſpectandum animal macilentum & vetus.5°.de ana.adm. 1ª.86.F
in Coſtarum muſculorum anatomia exercitatio vnde incipiat.8°.de anatom.admin. 1ª.100.B
*inter Coſtalium muſculorũ ſectionis modus.8°.de ana.adm.*1ª.101.F
*inter Coſtales muſculi primi quo mõ ſeccaẽ.8°.de an.adm.*1ª.100.A
inter Coſtalium muſculorum forma.7°.de vſu par. 1ª.163.G
inter Coſtalium muſculorum officium.7°.de vſu par. 1ª.163.G
*inter Coſtales muſculi in phrenum ſubſidium.5°.de vſu par.*1ª.147.C

per inter Costales musculos internos fit maxima expiratio. 2°. de motu musculorum. 1ª.316.C/D
per inter Costales musculos externos fit maxima inspiratio. 2°. de motu musculorum. 1ª.316.C/D
inter Costalium musculorum quanta portio resoluitur, tanta pars naturalis efflationis, & vocis resoluitur. 8°. de ana.adm. 1ª.102.C
Costã primã ad clauiculã attrahẽtes musculi, q. de musdis. 1ª.46.D
ad Costas brachium rectum extendens musculus. de musdis. 1ª.47.G
Costas primas sursum trahentes fibræ. de musdis. 1ª.49.E
Costam decimam, & vndecimam trahentes fibrę. de musdis. 1ª.49.E
Costam duodecimam detrahens musculus. de musdis. 1ª.49.E
Costarum dearticulationes contrahens musculus. de musdis. 1ª.50.A
Costarum mediarum musculi quid agant. 1°. de diff.resp. 3ª.63.A
Costarum notharum musculi in quo animali facilius videntur. 8°. de anato.adm. 1ª.100.A
Costarum notharum musculi natura. 8°. de anat.adm. 1ª.100.A
a Costis nothis musculus ad humeri articulationem procedẽs qualis. 16°. de vsu par. 1ª.217.F
supra Costas tẽdunt quatuor rami vniuscuiusq; duorum neruorũ qui diuidũtur a duobus neruis ortis a cerebro. de vo.& anh. Sp.61.H
inter Costas ad musculos non veniunt nerui nisi ex sola spinali medulla. de vo.& anhel. Sp.62.B
ad Costarum radices nerui, quales. 16°. de vsu par. 1ª.216.E
inter Costas prope spondylos læsis neruis, anhelitus & vox destruetur. de vo.& anhel. Sp.60.E
in Costis quando grauitas percipitur. de cur.ra.per san.mis. 6ª.16.F
Costas succingentis membranæ origo. introd. Isa.53.H
Costas succingens membrana vnde dolet. 2°. de loc.aff. 4ª.9.A
circa Costas si sit dolor sine pleuritide, fit densus, & paruus spiritus. 3°. de diff.resp. 3ª.70.C
in Costas tegentis membranæ inflammationibus indicium firmum ac solidum accipitur ex pulsu. 2°. de loc.af. 4ª.13.E
Costas succingentis membranæ inflammationis & hepatis pulsus diuersus est. 2°. de loc.aff. 4ª.13.D
Costarum notharum iecoris inflammatio potest facere dolorem. 2°. de loc.aff.13.D/5°. 4ª.34.G
Costarum notharum dolor non significat statim pleuritidem, & quando est iudicandus pleuriticus. 2°. de loc.aff. 4ª.13.D
sine Costarum dolore tussientibus, fiunt absessus qñq; in testiculum. in 6m. de mor. vul.com. 1°. 3ª.162.H
Costarum partibus carnosis patientibus, quo modo cognoscatur dolorem lateris fieri. com 6°. aph. 5°. Ex.46.H
Costas cingens membrana erosa in pleuritide. 5°. de lo.aff. 4ª.29.E
Costarũ absessus quibꝰ hieme expectare oportet, si æstas pluuiosa sit & australis, & similis sequatur autũnus. de aere, aq.& lo. 2ª.4.C
in Costarum vitium ex angina mutatio. in 6m. de morb. vulgar. commentario. 2°. 3ª.162.G
in Costali morbo pus colligitur in vna parte. in prog.cõ. 2°. 4ª.204.C
a Costis ad os quomodo pus eat. 5°. de lo.aff. 4ª.30.G
circa Costas absessus boni, & mali. de inæq.intemp. 3ª.43.F
Costis quæ subtenditur membranæ phlegmone est mortalis in corpore calido & sicco. 10°. meth.med. 7ª.63.H
in Costarũ doloribus screatio qualis esse debet. in pgn.c. 2°. 4ª.202.A
ex Costarum sola affectione fit sputum sanguinis, pulmone nihil patiente. de artic.com. 3°. 7ª.275.D
anteq̃ Costæ compatiantur in peruitiosis pulmonis inflammationibus humor noxius strangulat ægrum. com. 7°. aph. 11°. Ex.54.G
ad Costas succingentis membranæ labores valet theriaca. de ther.ad Pis.91.H/de vsu ther.ad Pamp. 5ª.98.F
ad Costarum affectiones valens antidotus. 2°. de antid. 5ª.111.E
Costas exustas multi ex Scythis habent. de are, aq.& loc. 2ª.5.F
Costas succingens membrana quo modo cognoscatur esse vulnerata. 1°. de loc. aff. 4ª.2.E
de Costarum fractione. de artic. com. 3°. 7ª.274.H
in Costarum ictu quot diebus fiat curatio. de artic.com. 3°. 7ª.275.H
in Costarũ contusione venã ad cubitũ secat. de frac.com. 2°. 7ª.236.C
in Costarum ictu venam secat Hippocrates absque plethora. de arti. commen. 3°. 7ª.275.G
Costa ob sphacelum excisa. 5°. de loc.aff. 4ª.29.H
in Costis quo loco fracta spinali medulla, neq; anhelitus, neq; vox amittatur. de voce & anhel. Sp.60.F
Costa fracta difficulter sanatur. intro. Isa.60.E
Costa fracta, & interius plicata quo modo ad exteriora reducatur. de dynamidys. Sp.32.F
ex Costis sæpius tota ossa eximuntur. de diff.mor. 3ª.4.B
Costarum sideratio. de artic.com. 3°. 7ª.275.E
COSTVM quid. de simp.med. Sp.82.D
Costo similis est piperis radix. 8°. de simp.med.fac. 5ª.58.B
Costus qualis. 6°. de comp.med.sec.loc. 170.G/8°. 5ª.190.F
Costus medicamentarius est calidus facultate. 8°. de comp.med.secũdum locos. 5ª.197.F
Costus nobis admotus videtur calidus. 3°. de temp. 3ª.21.H
Costus præcipue, & casia, & cinnamomum, & amomũ sunt aromata sufficienter calida. com. 5°. aph. 28°. Ex.40.C
Costus aromaticum medicamentum. 9°. de comp.med.se.lo. 5ª.201.G
Costum odoratas reddit compositiones. 1°. de comp.med.se.l. 5ª.128.C
Costus ponitur in theriaca. de ther.ad Pis. 5ª.92.E
Costum omne vires habet acriter stringentes, & excalfacientes. de simp.med. Sp.82.D
Costus subamarus est, valde acris, ac calidus. 7°. de simp.m.f. 5ª.52.F
Costi amari fit mentio. secret. Sp.97.A
Costus necat lumbricos. 7°. de simp.med.fac. 5ª.52.F
Costis dulcis fit mentio. secret. Sp.102.A
Costus indicus. 5°. de comp.med.sec.loc. 5ª.160.E
Costus purgat pulmonem, & thoracem. de cathar. Sp.95.B
Costus valet in resolutis, & ischiadicis, vrinas, menseśq; prouocat, ad rupta, conuulsa, & laterum dolores facit & ad maculas ex sole cõtractas valet. 7°. de simp.med.fac. 5ª.52.F
Costus menses & vrinas prouocat. 5°. de simp.med.fa. 5ª.38.A
Costum per os prouocat sudorem. de cathar. Sp.95.D
Costus colorem expurgat, & sudorem mouet. de cura icter. Sp.111.C
Costus venerem excitat. 7°. de simp.med.fac. 5ª.52.F
Costo vtimur quando ex alto in superficiem extrahere volumus. 7°. de simp.med.fac. 5ª.52.F
Costus generose discutit. 6°. de comp.med.sec.loc. 5ª.169.D
COSTINVM oleum rigores tollit. 7°. de sim.med.fac. 5ª.52.F
Costinum oleum exulcerat. 7°. de simp.med.fa. 5ª.52.F
in COTE teruntur medicamenta oculorum. de vic.ra.in mor.acu. commenta. 4°. 7ª.152.G
in Cote medica tritum glaucium. 3°. de comp.med.sec.loc. 5ª.141.C
Cote medica collyria teruntur. 4°. de comp.med.sec.loc. 5ª.151.D
Cotis noxiæ ramentum vt mammæ non intumescant. facit. 9°. de simp. medic.fac. 5ª.67.D
Coticula ocularium. 5°. de comp.med.sec.loc. 5ª.158.G
COTVRNICES volunt vincere. 5°. de decr.Hip. 1ª.256.G
Coturnices vescuntur elleboro. 2°. de alim.fac. 2ª.17.C
Coturnices non purgat veratrum, sed est illis nutrimentum. 1°. de simpli.med.fac.2.D/3°. 5ª.23.D
Coturnicum cibus est veratrum, homines tamen male corrumpit. de ther.ad Pis. 5ª.91.A
Coturnicum esu multi musculorũ distentionibus correpti sunt, quippe quæ vescantur veratro. in 6m. de morb. vul.com. 5°. 3ª.194.E
COTONEVM malum habet bonum saporem. de subsig.emp. Isa.33.F
Cotoneum malum in aqua coctum pro iecoris phlegmone. 11°. methodi medendi. 7ª.73.A
Cotoneorum decoctum & iecori & ori ventriculi conuenit. de remedijs paratu facil. 7ª.158.F
Cotonea mala sunt austera. 2°. de loc.aff. 4ª.12.E
Cotoneum adstringit. de opt secta. Isa. 21.H/6°. de comp.med.sec.loc. 5ª.176.F/4°. met.med. 28.H/ 7ª.83.G
Cotoneorum decoctum adstringens leue. 5°. meth.med. 7ª.31.H
ex Cotoneorum succo medicamentum magis adstringit, quàm ex malorum succo. 6°. de san.tu. 2ª.101.B
Cotoneorum malorum acerborum decoctum adstringens fortius pro gargarismis. 6°. de comp.med.sec.lo. 5ª.172.G
Cotonea in cibis cõueniũt stomachicis. 8°. de comp.med.se.lo. 5ª.192.B
Cotoneorum malorum cremor ad stomachi ardorem cum syncope. 8°. de compo.med.sec.loc. 5ª.191.H
ex Cotonei mali succo vinũ p vẽtriculo imbecillo. 7°. me.me. 7ª.43.H
ex Cotoneorum succo medicamentum. 6°. de comp.me.se.l. 5ª.168.H/ 8°. meth.med. 7ª.53.E
ex Cotoneorum carne medicamentum. 8°. meth.med. 7ª.53.E
Cotonex mali radix. 8°. de comp.med.sec.loc. 5ª.189.E
pro Cotoneo mespilus. de opt.sect. Isa.23.G

Cotoneum & meſpilus ſimilia.de opt.ſecta. *Iſa.21.G*
COTYLE *quid.1°.de motu muſc.* 1ª.312.C
Cotylæ oſſium concauitates ſunt.de cauſ.mor. 3ª.9.E
Cotylæ iſchij caput fœmoris excipit.3°.de vſu par. 1ª.131.A
Cotylæ cur non extrinſecus poſitæ a natura.3°.de vſu par. 1ª.131.B
COTYLA *pro humidorum varietate. de ponderibus & menſuris.* 275.G/ 5ª.277.A/C/D
Cotyla quæ menſura.de pond.& menſ.275.E/276.D/G/H/ 5ª.277.E
Cotyla qua nota ſignificetur.de pond.& menſ. 5ª.275.C
Cotylæ quarta pars oxybaphum dicitur.de vic.rat.in morbis acutis. commen.1°. 7ª.112.E
Cotyla.2°.de antidotis. 5ª.117.D
COTYLEDON, *id eſt vmbilicus veneris, humidum, ſubfrigidum, ſub amarum.7°.de ſimp.med.fac.* 5ª.52.F
Cotyledon non facit multum ſuccum.1°.de comp.med.per g. 5ª.211.H
Cotyledon phlegmonas eryſipelatodeis, & eryſipelata phlegmonode curat,ſtomachi ardore æſtuantis admodũ vtile epiplaſma eſt, calculos confringit,& vrinam mouet.7°.de ſimp.med.fa. 5ª.52.F
COTYLIDONES *dicuntur meatus illi quibus fœtus alligatur. de ana tom.par.* *Sp.43.C*
Cotylidones rumpuntur in partu,& exit ſanguis cum aquoſitate. de anat.viuo. *Sp.52.E*
COXAE quæ.introd. *Iſa.54.E*
Coxæ ſimul formantur,poſt diſiunguntur.de ſper. *Sp.36.C*
Coxæ oſsis materia.de artic.com.3°. 7ª.280.H
Coxæ oſſa vnde ſuſpendantur.intro. *Iſa.54.H*
in Coxis oſſa facta ſunt propter motum.11°.de vſu par. 1ª.191.B
in Coxa magnum acetabulum.de oſſib. 1ª.43.C
de Coxæ,& humeri articulo cur ſimul agit Gal.15°.de vſu p. 1ª.213.C
Coxæ articulus firmior eſt articulo humeri.15°.de vſu p. 1ª.213.C
Coxæ ſimiæ articulus eſt propemodum ſimilis articulo coxæ hominis. 15°.de vſu par. 1ª.213.D
Coxæ articulus mouetur ſine doctrina.6°.de loc.aff. 4ª.42.C
Coxæ articulus quo modo moueatur.15°.de vſu par. 1ª.213.E
Coxæ muſculorum prima differentia triplex.15°.de vſu par. 1ª.213.E
Coxæ articulũ mouẽtes muſculi quot,& quales.15°.de vſu p. 1ª.213.E
Coxam muſculi extendentes,quales.15°.de vſu par. 1ª.213.E
Coxam muſculi flectentes,quales.15°.de vſu par. 1ª.213.E
Coxam muſculi adducentes intro,quales.15°.de vſu par. 1ª.213.E
Coxam muſculi adducentes foras,quales.15°.de vſu par. 1ª.213.E
Coxæ muſculi in ſtantibus,& mouentibus quo modo ſe habeant.15°. de vſu par. 1ª.213.F
Coxæ articulum totum ex poſterioribus tegens muſculus,correſpondet muſculo qui eſt in epomide.15°.de vſu par. 1ª.213.G
Coxas graciliores habent gibberoſi circa lumbum,q̃ qui circa thoracẽ ita affecti ſunt.de artic.com.3°. 7ª.269.H
in Coxa in partibus genu anterioribus maximã videm⁹ chordã, ob q̃ per cõpatiendi rõnẽ põt fieri cõuulſio.cõ.5°.aph.65°. *Ex.45.A*
in Coxa ſũt venę magnę quib⁹ læſis vix aĩal viuit.3°.de vſu p. 1ª.131.B
in Coxa arteria vulnerata nullo pacto ſeruaĩ aĩal.3°.de vſu p. 1ª.131.B
Coxis ligatis ſæpius irrationabiles impetus ſanguinis retinemus. de catharticis. *Sp.94.H*
in Coxis,& crurib⁹ venę latiores ſunt varices.c.6°.ap.21°.Ex.48.d
in Coxam ſi vterus vergens ſuppuratur,neceſſe eſt linamentum fieri.com.5°.aph.47°. *Ex.41.H*
Coxæ quo modo lædantur.5°.de ſan.tu. 2ª.88.H
Coxarum dolores quomodo conueniant cum articulorum doloribus & quomodo differant.intr. *Iſa.57.F*
Coxarũ dolores qũo differant cũ podagra & cõueniant.intr. *Iſa.57.F*
ad Coxam & lumbos quãdoq; veniunt dolores ex crapula & cibis. de vic.rat.in mor.acut.com.4°. 7ª.145.A
Coxæ dolores ex itinere.de vic.ra.in mor.acu.com.4°. 7ª.144.D
Coxas,aut mammas,aut oculos,aut genua dolor infeſtabit & nõ corrumpent fœtum mulieres,ſi mammæ quæ fuerant tenues, fiãt duræ. com.5°.aph.53°. *Ex.42.C*
Coxæ dolorem ſignificat vrina quæ inferius nebuloſa & ſubliuida fuerit,ſuperius autem claritatem habuerit.de dyn. *Sp.35.D*
Coxæ dolore occultato deliriũ ſignificat ſublime in vrinis.in 1ᵐ.pr. commen.1°. 4ª.168.G
Coxarum dolorum curatio.intr. *Iſa.57.F*
cur in Coxa non vtimur repercutientibus,in pedibus autem, & manibus vtimur.10°.de comp.med.ſec.loc. 5ª.207.A
in Coxarũ doloribus quæ vena eſt ſecanda.de nat.hu.c.2°. 7ª.183.B
a Coxæ dolore liberat arteria malleoli.de cur.ra.per ſan.miſ. 6ª.21.f
Coxarum dolores adiuuat capparis cortex.7°.de ſimp.me.f. 5ª.49.G
ad Coxæ,& ventris dolorem in mulieribus.de paſſ.mul. *Sp.95.H*
ad Coxarum dolores acopon.7°.de comp.me.per ge. 5ª.273.C
Coxa exuritur in iſchia.in 6ᵐ.de mor.vul.com.2°. 3ª.161.G
in Coxæ exuſtione dolor dolore ſanatur,& quomodo.in 6ᵐ.de morb. vul.com.2°. 3ª.161.G
ad Coxarum inflationem duo emplaſtra.de dyn. *Sp.30.A*
Coxam infeſtantes humores attrahit ſalſugo piſcium ſalſorum.11°.de ſimp.med.fac. 5ª.83.G
Coxam pro articulum coxæ excidere dictum ab Hippocrate. de artic. com.3°.7ª.281.B/com.6°.aph.59°. *Ex.53.G*
Coxæ articulus ſi intro exceſſerit crus lõgi⁹ eſt.de arti.c.3°.7ª.276.C
Coxa elapſa non aptata facit bouis inceſſum,& vexatur aliud crus. de artic.com.3°. 7ª.276.E
in Coxa,& humero nõ fit ſubluxatio,cur.de artic.com.4°.7ª.283.B
Coxæ articulus neque a capſula,neque a canali contineri poteſt. de fract.com.2°. 7ª.239.E
cum COXENDICE *pectus nihil habet commune. in 6ᵐ.de mor.vul. commen.4°.* 3ª.180.A
ad Coxarios.6°.de comp.med.per gen. 5ª.262.B
Coxioſis prodeſt nepita.de ſimp.med. *Sp.87.H*
de Coxendicis muſculis.15°.de vſu par. 1ª.213.C
Coxendicem mouentes muſculi decem.de muſ.diſſ. 1ª.50.F
Coxendicis dearticulationem euidenter vehementerq̃ mouens muſculus.de muſc.diſſ. 1ª.51.D
Coxendicis dearticulationem primis muſculis mouentibus qui nerui inſerantur.de ner.diſſ. 1ª.55.C
Coxendicum dolor morbus longus.1°.de criſ. 4ª.126.F
Coxendicũ dolores comitanĩ ſenes ad mortẽ.c.2°.aph.40°. *Ex.18.A*
Coxendicum dolor vnde ſit.10°.de comp.med.ſec.loc. 5ª.206.G
a Coxẽdicum dolore diuturno quibuſcũq; moleſtatis excidit coxa,ĩs crus tabeſcit,& claudicãt,ſi non vranĩ.com.2°.aph.60°.Ex.53.G
Coxendix iuuatur vena poplitis,& malleolorum ſecta. de cur.ra.per ſang.miſſio. 6ª.20.E
Coxendices curauit vna die ex crure facta euacuatione:erat autem coxendix non ex frigore,ſed impletis ſanguine venis quæ ſunt in coxa.de cur.rat.per ſang.miſſ. 6ª.20.F
Coxendices ſola purgatione ſanati.de purg.med. 5ª.87.G
ad Coxẽdicũ dolorẽ nunq̃ vtẽdũ repcutiẽtib.de rem.par.f.7ª.160.C
in Coxendicum dolore quibus vti debeamus in principio.10°.de cõpo.med.ſec.loc. 3ª.207.A
Coxendices in ſcapulas rigentes iuuat Antidotus Mithridatis Eupatoris Diaſcinci nominata.2°.de antid. 5ª.115.C
Coxendicibus ſubueniens Antidotus.2°.de antid. 5ª.116.C/D
Coxendicibus ſtrenuum remedium eſt Calamintha.6°.de ſimp.medi. facult. 5ª.49.C
Coxendice laborantibus dat Chamæciſſos.8°.de ſimp.med.f. 5ª.63.E
Coxendicis doloribus laborãtibus exhibetur Chamæpitys.8°.de ſimpli.med.fac. 5ª.63.F
ad Coxendicum dolores Malagma.7°.de comp.me.per ge. 5ª.266.H
Coxendicis dolores excalfacit Naſturtium.7°.de ſimp.me.fa. 5ª.50.A
pro Coxendicum morbo & hemicrania Paſtillus.2°.de comp.medic. ſecun.loc. 5ª.140.D
ad Coxẽdicũ dolorẽ Protæ Peluſiotæ.10°.de cõp.med.ſe.lo. 5ª.207.d
ad Coxẽdicẽ inueteratã Stercus colũbinũ.10°.de ſimp.me.f. 5ª.77.A
Coxendices inueteratos diſſoluens.6°.de comp.med.per ge. 5ª.263.A
ad Coxendicum omnem dolorem.7°.de comp.med.ſec.loc. 5ª.185.C
ad Coxendicum dolorem.2°.de comp.me.per gen.226.C/7°.267.B/ 272.C/5ª.273.B/de rem.par.facil.160.C/168.B/ 7ª.173.C
ad Coxendicum ſciſſuras.de rem.par.fac. 7ª.169.B
Coxendicis luxatio inſanabilis.17°.de vſu par. 1ª.222.F
COZVMBRVM ad quid ſit vtile.de dyn. *Sp.32.D*
Cozumbrum quando iuuet in pleuritide.de dyn. *Sp.33.E*

CRAEPALEN *greci oẽs nominant noxam factam a vino, a carenon palleſthæ,quod ſignificat caput concuti.com.5°.aph.5°.* *Ex.37.G*
CRAMBE.*i.braſſica.7°.de ſimp.med.fac.* 5ª.52.F
Crambe agria.7°.de ſimp.med.fac. 5ª.52.H
Crambe thalattia.7°.de ſimp.med.fac. 5ª.52.H
CRANIA.*i.cornus.7°.de ſimp.med.fac.* 5ª.52.G

peri

peri CRANION *vnde oriatur.8°.de vſu par.* 1ª.169.C
CRANION *vnde dicatur.8°.de vſu par.* 1ª.169.B
Cranium vbi eſt.de anat.par. Sp.43.D
Cranion non eſt connata meninx craſſa.8°.de vſu par. 1ª.169.C
Craniũ tãgit a dura meninge,ſed nõ adhereſcit.8°.de vſu p. 1ª.170.B
Cranion cur totum oſſeum.7°.de vſu par. 1ª.164.A
Cranion ex multis oſſibus componi fuit vtile.9°.de vſu par. 1ª.176.G
Cranium cur cauerno ſum.9°.de vſu par. 1ª.171.H
Craniũ tenuiſſimũ,et rariſſimũ i ſutura coronali.13°.meth.me. 7ª.85.b
Cranioni immobile eſt.7°.de vſu par. 1ª.164.A
ſub Cranio eſt pellicula quę dr dura mater.de anat.par. Sp.43.D
Cranium inhæret membranis,et propter quid factum ſit.de natura et ord.cuiuſ.corp. Sp.41.H
Cranij os eſt ad tuendum cerebrum ab extrinſeco nocumento. de ana. viuorum. Sp.55.C
a Cranio non fit cerebrum.8°.de vſu par. 1ª.170.B
per Cranium ab externa parte veniunt venæ in cerebrum. 9°.de vſu partium. 1ª.173.A
Cranij oſſa quando volumus aliquo medicamento pertranſire, quid agendum.11°.meth.med. 7ª.73.E
in Cranio facto vniuerſaliter inflari venas.de vtil.reſp. Sp.63.H
in Cranij fractura inſtillatur ſanguis columbæ ſuper duram membranam,& etiam ſanguis palumbi.10°.de ſimp.me.fa. 5ª.72.G
in Cranij fractura conuenit roſaceum ſuper meningem, vt columbæ ſanguis.10°.de ſimp.med.fac. 5ª.72.H
in Cranij fractura oleo roſaceo nihil melius, ſi ſit optimum roſaceũ. 10°.de ſimp.med.fac. 5ª.72.H
Cranium hominis ad ægilopes.de med.fac.par. 7ª.163.C
CRANON *vrbs in loco concauo & meridionali. in 1ᵐ.de mor.vul.cõmentario.1°.* 3ª.103.F
in Cranone mulieris primo curatæ caſus. in 6ᵐ.de morbis vulgarib. commentario.3°. 3ª.171.B
CRAPVLAE *ſe daturo quo modo allium optimum eſt. de vict. rat. in mor.acu.com.4°.* 7ª.145.C
Crapulæ ſolutionis non eſt tempus ſtatutum,ſed ſecundum naturam potantis,& vini.com.5°.aph.5°. Ex.37.H
Crapulæ ſunt cauſæ recentes morborum.de nat.hu.com.2°. 7ª.180.F
Crapulæ & deſidiæ nocent podagricis.com.6°.aph.28°. Ex.49.A
ex Crapula,& cibis dolores ad lumbos, & coxam quandoque veniunt.de vic.rat.in mor.acu.com.4°. 7ª.145.A
ex Crapulis quidam febricitant.1°.de diff.feb. 3ª.31.C
CRESSESCANT *quomodo graciles.14°.meth.med.* 7ª.91.G
CRASSITVDO *quid ſit & qũo fiat.in 6ᵐ.de mor.vul.c.3°.* 3ª.176.D
Craſitudinis duæ contrariæ cauſæ quo mõ.in progn.com.2°. 4ª.201.F
Craſitudinem bilis nimia caliditas aſſando,pituitæ vero frigiditas adſtringendo efficit.in progn.com.2°. 4ª.201.F
Craſitudo inuẽte neq; decẽs eſt,neq; liberalis.c.2°.aph.54°. Ex.19.F
Craſitudo iniurijs,quæ interne ab ipſo corpore proueniunt, eſt obnoxia.2°.de ſan.tu. 2ª.75.H
Craſſities ſplenis,& hepatis auget lac ſi comedatur ſolum. de diſſolu. continua. Sp.74.H
ad Craſſitiem ſuperfluam hominis deponendam.de dyn. Sp.31.B
ad Craſſitiem vberum.de paſſ.mul. Sp.96.D
CRASSITIES *membranarum oculi affectus.intro.* Iſa.58.D
Craſſities affectus partium interiorum palpebrarum.intro. Iſa.58.D
Craſſities eſt qualitas.11°.meth.med. 7ª.71.D
CRASSITVDO *& lentitia, alimenti ſunt vitia.3°.de ſymptomatum cauſis.* 3ª.26.A
Craſitudo quibus cibis adſit.de diff.cont. Sp.75.B
Craſſities cũ lentore non ineſt omni caſeo.de bon.& vi.ſuc. 2ª.35.B
Craſſitie ciborum aſſumptorum, aut multitudine quando generatur phlegma in ſtomacho ac reliquo corpore,conueniunt cibi accetoſi. de diff.cont. Sp.72.G
Craſſitiei temperatæ oua quæ.de boni.aquæ. Sp.73.A
Craſſities in vinis facit vt magis nutriant.de bon.& vit.ſuc. 2ª.38.D
Craſities vini iuuat & obeſt propria ratione. de vict.rat.in mor.acu. commen.3°. 7ª.125.F
CRASSITVDO *humorum alterare poteſt pulſus, non efficere. 1°.de cauſis pulſ.* 4ª.86.G
Craſſities & tenacitas humoris facit longius extendi coctionem.com. 6°.aph.49°. Ex.52.E
ob Craſitudinem,vel multitudinem,vel frigiditatem, vel viſcidita-tem humorum efficientium febres in longum tempus morbi extenduntur.com.4°.aph.44°. Ex.32.F
Craſitiem crudorum humorum ſignificant vrinæ conturbatæ, non ſub ſidentes.in 3ᵐ.de mor.vul.com.1°. 3ª.131.E
a Craſſitie humorum morbi, vt podagrici,arthritici, & melancholici,debent purgari in principio veris.quos pur.op. 5ª.88.C
ex Craſſitudine viſcoſitateq; humorum prouenientibus morbis in pulmone,& in thorace.8°.de ſimp.med.fac. 5ª.58.D
Craſities accommodata ad lapidem generandum. de renum affectuũ dignotione & med. 7ª.192.C
Craſitudinem incidendi vim habet Agaricum.6°.de ſim.me. 5ª.41.E
Craſitudinem humorũ incidit Chamædrys.8°.de ſimp.me.fa. 5ª.63.E
Craſitudo excrementi a quo fiat.1°.de ſan.tu. 2ª.68.D
ob Craſitudinem puris,aut loci ſuppuratio in corpore exiſtens non innoteſcit.com.6°.aph.41°. Ex.51.A
Craſitudo cerati.7°.de comp.med.ſec.loc. 5ª.186.H/*de rem.par.fac.* 160.B/162.A/ 7ª.167.B
Craſitudo cerati ſpiſſioris.8°.de comp.med.ſec.loc. 5ª.192.G
Craſſitudo emplaſtri qualis.3°.de comp.med.per ge. 5ª.229.D
*ad Craſſitudinem ſordium.1°.de comp.med.per gen.*215.G/2°.223.G/224.F/6°.255.B/5ª.262.C/8°.*meth.med.*53.C/14°.90.B/*de re med.par.fac.*158.A/162.A/ 7ª.170.F
*ad Craſſitudinem ſtrigmenti.5°.de comp.med ſec.loc.*161.F/6°.168.E/169.G/172.B/C/7ª.181.G/9°.203.F/ 5ª.105.E
CRASSVM *proprie nominatur corpus quod ſecundum latitudinem, ac profunditatẽ vltra modum eſt auctum.c.2°.aph.54°.* Ex.19.E
a Craſſioribus tenuiora ſunt propagata.de fœt.for. 1ª.324.E
Craſſum pro obeſo,& corpulento.1°.de ſan.tu. 2ª.64.G
Craſſi a prima ætate habent venas & arterias anguſtas, & ob id paucum ſanguinem & ſpiritum habent.com.2°.aph.44°. Ex.18.F
Craſſi aliqui qui ſanguinem habent paucum.in 6ᵐ.de morb.vulg.commentario.3°. 3ª.176.C
Craſſas venas,latas,plenas,& citrinas habet conceptus in horis bilis.de ſper. Sp.37.C
Craſſi cur habent paruum pulſum.1°.de digno.pul. 4ª.74.A
Craſſioribus effectis cutis extenſa apparet.in 6ᵐ.de morb.vulg.commenta.3°. 3ª.176.E
Craſſi plurimo pituitoſo ſucco abundat.de ſal.dię. 2ª.41.F
Craſſiſſimis & duras aluos habentibus pueris conuulſiones maxime fiunt.com.3°.aph.25°. Ex.25.C
Craſſæ quæcunque præter naturam non concipiunt vtero,ijs omentum os ventriculi comprimit,& priusquàm extenuatæ fuerint non concipiunt.com.5°.aph.46°. Ex.41.G
qui Craſſi admodum ſunt natura citius intereunt quàm graciles.com. 2°.aph.44°. Ex.18.F
qui Craſſi facti ſunt victu delicatiore calorem natiuum minus obnoxium extinctioni habent.com.2°.aph.44°. Ex.18.F
*Craſſorũ, qui tenues eſſe volũt,victꝰ qualis eẽ dẽat.de ſal.dię.*2ª.41.B
Craſſi oculi ſunt conceptis in hora phlegmatis.de ſper. Sp.37.C
Craſſis cruribus quod eſt,ineptum eſt ad pleraſq; exercitationum. 5°. de ſan.tu. 2ª.89.H
Craſi, qui tenues eſſe volunt,ieiuni exercitationes cunctas ſubire debent.de ſal.dię. 2ª.41.B
Craſiores qui volunt euadere ex tenuibus quid illis agendum eſt. de ſalubri dieta. 2ª.41.D
Craſſum reddit exercitatio cuius motus non ſunt celeres.5°.de ſanitate tuen. 2ª.89.F
cur ex Craſſa carne,forti,& dura ſit cor.de ana.vi. Sp.52.F
Craſſa labia cur hũt melãcholici.de mel.ex G.R.& Poſſ. Sp.109.E
Craſior,& ſpiſſior apud exitũ cãnæ eſt pulmo.de ana.viu. Sp.48.A
Craſi ſupra modum non ſunt integre euacuandi,nec vena illis ſecanda.1°.de arte cur.ad Gla. 7ª.98.D
Craſi mediocriter,& difficile vomentes deorſum ſunt purgandi æſtatem vitantes.de cathar. Sp.94.C
Craſi,lege Pingues.
Craſſum quippiã deferẽ in omnibus liquoribus,quos exprimẽdis fructibus cõficiunt,quod tpis ſpatio ſubſidit.1°.de ſimp.med.fa. 5ª.5.D
in Craſſos,ſubtiles,& medios ciborum temperatorum diuiſio.de diſſectione continua. Sp.73.G
Craſſos,viſcoſos,et frigidos hũores gnantes cibi.de pue.epi. 7ª.180.D
*Craſſorũ quorũdã ciborũ enũeratio,et cur tales ſũt.de diſ.cõ.*Sp.72.H
Craſi ſucci cibi.1°.de compo.med.ſec.loc. 5ª.128.D

Craſſum,&

Crassum,& bonum humorem quæ generent.de dif.cont. Sp.74.A
Crassiorem sanguinem temperato generat caro pullorum,columbarũ, & paruarum auium.de dif.cont. Sp.73.A
Crassum succum generat suilla caro.7°.meth.med. 7ª.45.D
Crassi succi sunt chondrus,oua,& similia.de vict.rat.in morb.acutis. commen.4°. 7ª.146.H
Crassum,& frigidum humorem generant fungi.de dif.con. Sp.74.G
Crassum est lactis nutrimentum.de dif.cont. Sp.73.F
Crassum est lac quando lactantur animalia.de diff.cont. Sp.73.H
Crassum lac incrassat,sicut vaccæ.de dif.cont. Sp.73.F
Crassos humores generat lens.de pue.epilep. 7ª.180.H
Crassi humores,& praui a lente fiunt.1°.de ali.fa. 2ª.13.E
Crassum sanguinem generant milium,& pannicum.de dif.con.Sp.74.b
Crassum,& corruptibile nutrimentum generant oua cocta in tegamine,vel in teſtis,& caseus.de dif.cont. Sp.74.B
de Crassa farina panis est cibus medius.de dif.cont. Sp.74.C
Crassæ,& viscosæ carnis pisces nutriunt eum qui digerit illos, nutrimento multo crasso.de dif.cont. Sp.73.E
Crassos generant succos,& difficilis sunt coctionis radices quæ manduntur.de puero epil. 7ª.180.D
Crassos humores non generantes radices.de pue.epil. 7ª.180.D/E
Crassarũ ptiũ vina austera,nisi sint vetera.4°.de cõp.m.pg. 5ª.239.F
Crassum est vinũ album põticum,nocuũ,& malũ.de dif.cõt. Sp.74.D
Crassum vinum,nouum,nigrum,ponticum velociter acescit in stomacho & incensionem facit.de dif.con. Sp.74.F
Crassum est consistentia vinum dulce.de vinis. Sp.76.D
q̃ Crassum est cõsistẽtia vinũ dulce,tã ẽt tarde meat.de vinis.S.76.d
Crassum vinum album dulce quale sit in nutriendo.de dif.cõt.Sp.73.F
Crassum vinum rubrum dulce nutribilius est.de dif.cont. Sp.73.F
Crassum vinũ rubrũ asperũ in nutriẽdo quale sit.de dif.cont. Sp.73.F
Crassum vinum nigrũ dulce quale sit in nutriendo.de dif.con. Sp.73.F
Crassum vinũ nigrũ asperũ quale sit in nutriendo.de dif.con. Sp.73.F
Crassum vinũ,nouũ dulce,ponticũ tarde descendit.de dif.cõ.Sp.74.H
Crassum vinũ nouũ tarde digeriẽ pp superfluitatem.de dif.cõ.Sp.73.E
Crassum reddit splenem vinum dulce.de dif.con. Sp.74.H
Crassi cibi,& acerbi tardi sunt transitus.3°.de symp.cau. 3ª.27.D
Crassi cibi in aliquo corpore velocius digerumtur.de dif.cont.Sp.73.C
Crassos cibos in hyeme sumere melius est,& cur.de dif.con.Sp.72.G
Crassis cibis cur vtantur Athletæ.1°.de alim.fac. 2ª.10.B
inter Crassa,& subtilia media cibaria danda sunt temperato qui non multum mouetur.de dif.cont. Sp.73.A
inter Crassum & subtile media cibaria sunt meliora omnib.hoibus,et maxime tẽperatis,& in tpe temperato.de dif.cont. Sp.73.G
Crassi cibi viscosi multum nutriunt si coquantur aliter faciunt oppilationem.de dif.con. Sp.72.G
Crassa cibaria in corpore calido quid efficiant. de dif.cont. Sp.72.G
Crassi cibi qũo edendi a nõ calidis,et q̃ nõ mouent.de dif.cõt.Sp.72.G
Crassa cibaria dominante eis siccitate,duritie,& viscositate,& simplicia,& commista quid faciant.de dif.cont. Sp.72.G
a Crassis,& siccis cibis fit humor melãcholicus.1°.de ali.fa.2ª.13.E
Crassum humorem facientia sunt inutilia senibus.5°.de san.tu.2ª.91.b
Crasso fumo ascendente a stomacho,aut pede,aut alio membro,fit quã doq; epilepsia.de vtil.resp. Sp.63.E
Crassus humor melancholicus quodam modo magis minusue est. 13°. meth.med. 7ª.80.B
ex Crasso sanguine atra bilis.in 1m.prorr.com.1°. 4ª.164.D
Crassum sanguinem humore plenum melancholico talem in sanguine consistentiam habentem,qualis est in vinis fæx,hæmorrhoides conſueuerunt euacuare.com.6°.aph.11°. Ex.47.D
Crassi humores quib9 gignant̃,& quibus nõ.de frac.com.2°.7ª.235.F
Crassi humores quomodo cognoscantur,& quo modo tenues.in 3m.de mor.vul.com.2°. 3ª.144.G
a Crasso & viscoso humore fit obstructio meatuum subita.3°.de locis affectis. 4ª.17.G
Crassi humores infarciuntur inter gibbam & simam hepatis partem. de vict.rat.in mor.acu.com.1°. 7ª.111.E
Crassi & crudi vbi sunt humores,morbi sunt pessimi.in 1m.de morb. vulg.com.3°. 3ª.122.E
Crassi humores frigidi,& pituitosi faciunt morbum comitialem.com. 5°.aph.7°. Ex.38.A
Crassi cibi,et glutinosi ob putredinẽ causę febriũ.1°.de dif.feb.3ª.32.A
ex Crasso humore chronicis febribus cõferẽs.de med.exper.Sp.105.F
Crassos & tenaces humores ilei in causa esse,Galeno non videtur probabile.com.6°.aph.44°. Ex.51.C
Crassi humores tubercula faciunt.in 6m.de mor.vul.cõ.2°. 3ª.165.F
Crassi,& glutinosi succi tremorem faciunt.2°.de symp.cau. 3ª.20.E
ex Crasso & melancholico humore fiunt varices in coxis & crurib. com.6°.aph.21°. Ex.48.D
Crassus humor in pupilla quid faciat.1°.de loc.aff. 4ª.4.A
Crassa reddi debet materia ob tenuitatẽ fluẽs in oculũ.de sect. Is.19.B
Crassis,lẽtis,humidis,vel frigidis humoribus,quibus aggrauat̃ os vẽ triculi,illis animi defectus cõtingit.1°.de arte cur.ad Gla.7ª.98.F
Crassi humores in pulmone quo modo cognoscantur esse,quo modo in pulmonis bronchijs.4°.de loc.aff. 4ª.27.F
Crassi,& lenti humores non possunt exire absque tussi valida.4°.de locis aff. 4ª.27.G
ex Crassis humoribus in inteſtinis colicæ passioni valens medicina. de med.exper.106.G/ Sp.107.E
Crassa,& viscosa quo modo curentur.5°.de vsu par. 1ª.143.B
Crassi humores quibus tollant̃.7°.de comp.med.sec.loc. 5ª.186.D
Crasso,lentoq; humore indurata poscunt calida & sicca medicamẽta. 5°.de simp.med.fac. 5ª.34.E
Crassos humores quæ incidunt calefaciunt mediocriter. de curan.rati. per sang.miss. 6ª.17.E
in Crassis succis frigidis,& lẽtis ab ijs,quæ calefaciũt,nisi ẽt valẽter digerãt,liquantur ac in flatum mutantur.12°.meth.med.7ª.79.E
Crassum in humoribus exercitatione statim in spiritũ vertitur ac funditur.5°.de san.tu.2ª.94.D/12°.meth.med. 7ª.79.E
Crassos succos quæ attenuare queunt,acria sunt.de atten.vic.2ª.43.G
Crassos & lentos humores incidunt & digerunt acria & amara.8°. de simp.med.fac. 5ª.58.D
Crassi & crudi humores aut per absessum aut per coctionem soluuntur.in progn.com.3°. 4ª.209.G
Crassarũ materierũ morbi p absessum finiũt.in pgn.com.2°.4ª.201.C
Crassi humores dum coquuntur,paucam superfluitatem habent terre strem,nec plurimam vt ligna.2°.de dif.feb. 3ª.41.E
Crassorum & glutinosorum humorum vacuationis modus.14°.meth. medendi. 7ª.87.H
Crassi humores attenuandi sunt antequam euacuentur, & quomodo. quos purg.op.quibus me. 5ª.88.D
Crassi,& lenti humores a secantibus,& digerentibus euacuantur,& qualia esse debent.7°.de simp.med.fa. 5ª.51.E
Crassi humoris generationem in corpore timenti conueniunt cibi subtiliantes primi generis.de dif.cont. Sp.72.D
Crassi succi debent detergi.4°.de san.tu. 2ª.84.E
Crassos humores cibi attenuantes.de atten.vict.2ª.44.A/de dissolutio ne continua. Sp.74.G
a Crasso humore mundificat venas vinum tenue,quando est ei acuitas,& incisio.de dif.con. Sp.74.H
qui Crassum humorem in venis collegerunt,ijs tenuis substantiæ vina vtilia sunt.de vinis. Sp.76.G
Crassos humores in venis habentes bibant vinum tenuis substantiæ.de bon.& vitio suc.2ª.38.D/de dif.cont. Sp.74.H
Crassos & glutinosos humores docet Hippocrates incidere & extenuare in præparatione purgationis.de subtilibus incrassandis nota ipsum nullam mentionem facere.com.2°.aph.9°. Ex.12.C
Crassos humores non trahit aloe.8°.de comp.med.se.lo. 5ª.188.E
Crassos,& lentos humores incidit ampelopraſſum.6°.de simpl.medi. facul. 5ª.44.E
ex Crasso humore dolori iunctur arum ammoniacum prodest.de med. expertis. Sp.104.C
Crassa tam cutem extenuat calor.com.5°.aph.22°. Ex.39.E
Crassam cum non admodum substantiam habuerit calidum, prompte omnia subintrat.com.5°.aph.5°. Ex.37.G
Crassos humores scindens decoctio.de med.exper. Sp.107.B
Crassos,& viscosos humores soluit succus centaureæ cum melicrato. de vir.cent. Sp.94.A
Crassa & biliosa ducit centaurei minoris decoctum infusum.7°.de simpli.med.fac. 5ª.50.H
Crassa attenuat diacalaminthes.4°.de san.tu. 2ª.86.F
Crassos humores subtiliat decoctio carnis & seminis apij.de medicin. expertis. Sp.104.D
Crassam obstructionẽ apit decoctio radicis iridis.de me.exp. Sp.104.B
Crassas oppilationes aperit decoctio pæoniç.de med.exper. Sp.107.C

Crassos humores laxat electuariũ centaureæ.de med.exper.Sp.107.E
Crassos humores desiccat moly.7°.de simp.med.fac. 5ª.56.F
Crassos humores extergit & incidit phasioli semen,cum hoc vt corpora contrahat,& constringat.6°.de simp.med.fa. 5ª.48.H
ad Crassas materias atrabilarias medicamenta mediocria.14°.met. medendi. 7ª.89.H
Crassum humorem & viscosum laxans & scindens medicina.de med. expertis. Sp.106.G
Crassis ventositatibus valens electuarium.de med.exper. Sp.105.B
Crassas ventositates dissoluens medicina.de med.exper. Sp.105.A/C
ad Crassas ventositates valẽs electuariũ gũmi.de me.exp.Sp.108.D
Crassam ex phlegmate ventositatem in stomacho fugans medicina.Secretorum. Sp.101.F
Crassus et lentus humor cur difficulter expuat.4°.de loc.af. 4ª.27.G
ex Crasso humore asthmati valẽs medicina.de med.exper. Sp.106.G
Crassum humorẽ in hectore purgans medicamẽ.de me.exp. Sp.107.H
Crassis pectore pulmoneq; excreationibus non mediocriter cõfert adianthum.6°.de simp.med.fac. 5ª.41.E
Crassorum,lentorumq; humorum excreationib⁹ ex pectore pulmoneq; impendio conferũt amygdalæ amaræ.6°.de simp.med.fa. 5ª.42.G
ad Crassorum,lentorumq; humorum e pectore pulmoneq; expuitiones promouendas vtile est erysimi semen in eclegmatis. 6°.de simplic. med.fac. 5ª.47.F
Crassum sputum tenuat mel.de diss.cont. Sp.74.G
Crassum humorem inuentum in stomacho incidunt,& expellunt poma acetosa,& granata acetosa.de dis.cont. Sp.75.C
Crassam humiditatẽ tenuat,& incidit secaniabin.de dis.con.Sp.74.H
Crassa viscosa,& profunda humidas quibus extrahatur.8°.de comp. med.sec.loc. 5ª.189.D
Crassorum ac melancholicorum humorum lieni insertorum transpositionis & euacuationis ratione superueniens lienosis difficultas intestinorum soluit dispositionem.com.7°.aph.43°. Ex.51.B
Crassum humorem flatuoso spiritui associatum quandoq; euacuari per venæ sectionem,collige.com.6°.aph.22°. Ex.48.D
Crassus sanguis in quibus superabundat,atq; ideo euacuatione indiget,melius putant ipsum fundere prius,deinde secare venam.com men.6°.aph.46°. Ex.57.G
Crassum intestinũ dr manica.de cõpag.memb.siue de na.hu. Sp.59.A
Crassa cur sint tria inferiora intestina.de ana.viu. Sp.50.B
Crassorum intestinorum ordo.4°.de vsu par. 1ª.141.D
Crassorũ intestinorũ principiũ intestinũ cœcum.4°.de vsu p. 1ª.141.D
Crassum intestinum & vesica colligũt excremẽta.4°.de vsu p.1ª.141.D
Crassam essentiam hñt quæ odore carent.4°.de simp.med.fac.5ª.31.B
Crassarũ partiũ,παχυμερῶν greci vocãt,sunt quæ haud facile in tenues partes cõminui possunt.1°.de simp.med.fa.2.G/4.A/4°. 5ª.24.H
Crassorum omnium nullum,licet facultate calidum sit, priusquam ad vnguem comminuatur,patitur a nostro corpore,neque in nos potest agere.1°.de simp.med.fac. 5ª.4.E
Crassarum partium quæ sunt,& æqualia in temperatura minus valent,q; quæ subtilium sunt partium.11°.de simp.med.fac. 5ª.80.B
Crassarum partium sunt acerba.4°.de simp.med.fa. 5ª.25.H
Crassarũ partiũ est adstringẽs frigiditas.4°.de simp.med.fa. 5ª.25.B
Crassarũ partiũ frigefaciẽtia multa sunt.3°.de cõp.me.per g.5ª.228.D
Crassa,& terrestria,vel subtiliatiua,& aquosa sunt constringẽtia. de oculis. 7ª.188.A
Crassa,et terrestria sunt cõstrictiua et põtica multũ.de ocul. 7ª.188.A
Crassæ essentiæ sunt calida multa.1°.de simp.med.fac. 5ª.6.F
Crassarum partium est niger color.1°.de symp.cau. 3ª.17.A
crassarũ partiũ nõ facile alterat substãtia.1°.de inæq.intẽp. 3ª.43.H
Crassarum partium quod est,minus agit,quàm quod est tenuium.1°.de symp.cau. 3ª.17.A
Crassa essentia plus erodit,quando calorem quendam nacta fuerint. 4°.de simp.med.fac. 5ª.30.G
Crassioribus partibus constant metalla.2°.de compo.medic.per gene. 219.H/3°. 5ª.232.B
Crassæ substantiæ quæ sunt relaxãtia pus moucũt.11°.me.me.7ª.72.H
Crassi succi simplicia impediunt repurgationem. 7°.de comp.medica. sec.loc. 5ª.179.A
Crassæ & terreæ substantiæ tantum est solanum, quantum adstringit. 2°.de comp.med.sec.loc. 5ª.136.C
Crassiorum partium est vnguentum myrtinum,& adstringit.11°.methodi meden. 7ª.72.H
Crassa vox quando fiat.de anat.viu. Sp.53.F
Crassa vox ex quo fiat,& quo modo.de vo.& anhel. Sp.61.D
Crassam vocem habent concepti in hora phlegmatis.de sper.Sp.37.C
Crassa vrina quandoque ab Hippocrate dicitur quæ mediocris est,& secundum naturam,hæc enim quodam modo opponitur tenui.com. 4°.aph.77°. Ex.36.E
Crassarũ substãtiarũ in vrinis tres differentiæ.quæs.in Hip.Sp.113.E
Crassa vrina permanens crassa quid significat.quæs.in Hip. Sp.113.E
Crassa existente vrina si minutæ carunculæ tanquam pili adueniunt,a renibus excernuntur.de vri.sign.ex Hip. Sp.78.H
in Crassa existente vrina quibus furfuracea minguntur, eorum vesica scabiescit.de vri.sign.ex Hipp. Sp.78.H
Crassioris farinæ specie hypostases quid significent.de vri.sign.ex Hip. 78.F/quæs.in Hip. Sp.113.E
quibus Crassæ vrinæ grumosæ,paucæ,non febricitantibus, copia ex his tenuis adueniens prodest.de vri.sign.ex Hip. Sp.78.G
Crassa vrina,& rufa cum hypostasi rufa quid significet.quæs.in Hippocratem. Sp.113.B
Crassa vrina,aquosa,atra,maleolens letalis est.de vri.sign. Sp.78.G
Crassas,& nebulosas vrinas habentes a principio sunt purgandi. de vri.sign.ex Hip. Sp.79.A
Crassus sanguis obstruens facit vrinę difficultatem.commentario. 7°. aph.48°. Ex.58.A
Crassum humorem obstruxisse meatum vrinæ quo modo cognoscatur. 1°.de loc.aff. 4ª.3.B
Crassioribus subtiliora præcellunt in vlceribus curandis.4°.de comp. med.per gen. 5ª.236.G
Crassis constans partibus mendicamentum nihil iuuat neruos vulneratos.3°.de comp.med.per gen. 5ª.234.C
Crassum vas aut vena non facile eroditur.3°.de symp.cau. 3ª.27.A
Crassum vas aut vena difficulter recluditur.3°.de symp.cau.3ª.27.b
ad Crassas oras obtinentia.6°.de comp.med.per ge. 5ª.256.H
CRATECGONOS *acris fructus milio similis.7°.de simpl.medicament. facult. 5ª.52.H*
CRATER *mensura ad potum.de med.fac.par. 7ª.179.A*
CRATERAVCHENES *quid significet.in 6ᵐ.de morbis vulgarib. commen.1°. 3ª.154.A*
CRATERVS *qua vtebatur antidoto contra venena. 2°.de antidotis. 5ª.114.H*
Crateri confectio sedans dolorem ad tabescentes & sanguinem reiectantes.7°.de comp.med.sec.loc. 5ª.185.D
CRATEVAS *simplicium scriptor.1°.de antid. 5ª.100.B*
Crateuæ liber eorum quæ eradicantur.de virt.cent. Sp.92.H
Crateuas versatus est in medicamẽtis metallicis.de natura humana. commen.2°. 7ª.183.E
Crateuæ herbarij meminit.6°.de simp.med.fac. 5ª.39.H
CRATIPPI *viri alendis canibus dediti antidotus.2°.de anti. 5ª.116.g*
Cratippi ferula.6°.de comp.med.sec.loc. 5ª.172.E
CREA *quid.introd. Isa.53.E*
CREATIONIS *nostræ auctor est natura.9°.de decr. 1ª.285.C*
Creat sol animam,& cor,& hepar & crebrum.de compag.membro. siue de nat.hum. Sp.59.F
Creari quotidie animas stoici dicebant.de sper. Sp.38.A
in Creatione primum est cerebrum secundum Hippocratem,secũdum Aristotelem cor,secundum alios hepar.de anat.viu. Sp.52.A
Creatus cur fuerit nasus.de anat.viu. Sp.48.H
Creatum cur fuerit hepar.de anat.viu. Sp.50.F
Creati cur fuerint renes.de anat.viu. Sp.51.B
Creata cur fuerit matrix.de ana.viu. Sp.51.D
CREBRO *eueniens quandoq; despicit Hippocrates, & id quod raro euenit pronunciat.2°.de decr. 4ª.156.E*
Creber motus,& celer differunt.2°.de dign.puls. 4ª.75.D
Crebritas cum duris pulsibus cohæret.1°.de caus.pul. 4ª.89.D
Creber rarus,celer,tardus pulsus quid sint,& vnde accipiantur. 1°. de diff.puls. 4ª.48.D
Creberrimi pulsus a quibus fiant.1°.de caus.pul. 4ª.87.E
Crebriores non solum pulsus,sed actiones omnes fiunt ex defectu. 1°. de causis puls. 4ª.90.A
CREDERE *oportet discentem,colligitur.1°.de dieb.decr. 4ª.147.D*
CREMASTERAS *vocant Græci testiculos.de natura & ordine cuiusli bet corporis. Sp.42.B*
Cremasteres,id est suspensores,musculi qui.de musc.diss. 1ª.50.D

CREMATVS *est Romæ liber de catharticis.de cathar.* *Sp.94.C*
CREMENTVM *puero prohiberi a vehementi frictione, collige.* 2°.*de san.tuen.* 2ª.70.*A*
Cremẽtũ impediri aquæ frigidę ablutione,collige. 2°.*de sa.t.*2ª.76.*B*
*Crementum impedit augescentibus optimis corporibus aquæ frigidæ balneum.*3°.*de san.tu.* 2ª.78.*B*
CREMOR *ptissanæ quo modo conficeretur.*10°.*met.med.* 7ª.67.*A*
*Cremor ptissanæ frigidus est,& humidus.*10°.*met.med.* 7ª.67.*A*
*Cremor ptissanæ cum sit frigidus & humidus,in febribus conuenientissimus.est.*8°.*meth.med.* 7ª.51.*A*
*Cremori ptissanæ sicr cõdita alica frigida & hũida.*10.*me.m.*7ª.67.*A*
*Cremor ptissanæ non calefacit,& euacuat.*1°.*meth.med.* 7ª.69.*G*
*Cremor ptissanæ morsu caret.*12°.*meth.med.* 7ª.80.*A*
*Cremore ptissanæ qui vti debet.de vic.ra.in mor.acu.com.*1°.7ª.112.*B*
*Cremor solus quibus dandus.de vic.ra.in mor.acu.com.*3°. 7ª.133.*C*
*Cremore ptissanæ quando vtendum.*11°.*meth.med.* 7ª.70.*F*
*Cremoris ptissanæ dãdi q̃titas.de vic.ra.in mor.acu.cõ.*1°. 7ª.112.*E*
*Cremor ptissanæ prohibeť ægro p q̃titate.*2°.*de digno.pul.* 4ª.76.*G*
*Cremor ptissanę anteq̃ deť,debet vena secari,purgari,& dolor sedari, qñ hæc sunt faciẽda.de vic.ra.in mor.acu.c.*1°.112.*B*/ 7ª.113.*F*
*post Cremoris concoctionem oxymeli dandum.de vic.ra.in mor.acu. commen.*3°. 7ª.130.*F*
*in Cremorẽ conuersio res diuersa a cõcoctione.*3°.*de nat.sa.*1ª.303.*D*
*Cremor ptissanæ quando pro aqua mulsa.*12°.*met.med.* 7ª.75.*H*
*Cremor ptissanæ in syncope pro mulsa & alica.*12°.*met.me.*3ª.76.*A*
Cremor ptissanæ non dandus in syncope ex tenuibus humoribus. 12°. *meth.med.* 7ª.78.*A*
*Cremorem ptissanæ dat per horam post mulsam.*8°.*met.med.* 7ª.56.*H*
*Cremore ptissanæ quos traxit Gal.ad septimũ diẽ.*10°.*met.m.*7ª.63.*H*
*Cremor cocti fœnugræci cũ pipere p sedẽ imposit⁹.*12°.*me.m.* 7ª.78.*G*
CREPIDO *quid.de artic.com.*1°. 7ª.255.*B*
CREPITVM *secũdum quosdam significat eructuatio.in 6ᵐ.de mor.vulga.com.*2°. 3.166.*D*
*Crepitus descẽdere,phibit⁹ interim ascẽdit ad os.*3°.*de sym.ca.*3ª.25.*H*
CRESCENDI *inslr̃m calor innatus.de nat.hu.com.*2°. 1ª.180.*B*
cur Crescunt mollia corpora facilius.de sal.diæ. 2ª.42 *D*
*Crescens corpus necessario calidum est.de na.hu.com.*2°. 7ª.180.*C*
Crescentium pulsus qualis sit.comp.puls. *Sp.65.E*
*Crescere desinunt prius fœminæ quàm mares, cur. in 6ᵐ.de mor.vulga.com.*2°. 3ª.169.*E*
*Crescẽtib⁹ particulares partes pñt emẽdari in figura.ars me.*I*f.*70.*C*
Crescat cur maxime priapus.de mot.man.& obs. *Sp.69.E*
Crescat quo modo vox.de voce & anhel. *Sp.60.H*
*Crescentia tenera cur facultatib.sunt moderata.de atten.vic.*2ª.44.*A*
*Crescentiũ caro multũ melior,q̃ declinantiũ.*1°.*de ali.fac.* 2ª.29.*D*
CRESCIONIS *succus in cura nephriticæ passionis.de dyn.* *Sp.33.E*
in CRETA *montes asperi,& vasti.de artic.com.*4°. 7ª.284.*E*
*Cretenses calceos vsq; ad tibiam ferunt,cur.de artic.c.*4°. 7ª.284.*E*
Cretensibus leges dedit Iuppiter.an animal sit quod in vtero. 1ª.328.*e*
*Creta plures habet herbas.de ther.ad Pis.*89 *C*/1°.*de anti.*5ª.100.*D*
è Creta Romam singulis annis mittebantur vasa plena herbarum. 1°. *de antidotis.* 5ª.100.*D*
*è Creta nihil adulterať ex herbis nisi aliq succi.*1°.*de anti.*5ª.100.*D*
*Cretæ simplicibus quæ æqualia in Italia & quando nascatur simplicia.*1°.*de antid.* 5ª.105.*D*
*Cretense anisum optimum est.*4°.*de san.tu.* 2ª.85.*B*
*ex Creta potissimum affertur Calaminthum & pulegium.*4°.*de sani. tuenda.* 2ª.86.*D*
*in Creta optima sunt Glycyriza,napi semen,ac scordium.*1°.*de antidotis.* 5ª.105.*E*
*in Creta nascitur Tragion solum.*8°.*de simp.med.sa.* 5ª.62.*F*
*in Creta vina valde tenuia & aquosa reperit Galenus.de vic.ratio. in mor.acu.com.*3°. 7ª.127.*B*
*Creticum vinum.*3°.*de comp.med.sec.loc.* 5ª.143.*D*
CRETICA *terra,qualis.*9°.*de simp.med.fac.* 5ª.66.*F*
*cretica terra achoribus conuenit.*1°.*de cõp.med.sec.loc.* 5ª.128.*H*
Creta est multarum artium materia.ad Thras. 2ª.106.*A*
*Creta sutoria seu melanteria.*5°.*de comp.med.per ge.* 5ª.248.*G*
*Creta sutoria.*4°.*de comp.med.per ge.*243.*E*/5°. 5ª.251.*E*
Creta lemnia ingreditur theriacam.de ther.ad Pis. 5ª.92.*F*
CRETARIVM *aceto maceratum,illitum,& impositum lac rarefacit. de med.fac.par.* 7ª.166.*A*
CRETMON *salsum subamarum,exiccat,abstergit.*7°.*de simpl.medic. facult.* 5ª.52.*H*
ad CRIBRVM *quæ stultus quidam dicebat.*1°.*met.med.* 7ª.8.*B*
*Cribrum medicum.*6°.*de comp.med.sec.loc.* 5ª.172.*C*
*Cribrentur quo modo herbę sciendum.*3°.*de comp.me.per g.*5ª.234.*B*
Cribrantur & contunduntur contundenda.de ther.ad Pis. 5ª.95.*F*
CRIDRIVM *quid.de simp.med.* *Sp.83.E*
Cridrium vires habet acriter relaxantes.de simp.med. *Sp.83.E*
Cridrium ad oculorum claritatem maxime facit.de simp.med.Sp.83.e
CRIMNON *quid sit.*7°.*de simp.med.fac.* 5ª.53.*A*
*Crimnon ex zeia & tritico.*1°.*de ali.fac.* 2ª.12.*F*
*Crimnon plus nutrit,quàm polenta.*7°.*de simp.med.fac.* 5ª.53.*A*
CRIMNA *duo significat.quæs.in Hipp.* *Sp.113.D*
Crimnodes hyposta ses.i.farinæ crassiori similes,quid significent.quæs. in Hippocratem. *Sp.113.D*
CRINOS *.i.Lilium.*7°.*de simp.med.fac.* 5ª.53.*A*
*Crininum.i.liliaceum oleum,quale.*7°.*de comp.med.per g.* 5ª.269.*E*
CRINITAE *quid.de hist.philos.* *Sp.7.F*
CRISIS *nomen quid significet.* 1°.*de crisib.* 125.*F*/ 2°.4ª.133.*F*/*de vic.ra.in mor.acu.com.*1°. 7ª.112.*H*
*Crisis significat iudicationem.com.*2°.*aph.*23°. *Ex.15.D*
*Crisis vnde traxit nomen.*3°.*de cris.*139.*C*/1°.*de dieb.decr.*4ª.145.*D*
Crisis quid.fin.med. *Isa.50.B*
*Crises quæ & quorum sint morborum.*2°.*de cris.* 4ª.138.*A*
*Crisis appellatur omnis vehemens mutatio.*3°.*de die.decr.* 4ª.157.*G*
*Crisis est subita in morbo,vel ad sanitatem,vel ad mortem mutatio. com.*2°.*aph.*13°. *Ex.12.E*
*Crises vocat Hippocrates permutationes,quando repẽte fiunt in morbo,in quibus nonnunquam subito integra sanitas restituitur, aut moritur æger : nonnunquam vero magna fit vel ad salutem, vel ad mortem permutatio.com.*2°.*aph.*23°. *Ex.15.D*
*Crisim quid vocet Galenus.*1°.*de dieb.decr.* 4ª.145.*E*
*Crisis etiam de mortuis dicitur.*2°.*de dieb.decr.* 4ª.153.*B*
*Crisis fit a natura.*17°.*de vsu par.* 1ª.222.*G*
*Crisis non fit sine certamine naturæ cum morbo.*3°.*de cris.* 4ª.142.*E*
*Crisis quæ sit per excellentiam.*3°.*de cris.* 4ª.139.*B*
*Crisis optima sola simpliciter crisis est.*3°.*de cris.* 4ª.140.*A*
*Crisis simpliciter quæ dici possit.*3°.*de cris.*139.*B*/ 141.*F*/ 4ª.149.*A*
*Crisis optima,quæ.*3°.*de cris.*139.*G*/ 4ª.141.*E*
*Crisis perfecta,& indeficiens quæ sit.com.*1°.*aph.*20°. *Ex.9.H*
*Crisis perfecta mala cum subito moritur æger vnà cum turbatione, et agitatione,& quibusdam excretionibus,vel abscessibus effatu dignis.*3°.*de crisibus.* 4ª.141.*G*
*Crises quando optimę.*3°.*de cris.* 4ª.141.*A*
*Crisis melior est quæ fit per euacuationem inferiorẽ,quàm quæ per abscessum:deinde per quam humor noxius,& redundãs, quàm p quã alter euacuatur:tertio loco quę κατ' ἰξιν .i.recto tramite fit, quàm quæ non fit secundum processum : quarto quæ facile toleraẽ, quæ cũ coctione fit, & in die decretorio.com.*1°.*aph.*20°. *Ex.9.H*
*in Crisi nullus obijt cũ p̃cesserũt signa coctionis.*3°.*de cris.* 4ª.139.*D*
*Crises plures bene terminantur,nam plures ex ægrotis sanãtur,quàm moriantur,nisi pestilens constitutio sit.com.*2°.*aph.*13°. *Ex.12.E*
*Crisis quando tuta est in ratione lunę.*3°.*de dieb.decr.* 4ª.157.*D*
*Crisis defecta quid.*3°.*de cris.* 4ª.141.*F*
*Crises imperfectæ,quæ.*3°.*de cris.* 4ª.139.*B*
*Crisis intempestiuæ signum.*3°.*de cris.* 4ª.143.*A*
*Crisis quo tempore dicenda sit, post turbationem & solutionem, an post mutationem.*1°.*de dieb.decr.* 4ª.149.*A*
*in Crisi quando debet euacuare medicus, & quando totum naturæ permittere.com.*1°.*aph.*20°. *Ex.9.G*
Crises quo modo plerunq; fiunt.de sect. *Isa.19.B*
*Crises sex modis fiunt.*3°.*de cris.* 4ª.139.*A*
Crisis generationis modũ non cognouere antiqui.de caus.mor. 3ª.8.*C*
*Crises non hñt nisi abusiue ephemera & hectica.*2°.*de cris.*4ª.138.*A*
*Crisis quando fiat.*3°.*de cris.* 4ª.141.*E*
*Crisis tempus quando immineat.*1°.*de dieb.decr.* 4ª.150.*F*
*Crisis semper fit in statu.*3°.*de cris.* 4ª.141.*A*
*Crisis quando expectabit statum.*3°.*de cris.* 4ª.141.*E*
*ad Crises cognoscendas quid prænoscendum.*2°.*de cris.* 4ª.138.*A*
*in Crisi considerandа quid in primum notandum.*3°.*de cris.*4ª.139.*D*
*de Crisi librum post librum de diebus decretorijs legendum esse,colligе.*3°.*de dieb.decr.*158.*F*/ 4ª.159.*A*/*C*

de Crisibus librum quo tempore composuerit Galenus, de præcognit. ad Posthu. 4ª.219.E
sine Crisis præsagio & cognitione status, ratio victus instituì non potest. 1°.*de dieb decre.* 4ª.150.C
Crisis signa, & causæ. 1°.*de crisi.* 4ª.131.D
Crisis signa non semper decretoria. 1°.*de crisi.* 4ª.131.C
Crises quæ symptomata præcedant. 3°.*de crisi.* 4ª.139.B
Criticorum accidentium duplex natura. 1°.*de crisi.* 4ª.131.B
Criticum modo est aliquod signum, modo prauum. 1°.*de crisi.* 4ª.131.B
Crisim quæ præcedant. 3°.*de cris.* 141.F/1°.*de dieb.decr.* 4ª.145.D
Crisi futura fit aliqua nouitas, & quæ. 3°.*de crisi.* 4ª.143.D
Crisi futuræ multa mala præeunt vt videatur æger mori. in 6ᵐ.*de morbis vul.com.* 1°. 3ª.157.G
ante Crisim nox, cur sit difficilis. com. 2°.*aph.* 13°. Ex.12.E
in Crisi cur grauiter se habeant ægri. com. 2°.*aph.* 13°. Ex.12.E
Crises bonas quandoq; operantur vehementissimi casus in morbis acutis. com. 7°.*aph.* 5°. Ex.54.C
Crisis signa indicatiua. 1°.*de cris.* 4ª.128.E
in Crisi quid significet pulsus inæqualis. 3°.*de cris.* 4ª.144.D
in Crisi quid significet pulsus altus & magnus. de crisi. 4ª.144.D
Crisis signa ex pulsibus non posuit Hippocrates, vel quia ignorabat, vel quia non existimabat magni momenti. 3°.*de cris.* 4ª.144.E
Crisis quo modo præueniat. 3°.*de dieb.decr.* 4ª.158.E
Crisim præuenire malum. 3°.*de dieb.decr.* 4ª.158.E
Crisim cum dolore aliquo venturam ostendit vrina turbulenta nõ varia. de dynam. Sp.34.C
in Creticis diebus medicorum discordiæ vnde ortum habuere. 2°.*de diebus decr.* 4ª.152.F
Criticorum dierum ordo per septimanas. 2°.*de die.decr.* 4ª.154.G
Criticos dies æstate, in iuuenibus, partibus, dextris & superioribus imparcs esse inquit Hippocrates. bre.de denot.dogm.Hip. 1ª.231.D
Crisis non fit in principio. 3°.*de cris.* 4ª.143.D
p Crisim nunq̃ discernunt q̃ in principio apparent. 1°.*de cris.* 4ª.128.E
Crisis primũ indiciũ & principiũ quale, et reliqua. 3°.*de cris.* 4ª.139.D
Crisis rarissime fit quarto die. 3°.*de cris.* 4ª.140.D
per Crisim in quarto die finiunt synochi. 3°.*de cris.* 4ª.140.D
Crisis quartæ diei cur transmutatur ad tertium & ad secundum. 3°.*de cris.* 4ª.140.D
Crisis in quinto. 11°.*meth.med.* 7ª.72.C
Crisis sextæ diei, qualis. 1°.*de dieb.decr.* 4ª.145.F
Crisis sextæ diei, qualis. 1°.*de arte cur.ad Glau.* 7ª.100.C
ad Crisim ex paruo naturæ apparatu mouetur septimus dies. 1°.*de arte cur.ad Glau.* 7ª.100.C
Crisis casus in septimo. 1°.*de dieb.decr.* 4ª.148.F
Crisis octauæ, & nonæ diei comparatio. 2°.*de dieb.decr.* 4ª.154.B
Crisis morborum acutorum, fit in quatuordecim diebus. & cur. com. 2°.*aph.* 23°. Ex.15.D
Crisis quarto decimo die, vel decimo septimo quando fiet. 1°.*de dieb. decretorijs.* 4ª.151.B
Crises vehemẽtissimæ quæ intra quartũ decimũ. 2°.*de die.dec.* 4ª.154.g
Critico die, aut post criticũ diẽ, vrina alba, spumosa, & nebulosa si superuenerit in synocha solutionẽ ægritudinis oñdit.de dyn. Sp.34.D
p Crisim an dẽat terminari morbº, qũo possit sciri. 3°.*de cris.* 4ª.140.c
Crisis futura quo modo cognoscitur. 3°.*de cris.* 4ª.139.G
Crisis modus, & qualis sit futura. 3°.*de cris.* 4ª.144.C
Crisim per vomitum vel fluxum sanguinis ex naribus significat capitis dolor. 1°.*de arte cur.ad Glau.* 7ª.100.D
Crisis quomodo cognoscatur futura per sudorem. 1°.*de dieb.decr.* 4ª.148.A/*præfag.exper.confir.* Sp.77.F
Critico die si aspera facta fuerit in synocha vrina tenuis, statim sudorẽ venturum significat.de dyna. Sp.34.E
Critici sudores, & fluxus sanguinis & deiectiones alui, a qua vi fiãt. com. 7°.*aph.* 21°. Ex.55.D
Crisi p sudorẽ inflãte qdã somniabat se lauare.de dig.ex inf. 4ª.213.D
Criticus sudor quid significet. 3°.*de smypt.cau.* 3ª.28.F
Criticus rigor soluit phreneſim sudoribus. in 1ᵐ.*prorr.c.* 1°.4ª.165.C
Crisis futura p alui excremẽta quo mõ cognoscat. 3°.*de cris.* 4ª.144.G
Crisis per menstrua quo modo fieri cognoscatur. 3°.*de cris.* 4ª.144.G
Crisis per hæmorrhoidas quo mõ fieri cognoscatur.de cris. 4ª.144.G
Crisis p absceſſum quo modo cognoscatur futura. 3°.*de cris.* 4ª.144.G
Crisis bona, & mala quando sequatur. com. 2°.*aph.* 23°. Ex.15.D
Crisis mortalis species. 3°.*de cris.* 4ª.143.B
in Crisi quando homo moriturus. 1°.*de dieb.decr.* 4ª.150.G
Critico die vrina ex colore bono in malum si conuersa fuerit, mortem significat de dyna. Sp.34.C
Critico die vrina viridis immutata mortem significat.de dy. Sp.34.B
Crisis qñq; non adest & morbus paulatim finitur. 1°.*de cri.* 4ª.133.D
sine Crisi multi subito mortui sunt, nulli autem subito sanati. 3°.*de crisibus.* 4ª.142.E
sine Crisi mortis tres modi, & quales. 3°.*de crisi.* 4ª.142.G
sine Crisi quo modo præcognoscatur mors futura. 3°.*de cri.* 4ª.143.B
sine Crisi cum morbi soluunt, solutio simpliciter dr. 3°.*de cri.* 4ª.141.F
Crisis aliqua etiam in longis morbis. 2°.*de dieb.decr.* 4ª.153.G/H
cur Crises aut tardent aut non fiant. 3°.*de cris.* 4ª.140.G
Crises quibus impediantur. 3°.*de dieb.dec.* 4ª.158.C
Crisim qui errores extrinseci impediant. 1°.*de dieb.decr.* 4ª.150.A
post Crisim cibis reficiendi sunt paulatim ægri. 1°.*de die.dec.* 4ª.148.A
Crisis, lege Iudicium. Iudicatio, Iudicari.
Κρισιμώτερα *quæ ab Hippocrate dicuntur. de vict.ratione in morbis acu.com.* 2°. 7ª.118.A
CRISPANS *& cogens quædam emplastrum.* 6°.*de compo.medicam. per gen.* 5ª.261.C
CRISPI *quibus fiant capilli.* 1°.*de comp.med.per gen.* 5ª.127.B
Crispitudinem capillorum a leone tenuit Alexander. de sper. Sp.38.H
Crispos, & longos facere pilos & tinctos est artis comptoriæ. 1°.*de comp.med.sec.loc.* 5ª.126.B
CRISPI *liberti catapotium ad tussim.* 7°.*de comp.med se.l.* 5ª.182.H
vt Crispus colica Cassij. 9°.*de comp.me.se.lo.* 5ª.201.H
Crispi malagma generosum. 7°.*de comp.med.per gen.* 5ª.266.H
Crispi odoriferum ad nomas. 5°.*de comp.med.per ge.* 5ª.253.A
CRISSATVM *quid sit.de artic.com.* 1°. 7ª.261.B
CRISTA *pars animalium marium.* 2°.*de sem.* 1ª.338.G
Cristam gallorum habere vel ruffa in somnia quid significent. in 6ᵐ.*de morb.vul.com.* 3°. 3ª.117.H
CRITHE, *id est hordeum.* 7°.*de simp.med.fac.* 5ª.53.A
CRITHE *quid.fin.med.* 48.F/*introd.* Isa.58.D.F
Crithæ & posthiæ absceſſus ξ *vulgo dicuntur horzaroli.* ξ 4°.*de comp.med.sec.loc.* 5ª.153.C
ad Crithas. 4°.*de comp.medica.secun.loc.* 153.C/5ª.158.D/*de reme. para.facil.* 7ª.156.H
CRITO *vnus ex primis empiricis.de subst.empi.* Isa.31.D
Crito in impatoris ædibus est medicatus. 1°.*de cõp.me.se.lo.* 5ª.127.B
Crito librum fecit de ornatu corporis. 1°.*de cõp.me.se.lo.* 123.B/126.C/127.B/4°.159.E/5°.160.D/7°. 5ª.272.F
Critonis libri de ornatu capita quid contineant. 1°.*de comp.medic.secun.loc.* 5ª.127.B
Crito librum fecit de simplicibus medicamentis. 6°.*de compo.medic. per genera.* 5ª.255.A
Crito librum fecit de medicamentis. 1°.*de antid.* 5ª.110.A/2°.*de cõpo.med.sec.loc.* 139.D/7°.178.B/2°.*de comp.med.per gen.* 223.E/3°.234.H/6°. 5ª.256.H
Crito de medicamentis egregie pertractauit. 2°.*de comp.medicamen. per genera.* 5ª.222.B
Crito primus thericam vocauit.de vsu ther.ad Pamp. 5ª.99.C
Critonis pharmaca ad Achoras. 1°.*de comp.med.sec.loc.* 5ª.130.D
Critonis ad Alopeciam. 1°.*de comp.med.sec.lo.* 5ª.123.B
Critonis ad Aphthas. 6°.*de comp.med.sec.loc.* 5ª.175.D
Critonis apophlegmatismi. 2°.*de comp.med.sec.lo.* 5ª.139.D
Critonis Arteriacæ. 7°.*de comp.med.sec.loc.* 5ª.179.H
Critonis ad Columellas. 6°.*de comp.med.sec.loc.* 5ª.175.A
Critonis ad Crustas. 6°.*de comp.med.sec.loc.* 5ª.172.A
Critonis ad Dentium affectiones. 5°.*de comp.med.sec.loc.* 5ª.165.D
Critonis Diacodion. 7°.*de comp.med.sec.loc.* 5ª.180.A
Critonis confectio Glaucini. 7°.*de comp.med.per gen.* 5ª.272.F
ex Critone medicamẽtũ ad Hydropẽ. 9°.*de cõp.me.sec.lo.* 5ª.200.B
Critonis medicamenta ictericis, naribus apponenda. 2°.*de comp.med. secun.loc.* 5ª.139.D
Critonis medicamenta Melina. 2°.*de comp.med.per gen.* 5ª.223.D
Critonis Psilothra. 1°.*de comp.med.sec.lo.* 5ª.127.H
Critonis Stomaticum ex musto. 6°.*de comp.med.sec.lo.* 5ª.170.C
Critonis Stomaticum ex punicis. 6°.*de comp.med.sec.loc.* 5ª.170.B
ex Critone ad Varos. 5°.*de comp.med.sec.loc.* 5ª.160.D
Critonis meminit. 6°.*de comp.med.sec.loc.* 175.C/2°.*de comp.medic. per gene.* 5ª.218.E

Critonis ægroti noui casus, qui postridie perijt quã ęgrotare cœperat. in 1^m. de mor. vul. com. 3°. 3ª.124.G

CROCODES *roborant aures. 6°. de san. tu.* 2ª.100.B

Κροκοδίζειν, *quid. in progn. com. 1°.* 4ª.194.F

CROCODILII *tum caulis, tum seminis succus nephriticos adiuuat. 7°. de simpl. med. fa.* 5ª.53.C

Crocodilij semen acre, odoratum, calidum & siccum est. 7°. de simpli. med. fac. 5ª.53.C

Crocodilij semen vrinam, mensesq; cit. 7°. de simp. med. fa. 5ª.53.C

Crocodilij radix per nares sanguinem trahit. 7°. de simp. me. fa. 5ª.53.C

Crocodilij radix excreationibus pectoris valenter conducit. 7°. de simpli. med. fac. 5ª.53.C

Crocodialidis radix ad cephalæam. 2°. de comp. med. sec. loc. 5ª.137.D

CROCODILI *volunt vincere. 5°. de decr. Hip.* 1ª.256.G

Crocodili terrestris sanguis non acuit visum, vt fertur. 10°. de simpl. med. facul. 5ª.73.D

Crocodili adeps odoramentis conditus. 7°. de cõp. me. per ge. 5ª.272.E

Crocodili adeps cõtra læsiones ab ipsis factas. de ther. ad Pi. 5ª.94.A

Crocodili morsibus confert centaurea. de vir. cent. Sp.93 H

Crocodilorum stercus non grauiter olet. 10°. de simp. me. fa. 5ª.76.A

Crocodilorum stercus extergit. 5°. de simp. med. fa. 5ª.36.F

Crocodilorum terrestrium stercus facit cutem tensam, & splendentẽ. 10°. de simp. med. fac. 5ª.77.D

Crocodilorum terrestrium stercus tollit ephele, muttiliginem, & liche nas. 10°. de simp. med. fa. 5ª.77.D

Κροκοφαντός. *7°. de comp. med. sec. loc.* 5ª.181.E

Κροκυφάντιος. *7°. de comp. med. sec. loc.* 5ª.181.C

CROCOMAGMA *quo mõ fiat, & eius vires. de simp. med.* Sp.81.H

Crocomagmatis compositio. 2°. de antid. 5ª.113.F

ex Crocomagmate illinenda est frons in caput dolentibus ex febre in calidis. 2°. de comp. med. sec. loc. 5ª.137.A

Crocomagmatis loco mittunt crocum propter precij distantiam. de simpli. med. Sp.182.A

CROCVS *hortensis, & agrestis. 4°. de comp. med. sec. loc.* 5ª.157.C

Crocus quo modo probatur an bonus. 1°. de antid. 5ª.106.B

Crocus optimus, qualis. 1°. de antid. 5ª.106.B

Crocus est fuluus colore. 9°. de comp. med. sec. loc. 5ª.201.C

Crocus fulget. 9°. de comp. med. sec. loc. 5ª.201.C

Crocum cilicium. 3°. de comp. med. sec. loc. 145.D/ 7°. 178.D/ 179.C/ 182.H/ 183.C/ 10°. 206.F/ 7°. de comp. med. per ge. 5ª.262.A

Crocum siculum. 4°. de comp. med. sec. loc. 5ª.153.H

Crocus, qualis. 4°. de comp me. se. lo. 151.C/ 6°. 170.G/ 7°. 179.C/ 8°. 190.F/ 9°. 5ª.201.G/ de ocul. 7ª.188.H

Crocus qualis sit, & qui laudatur. 1°. de antid. 5ª.106.B

Crocus calidus est in secundo ordine siccus in primo. 7°. de simp. med. facult. 5ª.53.C

Crocum ebullit linteolo illigatum. 7°. de comp. med. sec. loc. 5ª 180.C

Crocum bullit in sacculo stipa contexto. 7°. de comp. me. se. lo. 5ª.181.C

Crocum omne vires habet leuiter stypticantes. de simp. med. Sp.81.E

Crocus adstringit concoquit, & discutit. 4°. de cõp. m. se. lo. 5ª.150.H

Crocus adstringit, concoquit, & putrefactiones corrigit. 8°. de cõposi. med. sec. loc. 5ª.194.F

Crocus mediocriter adstringit. 7°. de simp. med. fac. 153.C/ 4°. de cõp. med. sec. loc. 149.H/ 151.D/ 5°. 159.B/ 6°. 5ª.167.C/ 5°. meth. meden. 31.G/ 14°. 7ª.92.B

Crocum adstringens siccum. 5°. met. med. 7ª.32.E

Crocus concoquit. 7°. de simp. med. fac. 53.C/ 4°. de comp. med. se. loc. 149.H/ 150.C/ 7°. 178.E/G/ 8°. 5ª.189.B

Crocus maturat. de ocul. 7ª.189.D

Crocus concoquit cum adstrictione. 7°. de comp. med. sec. lo. 5ª.179.A

Crocus secundum plurimos, videtur omnes affectiones sufficienter coquere, & dolores leuare. 7°. de comp. med. sec. loc. 5ª.178.F

Crocus in vno præstantior Thure, in alio inferior. 4°. de comp. med. secun. loc. 5ª.151.D

Crocus humorem fluentem prohibet. de ocul. 7ª.189.D

Crocum mitigat omnes dolores commixtum collyricis antidotis. de simp. med. Sp.81.E

ex Croco, & glaucio collyria in aurium dolore. 3°. de com. medic. secun. loc. 5ª.141.D

Crocus ponitur in theriaca. de ther. ad Pis. 5ª.92.E

Crocũ odoratas reddit compositiones. 1°. de comp. me. se. lo. 5ª.128.C

ex Croci odore Galenus patiebatur dolorem capitis. 2°. de composit. med. sec. loc. 5ª.135.D

Crocus lædit caput. 2°. de comp. med. sec. loc. 5ª.135.D

Crocus mentem perturbat. 2°. de comp. med. sec. loc. 5ª.137.B

Crocus, styrax, myrrha, succus papaueris si largius bibantur, aut dementant, aut mortem inferunt. 5°. de simp. med. fa. 5ª.37.C

Crocus in Alexiterias antidotos non indit. 5°. de simp. me. fa. 5ª.37.C

Crocũ & myrrhã cur recipit Diamorũ. 6°. de cõp. med. sec. lo. 5ª.167.C

Crocus & myrrha adiuuant se mutuo in penetrando in profundum. 6°. de comp. med. sec. loc. 5ª.167.C

Crocum ad oculos valet. de vic. ra. in mor. acu. com. 4°. 7ª.152.G/ *de cathart.* Sp.95.B

Crocum ad oculorum dolores. de vic. ra. in mor. acu. c. 4°. 7ª.152.G

Crocus bonus cum lacte instillatus in oculorum dolore. 4°. de compo. med. sec. loc. 5ª.157.F

Crocus mansuetissimus pro stomaticis. 6°. de cõp. med. sec. lo. 5ª.171.E

Crocus inflammato iecori conuenit. 2°. de arte cur. ad Glau. 7ª.104.D

Crocus ad vteri, & vesicæ vlcera aptus. 9°. de cõp. me. f. l. 5ª.205.D

Crocus paucam decoctionem patitur. de med. fac. parab. 7ª.174.G

Crocus per coctura amittit vires. 6°. de comp. med. sec. lo. 5ª.168.E

Crocum torrefactum. 4°. de comp. med. sec. loc. 152.F/ 6°. 5ª.174.H

Croci fasciculus pro spatula. 9°. de comp. med. sec. loc. 5ª.202.F

Croci fex. 5°. de comp. med. per gen. 5ª.252.G

cũ Croco eiusdẽ fere generis est melilotũ. 4°. de cõp. me. f. l. 5ª.151.D

CROCEVS *color quo modo appareat flauus in humorum permistione. in progn. com. 2°.* 4ª.202.E

Crocea est caro maxillarum. de ana. viu. Sp.55.H

Crocea est vrina laborantibus ex tristitia, cogitationibus, vigilijs. de dynamidijs. Sp.34.A

Crocea vrina, si guttatim stillando fuerit egesta, ventris constrictionẽ malam cum animi turbatione, & angustia oñdit. de dyn. Sp.34.B

Crocea vrina, & turbulenta cum nebulis non bonis, aut longinquam ægritudinem, aut mortem futuram dicit. de dyn. Sp.34.B

Crocea vrina, & spissa in synocha laborem, & dolorem, & grauedinem in hac ægritudine, siue mortem oñdit. de dyn. Sp.34.E

CROCINVM *nardum. 7°. de comp. med. per gen.* 5ª.272.D

Croceum Paccianum collyrium, quale. 4°. de comp. me. se. lo. 5ª.151.A

Croceum pædicon. i. puerile, inscriptũ. 4°. de comp. me. sec. lo. 5ª.155.F

Crocinum vnguentum, quale. 1°. de comp. me. sec. loc. 5ª.129.H

Crocinum vnguentũ rarefacit & discutit. 9°. de cõp. me. se. l. 5ª.197.F

Crocinum syriacum. 7°. de comp. med. per ge. 5ª.272.E

CROCOSVS *Andromachi. 5°. de comp. med. per gen.* 5ª.251.G

CROMYON, *id est cæpa. 7°. de simp. med. fa.* 5ª.53.D

CROTAPHITAE *musculi. i. temporales, qui. de mus. diss.* 1ª.44.G

Crotaphitæ. in progn. com. 1°. 4ª.191.C

Κρόταωνες *dicuntur ricini. 7°. de simpli. med. fac.* 5ª.50.F

Crotones. 10°. de simp. med. fac. 5ª.73.D

CRVCIATV *ingenti turbatis ptissana nõ est dãda. de ptis.* 2ª.47.H

CRVDELIS *hominis officium quod. 12°. meth. med.* 7ª.75.A

CRVDITAS, *quæ apepsia, dicitur symptoma id, cum nulla omnino est ciborum alteratio. 3°. de symp. cau.* 3ª.24.F

Cruditas nõ solũ mala cõcoctio est vitiũ actionis. de simp. diff. 3ª.11.C

Cruditas in tertia coctione. 3°. de symp. cau. 3ª.25.A

Cruditas non est concoctio tarda. 8°. de comp. med. sec. loc. 5ª.194.B

Cruditas sola quæ sit. 8°. de comp. med. sec. loc. 5ª.194.B

Cruditas quo modo fiat in ventriculo. 1°. de loc. aff. 4ª.5.B

Cruditatis causa est fundus ventriculi. 5°. de loc. aff. 4ª.33.A

Cruditatis quando sit. in 1^m. de mor. vul. com. 2°. 3ª.112.C

Cruditates quibus fieri possunt & curari. 8°. de cõp. me. se. l. 5ª.191.F

Cruditates ventris profluuia difficiles anhelitus, & anginas, tussesq; necessarium est fieri his, qui humidiores sunt siue cerebro tantum, siue corpore vniuerso. com. 6°. aph. 2°. Ex.46.E

Cruditates gñant causas procatarcticas. de na. hu. com. 2°. 7ª.181.G

Cruditatis causæ sunt coquorũ in patinis apparat°. 3°. de ali. fa. 2ª.31.D

Cruditatem creat fluxio frigida. 6°. de san. tu. 2ª.98.F

in Cruditate peior est transmutatio in peregrinam qualitatem, quam si cibus non mutetur. 8°. de comp. med. sec. loc. 5ª.194.B

Cruditates facit ciborum copia. intr. Isa.55.C

Cruditas fit ex cibis boni, & mali succi. de bon. & vit. suc. 2ª.39.D

Cruditas ex malis cibis peior est. de bon. & vit. suc. 2ª.39.D

Cruditas in vasis sanguinis accidit. 3°. de symp. cau. 3ª.24.H

Cruditatem nullam factam esse in animalibus indicant acinus, & sesama deiecta, secundum Erasistratum. 1°. de lo. aff. 4ª.5.B

in Cruditatib⁹, et bilioſis morbis reſidẽtia diuerſa.de mor.tẽ.3ª.89.F
Cruditatem magnam oſtendunt aquoſæ vrinæ:tales enim ſunt albę per ſpicuæ,& præterea flauam bilem totam ad caput rapi, præſertim in phreniticis.com.4°.aph.72°. Ex.35.F
Cruditatis ſigna cũ primo morbi principio ſtatim innadunt, & nõnun quã poſterius apparẽt,ſicut & mortis ſigna.c.1°.aph.12°. Ex.5.H
Cruditatis ſigna diutinum quidem ex neceſſitate morbũ ſignificãt, ſed quantum in ipſis eſt,neq; moriturum,neq; euaſurum è morbo homi nem oſtendunt.com.1°.aph.12°. Ex.6.D
Cruditatis ſignum quæ vrina ſemper eſt.1°.de criſ. 4ª.131.C
Cruditatem ſignificat tenuitas vrinarum.de vic.rat.in mor.acu. com. 4°.7ª.141.A/quæſita in Hipp. Sp.113.E
Cruditatem aut concoctionem eorũ,quæ in ventre coquunt,per aluum excrementa indicant ex ſua forma,quæ in cerebro per nares, quæ in vrinis per vrinas.in 1ᵐ.de mor.vul.com.2°. 3ª.112.A
Cruditatẽ qualia ſputa ſequunt.de vic.ra.in mor.acu.cõ.2°.7ª.123.B
Cruditas extrema in ſputis & muco,qñ.de tot.mor.temp. 3ª.88.H
Cruditatem ferre non poteſt a morbo liber,antequàm ſit reſectus. ad Thraſybulum. 2ª.102.E
Cruditates potius debẽt ſtare circa iecur,quàm ire ad principales par tes.12°.meth.med. 7ª.76.B
a Cruditate corporis ſtatus.3°.de ſan.tu. 2ª.80.H
Cruditate laborantes ſentiunt nocumentum in parte imbecilla. 3°.de ſympt.cauſ. 3ª.30.D
Cruditates ſi cauerent homines,nunquam morbo corriperentur.de bo. & vitio ſuc. 2ª.35.A
Cruditates vitandæ.de bon.& vi.ſuc. 2ª.34.D
Cruditates quid portendant.de conſt.ar. Iſa.42.F
Cruditas ægritudinum ſignificat.ars med. Iſa.68.A
Cruditatẽ nullũ ſymptoma neceſſario ſequit.3°.de ſymp.cau.3ª.30.D
Cruditatis magnitudo,ac ãria,et sẽſus facilis, & particularũ robur, & imbecillitas diuerſa gignũt ſymptomata.3°.de ſymp.ca.3ª.30.C
Cruditas magna & maiora,& plura ſymptomata creat:parua cõtra, pauciora minoraq;.3°.de ſymp.cau. 3ª.30.C
Cruditas circa ſtomachũ multos facit affect⁹.8°.de cõ.me.ſ.l.5ª.191.F
Cruditas facit morbos.intro. Iſa.55.C
Cruditas,morbi eſt principium.de tot.mor.temp. 3ª.88.E
Cruditates sũt cãę rectes ac ꝓpĩquę morborũ.de na.hu.c.2°.7ª.180.F
Cruditas eſt cauſa infinitorũ morborum.de bon.& vi.ſuc. 2ª.39.D
Cruditas cur faciat aluum deijcere.de cog.cur.animi morbis. 2ª.54.G
ex Cruditate diarrhœa qbuſdã excitat diariã febrẽ.8°.me.me.7ª.53.B
Cruditatẽ morbi,inediã,ciboſq; tempeſtiue ſumptos quo modo ſequat vigilia.de vic.ra.in mor.acu.com.2°. 7ª.123.A
ex Cruditate ventriculi capitis dolor.de reme.par.fac. 7ª.153.G
in Cruditatibus eleuari præcordia cibos poſtridie cructantibus,colli ge.de ſal.dix. 2ª.43.A
Cruditates multas hñtes hñt turgida ꝑcordia.4°.de ſan.tu. 2ª.84.H
Cruditates habentes facile in flatus incidũt.4°.de ſan.tu. 2ª.84.H
poſt Cruditates flatu hypochondriaco laborantes vehementius infe ſtantur.5°.de loc.aff. 4ª.32.H
ex Cruditate principium melancholiæ.de mel.ex Gal.Ruf. Sp.109.B
Cruditate aſſidua cur melãcholici laborent.de mel.ex Gal. Sp.109.E
Cruditas vehemens quandoque animi defectum attulit.1°.de arte cu ra.ad Glau. 7ª.98.E
cum Cruditate ſyncopen habentium pulſus.12°.met.med. 7ª.76.B
ex Cruditatibus ſyncopæ quæ contraria.12°.meth.med. 7ª.76.B
Cruditatibus multis laborantes tremunt.2°.de ſymp.cau. 3ª.20.E
Cruditate laborantes quieſcunt ne horreant.2°.de ſymp.cau.3ª.22.D
Cruditate laborantes pruritu exercentur.2°.de ſymp.cau. 3ª.23.H
ex Cruditatibus recentibus plethora.1°.de arte cur.ad Gla.7ª.98.A
ex Cruditatibus quidam febricitant.1°.de diff.feb. 3ª.31.C
ex Cruditate febris diaria.8°.meth.med. 7ª.53.B
ex Cruditate febris peſſima in bilioſis naturis.8°.meth.me. 7ª.53.B
Cruditatem habentes quare aliqui in febrem incidere, alij non. 1°.de diff.feb. 3ª.31.H
Cruditates cur in pueris.in progn.com.3°. 4ª.210.C
Cruditates multæ quos morbos cãnt in pueris.c.3°.aph.26°.Ex.25.F
Cruditas calculos renũ gignit.de ren.aff.dig.& med. 7ª.194.D/E
Cruditates,ebrietates,et ociũ faciũt podagrã.c.6°.aph.28°.Ex.49.A
Cruditas oſtendit exercitationem fieri nõ debere.3°.de ſa.tu.2ª.81.F
Cruditatem aut corpus plethoricum habentes non ſunt in balneo inun gendi.2°.de ſimp.med.fac. 5ª.15.H
Cruditati balnea obſunt.de marcore. 3ª.48.A
Cruditates quare indigent.12°.meth.med. 7ª.75.F
Cruditates quo modo ſoluantur.de bon.& vi.ſuc. 2ª.35.A
ad Cruditatem ventriculi.de med.fac.par. 7ª.172.E
Cruditas moderata ex mora in lecto curatur.8°.de compo.med.ſecun dum loc. 5ª.191.G
Cruditatibus omnibus maxime remedio eſt dormire per ſe.de vic.ra. in mor.acu.com.4°. 7ª.148.E
Cruditatum copiã hñtibus piper lõgũ eſt dãdũ.4°.de ſan.tu. 2ª.84.H
Cruditas in primis venis quo modo ſit curanda.4°.de ſan.tu. 2ª.87.C
Cruditatum copiam in primis venis habentes,quibus debent nutriri. 4°.de ſan.tu. 2ª.85.G
Cruditati in primis venis datur diatrion pipereon ſimplex.4°.de ſani. tuenda. 2ª.87.D
Cruditas in extremis venis quo modo curanda ſit.4°.de ſa.t. 2ª.87.C
Cruditatibus vnicum remedium aliquid per aluum excernere. 1°.de alim.facul. 2ª.11.B
a Cruditate morbi nihil ab excretionibus adiuuantur. in 1ᵐ.de mor. vulg.com.1°. 3ª.111.D
qũ Cruditas adeſt humorũ,& a cauſis morbũ facientibus natura gra uat,impoſſe eſt aliquid bñ euacuari.cõ.4°.aph.22°. Ex.29.G
Cruditas ſi adhuc adſit in ſeptimo die,non poteſt morbus vige ſimo die finire.1°.de dieb.decr. 4ª.151.C
Cruditas quo modo prohibet ſanguinis miſſionem. de curan.ratio.per ſang.miſſ. 6ª.17.D
ad Cruditates aſſiduas.8°.de comp.med.ſec.loc. 5ª.193.C
CRVDAE aquæ quæ vocentur ab antiquis.in 6ᵐ.de morbis vulgarib. com.4°. 3ª.182.D
Cruda aqua glacialis quid faciat.3°.de ſan.tu. 2ª.78.D
CRVDVS humor qualis.10°.de comp.med.ſec.loc. 5ª.206.H
crudi humores qui vocentur.2°.de præſag.ex pul. 4ª.109.G
Crudus ſuccus quis proprie ſit.1°.de alim.fac. 2ª.10.C
Crudus ſuccus craſſitie & colore aſſimilatur ei quod ſubſidet in vri nis puri ſimile.1°.de alim.fac. 2ª.10.C
Crudus humor,non pituitoſus.10°.de comp.med.ſec.loc. 5ª.206.H
Crudus humor a Philippo dicitur,qui a Praxagora dicitur vitreus. 2°.de diff.ſeb. 3ª.37.E
Crudos ac craſſos ſuccos gignit placenta in ſartagine cocta ex oleo.1°. de alim.fac. 2ª.10.D
Crudus,& incoctus exiſtit caſeus.de vic.ra.in mo.acu.c.4°.7ª.145.D
Crudos cibos & potus reddit vigilia fortis. de vic.rat.in mor.acutis, commen.2°. 7ª.125.B
Crudis humoribus quando homo impletur.4°.de ſan.tu. 2ª.88.A
Crudis ſuccis corpus implent balnea poſt cibum, ideo fiunt cibo iam concocto.de marc. 3ª.48.E
Crudos humores cur aceruant pueri.in prog.com.2°. 4ª.206.C
Crudi ſenes qui & ſemicani.in progn.com.2°. 4ª.205.G
Crudi humores non pñt nutrire,priusq; ſint cocti.12°.met.me.7ª.77.F
Crudi humores cum coquuntur,nutriunt. 4°.de ſan.tu.84.H/de vict. rat.in mor.acu.com.2°. 2ª.122.H
Crudorum humorum plenitudo,qualis.de cur.ra.per ſan.miſ. 6ª.18.F
crudos humores habentium color.de cur.rat.per ſan.miſſ. 6ª.18.F
Crudos humores habentium pulſus.de cur.ra.per ſang.miſſ. 6ª.18.F
ob Crudorum humorum multitudinem in capite aceruatorum,vel in flammationem,aut ſpiritum flatuoſum,aut ſanguinis multitudinẽ, aut bilem mordacem,aut intemperantiam dolor capitis contingit. com.6°.aph.10°. Ex.47.D
ex Cruda pituita minime appetentes fiunt homines.de mul. 3ª.81.G
Crudos humores hñtes cur inediã multũ ferãt.12°.met.me. 7ª.76.A
Crudi,& incocti humores quibus redundant,illis animi defectus con tingit.1°.de arte cur.ad Gla. 7ª.98.F
Crudos ſuccos habent in ſyncope,qui pulſum paruum, & rarum ha bent.12°.meth.med. 7ª.76.B
Crudis, & cacochymia plenis rigor atque horror accidit. de palp. trem.conuulſ.& rig. 3ª.55.H
Crudorum humorum copia cum vlceroſa laſſitudine quo modo fiat,& quomodo curetur.4°.de ſan.tu. 2ª.86.B
Crudos humores in primis venis habentes quo modo ſint nutriendi.4°. de ſan.tu. 2ª.84.H
Crudi humoris copia refertis quod vinũ cõuenit.de bo.& vi.2ª.38.E
Crudorum humorum copiã habentes in primis venis nec lauandi ſunt, nec mouendi,nec exercitandi.4°.de ſan.tu. 2ª.84.H

Crudorum humorum copiam in primis venis habentes vomere nõ debent. 4°. *de san.tu.* 2ª.85.H

Crudos succos multos intus habentes, & foris lassitudinis sensus, quo modo sint curandi. 4°. *de san.tu.* 2ª.86.A

Crudi si sint humores an euacuãdũ, & qñ. de cur.ra.p san.mis. 6ª.18.F

Cruda egerentibus non est medicamentum exhibendum. de vict.rati. in mor.acu.com. 4°. 7ª.150.F

Crudi & fixi humores non obediunt pharmacis. 1°. *de cris.* 4ª.128.G

Cruda quæ sunt dicenda. de vict.rat. in mor.acu.com. 2°. 7ª.122.H

Crudum est, quòd a particula alterationem non assumit iuxta naturã. 8°. *de comp.med.sec.loc.* 5ª.194.B

Cruda excrementa, mucosa, ac sanguinolenta antiqui vocabant lauita temintestinorum secundum Erasistr.com. 6°. *aph.* 1°. Ex.46.C

Cruda quæ nos vocamus, imputrida antiqui vocare solebant. com. 6°. *aph.* 1°. Ex.46.D

Crudi humores quo modo differãt a pure. de nat.hu.com. 2°. 7ª.180.D

Crudus succº, post cõcoctionẽ a quo dicat pus. de na.hu.c. 2°. 7ª.180.C

Crudum extreme in pleuritide est nihil expuere, & est vt in vrinis aquosum. 1°. *de cris.* 4ª.132.D

Cruda deijciebantur in febre ardente ex biliosis humoribus quo modo. in 3ᵐ. *de mor.vul.com.* 2°. 3ª.139.C

Cruda deijciens in febre ardente. in 3ᵐ. *de mor.vul.com.* 2°. 3ª.144.C

a Crudo humore quo modo distinguatur deiectio graueolens. in pgno. commen. 2°. 4ª.199.H

Cruda & non concocta in malos absc essus deflectunt, & in quos. in 1ᵐ. *de mor.vul.com.* 3°. 3ª.124.E

Cruda ad malos absc essus conuersa iudicationis carentiam, vel labores, vel tempora, vel mortes, vel eorundem malorum reditus pro tendunt.com. 4°. *aph.* 22°. Ex.29.G

Crudi succi non sunt reuellendi foras. 4°. *de san.tu.* 2ª.85.H

Crudorum humorum copia vbi tanta adsit, vt vires non adsint, nõ est secanda vena. de cur.rat.per san.mis. 6ª.18.C

Crudorum humorum plenitudo, nunquam est tanta, vt venę sectionem prohibere possit, vbi morbus est magnus & vires sint validæ. de cur.rat.per sang.miss. 6ª.19.C

in Crudis humoribus aufert sanguinem, & quo modo. de cur.rat.per sang.miss. 6ª.19.A

Crudi & crassi humores aut per absc essum, aut per coctionem soluuntur. in progn.com. 3°. 4ª.209.G

Crudi succi debent concoqui. 4°. *de san.tu.* 2ª.84.D

Crudos, & incoctos humores concoquit Anethum. 6°. *de simpl.medic. facult.* 5ª.43.B

Crudos humores digeri non sinit somnus. 12°. *meth.med.* 7ª.75.G

Cruda allia comesta expurgant in icteris. de cura icteri. Sp.111.B

Crudos, & aquosos humores purgat coccus cnidius. de dyn. Sp.21.F

Crudos humores in intestinis purgantia. de cathar. Sp.95.C

Crudos humores digerens medicamen. de med.exper. Sp.104.F

ad Crudum humorem decoctio. secret. Sp.102.E

ad Crudum humorem lapidosum. secret. Sp.100.D

CRVDVS *morbus qui. in* 1ᵐ. *prorr.com.* 1°. 4ª.165.C

Cruda cum est materia principium est. 1°. *de cris.* 4ª.128.G

Crudo toto morbo existente aliquando potest fieri coctio in parte. in 1ᵐ. *de mor.vul.com.* 2°. 3ª.116.F

Crudo in morbo bona iudicatio fieri nequit. in 1ᵐ. *prorr.c.* 1°. 4ª.165.C

Crudorum humorum vrinæ quales. de vri.sign.ex Hip. Sp.79.D

Crudorũ, & biliosorũ humorũ vrina, qualis. in pgn.cõ. 2°. 4ª.200.D

Crudum humorem quo modo significent vrinæ crassæ, & tenues. in 3ᵐ. *de mor.vul.com.* 1°. 3ª.131.E

Crudũ morbũ significat vrina tenuis. in 3ᵐ. *de mor.vul.c.* 1°. 3ª.132.F

in Crudis humoribus vrinæ processus. de vrinis. 4ª.125.D

Crudam ægritudinem diuturnam, & non sine periculo significat vrina tenuis, & rutila. de vri.sign.ex Hipp. Sp.78.G

Cruda vrina, quæ. de tot.morb.temp. 3ª.89.F/*de vict.rat. in mor.acu. commen.* 2°. 7ª.122.H

Cruda & diuturna est vrina aquosa.com. 7°. *aph.* 32°. Ex.56.D

Crudę vrinę sunt maxime cõtrariæ sanorũ vrinis. 1°. *de cris.* 4ª.126.H

inter Crudum & coctum mediæ vrinæ. 1°. *de cris.* 4ª.130.E

Crudus humor qũo discernatur a bona hypostasi. de vrinis. 4ª.125.D

Crudus humor per vtiles hypostases distinguitur ab inequali substantia eius. de vrinæ sign.ex Hip. Sp.79.C

Crudi succi in quibus sanis, ẽt in vrinis subsideãt. 1°. *de ali.fa.* 2ª.10.C

Crudorum humorum crassitiem, & flatuosam turbationem significant vrinæ conturbatæ. in 3ᵐ. *de mor.vul.com.* 1°. 3ª.131.F

Crudus, & albus humor cũ vrina excretus euenit, vt subsideat præbeatq; videndam vtilem hypostasem. de vri.sign.ex Hip. Sp.79.C

CRVDI *tumores, id est duri, & renitentes, mali: molles, boni. com.* 5°. *aphor.* 67°. Ex.45.C

CRVDA *tubera quæ sint, secundum Hipp.* 4°. *de loc.aff.* 4ª.24.D

CRVOREM *distinguit a sanguine. de vrinis.* 4ª.124.B

Cruorem vocat sanguinem incoctum Galenus. de vrinis. 4ª.124.B

Cruor quando eijcitur a capite, vel ab eius partibus, quid considerandum. 4°. *de loc.aff.* 4ª.25.H

post CRVENTA *biliosa expuuntur. in* 6ᵐ. *de mor.vul.c.* 3°. 3ª.179.C

Cruentæ deiectiones vnde. in 1ᵐ. *prorr.com.* 1°. 4ª.162.B

Cruentæ dysenteriæ causę, quæ. 5°. *de loc.aff.* 4ª.35.D

Cruoris tenuis sanies similis carnium ablutioni in iecoris inflammatione. 5°. *de loc.aff.* 4ª.34.G

Cruor sanioſus primo ex mesenterio affecto excernitur, postea crassus & fœculentus. 5°. *de loc.aff.* 4ª.35.D

Cruoris multi ac vniuersim fluentis subita euacuatio significat venæ ruptionem. 4°. *de loc.aff.* 4ª.28.A

Cruentæ excretiones liuidæ, fœtidæ, & biliosæ, si bene excernantur, sunt bonæ.com. 4°. *aph.* 47°. Ex.32.H

Cruenta deijcientes extra febrem spontaneis ægritudinibus affligũtur. de nat.hum.com. 2°. 7ª.179.G

Cruenta deijcientes extra febrem quo victu sint regendi. de nat.hum. commen. 2°. 7ª.179.G

Cruenta excrementa in his vidit Galenus, qui dimiserant exercitia consueta. de nat.hum.com. 2°. 7ª.179.H

Cruor serosus a carnibus bubulis dum torrentur destillans. 3°. *de compo.med.sec.loc.* 5ª.143.F

Cruor destillans a iecore assato. 4°. *de comp.med.sec.loc.* 5ª.158.D

Cruenta vlcera. 5°. *meth.med.* 7ª.29.G

ad Cruenta vlcera. 1°. *de comp.med.per gen.* 5ª.211.C

ad Cruẽta vulnera. 3°. *de cõp.med.per ge.* 234.H/235.B/6°. 5ª.258.f

Cruenta vulnera glutinat Aloe. p animi mor. 1ª.317.D

ad Cruenta vulnera non adeo magna glutinanda. 2°. *de comp.medic. per genera.* 5ª.220.F

ad Cruenta glutinanda. 2°. *de comp.med.per ge.* 219.G/6°. 5ª.256.D

ad Cruenta recentia. 5°. *de comp.med.per gen.* 5ª.246.G

ad Cruenta. 2°. *de comp.med.per gen.* 225.G/5°. 5ª.245.G

ad Cruenta medicamenta extrinsecus. introd. Isa.58.B

Cruenta medicamenta ex bitumine fiunt. de frac.com. 3°. 7ª.242.E

Cruentum medicamentum, quale sit. de frac.com. 3°. 7ª.242.D

Cruenta medicamenta quæ sint. de artic.com. 4°. 7ª.286.A

Cruenta medicamenta mediocriter exiccant. de arti.c. 2°. 7ª.268.D

Cruenta medicamenta irrigata. de artic.com. 4°. 7ª.286.H

Cruentum medicamentum pro contusis. de frac.com. 3°. 7ª.245.D

CRVRA, *& brachia, a græcis* Κῶλα. *i. membra longa, appellantur. de cucur.scar.* 6ª.4.D

Crus significat totum a coxa infra. de inæq.intemp. 3ª.43.D

Crura, & brachia sunt posteriora fœtº formatione. 1°. *de sem.* 1ª.331.E

Crus quandoq; exit ante caput in partu, sed est partus difficilis. 15°. *de vsu par.* 1ª.213.A

Crurũ dissectio qũo faciẽda, & vnde incipiẽda. 2°. *de ana.adm.* 1ª.69.f

Cruris anatomiam pp quid præposuit Galenus. 2°. *de ana.adm.* 1ª.69.d

Crura hoũm meliora crurib. cęterorũ aĩaliũ. 3°. *de vsu par.* 1ª.127.G

Crus mulieris, quale. de artic.com. 3°. 7ª.277.F

Crus cur non vnum integrum ac simplex. 3°. *de vsu par.* 1ª.134.E

Cruris ossium differentia. de frac.com. 3°. 7ª.249.C

Crura cur non sunt longiora aut breuiora. 17°. *de vsu par.* 1ª.221.H

Crus cur non habet multas articulationes. 3°. *de vsu par.* 1ª.134.E

Crus diuiditur in femur, tibiam, & pedem. de inæq.intemp. 3ª.43.D

Crus est maius tibia. 2°. *de vsu par.* 1ª.128.F

in Crure tibia, qualis in manu cubitus. 3°. *de anat.admi.* 1ª.74.A/*de frac.com.* 2°. 7ª.232.H

in Crure femur est, quale in manu brachium. 3°. *de anat.adm.* 1ª.74.A/*de frac.com.* 2°. 7ª.232.H

in Crure pes ẽ, qualis ĩ manu extrema manº. 3°. *de ana.adm.* 1ª.70.A

Cruri pedis pars subiecta non habet nomen, sed componitur ex tribus ossibus. 3°. *de vsu par.* 1ª.129.G

Cruribus quo modo vtatur simia. 3°. *de vsu par.* 1ª.135.E

Cruribus collum æquale quæ animalia habeant. 8°. *de vsu par.* 1ª.165.b

Crura longa hõtes aues, cur hñt collũ longum. 11°. *de vsu p.* 1ª.185.A

Crura longa,& gracilia cur ſunt exanguibus locuſtis,& apibus, nõ autem multa ſicut reliquis inſectis.3°.de vſu par. 1ª.128.D
Crura anteriora ſimilia ſunt poſterioribus in ceruis canibus, et equis. 3°.de vſu par. 1ª.127.F
Crura cur non inſunt piſcibus.11°.de vſu par. 1ª.187 D
Crurum partes externæ habent poſitionem minus præcipuam internis.16°.de vſu par. 1ª.220.H
Crurum arteriæ vnde naſcantur.de decr.Hip.& Pla. 1ª.233.B
ad Crura arteriæ quomodo incedunt.de ven.art.diſſ. 1ª.59.D
Cruris arteria qũo ramificetur,& eat.3°.de anat.adm. 1ª.79.C
in Cruribus venæ,& arteriæ ſe contingunt.9°.de vſu par. 1ª.172.H
in Crura natura proprias mittit venas per ſuperficiem ſine arterijs. 16°.de vſu par. 1ª.221.A
Crurum venarum ſectio.3°.de ana.adm. 1ª.78.H
*Crura nutriẽtes venæ vnde oriant.de ijs quæ in med.fi.c.3°.*7ª.220.E
Crurum venæ vnde oriantur.de ve.art.diſſ. 1ª.58.E
*ad Crura qua via tendunt venæ & arteriæ.16°.de vſu par.*1ª.218.D
*ad Crura quæ ferant vaſa,cur interne ferunt.16°.de vſu p.*1ª.219.F
ad Crura magnæ venæ diuiſio vnde fiant.de ve.art.diſſ. 1ª.58.F
ad Crura magnæ venę diuiſio qũo deriuetur.de ven.art.diſſ. 1ª.58.F
Cruris vena intrinſeca in tres partes diuiditur.de ve.art.diſ. 1ª.58.F
ad Crura delati nerui a dorſi medulla.de artic.com.3°. 7ª.281.F
*ad Crura cur non mittantur nerui a cerebro.16°.de vſu p.*1ª.215.E
ad Crura nerui quomodo ferantur.16°.de vſu par. 1ª.218.B
*in Crurib⁹,& manibus eadẽ eſt rõ neruorũ.16°.de vſu par.*1ª.218.A
Cruris & manus nerui quomodo differant.16°.de vſu par. 1ª.218.A
Crurum,& pedum neruorũ forma differt a forma neruorum brachiorum,& manuum.de ana.viu. Sp.54.C
Crura hirta cur ſalacitatem ſignificant.2°.de temp. 1ª.19.G
Crura dura & macra non ſignificant corporis ſiccum temperamentũ. 2°.de temp. 1ª.20.H
Crura quibus ſunt macra,quando ſicci.2°.de temp. 1ª.20.H
Crura quibus ſunt craſſa,quando humidi.2°.de temp. 1ª.20.H
Crura diſperſa ſignificant delirium.in progn.com.1°. 4ª.193.H
Crura cur animalibus tribuit natura.15°.de vſu par. 1ª.213.D
Crura propter quid facta.2°.de mot.muſc. 1ª.315 F/*4°.de præſagit. ex pulſibus.* 4ª.120.F
*Crurum ſcopus ad currendum,& ad firmandum.3°.de vſu p.*1ª.131.F
Crurum oſſa & tibiarum,& pedum ſunt ad ſuſtentamentum ſenſus et motus.de ana.viu. Sp.55.C
*Crus facit vt moueamur,pes vero vt nõ cadamus.3°.d vſu p.*1ª.129.B
Cruribus per oſſa innitimur.17°.de vſu par. 1ª.222.F
Crurum motus voluntarius.2°.de mot.muſc. 1ª.314.H
Crus inſtrumentum.de nat.hum.com.1°. 1ª.26.C
Crus inter inſtrumenta ſecunda numeratur.de diff.mor. 3ª.3.B
*Crus ambulationis inſtrumentum vt conuenit ſapienti animali.3°.de vſu par.128.H/*1ª.129.B/*de diff.reſp.* 3ª.58.G
Crurum actio quæ.15°.de vſu par. 1ª.213.F
*Cruris vniuerſi actio ambulatio.de conſt.ar.Iſa.36.H/3°.de vſu par. 135.C/17°.222.F/6°.de decre.Hippocra.*1ª.260.A/ *1°.methodi medendi.* 7ª.6.B
Crus dexterum non plus ſiniſtro ambulare cognoſcitur.in 6ᵐ.de mor. vul.com.2°. 3ª.169.C
Crus firmum magis laborat ambulante.15.de vſu par. 1ª.213.F
Crura in hominibus ſunt linea recta.3°.de vſu par. 1ª.128.D
Crura in brutis faciunt angulum rectum.3°.de vſu par. 1ª.128.D
Crurum figuræ ſine dolore,quæ.2°.de mot.muſ. 1ª.315.F
*Cruris figura paulo minus porrecta eſt ſine dolore.6°.met.m.*7ª.41.C
*in Cruribus idẽ eſt quod eſt ſine dolore,et mediũ.2°.d mot.m.*1ª.315.F
Cruris motus agitatio totius.de conſt.ar. Iſa.36.A
Crus quoquo verſus circumagitur.12°.de vſu par. 1ª.194.A
Crurum oſſa a muſculis mouentur.17°.de vſu par. 1ª.221.C
*Cruris muſculorum ortus,& quo tendant.15°.de vſu par.*1ª.213.G
Crus mouens muſculus.de mult. 3ª.78.A
*Crus a quo muſculo fiat firmum & quomodo.15°.de vſu par.*1ª.213.H
Crurum actionis robur in quibus conſiſtat.3°.de vſu par. 1ª.135.C
Crura curua habentes firmius ſtant.3°.de vſu par. 1ª.131.D
Cruris curuatio quo modo fiat.de conſt.ar. Iſa.36.H
Cruribus non poſſunt pueri propter mollitiem firmiter inniti.commẽt. 6°.aph.32°. Ex.49.H
Crus quo muſculo inuertunt pueri in palæſtris cum alteri ſemori injiciunt.2°.de anat.adm. 1ª.69.G
Crus quibus facile flectatur.2°.de mot.muſ. 1ª.315.F
ad Cruris tenſionem qui muſculi faciant.2°.de ana.adm. 1ª.70.E
Cruris extenſio quo modo fiat.de conſt.ar. Iſa.36.H
Crure toto,& vehementer,& exacte tenſo quando indigemus.3°.de vſu par. 1ª.135.C
Cruris extrema tenſio fit cum ſtamus.15°.de vſu par. 1ª.213.F
Crura propter quid magis extenſa ſint.2°.de mot.muſ. 1ª.315.F
*Crus,et brachiũ extẽſa mouẽtia mouẽt.de palp.trem.cõuul.*3ª.52.A
*Crus ſi attollatur,quo modo ſe habeãt muſculi.15°.de vſu p.*1ª.213.F
*Crurũ neruis affectis,ac muſculis tollit ãbulatio.17°.de vſu p.*1ª.222.F
*Crura qũo exerceantur in paruæ pilæ ludo.de par.pil.exer.*2ª.49.A
Crurum exercitationes,quæ.2°.de ſan.tu. 2ª.74.H
Crurum mediæ partes ſi opportunæ offenſionibus ſint,quam exercitationem deſiderent.5°.de ſan.tu. 2ª.90.A
Crurum exercitatio quando maior,& quando minor in ludo paruæ pilæ.de par.pil.exer. 2ª.49.F
Crurum exercitatio quibus vitanda ſit.5°.de ſan.tu. 2ª.90.A
*Crura gracilia quo modo fiant craſſiora per artẽ.5°.de ſan.tu.*2ª.90.C
Crurum exilium puerum tredecim annorum pulchrum reddidit Galenus.5°.de ſan.tu. 2ª.90.C
*in Cruribus quę faciãt impedimẽtũ in motibus.1°.de mo.mu.*1ª.308.g
Crura quo modo vitiantur in figura.de cauſ.mor. 3ª.8.F
Crura introrſum,aut extrorſum habentes,aut pedum plantas lęuigatas,cur deterius eunt.de diff.mor. 3ª.4.A
in Cruribus bleſum quid ſit.de cauſ.mor. 3ª.8.G
*in Crure bleſitas altera ppter femoris poſitum.3°.de vſu p.*1ª.131.C
in Cruribus rhæbum quid ſit.de cau.mor. 3ª.8.G
Crus cum tenditur,vel violenter conuellitur,eſt vitium vnius nerui, qui particulam mouet.1°.de ſymp.cauſ. 3ª.19.D
Cruris claudicatio quo ſignificetur.17°.de vſu par. 1ª.222.F
*Crus lõgius eſt,ſi coxæ articulus intro exceſſerit.de ar.c.3°.*7ª.276.C
Crura per ambulationem læduntur.5°.de ſan tu. 2ª.89.H
a Cruribus febris per motum incipit.de cauſ.procatar. 3ª.98.G
Crura quo modo pulſu priuabis.de vſu pulſ. 1ª.227.D
Crurum dolorem facit erui vſus.in 6ᵐ.de mor.vul.com.4°. 3ª.183.C
Crura dolent concepto in bilis horis.de ſpermate. Sp.37.C
*Crura cur doleant in lapide renũ in 6ᵐ.de mor.vul.com.1°.*3ª.155.H
Cruris ſtupor oſtendit renem qui patitur,& quo modo fiat. de ren.affec.dign.& med. 7ª.192.H
in Cruribus venæ cur varicoſæ.2°.de elemen. 1ª.9.A
in Cruribus,& teſtibus fit varix.13°.meth.med. 7ª.86.G
in Cruribus,& coxis fiunt varices.com.6°.aph.21°. Ex.48.D
Cruribus quandoq; varices exciduntur.14°.met.med. 7ª.90.G
in Crure ſi ſit fluxio,vena cubiti ſecanda,vel vomitus prouocandus eſt.in 6ᵐ.de mor.vul.com.2°. 3ª.162.C
*Crura ſi tuberculis affecta ſint ĩ febribus,qñ sãguis è narib.pfluet modicus vel multus,qd ſignificet.de vic.ra.in mor.acu.c.4°.*7ª.142.C
in Cruribus ſcirrhus habet quatuor tẽpora.de tot.mor.tẽp. 3ª.89.C
ad Crurum inflationem emplaſtra duo.de dyna. Sp.30.A
Crurum inflationes ſcalpello incidunt,et oleo irrigant.de ſec. Iſa.18.C
*Crura vinciẽda sũt ſi ĩ manib.phlegmone eſt orta.13°.met.m.*7ª.83.B
*in Crurũ phlegmone qd fugiẽdũ,& qd agẽdũ.13°.meth.me.*7ª.82.A
Crura inflammata debent quieſcere.1°.de diff.reſp. 3ª.58.G
Crure inflammato laxantur manus.de ſectis. Iſa.18.C
*in Cruribus ſi ẽ phlegmone,manus vinciẽdæ ſunt.13°.me.me.*7ª.83.B
Crurum,& brachiorum vincula reuellunt.de cucur.ſcar. 6ª.4.F
Crura ſcarifica manu laborante.13°.meth.med. 7ª.81.B
Crure altero laborante alterum ſcarifica.13°.met.med. 7ª.81.B
*in Cruribus ſcarificatio ad quid ſit vtilis.de cucur.ſcar.*3ª.H/6ª.4.B
Crura ſcarificata capiti proſunt.de hirud.reuul.cuc.et ſca.2.F/ 6ª.3.F
Crurum ſcarificatio a peſtilentia liberat.de cucur.ſcar. 6ª.4.B
Crura ſcarificanda ſunt,vbi ſuppreſſæ ſunt hæmorrhoides.de hirud.reuulſ.& ſcarifi.2.F/ 6ª.3.F
Crurum ſcarificatio quibus mulieribus conueniat. de cur.ratione per ſang.miſſ. 6ª.18.F
in Cruribus venis ſectis non parum leuantur inflammationes in vuluis.de præſag.exper.confir. Sp.78.C
Crurum venæ ſectionem petunt membra infra iecur.in 6ᵐ.de mor.vul garib.com.1°. 3ª.156.A
ex Crure euacuatione facta vno die iſchiadas curauit. erat vero iſchias non ex frigore ſed impletis ſanguine quæ ſunt in coxa venis. de cur.rat.per ſang.miſſ. 6ª.20.F

Crura picari quibus conducit. 5°.*de san.tuen.* 2ª.90.*B*

a Crure videbatur veluti aqua frigida ascendere adolescenti ad caput. 3°.*de loc.aff.* 4ª.19.*F*

Crurum effœminatio, quæ.in 6ᵐ.*de mor.vul.com.* 1°. 3ª.157.*B*

in Crure solus pes resoluit, & quę sub genu sunt. 3°.*de lo.af.* 4ª.20.*H*

Crus totum interdum resoluitur. 3°.*de lo.af.* 4ª.20.*H*

Cruribus resolutis ob affectum aliquem eam spinalis medullæ partem quæ iuxta lumbos est infestantem, errant qui remedia cruribus adhibent, non spinæ. 5°.*de lo.aff.* 4ª.35.*C*

Cruris corpus deorsum fertur, virtus attollit, ac sustinet. 2°.*de symp. causis.* 3ª.20.*A*

Crura non secus ac si resoluta sint iactare, quid significet. de ijs quæ in medicat.fi.com. 1°. 7ª.198.*B*

Crus lapideum sibi esse quidam somniabat, qui paralyticus fiebat. de dignot.ex insom. 4ª.213.*D*

Crura resoluta sanata sunt per medicamentum aptatum lumbis. 4°.*de locis affe.* 4ª.25.*B*

ad Crurum mollificationem.secret. *Sp.*100.*D*

Crurũ, & brachiorum vulnerũ differentia.de frac.com. 2°. 7ª.238.*F*

Crurũ vlceribus cõfert sectio venarũ post aures.de ana.vi. *Sp.*55.*A*

Crus cum vulnere luxatum, quare non reparatur.de subfig. *Isa.*33.*G*

ad Crura defendenda quib.fascijs vtant venatores.de facijs. *S.*293.*g*

pro Cruribus fractis instrumenta. 7°.*de vsu par.* 1ª.161.*G*/6°.*meth. medendi.* 7ª.41.*G*/*H*

in Cruribus fractis cur canali vti nõ debem°.de frac.cõ. 2°.7ª.239.*B*

in Crure quãtus canalis fieri debet.de ijs quæ in med.fi.c. 3°.7ª.216.*D*

pro Cruribus fractis laquei. 6°.*meth.med.* 7ª.41.*H*

Crus, & brachiũ hñt diuersam deligationẽ.de frac.com. 2°.7ª.239.*A*

Crure altior quo modo debet esse pes.de frac.com. 2°. 7ª.238.*E*

Crura extensa in qua figura sine dolore possunt diutius teneri. de ijs quæ in med.fi.com. 3°. 7ª.217.*D*

Crus, seu femur si comminutum sit, vbi callus circundatur glossocomum admouetur.de machin. 7ª.310.*G*

Crus non nunquam auferetur.de diff.mor. 3ª.4.*G*

CRVRA *suũ, et pedes dant in siccis qui sanant.* 7°.*met.med.* 7ª.46.*A*

Crus pulicis præstantius omni sculptura. 17°.*de vsu par.* 1ª.222.*E*

CRVRA, *pars organorum.de machin.* 7ª.309.*E*

Crura organorum ex materia robustior fieri debẽt.de mach. 7ª.309.*D*

Crura in organis quę sint.de mach. 7ª.309.*F*

Crura in organis immobilia sunt.de mach. 7ª.310.*F*

Crura adiũcta organorũ ex robustiore mã fieri debẽt.de mac. 7ª.309.*d*

Crura adiuncta quid faciant in organis.de mach. 7ª.310.*F*

Cruribus quæ subijcitur capsula, qualis.de frac.com. 2°. 7ª.239.*D*

CRVSTA *velut operculum fit corporibus sanguinem profundentibus.* 1°.*de simp.med.fac.* 5ª.5.*E*

Crusta ex quibus generetur. 5°.*meth.med.* 7ª.31.*C*

Crustam quæ faciunt, qualia esse debent. 5°.*meth.med.* 7ª.31.*D*

Crusta fit ab igne, qui sanguinem sistit. 1°.*de simp.med.fac.* 5ª.5.*E*

Crustas efficit calx viua. 9°.*de simp.med.fac.* 5ª.71.*B*

Crustas excitat chalcitis cruda.de ther.ad Pis. 5ª.97.*E*

Crustam non facit, nec septicus est (vt fertur) sanguis equi admissarij. 10°.*de simp.med.fac.* 5ª.73.*D*

Crusta facta quantum particulæ adustum est, tantum de naturali carne deperditur. 5°.*meth.med.* 7ª.31.*C*

Crustam, quam ἐσχάραν vocant, ceu septum quoddam vlceribus vasorum veteres excogitarunt. 5°.*meth.med.* 7ª.30.*D*

Crustosum vlcus. 14°.*meth.med.* 7ª.90.*A*

cum Crusta vlcus quomodo fiat. 2°.*de arte cur.ad Glau.* 7ª.101.*C*

Crustæ vlcerũ cũ sanguine qñ excernuntur. 3°.*de symp.cau.* 3ª.28.*B*

Crustę color in vlcere in pestilentia qualis erat. 14°.*met.me.* 7ª.90.*A*

Crustam facientibus medicamẽtis qñ vtendum. 5°.*meth.me.* 7ª.31.*D*

Crustam quibus velis inducere, medicamentum Philoxeni. 3°.*de cõpo.med.sec.loc.* 5ª.148.*B*

Crustam inducens valde generosum. 5°.*de compositio.medicamento. per gen.* 253.*G*/*H*/ 5ª.254.*F*

Crustas quæ tollunt. 6°.*de comp.med.sec.loc.* 5ª.171.*H*

Crustas detrahit ononis. 8°.*de simp.med.fac.* 5ª.57.*D*

Crustas quæ optime disrumpant. 2°.*de arte cur.ad Glau.* 7ª.107.*B*

Crusta vt cito excidat cephalicum cum mexe adhibitum. 2°.*de arte cur.ad Glau.* 7ª.107.*B*

Crustæ quæ citius, & quæ tardius excidant. 5°.*met.med.* 7.31.*D*

ad Crustas excidentes quæ medicamenta conferant. 2°.*de arte cura. ad Glauconem.* 7ª.107.*B*

ad Crustas citra dolorem educendas. 5°.*de cõp.med.per g.* 5ª.250.*B*

Crustę non debent cito decidere.de ijs quæ in med.fi.com. 2°.7ª.210.*F*

Crustę nõ sũt temere remouẽdę in sãguinis pfluuio. 5°.*met.me.* 7.31.*D*

Crusta ablata multis supprimi sanguis nõ potuit. 5°.*met.me.* 7ª.31.*C*

Crustula, quæ ephelcis vocatur, portendit vlcerationem particulæ, a qua excerni videtur. 1°.*de loc.aff.* 4ª.2.*F*

Crustulam.i.ephelcida, quidam expuit tussi. 5°.*meth.med.* 7ª.34.*F*

CRVSTAE *oris affectus.introd.* *Isa.*59.*C*

de Crustis oris. 6°.*de comp.med.sec.loc.* 5ª.171.*G*

Crustis in ore non conueniunt adstringentia. 6°.*de comp.medicament. secun.loc.* 5ª.172.*B*

ad Crustas oris pastillus. 6°.*de comp.med.sec.loc.* 5ª.172.*A*

ad Crustas oris. 6°.*de comp.med.sec.loc.* 171.*D*/172.*A*/8°. 5ª.188.*G*/*de remed.par.fac.* 7ª.158.*A*

ad Crustas in faucibus puerorum.de reme.fac.par. 7ª.165.*D*

ad Crustas, Archigenis. 6°.*de comp.med.sec.loc.* 5ª.172.*B*

ad Crustas, Critonis. 6°.*de comp.med.sec.loc.* 5ª.172.*A*

ad Crustas, Heraclidæ. 6°.*de comp.med.sec.loc.* 5ª.172.*D*

ad Crustas faciens medicamentum. 6°.*de cõp.me.sec.lo.* 5ª.272.*C*/*E*

CRVSTATA *animalia, quæ hñt tenuem testam.* 3°.*de ali.fac.* 2ª.32.*C*

Crustata minus salsa sunt, quàm testacea. 3°.*de ali.fac.* 2ª.32.*D*

Crustatis animalibus non oriuntur pili. 2°.*de temp.* 1ª.18.*G*

Crustatorum caro si cocta succum salsum deposuerit, alium sistit. 3°. *de alim.fac.* 2ª.32.*D*

Crustata cur vitanda sint his, qui tenuante diæta vti volunt. de atten. vict.ratione. 2ª.45.*E*

CRVX *marina. de dynam.* *Sp.*24.*B*

CRYPSORCHIS quid.fin.med. *Isa.*49.*D*

CRYSTALLVS *lapis quid.de simp.med.* *Sp.*86.*H*

Crystallus lapis stringit, & lac prouocat.de simp.med. *Sp.*86.*H*

de CRYSTALLINO *humore.* 10°.*de vsu par.* 1ª.178.*B*

Crystallinum, humorem gracilem appellat. 7°.*de dec.Hip.* 1ª.270.*G*

Crystallinus humor cur grando glacialis ab Aristotele appellatur. de anat.viuo. *Sp.*48.*D*

Crystallina figura qualis. 10°.*de vsu par.* 179.*H*/7°.*de decr.* 1ª.270.*H*/*de ana.viu.* *Sp.*48.*D*

Crystallini humoris natura. 9°.*de vsu par.* 1ª.177.*F*

Crystallinus humor est pars similaris. 1°.*met.med.* 7ª.6.*D*

Crystallinus qualis sit, & de eius situ, & figura rõ.de oculis. 7ª.182.*G*

Crystallinus in medio duorum humorum est, & qui sint, & propter quid in medio illorum sit.de ocul. 7ª.182.*H*

Crystallinus humor cur in profundo & medio positus sit. de anatomia viuorum. *Sp.*48.*D*

Crystallinus humor post corneam. 8°.*de vsu par.* 1ª.167.*F*

Crystallinus oculi humor est post albugineum.de ana.par. *Sp.*43.*D*

Crystallini humoris superfluitas est albugineus.de ana.vi. *Sp.*48.*E*

post Crystallinum humorem interius versus cerebrum positus est vitreus humor.de anat.viu. *Sp.*48.*D*

Crystallino in quo deseruit vitreus humor.de ocul. 7ª.183.*A*

ad Crystallinum humorem ita se habet humor vitreus, vt stomachus ad hepar.de anat.viu. *Sp.*48.*D*

vsq; ad Crystallinum humorem septem circuli. 10°.*de vsu p.* 1ª.178.*D*

ante Crystallinum de tribus panniculis.de oculis. 7ª.183.*B*

Crystallinus humor a quo accipitur. 9°.*de vsu par.* 1ª.177.*F*

ad Crystallinum humorem a cerebro portio quædam mittitur. 8°.*de vsu partium.* 1ª.167.*E*

Crystallinus humor a quo nutriatur. 9°.*de vsu par.* 1ª.177.*F*

Crystallini cibus qui sit.de ocul. 7ª.183.*A*

circa Crystallinum humorem, qualis in ouis. 10°.*de vsu par.* 1ª.179.*c*

post Crystallinum humorem spatium est plenum aqua & spiritu. 10°. *de vsu partium.* 1ª.179.*F*

Crystallini humoris præcipua vtilitas. 10°.*de vsu par.* 1ª.184.*c*

Crystallini humoris officium. 7°.*de decr.Hipp.* 1ª.270.*H*

Crystallinus humor est translucens, vt sit susceptibilis omnium formarum intra se.de anat.viu. *Sp.*48.*D*

Crystallinus humor solus a coloribus alterat. 1°.*de symp.cau.* 3ª.14.*B*

Crystallinus humor principalissimũ instrum visus.de instro odoratus. 110.*G*/8°.*de vsu par.* 1ª.167.*A*/1°.*meth.med.* 6.*D*/2°. 7ª.12.*G*

Crystallino humore fit visus.de ocul. 7ª.182.*G*/*H*

in Crystallino humore non fit visus, vt visum est Aristoteli, sed in pelliculis oculi.de vtil.resp. *Sp.*63.*a*

Cryſtallinus humor quã rõnẽ habet in oculo, hãc habet in auribꝰ audiẽ di meatus finis, vbi neruo dilatato cõtingit. 1°. de ſymp. cau. 3ª.15.F
vt Cryſtallinus humor ſe habet ad viſum, ita interior pars oſſis petro ſi ad auditum. de anat. viu. Sp.48.H
Cryſtallinus ex intemperie poteſt laborare. 2°. meth. med. 7ª.12.H
Cryſtallini humoris morbi in octo tẽperamẽtis. 1°. de ſym. ca. 3ª.14.C
Cryſtalloide arefacta erit noxa perſeuerans & eſſentiæ ipſius propriꝰ affectus. 1°. de loc. affect. 4ª.4.A
Cryſtallinus humor poteſt diuidi, & pati ſolutionem vnitatis. 1°. de ſymoto. cau. 3ª.14.C

CTESIPHONTIS *emplaſtrum. 6°. de cõp. med. per ge. 5ª.261.C*
Cteſiphontis Cerine. 6°. de comp. med. per gen. 5ª.262.B
CVBARE humi plus lædit conſiſtentes, quàm iuuenes. commen. 3°. aph. 30°. Ex.26.D
Cubare humi numeratur inter cauſas quibus iuuenes corripiũtur morbo comitiali. com. 3°. aph. 29°. Ex.26.C
Cubare humi numeratur inter cauſas, ob quas iuuenibus accidunt ſanguinis ſputitiones. com. 3°. aph. 29°. Ex.26.C
Cubare quo modo æger debet. in progn. com. 1°. 4ª.193.C
Cubare ſupinum non bonum. in progn. com. 1°. 4ª.193.E
Cubare in ventrem quo modo malum. in progn. com. 1°. 4ª.193.H
Cubare ſupine quam noxam faciat pectori. in progn. com. 1°. 4ª.194.A
CVBEBARVM *drachmæ duæ ad aperiendum oppilationes, quæ accidunt in membris interioribus. de med. exper. Sp.106.B*
Cubebe ſit mentio. ſecret. Sp.102.A
CVBICVLVM *quod ſeruat res, quale eſſe debet. 11°. de ſimpli. medic. facult. 5ª.79.F*
in Cubiculo febricitantium quę ſunt ſternenda. 10°. met. me. 7ª.64.E
Cubicula calida ad meridiem. 1°. de ſimp med. fac. 5ª.79.F
Cubilium diſcrimina omnia non ſunt neceſſaria. ad Thra. 2ª.104.D
Cubile præter conſuetudinẽ aut molle, aut durum, aut quod ſub diuo eſt, laborem facit. de vic. ra. in mor, acu. com. 2°. 7ª.124.C
Cubile durum extenuat, quia ſolicitat corpus, cõprimit, cõſtringitq;, itaq; eius in oẽm partem incremẽtũ interpellat. de ſal. diæ. 2ª.41.D
in Cubili frigido ſomnum capiat calida natura tempore calido. in 6m. de mor. vul. com. 4°. 3ª.185.E
de CVBITO. *de oſſibus. 1ª.42.H*
Cubitus quid ſit. intr. Iſ. 53.B/2°. de vſu par. 120.H/ 2°. de motu muſcu. 1ª.313.F/de frac. com. 2°. 240.C/de arti. com. 4°. 7ª.286.D
Cubitum quid appellarunt nonnulli. de fract. com. 2°. 7ª.231.G
Cubitus, os ſolũ vocatur apud Hippocratem. de frac. com. 2°. 7ª.236.E
Cubitus pars manus. 2°. de vſu p. 1ª.120.H/de inæq intemp. 3ª.43.D
Cubitus in manu qualis in crure tibia. 3°. de anato. adm. 1ª.74.A/de frac. com. 2°. 7ª.232.H
Cubitus quot oſſium ſit. de fract. com. 1°. 7ª.227.B
Cubiti oſſa inæqualia ſunt. de fract. com. 3°. 7ª.249.D
Cubiti os longius eſt q̃ radij. de fract. com. 1°. 7ª.224.F
Cubiti particulæ in duas regiones diuiduntur. 1°. de ana. adm. 1ª.65.G
Cubiti quæ pars ſit ἀγκών. de fract. com. 3°. 7ª.249.E
Cubiti gibber, quẽ græci ancona vocãt. 3°. de comp. per ge. 5ª.231.E
Cubiti gibbus quid ſit. de fract. com. 2°. 7ª.240.C
Cubitum, poſſe ſignificare partem cauam, collige ex verbis Hippocratis cũ inquit, In cubito in laterali morbo. com. 1°. aph. 12°. Ex.6.A
in Cubito os paruum radius dicitur. 2°. de vſu par. 1ª.121.B
Cubito ſubeſt radius. de oſſibus. 1ª.43.A
Cubiti os maius proprie vlna dicitur. 2°. de vſu par. 1ª.121.B
in Cubito vlnæ finis craſſior eſt. 2°. de vſu par. 1ª.125.C
in Cubito cur partes craſſiores. 2°. de vſu par. 1ª.125.B
Cubiti cur habent mollem ſubſtantiam. 1°. de vſu par. 1ª.115.G
de Cubiti ſectione. 1°. de anat. adm. 1ª.65.H
Cubitum ſecandi modus. 1°. de ana. adm. 1ª.65.E
Cubitum ſecandi principium vnde. 1°. de anat. adm. 1ª.65.H
Cubiti ſectio & neruorum. 3°. de anat. adm. 1ª.75.C
in Cubito hñt ſimię alios muſculos, quã alia aialia. de muſ. diſ. 1ª.48.B
Cubiti muſculorum numeratio & ortus, ac finis. de muſc. diſ. 1ª.48.B
in Cubito muſculi tironibus ſunt quindecim, veteranis decem & ſeptem. de muſc. diſſ. 1ª.48.B
Cubiti & extremæ manus muſculi ſunt viginti tres, & quo modo. de vſu partium. 1ª.120.H
Cubiti & extremæ manus muſculorum ſitus. 2°. de vſu par. 1°.120.H
Cubiti & extremæ manus muſculorũ vtilitas. 2°. de vſu par. 1ª.120.H
intra Cubitũ diſſeccandus muſculus primus oĩum. de muſ. diſ. 1ª.48.G
intra Cubitũ ſunt ſeptem muſculi, quorum officium eſt flectere brachiale, & digitos, & radiũ in pronũ circũagere. de muſ. diſ. 1ª.48.F
Cubitum totum occupantes muſculi quomodo ſint octo, vel ſex, vel ſeptem. 1°. de anat. adm. 1ª.66.F
a Cubito medio a foris muſculus. 1°. de anat. adm. 1ª.65.A
inter Cubitum, & radium mediam regionem totam replentes muſculi. de muſ. diſ. 1ª.48.H
in Cubito muſculus, in quo omnes errarunt. de muſ. diſ. 1ª.48.C
in Cubiti interna parte, motus magni muſculi. 1°. de mo. muſ. 1ª.309.G
Cubiti rectam extenſionem qui muſculus facit. de muſ. diſ. 1ª.48.B
Cubiti os extenditur a muſculis, qui in cubito ſunt foris ſinientes in ἀγκῶνα. 1°. de motu muſc. 1ª.311.A
Cubiti dearticulationem mouentes muſculi vnde oriantur, ac vbi deſinant. de muſ. diſ. 1ª.47.H
Cubiti dearticulationem extẽdentes muſculi, qui. de muſ. diſ. 1ª.48.A
Cubiti, & fœmoris dẽtiæ in articulatione. de frac. com. 2°. 7ª.240.B
ad Cubitum neruus tenuis defertur. 4°. de loc. aff. 4ª.25.B
ad Cubiti flexum primum neruum abſumi vidit Galenus. 3°. de ana. adminiſtr. 1ª.75.G
Cubiti gibus, & poples diuerſo mõ flectunt. de frac. com. 2°. 7ª.240.C
ad Cubiti curuaturam nullus neruus. 16°. de vſu par. 1ª.218.C
in Cubito & humero quæ actio fiat. ad Thraſ. 2ª.104.H
in Cubito quibus vena non pulſat, ſunt ſtupidi. & animi mo. 1ª.320.C
in Cubito quibus vena pulſat, ſunt furioſi & iræ præcipitis. & animi mores corporis temperaturam ſequantur. 1ª.320.C
ad Cubitum quæcunq; rupta ex dorſo deſcendunt, venæ ſectio ſoluit. com. 6°. aph. 22°. Ex.48.D
in Cubiti interno articulo venæ plures quæ ſecari ſolent. de vic. rat. in mor. acu. com. 2°. 7ª.117.C
ex Cubito ſanguinis mittendi tres loci. de cur. ra. p ſang. miſ. 6ª.20.A
Cubiti vena q̃ in quib. affectib. incidẽda. de cur. ra. p ſan. miſ. 6ª.20.A
Cubiti vena ſecta quas partes iuuet. de cur. rat. per ſang. miſ. 6ª.20.E
Cubiti venæ ſectionem petunt membra ſupra iecur. in 6m. de morbis vul. com. 1°. 3ª.156.A
Cubiti vena ſecanda, vel vomitus prouocandus, ſi fluxio ſit in crura vel pẽdes. in 6m. de mor. vul. com. 2°. 3ª.162.C
Cubiti vena ſecãda eſt capite vitiato. in 6m. de mor. vul. c. 2°. 3ª.162.C
a Cubiti venę ſectione mẽſtrua cohibent. de cur. ra. p ſã. miſ. 6ª.20.E
Cubiti vena interna ſecãda in iecoris phlegmone. 13°. met. m. 7ª.82.H
pro Cobiti vena interna quando ea non apparet, media ſecanda in iecoris phlegmone. 13°. meth. med. 7ª.82.H
Cubiti venam mediam ſecato melancholico ſanguine abundante. 3°. de loc. aff. 4ª.18.G
Cubito ſecta arteria qd mali fecerit. de cur. ra. per ſan. miſſ. 6ª.21.D/E
ad Cubiti phlegmonas valẽt oua tota cruda. 11°. de ſim. mc. fa. 3ª.81.E
Cubiti robori ſi phlegmonẽ hẽat, nõ ẽ vt cõſulas. 13°. met. m. 7ª.84.E
Cubitos tenuiores habentes quo modo ad naturalem habitum reducuntur. 5°. de ſan. tu. 2ª.90.D
ex Cubiti & femorum parte poſteriore magis incipiunt viris rigores. com. 5°. aph. 69°. Ex.45.D
Cubiti iunc̃turarum morbi, qui, introd. Iſa.59.C
Cubitus per ſe lædi poteſt radio inuiolato. de machin. 7ª.320.D
Cubitus quo modo excidat. introd. Iſa.60.G
Cubito, cum in aliquam trium partium excidit, aptiſſimus laqueus. de laqueis. 7ª.306.G
Cubito, femori, humero ſolũ aptaĩ vinculũ variũ. de faſcijs. 7ª.293.E
ad Cubitum faſcia glomerata. de faſcijs. 7ª.304.H
in Cubito deligatio q̃ fieri debet. de ijs quæ in med. fi. cõ. 2°. 7ª.206.C
Cubiti figuratio in deligatione qualis. de frac. com. 1°. 7ª.227.E
ſupra Cubitos tunica nõ geſtãda. de ijs quæ in med. fi. cõ. 1°. 7ª.202.G
Cubitus diſtortus in ſuperiorem partem quo modo deligandus. de ijs quæ in med. fi. com. 2°. 7ª.213.H
Cubitus diſtortus in inferiorem partem quo modo deligandus. de ijs quæ in medic. fi. com. 2°. 7ª.213.H
ad Cubitum continendum laqueus. de laqueis. 7ª.307.A
Cubitus in quot partes erũpat, & qũo reſtauretur. de mach. 7ª.312.H
Cubitus elapſus quomodo reſtituatur. de machin. 7ª.320.B
Cubitus luxatus quomodo inſtaurandus. de mach. 7ª.314.E
Cubitus, & radius qũo inſtaurentur. intr. Iſa. 60.G/de mach. 7ª.313.D
Cubitus quomodo inſtauratur. de frac. com. 3°. 7ª.250.B
Cubiti gibbi dimotio & inſtauratio. de art. com. 1°. 7ª.262.B

Cubiti iunctura difficilius, q̃ genu instaurat. de fract. cõ. 3°. 7ª.250.A
ad Cubitũ restituendũ spatha pprie adhibetur. de machi. 7ª.318.F
pro Cubito restituẽdo in quãcunq; partem plapso. de mach. 7ª.318.F
Cubito quatuor modis praue subijcitur mitella. de frac. cõ. 1°.7ª.231.B
Cubitum luxatum restituit Galenus. de artic. com. 1°. 7ª.256.B
Cubiti os crassius vulneratum facilius sanatur. de frac. c. 1°.7ª.227.B
Cubitus sinu laborans quo sanatus. de ijs quæ in med. fi. c. 2°.7ª.212.C
Cubiti gibbus, & poples dissimili mõ implẽtur. de frac. c. 2°. 7ª.240.B
Cubiti ossis fractura. de frac. com. 3°. 7ª.250.E
in Cubiti fractura dies primæ. de frac. com. 1°. 7ª.230.F
Cubiti ossa quot die b. corroborẽtur, et instaurentur. de frac. c. 1°.7ª.229.b
Cubiti fracturæ quo tempore consolidentur. de frac. com. 1°. 7ª.230.B
Cubiti ossa fracta breuiora redduntur. de frac. com. 3°. 7ª.242.F
Cubiti fracturæ victus qualis esse debeat. de frac. com. 1°. 7ª.230.E
in Cubiti fractura obsonia. de frac. com. 1°. 7ª.230.F
in Cubiti fractura a vino, & a carne abstinendũ. de fra. c. 1°.7ª.230.G
Cubitus nonnunquam aufertur. de diff. mor. 3ª.4.G
CVBITI *pars organorum. de machin.* 7ª.309.E
Cubiti organorũ ex robustiori materia fieri debẽt. de mach. 7ª.309.D
Cubiti ad quem vsum in organis. de mach. 7ª.309.F
Cubiti cum organa mouentur vsui sunt. de mach. 7ª.310.F
Cubiti in organis locum mutant. de mach. 7ª.310.F
CVBVS *quibus constet.* 8°. *de decr. Hip.* 1ª.274.G
Cubiforme os vbi articulatur. de vsu par. 1ª.130.B
CVCVLVS quid. de simp. med. Sp.83.C
Cuculus vires habet stringẽtes, et bñ refrigerãtes. de sim. me. Sp.83.B
CVCVLI *pisces habent duram carnem.* 3°. *de ali. fac.* 2ª.31.F
Cuculi pisces ægre concoquuntur, & pariunt succos crassos & salsos. 3°. *de alim. fac.* 2ª.31.F
CVCVMER *erraticum quid, & eius vires. de simp. med.* Sp.83.A
Cucumis, qualis. 8°. *de simpl. med. fac.* 5ª.60.E
Cucumeres quidam dulces ex amaris fiunt. 4°. *de sim. me. fa.* 5ª.28.G
Cucumeres reponuntur. de bon. & vitio suc. 2ª.36.H
Cucumeres sunt frigidi. de diff. cont. Sp.74.D
Cucumeres sunt humidi. de diff. con. Sp.74.D
Cucumis frigidus est et humidꝰ in secũdo ordine. 8°. *de sim. me. f.* 5ª.60.E
Cucumeres minus humidi peponibus. 2°. *de ali. fa.* 2ª.17.B
Cucumeres non facile corrumpuntur in ventriculo, vt pepones. 2°. *de alim. facul.* 2ª.17.B
Cucumer agrestis stomacum non euertit. de dyna. Sp.21.H
Cucumer est cibus carẽs ferè nutrimẽto. de ve. se. aduer. Eras. 6ª.14.C
Cucumeres sunt mali succi. de bon. & vit. suc. 2ª.37.F
Cucumer est cibus crassus. de diff. cont. Sp.73.A
Cucumeres generant succum frigidum. de diff. cont. Sp.74.B
Cucumeres gñant viscosos, crassos, et frigidos hũores. d pu. ep. 7ª.180.d
Cucumeres comedentes etiam si concoquant, implentur tamen succis frigidis ac mediocriter crassis. 2°. *de alim. fac.* 2ª.17.D
Cucumeres si non concoquantur in ventriculo, vertuntur in succum letalibus venenis similem. de bon. & vit. suc. 2ª.37.F
Cucumeres quando commode sumi possunt. de bon. & vi. suc. 2ª.39.B
Cucumeres nullã bñt adstringentem qualitatẽ. 2°. *de ali. fac.* 2ª.18.H
Cumeres mouent vrinam. 2°. *de ali. fac.* 2ª.17.B
Cucumeres semen supprimũt, tñ nõ corrũpũt. 5°. *de simp. me. fa.* 5ª.38.C
Cucumeris caro in oculorũ doloribus. 4°. *de comp. med. sec. lo.* 5ª.157.F
Cucumeres maturi minus exiccant, quàm amygdalæ & terebinthi semen. 5°. *de san. tu.* 2ª.92.C
CVCVMIS *agrestis succus elaterium dr.* 8°. *de simp. me. fac.* 5ª.60.E
Cucumi agrestis qua dosi pituitam educat. de dyna. Sp.21.H
Cucumeris agrestis radix hydropicis vtilissima. de dyn. Sp.22.B
Cucumeris agrestis radix pro dolore capitis ex frigore. de reme. para tu facilibus. 7ª.153.F
Cucumeris syluestris radix tenuium partium est absque morsu & lapidem in renibus atterit. 3°. *de comp. med. sec. loc.* 5ª.141.C
è Cucumeris agrestis radicibus oleũ faciebat Galenus p veteri oleo. 6°. *de comp. med. per gen.* 5ª.258.A
Cucumeris agrestis radix si oleo admista & decocta fuerit, cathartica & thermantica virtutem oleum habet. de simp. med. Sp.88.E
ex Cucumeris agrestis radice in oleo decocta mitigatorium in duriori bus corporibus. 3°. *de comp. med. per gen.* 5ª.235.A
ex Cucumeris agrestibus oleum rarefacit. 5°. *de simp. me. fa.* 5ª.35.F
Cucumeris agrestis radix emollit. 5°. *de simp. med. fac.* 5ª.34.F
Cucumeris syluestris radix multum discussoria. 1°. *de comp. medica. secun. loc.* 5ª.130.A
Cucumeris syluestris radix ĩ oleo cocta p scirrhis. 14°. *me. me.* 7ª.88.B
Cucumeris agrestis radix pro resolutione tumoris. 2°. *de arte cur. ad Glauconem.* 7ª.105.F
Cucumeris syluestris radix ad neruos vulneratos. 3°. *de compo. med. per genera.* 5ª.234.B
Cucumerum quædam semina, amara apparẽt gustantibus. 4°. *de simp. medic. fac.* 5ª.26.E
Cucumeris semen mitigatorium est. 8°. *de comp. med. sec. lo.* 5ª.196.B
Cucumeris semen ad stomachi ardorem cum syncope. 8°. *de comp. medic. sec. loc.* 5ª.191.H
Cucumeris satiui tosti semen. 10°. *de comp. med. sec. loc.* 5ª.106.D
Cucumeris repurgati semen. 10°. *de comp. med. sec. loc.* 5ª.106.D
CVCVRBITA *syluestris quid, & eius vires. de simp. med.* Sp.82.A
Cucurbitæ recensentur inter olera hortensia. 2°. *de ali. fac.* 2ª.16.D
Cucurbita non differt ab oleris mollientibus. de pue. epil. 7ª.180.C
Cucurbita est ἄτονος, id est expers saporis. 2°. *de ali. fac.* 2ª.16.F
Cucurbita. si cui eorum quę vehementem habent facultatem misceaẽ, facile ei assimilatur. 2°. *de alim. fac.* 2ª.16.G
Cucurbita quando dicitur πέπειρα. i. matura. 2°. *de ali. fac.* 2ª.17.A
Cucurbita est frigida certe. in 6ᵐ. *de mor. vul. com.* 5°. 3ª.194.B
Cucurbita humida ẽ et frigida ĩ scõdo ordine. 7°. *de simp. m. fa.* 5ª.52.A
Cucurbita est ex cibarijs frigidis. de diff. cont. Sp.74.D
Cucurbita est humida. de diff. cont. Sp.74.D
Cucurbita lenta & humida est. 1°. *de ali. fac.* 2ª.8.C
Cucurbitæ sunt humidæ, frigidæ, ac pituitosæ, præsertim si crudę, & non elixæ edantur. de atten. vict. rat. 2ª.44.A
Cucurbitæ nullam habent adstringendi qualitatẽ. 2°. *de ali. fa.* 2ª.18.H
Cucurbitæ quomodo seruantur. de bon. & vit. suc. 2ª.36.H
Cucurbitæ cavo quomodo in hyemem seruetur. 2°. *de ali. fac.* 2ª.16.D
Cucurbita cruda insuauis stomachumq; lædit, & concoctu difficillima est. 2°. *de alim. fac.* 2ª.16.F
Cucurbitam modi coquendi. 2°. *de ali fac.* 2ª.16.F
Cucurbita cur vario modo apparatur. 2°. *de ali. fac.* 2ª.16.G
Cucurbita quomodo sit cibus suauissimus. 2°. *de alim. fac.* 2ª.16.G
Cucurbita origano gaudet. 2°. *de alim. fac.* 2ª.16.H
Cucurbita cur cydonijs elixa auferũ succũ facit. 2°. *de ali. fa.* 2ª.16.H
Cucurbitas duriores cur quidam elixant. de atten. vic. 2ª.44.A
Cucurbita assa, frixa, perdit aliquid humiditatis. 2°. *de ali. fa.* 2ª.16.H
Cucurbita non est damnanda. de bon. & vit. succ. 2ª.37.F
Cucurbitę, citrruli, endiuia, lactucæ facilius digeruntur quàm apium, & carbthum. de diff. cont. Sp.73.D
Cucurbita est cibus carẽs ferè nutrimẽto. de ve. sec. aduer. Era. 6ª.14.C
Cucurbitę parum nutriunt propter multitudinem humiditatis. de dissol. cont. Sp.73.F
Cucurbita præbet alimentum humidum, tenue. 2°. *de ali. fa.* 2ª.25.C
Cucurbita est cibus subtilians primi generis. de diff. cont. Sp.72.D
Cucurbita coquitur non ægre in ventriculo, nisi prius corrupta fuerit. 2°. *de alim. fac.* 2ª.16.G
Cucurbita cur in ventriculo corrumpatur. 2°. *de ali. fac.* 2ª.16.G
Cucurbita si in ventriculo corrumpatur, malum valde succum gignit. de bon. & vit. suc. 2ª.37.F
Cucurbita non est mali succi. de bon. & vit. suc. 2ª.39.B
Cucurbitę generant chymum frigidum. de diff. cont. Sp.74.B
Cucurbita paruum præbet alimentum, frigidum, & humidum. 2°. *de alim. fac.* 2ª.16.G
Cucurbita & milium cibi frigidi, non autem frigidissimi, secundum Galenum. in 6ᵐ. *de mor. vul. com.* 5°. 3ª.194.B
Cucurbitæ generant viscosos, crassos, & frigidos humores. de pue. epileptic. 7ª.180.D
Cucurbita facile subsidet. 2°. *de alim. fac.* 2ª.16.G
Cucurbita cur facile descendit, & subducit ventrẽ. 1°. *de ali. fa.* 2ª.8.C
Cucurbita lenit ventrem. de diff. cont. Sp.75.A
Cucurbita contra sitim. 7°. *de simp. med. fac.* 5ª.52.A
Cucurbitæ debent dari calidis, et siccis æstate. de bo. et vi. suc. 2ª.39.B
Cucurbita calidas phlegmonas mediocriter refrigerat. 7°. *de simp. medic. fac.* 5ª.52.A
Cucurbitæ in phrenitide, & lethargo. 13°. *meth. med.* 7ª.85.F
Cucurbita in febre danda. 4°. *de san. tu.* 2ª.87.G
Cucurbita vtilis est in febre tertiana. 1°. *de arte cur. ad Glau.* 7ª.97.C
Cucurbitæ in cancro pro cibo. 2°. *de arte cur. ad Glau.* 7ª.107.E
Cucurbitas apponit collo, & mento. 6°. *de cõp. med. sec. lo.* 5ª.174.A

Cucurbitæ succus refrigerat. 1°. de arte cur. ad Glau. 7ª.99.C
Cucurbitæ ramenta vuæ immaturæ succo admixta pro capite refrige rando. 2°. de comp. med. sec. loc. 5ª.132.G
Cucurbitam capiti imponebant in phreniti. 13°. meth. med. 7ª.85.D
Cucurbitæ ramentorum succus ad aurium dolores cum phlegmone iũ ctos vtile est. 7°. de simp. med. fac. 5ª.52.A
Cucurbita circa stomachum apposita eius dolorem eximit. 8°. de cõp. med. sec. loc. 5ª.192.D
Cucurbitas minus exiccare, quàm amygdalas & terebinthi semen, collige. 5°. de san. tu. 2ª.92.C
Cucurbita semen supprimit, tñ nõ corrũpit. 5°. de simp. med. fa. 5ª.38.C
Cucurbitæ seminibus similia excrementa indicia sunt vermium latorum. 1°. de loc. affe. 4ª.6.C
ex Cucurbita sicca vsta medicamẽtũ, valde siccat. 5°. met. m. 7ª.36.D
Cucurbita sicca vsta conuenit vlceribus humidis simul & citra phleg monem callo induratis, & maxime vlceribus quæ in pudendorum præputijs fiunt. 6°. de simp. med. fac. 5ª.40.H
Cucurbitæ syluestris radix. 14°. meth. med. 7ª.91.E
Cucurbitæ agrestis radix pro rosmarino sumitur, si is ad manũ non sit, quia efficaciter euaporat in oleo cocta. 4°. de san tu. 2ª.87.B
Cucurbita pro obsonio in cubiti fractura. de frac. com. 1°. 7ª.230.G
CVCVRBITAE cur excogitatæ. 4°. met. med. 7ª.29.D
Cucurbitula propter quid inuenta, & quid faciat ad profunda. 13°. meth. med. 7ª.85.A
Cucurbitulas affigebant ministri medicorum. in 6ᵐ. de morb. vulgari. commen. 5°. 3ª.188.C
in Cucurbitulis flamma statim extinguitur, sed caliditas remanet. de vsu pulsuum. 1ª.228.G
Cucurbitæ medicinales cur extinguant ignem. de vtil. resp. 1ª.224.F
Cucurbita quo modo obstruatur flamma. de caus. mor. 3ª.7.C
Cucurbita motũ flãmæ immodice intra cohibet. de vtil. resp. 1ª.224.H
Cucurbita pforata nõ põt intra se extinguere flãmã. de vsu p. 1ª.224.h
Cucurbitarũ dria a mã, & a figura. de cucur. & scar. &c. 6ª.3.D/E
Cucurbitulæ acutũ os habentes quibus cõpetant. de cucur. scar. Cª.3.E
Cucurbitulæ, quæ commodius affiguntur. de cucur. & scar. 6ª.3.E
Cucurbitulæ, quæ capiti vtiliter applicãtur. de cucur. & scar. 6ª.3.E
Cucurbitulę hũiliores i capite magis accõmodant. de cuc. et sca. 6ª.3.E
Cucurbitularum æarum frequentior erat vsus apud antiquos. de cucur. scarifi. 6ª.3.D
Cucurbitularum æarum tractus, quemadmodum etiam vitrearum per ignem fit. de cucur. scar. 6ª.3.E
Cucurbitularum cornearum tractº fit sine igne. de cucur. et sca. 6ª.3.E
Cucurbitulis corneis in capite vtimur. de cucur. scar. 6ª.3.D
Cucurbitulę trahunt citra calefactionem. 13°. meth. med. 7ª.82.D
Cucurbitulæ quæ magis attrahunt. de cucur. & scar. 6ª.3.E
Cucurbitula maxima facit fortiorẽ attractionẽ. c. 5°. aph. 50°. Ex. 42.B
Cucurbitulæ sint vitreæ in quibus sanguinis euacuationem considerare est opus. de cucur. & reuul. 6ª.3.D
Cucurbitulas argenteas, quia vehementius igniuntur, reijcimus. de cucur. & reuul. 6ª.3.D
ante Cucurbitulas oportet prius comedisse omnino, vel aquam bibisse aleui nutrimento, & iam subducto. de cucur. scar. &c. 6ª.3.C
Cucurbitulæ quibus partibus imponendæ sunt, eæ partes quomodo situandæ. de cucur. scar. 6ª.3.D
Cucurbitula cui parti apponenda est, ea prius rubescat & tumescat. de cucur. reuul. 6ª.3.C
Cucurbitulæ cũ modico igne applicãdæ sunt. de cucur. scar. etc. 6ª.3.D
Cucurbitulæ in capite cum multo igne haud sunt infigendę, vehemẽter enim attrahunt, & difficulter auelluntur. de cucur. scar. 6ª.3.D
ante Cucurbitulas venter emolliatur. de cucur. scar. 6ª.3.C
Cucurbitularum vsus non conuenit in plethora. de cucur. scar. 6ª.3.B
Cucurbitulæ sunt vtiles euacuatis corporibus. de cucur. scar. 2.E/3.B/de cur. rat. per sang. miss. 6ª.20.G/13°. meth. med. 7ª.85.B
Cucurbitulis non vtimur dum morbi fiunt. de cucur. scar. 6ª.3.B
Cucurbitula minime mẽbris laborare incipiẽtib⁹, sed ijs quę cõtinuata his sunt, imponẽda, aueliẽdi in cõtrariũ cã. 13°. met. me. 7ª.85.A/B
Cucurbitulæ nõ apponendæ dum materia fluit. de hirud. reuul. scar. cucurbitu. & scar. 2.E/ 6ª.3.B
Cucurbitulis vti non debemus in principijs vlla particula phlegmone laborante. de cucur. scar. 6ª.3.B/13°. met. med. 7ª.85.A
Cucurbitulis vti nõ debem⁹ in principio, vbi cerebrũ, et eius mẽbranę phlegmone laborarũt. de cucur. scar. 6ª.3.B/11°. met. me. 7ª.73.E
Cucurbitula infensa est phlegmoni superficiali. de const. ar. Isa.41.E
Cucurbitulis quando vti possumus. de cucur. scar. 2.E/ 6ª.3.B
Cucurbitula vtimur ad locorum contusionem. fin. med. Isa.48.H
per Cucurbitulas qñ nõ exit sanguis, quid agendũ. de cuc. scar. 6ª.3.C
Cucurbitulæ replicandæ si nõ sit satis euacuatũ. de cucur. scar. 6ª.3.D
Cucurbitulæ qñ non possunt auelli, quid agendum. de cucur. sca. 6ª.3.D
Cucurbitulã ponit ẽt sine scarificatione. de cur. rat. p san. mis. 6ª.20.G
Cucurbitularum sine incisione vsus conuenit in mediocri dolore, & in similibus. de cucur. reuul. 6ª.3.C
Cucurbitulæ incidendæ sunt in particulis repletis, & vbi est corrupta materia. de cucur. scarifi. 6ª.3.C
cucurbitulæ actio, quæ. 3°. de loc. aff. 4ª.15.D
Cucurbitula reuulsionis causa imponenda est. de cucur. scar. 6ª.3.B
Cucurbitula quæ bona facere potest. de hirudinibus, reuulsione, cucur. cutis concisione, seu scarif. 2.F/ 6ª.3.F

Cucurbitula potest
- Capitis materiam vacuare,
- Dolorem soluere,
- Phlegmonem minuere,
- Inflationem discutere,
- Appetentias reuocare,
- Imbecillum, exolutumq; stomachum roborare,
- Animi defectiones remouere,
- Quæ in profundo sunt ad superficiem trãsferre,
- Fluxiones exiccare,
- Sanguinis eruptiones cohibere,
- Mensium circuitus suggerere,
- φθοροποιοῦς δυνάμεις .i. facultates corruptionẽ inducentes attrãhere,
- Rigoribus finem imponere,
- Circuitus soluere,
- a Cataphora .i. inclinatione in somnũ, excitare,
- Somnos conciliare,
- Grauitates alleuare. de cucur. scar. 6ª.3.E

Cucurbitula leuat dolores recentes, aut etiam vigentes. de curan. rat. per sang. miss. 6ª.20.G
Cucurbitula admota cum flamma copiosa curatur dolor ex spiritu flatuoso. 12°. meth. med. 7ª.79.H
Cucurbitulis vehementibus est vtendum, in quibus roborare volumus. de cucur. reuul. 6ª.3.C
Cucurbitula super caput memoriam deperditam instaurat, secundum Archigenem. 3°. de loc. aff. 7ª.15.F
Cucurbitula nõ pt p occasionẽ aliq; adhiberi capiti. 3°. de l. af. 4ª.16.A
Cucurbitulę adhibendę in alopecia. 1°. de comp. med sec. loc. 5ª.122.H
Cucurbita in occipite ad oculorum fluxiones. 13°. met. med. 7ª.85.B
Cucurbitulæ cur apponantur supra occiput, cum ad oculos, & partes anteriores humores fluant. 2°. de comp. med. sec. loc. 5ª.137.H
Cucurbitula occipiti quo modo apponenda. de rem. par. fac. 7ª.156.B
Cucurbitula ad parotidas. 3°. de comp. me. sec. lo. 5ª.146.D
vnà cũ Cucurbitularũ vsu. sanguine misso ex partib⁹ ꝑm occiput, diuturnę oculorũ fluxiones sępius sanatæ sunt. c. 5°. aph. 68°. Ex. 45.D
Cucurbita supra ceruicem apposita confert sanguine e naribus profluentes. 5°. meth med. 7ª.32.A
Cucurbitulam capiti apponere in sanguinis profluuio præsentissimum est remedium. de med. fac. par. 7ª.163.F
Cucurbitulas quæ hypochondrijs affigunt sępenumero sanguinis ad nares impetum reuulsisse visum fuit, & etiam per vterũ immodicas irruptiones. de cucur. scar. 6ª.4.F/5°. met. med. 30.E/13°. 7ª.85.B
Cucurbitula in dextro hypochondrio apposita supprimit sanguis a nare dextera, sicuti in sinistro a sinistra. de cur. rat. p san. mis. 6ª.19.H
per Cucurbitulas retrahitur sanguis è naribus profluens: super lienẽ quidem applicita, si è sinistra: super iecur vero, si è dextra exeat. 1°. de arte cur. ad Glau. 7ª.100.F
in Cucurbitulis seruat rectitudinẽ loci patiẽtis. de med. fa. p. 7ª.163.D
Cucurbitula applicatur hepati, & lieni in fluxu sanguinis narium quo modo. de rem. par. fac. 7ª.55.H
Cucurbitula in pulmonis inflammatione. 11°. meth. med. 7ª.73.E
Cucurbitulæ quando apponendæ hepati, & splenі. 2°. de arte cura. ad Glauconem. 7ª.102.G
Cucurbitulæ splenі apponendæ, vbi splenicus morbus persenerat. 9°. de comp. med. sec. loc. 5ª.202.A
Cucurbitulæ contra inflammationes in melancholicis. de mel. ex Gal. Ruf. & Poss. Sp.110.C

Cucurbita magna circa vmbilicum cum multo igne sedat dolorem. 2°. de arte cur. ad Glau. 7ª.104.G
Cucurbitulæ prope mammas non ponendæ. de cucur. reuulſ. 6ª.3.C
Cucurbitula iuxta mãmas reuulſoriũ eſt p̃ſidiũ. de cucur. ſcar. 6ª.4.F
Cucurbitula reuellit ex contrarijs partibus: a menſtruis ſuperfluis appoſita proxima mammis: a ſanguine narium, hypochondrijs. de hirud. reuulſ. cucur. ſcarifi. 6ª.2.D
Cucurbitula ſub mammis pro reuellendo ab vtero. 5°. meth. medendi. 30.E/13°. 7ª.85.B
Cucurbitulã q̃ maximam ad mammas appone mulieri, ſi velis menſtrua cohibere. com. 5°. aph. 50°. Ex.42.A
Cucurbita in pube, & in inguine quando menſes trahere volumus. 13°. meth. med. 7ª.85.B
in Cucurbitulæ modum ad ſe trahit ex toto corpore ſanguinem inflãmatio admodum vehemens. com. 7° aph. 1°. Ex.54.B
Cucurbitula ponenda eſt ſupra locum, vbi hirudo fuerit, vt virus extrahat, vel ſpongijs fouendus. de cucur. ſcar. 6ª.4.C
vt Cucurbitula, exugit venenum theriaca impoſita loco emorſo cane rabido. de ther. ad Piſ. 5ª.96.G
vt Cucurbitula, trahũt a toto corpe rubrificãtia. 4°. met. me. 7ª.25.E
Cucurbitula q̃n iſchiadicis ponẽda. 10°. de comp. me. ſec. lo. 5ª.207.B
Cucurbitulæ pro renum lapide. de ren. affect. dign. & med. 7ª.193.H
Cucurbitula non conuenit aridæ diſpoſitioni. 3°. de lo. aff. 4ª.15.G
Cucurbitula quidam vſi, vt circa ægrum aliquid facere viderentur. 11°. meth. med. 7ª.72.D
per Cucurbitulas fomenta. 3°. de comp. med. ſec. loc. 5ª.145.D
p Cucurbitulis & hirudinibus Epithema. 10°. de cõ. m. ſ. l. 5ª.209.B
CVLICES fieri ab eodem opifice, quo homines, non credit Galen⁹. de fœt. form. 1ª.326.B
Culices non ſecauit Galenus. 6°. de anat. adm. 1ª.89.G
Culices cur videantur in ſuffuſis. 1°. de ſymp. cau. 3ª.15.A
Culices fugat myricæ ſuccus. de ſimp. med. Sp.87.G
ad Culices necandos. de medic. fac. par. 7ª.174.B
CVLPA, *ne mulieris, an viri non concipiat, quo modo cognoſcatur. de paſſ. mul.* Sp.96.C
Culpant multi non culpanda. 14°. meth. med. 7ª.92.F
Culpati & non ſimplicis, ſimplex & inculpatum in omni genere regula eſt. 2°. de ſan. tu. 2ª.69.C
CVLTER *ad aperienda oſſa pectoris, qui. 7°. de anat. adm.* 1ª.94.C
in CVLTVRIS *aues degentes ſunt multarum ſuperfluitatum. de diſſ. cont.* Sp.73.E
CVMINVM ſemen odoratum eſt tenuium partium, vrinam ciens. 9°. de compo. med. ſec. loc. 5ª.200.H
Cumini ſemẽ vrinã mouocat, & attenuat. 9°. de cõp. me. ſe. lo. 5ª.201.H
Cumini ſemen conuenit in dieta attenuante. de atten. vic. 2ª.44.E
Cuminum condimentum. 1°. de comp. med. ſec. loc. 5ª.128.E
cum Cumino, vel libyſtico, vel ſinapi, vel melle pro delitijs aliqui miſcent oleribus omnibus acetum. de atten. vict. 2ª.44.C
Cuminum miſcetur purgantibus medicamentis. 8°. de comp. medic. ſecundum loc. 5ª.190.B
Cuminum æthiopicum cæteris præſtat. 4°. de ſan. tu. 2ª.85.A
Cumini æthiopici meminit. 7°. de comp. med. ſec. lo. 186.F/187.A/9°. 200.D/ 5ª.202.A/D
Cuminum græcum. de rem. par. fac. 7ª.168.A
Cuminũ græcũ ad alui pfluuiũ ſupprimẽdũ. de med. fac. par. 7ª.170.B
Cuminum hiſpanum. 9°. de comp. med. ſec. loc. 5ª.202.D
Cuminum flatus ſanat. 8°. meth. med. 53.F/14°. 7ª.88.F
Cuminum exiccat. 3°. de alim. fac. 2ª.26.D
Cuminum detergit. 6°. de comp. med. per ge. 5ª.256.F
Cuminum pro Aniſo. 7°. de comp. med. ſec. loc. 5ª.182.B
CVNEOLI, pars organorum. de machi. 7ª.309.E
Cunei, pars organorum. de machin. 7ª.309.E
Cuneus ad quid in organis. de machin. 7ª.310.A
Cunei in quibuſdam organis extrahi poſſunt. de mach. 7ª.310.F
Cuneata, & lunata appẽdix in organis ĩmobilis eſt. de mach. 7ª.310.F
CVNICVLVS *lepori ſimilis. 3°. de alim. fac.* 2ª.26.C
in CVNIS, *in lectulis pendentibus, & nutricum vlnis mouentur infantes. 1°. de ſan. tu.* 2ª.65.D
CVNILA *atram bilem ducit. de mel. ex Gal. Ruf. & Poſſ.* Sp.110.A
CVNNVS *quid. de diſſec. vuluæ.* 1ª.108.C
Cunnus pars anterior vteri. 1°. de ſem. 1ª.329.H
Cunnus quibus locis ſituetur. de diſſ. vuluæ. 1ª.108.C
Cunnũ muliebrẽ in fœminis efficit mariũ pudendũ. 2°. de ſem. 1ª.339.D
per Cunnum non exit flatus poſt conceptum. 1°. de ſem. 1ª.329.F
CVPIDITAS quid ſecundum Chryſippum. 4°. de decr. Hippocratis. 248.F/ 1ª.249.G/H
Cupiditas eſt animi ægritudo et perturbatio. de cog. cur. animi. 2ª.52.E
Cupiditas vehemens numeratur inter animi affectus vel perturbationes. de cog. cur. animi morb. 2ª.50.G
Cupiditatem ſolam hñt animalia immobilia. 5°. de decr. Hip. 1ª.258.C
Cupiditatibus minime affici videtur, qui plurimum ratione vtitur. 3°. de decr. Hip. 1ª.245.H
cupiditatibus ſeruiunt pueri, quaſi beſtiæ. 3°. de decr. Hipp. 1ª.245.G
Cupiditas ĩſana ĩ iuuenib⁹ cur p̃cedat coitũ. 14°. de vſu p. 1ª.207.D
Cupiditas & voluptas cur in coitu, & q̃o fiãt. 14°. de vſu p. 1ª.207.D
Cupiditate vindictæ qualis fiat pulſus. 2°. de cau. pul. 4ª.19.D
ob Cupiditates ĩmẽſas dies ſemp erit paup. de cog. cur. ani. 2ª.55.C
Cupiditates ſuſcitatur febris. præſag. exper. confir. Sp.77.D
Cupit quod quiſq; id facile eſſe credit. de præco. ad Poſt. 4ª.218.E
CVPRESSI *& ilicis taleæ ad quid vtiles. de med. fac. par.* 7ª.163.H
Cupreſſi quod genus ſit ſphęritis. 1°. de comp. med. ſec. loc. 5ª.124.F
ex Cupreſſo nõ debẽt fieri lecti, fores, nec vaſa. de ſubſi. emp. Iſ. 32.C
Cupreſſus nocet capiti. de ſubſi. emp. Iſa.32.C
Cupreſſi folia exiccant, tñ parũ calida ſunt. 7°. de ſimp. med. 5ª.53.G
Cupreſſi folia tantam habent caliditatem, quanta poſſit ducere acerbitatem in altum. 7°. de ſimp. med. fa. 5ª.53.G
Cupreſſi folia germina, pillulæ recentes, & molles magna vlcera conglutinant in duris corporibus. 7°. de ſimp. med. fa. 5ª.53.G
Cupreſſo quidam vtuntur ad eryſipelata. 7°. de ſimp. med. fa. 5ª.53.G
vt Cupreſſus conuenit putredinibus ſabina, maxime vbi rebelliores fuerint & diuturniores. 6°. de ſimp. med. fac. 5ª.45.C
Cupreſſus tantum ſuperat ſabinam in adſtrictione, quantum ab ipſa ſuperatur in acrimonia. 6°. de ſimp. med. fac. 5ª.45.B
Cupreſſus enterocelicos iuuat, & ea quidam ad carbunculos, & herpetes vtuntur. 7°. de ſimp. med. fac. 5ª.53.G
ex Cupreſſi ſphęrulis medicamentum. 5°. meth. med. 7ª.34.C
Cupreſſi reſina adſtringit. 3°. de comp. med. per gen. 5ª.230.D
Cupreſſus viridis. 4°. de comp. med. ſec. loc. 5ª.157.F
CVRAE ſi ſint ex lõgo tpe cõſuetę min⁹ nocẽt. cõ. 2°. aph. 5°. Ex. 19.B
Curas ĩpedire sõnũ, et ĩducere vigilias, collige. c. 3°. aph. 31°. Ex. 26.H
Curarum quia plena eſt ſenectus, & quia corpus habent exiccatum ideo ſenibus accidunt vigiliæ. com. 3°. aph. 31°. Ex.26.H
ĩ Curis cur nõ recordamur ĩ poſterũ eorũ q̃ egim⁹. 2°. de mo. m. 1ª.315.B
Curę ſunt cãę recẽtes ac ppinquæ morborũ. de nat. hu. cõ. 2°. 7ª.180.F
Curæ ad quartam medicinæ partem pertinent. ad Thraſ. 2ª.108.D
Curæ exicãt. de cau. mor. 3ª.7.H/com. 2°. aph. 28°. Ex.16.D
Curas habentibus cutis ſpiſſeſcit. de opt. ſect. Iſa.26.B
Cura vires reſoluit. 12°. meth. med. 7ª.77.D
Cura auget halitum fuliginoſum. 10°. meth. med. 7ª.62.H
Cura immodica accendit febres. 1°. de ſan. tu. 2ª.65.F
Cura ſuſcitatur febris. præſag. exper. confir. Sp.77.D
ex Curis ephemera, qualis. 1°. de arte cur. ad Glau. 7ª.95.B
Curis ephemeræ hñt pulſus minores. 1°. de arte cur. ad Glau. 7ª.95.D
a Curis debent abſtinere calidi. in 6^m. de mor. vul. com. 4°. 3ª.183.E
Curæ non indigent frictionibus, nec lotionibus. 8°. meth. med. 7ª.51.E
CVRARE *quid ſit. 4°. meth. med.* 7ª.24.E
Curatio quid. fin. med. Iſa.46.B
Curatiua ars eſt ceu quædam architectonica, quæ præcipit omnibus alijs. ad Thraſ. 2ª.108.H
Curatiua eſt vna pars totius artis. ad Thraſ. 2ª.108.B
Curatrix medicina pars quæ. fin. med. Iſa.48.A
Curatrix quæ pars artis. 11°. meth. med. 7ª.68.D
Curatoriæ partis differentiæ. introd. Iſa.52.C
Curatiua pars medicinę ĩ quot partes diuidat. de ſubſi. emp. Iſa.32.A
Curatiua ſcietia minima debet hre particulas. de par. art. me. Sp.18.d
Curatiuã methodũ ignorãtes nõ poſſunt mederi. de pue. epil. 7ª.179.F
Curandi viam inuenit Hippocrates. 8°. meth. med. 7ª.58.E
Curationis modũ a rei natura inuenit Hippocrates. 11°. me. me. 7ª.72.B
Curatio fit ex re, non ex nominibus. 1°. meth. med. 7ª.7.E
Curãdi viã ſe repiſſe q Aſclepias glorieť. 1°. de cõp. me. ſe. lo. 5ª.124.A
in Curando, & præſagiẽdo ſemper Galenus ſe exercuit. in 6^m. de mor. vulg. com. 2°. 3ª.167.A
Curauit multos per literas Galenus cum in alienis eſſent terris. 4°. de loc. affectis. 4ª.22.C

Curatiuam methodū perfecte scripsit Galenus. de puc. epi. 7ª.179.F
post Curandi artem ad Glauconem quos libros promittit se scripturum Galenus. 2°.*de arte cur. ad Glau.* 7ª.107.G
de Curādi rōne liber prognostica precedit in progn. cō. 1°. 4ª.190.H
de Curatione & cā passionis librū fecit Diocles. c. 6°.*aph.* 1°.*Ex.* 46.c
Curabant gnālē hoīem, nō particularē methodici. 3°.*met. me.* 7ª.20.F
Curatio per se a medicis exercet. de vic. rat. in mor. acu. c. 1°.7ª.108.d
Curare qui medicus optime poterit. in 6ᵐ.*de mor. vul. c.* 3°. 3ª.174.G
Curator morborum qui merito dici possit. 3°.*meth. med.* 7ª.16.D
Curatio, dici potest curatio, & pcustodia. 1°.*de dif. feb.* 32.F/3ª.33.B
Curatiuæ medicinæ partis, & præseruatiuæ contraria officia sunt. 1°. *de san. tu.* 2ª.62.C
ex Curatione & præseruatione mista proprio nomine non possumus explicare. com. 2°.*aph.* 22°. *Ex.* 15.C
Curatio est solum corporis affecti. 1°.*meth. med.* 7ª.7.G
Curatio est rei præsentis. 4°.*meth. med.* 7ª.24.B
Curatio est finis artis, non prænotio, vel dignotio. de vict. rat. in mor. acutis. com. 1°. 7ª.108.E
in Curatione. i. primū, qđ est vltimū i resolone. 11°.*met. med.* 7ª.70.D
Curationis totius communis finis, & scopus. qui. de ijs quæ in med. fi. commen. 1°. 7ª.197.G
Curatio nulla exacta scribi potest. 3°.*meth. med.* 7ª.18.D
Curatio vt tuta sit, quid agendum. 14°.*meth. med.* 7ª.90.H
Curatio optima quo modo tripliciter iudicetur. 14°.*met. me.* 7ª.90.H
Curationem morborum quomodo moliebatur, & inueniebat Gal. 3°. *de loc. aff.* 4ª.15.B
Curatio facile inuenitur experientia, cum vnus in corpore est affectus. 10°.*meth. med.* 7ª.65.A
ad Curationem necessaria. de opt. sect. Isa.25.E
ad Curationem quot considerāda. de nat. hu. com. 2°. 7ª.182.C
Curatio ad quæ intendat. 2°.*meth. med.* 7ª.9.C
ad Curationem faciunt dignotio, & prænotio. de vict. rati. in morbis acut. com. 1°. 7ª.108.D
Curatio dignotionē, & prænotionē consequit. 10°.*met. med.* 7ª.64.B
ad Curationem qui noscendum. 14°.*meth. med.* 7ª.92.E
Curare nescit qui elementa non nouit. 7°.*met. med.* 7ª.43.D
Curaturus quos est medicus, eos sanos cognoscere debet. de ijs quæ in med. fi. com. 1°. 7ª.198.A
Curat melius medicus qui alicuius hominis naturam cognoscit. de renum affect. dign. & med. 7ª.196.F
Curaturus oculos debet illos cognoscere sanos. de ana. oculo. Sp.57.B
ad Curationis inuentionē, & ad loci patientis dignotionē, & ad præcognitionē eorum quæ circa ægrū futura sunt confert perdiscere nō modo locum dolentem, qualisnam sit, sed & magnitudinem doloris in eo quanta sit. com. 6°.*aph.* 5°. *Ex.* 46.G
Curatio non facienda, nisi prius affectus & morbus cognoscant. 1°.*de ali. fac.* 2ª.9.D/3°.*de loc. af.* 4ª.21.C/*de vic. rat. in mor. acu. cō.* 1°. 108.D/*de ijs quæ in med. fi.* 197.F/*de arti. com.* 1°. 7ª.257.F
añ Curationē morborū, numerus eorū præsciēdus. 1°.*met. me.* 7ª.5.F
Curationis primo scopi inueniendi, postea naturam præsidiorum oportet inuenire. de marc. 3ª.47.E
Curādi rō, ac via vnde sumēda. de cō. ar. If. 39.B/3°.*de loc. af.* 4ª.15.C
Curationis primæ cōsiliū vnde accipiat. 1°.*de cōp. me. per g.* 5ª.210.D
Curandi modus non est vnus. de nat. hu. com. 1°. 1ª.28.G
Curationes tot sunt quot morbi. 2°.*meth. med.* 7ª.12.E
Curationis ordo quo modo euariat 7°.*met. med.* 7ª.48.G
Curatio a quibus indicetur. 1°.*de comp. med. sec. loc.* 5ª.121.B
Curationem indicantia duo sunt. 11°.*meth. med.* 7ª.67.H
Curatiua intentio communissima. ars med. Isa. 69.D/6°.*met. med.* 36. G/14°.87.H/88.F/ 7ª.90.F
Curationis primum scopum dat morbus. 4°.*met. med.* 7ª.24.D
Curādi indicatio nō ē a tpe sumēda, sed a morbo. 4°.*met. me.* 7ª.24.H
Curatio quæ adhibenda circa varia tempora. de mor. temp. 3ª.90.A
Curatio a calido, frigido, humido & sicco. de nat. hu. com. 1°. 1ª.28.G
Curatio perfecta non sequitur ab vnicæ qualitatis indicatione. de renum affect. digno. & med. 7ª.194.F
Curatio sine materia non fit. introd. Isa.51.H
Curationis scopum omnium affectionum ostendit ratio. 2°.*de compo. med. sec. loc.* 5ª.132.A
Curatio debet affectui, nō symptomati. in 6ᵐ.*de mor. vul. c.* 2°.3ª.161.f
Curationis indicatio ab affectu tantū incipit. 4°.*met. med.* 7ª.26.B
Curatio est ad affectum lædentem functionem. 2°.*met. med.* 7ª.9.C
Curare affectum vnde decenter poterimus. 1°.*de loc. aff.* 4ª.5.C
Curatio nihil mutatur, etiam si actio læsa, & affectus qui actionem lædit, morbi vocentur. 2°.*meth. med.* 7ª.12.E
Curationes multas non habet, quod simplex est & multa non habet. de nat. hum. com. 1°. 1ª.28.G
Curatio simplex debetur morbo simplici, composito non simplex. 4°. *meth. med.* 7ª.23.B
Curatio, quando sunt mixti affectus, quo aggredienda, & quid primo curandum. 4°.*de san. tu.* 2ª.87.C/7°.*met. med.* 7ª.48.F
Curanda sunt prius quæ magis vrgent, hoc est quæ maius periculum afferunt. com. 5°.*aph.* 19°. *Ex.* 39.E
Curent quæ primo, & quomodo intelligendum. de ijs quæ in medic. fi. commen. 3°. 7ª.221.E
Curandi facultateu, & partem affectam docent læsarum actionum modi. 3°.*de loc. aff.* 4ª.14.E
Curationem variare facit locorum differentia. 1ª.*de loc. aff.* 4ª.2.B
Curanda sine dolore, acuti sensus pars. 4°.*met. med.* 7ª.28.F
Curatio conueniens a causis indicatur. 1°.*de arte cur. ad Gla.* 7ª.99.H
Curandi modum cognoscit, qui respirationis causam efficientem deprehendit. de caus. resp. 1ª.226.G
Curæ cāæ extrinsecæ læsionū nostri corporis. de opt. cor. cōst. 1ª.38.C
Curationem non indicant causæ primitiuæ. 4°.*met. med.* 7ª.24.A
Curationis indicationem ab externa causa sumi omnino est absurdū. 4°.*meth. med.* 7ª.24.D
Curatio incipiat a causa effectrice summouenda, cum est in morbo. 4°. *meth. med.* 7ª.25.B
Curatio sola factorum relinquitur, vbi causa non adest quæ morbum efficiat. com. 2°.*aph.* 22°. *Ex.* 15.C
Curatio causarum, quæ intemperaturam efficiunt, fit per euacuationem. ars medicinalis. Isa.69.G
Curatio ē varia, si idē affectꝰ sit, cāæ vero sint variæ. đ opt. se. Isa. 25.B
ad Curationē maxime necessaria vis. 8°.*met. med.* 7ª.58.D/7ª.68.B
Curatiua vna intentio ab assuetudinibus sumitur. de affectu. 2ª.60.D
Curationē, vel præcognitionem, vel vtrunq; rebus exterioribus plerūq; interrumpi contingit. com. 1°.*aph.* 1°. *Ex.* 3.B
Curantur male diuites. 11°.*meth. med.* 7ª.73.D
Curandi primus, & præcipuus scopus in omni ægritudine est exacta victus ratio. de remed. par. fac. 7ª.156.B
Curationem totius corporis præmittendam esse in morbis omnibus, est commune præceptum. 3°.*de loc. aff.* 4ª.15.D
Curabiles vix, non sunt purgandi. de dyna. Sp.20.E
Curatio non fit per simile, sed per contrarium. 1°.*de symp. cau.* 3ª.17.F
Curatio facienda per ea quæ contraria sunt occasioni morbi. de natu. hum. com. 2°. 7ª.182.C
Curatio p cōtraria causis faciētibus symptomata. de opt. sec. Isa. 24.C
Curatio fit ex contrario in genere. 4°.*de san. tu.* 2ª.83.A
Curatio in particulari fit ex cuiusq; in contrario. 4°.*de san. tu.* 2ª.83.A
Curari contraria contrarijs semper verum. 11°.*met. med.* 7ª.71.G
Curatio quandoq; per similia quomodo videatur, quæ tamen sit per contraria. in 6ᵐ.*de mor. vulg. com.* 2°. 3ª.161.F
Curatio per qualitates quo facienda. 1°.*de comp. med. per ge.* 5ª.210.c
ad Curandi rationem valet scire cui parti applicanda sint remedia. 2°.*de loc. aff.* 4ª.13.G
Curatio prima, quam nonnulli continentem appellant, est eius affectus qui actionem incommodat. 2°.*met. med.* 7ª.12.E/F
Curatio fit per tria. in 1ᵐ.*de mor. vul. com.* 2°. 3ª.112.G.
Curatio per latitudinem. 3°.*de comp. med. per gen.* 5ª.231.D
Curatio metasyncritica. 2°.*de comp. med. sec. loc.* 5ª.138.A
Curantem per cibos laudare debemus plusquam illum qui curat per medicinam. de med. exper. Sp.108.G
Curabant medici altariū p cibos sacrificiorū. de med. exper. Sp.108.G
Curantes medicos altarium cum cibis sacrificiorum laudat. de medic. expertis. Sp.104.A
Curatio putrefactiua quo ĩcedat. cōtra ea q̄ a Iul. in Hip. aph. Ex.68.g
Curatiui, mitigātis, & diagnostici ꝑsidij fit mētio. 6°.*de lo. af.* 4ª.36.G
Curationem diligentem exigit morbus acutus. de dyn. Sp.20.A
Curatio ægritudinis sanguinis quo fiat. de nat. & or. cuiusf. cor. Sp.41.g
Curatio ægritudinis pituitę quo fiat. de nat. & ord. cuiusf. cor. Sp.41.G
Curatio egritudinis bilis quo fiat. de nat. & or. cuiusf. corp. Sp.41.G
Curatio egritudinis bilis atrę quo fiat. de na. & or. cuiusf. corp. Sp.41. G/*de mel. ex Gal. Ruf. & Poss.* Sp.109.H
Curat difficulter atra bilis iueterata. de mel. ex G. R. et Pos. Sp.109.H

Curatur

Curatur tristans quando aquam biberit, in qua decocta est assa. de medic. exper. Sp. 104. D
Cura præcordiorũ in melãcholicis. de mel. ex Gal. R. & Pos. sp. 110. B
Curatio ad sitim, & dolorẽ lateris in melancholia. de dyn. Sp. 24. E
Curatio fastidiorum morborum quibus fiat. de par. art. med. Sp. 19. A
Curatio doloris vetusti, & insanabilis qb° fiat. de par. ar. me. Sp. 19. A
Curat hordeolum succus centaureæ. de vir. cen. Sp. 93. C
Curatio scotomię. de dyna. Sp. 23. H
Curatio lethargi. de dyna. Sp. 24. F
Curatio phrenitidis. de dyna. Sp. 24. D
Curatio epilepsiæ. de dyna. Sp. 24. A
Curatio cuiusdam, qui trium digitorum sensum amiserat seruato motu. 1°. de loc. affe. 4ª. 7. B
Curatio suffusionis quibus indiget. de par. art. med. Sp. 17. B
Curatio alicuius qui auersetur esum boni succi, & abstineat, et sit naturaliter abundus cum comedit, & solum comedat acriora & intumescit ventriculus flatibus. 5°. de vsu par. 1ª. 143. A
Curetur quomodo regius morbus sine febre dextra præcordiorum parte grauata. 5°. de loc. affe. 4ª. 35. H
ad Curam icteri necessaria phlebotomia, & purgatio, sed purgatio magis. de cura icter. Sp. 110. G
Curatio morbi a ventre. de dyna. Sp. 19. H
Curatio passionum ventris. de dyna. Sp. 26. E
Curationem profluuiorum ventris, variare diuersas causas, collige. de med. exper. Sp. 103. H
Curat ischiadem decoctio centaureæ. de med. exper. Sp. 104. D
Curat ischiadem centaurea minor. de med. exper. Sp. 106. E
Curatio matricis plenæ humoribus. de pass. mul. Sp. 96. B
Curatio præfocationis vteri. de pass. mul. Sp. 95. F
Curatio descensus matricis. de pass. mul. Sp. 95. F
Curatio ventositatis matricis. de pass. mul. Sp. 96. A
Curatio hydropicæ matricis. de pass. mul. Sp. 96. A
Curatio cancri matricis. de pass. mul. Sp. 96. A
Cura doloris vulvæ. de dyna. Sp. 35. E
Curatio morbi a vesica. de dyna. Sp. 20. A
Cura ad vesicæ dolorem. de dyna. Sp. 29. B
Curatio arenulis micłus. de dyna. Sp. 28. H
Cura micłus furfuris. de dyna. Sp. 29. A
Curat stranguriam drachma vna asari. de med. exper. Sp. 106. D
Curatio, signum, & affectio, quomodo se habent adinuicem in vlcere. 4°. meth. med. 7ª. 27. A
Curationis scopus in abscessibus & in expansis. de ijs quæ in med. fi. commen. 2°. 7ª. 211. D
Curatione diuersa indigent phlegmonæ diuersarum partium. de part. art. med. Sp. 17. C
Curatio cancrosæ causæ quibus fiat. de par. art. med. Sp. 19. A
nõ Curare cancros occultos omnes melio est, curati enim cito percũt, nõ curati vero longius tẽpus perdurant. com. 6°. aph. 38°. Ex. 50. D
Curare cancros duplex est, vnũ quidẽ omnia agere, vt particula patiens, ad sanitatẽ perducatur, alterũ aũt eam adhibere prouidentiã quæ passioni congruat, hoc est ipsam mollire, ac mitiorem facere, tum præcipue cum adest exulceratio. com. 6°. aph. 38°. Ex. 50. E
Curandi non sunt corde vulnerati. in 1ᵐ. prorr. com. 1°. 4ª. 174. B
Curatio communis in vulneratis a serpentibus, aut ferro venenato. 2°. de antidotis. 5ª. 120. B
Curatio vulnerum difficilium, & cicatricum crassarum quibus fiat. de part. art. med. Sp. 19. A
Curatio vulneris cani, alti, et limpidi qb° fiat. de par. ar. me. Sp. 19. A
in Curatione vlcerum delinquentibus medicis, vlcera qñq; longo tẽpore manere, collige. com. 6°. aph. 45°. Ex. 51. E
ad Curandum vulnera valet agrimonia. de dyna. Sp. 35. E
qui Curanẽ tacere debent. de ijs quæ in med. fi. com. 1°. 7ª. 204. H
Curatio exustι ab igne & a frigore. de opt. secta. Isa. 25. C
ad Curationẽ difficilẽ hũtia & inueterata. 5°. de cõp. me. per g. 5ª. 251. B
ad Curationem difficulter recipientia. 4°. de comp. med. per ge. 243. H/5°. 253. G/6°. 5ª. 261. H
Curatu difficilibus cicatricem inducens. 5°. de comp. me. per ge. 5ª. 253. G
ad Curata male instauranda. 2°. de compo. medicam. per gen. 224. C/226. D/5°. 5ª. 250. B
CVRRVS *quatuor, & sex rotarum. de aere, aq. & loc.* 2ª. 5. D
qualem in Curribus circuli per quos aurigæ habenas traijciunt, talem musculus quidam vtilitatem habet. de musc. diss. 1ª. 52. D
Currum axes cur inungantur. 13°. de vsu par. 1ª. 202. A
Currus collyrium. 4°. de comp. med. sec. loc. 5ª. 156. D
CVRSVS *est exercitationis genus quoddam. 2°. de san. tu.* 2ª. 73. H
Cursus est exercitatio celer. 6°. de san. tu. 2ª. 97. C
Cursus est exercitatio celeris citra robur, & violentiam. 2°. de sanitate tuenda. 2ª. 74. F
Cursum diu cõtinuatũ dolichon græci appellant. 2°. de san. tu. 2ª. 74. H
Cursus quo modo fiat. 15°. de vsu par. 1ª. 213. F
Cursus crurum actio. 15°. de vsu par. 1ª. 213. F
Cursus est crurum exercitatio. 2°. de san. tu. 2ª. 74. H
ad Currendum crurum scopus. 3°. de vsu par. 1ª. 131 F
ad Cursum præparatio. 14°. meth. med. 7ª. 91. E
Currentium quoq; spiritus anhelus & asthmaticus. in 3ᵐ. de mor. vul. com. 2°. 3ª. 136. B
Currentis iuuenis pulsus, qualis. 2°. de præsag. ex pul. 4ª. 111. D
ex Cursib° pulsus mutatio nõ est diuturna. 1°. de ps. ex pul. 4ª. 104. H
Currentes pleriq; cur stare cõfestim non possunt. 4°. de dec. 1ª. 249. B
Currentes quo vtãtur vi rationali, & irrationali. 4°. de dec. 249. C/E
Cursum cur non laudat Galenus. de par. pil. exer. 2ª. 49. D
Cursus quo modo non est salubris. de par pil. exer. 2ª. 49. D
Cursus quid mali faciat. de par. pil. exer. 2ª. 49. D
Cursus velox carnes, et succos detrahit. ĩ 6ᵐ. ḋ mor. vul. c. 3°. 3ª. 170. E
ob Cursum capitis dolor cõtingit. de vic. ra. in mor. acu. c. 4°. 7ª. 150. E
ex Cursu vas ruptum in pulmone. 5°. meth. med. 7ª. 30. C
Cursus febricitantibus officit. in 6ᵐ. de mor. vul. com. 3°. 3ª. 177. H
Cursu qui defatigantur, hos oportet luctari. de sal. die. 2ª. 42. F
Cursibus, & luctationibus nullus ægrum curauit. in 6ᵐ. de mor. vulg. commen. 3°. 3ª. 170. C
Currere se si quis somniat quid significet. de dign. ex insom. 4ª. 213. D
CVRTORVM *applicatio spẽs cõpositionis chirurgiæ. intro.* Isa. 59. E
CVRVAMEN *quid Hippocrati. de artic. com. 3°.* 7ª. 274. H
ĩ Curuatura hepatis, et splenis ĩueniũt venę, et arterię. ḋ vt. re. S. 64. b
CVSCVTÆ *mundificant stomachum. de diss. cont.* Sp. 74. E
CVSPIS *specilli. de cur. rat. per sang. miss.* 6ª. 20. C
ad Cuspides telorum. 5°. de comp. med. per gen. 5ª. 249. B
Cuspis, siue hamus. de fasciis. 7ª. 302. E
CVSTODIENDA *est sanitas duobus. de diss. cont.* Sp. 71. D
Custodum ars est conseruatrix. ad Thras. 2ª. 104. C
de Custodia sui indicant quæ sunt ſm naturam. 3°. meth. med. 7ª. 18. B
Custodiam sui docet virtus. 11°. meth. med. 7ª. 68. E
Custodiuntur res per similia. 3°. meth. med. 7ª. 18. B
Custodia similium exhibitionem indicat. 11°. meth. med. 7ª. 68. E
Custodiant quo solidæ partes, & quo carnosæ. 11°. met. med. 7ª. 68. E
CVTIS *superficiẽ epidermida noũant. com. 4°. aph. 77°.* Ex. 36. F
Cutis pellicula densior epidermis dr. in 6ᵐ. de mor. vul. c. 2°. 3ª. 165. F
Cutis cur ἐπιδερμὶς dicatur. 2°. de vsu par. 1ª. 122. E
Cutis. fin. med. Isa. 44. E/3°. *de ali. fac.* 2ª. 132. B/*de cauſ. mor.* 3ª. 8. D
Cutis est caro velut in callum durata. 5°. de simp. med. fac. 5ª. 36. D
Cutis consideratio. 17°. de vsu par. 1ª. 222. A
Cutis nullum habet opus, sed est genita a natura vsus tantum gratia. de causis mor. 3ª. 8. D
Cutis prima pars fœtus. de fœt. for. 1ª. 322. F
Cutis ex quo generatur. 3°. meth. med. 7ª. 19 G
Cutis commune velamentum omnium. 3°. ad ana. adm. 73. E/8°. de vsu partium. 1ª. 165. B
Cutis quæ est totius corporis indumentum ex duabus laminis constat. de ana. viu. Sp. 45. B
Cutis laminæ vnde oriantur. de ana. viu. Sp. 45. B
Cutis nostri corporis nassæ comparatur. in tim. Plat. 1ª. 288. F
Cuti respondet testa. 3°. de alim. fac. 2ª. 32. B
ꝑ Cute testã habentia, hñt succũ qui subducit. 3°. de ali. fa. 2ª. 26. E
Cutis, pili, vngues cur in extremis partibus sint genita. in timæum Platonis. 1ª. 286. G
Cutis qualis esse debet. 1°. de san. tu. 2ª. 66. G
Cutis quæ natura sit in corpore temperato. 1°. de temp. 1ª. 15 B
Cutis est temperatissima pars in homine. 1°. de temp. 1ª. 15. G
Cutis hominum media est inter frigidũ, & calidũ. 1°. de temp. 1ª. 14. G
Cutis non est exanguis, neq; abundans sanguine. 1°. de temp. 1ª. 15. B
Cutis est veluti neruus præditus sanguine. 1°. de temp. 1ª. 15. B
Cutis tota continua est, & neruosa. 3°. de loc. aff. 4ª. 19. G
Cutis nutritur sanguine pituitoso. in progn. com. 2°. 4ª. 198. B
Cutis substantiæ musculosæ est vnita. 11°. de vsu par. 1ª. 190. C

Cutis cum

Cutis cum labiorũ muſculis cõmixtio mirabilis.9°.de vſu p.1ª.176.D
cum Cute muſculus nuſquã fruſtra coaleſcit.17°.de vſu p. 1ª.222.B
Cutis tertia differentia coaleſcit cum muſculis. 11°.de vſu p.1ª.190.D
Cutis carnoſa vel cuticuloſus muſculus dici poteſt muſculus ſedis.de muſculorum diſſect. 1ª.50.E
Cutis extrinſeca capitis habet continuam ſubſtantiam per totum caput extenſam.2°.de comp.med.ſec.loc. 5ª.133.G
Cutis capitis pueris,mulieribus,et eunuchis humida eſt. in 6ᵐ.de mor bis vulg.com.3°. 3ª.170.A
Cutis tota frontis mouetur quieſcente maxilla.de muſc.diſſ. 1ª.44.F
cũ Cutis frõtis conuellitur,quæ pars ſit affecta.3°.de lo.aff. 4ª.17.D
Cutis circa frõtẽ cur ſit intẽta in acutis morbis.in pg.cõ.1°.4ª.191.D
Cutis circa frõtẽ dura,intẽta,& arida,mala.in progn.cõ.1°.4ª.191.B
Cuti faciei,& gingiuis qui nerui ſenſum præſtent.de ner.diſſ. 1ª.53.F
Cutis quid faciat ad oculum.10°.de vſu par. 1ª.180.A
ſub Cute in collo muſculus latus vnde incipiat ac finiat,& eius ſubſtantia.de muſc.diſſ. 1ª.44.D
ſub Cute in collo muſculus latus poteſt dici muſculoſa natura,vel muſculoſa ſubſtantia.de muſ.diſſ. 1ª.44.D
ſub Cute colli muſculus latus buccas mouet.de muſ.diſſ. 1ª.44.D
ſub Cute in collo muſculus latus facile laniatur.de muſ.diſſ.1ª.44.D
ſub Cute colli muſculus nullum detinet articulum, nec in articulum inſeritur.de muſc.diſſ. 1ª.44.D
ſub Cute colli muſculus latus primo intenditur ijs qui ſpaſmo corripiendi ſunt.de muſc.diſſ. 1ª.44.D
Cutis eſt digitorum pars.de inæq.intemp. 3ª.43.D
Cutis,manus potiſſimum,media extremorum calidi, frigidi, humidi, ſicci.1°.de temp. 1ª.14.G
Cutis manus tẽperatiſſima q̃ callum nõ contraxit.1°.de tẽp.1ª.15.A/B
Cutis maxime manus,vbi perfecta eſt tangendi potentia,temperie media eſt.4°.de ſimp.med.fa. 5ª.32.E
Cutis vnde habeat ſenſum.de anat.viu. Sp.45.C
per Cutẽ manus diſperſi nerui dant illi ſenſum.3°.de lo.aff. 4ª.21.D
Cutis ſentit ſolũ,& nõ habet motũ volũtariũ.15°.de vſu p.1ª.214.H
Cutes aliquæ magis ſentiunt,aliquæ minus. 4°.de compo.medicamen. per gen. 5ª.237.E
Cutis ſenſus imbecillitas vel ſubtractio ſemper ſequitur nocumentum nerui deferentis ſenſum ad ipſam.de ana.viu. Sp.45.C
Cutis cancrorum inſenſibilis eſt.3°.de vſu par. 1ª.134.A
Cutis epiphyſes cur in viris,& mulieribus in finibus pudendi.15°.de vſu par. 1ª.211.A
Cutis vniuerſa,vterus,veſica,venter inteſtina ſunt loca conſerentia euacuationibus.com.1°.aph.21°. Ex.10.A
Cutis pedum,qualis.3°.de vſu par. 1ª.133.B
Cutis pedis neq; mollis,neq; dura.3°.de vſu par. 1ª.133.H
Cutis pedis adhæret exacte omnibus particulis.3°.de vſu p.1ª.133.H
veluti Cutẽ quid hẽ partes ĩteriores,collige.c.4°.aph.77°. Ex.36.F
ad Cutim cur veniant aliquæ paruæ arteriæ.16°.de vſu p. 1ª.219.F
a Cute aliqd pucnit ad ĩteſtina,& vẽtriculũ.3°.de na.fa.1ª.306.F/G
ad Cutim trahunt arteriæ externum aerem.3°.de nat.fa. 1ª.307.E
per Cutim non peruenit frigidum ad cor,ſed per pulmonem.10°.methodi med. 7ª.64.E
per Cutim exteriorem animalia omnia reſpirare,ſecundum q̃ magis vel minus de raritate participant,ait Eraſiſtratus.6°.de venæ ſe. aduerſus Eraſiſtr. 6ª.8.H
Cutis quãdo elixatur,ad quam naturam veniat.3°.de ali.fa. 2ª.26.F
Cutis diuerſitates vnde oriantur.de anat.viu. Sp.45.C
Cutis ſpiſſa,rara,aſpera,mollis,vnde ſit.de ana.viu. Sp.45.C
Cutis laxitatis,& denſitatis diſcrimina conſideranda ſunt.de bon.& vitio ſuc. 2ª.38.B
Cuticulam mollem ſimilem habent pueri eunuchi,& mulieres. 1°.de comp.med.ſec.loc. 5ª.123.B
Cutis rara,& mollis ab extrinſecus imminentibus malis facile tenta tur.1°.de ſan.tu. 2ª.66.F
Cutis mollities in poſteriore parte capitis vñ ſequaĩ.de an.vi.Sp.45.C
Cutis raritas vnde ſit.de venæ ſect.aduer.Eraſ. 6ª.9.H
Cutis rara eſt in viris magis quã in mulieribus.c.5°.ap.69°. Ex.45.A
Cutis raritas euacuat,non inedia.de venæ ſect.aduer.Eraſ. 6ª.9.A
Cutis raritas indicatur ex pilis.com.5°.aph.69°. Ex.45.C
Cutem per ſumma apparentem mollit balneum.de vic.rat.in mor.acutis,com.3°. 7ª.132.H
Cutem mollit & extenuat calidum.com.5°.aph.22°. Ex.39.C
Cutis quibus oleis rarefiat.9°.de comp.med.ſec.loc. 5ª.197.E
ob Cutis raritatem ventris denſitas adſtrictione. in 6ᵐ.de mor.vul. commen.3°. 3ª.169.G
Cutis laxa eſt gracilibus,& ſenibus.2°.de ſimp.med.fa. 5ª.14.A
Cutis laxa apparet in attenuatis.in 6ᵐ.de mor.vul.com.3°.3ª.176.E
Cutis laxa eſt in macie confectis.in 6ᵐ.de mor.vul.com.3°. 3ª.176.E
Cutis laxitas omni extenuationi corporis communis eſt.in 6ᵐ.de mor. vul.comm.3°. 3ª.176.E
Cutim laxat extenuatio,poſtea circumtenditur. in 6ᵐ.de mor.vulga. commen.3°. 3ª.176.G
Cutis plus iuſto colliquata,panno lacero ſimilis efficitur. 2°.de arte cur.ad Glau. 7ª.105.G
Cutis laceræ veſtis inſtar qũo fiat.2°.de arte cur.ad Glau. 7ª.106.F
Cutis extenſa apparet in craſſioribus effectis & inflaginatis.in 6ᵐ.de mor.vul.com.3°. 3ª.176.E
Cutis diſtentio proprium inſtaurationis corporis. in 6ᵐ.de mor.vulg. commen.3°. 3ª.176.E
Cutis circumtendit inſtauratio,poſtea laxat. in 6ᵐ.de morb.vulgar. commen.3°. 3ª.177.A
Cutis tenditur in inflammatione.7°.de comp.med.per gen. 5ª.267.G
Cutẽ extendit ichthyocolla,& ſplendidã facit. de ſimp.med.Sp.85.E
Cutem denſam et ſplendentem facit ſtercus crocodilorum terreſtrium. 10°.de ſimp.med.fa. 5ª.77.D
pro Cute mulierum tendenda,& ſplendida reddenda, ſtercus ſturnorum comedentium orizam valet.10°.de ſimp.med. 5ª.77.D
Cutem purgat & extenuat & ſplendidam facit terra Chia. de ſimpli. medicam. Sp.85.A
Cutem detergit cyclamini radix.7°.de ſimp.me.fa. 5ª.53.F
ad Cutem extentam reddendam.de med.fac.par. 7ª.163.H
Cutem ſplendidiorem,quæ alcyonij ſpecies efficiat.11°.de ſimpl.medi. facul. 7ª.83.C
Cutis quo modo redditur calida.1°.de comp.med.ſec.loc. 5ª.125.E
Cutis calida & ſicca proportione reſpondet terræ abeunte vere, vel in principio æſtatis.2°.de temp. 1ª.18.H
Cutis eſt frigidior carne.de vic.rat.in mor.acu.com.4°. 7ª.147.C
Cutis eſt ſiccior & denſior carne.3°.meth.med. 7ª.19.H
Cutis in aliquibus animalibus cur ſicca,& terrena.2°.de tẽp.1ª.21.A
Cutis extima ſuperficies calloſa eſt dura & frigida. 1°.de ſimp.medi. facul. 5ª.4.C
Cutis cur imbecillior ſit partibus habentibus operationem. de cauſ. morb. 3ª.8.D
Cutis tota plena eſt poris.1°.de ſan.tu. 2ª.67.G
Cutis in primo ortu ſibi eſt cõtinua,ac tpis ſpatio perforaĩ, ac plurima nanciſcitur ſpiramenta ritu cribrorũ.1°.de ſimp.me.fa. 5ª.4.C
Cutis cur perforata ſit vt cribellum.de ana.vi. Sp.45.B
Cutis humida cur non habeat pilos.2°.de temp.1ª.19.A/in 6ᵐ.de mor bis vulg.com.3°. 3ª.170.A
Cutis nimis ſicca non facit pilos.in 6ᵐ.de mor.vul.com.3°.3ª.170.A
Cutis caluorum valde arida eſt.in 6ᵐ.de mor.vul.com.3°.3ª.170.A
Cutis extrinſeca denſa eſt & dura.de tum.præt.natu. 3ª.83.E
Cutis ſub ſole ſiccior,in vmbra humidior.2°.de temp. 1ª.20.B
Cutem duram,& denſam habere tutiſſimum eſt ad ea quæ extrinſecus occurrunt.3°.de ſan.tu. 2ª.78.B
Cutis denſa,& dura ab internis facile tentatur.1°.de ſa.tu. 2ª.66.F
Cutis denſa eſſe,& horrere videtur in laſſitudine quæ inuehit ſenſum vlceris.3°.de ſan.tu. 2ª.79.A
Cutem quæ denſent.2°.de criſ.4ª.138.G/8°.met.me. 7ª.51.C
Cutis ſpiſſeſcit ruſticis,& curas habentibus.de opt.ſect. Iſa.26.B
Cutem obdurat frigidum.com.5°.aph.20°. Ex.39.A
Cutaneas partes denſat refrigeratq; exterius frigus. in 6ᵐ.de morbis vul.com.6°. 3ª.195.H
Cutem duram & denſam facit aqua frigida.3°.de ſan.tu. 2ª.78.B
Cute præ frigore denſata calor in penitioribus corporis partibus creſcit.de aſſuet. 2ª.61.C
Cutem denſant aquæ balneorum aluminoſorum.2°.de criſ. 4ª.138.G
Cutem denſauerant,& febrem fecerant aquæ aiummoſæ. 8°.methodi medendi. 7ª.50.B
Cutis obſtructio quibus ſoleat eſſe moleſta.8°.meth.med. 7ª.54.C
Cute ſtipata ſtatim febricitant calidi & humidi.8°.meth.med.7ª.54.C
ex Cutis denſitate febris quo modo fiat.1°.de diff.feb. 3ª.31.F
ex Cute denſata ephemera,qualis.2°.de criſ. 4ª.138.H
ex Cute denſata ephemeræ indicia.1°.de diff.feb. 3ª.36.A

ex Cutis densitate prouenientes febres chamæmelon discutit, & dissoluit. 3°. de simp.med.fac. 5ª.18.H
Cutis dẽsitas retinet crassiorum excrementorum transitum. 2°. de temperamentis. 1ª.21.A
Cutis densitas in calidissimis temperamentis cogit crassiora excrementa comburi. 2°. de temp. 1ª.21.B
Cute insolito frigore subito stipata, & imbecilliore reddita, ac vt onus humorem ad ipsam delatum sustinente, mirum non est si is ad interna conuertatur. de nat.fac. 1ª.306.G
Cutis obstructio induxit abundantiam humorum. in 3ᵐ. de mor.vulg. commen. 3°. 3ª.149.G
Cutis quo modo cognoscatur primo die occlusa. 8°. met.med. 7ª.52.G
Cutis densitas quo modo corrigenda. 3°. de san.tu. 2ª.82.A
Cutis densitas ex frigore quo modo corrigenda. 3°. de san.tu. 2ª.82.A
Cutis dẽsitati sanãdæ olcũ Anethinum conuenit. 3°. de san.tu. 2ª.81.C
in Cute & carne humores lentos ac crassos euaporare facit oleum ex chamæmelo. 4°. de san.tu. 2ª.87.B
Cuti extimæ vitia elicit pynocomon. 8°. de simp.med.fa. 5ª.59.D
Cutis quibus est obstructa, illis inedia iniungenda. de vict.ra. in morb. acu.com. 1°. 7ª.115.E
Cuti inhærentes succi per calida medicamenta curantur. in 6ᵐ. de morbis vul.com. 2°. 3ª.165.G
Cutis dura nõ sinit digeri humores crassos, sed scirrhos facit. in 6ᵐ. de mor.vul.com. 3°. 7ª.172.H
Cutis tota sensibilr exasperaṫ, et cur. in 6ᵐ. de mor.vul.c. 2°. 3ª.160.b
Cutis rugosa. in 6ᵐ. de mor.vul.com. 3°. 3ª.177.A
Cutis corrugatio cõcidentis. in 6ᵐ. de mor.vul.com. 3°. 3ª.177.E
Cutis facile cognoscitur, nam oculis subijcitur. 1°. de lo.aff. 4ª.7.G
ex Cutis colore cognoscitur humor. 14°. met.med. 7ª.93.D
ex Cute quando iudicandum de toto. 2°. de temp. 1ª.21.A
Cutis nigra non significat totũ hominem calidum. 2°. de temp. 1ª.20.B
Cutẽ albã hñtibus obturati sunt pori. in 1ᵐ. de mor.vul.c. 2°. 3ª.115.E
Cutis decoloratiões nigrę ab hũore melico fiũt. d bo. et vi.su. 2ª.39.D
Cute albida qerãt, qñ moriebantur. in 1ᵐ. de mor.vul.c. 2°. 3ª.115.D
Cute candidi quæ medicamẽta requirãt, 1°. de cõp.me.pge. 5ª.212.H
ad Cutẽ præcipue reponente natura flauam bilẽ, morbũ regium iudicatorie fieri interdum contingit. com. 4°. aph. 62°. Ex.34.B
ex Cutis mutatione non mutant intrinseca viscera. 2°. de tẽp. 1ª.20.B
Cutis quo modo a varijs immutatur. 1°. de præsag. ex pulſ. 4ª.105.H
Cutem mutat regio intemperata. intr. Isa.65.F
Cutis a quibus patiatur. de assue. 2ª.61.C
Cutis morbi, qui. introd. Isa.59.D
Cutis passio est erysipelas. 2°. de arte cur. ad Glau. 7ª.101.C
in Cute affectũ pariunt morbi per eliquationem. in 6ᵐ. de mor.vulg. commen. 3°. 3ª.176.G
ad Cutem transferri passiones ex intimioribus & principalioribus partibus confert. com. 6°. aph. 37°. Ex.50.D
ad Cutem fluxiones quæ veniunt, sunt salubriora q̃ quæ sunt in profundo. de vic.ra. in mor.acu.com. 4°. 7ª.138.H
ad Cutem quo modo non tendunt succi. 4°. de san.tu. 2ª.84.A
per Cutem aut per vrinas cito exit nutrimentum fructuum, qui ex aboribus colliguntur. 2°. de ali.fac. 2ª.17.D
ex Cute corporis quę educantur. de cathar. Sp.94.G
Cutis sordes vnde habent originem. 1°. de san.tu. 2ª.67.H
per Cutis sordes excernuntur superflua. de comp.memb. Sp.59.B
Cutis cum sit vltima, merito recipit excrementa omnium partium. de causis mor. 3ª.8.E
Cutis transpiratio species euacuationis. ars med. Isa.69.E
ex Cute euacuantur sudores. com. 4°. aph. 37°. Ex.32.B
per Cutem sudor euacuatur. com. 6°. aph. 2°. Ex.46.E
Cutem, ex qua euacuantur sudores, frigidam esse contingit, cum tamẽ ea quæ sunt sub ipsa comburantur. com. 4°. aph. 37°. Ex.32.C
per Cutem exire calidum vaporẽ, cũ prius anhelitus fuerit frigidus, est signum mortiferum. in 6ᵐ. de mor.vul.com. 4°. 3ª.187.C
Cutis refrigeratur in febre lypiria & causone, & interiora vruntur. com. 4°. aph. 48°. Ex.33.A
Cute euacuantur membra sub cute. 1°. de symp.cau. 3ª.17.H
per Cutẽ euacuat totũ corpus caro viperæ. 11°. de sim.me.fa. 5ª.77.G
per Cutem euacuandi humores non sunt euacuandi per vomitum vel per secessum. in 6ᵐ. de mor.vul.com. 2°. 3ª.175.G
per Cutim qñ non vacuatur nec pituitosus humor nec biliosus. de vic.rat. in mor.acu.com. 3°. 7ª.133.E
per Cutim vacuatio notabilis ex quibus fiat. 8°. meth.med. 7ª.60.H
in Cute humor vitiosus quomodo euacuandus. 1°. de comp.medi.secun.locos. 5ª.121.F
ad Cutẽ reuocat humorum malorum abundantiam exercitatio, vlcera & scabies gñat quibus vicẽ purgationis humorũ, qui in profundo sunt corporis, exercitatio suppleuerit. c. 3°. aph. 2°. Ex.24.C
Cutem vlcerat biliosus humor. de tum. præter nat. 3ª.84.B
ad Cutis vitia quæ exanthemata vocant. 5°. de cõ.m.per g. 5ª.251.e
Cutis hippopotami phymata digerit. de ther. ad Pis. 5ª.93.F
ad Cutem vniuersam quandoq; atra bilis expellitur, & fit elephas. 2°. de arte cur. ad Glau. 7ª.107.C
Cutẽ ẽt offendũt inflãmationes podagricæ. c. 6°. aph. 49°. Ex.52.D
Cutis inflammatæ tensio scarificeṫ. 2°. de arte cur. ad Glau. 7ª.105.C
Cuti substrata membrana quos dolores facit. 2°. de lo.aff. 4ª.11.D
Cutim tantum dolere sibi inter mouendum quidam fatentur lassitudine vlceris affecti. 3°. de san.tu. 2ª.79.A
Cutem non mordicant quæ a summa frigiditate, aut caliditate absunt. 4°. de simp.med.fac. 5ª.24.F
Cuti vlceratæ frigida aqua est mordax, non vlceratæ non est mordax. com. 5°. aph. 20°. Ex.39.B
Cutim diuellũt facile atq; erodũt q̃dã ex acribus. de att.vic. 2ª.43.G
Cutis incisa ob diutinũ materiæ cursum ad oculos. de fascijs. 7ª.295.F
in Cute acu puncta casus. 6°. meth.med. 7ª.36.H
Cutis compunctio per aciculas quo modo in alopecia. 1°. de comp.medi.sec.loc. 5ª.122.H
Cutis dicitur collidi. de frac.com. 2°. 7ª.240.A
Cutis non concalescat præter modum, & quomodo cognoscatur in applicatione pharmacorũ in alopecia. 1°. de cõp.med.se.lo. 5ª.122.G
Cutis sæpe palpitat. 2°. de symp.cau. 3ª.20.F
Cutis non habet pulsationem. 2°. de loc.aff. 4ª.9.B
Cutis vniuersa non partes extremæ derelinquitur a sanguine in forti dolore. com. 7°. aph. 26°. Ex.55.G
in Cutis affectibus in pilorum defectu curandis, acria cauenda & sic ca valde. 14°. meth.med. 7ª.93.D
Cutis capitis morbi. intr. Isa.59.F
Cutis capitis morborum curatio. introd. Isa.59.G
Cutis capitis medicamenta debent esse vehementia. 1°. de comp.medi. sec.locos. 5ª.121.H
pro Cute capitis optimum est medicamentum thapsia, cur. 1°. de cõpo.med.sec.loc. 5ª.122.H
Cuti qñ sint applicanda medicamenta exicantia. de consl.ar. Isa.42.E
ad Cutem curandam antequam accedas, purgatio in pilorum defectu primo molienda. 14°. meth.med. 7ª.93.D
Cutim frica vt rubescat, vt medicamenta altius descendant. 14°. methodi med. 7ª.93.E
pro Cutis morbis pharmacum debet esse tenuium partium. 1°. de cõpo.med.sec.loc. 5ª.121.H
Cutis summæ affectibus medent sales theriaci. de ther. ad Pi. 5ª.97.E
Cutis vitiosis coloribus ptissana cruda illita confert. de vic.ra. in morbis acu.com. 1°. 7ª.111.E
Cutis vlcera a phlegmone tuetur araneorum tela. 11°. de simpl.medi. faculta. 5ª.80.F
Cutis quandoq; aufertur. de diff.morb. 3ª.5.A
ad Cutem aurisam. 1°. de comp.med.per gen. 5ª.217.G
Cutibus lacerosis cõfert mel elixũ. 2°. de arte cur. ad Glau. 7ª.106.G
p Cutibus lacerosis q̃ melli inũgẽda. 2°. de arte cu. ad Glau. 7ª.106.G
Cutim scarificare, & hydropicos perforare inter se distant. ad Thrasybulum. 2ª.105.A
de Cutis incisione. de hirud.reuulſ.cucurb. & scar. 2.F/ 6ª.3.F
Cutis non incidenda in fractis. de fract.com. 3°. 7ª.247.D
Cutem mangones cur a carnosis articulis attollunt. in 6ᵐ. de mor.vul.com. 3°. 3ª.176.D
Cutes quæ non possunt excoriari. 2°. de vsu par. 1ª.122.E
Cutes quæ non possunt excoriari propter quid. 2°. de vsu par. 1ª.122.E
ad Cutem eleuãdã acutiore scalpello vtaris. 3°. de ana.adm. 1ª.74.B
a Cute nõ nisi scalpello membrana separatur. 3°. de ana.adm. 1ª.74.C
Cutis in axillis & inguinibus quo modo incidenda in speciem folij myrti. 13°. meth.med. 7ª.81.D
ad Cutim ex materia defluẽte, vlc⁹ quo mõ saneṫ. 4°. me.me. 7ª.24.D
Cute vt tegantur indigent vlcera omnia. de frac.com. 3°. 7ª.247.F
Cutem rumpens. 6°. de comp.me.per gen. 5ª.261.H
Cutem exulcerat Chelidonium. 8°. de simp.med.fac. 5ª.63.G

Cutis & cicatrix efficit caro durata.in 6m.de mor.vul.c.2°.3ª.161.A
Cutis coitio carnium incrementum aliquando significat.in 6m.de mor. vulg.com.3°. 3ª.169.G
Cutis non restituitur qualis erat,sed simile cuti.3°.met.med. 3ª.19.G
CYAMOS *id est faba.7°.de simpli.medicamentorũ facult.* 5ª.53.D
Cyamos(.i.faba)ægyptia quod pondus.de pond.& mens. 5ª.277.F
CYANOS. *9°.de simp.med.fac.* 5ª.69.C
Cyanon an a cæruleo & contra.in progn.com.2°. 4ª.201.G
Cyaneo colore gaudet visiuus spiritus.de anat.ocul. Sp.57.E
CYATHVS *quæ mensura sit.4°.de comp.med.sec.loc.160.D/ de pond.& mens.275.F/276.D/F/H/* 5ª.277.E
Cyathus p humidorũ varietate.de põd.& mẽs.275.G/5ª.277.A/C/D
Cyathus qua nota significetur.de pond.& mens. 5ª.275.C
Cyathi mensuræ meminit.8°.de simp.med.fa.58.E/2°.de ant.5ª.119.B
Cyathus scalpelli paruus.in 6m.de mor.vul.com.2°. 3ª.161.A
ex Cyathis duodecim cereis pro dando potu ægris vnum vel duos quidam medici excogitarunt.de vic.rat.in mor.acu.c.3°.7ª.131.F
Κύθιτος *quid.2°.de motu musc.* 1ª.313.H
CYBIVM. *5°.de comp.med.se.loc.* 5ª.166.F
CYBOIDES *os quod.de ossib.* 1ª.43.F
Κυβοειδὲς. *de fract.com.2°.233.B/* 7ª.234.C
CYCEON commune nomen omnium potionum vinum habentium. in 6m.de mor.vulg.com.6°. 3ª.196.E/F
Cyceon.in 6m.de mor.vul.com.6°.3ª.195.H/ de vic.ra.in morb.acu. commen.2°. 7ª.122.C
CYCLAMINVS *quid.de simpl.med.* Sp.82.C
Cyclaminus ex contrarijs partibus constat.7°.de simp.me.fa.5ª.53.E
Cyclamen purgat pituitam & bilem.de dyna. Sp.21.H
Cyclamini dosis,& quibus miscetur.de dyna. Sp.21.H
Cyclaminus bilem per sudorem emittit.7°.de simp.med.fa. 5ª.53.E
Cyclaminus aperit.5°.de simpl.med.fa. 5ª.35.F
Cyclaminus ventrem purgat.de simp.med. Sp.82.D
Cyclamini succus quo modo caput purget & suffusiones dissipet. de simpl.med. Sp.82.D
Cyclaminus sicca cum vino potata mentem pertubat.2°.de comp.me dic.sec.loc. 5ª.137.B
Cyclaminis radices præstantiores folijs.2°.de alim.fa. 2ª.24.A
Cyclamini radix menses euocat,aurigini prodest, cutem detergit, & alopecias,ephelidas,omniaq; exanthemata siue efflorescentias curat: præterea lienem induratum iuuat,& sicca asthmaticis exhibetur.7°.de simp.med.fa. 5ª.53.F
Cyclaminus cyssanthemos.7°.de simp.med.fac. 5ª.53.F
Cyclamini cyssanthemi fructus lienes sanat,locos eijcit,& asthmaticis prodest.7°.de simp.med.fa. 3ª.53.F
Cyclamini succus hæmorrhoidas referat, & phymata, strumas, & alias duritias digerentibus commiscetur,suffusis competit, nares expurgat,& fœtum interimit,ac validum interimendo conceptui medicamen est.7°.de simp.med.fac. 5ª.53.E
Cyclamini succus ad abolẽdũ colorẽ è faciei ictterici.de cura ict.S.III.F
CYCLAS *Apollonius.in 3m.de mor.vul.com.2°.* 3ª.137.H
CYCLISCIS *quibus admiscetur bilis.10°.de simp.med.fa.* 5ª.74.F
CYCLISCI *hoc est canis excisorij scalpri.6°.meth.med.* 7ª.42.A
Cyclisci sunt suspecti in fracturis capitis,cur,& quando illis vtendũ. 6°.meth.med. 7ª.42.B
Cyclisci vti vult in caluaria fracta vsq; ad meningem ossibus vehementer motis.6°.met.med. 7ª.42.C
CYCLOPEM *in magna vena vulnerauit Vlysses.4°.de vsu p.1ª.139.G*
CYCNARIA *medicamenta ad lippitudines incipientes.intro. Isa.58.C*
CYDONIA herba odoratas reddit compositiones.1°.de comp.me dic.sec.loc. 5ª.128.C
Cydonia sunt fructus ad reponendum apti.de atten.vic.rat. 2ª.45.H
Cydoniorũ coctorũ & struthiomelorũ dria.2°.de alim.fac. 2ª.20.D
Cydonia mire adstringunt.2°.de ali.fac. 2ª.20.C
Cydonia mouent alium sensum in lingua, quàm adstringentia. 1°.de simpl.med.fac. 5ª.8.H
Cydonio minus adstringit squãma æris.3°.de simp.me.fac. 5ª.20.D
Cydonia stringũt vẽtrẽ cũ stypticitate,et põticitate.de dis.cõ.Sp.75.B
cũ Cydonijs cucurbita elixa succũ austerũ facit.2°.de ali.f. 2ª.16.H
Cydonia rectificant stomachum debilẽ,et mollem.de dis.cõt. Sp.74.D
cum Cydonij mali carne medicamẽta quandoque exhibebãtur.3°.de simp.med.fac. 5ª.20.C
in Cydonio malo præparetur scammonium.1°.de alim.fac. 2ª.9.B
in Cydonio scammonium non obest stomacho.1°.de alim.fac. 2ª.9.B
Cydonijs in oleo per tempus madefactis oleum paregoricum,et stypti cum aliquantum inuenitur.de simp.med. Sp.88.D
Cydoniorũ succus diu seruatũ cum melle coctus.2°.de ali.fac. 2ª.20.C
Cydoniorũ succus cũ melle coctus cur durat.7°.de sim.me.fa. 5ª.55.H
Cydonia mala.6°.de comp.med.sec.loc. 5ª.147.F
CYEMA, id est vteri gestatio, primis duobus mensibus dicitur fœtus.1°.de symp.cau. 3ª.18.C
CYETICA, *id est genitalia membra,subiecta habet matrix. de natura & ord.cuius.corp.* Sp.42.B
CYGNI collyria,q̃,& vnde dicta.4°.de comp.med.sec.lo. 5ª.150.D
Cygnus inscriptus reginę ad maximos oculorum dolores, & affectiones.4°.de comp.med.sec.loc. 5ª.154.G
Cygnus ex terra Samia.4°.de comp.med.sec.loc. 5ª.154.G
CYLINDRORVM forma Galeni.10°.de simp.med.fa.5ª.73.G
Cylindri forma,quæ.de art.com.2°. 7ª.266.A
Κυλλόν *quid proprie significet.de artic.com.3°.* 7ª.278.B
Κύλλωσις *quid.de artic.com.4°.* 7ª.283.D
Κυλλός *mensis.3°.de dieb.decreto.* 4ª.157.E
CYMBALARIS chartilago,quæ.de ana.viu. Sp.53.E
CYMINVM *quid.de simp.med.* Sp.82.E
Cyminum est cibus acutus,incidens,aperiens,de diff.cont. Sp.72.F
Cyminum.7°.de simp.med.fac. 5ª.53.F
Cyminũ calidũ cum subtili substãtia.2°.de arte cur.ad Gla.7ª.104.G
Cyminum est in tertio ordine calidum.7°.de simp.med.fa. 5ª.53.F
Cyminum,caron,anisum,ligusticum, & petroselinum sunt in eodem vsu.7°.de simp.med.fac. 5ª.53.F
Cyminum vrinam mouet.de cura icter. Sp.111.D
Cyminũ vrinã mouet,& flatum extinguit.7°.de simp.med.f. 5ª.53.F
Cyminũ frictũ pro purulentis.de vic.rat.in mor.acu.com.4°.7ª.152.F
Cyminum leuiter laxat.de simp.med. Sp.82.F
Cyminum si bibatur pallorem facit.de simp.med. Sp.82.F
Cyminum inflationibus,& tortionibus prodest,et viscide dolorem placat.de simp.med. Sp.82.F
Cyminum quidam addunt ptissanæ.de ptis. 2ª.47.D
χυμός, *id est sapor, vocatur gustatoria facultas,siue qualitas.1°.de simp.med.fac.* 5ª.8.G
CYNANCHE ponitur inter morbos, qui vere apparent.5°.de sanita.tuen. 2ª.94.D
Cynanche morbus peracutus.fin.med. Isa.45.F
Cynanche etiam quæ paracynanche quomodo fiant, & in qua parte, & quomodo debeant appellari.com.4°.aph.34°. Ex.31.D
Cynanche affectus ceruicis.introd. Isa.59.C
Cynanchon,& synanchon an differant.de vic.rat. in morbis acutis, commen.4°. 7ª.138.E
CYNARA *erat quondam in magna æstimatione.2°.de ali.fa.2ª.23.D*
Cynara praui succi.2°.de alim.fac. 2ª.23.E
Cynarę succus bilioſum succum gignit.2°.de ali.fac. 2ª.23.E
Cynara ad linguam fluxione laborantem.de med.fac.parab.7ª.173.E
CYNICI *philosophi contendunt placita sua breuem esse ad virtutem viam.de cuiusq; animi pecc.not.atq; med.* 2ª.57.D
CYNOCEPHALVS *inter canem & simiam medio modo se habet.11°. de vsu par.* 1ª.184.G
Cynocephali non multam habent dissimilitudinem ossium ab hominibus.1°.de anat.adm. 1ª.63.G/H
Cynocephalus sumendus in simiæ defectu pro anatomia. 6°.de anato. administ. 1ª.89.F
Cynocephalas simias laudat p anatomia.de mot.man.& obs.Sp.70.E
CYNOCRAMBE *quid & eius vires.6°.de simp.me.fa.* 5ª.43.D
CYNOMORVS *quid significet.1°.de comp.med.sec.loc.* 5ª.125.D
Cynomoros herba dicta eo q̃ canes celerrime interimit. 6°.de simp.me dic.fac. 5ª.43.D
Cynomorus.1°.de comp.med.sec.loc. 5ª.125.B/D
CYNORAISTAE.*10°.de simp.med.fac.* 5ª.73.D
Κυνόσβατον *vocant canirubum.2°.de alim.fac.* 2ª.19.B
Cynosbatus,id est sentis canis.7°.de simp.med.fac. 5ª.53.F
Cynosbati decoctum adstringens leue.5°.meth.med. 7ª.31.G
CYNOSORCHIS.*i.testiculus canis.8°.de simp.med.fac.* 5ª.57.F
CYPARISSVS, id est cupressus.8°.de simp.med.fac. 5ª.53.G
Cyparissina resina, qualis.8°.de simp.med.fac. 5ª.59.G
Cyparissias species tithymalli.8°.de simp.med.fac. 5ª.62.E

CYPERVS *quid.de simp.med.* Sp.82.C
Cyperus mistã naturã habet ex cõtrarijs.1°.de cõp.me.se.lo. 5ª.129.E
Cyperus numeratur inter arida adstringentia moderate.6°.de compo. med.sec.loc. 5ª.172.G
Cyperus vires excalfacientes & aliquatenus stringentes habet.6°.de simp.med. Sp.82.C
Cyperi radix calida & sicca.7°.de simp.me.fac. 5ª.53.G
Cyperi radix vlceribus, q̃ præ nimia humiditate cicatricẽ difficulter admittunt, mirifice ꝓdest, vlceri oris conuenit, calculo vexatis congruit, vrinam menses q̃ prouocat.7°.de simp.me.fa. 5ª.53.H
Cyperi radix.13°.meth.med. 7ª.83.G
Cyperus ex adstringentibus moderatis pro gargarismis. 6°.de comp. me.sec.loc. 5ª.172.F
Cyperum sine morsu exiccat, & parum adstringit.6°.de composi.me. per genera. 5ª.256.F
Cyperus vlcera exiccat.4°.de comp.me.per gen. 5ª.236.G
Cyperus odoratas reddit compositiones.1°.de cõp.me.se.lo. 5ª.128.C
Cyperus asiaticus ad vrinæ difficultatẽ exp̃tũ.ꝺ me.fa.par.7°. 7ª.179.A
Cyperus vstus.5°.de cõp.me.sec.loc. 5ª.165.D
CYPHEOS *odor capitis dolorem facit.3°.de loc.affe.* 4ª.20.G
Cyphi accensum ad vaporem in deorum honorem. 8°.*de comp.medi. secun.loc.* 5ª.194.E
Cyphi compositio, qualis.2°.de antid. 5ª.111.C
Cyphi hieraticum.8°.de comp.med.sec.loc. 5ª.193.B
Cyphis meminit.8°.de comp.me.sec.loc. 5ª.194.E
ex Cyphi illinenda est frons in caput dolentibus ex febre in frigidis. 2°.de comp.me.sec.loc. 5ª.137.A
Κύφωσις *quid.de articulis.com.3°.* 7ª.268.F
CYPHOIDES *Andromachi vnde dicta.* 8°.*de composi.medica.secundum locos.* 5ª.194.D
Cyphoides antidotus.8°.de comp.med.sec.loc. 5ª.194.H
CYPRESSI *gummi maturat.de oculis.* 7ª.188.E
in CYPRO *nascuntur metalla.9°.de simp.me.fa.* 5ª.65.B
in Cypro capparis plurima.2°.de alim.fac. 2ª.21.E
in Cyprum, & in canam Syriam nauigauit discendi gratia Galenus. 9°.de simp.me.fa. 5ª.65.B
ex Cypro quæ simplicia portauerit Galenus.1°.de anti. 5ª.100.B
Cypry rustici pro pane polenta vtuntur.1°.de alim.fa. 2ª.11.H
CYPRVS *qualis.6°.de comp.me.se.lo.* 5ª.176.D
Cypri arboris folia & summa germina sunt facultatis & qualitatis mixtæ.7°.de simp.me.fa. 5ª.53.H
Cyprus desiccat absque morsu.7°.de simp.me.fa. 5ª.53.H
Cypri foliz commansa accommoda sunt vlceribus in ore aphthodesi & ipsis aphthis.7°.de simp.me.fac. 5ª.53.H
Cypri foliorum decocto ambusta fouent, & aduersus igneas phlegmonas & carbunculos eo vtuntur.7°.de simp.me.fac. 5ª.53.H
CYPRINVM *oleum, & cyprinum vnguentum quo differant.4°.de cõpo.me.per gen.* 5ª.239.H
Cyprinum oleũ adstringit cũ caliditate.2°.de cõp.me.p gen. 5ª.220.G
Cyprinũ oleosum mitigat medicamẽta.2°.de cop.me.per g. 5ª.220.D
Cyprino inungitur pastillus.7°.de comp.me.per gen. 5ª.265.B
Cyprinum oleosum.2°.de comp.me.per gen. 5ª.220.G
CYPRINVM *ceratum, quale.3°.de comp.me.se.loc.* 5ª.147.B
Cyprinum cerotum fortius est amathonis malagmate in ictero.de cura icteri. Sp.111.C
Cyprinum ceratum.3°.de comp.me.se.lo. 5ª.146.G
CYPRIVM. *6°.de comp.me.per gen.* 5ª.261.C
Cyprium tostum.4°.de comp.me.per gen. 5ª.239.A
Cypria cinerula.3°.de comp.me.se.lo. 5ª.145.A
Cypriæ cinerulæ meminit.de rem.fac.par. 7ª.163.E
CYPSELVS *adhuc cum generaretur, & si bacchiadis non videbatur, terrebantur spectro.an animal sit quod in vtero.* 1ª.328.F
CYRENAICA *secta vnde.de hist.philos.* Sp.2.F
Cyrenaici vt maior copia generetur, stirpes irrigant.3°.de comp.me. per gen. 5ª.232.H
Cyrenaicus succus eius qualitatẽ statim præ se fert & in vrina & in alijs humoribus.1°.de sem. 1ª.335.A
Cyrenaicus succus tenuissimæ substantiæ calidæ.3°.de compo.medic. per gen. 5ª.228.E
Cyrenaicus liquor acris est.4°.de comp.me.sec.loc. 5ª.149.F
Cyrenaicus succus per halitum maxime digerit, calidus, tenuis. 8°.*de simp.med.fac.* 5ª.57.D
Cyrenaicus succus numeratur inter attrahẽtia sponte nata. 5°.*de simpli.me.fac.* 5ª.36.E
Cyrenaica lachryma trahit a profundis.6°.met.me. 7ª.37.E
Cyrenaicus succus discutit.6°.de comp.me.se.lo. 5ª.169.D
Cyrenæus succus calidus ꝑ doloribꝰ.in 6ᵐ.de mor.vul.c.6°. 3ª.196.B
Cyrenaicus succus collo suspensus quo modo columellã phlegmone affectam iuuat.6°.de simp.me.fac. 5ª.45.H
ex Cyrenaico succo compositio.de palp.trem.conuul.& rig. 3ª.55.H
Cyrenaicꝰ succus q̃ optimꝰ i quartana.1°.ꝺ arte cur.ad Gla. 7ª.97.G
Cyrenaici succi fit mentio.4°.de compo.me.se.lo.156.F/157.A/5°.164.C/165.B/7°. 5ª.186.B
ꝑ Cyrenaico succo medicus.3°.de comp.me.per gen. 5ª.228.E
ꝑ Cyrenaico succo sagapenum.3°.de comp.me.per gen. 5ª.228.E
CYRIENVM *vinum est commodum senibus.5°.de san.tu.* 2ª.91.C
CYRRHVM *id est fuluum vinum, & austerum competit fluxionibus ventris.de vinis.* Sp.76.F
CYRTI *emplastrum ad attrahendum.6°.de cõp.me.per g.* 5ª.261.C
CYRTOMA *quod genus tumoris.in progn.com.2°.* 4ª.200.A
Κυρτός, *de fract.com.2°.* 7ª.240.G
Κύρτους. *i.nassæ piscatoriæ exemplum.in tim.Plat.* 1ª.288.D
Κύρτωσις *quid.de artic.com.3°.* 7ª.268.F
CYSSANTHEMOS *cyclaminus.7°.de simp.me.fa.* 5ª.53.F
CITARISTAE *cur cordas relaxent.2°.de loc.aff.* 4ª.11.A
vt in Cithara chordæ, ita nerui tenduntur.2°.de loc.affe. 4ª.11.A
Cithararum cordarum comparatio ad conuulsionem.de pal.trem.conuul.& rig. 5ª.56.B
CYTINVS *quid sit.6°.de comp.me.se.l.5ª.168.G/de simp.m.S.87.C*
Cytini qui sint.4°.de comp.me.sec.loc. 5ª.157.C
Cytinus est flos punicæ domesticæ.6°.de simp.me.fa. 5ª.44.F
Cytini flores granatorum.8°.de simp.me.fac. 5ª.59.H
Cytini in fine veris generantur.7°.de comp.me.se.lo. 5ª 168.G
Cytinos & balaustium distinguit.7°.de compo.med.secundum locos. 183.G/H/ 5ª.184.G
Cytini mali punici.5°.de comp.med.per gen. 5ª.251.E
Cytini acidorum & acerborũ punicorũ.6°.de cõp.me.se.lo. 5ª.175.G
Cytini numerantur inter acerba.6°.de comp.med sec.loc. 5ª.172.G
Cytini austeri sunt.4°.de comp.me.per gen. 5ª.241.H
Cytini adstringunt.9°.de simp.med.fac. 5ª.64.C
Cytini vehementius adstringunt.4°.de comp.me.sec.loc. 5ª.149.H
Cytinus vehementissime sycpticus est, & efficacissime stringit de simp. medicam. Sp.87.C
Cytini sunt ex adstringentibus parabilibus.6°.de composi.med.secundum locos. 5ª.169.G
Cytini sunt ex adstringentibus medicaminosis.11°.de simp.medicam. facultatibus. 5ª.81.E
Cytini inter adstringentia moderate pro gargarismis.6°.de comp.me. secun.loc. 5ª.172.F
Cytini punicorũ internis vlceribus opitulantur.4°.met.me. 7ª.28.H
Cytinus dysentericos sanat vulnera recentia glutinat.de simplicibus medicaminibus. Sp.87.C
Cytinus siccus & terrestris.4°.de comp.med.per gen. 5ª.237.H
CYTISVS *quid sit.1°.de antid.* 5ª.101.E
Cytisus est furtex.5°.meth.med. 7ª.35.A
Cytisus facit multum mellis, & quale.1°.de anti. 5ª.101.E
Cytisi copia vbi.1°.de antid. 5ª.101.F
Cytisus vt malua digerit.7°.de simp.me.fac. 5ª.53.H
CYZICENVM *medicamentũ.4°.de cõp.med.per gen.* 5ª.243.F
Cyzicenum vt Asclepiades.5°.de comp.med.per gen. 5ª.250.D
in Cyzico fit amaracinum & styracinũ.2°.de cõp.me.se.loc. 5ª.133.F

DACTYLI *numerantur inter cibos calidos de diss.cont.* Sp.74.C
Dactyli, cibus crassus, & cur.de dissolutio. continua. Sp.72.H
Dactyli nutriunt eum qui digerit eos nutrimẽto multo crasso.de diss.cõt. Sp.73.E
Dactyli humidi quid faciant.de dissolutione continua. Sp.74.H
*Dactyli virides vrinã puocãt vsq; ad sãguinẽ.de cura icte.Sp.*111.D
cũ Dactylis aut caricis comestus opos tithymalli purgat cibos indigestibiles in intestinis, & lumbricos rotundos.de cathar. Sp.95.C

Dactylos dat epilepticis.de pue.epi. 5ª.180.D
Dactylorum caro non attenuat.de atten.vic. 2ª.44.C
DADINVM oleũ minus laurino calidũ.6°.de sim.me.fa. 5ª.46.H
DAEMON quid sit. de hist.phil. Sp.4.H
Dæmones sibi immisso putant melancholici.de melancholia ex Gal.R. & Possidonio. Sp.109.C
Dæmonẽ dualitatẽ existimauit Pythagoras.de hist.philo. Sp.4.F
Dæmoniorũ & decanorum herbæ sacræ.6°.de simp.med.fa. 5ª.40.A
ad Dæmones abigendos.de med.fac.pa. 7ª.177.F
DAMARVM sanguis non habet fibras.q; animi mores. 1ª.319.C
DAMASCENA *pruna omnium præstantissima.2°.de ali.fac.* 2ª.21.D
Damascena pruna seruantur.de bon.& vitio suc. 2ª.36.H
Damascena pruna subducendi gratia præmanduntur hydromeliti incocta.de atten.vic. 2ª.45.B
Damascena pruna vincuntur ab hispanis ad deijciendam aluum.5°.de san.tuenda. 2ª.92.E
Damascenis prunis hyeme soluẽda senũ aluus.5°.de san.tu. 2ª.92.E
DAMASONIVM *absterſiuum est.6°.de simp.med.fac.* 5ª.46.A
Damasonium lapidem comminuit.de ren.aff.dign.& med. 7ª.194.G
Damasonium dysenterias sanat, aluum sistit,& œdemata mitigat, & in renibus calculos eius decoctum, atque epotum comminuit. 6°. de simp.med.fac. 5ª.46.A
Damasonij figuram præ se fert cinnamomum.1°.de anti. 5ª.106.A
in DAMNATIS *vita experienda medicamenta.10°.de simp.medic. facult.* 5ª.72.E
DAMOCRATES *scriptor medicamentorum.3°.de compositione medi. per gen.* 5ª.234.H
Damocrates versibus scripsit oĩa medicamenta.1°.de anti. 5ª.102.C
Damocrates librum fecit inscriptum Clinicus.10°.de compositio.medic.sec.loc. 5ª.208.C
Damocrates librum fecit inscriptum Philiatrus.7°.de compo.medic. sec.loc. 5ª.180.D
Damocrates librũ fecit Pythicũ ĩscriptũ.5°.de cõp.me.se.lo. 5ª.166.B
Damocrates theriacam fecit.1°.de anti. 5ª.108.A
Damocratis medici præstãtißimi compositio theriacæ quo differat ab Andromachi compositione.de ther.ad Pis. 5ª.95.B
Damocratis acopa.9°.de comp.med.per gen. 5ª.273.C
Damocratis dentifricium ad dentes faciendos candidos et immobiles. 5°.de comp.med.sec.loc. 5ª.166.B
Damocratis diacodion.7°.de comp.med.sec.loc. 5ª.180.D
Damocratis Dysfrachitis.5°.de comp.med.per gen. 5ª.248.E
Damocratis ex calce viua ad digerẽdũ.6°.de cõp.me.pge. 5ª.263.A
Damocratis discussoria.6°.de comp.med.per gen. 5ª.262.D
Damocratis discussoria ex sale.6°.de comp.med.per gen. 5ª.262.G
Damocratis emplastrum album.1°.de comp.med.per ge. 5ª.217.F
Damocratis emplastrum ex dictamno.5°.de comp.me.per g. 5ª.250.F
ex Damocratis libris giluum.6°.de comp.med.per ge. 5ª.262.D
a Damocrate malagmata.8°.de comp.med.sec.loc.196.D/7°.de cõp. med.per gen. 5ª.267.C
Damocratis medicamenta.6°.de comp.med.per gen. 5ª.259.F
DAMON *musicus.5°.de decr.Hipp.* 1ª.257.H
DaniK fit mentio.secretorum. Sp.97.D
DAPHNE arbor.6°.de simp.med.fac. 5ª.46.B
DAPHNE *herba calida,acris,subamara.6°.de simp.me.fa.* 5ª.46.B
Daphne herba tum vrinas tũ mẽses prolicit.6°.de sim.me.fa. 5ª.46.B
Daphne Alexandrina.6°.de simp.med.fac. 5ª.46.B
DAPHNOIDES. *6°.de simp.med.fac.46.C/7°.* 5ª.51.G
DARII sedans febrem.7°.de comp.med.sec.loc. 5ª.183.A
Δάρσις *excoriatio.3°.de anat.adm.* 1ª.74.B
Δάρτος *quid.intro.* Isa.54.E
DASYPODIS caput.5°.de comp.med.sec.loc. 5ª.164.H
Δασησομος, *id est densioris.in 1ᵐ.pror.com.1°.* 4ª.162.D
DAVCVM quid,& eius vires.de simp.med. Sp.83.D
Daucus Creticus.7°.de comp.med.sec.loc.185.G/192.E/9°.200.D/ H/202.B,D/G/H/10°. 5ª.206.C/E
Daucus Creticus decorticatus.9°.de comp.med.sec.loc. 5ª.202.H
Daucum fame homines adacti comedunt.2°.de ali.fac. 2ª.22.B
Daucus multum elixandus.2°.de ali.fac. 2ª.25.B
Dauci radices, quales.de atten.vic.rat. 2ª.45.G
Dauci radices minus nutriunt q; rapæ,& arũ.2°.de ali.fac. 2ª.25.B
Dauci semen conuenit in dieta attenuante.de attẽ.vic. 2ª.44.E
Dauci radix.de vict.rat.in mor.acu.com.4°. 7ª.144.E
Daucus syluestris ἄοσμον dr.i.sine flatu.6°.de simp.med.fa. 5ª.46.A
Dauci syluestris meminit.7°.de simp.med.fac. 5ª.50.C
Daucus venerem prouocat.6°.de simp.med.fac. 5ª.46.A
Daucus purgat pulmonem,& præcordia.de cathar. Sp.95.B
Daucũ ad tussem veterẽ facit,et oĩa vitia thoracis.de sim.m. Sp.83.C
Daucus miscet purgãtibus medicamentis.8°.de cõp.me.se.l. 5ª.190.B
Daucũ omne acres,& excalfactorias vires habet.de simp.m. Sp.83.E
Daucus vrinam ciet.1°.de arte cur.ad Glau. 7ª.99.F/*de mel.ex Gal. R.& Possid.* Sp.110.B
Daucus aromaticon quiddam ostentãt.2°.de ali.fac. 2ª.25.B
Dauci semen odoratum est,tenuium partium, & vrinam ciens.9°.de comp.med.sec.loc. 5ª.201.H
Dauci semẽ calidũ & acre, vrinã ciẽs.5°.de simp.med.fac. 5ª.35.D
Dauci semen efficax medicamen vrinæ mouendæ, & mensibus prouocandis.6°.de simp.med.fac. 5ª.46.B
Daucus vrinam,& menstrua prouocat.de simp.med. Sp.83.E
Daucus partum deijcit.de simp.med. Sp.83.E
Daucus purgat renes.de cathar. Sp.95.C
Dauci semen vehementer calidum.6°.de simp.med.fac. 5ª.46.B
Dauci semẽ calidũ cũ subtili substãtia.2°.de arte cur.ad Gla. 7ª.104.G
Dauci semẽ sanguinẽ extenuat & secernit.5°.de simp.me.fac. 5ª.35.D
Dauci semen ingreditur theriacam.de theria.ad Piso. 5ª.92.G
Daucum non dat epilepticis.de pue.epilep. 7ª.180.C
Daucum calefacit.2°.de alim.fac. 2ª.25.B
Daucus caput replet,& inflammat.de pue.epilep. 7ª.180.E
Dauci non generant crassos humores.de pue.epilep. 7ª.180.E
DAVIT *potio ad iliacos.de dyn.* Sp.28.D

DEACVMINATA *de ijs q̃ in med.fi. cõ.3°.* 7ª.214.D
ad DEALBANDVM *sole vtebant.1°.de comp.med.per gen.* 5ª.214.C
DEALICIS *casus.in 3ᵐ.de mor.vul.com.1°.* 3ª.133.E
Dealcis vxoris casus.in 3ᵐ.de morb.vulg.com.3°. 3ª.151.D
in Dealcis horto iacentis casus citatur.com.7°.aph.31°. Ex.56.C
DEAMBVLATIO *quid.in 6ᵐ.de morb.vul.com.5°.* 5ª.191.A
Deambulatio febricitãtibꝰ offuit.in 6ᵐ.de mor.vul.c.3°. 3ª.177.G/H
DEARTICVLATIO,*& ab articulatio.de art.com.2°.* 7ª.263.E
Dearticulatio seu deluxatio quid.fin.med. Isa.50.C
Dearticulatio quid significet apud Hippocratem,secundum quosdam. de fracturis,com.2°. 7ª.238.C
in Dearticulationibꝰ oĩbꝰ ossa sũt facta pp motũ.11°.de vsu p. 1ª.191.C
Dearticulationis totius copulas neruos vocat.de frac.c.3°. 7ª.249.E
circa Dearticulationẽ solã musculi caput mouẽtes.de musc.dis. 1ª.45.G
Dearticulationẽ retrorsum, aut in latera dilatantes musculi, qui.de muscu.dissect. 1ª.46.B
in Dearticulationes capitis quæ musculorum coniugationes habẽtur, vbi de muscu.diss. 1ª.45.G
Dearticulationem cubiti vomentes musculi vnde oriãtur, ac desinãt. de musc.dissect. 1ª.47.H
Dearticulationẽ cubiti qui musculi extendant.de mus.disse. 1ª.48.A
Dearticulationem secundam articulorum flectentes musculi,& quo modo.de musc.dissect. 1ª.49.C
in Dearticulatione humeri paruus musculus situs qualis,vbi nascatur,ac finiat.de musc.dissec. Sp.47.G
Dearticulationem coxendicis euidenter,vehementerq; mouens mus. de musc.dissect. 1ª.51.D
Dearticulationem coxendicis primis musculis mouentibus qui nerui inserantur.de ner.diss. 1ª.55.C
Dearticulatione iusta, & æquali solus articulus in genu iungitur. de fract.com.3°. 7ª.248.H
Dearticulationem genu mouent nouem musculi.de musc.dis. 1ª.51.C
Dearticulationem genu qui musculi extendant.de musc.diss. 1ª.51.F
Dearticulationem genu mouẽtes musculos,et si nouẽ esse ostẽderit, tñ dicit eẽ octo,ne ab antiqs ĩre minima dissẽtiat.de mus.dis. 1ª.51.G
Dearticulationẽ totius pedis flectẽtes musculi.de musc.diss. 1ª.51.H
Dearticulationem pedis totam mouens musculus.de musc.diss. 1ª.52.E
Dearticulationis modus quo modo offendit.de diss.morb. 3ª.5.C
DEBILIS infans vnde fiat.de sperm. Sp.36.A
Debilis puella vnde.de sperm. Sp.38.C
Debilis,rauca,grauis vox adest homini qui conceptus sit in tribus horis sanguinis.de sperm. Sp.37.B
Debilia & mollia facit lotio calida.de vena sect.aduers Erasi.6°. 8.C
Debile caput & neruos non tãgit vinum pauissimũ.de vini. Sp.76.C

Debilia æqualiter esse duo membra per rarum est. in 6m. de mor. vul. commen. 2°. 3a.168.D
Debiliores partes cur primæ morbis excrementitijs corripiantur. de cur. rat. per sang. miss. 6a.17.H
Debilibus, quibus sudor multus, calidus, vel frigidus, debet fieri euacuatio per inferiora. com. 6°. aph. 61°. Ex.59.F
Debili existente ægro si rigor incidat febre non deficiente, letale est. com. 7°. aph. 46°. Ex.32.G
Debili existente corpore in continua febre, si labrum, vel oculus, vel nasus, vel supercilium peruertatur, aut non videat, aut nō audiat, letale. com. 4°. aph. 49°. 33. B/com. 7°. aph. 66°. Ex.60.F
Debiles si fuerint vires ægrotantis, & ea quę in corpore est dispositio, sit ex corruptione humorum, vel defectu, cur illis parum alimenti & sæpius afferendum sit. com. 1°. aph. 17°. Ex.9.C
Debile corpus habentes si aqua frigida lauentur, refrigerantur, atque offenduntur. com. 1°. aph. 15°. Ex.8.B
Debilis cui est naturalis labor in corpore, huic conueniunt cibi subtiliantes. de diff. cont. Sp.72.D
Debilis natura confortat electuarium dianthu. de dyn. Sp.26.D
Debiles ex lōga infirmitate curat electuariū dianthu. de dy. Sp.26.D
ad Debilia membra ex frigore decoctio assari. de med. exp. Sp.107.B
Debilem, & mollem stomachum reclificant cibaria stiptica. de dissolutione cont. Sp.74.D
Debilē stomachū confortat decoctio mastiches. de me. exper. Sp.104.D
Debilem stomachum confortans electuarium aristolochiæ. de medicin. expertis. Sp.108.A
Debile hepar & cor confortans medicina Zenonis Athenienſis. de medic. exper. Sp.107.F
Debilis apoplexia quæ dicatur. com. 2°. aph. 42°. Ex.18.B
Debilia medicamenta non conueniunt ictericis. de cura icter. Sp.110.H
Debilia medicamenta in alopecia quo modo humectanda. 1°. de comp. med. sec. loc. 5a.122.D
Debiles, lege Imbecilles.
DEBILITATE *visus non discernunt oculi piscium intermedios colores. de anat. viu.* Sp.49.B
Debilitas corporis sequit ad dūium phlegmatis. de ana. viu. Sp.45.E
Debilitas plurimum habentes vires ex morbo, balbutient. comment. 6°. aph. 32°. Ex.49.H
Debilitatem corporis in omnibus ostendit vrina alba, & nuda. de dynamidijs. Sp.35.E
Debilitas stomachi est signum infrigiditati, & humectati corporis. secretorum. Sp.78.G
qñ Debilitas visceris accrescet ita, vt in se ipso continere superfluitates non possit, nigræ fient deiectiones. com. 4°. aph. 21°. Ex.29.E
Debilitas ex virium defectu facile non habet remedium. commen. 6°. aphor. 27°. Ex.48.H
ad Debilitatē iteriorū mēbrorū ex causa frigida. d̄ me. exp. Sp.107.B
ad Debilitatē mēbrorū iteriorū valēs medicina. d̄ med. exp. Sp.104.G
ad Debilitatem stomachi. secretorum. Sp.98.D
Debilitati stomachi conferens oleum. de dyn. Sp.27.C
Debilitati stomachi prodest omphacomeli. de dyn. Sp.22.C
cōtra Debilitatē hepatis dat decoctio capith. de med. exper. Sp.106.F
ad Debilitatem hepatis electuarium iridis. de med. exper. Sp.105.E
Debilitati hepatis conferens oleum. de dyn. Sp.27.C
ad Debilitatem hepatis ex frigida causa valet rhabarbarum. de medic. exper. Sp.106.E
ex Debilitate hepatis fluxui cōferēs medicina. de med. exp. Sp.104.G
ad Debilitatem virtutis digestiuæ confert puluis gariofilorum. de medic. exper. Sp.106.E
ad Debilitatē neruorū medicamē Amorōis regis. d̄ me. exp. Sp.108.F
ad Debilitatem coitus. secretorum. Sp.99.H
ad Debilitationem corporis. secretorum. Sp.100.D
ad Debilitatem. secretorum. Sp.98.H
Debilitant corpus, & attenuant cibi acuti. de diff. cont. Sp.72.F
Debilitat magis sectio venę pedis q̄ venæ Brachij. de ana. vi. Sp.55.A
Debilitato calore natiuo ex sanguinis ꝓfluuio in febribus quacunq; ex parte, cū reficiunt, alui ijs humectant. com. 4°. aph. 27°. Ex.30.C
DECEPTIO *in quibus sit. 9°. de decr. Hipp.* 1a.279.H
Deceptio, falsa intelligentia ab Hippocrate dicit. 9°. de decr. 1a.281.C
Deceptio vnde veniat in rebus quæ veniunt in controuersiam. 9°. de decr. Hipp. 1a.286.C
Deceptio vt effugiatur definita locutiōe vtēdū. 3°. meth. med. 7a.22.D
quomodo DECERNANT *in morbis primus & secundus dies. 1°. de diebus decre.* 4a.148.H
Decernant quo modo vigesimus septimus & vigesimus octauus. 1°. de diebus decret. 4a.149.C
DECLINATIO *in homine est a trigesimo anno ad trigesimum quintū. in prog. com. 3°.* 4a.210.D
in Declinantibus ætate fit flatus hypochondriacus cum venere vtuntur. in 6m. de mor. vul. com. 2°. 3a.171.G
Declinantem ætatem quartanæ sequuntur. 2°. de diff. feb. 3a.36.E
in Declinante ætate renum affectus. in 6m. de mor. vul. c. 1°. 3a.155.C
DECLINATIO *quid sit. 1°. de cris.* 4a.125.H
Declinatio est melius tēpus totius circuitus. com. 1°. aph. 12°. Ex. 5.F
in Declinatione omnia accidentia, & morbus sunt debiliora. cōm. 2°. aph. 3°. Ex.16.H
Declinationem, statum, augmentum, & principium habent quicunq; morbi salubres. de morb. temp. 3a.89.D/E
Declinationem, & vigorem habet morbus omnis qui soluitur. de mor. temporibus. 3a.89.E
Declinatio accessionis quo mō fiat. de vic. ra. in mor. acu. c. 1°. 7a.115.G
Declinatio febris quando. 2°. de dif. morb. 3a.42.D
Declinationem significat postpositio. 1°. de cris. 4a.125.H
Declinationis notæ. 2°. de dif. feb. 3a.38.G/1°. de cris. 4a.126.C
Declinationis indiciorum exemplum. 1°. de cris. 4a.126.B
ad Declinationem venientes circuitus, qui. de mor. temp. 3a.85.G
Declinatio habet latum spatium. de morb. temp. 3a.89.D
Declinatio quibusdam non videtur fieri, vbi repentinæ crises aduenerint. 3°. de cris. 4a.142.E
Declinationem sensibilem non habent synochæ. de mor. temp. 3a.86.D
in Declinatione nō dari remissionem ſm aliquos. de mor. tēp. 3a.86.G
in Declinationibus præcipuæ pernitiosi sunt somni, si noceant. com. 2°. aph. 1°. Ex.11.A
in Declinatione vrinæ fiunt crassæ. com. 4°. aph. 69°. Ex.34.H
in Declinatiōe deiectiōes nigræ nō sunt malæ. c. 4°. aph. 21°. Ex. 19.E
Declinationis tempus manifestum est, si quis acute per sudorē, vel sanguinis fluorem iudicetur. de mor. temp. 3a.89.E
in Declinatione colliquefactionis vrina qualis. quæſ. in Hi. Sp.113.C
Declinatio inflammationis. de tot. morb. temp. 3a.88.F
in Declinationib9 iflāmationū q̄ sumēda. 6°. de cōp. me. se. lo. 5a.168.F
ad Declinationes affectionum oculorum malabathrinum. 4°. de compo. med. sec. loc. 5a.154.E
ad Declinationes oculorum inflammationum philadelphium. 4°. de comp. med. sec. loc. 5a.154.E
Declinatio febris non expectanda, sed doloris magnitudo inspicienda in lassitudine & dolore oculorum pro secanda vena. de cur. ratio. per sang. miss. 6a.21.C
in Declinatione quid addendum ipsi diamoror. 6°. de composi. medi. sec. loc. 5a.173.A
in Declinationibus pleuritidis & peripneumoniæ tumores euaporāt, ac submittuntur, in accessionum vero principijs increscunt. 2°. de dif. feb. 3a.40.F
ad Declinationē vniuersalē nō ꝓueniūt morituri. 3°. de cris. 4a.142.E
in Declinatiōe vlali vbi æger moriť, ex errore est. 3°. de cris. 4a.142.E
in Declinatione particulari cur aliqui morianť. 3°. de cris. 4a.142.E/F
Declinationis particularis mortalis pulsus. 3°. de cris. 4a.142.F
Declinationis particularis optimæ pulsus qualis. 3°. de cris. 4a.142.F
in Declinatiōe particulari vena secāda. de cur. ra. ꝓ san. mis. 6a.21.B
in Declinatione tantum victus exhibendus, si vires constent. de morborum temporibus. 3a.90.A
in Declinationibus potissimum remedia fiunt. de opt. secta. Isa. 28.B
in Declinatione primæ accessionis balneum facit in febre ex obstructione. 8°. meth. med. 7a.50.A
in Declinatione lauandi febricitantes. 7°. meth. med. 7a.51.G/8°.53.G/10°.65.F/11°. 7a.73.B
in Declinatione danda aqua frigida. 9°. met. med. 7a.57.G
DECLIVITATIS *meminit. de ijs quæ in med. ſi. com. 1°.* 6a.203.F
DECIDENTIA *in manu quid, & quo modo fiat, & differat a reclinatione. 3°. de mot. muſc.* 1a.311.B
nō Decidere, & contineri idem. de ijs quę in med. ſi. com. 2°. 7a.210.G
Decidere natura melius est ossium fragmēta, q̄ vi medicamentorum ob futuras fistulas. de ijs quæ in med. fiunt, com. 2°. 7a.210.H
Decidere cito non debent linamenta, & laquei. de ijs quæ in medica. fiunt. com. 2°. 7a.210.F

Decidere cito non debẽt cruſtæ.de iis quæ in med.fi.com.2°. 7ª.210.F
Decidens excremẽtũ a flãma cinis & fauilla eſt.3°.de præſ. 4ª.118.H
ad DECEM, *& octo horas prorogantur tertianæ non legitimæ. com. 4°.aph.43°. Ex.32.F*
Decimus dies non eſt decretorius.in 1ᵐ.de mor.vulg.com.3°.3ª.120.E
Decimo die nullus iudicatus.in 3ᵐ.de mor.vul.com.1°. 3ª.128.B
in Duodecimo & decimoſexto neminem vidit iudicatum Galenus. 1°.de dieb.decret. 4ª.145.F
Decimus tertius dies qualis.2°.de dieb.decr. 4ª.154.G
Decimus quartus dies qualis.2°.de dieb.decret. 4ª.154.G
Decimoquarto die quando fiet criſis.1°.de dieb.decr. 4ª.151.B
Decimoquarto die vox intercepta quid ſignificet febricitanti.de vic. ra.in mor.acu.com.4°. 7ª.142.F
in Decimoſexto ſi quiſpiam iudicatur.1°.de dieb.decr. 4ª.148.E
Decimũſextũ nunq̃ vidit Galenus iudicãtẽ.1°.de die.decr. 4ª.146.G
Decimusſeptimus dies eſt bonus,et iudicatorius.c.4°.ap.36°. Ex.31.g
Decimoſeptimo die quando fiet criſis.1°.de die.decr. 4ª.151.B
Decimus octauus indicat vigeſimũ primũ.2°.de dieb.decr. 4ª.152.F
Decem menſes geſtari infantes in vtero matris,collige ex verbis Hippocratis.com.5°.aph.37°. Ex.41.A
Decimo menſe infantes fameſcunt,& incipiunt calcitrare propter defectum alimenti,& frangere membranas,vnde fit initium partus. com.5°.aph.37°. Ex.41.A
DECLARARI *debent ex ſeipſis ſcriptores.4°.de dig.p. 4ª.86.B*
DECOCTVM *facit per conſumptionem tertiæ partis.4°.de cõp.me.ſe. lo.5ª.153.H/de rem.par.fac. 7ª.157.C*
Decoctio ad medias.de rem.par.fac. 7ª.157.D/E
poſt Decoctionem crocus injciuur.3°.de med.fac.par. 7ª.174.D
DECOCTVM *Abſinthij aluo,& ventriculo prodeſt.de mel.ex Galen. Ruf.& Poſſ. Sp.110.B*
Decoctio abſinthij matricem purgat.de cathar. Sp.95.C
Decoctio abſinthij, & centaureæ minoris aperit obſtructionem minus q̃ decoctio iridis.de med.exper. Sp.104.B
Decoctio Agarici quo modo fiat.de med.exper. Sp.107.C
Decoctio agarici datur contra ægritudines cerebri,& hepatis.de medici.expertis. Sp.106.F
Decoctio agarici dolorẽ antiquũ capitis ſanat.de med.exp. Sp.104.D
Decoctio Aſſari puocat vrinã,& mẽſtrua fortiter.de med. Sp.104.D
Decoctio Caſith datur contra debilitatem hepatis,& oppilationes.de med.exper. Sp.106.F
Decoctum Caricarum,& furfurum vnũ eſt ex diſcuſſorijs parabilib⁹. 6°.de comp.med.ſec.loc. 5ª.169.G
Decoctio Carui,& ſeminis apij prouocat vrinam, & menſtrua fortiter,& ſubtiliat humores craſſos.de med.exper. Sp.104.D
Decoctio Centaureæ curat iſchiadem.de med.exper. Sp.104.D
Decoctum Centaurij minoris prodeſt melancholicis.de melã.ex Gal. Ruf.& Poſſ. Sp.110.B
Decoctio Centaureæ,& rutæ valet contra morſum rutelæ. de medici. expertis. Sp.106.F
Decoctum cuiuſq; duri quandiu coquitur, ſemper fit ſalſius, & deniq; amarius.3°.de alim.fac. 2ª.31.H
Decoctio Cicerum expurgat ictericos.de cura icteri. Sp.111.B
Decoctio Epithymi data epileptico ab ægyptiaco quodam ex melancholia profuit.de med.exper. Sp.104.C
Decoctio corticis Piſtici confortat ſtomachum,& mundificat canales pulmonis,& hepatis.de med.exper. Sp.104.D
Decoctio Fœni græci euacuat ſcybala.de cathar. Sp.95.D
Decoctio Gentianæ datur ad frigiditatem membrorum, & ad fluxum prouenientem ex ea.de med.exper. Sp.106.F
Decoctio Hyſſopi curat aſthma.de med.exper. Sp.106.F
Decoctio radicis Iridis aperit obſtructionem craſſam. de medicinis expertis. Sp.104.B
Decoctio Iuniperi prouocat menſtrua.de med.exper. Sp.106.F
Decoctio radicum Lapathij prouocat menſtrua.de cathar. Sp.95.D
Decoctũ Lenticulæ cũ melle pudẽda laxat.11°.de ſimp.me.fa. 5ª.80.D
Decoctio Lupinorum prouocat menſtrua.de cathar. Sp.95.D
Decoctio Maluæ euacuat ſcybala.de cathar. Sp.95.D
Decoctio Maſtiches confortat ſtomachum debilem. de medicinis expertis. Sp.104.D
Decoctio Squinanthi datur ad dolorem mulieris poſt partum.de medicinis expertis. Sp.106.F
Decoctio Thymi purgat cibos indigeſtibiles & lumbricos rotundos. de catharticis. Sp.95.C
Decoctio in declinatione febris quotidianæ.de med.exper. Sp.105.D
Decoctio ad febrem tertianam.ſecretorum. Sp.101.A
Decoctio purgans matrices mulierum, & diſſoluens ventoſitates, & menſtrua prouocans.de med.exper. Sp.105.D
DECOLLATI *qui.4°.de decr.Hipp. 1ª.250.B*
Decollatum.id eſt ἀτράχηλον, dupliciter.4°.de decr.Hipp. 1ª.250.B
DECOLORES *quos vocet.de vic.rat.in mor.acu.com.4°. 7ª.150.H*
Decolores purgandi non ſunt.in 1ᵐ.progn.c.2°.4ª.174.D/de vict.rat. in morb.acu.com.4°. 7ª.150.E
Decolora quibus cauſis fiunt menſtrua.com.5°.aph.37°. Ex.40.H
DECORE *ac recte agere in arte vbi poſſumus, decore ac recte agere debemus.de faſcijs. 7ª.193.C*
Decore iniectum intelligit quod elegans eſt.de faſcijs. 7ª.293.E
Decor ſaltem inducendus,quando pars reſtitui non poteſt, vt in mutilationibus.ars med. Iſa.71.C
ad Decorem dentium fmegma.5°.de comp.med.ſec.loc. 5ª.164.H
DECOSTIS *quid ſignificet.4°.de decr.Hipp. 1ª.250.B*
DECRESCENTEM *lunam obſeruat. de dyn. Sp.25.E*
DECREPITI *cur non videant.10°.de vſu par. 1ª.179.E*
in Decrepitis tabes ſine febre.1°.de diff.feb. 3ª.34.E
Decretorios dies nouit Hippocrates.in progn.com.3°. 4ª.206.E
Decretorius dies cõducit ad firmitatẽ indicatiõis.i pg.c.3°.4ª.205.E
i Decretorios dies ĩcidit morbi mutatio.i 3ᵐ.d mor.vul.c.1°. 3ª.132.E
de Decretorijs diebus librum quo tempore compoſuerit Galenus. de præcogn.ad Poſth. 4ª.219.E
de Decretorijs dieb⁹ Galen⁹ ſcripſit ob amicos.3°.d die.dec.4ª.159.b
de Decretorijs dieb⁹ liber pgnoſtica præcedit.in pg.cõ.1°. 4ª.190.E
de Decretorijs diebus liber ante librum prognoſticorum ſcriptus.in progn.com.2°.103.E/com.3°.206.D/F/G/ 4ª.210.D
Decretorij dies morborum.in progn.com.3°. 4ª.207.B
Decretorij dies partes.in 1ᵐ.de mor.vul.com.3°. 3ª.120.D
Decretorij dies impares.in 1ᵐ.de mor.vul.com.3°. 3ª.120.D
Decretorij dies p quaternarios et ſeptenarios.in pg.c.3°. 4ª.206.F/G
Decretorius minor eſt quartus,& eſt index ſeptimi. 2°.de diebus decretorijs. 4°.154.F
Decretorij non ſunt vigeſimus octauus,& decimus.in 1ᵐ.de mor.vulga.com.3°. 3ª.120.E
in Decretoriorum dierum enumeratione. Hippocrates ad ſexageſimum vſq; in prognoſticis proceſſit.2°.de dieb.decr. 4ª.156.A
Decretorij quadrageſimus & octuageſimus. in 1ᵐ.de morb.vulgari. commen.3°. 3ª.123.A
Decretorij ſunt dies ſexageſimus,& octuageſimus.in 1ᵐ.de mor.vulga.com.3°. 3ª.123.C
Decretoriorum dierum terminus eſt cẽteſimus vigeſimus dies,poſtea menſes & anni ſequuntur.2°.de dieb.decr. 4ª.156.D
Decretoriorum dierum natura in diuerſis.2°.de dieb.decr. 4ª.154.F
Decretorijs diebus fiunt deteriores tertianæ naturam referẽtes febres. in 1ᵐ.de mor.vulg.com.2°. 3ª.110.F
Decretorij moderatiores,qui.in 1ᵐ.de mor.vul.com.3°. 3ª.120.E
Decretorij validiſſimi,qui.in 1ᵐ.de mor.vul.com.3°. 3ª.120.E
Decretoriorũ omniũ fortiſſimus eſt ſeptimus.2°.de die.decr. 4ª.154.F
Decretoriorum dierum ratio ex luna.3°.de die.decr. 4ª.156.H
Decretorios dies a natura fieri negat Aſclepiades.1°.de na.f.1ª.294.e
Decretoria nõ indicantia quid faciãt.in 1ᵐ.de mor.vul.c.3°.3ª.121.C
Decretoria ſigna ſunt in genere accidentium.in pg.com.3°. 4ª.212.G
Decretoria accidentia.ars med. Iſa.68.A
Decretoria ſigna non debent ſtatim elucere.in 1ᵐ.de morb.vulgarib. commen.2°. 3ª.115.A
Decretoria ſigna inſtatibus apparent.1°.de criſi. 4ª.128.D
Decretoria ſigna quandoq; male apparent.1°.de criſ. 4ª.128.D
in Decretorijs expulſionibus qui pulſus.2°.de cau.pulſ. 4ª.94.C
Decretorias excretiones cur promittat altus ſimul & celer in contractione pulſus.4°.de præſag.ex pulſ. 4ª.122.B
DECRETVM *quid.fin.med. Iſa.43.E*
DECRVS *quid ſignificet.4°.de decr.Hip. 1ª.250.B*
DECVBITVS *apud Hippocratem conuenit toti corpori. in 6ᵐ.de mor. vulg.com.1°. 3ª.160.D*
Decubitus principium,quale.1°.de die.decr. 4ª.147.E
Decubitus ſupinus cur faciat extendere priapum.de lo.af. 4ª.42.A
Decubitus pro abſceſſu intelligitur.in 6ᵐ.de mor.vul.c.3°.3ª.178.F
Decubit⁹,id eſt apoſtemata,q̃ vocẽt.2°.de arte cur.ad Gla.7ª.105.A

Decubitus periculosi i morbis melãcholicis a poplexiã corpis, vel con vulsionẽ, vel furorẽ, vel cæcitatẽ significãt. c. 6°. aph. 56°. Ex. 53 D
Decumbere in latus melius est. 2°. de mo. musc. 1ª. 314. D
Decumbunt quidã ægrorum statim, alij non. 1°. de dieb. dec. 4ª. 147. E
Decumbere & deorsum ferri non idem, & quo modo differant. de pal pit. tremore. 3ª. 52. A
DECVRTATVM *crus quodnam dicatur esse. de articulis, commentario. 3°.* 7ª. 277. F
Decurtati pulsus, qui. 2°. de caus. puls. 4ª. 91. H
Decurtati deficientes pulsus, qui. 1°. de diff. pul. 4ª. 49. D
Decurtati reciproci pulsus, qui. 1°. de diff. pul. 4ª. 49. D
Decurtati pulsus reciproci qui vocentur. 2°. de cau. pul. 4ª. 91. H
DECVSSORIVM *instrumentum. de artic. com. 2°.* 7ª. 263. H
DECVTIITVR, *id est ὀχᾶται, quid significat. de articulis, commentario. 2°.* 7ª. 263. H
DEDVCANTVR in omne corpus facile quæ vinã. 12°. methodi medendi. 7ª. 76. H
DEFATIGATI hũt musculos qescẽtes. 2°. de mot. musc. 1ª. 314. C
DEFECTVS *in membris quid faciat. 1°. de vsu par.* 1ª. 120. D
Defectio membris qualis sit. de ocul. 7ª. 189. E
Defectus interiorũ partiũ qbus fiat. de ijs quæ in med. fi. c. 2°. 7ª. 213. E
Defectus in vnoquoque tantum detrahunt de perfecta vtilitate, quantum ipsi a commensuratione deficiunt. de consuet. 2ª. 61. G
ex Defectu prioris actionis crebriores sunt actiones omnes. 1°. de causis puls. 4ª. 90. A
Defectus prioris actionis in pulsu resarcitur motus celeritate. 1°. de causis puls. 4ª. 87. E
DEFECTVS *animi, & dissolutio de vna re dicuntur. 1°. de arte cur. ad Glauco.* 7ª. 98. E
Defectus animi fit ex pluribus causis. 1°. de arte cur. ad Gla. 7ª. 98. E
Defectionem animi multiplicem esse, collige. cõ. 1°. aph. 23°. Ex. 10. D
Defectus animi est bulimus. 1°. de arte cur. ad Glau. 7ª. 98. E
Defectus aĩ ex vtero quot modis fiat. 1°. de arte cur. ad Gla. 7ª. 98. E
Defectus animi quos morbos ãcedat. 1°. de arte cur. ad Glau. 7ª. 98. F
Defectus animi ex cholera, profluuio alui, et euacuationibus magnis, quo modo curetur. 1°. de arte cur. ad Glau. 7ª. 98. G
Defectui animi ex sudore balnea nocẽt. 1°. de arte cur. ad Gla. 7ª. 99. a
Defectus animi ex ore ventriculi quomodo curetur. 1°. de arte cur. ad Glauconem. 7ª. 99. B
Defectus aĩ ex multitudine qũo curãdi. 1°. de ar. cur. ad Gla. 7ª. 99. B
Defectus animi ex siccitate qũo curãdus. de arte cur. ad Gla. 7ª. 99. E
Defectus animi ex inflammatione, aut febre maligna, quomodo curetur. 1°. de arte cur. ad Glau. 7ª. 99. E
Defectus animi ex membri principalis obstructione quo modo curetur. 1°. de arte cur. ad Glau. 7ª. 99. F
Defectus animi ex ruptura absces sium, & ex euacuationibus quomodo curetur. 1°. de arte cur. ad Glau. 7ª. 99. F
Defectio animi, exolutio, aut vomitio a tuberculi intus ruptione fit. cõmen. 7°. aph. 8°. Ex. 54. D
Defectus animi ex tristitia, gaudio, timore, ira, terrore, & vulneribꝰ, quo modo curetur. 1°. de arte cur. ad Glau. 7ª. 99. G
Defectus animi ex dolore intestini laxi, & ilei quo modo curãdus. 1°. de arte cur. ad Glau. 7ª. 99. G
Defectus animi ex virium imbecillitate quo modo curandus. 1°. de arte cur. ad Glau. 7ª. 99. G
Defectus animi ex purgatione, ex doloribus articulorum, neruorũ, & tendonum quomodo curandus. 1°. de arte cur. ad Glau. 7ª. 99. G
ad Defectus imbecillitatem remedia. de theria. ad Pis. 5ª. 94. D
Defectiones animi remouere potest cucurbitula. de cucur. scar. 6ª. 3. F
vsq; ad Defectionem animi quandoq; euacuandum est, & quando. com. 1°. aph. 23°. Ex. 10. D
ad Defectionem & tensionem stomachi. de dyna. Sp. 27. H
Defectus corrumpit æquabilem temperaturam. 8°. de decr. 1ª. 274. E
ad Defectus sequitur aliquando siccitas, aliquando frigiditas, aliquã do vtrunq;. com. 5°. aph. 57°. Ex. 42. H
ex Defectu nullus morbus, fm quosdam. de nat. hu. com. 2°. 7ª. 181. H
ex Defectu fieri morbos in mulieribus, et viris arbitratur Hippocrates. com. 5°. aph. 57°. Ex. 42. D
Defectus humorum exigit adiectionem ciborum, corruptio vero contemperamentum. com. 1°. aph. 17°. Ex. 9. C
Defectus substantiæ in vrinis est alij deterior. de vrinis. 4ª. 123. H
Defectus lunæ, qui. de hist. philos. Sp. 7. C
Defectum lunæ seruat. de dyna. Sp. 26. A
Defectus solis, qui. de hist. philos. Sp. 7. A
DEFICIENS *nihil expetimus. ad Thrasy.* 2ª. 103. B
Deficientium partium non nullæ ex toto abolitæ, non nullæ ex dimidio præcisæ. de dif. morb. 3ª. 4. F
Deficiens substantia quo modo curetur. 14°. meth. med. 7ª. 92. B
Deficientibus mensibus in mulieribus atrabilarijs quę vena secanda. de mel. ex Gal. Ruf. & Poss. Sp. 109. H
Deficientes in errando purgandi non sunt. in 1ᵐ. pror. cõ. 2°. 4ª. 174. D
Deficientes frequenter non sunt purgandi. de dyn. Sp. 20. F
Deficientes decurtati pulsus, qui. 1°. de diff. puls. 4ª. 49. D
Deficientes reciproci pulsus, qui. 1°. de diff. puls. 4ª. 49. D
Deficientes inæquales pulsus, qui. de diff. puls. 4ª. 49. E
in DEFLORATIONE *virginis dilatatur collum matricis, & quę venæ frangantur. de ana. viu.* Sp. 51. E
ad Defluuium capillorum. de rem. par. fac. 7ª. 154. B
Defluxus quid. fm. med. Isa. 47. D
Defluxus omnes quando boni, & quando non boni, considerandum. 1°. de crisibus. 4ª. 128. B
Defluxus a corpore quo mõ, & a quibus fiat. cõ. 7°. aph. 59°. Ex. 59. D
Defluxus a superiori parte tendit deorsum. de frac. com. 1°. 7ª. 228. A
ex Defluxionibꝰ ad partes imbecillas fiunt morbi. in 1ᵐ. de mor. vulgarib. com. 2°. 3ª. 109. A
Defluxio a capite mox reprimenda est. de rem. par. fac. 7ª. 157. G
Defluxus ad oculos sunt a capite. 2°. de diff. feb. 3ª. 40. F
ad Defluxum inexuperabilem. 7°. de comp. med. sec. loc. 5ª. 182. C
DEFORMIS *viri opulenti historia, qui voluit procreare formosum puerum. de ther. ad Pis.* 5ª. 94. E
DEFOSSVS *pulsus fit cardiacis. de dyn.* Sp. 34. G
DEFRVTI *crassitudinem repræsentare vnionem optimæ æruginis aqua persusæ, collige. com. 5°. aph. 1°.* Ex. 37. C
in DEGAMINE *vel in testis cocta oua generant nutrimentum crassum, & corruptibile. de diff. cont.* Sp. 74. B
in DEGLVTIENDO *quis gutturis motus. de mot. man.* Sp. 70. A
Deglutientis quo modo fiat motus. 3°. de na. fa. 1ª. 304. F
Deglutitioni conducentes musculi. de voc. inst. diff. 1ª. 107. E
ad Deglutiendum qui situs magis commodus. 5°. de loc. aff. 4ª. 32. B
Deglutitionis hora inspiratio detineri non posset. de ana. viu. Sp. 48. B
Deglutitioni primæ similis est renum a cana vena attractio. 6°. de loc. affectis. 4ª. 38. A
Deglutire & vomere sunt contraria, et quo mõ. 3°. de na. fa. 1ª. 304. H
Deglutire cur facilius quàm vomere. 3°. de nat. fac. 1ª. 304. H
DEGRAVATVR *quo modo facultas. de puls. ad tiro.* 4ª. 44. G
DEIICIVNTVR *quæ tarde, quæ citius. 1°. de ali. fac.* 2ª. 14. D
Deijciant quæ leuiter. 6°. de san. tu. 2ª. 97. H
Deijcere faciunt, & distribuere detergentia. de vic. rat. in mor. acutis, com. 1°. 7ª. 111. E
Deiectio quo modo fiat. 6°. de loc. af. 4ª. 38. F
Deiectionem excitat acris qualitas. 2°. de alim. fac. 2ª. 19. A
Deijcere faciunt cibi humidi & glutinosi. 3°. de Symp. caus. 3ª. 27. D
Deiectionem quæ oleosa facilitent. 2°. de alim. fac. 2ª. 23. C
Deiectionem procurant nitrosa. 2°. de alim. fac. 2ª. 16. E
Deiectionem prouocat melopeponũ pars intima comesta, in qua sunt semina. 2°. de alim. fac. 2ª. 17. B
Deijciat quæ mulsa. 12°. meth. med. 7ª. 75. H
p Deiectione mustum dulcissimum bibitur. 2°. de alim. fac. 2ª. 18. C
Deijciendi gratia quæ vuæ sumantur. 2°. de alim. fac. 2ª. 18. B
Deijciãt quibus causis intestina. de vic. rat. in mor. acu. cõ. 2°. 7ª. 120. E
Deiectione, & vomitu inanitur ventriculus. 7°. meth. med. 7ª. 49. C
Deiectiones alui inferioris fiunt a vi naturali aliena excernente. com. 7°. aph. 21°. Ex. 55. D
Deiectiones expellunt abdominis musculi. 3°. de nat. fac. 1ª. 303. B/6°. *de loc. affe.* 4ª. 38. F
Deiectio fit musculis abdominis compressis. 6°. de loc. af. 4ª. 38. F
ad Deiectionem necessarij sunt musculi thoracis & abdominis. 3°. de Symp. caus. 3ª. 27. D
ad Deiectionem irritat intestina pituita si salsedinem, atque acrimoniam aliquam sibi adiunxerit. com. 6°. aph. 33°. Ex. 50. B
p Deiectione absinthij coma in melicrato, post quam vinum exhibeatur. 1°. de arte cur. ad Glauc. 7ª. 99. D
ad Deiectionem quid faciat oleum, & garum. de vic. rat. in mor. acu. commen. 1°. 7ª. 111. G

ad Deiectionem quid facit cerebrum cum oleo & garo conditum. de vic.rat.in mor.acu.com.1°. 7ª.111.G
cur Deiciunt,& euomunt sæpius pueri,quam ætate florentes. 3°.de symp.cau. 3ª.29.B
Deiectiones ætatum rõne quo mutentur.com.2°.aph.20°. Ex.14.D
Deiectiones ac subductiones solet Hippocrates nominare per aluum exeuntia.com.7°.aph.64°. Ex.60.A
Deiectione euacuant intestina,& iecinoris caua.7°.met.me.7ª.49.D
ꝑ Deiectiones expurgari aliquando totum corpus, collige. cõmen.4°. aph.85°. Ex.37.D
Deiectionem paruam significat mictio noctu plurima facta. commen. 4°.aph.83°. Ex.37.B
Deiectio fit præ copia ingesti cibi.in progn.com.2°. 4ª.199.D
ex Deiectionibus indicantur concoctiones.de tot.mor.temp. 3ª.88.G
in Deiectionibus stercoris & vrinæ naturæ prouidentia videtur. in 6ᵐ.de mor.vul.com.5°. 3ª.189.D
Deijcitur pallida & flaua bibis etiam sanis nondum ægris. in 3ᵐ.de mor.vul.com.2°. 3ª.139.G
Deiectionum multi colores præter naturã sꝑõte quidẽ euacuati multarum atque malarum in corpore dispositionum sunt signa, a medicamento autem ducti vim habente plures humorum spꝑecies euacuare,nihil absurdum significant.com.4°.aph.21°. Ex.29.F
quæ Deiectiones exustam esse omnem natiuam humiditatem a calore febrili demonstrent.com.7°.aph.6°. Ex.54.D
cũ Deiectionibus acribus ventrem inferiorem calidum habentes id ex colliquatione patiuntur.de vic.ra.in mor.acu.com.4°.7ª.149.B
Deiectio Albicans quæ,& quid significet.in 1ᵐ.pror.com.3°.4ª.183.C
Deiectiones albæ ex quibus fiant.in 1ᵐ.pror.com.1°. 4ª.165.A
Deiectiones albicantes spumosæ malæ.in 1ᵐ.pror.com.2°. 4ª.171.G
Deiectiones albæ quo modo fiant in morbo regio. in 1ᵐ.pror.com.1°. 165.A.in progn.com.2°. 4ª.199.E
Deiectio alba phreniticis mala.in 1ᵐ.pror.com.1°. 4ª.165.A
Deiectio Aquosa quid indicat.in progn.com.2°. 4ª.199.F
Deiectiones assiduæ,cur.3°.de sym.caus. 3ª.27.D
si Deiectio atræ bilis siue nigræ,quæ sanguine nigro assimilatur, apparuerit ijs qui sunt extreme extenuati, postridie moriuntur.com. 4°.aph.23°. Ex.29.G
Deiectiones Biliosæ,& syncereæ quid significent. in 1ᵐ.prorrhet.commentario.1°. 4ª.166.C
quibus Deiectiones biliosæ sunt in febribus acutis,lac nocet.commenta.5°.aph.64°. Ex.44.D
quibus Deiectiones biliosæ superueniente surditate cessant, & quibus surditas,superuenientibus biliosis deiectionibus, cessat.com. 4°.aph.28°. Ex.30.D
Deiectio Candida quid indicat.in progn.com.2°. 4ª.199.F
Deiectiones Caprarũ vocant σπυρἀδους.in 1ᵐ.prorh.cõ.2°. 4ª.169.F
Deiectio Celeris vnde.3°.de sym.cau. 3ª.27.C
Deiectio nondum in Chylum mutata significat ventriculum male coquere.de tot.morb.temp. 3ª.88.G
Deiectio Corpulenta esse debet morbo eunte ad iudicationem in prog. commen.2°. 4ª.199.D
Deiectionum Corruptionem in aluo quæ symptomata sequantur. de sympt.diff. 3ª.12.E
Deiectio crocea quid indicat.in prognost.com.2°. 4ª.199.F
Deiectiones Cruentæ vnde sint.in 1ᵐ.pror.com.1°. 4ª.162.B
Deiectio Exigua glutinosa et cãdida qd signẽt.in ꝑgn.cõ.2°.4ª.199.G
Deiectio Frequens quorum malorum sit causa.in ꝑgn.cõ.2°. 4ª.199.C
Deiectiones & Flauas,& ruffas, & nigras in pestilenti morbo vidit Galenus non magis in ijs qui exitio proximi erant, quàm in saluandis.com.4°.aph.21°. Ex.29.E
in Deiectionibꝰ Flos supnatãs qd significet.in 1ᵐ.pror.c.1°.4ª.166.C
Deiectio Graueolens quo modo distinguatur ab humore crudo.in prognost.com.2°. 4ª.199.H
Deiectio Graueolens quid significet.in progn.com.2°. 4ª.199.H
Deiectiones Hepaticæ,quæ.in 1ᵐ.pror.com.3°. 4ª.186.D
Deiectionis Humiditas symptoma celeris exitus.de sym.dif. 3ª.12.E
Deiectionem humidam,multamúe,aut contrariam non necesse est sequi,si quis male concoxit.3°.de symp.caus. 3ª.30.B
Deiectio Liuida fit vbi atra bilis modica modice permiscetur. in ꝑgn. commen.2°. 4ª.199.H
Deiectio cur fiat madens.in progn.com.2°. 4ª.199.C
Deiectio Maior quàm pro cibi portione,cur.3°.de symp.cau.3ª.27.D
Deiectio minor quàm pro cibi portione,cur.2°.de symp.cau. 3ª.27.D
Deiectiones Meræque appellantur.in 3°.de mor.vul.cõ.2°.3ª.139.G
Deiectio cum mera dicitur,semper est praua. in 1ᵐ.de mor.vul.commenta.3°. 3ª.121.C
Deiectio mera biliosa.in 1ᵐ.de mor.vul.com.3°. 3ª.124.G
Deiectiones Mordaces quo modo curet clyster. in 6ᵐ.de morb.vulg. commen.2°. 3ª.161.H
Deiectiones Nigræ quales sint.com.4°.aph.21°. Ex.29.D
Deiectiones nigræ vnde generentur.com.4°.aph.21°. Ex.29.D
Deiectio nigra tingitur ab atra bile sincera.in progn.cõ.2°.4ª.199.H
Deiectiões nigræ quo mõ differãt a bile nigra.c.4°.aph.21°. Ex.29.D
Deiectiones nigræ,qualis est sanguis niger, sponte venientes siue cum febre,siue sine febre,pessimæ,& quanto fuerint plures,peius, cum medicamento vero melius, & quanto colores plures non praui. com.4°.aph.21°. Ex.29.D
Deiectiones nigræ in principio,& augmento malæ,in statu & declinatione non semper.com.4°.aph.21°. Ex.29.E
Deiectiones nigræ ab initio morbi ostendunt magnam visceris lesionẽ. com.4°.aph.21°. Ex.29.E
ex Deiectionibus nigris sanguinem si deiecerint in acutis pernitiosum.in 1ᵐ.pror.com.3°. 4ª.185.B
Deiectio nigra mortẽ significat.de vic.rat.in mor.acu.com.4°.7ª.41.D
Deiectionis nigræ meminit.in 1ᵐ.de mor.vul.com.3°. 3ª.126.H
Deiectio Optima,quæ.in progn.com.2°. 4ª.199.A
Deiectio Optima quid significet. in progn.com.2°. 4ª.199.H
Deiectiones Pingues indicant colliquationem.in 3ᵐ.de morb.vulgar. commen.3°. 3ª.146.E
Deiectiones Puræ biliosæ,& spumosæ habent graues offensas.de vic.ra.in mor.acu com.3°. 7ª.128.C
Deiectionem Puris faciunt suppurationum ad intestina ruptiones:cõmen.7°.aph.8°. Ex.54.E
Deiectione Ramenta ex intestinis eijciuntur.4°.de loc.aff. 4ª.25.H
Deiectio Rubens mala in omnibus morbis.in 1ᵐ.pror.cõ.2°. 4ª.101.F
Deiectio vniuersim Secreta quid significet.in progn.cõ.2°. 4ª.199.H
Deiectio sensim secreta quid significet.in progn.com.2°. 4ª.199.H
Deiectio Serior vnde.3°.de symp.cau. 3ª.27.D
Deiectio in Spiras voluta,quæ.in 1ᵐ.pror.com.2°. 4ª.169.F
Deiectio spumosa,quæ.in 1ᵐ.pror.com.3°. 4ª.178.C
Deiectiones spumosæ dãnãdæ.de vic.ra.in mor.acu.cõ.3°. 7ª.128.C
Deiectio spumans quid indicet.in prog.com.2°. 4ª.199.F
qbꝰ Deiectiones si stare ꝑmiseris,& nõ moueris, veluti strigmẽta sub sistunt,quid significent,& quid agẽdũ.c.7°.aph.64°. Ex.60.A
Deiectio Subliuens.in 1ᵐ.pror.com.3°. 4ª.181.E
Deiectio Subrufa sit nec graue olens.in progn.com.2°. 4ª.199.E
Deiectiones Superfluæ noxiæ sunt.in 6ᵐ.de mor.vul.com.2°.3ª.166.F
Deiectio supflua vires euertit.de vic.rat.in mor.acu.c.2°. 7ª.128.E
Deiectio Syncera.quæ.in 1ᵐ.pror.com.2°. 4ª.171.C
Deiectiones syncereæ quę sint,& quid portẽdãt.c.7°.aph.6°. Ex.54.D
Deiectiones syncereæ quæ & quid agant.com.7°.aph.23°. Ex.55.E
Deiectiones syncereæ & fastidium cibi in morbo diuturno, malum.cõ. 7°.aph.7°. Ex.54.C
a Deiectione syncera difficultas itestinorũ malũ.c.7°.ap.13°.Ex.55.E
Deiectiones syncereæ spumosæ, prauæ.in 1ᵐ.pror.com.2°. 4ª.171.C
Deiectiões Tenues,nigræ,& spumosæ.in 3ᵐ.de mor.vul.c.3°.3ª.133.b
Deiectio versicolor quid significet.in prog.com.2°. 4ª.199.H
Deiectio Viridis quid indicat.in prog.com.2°. 4ª.199.F
Deiectiones quæ cæperũt,& desierũt pessimę.in 1ᵐ.pror.c.1°.4ª.161.F
in Deiectionibus cur fiant dolores.in 1ᵐ.pror.com.1°. 4ª.166.D
in Deiectionibus alui seuũ iniectũ dolorẽ mitigat.13°.me.m.7ª.86.A
cum Deiectionibus acribus ventem inferiorem calidum habẽtes quo potu vti debent.de vic.ra.in mor.acu.com.4°. 7ª.149.B
Deiectio potius adhibenda est, q̃ sanguis mittendus viribus deficientibus.4°.de san.tu. 2ª.83.E
Deiectione vtaris in linguæ vitio.14°.met.med. 7ª.89.C
ad Deiectiones alui & sudores vrinas reuelles.de cucur.scar.6ª.4.F
Deiectiones,lege Euacuationes.
DEILEON. 2°.de comp.med.per gen. 5ª.226.A
Deileontis cephalicum ad diuturna.4°.de cõp.med.per ge. 5ª.243.H
ad DEHISCENTES futuras vbi dehiscũt vinculũ.de fasc. 7ª.295.B
DELLACRYMATIVA pharmaca quæ. 4°.de composi.med. secun.loc. 5ª.151.H
DELLASSATI quiescũt sine cõsilio ẽt mcdᵐ.de na.hu.cõ.2°.7ª.181.H

DELATOS *oculos, crassos, aliquando similes oculis accipitris, habet conceptus in hora phlegmatis. de sper.* *Sp.37.C*

DELECTANTIA *quæ sint. de ocu.* 7ª.187.H

Delectatio causa communi quo modo fiat. 1°. de symp. cau. 3ª.16.F

Delectatio cõtigit oĩbꝰ sẽsibꝰ nõ tñ pari euidẽtia. 1°. de sym. ca. 3ª.16.F

quo mõ Delectamur in gustu, & odoratu. 1°. de symp. cau. 3ª.17.G

Delectatio & dolor euidentia sunt in tactu, & gustu, postea in odoratu, postea in auditu, vltimo visu. 1°. de symp. cau. 3ª.16.F

Delectat aliter frigidum quàm calidum. 1°. de symp. cau. 3ª.16.G

Delectatio in oculis quantum ad visum, minus euidenter quàm in cæteris sensibus. 1°. de symp. cau. 3ª.16.F

Delectationem cibi ostendit vrina pinguis sine febre senibus eueniens soluta apoplexia. de dyn. *Sp.34.C*

pp Delectationẽ assumere q̃d nocuũ nephãdũ ẽ. d̃ cura ictter. Sp. 111.A

Delectatiõi ægrorũ attẽdere debet medicꝰ. 6°. d̃ cõp. me. se. l. 5ª.168.B

DELENS *obliuionem medicina. secr.* *Sp.101.F*

DELETERIAS *facultates phtharticas, & phtoropœas dicere nihil interest. 5°. de simp. med. fac.* 5ª.36.H

Deleteria quæ, & quod agũt in debita quantitate. 2°. de temp. 1ª.23.E

Deleteria, & purgantia medicamenta quo modo differãt. in 6ᵐ. de morbis vul. com. 6°. 3ª.196.H

Deleteria frigida numerantur. 3°. de simp. med. fac. 5ª.21.H

Deleteria medicamenta frigida cur citius in calidis naturis vim suam exercent. 3°. de simp. med. fac. 5ª.21.H

Deleteria medicamenta frigida quo modo actuentur calore nostro. 3°. de simp. med. fac. 5ª.21.H

Deleterius est fungus, quoniam frigidus, & humidus. 7°. de simp. medic. fac. 5ª.56.C

Deleterium venenum in pauca quantitate breui totum corpus immutat. 1°. de semine. 1ª.335.A

DELETIVS *Epagathus. 9°. de comp. med. sec. loc.* 5ª.204.A

ex DELIBERATIONIS, *& cogitationis motu fit actio voluntaria. de voce & anhel.* *Sp.61.H*

DELICATI *damnandi qui nihil discere eorum quæ commode dicta sunt, volunt. 3°. de nat. fac.* 1ª.302.B

Delicatis partibus sertula confert. de simp. med. *Sp.90.H*

Delicatis locis & neruosis pprie vtile est butyrũ. de sim. m. *Sp.81.D*

DELICATIO *potissima in curatione. de fract. com. 3°.* 7ª.245.B

Deligatio quid faciat. 2°. de san. tu. 2ª.72.G

Deligationis duplex vsus. de fract. com. 1°. 7ª.227.C

Deligatura cur in osse fracto, fieri debet. 5°. meth. med. 7ª.40.C

Deligaturæ modus ad omnia fracta. intr. *Isa.60.E*

Deligatio diuersa in fractis et diminutis. de ijs q̃ i me. fi. c. 3°. 7ª.221.F

Deligationis maxima præcepta. de ijs quæ in med. fi. c. 2°. 7ª.207.A

Deligatio sani loci partem occupat. de ijs quæ in medicatrina fiunt, commen. 3°. 7ª.214.F

Deligatio semper ducenda in contrarium. de ijs quæ in medicatrina fiunt, com. 2°. 7ª.208.E

Deligationis qualitas. de ijs, quæ in medicat. fi. com. 2°. 7ª.206.G

Deligatio quo modo fieri debet, quando adest vlcus. de fracturis, commenta. 3°. 7ª.243.D

Deligatio quo modo incipienda in vlcere. de frac. com. 3°. 7ª.243.H

Deligatio quo modo fieri debet in sinibus, & expansis. de ijs quę in medic. fiunt. com. 2°. 7ª.212.C

Deligatio in contrarium facienda in luxatione. de articulis, commentario 4°. 7ª.284.A

Deligationis firmitas in duobus consistit. de artic. com. 4°. 7ª.283.G

Deligationis ratio tripliciter immutatur. de frac. com. 3°. 7ª.244.D

Deligationis duæ species. de ijs quæ in med. fi. com. 2°. 7ª.205.A

Deligationis bonæ duæ species. de ijs quæ in med. fi. com. 2°. 7ª.206.E

Deligatio ascia, quæ. de ijs quæ in med. fi. com. 2°. 7ª.205.G

Deligatio circularis, quæ. de ijs quæ in med. fi. com. 2°. 7ª.205.G

Deligatio legitima, quæ. de artic. com. 1°. 7ª.261.E

Deligatio magis quàm mediocris obest. de ijs quę in medicatrina fiũt, commen. 3°. 7ª.218.B

Deligationis mediocris signa. de frac. com. 1°. 7ª.229.B

in Deligatione quid distributio. de ijs quæ in medicatrina fiunt, commen. 2°. 7ª.207.C

Deligatio a duobus principijs quæ sit. 4°. de comp. m. per g. 5ª.258.E/

de ijs quæ in med. fi. com. 2°. 7ª.208.F

in Deligatione quid sit nodus. de ijs quæ in med. fi. com. 2°. 7ª.207.B

Deligatio oculus vocata, quæ. de ijs quæ in med. fi. com. 2°. 7ª.206.D

Deligatio rhombus. de ijs quæ in med. fi. com. 2°. 7ª.205.F

Deligatio semirhombus. de ijs quæ in med. fi. com. 2°. 7ª.205.F

Deligatio rotunda, quæ. de ijs quæ in med. fi. com. 2°. 7ª.205.G

Deligatio sima, quæ. de ijs quæ in med. fi. com. 2°. 7ª.205.G

Deligatio est stabilis aut ob compressionem, aut liteorum multitudinẽ. de fract. com. 2°. 7ª.235.E

Deligatio stata, quæ. de ijs quæ in med. fi. com. 2°. 7ª.206.A

Deligationis validitas in quibus consistat. de ijs quæ in medic. fiunt, commen. 2°. 7ª.206.F

Deligatio extrinseca necessaria est in abdomine vulnerato. 5°. metho. medendi. 7ª.39.F

Deligatio quæ fieri potest in brachio. de ijs quæ in medicat. fiunt, commentario. 2°. 7ª.206.C

Deligatio calcis qualis esse debeat. de frac. com. 2°. 7ª.234.G

Deligandum quo modo caput. de ijs quæ in med. fi. com. 2°. 7ª.209.E

Deligatio quæ fieri potest in capitis latcribus. de ijs quæ in med. fiũt, commen. 2°. 7ª.206.G

in Deligatione cubiti figuratio, qualis. de frac. com. 1°. 7ª.227.F

Deligatio quæ fieri potest in fœmore, cubito, & tibia. de ijs quæ in medica. fiunt. com. 2°. 7ª.206.C

Deligatio partium supra genu. de ijs quæ in medicatrina fiunt, comment. 2°. 7ª.209.F

Deligatio partium infra genu. de ijs quæ in medicatrina fiunt, commenta. 2°. 7ª.209.F

Deligatio humeri, qualis. de ijs quæ in medicatrina fiunt, commentario. 2°. 7ª.209.C

Deligatio inguinis, qualis. de ijs quæ in med. fi. com. 2°. 7ª.209.D

Deligatio quæ phlegmonem prohibet. 5°. meth. med. 7ª.40.H

Deligandi qui sinus sint. de ijs quæ in med. fi. com. 2°. 7ª.212.B

Deligatio vasorum sanguinis. 5°. meth. med. 7ª.30.G

Deligatio vulgaris, quæ. de artic. com. 3° 7ª.275.C

Deligatio quæ fieri debet in vertice. de ijs quæ in medicatrina fiunt, cõmentario. 2°. 7ª.206.D

Deligatio quo modo emaciet. de ijs quæ in med. fi. com. 3°. 7ª.220.B

Deligatio quando resoluenda. de frac. com. 1°. 7ª.229.E

Deligatio quando resoluenda ob varias causas. de fracturis, commẽtario. 1°. 7ª.230.D

Deligatio quando remittenda in fracturis. de frac. com. 1°. 7ª.229.D

Deligatio praua multum obest. de artic. com. 2°. 7ª.265.B

Deligatio mala quid efficiat. de frac. com. 2°. 7ª.235.D

Deligati male calcis malignitas quo modo cognoscatur. de fract. commentario. 2°. 7ª.235.E

Deligatus bene quomodo cognoscatur. de frac. com. 1°. 7ª.229.B

ex Deligatione facti tumores lanis succidis curantur in vino, & oleo intinctis. de frac. com. 2°. 7ª.241.C

in Deligatura ossis aqua infundenda est. 5°. meth. med. 7ª.41.D

Deligata quibus sunt ossa, cibandi sunt tenuissime. 5°. me. me. 7ª.41.E

DELINGIBILES *confectiones electæ. 7°. de compositione med. secũdum locos.* 5ª.178.C

DELIQVIVM *facit aliquibus offensio digiti. 1°. de sym. cau.* 3ª.18.E

DELIRARE, *desipere, dementem esse quid significent. in 3ᵐ. de morbis vul. com. 1°.* 3ª.127.G

Delirare verbo in quibus vtatur Hippocrates. 3°. de dif. resp. 3ª.75.A

DELIRIVM *quid. de symptomatum differentijs.* 3ª.11.G/ *2°. de locis affectis.* 4ª.13.H

Deliria qui motus sint & vnde. 2°. de symp. cau. 3ª.24.C

Delirium appellat Hippocrates insaniam mediocrem. commentario. 7°. aph. 9°. *Ex.54.E*

Delirium signum est paruæ dementiæ. in 3ᵐ. de morb. vulgarib. commenta. 3°. 3ª.144.A

Delirium vehemens est insania. in prognost. com. 1°. 4ª.195.H

Deliriȳ multæ species simul. 2°. de diff. resp. 3ª.64.H

Delirium ex melancholia, & phrenitide mixtum est. in 3ᵐ. de morbis vulg. com. 3°. 3ª.141.E

Deliria cum silentio. in 3ᵐ. de morb. vul. com. 1°. 3ª.129.A

Deliramenta ferina ab atra bile & superaffatione bilis. 3°. de locis affectis. 4ª.18.B

Deliri facile fiunt homines leues & turbulenti, contrarij difficulter. in 3ᵐ. de mor. vul. com. 3°. 3ª.151.G

Deliria, & insaniæ quo modo fiant. in 3ᵐ. de morbis vulgaribus, commentario. 1°. 3ª.131.A

Deliria fiunt ex varijs causis. 2°. de loc. affe. 4ª.13.G

Deliria ex quibus fiant cauſis. 5°.de loc.aff. 4ª.31.F
Delirium a cauſa poteſtate calida fit. 2°.de loc.aff. 4ª.14.A
Deliria a quibus fiant. in 6ᵐ.de mor.vul.com.2°. 3ª.167.F
Deliria oriuntur cerebro affecto. de fract.com.2°. 7ª.235.C
Delirium facit cerebri vitium. 3°.de decr.Hipp. 1ª.245.E
Deliria accidunt cerebro affecto aut per ſe aut per conſenſum. 17°. de vſu partium. 1ª.222.F
Delirium fit compatiente principio § id eſt cerebro. § commentario. 7°.aph.26°. Ex.49.F
Deliria neceſſario ſequuntur cerebro & meningibus inflammatis. 4°.de præſag.ex pulſ. 4ª.120.F
Delirium ſignificat læſum cerebrum. in 1ᵐ.de morb.vulgaribus, commentario.2°. 3ª.115.A
Deliria extrema facit caliditas cerebri. 4°.de præſagitione ex pulſibus. 4ª.120.G
in Delirijs quo modo cognoſcatur cerebrum non eſſe affectum. 2°.de loc.aff. 4ª.14.C
Deliria potißimũ fiũt læſis muſculis tpalibus. 11°.de vſu p. 1ª.185.B
Delirium perpetuum in phrenitide. 5°.de loc.affe. 4ª.31.G
Deliria quomodo fiant in morbis thoracis. 2°.de loc.aff. 4ª.13.F
Delirium promptius fit neruoſis partibus inflammatis, & quo modo. 3°.de loc.aff. 4ª.18.C
Deliria inducit os ventriculi ratione ſocietatis. 1°.de ſym.ca. 3ª.18.E
Delirium facit vitium ſtomachi. 1°.de ſymp.cau. 3ª.18.E
Deliria ex pulmonis affectu. in progn.com.3°. 4ª.205.G
Delirium fit ſepto tranſuerſo affecto. 10°.meth.med. 7ª.65.F
Deliria ex ſepto tranſuerſo, qualia. 5°.de loc.affe. 4ª.31.F
Delirium ex ſepto tranſuerſo affecto quemodo differat a phrenitide. 5°.de loc.aff. 4ª.31.H
Delirijs, & cõuulſionibus ſtatim capiũtur qui ex lõga inedia, vel alui pfluuio, vel fluxu sãguinis, aut aliqua alia euacuatiõe facta idigẽt refectione, ſi anteq̃ cibos ſumãt, potauerint. c.2°.ap.21°. Ex.14.H
Delirant quo modo ebrij. 2°.de diff.reſp. 3ª.67.H
Deliria ex mordicantibus, & calidis ſuccis, vt flaua bilis. 2°.de ſympto.cauſis. 3ª.24.C
Deliria, & vigiliæ ſequuntur calidos humores & mordaces. in 3ᵐ.de morb.vul.com.1°. 3ª.131.A
Delirij futuri periculum eſt, ſi ſucci caput petentes, calidi, acrimoniam obtineant. in 3ᵐ.de mor.vul.com.1°. 3ª.131.E
Deliria inducunt bilioſi, & calidi morbi. 2°.de loc.aff. 4ª.14.C
Delirant in impetu febrium multi. in 6ᵐ.de mor.vul.cõ.3° 3ª.178.D
Delirant qui facile in æſtuoſis febribus. de vti.reſp. 1ª.226.C
Delirium febrium ardentium peculiare eſt. in 1ᵐ.de morb.vulg.commenta.1°. 3ª.104.E
Deliria per febrium vigores quo modo fiant. 3°.de loc.aff. 4ª.18.B
Deliria in acutiſſimis febribus vnde. 2°.de ſym.cau. 3ª.24.C
Deliria cum febre phrenitides dicuntur. 2°.de ſymp.cau. 3ª.24.C
Delirium in febribus prohibet venæ ſectionem. præſagium experientia confirmatum. Sp.78.D
Delirium interdum inducunt odores validi. de inſtr.odor. 1ª.112.E
Deliria melancholica ex cauſa frigida. 2°.de ſymp.cau. 3ª.24.C
Delirij notæ, quæ. in 1ᵐ.de mor.vulg.com.3°. 3ª.121.G/*de vict.ra.in mor.acu.com.2°.* 7ª.123.D/E
Delirij nota quandoq; , quæ. in 1ᵐ.de mor.vul.com.3°. 3ª.118.A
Delirium in quibus plerunq; conſiſtit. de ſymp.diff. 3ª.11.H
Delirij vehementiæ indicia quædam. 2°.de diff.reſp. 3ª.66.H
Delirij magnitudinem furor indicat. 2°.de diff.reſp. 3ª.66.G
Delirij ſignum eſt audacia. in 6ᵐ.de mor.vul.com.1°. 3ª.160.D
Delirium, & melancholiæ initium, quę ſignificent ex ſermone. in 1ᵐ.de morb.vul.com.3°. 3ª.117.G
Delirium ſignificant oculi obtorti, aut tremorem muſculorum ipſos mouentium. in 6ᵐ.de mor.vulg.com.1°. 3ª.159.D/E
Delirium ſignificat lingua turbata quarto die febriẽti quædam loquẽs. de vict.rat.in mor.acu.com.4°. 3ª.142.G
Delirium ſignificant crura plurimũ diſperſa. in prog.c.1°. 4ª.193.H
Delirantis hominis ſpiritus, & nondum delirantis. 5°.de lo.af. 4ª.31.F
Deliri reſpiratio qualis. 1°.de diff.reſp.60.A/61.G/ 3ª.65.E
Delirij proprij ſpiritus. 2°.de diff.reſp. 3ª.64.E
Deliriorum reſpiratio qualis apud Hippocratem. 2°.de difficultate reſpirationis. 3ª.64.H
Delirium ſignificat ſpiritus magnus. 4°.de loc.aff. 4ª.27.C
Deliri habent ſpiritum magnum rarum. 1°.de diff.reſp.62.G/ in 1ᵐ.de morb.vul.com.3°.121.G/in 6ᵐ.com.2°. 3ª.162.D
ob Deliria inæqualitas reſpirationis. 1°.de dif.reſp. 3ª.61.E
Delirium, & dolor quando iunguntur, qualem faciunt reſpirationem. 2°.de diffic.reſp. 3ª.65.E
Delirium vehemens in pleuritide, et dolor obſcur° iuxta māteriā, vel è cõtra, quā reſpirationẽ efficiant. 2°.de diffic.reſpi. 3ª.66.G
Deliri ex ſepto ſpiratio qualis. 5°.de loc.aff. 4ª.31.H
Delirij ſignum eſt hypochondriorum palpitatio. in 1ᵐ.de morb.vulg.commen.3°. 3ª.121.G
Delirium indicatur ex pulſu iliorum. in prog.com.1°. 4ª.195.H
Delirium comitantur vrinarum ſuſpenſiones. in 3ᵐ.de mor.vulgarib.commen.3°. 3ª.151.B
Delirium ſignificat ſublime in vrinis occultato dolore coxæ. in 1ᵐ.pror.com.2°. 4ª.178.G
Delirium ſignificant ſputa rotunda. in 6ᵐ.de mor.vul.c.3°. 3ª.178.C
Deliria ſigna indicatiua criſis. 1°.de criſi. 4ª.128.E
Delirium malum eſt, iñ non nunquam bonum iudicium haud ita multo poſt futurum enunciat. com.2°.aph.27°. Ex.16.F
Delirium & difficultas ſpirandi in febre non intermittente, letale eſt. com.4°.aph.50°. Ex.33.C
Delirium ſub mortem. in 3ᵐ.de mor.vul.com.3°. 3ª.146.C
ex Delirio quidam ægroti iugiter exurgentes, vel iacentes quidẽ, ſed continuo partẽ aliquam corporis cõmouentes, aut etiam delira loquentes intra paucos dies extenuant. cõ.2°.aph.28°. Ex.16.E
Delirium cuiuſdam per xiij.dies quale fuerit. 2°.de mo.muſ. 1ª.315.C
in Delirio non ſitientes. in 3ᵐ.de morb.vulg.com.3°. 3ª.144.E
Deliria facientia vlcera, vbi. 4°.meth.med. 4ª.28.B
cum Delirijs, & vigilijs coniunctus ſopor vnde. 4°.de præſagitione ex pulſibus. 4ª.120.G
vbi Delirium ſomnus ſedat, bonum. com.4°.aph.67°. Ex.34.F
Delirium non ſedatur quodam ſomno, ſed excitatur aliquãdo & generatur. com.4°.aph.67°. Ex.34.E
Delirio ſoluuntur, qui in febribus ardentibus tremores fiunt. com.6°. aph.26°. Ex.48.F
in Delirijs vinum prohibetur. 1°.de arte cur.ad Glau. 7ª.99.A
Delirantibus capiti remedia applicantur. 3°.de loc.aff. 4ª.17.B
in Delirio, & vigilijs ex papauerum capitibus perfuſio. 13°.metho. medendi. 7ª.85.E
Delirium ſanat fluor ſanguinis enaſo.de cauſ.procatar. 3ª.95.E
Deliramentum eſt diatritos. 2°.de criſi. 4ª.135.A
Deliri purgandi non ſunt. in 1ᵐ.pror.com.2°. 4ª.174.B
DELITIOSI *naturaliter homines, quales. de incan.* 7ª.181.H
DELPHINI *inter cetacea numerantur. 3°.de alim.fac.* 2ª.31.E
Delphini habent pulmonem & plus caloris, quàm reliqui piſces. de vtil.reſp. Sp.64.C
Delphinus habet multum ſanguinem, & reſpirat in aere miro modo. 6°.de vſu par. 1ª.150.H
Delphinus reſpirat vaporem per branchias. de ana.viu. Sp.48.C
Delphinus ſtertit. de ana.viu. Sp.48.C
Delphini caro ſalſa facit humorẽ melancholicũ. 3°.de loc.aff. 4ª.18.F
Delphini habent ingratum ſaporem. 3°.de alim.fac. 2ª.31.F
DELTOIDIS *muſculus, qui. 3°.de anatomicis adminiſtrationibus.* 1ª.74.F/*de artic.com.1°.* 7ª.252.D
DELVS *temperata. in progn.com.3°.* 4ª.212.H
in Delo fons eſt, in quo abundat aqua æſtate, & non hyeme. de bonitate aquæ. Sp.75.H
in Delo ſunt vera ſigna libri prognoſticorum. in prognoſtica, commẽtario.3°. 4ª.212.G
DEMANVS *quid ſignificet. 4°.de decr.Hipp.* 1ª.250.B
DEMENTIA *varijs nominibus exprimitur. in 3ᵐ.de morb.vulgarib.commen.1°.* 3ª.127.C
Dementes & ſoporoſi vnde fiant. in 3ᵐ.de morb.vul.c.3°. 3ª.144.F
ad Dementiam animum agit humiditas, ſecundum Platonem. quòd animi mores. 1ª.318.D
præ Dementia aliqui perſiſtunt in malis conſuetudinibus ſe læsi non ſentientes. 5°.de ſan.tu. 2ª.93.H
Dementia ardentium febrium a quo fiat. 3°.de loc.aff. 4ª.18.B
ad Dementiam cur trahamur flaua bile in cerebro redundante, neſciuit Galenus, ſi anima incorporea eſt ſubſtantia, quæ per ſe eſſe poſſit. & animi mores. 1ª.318.A
Demẽtiã phrenitim, paracopẽ, ſiue cardiacã, ſignificat vrina tenuis, ſi dolor capitis, & ſcapularũ, & inſomnia fuerit. de dyn. Sp.34.E

Dementia quando bona,& quando non bona,conſiderandum. 1°.*de crī ſibus.* 4ª.128.*B*
Dementiæ paruæ ſignum delirium.in 3ᵐ.*de mor.vul.cō.* 3°.3ª.144.*A*
DEMETRIVS *Bythinus.*4°.*de comp.med.per gen.* 5ª.241.*G*
Demetrius primarius medicus in theriaca,quo differat ab Andronici compoſitione.de theria.ad Piſ. 5ª.95.*B*
Demetrio ſemper aſtitit Galenus dum theriacam componeret. 1°.*de antidotis.* 5ª.99.*H*
DEMISSIO, *collapſio, & laxatio particulæ quo modo differant. de difficultate reſpirationis.* 3ª.62.*B*
*Demiſſio pertinet ad irrōnalem facultatē.*4°.*de dec.Hip.* 1ª.248.*F*
DEMOCRITVS *apparentia vituperabat. aduerſus empiricos medicos.* *Iſa.*35.*C*
*Democritus atomū,& vacuum vera putabat.adu.emp.med.Iſ.*35.*C*
Democritus finxit ſenſus aduerſus cogitationem loqui. aduerſus empiricos medicos. *Iſa.*35.*C*
*Democriti opinio de cōpoſitione corporū ex atomis.*1°.*de elem.*1ª.2.*E*
Democriti ſententiam confutat de conſtitutione rerum. de theriaca ad Piſonem. 5ª.94.*C*
DEMONSTRATIO. 2°.*de decr.Hipp.* 1ª.238.*E*
Demonſtrationum diuiſio. 3°.*de ſimp.med.fac.* 5ª.23.*D*
Demonſtrationum genera.de hiſt.philoſ. *Sp.*3.*E*
Demonſtrationum duo genera. 1°.*de alim.fac.* 2ª.7.*C*
Demonſtrationum differentia vna neceſſaria,altera nō neceſſaria eſt. prognoſt.com. 2°. 4ª.212.*D*
*Demonſtrationes lineares.*8°.*de decr.Hipp.* 1ª.273.*G*
Demonſtrationes mathematicæ certæ ſunt.de victus ratione in morb. acutis,com. 1°. 7ª.109.*H*
*Demonſtrationis genus,quo probatur nos prouidentia Dei conditos, non eſt idem cum eo quo ſubſtantiam conditoris aut animæ noſtræ indagamus.*9°.*de decr.Hipp.* 1ª.285.*C*
Demonſtrationis principia,quæ. 1°.*de ſimplicium medicamentorum facultatibus.* 5ª.8.*E*
*Demonſtrationis,& omniū rerum principia,quæ.*1°.*met.me.* 7ª.5.*F*
Demonſtrationis principa apud Ariſtotelem prius ab Hippocrate fuere prodita. 1°.*de nat.fac.* 1ª.291.*A*
Demonſtrationum principia a ſenſibus. 2°.*de ſimp.med.fa.* 5ª.9.*G*
Demonſtrationum principia ex ſe noſcuntur. 2°.*de ſimpl.med.facultatibus.* 5ª.9.*H*
Demonſtrationum principia certiora ſunt his quæ demonſtrantur. 2°. *de ſimp.med.fac.* 5ª.9.*H*
ad Demonſtrationem quæ ſumenda. 2°.*de temp.* 1ª.16.*G*
Demonſtrationes ex naturalibus rebus ſumendæ.de bo.hab. 1ª.39.*E*
Demonſtratio habetur a notione euidenti,aut a ſenſu. 1°.*de alimentorum facultatibus.* 2ª.7.*C*
Demonſtratio omnis ab euidentiſſimis incipit.de cuiuſq; animi peccatorum notitia atque medela. 2ª.59.*C*
Demonſtrationem nulla res incerta natura habet.de ſectis. *Iſa.*17.*A*
Demonſtratio ſcientifica nec exemplis,nec inductionibus fieri debet. de ijs quæ in med.ſi.com. 3°. 7ª.221.*E*
*in Demonſtrationibus non aſſumuntur lemmata vulgaria,& oratoria.*2°.*de decr.Hipp.* 1ª.234.*E*
*ad Demōſtrationes inductiones nō ſunt adhibēdæ.ad Thraſ.*2ª.102.*C*
*Demonſtrator quid ſcire debet.*2°.*de decr.Hipp.* 1ª.235.*D*
Demonſtrare aliquid volentes debent a rei ſubſtantia exordiri. 2°.*de ſympt.cauſis.* 3ª.22.*A*
Demonſtratiui differentia ab oratorio,exercitatorio,& captioſo. 2°. *de decr.Hippo.* 1ª.235.*B*
Demonſtratores differunt a ſophiſtis,oratoribus,& dialecticis. 3°.*de decr.Hipp.* 1ª.241.*H*
Demonſtratiua theoria diſcenda.de lib.propr. *Iſa.*13.*E*
*in Demonſtratione exercendus homo.*2°.*de decr.Hipp.* 1ª.234.*E*
in Demonſtratione philoſophi debent eſſe magis exercitati quàm alij. 8°.*de decr.Hipp.* 1ª.273.*E*
*Demonſtratiua ſcientia non indiget nimia exercitatione.*9°.*de decretis Hippocratis.* 1ª.280.*C*
Demonſtrationibus delectantur Ariſtoteles, & Athenæus. 2°.*de ſemine.* 1ª.337.*B*
*Demōſtratio ex rei natura eſt ſciētiæ effectrix.*7°.*de decr.* 1ª.268.*B*
Demōſtrōnē ſcire debet q vult indicare d ſectis.d ord.lib.ſuo. *Iſ.*14.*G*
Demonſtrationem ſequentes facile diſcernunt falſa dogmata a veris. 5°.*de ſan.tu.* 2ª.94.*C*
*Demonſtratione non eſt opus ad iudicandum,ſed ſenſu. de natura humana.com.*2°. 7ª.183.*D*
*Demonſtratione partim,& partim ſenſu,ſoluuntur artium controuerſiæ.de nat.hu.com.*2°. 7ª.183.*C*
*Demonſtrandi artis proprium.*7°.*de decr.Hipp.* 1ª.267.*G*
*Demonſtratione quando vti debemus.*9°.*de decr.Hipp.* 1ª.280.*C*
Demonſtrationes concluſionum vt ſuppoſitiones accipit. 1°.*de vſu partium.* 1ª.117.*B*
*in Demōſtratiua methodo exercitādi ſunt medici.*7°.*me.m.* 7ª.44.*C*
ad Demonſtrationē ſpectantes libri Galeni.de propriis lib. *Iſa.*13.*E*
de Demonſtratione libros poſteriorum Ariſtotelis laudat Galenus. 2°.*de decr.Hipp.* 1ª.234.*E*
in Demoſtrationis librum ſecundum Ariſtotelis ſcripſit Galenus. 4°.*de diff.pulſuum.* 4ª.69.*H*
*Demonſtratione ne logica,in inueſtigandis ſingulorum morborum remedijs, opus eſſet, an empirica præcepta ſufficerent diu inquiſiuit Galenus.*3°.*de loc.aff.* 4ª.15.*A*
*Demonſtratio in quibus remediorum inuentionibus vincat experientiam.*2°.*de loc.aff.* 4ª.15.*B*
*Demōſtratio probās neruorū originē in capite.*7°.*de dec.* 1ª.268.*H*
Demonſtratorem decet ab ijs quæ demonſtrata ſunt non recedere. 2°. *de ſemine.* 1ª.340.*E*
Demonſtratio certa de quibus non habetur,non ſunt certe tenenda. de ſubſtantia facultatum naturalium. 1ª.230.*E*
*ſub Demonſtratione primum omnium iudicium certum ſunt communes animi notiones.*9°.*de decr.Hipp.* 1ª.284.*B*
ſine Demonſtratione fides non adhibenda, vni præ alijs. 1°.*de ali.fac.* 2ª.7.*C*/2°.*de diff.reſp.* 3ª.63.*D*
Demonſtrationem non habentes ſunt fugiendi.de conſt.ar. *Iſa.*38.*F*
Demonſtratiuæ ſcientiæ imperiti facile perſuadentur. 5°.*de ſanitate tuenda.* 2ª.94.*C*
*Demonſtrationis ignari quantum errent.*2°.*de diff.reſp.* 3ª.64.*F*
*cōtra Demonſtrationes qui volūt ratiocinari.*7°.*de dec.* 1ª.268.*A*
DEMOSTHENES *Maſſiliota.*5°.*de compoſitione medicamentorum per genera.* 5ª.254.*D*
*Demoſthenis Philalethis pulſus definitiones.*4°.*de dif.pulſ.* 4ª.65.*G*
*a Demoſthene libri tres de oculis facti.*4°.*de dif.pul.* 4ª.66.*G*
DEMVSCVLATVM *crus quodnam dicatur eſſe. de articulis.commentario* 3°. 7ª.277.*F*
DENARIVS italicꝰ quātū capiat.de pōd.& menſ. 5ª.276.*C*
Denarium quod Romani appellant, drachma eſt. 8°.*de compoſitione med.ſec.loc.* 5ª.191.*B*
Denarij pondo quatuor eſt vnciæ dimidium. 2°.*de compo.medica.per genera.* 5ª.223.*D*
Denarij ſex ſunt tres vncię. 1°.*de comp.med.per ge.* 5ª.217.*F*
*Denarij octo vnciam faciunt.*2°.*de compoſ.medic.per genera.*221.*A* 225.*H*/6°. 5ª.259.*C*
*Denarij quindecim ſunt tres quartæ.*4°.*de comp.med.per g.* 5ª.250.*E*
*Denarij ſexdecim ſunt vnciæ duæ.*4°.*de comp.med.per ge.* 5ª.244.*G*
*Denarij vigintiquatuor ſunt vncię tres.*4°.*de compoſitione medic.per genera.* 5ª.244.*G*
*Denarij ſeptuagintaquinque triatettara dicitur.*4°.*de compoſit.medi. per genera.* 5ª.243.*F*
*quot Denarijs conſtet mina.*5°.*de comp.med.per gen.* 5ª.247.*G*
*Denarios centum valet mina.*5°.*de comp.med.per gen.* 5ª.252.*E*
Denarium pondo centum quod minam Philoxenus inſcribit. 4°.*de cō po.med.per gen.* 5ª.243.*F*
*Denarios centum ſexaginta habet mina.*2°.*de compoſi.med.per gene.* 225.*F*/3°. 5ª.235.*C*
*per Denarios omnia medicamenta ſcripſit Andromachus.*6°.*de cōp. med.per gen.* 5ª.259.*C*
Denarij meminitª 1°.*de comp.med.per gen.*214.*B*/2°. 5ª.219.*G*
Δενδρομαλάχη. *de rem. par.fac.* 7ª.155.*B*
DENIGRAT *ſuccus foliorum elelisphaci. de ſimplicibus medicaminibus.* *Sp.*84.*A*
ad Denigrandos capillos.de dyn. *Sp.*23.*F*
DENSARE *quid ſit.in* 6ᵐ.*de mor.vulg.com.*2°. 3ª.160.*E*
*quæ Denſent cutem.*2°.*de criſibus.* 4ª.138.*G*
*Denſitas cutis quo modo fiat.*3°.*de ſan.tu.* 2ª.81.*B*
Denſant & cogunt ſuperficiem corporis adſtringentia. 6°.*de compo. med.ſec.loc.* 5ª.167.*A*
Denſat aer frigidiſſimus. 10°*met.med.* 7ª.64.*E*

Denſat cutaneas

Denſat cutaneas partes frigidum exterius. in 6^m. de morbis vulgarib. commen. 6°. 3ª.195.G
Denſat tenues meatus aqua calida. 7°. meth. med. 7ª.44.F
Denſat cutem aqua balneorum aluminoſorum. 2°. de criſ. 4ª.158.G/ 7°. meth. med. 7ª.50.B
Denſat Ardacha cum magno punctionis calore, & anthemata facit. de ſimpli. medic. Sp.80.H
Denſat capparis acerbitate. 7°. de ſimp. med. 5ª.49.G
Denſeſcere non poſſunt animalia quomodocunque. de differentiis morborum. 3ª.2.H
Denſatum idem cum conſpiſſato. de nat. hum. com. 2°. 7ª.182.A
Denſantibus & refrigerantibus augetur ventris fluxus. 1°. de arte curatiua ad Glauc. 7ª.99.B
DENSITAS naturalis in ſenibus, in pueris præter naturam. de opt. ſecta. Iſa.26.B
Denſitas comitatur frigidos vteros ex neceſſitate, ob quam non poſſunt concipere. com. 5°. aph. 62°. Ex.43.G
Denſitas & raritas circa ceſſationẽ reſpiratiõis. 1ª. d dif. reſp. 3ª.60.F
Denſitas membranarum oculi affectus. intr. Iſa.58.D
DENSVM quid ſignificet. 2°. de ſan. tu. 2ª.72.F
Denſi nominis duplex vſus. 2°. de ſan. tu. 2ª.72.F
Denſo rarum eſt contrarium. 11°. meth. med. 7ª.71.B
Denſum cum raro non habet ſocietatem. 11°. de vſu par. 1ª.191.F
Denſum in inſtrumentalibus. 2°. de ſan. tu. 2ª.72.G
Denſum, & leue quod eſt, neceſſario eſt membranoſum. 4°. de vſu partium. 1ª.137.D
Denſior quocunq; alio eſt panniculus cordis. de ana. viuo. Sp.46.E
Denſum & durum corpus facile tolerat quicquid extrinſecus occurrit. de conſuetudine. 2ª.61.D
Denſiora corpora difficilius afficiuntur a cunctis externis cauſis. de op. noſt. corp. conſt. 1ª.38.F
Denſiora corpora minus ſalubria ſunt quo ad excrementa. de optima noſt. corp. conſtitutione. 1ª.38.F
Denſæ partes difficulter euacuantur. ars med. Iſa.70.H
cur Denſæ & duræ partes tardius ſanantur ab inflammatione. com. 6°. aph. 49°. Ex.52.E
Denſa corpora quibus ſint nutrienda. de diff. cont. Sp.71.E
Denſa & quæ perſpirare non poſſunt, ſicciore egent alimento. de bon. & vitio ſuccorum. 2ª.38.A
Denſa lingua vnde. in 1^m. pror. com. 1°. 4ª.162.C
Denſa ne ſint an rara conſideranda ſunt medicamenta. 1°. de ſimp. medic. fac. 5ª.4.F
Denſitudo æris Cyprij. 5°. de comp. med. ſec. loc. 5ª.161.F
Denſus motus qui. 2°. de ſymp. cau. 3ª.21.A
Denſa vrina, & pallida melior eſt. de vrinæ ſign. ex Hip. Sp.79.A
Denſum. lege Spiſſum.
DENTARII medici a membro tales dicuntur. ad Thraſy. 2ª.105.B/ de partibus artibus medicinæ. Sp.16.F
Dentes quid. fin. med. Iſa.44.D
de Dentium anatomia de anat. viu. Sp.49.D
Dentes quibus oſſibus inſideant. 11°. de vſu par. 1ª.192.D
Dentes latent in gingiuis in nuper natis. 2°. de ſemine. 1ª.339.E
Dentes ſunt in præſepiolis gingiuarum. 11°. de vſu par. 1ª.187.E
Dentes quo modo gingiuis infigantur. de ana. viuo. Sp.49.D
Dentes fixura iunguntur. intr. Iſa.54.G
vt Dentes gingiuæ, ita cutis pilorum radices complectitur. in Timæũ Platonis. 1ª.286.H
Dentes cur infanti naſcantur. 15°. de vſu par. 1ª.213.C
cur Dentes in pueritia renaſcantur. de ana. viu. Sp.44.G
Dentes poſt partum fiunt. an omnes anim. par. 1ª.326.E
Dentes quando oriuntur. de fœt. for. 1ª.323.H
in Dentione quid faciat infans. de nat. & ord. cuiuſ. corp. Sp.42.D
Dentes prodeuntes ob perforatas gingiuas nihil minus moleſtant q̃ſi mulus infixus carni. com. 3°. aph. 25°. Ex.25.C
Dentes canini cum oriuntur pueris, febres patiuntur & conuulſionẽ, & alui profluuia. com. 3°. aph. 25°. Ex.25.C
ad Dentionem puerorum. 5°. de comp. med. ſec. loc. 5ª.164.F
ad Dentes orientes. 3°. de med. fac. par. 7ª.174.F
ad Dentes difficulter naſcentes. 5°. de comp. med. ſec. loc. 5ª.164.G
Dentibus quæ commoda. 11°. de ſimp. med. fac. 5ª.79.G
Dẽtiẽtibꝰ pueris cõmodũ eſt cerebrũ leporis. 11°. de ſim. m. fa. 5ª.79.G
ad Dentionẽ puerorũ valet ouillũ cerebrũ. de ther. ad Piſ. 5ª.93.E
Dẽtiẽtibꝰ gingiuis butyrũ, et mel adhibẽdũ. 10°. de ſim. m. fa. 5ª.74.D
Dentium nomina. intr. Iſa.54.G
Dentium nomina, & diuiſio. de nat. & ord. cuiuslibet corp. Sp.42.D
Dentium tres ſpecies. de anat. viuo. Sp.49.D
Dentium differentiæ ſm officia. de dif. mor. 3ª.4.H
Dentes τομᾶς, qui, & quot. de oſſib. 1ª.41.E/F
Dentes inciſores ſunt in parte anteriori. 11°. de vſu par. 1ª.187.G
Dentes inciſores cur in duplo caninorum. 11°. de vſu par. 1ª.187.E
Dentes canini ſunt poſt inciſores. 11°. de vſu par. 1ª.186.G
Dentes inciſores quid agunt. de ana. viu. Sp.49.D
Dentes canini, qui. intr. Iſ. 54.G/de oſſib. 1ª.45.F/G
Dentes canini, quales, & eorum officium. de anat. viu. Sp.49.D
Dentẽ vnũ caninũ vtraq; parte cur habet hõ. 11°. de vſu par. 1ª.187.E
Dẽtes caninos multos hñt lupi, leones, & canes. 11°. de vſu p. 1ª.187.E
Dentes maxillares ſunt poſt caninos. 11°. de vſu par. 1ª.186.H
Dentes maxillares & molares, idem de oſſib. 1ª.41.F
Dentes molares vnde dicti. de oſſib. 1ª.41.F
Dentes molares quibus vtrinque quinq;, & quibus quatuor. 11°. de vſu par. 1ª.187.E
Dentes molares, qui intr. Iſa.54.G
Dentes maxillares, qui, & quot. de oſſibus. 1ª.41.F
Dentes molares cur alij plures. 11°. de vſu par. 1ª.187.E
Dentes medij molares maximi. 11°. de vſu par. 1ª.187.A
Dentes molares quales, & eorum officium. de ana. viu. Sp.49.D
Dentium maxillarium officium. 11°. de vſu par. 1ª.186.H
de Dentium radicibus. 11°. de vſu par. 1ª.187.A
Dẽtes maiores, radices plures hñt: cõtra, minores. de ana. vi. Sp.49.D
Dentes vſq; ad caninos ſingulas habent radices, auctore Apollonio. de nat. & ordo cuiuslibet corp. Sp.41.H
Dentes molares habent ternas, & quaternas radices. de nat. & ordine cuiuslibet corp. Sp.41.H
Dentes maxillares ſuperiores habẽt tres radices, inferiores duas, exceptis aliquibus ſuperioribus qui habẽt quatuor, & inferioribus, qui habent tres, & qui ſint. de oſſib. 1ª.41.F
Dentium radices aliquæ habent neruos. 11°. de vſu par. 1ª.186.E
Dentes quales neruos habeant. 16°. de vſu par. 1ª.215.D
Dentium nerui ſunt molles. 16°. de vſu par. 1ª.215.B
Dentes debent habere ſenſum exactiorem. 16°. de vſu par. 1ª.215.D
Dẽtes oẽs a tertia cõiugatiõe neruos ſuſcipiũt. 9°. de vſu p. 1ª.176.C
Dentata vtrinque animalia an habeant vnum ventriculum, ſenſus iudicat. de nat. hum. com. 2°. 7ª.183.C
Dentes exerti pars animalium marium. 2°. de ſemi. 1ª.338.G
Dentium duos tantum ordines, vt inciſiuos & molares, habent animalia quædam. de anat. viuo. Sp.49.E
Dentium multiplicem ordinem habent lupi. de ana. viu. Sp.49.E
Dẽtiũ multiplicẽ ordinẽ hñt piſces, ſed eiuſdẽ gñis. de an. vi. Sp.49.E
Dentes ſuperiores magna ex parte cornigera non habent. 6°. de anato. adminiſtrationibus. 1ª.90.E
Dentes ſuperiores animal non habens habet plures ventriculos. 6°. de anato. adminiſtrationibus. 1ª.90.D
Dentes inferiores tm̃ hñt ruminantia animalia. de art. c. 1°. 7ª.256.G
ſi Dentiũ ordo peruerſus eſſet, quid ſequeretur. 11°. de vſu p. 1ª.186.b
Dentibus refertum os, & maximum habent animalia mordentia. 11°. de vſu partium. 1ª.187.F
Dentes multos acutos, & fortes habent fortia animalia. 11°. de vſu partium. 1ª.187.C
Dentes paucos acutos & os paruum habẽt animalia, quæ ſolum comedunt. 11°. de vſu par. 1ª.187.F
Dentes ſerratos habentia animalia habent magnas vertebras. de neruorum diſſectione. 1ª.54.E
Dentes ſerratos animalia habentia quale habent caput muſculi temporalis. 16°. de vſu par. 1ª.217.B
Dentes ſerratos animalia habentia in diſſectionibus ſequuntur habentia quinque digitos in manu. 6°. de anat. adm. 1ª.89.F
Dentibus ſerratis animalia prædita habent quartum locum in diſſectione. 6°. de anat. admi. 1ª.90.D
Dentium ſerratorum animalium lien non habet dulce alimentum. de atra bile. 1ª.36.F
Dentes ſuperiores animal habens non ruminat nec habet multos ventres. 6°. de anat. admi. 1ª.90.E
Dentes ſupra, & infra hñt animalia carniuora. de art. c. 3°. 7ª.256.G
Dentes caprarum & ouium ſunt ſimiles. 11°. de vſu par. 1ª.187.C

Dentes ouis & leonis differunt. 11°.*de vsu par.* 1ª.187.C
Dentes equini. 1°.*de comp.med.sec.loc.* 5ª.123.E
Dentes pardaleõ & canũ sunt similes leoninis. 11°.*de vsu.p.* 1ª.187.C
Dentes hominum idonei ad esum solum. 11°.*de vsu par.* 1ª.184.H
Dentes terreni sunt. 9°.*de simpl.med.fac.* 5ª.64.H
Dentes numerandi inter ossa.de ossibus. 1ª.41.E
Dentes cur soli ex ossibus habent neruos. 16°.*de vsu par.* 1ª.215.A
Dentes ossa non sunt.de nat.& ord.cuiuslibet corp. Sp.42.D
Dentium numerus.de anat.viu. Sp.49.E
Dentes nunquam sunt in vna parte plures, & in alia pauciores, vel sursum plures deorsum pauciores. 11°.*de vsu par.* 1ª.187.E
Dentes quot.de ossibus. 1ª.41.E
quot Dentes sint in viris,& mulieribus.de ord.cuiusl.corp. Sp.41.H
Dentes sunt trigintaduo.introd.Isa. 54.G/11°.*de vsu par.* 1ª.186.G
Dentes adnati redundant. 14°.*meth.med.* 7ª.93.B
Dentes crescunt ferè per omnem ætatem. 5°.*de comp.medic.secũdum locos.* 5ª.162.F
Dentes propter quid creati sint.de anat.viu. Sp.49.D
Dentium officia.introd. Isa.54.B
Dentes ad armaturam quibusdam animalibus dati sunt, vt apris. de anat.viuo. Sp.49.E
Dentes nostri organa sunt quodam modo linguæ. de natura & ordine cuiuslibet corp. Sp.42.D
Dentes sunt organa locutionis.de ana.viu. Sp.49.B
Dentibus prioribus innitem linguam seq; ampliatẽ exigit recta pnunciatio vocum incipientium à,tr,com.6°.aph.49°. Ex.32.H
Dentes discernunt sapores cum lingua non aliter quàm aliæ oris partes. 16°.*de vsu par.* 1ª.215.A
in Dentibus cibi amittunt speciem. 3°.*de nat.fac.* 1ª.304.A
Dentes non debent repente præter consuetudinem moueri ad actiones. de vic.rat.in mor.acu.com. 2°. 7ª.124.C
Dentium affectionum diuisio. 5°.*de comp.med.sec.loc.* 5ª.162.D
Dentibus,ossibus,neruis,cerebro,spinali medullæ, frigidum inimicum est: calidum vero vtile.com. 5°.*aph.* 18°. Ex.39.A
Dentium concussionis,cõuulsionis,tremoris,palpitationis,rigoris,horroris,singultus,tussis,ructus,sternutationis,pãiculationis,& oscitationis genus commune est motus illegitimus, & quo modo hæc in genere differant. 2°.*de symp.caus.* 3ª.19.D
Dẽtes patiunt a nimio & pauco alimẽto. 5°.*de cõp.me.f.lo.* 5ª.162.F
ad Dentes a capite cur materia transmittat. 2°.*de diff.feb.* 3ª.40.H
Dentes a capite vitiant,et qũo.de nat.& ord.cuiusl.corp. Sp.42.D
Dentes si ex capite ægrotẽt quo mõ curãdi. 6°.*de san.tuẽ.* 2ª.100.A
in Dentes quibus fluxiones procumbunt,quę exercitatio vitanda. 5°. *de san.tu.* 2ª.90.A
ad Dentes præseruandos. 5°.*de comp.med.sec.loc.* 5ª.164.G
Dentium smegma quo modo efficacius. 11°.*de simp.med.fa.* 5ª.81.A
Dentibus stridere ex natura cur,& cui dispositioni similis sit hæc affectio.in prog.com. 1°. 4ª.194.C
Dentibus stridere ex natura,nouit Galenus.in prog.com. 3°.4ª.211.G
Dentium stridores quibus eueniant.præsag.exper.confir. Sp.78.E
Dentium fremitus vnde fiat.de vic.ra.in mor.acu.com. 4°.7ª.137.H
Dentium stridor quo modo fiat.in prog.com. 1°. 4ª.194.A
Dentium stridor malus.in 1ᵐ.*prorrh.com.* 2°. 4ª.170.G
Dentium stridor insaniam significat.in prog.com. 1°. 4ª.194.A
ad Dentiũ vitia.de remed.paratu facil. 7ª.157.C/*de dyn.* Sp.25.D
ad Dentium plura vitia.de remed.par.fac. 7ª.164.C
Dentes extergit pumex. 9°.*de simpl.med.fac.* 5ª.69.G
Dentes optime abstergunt sales theriaci.de ther.ad Pis. 5ª.97.E
Dentes puros efficit smiris. 9°.*de simp.med.fac.* 5ª.68.B
de Dentium albificatione.de remed.par.fac. 7ª.164.C
Dentes & gingiuas candidas efficit aristolochia rotunda. 6°.*de simpl. med.facul.* 5ª.43.E
ad Dentium candorem cornua cerui & capræ. 11°.*de simpl.medicamen.fac.* 5ª.79.G
ad Dentes dealbandos.de remed.par.fac. 164.C/ 7ª.172.F
Dentes albi & odorati quo smegmate fiant. 5°.*de composi.med.secun. locos.* 5ª.166.B
ad Dentes denigratos. 5°.*de comp.med.sec.loc.* 5ª.163.H
ad Dentes denigratos.de remed.par.fac. 157.E/ 7ª.178.H
ad Dentes nigros in superficie. 5°.*de comp.med.sec.loc.* 5ª.165.D
Dentes liuidi patiuntur ab inflammatione. 5°.*de composit.medicam. sec.locos.* 5ª.162.F
Dentes liuidi quibus curentur. 5°.*de comp.med.sec.loc.* 5ª.162.G
Dentes vt bene oleant.de remed.par.fac. 7ª.164.D
ad Dentes colluendos.de remed.par.fac. 7ª.157.E
ad Dentes molares collutio. 5°.*de comp.med.sec.loc.* 5ª.164.B
ad Dentes colluendos post lac mel vino misceatur. 3°.*de alimentorũ facultatibus.* 2ª.28.C
in Dente inflammatio. 8°.*de compo.med.sec.loc.* 5ª.162.D
Dẽtes a putrilagine preseruãt sales theriaci.de the.ad Pi. 5ª.97.A/E
Dentes putridi,nigriq; vt splendidi reddantur. 3°.*de medici.facile parandis.* 3ª.173.C
Dentes splendidos faciunt cornua deusta. 9°.*de simp.med.fa.* 5ª.69.G
Dentes splendidi fiunt ostreis,pumice,& testa clibani. 11°.*de simpli. med.facul.* 5ª.81.A
Dentibus splendorem affert sepiarum testa. 11°.*de sim.me.fa.* 5ª.81.A
Dentium erosio oris affectus.intr. Is.59.C
Dentium erosiones facit sanies a capite. 6°.*de sa.tu.* 2ª.98.F
Dentes erodi non sinuat sales theriaci.de ther.ad Pis. 5ª.97.E
Dentes erosi quibus curentur. 5°.*de comp.med.sec.loc.* 5ª.162.G
ad Dentes corosos. 5°.*de compo.medicam.secund.loc.* 165.C/D/4°. *de comp.medicam.per genera.* 5ª.244.F/*de remed.par.facil.* 157. F/164.E/ 7ª.173.B
ad Dentium erosionem & dolorem. 5°.*de composi.medic.secundum locos.* 5ª.165.E/D
ad Dentes erosos dolentes. 5°.*de comp.med.sec.loc.* 5ª.164.C
ad Dentes molares corrosos. 5°.*de comp.med.sec.loc.* 5ª.165.E
Dentes exesi quandoq; auferuntur.de diff.morb. 3ª.4.G
ad Dentium foramina valent tithymalli liquores. 8°.*de simp.medic. facult.* 5ª.62.D
ad Dentes perforatos cum dolore & sine. 5°.*de compo.med.secund. locos.* 5ª.163.D
Dentes perforatos iuuant quæ tenuium sunt partium, & excalfactoria. 8°.*de simpl.med.fac.* 5ª.58.D
ad Dentes perforatos & dolentes cauterium. 5°.*de composi.medica. sec.locos.* 5ª.163.F
Dens foratus aufertur cum foramine. 14°.*meth.med.* 7ª.90.G
Dentes an doleant. 5°.*de comp.med.sec.loc.* 5ª.162.D
Dens dolet,pulsat. 5°.*de comp.med.sec.loc.* 5ª.162.D
Dentibus,& gingiuis solis affectus accidit qui hæmodia dicitur. 2°.*de locis affectis.* 4ª.9.H
Dentium dolor oris affectus.introd. Isa.59.C
Dentium dolores pertinent ad actum.de symp.diff. 3ª.11.E
Dentes sæpe dolent homini concepto in tribus horis sanguinis. de spermate. Sp.37.B
Dentium dolores è pituita.de dynamidijs. Sp.19.G
Dentis dolore minor est dolor capitis. 2°.*de compositio.medicamen. secundum locos.* 5ª.134.H
Dentibus molaribus contingit dolor infixus. 2°.*de loc.affect.* 4ª.9.H
Dentes a dolore pseruãtia.de rem.par.fac. 7ª.157.E/*de dyn.* Sp.25.D
in Dentium doloribus quæ naribus infunduntur. 5°.*de comp.med.secundum locos.* 5ª.163.H
pro Dentium dolore quæ in nares injiciantur.de rem.par.fa. 7ª.157.E
in Dentium doloribus maximis. 5°.*de comp.med.sec.loc.* 5ª.163.D
Dentium dolores è vestigio sedantia. 5°.*de composi.medica.secundum locos.* 5ª.163.C
in Dentium doloribus cur Aceto acerrimo vtamur. 5°.*de comp.medic.sec.loc.* 5ª.163.A
ad Dentes dolentes Amurca. 5°.*de comp.med.sec.loc.* 5ª.164.F
in Dentium doloribus Apophlegmatismi. 5°.*de comp.med.sec.loc.* 5ª. 163.F/*de rem.par.fac.* 7ª.157.D
Dentium dolorem tollit Asininus fimus.de simp.me. Sp.84.E
Dentium dolores sanat Asparagus. 6°.*de simp.med.fac.* 5ª.44.A
Dentes Dolentes iuuat Batrachij radix. 6°.*de simp.med.fac.* 5ª.44.G
Dentium labores adiuuat Capparis. 7°.*de simp.med.fac.* 5ª.49.H
Dentium dolores sedat medicamentum ex Castoreo auribus instillatũ. 12°.*meth.med.* 7ª.79.G
Dentium foraminibus instillatur Cedrea,& dolores mitigat,& cõsingit dentes. 7°.*de simp.med.fac.* 5ª.50.E
Dentium doloribus confert radix Chelidonij maioris. 8°.*de simp.medicam.facul.* 5ª.63.G
Dentium dolores mansa mitigat clematis Daphnoides. 7°.*de simp.medic.facul.* 5ª.51.G
Dens dolens sanatur Dolore quo mõ.in 6ᵐ.*de mor.vul.c.* 2°.3ª.161.G

Dentibus prodest Elleborus niger cum aceto colluentibus.6°.de simpli.med.fac. 5ª.47.B
in Dentium doloribus collinitur radix Ephemeri.6°.de simpl.medic. facult. 5ª.47.G
ad Dentium dolorem Fomenta.5°.de comp.med.sec.loc. 5ª.163.F/ *de remed.par.fac.* 7ª.157.D
dicitur Dentium erosorum dolores iccur Lacertæ sanare.11°.de simpli.med.fac. 5ª.80.A
Dentium dolores quadantenus mitigant Lappæ minoris radix & semen cocta cum vino.6°.de simp.med.fac. 5ª.43.F
Dētiū dolorē mitigat Nasturtij succus auribus infusus.de dy.Sp.25.D
ad Dentium dolores valet Ononis.8°.de simp.med.fac. 5ª.58.D
Dentium perforatorum dolores sedat Peucedanum.8°.de simp.medi. facult. 5ª.58.D
ad Dentium dolorem quidam colluunt Phlomi albæ & nigræ radicē. 8°.de simp.med.fac. 5ª.63.C
*Dentium doloribus adhibetur Platani cortex.8°.de sim.me.fa.*5ª.58.G
*Dentis doloribus medeī Senecta serpentis.11°.de sim.me.fa.*5ª.80.E
Dentes dolentes iuuat Spina alba.6°.de simp.med.fac. 5ª.41.H
Dentium dolores sanat Tamarix.7°.de simp.med.fac. 5ª.56.D
Dentium dolores sanat Tithymalli radix.8°.de simp.med.fa. 5ª.62.D
*ad Dentium molarium dolorem.5°.de comp.med.sec.loc.*5ª.165.E/ *de rem.par.fac.* 7ª.164.D
*pro Dentibus molaribus emplastrum.5°.de comp.me.se.lo.*5ª.164.C
ad Dentium dolores, Andromachi.5°.de comp.med.sec.lo. 5ª.166.F
*ad Dentium dolores, Archigenis.5°.de comp.med.sec.lo.*5ª.163.A
ad Dentium dolores Aristocratis.5°.de comp.med.se.lo. 5ª.165.B
*ad Dentium affectionem, Critonis.5°.de comp.med.sec.loc.*5ª.165.D
ad Dentium dolores, Dioclis.5°.de comp.med.sec.loc. 5ª.165.C
*ad Dentium dolorem.5°.de comp.med.sec.loc.*165.H/8°.5ª.191.F/ *de remed par.fac.*157.C/164.C/G/3°.*de med.facul.part.*170.C/ 172.F/7ª.175.D/*de dy.*25.E/35.G/*secr.*97.B/*de cur.lap.*S.112.b
Dente exerto cur dolor resset.5°.de comp.med.sec.loc. 5ª.162.E
ad Dentium cruciatus.6°.de comp.med per gen. 5ª.256.A
ad Dentium frigidas affectiones,& quo modo fiant.5°.de comp.me. sec.locos. 5ª..65.F
*Dentes refrigeratos mitigat pyrethron.8°.de simp.med.fac.*5ª.59.D
Dentium stupor est symptoma tactus.1°.de sym.cau. 3ª.16.B
Dentium stupor quo modo fiat.6°.de simp med.fac. 5ª.43.A
Dentium stuporem quæ faciant.2°.de loc.aff. 4ª.9.H
Dentium stuporem faciunt acida,& acerba.de opt.sect. Isa.22.H
*Dentium stupor ex omnibus acerbis & acidis.3°.de ali.fac.*2ª.28.B/ C/1°.*de symp.cau.* 3ª.28.B
Dentium stupor ex lacte acido.3°.de alim.fac. 2ª.28.C
Dentium stupor ex moris immaturis.3°.de alim.fac. 2ª.29.C
Dentes torpescere quæ pituita faciat.3°.de loc.aff. 4ª.18.H
*Dentium stupori medetur portulaca.de sect.*16.H/*de op.sect.*Isa.21.E
Dentium stuporem soluere portulacam obseruatum est sine cognitione causæ.de opt.sect. Isa.22.E
Dentium stuporem sanat portulaca suo lentore morsus experte.2°.de alim.fac. 2ª.23.C
*Dentium stuporem sanat portulaca.6°.de simp.med.fac.*5ª.43.A/*de simp.med.* Sp.81.A
ad Dentium stuporem.5°.de compo.med.secundum loc. 5ª.164.F/*de rem.par.fac.* 7ª.164.E
circa Dentes quibus lentores quidam in febribus nascuntur, ijs fortes fiunt febres.com.4°.aph.53°. Ex.33.D
ad Dentes debilitatos.5°.de comp.med.sec.loc. 5ª.164.F
*ad Dentes molares commanducationes.5°.de com.me.se.lo.*5ª.164.B
Dentes cur quandoque mouentur.5°.de comp.med.sec.lo. 5ª.162.F
Dentes quo modo eximantur.intr. Isa.59.H
*Dentes quo modo facile extrahantur.5°.de comp.med.sec.lo.*5ª.165.g
ad Dentes eximendos sine ferramento,& absque dolore.de rem.par. facilibus. 7ª.164.F
*Dens vt digitis tollatur.5°.de comp.med.sec.locos.*5ª.165.E/ *de remed.par.fac.* 7ª.164.F
*vt Dentes citra dolorem excutiantur.5°.de compo.med.sec.loc.*5ª. 164.D/*de rem.par.fac.*164.F/*de incant.* 7ª.182.C
*ad Dentem molarē sine dolore tollēdū.5°.de cōp.med.se.lo.*5ª.165.E
Dens vt sponte excidat.de reme.par.fac. 7ª.164.E
*pro Dentibus pminentibus limula ferrea.5°.de cō.me.se.lo.*5ª.164.D
Dentes quo modo limandi.5°.de comp.med.sec.loc. 5ª.164.D
*Dens quando terebello perforandus.5°.de comp.med.sec.lo.*5ª.163.G
Dentes cur fiant mobiles aliqui,& quot de causis.5°.de comp.medic. secun.loc. 5ª.164.D
Dentes qui agitantur restringit,& stabilit gagates lapis.de simp.medicaminibus. Sp.83.G
ad Dentes molares mobiles.5°.de comp.med.sec.loc. 5ª.165.H
ad Dentes mobiles corroborandos.5°.de compo.med.secundum loc. 164.F/ 5ª.165.H
Dentes ne vacillent,& sæteant.5°.de comp.med.sec.loc. 5ª.163.H
Dentes vacillantes confirmat bouis talus.de ther.ad Pis. 5ª.93.E
Dentes vacillantes confirmat cornu cerui.de ther.ad Pis. 5ª.93.E
pro Dentibus roborandis lac asininum.5°.de compositio.med.secun. locos. 5ª.164.F
ad Dentes se agitantes lentiscus facit.de simp.med. Sp.86.B
ad Dentes motos Pythij.5°.de comp.med.sec.loc. 5ª.165.C
*ad Dentes motos.5°.de comp.med.sec.loc.*164.A/165.B/D/7°.5ª. 181.H/*de remed.par.fac.* 7ª.157.F
*ad Dentes motos,& labantes.de rem.par.fac.*164.E/ 7ª.170.C
*ad Dentes titubantes & infirmos diaclysma.de rem.par.fa.*7ª.164.c
ad Dentes concussos.5°.de comp.med.sec.loc. 5ª.165.H
Dentium concussio inuita quid.2°.de symp.cau. 3ª.19.H
*ad Dentes ex ictu motos stabiliendos.5°.de cōp.med.per g.*5ª.248.C
ad Dentes ex ictu concussos.de rem.par.fac. 7ª.164.E
ad Dentes concussos,& dolentes.de rem.par.fac. 7ª.164.D
ad Dentes ob ictum decidentes.de med.fac.par. 7ª.170.C
ad Dentes continendos.de dyna. Sp.25.E
*ad Dentes sauciatos.5°.de comp.med.sec.loc.*5ª.165.F/*de medicinis facil.par.* 7ª.172.F
Dentes maxime siccitatem requirunt sine calefactione.6°.de simplic. med.fac. 5ª.44.A
Dentes amittit,si qs biberit aquā quæ est Susis.de bo.aquæ. Sp.76.A
Dentis amissio est oris agritudo.de diff.morb. 3ª.4.H
Dentibus obest lactis assiduus vsus.3°.de alim.fac. 2ª.28.B
Dentes quo modo post lac sumptum seruentur incolumes.3°.de alim. facult. 2ª.28.C
Dentes quidam amisit ex lactis diuturno vsu.5°.de san.tu. 2ª.91.G
Dentes amissi vocem lædunt.4°.de loc.aff. 4ª.26.E
ex Dentibus cognoscitur malas luxatas esse aptatas.de artic.comment.2°. 7ª.264.E
Dentes male se habebant Galeno.2°.de alim.fac. 2ª.22.E
non Dentis sed gingiuæ dolor a Galeno cognitus.5°.de comp.medica. sec.loc. 5ª.162.D
*Dentes quidam famulis cōfringebant.de cog.cur.animi mor.*2ª.50.H
Dens quo modo frangatur sine dolore.de rem.par.fac. 7ª.164.G
ad Dentes auriscalpium.5°.de comp.med.sec.loc. 5ª.165.E
Dentes suspensi da morsus canis rabibi.de incant. 7ª.182.B
DENS *appellata ab Hippocrate productio, quæ.12°.de vsu partium.* 1ª.194.E
Dentem nominauit Hippocrates totam vertebram secundam.de ossibus. 1ª.41.H
Dens nominata vertebra.4°.de loc.affect. 4ª.23.E
Dens vertebra quare ita dicatur.in 1ᵐ.*prorrh.com.2°.* 4ª.176.D
DENTES *quo in epiglottide.de voce,& anhel.* Sp.61.D
DENS *quid in organis.de machin.* 7ª.309.D
de DENTIFRICIIS *5°.de comp.med.sec.loc.* 5ª.165.F
Dentifricium optimum est os sepiæ solum in mortario læuigatum.de simpl.med. Sp.90.C
Dentifricium Aurelij.5°.de comp.med.sec.loc. 5ª.166.E
ad Dentifricia facit pumex.de simp.med. Sp.88.H
Dentifricium Damocratis ad dentes faciendos candidos & immobiles.5°.de comp.med.sec.loc. 3ª.166.B
Dentifricium Timocratis.5°.de comp.med.sec.loc. 5ª.165.H
Dentifricium mirum.de remedijs par.fac. 7ª.157.F
Dentifricium optimum.5°.de comp.med.sec.loc. 5ª.166.B
DENVDATO corde puer salutem consecutus est.de decre.Hipp. & Platonis. 1ª.231.F
in Denudatis ossibus cum luxatione veratro vtitur.de articulis,commentario 4°. 7ª.285.A
DEORSVM quo musculo trahatur labrum superius.de musculorum dissect. 1ª.44.E
Deorsum quo musculo trahatur nasus.de mus.dissect. 1ª.44.F
Deorsum maxillam trahentes musculi vbi sint.de muse.diss. Sp.44.G

Deorsum totam scapulam ex inferiori,& priori parte ac in priora ad seipsum trahens musculus.de musc.diss. 1ª.45.C
Deorsum ferri,& decumbere non idem,& quo modo differunt.de pal pit.trem.conuulſ.& rig. 3ª.52.A
Deorsum decumbit frigida materia.in 1ᵐ.*de mor.vul.c.*1°. 3ª.105.A
*Deorsum fiat reuulsio,vbi succi ad superiora vergũt.de cucur.*6ª.4.g
*Deorsum vergentia per secessum vacuantur.*2°.*de ali.fac.* 2ª.19.E
Deorsum sunt purgandi difficile vomentes,& medie crassi ætatem vi tantes.de cathart. Sp.94.C
Deorsum purgatur humor melancholicus.de cathar. Sp.94.C
*DEPASCENS & putridum vulcus ab aliquibus dictum nõ est propria vlceris differentia,sed passio implicita ex vlcere,& putre dine.com.*6°.*aph.*45°. Ex.51.F
Depascentia vlcera sola purgatione sanata.de purg.me. 5ª.87.G
Depascentias ani mitigat succus centaureæ.de vir.cent. Sp.93.E
*Depascentia vlcera matricis iuuat succus cẽtaureę.de vir.cẽ.*S.94.B
ad DEPILATIONEM *quæ valeant animalia.* 11°.*de simpli.medicam. facultatibus.* 5ª.82.G
*Depilat capita bibentiũ fluuius quidã in ægypto.de bo.aquę.*Sp.76.A
Depilatoria non sunt neganda a medico. 1ᵐ.*de cõp.me.ſe.lo.* 5ª.127.G
*Depiles cur fiunt qui testes amittunt.*1°.*de semi.* 1ª.334.B
*Depile quo modo corpus reddi possit.*8°.*de simp.med.fac.* 5ª.62.D
DEPLORATI *non sunt curandi,sed solis prognosticis relinquendi.* cõ. 2°.*aph.*19°. Ex.16.G
DEPONERE *quid significet.*3°.*de decr.Hipp.* 1ª.244.G
*Deponuntur quæ membra.de ijs quæ med.fiunt,com.*3°. 7ª.217.H
DEPORRIGERE *quid significet.de fract.com.*1°. 7ª.224.H
DEPREHENSIONES, *quæ a græcis* καταλήψεις *dicuntur,fiunt a frigiditate cum siccitate.com.*2°.*aph.*3°. Ex.11.E
DEPRESSAE *facultatis pulsus.de pulſ.ad tiro.* 4ª.44.G
*DERASI qui intelligantur.*1°.*de comp.med.per ge.* 5ª.214.H
DERIVATIVI *vsus quandoque non est,sed primitiui,& è contrario, tamen qui inuenit deriuatiuum potest vti primitiuo.in* 3ᵐ.*de mor. vul.com.*2°. 3ª.138.F
DERIVARE, *id est* παροχετεύειν, *est a riuis ad latera diuertere.de cucur.scar.* 6ª.4.F
Deriuatio,græce parocheteusis dicitur.de cucur.scar. 6ª.4.E
Deriuatio quid sit.in 6ᵐ.*de mor.vul.com.*2°. 3ª.161.C
Deriuatio est eiusdem generis cum euacuatione facta per particulam, quæ fluxionem suscipit.de cucur.scar. 6ª.4.E
de Deriuatione ex libris Galeni.de cucur.scar. 6ª.4.E
*Deriuatio per quæ loca fiat.*5°.*meth.med.* 7ª.30.E
*Deriuatio ad partes ꝓpīquas species euacuatiõis.ars m.*69.E/*Isſ.*71.E
*Deriuationem ad partes propinquas Hippocrates vocat parocheteu sin.*6°.*de san.tuen.* 2ª.100.B
*Deriuatio fit ad latera.*4°.*meth.med.* 7ª.28.C
Deriuatio per nares facienda est fluente gurgulione vel palato,& quibus.de cucur.scar. 6ª.4.E
Deriuandum per nares & os,si ad aures,vel oculos succi fluant,& quibus.de cucur.scar. 6ª.4.E
Deriuatio fit cum id quod ad pulmonem tendit,ad stomachum deducit.de cucur.scar. 6ª.4.F
Deriuandus est ad vteri venas fluor venæ sedis in mulieribus.de cucur.scar. 6ª.4.E
*DESCENDENTIA tarde cibaria quę sint.de diſſ.con.*Sp.74.G
si Descendant tarde superflua ciborum,dari debent cibi lenientes,& pungentes.de diſſ.cont. Sp.75.A
Descendere facit cibũ de stomacho vinum.de diſſ.cont. Sp.72.B
Descẽsus difficilis qñ est supfluitas cibi de stomacho & inteſtinis,indi gemus his q̃ descẽdere faciũt,& vẽtrẽ mollificẽt.de diſ. Sp.71.F
ad Descensum aquæ in oculum.secretorum. Sp.181.D
Descensioni aquę ad oculum,si sit in principio,quid opem ferat.de me dic.exper. Sp.107.F
ad Descensum matricis.de dyn. Sp.30.A
Descensus matricis curatio.de paſſ.mul. Sp.95.F
DESCRIPTIO *quid.fin.med.* Isa.43.D
Descriptio pulmonis.de anat.viuo. Sp.47.G
in DESERTIS, *& siccis locis pastua habentia animalia sunt cibi superfluitates non habentes.de diſſol.cont.* Sp.73.E
DESICCANT *strenue quæ in secundo complete desiccant.*7°.*de simp. med facul.* 5ª.54.D
*Desiccantia quarto ordine vrunt.*5°.*de simp.med.fac.* 5ª.39.B
*Desiccantia quæ sunt in magno vsu.*8°.*de simp.med.fac.* 5ª.57.H
*Desiccat in tertio Acetum.*8°.*de simp.med.fac.* 5ª.57.D
*Desiccant Adstringentia.*5°.*de simp.med.fa.* 5ª.35.D
*Desiccat Androsace.*6°.*de simp.med.fac.* 5ª.43.A
Desiccandi naturam habet Brassica.de rem.par.fac. 7ª.153.G
*Desiccat citra morsum Calx elota.*8°.*de simp.med.fac.* 5ª.62.C
*Desiccat & calfacit Castoreum.*10°.*de simp.med.fac.* 5ª.80.B
*Desiccatorijs & glutinatorijs miscetur Centaurij minoris radix arefacta.*7°.*de simp.med.fa.* 5ª.50.H
*Desiccat absque morsu Cyprus.*7°.*de simp.med.fac.* 5ª.53.H
*Desiccat innoxie Faba.*7°.*de simp.med.fa.* 5ª.53.D
*Desiccat minus q̃ hordeum farina fabacea.*7°.*de simp.me.fa.* 5ª.53.A
*Desiccandi valenter vim habet Filix imposita vlceribus.*8°.*de simp. medi.facul.* 5ª.59.C
*Desiccat fluxiones Galla.*7°.*de simp.med.fa.* 5ª.51.A
*Desiccat alui fluxus Lagopus.*7°.*de simp.med.fa.* 5ª.54.A
*in Desiccatorijũ medicamẽ indit Lana vsta.*11°.*de sim.me.fa.* 5ª.81.B
*Desiccat tertia Lappæ species.*1°.*de simp.med.fa.* 5ª.43.F
*Desiccat Lentis corpus.*8°.*de simp.med.fa.* 5ª.63.B
*Desiccat & adstringit Macer.*7°.*de simp.med.fa.* 5ª.55.A
*Desiccat sine morsu Masticbe.*8°.*de simp.med.fa.* 5ª.59.F
*Desiccant Metallica omnia,quia terrea sunt.*9°.*de simp.m.fa.* 5ª.68.F
*Desiccat crassos humores Moly.*7°.*de simp.med.fa.* 5ª.56.F
*Desiccat multũ Myrtus qa est frigida et terrena.*7°.*de sim.m.f.* 5ª.56.e
*Desiccat citra morsum Nymphææ radix.*7°.*de simp.me.fa.* 5ª.57.A
*Desiccant & modice refrigerant Pira.*6°.*de simp.med.fa.* 5ª.43.D
*Desiccant pilulę Platani.*8°.*de simp.med.fa.* 5ª.57.D
*Desiccat & est tenuiũ partiũ Polemoniũ.*8°.*de simp.me.fa.* 5ª.59.A
*Desiccat plus hordeo Polenta.*7°.*de simp.med.fa.* 5ª.53.A
*Desiccat absque morsu Poterij radix.*7°.*de simp.med.fa.* 5ª.56.H
*Desiccantibus & causticis medicamentis miscetur Smiris.*9°.*de sim. med.facul.* 5ª.67.C
*Desiccat parũ,abstergit,& incidit Tamarix.*7°.*de simp.m.f.* 5ª.56.D
*Desiccandi sine morsu vim habet quælibet Terra.*9°.*de simp.medic. facul.* 5ª.65.G
*Desiccantem vim habet Vitis alba.*6°.*de simp.med.fac.* 5ª.42.F
*Desiccat mire Cochlearum caro.*11°.*de simp.med.fa.* 5ª.78.F
Desiccatiua medicina qualis esse debet.de oculis. 7ª.190.H
*Desiccantia infernas partes & somnum pronocantia,qualia esse debeant.*8°.*de simp.med.fa.* 5ª.62.A
*Desiccantia,& calefacientia vehementer quid agant.*8°.*de simp.me di.facult.* 5ª.62.E
*a Desiccantibus vehementer mouetur sternutatio.*6°.*de simp.medic. facul.* 5ª.44.G
*Desiccantia carnem,quæ.*5°.*de simp.med.fa.* 5ª.35.H
Desiccantia citra insignem morsum vlceribus malignis competunt. 11°.*de simp.med.fa.* 5ª.80.G
fin DESIDERIVM, *secundum appetitum,& secundum voluntatem idem.in prog.com.*2°. 4ª.198.E
Desiderium est proprietas sanguinem cõsequẽs.de ana.viu. Sp.45.D
Desiderium est actio oris stomachi.de mot.mus.& obſ. Sp.70.H
*Desideriũ veneris aliq̃n significat vrina spumosa supius.de dy.*Sp.35.e
Desiderium coitus sequitur ad dominium bilis.de ana.viu. Sp.45.F
*Desiderij coitus paucitas sequit̃ ad dñiũ phlegmatis.de ana vi.*S.45.E
*secundum Desiderium motus partium,quo modo læsus deprehendatur.in prog.com.*2°. 4ª.198.E
DESIDIA *auget timiditatem.de aere,aq.& loc.* 2ª.6.C
ex Desidia pituitosus sanguis.de mult. 3ª.78.H
*ex Desidia humiditas quo modo corrigatur.*3°.*de san.tu.* 2ª.81.G
*Desidiosis qui fuerunt exercitati qd cõingat.*3°.*de sym.ca.* 3ª.27.H
EDSIPIENTES *qui sint.in* 1ᵐ.*pror.com.*1°. 4ª.162.F
Desipientiæ sequuntur ad ægritudines primi principij & capitis. de virtutibus nostrum corp.dispens. Sp.60.B
Desipientia quo modo fiat.in 3ᵐ.*de morb.vul.com.*1°. 3ª.127.C
*Desipientiæ fiunt patiente cerebro,aut per se primo, aut per cõpassionem.com.*6°.*aph.*53°. Ex.53.B
*Desipientiæ cognitio vnde sumatur,& quid sit. com.*7°.*aph.*14°.54. *Hſaph.*24°. Ex.55.F
Desipientium cũ comate pulsus,qualis.in 1ᵐ.*pror.com.*1°. 4ª.168.H
Desipientiæ proprium & inseparabile signum est spiritus rarus.in 1ᵐ. *prorrh.com.*1°. 4ª.163.C
Desipientis propriũ symptoma est magnam & raram facere respira-
tionem

tionem.2°.de diff.resp. 3ª.63.H
Desipientiæ quæ cum risu fiunt securiores, quæ vero cum studio periculosiores.com.6°.aph.53°. Ex.53.B
Desipientia ferina, quæ.in 1ᵐ.prorrh.com.1°. 4ª.166.G
Desipientiæ feroces vnde.in 1ᵐ.prorrh.com.1°. 4ª.166.A
Desipientiæ obscuræ indicium & causæ.in 1ᵐ.prorrh.c.1°. 4ª.168.A
Desipientiæ temerarię oĩum periculosissimę sunt.c.6°.aph.53°. Ex.53.B
Desipientiæ furiosæ, ex quo humore fiãt.com.6°.aph.53°. Ex.53.B
Desipientia a sanguine bilioso, qualis.in prorr.com.1°. 4ª.188.G
Desipientia a sanguine melancholico, qualis.in pror.com.3°. 4ª.184.B
Desipientia cum comate, qualis.in 1ᵐ.prorrh.com.1°. 4ª.168.A
Desipentiæ in vigore febris quid sint.in 1ᵐ.prorrh.com.1°. 4ª.161.A
Desipere iudicationis per sanguinem è naribus signum.1°.de arte cur. ad Glauconem. 7ª.100.D
Desipientiæ ab externis causis, quæ.in 1ᵐ.prorrh.com.1°. 4ª.164.B
Desipiunt ex multa vini potatione aliqui capite oppleto plurimo sanguine, & spiritu calido.com.7°.aph.7°. Ex.54.D
Desipientia rigentibus ob multam vini potationẽ calor.natiuꝰ nõ accẽdit, sed ob multitudinem extinguit.cõ.7°.aph.7°. Ex.54.D
Desipientia & rigor ex multa potatione, malũ.c.7°.aph.7°. Ex.54.D
Desipiẽtia a ꝓfluuio sanguinis nõ bonꝰ est casus.c.7°.aph.9°. Ex.54.F
Desipiẽtia ex obstupescẽtia a capitis ictu, malũ.c.7°.ap.14°. Ex.54.H
Desipientia in ossis præcisione, si in vacuum apprehenderit.comm.7°. apho.24°. Ex.55.F
Desipiunt quidam ileosi, & conuelluntur compatiente neruorum principio stomachi passioni.com.7°.aph.10°. Ex.54.F
Desipientia ab ileo, malum.com.7°.aph.10°. Ex.54.F
Desipientia quãdoq; fit ex defectu, quo manuum, ac pedum tremores. com.7°.aph.9°. Ex.54.E
si Desipientiæ ex defectu coniuncta sit conuulsio, omnino salus est desperata.com.7°.aph.9°. Ex.54.E
Desipientiæ debilitatorum pessimæ.in 1ᵐ.prorr.com.1°. 4ª.164.D
Desipientiæ lętales, quæ.in 1ᵐ.prorr.com.1°. 4ª.164.B
Desipientia nulla secura est.com.6°.aph.53°. Ex.53.B
Desipiẽtia q̃dã fuit sanata, sed nõ recordabat.2°.de mo.mus. 1ª.315.C
Desipiẽtes artifices de suis artibus cogitãt.in 1ᵐ.pror.c.1°. 4ª.167.B
Desipientia, lege Insania.
DESPERARE *non debet is qui etiam per multos annos aliquid nõ inuenit.1°.de digno.puls.* 4ª.70.F
Desperãdũ de ægro, qñ vrit in ambiẽte frigido.11°.meth.med. 7ª.76.B
in Desperatis morbis theriaca valet.de vsu the.ad Pamph. 5ª.99.A
Desperata vlcera quid significent.4°.de comp.me.per ge. 5ª.239.D
ad Desperata vlcera.3°.de comp.med.per ge. 5ª.239.D
ad DESQVAMATA. *1°.de comp.med.per gen.* 5ª.212.H
DESTILLATIO *quid.intr.* Isa.56.E
Destillatio morbus longus intrinsecus.intro. Isa.56.B
Destillationes inter morbos vere apparentes.5°.de san.tu. 2ª.94.D
Destillationes descendunt humidis temporibus & calidis. in 3ᵐ.de mor.vul.com.3°. 3ª.143.D
Destillationis causæ.intro. Isa.56.E
Destillationis fons pituita acida & salsa.8°.de decr.Hip. 1ª.276.A
Destillationes faciunt pauci motus.1°.de san.tu. 2ª.65.F
Destillatio a capite fertur per asperam arteriam in ventrem superiorem.com.7°.aph.38°. Ex.57.A
a Destillationibus vox offenditur.in 3ᵐ.de mor.vul.c.3°. 3ª.141.F
Destillationes faciunt raucam vocem.4°.de loc.aff. 4ª.26.C
Destillationes qñq; conuertunt ad ventriculũ.7°.meth.med. 7ª.48.B
Destillationes ex capite ob frigida, quales nix & glacies, offendũt thoracem & pulmonem.com.5°.aph.24°. Ex.39.C
ex Destillatione morbo afficitur pulmo.3°.de ꝑsag.ex puls. 4ª.116.C
Destillantes a capite in pulmonem humores qñ putrescunt, tabem gignunt.in 1ᵐ.de mor.vul.cõ.1°.3ª.105.F/in 3ᵐ.cõ.3°. 3ª.143.E
Destillationes capitis quę primo tussim concitant, & raucedinem, neq; tandem consistunt, alterum tabis speciem generant.in 1ᵐ.de morbis vulg.com.1°. 3ª.105.E
Destillatio subtilis, quã tussim faciat.in 1ᵐ.de morb.vul.c.1°. 3ª.105.E
Destillationis in pulmonem pulsus.4°.de præsag.ex puls. 4ª.119.G
Destillationes in ventrem superiorem suppurantur intra viginti dies. com.7°.aph.38°. Ex.57.A
Destillatione capiuntur senes.2°.de temp. 1ª.16.D
Destillationes sunt morbus senum.5°.de san.tu. 2ª.92.B
Destillationes cur in senibus fiant.com.2°.aph.31°. Ex.26.H
Destillationes quomodo fiant senibus.com.3°.aph.31°. Ex.26.H
Destillationes cito interimentes qua tempestate fiant senioribus. com. 3°.aph.12°. Ex.21.E
Destillatio frigida in senibus non concoquitur.c.3°.aph.12°. Ex.21.H
Destillationes ex oculis manantes quo modo dicantur coqui.de vic.ra. in mor.acu.com.2°. 7ª.122.H
in Destillatione quo modo excrementa capitis dispositionẽ declarent. 2°.de loc.aff. 4ª.16.H
Destillatio ostendit temperamentum cerebri.2°.de temp. 1ª.20.F
Destillationis curatio.intr. Isa.56.F
Destillationem habentibus quibus sanguis mittendus, & quibus non. 5°.meth.med. 7ª.35.H
in Destillatione ad oculos venæ sectio.de rem.par.fac. 7ª.156.C
ad Destillationem in oculos.de rem.par.fac. 7ª.156.C/E
ad Destillationem calidam oculorum.de rem.par.fa. 7ª.156.C
ex Destillante pituita arteriæ laborantis remedia. de medicinis fac. para. 7ª.171.F
ad Destillationes arteriæ resiccãdas.7°.de cõp.me.se.lo. 7ª.186.A
Destillatio a capite in pulmonẽ tripliciter corrigit.5°.me.m. 7ª.35.G
in Destillationẽ hñte vẽtriculo absinthiũ cõuenit.7°.met.me. 7ª.48.C
Destillationes concoquẽs arteriaca.7°.de cõp.me.se.lo. 5ª.180.A
in Destillatione tenui a capite & tussi valet diacodion.7°.de compos. med.sec.loc. 5ª.181.A
Destillationem febris sanat.in 6ᵐ.de morb.vul.com.6°. 3ª.197.E
in Destillatione tenui nõ conuenit mel.7°.de com.me.se.lo. 5ª.181.A
in Destillatione tenui sapa conuenit.7°.de comp.me.se.lo. 5ª.181.A
in Destillatione tenui exhibet stupefacientia.12°.met.me. 7ª.75.B
Destillatio tenuis exigit soporifera.7°.de comp.me.se.loc. 5ª.182.D
a Destilatiõe stuporẽ dẽtiũ ortũ portulaca nõ sanat.d op.sec.Is. 22.H
Destillationibus pituitæ prodest Styrax.8°.de simp.me.fa. 5ª.61.E
ad Destillationes in arteria.7°.de comp.med.sec.loc. 5ª.181.C/D
ad Destillationem vuluæ suffumigium.de dyn. Sp.35.G
ad Destillantem vuluam.de dyn. Sp.25.E
ad Destillationem & tussim probatum.de med.fac.pa. 7ª.171.E
ad Destillationem ex libris Perigenis.7°.de comp.me.se.lo. 5ª.182.C
ad Destillationes.7°.de compo.me.secun.loc. 181.G/H/182.C/183. D/186.A/8°.191.D/E/9°.5ª.201.A/*de remedijs paratu facilib.* 165.D/ 7ª.171.E/G/H
Destillatio sanguinis repentina in acutis quid significet in æstate & autumno.de vict.rat.in mor.acu.com.4°. 7ª.142.G
Destillet quibus de causis vrina.6°.de loc.affe. 4ª.37.B
Destillatio, lege Catarrhus.
Destructio vocis quo modo fiat.de voce & anhel. Sp.60.H
Destruũt vocẽ amplissima vocis instrumẽta.de vo.& anhe. Sp.62.A
DESYPVS *animal quod sit.de rem.par.fac.* 7ª.164.C
ad DETENTIONES. 7°.de comp.med.per gen. 5ª.265.B
DETERIVS *non potest esse in perfectissimo.de const.ar.* Isa.38.H
Deterior cibus si appetatur, præbeatur, etiam si adsit cibus melior.de diff.cont. Sp.72.D
Deterrima sunt mala quæ perpetuo vigorẽ habent.de vri. 4ª.123.H
DETERGENTIA *magis minusue multa ordine enumerat.7°.meth.me dendi.* 7ª.52.G/H
Detergentia, & concoquentia.6°.de comp.med.per gen. 5ª.256.F
Detergentia, & calefacientia medicamenta exiccant, & pus non mouent.5°.de simp.med.fa. 5ª.33.G
Detergunt carnem generantia medicamenta.1°.de composi.medi.per genera. 5ª.217.C
Detergit primo medicamentum, post carnem glutinat, & producit.2°. de comp.med.per gen. 5ª.227.A
Detergentia quo modo fiant cerati mixtura carnis explentia.6°.de comp.med.per gen. 5ª.260.H
Detergens, & siccans modice in primo ordine medicamẽtum est, quod carnem producit.3°.met.med. 7ª.18.A
Detergentia siccantia mundificant vlcera.4°.de cõp.me.pg. 5ª.237.B
Detergentia leuia sine morsu.6°.de comp.me.per gen. 5ª.256.F
Detergentia valde medicamenta.2°.de comp.me.per ge. 5ª.221.G
Detergãt vehemẽter quę medicamẽta.2°.de cõp.me.per g. 5ª.221.G
Detergentia quæ febrem accendantur, & quæ nõ.7°.me.me. 7ª.52.G
Detergentia deijcere faciunt, & distribuere.in 1ᵐ.de vic.rat.in morb. acut.com.1°. 7ª.111.E
Detergit, & tenuat amarum.11°.meth.med. 7ª.73.G
ad Detergendum cibi optimi, qui.4°.de san.tu. 2ª.84.F

Detergit ac digerit marrubium.7°.de simp.med.fac. 5ª.62.A
Detergunt mel & aphronitrũ extra applicata.7°.meth.med. 7ª.51.A
Detergit magis mel Hymmetium.7°.meth.med. 7ª.52.H
Detergit mulsa citra morsum.17°.meth.med. 7ª.83.E
Detergit sine morsu oxymeli.13°.meth.med. 7ª.83.E
Detergit sine morsu ptissana.13°.meth.med. 7ª.83.E
Detergit humores in ventre infarctos ptissanæ cremor & aqua mulsa.de vict.rat.in mor.acu.com.1°. 7ª.111.E
Detergit glutinosa radicula ex oxymelite.7°.meth.med. 7ª.51.B
Detergit maxime sapo.7°.meth.med. 7ª.52.H
Detergunt trachomatica.14°.meth.med. 7ª.93.F
Detergi qui ægri postulãt.de vic.rat.in mor.acu.com.3°. 7ª.132.A
Detergi pp qd debẽt ægri,& alij.de vic.ra.in mor.acu.c.3°. 7ª.132.A
Detersio quibus fiat.de vict.ra.in mor.acu.com.3°. 7ª.132.A
p Detergendo spongijs vtebantẽ in balneis.10°.meth.med. 7ª.67.A
DETONSI *omnes ad cutem Antonini tempore.in 6ᵐ.de morb.vulga. commen.4°.* 3ª.181.G
Δετὸς.i.vinctum tecti.1°.de art.com 3°. 7ª.270.G
DETRACTIO *de quibus dicatur.in 6ᵐ.de mor.vul.com.3°.* 3ª.170.C
Detractio omnis,medicinæ est calidæ,& humidæ.de cathar. Sp.94.E
Detrahi quidam dolentes videntur.2°.de loc.aff. 4ª.12.F
Detrahens brachium ad latera musculus.de mus.diss. 1ª.47.G
Detrahens duodecimam costam musculus.de mus.diss. 1ª.49.E
DETRITIO *scroti affectus.fin.med.* Isa.49.D
DEVCALION & Phoroneus primi hoïes.3°.meth.me. 7ª.20.H
DEVENTRIS *quid significet.4°.de decr.Hipp.* 1ª.250.B
DEVORATIO *quid.fin.med.* Isa.44.F
de Devorationis & vomitus motu.de mot.man.& obsc. Sp.68.D
Devoratio difficilis vnde fit.com.7°.aph.59°. Ex.59.E
Devorasse se noxium quippiam putant melancholici. de mel.ex Gale. Ruf.& Poss. Sp.109.C
si Devorare non possit, cui a febre habito collum conuertitur,tumore non existente in collo,letale est.com.4°.aph.35°.31.E/commẽ.7°. aphor.59°. Ex.59.F
de DEIS *indagare spectat ad eos qui contemplatiuam philosophiam profitentur.9°.de decr.Hip.* 1ª.284.C
in Dei cognitionem quo modo deuenerimus.de histo.phil. Sp.4.G
Deum qui non esse censuerunt.de hist.philos. Sp.4.F
Deus quid sit.de hist.phil. Sp.3.G
Dij an sint corporei vel incorporei contemplari ad moralem non spectat.9°.de decr.Hip. 1ª.284.C
Deus sunt stellæ cœlestes,sm Anaximandrum.de hist.phil. Sp.4.E
Deus est ignis arte præditus,sm stoicos.de hist.phil. Sp.4.G
Deus est primus,secunda natura,tertium fatum,sm Possidonium . de hist.phil. Sp.5.E
Deus est forma cœlo inherens,sm Aristotelem.de hist.philos. Sp.4.F
Deus est spiritus toti mundo infusus,sm stoicos.de hist.phil. Sp.4.G
Deus mens sm Democritum.de hist.phil. Sp.4.F
Deus mens absque materia,secundum Socratem,& Platonem. de histo.philos. Sp.4.F
de Dei substantia quæ dicuntur a Platonem,sunt probabilia, & non excedunt verisimilitudinem.9°.de decr.Hip. 1ª.285.C
Deus vnitas sm Pythagoram.de hist.phil. Sp.4.F
Deus est animal rationale immortale.1°.meth.med. 7ª.4.C
in Dijs sola rationalis.6°.de decre.Hip. 1ª.261.F
Dei pauciores sẽsus hñt quã bruta,sm Democritũ.de hist.phi. Sp.9.B
quæ Dei forma sit exponere neque Plato neque Zeno est ausus.de histo.phil. Sp.3.G
Dei figura vt Mercurij figura.in or.suaso. Isa.2.E
Deus Mercurius,hilaris,splẽdiꝰ,& qui cũ eo sunt.in or.suaso.Is.2.E
Deus speciem habet humanam non modo tenuitatem,sm Epicurũ . de hist.phil. Sp.4.G
Dij non sunt omnes figuræ humanæ.in 3ᵐ.de mor.vul.cõ.2°.3ª.149.B
Deus amoris describitur.in progn.com.1°. 4ª.190.E
Dei locus vbi sit.de hist.phil. Sp.3.G
Deum bonum vocat Plato.q animi mor. 1ª.321.C
Deus non per se,sed ab æterno bonus.q animi mor. 1ª.321.C
Dei an gaudeant in hominum admiratione constitui, non affirmat Hippocrates.de aere,aq.& lo. 2ª.6.A
Deo amici & noti sunt probi viri.de præco.ad Posthu. 4ª.214.B
Dei amicus,secundo noscit res.an animal sit. 1ª.326.H
Deo similes sunt sapientes.de cogn.cur.ani.mor. 2ª.51.B
Deo dicit imperatores,& eos laudat.de theria.ad Pis. 5ª.90.C
Deus tm exactam misturam motuum nouit.3°.de dieb.decr. 4ª.159.F
ad Deũ vel naturã pertinet miscere tota p tota.1°.de temp. 1ª.14.G
Deus similia similibus adiungit.de ther.ad Pis. 5ª.90.G
Deus author est & conditor mundi.9°.de decr.Hip. 1ª.285.C
Deus est prima causa efficiens rerũ naturalium.de hist.phil. Sp.3.F
ex Deo,& cælo est omne pulchrum ordinatum,& artificiosum.1°.de dieb.decr. 4ª.151.H
Deus si quid facit illud facit medijs suis filijs.9°.de decr. 1ª.285.C
a Dijs est imperium . de ther.ad Piso. 5ª.90.C
Dei virtute gubernantur superiora.de sper. Sp.40.B
Deus cuncta gubernat,& nullius habet curam particularem sm stoicos.de hist.phil. Sp.3.G
Deus omnes curat.in or.suaso. Isa.2.G
Deus vel anima fœtum format.de fœt.for. 1ª.325.B
Deus primo nouit an animal sit quod in vtero est.an aïal sit.1ª.326.H
Deus q̃ sit particula q̃ prius cõsistit,nouit.an oës anim.par. 1ª.326.D
Dij fabricatores hominum.q animi mores. 1ª.318.C
Deus aliquis nostri corporis conditor.9°.de decr.Hip. 1ª.285.B
Deus in condendo homine fecit quod melius.6°.de vsu par. 1ª.153.F
Deus neque superfluum neque mancum facit.11°.de vsu par.1ª.184.H
Deus facit quod melius est ex his quæ potest facere,omnia tamen non potest facere,sm Galenum.11°.de vsu par. 1ª.189.H
Dijs quid impossibile.de instr.odor. 1ª.112.B
Deus nõ põt iũgere quæ simul esse non possunt.de instr.odo. 1ª.112.B
Deus potest omnia facere,sm Mosem.11°.de vsu par. 1ª.189.G
Deus q̃o ordinauerit instrumenta vocis.de voce & anhel. Sp.60.H
cur Deus genuerit cerebrum,& pulmonem frigida membra.de anat. viuorum . Sp.45.D
Deus quæ membra assimilauerit cholera nigræ.de anat.viu. Sp.45.F
Deorum prouidentia Galenus inuenit neruorum curationem.3°.de cõ posi.med.per ge. 5ª.234.F
a Dei prouidentia pilorum origo.11°.de vsu par. 1ª.190.A
q̃o Deorum pater omnia lege disposuerit.an animal sit. 1ª.328.E
Deorum est in primis ferre legem.an animal sit. 1ª.328.E
de Dei prouidentia erga nos.9°.de decr.Hip. 1ª.284.E
Deum naturaliter amamus.q animi mor. 1ª.321.C
Dei Mercurij sequaces,qui in or.suaso. Isa.2.E
Deorũ magis neglectores sunt paupes q̃ diuites.de aer.aq.et lo.2ª.6.a
Deos aliq̃n detestantur pauperes,q eis opes non suppeditet . de aere, aquis,& locis. 2ª.6.A
Dei dum non respondent tacent.de theria.ad Pis. 5ª.97.H
ad Deos sæpe refertur pestis.in 1ᵐ.de mor.vul.com.1°. 3ª.101.E
Dei medicæ artis Apollo & Aesculapius.in or.suaso. Isa.2.C
Deorum veluti manus sunt medicamẽta.6°.de cõp.me.se.lo. 5ª.173.B
DEVSTIS *fiunt inæquales intemperies siue materia.de inæquali intemperie.* 3ª.43.C
ex Deustione quanis externa inæqualis intemperies fit in toto corpore.de inæq.intemp. 3ª.44.D
ex Deustione febris.de inæq.intemp. 3ª.44.D/E
in Deustionibus solis calor extrinsecus sanguinem opprimit.2°.de different.feb. 3ª.40.A
ad Deustiones.3°.de med.fac.par. 7ª.174.D
Δευτερία quid vocetur ab Atticis.2°.de ali.fac. 2ª.18.D
DEXTANS. 5°.de comp.med.sec.loc. 5ª.162.A
DEXIPPVS *discipulus Hippocratis.de vict.rat.in morb.acut.com.1°.113.A/com.3°.* 7ª.131.F
Dexippus dat omnes cibos.de ve.sec.ad Erasi. 6ª.8.G
in Dexippum,& Apollonium calices cereos retorsit Erasistratus. de vict.ra.in mor.acu.com.4°. 7ª.135.A
DEXTERITAS *animi proficiscitur a bilioso humore.de natu.humana. commen.1°.* 1ª.33.B
quæ DEXTRA *& quæ sinistra sit mundi pars,secundum diuersos. de hist.philos.* Sp.6.B
Dextra sinistris æqualia,vbi æqualis vtilitas actionis.6°.de vsu par tium. 1ª.149.A
Dextra non æqualia sinistris vbi aliquid non ad eundem vsum adest. 6°.de vsu par. 1ª.149.A
Dextra pars dissidet cũ sinistra eiusdẽ corporis.q aï mor. 1ª.319.C
Dextera pars an calidior sinistra.in 6ᵐ.de mor.vul.c.2°. 3ª.169.C/F
Dexteram partem esse calidiorem probatur per dissectiones . in 6ᵐ.de morb.vul.com.2°. 3ª.169.F

Dextera pars quomodo sit calidior siniſtra. 14°. 1ª.206.G
in Dextris mares, fœminas vero in siniſtris magis concipi opinãtur aliqui.com. 5°.*aph.* 38°. *Ex.*41.B
in Dextro vteri latere mares generantur, secundum Hippocratem. bre.denot.dogm.Hipp. 1ª.23.C
in Dextris vteri partibus mares cur.in 6ᵐ.*de morb.vul.com.*2°.3ª. 169.B/F/*de spermate.* Sp.36.A
in Dextra matricis parte in horis sanguinis si sit conceptus infans, quid sequatur.de sper. Sp.38.B
in Dextra parte matricis si sit conceptus puer in horis phlegmatis omnium,quid sequetur.de sper. Sp.38.C
Dextra mammilla si gracilescat masculi abortum faciet mulier. de anat.viuo. Sp.51.F
in Dextra parte pulmo situs est.de ana.par. Sp.42.H
*in Dextra parte cur pulmoni aliquid sit adiectũ.de ana.vi.*Sp.48.A
in Dextro latere cordis quæ sint.de ana.viu. Sp.46.E
Dexter venter cordis inferior est,& magis versus hepar dispositus, attrahens ab hepate.de ana.viu. Sp.56.C
in Dextra parte cordis est vena magna.de ana.viu. Sp.46.F
in Dextra parte cur sit hepar.de ana.viu. Sp.50.G
Dextræ partis præcordiorum tumor significat iecinoris affectum. 1°. *de loc.affe.* 4ª.6.B
ex Dexteri brachij interiore vena quibus sanguis sit detrahendus. præsag.exper.confir. Sp.78.E
ad Dextram reuulsio facienda est,si siniſtrorsum inclinent succi. de cucurb.scarif. 6ª.4.E
*a Dextris & a siniſtris fit auersio secundum latitudinem. comm.*5°. *aph.*68°. *Ex.*45.D
Dextrorsum si inclinant succi,in siniſtram fiat reuulsio.de cucurbitu. scarificatione. 6ª.4.G
DIABETES *quæ affectio.*6°.*de loc.affectis.*37.F/38.C.1°.*de crisi.* 4ª.129.H
*Diabetes ita circa vesicam, vt lęuitas inteſtinorum circa aluum.*1°. *de crisibus.* 4ª.129.H
*Diabetes non pertinet ad ventriculum.*6°.*de loc.aff.* 4ª.38.A
Diabetes raro fit,& illã bis tm vidit Galenus 6°.*de loc.aff.* 4ª.37.F
*Diabetem incurrere possunt siti infeſtati.*6°.*de loc.aff.* 4ª.38.B
ad Diabetem.secretorum. Sp.102.G
DIABROSIS. 5°.*de loc.aff.* 4ª.32.E
DIACARYON *inuentũ Galeni.*6°.*de comp.med.sec.loc.* 5ª.167.F
*Diacaryon fortius est q̃ diamoron.*6°.*de comp.me.sec.loc.* 5ª.167.H
*Diacaryon distinguit in quatuor partes,ſm quatuor tempora morborum,& ſm varios homines.*6°.*de comp.med.sec.loc.* 5ª.167.H
Diacaryon quo modo debet variari secundum tempora morborum. 6°.*de comp.med.sec.loc.* 5ª.167.H
Diaclyſma,id est lauatio,ad vlcera.de rem.par.fac. 7ª.164.C
DIACISSV *compoſitio.de dyn.* Sp.28.G
in DIACODION *papauera non sunt sumenda ex humidis & paluſtribus locis.*7°.*de comp.med.sec.loc.* 5ª.180.H
*in Diacodion papauera qualia esse debent,q̃ nec duriora nec molliora.*7°.*de comp.med.sec.loc.* 5ª.180.H
*in Diacodion papauera quantæ magnitudinis esse debent.*7°.*de compo.med.sec.loc.* 5ª.180.H
*in Diacodion quanta esse debet coctura.*7°.*de cõp.med.se.l.* 5ª.180.H
*Diacodion ex melle quando melius.*7°.*de comp.me.sec.loc.*5ª.181.A
*Diacodion secundum veteres.*7°.*de comp.med.sec.loc.* 5ª.180.B
*Diacodion Andromachi.*7°.*de comp.med.sec.loc.*187.C/ 5ª.180.B
*Diacodion Critonis.*7°.*de comp.med.sec.loc.* 5ª.180.C
*Diacodion Damocratis.*7°.*de comp.med.sec.loc.* 5ª.180.D
*Diacodion Galeni.*7°.*de comp.med.sec.loc.* 5ª.180.C/G
*Diacodion Heræ.*7°.*de comp.med.sec.loc.* 5ª.180.C
*Diacodion Sorani.*7°.*de comp.med.sec.loc.* 5ª.180.F
*Diacodion valet in deſtillatione tenui a capite & tuſsi.*7°.*de cõp.me. secundum loc.* 5ª.181.A
*Diacodion ob somnum.*7°.*de comp.med.sec.loc.* 5ª.181.A
*Diacodion variatio ſm homines & ætates.*7°.*de com.me.ſ.l.*5ª.181.A
DIACOLOCYNTHIS *habet variam compoſitionem.quos pur.op.quib. med.& quo temp.* 5ª.89.A
Diacolocynthis tempore Galeni vocabatur hiera. quos pur.op.quib. med.& quo temp. 5ª.89.A
Diacolocynthidos hiera vnde dicta.de rem.par.fac. 7ª.154.G
DIACONES. 6°.*de comp.med.per gen.* 5ª.256.A
DIACROCV *medicamentũ ad lippitudines incipientes.intr.* Iſa.58.C
Diacrocu repellit.intr. Iſa.58.C
DIACHRYSON *ad petram.de dyn.* Sp.29.B
DIACHRYSV *emplaſtrum oſſium fracturaui sanat,paroticas glandulas,ſpleniticum,callũ pedis,& hemicraniã mire curat,apoſtemata,& nascentias,& carbunculos diſpergit, emproſthotonum, vel cui in capite, vel ceruice, vel scapulis nerui contrahunt, & omnẽ indignationem vel phrenitim infantium sanat.de dyn.* Sp.32.B
DIACYDONIVM *ad febres acutas omnes.de dyn.* Sp.32.H
Διάδοσις *quid.*2°.*de nat.fac.* 1ª.299.C
DIAEMATON *antidotus.*2°.*de antid.* 5ª.115.B
DIETA *quid sit.de vict.rat.in mor.acu.com.*1°. 7ª.108.G
Diæta,ætas,seu aliud naturas quandoq; reprimit.de sper. Sp.37.B
in Dieta attenuante quæ fœmina conueniant.de atten.vict. 2ª.44.E
Diæta,vide Victus.
DIAETEMATA *vocata sunt artis medicæ materia.ad Thr.*2ª.106.A
*Diætetica nõ admodũ vsi sunt antiqui Aſclepiadæ.ad Thra.*2ª.107.B
Diætetica non fuit tempore Homeri.ad Thraſ. 2ª.107.B
Διὰ εὐφορβίου *medicamentum.*5°.*meth.med.* 7ª.37.H
DIAGLAVCIV *repellit.introd.* Iſa.58.C
Diaglauciu medicamentum ad lippitudines incipientes.intr. Iſa.58.C
DIAGNOSTICA *ſigna.de ſubſt.emp.* Iſa.32.D
DIAGRIDIVM *quo modo fiat,& quo tempore.de dyn.* Sp.23.A
Διὰ ἰτεών. *de remed.par.fac.* 7ª.155.F
DIALECTICAE *inuentor Socrates.de hiſt.philo.* Sp.2.C
Dialecticæ Megarenſium auctor fuit Euclides Megarenſis.de hiſtoria philoſophica. Sp.2.F
*a Dialectica reſolutoriam diſtinguit.*1°.*meth.med.* 7ª.4.G
Dialecticam scire oportet.de ſectis. Iſa.18.F
*Dialecticæ exercitatio iuuenũ esse debet.ad eos q de typ.ſcrip.*3ª.92.g
Dialectica cæteras philoſophię partes præcedere debet. de hiſto.philoſoph. Sp.2.H
Dialecticam antiquiores primo docebant.de lib.prop. Iſa.13.F
*Dialectica prædiſcenda medicis.*1°.*meth.med.* 7ª.2.E
*in Dialectica primo circa principia exercitãdu.*2°.*de dif.pul.*4ª.58.B
*Dialecticæ,grammaticæ, & rhetoricæ tantam cognitionem habebant quidam medici tempore Galeni, quantam aſinus lyræ.*1°.*de dieb. decre.* 4ª.146.H
Dialectica nulla ars indiget.de ſectis. Iſa.17.B
*Dialectici differunt a ſophiſtis, demonſtratoribus, & oratoribus.*3°. *de decr.Hipp.* 1ª.241.H
*Dialectici periti quales ſint.*1°.*meth.med.* 7ª.3.G
Dialecticus ſolus habet viam componendi, & diuidendi. 2°.*de diff. pulſ.* 4ª.56.C
*ad Dialecticos quid ſpectat.*2°.*de comp.med.per ge.* 5ª.220.C
*Dialectici munꝰ est de noĩbus diſputare q̃uo.*1°.*de die.decr.*4ª.146.H
*ad Dialecticũ ſpectat nomina imponere rebus.*3°.*de dif.pul.*4ª.62.E
ad Dialecticũ ſpectat quærere an anhelitus ſit actio naturalis. de mot. man.& obſ. Sp.66.H
*Dialecticus quid agere debeat.*2°.*de dif.pul.* 4ª.56.H
Dialectici in quibus verſantur potiſſimum.de cauſ.procat. 3ª.97.G
*Dialectica,& logica quæſtiones quæ ſint.*2°.*de loc.aff.* 4ª.14.E
*Dialectica lemmata.*2°.*de decr.Hip.* 1ª.235.C
*a Dialecticis differunt lemmata facientia ſciẽtiã.*2°.*de dec.* 1ª.235.F
Dialecticas ſuppõnes & definitiones arguũt empirici.de ſect.Iſ. 17.B
DIALIBANI *collyria.*14°.*meth.med.* 7ª.93.G
DIALOES *amarum modice purgat.*6°.*de san.tuen.* 2ª.98.A
DIHALON *emplaſtrum acre non debet poni vbi caro augenda.* 2°.*de comp.med.per ge.* 5ª.222.A
DIAMORI *confectio.de dyn.* Sp.26.B
*Diamoron quo modo fieri debet.*6°.*de comp.med.ſec.lo.* 5ª.168.C/F
*in Diamoron quo modo coquendus mori ſuccus.*6°.*de compo.medica. ſec.loc.* 5ª.168.E
*Diamoron cur ex melle primo factum.*6°.*de comp.me.ſe.l.* 5ª.167.B
*in Diamoron ſuccus cum melle quare miſcendus.*6°.*de comp.medica. ſec.loc.* 5ª.168.B
*in Diamoron mel quantum.*6°.*de comp.med.ſec.loc.* 5ª.168.B
*Diamorõ cur crocũ & myrrhã recipit.*6°.*de cõp.me.ſec.lo.* 5ª.167.C
*in Diamorõ myrrha deducit adſtringẽtia.*6°.*de cõ.me.ſe.lo.*5ª.167.D
*in Diamorõ origanum in ſapa.*6°.*de comp.me.ſec.loc.* 5ª.168.F
*in Diamorõ cauẽda venenoſa adſtringẽtia.*6°.*de cõp.m.ſe.l.*5ª.167.D
Diamoron quando ſit coctum probatio.de dyn. Sp.26.B

Diamoron cum

Diamoron cum melle valet in omni tempore inflammationis. 6°.*de cõ po.med.sec.loc.* 5ª.167.*B*

Diamoron minus fortius q̃ diacaryon. 6°.*de comp.me.sc.loc.* 5ª.167.*H*

Diamoron ex rubi moris fortius q̃ ex alijs . 6°.*de compoſit.medicam. ſecun.loc.* 5ª.167.*H*

Diamoron de rubis vuluam ſubleuat cadentem & humoroſam deſiccat.de dyn. *Sp.*26.*B*

Diamoron quo modo conficiatur mediꝰ temperamenti. 6°.*de comp.me di.ſec.loc.* 5ª.168.*D*

Diamoron quo modo vtebatur Galenus in principio. 6°.*de comp.medi.ſec.loc.* 5ª.167.*D*

Diamorõ quo vti debemꝰ in augmẽto. 6°.*de cõp.me.ſe.lo.* 5ª.167.*D*

Diamoron quo mõ in ſtatu vti poſſumus. 6°.*de cõp.me.ſe.lo.* 5ª.168.*F*

Diamoron in declinatione quid addẽdũ. 6°.*de cõp.med.ſe.lo.* 5ª.167.*E*

Diamoron quando ſapam addit, eſt in declinatione morbus. 6°.*de cõp. med.ſec.loc.* 5ª.168.*F*

Diamoron Andromachi. 6°.*de comp.med.ſec.loc.* 5ª.169.*G*

Diamoron Heræ. 6°.*de comp.med.ſec.loc.* 5ª.169.*G*

Diamoron Heræ quo modo confectum. 6°.*de cõp.med.ſec.loc.* 5ª.168.*E*

Διὰμόρων . *de rem.par.fac.* 7ª.157.*G*

DIANAE *ſigillum habebat terra lemnia.* 9°.*de ſimp.med.fac.* 5ª.65.*A*

Διάνοια & νοῦς *aliquando idem.in* 1ᵐ.*prorr.com.* 1°. 4ª.165.*A*

Διάνοια & γνώμη *pro eodẽ a Galeno ſumunt̃.cõ.* 2°.*aph.* 6°.*Ex.* 11.*G*

DIANTHV *electuarium ad quid ſit vtile.de dyn.* *Sp.*26.*D*

DIANVCVM *ad horis affectus.de rem.par.fac.* 7ª.157.*H*

Διάνταιον, *id eſt perpetuum,quo nã dicatur.de arti.com.* 3°.7ª.271.*E*

DIAOLIBANVM *antidotum in cephalæa.de dyn.* *Sp.*23.*C*

DIAPEDESIS *quid.* 4°.*meth.med.* 7ª.23.*B*

Diapedeſis. 5°.*meth.med.* 7ª.30.*A*

Diapedeſis quo modo fiat. 5°.*meth.med.* 7ª.30.*B*

Diapedeſis ſanguinis quid. 3°.*de ſymp.cauſ.* 3ª.27.*B*

Diapedeſis, id eſt perſultatio quid. 5°.*de comp.me.ſec.loc.* 5ª.158.*F*

Diapedeſis refrigerãtibꝰ, & adſtringẽtibꝰ curãda. 5°.*me.me.* 7ª.32.*A*

DIAPENIDION *magnum facit aſthmaticis, arthriticis, ſicce tuſſientibus, vocẽ perditam ex calore perfecte reparat, phthiſicis, peripneumonicis & pleuriticis ſubuenit.de dyn.* *Sp.*26.*D*

Diapenidion minus facit ad vulnera q̃ intrinſecus ſunt maturãda, putredines purgat.conſtipata pectora mollit.de dyn. *Sp.*26.*D*

Diapenidij minoris confectio.de dyn. *Sp.*26.*D*

DIAPHANES *exiccat ſine morſu.* 4°.*de cõp.med.per gen.* 5ª.236.*F*

DIAPHOENICON *emplaſtrum.* 1°.*de arte cur.ad Gla.* 7ª.99.*C*

DIAPHORESIS. 13°.*meth.med.* 7ª.84.*E*

Diaphoretica. 5°.*de ſimp.med.fac.* 5ª.33.*A*

Diaphoretica quæ emplaſtra. 6°.*de comp.med.per gen.* 5ª.260.*G*

Diaphorici ſi fiant tremuli, calefacere hos extremum malum eſt .de palpit.conuulſ.& rig. 3ª.52.*H*

DIAPHRAGMA *vnde dicatur.de ana.viu.* *Sp.*53.*F*

Diaphragma quid.de ana.viu. *Sp.*53.*F*

Diaphragma, & p̃cordia idem.de natu.& ord.cuiusl.corp. *Sp.*42.*A*

Diaphragma eſt pars pectoris.de mot.man.& obſ. *Sp.*66.*H*

Diaphragmatis ortus. 5°.*de vſu par.* 5ª.147.*A*

Diaphragmatis locus, & vſus.de ana.par. *Sp.*43.*A*

Diaphragmatis vſus. 5°.*de vſu par.* 1ª.147.*A*/*de anat.viu.* *Sp.*53.*F*

Diaphragma eſt origo reſpirationis, & vocis, & omnium virium corporis.de vtil.reſp. *Sp.*63.*F*

Diaphragma diuidit nutritiua mẽbra a ſpũalibꝰ.de ana.viu. *Sp.*56.*F*

Diaphragma ſolũ ẽ p̃cipale iſtrm reſpiratiõis.de vtil.reſp. *Sp.*64.*B*

de Diaphragmatis anatomia.de anat.viu. *Sp.*53.*F*

Diaphragma differt ab omnibus alijs muſculis figura & actione. 13°. *de vſu par.* 1ª.201.*A*

Diaphragma, eſt muſculus rotũdus. 5°.*de vſu p.*147.*A*/13°.1ª.201.*A*

Diaphragma quid habeat peculiare præter alios muſculos. 2°.*de motu muſcul.* 1ª.316.*D*

Diaphragma quibus muſculis iuuatur.de ana.viu. *Sp.*53.*F*

ad Diaphragma veniũt tria paria neruorũ.de vo.& anhel. *Sp.*62.*A*

Diaphragmatis neruorũ origo thorace elatior ẽ. 8°.*d ana.ad.* 1ª.101.*C*

Diaphragmati qui neruus det ſenſum, & motum.de ana.viu. *Sp.*53.*F*

Diaphragmatis motus in circulum.de anat.viu. *Sp.*53.*F*

Diaphragmatis motus an ſit voluntarius.de vtil.reſp. *Sp.*63.*G*

cũ Diaphragmate quo modo moueatur pulmo.de vtil.reſp. *Sp.*63.*G*

Diaphragmatis nerui vnde producuntur. 13°.*de vſu par.* 1ª.202.*C*

Diaphragma non premit ſplen æque vt hepar & ventriculus . 2°.*de differen.reſp.* 3ª.67.*F*

pp Diaphragma depellunt̃ ad anum vniuerſa. 5°.*de vſu par.*1ª.147.*B*

ob Diaphragma affectũ tẽdunt̃ arterie. 4°.*de præſ.ex pul.* 4ª.120.*C*

Diaphragma prius inflatur, poſtmodũ venę, deide duplex pellis ſpinalis medullæ, & ipſius cerebri, vltio vero nerui.d̃ vti.reſp. *Sp.*63.*D*

Diaphragmatis apoſtemata multimoda naſcuntur ex ſanguinis ſuperfluitate.de ſper. *Sp.*36.*G*

Diaphragmatis apoſtema fit ex ſuperfluitate pituitæ.de ſper. *Sp.*36.*G*

Diaphragmatis apoſtemata generat bilis a ſtomacho.de ſper. *Sp.*36.*H*

Diaphragmatis doloribus antiquis mire conſert ſectio arteriæ manus. de ana.viu. *Sp.*54.*H*

Διατήγματα *quæ.de machin.* 7ª.309.*F*

DIAPRASIV *ſiue ſancti Petri electuarii confectio.de dyn.* *Sp.*26.*F*

DIAPYEMATA. *de tumoribus præter nat.* 3ª.83.*E*

Diapyeſis affectus palpebræ.introd. *Iſa.*58.*D*

Diapyeſm.de tum.præter nat. 3ª.83.*E*

Διαρέπειν *quid ſignificet.de artic.com.* 3°. 7ª.279.*D*/*E*

DIARHODON *collyrium.* 5°.*de ſimp.med.fac.* 5ª.38.*E*

Diarhodon collyrium. 4°.*de comp.med.fac.* 5ª.155.*C*

Diarhodõ collyriũ cõuenit augmẽto doloris ophthalmię, d̃ oc. 7ª.181.*a*

Diarhodon aſperum.de ocu. 7ª.190.*C*

Diarhodon magnum. 4°.*de comp.med.ſec.loc.* 5ª.155.*D*/*E*

Diarhodon inculpabile. 4°.*de comp.me.ſec.loc.* 5ª.155.*F*

Diarhodon erimoni.de ocu. 7ª.190.*C*

Diarhodon roborat aures. 6°.*de ſan.tuen.* 2ª.100.*B*

DIARIÆ *febres, quas græci ephemeras vocant, licet cito finiant̃, non tamen acuti morbi nominantur.com.* 2°.*aph.* 19°. *Ex.*14.*B*

Diariæ febres non dicuntur acutæ. 3°.*de dieb.decr.* 4ª.160.*D*

Diariarum differentiæ plures. 10°.*meth.me.* 7ª.62.*A*

Diariæ febres ſoluuntur partim primo, partim ſecundo die. 1°.*de dieb. decretorijs .* 4ª.148.*H*

Diariæ nõ durant niſi p viginti quatuor horas. 10°.*me.med.*7ª.61.*H*

Diaria nunquam progredietur vſq; ad tertium diem, niſi ſit factus error. 9°.*meth.med.* 7ª.55.*H*

Diariæ habent vnam acceſſionem, vno die. 9°.*meth.med.* 7ª.55.*F*

Diariæ quare qñq; tranſeunt primã acceſſionem. 10°.*met.me.* 7ª.61.*H*

Diaria primo die a reliquis diſcernenda, & tunc nõ eſt error in victu . 7°.meth.med. 7ª.52.*D*

Diariarũ febriũ notæ vbi ſcriptæ ſint a Galeno. 7°.*meth.me.* 7ª.52.*A*

Diariarum pulſus. 3°.*de præſag.ex pulſ.* 4ª.117.*H*

Diariæ febres quibus promptiſſimæ. 8°.*meth.med.* 7ª.54.*C*

Diariam poteſt effugere qui liber eſt. 5°.*de ſan.tu.* 2ª.88.*G*

Diaria febris ex quibus occaſionibus fiat. 4°.*de ſan.tu.* 2ª.88.*F*

Diaria febris ex laboribus.de vic.rat.in mor.acu.com. 4°. 7ª.150.*G*

Diaria eſt ſimplex affectus, qñ iam abijt cauſa. 10°.*met.med.*7ª.61.*B*

in Diarijs quibus cauſa abijt. 10.*met.med.* 7ª.61.*F*

in Diarijs quando manet cauſa. 10°.*met.med.* 7ª.61.*F*

cũ Diarijs in duobus communicant ſynochæ. 11°.*meth.med.* 7ª.69.*C*

Diariæ aliquæ communicant cum hectícis.de marc. 3ª.47.*E*

Diariarum & hectícarum differentia. 8°.*meth.med.* 7ª.55.*E*

de Diaria febre ex cruditate. 8°.*meth.med.* 7ª.53.*B*

Diaria febris cruditates quæ ex acido ructu ſunt, nunquam conſequitur. 8°.*meth.med.* 7ª.53.*G*

Diariam facit obſtructio. 9°.*meth.med.* 7ª.58.*B*

Diaria ex obſtructione an diaria, quia trãſit diẽ. 9°.*met.me.* 7ª.56.*A*

Diaria ex obſtructiõe trãſit in putridã, ſi plõget. 9°.*met.me.* 7ª.58.*B*

Diaria cur in putridam tranſeat. 10°.*meth.med.* 7ª.61.*F*

Diaria poteſt tranſire in putridam & hectícam. 9°.*meth.me.* 7ª.55.*G*

Diariæ quot de cauſis tranſeunt in alias febres. 9°.*met.med.* 7ª.55.*F*

Diaria febris in bilioſis tranſit in acutum , niſi cibetur æger . 8°.*met. medendi.* 7ª.54.*E*

Diariæ quæ fiunt ſine obſtructione. 10°.*meth.med.* 7ª.61.*G*

Diariæ febres ex bubone. 1°.*de digno.pulſ.* 4ª.73.*A*

Diariarum diuerſitates & curationes. 7°.*met.med.* 7ª.51.*G*

Diariæ proprie curantur. 11°.*meth.med.* 7ª.68.*D*

Diariæ febres quo modo ſoluuntur. 3°.*de dieb.decr.* 4ª.158.*D*

in Diaria vnde indicatio ſumenda. 10°.*meth.med.* 7ª.61.*B*

in Diarijs vires faciunt parum. 10°.*meth.med.* 7ª.62.*A*

in Diaria febre lauandi prima die. 7°.*meth.med.* 7ª.52.*B*

in Diaria febre ex obſtructione ſæpe lauandum. 7°.*met.med.*7ª.53.*A*

Diaria laborans temperaturæ calidæ & ſiccæ, quo modõ curandus . 7°.meth.med. 7ª.51.*G*

in Diaria ex cruditate cum profluuio polenta, & panis ὀξυλιπὴς. 8°. meth.med. 7ª.53.D
in Diaria cũ pfluuio quo modo paranda polenta. 8°.met.med. 7ª.53.D
in Diaria sistẽte fluxu alica præparata vt ptissana. 8°.me.me. 7ª.53.E
in Diaria quando dandum diatrion pepereon. 8°.met.med. 7ª.53.F
Diariæ febris ex bubone curatio. 8°.met.me. 7ª.53.H
Diaria solum post vigesimum octauum annum ægrotauit Galenus. 5°. de san.tu. 2ª.88.G
Diaria febris, lege Febris.
DIARRHOEA quid.fin.med. Isa.47.E
Diarrhœæ in quo genere symptomatum. 2°.de simp.caus. 3ª.21.E
Diarrhœa quibus fiat. 3°.de nat.fac. 1ª.303.H
Diarrhœæ qbusdã fiũt certis iteruallis, et iuuant. 7°.met.me. 7ª.48.A
Diarrhœa quo modo fiat. 3°.de nat.fac. 1ª.303.G
Diarrhœæ prima causa. 2°.de nat.fac. 1ª.299.G
Diarrhœæ fiũt patiente hepate. de vir.nost.corp.disp. Sp.60.B
Diarrhœæ vrinæ symptomata. 2°.de symp.cau. 3ª.21.E
Diarrhœam pariunt succi praui a toto corpore in inferiorem ventriculi partem confluentes. 2°.de ali.fac. 2ª.19.E
in Diarrhœea ex cruditate cum adsit inappetentia, quid agendum. 8°.meth.med. 5ª.53.E
ad Diarrhœam aptum est radicis althææ decoctum. 6°.de simp.med. facult. 5ª.46.F
Diarrhœas sanat semen lapathi, oxylapathi, & hippolapathi. 7°.de simp.med.fac. 5ª.54.B
p Diarrhœa mora immatura. 2°.de alim.fac. 2ª.18.H
Diarrhœas & dysenterias iuuat phyllitis. 8°.de simp.med.fa. 7ª.63.E
Diarrhœa laborantes iuuant poma cocta cum pane sumpta. 2°.de alimen.fac. 2ª.19.H
Diarrhœæ diuturnæ medicamentum & edulium datur ex beta & lente. 1°.de alim.fac. 2ª.9.D
Diarrhœa laborantes ab hæctica febre capti. 2°.de dif.feb. 3ª.35.F
ex Diarrhœa febris diaria ex cruditate. 8°.meth.med. 7ª.53.B
DIARTHROSIS quid.de ossibus. 1ª.40.A
Diarthroseos tres species. de ossibus. 1ª.40.A
DIASCINCI antidotus Mithridatis Eupatoris. 2°.de ant. 5ª.115.C
DIASMYRNVM. 1°.de comp.med.sec.loc. 5ª.131.B
Diasmyrnon apolophonion. 7°.de comp.me.per gen. 5ª.265.B
Diasmyrna collyria. 14°.meth.med. 7ª.93.G
Diasmyrnon collyrium. 4°.de comp.me.sec.loc. 155.D/5°. 5ª.158.G
Diasmyrnon glaucidanum medicamẽtũ. 4°.de cõp.me.se.lo. 5ª.153.F
Diasmyrnon ex hæmatite. 4°.de comp.med.sec.loc. 5ª.153.G
DIASPERMATON medicamentum. 5°.met.me. 7ª.33.C
Diaspermaton quale sit. 5°.meth.med. 7ª.35.E/F
DIASTOLAE quid.fin.med. Isa.46.E
Diastolæ q̃ apud empiricos. de vic.rat.in mor.acu.com. 1°. 7ª.111.A
Diastolæ non est cessatio, & quies. de vsu pul. 1ª.229.E
Diastolæ est actio. de vsu pul. 1ª.229.C
Diastolæ an arteriarum actio. de vsu pul. 1ª.229.A
Diastolæ quid agat. 4°.de vsu par. 1ª.140.D
p Diastolen substantia quædam attrahitur. de vsu pul. 1ª.228.D
Diastolæ magna est in fortibus. de vsu pul. 1ª.229.C
Diastolæ parua est in debilibus. de vsu pul. 1ª.229.C
Diastolæ dormiẽtium qui ample comederint, remissior est. de vsu pulsuum. 1ª.229.E
ad DIATASIM. de pass.mul. Sp.96.D
Διατελὲς quid significet. de vict.rat.in mor.acu.com. 2°. 7ª.124.F
DIATRION ppeereon duplex. 8°.meth.med. 7ª.53.F
Diatrion pepereon duplex. simplex & cõpositũ. 4°.de san.tu. 2ª.85.B
Diatrion pepereon simplicis cõpositio qualisnã sit. 4°.de sa.t. 2ª.85.B
Diatrion pepereon secundum. secretorum. Sp.101.F
Diatrion pepereon electuarium. secret. Sp.102.E
Diatrion pepereon ex aqua vel vino accipitur. 1°.de loc.aff. 4ª.5.F
Diatrion pepereon quibus conuenit. 4°.de san.tu. 2ª.86.B
Diatrion pepereon confectio stomachis cibos non digerentibus ad omnem stomachi imbecillitatem valet. de dyn. Sp.26.H
Diatriõ pepereõ p vẽtriculi frigiditate. 1°.de arte cur.ad Gl. 7ª.99.C
Diatriõ pepereõ p pituita in vẽtriculo. 1°.de arte cur.ad Gl. 7ª.99.D
Diatrion pepereon excutitur humor in tunicis ventriculi contẽtus. 1°. de loc.affe. 4ª.5.F
Diatrion pepereon Galeni contra rigores. de trem.palp.cõuul. 3ª.55.H
Diatrion pepereon in quartanis. 1°.de arte cur.ad Glau. 7ª.97.F
Diatrion pepereon quando dandum in diaria. 8°.meth.med. 7ª.53.F
DIATRITON inuenit Thessalus. 4°.meth.med. 7ª.25.H
Diatritos est deliramentum. 2°.de crisi. 4ª.135.A
Diatritariorum cibandi ratio. 10°.meth.med. 7ª.64.A
Diatritarios reprehendit 8°.meth.med. 7ª.53.H
in Diatritarium aliquem medicum qui incidunt sunt infortunati. 10°. meth.med. 7ª.61.H
Diatritarij febres augent. 1°.de arte cur.ad Glau. 7ª.94.G
Δίαυλος quid. 16°.de vsu par. 1ª.214.G
DICEARCHIA Puteolis est. 1°.de comp.med.per ge. 5ª.214.C
DICENDA non sunt oia vbiq;.in 1ᵐ.de mor.vul.com.2°. 3ª.112.D
Dicanᵗ quæ sæpe ab Hippocrate. de ijs q̃ in med.fi.com. 3°. 7ª.219.E
Dicendorum optimum principium est notitia rei quæ inquiritur. in 1ᵐ. pror.com. 1°. 4ª.163.A
Dicere publice quibus permittitur. 1°.meth.med. 7ª.3.A
Dicendi, & exponendi ratio optima. 2°.de dif.feb. 3ª.39.H
Dicere ineptus, doctus garrire inquit comicus, quod vitandum est. 4°.de dign.puls. 4ª.85.A
DICOPHYIA quid.fin.med. Isa.48.B
DICHOTOMI lunæ, qui. 3°.de dieb.decr. 4ª.157.C
DICROMA emplastra. 2°.de comp.med.per gen. 5ª.223.E
DICROTVS pulsus quid significet. 2°.de præs.ex puls. 4ª.112.C
Dicrotus pulsus, qui. 1°.de dif.pul. 4ª.50.G/comp.puls. Sp.66.A
Dicrotus pulsus. de puls.ad tiro. 4ª.43.G
Dicrotus quidam pulsus vibratus. 2°.de præsag.ex pul. 4ª.112.D
Dicroti pulsus differentia. 1°.de dif.pul. 4ª.50.H
DICTAMNVM quid.de simp.med. Sp.83.D
Dictamnum habet florem. 5°.de comp.med.per gen. 5ª.250.H
Dictamni Cretici fit mentio. 7°.de comp.me.se.lo. 185.H/10°.206.F/5°.de comp.med.per gen. 5ª.246.H
Dictamni vim imbecillam habet pseudodictamnum. 8°.de simpl.medic.fac. 5ª.64.A
Dictamnum tenuium partium est. 3°.de comp.med.per gen. 5ª.234.B
Dictamnum est tenuiori essentia q̃ pulegium, in alijs simile. 6°.de simp. medic.fac. 5ª.46.C
Dictamnum odoratum subtile. 3°.de comp.med.per gen. 5ª.234.E
Dictamnum vires habet leuiter stringentes. de simp.med. Sp.83.D
Dictamnum excalfãcit cum amaritudine. de simp.me. Sp.83.D
Dictamnum attrahens sponte natum. 5°.de simp.med.fac. 5ª.36.E
Dictamnus aperit. de ocu. 7ª.188.E
Dictamnum discutit. 6°.de comp.med.sec.loc. 5ª.169.D
Dictamnum purgat vesicam. de cathar. Sp.95.D
Dictamnum vrinas prouocat. 3°.de simpli.med.fac. 58.A/de simpli. medicam. Sp.83.D
Dictamnum matricem purgat. de cathar. Sp.95.C
Dictamnum menses prouocat. 5°.de simp.med.fa. 5ª.38.A/de cur.rat. per sang.miss. 6ª.20.F/de simp.med. 83.D/de cathar. Sp.95.D
Dictamnum fœtum mortuum expellit, & odore suo viperam & serpẽtem occidit. de simp.med. Sp.83.D
Dictamnus, quæ etiam irrationabilibus subuenit, morsum serpentum curat. de dyn. Sp.35.F
Dictamni germina ponunt in theriaca. de theria. ad Piso. 5ª.92.E
ex Dictamno emplastrum. 5°.de comp.med.per gen. 5ª.246.G
ex Dictamno emplastrum Damocratis. 5°.de cõp.me.per g. 5ª.250.F
ex Dictamno sacrum. 5°.de comp.med.per gen. 5ª.249.A
Διχάλα quid.intr. Isa.53.E
DICTIONIS esse est in significando. de sophis. Isa.7.F
Dictionis vitium non est non significare. de sophis. Isa.7.F
Dictiones veteres mutare temerarium est. 3°.de dif.resp. 3ª.69.G
Dictiones quæ significant magis vel minus bonum, & magis vel minus malum, quibus vtitur Hippocrates. in progn.com. 3°. 4ª.211.E
Dictionis figura est sextus modus sophismatum in dictione. de sophismatis. Isa.7.B
Dictionis affectio quædam esse videtur. de symp.dif. 3ª.10.C
DICTA medicorum debent intelligi vt in pluribus, collige. com. 4°. apho. 44°. Ex.32.F
Δικτυοειδὲς πλέγμα quid. 9°.de vsu par. 1ª.172.C
Διδυμία quæ. 8°.de vsu par. 1ª.170.F
DIDVCTIO quid.fin.med. Isa.50.C
DIDYMAEA. 10°.de comp.med.sec.loc. 5ª.208.A
DIDYMI, id est testiculi, quid.intr. Is.53.D/14°.de vsu par. 1ª.209.H
DIES quid significet. 1°.de crisi. 4ª.131.H

Dies

Dies quid sit.2°.de crisi.4ª.133.H/9°.meth.med. 7ª.56.A
Dies noctem comprehendit.9°.meth.med.56.A/10°. 7ª.61.G
Dies cum dicitur in medicamentis,in infusionibus,& similibus,accipienda est etiam nox.7°.de comp.me.sec.loc. 5ª.180.G
Dies tẽpus ex die & nocte cõpositũ.ad eos qui de typ.scripſ. 3ª.94.E
Dici horæ quot.ad eos qui de typ.scrip. 3ª.94.E
Dies viginti quatuor horarũ iteruallũ appellaī.de sept.par. 1ª.341.A
Diei & noctis spatium faciunt vigintiquatuor horæ æquinoctiales. de septimestri partu. 1ª.341.B
Diem accipit distinctũ contra noctem.1°.de cõp.me.per ge. 5ª.210.D
Dierum diuersitas in longitudine & breuitate pro locorum diuersitate.6°.de san.tu. 2ª.97.B
Diebus quot constet mensis.in prog.com.3°. 4ª.207.C
Diebus integris nõ numeraī annus & mensis.in pgn.cõ.3°. 4ª.207.C
Diebus quot cõstet annus.3°.de crisi.133.H/in progn.c.3°.4ª.207.C
Dierum trecentorum sexaginta quinque computatis etiam noctibus annus est.7°.de comp.med.sec.loc. 5ª.180.G
Dies correspondet anno, nam matutinum tempus veri, meridies æstati, vesper autumno, nox hiemi similis est.in 6ᵐ.de mor.vulg. commen.1°. 3ª.157.G
Diebus mensibus & annis morbi iudicantur.2°.de dieb.decr.4ª.155.B
in DIES *decretorios incidit morbi mutatio.in 3ᵐ.de morb.vulg.commenta.1°.* 3ª.132.E
Dies decretorios nouit Hippocrates.in progn.com.3°. 4ª.206.F
Dies decretorius conducit ad firmitatem iudicationis.in progno.commenta.3°. 4ª.203.E
de diebus decretorijs librum quo tempore composuerit Galenus.de præcogn.ad Posth. 4ª.219.E
de Diebus decretorijs Galenº scripsit ob amicos.2°.de die.d.4ª.159.C
de Diebus decretorijs liber prognostica præcedit.in pg.c.1°.190.E/c.3°.203.E/206.D/F/G/ 4ª.210.D
de Diebus decretorijs librum debet sequi liber de crisi.3°.de diebus decretorijs. 4ª.159.A/B
Dies contemplabiles,qui.com.2°.aph.24°. Ex.15.G
Dies quælibet habet ꝑriã naturã.1°.de arte cur.ad Glau. 7ª.100.D
Dierum numerus omnis non est aptus ad iudicium, vt experientia docet.com.4°.aph.36°. Ex.31.H
Dies secundum accessiones sunt in intermittentibus numerandi.in 1ᵐ. de mor.vul.com.1°.3ª.120.F/com.4°.aph.59°. Ex.33.H
Dies decretorij morborum.in progn.com.3°. 4ª.207.B
Dies iudicatorij,qui.com.4°.aph.71°. Ex.35.C
de Dierum iudicatoriorũ viribus,ac primo quidem de quarti,septimi,& sexti natura.1°.de dieb.decr. 4ª.146.E
de Dierum iudicatoriorũ facultate aduersus sophistas.1°.de diebus decretorijs. 4ª.147.H
Dies primus quo modo decernat in morbis.1°.de dieb.decr.4ª.148.H
Dies secundus quo modo decernat in morbis.1°.de dieb.dec.4ª.148.H
Die tertio,quinto,morbi peracuti vt plurimum terminantur, nõ quarto.com.4°.aph.61°. Ex.32.A
Dies primus iudicationis est quartus.com.4°.aph.36°. Ex.31.H
Dierũ iudicantium incrementa & cõpositiones fieri in quaternis docuit Hippocrates,vt nõ mõ quartodecimo,sed et vigesimo,& quadragesimo,& sexagesimo,& octuagesimo.c.4°.aph.61°. Ex.34.B
Diei sextæ crisis,qualis.1°.de arte cur.ad Glau. 7ª.100.C
Dies sextus est mali iudicij.com.4°.aph.29°. Ex.30.D
Dies septimus facile ad crisim paratur.1°.de arte cu.ad Gl.7ª.100.C
ante Diem septimum iudicatorie bilem effimdi est impossibile.commen.4°.aph.62°. Ex.34.C
ante Diem septimum quibus in febribus regius morbus accidit, malum.com.4°.aph.62°. Ex.34.B
Dies iudicatorius qñq; affert morbũ regium.cõ.4°.aph.62°. Ex.34.B
Dies nonus quo modo iudicatorius.in prog.com.3°. 4ª.210.H
Dies iudicatorij morborum acutorum & peracutorum ponuntur.com men.4°.aph.59°. Ex.33.H
Dies vigesimus & non vigesimus primus est iudicatorius apud Hip.com.7°.aph.38°. Ex.57.A
de Dierum omnium iudicatoriorum, & nõ iudicatoriorũ ordine vsq; ad vigesimum.1°.de dieb.decr.147.A/2°. 4ª.154.F
Diem vigesimum complent res septenarij.in prognost.comment.3°.206.F/G/ 4ª.207.H
Dies decretorij ꝑ singulas tres septimanas.in prog.com.3°.4ª.206.F
de Dierum iudicatoriorum & non iudicatoriorũ ordine qui post vigesimum enumerantur.1°.de dieb.decr. 4ª.149.C
Dies iudicatorij intra quadragesimum numerantur. commentario 4°. apho.36°. Ex.31.G
Dies qui possunt iudicare morbum per sudorem, & qui non.com.4°. apho.36°. Ex.31.G
Dies pares & impares considerandi. de victus ratio.in morbis acut. commen.1°. 7ª.113.A
per Dies pares vel impares qui morbi iudicantur.in 1ᵐ.de mor.vul. commen.3°. 3ª.120.C
Dies decretorij pares.in 1ᵐ.de mor.vul.com.3°. 3ª.120.D
Diebus paribus non fieri perfectam iudicationem,collige.commẽ.2°. apho.24°. Ex.15.G
Diebus paribus dolores,& accessiones.in 3ᵐ.de morb.vulgarib.com menta.3°. 3ª.150.F/H
Diebus partibus afflictus Pythion.in 3ᵐ.de mor.vul.cõ.3°.3ª.148.G
Dies decretorij impares.in 1ᵐ.de mor.vul.com.3°. 3ª.120.D
Diebus imparibus fiunt morbi acuti,& febres ardentes.in 3ᵐ.de morbis vul.com.3°. 3ª.144.A
ꝑ Dies impares si fiat accessio,per impares etiam fit iudicatio. in 6ᵐ. de mor.vul.com.3°. 3ª.171.C
Diebus imparibus si morbi habeant accessionem, citius iudicantur, qui vero paribus,tardant.com.4°.aph.36°. Ex.31.A
nisi Diebus iudicatorijs febris cessauerit,non fit fida iudicatio.comm. 4°.aph.61°. Ex.34.B
Diebus imparibus nisi febris reliquerit febricitantem, solet recidiuare.com.4°.aph.61°. Ex.34.A
Dies iudicatorij quo modo dici possunt causæ sanitatis.1°.de diebus decreto. 4ª.148.C
Dies iudicatorij quo modo signa sanitatis.1°.de dieb.decr.4ª.148.C
in Die iudicatorio stillatio sanguinis crassi & nigri è naribus pernicio sa est.in 1ᵐ.pror.com.3°. 4ª.186.G
Dierum decretoriorum ratio ex luna.3°.de dieb.decr. 4ª.169.E
ꝑ Dies circuitus referuntur ad septimanas & ad lunas.3°.de diebus decreto. 4ª.158.A
in Diebus criticis medicorum discordiæ vnde ortum habuere.2°.de dieb.decr. 4ª.152.G
Dies intercidentes,qui.in progn.com.3°. 4ª.206.G
Dierum numerus non attendendus in sanguinis missione.de cur.ratio. per sang.miss. 6ª.21.A
ſm Diem & horam ægritudinis cognitio.de sper. Sp.40.B
Dies qui timendi in mensibus cum quis ægrotauerit,& qui non.de dynamid. Sp.33.F
a Die quo pepererint,quo pacto in mulieribus iudicationes existant. in progn.com.3°. 4ª.208.A
Dies primi in fractura cubiti qui sint.de fract.com.1°. 7ª.230.F
Dies mortis quo modo noscenda.præsag.exper.confir. Sp.77.C
DIEVCHES *antiquus scriptor anatomiæ.de nat.hu.cõ.2°.* 7ª.183.E
Dieuches de medicamentis locutus est.6°.de simp.med.fa. 5ª.39.H
DIFFERENTIA vnde dicta,& quot modis res differant.2°.de dif.pul. 4ª.58.G/H
Differentiæ nomen quo modo sumatur diffuse.2°.de dif.pul. 4ª.58.B
Differentiæ nomen quibus possit applicari.2°.de dif.pul. 4ª.58.G
Differentiæ ab aliquibus genera,ab alijs species,ab alijs qualitates dicuntur.1°.de dif.pul. 4ª.47.B
Differentias vel species nomines,nihil refert.4°.de loc.af.4ª.122.D/de ijs quæ in med.fi.com.2°. 7ª.206.F
Dñam genus vel speciem quis dicat,nihil refert.3°.de loc.af.4ª.19.E/9°.de sim.me.fa.64.H/6°.de comp.me.sec.loc. 5ª.168.H
Differentia,genus,& idea idem sunt.11°.meth.med. 7ª.67.H
Differentia,forma,& species aliquando pro eodem capiuntur.in 1ᵐ. de mor.vul.com.3°. 3ª.117.G
Differentia,species,modus,& facies,idem. de vic.rat.in mor.acu.cõ. 4°.141.B/de ijs quæ in med.fi.com.1°. 7ª.201.E
Differentia specierum differt pro substantia, a nemine vsurpatur loquendo.1°.meth.med. 7ª.4.B
Differentiæ vniuersales iu particulares distinguuntur.in 6ᵐ.de morb. vul.com.3°. 3ª.174.H
Differentiarum quædam sunt genericæ,quædam specificæ,quędam magis genericæ,& quædam magis specificæ.2°.de dif.pul. 4ª.58.C
Differunt quædam individuo.2°.de dif.puls. 4ª.58.H
Differentias rerum, quot, & quales sint inuenire officium est logici. 3°.de diff.puls. 4ª.62.E

Differentiæ vtiles ab inutilibus ſecernendæ. 1°.*de dif.feb.* 3ª.30.*G*
in Differentias proprias exactæ genera diuidere eſt difficile. 1°.*methodi medendi.* 7ª.4.*D/E*
per Differentias ſpecificas aſcenſus fit ad genus ſupremum,& deſcẽſus ad infinita. 2°.*de dif.pulſ.* 4ª.56.*C*
per Differentias medias a generaliſſimo deſcendendũ. 9°.*de decretis Hippocratis.* 1ª.282.*A*
Differentia omnis generi addita non conducit ad ſpeciem, & quæ ſit quæ conducit. 1°.*meth.med.* 7ª.4.*C*
in Differentibus per magis & minus quo modo procendum. 10°.*de ſimp.med.fac.* 5ª.75.*A*
a Differentijs maxime proprijs & principalibus qui diſcedunt, errant. 1°.*de dif.feb.* 3ª.30.*G*
Differentia nulla accidentalis poteſt eſſe firma in ſua ſubſtantia. de *ſperm.* *Sp.37.F*
Differentia Aeris eſt calor qui deſignatur, & reuertitur ſæpius. de *ſperm.* *Sp.41.B*
Differentia æris duplex, aliud ductile, aliud conflatile. de *machinis.* 7ª.309.*E*
in Differentias diducitur Affectus non in cauſas. 9°.*methodi medendi.* 7ª.60.*G*
Differentiæ propriæ Animalis, quæ. 1°.*meth.med.* 7ª.4.*C*
Differentiæ animæ firmæ ſunt & immortales, ſecundum Porphyriũ. de *ſperm.* *Sp.37.F*
Differentiæ accidẽtales Aquæ, calor, & frigiditas.de ſperm. *Sp.40.F*
Differentia aquæ eſt eius humiditas.de ſper. *Sp.41.B*
Differunt aquæ ſm colorem, & regionem.de bon.aquæ. *Sp.76.E*
Differentiæ aquarum ex ventis.de bon.aquæ. *Sp.75.G*
Differentiæ aquarum ex metallis & herbis.de bon aquæ. *Sp.75.F*
Differentiæ quatuor tertij generis Ciborum ſubtiliantium. de *diſſolut. continua.* *Sp.72.E*
Differentia Copulæ, & membranæ.de decr.Hip.& Plat. 1ª.233.*G*
Differentiæ Corporis mortales ſunt.de ſper. *Sp.37.F*
Differentiæ Cucurbitularum ex figura.de cucurb.ſcar. 6ª.3.*E*
Differentia Duodeni, & gulæ.de ana.viu. *Sp.49.C*
Differentiæ Elementorum, & qualitates.de ſper. *Sp.40.H*
Differentiæ, & diſtantia Faſciarum.de faſcijs. 7ª.293.*F*
Differentia faſciarum è ſtructura.de faſcijs. 7ª.293.*G*
Differentia faſciarum ex materia.de facijs. 7ª.293.*F*
Differentia faſciarum ex habitu.de faſcijs. 7ª.293.*F*
Differentia faſciarum ex longitudine.de faſcijs. 7ª.293.*F*
Differentia faſciarum ex latitudine.de faſcijs. 7ª.293.*G*
Differentiæ, & eſſentiæ, & mores, & modi febriũ idem. in 1ᵐ.*de mor. vul.com.* 3°. 3ª.120.*A*
in Differentijs febrium maxime propriæ ac principales ſumuntur ab earum ſubſtantia. 1°.*de dif.feb.* 3ª.30.*F*
de Differentijs febrium quo tempore compoſuerit Galenus. de *præognit.ad Poſth.* 4ª.219.*E*
Differentia Hominis, greſſibile bipes. 1°.*meth.med.* 7ª.4.*C*
Differentia Ignis eſt calor.de ſper. *Sp.41.B*
Differentia morborum non eſt morbus. 1°.*meth.med.* 7ª.3.*H*
Differentia morbi, an morbus aliquis ſit, quo modo cognoſcatur. 3°.*methodi med.* 7ª.22.*D*
Differentiæ morborũ non adducendæ pro ſpeciebus. 1°.*me.me.* 7ª.4.*B*
a Differentia morborum non ſumitur indicatio remediorum. 1°.*methodi med.* 7ª.3.*H*
Differentiæ Muſculorum mouentium linguam.de muſ.diſ. 1ª.46.*G*
Differentia Motus, & actionis.de mot.man.& obſ. *Sp.66.G*
Differentia Neruũ, copulæ, & tẽdonis.de decr.Hip.& Pla. 1ª.233.*F*
Differentiæ medicinalium Organorum in genere.de mach. 7ª.309.*C*
Differentiæ Pulſuum genera dicuntur. 2°.*de dif.pulſ.* 4ª.55.*D*
Differentias pulſuum dici negabant quidam. 2°.*de dif.pul.* 4ª.55.*B*
Differentia Saltus, ſpaſmi, & tremoris, a pulſu.comp.pulſ. *Sp.65.B*
Differẽtia Sãguinis naturalis, & nutrimẽtalis, q̃.de ana.viu. *Sp.53.A*
Differentia Terræ eſt ſiccitas.de ſper. *Sp.41.B*
Dria teſticulorũ in viris, & mulieribus.de nat.& ord.cu. *Sp.42.B*
Differentiæ Vinorum in nutritione.de diſ.cont. *Sp.73.F*
Differentia Vomituum a natura & voluntate. de *motib.manifeſt.& obſcur.* *Sp.68.G*
Differentiæ elementorum Vocis. 1°.*meth.med.* 7ª.4.*C*
Differẽtiæ tres ſubſtãtiarũ craſſarũ in Vrinis.quæſt.in Hip. *Sp.113.E*
DIFFICILIS *eſt motus priapi.de mot.man.& obſ.* *Sp.67.D*

Difficile ſcitu quid ſit. 11°.*meth.med.* 7ª.69.*H*
Difficilia ſanatu vulnera calloſa ad ſanitatem perducit lixiuia.de ſimpli.med. *Sp.86.A*
ad Difficilia & diuturna. 1°.*de comp.med.per ge.* 5ª.216.*H*
DIFFICVLTATES *magnas faciunt deffinitiones æſine.ad Thraſybulum.* 2ª.102.*F*
ad Difficultatẽ audit⁹ cõfert ſuccus centaureæ.de vir.cent. *Sp.93.C*
Difficultas inteſtinorum morbus ex bile.contra Iul. *Ex.67.G*
Difficultatem ſpiritus quot partes poſſint facere.de opt.ſect.Iſa. 22.*F*
in Difficultate ſpirationis ſecantur iugulares.de ana.viu. *Sp.55.A*
DIFFINITIO *quid ſit.* 9°.*de decre.Hippo.* 1°.282.*A/de hiſtoria philoſophica.* *Sp.3.D*
Diffinitio quæ eſt διορισμός quid.fin.med. *Iſa.43.D*
Diffinitio totum ſignificat.an animal ſit. 1ª.326.*H*
Diffinitionis duplex genus, ſubſtantialis, & notionalis.ars me. *Iſ.62.A* 4°.*de dif.pul.* 4ª.64.*H/de hiſt.phil.* *Sp.3.D*
Diffinitio eſſentialis ex quibus conſtet. 4°.*de dif.pul.* 4ª.65.*E*
Diffinitio ſubſtantialis procedit ex his quæ ſunt de eſſentia.ars medic. *Iſa.62.A*
Diffinitio dicens eſſentiam nihil debet de præcipuis & proprijs omittere. 4°.*de dif.pul.* 4ª.64.*G*
Diffinitio rerum quæ poſitæ ſunt in generatione recipit cauſam efficientem. 4°.*de dif.pul.* 4ª.67.*H*
Diffinitiones eſſentiales quid agere debent. 4°.*de dif.pul.* 4ª.67.*H*
Diffinitiones eſſentiales non ſunt proferendæ tironibus, & quibus ſint proferendæ, & quales. 4°.*de dif.pul.* 4ª.66.*A*
Diffinitio optima capit omnia artis capita.ars med. *Iſa.62.A*
Diffinitio notionalis. 4°.*de dif pul.* 4ª.64.*H*
Diffinitio notionalis procedit ex accidentibus.ars med. *Iſa.62.A*
Diffinitio quadruplex. 4°.*de dif.pul.* 4ª.64.*H*
Diffinitiones a fine magnas faciunt difficultates.ad Thraſ. 2ª.102.*F*
añ Diffinitionem aperiẽda eſt homonymia. 2°.*de dif.pul.* 4ª.53.*F/G*
Diffinitio nihil debet hẽre ſupflui vel diminuti. 4°.*de dif.pul.* 4ª.67.*G*
Diffinitioni quæ neceſſaria. 4°.*de dif.pul.* 4ª.69.*G*
in Diffinitione genus primo exprimendum. 4°.*de dif.pul.* 4ª.67.*D*
Diffinitio a quo genere exordienda. 4°.*de dif.pulſ.* 4ª.67.*D*
in Diffinitione ponendum genus quale ſit, & an propinquum. 4°.*de dif.pulſ.* 4ª.67.*D*
Diffiniantur quo modo illa quæ dum fiunt ſunt. 4°.*de dif.pul.* 4ª.69.*C*
Diſſinitio quæ declarat quid non ſit. 1°.*meth.med.* 7ª.7.*B*
de Diffinitione Platonis libri Sophiſta & Ciuilis. 4°.*de dif.* 4ª.67.*D*
Diffinitiones cur vtiles.fin.med. *Iſa.43.B*
Diffinitiones ſunt rerum non nominum. 2°.*de dif.pulſ.* 4ª.54.*A*
Diffinitiones melius docent nominibus. 2°.*de dif.pul.* 4ª.57.*F*
Diffinitiones non ſunt omnium. 2°.*de dif.pulſ.* 4ª.53.*F*
Diſſinitiones ſuperfluæ ſunt vbi res ſunt notæ. 4°.*de dif.pul.* 4ª.64.*C*
Diffinitiones tot ſunt, quot res. 2°.*de dif.pulſ.* 4ª.54.*A*
Diffinire omnia pertinet ad ſophiſticam diſciplinam. 4°.*de different. pulſ.* 4ª.69.*G*
abſq; Diffinitione ne olus quidem emerent quidam ſophiſtæ. 2°.*de dif.pulſ.* 4ª.53.*E*
in Diffinitione non laborant empirici. 4°.*de dif.pul.* 4ª.66.*B*
Diffinitiones dialecticas arguunt empirici.de ſectis. *Iſa.17.B*
Diffinitio, animal pedeſtre bipes, qualis. 1°.*de dif.pul.* 4ª.48.*A*
Diffinitio vocis, quæ.de voce & anhel. *Sp.61.H*
Diffinitio & ordo philoſophiæ.de hiſt.phil. *Sp.2.H*
Diffinitio ſectæ methodicorum.de ſectis. *Iſa.17.D*
DIFFLATIO *quid.* 8°.*de decretis Hipp.* 1ª.278.*C/in* 6ᵐ.*de morb.vul. commen.* 5°. 3ª.190.*B*
Difflatum quid vocet Galenus.de ſymp.dif. 3ª.13.*B*
Difflantur ſemper dupliciter animalium corpora, & quo modo. 1°.*de diff.febr.* 3ª.31.*F*
Difflatio quibus fiat, quando, cur magis minusq;.in 6ᵐ.*de mor.vulg. commen.* 4°. 3ª.185.*D*
Difflatio propter quid.in 6ᵐ.*de mor.vul.com.* 5°.188.*E/*6°.3ª.195.*E*
Difflatio fit vt ſuliginoſa excrementa euacuentur.in 6ᵐ.*de mor.vul. commen.* 6°. 3ª.195.*F*
Diſflatio ratione perceptibilis, etiam quibuſdam difflatio ſeu perſpiratio ſenſui ignota dicitur, & ſemper eſt in hominib⁹.in 6ᵐ.*de mor. vulg com.* 4°. 3ª.185.*D*
Diſflantur corpora animalium occulte.com. 1°.*aph.* 15°. *Ex.8.D*
Diſflatio inſenſibilis, quæ.com. 2°.*aph.* 28°. *Ex.16.F*

ad Difflanda recte valentium corpora prodest vinum.in 6m.de mor. vul.com.4°. 3a.185.C
Difflatione & perspiratione indigent albi,& serosi humores. de frac. com.1°. 7a.229.G
qui Difflantur male,ac humores habent vitiatos, hi facile febribus corripiuntur.1°.de dif.feb. 3a.31.H
non Difflatus bene humor, putrescit.1°.de diff.feb. 3a.32.A
DIFFVSIO ptinet ad irrõnalẽ facultatẽ.4°.de decr.Hipp. 1a.248.F
DIGERENTIS actio potest ad digerendum sine occursu prouenire.de anat.viuo. Sp.45.B
nõ Digerit stomachꝰ,vt nutriat oĩa mẽbra.d̃ mot.ma.et obs.Sp.68.A
cur Digerãt aliqui carnes bouinas,& nõ pullinas.de dis.cõ.Sp.72.C
Digerunt calidi fortius cibos frigidos.de dis.cont. Sp.73.B
Digerunt humidi cibos siccos.de diff.cont. Sp.73.C
Digerunt sicci cibos humidos.de diff.cont. Sp.73.C
Digerunt minus frigidi.in 1m.de mor.vul.com.2°. 3a.115.E
Digerunt minus mulieres.in 1m.de mor.vul.com.2°. 3a.115.E
Digerunt somni multi post cibum.de diff.cont. Sp.72.G
non Digeritur cibus natans in stomacho.de diff.cont. Sp.71.H
Digerunt velociꝰ rarã hũtia subst̃ãtiã q̃ hũtia spissã.de dis cõ.Sp.73.C
Digeritur velocius caro omnis animalis quod est in augmento,& cremento,q̃ eius quod inueteratum est.de dis.cont. Sp.73.C
Digeritur velocius caro,cuius pascua sunt in locis siccis, q̃ cuius pascua sunt in locis humidis.de dis.cont. Sp.73.C
Digerantur qui cibi velocius.de diff.cont. Sp.73.C
Digeritur velocius quod est ex animalibus humidis maius,antequam durescat,quam minus.de diff.cont. Sp.73.C
Digerit velociꝰ ex dialibus siccis paruũ q̃ magnũ.de dis.cõt. Sp.73.C
Digerunt velocius carnes auiũ quã quadrupedũ.de dis.cõ. Sp.73.C
Digeruntur velocius axillę pullorũ anserũ et omniũ auiũ pinguiũ, & iuuenũ,q̃ axillæ macrarum,& antiquarum.de dis.cont. Sp.73.C
Digerit velocius anniculus ex pecude,quã agnus.de dis.cõt. Sp.73.C
Digeruntur velocius hœdi anniculi,& agni,q̃ caro antiquorum & q̃ capra.de diff.cont. Sp.73.C
Digeritur velocius caro vituli,quam caro bouis.de diff.cõt.Sp.73.C
Digeruntur velocius in aliquo corpore cibi crassi.de diff.cont.Sp.73.C
Digeritur velocius quod leuiter,& facile masticatur, q̃ quod difficulter.de diff.cont. Sp.73.D
Digeruntur facilius lactucæ,endiuia,citruli,cucurbitæ, quàm apium & carbthum.de diff. Sp.73.D
Digeruntur velocius nuces q̃ auellanæ.de diff.con. Sp.74.D
Digeruntur velocius ouа non dura,quam dura.de diff.cont. Sp.73.D
Digeruntur tarde ouа dura.de diff.cont. Sp.73.D
Digeruntur tarde quæ aues.de dis.cont. Sp.73.D
Digerens cibum medicina.secretorum. Sp.101.F
DIGERI & repercuti debent phlegmonæ incipientes, potissimum in nernosis partibus.9°.de simp.med.fac. 5a.67.A
Digerendi.i.concoquendi,humores crassi,antequam euacuentur. quos pur.ob.quib.me.& quo temp. 5a.88.D
Digerentibus & secantibus crassi & lenti humores euacuantur, & qualia esse debeant.7°.de simp.med.fac. 5a.51.E
Digerunt & incidunt crassos & lentos humores acria & amara. 8°. de simp.med.fac. 5a.58.D
ad Digerendos & exhalandos succos corporis qui propensi.9°.met. medendi. 7a.57.H
Digeritur et dissipaĩ puerorũ sũba facillime oĩum.9°.met.me.7a.60.H
Digerendi tempus est latum.7°.meth.med. 7a.45.C
Digerẽdi p halitũ vim hñt acria tenuis eẽntie.4°.d̃ sim.me.f. 5a.29.H
Digerant quæ oẽs affectus qui digeri debẽt.8°.de simp.m.fa.5a.58.A
Digerẽtia virtute discussoria præpollent.6°.de cõp.me.p g. 5a.260.H
Digerunt calefacientia.14°.meth.med. 7a.92.G
si Digerant substantiæ contactæ quippiam calefacientia,continuo illã siccant,nisi quid natura fuerit humidum vt oleum & aqua.11°.de simp.med.fac. 5a.80.B
Digerẽtia p halitũ qualia esse debẽt.de vic.ra.i m.acu.c.4°.7a.140.H
Digerentia per halitum calida,& ficca sunt.14°.meth.med.7a.89.A
Digeri in halitũ nullũ corpus põt citra calorẽ.9°.meth.med.7a.60.H
Digerentia molliendo quæ sint.14°.meth.med. 7a.87.H
cum Digerentibus adstringentia habentia medicamenta qualia, & quæ sine.6°.de comp.med.per gen. 5a.258.C
Digeruntur quæ celerrime.9°.meth.med. 7a.58.A
Digerẽtia,et repcutiẽtia optime medicamẽta q̃.9°.d̃ sim.m.f. 5a.67.G
Digerit & repellit acetum.14°.meth.med. 7a.88.G
Digerunt & emollitunt quo modo adipes & pinguedines diuersorum animalium:7°.de comp.med.per gen. 5a.264.A
Digerit vehemẽtius adeps bubulus suillo.1°.de cõp.me.per g.5a.216.f.
Digerendi vim habet Agaricum.6°.de simp.med.fac. 5a.41.D
in Digerentibus concertat ammoniacum, & inter emollientia principatum obtinet.6°.de comp.med.per gen. 5a.258.B
Digerit Androsace.6°.de simp.med.fac. 5a.43.A
Digerit Anethum.6°.de simp.med.fac. 5a.43.B
Digerit minus anethũ viride q̃ anethũ siccũ.6°.de sim.me.fa.5a.43.B
Digerit Anisum.6°.de simp.med.fac. 5a.43.C
Digerendi vim habet Anthemis.6°.de simp.med.fac. 5a.43.C
Digerentis admodũ facultatis est Apocynum.6°.de simp.me.f.5a.43.D
Digerens aqua sponte nata in Lesbo est.14°.meth.med. 7a.91.E
Digerentium aquarum balneum.14°.meth.med. 7a.89.A
Digerit Beta.9°.de simp.med.fac. 5a.62.A
Digerit Calx elota aqua marina.8°.de simp.med.fac. 5a.62.C
Digerens valde & exiccans calx.4°.de comp.me.per gen. 5a.240.C
Digerit Capparis acrimonia.7°.de simp.med.fac. 5a.49.G
Digerentibus pharmacis commiscentur Chamæleõtis radix.9°.de simpli.med.fac. 5a.63.F
Digerunt & exiccant Citri folia.7°.de simp med.fac. 5a.56.B
Digerit p halitũ maxime succus Cyrenaicus.9°.de simp.me.f.5a.57.E
Digerit vt malua Cythisus.7°.de simp.med.fac. 5a.53.H
Digerit Lolium,eruum,cicer,& ochri calfaciendo simul & resiccando.5°.de simp.med.fac. 5a.34.A
Digerit Farina Fœnugræci excalfaciendo.5°.de simp.me.fa.5a.34.A
Digerit hordeacea farina & fabacea euaporando & detergẽdo.5°.de simp.med.fac. 5a.34.A
Digerit farina panici,lupinorum,& milij resiccando. 5°.de simp.medic.fac. 5a.34.A
Digerendi & attrahendi ea quæ in aluo sunt,vim habet Fermentum. 8°.de simp.med.fac. 5a.59.D
Digerit Fermentum.6°.de simp.med.fac. 5a.48.A
Digerit,attrahit,& siccat Gladiolus.9°.de simp.med.fac. 5a.57.B
Digerens perspiratu Hellespontia.6°.de comp.med.per gen.5a.259.E
Digerit Lampsane.7°.de simp.med.fac. 5a.54.A
Digerit tertia Lappæ species.6°.de simp.med.fac. 5a.43.G
Digerit cæteris potentius adeps Leonum.11°.de simp.me.fa.5a.79.B
Digerit Leontopetalon in tertio ordine.7°.de simp.med.fac. 5a.54.C
Digerunt,& emolliunt Libanotides.7°.de simp.med.fac. 5a.54.D
Digerit Lixiuium.14°.meth.med. 7a.88.G
Digerit ac detergit Marrubium.8°.de simp.med.fac. 5a.62.A
Digerit & emollit Mastiche ægyptia.7°.de cõp.me.per ge. 5a.264.B
Digerit & concoquit Melilatus.7°.de simp.med.fac. 5a.55.D
Digerens est Mercurialis.7°.de simp.med.fac. 5a.54.G
Digerit Moly crassos humores.7°.de comp.med.per gen. 5a.56.E
Digestionem faciunt Mora.de simp.med. Sp.87.G
Digerentia Olea.1°.de comp.med.per gen. 5a.211.E
Digerit fortius in medicamento oleum.7°.de cõp.me.per g.5a.264.G
Digerit citra morsum & emollit oleum liliorum.7°.de sim.m.f.5a.53.B
Digerit oleum calidum.5°.meth.med. 7a.37.D
Digerit & rarefacit Onobrychis.4°.de simp.med.fac. 5a.57.C
ad Digerendum viscosos,& crassos humores Oxycratum aquosum. de vict.rat.in morb.acut.com.2°. 7a.117.A
Digerit & calefacit Peucedani radix.9°.de simp.med.fac. 5a.58.D
Digerẽdi vim hñt folia Phloni albę et nigrę.8°.de sim.me.fa.5a.62.C
Digerit & attrahit Phorbium.8°.de simp.med.fac. 5a.63.D
Digerit Piper album.1°.de comp.med per gen. 5a.214.B
Digerẽs et siccus ĩ sẽdo,frigidꝰ i primo Rhãnus.8°.de sim.m.f.5a.59.E
Digerendi vis inest Raphano.8°.de simp.me.fac. 5a.59.E
Digerit & extrahit Sal ammoniacum.2°.de cõp.me.per ge.5a.221.A
Digerit & contrahit Salsa qualitas.11°.de simp.med.fac. 5a.83.D
Digerit Sion.8°.de simp.med.fac. 5a.63.F
Digerunt per halitum tumores,Sordes palestritarum cum sudore.10°. de simp.med.fac. 5a.75.C
Digerunt sordes & sudor.9°.de simp.med.fac. 5a.60.A
Digerunt multum cum sudore sordes palæstritarum, sine sudore plus repercutiunt,minus digerunt.10°de simp.med.fac. 5a.57.C
Digerit maxime Sisercus.10°.de simp.med.fac. 5a.75.H
Digerit magis Terebinthina q̃ mastiche,cur.9°.de simp.me.f.5a.59.F
Digerit & emollit Thus.7°.de comp.med.per gen. 5a.264.B

Digerunt Vigiliæ.12°.meth.med. 7ª.75.G
Digerit per halitum vigilia,& ſiccat,nec coquit quæ in imo . de vict. rat.in mor.acu.com.2°. 7ª.125.B
Digererc humores crudos non ſinit ſomnus.12°.meth.med. 7ª.75.G
Digerit Xanthium.8°.de ſimp.med.fac. 5ª.57.A
Digerit,ſiccat,attrahit Xiris.8°.de ſimp.med.fac. 5ª.57.B
Digeritur valde,& exhalat aqua calefacta.9°.meth.med. 7ª.60.H
Digerunt ægre p halitũ frigidæ & ſiccæ naturæ.9°.meth.me. 7ª.60.H
Digerentia medicamenta cur cõpoſita.7°.de cõp.me.per ge. 5ª.263.D
Digerẽtia nõ debẽt applicari pleno corpore,cur.13°.met.me. 7ª.86.C
Digerẽdũ fluxiõe cõſiſtẽte et corpe vacuo.1°.de cõp.me.p ge. 5ª.212.D
Digerendum quando in phlegmone.13°.meth.med. 7ª.82.C
ad Digerentia tranſeundum, vbi phlegmones feruor eſt mitigatus . 13°.meth.med. 7ª.81.C
Digerentibus medicamentis plętora curatur . 13°.meth.me. 7ª.81.H
Digerentia medicamenta.14°.meth.med. 7ª.91.E
Digerit magis cataplaſma ex pane q̃ ex tritico.8°.de ſim.m.f. 5ª.59.D
Digerens vapore quibus iam pus eſt.6°.de comp.me.per ge. 5ª.259.G
Digerendum quomodo pus in oculis.14°.meth.med. 7ª.93.G
Digerẽtia q̃ ſint in puncturis neruorũ.3°.de cõp.me.per ge. 5ª.235.A
Digerentia quo modo fiant cerati mixtura carnis explẽtia.6°.de cõp. med.per gen. 5ª.260.H
Digerunt quæ inflationem.deren.aff.digu.& med. 7ª.194.B
Digerunt trahentia.4°.de comp.med.per gen. 5ª.235.H
Digerunt,& ex alto violenter extrahunt calida valde cum humiditate coniuncta,vt thapſia.6°.de ſimp.med.fac. 5ª.48.C
Digerentia ex alto humiditates,cum acrimonia id efficiunt.4°.de cõpo.med.per gen. 5ª.235.H
ad Digerendum,Antipatri.6°.de comp.med.per gen. 5ª.261.E
ad Digerendum,Attalicum.1°.de comp.med.per gen. 5ª.216.H
ad Digerendum,Candida.6°.de comp.med.per gen. 5ª.261.A
Digerens aliud.6°.de comp.med.per gen. 5ª.261.E
ad Digerẽdũ Damocratis ex calce viua.7°.de cõp.me.p ge. 5ª.263.A
ad Digerendum emplaſtrum.6°.de comp.me.per ge. 5ª.261.D
ad Digerendũ & extrahẽdũ empl'm.6°.de cõp.me.p ge. 5ª.260.H
Digerens & repellens emplaſtrum.2°.de comp.me.per ge. 5ª.221.A
ad Digerendum melinum emplaſtrũ.6°.de cõp.me.per ge. 5ª.262.D
Digerens emplaſtrum ex ſale.6°.de comp.med.per ge. 5ª.258.D
ad Digerendum vt Scribonius.6°.de comp.med.per ge. 5ª.261.E
ad Digerendum è ſtruthio.6°.de comp.med.per gen. 5ª.261.E
ad Digerendum Xenocratis.6°.de comp.med.per gen. 5ª.261.E
Digerentia & reprimentia carbunculos.14°.meth.med. 7ª.90.B
Digerens & curans duritias in mãmis.1°.de cõp.med.per g. 5ª.217.B
ad Digerendum Meliceridas.6°.de comp.med.per ge. 5ª.261.F
ñ Digerit nec putreſcit ſteatoma,ſed ſola mãu curat.14°.m.m. 7ª.90.E
DIGESTIVA *virtus eſt in oĩ ṗticula corporis.c.1°.aph.22°. Ex.10.C*
Digeſtiuæ virtuti debet cibus adæquari.de diff.cont. Sp.71.H
Digeſtiuam excitans medicamentum.ſecretorum. Sp.101.G
Digeſtiuæ virtutis debilitati confert puluis gariophyllorum. de med. exper. Sp.106.E
DIGESTIO,*quid.fin.med.* Iſa.44.F
Digeſtio eſt actio naturæ.intr. Iſa.55.B
Digeſtiones tres eſſe colligi põt ex his Galeni verbis,Ob hoc igit et coctiones,& ſanguificationes,& nutritiones hiſce tpibus ſunt meliores.c.1°.aph.15°.8.B/& cũ dicit eodem aph.8.F/ Cũ ipſo vero & coctio ciborũ debilitabitur & boni sãguinis gñatio,& partiũ alis enutritio,& ſuperfluitatum vacuatio.cõ.2°.aph.7°. Ex.13.A
Digeſtio bona ciborũ in ventre fieri non põt,neq; ſanguificatio in hepate,ſi partes corporis ſint tenues.com.2°.aph.35°. Ex.17.E
ĩ Digõne ſcda venas cõcurrere cũ hepate,collige.c.1°.aph.15°. Ex.8.F
Digeſtione elaboramus cibum aſſumptum virtute proueniente ex hepate.de virtutibus noſt.corp.diſp. Sp.60.B
Digõnis principiũ qũo ſit principiũ hepar,& cor.de ana.vi. Sp.56.H
Digeſtionis inſtrumenta in pueris,etſi admodum valida non ſint, tamen operi ſuo ſufficiunt.3°.de ſymp.cauſ. 3ª.29.A
Digeſtio in partes qũo fiat,ſm Epicurum.1°.de nat.fac. 1ª.294.D
per Digeſtionem fit res modica ex multo nutrimento in omni nutritione.de vtil.reſp. Sp.62.E
Digeſtibilior eſt cibus qui ſapit abominabili.de diff.cont. Sp.73.D
Digõnis velocis cibariorũ q̃modi,et prim' modus.de diff.cõ. Sp.73.B
Digeſtionis velocis cibariorum ſecundus modus.de diff.con. Sp.73.B
Digõnis velocis de ſe sũt cibaria ſubtilia & media.de diff.cõ. Sp.73.B
Digõnis velocis eſt caro gallinæ,duragi,& ſtarne.de diſ.cõ. Sp.73.C
Digõnis durę & tardæ cibi sũt ṗponẽdi ĩ fundo ſtõi.de diſ.cõ. Sp.71.H
quæ Digerantur tardæ,& quæ cauſæ.de diff.cont. Sp.73.D
Digeſtionis tardæ ſunt pulli anſerum.de diff.cont. Sp.73.D
Digeſtionem lactis factam eſſe ex ructu & ventriculi mole licet cõijcere.7°.meth.med. 7ª.45.B
Digeſtio vini epoti quibus celeriter perficiatur.3°.de nat.fa. 1ª.308.E
Digeſtibilius eſt vinum dulce aſpero.de diff.cont. Sp.73.D
Digõnẽ adiuuat modicũ bonæ aq̃ ſi vino ṗmiſcueris.de bo.aq. Sp.75.F
ad Digeſtionẽ in corpore quæ vina conueniant.12°meth.me. 7ª.76.E
añ Digõnem ſi cibus de ſtõ deſcẽdat quid agẽdum.de diſ.cõ. Sp.75.B
Digõni & expulſioni inepta ſunt corpora dura.3°.de ſym.ca. 3ª.29.D
Digeſtio quibus lædatur.de ſal.diæta. 2ª.42.G
in Digeſtione quæ ſymptomata.de ſymp.diff. 3ª.12.A
Digõnis impedimẽtũ in obſtructione ẽ ſymptoma.de ſym.dif. 3ª.13.A
Digeſtio quo modo minuitur.6°.de ſan.tu. 2ª.98.C
Digõ in corpus diminuta ſymptoma celeris exitus.de ſym.diff. 3ª.12.E
Digeſtio ſenibus qualis.3°.de ſymp.cauſ. 3ª.29.C
Digeſtio vitiata in ſenibus.2°.de temp. 1ª.16.D
Digeſtionem Zingiber proprie facit.de ſimp.me. Sp.90.E
Digeſtionis malitiam.ſecretorum . Sp.98.D/F
Digeſtionem confortans compoſitio.ſecr. Sp.102.A
Digeſtionem adiuuans medicina Aſtoronis.de med.exper. Sp.104.A
DIGESTIO, *ideſt humorum præparatio,quomodo poſſit cito turgente materia fieri.com.1°.aph.24°.* Ex.10.G
Digõ ſemp debet expectari in longis morbis.cõ.1°.aph.24°. Ex.10.F
Digeſtio qũo fiat præſertim in humore craſſo.cõ.2°.aph.9°. Ex.12.B
Digeſtio ſit tũ ab cuaporãtibus ac detergentibus , tum reſiccantibus , tũ excalfacientibus.ſil' et reſiccãtibus.5°.de ſim.me.fa. 5ª.34.A
Digeſtio quo modo fiat magis & minus.8°.de ſimp.me.fa. 5ª.61.E
Digeſtio quibus fiat.5°.de ſimp.med.fac. 5ª.34.A
Digeſtioni valde vtile eſt libyſticum.de ſimp.med. Sp.85.H
ad Digeſtionem facientes vires iuniperum habet.de ſimp.m. Sp.85.E
Digeſtionis ſigna nunquam in principio ſtati,ſed terminantur in augmento.com.1°.aph.12°. Ex.5.D
Digeſtus niſi fuerit plurimum ſanguis non poteſt venulas meningum ſubintrare.de vtil.reſp. Sp.63.A
Digeſtio in igne quid vocetur.de vtil.reſp. Sp.64.A
Digeſtio, vide Coctio,& concoctio.
DIGITI *manus partes.de inæq.intemp.* 3ª.43.D
Digitus inter ſecunda inſtrumenta ponitur.de diff.mor. 3ª.3.B
Digitorum partes quot,& quæ.de inæquali.intemp. 3ª.43.D
Digitorum optima conſtructio,qualis.1°.de vſu par. 1ª.115.B
Digitorũ & manus ſtructurã cõſiderare debebãt philoſophi,qui cælũ & mundũ vniuerſum contemplari voluerũt.de fœt.for. 1ª.325.C
Digitorum inæqualitatis vtilitas.1°.de vſu par. 1ª.120.C/D
Digitus medius cur longiſſimus.1°.de vſu par. 3ª.120.D
Digiti cur neq; longiores neq; breuiores.17°.de vſu par. 1ª.221.H
Digitorum numeri vtilitas.1°.de vſu par. 1ª.120.C
Digit' auricularis ẽ veluti opculũ aliorũ digitorũ.1°.de vſ.p. 1ª.120.C
Digitus ſalutatorius.de rem.par.fac. 7ª.166.C
ĩ Digito aliquo qũo faciẽda ſectio cũ diligẽtia.1°.de ana.adm. 1ª.66.C
vt Digiti ad manum,ita ſe habent hepatis additamenta ad ſtomachũ. de anat.viu. Sp.50.G
Digitorum oſſa internodia dicuntur.1°.de anat.adm. 1ª.66.B
Digiti cur oſſei.1°.de vſu par.114.C/ 1ª.115.H
in Digitis oſſa ſunt facta propter motum.11°.de vſu par. 1ª.191.C
Digiti tremerent,ſi oſſa deeſſent.1°.de vſu par. 1ª.116.A
Digitorum manus oſſa viginti ſeptem.de fract.com.2°. 7ª.233.A
in Digitis cur oſſa multa,& non vnum.1°.de vſu par. 1ª.116.A
Digitorũ oſſa cur dura,denſa,& ſine medulla.1°.de vſu par. 1ª.117.A
in Digitis oſſiculum ſeſamoeides.de oſſibus. 1ª.43.G
Digitorum oſſa quot.de oſſibus. 1ª.43.C
in Digito tria oſſa.2°.de vſu par. 1ª.123.D
Digitorum oſſa neque plura,neque pauciora tribus eſſe debuere.1°.de vſu par. 1ª.116.E
a Digitorũ tribus oſſib' ſex figurarũ dr̃iæ fiũt.1°.de vſu p. 1ª.116.B
Digitorũ oſſiũ figura cur talis & tãta eſſe debet.1°.de vſu p. 1ª.116.F
Digitorum oſſa cur rotunda.1°.de vſu par. 1ª.116.F
Digitorũ oſſa cur ĩ laterib' et ĩtus nõ ſint cõnexa.1°.de vſu p. 1ª.116.F
Digitorum oſſium labia cur non æqualia.1°.de vſu par. 1ª.117.A
Digitorum oſſa inferiora cur maiora ſupioribus.1°.de vſu p. 1ª.116.E

Digiti cur carnosi. 1°.*de vsu par.* 1ª.114.C
Digitorum carnis situs. 1°.*de vsu par.* 1ª.114.D
Digitorum caro cur intrinseca. 1°.*de vsu par.* 1ª.114.D
Digitorum lateribus cur caro aliqua adnata est. 1°.*de vsu p.* 1ª.118.E
Digitorum summitas cur ex carne & vngue. 1°.*de vsu par.* 1ª.114.D
Digitorũ summitates mediæ inter mollia & dura. 1°.*de vsu p.* 1ª.114.C
Digitorum vnguis situs. 1°.*de vsu par.* 1ª.114.D
Digitorum vnguis cur extrinseca. 1°.*de vsu par.* 1ª.114.D
in Digitis cur caro supra extremas ossiũ partes. 1°.*de vsu p.* 1ª.116.C
in Digitorum articulis caro cur pauca. 1°.*de vsu par.* 1ª.116.C
extra Digitos caro cur nulla. 1°.*de vsu par.* 1ª.116.C
in Digitos cur membranarum substantia. 1°.*de vsu par.* 1ª.117.D
Digiti quibus moueantur. 1°.*de vsu par.* 1ª.117.C
de Digitorum tendonibus. 1°.*de vsu par.* 1ª.117.E
Digitorum tendones quo modo locati. 1°.*de vsu par.* 1ª.118.A
de Digitos mouentibus tendonibus. 1°.*de vsu par.* 1ª.118.B/C
in Digitorum lateribus cur tendones. 1°.*de vsu par.* 1ª.118.E
in Digitis cur tendones interni duplices. 1°.*de vsu par.* 1ª.117.F
ad Digitorũ lateralẽ partẽ tẽdones vnde orianẽ. 1°.*de vsu p.* 1ª.118.E
ad Digitos tendonum euntium vtilitas. 1°.*de vsu par.* 1ª.117.C
iter Digitorũ scissionẽ et vlnã ordines tres medij. 2°.*de vsu p.* 1ª.124.d
Digitus vnus omnibus oppositus, cur. 1°.*de vsu par.* 1ª.114.B
in Digitis præcipua manus actio. 3°.*de vsu par.* 1ª.131.G
Digitorum debet esse commoderata magnitudo ad operis perfectionẽ. 1°.*de vsu par.* 1ª.114.E
Digiti manuum sunt in maiori vsu & frequentiori, & vehementiori, q̃ pedum. 3°.*de vsu par.* 1ª.131.G
Digitis duobus summis indice & pollice minima comprehendimus, maiora ijsdem digitis, sed non extremis, maiora adhuc tribus digitis, adhuc maiora quatuor, postea quinque, postea tota manu, postea si maiora adhuc sint, vtraq; manu. 1°.*de vsu par.* 1ª.114.B
Digiti debẽt plũ distare in apprehẽsiõe magnę molis. 1°.*d vs.p.* 1ª.118.b
Digiti habent quatuor motus, propterea & quatuor tendones. 1°.*de vsu par.* 117.D/3°. 1ª.131.G
in Digitis motus duplex ad latera. 1°.*de vsu par.* 1ª.119.B
Digitorum & manus motus consideratio. de fœt. for. 1ª.325.C
in Digitis vtriusq; manus sunt articuli triginta, quorũ vnusquisq; in quatuor locis tendonũ implãtationes habet. 1°.*de vsu p.* 1ª.119.G
Digitorum articulatio est miraculum. 1°.*de vsu par.* 1ª.116.G
Digitorum articuli vt ianuarum cardines eminentiam cauitati imponunt. 1°.*de vsu par.* 1ª.116.G
Digitorum articulationes, quales. 1°.*de vsu par.* 1ª.116.H
Digitorum articuli quibus tẽdonibus extendunt. 1°.*de vsu p.* 1ª.118.C
Digitorum articuli quibus tendonibus flectunt. 1°.*de vsu p.* 1ª.118.C
Digiti cuiusq; sin articulum qui musculi flectant. de mus. dis. 1ª.52.G
Digitum magnum antichira, quasi promanum dicas, ideſt pollicem, appellant. de musc. diss. 1ª.49.B
Digitus manº magnº totius functiõis fundamẽtũ. 4°.*d ana. ad.* 1ª.79.F
Digitus manus magnus in simia mutilus. 4°.*de ana. adm.* 1ª.79.F
Digitus magnus qd habeat peculiare supra alios. 1°.*de an. ad.* 1ª.66.B
in Digito magno tendo intrinsecus. 1°.*de vsu p.* 1ª.117.H
in Digito magno nõnunq̃ duo soli musculi apparẽt. de mus. dis. 1ª.49.D
Digiti magni motus vnde. 2°.*de vsu par.* 1ª.121.C
Digiti magni primº articulus euidẽtẽ habet motũ. de mus. dis. 1ª.49.D
Digiti primum articulum qui musculi flectant. de mus. diss. 1ª.49.C
Digitum magnum mouens musculus. de mus. diss. 1ª.48.E
Digitũ magnũ qui musculi extẽdãt i neutrã partẽ. de mus. dis. 1ª.48.D
apud Digitũ magnũ exortº musculi brachiale mouẽtis. d mu. d. 1ª.48.H
Digitum magnum ab indice longissime abducens musculus vbi oriatur, & finiat. de mus. dis. 1ª.49.B
Digitos paruos manus in obliquum mouens musculus vnus. 1°.*ne ana to. admin.* 1ª.65.A/B
Digitum paruum extrorsum diducens musculus. de mus. dis. 1ª.52.E
apud Digitũ pũ exortus musculi brachiale mouẽtis. d mus. di. 1ª.48.b
Digitis paruos ab alijs abducens musculus & qui alios tres adducit. de musc. diss. 1ª.48.C
Digitũ mediũ, pollicem, indicem mouẽtes musculi. de mus. dis. 1ª.48.E
in Digitis motus ad latera quomodo fiat. 2°.*de vsu par.* 1ª.127.B
ad Digitos manus ad latera mouendos magis laudat Galenus ponere duos musculos. 1°.*de ana. adm.* 1ª.65.C
Digitorum musculi duo quandoq; vnum esse videntur, adeo inter se coaliti sunt. de mus. dis. 1ª.49.D
Digiti extendunt in apprehẽsione magnæ molis qũo de vsu p. 1ª.118.F
Digitos quatuor præter pollicẽ extendens musculus. de mus. di. 1ª.48.C
Digitos quatuor manº extẽdẽs musculº vnus ẽ. 1°.*d ana. ad.* 1ª.65.A/B
Digitos duos exiguos extendens musculus. de mus. diss. 1ª.48.D
Digitos extendens musculus. de musc. dis. 1ª.52.D/E
ad Digiti extensionem sufficit vnus tendo. 2°.*de vsu par.* 1ª.121.D
Digitorum extensio a tendonibus exterioribus. 1°.*de vsu p.* 1ª.117.D
Digitos singulos qui musculi obliquo motu moueãt. de mus. dis. 1ª.52.G
Digitos ad obliquum ducentes musculi. 2°.*de vsu par.* 1ª.121.G
Digito vnicuiq; obliquũ motũ suppeditãtes musculi. d mus. dis. 1ª.52.H
Digitos obliq̃ trorsũ, sursũq̃, mouẽtes musculi qnq;. d mus. di. 1ª.49.A
in Digitũ vnũquenq; tendones producẽs musculº. de mus. di. 1ª.48.C
Digitos et brachiale flectẽr quorũ musculorũ sit officiũ d mu. di. 1ª.48.f
Digiti manº qũo flectant et extẽdant a musclis. 1°.*de mo. mu.* 1ª.309.G
Digiti manus a quibus tendonibus flectantur. 1°.*de mo. mus.* 1ª.311.A
Digitorum flexio a tendonibus interioribus. 1°.*de vsu par.* 1ª.117.D
ad Digiti flexionem non sufficit vnus tendo. 2°.*de vsu par.* 1ª.121.D
Digitos duos post magnũ ad obliquũ flectẽtes musclũ. 2°.*d vsu p.* 1ª.121.c
Digitos quinq; flectens musculus. de mus. dis. 1ª.48.G
Digitos extrinsecos lõgissime ab alijs abducẽtes musculi. d mu. d. 1ª.52.b
Digiti articulum medium qui musculi flectant. de mus. dis. 1ª.52.H
in Digitis motus medij non habent numerum. 1°.*de vsu p.* 1ª.116.B
Digitos mouẽtes tẽdões ab antiqs vocati sũt nerui. 1°.*de vsu p.* 1ª.117.C
ad Digitos manus nerui vnde proueniant. 1°.*de loc. aff.* 4ª.7.B
ad Digitos paruos manus nerui vnde. 16°.*de vsu par.* 1ª.218.A
ad Digitos numerus ĩplãtationũ cẽtũ et viginti. 1°.*de vsu pa.* 1ª.119.G
ad Digitos magnos manus nerui vnde. 16°.*de vsu par.* 1ª.218.A
in Digitorum motu nauigantium exemplum. 1°.*de vsu par.* 1ª.119.C
DIGITI *cur in pedibus.* 3°.*de vsu par.* 1ª.129.H
Digiti pedum ex quot ossibus. de ossibus. 1ª.43.G
Digitorum pedis ossa quatuordecim sunt. de frac. com. 2°. 7ª.233.A
Digiti pedum simiæ cur diducti. 1 5°.*de vsu par.* 1ª.213.D
Digiti cur minores in pedibus q̃ in manu. 3°.*de vsu par.* 1ª.129.H
ad Digitum paruum pedis cur videtur spectare calcanei ossis pars anterior. 3°.*de vsu par.* 1ª.130.A
in Digito quolibet pedum sunt quatuor motus. 3°.*de vsu p.* 1ª.131.G
Digitus pedis qũo mouet per vim trãsmissam. an sang. in art. 1ª.62.H
Digiti & pes totus a quibus moueãtur musculis. de mus. diss. 1ª.51.H
Digiti pedum a quibus tẽdonibus moueantur. 3°.*de vsu par.* 1ª.131.G
Digiti pedũ quibus motibº a tendonibus moueanẽ. 3°.*de vsu p.* 1ª.131.G
Digitorũ pedũ tẽdones multo minores q̃ manũ. 3°.*de vsu p.* 1ª.131.H
Digitos pedum mouentes musculi. 3°.*de vsu par.* 1ª.132.A
Digitos in pede qui musculi mouent obliquo motu. de mus. dis. 1ª.52.G
Digitũ paruũ, & indicẽ pedis qui musculus flectat. de mus. dis. 1ª.52.C
Digitos mediocriter flectentes musculi. de mus. diss. 1ª.52.H
a Digiti parui vena secta curatur lien. de cur. ra. p san. miss. 6ª.19.G
Digito facta compressio sanguinem sistit. 5°.*meth. med.* 7ª.30.G
Digitorum morbi, qui. intr. *Isa.* 59.C
ad Digitorum affectus. 6°.*de comp. med. per gen.* 5ª.256.D
Digiti ac vngues liuidi significant mortem. in progn. cõ. 2°. 4ª.198.F
Digitorũ officium quo modo lęditur. 2°.*de loc. aff.* 4ª.14.F
Digiti manus cur torpidi ex casu. 2°.*de loc. aff.* 4ª.14.F
Digitus in frigore ingenti in frigidam positus facit horrorem. 3°.*de simpli. med. fac.* 5ª.20.H
vt Digitos, calcanea, & omnino extrema, hyeme exulcerat frigidũ, horum quoq; remedium est calidum. com. 5°.*aph.* 22°. *Ex.* 59.E
Digiti pedis affectionẽ cerebrũ sentit per neruũ. in pg. cõ. 1°.4ª.194.F
Digitorum pedis vlcera sanat vrina humana. 10°.*de sim. m. fa.* 5ª.75.E
Digitos frigore mortificatos habentes currebant in plano, sed non in decliui. 2°.*de vsu par.* 1ª.129.C
Digito in aquam calidam posito totum corpus aliquando mutatur. de ther. ad Pis. 5ª.94.D
Digitos incuruantes & extendentes tendones dolores patiuntur. 2°.*de locis affectis.* 4ª.11.A
ad Digitorum tendonum phlegmonas valet ouum totum crudum cũ rosaceo. 11°.*de simp. med. fac.* 5ª.81.E
ad Digitorum rhagadias. 2°.*de comp. med. per gen.* 5ª.223.D
Digiti manus lęduntur ex dorsi ictu. 3°.*de ana. adm.* 1ª.73.G
Digitis non influit vis sentiendi spina lesa. 2°.*de loc. aff.* 4ª.14.F
Digitorũ exiguorũ manus curatio circa dorsum. 3°.*de ana. ad.* 1ª.73.F
Digitos quinq; aĩalia hñtia sumẽda p anatomia. 6°.*de ana. ad.* 1ª.89.F
Digiti sexti in manu causa. de caus. morb. 3ª.9.D

Digitus sextus redundat. 14°. meth. med. 7ª.93.B
Digitus sextus est ex genere secundum naturam. de dif. mor. 3ª.4.F
Digitus sextus præter naturam. 14°. meth. med. 7ª.91.B
Digiti si præter naturam coaluerint ad quam ægritudinis differẽtiam referendum. de dif. morb. 3ª.5.D
Digiti quibus simul iunguntur. 1°. de vsu par. 1ª.118.E
Digiti pars exigua acu puncta quid facit. 2°. de dif. feb. 3ª.41.A
Digiti offensio aliquibus facit deliquium. 1°. de symp. cau. 3ª.18.E
in Digito morsi casus. 1°. de comp. med. per gen. 5ª.214.E
Digitum colligantis & incidentis ob ictum venenosi animalis, casus. 3°. de loc. affect. 4ª.19.G/H
Digitorum trium sensus amissus seruato motu, casus, & curatio, consi dera. 1°. de loc. aff. 4ª.7.B
Digitorum minimorum sinistræ manus sensum amiserat Pausanias. 3°. de loc. aff. 4ª.21.C
Digito magno pedis dolens, mortuus secunda die. 2°. de dif. ref. 3ª.66.c
Digito magno perdito quæ actiones perduntur. 1°. de vsu p. 1ª.120.C
Digito indice perdito quæ actiones perduntur. 1°. de vsu par. 1ª.120.C
Digito medio perdito quæ actiones perduntur. 1°. de vsu par. 1ª.120.C
Digito anulari perdito quæ actiones perdũtur. 1°. de vsu par. 1ª.120.C
Digito auriculari pdito quæ actiones perdunt. 1°. de vsu par. 1ª.120.C
Digitorum internodijs excisis quid agendum. 14°. meth. med. 7ª.92.B
in Digito contuso quæ exiuit membrana fecit dubitare Galenum & alios quid esset. 2°. de comp. med. per gen. 5ª.229.C
de Digitorum luxationibus, & quot sint. de artic. com. 4°. 7ª.292.D
Digiti dimotio & restauratio. de artic. com. 2°. 7ª.262.E
ad Digitum magnum alligandum, vinculum secũdum antiquos, quos Galenus reprehendit. de fascijs. 7ª.306.C
Digiti articulus in quatuordecim diebus sanat. de art. c. 4°. 7ª.292.C
in Digiti medij primo articulo dextræ manus luxati pueri casus. 3°. de comp. med. per gen. 5ª.229.A
in Digito luxati pueri casus. 3°. de comp. med. per gen. 5ª.229.C
Digitus quandoq; aufertur. de dif. mor. 3ª.4.G
Digito medicamẽtũ aceto irrorare quid sit. 7°. de cõp. me. s. l. 5ª.186.B
Digitis tribus quanto capi possit, remedia. de med. fac. pa. 7ª.171.G
in Digitalis magnitudinis frusta diuisio. 7°. de cõp. me. se. lo. 5ª.181.G
Δίγλωττος, homo duarum linguarum. 2°. de dif. pul. 4ª.56.H
DIGNITATES *quæ sint. de vic. rat. in mor. acu. com. 2°.* 7ª.119.B
Dignitas partis considerandæ. 7°. meth. med. 7ª.49.C
DIGNOTIO *quid sit apud Hippocratem, & quo modo fiat. de ijs quæ in med. fiunt, com. 1°.* 7ª.198.H
Dignotio ad curationẽ facit. de vic. ra. in mor. acu. com. 1°. 7ª.108.D
Dignotio est propter curationem. de vic. ra. in mor. acu. c. 1°. 7ª.108.D
Dignotionem & prænotionẽ cõsequitur curatio. 10°. me. me. 7ª.64.H
Διηχμάνει. 2°. de diff. puls. 4ª.54.D
DILABILEM carnem habentibus in euacuatione parcendũ. præ sag. exper. confir. Sp.77.H
DILASSATORVM *pulsus. 1°. de arte cur. ad Glau.* 7ª.95.D
DILATARE *quid sit. in 6ᵐ. de mor. vul. com. 2°.* 3ª.160.E
Dilatantia vias vrinarias. de ren. aff. dign. & med. 7ª.193.H
Dilatatio vasorum vrinæ quo cognoscatur. de ren. affe. dign. 7ª.192.G
Dilatat aqua temperata. 7°. meth. med. 7ª.44.F
Dilatat oleum sabinum. 7°. meth. med. 7ª.51.D
Dilatari maxime, & constringi proprium est neruosorum non carnoso rum. de vic. ra. in mor. acu. com. 3°. 7ª.131.A
Dilatatio musculosa vocat musculus latus in collo. de dis. mus. 1ª.44.E
Dilatatiõis et cõstrictiõis motu mouet cerebrũ et cor. d an. vi. Sp. 56.E
Dilatatio, & cõstrictio humoris albuginei qñ fiat. de ana. viu. Sp. 48.F
Dilatãtes & cõstringẽtes lacerti duo in foliis nasi. de ana. vi. Sp. 49.a
Dilatatio et cõstrictio laryngis qb° musculis fiat. de vo. ist. dis. 1ª.107.e
Dilatantes linguam musculi, qui. de ana. viu. Sp. 49.C
qñ Dilatat cor plana est intrinsecus figura cordis. de ana. vi. Sp. 56.C
Dilatatiui motus cordis quæ causa sit. de ana. viu. Sp. 56.D
in Dilatatione cor trahit quod repletum est id quod ex eo vacuatum fuit. in Tim. Plat. 1ª.290.D
Dilatat, et cõtrahit diuti° cor ab aẽali extractũ. in tim. Pla. 1ª.290.C
Dilatetur, & constringatur quo modo pulmo. 5°. de loc. aff. 4ª.31.C
Dilatatio anhelitus in retentione menstruorum. secretorum. Sp. 99.B
Dilatando & constringendo mouetur inferius orificium stomachi, ho ris tamen determinatis. de anat. viu. Sp. 56.E
Dilatatio thoracis quibus fiat. de mot. man. & obs. Sp. 67.A
Dilatãt thoracẽ septũ trãsuersum vnà cũ musculis. de mus. dis. 1ª.49.F
Dilatans thoracem dilatatione magna musculus qualis, & vnde oriatur, ac vbi desinat. de mus. diss. 1ª.47.A
Dilatans thoracem musculus. de mus. diss. 46. H/ 1ª.49.E
Dilatantes thoracẽ fibræ quæ, & earũ exortus. de mus. diss. 1ª.49.D
ad Dilatationẽ et cõstrictionẽ thoracis mouet pulmo. d an. vi. Sp. 47.H
Dilatatur, & constringitur vterus. de ana. viu. Sp. 56.E
Dilatatur collũ matricis in defloratione virginis. de ana. viu. Sp. 51.E
Dilatatur collum matricis in partu vt concauitas. de ana. vi. Sp. 51.E
post Dilatationẽ tãtã matrix breui redit ĩ pristinũ statũ. d an. v. S. 52.E
Dilatatus musculus in pede versus magni digiti partes magis, retrorsumá, & extrorsum leuiter pedem inuertens. de mus. diss. 1ª.52.B
DILIGENTIA *exquisita in sermone, quæ. de frac. com. 2°.* 7ª.240.D
Diligẽtiæ filiorũ principũ a rectoribus est formido. de pcog. 4ª.219.D
DILVTVM *quo modo fiat. 2°. de alim. fac.* 2ª.18.C
Dilutum fit valentius cum vinaceis asseruatum fuerit ad ver aut ad æstatem. 2°. de alim. fac. 2ª.18.D
Dilutum secundum. 2°. de alim. fac. 2ª.18.C
Dilutum & non dilutum idem medicamentum varia facit. 2°. de compo. med. per gen. 5ª.225.C
Diluta temperatura. 4°. de comp. med. sec. loc. 5ª.155.C
DIMENSIONES corporis tres sunt. de pul. ad tiro. 4ª.43.D
Dimensiones tres habent arteriæ vt alia corpora. de diff. pul. 4ª.47.C
Dimensione vna distensa aliæ minuuntur. 1°. de nat. fac. 1ª.292.B
DIMIDIVM *facti qui bene cœpit habet. 5°. meth. med.* 7ª.42.E
ad Dimidium ebullit. 5°. de comp. med. sec. loc. 163. D/7°. 5ª.178.H
ad Dimidiũ coctio. 5°. de cõp. me. se. lo. 163. D/7°. 181. G/9°. 5ª.203.F
DIMINVTIO *quid. 1°. de nat. fac.* 1ª.290.H
Diminutio vocis vnde fiat. de voce, & anhel. Sp. 60.H
Diminutio partium a quibus causis fiat. de cau. mor. 3ª.9.D
in Diminutis et fractis diuersa deligatio. d ijs q̃ ĩ med. fi. c. 3°. 7ª.221.F
Diminuta purgatio quo mõ sit adiuuãda. præsag. exper. cõfir. Sp. 78.D
DIMOTIO *quid in ossibus. de frac. com. 3°.* 7ª.248.E
Dimotio omnis est euacuatio. 14°. meth. med. 7ª.89.A
Δῖνος, idest vertigo. de vict. rat. in morb. acut. com. 4°. 7ª.139.D
DINOTATIO *est de præsentibus. in progn. com. 1°.* 4ª.190.H
DIOBOLARES pastilli. 7°. de comp. med. sec. loc. 5ª.185.B
DIOCLES *Carystius, princeps sectæ rõnalis post Hipp. int. Isa.* 51.D
Diocles auctor gymnasticæ legitimæ. ad Thras. 2ª.108.A
Diocles medicus grauissimus. 8°. de decr. Hipp. 1ª.276.B
Diocles artem corpori præsidem totam callebat. ad Tras. 2ª.108.A
Diocles medebatur humanitate. 9°. de decr. Hipp. 1ª.281.H
Dioclis meminit. de artic. com. 4°. 7ª.288.H
Diocles primus posteritati reliqt libros anatomicos. 2°. d an. ad. 1ª.68.F
Diocles antiquus scriptor anatomiæ. 2°. de nat. hum. 7ª.183.E
Diocles librũ fecit de mulierũ morbis. in 6ᵐ. de mor. vul. c. 2°. 3ª.169.E
Diocles librum fecit de septimanis. com. 2°. aph. 34°. Ex.17.C
Diocles vtitur calido, frigido, humido, sicco, alijs veluti agẽtibus, alijs veluti patientibus. 2°. de nat. fac. 1ª.299.G
Diocles de medicamentis locutus est. 6°. de simp. med. fac. 5ª.39.H
fm Dioclem alica est ptissana triticea. 1°. de alim. fa. 2ª.10.H
apud Dioclem Dolichi sunt phaseoli. 1°. de alim. fa. 2ª.15.B
fm Dioclẽ respir° ẽ ĩnati caloris vẽtilatio, ac refrigeratio. d vt. 1ª.223.c
Diocles voluit sudorem non esse naturalem. de symp. diff. 3ª.13.H
Diocles ignorauit vasorũ sẽialiũ cõiũctionẽ in muliere. de diff. 1ª.109.c
Dioclis ad dentium dolores. 5°. de comp. med. sec. loc. 5ª.165.C
Dioclis Chalcedonei medicamentum. 7°. de comp. med. sec. lo. 5ª.184.F
DIOCLEVM *collyrium. 4°. de comp. med. sec. loc.* 5ª.154.F
DIOCLEVS *tholus quo modo fiat. de fascijs.* 7ª.295.F
DIODORVS *grammaticus. de venæ sect. aduers. Eras.* 6ª.14.G
Diodori malagma. 10°. de comp. med. sec. loc. 5ª.209.D
Diodori medicamentum. 9°. de comp. med. sec. loc. 5ª.199.C
Diodori medicamentum. 5°. de comp. med. per ge. 5ª.254.E
DIOGENES *Babylonius scripsit de anima. 2°. de decr. Hip.* 1ª.237.B
ex Diogene Babylonio, vox vnde emittitur. 2°. de decr. Hip. 1ª.237.C
DIOGENES *cynicus vir alioqui continentissimus, quomodo libidini indulsit. 6°. de loc. affe.* 4ª.39.H
Diogenes de natura scripsit, sed ad Galeni manus non peruenit liber. in 6ᵐ. de mor. vul. com. 2°. 3ª.169.E
Diogenes cynicus motũ negãtes quo mõ deludebat. de cau. pc. 3ª.97.G
Diogenes animæ præcipuam partem in cordis arterijs ponit vna cum spiritu qui ad pulmonem descendit. de hist. philo. Sp. 9.F
vt Diogenes medicamentum. 9°. de comp. med. sec. loc. 5ª.205.B

DIOMEDES *vir ſtrenuus.de cogn.cur.ani.mor.* 2ª.51.F
DION *menſis Macedonum.in 1ᵐ.de mor.vul.com.1°.* 3ª.102.C/D
DIONYSIAS *ſpecies androſæmi.6°.de ſimp.med.fac.* 5ª.43.A
DIONYSISCI *quid.fin.med.* Iſa.49.A
DIONYSIA *dicta emplaſtra.6°.de comp.med.per gen.* 5ª.262.C
DIONYSIVS *methodicæ ſectæ auctor.introd.* Iſa.51.D
Dionyſius Samius.4°.de comp.med.per gen. 5ª.244.A
Dionyſius quos in obſcuris ſeruauerat,in domo ſplendidiſſima obcæcabat.10°.de vſu par. 1ª.178.H
DIONYSIVS *obſtrictus Corinthi.in or.ſuaſo.* Iſa.2.F
DIOPHANTHVS *chirurgus.5°.de comp.med.per gen.* 5ª.249.B
Diophantis aphra emplaſtrum.2°.de comp.med.per gen. 5ª.222.E
vt Diophantus Lycius colica,quam admiratus eſt Ariſton.9°.de cõpo.med.ſec.loc. 5ª.202.C
DIORISMI *qui.de vic.ra.in mor.acut.com.1°.* 7ª.111.A
DIOSPHYRA *exiguum habent alimentũ.2°.de alim.fac.* 2ª.22.B
DIOSCORIDIS *Anazarbei meminit.aduerſus Lycum.* Ex.63.G
Dioſcorides ſcriptor ſimplicium.1°.de antid. 5ª.100.B
Dioſcorides,Philiſtion,& Euriphon,de ſubſtitutis medicis ſcripſere. de ſubſti.med. 5ª.84.H
Dioſcoridẽ ꝓbat in medica materia ſcribenda.1°.de antid. 5ª.105.F
Dioſcorides laudatur a Galeno.6°.de ſimp.med.fac 39.G/4°.de cõp. med.per gen. 5ª.236.C
*Dioſcorides veriſſie ſcripſit vbi optia ſĩt medicamª.1°.đ ant.*5ª.100.C
Dioſcorides verſatº ẽ ĩ medicamẽtis metallicis.de na.hu.c.2°.7ª.183.E
Dioſcorides haud ꝓbe callẽs linguã Græcã.11°.de ſim.me.f. 5ª.79.D
Dioſcorides,q̃ indeterminate loquatur de ſimplicibus reſpectu morborum.7°.de ſimp.med.facul. 5ª.52.C
Dioſcoridi non fidendum,cum medicamentis indefinitis non ſit fidendum.3°.de comp.med.ſec.loc. 5ª.142.C
Dioſcorides exacte non diſcriminat diſpoſitiones, quibus conueniunt ſimplicia.8°.de ſimp.med.fac. 5ª.58.H
Dioſcorides de ſimplicibus egit ſecundum genus,& non exquiſite.2°. de comp.med.per gen. 5ª.195.F
non vt Dioſcorides,ſed vt Galenus ſcripſit,cognoſcenda ſunt ſimplicia.2°.dc comp.med.per gen. 5ª.218.F
Dioſcoridem in butyro taxat Galenus.10°.de ſimp.med.fac. 5ª.74.C
Dioſcoridem taxat in cinere.8°.de ſimp.med.fac. 5ª.62.C
Dioſcoridem damnat in lachene Galenus.7°.de ſimp.me.ſa. 5ª.54.B
Dioſcoridem reprehendit in prunis Damaſcenis & in coriandro.7°.de ſimp.med.fac.51.H/ 5ª.52.C
*contra Dioſcoridẽ Galenus in reſinis.3°.de cõp.me.per gen.*5ª.230.D
Dioſcoridis error.5°.de ſimp.med.fac. 5ª.35.G
Dioſcorides & empiricus & indefinitus.1°.de cõp.me.ſe.l. 5ª.129.C
*Dioſcorides pro acri adſtrictorium dixit.11°.de ſimp.me.fa.*5ª.79.D
Dioſcorides Tharſeus tradidit Areo Aſclepiadeo pharmacum.5°.de comp.med.per gen. 5ª.254.E
*Dioſcoridis epuloticum ad chironia.4°.de comp.med.per ge.*5ª.239.d
*ſm Dioſcoridem gleucini cõfectio.7°.de comp.med.per ge.*5ª.272.G
Dioſcoride hypogloſſis.7°.de comp.med.ſec.loc. 5ª.181.D
Dioſcoridis medicamentum.7°.de comp.med.per.gen. 5ª.265.B
Dioſcori antidotus hepatica.8°.de comp.med.ſec.loc. 5ª.195.A
DIOSCORIDIS *æditio librorum empidimiorum Hippocratis. in 3ᵐ.de mor.vulg.com.1°.* 3ª.133.C
*Dioſcorides ſcripturas veteres puertit.ĩ 6ᵐ.de mor.vul.c.1°.*3ª.152.D
DIOSCVROS *quid.fin.med.* Iſa.48.H
DIOSPOLITICI *medicamẽti cõpõ duplex,et q̃.4°.de ſan.tu.* 2ª.85.A
Dioſpoliticon medicamentum ponitur in cremore ptiſſana & in alijs. 4°.de ſan.tu. 2ª.85.A
Dioſpoliticon medicamentum aptum frigido ventriculo aut temperato,ſed ad frigus propenſiori.6°.de ſan.tu. 2ª.99.D
*Dioſpoliticon purgat pitu tã in vẽtrẽ defluẽtem.6°.de ſan.tu.*2ª.99.D
*Dioſpoliticon pro pituita in ventriculo.1°.de ar.cur.ad Gla.*7ª.99.D
Dioſpoliticon optimum ad flatus.4°.de ſan.tu. 2ª.85.B
Dioſpoliticum in quartanis.1°.de arte cur.ad Gla. 7ª.97.F
*Dioſpolitico medicamẽtũ q̃uo aluũ deiçere faciat.4°.de ſa.t.*2ª.86.D
Dioſpoliticon leuiter deiecit.6°.de ſan.tu. 2ª.97.H
DIOTAS *Iatraliptes.7°.de comp.med.ſec.loc.* 5ª.186.B
DIPHRIGES, quid.de ſimp.med. Sp.83.D
Diphrigem,ex Cypro Galenus aſportauit.1°.de antid. 5ª.100.C
*Diphriges qualis.9°.de ſimp.med.fac.*5ª.69.A/4°.de comp.med.per *genera.* 5ª.236.E
Diphriges adſtringens noxium deuoratum.13°.meth.med. 7ª.85.C
Diphriges in modum niuis refrigerat.de ſimp.med. Sp.83.D
Diphriges viſcidiſſime ſtringere poteſt.de ſimp.medi. Sp.83.D
Diphriges medicamentum mite.4°.de comp.med.per gen. 5ª.238.G
Diphriges exiccat plus pice.4°.de comp.med.per ge. 4ª.240.H
*Diphriges cõbuſtũ cicatricẽ inducit p accñs.5°.de ſim.me.fa.*5ª.36.D
Diphriges poſt cadmiam repertus ad putreſcẽtia oris vlcera valet, ad anginam,ad columellam præfectam, & in vlceribus omnibus pudendorum atq; ani.9°.de ſimp.med.fac. 5ª.69.A
Diphriges vlcerum rebellium eſt optimum medicamentum.9°.de ſimpli.med.fac.69.A/2°.de comp.med.per gen. 5ª.220.H
Diphriges ad oris vlcera valet.5°.meth.med. 7ª.34.H
Diphriges vt argenti ſpuma lauatur.1°.de comp.med.per g. 5ª.213.E
Diphriges pro alumine ſciſſili.4°.de comp.med.per gen. 5ª.237.E
DIPLOE. *5°.meth.med.* 7ª.42.A
DIPSACOS *quæ affectio.6°.de loc.affe.* 4ª.37.F
Dipſacon raro vidit Galenus.6°.de loc.aff. 4ª.37.F
in Dipſacon incurrere poſſunt ſiti infeſtati.6°.de loc.aff. 4ª.37.B
DIPSACI *radix in ſicci ſecundo.6°.de ſimp.med.fac.* 5ª.46.C
DIPSAE *viperæ ſpecies.1°.de ſymp.cau.* 3ª.18.D
Dipſades cur dictæ viperæ.11°.de ſimp.med.fac. 5ª.78.B
contra Dipſadas valet theriaca.de ther.ad Piſ. 5ª.91.E
*Directum duobus dicitur modis.de ijs quæ in med.fi.cõ.1°.*7ª.202.E
*ꝓ Directũ fieri debere euacuationẽ q̃uo ĩtelligẽdũ.3°.de criſ.*4ª.139.E
ſm Directum ſanguis fluere debet.3°.de criſ. 4ª.144.F
Dirigenda ſunt diſtorta.de ijs quæ in med.fi.com.2°. 7ª.213.F
pro DISCENTIVM *natura anni diſciplinę multi ac pauci redduntur. de præcogn.ad Poſth.* 4ª.220.B
Diſcendi facilitas oſtendit cerebri ſubſtantiam facile formarum ſuſceptiuam.ars med. Iſa.63.E
Diſcendi difficultas oſtendit cerebri ſubſtantiam nõ facile formarum ſuſceptiuam.ars med. Iſa.63.E
ad Diſcendum hebetes aliud quid agant.3°.de diff.reſp. 3ª.70.G
Diſcere linguam vnam ornatiſſima melius eſt q̃ ſex cẽtas deprauatas. 2°.de dif.pulſ. 4ª.54.H
*Diſcẽdæ ſunt vel minimæ artis medicæ partes.de part.ar.me.*Sp.16.G
*Diſcere a viua voce & libro non idem.6°.de comp.me.ſe.lo.*5ª.166.G
Diſcere indiget tempore.3°.de diff.reſp. 3ª.69.C
Diſcentium animi quo modo probentur.com.1°.aph.1°. Ex.2.D
cum Diſcere volente & ſciente vno potius agendum, q̃ cum mille oppoſitis.1°.de dign.pul. 4ª.70.G
Diſcentes ſero pugnãtia dicunt.in 3ᵐ.de morb.vul.com.1°. 3ª.130.D
Diſcere erubeſcunt nutriti in mala ſcientia.7°.meth.med. 7ª.52.B
*Diſcentes nõ ſentimus aliquẽ motũ in chorde.2°.de dec.Hip.*1ª.239.G
Diſcentem credere oportet.1°.de dieb.decr. 4ª.147.D
*ad Diſcer volẽtes et cõtradicẽtes qd dicer ſolebat Ga.3°.đ cr.*4ª.142.B
DISCEPTATORIAE *ſciẽtiæ multæ.2°.de decr.Hipp.* 1ª.240.A
Diſceptatoriæ ſcientiæ,quæ.2°.de decr.Hip. 1ª.240.A
DISSERENDI *ratio acuit animum.de cuiuſq; ani.pec.no.* 2ª.56.F/G
DISCERNENS *morbos medicæ rei pars in quibus exercenda.de ijs quæ in med.fiunt,com.1°.* 7ª.198.H
*Diſcernendũ prius,poſtea curãdũ.de ijs quæ in med.fi.c.1°.*7ª.197.G
Diſcernit humores natura poſt coctiones & ſuperfluitates expellit.cõmen.1°.aph.22°. Ex.10.C
DISCERPTIO.*i.τίλμα, quid ſit.de ijs quæ in med.fi.cõ.1°.* 7ª.219.C
DISCIPLINE *ſunt rerum recordationes.de ther.ad Piſ.* 5ª.89.H
Diſciplina fit breuiſſimo tempore.1°.de dieb.decr. 4ª.147.C
Diſciplinæ anni multi ac pauci redduntur pro diſcentium natura. de præcogn.ad Poſth. 4ª.220.B
Diſciplinas didiciſſe a pueritia et eſſe ingenioſum preſtat ad artes addiſcendas.2°.de comp.med.ſec.loc. 5ª.134.H
Diſciplinæ ordo,qui.4°.de anat.admi. 1ª.79.G
Diſciplina omnis vnde initium habere debet.4°.de diff.pul. 4ª.68.A
Diſciplinas quid ſequitur,qualis ſit.de conſuet. 2ª.61.F
Diſciplinæ pariunt virtutem,& abolent vitia.q̃ animi mor. 1ª.321.B
*Diſciplinarũ pulcherrima cur negligunt.de prẽco.ad Poſth.*4ª.213.G
Diſciplinas ſcimus quando illis vtimur.de ther.ad Piſ. 5ª.90.A
Diſciplina experimentalis,quæ.de ſubſi.emp. Iſa.31.E
*Diſciplina mixta ĩ cõponẽdis medicamẽtis.2°.de cõ.me.per g.*5ª.218.D
propter Diſciplinas & meditationem orta ephemera, quo cognoſcitur.2°.de criſi. 4ª.138.E
DISCIPVLI *qui volũt exercerì q̃uo debeant.1°.de ſimp.m.ſa.* 5ª.9.C

Diſcipulis

Discipulis probanda sunt quæ dicuntur a præceptoribus . de cuiusque animi pec.not.atq; med. 2ª.57.B

Discipulus Herophilus Praxagoram redarguit præceptorem.de pal pe.trem.conuulſ.& rig. 3ª.51.C

DISCISSVM, *& diuiſum quo differant.com.6°.aph.19°.* Ex.48.B

Diſciſſa verbũ quid apud Hipp.ſignificet.com.6°.aph.18°. Ex.47.H

qñ Diſciſſum fuerit os, vel chartilago, vel neruus, vel maxilla tenuis, vel præputiũ, neq; augetur, neq; coaleſcit.c.7°.aph.20°. Ex.55.H

DISCOLORATIONES *fiunt patiente hepate . de virt.noſtrum corpo. diſp.* Sp.60.B

ad Diſcoloratas poſt partum.de med.fac.parab. 7ª.169.A

DISCRETIONES *in quaq; artc proprium a communi ſecernere conantur.3°.meth.med.* 7ª.18.D

Diſcretione elaboramus cibum aſſumptum virtute proueniente ex hepate.de vir.noſt.corp.diſp. Sp.60.B

DISCRIMEN, *eſt ventriculum tantum.de faſcijs.293.H/* 7ª.295.F

DISCRIMINATIO *quid ſit in tibia.de fract.com.2°.* 7ª.236.F

Diſcriminationes neruoſæ ſunt in corde.de decr Hip.& Pla.1ª.233.E

DISCVMBENTES *quam formam habeant corporis. 2°.de motu muſculorum .* 1ª.314.D

DISCVNEATIO *quid.de fract.com.3°.* 7ª.247.B

DISCVRSVS *eſt de re imaginabili . de hiſt.philo.* Sp.9.B

DISCVM *iactandi locus in vrbe.2°.de ſan.tuen.* 2ª.69.E

Diſci iactus eſt exercitatio.2°.de ſan.tuen. 2ª.73.G

Diſcum mittere eſt vehemens exercitatio.2°.de ſan.tu. 2ª.74.G

per Diſcos exercitia quid mali fecerint.de par.pi.exer. 2ª.49.G

DISCVSSORII, *& colliquatiui morbi, qui. in 6ᵐ.de morbis vulg.commenta.3°.* 3ª.176.E

Diſcuſſoria omnia ſunt facultate calida.1°.de cõp.me.ſe.lo. 5ª.221.F

Diſcuſſoria virtute præpollẽt digerẽtia.6°.de cõp.m.per g. 5ª.260.H

Diſcuſſorijs ſolis aut ſolis repercuſſorijs raro indiget affectio.6°.de cõpo.med.ſec.loc. 5ª.173.C

Diſcuſſorij non recte ſine diſcrimine iunguntur adſtringentia acerba repellentia.6°.dc comp.med.ſec.loc. 5ª.176.A

Diſcuſſoria parabilia moderata.6°.de comp.med.ſec.loc. 5ª.169.F

Diſcuſſoria parabilia fortiora.6°.de comp.med.ſec.loc. 5ª.169.G

Diſcuſſoria parabilia fortiſſima.6°.de comp.med.ſec.loc. 5ª.169.G

Diſcuſſoria et calida nõ adhibẽda eryſipelati.6°.d cõ.m.ſe.l. 5ª.176.b

Diſcuſſoria pauperum.6°.de comp.med.ſec.loc. 5ª.169.D

Diſcuſſoria & rarefacientia olea.9°.de comp.med.ſec.loc. 5ª.197.E

Diſcuſſoria medicamenta.6°.de comp.med.ſec.loc. 5ª.168.F

Diſcuſſoria Damocratis.6°.de comp.med.per gen. 5ª.262.D

Diſcuſſorijs vtimur ad indurata.6°.de comp.med.ſec.loc. 5ª.175.G

Diſcuſſorijs qñ vti debemus in achoribus.1°.de cõp.me.ſe.l. 5ª.130.B

Diſcutiuntur facile humores vitioſi mollibus corporibus.1°.de cõpo.med.ſec.loc. 5ª.121.F

DISCVTIVNTVR *quæ materiæ cito, & quæ tarde.in 1ᵐ.dc morb.vul.commen.1°.* 3ª.104.G

Diſcutere inflationes poteſt cucurbitula.de cucur.ſcar. 6ª.3.F

Diſcutientia medicamenta.intr. Iſa.58.A

Diſcutiunt calida, & quæ ſit.3°.de comp.med.ſec.loc. 5ª.147.F

Diſcutientia calfacientia.1°.de comp.med.ſec.loc. 5ª.130.A

Diſcutiũt trahẽtia, & diſcutiẽtia trahũt.6°.de cõ.mc.ſe.lo. 5ª.260.H

Diſcutiẽtia quæ exigue adſtringunt.5°.de cõp.med.ſec.loc. 5ª.159.B

Diſcutientia generoſe.6°.de comp.med.ſec.loc. 5ª.169.D

Diſcutit, incidit, & repercutit acetũ.1°.dc comp.me.ſec.lo. 5ª.128.H

ad Diſcutiendum melior argenti ſpuma q̃ molybdæna.1°.de compoſi. med.per gen. 5ª.213.G

Diſcuſſoria multum cucumeris radix.1°.de comp.med.ſe.lo. 5ª.130.A

Diſcuti inflationes cucurbitula.dc hirud.reuul.cucur.& ſcar. 6ª.2.F

Diſcutit multum lolium.1°.de comp.med.ſec.loc. 5ª.376.A

Diſcutit citra adſtrictionem, & reſiccat humores myrrha.4°.de cõpo. med.ſec.loc. 5ª.151.D

Diſcutit oleum dulciſſimum & magis inueteratum & ſicyonium.2°. de comp.med.ſec.loc. 5ª.137.D

Diſcutit plantago.de rem.par.fac. 7ª.155.E

Diſcutit ſal cum pauca adſtrictione.6°.de comp.med.ſec.lo. 5ª.173.E

Diſcutit maxime verbenaca recta viridis.2°.de cõp.me.ſe.l. 5ª.137.D

Diſcutiens medicamentum citra morſum.1°.de cõp.me.ſe.lo. 5ª.130.A

Diſcutiens ſine morſu medicamentũ.1°.de comp.me.per ge. 5ª.216.G

ad Diſcutiendũ bronchocelen.6°.de comp.med.per ge. 5ª.261.B

Diſcutiens callos.5°.de comp.med.per gen. 5ª.248.C

Diſcutiens duritias.6°.de comp.med.per gen. 5ª.262.H

Diſcutientia liuidas & duras partes non ſanant eryſipelata.6°.de cõpo.med.ſec.loc. 5ª.176.H

Diſcutiens meliceridas.6°.dc comp.med.per gen. 5ª.261.D

ad Diſcutiendum pus.6°.de comp.med.per gen. 5ª.261.D

ad Diſcutiendum ſtrumas.6°.de comp.med per gen. 5ª.261.B

Diſcutientia Aſclepiadis.6°.de comp.med.per gen. 5ª.262.A

DISDIAPASON.*4°.meth.med.* 7ª.24.C

DISIVNCTIVIS *coniunctionibus quomodo ſit vtendum, collige . de ſymp.diff.* 3ª.10.F

Diſiunctiua cõiũctio nõ ſubdiſiũctiua ĩ qb⁹ ĩtelligẽda ẽ.de mul. 3ª.78.c

in DISLOCATIONIBVS *cum vlcere vcratro vtitur . de articu.comment.4°.* 7ª.285.A

ĩ Dislocatiõib⁹ cũ vlcer̃ cur valet beta et tuſſilago.d̃ ar.c.4°. 7ª.285.e

in Dislocationib⁹ cũ vlcere, ſi hibernũ tẽpus ſit, lanæ ſordidæ ex oleo & vino tepido imponendæ, ac deſup irrigãdũ.de ar.c.4°. 7ª.285.F

Dislocatam vuluam curat ſuccus centaureæ.de vir.cen. Sp.93.D

DISPENSATIONIS *& generationis principium non eſt idem . de fœt. format.* 1ª.325.A

DISPEPSIA *quid.de ſymp.diff.* 3ª.12.D

DISPERSO *atq; diſtracto cõtrariũ ẽ qđ aſtrictũ ẽ, et ĩ ſeipſum cõtractũ, & ſimul totũ, græce ἀθροόν notatur.com.7°.aph.35°.* Ex.56.F

Diſperſi morbi, qui.in 1ᵐ.de mor.vul.com.1°. 3ª.101.F

Diſperſi morbi, quando fiant.in 1ᵐ.de mor.vul.com.1°. 3ª.103.B

DISPLICENT *qui ſibi, ſunt extra cœtum eorum, qui ſunt ſecundum naturam.8°.meth.med.* 7ª.54.H

DYSPNOEAE *ex ſtomachi vitijs duplici ratione proueniunt & earũ cauſæ.1°.de ſymp.cauſ.* 3ª.18.F

quo DISPONATVR *ſperma in vtero . de compag.mem.* Sp.59.E

DISPOSITIO *optima idem cum conſtitutione, habitudine, habitu, & natura optimis.de op.noſt.corp.conſt.* 1ª.37.H

Diſpõncs corporũ diſſimiles ac multiformes ſũt.1°.de di.ſeb. 3ª.32.E

Diſpoſitiones conſentientes corporum lædunturfacile, renitentes difficulter.1°.de dif.ſeb. 3ª.32.D

DISPOSITIO *præter naturã eſt nomẽ antiquũ.de dif.mor.* 3ª.2.C

Diſpoſitio eadem quo modo dicitur ægra & neutra.ars med.Iſa.67.G

a Diſpoſitionibus & cauſis exercitatio quo mõ.2°.de loc.aff. 4ª.8.D

Diſpoſitionem docent ſymptomata.1°.de loc.aff. 4ª.6.A/B

Diſpoſitionũ notitia accipitur a præſidijs intellectis.1°.de lo.aff. 4ª.5.G

Diſpoſitionis indicium eſt ſtupor non loci affecti.2°.de lo.aff. 4ª.8.D

Diſpoſitio quædam permanẽs quædã adhuc ſiẽs.1°.de lo.aff. 4ª.4.A

Diſpoſitione permanente permanet affectio cauſa efficiente quieſcẽte. 3°.de loc.aff. 4ª.17.B

Diſpoſitionem permanentem nondum habet pars læſa per conſenſum. 2°.de loc.aff. 4ª.14.D

Diſpoſitio præter naturam remanet in corporibus in morbis intermittentibus, a qua ſecundum circuitus aliæ febres & ægritudines generantur.com.4°.aph.63°. Ex.34.C

Diſpoſitio propria, quæ.1°.de loc.aff. 4ª.3.F

qñ Diſpoſitio aliqua ſimilis inflãmationi, aut eryſipelati, aut duro tumori, aut cancro poſſit contingere.com.5°.aph.57°. Ex.43.E

Diſpoſitio circa ventrem ſiue frigus, ſiue aliqua inæqualis intemperies circa ipſum fuerit, ſiue flatuoſus ventus, ſiue acritudo quædã mordax, in longum extendi non poteſt, ſi omnia circa ægrum opportuncfiant.com.7°.aph.22°. Ex.55.E

Diſpoſitio ſcirrhoſa ſine febre euenit.2°.de loc.aff. 4ª.12.H

Diſpõnes raro eueniẽtes negligũt experimẽtatores.2°.de loc.aff. 4ª.15.B

Diſpoſitio mala in membro contracta facit vlcera inſanabilia.commẽta.6°.aph.45°. Ex.51.E

DISPVTATIO *logica & ſophiſtica, quæ.9°.meth.med.* 7ª.58.C/D

Diſputatio logica non medica.1°.de loc.aff. 4ª.3.C

Diſputandum non eſt contra eos, qui in principijs ſtatim falluntur . 1°. de nat.fac. 1ª.295.A

Diſputare cũ adoleſcẽte eſt ĩfra dignitatẽ ſenioris.de ve.ſec. 6ª.10.A

Diſputant contumelijs ſophiſtæ.2°.de diff.pul. 4ª.53.D

Diſputationes friuolæ quibus vtebantur medici tempore Galeni.4°.de ana.adm. 1ª.79.H

Diſputatio de natura rerũ parũ cõfert vitæ hũanæ.de hiſt.phil.Sp.2.B

in Diſputationibus omnes ſua adſtruunt, & aliena reprehendunt . de libris prop. Iſa.13.E

qui in Diſputaitonibus fatigati ſunt, prompte ad omnia annuunt, in proœmio.com.7°. Ex.53.H

in Disputatione quando nullus finis.2°.met.med. 7ª.12.A
cur DIRVMPVNTVR *iterum qñq; cicatrices.c.6°.aph.45°.Ex.51.F*
Disruptio in osse.de const.ar. Isa.37.D
DISSECTIO *quæ dicitur.de caus.mor.* 3ª.9.F
ex Dissectione corpus hominis innotescit.de con.ar. Isa.36.G
Dissecandi ratio, vt videatur in fœtu, per quam viam vrina exeat.15°. de vsu par. 1ª.212.D
per Dissectiones probatur partem dexteram esse calidiorem sinistra. in 6ᵐ.de mor.vul.com.2°. 3ª.169.F
in Dissectionibus visendis diu versari oportet.1°.de an.adm. 1ª.64.g
Dissectionem partium callcat necesse est, qui vult plethoram cognoscere.de mult. 3ª.78.C
Dissectionem qui medici expectare noluerunt, sed ex cõsequutione ita esse arbitrati sunt, errauerũt.de decr.Hip.& Plat. 1ª.234.A
Dissecari propter quid non potest animal longo tempore mortuum.1°. de ana.adm. 1ª.65.E
Dissecuit capram grauidam & viuentem Galenus.in 6ᵐ.de mor.vul. commen.5°. 3ª.189.E
Dissecuit Pelops linguam bubulã, Galenus simiæ.de mus.dis. 1ª.46.E
de Dissectione musculorum qui scripserint.de mus.dis. 1ª.44.B
de Dissectione musculorum accuratius egit Marinus, quàm alij. de musc.dis. 1ª.44.B
de Dissectionibꝰ musculorũ Lyci liber cur plixius.de mus.di. 1ª.44.C
Dissecuisse optime musculos creditus est Lycus.de mus.dis. 1ª.44.D
Dissectio musculorum Pelopis,& Lyci,& Aeliani in pretio iure habita est.de mus.dis. 1ª.44.B
de Dissectione musculorum cur scripserit Galenus.de mus.di. 1ª.44.c
in de Dissectione musculorum libro Galenus ea sola quæ apparent, traditurus est.de mus.diss. 1ª.44.C
de Dissectione musculorum nemo scripsit, qui non sit reprehendendus.de mus.dis. 1ª.44.B
Dissecandus musculus intra cubitũ primꝰ omniũ.de mus.dis. 1ª.48.G
Dissectionem musculorum in simia exercet.de mus.dis. 1ª.44.D
in DISSENTIENTIBVS, *& consentientibus indicationibus, quo modo victus ratio ordinanda.8°.meth.med.* 7ª.55.A
Dissensio ignorantiæ signum contra Iul. Ex.68.C
DISSIDENTIA *quæ sint.de ijs quæ in med.fi.com.3°.* 7ª.219.G
Dissidentia compagum capitis in futuris contingit.de ijs quæ in med.fi. commen.3°. 7ª.222.F
DISSIMILARES *res qũo esse dicantur.1°.de loc.aff.* 4ª.4.D
Dissimilares partes quæ sint.7°.met.med. 7ª.44.H
in Dissimilaribus functionum causæ, quæ.1°.de san.tu. 2ª.64.D
Dissimilia similia, proprium commune, idem diuersum, cõsiderare, est vnum & idem.9°.de decr.Hip. 1ª.281.H
Dissimile sibi erit quod inæquale est.de fascijs. 7ª.293.E
Dissimilia non possunt inter se mutari, nisi factis prius multis intermedijs mutationibus.3°.de nat.fac. 1ª.308.C
ex Dissimilibus quo modo similitudo fiat vna. in 6ᵐ.de morb.vulga. commen.3°. 3ª.174.G/H
Dissimilia disgregat calor.de vti.resp. Sp.64.A
ex Dissimilibus & similibus dignoscere Hippocrates & Plato inuenere.9°.de decr.Hip. 1ª.283.H
a Dissimilibus quicqd perimitur ac corrũpitur.de inæq.intẽp. 3ª.44.C
Dissimilia iuuant, nocent similia, præterquàm in temperatis, com.3°. aphor.3°. Ex.20.E
Dissimilia sunt danda quando temperaturam permutare voluerimus. ars med. Isa.68.G
Dissimilia, & similia primo in medicina inspicienda. de ijs quæ in medi. fiunt, com.1°. 7ª.197.F
Dissimilitudo & similitudo enunciatorum inexercitatis errorem exhibent.9°.de decr.Hip. 1ª.286.C
Disimilitudo filiorum parentibus vnde.de hist.phil. Sp.9.H
Dissimilitudo vinorum vnde.de hist.philos. Sp.12.A
DISSIPATVR *& digeritur puerorum natura facillime omnium. 9°. meth.med.* 7ª.60.H
DISSOLVVNT, *ac attenuãt cibi salsi,& qui sint.de dis.cõ.* Sp.72.F
Dissoluit humores corporis calor naturalis. de vic.rat.in morb.acut. commen.4°. 7ª.140.A
Dissoluit humiditatem,& concoquit natura.c.4°.aph.57°. Ex.33.F
Dissoluit corpus somnus fortis.de vic.rat.in mor.acu.cõ.2°. 7ª.125.B
Dissoluit humores calor febrilis.com.6°.aph.40°. Ex.51.A
Dissoluit corpora auster.in 1ᵐ.de mor.vul.com.2°. 3ª.114.A
veluti Dissolutum in seipso hominem apparere faciunt austri.comm. 3°.aph.5°. Ex.20.C
Dissolutiua & aperitiua medicina est acuta,& quo modo valeat in oculis.de ocul. 7ª.189.B
Dissolutiua medicina quid agat in oculis.de ocul. 7ª.189.B
Dissolutiuum & maturatiuum medicamẽtũ in oculo.de ocu. 7ª.190.C
quæ Dissoluant,& euacuent.1°.de arte cur.ad Gla. 7ª.100.A
Dissoluens humores medicamen.de med.exper. Sp.106.B
qd Dissoluat sanguinẽ cõgelatũ instõ,et i vesica.de cur.lap. Sp.112.H
Dissoluẽs cito naturã et vẽtositatẽ medicamẽ.de me.exp. Sp.105.A
Dissoluens & laxans inflationem,& prouocans vrinam medicamen. de med.exper. Sp.105.E
Dissoluens ventositates medicamẽ.de med.exp. 105.F/G/ Sp.106.A
Dissoluens ventositates medicina Azariconis.de med.exp. Sp.105.F
Dissoluẽs vẽtositates crassas medicina Catilinę.de me.exp. Sp.105.A
Dissoluens crassas vẽtositates medicina Socionis.de me.exp. Sp.105.C
Dissoluens ventositates decoctio.de med.exper. Sp.105.D
Dissoluens ventositatem electarium.de med.exper. Sp.105.F
Dissoluens ventositates electariũ assæ fœtidæ.de medi.exp. Sp.108.D
Dissoluit ventositatem electarium laccæ magnũ.de me.exp. Sp.107.A
Dissoluens ventositates electarium rosarum.de med.exper. Sp.108.E
Dissoluentes ventositatem species.de dis.cont. Sp.74.G
Dissoluens emplastrum.6°.de comp.med.per ge. 5ª.261.C
eius quod DISSOLVITVR *locum supplet cibus & potus. de dissolutione contin.* Sp.71.C
Dissolutos vel pp euacuationẽ aliquã sensibilẽ, vel laborẽ supfluũ, vel inediã cognoscit nutriri ex pulsus vehemẽti magnitudine, in motibus aũt volũtarijs robur nutritis adiectũ.c.2°.aph.19°. Ex.13.G
Dissoluitur quo modo facultas.de puls.ad tiro. 4ª.44.F
Dissolutæ facultatis a penuria pulsus.4°.de puls.ad tiro. 4ª.44.G
Dissoluitur quibus corpus, illis ellebor us dandus.de vict.ra.in morbis acut.com.4°. 7ª.144.C
Dissolutio, & defectus animi de vna re dicuntur.1°.de arte cura.ad Glau. 7ª.98.F
Dissolutionẽ antecedit defectus animi.1°.de arte cur.ad Gla. 7ª.98.F
Dissolutio ex humoribus mordicantibus, os ventriculi quo modo curãda.1°.de arte cur.ad Gla. 7ª.99.C
Dissolui hoiem verisimile est, si aliqua euacuatio rigorẽ subsequat, q̃ nullã faciat intermissionem febre non deficiente, ægro iam debili,& quia vis imbecillis non põt rigoris agitationem ferre,& quia ab euacuatione dissoluitur.com.4°.aph.46°. Ex.32.H
Dissolutiones ex magnis euacuationibus curat vinum aqua temperatum.1°.de arte cur.ad Gla. 7ª.98.H
ex Dissolutione ægri periere ex euacuationẽ i calidis cõstitutionibus. 1°.de arte cur.ad Glau. 7ª.98.C
Dissolutiões venũt ex dolorũ vehemẽtia.1°.de ar.cur.ad Gl. 7ª.98.G
Dissolutum cor quæ roborent.de ana.viu. Sp.40.E
ad Dissolutos.10°.de comp.med.sec.loc. 5ª.208.B
DISTANTIAE *quot.de ijs quæ in med.fi.com.1°.* 7ª.203.A
quæ Distant plurimùm.8°.de comp.med.sec.loc. 5ª.193.G
Distantiæ & differentiæ fasciarum.de fascijs. 7ª.293.E
Distantia lunæ a terra.de hist.phil. Sp.7.D
Distantia solis a terra.de hist.philo. Sp.7.D
DISTANTES *in vrinis quid significet.com.7°.aph.33°.* Ex.56.D
Distãtes vrinæ significãt turbationẽ in corpe.c.7°.aph.33°. Ex.56.D
DISTEMPERANTIAE *latitudo.2°.de temp.* 1ª.18.E/F
Distemperantiæ inæqualis, quæ.de cau.mor. 3ª.8.A
quæ DISTENDVNTVR, *replentur.4°.de diff puls.* 4ª.64.G
Distenduntur arteriæ a robore.1°.de caus.puls. 4ª.88.A
Distenditur lingua in longitudinem non tamen in omnem dimensionẽ. de mot.man.& obsc. Sp.68.B
Distendi quæ debent partes.de ijs quæ in med.fi.com.3°. 7ª.218.A
Distendens æqualiter laqueus.de laqueis. 7ª.307.H
Distendere vbi inæqualiter oportet, laqueus.de laqueis. 7ª.307.C
Distensio quid faciat.introd. Isa.60.D
Distensis locis impositum haseg cito emollit.de simp.med. Sp.85.C
DISTENTIO *vnde habeat nomen.com.4°.aph.57°.* Ex.33.F
Distentio quid.fin.med. Isa.50.D
Distẽtio, grace tetanos, neruorũ conuulsio est.c.4°.aph.57°. Ex.33.F
Distentionem,& contractionem non patiuntur carnosa,& pinguia mẽbra.in 6ᵐ.de mor.vul.com.1°. 3ª.153.B
Distẽtio numerat̃ iter morbos acutos sine febre.c.5°.ap.30°. Ex.40.D

Distentio nec-

Diſtentio neruorum numeratur inter morbos peracutos. com.1°.aph. 12°.5.Dſcom.5°.aph.6°. Ex.37.H
Diſtentio qualiter ante & retro tendit,ideo non videntur partes conuulſæ in ipſa.com.4°.aph.57°. Ex.33.F
Diſtenſio neruorum ſequens ſolam intemperiem eſt ægritudo ſecũdum aliquos.de diff.morb. 3ª.3.F
Diſtentio a plenitudine.de opt.ſecta. Iſa.23.B
Diſtentiones fiunt a frigidis immodicis.com.5°.aph.17°. Ex.38.H
Diſtentio neruorum ſequens inflammationem accidẽs inflammationis & ſecundum quoſdam.de diff.morb. 3ª.3.F
Diſtẽtio aut cõuulſio ab aſtib⁹ fortib⁹,malũ.c.7°.aph.13°. Ex.54.H
Diſtentiones difficillime,quæ.com.7°.aph.17°. Ex.54.H
Diſtẽtio cur fiat in mulieribus ex vtero.in 6ᵐ.de m.vul.c.1°.3ª.153.B
Diſtentiones non tolerat natura longo tpe.com.5°.aph.6°. Ex.37.H
a Diſtentione quicunq; corripiuntur, in quatuor diebus pereunt, ſi vero hos effugerint.ſanantur.com.5°.aph.6°. Ex.37.H
in Diſtentione neruorũ capiti pſidia adhibẽda.3°.de loc.aff. 4ª.17.B
in Diſtentione neruorum multum ſanguinis mittendum non eſt, cum opus eſt ſanguinis miſſione.de arte cur.ad Gla. 7ª.98.B
Diſtentiones mitigat calor.com.5°.aph.22°. Ex.39.C
Diſtentio neruorũ febre ſuperueniẽte ſoluitur.c.4°.aph.57°. Ex.33.F
quæ Diſtentio aqua frigida ſanetur,& qũo.com.1°.aph.21°.Ex.39.C
ad Diſtenſiones.8°.de comp.med.ſec.loc. 5ª.193.A
ad Diſtentiones præcordiorum.7°.de comp.med.ſec.loc. 5ª.185.A
DISTENTIO *membranarum oculi affectus.intr. Iſa.58.D*
Diſtentio oculorum quibus ſanetur.13°.meth.med. 7ª.86.C
Diſtentio in capite quid ſignificet.2°.de comp.med.ſec.loc. 5ª.135.H
DISTENTIO *humeri affectus.intro. Iſa.59.C*
DISTENTIO *pulſus quid.2°.de præſag.ex pul. 4ª.109.F*
in Diſtentione pulſus intro trahitur.1°.de cauſ.pul. 4ª.95.A
de Diſtentionis pulſuum differentijs.1°.de præſag.ex pul. 4ª.108.H
Diſtẽtio Trĩceps par pulſus ad pſagiẽdũ valet.2°.d dig.pul. 4ª.75.A
de Diſtentionis quantitate dignoſcenda.3°.de dign.pulſ. 4ª.80.E
Diſtẽtiõis et cõtractiõis ps i pulſu q̃ta nõ ſẽtiat.1°.d dign.pul. 4ª.74.E
Diſtentionis pulſus dimenſionis non ſemper tantæ ſunt,quantæ apparent.1°.de præſag.ex pul. 4ª.106.A
Diſtentionis primæ partes non ſentiuntur.1°.de diff.pulſ. 4ª.48.E
Diſtentionis principium in pulſu non ſentitur.1°.de dig.pul. 4ª.74.H
Diſtentio qũo percipiatur in pulſu conuulſiuo.1°.de dig.pul. 4ª.71.G
Diſtentio quorum dicatur magna & parua.2°.de dig.pulſ. 4ª.79.B
Diſtentio in pulſu a tactu ſentitur.1°.de dig.pulſ. 4ª.71.G
in Diſtentione arteriæ quid tactus patiatur.4°.de dign.pulſ. 4ª.84.E
DISTICHIA *quid.fin.med. Iſa.48.F*
Diſtichia coronæ affectus.intr. Iſa.58.D
Diſtinctio organorum in regalia & ſeruilia.de ana.viu. Sp.45.B
Diſtinctiones laudat Herophilus.3°.de comp.med.ſec.loc. 5ª.141.G
Diſtinctio ĩ potẽtia et ĩ actu,põt colligi.c.7°.ap.11°.54.G/18°.Ex.55.C
Diſtinctionem per ſeipſum & cum alio,collige.c.7°.aph.6°.Ex.54.D
Diſtinctio ĩ prio et p ſeipſum,ẽt p cõpatiẽdi rõnẽ.c.6°.aph.53°.Ex.53.B
Diſtinctione hac,q̃ aliquid proprie hoc ſignificat,abuſiue illud, vtitur Galenus.com.4°.aph.76°. Ex.36.E
Diſtinctio per proprie & improprie,põt colligi.1°.de dif.pul. 4ª.47.A/c.6°.aph.2°.39.B/aph.21°.48.D/aph.26°.48.G/apho.39°.50.H/aph.67°.45.C/com.7°.aph.15°.55.A/aph.25°. Ex.55.G
Diſtõ ĩpprie & ſimplr dictũ & cũ addito,colligit.c.4°.ap.31°.Ex.30.G
Diſtõne,q̃ vtũt recẽtiores,late,et ſtricte,vtit Ga.c.2°.ap.46°.Ex.18.g
Diſtinguenda eſt homonymia.1°.de dieb.decr. 4ª.146.H
non Diſtinguunt quandoq; nomina aliis addita, vt quando dicitur ſpina dorſi.com.7°.aph.29°. Ex.56.A
Diſtinguẽtes acriter & viſcide vires habet ſinapis.de ſim.m.S.90.G
DISTORTIO, *& tortio quo modo differant, & quid ſignificent. de ijs quæ in med.fi.com.3°. 7ª.219.G*
Diſtortio ĩ lat⁹ appellat obſtipitas,et obliquatio.de art.c.3°.7ª.272.F
Diſtortiones quomodo fiant.de ijs qua in med.fi.com.2°. 7ª.213.F
Diſtortum membrum quando ſit.de fract.com.1°. 7ª.226.H
Diſtortus in ſupiorẽ partẽ cubitus.de ijs q̃ in med.fi.cõ.2°. 7ª.213.H
Diſtortus cubitus in inferiorẽ partẽ.de ijs quæ in me.fi.c.2°. 7ª.213.G
Diſtorta dirigenda ſunt.de ijs quæ in med.fi.com.2°. 7ª.213.F
Diſtorti diſtortos generant.de aere,aq.& loc. 2ª.4.H
ad Diſtortas corporis partes.10°.de comp.med.ſec.loc. 5ª.207.G
DISTRACTO, *diſperſo,cõtrariũ eſt quod adſtrictum eſt,& in ſeipſum cõtractũ, ſimul totũ,quæ ἀθροόν noiatur.c.7°.aph.35°. Ex.56.F*
quomodo Diſtrahatur a flatibus natura.de vrinis. 4°.123.H
de Diſtributione alimenti Aſclepiadis opinio.1°.de nat.fa.1ª.293.H
Diſtributio fit minor a virtute diſtributiua ſi parum bibamus.com.4°.aphor.83°. Ex.37.B
ad Diſtributionem acetum in alica ponitur.7°.meth.med. 7ª.51.B
non Diſtribuitur faciliter aqua dura & frigida,quãdo ſubexierit vix a ventre ad ieiunum.de bon.aquæ. Sp.75.G
Diſtributioni noxiæ ſunt vuæ acidæ & auſteræ.2°.de ali.fac.2ª.18.B
Diſtribuere faciunt, & deijcere detergentia. de vict.rati.in morbis acu.com.1°. 7ª.111.E
Diſtributionis impedimentum comitatur obſtructionem iecinoris. de bon.& vitio ſuc. 2ª.34.F
Diſtributio neruorum ſextæ coniugationis a cerebro orientium. de muſcu.diſſect. 1ª.54.B
DISTRIBVTIO *quid in deligatione.de ijs q̃ in med.fi.cõ.2°. 7ª.207.C*
DISTRICHIASIS *quid.intr. Iſa.58.G*
DIVELLI quidam dolentes videntur.2°.de loc.aff. 4ª.12.F
DIVERGERE *quid ſignificat.de art.com.3°. 7ª.279.D*
q̃ Diuergere communius eſt iactari.de art.com.2°. 7ª.279.E
DIVERSIO *affectus communis toti palpebræ.intr. Iſa.58.D*
DIVERSIO.i.ἔκτρεψις *quid.de ijs quæ in med.fi.com.1°. 7ª.203.F*
Diuerſio.i.περίτρεψις quid ſit.de ijs quæ in med.fi.com.3°. 7ª.214.G
Diuerſio ad contraria fit ſm longitudinẽ quidem ſupra & infra, ſm latitudinem vero hinc & inde,hoc eſt a dextris, & a ſiniſtris,ſm altitudinem vero ante,& retro.com.5°.aph.68°. Ex.45.D
Diuertendum ab eodem latere.de rem.par.fac. 7ª.160.F
cum Diuerſione euacuant.com.5°.aph.68°. Ex.45.D
DIVERSITAS *ciborũ,& naturarũ ſcienda eſt.de diff.cont. Sp.71.D*
Diuerſi quo modo ſint cibi.de diff.cont. Sp.71.D
Diuerſitas ciborum temperatorum in craſſum,ſubtile,& medium. de diff.cont. Sp.73.G
Diuerſitas quorundam ciborum coctorum.de diff.cont. Sp.72.E
Diuerſarum aquarum ſapores.de bon.aquæ. Sp.75.E
Diuerſitas bonarum & malarum carnium.de diff.cont. Sp.74.B
Diuerſitas inſtrorum in humano corpore vnde.de anat.par. Sp.43.F
Diuerſa cur ſint organa in homine.de anat.viu. Sp.47.B
Diuerſitas membrorum ſimplicium.de anat.viuo. Sp.55.G
Diuerſæ ſpecies carnis.de ana.viuo. Sp.55.G
Diuerſitas carnis ſecundum colores.de anat.viuo. Sp.55.G
Diuerſitas ſoraminum a carne ſeparata eſt.de ana.viu. Sp.44.G
Diuerſitates cutis vnde ſint.de ana.viu. Sp.45.C
Diuerſitas colli matricis.de anat.viuo. Sp.51.F
Diuerſi ſunt muſculi pedum natura,& numero ab illis qui ſunt in manibus.de muſ.diſ. Sp.52.F
Diuerſitas oſſium.de anat.viuo. Sp.55.C
Diuerſitas priapi.de anat.viuo. Sp.51.F
Diuerſitas panniculorum,quæ.de ana.viuo. Sp.55.F
Diuerſitas membrorum penes villos.de anat.viuo. Sp.55.H
Diuerſitates plurimæ villorum fortium.de ana.viu. Sp.46.D
Diuerſitas terrarũ,& qđ ex ipſis hoĩes sũt diuerſi.de ſper. Sp.40.D
Diuerſæ cãæ,pfluuiorũ vẽtris variãt curationẽ.de med.exp.Sp.103.H
Diuerſitas medicamentorum ratione humorum & partium corporis. de cathar. Sp.95.A
Diuerſos humores laxans medicamen.de med.exper. Sp.106.A/G
Diuerſos humores laxat electuariũ centaureæ.de med.exp.Sp.107.G
Diuerſos humores laxat electuarium iridis.de med.exper. Sp.105.E
Diuerſitas rationis vinciendi.de faſcijs. 7ª.293.H
Diuerſæ partes quo modo vinciendæ.de faſcijr. 7ª.294.A
Diuerſitates multæ vinculorum.de faſcijs. 7ª.293.H
Diuerſitates vinculorum,& diuerſa nomina.de faſcijs. 7ª.295.A
DIVINANDI *Dei,Apollo,& Aeſculapius.in or.ſuaſo. Iſa.2.C*
Diuinatio an ſit.de hiſt.phil. Sp.10.C
Diuinatio quid.fin.med. Iſa.46.A
Diuinatio eſt futurorum.de opt.ſecta. Iſa.23.A
Diuinatione,& aſtrologia tm vtunt diuites, quantum ad prouidendũ faciat quorum hæredes eſſe debeant.de præco.ad Poſth.4ª.214.C
Diuinatione vtebantur antiqui.de præco.ad Poſthu. 4ª.214.C
Diuinationẽ medici quidã præſagia putabãt.de cauſ.pcatar. 3ª.95.E
Diuinandi cauſam medicis quandoq; dat fortuna.5°.de lo.af.4ª.35.B
Diuinatrix ars quid faciat ad rem medicam.de conſt.ar. Ia.41.F
Diuinatrice arte potius,quã ſcia præноſcendi,viſus eſt quibuſdam futuræ acceſionis inſultũ coniectura aſſequi Galenus.2°.de differen-

tijs febrium.3ª.38.B/10°.de ſimp.med.fac. 5ª.73.E
DIVINAE *iuſtitiæ proprium.11°.de vſu par.* 1ª.184.H
Diuinum in morbis quid ſit ſm Galenũ.in prog.cõ.1°. 4ª.190.D/E/F
DIVISIONIS *multa ſignificata.9°.de decr.Hipp.* 1ª.286.D
Diuiſionis nomen de quo proprie dicitur,& de quo per translationẽ. 9°.de decr.Eipp. 1ª.286.D
Diuiſio quid.de hiſt.philoſ. Sp.3.D
Diuiſio qbuſdã philoſophis pinde eſt ac reſolutio.9°.d decr. 1ª.286.D
Diuiſionum via a Platone.9°.de arte cur.ad Glauc. 1ª.94.E
Diuiſiua methodus quæ,apud Platonem.9°.de decr.Hipp. 1ª.281.H
Diuidendi ars a Platone in Philebo,in Sophiſta,& in Politico traditur.1°.meth.med. 7ª.4.D
Diuidendi & componendi ars neceſſaria.9°.de decr.Hipp. 1ª.282.A
Diuidendi methodus neceſſaria eſt.3°.de diffic.reſpi. 3ª.69.H/1°.*methodi med.* 7ª.4.D
Diuidere neſcientes medici cõparanᵗ malis coquis.2°.met.me. 7ª.13.B
ob Diuidendi prauitatem medicorum errata contingunt.1°.de arte cur.ad Glauc. 7ª.94.E
de Diuiſionibus librũ fecit Eraſiſtratus.de ve.ſect.ad.Eraſ. 6ª.10.A
Diuiſionum partes.de hiſt.philoſ. Sp.3.D
Diuiſio alicuius partis vſq; ad vniuerſale.de part.art.med. Sp.18.C
Diuidere in minima & parvos exceſſus obſeruare,ſpectat ad prudentem virum.2°.de dif.pulſ. 4ª.57.F
Diuidendi, & componendi viam habet ſolus dialecticus.2°.de diff. pulſ. 4ª.56.C
in Diuidendo, & componendo quomodo exerceri debemus.9°.de decret. 1ª.282.A
p Diuiſionẽ inueniunᵗ quatuor opiniones de elemẽtis.1°.de ele. 1ª.3.C
ad Diuidendum quiduis ab ipſa rei eſſentia nobis inchoandum.1°.methodi med. 7ª.4.E
Diuiſio terræ.de hiſt.phil. Sp.8.C
Diuiſio virtutis motiuæ.de ana.viuo. Sp.44.F
Diuiſio membrorum in ſimplicia,& compoſita.de ana.viu. Sp.43.F
Diuiſio carnis per villos.de ana.viuo. Sp.55.H
Diuiſio cerebri.de ana.viuo. Sp.53.G
Diuiſio cerebri ſm latitudinem.de ana.viu. Sp.53.H
Diuiſio ſecundi muſculi capitis.de muſ.diſ. 1ª.45.D
Diuiſio generis muſculorum,quod colli, ac capitis eſt commune in muſculos octo.de muſ.diſſ. 1ª.45.F
Diuiditur in multas partes tertia neruorũ cõiugatio.d muſ.diſ. 1ª.53.E
Diuſiones pulmonis tanquam digiti.de ana.viu. Sp.48.A
Diuiſionis pulmonis in duas partes vtilitas.de ana.viu. Sp.48.A
Diuiſio in fruſta digitalis magnitudinis.7°.de cõp.me.ſec.loc. 5ª.181.G
Diuiſio quintus modus ſophiſmatum.in dictione.de ſophiſ. Iſa.7.B
ex Diuidentium genere eſt ſecretio.1°.de ſymp.cau. 3ª.16.H
Diuiſio excretionis & vrinæ in factam a natura & a volũtate.de motibus man.& obſc. Sp.68.G
Diuiſio chirurgiæ actio.intro. Iſa.59.E
Diuiſionis chirurgiæ ſpecies.intr. Iſa.59.E
Diuiſio ſimplex nõ eſt fiſtula,vel ſinus.2°.de ar.cur.ad Gla. 7ª.106.B
Diuiſio vaſorum quibus claudatur.5°.meth.med. 7ª.31.E
Diuiſionem omnem a phlegmone præſeruans.6°.de compo.medic.per gen.258.G/ 5ª.260.C
ad Diuiſiones notatu dignas & maxime capitis.2°.de comp.med.per genera. 5ª.228.E
ad Diuiſa cum contuſione.2°.de comp.medicam.per genera.225.E/3°.235.D/5°. 5ª.249.A
Diuiſum,& diſciſſum quomodo differant.com.6°.aph.19°. Ex.48.B
DIVITES *principum mores imitantur, vel imitari videri volunt.1°. de antido.* 5ª.101.F
Diuites tempore Galeni interdiu dormiebant,noctu vigilabunt in progno.com.2°. 4ª.198.H
a Diuitibᵍ ditantᵉ hiſtriones & aurigæ.de præco.ad Poſth. 4ª.214.B
Diuites ſæpius ſacrificãt q̃ pauperes.de aere,aquis,& locis. 2ª.6.A
a Diuitibus tanti ſiunt docti, quantum ipſis indigent.de præcog.ad Poſth. 4ª.214.B
Diuites ignari quibus comparandi.in or.ſuaſo. Iſa.3.A
Diuites,& principes,cauſæ malorum.de præco.ad Poſthu. 4ª.214.B
Diuitum menſas ſequuntur mendaces.de co.cur.ani.mor. 2ª.50.H
Diuites ſunt magis pleni,q̃ pauperes.11°.meth.med. 7ª.72.B
Diuites Scithæ hñt plures morbos q paupes.de aere,aq.& lo. 2ª.6.A
Diuites quam pauperes cur ſæpe peius curentur.11°.methodi medendi.72.C/ 7ª.73.D
Diuites quanti faciant medicos.de præcog.ad Poſthu. 4ª.214.C
Diuites coquo præferunt medicum.de præcogn.ad Poſth. 4ª.214.C
Diuites non obediunt medicis,pauperes autem obediunt, oppoſitum noſtro tempore 3°.de comp.med.per gen. 5ª.231.A
Diuites mulieres abhorrent a medicamentis ſtomaticis.6°.de comp. med.ſec.loc. 5ª.171.E
Diuites ſanguinis miſſionem non admittunt.11°.meth.med. 7ª.72.B
p Diuitibus medicamẽta aliter parãda.6°.de cõp.me.ſe.lo. 5ª.171.G
Diuitum medicamenta debent eſſe cara,& odorata, quæ multam conſtent pecunia.3°.de comp.med.per gen. 5ª.234.D
Diuitis hiſtoria, qui medicamenta volebat cara.3°.de comp.medic. per genera. 5ª.234.D
pro Diuitibus & pauperibus parare debet materiam ſcribens de re medica.6°.de comp.med.ſec.loc. 5ª.168.B
DIVITIAE, *forma,& nobilitas raro in eodem reperiuntur.in oratione ſuaſoria.* Iſa.3.H
Diuitiæ poſtponendæ ſunt ſanitati corporis & aĩ.2°.de ali.ſa. 2ª.18.F
Diuitiæ facile auferri poſſunt.de cog.cur.animi morb. 2ª.55.E
Diuitijs præſtare non virtutis,ſed fortunæ eſt opus.de cogn.cur.animi morbis. 2ª.55.C
Diuitiæ nonnunq̃ ſceleribus redundant.de cog.cur.animi mor. 2ª.55.E
Diuitijs præponenda ætas ſine triſtitia.de cog.cur.animi mor. 2ª.55.E
Diuitijs qui plus tribus quàm arti, hic ſinem artis non ſequitur.ſi quis opt.med. Iſa.6.E
DIVRETICA *medicamẽta ſunt quæ vrinam ꝓuocãt.de dyn.* Sp.18.G
Diureticas vires habet Anethum.de ſimp.med. Sp.81.B
Diureticas vires habet Aniſum.de ſimp.med. Sp.80.E
Diureticum certum eſt Apium.de ſimp.med. Sp.80.D
Diureticas vires habet Aſparagus.de ſimp.med. Sp.80.G
Diureticum fructum habet Chamædaphne.de ſimp.med. Sp.85.F
Diureticas vires habent Chamepityos ſpecies oẽs.de ſimp.m. Sp.85.F
Diureticas valde vires Erbum habet.de ſimp.medi. Sp.85.B
Diureticas vires habet Eruca.de ſimp.med. Sp.83.H
Diureticam radicem habet Erythrodanum.de ſimp.med. Sp.84.B
Diureticum valde eſt Eupatorium.de ſimp.med. Sp.80.D
Diureticas vires habet Iuniperum.de ſimp.med. Sp.85.E
Diuretica eſt Lathyris.de ſimp.med. Sp.86.E
Diureticam radicem habet Lonchitis.de ſimp.med. Sp.86.D
Diureticas vires habet Paſtinaca.de ſimp.med. Sp.89.C
Diureticas vires habet Phu.de ſimp.med. Sp.84.E
Diureticum eſt Pulegium.de ſimp.med. Sp.88.H
Diureticas vires habet Scolopendria.de ſimp.med. Sp.91.C
Diureticas vires habet Scopa regia.de ſimp.med. Sp.91.C
Diureticas vires Scordion habet.de ſimp.med. Sp.90.H
Diureticum eſt Seſeli.de ſimp.med. Sp.90.D
Diureticas vires habet Siſarium.de ſimp.med. Sp.91.C
Diureticum eſt Siſimbrium.de ſimp.med. Sp.91.B
Diureticas vires habet Vetonica.de ſimp.med. Sp.92.A
Diureticum eſt vinum album.de ſimp.med. Sp.92.B
in DIVTVRNITATES *deflectunt cruda,& incõcta.in 1ᵐ.de morbis vulg.com.3°.* 3ª.124.E
DIVTVRNI *morbi,qui fin.med.* Iſa.45.F
Diuturnus morbus qui proprie.3°.de dieb.decr. 4ª.160.C
Diuturnus,& non tutus morbus quando ab vrina ſignificatur.de vrinæ ſignificatione ex Hippo. Sp.78.F
Diuturnæ,crudæ,& tenues vrinę quibus minguntur,hos,ſi alia ſigna tanq̃ euaſuris aſſuerunt,abſceſſum ad ſepti tranſuerſi regiones infernas expectare oportet.de vri.ſigni.ex Hip. Sp.78.G
Diuturnam ægritudinem crudam,& non ſine periculo ſignificat vrina tenuis,& rutila.de vri.ſig.ex Hip. Sp.78.G
in Diutinis morbis facies Hippocratica non eſt admodum exitioſum, in progn.com.1°. 4ª.191.E
Diuturnis,& induratis vitijs neruorũ ꝓdeſt olcũ.de ſim.me. Sp.88.D
ad Diuturna.1°.de compoſitione med.per genera.216.H/4°.243.F/5°.250.D/7°. 5ª.274.E
ad Diuturna cephalicum Deileõtis.4°.de comp.med.per g. 5ª.243.H
ad Diuturna omnia.6°.de comp.med.per gen. 5ª.256.A
ad Diuturnos morbos.6°.de comp.med.per gen. 5ª.263.B
ad Diuturnum omne malum.7°.de comp.med.per gen. 5ª.270.F
ad Diuturnos affectus valde generoſum.7°.de compo.med.per gene.270.E/271.F/G/ 5ª.272.D

ad Diuturna & maligna. 5°. de comp. med. per gen. 5ª.248.C
in DIVVLSIONE *voluptas quæ. 1°. de symp. cau.* 3ª.17.A
Diuulsæ particulæ & totius instrumenti, ægritudo est cum ligamentũ vel arteria diuellitur. de morb. diff. 3ª.5.D
non DOCERE *& scribere multa, quid sit. 7°. metho di medendi.* 7ª.52.A
Docendi genus optimum in omni arte quod. fin. med. Isa.43.B
Docendi rectus modus quo modo fiat. 6°. de decr. Hip. 1ª.264.B
ad Docendum tantum faciunt nomina. 1°. de diff. pul. 4ª.46.F/G/H
Docent nihil obscuræ enunciationes. in 1ᵐ. prorrh. com. 1°. 4ª.165.D
Docentes nõ sentimus aliquem motũ in corde. 2°. de dec. Hip. 1ª.239.G
Doceri quidam nõlunt. de morb. temp. 3ª.86.C
Doceret cum nimis vehementer grammaticus quidam, morbo comitiali corripiebatur. 5°. de loc. aff. 4ª.32.F
DOCTRINA *ex vlibus fit. de vict. rat. in morb. acu. cõ. 4°.* 7ª.142.H
Doctrinæ principium aliud, & aliud rei naturæ principium facere, stultum est. 6°. de decr. Hip. 1ª.264.B
Doctrinę principiũ debet cõuenire cũ rei natura. 6°. de dec. 1ª.264.B
Doctrina quæ fit secundum rei naturam habet cum re ipsa principiũ. 6°. de decr. Hipp. 1ª.264.B
Doctrina scientifica est a re, non a nomine. 14°. meth. med. 7ª.89.D
sine Doctrina suas faciũt actiões partes corpis. 6°. de lo. aff. 4ª.42.A
Doctrinæ optimũ genus censet Fauorinus, quo præparamur in vtrãq; partem. de opt. docen. gen. Isa.30.B
Doctrina optima, quæ viua voce traditur. 1°. de alim. fac. 2ª.9.E
Doctrina per elementa cur cæteris vtilior. 2°. de san. tu. 2ª.72.E
Doctrina per methodum quid efficiat. 6°. de san. tu. 2ª.98.D
Doctrina ex resolone digna & pfecta in ordine docẽdi. ars me. If.61.H
Doctrinã a notione finis nullus scripsit ante Galenũ. ars med. If.61.H
Doctrina definitiua breuis et facile memoria cõmẽdat. ars m. If.61.H
Doctrina smone exꝑssa principiũ est experiẽtię. de pul. ad ti. 4ª.45.C
a Doctrina prohibent aliquos negocia. 3°. de dif. resp. 3ª.69.G
sine Doctrina est linguæ motus. 6°. de loc. aff. 4ª.42.C
sine Doctrina mouetur coxæ articulus. 6°. de loc. aff. 4ª.42.B
Doctus garrire, ineptus dicere inquit comicus. 3°. de diff. pulſ. 60. E/ 4°. de dig. pulſ. 4ª.85.A
Docti tãti fiũt a diuitib°, quãti ipsis indigẽt. de ꝑcog. ad Post. 4ª.214.B
DODECADACTYLON est vocabulum Herophili. 6°. de locis affectis. 4ª.37.G
DOGMA quid. fin. med. Isa.43.E
Dogmaticus qui nominandus. 3°. meth. med. 7ª.16.D
Dogmaticorum hostes sunt empirici. 2°. de dieb. decr. 4ª.154.F
Dogmaticorum & empiricorum differentia. de subſ. emp. Isa.32.G
Dogmaticorum quodnã opus est. in 6ᵐ. de mor. vul. com. 3°. 3ª.177.D
Dogmatici a naturæ inspectione incipiunt. intro. Isa.50.H
Dogmatici qui fuere. de hist. philoſ. Sp.3.B
Dogmaticus fuit Hippocrates. com. 1°. aph. 1°. Ex.2.D
Dogmatici parũ idonea contra empiricos dicũt. 2°. de loc. aff. 4ª.14.H
cõtra Dogmaticos empiricorũ argumẽtũ. 2°. de cõp. me. pge. 5ª.218.E
Dogmata sequentes quidam patriam prius prodendam ducunt, quam proprium dogma. de cauſ. procatarct. 3ª.98.B
non Dolent insensibiles partes. 12°. meth. med. 7ª.78.C
Dolet vehementer qui ad ignem accesserit, vt fere comburi videatur, calefacta parte nihil adhuc patiente. 3°. de loc. aff. 4ª.14.D
Doleat cur magis sinciput ex vteri affectu. in 6ᵐ. de morb. vulg. commentario. 1°. 3ª.152.H
Dolere facit caput vinum citrinum antiquum. de diff. con. Sp.74.F
Dolere nõ facit caput vinũ paucã Justinẽs aquã. de diff. cõ. Sp.74.F
Dolere non facit caput vinum album. de diff. cont. Sp.74.F
Dolentibus caput vrina liuida augmentũ significat. de dyn. Sp.34.G
Dolentibus caput vrina existente rufa, si sanguis de naribus fluxerit, huius doloris fiet solutio. de dyna. Sp.34.G
quando Doleat homo. 8°. de decr. Hipp. 1ª.275.C
Dolent sæpe ore, dentibus, gutture, capite homines concepti in tribus horis sanguinis. de sper. Sp.37.B
Dolẽt cõcepto in horis bilis genua, crura, pedes, & ossa. de spe. Sp.37.C
Dolẽs puella in renibus et matrice vnde naturaliter sit. d sper. S.38.G
Dolent in propria actione partes inflammatæ. 5°. de loc. aff. 4ª.32.B
ad Dolentes partes materia tendit. 2°. de dif. feb. 3ª.41.A/ *1°. de simpli. med. fac.* 5ª.6.D
Dolentia trahunt ad se humores de ren. af. dign. & med. 7ª.193.G
Dolentes mediocriter, refugiunt præsidia & medicamenta. quo modo morbum simul. Isa.61.E
Dolentibus oculis quæ agenda. in 6ᵐ. de mor. vul. com. 6°. 3ª.196.D
Dolentibus articulis raphanus prodest. de simp. med. Sp.89.G
Dolẽtes phlegmone aures mitigat succus cẽtaureæ. de vir. cẽ. Sp.93.C
Dolens pars dura renitens in tumorem eleuata quo modo fiat, & curetur. de sect. Isa.16.D
Dolentem partem non putrescentem oleo calente perfunde in contusionibus neruorum. 3°. de comp. med. per gen. 5ª.229.A
Dolentis quadragenarij ob mordentes succos in tunicis intestinorũ impactos, casus. 12°. meth. med. 7ª.78.G
Dolentis sitibundi casus. 12°. meth. med. 7ª.79.A
DOLIACHAE *succus ad quid vtilis. de dyn.* Sp.30.G
DOLICHON *vocãt Græci cursum cõtinuatũ. 2°. de san. tu.* 2ª.74.H
DOLICHI *in quo genere sint. 1°. de alim. fac.* 2ª.15.B
Dolichorum figura in Caria. 1°. de alim. fac. 2ª.15.C
Dolichi videntur esse cicerculæ & phaseli ex dictis Hippocratis in libro de dieta. 1°. de alim. fac. 2ª.15.B
Dolichi apud Dioclem sunt phaseli. 1°. de ali. fac. 2ª.15.B
Dolichi meliores cicerculis. de bon. & vit. suc. 2ª.37.D
Dolichi deteriores faba, piso, & lentibus. de bon. & vitio suc. 2ª.37.D
Dolichi deteriores fabis. de atten. vic. 2ª.45.A
Dolichi minus suaues quàm pisa. 1°. de alim. fac. 2ª.15.B
cum Dolichis Dioclis eandem facultatem habent phaseoli, & siliquæ. 1°. de alim. fac. 2ª.15.B
in Dolichis quid sit fructus. 2°. de alim. fac. 2ª.16.C
Dolichi habent siliquas. 1°. de alim. fac. 2ª.15.A
Dolichi totus fructus simpliciter siliqua. 1°. de alim. fac. 2ª.15.A
Dolichi fructus cum siliqua estur dum vireſcit. 2°. de alim. fac. 2ª.15.C
Dolichi flatu carent. 1°. de alim. fac. 2ª.15.B
Dolichi ob humiditatem non reponuntur, quia corrumpuntur. 1°. de alim. fac. 2ª.15.C
Dolichi quo modo seruentur. 1°. de alim. fac. 2ª.15.C
Dolichos quo mõ exptus est Galeni pater. de bon. & vit. suc. 2ª.36.G
DOLIA *solo corio, & cuneis obstructa, vinum ita diu non seruant. in 6ᵐ. de morb. vul. com. 4°.* 3ª.183.A
Dolia picata, & gypsata, vina syncera diutius seruant. in 6ᵐ. de mor. vulg. com. 4°. 3ª.183.A
Dolia musto inflata rumpuntur tensionis violentia. de mul. 3ª.79.D
Dolia, & vtres rumpuntur in mustis ob spiritus copiam. in 1ᵐ. de morbis vulg. com. 1°. 3ª.104.G
Dolij meminit. 1°. de nat. fac. 1ª.196.E
DOLOR *quid. 2°. de loc. af.* 4ª.8.G
Dolorum nomina apud Archigenem. 2°. de loc. aff. 4ª.9.H
Dolores nõ habent nomen in omnibus membris. de symp. dif. 3ª.11.F
Dolor significatur nomine πόνου. i. laboris. cõ. 4°. aph. 32°. Ex.30.H
Dolor est labor proprie dictus. de vic. rat. in mor. acu. com. 2°. 7ª.123.E
Dolor, accipitur quandoq; pro dispositione faciente dolorem. com. 2°. aphor. 6°. Ex.11.G
Dolor est symptoma. 3°. meth. med. 7ª.22.E
Dolor numeratur inter casus. com. 2°. aph. 30°. Ex.16.H
Dolores & casus omnes quãndo boni, & quando non boni considerandum. 1°. de crisi. 4ª.128.B
Dolor accidens in differentibus locis distinguit partes male affectas. com. 4°. aph. 75°. Ex.36.B
a Doloribus affectiones distinguit. 3°. de comp. med. sec. loc. 5ª.143.D
Dolor exigit sensum. 1°. de elem. 1ª.3.A
Dolor est res cuidens sensui. 1°. de elem. 1ª.3.G
Doloris fons & radix est sensus. 1°. de elem. 1ª.3.H
Dolor contingit omnibus sensibus, non tamẽ pari cuidentia. 1°. de symptom. cauſ. 3ª.16.F
Dolores maximi contingunt sensui tactus. de symp. dif. 3ª.11.E
Dolor, & delectatio euidentia sunt, in tactu & gustu, postea in odoratu, postea in auditu. 1°. de sympt. cauſ. 2ª.16.F
Dolor est in partibus sensibilibus. 12°. meth. med. 7ª.78.C
Dolores magis sentiunt corpora sensibiliora. in 6ᵐ. de morb. vulg. com ment. 1°. 3ª.153.E
Dolorem nunquam sentiret homo, si vnum esset. de const. art. Isa.38.B
Dolores cur magis sentiantur nocte, quã interdiu. de mot. ma. Sp.69.F
Dolorum diuersitates. 3°. de loc. aff. 4ª.19.B
Dolorum differentiæ multæ. quo modo morb. sim. If.61.F
Dolorum sensus diuersi. 2°. de loc. aff. 4ª.12.E/F
Dolorum differentiæ penes multitudinem, aut crassitudinẽ, aut motum

aut potentiam rei facientis dolorem. 2°. de loc. aff. 4ª. 9. E
Doloris species pungitiuus, tēdēs, torpidus, grauis, stipulans, feriens, continuus, intermissus, æqualis, inæqualis. cō. 6°. aph. 5°. Ex. 47. A
Dolorem quo modo faciant quassantia, tendentia, pungentia, & diuidentia. 1°. de symp. caus. 3ª. 16. G
Dolor dulcis dici non potest. 2°. de loc. aff. 4ª. 10. A
Dolor fixus, qui. 2°. de loc. aff. 4ª. 11. A
Dolores vt palus fixus. 2°. de loc. aff. 4ª. 9. E
Dolor fixus quibus contingat partibus. 2°. de loc. aff. 4ª. 11. B
Dolores fixi in aliqua parte ob quid. de cur. rat. per sang. mis. 6ª. 16. F
Dolorificus sensus, grauis, & tristis, idem. 1°. de symp. caus. 3ª. 16. H
Dolor grauis, qui ab Hippocrate nominetur. com. 6°. aph. 5°. Ex. 46. H
Dolores graues quid significent. 2°. de comp. med. sec. loc. 5ª. 137. C
Dolores griphomeni, qui. in 1ᵐ. progn. com. 3°. 4ª. 180. B
Dolor holcimos, id est tractorius, hoc nomen non est in vsu apud Græcos. 2°. de loc. aff. 4ª. 12. A
Dolor lacerans, qui. 2°. de loc. aff. 2ª. 12. A
Dolor laxus nullus, & qui sit. 2°. de loc. aff. 4ª. 11. E
Dolores laxi, id est sine phlegmone & tensione. in 6ᵐ. de morb. vulga. comment. 3°. 3ª. 178. A
Dolores magni tactus quo modo fiant. 1°. de symp. caus. 3ª. 16. G
de Doloribus non proprie, sed de acribus humoribus dicitur morderi. de vict. rat. in mor. acu. com. 4°. 7ª. 144 F
Dolor mordax ex quo fiat. 2°. de loc. aff. 4ª. 9. G
Dolor cum mordacitate quid significet. 2°. de comp. med. se. lo. 5ª. 137. C
Dolores noti. 2°. de loc. aff. 4ª. 12. G
Dolor aliquis præ se fert speciem ponderis. com. 6°. aph. 5°. Ex. 47. A
Dolor ex mole & grauitate quo modo curet. 12°. meth. med. 7ª. 79. C
Dolores profundi, qui. 2°. de loc. aff. 4ª. 11. A
Dolorem quendam significat pulsus. 2°. de loc. affe. 4ª. 8. H
Dolor pulsatilis qui appellandus. de mult. 3ª. 79. A
Dolor pulsatiuus. 2°. de loc. aff. 4ª. 9. A
Dolor pulsatiuus est in inflammatione. 2°. de loc. aff. 4ª. 9. H
Dolor pulsatorius ingentiū inflāmationū accīs. 2°. de loc. af. 4ª. 10. E
Dolores cum pulsu quid significent. 2°. de comp. me. sec. loc. 2ª. 137. C
Dolores quidam fiunt ac si patiens acu pungatur. 2°. de lo. aff. 4ª. 12. E
Dolor punctorius qualis. 2°. de loc. aff. 4ª. 9. G
Dolor punctorius, & qui, & vnde sit. 2°. de loc. aff. 4ª. 11. H
Dolor stupidus non est species doloris. 2°. de loc. aff. 4ª. 8. E
Dolor tensionis, qui. 2°. de loc. aff. 4ª. 9. C
Dolores cum tensione quid significent. 2°. de comp. me. se. lo. 5ª. 137. C
Dolores tensiui a nimijs exercitationibus. 2°. de loc. af. 4ª. 11. D
Dolor extensiuus in quibus partibus. 2°. de lo. aff. 4ª. 9. B
Dolores qdā fiūt ac si patiēs cerebro pforet. 2°. de loc. af. 9. E/4ª. 12. E
Dolor turgidus, qui. 2°. de loc. aff. 4ª. 19. E
Dolores Vlcerosi, qui. 2°. de loc. aff. 4ª. 11. F
Dolores vlcerosi a nimijs exercitationibus. 2°. de loc. aff. 4ª. 11. D
Dolorum complicatorum diuersitas. 2°. de comp. med. sec. loc. 5ª. 137. C
Dolorum proprietas omnino dici non potest. 2°. de loc. aff. 4ª. 12. F
Dolorum singulorum species conscribere nemo potest, nisi ipse met passus fuerit. 2°. de loc. af. 4ª. 10. B
Doloris sino vanᵒ nisi ex his quæ cognoscūt ægri. 2°. de loc. aff. 4ª. 12. F
Dolor quo modo, & quando, & quibus fiat. 2°. de symp. cau. 3ª. 22. A
Dolor quando fit. de inæq. intemp. 3ª. 43. G
Dolor vbi fiat, & quo modo. de vic. ra. in mor. acu. com. 2°. 7ª. 116. B
Dolor causa communi quo modo fiat. 1°. de sympt. cau. 3ª. 16. F
Dolores secundum Hippocrateu quomodo fiant. 1°. de symp. cau. 16. G/de trem. palp. conuul. & rig. 3ª. 54. E
Doloris carentia sana corpora hīt. in 1ᵐ. de mor. vul. cō. 2°. 3ª. 112. C
Dolores et accessiones dieb⁹ parib⁹. in 3ᵐ. de mor. vul. c. 2°. 3ª. 150. F/11
Dolor quibus fiat. 13°. meth. med. 7ª. 81. H
Dolor vbi sit, quid considerandum. 12° meth. med. 7ª. 78. F
Dolor ex duob⁹ cognoscit spē, & vehemētia. cō. 6°. aph. 5°. Ex. 47. A
Doloris magnitudo quo modo cognoscatur. quo modo. morb. Isa. 61. F
Doloris vehementia in quo consistat. com. 6°. aph. 5°. Ex. 47. A
Dolor ex quantitate, & qualitate fit. de nat. hum. com. 1°. 1ª. 30. E
Dolor ex quātitate, & qualitate iudicatur. com. 6°. aph. 5°. Ex. 46. G
Doloris magnitudo quo modo curanda, & a quibus augeatur dolor. cō. 6°. aph. 5°. Ex. 46. H
Dolor tāto leuior, quāto quis leuius ipsum fert. quo mō morb. Is. 61. E
Dolor qui pulsum variet. de pul. ad tir. 4ª. 44. H
Doloris pulsus, qui. de puls. ad tiro. 44 H/4°. de cau. pul. 4ª. 100. A
Dolorum in parte prædita sensu pulsus. de puls. ad tir. 4ª. 45. B
Dolores qualem faciant respirationem. 2°. de dif. resp. 3ª. 65. E
ex Doloribus inæqualitas respirationis. 1°. de dif. resp. 3ª. 61. E
Dolorum propria respiratio parua & densa. de dif. resp. 3ª. 62. G
Dolor & delirium quando iunguntur, qualem faciunt respirationem. 2°. de diff. resp. 3ª. 65. E
Dolor in organis quam respirationem faciat. 1°. de dif. resp. 3ª. 61. G
Dolor cum ardore in aliquo respiratorio organo existens, quam respirationem efficiat. 1°. de dif. resp. 3ª. 59. A
Dolor in aliquo organo respiratorio existens, quam respirationem ipse per se faciat. 1°. de dif. resp. 3ª. 59. A
Dolorem cum periculo nunciat vrina alba, & turbulenta, & nō composita in synocha. de dyn. Sp. 34. F
Dolor quibus causis fiat in 1ᵐ. de morb. vulg. com. 1°. 3ª. 104. H/12°. meth. med. 78. D/de ocul. 7ª. 189. H
ad Doloris causas inueniendas methodo pcedit. 12°. me. mc. 7ª. 78. C
Doloris causas plures, collige. com. 7°. aph. 21°. Ex. 55. E
Doloris sex causæ. de ocu. 7ª. 189. H
Doloris causæ. 4°. de loc. aff. 4ª. 27. D
Dolores quæ faciant. de vic. ra. in morb. acu. com. 2°. 7ª. 124. A
Dolorem faciunt res præter naturam. de palp. trem. conuul. 3ª. 54. D
Dolorum causa generalis solutio continuitatis & intemperies. 3°. de comp. med. sec. loc. 5ª. 141. G
Doloris primæ duæ species, alteratio & solutio continui. 2°. de locis affectis. 4ª. 9. C/D
Dolores aut ab extensione partium, aut a calido & frigido. de natu. hum. com. 1°. 1ª. 28. H
Dolor fit a calore, & a frigiditate vehementi, & a solutione cōtinui. 12°. meth. med. 7ª. 78. E
Dolor exigit alterationem. 1°. de elem. 1ª. 3. A
Dolor a subita alteratione. ars med. Isa. 77. C
Dolor fit a vehementi alteratione. 7°. de decret. 1ª. 271. H
Dolor sentitur cum mutantur corpora ad non naturalem habitum, & cum redeunt ad naturalem. 12°. meth. med. 7ª. 78. D
Dolorem non facit alteratio quæ sensim fit, sed quæ violenter. 12°. metho. med. 7ª. 78. D
Dolorem faciens transmutatio, duplex. de vic. ra. in morb. acutis, comenta. 2°. 7ª. 116. B
Dolor fit ob malam qualitatem. 7°. de decre. Hippo. 1ª. 271. H/de fractu. com. 3°. 7ª. 246. E
Dolor ex sectione, & mala qualitate. de const. ar. Isa. 38. A
Dolor ab intemperie. de cur. rat. per sang. mis. 6ª. 16. F
Doloris causa temperies inæqualis. 2°. de symp. cau. 22. A/de inæqu. intemp. 3ª. 44. F/2°. de loc. af. 4ª. 9. C
sine Dolore est æqualis intemperies. 2°. de symp. cau. 3ª. 22. A
Dolor a calido, frigido, humido, & sicco. de nat. hu. com. 1°. 1ª. 28. H
Dolorem facit intemperies frigida, & calida. in 1ᵐ. de mor. vulg. comment. 1°. 3ª. 104. H
Dolorem quo modo faciat frigidum. 1°. de symp. cau. 3ª. 16. G
Dolorem quo mō habeat rigor. de palp. trem. cōuulſ. & rig. 3ª. 54. G
Dolores antiqui, frigidi: noui, calidi. in 6ᵐ. de mor. vul. cō. 1°. 3ª. 156. D/com. 2°. aph. 20°. Ex. 11. G
Dolor qui est ex frigida aqua, aere, & niue, statim abit his remotis. 2°. de loc. aff. 4ª. 14. D/E
Dolore, & frigore constricta membra vinum resumit, & reficit. de simpli. medica. Sp. 92. B
Dolori ex frigore interno oleo succurritur calido ingesto, anetho etiam addito. 2°. de simp. med. fac. 5ª. 12. C
Dolor insuppurabilis fit a frigido. com. 5°. aph. 20°. Ex. 39. A
ad Dolores frigidos. de med. exper. 105. G/de curat. lap. Sp. 112. F
Dolorem frigidum auferens electuarium. de med. exper. Sp. 107. D
sine Dolore multi affectus frigidi sunt, vbi æqualiter particulas occuparint. 2°. de symp. caus. 3ª. 22. A
Dolor ex qualitate calida, & frigida. de nat. hum. com. 1°. 1ª. 30. E
Dolor excitatur a calidissimis. ars med. Isa. 70. G
Dolorem non faciunt calidū mediocre & humidum. ars med. Isa. 70. G
Dolor ex qualitate quibus curetur. 13°. meth. med. 7ª. 82. D
Dolores ex intemperie cum mordicatione quibus sanentur. 2°. de simpli. med. fac. 5ª. 12. D
Dolor ex siccitate an curabilis. 12°. met. med. 7ª. 80. B
Dolor phrenitidis ex siccitate, lætalis. 12°. met. med. 7ª. 80. B
Doloris ex siccitate, curatio. 12°. met. med. 7ª. 80. B

Dolor a ſolutione cõtinui ars med. Iſ. 67. C/ de frac. com. 3°. 7ª. 246. E
Dolorẽ oẽm eſſe ſolonẽ cõtinui cur dici poſſit. de frac. cõ. 3°. 7ª. 246. E
Dolores ex intemperantia, & cacochymia diſtinguendi. 2°. de ſimpli. med. fac. 5ª. 12. C
Dolorem quo modo faciat repletio. in 6ᵐ de mor. vul. cõ. 6°. 3ª. 196. F
Dolores a plenitudine, quales. 3°. de loc. aff. 4ª. 20. F
Dolor ex vno humore. de nat. hum. com. 1°. 1ª. 30. E
Dolor ex nimio humore quo modo curetur. de ocu. 7ª. 189. H
Dolor non eſt vehemens in craſsis & glutinoſis ſuccis, modo ſoli ſint. 12°. meth. med. 7ª. 79. C
Dolores grauiſſimi ex craſſis, & glutinoſis ſuccis cum ſpiritu halituoſo. 12°. meth. med. 7ª. 79. C
Dolor ex craſſis & glutinoſis humoribus quomodo curandus. 12°. methodi med. 7ª. 79. C
Dolor ab humoribus frigidis craßis quomodo curetur. de oc. 7ª. 190. A
Dolores facit vitreus humor. 1°. de loc. aff. 4ª. 4. B
Dolores. quos faciat vitreus humor. in 1ᵐ. prorr. com. 1°. 4ª. 168. E
Dolores vehementiſſimos parit humor vitreus. 12°. met. me. 7ª. 80. A
Dolores ſpeciem eandem non faciunt humor mordax & humor plurimus. 2°. de loc. aff. 4ª. 9. D
in Doloribus quo mõ humores calidi cognoſcañ. 3°. de lo. aff. 4ª. 20. F
quos Dolores faciunt humores tenues, & acres, & quo modo faciũt conuulſionem. 12°. meth. med. 7ª. 80. A
Dolor ex bilioſo excremento mordax. 3°. de loc. aff. 4ª. 20. F
Dolor ex humore mordente quo modo curetur. 12°. met. me. 7ª. 79. C
Dolores maligni a venenis. in 6ᵐ. de mor. vul. cõ. 6°. 3ª. 196. G
Dolor ex punctura & morſu aïalis qũo curet. 13°. met. med. 7ª. 82. C
Dolor a rebus tangentibus. 2°. de loc. aff. 4ª. 9. C
Dolores ac febres accidunt magis dum pus conficitur, q̃ iam confecto. com. 2°. aph. 47°. Ex. 18. H
Dolor a motu. 2°. de loc. aff. 4ª. 9. C
Dolor in quibus diſpoſitionibus comitatur vehementes motus. 4°. de loc. aff. 4ª. 27. C
de Doloribus ex itinere. de victu. ra. in mor. acu. com. 4°. 7ª. 144. H
Dolores conſuetos irritat alliũ. de victu. ra. in mor. acu. c. 4°. 7ª. 145. C
Dolores maximi quo modo fiant inter dormiendum contorquendo ſubito partes. in 3ᵐ. de mor. vul. com. 3°. 3ª. 149. F
Dolorem quo modo faciat acris humor. 1°. de ſymp. cauſ. 3ª. 16. G
Dolor ex humoribus calidis quo modo curetur. de ocu. 7ª. 190. A
Dolorem parit vehementem ſanguis, quibus in locis vniuerſim eſt collectus. 2°. de arte cura. ad Gla. com. 2°. 7ª. 100. H
Dolor ex ſanguinis abundantia quo mõ ſaneť. 12°. met. me. 7ª. 79. B
in Dolore ex ſanguinis abũdãtia ſanguis mittẽdus. 12°. m. m. 7ª. 79. B
Dolore acuto exiſtente, cur plus ſanguinis euacuandum. de vic. ra. in mor. acu. com. 4°. 7ª. 143. G
Dolorem maximũ q̃n excitat flat°. 2°. de art. cur. ad Gla. 7ª. 104. F
Dolores quo modo ex flatu fiant. 2°. de comp. med. ſec. loc. 5ª. 135. G/ *com. 4°. aph. 11°.* Ex. 28. D
Dolor acerbiſſimus ex flatu concluſo. de mult. 3ª. 79. D
in Dolore ex flatu & humore, oleo in quo ruta cocta ſit, vtitur p clyſteri Galenus. 12°. meth. med. 7ª. 80. A
Dolor ex flatuoſo ſp̃u quo mõ cureť. 12°. met. med. 79. B/ 13°. 7ª. 82. B
Dolor ex ſpiritu flatuoſo cucurbitula curatur cum flamma copioſa. 12°. meth. med. 7ª. 79. H
Dolor ex flatu qb° clyſterib° curetur. de arte cur. ad Glau. 7ª. 104. G
Dolor ex ventoſitate craſſa quo modo curetur. de ocu. 7ª. 189. H
Dolores ab infarctu aut craſſitie crudorum ſpirituum curat ariſtolochia rotunda. 6°. de ſimp. med. fac. 5ª. 43. E
Dolorem infer rent ficus, niſi cito deſcenderent. 2°. de alim. fa. 2ª. 17. D
Dolor facit ſymptomata ſimilia timori. 2°. de ſymp. cau. 3ª. 23. E
Doloris qui mentis p turbationẽ ſigñant. in 1ᵐ. prrh. cõ. 1°. 4ª. 168. D
Dolore animi ex librorum amiſſione qui mortuus. 2°. de compo. medi. per gen. 5ª. 218. B
Dolorẽ q affectus faciãt. 4°. de lo. af. 4ª. 27. D/ *com. 2°. ap. 6°.* Ex. 11. G
Dolorem afferentes morbos in vlcerum genere cõſtitui, probabile eſt. de fract. com. 3°. 7ª. 246. E
Dolor in febribus. de inæq. intemp. 3ª. 44. B
Dolor vnde fiat in febribus, & a quo. 2°. de ſymp. cau. 3ª. 22. A
Dolore caret hectica. de inæq. intemp. 3ª. 44. B
ſine Dolore cur ſint febres hecticæ. 2°. de ſymp. cau. 3ª. 22. A
Dolorem, laborem, grauedinem, ſine mortem in ſynocha ſignificat vrina crocea, & ſpiſſa. de dyn. Sp. 34. E

Dolorem concitant & exaſperant metallica & acetum. 3°. de compo. med. per gen. 5ª. 232. G
Dolor auget halitus fuliginoſus. 10°. met. med. 7ª. 62. H
Doloris cuiuſcunq; quid commune. in prog. com. 2°. 4ª. 206. A
quo modo Dolore affligamur, vbi nihil triſte nobis extrinſecus appropinquat. 12°. meth. med. 7ª. 78. E
Dolor eſt ſicut inimicus, & non ſedandus ſolum, ſed auferendus. de cura lap. Sp. 111. G
Dolor quid mali faciat. 1°. de comp. med. per gen. 5ª. 212. D
Dolor amouet a coitu. de aere, aq. & lo. 2ª. 6. A
Dolor facit contrahi vires ad ſe. in prognoſt. com. 2°. 4ª. 198. H
Dolor vires exoluit. in prognoſt. com. 1°. 4ª. 196. D/ *12°. met. me.* 74. G/ *de vic. rat. in mor. acu. com. 3°.* 7ª. 130. E
ex Doloribus longis, & vehementibus vis vitalis proſternitur. 4°. de præſag. ex pulſ. 4ª. 121. G
Doloris cauſa contriſtat vim expultricem. 13°. meth. med. 7ª. 80. G
ex Dolorum vehementia veniunt diſſolutiones. 1°. de arte curati. ad Glauconem. 7ª. 98. G
Dolor vnius partis facit animi deliquium & perfrigerationem. 2°. de ſymp. cauſ. 3ª. 23. F
in Dolore vehemẽti quo modo mori contingat. 5°. de loc. aff. 4ª. 29. B
cum Dolore moriuntur quibus aphoniæ ex dolore. in 1ᵐ. prorrhetic. commen. 2°. 4ª. 72. D
Dolore præcedente fit ſanguinis eiectio per oſionẽ. 5°. de l. af. 4ª. 32. E
Dolores ſigna indicatiua criſis. 1°. de criſi. 4ª. 128. E
Dolor eſt ſignũ abſceſſus futuri aliqua ĩ pte. c. 4°. aph. 32°. Ex. 30. H
Dolor ſi fuerit in aliqua parte ante morbum, hic morbus firmatur. cõmen. 4°. aph. 33°. Ex. 31. A
ex Dolore in cognitionem venimus ad quas partes natura expellat ſuperfluitates. com. 5°. aph. 53°. Ex. 42. H
Dolor excitatur quandoq; natura ſanguinem & ſpiritum ad partem aliquam tranſmittente. com. 5°. aph. 53°. Ex. 42. D
Dolor ſanguinem ad ſe trahit, & facit inflammationẽ ſine plenitudine. de cur. ra. per ſang. miſſ. 6ª. 17. G
Dolor omnis mouet fluctiones. ars med. Iſ. 78. G/ de vic. ra. in morbis acutis, com. 4°. 7ª. 138. A
Dolor & caliditas fluxionum ſunt cauſæ. 2°. de dif. feb. 3ª. 41. B/ *13°. meth. med.* 7ª. 81. C
Dolor perficitur fluxione decumbente. com. 4°. aph. 32°. Ex. 30. H
Dolor ſuper omnia incitat ſanguinis profluuium & phlegmonem. 5°. meth. med. 7ª. 31. A
Dolor phlegmones cauſa. 13°. meth. med. 7ª. 80. G
ex Dolore oriuntur inflammationes. de fract. com. 3°. 7ª. 244. H
cur Dolor in definitione inflãmationis ponatur. de tum. præt. 3ª. 84. A
Dolor cur in parte inflammata. 1°. de dif. reſp. 3ª. 58. F
Dolorem quo modo faciat phlegmone. 1°. de ſymp. cauſ. 3ª. 16. H
Dolor omnis ſi inueteret & præcipue ex colliſione & compreßione, eſt cauſa inflammationis. de frac. com. 1°. 7ª. 227. H
Dolor duplex percipitur dilatatis arterijs in muſculo inflammato, & quo modo. 2°. de loc. aff. 4ª. 8. H
cũ Dolore ſenſibilis mot° arteriarũ in inflãmationib°. de tu. 3ª. 84. A
Dolorem infert arteriarum dilatatio in muſculis intercoſtalibus inflãmatis. 2°. de loc. aff. 4ª. 9. A
Dolorifica diſpoſitio triſtem affert ſenſum laborantibus ex motu arteriarum. com. 7°. aph. 21°. Ex. 55. D
cũ Dolore ſi inflãmatio adſit, quid agẽdũ. de arte cur. ad Gla. 7ª. 104. G
Dolor vehemens inflammatis partibus duobus modis ſentitur, & quo modo. 2°. de loc. aff. 4ª. 8. G
Dolor membranarum hçmodiæ, id eſt ſtuporis dentium, non habet aliquid ſimile. 2°. de loc. aff. 4ª. 9. H
Dolorum quo genere afficiantur membranæ. 2°. de criſi. 4ª. 137. E
Dolor mẽbranarũ pũctioni ſilis, et quo mõ. de cur. ra. p ſan. miſ. 6ª. 21. F
Dolorem pungitiuum habet mẽbranoſa ſubſtantia. de cõſt. ar. If. 40. D
Dolores membranæ non ſunt inæquales. 2°. de loc. aff. 4ª. 11. B
Dolores in latitudinem membranis accidunt. 2°. de loc. aff. 4ª. 11. B
Doloris diuerſitatem facit membrana os pertingens & non pertingẽs. 2°. de loc. aff. 4ª. 11. C
Dolores quos faciant membranæ ſupra cutim, & quos membranæ in media carne. 2°. de locis aff. 4ª. 11. C
Dolores membranarum ad oſſa pertingentium. 2°. de loc. aff. 4ª. 11. D
in Dolore omni a calida & ſpirituoſa ſubſtãtia facto, et maxime in mẽbranis, arteriæ capitis ſecanda. de cur. ra. per ſang. miſ. 6ª. 21. F

Dolor extremarum

Dolor extremarum partium fomentis ex aqua tollitur. in 6m. de mor. vulg. com. 6°. 3ª. 196. A
Dolor circa vnguium radicem. 1°. de inæq. intemp. 3ª. 44. F
Dolor fit cum calefiunt manus frigidæ. 12°. meth. med. 7ª. 78. D
Dolor calefacientium manus frigidas maxime in vnguium radice. 2°. de loc. aff. 4ª. 9. D
Dolores arteriarum & venarum, qui. 2°. de loc. aff. 4ª. 11. E
Dolores maxime fiunt in neruosis partibus. com. 5°. aph. 66°. Ex. 45. C
Dolores distendentes in neruis 2°. de loc. aff. 4ª. 10. H
Doloribus nimijs contracta vitia neruorum castorium elimat de simpli. med. Sp. 81. H
ad Dolorem omnem in neruis vtero & coxendicibus. 7°. de composi. med. sec. loc. 5ª. 185. C
ad Dolorem vel durities neruorum facit cucumer erraticus. de simp. medicam. Sp. 83. A
ad Dolores neruorũ & musculorũ. 5°. de cõp. med. per gen. 5ª. 258. G
ex Dolore neruorum defectus animi quo modo curandus. 1°. de arte cura. ad Glau. 7ª. 99. G
ex Dolore tendonum defectus animi quo modo curandus. 1°. de arte cur. ad Glauc. 7ª. 99. G
Dolorificas musculorum dispõnes enumerat. 5°. de loc. aff. 4ª. 29. F/G
Dolores ossium ostocopi græce dicti. 2°. de loc. aff. 4ª. 11. E
Dolor capitis paruus non est ægritudo. de const. art. Isa. 42. D
Dolor capitis quicunq; sit, longe minor q̃ coli, aut auris, aut oculi, aut dentis dolor. 2°. de comp. med. sec. loc. 5ª. 134. H
Dolor turgidus in hemicranea & cephalæa. 2°. de lo. aff. 4ª. 10. E
Dolor capitis ob varias cõtigit cãs. de vict. ra. i m. ac. c. 4°. 7ª. 150. E
Dolores capitis qui cibi faciant. de dis. cont. Sp. 74. F
Dolorem capitis faciunt odores calidi. 3°. de loc. aff. 4ª. 20. F
Dolor capitis quo modo aquæ potu qñq; inducatur. de vinis. Sp. 76. C
Dolores capitis generat fumositas bilis a stomacho ascendens in caput. de sper. Sp. 36. H
Dolores in supficie capitis qd significẽt. 2°. de cõp. me. se. lo. 5ª. 137. C
Dolores profundi capitis quid significẽt. 2°. de cõp. me. sec. lo. 5ª. 137. C
Dolores capitis qui cum febre. 2°. de comp. med. sec. loc. 5ª. 137. C
Dolor capitis quando iam adesse aut mox affuturum significetur. quæsita in Hipp. Sp. 113. B
in Dolore capitis ex plaga quæ intentio pro curatione. 2°. de compo. med. sec. loc. 5ª. 133. G
i Dolore capitis vinũ euitãdũ. 1°. de arte cur. ad Gl. 95. F/ 7ª. 99. A
Dolorem capitis multoties sedat vinum pauciferum propter eos qui fiunt in ventre humores. de vinis. Sp. 76. C
Dolori capitis qui fit propter multam adustionem solis, vel vini meri potationem quomodo prosit succus centaureæ. de vir. cen. Sp. 93. B
Dolores capitis mediocres quid auferat. præsag. exper. conf. Sp. 78. C
ad Dolorem capitis decoctio agarici. de med. exper. Sp. 104. C
Dolorem capitis sedat menta. de simp. med. Sp. 87. D
Dolorem capitis psyllium sedat. de simp. med. Sp. 89. A
Dolores capitis vetustiores dissoluimus sectionibus scarificationum. præsag. exper. confir. Sp. 78. C
Dolores capitis moderatos tollit scarificatio crurum. de cucurbitulis, scarificatione. 6ª. 4. B
Dolori capitis confert sectio venæ frontis. de ana. viuo. Sp. 55. A
Dolori capitis confert sectio venarum quæ sunt in angulis oculorum lachrymalibus & temporum. de ana. viu. Sp. 55. A
in Dolore capitis quidam senex medicus quinquagenarius venam incidit. 12c. meth. med. 7ª. 74. H
ad Dolorem capitis chronicum theriaca. de med. exper. Sp. 106. H
ad Dolorem capitis. secretorum. 97. C/de med. exper. 107. F/ de cura lapidis. Sp. 112. B/C
Dolor in membranis capitis quo lunæ aspectu fiat. de decub. progn. ex math. scientia. Sp. 12. G
Dolor i dura cerebri mẽbrana qũo fiat. de ijs q̃ in med. fi. c. 3°. 7ª. 222. F
Dolores intra caluariam cur ad oculorum vsq; radices p̃cedãt. 2°. de comp. me. sec. loc. 5ª. 137. C
Dolor in fronte conceptis in bilis horis. de sper. Sp. 37. C
ad Dolorem frontis. secretorum. Sp. 102. F
Dolor quo modo in visu. 1°. de symp. caus. 3ª. 17. B
quantum ad visum Dolor in Oculis minus euidenter q̃ in cæteris sensibus. 1°. de symp. cau. 3ª. 16. F
Dolorem quot modis patiantur oculi, & qũo curet. de ocu. 7ª. 190. A
Dolor in oculo quando magnus. de ocu. 7ª. 187. B
Dolores oculorũ quibus fieri p̃nt, & qũo tollũtur. 13°. me. m. 7ª. 86. B
in Dolore oculorũ febris declinatio nõ expectãda, pro secãda vena, sed doloris magnitudo inspiciẽda. de cur. ra. per san. miss. 6ª. 21. C
Dolor oculorum quomodo vini potione sanatur. de ocu. 7ª. 190. B
Dolor circa oculos quibus tollatur. 4°. de comp. med. sec. lo. 5ª. 151. H
in Doloribus oculorum q̃ vena secanda. præsag. exper. conf. Sp. 78. B
Dolores oculorum mitigat succus centaureæ. de vir. cen. Sp. 93. C
Doloribus oculorum prodest lenticula de simp. med. Sp. 86. B
ad Dolores oculorum. 4°. de cõp. me. s. l. 153. D/E/F/G/H/5ª. 154. C/D
Dolorem oculorum sedans collyrium. 4°. de comp. me. sec. loc. 5ª. 154. F
ad Dolores oculorum. secre. Sp. 97. D
Dolores oculorũ grauissimos qbus Galenus sanauit. 3°. me. m. 7ª. 17. D
Dolor ex serosis & sanios humoribus in auribus. 3°. de comp. medi. sec. loc. 5ª. 140. F
Dolor Aurium a pituita. de dyn. Sp. 19. G
Dolorem auricularum mitigat opium. de simp. med. Sp. 88. B
ad Dolorem auris. secreto. Sp. 97. B/H
Doloribus Gingiuarum confert sectio venarum labiorum. de anato. viuo. Sp. 55. B
Doloris dentium è pituita. de dyn. Sp. 19. G
Dolori dentium quid succurrat. de dyn. Sp. 25. D
qũo Dolore sanet dens dolens. in 6m. de mor. vul. com. 2°. 3ª. 161. G
Dolorem dentium tollit asininus fimus. de simp. med. Sp. 83. E
Dolorẽ dẽtiũ mitigat nasturtij succus auribꝰ infusus. de dyn. Sp. 25. D
ad Dolorẽ dentiũ. de dy. 25. D/35. G/secr. 97. B/de cur. lap. S. 112. H
cum Dolore pauco Asperæ arteriæ vlcera. 4°. de loc. aff. 4ª. 28. B
Dolores Septo superiores indigent prius sanguinis missione, q̃ euacuatione. de vict. rat. in mor. acu. com. 4°. 7ª. 137. B
in Dolore Vẽtris superioris, oleũ simplex dat bibendũ, vel ex aqua temperatũ, vt vomitus fiat. in 6m. de mor. vul. com. 6°. 3ª. 196. D
Dolor non ita grauiter vexat Thoracem ob motus velocitatem, sicut ob dilatationis magnitudinem. 1°. de dif. resp. 3ª. 58. H
Dolores thoracis, & pulmonis, quales. 4°. de loc. aff. 4ª. 25. H
Dolor circa thoracem & pulmonem, qui non deserit adhibitis præsidijs, quid significet. in progn. com. 2°. 4ª. 203. D
ad Dolores thoracis præcordiorum & stomachi. 7°. de compo. medic. per gen. 5ª. 266. G
ad Dolores omnes pectoris inueteratos. 2°. de anid. 5ª. 113. D
Doloribus ventris vexantur concepti in bilis horis. de sper. Sp. 37. C
Dolores maxime infert stomacho scammonium. de dyn. Sp. 20. H
Dolor in ventriculo augetur febri. 8°. meth. med. 7ª. 53. B
Dolorem stomachi multum in fœmina significat vrina asterica. de dynamidijs. Sp. 35. D
in Doloribus magnis solet ad ventriculum fluere biliosa superfluitas. com. 6°. aph. 50°. Ex. 52. F
a Dolore diuturno ventris suppuratio. com. 7°. aph. 22°. Ex. 55. E
in Dolore forti ventris, partium extremarum frigiditas, malum, & quibus causis fiat. com. 7°. aph. 26°. Ex. 55. G
ad Dolorem ventris, renum pp frigidos humores chamæmelũ pulueriz̃atam, & malaxatam cum melle. de med. exper. Sp. 106. D
ad Dolorẽ stomachi mastichãda dabat Achaafos. de med. exp. S. 106. D
in Dolore ventriculi odoratum aliquod & adstringẽs super ponimus post vomitum. in 6m. de mor. vul. com. 6°. 3ª. 196. D
ad Dolorẽ stomachi ex frigiditate facit triphera magna. de dy. S. 26. D
ad Dolorem stomachi. secr. 98. E/ Sp. 99. G
ad Dolorem stomachi sclirosmon faciens. de dyn. Sp. 28. D
ad Dolorem stomachi & rugitum. de dyn. Sp. 26. H
ad Dolorem stomachi, & ventris remedium. de dyn. Sp. 26. H
ad Dolorẽ, & cõcussionẽ stomachi cũ vẽtris. dolore. de dyn. Sp. 27. A
ad Dolorem stomachi & renum. secreto. Sp. 99. E
ad Dolorem ventris. de dyn. Sp. 27. G
Dolor Galeni in ventre vbi fuerit, & qualis. 2°. de loc. af. 4ª. 9. D
Dolores laterum alij a pleuritide. 5°. de loc. aff. 4ª. 31. D
Dolor lateris pungitiuus, & pulsus asperitas cum tensione, pleuritim indicat. de subst. empi. Isa. 32. E
Dolores qui sunt in lateribus, & pectoribus, atq; alijs partibus, an multum differant per discendum. com. 6°. aph. 5°. Ex. 46. G
Dolor lateris vt est variꝰ, ita variat curationẽ. c. 6°. aph. 5°. Ex. 46. G
Dolor rarus in lateribus qũo progignatur. in 1m. pror. cõ. 1°. 4ª. 166. D
Dolores laterũ ἄπτυσοι, qui. in 1m. de mor. vul. com. 1°. 3ª. 105. A
Dolorem laterum, & aliquando renum in masculis siue fœminis ostendit vrina alba sine febribus. de dyn. Sp. 35. D

Doloris lateris,& sitis in melancholia curatio.de dyn. Sp.24.E
Dolores circa latera recẽtes tollit scarificatio crurũ.de cu.sca. 6ª.4.B
Doloris duorum laterum meminit.secr. Sp.100.G
ad Dolorem duorum laterum.secr.98.F/ Sp.99.H
a Dolore lateris ministrum Dei liberauit,arteria in summa manu incisa.de cur.ra.per san.miss. 6ª.21.F
Doloris quod genº patiat pars in pleuritida affecta.2º.de cri.4ª.137.C
Dolor cur in pleuritide.de const.artis. Isa.40.D
Dolor punctorius est in laterali morbo.2º.de loc.aff. 4ª.9.H
Dolor in pleuritide cur sit pungitiuus.de const.art. Isa.40.D
Dolor in pleuritide cur quandoq; ad hypochõdrium, quandoq; ad clauiculam.de const.artis. Isa.40.F
Dolor in notharum costarum loco non significat statim pleuritidem,& quando est iudicandus pleuriticus.2º.de loc.aff. 4ª.13.D
Dolores ad hypochondria sine voce qui sudore non soluuntur.mali.in 1m.pror.com.2º. 4ª.176.H
Dolores laterales distinctiones.aduersus Lycum. Ex.62.C
Dolor lateris ex eius inflãmatione interdũ continuus, interdũ per interualla,& tunc delirium indicat.in pror.com.1º. 4ª.166.D
Dolor lateris vnde ortũ habet.de vic.rat.in mor.acu.cõ.2º.7ª.116.C
Dolor qũo augeẽ in pleuritide.de vic.rat.in mor.acu.cõ.2º.7ª.116.C
Si Dolor circa costas sine pleuritide sit,densus & paruus sit spiritus. 3º.de diff.resp. 3ª.71.C
in Dolore fomenta ex sale calefacto,& lini semine crudo. 2º.de arte cura.ad Glau. 7ª.104.G
Dolores leues ex fomento ex milio sanant.2º.de ar.cu.ad Gl.7ª.104.G
Dolorem non sedans screatio mala.in progn.com.2º. 4ª.203.B
Doloris lateris sedatio p missionẽ sanguinis,vel p medicamẽtũ in pleuritidẽ non est curatio symptomatis,sed morbi.12º.me.m.7ª.74.G
Dolor nõ sentit in peripneumonia,sed grauitas sola.de vt.resp.S.63.G
Dolor pulsatorius non potest contingere in peripneumonia,& laterali morbo.2º.de loc.affe. 4ª.9.A
Dolores pulmonis plures numerantur.4º.de loc.aff. 4ª.27.E
Doloris pulmonis meminit.secret. Sp.100.G
sine Dolore pulmonis vlcera.4º.de loc.aff. 4ª.28.B
Dolores lumborum cur fiant in dejectionibus bilios is. in 1m.pror.com menta.1º. 4ª.166.D
Dolores ex crapula & cibis,& ad lumbos & coxam quandoq; veniunt.de vict.rat.in mor.acu.com.4º. 7ª.144.H
Dolores circa lumbos exitiales,qui.in prog.com.2º. 4ª.205.H
ad Dolorem lumborum.de dyn.28.D/de pass.mul. Sp.96.A
Dolores si ad partes internas delabantur,facile perferuntur. in prog. commen.3º. 4ª.182.E
Dolores supra septum transuersum purgatione indigere per superiora significat, quicunq; vero inferiora molestant, per inferiora.cõ. 4º.aph.18º. Ex.29.B
a Dolore inter iecur & septum liberat arteria inter indicem & pollicem secta.de cur.ra.per san.miss. 6ª.21.F
Dolor si in vẽtre inferiori,iacẽdũ.de vic.ra.ĩ mor.ac.cõ.4º.7ª.151.D
Dolor iecoris,renum,& vesicæ quibus neglectis fiat.de dy. Sp.19.H
Dolor ĩ hepate quo iunæ aspectu fiat.de dec.pg.ex math.scien.Sp.12.G
Dolor hepatis,lienis,& renum grauis.2º.de loc.aff. 4ª.12.C
Dolor grauis & acutus hepatis qũo cognoscaĩ.c.6º.aph.5º.Ex.46.H
Dolor hepatis quæ secũ trahat in consensum.2º.de loc.aff. 4ª.12.C
ex Dolore loci deprehenditur obstructio iecoris,& lienis. quæsita in Hippocratem. Sp.113.C
ad Dolorem hepatis epithema.de dyn. Sp.26.D
Dolori hepatis ex calore confert triasandali.de dyn. Sp.26.E
Doloribus antiquis hepatis, & diaphragmatis admirabile iuuamentum est sectio arteriæ manus.de ana.viu. Sp.54.H
Dolori antiquo hepatis confert sectio arteriarum post aures. de anat. viuorum. Sp.55.B
Doloribus hepatis cõfert saluatellæ sectio in dextra.d an.vi. Sp.54.H
ad Dolorem hepatis & stomachi.secret. Sp.97.B
ad Dolorem hepatis,& splenis.secret.98.F/ Sp.100.H
Doloros um minime est visus Splen.2º.de diff.resp. 3ª.67.F
Doloribus splenis cõfert sectio saluatellæ in sinistra.de an.vi.Sp.54.H
Dolores cur debent sentiri ab intestinis.5º.de vsu par. 1ª.145.E
Dolor intestinorum quo modo fiat.1º.de loc.aff. 4ª.4.B
Dolores intestinorum concitat bilis.de dyn. Sp.19.D
Dolores fortes circa viscera & conuulsiones in febribus acutis, malum.com.4º.aph.66º. Ex.34.E
in Dolore viscerũ nihil est aptius phlebotomia.de cura icte.Sp.110.G
Dolor factus a frigido humore intercluso inter tunicas intestinorum. 12º.meth.med. 7ª.79.D
Dolorẽ mitigat seuũ iectũ i dejectionibus alui.13º.met.me.7ª.86.A
ex Dolore intestini laxi defectus animi quo modo curandus.1º.de arte cura.ad Glau. 7ª.99.G
Dolor crassi intestini qualis.2º.de loc.aff. 4ª.9.E
Dolores crassorum intestinorum clysteribus sanantur.2º.de arte cura. ad Glau. 7ª.104.H
Dolores mitiores fiunt in intestinis tenuibus.2º.de loc.aff. 4ª.9.G
Dolores tenuium intestinorum cito a philonio sanantur. 2º.de arte curat.ad Glau. 7ª.104.H
Dolores intestinorum omnium vocantur colici,etiãsi non sint in colo. 6º.de loc.aff. 4ª.36.H
Dolores colici,qui.2º.de loc.aff. 4ª.9.E
Dolor coli sæpe per duos dies continuos vexauit.2º.de sym.ca.3ª.25.F
Dolor coli talis,vt homo se interfecerit.2º.de cõp.me.se.lo. 5ª.134.H
ob Dolorem aliqui se necarunt.de symp.diff. 3ª.11.E
in Dolore coli & lapidis,calida.2º.de loc.aff. 4ª.9.F
in Dolore coli quæ per sedem imponenda.12º.meth.med. 7ª.78.G
Dolorem coli ruta sedat.de simp.med. Sp.89.D
in Dolore quo,vtatur Galenus oleo rutaceo.2º.de loc.aff. 4ª.9.D
ad Dolorem colicum proprie facit seseli.de simp.med. Sp.90.D
ad Dolores colicos.de rem.par.fac.166.H/ 7ª.167.H
quibus Dolore ilium accedente hypochondria suspensa, murmurantia,ijs alui humectantur,nisi flatus erumpant,aut vrinæ proueniat copia.de vrinæ signi.ex Hipp. Sp.78.H
ad Dolorem ilij potio probata.de dyn. Sp.28.B/C/D
ad Dolorem ilij fomentum.de dyn. Sp.28.D
ad Dolorem ilij remedium.de dyn. Sp.28.C
ex Dolore ilei defectº animi qũo curãdº.1º. de ar.cu.ad Gla.7ª.99.G
in Dolore intestinali deceptus Galenus,qui putauit esse dolorem renalem.2º.de loc.aff. 4ª.9.E
ad Dolorem Brachiorum.de cura lap. Sp.112.B
Dolorẽ Scapularũ in masculis significat vrina asterica.de dy. Sp.35.D
Dolore Humerorum qui tenentur,vino iuuantur & oleo,si calidũ ex vnguento ponatur.de simp.med. Sp.92.B
ad Dolorem Dorsi emplastrum.de cura lap. Sp.112.G
Dolor grauis in Renẽ primus Hippocrates dixit.2º.de loc.aff. 4ª.9.B
Dolores cur grauissimi in renibus.de ren.aff.dig.& med. 7ª.191.H
Dolor grauis & acutus renum quo modo cognoscatur. commenta.6º. apho.5º. Ex.46.H
Dolores renum qũo fiant.in 6m.de morb.vulg.com.1º. 3ª.155.D
Dolor renũ cõtingit conceptis in horis melancholiæ.de sper. Sp.37.D
Dolor in renibus fit ex superfluo bilis.de sper. Sp.36.H
Dolorem renum,& indignationem in synocha significat vrina colore alba constitutionẽ tenuis cum nebulis non bonis.de dyn. Sp.34.C
Dolorem renum,genu,coxæ,stomachi,ostendit vrina clara superius, inferius nebulosa,& sublimida.de dyn. Sp.35.D
Dolorem renum inferius,capitis grauitatem superius, aurium & narium obturationem significat vrina superius subnigra et plena,quę inferius claritatem habuerit.de dyn. Sp.35.D
Dolorem renum & vesicæ,& capitis aliquantum significat vrina alba & pinguedinosa vel iumentina.de dyn. Sp.35.E
Doloris duorum renum meminit.secr. Sp.100.H
in Dolore renum lotiones,quales.de ren.aff.dign.& med. 7ª.193.D
in Dolore renum cataplasma.de ren.aff.dign.& med. 7ª.194.B
in Dolore renum olea.de ren.aff.dign.& med. 7ª.193.H
in Dolore renum quando stupefacientibus vti debemus. de ren.affec dign.& med. 7ª.194.B
ad Dolorem renum clyster.de dyn. Sp.27.G
ad Dolorem renum.de dyn.28.B/secre. Sp.97.B
ex Dolore inguinum si febris sit excitat,qui pulsus,& vrina.de dynamidis. Sp.34.A
Dolores si prægnanti fiant,aborsum facit.com.7º.aph.23º. Ex.55.H
ad Dolores & mensium retentionem.secr. Sp.102.H
Dolor vehemens in ore matricis,qui,nisi cito occurratur, exulcerat. de pass.mul. Sp.95.F
Doloris matricis meminit.secretorum. Sp.100.H
ad Dolorem matricis electarium folij.de med.exper. Sp.107.H
Dolori matricis cõfert electariũ Aristolochiæ.de med.exp.Sp.108.A
ad Dolorem matricis.de pass.mul.95.H/de med.exper. Sp.108.A

ad Dolorem matricis cur dormiunt cum viro.de paſſ.mul. Sp.95.H
ad Dolorem matricis propter abſtinentiã viri.de paſ.mul. Sp.96.G
ad Dolorem omnes matricis poſt partum.de dyn. Sp.29.H
ad Dolorẽ mulieris poſt partũ dat ꝺcoctio ſq̃thi.ꝺ̃ me.ex. Sp.106.F
Dolorem vuluæ,& matricis,& febrem ſignificat vrina mulieris iumentorum ſimilis.de dyn. Sp.35.E
Doloris vuluæ cura.de dyn. Sp.35.E
Doloribus tumoribus vuluæ butyrũ pprie vtile.de ſimp.me. Sp.81.D
ad Dolores pectinis vti veſpa incidentes.de paſſ.mul. Sp.95.G
ad Dolorem pectinis dorſi,et vẽtris,& frõtis.de paſſ.mul. Sp.95.H
Dolores intẽſiſſimi in veſicæ collo ob lapides.de ren.aff.dig. 7a.193.B
Dolores veſicæ meminit.ſecret. Sp.100.H
Dolor ſi ad perinæum ac epigaſtrium incidat,ſi ſanguinẽ meiat & grumos ſtranguriaq̃ affligatur,ſignificat circa veſicam eſſe ægritudinem.de vrinæ ſign.ex Hipp. Sp.78.H
Dolorem veſicæ & renum mitigant radices glycyrhizæ. de ſimpliciũ medicam. Sp.84.G
ad Dolorem veſicæ.de dyn.29.B/ſecret. Sp.99.H
Dolores potiſſimũ timẽdi i lapide,et ipſis obuiãdũ.de cu.lap. Sp.111.G
Dolor lapidis & dolor coli difficulter diſtinguunt̃,& habent præſidia communia.2°.de loc.aff. 4a.9.F
in Dolore lapidis vehementi quid agendum.de cura lap. Sp.112.C
in Dolore lapidis & coli,calida.2°.de loc.aff. 4a.9.F
in Dolore lapidis confert aqua ciceris.de cura lap. Sp.111.H
Dolorem lapidis per ſyrupos aufert.de cura lap. Sp.111.H
ad Dolorem lapidis.de cura lap. Sp.112.B
Dolorem pudendorum ſedat omnium maxime pompholyx.9°.de compo.med.ſec.loc. 5a.205.D
ad Dolorem Teſticulorum.ſecret. Sp.100.B
Dolor in Veretro ex bilis ſuperfluo.de ſper. Sp.36.H
ad Dolorem Ani.ſecret. Sp.99.G
in Dolore Sciæ & podagræ magnopere iuuat ſectio iſchiadicæ.de anatom.viu. Sp.54.H
in Dolore Genuũ cur oculi lachrymant̃. de na.& ord.cui.c. Sp.42.D
ad Dolorem genuum remedium.de dyn. Sp.30.B
ad Dolorem coxæ,& ventris in mulieribus.de paſſ.mul. Sp.95.H
Dolore dolor ſanat in coxæ exuſtione.in 6m.de mo.vul.c.2°.3a.161.G
Dolorem dolor ſoluit.in 6m.de mor.vul.com.2°. 3a.161.D
Doloribus duobus ſimul non eundem locum infeſtantibus,vehemẽtior alterum obſcurat.com.2°.aph.46°. Ex.18.G
Dolores duo in eodem loco alter alterũ auget.c.2°.ap.46°. Ex.18.H
Dolores Articulorum fiunt luna in coniunctione ſolis,ſaturno in tetragono.de decub.prog.ex math.ſcientia. Sp.13.A
Dolore podagrico,arthritico,aut alio non moleſtabitur,qui vſus fuerit puluere cirico.de dyn. Sp.30.B
ex Dolore articulorum defectus animi quo modo curandus.1°.de arte cur.ad Glau. 7a.99.G
ad Dolores articulorum.7°.de comp.med.per gen. 5a.265.B
ad Dolorem arthriticum.de dyn. Sp.31.D
Doloribus podagricis,colicis,& id genus alijs ægrotare turpe eſt virũ optima natura præditum.5°.de ſan.tu. 2a.88.H
pro Dolore podagræ.de dyn. Sp.30.B
Dolori iũcturarũ ex humore craſſo ãmoniacũ pfuit.de med. Sp.104.C
ad Dolores iunctrarã ex phlegmate viſcoſo quo deſtruitur motus, medicamen Amoronis regis.de med.exper. Sp.108.E
ad Dolorem iunctrarum.ſecre.100.C/101.E/F/ Sp.102.H
ad Dolorẽ iũcturarũ valẽs electariũ gũmi.de med.exper. Sp.108.D
Dolores artuum diſcutiunt varices.in 6m.de mor.vul.cõ.6°.3a.197.F
Dolor quando ceſſat.de inæqu.intemp. 3a.43.F
Dolores occultari repente,malum.in 1m.pror.com.3°. 4a.188.H
Dolor nõ debet remedijs valẽtibus vno die ſanari.12°.me.m. 7a.75.F
cõtra Dolorẽ quidã qui pugnarunt,periere.12°.meth.med. 7a.75.A
Doloribus leuibus & ſæuis præſidia ſuccurrentia.in 6m.de mor.vul.commen.6°. 3a.195.H
contra Dolores duplex eſt ratio medicorum.12°.meth.me. 7a.74.H
Dolorum medicina non nunquam ſtirpium humores.in 6m.de morbis vulg.com.6°. 3a.196.D
Doloris mitigatiua qualia.de ocu. 7a.188.F
Dolores mitigantia concoquunt,& ſuppurare faciunt.3°.de compoſi.med.ſec.loc. 5a.146.E
Dolorem mitigans debet vires cuſtodire.12°.meth.med. 7a.75.A
Dolores auferunt amara ſecundũ Homerum.1°.de antid. 5a.102.B
Dolores debent prius ſedari q̃ detur ptiſſanæ cremor. de vict.ratio.in mor.acu.com.1°. 7a.112.B
Dolores ſedantium ſcopus.7°.de comp.med.ſec.loc. 5a.179.E
Dolores ſedantur calefacientibus.13°.meth.me.7a.82.F/commenta. 5°.aph.22°. Ex.39.C
Dolor vbi eſt,totum membrum calefaciendum & humectandum eſt. 13c.meth.med. 7a.81.A
pro Doloribus olea calida.in 6m.de mor.vul.com.6°. 3a.196.B
Dolor a pulſatili inflammatione & mordaci acredine non ſanatur calidis.3°.de comp.med.ſec.loc. 5a.141.C
Dolorem leuant anodyna auxilia.in 6m.de mor.vul.com.2°.3a.161.G
Dolorem lenit lentor.13°.meth.med. 7a.86.A
Dolorem lenit lentum ſine morſu calefaciens.13°.meth.me. 7a.86.A
in Doloribus quando facienda eſt euacuatio.in 3m.de morbis vulgar. commen.3°. 3a.149.F
in Dolore dat lac aſinæ.de vic.rat.in mor.acu.com.4°. 7a.148.F
Doloris curatio et ſedatio qñ ſimul fiũt.3°.de cõp.me.ſ.lo. 5a.142.A
Doloris ſedãdi iniecta medicamẽta alia excalfaciendo,alia humorem mordacẽ euacuãdo,alia miſcẽdo iniſciunt̃.2°.de ſim.me.fa. 5a.12.C
Doloris ſedandi vim habentia.11°.de ſimp.me.fa.82.H/ 5a.83.A
Doloroſas omnes affectiones iuuant adeps anſerinus & gallinaceus. 3°.de comp.med.ſec.loc. 5a.141.H
ad Dolores quo modo valent adeps gallinaceus & anſerinus.3°.de comp.med.ſec.loc. 5a.142.A
Dolorem ſedat anethum.6°.de ſimp.med.fac. 5a.43.B
Dolorem ſedant chalbanum & adeps tenuium partium.3°.de compo. med.per gen. 5a.232.G
Dolores ſedat & mitigat chamæmalon.3°.de ſimp.med.fac. 5a.18.G
Dolorem acutum patientibus chamæmeli decoctum propinabat Aſtorõ.de med.exper. Sp.104.A
Dolores leuat crocus.7°.de compo.med.ſec.loc. 5a.179.E
Dolores omnes mitigat collyrijs & antidotis commiſtum crocum.de ſimpli.med. Sp.81.E
Dolores leuat myrrha.7°.de comp.med.ſec.loc. 5a.179.F
Doloris ſedandi cauſa oleũ datur bibendũ.2°.de ſimp.me.fa. 5a.12.A
Dolorem ſedans paſtillus.9°.de comp.med.ſec.loc. 5a.204.B/E
ad Dolorem arcendum,parygrum medicamentum.1°.de comp.med. ſec.locos. 5a.129.A
Dolorẽ magis ſedat ſapat q̃ vinũ dulce.3°.de cõp.me.ſec.lo. 5a.140.G
Dolores ſixi diutini terra ægyptia ſanant̃.9°.de ſimp.med.f. 5a.65.G
Dolorem mitigat thus.1°.de comp.med.per gen.214.B/2°. 5a.219.F
Dolorẽ leuantia mollia putrefaciunt.3°.de cõp.me.per ge. 5a.232.G
pro Doloribus ſoluendis raro vtimur refrigeratione.in 6m.de morbis vul.com.6°. 3a.196.B
Dolorem ſoluit ſtupor moderatus.in 6m.de mor.vul.com.2°. 3a.161.B
Dolorem ſoluit ſtupor mediocris.5°.de comp.med.per gen. 5a.255.C
Dolorem ſoluit aqua frigida,torporem inducendo, & hebetando ſenſus.com.5°.aph.25°. Ex.39.H
Dolor ex phlegmone non ſolo frigido leuatur.quo modo morb. If.61.E
Dolorem compeſcit mandragora.de ſimp.med. Sp.87.C
ad Dolores vehementiſſimos mandragoræ ſuccus.4°.de comp.medi. ſecun.loc. 5a.150.H
Dolorem compeſcit hyoſcyamus.de ſimp.med. Sp.92.D
Dolorem aufert,non prodeſt affectionibus papaueris ſuccus.2°.de cõpo.med.ſec.loc. 5a.138.F
Dolores mitigant papauer & altercum.6°.de cõp.me.per ge. 5a.255.C
Dolorem quo modo dici poſſint ſanare opium & opiata.3°.de cõpo. med.ſec.loc. 5a.141.E
in Doloribus quid faciant opiata & frigida.3°.meth.med. 7a.17.D
Dolor in quo vti debemus ſtupefacientibus.12°.meth.med. 7a.79.C
in Doloribus vehementiſſimis exhibet ſtupefacientia.12°.meth.me dendi. 7a.75.B
in Doloribus philonio quando vti debemus.2°.de arte cur.ad Glauconem. 7a.104.H
ad Dolores minuendos.4°.de compo med.per gen. 5a.245.H
ad Dolorem ſedandum.8°.de compo.med.ſec.loc.191.E/9°.201.A/1°. de comp.med.per gen. 5a.211.F
Dolorem ſedans pharmacũ.7°.de cõp.me.ſe.lo.5a.182.C/ 7a.184.H
Dolorem ſedans potio.7°.de comp.med.ſec.loc. 5a.185.B
Dolorem leuans pharmacum.7°.de comp.med.ſec.loc. 5a.182.B
Dolorem ſedans antidotus.10°.de comp.med.ſec.loc. 5a.206.F
Dolorẽ ſedans Antonij Muſæ cõpoſitio.7°.de cõp.me.ſe.lo. 5a.181.H

ad Dolores ſtatim ſoluendos colica.9°.de cõp.me.ſe.lo. 5ª.202.G
Dolorem ſedans colica.9°.de comp.med.ſec.loc. 5ª.202.H
Dolorem ſedans colica,qua vſus eſt Caſſius.9°.de comp.medic.ſecun. locos. 5ª.202.G
Dolorem ſedans colica Lucij.9°.de comp.med ſec.lo. 5ª.202.G
Dolorem ſedans confectio.7°.de comp.med.ſec.loc. 5ª.185.B
Dolores aufert decoctio aſſari.de med.exper. Sp.107.B
Dolores ſedans electarium centaureæ.de med.exper. Sp.107.G
ad Dolorem ſedandum Iſidori. 5°.de comp.med.per gen. 5ª.259.A
Dolorem ſedans Lycomedis.7°.de comp.med.ſec.loc. 5ª.185.A
ad Dolorem ſummouendum malagma apud Aſclepiadem.7°.de compo.med.per gen. 5ª.267.A
a Doloribus liberans malagma.11°.de comp.med.ſec.loc. 5ª.209.D
Dolorem ſedans aliud Marcellini.7°.de comp.med.ſec.loc. 5ª.184.H
Dolorem ſedans Nicoſtrati malagma.7°.de cõp.me.per g. 5ª.267.A
Dolorem ſedans ſtomaticum.6°.de comp.med.ſec.loc. 5ª.170.H
Dolorem ſedans Xenocratis.6°.de comp.med.per ge. 5ª.261.F
Dolorem ſedantes confectiones.7°.de comp.med.ſec.loc. 5ª.184.G
Dolorem ſedans aliud ex ſeminibus.7°.de cõp.me.ſec.loc. 5ª.184.H
Dolorem mitigans ex vino dulci, roſaceo, & cera emplaſtrum. 2°. de arte cur.ad Glau. 7ª.101.G
ad Dolorem ſanandum,Tractum.de dyn. Sp.31.F
Dolorem ſedans.7°.de comp.med.ſec.loc. 5ª.185.A
ad Dolores ſummos.9°.de comp.med.ſec.loc. 5ª.202.F| 5°.de comp. med.per gen. 5ª.251.H
ad Dolorem fortem ex frigida cauſa.de med.exper. Sp.104.H
Dolorem fortẽ auferẽs decoctio chamæmeli.de med.exper. Sp.107.D
ad Dolorẽ fortẽ valẽs medicina Gereonis græci.de me.exp. Sp.105.H
ad Dolores fortes valẽs medicamẽ.de med.exp.106.C|H| Sp.107.A
Dolorem fortem ſedans electarium.de med.exper. Sp.107.A
ad Dolores fortes electarium ſquinanthi.de med.exper. Sp.107.H
ad Dolorem mẽbrorũ interiorum electariũ.de med.exper. Sp.106.G
ad Dolores internos theriaca Euclidis Palatiani. 2°.de anti. 5ª.116.B
ad Dolorẽ ex oppilatione valẽs medicamẽ.de med.exper. Sp.105.H
ad Dolorẽ oẽm.2°.de comp.med.per gen.222.F|7°. 5ª.273.A
Doloris in omnibus membris meminit. ſecr. Sp.100.H
ad Dolorem qualemcunq; vnguentum.de dyn. Sp.30.B
ad Dolores chronicos electariũ dictũ Euadens.de me.exper. Sp.108.E
ad Dolores omnes diuturnos.10°.de ſimp.med.ſec.loc. 5ª.207.D
ad Dolores omnes diuturnos.7°.de comp.med.per gen. 5ª.266.H
Dolores omnes vetuſti, & inſanabiles metaſyncreticis & malacticis rebus curantur, aut paregoricis mitigantur,aut igne peruruntur. de dyn. Sp.19.A
Dolorem vacuantia quæ.13°.meth.med. 7ª.82.D
Dolorem ſoluere poteſt cucurbitula.de cucur.ſcar.2.F| 6ª.3.F
in Dolore mediocri,& ſimilibus conuenit vſus cucurbitularum ſine inciſione.de cucurb.& ſcar. 6ª.3.C
Dolorem ſedat cucurbitula magna,ſi ponatur ſupra vmbilicum cum multo igne.de arte cur.ad Glau. 7ª.104.H
Dolor ſoluitur ſecta vena,& euacuatione. de victꝰ rat.in morb. acut. commen.1°. 7ª.114.A
Dolores maximi ſanantur euacuatione vſque ad animi defectum. cõ. 1°.aph.23°. Ex.10.E
in Doloribus maximis ducere ſanguinem vſq; ad animi defectum eſt præſidium quo nullum maius.præſag.exper.confir. Sp.77.H
Dolorem vetuſtum ſanat vena inter pollicem,& indicem ſecta.præſag.exper.confir. Sp.78.C
Dolore mitigato ſanguis detrahendus eſt. præſag.exp.cõfi. Sp.77.H
Dolor non ſentitur vena aperta.5°.de loc.aff. 4ª.32.D
Dolores omnes ſimpliciter non ſanantur per euacuationem.com.m.4°. aphor.17°. Ex.29.B
Dolores ſoluti abſq; indicatione inutiles.in 1ᵐ.pror.cõ.3°. 4ª.188.H
Dolor ex apoſtematibus quo modo curetur.de ocu. 7ª.190.A
cũ Dolore pulſantem abſceſſum qñ aperimus, & pus emittimus, non eſt curatio ſymptomatis,ſed morbi.12°.meth.med. 7ª.74.G
Dolor,ſuppuratio,et febris in tumore cũ abſunt,pars putreſcit, vt cogamur qñq; ſolidã præcidere.in 3ᵐ.de mor.vul.cõ.1°. 3ª.132.D
pro Dolore viola ad vulnera ſananda.de dyn. Sp.35.E
a Dolore vindicans & conglutinans medicamentum.5°.de comp.medi.per gen. 5ª.249.H
Dolor vbi euitari poſſit, quàm maxime iucunde agere conuenit. de faſcijs, 7ª.293.C
ſine Dolore curanda pars acuti ſenſus.4°.meth.med. 7ª.28.F
Dolore maxime vacant quæ paululum ad pronum declinant. de ijs quæ in med.fi.com.3°. 7ª.217.C
Dolorificæ figuræ in articulis,quæ.1°.de vſu par. 1ª.119.A
a Dolore aliena eſt mẽbrorũ rectiſſima figura.5°.meth.me. 7ª.41.B
ſine Dolore eſt cruris figura paulominus porrecta.5°.met.me.7ª.41.C
Dolor non debet creari ſub ligatura oſſis.5°.meth.med. 7ª.41.D
Dolores fiunt dum incidimur ſtatim, non poſt inciſionem.1°.de ſymp. cauſ. 3ª.16.G
Dolor q; primo leniendus,deinde vlcus curandum.4°.de compo.med. per gen. 5ª.244.C
Dolor ſi cum contuſione,quid agendum.5°.met.med. 7ª.38.G
Dolorẽ quibus afferãt rupturæ.in 3ᵐ.de mor.vulg.cõ.3°. 3ª.149.F
Doloroſa vlcera vbi.4°.meth.med. 4ª.28.B
Dolor,lege Tormina.
DOMESTICA in omnibus ſunt eſui aptiora agreſtib⁹.6°.de ſimpli.med.fac. 5ª.46.A
Domeſticorum animalium alimentum,quale.3°.de alim.fa. 2ª.27.F
Domeſticis ſylueſtres carnes meliores ſunt.de cura icteri. Sp.111.D
Domeſticis valentiora ſunt agreſtia.8°.de ſimp.med.fa. 5ª.61.A
Domeſticis efficaciora ſylueſtria.7°.de ſimp.med.fa. 5ª.52.H
Domeſtica animalia quo differant ab agreſtib⁹.3°.de ali.fa. 2ª.27.E
Domeſticorũ animaliũ carnes edẽdæ potius aſſæ.de cura icte.Sp.111.D
Domeſticum lapathium iuuat ictericos.de cura icteri. Sp.111.B
DOMINARI in qua ſignificatione vtatur Hippocrates.in 1ᵐ.de mor.vul.com.1°. 3ª.103.E
Dominium phlegmatis in poſteriore capitis parte.de ana.vi.Sp.45.E
Dominium ſanguinis vbi ſit.de ana.viu. Sg.45.D
DOMINICA oratione vtitur in colligendo carduum.quare collige Galeni non eſſe librum de dynamidijs.de dyn. Sp.28.B
DOMITIO Nigrino compoſitum.7°.de comp.med.per gen. 5ª.270.H
DOMOS non habent Nomades,ſed habitant in curribus. de aere,aqs, & locis. 2ª.5.D
Domus ortus vnde.6°.de decr.Hipp. 1ª.264.B
Domus ligneæ ex arundinibus.de aere,& aq.& loc. 2ª.4.H
Domus cito cadendi cauſæ aſſignanꝰ viridia ligna.de cau.pc. 3ª.96.E
Domus agreſtes Pergamenæ.quales.1°.de anti. 5ª.101.A
Domorum ædificatio eſt exercitiũ & opus.2°.de ſan.tu. 2ª.73.G
in Domo quid primo initiatur.an omnes animalis par. 1ª.326.D
in Domibus recens calce obſitis cur ſuffocamur.de vti.reſp.1ª.225.D
Domos nuper calce illitas incolentes, quomodo moriantur.7°.de vſu partium. 1ª.159.B
ad Domũ gubernãdã quæſtiones quæ nihil faciũt.9.de decr. 1ª.284.C
Domus in qua debet fieri exercitatio,qualis.2°.de ſan.tu. 2ª.73.C
Domꝰ in qua fiat anatomia qualis eſſe debet.8°.de ana.adm. 1ª.100.H
Domus ſubterraneæ quæ quærendæ.10°.meth.med. 7ª.64.D
Domus aer incluſus,qualis.1°.de ſan.tu. 2ª.67.B
Domus ſplendidiſſima qua Dyoniſius obcæcabat eos quos in obſcuris ſeruauerat.19°.de vſu par. 1ª.178.H
Domus combuſtio ſine igne media æſtate ex ſtercore columbino.2°.de temperamentis. 1ª.22.D
Domus bilis fel,& eius iuuamentum.de ana.viu. Sp.45.F
Domus cordis eſt venter ſuperior.de anat.viu. Sp.47.C
DORCADES cõueniũt ſtomachicis.8°.de cõp.me.ſe.loc.5ª.192.C
DORCADIZON pulſus,qui.comp.pulſ. Sp.66.B
DORICA nomina multa neſciuit Galenus.ad Thraſ. 2ª.107.A
Dorium canere.5°.de decr.Hip. 1ª.257.H
DORMIRE non poſſumus in aere lucido,niſi tectis oculis.de inſtrumento odor. 1ª.112.B
Dormimus ſm mediam figuram corporis.2°.de motu muſc.1ª.314.C
Dormientes non poſſunt habere figuram extremam manus,& cur.2°. de motu muſc. 1ª.314.C
Dormit grauiter conceptus in hora phlegmatis.de ſper. Sp.37.C
cur Dormimus profunde & non profunde.1°.de ſymp.cau.3ª.18.H
Dormientes profunde ſtertunt.com.6°.aph.51°. Ex.52.H
Dormientes in bronchum,ſtertunt.de art.com.3°. 7ª.269.E
Dormientium operationes nõ ſunt omnes naturales,& quæ animalis. 2°.de motu.muſ. 1ª.314.G
Dormientes faciunt voluntarias actiones.2°.de motu muſ. 1ª.314.G
in Dormiente motus volũtariꝰ eſt reſpiratio.2°.de mo.muſ.1ª.314.B
Dormientes ſpirant, quamuis nihil aliud agunt a conſilio.3°.de locis affectis. 4ª.20.B

Dormiens respirat vi animali.an animal sit. 1ª.327.H
Dormientes non habent oēs musculos otiosos.2°.de mo.musc. 1ª.314.C
Dormientes non sunt sensus expertes omnino,sed difficulter sentiunt. 2°.de motu musc. 1ª.314.F
in Dormiente,& vigilante sensus diuersitas.de anat.viuo. Sp.45.H
Dormientium anima non absolute quiescit.2°.de motu musc. 1ª.314.F
Dormientis partes intrinsecæ calidiores,extrinsecæ frigidiores.in 6m. de mor.vul.com.4°.183.D/com.5°. 3ª.193.H
Dormientibus efficacius fiunt concoctiones. in 6m.de morbis vulgari. commen.4°. 3ª.183.D
Dormire per se cruditatibus omnibus maximo remedio est.de vic.ra. in mor.acut.com.4°. 7ª.148.E
inter Dormiendum & edendum plus humorum colligitur. 2°.de præ sag.ex puls. 4ª.109.F
Dormiunt maiorem partem temporis pueri.cō.3°.aph.24°. Ex.25.A
cur Dormientes pueri in pauores et imaginationes terribiles incidāt. com.3°.aph.24°. Ex.25.B
Dormientes male,seruandi diu vigiles,vt postea suauiter dormiant.in 6m.de mor.vul.com.4°. 3ª.184.A
inter Dormiendum quo modo dolores maximi fiant cōtorquendo partes.in 3m.de mor.vulg.com.3°. 3ª.149.E
cur Dormiunt aliqui hiantes ore,& apertis oculis.commentario.6°. aphor.52°. Ex.53.A
Dormientem hiare damnat Hippocrates.2°.de motu musc. 1ª.314.D
Dormire hiantem est exitiosum.in progn.com.1°. 4ª.193.G/H
Dormientium pulsus quo modo differat a pulsu vigilantium.3°.de causis puls. 4ª.97.H
Dormientes cur debent esse tecti.in 6m.de mor.vul.com.4°. 3ª.183.F
Dormiendo, cur quandoque excernitur, & mingitur. de motu manife. Sp.68.G
in Dormientibus si quid alibi commissis palpebris subinspicitur,neq; ex alui profluuio,aut medicamenti potione istud contingat, malum est, & letale valde.com.6°.aph.52°. Ex.53.A
super Dormire admodum sitientibus qui noctu bibere appetunt, bonum.com.5°.aph.27°. Ex.40.A
cum Dormit cum viro mulier,si dolorem matricis patiatur, quid fieri debeat.de pass.mul. Sp.95.H
non Dormiet interdiu, cui dolet caput ex vaporibus. de reme.para tu facilibus. 7ª.153.F
Dormienti similis fit homo compressis quibusdam venis colli,secūdum Aristotelem.de vtil.resp. Sp.63.F
Dormientibus similes,agentes aliquid,& non considerantes.1°.de difficultate respi. 3ª.60.A
inter Dormiendum qui moriuntur.2°.de præsag.expul. 4ª.111.A
Dormitiua potētia cur ex potētijs medicinarū oculi.de ocu.7ª.189.A
DOROTHEI *antidotus ad omniū reptilium ictus.2°.de an.* 5ª.118.D
Dorothei remedia contra viperas.2°.de antid. 5ª.118.A
DORSVM *pars spinæ.intr.Isag.53.E/de ossibus.41.G/12°.de vsu partium.* 1ª.196.G
in Dorso vertebræ quo modo dicantur.in 6m.de morb.vulgarib.commenta.2°. 3ª.171.E
Dorsi vertebræ quot,& quales.de ossibus. 1ª.42.B
in Dorso spondyli duodecim.12°.de vsu par. 1ª.196.G
in Dorsi primis quatuor vertebris Oesophagus extenditur.6°.de vsu partium. 1ª.149.D
in Dorso arteria magna est, & vena magna.de anat.parua. Sp.43.B
per Dorsum a corde protenditur arteria, quæ coniungitur mesenterio, & non transit per hepar. de vtil.resp. Sp.64.E
a Dorso procedenti arteriæ cuidam continuatur mesaraicum. de vtilitate resp. Sp.64.G
secundum Dorsum arteria quando sentiatur.de puls.ad tiro.43.C/1°. de digno.puls. 4ª.73.G
Dorsales musculi.4°.de anat.adm. 1ª.81.F
ad Dorsales musculos arteriæ.16°.de vsu par. 1ª.219.D
Dorsi neruorum primi,secūdi,tertij,quarti,quinti paris egressio vbi. de anat.viuo. Sp.53.H
Dorsi neruorum, sexti, septimi, octaui paris egressio vbi. de anato. viuorum. Sp.54.A
in Dorso suspenduntur renes per panniculum.de anat.viu. Sp.55.F
per Dorsum ad caput ex lumbis rigores mulieribus. commenta.5°. aphor.69°. Ex.45.D
Dorsi partes sunt paratiores ad suscipiendum & sentiendum frigiditatem.com.5°.aph.69°. Ex.45.D
ex Dorso horrores frequētes quid signēnt.in 1m.pror.c.2°. 4ª.175.A
Dorsi dolor ex itinere.de vict.ra.in mor.acu.com.4°. 7ª.144.H
Dorsi dolores ex humore illuc descendente fiunt, sed præsertim crasso spiritu associato.com.6°.aph.22°. Ex.48.D
in Dorsi doloribus quæ vena est secanda.de nat.hum.cō.2°.7ª.183.B
Dorsi dolor per quam partem curetur.com.6°.aph.22°. Ex.48.D
Dorsi dolorem mulcet balneum. de victus ratio.in morbis acut.commen.3°. 7ª.132.H
ad Dorsi dolorem emplastrum.de cura lap. Sp.112.G
ad Dorsi dolorem.de pass.mul. Sp.95.B
Dorsum extentum habentibus medicamentum non est exhibendum. de vict.rat.in mor.acu.com.4°. 7ª.150.F
Dorsi inclinato exercitatio quib° fieri nō debet,5°.de san.tu.2ª.90.A
a Dorsi parte est gibbositas pulmonis.de anat.viu. Sp.48.A
in Dorso neruis exiguis interceptis laqueo vox perit.8°.de anatomi. adminiſtr. 1ª.100.F
ex Dorsi ictu digiti manus læduntur.3°.de anat.adm. 1ª.73.G
Dorso quæcunque rupta ad cubitum descendunt, venæ sectio soluit. com.6°.aph.22°. Ex.48.D
ex Dorsi vlceribus quo modo tumoribus de repente euanescentibus fiant conuulsiones,cur,& quando.com.5°.aph.65°. Ex.44.H
ad Dorsi vlcera.5°.de comp.med.per gen. 5ª.250.G
DORSI *medulla quo nomine vocatur.5°.de loc.aff.* 4ª.31.E
cur Dorsalem medullam Plato vocat genitalē.in Tim.Pla. 1ª.287.G
Dorsi medulla quid.fin.med.Isa.43.H/5°.de loc.aff. 4ª.31.E
Dorsi medullæ exortus in occipitio.in 6m.de mor.vul.com.1°.3ª.154.C
Dorsi medulla vnde.in 6m.de mor.vul.com.1°. 3ª.154.C
Dorsi medulla eiusdem substantiæ cum cerebro.de fœt.for. 1ª.324.D
Dorsi medulla a cerebro videtur procreata.de fœt.for. 1ª.324.H
Dorsi medulla a cerebro,sm Pelopem.6°.de decr.Hip. 1ª.262.F
Dorsi medulla est progerminatio quædam substantiæ cerebri.7°.de de cre.Hipp. 1ª.272.G
Dorsi medullā tanquā truncū producit cerebrum.1°.de sem. 1ª.331.D
Dorsi medulla habet a cerebro facultatem.7°.de decr.Hip. 1ª.272.H
è Dorsi medulla sexaginta nerui.7°.de decr.Hipp. 1ª.272.G
a Dorsi medulla oriuntur nerui thoracem mouentes.de fœtuum formatione. 1ª.324.H
a Dorsi medulla oriuntur nerui, qui ad musculos pectoris perueniūt. de præcogn.ad Posth. 4ª.216.D
Dorsi medulla affecta quid sequatur.in 1m.pror.com.2°. 4ª.169.H
Dorsi medulla præcisa quid sequatur.de fœt.for. 1ª.324.D
Dorsi medulla læsa in prima vertebra reddit immobile corpus totum. 2°.de decre.Hip. 1ª.237.A
ad Dorsum deligandum,vinculum.de fascijs.301.E/ 7ª.302.B
ad Dorsum, aut latera, seu thoracem vinciendum, vinculum. de fascijs. 7ª.301.G
DORYCNIVM *quid,& eius vires.de simp.me.* Sp.83.E
Dorycnij semen quasi amatorium describunt.de simp.med. Sp.83.E
Dorycnium totum venenosum est.de simp.med. Sp.83.E
Dorycnion soporiferum.6°.de simp.med.fac. 5ª.48.C
Dorycnion edentibus quid auxilietur.2°.de antid. 5ª.114.C
DORYLE *vltimum oppidum Phrygiæ Asiaticæ.1°.de alimentorum facultatibus.* 2ª.12.E
Dosis non potest peruerti in medicamentis versibus scriptis.1°.de antidotis. 5ª.108.A
Dosis araci magnitudo.7°.de comp.med.sec.loc.183.A/ 5ª.185.D
Dosis ciceris magnitudo.7°.de comp.me.se.lo.182.C/183.A/185.G/ 186.F/8°.189.B/F/9°.204.B/10°.5ª.206.E/de medic.fac.parab. 171.H/ 7ª.179.D
Dosis cochlearij mensura.7°.de cōp.me.s.l.178.E/181.G/7ª.187.A
Dosis erui magnitudo.7°.de composi.medi.sec.loc.5ª.182.A/de rem. par.fac.154.D/ 7ª.165.B
Dosis fabæ magnitudo.7°.de composi.med.sec.loc.182.H/183.B/D/ 185.D/186.G/H/9°.203.C/5°.de comp.me.per g.5ª.248.D/12°. metho.medc.79.F/ de remedijs par.facil.158.C/G/159.H/171. E/de incant. 7ª.182.B
Dosis fabæ ægyptiæ magnitudo.7°.de compositione medicamentorū secundum locos. 5ª.178.E
Dosis faba ægyptia.7°.de comp.med.se.loc.181.D/182/E/G/183.G/ 185.A/B/D/186.B/H/8°.195.H/9°. 5ª.202.C/G/H
Dosis faba græca.de rem.par.fac. 7ª.166.H

Dosis faba græca.7°.de comp.me.se.lo. 5ª.182.E
Dosis ad fabæ græcæ magnitudinem.7°.de composition.medicamento. secun.loc. 5ª.179.F
Dosis faba græca.8°.de comp.me.sec.lo.194.H/9°. 5ª.198.E
Dosis lupinum.9°.de comp.me.sec.lo. 5ª.200.G
pro Dosi mystrum.8°.de comp.me.se.lo. 5ª.189.E
Dosis mystrum.7°.de comp.me.se.lo. 5ª.182.A
Dosis nux.5°.de comp.me.per gen. 5ª.253.A
Dosis nux auellana.8°.de comp.me.se.lo.195.H/197.G/1°.de cõpo. med.per gen. 5ª.215.F
pro Dosi nucis ponticæ magnitudo.7°.de compo.medic.secun.locos. 178.D/181.E/F/182.D/H/183.G/H/185.G/186.A/B/193.A/ C/D/H/9°.202.D/F/G/10°. 5ª.206.A/D/F
Dosis nux regia parua.9°.de comp.med.sec.loc. 5ª.201.H
Dosis oboli duo.7°.de comp.me.sec.lo. 5ª.182.G
Dosis Allij.de dyn. Sp.21.H
Dosis Ammoniaci.de dyn. Sp.22.B
Dosis Bdellij.de dyn. Sp.22.A
Dosis Chamæleæ.de dyn. Sp.22.B
Dosis Chamæpityos.de dyn. Sp.22.A
Dosis Cucumeris agrestis.de dyn. Sp.21.H
Dosis Cyclaminis.de dyn. Sp.21.H
Dosis Elaterij.de dyn. Sp.21.F
Dosis Ellebori nigri.de dyn. Sp.21.A
Dosis Euphorbij.de dyn. Sp.22.B
Dosis Gallæ.de dyn. Sp.22.A
Dosis Gari.de dyn. Sp.22.G
Dosis Hieræ modcrata vsq; ad drachmas tres.8°.de composi.medic. secun.locos. 5ª.191.B
Dosis Isionis.de dyn. Sp.21.F
Dosis Lathyridis.de dyn. Sp.21.G
Dosis Oliuæ radicis.de dyn. Sp.22.A
Dosis Peplij quanta.de dyn. Sp.21.A
Dosis Sambuci.de dyn. Sp.22.C
Dosis Scammonij quanta.de dyn. Sp.21.A
Dosis Squammæ xris.de dyn. Sp.22.A
Dosis Styracis.de dyn. Sp.21.H
Dosis Tithymalli.de dyn. Sp.21.E
Dosis Thymi.de dyn. Sp.21.H
DOTHIEN *affectus in quacunq; parte corporis.intr.* Isa.59.D
de Dothienibus.5°.de comp.med.sec.loc. 5ª.160.D
Dothien.2°.meth.med. 7ª.9.F

DRACHMA *& holca idem de ponderibus & mensuris.* 5ª.275.C
Drachma est quod Romani denarium appellant.8°.de composi.medic. secun.loc. 5ª.191.B
Drachma quæ in vsu sit.8°.de comp.med.sec.lo. 5ª.191.B
Drachma quantum capiat.de pond.& mens.5°.265.E/276.A/C/F/G
Drachma quo modo notetur.de pond.& mens.275.C/H/ 5ª.277.F
Drachma dimidia,est chema.3°.de comp.me.sec.lo. 5ª.147.H
Drachmæ dimidium sunt oboli tres.6°.de comp.me.sec.loc. 5ª.171.C
*Drachma dimidia quomodo notet.de pon.& mens.275.C/H/*5ª.277.F
Drachmas octo continet vncia.4°.de comp.me.sec.lo.152.B/6°.170. A/9°.198.H/1°.de comp.me.per gen. 5ª.217.F
Drachmæ argenteæ octo aut septem cum dimidia faciunt vnciam.8°. de comp.me.sec.loc. 5ª.191.A
Drachmas.xij.facit sequuncia.4°.de comp.me.se.lo. 5ª.152.B
Drachmas.xxxij.æquat tertia pars libræ.4°.de san.tu. 2ª.86.H
Drachmæ centum pro libra.1°.de comp.me.per gen. 5ª.216.H
Drachmæ.clx.mina.2°.de comp.me.per gen. 5ª.225.G
Drachma Aegyptiaca.de pond.& mens. 5ª.276.E
Drachmales pastilli.7°.de comp.me.sec.loc. 5ª.185.B
DRACO *filius Hippocratis.de nat.hum.com.2°.* 7ª.181.E
DRACO *habet proprietatem in signo tauri & magnitudine & sensu. de spermate.* Sp.38.H
Draconi aduersatur sulfur.9°.de simp.med.fac. 5ª.69.C
DRACONES *pisces habent carnem duram.3°.de ali.fa.* 2ª.31.F
Dracones pisces ægre conficiuntur,& pariũt succos crassos & salsos. 3°.de alim.fac. 2ª.31.E
Draconis marini venenum trahens.5°.de comp.me.per ge. 5ª.246.E
Draco marinus suum ictum sanat.11°.de simp.med.fac. 5ª.82.G
Draconis morsum sanat trigla.11°.de simp.me.fac. 5ª.82.G
ad Draconis morsus.3°.de comp.me.per ge.235.D/5°. 5ª.248.H
DRACONIS *sanguis ad fluxum sanguinis narium.de dyn.* Sp.25.B
DRACO *vocatus laqueus quo modo conficiatur.de laqu.* 7ª.307.E
DRACONES *ad quid in organis.de machin.* 7ª.310.B
DRACONTIA *quæ sint.intr.* Isa.60.D
Dracontiasis cutis affectus.intr. Isa.59.D
Dracontiorum curatio.intr. Isa.60.D
Dracunculus est vlcus,quod a parte propinqua ad ipsum nerui dilationem habet,dictus quod neruus mouendo corpore in vlcus recedat,ineoq; occultetur.fin.med. Isa.49.E
DRACONTII *radices præstantiores folijs.2°.de ali.fac.* 2ª.24.D
Dracontij radix bis & ter coquitur.2°.de ali.fac. 2ª.24.G
Dracõtij radix vehemẽter crassos et lentos humores a pectore trahit. 2°.de alim.fac. 2ª.24.G
Dracontij radix fortiter resoluit.2°.de arte cur.ad Glau. 7ª.105.F
Dracontij radix medicamentosum quid habet.2°.de ali.fac. 2ª.24.G
Dracontio quomodo conseruatur caseus.6°.de simp.me.fa. 5ª.46.D
Dracunculus calefactorius.6°.de simp.med.fac. 5ª.48.C
Dracunculi radix viscera omnia expurgat,& optimum remedium est contumacium vlcerum,& vitiliginem expurgat cum aceto.6°.de simpl.med.fac. 5ª.46.D
Dracunculi radix tenuium partium est,& lapidẽ atterit in renibus. 3°.de comp.med.fac. 5ª.141.E
Dracontij radices purgant vesicam.de cathar. Sp.95.D
Dracunculi radix qũo seruanda & vlceribus medetur.5°.de compo. med.per gen. 5ª.246.G
Dracunculus vlcera exciccat.4°.de comp.me.per gen. 5ª.236.G
Dracunculi folia vlceribus vulneribusq; recens inflictis accommoda sunt.6°.de simp.med.fac. 5ª.46.D
ex Dracunculi radice medicamentum idem valet cum isidæ ægyptia in neruis.3°.de comp.me.per gen. 5ª.229.D
Dracunculi succus vitia oculorum expurgat.6°.de simpli.medicam. facult. 5ª.46.D
Dracunculi fructus cancros & polypodas eliquare creditus est.6°. de simp.med.fac. 5ª.46.D
*Dracũculi radix ad neruos vulneratos.3°.de cõp.me.per ge.*5ª.234.B
Dracunculi succus acerrimus,& amarissimus.de bonit.& vitio succorum. 2ª.35.F
ex Dracunculo oleum mitigatorium in duris corporibus.3°.de cõpo. me.per gen. 5ª.235.A
DRAGANTVM *faciens chitran alijs præstat.de simp.me.* Sp.71.G
DRIMEA *medicamenta sunt acria,quæ nequitiam humorum vel morborum extinguunt.de dyn.* Sp.18.H
DROMAEDAE *vxoris nuper enixæ casus.in 1m.de morb.vulga. commen.3°.* 3ª.125.B
DROPAX *vnguentum pro gracilibus.6°.de san.tu.* 2ª.98.B
DROPACITA *medicamenta.de ijs quæ in medicatrina fiunt, commentario 3°.* 7ª.220.D
DRVPPAE *oliuæ.6°.de simp.med.fac.* 5ª.46.G
DRYS, *quercus seu robur.6°.de simp.med.fac.* 5ª.46.D
DRYINVS *serpens,qualis,& vnde dictus.de ther.ad Pis.* 5ª.92.H
Dryini aquatilis morsibus confert Centaurea.de virt.cent. Sp.93.H
contra Dryinum valet theriaca.de ther.ad Pis. 5ª.91.C
DRYOPTERIS *quid,& eius vires.de simp.me.* Sp.83.D
Dryopteris filicula.6°.de simp.med.fac. 5ª.46.D
Dryopteris minimum si sumatur,lædit.3°.de simp.me.fa. 5ª.39.C
Dryopteris genere non quantitate obest.5°.de simp.me.fa. 5ª.39.C
Dryopteris septicum medicamentum.5°.de simp.me.fa. 5ª.36.B
Dryopteris pilis glabram cutem efficit.6°.de simp.me.fa. 5ª.46.D
Δρυπετεῖς *oliuæ drupæ.6°.de simp.me.fac.* 5ª.46.F
DVALITATEM *dæmonem existimauit Pythagoras.de historia philosophica.* Sp.4.F
DVBITATIO *creari solet in exercitatis.2°.de decr.* 1ª.238.D
*Dubitationibus oblectatur clara hõs suspecta.2°.de mo.mus.*1ª.315.A
Dubitatio Pyrrhonea.1°.de dieb.decr. 4ª.146.A
Dubitatio Soritica.1°.de dieb.decr.146.B/2°. 4ª.156.D
Dubitatur an musculus circa basim oculi sit vnus, vel duplex, vel triplex.de mus.dis. 1ª.44.F
*de Dubijs prompte pronuncians temerarius.2°.de mot.mus.*1ª.315.D
*ĩ Dubio colice,et lapidis electuariũ Azariconis.de me.exp.Sp.*106.H
DVCENDI *sunt humores eò, quò repunt per loca opportuna. com.1°.aph.21°.10.A/com.6°.aph.22°.* Ex.48.E

DVCENDA *materia illuc quo vergit. in 1m.de morbis vulgarib.commentario.2°.* 3a.112.B

DVCIBVS *exercituum & primatibus conuenit theriaca. de theri.ad Pisonem.* 5a.91.C

DVCTILI *ære facilius rumpitur conflatile.de machin.* 7a.308.E

DVLCEDO vna ex qualitatibus.fin.med. Isa.50.B

Dulcedo qualitas gustus.de nat.hum.com.1°. 1a.28.H

Dulcedinis sensionem euidentissimam habet lingua.de vic.rat.in mor. acut.com.3°. 7a.127.G

Dulcedo ex calore.4°.de simp.med.fac. 5a.25.G

Dulcedo quo modo fiat in fructibus.4°.de simp.med.fac. 5a.26.F

Dulcedo prouenit dupliciter a calore moderato proprio,et adscititio. 4°.de simpl.med.fac. 5a.27.B

Dulcedo deprehenditur in sirœo & melle.4°.de simp.med.fac. 5a.25.C

Dulcedines faciunt differre in partibus dissimilaribus. 3°.de simplic. medic.fac. 5a.20.G

Dulcedo in cibis quid faciat.de diff.cont. Sp.75.A

Dulcedo communis eorum quæ nutriunt.4°.de simp.me.fa. 5a.28.E

ad Dulcedinem & rubedinem declinans vinum est magis nutritiuũ. de diff.cont. Sp.73.F

Dulcedo pauca si est in vino leui boni odoris,bonum generat humorem inter crassum & tenuem.de diff.cont. Sp.73.H

*Dulcedo ppriaro̅ne iuuat & obest.d̄ vic.ra.in mor.acu.c.3°.*7a.125.F

Dulcedo coitus in qua parte potissimum fiat in viris & mulieribus . de compag.memb.siue de nat.hum. Sp.59.D

*Dulcedine victi aliq̄ psistũt in malis cõsuetudinib9.5°.de sa.tu.*2a.93.H

DVLCESCANT *quomodo fructus pontici.de ocul.* 7a.188.B

Dulcescant qui fructus post ponticitatem.de ocu. 7a.188.B

*Dulcescunt primo fructus ex calore,post amarescunt.de ocu.*7a.188.C

DVLCIARIVS *pistor quo modo ex pulte liba,placentas, crustulas, & bellaria conficiat.1°.de semine.* 1a.330.B

DVLCE, *melleum, idem.1°.de simp.med.fac.* 5a.8.H

Dulce quid.1°.de simp.med.fac. 5a.8.E

*Dulce fit ex miscella calidi,frigidi,humidi & sicci.1°.de ali.fa.*2a.9.g

*Dulce,et austerũ videnť extrema.de vic.ra.i mor.acu.cõ.3°.*7a.125.D

Dulces qualitates sunt qualitates gustus non medicamentorum fa.5°. de simp.med.fac. 5a.38.H

Dulcis qualitas moderate est calida.6°.de simp.med.fac. 5a.42.G

Dulce omne calidum temperatum est.4°.de simp.med.fa. 5a.26.G

Dulce non potest esse vehementer calidum.4°.de simp.me.fa. 5a.27.F

Dulcia admodum,sunt calida.4°.de simp.med.fac. 5a.26.D

Dulce calidum,sed nondum vrens.5°.de simp.med.fac. 5a.39.G

*Dulce magis,magis calidum.4°.de simp.medica.faculta.*5a.27.A/*de cathar.* Sp.94.E

Dulce minus,minus calidum.4°.de simp.med.fac. 5a.27.A

Dulce calidius est austero.4°.de simp.med.fa. 5a.27.C

Dulcia quo modo probabant quidam calida. 3°.de simplicium medic. facult. 5a.17.G

Dulce superassatum fit calidum siccum, perinde vt calx & cinis.4°. de simpl.med.fac. 5a.30.A

Dulcia modice aliqua sunt frigida.4°.de simpli.med.fac. 5a.26.D/*de catharticis.* Sp.95.B

Dulcia & acerba simul sunt crassioris essentiæ & temperaturæ frigidæ.4°.de simp.med.fac. 5a.28.E

*Dulcia & acida simul sunt tenuiora et frigida.4°.d̄ simp.m.f.*5a.28.F

Dulci calidius est amarum.4°.de simplicium medica.facul. 5a.27.C/ *de oculis.* 7a.188.C

Dulce calidum est & humidum plus minusue.4°.de simpl.medicam. facult. 5a.30.A

Dulce & vnguinosum significat pingue. in 6m.de morb.vulgaribus. commen.5°. 3a.191.G

de Dulci dicitur pingue, vt de melle & sirœo.in 6m.de morb.vul.cõmentario.6°. 3a.195.G

Dulce quo modo impropriе accipiatur.de fract.com.3°. 7a.248.E

Dulcia calore adscititio sunt quæ ab igne præparantur.4°.de simplic. med.facul. 5a.27.B

*Dulcia quæ sint.4°.de simp.med.fac.*5a.27.B/*de ocu.* 7a.187.H

Dulces quidem sunt Aquæ fluentes versus septentrionem, in frigiditate autem excedunt.de bon.aquæ. Sp.75.E

Dulcior erit aqua & frigidior si flauerit boreas.de bo.aquæ. Sp.75.G

Dulcis minus est aqua flante Austro,sed magis calida q̄ flante borea. de bon.aquæ. Sp.75.G

Dulcis aquæ balneorum multi effectus.3°.de san.tuen. 2a.78.A

Dulcia Cerasia magis quæ intestinis sunt subducunt, sed minus grata stomacho sunt austeris.7°.de simp.med.fac. 5a.50.H

*Dulces Cibi,sapidi,subtiles abstergũt,& qui sint.de diff.con.*Sp.72.E

Dulces cibi omnes sunt mali hepati,& renibus.de diff.cont. Sp.74.H

Dulces cibi & crassi succi quos morbos faciant. de bonitate & vitio succorum. 2a.36.E

Dulcis dolor dici non potest.2°.de loc.aff. 4a.10.A

Dulces Fructus qui ex amaris fiant.4°.de simp.med.fac. 5a.28.F

Dulces & ppinq sapido sunt fructꝰ a terra sublimes.de ocu. 7a.188.A

Dulces & mansueti Homines vnde.de sperm. Sp.40.D

Dulce Mel fit proprio calore.4°.de simp.med.fac. 5a.27.B

Dulce fit Musium proprio calore & adscititio.4°.de simplicium medi.facultatibus. 5a.27.B

Dulce Oleum mundificat.de diff.cont. Sp.74.G

Dulces Passulæ numerantur inter cibos calidos.de diff.cont. Sp.74.C

Dulces Passulæ leniunt ventrem.de diff.cont. Sp.75.A

Dulcis Pituita,non est frigida exquisite.2°.de dif.feb. 3a.37.F

Dulcis amarus pulsus.3°.de dif.puls. 4a.62.H

Dulcis Radix.i.glycyrrhiza,& eius vires.6°.de simplicium medicatorum fac. 5a.45.F

Dulce minus melle est Sacchar.7°.de simp.med.fac. 5a.55.E

Dulcis est Sanguis humidus feruens. de natura & ordine cuiuslibet corporis. Sp.41.D

Dulcissimum sanguinis trahit infans in vtero,& simul etiã lactis parte aliqua fruitur.com.5°.aph.37°. Ex.21.A

Dulces Sapores vocat Galenus,quos alij aqueos vocant.4°.de simpli. med.fac. 5a.25.C

Dulcis sapor qualis sit,& vnde oriatur.de ocul. 7a.188.A

Dulcis sapor vnde fiat.de vict.rat.in mor.acut.com.3°. 7a.125.H

Dulces sapores tertij sunt in ordine calidorum descendendo.4°.de simpli.med.fac. 5a.29.F

Dulcis saporis terminus est nutrire.4°.de simp.med.fac. 5a.29.F

Dulcis sapor summe,nutrit.4°.de simp.med.fac. 5a.28.F

*Dulcis Succus a Praxagora & Philotimo,qui.1°.de sym.ca.*3a.17.E

Dulcis succus acri aduersatur.de victus ratione in morbis acutis, cõmentario.3°. 7a.130.B

Dulcis succus a calore temperato prouenit.9°.de simplicium medicamento.fac. 5a.68.C

Dulcis succus,cum est sine acrimonia & crassitie,celerius distribuit. 2°.de alim.fac. 2a.19.G

Dulcis succus quando est cum acrimonia & crassitie,citius deijcitur. 2°.de alim.fac. 2a.19.G

Dulcis succus nutrit.2°.de alim.fac. 2a.20.G

*Dulcis terra dicitur,vbi aqua melior & potabilior fit.d̄ bo.aq.*Sp.75.E

Dulcis,& pinguis terra aquam bonam facit.de bon.aq. Sp.76.B

Dulce & austerum vinum Albates.4°.de simp.med.fac. 5a.26.F

Dulce est vinum Creticum.1°.de dign.pul. 4a.70.H

Dulce vinum Falernum cognouit Galenus,cum primum Romæ gustasset,ex ijs quæ audierat.1°.de digno.pul. 4a.70.H

Dulce vinum in Lydia Sesaminum.1°.de dign.pul. 4a.70.H

Dulce est vinum Therœum non acerbum.3°.de diff.pul. 4a.53.G

Dulcis vini vires.9°.de decr.Hipp. 1a.283.E

Dulce vinum neq; subtile,neque lucidum.de vinis. Sp.76.D

Dulce vinum,& calidum est cibus calidus.de diff.con. Sp.74.C

Dulce vinum antiquũ citrinũ est cibus calidus.de dif.con. Sp.74.C

Dulce vinum crassumq̄, consistentia calefacit.de vinis. Sp.76.D

Dulce vinum digestibilius est aspero.de diff.cont. Sp.73.D

Dulce vinum,ponticum,crassum,nouum,tarde descendit.de dissolutione conti. Sp.74.H

Dulce vinum crassum album quale in nutriendo.de dif.con. Sp.73.F

Dulce vinum nigrum crassum quale in nutriendo.de dif.con. Sp.73.F

Dulce vinũ crassum,rubrũ magis est nutritiuum.de diff.con. Sp.73.F

Dulcia vina quo magis deficiunt a vehementi caliditate, eo minus capitis grauedinem mentisq̄ læsionem faciunt.de vinis. Sp.76.E

Dulcia vina lædunt iecur,& splenem.de vinis. Sp.76.E

Dulce vinum generat oppilationem in hepate,& lapidem in renibus & crassum reddit splenem.de diff.cont. Sp.74.H

*Dulcia vina intestinis inferioribus non nocent,ppter quod tardant in hypochondrio quousq; digerantur & tenuentur.de vinis.*Sp.76.E

Dulce vinum quando non inflat.de diff.cont. Sp.74.G

Dulce vinum lenit ventrem.de dif.cont. Sp.75.E

Dulcia vina neque coeducunt ſecum, neque coeuacuant cholericos humores.de vinis. Sp.76.E
Dulce vinum purgatis tuto exhibetur.de præſag.exp.confir. Sp.78.D
Dulcia vina ad vrinas non cito veniunt.de vinis. Sp.76.E
Dulcia vina cholericis non ſunt idonea.de vinis. Sp.76.E
Dulcia vina omnia materia ſunt flauæ choleræ.de vinis. Sp.76.E
Dulcia vina febricitib⁹ nõ cõpetũt eo q̃ ſunt craſſa.de vinis. Sp.76.E
Dulcè vinum craſſum obſtruit,& obſtructionẽ p̃ficit.de vinis. S.76.E
Dulces Vuæ numerantur inter cibos calidos.de diſ.cont. Sp.74.C
Dulces vuæ quid agant.2°.de ali.fac. 2ª.18.B
Dulcis actiones.5°.de ſimp.med.fac. 5ª.39.A
Dulcis operationes.de ocu. 7ª.188.B
Dulcia gratiſſima guſtui et cõueniẽtia naturę.1°.de ſymp.ca. 3ª.17.D/F
Dulcia quid agant in lingua.1°.de ſimp.med.fa. 5ª.9.A
Dulcis voluptatẽ habet guttur.de vic.rat.in mor.acu.c.3°. 7ª.127.G
Dulce in ſe habet lingua.1°.de ſymp.cauſ. 3ª.17.D
Dulce quod in lingua pituitæ ſpecies.1°.de ſymp.cau. 3ª.17.D
ex Dulcium genere eſt quicquid nutrit.4°.de ſimp.me.fa. 5ª.26.H
Dulce plus aut minus eſt quicquid nutrit.4°.de ſimp.me.fac. 5ª.28.E
Dulce edendum calidum prope temperiem.4°.de ſimp.me.fa. 5ª.26.H
Dulce nihil eſt moleſtum.2°.de loc.aff. 4ª.11.G
Dulcia aliqui auerſantur.4°.de ſan.tu. 2ª.86.F
Dulci delectantur viſcera,& venter,& id raptim eliciunt.de vic.ra. in mor.acu.com.3°. 7ª.127.F
Dulcibus omnibus lien & iecur intumeſcunt.13°.meth.med. 7ª.83.E
Dulce fundit,lauigat,& mollit.4°.de ſimp.med.fa. 5ª.26.H
Dulcia quo modo mundificant,& lauant.de ocu. 7ª.188.C
Dulcia mordicationem protinus mitigant.2°.de ſimp.me.fa. 5ª.12.G
Dulcia quæ tollunt mordicationem.2°.de ſimp.med.fac. 5ª.12.G
Dulcia,cum vehementer incaluerint,aut diu in vẽtriculo morata fuerint,vertuntur in bilem.in 6ᵐ.de mor.vul.com.5°. 3ª.191.G
Dulcia & pinguia ſupra modum calefacta in amaram bilem vertuntur.1°.de criſi. 4ª.130.A
Dulcia omnia in bilem facile mutantur.2°.de natu.facult. 1ª.300.H/ *de vic.rat.in mor.acu.com.3°.* 7ª.126.C
Dulce quando delectat,& quando in bilem conuertitur. de vict.rat. morb.acu.com.3°. 7ª.127.G
Dulcia ſunt prohibenda calido iecori.de diſſ.cont. Sp.71.F
Dulcia apparent amara icterici.de cura icteri. Sp.111.A
magis Dulce quàm amarum quando videatur abſinthium. de cura icteri. Sp.111.A
Dulce calidum,& ſiccum dandum, ſi ægritudo fuerit culpa phlegmatis.de dyn. Sp.19.F
Dulcia humida & calida da laborãti ex cholera nigra.de dy. Sp.19.F
Dulcia humida,& frigida ſunt danda, ſi culpa cholerę rubræ fuerit æger.de dyn. Sp.19.F
Dulcia,& boni ſaporis cur miſcean̄ medicinis.de me.exp. Sp.108.G
DVO fiunt ex vnico coitu.an animal ſit. 1ª.327.D
extra DVODECIM *horas tertianam exquiſitam ſuas acceſſiones protendere nunquam inuenies.com.4°.aph.43°.* Ex.33.H
Duodecimũ numq̃ vidit iudicantẽ Galenus.1°.de dieb.decr. 4ª.146.G
Duodecumanæ duodecim qualis typus a quibuſdam dicatur.ad eos qui de typ.ſcripſ. 3ª.91.H
DVODENVM *inteſtinum vnde dictum ſit.de comp.memb.* Sp.59.A
Duodenum dicitur quia cõtinet duodecim digitos.de ana.vi. Sp.50.C
Duodenum inteſtinum eſt ſub portonario.de ana.par. Sp.43.A
Duodenũ inteſtinum ſiue portonariũ primum eſt.de ana.viu. Sp.50.B
Duodenum cur rectum & extenſum eſt.de ana.viu. Sp.50.C
in Duodeno nervus eſt ſecundum latitudinem.de ana.viu. Sp.50.C
Duodeni & gulæ differentia.de ana.viu. Sp.49.C
Dupla videretur res vna,niſi nerui oculi iungerent.de ocu. Sp.184.D
Duplæ cur res appareant oculis.4°.de locis affectis. 4ª.22.A/*de oculis.* 7ª.186.B
DVPLEX *charcheſius quo mõ ex ſimplici fiat.de laqueis.* 7ª.308.A
Duplex charcheſius qũo implicetur circũponendo.de laque. 7ª.308.B
Duplex charcheſius quo modo implicetur.de laqueis. 7ª.307.H
Duplex cochlea quæ.de machin. 7ª.310.D
Duplex faſcia glomerata in vtranque partem ductã a ſuperiore parte deorſum.de faſc. 7ª.303.D
Duplex oculus a ſuperiori parte ductus.de faſcijs. 7ª.297.E
Duplex oculus in vtrãque partem ductus a ſuperiori parte deorſum. de faſcijs. 7ª.297.F/*Aliter ibidem.*
Duplex oculus ex eodem ductus.de faſc. 7ª.297.G/*Idem ab inferiori parte.H/idem in vtranque partem ductus,ibidem.*
Duplex ſpica ab aliquibus quadriga dicitur.de faſc. 7ª.301.D
Duplex rhombus.de faſcijs. 7ª.302.F
Duplex vinculum ad cervicem.de faſc. 7ª.302.D
in Duplici vaſe,hoc eſt in diplomate,bullire. 7°.*de comp.med.ſecundum locos.* 5ª.180.A
DVPLICATIONIS *motum in lingua qui muſculi faciant. de anatom. viuorum.* Sp.49.D
cur Duplicata eſt interior veſicæ tunica.de ana.viu. Sp.51.D
Duplicia oſſium ligamenta quæ.de vtil.reſp. Sp.62.G
Dupliciter nominare quas res Græcorum conſuetudo ſit.comment.4°. apho.59°. Ex.34.A
DVPONDIVM *quantum capiat.de pond.& menſ.* 7ª.276.D
DVRAGI eſt velocis digeſtionis.de diſſ.cont. Sp.73.C
Duragi ſunt boni chymi,& ſubtilis. Sp.73.H
DVRATVM *quod eſt,quia natiuum humorem non retinet, id ſiccum potius q̃ durum appellatur.5°.de ſimp.med.fac.* 5ª.34.G
cur Duret aliquis abſque ſpirarione.de vtil.reſp. Sp.64.B
DVRISSIMVM *non poteſt vno impetu fieri molliſſimum.* 1°.*de natur. faculta.* 1ª.292.D
Duriſſima arbor corallus naſcitur in terra molli & lutoſa in mari ſm Ariſtotelem.de ana.viu. Sp.46.A
DVRITIES *conſequitur mixtionem ex qualitatibus.* 1°.*de vſu partium.* 1ª.115.D
Durum ſenſu cognoſcimus.4°.de vſu pul. 4ª.83.D
Durities tactus qualitas.de natura humana.com.1°. 1ª.28.H/*de ſymptom.diff.* 1ª.13.D
Duritiei & mollitiei arbiter tactus.2°.de dif.pul. 4ª.63.D
Durities opponitur mollitiei.3°.de ſan.tu. 2ª.79.C
propter Duritiem eſt os.1°.de vſu par. 1ª.115.E
Durities requiritur ad motum.9°.de vſu par. 1ª.174.F
Durities aliquid facit ad percipiendam pulſus contractionem. 1°.*de digno.pul.* 4ª.73.B
Durities vnde arterijs.1°.de dif.feb. 3ª.34.D
Durities non frigoris,ſed ſiccitatis ratione euenit.in 6ᵐ.de morb.vul. comm.5°. 3ª.193.F
Duritia inſeparabilis eſt a ſicco corpore,non tamẽ eius propria.2°.de temperamentis. 1ª.17.F
cum Duritie refrigeratio,malum.in 1ᵐ.pror.com.2°. 4ª.175.B
Durities ex cõfluxu humorum naſcitur,& curatur eiſdem euacuatis.7°.de comp.med.per gen. 5ª.267.G
Durities & inflammatio quo modo diſtinguantur.7°.de comp.medic. per gen. 5ª.263.F
Durities affectus in quacunque parte corporis.introd. Iſa.59.C
Durities quid in oculo.de ocu. 7ª.186.G
Durities affectus partium interiorum palpebrarum.introd. Iſa.58.D
Durities inſenſibilis cornæ morbus.1°.de ſymp.cau. 3ª.15.E
Durities ſenſu carentes quibus fiant.1°.de ſymp.cau. 3ª.14.G
Duritia coniunctiuæ morbus.de ocu. 7ª.186.F
Durities ſenſu carentes,ſunt morbi inſtrumẽtalium partiũ. 1°.*de ſympto.cau.* 3ª.14.G
Durities,œdema,& inflatio,non ſunt affectiones certę in ſolidis animatis partibus.in 3ᵐ.de morb.vulg.com.1°. 3ª.129.D
Durities cum liuore ſignificat inflammationẽ.de fract.cõ.2°. 7ª.236.C
Duritiei & inflãmationi cõe accidens.7°.de cõp.me.per ge. 5ª.263.F
Durities phlegmonodes habet duplicem ſcopum.7°.de compoſi.med. per genera. 5ª.263.F
in Duritierum reſolutionibus q̃ ſemper miſcenda mollientia.2°.de arte cura.ad Glau. 7ª.105.F
Duritiem relaxat Aſparagus.de ſimp.med. Sp.80.G
Duritiem emollit Aſphodelus.de ſimp.med. Sp.81.B
Durities nervorum emollit Bdellium.de ſimp.med. Sp.81.C
Durities,& parotidas,& feruores ſoluunt Caricæ ſicut iris.de ſimplicium med. Sp.84.C
Durities,& vulnerum rheumatiſmum emendant caricæ. de ſimplic. medica. Sp.84.C
Durities remollit & laxat omnis Cera.de ſimp.me. Sp.82.B
Durities veteres remollit fimus omnis.de ſimp.med. Sp.84.E
Durities,& tumores ſoluit Git.de ſimp.med. Sp.84.F
Durities diſſoluit Gladiolus.de ſimp.med. Sp.84.H
Duritiem mollit,& relaxat Ibiſcus.de ſimp.med. Sp.85.E

Durities & ſcrophas emollit Lenticula.de ſimp.med. Sp.86.B
Durities mollit,& relaxat Medulla omnis.de ſimp.med. Sp.87.D
Durities mollit Opopanax.de ſimp.med. Sp.88.C
ad Duritiem oẽm Sampſuchus valde idonea eſt.de ſimp.me. Sp.90.G
Durities mollit Sepum.de ſimp.med. Sp.90.B
Durities lenit Styrax & mollit.de ſimp.med. Sp.90.E
Durities remollire poteſt Viſcus.de ſimp.med. Sp.91.H
Duritias diffundens.5°.de comp.med.per gen. 5ª.247.A
Duritias diſcutiens.6°.de cõp.med.per gen. 5ª.262.H
ad Duritias calloſas.6°.de comp.med.per gen. 5ª.255.B
Duritias cancroſas tollens.5°.de comp.med.per ge. 5ª.250.B
ad Duritiem glandularum.de dyn. Sp.26.A
ad Duritias humerorum.de me.fac.par. 7ª.174.D
ad Duritiem iecinoris.6°.de comp.med.per gen. 5ª.256.A
Duritias p̃ſertim in mãmillis digerẽs.5°.de comp.me.per g. 5ª.247.E
Duritias diſcutiens,& præſertim mammillas obſidentes.5°.de comp. med.per gen. 5ª.249.H
Duritiem mãmillarum ſoluit erbum.de ſimp.med. Sp.85.B
Duritias præſertim in mammis diſcutiens cyzicenum.5°.de compoſi. med.per gen. 5ª.250.B
Durities in mãmis curãs,& digerens.1°.de comp.med.per g. 5ª.217.B
ad duritias maxime in mãmis emolliẽdas.3°.de cõp.me.p g. 5ª.235.B
ad Duritias in mammis.5°.de comp.med.per ge.248.H/6°. 5ª.262.A/*de paſſ.mul.* Sp.96.D
ad Duritias muſculorum.6°.de comp.med.per ge. 5ª.262.D
Durities neruorum facit cucumer erraticus.de ſimp.med. Sp.83.A
Durities neruorum lilium emollit.de ſimp.med. Sp.86.D
ad Durities nodoſas.6°.de comp.med.per gen. 5ª.260.B
Durities in parotidibus qũo curanda.3°.de comp.med.ſec.lo. 5ª.146.F
Durities præcordijs tollens.6°.de comp.med.per gen. 5ª.263.B
Durities quæ ſit in ſcirrho.7°.de comp.med.per gen. 5ª.267.G
in Duritie lienis aceto vtaris.11°.meth.med. 7ª.73.D
ad Duritiem ſplenis,& hepatis emplaſtrum.ſecretorum. Sp.99.E
ad Duritiem ſplenis.de dyna.26.G/ſecreto.99.E/de med.exper.105.D/de cura lapidis. Sp.112.H
ad Duritiem ſplenis electarium capparis.de med.exper. Sp.108.B
Duritiei ſplenis valens medicamen Amaloz.de me.exper. Sp.106.B
ad Duritiam trimeſtrem.1°.de comp.med.per gen. 5ª.214.G
ad Duritias veteratas & contumaces.7°.de cõp.me.per g. 5ª.265.C
Durities in tumoribus mala.com.5°.aph.67°. Ex.45.C
de Duritie in ventre quædam conquerebatur.ſecreto. Sp.100.H
Durities vbi in vlcere ſit,quo oleo vtendum.4°.de compoſi.medicam. per genera. 5ª.236.A
Durities ac denſitas corporis vteri eſt cauſa ſterilitatis.comment.5°. apho.59°. Ex.43.C
Duritiebus vteri aptiſſimũ eſt oleũ liliorũ.7°.de ſimp.me.fac. 5ª.53.B
ad Duritiem vuluæ.1°.de comp.med.per gen. 5ª.214.H
quo modo Durities præter naturam differat a compreſſione vteri propter fœtum.com.5°.aph.54°. Ex.42.F
ad Duritias.10°.de comp.med.ſe.lo.209.B/4°.de compo.medic.per genera.241.B/5°.246.H/6°. 5ª.261.B
ad Duritiem omnem.8°.de compo.med.ſec.loc.193.A/2°.de comp. med.per gen.225.F/3°.235.D/6°.256.H/262.A/7°. 5ª.265.A/B/*de med.exper.105.D/de cura lap.* Sp.112.H
ad Duritiem omnem malagma.9°.de comp.med.ſec.lo. 5ª.200.C
Durities diſſoluens malagma.9°.de comp.med.ſec.loc. 5ª.200.C
ad Duritiem omnem emolliendam.10°.de comp.me.ſe.lo.209.C/4°. de comp.med.per gen. 5ª.243.D
Duritias emolliens.7°.de comp.med.per gen. 5ª.266.G
ad Duritiem omnem diſſoluendam.10°.de cõp.med.ſec.lo. 5ª.208.A
DVRVM *quid ſignificet.2°.de ſan.tuen.* 2ª.72.E/F
Durum quo modo vſurpetur.4°.de dign.pul. 4ª.83.C
Durum tribus modis dicitur.5°.de ſimp.med.fac. 5ª.32.E
Durum ab Hippocrate dicitur crudum.com.5°.aph.67°. Ex.45.C
Durum contrarium molli.12°.de vſu par.1ª.192.H/in 6ᵐ.de morbis vul.com.1°.3ª.160.B/com.5°.aph.67°. Ex.45.C
Durum cum laxo non habet ſocietatem.11°.de vſu par. 1ª.191.F
Durum aduerſum ijs quæ tenſa ſunt.3°.de ſan.tu. 2ª.76.H
de Duro et molli Ariſtoteles Platõe elimatiꝰ egit.3°.d̃ dif.p. 4ª.63.E
a Duro quo modo differt validum.3°.de dif.pul. 4ª.63.D
Durum non accommodatum ad ſenſum.12°.de vſu par. 1ª.193.A
Dura quæ dicantur.4°.de dign.pul. 4ª.83.D/E
Dura quæ ſint.3°.de diff.pulſ. 4ª.63.D
Dura ſunt quibus caro noſtra cedit.5°.de ſimp.med.fac. 5ª.32.F
Dura per exceſſum quæ ſint.5°.de ſimp.me.fac. 5ª.32.E
Durum abſolute terra.5°.de ſimp.med.fac. 5ª.32.E
Dura habent plurimum terræ.9°.de ſimpl.me.facul. 5ª.64.G
Dura & viſcoſa ſunt craſſarum partium.1°.de ſimp.me.fac. 5ª.4.E
Durum eſt & tactu lædit lignum omne ſm Hipp.de machin. 7ª.319.E
Durum cum frigore neceſſario non eſt ſiccum.2°.de tempe. 1ª.17.G
Durum ſiccum eſt in calore mediocri.2°.de temp. 1ª.17.G
ex Duro molle non enaſcitur.12°.de vſu par. 1ª.193.B
Durum ex molli non enaſcitur.12°.de vſu par. 1ª.193.B
Duro molle iungi non debet.de ana.viuo. Sp.43.G
Durum admodum cur frangatur.3°.de ſymp.cau. 3ª.27.A
Durum non debet eſſe quod colliditur.de cau.morb. 3ª.9.G
Duri proprium.4°.de dig.pul. 4ª.83.F
Dura mediocriter extenta ad interiora reflectuntur vt in calamis, viminibus,& virgis patet.com.6°.aph.46°. Ex.51.E
Dura & oſſea nequeunt circumplicari.1°.de vſu par. 1ª.114.C
Durum quod ita eſt,vt nec difficile ad flectendum ſit,& firmiter innitaẽ,id & trahere valenter quicquid voluerit põt, & violẽter trudere & fortiter tenere.3°.de ſymp.cau. 3ª.28.H
Durum ſiccumq̃ quod eſt,nihil in ſe ingredi ſinit priusq̃ ipſum ex aliqua parte diuiſum ſit ac veluti exulceratũ.3°.de ſym.ca. 3ª.29.A
Durum difficulter recluditur.3°.de ſym.cau. 3ª.27.A
Durum non facile eroditur.3°.de ſym.cau. 3ª.27.A
Durum in ſimilaribus.2°.de ſan.tu. 2ª.72.G
Duræ partes cur multæ in animalibus.de marc. 3ª.46.C
Duræ corporis partes non ſunt humidæ.2°.de temp. 1ª.17.G
Dura Mater dicitur pellicula quæ eſt ſub cranio.de anat.par. Sp.43.D
Duræ matris nomina.9°.de ana.admi. 1ª.103.H
ſub Dura matre eſt pia mater.de anat.par. Sp.43.D
ad Duram matrem tendens inflammatio non eſt abſque periculo.2°. de comp.med.ſec.loc. 5ª.133.H
Durius Cerebrum cur ſit in parte poſteriori.de ana.viu. Sp.53.H
Duros Oculos habent quædam animalia.de ana.viu. Sp.48.C
Dura eſt valde albugo in piſcibus.de vtil.reſp. Sp.63.D
Dura caro quæ proprie appellanda eſt.2°.de ſan.tuen. 2ª.71.A
ex Duris cur ſit confectum Cor.de ana.viuo. Sp.46.D
Dura cur ſit caro cordis.de ana.viuo.46.D/52.F/ Sp.55.G
Durum cor ſit creatum Os.de ana.viuo. Sp.43.G
Durum pedis veſtigium qui muſculus faciat.de muſ.diſ. 1ª.52.A
Duræ partes corporis cur habent meatus.9°.de vſu par. 1ª.171.E
Durum ſumme ſtupidum eſt & inſenſibile.3°.de vſu par. 1ª.134.A
Duræ,& tardæ digeſtionis cibi ſunt præponendi in fundo ſtomachi. de diff.cont. Sp.71.H
Dura tarde digeruntur.de diff.cont. Sp.73.D
Dura ſicca tarde deſcendunt.1°.de ali.fac. 2ª.14.D
Dura corpora inepta ſunt expulſioni, & digeſtioni.3°.de ſymptomatum cauſis. 3ª.29.D
Dura generant humorem crudum.3°.de ali.fac. 2ª.27.A
Dura & terreſtria cur plus dent alimenti.1°.de ali.fac. 2ª.14.D
Duræ aquæ quæ.3°.de diff.pul. 4ª.63.F
Dura aqua,& frigida,qualis.de bon.aquæ. Sp.75.G
Dura aqua quibus obſit.de bon.aquæ. Sp.75.G
Duræ naturæ eſt lupinus.de diff.cont. Sp.73.B
non Dura oua omnia bene parata,& cocta bonum generant humorẽ inter tenuem,& craſſum.de diff.cont. Sp.73.H
Dura oua,elixa,aut aſſa cibus craſſus,& cur.de diff.cont. Sp.73.D
Dura oua elixa,& aſſa,& frixa tarde deſcendunt.de diſ.cõ. Sp.74.H
Dura oua tarde digeruntur.de diff.cont. Sp.73.D
Duris ouis velocius digeruntur non dura de diff.cont. Sp.73.D
non Duri piſces nec multæ viſcoſitatis generant bonum humorem inter tenuem,& craſſum.de diff.cont. Sp.73.H
non Duræ carnis piſces,nec multæ viſcoſitatis ſunt temperati.de bonitate aquæ. Sp.73.D
Duri,& viſcoſi piſces ſunt craſſi.de diff.cont. Sp.72.H
Duri piſces,quibus dominatur viſcoſitas,generant phlegma.de diſſo. continua. Sp.74.B
Durum vinum quo modo per metaphoram.3°.de diff.pul. Sp.63.F
Durum quo modo dicatur vinum.3°.de præſag.ex pul. 4ª.117.F
Durum abijciendum in herbis.4°.de ſan.tuen. 2ª.86.D
Duriora abijcienda ex his quæ macerantur.7°.de cõp.me.ſe.l. 5ª.180.H

Dura & lapidosa quo modo lauanda.2°.de simp.med.fa. 5ª.13.A
Duriora etiam per plures dies maceranda.7°.de composi.medicamē. sec.locos. 5ª.180.H
Durum de animo.3°.de dif.pul. 4ª.63.F
Durum institutum.3°.de dif.pul. 4ª.63.F
Durus iudex,qui.3°.de dif.pul. 4ª.63.F
Dura lex,quæ.3°.de dif.pul. 4ª.63.F
Durus ventus.3°.de dif.pul. 4ª.63.F
Durum studium.3°.de dif.pul. 4ª.63.F
Dura vita.3°.de dif.pul. 4ª.63.F
Dura nox,quæ.3°.de dif.pul. 4ª.63.F
Dura quæ facta sunt a frigore & siccitate,quibus curanda. 5°.*de simpli.med.fac.* 5ª.32.H
a Duro alteratio pathema a Platone dicitur.de symp.diff. 3ª.10.A
Duri homines vbi.de aere,aq.& loc. 2ª.6.E
Dura corpora habent Aegyptum & Arabiam incolentes. 3°.*de compo.med.per gen.* 5ª.235.F
Durus homo,qui.3°.de dif.pul. 4ª.63.F
Dura ne an mollia sint corpora considerare debet medicus qui curat. 9°.de simp.med.fac. 5ª.66.B
Dura corpora quo modo fiant.3°.de dif.pul. 4ª.62.F
Durum quot modis fiat.5°.de simp.med.fac. 5ª.32.F
Durius quo modo reddatur corpus tumidum, & aquosum. in 6ᵐ.de mor.vul.com.2°. 3ª.161.A
Durius corpus quæ causæ efficiant.5°.de san.tu. 2ª.89.C
Durum habitum facit succus affectus.5°.de san.tu. 2ª.89.C
Durum corpus & gracile fit,vbi siccum pollet, altera contrarietate modum seruante.2°.de temp. 1ª.18.F
Duri,& aridi qui.6°.de comp.med.sec.loc. 5ª.176.F
Duri cuius sint temperamenti.de sal.diæta. 2ª.40.E
Durum siccum habet habitum valentiorem quàm mollius & humidius.de vsu pulſ. 1ª.229.G
Durum & densum corpus facile tolerat quicquid extrinsecus occurrit.de consuetudine. 2ª.61.D
Duri debent ferè semper vti victu humidiori.de sal.diæta. 2ª.40.E
Dura corpora quo mò sanari dñt p artē.7°.de cōp.me.per g. 5ª.263.D
Duris corporibus quæ conueniant.2°.de compo.medicam.per genera. 220.F/3°. 5ª.235.A
in Duris corporibus vsus medicamēti.3°.de cōp.me.per g. 5ª.233.G
Duris corporibus magis sicca exhibēda.2°.de cōp.me.p g. 5ª.220.F
Dura corpora ferunt vehementia medicamenta, non autem mollia. 9°.de simp.med.fac. 5ª.66.C
Duri indigent medicamentis fortioribus.2°.de comp.med.per genera. 227.B/7°. 5ª.269.G
Durorū potissimum corporum vulnera maxima sanantur a folijs & germinibus corni.7°.de simpl.med.fac. 5ª.52.G
in Duro corpore quibus vtendum.de rem.par.fac. 7ª.154.H
pro Duris punica acida,pro mollibus austera.3°.de comp.med.secū. locos. 5ª.148.E
Duræ partes difficulter euacuantur.ars med. Isa.70.H
Duræ,& densæ partes quare tardius sanantur.cō.6°.aph.49°. Ex.52.E
Dura nō agglutinantur neq; coalescunt,aut vix.3°.de sym.ca. 3ª.29.A
Dura siccaq; non possunt concrescere.3°.meth.med. 7ª.19.A
Dura quoniam sunt æs,ferrum,aurum,& lapis non coalescunt,neque agglutinantur.3°.de symp.caus. 3ª.29.A
Duras carnes glutinantia.2°.de comp.med.per gen. 5ª.227.B
Dura quæ facta sunt ab atra bile,cancrosa sunt omnia,& ab emollientibus exasperantur.5°.de simp.med.fac. 5ª.34.E
Dura arcenda a phlegmone.13°.meth.med. 7ª.81.C
Durum a siccitate quo modo curetur.5°.de simp.med.fac. 5ª.32.G
Durum a congelatione quo modo curetur.5°.de simp.med.f. 5ª.32.G
Durum a repletione quo modo curetur.5°.de simp.med.fac. 5ª.32.G
Dura a crasso lentoq; humore calida possunt & sicca medicamenta. 5°.de simp.med.fac. 5ª.34.E
Dura emollit chamæmelon.3°.de simp.med.fac. 5ª.18.D
Dura emolliens medicamentum,quale.5°.de simp.med.fa. 5ª.33.E
ad Dura omnia apostemata.de cura lap. Sp.112.H
ad Duras mammas.7°.de comp.med.per gen. 5ª.268.F
ad Duros musculos.7°.de comp.med.per gen. 5ª.268.F
Durum splenem curans medicamen.de med.exper. Sp.104.D
ad Duros tumores & inflammationes in melancholicis. de mel. ex Gal.Ruff.& Poss. Sp.110.C

Δυναμισφθοροποιοῦς, *id est facultates corruptionem inducentes,attrahere potest cucurbitula.de cucurb.scar.* 6ª.3.F
DIONYSIACVM quid sit.1°.de comp.med.sec.loc. 5ª.125.D
DYSAESTHESIA, sensus difficultas.de symp.diff. 3ª.11.C
Δυσκοιτεῖν. *de vict.rat.in mor.acu.com.2°.* 7ª.120.A
DYSCRASIA *& eucrasia sensu iudicatur.1°.de san.tu.* 2ª.64.B
Δυσελκὴς *homo,qui dicatur.de vic.rat.in mor.acu.com.2°.* 7ª.124.E
Δυσεντερία *vnde habeat nomen.2°.meth.med.* 7ª.9.D
Dysenteria symptoma.2°.de symp.cau. 3ª.21.E
Dysenteriæ nomen quot modis accipiatur.de art.com.4°. 7ª.287.H
Dysenteria.fin.med.47.F/intr. Isa.57.D
Dysenteriæ proprie,quæ.6°.de loc.aff. 4ª.36.D
Dysenteria proprie est vlcus intestinorum,quæ non repente, & assatim fit.6°.de loc.aff. 4ª.36.D
Dysenteria morbus longus intrinsecus.intro. Is.56.B
Dysenteriarum differentiæ.de nat.hum.com.1°. 1ª.32.B
Dysenteria duplex est.in 3ᵐ.de morbis vulgaribus, com.3°. 3ª.146. *E/2°.de loc.aff.* 4ª.49.G
Dysenteriæ quatuor species numerantur.3°.de symp.cau. 3ª.28.B
Dysenteria putat ab ignaris hepatica ibecillitas.5°.de loc.af. 4ª.34.F
Dysenteria vitio hepatis quo modo differat a propria dicta dysenteria.6°.de loc.affe. 4ª.36.D/E
Dysenteria quando sit,& quando non.1°.de loc.aff. 4ª.4.B
Dysenteria vexantur concepti in bilis horis.de sper. Sp.37.C
Dysenteriæ causa.introd. Isa.57.D
Dysenteriæ cruentæ causæ quæ.5°.de loc.aff. 4ª.35.D
Dysenteriæ sanguineæ quibus.3°.de sym.caus. 7ª.27.H
Dysenterijs cruentis correpti sunt, qui laborantes ad desidiam venere.de nat.hum.com.2°. 7ª.180.C
Dysenteriæ quo modo fiant.in 1ᵐ.de mor.vul.com.2°.111.C/3ª.114.F
Dysenteriæ quo modo fiant,docuit Hippocrates. de venæ sect.ad.Era sistratum. 6ª.7.D
Dysenteriam facit humor mordax,& vlcerat intestina, & eo remoto adhuc remanet affectus.1°.de loc.aff. 4ª.4.C
Dysenteriæ ex defluxione ad intestina. in 1ᵐ.de morbis vulgaribus, commen.2°. 3ª.109.A
Dysenteriæ cur vere & æstate.de nat.hum.com.1°. 1ª.32.A
Dysenteria,id est difficultas intestinorum,quo modo sequitur lævitatem intestinorum.com.6°.aph.1°. Ex.46.A
Dysenterias multoties æstate faciūt aquæ paludosæ.de bo.aq. S.75.D
Dysenteria gignitur ex aqua per plūbū canalem deriuata.7°.de cōp. med.sec.loc. 5ª.180.H
Dysenteria totum corpus plerunque euacuat, vt hæmorroides et mēses.2°.de loc.aff. 4ª.9.G
in Dysenteriam via est decliuis,ideo cito excernitur. de natu.huma. commen.2°. 7ª.180.D
in Dysenteriis euacuatur cum malo bonum.3°.de symp.cau. 3ª.26.G
ex Dysenteria euacuationes siccitatem efficiūt.1°.de dif.feb. 3ª.34.D
Dysenteria quæ cessat,quid faciat.de vict.rat.in morbis acutis, comment.4°. 7ª.144.C
Dysenteria habet notas perfectas.12°.meth.med. 7ª.79.A
Dysenteriam qui dolores præcedant.2°.de loc.aff. 4ª.9.G
Dysenteriæ excrementa q̄ dicantur.in 1ᵐ.de mor.vul.c.3°. 3ª.124.H
Dysenteriam esse in magnis intestinis significat intestini tunica eiecta lata & crassa.1°.de loc.aff. 4ª.2.D
in Dysenteria exesa prima intestinorum tunica multi superuixere. 4°.de vsu par. 1ª.141.B
Dysenteriæ ex malignis vlceribus.3°.de symp.cau. 3ª.27.E
ex Dysenteria lævitas intestinorum.intr. Isa.57.E
Dysenteria quædam ab atra bile.3°.de symp.cau. 3ª.28.B
Dysenteria si ab atra bile cœperit,lætalis.5°.de vsu part. 1ª.145.E
Dysenteria laborantes ab hectica febre capti.2°.de diff.feb. 3ª.35.F
ad Dysenteriæ curationem multum facit cognoscere locum in quo vlcus.6°.de loc.aff. 4ª.36.E
Dysenteriam sedem habet cognitu facilem.6°.de loc.aff. 4ª.36.D
in Dysenteria vrina rubra prædicit mortem futuram.de dyn. Sp.35.D
Dysenteriæ curatio.introd. Isa.57.D
Dysenteria quibus curetur.12°.meth.med. 7ª.74.G/H
in Dysenteria victus tenuissimus adhibendus.de art.cō.4°.7ª.288.F
in Dysenterijs si curamus rosionem,est curatio symptomatis.12°.me thodi med. 7ª.74.H
ad Dysenterias cōueniunt medicamēta,quę cum eo quod refrigerant

vnà adſtringunt. 6°. de ſimp. med. fac. 5ª. 43. G
pro Dyſenteria quæ adſtringentia. 11°. de ſimp. med. fac. 5ª. 81. E
in Dyſenterijs debent accipi adſtringentia, quæ non habent amaritudinem, vel acorem. de ſubſi. empi. Iſa. 33. F
ad Dyſenteriam aptum eſt radicis Althææ decoctum. 6°. de ſimp. medic. fac. 5ª. 46. B
ad Dyſenteriã vſi ſunt oẽs medici Balauſtio. 6°. de ſim. me. f. 5ª. 44. F
in Dyſenteria Cæpas comedendas cum pane dabat quidam. 12°. methodi medendi. 7ª. 75. A
ad Dyſenteriã ſanguis Caprarum toſtus. 10°. de ſimp. me. fa. 5ª. 73. B
ad Dyſẽterias optimũ remediũ eſt Cauda eqna. 6°. de ſim. m. f. 5ª. 48. F
Dyſenterici confert ſuccus Centaureæ. de virt. cent. Sp. 94. A
Dyſenterius ſanant Ciſtbi flores cũ vino poti. 7°. de ſim. me. f. 5ª. 51. D
Dyſenterijs cum vino pota prodeſt Clematis daphnoides. 7°. de ſimp. med. fac. 5ª. 51. G
Dyſenteriam ſanat Cornu ceruinum. 10°. de ſimp. med. fac. 5ª. 79. B
contra Dyſenteriam qũo valeant Cochleæ. 11°. de ſimp. me. fa. 5ª. 81. G
Dyſenterias ſanat Damaſonium. 6°. de ſimp. med. fac. 5ª. 46. A
ad Dyſenteriam quo modo Faba valet. de vic. ratione in morbis acu. commen. 4°. 7ª. 152. G
Dyſenterijs remedio ſunt Hederę folia. de ſimp. med. Sp. 84. A
Dyſenterias curat Ideа radix. 6°. de ſimp. med. fac. 5ª. 48. E
Dyſenterias ſanat ſemen Lapathi, oxylapathi, et hippola pathi. 7°. de ſimp. med. fac. 5ª. 54. B
ad Dyſenterias valet Lentiſcus. 8°. de ſimp. med. fa. 5ª. 61. H
Dyſenterijs accommodatur Lothi lignorum aſſulę deraſæ. 7°. de ſimp. med. facul. 5ª. 55. A
Dyſentericis adhibetur Lycium. 7°. de ſimp. med. fa. 5ª. 54. H
Dyſenterias ſanat Lyſimachios pota. 7°. de ſimp. med. fac. 5ª. 54 H
pro Dyſenteria Mora immatura. 2°. de ali. fac. 2ª. 18. H
ad Dyſenterias accõmodus eſt mori fructus. 7°. de ſim. me. f. 5ª. 56. C
in Dyſenteria Muria per clyſterem. 12°. meth. med. 7ª. 75. A
Dyſentericos iuuat Nymphææ radix & ſemẽ. 8°. de ſim. m. f. 5ª. 57. A
ad Dyſenteriam valet Ouum, ſi illi adiungatur aliquid, quod ad dyſenteriam valet. 11°. de ſimp. me. fac. 5ª. 81. E
Dyſenterias iuuat Phyllitis. 8°. de ſimp. med fac. 5ª. 63. E
in Dyſenteria putreſcentia vlcera colluit & deſiccat ſalſugo piſciũ ſalſorum. 11°. de ſimp. med. fac. 5ª. 83. G
ad Dyſenteriã exhibet radix Polemonij. 8°. de ſimp. me. fa. 5ª. 59. A
Dyſenteriam ſiſtit Polygonon. 8°. de ſimp. med. fac. 5ª. 58. H
Dyſenteria laborantes iuuant Poma cocta cum pane ſumpta. 2°. de alimen. facul. 2ª. 19. H
ad Dyſenterias commoda eſt membrana quæ eſt ſub cortice Roboris & ſub glande eius. 6°. de ſimp. me. fac. 5ª. 46. E
ad Dyſenteriam quo modo Rubia valet. de vic. ratio. in morb. acutis, commen. 4°. 7ª. 152 G
ad Dyſenterias idonea remedia ſunt Rubi flos & fructus. 6°. de ſimp. med. fac. 5ª. 44. G
ad Dyſenterias congruit Sideritis achilleis. 8°. de ſimp. me. f. 5ª. 60. D
ad Dyſenteriam quo modo caninũ Stercus. 1°. de ſimp. me. fa. 5ª. 75. E
ad Dyſenterias vtiliſſima eſt Theriaca. de ther. ad Piſo. 5ª. 96. B
ad Dyſenteriam pillulæ probatæ. de dyn. Sp. 28. A
ad Dyſenteriam, Andromachi. 9°. de comp. me. ſe. loc. 5ª. 203. A
ad Dyſenterias. 10°. de ſim. me. f. 5ª. 73. G/de dyn. 27. H/Sp. 28. A/C
ad Dyſenteriam, & lienteriã probatum remedium. de dyn. Sp. 28. A
ad Dyſenteriam diuturnam. de rem. par. fac. 7ª. 160. A
de DYSENTERICIS. 9°. de comp. med. ſec. loc. 5ª. 202. H
Dyſenterici veri qui. 9°. de comp. med. ſec. loc. 5ª. 202. H
Dyſenterici quibus neglectis fiant. de dyn. Sp. 19. H
Dyſentericorum pulſus. de dyna. Sp. 35. A
Dyſenterici non ſunt purgandi. de dyn. Sp. 20. F
in Dyſentericorum deiectionibus, vbi vehementer rodunt, quæ valeant. 12°. meth. med. 7ª. 74. G
Dyſentericis valet Adeps caprinus. 11°. de ſimp. me. fac. 5ª. 78. H
Dyſentericis & teneſmis cur potius imponatur adeps caprinus, quã ſuillus. 10°. de ſimp. me. fac. 5ª. 78. H
Dyſentericis magnum facit adiutorium Cnicum. de ſimp. me. Sp. 83. B
Dyſentericos ſanat Cytinus. de ſimp. me. Sp. 78. C
ad Dyſentericos et cœliacos Coagulũ equinũ. 10°. de ſim. m. f. 5ª. 74. E
Dyſentericis facit Eleliſphacos. de ſimp. med. Sp. 84. A
Dyſentericis facit Erythrodanum. de ſimp. med. Sp. 84. B
Dyſentericis prodeſt Faba. 7°. de ſimp. med. fa. 5ª. 53. D
Dyſentericis iniicitur Garum. 11°. de ſimp. med. 5ª. 83. G
Dyſentericis Gnaphalium exhibent ex quopiam vinorum auſterorũ. 6°. de ſimp. med. fac. 5ª. 46. A
Dyſentericis profluuium ſtatuit Gypſum. de ſimp. med. Sp. 84. H
Dyſentericos adiuuat vaccini Lactis potus. de ther. ad Piſ. 5ª. 93. E
ad Dyſentericos affectus admodum efficax remedium eſt Ladanum. 7°. de ſimp. med. fac. 3ª. 51. D
Dyſentericis exhibetur Lemonij fructus. 7°. de ſimp. med. fac. 5ª. 54. B
Dyſentericis cibus accommodus Lens. 1°. de alim. fac. 2ª. 13. E
Dyſentericis prodeſt Lentiſcus. de ſimp. med. Sp. 84. B
Dyſentericis facultatibus admiſceт Macer. 7°. de ſimp. me. fa. 5ª. 55. A
Dyſentericis Myrta remedium eſt. de ſimp. med. Sp. 87. E
Dyſentericis ꝓdeſt Ouũ in aceto coctũ perdurũ. de ſimp. me. Sp. 88. E
Dyſentericis vtiliter editur Portulaca. 6°. de ſimp. med. fac. 5ª. 43. B
Dyſentericos remediat Pſyllium. de ſimp. med. Sp. 89. A
Dyſentericis confert Rha. 8°. de ſimp. med. fac. 5ª. 59. E
Dyſentericis vtile Scliroſmou. de dyn. Sp. 28. D
Dyſentericos iuuat Spina alba. 6°. de ſimp. med. fac. 5ª. 41. H
Dyſentericis iniicitur Stœbe. 8°. de ſimp. med. fac. 5ª. 61. D
Dyſentericis fortiter prodeſt Terra ſamia. de ſimp. med. Sp. 84. H
Dyſentericis valet cortex Thuris. 7°. de ſimp. med. fac. 5ª. 54. D
Dyſentericis dantur Vina auſtera. 6°. de ſimp. med. fac. 5ª. 46. A
Dyſentericis facit botrus Vuæ immaturæ. de ſimp. med. Sp. 92. B
Dyſentericis antidotum vtile. de dyn. Sp. 27. G
ad Dyſentericos catapotia. 9°. de comp. med. ſec. loc. 5ª. 204. B
ad Dyſentericos epithemata. 9°. de compo. med. ſec. loc. 5ª. 204. D
ad Dyſentericos infuſa. 9°. de comp. med. ſec. loc. 5ª. 203. E
Dyſentericus paſtillus. intro. If. 57. D/de com. me. ſe. loc. 5ª. 204. A
ad Dyſentericos paſtillus Beritij. 9°. de comp. med. ſec. loc. 5ª. 203. B
ad Dyſentericos & hæmoptoicos puluis. de dyna. Sp. 25. B
Dyſentericis conueniens ſtomaticum. 6°. de comp. me. ſe. lo. 5ª. 170. H
ad Dyſentericos Aſclepiadæ. 9°. de comp. med. ſec. loc. 5ª. 204. A
ad Dyſentericos Clidion. 9°. de comp. med. ſec. loc. 5ª. 203. B
ad Dyſentericos Flauij Pyctæ, id eſt pugilis. 9°. de cõ. me. ſ. l. 5ª. 203. D
ad Dyſentericos exſcriptis Lucij. 9°. de comp. med. ſe. lo. 5ª. 203. D
ad Dyſentericos Dhamyræ. 9°. de comp. med. ſec. loc. 5ª. 203. H
ad Dyſentericos Valentis. 9°. de comp. med. ſec. loc. 5ª. 203. C
ad Dyſentericos non febrientes. 9°. de comp. med. ſec. lo. 5ª. 204. C/D
ad Dyſentericos. 7°. de comp. med. ſec. loc. 180. A/182. G/184. A/E/F/185. B/D/186. A/8°. 189. E/191. C/E/192. H/203. A/B/C/9°. 204. B/5°. de compoſit. med. per gene. 5ª. 254. B/de rem. par. facil. 158. H/ 7ª. 159. G/H
ad Dyſentericos inueteratos. 9°. de comp. me. ſec. loc. 5ª. 204. C/D
Dyſenterici ſanati vno die. 12°. meth. med. 7ª. 75. A
DYSEPVLOTA vlcera, id eſt ad cicatricem vix venientia, quæ vocentur. 1°. de compo. med. per gen. 5ª. 217. B
Dyſepulota, quæ propriæ. 4°. de comp. med. per gen. 5ª. 233. G
Dyſepulota quæ medicamenta. 1°. de comp. med. per gen. 5ª. 211. C
ad Dyſepulota. 2°. de comp. med. per gen. 224. E/ 5ª. 245. C
DYSCINESIA, id eſt difficultas motus. de ſymp. diff. 3ª. 11. B
Δυσπαθεια quid. 1°. de vſu par. 1ª. 117. A
Δύσπνοια vnde dicta. 2°. meth. med. 7ª. 9. D
Δύσπνοια quid ſignificet. 1°. de dif. reſp. 3ª. 56. B
Dyſpnœa reſpirationis ſymptoma. de ſymp. diff. 3ª. 11. G
Dyſpnœam quo modo faciat angina. 4°. de loc. aff. 4ª. 27. A
Dyſpnœas facit os vẽtriculi ratione ſocietatis. 1°. de ſym. cau. 3ª. 17. G
Dyſpnœæ ex pulmone vel thorace affecto quos habent pulſus. 4°. de præſag. ex pulſ. 119. H/ 4ª. 120. A/B
Dyſpnœx conuenit centaurium maius. 7°. de ſim. me. fac. 5ª. 50. G
ad Dyſpnœam. 7°. de comp. me. ſe. loc. 182. G/186. H/ 5ª. 187. A
DYSPNOICI quid. fin. med. Iſa. 47. E
Dyſpnoicis conuenit epithymum. de dyn. Sp. 21. B
ad Dyſpnoicos Antonij Muſæ. 7°. de comp. me. ſe. lo. 5ª. 186. E
ad Dyſpnoicos Chariclis. 7°. de comp. me. ſec. loc. 5ª. 186. E
de Dyſpnœa ab Hippocrate ſcriptum. 4°. de loc. aff. 4ª. 27. B
ad Dyſpnoicos. 7°. de comp. me. ſec. loc. 185. E/9°. 5ª. 202. D
DYSRACHITIS Damocratis. 5°. de comp. me. per gen. 5ª. 248. E
Dyſrachitis medicamentum. 5°. de comp. me. per gen. 5ª. 248. E
Δυσθάνατοι quid ſignificet. in 1m. prorrh. com. 2°. 4ª. 172. D
DYSVRIA. fin. med. Iſa. 44. B
Dyſuriæ cauſa. introd. Iſa. 57. A
in Dyſuria confert ſuccus centaureæ. de virt. cent. Sp. 94. A

ET, H antiqui eodem charactere notabant. in 6^m. de mor. vulgar. com. 3°. 3^a. 169. F

EADEM genere possunt esse contrariissima. aduersus Lycum. Ex. 63. E

Eadem non sunt sæpius repetenda. 2°. de decretis Hippo. 1^a. 236. G

cur Eadem bis & ter quandoq; repetatur. com. 5°. aph. 64°. Ex. 44. H

Eadem de eisdem semper asserebat Galenus. ad Thras. 2^a. 101. F

Ἑαυτὸν τιμορούμενος. de arti. com. 2°. 7^a. 258. H

EBEA seu oliuæ lachryma, quid sit, & eius vires. de simpli. medicam. Sp. 83. F

EBENVM quid. de simp. med. Sp. 83. F

Ebenus calfacit, extergit, & est tenuiũ partiũ. 6°. de sim. m. f. 5^a. 46. F

Ebenum vires habet acres, & aliquatenus stypticas. de sim. m. S. 85. F

Ebeni scobes collyrijs miscentur & ad vulnera polybama. de simpli. medicam. Sp. 83. F

Ebenus ad oculos valet. de vic. rat. in mor. acu. com. 4°. 7^a. 151. G

Ebenus tritus cum aqua in succum soluitur. 6°. de sim. me. fa. 5^a. 46. F

EBINVS monachus. secretorum. Sp. 97. E

EBISCVS quam vim habeat, & qualis. 6°. de simp. me. fac. 5^a. 46. E

EBRIVS quo modo fieri quis possit ex vno solo vini cyatho. 3°. de medic. fac. par. 7^a. 174. E

Ebrietatis signa, supinũ iacere, hiare, & stertere. 2°. de mo. m. 1^a. 314. D

Ebriorum vrina, qualis. 10°. de simp. med. fac. 5^a. 74. G

Ebrij habent musculos quiescentes. 2°. de motu mus. 1^a. 314. C

in Ebrietatibus musculis grauatis, & ratione, aliquid inuite emittitur. 2°. de motu mus. 1^a. 314. F

Ebrietate agimus quædam, quorum non recordamur. 2°. de motu musculorum. 1^a. 315. B

in Ebrietatibus cur in posterum non recordamur eorũ quæ egimus. 2°. de motu musc. 1^a. 315. B

Ebrietate qui morbi fiant. de caus. mor. 3^a. 7. D

Ebriorum cerebrum perfunditur multa humiditate, qua aggrauatur. com. 6°. aph. 32°. Ex. 49. H

Ebrij incidunt in podagram. com. 6°. aph. 28°. Ex. 49. A

Ebrij cum ebrij coeunt. 11°. de vsu par. 1^a. 188. B

Ebriorum semen est vitiosum. 11°. de vsu par. 1^a. 188. B

Ebrietates quod nocumentum faciant fœtui. 11°. de vsu par. 1^a. 188. B

cur Ebrij quandoque balbutiant. com. 6°. aph. 32°. Ex. 49. H

Ebrietas causa extrinseca doloris capitis. 2°. de com. me. s. l. 5^a. 131. H

Ebrij quo modo delirant. 2°. de diff. resp. 3^a. 67. H

Ebrijs quod accidit, idem accidit quandoque & ægretudinibus incipientibus. de comate. 3^a. 50. H

Ebrietatibus quidam febricitant. 1°. de diff. feb. 3^a. 31. B

Ebrius si qs repẽte obmutuerit, cõuulsus morit. c. 5°. aph. 5°. Ex. 37. G

Ebrietati folia brassicæ naturaliter resistũt. 2°. de cõp. me. s. l. 5^a. 133. D

ab Ebrietate præseruat amethysta. 2°. de comp. me. se. lo. 5^a. 138. B

Ebrietati Myrta aduersatur. de simp. med. Sp. 87. E

Ebrietas non soluitur eodem tempore in omnibus, sed secundum naturam potatoris, & vini. com. 5°. aph. 5°. Ex. 37. G

Ebriabantur eunuchi tempore Galeni. com. 6°. aph. 28°. Ex. 49. A

Ebrietatem quidam heri dimiserunt, & de his agere audent, quæ excitatissimi non sine timore tractant. ad Thras. 2^a. 107. G

Ebrietas quo modo cauenda. 3°. de med. fac. paran. 7^a. 174. E

EBVLLITIO quid sit. 1°. de simp. me. fac. 5^a. 8. G

Ebullitionem facit fermentum in pasta. de ana. vi. Sp. 51. H

Ebullitione remouentur aquæ vitia. de diff. con. Sp. 75. D

Ebullire facit Soranus simplicia linteolo illigata in confectione ex capitibus papaueris. 7°. de comp. med. sec. loc. 5^a. 180. G

Ebullire ad dimidiũ q̃ debeãt in Arteriaca. 7°. de cõ. me. se. l. 5^a. 178. H

Ebullitio tenuium humorum, qualis. 2°. de dif. feb. 3^a. 40. D

Ebullitio innatæ caliditatis est passio cordis. de virtutibus nostrum corpus dispensantibus. Sp. 60. D

EBVLVS, sambucus, quid, & eorum vires. de simp. med. Sp. 84. B

Ebuli radix hydropicos, & inanit, & purgat. de simp. med. Sp. 84. B

Ebuli folia ventris sunt purgatiua. de simp. med. Sp. 84. B

Ebulus siccus, conglutinatiuus, & digerens. 6°. de simp. m. f. 5^a. 42. A

ECBYRSOSIS ossium affectus. intro. Isa. 59. D

Ἐκβυρσώματα. de articulis, cõmenta. 4°. 7^a. 287. B

ECCATHARTICA. 5°. de simp. med. fac. 5^a. 35. A

ECCOPE quid. sim. med. Isa. 48. C

Eccope fractura in capite. sim. med. Isa. 48. C

Ἐκκοπρωτικὰ. 6°. de simp. med. fac. 5^a. 42. C

ECCHYMOSIS quid dicat ab Hipp. in 6^m. de mor. vul. c. 2°. 3^a. 161. D

Ecchymoma quid sit sm Hippocratem. 5°. de cõp. me. sec. loc. 5^a. 158. E

Ecchymosis est cum sanguinis effusus est in spatia quæ vasis circumiacent. com. 6°. aph. 20°. Ex. 48. C

in Ecchymosi impossibile est sanguinem remanere sanguinem. com. 6°. aph. 20°. Ex. 48. C

Ἐκχύμωσις quo ab inflãmatione differat. cõ. 6°. aph. 20° Ex. 48. C

Ἐκχύμωσις fit in contusione, & ruptione. 4°. meth. med. 7^a. 23. B

Ecchymosis quid indicet. 4°. meth. med. 7^a. 29. C

Ecchymomatum remedia. 4°. meth. med. 7^a. 29. C

Ecchymomata non debent diu adstringi. 1°. de com. me. per g. 5^a. 211. G

Ecchymoseis digerit ptarmice. 8°. de simp. med. fac. 5^a. 59. C

Ecchymomatum medicamenta sero quàm aqua diluere præstat. 10°. de simp. med. fac. 5^a. 73. G

ad Ecchymomata quæ digerendo conferant. 7°. de sim. me. f. 5^a. 75. G

ECHECOLLON quid sm græcos. 2°. de cõ. me. per gen. 5^a. 219. B

ECHINVS quam vim habeat. 11°. de simp. me. fac. 5^a. 81. G

ECHINI herbæ fructus acerbus repellit, & exiccat. 6°. de simp. medic. facult. 5^a. 47. G

Echini herbæ fructus ad oculorum & aurium fluxiones. 6°. de simpli. med. facul. 5^a. 47. G

ECHINI marini quo modo edantur. 3°. de ali. fac. 2^a. 32. E

Ecchini marini subducunt ventrem. de atten. vic. 2^a. 45. B

ECHO quo modo fiat. de hist. philos. Sp. 9. G

ECHII semen. 8°. de comp. med. sec. loc. 5^a. 195. H

ECLECTA medicamenta. 7°. de comp. med. sec. loc. 5^a. 177. A

Eclectas id est delingibiles confectiones. 7°. de comp. me. s. lo. 5^a. 178. C

ECLEGMA Amaranti ad sanguinis reiectationem. 7°. de comp. medic. secundum loc. 5^a. 184. D

Eclegma Faustianum. 7°. de com. phar. sec. loc. 5^a. 180. A

Eclegma hepaticum Paulini. 8°. de comp. me. sec. loc. 5^a. 195. F

Eclegma peripneumoniæ. de vict. ra. in mor. acu. com. 4°. 7^a. 144. C

Eclegma ad tussim. de rem. par. fac. 7^a. 158. D

ECLIPSIVM veræ prædictiones. de lib. pror. Isa. 13. F

Eclipsis facile speculo discernitur. de hist. phil. Sp. 7. A

Ἐκπεπλυμένον quid. de fract. com. 3°. 7^a. 247. D

Ἔκφραξις. 11°. meth. med. 7^a. 71. D

ECPHRACTICA, id est deobstruentia, quæ dicantur. 4°. de comp. med. sec. loc. 5^a. 150. A

Ecphractica. 5°. de simp. med. fac. 5^a. 35. A

Ἔκφυσις quid. 5°. de vsu par. 1^a. 142. E/ de vict. rat. in morbis acutis, commenta. 2°. 7^a. 120. G

Ἔκφυσις prima in ordine intestinorum. 5°. de vsu par. 5^a. 142. E

Ἐκπλεθρίζειν quid. 2°. de san. tu. 2^a. 74. F

ECPLEXIS quid. sim. med. Isa. 50. D/ 12°. meth. med. 7^a. 77. D

ECPIESMA quid sim. med. Isa. 48. C

Ecpiesma fractura in capite. sim. med. 48. C/ intro. Isa. 59. F

Ecpiesma fractura caluariæ. intro. Isa. 59. C

ECRYTMVS pulsus qui sit. 1°. de diff. puls. 4^a. 48. H

ECTASIS melancholica, quæ. in 1^m. prorrh. com. 1°. 4^a. 165. C

Ectasi coma contrarium est. in 1^m. prorrh. com. 3°. 4^a. 79. D

in Ectasim si desinunt aphoniæ in febre, pernicioſum. in 1^m. prorrhe. commen. 2°. 4^a. 172. B

Ectasis cum silentio. in 1^m. prorrh. com. 2°. 4^a. 172. B

Ἐκτάσεως meminit. in 1^m. prorrh. com. 2°. 4^a. 169. C

Ἐκτατικαὶ facultates, id est quæ vim habent animum alienandi. 5°. de simp. med. fac. 5^a. 32. G

ECTROPION quid. sim. med. 48. G/ intro. Isa. 58. G

Ectropion oculi affectus & generum. sim. med. Isa. 48. F

Ἐκθύματα, & ἔκθυσις vnde dicta. in 3^m. de mor. vul. cõ. 3°. 3^a. 145. A

Ἐχέκολλα. de ijs quæ in med. si. com. 2°. 7^a. 210. G

EDACES homines, qui in 6^m. de morbis vulgaribus, commen. 4°. 3^a. 185. H

Edaces placentis, & edulijs lætantur. de cog. cur animi mor. 2^a. 53. D

ob EDACITATEM nihil in omnium conspectu auidius deuorandum. de cog. cur. ani. mor. 2^a. 53. D

Edere, & bibere necessaria sunt animanti. 1°. de san. tu. 2^a. 62. H

Edendi finis, qui. 3°. de nat. fac. 1^a. 307. A

Edendum quo tempore.4°.de vsu par. 1ª.136.F
Edendi quo modo sint cibi crassi a non calidis,& qui non mouentur. de diss.cont. Sp.72.G
Edentes nutrimẽta mali succi pruritu exercenẽ.2°.de sym.ca.3ª.23.H
Edendũ quando q; in morbis,et plene,collige.de art.cõ.3°. 7ª.275.C
inter Edendum,& dormiendum plus humorum quibus colligitur,& per vigilias minus.1°.de præsag.ex pul. 4ª.109.F
Edẽtes,& bibẽtes necessario faciũt excremẽta.1°.de sa.tu. 2ª.62.H
Edentis supra consuetum affectus.6°.de loc.aff. 4ª.38.B
Edit qmultũ hyeme,vere suffocat.de venæ sect.aduer.Eras.6ª.292.B
Edat parum habens lapidem.de cura lap. Sp.112.B
Edibilium nullum vehementer calefactum durare imputre potest.3°. de symp.cau. 3ª.25.D
Edi quæ ab aliquo animali non possunt.4°.de simp.med.fac. 5ª.30.C
Εδέσματα. de vic.rat.in mor.acu.com.4°. 7ª.145.C
EDIFICATORIA *ars acuit nimiũ.de cu.ani.pec.no.* 2ª.56.G
Edificator quæ non nouit.ad Thras. 2ª.108.G
Edificatori similis luctator.ad Thras. 2ª.108.G
EDITVS *ruber est,si sperma conceptum a muliere fuerit in tribus horis sanguinis.de sper.* Sp.37.B
Εδρα. de fract.com.2°. 7ª.233.D
EDVCATIO quæ.de const.ar. Isa.42.F
Educacio quid sit.quod animi mores. 1ª.321.B
Educatio vitia abolet.q animi mor. 1ª.321.A
Educatio parit virtutem.q animi mores. 1ª.321.B
quæ EDVCANTVR *ex cute corpois.de cathar.* Sp.94.G
quæ Educantur de stomacho.de cathar. Sp.94.G
quæ Educuntur ex hepate.de cathar. Sp.94.G
quæ Educantur ex splene.de cathar. Sp.94.G
Educunt ex ĩtestinis maioribꝰ scybala,et lũbrici lati.de cath. Sp.94.g
Educuntur ascarides ex extremo intestino.de cathar. Sp.94.G
quæ Educantur ex renibus.de cathar. Sp.94.G
Educitur vrina ex vesica.de cathar. Sp.94.G
Educuntur ex matrice sanguinis ichores.de cathar. Sp.94.G
Educentia a particularibus membris localia medicamenta esse certũ est.de cathar. Sp.94.H
Educere perfecte,& suauiter.de dyn. Sp.20.G
Educentia lachrymas ex oculis cenotica oculorum.de cath. Sp.95.B
ad Educendam bilem flauam.secr. Sp.99.D
Educentia atram bilem quæ.de cathar.94.G/secret.99.D/ de mel.ex Gal.Russ.& Poss. Sp.110.A
Educũt atrã bilẽ epithymũ& ellebor⁹ calida,et sicca.de cat. Sp.94.g
ad Educẽdã melãcholiã medicamẽta.de mel.ex Gal.Ruf. Sp.109.G
Educentia pituitam,quæ.de cathar. Sp.94.G
ad Educendum humorem viscosum.de med.exper. Sp.105.E
Educentia sanguinem,quæ.de cathar. Sp.94.G
Educenda quãtitas sanguinis in scarificationẽ quæ fit mulieribus quę non purgantur.de cucur.scar. 6ª.4.A
Eductiõe sanguinis si quis indigeat in melãcholia,iubet Possidoni⁹ primo venã secare,postea euacuare.de mel.ex Gal.R.& P. Sp.109.H
Eductioni q̃ ex pulmone fit,idoneũ est vinũ pauciferũ.de vin. Sp.76.C
Educentia lapidem renum,& vesicæ.de cathar. Sp.95.D
Eductioni affectus aliqui obstant.4°.de san.tu. 2ª.83.A
de EDVLIIS *non potest fieri regula communis,sed de aliquibus.3°. de ali.fac.* 2ª.28.D
Edulia media quæ sint.3°.de ali.fac. 2ª.33.D
Edulium Hispanum diu durans.2°.de ali.fac. 2ª.20.D
Eduliũ quod recens fertur ex Hispania Romam.2°.de ali.fa. 2ª.20.D
Edulium ex carne lauigata cum melle.2°.de ali.fac. 2ª.20.D
Eduliorum vires ante experientiam quo modo cognoscantur.1°.de alim.fac. 2ª.11.H
Edulia madefacta vel cocta ostendunt quantum tumoris habeant.de bo.& vitio suc. 2ª.36.G
Edulia adeo erant aucta tempore Galeni,vt nihil addi posse videretur.com.6°.aph.28°. Ex.49.A
ex Edulijs multis fit perturbatio.de victus ratio.in morbis acutis, commen.1°. 7ª.111.G
Edulia q̃ cõpetant pueris,& quæ vigentibus.3°.de sym.cau.3ª.29.C

EFFASCINATIONES *medicamentari dicula.10°.de simp.med.fac.* 5ª.72.D.

EFFECTIVVM *quid.6°.de decr.Hip.* 1ª.269.F
Effectiuum quot modis diuidatur.ars med. Isa.62.B
Effectiuum quot modis subdiuidatur.ars med. Isa.62.B
Effectricem causam,febrem.& putredinem inter se conferre difficile est.11°.meth.med. 7ª.70.A
Effectrices qualitates frigidum & calidum.2°.de sem. 1ª.339.A
Effectiuæ artes,& actiuæ quo differant.ad Thras. 2ª.105.H
Effectricium artium duplex officium.ad Thras. 2ª.106.D
inter Effectrices medica ars reponitur.ad Thra. 2ª.106.D
Effectrices scietiæ sumptiones in singulis rebus.2°.de decr. 1ª.240.A
EFFECTVVM *& causarum cognitio cur necessaria.intr.* Isa.52.A
de EFFICACIA *& qualitate errantium planetarum septem climatum.de sper.* Sp.40.B
Efficax & factrix causa idem.de mult. 3ª.77.B
EFFICIENS *causa prima naturalium rerum deus. de historia philosophica.* Sp.3.F
Efficiens,& finis causæ principalissimæ.de caus.procath. 3ª.95.F
Efficiens,& materia semper necessaria.de caus.procath. 3ª.95.G
Efficiẽtis causæ opus augeẽ,eius aucta substãtia.c.6°.aph.5°. Ex.46.H
Efficiens causa adipis,quæ.de ana.viu. Sp.55.G
Efficiens causa carnis,quæ.de anat.viuo. Sp.55.G
EFFLATIO *quid sit.8°.de ana.adm.101.B/2°.de mot.mus.* 1ª.316.C
Efflatio a quibus fit musculis.2°.de mot.mus. 1ª.316.C
Efflatio quomodo differt ab expiratione.7°.de vsu par. 1ª.157.H
Efflationi contraria est vehemens inspiratio.2°.de mo.mus. 1ª.316.C
Efflatio quando est.2°.de mo.mus. 1ª.316.C
Efflationis gratia,musculi magni in epigastrio.4°.de vsu par. 1ª.137.F
Efflatio propria materia vocis.7°.de vsu par. 1ª.157.H
Efflationis naturalis tanta pars perit,quanta portio musculorum intercostalium resoluitur.8°.de ana.adm. 1ª.102.C
de EFFLORATIONIBVS, *& quid sint.de med.fac.par.* 7ª.161.G
Efflorescẽtias oẽs curat cyclaminis radix.7°.de simp.me.fa.5ª.53.F
si EFFLVERET *nihil è nostro corpore,cibo non indigeremus.de victus rat.in mor.acu.com.1°.* 7ª.115.E
Effluuia cohibet somnus.de vict.rat.in mor.acu.com.2°. 7ª.125.C
per Effluxionem abscessus.de mor.vul.cõ.2°.111.F/cõ.3°.3ª.124.E
EFFOEMINATIO *quid sit.de ijs,quæ in med.si.com.3°.* 7ª.214.G
Effœminatio,id est debilitas.com.6°.aph.16°. Ex.38.G
Effœminationem carnium facit calidũ.com.5°.aph.16°. Ex.38.G
Effœminationem facit ocium.de ijs quæ in med.si.com.3°. 7ª.219.B
EFFVNDIT *humores corporis calor naturalis.de victus ra.in morbis acut.com.4°.* 7ª.140.A
EFFVLGESCENTIAE *quæ.in 6ᵐ.de mor.vul.com.1°.* 3ª.154.G
EFFVSIO *quæ sit ꝑm Hippocratem.5°.de comp.med.sec.l. c.* 5ª.158.F
ad Effusionem sanguinis matricis.de pass.mul. Sp.96.A
Effusa & rigores ad scirrhum pertinent,et senibus contingũt.de tum. præter naturam. 3ª.84.C

de EGERENDI *& vomendi motu.de mot.man. & obscuris.* Sp.68.G
Egerere quando naturale est,& non voluntarium.de motu manife. & obsc. Sp.69.C
Egerentem videns prouocatur ad hoc.de mot.man.& obsc. Sp.69.D
Egerendi voluntas inanis his qui malos succos ob annonam ederant.de bon.& vit.suc. 2ª.33.H
ad Egerentes sine voluntate.de dyn. Sp.27.H
EGESTAS, *copia,qualitas mala humores occupant.de mul.* 3ª.79.C
per EGESTIONES *expelluntur superflua.de compag.membro.sine de natu.huma.* Sp.59.B
Egestionis gratia,musculi magni in epigastrio.4°.de vsu par. 1ª.137.F
Egestionẽ nullus potuit ẽt ꝑ dies paucos retinere.2°.de mo.m. 1ª.315.E
Egestio qũo vrgeat nos operari ꝑm ipsam.2°.de mo.mus. 1ª.315.E
in Egestione cur thorax restringatur.2°.de mot.mus. 1ª.316.B
Egestio cur non fit frequenter.,& subito.4°.de vsu par. 1ª.14.D
in EGILOPE quo adhibeantur ferramenta candẽtia.intr. Isa.59.F
EGRESSIO *primi paris neruorũ dorsi vbi sit.de ana.viu.* Sp.53.H
Egressio secundi paris neruorum dorsi,vbi.de ana.viu. Sp.53.H
Egressio tertij paris neruorum dorsi,vbi.de ana.viu. Sp.53.H
Egressio quarti paris neruorum dorsi,vbi.de ana.viu. Sp.54.A
Egressio quinti paris neruorum dorsi,vbi.de ana.viu. Sp.54.A
Egressio sexti,septimi,& octaui paris neruorum dorsi vbi sit.de ana. viuorum. Sp.54.A
Egressio primi paris neruorum pectoris,vbi.de anat.viu. Sp.54.B
Egressio secundi paris neruorum pectoris,vbi.de ana.viu. Sp.54.B

in EGYPTVM *Persica arbor translata non mutat formam, sed acquirit bonum alimentum.* 2°. *de semi.* 1ª.336.F
ab Εἰκὼς *dicitur* εἰκότερον. *in* 6ᵐ. *de mor. vul. com.* 2°. 3ª.138.G
EIICERE *quid significet.* 3°. *de decretis Hippocratis, & Plat.* 1ª.244.G
Eiectionibus sanguinis auxiliatur symphytum petræum. 8°. *de simpli. med. facul.* 5ª.61.F
Εἰλεὸς *vnde habet nomen.* 2°. *meth. med.* 7ª.9.D
ab EISDEM *cur aliq; iuuent, aliq; lædant.* 5°. *de san. tu.* 2ª.93.D
EISELCYSMVS *quid. fin. med.* Isa.50.D
de Ἐγὼ *voce.* 3°. *de decre. Hipp.* 1ª.244.H
super Ἐγὼ *voce etymologia chrysippi.* 2°. *de decr. Hipp.* 1ª.234.F
Ἐγὼ *quid significet.* 2°. *de decr. Hipp.* 1ª.234.F
Ἐγὼ *manuum nutu dicimus.* 2°. *de decr. Hipp.* 1ª.234.F
Ἐγὼ *quo modo pronuncietur.* 2°. *de decr. Hipp.* 1ª.234.F
ELABI *& trahi sunt verba vetera ad extra motum significantia. de trem. palp. conuulſ. & rig.* 3ª.54.H
ELAEAE *floruit Xenophanes. de hiſt. phil.* Sp.2.G
Elæa quid. 6°. *de ſimp. med. fac.* 5ª.46.F
Elæon. 6°. *de ſimp. med. fac.* 5ª.46.F
Ἐλαιώδες, *pinguendo in vrinis mortẽ significat. de morb. tẽp.* 3ª.89.G
ELAPHOBOSCVS *calfacit, & exiccat in ſecundo.* 6°. *de ſimpl. medica. facult.* 5ª.47.B
ELATERIVM *quid & eius vires. de ſimpl. med.* Sp.83.G
Elaterium dicitur cucumeris agreſtis ſuccus. 8°. *de ſimp. m. ſ.* 5ª.60.E
Elaterium quo modo fiat. de dyn. Sp.23.A
Elaterium quibus adulteretur. de ſimp. med. Sp.83.G
Elaterium quale eligendum. de dyn. Sp.21.F
Elaterium multi poſſunt guſtare, & intueri, tamen eius vtilitates ignorant. 1°. *de elem.* 1ª.5.H
Elaterium, quale. 8°. *de ſimp. med. fac.* 5ª.60.E
Elaterium in ſecundo ordine calidum. 8°. *de ſimp. med. fac.* 5ª.60.E
Elaterium menſes ciet, fœtum interimit, ad angina laborãtes valet, regio morbo affectis bonum eſt, & capitis dolores ſanat. 8°. *de ſimp. med. fac.* 5ª.60.E
Elaterium purgat pituitam, & bilem. de dyn. Sp.21.F
Elaterij doſis, & cui miſcendum. de dyn. Sp.21.F
Elaterium totũ corpus promouet, ventrem, & viſcera depurgat, & vomitum ſuſcitat. de ſimp. med. Sp.83.G
Elateriũ venenũ eſſe dicit ſi ſupra modũ ſumatur. de ſimp. m. Sp.83.G
Elaterium purgat nares. de cathar. Sp.95.B
Elaterium quo infundendum in nares. 2°. *de cõp. med. ſe. lo.* 5ª.139.E
Elaterium medicamentum, quo vtebantur Cnidij in non acutis. de vi. rat. in mor. acu. com. 1°. 7ª.108.F
ex Elaterio cataplaſma Antonij muſæ. 9°. *de compoſi. med. ſecundum locos.* 5ª.200.E
ELATE *germen tenerum palmæ, quale.* 8°. *de ſimp. me. fac.* 5ª.63.C
ELATINE *parum refrigerat & adſtringit.* 6°. *de ſimpli. medicamento. facult.* 5ª.47.B
ELATIO *pertinet ad irrationalem facultatem.* 4°. *de decr.* 1ª.248.F
Elati quo modo tractandi. de hiſt. phil. Sp.3.A
ELCORODANI *cor. de med. fac. parab.* 7ª.167.B
Ἑλκτικὴν, ἑλκτικὴν, *& ἐπισπαστικὴ δυναμις idem.* 5°. *de ſimpl. medica. facult.* 5ª.36.F
ELECTIO *opus animæ.* 2°. *de loc. affe.* 4ª.13.F
Electionis actiones, quæ. de trem. pal. conuulſ. & rig. 3ª.51.D
abſq; Electione agunt facultates naturales. de voc. inſtr. 1ª.106.C
ELECTRVM *fricatum trahit paleas. de cathart.* Sp.94.H
Electrum. i. ſuccinum, frangit lapidẽ renũ, & veſicæ. cathar. Sp.95.D
ELECTARIVM *Agarici. de med. exper.* Sp.108.C
Electarium Aridonis. de med. exper. Sp.107.A
Electarium Ariſtolochiæ. de med. exper. Sp.105.F
Electarium Ariſtolochiæ. de med. exper. Sp.107.H
Electarium Aſſæfœtidæ de med. exper. Sp.108.D
Electarium Aſſiſtri. de med. exper. Sp.107.B
Electarium Capillorum veneris. de med. exper. Sp.107.H
Electarium Capparis. de med. exper. Sp.108.B
Electarium Centaureæ. de med. exper. Sp.107.G
Electarium Colocynthidis. de med. exper. Sp.107.G
Electarium Dianthu contra cardiacos facit, phthiſicos, hepaticos confortat, illos qui ſunt debiles natura, & ex longa infirmitate curat. de dynam. Sp.26.D
Electarij Diaphraſij confectio. de dyn. Sp.26.F
Electarium Diapraſiu valet ad cauſas pectoris, ad febres ex his natas, ad tuſsim maxime. de dyn. Sp.26.F
Electarium Ellebori. de med. exper. Sp.108.C
Electarium dictum Euadens. de med. exper. Sp.108.E
Electarium Folij. de med. exper. Sp.107.H
Electarium Gaſit. de med. exper. Sp.108.A
Electarium Gummi. de med. exper. Sp.108.D
Electarium Iridis. de med. exper. Sp.105.E
Electarium Laccæ. de med. exper. Sp.107.A
Electarium Laccæ magnum. de med. exper. Sp.107.A
Electarium Luti. de med. exper. Sp.108.D
Electarium Olibani. de med. exper. Sp.108.A
Electarium Rhu barbari. de med. exper. Sp.105.E
Electarium rhu barbari. de med. exper. Sp.108.A
Electarium Roſarum. de med. exper. Sp.108.E
Electarium Scolopendriæ. de med. exper. Sp.108.C
Electarium Scillæ. de med. exper. Sp.108.D
Electarium Spicæ. de med. exper. Sp.107.F
Electarium Squinanthi. de med. exper. Sp.107.H
Electarium Turbith. de med. exper. Sp.108.C
Electarium Zacharonis. de med. exper. Sp.106.H
Electarium ad capitis & ſtomachi dolorem. de dyn. Sp.23.C
Electarium, ad abolẽdũ colorẽ a facie icterici. de cura icteri. Sp.111.F
Electarium bonum ad laxandum. de dyn. Sp.27.F
Electarium ad vitiũ pulmonis, ad rheuma deſcendens a capite ad thoracem, & qui ſanguinẽ expuunt, ad raucedinem vocis, & qui male ructant ab ardore ſtomachi, & ſynanchen quæ in faucẽ rumpit, & ſtranguriam quæ ex phlegmate fit. de dyn. Sp.26.C
Electarium quartanarijs & quotidianarijs cõferens. de dyn. Sp.32.D
Electarium ad Scorpionis morſum. de med. exper. Sp.106.G
Electarium ad ſtomachum quod aſthmaticis peculiariter prodeſt. de dynam. Sp.27.C
Electarium diſſoluens ventoſitatem. de med. exper. Sp.105.F
Electarium ad vocem clarificandam. de dyn. Sp.26.B
Electarium ad vomitum prouocandum. de dyn. Sp.27.B
ELEGANTIA, *& celeritas faciunt vt artifices ſint alijs præſtantiores. de faſcijs.* 7ª.293.C
Elegãtiæ, et mũdiciei, nõ ſolũ vtilitati ſtudeat medic°. de faſ. 7ª.293.C
Eleganter agere quid ſit. de faſcijs. 7ª.293.C
Eleganter injciendũ eſt vinculũ, vt oculos delectet. de faſ. 7ª.294.B
ELLISPHACOS *quid.* 6°. *de ſimp. med. fac.* 5ª.47.D/ *de ſimplic. medicaminibus.* Sp.84.A
Eleliſphacos acriter ſtringit, ad dyſentericos facit, denigrat, vrinam prouocat. de ſimp. med. Sp.84.A
ELEMENTI *vocabulum quid ſignificet. de nat. hu. com.* 1°. 1ª.53.F
Elementum quid. fin. med. Iſa. 43.G/8°. *de decr. Hip.* 1ª.174.B
Elemẽtum, res breuiſsima, res indiuiſibilis, idem. 8°. *de decr.* 1ª.274.C
Elementum ad aliquid dicitur. 8°. *de decre. Hipp.* 1ª.274.B/D
Elementum eſt minima pars elementati. 1°. *de elem.* 1ª.2.B
Elementum nõ eſt minima particula quæ videtur. 1°. *de elem.* 1ª.2.C
Elementorum verorum ſenſus non eſt iudex. 1°. *de elem.* 1ª.2.B
Elementa inſenſibilia quærit Hippocrates. 1°. *de elem.* 1ª.2.C
Elementa inſenſibilia neceſſaria ſunt ad ſanitatem faciendam. 1°. *de elementis.* 1ª.2.C
Elementa vim ſenſualem non habent. 1°. *de elem.* 1ª.3.C
Elementa ſenſilia haud quaquã ſunt ſyncera natura. de ptiſ. 2ª.47.A
Elementum primum, & ſimplex ſunt idem. 3°. *meth. med.* 7ª.22.E
Elementa prima ſimpliciſſima. 1°. *de elem.* 1ª.5.F
Elementa prima ac ſimplicia corpora appellantur. de diff. mor. 3ª.3.C
Elementa ſimplices partes, in quibus ſanitas. 5°. *de decretis Hippocratis & Plato.* 1ª.255.C
Elementi & principij differentia. 1°. *de elem.* 1ª.6.G
Elementum quo modo differat a principio. de nat. hum. com. 1°. 1ª.28. B/*de hiſto. philoſ.* Sp.4B
Elementum cur ſit elementum. 1°. *de elem.* 1ª.4.G
Elementorum tractationem ſequitur tractatio de temperamentis. de cur. rat. per ſang. miſſ. 6ª.16.D
de Elementis ſpeculatio medico inutilis. 8°. *de decr. Hipp.* 1ª.274.B
Elementa omnium rerum primo cõſideranda. 2°. *de nat. fa.* 1ª.299.A
Elementorum primorum niſi fuerit animaduerſio, ægritudines partiũ ſimilarium nunquam poſſunt curari. de diff. morb. 3ª.3.H

Elementa qui non nouit, curare nescit. 7°.*meth.met.* 7ª.43.D
Elementa naturæ rerũ primus Hippocrates inuenit. 1°.*de ele.* 1ª.8.B
Elementa naturæ rerum primas Hippocrates sufficienter demonstrauit. 1°.*de elem.* 1ª.8.B
de Elemẽtis primus omniũ Hippocrates definiuit. 8°.*de decr.* 1ª.275.B
Elementum intelligit Hippocrates quandoque nominans qualitatem. 1°.*de elem.* 1ª.7.D
Elementa & per qualitates vocantur & per nomina.dc natura hum. commen. 1°. 1ª.29.G
Elemẽta, vel per sua nomina nomines, vel per qualitates nihil refert. 1°.*de san.tu.* 2ª.62.E
Elementa cur Hippocrates suis nominibus non vocauit. 8°.*de decre. Hippocratis.* 1ª.274.G
de Elementis cur non inscripserit suum librum Hippocrates, sed de natura humana. 1°.*de elem.* 1ª.8.B
de Elementis cur inscribatur liber Galeni. 1°.*de elem.* 1ª.8.C
Elementorum differentiæ, & qualitates.de sper. Sp.40 H
Elementorum qualitates quatuor vocat agentes Galenus. 10.*de sim. medic.fac.* 5ª.71.H
Elementa vnde dicunt suas naturas & qualitates.de sper. Sp.38.H
Elementorum primæ qualitates, quæ. 3°.*de simp.med.fac.* 5ª.17.D
Elementa quo modo absolute, & per exuperantiam dicantur. 2°.*de simp.med.fac.* 5ª.17.G
Elementum esse è qua qualitate cognoscitur. 1°.*de elem.* 1ª.7.G
Elementa vocat Galenus calidum, frigidum, humidum, siccum. 5°.*de decr.Hipp.* 1ª.255.C
de Elementis opiniones quatuor per diuisionem inueniuntur. 1°.*de elem.* 1ª.3.C
Elemẽta ex materia & qualitatibus cõstituuntur. 1°.*de ele.* 1ª.7.E
Elementa sunt atomi secundum aliquos. 17°.*de vsu par.* 1ª.221.E
Elementa ex Asclepiade.introd. Isa.52.F
Elementa ex Athenæo.intro. Isa.52.F
de Elementis quid sentiat Empedocles.de na.hum.com. 1°. 1ª.28.C
Elementa quæ sint secundum Erasistratum.intro. Isa.52.F
de Elemento Melissi opinio.de nat.hum.com. 1°. 1ª.28.A
Elementa prima, quæ. 1°.*de elem.* 1ª.7.E
Elemẽta prima in compositione humidum, & siccum.de mar. 3ª.46.C
Elementa proxima, quæ. 1°.*de elem.*6.D/ 1ª.7.E/G
Elementa communia, quæ. 1°.*de ele.*6.D/7.G/*de na.hu.c.* 1°. 1ª.29.G
Elementa corporum, quæ. 1°.*de dif.feb.* 3ª.31.D
Elementa quatuor.de diff.feb.mor. 3ª.2.F
Elementa quatuor in diuersas species diuidi non possunt.de nat.hum. commen. 1°. 1ª.26.B
Elementum non esse vnum probatur. 1°.*de elem.* 1ª.2.D
Elementum non est vnum secundum formam, neque secundum potentiam. 1°.*de elem.* 1ª.2.D
Elementum non est vnum argumento Hippocratis. 1°.*dc ele.* 1ª.3.C
Elementum vnum solum ponentes destruunt scientiam naturalem, & medicinalem. 1°.*de elem.* 1ª.5.A
Elementa sunt duo tatũ, calidum, & frigidum.de vtil.resp. Sp.64.B
Elementa non sunt aqua, & aer.de vtil.resp. Sp.64.A
Elementum non est aer.de vtil.resp. Sp.64.A
Elementa nutriuntur ex se.de nat.hum.com. 1°. 1ª.32.H
Elementa mundi habent nutrimentum mutuo ex se.de natura huma. commen. 1°. 1ª.33.A
Elementa reguntur planetis, & signis.de sper. Sp.40.B
in Elementorũ nexibus quatuor in signis & planetis iuncta, & ligata est ois substãtia corporea animata teste Hippocr.de sper. Sp.38.G
Elementa omnium corporum quatuor. 8°.*de decr.Hipp.* 1ª.274.C/*de dynam.* Sp.19.C
ex Elementis primis constant simplicia.de diff.mor. 3ª.2.F
ex Elementis eisdem omnia constant, & in eadem resoluuntur. introd. Isa.52.E
Elementorum concursu corpora constãt. 8°.*de decre.Hipp.* 1ª.274.F
ex Elementis est omnis substãtia corporea animata.de sper. Sp.39.A
Elementum id in generationis principio coniectum esse oportuit, quod maxime exiccaret. 1°.*de san.tuen.* 2ª.62.F
Elementorum varia est in singulis symmetria, si varia fiunt opera. 1°. *de san.tu.* 2ª.63.F
ex Elementis cõpositiones, syncrimata appellant.de diff.mor. 3ª.3.C
ex Elementis animalia generantur interueniẽtibus multis mutationibus. 8°.*de decr.Hip.* 1ª.275.A
Elementa semper addunt, & auferunt cum modo. 1°.*de elem.* 1ª.7.A
Elementum vnum si aliud superet vehementer, non fit generatio. 1°. *de elemen.* 1ª.8.C
Elementum proprium animalium sanguineorum. 1°.*de elem.* 1ª.8.E
Elementum aereum quo modo in homine. 8°.*de decr.Hip.* 1ª.275.D
Elementum aereum deprehenditur in homine respirationibus, & pulsibus. 8°.*de decr.Hip.* 1ª.275.H
Elementa humanæ naturæ sed non propria.de nat.hum.c. 1°. 1ª.29.G
Elementis quatuor ligata est operatio materiæ corporeæ. de sper-mate. Sp.40.H
Elementa subiectum habent commune.de subst.emp. Isa.38.F
Elementis omnibus materiam communem esse omnium putat Galen°. 1°.*de elem.* 1ª.4.F
Elementa remanent integra secundum aliquos.de sper. Sp.140.F
Elementa tota miscentur, & inuicem agunt.de cur.ratione per sanguinis miss. 6ª.16.C
Elementa inuicem transmutantur. 1°.*de elem.* 1ª.7.G
Elementa simul agere & pati sm qualitates Hippocrates primus determinauit. 1°.*de elem.* 1ª.5.F
Elementa mutantur in se inuicem accidentaliter.de sper. Sp.40.H
Elementorum mutatio qualiter fiat.de sper. Sp.40.H
Elementa tria ex se mutuo fiunt, terra immutabilis manet. de historia philosophica. Sp.5.C
Elementis alijs terra ob pondus non miscetur.de sper. Sp.40.G
Elementa q̃ non coniungantur. 17°.*de vsu par.* 1ª.221.E
ex Elementis quatuor fit temperatura proba, & intemperies. 1°.*de præsag.ex puls.* 4ª.107.E
Elementa temperari primus Hippocrates docuit. de natura humana. commen. 1°. 1ª.29.F
ex Elementis temperatura dicitur natura.com. 2°.*aph.* 34°.*Ex.*17.C
Elementis synceris mundi vtimur. 1°.*de elem.* 1ª.6.A
Elementum purum potius mente comprehenditur q̃ inueniat.de natu. huma.com. 1°. 1ª.32.H
Elementa impassibilia statuentes, quot ægritudines ponant. de differ. morborum. 3ª.2.F
Elementorum & humorum oratio cõis. 8°.*de decr.Hipp.* 1ª.275.E
Elementa impassibilia non possint per tota alterari.de dif.mor. 3ª.2.F
ex Elemento aqueo & igneo sanies in corpore fieri. 8°.*de dec.* 1ª.275.F
Elementum humidum in humoribus prævalet. 2°.*de dif.feb.* 3ª.41.E
Elementum calidum ciborum mutationem efficit. 3°.*de symptoma. caus.* 3ª.25.A
Elementa non nutriunt. 4°.*de simp.med.fac.* 5ª.28.F
Elementa nullam gustui qualitatem offerunt. 4°.*de simplic.medicamen fac.* 5ª.28.F
Elementa simplicia non assumuntur vel tanquam cibi, vel tanquã medicinæ. 1°.*de elem.* 1ª.7.C
Elementum sumimus, quando indigemus qualitate summa. 1°.*de elemen.* 1ª.7.B
Elementum mistum sumimus, quando indigemus qualitate mediocri. 1°.*de elem.* 1ª.7.B
Elementum vnum si destrueretur, animal periret. 1°.*de elem.* 1ª.7.A
Elemento vno pereunte, omnia pereunt.de nat.hum.com. 1°. 1ª.32.G
Elementa non possunt in alia dissolui. 1°.*de elem.* 1ª.2.C
de Elementari neruo Erasistrati. 2°.*de nat.fac.* 1ª.298.E
ELEMENTA *cur literæ dictæ.* 8°.*de decr.Hip.* 1ª.282.E
Elementa literarum xxiiij. 8°.*de decr.Hipp.* 1ª.274.C
Elementa vocis quot sint. 1°.*meth.med.* 7ª.4.B
Elementa vocis in quæ distinguantur. 8°.*de decr.Hipp.* 1ª.274.C
Elementorum vocis differentiæ. 1°.*meth.med.* 7ª.4.D
Elementa vocis quomodo se habent. 8°.*de decr.Hip.* 1ª.274.H
Elementum quando est medicina. 1°.*de elem.* 1ª.7.C
per Elementa, doctrina cur cæteris vtilior. 2°.*de san.tu.* 2ª.72.E
ex Elementis methodi maxime propriũ, quod. 2°.*de san.tu.* 2ª.72.E
ELEMI. *de dynamid.* Sp.28.E
ELENIVM *quid.* 6°.*de simp.med.fac.* 5ª.47.B
Elenij radix mundificat.de ocu. 7ª.138.E
ELEPHANTI *dissectio.* 7°.*de ana.adm.* 1ª.96.E
Elephantum incidit Galenus. 17°.*de vsu par.* 1ª.221.C
Elephanti proboscis ad quid vtilis. 17°.*de vsu par.* 1ª.221.C
Elephas proboscide accipit numisma. 17°.*de vsu par.* 1ª.221.D
Elephas respirat per proboscidem. 17°.*de vsu par.* 1ª.221.D
Elephantorum cutis insensibilis. 3°.*de vsu par.* 1ª.134.A

ex Elephanti

ex Elephanti corde magnum os.7°.de ana.adm. 1ª.96.F
Elephantus habet vesicam in iecore.6°.de ana.adm. 1ª.92.D
Elephanti intestinum latissimum.6°.de anat.adm. 1ª.92.F
Elephanti similis est arabius lapis.9°.de simp.med.fa. 5ª.68.B
Elephanti historia.7°.de ana.adm. 1ª.96.F
Elephantum satyrismus vnde.de tum.prat.nat. 3ª.84.E
ELEPHAS vnde habeat nomen.2°.meth.med. 7ª.9.E
Elephantiasis.2°.meth.med. 7ª.9.E
Elephas quid.fin.med. Isa.47.H
Elephas qui morbus sit,& quo modo differat ab ophiasi,alopecia,ptiloſi.myrmecia,leuce,vitiligine,ſphacelo,ſcabie,& lepra.14°.methodi med. 7ª.92.C
Elephantia morbus longus extrinsecus.intro. Isa.56.B
Elephantiasis morbus euidens.de diff.morb. 3ª.3.D
Elephas in corporis omnibus partibus.3°.de loc.aff. 4ª.18.C
in Elephantiasi membra omnia habent eandem temperaturam. de mel.ex Gal.Ruff.& Poſſ. Sp.109.B
Elephas in parte est inæqualis intemperies cum fluxione. de inæqua. intemp. 3ª.43.B
Elephantiasis typum non habet.de typ. 3ª.90.D
Elephantiasis contagiosus morbus.de subſi.emp. Isa.33.H
Elephantiasis vnde.3°.de ſymp.cauſ. 3ª.26.C
Elephantiases fiunt patiente hepate.de vir.noſt.corp.diſp. Sp.60.B
Elephas ex qua fiat materia.2°.de criſi.4ª.138.C/10°.de ſimpli. medicam.facul. 5ª.178.E
Elephas,ſcabies,et lepra melăcholiæ affectio.de tum.præ.na.3ª.84.E
Elephas melancholicus affectus.3°.de alim.fa.25.G/comm.7°.aphoriſmo.40°. Ex.57.B
Elephas notat humorẽ melăcholicũ peccare.cõ.4°.aph.2°. Ex.27.F
Elephas a materia melăcholica ẽt ſine febre qũo fiat.d atra bi.1ª.35.b
in Elephantiaſi,et leucis vitiosa nutritio cernit.3°.de ſym.ca.3ª.25.C
Elephantes ſubrubri quomodo fiant.de atra bile. 1ª.35.C
Elephantiasis indicia.de cau.mor. 3ª.8.H
Elephas figuram naturalem immutat.de cau.mor. 3ª.8.H
in Elephantia vitiosus succus ſua ſpẽ totius corporis colorem alterat.de ſymp.diff.13.B/3°.de ſymp.cauſ. 3ª.30.A
in Elephantiaſi qũo mutetur color diſputatio.de ſymp.diff. 3ª.12.H
Elephantis caro vnde dicta.3°.de ſymp.cauſ. 3ª.26.D
Elephantiaſi ſymptomata quæ.de ſymp.diff. 3ª.12.H
Elephantiaſi laborantibus naſus reſimatur,labra fiunt craſſa,& aures extenuantur.de cau.mor. 3ª.8.H
Elephantiasis pulſus,qualis.de pulſibus ad tirones.46.E/3°.de cauſis pulſuum. 4ª.103.F
Elephantis morbus in Alexandria peculiaris.2°.de arte curatiua ad Glauconem. 7ª.107.D
Elephas non fit in Germania,in Myſia,in Scythia. 2°.de arte curatiua ad Glau. 7ª.107.E
in Elephãta nõ ĩcidũt lactis potatores.2°.de arte cur.ad Gl.7ª.107.E
in Elephãtiaſim ĩcurrũt,qui largius lẽte vtuntur.1°.de ali.f.2ª.13.C
Elephas contingit ſenioribus.in progn.com.3°. 4ª.210.D
Elephantiasis curatio.intr.Iſ.57.G/2°.de arte cur.ad Gla. 7ª.107.E
in Elephante ante purgationem ſanguis mittendus.2°.de arte curati. ad Glauc. 7ª.107.E
in Elephantiaſi mire prodeſt ſectio iſchiadicæ.de ana.viu. Sp.54.H
Elephantiaſim incipientẽ qũo ſanauerit Galen°.quos purg.op.5ª.88.C
Elephantem inchoantem ſanauit Galenus per venæ ſectionem. comm. 6°.aph.47°. Ex.52.C
Elephantiaſim ſanandi ordo.de ſubſi.emp. Isa.34.B
ad Elephantiaſis principium.5°.de comp.med.ſec.loc. 5ª.160.E
Elephanti proſunt medicamẽta trahẽtia atrã bilẽ.de atra bil.1ª.36.B
in Elephãtiaſi debẽt purgari humores nigri.quos pur.opor. 5ª.88.C
Elephantiasis purgatur medicamẽto educente atram bilem. quos purgare oporteat. 5ª.88.F
Elephantioſis phlegmagoga danda.de dyn. Sp.21.D
Elephantes ſola purgatione ſanati.de purg.med. 5ª.87.G
Elephas mollitione indiget.in 6ᵐ.de morb.vul.com.2°. 3ª.161.A
Elephanto detentis quæ a fortuna viſa ſunt conferre.contra ea quæ a Iuliano in Hipp.apho. Ex.66.E
Elephanticorum remedium præſentaneum.intr. Iſ.57.G
Elephanticorum optimum remedium eſt calamintha.7°.de ſimp.medic.fac. 5ª.49.D
Elephantiçis vtilis eſt elleborus niger.de dyn. Sp.21.A
Elephantioſis datur lapis armenus.de dyn. Sp.21.C
Elephanticis ſuccurrit theriaca.de ther.ad Piſo. 5ª.96.B
Elephantiaſim habens ſanatus eſt vino in quo vipera mortua. de ſubſig.empirica. Isa.33.H
Elephantiaſi laborantium caſus tres.de ſubſig.empi. Isa.34.A
Elephantioſi laborans comedit carnes viperarum,quartus caſus. de ſubſ.empiricos. Isa.34.G
Elephantiaſi laborantis quintus caſus.de ſubſi.emp. Isa.34.B
Elephanto laborantis caſus,qui caſus ſanatus eſt.11°.de ſimplicium medicam.fac.77.H/alius.H/alius. 5ª.78.A
Elephantiasis curatio,in eſu viperarũ.2°.de ar.cur.ad Gl.7ª.107.F
Elephãtiaſi affecto habitaculũ in pago cõſtitutũ.de ſubſ.emp.Iſ.33.H
ex Elephantiaſi ad lepram mutatio de ſubſi.emp. Isa.34.A
Elephas in lepram mutatus.10°.de ſimp.med.fac. 5ª.78.A
Elephantiasis an male habuerit laſſitudine laborantem percontandũ eſt.4°.de ſan.tu. 2ª.83.B
ELEVARI, & ſurſum ferri non idem, & quo modo differãt.de trem. palp.& conuul.& rig. 3ª.52.C
Eleuatio ſequitur ad dominum bilis.de ana.viu. Sp.45.F
Eleuationem albam,& lauem & æqualem habẽs vrina deterior eſt. de vrinæ ſig.ex Hipp. Sp.79.B
Eleuat calor.in 1ᵐ.de mor.vul.com.1°. 3ª.104.D
Eleuando linguam eleuatur mandibula inferior. de motibus manifeſtis & obſcuris. Sp.68.B
Eleuatur quo modo nudus gutturis.de mot.man & obſc. Sp.70.G
Eleuatio nodi gutturis eſt ineuitabile accidens tranſitus per œſophagum.de mot.man.& obſc. Sp.70.F
Eleuatum cur ſit cor.de ana.viuo. Sp.46.C
Eleuati pulſus magis in humili,q̃ in ſuperbo.de ana.viu. Sp.47.A
ELICIVNTVR ex vno multa.com.5°.aph.62°. Ex.44.H
ELIGENDVS eſt ligãdi locus qui maxime in rẽ crit.de faſ. 7ª.294.C
ELIGMATIS pro pectore miſcetur enula. 6°.de ſimpli.medicamento. facult. 5ª.47.B
in Eligmata ponitur eryſimum pro expuendis craſſis & lentis humoribus.6°.de ſimp.med.fac. 5ª.47.F
Elij aſparagi quales.de atten.vict. 2ª.44.D
ELIQVANTVR quæ concoquuntur.de opt.ſect. Isa.20.C
ad Eliquandum patella.7°.de comp.med.per gen. 5ª.272.B
Eliquata quæ ſolum poſſunt tranſire per anguſta. in 6ᵐ.de mor.vulg. commen.3°. 3ª.173.D
Eliquationem non indicant iumentorum lotio ſimiles vrinæ. in 6ᵐ.de mor.vul.com.5°. 3ª.192.B
per Eliquationem morbi inſenſibiliter fiunt. in 6ᵐ.de mor.vulgarib. commen.3°. 3ª.176.H
Eliquans adenes,& mẽbranas inſitas.5°.de cõp.me.per g. 5ª.248.C
ELISIO quid ſignificet apud Hippocratem.de frac.cũ.2°. 7ª.240.B
ELIXATIO præparat alimẽtum ori.de bon.& vit.ſuc. 2ª.37.A
Elixata quare ſpumam faciunt.com.2°.aph.43°. Ex.18.D
Elixum amittit propriam qualitatem.3°.de ali.fac. 2ª.31.H
Elixa res dat qualitatem & facultatem ſui iuris.1°.de ali.fa.2ª.7.H
Elixans recipit qualitatem elixati.3°.de ali.fac. 2ª.31.H
Elixata conſiderandum an qualitatis vehementiam deponant.2°.de alim.fac. 2ª.24.H
Elixa quale nutrimentum dant.3°.de ali.fac. 2ª.26.C
Elixare bis quid.3°.de ali.fac. 2ª.26.A
Elixa in aqua dulci dant alimentum humidius.3°.de ali.fa. 2ª.29.D
Elixatio prauarum aquarum quanta eſſe debet. in 6ᵐ.de morb.vulg. commen.4°. 3ª.183.F
Elixa carne ſiccior eſt aſſa.11°.de ſimp.med.fac. 5ª.78.E
Elixæ potius quàm aſſæ ſint edendæ ſylueſtrium animalium carnes. de cura iĉteri. Sp.111.D
Elixa oua,qualia.de diff.cont. Sp.72.H
Elixa oua dura tarde deſcendunt.de diff.cont. Sp.74.H
Elixos piſces dat febrientibus,aſſos nonfebrientibus. de victus ratione in mor.acu.com.4°. 7ª.149.B
ELLEBORI figuram præſe fert cinnamomum 1°.de antid. 5ª.106.A
Elleborus niger Italiæ quando æqualis illi quod in Creta naſcitur. 1°. de antid. 5ª.105.D
Elleborum multi poſſunt guſtare & intueri,tamẽ eius vtilitates ignorant.1°.de elem. 1ª.5.H
Elleborus frigidã,& terreſtrẽ habet ſubſtãtiã.de cathar. Sp.94.G
Elleborus calidus eſt,& ſiccus,& atrã bilẽ educit.de catar.Sp.94.E

Elleborus tenui

Elleborus tenui & calida naturæ consistit. de cathar. Sp.94.E
Elleborus est calidus & siccus in tertio ordine. 6°. de si. m. f. 5ª.47.C
Elleborus extergit, calefacit. 6°. de simp. me. fa. 5ª.47.C
Elleborus albus purgat per vomitum. de cathar. 94. G/ Sp.95.C
Elleborus albus cur sursum purget. 2°. de simp. me. fa. 5ª.11.B
Elleborus albus educit phlegma. de cathar. Sp.94.F
Elleborus albus purgat nares. de cathar. Sp.95.B
Elleborus albus dandus in quartana, primo radicibus mixtus, postea per se. de arte cur. ad Glau. 7ª.97.G
Elleborus niger si in fistula callo indurata infundatur, duobus tribus ve diebus callum detrahit, & dentibus prodest si cum aceto colluã tur. 6°. de simp. me. fa. 5ª.47.C
Elleborus niger purgat per secessum. de cathar. Sp.94.G
Elleborus niger cur deorsum purget. 2°. de simp. me. fa. 5ª.11.B
Elleborus subducit ventrem, quia medicamentosus. 1°. de al. f. 2ª.8.d
Elleborus niger purgat bilem, & bilem atram. de dy. Sp.21.A
Elleborus niger educit atram bilem. de cathar. Sp.94.G
Elleborum dare oportet quibus a capite fluxio est. de vict. rat. in mor. acut. com. 4°. 7ª.144.G
Ellebor niger quibus detur febricitantibus. de dy. Sp.21.A
Elleborus niger purgat splenem de cathar. Sp.95.C
Elleborus niger vtilissimus visceribus & matricis passionibus. de dynamidijs. Sp.21.A
Elleborus niger purgat matricem. de cathar. Sp.95.C
Elleborus niger educit corruptiua sanguinis. de dy. Sp.21.A
Ellebori nigri dosis. de dy. Sp.21.A
Ellebori radices qũo dentur, & quænam miscenda illi. de dy. S.21.A
Elleborum qui dederit, præparet materiam, & quomodo. quos purgare oportet. 5ª.88.D
Ellebori sumendi præparatio. quos pur. opor. 5ª.88.D
Elleborus quibus miscendus. quos pur. opor. 5ª.88.E
Elleborus niger fit fortior scammonio addito. de dy. Sp.21.A
Elleborũ habens, non scammonium ex colochynthide paratũ medicamentum conuenit in pleuritide. de vict. ra. in mor. ac. c. 2°. 7ª.118.c
Elleborus & peplium simul comparantur, & qualia. de victus ratione in morb. acut. com. 2°. 7ª.118.B
Elleborus niger & piper in pleuritide. de victus rat. in morb. acutis, commen. 4°. 7ª.144.C
Elleborus quibus non dandus. de vict. rat. in mor. acu. c. 4°. 7ª.144.G
Elleborus vterq; lapidem frangit. de ocul. 7ª.188.F
Ellebori electarium. de me. exper. Sp.108.C
Ε*λλιώ*ν quid. de vict. rat. in mor. acut. com. 2°. 7ª.124.G
ELLOBA *apud Theophrastum siliquata. 2°. de ali. fa.* 2ª.16.C
ELODES est genus febris. com. 7°. aph. 43°. Ex.57.D
ELOQVENTIÆ *magnæ quando erunt. de sper.* Sp.38.F
ELOTA *sint metalla omnia, vt siccẽt sine morsu. 6°. met. med.* 7ª.38.C
ELVENTIA quæ. in 6ᵐ. de mor. vulg. com. 6°. 3ª.196.C
Eluta nardus. 1°. de anti. 5ª.106.E
ELVXATIO *articulorum affectus intr.* If.59.E
ELXINE. 6°. de simp. me. fa. 5ª.47.C
Elxine abstergit, & constringit cum aliqua humiditate. 6°. de simpli. med. facul. 5ª.47.C
Elxine phlegmonas omnes in initio & augmento sanat, & incipientibus phygethlis cataplasmatis ritu illinitur, & ad aurium phlegmonosos dolores succus eius mediocriter prodest. 6°. de simpliciũ medicam. fac. 5ª.47.C
Elxines succum gargarizandum non nulli exhibent ad paristhmia. 6°. de simp. me. fa. 5ª.47.C
ELYCHNIVM cito ignem accipit. 3°. de temp. 1ª.22.F
Elychnia mollia. 13°. met. me. 7ª.81.G
Elychnia Tarsensia. 13°. met. me. 7ª.81.G
Elychnium Tarsicum quale. 14°. me. med. 7ª.87.G
Elychnium pro spongia noua. 14°. met. med. 7ª.87.G
Elychnium vtilius q̃ spongia pro fomento. 14°. met. me. 7ª.87.G
ELYMVS. *6°. de simp. med. fac.* 5ª.47.C
ELYTROIDEM *quid appellant græci. de caus. mor.* 3ª.9.E
Elytrois tunica. 2°. de sem. 1ª.339.D

EMACIABATVR *quotidie simia ob tumorem in tunica cordis. 5°. ¢ loc. affect.* 4ª.29.D
Emaciata corpora quo modo reficiant mangones. in 6ᵐ. de morb. vul. commen. 3°. 3ª.176.D
Emaciata mẽbra qũo Galenus sanauit. de ijs q̃ in me. fi. c. 3°. 7ª.220.c
Emaciet quomodo deligatio. de ijs quę in med. fiunt, cõ. 3°. 7ª.220.B
Ε*μβολή quid. de fruct. com. 1°.* 7ª.221.A
de EMBRYO. *de compag. memb. siue de nat. hum.* Sp.59.D
in Embryone quo modo sperma, & per quot dies terminatur. de natura humana. Sp.59.D
in Embryone de ætate planetarum. de natu. huma. Sp.59.F
Embryones imperfecti quo modo generentur. de compag. memb. siue de natu. huma. Sp.59.G
Embryon quando in ventre. 1°. de symp. cau. 3ª.18.C
in Embryone spiritus non a pulmone in cor, sed a corde in pulmonem ferri secundum aliquos. 6°. de vsu par. 1ª.156.A
Embryum vnde accipit alimenium. fin. med. If.49.F
Embryum alitur per vmbilicum, non per os. fin. med. If.49.F
Embrya prodeunt in lucem figuris quatuor. fin. med. If.49.II
Embryum an animal sit. fin. med. If.49.F
ad Embryum extrahendum datur galbanum. de med. expe. Sp.106.E
ad Embryum extrahendum medicamen. de med. exper. Sp.106.G
EMERCVM lutum. 7°. de comp. me. se. lo. 5ª.178.H
Ε*μετικοί, id est vomentes. 7°. de simp. med. fac.* 5ª.53.D
EMICRANIA quę. 5°. de san. tu. 2ª.90.A
EMINENTIA *quid. 9°. de vsu par.* 1ª.171.F
Eminens & longus cur sit nasus. de anat. viu. Sp.49.A
ad Eminẽtiam omnem oculorum. 4°. de cõp. me. se. lo. 5ª.152.H
ad Eminentias pellicularum oculorum. 4°. de cõp. me. se. lo. 5ª.154.A
ad Eminentias ficosas oculorum. 4°. de comp. me. se. lo. 5ª.152.G
ad Eminentias ficosas. 5°. de comp. me. sec. loc. 5ª.162.C
ad Eminentias faciei. 5°. de comp. me. sec. loc. 5ª.160.E
ad Eminentias ani. 9°. de comp. me. sec. loc. 5ª.203.C
ad Eminentias internas in sede. de fac. par. 7ª.170.B
ad Eminentias intus & foris in ano. 3°. de fac. par. 7ª.170.B
sine Eminentiis cur debeant esse fasciæ. de fasciis. 7ª.293.G
EMINVS *visa quo modo sint. 3°. de dign. pul.* 4ª.80.B
ad EMITTENDVM *humorem, vinculum. de fascijs.* 7ª.295.B
EMMOTON quid appelletur a græcis. 2°. de compositio. medicamentorum per ge. 5ª.220.D
Ε*μμοτοι. de articu. com. 3°.* 7ª.275.B
Emmoti scopi, qui. 1°. de comp. me. per ge. 5ª.220.D
Emmoton systasis quid sit. 2°. de comp. me. per ge. 5ª.221.H
Emmota quæ dicantur. 13°. meth. me. 7ª.81.D
ad Emmotorum vsum quo modo emplastica possint reduci. 2°. de art. cur. ad Glau. 7ª.106.A
Emmota medicamenta fugimus in ossibus capitis denudatis, quoniam linamentis inunctis offeruntur. 5°. de comp. med. per ge. 5ª.262.F
Emmotorum vis qũo dissoluatur. 2°. de arte cur. ad Glau. 7ª.105.A
EMOLLIATVR venter ante cucurbitulas. de cucu. sca. 6ª.3.C
EMOLITIO *quid sit. 5°. de simp. me. fac.* 5ª.32.F
Emollitio immoderata exoluit robur virium. de renum affectuum dignotione & medela. 7ª.193.G
Emollientia, & indurantia contraria sunt. 5°. de simp. me. fa. 5ª.38.H
Emolliens medicamentum, quale. 5°. de simp. me. fac. 5ª.32.H
Emollientia qualia sunt & iam esse debeant in qualitate. 5°. de simpl. med. fac. 5ª.34.F
Emollientia sunt calida, & humida. 5°. de simp. me. fa. 5ª.32.D
Emollientia secundi & tertij ordinis excalfacientium, primi exiccantiũ esse collige. 5°. de simp. med. fa. 5ª.34.E
Emollientius medicamentum vocatur pingue a recentibus, q & humidum est. 7°. de comp. me. per ge. 5ª.264.C
Emollientia medicamenta. 7°. de comp. me. per ge. 5ª.268.A
Emollientia quo differant a pus mouentibus. 5°. de simp. me. f. 5ª.3.F
Emollientia quid agant. 8°. de comp. me. se. lo. 5ª.196.A
Emollientia non debent accipere sal. 5°. de simp. me. fa. 5ª.34.F
Emolliunt recentia magis inueteratis. 5°. de simp. med. fa. 5ª.34.F
qũo Emolliant, & digerant adipes, & pinguedines diuersorum animalium. 7°. de comp. me. per ge. 5ª.273.F
Emollit fortius in medicamẽto adeps. 7°. de com. me. per g. 5ª.264.g
Emolliunt imbecillissime adeps suillus, & cera. 6°. de compo. medica. per ge. 5ª.273.F
Emollit, & concoquit magis oleo adeps suillus. 11°. de simpl. medic. facul. 5ª.78.H
Emollit ora vlcerum indurata adeps vitulinus. 4°. de compositio. medic. per ge. 5ª.240.A

Emollientia medicamenta primi ordinis.7°.de cõ.me.per g. 5ª.264.d
ĩter Emollientia principatum obtinet ammoniacum, & in digerẽtibus concertat.6°.de comp.me.per ge. 5ª.258.B
Emollit valentissime gutta ammoniaci.7°.de cõp.me.per g. 5ª.264.A
Emollit gutta ammoniaci. 2°.de comp.me.per ge. 5ª.222.C
Emolliunt exustos,& incẽsos balnea.de ijs quæ ĩ me.fi.c.3°.7ª.215.H
Emollit Bdelium durities neruorum. de simp.me. Sp.81.C
Emollit mediocriter cera. 5°.de comp.me.per ge. 5ª.247.H
Emolliens quibus imbecillius cerelæum.7°.de cõ.me.per g. 5ª.264.E
Emollientibus pharmacis commiscetur Chamæleõtis radix.8°.de simpli.med.fa. 5ª.63.F
Emollit fœnugræci semen probe coctum.7°.de compositione medicam. per ge. 5ª 264.B
Emolliendi vim habet Hypoglossõ. 8°.de simp.me.fa. 5ª.63.A
Emollit cito Haseg, inpositum locis turgẽtibus, & distensis. de simplicibus medicaminibus. Sp.85.C
Emolliunt & digerunt libanotides. 7°.de simp. me.fa. 5ª.54.E
Emollit vteros radix Liliorum. 7°.de simp.me fa. 5ª.53.B
Emollit minus Malua agrestis quã hortensis.7°.de sim.me.fa. 5ª.55.b
Emollit,& adstringit Mastiche. 7°.de simp. me.fa. 5ª.55.C
Emollit & digerit ægyptia mastiche.7°.de cõp.me. per gen. 5ª.264.B
ĩ Emolliendo Medullarũ differentiæ.7°.de cõp.me.per ge. 5ª.264.A
Emollit,fundit,& calfacit Myrrha Beotia.8°.de sim.me.fa. 5ª.61.B
Emollit & humectat Oleum verum.2°.de simp.me.fa. 5ª.13.G
Emollit & lassitudinem aufert frictio ex oleo magis q̃ sicca.2°.de simpl.med fa. 5ª.13.H
Emollit oleum.8°.de simp.me.fa. 5ª.60.A
Emollientia olea.4°.de comp.me. per ge. 5ª.241.H
Emollit & digerit liliorum oleum. 7°.de simp. me.fa. 5ª.53.B
Emollũt oleum ricininum,& gutta ammoniaci. 6°.de composi.med. per ge. 5ª.258.A
in Emolliendo Resinarum differentiæ.7°.de cõp.med.per ge. 5ª.264.B
Emolliens & emplasticum Sesamum. 8°.de simp.me.fa. 5ª.60.H
Emollit & digerit Thus. 7°.de comp.med.per ge. 5ª.264.B
in Emolliendo chalbani,& opopanacis differentiæ.7°.de compositione med.per ge. 5ª.264.C
Emolliens optime, 5°.de comp.me.per ge. 5ª.248.H
Emolliens maximum & extremum.7°.de comp.me.per ge. 5ª.264.a
Emolliens, calefaciens, & remittens confectio.7°.de compositmedi. per ge. 5ª.272.G
Emolliens callosa.6°.de comp.me.per ge. 5ª.258.D
Emolliens duritias.7°.de comp.me per ge. 5ª.266.G
Emolliens omnẽ duritiẽ malagma.10°.de comp.me.se.lo. 5ª.209.C
Emollientia scirrhum quę sint. 5°.de simp.me.fa. 5ª.33.F
Emolliens pessus. 1°.de comp. me.per ge. 5ª.215.G
EMORTVA *mẽbra vbi incidenda.2°.de art.cur.ad Glau.* 7ª.106.H
EMOSCHASVM. *de med. fac.par.* 7ª.177.H
Ἐμπλαστικόν *dicitur emplasticum. 5°.de simp.me.fa.* 5ª.35.A
EMPEDOCLES *quid sentiat de elementis.de nat. hu.com.1°.* 1ª.28.C
Empedoclis opinio de seminum miscella, & dulcedine coitus.2°.de semine. 1ª.337.F
Empedocles humanitate medebatur.9°.de dec. Hip. 1ª.281.H
EMPETRON *bilem & pituitam educit.6°.de simplicium medicamen. faculta.* 5ª.47.D
cũ EMPHASI *significare.de vic.rat.in mor.acu.com.3°.* 7ª.127.F
Ἔμπύρευμα *quid.4°.de simp.me.fa.27.B/8°.62.C/9°.* 5ª.64.E
Ἔμπειρος. *i.expertus. de subfi. emp.* Isa.31.G
Empirici vnde dicti.de sectis. Isa.16.A
Empirici dicuntur ab experientia.com.1°.aph.1°. Ex.3.A
Empiricus qui nominandus. 3°.met.me. 7ª.16.D
Empirici nolebant ipsorum studiũ vocare artẽ.adu.emp. me. Isa.35.e
Empirici quomodo partẽ artis duplicẽ faciant.de par.ar.me. Sp.16.F
Empirica vna ex tribus sectis medicorum.intro. Isa.5.1.A
Empirica secta, quę fin.med. If.43.E
Empirica secta quid comprehendat. de sectis. Isa.16.A
Empiricæ sectæ disciplinam sub cõpendio clarissime colligit. de subfi. empirica. If.31.D
Empirica secta quibus instituatur. de opt.secta. If.24.E
Empirica quibus cognoscatur. intr. If.51.A
Empirici primi,qui.de subfi.emp. If.31.C
Empirica prima secta.fin.med. If.43.E
Empirici veteres. in 6ᵐ.de mor. vul.com.3°. 3ª.177.D
Empiricę sectæ princeps. intr. If.51.D
Empiricus Apollonius.in 6ᵐ.de mor. vul.com.2°. 3ª.137.H
Empiricorum quodnam opus est.in 6ᵐ.de morb. vul.c.3°. 3ª.177.D
Empirici,quales.adu.emp. med. If.35.D
Empirici hostes dogmaticorum. 2°.de die.dec. 4ª.154.F
in Empiricos parum idonea dicunt dogmatici.3°.de loc.af. 4ª.14.H
Empiricorum argumentum contra dogmaticos. 2°.de composi.medic. per ge. 5ª.218.E
Empirici primi expositores aphorismorũ Herophilus,Bacchius,Heraclides,Zeuxis.com. 7°.aph.64°. Ex.60.D
Empirici vita. de subfi emp. If.34.D
Empirici de omnibus abditis dicunt se dubitare.6°.de dec. 1ª.263.H
sm Empiricos quæ apparent,& quæ noscantur.1°.met.me. 7ª.5.C
Empirici vnde incipiunt. intro. If.50.H
Empirici nolunt posse cognosci facultatis essentiam.1°.de simpl. med. facul. 5ª.2.D
Empirici potissimum illa accipiunt quæ sæpe profuere.de sect. If.16.B
Empirico obseruationem memoriæ indicat concursus accidentium.de sectis. If.16.F
Empirici cur historia vtantur. de opt.secta. If.22.H
Empirici quid intelligant per iudicium.com.1°.aph.1°. Ex.2.H
Empirici per concursus faciunt doctrinã.2°.de cõp.me.se.l. 5ª.134.C
Empirici appellant cõcursus,quę a naturalibus dicuntur dispositiones com.6°.aph.31°. Ex.49.D
Empiricorum syndrome quid sit. 2°.met.me. 7ª.11.C
Empiricorum concursus vnde. 5°.de san.tu. 2ª.93.B
Empiricorũ syndromæ in paucissimis inueniuntur. 5°.de so.tu. 2ª.93.e
Empiricorum nugatoria periptosis & incidentia.1°.de compo. medi. per ge. 5ª.210.H
Empiricorũ syndromẽ reprehẽdit.de vi.ra.ĩ mor.acu.c.2°. 7ª.121.F
Empiricos reprehendit Galenus.de theria.ad Pi. 5ª.90.C
Empiricos lapidibus comparat. aduer.emp.med. If.35.D
Empiricos probat Galenus. 3°.de loc.aff. 4ª.14.H
Empiricorum more loquitur Galenus per totum librum de subfigura tione empirica. de subfi.emp. If.31.D
Empirici quorum non possint recordari,nec scribere.adu.emp. If.31.d
cum Empirica logica inuentio non esi confundenda. 2°.methodi medendi. 7ª.13.E
Empirici dialecticas suppositiones ac definitiones reprehendunt. de sectis. If.7.B
Empirici non laborant de definitione. 4°.de diff. pul. 4ª.66.B
ab Empiricis plethora quomodo intelligatur. de mul. 3ª.79.H
Empirici quid faciant in medendo.8°.de comp.me.se.loc. 5ª.187.G
Empiricus quid dicat de medicamentis. 2°.de simp.me. fa. 5ª.11.F
Empirici ab indicatione nihil inueniunt.de subfi.emp. If.31.D
Empirici artem medicã totã expientiæ inniti putãt.de subfi. Isa.31.D
Empirici negligunt naturarum rationem. de the. ad Pi. 5ª.90.E
Empirici vtunt eadẽ medela in affectibus,qua rõnales.de sect. If.16.F
Empiricis obseruatio vtilium ab ijsdem nascitur,a quibus & ĩdicatio rationalibus.de sectis. If.16.F
Empirici dissentiunt a rationalibus in modo inueniendi medelas. de sect. If.16.F
Empirici quę sunt ratione inuenta conantur destruere. 1°.de aliment. facul. 2ª.7.D
ab Empiricis quo mõ differãt rõnales.9°.de cõ.me.se.lo. 5ª.188.E
Empiricinũ vñ referũt inuẽta medicamẽta. 1°.de cõ.me.p ge. 5ª.209.a
Empirici plurima compositorum medicaminũ casu inuẽta esse putãt. 3°.de comp.me.per ge. 5ª.230.G
Empirici cur in compositionibus solum miscent genere similia. 3°.de comp.me.per ge. 5ª.230.H
Empirici trahunt medicamentum ab alio ad aliud.3°.me.me. 7ª.17.C
Empirici vadunt ex transitione a simili.2°.de comp.me.se.l. 5ª.134.a
Empirici quo modo applicabant remedia morbis, quos ante nõ viderãt.de sectis. If.16.C
Empirici quo modo applicabant remedia morbis, quos nouerãt qdẽ, sed in eos his locis ortos incidebant, vbi non erat materia medicamentorum quæ experimento essent obseruata. de sectis. If.16.C
Ἐμπλαστικώτερον *quid significet. 5°.met.me.31.B/14°.* 7ª.90.B
Emplasticum dicitur ἐμφρακτικόν. *5°.de simp.me.fa.* 5ª.35.A
Emplasticam dici illinendi vim. 5°.de simp.me.fa. 5ª.34.F
Emplastica quorundam constitutio,& quę illam habeant.5°.de simp. med.facul. 5ª.34.D

Emplaſticum medicamentum quid ſit. 5°.de ſimp.me.fa. 5ª.34.F
*Emplaſtõ medicamentũ meatus obducit.1°.de cõp.me.ſe.lo.*5ª.127.G
Emplaſtica,id eſt meatus obducentia & obturantia,quæ dicantur.4°. de comp.me.ſe.lo. 5ª.150.A
Emplaſtica quæ vocentur ſimplicia.1°.de comp.me.ſe.loc. 5ª.129.G
Emplaſtica,& peptica,id eſt concoquentia, ſunt medicamẽta parum calefacientia, & adſtringentia.7°.de ſimp.me.fa. 5ª.53.D
Emplaſticum eſſe dicitur medicamentum pus mouens.5°.de ſimp.me. facult. 5ª.38.G
Emplaſtica,& extergentia contraria ſunt. 5°.de ſimp.me.fa. 5ª.38.H
Emplaſticorum duplex natura.4°.de ſimp. me.fa. 5ª.25.D
*Emplaſtica quæ ſint.in 6m.de mor.vul.c.2°.*3ª.165.G/H/4°.*de ſimp. me.fa.* 5ª.25.D/ 5°.*met.me.30.D/* 7ª.31.F
Emplaſtica ſunt quæ ſunt glutinoſa.4°.de ſimp.me.fa. 5ª.25.D
Emplaſticam ſubſtantiam facit tenacitas in medicamentis. 9°.de ſim pl.med.fac. 5ª.66.B
Emplaſticum medicamentum debet eſſe terrenę conſiſtentiæ, & viſcoſum. 5°.de ſimp.me.fa. 5ª.35.A
Emplaſticam vim habet refrigeratoriam & repercuſſoriam puluis. 8°.de ſimp.me.fac. 5ª.60.A
Emplaſtica faciunt ſuccos craſſos,& lentos.5°.de ſimp.me.f. 5ª.35.C
Emplaſtica a ſordẽ nutrientibus non differunt.de ſimp.me.f. 5ª.35.A
Emplaſticum medicamentum debet vacare mordacitate.5°.de ſimp. med.fac. 5ª.34.H
Emplaſtica aliqua natura aquea.4°.de ſimp.me.fa. 5ª.25.D
Iter Emplaſtica numeranti multa q̃ exactę elota sũt.4°.de ſi.m.f. 5ª.25.d
Emplaſtica quędam habent aliquid aeris. 4°.de ſim.me.fac. 5ª.25.D
Emplaſtõ medicamẽtũ qbus effici nõ poſſit.1°.de cõ.me.pge. 5ª.210.f
*Emplaſticis quo modo miſcẽi ceratũ.2°.de arte cur.ad Gla.*7ª.106.A
Emplaſtica rarefaciunt. in 6m.de mor.vul. com.2°. 3ª.161.A
Emplaſticum optimum ex Bitumine, & aceto.5°.met.me. 7ª.32.H
Emplaſtica ſunt Cera & oleum.6°.de comp.me. per ge. 5ª.255.D
Emplaſtica et refrigeratoria eſt Ceruſſa.9°.de ſimp.me.fa. 5ª.71.G
Emplaſticam vim habent Cibi & potus aliqui.5°.me.me. 7ª.31.F
Emplaſticum ex Chalcitide.2°.de arte cur. ad Glau. 7ª.101.H
Emplaſticus eſt Chondrus. 9°.de ſimp.me.fa. 5ª.63.H
Emplaſticus eſt Conus.7°.de ſimp.me.fac. 5ª.54.A
*Emplaſtica ſunt Farina triticea,& amylum.1°.de ſimp.me.f.*5ª.8.D
Emplaſticæ facultatis eſt Gypſum. 9°.de ſimp.me.fa. 5ª.68.H
Emplaſticus eſt Lupinus. 6°.de ſimp.me. fa. 5ª.48.C
Emplaſticam vim habet Myagros. 7°.de ſimp.med.fa. 5ª.56.C
Emplaſticam vim habent Pinguedines nondum vllam nactæ acrimoniã.4°.de ſimp.me.fa. 5ª.25.E
*Emplaſtica non eſt Reſina, & qualis.6°.de comp.me.per g.*5ª.255.d
Emplaſtica & amara eſt Sarcocolla.8°.de ſimp.me. fa. 5ª.60.B
Emplaſticum,& emolliens Seſamum.8°.de ſimp.me.fa. 5ª.60.H
Emplaſticum eſt magis Thus, quam manna. 5°.me.me. 7ª.31.A
Emplaſtica eſt Tragacantha.8°.de ſimp. me.fa. 5ª.62.E
Emplaſtica quo modo ad vſum emmotorum poſſint reduci. de ar.cur. ad Glau. 7ª.106.A
Emplaſticis medicamentis in quibus vtimur.in 6m.de mor.vulgarib. commen.2°. 3ª.165.H
Emplaſticis,& adſtringentibus ſiſtendus eſt ſanguis ab hirundinibus tractus, non frigidis. de cucur.ſcar. 6ª.4.D
Emplaſticis potius ſanguis ſiſtendus, quam cruſtam facientibus. 5°. met.med. 7ª.39.H
Emplaſtica pro ſanguine ſiſtendo. 5°.met. med. 7ª.30.G
Emplaſticum anodynũ ad oculorũ dolorẽ.cõ.6°.aph.31°. Ex.49.A
Emplaſticum pro inflammatione inueterata.14°.met.med. 7ª.88.H
Emplaſtico curati pueri in brachio punctli qui periit caſus.3°.de cõp. med.per ge. 5ª.231.F
EMPLASTRA *vnde dicuntur. 5°.de comp.me. per ge.* 5ª.251.B
*Emplaſtra malagmata poſſunt appellari.7°.de cõ.me.p ge.*5ª.265.A
Emplaſtri confectio qũo fiat. 1°.de comp.me.per ge. 5ª.210.H
*Emplaſtrum quo modo fiat. 3°.de com.me.per g.233.B/4°.*5ª.238.H
*Emplaſtrũ conficiendi modus.1°.de com.me.per g.215.G/2°.*5ª.224.e
Emplaſtri forma quæ ponantur.5°.de comp.me. per ge. 5ª.246.B
*Emplaſtrorum confectio quo modo paranda. 1°.de cõ.me.pg.*5ª.217.b
ad Emplaſtrum quid conueniat.5°.de compoſitione medicam. per ge. 246.B/6°. 5ª.260.H
Emplaſtrum vt fiat quę miſcenda.4°.de comp.me.per ge. 5ª.239.G
ad Emplaſtra materiæ aptæ ſunt pinguia, & cera. 7°.de compoſitione med.per ge. 5ª.255.D
Emplaſtri figura inducenda ceram iubet miſceri. 3°.de comp.med. per ge. 5ª.232.G
in Emplaſtris,& acopis,& malagmatibus mittitur cera. de ſimplic. medica. Sp.82.B
ad Emplaſtropœiam vtilis eſt tum ceratum tum Reſina. 6°.de comp. me.per ge. 5ª.258.B
*ĩ Emplaſtris quæ reſinæ debent poni. 1°.de comp.me.per ge.*5ª.213.H
ĩ Emplaſtris calidis pro materia ponitur cera, non ob virtutis efficaciam.6°.de comp.me.per ge. 5ª.258.A
in Emplaſtris quare ponitur oleum.5°.de comp.me.per ge. 5ª.255.C
in Emplaſtris plus olei hyeme ponendum quã æſtate. 2°.de comp.me. per ge. 5ª.223.G
Emplaſtris miſcetur Caliſiua.de ſimp. me. Sp.82.E
ad Emplaſtrum conficiendum Ceruſſa conuenit. 5°.de compo.medica. per ge. 5ª.247.D
in Emplaſtris pro colore ponitur ceruſſa. 6°.de compo. medicament. per gen. 5ª.257.H
in Emplaſtro quo modo ponenda ceruſſa, quando eſt cum argenti ſpuma.1°.de comp.me.per ge. 5ª.215.G
Emplaſtris immittitur Ladanum. de ſimp. me. Sp.86.D
Emplaſtris immittitur Peucedanum. de ſimp.me. Sp.89.B
Emplaſtra quo ordine recipiãt ſimplicia. 1°.de cõ.me.p g. 5ª.217.E/g
Emplaſtra cum fiunt, vnguine manus inquinandę ſunt. 5°.de compo. me.per ge.250.D/7°. 5ª.267.C
*Emplaſtri coctura quanta eſſe debet.2°.de comp.me.per ge.*5ª.222.f
Emplaſtra dura damnat.13°.me.me. 7ª.81.D
*Emplaſtra ſpiſſantur, vt non inquinent.2°.de cõp.me.per g.*5ª.226.e
Emplaſtri ſpiſſitudo vnde ſumatur.7°.de comp.me.per ge. 5ª.264.G
*Emplaſtri craſſitudo qualis.3°.de comp.me.per ge.229.D/*5ª.230.C
Emplaſtri ſpecies quibus induat medicamen quoddam.4°.de compo. med.per ge. 5ª.240.H
Emplaſtri ſpiſſitudo. 1°.de comp.me.per ge.212.F/7°. 5ª.268.E
Emplaſtri liquidi ſpiſſitudo. 9°.de comp.med.ſe.lo. 5ª.199.B
Emplaſtra quæ plus ſiccent.2°.de comp.med.per ge. 5ª.223.G
ab Emplaſtris quo differant cerata ſubhumida,& quæ ſint. 1°.de cõ. med.per ge. 5ª.217.F
Emplaſtroſum medicamen.3°.de comp.med. per ge. 5ª.233.E
in Emplaſtri modum medicamenta ad vlcera maligna. 4°.de compo. med. per ge. 5ª.237.D
Emplaſtra colore ſimilia eſſe debent.2°.de comp.me.per ge. 5ª.218.C
ĩ Emplaſtris qũo varientur colores. 2°.de comp.me. per g. 5ª.222.B
*Emplaſtra quæ adhærent ſine faſcijs.6°.de comp.me.per ge.*5ª.259.g
Emplaſtrorum auctores quid egere. 1°.de comp.me. per ge. 5ª.210.F
Emplaſtrorum diuerſitas. 7°.de comp.me.per ge. 5ª.269.E
Emplaſtris de quibus agat. 2°.de comp.me. per ge. 5ª.218.C
Emplaſtrum Aceſis,id eſt medela. 1°.de comp.me.per ge. 5ª.216.F
Emplaſtrum de Adipibus. ſecre. Sp.103.A
Emplaſtra Alba quibus fiant. 1°.de comp.me.per ge. 5ª.217.C
Emplaſtra alba quibus conſtent. 1°.de comp.med. per ge. 5ª.218.C
Emplaſtra alba ex argenti ſpuma & ceruſſa.1°.de compoſitione med. per ge. 5ª.213.G
Emplaſtrum album ex pipere. 1°.de comp.me.per ge. 5ª.214.B
Emplaſtrum album ad choras.1°.de comp.me.ſec.lo. 5ª.130.G
Emplaſtra alba ad lichenas. 5°.de comp.me.ſe.lo. 5ª.162.A
Emplaſtri albi attalici ſecundum Andromachum compoſitio. 1°.de comp.me.per ge. 5ª.214.F
Emplaſtrum album Damocratis.1°.de comp.me. per ge. 5ª.217.F
Emplaſtrum Andræ. 4°.de comp.me.per ge. 5ª.243.A
Emplaſtra Andromachi. 6°.de comp.me. per gen. 5ª.256.H
Emplaſtrum Andromachi ad vlcera maligna. 4°.de comp.medicam. per gen. 5ª.238.C
Emplaſtrum ad Anginam.ſecre. Sp.102.A
Emplaſtrum Anicetum. 1°.de comp.me.ſe.lo. 5ª.130.H
Emplaſtrũ ex Aqua calida,oleo,& triticea farina,fluxionibus aduerſatur.de arte cur.ad Glau. 7ª.181.G
*Emplaſtrũ ex Argẽti ſpuma & hydreleo.1°.de cõp.me.pg.*5ª.212.g
Emplaſtrũ eſt argenti ſpuma,& oleo.1°.de cõp.me.per ge. 5ª.213.A
*Emplaſtrũ ex argenti ſpuma & œneleo.1°.de cõp.me.per ge.*5ª.213.C
Emplaſtrũ ex duabus Ariſtolochijs.5°.de comp.me. per ge. 5ª.250.F
Emplaſtrum Athena, id eſt Minerua, appellatum.2°.de compo. med. per genera. 5ª.221.C

Emplastrum Aurei colcris Mœneti. 2°. de comp.me.per ge. 5ª.223.*A*
Emplastrum Aanitæ. 5°. de comp.me. per ge. 5ª.247.*D*
Emplastrum Barbaræ ad quid valeat. de dy. *Sp.35.F*
Eplastrum Barbarum. 4°. de comp.me.se.lo. 5ª.157.*G*
Emplastra ex Bitumine Barbara dicunt. 2°. de cõp.me.pge. 5ª.227.*G*
Emplastrum Bithinum. 9°. de comp.me.se.loc. 5ª.220.*C*
ad Emplastra Candida valet cera tyrrhenica & pontica. 1°. de comp. med.per ge. 5ª.217.*D*
ꝑ Emplastro candido oleum, quale. 1°. de comp.me.per ge. 5ª.215.*A*
Emplastrum candidũ Heræ. 1°. de comp.med. per ge. 5ª.215.*F*
Emplastrũ cãdidum quod magnum dr. 2°. de cõp.me.per ge. 5ª.224.*d*
Emplastrum ad morsum Canis rabidi. 2°. de anti. 5ª.117.*A*
Emplastrum contra canem rabidum. 2°. de anti. 5ª.119.*G*
Emplastra ad fracturas Capitis. 2°. de comp.me.per ge. 5ª.225.*D*
Emplastrum capitale. 5°. de comp.me.se.lo. 5ª.160.*B*
Emplastrum cephalicum Asclepiadeum. 3°. de cõ.me.se.lo. 5ª.146.*B*
Emplastrum Chalcidei. 5°. de comp.me. per ge. 5ª.249.*A*
Emplastrum ex Chalcitide Galeni. 1°. de comp.me.per ge. 5ª.210.*H*
Emplastri Diachrysũ viues & compositio. de dy. *Sp.32.B*
Emplastra dichroma. 2ª. de comp.me. per ge. 5ª.223.*C/E*
Emplastrum ex Dictamno. 5°. de comp.me.per ge. 5ª.246.*G*
Emplastrum ex Dictamno Damocratis. 5°. de cõp.me.per g. 5ª.250.*f*
Emplastrum ære Dibalon non debet poni vbi caro augmentanda. 1°. de comp. me.per ge. 5ª.222.*A*
in Emplastro Digerente ponitur pyrites lapis. 9°. de sim.m.f. 5ª.67.*f*
Emplastrum digerens ex sale. 6°. de comp.me.per ge. 5ª.258.*C*
Emplastrum falsum ad digerendum, & ad extrahendum. 6°. de comp. med.per gen. 5ª.261.*A*
Emplastrum ad Duritiem splenis & hepatis. secr. *Sp.99.E*
Emplastrum Hecaton drachmon. 2°. de comp. me.per ge. 5ª.220.*H*
Emplastrum Epigoni. 2°. de comp.med. per ge. 5ª.221.*A*
Emplastra Epipasta, quæ. 2°. de comp.me.per ge. 5ª.223.*H*
Emplastra Egispastica, & diaphoretica, quæ. 6°. de comp. medicam. per gen. 5ª.260.*G*
Emplastrum Epuloticoteron. 2°. de comp.med. per ge. 5ª.223.*H*
Emplastra epulotica, quę. 2°. de comp.med. per ge. 5ª.223.*H*
Emplastrum Euphranoris. 2°. de comp.me. per ge. 5ª.223.*H*
Emplastrum Exiccans. 6°. de simp. me.fa. 5ª.48.*H*
Emplastrum ad Febrem in plagis. de dy. *Sp.35.F*
Emplastrum ad Ficum qui apparet. de dy. *Sp.28.H*
Emplastrum Euchrum ad lichenas. 5°. de comp.me.se.lo. 5ª.162.*A*
Emplastrum Galeni pro neruis vulneratis ex Euphorbio, cera, resina, fricta pice. 6°. met.me. 7ª.37.*F*
Emplastri Galeni cõpositio ad neruos vulneratos. 6°. me.me. 7ª.37.*G*
Emplastra galli. 2°. de comp.me.per ge. 5ª.227.*D*
Emplastra Gilua. 2°. de comp. me. per ge. 5ª.223.*E*
Emplastra gilua quo modo cõponantur. 2°. de cõ.me.per ge. 5ª.223.*f*
Emplastrũ Glutinatoriũ vocatũ. 8°. de ana.ad. 1ª.103.*C*
Emplastra glutinantia. 2°. de comp.me.per ge. 5ª.226.*H*
Emplastrum quomodo fiat glutinantius. 1°. de cõp.me.per ge. 5ª.215.*d*
Emplastrum ad Guttam. de dy. *Sp.31.D*
Emplastrũ hepheslias ad cicatricẽ inducẽdã. 9°. de simp.m.fa. 5ª.70.*G*
Emplastrum Heræ. 2°. de comp.me.per ge. 223.A/6°. 5ª.256.*G*
Emplastrum ex herbis. 4°. de composi.medicam.per gene. 244.A/6°. 255.A/ 5ª.257.*A*
Emplastrum Humidum ad Nomas. 6°. de comp.med.per ge. 5ª.257.*b*
Emplastrum Hygini boni coloris. 2°. de comp.me.per ge. 5ª.225.*A*
Emplastra quę inflammatis prosunt. 8°. de comp.me.se.lo. 5ª.187.*D*
Emplastra ad inflãmationes rubras corneę oculi. de rem.p.f. 7ª.156.*b*
Emplastrũ ad inflationẽ, quę fit in cruribus & in coxis. ꝺ dy. *Sp.30.A*
Emplastrum aliud ad inflationem, quæ fit in cruribus & coxis cũ rubore & calore. de dy. *Sp.30.A*
Emplastrum Inuictum appellatum. 2°. de compositione medicamentorũ per ge. 227.D/6°. 5ª.256.*C*
Emplastrum Isis. 2°. de comp.me.per ge. 5ª.221.*G*
Emplastrum cephalicum Isis. 2°. de comp.me.per ge. 5ª.226.*A*
Emplastrum pro Lapide renum. de ren.affect.dig.& med. 7ª.144.*A*
Emplastrum Leneadi diapepereon. de dy. *Sp.25.C*
Emplastra Lichenica quo conficiantur, elice. 5°. de compo. medicam. secun.loc. 5ª.161.*D*
Emplastra ad lichenas citra exulcerationem. 5°. de compo.medicam. secun.loc. 5ª.161.*D*
Emplastrum de Limonibus. de rem.par.fa. 7ª.155.*F*
Emplastrum Liparon. 1°. de comp.me.per ge. 5ª.217.*H*
Emplastrum Litę dictum. 2°. de comp.me.per ge. 5ª.221.*D*
Emplastrum vt sit litę, quid requirat. 2°. de comp.me.per ge. 5ª.221.*d*
Emplastrum Machareonis. 2°. de comp.me.per ge. 5ª.221.*G*
Emplastrum ex Meliloto. 8°. de comp.me. se.lo. 5ª.93.*D*
Emplastra Melina Andromachi. 2°. de comp.me.per ge. 5ª.222.*C*
Emplastrum melinum ad digerendum. 6°. de cõp.me.per ge. 5ª.262.*d*
Emplastrum melinum Leuci. 1°. de comp.me.se.lo. 5ª.130.*H*
Emplastrum mellis, pro neruis detectis. 8°. met.me. 7ª.38.*C*
Emplastrum melinum Bassionis. 1°. de comp.me.se.lo. 5ª.130.*H*
Emplastrum Menelai ad canem rabidum. 2°. de anti. 5ª.117.*B*
Emplastrum Mesianum dictum. 6°. de comp.me. per ge. 5ª.256.*C*
Emplastrum Mnaseæ. 3°. de comp.me. se.lo. 5ª.147.*E*
Emplastrum Mnasei in secundo mollientium ordine. 7°. de comp.me. per ge. 5ª.264.*F*
Emplastra quæ maxime Mollientia, & quæ non. 7°. de compo.medic. per ge. 5ª.265.*A*
Emplastrum Molochinum. 2°. de comp. me.per ge. 5ª.220.*H*
Emplastrum Moschionis. 2°. de comp.me.per ge. 5ª.224.*F*
Emplastrum pro Neruis detectis. 3°. de comp.me.per ge. 5ª.229.*D*
Emplastrum Nigrum attrahens. 6°. de comp.me.per ge. 5ª.271.*E*
Emplastrum Ocularium. de rem.par.fa. 7ª.156.*E*
Emplastrum Oleosum. 2°. de comp.me.per ge. 5ª.221.*G*
Emplastrum Panphilion dictum. 2°. de com.me.per ge. 5ª.224.*D*
Emplastrum Pancratiastarum, siue athletarum. 5°. de comp.medica. secun.loc. 5ª.162.*A*
Emplastrum Phœnicinum vnde dictum, & quale. 1°. de comp.medic. per ge. 5ª.210.*H*
Emplastrũ ad Plagam sanandam. de dy. *Sp.32.A*
Emplastrum Platysma a latitudine. 4°. de com.med.per ge. 5ª.237.*g*
Emplastrum ex Pissana. 3°. de comp.me.se.lo. 5ª.147.*E*
Emplastra cum Rhoſinientia. 1°. de comp.me. per ge. 5ª.213.*E*
Emplastrum habens vim Roborandi. 1°. de arte cur. ad Glau. 7ª.99.*C*
Emplastrum ex Salicibus. 5°. de comp.me.per ge. 5ª.248.*G*
Emplastra Sanguinaria. 2°. de comp.me.per ge. 5ª.226.*H*
Emplastrum Serapionis. 6°. de com.me.per ge. 5ª.256.*H*
Emplastrum ex Succis. 3°. de comp.me.se.loc. 5ª.147.*E*
Emplastra Synulotica, quæ. 2°. de com.me.per ge. 5ª.223.*H*
Emplastrum Telamonis. 2°. de comp.me.per ge. 5ª.224.*E*
Emplastrum Thebæi ad achoras. 1°. de comp.me.se.lo. 5ª.130.*H*
Emplastrum Tonsoris appellatum. 9°. de com.me.se.lo. 5ª.200.*C*
Emplastrum Tyrium. 6°. de comp.me.per gen. 5ª.259.*F*
Emplastrum Venatorum. 5°. de comp.me.per ge. 5ª.248.*H*
Emplastrum Viride Andromachi. 2°. de comp.me.per ge. 5ª.219.*B*
Emplasteum viride. 4°. de comp.me.se.lo. 157.G/ 5ª.161.*G*
Emplastra viridia lichenica. 5°. de comp.me.se.lo. 5ª.161.*H*
Emplastrum viride quid sit vocatũ lite. 2°. de cõ.me.per ge. 5ª.220.*e*
Emplastra Vulneraria. 2°. de comp.me.per ge. 5ª.226.*H*
Emplastrum ad omnes ægritudines. secre. *Sp.102.B*
Emplastra discidẽda, vt pus exire possit. 2°. ꝺ ar.cur.ad Gl. 7ª.106.*D*
Emplastrum in quodam casu super impositum, locum abscessus celerius aperuisse, q̃ si fuisset facta incisio. de theria. ad Pi. 5ª.90.*D*
Emplastrum apponendum in principio, & quam vim habeat. 2°. de arte cur.ad Glau. 7ª.101.*F*
Emplastra quid faciant. 5°. de comp.me.se.loc. 5ª.161.*D*
Emplastrum quo modo dolorem magis mitiget. 1°. de compo. medic. per gen. 5ª.211.*E*
Emplastrum quo modo efficacius. 1°. de comp.me.per ge. 5ª.211.*E*
Ἐμπλαττόμενα, quæ. 8°. me.med. 7ª.51.*A*
EMPROSTHOTONVS *quid. fin.med. 47.A/ intro.* *Is.56.A*
Emprosthotono perpetua omniũ corporis partium conuulsio. 3°. de loc.affe. 4ª.17.*F*
Emprosthotonos videtur totius corporis conuulsio. de symp.dif. 3ª.11.*f*
Emprosthotonos, idest tentio ad anteriora, quomodo fiat. commenta. 4°. apho. 57°. 7ª.33.*F*
Emprosthotonus morbus acutus. intro. *Is.55.E*
Emprosthotonos symptoma est ægri, non causæ, non loci, nõ facultatis. de opt.secta. *Isa.24.B*
Emprosthotonicorum pulsus. de dyn. *Sp.35.D*
in Emprosthotono capiti præsidia adhibenda. 3°. de loc.affe. 4ª.17.*B*
Emprosthotonum sanat emplastrum diachrysu. de dyn. *Sp.32.C*

EMPYISCIN *quid significet. de tum. præt. naturam.* 3ª.83.E
EMPYEMATA *quid significet. 2°. met. me.* 7ª.9.E
Empyemata quæ dicantur. de tum. præt. nat. 3ª.83.E
Emphyemata suscitat aqua dura, & frigida. de bon. aquæ. Sp.75.G
Ἔμπυοι, *id est purulenti. 5°. de simp. med. fa.* 5ª.32.C
Empyi, qui. de tum. præ. nat. 3ª.83.E/*de caus. pul.* 4ª.101.A
in Empyis pus per pulmonem transit. 5°. me. me. 7ª.32.F
Empis quæ danda. 13°. me. med. 7ª.84.H
Empyicos iuuat succus centaureæ. de virt. cen. Sp.94.A
EMVNDANTES *vlcera cibi. 4°. me. med.* 7ª.28.H
Emundat super omnia mel. 4°. met. med. 7ª.28.H
ENAEMA *medicamenta. 11°. de simp. me. fa.* 5ª.83.G/*de arti. com. 3°.* 7ª.286.A
Enæma barbara medicamenti genus. 5°. me. med. 7ª.32.H
Ἔναιμα *sanguis. 5°. met. me.* 7ª.20.G
in Enæmatibus quæ incoquenda absque contusione. de renum affectuũ dignot. & met. 7ª.194.B
Enæmon. 4°. de cõp. me. per ge. 5ª.244.B/*de frac. c. 3°.* 7ª.242.D
Enæmon sanguinariũ medicamentum. 7°. de comp. me. per ge. 5ª.228.C
ENAEOREMA *quodnã optimũ. in 1ᵐ. pror. com. 2°.* 4ª.168.G
ENARTROSIS *quid. de ossibus.* 1ª.40.A
ENCANTHIS *quid. fi. me. 48.F/intr. If. 58.G/de tum. præter naturam. 3ª.84.H/4°. de comp. me. se. lo.* 5ª.151.H
Encanthis affectus angulorum oculi. intro. If.58.D
Encanthida vocant augmentum angulorum in oculis. de dif. mo. 3ª.5.C
Encanthis oculorum vlceratio. fin. med. If.48.D
Encanthis. in 6ᵐ. de mor. vul. com. 2°. 3ª.166.C
Encanthides. 14°. met. me. 7ª.90.G
Encanthida qui patiuntur supra omnes. intro. Isa.58.G
Encanthides quibus sanentur. 4°. de comp. me. se. lo. 5ª.151.H
Encanthides oculorum morbus manu indiget. intro. Isa.59.G
Encanthides præciduntur. intro. Isa.59.G
Encanthides lino vel hamulo attrahuntur. intro. If.59.G
ENCATHISMA, *quasi insessio. 5°. de comp. me. per ge.* 5ª.252.H
ENCERIDES *quæ. 2°. de comp. me. per ge.* 5ª.220.H
ENCEPHALON *habet nomen a situ. 8°. de vsu par.* 1ª.166.C
ENCEPHALOS *8°. de simp. med. fac.* 5ª.63.C
Ἐγχρίμπτειν *quid. de artic. com. 3°.* 7ª.281.E
ENCHYMA *multitudo q̃, & quid sit in omnibus rebus. & mult.* 3ª.77.B
ad Ἔγχυμα, *id est infusionem, plenitudo. de mul.* 3ª.78.D
Ἔγχυτοι *quid. de rem. par. fa.* 7ª.156.A
Endixis. 7°. met. med. 7ª.58.D
Ἔνδημοι *morbi qui. in 1ᵐ. de mor. vul. c. 1°. 3ª.101.F/de vi. rat. in mor. acu. com. 1°.* 7ª.109.B
Ἔνδημοι *morbi publici. in 1ᵐ. de mor. vul. com. 1°.* 3ª.101.E
Endimi morbi sunt rari. de vict. rat. in mor. acu. com. 1°. 7ª.109.B
ENDIVIA *est frigida. de diss. cont.* Sp.74.D
Endiuia est de cibarijs medijs. de diss. cont. Sp.74.C
Endiuia, lactucæ, citruli cucurbitæ facilius digeruntur quã apium & carbthum. de diss. cont. Sp.73.D
ENCERIDES *quæ. 3°. de comp. me. per ge. 233.F/4°.* 5ª.239.C
Encerides. 7°. de comp. me. per ge. 5ª.265.H
Ἔνιοι *qui sint apud græcos. de iis quæ in med. fi. com. 2°.* 7ª.208.B
Ἐλλώνιος *brachijs figura angulosa sine dolore. 6°. methodi medendi.* 7ª.41.E
Ἐλλώνιον. *de iis quæ in med. fi. com. 3°.* 7ª.217.B
ENGYSOMA *quid. fi. med. If. 48.C/6°. met. me.* 7ª.42.D
Engysoma fractura in capite. fin. med. If.48.C
Engysoma fractura caluariæ. intro. If.59.C/F
in ENIXIS *quo modo sint vuluæ. de dif. vul.* 1ª.109.B
Enixarum purgationibus immoderatis fit defectus animi. 1°. de arte cur. ad Glauco. 7ª.98.E
in Enixis cur fecit lac natura. 14°. de vsu par. 1ª.205.A
ENNEAPHARMACOS *compositio dicta. 9°. de comp. med. secun. loc.* 5ª.204.H
Enneapharmacos antidotus Heraclidis contra viperæ morsum. 2°. de antidotis. 5ª.118.D
ENRHYTHMVS *pulsus qui sit. 1°. de dif. puls.* 4ª.48.G
ENSES *arma promptiora ad incidendum quam cornua. 8°. de vsu partium.* 1ª.113.D
Ensis contundendo alteratur. 3°. de simp. me. fa. 5ª.17.D
ENSTACTON, *i. instillatitium collyrium. 4°. de cõp. me. se. lo.* 5ª.156.F
Ἐντελέχιας *meminit. de hist. philo.* Sp.4.B
ENTEROCELEN *quid vocant Græci. de dif. mor.* 3ª.5.C
Enterocele affectus scroti. intro. Isa.59.D
Enterocele tumor scroti. fin. med. If.49.C
Enterocele quo modo fiat. fin. med. If.49.C
Enteroceles causæ. fin. med. If.49.C
Enterocele quid faciat. de caus. mor. 3ª.9.F
Enteroceliorum curatio. intro. If.60.C
Enterocelas glutinat cauda equina. 6°. de simp. me. fa. 5ª.48.F
Enterocelicos iuuat cupressus. 7°. de simp. me. fac. 5ª.53.G
Enterocelis imponitur symphytum petreum. 8°. de simp. me. 5ª.61.G
ENTEROEPIPLOCELE *quid. fin. med.* If.49.D
Enteropiplocele tumor scroti. fin. med. If.49.C
Enteroepiplocele. de tum. præ. na. 3ª.84.G
ENTEROMPHALI *qui. intr.* If.60.A
ENTHVSIAMVS *quid. fin. med.* If.50.D
ENTISSIMVS *est fructus bulbi erratici. de simp. me.* Sp.81.E
ENVLA campana qualis. 6°. de simp. me. fa. 5ª.47.B
Enula elegmatis misceĩ p pectore expurgãdo. 6°. de sim. m. fa. 5ª.47.b
Enula rubrificat partes infrigidatas. 6°. de simp. me. fa. 5ª.47.B
Enula ischiadas articulorum quorundam præ humiditate luxationes rubrificat. 6°. de simp. me. fa. 5ª.47.D
ENVMERATORVM *ordinem non sequitur ordo in rebus tractandis. de fract. com. 1°.* 7ª.223.G
ENVNTIATIONES *obscuræ nihil docent. in pror. com. 1°.* 4ª.165.D
Ἔωλαι *carnes, quæ. in 1ᵐ. pror. com. 3°.* 4ª.182.D
EORVM *quæ sunt circa corpus hominis, alia sunt ſm naturam, alia præter naturam. de part. artis medicæ.* Sp.18.D
EPACMASTICAE *synochæ spẽs. 2°. de diffe. feb.* 3ª.36.F
Epacmastica febris. in 6ᵐ. de mor. vul. com. 1°. 3ª.160.A
vt EPAGATHVS *Delecius infusum. 9°. de cõp. me. se. loc.* 5ª.204.A
Ἐπαναδίπλωσις *insultum reditus græci vocant. de typ.* 3ª.90.G
EPANGYLOTVS *laqueus (ita. n. appellatur, quoniam sinus super sinum injicitur,) qua via inferi possit. de laqueis.* 7ª.308.D
Ἐπανιόντα *morbi. in 1ᵐ. pror. com. 3°.* 4ª.178.G
EPANTISMATA *in vrinis, et æruginosa. in 1ᵐ. pror. c. 2°.* 4ª.172.H
Ἐπαφαίρεσις. *de curan. rat. per sang. miss.* 6ª.15.H
EPARMATA *sunt tumores præter naturam post aures. in 6ᵐ. de mor. vul. com. 4°.* 3ª.179.D
EPEVS ignauissimus ad oĩa, sed strenuus pugil. ad Tras. 2ª.107.C
Ἐπέδρον. *de fract. com. 2°.* 7ª.232.E
EPHELCIS *quid sit. 5°. met. med.* 7ª.34.E
Ephelcides. 3°. de symp. can. 3ª.28.B
Ephelcides. 5°. met. med. 7ª.35.B
Ephelcis, quæ est crustula, ostendit vlcerationem particulæ a qua excernitur. 1°. de lo. aff. 4ª.2.E
EPHELIS *faciei affectus. intr.* If.59.C
Ephelim, & vitiligine expurgat Alysson. 6°. de simp. me. f. 5ª.42.D
Ephelim expurgant Amygdalæ amare. 6°. de simp. me. fa. 5ª.42.G
ad Ephelim cõueniũt reliquiæ vnde expressus est succus Balani myre psicæ. 6°. de simp. me. fa. 5ª.44.D
Ephelidas sanat brassicæ semen. 7°. de simp. med. fa. 5ª.52.G
ad Ἐφήλεις, *id est ad maculas ex sole contractas, valet Costus. 7°. de simp. me. fa.* 5ª.52.F
Ephelẽ tollit Crocodilorũ terrestriũ stercus. 10°. de sim. me. f. 5ª.77.D
Ephelidas curat Cyclaminis radix. 7°. de simp. me. fa. 5ª.53.F
Ἐφῆλιν *tollit Faba. 1°. de ali. fac.* 2ª.13.H
Ἐφῆλιν *abstergit Pepon. 2°. de ali. fac.* 2ª.16.H
ad Ephelin valet Sepiarum testa. 11°. de simp. med. fa. 5ª.81.A
Ephelides extergunt vitis agrestis racemi. 6°. de simp. me. fac. 5ª.42.F
ad Ephelidas. de med. fac. para. 7ª.163.G
EPHEMERAE *& hecticæ quæ gña febrium. 2°. de crisi.* 4ª.137.A
Ephemeræ quæ & quo generentur. 2°. de crisi. 4ª.138.E
Ephemerarum febrium causæ. 1°. de diff. fe. 3ª.31.B/*1°. de arte cura. ad Glauc.* 7ª.94.G
in Ephemeris calor, qui febris dicitur, vnde. 1°. de dif. fe. 3ª.31.A
Ephemeræ non ex humoribus. 1°. de diff. feb. 3ª.32.G
Ephemerã facit auctor libri de sperma te ex pituita & ex quo textus est mẽdosus ẽ nec dẽt legi ephemera, sed aphemerina. & de sp. Sp.39.H
ab Ephemeris putridas differre quo cognoscat. 1°. de dif. feb. 3ª.33.D

ab Ephemeris febris distincta non habet vnũ nomẽ.1°.de diff.f.3ª.33.e
Ephemera qũo ad hecticam transcendat.2°.de dif.feb. 3ª.35.E
Ephemeræ febres ñ sũt acutę,& si cito terminentur.c.2°.a.19°.E.14.b
in Ephemeram febrem incidunt qui humiditatem contraxerint ex fructibus,& oleribus,& volunt exerceri.4°.de san.tu. 2ª.81.A
de Ephemerarum cognitione nullus ante Galenum exquisite tractauit 1°.de art.cur.ad Glau. 7ª.94.G
Ephemera ab affectibus animę. 2°.de crisi. 4ª.138.F
Ephemera ex tristitia quo modo cognoscatur.2°.de crisi. 4ª.138.F
Ephemera ex tristitia quẽ habet calorẽ.1°.de ar.cu.ad Gla. 7ª.95.B
Ephemera ex ira quo modo fiat. 1°.de dif.feb. 3ª.32.G
Ephemera ex ira quomodo cognoscatur. 2°.de cris. 4ª.138.F
Ephemera ex ira, qualis. 2°.de crisi. 4ª.138.G
Ephemera ex furore, qualis.1°.de art.cur.ad Gla. 7ª.95.B
Ephemera ex curis.1°.de arte cur.ad Glau. 7ª.95.B
Ephemera ex studio qualis. 1°.de arte cur.ad Glau. 7ª.95.C
Ephemera propter disciplinas,& meditationem quomodo cognoscatur.2°.de crisi. 4ª.138.F
Ephemera ex vigilijs, qualis.1°.de arte cur. ad Glau. 7ª.95.C
Ephemera pp nimias vigilias qũo cognoscatur. 2°.de crisi.4ª.123.F
Ephemera ex lassitudine,qualis.2°.de crisi. 4ª.138.G/1°.de ar.cura. ad Glauco. 7ª.95.C
Ephemerę quæ tactu cognoscuntur.1°.de arte cur.ad Gla. 7ª.95.D
Ephemeræ ex labore quo modo. 3°.de dif.feb. 1ª.32.G
Ephemeræ ex laboribus tactu cognoscunt.1°.de ar.cu.ad Gl. 7ª.95.d
Ephemeræ ex cõbustiõibus tactu cognoscũt.1°.d ar.cu.ad Gl.7ª.95.d
Ephemeræ ex sole quomodo fiant. 1°.de dif.feb. 3ª.32.G
Ephemeræ ex calore solis indicia. 2°.de dif.feb. 3ª.36.A
Ephemeræ ex adstrictione quo modo fiant. 1°.de dif.fe. 3ª.32.G
Ephemera ex densata cute,qualis.2°.de crisi. 4ª.138.G
Ephemeræ ex cute densata indicia.2°.de diff.feb. 3ª.36.A
Ephemera ex obstructione, qualis.1°.de art.cur.ad Gla. 7ª.95.D
Ephemeræ ex ĩguinũ tumore q.1°.d di.f.3ª.33.C/2°.de cr. 4ª.138.C/H
Ephemeræ proprium signum ex vrina.1°.de dif.feb. 3ª.33.D
Ephemerarũ vrina.1°.de dif.fe.3ª.34.A/1°.de ar.cu.ad Gl. 7ª.95.a
in Ephemeris vrinæ russæ.1°.de ar.cur.ad Gla. 7ª.95.B
in Ephemeris vrina & pulsus,qualis.de dy. Sp.33.H
Ephemere pulsus,qualis.1°.de diffe.feb.3ª.33.D/1°.de arte cura. ad Glauconem. 7ª.94.H
ĩ Ephemera sola,pulsus ad naturalẽ reuertit.1°.d ar.cu.ad G. 7ª.95.a
post Ephemeram si restat animi affectus pulsus,considerandus est.1°. de arte cur. ad Glau. 7ª.95.E
Ephemeræ ex curis habent pulsus minores.1°.de ar.cu.ad Gl. 7ª.95.d
Ephemerę ex mœroribus hñt pulsus mĩores.1°.d ar.cu.ad Gl.7ª.95.d
Ephemeræ ex immodicis exercitijs habent pulsus minores.1°.de arte cur.ad Glau. 7ª.95.D
in Ephemeris quando pulsus durus. 1°.de diff.feb. 3ª.34.C
Ephemeræ non habent subitas mutationes;ideo non habent crisim nisi abusiue. 2°.de crisi. 4ª.138.A
Ephemeræ soluuntur facillime.1°.de ar.cur.ad Glau. 7ª.94.G
Ephemerarum cura in promptu est. 1°.de art.cur.ad Gla. 7ª.94.G
Ephemeræ ex contrarijs curandæ.1°.de ar.cu.ad Glau. 7ª.95.F
Ephemera ex affectu animæ qũo curanda.1°.de ar.cu.ad Gl. 7ª.95.F
in Ephemera vinum dandum.1°.de arte cur. ad Glau. 7ª.95.B
Ephemera ex ira,cogitatione,mœstitia, vigilijs, vinũ dandum.1°.de art.cur.ad Glau. 7ª.95.F
Ephemera ex vigilijs qũo curanda. 1°.de art. cu.ad Gla. 7ª.95.F
Ephemera ex inguinum inflãmatione, ex labore, ex obstructione qũo curatur balneo, & oleo.1°.de ar.cu.ad Glau. 7ª.95.E
Ephemera ex obstructione qũo curanda.1°.de art.cu.ad Gla.7ª.95.e
od Ephemeram febrem præsidium. de dy. Sp.33.B
Ephemera febris, lege Diaria, & Febris ephemera.
EPHEMERVM *vel colchicum quid,& eius vires.de simp.med. S.83.b*
Ephemeri radix dicitur vicem fungi strangulantis facere,& ferro p̃cisos sanare linita. de simp.med. Sp.83.B
Ephemeron assumentibus quid auxilietur.2°.de anti. 5ª.114.C
EPHEMERVM *non letale quale sit. 6°.de simp.med.fac. 5ª.47.G*
Ephemeri radix in dentium doloribus colluitur,& phymatũ augmẽto,& flatui folia congruunt. 6°.de simp.me.fa. 5ª.47.G
Ἐφιδρώσεως *nomen, quid significet.1ᵐ.pror.com.2°. 4ª.169.H*
EPHIALTES *quędã epilepsia quæ fit in somno. de vti.resp. Sp.63.F*
Ephialtes longo tpe p̃duras ĩ epilepsiã cõuertit. de vti.resp. Sp.63.F

Ἐφίσανται *quid significet. in 1ᵐ.pror. com.3°. 4ª.179.E*
Ἐφθότις. *de vict.rat.in mor.acu.com.2°. 7ª.125.B*
EPIALAE febres dependent a corde.de vir. no.cor.di. Sp.60.B
EPIBOSCON. *de med. fac.par. 7ª.168.G*
EPICAVMA *quid.fin.med.48.D/intro. Isa.58.H*
Epicauma affectus iridis oculi.intro. Is.58.D
Epicauma vlceratio oculorum. fin.med. Isa.48.D
ad Epicaumata,id est inustiones oculorũ.4°.de cõp.me.se.lo.5ª.154.g
Ἐπικεράννυται *quid significet. 2°.de simp.me.sa. 5ª.12.D*
Ἐπικερασικὰ. *2°.de simp. med.sa. 5ª.12.D*
Epicerastica succus ptissanæ,chondrus,panis,& lac.2°.de simpl.me. facul. 5ª.12.F
EPICHIREMATA *rhetorica.4°.de dign.pul. 4ª.85.H*
per Epicrasin sanatio.12°.me.med. 7ª.79.C
EPICRATIS *vxoris casus.in1ᵐ.de mor.vul.com.3°. 3ª.122.F*
EPICRISIS *adiudicatio.de opt.secta.20.F/ Is.21.F*
EPICRVSIS. *14°.met.med. 7ª.91.G*
EPICVRVS *opinatur mundum non esse vnum,sed infinitos. de cuiusque animi peccatorum notitia atque medela. 2ª.6.A*
Epicuri,& Asclepiadis differentia in consequentibus sua principia. 1°.de nat.fac. 1ª.294.H
Epicuri sñiam confutat de compositione rerũ. de ther.ad Pi. 5ª.94.C
Epicuri viride multa promittens.5°.de comp.me. per ge. 5ª.249.D
Epicurus damnabat venerea. ars med. Isa.68.E
ab EPIDAVRO *auctore malagma. 7°.de cõp.me.per ge. 5ª.267.A*
EPIDEMICORVM *librorum inscriptio.3°.de dif. resp. 3ª.66.B*
Ἐπιδήμοι *libri vnde dicantur.in 6ᵐ.de mor.vul.com.1°. 3ª.152.E*
in Epidemijs quid agat Hipp. 2°.de dieb.decr. 4ª.153.H
Epidemiorum,& aphorismorũ libri differentia.in prog.c.3°.4ª.212.b
Epidemici libri scripti ante aphorismos & prognosticos.2°.de diebus decretorijs. 4ª.154.C
Epidemiorum editio Dioscoridis.in 3ᵐ.de mor.vul.com.1°. 3ª.133.C
Epidemiorũ librũ cõtaminauerũt medici.ĩ 6ᵐ.d mor.vul.c.2°.3ª.139.c
Epidemiorũ liber Ptolemæi Euergetis.ĩ 5ᵐ.de mor.vu.c.2°. 3ª.136.f
Epidemiorũ libro notas inscripsit Ptolemæus Euergetes.ĩ 1ᵐ.de morbis vulg.com.2°. 3ª.136.F
Epidemici libri quot,& qui Hipp.2°.de dif.resp. 3ª.66.A
Epidemici libri qui Hippo.& qui non.2°.de die.decr. 4ª.153.C
Epidemiorũ primus & secundus probi.ĩ 3ᵐ.de mo.vul.c.2°.3ª.134.g
Epidemiorũ liber primus & tertius sunt Hippo.in 1ᵐ. progno.commentario 3°. 4ª.178.C
Epidemiorũ primus & tertius ĩter se cõnexi.3°.de dif.resp. 3ª.69.D
in Epidemiorum libro sunt lectionum mille modi. in 6ᵐ.de mor.vulg. commenta.2°. 3ª.169.D
in Epidemiorum primo qui numerati sunt,omnes ferè mortui sunt.2°. de dieb.decret. 4ª.152.H
in Epidemiorum secundo,& sexto interiecta sunt quædam, vt etiam ad finem aphorismorũ. in 3ᵐ.de mor.vul.com.1°. 3ª.134.G
Epidemiorũ quartus sĩlis alijs locutiõe.ĩ 6ᵐ.d mo.vul.c.1°. 3ª.152.E
Epidemiorũ quintus,& septimus spurij, sextus Thessali filij Hippo. in 6ᵐ.de mor.vul.com.1°. 3ª.152.E
Epidemiorum sextus liber potius est commentarius, q̃ volumen iustum. in 6ᵐ.de mor.vul. com.2°. 3ª.154.F
Epidemiorũ sexti libri sententiæ scriptæ an fuerint ante secundum dubium est.in 6ᵐ.de mor.vul.com.2°. 3ª.162.F
Epidemiorum sexti libri stilus diuersus ab eo qui in primo, & tertio libro.in 6ᵐ.de mor.vul.com.1°. 3ª.152.D
Epidemiorũ sexti libri sententiæ varie scriptæ fuerunt.in 6ᵐ.de mor. vul.com.1°. 3ª.157.B
Epidemiorum sextus liber non fuit scriptus, vt diuulgaretur. in 6ᵐ. de mor.vul.com.2°. 3ª.169.A
Epidemiorũ commentarius sextus non fuit scriptus, vt emitteretur, sed est apparatus pro libro.in 6ᵐ.de mor.vul.com.3°. 3ª.170.F
Epidemiorum librum sextum fecit Hippocrates, nõ vt ederetur, sed ad reminiscentiã.in 6ᵐ.de mor.vul.com.4°. 3ª.184.E
Epidemiorũ sextũ iterptes corrupere.ĩ 6ᵐ.de mo.vul.c.1°. 3ª.152.C
Epidemiorũ sexti iterptes.ĩ 6ᵐ.de mor.vul.c.1°.152.C/c.2°.3ª.165.C
Epidemiorũ sexti interpres Hercules Erythreus. in 6ᵐ.de mor.vulg. commenta.5°. 3ª.193.A
Epidemiorum sexti libri interpres locupletissimus Zeuxis. in 6ᵐ.de mor.vul.com.1°. 3ª.161.C
Epidemiorũ librũ cõmẽtatus ẽ Zeuxis.ĩ 1ᵐ.d mor.vul.c.2°.3ª.136.H

in Epidemicos libros quæ conſcripſit Gale.in 3^m.de mor.vulgaribus, commen.1°. 3ª.134.G
in Epidemiorum libris commentaria ſcripſit propter amicos Gale. in 3^m.de mor.vul.com.1°.133.E/in 6^m.com.3°. 3ª.170.D
in Epidemiorum ſm librum ſcripſit Galenus quæ non extant.in 3^m.de morb.vulga.com.2°.134.H/in 6^m.com.2°.3ª.162.D/4°.de locis affectis. 4ª.23.G
Epidemos qui morbus.in 1^m.de mor.vul.com.1°.3ª.101.E/F/de vic. rat.in mor.acu.com.1°. 7ª.109.B
Epidemici morbi ſignum.de na.hu.com.2°. 7ª.182.B
Epidemicus morbus quando nullus.in 1^m.de mo.vul.com.1°.3ª.103.b
EPIDERMIS. *3°.me.me.18.H/14°.* 7ª.87.C
Epidermis cutis pellicula denſior.in 6^m.de mor.vul.com.2°.3ª.165.f
EPIDESIS. *5°.met.med.* 7ª.30.F
Ἐπίδεσμος. de iis, quæ in med.fiunt, com.3°. 7ª.214.F
Ἐπίδοσις. quid ſit.de mor.temp. 3ª.85.F
Epididymis quid ſit.14°.de vſu pa.209.G/1°.de ſemi. 1ª.333.C
Ἐπιείκεια, de fract.com.3°. 7ª.246.D
Ἐπιεικῶς. de arti.com.1°.254.F/com.3°. 7ª.281.B
Ἐπίκαιρον. de vict.rat.in mor.acu.com.7°. 7ª.124.E
EPIGASTRIVM *quid ſit.3°.de ſa.tu.2ª.77.B/6°.met.me.7ª.39.B/cō. 7°.aph.56°.* Ex.58.G
ad Epigaſtrium.i.abdomen,attinẽtes partes q̃.c.2°.aph.35°. Ex.17.e
Epigaſtrion totum ex muſculis.7°.de vſu par. 1ª.164.A
Epigaſtrij muſculi cur octo.5°.de vſu par. 1ª.146.F
Epigaſtrij octo muſculi,quales.1°.de vſu par. 1ª.146.E
Epigaſtrij muſculorum poſitio cur talis.5°.de vſu par. 1ª.146.F
Epigaſtrij muſculī intro compelluntur.2°.de mo.mu. 1ª.316.F
Epigaſtrij muſculi quid agant.5°.de vſu par. 1ª.146.E
Epigaſtrij muſculorum officium.5°.de vſu par. 1ª.147.D
Epigaſtrij muſculi ſunt inſtrumenta animę. 2°.de mo.mu. 1ª.316.A
in Epigaſtrio muſculi magni gratia efflationis, vocis,egeſtionis,& mictus.1°.de vſu par. 1ª.137.F
ad Epigaſtrij muſculos a magna arteria venas eẽ.16°.d uſ.p.1ª.219.d
Epigaſtrij muſculi quomodo agant.2°.de mo.mu. 1ª.316.A
Epigaſtrij muſculi qũo ſe habeant in vacuis.2°.de mo.mu. 1ª.316.F
Epigaſtrij muſculi qũo ſe habeant in ventre repleto,in hydropibus et prægnantibus.2°.de mo.mu. 1ª.316.F
ad Epigaſtrium,ac perinæum ſi dolor incidat, ſi ſanguinem meiat & grumos,ſtranguriaq; affligatur,ſignificat circa veſicam ægritudinẽ eſſe.de vrinæ ſign.ex Hip. Sp.78.H
EPIGENNEMA *quid ſit.de ſym.dif.* 3ª.10.H
EPIGENES *optimus paruæ pilę luſor.de par.pi.exer.* 2ª.48.F
Ἐπιγλωττὶς quid.intro. If.54.A
Epiglottis eſt prima canna vocis.de anat.viu. Sp.49.E
Epiglottis ex quibus componatur. de voce & anhel. Sp.60.F
Epiglottis duas habet iunctur as. de voce & anhel. Sp.60.F
in Epiglottide duo dentes,& duo foramina.de vo. & anhel. Sp.61.d
Epiglottidis cooperculum quod,& vbi ſit.de vo.& anhel. Sp.61.B
Epiglottidis muſculorũ radices neruus ĩgrediẽs.de vo.& an.Sp.61.b
Epiglottidis officium,ſubſtantia,& forma.7°.de vſu par. 1ª.162.H
Epiglotidis figura nobis inſpirantibus.7°.de vſu par. 1ª.163.A
Epiglottidis figura nobis transglutientibus.7°.de vſu par.1ª.163.a
Epiglottidis quantitas.11°.de vſu par. 1ª.188.G
Epiglottidis vſus.de ana.parua. Sp.42.H
Epiglottis maxime proprium vocis inſtrumentum.1°.de lo.af.4ª.6.b
Epiglottis,lingua, arteria trachea ſunt neceſſaria voci & orationi. de voce & anhel. Sp.61.C
ad Epiglottidis ampliationem quid ſequatur.de vo.& anh.Sp.60.b
ad Epiglottidis cõſtrictionẽ quid ſequatur.de vo. & anhe. Sp.60.H
Epiglottis qñ ĩchordat ita q; cõſtringat,fit vox, & qñ conſtringitur in chordantur muſculi ex quibus pendet.de vo. & anhel. Sp.60.G
in Epiglottide dũ eſt vox a qbus muſculis fiat.de vo.& anhe.S.60.g
Epiglottis eſt ſonora acutæ vocis cum ſit chartilaginoſa ſicca, de voce & anhelitu. Sp.61.F
Epiglottalis chartilago quæ. de ana.viu. Sp.55.D
Epiglottidis coopertorium aperitur in vociferatione, clauditur in anhelitus retentione. de voce & anhel. Sp.61.C
Epiglottidis coopertorium perfecte clauditur quando aliquid comeditur. de voce & anhel. Sp.61.C
ĩ Epiglottide cur gñet humor viſcoſus pituitoſus.d vo.& an. Sp.61.d
Epiglottis qñ humeſcit accidit raucedo. de vo.& anhe. Sp.61.F
ab Epiglottidis vitio vox vitiata. 1°.de lo.aff. Sp.2.D
Epiglottida vel lingulam fuiſſe affectam oſtendit tunicam viſcoſam & craſſam tuſſiendo emittens.1°.de lo.aff. 4ª.2.D
Epiglottidis apoſtema eſt angina. de voce & anhe. Sp.61.H
Epiglottis coquitur cum lingua.3°.de ali.fa. 2ª.26.G
EPIGLOTTIS *oris affectus. intr.* If.59.C
EPIGOME *cinctus menon.de ana.par.* Sp.43.B
EPIGONATIS *quid.1°.de comp.me.per ge.* 5ª.212.B
EPIGONI *emplaſtrum.2°.de comp.me.per ge.* 5ª.221.A
Epigoni emplaſticum quo modo ad vſum emmottorum poſſit reduci. 2°.de arte cur. ad Glau. 7ª.106.A
Epigoni Iſis. 5°.de comp.me.per ge. 5ª.248.B
Ἐπιγουνατὶς. de fracturis.com.2°. 7ª.240.D
Ἐπιλαμβάνοντα quid ſignificet.in 1^m.pror. com.3°. 4ª.182.H
EPILEPSIAM *vocant morbum comitialem.de diff.mor.* 3ª.3.E
Epilepſia quid. de ſymp.dif.3ª.iii.F/3°.de loc.aff. 4ª.20.B
Epilepſia eſt magnus morbus. de pue.epil. 7ª.179.F
Epilepſias naturas immutat. de puer. epil. 7ª.179.F
Epilepſia habet magnitudinem periculi ex anhelitus nocumento.3°. de loc.affe. 4ª.20.B
Epilepſiæ ſunt ægritudines capitis. de vir.noſt.cor.diſp. Sp.60.B
Epilepſiam eſſe ſomnum quendã dicit Ariſtoteles.de vti.reſp. S.63.F
in Epilepſia ſenſus,& intellectus,& memoria perduntur. de compa. memb.ſiue de natura hu. Sp.58.E
in Epilepſia imaginantur quidam. de vtil.reſp. Sp.63.E
Epilepſia cõuulſio totius corpis.d ſy.dif.11.F/2°.de ſym.cau.3ª.19.c
in Epilepſiis tale conuulſio eſt,quale in ſentiendi functione vigilia.1°. de ſymp.cau. 3ª.19.C.
Epilepticæ conuulſiones cur fiant.3°.de loc. aff. 4ª.19.H
ĩ Epilepſiis vehemẽtibus cur ſemen emittat.14°.de vſu p. 1ª.208.A
in Epilepſia quando non eſt concuſſio.3°.de loc. aff. 4ª.20.B
in Epilepſiam conuertitur Ephialtes longo tempore perdurãs. de vtilitate reſp. Sp.63.F
Epilepſia quædam eſt ephialtes quę fit in ſomno.de vti.reſp. Sp.63.F
Epilepſia cur ſubito fiat.2°.de ſymp.cau. 3ª.24.C
Epilepſiæ propter quid fiant, & vnde ſint.1°.de ſym.cau.3ª.19.C/de vict.rat.in mor.acu.com.4°. 7ª.137.F
Epilepſiæ vnde, & ex quo.2°.de ſymp.cau. 3ª.24.C
Epilepſia non neceſſario ſequit male concoquentẽ 3°.de ſymp.3ª.30.b
Epilepſia ex oppilatione. de vti.reſp. Sp.63.E
Epilepſia fit ex humore non tanto,neque adeo ſpiſſo vt apoplexia,& quandoque ex ſolo fumo craſſo aſcẽdente a ſtomacho,aut pede,aut aliquo membro alio.de vtil. reſp. Sp.63.E
Epilepſia ex tribus humoribus naſcitur. de dy. Sp.24.A
Epilepſia quando ex pituita. de dy. Sp.24.A
Epilepſia ab atra bile. de ſper. Sp.38.C
Epilepſia quando fit a bile. de dy. Sp.24.A
Epilepſiam faciens humor in parte aliqua corporis comparari poteſt venenis perniciosarum ferarum.3°.de loc.aff. 4ª.19.F
Epilepſia ſtomacho inanito fit.de venæ ſect. aduer. Era. 6ª.14.F
Epilepſia qui vexantur propter ſtomachi vitium.de venæ ſe.6ª.14.f
Epilepſia a quo humore fiat,oſtendit vrina.de dy. Sp.24.A
Epilepſiam fieri ex tali humoris genere, quando ex vrinis probatur. de dyn. Sp.24.A
in Epilepſia vrina rubra mortẽ prædicit futurã.de dy. Sp.35.D
ab Epilepſia defendit ſmaragdus.de inc.adiur.& ſuſp. 7ª.182.A
Epilepſiæ curatio.de dy.24.A/de med.exper. Sp.106.E
in Epilepſia cum quis cadit quid agendum. de cura lap. Sp.112.G
ex Epilepſia lo quelæ amiſſæ quid ſuccurat. de dy. Sp.24.A
Epilepſias paruas ſanat victus attenuans. de atten. vict. 2ª.43.B
Epilepſias inueteratas non mediocriter iuuat victus attenuans.de attenuante uictus rat. 2ª.43.G
in Epilepſia cõueniunt cappares,& piſces ſalſi.de pue.ep. 7ª.180.E
ĩ Epilepſia qui cibi cauendi.de puero epi. 7ª.180.H
in Epilepſia cur dimittendum ſinapi.de puero epi. 7ª.180.E
in Epilepſia uitanda uina odorata. de atten.uic. 2ª.46.D
Epilepſia infeſtante utemur cathartic is. de dy. Sp.20.E
ĩ Epilepſia uere quid agendum. de pue. epi. 7ª.179.H
in Epilepſia ualet abſinthium.de puero epi. 7ª.181.A
Epilepſiam ſanant oſſa hominum. 11°.de ſimp.med.fa. 5ª.80.E
Epilepſiæ ſanguinem agnorum conuenire negat Gal.10°.de ſimp.me. facul. 5ª.73.C

in Epilepsia oxymeli conuenit.de puer epilep. 7ª.180.E
in Epilepsia acetum scilliticum.de puero epi. 7ª.180.E
*Epilepsia medº ex scilla ī quadragīta diebus sanat.de pu.ep.*7ª.180.b
*Epilepsiam qui lapides suspensi sanēt.de incant.adiu.& susp.*7ª.182.b
ad Epilepsiam decoctio.de med.exper. Sp.107.C
*cōtra Epilepsiam valens medicamen.de med.exp.*105.H/Sp.106.H
ad Epilepsiam expertissimum. de med.exper. Sp.104.C
ad Epilepsiam puerorum.de incan.adiur.& susp. 7ª.182.C
*ad Epilepsiam de ocul.*7ª.188.C/*secretorum.*102.G/ *de med.ex.*107. C/*de cura lap.* Sp.112.G
Epilepsia, lege Comitialis morbus.
EPILEPTICA *puella naturaliter vnde. de sper.* Sp.38.B
*Epilepticis quare fiat spuma. com.*2°.*aph.* 43°. Ex.18.D
Epilepticorum pulsus,qui.compendium pulsuum. Sp.65.H
Epilepsia in mutatione ætatum sanatur,si victus ratio consentiat. in 6ᵐ.*de mor. vul. com.* 5°. 3ª.193.B
Epileptici quo modo curandi.de venæ sect.aduer. Eras. 6ª.14.E
Epileptici victus ratio.de puer.epi. 7ª.179.G
Epilepticorum prandium.de puer.epi. 7ª.180.F
Epilepticorum cibi propriį & contrarij. de puer.epi. 7ª.180.D
Epilepticis quæ olera conueniat. de pue.epil. 7ª.180.C
Epilepticis qui fructus,conueniat.de puer. epi. 7ª.180.C
Epilepticis nisi raro dāda nō sunt pira,& poma.de pue.ep. 7ª.180.C
Epilepticis dat dactylos. de puer.epi. 7ª.180.D
Epilepticis conuenit alica, & pisum.de puer.epi. 7ª.180.II
in Epilepsia conueniunt ptissana & lens.de puer.epi. 7ª.180.H
Epilepticorum carnes quæ sint. de puer.epi. 7ª.180.G
in Epilepsia carnium condimentum.de puer.epi. 7ª.180.G
Epilepticis qui pisces conueniant. de puer.epi. 7ª.170.H
*Epilepticis cōuenit torpedo sola ex chartilagineis.de pu.ep.*7ª.180.b
Epilepticis qui cibi non conueniunt.de puer.epi. 7ª.180.D
Epileptici a quibus cibis debent abstinere.de pue.epi. 7ª.180.D
Epilepticis non dat daucum. de pue.epi. 7ª.180.E
Epilepticis malæ conchæ omnes.de pue.epi. 7ª.180.G
Epilepticis non conueniunt legumina.de pue.epi. 7ª.180.H
*Epileptici vitēt aues palustres,& carnes quadrupedū.d p.e.*7ª.180.g
Epilepticorum exercitia in qualitate qualia.de pue.epi. 7ª.180.A
*Epileptici non sunt balneis euacuandi.de venæ sec.adue.*8.E/6ª.14.b
Epilepticus quibus iuuetur.de med.exper. Sp.104.D
Epilepticos iuuant incidentia. 9°.*de simp.me.fa.* 5ª.73.C
Epilepticus bibat oxymeli. de pue.epi. 7ª.180.F
Epilepticis prodest aphroselinum.de simp.med. Sp.80.D
Epilepticis educimus, atram bilem.de dy. Sp.21.B
Epileptico ex melācholia data decoctio epithymi.de med.e. S.104.C
Epilepticis valens medicamentum. de me.exper. Sp.104.C
*Epilepticum puerum quo modo Galenus curauit.de pue.epi.*7ª.180.F
Epileptici pueri casus. 6°.*de simp.med.fac.* 5ª.45.F/H
Epileptici ex ieiunio casus.de venæ sect.aduers.Eras. 6ª.14.G
EPILOGISMVS *quid.fi.me.*If.43.F/*in prog.com.*1°.191.B/ 4ª.193.G/ 1°.*de sim.me.f.*4.E/1°.*de comp. me.per ge.* 5ª.210.A
*Epilogismus ad quæ vtilis ex empiricorū sententia.de sectis.*Isa.17.B
*Epilogistica ratio facillima.in prog.com.*1°. 4ª.191.B
*Epilogica cā,nō analogistica, de vic.rat.in mor.ac.com.*4°.7ª.140.D
EPIMEDIVM *fere temperatum aqueum.* 6°.*de simp. medicamento. facul.* 5ª.47.D
Epimedium potum sterilitatem facit. 6°.*de simp.me.fa.* 5ª.47.D
*Epimedium vberibus illitum ea recte seruare potest.*6°.*de simp.med. facul.* 5ª.47.D
EPIMELIS *stomacho ingratus capitis dolorem facit.* 6°.*de simplic. med.fac.* 5ª.47.D
EPIMENIDES *profundissime dormiebat.* 2°.*de motu musculorum.* 307.H/ 1ª.314.F
EPIMORIOS *numerus.*1°.*de dif.pul.* 4ª.48.G
EPINYCTIS *vnde dicta.* 2°.*me.me.* 7ª.9.G
Epinyctides,myrmecię,acrochordones,psydraces,sunt affectiones omnibus notæ. de tum.præter naturam . 3ª.84.F
Epinyctides affectus totius corporis.intro. Isa.59.D
*Epinyctides an male habuerint laborantem lassitudine percontandum est.*4°.*de san.tu.* 2ª.83.C
Epinyctidas sanat brassica. 7°.*de simp.me.fac.* 5ª.52.G
Epinyctidas iuuans. 6°.*de comp.me.per ge.* 5ª.256.H
ad Epinyctidas pharmacum accommodatum. 1°.*de comp.medicam. per ge.*217.A/2°.224.E/5°. 5ª.251.F
EPIPASTA *emplastra quę.*2°.*de comp.me. per ge.* 5ª.223.H
Eʼπιφάνειαν *summo corporis appellant.* 3°.*de san.tu.* 2ª.80.C
Eʼπιφανόμενα. *de vict.ra.in mor.acu.com.*2°. 7ª.123.E
EPIPHOOMPHALON *quid.fin.med.* Isa.49.B
Eʼπιφόρους *quas grauidas intelligant aliqui. in* 1ᵐ.*prorrheticorum. commen.*3°. 4ª.180.G
EPIPHORA *quid.introdu.* If.58.E
Epiphora affectus totum oculum exercens. intro. If.58.D
Epiphoræ a pituita. de dynam. Sp.19.G
*ad Epiphoras oculorum.*2°.*de comp.me.per ge.* 5ª.224.E
ad Epiphoras oculorum magnas, ad maximas, & ad intensas. 4°.*de comp.me.se.lo.*152.D/153.A/B/ 5ª.154.C
*ad Epiphoras collyria.*4°.*de comp.me.se.lo.*145.F/G/ 5ª.155.F/H
*ad Epiphoras articulorum.*6°.*de comp.me.per ge.* 5ª.256.H
EPIPHYSES *quid.*11°.*de vsu par.* 1ª.191.C
*Epiphysis vermiformis qualis,& cur.*8°.*de vsu par.* 1ª.170.F
EPIPIGMA *quid,& ad quid in organis.de machi.* 7ª.310.A
Epipigma vt ferant, καλάθιον, *&* σκιθάλιον *communiter parata sūt de machinam.* 7ª.310.A
EPIPLASMA *quid.* 3°.*de comp.med.per ge.* 5ª.228.C
EPIPLOCELE *quid fin.med.*If.49.D/*de dif.mor.*5.C/*de tumoribus prę ter naturam.* 3ª.84.F
Epiplocele affectus scroti. intro. Isa.59.D
*Epiplocele tumor scroti fin.med.*49.C/*intro.* If.60.B
Epiplocele quid faciat.de caus.mor. 3ª.9.E
Epiplocelicorum curatio.intro. If.60.C
*Epiploon,epiplum,& omentum, idem.*6°.*de ana.adm.* 1ª.91.D
Epiploi sectio. 6°.*de anat.adm.* 1ª.91.D
Epiploum. de natura,& ord.cuiusl. corp. Sp.42.B
in Epiploo venæ nutriunt intestina & partes propinquas. 5°.*de vsu partium .* 1ª.142.E
Epiploocomisię,qui. 6°.*de anat.adm.* 1ª.91.D
EPIPOMA *quid, & ad quid in organis.de machi.* 7ª.310.A
EPISARCIDIVM *de vict.ra.in mor.acu.com.*4°. 7ª.148.G
Eʼπισυρμασία. *de morb.temp.* 3ª.86.H
Eʼπίσιον *quod. introd.* Isa.53.D
EPISPASTICA *emplastra quæ.*6°.*de cō.me. per gen.* 5ª.260.H
Eʼπισπαστική, ἑλκτική *&* ἑλκυστική δύναμις *idem.*5°.*de simplicium medicam.facul.* 5ª.36.F
Epispastice virtus quæ. de cathar. Sp.94.D
*Epispaston quid sit.*4°.*de comp.med.per ge.* 5ª.238.H
Epispasticon quid. 2°.*de comp.me.per ge.* 5ª.222.C
EPISTOLARVM *libros vndecim scripsit Archigenes.*3°.*de locis affectis.* 4ª.15.F
Epistolam scripsit ad Neronem Thessalus. 1°.*me.me.* 7ª.2.G
Eʼπιχύσεις *quid significet.in* 1ᵐ.*pror. com.*3°. 4ª.182.H
EPITHEMATA, *id est impositiones, quæ vim habent ciendi vrinam, & in vapores soluendi humores. com.*7°.*aph.*55°. Ex.58.H
Epithemata valentiora sunt ceratis. 7°.*met.me.* 7ª.44.A
Epithematum meminit. 13°.*me.me.* 7ª.83.H
Epithemata citra aquam. 5°.*de comp.med.se.lo.* 5ª.163.F
Epithema ex palmulis pinguibus infrigidans, & quo modo fit. 10°. *met.med.* 7ª.65.A
Epithema ad omnes acutas febres. de dy. Sp.32.G
Epithema aliud ad omnes acutas febres. de dy. Sp.32.G
Epithema vt sudor febris exeat. de dy. Sp.32.E
Epithema ad hydropicos.de med.fac.para. 7ª.167.D
Epithema ad præcordia in febre synocha. de dyn. Sp.33.D
Epithema ad duritias. 10°.*de comp.me.se.lo.* 5ª.209.A
Epithema ad tumorem,vel dolorem,vel inflammationem hepatis. de dynamidijs. Sp.26.D
Epithema splenicum. de rem.par.fac. 7ª.159.F
Epithema ad lienosos.de med. fac.par. 7ª.167.B
EPITHYMVM *quid,& eius vires.de simp.med.* Sp.84.A
Epithymū multi possunt gustare & intueri,tamen eius vtilitates ignorant. 1°.*de elemen.* 1ª.5.H
Epithymum frigidam,& terrestrem habet substantiā.de cat. Sp.94.F
Epithymum tenui, & calida natura consistit.de cathar. Sp.94.E
Epithymum est calidū,& siccū,& atram bilē educit.de cat. Sp.94.f
*Epithymū calidū est & siccū in tertio ordine.*6°.*de sim.me.f.*5ª.47.D
Epithymus quando dandus & quibus miscendus. de dy. Sp.21.B

Epithymus quibus conueniat affectibus. de dyn. Sp.21.B
Epithymum ventrem temperat, vomitum facit. de simp.med.S.84.a
Epithymum datur his quibus præcordia ab inflatione vexantur, & hepaticis & qui suspirium patiuntur. de simp.me. Sp.84.A
Epithymum bilem atram educit. de theri. ad Pi. 5ª.90.G/ *de dyna.21. B/de simp.med.84.A/de cath.* Sp.94.F
Epithymum cur atram bilem ducat. 2°.*de simp.me.fa.* 5ª.11.B
Epithymum purgat splenem. de cathar. Sp.95.C
*Epithymum pro melancholicis. de mel. ex Gal. Ruff. & Pos.S.*109.H
Epithymum pro phlegmone cauæ partis iecoris. 13°.*me.me.* 7ª.84.A
*Epithymi decoctio data epileptico ex melãcholia. de me.ex.S.*104.C
ex Epithymo & cnico compositum confert quibus ciborum corruptio non descendit. 6°.*de san. tu.* 2ª.97.H
EPITIDEVMATA, *hoc est studia. ad Thras.* 2ª.108.D
Ἐπωχή *quid. de hist. phil.* Sp.2.E
Epoche, id est suspensa sententia. de opt. docendi genere. Is.30.B
Ἐπωδός *quid sit.* 17°.*de vsu par.* 1ª.222.H
Epodi in calce scribuntur. in 1ᵐ.*pror.com.* 2°. 4ª.178.B
Epodis in incantationibus vtebantur. 17°.*de vsu par.* 1ª.222.G
EPOMIDA *musculum quem appellet. de mus. diss.* 1ª.47.B/*de articulis com.* 1°.252.C/ 7ª.257.H
in Epomidæ musculo correspondet musculus tegens articulum cruris ex posterioribus. 15°.*de vsu par.* 1ª.213.F
ad Epomida musculi totum brachium eleuant. 16°.*de vs.p.* 1ª.217.G
Epomis luxata quo modo. 9°.*de decr.Hip.* 1ª.281.C
Ἐπτάσερον. 3°.*de dieb.dec.* 4ª.159.H
EPVLIS oris affectus. intro. Is.159.C
Epulis, id est supercrescẽs caro in gingiuis. 5°.*de cõ.me.s.l.* 5ª.164.H
Epulides, & parulides, & thymi quid. de tum.præt.nat. 3ª.84.H
Epulidarum curatio. intro. Is.59.H
ad Epulidas confert succus centaureæ. de virt.cent. Sp.93.D
EPVLOTICAE *facultates.* 5°.*de sim.med.fa.*32.C/ 5ª.36.C
Epulotica medicamenta, id est quæ cicatricem inducunt, qualia. 9°.*de simp.med.fac.* 5ª.69.D
Epulotica quæ sint. 5°.*de simp.med.fac.* 5ª.36.D
Epulotica quid faciant. 5°.*de simp.med.fa.*36.D/2°.*de compo. med. per gene.* 5ª.224.A
Epulotica adstringunt. 2°.*de compo.med.per ge.* 5ª.224.A
Epuloticum medicamentum optimum. 4°.*de cõ.me.per.ge.* 5ª.240.E
Epulotica medicamenta. 5°.*me.me.*36.D/13°. 7ª.81.F
Epulotica Andromachi. 2°.*de comp.med. per ge.* 5ª.224.F
Epulotica candida Andromachi. 2°.*de comp.med. per ge.* 5ª.224.H
Epulotica Asclepiadis. 2°.*de comp.med. per ge.* 5ª.221.A
Epulotica emplastra, quæ. 2°.*de comp.med.per ge.* 5ª.223.H
Epuloticoteron emplastrum. 2°.*de comp.med.per ge.* 5ª.223.H
EQVAE *a natura hominis non longe alienæ in fœtu. de fœt.for.* 1ª.322.E
Equa recepit asini sperma. 3°.*de vsu par.* 1ª.127.F
Equa cur non recipit hominis sperma. 3°.*de vsu par.* 1ª.127.F
ab Equa fit mulus. 2°.*de semi.* 1ª.336.F
Equarum lac, quale. 3°.*de ali.fa.* 2ª.27.F
EQVAPION *cit vrinas.* 2°.*de alim. fac.* 2ª.23.E
Equapion inter obsonia numeratur. 2°.*de ali.fac.* 2ª.23.F
Equapion insuaue. 2°.*de ali.fac.* 2ª.23.F
Equapion homines fame adacti comedunt. 2°.*de ali.fac.* 2ª.22.B
Equapion coctum manditur. 2°.*de alim.fac.* 2ª.23.F
EQVVS *affectio quid. in* 1ᵐ.*prorr.com.*2°. 4ª.170.F
*Equus oculorum affectus. in prog.com.*1°. 4ª.194.C
Equus species est & genus animalis. 2°.*de sem.* 1ª.339.H
Equus animal velox, superbum, & generosum. 1°.*de vsu pa.* 1ª.113.c
Equus leone velocior. 1°.*de vsu par.* 1ª.113.C
Equi habent tantum incisiuos dentes & molares. de dy. Sp.49.E
Equus vngulis & iuba ornatus. 1°.*de vsu par.* 1ª.113.C
Equus quia vtitur ira, habet vngulam solidã. 3°.*de vsu p.* 1ª.128.b
Equus quandoque vtitur ira. 3°.*de vsu pa.* 1ª.128.B
Equinus pullus calcitrat nondum solidis vngulis. de fœt.for. 1ª.325.e
Equus medius in pronitate. 3°.*de vsu par.* 1ª.128.F
Equorum musculus temporalis, qualis. 11°.*de vsu par.* 1ª.184.F
Equorum gena inferior maxima. 11°.*de vsu par.* 1ª.185.A
de Equi temperie si quæratur, quid respondendum. 1°.*de temp.* 1ª.13.D
Equi bonitas in quibus consistat. 1°.*de temp.* 1ª.13.D
Equorum stercore odorato quidam intelligebant quomodo alimenta concocta vt cognoscerent bonam habitudinem. 7°.*me.me.* 7ª.45.A
Equi currentes cur faciant spumam. com. 2°.*aph.*43°. Ex.18.C
Equi bellicosi cur habent aures breues. 11°.*de vsu par.* 1ª.189.A
Equi semper vertunt aures ad sonum. 11°.*de vsu par,* 1ª.189.A
Equos parere homini, vim autẽ rationis expertem, qua irascitur, illi non obedire, ac rationi turpe. de cogn.cur.an. 2ª.52.H
Equi quo modo habeant scientiam. 5°.*de dec.Hip.* 1ª.257.D
Equus eruditus ad multas res vtilis. de cogn.cur.animi mor. 2ª.54.c
Equos simul quatuor habenis coercere est exercitatio impensæ robusta, non tamen celeris. 2°.*de san.tu.* 2ª.74.C
Equus sessorem trahit, postea trahitur. 5°.*de dec.Hip.* 1ª.258.B
Equo comparatur ira. 3°.*de dec.Hip.* 1ª.242.F
Equorum cibi. 2°.*de ali.fac.* 2ª.17.B
Equi edunt sine noxa typham. 1°.*de ali.fa.* 2ª.13.B
Equi typham dabat Hector. 1°.*de ali.fa.* 2ª.13.B
Equi non edunt sine noxa triticum. 1°.*de ali.fa.* 2ª.13.B
Equi admissarius datur cicer. 1°.*de ali.fa.* 2ª.14.B
ex Equis & asinis generatur mixtũ animal. de nat.hu.cõ. 1°. 1ª.29.D
Equi effrenati affectio & operatio. 6°.*de dec.Hip.* 1ª.261.A
ad Equorum scabiem. 3°.*de med.fac.par.* 7ª.173.B
Equorum medici quibus scalpris vtantur. 7°.*de ana.admi.* 1ª.93.E
Equorum caro, qualis. 3°.*de ali.fac.* 2ª.26.A
Equorum esus relinquendus hominibus asininis. de atten.vi. 2ª.45.e
Equorum lichenes comitiales curant. 11°.*de simp.med.fac.* 5ª.80.F
Equorum lichenas ad cuiusuis feræ morsum adhiberi quidam consulũt. 10°. *de simp.med.fa.* 5ª.80.F
Equini lactis potus. de aere, aq. & loc. 2ª.5.D
Equini dentes. 1°.*de comp.med.se.lo.* 5ª.123.C
Equinum coagulum ad dysentericos et coeliacos cõferre sm aliquos. 10°.*de simp. med.fac.* 5ª.74.E
Equi iecur. de med. fac.parab. 7ª.166.F
Equi syluestris aut asini lien pro splenicis bonus. 9°.*de comp.medica. secun.loc.* 5ª.198.G
Equi admissarij sanguis non facit crustam, nec septicus est, vt quidam dicunt. 4°.*de simp.me.fac.* 5ª.73.D
ex Equis quomodo vespæ & apes. an animal sit. 1ª.328.B
ex Equi calcitratu spirantis difficulter casus. 4°.*de lo.affe.* 4ª.25.B
Equitatio vitæ ratio. 3°.*de sympt.caus.* 3ª.25.B
Equitatio est exercitium & opus. 2°.*de san.tu.* 2ª.73.G
Equitationes sunt exercitationes magnæ. in 6ᵐ.*de morb. vulgaribus, commen.*1°. 3ª.156.A
Equitatio facienda. 1°.*de san.tu.* 2ª.68.H
Equitans quid agat, & quomodo exerceatur. 2°.*de sa.tu.* 2ª.75.C
Equitantes sunt lassi continuo. 2ª.5.F
in Equitante laborant visus & collum. 2°.*de san.tu.* 2ª.75.C
Equitantibus viscera agitantur. 2°.*de san.tu.* 2ª.75.C
Equitatus magni quid mali fecerint. de par.pi. exer. 2ª.49.G
Equitatio continua reddit homines impotentiores ad coitum. 2ª.5.F
Equitatio facit dolores diuturnos. 5.H/ 2ª.6.A
Equitatio nimia facit claudos. 2ª.5.H
Equitationes tentandę in longis ictericijs. de cura icteri. Sp.111.E
ERASINI *casus. in* 1ᵐ. *de morbis vulgaribus, commentario* 3°. 3ª.124.F
ERASISTRATVS *Sicyonius.* 10°.*de comp. me.se.lo.* 5ª.209.A
Erasistratus Chius auctor sectæ rationalis. intro. Is.51.D
Erasistratus tempore Theophrasti fuit. an sang. in art.na.cõ. 1ª.62.D
Erasistratus Hippocrati par sm aliquos. de ve.sect. ad. Era. 6ª.6.C
Erasistratus Hippocratis libros cantabat per ciuitates amore medicinæ. de cathar. Sp.94.C
Erasistratus contra Hippocratem. de atra bile. 1ª.36.A/ *de vict.rat. in mor.acu.com.* 2°. 7ª.131.F
Erasistratus contra Coos scripsit. 8°.*de dec.Hip.* 1ª.276.B
Erasistratus curiosius in re medica. de venæ sect.aduer.Eras. 6ª.5.B
Erasistratus obscurus ex industria. 5°.*de lo.aff.* 4ª.30.B
Erasistratus gaudet loquacitate. de venæ sect.aduer. Eras. 6ª.12.F
Erasistratus medicus contentiosus. 1°.*me.med.* 7ª.3.H
ad Erasistratum statuarij comparatio. 5°.*me.med.* 7ª.36.C
*Erasistratus in Apollonium, & Dexippum calices cereos retorsit. de vict.rat. in mor.acu.com.*4°. 7ª.135.A
Erasistrati libri enumerantur. de venæ sect. aduers. Era. 6ª.9.G
Erasistratus librum fecit de alui curatione. de vena. sect. aduers. Eras. 6ª.12.A

Erasistratus restituit

Erasistratus restituit anatomen amissam. 8°.*de dec.* 1ª.273.*B*
Erasistratus deceptus in via a thorace ad os. 5°.*de lo. aff.* 4ª.30.*A*
Erasistrati opinio partibus quæ sunt supra renes, q̃ accipiant paucum sanguinem, antiquitus fuit recepta, posiea cognita falsa. 1°.*de natu ralib.facul.* 1ª.296.*C*
Erasistratus scripsit de consuetudinibus.de cons. 2ª.60.*D*
Erasistratus librũ fecit de diuisionibus.de ve.sect.adue.Era. 6ª.9.*H*
Erasistratus iam senex fecit librũ sectionum.c. 6°.*aph.* 50°. *Ex.*52.*G*
Erasistratus librũ fecit de febribus & vulneribus.de ve.sect. 6ª.8.*B*
*Erasistratus scripsit de febribus.de diff.pul.*4ª.69.*E/ de cur.rat. per san.miss.*6ª.16.*A/*2°.*met.med.*11.*C/de vic.rat.in mor.acut. com.* 1°.109.*F/* 7ª.113.*A*
Erasistratus legitimæ gymnasticæ auctor. ad Thra. 2ª.108.*A*
Erasistratum fecit librum de paralysi.de consu. 2ª.60.*D*
Erasistratus librum fecit de resolutione.in 1ᵐ.*pror.cõ.*2°.4ª.175.*F*
Erasistratus librum fecit de salutaribus. de venæ sect.ad.Er. 6ª.8.*E*
*Erasistrati liber de eductione sanguinis.de lib.pro.Is.*11.*B/*8°.*de locis affectis.* 4ª.30.*A*
Erasistratus nolebat sanguinem extrahi. 4°.*de san.tu.* 2ª.87.*E*
*Erasistratus librum fecit de sanguinis reiectione.de venæ sect.*6ª.8.*a*
Erasistratus librum fecit de reiectione sanguinis, & de febribus. de venę sect. aduer.Era. 6ª.9.*G*
Erasistratus librum fecit de sanitate tuenda.ad Thr. 2ª.108.*A*
Erasistratus librum fecit de ventriculo, quem reprehendit Gal. com. 6°.*aph.* 1°. *Ex.*46.*B*
Erasistratus vitali sp̃u plenũ esse sp̃us sinũ asserit.de de.Hip. 1ª.232.*a*
Erasistratus dicebat per circulũ fieri expirationẽ, & receptionẽ aeris per insensibiles meatus, Plato dicebat per duos semicirculos. in ti mæum Platonis. 1ª.209.*A*
fm Erasistratũ respiratio est gña expletiõis arteriarũ.de vt.r. 1ª.223.*c*
*fm Erasistratũ Suffocatio quomodo consequatur.de vti.resp.*1ª.223.*E*
*fm Erasistratũ Cor nõ attrahit nisi p̃mittat thorax.de vti.re.*1ª.223.*E*
fm Erasistratum Cor a magna arteria trahi quando non respiramus. de vtilitate respirationis. 1ª.223.*F*
fm Erasistratũ quo modo suffocatur animal.de vtil. resp. 1ª.223.*G*
fm Erasistratum sanguinis multitudo est præcipua causa morborum. de venæ sect.aduers.Eras. 6ª.9.*H*
fm Erasistratum partes quæ affectæ. 6°.*de lo.aff.* 4ª.36.*C*
*fm Erasistratum quid sit phlegmone.*7°.*met. me.* 7ª.43.*E*
Erasistrati errores de tractu vrinæ. 1°.*de nat.fa.* 1ª.295.*G*
*Erasistratus experientia reperit vniuersam euacuationem in hydro-pe febres & mortem causare.com.*6°.*aph.*27°. *Ex.*48.*H*
*Erasistratus mensiũ excretionem purgationẽ dixit.de atra bi.*1ª.36.*H*
Erasistratus euertit totum caput de purgantibus medicamẽtis.de pur gantium medicam. 5ª.86.*C*
*Erasistratus q̃o curauit se ruri.*6°.*de comp.med.sec.loc.* 5ª.67.*E*
*Erasistrati discipulorum pulsus definitio.*4°.*de diff.pul.* 4ª.69.*D*
Erasistratei pro venę sectione quid agebant. de venæ sect. 6ª.9.*D*
ERBVM *quid & eius vires. de simp.med.* *Sp.*85.*B*
Erbum habet vires acres, & diureticas valde, caput grauat, ventrẽ soluit, per vrinam sanguinem educit, & boues saginat si decoctum detur. de simp.med. *Sp.*85.*B*
Erba albiora vẽtrẽ vtiliter laxãt, vrinã mouẽt, colores malos emendãt, vulnera purgãt & implẽt, lentigines vel maculas tollunt, duritiem mãmillarum soluunt, carbunculos malignos sanant, cõtra canis & viperæ morsum imponitur, vrinam mouent, tortionibus prosunt, pruritum prohibent.de simp.med. *Sp.*85.*B*
EREBINTHVS. 6°.*de simp.me.fa.* 5ª.47.*E*
ERECTA *organa quę sint.de mach.* 7ª.309.*D*
ERECTIONIS *totius animalis vltima radix est cor.de ana. vi.* *Sp.*47.*B*
Erectio priapi voluntaria est.de mot.man.& obs. *Sp.*67.*H*
Erectionis priapi causæ.de mot. man.& obs. *Sp.*67.*H*
Erectionem priapi qui musculi faciant.de ana.vi. *Sp.*52.*E*
Erectio priapi in amantibus q̃o fiat.de compag.memb. *Sp.*59.*C*
ab Erectione hirudinũ q̃itas excretionis cõspicit.de cucu.scar. 6ª.4.*E*
*Erecti manca quid sit.de art.com.*3°.279.*F/* 7ª.280.*G*
in EREO *Arcadiæ aquã si quis biberit moritur.de bon.aquæ.Sp.*76.*a*
ERETRIA *terra quid, & eius vires.de simp.med.* *Sp.*85.*A*
*Eretriẽsis terra qualis, & q̃ debeat sæpe lauari.*9°.*de sim.m.f.*5ª.66.*f*
Eretria terra valde stringentes vires habet. de simp.me. *Sp.*85.*A*
Eretria terra odoratas reddit cõpositiones. 1°.*de cõ.me.sl.* 5ª.128.*C*
*ERGASTRIA nomen pagi.*9°.*de sim.me.fa.* 5ª.79.*E*
ERGATA *pars organorum.de mach.* 7ª.309.*F*
per Ergatam attractis funibus ad deducendas naues machinamentũ. de machin. 7ª.316.*C*
ERGO *quomodo sumitur. de comate.* 3ª.50.*F*
ERICE quid, & eius vires. de simp.med. *Sp.*84.*C*
*Erices fructus mediocriter adstringit.*4°.*de comp.me.se.lo.* 5ª.149.*b*
Erice digerit per halitum. 6°.*de simp.me.fa.* 5ª.47.*E*
Erices fructus sistit oculorum fluorem.intr. *Is.*58.*C*
*Erices fructus meminit.*4°.*de comp. med.sec.loc.* 5ª.154.*A*
ERIFICIVM *quid, & eius vires.de simp.med.* *Sp.*83.*H*
Erificiũ, aconitũ, thapsiã, p̃prio gustu p̃bare deuita.de sim.m. *Sp.*83.*b*
Erigatur quomodo priapus.de mot.man.& obs. *Sp.*67.*G*
*Erigentes arteriam in longitudinem musculi.de voc.inst.diss.*1ª.107.*e*
ERIGERONTIS *fit mentio.de rem.par.fa.* 7ª.159.*E*
ERINACEI *terrestris desiccata caro quos sanet morbos.*11°.*de sim. med.fac.* 5ª.78.*F*
*Erinacei terrestris desiccata caro prodest conuulsionem patientibus, nephriticis, & iis qui laborant aqua intercutem, quam anasarca vocant.*11°.*de simp.med.fa.* 5ª.78.*F*
Erinaceus combustus qualis. 10°.*de simp.med.fa.* 5ª.81.*G*
Erinacei terrestris pellis vna cum capite ipsius tosta, & in pulverem tusa ad quid valeat.de rem.par.fa. 7ª.154.*H*
ERINEVS *id est Caprificus.* 8°.*de simp.med.fac.* 5ª.61.*F*
ERINGION *exiguum habet alimentum.*2°.*de ali.fa.* 2ª.22.*C*
*Eringion est praui succi.*2°.*de ali.fac.* 2ª.22.*C*
ERISIMVM *quid.*1°.*de ali.fac.* 2ª.15.*D*
Erisimi substantia & vsus. 1°.*de ali. fac.* 2ª.15.*D*
Erisimum calidum. 1°.*de alim.fac.* 2ª.15.*D*
Erisimi semen igneum est. 6°.*de sim.med. fac.* 5ª.47.*F*
*Erisimum sitim excitat.*1°.*de alim.fa.* 2ª.15.*D*
*Erisimum ponitur in ecligmatibus pro expuendis lentis & crassis humoribus.*6°.*de simp.med.fac.* 5ª.47.*F*
*Erisimum parotidas induratas, durities antiquas vberum, & testiculorũ iuuat, & occultis prodest cancris.*6°.*de simp.me.fac.* 5ª.47.*F*
ERITIVS *terrestris conuenit ictherico.de cura icteri.* *Sp.*111.*D*
*Ἐρματα quid.de ijs quæ in med.fi.com.*3°. 7ª.222.*C*
*de ERODENTIBVS pharmacis.*4°.*de com.me.se.lo.* 5ª.149.*G*
Erodentia ab vrentibus q̃o differant. 1°.*de cõp.me.se. lo.* 5ª.127.*F*
Erodens aridum. 5°.*de comp.med.per ge.* 5ª.253.*B*
Erodens Melitonis. 5°.*de comp.med.per ge.* 5ª.253.*B*
EROSIO *dicitur.* *'ράβρωσις.* 4°.*met.me.* 7ª.23.*B*
Erosio est morbus partium similarium.de symp.diff. 3ª.13.*E*
Erosio vnde proueniat. 12°.*me.med.* 7ª.78.*F*
*Erosio fit a succo vitioso intrinsece, a medicamẽto, vel ab igne extrinsece.*4°.*met.me.* 7ª.23.*B*
*Erosio quibus fiat modis.*3°.*de symp.cau.* 3ª.27.*A*
Erosio venę quo modo fiat in pulmone. 4°.*de loc.aff.* 4ª.28.*B*
*p̃ Erosionẽ sanguinis eiectio fit dolore præcedẽte.*5°.*de lo.aff.*4ª.32.*E*
p̃ Erosionẽ quandoq; erũpit sanguis.de cur.ra.per san. mi. 6ª.20.*H*
*per Erosionẽ interimentia medicamenta sunt similia ferro & lapidi ignito.*4°.*de simp.me.fac.* 5ª.30.*B*
p̃ Erosionem interimũt chalcitis, mysi, sori, arsenicum, hydrargyros, lithargyros. 4°.*de simp.med.fac.* 5ª.30.*B*
Erodendo interimit cantharis. 10°.*de simp.med.fac.* 5ª.73.*H*
Erodendo interimit lepus marinus. 10°.*de simp.me.fac.* 5ª.73.*H*
*Erosio in capite quid significet.*2°.*de comp.me. se.lo.* 5ª.135.*H*
*Erosionẽ tollit simplicibus cõbustis & lotis.*3°.*de cõ.me.p̃g.*5ª.236.*d*
*ad Erosos angulos oculorum.*4°.*de comp.med. sec.lo.* 5ª.156.*D*
ERYLVS. 6°.*de simp.med fac.* 5ª.47.*E*
ERRABVNDAE febres, quę.fin.med. *Is.*46.*E*
Errantes quæ febres.in 1ᵐ.*de mor.vul.com.*3°. 3ª.120.*F*
Erraticæ quæ vocentur ab ignaris. 2°.*de crisi.* 4ª.137.*B*
Erraticas sequitur quartana. 1°.*de arte cur.ad Glau.* 7ª.95.*H*
*Erraticum omne & inordinatũ ex materia.*2°.*de dieb.dec.*4ª.151.*H*
ERRANDVM *potius lingua quam vita. de ord.lib.su.* *Isa.*15.*F*
*Errare nunquam est supra captum hominis.in prog.com.*3°. 4ª.212.*b*
Errat minime artifex. in progn.com. 3°. 4ª.212.*H*
*Errare facit non esse exercitatum.*2°.*de diff. pul.* 4ª.57.*C*
Errant minus qui non aggrediuntur quę non norunt, quam qui illa tractant quę nunquam didicerunt.de venæ sect.aduer.Eras. 6ª.13.*A*
Errant qui ex vna particula volunt de toto corpore pronunciare. 2°. *de temperamentis,* 1ª.20.*F*

quo modo

quo modo Errauerit Aristoteles ponendo cor principium neruorum. de dec.Hipp.& Pla.233.H/ 1ª.234.A
Errare in quibus musculis fecit anatomia simiarũ.de mo.ma. Sp.70.e
Errarint in quo musculo cubiti omnes. de mus.diss. 1ª.48.C
Errantes antiqui Galeno viam aperuere.4°.de dig.pul. 4ª.85.E
Errauerunt medici qui dissectionem expectare noluerunt, sed ex cõse quutione ita esse arbitrati sunt. de dec.Hip. & Pla. 1ª.334.A
Errorum causa ignorantia morborum.de morb. temp. 3ª.86.C
in Errando deficientes non sunt purgandi.in 1ᵐ.pror.cõ.2°. 4ª.174.d
ERRHINON, *id est medicamentum in nares fusum, purgando capiti idoneum, est hederæ succus. 7°.de simp.med.fa.* 5ª.51.F
Errhina sunt narium medicamenta. 5°.de simp.med.fac. 5ª.37.D
Errhinum quod naribus attrahitur.9°.de comp.med.se.lo. 5ª.198.A
Errhina, quæ.2°.de comp.med.se.lo. 5ª.139.A
Errhinum Nicerati.9°.de comp.med.se.lo. 5ª.198.A
ERRIPSIS *quid sit.de palp.trem.conuul.& rig.* 3ª.52.A
ERRORES *quid sint.4°.de dec.Hipp.* 1ª.249.A
Errores parui in principio fiunt magni in fine. 1°.de temp. 1ª.12.E
Errores nostros qui detergit amicus maximus.de cogn.cur.an.2ª.52.f
Errores nostros quæ cæcitas facit, vt non cognoscamus. de cog.cur.ani mi morbis. 2ª.53.G
ĩ Erroribus cognoscẽdis amor facit nos cæcos.de cog.cur.ani.2ª.53.G
Errores qũo in libris cõmittuntur.de ijs quæ in med.fi.c.2°. 7ª.210.e
Errores ex similitudinibus fiunt. 9°.de dec.Hip. 1ª.279.H
Errores corriguntur causa intellecta. 2°.de na.fa. 1ª.301.A
Error est dicere musculos in oculo esse solũ quinq;.de mus. di. 1ª.44.G
Error secundæ coctionis quo mõ cõtingat ob splenẽ.de ana.vi. S.51.a
Error grauior est qui fit prope vigorem, quam qui fit in principio. de vic.ra.in mor.acu. com.2°. 7ª.122.C
Errores infra modũ nõ lædũt, sed supra.1°.de comp.me.se.l. 5ª.122.c
ERVANGINA *frigida & sicca in primo.8°.de sim.m.f.* 5ª.57.e
Eruangina necat eruum.1°.de ali.fa. 2ª.15.H
ERVCA *quid & eius vires.de simp.me.* Sp.83.H
Eruca omnibus est nota. de simp.med. Sp.83.H
Eruca habet caulem inutilem post semen effusum.2°.de ali.f. 2ª.24.b
Erucæ, fœniculi,& anethi differentiæ,cum sint sicca & humida.5°.de simplicium med.fac. 5ª.37.G
Eruca manifestissime calfacit. 2°.de ali. fac. 2ª.23.G
Eruca obsonium sponte proueniens. 2°.de ali. fa. 5ª.25.D
Eruca tam cibus quam medicamentum calidum.3°.de temp. 1ª.24.b
Eruca cibus simul & medicamentũ multi seminis.5°.d si.m.f. 5ª.38.c
Eruca generat semen. 2°.de ali.fa. 2ª.23.G
Erucã sine lactucæ foliis comedere non est facile. 2°.de ali.f. 2ª.23.G
Eruca est cibus acutus,incidens,aperiens.de diss.cont. Sp.72.E
Eruca attenuat.de atten.vic. 2ª.43.H
Eruca acris. de atten.vict. 2ª.43.H
Eruca diuretica vires habet. de simp.med. Sp.83.H
Eruca coitum excitat. 2°.de ali.fac. 2ª.23.G
Eruca coitum per suã virtutẽ ad venas portitat.de sim.me. Sp.83.H
Eruca cur venerem stimulet. 6°.de simp.med.fa. 5ª.41.A
Eruca lac purgat & multiplicat. 5°.de simp.me. fa. 5ª.37.G
Eruca capiti dolorem infert.2°.de ali.fac. 2ª.23.G
Erucæ semen in quo loco reponatur ĩter calida quę valẽt ad alopecias 1°.de comp.med.sec.lo. 5ª.122.D
Erucæ semen detergit & concoquit.6°.de comp.me.per ge. 5ª.256.F
Eruca pro thapsia.1°.de comp.med.se.lo. 5ª.122.E
ERVCTATIO *quo modo dicatur corroborare os ventriculi. in 6ᵐ.de mor.vul.com.1°.* 3ª.166.D
Eructatio significat tussim,sternutationem,singultum,crepitum,et spi ritus diffiationes. in 6ᵐ.de mor.vul.com.2°. 3ª.166.D
Eructatio acida lęuitatem intestinorum sanat.in 6ᵐ.de mor.vulgarib. commen.6°. 3ª.197.E
Eructanti cibos postridie quomodo præcordia eleuantur in cruditatibus. de sal.diæ. 2ª.43.B
ad Eructantes cibos quid conferat.8°.de comp.med.se.lo. 5ª.191.G
ad Eructationem acetosam.secr.98.F/ Sp.100.F
ERVDITIS *solum veritas inest.de hist.phil.* Sp.3.E
Eruditi vincunt iram ratione,ineruditi vincuntur ab ira. 3°.de decr. Hippo. 1ª.243.B
ERVENS *& attrahens melinum.2°.de comp.me.per ge.* 5ª.222.E
ERVI ALA, *cicerula,phaseli,sunt vnum genus habens plura nomina. 1°. de ali.fa.* 2ª.15.B
Eruilia est mediũ eduliũ inter omnes qualitates. 1°.de ali.f. 2ª.14.F
Eruilia quidã pro obsonio vtebatur,vt esse sanus. 1°.de ali.f.2ª.14.F
Eruilia deterior fabis. de atten.vic. 2ª.45.A
Eruilia copiosius nutrit quàm fœnum græcum.1°.de alim.fa.2ª.14.F
Eruialas comedendi motus.1°.de ali.fa. 2ª.14.F
Eruiala quo modo mandatur,& eius vsus.1°.de ali.fac. 2ª.14.F
Eruiala quo modo subducatur venter. 1°.de ali.fac. 2ª.14.F
ERVMPERE *verbum est vetus, ad extra motũ significãs. de palpeb. trem.conuul. & rig.* 5ª.54.H
ERVPTIO *vnde dicatur. in 6ᵐ.de mor.vul.com.1°.* 3ª.158.B
Eruptiones sanguinis cohibere potest cucurbitula.de cucur.sc. 6ª.3.F
ad Eruptiones sanguinis ex vtero idoneus est lentiscus. 8°.de simpli. med.fac. 5ª.61.H
Eruptione & suppuratione facta ijs quibus in vrinario meatu tuber cula fiunt,soluitur dolor.com.7°.aph.57°. Ex.59.B
ad Eruptiones in capite quæ valeant. 1°.de comp.me.se.lo. 5ª.131.E
ad Eruptiones vlcerosas circa caput existẽtes quid cõferat,& a qui bus etiam abstinendum.1°.de comp.med. se.lo. 5ª.129.B
ad Eruptiones oẽs vehemẽs medicamẽtũ.1°.de comp.me.s.l. 5ª.130.D
ERVVM *habet siliquas. 1°.de ali.fa.* 2ª.15.A
Eruum necat eruangina.1°.de ali.fa. 2ª.15.H
Eruum ex seminibus frumentarijs subtilissimum, & calidum parum. 3°.de comp.med.per ge. 5ª.228.F
Eruum est in primo ordine calidum,in secundo siccum.8°.de simp.me dic.fa. 5ª.57.E
Eruorum colores.1°.de ali. fac. 2ª.15.D
Eruum non candidum amarum. 1°.de antidotis. 5ª.104.E
Eruum candidum.2°.de antido. 5ª.18.H
Eruum amarum.3°.de ali.fac. 2ª.32.A
Erui ruffi meminit. 5°.de comp.med. per ge. 5ª.253.E
Erui ruffescentis meminit.de rem. par.fac. 7ª.158.E
Eruum insuauissimum est & praui succi. 1°.de ali.fac. 2ª.15.C
Eruo vescuntur boues non homines. 1°.de ali. fac. 2ª.15.C
Eruum potius boum quam hominum alimentum.de atten.vi. 2ª.45.b
Eruum quo modo comedatur. 1°.de ali.fa. 2ª.15.C
Eruum quid faciat.de vic.rat.in mor.acu.com.2°. 7ª.116.G
Eruum articulos dissoluit.2°.de comp.med.se.lo. 5ª.137.B
Erui vsus facit dolorem crurum.in 6ᵐ.de mor.vul.com.4°. 3ª.183.b
Eruum vitandum in capitis doloribus a stomacho & ab aliis. 2°.de comp.med.se.lo. 5ª.137.B
Eruum acre.de vict.ra.in mor.acu. com.1°. 7ª.111.E
Eruum desiccat. 1°.de ali.fac. 2ª.15.D
Eruum adstringit parum. 6°.de comp.med.sec.lo. 5ª.171.H
Eruum expurgat crassos humores thoracis ac pulmonis. 1°.de alimẽ. facul. 2ª.15.D
Eruum in pastillis theriacæ ponitur. de ther.ad Pi. 5ª.92.D
ex Eruo medicamentum pro his quæ in thorace cõtinẽtur. de attenuã te vict. 2ª.45.B
ex Eruo & aceto fomentum.de victus ra.in mor.acu.c.2°. 7ª.116.G
ERVI *farina. 6°.me.me.* 7ª.38.G
Eruum extergit,incidit,obstructiones expedit,& sanguinem per vri nas euocat. 8°.de simp.med.fa. 5ª.57.E
Erui farina moderatissime detergit.8°.met.med. 7ª.52.H
Erui farina,potissimũ si amara sit,prẽter hoc q extergit,nõ nihil quo que meatus purgare valet.5°.de simp.med.fac. 5ª.35.B
Erui farina cephalica. 6°.met.med. 7ª.42.B
Erui farina excalfacit & exiccat. 5°.de simp.med.fa. 5ª.33.H
Eruina farina exiccat & quomodo. 5°.de simp.med.fa. 5ª.33.H
Erui farina valde exiccat. 6°.de simp.med.fac. 5ª.44.E
Erui farina sarcotica est.3°.met.med. 7ª.16.G
Erui farina carnem explet. 2°.de comp. med.per ge. 5ª.220.B
Erui farina vlceri cauo conuenit.2°.de compo.med.per ge. 5ª.118.G
Eruum potest cutis & vulnerum sordes auferre. 5°.de simplicium me dic.fac. 5ª.35.B
Erui farina cum lixiuio cocta leuat a putrefactione in neruo vulnera to.6°.met.med. 7ª.37.F
Eruorum farina vsus est Galenus in neruorum vulneribus.3°.de cõp. med. per gen. 5ª.229.H
Erui farina non mouet pus. 5°.de simp.med.fac. 5ª.33.H
ad ERVI *magnitudinem dosis.7°.de com.me.se.l.* 5ª.182.A/C/183.D/ *de pond.& mens.* 5ª.276.F/*de rem.par.fa.*154.D/ 7ª.171.E
*ad Erui magnitudinẽ grandinẽ quẽdã expuisse.4°.de loc.aff.*4ª.28.D

ERVOSAE *hypostases quid significant. quæs. in Hipp.* *Sp.* 113.D
Erui & hordei speciem referentia in vrinis vnde. in 6^m. de mor. vul. comment. 5°. 3^a.192.*A*
Ἐρυσίπελας *quid.* 1°. *de alim. fac.* 2^a.14.*B*
ERYNGIVM *quibus stomachicis crudum conuenit.* 8°. *de compo. me. secun. locos.* 5^a.192.*C*
Eryngium vrinam ciet. 8°. *de comp. med. se. lo.* 5^a.196.*B*
Eryngij radix vrinam mouet. de cura icteri. *Sp.* 111.*D*
ERYSIPELAS *vnde habuit nomen.* 2°. *met. me.* 7^a.9.*E*
Eryspelas quid sin. med. *Is.* 48.*B/H*
Eryspelas quid, & quale. 2°. *de arte cur. ad Gla.* 7^a.101.*B*
Eryspelas quid sit, de ijs quæ in med. fi. com. 3°. 7^a.219.*D*
Eryspelas morbus euidens. de diff. mor. 3^a.3.*D*
Eryspelas an morbus, vel causa morbi. 1°. *met. med.* 7^a.7.*C*
Eryspelata ab aliquibus symptomata dicuntur. 12°. *me. me.* 7^a.74.*F*
Ερυσιπέλατος *meminit. de pur. medi.* 5^a.87.*G*
Eryspelas affectus totius corporis. intro. *Is.* 59.*D*
Eryspelas cutis passio. 2°. *de arte cur. ad Gla.* 7^a.101.*E*
Eryspelas est in superficie. 14°. *met. me.* 7^a.87.*B*
Eryspelas morbus est inæquali intemperie. de ineq. intem. 3^a.44.*H*
Eryspelas in parte est inæqualis intemperies cũ influxione. de inæq. intempe. 3^a.43.*B*
Eryspelas morbus instrumentalis. 3°. *de symp. cau.* 3^a.24.*G*
Eryspelas est calidus affectus. 2°. *de ali. fac.* 22.*G/ de bono. & vitio succ.* 2^a.39.*D/de palp. trem.* 3^a.54.*C/* 1°. *de simp. me. fa.* 5^a.5.*H*
Eryspelas flammans morbus. de vict. ra. in mor. acu. co. 4°. 7^a.137.*B*
Eryspelas est inflammatio. 2°. *de art. cu. ad Gla.* 7^a.100.*H/ commen.* 5°. *aph.* 43°. *Ex.* 41.*E*
Eryspelas duplex. 14°. *met. med.* 7^a.87.*C*
Eryspelas inflammatorium quid. 1°. *de diff. feb.* 32.*A/ de tum. præter naturam.* 3^a.83.*B/C/* 2°. *de compo. med. se. lo.* 5^a.135.*H/* 14°. *met. med.* 87.*C/* 2°. *de arte cur. ad Gla.* 7^a.101.*B*
Eryspelatis & phlegmones propria, & differẽtiæ. 14°. *me. m.* 7^a.87.*a*
Eryspelas est biliosa fluxio. 2°. *de simp. med. fac.* 2^a.15.*B*
Eryspelas eactum, quale. 7°. *de simp. me. fac.* 5^a.52.*E*
Eryspelas & inflãmatio quo modo sint in capitis doloribus. 2°. *de cõ po. med. secun. lo.* 5^a.135.*H*
Erisipelacea inflammatio. 2°. *de comp. med. sec. loc.* 5^a.135.*H*
Eryspelas phlegmonodes, & a contrario, qñ sit. 7°. *de si. m. f.* 5^a.52.*E*
Eryspelatosa phlegmone, quæ. 14°. *me. me.* 87.*C/* 2°. *de arte curat. ad Glauc.* 7^a.101.*C*
Eryspelatodes caliditas a quibus. 1°. *de dif. feb.* 3^a.32.*A*
Eryspelatis particeps inflammatio. 2°. *de loc. aff.* 4^a.13.*A*
Eryspelatosus calor. 3°. *de præs. ex pul.* 4^a.116.*G*
Eryspelatodes tumoris species. de bon. & vitio. suc. 2^a.34.*A*
Eryspelas & herpes quid sint, & qũo differãt. de tum. præ. 3^a.83.*b*
Eryspelatibus & herpetibus ex flaua bile respondent cancri, & phagedænæ. 2°. *de diff. feb.* 3^a.37.*D*
Eryspelas ædematodes. 7°. *de simpl. med. fac.* 5^a.52.*E*
Eryspelas ædematosum, quod. 14°. *me. med.* 7^a.87.*E*
Eryspelas scirrhodes. de simp. med. fa. 5^a.52.*E*
Eryspelas scirrhosum, quod. 14°. *me med.* 7^a.87.*E*
Eryspelas, inflammatio, scirrhus, ædema a quo fiant humore. de tum. præter naturam. 3^a.83.*B*
Eryspelata vnde. de bon. & vitio. suc. 2^a.39.*D*
Eryspelas a quo humore. 2°. *de crisi.* 4^a.138.*C/* 14°. *me. me.* 7^a.87.*A*
Eryspelas generat sanguis calidior, & subtilior. de ocu. 7^a.189.*E*
Eryspelas facit bilis flaua. de atra bile. 1^a.35.*E/de diff. mor.* 3^a.5.*F/ com.* 1°. *aph.* 2°. *Ex.* 3.*D*
Eryspelas significat bilem peccare. com. 4°. *aph.* 2°. *Ex.* 27.*E*
in Eryspelate naturalis color mutatur. de symp. diff. 3^a.13.*B*
Eryspelatis color flauus est non ruber. 14°. *met. me.* 7^a.87.*A*
Eryspelas ex quisitũ est inflãmatũ & flauũ. 7°. *de sim. me. f.* 5^a.52.*D*
Eryspelata ex vitiosis succis nascuntur. 3°. *de symp. cau.* 3^a.25.*B*
in Eryspelata incidebant qui cibos mali succi ob annonam ederant. 3°. *de bon. & vitio suc.* 2^a.33.*G*
Eryspelas ab excrementis putridis. 9°. *de vsu par.* 1^a.171.*D*
Eryspelas qũo fiat. de cur. ra. p san. mi. 6^a.17.*A/* 14°. *me. me.* 7^a.87.*C*
ĩ Eryspelatis pars cõtinua primũ calore assumitur. de cau. mo. 3^a.6.*f*
qñ Eryspelas, aut inflãmatio aliqua fortis in corporis parte pfundiori euenerit, totus ex toto corpe sanguis ad locũ trahit patiẽtẽ, atq; adeo vrunt, pfunda, cutis autẽ refrigeratur. c. 4°. *aph.* 48°. *E.* 33.*B*
Eryspelas facit dolorẽ. 4°. *de lo. af.* 4^a.47.*C/c.* 6°. *aph.* 40°. *Ex.* 50.*H*
ĩ Eryspelate arteriarũ pulsus sentiĩ cũ dolore. 2°. *de loc. af.* 4^a.8.*G*
Eryspelata quando fiant. 3°. *de symp. cau.* 3^a.26.*B*
Eryspelas fit vere decumbente humore ad partem imbecillam, qui cũ hieme lateret, diffusus est a veris calore. c. 1°. *aph.* 15°. *Ex.* 8.*G*
Eryspelata in plethora cur fiant. 2°. *de diff. feb.* 3^a.41.*G*
Eryspelas excitatur de industria. intro. *Is.* 61.*B*
Eryspelas in ossis exutione. com. 7°. *aph.* 19°. *Ex.* 55.*C*
Eryspelas ab exterioribus verti ad interiora, non est bonũ ab interioribus autem ad exteriora, bonum. com. 6°. *aph.* 25°. *Ex.* 48.*F*
ab Eryspelate putredo aut suppuratio. com. 7°. *aph.* 2°. *Ex.* 55.*D*
ex Eryspelate scirrhi. 7°. *de comp. med. per ge.* 5^a.267.*H*
ex Eryspelate vel inflammatione scirrhum facit insciti a medicorũ. 7°. *de comp. med. per ge.* 5^a.267.*H*
Eryspelata non nunquam vlcera comitantur. de dif. mor. 5^a.5.*F*
Eryspelata quæ excrementa faciant. 5°. *de loc. aff.* 4^a.35.*E*
Eryspelata calefaciunt corpus. de cauſ. mor. 3^a.6.*F*
Eryspelata faciunt febrem. de cauſ. mor. 3^a.6.*F*
Eryspelati vbi superuenit febris, fit alter morbus. de dif. mor. 3^a.4.*d*
Eryspelas an male habuerit lassitudine laborantem percontandũ est. 4°. *de san. tu.* 2^a.83.*B*
Eryspelas quo modo curetur. 7°. *de simp. me. fa.* 5^a.52.*D*
Eryspelatis curatio per tempora. 1°. *de comp. med. per ge.* 5^a.212.*a*
in Eryspelate non secabimus venam, sed medicamentum cholagogũ dabimus. 14°. *me. me.* 87.*D/* 2°. *de arte cur. ad Glau.* 7^a.102.*A*
in Eryspelate dandum medicamentum purgans choleram, post phlebotomia facienda, si opus est. de ocul. 7^a.189.*G*
Eryspelate laborantibus damus cholagoga. de dy. *Sp.* 20.*G*
Eryspelatis medicamenta idonea. intro. *Is.* 58.*A/* de ocul. 7^a.189.*G*
Eryspelata curãtia curãt capitis dolorẽ. 2°. *de cõ. me. s. l.* 5^a.132.*G/h*
Eryspelatis dolor ob caliditatem quo modo curetur. in 6^m. de morb. vulg. com. 6°. 3^a.196.*B*
in Eryspelate vincit vacuationis indicationem, refrigerationis indicatio. 13°. *met. med.* 7^a.82.*E*
Eryspelatis medicamenta frigidissima imponenda. 1°. *de comp. med. per ge.* 5^a.211.*H*
Eryspelas non exulceratum iuuat frigus, exulceratum lædit. com. 5°. *apho.* 23°. *Ex.* 39.*F*
Eryspelas verum aqua frigida sanandum. 9°. *met. me.* 7^a.57.*F*
Eryspelas aqua simplici perfusum nihil sentit incommodi. 1°. *de sim. med. fac.* 5^a.3.*A*
Eryspelata vera non iuuantur a calidis. 10°. *de simp. me. fa.* 5^a.75.*E*
Eryspelas non est semper refrigerandum, & quanto tempore. 7°. *de simp. med. fac.* 5^a.52.*D*
Eryspelas quando infrigidandum, & quando non. 2°. *de arte cura. ad Glauconem.* 7^a.102.*A*
Eryspelas non refrigerandum immodice. 3°. *de simp. me. fa.* 5^a.21.*B*
Eryspelata nõ vehementer infrigidanda, nec astringenda. 2°. *de arte cur. ad Glau.* 7^a.103.*H*
Eryspelas amplius refrigerãdũ, q̃ phlegmone. 14°. *me. med.* 7^a.87.*D*
ĩ Eryspelate quãtũ refrigerandũ. 13°. *met. med.* 82.*C/* 14°. 7^a.87.*D*
Eryspelatosi affectus quomodo refrigerandi de marc. 3^a.48.*A*
pro Eryspelate coriandrum cum polenta. 14°. *met. me.* 7^a.87.*E*
Eryspelas nõ curatur pane & coriandro. 7°. *de simp. me. fac.* 5^a.52.*D*
in Eryspelate quando superponendum cataplasma ex hordei farina. 14°. *met. med.* 7^a.87.*E*
Eryspelati ex vlcere cõuenit cataplasma ex hordeacea farina. 2°. *de art. cura. ad Glauc.* 7^a.102.*A*
Eryspelati conuenit ceratum humidum. 1°. *de simp. med. fa.* 5^a.7.*G*
pro Eryspelate ceratum rosaceum, & calx. 14°. *me. med.* 7^a.87.*E*
ad Eryspelata valet infrigidans Galeni. 10°. *met. me.* 7^a.65.*A*
Eryspelatis ob frigus indurati casus. 2°. *de arte cur. ad Gla.* 7^a.104.*a*
Eryspelas factum liuidum a refrigerãtibus nõ est amplius eryspelas 1°. *de comp. med. per ge.* 5^a.212.*A*
Eryspelas non est qñ cessat inflammatio. 7°. *de simp. med. fa.* 5^a.52.*D*
Eryspelas denigratũ quo modo curãdũ. 1°. *de cõ. me. per ge.* 5^a.112.*a*
Eryspelas cum inflammatione quo modo curandum. 2°. *de arte cur. ad Glauc.* 7^a.102.*A*
ad Eryspelata phlegmonode quo medicamento vtatur Galenus. 1°. *de comp. med. per ge.* 5^a.211.*G*
Eryspelati quando imponenda aqua calida, aqua marina, muria, acetũ, oxalme. 14°. *me. med.* 7^a.87.*E*

Eryſipelata iuuat radix Anchuſæ onocleæ cũ polenta illita.6°.de ſim pl.med.fac. 5ª.41.D
ad Eryſipelata mediocria competit Auricula muris.6°.de ſimp. me. facul. 5ª.42.D
Eryſipelata ſanat Braſſica.7°.de ſimp.med.fac. 5ª.52.G
ad Eryſipelas valet ſuccus Centaureæ. de vir. cent. Sp.93.E
Eryſipelato deis phlegmonas curat Cotyledon.7°.de ſim.m.f. 5ª.52.f
Eryſipelata phlegmonode curat cotyledon.7°.de ſimp.me.fa. 5ª.52.f
ad Eryſipelata quidam vſi ſunt Cupreſſo.7°.de ſimp.me.fa. 5ª.53.g
ad Eryſipelata valet Glaucium.14°.met.med. 7ª.87.G
ad Eryſipelata leuia idonea eſt Lactuca.6°.de ſimp.med.fa. 5ª.48.e
Eryſipelata iuuat Polygonon.8°.de ſimp.med.fa. 5ª.68.H
Eryſipelata ſanat Rhamnus.8°.de ſimp. med.fa. 5ª.59.E
ad Eryſipelata accommodatur Semperuiuũ.6°.de ſimp.me.f. 5ª.41.f
Eryſipelata ſanat ſubſidens craſſum in vrina.10°.de ſim.m.f. 5ª.75.e
Eryſipelata non ſanant diſcutientia liuidas & duras partes. 6°.de comp.me.ſe.lo. 5ª.176.H
in Eryſipelate non danda calida & diſcuſſoria.7°.de comp. medica. ſecun.loc. 5ª.176.H
Eryſipelati balnea obſunt. de marc. 3ª.48.A
Eryſipelati nocet lac.com.5°.aph.64°. Ex.44.F
Eryſipelas auget oleum.2°.de ſimp.med.fa. 5ª.15.B
Eryſipelatis oleum commodum.1°.de compo.med.per ge. 5ª.211.G
Eryſipelas patientibus dari non debere vinum, collige.8°.de compo. me.ſec.loc. 5ª.194.F
ab Eryſipelato ſo affectu hectica oritur, & maraſmus, & quando.de marcore. 3ª.47.H
Eryſipelato ſa affectio in ſolo ventriculo non facit febrem hecticam,et quare.de marc. 3ª.47.H
Eryſipelas pulmonis quibus indicijs deprehendat.4°.de l.af. 4ª.27.b
Eryſipelatis iecoris notæ.5°.de loc.aff. 4ª.33.D
Eryſipelati ſimilis diſpoſitio in vtero poteſt eſſe cauſa paucitatis mẽſtruorum.com.5°.aph.57°. Ex.43.A
Eryſipelas ſi ſit in vtero mulieris grauidę, letale eſt.commen.5°.apho riſmo 43°. Ex.41.E
Eryſipelata vteri non iuuat ſternutatio.com.5°.aph.35°. Ex.40.F
Eryſipelas facit aborſum com.5°.aph.45°. Ex.41.G
Eryſipelas in veſica eſt cauſa ſtillicidij vrinæ.cõ.3°.ap.16°. Ex.23.d
ad Eryſipelata ex Agathocle. 5°.de comp.med. per ge. 5ª.252.A
ad Eryſipelata medicamentum quo vtitur Galenus. 5°.de compoſit. med.per ge. 5ª.252.D
ad Eryſipelata bonus paſtillus.5°.de comp.med. per ge. 5ª.252.D
ad Eryſipelata alius.5°.de comp.med per ge. 5ª.252.D
ad Eryſipelata.8°.de com.me.ſe.lo.193.A/5°.de comp.medic.per ge. 248.G/251.F/5ª.252.E/3°.de med.fac. par. 7ª.172.A
ERYTHRAICVM. *ſatyrium. de ſimp.med.* Sp.91.C
ERYTHRIACA *philoſophia a quo cognomen habuit. de hiſtoria philoſophica.* Sp.2.F
ERYTHRODANVM. *6°.de ſimp.med.fac.* 5ª.47.F
Erythrodanum quid, & eius vires. de ſimp. med. Sp.84.B
Erythrodani radix ad quid valeat. de cura icteri. Sp.111.B
Erythrodanum diureticam habet radicem. de ſimp.me. Sp.84.B
Erythrodanum lachrymam oculorum ſtringit.de ſimp.med. Sp.84.B
Erythrodanum ad dyſentericos facit. de ſimp.med. Sp.84.B
ERYTHROS *adſpergitur cibis.11°.de ſimpl.med.fa.* 5ª.81.E
Ἐρυθροειδὴς *quid.intro.* Isa.54.E
Erythroidis inflammatæ pulſus.4°.de præſa.ex pulſ. 4ª.121.E
Ἔσχαρα. *1°.de ſimplicium medicam.fac.* 5ª.5.F
Ἔσχαρα. *5°.met.med.* 7ª.30.D
Eſcharæ nomine eſtus appellatur.com.7°.aph.13°. Ex.54.H
Eſcharam quæ faciant.5°.met.me. 7ª.30.D
Eſcharæ ab acribus fiunt.de atten.vic. 2ª.43.G
Eſcharas efficiũt, ſory, chalcitis & miſy. 9°.de ſim.m.f 70.D/5ª.71.e
Eſcharam facientia medicamenta trahunt.13°.me.me. 7ª.82.D
ad Eſcharas pariſthmiorum confert ſuccus centaureæ.de virtu. centaureæ. Sp.93.D
Eſcharoſum vlcus eſt anthrax, ideſt carbo.com.6°.aph.45°. Ex.51.F
ESCHILI *libri quantum pignorati.in 3ᵐ.de mor. vulgaribus, commentario 2°.* 3ª.137.A
ESCVMINATA *herba. de dyna.* Sp.31.B
ESDRA antidotus in cephalæ. de dyn. Sp.23.C
ESOTERICVM quid.3°.de decr. Hipp. 1ª.243.F
ESSE, potius quã videri doctos qui voluerint paucos admodũ fuiſſe tempore Galeni. 2°.met.med. 7ª.12.D
de Eſſentia dici poteſt quid ſit res. ad Traſ. 2ª.101.F
Eſſentiam ſuam quædam habent in motu. 2°.met.med. 7ª.10.B
Eſſentiam ſuam quædam habent in conſtantia.2°.met.me. 7ª.10.B
Eſſentia partis cuiuſque debet ex anatome cognoſci.1°.de lo.af. 4ª.3.e
Eſſentia oculi quæ.1°.de dec.Hip.& Plat. 1ª.233.E
Eſſentia rei primo requiritur quã qualitas.3°.de dig.pul. 4ª.81.H
Eſſentiæ proprietatem obtinent res admiſcentes.1°.de loc.affe. 4ª.2.F
Eſſentiæ, modi, mores, & differentiæ febriũ idẽ.in 1ᵐ.de mor. vulgar. commen.3°. 3ª.120.A
Eſſentiæ proprietas eſt indicium partis affectę.6°.de loc.aff. 4ª.29.b
in Eſſentia propria noſcenda omnis affectionis prouidentia conſiſtit. 5°.de san.tu. 2ª.92.H
Eſſentiæ an aliquid excernatur, & per quem meatum vacuentur excrementa affectę partis conſiderandum. 2°.de loc.aff. 4ª.13.D
Eſſentialis definitio. 4°.de diff.pul. 4ª.64.G
ESTREATICVM petroſelinum. 1°.de antid. 5ª.106.H
non ESVRIRE finis eorum quæ poſſidentur. de cogn. cur. animi morbis. 2ª.54.F
ob Eſuritionẽ pulſus durus in ephemeris cõtingit.1°.de dif.fe. 3ª.34.c
ad Eſum dentes hominum ſolum idonei.11°.de vſu par. 1ª.184.H
de Eſu ſomnium quid ſignificet.de præſ.ex inſom. 4ª.213.D
Ἑτερογενεῖς *ſubſtantiæ.7°.de ſimp.med.fac.* 5ª.54.G
Ἑτεροίροπτες *quid.de vict.rat.in mor.acu.com.4°.* 7ª.141.D
ETESIAE quæ.de hiſt.phil. Sp.8.B
Eteſiæ, & prodromi differunt.in 6ᵐ.de mor. vul.com.3°. 3ª.141.D
Eteſiæ quando regnent.in 1ᵐ.de mor.vul.com.1°. 3ª.103.B
Eteſiæ circa canem ſpirant.in 1ᵐ.de mor.vul. 3ª.108.E
Eteſiæ quando incipiunt flare, & quando impediuntur, multa mala. com.3°.aph.11°. Ex.21.C
Eteſiæ auferunt morboſum ſtatum.in 3ᵐ.de mor.vul.cõ.3°. 3ª.147.C
Eteſiæ pauce. paruę. in 1ᵐ.de mor.vul.com.1°. 3ª.104.A
Eteſiæ perpetuo æſtate ſpirarunt.in 1ᵐ.de mor. vul.cõ.1°. 3ª.107.G
Eteſiarum fit mẽtio.de cauſ.procatar. 3ª.96.A
ETHICARVM *& diariarum differentia. 9°.met.med.* 7ª.56.F
Ethicas febres facit inedia. 10°.met.med. 7ª.63.E
Ethicam febrem incipientem nouit Galenus cum putrida. 10°.meth. medendi. 7ª.64.F
Ethicæ in habitu calorem habent. 8°.met.med. 7ª.55.E
Ethici caliditas, qualis. 1°.de diff.feb. 3ª.34.G
Ethici non tendebant ad tabem in peſtilentia tempore Galeni. 2°.de differ.feb. 3ª.36.A
Ethicæ, & maraſmi in quibus fiant viſceribus.10°.met.me. 7ª.64.F
Ethici tabidi pulſus. 1°.de diff. feb. 3ª.34.G
ad Ethicam ſenectutis. ſecretorum. Sp.109.H
ETHMOIDE *oſſa, id eſt cola dicta, olfactum auferunt quo modo.3°.de locis affe.* 4ª.21.D
ETNOS quid ſit.de bon.& vit.ſuc. 2ª.36.F
Ἔτνος *quid ſit. de atten.vic.* 2ª.44.F
Ἔτνος *cibus ex faba liquidus.1°.de ali.fac.* 2ª.13.G
Etnos fabaceum etiam ſi per triduum coxeris, eſt flatuoſum.de vic.ra. in mor.acu. com.1°. 7ª.112.A
Etnos ex lente.de vict.rat.in mor. acu.com.4°. 7ª.149.B
Etnos ex panico & milio debet recipere pinguia & habentia in ſe lentorem. de bo.& vit. ſuc. 2ª.36.F
ETYMOLOGIA *probabat Chryſippus argumenta.2°.de decretis Hippocratis.* 1ª.234.D
Etymologia non poteſt probare. 2°.de dec.Hip. 1ª.234.E
Etymologia quid parum probat.2°.de decr. Hip. 1ª.234.E
Etymologia vtentes Galenus reprehendit.2°.de dec. 1ª.234.E
ab Etymologia argumenta proprinqua ſunt captioſis. 2°.de decretis Hippocr. 1ª.235.H
EVACVATIONEM *oẽm ſolet Hippocrates ab euentu nomina re vaſorum inanitionem.com.1°.aph.2°.* Ex.3.C
Euacuatio de quibus dicatur.in 6ᵐ.de mor.vul.com.3°. 3ª.170.C
Euacuatio eſt contraria plenitudini, & non alicui morbo. de optima ſecta. Iſ.25.F
Euacuatio eſt indicatio febris in humoribus accenſę. ars me. Iſ.79.E
Euacuari eſt quaſi genus ad purgandum. com.1°.aph.2°. Ex.3.C
Euacuatio & purgatio qũo differant.in 1ᵐ.prorr.com.3°. 4ª.182.A/ *commen.2°.*

com.2°.apho.17°. Ex.13.D
Euacuationis artem Hippocraticam promittit declarare Galenus. de vene sect.aduers. Erasi. 6ª.7.A
Euacuationes quæ,& vnde,& quare. com.4°.aph.2°. Ex.27.D
Euacuationis species. ars med. Is.69.E
Euacuare quo modo.de const.ar. Is.42.E
Euacuantur materiæ quot modis & per quas vias.in 6m.de mo.vul. com.2°.3ª.160.G/1°.de arte cur.ad Gla. 7ª.98.D
Euacuationes propriæ vnde assumuntur. ars med. Is.71.E
Euacuationes communes, quæ.ars med. Isa.71.E
Euacuationes omnes quomodo fiant.com.4°.aph.2°. Ex.27.D
Euacuationes oës p quas fiãt partes.de vi.ra.ĩ mor.ac.c.4°. 7ª.144.G
Euacuatio quorum fiat, & per quæ loca.com.1°.aph.21°. Ex.10.A
Euacuatio fit p venæ sectionẽ,& p medicamẽtũ.c.6°.ap.47°. E.52.B
per quæ Euacuetur totum corpus.in 6m.de mor.vul.c.2°. 3ª.166.F/ de comp.med.sec.lo. 5ª.149.F
Euacuatio totius corporis æqualiter per quæ fiat, & a quibus non æqualiter.com.4°.aph.2°. Ex.27.D
Euacuatio exquisita omniũ humorum æqualiter fit per venæ sectionẽ com.2°.aph.17°. Ex.13.E
Euacuat a toto vena quælibet.de venæ sect.aduer.Eras. 6ª.12.D
de Euacuatione sanguinis librũ fecit Erasistratus.5°.de lo.af. 4ª.30.a
Euacuat qñq; totũ corpus p vteru, qñq; per renes.6°.de lo.af.4ª.41.d
Euacuationẽ prohibet vteri cõtorsio de venæ sect.adu. Eras. 6ª.6.G
Euacuatio menstrua non sinit mulieres esse podagricas. comment.6°. apho.29°. Ex.49.E
Euacuationis species est foetura. de venæ sect.aduer.Eras. 6ª.6.H
Euacuatio quando inæqualis,& quando æqualis. de vict.rat.in mor. acu.com.2°. 7ª.158.B
Euacuatio inæqualis,quæ.quos. purg.opor. 5ª.89.C
Euacuationem esse æqualem, vbi morbus per totum corpus animalis extenditur, collige.com.4°.aph.37°. Ex.32.B
Euacuatio naturalis,stercoris,vrinæ,& genituræ. in 6m.de mor.vul. com.3°. 3ª.173.H
Euacuatio p pharmaca purgatoria qualis sit.com.4°.ap.2°.Ex.27.D
Euacuatiua qñq; medicina partis alicuius.c.4°.aph.2°. Ex.27.D
qũo Euacuent medicamẽta tardius,& citius diuersos humores.de vi. rat.in mor.acu.com.2°. 7ª.118.A.
Euacuatio per sputum fit in morbo laterali.com.5°.aph.8°.Ex.38.B
cur Euacuationi per hæmorrhoidas non est assuefaciendum.commen. 4°.aphor.25°. Ex.30.B
Euacuatio per balnea parũ euacuat,& quamũ.c.3°.ap.15°.Ex.22.g
Euacuatio fit a calore etiam extrinseco.com.5°.aph.22°. Ex.39.E
Euacuatio insensibilis. 1°.de san.tu. 2ª.68.H
Euacuatio insensibilis, semper fit.in prog.com.1°. 4ª.191.F
qũ Euacuantur corpora per sensui occulta foramina, ad hoc deueniũt vt egeant alimento. com.1°.aph.15°. Ex.8.D
Euacuatio,primum symptoma oris ventriculi inter ea, quæ ad cibum potumq; proritant.1°.de sym.cau. 3ª.18.A
Euacuatorum appetentia naturalis secundum symptoma oris ventri culi pro fame inducenda.1°.de symp.cau. 3ª.18.A
Euacuatio in superficie est defectus causa.de venæ sect.ad.Er.6ª.9.a
Euacuat raritas cutis non inedia. de venæ sect.adu.Eras. 6ª.9.A
Euacuant quomodo inediæ.de venæ sect. aduer. Eras. 6ª.9.B
Euacuat per accidens abstinentia cibi.14°.met.me. 7ª.89.A/B
Euacuatio læuissima,inedia.de venæ sect.aduer.Eras. 6ª.8.C
neq; Euacuat,neque nutrit inedia.de venæ sect.aduer.Era. 6ª.8.H
non Euacuare inediam solam,& cũ alijs iunctã plus obesse,q̃ prodesse. de venæ sect.aduer.Eras. 6ª.9.B
quomodo Euacuat vinum.com.6°.aph.31°. Ex.49.F
non Euacuat humores aqua frigida.11°.me.me. 7ª.70.H
ex Euacuatione ex longa inedia famem nõ tollit vini potio, immo si qs ex tali causa euacuatus bibat ante cibum, statim incidit in conuulsionem aut deliria. com.2°.aph.21°. Ex.14.H
Euacuandum est quandoque scalpello.i.smilio.de cucur.sca. 6ª.4.A
Euacuatione ex crure facta curauit ischiadas.erat ischias non ex frigore, sed ex repletione.de curan.rat.per sang.miss. 6ª.20.F
Euacuandum quando q; est hirudinibus.de cucur.scar. 6ª.4.A
Euacuatis corporibus cucurbitulæ sunt vtiles. de cucur. sca. 6ª.3.B
Euacuatiũ si nõ sit satis,cucurbitulæ sunt replicãdæ.de cuc.sca.6ª.3.D
Euacuari potest hepar per ventosam. de cura icteri. Sp.110.H
Euacuari non potest splen per ventosam.de cura itteri. Sp.111.A

Euacuatio solet sequi rigorem. com.4°.aph.46°. Ex.32.H
Euacuatio si non sequatur rigorem, notat virium imbecillitatem,si sequitur,debilitat vires.com.4°.apho.41°. Ex.32.H
Euacuationum omnes species quibus faciendæ.quos purg.opo. 5ª.88.f
p Euacuatione facienda q̃ cõsideranda.2°.de ar.cu.ad Gla. 7ª.101.F
Euacuatio quando facienda est.quæ consideranda.in 6m.de mor. vul. commen.2°. 3ª.166.E
ad Euacuationes dignoscendas conferentia. cõ.4°.aph.2°. Ex.27.G
Euacuationis intentio vnde sumenda sm aliquos.de multit.3ª.76.D/ com.4°.apho.2°. Ex.27.G
Euacuationis indicatio a morbi magnitudine,& vi accipitur. 4°.me. medendi. 7ª.28.E
Euacuare quando oporteat, & quę debent præcedere euacuationem, & qui sint apti vt euacuentur.com.1°.aph.24°. Ex.10.F
Euacuationem duo antecedere debent.com.4°.aphor.22ª.29.G/apho rismo 23°. Ex.29.H
añ Euacuationem non est rarefaciendum corpus.11°.me.me. 7ª.69.G
añ Euacuationem lædunt pleuritici, si acceperint vinum, mulsam, aut oxymeli.de vict.ra.in mor.acu.com.1°. 3ª.114.B
Euacuatio præscruatiua quæ vocetur. de consuetud. 2ª.62.A
Euacuari debent qui futuri sunt ægri,tamen nondum sunt, vt præseruentur.com.6°.apho.47°. Ex.52.B
Euacuauit multos Galenus vere,aliquos vere & autumno, quos præseruauit a morbis,cũ tñ alijs annis ægrotarẽt.c.6°.aph.47°.E.52.c
Euacuatione opus est in vtraque plenitudine. de curandi ratione per sang. missionem. 6ª.16.H
Euacuandi sunt qui post morbum non appetunt.com.2°. aphor.8°.11. H/apho.12°. Ex.12.D
Euacuatione indigere corpus significat, si cui cibum non accipienti sudor multus ex somno fiat.com.4°.aph.41°. Ex.32.D/ præsagium experientia confirmatum. Sp.77.G
Euacuatio quibus necessaria lassitudinem habentibus. de curandi ratione per sang.missionem. 6ª.17.C
Euacuatione indiget,si quis a morbo cibum assumens non corroborat. com.2°.aph.8°.11.H/com.7°.aph.63°. Ex.59.H
Euacuare superfluas humiditates semper necessarium est. comment. 7°.aphor.61°. Ex.59.F
Euacuandæ partes alimenti quæ sint. com.3°.aph.15°. Ex.22.H
Euacuandus semper humor noxius & non alius, & qũo cognoscatur annoxius fuerit euacuatus, & non alius. com.1°.aph.2°. Ex.3.D
Euacuationes humorum infestantium duntaxat fieri debent. com.6°. aphor.47°. Ex.52.B
Euacuandus est humor quando adest,alioqui si noxiũ humorẽ nõ reperiãt medicamẽta,sanguinẽ colliquãt et carnẽ.quos pu.op.5ª.88.b
Euacuandũ esse postq̃ venã secueris iubet Possidonius in melãcholia, vbi ĩdigeas sanguinis eductione.de mel.ex G.R.& Pos. Sp.109.H
Euacuandum esse per vrinam vel per secessum notat vrina magis biliosa.de vrinæ significatione ex Hippo. Sp.79.D
Euacuationis viæ.7°.met.med. 7ª.49.C
ĩ Euacuando,partis natura,& humoris inclinatio consideranda est.c. 1°.ap.21°.10.A/c.4°.aph.2°.29.D/ cõ.6°.aph.22°. Ex.48.E
Euacuationes facere oportet sm humorum infestantium inclinationes, & neq; supra septum transuersum dolores per subducentia medicamenta euacuare, neque infra consistentes per vomitiones. com. 4°.aphor.18°. Ex.29.B
ad Euacuationes multum facit situs.7°.met.med. 7ª.49.D
Euacuandum humorem,& locum per quę euacuari debeat,docet morbi conditio.quos purg.opor. 5ª.88.F
Euacuationis modũ quonam modo accessiones ostendant. quos purg. opor. 5ª.88.F
Euacuandi modum dat locus affectus,13°.met.med. 7ª.82.A
Euacuatio per quas vias bona,& per quas mala.c.1°.a.21°. E.10.A
Euacuandũ a quibus partibus sit,& a quibus nõ.7°.me.med. 7ª.49.B
Euacuare plene a quibus partibus licet. 7°.met.med. 7ª.49.B
Euacuare plene nõ licet ex ventriculo,& iecinore.7°.me.m.7ª.49.b
Euacuandi non sunt humores per vomitum, aut per secessum,qñ sunt euacuandi per cutim. in 6m.de morb.vul.com.2°. 3ª.165.G
in Euacuando naturam imitari debemus.com.4°.apho.2°. Ex.27.C
Euacuant per quæ loca natura.com.2°.aph.15°. Ex.12.F
Euacuatio quando permittenda tota naturæ, & quando non.com.1°. aphoris.20°. Ex.19.G
Euacuationem natura absoluente nos sistere debemus & quãdo medicus debeat

cus debeat euacuare, & quando non. quos purg. opor. 5ª.89.A
Euacuari per multa loca potest sanguis. com.4°.aph.2°. Ex.27.D
Euacuatio per nares est innocua. com.1°.aph.21°. Ex.10.A
Euacuatio per superius est contraria ei quæ est per inferius. com.4°. aphor.9°. Ex.28.C
Euacuatio per inferiora quo modo fiat. in 6m.de morbis vulgaribus, commen.2°. 3ª.166.F
Euacuetur per quas vias corruptum. 11°.me.me. 7ª.69.F
Euacuatio aut per ipsam partem patientem, aut retrocedẽtem superfluitatem. ars med. Isa.70.F
Euacuatio per eundem locum quo modo. ars med. Is.70.F
Euacuatio quæ est signum bonũ & quæ malũ.c.4°.aph.2°. Ex.27.G
Euacuationis bonæ & malæ indicia. com.4°.apho.2°. Ex.28.C
Euacuatio debet sequi coctionem & dicsretionem,si bonum dedit iudicium. com.4°.aph.22°. Ex.22.G
Euacuatio quæ fit in principio,non est naturæ ratione. commentar.4°. aphor.22°. Ex.29.G
Euacuari non contingit bene, quando humores sunt crudi. comme.4°. aphor.22°. Ex.22.G
Euacuatio est bona,concocta materia.com.4°.apho.22°. Ex.29.G
Euacuandum non est ante coctionem, nisi materia turget. commẽ.1°. aphor.22°. Ex.10.B
ante.Euacuationem digerẽdi sunt humores crassi.quos pur.op.5ª.88.d
Euacuare ante coctionem quid mali faciat.in 6m.de mor.vul. com.1°. 3ª.156.B/quos purg. opor. 5ª.88.D
Euacuandum an sit,et quando,si humores sint crudi.de curan.ra.per sang.missionem. 6ª.18.E
Euacuatio cauenda est in acutis, præsertim quando ignoramus ægrotantis naturam.quos pur. opor. 5ª.89.A
Euacuandum die prima in peracutis, si materia turget. commen.4°. aphor.10°. Ex 28.C
Euacuandũ ante quartũ diem in comate. in 1m.pror.com.1°. 4ª.164.E
Euacuãdi q sint humores in morbi principio.c.1°.aph.22°. Ex.10.B
Euacuãdi in principio morbi,tenues & aquosi humores, multa facta coctione.quos purg.opor. 5ª.88.F
Euacuatio scopus est humoris collecti in loco.1°.de cõ.me.s.l.5ª.121.F
Euacuandus quo modo sit humor in cute.1°.de cõp.me.se.lo.5ª.121.F
Euacuetur per quæ caput.3°.de com.me.sec.loc. 5ª.149.F
ĩ Euacuando q est in partibus penitioribus,qd agẽdũ.ars me. Is.70.g
Euacuanda quo modo sint quæ ventris tunicis inhærent. de ijs quæ in medic.fiunt, com.3°. 7ª.221.B
in Euacuatione tũ quæ a medico fit tũ quæ a natura, vt qualitatẽ pro humoris molestantis ratione vacuati,ita quantitatem multitudine molestantis humoris respondere oportet. com.1°.aph.23°. Ex.10.C
Euacuationis qualitas in quo consistat. com.1°.aph.2°. Ex.3.C
Euacuationis humorum sua qualitate infestantium exemplum. com. 1°.apho.2°. Ex.3.D
Euacuationis quantitatis intentio.com.1°.aph.3°. Ex.3.B
Euacuationis quantitas quæ sit, & in quo consistit.c.1°.ap.3°. Ex.3.e
Euacuare quousq; oporteat ægrum.com.1°.aph.3°. Ex.3.E
Euacuationis quantitas virtutem,& humorem respicit. comment.1°. aphorismo 3°. Ex.3.E
Euacuationis mensura singulorum hominum neutiquam præscribi potest. de præs.exper.confir. Sp.78.A
Euacuatio per pharmaca non debet fieri sæpe,nec bis,nec semel in mẽse.com.4°.aph.15°. Ex.22.G
Euacuatio per pharmaca quæ sæpe fit, trahit corpora in malam consuetudinem.com.4°.apho.15°. Ex.22.G
Euacuationibus quibus non videntur indigere corpora propter consuetudinem. de consue. 2ª.61.H
ex Euacuatione in calidis constitutionibus quidam periere ex animi defectu, & ex dissolutione.1°.de art.cur.ad Glau. 7ª.98.C
Euacuati in frigidis constitutionibus,nimium refrigerati, non possunt tolerare. 1°.de art.cur.ad Glauc. 7ª.98.C
Euacuandum non est in locis supra modum calidis, & frigidis.1°.de arte cur.ad Glau. 7ª.98.C
Euacuandum non est si loca calida, & tempus consentiat, q si vnũ solũ sit tale, parum euacuandum.1°.de arte cur. ad Glau. 7ª.98.C
in Euacuatione consideranda facilitas ferendi ægrotantis. 1°.de arte cur. ad Glau. 7ª.98.C
ab Euacuationibus plenis offenduntur calidi & sicci.1°.de arte curat. ad Glau. 7ª.98.D
ad Euacuationes & ad alia nõ parui momẽti est cõsuetudo.quos pur. opor.5ª.88.E/ de arte cur.ad Glau. 7ª.98.D
Euacuatio quibus facienda est ratione habitus corporis.1°.de ar.cur. ad Glau. 7ª.98.D
Euacuandi nõ sunt crassi, & macilẽti.1°.de art.cu.ad Glau. 7ª.98.D
Euacuandi quo modo temperantes & intemperantes.de curandi ratione per sang. miss. 6ª.18.E
Euacuationibus non iuuantur intemperantes vinosi & gulæ dediti.de cur.rat.per sang.miss. 6ª.17.F
Euacuatio debet fieri per directum, & quo modo hoc intelligendum. 3°.de crisi. 4ª.139.E
in Euacuationis successione prius it tenuissimum & leuissimũ,quã grauius & crassius. 3°.de nat. fa. 1ª.307.F
in Euacuationibus quæ fiunt per instrumenta, leue præcedit, & graue sequitur. 7°.de vsu par. 1ª.159.F
Euacua primo subtilia,post euacua parum,deinde mediocriter, deinde fortius.de med.exper. Sp.108.H
Euacuationes ita magnæ fieri debent,vt morbi sunt magni.de cucurbitulis & scar. 6ª.3.H
Euacuatione multa opus est,vbi excrementa multa sunt.2°.de causis pulsuum. 4ª.95.B
Euacuare plurimum atq; repente periculosum est.com. 2°.apho.51°. Ex.19.C/ de vict.rat.in mor.acu. com.1°. 7ª.112.E
Euacuatio nisi paulatim fiat, vires prosternit. in 6m.de mor. vulgar. com.3°. 3ª.170.G
Euacuatio & repletio præter modum,noxia.in 6m.de mor.vulgarib. commen.3°. 3ª.170.H
Euacuatio modum excedens,pessima.de venæsect.adu. eras. 6ª.7.H
Euacuationes extremæ,periculosæ.com.1°.aph.3°. Ex.5.E
Euacuatio supra modum conuulsionem facit,com.5°.aph.1°.37.D/cõ. 7°.aphor.25°. Ex.55.G
Euacuationis omnis immodicæ defectus animi cõmunis est casus, cõuulsio vero & si non communis existit,ad plurima tamen ex ipsis consequitur.com.5°.aph.56°. Ex.42.H
ex Euacuatione nimia & repletione semper fit conuulsio.8°.de comp. med.se.loc. 5ª.190.E
ex Euacuatione conuulsio letalis est.commen.4°.aph.57°.33.F/c.7°. aphor.25°. Ex.55.G
ex Euacuatione nimia an fiat singultus.8°.de cõp.me.se.lo.5ª.190.E
Euacuatio nimia parit in cute affectũ.in 6m.de mo.vul.c.3°.3ª.176.h
quæ Euacuationes plurimas operationes impediant. commentar.6°. aphor.47°. Ex.15.B
Euacuationes fortes morbos efficiunt.com.2°.aph.22°. Ex.15.B
ob Euacuationẽ fit imbecillitas.de vict.ra.in mor.ac.cõ.2°.7ª.123.G
Euacuationes quæ vires imbecillitat, quales sint.de vict.ra.in morbis acutis,com.2°. 7ª.123.H
Euacuatus humor qui sitim faciat,& qui nõ.c.4°.aph.19°. Ex.29.C
ab Euacuatione non posse fieri morbum aliqui existimarunt, qui reprehenduntur. com.2°.aph.22°. Ex.15.B
Euacuationes diuturnæ quæ vel ex ventris profluuio, vel intestinorũ lænitate,aut dysenteria, aut diuturnis vomitibus, aut tali alia cã proueniunt,siccitatem faciunt.1°.de diff febr. 2ª.34.D
ex Euacuatione semper sequitur attenuatio, nõ tamen semper laxatio.de ijs,quæ in me.fiunt.com.3°. 7ª.215.G
Euacuationes extenuãt corpora. com.2°.aph.28°. Ex.16.D
Euacuata quæ intẽta relaxentur.de ijs,quæ in me.fi.com.3°. 7ª.215.g
Euacuationes vsq; ad animi defectum intelliguntur tam in emissione sanguinis,quam in exhibendo pharmacum vt magis conuenit.cõ. 1°.aphor.22°. Ex.10.E
Euacuatiões vsq; ad animi defectũ p̃sunt multũ.c.1°.ap.23°. Ex.10.e
Euacuatio vsque ad animi defectũ q̃ quandoque fieri debet,& qñ.cõ. 1°.aphoris.23°. Ex.10.D
ex Euacuationibus magnis,animi defectus quo modo curetur.de art. cur.ad Glau.98.H/ 7ª.99.F
ex Euacuationibus magnis,dissolutiones curat vinum aqua temperatũ.1°.de arte cur.ad Glauc. 7ª.98.H
ex Euacuatione & p̃fluuio sanguinis suffocatio.1°.de die.de.4ª.146.f
ex Euacuatione quando moritur homo,quo modo humores euacuanť. 2°.de elementis. 1ª.9.F
Euacuato vno penitus humore, homo moritur.2°.de elemen. 1ª.9.F
ex Euacuatione qui periere.9°.met.med. 7ª.59.A
in quibus Euacuatur cum malo bonum.3°.de symp. cau. 3ª.26.G

Euacuetur si

Euacuetur si bonus humor quid sequitur.com.1°.aph.23°. Ex.10.D
si Euacuentur sani,cur exoluantur.com.2°.aph.23°. Ex.17.F
Euacuatio quomodo sistatur.prafig.exper.confer. Sp.78.C
in Euacuatione qñ aliquid relinqui ur quid agendum.ars me. If.70.g
Euacuatio in quibus morbis fiat cum errore prius sanguinis missione. de uict.rat.in morb.ac.com.4°. 7ª.137.B
Euacuatione non indiget febris cum uentris profluuio, aliter obest. de arte cu.ad Gla. 7ª.98.B
Euacuantia & non calefacientia quæ accipienda pro febre. 11ª.*meth. meden.* 7ª.69.G
Euacuationes quæ toto genere sunt præter naturam, tempestiue factæ non sunt præter naturam.de sym.diff. 3ª.13.G
Euacuationes quando tempestiue fiant.de sym.diff. 3ª.13.G
Euacuatio immodica ostendit futuram ægritudinem.ars med. Isa.67.F
Euacuatio diminuta ostendit futuram ægritudinem.ars med. Isa.67.F
Euacuato corpore Asclepiades pro remedio extentionum dabat uinum com.7°.aph.46°. Ex.57.H
post Euacuationem debet dari cremor. de uictus ratio. in mor.acutis, comm.1°. 7ª.113.F
Euacuatio contraria est multitudini,et non alicui morbo, vt phlegmonæ aut febri.de opt.sect. If.25.F
Euacuatio non sanat morbum ex repletione,ipsa amplius non existente.comm.2°.aph.22°. Ex.15.A
Euacuationem immodicam sanat immodica repletio. ars med. If.70.d
Euacuari & aggregari ut spiritus nihil potest. de trem. palp. conuulf. & rig. 3ª.52.D
Euacuatione qui affectus liberentur non est cuiuis medico promptũ cognoscere.contra Iulianum. Ex.71.F
Euacuationes ratione solum quandoque aliqua prodesse, collige.com. 6°.aph.16°. Ex.47.G
Euacuatione sanguinis curatur spasmus & hydrops. de venæ sect.aduers.Eras. 6ª.7.B
Euacuationem aliquam in causa esse posse, vt æger quiescat, collige. com.2°.aph.27°. Ex.16.B
ab Euacuatiõe corrigũtur cibi superflui recẽter assumpti.ars me. If.70.d
ab Euacuatiõe corrigunt pot⁹ superflui recẽter assumpti.ars me. If.70.d
Euacuatio superflui iuuat.com.4°.aph.2°. Ex.27.C
Euacuatione dolor soluitur.de uict.ra.in morb.ac.com.1°. 7ª.114.A
Euacuatur copiosius in quartana,quam in pituitosa febre.2°.de differen.feb. 3ª.37.C
Euacuantia,& dissoluentia.1°.de arte cur.ad Glau. 7ª.100.A
Euacuantes debemus etiam diuertere.com.5°.aph.68°. Ex.45.D
de Euacuatione indicant tumores omnes.14°.meth.med. 7ª.87.C
non Euacuationis, sed reuulsionis gratia uenæ nos quandoq; sectionẽ facere.in 1ᵐ.prorrh.com.3°. 4ª.186.F
pro Euacuatione quæ consideranda in inflammatione.2°.de art.curat. ad Glauc. 7ª.101.F
ante Euacuationem in inflammationis principio adstringentia & refrigerantia.de sectis. Isa.18.D
ab Euacuatione principium curationis in phlegmone. de curan.rat. per sang.mi ß. 6ª.18.A
Euacuatur & reuellitur inflammatio incipiens inueterata ex affectis partibus uel uicinis.de curan.rat.per sang.miss. 6ª.20.H
Euacuatio fieri non debet in fluxionibus,sed corporis roboratio. de curan.rat.per sang.miss. 6ª.18.A
Euacuatio facta per particulam quæ fluxionem suscipit,est eiusdem generis cum deriuatione.de cucur.scar. 6ª.4.E
Euacuandæ quo modo fluxiones omnes.5°.met.med. 7ª.30.E
Euacuandum,aut per uicina trahendum fluxione consistente.4°.meth. meden. 7ª.28.C
Euacuanda aut per partem,aut per uicina fluxio incipiens.4°.metho. medendi. 7ª.28.E
Euacuandum semper primo est corpus.1°.de com.me.se.lo. 5ª.128.D
Euacuãdum primo caput corpusq; ante, quam aliquid oculis adhibeamus.4°.de com.me.se.lo. 5ª.149.E
Euacuatio totius corporis primum debet præcedere in curatione inflãmationis oculorum.com.6°.aph.31°. Ex.49.D
Euacuatio totius debet præcedere.2°.de com.me.se.lo. 5ª.137.C
Euacuari statĩ debet pars ĩflãmata.de uict.ra.in m.ac.c.2°. 7ª.117.G
Euacuando non est phlegmone in principio.de dy. Sp.20.D
ante Euacuationem obsunt fomẽta calida. in 6ᵐ. de morbis vulgarib. comment.2°. 3ª.165.G

añ Euacuationem non debent applicari acria medicamenta, aliter faciunt fluxionẽ,& inflãmationẽ.de curan.rat.per sang.mi. 6ª.20.d
Euacuatio cur debet præcedere applicationes attrahentium.8°.met. medendi. 7ª.52.F
Euacuatio & reuulsio fiat in principijs.de cur.rat.per sa.mi. 6ª.20.f
Euacuandum in processu a partibus propinquis. de curan. ratione per sang.miss. 6ª.20.G
post Euacuationem in inflammatione laxantia. de sectis. If.18.D
ab Euacuatione principium curationis in podagra,ischia,& arthriti-de.10°.de comp.me.secun.loc. 5ª.207.A
Euacuatio per patientem locum quando fieri debet.ars med. If.70.G
Euacuatio per patientem locum quibus indigeat. ars med. If.70.A
Euacuare & partes euacuatas roborare quibus conueniat.7°.de sim. med.facul. 5ª.50.F
Euacuatorum robur fit adstringentibus.7°.de sim.med.fa. 5ª.50.G
Euacuatione indigemus in scirrho.5°.de simp.med.fac. 5ª.33.E
Euacuare & non prohibere ne iterum fiat, est error medicorum. de præcog. ad Posth. 4ª.217.G
ad Euacuandos humores quid prodest.8°.de com.med.se.lo. 5ª.191.C
Euacuat acrimonia cum dulcedine.7°.de simp.med.fa. 5ª.50.F
Euacuantia omnia sunt calida.1°.de comp.med.se.lo. 5ª.121.H
Euacuat rhu siccum cum melle.3°.de sim.me.fa. 5ª.20.A
Euacuatio scybalorum. de cathar. Sp.95.D
Euacuatio,lege Purgatio,Purgari,Medicatio,Medicari.
EVADENS *dictum electarium.de med. exper.* Sp.108.E
EVANESCENTIA *sine ratione praua in.1ᵐ.prorrhetici. commentario 3°.* 4ª.179.B
EVAPHION *medicamentũ a lenitudine.9°.de cõp.me.se.l.* 5ª.205.C
EVAPORANTES *vires habet laurus. de simp. med.* Sp.85.H
Euaporantes vires habet mastix. de simp.med. Sp.87.D
Euaporantes vires habet origanum. de simp. med. Sp.88.F
Euaporãte aliquo vti nõ debemus ante euacuationẽ.13°.m.m.7ª.86.c
Euaporante aqua vinum suspẽsum ad ignẽ in vtribus indurescit in modum salis.de vtil.resp. Sp.64.F
ad Euaporationis ignis restaurationem ignitur aer influens per poros cineris.de vtil.resp. Sp.64.A
Euaporatione maior est attractio in parte calida.de vic.ra.in mor.acutis, com.2°. 7ª.116.C
Euaporatione ignearum partium ex aere fit aqua.de vir.nost.S.60.b
EVASORIVS *morbus, qui fin.med.* If.45.C
EVBERBERIS, id est costi. secretorum. Sp.102.H
in EVBOEÆ *chalcide locus maris strictus.in 6ᵐ.de mor.vulgaribus, commen.3°.* 3ª.140.H
EVBVLI *fuscum.6°.de com.med.per ge.* 5ª.259.C
EVCLIDIS *scietia qualis. de cuiusq; ani.pec. not.atq; med.* 2ª.56.C
Euclides in libro elementorum.ad eos,qui de typ.scripf. 3ª.94.G
Euclidis propositio.de cuiusq; animi pec.not.atque med. 2ª.56.C
de Euclidis theoremate.8°.de decr.Hip. 1ª.273.E
Euclidis Palatiani theriaca ad dolores internos.2°.de anti. 5ª.116.B
EVCRATON *quando sit.* 1°.*de tem.* 1ª.14.E
Eucrasia quid significet.2°.met.med. 7ª.12.F
Eucrasia,& discrasia sensu iudicantur. 1°.*de sa.tu.* 2ª.64.B
Eucrasia duplex,& quo modo subdiuidatur.1°.de sa.tu. 2ª.64.D
Εὐχρησία *quid.17°.de vsu par.* 1ª.221.C
EVCHROVM *medicamentum.4°.de comp.med.se.lo.* 5ª.153.G
Euchrum emplastrum ad lichenas.5°.de comp.med sec.lo. 5ª.162.A
EVCHYMA *bonũ succũ habentia appellãtur.6°.de sa.tu.* 2ª.97.H
Εὔχυμα *dicuntur quæ boni sunt succi.2°.de sim.med.fac.* 5ª.12.G
Euchyma quæ sint.1°.de simp.med.fa. 5ª.12.G
Euchymiæ melius est vinũ odoriferũ,nisi pcutiat caput.de vr.S.76.G
EVDEMVS qua ætate viguit.com.6°.aph.1°. Ex.46.C
Eudemus instaurauit anatomen amissam.8°.de dec.Hip. 1ª.273.B
Eudemus versatus est in anatomia.de nat.hum. com.2°. 7ª.183.D
Eudemus & Herophilus post Hippocratẽ de neruorũ anatomia scripsere.3°.de loc.af. 4ª.21.C
Eudemi senioris pastillus.9°.de comp.me.se.lo. 5ª.203.B
Eudemi casus. de præcog. ad Posth. 4ª.214.C
Eudemus habuit tres quartanas. in 1ᵐ.de mor.vul.com.3°. 3ª.120.F
Eudemus philosophus bilios,us,tamen bilem non euomebat.2°.de tẽperamentis. 1ª.20.G
Eudemus philosophus bilem flauam deijciebat.de vict.rat.in morbis acutis, com.2°. 7ª.120.D

Εὐδιαπνεύστους quos vocant Græci. 6°. de san. tu. 2ª.97.C
EVECTICE, id est boni habitus seruatrix. ad Thras. 2ª.106.E
Euectica pars medicinæ pars salubris est. de subfig. empi. Isa. 32. A/ad Thrasy. 2ª.106.E/de part. artis med. 16.D/ Sp.17.E
Euectice magis parua castigat. ad Thra. 2ª.106.E
Εὐελκής. de vict. rat. in mor. acutis, com. 2°. 7ª.124.E
EVELLERE floccos & festucas quid. in 1ᵐ. pror. com. 1°. 4ª.167.A
EVENI ad flõi subuersiones dolores q3. 8°. de comp. me. se. lo. 5ª.192.G
ab EVENTIS vinculorum nomen. de fascijs. 7ª.293.H
EVERGETIS Ptolemæi liber epidemiorum. in 3ᵐ. de morb. vulgarib. commen. 2°. 3ª.136.F
EVERTI ostendit omnem quæ est ad id quod præter naturam euersionem rectitudinis vertebrarum. com. 4°. aph. 35°. Ex.31.F
EVGENII pharmacum. 7°. de comp. me. se. lo. 5ª.87.A
EVIDENTIA quo euidentia sint. de cu. animi. pec. no. 2ª.59.D
Euidentes res sensui aliæ p se ĩnotescũt, aliæ nõ p se. de opt. sect. Is. 19.g Is.52.B
Euidentes causæ quæ. intro.
Euidentibus standum vbi causa non reperitur. 2°. de mot. mu. 1ª.314.b
Euidentissimum etiam, secundum Carneadem non est credendum. de optimo docendi genere. Isa.30.E
Euidentia negare idem, quod fateri nõ videri. de trem. pal. cõ. 3ª.55.c
Euidentibus fidem abrogans sensus est expers. de mot. mus. 1ª.314.H
aduersus Euidentia pugnare est maxĩa vituperatio. adue. em. Is. 35.C
Euidentibus contraria statuenti quis credat de rebus obscuris. aduersus emp. med. Is.35.D
Euidentẽ hẽt motũ primus articulus magni digiti. 1°. ḍ mu. di. 1ª.49.d
Euidenter vehementerq3 coxendicis dearticulationem mouens musculus. de mus. disse. 1ª.51.D
EVIRATOC qñ se fateañ esse Scythæ. de aere, aquis, & lo. 2ª.5.H
EVISCERATI qui. 3°. de decr. Hipp. 1ª.243.F/H
Εὐύπθεις. de vict. ra. in mor. ac. c. 2°. 122.D/de frac. com. 3°. 7ª.248.E
Εὔυπνοι. de vict. rat. in morb. acutis, com. 2°. 7ª.124.E
Εὐυπόθεστατα. de fract. com. 3°. 7ª.248.E
Εὐυπόθεσται quid significet. in 1ᵐ. pror. com. 3°. 4ª.179.F
EVNOMVS Asclepiades. 5°. de comp. me. per ge. 5ª.253.H
vt Eunomus confectum. 5°. de comp. me. per ge. 5ª.254.A
Eunomus. 5°. de comp. me. per ge. 5ª.254.A
EVNVCHI plurimi Scythæ de aere, aquis, & locis. 2ª.5.G
Eunuchos sectio testiculorũ sĩles facit fœminis. c. 6°. ap. 28°. E.48.H
Eunuchi hũidi sũt. 9°. de sim. me. f. 5ª.69.F/cõ. 6°. aph. 28°. Ex.48.G
Eunuchi molles. 4°. de comp. me. per ge. 5ª.236.F
Eunuchi humidi & molles. 6°. de comp. me. se. lo. 5ª.176.F
Eunuchi & mulieres habent similem pueris cuticulam mollem. 1°. de compo. med. sec. loc. 5ª.123.B
Eunuchis capitis cutis humida. in 6ᵐ. de mor. vul. com. 3°. 3ª.170.A
Eunuchi casus in polypo, qui nihil poterat ferre, & rosis sanatus est. 3°. de comp. me. se. lo. 5ª.148.F
in Eunuchis vehemens refrigeratio non est inducẽda. 2°. de comp. me. secun. loc. 5ª.132.E
Eunuchi neq; podagrã patiunt, neq; calui fiũt. c. 6°. ap. 28°. Ex.48.H
Eunuchi tempore Hippocratis non patiebantur podagram propter vitæ moderantiam, sed nunc propter ocium immodicum, & victũ intẽperatum patiuntur. com. 6°. aph. 28°. Ex.49.A
Eunuchos vidit podagra laborantes Gal. cõ. 6°. aph. 30°. Ex.49.C
℔ Eunuchis vtimur metallicis elotis. 4°. de cõp. me. per ge. 5ª.236.B
Eunuchis cadmia confert. 9°. de simp. me. fac. 5ª.69.F
Eunuchis qñ satis ẽ butyrã in parotidibus. 3°. de cõ. me. se. l. 5ª.146.b
ad Eunuchos emplastrum commodũ. 2°. de comp. me. per g. 5ª.223.a
EVOCANTIA ex alto pharmaca. 1°. de cõp. me. se. lo. 5ª.124.e
Εὔοχον quid significet. de artic. com. 3°. 7ª.268.D
EVOMERE quædam quid sit. 3°. de dec. Hipp. 1ª.244.G
Euomunt & implentur in canina appetentia. 6°. de loc. affe. 4ª.37.H
Euomantur quæ biles. in 6ᵐ. de mor. vul. com. 4°. 3ª.180.B
Euomebat flauã bilẽ Paulus rhetor. de vic. ra. in mo. a. c. 2°. 7ª.120.d
ex Euomentibus stercus nulli sanantur. 6°. de loc. aff. 4ª.37.A
Euomatur stercus in quibus doloribus. 6°. de loc. aff. 4ª.37.A
EVPATORIVM quid sit. de simp. med. Sp.80.D
Eupatorium incidit & extergit citra caliditatem manifestam. 6°. de simp. med. fac. 5ª.47.F
Eupatoriũ obstructiones iecoris expurgat. 6°. de simp. me. fa. 5ª.47.F
Eupatorium diureticum valde. de simp. med. Sp.80.D
Eupatorium contra venena. de simp. med. Sp.80.D
Eupatorium exponit pro saluia agresti. de dy. Sp.28.E
Eupatorium dictum pentaphyllum. 5°. de comp. me. se. lo. 5ª.163.B
Eupatoria herba iecur male affectum plerunq; valde confirmauit. de theria. ad Piso. 5ª.91.A
vt Eupatoriũ iecori, ita lieni scolopẽdriũ cõuenit. 13°. me. m. 7ª.84.F
EVPATORIS diascinci nominata antidotus Mithridatis. 2°. de antidotis. 5ª.115.C
Eupatorios theriaca. 6°. de comp. me. per ge. 5ª.259.B
EVPHORBIVM quid sit. 9°. de comp. med. sec. lo. 5ª.201.D/ de simp. medic. Sp.83.F
Euphorbiũ quid sit vr ignorare Gal. 3°. de comp. me. per ge. 5ª.228.e
Euphorbiũ in occiduis nascit regionibus. 3°. de cõ. me. per g. 5ª.228.e
de Euphorbio libellus Iubæ Regi Mauruſiorum inscriptus. de cõpo. med. secun. loc. 5ª.201.D
Euphorbium quo modo colore cognoscit. 3°. de cõ. me. per g. 5ª.233.A
Euphorbij color qualis esse debet. 3°. de comp. me. per gen. 5ª.230.B
Euphorbium Athlanticum. 7°. de comp. me. per ge. 5ª.274.G
Euphorbij vis qũo cognoscatur. 3°. de comp. me. per ge. 5ª.233.A
Euphorbium quale sit. de ocul. 7ª.188.G
Euphorbium quale gustu. 3°. de comp. me. per gen. 5ª.233.A
Euphorbium calidum. 3°. de tempe. 1ª.21.G
Euphorbij liquor calidus ẽ, et tenuiũ partiũ. 3°. de cõ. me. p g. 5ª.228.d
Euphorbiũ acre ẽ. 9°. de sim. me. f. 64.C/4°. de cõp. me. se. lo. 5ª.149.F
Euphorbiũ ẽ acutissimũ, & nimis igneum, & biliosum. de dy. S.22.B
Euphorbium causticum est. 6°. de simp. me. fa. 5ª.47.G
Euphorbium fortiter calfacit. 1°. de comp. me. se. lo. 5ª.122.B
Euphorbium caducum habet calorem. 3°. de com. me. per ge. 5ª.230.b
Euphorbiũ vetus, & recẽs qũo differant. 3°. de cõp. me. p g. 5ª.233.A
Euphorbium antiquum & nouum, quale. 3°. de cõp. me. p g. 5ª.230.B
Euphorbij ętas. 1°. de cõp. me. se. l. 122.B/3°. de cõ. me. per g. 5ª.230.b
Euphorbium trahit a profundo sine morsu. 6°. met. med. 7ª.37.D
Euphorbium educit phlegma. de cathar. Sp.94.F
Euphorbium pituitam maxime aquosam educit. de dyn. Sp.22.B
Euphorbio miscenda. de dyn. Sp.22.B
Euphorbium temperauit Gal. 1°. de simp. me. fa. 5ª.7.G
Euphorbium hydropicis maxime datur & colicis omnibus qui frigidi sunt. de simp. med. Sp.83.F
Euphorbium purgat nares. de cathar. Sp.95.B
Euphorbij dosis. de dyn. Sp.22.B
Euphorbium ventres cholericos turbat, & sitim grauem facit. de simpli. med. Sp.83.F
Euphorbiũ aduersat ouiũ vẽtribus, & quare. 9°. ḍ cõ. me. s. l. 5ª.201.d
Euphorbio offendit sanguinis reiectatio. 7°. de cõp. me. se. l. 5ª.183.A
Euphorbium oculis conuenit. de ocul. 7ª.188.G
Euphorbium maturatiuum est. de ocul. 7ª.189.C
Euphorbium quo loco reponatur inter calida quę valẽt ad alopecias. de comp. me. se. lo. 5ª.122.D
Euphorbium calidissimum ex ijs, quæ ad alopecias valent. 1°. de cõp. med. sec. loc. 5ª.122.D
Euphorbium pro doloribus. in 6ᵐ. de mor. vul. com. 6°. 3ª.196.B
Euphorbium subito sanat a dolore capitis frigido, & qnomodo. 2°. de comp. med. sec. loc. 5ª.140.D
Euphorbium pro capitis dolore ex frigore. de rem par. fac. 7ª.153.F
Euphorbium cum oleo, & cera pro genu patiente ex frigore & dolente. 3°. de comp. me. per ge. 5ª.229.B
Euphorbij cum oleo mixtio qualis. 1°. de comp. me. se. lo. 5ª.122.B
Euphorbiũ qua quãtitate cerę miscendũ. 3°. de cõ. me. per g. 5ª.230.b
Euphorbiũ palpitationis remediũ. de trem. palp. cõuul. et rig. 3ª.52.g
Euphorbium conuenit paralysi. 6°. de san. tu. 2ª.99.F
Euphorbio sanañ neruus, & tẽdo punctĩ. 3°. de cõ. me. per g. 5ª.233.b
Euphorbiũ ad neruos detectos. 3°. de comp. me. per gen. 5ª.229.D
Euphorbium in vulnere neruorum. 3°. de comp. me. per ge. 5ª.230.A
ex Euphorbio, cera, resina fricta, pice emplastrum Galeni pro neruis vulneratis. 6°. met. med. 7ª.37.F
ex Euphorbio medicamentum. 3°. de comp. med. per g. 5ª.233.A/ 6°. met. medendi. 7ª.37.H
ex Euphorbio acopon barbaricum. 7°. de comp. me. per ge. 5ª.272.B
ex Euphorbio in medicamentis compositis regula. 1°. de compositione med. sec. loc. 5ª.122.C
EVPHRANOSIS emplastrum. 2°. de comp. me. per ge. 5ª.224.C
EVPOLIDIS secundus Autolicus. de vic. ra. in mor. ac. c. 1°. 7ª.108.G
Εὐπορία quid. de ijs, quæ in med. fi. com. 2°. 7ª.205.C

EVRYPHON *antiquus scriptor anatomiæ.de na.hu.c.2°.* 7ª.183.F
Euryphonti sunt attributæ Cnidiæ sententiæ.in 1ᵐ.de morbis vulgaribus.com.1°. 3ª.159.F
Euryphon,Dioscorides,& Philistion, de substitutis medicinis scripsere.de subst.med. 5ª.84.B
Euryphon de medicamentis locutus est.6°.de simp.me.fa. 5ª.39.H
Euryphon lac muliebre celebrauit.de bon.& vit.suc. 2ª.36.A
EVRIPIDIS *libri quanti pigneratí.in 3ᵐ.de morbis vulgaribus,commentario,2°.* 3ª.137.A
EVRIPVS *in quamlibet partem fluit.4°.de decr.Hip.* 1ª.250.G
EVROPAE,& Asiæ terminus, qui.de aere,aq.& lo. 2ª.4.E
Europæ & Asiæ differentia ex terræ nascentibus & hominibus.de aere,aquis,& locis. 2ª.4.E
Europa minus præstans Asia ad hominum naturas, & ad illa quæ fert terra.q animi mores. 1ª.319.H
Europæi quales.q animi mores. 1ª.319.H
Europæi cur magis distincti forma Asianis.de aere, aq.& lo. 2ª.6.B
in Europa apud Maxotin Scythę de aere,aq.& lo. 2ª.5.C
Europæi magis magnanimi Asianis.de aere,aq.& lo. 2ª.6.C
*in Europæis feritas,ĩtegritas,audacia à natura.de ae.aq.et lo.*2ª.6.b
*Europæi magis bellicosi asianis,q aĩmo.319.H/de ae.aq.et lo.*2ª.6.c
Europæis cur timidiores Asiani.de aere,aq.& lo. 2ª.5.A
EVRVS *ventus ab ortu.5°.meth.me.* 7ª.34.G
EVRYTHMVS *pulsus qui sit.1°.de differ.pul.* 4ª.48.G/*compendium pulsuum.* Sp.65.H
EVRYANACTIS *filiæ casus.in 3ᵐ.de mor.vul.com.2°.* 3ª.135.F
Εὔσαρκοι *qui dicantur.1°.de sa.tu.* 2ª.64.E
*Eusarcos.i.hõ quadratus,medius est in hoĩum gñe.1°.de temp.*1ª.12.H
EVSCHEMO *spadoni inscripta colica.9°.de compositione medicamentorum sec.lo.* 5ª.202.H
EVSTOMACHA *quæ.de dy.* Sp.18.G
Eustomachicum est aloe supra omnia.de dyn. Sp.20.H
Eustomacha aristolochia rotunda.de dyn. Sp.21.G
Eustomachis dandum scammonium.de dy. Sp.20.II
EVSTREPHES *.i.bene retorta,tunica testiculorum.de natu.& ord.cuiuslibet.corp.* Sp.24.B
EVTHYPOROS. *6°.meth.med.* 7ª.41.H
Εὔτονον,*ideſt valens.2°.de sa.tu.* 2ª.74.C
Εὔτρεπτοι. *de vict.rat.in mor.acu.com.2°.* 7ª.122.D
EVTROPHIA *nutritio & refectio.3°.de sa.tu.* 2ª.80.B

EXACERBARI *cum fastidio,malũ.in 1ᵐ. pror.cõ.2°.* 4ª.175.A
Exacerbatio per circuitum quo modo fiat in auribus, oculis, & pedib.de diff.feb. 3ª.41.H
EXACTE *tale qũo intelligendum sit.4°.de simp.me.fa.* 5ª.31.B
EXANGVE *omne frigidum est.com.5°.aph.40°.* Ex.41.D
Exangue omne frigidius habente sanguinem.2°.de temp. 1ª.17.H
*Exãgúia aĩalia cur bñt multas tibias & paruas.3°.d vsu p.*1ª.128.C
Exangue nullum animal calidum.de fœt.for. 1ª.323.F
*Exanguia animalia,frigida,imbecilla,pigra.3°.de vsu par.*1ª.128.B
Exanguia timidiora sanguineis.q animi mor. 1ª.319.A
Exanguibus non est medicamentum ex bibendo. de victus ratione in morb.acut.com.4°. 7ª.149.E
Exangues partes albæ non ita facile creantur.de fœt.for. 1ª.322.F
Exanguia corpora similaria.in 6ᵐ.de mor.vul.com.1°. 3ª.153.A
Exanguia membra,quæ.2°.de na.fa. 1ª.297.E
Exanguia,alba,& foraminibus carentia sunt neruus,copula,tendo. de decr.Hip.& Plat. 1ª.233.G
de EXHANTHEMATIBVS. *5°.de comp.med.se.lo.* 5ª.160.A
Exanthemata,quæ.5°.met.med. 7ª.35.B
cum Exãthematibus si fuerit lassitudo, facile cognoscitur humor peccans.4°.de san.tuen. 2ª.83.F
*Exanthematibus si quis laboret,vtimur cathareticis.de dy.*Sp.20.E
*Exanthemata extergit balanus myrepsica.6°.de sim.me.fa.*5ª.44.E
*Exanthemata omnia curat cyclaminis radix.7°.de sim.me.fa.*5ª.53.F
Exanthemata iuuat lupinus.6°.de simp.me.fa. 5ª.48.D
ad Exanthemata.5°.de comp.me.per ge. 5ª.251.E
Exanthemata genarum de rem.par.fa. 7ª.157.C
Ἐξάρθρημα *vnde habeat nomen.2°.meth.me.* 7ª.9.E
EXARTICVLATIO *quid.fin.med.* Isa.50.C
Exarticulatio idem quod luxatio.de fract.com.1°. 7ª.223.E
Exarticulatio instrumentariorum ægritudo.de diff.mor. 3ª.5.G
Exarticulati,qui. de art.com.1°. 7ª.257.G
ad Exarticulata quæ conferant.8°.de comp.me.se.lo. 5ª.193.A
EXAPESRENTVR *q̃ sensibiliter.in 6ᵐ.de mor.vul.cõ.2°.* 3ª.160.H
Exasperant,quæ.de vict.ra.in mor.acu.com.1°. 7ª.111.E
Exasperant & dolorem concitant metallica & acetum.3°.de compo. med.per gene. 5ª.232.G
Exasperatæ partes leniuntur,& quo modo.ars med. Isa.70.E
Exasperata lenit dulcis radix dicta glycyrizæ.6°. de comp. medicamen.sec.locos. 5ª.69.H
Exasperata mitigant glycyrizæ succus & tragacantha.7°. de comp. med.secun.loc. 5ª.178.G
Exasperationibus circa superficiẽ vtilis elleborus niger.d dy.S.21.A
EXCALFACERE *corpora in augmento lunæ periculosum. de decub.prog.ex math.scientia.* Sp.15.H
Excalfacti habent pulsum & respirationem celeriorem, frequentiorem & maiorem.de vsu pul. 1ª.227.F
Excalfacere potest Bdelium in instanti.de simp.med. Sp.81.C
Excalfaciens est & acris Calamus aromaticus.de sim.med. Sp.82.G
Excalfactorium,& acre est Cinnamum.de simp.me. Sp.83.A
*Excalfactorias & acres vires habet oĩ Daucum.de sim.me.*Sp.83.E
Excalfacit Dictamum cum amaritudine.de simp.me. Sp.83.D
Excalfacit & attenuat terulę semen.8°.de simp.me.fa. 5ª.56.H
Excalfactorias vires habet Gentiana.de simp.med. Sp.84.H
Excalfacit viscide Iris.de simp.med.85.D/ Sp.92.C
Excalfacit leniter iris.de simp.med.85.D/ Sp.62.C
Excalfactorias vires habet Iuniperum.de simp.me. Sp.85.E
Excalfactorias vires habet Ladanum.de simp.med. Sp.86.D
Excalfacit Laser magnis vexationibus.de simp.med. Sp.85.G
Excalfactorium est Libysticum.de simp.med. Sp.85.H
Excalfactoria est omnis Myrrha.de simp.med. Sp.87.B
Excalfacit viscide Nascaphtum.de simp.me. Sp.88.A
*Excalfactorijs in antidotis ponitur nascaphtum.de sim.me.*Sp.88.A
Excalfactoria gustu sunt folia Nepitæ.de simp.me. Sp.87.H
Excalfacientes acriter vires Ocimum habet.de simp.me. Sp.88.E
Excalfactorias vires habet Oleum.de simp.me. Sp.88.D
Excalfactorias vehementer vires habet Oliuæ lachryma.de simplicibus medicaminibus. Sp.83.F
Excalfacit viscide Opobalsamum.de simp.me. Sp.88.C
Excalfactorias vires habet Origanum.de simp.me. Sp.88.F
Excalfactorias vires habet Pastinaca de simp.me. Sp.89.B
Excalfacit ad gustum Peucedanum.de simp.me. Sp.89.B
Excalfactorias vires habet Phu.de simp.me. Sp.84.E
Excalfacit Piper omne.de simp.me. Sp.88.F
Excalfacit vehementer Pyrethrum.de simp.me. Sp.88.H
Excalfactoria est Sampsuccus.de simp.med. Sp.90.G
Excalfactorias vires habet Sauina.de simp.me. Sp.85.C
*Excalfacit & expurgat viscera Scordion.8°.de simp.me.fa.*5ª.60.b
Excalfacientes vires habet Scilla.de simp.me. Sp.90.H
Excalfacit viroſe,& acriter Silphij radix.de simp.me. Sp.90.D
Excalfactorium est Sisymbrium.de simp.me. Sp.91.B
Excalfactorium est Sium.de simp.me. Sp.91.D
Excalfacit leniter Thus.de simp.med. Sp.91.D
Excalfactorias vires Thymus habet.de simp.me. Sp.91.G
Excalfacit Veratrum.de simp.me. Sp.91.H
Excalfacit & incidit Volucrum maius.8°.de simp.me.fa. 5ª.58.B
Excalfactoria & quæ tenuium sunt partium dentes perforatos iuuant.8°.de simp.me.fa. 5ª.58.D
EXCANDESCENTIA *animi ægritudo. de cognos. curandique animi morbis.* 2ª.52.E
in Excandescentia quæ contingant.2°.de decr.Hip. 1ª.239.G
EXCAVATIO *in spina lordosis dicta.4°.de lo.aff.* 4ª.23.H
p Excauationem nemo fit paralyticus.4°.de lo.aff. 4ª.24.A
EXCEDERE *nihil debet in aliqua particula.3°.de symp.cau.*3ª.29.D
EXCEPTIONES *membrorum considerandæ.in 6ᵐ.de morbis vulgaribus,com.2°.* 3ª.165.D
Exceptio ex liene in iĕcore periculosa,ẽ contrario,non.in 6ᵐ.de morbis vulg.com.2°. 3ª.165.E
EXCEREBRATI *qui.3°.de decr.Hip.* 1ª.243.H
EXCERNERE *cur fumus coacti.1°.de sa.tu.* 2ª.67.E
Excernuntur superuacua quibus causis.3°.de symp.cau. 3ª.27.H
Excernat quid per pulsus vis vitalis.4°.de præsag.ex pul. 4ª.122.B
Excernit vis vitalis.4°.de præsag.ex pul. 4ª.122.B

in quibus

in quibus Excernit natura aliquid violentius eo transmittit sanguinẽ & sputum, quibus duobus veluti instrumẽtis natura vtens ea quæ infestant per vim expellit. com. 5°. aph. 53°. Ex. 42. D

Excernendi instrumenta cur. 1°. de sa. tu. 2ª. 62. H

Excernere non est officium intestinorum, neque est à voluntate, & quale. 6°. de loc. aff. 4ª. 38. E

ad Excernendum concurrunt instrumenta voluntaria & naturæ. 2°. de motu mus. 1ª. 316. A

in Excernendo qui musculi magis agant. 2°. de mo. mu. 1ª. 316. A

Excernere volentes ne teneant larynga apertum nec trahant spiritũ. 5°. de vsu par. 1ª. 147. C

Excernuntur varia in nostro corpore. 1°. de sa. tu. 2ª. 67. F

Excernit ventriculus quandoq; ante coctiones. 2°. de die. dec. 4ª. 158. e

Excernit qñ vẽtriculus in naturali habitu exñs. 3°. de die. de. 4ª. 158. E

Excernere fæces. de venæ sect. aduer. Eras. 6ª. 7. C

Excernendi cupiditas naturalis in coitu ostendit debere excerni. 6°. de loc. aff. 4ª. 39. H

cur Excernitur quandoq; dormiendo. de mo. ma. & ob. Sp. 68. G

ad Excernendum humor stimulat. 1°. de alim. fa. 2ª. 7. G

ad Excernendũ excitat acris & nitrosa qualitas. 2°. de al. fa. 2ª. 23. C

cur Excernere non possumus spirante aquilone. c. 3°. aph. 5°. Ex. 20. D

Excernũtur quæ ĩmodice, sunt symptomata cõi noĩe. 2°. me. m. 7ª. 9. H

quod Excernitur non est affectus. 2°. met. me. 7ª. 9. H

Excerni non possunt praua à virtute imbecilla, neque discerni neque concoqui. com. 4°. aph. 23°. Ex. 19. H

Excernere bñ, ćt si mala sint excremẽta bonũ. cõ. 7°. ap. 65°. Ex. 60. E

Excernere tempestiue naturæ officium. 6°. de lo. aff. 4ª. 41. G

Excernere aliquid in cruditatibus vnicũ remediũ. 1°. de ali. fa. 2ª. 11. B

Excernẽtes ĩuite pueri, musćlo circa sedẽ affecto, casus. 1°. d̃ l. a. 4ª. 7. h

Excernentis senis inuite casus. 1°. de lo. aff. 4ª. 7. H

EXCESSVS *dispositionũ, quæ nõ sunt natura, sunt præter naturam, & læsio actionis est earum terminus. de tumor. præt. na.* 3ª. 82. G

Excessus in membris quid faciat. 2°. de vsu par. 1ª. 120. D

Excessus corrumpit temperaturam. 8°. de dec. Hip. 1ª. 274. E

Excessus paruos obseruare & diuidere in minima spectat ad prudentem virum. 2°. de diff. pul. 4ª. 57. F

ab Excessibus cauendum ne quid nimis. de cauſ. procat. 3ª. 99. H

Excessus omnis fugiendus, sed cur potissimum caloris & humoris capitis. 1°. de sa. tu. 2ª. 66. F

Excessus vires dissoluunt. de consue. 2ª. 61. G

Exceſsũ ĩ raritate ac dẽsitate cutis nõ obtinuisse, bonũ. 1°. d̃ s. t. 2ª. 66. F

Excessus omnis contrario excessu emendatur. 5°. de sa. tu. 2ª. 89. B

Excessus cũ corrigit ne fiat error, quid agẽdũ. 5°. de sa. tu. 2ª. 89. B

EXCIDANTVR *quæ in affectibus. 14°. met. me.* 7ª. 90. F

Excidere inimicũ corpori toto gñe. in 6ᵐ. de mor. vul. cõ. 2°. 3ª. 161. B

Excidantur quibus partes à corpore. 6°. de comp. me. per g. 5ª. 255. D

EXCIDENTIÆ *quid sint. de us quę in med. fi. com. 3°.* 7ª. 219. G

EXCISIO *species diuisionis chirurgię. intro.* Isa. 59. E

Excisio est manifesta. 4°. meth. me. 7ª. 23. B

Excisio in quibus locis fiat. introd. Isa. 59. E

Excidenda quę. 14°. met. me. 7ª. 90. G

Excidẽda mẽbra tertio aut quarto post die. d̃ ijs q̃ ĩ me. fi. c. 1°. 7ª. 201. a

Excisoria cana scalpra. 6°. met. me. 7ª. 42. A

Excitans virtutes naturales medicamentum et præcipue digestiuam. secretorum. Sp. 101. G

quid Excitet appetitum. secretorum. Sp. 101. F

Excitare à cataphora, id est inclinatione in somnum, potest cucurbitula. de cucurb. scar. 6ª. 3. F

Excitationes turbulẽte in somno qd significẽt. ĩ 1ᵐ. pro. c. 3°. 4ᵉ. 182. B

ab EXCLAMATIONE *vehemẽti vox lædit. 4°. de loc. aff.* 4ª. 26. C

Exclamatio facit affectũ similẽ inflammationi. 4°. de lo. aff. 4ª. 26. C

EXCOGITATIO *opus est à capite per se dependens. de vir. nostrum corp. dispen.* Sp. 60. C

EXCOLANS *emplastrum. 6°. de comp. me. per ge.* 5ª. 256. D

Excolando conglutinans. 6°. de comp. me. per ge. 5ª. 256. H

EXCORIARIA *vocatur rhus. 8°. de simp. me. fa.* 5ª. 59. H

EXCORIATIO *quid. 3°. de ana. adm.* 1ª. 76. B

Excoriatio διάρσις. 3°. de ana. adm. 1ª. 74. B

Excoriãda, & secãda simia debet in aqua suffocari. de mu. dis. 1ª. 55. d

Excoriare simiam cuilibet non est concedendum, ne musculos laceret. de muscu. diss. 1ª. 44. D

Excoriantes male aĩal ignorarũt musculum latũ. de mu. diff. 1ª. 44. E

ob Excoriationem malam qui musculus amittitur. de mu. dis. 1ª. 47. d

Excoriatorium Proteus dictum. 5°. de comp. me. se. lo. 5ª. 162. B

EXCORS *rem intelligit actam. in ora. suaso.* Isa. 2. F

EXCREARE *facientia eandem proportionem habent ciborum & medicamentorum. 5°. de simp. me. fa.* 5ª. 38. C

Excreantibus pinguia phlegmagoga damus. de dy. Sp. 21. C

Excreantibus sanguinem mire proficit corallus. de simp. me. Sp. 83. C

Excreantibus sanguinem myrta remedium est. de simp. me. Sp. 87. E

Excreantibus sanguinem vtiliter datur succus plantaginis. de simpli. medicaminibus. Sp. 89. A

Excreationibus pectoris valenter conducit radix crocodilij. 7°. de simpli. med. fa. 5ª. 53. C

Excreationibus ex pectore & pulmone, idonea est faba. 7°. de simpl. med. fac. 5ª. 53. D

Excreationibus pectoris cõducit phasiolus. 6°. de simp. me. fa. 5ª. 48. b

Excreationibus ex pectore pulmoneq; crassorũ lentorũq; humorũ impendio conferunt amygdalæ amaræ. 5°. de simp. me. fa. 5ª. 42. G

Excreatu facilia facit pulegium crassa & lenta quæ sunt in thorace, & in pulmone. 6°. de simp. me. fa. 5ª. 45. F

Excreatur quandoq; aliquid ligulæ. 4°. de lo. aff. 4ª. 28. B

EXCREMENTVM *quid. 5°. de sa. tu.* 2ª. 95. B

Excrementa vnum ex sex rebus non naturalibus. ars med. Isa. 68. C

Excrementa sunt necessaria. 1°. de sa. tu. 2ª. 62. H

Excrementa necessario faciunt edentes & bibẽtes. 1°. de sa. t. 2ª. 62. b

Excrementa parit victus ratio humida. 6°. de sa. tu. 2ª. 96. G

Excrementorum quantitas correspondet quantitati succorum, qui accipiuntur. 2°. de cauſ. pul. 4ª. 95. B

Excrementum paucum habent cibi pauci. 3°. de sym. cau. 3ª. 27. D

Excrementitia quæ dicantur. 3°. de ali. fa. 2ª. 33. B

Excrementosæ sunt oẽs volucres & aues clauſę. 8°. me. me. 7ª. 51. B

Excrementosa omnia tum lacustria, tum palustria. 8°. me. me. 7ª. 51. B

Excrementa quæ faciant panis ex pamico, panis ex hordeo, & panis ex tritico. in 1ᵐ. pror. com. 3°. 4ª. 182. G

Excrementa fumosa à quibus cibis fiant. 3°. de symp. cau. 3ª. 24. H

Excrementa acida à quibus cibis fiant. 3°. de symp. cau. 3ª. 24. H

Excrementitiam & flatuosam habentia humiditatem ad venerem incitant. 8°. de simp. me. fa. 5ª. 60. B

Excrementorũ differentia. ars med. Isa. 57. C/2°. de sym. cau. 3ª. 22. D

Excrementum duplex in toto corpore. 3°. met. me. 7ª. 17. H

Excrementorum duplex genus fumosum, vaporosum, aquosum, limosum. 9°. de vsu par. 1ª. 171. D

Excrementa fuliginosa vt euacuentur, difflatio causa est in animalis corpore. in 6ᵐ. de mor. vul. com. 6°. 3ª. 195. F

Excrementa fuliginosa per quam viam mittuntur ad pulmonem. 6°. de vsu par. 1ª. 154. D

Excrementum faciens pilos, quale. 2°. de temp. 1ª. 21. B

Excrementa per totum corpus vnde sint. 1°. de sa. tu. 2ª. 67. G

Excrementum primum vnde exeat. 1°. de sa. tu. 2ª. 67. F

Excremẽtorũ secretio quo mõ fiat ſm Epicurum. 1°. de na. fa. 1ª. 249. d

in Excrementorum separatione symptoma. de sym. diff. 3ª. 12. A

Excrementum in venis & arterijs colligitur sicut serum in lacte concreto. 1°. de sa. tu. 2ª. 67. G

Excrementa trifariam diuiduntur. 3°. de lo. aff. 4ª. 15. C

Excrementa in venarum concoctione sunt amara bilis, atra, & serositas. 3°. de symp. cau. 3ª. 26. A

propter Excrementa ad coctionem requiruntur commoda instrumenta. 4°. de vsu par. 1ª. 36. B

pro Excremẽtis varia instra, & quod eorũ officiũ. 1°. de sa. t. 2ª. 67. F

Excrementũ pituitosum in ventriculo gñatur. 5°. de vsu par. 1ª. 143. F

Excremẽtis quorũ venter redũdat ptissana nõ danda. de ptis. 2ª. 47. b

Excrementum biliosum vesica quæ iecinori subest, expurgat. 3°. de symp. cau. 3ª. 26. B

Excrementũ purgant meatus à vesica profecti. 4°. de vsu p. 1ª. 138. b

Excremenrum biliosum copiosius melancholico, & tenuissimum. 5°. de vsu part. 1ª. 144. D

Excrementũ melancholicũ lienis expurgat. 3°. de symp. cau. 3ª. 26. B

Excremẽtũ melãcholicũ pauciſſimũ, et crassiſſimũ. 5°. de v. p. 1ª. 144. d

Excremẽtũ melicum in liene mittit ad vẽtriculũ. 5°. de v. p. 1ª. 143. G

Excrementum aquosum copiosissimum. 5°. de vsu par. 1ª. 144. D

Excrementum serosum medium inter tenuissimum & crassissimum. 5°. de vsu par. 1ª. 144. E

ad Excremẽta suscipiẽda adenes apti cur. de cur. ra. p sa. mis. 6ª. 17. b

Excrementũ creãt oĩs pticulæ quæ nutriuntur. 1°.*de na.fa.* 1ª.296.*E*
Excrementum duplex in carnis generatione. 3°.*met.me.* 7ª.17.*G*
Excrementa sunt in carnibus. 2°.*de sym.cau.* 3ª.22.*E*
Excrementa cur in carne. 3°.*de symp.cau.* 3ª.26.*G*
ab Excrementis carnis diuersitas. 3°.*de symp.cau.* 3ª.26.*G*
Excrementa cum sanguine quid faciant. 3°.*de symp.cau.* 3ª.26.*C*
Excremẽtum vni membro est alteri nutrimentũ. 1°.*de semi.* 1ª.335.*E*
Excrementis vtitur natura & in animalibus ad quasdam partes augendas & nutriendas. 2°.*de alim.fa.* 2ª.24.*E*
Excremẽtorũ qualitates fiunt à calore innato. 2°.*de na.fa.* 1ª.298.*A*
Excrementa plurima vnde. 3°.*de symp.cau.* 3ª.26.*G*
Excrementi copia cur proueniat in corpore. 4°.*de sa.tu.* 2ª.88.*C*
Excrementorum plurimum congeritur, habitu corporis exinanito, ni si renutriatur. 4°.*de sa.tu.* 2ª.88.*C*
Excrementorũ copia vnde cognoscatur. 4°.*de præsa.ex pul.* 4ª.122.*E*
Excrementi multitudo quid faciat. 3°.*de symp.cau.* 3ª.26.*B*
Excrementum exiguum significatur si noctu multum mingatur.de vri.sign.ex Hippocrate. Sp.78.*H*
Excrementa affectæ partis per quem meatum euacuẽtur, & an aliqd essentiæ secernatur, quarto loco considerãdum. 2°.*de lo.af.* 4ª.13.*D*
Excrementorum species sĩnt partem affectam. 1°.*de lo.af.* 4ª.6.*B*
in Excrementis propriæ notæ deprehenduntur. 1°.*de lo.af.* 4ª.6.*B*
Excrementa partium inflammatarum cur exeant per asperam arteriam. 2°.*de loc.affect.* 4ª.13.*B*
ab Excrementis superioribus quando cognoscatur fluere pus, & ab inferioribus. 6°.*de lo.aff.* 4ª.39.*B*
quæ Excremẽta faciat erysipelata & ĩflãmatiões. 5°.*de lo.a.* 4ª.35.*E*
Excremẽta per nares quæ indicant.in 1ᵐ.*de mor.vul.cõ.* 2°. 3ª.112.*A*
Excrementorum humidiorum defectus quomodo ostendit futuram ægritudinem.ars med. Isa.67.*E*
Excrementorum humidiorum superabundantia quo modo ostendit futuram ægritudinem.ars med. Isa.67.*E*
Excrementorum varietas in colore ostendit futuram ægritudinem. ars medicinalis. Isa.67.*E*
Excrementorum varietas in consistentia ostendit futuram ægritudinem.ars medicinalis. Isa.67.*E*
Excrementa quare citius exeant.com. 2°.*aph.* 20°. Ex.14.*D*
Excrementum per singulas animalis partes quibus de causis remoretur. 1°.*de sa.tu.* 2ª.68.*C*
Excremẽti mora in vẽtre vel in ĩtestinis vnde fiat. 1°.*de sa.tu.* 2ª.68.*A*
Excrementa retardantur ab inuolucris quę sunt in intestinis. 4°.*de vsu partium.* 1ª.139.*B*
Excrementa alui cur non excernantur. 1°.*de sa.tu.* 2ª.68.*B*
Excrementorũ retẽtio à quibus musculis fiat. 2°.*de mo.mu.* 1ª.316.*B*
Excrementa retenta in exercitatione quid mali facere possint. 2°.*de san.tuend.* 2ª.69.*H*
Excrementa totius corporis retenta secundum varias causas quo modo expellantur. 1°.*de sa.tu.* 2ª.68.*E*
Excrementis nisi excitentur membra, vi expultrice non vtuntur. 1°.*de loc.affect.* 4ª.2.*H*
Excrementorum deiectio quo modo fiat, & per quæ instrumenta.in 6ᵐ.*de mor.vul.com.* 5°. 3ª.189.*D*
Excremẽta quo mõ exprimunt ab intestinis. 4°.*de vsu par.* 1ª.137.*G*
Excremẽtis ĩre se fm naturã quo modo intelligatur.de cri. 4ª.129.*D*
Excrementa, super naturalibus viribus ventriculi indicant, & quãdo. 1°.*de crisi.* 4ª.129.*C*
Excremẽta in corpore si diu pmaneãt, putrescũt. 3°.*de na.f.* 1ª.236.*A*
Excrementa in intestinis collecta quid agant. 3°.*de sym.cau.* 3ª.28.*E*
Excremẽta alui quid significẽt, et quo eẽ debeãt. 1°.*de cri.* 4ª.129.*A*
Excrementa alui inferioris semper iudicationes significant, non tamen semper bonas.com. 4°.*aph.* 71°. Ex.35.*D*
Excrementa febrem ardentem non manifestant.in 6ᵐ. *de mor. vulg. commen.* 3°. 3ª.243.*H*
p Excrementa alui quo cognoscatur crisis futura. 3°.*de cri.* 4ª.144.*G*
Excrementa alui quando apparent in principio, ægritudines non finiant. 1°.*de crisi.* 4ª.128.*E*
Excrementa alui si in diebus iudicatorijs incipiunt optime apparẽt, & qui sint hi dies.com 4°.*aph.* 36°. Ex.31.*G*
Excrementa per aluum deiecta quæ indicant.in 1ᵐ. *de morbis vulgaribus, com.* 2°. 3ª.112.*A*
Excrementa alui quorum sint notæ & quare parum admodum indicent de affectibus viciniarum partium. 6°.*de loc.af.* 4ª.41.*E*
Excrementa indicant coctionem sanis & ægris.in 6ᵐ.*de morbis vulgarib.com.* 2°. 3ª.112.*A*
Excrementa sanorum bile infecta. 5°.*de vsu par.* 1ª.143.*G*
Excremẽta bile carentia quid significent.in 1ᵐ.*pror.cõ.* 3°.4ª.179.*D*
in Excrementorũ musculis nulla futura est coctio. 5°.*de vs.p.* 1ª.146.*b*
Excrementorũ coctio q̃ sit dicenda.de vi.ra.in mor.acu.c. 2°.7ª.122.*g*
Excrementũ perfectũ & perfecte coctũ, quale. 1°.*de crisi.* 4ª.129.*D*
Excrementum alui optimum est quod est molle consistens, & hora excretum, qua solet cum sanitas adest.com 1°.*aph.* 12°. Ex.6.*E*
Excrementum coctum quid exigat. 1°.*de crisi.* 4ª.129.*A*
Excrementa an incocta, vel mediocriter cocta affectæ partis quinto loco considerandum. 2°.*de loc.af.* 4ª.13.*D*
ppter Excrementũ vitiosum coctio ĩpeditur. 3°.*de sym.cau.* 3ª.24.*H*
Excrementum incoctum, quale. 1°.*de crisi.* 4ª.129.*D*
Excrementorum species plura docet.de const.art. Isa.41.*A/B*
Excrementũ quod feri in sublime, quale. 3°.*de præsa.exp.* 4ª.118.*H*
Excrementũ quod decidit, quale. 3°.*de præsa.expul.* 4ª.118.*H*
Excrementa quo modo capitis dispositionem declarant in destillatione & grauedine. 3°.*de loc.af.* 4ª.16.*H*
Excremẽtorũ pprietas cõsiderãda ĩ morbo regio. 5°.*de lo.a.* 4ª.35.*E*
Excrementorũ mutatiões q̃ bonę et quæ malę.cõ. 2°.*aph.* 14°.*Ex.*12.*F*
Excrementorum vitia quæ. 3°.*de symp.cau.* 3ª.26.*A*
ex Excrementis vitiosis inæqualitas. 2°.*de symp.cau.* 3ª.23.*B*
Excrementorũ symptomata à quo morbo pendeãt.de sym.dif. 3ª.13.*d*
Excremẽta q̃ Chylositate distĩguũtur.de vi.ra.ĩ mo.ac.c. 4°.7ª.136.*e*
Excrementum chylosum abradit intestina. de victus ratione in morbis acutis, com. 2°. 7ª.130.*C*
Excrementa seminibus Cucurbitæ similia, indicium vermium latorum. 1°.*de loc.af.* 4ª.6.*C*
Excrementa ventris Combusta ignitionem iecinoris indicare. in 1ᵐ. *de mor.vul.com.* 1°. 3ª.131.*B*
Excrementa non habentia delectum.ars med. Isa.68.*E*
Excrementa Dysenteriæ quæ dicãtur.in 1ᵐ.*de mor.v.cõ.* 3°.3ª.125.*A*
Excrementa Flatibus plena quo modo noscãtur. 2°.*de lo.af.* 4ª.9.*F*
Excrementa Fulua, lætalia in 3ᵐ.*de mor.vul.com.* 3°. 3ª.147.*H*
Excrementa hẽtia Graminis colorem.in 3ᵐ.*de mor.v.c.* 3°. 3ª.148.*F*
Excrementa Hepatica ab alijs distincta. 5°.*de lo.af.* 4ª.34.*E*
Excrementa pessima cur quandoque deijciunt Hepatici cum sanantur. 5°.*de loc.af.* 4ª.35.*E*
Excrementa humida senium notæ de marc. 3ª.46.*E*
Excrementum liuidum quid significet. 1°.*de cris.* 4ª.129.*E*
Excrementa mera quæ.in 6ᵐ.*de mor.vul.com.* 1°. 3ª.136.*D*
Excrementum Mordax dupliciter incitatur. 4°.*de sa.tu.* 2ª.82.*H*
Excrementa mordacia faciũt vlcerosã lassitudinẽ. 4°.*de s.t.* 2ª.82.*H*
Excrementorum Nigrorum diuersitas in pestilentia tempore Galeni.de atra bile. 1ª.35.*A*
Excrementa Pestis tpe Galeni.in 3ᵐ.*de mor.vul.com.* 3°. 3ª.147.*H*
Excrementorum ordo hic erat in pestilenti quodam morbo, vt prius apparerent flaua & russa colore colliquamenta, quæ vero mox apparebant, nigra essent vt sanguinis fex.com. 4°.*aph.* 21°.*Ex.*29.*E*
ob Excrementa alui multi periere in peste.in 3ᵐ. *de morbis vulgaribus.commen.* 3°. 3ª.145.*D*
Excrementum pingue quid significet. 1°.*de crisi.* 4ª.129.*E*
Excrementa si pinguia, significant adipis colliquationem. comm. 7°. *aphorismo.* 35°. Ex.56.*E*
Excrementum Rufum quid significet. 1°.*de crisi.* 4ª.129.*D*
Excrementa Sanguinolenta, mucosa, cruda, multa, biliosa, quid significent apud antiquos.com. 6°.*aph.* 1°. Ex.46.*C*
Excrementa Scybala vnde dicta.de vic.r.in mor.acu.cõ. 4°.7ª.136.*d*
Excremẽtũ Siccu eẽ necesse nõ est, si corpˢ siccũ est. 2°.*de tẽp.* 1ª.21.*C*
Excremẽtũ Spumosum quid sit, & quid significet. 1°.*de cris.* 4ª.129.*C*
Excrementa spumosa vnde sint, & quo modo varijs modis fieri possint, commen. 7°.*apho.* 30°. Ex.56.*A*
quibus Excrementa spumosa sunt in alui profluuijs, bis pituita a capite defluit.com. 7°.*aph.* 30°. Ex.56.*A*
Excremẽta spyrathodę vnde dicta.de vi.ra.in mor.ac.c. 4°.7ª.136.*D*
Excrementũ Stridens quid sit, & quid significet. 1°.*de cri.* 4ª.129.*C*
Excrementa cholerica quandoque aliquid veluti Strigmentum ostendunt.com. 7°.*aph.* 64°. Ex.60.*B*
Excrementum Tenuius quid sit. 3°.*meth.me.* 7ª.17.*H*
Excrementa tenuia, & acria faciũt vlcerosum lassitudinis affectum. 3°.*de san.tuen.* 2ª.78.*G*

Excrementa

Excremenꝛa tenuia in ventrem defluunt, & faciunt vomitum, & alui profluuium in animæ defectu. de arti. com. 1°. 7ª.264.H
Excrementū cur defertur in ventrē ſuperne. 3°. de ſym. cau. 3ª.27.H
Excrementa Torrida longum ſignificant morbum. in 3ᵐ. de mor. vulga. commen. 1°. 3ª.131.B
Excrementum Viride quid ſignificet. 1°. de criſi. 4ª.129.E
Excrementum Viſcoſum quid ſignificet. 1°. de criſi. 4ª.129.E
Excrementa ὑδατὸχολα. in 3ᵐ. de mor. vul. com. 3°. 4ª.148.F
Excremēti portio ī lęſo ītęſtino & colo qñ ſeruet. 1°. de criſ. 4ª.129.c
Excrementa non detinenda, quia aliter ſurſum recurrunt. de vict. ra. in mor. acu. com. 2°. 7ª.130.D
Excrementorum præter voluntatem exitus in timore & gaudio. 2°. de ſymp. cau. 3ª.23.E
Excremētorū pter voluntatē emiſſorū caſus multi. 1°. de lo. af. 4ª.7.b
Excrementa quidam retinere non poterat in quo ſedes & veſica erāt infrigidata. 4°. de lo. aff. 4ª.25.C
Excrementa retinere non potentis caſus alter. 4°. de lo. aff. 4ª.25.C
Excrementa iumentorum & columbarum ſole calefacta exurebantur. 1°. de diff. fe. 3ª.33.A
Excremēta colligunt à veſica, & ab ītęſtino craſſo. 4°. de v. p. 1ª.141.d
Excrementum humidum tenue, quod fuit vehiculum tranſmittendi nutrimenti vnde expurgetur. 1°. de ſa. tu. 2ª.67.G
Excrementa ſeroſa quid agant. 3°. de ſymp. cau. 3ª.26.C
Excrementum ſeroſum renes expurgant. 3°. de ſym. cau. 3ª.26.B
Excrementa vaſorum per vrinas. de ſubſi. emp. Iſa.42.B
Excrementa ſua quandoque tolerant, quandoque non, veſica & ventriculus. 3°. de ſymp. cau. 3ª.28.G
ꝑ Excrementorū ꝓportionē vrina excernit. 3°. de ſym. cau. 3ª.28.C
Excremēta veſicæ, aut alui qualia fuerint & ex carnibus, & ſicubi alibi à natura corpus exierit, ſi parum, paucus eſt morbus, ſi multum, multus, ſi valde multum, letale eſt. com. 7°. aph. 75°. Ex.60.b
Excrementa colis quid portendant. 6°. de lo. af. 4ª.41.E
Excrementa veſicæ quid portendant. 6°. de lo. af. 4ª.41.E
ab Excremētis acribus ſtranguria. in 3ᵐ. de mor. vul. cō. 1°. 3ª.128.d
Excrementa totius corporis per ſudores. de conſt. art. me. Iſ.42.B
Excremento quod euacuatur odorem coloremque ſimilem habent ſudores. 3°. de ſym. cau. 3ª.28.F
Excrementis quieſcentibus minus dolent. 2°. de ſymp. cau. 3ª.22.D
Excremēta trāſeuntia ꝑ carnes quid efficiant. 2°. de ſym. cau. 3ª.22.E
Excremētis motis fiūt horror, rigor, & febris. 2°. de ſym. cau. 3ª.22.D
Excrementa frigida tenuia horrorem & rigorem faciunt non febrem. 4°. de ſan. tuen. 2ª.82.H
Excrementa ſubcalida & putrida horrorem rigorem & febrem faciunt. 4°. de ſa. tu. 2ª.82.H
Excrementis mordentibus fiunt horror & rigor, & quo modo differant. 2°. de ſymp. cau. 3ª.22.D
Excrementū oē nō recipit alterationē à natura. 4°. de ſa. tu. 2ª.82.H
Excremētorū acritudine parūper aperitur os venę, quā vocāt hęmorrhoidaſ ex hoc loco elici poſſet aloen non apire hæmorrhoidas, ſed eſſe humores acres qui exeunt. ſcom. 6°. aph. 47°. Ex.52.C
Excremētis vacuū ſeruari dēt corpus humanū. 1°. de ſa. tu. 2ª.62.H
Excremētis ī primis venis, deiectorijs expurgāda. de ſub. em. Iſ.42.E
Excrementa non fiunt in ſymmetria. de op. noſt. cor. conſt. 1ª.38.D
Excremēta lædūt quātitate & qualitate. de op. noſt. cor. con. 1ª.38.D
Excrementa vbi multa, eūone multa opus eſt. 2°. de cau. pul. 4ª.95.B
Excrementorum vacuatio duplex, & qualis. 6°. de lo. af. 4ª.41.G
Excrementa melius eſt per anum quàm per ſtomachum tranſmittere. 5°. de vſu partium. 1ª.147.A
Excrementa alui per inferna. de ſubſi. emp. Iſa.42.B
Excrementa quieta calefaciunt, attenuant, & excitāt ad motum Sol, balneum, exercitatio, & ira. 2°. de ſymp. cauſ. 3ª.22.D
Excrementa expellit exercitatio. 2°. de ſa. tu. 2ª.69.G
Excrementorū vacuatio oī febri vtiliſſima eſt. 10°. me. me. 7ª.65.H
Excrementa permittendum vt deſcendant, & quieſcendum in febre, & lateris dolore. de vict. ra. in mor. acut. com. 4°. 7ª.139.D
Excremēta nō hūt quotidiana, et ꝙrtana laborātes. 2°. de dif. f. 3ª.36.d
ab Excrementis parum purgata corpora quo magis nutries, magis læ des. 2°. de ſa. tu. 2ª.69.G
Excrementitijs morbis cur partes debiliores primæ corripiantur. de curan. rat. per ſang. miſſ. 6ª.17.G
Excremētū expurgātiū ꝑticularū ībecillitas vñ. 3°. de ſy. ca. 3ª.26.a
Excrementa ob robur expultricis, qualia. 5°. de lo. aff. 4ª.35.D

EXCRESCENTIAS quæ mediocriter exterant. 11°. de ſimp. medicamentorum facul. 5ª.81.A
Excreſcentiæ naturales natura conſiderandæ. ars med. Iſa.67.C
ad Excreſcētias valet erinaceus combuſtus. 11°. de ſim. me. f. 5ª.81.G
Excreſcentias reprimit hæmatites. 9°. de ſimp. me. fa. 5ª.68.C
Excreſcentias emolliendi, & liquandi vim obtinet laſerpitium. 8°. de ſimp. med. fa. 5ª.60.F
Excreſcentiæ carnium quare colliquantur minore cruciatu. 4°. de ſim plic. med fa. 5ª.30.G
Excreſcentias carnium mordicant nitri ſpuma, aphronitrum, & nitrum. 4°. de ſimp. me. fa. 5ª.30.G
ad Excreſcentias. 4°. de comp. me. per ge. 242.D/6°. 5ª.255.F
ad Excreſcentem carnem. 3°. de comp. me. ſe. lo. 5ª.148.B
ad Excreſcētiā oēm carnis reprimendā. 5°. de cōp. me. pg. 5ª.251.B/F
ad Excreſcentem carnem oculorum ex libris Philoxeni remedium, 4°. de comp. med. ſec. lo. 5ª.152.D
ad Excreſcentias in mento ficoſas. de rem. par. fa. 7ª.157.B
Excreſcētiā oēm reprimēs emplaſtrū. 4°. de cōp. me. p ge. 5ª.243.A
ad Excreſcentiam omnem. 5°. de comp. me. per ge. 5ª.254.F
EXCRETIO quid ſi. med. Iſa.44.A
Excretio apud Hippocratem ſm aliquos ſignificat euacuationem à toto corpore. com. 2°. aph. 18°. Ex.14.A
Excretio, & ſubductio quomodo differāt. com. 2°. aph. 18°. Ex.14.B
Excretionum tria ſunt genera, per os, per aluum inferiorem, per vrinam. com. 4°. aph. 47°. Ex.32.H
Excretio, vrina, diuiduntur in facta à natura, & à voluntate. de mot. man. & obſc. Sp.68.G
Excretio cur aſſidua. de mul. 3ª.76.G
Excretio non fit niſi ratio iuſſerit. 4°. de vſu par. 1ª.141.E
Excretionum communes cauſæ ſunt excrementorum mordicatio, aut aggrauatio. com. 6°. aph. 1°. Ex.45.H
Excretio à calido prouocatur. in 6ᵐ. de mor. vul. com. 5°. 3ª.193.D
Excretione cibum aſſumptum elaboramus virtute proueniēte ex hepate. de vir. noſt. cor. diſpen. Sp.60.B
Excretionem vna excitat mordicatio. 3°. de ſimp. me. fa. 5ª.23.D
Excretio paratur acribus, retinetur lentis com. 2°. aph. 18°. Ex.13.E
Excretio humorum craſſorum fit per agitationem rigoris in febre quartana. com. 5°. aph. 70°. Ex.45.E
Excretiones naturales, quę. de ſym. diff. 3ª.13.G
Excretiones moderate molitur cor. de ther. ad Piſ. 5ª.96.E
ad Excretionem humorum natura feſtinat turgente materia. in 6ᵐ. de mor. vul. com. 11°. 3ª.166.F
Excretio inuoluntaria dupliciter. in 1ᵐ. prorr. com. 2°. 4ª.175.C
Excretio inuoluntaria vnde. 3°. de ſymp. cau. 3ª.27.E
Excretio intēpeſtiua inordinata, & aſſidua vñ 3°. de ſym. cau. 3ª.27.E
Excretio pauca in ægris mala. in 1ᵐ. pror. com. 2°. 4ª.175.C
Excretionem euidentem requirunt vel abſceſſum morbi ſubitæ ſolutionis. 1°. de dieb. dec. 4ª.147.B
ꝑ Excretionem iudicantur acuti morbi. in prog. com. 3°. 4ª.205.B
ꝑ Excretionem iudicantur morbi calidi. in prog. com. 3°. 4ª.109.G
ꝑ Excretionē finiunt morbi tenuiū materiarū. in prog. cō. 2°. 4ª.201.C
ꝑ Excretiones iudicari conſueuerunt febre vrentes. 1°. de arte curatiua ad Glauconem. 7ª.100.C
ad Excretionē paratiſſimi ſūt hūores tenues calidi. ī pg. c. 3°. 4ª.209.F
ꝑ Excretionē euacuantur calidi humores. in prog. com. 3°. 4ª.210.E
per Excretiones non ſolent iudicari morbi diuturniores. commen. 4°. aphoriſ. 36°. Ex.31.H
ab Excretionibus morbi à cruditate nihil iuuantur. in 1ᵐ. de morbis vulga. commen. 2°. 2ª.111.D
Excretio oīs legitima fit poſt coctionē. 4°. de præſa. ex pul. 4ª.122.E
Excretiones decretorias quare altus ſimul, & celer in contractione pulſus promittat. 4°. de præſag. ex pul. 4ª.122.B
Excretio carnium loturæ ſimilis. 3°. de ſymp. cau. 3ª.28.A
Excretio à liene qualis. 6°. de loc. aff. 5ª.36.B
Excretiōes liuidę, cruētę, fętidæ, & bilioſę ſi bñ excūt ſiue ꝑ alui excretionem, vel per os, vel per vrinā, bonę. c. 4°. apho. 47°. Ex.32.H
Excretiōes ī febribus nō ītermittētibus liuidæ, ſanguineæ, bilioſæ, & fętidę oēs malæ, cū vero bñ excernunt bonū eſt, & per Veſicā, & vbi aliqd ſecedēs ſteterit nō purgatū, malū. c. 4°. ap. 65°. Ex.60.E
Excretiones πέριχροι. quæ ſint. in 2ᵐ. pror. com. 2°. 4ª.172.A
Excretio ſanguinolenta in quadruplici dria. 3°. de ſym. cau. 3ª.28.B
cū Excretione ſanguinis pus exiguum, cur. 3°. de ſym. cau. 3ª.28.B

Excretio solutior, quę in prog.com.2°. 4ª.205.B
Excretio syncerior, quæ in prog.com.2°. 4ª.205.B
in Excretionem velocem per aluum incurrere posſunt siti infestati. 6°.de locis affe. 4ª.38.B
Excretio sine recordatione, mala in 1ᵐ.pror.com.1°. 4ª.167.C
Excretiões pessimę q, & ę in illis pulsus.4°.de ꝑsa.ex pul. 4ª.122.E
Excretiones malæ sunt signa prauarũ dispōnũ.c.4°.ap.47°.Ex.32.H
Excretiones prauas comparat vlceribus putridis quibus continue fluunt liquores sanioſi.com.4°.aph.47°. Ex.32.H
Excretiones omnes prauæ cum bene exeunt ad bonum terminantur. commen.4°.aph.47°. Ex.32.H
Excretiones si sint eorum quæ iuuant, non est bonum. commentar. 4°. aphoris.47°. Ex.32.H
in Excretione si aliquid eorum quæ iuuant, & sunt animali conueniẽ tia, exeat, non est bonum.com.4°.aph.47°. Ex.33.H
Excretio corpus exiccat.ars med. Isa.68.G
Excretionis bonæ indicia maxima sunt coctio, & bona tolerãtia, cuu ipsis vero & morbi species, & post ipsam tẽpus anni, regio, ætas, natura ægrotantis.com.4°.aph.47°. Ex.33.A
ab Excretionibus sumitur sanguinis mittendi indicatio.de cur.ra.per sang.miss. 6ª.18.D
Excretiones cur aliqñ euitantur, aliqñ non.5°.de lo.aff. 4ª.35.E
Excretiones immoderatæ vrinarum sunt patiẽte hepate.de vir.nost. corp.disp. Sp.60.B
Excretiõis q̃titas ab hirudinũ erectione cõspicitur.de cucu.sca.6ª.4.E
Excreti lapidis calloſi.6°.de lo.aff. 4ª.36.F
in Excretoriorum meatuum finibus custodes sunt musculi prævalidi. 2°.de motu mus. 1ª.314.F
Excretiua potentia vna est ex potentijs omnium partium corporis. commen.6°.aph.55°. Ex.53.D
Excretiua quædam virtus ineſt arterijs, quæ excernit sudores criticos, profluuia sanguinis, deiectiões alui ĩferioris.c.7°.a.21°.Ex.55.d
Excretoria vis operatur, cũ molestũ quid adsit.13°.me.me.7ª.80.G
Excretoria vis quo modo excitetur.2°.de dif.se. 3ª.41.F
Excretoria vis quo per retentricẽ excitetur.3°.de symp.cau.3ª.26.G
Excretiuæ virtutis motus immodicus nimiũ laxat.de cau.mor.3ª.9.b
Excretrix vis habet duo symptomata.de symp.dif. 3ª.12.A
EXCVSAT *se coactum ab amicis scripsisse contra antiquos Galenus, sed mentitur.4°.de diff.pul.* 4ª.64.C
EXECTI & ambusti rigent.in 6ᵐ.de mor.vul.com.3°. 3ª.174.D
EXEDENTES *sunt acres sapores.4°.de simp.me.fa.* 5ª.29.G
Exedentia vlcera sunt cacoethe.4°.met.me. 7ª.28.C
Exedentia vlcera, quas phagedænas vocant, subiectam carnem corrumpunt.com.6°.aph.45°. Ex.51.F
Exedens sine morsu aridum.5°.de comp.me.per ge. 5ª.252.E
Exedens aridum.5°.de com.med.per ge. 5ª.252.H
Ἐυξέες. *8°.meth.meden.* 7ª.49.G
EXEMPLA *argumenta remotiora.2°.de decr.Hip.* 1ª.235.C
Exemplum desꝑicitur à Galeno.2°.de simp.med.fa. 5ª.10.E
Exemplum pertinet ad rhetores.2°.de simp.med.fa. 5ª.10.E
Exempla qualia esse debent.com.6°.aph.25°. Ex.48.F
Exempla à generalibus ad particularia.7°.meth.me. 7ª.45.G
Exempla stupidos animos excitant.2°.met.me. 7ª.10.G
in Exemplis exercitandum.8°.met.me. 7ª.56.E
Exẽplo ꝑticulari cõis ſmo declarãt.de vir.ra.ĩ mor.ac.c.1°.7ª.109.g
Exẽplis singularib⁹ ꝑbãda medicina.in 1ᵐ.de mor.vul.cõ.1°.3ª.101.g
Exempla quædam sermonum vniuersalium ab Hippocrate ponũtur. com.6°.aph.25°.& 26°. Ex.48.F
ꝑ exemplum vnum videtur aliquando Hippocrates de similibus omnibus pronunciare.com.5°.aph.33°. Ex.40.E
ex Exẽplis duobus vlia facit Hip.in 3ᵐ.de mor.vul.cõ.1°. 3ª.128.G
Exemplum de acu pungente carnem.1°.de elem. 1ª.2.G
Exemplũ aquæ feruẽtis in algenti ẽ posititione.3°.de simp.me.fa.5ª.17.F
Exemplum de vno qui numerabat omnes asinos præter suum, cui insidebat.6°.de vsu par. 1ª.156.B
Exemplum de vno, qui quærebat aureos quos altera manu gestabat. 6°.de vsu par. 1ª.156.B
Exemplo Athletarum vtitur Hippocrates in docendo quantitatem euacuationis.com.1°.aph.3°. Ex.3.F
Exemplum de iuuenum & puerorum caloribus.2°.de temp.1ª.17.B
Exemplum ꝙ cor sit calidissimum.2°.de temp. 1ª.17.H
Exẽplũ de miscella cõtrariorũ extremorũ cali et frĩdi.1°.de tẽ.1ª.14.F
Exemplum digitorum complicatorum.1°.de elem. 1ª.3.A
Exemplum in domo.1°.de elem. 1ª.3.D
Exemplum geminorum similium.3°.de comp.me.per ge. 5ª.228.G
Exẽplum curationis ſm humorum exuberantiam.cõ.1°.ap.2°.Ex.3.D
Exemplum, quod non sit mirum succum papaueris calidum exhibitum fieri frigidum, & refrigerare corpus.3°.de temp. 1ª.23.G
Exemplum de symptomatibus in pleuritide.de const.ar. Isa.40.F
Exemplum de porcello nuper nato.2°.de temp. 1ª.16.B
Exemplum puerorũ missorum ad diuersa loca.3°.de dig.pul.4ª.79.G
Ἐξεχεβρόλχοι. *de art.commen.3°.* 7ª.269.E
ꝑEXERCEO, *meditor.in 1ᵐ.de mor.vul.com.2°.* 3ª.112.E
EXERCITATORIA *medicæ artis pars.de pt.ar.med.* Sp.17.F
ad Exercitatoriam, an ad rem medicam spectet ars tuendæ sanitatis. ad Thrasybulum. 2ª.101.G
Exercitatoriæ diffinitio per finem.ad Thras. 2ª.102.A
Exercitatoriæ quo subiectum nostrum corpus.ad Tras. 2ª.106.H
Exercitatio, & exercitatum.de subfig.empi. Isa.31.C
Exercitatio.de subfig.emp. Isa.31.G
Exercitatus.de subsi.emp. Isa.31.G
Exercitationis vocabulo quæ conueniant.5°.de sa.tu. 2ª.94.A
Exercitium magis commune q̃ gymnasium.de sal.diæ. 2ª.39.A
Exercitatio, motus, & labor, an idem.2°.de sa.tu. 2ª.69.E
Exercitatio qui motus sit.1°.de sa.tu. 2ª.68.H
Exercitatio est vehementior motus.2°.de sa.tu. 2ª.69.E
Exercitium est vehemens motus.com.2°.aph.16°. Ex.12.H
Exercens se quid sciat de motibus.2°.de sa.tu. 2ª.75.D
Exercitatio vnde proprie.2°.de sa.tu. 2ª.69.E
Exercitatio communiter.2°.de sa.tu. 2ª.69.E
Exercitationis totam materiam bellissime docuit Theon Alexandrinus.3°.de sa tuen. 2ª.77.H
de Exercitatione diuersæ sententiæ.5°.de sa.tu. 2ª.93.G
Exercitationum nomina.5°.de sa.tu. 2ª.90.A
Exercitationum natura & vtilitas.in 6ᵐ.de mor.vul.c.6°.3ª.195.C
Exercitium est proprium bene volẽtium.ad Trasy. 2ª.107.A
Exercitationes omnes homines desiderant.5°.de sa.tu. 2ª.94.A
Exercitatio, τριβή, ars, experientia in quo consistant secundum Platonem.aduer.emp.med. Isa.35.E
Exercitationi ꝑfuturus pædotriba esse debet.de par.pi.exer.2ª.69.F
Exercitationi qui tm̃ præest gymnastes dicitur.2°.de sa.tu. 2ª.73.H
Exercitator qualis esse debet.2°.de sa.tu. 2ª.73.D
Exercitari debet homo per methodos.1°.de symp.cau. 3ª.15.E
ad Exercitatiões ptinẽtia qui callet, gymnastes dr.1°.de s.t. 2ª.68.G
inter Exercitationem ipsam spiritus cohibitionem interponunt optimi gymnastę.3°.de sa.tu. 2ª.77.E
Exercitiorum genera.in 6ᵐ.de mor.vul.com.3°. 3ª.170.C
Exercitationum genera, quę.2°.de sa.tu.73.G/74.C/ 2ª.75.G
Exercitationum triplex genus, aut à nobis, aut ab alijs, aut à medicamento.1°.de sa.tu. 2ª.65.D
Exercitationes quæ sint solæ.2°.de sa.tu. 2ª.73.G
Exercitationes & opera, quæ.2°.de sa.tu. 2ª.73.G
Exercitij genus conueniens athletis.3°.de sa.tu. 2ª.80.F
Exercitatio q̃bus fieri nõ dẽt ĩclinato capite et dorso.5°.d̃ s.t.2ª.90.A
Exercitatio caput implens quibus vitanda.5°.de sa.tu. 2ª.90.A
Exercitationis genus suspense agitari.de bon.& vic.suc. 2ª.35.A
Exercitationes brachiorum ac manuum, quæ.2°.de sa.tu. 2ª.74.H
Exercitatione superiorũ & ĩferiorũ q̃ ptes iuuãtur.5°.de sa.t.2ª.90.B
Exercitatiõe supiori iuuant vesicæ et renũ partes.5°.de sa.t. 2ª.90.B
Exercitationes crurum, quæ.2°.de sa.tu. 2ª.74.H
Exercitatio crurum quibus vitanda.5°.de sa.tu. 2ª.90.A
Exercitatio mediarũ partiũ crurũ et brachiorũ q̃.5°.de sa.tu.2ª.90.a
Exercitatione inferiori iuuantur thoracis partes.5°.de sa.tu.2ª.90.H
Exercitationes lumborum, quæ.2°.de sa.tu. 2ª.74.H
Exercitatio transuersarum partium ſpinę, quæ, 2°.de sa.tu. 2ª.74.H
Exercitationes pulmonis & thoracis, quæ.2°.de sa.tu. 2ª.74.H
Exercitatio musculorum, neruorum, & tendonum, fit per se ex motibus voluntarijs.2°.de sa.tu. 2ª.75.A
Exercitatio arteriarum, venarum, ossium, carnis, & ligamentorum per accidens fiunt à motibus voluntarijs.2°.de sa.tu. 2ª.75.A
Exercitatio paruæ pilæ omnes alias excedit.de par.pi.exer. 2ª.48.F
Exercitatio paruæ pilæ mouet totũ corpus.de par.pi.exer.2ª.49.A
Exercitatio paruæ pilæ tutissima.de par.pi.exer. 2ª.49.G
Exercitia ꝑ discos & ꝑ flexiões qd mali fecerĩt.de pa.pi.exe.2ª.49.g

Exercitationis modi circa affectos locos tres.2°.de lo.aff. 4ª.8.C
Exercitatio præcipua.1°.de ſa.tu. 2ª.69.G
*Exercitatio optĩa q̃ corp° fatigat,et aĩam delectat.d̃ p.pi.ex.*2ª.48.G
Exercitationem qui agant perfecte.2°.de ſa.tu. 2ª.73.E
Exercitatio acuta quæ,& quid agat.5°.de ſa.tu. 2ª.89.G
Exercitationes acutæ conſenſu omnium gymnaſtarum extenuant. 2°. de ſanitate tuenda. 2ª.96.A
*Exercitationis poſtrema pars dicitur apotherapia.3°.de ſa.t.*2ª.75.F
Exercitatio apotherapia,quæ.3°.de ſa.tu. 2ª.81.G
Exercitatio apotherapia,qualis.3°.de ſa.tu. 2ª.79.B
Exercitatio apotherapia corpus relaxat.3°.de ſa.tu. 2ª.81.E
Exercitatio apotherapia idonea poſt vigilias & triſtitias.3°.de ſanitate tuenda. 2ª.81.F
Exercitatione apotherapia qui vti debent.6°.de ſa.tu. 2ª.97.G
Exercitatio aſſidua & interpolata.2°.de ſa.tu. 2ª.74.G
*Exercitationes quæ fiant celeritate præter robur.2°.de ſa.tu.*2ª.75.F
Exercitationes imbecillæ,quæ.in 6ᵐ.de mor.vul.com.4°. 3ª.184.C
Exercitationes lentæ corpus implent.6°.de ſa.tu. 2ª.96.A
*Exercitationes magnæ quę ſint.in 6ᵐ.de mor.vul.com.1°.*3ª.156.A
Exercitatio multa & mediocris quid agant.5°.de ſa.tu. 2ª.89.G
Exercitium quoddam nominant præparationem Theon & Trypho. ad Thraſybulum. 2ª.109.E
Exercitationis præparatoriæ continui & vehementes motus ſunt prorij.3°.de ſan.tuen. 2ª.77.E
Exercitatione præparatoria qui vti volunt à quibus cauere debent. 3°.de ſan.tuen. 2ª.81.D
*Exercitatio præparatoria raritati ſola medetur.3°.de ſa.tu.*2ª.81.E
*Exercitatio præparatoria debet ſequi poſt ventrẽ.3°.de ſa.tu.*2ª.81.F
Exercitatio præparatoria corpus cogit.3°.de ſa.tu. 2ª.81.E
Exercitationes robuſtę,quę.2°.de ſa.tu. 2ª.74.C
Exercitatio celeris citra violentiam,quæ.2°.de ſa.tu. 2ª.75.F
Exercitationes robuſtę,quæ in 6ᵐ.de mor.vul.com.4°. 3ª.184.C
Exercitatio robuſta valenſque,eſt fodere.2°.de ſa.tu. 2ª.74.C
Exercitatio impenſe robuſta non tamen celeris eſt, coercere quatuor ſimul equos habenis.2°.de ſa.tu. 2ª.74.C
Exercitatio tarda pingue facit.in 6ᵐ.de mor.vul.com.3°, 3ª.170.E
Exercitatio vehemens quæ ſit.2°.de ſa.tuen. 2ª.75.G
*Exercitium omnium vehementiſſimũ,quale.de par.pi.exer.*2ª.49.F
Exercitia vehementia caput replent.de puero epil. 7ª.180.A
Exercitatio velox carnes & ſuccos detrahit.in 6ᵐ.de morbis vulga. commen.3°. 3ª.170.E
*Exercitatio violẽta cũ celeritate vehemẽs dicitur.2°.de ſ.t.*2ª.74.C
Exercitatio violenta ſine velocitate valens appellatur à Galeno. 2°. de ſan.tuen. 2ª.74.C
Exercitatio eſt neceſſaria.9°.de decr.Hip. 1ª.284.D
ad Exercitationem corpus & animum excitat mutatio temporum fortis.de aere,aq.& locis. 2ª.5.E
cum Exercitijs naturæ noſtræ ſocietas.1°.de ſa.tu. 2ª.65.D
ad Exercitia infantes naturaliter ſunt propenſi.1°.de ſa.tu. 2ª.65.D
ad Exercitationem inepti.5°.de ſa.tu. 2ª.89.H
*Exercitatio q̃ta fieri debet,& qualis.de ren.aff.dig.& me.*7ª.106.A
Exercitationum qualitas,quæ.2°.de ſa.tu. 2ª.74.A
Exercitia oſtenduntur à viribus.de ſal.diæta. 2ª.39.A
Exercitationis qualitas ab extrinſecis.2°.de ſa.tu. 2ª.74.A
*Exercitationis locus qualis eſſe debet.de ren.af.dig.& med.*7ª.196.B
*Exercitationis locº q̃o p̃parãdus hyeme & æſtate.2°.de ſa.t.*2ª.73.C
Exercitationis domus qualis eſſe debet.2°.de ſa.tu. 2ª.73.C
*Exercitãtes ſe quid agere debeãt hyeme & æſtate.de ſa.diæ.*2ª.42.E
*ad Exercitium quãdo prodire debent temperati.2°.de ſa.tu.*2ª.73.F
Exercitatio quando fieri debet.2°.de ſa.tu. 2ª.69.G
Exercitatio mediocris adhibenda temperato.2°.de ſa.tu. 2ª.75.G
Exercitium moderatum mirum in modum facit ad ſanitatem. de bon. & vitio ſuccorum. 2ª.35.A
Exercitatio bilioſorum.5°.de ſa.tu. 2ª.94.C
Exercitationes humidorum.5°.de ſa.tu. 2ª.94.C
*Exercitatio q̃n fieri dẽt,cognoſcit ex colo͂r vrĩæ.2°.de ſa.tu.*2ª.69.g
Exercitium quod commendandum.de par.pi.exer. 2ª.49.D
ante Exercitationem quid agendum.2°.de ſa.tu. 2ª.69.H
*añ Exercitationẽ frictio p̃paratoria qd agere dẽt.2°.de ſa.tu.*2ª.70.A
añ Exercitationẽ corpus fricandum linteolo.2°.de ſa.tu. 2ª.69.H
Exercitatio fiat poſt frictionem,& quouſque.2°.de ſa.tu. 2ª.76.A
*Exercitij loco habẽtur frictiones in imbecillis.de puero epi.*7ª.180.B
*Exercitium nullum perpetuo die,ſed ante cibum.2°.de ſa.tu.*2ª.73.H
Exercitatio debet antecedere cibos.de par.pi.exer. 2ª.48.F
*Exercitatio nõ ẽ tuta,niſi prius ſit corpus inanitũ.3°.de ſa.t.*2ª.94.D
Exercitatio ante cibum maximum commodum affert bonæ valetudini.de bon.& vitio ſuccorum. 2ª.35.A
Exercitia quomodo incipienda ſunt.de puero epi. 7ª.180.B
Exercitationis duplex propoſitum.3°.de ſa.tu. 2ª.75.F
Exercitatio ſalubris eſt.in 6ᵐ.de mor.vul.com.4°. 3ª.185.G
Exercitatoriam vocat Tlato non ſalubrem.ad Thra. 2ª.107.D
Exercitationes,quod ad ipſas attinet,ſunt ſaluberrimæ.commen.3°. aphoriſmo.20°. Ex.24.B
Exercitatio quando ſalubris,quando non.ars med. Iſa.68.C
*Exercitatio ẽ magna portio artis tuẽdæ ſanitatis.4°.de ſa.tu.*2ª.82.D
*Exercitatio cõfert ad ſanitatẽ,q̃is nõnulli negarint.1°.de ſa.t.*2ª.65.E
Exercitator & medicus circa ſanitatem, non habet commune nomẽ. ad Thraſybulum. 2ª.107.D
Exercitatio q̃ę commoda facit.de ren.aff.dig.& med. 7ª.196.A
Exercitatio tria cõmoda facit,& quæ ſequuntur ex ipſis.2°.de ſanitate tuenda.69.F| 2ª.73.H
Exercitium mediocre facit perflari corpus.ars med. Iſa.68.E
Exercitio ſarcitur tranſpirandi defectus.2°.de ſa.tu. 2ª.72.H
Exercitatio omnis calorem auget.2°.de ſa.tu. 2ª.74.B
in Exercitatione calor natiuus ĩternus augetur.2°.de ſa.tu. 2ª.74.B
Exercitus augent athletæ calorem natiuum.com.1°.aph.15°. Ex.8.B
Exercitio proprie corpora noſtra caleſcunt.2°.de ſa.tu. 2ª.74.B
Exercitium auget robur.de conſu. 2ª.61.E
Exercitia valida,& ſol, corpora calida & robuſta, validiora efficiunt.4°.de ſimp.me.ſa. 5ª.29.A
Exercitatę partes ſunt robuſtiores, atque iccirco laborcs conſuctos facilius ferunt.com.2°.aph.49°. Ex.19.A
per Exercitationum varios modos q̃o exercetur & firmatur partium robur.2°.de ſa.tu. 2ª.74.D
Exercitium facit duros neruos.de art.com.3°. 7ª.277.E
*Exercitatus imbecillis ſuperat fortẽ inexercitatũ.9°.de dec.*1ª.280.C
Exercitatio facit animali bonum ſuccum.3°.de ali.fa. 2ª.30.C
Exercitatorum bonũ habitũ quem vocet Hip.cõ.1°.apho.3°.Ex.3.F
Exercitatorum carnem,& non exercitatorum comparat caſeo coagulato,& non coagulato.de art.com.3°. 7ª.277.E
Exercitio mediocri ſi vtatur homo & bene concoxerit,corpus vacat ſuperfluitatibus.com.6°.aph.28°. Ex.49.A
Exercitatio exiguos meatus expurgat,& excrementa expellit.2°.de ſani.tuend. 2ª.69.G
Exercitia poſſunt purgare ſuperfluitates ſingulis diebus collectas. com.3°.apho.15°. Ex.22.G
*Exercitij nõ velocis caro oĩs ẽmultarũ ſupfluitatũ.de diſ.cõ.Sp.73.*E
Exercentes ſe à craſſis & glutinoſis ſuccis non leduntur.de bo.& vit. ſucc. 2ª.35.A
Exercentes ſe laboribus cur minus lædantur à prauis cibis.1°. de alimen.faculta. 2ª.10.B
Exercitatione podagram impediri,collige.cõ.2°.aph.28°. Ex.48.H
Exercitatione plethora curatur.13°.me.me. 7ª.81.G
*Exerceri debẽt q hãt lapidẽ in renib°.in 6ᵐ.de mo.vul.cõ.1°.*3ª.155.H
Exercitia calculoſorum.de ren.aff.dig.& med. 7ª.194.E
Exercitia quandoque purgant humores,qui ſunt in profundo corporis.com.3°.aph.20°. Ex.24.C
ob Exercitationem & victum exiccantem, ob ætatem ad ſicciorem naturam tranſmutatam,adiunctis idoneis medicinis ceſſat morbus comitialis.com.5°.aph.7°. Ex.38.A
Exercitia ſunt apta natura exiccare.com.4°.aph.13°. Ex.28.F
Exercitia euacuant.com.4°.aph.2°. Ex.27.D
*Exercitia i quo ordine numerent inter eũones.cõ.2°.aph.17°.Ex.13.*E
Exercitijs comparat naturæ opera in vere.cõ.3°.aph.20°. Ex.24.C
*Exercitatio ſupra conſuetudinem moleſtia afficit.de cau.mor.*3ª.6.H
Exercitatio quo modo præter naturam ſit.de pulſ.ad tiro. 4ª.44.D
*Exercitiũ niſi feceris,quid ſequat.in 3ᵐ.de mor.vul.cõ.3°.*3ª.144.G
Exercitio non vtentes fontis aquã bibant ſumma æſtate,cũ vehementi calore vrgẽtur,& niuis vſum vitent.de bo.& vi.ſuc. 2ª.39.D
*Exercitatis,qui ſiũt deſidioſi,quid contingat.3°.de ſym.cau.*3ª.27.H
*Exercitia conſueta dimiſſa quos morbos faciunt.1°.de dif.ſe.*3ª.31.C
ob Exercitij dimiſſionem ægrotantes.5°.de ſa.tu. 2ª.93.E
in Exercitatione educatus, deinde ad ocium ſe conuertens, incidit in dyſenteriam cruentam.5°.de loc.aff. 4ª.35.D

in Exercitatione excrementa retenta quid mali facere possunt. 2°. de sanita. tuend. 2ª.69.H
Exercere corpus noli, si vas in thorace ne rumpatur timeas. de ve. sect. aduer. Erasistratum. 6ª.8.F
Exercitatio calefacit, attenuat, & excitat ad motum excremẽta. 2°. de symp. cau. 3ª.22.D
Exercitatio trahit foras humores. 4°. de san. tuen. 2ª.85.H/ commẽ. 3°. aphorismo. 20°. Ex.24.C
ob Exercitium impurgatis vlcera erũpunt. cõ. 3°. aph. 20°. Ex.24.C
Exercitia si hoiem plenũ pituita, vel bile flaua, aut atra, aut sanguine inuenerint, ipsi apoplexiã, vel epilepsiã, vel ruptionẽ vasis in pulmone, q̃ causat morbos insanabiles, inferũt. c. 3°. a. 20°. Ex. 24.B
Exercitatis natura rerũ suggerit quid agendum. 14°. me. me. 7ª.92.H
Exercitatio validam alterationem concitat. 1°. de cau. pul. 4ª.87.H
Exercitationum signum sudor. in 6ᵐ. de mor. vul. com. 3°. 3ª.171.A
Exercitiorum mediocrium sudores, quales. 3°. de symp. cau. 3ª.28.F
Exercitatio probatur ex anhelitu. 1°. de san. tu. 2ª.69.E
pro Exercitationibus pulsuum mutatio. 3°. de cau. pul. 4ª.98.E
Exercitantium pulsus quales. de puls. ad tiro. 44. D/ 3°. de diff. pul. 61. F/ 1°. de cau. pul. 4ª.87.H
Exercitatorum respiratio. 1°. de diff resp. 5ª.58.D
Exercentibus se ictericis, dum sublimior spiritus adhuc est, quid exhibendum. 9°. de comp. med. se. lo. 5ª.198.C
Exercitia quæ spũm acutum reddunt. 9°. de comp. me. se. lo. 5ª.199.C
Exercitia q̃ spũm acutũ reddũt spleniticis. 9°. de cõp. m. s. l. 5ª.199.F
ob Exercitia qũo fiant anhelitus crebri. com. 3°. aph. 26°. Ex.25.E
Exercitati habent pulsum & respirationem celeriorem, frequentiorem, & maiorem. de vsu pul. 1ª.227.F
in Exercitationibus cur amplius & vehementer respiramus. de vtilitate respirationis. 1ª.225.E
Exercitia simul cũ inedia sanis nõ sunt p̃cipiẽda. c. 2°. ap. 16°. Ex.12.h
Exercitantes quibus vesci debent. de ven. aff. dig. & med. 7ª.195.B
Exercitatis somnus altior. 1°. de symp. cau. 3ª.19.A
Exercitiũ debet cẽ cõmensuratũ. de cõsu. 61. E/ 2°. de sa tu. 2ª.73.H
Exercitium nullum immodicum. de par. pilæ ex. 2ª.49.D
Exercitium quam mediocritatem habere debet. ars med. Isa.68.E
Exercitij modus. ars med. Isa.68.F
Exercitatio quando inhibenda. 2°. de san. tu. 2ª.76.A
in Exercitationibus potissimũ musculi patiũtur. 3°. de sa. tu. 2ª.80.C
Exercitatio minuit, carnium, adipis, & succorum abundantium. in 6ᵐ. de mor. vul. com. 3°. 3ª.170.C
Exercitium quando colliquat membra. de puero epil. 7ª.180.A
Exercitatio immodica impedit incrementum. 1°. de sa. tu. 2ª.67.C
Exercitatio immodica lassitudinem facit. de cau. mor. 3ª.6.E
ex Exercitatione immodica lassitudo est sanorum symptoma. 4°. de sanitate tuenda. 2ª.82.E
præter Exercitationem lassitudo est symptoma egritudinem nunciãs. 4°. de sani. tuenda. 2ª.82.E
ex Exercitio immodico effluit aliquid boni. 3°. de symp. cau. 3ª.28.F
Exercitãs se, & oleribus, & succo ptissanæ viatur, cito corpus suum labefactabit. 1°. de alim. fac. 2ª.10.B
Exercitatio membra exicat. quos pur. op. 5ª.88.A
Exercitatis imodice fiũt iequales intẽperies sine mã. de iæq. intẽ. 3ª.43.c
Exercitationibus, & plusculis laboribus calore adaucto inæqualis in tẽperies oriri solet in toto corpore. de inæq. int mp. 3ª.44.D
ob Exercitationes fit dolor capitis. de vi. ra. in mor. acu. c. 4°. 7ª.149.E
Exercitationibus nimis fiunt dolores vlcerosi & tensiui. 2°. de locis affectis. 4ª.11.D
Exercitatis rigor & horror accidũt. de trem. pal. cõuul. & rig. 3ª.55.F
Exercitatio vehemẽs cã cur bilis i vẽtriculũ meet. 2°. de de. 1ª.240.c
Exercitationes intẽpestiue induxũt cãs abditas. de na. hu. c. 2°. 7ª.181.g
Exercitatio à cibo non eadem quæ ieiune fit. 2° de dig. pul. 4ª.77.C
Exercitantes se repleti quid incurrant. 6°. de sa. tu. 2ª.97.H
Exercitatio ante coctionem quid faciat. 2°. de sa. tu. 2ª.69.G
Exercitatio ante coctionem facit, vt cibi crudi descendant ad omnes partes. 2°. de san. tuen. 2ª.69.G
Exercitationẽ fieri non debere cruditas ostendit. 3°. de sa. tu. 2ª. 81.F
Exercitandi non sunt in primis venis crudorum humorum copiam habentes. 4°. de sa. tu. 2ª.84.G
ob Exercitationem à cibo viscera obstrui. de sal. diæta. 2ª.41.B
Exercitatis à cibo viscerum dolores incidunt potissimum in iecore. de sal. diæta. 2ª.43.C
in Exercitatione cur potius obstruantur quam expurgentur meatus quandoque graui athletæ. 3°. de sa. tu. 2ª.77.C
Exercendum non est, neque balneo vtendum, vbi sunt humores multi. 13°. meth. med. 7ª.82.B
Exercentis & cuiusdã casus, qui in febrẽ incidit. de cau. pcat. 3ª.98.b
Exercitij immodicis ephemeræ habent minores pulsus. 1°. de arte cur. ad Glauconem. 7ª.95.D
Exercitãtes se, & alui pfluuio corripanti, qd agẽdũ. de sa. diæ. 2ª.42.E
Exercitati illico cibos accipe nõ debẽt. in 6ᵐ. de m. vul. c. 3°. 3ª.170.E
post Exercitium magnum cur datur minus nutrimenti & cur non. 3°. de san. tuenda. 2ª.80.C
sm Exercitiorũ diuersitatẽ victus rõ esse debet. 1°. de sa. tu. 2ª.67.D
ab Exercitatione statim aqua bibẽda post vinum. de sal. diæ. 2ª.41.C
in Exercitijs quomodo paranda est aqua. de bon. aquæ. Sp.76.B
Exercitationibus quibus conueniat aquæ calidæ solium, & quibus non. 3°. de san. tuen. 2ª.80.F
post Exercitationẽ cur calida potio dãda et nõ frida. de sa. diæ. 2ª.41.c
post Exercitationem potio frigida offendit ventrem, iecur, & neruos. de sal. diæta. 2ª.41.C
ab Exercitatione lotio frigida q̃n conueniat. 2°. de san. tu. 2ª.70.A
ab Exercitatione non statim lauandum. 2°. de sa. tu. 2ª.75.A
post Exercitium etiam fit frictio. 2°. de sa. tu. 2ª.72.C
Exercitium indicat morbos. com. 1°. aph. 12°. Ex.5.E
Exercitij si qui sint dediti in his catharticis vtimur. de dy. Sp.20.F
post Exercitia aliqua consueta sanguis è vena detrahendus. præsag. exper. confir. Sp.77.H
EXERCITATIONIS *per totam vitam indiget homo, vt in probum virum euadat. de cog. cur. animi morbis.* 2ª.51.E
Exercitatio diuersa diuerso modo habet animam. 1°. de sa. tu. 2ª.65.F
Exercitatiõis praua cõsuetudine corrũpũt aĩ mores. 1°. de s. t. 2ª.65.F
Exercitatum non esse facit errare. 5°. de diff. pul. 4ª.57.C
Exercitatio consistit in particularibus. 9°. met. me. 7ª.58.C
sine Exercitatione in singularibus methodus vniuersalis non potest facere bonum artificem. 3°. de decr. Hip. 1ª.280.B
Exercitari in quibus debemus. in 1ᵐ. de mor. vul. com. 3°. 3ª. 120.G
Exercitio in pueritia quantum valeat. 2°. de ana. adm. 1ª.68.F
Exercitatio iuuenum esse debet geometria, arithmetica, logica & dialectica. ad eos qui de typ. scrip. 3ª.92.G
Exercitij causa iuuenes prauis vijs non debent insistere. ad eos, qui de typo. scripſ. 3ª.92.G
Exercitati debemus esse in artibus. 9°. de dec. Hip. 1ª.284.E
Exercitari debet medicus continue. in arte. 3°. meth. me. 7ª.20.G
q̃ Exercitatio in re medica sit necessaria. 2°. de cõp. m. p ge. 5ª.218.B
Exerceri debet medicus circa particularia. 4°. de lo af. 4ª.21.A
Exercitio frequenti firmãtur artis opa. 6°. de cõp. m. per ge. 5ª.257.C
Exercitatio circa opera ad quę iuuet. 3°. de crisi. 4ª.142.D
in Exercitatione artis quid primo agendũ. 2°. de lo. aff. 4ª.13.C
Exercitatio qũo molieda p locis affectis inueniẽdis. 2°. de l. a. 4ª.13.C
non Exercens & addiscens, qualis. 1°. de die. decr. 4ª.149.E
Exercitatio de locis affectis duplex. 4°. de lo. aff. 4ª.27.E
Exercitatio à loco quo modo. 2°. de lo. aff. 4ª.8.C
Exercitatio à dispositionibus & causis qũo. 2°. de lo. aff. 4ª.8.C
Exercitatio ab accidentibus quo modo. 2°. de loc. aff. 4ª.8.C
Exercitatorium experimentum. de sectis. Isa.16.C
Exercitandi sunt medici i methodo demõstratiua. 7°. me. me. 7ª.44.C
Exercitandum in exemplis. 9°. met. me. 7ª.56.E
Exerceri oportet in simplicibus. 4°. meth. me. 7ª.24.C
Exercitatus debet ee tactus pro pulsu noscẽdo. 2°. de dig. pul. 4ª.75.C
Exercitatũ tactum exigit pulsus formicans. 2°. de dig. pul. 4ª.75.C
ad Exercẽdũ tactũ multo tẽpore indigemus. 1°. de dign. pul. 4ª.70.D
Exercitatio in ratione deligandi in quibus fieri debet. de ijs, quæ in med. fi. commen. 1°. 7ª.197.E
EXERCITVS *administratio vnde repetenda. 6°. de dec.* 1ª.264.B
Exercituũ ducibus & primatib. cõuenit theriaca. de th. ad Pis. 5ª.91.c
EXESIO *ab acrimonia humorũ exulcerationẽ intestinorũ facit, quam difficultatẽ intestinorũ sæpe sanauit Gale. c. 4°. aph. 24°.* Ex.30.A
Exesio intestinorũ à flaua bile, vel ab atra fit. cõ. 7°. aph. 23°. Ex.55.E
Exesis vlceribus crescit caro. com. 6°. aph. 19°. Ex.48.B
in EXEVNDO *naturalis ordo est vt præcedat caput, & sequantur cætera membra. de ana. viu.* Sp.52.D
ad EXFLORATIONES *valet succ° cẽtaureę. d vir. cẽ. S. 93.E*
EXHALATIO *quid. 3°. de decr. Hip.* 1ª.240.G

Exhalatio corporis quomodo augetur.6°.de sa.tu. 2ª.98.C
ad Exhalandos, & digerendos succos corporis qui natura propensi. 9°.meth.med. 7ª.57.H
Exhalant,& digeruntur promptius naturæ calidę & humidæ.9°.me thodi med. 7ª.60.H
Exhalat valde & digeretur aqua calefacta.9°.met.me. 7ª.60.H
Exhauriunt materiā cucurbitulæ,de hiru.reuul.cucur.& sca.6ª.2.F
EXHIPOTICON *quid 2°.de comp.med.per ge.* 5ª.222.C
EXICCARE, calefacere,refrigerare, & humectare corpus humanum quę debent,non sunt considerandaan pinguia,vel iēta,vel leuia.1°.de simp.med.fa. 5ª.2.E
Exiccantium natura & diuisio.8°.de comp.med.se.lo. 5ª.188.A
Exiccantium ordo. 5°.meth.med. 7ª.36.E
Exiccantia per gradus.6°.met.me. 7ª.38.G
Exiccantia velentiora modice siccantibus.quæ.3°.met.me. 7ª.20.A
Exiccant & refrigerant acerba.7°.met.med. 7ª.46.H
Exiccat sine molestia Adeps anserinus.2°.de comp me.se.lo. 5ª.134.F
Exiccant plus iusto,& roborant os ventriculi astringentia.de victus ra.in morbis acutis,com.1°. 7ª.111.F
Exiccant & abstergunt vehementer Aeris squamma & ærugo.4°.de comp.med.per gene. 5ª.241.H
Exiccare qui volunt per aquæ calidæ perfusionem,sunt excusandi.1°. de simp.med.fa. 5ª.3.G
Exiccant attenuatoria,& repulsoria.5°.de cōp.med.per g. 5ª.247.C
Exiccandi vim habet Bilis vt muria & mare.4°.de cau.pul. 4ª.103.F
Exiccat valde Buccina.1°.de comp.med.per ge. 5ª.216.E
Exiccant nimium Calefacientia.7°.met.me. 7ª.46.F
Exiccat caliditas nimia.de mel.ex G.R.& Poss. Sp.109.F
Exiccet quomodo absq; mordicatione Calx.9°.de simp. m.fa. 5ª.71.B
Exiccat citra mordicationem Centaurium amarum adstringens.7°.de simp.med.fa. 5ª.50.G
Exiccat & abstergit Crethmon subsalsum & subamarum.1°.de simpli.medicamen.faculta. 5ª.52.H
Exiccant ac digerunt Citri folia.7°.de simp.me.fa. 5ª.56.B
Exiccare fluxiones potest Cucurbitula.de cucur.scar. 6ª.3.F
Exiccant Cupressi folia,tñ parū calida sunt.7°.de sim.me.fa. 5ª.53.G
Exiccat sine morsu & parum adstringit Cyperum.6°.de comp.med. per gene. 5ª.256.F
Exiccant sine morsu Diaphanes & lapis specularis.4°.de compo.me dicam.per genera. 5ª.236.F
Exiccat membra Exercitatio.quos purg.opor. 5ª.88.D/*commen.4°. aphor smo 13°.* Ex.28.G
Exiccat Faba.7°.de simp.me.fa. 5ª.53.D
Exiccat fames corpora ex accidenti.com.7°.apho.59°. Ex.59.D
Exiccat & facit durus Frigus.in 6ᵐ.de mor.vul.cō.5°. 3ª.193.F
Exiccat Fuligo.7°.de simp.med.fa. 5ª.53.A
Exiccat & refrigerat in primo Hordeum.6°.de simp.me.fa. 5ª.53.A
Exiccandi vim habent Humores mordaces.com.5°.ap.1°. Ex.37.E
Exiccat & adstringit Ladanum, quoniam fluentes capillos cohibet. 7°.de simp.med.fa. 5ª.55.A
Exiccant Lapides omnes.9°.de simp.me.fa. 5ª.68.D
Exiccat in tertio ordine Leontopetalon.7°.de simp.med.fa. 5ª.54.C
Exiccat in tertio Leucacanthon.7°.de simp.med.fa. 5ª.54.C
Exiccat & refrigerat Lini semē.de vic.ra.in mor.ac.cō.4°.7ª.149.D
Exiccat & concoquit Lotus domestica temperata in medio.7°.de simplicium med.fa. 5ª.54.H
Exiccant magis Metallica medicamenta, & habent subtiliores partes cū multum ebullierint.2°.de arte cur.ad Glau. 7ª.106.A
Exiccās c absq; mordicatiōe Ocimoides semē.8°.de sim.m.fa. 5ª.64.A
Exiccant Odores.4°.de locis affectis. 4ª.28.D
Exiccat magis Oleum vetus.1°.de comp.med.sec.lo. 5ª.213.A
Exiccat & adstringit Olostium.8°.de simp.me.fa. 5ª.57.C
Exiccat citra morsum Palmæ radix.8°.de simp.med.fa. 5ª.63.D
Exiccant Panes cinerity & pisces assi.de victus ratio.in morbis acutis,commen.4°. 7ª.149.B
Exiccat sine morsu Paronychia,& est tenuium partium.8°. de simp. med.facul. 5ª.57.H
Exiccant quæ plus Pice.4°.de comp.med.per ge. 5ª.240.H
Exiccat & constringit linguam Ponticum.de ocu. 7ª.188.B
Exiccare & constringere est frigiditatis actio.de ocu. 7ª.188.B
Exiccāt & calefaciunt Resinæ omnes.2°.de cōp.me.per ge. 5ª.219.E
Exiccant & abstergunt Salsa amara.7°.de sim.me.fa. 5ª.52.H
Exiccat Sinapis loca sanguine manantia.de sim.med. Sp.90.G
Exicca mediocriter Solanum.2°.de arte cur.ad Glau. 7ª.102.B
Exiccat Sparganium.8°.de simp.med.fa. 5ª.61.C
Exiccat Terra simplex.9°.de simp.med.fa. 5ª.65.G
Exiccat citra morsum terra simplex.9°.de simp.med.fa. 5ª.66.C
Exiccat omne corpus Venus in 6ᵐ.de morb.vulg.com.5°. 3ª.193.E
Exiccat & calefacit venus.8°.met.med. 7ª.54.D
Exiccat semper Vigilia,non tamen calefacit, vel refrigerat.in 6ᵐ. de morb.vulga.com.4°. 3ª.184.A
*Exiccat vt vigilia cōcubitus quo mō.in 6ᵐ.de mo,vul.cō.5°.*3ª.192.F
Exiccat Vinum merum.3°.de præsag.ex pul. 4ª.119.C
Exiccantia medicamenta.2°.de simp.med.fa. 5ª.16.E
*Exiccatorium medicamentum ex Salice.6°.de simp.med.fa.*5ª.48.H
Exiccans medicamentum habens substantiam humidam. 2°. de arte cur.ad Glauconem. 7ª.106.E
pro Exiccando pulmone hedychroum medicamentum vtile intra nares.4°.de locis affectis. 4ª.28.D
Exiccans sine morsu.1°.de comp.med.per genera. 5ª.213.B
Exiccantia sine morsu.de artic.com.2°. 7ª.268.A
*Exiccantia & calefacientia medicamenta.2°.de simp.me.fa.*5ª.16.D
Exiccantia & calefacientia medicamenta.8°.meth.me. 7ª.54.D
Exiccantibus & calefacientibus vtendum est in fine omnium morborum ex succis vitiosis.14°.met.me. 7ª.89.C
Exiccantia sunt humidarū passionum remedia.cō.7°.ap.59°.Ex.59.D
*Exiccari debēt carnosæ partes inflāmatæ.2°.de ar.cu.ad Gl.*7ª.102.E
qua Exiccatione indigent venosæ partes inflammatę.2°. de arte cura. ad Glauconem. 7ª.102.E
Exiccatæ venæ trahunt à partibus propinquis.de vict.rat.in morbis acutis,com.4°. 7ª.134.C
Exiccandæ sunt magis partes arteriosæ vulneratæ.2°. de arte cur.ad Glauconem. 7ª.102.E
*Exiccandæ adhuc magis neruosę partes.2°.de ar.cu.ad Gla.*7ª.102.E
*Exiccare sine mordicatiōe intētio est neruo nudato.6°.me.m.*7ª.38.B
Exiccandæ multum chartilaginosæ,& osseæ partes.2°.de arte curat. ad Glauconem. 7ª.102.E
Exiccari desiderat omne vlcus medicamento non mordicante. 2°.de arte cur.ad Glauconem. 7ª.102.D
Exiccare debemus in vulneribus,& quātum.cō.6°.ap.45°.Ex.51.g
Exiccantibus medicinis, & calefacientibus vti debemus in vlceribus neruosis.com.5°.apho.66°. Ex.45.C
Exiccantia citra morsum vlcera inueterata ad cicatricem perducunt. 6°.de simp med.fa. 5ª.48.C
Exiccantibus citra morsum curātur vlcera maligna 4°.de comp.me dicam.per genera. 5ª.237.D
Exiccante & expurgante medicamento indiget vlcus cauum.3°.me thodi medendi. 7ª.17.H
Exiccantia,& abstergentia medicamenta,ac vlcera pura reddentia: de fracturis,com.2°. 7ª.242.D
Exiccantia vlcera.4°.de comp.med.per ge. 5ª.236.G
*pro Exiccandis vlceribus vitrū vstum.4°.de cōp.me.p ge.*5ª.236.G
*Exiccant mediocriter cruenta medicamenta.de arti.cō.2°.*7ª.268.D
Exiccantia obducunt cicatricem.ars med. Isa.70.B
Exiccari qui debent sine morsu illis optimum fomentum est milium. 7°.de simp.me.fa. 5ª.50.D
Exiccare æstiuo tempore timebat Galenus corpus frigidæ & humidę temperaturæ.de præcog.ad Posthu. 4ª.117.G
Exiccante victu vsus digitos cœpit non posse mouere, & non sentire. 6°.de san.tuend. 2ª.99.E
Exiccantium,& calefacientium medicaminum immodicus vsus,faciliter tertianas affert.2°.de diff.feb. 3ª.36.D
Exiccatoria colliquant corpora.5°.de simp.me.fa. 5ª.36.A
Exiccatur corpus in morbis diuturnis.7°.met.me. 7ª.45.H
Exiccata videntur veluti salita.de diff.morb. 3ª.3.G
Exiccati à medicis casus.7°.met.med. 7ª.44.B
Exiccatum medici curarunt medicamentis conuenientibus paralysi, & indeterius progressus est.6°.de san.tuen. 2ª.99.F
Exiccatum quid expetat.5°.de simp.me.fa. 5ª.32.G
*Exiccatis corporibus remediū aqua & oleū.2°.de sim.me.fa.*5ª.16.C
*Exiccato corpi cibus peculiaris.de vic.ra.in mor.ac.com.2°.*7ª.120.C
Exiccatum corpus potum accipiat.ad Thrasy. 2ª.104.E
Exiccatis, vt fere in marasmum deuenerit,non debet absinthium accipere neq; adstringentia.7°.methodi med. 7ª.44.H

ab Exiccatione conuulsio insanabilis est.com.5°.aph.1°. Ex.37.E
Exiccari ad solem aliqua.5°.de comp.med.sec.loc. 5ª.166.A
Exiccari in vmbra pillulas quasdã,& ad qd.3°.de c.me.se.l. 5ª.149.a
Exiccare in vmbra.9°.de comp.med.se.lo. 5ª.198.H
EXILIRE *verbum est vetus,ad extra motum significans.de palpitatione,tremore,conuulsione,& rigore. 3ª.54.H*
EXILITATIS, *& gracilitatis membrorum causa est ocium.de arti. commentario 3°. 7ª.277.E*
Exiles,qui.14°.meth.med. 7ª.91.C
Exile corpus facilius alteratur.1°.de simp.med.fa. 5ª.4.B
EXINANITIONE *pulsus fit durus in ephemeris.1°.de differentijs febrium. 3ª.34.C*
Ἐξις quid sit.de vict.rat.in mor.acu.com.2°. 7ª.120.G
Ἐξισανται non significare sortem desipientiam,collige.in 1ᵐ.prorrh. commen.3°. 4ª.179.D
non EXISTENS *inueniri non potest.4°.de dign.pul. 4ª.84.H*
EXISTIMATIO *opus animę.2°.de loc.aff. 4ª.13.F*
EXITIALIS *morbus, qui fin. med. Is.45.C*
Exitiosus admodum,modus loquendi Hippocratis quid significet.in prognostica,com.2°. 4ª.203.F
Exitiosissimus,modus loquendi apud Hippocratem quid significet.in progn.com.2°. 4ª.203.F
ad EXITVM *prępparans humores in principijs ægritudinum frigidarum medicam.de med.exper. Sp.108.E*
Exitum phlegmatis e corpore alleuians medicamen.secr. Sp.101.H
ad Exitum vrinę lentum. de cura lap. Sp.112.E
Exitui ani confert succus centaureæ.de vir.cent. Sp.93.E
ad Exitum cur commoueatur infans.de anat.viuo. Sp.52.D
si Exiuerit matrix quid fieri oporteat. de pass.mul. Sp.96.A
EXOLVIT *robur corporis vinum dilutum. de vict.rat.in morb. acut. commen.2°. 7ª.120.C*
Exoluit vires dolor. in prog.com.1°. 4ª.196.E
Exoluit vires dolor,& extrema reddit frigida. de vict.rat. in morb. acutis,commen.2°. 7ª.130.E
EXOLVTIO *vehemẽs ostẽdit futurã ægritudinẽ. ars med. Is.67.F*
Exolutio fit ex immoderata excretione,non retentione. in 1ᵐ.prorrh. commentario 3°. 4ª.185.D
Exolutio fit si sani euacuentur.com.2°.aph.36°. Ex.17.F
Exolutio a tuberculi intus ruptione fit.com.7°.aph.8°. Ex.54.D
Exolutio in aqua inter cutem,ex aquę immodica euacuatione quo mõ curetur.1°.de arte cur.ad Glau. 7ª.99.F
Exolutio & animi defectus fit per vitalis spiritus excretionem.com. 7°.apho.8°. Ex.54.E
cũ Exolutiõe pniciosæ sunt catochæ & aphonię.ĩ 1ᵐ.pr.c.3°.3ª.179.a
Exolutione de repente facta cur moriantur, & quo modo.commenta. 2°.aph.41°. Ex.18.A
cur Exolutio quibusdã veniat,& nõ morianť.c.2°.aph.41°.Ex.18.A
Exolutiõis signa,supinũ iacere,hiare,& stertere.2°.de mo.1ª.314.D
Exolutio quibus curetur.8°.de comp.me.se.lo. 5ª.191.H
Exolutio ex nimia frigiditate quo modo curanda. 1°. de arte curati. ad Glauconem. 7ª.99.D
Exolutiões ex calore quo mõ curentur.1°.de arte cur.ad Gl.7ª.99.D
cum Exolutione aut animi deliquio ijs qui stomacho exuruntur remedium.8°.de comp.med.sec.lo. 5ª.191.H
Exoluti stomacho quæ appetant.4°.de simp.med.fac. 5ª.26.H
Exolutum,& imbecillum stomachum roborare potest cucurbitula.de cucurb.scar. 6ª.3.F
Exoluti non sunt purgandi.in 1ᵐ.prorrh.com.2°. 4ª.174.E
EXOMPHALOS *quid.fin.med. Is.49.B*
Exomphalos,& bubonocele quid.de tum.præter nat. 3ª.84.G
Exomphali qui.introd. Is.60.A
Exomphalorum differentia triplex.intro. Is.60.A
EXORDIA *de communibus tractare, collige. de ijs, quæ in medicat. fiunt,commen.1°. 7ª.200.B*
EXORNATORIA *est pars medicinæ,& quo mudo differat à compte ria.1°.de comp.med.sec.lo. 5ª.126.B*
Exornatorię scopus.1°.de comp.med.secun.loc. 5ª.126.B
EXOSTOSES *quid.de tum.3ª.84.F/14°.meth.med. 7ª.93.B*
EXPANSA quę ab Hippocrate vocantur.de ijs quę in medicatrina fiunt.com.2°. 7ª.213.A
Expansa quæ sint.de ijs quæ in med.fi.com.2°. 7ª.211.C
Expansis scopus curationis,de ijs quę in med.fi.com.2°. 7ª.211.C
In Expansis qũo fieri debet deligatio.de ijs quæ in me.cõ.2°.7ª.213.C
EXPECTARE, *timere,sperare,verba sunt prænotionis.3°.de difficultate respir. 3ª.73.E*
EXPEDITIO *quid.de ijs quæ in med.fi.com.2°. 7ª.205.C*
Expedita lingua quibus reddatur.de simp.med. Sp.25.D
EXPELLENDI *vis quo modo se habeat.6°.de san.tu. 2ª.99.E*
Expellere quod pessimum est conatur natura,quod vero optimum assimulare.2°.de diff.feb. 3ª.37.D
Expellat per quas vias natura.de prænog.ad Posth. 4ª.215.D
Expellens,quod est præter naturam facultas,adest in omni particula. 2°.de symp.caus. 3ª.21.C
Expellunt & attrahunt singula membra.de victus ra. in morbis acutis,commen.4°. 7ª.134.E
Expellant superflua quo modo particulæ.2°.de symp.cau. 3ª.22.G
Expellentes villi qui.de anat.viuo. Sp.43.H
Expellunt villi latitudinales.de anat.viuo. Sp.55.H
Expellit & attrahit humores ac spũm actio pulmõis.5°.de l.af.4ª.30.F
Expellit inflationem & ventrem tenuat acetum cum melle mistum. de dissol.cont. Sp.74.G
Expellens Ventositatem medicina.de med.exper. Sp.104.D
Expellens fæces per vrinas medicamen.de me.exper. Sp.105.G
Expelluntur cito mordentia,& quo modo.2°.de symp.caus.3ª.22.G
EXPENSIS *computandis & ædibus extruendis quantũ conducit arithmetica & geometria,tm illis vtunĩ diuites.de præc.4ª.214.B*
EXPERGISCIMVR *naturaliter quando.3°.de cau.pul. 4ª.98.B*
qui Expergiscuntur,pulsus quales habeant.de pul.ad tiro. 4ª.44.C
Expergiscentium pulsus,quales.3°.de caus.pul. 4ª.98.B
EXPERIENTIA *quid.de sectis.16.B/de optima secta.21.H/de subf. empir. Is.31.F*
Expertus,qui.de subf.emp. Is.31.G
Experimenti genus triplex,casu,cõsulto,& imitatiõe.de sect.Is.16.B
Experientia & ratio instrumenta sunt data nobis ad artes inueniendas,& quomodo.8°.de comp.med.sec.loc. 5ª.187.C
Experimẽtum & ratio,duo instrumenta inueniendi quæ spectant ad artem.in prog.com.3°. 4ª.208.D
Experientia & ratio,duo instrumenta inuentionis.1°.me.me.7ª.4.F
Experientiam & rationem duo organa habent quę in quęstionẽ veniunt.de curan.rat.per sang.miss.6ª.16.B/3°.me.me. 7ª.16.G
Experiẽtia & rõne oĩa inuenienda,sed distincte.3°.me.me. 7ª.16.D
Expientia,& speculatio quid possint in artibus.8°.de cõ.m.s.l.5ª.193.F
Experiẽtia & ratio vt duo crura in arte.8°.de com.m.se.l. 5ª.193.F
Experimentum est instrumentũ remediorũ.com.1°.aph.1°. Ex.2.H
Experientia instrumentum ad inuentionem quorundam proloquiorum.1°.de elemen. 1ª.2.H
Experientia fit sine ordine & arte.1°.met.me. 7ª.4.H
Experientia τριβικὴ, id est trita,quæ.de subf.emp. Is.31.E
Expriẽtia normæ vice hũda eorũ q excogitaueris.6°.de s.t.2ª.100.G
Experientia certissima iudicatrix.1°.de sim.me.fa. 5ª.9.C
Experientia iudicãtis artis dissidentia oritur ex distincta,& indistincta rerum cognitione.de vict.ra.in mor.acu.com.1°. 7ª.110.C
Experientia, τριβὴ, id est exercitatio,ars,in quo consistant secundum Platonem.aduer.emp.med. Sp.35.E
Experientia periculosa,nisi tractetur recte.2°.de dig.pul. 4ª.77.B
Experientia debet fieri cum limitationibus.2°.de ali.fa. 2ª.24.E
Experimentum quo modo periculosum.com.1°.aph.1°. Ex.2.H
Experimẽtorum notitiam solam satis esse aliqui volunt in re medica. de sectis. Is.15.H
Experimentis plurimis tota ars conflatur.de subf.emp. Is.31.F
Experientia quomodo habeatur.de hist.philos. Sp.9.B
Experientiam peperit memoria.de subf.emp. Is.32.D
Expientiæ prĩcipiũ est smone expressa doctrina.de pul.ad tir.4ª.45.C
Experimenta singula ex multis experiẽtijs cõficiũtur.de subf.Is.31.F
Experientiam ex singularibus fieri volebant empirici,aduersus quos argumentatur Galenus.aduer.emp.med. Is.35.E
Experimento vno vel altero fit iudicium de vniuersali.11°.de simp. med.fac. 5ª.81.D
Experientia concursus.de ijs,quę in med.fi.com.1°. 7ª.198.F
Experientia particularis sm Menodotum,quæ de subf.emp. Is.31.E
Experientia non indigemus ad particulares actiones inuenta vniuersali,sed ad confirmationem.10°.de simp.me.fa. 5ª.72.A
Experimentorum notitiam solam satis esse volunt empirici in arte medica.de sectis. Is.15.H

Experientiæ totam

Experientię totă artẽ medică inniti putant emperici. de ſubſ. Iſ. 31. D
Experientię non rationi credendum ſecundum empiricos. 1°. de natu. fac. 1ª. 294. B
Experientia ſola edocti quid faciant in medendo. 8°. de compoſi. med. ſecun. loc. 5ª. 187. G
Experientia quomodo comparetur imitatione. de ſubſ. emp. Iſa. 31. E
Experimentalis diſciplina, quæ. de ſubſ. emp. Iſa. 31. E
Experientia aliqua inuenta præcepta, ratione multa. in 1ᵐ. de morbis vulg. com. 1°. 3ª. 101. G
ab Experientia ſeiuncta eſt indicatio. 2°. met. med. 7ª. 13. E
Experientia magis quàm ratione aliqua vidit Hippocrates. commentario 6°. apho. 31°. Ex. 49. C
Experimentum Hippocratis in vtero. de art. com. 3°. 7ª. 274. D
ad Experientiam & obſeruationem omnia refert Lycus quæ de temporibus & ætatibus ſcribit Hippocrates, ſed fallitur. in præfatione commentarij tertij. Ex. 19. F
Experientia peritiam acquiſiuit Galenus. in 6ᵐ. de morb. vulgar. com menta. 3°. 7ª. 171. C
Experientia quomodo Galenus inuenit medicamenta. 4°. de compoſi. med. per ge. 5ª. 239. H
Experientias aliorũ ſequebatur Galenus. 1°. de cõ. me. ſe. lo. 5ª. 131. D
Experimẽto lõgo iũcta ſunt cathartica ſm aliquos. de cath. Sp. 94. H
Experientia an logica demonſtratione indigeret Galenus cogitauit in remedijs inueſtigandis cuiuſque morbi. 3°. de loc. aff. 4ª. 15. A
Experientiam vincit demonſtratio in quibuſdam inuentionibus remediorum. 3°. de loc. aff. 4ª. 15. B
Expertis medicinis & vſitatis à bonis phyſicis & expertis vtaris. de medic. exper. Sp. 108. H
à non Expertis medicinis caue. de med. exper. Sp. 108. H
Expertus quod non es, pro vtili ſcribendũ nõ eſt. 6°. de ſa. tu. 2ª. 100. b
Experiẽtia nõ inuẽtis remedijs curati sũt qdã morbi. 3°. de l. a. 4ª. 15. B
Experientia probanda medicamenta. 5°. de ſan. tu. 2ª. 92. F
in Experientia conſiſtit ratio probandi medicamentorum qualitate. 3°. de ſimp. med. fa. 5ª. 18. B
ſine Experientia nemo cognoſcit vim medicamenti. 4°. de compo. medicam. per genera. 5ª. 240. D
Experientiam quid dimittunt, quid agant. 1°. de ſimp. med. fa. 5ª. 9. C
per Experientiam, non methodo inuenta eſt facultas quæ ex tota ſubſtantia agit. 6°. de ſimp. med. fac. 5ª. 42. C
ab Experientia auſpicandum. 1°. de ſimp. me. fa. 5ª. 6. G
Experiẽtia quo mõ ſumẽda eſt de ſimplicib°. 2°. de ſim. me. fa. 5ª. 11. H
Experientia inuento medicamento præſtat medicamentum ratione inuentum. 6°. de comp. me. ſec. lo. 5ª. 166. G
Experientia ſola cognoſcuntur facultates à proprietate ſubſtantiæ. 9°. de ſimp. med. facul. 5ª. 67. A
Experientia falli non poteſt. 4°. de ſim. me. fac. 5ª. 31. D
Experientiam adiuuant guſtus & odor. 4°. de ſimp. med. fa. 5ª. 31. D
Experimentũ probãdi an res ſit calida vel frigida. 3°. de tẽp. 1ª. 24. G
Experientia duorum hominum temperatorum qui ſe contingant. 2°. de ſimp. med. fac. 5ª. 15. G
Experientia indicantur quæ agunt à proprietate ſubſtantiæ. 1°. de cõpoſi. med. per ge. 5ª. 216. A
ꝑ Experientiã inuenta cõtraria tota ſubſtantia. 13°. meth. me. 7ª. 82. C
Experienda medicamẽta in damnatis vita. 9°. de ſim. me. fa. 5ª. 72. E
Experimenta quibus facta ſunt, homines ſui corporis curam committere. de ſubſ. emp. Iſa. 34. F
Expertus ſi quis fuerit ſex vel ſeptẽ hoĩes aliqua medicina purgatos, dicere certe nõ poterit q̃ oẽs poſt hac hoĩes ex neceſſitate purgabuntur. cõ. 3°. apb. 11°. Ex. 21. E/7°. de comp. me. per ge. 5ª. 264. F
in Experiundis medicamentis quid faciat differentiam. 7°. de compo. med. per gene. 5ª. 264. F
Experientia medicamenta cõponũtur. 2°. de cõp. me. per ge. 5ª. 218. H
Experiri quandoque debemus morbum cuius generis ſit fomentis, vel aliqua re, ẽhoc etiam debet fieri, quando dubitamus de pleure ſi an ſit ex flatu. ẽcom. 6°. aph. 31°. Ex. 49. G
Experiri quomodo debeat medicus propinaturus alicui vomitorium medicamentũ an ſit facilis ad vomendũ. com. 4°. aph. 38°. Ex. 28. F
per Experientiam vel indicationem humido aliquo inuento quod putrefacere neque irritare partem patientem ſit aptum, quando vti debeamus in cancro. com. 6°. aph. 38°. Ex. 50. E
Experta medicina, nocet vbi non conuenit. de med. exper. Sp. 103. H
Experientia ſola non debemus vti. 9°. de decr. Hip. 1ª. 283. B
Experientia nuda citra methodum ditior rationalis indicatio. 3°. de comp. med. per ge. 5ª. 229. G
Experientia & ratio ſunt iungenda. 2°. met. me. 7ª. 13. C
Experimentatoribus nõ credẽdũ abſq; ſcientia. de med. exp. Sp. 103. b
Experientiam cũ ratione ſequi debemus. com. 2°. aph. 17°. Ex. 13. D
Experientia ſequitur rationem. 6°. meth. med. 7ª. 37. E
ad Experientiam quid magni faciat ratio. 2°. met. med. 7ª. 13. B
Experientia rationi quandoq; adſtipulatur. com. 6°. aph. 45°. Ex. 51. F
Experientia ſenſuum iudicamus quæ ratio non poteſt inuenire. de theriaca ad P. ſonem. Sp. 90. E
Experientia index rerum euidenter apparentium, non ratio. in 6ᵐ. de morbis vulg. com. 3°. 3ª. 174. F
Experientiæ plurium habendæ. 1°. de comp. me. ſe. lo. 5ª. 122. F
Experientia oſtẽdit quid iuuet & quid proſit. 9°. de decr. 1ª. 283. A
añ Expientiã eduliorũ vires quo mõ cognoſcãtur. 1°. de ali. fa. 2ª. II. H
Experiẽtiæ diuturnæ credẽdũ in ciborũ facultatib. 1°. de ali. fa. 2ª. 7. E
Experientia, alimentorum facultas inuenta eſt. 1°. de ali. fa. 2ª. 7. E
Experientia cibi iudicantur. de victus ra. in mor. acu. cõ. 4°. 7ª. 145. C
Experientia quomodo inueniatur cibi modus. 2°. de ſa. tu. 2ª. 73. E
Experimento cõprobata ſtabiliora ſunt. 5°. de cõp. me. ſe. lo. 5ª. 159. F
quod Experientia comprobat, ſine cauſa nouiſſe ſufficit aliquando. cõmenta. 2°. apho. 24°. Ex. 15. H
Experientia comprobatum excitat medicos ad imitãdum opera naturæ. com. 5°. aph. 28°. & 32°. Ex. 40. D
per Experientiam comprobatis vti debemus. com. 1°. ap. 1°. Ex. 2. b
per Experientiam inuenta & naturali efficacia prædita quando exhibenda. 9°. de cõp. med. ſec. lo. 5ª. 205. F
Experientia dat fidem inuenti. 5°. de ſa. tu. 2ª. 93. G
Experimentum exercitatorium. de ſectis. Iſa. 16. C
per Experientiã pulſus quo mõ cognoſcatur. 2°. de dig. pul. 4ª. 77. B
Experimentum pro pulſu ſentiendo. 1°. de dig. pul. 4ª. 73. H
Experientia reperit Eraſiſtratus vniuerſam euacuationem in hydrope, febres, & mortem cauſare. com. 6°. aph. 27°. Ex. 48. H
Experientia facile inuenitur affectus curatio. 10°. met. me. 7ª. 65. D
Experientia quid difficulter inueniatur. 10°. met. med. 7ª. 65. D
Experientia oſtendit materię facultatem, qua agere debemus. 2°. de comp. me. ſec. lo. 5ª. 132. E
Experientia docet non omnem numerum dierum eſſe ad iudicandum idoneum. com. 4°. aph. 36°. Ex. 31. H
Experientia teſtatur ſextum diem malum. com. 4°. ap. 29°. Ex. 30. E
Experientia comprobatum eſt longum fore morbum, ſi paroxyſmi fiant eadem hora. com. 4°. aph. 13°. Ex. 30. F
Experimentum Irini romani. de med. exper. Sp. 104. F
Experimentatores non poſſunt habere rationem eorum quæ raro fiũt. 5°. de locis affect. 4ª. 35. E
Experimentatores quid dicant. 1°. de diff. feb. 3ª. 31. C
Experimentarius quid agat, & quo modo tarde cognoſcat. de ijs quæ in medicatrina fiunt. com. 1°. 7ª. 198. F
Experimẽtatores negligũt diſpõnes raro euenientes. 3°. de l. a. 4ª. 15. B
Experimentatores quos morbos ſciant curare. 3°. de lo. af. 4ª. 15. B
Experimentatoris Aſtoronis medicina. de med. exper. Sp. 104. A
EXPETITIO *quid. 4°. de decr. Hip. 1ª. 248. F*
Expetitio orexis dicitur à Græcis. 4°. de decr. Hip. 1ª. 249. G
EXPIRABILE *& inſpirabile omne corpus. in 6ᵐ. de morb. vulgarib. commen. 6°. 3ª. 195. A*
Expirabile & inſpirabile eſt corpus totum. 1°. de ſim. me. fa. 5ª. 4. C
EXPIRARE *ſuffocationis medela. de vtil. reſp. 1ª. 224. A*
Expirare frigidum eſt pernicioſum. in 1ᵐ. pror. com. 1°. 4ª. 162. A
EXPIRATIO *quid. 2°. de decr. Hip. 1ª. 136. C*
Expiratio eſt motus reſpirationis, quo ſpiritus fertur ad exteriora. com. 4°. aph. 68°. Ex. 34. G
Expiratio quo modo differt ab efflatione. 7°. de vſu par. 1ª. 157. H
Expirationis & inſpirationis diuerſitates. 1°. de diff. reſp. 3ª. 60. G
Expirationi contraria inſpiratio. 2°. de mo. muſ. 1ª. 316. C
Expiratio, & inſpiratio quando. 1°. de diff. reſp. 3ª. 57. D
Expiratio, & inſpiratio cui actioni pulſus cõparẽtur. 1°. de di. 3ª. 57. b
Expiratio, & inſpiratio quo modo fiant. de voc. inſtr. diff. 107. F/2°. de mo. muſ. 1ª. 316. E/4°. de lo. aff. 4ª. 26. D
Expirationẽ & receptionẽ aeris per inſenſibiles meat°. Eraſiſtrat° docebat fieri p circulũ, Plato p duos ſemicirculos. in tim. 1ª. 290. A
Expiratio, & inſpiratio fiunt ignorato lacerto à quo fit. de mot. man. & obſcu. Sp. 69. E

Expirationem qui muſculi faciant.de cau.reſp. 1ª.227.*A*
Expirationis nullus muſculus eſt opifex.2°.de mo.muſ. 1ª.316.*C*
Expirationem qui muſculi faciant.4°.de lo.aff. 4ª.26.*E*
Expiratio maxima fit per internos intercoſtales muſculos.2°.de motu muſcu. 1ª.316.*C*
Expiratio conſtricto pectore non fit.de præcog.ad Poſth. 4ª.216.*D*
Expiratio propter quid.8°.de decr.Hip. 1ª.278.*E*
Expirationis vtilitates.de vtil.reſp. 1ª.225.*A*
quod Expiratur eſt vapor,& eſt par aeri inſpirato.de vt.re. 1ª.226.*E*
Expirando ſuperflua expellimus.8°.de vſu par. 1ª.168.*F*
per Expirationem vacuatur ſanguinis fuligo.de vtil.reſp. 1ª.225.*A*
Expiratio qd̄ ferues & fuliginoſu in corde emittit.6°.de v.p. 1ª.148.*b*
Expiratio & inſpiratio propter qd lōga eſſe debet.de ana.vi.S.48.B
Expirationes,exufflationes citra ſtrepitū, exufflationes cū ſtrepitu, vox & loquela,quo ſe habeāt circa læſionē.4°.de lo.aff. 4ª.26.*D*
Expiratio velociſſima,& deſiſſima vñ,& cōtraria.1°.de di.r. 3ª.58.*d*
Expiratio magna violenta,quæ.2°.de dec.Hip. 1ª.236.*F*
Expiratiō lenis parua,quæ.2°.de decr.Hip. 1ª.236.*F*
Expirandi quatuor difficultates compoſitæ.1°.de dif.reſp. 3ª.60.*F*
Expirationis difficultates vnde.1°.de diff.reſp. 3ª.58.*B*
Expirant & inſpirant poſt prandium difficulter habentes ſtomachum rotundum.de anat.viuo. Sp.49.*G*
Expiratio febricitantium,qualis.1°.de diff.reſp. 3ª.59.*G*
Expirantium putridum conſuetudo non ſecura.1°.de diff.feb. 3ª.31.*C*
EXPLANANDI *ratio.de fract.com.1°.* 7ª.223.*C*
Explanationē quamcunq; velint qui audiūt in congreſſibus poſſumus aſſerre,at in libro id facere nō licet.in 6m.de mor.v.c.3°. 3ª.171.*G*
EXPONENDI, *& dicendi ratio optima.2°.de dif.ſe.* 3ª.39.*H*
Expoſitio quid ſit.2°.de diff.reſp. 3ª.62.*G*
Expoſitionis ſcopus quid ſit.de victu.ra.in mor.acu.cō.1°. 7ª.109.*A*
in Expoſitoribus diſſentictibus qd agēdū.de ijs q̄ in me.c.3°. 7ª.216.*C*
Expoſitoris ratio.de fract.com.1°. 7ª.223.*B*
EXPOSITORES *quid agere debeant in ſuis commentarijs. in progn. commen.1°.* 4ª.190.*G*
Expoſitorū & interpretum bonorum opus.3°.de dif.reſp. 3ª.69.*G*
Expoſitionis proprium opus eſt obſcura interpretari,& demonſtrare ita eſſe.in præfatione tertij commentarij. Ex.19.*F*
Expoſitores qui verbis loquūtur poſſunt multū differre vt lubet,ſed id facere nō licet in libro.in 6m.de mor.vulg.com.3°. 3ª.171.*G*
Expoſitores & longi & breues non dānandi.de frac.cō.1°. 7ª.223.*H*
Expoſitores longos damnat.de ijs,quę in med.fi.com.3°. 7ª.216.*C*
Expoſitor,& interpres damnandus,qui nec verā dicit, nec conſentanea cum auctore.in 3m.de mor.vulg.com.3°. 3ª.129.*D*
Expoſitorum comparatio ad cauſidicos.in 1m.pror.cō.2°. 4ª.177.*A*
Expoſitores ſexti libri epidemiorū.in 6m.de mor.vul.cō.2°. 3ª.165.*D*
EXPRESSIO *tendit & ſurſum & dēorſum.de frac.cō.2°.* 7ª.228.*A*
Expreſſio fit ſportulis.7°.de comp.med.per ge. 5ª.273.*A*
Expreſſorium emplaſtrum.6°.de comp.med.per ge. 5ª.261.*G*
Exprimit cor aperte quod in ſe ipſo continet in contractione. in timæum Platonis. 1ª.290.*D*
EXPVLSORIA *vis dicta ab opere.3°.de na.fa.* 1ª.302.*H*
Expultrix actio naturalis.de na.hu.cō.2°.182.F/de an.viu.Sp.44.H
Expulſiuæ virtutis cauſæ,quæ.com.2°.aph.20°. Ex.14.*C*
Expultrix vis breuis.3°.de ſym.cau. 3ª.29.*B*
Expultrice imbecillior omnib⁹ retentiua vis.3°.de ſym.cau. 3ª.29.*B*
Expultrix,& retentrix vis quo ſe habent.5°.de lo.af. 4ª.33.*E*
Expulſoria cedit retētrici,& è cōtra,qñ ē opus.3°.de na.fa. 1ª.302.*b*
Expultrix vis eſt in omni parte.3°.de dieb.decr. 4ª.158.*C/commento.1°.apho.26°.* Ex.10.*C*
Expultrix alienorum & attractrix propriorum vis eſt in carne. in 6m.de mor.vul.com.6°. 3ª.195.*F*
Expulſiua virtus ſtomachi naturalis eſt,non voluntaria. de motibus mani.& obſcu. Sp.68.*G*
Expultricem vim habent inteſtina.1°.de criſi. 4ª.129.*C*
Expulſionem adiuuant octo lacerti mirach.de anat.viu. Sp.50.*E*
Expultrices facultates in villis tranſuerſis.4°.de vſu par. 1ª.141.*B*
Expulſiuam facultatem ſibi vendicant nerui obliqui.de compa.mēb. ſiue de natura humana. Sp.59.*A*
Expulſio & tractus fiunt per eandem viam in diuerſis temporibus: 3°.de na.fac. 1ª.306.*A*
Expultrix & retentrix fortiores in vigentibus quàm in pueris.3°.de ſymp.cauſ. 3ª.29.*B*
Expulſiua virtus fit fortior propter ſiccitatē.c.2°.aph.20°. Ex.14.*E*
Expulſiua virtute exīte forti debilis ē retētiua.c.2°.ap.20°. Ex.14.*E*
Expultricis facultatis validi motus,qui.2°.de ſym.cau. 3ª.23.*G*
ob Expultricis robur excrementa qualia.5°.de lo.af. 4ª.35.*B*
ob Expultricis facultatis mediocres motus.2°.de ſymp.cau. 3ª.23.*g*
Expultricis facultatis minus mediocres motº.2°.de ſym.cau. 3ª.23.*g*
Expultricis officium quod.5°.de lo.aff. 4ª.35.*B*
Expultrice vi non vtuntur membra niſi cum excrementis excitantur.1°.de loc.af. 4ª.2.*H*
Expultrix quæ expellat.2°.de ſym.cauſ. 3ª.22.*G*
Expultrix vis expellit alienum.de cur.rat.per ſang.miſſ. 6ª.17.*G*
ab Expultrice quomodo trudatur fœtus.3°.de na.fa. 1ª.203.*A*
Expulſio quomodo fiat in veſica.3°.de nat.fa. 1ª.306.*A*
Expultrix quæ non expellat.2°.dē ſymp.cau. 3ª.22.*G*
Expultrix ſenum vis,qualis.3°.de ſym.cau. 3ª.29.*C*
Expultrix imbecilla carnem facit humidiorem, & excrementoſam. 3°.de ſymp.cau. 3ª.26.*G*
Expultricis virtutis & retentricis ſymptomata,& morbi ſimul miſcentur.2°.de ſymp.cau. 3ª.25.*E*
Expultricis facultatis vitioſus motus.de ſym.dif. 3ª.12.*H*
Expultricem vim contriſtat doloris cauſa.13°.met.me. 7ª.80.*G*
Expultrice vi quomodo fiat phlegmone.13°.met.me. 7ª.80.*G*
Expulſiōi & digōi dura corpora inepta ſunt.3°.de ſym.cau. 3ª.29.*d*
Expulſio ante tempus quibus fiat.3°.de ſym.cau. 3ª.27.*C*
ad Expulſiones humor mordax nos incitans ſi retineatur propter negotia,quid mali agat.6°.de ſa.tu. 2ª.99.*E*
in Expulſionibus decretorijs qui pulſus.2°.de cau.pul. 4ª.94.*C*
EXPVERE *quid ſignificet.3°.de dec.Hip.* 1ª.244.*G*
Expuere pro purgare vtitur Hippocrates.com.5°.aph.8°. Ex.38.*B*
Expuitio quid ſit.1°.de criſi. 4ª.126.*H*
Expuatur propter quid aliquid.2°.de loc.af. 4ª.13.*A*
Expuitur nihil ſine tuſſi exſpiritalibus.4°.de loc.af. 4ª.25.*H*
Expuat parum cur tuſſis vehemens.4°.de lo.af. 4ª.27.*G*
ẽ Expuitiōibus via ẽ acclinis,iō tarde excernit.d̄ na.hu.c.2°. 7ª.180.*d*
Expuantur quæſputa facilē.4°.de loc.af. 4ª.27.*G*
Expuantur difficulter cur humor lentus craſſus,& humor tenuis.4°. de locis af. 4ª.27.*G*
Expuūtur ſtatim cocti humores.de vic.ra.in mor.ac.cō.3°. 7ª.133.*D*
Expuere nihil in pleuritide eſt vt in vrinis crudum,quod nominamus aquoſum.1°.de criſi. 4ª.132.*D*
Expui quæ dēbent,non ſolum ſunt incidenda & calfacienda, ſed etiā moderatē humectanda.de atten.victū. 2ª.46.*D*
Expuitionibus ex thorace auxiliantur acria tenuis eſſentiæ.4°.de ſimplicium medica.faculta. 5ª.29.*H*
Expuere faciunt cōfecta ex melle.7°.de comp.me.ſe.lo. 5ª.181.*A*
Expuitionibus ex pulmone in pleuriticis & peripneumonicis affectibus confert butyrum.10°.de ſimp.med.fa. 5ª.74.*D*
Expuitioni vtile eſt dulce vinū in acutis paſſionibus.de vinis.S.76.e
ad Expuitiones thoracis,& pulmonis medicamentum.de victus rat. in morbis acutis,com.4°. 7ª.143.*D*
Expuere craſſos humores facit melicratum.de victus ra.in morb.ac. commen.3°. 7ª.126.*B*
Expuere viſcoſos humores facit oxymeli. de victus ratione in morbis acutis,com.3°. 7ª.126.*B*
Expuere facit ptiſſana.de victu.ra.in mor.acu.com.3°. 7ª.126.*B*
Expuūt aquā mulſā iniectā vulnerati in thorace.5°.de lo.af. 4ª.31.*A*
his quæ Expuuntur ramenta qñ miſcentur.4°.de lo.af. 4ª.25.*H*
Expuitur qñq; tunica bronchi,arteriæ,& venæ.4°.de lo.af. 4ª.25.*G*
Expuitur quandoque pars pulmonis.4°.de lo.af. 4ª.28.*B*
Expuatur,quot modis ſanguis.4°.de loc.af. 4ª.28.*A*
Expuitione ſimplici ſanguis ox ore expellitur.4°.de lo.af. 4ª.25.*F*
Expuentis ſanguinem floridum caſus.5°.met.med. 7ª.35.*A*
Expuētis ſanguinē inter tuſſiendū frequēter caſus.4°.de lo.af. 4ª.25.*F*
Expuentis ſanguinē quid maxime facere debent.5°.me.me. 7ª.35.*F*
ad Expuitiōes sāguinis cōpetit armenica terra.9°.de ſi.m.f. 5ª.66.*F*
ad Expuitiones ſanguinis valet aſter ſamius, & terra lemnia.9°.de ſimp.med.facul. 5ª.65.*H*
Expuitioni ſanguinis competit hæmatites.9°.de ſimp.me.fa. 5ª.68.*C*
ad Expuitiones ſanguinis idoneus eſt lentiſcus.8°.de ſim.m.f. 5ª.61.*H*
ad Expuitiones ſanguinis cōmoda eſt membrana, quę eſt ſub cortice roboris,& ſub membrana eius.6°.de ſimp.me.fa. 5ª.48.*E*
EXPVRGARE *quid ſit.de victu.ra.in mor.acu.com.4°.* 7ª.137.*A*

Expurgatio quarũ rerũ,& p q̃ loca fiat à natura.c.1°.ap.15°.Ex.8.E
Expurgat viscera chamepitys.8°.de simp.me.fa. 5ª.63.F
Expurgat & cõtẽperat lac asininũ.de vi.ra.ĩ mor.ac.c.4°.7ª.149.D
ad Expurgãdũ melicratũ melius est vino.2°.de ar.cu.ad Gl.7ª.106.d
Expurgat viscide peucedanum.de simp.med. Sp.89.B
Expurgat & excalfacit viscera scordion.8°.de simp.med.fa.5ª.60.H
Expurgatio materiæ in tertiana integra est.2°.de diff.feb. 3ª.37.C
Expurgatio materiæ integra non est in pituitosa.2°.de dif.e.3ª.37.C
Expurgamẽta ictericorum quibus fieri possint.de cura icteri. S.III.B
quæ Expurgent colorem.de cura icteri. Sp.111.C
Expurgante,& exiccante medicamento indiget vlcus cauum.3°. methodi medendi. 7ª.17.G
Expurganda quæ vlcera,& quæ implenda.5°.met.me. 7ª.32.E
vt Expurgentur melius sinus, puluinaria ipsis apponẽda.2°.de arte curatiua ad Glauconem. 7ª.106.C
EXTA quæ sint.2°.de antid. 5ª.111.E
ad Exta vlcus habentia valet cyphi antidotus.2°.de anti. 5ª.111.E
Extale inteſtinum extẽsum vel longaon sextũ est.de ana. vi. Sp.50.B
EXTASIS *quid.fin.med.* Isa.50.D
Extasis nõ necessario sequitur male cõcoquentẽ.3°.de sym.ca.3ª.30.C
in Extasi infestante vtimur catharticis.de dyn. Sp.20.F
EXTENSIO *quid significet.in 6m.de mor.vul.com.5°.* 3ª.192.B
Extensio quid sit.in 6m de mor.vul.com.3°. 3ª.177.A
Extensio nõ est actio musculorũ,sed affectus de voc.inst.diff.1ª.107.d
Extentum esse & extendi non idem.de ar.com.4°. 7ª.287.A
Extendunt se in latum oculum ingredientes nerui & circuunt vitreũ humorem.de ner.diff. 1ª.53.D
Extensio à quibus musculis fiat.2°.de mo.mus. 1ª.213.H
Extensio fit à musculis qui foris sunt.1°.de mo.mus. 1ª.310.D
Extenduntur musculi cum mouetur corpus,& minus tum molliuntur tum relaxantur.de vic.ra.in mor.acu.com.2°. 7ª.132.C
Extensio perfecta nõ diuiditur in magis & minus.1°.de v.p.1ª.116.B
Extendens rectũ ad collas brachium musculus.de mus.dis. 1ª.47.G
Extendentes dearticulationem cubiti musculi.de mus.dis. 1ª.48.A
Extensionem cubiti rectam qui musculus faciat.de mus.dis.1ª.48.B
Extensio brachialis à quibus musculis fiat.de mus.diff. 1ª.48.C
Extendens brachiale musculus.de musc.diff. 1ª.48.D
ad Extensionem digiti vnus tendo sufficit.2°.de vsu par. 1ª.121.C
Extendẽs quatuor digitos præter pollicẽ musculus.de mus.dis.1ª.48.c
Extendentes magnum digitum in neutram partem musculi.de musculorum dissectione. 1ª.48.D
Extendens digitos duos exiguos musculus.de mus.diff. 1ª.48.D
Extendatur & incuruetur quo modo spina.de mus.diff. 1ª.49.G
Extendentes genu dearticulationem musculi.de mus.diff. 1ª.51.F
Extendens exacte femur in posteriora musculus.de mus.diff.1ª.50.H
Extendens totum femur musculus.de mus.diff. 1ª.51.A
Extendẽtes summe quamcunq; partẽ dolemus.1°.de mo.mu.1ª.112.b
Extendit cutem ichtyocolla.de sim.med. Sp.85.E
Extendens ad exteriora oblique leniterq; magni digiti internodium musculus.de mu.diff. 1ª.52.B
Extendens digitos musculus.de mus.diff. 1ª.52.D/E
Extensa crura pñt diutius teneri.de ijs quæ in med.fi.cõ.3°.3ª.217.D
Extensum cur sit duodenum.de anat.viuo. Sp.50.C
Extensiones præter voluntatem quo modo.2°.de symp.cau.3ª.22.G
Extenduntur nerui propter inflammationes,duros tumores, siccitates,& frigiditates immodicas.com.4°.aph.49°. Ex.33.C
Extensio vilior quæ sit.de frac.com.1°. 7ª.227.C
Extensionẽ nimiam tolerant pueri.de ijs quæ in med.fi.c.3°.7ª.218.B
ad Extendendum membra laqueus.de laqueis. 7ª.306.F
Extendendi æqualiter vim habens laqueus.de laqueis. 7ª.307.G
Extendendi æqualiter vim habens laqueus.de laqueis. 7ª.307.H
Extendi vbi inæqualiter dñt aliqua laqueus idoneº.de laq.7ª.307.A
Extendendi inæqualiter facultatẽ habẽs laqueus.de laq. 7ª.307.F
Extensio membranarum oculi affectus.introd. Isa.58.D
EXTENVATIO *quot modis fiat.in 6m.de mor.vul.* 3ª.176.E
Extenuatio duplex est, quæ breui fit humorum & spirituum euacuatione,& quæ longo tempore solidorum colliquefactione. commen.2°.apho.7°. Ex.11.H
Extenuationes à varijs causis.de articulis.com.1°. 7ª.257.B
Extenuatio ex quibus fiat,& qũo,et p quę.cõ.2°.aph.28°. Ex.16.E
Extenuatio laxat cutim,postea circumtenditur.in 6m.de morbis vulga.commen.3°. 3ª.176.H
Extenuantia & incidentia lapides frangunt, & lichenas puerorum sanant.7°.de simp.med.fa. 5ª.51.H
Extenuantia educunt contenta in pectore.ars med. Isa.70.D
Extenuantia educunt contenta in pulmone.ars med. Isa.70.D
in Extenuantibus scopus,qui.5°.de simp.med.fa. 5ª.38.D
Extenuare quo modo probentur aliqua.6°.de simp.me.fa. 5ª.45.F
Extenuantia.14°.metho.med. 7ª.91.D
Extenuatorix,condensatoriæ,frigidæ,& calidæ temperantię est aloe.de cathar. Sp.94.E
Extenuandi vim habent amari sapores.4°.de simp.me.fa. 5ª.29.G
Extenuat soluitque dolorẽ articulorum sine vlcere aqua frigida plurima large affusa.com.5°.apho.25°. Ex.39.G
Extenuat calidum.com.5°.aph.22°. Ex.39.C
Extenuat,incidit & dissoluit humores calor febrilis. commentar.6°.apho.40°. Ex.51.A
Extenuat,calefacit,atq; resoluit febris spiritum flatuosum,& pituitosos humores.com.6°.aph.5°. Ex.52.H
Extenuans,incidens,calidus,& siccus in tertio origanus.7°.de sim.med.facul. 5ª.57.E
Extenuat potenter sal ex viperis.14°.meth.me. 7ª.91.D
Extenuat culim terra chia.de simp.med. Sp.85.A
Extenuans victus.1°.de san.tuend. 2ª.68.E
Extenuantes & acres cibi morbosi.1°.de diff.feb. 3ª.32.A
Extenuans pingues homines medicam.de med.exper. Sp.104.H
non Extenuatur tempore frigido qui præ plenitudine laborat febre parua comm.2°.aph.28°. Ex.16.C
Extenuatio præter naturã signũ imbecillitatis.cõ.2°.ap.28°.Ex.16.C
Extenuatio totius corporis cum febre parua ob pulmonis vlcera insanabilia,est phthisis.com.7°.aph.16°. Ex.55.A
Extenuati est subbiliosum.in 6m.de mor.vul.com.3°. 3ª.177.C
Extenuationi corporis communis cutis laxitas.in 6m.de morbis vulga.commen.3°. 3ª.176.E
Extenuatis cutis laxa apparet.in 6m.de mor.vul.com.3°. 3ª.176.E
Extenuati quo modo reficiendi.14°.me.me. 7ª.91.F
quæ Extenuantur corpora longo tempore,lente reficere oportet. quę vero breui,breuiter.com.2°.apho.7°. Ex.11.H
Extenuatis balneum post cibum conuenit.14°.met.med. 7ª.91.G
in Extenuatis pication vtendum.6°.de san.tuen. 2ª.100.C
Extenuatis non est extrahendus sanguis.2°.de elem. 1ª.9.C
Extenuati sunt purgandi.2°.de elem. 1ª.9.C
si Extenuatis ex morbis acutis aut diuturnis, vel ex vulneribus, siue quouis alio modo,nigra bilis,siue vti sanguis niger desubter exierit,postridie moriuntur.com.4°.aph.23°. Ex.29.G
EXTERENDI *vim quandam habet mulsa.de victus ratio, in morbis acutis,com.3°.* 7ª.127.E
de EXTERGENTIBVS *& repurgantibus.4°.de compositione med secundum locos.* 5ª.149.G
Extergentia & repurgantia non differunt.5°.de simp.me.fa.5ª.35.A
Extergentia pilos attenuant.1°.de comp.me.sec.loc. 5ª.128.B
Extergentia & emplastica contraria.5°.de simp.med.fa. 5ª.38.H
Extergentia quæ sint.5°.de simp.med.fac. 5ª.35.A
Extergentia & repurgantia,quæ.1°.de cõp.med.se.lo. 5ª.129.E
Extergentia absque acrimonia.7°.de comp.med.secund. loc.5ª.177.F/6°.meth.med. 7ª.42.B
Extergunt parum quę.6°.de comp.med.se.lo. 5ª.171.H
Extergẽtia & glutinãtia cõsequii siccitas.6°.de sim.me.fa.5ª.45.A
in Extergẽtibus substãtijs est amaritudo.6°.de simp.me.fa. 5ª.45.A
Extergit amarum.4°.de comp.med.sec.loc. 5ª.151.F
Extergunt & secant amara cum manifesta caliditate.10°.de comp.med.sec.loc. 5ª.205.H
Extergit & nihil adstringit aqua mulsa.6°.de com.m.se.lo.5ª.174.E
Extergit beta.5°.de simp.med.fac. 5ª.62.B
Extergit quo mõ absq; mordicatione cadmia.9°.de sim.me.f.5ª.69.F
Extergit eruum.8°.de simp.med.fa. 5ª.57.E
Extergit decoctum fœni græci.4°.de comp.med.se.lo. 5ª.150.D
Extergit mult-m mel.7°.de simp.me.fa. 5ª.53.B
Extergens humiditas est serum.10°.de simp me.fa. 5ª.73.E
Extergit & ventrem subducit serum.10°.de simp.me.fac. 5ª.73.H
Extergit & abluit per clysteres serum.10°.de simp.me.fa. 5ª.73.H
Extergit serum.4°.de comp.med.sec.lo. 5ª.150.D
Extergit parum thus,& quale sit.4°.de comp.me.se.lo. 5ª.151.C
EXTERIOR *& posterior idem sunt.de art.com.3°.* 7ª.271.H

Exteriora quæ

Exteriora quæ ſint reſpectu ægrorum.com.1°.aph.1°. Ex.3.B
Exteriora ſunt habitationes idoneę, vel turbarum plenæ, vel turba vacantes, præterea quæ nunciantur, & aguntur, quæq; iram atque triſtitiam, aut aliquem alium affectum ægrotanti infligunt, ad hæc illa quæ nocte ſomnum abrumpunt.com.1°.aph.1°. Ex.3.B
Exteriora proprie.2°.de dieb.decr. 4ª.158.F
ad Exteriora virtutes, inſcriptũ librũ ſcripſit Andromachus.1°.de comp.med.per ge.215.C/3°.235.D/5°.251.H/ 5ª.252.E
Exteriorũ librũ fecit Aſclepiades.2°.de cõp.me.ſe.l.138.H/3°.143.F/148.B/149.A/4°.152.C/5°.160.E/164.A/8°.192.F/9°.199.C/200.A/205.A/10°.207.E/208.D/2°.de comp.med.per gener, 225.D/ 226.A/4°.232.G/249.H/251.B/253.C/7°. 5ª.269.G
ad Exteriora fiat reuulſio, vbi introrſum vergunt ſucci.de cucurbitulis, ſcarificatione, 6ª.4.G
ſi Exteriora in febribus non intermittentibus frigent, & interiora vrantur & febris habeat, lætale.com.7°.aph.69°. Ex.60.F
ab Exterioribus verti ad interiora eryſipelas & quodcunque aliud, non eſt bonum: ab interioribus autem ad exteriora, bonum. commen.6°.aph.15°. Ex.48.F
in Exterioribus membris vena pulſatilis ſuppoſita eſt, quieta ſuperpoſita.de ana.viuo. Sp.56.E
Exterior panniculus ſtomachi componitur ex filis latitudinalibus.de anatomia viuo. Sp.49.H
Exterius ſtomachus eſt minus neruoſus quã interius.de an.v.S.49.H
in Exteriore tunica veſicæ magis viget attractiua.de an.vi. Sp.51.D
Exterior tunica veſicæ ex quibus conſtat.de ana.viu. Sp.51.D
ad Exteriora inuertẽs genu articulationẽ muſculus.de mu.diſ.1ª.51.a
ad Exteriora tibiam oblique inuertens muſculus, & ſimul flectens, de muſcu.diſſ. 1ª.51.E
ad Exteriora extendens oblique & leniter magni digiti internodium muſculus.de muſ.diſ. 1ª.52.B
ad Exteriorem regionem caput femoris trahens muſculus.de muſculorum diſſect. 1ª.51.A
ad Exteriora tibiam flectens muſculus.de mu.diſſ. 1ª.51.E
ad Exteriora ſenſim inclinãtem tibiam qui muſculus facit.de muſculorum diſſect. 1ª.52.F
EXTERNI *cur non ita facile vina noſcant quę cito bibantur ab expreſſione.de bo.& vitioſuc. 2ª.38.F*
ab Externo quibus calefiant corpora noſtra.2°.de ſa.tu. 2ª.74.A
de Externis medicamentis librum fecit Andromachus.10°.de comp. med.ſec.loc. 5ª.207.B
Externorum librum fecit Andromachus.2°.de compoſitio. medica. per gene. 5ª.210.C
EXTERSORIAM *& calfactoriam vim habet mel.7°.de compoſitio. med.ſecun.loc. 5ª.178.G*
Exterſorum mel.7°.de comp.med.ſec.lo. 5ª.179.C
EXTINGVENTIA *acuitatem cholerę conueniunt ſtomacho, in quo generatur cholera velociter multa.de diſ.cont. Sp.71.E*
Extinguitur dupliciter calor vitalis.de vti.reſp. Sp.62.D
Extinguit maior flamma minorem, quo modo.de vtil.reſp. Sp.62.D
EXTIRPANTIA *pilos & capillos.1°.de comp.med.ſe.lo. 5ª.129.E*
Extirpantia capillos ſunt periculoſi vſus.1°.de compoſi. medicamen. ſecun.locos. 5ª.129.F
EXTRA *quid ſignificet.de arti.com.1°. 7ª.258.G*
EXTRANEVM *duplex, qualitate & quantitate.2°.de dif.ſe. 3ª.41.F*
EXTRACTORIVM *hęmorrhoidum Magni Tarſenſis.9°.de comp. medicamen.ſe.loc. 5ª.205.B*
Extrahatur quo modo ſuccus centaureæ.de vir.cen. Sp.93.A
quando Extrahitur vena temporis.de ana.viuo. Sp.55.B
vt Extrahatur virus à loco vbi hirudo fuerit, cucurbitula applicanda, aut ſpongijs locus fouendus eſt.de cucur.ſcar. 6ª.4.C
Extrahit ſpicula phorbium.8°.de ſimp.med.fa. 5ª.63.D
Extrahit & digerit ſal ammoniacũ.2°.de com.med.per ge. 5ª.221.b
ad Extrahendum aquam cadentem in aurem. ſecretorum. Sp.97.H
ad Extrahendum ſpinam de gutture.ſecretorum. Sp.97.H
ad Extrahendum lapidem medicamentum.de cura lap. Sp.112.B
Extrahendi in extimam cutim quæ in alto ſunt corpore vim habentia.11°.de ſimp.me.fa. 5ª.82.H
Extrahunt ex alto violenter & digerunt calida valde cum humiditate coniuncta.6°.de ſimp.me.fa. 5ª.48.C
Extrahere quando ex alto in ſuperficiem volumus, coſtum vtimur.7°. de ſimp.me.fa, 5ª.52.F
Extrahit quæ in profundo ſunt, fermẽtũ.6°.de ſim.me.fa. 5ª.48.A
Extrahens humorẽ contentum.6°.de comp.me.per ge. 5ª.262.A
ad Extrahendum embryum galbanum.de med.exper. Sp.106.E
ad Extrahendum embryum medicamen.de med.exper. Sp.106.G
Extrahentia quo modo fiant cerati mixtura carnis explentia.6°.de comp.med.per ge. 3ª.260.H
Extrahens emplaſtrum.6°.de comp.me.per ge. 5ª.256.D
ad Extrahendum emplaſtrum.6°.de comp.me.per ge. 5ª.281.A/F
ad Extrahendũ Sarceuthicæ.6°.de comp.med.per ge. 5ª.261.B
vbi Extrahendo impellimus, vtimur ſpatha Fabri atque Andreæ.de machinamentis, 7ª.309.G
EXTREMA *quo modo ſtatum morbi appellet Hippocrates.1°.de diebus decretorijs. 4ª.151.A*
Extremum generalius initio.de ijs quæ in me.fiunt.com.2°.7ª.207.b
Extremis notis media facile noſcuntur.2°.de ali.fa. 2ª.20.G
Extrema non tranſeunt in extrema ſine medio.1°.de na.fa. 1ª.292.D
Extrema Græci cola vocant.ad Thraſy. 2ª.105.H
ex Extremo inteſtino educuntur aſcarides.de cathar. Sp.94.H
Extremæ partes mẽbrorum cur inflãmentur.de frac.cõ.1°.7ª.228.G
ad Extrema caliditas meat in febribus vrentibus.de victu.ra.in mor. acutis, commen.4°. 7ª.136.B
Extrema quot cauſis frigeſcere poſſint.com.7°.aph.26°. Ex.55.G
Extremis partibus frigidum mordax.4°.de ſim.me.fa. 5ª.24.C
Extremorum refrigeratio quibus eueniat.præſ.exper.confir.Sp.78.E
Extrema reddit frigida dolor.de vic.ra.in mor.acu.cõ.2°.7ª.130.E
Extremę corporis partes quibus plurimum refrigeratę in prĩcipijs febrium, illis animi defectus incidit.1°.de arte cur.ad Glau.7ª.98.F
Extrema cur ſi igeant in rigoribus.2°.de ſym.cau. 3ª.23.F
Extremas partes infrigidat inteſtinorum abraſio.de victu.ra.in morbis acutis.com.2°. 7ª.130.C
Extrema frigere quid ſignificet.de victu.ra.in mor.acu.c.4°.7ª.140.G
Extrema frigida ſubliuida.in 1ᵐ.de mor.vul.com.3°. 3ª.124.F
Extremitates frigidæ & liuidæ.in 3ᵐ.de mor.vul.commenta.2°.3ª. 135.H/137.E/F/ 3ª.139.F
Extrema liuida.in 1ᵐ.de mor.vulg.com.3°. 3ª.121.B
Extremà frigida & liuida cur in acutis.in 3ᵐ.de m.v.c.2°.3ª.136.d
Extremarum partium frigus in morbis acutis, malum, & cur. commen.7°.apho.1°. 7ª.54.A
Extrema frigeſcere vnde ſit.de victu.rat.in mor.acu.cõ.4°.7ª.123.B
Extrema cur refrigerantur in morbo maligno.de victus ra. in morb. acutis, commen.4°. 7ª.136.C
Extremorũ frigiditas vnde oriatur.de vic.ra.in mor.a.c.4°.7ª.138.a
Extrema cur frigeſcant in acuta febre.1°. de morb.vulgarib.commentario.2°. 3ª.115.A
Extrema liuida cur in acutis.1°.de mor.vul.com.2°. 3ª.115.B
Extremarum partium frigiditas in forti labore ventris, malum.commen.7°.apho.26°. Ex.55.G
Extrema frigida, exitiale ſignum.in 1ᵐ.de mor.vul.com.3°. 3ª.118.B
Extremitates frigidæ, & liuidæ lætales in acuto morbo.in 3ᵐ.de morbis vulga.com.2°. 3ª.137.F
Extrema frigida, & intima calida, malum.in prog.com. 2°.4ª.198.C
Extrema fricato, ventriculi ore male affecto.1°.de arte cura.ad Glauconem. 7ª.99.C
Extrema manuum, & pedum in aqua mittenda quando non vis illum amplius purgari quem purgas.de dyna. Sp.21.F
Extrema conſtringenda pro ſanguine è naribus fluente.de rem.paratu facilibus. 7ª.155.H
Extremarum partium dolorum fomenta ex aqua.in 6ᵐ.de mor.vulgaribus, commen.6°. 3ª.196.A
EXTRINGIT *ſinapis loca ſanguine manantia.de ſimp.me.Sp.90.G*
EXTRINSECA *potius ſcienda, q̃ intrinſeca.3°.de ana.admi. 1ª.73.H*
quod ab Extrinſeca cauſa contingit ſemper oportet medicum diſtinguere, & ſeparare ab eo quod morborum ratione fit, vt prægnitiones faciat diligentiores.com.3°.apho.5°. Ex.20.C
Extrinſeca quomodo cauitates anguſtient.de cau.mor. 3ª.9.B
Extrinſecos digitos qui muſculi longiſſime ab alijs aducant.de muſculorum diſſ. 1ª.52.H
Extrinſecus quæ corpori occurrunt.10°.met.med. 7ª.64.D
Extrinſecum cui non facit paſſiones, à natura propria id patiuur.1°. de elemen. 1ª.4.A
Extrinſecus occurrentia non pertinent ad artificem ſanitatis tuendæ.1°.de ſan.tu. 2ª.65.A

Extrinseca ægro qualia esse debent.in 6m.de mor.vul.c.2°.3ª.169.A
Extrinseca quæ faciunt errorem in crisi.1°.de dieb.decre. 4ª.150.A
Extrinsecus vbi virulenta facultas inciderit, scarificatione vtimur. de cucurb.scar. 6ª.3.F
Extrinseci motus,qui.2°.de san.tu. 2ª.75.B
ex Extrinsecis motibus est frictio.2°.de sa.tuen. 2ª.75.C
ab Extrinseco conquassata caro magis lęditur ab intrinseco. de anatomia viuorum. Sp.54.E
in Extrinsecis omnibus mitigat,& replet succus centaureæ. de virtute centaureæ. Sp.94.A
Extrinseca vulnera per medicamenta intrinseca & per potiones magis sanari,collige.com.6°.aph.18°. Ex.48.B
de Extrinsecis medicamentis librum fecit Andromachus.6°. de com po.med.per ge. 5ª.257.D
Extrinseco aliquo detegitur affectio morbosa nondum detecta. de victus ra.in mor.acu.com.4°. 7ª.149.G
EXTRORSVM *simul,& sursum caput femoris trahens musculus. de mus.diss. 1ª.51.B*
Extrorsum tibiam vertens musculus.de mus.diss. 1ª.51.E
Extrorsum,& retrorsum pedē abducētes musculi.de mu.dis. 1ª.52.B
Extrorsum,& retrorsum leniter pedem inuertens musculus. de musculorum diss. 1ª.52.B
Extrorsum paraū digitum diducens musculus.de mus.dis. 1ª.52.E
Extrorsum vbi vergū succi,ad ĩteriora fiat reuulsio.de cu.sc.6ª.4.G
ād EXTVBERANTIA *omnem carnis oculorum.4°. de compositione med.sec.loc. 5ª.152.G*
ad Extuberantiam omnem in oculis,& membranarum oculorum.4°, de comp.med.se.lo. 5ª.156.C/D
Supra Extuberationes ossium ferulæ non imponendæ.de ijs,quæ in me dic.fiunt,com.3°. 7ª.215.C
ad Extuberantia Scribonij Largi.3°.de comp.me.se.lo. 5ª.148.B
EXVCTIO quid sit.de ijs quæ in med.fi.com.3°. 7ª.219.C
Exuctio per os,aut etiam per stipulam ex aure aquam extrahit.3°.de, comp.med.secun.loc. 5ª.145.F
EXVFFLARE *aucti caloris propriū indiciū.4°.de loc.aff. 4ª.27.A*
Exufflatio quid,& quæ.2°.de decr.Hip. 1ª.236.C
Exufflatio quomodo fiat.4°.de lo.aff. 4ª.26.D
Exufflationem qui musculi faciant.4°.de lo.aff. 4ª.26.C
Exufflatio cum violentia fit.de præco.ad Posthn. 4ª.216.D
Exufflationes citra strepitum,exufflationes cum strepitu,expirationes,vox,& loquela qūo se habeāt circa læsionē.4°.de l.a. 4ª.26.d
Exufflatio & vox quando omnino lędetur lęsa spinali medulla.de voce & anhelitu. Sp.61.H
EXVLCERATIO *affectus iridis oculi.introd. Isa.58.D*
Exulcerantia & acria folia habet clematis.de simp.med. Sp.83.B
Exulcerare solet phrygius lapis.de simp.me. Sp.86.H
Exulcerationum quæ in summa parte hærent, causa est humor acris & tenuis.com.4°.aph.12°. Ex.28.F
Exulcerandi interiora vim habent acres sapores crassæ essentiæ terreæ.4°.de simp.med.fa. 5ª.29.H
ab Exulceratione aliqua summas partes intestinorum occupante fieri potest læuitas intestinorum.com.4°.aph.12°. Ex.28.E
ad Exulcerationes factas in intestino infusum commodum.9°.de com po.med.sec.loc. 5ª.203.E
Exulcerata mēbra tripl'r naturæ modū egrediūtur.de dif.mor.3ª.5.E
Exulceratę partes permeante materia aliqua dolorem sentiunt.com. 6°.aphor.1°. Ex.45.H
Exulcerata ab atra bile sunt incurabilia.de atra bile. 1ª.35.F
Exulcerata à flaua bile difficilia curatu.de atra bile. 1ª.35.F
Exulceratio renum & vesicæ quam vrinam faciat.de vri.significatione ex Hippocrate. Sp.78.H
Exulcerat vehemens dolor in ore matricis, nisi cito occurratur. de pass.mulierum. Sp.95.F
Exulcerationes veteri non iuuat sternutatio.cō.5°.aph.35°.Ex.40.F
ad Exulceratas partes ne quid influat,quid agendum.1°.de composi. med.per gene. 5ª.213.A
in Exulceratis oleo rosaceo vti licet.2°.de simp.med.fa. 5ª.10.A
Exulcerationes igne factas, cicatrice includunt hederæ folia in vino decocta.7°.de simp.me.fa. 5ª.51.F
Exulceratio.lege Vlcus.
per EXVPERANTIAM *dictum dicitur dupliciter.3°.de simp.medicamentorum facul. 5ª.17.F*
EXVRGERE *frequenter facit abortum.com.7°.aph.27°. Ex.55.H*
Exurebantur sole calefacta iumentorum & columbarum excrementa.1°.de diffe.feb. 3ª.33.A
EXVSTIO *facit morbum.com.2°.aph.17°. Ex.13.C*
Exustio quę vocetur.de cau.morb. 3ª.6.F
Exustione fit partium diminutio.de cau.morb. 3ª.9.D
Exustiones siccis temperamentis vitandæ.6°.de san.tu. 2ª.96.C
Exustionis ab igne curatio.de opti.secta. Isa.25.C
Exustios,& incēsos emolliūt balnea.de ijs quę in me.fi.cō.3°.7ª.215.H
ad Exustiones per hyemem.3°.de med.sa.par.174.F/ 7ª.175.F

FABA *inter cerealia semina numeratur. de victus ratione in morbis acut.com.1°. 7ª.111.B*
Faba deteriores ochri & dolichi.de bonitate & vitio succorum. 2ª.37.D
Fabis præstantiora sunt pisa in omnibus. de atten.vict. 2ª.45.A
Fabis deteriores sunt eruilia,dolichi,& phaseoli.de atten.vic. 2ª.45.A
in Fabis quid sit fructus.2°.de ali.fa. 2ª.16.C
Faba prima qualitate prope caret,postea fit dulcis.4°.de simp.medicamen.fac. 5ª.28.G
Faba habet siliquas.1°.de alimen.fa. 2ª.15.A
Fabarum viridium siliqua non est esculenta.2°.de ali.fa. 2ª.16.C
Fabæ Aegyptiæ natura.1°.de ali.fa. 2ª.14.A
Fabæ ægyptia refrigerat mediocriter.de victus ratione in morbis acutis,commen.4°. 7ª.149.D
Fabæ substantia,qualis.1°.de alim.fa. 2ª.13.H
Fabæ propria substantia flatuosa de vic.rat.in mor.ac.c.1°.7ª.112.A
Faba & ciceres potissimum inter legumina ventosa numerantur. de puero epilep. 7ª.180.H
Faba integra est magis flatulenta.1°.de ali.fa. 2ª.13.H
Faba flatulenta est,etiam si diu coquatur,& quouis modo parata.1°. de alim.fa.2°.13.H/7°.de simp.med.fa. 5ª.53.A
Fabaceum & per triduum coxeris,est flatuosum.de victus ratione in morbis acutis,com.1°. 7ª.12.A
Faba plus alit,quàm hordeum.7°.de simp.me.fa. 5ª.53.A
Fabas qūo expertus est Galeni pater.de bon.& vit.suc. 2ª.36.G
Fabarum nutrimentum,quale.de diss.cont. Sp.73.G
Fabæ grana generant bonū chymū,& crassum.de diss.cont.Sp.74.A
Fabæ etiam si quotidie sumantur,boni succi generationem non impedirent,nisi inflationes parerent.de bon.& vit.suc. 2ª.37.D
Fabæ recentes quid faciant.1°.de alim.fa. 2ª.13.H
Fabæ humidæ cur parum nutriunt.de diss.cont. Sp.73.G
Fabæ virides sunt multarum superfluitatum.de diß.cont. Sp.73.E
Fabę frixę quid faciant.1°.de alim.fa. 2ª.13.H
Fabæ inflant ventrem.de diss.cont. Sp.74.F
Fabæ magis inflant louis hortensibus.de atten.vic. 2ª.45.B
Fabæ concoctu difficiles sunt & flatulentæ.de atten.vic. 2ª.45.A/7°. de simp.med.fa. 5ª.53.D
Faba cum cæpis est minus flatuosa.1°.de alimen.fac. 2ª.14.A
Faba ventrem cito permeat.1°.de alim.fa. 2ª.13.H
Fabæ tardæ digeruntur propter multitudinem inflationis. de dissolutione continua. Sp.73.D
Fabarum medulla tarde descendit.de diss.cont. Sp.74.H
ex Faba cibus liquidus ἑπτος.1°.de alim.fa. 2ª.13.G
ex Fabis parari alicam,& ptissanam,collige.2°.aph.18°. Ex.13.H
Fabæ generant carnem sublaxam,& subinanem.2°.de ali.fa.2ª.17.E
ex Faba & ptissana quæ caro generatur.1°.de alim.fa. 2ª.13.G
Faba cum ptissana gladiatores plurimum vtūtur.1°.de ali.fa.2ª.13.G
Faba cū sulla carne ab aliqbus coquit & comedit.1°.de al.f.2ª.14.a
Faba ruri cū oulla & caprina coquit et comedit.1°.de ali.fa.2ª.14.a
Faba est cibus multi seminis.5°.de simp.me.fa. 5ª.38.C
Fabam esse cibum crassum,collige.com.4°.aph.76°. Ex.36.C
Fabæ nutriunt illos qui digerunt eas nutrimento multo crasso.de dissolutione continua. Sp.73.E
Fabæ assæ cibus crassus,& cur.de diss.cont. Sp.73.G
Faba facit renū passionē, quæ dicitur capillitiū.c.4°.ap.86°.Ex.36.C
Faba fresa,qualis.7°.de comp.med.sec.lo. 5ª.179.A
Faba est multo vsui in variis medicamentis.7°.de sim.me.fa. 5ª.53.a
Fabacea farina,qualis.3°.metho.me. 7ª.18.A

Faba vario modo preparata ad sugillata. 5°.*de cõ.me.sl.* 5ª.159.*C/D*
Faba tollit ἐφηλιν. 1°.*de alim.fac.* 2ª.13.*H*
Fabarum farina moderatissime detergit. 8°.*me.me.* 7ª.52.*H*
Faba fresa elixa extergit sine acrimonia. 7°.*de com.me se.l.* 5ª.177.*F*
Fabæ habent qualitatem & vim abstergendi vt hordeum.de bono.& vitio succorum. 2ª.37.*D*
Fabæ minus quam hordeum tergent. de atten.vic. 2ª.45.*A*
Faba detergit vt ptissana. 1°.*de alim. fa.* 2ª.13.*H*
Faba potest cutis,& vulnerum sordes auferre. 5°.*de sim.m.f.* 5ª.35.*b*
Fabarum farina ad detergendas maculas in balneo. 1°.*de al.f.* 2ª.13.*b*
à Fabarum farina faciei lentes tolluntur. 1°.*de ali.fa.* 2ª.13.*H*
Fabę mundificant.de ocul. 7ª.188.*F/de diff. cont.* *Sp.*74.*G*
Fabacea farina tantum extergit,non etiam meatus farctu liberat. 5°. *de simp.me.fa.* 5ª.35.*B*
ex Fabacea farina cataplasma. 6°.*met.me.* 7ª.38.*G*
vt Fabacea puls sedimen in vrinis.de mult. 3ª.81.*F*
Fabæ nigræ molitæ lomentum. 10°.*de comp.med.sec.lo.* 5ª.209.*B*
Fabacea farina tenuissima tosta in medicamenta ad tussim. 7°.*de com. med.sec.loc.* 5ª.182.*B*
Faba dysentericis,cœliacis,& vomentibus exhibita est. 7°.*de simpl. med.fac.* 5ª.53.*D*
Faba valet ad dysenteriam.de vict.rat.in mor.acu.com. 4°.7ª.152.*F*
Fabacea farina non mouet pus. 5°.*de simp.med.fa.* 5ª.33.*H*
Faba exiccat,& refrigerat. 7°.*de simp.med.fac.* 5ª.53.*D*
Fabacea farina exiccat,& quo modo. 5°.*de simp med.fa.* 5ª.33.*H*
Faba desiccat innoxie. 7°.*de simp.me.fac.* 5ª.53.*D*
Faba minus siccat quam milium. 5°.*de san.tu.* 2ª.92.*C*
Fabacea farina minus desiccat,q̃ hordeum. 7°.*de simp.me.fa.* 5ª.53.*a*
Fabacea farina carnem producit. 3°.*me.me.* 7ª.18.*A*
Fabarum farina vsus est Galenus in neruorum vulneribus. 3°.*de cõp. med.per gen.* 5ª.229.*H*
Fabæ farina ad neruorum tum contusiones,tum vulnerationes imponitur, cum oxymelite phlegmoni ex ictu cum polenta,& testium, ac vberum aptum est cataplasma. 7°.*de simp.me. fa.* 5ª.53.*E*
Fabarũ farina p farina orobi vel lobij. 2°.*de art.cu.ad Glą.* 7ª.107.*a*
Faba quomodo ab aure extrahatur. 3°.*de comp.me.se.loc.* 5ª.145.*G*
FABÆ *lupinæ meminit. de dyn.* *Sp.*25.*H*
FABA *dosis.* 7°.*de comp.med.se.lo.* 182.*H/* 183.*D/*185.*D/*5ª.186.*H/* 12°.*me.med.*79.*F/de remed.para.fac.* 158.*C/G/*159.*H/de incant. adiur.& susp.* 7ª.182.*B*
Fabę magnitudinis pastilli. de med.fac.par. 7ª.173.*D*
FABA *ægyptia cuius sit quantitas.de pond. & mens.* 5ª.277.*F*
Fabæ ægyptiæ magnitudo pro dosi. 7°.*de compo.med.sec.loc.* 178.*E/* 181.*D/*182.*E/H/*183.*G/*185.*A/D/*186.*A/H/*8°.195.*G/*9°.202. *C/G/H/* 5ª.203.*D*
Faba ægyptia viridis. 3°.*de comp.med.se.lo.* 5ª.143.*E*
FABÆ *græcæ mensura.de vsu theria.ad Pamph.* 98.*H/*7°.*de composi. med.se.loc.* 179.*F/*182.*F/*183.*A/D/*8°.194.*H/*9°.5ª.198.*E/ de reme.par.fa.* 7ª.166.*H*
ad Fabæ græce magnitudinem theriaca exhibita. 5°.*met.me.* 7ª.35.*D*
FABAE *Arcadiæ suis.* 9°.*de compo.med.sec.lo.* 5ª.201.*B*
FABRI *sunt in secunda sede apud Mercurium.in oratione sua.Isa.*2.*f*
Fabri,& sutores,& tinctores tempore Galeni cur exercebant medicinam. 1°.*met.med.* 7ª.2.*E*
Fabri tum materiarij,tum ferrarij ignorant vires motuum, quos exercent. 2°.*de san.tu.* 2ª.75.*E*
Fabrorum aqua.de med.fac.par. 7ª.174.*F*
FABRI *organum.de mach.* 7ª.317.*A*
in Fabri organo sedile quid.de machin. 7ª.317.*A*
de Fabri organi motu. de machin. 7ª.318.*A*
per Fabri instrumentũ quo modo restituatur caput humeri, vbi in alã prolapsum sit.de mach. 7ª.318.*A*
Fabri atque Andreæ spatha vtemur vbi extrahendo impellimus. de machin. 7ª.309.*G*
Fabricant alij,alij fabricatis recte vtuntur.de fæt.for. 1ª.324.*A*
FABVLLAE *præparatum malagma.* 9°.*de composi. medicam.secund. loc.* 5ª.199.*D*
Fabulla lybica. 10°.*de comp.med.sec.lo.* 5ª.207.*E*
Fabullæ pharmacum. 10°.*de comp.med.sec.lo.* 5ª.207.*E*
ex FACIBVS exit fuligo. 8°.*de dec.Hipp.* 1ª.275.*H*
FACIES, *differentia, modus, & species idem sunt.de vict.ra.in morb. acu.com.* 4°. 7ª.141.*B*

Facies, quæ. introd. *Is.*25.*H*
Facies posterius formatur, & quando.de fæt.for. 1ª.323.*G*
a Facie conuenienter remota est matrix. 14°.*de vsu par.* 1ª.204.*E*
Faciei fere totius cutis cur non potest excoriari. 2°.*de vsu pa.* 1ª.122.*e*
Faciei,& capitis connexus in ossibus ingalibus.intro. *Isa.*54.*G*
Faciei ossa duodecim. intro. *Isa.*54.*G*
Faciei ossa cur durissima. 11°.*de vsu par.* 1ª.192.*A*
Faciei partes mouentur sine osse. 1°.*de mo.mus.* 1ª.309.*E*
Faciem esse frigidam colligitur. 2°.*de symp.caus.* 3ª.20.*G*
Facies si esset pilosa in naso,& malis,sylvestris esset. 11°.*de vsu partium.* 1ª.189.*D*
Faciem longam longæ maxillæ sequuntur. 1°.*de ana. admi.* 1ª.63.*E*
si Facies est rotunda,maxillæq; paruæ,parui etiam sunt ipsarum musculi. 1°.*de anat.admi.* 1ª.63.*E*
de Faciei & capitis musculis. 4°.*de anat.admi.* 1ª.79.*G*
Faciei musculorum principium tertia neruorum coniugatio. 11°.*de vsu par.* 1ª.186.*D*
Faciei musculi quomodo mouentur,& nullum habent tendonem. 1°.*de mot.mus.* 1ª.309.*F*
circa Faciem & aures venæ.de ven.art. diss. 1ª.57.*H*
Faciei arteriæ. 16°.*de vsu par.* 1ª.220.*C*
Faciei quelibet pars habet neruos. 9°.*de vsu par.* 1ª.176.*B*
Faciei nerui a cerebro. 3°.*de loc.aff.* 4ª.21.*A*
Faciei cutis a tertia neruorum coniugatione. 9°.*de vsu par.* 1ª.176.*C*
Faciei, cuti,gingiuis qui nerui sensum præstent.de ner. diss. 1ª.53.*F*
sub Facie partes habent neruos a spina. 16°.*de vsu part.* 1ª.215.*E*
sub Facie partes quæ habeant neruos a cerebro. 16°.*de vsu p.* 1ª.215.*e*
sub Facie partium nerui quales. 16°.*de vsu par.* 1ª.217.*A*
Facies rubra est homini edito,si conceptum sperma fuerit a muliere in tribus horis sanguinis.de sper. *Sp.*37.*B*
Faciei morbi, qui.introd. *Is.*59.*C*
Faciei affectus qui, & quo modo. 4°.*de loc.aff.* 4ª.23.*C*
ad Faciei vitia. de dynam. *Sp.*25.*E*
a Facie ictterici color quibus abolendus.de cura ictteri. *Sp.*111.*F*
Faciei,& oculorum claritati melius habetur mel atticum alio melle. de simp.med. *Sp.*87.*A*
Faciem splendidam reddens. de reme.par.fa. 7ª.163.*H*
ad Faciem clarificandam. de dyn. *Sp.*25.*H*
ad Faciem dealbandam. de med.fa.par. 7ª.174.*B*
vt Facies tota sit candida. de dyn. *Sp.*25.*G*
Facies vt albescat, & mollescat.de dyn. *Sp.*25.*H*
ad Faciem albam. de remed.par.fac. 7ª.163.*H*
Faciei maculas tollit narcissi bulbus. de simp.med. *Sp.*87.*H*
ad Faciem a sole maculatam.de reme.par.fac. 7ª.164.*A*
ad Faciem impetiginosam, & rubram. de dyn. *Sp.*25.*E*
ad Faciem rubicundam faciendam.de med.fac.par. 7ª.164.*A*
Faciei lentes a fabarum farina tolluntur. 1°.*de ali.fa.* 2ª.13.*H*
in Facie lentes abstergit pepon. 2°.*de alim. fa.* 2ª.16.*H*
ad Faciei lenticulas. de med.fac.par. 7ª.174.*E*
ad Faciei rugas tollendas.de dyn. *Sp.*25.*G*
ad Faciei varos.de reme. par.fa. 7ª.157.*B*
ad Faciem exustam sanandam. de remed.par.fa. 7ª.164.*A*
ad Faciei pruritum. 5°.*de comp.med.sec.loc.* 5ª.160.*E*
Facies bona bonum est in malis ingentibus. in 6ᵐ.*de morb. vulgarib. commen.* 2°. 3ª.166.*F*
Facies mala, malum est in paruis malis. in 6ᵐ.*de morb. vulgaribus, commen.* 2°. 3ª.166.*F*
Faciei Hippocraticæ exteriores causę.in prog.com. 1°. 4ª.191.*G*
Faciei Hippocratis ex insomnia quo cognoscatur.in pro.c. 1°. 4ª.191.*b*
Facies Hippocratis non est in pituitoso mortuo, neque in plethorico. in prog.com. 1°. 4ª.191.*F*
Facies Hippocratica nec in senio, nec in diutinis morbis, nec in terra frigida,nec in hyeme,nec in conditione frigida est admodum exitiosa. in prog.com. 1°. 4ª.191.*E*
Facies Hippocratica quot modis poterit fieri, & non erit malum. in progn. com. 1°. 4ª.191.*E*
Facies Hippocratica cur fiat primis diebus. in prog.com. 1°. 4ª.191.*e*
Facies coloratior quid significet. in prog.com. 2°. 4ª.170.*G*
Facies florida cum animi mœrore, mala. in 1ᵐ.*prorrhetic. commentario.* 2°. 4ª.170.*G*
Facies flammans cum sudore, mala. in 1ᵐ.*prorrh.com.* 2°. 4ª.173.*G*
Faciei rubores quibus eueniant præsag.exper. conf. *Sp.*78.*E*

Faciei rubedo in longo morbo futurum abscessum significat. in 6m.de morb.vul.com.2°. 3a.163.F
Faciei colore rubro significatur sanguis a naribus, & abscessus post aures.in prog.com.2°. 4a.171.A
Facies intumescit tibiam inflantibus, & maximam & acutissimã vocem emittentibus.3°.de san.tu. 2a.77.C
Facies & manus videntur inflari iratis.3°.de dec.Hip. 1a.241.E
Facies inflatur,& rubescit ira.3°.de dec.Hip. 1a.241.F
in Facie,& si sanguis non nunquam exuberet nigrioribus natura,non tamen euidenter apparet.in 6m.de mor.vulg.com.2°. 3a.163.F
Facies affecta in capite noxam notat.3°.de loc.aff. 4a.21.B
de Faciei partibus,quæ intrinsecus afficiuntur, vbi agit Galenus.4°. de locis affectis. 4a.21.F
Faciei morbus est canis.2°.de diff.pul. 4a.53.H
Facies quomodo resolutione infestetur.3°.de lo.aff. 4a.21.A
in Facie,& spiratione non resolutus,qui tamẽ alias partes resolutas habebat.3°.de loc.aff. 4a.21.B
in Faciei partibus qñ amittitur sensus,& motus.4°.de lo.af. 4a.22.H
Facies quando est conuulsa,vnde sit affectio.3°.de loc.aff. 4a.17.D
Faciei partes quo modo fiant obliquæ.4°.de lo.aff. 4a.23.D
ad Faciei torturam,inclinationem,& spasmum.secretorũ.Sp.102.D
in Facie eminentiarum remedia.5°.de comp.me.se.lo. 5a.160.E
Faciei fractura quo modo sanatur.intro. If.60.D
FACILLIMA *magnam inter se habẽt dꝛiam.9°.de dec.Hip.*1a.279.F
a Facillimis incipiendum.9°.de decr.Hip.279.E/ 1a.280.A
Facillima vtilissima sunt.9°.de decr.Hip. 1a.279.F
Facile esse credit quod cupit quisque. de præcog.ad Posth. 4a.218.E
Facilius est inuenire aliquid non animaduersum in iam factis, q̃ omnia a principio inculpate facere.10°.de vsu par. 1a.178.F
Facilitas tolerandi testimoniũ est recti iudicij.c.4°.apho.2°.Ex.27.G
p FACERE *motus explicatur,sensus per affici.1°.de lo.af.* 4a.7.D
Facere pertinet ad medendum.in 1m.de mor.vul.com.2°. 3°.112.A
Faciendum quomodo in ædemate.14°.met.me. 7a.87.F
in omnibus quæ Faciunt, & fiunt quid contingat. commentario.2°. aphorismo.28°. Ex.16.E
Facti dimidium habet qui bene cepit.6°.met.me. 7a.42.E
FACTORVM *memoria quid faciat.5°.de san.tu.* 2a.89.B
FACTRIX *& efficax causa idem.de multitudine.* 3a.77.B
FACVLTAS *quid significet.1°.de caus.puls.* 4a.87.A
Facultas quid significet, & contra quæ distinguatur.1°.de simplic. med.facul. 5a.3.H
Facultas quid sit.de multitudine.3a.77.B/1°.de simp.med.fac.5a.2.C
Facultas actu quid.1°.de simp.med.fa. 5a.2.C
Facultas in futuro quid.1°.de simp.med.fac. 5a.2.C
Facultas,& anima idem est.9°.met.me. 7a.58.H
Eacultates effectus esse totius in quouis corpore substantiæ.3°.de temperamentis. 1a.22.B
Facultates aliquæ alijs mobiliores.in 6m.de mor.vul.c.5°. 3a.188.D
Facultas principalis est spiritus.de hist.phil. Sp.3.D
Facultatis essentia.1°.de præsag.ex puls. 4a.107.D
Facultas quælibet est in relatione.1°.de natu.facul.1a.291.D/de multitudine. 7a.77.C
de Facultatibus primus Hippocrates recte dixit,post eum Aristoteles recte interpretatus est.2°.de nat.fac. 1a.297.H
de Facultatibus vnum librum fecit Heras.1c.de compositio.medic. per genera. 5a.216.E
Facultas q̃ plãtas,& animalia fingit,nũquã sistit.de fœ.fo. 1a.324.F
Facultas fingens plantas & animalia omnes partes simul fingit.de fœtuum form. 1a.324.F
Facultas seminis procreatrix quid.de hist.phil. Sp.9.H
Facultatibus aĩæ idoneũ corpus ꝓparat natura.2°.de sem. 1a.337.C
Facultates proprie corporis quatuor.3°.de temp. 1a.22.B
*Facultates quæ nos gubernant considerandæ sunt.3°.de dec.*1a.241.B
Facultates quæ nos regunt,vnde inueniantur.de fœ.for. 1a.324.C
Facultates omnes qui vult scire,debet scire omnia organa.1°.de natura.facul. 1a.292.F
Facultas quælibet exigit instrumenta.1°.de caus.puls. 4a.87.B
Facultas,vsus,& instrumenta.3°.de præsag.ex pul. 4a.118.A
Facultates quatuor sunt in singulis organis.3°.de na.fac. 1a.305.G
Facultatum doctrinæ principium quod.1°.de nat.fac. 1a.292.F
de Facultatibus exterioribus librum fecit Andromachus.3°.de cõp. medicam.per gen. 5a.235.D
de Facultatibus naturalibus librum qui nõ legit,frustra de victu acutorum legit.de vict.rat.in mor.acu.com.1°. 7a.111.H
*de Facultatibus naturalibus sermo communis.5°.de loc.aff.*4a.35.B
Facultas arteriarũ,neruorũ,et venarũ est diuersa.de multi. 3a.77.A
Facultates naturales habent membranæ, quoniam nutriuntur.2°.me thodi medendi. 7a.12.G
inter Facultates naturales attractio est maxime præcipua.in Tim. Platonis. 1a.290.C
Facultates in nobis habemus,quæ vesci,bibere,& respirare doceant. 1°.de sanitate tuenda. 2a.62.G
Facultates docent opera.1°.de nat.fac. 1a.291.D
Facultas indicat cibi qualitatem & quantitatem. de opti.sectatione. 28.H/ If.29.A
Facultates quatuor habet pars quælibet.8°.de cõp.me.sec. 5a.194.A
Facultates quatuor pro munere nutriendi.2°.de symp.cau. 3a.19.F
Facultas nutriens quid agat.in 6m.de mor. vul.com.5°. 3a.188.B
Facultas quæ expellit quod est præter naturam,adest omni particulæ. 2°.de symp.cau. 3a.21.D
Facultatis facientis humores,Iecur fons est,& veluti focus ardens in prognost.com.2°. 4a.201.E
*Facultas naturalis incrementũ facit.in 6m.de mor.vul.c.2°.*3a.169.E
a Facultate naturali fit iudicatio.4°.de præsag.ex pul. 4a.122.D
Facultates in nobis tres ad artes constituendas.de ijs quę in medicatrina fiunt.com.1°. 7a.199.H
Facultatis proprius motus quomodo inueniendus est.1°.de motu musculorum. 1a.310.H
Facultas animalis nisi adiuuaret musculum nunquam perfecte flecteretur.1°.de mot.mus. 1a.311.H
Facultas vocis artifex quid.de hist.phil. Sp.9.H
Facultas vitalis vocatur vis animosa.9°.met.me. 7a.58.H
Facultas animosa vocatur vis vitalis.9°.met.me. 7a.58.H
Facultas vitalis vnde cognoscatur.4°.de præsag.ex pul. 4a.121.G
*Facultas vitalis quid indicet.de vict.ra.in mor.acu.com.1°.*7a.115.C
Facultate voluntaria & vitali potioi est ad febres vis concoctrix. 10°.meth.med. 7a.70.A
Facultatis differentiæ,robur,& imbecillitas.1°.de cau.pul. 4a.87.B
Facultatis,& caliditatis crescentis pulsus.1°.de caus.pul. 4a.88.H
Facultatis robur vnde accipiatur.de ther.ad Pis. 5a.90.E
*ex Facultate robusta,& calore deficiẽte pulsus.1°.de cau.p.*4a.89.A
Facultatis validę peculiaris ẽ celeritas pulsus.3°.d cau.pul. 4a.99.C
Facultatis maioris pulsus,qualis.1°.de cau.pul. 4a.90.E
Facultas valens est causa continens pulsus vehementis.1°.de causis pulsuum. 4a.88.C
Facultas infirma est causa continens pulsus languidi.1°.de causis pulsuum. 4a.88.C
Facultatis debilitas est intẽperies.1°.de præsa.ex puls. 4a.107.E
Facultatis imbecillitas vnde accipiatur.de ther.ad Pis. 5a.90.E
Facultatis imbecillitatem significat partium grauitas. in prognostica, commenta.2°. 4a.198.F
Facultatis imbecillæ pulsus,qualis.1°.de præsag.ex puls. 4a.107.C
*Facultati imbecillæ peculiaris est crebritas pulsus.3°.de cau.*4a.99.C
Facultas imbecilla cum arteria dura quales faciat pulsus.1°.de causis pul. 4a.89.H
Facultas imbecilla cum arteria molli quales faciat puls.1°.de causis pulsuum. 4a.89.H
Facultatis infirmę & vsus maioris pulsus.1°.de cau.pul. 4a.90.E
Facultatis substantiæ noxæ,quæ.3°.de symp.cau. 3a.24.F
ob Facultatis offensionem aliæ atque aliæ pulsuum inæqualitates oriũtur.2°.de caus.pul. 4a.91.H
Facultas quomodo dissoluatur.de puls.ad tir. 4a.44.F
Facultas quomodo degrauatur.de puls.ad tir. 4a.44.G
Facultas onerata, & facultas imbecilla quomodo differant.3°.de causis pulsuum. 4a.99.B
Facultas imbecilla,& facultas onerata quomodo differant.3°.de causis pulsuum. 4a.99.B
Facultatis fatiscentis pulsus.de pul.ad tir. 4a.44.G
Facultatis depressæ pulsus.de puls.ad tir. 4a.44.G
Facultatis dissolutæ a penuria pulsus.de pul.ad tir. 4a.44.G
Facultatis concitatæ pulsus qualis.4°.de cau.pul. 4a.103.H
Facultatis ruentis pulsus qualis.4°.de cau.pul. 4a.103.H
FACVLTATES *simplicium non ignorandæ.3°.de compo.medicam. per genera.* 5a.230.B

Facultates ex ſubſtantiæ temperatura. 2°. de ſem. 1ª.337.C
Facultates ſimplicium, quæ primæ, quæ ſecundæ, & quæ tertiæ. 6°. de comp. med per ge. 5ª.258.B
Facultates ſecũdas et tertias q̃rit, et numerat. 5°. de ſim. m. f. 5ª.32.A
Facultates ſecundæ ac tertiæ quæ ſint. 5°. de ſimp. med. fa. 5ª.32.A
Facultates ſecundæ quæ ſint. 3°. de comp. med. ſe. loc. 5ª.141.G
Facultates medias habentia pharmaca cur excogitata. 6°. de compoſitio. med. ſec. loc. 5°.168.A
Facultatis eſſentiam nolunt poſſe cognoſci ſceptici & empirici. 1°. de ſimplic. med. fa. 5ª.2.D
Facultatis experimentum vnde ſumendum. 1°. de ſimp. med. fa. 5ª.2.D
Facultas medicamenti colligenda eſt euidenter ex apparentibus, & vnde. 1°. de ſimp. med. fac. 5ª.3.G
Facultas quomodo ab externis ſumenda. 1°. de ſimp. med. fac. 5ª.3.H
ex Facultatibus diſſidentibus compoſitum aſcititiam quandã naturã ſortitur ab extremis alienam. de ptiſſana. 2ª.47.F
Facultates rerum qui quærunt, non conſiderant accidẽtia, vt colores, & odores. 2°. de ſimp. med. fac. 5ª.16.E
Facultate vniuerſali cognita in particulares vſus facile deuenimus. 11°. de ſimp. med. fac. 5ª.81.D
Facultate quadam trahunt ſiccum ſibi conuenientem medicamẽta natiua. de ther. ad Piſ. 5ª.90.G
Facultates a propietate ſubſtantiæ ſola experientia cognoſcuntur. 9°. de ſimp. med. fac. 5ª.67.A
Facultates contrarias multa habent. 2°. de al'm. fac. 2ª.19.A
Facultates contrariæ vnde indicantur. 5°. de ſimp. med. fa. 5ª.38.H
Facultates validę ſibi ſil'i qualitate totũ corp⁹ ĩmutãt. 1°. d̃ ſe. 1ª.335.A
Facultates corruptionem inducentes attrahere poteſt cucurbitula. de cucur. ſcarif. 6ª.3.F
Facultas virulenta vbi extrinſecus inciderit, ſcarificatione vtimur. de cucur. ſcarif. 6ª.3.F
ad Facultates quatuor cibi in quaque parte pertinet ſeruari plenitudine. de multitudine. 3ª.77.E
Facultas contentrix a Stoicis orta. de multitudine. 3ª.77.C
in Facultate contentrice cõtinẽs, & cõtentũ de multitudine. 3ª.77.C
ad Facultatem pertinet rumpi vas plenitudine. de mul. 3ª.77.E
cuius Facultatis opera ſint oſcitatio, ſternutatio, tuſſis, pandiculatio, & ſingultus. 2°. de ſymp. cauſ. 3ª.19.F
Facultatis & morbi ſimul opera ſunt torpentium motus & tremor. 2°. de ſymp. cau. 3ª.19.F
FAECVLA quid. de ſimp. med. Sp.84.D
Fæcula adurit. introd. Iſa.58.B
Fæcula cauſticis miſcetur. de ſimp. med. Sp.84.D
Fæculę meminit. 1°. de comp. med. ſec. loc. 5ª.131.A
FÆX *in vinis craſſioribus ſolet ſubſidere. com. 4°. aph. 21°.* Ex.29.D
Fæx eſt craſſum vini. 1°. de ſimp. med. fac. 5ª.5.D
Fæx aceti non eſt caloris expers. 1°. de ſimp. med. fac. 5ª.5.D
Fæx vini vnum ex fortiſſimis medicamentis ad achoras. 1°. de comp. med. ſec. loc. 5ª.129.D
Fæx vini Italici. 7°. de comp. med. per ge. 5ª.270.G/H
Fæx vini Rhodij. 1°. de comp. me. ſe. lo. 5ª.128.F
Fæx vſta & non vſta quo modo differant. 3°. de nat. fac. 1ª.301.H
Fæx non vſta frigida eſt & ſicca. 3°. de nat. fac. 1ª.301.H
Fæx non vſta valet vt terra figularis. 3°. de nat. fac. 1ª.301.H
Fæx vſta medicamentum eſt maxime acre. 1°. de cõp. me. ſe. l. 5ª.131.A
Fæx vſta vrit carnem, liquat, & corrumpit. 3°. de nat. fac. 1ª.301.H
Fæx vini vſta. 10°. de comp. me. ſe. lo. 207.D/208.B/7°. de comp. me. per genera. 5ª.267.B
FÆX *croci. 5°. de comp. med. per ge.* 5ª.252.G
Fæx vnguenti irini repurgãs, et extergẽs. 1°. de comp. m. ſ. l. 5ª.129.H
Fæx vnguenti malabathrini. 7°. de comp. med. ſec. loc. 5ª.178.D
FÆCI *vini recte aſſimilatur niger ſanguis. 14°. met. me.* 7ª.89.D
Fæx ſanguinis ĩferius reſidẽs melãcholia appellat. d̃ ana. vi. Sp.50.H
vt Fæx ſanguinis eſt atra bilis. c. 4°. aph. 21°. Ex.29.D
Fæcem ſiue ſanguinem melancholicũ cõtinet ſplen. de ana. vi. Sp.50.A
Fæcem ſanguinis ſplen ad ſe trahit. 5°. de loc. aff. 4ª.35.F
Fæcibus vini ſimilis humor hepaticis q̃ deijciat. 6°. d̃ lo. af. 4ª.36.E
Fæcem humorum ex corpore mũdificãs medicamentũ. ſecre. Sp.101.G
Fæces expellens per vrinam medicamen. de med. expcr. Sp.105.G
vt Fæx vini humor in quibuſdam apoſtematibus inuentus. 14°. methodi medendi. 7ª.90.E
Fæci ſimilia q̃nque vñr in abſceſſibus. 2°. de arte cur. ad Gl. 7ª.105.B

FÆCES *retinet longaon quatuor lacertis. de ana. viu.* Sp.50.E
Fæces excernere quid. de venæ ſect. aduerſ. Eraſ. 6ª.7.C
Fæcum effluxus inuoluntarius quid, & cuius potentiæ vitium. 2°. de ſympt. cauſis. 3ª.19.G
Fæcum retentio quid, & cuius potentiæ vitiũ. 2°. de ſymp. ca. 3ª.20.B
Fæces obdurantes cauſæ, quæ. in 6ᵐ. de mor. vul. com. 5°. 3ª.193.D
FAGVS, & ilex roboris genera. 6°. de ſimp. med. fac. 5ª.46.E
Fagus eſt planta agreſtis. 2°. de alim. fac. 2ª.21.H
Fagus arbor frigidiſſima, & ſicciſſima. 4°. de ſimp. med. fa. 5ª.26.F
Fagus eſt acerbus. 8°. de ſimpl. med. fac. 5ª.62.C
Fagi fructus ſemper acerbi ſunt. 4°. de ſimp. med. fac. 5ª.26.F
Fagus vehementius adſtringit robore. 6°. de ſimp. med. fa. 5ª.46.E
FALERNVM vinum celebratiſsimum. de atten. vic. 2ª.46.D
Falernum vinum ſuper omnia alia vina. 12°. met. me. 7ª.76.E
Falernorum vinorum differentia. 12°. met. me. 7ª.76.E
Falernum vinum duplex. de ther. ad Piſ. 95.F/1°. de anti. 5ª.101.C
Falernum vinum, quale. de bon. & vit. ſuc. 38.C/4°. de ſanitate tuenda. 2°. 85.G/2°. de arte cur. ad Glau. 7ª.102.C
Falernum dulce & flauum. 6°. met. me. 7ª.38.E
Falernum vinum flauum, tenue. de atten. vic. 2ª.44.G
Falernum dulce cognouit Galenus cum primum guſtaſſet Romæ, ex ijs quæ audierat. 1°. de dign. pulſ. 4ª.70.H
Falerni dulcis ſpecies eſt vinum Hippodamantium. 12°. methodi medendi. 7ª.76.H
Falernum vinum auſterum. 2°. de comp. med. ſec. loc. 5ª.140.A
Falernum vinum eſt probatiſsimi ſucci. de bo. & vit. ſuc. 2ª.38.D
Falernum vinum valde calefacit. 7°. met. me. 7ª.44.B
Falernum pluribus annis durat bonum. de vinis. Sp.76.G
Falernum deſcriptum ſecundum ætates in fidelijs. 1°. de anti. 5ª.101.G
Falernum viginti annorum. 1°. de anti. 5ª.101.G
Falerno conficitur theriaca. de ther. ad Piſ. 5ª.92.G
Falernum omnibus anteſtat in antidotis. 1°. de anti. 5ª.101.C
Falernum quod eligendum pro theriaca. 1°. de anti. 5ª.101.C/G
Falerno ſi careas quale vinũ eſſe debeat ad theriacã. 1°. d̃ ant. 5ª.101.b
Falernum vetus non debet ingredi theriacam. 1°. de anti. 5ª.101.C
ĩ Falerni ſpeciẽ multa vina a vini magiſtris cõcinnant. 1°. d̃ ant. 5ª.106.b
Falerno comparatur vinum Tmolites. 5°. de ſan. tu. 2ª.90.H
cũ Falerno cõtendit vinũ Surentinũ præſtantia. 1°. de ant. 5ª.100.H
Falernum eſt dandum phlegmaticis, & frigidis complexione, vel frigidum aceruantibus humorem, vel ocioſe viuentibus, vel exiſtentibus in hieme, vel conſtitutione frigida, & humida. Sp.76.H
ex Falerno vino ſumendum far ſeni. 5°. de ſan. tu. 2ª.92.D
Falernum Fauſtianum optimum ſeni, qui a balneo vti vino dulci velit. 5°. de ſan. tu. 2ª.91.C
Falernũ vinũ cũ ſynope ex crudis humoribus. 12°. met. me. 7ª.76.E
Falernum vinum non eſt idoneum bilioſis vel natura, vel alia cauſa. d̃ bo. & vit. ſuc. 2ª.38.E/*de vinis.* Sp.76.G
Falernum non eſt dandum eis qui ſolis æſtu aut via incaluere. S.76.G
Falernum pingue. 2°. de anti. 5ª.111.H
Falernum vinum. 2°. de ant. 112.C/5°. de cõp. me. ſe. loc. 5ª.148.C
Falerni uini fit mentio. 2°. de anti. 117.A/120.F/2°. de comp. me. ſ. l. 140.C/4°. 155.E/H/157.B/7°. 5ª.179.F
FALLERE *qui ſeſe non vult, nec ab alio falli, quo modo agere debeat. 1°. de temperamentis.* 1ª.13.E
Fallere qui vult alios, & nõ falli quid agere debet. 9°. de dec. 1ª.279.B
FALSVM *differt ab eo quod ſenſu caret. 2°. de dec. Hip.* 1ª.238.C
Falſum eſſe & ridiculum eſſe differunt. 8°. de dec. Hip. 1ª.278.E
Falſum omne non eſt deridendum. 8°. de dec. Hip. 1ª.278.E
ex Falſis verum non contingit inueniri. 3°. de criſi. 4ª.142.C
Falſa quibus dicenda in morbis. in 6ᵐ. de mor. vul. com. 2°. 3ª.167.F
FAMA *quibus ſit impedimento. 7°. met. me.* 7ª.43.B
FAMESCERE *quid dicamus. com. 2°. aph. 16°.* Ex.12.G
FAMES *multipliciter accipitur a Galeno. c. 2°. aph. 21°.* Ex.14.H
cũ Fame totidẽ ſpecies habet appetitus potus. 1°. de ſym. ca. 3ª.18.A
Fames quid ſit. 1°. de ſymp. cauſ. 3ª.18.D
Fames multiplici de cauſa fit. com. 2°. aph. 21°. Ex.14.H
Fames naturalis quo modo fiat. 1°. de ſymp. cau. 3ª.18.A
p̃ Famem inducenda oris ventriculi quinque ſymptomata. 1°. de ſymptomatum cauſis. 3ª.18.A
ad Famem facit non parum frigiditas. 1°. de ſymp. cau. 3ª.18.B
contra Famem cur facit caliditas. 1°. de ſymp. cauſ. 3ª.18.B
Famẽ non poſſunt tolerare pueri, præſertim qui inter ipſos ſunt viuidiores

diores.commenta.2°.apho.65°. Ex.6.G
Famelici faciunt ex acida pituita redundante.de mul. 3ª.82.F
Fame qui premantur.de mul. 3ª.81.G
Fame qui possunt cruciari.8°.met.med. 7ª.54.F
Fame & siti affligendum est animal incidendum aut scarificandum. de mot.man.& obs. Sp.70.D
Famẽ tolerandi facilitas in senibus est in non appettendo,& nihil inde mali sustinendo.com.1°.aph.13°. Ex.6.G
Famem adhibere conuenit carnes humidas habentibus.commentario 7°.aphor.60°. Ex.59.C
Fame quo modo mediocritas consideranda ex venarum angustia & laxitate.2°.de temp. 1ª.18.C
Fames iniungenda non est biliosis.2°.de comp.med.sec.lo. 5ª.136.C
vbi Fames,laborandum non est.de vict.rat.in mor.acu.c.2°.7ª.124.G/ com.2°.apho.16°. Ex.12.G
in Fame diuina quid contingat.3°.de sa.tu. 2ª.80.D
Fames longi temporis siccitatem facit.1°.de diff.feb. 3ª.34.D
Fames exiccat corpora.c.2°.aph.16°.12.G/c.7°.apho.60°.Ex.59.C
Fames facit conuulsionem ex siccitate.3°.de loc.aff. 4ª.17.F
Fame qui gracilescunt.8°.met.me. 7ª.54.F
Fame pereuntes accedunt ad veram tabem.de marc. 3ª.46.H
Famem qui biduo patientes febricitabant.10°.met.med. 7ª.62.H
a Fame fieri febrem ratione probatur.10°.met.med. 7ª.72.H
Fame,labore,& siti mutatur vrina.10°.de simp.med.fac. 5ª.74.G
Famem magnam remittere eandemq; prostratam excitare potest theriaca.de ther.ad Pis. 5ª.98.F
pp Famem non decet vehementer insatiabiliterq; impleri.de cog.cur animi morbis. 2ª.53.C
Fame vexatis vinum non conuenit.de bo.& vit.suc. 2ª.38.E
Fames vehemens est in morbis longis,in quibus æger est euasurus.cõmen.7°.aphor.6°. Ex.54.D
Fames in quibus capitis doloribus conuenit.2°.de cõp.m.s.l.5ª.135.D
FAMES morbus qualis sit.com.2°.aph.21°. Ex.14.H
Fames ingens,id est bulimos,quæ fin.med. Is.47.D
Fames canina quæ,& quomodo.1°.de symp.caus. 3ª.18.B
Fames canina quæ,& quo humore fiat.1°.de symp.caus. 3ª.18.B
Fames canina vnde procedat,& qũo sanetur.c.2°.apho.21°.Ex.14.H
Famis caninæ pulsus quales.4°.de cau.pul. 4ª.103.C
citra Famem quomodo comedatur auena.1°.de alim.fa. 2ª.13.C
in Fame extrema fiunt panes ex auena.1°.de alim.fac. 2ª.13.C
in Fame ob malos cibos quæ contingant.1°.de diff.feb. 3ª.31.G
Fames,lege Inedia.
FAMILIARIA assimilantur.3°.de simp.med.fac. 5ª.17.H
Familiaritates rerum oriuntur a totius substantiæ proprietate.3°.de simp.med.facul. 5ª.17.H
Familiaria & cognata sine dolore retinentur.5°.de vsu par.1ª.145.G
Familiaria siue cibaria,siue medicamẽta sumi debent in intrinsecis vlceribus.4°.met.me. 7ª.28.H
FAMVLIS quidam confringebant dentes.de cog.cur.ani.mor.2ª.52.H
FAR, quod Zeam vocant.9°.de comp.med.sec.loc. 5ª.200.A
Far Clusinum.7°.de comp.med.sec.loc. 5ª.185.E
Far quo modo coquatur.de art.com.2°. 7ª.266.G
Far præparatur vt ptissana cum paulo aceti, præsertim si adsit cruditas vel in venis,vel in toto corpore.4°.de san.tu. 2ª.84.E
Farri acetum,& porrum addenda.4°.de san.tu. 2ª.84.E
Far est boni succi.4°.de san.tu. 2ª.84.F
Far cum mulso est boni succi.5°.de sa.tu. 2ª.90.G
Far cum mulso non facile putrescit.5°.de san.tu. 2ª.90.G
Far cum melle,& aceto quando sumendũ seni.5°.de san.tu. 2ª.92.D
Far in imbecillum ventriculum demissum ab eo non superatur.3°.de temperamentis. 1ª.23.G
a Farris multo esu cauere debet senex.5°.de san.tu. 2ª.91.D
FARFIMA, id est stercus columbinum.de ocul. 7ª.190.E
FARINÆ pars crassior quæ vocetur.in prog.com.2°. 4ª.200.E
Farina trita lenta apparet ob liquoris admixti crassitiem.1°.de alimentorum facultatibus. 2ª.12.B
ex Farina non separata a furfure panes medij.1°.de alim.fac.2ª.9.G
Farina pura calida est & humida.5°.de simp.med.fac. 5ª.34.B
Farina multi furfuris generat atram bilem.de dissol.cont. Sp.75.A
de Farina crassa panis est cibus medius.de diff.cont. Sp.75.B
Farina elixata,victus Alexandrinorũ.2°.de ar.cu.ad Gla. 7ª.107.E
ex Farina & aqua potio datur suibus.3°.de nat.fac. 1ª.303.D
Farinæ quæ non moueant pus.5°.de simp.med.fac. 5ª.33.H
Farinæ quæ exiccant,& quomodo.5°.de simp.med.fac. 5ª.33.H
Farinis quibus vsus est Galenus in neruorum vulneribus.3°.de composi.med.per ge. 5ª.229.H
ex Farina,oleo,& aqua cataplasma concoquens.2°.de arte cura.ad Glauconem. 7ª.105.C
ex Farina,oleo,& aqua cataplasma pro inflãmatione ad pus ducendum.2°.de art.cur.ad Glau. 7ª.102.E
Farina alba in linimento.de marc. 3ª.48.B
Farina Alicæ.5°.de comp.med.sec.loc. 5ª.161.C
Farina Antiqua generat atram bilem.de diss.cont. Sp.75.A
Farina Ciceris excalfacit & exiccat.5°.de simp.med.fac. 5ª.34.A
Farina Erui,qualis.3°.met.med. 7ª.18.A
Farina erui moderatissime detergit.8°.met.med. 7ª.52.H
Farina erui excalfacit,& exiccat.5°.de simp.me.fa. 5ª.34.A
Farina erui valde exiccat.6°.de simp.med.fac. 5ª.44.E
Farina erui carnem explet.2°.de comp.med.per ge. 5ª.220.B
Farina erui sarcotica est.3°.met.med.16.G/ 7ª.18.A
Farina erui vlceri cauo conuenit.2°.de comp.med.per ge. 5ª.218.G
Farina erui cephalica est.6°.met.med. 7ª.42.B
Farina erui leuat a putrefactione ĩ neruo vulnerato.6°.me.m.7ª.37.F
Farinæ erui meminit.6°.met.med. 7ª.38.G
Farina Fabacea,qualis.3°.met me. 7ª.18.A
Farina fabacea euaporat & extergit.5°.de simp.med.fac. 5ª.34.A
Farina fabarum moderatissime detergit.8°.met.me. 7ª.52.H
Farina fabacea tantum extergit,non etiam meatus farctu liberat.5°. de simp.med.fac. 5ª.35.B
Farina fabarũ ad detergẽdas maculas in balneo.1°.de alim.f.2ª.13.H
Farina fabarum faciei lentes tolluntur.1°.de alim.fa. 2ª.13.H
ex Farina fabacea cataplasma.6°.met.me. 7ª.38.G
Farina fabacea carnem producit.3°.met.me. 7ª.18.A
Farina fabacea tenuissima.7°.de comp.med.sec.loc. 5ª.182.B
Farina fabarũ p farina orobi vel lolij.2°.de ar.cu.ad Gla.7ª.107.A
Farina Fœni græci excalfacit.5°.de simp.me.fa. 5ª.34.A
Farina de Germano id est ligine.de dyn. Sp.31.E
Farina Hordeacea qualis.3°.met.med. 7ª.18.A
Farina hordeacea euaporat,& extergit.5°.de simp.med.fa. 5ª.34.A
Farina hordei moderatissime detergit.8°.met.med. 7ª.52.H
Farina hordeacea tantum extergit,non etiam meatus farctu liberat. 5°.de simp.med.fac. 5ª.35.B
Farina hordei fouetur.3°.de comp.med.per ge. 5ª.229.A
Farina hordei in emplastro apponenda est in principio inflammationũ. 2°.de arte cur.ad Glauc. 7ª.101.F
Farina hordei non triticea,& mel pro phlegmone coquenda.13°.met. medendi. 7ª.81.C
ex Farina hordeacea cataplasma erysipelati ex vlcere conuenit.2°. de arte cu.ad Glauco. 7ª.102.A
Farina hordeacea herpeti exedẽti cõuenit.2°.d ar.cu.ad Gl.7ª.102.C
p Farinam hordei phlegmones curatio dolorem lenire studentis est,nõ medentis.4°.met.me. 7ª.27.E
ex Farina hordeacea,& hydræleo cataplasma ad crustas excidẽtes. 2°.de arte cu.ad Glau. 7ª.107.B
Farina hordeacea plurimum resoluit.2°.de ar.cu.ad Glauc.7ª.105.E
Farina hordeacea quando adest pus.2°.de art.cur.ad Glau.7ª.101.H
ex Farina hordei cataplasma ad mouendũ pus.4°.met.me. 7ª.27.D
ex Farina hordei,aqua,& oleo cataplasma ad cito pus mouẽdum.4°. methodi medendi. 7ª.27.D
Farina hordei cruda & aqua in his qui citissime suppurari dñt.3°.de comp.med.sec.loc. 5ª.147.D
Farina hordeacea suppurationẽ phibet.2°.de ar.cu.ad Gla.7ª.105.C
Farina hordeacea carnem producit.3°.met.me. 7ª.18.A
Farina hordeacea cum lixiuio leuat a putrefactione in neruo vulnerato.6°.met.me. 7ª.37.F
Farina Hornotina,quæ.de arti.com.2°. 7ª.266.F
Farina Lolij excalfacit,& exiccat.5°.de simp.med.fac. 5ª.34.A
Farina lolij valde exiccat.6°.de simp.me.fac. 5ª.44.E
pro Farina lolij farina fabarum.2°.de art.cu.ad Glau. 7ª.107.A
Farina Lota,quæ.de arti.com.2°. 7ª.276.G
Farina Lupinorum resiccat.5°.de simp.med.fac. 5ª.34.A
Farina lupinorum lumbricos expellit.de simp.med. Sp.86.C
ex Farina Macerata cataplasma.de arti.com.2°. 7ª.267.H
Farina ex Milio non lenta.1°.de alim.fac. 2ª.12.A

Farina milij reſiccat. 5°. de ſimp. med. fac. 5ª.34.A
Farina Ochri excalfacit & exiccat. 5°. de ſimp. med. fa. 5ª.34.A
ex Farina Orobi & oxymelite cataplaſma. 2°. de arte cu. ad Glauconem. 7ª.102.D
cum Farina orobi, uel lolij oxymel ad putreſcentia ualet. 2°. de art. cu rat. ad Glauconem. 7ª.106.H
Farina orobi cum melle cruſtas optime diſrumpit. 2°. de arte cura. ad Glauconem. 7ª.107.B
ꝑ Farina orobi farina fabarum. 2°. de arte cu. ad Glau. 7ª.107.A
Farina Panici reſiccat. 5°. de ſimp. med. fa. 5ª.34.A
Farina Polentæ. 4°. de comp. med. ſec. loc. 153. E/9°. 5ª.204.A
Farinæ polentę flos. 4°. de comp. med. ſec. lo. 5ª.157.D
Farinæ de Sigale. de dyn. Sp.31.G
Farina ex Tithimalli lacte. de reme. par. fac. 7ª.164.G
Farina Tritici quot indigeat, ſi bonum nutrimentum facere debeat. 1°. de alimen. facul. 2ª.11.B
Farinæ copia triticum probatur. de bon. & uit. ſuc. 2ª.36.G
Farinæ multum facit triticum præſtantius. de bon. & uit. ſuc. 2ª.36.G
Farinæ minus facit triticum deterius. de bo. & uit. ſuc. 2ª.36.G
Farina triticea chondrus ſiccior. 5°. de ſimp. med. fa. 5ª.34.D
Farina triticea eſt emplaſtica. de ſimp. med. fac. 5ª.8.H
Farina triticea fluxionibus aduerſatur, & emplaſtrum ex illa. 2°. de arte cu. ad Glauco. 7ª.101.G
Farinæ triticeæ cataplaſma, quale. 5°. de ſimp. med. fa. 32. c/ 5ª.34.A
ex Farina triticea cataplaſmata emplaſticam conſtitutionem habent. 5°. de ſimp. med. fa. 5ª.34.B
ex Farina triticea, uel hordeacea, cataplaſma. 13°. me. me. 7ª.81.B
Farina triticea cum aqua maturat. de ocul. 7ª.188.E
Farina triticea plurimum ſuppurat. 2°. de art. cu. ad Glau. 7ª.105.E
Farina triticea multum ſuppurat. 2°. de arte cu. ad Glau. 7ª.105.G
ex Farina triticea, & oleo, & aqua cataplaſma citius ad ſuppuratio nẽ perducit, q̃ quod ex pane. 2°. de arte cu. ad Glau. 7ª.105.C
Farina triticea cum caricarum decocto & oleo mire ſuppuratoria eſt. 3°. de comp. med. ſec. loc. 5ª.146.F
ex Farina triticea cataplaſmata quo modo moueant pus. 5°. de ſimp. med. facul. 5ª.33.B
Farina triticea cum oleo putreſacit. 6°. met. med. 7ª.37.F
FARINÆ *ſimilis hypoſtaſis quid ſignificet. de urinis.* 4ª.124.F
Farina hordei ſimilis ſubſidẽtia ī urina qd ſigñat. 1°. de criſ. 4ª.130.D
Farinæ craſſiori ſimilæ ſubſidens. in 1ᵐ. de mor. uul. com. 3°. 3ª.121.F
Farinæ craſſioris ſpecie hypoſtaſes quid ſignificent. de urinæ ſignificatione ex Hippocrate. 78. F/ queſ. in Hip. Sp.113.D
ut Farina ſedimentum craſſum quid ſignificet. in pro. c. 2°. 4ª.200.E
ueluti Farina craßior quibuſcunque febricitantibus in urinis fiunt ſedimina, longam fore ægritudinem ſignificat. c. 7°. aph. 31°. Ex. 56. c
Farinę parti craſſiori ſi ſimilia quædã in urinis appareant, lætales ſunt de tot. morb. tem. 3ª.89.G
FARINGES *uocat glandulas. de ana. parua.* Sp.42.H
FASCIAE dicuntur ſubligamina ab Hippocrate. de ijs, quę in me. fiunt. commen. 3°. 7ª.214.E
Faſciarum diſtantię, & differentiæ. de faſcijs. 7ª.293.F
Faſciæ ſunt diuerſæ pro pueris, & pro iuuenibus. de ijs, quę in me. fiũt. commen. 2°. 7ª.210.C
Faſciarum differentia ex longitudine. de faſcijs. 7ª.293.F
Faſciarum longitudo. de fract. com. 1°. 7ª.228.H
Faſcia pro oßibus fractis deligandis debet eſſe lõga. 6°. m. m. 7ª.40.H
Faſciarum differentia ex latitudine. de faſcijs. 7ª.293.G
Faſciæ non ſint admodum lactæ. de fract. com. 1°. 7ª.229.A
Faſcia quibus oſſibus fractis deligandis lata, & quibus anguſta circũ poni debeat. 6°. met. me. 7ª.40.G
Faſcia quando ſtricta eſſe debet in fractis oſſibus. 6°. me. me. 7ª.40.H
Faſciarum differentia ex ſtructura. de faſcijs. 7ª.293.G
Faſciarũ lõgitudo, et latitudo quãta. de ijs quę in me. fr. c. 3°. 7ª.214.F
Faſciarũ differentia ex habitu. de faſcijs. 7ª.293.F
Faſciarum ex materia differentiæ. de faſcijs. 7ª.293.F
Faſciæ ex quibus eſſe debent. 4°. de comp. med. per ge. 5ª.237.A
Faſcia ſi ex linteo fiat, quo mõ linteũ frãgi debeat. d faſcijs. 7ª.293.H
Faſciæ in lõgitudinẽ lintei factę vĩctũ firmius tenẽt. d faſcijs. 7ª.293.H
Faſciæ quales eſſe debent. de ijs quæ in med. fi. com. 2°. 7ª.209.H
Faſciæ quales debent eſſe ſecundum Hippocr. de faſcijs. 7ª.293.G
Faſciæ debent eſſe mundæ, & cur. de faſcijs. 7ª.293.G
Faſciæ ſui coloris eſſe debent & cur. de faſcijs. 7ª.293.G
Faſciæ cur debeant eſſe tenues. de faſcijs. 7ª.293.G
Faſciæ cur molles eſſe debeant. de faſcijs. 7ª.293.G
Faſciæ leues eſſe debent, ne onere infeſtent. de faſcijs. 7ª.293.G
Faſciæ cur debeant eſſe ſine futuris inæqualibus. de faſcijs. 7ª.293.G
Faſciæ cur debeant eſſe ſine eminentijs. de faſcijs. 7ª.293.G
Faſciæ plica æqualis, & inæqualis. de ijs quæ in med. fi. c. 2°. 7ª.205.E
in Faſcijs quæ cauenda. de ijs, quæ in med. fi. c. 2°. 7ª.211.F
in Faſcijs quid ſignificet caput. de ijs, quæ in med. fi. com. 2°. 7ª.210.C
a Faſciarum capite altero incipit vinculum aliud, aliud ab vtroque. de faſcijs. 7ª.293.H
Faſcijs abundent vincientes. de faſcijs. 7ª.293.G
Faſciationum differentiæ. de fract. com. 3°. 7ª.244.F
Faſcijs quomodo vti debes in deligando. 4°. de cõp. m. per g. 5ª.236.H
Faſciæ quo modo debeant imponi. de fract. com. 1°. 7ª.227.H
Faſcijs quomodo deuinciendum ſit. de faſcijs. 7ª.294.B
Faſcijs duobus ad ligandum vtitur Hip. de fract. com. 1°. 7ª.228.C
Faſcijs duabus vti conſueuit Galenus. de fract. com. 1°. 7ª.228.H
in Faſciando cõpreſſio vehemens quid faciat. de frac. c. 1°. 7ª.229.E
Faſciant infantes in Ægypto. de aere, aq. & lo. 2ª.5.F
Faſcijs cur ligandus infantulus. 1°. de ſan. tu. 2ª.65.A
in Faſcijs cur pueri detineantur. 2°. de mot. muſ. 1ª.315.F
Faſciæ non ſinunt fieri lata corpora. de aere, aq. & lo. 2ª.5.F
in Faſcijs poteſt committi error. de cauſ. mor. 3ª.8.F
ob Faſcias mulieres gibbæ ante aut retro. de cauſ. mor. 3ª.8.G
Faſcia poteſt prohiberi inflammationem. introd. Iſ.60.F
Faſciarum circumactus in frictione cur fiat. 3°. de ſan. tu. 2ª.77.D
Faſciarum circumiectio circa ventrem, vel dorſum, vel lumbos in frictione. 3°. de ſan. tu. 2ª.77.D
Faſciatio Aſcia dicta, vnde dicta. de fract. com. 3°. 7ª.244.F
Faſciæ Cancri dictę ſiue in quatuor partes ſcindantur, ſiue in ſex, ſiue in octo. de faſcijs. 7ª.293.F
Faſcia quæ facit Cincinnorum imaginem. de faſcijs. 7ª.295.E
Faſciola quæ dicitur Cingulum. de faſcijs. 7ª.303.C
Faſciæ Glomeratæ quæ ſint. de faſcijs. 7ª.293.F
ex Faſcia glomerata auris. de faſcijs. 7ª.298.F/G
Faſcia glomerata duplex in vtrãq; partem ducta a ſuperiori parte deorſum. de faſcijs. 7ª.303.D
Faſcijs glomeratis facta vulnera vinciuntur. de faſcijs. 7ª.293.F
ex Faſcia Lata triũ capitũ opculũ vocat σκεπάσμα. d faſc. 7ª.294.H
Faſcię Sciſſæ ſunt quę ex vno linteo extremis partibus, vel albi ſciſſo conficiuntur. de faſcijs. 7ª.293.F
Faſcia quæ inuenit Zonæ nomen. de faſcijs. 7ª.304.D
Faſciæ quibus plerunque vulnera obligamus. de faſcijs. 7ª.293.G
Faſcia ad obuoluendum vniuerſum caput. de faſcijs. 7ª.294.H
Faſciæ ad capitis vulnera. de faſcijs. 7ª.293.F
ex Faſcia glomerata longa ad frontem, & regionem quæ inter ſupercilia eſt. de faſcijs. 7ª.300.A
ex Faſcijs tribus ad malas iunctura. de faſcijs. 7ª.299.H
ex Faſciolis binis naſus. de faſcijs. 7ª.298.E
ex Faſciolis tribus accipiter ad naſum. de faſcijs. 7ª.298.F
ex Faſciolis binis accipiter ad naſum. de faſcijs. 7ª.298.F
ex Faſciolis duabus funda ad naſum. de faſcijs. 7ª.298.C
ex Faſciolis tribus funda ad naſum. de faſcijs. 7ª.298.C
Faſcia glomerata ad naſum. de faſcijs. 7ª.298.C
Faſcia glomerata ad labrum ſuperius. de faſcijs. 7ª.300.D/*eadem a medio orſa.* E
Faſcia glomerata labrum inferius. de faſcijs. 7ª.300.C/*eadẽ in vtrãq; partem ducta.* C/*alia.* D/
Faſcio glomerata ad cubitum. de faſcijs. 7ª.304.H
Faſcia aſſuta ad mammam. de faſcijs. 7ª.303.C
Faſciæ aſſutæ, quæ. de faſcijs. 7ª.295.F
Faſcia glomerata ad mammam de faſcijs. 7ª.303.B
Faſciæ qbus vtũtur venatores ad crura defendẽda. de faſc. 7ª.293.G
Faſcijs duabus quo modo malagmata applicanda. 9°. de comp. medic. ſecun. locos. 5ª.199.F
FASCICVLVS *quantus duobus digitis apprehendi poteſt. 7°. de cõp. med. ſecun. locos.* 5ª.187.A
Faſciculus manipularis. 9°. de comp. med. ſe. lo. 5ª.203.A
Faſciculus. de med. fac. par. 7ª.171.G
FASEOLI *ſunt humidi. de diſſol. cont.* Sp.74.E
Faſeoli cibus craſſus, & cur. de diſſol. cont. Sp.72.H
Faſeoli inflant ventrem. de diſſol. cont. Sp.74.F

Faseoli tarde descendunt.de diff.cont. Sp.74.H
Faseoli tarde digeruntur propter multitudinem inflationis.de dissolutione continua. Sp.37.D
Faseoli nutriunt eum qui digerit illos nutrimento multo crasso.de dissolutione continua. Sp.73.E
FASTIDIVM *numeratur inter casus.com.2°.aph.30°.* Ex.16.H
Fastidium patitur stomachus,si oppilationem patiuntur intestina,venæ mesaraicæ,hepar,& id genus.de ana.viuo. Sp.49.G
Fastidiū in ventriculo notat cholerā peccare.c.4°.aph.2°. Ex.27.E
Fastidium fit laso ore ventriculi in mulieribus grauidis.comment.5°. aphorismo.61°. Ex.43.E
cū Fastidium patiuntur mulieres menstruis suppressis,tunc se concepisse coniciunt.com.5°.aph.61°. Ex.43.E
Fastidiū sæpe in febribus ardentibus.in 3m.de mor.vul.c.3°.3a.143.G
cū Fastidio exacerbari,malum.in pror.com.2°. 4a.175.A
Fastidium cibi in morbo diuturno,& deiectiones syncerę,malum.commenta.7°.apho.6°. Ex.54.C
Fastidia morborum horrecticis rebus curantur.de dyn. Sp.19.A
Fastidiosis danda phlegmagoga.de dy. Sp.21.C
Fastidium tollit hydropoton.de dy. Sp.32.D
Fastidio stomachi prodest omphacomeli.de dyn. Sp.22.C
Fastidium tollit mel solum.de simp.med.fac. Sp.87.B
Fastidium auertit sal.de simp.med.fac. Sp.90.A
FASTIDIOSVM *quid importet.in 3m.de mor.vul.com.2°.3a.139.C*
Fastidiosi a bile,id est appetitu carentes.in 1m.de morbis vulgaribus. commentario.3°. 3a.123.B
Fastidiosi qui vocati.in 1m.de mor.vul.com.1°. 3a.107.H
Fastidiosi dupliciter.in 1m.pror.com.2°. 4a.175.B
Fastidiosæ mulieris casus.in 1m.de mor.vul com.1°.125.B/3a.126.H
FATVM quid,& an res fiant fato.de hist.phil. Sp.5.D
FATVITAS *quid.in 1m.pror.com.2°.* 4a.177.D
Fatuitas symptoma cerebri refrigerati.4°.de præs.ex pul. 4a.120.G
Fatuitas ex refrigeratione.2°.de symp.cau. 3a.24.B
Fatuitatē quæ medicamenta frigida faciant.2°.de symp.cau. 3a.24.B
Fatuitas ex morbo regio,mala.in 1m.pror.com.1°. 4a.167.F
Fatuum aiunt cerebrum non habere.3°.de loc.aff. 4a.16.E
FAVCES quæ.introd.Isa.54.C/4°.de locis affect.24.E/in progn. commentario.3°. 4a.209.A
Faucium venis strictiores sunt venæ gutturis.de vict.rat.in mor.acu. commen.4°. 7a.138.F
de Faucium musculis.de muscul.diss. 1a.46.F
Faucium ministerium est necessarium ad vitam.7°.met.me. 7a.49.B
Fauces instrumentum vocis.in 1m.de mor.vul.com.2°. 3a.115.F
Fauces non sunt instrumentum odoratus.de instr.odor. 1a.111.A
Fauces in recipiendo spiritu dilatantur.de vsu pul. 1a.228.F
p Fauces cibi,& potus descendunt.2°.de sem. 1a.340.C
Fauces irrigantur a glandulis.2°.de semine. 1a.340.D
Fauces cur humectantur a glandulis.2°.de sem. 1a.340.D
in Faucibus quæ pituitosum quendam humorem generant,glandulæ magno sunt vsui.14°.met.med. 7a.90.C
p Fauces purgantur pectus & pulmones.7°.me.m.49.D/11°.7a.73.F
ex Faucibus sanguis expellitur screatu.4°.de loc.aff. 4a.25.F
è Faucibus sanguis serosus quandoque excernitur.in prognostica,cōmentario.2°. 4a.203.B
Fauces lędunt a materia descendēte a cerebro.c.6°.aph.2°. Ex.46.E
ad Fauces a capite cur materia transmittatur.2°.de dif.feb.3a.40.H
ad Fauces traducuntur fluxiones oculorum.in 6m.de morbis vulgaribus.commenta.2c. 3a.66.B
Fauces plerunque sensibiliter exasperantur, & cur.in 6m.de morbis vulgaribus.com.2°. 3a.160.H
Faucium asperitates gignunt tussim.de diff.mor.4.E/2°.de symptomatum causis. 3a.21.G
ob Fauces vox vitiatur.4°.de loc.aff. 4a.26.C
in Faucibus & ore partes existentes si ex defluxione a capite ægrotent quomodo curandę.6°.de san.tu. 2a.100.A
ad Faucium rheumatismum suffumigium.de dy. Sp.35.G
cur Fauces.lædunter ab aquilone.com.3°.aph.5°. Ex.20.D
in Faucibus fit relaxatio.de mul. 3a.77.G
Faucium & oris partes ne remolescāt,facit acetū scillinum.de medi. fac.par. 7a.178.C
Faucibus exiccatis extrinsecus mel illinitur.de simp.med. Sp.87.A
in Faucibus strangulatio repente a febre habito,letale.commenta.7°. aphorismo.10°. Ex.59.D
Faucium rubor vnde.in 1m.de mor.vul.com.1°. 3a.106.E
Faucium dolor vnde.in 1m.de mor.vul.com.1°. 3a.106.E
Fauces dolere quando pernicioſum.in 1m.pror.com.2°. 4a.175.H
ad Faucium tumores.2°.de comp.med.per ge. 5a.225.E
ad Fauces tumentes remedium.de dyn. Sp.25.E
Faucium inflammatio vnde.in 1m.de mor.vul.com.1°. 3a.106.E
ex Faucium phlegmone aliquid foras effluit.13°.met.me. 7a.84.H
Faucium inflammationes quid auferat.de præsag.exper.conf.S.78.C
Faucium inflammationes vetustiores dissoluunt sectiones scarificationum.præsag.exper.confir. Sp.78.C
Faucium phlegmonem vacuant venæ sub lingua sine medicamento.de vict.rat.in mor.acu.com.4°. 7a.138.G
ex Faucium inflāmatione cor respiratione priuat.de fœt.for.1a.324.H
in Faucium phlegmone, euitanda quæ per os pituitam euocant.13°. methodi medendi. 7a.83.A
ad Faucium inflammationes.de remed.par.fac. 7a.157.G
ad Fauces gargarizatus.4°.met.med. 7a.29.A
Faucibus prosunt caricæ.de simp.med. Sp.84.C
ad Fauces euidenter facit folia,flos,& mora rubi.de simp.m.S.89.E
ad Fauciū aposthemata vipera suspēsa,ꝺ incāt.adiur.& susp.7a.182.B
Fauces exulceratæ cū febre quid significent in prog.c.3°. 4a.209.A
ad Faucium vulnera alba vel nigra remedium.de dyn. Sp.26.B
ad Faucium crustas in pueris.de remed.par.fac. 7a.156.D
ex Faucium acutis morbis phrenitici.in 1m.pror.com.1°. 4a.164.F
FAVFEL. *secretorum.* Sp.98.H
FAVILLA *corpus tenue.4°.de simp.med.fac.* 5a.30.B
Fauilla gustantibus amara videtur.4°.de simp.me.fa. 5a.30.B
Fauilla a nullo animali edi potest.4°.de simp.med.fac. 5a.30.C
Fauillosa,fumosa,& fuliginosa recrementa in caliditatis gñe oĩa terrea & veluti semicocta cū innato calore sunt.1°.ꝺ dif.resp.3a.62.a
FAVONII *meminit in 1m.de mor.vul.com.2°.* 3a.107.H
ex FAVIS *maceratis mella.de fract.com.3°.* 7a.248.D
Fauus nō ꝺz esse vitiosus p apomeli cōficiendo.4a.de san.tu. 2a.85.G
è Fauis confectum acetū mulsum laudatur ab Hippocrate.de vsu theria.ad Pamph. 5a.98.H
ex Fauis oxymeli.de puero epilep. 7a.181.A
FAVVS *futurarum distentio.introd.* Isa.59.C
de FAVIS, *& quid sint.de med.fac.par.* 7a.161.G
Fauus morbus cutis capitis quid & quo modo fiat.1°.de compo.med. secundum locos. 5a.128.G
Faui sunt toto genere præter naturam.de diff.mor. 3a.4.F
Faui fiunt ex commixtis humoribus.de caus.morb. 3a.8.C
Faui.in 6m.de mor.vul.com.2°.161.A/com.4°.3a.183.F/de remed. par.fac.7a.154.C/de virt.cent. Sp.93.G
Fauos sanat Paronychia.8°.de simp.med.fac. 5a.57.H
ad Fauos.5°.de composi.medic.per gene.5a.251.B/de remed.paratu facilibus. 7a.154.D
ad Fauos quibus iuncta est vlceratio dolosa.de rem.par.fac.7a.154.D
FAVSTIANVM *ecclegma.7°.de comp.med.sec.loc.* 5a.180.A
Faustianum infusum.9°.de comp.med.sec.loc. 5a.203.F
Faustianum vinum falernum.de ther.ad Piso. 5a.95.G
Faustianum vinum species falerni.1°.de antidotis. 5a.101.C
Faustianum vinum,quale.de bo.& vitio suc. 2a.28.C
Faustianum vinum dulce est moderate.de vinis. Sp.76.F
Faustianum vinum pauciferum.de vinis. Sp.76.D
Faustianum falernum optimum seni,qui a balneo uti vino dulci velit. 5°.de sanitate tuenda. 2a.91.C
FAX comburitur etiam descendendo.de vtil.resp. 1a.224.G
FEBRIS *omnibus in propatulo est.1°.de diebus decretorijs.* 4a.147.F
Febrē nomine æstus quidam intellexerunt.c.7°.aph.13°. Ex.54.H
pro Febre ignis dicitur.in 1m.de mor.vul.com.2°.121.E/ 3a.133.F
Febris,quæ πυρετὸς dicitur,ἀπὸ τοῦ πυρός,id est ab igne,fuit nominata.de fract.com.3°. 7a.243.D
pro Febre vehementissima vti nomine ignis mos est Hippocratis.in 1m.de mor.vulg.commen.3°.3a.121.H/de vict.rat.in mor.acutis commentario.1°. 7a.111.C
cum Febris ab Hippocrate dicitur,significatur magna febris.commentario.4°.apho.34°. Ex.31.B
Febris diffinitio iuniorum.introd. Is.55.D
Febris diffinitionem collige.2°.met.me. 7a.15.D

Febris quid.fin.med.46.C/introd.If.55.D/de hiſt.phil. Sp.12.A
ex Febris intemperie morbus.de totius mor.temp. 3ª.88.D
Febris morbus in intemperie.8°.met.med. 7ª.49.G
Febres omnes duplicem habere inæqualem intemperiem.1°.de inæquali intemperie. 3ª.44.G
a Febre calor & mediocritas corrupta eſt.2°.de nat.fa. 1ª.300.D
Febrium eſſentia non eſt in motu arteriarum, vt quidam putarunt.in 6ᵐ.de mor.vul.com.1°. 3ª.158.F
Febris eſſentia eſt caliditas.in 6ᵐ.de mor.vul.com.1°. 3ª.158.F
Febris ſubſtantia in calore præter naturam conſiſtit.1°.de diff.febriũ. 3ª.30.G/de fract.com.3°. 7ª.243.D
Febris quo modo fiant.de curan.rat.per ſang.miſſ. 6ª.17.A
Febris caliditas eſt in corde.1°.de diff.feb. 3ª.31.D
Febris nondum eſt calor præter naturam, niſi cor vna calefiat.1°.de differentijs febrium. 3ª.31.E
Febris oritur ex corde affecto.de fract.com.2°. 7ª.235.C
Febris eſt ſi calor in totum corpus extendatur.de cauſ.mor. 3ª.6.E
Febris eſt veluti quædã totius corporis immoderata caliditas.de cauſis morborum. 3ª.6.E
in Febre calor eſt naturalis auctus.8°.met.med. 7ª.49.G
Febris eſt calor auctus adeo, vt eius occaſione corpus laboret.2°.methodi medendi. 7ª.15.D
in Febre calor naturalis vertitur in igneum.de vict.rat.in mor.acut. commen.1°. 7ª.111.C
Febres accenditur ob innati caloris maxime conuerſionem ad igneam naturam.com.4°.aph.14°. Ex.7.H
Febrilis calor, qualis.de vict.ra.in mor.acu.com.2°. 7ª.119.F
a Febrili calori diſtinctus eſt calor nãlis, cõſidera.1°.de criſ.4ª.132.H
Febrilem calorem eſſe alterum a naturali, collige ex verbis Oſtendẽs in animalis corpore humorum multitudinem ſuperabundare tantã habentiũ frigiditatem, vt neque a calore natiuo, neque a febri calefiant.com.4°.aph.37°. Ex.32.C
Febrilis caliditatis differentiæ.in 6ᵐ.de mor.vul.com.1°. 3ª.158.F
Febrilis caloris multitudo conſiſtit in multitudine defluxus.2°.de differentijs febrium. 3ª.40.B
FEBRIS *eſt morbus calidus & ſiccus.1°.de temp. 1ª.11.C*
Frebrem, ratione qua febris, eſſe calidam & ſiccam potes colligere. com.1°.apho.24°. Ex.10.F
Febris eſt paſſio calida, & ſicca.eſt enim conuerſio natiuę caliditatis ad igneam.com.1°.aph.16°. Ex.8.H
in Febris portione ſunt ſiccitas, & caliditas.7°.met.me. 7ª.47.C
Febris, quę.de diff.mor. 3ª.3.D
Febris eſt vna ex cauſis q̃ perducit ad mortẽ.c.1°.aph.35°. Ex.31.G
Febris eſt affectus per ſe, ex veterum ſententia.introd. If.55.D
Febris nulla apud antiquos dicitur hepatica, lienoſa, pulmonia, lateralis.com.7°.aph.42°. Ex.57.D
Febris ſi conſequatur iecinoris inflammationem aut lateris aliſſue partis, pleuritim, uel peripneumoniam, uel hepatitin nominant morbũ non febrilem.in 1ᵐ.de mor.vul.com.3°. 3ª.118.H
per Febriles morbos intelligit Hippocrates quando febres ipſæ ſunt paſſio, non caſus alicuius partis.com.4°.aph.66°. Ex.34.F
FEBRIS *quo modo accidens dicatur, & quo modo ægritudo ſecundum antiquos.de diff.mor. 3ª.3.F*
Febris quandoque eſt morbus, quandoque caſus partis alicuius.cõ.4°. apho.66°.34.F/aph.73°. Ex.35.H
Febres inflammationum ſunt ſymptomata.1°.de art.cur.ad Glaucon. 7ª.95.F/com.6°.aph.44°. Ex.51.D
Febres ex inflammationibus fiunt.14°.met.me.86.H/2°.de arte cur. ad Glauconem. 7°.100.G
Febrem quando facit inflammatio.2°.de diff.fe. 3ª.41.C
Febrẽ faciũt inflãmatę partes rõne putredinis.1°.de diffe.fe.3ª.32.A
cur Febres fiant in generatione puris.com.2°.aph.47°. Ex.18.H
Febris ſequitur inflammationem cuiuslibet mẽbri principalis.cõ.6°. aphoriſmo.50°. Ex.52.F
Febres ſunt diuerſæ ex inflammationibus diuerſorum membrorum. 2°.de criſibus. 4ª.136.A
Febrem facientes inflammationes, ex repletione vt plurimum fiunt. de venæ ſect.aduer.Eraſ. 6ª.12.F
Febres ob inflãmationem ſunt in gñe putridarũ.10°.met.me. 7ª.64.C
Febris qñ ſit, et qñ nõ ſit lęſis pricipalib.actionib°.5°.& lo.af. 4ª.17.A
Febris capitis nõ ꝓmittit ægrũ quieſcere neq; dormire.de dy.Sp.23.C
Febres a cerebro, a mẽbranis cerebri, a pulmone, & a corde, malæ. in 3ᵐ.de morb.vul.com.2°. 3ª.135.A
Febres & bilis vomitum neceſſe eſt ſuperuenire quibuſcunque præcidit cerebrum.com.6°.aph.50°. Ex.52.F
Febris, & deliria neceſſario ſequuntur, cerebro, & menyngibus inflãmatis.8°.de præſag.ex pul. 4ª.120.G
Febre ſolũ differũt phreneſis, et ĩſania.ĩ 3ᵐ.& mor.vul.c.3°.3ª.144.F
Febris phrenitica.in 6ᵐ.de mor.vul.com.1°. 3ª.159.D
Febris phreniticorum, qualis.in 6ᵐ.de mor.vul.com.1°. 3ª.159.E
Febres lethargicę vñ ſint, & ex quot cauſis fiãt.c.3°.a.30°.Ex.26.E
Febres deprehenſorum cataphora, & lethargicorum, quales.11°.de ſimplicium med.fac. 5ª.80.C
Febres magis fiunt læſis muſculis temporalibus, q̃ alijs muſculis læſis. 11°.de vſu partium. 1ª.185.B
Febris ſequeretur vulnerata arteria tenuiſſima acu, ſi arteria eſſet ſolius ſpiritus inſtrumentum.an ſang.in art.nat.con. 1ª.60.H
Febres a pręcordijs malę.in 3ᵐ.de mor.vul.com.2°.134.H/3ª.135.A
Febres ex hypochõdriorũ doloribus malignæ.ĩ 1ᵐ.pr.c.2°.4ª.172.D
Febris cur oriatur in inflammatione membranæ ſubcingentis.2°.de locis affectis. 4ª.13.B
Febris vehemens quando in phrenitide, & cur.5°.de lo.af. 4ª.29.G
Febres diuerſas hñt pleuritides.de vict.ra.in mor.ac.c.2°.7ª. 119.F
Febrem non faciunt ſcirrhus & œdema in ſubcingente membrana.de conſti.art. Iſa.40.D
Febris non fit propter ſcirrhum, vel propter œdema.de vict.rat.in mor.acu.com.3°. 7ª.128.A
Febris fit ſi calorem ventriculi cor percipiat.7°.met.me. 7ª.47.F
Febris fit abdominis, & thoracis muſculis inflammatis.4°.de præſag. ex pulſ. 4ª.121.D
Febrẽ ſæpe attulit hepatis, aut ſplenis affectus.2°.de diff.fe.3ª.37.D
ſine Febre obſtructio, & ſcirrhoſa diſpõ iecoris.2°.de loc.aff.4ª.12.H
Febrem facit iecoris inflammatio.2°.de lo.aff. 4ª.12.H
Febris in iecore facta quo modo cognoſcatur.in 1ᵐ.de mor.uulgarib. commen.1°. 3ª.131.B
Febres ſequunt uteri magnas inflãmationes.in 1ᵐ.pr.c.3°. 4ª.183.F
Febres calidiſſimæ fiunt utero phlegmone correpto.in 6ᵐ.de mor.uul. commen.5°. 3ª.191.H
Febrem faciunt menſtrua ſuppreſſa, & caput grauant.in 6ᵐ.de mor. uulg.commen.1°. 3ª.152.D
Febricitant ulceratæ particulæ ex cauſtico.2°.de ſymp.cau. 3ª.22.F
Febrem qui tumores faciant.de cau.mor. 3ª.6.F
Febres quæ fiant, in calcis ſideratione.de fract.com.2°. 7ª.235.C
Febres cum puſtulis, quæ.in 6ᵐ.de mor.uulg.com.1°. 3ª.159.D
Febris cur in puſtulis cancroſis.14°.met.me. 7ª.90.A
Febrem quomodo faciunt carbunculi.1°.de diff.fe. 3ª.32.A
in Febre cum phlegmone indicatio.11°.met.med. 7ª.69.D
FEBRES *quæ ſint morbi, & non ſymptomata.1°.de arte curatiua ad Glauconem. 7ª.95.G*
in Febribus Platonis errores.8°.de dec.Hip. 1ª.277.B
de Febribus librũ fecit Eraſiſtratus.4°.de diff.pul.4ª.69.E/de venæ ſect.adu.Eraſi.6.A/8.B/9.G/12.E/de cur.rat.p ſang.6ª.16.A/2°.met.me.11.C/de uict.rat.in mor.acu.com.1°.109.E/7ª.113.A
Febrium modi, mores, differentiæ, & eſſentiæ idem.in 1ᵐ.de mor.uul. commen.3°. 3ª.120.A
de Febrium differentijs librum quo tempore compoſuerit Galenus.de prægnitione. 4ª.219.E
in de Febrium differentia libris exercitatio ad quid ſit utilis collige. 3°.met.med. 7ª.52.E
q̃ de Febrium differentijs liber præcedit librum de typis, collige.3°.& differentijs feb. 3ª.39.F
de Febrium differentijs liber quid tractet, & quid liber de typis.2°. de differentijs feb. 3ª.39.F
Febrium diuerſitas.in 1ᵐ.de mor.uul.com.2°. 3ª.109.F
Febres differunt ſuis proprijs differentijs.de na.hu.c.2°. 7ª.181.C
Febrium differentiæ, quæ.in 1ᵐ.de morb.uulga.com.3°.118.C/in 6ᵐ. commen.1°. 3ª.158.E
Febrium ſpecies.de nat.hu.c.2°.7ª.180.H/aduerſus Lycũ. Ex.62.A
Febrium ſpecies dicit Hippocrates.in.1ᵐ.de mor.uul.c.3°. 3ª.145.H
Febrium diuiſio, & ſubdiuiſio.2°.de criſ. 4ª.135.H
Febrium uariæ diuiſiones.in 6ᵐ.de mor.uul.com.1°. 3ª.160.A
Febrium præcipuæ differentiæ a ſuba ſumũtur.1°.de dif.feb.3ª.30.F
Febrium non propriæ differentiæ ab accidenti.1°.de diff.feb. 3ª.30.F
Febris differentiæ euidentes, quæ.1°.de diff.fe. 3ª.30.G

Febris differentiæ ſumptæ a materia, in qua calor præter naturã accẽditur magis propriæ ſunt. 1°. *de diff.feb.* 3ª.30.H
de Febris materia Athenæi opinio. 1°. *de diff.fe.* 3ª.32.F
Febris differentia ab aerea ſubſtantia accenſa. 1°. *de diff.fe.* 3ª.30.H
Febrium ordo ſm elementi calidi qualitatẽ. de na.hu.c. 2°. 7ª.181.D
Febrem magnam, paruam, mediocrem nominant antiqui medici. c. 6°. *aphoriſmo.* 3°. Ex.47.A
Febris magna & parua quo modo dicatur. 1°. *de diff.feb.* 3ª.30.H
Febris magna vel parua ex vſu dicitur. nam nõ ita proprie qualitas in qualitate dicitur. 3°. *de comp.med.per ge.* 5ª.228.H
Febris ratione partium differentiæ. 2°. *de diff.feb.* 3ª.42.E
Febriculoſarum partium proprium. 2°. *de diff.feb.* 3ª.42.E
Febrium tres primæ differentiæ. de marc. 3ª.47.E
ex Febrium tribus generibus, quo modo proponat putridas. in 6ᵐ. *de morb.vulg.com.* 1°. 3ª.131.A
Febrium tria prima genera, & q̃ ex humoribus. 2°. *de criſi.* 4ª.137.A
Febrium tria genera. 1°. *de differentijs febrium.* 3 1.A/3°. *de præſag. ex pulſ.* 4ª.117.H
Febris exempla in lebete vel aqua. 1°. *de diff.ſe.* 3ª.30.H
Febris exempla in folle fabrili. 1°. *de diff.ſe.* 3ª.31.A
Febris nocturna, & diurna, quæ. in 1ᵐ. *de mor.vul.com.* 3°. 3ª.119.F
Febris hyemalis, quæ. de vict.rat. in mor.acu.com. 4°. 7ª.141.G
Febrium differentias ponebant antiqui hepialon, & lipyriam, eloden, & typhoden, peſtilentem, & ardorem. com. 7°. *aph.* 42°. Ex.57.D
Febris adſtricta, quæ. fin.med. Iſa.46.D
Febris alba cur dici non poſſit. 3°. *de præſag. ex pulſ.* 4ª.117.F
Febres ἀσώδεις quas vocet. de vict.rat. in mor.acu.c. 4°. 7ª.140.H
Febres aſpectu terribiles, quæ. in 6°. *de mor.vul.com.* 1°. 3ª.159.A
Febris fluxuoſa, quæ. fin.med. Iſ.46.C
Febris icteriodis, quæ. fin.med. Iſ.46.D
Febris ignaua, quæ. fin.med. Iſ.46.D
Febris Pemphingodes, quæ. fin.med. Iſa.46.C
Febres falſæ, quæ. in 6ᵐ. *de mor.vul.com.* 1°. 3ª.159.E
Febres falſuginoſæ, quæ. in 6ᵐ. *de mor. vul.com.* 1°. 3ª.159.A
Febres ſingultuoſæ. de fruct.com. 3°. 7ª.248.A
Febris ſingultuoſæ curatio. de vict.rat. in mor.acu.com. 4°. 7ª.143.C
in Febre ſingultuoſa acetum formidandum. de vict.rat. in morb.acut. commentario. 4°. 7ª.143.E
in qbus Febribus ægri pũgi, & morderi videãt. aduer. Ly. Ex.62.A
Febres ſimpliciſſimæ, quæ ſint. in prog.com. 3°. 4ª.207.A
Febres ſimpliciſſimæ quot diebus finiant. in prog.com. 3°. 4ª.206.H
Febris ſimplex ſimplicem ſeruat modum. 2°. *de diff.fe.* 3ª.36.H
a Febre non incipit dierum numeratio in puerperis. in prognoſtica. cõmenta. 3°. 4ª.208.A
Febribus qui facile corripiuntur. 1°. *de diff.fe.* 3ª.31.H
ad Febres opportuniſſimi ſunt calidi & ſicci. 8°. *met.med.* 7ª.54.E
ad Febrẽ proni ſunt ſecundo loco calidi & humidi. 8°. *met.m.* 7ª.54.E
Febricitant calidi & humidi ſtatim ſtipata cute. 8°. *met.me.* 7ª.54.C
ad Febrem proni ſunt tertio loco calidi & temperati in paſſiuis. 8°. *methodi medendi.* 7ª.54.E
ad Febrem proni ſunt quarto loco ſicci & temperati in actiuis. 8°. *methodi medendi.* 7ª.54.E
ad Febrem proni ſunt quinto loco temperati. 8°. *met.me.* 7ª.54.E
in Febres incidunt difficulter ſecundo loco humidi. 8°. *met.m.* 7ª. 54.E
in Febres incidunt difficulter tertio loco frigidi. 8°. *me.me.* 7ª.54.E
in Febres incidunt difficulter frigidi & humidi. 8°. *met.me.* 7ª.54.E
in Febrem difficulter incidunt quarto loco frigidi & ſicci. 8. *methodi medendi.* 7ª.54.E
Febres cur fiant pueris, qui iam dentire incipiunt. commenta. 3°. *aphoriſmo.* 25°. Ex.25.C
Febrium variæ cauſæ. 1°. *de differentijs febrium.* 3ª.31.B/C/11°. *methodi medendi.* 7ª.71.C
ne Febrium quidem ſemina concipiunt aliqui. de cau.pcatar. 3ª.97.F
Febres quot de cauſis accendantur. præſag.exper.confir. Sp.77.D
Febris quo modo fiat ob acceſſum alterius caloris. præſagium experientia confirmatum. Sp.77.E
Febrem quæ extrinſeca accẽdunt. 1°. *de ſan.tu.* 2ª.65.F
Febres, & morbos facit aeris ambiẽti tẽperãtia. 2°. *de cri.* 4ª.134.D
Febrem faciunt aeris calidioris temperaturæ. & animi mores. 1ª.318.E
Febres plurimas affert æſtas naturalis. 2°. *de criſi.* 4ª.134.D
Febres pueris & mulieribus æſtate quando fiunt. de aere, aquis, & locis. 2ª.4.C
Febris in ſole quo modo fiat. de cau.mor. 3ª.6.G
Febres ex deuſtione. de inæqu.temp. 3ª.44.E
Febris ex æſtu a capite incipit. de cauſ.procatar. 3ª.98.G
Febres faciunt nimij motus. 1°. *de ſa.tu.* 2ª.65.F
Febris ob motum fit dupliciter. præſag.exper.confir. Sp.77.D
Febris a cruribus per motum. de cauſ.procatar. 3ª.98.G
in Febrem qui incidit exercentis ſe caſus. de cauſ.procatar. 3ª.98.B
in Febrem quo modo incidant laborantes, vigilantes, cogitantes, & medicamina acuta accipientes. 1°. *de diff.feb.* 3ª.31.G
Febris quando fit a laſſitudine. de cau.mor. 3ª.6.H
Febrem quando non facit laſsitudo. de cauſ.mor. 3ª.6.H
Febris, & laſsitudo non ſunt idem. 3°. *de ſa.tu.* 2ª.80.B
Febricitant aliqui ex laboribus, ira, triſtitia, ſolis ardoribus, frigoribus vigilijs, cruditatibus, ebrietatibus, & capulis. 1°. *de differentijs febrium.* 3ª.31.B
Febris fit a motu animæ & corporis. præſag.exper.confir. Sp.77.E
Febris ex triſtitia quo modo fiat. 1°. *de diff.feb.* 3ª.31.F
Febrem accendit iram. de cau.mor. 3ª.6.F
Febris ex ira quo modo fiat. 1°. *de diff feb.* 3ª.31.E
Febrem põt accendere ſola meatuũ conſtipatio. 8°. *met.med.* 7ª.50.A
Febris a conſtipatione meatuum in quibus fiat. 8°. *me.med.* 7ª.50.A
Febris quando ſequatur ex obſtructione. de cau.mor. 3ª.7.G
Febris ex cutis denſitate quo modo. 1°. *de diff.feb.* 3ª.31.F/G/*præſag. exper.confir.* Sp.77.E
Febrem fecerant, & cutem denſauerant aluminoſæ aquæ. 8°. *methodi medendi.* 7ª.50.B
Febrem ex obſtructione meatuum habentis caſus, & curatio. 8°. *methodi medendi.* 7ª.50.B
Febrem citra putredinem qñ non facit obſtructio. 9°. *met.me.* 7ª.56.C
Febrem generant intus collecta fuliginoſa. de cauſ.mor. 3ª.6.G
Febris ex fuliginoſo halitu. 10°. *met.med.* 7ª.62.H
Febris cum aſtrictione alui fit luna in coniunctione ſolis, ſaturno in tetragono. de decub.prog.ex math.ſcien. Sp.12.G
Febris cauſa promptiſſima eſt inedia. 10°. *met.med.* 7ª.63.D
Febrem afferunt præter alia mala longæ inediæ ijs qui calorem habẽt adigneam naturam propenſiorem. com. 2°. *aph.* 22°. Ex.15.C
Febres vehementes facientẽ inediã dãnat Galenus. 8°. *me.m.* 7ª.50.E
Febrem in ſanis bilioſis facit inedia. 8°. *met.med.* 7ª.50.F
Febricitabant famem biduo patientes. 10°. *met.me.* 7ª.62.H
Febrem fieri a fame ratione probatur. 10°. *me.me.* 7ª.62.H
Febrem faciunt cibi acres. de cau.mor. 3ª.6.G
Febrem vinum accendit. 8°. *met.me.* 7ª.52.G
Febris potu vini veteris & acris. de cau.mor. 3ª.6.G
Febres infert vinum fuluum dulce. de bo. & vitio ſuc. 2ª.38.E
Febre correpti ex cœna caſus. 8°. *met.med.* 7ª.54.A
Febris ex cruditate cum oris ventriculi offenſione, qualis. 12°. *methodi medendi.* 7ª.75.E
Febris ex cruditate peſsima in bilioſis natis. 8°. *met.med.* 7ª.53.B
in Febrem quare aliqui incidere cruditatem habentes, aliqui non. 1°. *de differentijs febrium.* 3ª.31.H
Febris nõ neceſſario ſequiũ male cõcoquẽtẽ. 3°. *de ſymp.cau.* 3ª.30.A
Febres afferunt repletio, cibi vitiati, & medicamina, & æſtas circa canis ortum. 1°. *de diff.feb.* 3ª.31.C
Febris quandoque fit a plethora. 6°. *de vſu par.* 1ª.155.B
Febris ſub cane ex ira, potu aquæ frigidæ extincta. 10°. *me.m.* 7ª.63.F
Febrium cauſæ medicamina acria. de cau.mor. 3ª.6.G
Febrem quæ detergentia accendunt. 8°. *met.me.* 7ª.52.E
Febrem faciunt excremẽta ſubcalida & putrida. 4°. *de ſa.tu.* 2ª.82.H
Febrem accedentia ſpectant ad curatiuam tractationem. 4°. *de ſanitate tuenda.* 2ª.82.H
de FEBRIBVS *cognoſcendis. de nat. & ord.cuiuſ.corp.* Sp.41.E
Febris ſignificatio quid. de mor.temp. 3ª.86.H
de Febrium ſignificatione librũ fecit Archigenes. 8°. *me.m.* 7ª.52.A
de Febriũ dignotione libros decẽ fecit Archigenes. 2°. *d cri.* 4ª.136.B
de Febris ſignis librum fecit Archigenes. 3°. *de diff.pul.* 4ª.64.A
de Febrium notis & typis Archigenes ſcipſit. 2°. *de criſ.* 4ª.136.D
Febris primo die cognoſcenda an acuta, vel longa, vel intermittẽs, vel continua. 1°. *de arte.cur. ad Gla.* 7ª.95.G
in Febribus diſtinguẽdis mira Galeni præſtãtia. 1°. *de diff.fe.* 3ª.33.E
Febres cognouit Galenus prima die. 1°. *de diff.feb.* 3ª.35.H
Febriũ oĩa gña prima viſitatione cognouit Galenus. 2°. *d cri.* 4ª.133.G
Febres quibus diebus iudicantur. com. 2°. *aph.* 24°. Ex.15.G

Febris quibus indicijs cognoſcatur nõ poſſe ad tertium diem termina ri.1°.de arte cur.ad Glau. 7ª.96.D
Febris cuius non põt ſciri terminus primis diebus.1°.de criſ. 4ª.131.H
Febris quæ prima ſeptimana dijudicatur.2°.de criſ. 4ª.135.G
Febrem qui proprij ſignis noſcit, quid agat.ad eos qui de typis ſcripſe runt. 3ª.92.G
Febrium tutiſſima notitia vnde ſumatur.in 6ᵐ.de morb.vulga.com mentario.1°. 3ª.157.A
Febrium ſecunda notitia vnde.in 6ᵐ.de mor.vul.com.1°. 3ª.157.A
Febres quibus rebus,& quot indicentur.com.1°.aph.12°. Ex.5.A
Febris nũtij qui.præſag.exper.confir. Sp.77.E
Febris futuræ ſigna.præſag.exper.confir. Sp.77.E
in Febre quandoque ſentitur inæqualitas.2°.de ſymp.cauſ. 3ª.22.A
ante Febrem inæqualitas,qualis.2°.de ſymp.cauſ. 3ª.22.B
Febrem præcedentem inæqualitatem qui non ſenſerit,fortunati.2°.de ſympto.cau. 3ª.22.A
in Febribus qũo fiant oſcitationes.præſag.exper.confir. Sp.77.E
ante Febrem cur ſit hiatus.præſag.exper.confir. Sp.77.E
in Febribus cur ſopor fit quandoque,poſt vigilia ſubſequitur.in 3ᵐ.& morb.vulg.com.3°. 7ª.137.B
Febris quando incipit comparatur igni paruo, cui multa materia ſuperponitur.3°.de preſag.ex pulſ. 4ª.118.H
Febricitantium maxima ſigna ex pulſibus,& vrinis.1°.de arte cur. ad Glauconem. 7ª.94.H
Febres tactu deprehenduntur,vt ſapores guſtatu.in 6ᵐ.de mor.vul. commen.1°. 3ª.159.E
Febris pulſus eſt iudex.de dyna. Sp.34.A
Febres qũo per pulſus cognoſcantur.3°.de præſag.ex pul. 4ª.117.A
Febris a pulſu cognitio,quæ.præſag.exper.confir. Sp.77.E
Febris nota a pulſu,quę.de marc. 3ª.46.H
Febribus omnibus commune in pulſu.1°.de arte cur.ad Gla. 7ª.96.B
Febris quælibet habet celeritatẽ in pulſu.3°.de p̃ſag.ex pul. 4ª.115.E
Febris initium quomodo cognoſcatur ex pulſu prima die.3°.de præſ. ex pulſu. 4ª.118.C
in Febrium magnarum cum frigore inuadentium initijs qui pulſus.2°. de præſag.ex pul. 4ª.114.A
in Febribus vrinæ maxime ſpectandę.3°.de criſi. 4ª.139.D
in Febribus quare vrinæ attendendæ.1°.de criſi. 4ª.128.C
Febres ſunt paſſiones venoſi generis & arteriarum, ideo vrinæ in febribus conſiderandæ.1°.de criſi. 4°.128.C
de Febre ſignificat vrina,ſed non de muſculorum morbis.de vict.rat. in mor.acu.com.4°. 7ª.144.F
in Febræ purulentæ vrinæ meminit.de cauſ.procatar. 3ª.98.C
in Febribus quibuſdam ſedimina ſimilia orobis conſpiciuntur.cõ.4°. aphoriſmo.76°. Ex.36.E
Febrem,dolorem vuluæ & matricis ſignificat vrina iumentorum ſimilis in muliere.de dyn. Sp.35.E
in Febribus vrina roſea & obſcura phrenitim ſignificat.d̃ dy.S.35.E
Febris fiet repetitio ſi vrina tenuis poſt criſim ſe mutauerit. de dyna midijs. Sp.34.E
in Febribus laſſitudinarijs quibuſdã quarta die incipit fieri vrina multa craſſa,& alba.com.4°.aph.74°. Ex.35.H
in Febribus ſemper malus eſt color liuidus.in 6ᵐ.de mor.vulg.commentario.1°. 3ª.159.G
in Febribus familiares ſunt color ruber & pallidus.in 6ᵐ.de morbis vulgarib.com.1°. 3ª.159.G
Febres valde rubentes maximam caliditatem indicant.in 6ᵐ.de morbis vulg.com.1°. 3ª.159.G
cur in Febrium principio non ſit dormiendum,ſed in augmenti vltima parte,& ſtatu.com.2°.aph.1°. Ex.2.B
Febris habens cauſam,& cuius cauſa deſijt.8°.met.med. 7ª.49.G
FEBRES *Diariæ ab Hippocrate vocantur quæcunque ſui ratione vna die durant.com.4°.aph.55°.* Ex.33.E
Febres Diarię ſoluuntur,partim primo,partim ſecundo die.1°.de diebus decretorijs. 4ª.149.A
Febrium quæ genera ſint ephemeræ,& hectic æ.2°.de criſi.4ª.137.A
Febres Diariæ non dicuntur acutæ.3°.de die.decr.4ª.160.D/com.2°. aphoriſmo.19°. Ex.14.B
Febris Diaria ex quibus.5°.de ſan.tu. 2ª.88.F
Febrium ephemerarum cauſę.1°.de diff.feb. 3ª.31.B
Febris diaria ex laboribus.de vict.rat.in mor.acut.c.4°. 7ª.150.H
Febris diaria quo modo cognoſcatur effecta ex pauca obſtructione.8°. methodi medendi. 7ª.52.E
Febris ex obſtructione ſola nunquam tranſiuit in putridam, ſanguine miſſo.9°.met.med. 7ª.57.B
de Febre diaria ex cruditate.8°.met.me. 7ª.53.B
Febris diaria ex diarrhœa ex cruditate.8°.met.me. 7ª.53.B
Febris diaria cruditates quæ ex acido ructu ſunt,nunquã conſequitur. 8°.met.med. 3ª.53.H
in Febrem ephemeram incidunt,qui humiditatem cõtraxerint ex fructibus & oleribus,& volunt exerceri.3°.de ſan.tu. 2ª.81.G
Febres diariæ ex bubone.1°.de dig.pul. 4ª.73.A
Febris ex inguinũ inflãmatione,qualis.1°.de art.cur.ad Gla. 7ª.95.D
Febres ex bubonibus leues.2°.de cau.pul. 4ª.91.B
Febrium diariarum notæ vbi ſcriptæ.8°.met.med. 7ª.52.A
Febrium diariarum pulſus.3°.de præſag.ex pulſ. 7ª.117.H
Febrium ex inguinum inflãmatione pulſus.1°.de ar.cu.ad Gl. 7ª.95.D
Febrium lenium ex bubonibus pulſus,quales.2°.de cau.pul. 4ª.91.B
in Febre ex inguinum dolore,q̃ pulſus,& quæ vrina.de dy.Sp.34.A
in Febribus ephemeris ſola nubecula indicat ſolutionẽ d̃ vri.4ª.125.C
Febres omnes malæ,ex inguinum tumoribus præter diarias.com.4°. aphoriſmo.55°. Ex.33.E
Febrium ex aduſtione pulſus quales, quales ex frigore.2°.de cauſis pulſuum. 4ª.91.B
Febris bonæ ſignum eſt ægroti tolerandi facilitas.1°.de art.curati.ad Glauconem. 7ª.95.A
Febris diaria niſi cibetur,in bilioſis trãſit in acutã.8°.me.me. 7ª.54.E
in Febre diaria cur vinum melius,q̃ aqua.8°.met.me. 7ª.51.G
Febris diaria ex obſtructione quo modo curanda,vt pręcaueamus ne in putridam tranſeat.8°.met.med. 7ª.52.D
Febris ephemeræ in putridum conuerſæ ſigna.de diff.fe. 3ª.34.B
Febris quæ a balneis vtilitatem habet.com.7°.aph.42°. Ex.57.C
in Febre diaria ex obſtructione ſæpe lauandum.8°.met.me. 7ª.53.A
Febris ex itinere iuuatur balneo.2°.de motu.muſc. 1ª.315.C
Febres q̃ fiũt ob laſſitudines vel exuſtiões,vel refrigeratiões,vel oĩno ob cutis anguſtiones ſanant balnea.com.7°.aph.42°. Ex.57.D
pp Febrem balnea ſunt commoda podagricis, & arthriticis.11°.methodi medendi. 7ª.74.A
in Febre prima inclinante ducendi ſunt ad balneum qui ex ſlipatione febricitant.8°.met.med. 7ª.51.E
in Febres ex conſtipatione lotio ex aqua temperata conuenit.8°.met. medendi. 7ª.50.A
in Febre ex obſtructione ex calida in frigidam mergit.8°.metho.medendi. 7ª.50.B
Febri ex conſtipatione contraria eſt lotio ex aqua frigida,& alumino ſa.8°.meth.med. 7ª.50.A
in Febre quacunque feceris balneũ tria cõſidera.11°.me.me. 7ª.73.H
in Febre diaria lauandi prima die.8°.met.me. 7ª.52.B
in Febre diaria lauatio in remiſſione febris fieri debet.8°.methodi medendi. 7ª.53.B
in Febre lauit in inclinatione primæ acceſſionis.4°.methodi medendi. 25.G/8°. 7ª.53.G
Febrium ex inguinum inflammatione curatio per balnea.1°.de ar.cu. ad Glauconem. 7ª.95.E
quibus Febribus correpti non debent ſini in aere balnei.1°.de art.cur. ad Glauconem. 7ª.95.E
in Febribus lauabat.10°.met.med. 7ª.62.G
Febrem quam curent balnea.de marc. 3ª.47.F
poſt Febrem lauabantur,& vngebantur ciues, nõ agreſtes.10°.methodi medendi. 7ª.61.H
Febrienti quæ balnea fieri non debent.10°.met.med. 7ª.69.H
Febre ſubito leuatus balneo lauatus.de cauſ.procatar. 3ª.95.E
ad Febres ephemeras.de dyn. Sp.33.B
Febres diſtinctæ ab ephemeris non habent vnum nomen commune.1°. de dif.feb. 3ª.33.E
FEBREM *omnem ex putredine fieri, dogma quoddam antiquum aſſeuerat.1°.de diff.feb.* 3ª.32.F
Febris quo modo fiat ex putredine.præſag.exper.conf. Sp.77.E
Febres putridæ,& vnde dictæ.1°.de art.cur.ad Glau. 7ª.95.G
Febris ex putredine vnde.1°.de diff.fe.31.H/ 3ª.32.A
Febrium putridarum differentiæ.11°.met.me. 7ª.69.C
Febrium putridarum ſex differentiæ.2°.de diff.fe. 3ª.39.F
Febrium cauſæ cibi craſſi & glutinoſi ob putredinem.1°.de differentijs febrium. 3ª.32.A

Febris ex corruptis cibis quandoque fit. in 6^m. de morbis vulgaribus, commentario. 5°. 3ª.193.H
Febres ab excrementis putridis. 9°. de vsu par. 1ª.171.D
Febris quando maxime fiat, & putredo. 2°. de diff. feb. 3ª.43.D
Febrium putridarum caliditas, qualis. 1°. de diff. feb. 3ª.33.H
ad Febrium putridarum generationem non sufficit, si solũ bilis augeatur. 2°. de diff. feb. 3ª.36.C
in Febribus vniuersis quacũque ex causa originẽ traxerint, calor extrinsecus sanguinem opprimit. 2°. de diff. feb. 3ª.40.A
in Febribus quo modo sanguis calefiat. de inæq. intem. 3ª.44.A
FEBRES *in sanguine putrefacto an contingant. 2°. de differentijs febrium.* 3ª.40.A
Febris accenditur si sanguis corrumpitur ac putrescit. 2°. de differentijs febrium. 3ª.42.B
Febres pro varietate humorum in quos conuertitur sanguis, differunt sola bonitate vel malitia. 2°. de diff. feb. 3ª.40.C
Febris ex sanguine. in 6^m. de morb. vul. com. 1°. 3ª.159.G
Febres ex sanguine simpliciores, quàm ex alijs humoribus. 2°. de differentijs febrium. 3ª.40.B
Febris calor ex transmutatione sanguinis est mitior, & simplicior. 2°. de diff. feb. 3ª.40.C
in Febre sanguinis calor vaporosus ac minus molestus. 2°. de differentijs febrium. 3ª.40.C
Febris ex sanguine caliditas est vt caliditas balnei. 2°. & dif. fe. 3ª.40.c
Febres sanguinis, vt tertianæ. 2°. de diff. feb. 3ª.40.B
Febris non datur ex sanguinis putredine. 2°. de crisi. 4ª.138.D
Febres liuidæ significant sanguinem deficere. in 6^m. de morbis vulgaribus, com. 1°. 3ª.159.H
Febres liuidæ cur mortiferæ. in 6^m. de morb. vulg. com. 1°. 3ª.159.H
Febris ex varijs humoribus quo. in 1^m. de mor. vul. com. 2°. 3ª.110.F
Febris ex quo fiat humore, caloris qualitas indicat. 2°. & dif. f. 3ª.40.c
Febrem facientis humoris indicium maximũ est caliditatis qualitas. 2°. de diff. febrium. 3ª.40.C
Febres ostendunt humores abundantes. 8°. de decre. Hippo. 1ª.276.E
in Febre ex putredine cõsiderãdorũ methodus. 11°. met. me. 7ª.69.C
Frebrem, putredinem, & effectricem causam inter se confert difficile est. 10°. meth. med. 7ª.69.H
Febrium putridarum indicia. 1°. de diff. feb. 3ª.33.F
Febrium putridarũ propriũ inseparabile quid. 1°. de dif. feb. 3ª.33.H
Febrium putridarum pulsus. 1°. de differentijs febrium. 3ª.33.H/3°. *de præsag. ex puls.* 4ª.117.H
in Febre ex obstructione quando non est in pulsu putredinis sensus, nec etiam in vrinis. 8°. meth. med. 7ª.52.E
Febrium putridarum vrinæ. 1°. de diff. feb. 3ª.34.A
in Febribus putridis tot sunt formæ eorũ quæ in vrinis apparẽt, quot sunt putredinis differentiæ in abscessibus. 1°. de diff. feb. 3ª.33.C
in Febribus putridis indicatio agendorum à tribus sumitur. 10°. methodi medendi. 7ª.61.E
pro Febre putrida curanda indicationes duæ, vna à febre, alia a putredine. 11°. methodi medendi. 7ª.70.D
Febris in humoribus accensæ indicatio est euacuatio & alteratio. ars medicinalis. If.69.E
in Febre putrida exemplum medicationũ. 11°. meth. med. 7ª.68.G
Febris putrida balneis quando sanatur. de marc. 3ª.47.E
Febrium putridarum si cui hectica implexa sit, balneæ a coctione prosunt. de marc. 3ª.47.E
in Febre putrida Galenus non vtitur balneo, neque relaxãtibus, nisi post purgationem. 11°. met. med. 7ª.73.D
FEBRIVM *alia intermittens, alia non intermittens. intro.* Isa.55.D/*in 6^m. de morb. vul. com. 1°.* 3ª.160.A
Febres quæ interponãt aliquid quietis, quæ nõ. 2°. de diff. feb. 3ª.42.A
in Febre quid sit intermissio. 1°. de crisi. 4ª.125.H
in Febribus remitti quid sit. in 1^m. de mor. vul. com. 2°. 3ª.110.F
Febres intermittẽtes, & nõ itermittẽtes q̃ sint. c. 4°.*aph.* 37°.Ex.32.B
Febres intermittentes, quæ. in 1^m. de morb. vulg. com. 1°. 3ª.106.C/3°. *de crisibus.* 4ª.140.B
Febres intermittentes quæ vocentur, & quis motus sit humoris qui illas efficit. 2°. de diff. feb. 3ª.36.D
Febres intermittẽtes fiunt ex materia extra venas. 2°. de cri. 4ª.138.B
Febres intermittẽtes sunt tres numero. in 3^m. & mor. vul. c. 3°.3ª.145.G
Febrium intermittentium triplex differentia, tertiana, quartana, & quotidiana. 2°. de diff. feb. 3ª.36.F
Febris intermittentis sex species. introd. Isa.55.D
Febres intermittentes reuertuntur, quia relicta est in corpore dispositio, licet febris absit. com. 4°. aph. 63°. Ex.34.C
Febris focus quid. de marc. 3ª.47.F
in Febre cinis humorũ quorsũ mittatur. 3°. de præ. ex pul. 4ª.108.H
Febrium intermittentium causa difficilior inuentu est, quam synocharum. 2°. de diff. feb. 3ª.40.E
Febres intermittentes quib^9 cognoscanť. 1°. de arte cur. ad Gl. 7ª.95.G
in Febribus intermittentibus non sunt numerandi dies secundum accessiones. in 1^m. de morbis vulg. com. 3°. 3ª.120.F
de Febris accessionis hora erat solẽnis interrogatio. 8°. met. m. 7ª.50.D
in Febribus intermittentibus debent numerari dies afflictionis nõ alij. in progn. com. 3°. 4ª.207.F
Febrium tempora quot. fin. med. Isa.45.F
Febris incessus per tempora quomodo. 3°. de præsag. ex pul. 4ª.118.H
quibus in Febribus simul tria tempora sint. de morb. temp. 3ª.87.B
Febrium intermittentium aliud principium. 2°. de diff. feb. 3ª.42.C
Febris principium quando. 2°. de diff. feb. 3ª.42.D
in Febris principio quid considerandum. 11°. meth. med. 7ª.74.D
Febrium augmentum quando. 2°. de diff. feb. 3ª.42.D
Febris quibus crescat. 8°. meth. med. 7ª.53.B
Febres anticipantes quæ. 1°. de cris. 4ª.125.H
Febrium consistentia quando. 2°. de diff. feb. 3ª.42.D
in Febris vigore quid notandum. 11°. meth. med. 7ª.74.C
in Febris vigore superuenientes desipientiæ quomodo appellentur. in 1^m. prorrh. com. 1°. 4ª.161.A
in Febre quid sit declinatio. 1°. de crisi. 4ª.125.H
Febris declinatio quando. 2°. de diff. feb. 3ª.42.D
Febres tardantes, quæ. 1°. de crisi. 4ª.126.A
Febris motum tardiorem habentis in primis diebus in morbo salubri casus. 3°. de crisibus. 4ª.140.H
Febres subintrantes. de morb. temp. 3ª.87.D
Febris cur intensior & remissior. de inæq. intemp. 3ª.44.D
Febres intermittẽtes quæ breues, & quæ non. cõ. 1°. aph. 12°. Ex.5.C
in Febribus interuallum optimum de morb. temp. 3ª.85.H
Febres intermittentes non sunt periculosæ. com. 4°. aph. 43°. Ex.32.F
Febres intermittentes nullæ letales. in 1^m. de mor. vul. cõ. 3°. 3ª.119.C
Febres mites, quæ. 1°. de cris. 4ª.131.G
in Febre debili in primis diebus vrina. 1°. de crisi. 4ª.131.H
in Febribus intermittentibus quando balnei tempus. 11°. methodi medendi. 7ª.74.B
Febres ītermittẽtes lõgas soluit antidot° Aelij Galli. 2°. de an. 5ª.110.H
Febres per interualla inuadentes soluit antidotus Mitridatis Eupatoris diascinci nominata. 2°. de antido. 5ª.115.C
Febrem continuam nunquam nominauit σύνοχον Hippocrates. de natura huma. com. 2°. 7ª.181.D
Febres continuæ quæ. in 1^m. de morbis vulgaribus, commentario 1°. 3ª.106.C/2°. *de crisibus.* 4ª.135.G
Febris continua, & intermittens dupliciter apud antiquos. in 1^m. de morbis vulgaribus, com. 3°. 3ª.118.B
Febris continua quo modo fiat, & a quo humore. de natura humana. commentario 2°. 7ª.180.H
Febres continuæ ex ignis abundantia. de nat. hum. com. 2°. 7ª.181.B
Febres continuæ fiunt ex materia in venis. 2°. de crisi. 4ª.138.B
Febris quæ continuat habet putredinẽ causam. 10°. met. med. 7ª.61.D
Febrium continuarum cũ interpolatis differentiæ. 2°. de cris. 4ª.135.E
q̃ in Febribus continuis vna dies potest, hoc in intermittentibus accessio. commen. 4°. aph. 59°. Ex.33.H
Febris cõtinua quæ, & eius dr̃iæ. in 1^m. de mor. vul. cõ. 3°. 3ª.119.F
Febrium continuarum differentia. de morb. temp. 87. A/in 6^m. de morbis vulgaribus, com. 1°. 3ª.160.A
Febres continuæ habent solum quinque partes. de mor. temp. 3ª.87.A
Febres continentes morbus acutus. fin. med. Isa.45.F
Febris continua proprium acutorũ. 1°. de dieb. decre. 4ª.155.D
Febres continuæ sunt in acutis. de vict. ra. in morb. acu. c. 1°. 7ª.111.B
Febres continuæ fiunt in morbis acutis. com. 5°. aph. 30°. Ex.40.C
Febres continuæ, & interficientes, sunt febres acutorum morborum. de vict. ratio. in morbis acutis, com. 1°. 7ª.108.H
in Febre continua sunt acutissimi morbi. in 1^m. de morbis vulgaribus, commentario 3°. 3ª.118.F
Febres continuæ cur graues febres. in 1^m. de mor. vul. com. 3°. 3ª.118.H
Febres continuæ, & ardentes, & tertianæ plurimæ, & quartanæ fiũt æstate.

æstate.com.3°.aph.21°. Ex.24.C
Febres cõtinuæ quo lunæ aspectu fiãt.de decub.pg.ex mat.sci. Sp.12.G
Febres continuæ quæ longæ,& quæ non.com.1°.aph.12°. Ex.5.C
Febrium continuarum indicia.1°.de arte cura.ad Glauconẽ.7ª.96.D
Febris nõ intermittens,non potest habere partes frigidas exteriores, & interiores calidas.com.4°.apho.48°. Ex.33.B
in Febribus nõ intermittẽtibus si partes exteriores frigidæ, interiores vruntur,& sitim habeat,letale est.com.4°.aph.48°. Ex.33.A
in Febribus non intermittentibus si exteriora frigẽt,& interiora vrã tur,& febris habeat,letale.com.7°.aph.68°. Ex.60.F
in Febre non intermittente rigor cur letalis.2°.de sym.caus.3ª.23.C
in Febribus continuis posse rigorem paruum fieri,collige.1°.de arte curat.ad Glauconem. 7ª.95.H
Febrium continuarum vi sanguinis excitatarum vrinę quæsita in Hippocratem. Sp.113.B
Febres continuæ acutæ habent suum iudicium quartumdecimum.commentario.4°.aph.59°. Ex.33.H
Febres quæcunque non intermittentes tertia die fortiores fiunt,magis periculosæ,quocunque autem modo intermiserint periculum abesse significatur.com.4°.apho.43°. Ex.32.E
in Febribus continuis excretiones praua bene exeuntes ad bonũ terminantur.com.4°.aph.47°. Ex.32.H
in Febribus ñ intermittẽtibus excretiones liuidæ,sanguineæ,biliosæ, fœtidæ,oẽs,male, cũ vero bñ excernunt bonũ ẽ,et p vẽtrẽ et p vesicã vbi aliqd secedẽs stetcrit ñ purgatũ,malũ.c.7°.a.65°.Ex.60.e
in Febre ñ ītermittẽte si labrũ,vel palpebra,vel supciliũ,vel oculꝰ vl nasus puertat,vel ñ videat,vel non audiat,iã debili existẽte corpore,qcqd horũ euenerit,mors proxima est.cõ.4°.aph.49°. Ex.33.B
in Febre non intermittente si labrum aut nasus,aut oculus aut supercilium peruertitur,si non videat,si non audiat,& iã debilis sit,quicquid horum fuerit,mors prope est,com.7°.aph.69°. Ex.60.F
Febres magnæ quandoque securę.3°.de crisi. 4ª.140.B
Febre non intermittente,vbi difficultas spirandi, & delirium acciderit,letale.com.4°.aph.50°. Ex.33.C
Febrium continuarũ curatio.1°.de arte cur. ad Glauconem.7ª.97.H
Febrium continuarũ victus.1°.de arte curatiua ad Glauconẽ.7ª.97.H
Febris cõtinẽtis maximũ remediũ venæ sectio.9°.met.me. 7ª.56.G
in Febribus continentibus & omnibus alijs,quas putrescẽs humor cõcitat,saluberrimum est venã incidere.11°.meth.med. 7ª.72.D
in Febre continua cur vena secanda.1°.de arte cura.ad Glau.7ª.97.H
Febris si sit continua, tempus accommodatius venæ sectionis est matutinum præsag.exper.conf. Sp.78.D
in Febribus continentibus danda aqua frigida.11°.me.me. 7ª.69.B/H
in Febribus continuis æstuosis aqua frigida potanda.1°.de arte cura. ad Glauconem. 7ª.98.A
Febrium cum accidentibus curãdi ratio.1°.de arte cu.ad Gl.7ª.98.A
FEBRIS peracuta potest iudicari,tertio,quarto, & quinto.commentario.4°.apho.19°. Ex.34.A
Febres peracutæ terminus est septimus dies.c.4°.aph.59°. Ex.33.H
in FEBRIBVS acutis loquitur in prognost.in 3ᵐ.de morb.vulgaribus, commenta.1°. 3ª.128.B
Febris acuta,quæ. in 6ᵐ.de morb.vulg.com.2°. 3ª.164.D
Febres acutæ & non acutæ, vnde.com.4°.aph.37°. Ex.32.B
Febris acuta comes putredinis humorũ.in 3ᵐ.& mor.vul.c.1°.3ª.127.d
Febris acuta vnde generatur.2°.de crisi. 4ª.137.A
Febres vehementissimæ ex quibus fiant materiebus.de vict.ra.in mor. acutis,com.4°. 7ª.134.F
Febris acuta passio ex bile.de spermate. Sp.38.A
in Febribus acutissimis cur biliosa.de art.com.2°. 7ª.264.H
Febres acutæ & diuturnæ biliosis.de aere,aq.& loc. 2ª.4.C
Febres vt plurimũ in mor. acu. sunt continuæ.c.2°.aph.19°. Ex.14.B
Febres morborum acutorum magna ex parte continuæ sunt. commen. 7°.apho.1°. Ex.54.A
sine Febre acuti morbi.in prognost.com.1°. 4ª.195.A
Febres acutæ qua tempestate plurimum fiant, & ex qua materia.commentario 5°.aph.11°.21.C/14°. Ex.22.D
Febres acutæ fiunt,sed nõ multæ in siccitatibus.com.3°.a.7°.Ex.20.F
Febres acutas facit iracundia.6°.de sanitate tuenda. 2ª.96.E
Febres acutę non accidunt senibus,& si accidunt,commoriuntur commen.1°.aph.14°. Ex.7.H
Febrem acutam habet pleuritis.4°.de caus.puls. 4ª.100.G
Febrem acutã habẽt omnes peripneumonici.4°.de caus.pul. 4ª.101.b
Febris acuta cum difficultate anhelitus,cũ tussi,& sputo colorato,cõmunis est pleuritidi,& peripneumoniæ.de subfigura.emp.Isa.32.E
Febrem accessuram significat frigiditas pedum.de vict.ratio in morbis acutis,com.4°. 7ª.139.F
in Febribus cur pedes frigescãt.& vict.ra.in mor.acu.c.4°. 7ª.139.F
in Febre acuta cur frigescant extrema.in 1ᵐ.de morbis vulgaribus, commentario 2°. 3ª.115.A
in Febribus acutis extrema cur liuida.ī 1ᵐ.de mor.vul.c.2°.3ª.115.B
in Febriũ principijs,quibus extremæ corporis partes refrigeratæ sũt, animi defectus incidit.1°.de arte curatiua ad Glauconem. 7ª.98.F
Febris acuta nunq̃ ẽ in primo insultu ī sũmo vigore.1°.& cri.4ª.132.b
in Febribus non circuitus solum accessio, sed modus et forma magis cõsideranda.1°.de diff.feb. 3ª.35.H
Febris duodecim horis terminantes.in 1ᵐ.de mor.vul.cõ.3°.3ª.119.A
Febricitantis quindecim horas casus.2°.de diff.feb. 3ª.39.H
Febris intermittentes,cuius accessio ad decẽ & octo horas prorogaī, est quidẽ sine periculo, sed tanto longior, quanto eius accessio mitior extiterit,quàm tertianæ exquisitæ.com.4°.aph.43°. Ex.32.F
Febres extenduntur vsque ad quadraginta horas quandoque vel amplius.2°.de differentijs febrium. 3ª.39.G
Febres acutæ, quæ denuo ad tempus reuertuntur,ex succorum varium commistione fiunt. de bon.& vitio suc. 2ª.39.D
Febris acuta, & tremor a manibus primo die cœpit. in 3ᵐ. de morb. vulgaribus,com.1°. 3ª.127.C
Febriũ acutarũ exitialiũ,& syncopaliũ pulsus.de puls.ad tir.4ª.44.g
Febriũ syncopaliũ,acutarũ,et exitialiũ pulsus.de puls.ad tir.4ª.44.G
in Febribus acutis cur sanguis è naribus effluat.de vict.ra.in mor.acutis,commen.4°. 7ª.135.D
Febribus acutissimis vnde fiat dolor,& à quo.2°.de sym.cau.3ª.22.A
in Febribus acutissimis deliria vnde.2°.de sym.cau. 3ª.24.C
Febres in acutis passionibus si luctuosa suspiria,malum.commenta.6°. apho.54°. Ex.53.B
Febres magnæ quas ætates magis extenuant.c.2°.aph.28°.Ex.16.D
in Febribus quę causa extenuationis.com.2°.aph.28°. Ex.16.D
Febris acuta est causa perniciosa, quia est prompta dissoluere corpora.com.4°.aph.37°. Ex.32.C
in Febribus acutis colliquatiuis vires labuntur. 12°.met.me.7ª.77.C
Febres acutæ interficiunt aliquando sine inflammatione fœtus.commẽtario 5°.aph.30°. Ex.40.D
Febres acutas in tertianã conuerti certo scias,si vrina turbulenta & tardius residens fuerit,maxime si sanitas interaneorum adsit, & p multos dies perseuerauerit.de dynamidijs. Sp.34.C
in Febre acuta frigidi sudores est signũ pernicioſum, quia humorũ multitudinem esse frigidissimam ostendit.cõ.4°.aph.37°. Ex.32.C
in Febre acuta sudores frigidi,mortales, in mitiori autem longitudinẽ morbi significant.com.4°.apho.37°. Ex.32.B
cũ Febre acuta sudores frigidi mortẽ significãt.præsag.exp. Sp.77.F
cum Febris sit calidissima,cur quandoque fiat sudor frigidus.commentario.4°.aph.37°. Ex.32.B
Febriunt ægri vehementius magna ex parte quanto propius iudicationem accedunt.com.4°.aph.71°. Ex.35.C
in Febrium impetu delirant multi.in 6ᵐ.de mor. vul.c.3°. 3ª.178.H
à Febris abundante calore delirium fit.2°.de loc.aff. 4ª.14.B
in Febre nugarũ causa.in 3ᵐ.de mor.vul.com.1°. 3ª.127.C
à Febre vehementi vehemẽter calefit corpus & an.morb. 1ª.317.H
Febres vehementes veluti ignis neruos exiccãtes, eos extendunt atque conuellunt.com.4°.aph.66°. Ex.34.E
in Febribus acutis conuulsiones,& circa viscera dolores fortes, malum.com.4°.aph.66°. Ex.34.E
Febris magna indiget inspiratione abundanti.c.4°.aph.34°. Ex.31.B
Febrium & morborum respiratio.1°.de diff.feb. 3ª.58.E
in Febribus acutis sitientes ob quid postea non sitiunt.in 1ᵐ.de morbis vulgaribus,com.2°. 3ª.115.B
Febris acuta,cũ qua adsint plenitudinis signa, quo curet. de se.If.16.E
in Febre acuta Petronæ vict.rõ.de vic.ra.in mor.acu. c.1°. 7ª.110.H
in Febribus acutis vua non gustãda.in 3ᵐ.de mor.vul.cõ.1°. 3ª.135.F
in Febre cum syncope ex succis tenuibus oua dat ante quartum diem, & post quartum dat carnem.12°.meth.med. 7ª.77.A
in Febre acuta quid somnum conciliet.de dynamidijs. Sp.32.G
in Febre acutissima sanguis ad animi deliquium mittendus.de curan.ratione.per sang.miss. 6ª.19.A
in Febre acuta nõ ẽ secãda vena ī regione vel valde frigida,vel valde calida.de

calida.de sectis. Isa.16.E
in Febre acuta non est secanda vena in anni tempore vel multum calido, vel multum frigido.de sectis. Isa.16.E
Febribus acutis aliquoties facit aqua frigida.de simp.med. Sp.92.B
ad Febres acutas omnes, epithemata duo.de dynamidijs Sp.32.G
ad Febres acutas omnes valet Rhodosacchara.de dynam. Sp.32.H
ad Febres acutas omnes valet Diacydonium.de dynami. Sp.32.H
ad Febrem acutam.de med. par.fac. 7a.172.D
ad Febres acutas omnes antidotum.de dynamid. Sp.32.G
a Febre acuta liberati casus, septimo die multa flaua bile ad cutem transmissa. 5°.de locis affectis. 4a.35.G
de FEBRE synocha, diffusse.2°.de diff.feb. 3a.42.G/H
Febres synochi quæ apud medicos tempore Galeni.in 1m.de morbis vulgaribus,com.3°. 3a.118.D
Febres synochi quæ sint.9°.meth.med. 7a.56.A
Febris synochæ distinctio.in 6m.de morbis vulgaribus c.1°.3a.160.A
Febris epacmastica.in 6m.de morb.vul. com.1°. 3a.160.A
Febris paracmastica.in 6m.de morb.vulg.com.1°. 3a.160.A
Febris homotona.in 6m.de morb.vulg.com.1°. 3a.160.A
ad Febrem homotonam.de dynamidijs. Sp.33.C
Febris synochus habet longum statum.3°.de crisi. 4a.140.C
Febrium synocharum vrinæ quales.de vrinis. 4a.126.F
Febris quæ sit synochus, & quomodo curanda.11°.meth.me. 7a.68.G
Febris synochus quibus diebus seruetur.9°.meth.med. 7a.56.B
Febrium synocharum duo maxima præsidia sunt venæ sectio, & potio frigidæ.9°.meth.med. 7a.57.H
in Febre synocha epithema ad præcordia.de dynamidijs. Sp.33.C
in Febre synocha vnctio præcordiorum.de dynamidijs. Sp.33.C
ad Febrem synocham remedium.de dynamidijs. Sp.33.C
FEBRES quæ malignæ.in 1m.prorrh.com.2°. 4a.174.H
Febres cacoethes acute.3°.de caus.pul. 4a.99.D
Febres maleficæ quæ sint.in progn.com.3°. 4a.207.A
Febres laboriosæ quæ.in 6m.de morb.vulg.com.4°. 3a.179.F
Febres malignas accendunt succi praui corrupti.2°.de ali.fa.2a.17.D
Febrium malignarum proprium.in 1m.de morb.vul.c.2°. 3a.110.F
Febre cacoethe oppressam facultatem sequuntur pulsus formicantes. 3°.de caus.puls. 4a.99.D
Febriũ cacoethũ symptoma sudor.in 1m.de mor.uul.com.1°.3a.106.C
Febres sunt periculosæ, quæ ex inflammatione aliqua uel maligna humorum putredine fiunt.com.4°.aph.43°. Ex.32.F
Febres deterrimæ quot diebus necent.in progn.com.3°. 4a.206.H
in Febribus grauibus, et implacidis quando curatio debet esse diligẽs. de inuest.rat.in morbis acutis, commen.4°. 7a.140.F
ex Febre maligna animi defectus quo modo curetur.1°.de arte curat. ad Glauconem. 7a.99.E
Febrem facit pestilens aer.1°.de diff.feb. 3a.31.B
Febris pestilens, quæ.fin.med. Isa.46.D
Febris qualis in pestilentia a Thucydide descripta.in 6m.de mor.uulgaribus,com.1°. 3a.159.D
Febris pestilentis calor, differt ab aliarum calore per excellentiam putredinis in 6m.de morbis.uulg.com.1°. 3a.159.F
Febris pestilentis memimt.in 6m.de morbis uulgaribus, commentario 1°.159.F/ 7a.160.A
a Febribus pestiferis ac putridis interierunt, qui fame coacti malos cibos comederunt.1°.de diff.feb. 3a.31.G
Febris pestilens putridum calorẽ habet.in 6m.de morbis uulgaribus, commen.1°. 3a.159.D
Febris pestilentis proprium symptoma est colliquatio.in 3m.de morbis uulgaribus,com.3°. 3a.145.D
Febres pestulẽtes nõ sunt calore uehementes.9°.de sim.me.fa.3a.66.H
Febres debiles & paruæ nonnunquã periculosę.3°.de crisi. 4a.140.B
Febris pessima q̃ negligitur a medicis imperitis.5°.de lo.aff. 4a.34.E
in Febribus pestulentibus quæ fiat colliquatio.8°.de compositione medicamen.secundum locos. 5a.194.C
FEBRIS tertiana, quæ.fin.med. Isa.46.D
Febris tertiana intermittens.introd. Isa.55.D
Febris tertiana ex intermittentibus, breuissima, & mitissima.1°.de arte curat.ad Glauconem. 7a.96.E
Febrium deterrima tertiana.de morb.temp. 3a.86.D
Febres tertianæ morbus acutus.fin.med. Isa.45.F
Febris tertiana ex genere ardentium.8°.de decre.Hipp. 1a.277.C
Febris tertiana, & febris ardens quo modo conueniãt, & quomodo differant.com.4°.apho.19°. Ex.33.G
Febris tertiana unde oriatur.de natura humana.com.2°. 2a.80.H
Febres tertianæ ex aquæ abundantia.de natura hu.com.2°.7a.181.B
Febrium omnium biliosæ maxime, & calidæ tertianæ.2°.de symptomatum causis. 3a.22.E
Febres tertianæ ex bile flaua.8°.de decr. Hipocra.1a.277.B/ in 6m.de morb.vulg.com.1°. 3a.159.G
Febrium maxima pars fit à bile.de natura humana,com.2°.7a.180.b
Febres, omnes non fiunt ex bile.com.7°.aph.42°. Ex.57.C
Febrem non faciunt bilis & atra bilis, si non putrescant.2°.de differentijs febrium. 3a.37.D
Febris à flaua bile indicia.2°.de diff.feb. 3a.36.H
Febris si non ex bile habeat, multa aqua calida capiti superfusa soluitur.commentario 7°.aph.42°. Ex.57.C
Febres tertianæ, ardentes, biliosissimæ fiunt iuuenibus.commẽtario 3°. aphorismo 29°. Ex.26.C
Febres tertianæ maxima ex parte æstate, quartanæ autumno, quotidianæ hyeme fiunt.com.1°.aph.12°. Ex.5.E
Febriũ tertianarum differentia.in 1m.de morb.vul.cõ.3°. 3a.119.A
Febris tertiana ab Hippocrate dicitur exquisita, quandoque simplici vocabulo tertiana.commen.4°.aph.59°. Ex.34.A
Febris tertiana exquisita q̃ sit, & ex quo humore.c.4°.a.59°.Ex.33.G
Febris biliosæ tempus durationis.2°.de diff.feb. 3a.36.H
Febris tertianæ exquisitæ tempus quietis est maius, quàm accessionis, commentario 4°.aph.19°. Ex.33.H
Febris tertiana exquisita quot horis perduret.1°.de arte cur. ad Glauconem. 7a.96.H
in Febribus tertianis exquisitis, quia minori duodenis horis tempore accessio circunscripta est, non modo sunt sine periculo, ac etiam cito iudicantur.com.4°.apho.43°. Ex 32.F
Febris tertiana exquisita nunquam protendit suam accessionem vltra duodecim horas.com.4°.aph.59°. Ex.33.H
Febres tertianas, quartanas, & quotidianas prima visitatione cognouit Galenus, & quomodo quisque eas cognoscere possit.commentario.1°.aphorismo.12°. Ex.5.D
Febris tertianæ indicia.1°.de arte cura. ad Glau. 7a.95.H
Febriũ tertianarũ synccrarũ pulsus, quales.2°.de caus.puls. 4a.91.B
Febris intermissionis pulsus in tertiana qualis.2°.de diff.feb.3a.36.H
in Febribus tertianis sola nubecula indicat solutionẽ.de vrin.4a.125.c
qui Febriunt acute, rigent oẽs.de trem.palp.conuulſ.& rig. 3a.55.C
Febrẽ rigori necessario supuenire dixerũt antiq.d inæq.intep.3a.44.G
Febris semper succedit rigori, quo modo vetus hic sermo sit verus.2°. de symp.cau. 3a.23.A
Febris vehementer cum rigore.2°.de symp.cau. 3a.22.F
Febris & rigor a diuersis fiunt causis.2°.de diff.feb. 3a.37.G
Febres quales quos sequantur rigores.2°.de symp.cau. 3a.23.B
Febris cũ rigore qualis, et a quo humore.i 1m.de mor.vul.c.3°.3a.119.b
in quibus Febribus quotidie rigores fiunt, cur quotidie febres soluantur.com.4°.aph.63°. Ex.34.C
cur in Febribus cum rigore raro fiunt abscessus.in 6m.de mor.vulga. commen.1°. 3a.157.A
per Febrium rigores quo modo fiant deliria.3°.de loc.aff. 4a.18.A
Febre non deficiente si rigor incidat ægro iam debili.lætale est.com. 4°.aph.46°. Ex.32.G
Febris aduocantes rigores ex refrigeratione fiunt.commẽ. 5°.aph.17°. 38.H/aph.20°. Ex.39.A
cum Febre rigor inflãmationis suppurãtis indiciũ.1°.de loc. aff.4a.6.d
Febre carens rigor non fuit antiquitus.de inæq.intemp. 3a.44.G
sine Febre rigor contingere potest.2°.de diff.feb. 3a.37.E
Febrem carentem rigore vidit Galenus et alij.de inæq.intem.3a.44.G
Febre carens rigor raro contingit.de inæq.intem. 3a.44.G
in Febrem carentem rigore qui homines incidant, & propter quid.de inæq.intemp. 3a.44.G
Febrẽ ñ sequẽs rigor ex quo humore.in 1m.de mor.vul.c.3°.3a.122.G
Febris tertiana cito terminatur.com.1°.aph.12°. Ex.5.C
Febrium tertianarum circuitus cum quotidianis comparatus quantus sit.de morb.temp. 3a.87.H
Febris tertiana exquisita, non transit septimum circuitum.1°.de arte curat.ad Glauconem. 7a.96.F
Febris tertiana exquisita septenis circuitibus, quod longissimum est, iudicatur.commen.4°.aph.19°. Ex.33.G
Febris tertiana sæpius in tertiodecimo die iudicat, nõ expectato quartodecimo.

todecimo.com.4°.aph.59°. Ex.33.H
Febris tertiana exquisita tertia accessione, quarta & quinta potest iudicari, nõ expectante nã septimũ circuitũ.c.4°.aph.59°.Ex.54.A
fm Febrem breuiorem vigor maior.2°.de diff.feb. 3ª.36.H
in Febrẽ tertiana bilis defertur carnibus totius corporis.in 1m.d mor. vulgaribus,commen.2°. 3ª.109.H
in Febre tertiana tempus ad cibum exhibendum ex accessionis & intermissionis spacio cognoscitur.2°.de diff.feb. 3ª.39.H
Febris de genere tertianarum alia.de morb.temp. 3ª.85.H
Febres quæ tertianæ naturã referãt.in 1m.de mor.vul.c.2°. 3ª.110.C
Febres tertianarũ naturã hõtes,q.in 6m.de mor.vul.c.2°. 3ª.164.A
Febris in modum tertianæ ex pituita & bile mista. in 1m.de morbis vulgaribus,commen.2°. 3ª.110.E
Febres tertianæ naturam referentes fiunt decretorijs diebus deteriores.in 1m.de mor.vul.com.2°. 3ª.110.F
Febrium tertianarum pulsus,& vrina.de dynamidijs. Sp.34.F
Febris tertianæ,quartanæ & quotidianæ pulsuum cõparatio.Sp.34.F
in Febre biliosa morbus regius cum rigore ante septimum diem morbum soluit.de vict.rat.in morbis acutis,com.4°. 7ª.144.D
Febre tertiana singulis æstatibus laborans,quo modo saluatus a Galeno.commen.6°.aph.47°. Ex.52.D
Febre tertiana quendam præseruauit Galenus, qui singula æstate ea vexabatur.com.6°.apho.47°. Ex.52.D
Febres tertianæ,& ardentes,in quibus flaua bilis est, sudore sanantur quandoque.com.7°.aph.42°. Ex.57.D
Febris accessionẽ præuenire solens vomitus tollitur a theriaca. de vsu theria.ad Piso. 5ª.98.F
Febris exquisite tertiana soluitur cum sudore vel per vomitum, aut per aluum inferiorem flaua bile euacuata, vel omnibus istis pariter factis.com.4°.apho.59°. Ex.33.H
in Febre tertiana cibi dãdi,& quãtũ.1°.de ar.cu.ad Glau. 7ª.97.C
in Febre tertiana,abstinendum a melle.sinapi,salsis,acribus,& vinis vetustis.1°.de arte cur.ad Glau. 7ª.97.D
in Febre tertiana non dandum vinum,nisi post coctionem.1°.de ar cura.ad Glauconem. 7ª.97.C
Febribus tertianis si qs corripiat huic dam° cholagoga.de dy.Sp.20.f
Febres quæ ex humoribus biliosis,& cuis densitate proueniunt, chamæmelon discutit & dissoluit.3°.de simp.med.fac. 5ª.18.H
in Febre tertiana oleum in aqua infundẽdum,in quo ægri quãtum possunt innatem.1°.de arte cur.ad Glau. 7ª.97.C
Febris tertiana nõ exquisita p sex mẽses.1°.de ar.cur.ad Gl.7ª.96.F
Febris tertianæ nothæ curatio.1°.de arte cur.ad Glau. 7ª.97.D
ad Febrem tertianam.de remed.par.fac.161.D/ 7ª.172.H
ad Febrem tertianam decoctio.secretorum. Sp.101.A
ad Febrem tertianam facit hydropoton.de dynamidijs. Sp.32.D
ad Febrem tertianam trochisci.secretorum. Sp.98.E
ad Febres tertianas cum typo remedium.de dynamidijs. Sp.32.F
ad Febres tertianas acutas.de dynamid. Sp.32.F
ad Febres duplices tertianas remedium.de dynamid. Sp.32.F
Febres tres simul etiam sunt biliosa,pituitosa,et ab atra bile.2°.de differentijs morborum. 3ª.39.F
FEBRIS hemitritæa quæ.fin.med. Isa.46.D
in Febribus intermittentibus non est semitertiana numeranda. in 1m. de morbis vul.com.3°. 3ª.119.D
Febris semitertiana modo continua,modo intermittens.intro. Is.55.D
cum Febribus alijs semitertianæ iunguntur.de morb.temp. 3ª.87.E
Febres semitertianæ sunt mediæ inter causodes,& typodes quo ad acutiem. com.2°.aph.12°. Ex.5.C
Febris semitertiana.in 6m.de morb.vul.com.1°. 3ª.160.A
Febres semitertianæ quomodo iudicentur.3°.de crisi. 4ª.139.F
Febres semitertianæ ex quotidiana continua & tertiana intermittente.2°.de differentijs febrium. 3ª.38.E
Febres τριταιοφυεῖς quas vocent.de morb.temp. 3ª.87.G
FEBRIVM quædam exacte siccæ,vt ardores,quædam summe humidæ, vt τυφώδεις vel ἐλώδεις. aduer.Lycum. Ex.62.A
Febres quæ ab incendio causi appellatur.2°.de diff.feb.3ª.36.D/ commentario,4°.aph.48°. Ex.33.B
Febris ardens exquisite,quæ.2°.de crisi. 4ª.135.F
Febris arida.5°.de locis affectis. 4ª.31.G
Febris ardens putrida est.1°.de diff.feb. 3ª.34.A
Febres ardentes morbus acutus.fin.med.45.F/introd. Isa.55.E
Febris ardens est synochus,2°.de crisi, 4ª.135.G
Febris ardens in 6m.de mor.vul.com.1°. 3ª.160.A
Febris ardens pernicios est.de inæq.intemp. 3ª.44.G
Febres ardentes longæ siccitatem faciunt.1°.de diff.feb. 3ª.34.D
Febres ardentes, & quæ ex laboribus & combustionibus fiunt.1°.de arte cur.ad Glauconem. 7ª.95.D
in Febribus vrentibus caliditas ad extrema meat.de vict.ra.in mor. acutis,commentario.4°. 7ª.136.B
Febres causones, et tertianæ sunt calidissimæ.c.4°.aph.48°. Ex.33.B
cũ Febribus adurẽtibus cõis tertianæ gẽnatio.2°.de crisi. 4ª.134.E
Febris ardens,& tertiana quo modo differant, et conueniant.in 1m.de morb.vul.com.2°. 3ª.109.H
Febrem ardentem,& phrenitidem idem facit humor.in 1m.de morbis vulgaribus,commen.2°. 3ª.114.G
Febres ardentes a qua causa fiant,& vbi,& quo modo tremorem faciunt.com.6°.apho.26°. Ex.48.F
Febres ardentissimæ & acutissimæ ex bile.8°.de decr.Hip.1ª.277.C
Febris ardens a flaua bile,quæ & pallida dicitur.1°.de morbis vulgaribus commen.1°. 3ª.104.E
Febres ardens & tertiana notant choleram peccare, quartana atram bilem,quotidiana pituitam.com.4°.aph.2°. Ex.27.E
Febris caulus copiam significat bilis.quæs.in Hippo. Sp.113.C
Febris ardẽs ex humoribus biliosis.in 3m.de mor.vul.c.2°. 3ª.139.C
in Febrem ardentẽ inciderunt biliosi.in 1m.de mor.vul.c.2°.3ª.109.E
in Febres ardentes non multũ incidũt pituitosi.de aere,aq.& l.2ª.2.f
in Febre ardente superassatur atra bilis.3°.de loc.affect. 4ª.18.A
Febris ardens ob cerebri inflãmationẽ.in 1m.prorr.cõ.1°. 4ª.166.A
Febres ardentes facit inedia,& postea hecticas.10°.met.me.7ª.63.f
Febres ardentissimæ ex inedia.8°.meth.med. 7ª.52.D
in Febribus adurentibus nõ puenitur ad infebriã.2°.de crisi.4ª.134.e
Febris ardẽs quo fiat,& qñ.de vict.ra.in mor.acu.c.4°. 7ª.134.C
Febris ardens fit quando æstiuo tempore venæ exiccatę trahunt humores biliosos & acutos.com.4°.aph.58°. Ex.33.G
Febres ardentes solent vigere in ortu canis.in 1m.de morbis vulgaribus.commen.2°. 3ª.109.A
Febriũ ardentium duarũ,quarum altera æstate,altera hyeme affligit, magis periculosam esse quæ hyeme affligit,collige.cõmentario.1°. aphoris.14°. Ex.7.H
Febris ardens in quibus fiat sedibus.in 1m.de mor.vulg.com.1°.104. F,commen.2°. 3ª.114.G
Febris ardens ex materia in iecore,& ventre.in 3m.de morb. vulgaribus,commen.3°. 3ª.143.F
Febris ardẽs ĩ venis iecoris,et vẽtris.in 1m.d mor.vul.c.2°.3ª.109.h
à Febre ardẽte,perusto sanguine q est in venis, ex venis surfurca quædam feruntur,quæ cum vrinis exeunt.com.4°.aph.77°. Ex.36.F
Febres ardentes,iecore,ventriculo,& pulmone affectis fiunt. 5°.de locis affectis. 4ª.33.E
Febres ardentes & morbi acuti diebus imparibus fiunt.in 3m.de morbis vulga.com.3°. 3ª.144.A
Febres ardentes germanæ.in 1m.de mor.vul.com.2°. 3ª.109.G/H
Febris ardens moderata.in 1m.de mor. vulg.com.2°. 3ª.109.G
Febris ardens habet breuis temporis principium.1°.de crisi.4ª.126.E
Febri ardenti quod sequitur.de mult. 3ª.79.G
Febres ardentes tactu cognoscuntur.1°.de arte cu.ad Glau. 7ª.95.D
Febris ardentis proprium.in 3m.de morb.vul.com.3°. 3ª.144.F
in Febribus quomodo habeatur spiritus.de vtil.resp. 1ª.226.B
Febrium ardentiũ spiritus quales.4°.de loc.affect.24.H/ 4ª.27.B
Febrium vrentium pulsus,& respiratio.de vsu pul. 1ª.227.F
in Febribus æstuosis cur amplius & frequentius respiramus.de vtilitate respirat. 1ª.225.E
Febres ardentes habent pulsum crebrũ.2°.de præsag.ex puls.4ª.111.B
Febre ardenti tempora pulsant.4°.de diff.puls. 4ª.64.C
in Febribus ardentibus tubercula post aures non accidebant.in 1m.de morbis vulg.com.1°. 3ª.104.G
in Febribus æstuosis,quæ causi nominantur,mingitur vrina tenuis,et alba.quæs.in Hippo. Sp.113.C
Febrium ardentium symptoma quoddam in 1m.de morb. vulgaribus, commenta.2°. 3ª.113.A
cum Febre incẽdente,& maligna, simul inuadit animi defectus. 1°.de arte cu.ad Glauconem. 7ª.98.F
Febrium ardentium familiare est sanguinis profluuium.in 1m.de morbis vulgaribus,com.2°. 3ª.115.C
in Febribus ardẽtibus cur sanguis è naribus.in 1m.de morbis vulgaribus,

bus,commentario 1°.104.C/com.2°.109.G/ 3ª.113.A/B
Febres ardentes lenes habent sanguinis profluuium.in 3m.de mor.vul garibus,commen.3°. 3ª.144.A
Febres ardentes nec profluuium sanguinis Aquilo facit.in 1m.de mor bis vulgaribus,commeu.1°. 3ª.104.E
Febrium ardentium iudicatio per sanguinis eruptionẽ. in 1m.de mor. vulgaribus,commen.1°. 3ª.104.F
in Febribus ardentibus & mitibus non est sanguinis profluuium. in 1m. de morbis vulgaribus,commen.1°. 3ª.104.G
Febrium ardentium pernicioſarum ſymptomata.in 1m.de morbis vul garibus,commen.2°. 3ª.115.A
in Febribus ardentibus nares ſudare perniciosũ.in 1m.de morbis vul garibus,com.2°. 3ª.115.C
in Febribus ardẽtibus ſudare in principio exitioſum ſymptoma. in 1m. de morb.vul.com.2°. 3ª.115.A
Febris ardens cum refrigeratione eſt ſymptoma prauũ.in 1m.prorrh. commen.2°. 4ª.175.E
in Febribus ardentibus frigus extremorum ſignum pernicioſiſſimum. in 1m.de morbis vulg.com.2°. 3ª.115.A
in Febre ardente timor qd ſignificet.in 1m.de mor.vul.c.2°. 3ª.115.A
Febris ardens cum ſyncope.12°.meth.med. 3ª.76.E
Febris ardentis propriũ eſt ſitis & ardor.in 1m.de mor. vulgaribus, commen.2°. 3ª.115.A
Febrium ardentium proprium & inſigne,ſitire & calor ardens. in 3m.de morbis vulgaribus,com.3°. 3ª.143.G
in Febribus quibus ſitis fiat.1°.de arte cura.ad Glau. 7ª.96.C
in Febribus ardentibus loqui non poſſunt, niſi larynx ſit perfuſus.7°. de vſu partium. 1ª.161.C
Febrem ardentem lingua nigricans portendit.1°.de loc.af. 4ª.6.D
in Febribus ardentibus lingua tarda ad motus.11°.de v.p. 1ª.188.A
Febre ardente ſitis cur abſit lingua exuſta. in 1m.de morbis vulgaribus,commen.1°. 3ª.131.B
in Febribus ardentibus quæ tuſſes ſitim extinguunt.in 6m.de morbis vulgaribus,commen.2°. 3ª.164.E
in Febribus ardentibus quibus plurimum ſiccæ tuſſes leuiter irritantes fiunt,non multum ſiti infeſtantur.com.4°.apho.54°. Ex.33.E
in Febre ardente qui ſiti caruit.in 1m.de mor.vul.com.3°. 3ª.122.E
in Febre ardente non admodum ſitibundus. in 3m.de morbis vulgaribus,commentario 1°. 3ª.130.H
in Febribus non ſitientes,et non appetẽtes propter quid.in 3m.de mor bis vulgaribus,com.1°. 3ª.133.A
Febris ardens ſine ſiti cur praua.in 1m.de morbis vul.c.1°.3ª.106.E
in Febribus ardentibus cur fiant voces clãgoſæ.7°.de vſu p.1ª.158.F
Febre ardendi deprehenſi frigidam potionem inſatiabili auiditate exhauriunt.de cogn.cur.animi morbis. 2ª.53.C
in Febre ardentiſſima quando aqua frigida dãda.10°.me.me.7ª.70.A
Febris ardens aqua frigida ſanatur.9°.meth.med. 7ª.61.G
Febres ardentes ſequitur vomitus virulentus.in 3m.de morbis vulga ribus,com.3°. 3ª.149.D
Febrium ardentium peculiare eſt delirare.in 1m.de morbis vulgaribus.commen.1°. 3ª.104.E
ex Febribus ardentibus fiunt deliria.5°.de loc.aſſe. 4ª.31.F
in Febribus æſtuoſis,qui facile delirant.de vtil.reſp. 1ª.226.C
Febrium ardentium dementia à quo fiat.3°.de loc.aſſe. 4ª.18.B
Febris ardentis per accidens, phrenitidis per ſe affectus eſt ſopor.in 3m.de morbis vulgaribus,com.3°. 3ª.145.F
in Febrium ardentium vigore vigilant,& delirant,in inclinatione dormiunt & ſapiunt ægri.2°.de loc.affectis. 4ª.14.B
qui in Febribus ardentibus tremores fiunt,delirio ſoluuntur. commentario 6°.apho.26°. Ex.48.F
Febres ardentes a tremore ſolui improprie dictum eſt.commenta.6°. aphoriſ.26°. Ex.48.G
in Febribus ardẽtibus vigiliæ & angor ſemper exitioſum ſymptoma. in 1m.de morb.vul.com.2°. 3ª.115.A
in Febrium ardentium inclinatione cum dormiunt & ſapiunt. indiciũ eſt deliria non eſſe in capite.2°.de loc.aſſe. 4ª.14.B
in Febribus ardentibus ſopor raro,faſtidiũ ſæpe.in 3m. de morbis vulgaribus,commentario 3°. 3ª.143.G
à Febre arida & æſtuante fit cõuulſio ex ſiccitate.3°.de lo.af.4ª.17.F
in Febribus ardẽtibus conuulſio ex inanitione.2°.de ſym.cau. 3ª.20.C
ad Febres ardentes quæ ſequuntur conuulſiones,ſunt lætales.commentario 4°.apho.57°. Ex.33.G
a Febre conuulſio lætalis.de opt.ſecta. Iſa.22.D
ex Febre conuulſi cum vomitu bilioſo.5°.de loc.affect. 4ª.32.G
ex Febribus ardentibus hectica quo modo.1°.de diff.fe. 3ª.35.E
Febris ardens non cognoſcitur ab excrementis.in 3m.de morbis vulgaribus,commen.3°. 3ª.143.H
in Febre ardente cruda deijciens.in 3m.de mor.vul.c.3°. 3ª.144.C
Febribus ardentibus cur ptiſſana accõmodatiſſima.& ptiſſana.2ª.47.F
Febres ardentes lenes.in 1m.de mor.vul.com.2°. 3ª.113.G
Febris ardens lenis non exquiſita.in 1m.de mor.vul.com.1°.3ª.104.F
Febres ardentes extra periculũ quædam.de præſag. ex pulſ. 4ª.111.B
Febres ardentes non malignæ.in 3m.de mor.vul.com.3°. 3ª.144.A
in Febribus ardentibus qui ſanantur.in 1m.de mor.vul.c.2°.3ª.115.H
Febribus ardentibus demptis cor prope mortem eſt frigidum.in 6m.de mor.vulg.commen.4°. 3ª.187.D
Febris ardens quo modo abeat.2°.de ſym.cau. 3ª.22.F
Febris ardens quo modo ſanetur.3°.de criſ. 4ª.139.E
Febres vrentes per excretiones iudicari conſueuerunt. 1°.de arte curat.ad Glauconem. 7ª.100.C
Febris ardens ſoluitur expurgata bile,ex aqua fit.commentario 4°.aphoriſmo.58°. Ex.33.G
in Febribus ardentibus rigor iudicat.in 1m.de mor.vul.c.2°. 3ª.115.A
in Febribus ardentibus quando rigores faciunt bonum iudiciũ, et quãdo non.commen.4°.aph.29°. Ex.30.D
a Febre ardente habito,rigore ſuperueniente,ſolutio.commẽtario.4°. aphoriſmo 58°. Ex.33.G
Febre ardente cur liberat rigor.2°.de ſymp.cau. 3ª.22.E
Febrẽ ardentẽ non ſanat rigor propter frigus.2°.de ſym.cau. 3ª.22.F
in Febre ardente horror raro.in 3m.de mor.vul.com.2°. 3ª.143.G
Febres ardentes ſanantur per euacuationem vſque ad animi defectũ. commentario 1°.aph.23°. Ex.10.E
ad Febrem ardentem.de med.fac.par. 7ª.173.H
ad Febrem Cauſum.& quomodo cognoſcatur.de dyn. Sp.33.D
Febris aduſtæ trochiſci.ſecretorum. Sp.98.E
Febrem ardentem ſemel habuit Galenus.de trem.pal.conuul.& rigore.3ª.56.A/4°.de loc.aff. 4ª.22.E
ad Febrem aduſtam.ſecretorum. Sp.98.E
Febris ardentis caſus Sileni.in 1m.de mor.vul.com.3°. 3ª.121.E
FEBRES typhodes,ideſt ſuccedentes,ſunt longiores. commentario 1°. aphoriſ.12°. Ex.5.C
Febris typhodes morbus continuus.fin.med. Iſa.45.F
Febres incedentes acutæ.com.1°.aph.12°. Ex.5.C
Febris ſuccenſa.in 6m.de mor.vul.com.1°. 3ª.160.A
FEBRIS quod genus epiala.2°.de diff.fe. 3ª.37.E
Febris epiala.in 6m.de mor.vul.com.1°. 3ª.160.A
in Febre epiala incaleſcit frigeſcitq; corpus.3°.de ſimp.me.fa.5ª.21.A
Febres aliæ,& epialæ ſunt ægritudines dependentes à corde.de virtu. noſtrum corpus diſpen. Sp.60.B
FEBRIS lipyria,quæ.fin.med. Iſa.46.C
Febres lipyriæ quales.1°.de inæq.intem. 3ª.44.G
in Febre lipiria incaleſcit frigeſcitq; corpus.3°.de ſim.me.fa.5ª.21.A
Febris lipyria inter malignißimas numeratur.c.4°.aph.48°.Ex.33.B
præter Febrẽ lipyriã & cauſonem pernicioſum, nulla febris alia corpus vrit cute refrigerata.com.4°.apho.48°. Ex.33.B
in Febribus lipyrijs quo modo arteriarũ partes ſunt frigidiores.3°.de præſag.expulſ. 4ª.115.D
Febris lipyria.in prognoſt.com.2°. 4ª.198.D
FEBRES humidæ quæ,febres ſiccæ quæ.aduerſus Lycum. Ex.62.A
Febris paluſtris.in 6m.de mor.vul.com.1°. 3ª.160.A
Febris cauſam humidam febris concomitatur.2°.de ſym.cau.3ª.23.A
Febres longæ,quæ.2°.de criſi. 4ª.135.G
Febrium prorogationis triplex cauſa.in progn.com.3°. 4ª.209.F
Febres longæ fiunt propter multitudinem humorum, vel craſſitiem, vel frigiditatem,vel viſciditatem.com.4°.aph.44°. Ex.32.F
Febres diuturnas patiuntur puberes.com.3°.aph.27°. Ex.25.G
Febres lõge fiũt in tpibus pluuioſis.c.3°.a.11°.21.B/a.16°.Ex.22.H
Febriũ longarũ commune oculi concaui.in progn.com.2°. 4ª.204.D
Febrẽ lõgã oſtendit vrina tenuis.de vic.ra.in mor.acu.c.4°.7ª.140.F
Febres diuturnæ quo modo iudicentur.3°.de criſi. 4ª.139.F
Febres molliores ſolẽt per abſceſſus iudicari.1°.de arte cura.ad Glauconem. 7ª.100.C
Febribus laſſitudinarijs hoc ineſt,vt cito fiant abſceſſus, non expectantibus,vt aliæ,tempus prolixius.com.4°.apho.74°. Ex.36.A

in Febribus lõgis multitudo materiæ plus ad inferiora decumbit. commentario 4°.apho.74°. Ex.36.A
quibus Febres longæ ijs tubercula, vel labores in articulis fiunt. commentario 4°.apho.44°. Ex.32.F
quibus Febres longæ, ijs vel tubercula, vel ad articulos dolores decũbunt.com.7°.apho.61°. Ex.59.G
in Febribus quando expectandus abscessus ad articulos.in prognost. commentario 3°. 4ª.209.F
Febribus prolixis affligentibus catharticis vtimur.de dyn. Sp.20.E
ad Febres chronicas quæ fiunt ex humore craſso medicamen.de medi. expertis. Sp.105.F
ad Febres chronicas valens decoctio ſquinãthi.de me.exp. Sp.107.B
in Febribus chronicis typum remouet electuariũ Ariſtolochiæ. de me dic.expertis. Sp.105.E
Febribus antiquis valens electuarium.de med.exper. Sp.105.F
*ad Febrem chronicam electuariũ.de me.exp.*107.D/G/ Sp.108.B/D
*ad Febres antiquas.7°.de compoſi.med.ſec.loc.*5ª.186.B/ *de medic. expertis.*104.A/ Sp.107.G
FEBRIS *debet intelligi ſaltem quarto die cuius ſit generis.ad eos, qui de typ.ſcripſ.* 3ª.92.B
*Febris quælibet cognoſcitur quarto die.*1°.*de ar.cu.ad Glau.*7ª.95.G
Febris genus qui ignorat quarto die, ignauus eſt medicus.ad eos, qui de typ. ſcripſ. 3ª.92.B
Febris quartana quid.intro. Iſa.55.G
Febris quartana, quæ.fin.med. Iſa.46.D
Febris quartana intermittens.introd. Iſa.55.D
Febres quartanę.in 1ᵐ.*de morb.vul.com.*2°. 3ª.110.A
*Febris quartana exquiſita quæ, & quæ ſpuria.*1°.*de arte curatiua ad Glauconem.* 7ª.96.H
*Febris quartana exquiſita longa.*1°.*de arte cur.ad Glau.* 7ª.96.H
*Febris quartana longiſſima.com.*1°.*apho.*12°. Ex.5.G
*Febris quartana longior, ſed nõ periculoſa.*1°.*de ar.cu.ad Gl.*7ª.96.E
Febris quartana, tertiana, quotidiana à quibus humoribus fiant. com. 1°.*aphor.*2°. Ex.3.D
*Febres quartanæ ab humore melancholico fiũt de ho.et vit.ſuc.*2ª.39. D/*de nat.hum.com.*2°.7ª.180.H/ 1°.*apho.*2°. Ex.3.D
Febris quartana melancholicus affectus. 3°.*de ali.fac.* 2ª.25.G
Febris gelida.in 6ᵐ.*de mor.vul.com.*1°. 3ª.160.A
*Febres quartanæ ex terræ abundantia.de nat.hu.com.*2°. 7ª.181.B
*Febre quartana quo tempore, & qua ætate capiamur.de nat.hum.cõmenta.*2°. 7ª.181.A
*Febres quartanæ & erraticæ cur fiant autumno.c.*3°.*a.*22°. Ex.24.E
*Febris quartana contingit ſenioribus.in prorrh.com.*3°. 4ª.210.C
Febris quartanæ cauſa.introd. Iſa.55.G
*Febris quartanæ indicia.*1°.*de arte cur.ad Glau.* 7ª.95.H
*Febris quartanæ rigor, qualis.*1°.*de ar.cu.ad Glau.* 7ª.95.H
in Febribus fit aliquando horror.in 1ᵐ.*de mor.vul.com.*1°. 3ª.106.B
*Febris principium cum horrore, obſtruit.*10°.*meth.med.* 7ª.61.G
Febris cum horrore a quo humore.in 1ᵐ.*de mor.vul.cõ.*3°. 3ª.119.H
Febris horrida, quæ fin.med. Iſa.46.D
Febres horrificæ, quales.in 1ᵐ.*de mor.vul.com.*1°. 3ª.106.B
Febres quæ bis & ter hñt horrorẽ.in 1ᵐ.*de mor.vul.c.*3°.3ª.119.A
*Febre cum horrore correptus eſt quidam ſæpe dolens in renum parte.*6°.*de locis affectis.* 4ª.39.A
*in Febrem cum horrore incidit quidam dolens circa veſicam.*6°.*de locis affectis.* 4ª.39.A
*Febrẽ facere, & augere poteſt horror.*11°.*meth.med.* 7ª.73.H
*Febris quartanæ vrinæ, quales.de vrinis.*4ª.223.B/*de dyn.* Sp.34.F
Febris quartanæ pulſus.de dyna. Sp.34.F
*a Febre quartana capti, nõ admodũ capiũt cõuulſionib.ſi vero prius capianť et quartana ſuperucnerit, liberãtur.c.*5°.*ap.*70°. Ex.45.E
*Febris quartanæ curatio.introd.*Iſa.55.G/1°.*de arte curatiua ad Glauconem.* 7ª.97.F
in Febre quartana male dat anſeres & anates.de dyn. Sp.33.A
Febris quartanæ auxilium.introd. Iſa.56.G
*Febres quartanæ quomodo iudicentur.*3°.*de criſ.* 4ª.139.F
*in Febribus tũ quartanis, tũ tertianis obſeruauit Galenus iudicationes ad numerum circuituum non dierũ.c.*4°.*aph.*59°. Ex.33.H
in Febrem quartanam abſceſſus.in 1ᵐ.*de mor.vul.com.*2°. 3ª.110.A
*Febribus quartanis infeſtantibus catharticis vtimur.de dyn.*Sp.20.E
*in Febre quartana nullum forte medicamentum in principio adhibendum.*1°.*de arte cur.ad Glauco.* 7ª.97.F
ad Febrem quartanã pulchre cõuenit theriaca.de the.ad Piſ. 5ª.96.D
*Febribus quartanis quo theriaca adhibenda.de ther.ad Piſo.*5ª.96.E
ad Febrem quartanam trochiſci ſecretorum. Sp.101.A
ad Febrem quartanam maxime facit Hydropoton.de dyn. Sp.32.D
ad Febrem quartanam cum typo remedium.de dyna. Sp.33.A
ad Febrem quartanam ſecretorum. Sp.98.F
ad Febrem quartanam duplicem remedium.de dyn. Sp.33.A
*in Febre horrida caſus.*2°.*de criſ.* 4ª.136.G
FEBRIS *quintana intermittens.introd.* Iſa.55.D
*Febrem quintanam non vidit Galenus.*1°.*de diff.feb.* 3ª.33.A
FEBRIS *ſeptimana intermittens.introd.* Iſa.55.D
FEBRIS *quæ de nono in nonũ diẽ apprehẽdit itermittẽs.intro.*Iſ.55.D
FEBRIS *ordo quando vere euariat.*2°.*de diff.feb.* 3ª.42.G
*Febrem variat victus ratio.*2°.*de diff.feb.* 3ª.42.F
*Febres errabundæ, quæ.fin.med.*Iſag.46.E/*in* 1ᵐ.*de mor. vulgaribus. commen.*3°. 3ª.120.F
*Febres inordinatæ quomodo fiant.in prog.com.*3°. 4ª.210.B
Febres errantes a quibus humoribus.in 1ᵐ.*de mor.vul.c.*3°. 3ª.123.C
*Febres erraticæ quo fiant, & cauſæ.*2°.*de diff.feb.* 3ª.42.F/G
Febrium inordinatarum typi, quales.de typ. 3ª.91.B
Febres typorum expertes, quales.de typ. 3ª.91.B
Febrium errantiũ vrinæ, quales.in 1ᵐ.*de mor.vul.com.*3°. 3ª.123.C
*Febres inconſtantes ſinendę donec conſtent.de vic.ra. in morb. acutis. comment.*4°. 7ª.141.B
FEBRIVM *duarum tempora quando conueniunt, fit febris confuſa.*2°. *de diff.feb.* 3ª.37.H
Febris confuſa fit, quando duarum febrium tempora conueniũt. 2°.*de diff.feb.* 3ª.37.H
*Febris cõpoſita dupliciter, & quo modo diuidať.*2°.*de criſ.* 4ª.135.H
*Febrium complicatio quo modo.*2°.*de criſ.* 4ª.136.A
*Febrium intermittentium cum cõtinuis miſtio difficilior cognitu.*2°.*de criſ.* 4ª.136.G/H
*Febres complicatas, & quæ ſingularum ſit natura, ignorantibus quid contingat.*2°.*de diff.feb.* 3ª.38.B
*ex Febribus complicatis quæ citius, vel tardius finẽ habitura ſit, ex quibus ſit coniectandum.*2°.*de diff.feb.* 3ª.38.A
*in Febrium complicatione adoleſcentis caſus.*2°.*de criſ.* 4ª.137.B
*in Febrium complicatione mulierculæ caſus.*2°.*de criſ.* 4ª.136.G
FEBRIS *ſtabilis.*3°.*de præſag.ex pulſ.* 4ª.116.C
FEBRES *μεθημεριναὶ, καθημεριναὶ, & ἀμφιμεριναὶ, quæ in* 1ᵐ.*de mor. vul. commen.*3°. 3ª.118.D
Febris quotidiana, quæ.fin.med. Iſa.46.D
*Febris quotidianæ circuitus exẽplo deſcribitur.*1°.*de diff.fe.*3ª.33.A
*Febres in animi deliquio ex cruditatibus fiunt quotidie verſus veſperũ.*12°.*methodi medendi.* 7ª.77.G
Febris amphemerina natura longa. 1°.*de criſ.*4ª.132.C/ *commenta.* 1°.*aphoriſmo.*12°. Ex.5.D
*Febris quotidiana exquiſita longa.*1°.*de arte cur.ad Glau.* 7ª.96.H
*Febris quotidiana intermittens longior eſt, & non ſine periculo.*1°.*de arte curatiua ad Glauco.* 7ª.96.E
*Febris quotidiana exquiſita quæ, & quæ ſpuria.*1°.*de arte curatiua ad Glauconem.* 7ª.96.H
*Febres quotidianæ ex aeris abundantia.de nat.hu.com.*2°. 7ª.181.B
*Febris quotidiana quo fiat, & a quo humore.de na.hu.c.*2°.7ª.180.H
*Febrem quotidianam faciens humor, qualis.*2°.*de diff.feb.* 3ª.37.A
*Febris exquiſita ex pituita quomodo.*2°.*de diff.feb.* 3ª.37.A
Febres quotidianæ ex phlegmate.de decre.Hippo. 1ª.277.B
*Febris ex pituita ſalſa, qualis.*2°.*de dif.feb.* 3ª.37.F
*Febres quales faciat pituita accida, & vitrea.*2°.*de diff.feb.* 3ª.37.F
*Febrem quomodo faciat pituita dulcis.*2°.*de diff.feb.* 3ª.37.G
*Febrem non facit pituita niſi putreſcat.*2°.*de diff.feb.* 3ª.37.D
*Febris pituitoſæ calor, qualis.*2°.*de diff.feb.* 3ª.37.B
*in Febribus pituitoſis fumoſa eſt caliditatis ſubſtantia.de victus rat.in mor.acut.com.*4°. 7ª.136.B
*Febris pituitoſæ cur calor inæqualis.*2°.*de diff.feb.* 3ª.40.D
*in Febre pituitoſa qualis intermiſſio percipitur.*2°.*de dif.feb.*3ª.37.B
*Febris ex miſtione pituitæ, & bilis, & qualis.*2°.*de diff.feb.* 3ª.37.G
Febris ex complicatione pituitæ & bilis quatuor differẽtiæ. 2°.*de differentijs febrium.* 3ª.37.H
*Febres quotidianæ in quibus fiant.*2°.*de diff.feb.*3ª. 36.D/ 1°.*de arte curatiua ad Glauconem.* 7ª.96.C
*Febres magis fiunt pituitoſis.com.*3°.*apho.*11°. Ex.21.D

Febris quotidianæ intermittentis indicia. 1°.*de arte cu.ad Gl.* 7ª.96.*d*
Febris quotidianæ pulſus, & vrina.de dynam. *Sp.*34.*F*
Febres quotidianæ pulſum vndoſum hñt. 2°.*de ꝑſag.ex pul.* 4ª.112.*G*
Febrium quotidianarum vrinæ. 1°.*de arte cur.ad Glau.* 7ª.96.*D*
Febris quotidianæ rigor, qualis. 1°.*de arte cur.ad Glau.* 7ª.95.*H*
ad Febriũ tremores & frigora tollenda valet theriaca. de vſu theria. ad Pamph. 5ª.98.*F*
in Febribus tremorem auferens medicamen.de med.exper. *Sp.*106.*B*
Febres quotidianæ quo modo iudicentur. 3°.*de criſ.* 4ª.139.*F*
Febres ex pituita per abſceſſus magis, q̃ per excretiones ſoluuntur.de victus rat.in mor.acut.com. 4°. 7ª.136.*C*
Febres pituitoſæ quo modo ſanentur. 3°.*de criſ.* 4ª.139.*E*
Febribus quotidianis infeſtantibus vtimur catharticis. de dy. *Sp.*20.*E*
in Febris quotidianæ declinatione decoctio.de med.exper. *Sp.*105.*D*
ad Febrem quotidianam facit hydropoton.de dyn. *Sp.*32.*D*
ad Febrem quotidianam trochiſci.ſecretorum. *Sp.*100.*H*
contra Febres phlegmaticas, & melancholicas valens medicamentũ. de med.exper. *Sp.*105.*A*
ad Febrem quotidianam.de remed.par.fac. 7ª.161.*D*/*de dy.*32.*D*/*ſecretorum.* *Sp.*99.*F*
ad Febres phlegmaticas valens medicamen.de med.exper. *Sp.*106.*C*
FEBRIS *hectica quæ vocetur.de inæq.intemp.* 3ª.44.*B*
Febres hecticæ vnde dicuntur. 1°.*de diff.fe.* 3ª.33.*E*
Febris tabida in affectibus præter naturam.de marc. 3ª.46.*H*
Febris ſcbetica, quæ. 8°.*meth.med.* 7ª.49.*G*
Febris hectica, quæ. 8°.*meth.med.* 7ª.49.*G*
Febris tabida, qualis. 1°.*de diff.fe.* 3ª.34.*F*
Febris hectica iam facta eſt. 8°.*meth.med.* 7ª.49.*G*
Febris hectica nulla magna. 3°.*de præſag.ex pulſ.* 4ª.116.*F*
Febre hectica qui afficiantur. 3°.*de ſym.cau.* 3ª.25.*D*
Febre carens tabes in decrepitis. 1°.*de diff.fe.* 3ª.34.*E*
Febrium hecticarum ortus. 1°.*de diff.fe.* 3ª.34.*D*
Febres hecticas facit inedia. 10°.*meth.med.* 7ª.63.*E*
Febriũ hecticarũ ſigna propria. 3°.*de præſag.ex pulſ.* 4ª.115.*E*
Febris hectica quo pulſu deprehẽdatur. 3°.*de præſag.ex pul.* 4ª.113.*A*
Febris hecticæ pulſus. 2°.*de ꝑſag.ex pulſ.* 113.*A*/3°.115.*E*/4ª.117.*H*
Febres hecticas magna ex parte comitatur pulſus durus. 1°.*de differentijs febrium.* 3ª.34.*C*
Febrem hecticam incipientem nouit Galenus cum putrida. 10°.*metho di medendi.* 7ª.63.*F*
Febres omnes ſentiuntur præter hæcticam.de inæq.intemp. 3ª.44.*D*
Febres hecticæ cur ſine dolore. 2°.*de ſym.cau.* 3ª.22.*A*
Febrib⁹ hecticis vis vitalis proſterniť. 4°.*de præſag.ex pul.* 4ª.121.*G*
Febris ſqualida quomodo curetur.de marc. 3ª.47.*F*
Febribus hecticis æſtuantes adiuuat portulaca ĩpoſita hypochondrijs. 6°.*de ſim.med.fac.* 5ª.43.*A*
Febris hectica quando balneis ſanatur.de marc. 3ª.47.*E*
quibus Febribus tabidis cõueniãt balnea, quibus nõ.de mar. 3ª.48.*A*
Febris maraſmodes quo ordine conſumat. 10°.*meth.med.* 7ª.67.*D*
cum Febre parua extenuatio totius corporis ob pulmonis vlcera inſanabilia, eſt phthiſis.com. 7°.*aph.* 16°. *Ex.*55.*A*
FEBRES *maraſmodes omnes ſunt colliquatiuæ, & quo modo differunt à colliquatiuis.* 10°.*meth.med.* 7ª.67.*E*
Febribus conſumpti quibus comparandi.de marc. 3ª.46.*A*
Febre correpti iuuenis, qui ob multa ſicciſſimus erat, caſus. 10°.*methodi medendi.* 7ª.62.*C*
Febris colliquatiua.de vict.rat.in mor.acut.com. 4°. 7ª.139.*H*
Febris liquefactiua, & quæ ad tabem perducit, qualis. de victus rat. in mor.acu.com. 3°. 7ª.128.*B*
Febris colliquantis ſignum.com. 7°.*aph.* 35°. *Ex.*56.*F*
in Febre colliquatiua videntur colliquationes deſcendere per aluum. 10°.*methodi medendi.* 7ª.67.*F*
in Febribus liquefactiuis & ad tabem perducentibus bilioſa quæ ſubducantur.de vict.ra.in mor.acu.com. 3°. 7ª.128.*A*
Febres colliquantes quomodo curentur. 10°.*meth.med.* 7ª.67.*F*
Febri liquefactiuæ confert aqua frigida.de victus ratione in mor.acutis, com. 3°. 7ª.128.*A*
Febribus colliquatiuis inimiciſſima mulſa. 10°.*meth.me.*67.*F*/*de vic. ra.in mor.acut.com.* 3°. 7ª.128.*A*
Febre parua exiſtente, tempeſtate frigida, ægro ex plenitudine laborante, cõtingit nõ collabi corpus neq; extenuari.c. 2°.*aph.* 28°.*Ex.*16.*C*
FEBRIS *recidiua quando expectanda.in prog.commen.* 3°. 4ª.209.*E*
Febres reuerſuræ quales.in 6ᵐ.*de mor.vul.com.* 2°. 3ª.164.*A*
ĩ Febris recidiuã q ſæpe ĩcidit Boethi filij caſus.de præcog. 4ª.216.*H*
ſi neq; Febris, neq; horror mulieri ſuperueniat, ceſſantibus purgationibus, & faſtidia incidant, iudica ipſam in vtero habere.commen. 5°.*aphoriſ.* 61°. *Ex.*43.*D*
Febres cur frequẽter in grauidis reuertantur.c. 5°.*aph.* 55°. *Ex.*42.*G*
à Febribus quæcunque vtero gerentes corripiuntur, & fortiter calefiunt ſine occaſione manifeſta, difficulter pariunt, & cum periculo, aut abortum facientes periclitantur.com. 5°.*aph.* 55°. *Ex.*42.*G*
Febris in prægnante fœtum interficit.com. 5°.*aph.* 30°. *Ex.*40.*D*
Febres vehementes, fluxus alui, fluxus ſanguinis faciunt aborſum. cõmen. 5°.*aph.* 45°. *Ex.*41.*G*
Febrem auget ſurgere frequenter in profluuijs. 8°.*meth.med.* 7ª.53.*B*
in Febribus, & color conſiderandus, & habitus. 1°.*de arte curatiua ad Glauconem.* 7ª.96.*G*
in Febris principio ſudor.in 1ᵐ.*de mor.vul.com.* 3°. 3ª.121.*B*
Febri aduentante, ſudor, nec deficiente febri, malũ.longum nanq; morbũ et humiditatis ſignificat copiam.præſag.exper.conf. *Sp.*77.*G*
Febres qua tẽpeſtate habeãt multos ſudores.c. 3°.*aph.* 6°. *Ex.*20.*E*
Febrẽ debere ſolui per ſudorẽ q̃uo cognoſcať.ꝑſag.exp.conf. *Sp.*77.*E*
Febres cum ſudore, & ſine ſudore qñ fiãt.in prog.com. 3°. 4ª.212.*B*
in Febribus proprij ſunt ſudores. 3°.*de criſ.* 4ª.139.*E*/*F*
Febris ſudor vt exeat epithema.de dyn. *Sp.*32.*E*
Febris initio, ex viſceris phlegmone ſomnus intempeſtiuus.in 6ᵐ. *de mor.vulg.com.* 4°. 3ª.184.*B*
ſine Febre ſi ſanguis vomatur, ſalutare, ſi cum febre malum.curare vero acerbis & refrigerantibus.com. 7°.*aph.* 37°. *Ex.*56.*H*
qui Febre vacant ſanguinem vomentes, non habent inflãmationem in loco, ex quo emittitur ſanguis.com. 7°.*aph.* 37°. *Ex.*57.*A*
in Febribus crura tuberculis affecta quando ſanguis è naribus profluet.de vic.ra.in mor.ac.com. 4°. 7ª.142.*C*
in Febribus manuũ motiones qd ſignificent.in progn.com. 1°.4ª.194.*e*
quibus in Febribus circa dentes lentores fiunt, ijs febres fiunt fortiores, & cur.com. 4°.*aph.* 53°. *Ex.*33.*D*
cum Febre cibi faſtidia in longis difficultatibus inteſtinorum, peſſimũ. com. 6°.*aph.* 3°. *Ex.*46.*F*
in Febribus ſpiritus offendens malum conuulſionem enim ſignificat, cõmen. 4°.*aph.* 68°. *Ex.*34.*G*
in Febribus ex ſomnis timores, vel conuulſiones, malum.cõmen. 4°.*aphoriſmo* 67°. *Ex.*34.*F*
qcunq; in Febribus vel in alijs morbis ex volũtate illachymăt, nihil abſurdũ, q vero nõ ex volũtate, abſurdius.c. 4°.*aph.* 52°. *Ex.*33.*D*
in Febre aphoniæ q̃ dſinũt in ecſtaſin, pnicioſum.ĩ 1ᵐ.*pr.c.* 2°.4ª.172.*C*
in Febribus quibus aures obſurdueruntſanguis ex naribus fluens, aut aluus turbata ſoluit morbum.c. 4°.*aph.* 60°. *Ex.*34.*A*
Febrium iudicationes quibus ſint diebus.in prog.c. 3°. 4ª.206.*D*
Febres iudicanť diebus paribus, quas enumerat.c. 4°.*a.* 61°. *Ex.*34.*B*
in Febribus ſi quinta die quid terrificũ fuerit, quid ſignificet. de victus ra.in mor.acu.com. 4°. 7ª.141.*H*
quibus in Febribus morbus regius ante diem ſeptimum accidit, malũ. com. 4°.*aph.* 62°. *Ex.*34.*B*
ſiquis Febrẽ non habens abſtineat a cibo, & cordis morſum ſeu vertiginem patitur, & oris amaritudinem ſentit, purgatione indigere per ſuperiora ſignificat.com. 4°.*aph.* 17°. *Ex.*29.*A*
ĩ Febrib. a principio vertigines, capitis pulſus, et vrina tenuis cũ adsũt expecta febrẽ vſq; ad iudicationẽ.de vic.ra.ĩ mor.ac.c. 4°.7ª.139.*H*
Febres vſq; ad iudicationẽ expecta, cũ a principio vertigines, capitis pulſus, et vrina tenuis adſunt.ꝺ vic.ra.in mor.ac.c. 4°. 7ª.139.*H*
Febrium vertigines quibus a principio ſunt, et pulſatus capitis, & vrina tenuis, eis expectanda eſt ad criſes febris acumine augeri. de vrinæ ſignificatione ex Hipp. *Sp.*78.*H*
in Febribus ſuppurationes q̃uo.in 1ᵐ.*de mor.vul.c.* 1°. 3ª.104.*H*
Febris, & dolor, & ſuppuratio cum abſunt in tumore, pars putreſcit, vt cogamur qñque ſolidã ꝓcipere.in 1ᵐ.*de mor.vul.c.* 1°. 3ª.132.*D*
in Febribus dolor.de inæq.intemp. 3ª.44.*B*
in Febribus dolores ſine voce, qui ſudore non ſoluuntur, mali.in 1ᵐ. *prorrh.com.* 2°. 4ª.176.*G*
ex Febres quibuſcunque tubercula diutina, aut in articulos dolores decũbunt, ij cibo pleniore vtuntur.com. 7°.*aph.* 61°. *Ex.*59.*G*
in Febribus magna ex parte ex vrinis ab initio tenuibus fit ad craſſiora cõuerſio, tẽdẽte iã morbo ad ſolutionẽ.c. 4°. *aph.* 69°. *Ex.*34.*H*
à Febre hẽri, vl moleſtari q̃uo apud antiquos dr.c. 7°.*a.* 42°. *Ex.*57.*D*

si à Febre habito collum peruertitur,& vix potest deuorare sine vllo tumore, letale est.commenta. 4°.apho.34°.31.B/E/commenta.7°. aphorismo.60°. Ex.59.D/E

Febres & mortem affert multa ac subita euacuatio,sm Erasistratum. com.6°.aph.27°. Ex.48.H

Febrem aut mortem inducit corpus obstructum habens fumea excrementa.de cau.mor. 3ª.7.G

FEBRILIS *calor quæ aptus est natura sanare.commenta.6°. aphorismo.40°. Ex.51.A*

Febrilis calor ad temperaturæ æqualitatem perducit. commẽtario 6°. aphorismo 40°. Ex.51.A

Febrili calore quædam euadunt bona bonis mixta alimentis.contra ea quæ à Iul.in Hippo.apho.dicta sunt. Ex.70.F

Febrilis calor incidit,extenuat,dissoluit,commen.6°.aph.40°.51.A/ aphoris.51°. Ex.52.H

Febris calefacit,extenuat,& dissoluit spiritum flatuosum,& pituitosos humores.com.6°.apho.6°. Ex.52.H

Febrilis calor concoquit humorem.com.5°.aph.70°. Ex.75.E

Febrilis calor multũ sanguinis digerit.de cur.ra.per san.mis. 6ª.19.F

à Febrili calore natiuam humiditatem exustam esse quibus deiectionibus significetur.com.7°.aph.46°. Ex.54.D

Febris pro obesitate sananda est apta.14°.meth.med. 7ª.91.F

Febris morbis,qui a frigiditate fiunt,confert.cõ.6°.aph.44°.Ex.51.D

Febris post grauedines & raucitates,illas concoquit.in 6ᵐ.de morbis vulg.com.3°. 3ª.171.E

Febris soluit conuulsionem.de opt.secta. Isa.22.D

Febri superueniente liberatur,qui à conuulsione,aut distẽtione,neruorum tenetur.com.4°.aph.57°. Ex.33.F

Febres superuenientes conuulsioni ex repletione dissoluunt humiditatem superfluã,calfaciuntq́ frigiditatem.cõ.4°.aph.57°. Ex.33.G

Febris superueniens conuulsioni,ipsam sanat.cõ.5°.aph.5°. Ex.37.G

Febrẽ superueniẽtẽ apoplexiæ cõferre,collige.c.6°.aph.51°.Ex.52.H

Febris superueniens ijs soluit dolorem,quicunque hepar circumdolẽt. commen.7°.aph.52°. Ex.58.E

Febris vel remissa vel soluta bonũ signũ est earũ quę sunt in ileo passionum,superueniens autem febris,vel aucta neque signum bonũ est, neque causa bona.com.6°.aph.44°. Ex.51.D

nisi Febris superueniente satis vrina fluxerit,in septem diebus pereũt, quibus ex stillicidio vrinæ ileos supuenerit.c.6°.aph.44°.Ex.51.C

nisi Febris apprehenderit, in septem diebus pereunt, quicunque sani dolore capitis repente capiuntur,& statim muti fiunt, & stertunt. commentario 6°.aph.51°. Ex.52.G

Febrilis calor scãmonij operationẽ plerũque impedit.de dy.Sp.20.H

in FEBRIBVS *quæ consideranda.1°.de arte cu.ad Gl. 7ª.96.H*

in Febre quæ agenda sunt.in 6ᵐ.de mor.vul.com.3°. 3ª.178.A

à Febre iudicatio quo modo fit maior cæteris.8°.meth.me. 7ª.55.B

a Febre indicationes duæ.11°.meth.med. 7ª.70.D

Febrium prima indicatio.8°.meth.med. 7ª.49.H

in Febre indicatio secunda.8°.meth.me. 7ª.49.H

a Febre indicatio habet duplicem magnitudinem.8°.met.me. 7ª.55.D

de Febre & causa quid primo sanandum.10°.meth.med. 7ª.61.D

Febrẽ & causam extinguẽs remediũ, optimũ est.10°.met.me.7ª.61.D

Febri quando primo intendendũ,secundo causæ.10°.meth.me.7ª.61.E

Febris quæ est in fieri,quo modo curetur.8°.meth.med. 7ª.49.H

Febris quæ partim facta,partim futura est,quo modo curanda.8°.methodi medendi. 7ª.49.H

Febris põt esse præsens causa absente,& quo cureť.8°.me.m.7ª.49.H

in Febre quæ fit,causa remota,febris remouetur.8°.meth.me.7ª.51.D

pro Febre auferenda extrinseca,& intrinseca.10°.meth.me. 7ª.64.H

Febris vt febris quæ remedia postulet.9°.met.me.59.H/11°.7ª.70.E

Febri quid est contrarium.11°.meth.med. 7ª.71.E

Febri non est contraria euacuatio.de opt.secta. Isa.25.G

in Febre aer non debet calidior esse quã cõueniat.in 6ᵐ.de morbis vulgaribus,com.3°. 3ª.178.B

Febris quæ refrigerant humectantq́ desiderat.8°.metho. med. 7ª.55. B/com.1°.aph.16°.9.A/aph.24°. Ex.10.F

Febris ex siccitate sine putredine,sanatur frigidis & humidis.10°.methodi medendi. 7ª.64.D

Febris exigit victus rationem frigidã & humidã.8°.met.me.7ª.54.G

in Febribus sitis extinguenda.in 6ᵐ.de mor.vul.com.3°. 3ª.178.A

Febris naturæ aduersissima est aqua.de victus ratione in morbis acutis.commentario 1°. 7ª.114.G

Febres ilico extinguit aqua tempestiue data.de vic.rat.in morbis acutis.commentario 1°. 7ª.114.G

in Febre quando danda aqua frigida,& quanta quantitate.de vict.ratio.in mor.acu.com.1°. 7ª.114.G

Febris copulata hydropi quo mõ debeat sanari.c.1°.aph.16°.Ex.9.A

in Febre non danda aqua chalybeata.de remed.par.fac. 7ª.159.F

in Febribus quo modo noxia aqua mulsa.11°.meth.me. 7ª.70.F

Febri cum syncope conuenit mulsa cum hyssopo.12°.me.me.7ª.75.G

in Febribus ptissana melior mulsa.de vict.ra.i mor.acu.c.1°.7ª.111.F

in Febribus ptissanæ cremor,cum frigidus & humidus sit, conuenientissimus est.8°.meth.med. 7ª.51.A

in Febribus quid faciant nutrire,& non nutrire.11°.met.me.7ª.71.G

nõ pp Febrẽ,sed propter virtutẽ cibi dantur.11°.meth.med. 7ª.71.G

in Febre tempora cibandi.de vic.ra.in mor.acu. com.4°. 7ª.149.D

in Febribus quando cibus dandus.11°.meth.med. 7ª.74.C

in Febre non cibãdi ægri,sed in inclinatione.10°.meth.med. 7ª.63.C

Febris diatritos augetur.de arte cur.ad Glau. 7ª.94.G

Febre ex caliditate & siccitate correpti calidi & sicci possunt in principio accessionis cibari.10°.meth.med. 7ª.62.G

in Febrium principio qui debent cibari.10°.meth.med. 7ª.63.H

Febricitare & si quidã incipiãt,cibus qb. dãdus.10°.me.me.7ª.63.G

Febris si debet finire nono die,cibum dat.11°.med.med. 7ª.74.C

Febris quo tpe sorbitiones dãdæ.de vi.ra.in mor.acu.c.4°. 7ª.139.E

in Febre frigentibus pedibus nihil dandum.de vict. ratio.in mor. acutis,commentario 4°. 7ª.139.F

in Febre omni còcoctioni ciborum prospiciendũ.11°.meth.me.7ª.72.F

in Febribus deterior est cibi coctio.2°.de nat.fac. 1ª.300.D

Febres intendit concoctio praua.11°.meth.med. 7ª.72.F

Febrilis caloris vis ĩmodica lædit actionẽ vẽtriculi.2°.d̃ na.f.1ª.300.d

ad Febres potior est vis concoctrix, quàm facultas voluntaria et vitalis.10°.meth.med. 7ª.70.A

in Febre ex obstructione cibi.8°.meth.med. 7ª.50.B

Febrem soluunt aquæ potus & mala granata.de subst.emp. Isa.31.E

Febris magnitudo,qualis est in continentibus, prohibet vinum, lauacrũ,& vnctiones rarefacientes.10°.meth.med. 7ª.69.H

in Febre incẽdẽte vinum prohibet.1°.de arte cur.ad Glau. 7ª.99.A

in Febre non datur vinum.de reme.par.fac. 7ª.167.G

Febris vbi adest nõ dat medicamẽtũ ex vino.3°.de cõ.m.se.l.5ª.195.G

Febrilem calorem quem faciat vinum dulce.de vic.ra.in morbis acutis,commentario 3°. 7ª.126.F

nisi Febricitent qui refici debent,vinum illis dandũ.7°.me.m.7ª.45.E

in Febre mediocri vinum dat.10°.meth.me. 7ª.70.B

Febris mediocris quibus sanetur.10°.meth.med. 7ª.70.B

in Febribus ex vino non dat medicamenta,tamen dat in moderatis.bene nota.9°.de com.med.sec.loc. 5ª.197.G

Febribus idonea vina,quæ.de vict.rat.in mor.ac.com.3°. 7ª.127.A

cõtra Febrẽ est vinũ fuluũ.de vic.ra.in mor.acu.com.3°. 7ª.126.F

i Febre suillas carnes assatas exhibebat Petronas.de op.sect.Is.23.A

Febris ex constipatione quo modo curetur.8°.meth.med. 7ª.50.A

in Febre ex obstructione pisces dat & ius albũ.8°.meth.med.7ª.50.B

in Febre ex obstructione diuersos cibos dat per aliquod interuallũ.8°. methodi medendi. 7ª.50.B

in Febre ex lassitudine phlegmonosa quæ danda pro cibo.4°.de sanitate tuenda. 2ª.87.G

in Febre ex lassitudine phlegmonosa si ægrotus petat carnem, dato pisces saxatiles,& oniscos in albo iure.4°.de sa.tu. 2ª.87.G

in Febribus securum acetum mulsum.9°.de cõ.me.sec.loc. 5ª.197.G

in Febre ex stipatione infundit rosaceum super caput in declinatione. 8°.methodi medendi. 7ª.51.E/F

ad Febres oleum frigidissimum.de dyn. Sp.32.H

Febri conuenit ceratum humidum si hypochondrijs superponatur.1°. de simp.med.fac. 5ª.3.C

Febris peculiare remedium.de vic.ra.in mor.acu.com.1°. 7ª.111.C

ex Febre dolor capitis quo curandus.1°.de arte cur.ad Gla. 7ª.100.B

per Febres quibus aluus perpetuo liquida est, quid agendum. de vict. ra.in mor.acu.com.4°. 7ª.139.G

in Febre & lateris dolore excrementa sunt permittenda descendere, & quiescendum.de vict.rat.in mor.acu.com.4°. 7ª.139.D

in Febribus aluus liquida cum mentem turbat,quid agendum. de victus ratio.in mor.acu.com.4°. 7ª.139.H

FEBRE *qui æstate corripitur,vnde secanda vena in vere.de curan.ra. per san.mis. 6ª.20.G*

in Febre ex obſtructione cur vena ſecanda, etiam ſi nõ adſint ſigna plenitudinis. 8°. met. med. 7ª. 52. F
in Febrꝫ oĩ nõ cõuenit venæ ſectio in principio. & ve. ſe. ad. Er. 6ª. 12. H
in Febre venæ ſectio in declinatione eſt facienda. de cur. ratio. per ſanguinis miſſ. 6ª. 21. B
Febres omnes venæ ſectione indigere in principio quidam Galeni tempore putabant. de venæ ſect. aduer. Eraſ. 6ª. 12. H
in Febribus delirium & acceſsio prohibent venę ſectionem. præſa. exper. confir. Sp. 78. D
Febres quibus mitigentur. de dyn. Sp. 18. H
Febres quas ſanet chamæmelum. 3°. de ſimp. med. fa. 5ª. 18. H
ſine Febre thoracis longi affectus quo modo fœno græco curentur. 1°. de alimen. facul. 2ª. 14. F
Febres quæ citra viſceris alicuius inflammationem infeſtant, diſcutit & emollit chamamelon. 3°. de ſimp. med. fac. 5ª. 18. H
in Febre non datur centaureum minus. de remed. par. fa. 7ª. 167. A
& Febre accipiẽda quæ euacuẽt & nõ coaleſcunt. 10°. me. me. 7ª. 69. G
Febris non exigit medicamentum purgans, cur tñ in febre exhibeantur, cum ſint calida. quos purg. op. quib. med. & quo temp. 5ª. 88. G
Febri confert pharmacũ, & ſi calidum, ratione euacuationis humoris noxij, & infeſtantis. com. 1°. apho. 24°. Ex. 10. G
Febrem quo modo tollat theriaca. de vſu ther. ad Piſ. 5ª. 98. G
Febres cum inflammatione, & vlcere non poſſunt curari. commen. 7°. aphor. 37°. Ex. 57. A
ad Febre ſine intermiſſione valens antidotus Arpuli. 2°. & ant. 5ª. 116. F
ad Febres per circuitum repetentes. 7°. de compoſi. med. ſe. lo. 282. G/186. B/9°. 5ª. 202. F
ad Febrium circuitus valens antidotus Arpuli. 2°. de ant. 5ª. 116. F
ad Febres ex cauſis pectoris natas valet diapraſiũ. de dyn. Sp. 26. F
cũ Febre coli dolor quo modo curandus. 12°. met. me. 7ª. 79. F
Febres ſedans confectio. 7°. de comp. med. ſec. loc. 5ª. 182. E
ad Febrem ſedandam. 7°. de comp. med. ſec. loc. 5ª. 182. F
ad Febres omnes cataplaſma. de dyn. Sp. 33. F
ad Febres compoſitas medicamen. de med. exper. Sp. 104. F
ad Febres cõpoſitas, & chronicas exptũ medicamẽ. & me. ex. S. 104. F
ad Febrem potio probata. de dyn. Sp. 32. D
ad Febrium finiendam. de med. fac. par. 172. A/ 7ª. 178. G
ad Febrem tollendam remedium. de dyn. Sp. 32. D
ad Febres medicina. de med. exper. Sp. 104. B
ad Febrem, Pamphili pharmacopolæ confectio bona. 7°. de com. med. ſecundum locos. 5ª. 183. A
FEBRIRE *quibus impoſſibile. 1°. de diff. feb.* 3ª. 31. H
FEBRIENTES *qui dicantur. in 1ᵐ. de mor. vul. com. 3°.* 3ª. 118. H
Febricitantes non dicebantur apud antiquos qui ob inflammationem alicuius partis in febrem inciderant. com. 4°. aph. 73°. Ex. 75. H
Febrientes qui ſint. in 1ᵐ. pror. com. 2°. 4ª. 178. F
Febricitantes ex frigiditate, quales. 1°. de diff. feb. 3ª. 36. A
qñ Febricitent, regio morbo & atra bile affecti. 2°. & diff. feb. 3ª. 37. D
vbi Febricitauit manifeſte eſt principium morbi, nõ vbi capite doluit æger. 1°. de dieb. decr. 4ª. 147. F
Febricitantium ſignum ſecundum varia tempora. intro. If. 55. D
Febricitantium ſigna quædam. 1°. de ar. cur. ad Glau. 7ª. 94. H
Febricitantium expiratio qualis. 1°. de diff. reſp. 3ª. 59. F
Febrientis Commodi Caſus. de præcognitione. 4ª. 219. B
Febrientis decima hora diei caſus. 1°. de dieb. decr. 4ª. 147. H
Febricitantiũ duorum in diuerſis regionibus caſus. 8°. me. m. 7ª. 55. A
in Febricitantibus præſagium. de med. fac. par. 7ª. 172. D
Febricitantibus ob inflammationis magnitudinem vel hepatis, vel ventriculi, aĩ defectus accidit. 1°. de arte cur. ad Glau. 7ª. 98. F
Febricitans corpus calidum & ſiccum non poteſt eſſe viribus valentibus, & ſi phlegmonem habet, moritur. 10°. met. med. 7ª. 63. H
Febricitantibus ſi a ſudoribus fuerit initiũ, boni, & tertiani & quintani, & ſeptimani, & nonani, & vndecimani, & quartidecimani, & vigeſimi ſeptimani, & trigeſimi quartani. preſ. exper. cõf. Sp. 77. C
Febricitantium corpora euacuatione indigere ſignificat ſudor in ſomno, vbi cibi plurimi cauſa non fuerit. præſag. exper. conf. Sp. 77. G
Febricitanti ſudor ſuperueniens, febre non deficiente, malũ, prorogat̃ n. morbus, & multã ſignat humiditatem. c. 4°. aph. 56°. Ex. 33. F
Febrientes & imbecilles cur cogantur mouere omnes muſculos thoracis. com. 2°. aph. 42°. Ex. 18. C
Febrienti lingua turbata quarto die ſignificat delirium. de vict. rat. in mor. acu. commen. 4°. 7ª. 142. G
Febricitanti quid ſignificet vox intercepta decimo quarto die. de vict. rat. in mor. acu. com. 4°. 7ª. 142. F
Febricitantes inedia & labore quas habẽt vrinas. 1°. de criſ. 4ª. 130. C
Febrientibus quibuſcunque in vrinis fiunt ſedimẽta veluti farina craſſior, longam ægritudinem ſignificat. com. 7°. aph. 31°. Ex. 56. C
nõ Febricitãtibus quibus vrinæ, craſſæ, grumoſæ, paucæ, copia ex his tenuis adueniens prodeſt. de vrinæ ſign. ex Hippo. Sp. 78. G
Febricitantes ex ocio & repletione cum multa vrinæ ſubſidentia ſanãtur. 1°. de criſ. 4ª. 130. C
Febricitantium pulſus ſm tempora febris, qui. & comp. pulſ. Sp. 65. F
Febricitantiũ non oĩno leuiter, permanere corpus, & nihil minui, vel ẽt plus q̃ rõ poſtulat colliqueſcere, malũ. hoc eñ morbi lõgitudine, hoc vero imbecillitatem ſignificat. com. 6°. aph. 28°. Ex. 16. C
Febricitantes permanent, & non contabeſcunt ex cutis ſpiſſitudine, & craſſitudine humorum. com. 2°. aph. 28°. Fx. 16. F
Febricitantem niſi diebus imparibus febris reliquerit, ſolet recidiuare. com. 4°. aph. 61°. Ex. 34. A
Febricitantium diuerſa curatio. de opt. ſect. If. 25. A
Febricitantium domus qualis debeat eſſe. 9°. met. me. 7ª. 60. A
Febricitantibus quibus domus præparetur. 9°. met. med. 7ª. 60. A
Febrientes qui debent in obſcuro manere. de vict. rat. in morb. acutis. commentario 4°. 7ª. 140. G
Febriẽtes qui debent in lecto valde molli manere. de vict. rat. in mor. acutis. commen. 4°. 7ª. 140. H
Febrienti primo quies iniungenda. in 6ᵐ. & mor. vul. com. 3°. 3ª. 178. B
Febricitantes non debent ambulare. 2°. de mot. muſ. 1ª. 315. C
Febricitans plethoricus quibus curandus & non curandus. 13°. methodi medendi. 7ª. 82. A
Febrientis cum capitis dolore caſus & curatio. de cau. proca. 3ª. 95. D
Febricitanti ſi quis cibum dederit, vt ſano robur, ſic laborãti morbus. com. 7°. apho. 61°. Ex. 59. G
Febricitantes omnes quo modo nutriendi. 11°. met. me 7ª. 72. A
Febricitantes a principio ad finem qua hora ſunt cibandi. 11°. methodi medendi. 7ª. 69. B
Febricitantes non debent cibari in febre, neque parum ante. commentario 1°. apho. 11°. Ex. 5. A
Febricitantibus quibus nec in declinatione citra noxã cibus dari põt, & qb⁹ omnitpe ac præſertim in declinatione. 10°. met. m. 7ª. 63. G
Febricitãtes ſæpius poſt primam acceſſionẽ intrepide cibabat ceu poſt febri carituros. 4°. met. me. 7ª. 25. H
Febricitantium cibi frigidi, & humidi. 8°. met. me. 7ª. 51. A
Febricitantium cibus quantum frigidus, & humidus eſſe debet. 8°. methodi medendi. 7ª. 54. H
ad Febricitãtiũ arbitriũ frigida a quibuſdã dabaṫ. & opt. ſecta. If. 23. A
Febricitantes refrigerant, & reparant ptiſſanæ de ordeo, ſi oleum roſaceum admiſceas. de ſimp. med. Sp. 90. A
Febrientibus an dandum vinum. 9°. de decr. Hipp. 1ª. 283. B
Febrientibus vinum non exhibetur. 7°. de ſimp. me. fa. 50. G/9°. 5ª. 66. H/de rem. par. fac. 7ª. 159. E, F/H
Febrientibus carnem, & vinum dabat Petronas. de vict. rat. in morb. acut. com. 1°. 7ª. 109. F
Febrientibus vina conuenientia. de vic. ra. in mor. acu. c. 3°. 7ª. 127. B
nõ Febriẽtibus dat̃ vinũ nigrum. de vict. ra. in morb. acu. c. 4. 7ª. 149. B
Febricitantibus impericuloſius alijs vinis datur vinum pauciferum. de vinis. Sp. 76. C
in Febricitãtibus diaria febre vinũ cõcedit, et quale. 8°. me. m. 7ª. 51. G
qui Febrientes debent bibere vinum quantum poſſunt. 1°. de art. cur. ad Glauconem. 7ª. 95. E
Febrientibus quibuſdam vinum qua menſura ſit bibendum. 1°. de arte cur. ad Glauconem. 7ª. 95 E
Febriẽtibus nõ cõpetũt vina dulcia, eo q̃ ſunt craſſa. de vinis. Sp. 76. E
Febrientibus non dat mulſam. de remed. par. fac. 7ª. 159. E F
Febrientibus mel fit ſuccus amariſſimus. 4°. de ſimp. med. fa. 5ª. 29. B
Febricitãtes ex obſtructione quibus nutriendi. 8°. met. me. 7ª. 50. H
Febrientibus dat piſces elixos, nõ febriẽtibus aſſos. de vict. ra. in morbis acutis. com. 4°. 7ª. 149. B
Febricitantibus omnibus, viribus valentibus, ſanguis mittendus. 11°. methodi medendi. 7ª. 71. H
in Febricitãtibus vigorem ceſſantem acceſſionis aduertere oportet in detractione ſanguinis. præſag. exper. conf. Sp. 77. H
Febriculoſo quæ inimica. in 6ᵐ. de mor. vul. com. 3°. 3ª. 177. G
Febricitantes lædunt medicamentaria, & calida facultate. 9°. de cõp. medicam.

med.ſecundum locos. 5ª.197.F
Febrientibus nō eſt dādū ſcāmoniū,ſed nō febrientibus.de dy.S.20.H
Febricitantibus quibus detur niger Elleborus.de dy. Sp.21.A
Febricitantibus dari poteſt aloes lota, vbi febris ſit valde debilis.8°. de comp.med.ſec.loc. 5ª.188.D
*Febriētib⁹ dat in aqua medicamēta.7°.de cōp.me.ſe.l.*5ª.182.E/F/H
*Febrientibus dat medicamentum ex aqua,nō ex vino.7°.de cōp.me. ſe.lo.*184.G/185.B/F/ 187.A/8°.195.E/196.B/9°.197.H/199.G/ 202.H/203.C/D/204.C/D/ 5ª.206.B
Febricitante prius,deinde furentes aliter euacuantur, quàm furentes prius,deinde febricitantes.de opt.ſect. Isa.22.D
Febricitantes ex obſtipatione in febre prima inclinante ducēdi ſunt in balneum.8°.met.me. 7ª.51.E
p Febricitantibus ex obſtipatione oleum tepidum.8°.me.me. 7ª.51.E
Febricitantes ex vſtione lauandi.8°.met.me. 7ª.51.F
Febricitantes in declinatione lauandi.8°.met.me. 7ª.51.F
cur Febricitent niſi lauentur aliqui.5°.de ſan.tu. 2ª.93.F
*Febricitāti ex obſtipatione qū balneum nō cōuenit.8°.me.me.*7ª.51.E
Febrientes clàm iuuans antidotus.2°.de anti. 5ª.111.F
ad Febrientes.7°.de comp.med.ſe.lo. 5ª.185.B
FEBRIFVGIA *græce lixipyreta antidota.2°.de anti.* 5ª.113.H
Febrifuga.de dynamidijs. Sp.31.D
FEBRVARIVS *mēſis ſecūdus a ſolſtitio hyemali.§vide quomodo ſolſtitium erat in fine Decembris.bene conſidera, quoniam cum Chriſtus natus eſt vigeſimoquinto die decembris,erat ſolſtitium.§in* 1ᵐ. *de mor.vul.com.1°.* 3ª.102.D
Februarius viginti octo dierum.in 1ᵐ.*de mor.vul.com.1°.* 3ª.102.D
Februarium menſem ſeruat in attenuando corpus.de dy. Sp.30.D
*FEL quid ſit.3°.de nat.fac.*1ª.301.H/*de ſimp.med.* Sp.84.E
*Fel quale ſit.de ocul.*7ª.189.A/*de ana.viu.* Sp.45.F
in Felle & nitro deprehenditur amaritas.4°.de ſimp.me.fac. 5ª.25.D
de Fellis veſicæ,& ſplenis anatomia.de ana.vi. Sp.50.H
Fellis veſica tres habet meatus,& qui.de ana.viu. Sp.50.H
Fellis meatus ſectio.6°.de ana.adm. 1ª.93.B
Fellis ciſtis,quæ.de ana.parua. Sp.42.H
Fellis veſica quo modo ſe habet.3°.de nat.fac. 1ª.303.F
Fellis veſicæ ſitus. de natura & ordine cuiuslibet corpus.42.A/de anatomia viuorum. Sp.50.H
Fellis veſica quibus componatur.de ana.viu. Sp.51.A
Fellis veſica cur parua.5°.de vſu par. 1ª.144.D/E
*Fellis veſica vīi habet venas,nervos,& arterias.5°.de v.p.*1ª.145.A
Fellis veſicæ neruis vbi.5°.de vſu par. 1ª.145.C
Fellis veſicæ nervus quantus.5°.de vſu par. 1ª.145.C
Fellis veſica quid trahat.2°.de nat.fac. 1ª.301.H
*Fellis veſica trahit ſuccū ſibi familiarē puriſſimū.5°.d v.p.*1ª.144.G/H
*Fellis meatus gratia ſeparandæ bilis ſunt facti.4°.de vſu p.*1ª.138.F
Fellis veſica bilem ad ſe tradit.5°.de loc.aff. 4ª.35.F
Fel ſedes propria cholera rubræ.de ſper. Sp.36.H
Fel domus bilis,& eius iuuamenta.de anato.viuo. Sp.45.F
*Fellis veſica in iecore recipit leue,et flauū ſupfluū.4°.de v.p.*1ª.136.B
a Fellis veſica attrahitur illud iecoris excrementum, quod flori vini aſſimilatur.1°.de ſan.tuen. 2ª.67.F
p Fellis veſicam purgantur bilioſi humores.de atra bile. 1ª.37.A
Fellis veſica nihil patitur a bile.5°.de vſu par. 1ª.145.G
Fellis veſica expurgat ſanguinem.6°.de decr.Hipp. 1ª.263.C
in Fellis veſica cur paruus ſenſus.5°.de vſu par. 1ª.145.F
Fellis veſica excrementum non ita ſentit.3°.de nat.fac. 1ª.306.A
*Fellis veſica per eandem viā euacuat & implet.3°.de na.fa.*1ª.306.B
Fellis veſica quid faciat ad coctionem.de ana.viu. Sp.50.A
Fellis virtute hepar vertit phlegma in ſanguinem.de ſper. Sp.36.B
Fel mittitur in primam inteſtini tenuis partem.1°.de ſa.tu. 2ª.67.F
in Fellis veſica ſanguis nō pōt generari.4°.de vſu par. 1ª.138.D
Fellis veſicā aliqua ālia nō hīt,īn hīt fel.4°.de vſu par. 1ª.138.E
*Fellis veſica quo īdicio deprehēdat eē valde plena.5°.d lo.af.*4ª.35.H
Fellis veſicæ ſymptomata.5°.de loc.aff. 4ª.35.F
*Fellis veſica,lien,& renes,qūo male purgant.3°.de ſymp.ca.*3ª.26.B
*ex Fellis veſicę ībecillitate ſanguis īpur⁹ nō nūquā fit.5°.d l.af.*4ª.35.F
ad Fel confuſum per totos artus theriaca valet.de ther.ad Pi. 5ª.91.F
Fel nigrū purgat per hæmorrhoidas.in 6ᵐ.*de mor.vul.c.5°.* 3ª.192.H
Fel calidorum,et ſiccorum animalium vnum ex fortiſſimis medicamētis ad achoras.1°.de comp.me.ſe.lo. 5ª.129.D
Fel oē,oēm ſordē de corpore abluit,& abſtergit.de ſimp.m. Sp.84.E
Fel oculis conuenit.de ocu. 7ª.188.C
Fel eximit caligines,& cicatrices oculorum.de ſimp.me. Sp.84.E
Fellium genera quæ iuuant ſuffuſiones.intro. Isa.58.C
*Fel quod & quæ bilis ad oculos recipiatur.10°.de ſimp.me.f.*5ª.74.F
Fel recipientia medicamenta oculorum admixtum habent tūmel, tū fœniculi ſuccum,tū opobalſamum.10°.de ſimp.med.fac. 5ª.74.H
Fel animalium laudatorum ad oculos.10°.de ſimp.me.fa. 5ª.47.H
Fel quos dolores auget,quos iuuet.de comp.med.ſec.lo. 5ª.141.H
*Fel calidiſſimū omniū quæ ſunt in animali.10°.de ſimp.me.fa.*5ª.74.E
Fel calidum ſecundum animalia.10°.de ſimp.med.fa. 5ª.74.E
*Fel quando imbecillum,quando validum.10°.de ſimp.me.fa.*5ª.75.F
Fel Aquilæ.4°.de comp.med.ſec.loc. 5ª.153.A
*Fel Capræ ſupra ouillū poſt vrſorū & boū.10°.de ſim.me.fa.*5ª.74.H
Fel Capræ ad noctylopas.de remed.par.fac. 7ª.156.H
Fel Gallinarum & perdicum probatius in re medica alijs.10°.de ſim. medicamen.facul. 5ª.75.A
Fel Hirci agreſtis pro luſcioſis.10°.de ſimp.med.fac. 5ª.74.H
Fel Hirci ad pilos palpebris innatos oculum infeſtātes. de remedijs paratu facilibus. 7ª.156.G
Fel Hyenæ viſum acuit.de ther.ad Piſ. 5ª.93.F
Fel hyenæ iuuat ſuffuſiones.introd. Isa.58.C
*Fel hyenæ ad pilos palpebris īnatos oculū īfeſtātes.d re.pa.ſ.*7ª.156.G
Fel hyenæ.4°.de comp.med.ſec.loc. 5ª.156.F
Fel Miluiorum & aquilæ,quale.10°.de ſimp.med.fac. 5ª.75.A
Fel Ouium acrius ſuillo.10°.de ſimp.med.fac. 5ª.74.H
Fel Perdicis.4°.de comp.med.ſec.lo. 5ª.156.F
Fel perdicis ſylueſtris.4°.de comp.med.ſec.loc. 5ª.153.A
Fel Scari.4°.de comp.med.ſec.loc. 5ª.156.F
*Fel Suis omnium moderatiſſimum.1°.de comp.med.ſec.loc.*5ª.129.D
Fel ſuis imbecillum.10°.de ſimp.med.fa. 5ª.74.H
Fel ſuillum in medicamenta ad alopecias confecta.1°.de compo.med. ſecun.locos. 5ª.124.G
Fel ſuis quæ non peperit.3°.de comp.med.ſec.lo. 5ª.143.F
Fel ſuis caſtrati.3°.de comp.med.ſe.lo. 5ª.143.D
*Fel Taurorū calidius q̄ caſtratorū boum.10°.de ſimp.me.fac.*5ª.74.F
Fel taurinum lumbricos infantibus.necat.de dyn. Sp.27.F
Fel taurinum aperit.5°.de ſimp.med.fac. 5ª.35.F
Fel tauri incidit.de ocul. 7ª.188.F
Felle taurino aperiuntur hæmorrhoides.10°.de ſimp.me.fac. 5ª.74.G
Fel taurinum ad viſus obſcuritatem.de rem.par.fac. 7ª.156.H
Fel taurinum ſiccum.5°.de comp.med.per gen. 5ª.249.D
Fel Thynni.de med.fac.par. 7ª.161.E
Fellis Venenatorum animalium minimum ſi ſumatur, lædit.5°.de ſim. medicam.fac. 5ª.37.C
Fel venenatorum animalium genere non quantitate obeſt.5°.de ſimp. med.fac. 5ª.37.C
Fel Volatilium acrius,q̄ quadrupedum.10°.de ſim.med.fa. 5ª.75.A
Fel Vrſinum ad viſus obſcuritatem.de rem.par.fac. 7ª.156.H
ex Felle vrſino antidotus.8°.de comp.med.ſec.loc. 5ª.195.H
Fel Vulturis ad viſus obſcuritatem.de rem.par.fac. 7ª.156.H
FELLICVLI. *de dynam.* Sp.30.H
FELVZAHARAGI. *ſecretorum.* Sp.99.B
FEMVR quid ſit,collige.1°.de comp.med.per ge. 5ª.212.B
Femur cruris pars.de inæq.intemp. 3ª.43.C
Femora quæ.introd. Iſ.53.E
Femur in crure,quale brachium in manu.3°.de ana.adm. 1ª.74.A
Femur eſt in crure,vt brachium in manu.de fract.com.2°. 7ª.232.H
Femur os ſolum appellat Hippo.de fract.com.2°. 7ª.236.E
in Femore os vnum vt in brachio.3°.de vſu par. 1ª.131.A
Femoris os quod,& quale.de oſsibus. 1ª.43.D
Femur cur maximum os corporis.3°.de vſu par. 1ª.131.A
Femur cur maius tibia.3°.de vſu par. 1ª.134.C
ad Femur tibiā hāre ſymmetriam qūo probet.3°.de vſu.p. 1ª.134.D
Femoris figura.3°.de vſu par. 1ª.131.B.C
*in Femore figura idonea ad ſedēdum,& ſcribendū.3°.de v.p.*1ª.131.D
*Femur cum ſpina facit angulū rectū dum ſedemus.3°.de v.p.*1ª.128.E
Femur quo modo ingrediatur in genu.de fract.com.2°. 7ª.240.C
Femur quibus rectum,bi ſunt blæſi ad genu.3°.de vſu par. 1ª.131.B
ſi Femur vno tenore foras abſcederet vſque ad genu, alter blæſitatis modus ſequeretur.3°.de vſu par. 1ª.131.C
Femur cur cauum.11°.de vſu par. 1ª.191.D
in Femur cur inſeruntur vaſa tenuia.13°.de vſu par. 1ª.202.B

Femoris,& cubiti differentiæ in dearticulatione.de fra.c.2°.7ª.240.C
Femur quoquo versus circumagitur.12°.de vsu par. 1ª.194.A
in Femore cur nouem musculi.3°.de vsu par. 1ª.135.A
Femoris musculi cur prius succãdi q̃ tibiq; et coxæ.2°.de ana.ad.1ª.69.F
in Femoris exteriori parte musculus latus non multum considerãdus, cur.2°.de ana.adm. 1ª.69.C
Femoris musculi,quales.3°.de vsu par. 1ª.135.A
Femoris musculorum differentiæ.15°.de vsu par. 1ª.213.H
Femoris musculorum ortus.3°.de vsu par. 1ª.135.A
Femoris musculorum vsus.3°.de vsu par. 1ª.135.A
Femur retrorsum magis abducens musculus ad alterum simul femur leniter adducens.de musc.diss. 1ª.50.H
Femur exacte extẽdẽs ĩ posteriora trahẽs musculus.d̃ mu.dis.1ª.50.H
Femur totum extendens musculus, & ad exteriorem regionem caput ipsis trahens.de mus.diss. 1ª.51.A
Femur quo musculo trahatur sursum,& quo ad alios musculos.15°.de vsu partium. 1ª.213.E
Femoris caput sursum simul,& extrorsum trahens musculus.de mulorum dissectione. 1ª.51.B
Femoris caput sursum tollens musculus,& vnà ad interiora inuertẽs. de musculorum dissectione. 1ª.51.B
Femur qui musculus flectat.15°.de vsu par. 1ª.214.A
Femoris caput circumagentes musculi.de musc.diss. 1ª.51.B
Femur in orbem ducentes musculi,quales.15°.de vsu par. 1ª.213.E
Femur duo musculi circumagunt circa ischiũ.15°.de vsu p. 1ª.214.B
Femur introrsum,& retrorsum adducẽs musculus.de mus.dis.1ª.50.F
Femur totum introrsum adducens musculus.de mus.diss. 1ª.51.C
intro Femur adducentes musculi qui,& quales.15°.de v.p.1ª.214.A
Femur ĩtrorsum et parũper retrorsum agẽs musculus.d̃ mu.dis.1ª.51.F
Femur totũ introrsum magis inuertens musculus.de mus.dis.1ª.50.G
Femur quot,& qualibus motibus moueatur a fibris quinti musculi femoris.15°.de vsu par. 1ª.213.H
Femoris nerui qui.3°.de ana.adm. 1ª.78.B
a Femoribus non incipiunt rigores viris.com.5°.aphor.69°. Ex.45.D
ad Femorum attritus ex itinere.1°.de comp.med.per ge. 5ª.212.E
ad Femorum intertrigines vtilis medela est lithargyrus.9°.de simp. medicamen.fac. 5ª.70.A
ad Femur iandiu induratum.1°.de comp.med.per ge. 5ª.213.D
Femur qua parte obstupidum.de frac.com.3°. 7ª.240.G
Femur sideratum.de arti.com.3°. 7ª.279.B
Femori vulnus illatum per longitudinem vel in superiori parte,vel in inferiori,alte descendit.3°.met.med. 7ª.22.B
in Femore vulneris casus.3°.de comp.med.per gen. 5ª.231.B
ad Femur vulneratum,& vbi partes adiuncta abscedant iunctura.de fascys. 7ª.305.F
quibus Femore vulnerato proximæ partes diducuntur,iunctura ascia dicta quo modo injci debet.de fascys. 7ª.305.G
in Femore deligatio quæ fieri debet.de ijs,q̃ in med.fi.c.2°. 7ª.206.C
Femoris deligatio qualis esse debeat.de frac.com.2°. 7ª.238.G
Femori,humero,cubito solũ aptatur vinculũ variũ.de fas.7ª.293.E
in Femore sinus quo modo sanatus.de ijs quæ in med.fi.c.2°.7ª.212.C
ad Femorum scissuras.de med.fac.par. 7ª.169.B
Femoris os fractum quo modo curetur.de fract.com.2°. 7ª.240.D
Femur,seu crus si comminutum sit vbi callus circũdatur, glossocomũ admouetur.de machin. 7ª.310.G
Femur quadraginta diebus corroboratur.de frac.com.2°. 7ª.240.F
Femoris os extra non euadit.de fract.com.5°. 7ª.248.A
Femur raro excidit,sæpe brachium.de artic.com.1°. 7ª.252.A
Femoris caput pueris excidit posterius.de art.com.3°. 7ª.279.H
Femur quando excidit,sanari non potest.introd. Isa.60.H
Femoris copula si rupta,facile os decidit.de arti.com.4°. 7ª.288.F
Femoris caput si extra crux exeat, cur breuius apparet,si intus, cur longius.3°.de arti.commentario 3°. 7ª.278.F
Femoris caput si in anteriorem partem deferatur, quid sequatur.de articu.commentario.3°. 7ª.281.G
de Femoris luxatione,& quot fiat modis.de artic.com.3°. 7ª.276.C
Femur in quot partes prũpat,et quo mõ restituat.d̃ machi.7ª.314.H
Femur in quot partes promouetur.de machin. 7ª.321.C
Femur in quot partes prolabi possit.de fract.commenta.3°. 7ª.249.G
Femoris ad coxam repositio.de artic.commentario.4°. 7ª.288.E
Femur prolapsum qũo restituat cũ crus extẽsum.de machi. 7ª.321.C
Femur ĩ posteriorẽ partẽ plapsum quo mõ restituẽaũ.d̃ mach.7ª.221.G
Femoris in posteriorẽ partem luxati repositio.de art.c.4°. 7ª.291.B
Femur in interiorẽ partẽ plapsum quo mõ restituat.d̃ mach.7ª.321.D
Femoris in anteriorẽ partẽ luxati repositio.de arti.com.4°.7ª.291.C
ĩ Femoris repositione ĩ vẽtrẽ collocari vult ægrũ.d̃ art.c.4°.7ª.291.B
Femur repositum esse quomodo cognoscatur.de mach. 7ª.321.G
Femora tauri vsta sanguinẽ cohibent & aluũ.de ter.ad Pis. 5ª.93.E
FERÆ nomine per excellentium præcipue intelligitur leo. quòd animi mores. 1ª.317.E
Ferarum caro magis siccat quàm cicurum.5°.de san.tu. 2ª.92.D
Feras magnas non parit Scythia.de aere,aq.& lo. 2ª.5.D
Feræ in Scythia non nascuntur magnæ,sed quales possibile est sub terra ipsa contegi.de aere,aq.& loc. 2ª.5.E
Feræ quæ latibula habitant hyeme, cur non comedant.de ven.sec.ad. Erasistratum. 6ª.9.A
Ferarum venena q̃ animi mores. 1ª.318.B
Ferarum pernicioſarum venenis comparari potest humor in parte corporis epilepsiam faciens.3°.de loc.aff. 4ª.19.F
Feras necans suffitu.5°.de comp.med.per ge. 5ª.246.H
ad Feras venenosas valet succus centaureæ.de virt.cent. Sp.93.H
Ferarum ictus sanare dicitur terra lemnia.9°.de simp.me.fa.5ª.64.E
Ferarum morsu sanguis fit bilis.5°.de loc.aff. 4ª.34.A
Ferarum noxiarum morsus ineuitabiles.de ther.ad Pis. 5ª.91.C
ad Feræ cuiusuis morsum lichenas adhiberi consulunt.11°.de simplicium med.fac. 5ª.80.F
a Feris morsos adiuuans antidotus.2°.de anti. 5ª.111.H
ad Ferarum morsus.6°.de comp.med.per ge.256.D/ 5ª.258.G
ad Ferrarum ictus.5°.de comp.med.per ge.246.H/ 5ª.247.F
ad Ferarum ictus & morsus.5°.de comp.med.per ge. 5ª.248.C
FERINVM quid significet.in 6m.de morb.vulga.commen.1°.157.E/ commentario.2°. 3ª.164.F
Ferinos mores,& agrestes qui habeant.q̃ animi mores. 1ª.320.A
FERITATE magis quàm mansuetudine participantes homines, vbi. de aere,aq.& loc. 2ª.6.E
Feritas quibus a natura congenita.de aere,aq.& lo. 2ª.6.D
Feritas a natura in Europæis.de aere,aq.& lo. 2ª.6.B
Feritatẽ inducũt frequẽtes mẽtis pculsiones.de aere,aq.& loc. 2ª.6.B
FERCVLORVM multitudine gaudent ventri studentes.de cogn.cur animi morbis. 2ª.53.D
FERIATIS inæquales intemperies fiunt sine materia.de inequali intemperie. 3ª.43.C
FERMENTATIO quid.1°.de simp.me.fac. 5ª.8.D
Fermentatio quo modo fiat.in 1m.pror.com.2°. 4ª.174.G
Fermentum quid faciat,& quale sit.3°.de comp.me.per g.5ª.230.F
Fermẽtũ quãto vetustius,tãto pstantius.3°.de cõp.me.per g. 5ª.230.F
Fermententur quo modo panes.de consue. 2ª.60.H
Fermenti modus in pane,qui.1°.de ali.fac. 2ª.10.F
de Fermento in pane quo modo iudicet gustus.1°.de ali.fac. 2ª.10.G
Fermentum in pasta facit ebullitionem.de ana.viu. Sp.51.H
Fermento multo qui panes indigeant.1°.de ali.fac. 2ª.10.A
Fermentatione longa qui panes indigeant.1°.de ali.fa. 2ª.10.A
Fermentum parum sufficit panibus furfuraceis.1°.de ali.fac. 2ª.9.F
Fermentum mediocriter calidum.6°.de simp.med.fac. 5ª.48.A
Fermenti essentia attrahens ex putrefactione.5°.de simp.m.f. 5ª.36.E
Fermentum attrahit.de ocul. 7ª.188.F
Fermentum quæ in profundo sunt,extrahit,& digerit.6°.de simp.me. fac.48.A/8°. 5ª.59.D
Fermentum quibus misceri potest ad neruorum vulnera.3°.de compositio.med.per gen. 5ª.229.G/H
Fermentum super neruorum vulnus.3°.de comp.me.per g. 5ª.229.G
ex Fermento, & ostreis medicamento pro humore suppurato.2°.de arte cur.ad Glauc. 7ª.105.G
p Fermentum(pro vt alij codices habent,adipem)in veru assatum fomentum.3°.de comp.med.sec.loc. 5ª.145.E
ex Fermento pharmacum suppurat.3°.de comp.me.se.loc. 5ª.146.F
ad Fermenti massæ modum.5°.de comp.med.sec.loc. 5ª.165.F
Fermentatum, aut nimis digestum ex pane, crassus cibus, & cur.de diss.continua. Sp.72.H
Fermentati frumenti panis loti pluribus lotionibus medulla est cibus subtilians.de diss.cont. Sp.72.G
Fermentans terram atra bilis.com.4°.aph.21°. Ex.29.D
Fermentatio quid sit in atra bile.14°.met.me. 7ª.89.E
Fermentosa,& acida atra bilis.14°.met.me. 7ª.89.E

FEROX *qui respondet modeste, in quem morbum incidat.in* 1^m.*prorrheticorum.com.*2°. 4ª.170.C
Ferox responsio in homine modesto,malum.in 1^m.*pror.cō.*2°.4ª.170.C
Ferox oculus,& clausus quid significet.in 1^m.*pror.cō.*2°. 4ª.174.B
FERRARIAM *factitans exercetur & operatur.*2°.*de san.tu.*2ª.73.G
FERRAMENTA *ad secandas venas fabricantes, sunt inter ministros ignobiliores rei medicæ.in* 6^m.*de mor.vul.com.*5°. 3ª.188.D
*Ferramenta multa habeant chirurgi.de fract.com.*3°. 7ª.247.A
*Ferramenta pro adustione,qualia.de art.com.*1°. 7ª.258.B
FERRVM *lapis,æs superioris est q̄ stirpū gn̄is.*1°.*de temp.* 1ª.13.D
*Ferrum corpus terrenum crassum.*4°.*de simp.med.fac.* 5ª.30.B
*Ferrum habet substantiam stabilem & constantem ob siccitatem & frigiditatem.*9°.*met.me.* 7ª.60.H
quia Ferrum valde siccum est,ex eo non eleuantur vapores.commen. 1°.*aphoris.*14°. Ex.7.F
*Ferrum durum corpus est.*3°.*de diff.pul.* 4ª.63.D
*Ferrum Indum fragile.*1°.*de vsu par.* 1ª.115.G
*Ferrum Noricum optimum.*8°.*de anat.adm.* 1ª.101.G
*Ferrum,æs,aurū,& lapis,nisi prius excalfiant ac liquentur,non coalescunt,neque agglutinantur.*3°.*de symp.cau.* 3ª.29.A
Ferrum flammis emolluū quouis modo producitur,& flexū sicuti volumus,varijs hominum vsibus inseruit.de ther.ad Pis. 5ª.97.D
*Ferrum & lapis ignita calce,& cinere sunt crassiora, multoq̄ magis q̄ fauilla,ad hæc quoque & calidiora.*4°.*de simp.med.fa.* 5ª.30.B
*Ferro ignito ea medicamenta sunt similia,quæ per erosionem interimunt.*4°.*de simp.med.fac.* 5ª.30.B
*Ferrum ignitum ventrem exulcerat & exurit.*4°.*de simp.medicam. facultatibus.* 5ª.30.B
*Ferrum pro calculis ponebat Galenus in lacte pro dysenteria.*10°.*de simp.med.fac.* 5ª.76.A
Ferri igniti frusta remouent lactis aquositatem.de dis.cont. Sp.75.B
Ferrum ad se trahit lapis Herculeus.de catbar. Sp.94.H
*Ferrū aliter a magnete trahit,aliter aer i folles.*3°.*de na.fa.*1ª.307.G
Ferrum quo modo a magnete trahatur.de ther.ad Pis. 5ª.90.G
Ferrum quo modo præseruetur a rubigine.de machin. 7ª.309.F
*Ferrum acutissimum incidens tota die mollissimam ceram,etiam obtūditur.*3°.*de temp.* 1ª.23.H
*Ferrum acutissimum habebatur incidens mollissimā carnem.*3°.*de symptomatum causis.* 3ª.26.F
*ex Ferro vulnerante vlcerum differentiæ.*3°.*met.me.* 7ª.22.B
*Ferro praecisos dī sanare linita radix ephemeri.de simp.med.*Sp.83.E
Ferro venenato aut a serpentibus vulneratorum communis curatio. 2°.*de antidotis.* 5ª.120.B
Ferrum oculis conuenit.de ocul. 7ª.188.G
FERRI *scoria,qualis* 9°.*de simp.med.fa.* 5ª.71.A
*Ferri scoria.*5°.*met.med.* 7ª.34.B
*Ferri scoria valet ad aures quæ longo iam tempore pure fluxerūt.*9°.*de simp.med.fac.* 5ª.71.A
*Ferri stomoma(vel potius squama)vlcera vix sanabilia curat.*2°.*de comp.med.per gen.* 5ª.220.B
*Ferri squama qualis.*9°.*de simp.med.fa.* 5ª.69.H
*Ferri squama adstringit.*9°.*de simp.med.fac.* 5ª.69.H
*Ferri squama lota.*4°.*de comp.med.sec.lo.* 5ª.153.C
*Ferri squama ad vlcera maligna.*4°.*de comp me.per ge.* 5ª.246.F
FERREA *an ænea potius debeant esse instrumēta.de mach.*7ª.309.D
Ferrea vel ærea quæ organa esse debent.de mach. 7ª.309.D
*Ferrea spatha.*1°.*de comp.med.per ge.* 5ª.216.D
FERVGO *qualis sit.de ocul.* 7ª.189.B
Ferugo oculos conuenit.de ocu. 7ª.188.G
Ferugo contra asperitatem palpebrarum valet.de acu. 7ª.189.C
FERVENTIS *aquæ lauatio ζεσολουσία.*3°.*de sa.tu.* 2ª.80.B
*Feruens aqua cogit clauditq̄ cutim.*3°.*de san.tu.* 2ª.80.E
Feruens nihil ingerendum.de ren.aff.dig.& med. 7ª.194.D
FERVOR *quid sit in atrabile.*14°.*met.me.* 7ª.89.E
Feruens est sanguis.de nat.& ord.cuiuslibet corp. Sp.41.D
*veluti Feruor quidam potentiæ irascibilis,quæ in corde est,ira est.*1°.*de differen.feb.* 3ª.31.F
*Feruores seu exustiones sūt caꝑpique morborū.d̄ na.hu.c.*2°.7ª.180.F
*ob Feruorem nimium solis fit pulsus durus in ephemeris.*1°.*de differēt.s febrium.* 3ª.34.C
Feruoribus prodest aqua lupinorum.de simp.med. Sp.86.C
Feruores soluunt caricæ sicut iris.de simp.med. Sp.84.C
Feruores nutriunt ficus nimium comestæ.de simp.med. Sp.84.C
FERVLÆ *semen excalfacit & attenuat.*8°.*de simplicium medicamentorum facul.* 5ª.56.H
Ferularum esu quidam mortui.de bo.& vitio suc. 3ª.34.A
*Ferulæ medulla sanguinem spuentibus & cœliacis conuenit.*8°.*de simplic.med.fac.* 5ª.56.H
*Ferula Cratippi.*6°.*de comp.me.se.lo.* 5ª.192.E
*Ferulæ quid sint & quales eē dñt.de ijs,quę in med.fi.c.*3°. 7ª.215.B
*Ferulæ post tertiū diē firmandæ.de ijs,quæ in med.fi.com.*3°.7ª.218.F
*Ferulis q̄n vti debemus in fractura cū vlcere.de frac.c.*3°.7ª.243.G
*Ferulis non vteris in contusione.de art.com.*4°. 7ª.292.E
*Ferulæ non imponendæ supra ossium extuberatione.de ijs, quæ in medicatrina fiunt.com.*3°. 7ª.215.C
*Ferulæ in ossium ligatura quando ponendæ.*6°.*met.me.* 7ª.41.D
*Ferulam non patitur calx.de fract.com.*2°. 7ª.240.B
ad Ferulas quæ fracturis accōmodant̄,laqueus.de laqueis. 7ª.307.A
FESTIS diebus quidam vitiosum accumulant ex vitioso victu. 6°.*de sanitate tuenda.* 2ª.98.A
FESTVCÆ *quomodo trahantur a succino,secundum Epicurum.*1°. *de nat.fac.* 1ª.294.D
*cū Festucis quo modo sumendi herbarum flores ad diacalamenthi confectionem.*4°.*de san.tu.* 2ª.86.D
Festucas euellere quid significet.in 1^m.*pror.com.*1°.4ª.167.*A/in* 1^m. *de morb.vul.com.*3°. 3ª.118.A
*Festucæ cur euelluntur in acutis.in prog.com.*1°. 4ª.193.E
FIBRA *numeratur inter prima elementa nostri corporis.* 1°.*de elemen.* 1ª.7.E
Fibrarum natura terrena.ꝙ animi mor. 1ª.319.D
*Fibrarum & musculorum cognitio quid faciat ad chirurgū.*1°.*de anatom.administ.* 1ª.64.D
*Fibrarum situs noscendus.*8°.*de ana.adm.* 1ª.101.E
*Fibræ euidentius visunt in senibus,& nup natis.*4°.*d̄ ana.ad.*1ª.80.D
*Fibras comparat lacti in fiscellis.*5°.*de ana.adm.* 1ª.86.G
*ꝙ Fibrarū positura bñr motus in instrumentis.*3°.*de na.fac.* 1ª.304.F
*Fibris rectis instrumenta attrahunt.*14°.*de vsu par.* 1ª.209.F
*Fibræ in directum porrectæ trahunt.*3°.*de nat.fac.* 1ª.304.E
*Fibris transuersis instrumenta excernunt.*14°.*de vsu par.* 1ª.209.F
*Fibris rectis transuersisq̄ instrumenta retinent.*14°.*de v.p.*1ª.209.F
*Fibræ transuersæ circulo contrahunt.*3°.*de nat.fac.* 1ª.304.E
*Fibræ transuersæ constringunt.*3°.*de nat.fac.* 1ª.304.f
*Fibrarum vtrunq̄ genus rectarum & transuersarum habent instrumēta habentia vnam tunicam.*3°.*de nat.fac.* 1ª.305.E
*Fibrarum tertium genus inuenitur in instrumentis habentibus duas tunicas.*3°.*de nat.fac.* 1ª.305.E
*Fibrosas,membranosas,& carnosas particulas habēt partes simplices.*10°.*met.med.* 7ª.67.D
*ex Fibris,membranisq̄ fiunt arteriæ & venę.de inæq.int̄mp.*1ª.43.D
*Fibræ ex quibus tunicę arteriæ,quæ.*3°.*de nat.fac.* 1ª.305.F
*Fibræ multæ sunt in venæ tunica.*10°.*met.me.* 7ª.67.D
Fibræ tunicarum arteriæ,quales.de par.art.med. Sp.16.H
Fibras efficit neruus in vnoquoque musculo.de dec.Hip. 1ª.234.B
*ex Fibris quo modo fiant nerui.*1°.*de motu mus.* 1ª.309.C/D
*Fibræ obliquæ neruo obliquo inseruntur.*16°.*de vsu par.* 1ª.217.C
*Fibræ sunt proprium corpus musculi.de fract.com.*1°. 7ª.226.D
*Fibræ vt plurimum secundum longitudinem porrectæ insunt omnibus musculis.*12°.*de vsu par.* 1ª.195.E
Fibræ neruorum ligamentorum in medio musculi ob tenuitatem non videntur.de bon.& vitio suc. 2ª.35.G
*ex Fibrarum incisione musculi priuantur motu.*8°.*de ana.ad.*1ª.101.E
Fibræ non inciduntur.de par.art.med. Sp.16.H
Fibræ thoracē dilatātes,q̄,& earum exortus.de mus.dis. 1ª.49.D
Fibræ thoracem contrahentes vbi sitæ.de mus.dis. 1ª.49.E
Fibræ oppositæ fibris thoracem contrahentibus.de mus.diss. 1ª.49.E
Fibræ,quæ primas costas sursum trahunt.de mus.diss. 1ª.49.E
Fibræ ventriculi,intestinorum,vesicarum, cordis, a semine oriuntur. 1°.*de semine.* 1ª.332.C
*Fibræ ventris,quales.*3°.*de nat.fac.* 1ª.304.F
*Fibrarum diuersum genus in ventre,intestinis,vesicis,vuluis,& corde.*1°.*de semine.* 1ª.332.C
*Fibrarum omne genus cur habent ventriculi.*5°.*de vsu par.*1ª.146.A
*Fibrarum contrariæ dispositiones cur insunt tunicis ventriculi.*3°.*d̄ naturalibus facultatibus.* 1ª.304.F

Fibræ quæ decimã, & vndecimã trahunt coſtam. de muſ. diff. 1ª.49.E
Fibrarum cordis natura. 2°. *de temp.* 1ª.17.H
Fibræ cordis differunt ab alijs. 6°. *de vſu par.* 1ª.150.D
Fibræ in corde multæ ſolidæ & longæ. de bo. & vit. ſuc. 2ª.35.F
Fibrarum omnes genus in corde. 6°. *de vſu par.* 1ª.150.D
Fibræ pulmonis in oĩ animãte æquales numero. 7°. *de ana. ad.* 1ª.97.A
Fibræ quintæ pulmonis locus. 7°. *de ana. adm.* 1ª.97.B
Fibræ pulmonis meminit. 5°. *de loc. aff.* 4ª.31.C
Fibræ iecoris non pares numero in omnibus. 6°. *de anat. adm.* 1ª.92.D
Fibræ in ſanguine ſunt terræ opificium. & animi mor. 1ª.319 C
Fibra hepatis abſciſſa etiã ſanatus eſt patiens. c. 6°. *a.* 18°. *Ex.* 48.A
Fibræ ex quibus inteſtina conſtant, quæ. 3°. *de nat. ſa.* 1ª.305.F
Fibræ ſimplices cur in inteſtinis. 5°. *de vſu par.* 1ª.146.A
Fibræ circulares ſunt in ſingulis inteſtinis. 3°. *de nat. ſa.* 1ª.304.F
Fibrę quinti muſculi femoris. quot & quales motus in femore faciant. 15°. *de vſu partium.* 1ª.213.H
Fibræ nõ ſiccanĩ, nec liquanĩ, vt carnes faciũt. 10°. *met. med.* 7ª.67.E
FIBRIÆ *quæ ſint. de ijs, quæ in med. ſi. com.* 3°. 7ª.214.H
FIBVLA *os minus in tibia.* 3°. *de vſu par.* 1ª.131.A
Fibula paruum os tibiæ, & eius vtilitas. 3°. *de vſu par.* 1ª.134.A
Fibulæ cõſtructio differt a cõſtructione radu. 3°. *de vſu par.* 1ª.134.E
Fibulæ & tibię cur nõ ẽ dearticulatus calcaneus. 3°. *de v. p.* 1ª.130.G
FIBVLÆ *vtiles ad vnionem. ars med.* *Iſa.* 69.G
Fibulis conſtringuntur vlceris labia. 2°. *de comp. med. ſe. lo.* 5ª.133.G
Fibulis in quibus vlceribus vtendum. 3°. *met. me.* 7ª.22.G
Fibulæ ad conſtringenda capitis vulnera. 2°. *de compoſitione medicamentorum ſecundum locos.* 5ª.138.E
Fibularum quando vſus. de arte cur. ad Glau. 7ª.106.A
FIBVLÆ *pars organorum. de machin.* 7ª.309.E
Fibulæ ad quid in organis. de machin. 309.G/ 7ª.310.B
FICATA ex caricarum eſu ſunt ſuauiſſima propter quid. de vi. rat. in mor. acu. com. 3°. 7ª.127.H
FICEDVLA *carnem laudatiſſimam habet autumno. de victus ratio. in morb. acu. com.* 4°. 7ª.147.B
de FICOSIS *tumoribus qui ſint, & quo modo fiant.* 5°. *de comp. me. ſecundum locos.* 5ª.160.C
Ficoſus tumor in mẽto quo mõ differat a varo. de re. par. ſa. 7ª.157.B
ad Ficoſos tumores capitis & menti. 5°. *de comp. me. ſe. lo.* 5ª.162.B
ad Ficoſas minentias oculorum collyrium. 4°. *de compoſitione medicamentorum ſecun. loc.* 5ª.156.H
ad Ficoſa oculorum. 4°. *de comp. med. ſec. loc.* 5ª.156.A
ad Ficoſas palpebr. as. 4°. *de comp. med. ſec. loc.* 5ª.156.G
ad Ficoſas menti papularum eruptiones. 5°. *de compoſitione medicamentorum ſecun. locos.* 5ª.160.F
ad Ficoſas in mento excreſcentias. de remed. par. fac. 7ª.157.B
ad Ficoſas eminentias. 4°. *de comp. med. ſec. loc.* 152.G/ 5°. 5ª.162.C
FICTILE *menſuræ nomen.* 7°. *de comp. med. per ge.* 5ª.272.F
Fictilibus lagenis aqua coquenda eſt. de bon. aquæ. *Sp.* 76.A
Fictile ad medicamentum ſeruandum. 5°. *de comp. me ſe. lo.* 5ª.163.B
Fictile vas. 4°. *de comp. med. ſec. loc.* 5ª.152.G
in Fictilibus habetur reſina. 4°. *de ſan. tu.* 2ª.87.C
FICTIO *vocum a quo fiat. de mot. man. & obj.* *Sp.* 69.D
FICTOR *luctum ac ceram nondum liquidam, ſed mediocriter duram formandam ſumit.* 2°. *de ſem.* 1ª.339.B
FICVLNEVS *cinis qualis.* 8°. *de ſimp. med. fac.* 5ª.62.C
Ficulneo cinere nunquam ad ſanguinem ſupprimendum vti debemus. 8°. *de ſimp. med. fac.* 5ª.62.C
Ficulneæ lac. de dy. *Sp.* 21.E
FICVS *quid & eius vires. de ſimp. med.* *Sp.* 84.C
Ficus quam terram deſideret. 9°. *de ſimp. med. fac.* 5ª.64.F
Ficus temperata quo modo. 1°. *de temp.* 1ª.13.D
Ficus arbor valde calida. 8°. *de ſimp. med. fac.* 5ª.61.F
Ficus magis ſicca homine. 1°. *de temp.* 1ª.13.C
Ficus habet multum caloris. de nat. hu. com. 1°. 1ª.30.A
Ficus habet etiam ignem & aerem. de nat. hu. com. 1°. 1ª.30.B
Ficus bonitas in quo conſiſtat. 1°. *de temp.* 1ª.13.D
Ficus arbor vlcerat, ora vaſorum reſerat, & verrucas, quas myrmecias vocant. eijcit. 8°. *de ſimp. med. fac.* 5ª.61.F
Ficus arbor purgat. 8°. *de ſimp. med. fac.* 5ª.61.F
Fici lignum aqua leuius. 1°. *de nat. hu. com.* 1°. 1ª.30.B
Ficus ſatiua valentior eſt caprificus. 8°. *de ſimp. med. fac.* 5ª.61.F
Ficus caprifici, qualis. 8°. *de ſimp. med. fac.* 5ª.61.F
FICI *fructus ſunt ipſæ ficus.* 2°. *de ali. fac.* 2ª.16.C
Ficus & vuæ obtinent principatum inter fructus autumnales. 2°. *de alimentorum facul.* 2ª.17.G
Ficus præferunt multi medici omnibus fructibus autumnalibus. 2°. *& alimentorum facul.* 2ª.22.D
Ficus minus lædunt fructibus autumnalibus. 2°. *de ali. fa.* 2ª.17.E
Ficus in quarto loco ſunt inter fructus minus noxios, qui non reponũtur. de atten. vic. 2ª.45.H
Ficus ſunt praui ſucci, ſed minus alys. 2°. *de ali. fac.* 2ª.17.E
Ficus hãt minimũ praui ſucci oĩum fugaciũ fructuũ. 2°. *& ali. f.* 2ª.17.G
Ficubus cum ſale tenuato, aceto, & garo præparatis veſcuntur vulgo. 2°. *de alim. fac.* 2ª.17.F
Ficus inter fructus horæos minus noxij, tamen moderate ſumendi. de bo. & vitio ſucc. 2ª.34.D
Ficus ſunt præſtantiores horæis fructibus in opera. de bonita. & vitio ſuccorum. 2ª.37.E
Ficuum tegumentum propter quid. 2°. *de ali. fac.* 2ª.17.H
Ficuum tegumentum exiguam in ventriculo mutationem recipit. 2°. *de alimentorum facul.* 2ª.17.H
ex Ficubus quę gignitur caro non firma, nec denſa, ſed laxa & humida 2°. *de alim. fac.* 2ª.17.G
Ficus cuius facultatis ſint. 3°. *de comp. med. ſec. loc.* 5ª.147.A
Ficus immaturus, qualis. de atten. vic. 2ª.46.C
Ficus maturus, qualis. de atten. vic. 2ª.46.C
Ficus maturæ immaturis meliores. 2°. *de alim. fac.* 2ª.17.E
Ficus nulla ſui parte habet acerbam qualitatem. 8°. *de ſimplicium medicamentorum facul.* 5ª.62.C
& Ficus nutriant, argumentum. 2°. *de ali. fac.* 2ª.17.G
Ficus dant alimentum. 2°. *de ali. fac.* 2ª.17.E
Ficus maturæ humidæ & ſiccæ ſunt cibaria media. de diſ. cõt. S. 75.C
Ficus eſt inter ea quæ plurimũ & minus nutriũt. de diſ. cont. S. 73.G
Ficus multum nutriunt. de diſ. cont. *Sp.* 73.E
Ficus magis aliant, quàm vuæ. 2°. *de ali. fa.* 2ª.17.G
Ficus magis nutriunt oĩbus fructibus fugacibus. 2°. *de ali. fa.* 2ª.17.G
Ficus maturę innoxium alimentum præbent. 2°. *de ali. fa.* 2ª.17.G
Ficus maturæ nihil ferè lædunt. 2°. *de ali. fac.* 2ª.17.E
Ficus generant carnem ſublaxam & ſubinanem. 2°. *de ali. fa.* 2ª.17.E
Ficus maturæ ferè ſunt innoxiæ. de bon. & vitio ſuc. 2ª.37.E
Ficubus affluemer veſcipoſſumus. 2°. *de ali. fac.* 2ª.20.F
Ficus maturæ ſi hæſerint, non ledunt vt vuæ. 2°. *de ali. fa.* 2ª.17.G
Ficus eſt cibus acutus, incidens, aperiens. de diſſ. cont. *Sp.* 72.E
Ficus cum thymo & alijs ante cibum, quando. 2°. *de ali. fac.* 2ª.17.F
cum Ficubus nuces phlegma incidunt, & ſtomachum mundificant. de diſſolutione continua. *Sp.* 74.E
Ficus humidæ. 2°. *de alim. fac.* 2ª.17.D/ *de diſſ. cont.* *Sp.* 74.D
Ficus frigidæ. 4°. *de ſimp. med. fac.* 5°.26.D
Ficus virides generant flatum. 2°. *de alim. fa.* 2ª.20.H
Ficus humide generant inflationem. de diſſ. cont. *Sp.* 74.F
Ficus recentes nutrimento ferè carent. de ven. ſect. adu. Eraſ. 6ª.14.C
Ficuum flatus non diu manent. 2°. *de ali. fac.* 2ª.17.E
Ficubus quæ bona inſunt. 2°. *de alim. fac.* 2ª.17.E
Ficus prompte ventrem permeant. 2°. *de ali. fac.* 2ª.17.E
Ficus inferrent dolorem, niſi cito deſcenderent. 2°. *de ali. fac.* 2ª.17.E
Ficus tarde digeruntur. de diſſ. cont. *Sp.* 73.E
Ficus aluum ſubducunt. 8°. *de ſimp. me. fa.* 5ª.61.F/ *de diſſ. cõ. S.* 75.B
Fici maturi ſembus eligendi. 5°. *de ſan. tu.* 2ª.92.D
ex Ficis ſolenda ſenum aluus. 5°. *de ſan. tu.* 2ª.92.E
Ficus abſtergunt. 2°. *de alim. fac.* 2ª.17.E
Ficus dari dãt frigidi æſtate calidis & ſiccis. de bo. & vi. ſuc. 2ª.39.F
Ficus humidæ, & ſiccæ mũ lificãt et abſtergũt renes. de diſ. c. S. 74.G
Ficuum eſus confert nephriticis. 2° *de ali. fac.* 2ª.17.E
Ficus conueniunt epilepticis. de puero epil. 7ª.180.D/F
Ficus boni ſunt & cibo ad furfures capitis. 1°. *de cõp. m. ſe. l.* 5ª.128.E
Ficus nimium comeſtæ ſtomachum combrunt, ventrem deponunt, feruores nutriunt ſudorem prouocant, ſitim prohibent. de ſimplic. medicament. *Sp.* 84.C
Ficus cum aliquo craſſi ſucci ſumptæ non mediocriter obſunt. 2°. *de alimentorum facul.* 2ª.17.F
Ficus obſunt inflammationi iecoris & lienis. 2°. *de ali. fac.* 2ª.17.F
Ficus obſtructionibus iecoris & lienis aut ſcirrho obſeſſis proſunt. 2°. *de alimentorum facul.* 2ª.17.F
FICVBVS *quo modo proportionantur caricæ.* 2°. *de alimentorum*

facultatibus. 18.D/ 2ª.20.H
Ficus, quas caricas vocant, possunt cõseruari. de puero epi. 7ª.180.D
Ficus aridæ & recentis differentia. 3°. de comp.me.se.lo. 5ª.147.A
Ficuum aridarum differentiæ. 8°. de simp.med.fac. 5ª.61.E
Ficus aridæ calidæ in primo ordine completo. 8°. de simplicium medicamentorum fac. 5ª.61.E
Ficus siccæ non inflant, humidæ inflant. de diff.cont. Sp.74.G
Ficus siccæ sunt cibi sapidi, dulces, subtiles, abstergentes. de dissolutione continua. Sp.72.E
Ficus siccæ generant superfluitates putridas. de diff.cont. Sp.74.B
Ficus siccæ generant pediculos. de diff.cont. Sp.74.B
Ficuũ siccarũ decoctũ aliqbus vocat sireon. i. sapa. & attẽ. vic. 2ª.46.C
Ficus siccatus potest esse vsui. 2°. de ali.fac. 2ª.20.D
Ficuum siccarum decoctum assimilatur melli prauo melli, et quale sit. de atten.vic. 2ª.46.C
Fici succus lana susceptus pro sanguine supprimendo. de victus ratio. in morb.acu.com.4°. 7ª.152.F
Fici semen κελχεμὶς. 2°. de alim.fac. 2ª.16.C
Ficuũ semen non concoquitur, vt nec vuæ semen. 2°. de ali.fa. 2ª.17.H
Ficis semina eximit. 8°. de comp.med.sec.loc. 5ª.197.B
Ficuum domesticarum semen lapidem renum frangit. de ren.aff.dign. & med. 7ª.196.C
Ficu matura & recenti lac tithymalli excipit. de dyn. Sp.21.E
Ficuum cinis. 5°. de comp.med.per ge. 5ª.253.B
ex Ficu fit lixiuium. 3°. de comp.med.per ge. 5ª.228.F
ex Ficu & Cnico compositum leuiter deijcit. 6°. de san.tu. 2ª.97.H
FICVS oris affectus. introd. Isa.59.C
Ficus, qui. in 1ᵐ. de mor.vul.com. 3°. 3ª.144.G
ad Ficum, qui apparet emplastrum. de dyn. Sp.28.H
ad Ficum, qui sanguinat remedium. de dyn. Sp.28.H
ad Ficus in sede. de med.fac.par. 7ª.170.B
ad Ficus remedium. de dyn. 28.H/ Sp.35.G
ad Ficum desiruendum. de dyn. Sp.35.H
FIDES quo modo habeatur. 9°. de decr.Hip. 1ª.279.E
Fides vni præ alijs non adhibenda sine demõstrõne. 1°. de ali.fa. 2ª.7.C
Fides habetur a notione euidenti & a sensu. 1°. de ali.fac. 2ª.7.C
Fides de rebus quo modo crescat. 2°. de simp.med.fac. 5ª.16.E
Fides artium aliter se habet quàm inuẽtionum. 3°. de cris. 4ª.142.C
Fides in iudicio a die sẽctat seu obsignatur. 1°. de die.dec. 4ª.147.H
FIGVLARIS terra frigida & sicca. 2°. de nat.fac. 1ª.301.H
Figulinæ terræ & metallorum cõparatio. 9°. de simp.me.fa. 5ª.68.E
Figulina vasa in quibus aliqua debent coqui, cur debent esse bene cocta. 4°. de san.tu. 2ª.85.A
Figulinum vas. 4°. de comp.med.sec.loc. 5ª.152.G
Figulina testa. 5°. de comp.med.sec.loc. 5ª.166.E
FIGVRÆ hyperbolicæ, quæ. in prog.com. 1°. 4ª.193.E
Figura, quę hyperbaton dicitur, vsum fuisse Hippocratem, collige. cõmen. 3°. apho. 3°. Ex.20.B
Figura pleonasmo vtitur Hippocrates, secundum Galenum. com. 4°. aphorismo. 48°. Ex.33.B
FIGVRA quid & earum distinctio. de hist.phil. Sp.4.C
Figura mundi, quæ. de hist.phil Sp.5.G
Figura stellarum, quæ. de hist.phil. Sp.6.D
Figura solis, quæ. de hist.phil. Sp.6.H
Figura terræ, quæ. de hist.phil. Sp.8.C
Figuræ genituræ considerandæ. de decub.prog. ex math.scien. S.12.G
Figura hominis qñ incipiat & quo modo. de sper. Sp.36.C
Figuras hominum considerare debet medicus. de sper. Sp.49.F
Figuræ varietas mẽbrorũ formã constituit. 7°. de decr.Hip. 1ª.372.B
Figura exterior notat compositionem interiorem. 6°. de anatomicis administrationibus. 1ª.89.G
Figura pueri nati in Leone. de sper. Sp.38.G
Figura fœtuum vnde sumantur. de sper. Sp.37.B
Figuram a matre plus habet infans, si matris sperma superabundet. de spermate. Sp.38.E
Figuram a patre plus habet infans, si patris sperma superabundet. de spermate. Sp.38.E
Figuram ab auo retinet puer quando habet principium in horis sanguinis, sicut auus eius. de sper. Sp.38.F
Figuram aui cur fœtus contineat. de sper. Sp.38.F
Figura Alexandri ab astris. de sper. Sp.38.G
Figura fortunę, in oratione suas. ad bon.art. Isa.2.D
Figura cur videtur in speculo & in oculo. de ocul. 7ª.185.A
Figuratio concinna capitis semper bonum signum. ars med. Is.63.C
Figura anteriorum ventriculorum cerebri. de neru.diss. 1ª.53.C
Figura crystallini humoris, qualis. de ana.viu. Sp.48.D
Figura aurium, quæ. de ana.viuo. Sp.48.G
Figura propria linguæ, quæ. de ana.viuo. Sp.49.C
Figura cordis, qualis. de compag.memb. siue de nat.hu. Sp.58.G
Figura cordis qualis, & cur. de ana.viu. Sp.52.F
Figura cordis cur sit acuminata. de ana.viuo. Sp.46.C
Figura prima est figura cordis. de ana.viu. Sp.47.B
Figura cordis est prima figura. de ana.viu. Sp.47.B
Figura q̃ egregie coniungit punctũ cũ superficie. de ana.viu. Sp.52.F
Figura renum. de ana.viuo. Sp.51.D
Figura splenis, quæ. de anat.viu. Sp.51.A
Figuram inuersam, & protensam extra habet hominis instrumentum. de ana.viuo. Sp.51.D
Figuram inuersam, & protensam intus habet fœminæ instrumentum. de anatomia viuorum. Sp.51.D
in Figuras varias iactatio. 9°. met.me. 7ª.56.G
Figura membrorum qualis esse debet. de fract.com. 3°. 7ª.245.G
Figura rectissima membrorũ est a dolore aliena. 6°. met.me. 7ª.41.B
Figura rotunda comparata ad vix patiendum. 1°. de vsu par. 1ª.115.H
Figuram mediam diutissime seruamus. 1°. de motu mus. 1ª.312.H
Figuram mediam aliqñ mutare desideramus. 1°. & mot.mus. 1ª.312.H
ĩ Figuris extremis appetimus celerẽ mutationẽ. 1°. & mo.mu. 1ª.312.H
Figuræ quæ contrariæ in brachio. de fract.com. 1°. 7ª.226.C
Figura angularis quæ, sm Hippocr. de fract.com. 1°. 7ª.226.C
Figura brachij angulosa, ἐγγώνιος dicta, est sine dolore, & naturalis est membro. 6°. met.med. 7ª.41.B
Figura cruris paulo minus porrecta est sine dolore, & naturalis membro. 6°. met.med. 7ª.41.B
Figuram euariant artus effracti male alligati. de cau.mor. 3ª.8.H
Figurarum excessus cur afferunt dolorem. 1°. de mo.mus. 1ª.312.H
Figura omnis molesta est summe imbecillibus. 1°. de mo.mu. 1ª.313.A
sm Figuram morbi causæ, quæ. de ocul. 7ª.185.G
Figura incommoda in quo genere ægrotationis. de diff.mor. 3ª.3.A
Figuræ naturalis mutationes. 3°. de symp.cau. 3ª.30.E
Figuræ naturalis varietas cur fiat, & quot modis. de cau.mor. 3ª.8.F
Figura naturalis ex accidẽti qbus mutẽt, et quo mõ. & cau.mor. 3ª.8.H
Figura deprauatur ob repletionem vel inanitionẽ. & cau.mor. 3ª.8.H
Figuram naturalem inuertere possunt motus ante tempus & citationes. de causis morborum. 3ª.8.F
Figuram euariant inflammationes, duri tumores, & cicatrices indurate. de cau.mor. 3ª.9.A
Figuram naturalem immutant elephas & tabes. de cau.mor. 3ª.8.H
ad Figuræ variationem pertinebit ægritudo, quando fibra cuiuspiam visceris exciderit ob vehementiores casus aut afflictationes. de cau.morb. 3ª.9.E
Figurã propriam hñt morbi, qua cognoscantur. 2°. de cris. 4ª.137.D
a Figura, & positu indicatio. 4°. met.me. 28.F/29.B/ 7ª.49.C
ex Figura sumitur tertia indicatio in ventriculo affecto. 7°. methodi medendi. 7ª.48.H
in Figura errores qui corrigi possunt. ars med. Is.69.B
a Figura & materia, cucurbitularum differentiæ. de cucu.sca. 6ª.3.D
ex Figura differentiæ cucurbitularum. de cucur.sca. 6ª.3.E
ad Figurãdũ corpa, vbi qd manu fieri oportet, laqueus. & laq. 7ª.306.F
ad Figuranda corpora, vbi manu curatio adhibetur, laqueus. de laqueis. 7ª.308.E
ad Figurãda corpora, vbi iuxta anũ curant, laqus. de laqis. 7ª.308.G
Figura lunata ab vna pte sima, ab altera gibba ẽ ascia. & fas. 7ª.295.B
Figuræ sunt in organis. 2°. met.med. 7ª.13.D
Figura scamni qualis. de mach. 7ª.311.E
FILATIM excerptum linamentum. 4°. de compositione medicamentorum per gen. 5ª.242.E
Filatim excerpti panniculi. 4°. de comp.med.per ge. 5ª.242.F
Filatim concerpti panniculi. 4°. de comp.med.per ge. 5ª.244.E
FILICVLA dulcis, acris, amara. 6°. de simplicium medicamentorum facultatibus, 5ª.46.D
Filicula habet vim septicam. 6°. de simp.med.fac. 5ª.46.D
Filiculæ pilis glabram cutem efficit. 6°. de simp.med.fac. 5ª.46.D
Filicula pro iecoris phlegmone. 13°. met.me. 7ª.84.A
FILIOS suscipere nõ curãt exercẽtes se ĩ olympijs. 1°. & se. 1ª.334.A

Filij habent ſimilitudinem cum parentibus.de fœt.for. 1ª.326.B
Filij qñq; ſimiles ꝓgenitoribus nõ ſolis parẽtibus.ḋ the.ad Pi. 5ª.94.E
Filij vnde ſimiles parentibus.de hiſt.phil. Sp.10.G
Filij cur diſſimiles parentibus.de hiſt.phi. Sp.10.H
*Filios non recte regunt Germani.*1°.*de ſan.tu.* 2ª.66.E
Filijs principum, diligentia rectorum formido potius eſt. de præcognitione. 4ª.219.D
Filios Hippocratis, Comici ob immodicum calorem ſtultitiæ mordẽr. quòd animi mores. 1ª.318.F
FILIX *quid.de ſimp.med.* Sp.84.D
Filix vires habet acres,& relaxantes.de ſimp.med. Sp.84.D
Filix ventrẽ mollit, tineas,& lũbricos expellit.de ſimp.me. Sp.84.D
*Filix, quoniam amara, latum lumbricum necat.*8°.*de ſimplicium medicamentorum facul.* 5ª.59.C
*Filix pro iecore qualis ſit.*8°.*de comp.med.ſec.loc.* 5ª.195.B/C
*ex Filice hypogloſſis Andromachi.*7°.*de compoſitione medicamentorum ſecundum locos.* 5ª.181.F
ex FILIS *quibuſdam longitudinalibus,& quibuſdam tranſuerſis cõponitur interior panniculus ſtomachi.de ana.viu.* Sp.49.G
ex Filis latitudinalibus componitur exterior panniculus ſtomachi.de anatomia viuorum. Sp.49.H
*Filum quale eſſe debet in ſuitione vlcerum.*6°.*met.me.* 7ª.39 F
*Filum aurium.de arti.com.*2°. 7ª.265.B
*FIMBRIAE, quæ. de art.com.*2°. 7ª.265.G
*Fimbrijs affulciendum, non comprimendum.de ijs, quæ in med.ſi.commentario.*3°. 7ª.215.D
ex FIMO *aer coinquinatus vitioſus.* 1°.*de ſan.tu.* 2ª.67.B
Fimi vis.de ſimp.med. Sp.84.E
Fimi quo modo attrahant. 5°.*de ſimp.med.fac.* 5ª.36.F
Fimus omnis tumorem efficaciſſime lenit, et veteres durities remollit. de ſimp.med. Sp.84.E
Fimi aſinini vis.de ſimp.med. Sp.84.E
Fimus aſininus dentium dolorem tollit.de ſimp.med. Sp.84.E
Fimi canini vis.de ſimp.med. Sp.84.E
Fimus caninus tumores, et vulnera delicate mũdat.ḋ ſim.m. Sp.84.E
Fimus albus canis.de remed.par.fac. 7ª.158.A
FINIS quid fin.med. Iſ.43.F
Finis & bonum idem.ad Thraſ. 2ª.103.E
*ad Finem quid ſignificet apud Hippocratem.*2°.*de diff.reſp.* 3ª.65.C
Finẽ reſpõdẽt oẽs interrogati, cuius gratia res fiãt.de cau.pro. 3ª.96.D
Finis, & efficiens cauſæ principaliſſimæ.de cauſ.procatar. 3ª.96.E
a Fine diffinitiones magnas difficultates faciunt.ad Thraſ. 2°.102.F
Fine quandoque carent, quæ fiunt a caſu.de cauſ.procatar. 3ª.96.G
Finis eſt vnus in omni re,& qui.ad Thraſ. 2ª.103.E
Finis, qui. 5°.*de decr.Hippo.* 1ª.257.G
*Finis communis eſt cuſtodia vitæ.*9°.*met.med.* 7ª.59.A
Fini vitæ nihil magis ſpectandum.in ora.ſuaſo. Iſa.3.F
Finis quo modo differt a ſcopo.introd. Iſ.51.G
Finis & propoſitum quo modo differant.ad Thraſ. 2ª.103.E
Finis eſt propoſiti conſecutio.ad Thraſ. 2ª.103.E
*Finis ijs quæ prę ſe ſemper præſtantior.*2°.*de ſan.tu.* 2ª.71.F
Finem quælibet ars appetit.ad Thraſ. 2ª.103.E
a Finis notione conſtitutio omnis artis.de conſtitu.art.Iſago. 36.D/*ad Thraſybulum.* 2ª.106.B
Finis notio eſt principium conſtituendarum artium, quæ methodo aliqua traduntur. 1°.*met.med.* 7ª.7.C
a Finis notione artis cõſtitutionẽ demõſtrauit Gal.de cõſt.ar. Iſ.42.G
Finis artis conſtituit prima præcepta artis,& dijudicat.ad Thraſybulum. 2ª.106.B
per Finem iudicantur artes.ad Thraſ. 2ª.106.A/B
ad Finem properare, ab eoq; artes iudicare præcipit ratio.ad Thraſybulum. 2ª.106.B
Finis aliquarum artium eſt in ſola natura rerũ, quas conſiderant, ſpectanda.de conſt.ar. Iſ.36.D
Finis Philoſophiæ, ſm Ariſtippum, voluptas.de hiſt.phil. Sp.2.H
Finis effectrix cur vna ars in vna materia,& altera conſeruatrix nõ reperiatur.ad Thraſ. 2ª.104.B
*Finis medicinæ qui, ſecundum diuerſos.*1°.*met.me.* 7ª.7.C
Finis medicinę ſecundum empiricos.de ſubfig.emp. Iſa.34.C
Finis medicinæ eſt parare ſanitatem.de ſectis. Iſ.15.H
Finis vnus medicinæ, conſecutio ſanitatis.de ſectis. Iſ.20.E/*de ijs, quæ in med.fiunt.com.* 1°. 7ª.197.F
Finem artis expetere ille non poteſt, qui plus tribuit diuitijs, q̈ arti.ſi quis opt.med. Iſa.6.E
Finales partes rei medicæ.de part.art.med. Sp.17.G
*Finis medici aduenit in ipſis hominum corporibus.*2°.*ḋ criſ.* 4ª.136.H
Finis artis ꝓſe cõſiderat ab artifice.de ijs, q̃ in med.ſi.c. 1°. 7ª.197.F
Finis artis eſt curatio, non dignotio, vel prænotio.de vict.ra.in morb. acu.com. 1°. 7ª.108.D
Finis communis totius curationis.de ijs, quæ in med.ſi.c. 1°.7ª.197.G
Finis aurium qui.de ana.viuo. Sp.48.G
Finem rigoribus imponere poteſt cucurbitula.de cucur.ſcar. 6ª.3.F
*in Fine omnium morborum ex ſuccis vitioſis, caleſacientibus & exiccantibus eſt vtendum.*14°.*met.med.* 7ª.89.C
FINITIONIS *multæ deſcriptiones.fin.med.* Iſ.43.C
*FIVNT omnia pro vita.*9°.*met.med.* 7ª.59.G
Fieri quid oporteat ſcire non magnũ, ſed quibus rationibus id efficias. 6°.*meth.med.* 7ª.37.A
*Fiẽs adhuc eſt quædã diſpoſitio, quędã permanens.*1°.*de lo.aff.* 4ª.4.A
*Fiunt adhuc quidam affectus.*1°.*de loc.aff.* 4ª.4.G
*in Fieri quæ habeant eſſe.*2°.*met.me.* 7ª.10.A
in Fieri habent eſſe actiones,& alterationes. 2°.*met.me.* 7ª.10.B
*in Fieri qui ſunt morbi, quomodo curentur.*13°.*met.me.* 7ª.80.E
*FIRMATA magnam vim demolientem expoſcunt, quæ longo tempore,& per fortiora ac plura auxilia comparatur.commenta.*4°. *aphoriſmo.*3°. Ex.30.F
*Firmationis inſtrumentum per.*3°.*de vſu par.* 1ª.129.B
*Firmatione & motu perficitur ambulatio.*3°.*de vſu par.* 1ª.129.B
*ad Firmationem calcaneũ os principaliſſimũ.*3°.*de vſu par.* 1ª.130.E
ob FIRMITATIS *etiam ſecuritatem facta ſunt crura.*3°.*de vſu partium.* 1ª.131.E
*Firmitatem & robur dant adſtringentia.*2°.*de compoſitione medicamentorum ſecun.locos.* 5ª.139.H
FIRMVM *difficulter recluditur.*3°.*de ſymp.cau.* 3ª.27.A
Firmius tenent vinctũ faſciæ in lintei lõgitudinẽ factæ.de fa. 7ª.293.H
in FISCELLAE ſpeciem Geranus.de faſcijs. 7ª.302.A
in Fiſcellæ ſpẽm Geranis in priori parte ſe oſtẽdẽs.de faſc. 7ª.302.D
FISSILIS *meminit.* 5°.*de comp.med.per ge.* 5ª.251.C
FISSVRÆ *ſedis affectus.introd.* Iſa.59.D
*ad Fiſſuras & rimas ſedis.*1°.*de comp.med.ſec.loc.* 5.130.C
FISSVS *lapis.* 5°.*de comp.med.per ge.* 5ª.254.A
FISTICI eſt cibus dulcis, ſapidus, ſubtilis, abſtergens.de diſſolutione continua. Sp.72.E
Fiſtici confortant hepar,& aperiunt oppilationem eius. de diſſolutione continua. Sp.74.H
Fiſticis corticis decoctio confortat ſtomachum, & mundificat canales pulmonis hepatis.de med.exper. Sp.140.D
FISTVLÆ *lapideæ per quas aquę tyburtinę deſcendunt.in* 6ᵐ.*de morbis vulg.com.*4°. 3ª.182.E
Fiſtula aliquis perite vtitur, alter clyſterio.ad Thra. 2ª.105.E
*in Fiſtula vrinaria quibus tubercula naſcuntur, ijs ſuppuratione facta & eruptione, ſolutio.com.*4°.*aph.*82°. Ex.37.A
Fiſtulis plenam pellem facit trachea arteria, quæ recipiunt aerem & non ſanguinem.de vtil.reſp. Sp.64.C
FISTVLA *quid.fin.med.Iſ.*49.*A/de tum.præter.nat.* 3ª.83.G
*Fiſtula quid ſit,& eius curatio.*2°.*de arte cur.ad Glau.* 7ª.105.H
Fiſtulæ ſunt abſceſſus.in 6ᵐ.*de mor.vul.com.*3°. 3ª.178.E
*Fiſtula non eſt diuiſio ſimplex.*3°.*de arte cu.ad Glau.* 7ª.106.B
Fiſtularum differentiæ duæ.fin.med. Iſa.49.A
*Fiſtula ex qua materia fiat.*2°.*de arte cur.ad Gla.* 7ª.105.H
Fiſtula quo modo fiat.de ocul. 7ª.185.H
*ob Fiſtulas futuras melius eſt vt natura decidãt oſſium feſtucæ, quàm vi medicamentorum.de ijs, quæ in med.fiunt.com.*2°. 7ª.210.H
in Fiſtulam pilum ſuillum ponebant dignoſcendi cauſa vſque quo procederet. 1°.*de comp.med.per ge.* 5ª.213.B
*in Fiſtulã qũo medicamẽta iniiciat.*2°.*de arte cur.ad Gla.* 7ª.105.H
*in Fiſtulæ profundũ debet vis peruenire.*2°.*de art.cu.ad Gl.* 7ª.106.B
Fiſtulæ lixiuia calida clyſterizantur.de ſimp.me. Sp.85.H
*Fiſtulæ anguſti foraminis qũo curatæ.*2°.*de arte cur.ad Gla.* 7ª.106.E
Fiſtulis gingiuarũ confert ſectio venarũ labiorũ.de ana.viu. Sp.55.A
Fiſtula in oculo totum oculum exercet.introd. Iſ.58.D
ad Fiſtulas oculorum.de med.fac.par. 7ª.170.D
ad Fiſtulas angulorum oculi.de med.fac.par. 7ª.176.C
Fiſtulæ poſt aures in puero caſus. 1°.*de comp.med.per gen.* 5ª.213.B

Fistulæ affectus summæ partis pedis.introd. *Isa.59.D*
Fistula armenia terra sanantur.9°.de simp.med.fac. 5ª.66.G
Fistulas sanat vel consolidat emplastrum Barbaræ.de dy. *Sp.35.F*
ad Fistulas valet stratiores.8°.de simp.med.fac. 5ª.61.D
Fistulam stringens remedium,de dy. *Sp.37.B*
ad Fistulas iungendas.4°.de comp.med.per ge. 5ª.245.C
p Fistulis,& lacerosis cutibus quæ iungenda melli.2°.de arte cur.ad Glauconem. 7ª.106.G
ad Fistulas adstringendas,exiccandas, & prorsus claudendas.2°.de comp.med.per gen. 5ª.223.G
ad Fistulam claudendam remedium.de dyn. *Sp.31.B*
ad Fistulosas cauitates carne implendas valet testa ostrearum combusta.11°.de simp.med.fac. 5ª.80.H
Fistulæ profunda pars an bene conglutinata,indicia,2°.de art.cur.ad Glauconem. 7ª.106.H
Fistularum callos tollit spondylion. 8°.de simp.med.fac. 5ª.61.G
Fistularum callos eximunt tithymalli.8°.de simp.med.fa. 5ª.62.E
Fistulis callum exterens.5°.de comp.med.per ge. 5ª.251.D
ad Fistulas q̃ nõdum callum durũ hñt.1°.de comp.me.per g. 5ª.213.B
ad Fistularum callos.5°.de comp.med.sec.loc. 5ª.160.G
ad Fistulas callosas iam exiccatas,4°.de comp.me.per gen. 5ª.245.C
ad Fistulas omnes recentes.5°.de comp.med.per ge. 5ª.246.E
ad Fistulas.2°.de composi.medica.per gen.225.D/226.C/227.E/4°.243.D/ 5°.245.H/ 247.D/ 248.E/G/249.D/ 251.B/252.E/ 6°.255.F/259.B/ 5ª.261.A/B
Fistulas iuuans.6°.de comp.med.per ge. 5ª.262.A/B
ad Fistulam probatum remedium.de dyn. *Sp.30.H*
ad Fistulam remedia.de dyn. *Sp.31.A*
ad Fistulas tollendas.de dyn. *Sp.31.B*
FISTVLARI *quid sit.in prog.com.2°.* 4ª.204.H
FITARABEGI. secretorum. *Sp.102.F*
FIXVRA species coarticulationis in capite.introd. *Is.54.F*

FLACCIDA *corpora confirmat omphacomeli, de dynamidijs.* *Sp.22.C*

Flaccidas laxasq; partes densant sales theriaci.de vsu ther. 5ª.97.E
ad Flaccidas carnes,& humectas.5°.de comp.med.per ge. 5ª.248.G
FLAMMA, *pruna,ignis genera,4°.de simp.med.fac.* 5ª.24.F
Flamma nec pruna quare aqua nõ efficiatur.4°.de simp.me.fa. 5ª.24.G
Flamma sufflaua.2°.de simp.me.fac. 5ª.9.G
Flammæ generatio vnde.de vtil.resp. 1ª.224.G
Flamma omnis indiget aere.de vtil.resp. 1ª.225.F
Flamma nutritur non tãtum a pingui,sed etiam ab aere vicino.de vtilitate respirationis. *Sp.62.D*
Flãma maior indiget ampliori aere,minor pauciore.de vti.re. 1ª.225.F
vt Flamma ab oleo nutritur calor naturalis.de vtil.resp. *Sp.62.C*
Flammæ quot modis augeantur.de vtil.resp. 1ª.224.F
Flammæ proportionatus esse debet ventus, si illam augere debet.de causis morborum. 3ª.7.D
in Flamma ventilata quo modo fiat caliditas.de cauf.morb. 3ª.6.D
Flamma fit aer accensus,4°.de simp.med.fac. 5ª.24.G
Flamma ad incrementum quo motu egeat.de cauf.morb. 3ª.7.D
Flammæ conseruantur commoderatione.de vtil.resp. 1ª.224.H
Flamma frigido aere moderate indiget.de vtil.resp. 1ª.224.H
Flamma an eadem sit semper.de vti.resp. *Sp.62.E*
vt Flamma est in continuo motu,ita calor a corde ad venas continuo fluit.de vtil.resp. *Sp.62.F*
Flammas duplici motu moueri probat.de vtil.resp. 1ª.224.F/G/H
Flammæ motus sursum a quo.de vtil.resp. 1ª.224.F
Flammæ cur contrahuntur.de vtil.resp. 1ª.224.G
Flamma cur habet velocissimam corruptionem.de vtil.resp. 1ª.224.G
Flamma quo modo corrumpatur.de vtil.resp. 1ª.224.H
Flammæ quot modis extinguantur,de vtilit.resp. 1ª.224.F/*de trem. palp.conuulf.& rig.* 3ª.54.E
Flammæ imbecilles sole extinguuntur.4°.de simp.med.fac. 5ª.27.H
Flamma quo modo marcescat ob aliam flammam.& cauf.mor. 3ª.7.C
Flamma maior quo modo minorem extinguat.de vtil.resp. *Sp.62.D*
Flamma lucernæ quo modo ferè extinguitur,de cauf.morb. 3ª.7.C
Flamma quo modo extinguatur ab aere.de cauf.morb. 3ª.7.C
Flammam extingunt frigus intensum,& calidum intensum. de vtilitate respirationis. 1ª.224.H
Flamma lucernæ tollitur suffocando.de vtil.resp. 1ª.224.H
Flamma quo modo obstruitur,de cauf.morb. 3ª.7.C

Flamma statim extinguitur in cucurbitulis,sed calor remanet diu.de vsu pulsuum. 1ª.228.B
Flammæ ante suffusionem apparent.de ocul. 7ª.187.C
Flamma quando non est sed fumus.1°.de diff.resp. 3ª.62.A
Flamma quandoque prodest,quandoque obest.3°.de temp. 1ª.23.B
Flamma aggrauant ligna viridia.de cauf.morb. 3ª.6.E
ad Flammam ignis acerrimi coquit medicamentum.6°.de comp.med. secundum loc. 5ª.263.B
non Flamma,sed igne liquefaciendũ.5°.de cõp.me.per ge. 5ª.247.E
FLAMMA *& vstio thoracis quo lunæ aspectu fiat. de decub.prog.ex mathematica scientia.* *Sp.12.G*
Flamma in stomacho habentibus quid conferat.de me.exp. *Sp.104.H*
FLAMMANS *facies sine rigore cum sudore, mala.in 1ᵐ.prorrhe.commentario.2°.* 4ª.173.G
Flammea & ardentia,igneiq; affectus omnes sunt calore vincente.de palpit.trem.conuulf.& rig. 3ª.54.D
Flammantes morbi,qui.de vic.ra.in mor.acu.com.4°. 7ª.137.B
Flãmãs morbus q apud antiquos.de uic.rat.in mor.acu.c.4°. 7ª.137.B
FLAMMOSA *est caro pulmonis.de ana.viu.* *Sp.55.H*
FLANTE borea dulcior erit aqua,& frigidior.de bon.aq. *Sp.75.G*
Flante Austro aqua minus dulcis erit, sed calida magis. de bonitate aquæ. *Sp.75.G*
FLATVLENTIAE cuius symptoma.de symp.diff. 3ª.10.E
Flatulẽtũ spiritũ expellit diospoliticõ medicamẽtũ.6°.de sa.t. 2ª.99.D
ex Flatulento spiritu dolor quo modo curetur.13°.met.me. 7ª.82.B
Flatulenti sanguinis meminit.de mult. 3ª.81.A
Flatulẽti cibi misceant cũ calidis et attenuãtib⁹.1°.de alim.f. 2ª.14.A
Flatulenta est faba,7°.de simp.med.fac. 5ª.53.D/*de vict.ra.in morb. acu.commen.1°.* 7ª.112.A
FLATVOSA *est capa.7°.de simp.med.fac.* 5ª.53.D
Flatuosum lini semen & humidum habens recrementum.7°.de simp. med.fac. 5ª.54.G
Flatuosa cur vina dulcia.de vict.ra.in mor.acu.com.3°. 7ª.125.G
Flatuosa valde,coquunt a robusto vẽtriculo.4°.de vsu par. 1ª.137.H
Flatuosam & excrementitiam habentia humiditatem venerem excitant.8°.de simp.med.fac.57.F/ 1ª.60.B
qũo Flatuosa humiditas pandiculationes,& oscitationes faciat.c.7°. aphor.56°.& 57°. *Ex.29.A*
Flatuosus spiritus qualis sit,& cui comparatus.2°.de arte curati.ad Glauconem. 7ª.104.E
Flatuosus spiritus a qua materia oriatur.in 1ᵐ.pror.c.1°. 4ª.168.F
Flatuosi spiritus cum flatibus conueniunt.in 1ᵐ.de morb.vulgaribus commenta.3°. 3ª.118.C
ex Flatuoso spiritu humor,qualis.2°.de ar.cur.ad Glau. 7ª.104.E
ob Flatuosum spiritum qui non habet exitum,sed in inteſtinorum inuolucris est interceptus,& propter morsum vehementem fiunt tormina.com.4°.apho.11°. *Ex.28.D*
Flatuosi spiritus in incarnosis partibus, quo modo curentur,& quib. 2°.de art.cur.ad Glau. 7ª.104.H
Flatuosi,& crudi spiritus copia facit dolorem.4°.de loc.aff. 4ª.27.D
ex Flatuoso spiritu dolor.12°.met.me. 7ª.79.B
ex Flatuoso spiritu dolor curatur cucurbitula cum flãma copiosa.12°. methodi medendi. 7ª.79.H
Flatuosi fiunt q a morbis immodice se satiant.3°.de symp.ca. 3ª.25.B
Flatuosis non est medicamentum exhibendum.de victus ratio.in mor. acu.com.4°. 7ª.150.F
ad Flatuosos.7°.de comp.med.per ge. 5ª.266.E
Flatuosa quæ offendunt,qũo extra mittantur.2°.de symp.ca. 3ª.22.H
Flatuosæ,& caliginosæ materię meminit.in 1ᵐ.de morb.vulgaribus. commen.1°. 3ª.104.G
Flatuosa & hypochondriaca quando vocatur melancholia.3°.de locis affectis. 4ª.19.D
Flatuosiores quando fiunt tumores.13°.me.me. 7ª.80.G
FLATVS *seu exsufflatio quo modo fiat.1°.de loc.aff.* 4ª.6.E
Flatus seu exsufflatio est materia vocis.1°.de loc.aff. 4ª.6.E
cum Flatibus conueniunt flatuosi spiritus.in 1ᵐ.de morb.vulgaribus. commen.3°. 3ª.178.C
Flatus generatio vnde.3°.de symp.cau. 3ª.27.E
Flatum non facit calor fortis,sed diminutus.3°.de symp.cau. 3ª.27.E/ *14°.met.me.89.A/de vict.rat.in mor.acu.com.4°.* 7ª.140.A
Flatu impleri a naturali calore imbecillo fit.in 6ᵐ.de morb.vulgarib. commen.3°. 3ª.172.A

In Flatus deducuntur frigidi,craſſi,& lenti humores à calefaciẽtibus. 12°.methodi medendi. 7ª.79.E
Flatus ventoſus generatur ex humoribus viſcoſis & craſſis per moderatam caliditatẽ.9°.de com.med.ſec.loc. 5ª.205.E
Flatus, vel fluctuationes, vel nauſeæ ſubſequuntur cibos qui diſplicẽt. com.2°.aph.38°. Ex.17.G
Flatus quibus locis colligatur.14°.meth. med. 7ª.88.E
Flatus eſſe in diuerſis locis.3°.de ſymp.cau. 3ª.27.F
Flatus quando fiant.3°.de ſym.cau. 3ª.25.D
Flatus ad tibias comparatio.3°.de ſym.cau. 3ª.27.F
Flatũ parit allium.de vict.ra.in mor.acu. com.4°. 7ª.145.C
Flatum minus generant capæ,quæ ſunt tẽperatura ſicciore.7°.de ſimplicium med.fac. 5ª.53.D
Flatum parit caſeus.de vict.ra.in mor.acu.com.4°. 7ª.145.D
Flatibus ventrem implent fabæ.2°.de ali.fac. 2ª.17.E
Flatus facit triticum elixum.1°.de ali.fac. 2ª.11.B
Flatus vini dulcis difficile reſoluit.de vic.ra.in mor.ac.c.3°. 7ª 125.G
Flatus vinorũ tenuium qualis ſit.de vic.ra.in mor.ac.cõ.3°.7ª.125.G
Flatibus implet muſtũ,niſi velociter pertranſeat.2°.de ali.fa.2ª.17.F
in Flatus facile incidunt cruditates habentes.4°.de ſa.tu. 2ª.84.H
Flatus hypochondriacus affectus.3°.de loc.aff. 4ª.18.F
Flatus hypochondriacus contingit in declinantibus ætate, cum venere vtuntur.in 6ᵐ.de mor.vulg.com.3°. 3ª.171.G
Flatus hypochondriaci cauſa.3°.de loc.aff.18.G/ 4ª.19.D
Flatus hypochõdriacus quo mõ fiat,et q̃ illũ ſequũt.3°.ḋ l.af.4ª.18.C
Flatus hypochondriaci cognitio vnde ſummatur. de melancholia ex Galeno, Rufo,& Poſſidonio. Sp.109.G
Flatus hypochondriaci ſigna.de mel.ex G.R.& Poſſ. Sp.109.C
Flatus hypochondriaci ſymptomata.3°.de lo.affe.18 H/ 5°.4ª.32.H
Flatum hypochondriacum habentes cur melancholici.2°.de ſymptomatum cauſis. 3ª.24.D
Flatus hypochondriaci ſymptomata, & an in cerebro.3°.de locis affectis. 4ª.19.D
in Flatu hypochondriaco cruditates.5°.de lo.aff. 4ª.32.H
in Flatu hypochondriaco videtur inflammatio.3°.de lo.aff. 4ª.19.B
ex Flatu hypochondriaco ſplenici.5°.de loc.aff. 4ª.32.H
in Flatu hypochondriaco ſanies vitioſa ex ſplene in ventriculum.5°. de locis affectis. 4ª.32.H
Flatus hypochondriaci curatio.3°.de loc.aff. 4ª.19.D
Flatum hypochondriacum iuuant cibi frigidi.3°.de lo.aff. 4ª.18.H
ad Flatum ventris valet acetum ſcillinum.de med.fac.par. 7ª.178.C
Flatus ventris diſcutit vitex ſuper omnia.6°.de ſim.me.fac. 5ª.41.A
ad Flatibus turbatum ventrẽ theriaca valet.de the. ad Piſo. 5ª.91.F
Flatus in latis inteſtinis bombos faciunt.3°.de ſymp.cau. 3ª.27.F
ob Flatus inteſtinorum.3°.de ſymp.cau. 3ª.27.F
Flatus inutilis per ructus & inferiora exit.4°.de vſu par. 1ª.138.A
Flatus plures oſtendunt futuram ægritudinem.ars med. Iſa.67.F
Flatus pauciores oſtendunt futuram ægritudinem.ars med. Iſa.67.F
Flatus ſilens & ſonorus.3°.de ſym.cau. 3ª.27.F
ob Flatus ieiuni ſonitus.3°.de ſym.cau. 3ª.27.F
Flatus ſine ſonitu optimus.in prog.com.2°. 4ª.200.A
Flatus non exit per cunnum.1°.de ſem. 1ª.329.F
Flatus ſi male oleant quid agendum.de vi.ra.in mor.ac.c.4°.7ª.139.D
Flatus quoque cognoſcuntur in vrina.de vri.ſig.ex. Hipp. Sp.79.B
Flatus non poteſt eſſe cum vrina tenui.de vrinis. 4ª.124.G
Flatus variat ſitum contentorum in vrina. de vrinis. 4ª.124.B
propter Flatus vrina ſuſpenditur.de vrinis. 4ª.123.H
Flatuũ lationes per venas quibus eueniant. præſag.exp. cõſi. Sp.78.E
à Flatibus diſtrahitur natura quo modo.de vrinis. 4ª.123.H
ex Flatu dolor acerbiſſimus.de mult. 3ª.79.D
Flatus ventoſus ex corpore aliquando fertur in caput.2°.de compoſi. medic.ſec.loc. 5ª.135.G
ex Flatu ventoſo quo modo fiant dolore.5°. de compoſitione medicamentorum ſecundum locos. 5ª.135.H
Flatus ventoſus tranſitum non habens dolorem excitat.3°.de compoſitione med.ſec.loc. 5ª.140.E
Flatus qñ dolorẽ maximum excitant.2°.de arte cu.ad Gl. 7ª.104.F
cum Flatu ventoſo calor doloroſus quando abundat, quid agẽdum.2°. de compo.me.ſe.loc. 5ª.136.C
ex Flatu dolor qbus clyſteribus cureẽ.2°.de ar.cu.ad Glau.7ª.104.G
ex Flatu & humore dolorem curat Galenus oleo, in quo ruta percocta ſit pro clyſteri.12°.meth.med. 7ª.80.A
ex Flatu qũo ruptum ſtamneum vas,in quo theriaca.de mul. 3ª.79.D
Flatus quæ ſanent.8°.meth.med. 7ª.53.F
Flatum diſcutit,& ſitim non facit Allium.12°.meth.med. 7ª.79.E
Flatum maxime diſcutit allium oĩum eduliorũ.12°.meth.med. 7ª.79.E
Flatus ventris reprimit Aniſum.6°.de ſimp.med.fa. 5ª.43.C
Flatus diſcutit Apium.8°.de ſimp.me.ſa. 5ª.60.B
Flatuum crudorum diſcurſus perſanare apparet Bdellium arabicum. 6°.de ſimp.med.fac. 5ª.44.H
Flatus extinguit Caron.7°.de ſimp.med.fac. 5ª.30.A
Flatum extinguit Cyminum.7°.de ſimp.med.fac. 5ª.53.F
Flatus diſcutit Cucurbitula applicita.14°.meth.med. 7ª.88.F
Flatus extinguũt Lybiſtici radix & ſemen.7°.de ſim.me.ſa. 5ª.54.F
Flatus vel maxime extinguit Nigella.7°.de ſimp.med.fac. 5ª.55.D
Flatũ diſcutit Ocymeli parũ acre.de vic.ra.in mor.acu.c.3°.7ª.130.B
Flatus educit Peplium.de dyn. Sp.20.H
Flatus extinguit Peroſelinon.8°.de ſimp me.fac. 5ª.58.C
Flatus extinguit Ruta.8°.de ſimp.med.fac. 5ª.58.D
Flatum diſcutientia Semina.de ren.aff.dig.& med. 7ª.194.A
Flatus ventris diſcutit Vitex.6°.de ſimp.med.fac. 5ª.40.H
ad Flatus valens antidotus.2°.de antido. 5ª.111.H
Flatus niſi erumpãt,aut vrinæ proueniat copia, quibus hypochondria ſuſpenſa murmurantia,iliũ dolore accidente,ys alui humectantur. de vrinæ ſignificatione ex Hippo. Sp.78.H
ex Flatu apoſtema quo modo curetur.de ocul. 7ª.189.H
Flatus, Lege Spiritus ventris.
FLAVIVS *Boethus quanto amore proſequebatur anatomiam.1°. de anat.admi.* 1ª.63.B
FLAVIVS *Clemens.7°.de com.me.per ge.* 5ª.271.D
FLAVII *pyctæ.i.pugilis,ad dyſentericos.9°.de compoſitione medicamentorum ſecundum locos.* 5ª.203.D
FLAVVM ξανθὸν, *fuluum* χλωρὸν, *pro eodem.5°.de ſa.tu.* 2ª.91.A
Flauo, & pallido colori,contrarij colores liuidi & nigri.14°.methodi medendi. 7ª.87.E
Flauum colorem eſſe fuluo intenſiorẽ, collige.de victus ratione in morbis acutis,com.3°. 7ª.126.E
in Flauum poſt fuluum fit tranſitus ab albo.de victus ratione in morbis acutis,com.3°. 7ª.126.E
inter Flauum & album medium pallidum.5°.de ſan.tu. 2ª.91.A
Flauum ex pallido ὠχρὸ ξανθὸν *dicunt.4°.de ſa.tu.83.G/ 5°.2ª.91.A*
Flaui ſunt colore finitimi rufis.de ſal.diæta. 2ª.40.E
Flauo eſt albius rufum.1°.de criſ. 4ª.129.D
Flauus color quantum a rubro in albiorẽ ſecedit,tantum flauus a pallido.de vict.ra.in mor.acut.commen.2°. 7ª.119.E
Flauum fit rubrum vna ſimplici alteratione.1°.de na fac. 1ª.292.D
FLAVOS *capillos hẽt cõceptus in horis phlegmatis.de ſper.* Sp.37.C
Flaui capilli quo modo reddantur.1°.de compo.med.ſe.lo. 5ª.127.B
FLAVA *fiunt vina tempore.de vinis.* Sp.76.G
Flaua omnino fieri non poſſunt alba vina.5°.de ſan.tu. 2ª.91.B
Flauus color in vinis calidiſſimus.5°.de ſan.tu. 2ª.91.A
ex Flauis,& fulũis vinis quædã ſunt dulcia vt hippodamãtiũ, et Fauſtianũ Falernũ, quædã omnino dulcedine carent.de vinis. Sp.76.F
Flaua vina rutila ſunt mediocriter dulcia.de bo. et vitio ſuc.2ª.38.D
Flaua vina pinguis ſubſtantiæ ſanguinem augent,& corpus nutriunt. 5°.de ſan.tuen. 2ª.91.B
Flauum vinũ ſubſtantia tenue vrinas mouet.5°.de ſan.tuen. 2ª.91.A
Flauæ bili materia ſunt omnia vina dulcia.de vinis. Sp.76.E
Flaui incidunt in melancholiam.3°.de loc.aff. 4ª.18.E
Flauiores planè cernuntur homines ſi bilis meracior ſuperauerit.4°. de ſanitate tuenda. 2ª.84.A
Flauius ſolito corpus effectum bilioſum ſuccum abundare indicat.4°. de ſanitate tuenda. 2ª.84.B
Flauus tumor ſignificat bilem.14°.meth.med. 7ª.89.D
FLAVA *aliquando eſt bilis amara, & quomodo.1°.de criſ.* 4ª.129.D
Flaua bilis & pallida differunt.3°.de locis affectis.4ª.18.A/de frac. commentario 2°. 7ª.236.C
Flauus humor pallido craſſior.de atra bile. 1ª.34.E
inter Flauam & pallidam bilem differentiam non facit.2°.de compoſitione medi.ſec.loc. 1ª.135.D
Flaua bilis quomodo palida videatur de atra bile. 1ª.34.E
ex Flaua bile circa os ventriculi ſyncope quo modo curanda.12°.methodi medendi. 7ª.76.D
Flaua bilis veloci motu delata ſupra membra ſentiẽtia facit rigores. cõ.4°.aphoriſmo

com.4°.aphorismo 58°. Ex.33.G
Flauam bilem vnà cum sanguine in venis redundantem, & ebullientẽ habet febris ardens, tertiana vero eãdem bilem habet per totũ corpus delatam, ac motam.com.4°.apho.59°. Ex.33.G
Flaua bilis impermista aquosæ humiditati.com.7°.aph.29°.Ex.55.E
Flauę bilis morbi debent purgari in principio æstatis. quos purg. op. quibus med.& quo temp. 5ª.88.C
Flauam bilem purgat hiera ex scãmonio.1°.de com.me.se lo. 5ª.121.E
Flaua bilis superassata facit insanius furiosas.c.6°.aph.53°. Ex.53.B
FLAVIOR sanguis, qualis.1°.de cris. 4ª.130.B
Flauus sanguis siue rubeus, siue spumosus, siue niger, siue aquosus, siue crassus supra exiens, malus.com.4°.apho.25°. Ex.30.A
FLAVVM aut pallidũ est sputum, si bilis abũdat.5°.de lo.af. 4ª.29.H
Flaua sputa morbo laterali fiunt ab humoribus biliosis. commen.6°. aphorismo.33°. Ex.50.A
Flauum pallidumúe biliosum excrementum euomitum, à iecore prouenit.2°.de tempe. 1ª.20.D
à FLAVO colore factæ alterationes dicuntur pathema & passio visus. de symp.diff. 3ª.10.C
FLAVA quæ sint medicamenta.2°.de comp.me.per ge. 5ª.221.E
Flauus color quo modo fiat chalcitidi.1°.de antido. 5ª.107.H
Flaua qua vtitur Andromachus.5°.de comp.me.per ge. 5ª.252.F
ad FLECTENDVM si difficile non sit, & firmiter innitatur qđ durum est, id & trahere valenter, quicquid voluerit, potest, et violenter tendere, & fortiter tenere.3°.de symp.cau. 3ª.28.H
Flectentes penitus quãcunque partẽ dolemus.1°.đ mo.mus.1ª.312.H
Flectentes caput cum ceruice musculi, qui.de mus.diss. 1ª.45.H
Flectere brachiale, & digitos quorum musculorum sit officium.de musculorum dissectione. 1ª.48.F
Flectẽs ceruicem in priora obliqua musculus, qui.de mus.dis.1ª.46.H
Flectens musculus brachiale cum inclinatione ad supinum qui, & qui cum inclinatione in pronum.de mus.diss. 1ª.48.G
Flectens quinque digitos musculus.de mus.dis. 1ª.48.G
Flectat à quo tẽdone primus, & tertius articulus.đ mus.diß. 1ª.48.H
Flectens in pronum brachiale apud magnum digitũ musculus. de musculorum dissectione. 1ª.49.A
Flectentes musculi primum digiti articulum, qui.de mus.dis. 1ª.49.C
Flectẽtes musculi secđã articulorũ dearticulationẽ.đ mus.dis.1ª.49.C
Flectentes spinã musculi vbi oriantur ac desinãt.de mus.diss. 1ª.49.G
Flectens & simul introrsum magis totum femur inuertens.de musculorum dissectione. 1ª.50.G
Flectens musculus tibiam ad interiora simul, & sursum ipsam altam quo modo attollit.de mus.diß. 1ª.51.D
Flectens tibiam musculus & simul ad exteriora inuertens. de musculorum dißectione. 1ª.51.E
Flectens tibiam ad exteriora musculus.de mus.diss. 1ª.51.E
ad Flectendam tibiam natus musculus.de mus.diss. 1ª.51.H
Flectentes totius pedis dearticulationẽ musculi.de mus.diss. 1ª.51.H
Flectẽs paruũ digitũ, et indicẽ pedis musculus, qui.de mus.diss.1ª.52.C
Flectens magnũ digitũ pedis musculus.de mus.diss. 1ª.52.D
Flectentes secundum articulum vniuscuiusque digiti musculi. de musculorum dissectione. 1ª.52.G
Flectentes medium digiti articulum musculi, qui.de mus.diß. 1ª.52.H
Flectentes digitos mediocriter musculi.de mus.diss. 1ª.52.H
Flectentes cum nulla in latus inclinatione musculi.de mus.dis.1ª.52.H
Flectẽtes musculos cum modica in latus ĩclinatione.đ mus.di.1ª.52.H
FLERE cur non possunt aliqui, cum velint.4°.de decr. 1ª.253.G
Flent cur aliqui cum nolint.4°.de decre.Hippo. 1ª.253.G
Flentes cur respirationem refractam habent.c.6°.aph.54°. Ex.53.C
Fletus accidit per melancholiam.de ana.viuo. Sp.45.F
Fletus accedunt febres.1°.de san.tu. 2ª.65.F
FLEXIO a quibus musculis fiat.2°.de motu mus. 1ª.313.H
Flexio fit à musculis qui sunt intus.1°.de motu mus. 1ª.310.D
Flexiones brutorũ diuersæ a flexionibus hoĩum.3°.de vsu p.1ª.128.E.
Flexio perfecta nõ dunidit in magis & minus.1°.de vsu p. 1ª.116.B
in Flexionibus extremis multo magis laboramus, quam in extensionibus.2°.de motu mus. 1ª.315.F
ad Flexionẽ extremam multi deducere crus non possumus sine manuũ opera.2°.de mo.mus. 1ª.315.F
ad Flexionem digiti non sufficit vnus tendo.2°.de vsu par. 1ª.121.D
per Flexiones exercitia quid mali fecerint.de par.pil.exerc. 2ª.49.G
FLEXIBILIS quo mõ fiat lingua.đ cõ.memb.siue de na.hu. Sp.58.E
Flexuosi cur sint nerui.de ana.viuo. Sp.53.G
Flexuosæ incedunt venæ duæ temporum.de ana.viuo. Sp.55.A
FLEXVRRA media totius ceruicis, in latera efficitur. de musculorum dissectione. 1ª.47.A
FLOCOS euellere quid significet.in 1ᵐ.pror.com.1°. 4ª.167.A
Flocculi lanæ ponuntur ante os, vt deprehendatur an spirent præfocatæ.6°.de loc.aff. 4ª.39.E
FLORA quo modo fiat.de dyn. Sp.22.H
Flora corium adducit.de dyn. Sp.22.H
FLORENTIBVS ætate mel fit succus amarissimus. de simplicium med. facul. 5ª.29.A
in Florẽtibus ætate cur lapides generẽtur.de re.af.di. & me.7ª.192.E
cur Florentibus ætate sæpius pueri vomunt & deijciunt.3°.de symp. causis. 3ª.29.C
Florentium animalium caro media.3°.de ali.fac. 2ª.29.D
FLORIDVM corpus quale.in 6ᵐ.de mor.vul.com.3°. 3ª.171.A
Florida facies cũ animi mœrore, mala.in 1ᵐ.prorr.com.2°. 4ª.170.G
Floridus color cũ apparuerit, mẽbra sunt emollita.2°.de sa.t. 2ª.76.A
Floridum.de vict.ra.in mor.acu.com.4°. 7ª.143.F
FLORIDA. 5°.de com.med.per ge. 5ª.252.G
Florida Magni.5°.de comp.me.per ge.252.G/6°. 5ª.254.D
FLORI collyrium in Antonia Drusi matre.4°.de compositione medicamentorum secun.loc. 5ª.155.E
FLOS rosarum pro foliis rosarum. 4°.de compositione medicamentorum secundum locos. 5ª.155.D
Flores labruscæ.de simp.med. Sp.85.E
Flores herbarum quo modo sumendi cum festucis ad diacalamenti cõfectionem.4°.de san.tuen. 2ª.86.D
Flores non coquebat Galenus, sed macerabat pro acopis medicamentis conficiendis.4°.de san.tu. 2ª.87.A
FLOS farinæ polentæ.4°.de comp.med.sec.loc. 5ª.157.D
FLOS vini quid.4°.de simp.med.fac. 5ª.24.H
FLOS supernatãs in deiectionib⁹ qd significet.in 1ᵐ.pr.c.1°. 4ª.166.D
FLOS æris qualis.9°.de simp.me.fac.71.F/4°.de comp.med.sec.loc. 5ª.151.E/de ocul. 7ª.188.H
Flos æris oculis conuenit.de ocul. 7ª.188.G
Flos æris contra asperitatem palpebrarum valet.de ocul. 7ª.189.C
ex Flore æris facta collyria extergunt, auferuntq; superciliorum magnas asperitates.9°.de simp.med.fac. 5ª.71.F
Flos æris extergit & repurgat.4°.de comp.med.sec.loc. 5ª.149.G
Flos æris putrefactiuum.de ocul. 7ª.189.C
FLOS salis.3°.de comp.me.se.lo.143.D/7°.de cõ.me.pge. 5ª.272.A
FLOS aster.de simp.med. Sp.84.H
FLOS asiæ petræ erodit.4°.de comp.med.sec.loc. 5ª.149.G
Flos lapidis asij.4°.de composi.med.secundum locos.152.H/157.B/5°.161.E/6°. 5ª.168.F
FLOSCVLOS & festucas vellere in ægris quid significet. in 1ᵐ.prorrhe.de morb.vulg.com.3°. 3ª.118.A
FLVCTVANTIS humoris sonitus est symptoma ventris imbecilli.3°.de naturalibus facultatibus. 1ª.303.B
Fluctuatio sæpe auditur in thorace.4°.de loc.af. 4ª.27.G
Fluctuationes fiunt si cibi non placeant.com.2°.aph.58°. Ex.17.G
Fluctuationes cum sonitu clydonas vocant græci.de sym. diff.3ª.10.e
Fluctuationes cum sonitu cuius symptoma.de symp.dif. 3ª.10.E
Fluctuationes cum sonitu quando fiant.3°.de symp.cau. 3ª.25.D
FLVENTES aquæ versus orientem sunt optimæ, & quales.de bon. aquæ. Sp.75.D
Fluentes aquæ versus occidentem, quales.de bon.aquæ. Sp.75.E
Fluentes aquę versus austerum, quales.de bon.aquæ. Sp.75.E
Fluentes aquæ versus septentrionem dulces quidem sunt, infrigiditate aũt excedunt.de bon.aquæ. Sp.75.E
Fluentis ad loca materiæ diuersitas.de ocul. 7ª.189.E
Fluentem humorem quæ prohibent.de ocul. 7ª.189.C
Fluentibus adhuc humoribus quis scopus in curatione arthriticarum affectionum.10°.de compo.med.sec.loc. 5ª.208.G
Fluentes humores retrahuntur.2°.de arte cur.ad Glau. 7ª.102.F
Fluente materia ad aliquam partem, ab illa reuellendũ longissime.13°. meth.med. 7ª.83.A
Fluentes ad vlcus succi quomodo diuertendi.4°.meth.med. 7ª.23.F
Fluentes succi ad oculos vel aures deriuandi per nares, & os, & quibus.de cucur.scar. 6ª.4.E
Fluente gurgulione, vel palato, per nares deriuatio facienda, & quibus.de

Fluente gurgulione, vel palato, per nares deriuatio facienda, & quib. de cucur. scar. 6ª.4.E
Fluens sanguis ab hirudinibus digito sistitur. de cucur. scar. 6ª.4.E
Fluentibus capillis myrta aduersatur. de simp. med. Sp.87.E
Fluentibus locis myrta prodest. de simp. med. Sp.87.E
ad Fluentia. 5°. de comp. med. per ge. 246. H/ 5ª.248.E
FLVIDA *corpora facere oportet, vbi quis purgare voluerit. commenta. 2°. apho. 9°. 12. B/com. 7°. aph. 66°.* Ex.60.E
Fluida corpora quomodo fiant apud Galenū antequam purgentur. cōmen. 6°. aphorismo 9°. Ex.12.B
Fluidos debere esse humores quo modo intelligendum. quos purg. opor. quib. med. & quo temp. 5ª.88.H
ad Fluidas affectiones. 7°. de comp. med. sec. loc. 5ª.184.F
Fluitantis humoris vbi est sonitus, ibi imperfecta est concoctio. 3°. de naturalibus facultatibus. 1ª.303.C
FLVMINVM *origo fit à montibus. de vtil. resp.* Sp.63.H
Flumina cur maiora suo initio. 6°. de decre. Hippo. 1ª.262.C
ob Flumen vicinum aer nebulosus vitiosus est. 1°. de san. tu. 2ª.67.B
extra Flumina degentes aues commodæ seni. 5°. de san. tuen. 2ª.91.D
FLVIT *substantia dupliciter. 1°. de elem.* 1ª.7.B
FLVORES *diuturni oculorum morbus manu indiget. introd.* Isa.59.G
Fluores exedentes oculorum morbus manu indiget. introd. Isa.59.G
in Fluorib. alui fiūt pulsus vermiculantes. 2°. d̄ p̄sag. ex pul. 4ª.113.A
Fluores magnos alui sequunt pulsus vermiculātes. 3°. d̄ cau. p. 4ª.99.d
Fluorem in partibus flaccidis illabētem reprimunt sales theriaci. de theria. ad Pisonem. 5ª.97.E
ad Fluores internos. 9°. de comp. med sec. loc. 5ª.203.E
Fluor venæ sedis ī mulierib. deriuād ad vteri venas. de cu. sca. 6ª.4.F
in Fluore muliebri fiūt pulsus vermiculātes. 2°. de p̄s. ex pul. 4ª.113.A
Fluori obnoxia repurgans. 5°. de comp. med. per ge. 5ª.247.B
FLVVIORVM *aer vitandus. 12°. meth. med.* 7ª.77.E
Fluuijs paucis comparanda est bonitas aquæ Nili. de bo. aq. Sp.75.E
Fluuiorum omnium stagnantissimus Pasis. de aere, aq. & lo. 2ª.4.H
Fluuius Sybaris facit viros ingeneratiuos. de bon. aquæ. Sp.76.A
Fluuius quidam in ægypto depilat capita bibentiū. de bo. aq. Sp.76.A
Flauuiales lapides igniti remouent aquositatē lactis. d̄ dis. cō. Sp.75.B
FLVXIBILES *aquæ salubriores sunt. de bon. aquæ.* Sp.75.D
Fluxibiles debent fieri meatus, quibus superflua expurgātur. 11°. metho. medendi. 7ª.73.F
Fluxibilitati stomachi valens medicamen. de med. exper. Sp.108.B
Fluxibilitas per sedem quibus fiat. 11°. meth. med. 7ª.73.F
Fluxile & transpirabile debet esse corpus. 8°. meth. med. 7ª.51.E
Fluxile potest concrescere vt adeps. 2°. de temp. 1ª.17.G
Fluxile si sit & humidum, & nulli innitens quod molle est, id nec trahēdi sīr nec tenēdi, nec repellēdi vim habet. 3°. de sy. cau. 3ª.28.H
FLVXIO *pilorum quid. fin. med.* Isa.48.C
Fluxio pilorum affectus. fin. med. Isa.48.B
Fluxio differentiæ secundum humores. in prog. com. 2°. 4ª.203.G
Fluxiones sanguineæ, & fluxiones pituitosæ molestiores. in prognost. commen. 2°. 4ª.202.D
cum Fluxione morbi qui. de inæq. intemp. 43. B/ 3ª.44.H
Fluxionis morbos faciunt pauci motus. 1°. de san. tuen. 2ª.65.F
Fluxionis duplex occasio. 2°. de diff. feb. 3ª.40.H
Fluxionum causæ ex laborātibus partibus originē trahentes duæ sūt, caliditas, & dolor. 2°. de diff. feb. 3ª.41.B
Fluxionis causa, dolor, & calor. 13°. meth. med. 7ª.81.C
Fluxiones mouet omnis dolor. ars med. Isa.70.G
Fluxionum vitijs sunt obnoxij calidi & humidi. 5°. de sanitate tuenda. 94. D/6°. 2ª.96.F
Fluxionum morbis subiectum frigidum & humidum temperamentū. 6°. de san. tuen. 2ª.96.H
a Fluxione quæ incalescunt partes. de inæq. intemp. 3ª.43.E
ad Fluxiones recipiendas in aptitudine ordo membrorum. de cur. ratio. per sang. miss. 6ª.18.A
ad Fluxiones recipiēdas apta liē et cerebrū. d̄ cur. ra. p̄ san. mi. 6ª.18.A
ad Fluxiones recipiendas promptissimus pulmo. de curandi ratione p sanguinis missionem. 6ª.18.A
Fluxionibus propter quid corporis particulæ laborent. 1°. de com. me dica. per genera. 5ª.212.D
Fluxiones cur fiunt in partibus imbecillioribus. de cau. mor. 3ª.8.E
Fluxio vt plurimum ex imbecillitate, quæ est ex intemperie frigida. 1°. de com. me. per gen. 5ª.212.D
Fluxiones vigiliarum causa. 7°. de comp. med. sec. loc. 5ª.180.D
Fluxio vbi est, ibi non est vnica intēperies. de inæqu. intemp. 3ª.43.D
Fluxio ad mēbra decūbēs quos faciat morbos. in prog. c. 2°. 4ª.202.D
Fluxio quando maturetur. in 1m. de mor. vulg. com. 2°. 3ª.108.D
Fluxio tenuis quorsum procedat. de vict. ra. in mor. acu. c. 4°.7ª.138.F
Fluxio crassa quo pcedat. de vic. ra. in mor. acu. com. 4°. 7ª.138.F
Fluxio calida in musculum quid faciat. de inæq. intemp. 3ª.43.E
Fluxionum a capite dīria. de vict. in morb. acu. cō. 4°. 7ª.138.F
Fluxiones acres oculorum rariores. 13°. meth. med. 7ª.86.D
Fluxio ex capite ad oculos quomodo curanda. 7°. meth. med. 7ª.47.H
ad Fluxiones oculorum curatio. 4°. de comp. med. sec. loc. 5ª.157.C
in Fluxionibus oculorū venæ sectio. 4°. de comp. me. se. lo. 5ª.157.C
in Fluxionibus oculorum clysteres & medicamenta fortia. 4°. de compo. med. sec. loc. 5ª.157.C
Fluxiones oculorū ad fauces traducūt. in 6m. d̄ mor. vul. c. 2°. 3ª.166.B
à Fluxione inceßabili oculos ex longo tempore infectos cum quidam haberet, quo præsidio sanatus sit. de cucur. & scar. 6ª.4.A
in Fluxionibus caput firmandum. 6°. de san. tu. 2ª.98.F
Fluxionē a capite sistens medicamentum. de med. fac. par. 7ª.171.F
Fluxionem oculorum cohibentia. 4°. de comp. med. sec. loc. 5ª.153.E
Fluxiones oculorum cohibentia agglutinatoria. 4°. de cōpositione medicamen. sec. loc. 5ª.153.F
in Fluxionibus acribus oculorum non debemus vti thapsia, & sinapi. 13°. methodi medendi. 7ª.86.D
ad Fluxiones oculorū & aliorum corporis membrorū valet antidotus Aelij Galli. 2°. de comp. med. per ge. 5ª.110.H
Fluxiones oculorum sistens. 5°. de composi. med. per ge. 5ª.246.E/H
ad Fluxionē a ad oculos calidā. 4°. de comp. med. sec. loc. 5ª.157.D
in Fluxionibus acrib. ad oculos vti q̄b. vti debemus. 13°. m. m. 7ª.86.D
ad Fluxiones tenues et acres oculorū. 4°. de cō. me. sec. lo. 5ª.149.E
ad Fluxionem multam oculorum. 4°. de comp. me. se. lo. 5ª.153.D/F
Fluxiones diutinæ oculorum quomodo curandæ. 13°. me. me. 7ª.86.D
ad Fluxiones antiquas oculorū. 4°. de com. me. se. lo. 5ª.155.D/G
ad Fluxiones oculorū. 4°. de cō. me. se. lo. 154. F/ 157. F/7°. 5ª.185.A
Fluxiones ad oculos deferētia vasa q̄q; ēcidēda. 13°. me. m. 7ª.86.D
Fluxiones carnes lippitudo. in 1m. de mor. vul. com. 2°. 5ª.108.C
Fluxio sanguinis a naribus ab ætate. in prog. com. 3°. 4ª.208.G
ad Fluxiones internas tonsillarū, & vuæ. 7°. de com. me. se. lo. 5ª.183.G
Fluxiones quibus circa collum & caput procumbunt, non conuenit exercitatio caput implens. 5°. de san. tuen. 2ª.90.A
Fluxio capitis in vēriculū, et ī asperā arteriā. 3°. de sy. cau. 3ª.29.F
Fluxio acris a capite decidens in gulam, βρόγχον & larynga, has partes facit ineptas ad vocem. vr. 6°. de san. tu. 2ª.98.E
Fluxionum asperitates quo modo leniantur. 13°. meth. med. 7ª.86.B
ad Fluxionem gutturis. de med. fac. par. 7ª.179.C
Fluxio si in ventrem & gulā feratur, quid agat. 6°. de sa. tu. 2ª.98.F
Fluxio frigida in ventrem quid agat. 6°. de sa. tuen. 2ª.98.F
Fluxio in ventriculum corrupta quid faciat. 6°. de san. tu. 2ª.98.F
Fluxione quando tentatur ventriculus ex totius corporis redundantia. 7°. meth. med. 7ª.48.B
Fluxio quæ fit ab alio membro in ventriculum, quo modo curāda. 7°. meth. med. 7ª.48.A
in Fluxionibus ad ventriculum vinum sit calidum, & tenue. 1°. de arte cur. ad Glauc. 7ª.99.A
in Fluxionibus ventris balnea aptissima. 1°. de arte. cu. ad Gl. 7ª.99.A
Fluxio in pulmonem quibus cognoscatur. 4°. de lo. aff. 4ª.27.F
Fluxionum omnium in pulmonem communis est pulsus inæqualitas. 4°. de præsag. ex pul. 4ª.119.H
ad Fluxionum omnium simpliciter species, quæ circa thoracem consistunt. 7°. de comp. med. sec. lo. 5ª.180.D
in Fluxionibus a capite ad pectus quo medicamento vtendum. 4°. de sanitate tuenda. 2ª.85.B
Fluxio à capite, lege Catarrhi.
ad Fluxionem pectoris. de med. fac. par. 7ª.171.H
Fluxioni capitis in thoracem prodest armenica terra. 9°. de simpliciū medic. facul. 5ª.66.G
ad Fluxiones in thoracem. 7°. de comp. med. sec. loc. 5ª.179.D
ad Fluxiones thoracis. 7°. de comp. med. sec. loc. 182. H/ 5ª.185.F
ex Fluxione iecoris inflammatio. 2°. de diff. feb. 3ª.40.H
Fluxiones alui ex defluxionibus ad partes imbecillas. in 1m. de mo. vul. commen. 2°. 3ª.109.A
Fluxiones consistens in ventre, & inteſtinis, & etium in capite & thorace desiccat

vace deſiccat ſpica nardi. 8°. de ſimp. med. fac. 5ª. 56. G
Fluxiones ventris ſiſtit paoniæ radix. 6°. de ſimp. med. fac. 5ª. 45. G
Fluxiones vẽtris deſiccat ouũ cotũ cũ aceto. 11°. de ſim. m. fa. 5ª, 81. e
ad Fluxus ventris diuturnos cõmoda eſt mẽbrana, quæ eſt ſub cortice roboris & ſub glande eius. 6°. de ſimp. med. fac. 5ª. 46. E
ad Fluxiones ſtomachi. 7°. de comp. med. ſec. loc. 5ª. 185. A
Fluxio muliebris cur. 3°. de ſymp. cau. 3ª. 29. G
Fluxis iam humoribus ſcopus in curatione arthriticarũ affectionũ eſt, vt iam illapſos diſcutiamus. 10°. de comp. me. ſe. loc. 5ª. 208. H
Fluxionẽ repellentib. nõ vtimur in iſchiade. 10°. de cõ. m. ſ. l. 5ª. 207. a
Fluxio ſi in pedes & crura decũbit ſanguis mittendus ex cubiti venis ad vel vomitus prouocandos. in 6ᵐ. de mor. vul. com. 2°. 5ª. 162. B
Fluxiones omnes incipientes, quæ aut in inguina, aut in pedes, decumbunt, vtilis eſt ſuccus ex plumbo & liquore refrigeratorio. 9°. de ſimplicium med. facul. 5ª. 70. F
Fluxio ad vlcera quibus compeſcenda. 4°. meth. med. 7ª. 23. G
Fluxiones omnes quo modo curentur. 7°. meth. med. 7ª. 48. A
Fluxionibus conueniunt medicamenta quæ cum eo quod refrigerant vnà adſtringunt. 6°. de ſimp. med. fac. 5ª. 43. G
Fluxiones vehemẽtes reuulſiõe cohibentẽ. d bir. re. cuc. et ſcari. 6ª. 2. D
Fluxio ex acri clyſteri vomitu auertit. d hiru. re. cuc. & ſcari. 6ª. 2. D
Fluxionis motus ſemp ad cõtrariũ trahẽdus. 2°. d ar. cu. ad Gl. 7ª. 101. F
Fluxiones quæ retro inclinant in priora reuellendæ, quæ in priora in poſteriorem regionem abducendæ ſunt. de cucur. ſcari. 6ª. 4. G
Fluxio incipiens ad contraria trahenda. 4°. meth med. 7ª. 28. E
Fluxiones omnes tum ad contraria reuocabis, tum per vicina derivabis. 5°. methodi medendi. 7ª. 30. E
Fluxio vbi iam fixa eſt euacuanda aut per partem affectam, aut per maxime vicinam. 4°. meth. med. 7ª. 28. E
Fluxione conſiſtente & corpore vacuo digerendum. 1°. de compoſitione medicamen. per genera. 5ª. 212. D
Fluxio vbi conſiterit, ſcarificatione vtimur. de cucur. ſca. 6ª. 3. F
Fluxione procedente ſemper reuellendum. 4°. meth. med. 7ª. 28. C
in Fluxionibus corporis roboratio fieri debet non euacuatio. de curã. rat. per ſang. miſſ. 6ª. 18. A
Fluxionibus quæ aduerſentur. 2°. de arte cur. ad Glau. 7ª. 101. G
Fluxiones oẽs Amaratũ pota deſiccat. 6°. de ſimp. med. fac. 5ª. 42. D
Fluxiones repellit Andrachne. 6°. de ſimp. med fac. 5ª. 43. A
ad Fluxiones valent Aquæ aluminoſæ, quales in Italia Albula. 1°. de ſimplic. med. facul. 5ª. 3. E
ad Fluxiones eſt vtilis Aſpalathos. 6°. de ſimp. med. fac. 5ª. 44. A
ad Fluxiones medicamen ex Chalcitide oleo roſaceo diſſolutum valet. 2°. de arte cur. ad Glauc. 7ª. 101. H
Fluxiones profundas partes infeſtantes transfert & ſiccat Cucurbitula. de hirud. reuulſ. cucur. & ſcar. 6ª. 2. E
Fluxiones exiccare poteſt cucurbitula. de cucur. ſcar. 6ª. 3. F
Fluxionum affectibus ſtrenue reſiſtit Galla. 7°. de ſimp. me. fac. 5ª. 51. B
Fluxiones deſiccat, & repercutit galla. 7°. de ſimp. med. fac. 5ª. 51. B
ad Fluxionum omnes affectus efficax remedium eſt Hypociſtis. 7°. de ſimp. med fac. 5ª. 51. D
ad Fluxiones acres & mordaces vtiliſſimũ eſt Lac purum. 10°. de ſimplicium med. facul. 5ª. 75. E
ad Fluxiones Lana munda, vino acerbo madefacta valet. 2°. de arte curatiua ad Glauconem. 7ª. 101. H
Fluxiones cohibet Medion. 7°. de ſimp. med. fac. 5ª. 55. F
Fluxionum oẽs affectus cohibet Oxyacanthus. 8°. de ſimplicium medicamentorum facultatibus. 5ª. 57. D
Fluxionis affectibus prodeſt radix Phlomi albæ & nigræ. 8°. de ſim. med. facul. 5ª. 63. C
Fluxiones repercutit Polygonon. 8°. de ſimp. med. fac. 5ª. 58. H
ad Fluxionum affectus conuenit Tragion. 8°. de ſim. me. fac. 5ª. 62. E
Fluxiones ſiſtens ex libris Galli. 7°. de comp. med. ſec. loc. 5ª. 183. G
ad Fluxiones ſiſtendas. 7°. de comp. med. ſec. loc. 5ª. 183. G
Fluxionem omnem reſiccans paſtillus. 7°. de comp. med. ſe. lo. 5ª. 185. G
Fluxiones reſiccans. 7°. de comp. med. ſec. loc. 5ª. 185. A
ad Fluxiones. 7°. de compo. med. ſec. lo. 5ª. 183. B/C
ad Fluxionem omnem. 9°. de comp. me. ſec. loc. 203. E/ 10°. 206. C/ 1°. *de comp. med. per ge.* 5ª. 212. B/ *de med. fac. par.* 7ª. 170. G
ad Fluxum intercipiendum. de med. exper. Sp. 108. A
FLVXVOSA *febris, quæ. ſin med.* Iſa. 46. D
Fluxæ ſunt ad miraculũ vſque forma corporum muliebrium apud Scy [illegible] *de aere, aq, & loc.* 2ª. 5. F

contra Fluxum fluuij natans nunquam mouebitur, & ſemper mouebitur. 1°. de motu muſc. 1ª. 311. E
FLVXVS *quid ſecundum methodicos. de opt. ſecta.* Iſa. 26. D
Fluxus & colliquatio difficulter diſtinguuntur ſecundum methodicos. de optima ſecta. Iſa. 26. E
in Fluxu & clauſu morbus conſiſtit ſm Theſſalum. 1°. met. me. 7ª. 3. H
Fluxum facere quid ſit. in 6ᵐ. de morb. vulg. com. 5°. 3ª. 193. H
Fluxus quo modo conſiderandus. introd. Iſa. 57. D
Fluxus quomodo curandus. introd. Iſa. 57. D
Fluxus particularum ad alias qũo curandus. 7°. meth. med. 7ª. 47. H
in Fluxus principio ſemper repercutiendum. 1°. de compoſitione medicamentorum per genera. 5ª. 212. D
Fluxus quo modo prohibetur. 7°. meth. med. 7ª. 48. B
FLVXVS *oculorum affectus. ſin. med.* Iſa. 48. D
Fluxus in oculo quid. ſin. med. Iſa. 48. D
ad Fluxum oculorum largum. 4°. de camp. med. ſec. loc. 5ª. 153. F
ad Fluxus tenuis oculorum illationẽ. 4°. de com. me. ſe. loc. 5ª. 154. A
ad Fluxum oculorum omnis generis. 4°. de compo. med. ſec. l. 5ª. 154. F
ad Fluxũ acrem, & vberem oculorũ. 4°. de comp. med ſe. l. 5ª. 155. F
ad Fluxum vberem & tenuem oculorũ. 4°. de com. me. ſe. lo. 5ª. 155. C
ad Fluxũ tenuẽ & multũ oculorũ. 4°. de com. me. ſe. loc. 5ª. 155. G
Fluxus lippientium quam promptiſſime cohibens. 6°. de comp. medica. per genera. 5ª. 259. G
in Fluxu a cerebro ad ventriculũ curatio incipiat a cerebro, ſi nihil impediat. 7°. meth. med. 7ª. 48. H
in FLVXIBVS *ventris qui lapides igniti extinguantur in lacte. 10°. de ſimp. med. fac.* 5ª. 73. G
Fluxus ſignificat etiam profluuiũ capillorũ. com. 7°. aph. 16°. Ex. 55. A
Fluxus & phthiſis a puris ſputo, cum vero ſputum retinetur, moriuntur. com. 7°. apho. 16°. Ex. 55. A
ad Fluxum ex debilitate hepatis valẽs medicam. de me. ex. Sp. 104. G
Fluxus ventris fit a materia quæ tranſit a pectore ad ventriculum: comen. 6°. aph 2°. Ex. 46. E
Fluxus ventris cur fiant, & quot modis. com. 3°. aph. 30°. Ex. 26. E
Fluxus ventris fiant cur pueris qui iam cœpere dentire. commentario 3°. aphoriſ. 25°. Ex. 25. C
Fluxus alui ſit tempore pluuioſo. com. 3°. aph. 11° Ex. 21. B
Fluxus ventris fiunt æſtate. com. 3°. apho. 21°. Ex. 24. C
ad Fluxum ventris facit lentiſcus. de ſimp. med. Sp. 86. B
cur ex Fluxu alui, & medicamẽtorũ purgantiũ potionibus aliquid albi commiſſis palpebris ſubinſpicitur. com. 6°. apho. 52°. Ex. 53. A
Fluxu tentatam aluum ſiſtit aſtragalos. 6°. de ſimp. med. fac. 5ª. 44. A
Fluxui obnoxijs paſſionibus in vẽtre prodeſt caudæ equinæ ſuccus. 6°. de ſimp. med. fac. 5ª. 48. E
Fluxus alui curat idæa radix. 6°. de ſimp. med. fac. 5ª. 48. E
Fluxus alui deſiccat lagopus. 7°. de ſimp. med. facul. 5ª. 54. A
Fluxum ventris myrta emendat. de ſimp. med. Sp. 87. E
Fluxus ventris & ſtomachi reſiccat Parnaſſi gramen. 6°. de ſimp. medicamen. facul. 5ª. 41. C
ad Fluxũ ventris ſanguis caprarũ toſtus. 10°. de ſim. me. fac. 5ª. 73. B
ad Fluxum ventris immoderatum. ſecretorum. Sp. 100. H
ad Fluxum ventris. ſecretorum. Sp. 99. F
Fluxus alui, & ſanguinis faciunt aborſum. com. 5°. aph. 45°. Ex. 41. G
Fluxus alui lipitudinem ſanat. com. 4°. aph. 2°. Ex. 27. H
Fluxus ventris augetur denſantibus, & refrigerãtibus. 1°. de arte cur. ad Glauconem. 7ª. 99. B
ad Fluxum ventris valens medicamentum. de med. exper. Sp. 104. G
Fluxus vẽtris, lege Profluuiũ alui, & Alui pfluuiũ, & Vẽtris fluxus.
FLVXVS *muliebris, quid. ſin. med.* Iſa. 48. B
Fluxus rufus, qui. med. Iſa. 48. B
Fluxus ruber, qui. ſin. med. Iſa. 48. B
Fluxus niger, qui. ſin. med. Iſa. 48. B
Fluxus albus, quid. ſin. med. Iſa. 48. B
Fluxum muliebre iuuant aſter ſamius, & terra lemnia. 9°. de ſim. medicamen. facul. 5ª. 64. H
Fluxu aliquo per longum tempus moleſtatis mulieribus dantur hydragoga. de dynamidys. Sp. 22. A
Fluxus muliebris purgatione ſanatus. 11°. de ſimp. med. fac. 5ª. 87. G
ad Fluxum muliebrem. 7°. de compoſi. med. ſec. loc. 182. G/ 183. B/ G/ 185. A/ 9°. 5ª. 203. E/ *de dynamidys.* Sp. 25. B
Fluxus critici ex qua vi fiant. com. 7°. aph. 21°. Ex. 55. D
FLVXVM *ſanguinis imminere ſignificat vrina nigra, tenuis, cũ auriũ obtuſione,*

obtusione,& insomnia.de dynamidijs. Sp.34.B
ex Fluxu sanguinis superfluo color mutatus.secretorum. Sp.98.G
Fluxus sanguinis extenuat.com.2°.aph.28°. Ex.16.E
ex Fluxu sanguinis, vel alui profluuio, uel ex longa inedia, aut aliqua alia facta euacuatione famē ñ sanat vini potus.c.2°.a.21°. Ex.14.H
Fluxū sanguinis restringit gypsum.de simp.med. Sp.84.H
Fluxum sanguinis prohibet acetum adstringens.1°.de si.me.sa. 5ª.5.E
Fluxum sanguinis narium sistit centaurea cum aceto permista.de virtute centaureæ. Sp.93.C
in Fluxu sanguinis balnea obsunt.1°.de arte cur.ad Glau. 7ª.99.A
in Fluxu sanguinis vinum, quale.1°.de arte cura.ad Glau. 7ª.99.A
ad Fluxum sanguinis narium.de dynamidijs.25.B/secretorū. Sp.98.B
in Fluxu sanguinis cauteria candentia.1°.de simp.med.fac. 5ª.5.E
ad Fluxum sanguinis.7°.de comp. med.sec.loc. 5ª.183.G
Fluxus sanguinis, lege, Profluuium sanguinis, & Sanguinis fluxus.
FLVXVS *vrinæ ad sudorem reuocatur & deiectionem alui.de hiru. reuulsi.cucurb.& scarif.* 6ª.2.D
Fluxum restringentia.de remed.par.fac. 7ª.156.F
Fluxus vehementes à frigidis nō restinguuntur.c.7°.a.31°. Ex.49.C
ad Fluxum stringendū vel nauseam remedium.de dyn. Sp.27.H
Fluxum chronicum intercipiens electarium.de med.exp. Sp.107.H
ad Fluxum prouenientem ex causa frigiditatis membrorū. de medicinis expertis. Sp.104.G
ad Fluxum prouenientem ex frigiditate membrorū datur decoctio gentianæ.de med.exper. Sp.106.F
ad Fluxum antiquum, qui contingit ex frigiditate membrorum.de medicinis expertis. Sp.106.D
ad Fluxum chronicum medicamen bonū.de med.exper. Sp.105.G
Fluxum oēm resiccātia emplastra.1°.de comp.med.sec.loc. 5ª.130.H
ad Fluxu vexatos,& cibū nō retinētes.6°.de cō.me.pge. 5ª.256.A
ad Fluxum omnem.7°.de compo.med.sec.loc. 5ª.185.A
FOCA *inflat ventrem.de dissolutione continua.* Sp.74.F
FOCACIOLA. *de dynamidijs.* Sp.30.G
Foco incenditur nitrum.de incant.adiur.& susp. 7ª.182.D
FODERE *humum est exercitatio magna.in 6ᵐ.de morbis vulgaribus, commentario 1°.* 3ª.156.A
Fodientibus præsto adsunt lassitudines, nisi apotherapia deuitētur.3°. de sanitate tuenda. 2ª.76.F
FOECVNDAE *mulieres & viri vnde, & quæ semper, & quæ quandoque.com.5°.aph.62°.* Ex.43.H
Fœcunditas in viris.com.5°.apho.63°. Ex.44.C
Fœcundū semen est calidū & humidum.com.5°.aph.63°. Ex.44.C
Fœcundi non sunt, qui non cupidi cum fœminis commisceri.de aere.aq. & locis. 2ª.5.F
Fœcundæ prius mulieri, si sterilis facta est, quid fieri debeat.de passionibus mul. Sp.96.C
FOELICES *quos vocat Galenus.1°.de diff.resp.* 3ª.61.A
Fœlicitas humana in cōtēplatione finis.de cuiusq; animi pec. 2ª.57.H
ad Fœlicitatem quæ ducant.de cuiusq; animi pec.not.atq; me. 2ª.57.B
Fœliciter multa medico præsentantur.5°.de locis affectis. 4ª.34.G
FOEMINAE *cognoscuntur distinctæ a maribus.2°.ae sem.* 1ª.338.G
Fœmina in quo similis maribus.9°.de decre.Hippo. 1ª.281.A
an Fœmina differt a mare.quòd animi mores. 1ª.319.C
Fœminæ in quo dissimiles viris.8°.de decre.Hippo. 1ª.281.A
Fœminæ & maris differentia.2°.de semi. 1ª.338.G
Fœmina vnde procreatur.2°.de sem.1ª.338.H/de hist.philo. Sp.10.E
Fœmina & mas fiunt ex vtrorumque principiorum temperatura. 2°. de semine. 1ª.339.H
Fœmina quo modo fiat.2°.de sem. 1ª.339.H
Fœmina cur concipiatur & generetur.com.5°.aph.42°. Ex.41.E
Fœmina cur fiat, causa est ex semine viri & a matre.14°.de vsu partium. 1ª.206.E
Fœmina quando generatur ex parte seminis.sin.med.Is.49.G/de sperma te. Sp.36.E
Fœmina ex quo semine fiat secundum Stratonicū.2°.de sem.1ª.338.H
Fœmina procreatur in humidiore & frigidiore fœtus tēperatura. 2°. de semine. 1ª.339.H
Fœmina vbi generetur.de compag.memb.siue de nat.hum. Sp.59.D
Fœminæ in sinistris magis, mares in dextris concipiuntur. commenta. 5°.apho.48°. Ex.41.H
Fœmina in sinistris fit.de sperma.36.E/de natura & ordi. Sp.42.D
Fœmina in sinistra matricis continetur.de nat.& ord.cuiusl. Sp.42.D
Fœmina cur in sinistris.14°.de vsu par.206.G/in 6ᵐ.de morbis vulgaribus, commentario 2°. 3ª.169.B
Fœmina quandoque visa in dextra parte.2°.de sem. 1ª.339.B
Fœmina in dextra parte quandoque & mas in sinistra, sed raro.6°.de locis affectis. 4ª.41.E
Fœminas qui gignunt.2°.de sem. 1ª.339.C
Fœminam vt generet mulier.de remed.par.fac. 7ª.168.E
Fœmina an mas sit fœtus.de pass.mul. Sp.96.C
Fœmina nasci quando prægnoscatur.fin.med. Isa.49.G
Fœminæ & maris notæ vtero.de remed.par.fac. 7ª.168.F
Fœmina apparet, calidior, & siccior in vtero quam vir statim inter initia.2°.de sem. 1ª.339.A
Fœmina concepta est, si prægnans male colorata, & è contrario, mas. commentario 5°.aphorismo 42°. Ex.41.D
Fœmina tardius fingit in vtero.2°.de sem.1ª.339.B/de an.vi. Sp.52.B
Fœmina in quadraginta diebus formatur.de spermate. Sp.36.C
Fœmina mare humidior.11°.de simp.med.fac. 5ª.79.B
Fœmina humidior & frigidior.2°.de sem. 1ª.338.C
Fœmina mare frigidior.7°.de vsu partium.1ª.164.F/cōmentario. 5°. aphorismo.42°.41.E/aphorismo.48°. Ex.42.A
Fœminæ multæ euadunt similes patri.2°.de sem. 1ª.338.H
Fœmina sæpe assimilatur patri.2°.de sem. 1ª.338.H
Fœmina est natura frigidior & ībecillior viro.c.5°.aph.69°. Ex.45.D
Fœminarum adipe semper est calidior adeps marium, & non castratorū, eorum qui sunt castrati.11°.de simp.med.fac. 5ª.79.H
Fœminæ cur viris pinguiores.2°.de temp. 1ª.18.D
Fœmina mare imperfectior.14°.de vsu partium. 1ª.205.E
Fœmina cur mare imperfectior.14°.de vsu par. 1ª.206.E
Fœmina in motu imperfectior.14°.de vsu partium. 1ª.206.C
Fœmina cur citius mas mouetur.in 6ᵐ.de mor.vul.com.2°. 3ª.169.D
Fœmina debilior est masculo.com.5°.apho.16°. Ex.38.G
Fœmina quia imbecillius animal est, abundat multis excrementis.2°.d semine. 1ª.339.H
Fœmina quandoque est mare robustior, & magis mouetur in vtero mare.com.5°.apho.42°. Ex.41.E
Fœminæ fortes quo modo fiant.de spermate. Sp.36.E
Fœminæ simile est castratum animal.10°.de simplic.medic.facul.74.F/11°. 5ª.79.A
Fœminæ fiunt similes eunuchi propter abscissionem testiculorum.commentario.6°.apho.28°. Ex.48.H
Fœminæ, & eunuchi caluitium non patiuntur propter tēperaturæ humiditatem.com.6°.aph.28°. Ex.48.H
Fœmina in circuitu cōmissuras habet, cui galea superposita est quam græci cranium appellant.de nat.& ord.cuiuslibet corp. Sp.41.G
Fœmina a partu celerius augeī, cur.in 6ᵐ.de mor.vul.c.2°. 3ª.169.E
Fœmina citius concrescit mas.in 6ᵐ.de morb.vulg.com.2°. 3ª.169.D
Fœminæ cur prius desinunt crescere, quam homines.in 6ᵐ.de mor.vulgaribus, commen.2°. 3ª.169.E
Fœminæ in eruptione menstruorum mutationes maximas faciunt.commentario 3°.aphor.28°. Ex.25.H
ex Fœminarum menstruis Hippocrates coniecturabat superabundantem humorem.com.4°.aph.2°. Ex.27.F
in Fœmina et mare eadē neruorū origo ī genitalibus.2°.de se.1ª.339.e
Fœminæ & maris differentia in genitalibus.2°.de sem. 1ª.339.E
Fœminā habere intus genitalia, & nō extra, nō mirū.2°.d se.1ª.339.E
Fœminæ quid habent cōmodi ex genitalibus, quæ in exteriorem partem nequiuerunt emergere.2°.de sem. 1ª.339.G
Fœmina habet omnes partes, quas mas, licet aliquæ sint maiores, aliæ minores.14°.de vsu partium. 1ª.208.E
Fœminarum & virorum differentia in vesica.5°.de vsu par. 1ª.145.B
in Fœmina sunt tot partes, quot in viro, sed in fœmina sunt intus, in viro extra.14°.de vsu partium. 1ª.205.F
Fœminis & maribus eadem membra genitalia, differunt situ & magnitudine.2°.de semine. 1ª.339.D
Fœminarū et virorū genitalia vñ habeāt nutritiones.2°.d se.1ª.339.D
Fœminarū partes pudēdæ qb.vasis nutriūtur.14°.de vsu p. 1ª.209.B
Fœmina habet pudendum.vt vir.14°.de vsu partium. 1ª.205.F
Fœminæ instīm habet figurā inuersam, & ptēsam.de an.vi. Sp.51.D
Fœminarum vulua biformis.2°.de sem. 1ª.339.C
Fœmina est fœmina propter testes.1°.de sem. 1ª.335.B
Fœminarū testiculi loco oportunissimo sunt locati.14°.d vs.p.1ª.208.G
Fœminarū testes cur parui & vnde iuncti.14°.de vsu.par. 1ª.208.F

Fœminæ, & maris testium diuersitas. de ana. viuo. Sp. 51. F
Fœmina excisis testibus mari castrato fit similis. 1°. de sem. 1ª. 335. B
in Fœminis castrādis cur maius periculū, q̄ in marib. 1°. d̄ se. 1ª. 333. b
Fœmina nisi hēret semē, & testes, nō appetceret coitū. 2°. de se. 1ª. 338. B
in Fœmina testes intrinsici. 14°. de vsu partium. 1ª. 205. F
Fœminarū testes imperfectiores. 14°. de vsu par. 1ª. 207. G
Fœmina ex propriis testiculis per vtrunque corniculum in coitu semē effundit. com. 4°. aph. 48°. Ex. 41. H
Fœmina an semen afferat. de hist. philoso. Sp. 10. D
Fœmina an depromat semen vt mas. fin. med. Isa. 49. E
a Fœmina non emitti semen quidam putarunt. 2°. de sem. 1ª. 337. A
à Fœmina qdā emitti semē putarūt, sed īfœcūdū. 2°. de sem. 1ª. 337. A
in Fœminarum testibus semen & humor in glandulosis virorum partibus sunt simillima, & cur. 14°. de vsu par. 1ª. 208. C
in Fœmina humor qui effunditur, qualis. 14°. de vsu par. 1ª. 208. C
in Fœminis et viris humiditas q̄dā exiēs delectat. 14°. de v. p. 1ª. 208. c
Fœminæ oēs habent semen in meatib. seminalibus. 2°. de se. 1ª. 336. C
Fœminæ vas spermaticum, quale. 14°. de vsu par. 1ª. 207. H
in Fœmina vasa spermatica cur minora, q̄ mare. 14°. d̄ v. p. 1ª. 208. E
Fœmineū semen minoris quālitatis, quàm maris. 1°. de se. 1ª. 332. A
Fœminæ semen imperfectum. 14°. de vsu par. 1ª. 207. H
Fœmina tenet semen in seipsa. 14°. de vsu par. 1ª. 207. H
in Fœmina cur semen conseruatur. 2°. de semine. 1ª. 338. B
Fœminæ semen ad quid vtile 14°. de vsu par. 1ª. 208. A
Fœminæ semen cōfert ad generationem. 14°. de vsu par. 1ª. 206. D/E
Fœminei seminis vsus in fœto. 2°. de sem. 1ª. 338. C
Fœmininum semen masculo confert. 14°. de vsu par. 1ª. 209. H
Fœminæ semen nutrimentum seminis viri. 2°. de sem. 1ª. 338. C
Fœminæ sperma nutrimentū est spermatis viri. de spermat. Sp. 37. A
Fœmina nō gignit solo semine in se ipsa emisso. 14°. de vsu p. 1ª. 206. C
ad Fœminæ generationē requirit semē maris. 14°. de vsu p. 1ª. 206. C
Fœminæ, & maris semen mixta requiruntur ad generationem. 14°. de vsu partium. 1ª. 206. C
in Fœminis prægnantibus futuris an restet semen. 1°. de sem. 1ª. 328. H
ex Fœminæ, & maris genitura fit fœtus. 2°. de sem. 1ª. 336. A
Fœminæ & maris in semine idem motus. 14°. de vsu par. 1ª. 206. C
cur Fœmina sola non generat. 2°. de sem. 1ª. 338. A
ex Fœmina sola aut mare sine coitu nihil potest generari. de natura humana, com. 1°. 1ª. 29. C
Fœminas & mares scire coniungere ad generandum non est ars mediocris. de natura humana. com. 1°. 1ª. 29. E
Fœmina si debet concipere maris semen debet manere in matricibus. 14°. de vsu partium. 1ª. 208. B
in Fœmina sanguis & spiritus in vtero p quæ coquātur, et vbi sint 14°. de vsu par. 1ª. 207. G
Fœminæ semine nutritur semen viri, tanquam re familiari magis quā sit sanguis. 14°. de vsu partium. 1ª. 208. B
ex Fœminæ semine fit tunica αλλαντοειδὴ. 14°. de vsu par. 1ª. 208. B
ex Fœmineo semine tunica intestinalis. 2°. de sem. 1ª. 338. F
ex Fœmineo semine orta membrana intestinalis. 2°. de sem. 1ª. 338. C
Fœminæ, & mares vnde infœcundi. de hist. philo. Sp. 10. H
cum Fœminis commisceri non cupientes non sunt fœcundi. de aere, aquis & locis. 2ª. 5. G
Fœmina an mas sit sterilis qūo cognoscendū. de med. fac. par. 7ª. 175. B
Fœminæ os matricis constringitur ante horā partus. de ana. vi. Sp. 51. D
Fœminæ lac marem nutrientes. de dynamidys. Sp. 24. G
in Fœminis cur raro lapides generentur. de ren. aff. dig. & m. 7ª. 192. F
de Fœminarum formanda specie sitate librum fecit Cleopatra. de incāt. adiur. & susp. 7ª. 181. H
ad Fœminarum regiarum imperiū, atque adeo ipsorū regūt (cum his negare non liceat) exornatoriæ medicinæ parti adiungimus comptoriam. 1°. de comp. med. sec. loc. 5ª. 126. B
Fœminis regij nihil negandum. 1°. de comp. med. sec. lo. 5ª. 126. B
Fœminæ tempore Galeni delitiosæ. 1°. de compo. med. sec. loc. 5ª. 127. B
Fœminarum ornatus non recte tanto studio appetuntur. de cognoscendis curandisq́, animi morbis. 2ª. 54. H
Fœminam esse est amentis signum. in oratione sua. ad bon. art. Is. 2. D
Fœminæ multis viris meliores ad multa opera. 9°. de decre. 1ª. 280. H
Fœmellæ officium quod. 3°. de caus. puls. 4ª. 95. F
Fœmina apta medicinæ. 9°. de decre. Hipp. 1ª. 280. H
Fœmina apta musicæ. 9°. de decre. Hipp. 1ª. 280. H
Fœminæ quæ sagittas iaculantur, & cum hostibus cōgrediuntur dum virgines sunt. de aere, aque. & loc. 2ª. 5. C
Fœmina validior est mas in omni gñe animalis. 3°. de cau. pul. 4ª. 91. G
Fœmina & mas si egrotēt, qūo mutanda præsidia. de me. f. p. 7ª. 174. D
Fœminarum vrina, qualis. de vrinæ sign. ex Hipp. Sp. 79. A
in Fœminis non est inducenda vehemens refrigeratio in capitis dolore à causa calida. 2°. de compo. med. sec. loc. 5ª. 132. E
Fœminam refert par numerus, marem refert impar, ex quorundam opinione. 3°. de dieb. decre. 4ª. 158. H
FOENVM *terrestre. 4°. de simp. med. fac.* 5ª. 28. G
ad Fœnum naturaliter veniunt subiugalia. de consuetud. 2ª. 61. A
Fœnū cibus familiaris equis & asinis. 2°. de alim. fac. 2ª. 17. B
FOENVM GRÆCVM *quid sit, & eius vires. de sim. me.* Sp. 84. G
Fœnum græcum leuem habet inuersionē, vt bouis cornu videatur simile. 7°. de simp. med. fac. 5ª. 55. G
Fœnū græcū inter cerealia semina. d̄ vic. rat. in mor. acu. c. 1°. 7ª. 111. B
Fœnū græcū in primo ordine calidum est. 3°. de sim. med. fac. 5ª. 19. G
Fœnū græcum oleo calidius. 3°. de simp. med. fac. 5ª. 19. D
Fœnum græcum calidum est in secundo ordine, siccum in primo. 8°. de simplicium medic. fac. 5ª. 62. D
Fœnum græcum acre. de vic. rat. in mor. acut. com. 1°. 111. D/*de reme. paratu facilibus.* 7ª. 156. A
Fœnum græcum manifeste calefacit. 1°. de alim. fac. 2ª. 14. D
Fœnum græcum primo comedebatur. 2°. de alim. fac. 2ª. 20. A
Fœnum græcum quomodo mandatur. 1°. de alim. facul. 2ª. 14. E
Fœnū græcū, medicamētū nō cibus. de vic. ra. in mor. ac. c. 1°. 7ª. 111. b
Fœni græci vsus cur cauendus. de atten. vic. 2ª. 45. B
Fœnum græcum est cibus calidus. de dissol. con. Sp. 74. D
Fœnum græcum non est boni succi, si quis eo liberalius vtatur. de bon. & vitio suc. 2ª. 37. D
Fœnum græcum est mali chymi, cur. de dissol. cont. Sp. 75. B
Fœnum græcum ferit caput. 1°. de ali. fac. 2ª. 14. E
Fœnum græcum facit dolore caput. de dissol. con. Sp 74. F
Fœnum græcum est malum stomacho, cur. de dissol. cont. Sp. 74. F
Fœnum græcum subuertit stomachum. 1°. de ali. fac. 2ª. 14. E
Fœnū græcū inter cibos qui prius accipiebātur 2°. de ali. fa. 2ª. 18. G
Fœno græco quidam pro obsonio vtebatur, vt esset sanus. 1°. de alimentorum facultatibus. 2ª. 14. F
Fœnum græcū flatulentū & ad coquēdū difficile. de atten. vic. 2ª. 45. B
Fœnum græcum viscosum & humidum. de ocul. 7ª. 189. C
Fœnum græcum vires habet leniter relaxantes, ad omnem rigorem, et tumorem idoneæ facit. de simp. med. Sp. 84. G
Fœnum græcum leue. 7°. de compo. med. per ge. 5ª. 266. B
Fœnū Græcū iuuat oculos inflāmatos. intro. Isa. 58. C/de ocul. 7ª. 188. G
Fœnum græcum quale ad oculos. 4°. de comp. med. sec. loc. 5ª. 149. F
Fœnum græcum decoctum, in phlegmone oculorum optimū, & quo modo fiat. 13°. meth. med. 7ª. 86. C
Fœni græci cremor quo modo fiat. de remed. par. fac. 7ª. 156. B
Fœni græci succus cum sanguine columbino ad ophtalmias oculorum. 1°. de simp. med. fac. 5ª. 72. H
Fœno græco quando vti debes in phlegmone. 11°. meth. med. 7ª. 73. C
Fœnum græcum mitigat dolorem. 1°. de alim. fac. 2ª. 14. E
Fœnū græci cocti succus concoquit. 4°. de compo. med. se. l. 5ª. 149. H
Fœnum græcum maturat. de ocul. 7ª. 189. D
Fœnum græcum repurgans & extergens. 1°. de com. me. se. l. 5ª. 129. H
Fœnum græcum abstergit. 1°. de alim. fac. 2ª. 14. E
Fœni græci decoctum extergit. 4°. de compo. med. sec. lo. 5ª. 150. D
Fœnum græcum mundificat. de dissol. cont. Sp. 74. G
Fœno græco quo modo curentur longi affectus thoracis sine febre. 1°. de alim. facul. 2ª. 14. E
Fœni græci decoctum liquor acrimoniæ expers. 4°. de composi. medica. secun. loc. 5ª. 151. C
Fœni græci decoctū lenitiuum. 4°. de comp. med. sec. lo. 5ª. 150. G
Fœnum græcum cum melle lenit ventrem. de dissol. cont. Sp. 75. A
Fœno græco educūtur humores praui in intestinis. 1°. de ali. fa. 2ª. 14. E
Fœni græci cremor cum pipere per sedem impositus in coli dolore. 12°. methodi medendi. 7ª. 79. E
Fœnum græcum quo modo sumatur ad alvum prouocandum. 1°. de alimentorum facul. 2ª. 14. E
Fœni græci decoctio scybala euacuat de cathart. Sp. 95. D
Fœni græci decoctū ad sicca liquāda. 7°. de com. me. per gen. 5ª. 264. C
Fœnum græcum coctū emollit. 6°. de comp. med. per gen. 5ª. 264. B
Fœnum græcum mollitum. 5°. de compo. med. sec. loc. 5ª. 161. C

Fœnum græcum lotum.7°.de comp.med.sec.loc. 5ª.186.E
Fœni græci farina excalfacit.5°.de simp.med.fac. 5ª.34.A
Fœni græci farina exiccat & quo modo.5°.de simp.med.fac. 5ª.33.H
Fœni græci farina non mouet pus.5°.de simp.med.fac. 5ª.33.H
FOENICVLVM *quid,& eius vires.de simp.me.* Sp.84.C
Fœniculus quandoque sua sponte nascitur.2°.de ali.fac. 2ª.23.H
Fœniculũ,quale.8°.de c.me.se.lo.5ª.195.F/de med.fa.par. 7ª.175.H
Fœniculũ calidũ in tertio ordine,siccũ in primo.7°.de si.m.fa. 5ª.55.C
Fœniculi,erucæ,& anethi differentiæ,cum sunt sicca,& humida.5°.de simp.med.fac. 5ª.37.G
Fœniculum reponunt,componentes ipsum vt pyrethrũ & terebinthũ.2°.de alimen.fac. 2ª.23.H
Fœniculus inter obsonia connumeratur.2°.de alim.fac. 2ª.23.F/H
Fœniculum condimentum.1°.de com.med.sec.loc. 5ª.128.E
Fœniculum condimentum.1°.de com.med.sec.loc. 5ª.128.E
Fœniculus est cibus acutus,incidens,& aperiens.de diß.con. Sp.72.F
Fœniculum comedunt homines fame adacti.2°.de ali.fac. 2ª.22.B
Fœniculus calefacit,incidit,& attenuat.de atten.vic. 2ª.44.B
Fœniculum calefacit,& remollit leniter.de simp.med. Sp.84.C
Fœniculũ maxime idoneum est ad vitia oculorũ.de simp.me. Sp.84.C
Fœniculi succus conuenit oculo inflammato.de opt.secta. Is.21.D
Fœniculum suffusis auxiliatur.7°.de simp.med.fac. 5ª.55.C
Fœniculi semen calidũ & acre vrinã ciens.5°.de sim.me.fac. 5ª.35.D
Fœniculum vim habet ciendi vrinam.1°.de ar.cu.ad Glau. 7ª.99.F
Fœniculus vrinam mouet.de cura icteri. Sp.111.D
Fœniculum menses,& vrinas ciet.7°.de simp.me.fac. 5ª.55.A
Fœniculum lac purgat & multiplicat.5°.de simp.me.fac. 5ª.37.F
Fœniculi semen reuocat lac in mammillis.de cathar. Sp.95.B
Fœniculum lac procreat,igitur non multum exiccat.7°.de simplicium medicamen.fac. 5ª.55.C
Fœniculi semen purgat renes.de cathar. Sp.95.C
Fœniculi semen frangit lapidem renum,& vesicæ.de cath. Sp.95.C
Fœniculi semen sanguinẽ extenuat,& secernit.5°.de si.me.f. 5ª.35.D
Fœniculum quàm albissimum.de remed.par.fac. 7ª.164.C
Fœniculum aut cuminum pro anisо.7°.de comp.me.sec.loc. 5ª.182.B
FOETIDA *assa contra morsum scorpionis.de med.exper.* Sp.106.D
Fœtidæ assæ electarium.de med.exper. Sp.108.D
FOETIDA *inspiratio corã se detineri non posset.de ana.vi.* Sp.48.B
FOETIDVM *& humidum os iuuat succus centaureæ.de virtute centaureæ.* Sp.93.C
Fœtidos ructus facit raphanus.de simp.med. Sp.89.G
FOETIDIS *auribus confert succus centaureæ.de vir.cen.* Sp.93.C
FOETIDVM *impense sputũ in peripneumonia,& pleuritide laborantibus,letale est.de tot.morb.temp.* 3ª.89.G
Fœtida semper exitiosa.in 3ᵐ.de mor.vul.com.2°. 3ª.140.H
FOETIDÆ *deiectiones nisi bene excernantur,malæ commenta.7°.aphoris.65°.* Ex.60.E
Fœtide deiectiones bene exeuntes in bonum terminantur.commentario 4°.apho.47°. Ex.32.H
Fœtidane an odorata offerantur multum interesse ad appetentiam & concoctionem.de subfig.emp. Isa.32.B
ad FOETORES *narium confert succus centaureæ.de vir.cen.* Sp.93.C
Fœtoris narium remedium.de dyn. Sp.25.C
FOETORES, *aurium,& narium,& alarum in quo symptomatum genere sint.de symp.diff.* 3ª.13.B
ex FOETORE *oris ex sanguine fit.de dyn.* Sp.19.D
Fœtori oris prodest lentiscus.de simp.med. Sp.86.B
Fœtori oris confert sectio venæ,quæ est inter mentum,& labium inferius.de anato.viuo. Sp.55.B
ad Fœtorem oris.5°.de compo.me.se.loc.5ª.165.C/de dyn. Sp.25.C
ad Fœtorem spiritus.7°.de compo.med.se.lo. 5ª.181.D
Fœtoris in ructu symptoma quando adest.de sym.diff. 3ª.13.C
Fœtor excrementorũ notat malã concoctionẽ.c.3°.aph.26°. Ex.25.F
FOETVRA *est species euacuationis.de venæ sect.ad Eras.* 6ª.6.H
Fœtura recens similis lacti recenter coagulato.2°.de sem. 1ª.339.B
FOETVS *ad generis propagationem creati.11°.de simp.me.fa.5ª.81.C*
Fœtus fit ex viri & fœmine genitura.2°.de sem. 1ª.336.A
Fœtus fit ex commixtione vtrorumq; seminum.2°.de sem. 1ª.337.H/*de anatomia viuorum.* Sp 43.C
Fœtus ex genitura,& sanguine.introd. Isa.52.E
Fœtus fit ex sanguine participe aliorũ humorũ.de na.hu.c.1°.1ª.31.D
Fœtus prima figura ex sanguine participe aliorum humorum.de natura humana,commen.1°. 1ª.33.A
de Fœtuum formatione scire,& vtile,& necessarium medicis & philosophis.de fœt.for. 1ª.324.A
de Fœtuum formatione cur aberrent,& inter se dissentiant philosophi.de fœtuum formatione. 1ª.322.C
de Fœtuum formatione Hippocrates primus omnium vera cõscripsit.de fœtuum formatione. 1ª.322.C
Fœtus quanto tempore formetur.de hist.philos. Sp.11.E
Fœtum format deus vel anima.de fœt.for. 1ª.325.A
Fœtum format secundum Platonicos anima quæ per totum mundum diffusa est.de fœt.for. 1ª.326.B
Fœtus formatio actio naturæ.introd. Isa.55.B
in Fœtu primarium opus naturæ.15°.de vsu par. 1ª.211.C
Fœtus formatio quo modo fiat.de fœt.for. 1ª.322.G
Fœtus quo modo in vtero formetur.1°.de san.tuen. 2ª.62.E
Fœtus fabrica in quatuor tempora diuiditur.1°.de sem. 1ª.331.E
in Fœtu vsus fœminei seminis.2°.de sem. 3ª.338.C
Fœtus formationis non est vnus præfinitus terminus.de fęt.f.1ª.322.C
in Fœtibus & infantibus quæ fiant in nouem mensibus.de natura,et ordine cuiuslibet corp. Sp.42.D
Fœtus triginta duobus diebus formatus.de fęt.for. 1ª.322.C
de Fœtu sollicita natura nouẽ mẽsibus qd agat.2°.de sym.cau.3ª.21.C
Fœtus ante secundum mensem dicitur cyema.1°.de sym.cau. 3ª.18.C
Fœtus quando appellatur infans ab Hippocrate.1°.de sem. 1ª.331.F
Fœtus formationis comparatio ad architectũ.5°.de vsu par.1ª.212.E
ad Fœtum matrix vtilissima.14°.de vsu par. 1ª.204.E
Fœtus in vulua oritur.de disse.vul. 1ª.109.D
Fœtui inhærent loci post conceptum.1°.de sem. 1ª.329.F
Fœtus quo modo formetur post conceptum.de ana.vi. Sp.52.A
Fœtus sit fm plicaturas naturales,qualis sit.de ana.viuo. Sp.52.D
Fœtus quo modo et p quæ matrici coniungatur.15°.de vsu p.1ª.211.b
Fœtus alligatur meatibus qui dicunt cotylidones.de anat.par.Sp.43.d
Fœtus quo modo alligetur.de ana.viuo. Sp.52.A
in Fœtus conceptione cõparatur matrix ad stipitẽ.de ana.viu.Sp.51.E
Fœtuum connexus ad vteros eandem habet proportionem, quam fructus connexus ad plantas.com.4°.aph.1°. Ex.27.A
Fœtus respondent fructibus proportione.11°.de simp.me.fa. 5ª.81.C
Fœtus trimestris & quadrimestris resistit iniurijs.in 1ᵐ.de morbis vulgaribus,commen.1°. 3ª.126.F
in Fœtu arteriarũ & venarũ chorij vuluæ inhærentia id est,quod plãtis in inferiori parte radicatio.1°.de sem. 1ª.331.F
Fœtus vasa parua,vt radices extremæ arborum.15°.de v.p.1ª.211.c
in Fœtib. cur prima naturæ instra celeriter formanti.1°.de se.1ª.333.B
Fœtus totius corporis venæ sunt tanquam trunci.1°.de sem. 1ª.331.C
Fœtus vasa parua in duo magna coalescunt ad vmbilicum sita.15°.de vsu partium. 1ª.211.C
in Fœtus vmbilico quatuor vasa, duæ venæ & duæ arteriæ.15°.de vsu partium. 1ª.211.F
in Fœtus vmbilico cur vena,& arteriæ duæ per longum spatium.15°.de vsu partium. 1ª.211.F
in Fœtu venæ ab vmbilico vnde.6°.de decre.Hippo. 1ª.265.B
in Fœtu duæ venæ.15°.de vsu par. 1ª.211.C
in Fœtu venæ ad iecur feruntur.15°.de vsu par. 1ª.211.D
Fœtus vena cur in sima hepatis inseritur & non in gibba.15°.de vsu partium. 1ª.211.F
Fœtus indiget magis eo vsu,quẽ pstãt venæ,q̃ alio.15°.de v.p.1ª.212.F
in Fœtu duæ arteriæ.15°.de vsu par. 1ª.211.C
in Fœtu arteria quo modo incedat.6°.de dec.Hippo. 1ª.265.B
in Fœtus arteria cur non eat ad sinistrum cordis ventriculum.15°.de usu partium. 1ª.211.D
de Fœtus panniculorum anatomia.de anato.viuo. Sp.52.B
Fœtũ inuoluẽtes membranæ in vulua oriũtur.de disse.vul. 1ª.109.D
Fœtum inuoluentes membranæ,quæ.de dissec.vul. 1ª.105.D
Fœtus in vtero inuoluitur tribus pelliculis.de ana.viuo. Sp.52.C
Fœtus cur tribus panniculis inuoluatur.de ana.viuo. Sp.52.C
in Fœtus pelliculis cur aqua colligatur.de ana.viuo. Sp.52.C
Fœtum continens membrana amnium dicitur.de fœt.for. 1ª.322.F
versus Fœtum pellicula prima tenuissima est, & dicitur camisia pueri, vel profundatio sudoris.de ana.viuo. Sp.52.C
in Fœtu pellicula est vt in ouis.de ana.viuo. Sp.52.B
Fœtum membrana circundans fit primis diebus.1°.de se. 1ª.330.B
in Fœtus membranis humores quo modo diuersi.15°.de vsu p.1ª.211.G
in Fœtus membranis humorum posituræ.15°.de vsu par. 1ª.211.H

Fœtus nõ eſt leuior matre, quia innatat humori qui eſt intra amiculum, ſed eſt ſibi leuior. 15°. de vſu par. 1ª. 211. H
Fœtus membranæ tenues, vt aranearum telæ. 15°. de vſu p. 1ª. 212. A
Fœtus membranas cur natura non fecit craſſas & duras, ſed tenues. 15°. de vſu partium. 1ª. 212. B
Fœtus vaſis omnibus membrana inhærens quæ. 15°. de vſu p. 1ª. 211. b
p Fœtu membranæ quatuor ſimul incumbunt. 15°. de vſu p. 1ª. 112. B
Fœtus oẽs particulæ an fiant ſimul. an oẽs particulæ ãiales. 1ª. 326. D
Fœtus propria pars prima omnium cutis. de fœt. for. 1ª. 322. F
in Fœtibus trium principiorum progerminationes ſunt qualis truncus in plantis. 1°. de ſemine. 1ª. 331. F
in Fœtu iecur quantum. 15°. de vſu par. 1ª. 212. E
in Fœtibus duæ portæ iecoris. de fœt. for. 1ª. 323. D
in Fœtu cerebrum & cor quanta. 15°. de vſu par. 1. 212. E
in Fœtu, iecoris, cordis, et cerebri functiões, quales. đ fœt. for. 1ª. 323. H
Fœtus non indiget cerebro. de fœt. for. 1ª. 323. G
in Fœtu hepati arteriarum vſus exiguus. 15°. de vſu par. 1ª. 212. F
Fœtus nõ indiget arterijs, pulſu, corde in prĩcipio. đ fœt. for. 1ª. 323. B
in Fœtu hepati neruorum vſus nullus. 15°. de vſu par. 1ª. 212. F
Fœtus habet facultatũ ipſũ gubernantiũ origines ĩ ſe. de dec. 1ª. 265. B
Fœtus nutritur, & augetur in vtero. 1°. de nat. fa. 1ª. 291. H
Fœtus quo modo nutriatur in vtero. de hiſt. philoſo. Sp. 11. B
Fœtus vnde nutriatur in vtero. de anato. parua. Sp. 43. C
Fœtus quo modo nutriatur, & quibus vijs. 14°. de vſu par. 1ª. 207. B
Fœtus per quas vias nutritur. an animal ſit. 1ª. 327. F
Fœtus vmbilicus vmbilico matris continuatur. de ſpermate. Sp. 36. E
Fœtus ligatur in vmbilico, & per eundem nutritur. de ſper. Sp. 36. E
Fœtus alimentum vnde, & à quo. de fœt. for. 1ª. 322. E
Fœtus ex materia in venis matris nutritur. 2°. de ſem. 1ª. 338. E
Fœtus alitur menſtruo ſanguine à toto corpore fluente ad vterum. cõmen. 5°. aph. 60°. Ex. 43. D
ad Fœtum cur tendit ſanguis optimus in prægnante, & non ad mãmas. 1°. de ſanitate tuenda. 2ª. 66. B
Fœtus trahit ad ſe ſanguinẽ meliorẽ. in 3ᵐ. đ mor. vul. c. 3°. 3ª. 148. D
Fœtus vnde trahat ſanguinem & ſpiritum. 1°. de ſem. 1ª. 331. B
ad Fœtum per quas partes tendit ſanguis. introd. Iſa. 54. E
Fœtus per quæ vaſa trahit ſanguinẽ & ſpiritũ. 15°. de vſu p. 1ª. 211. G
Fœtus nutritur bono & malo ſucco. 1°. de ſymp. cau. 3ª. 18. C
Fœtus qñ vitioſo nutriẽ ſanguine, & qñ non. 1°. de ſymp. cau. 3ª. 18. D
Fœtus quando per os poteſt nutriri, fit partus. 15°. de vſu par. 1ª. 213. A
Fœtus propter quid ſm aliquos ore ali non põt. an animal ſit. 1ª. 328. c
Fœtus mori in vtero cũ non recipit cibum per os. an ãal ſit. 1ª. 327. G
ex Fœtus toto nutrimẽto ẽ meconiũ cũ excremẽtũ ſit. an ãal. 1ª. 328. C
Fœtus excernit vrinã & ſtercus. 1°. de ſe. 1ª. 331. H
Fœtus vbi excrementa reponat. 1°. de ſymp. cau. 3ª. 18. D
Fœtus per quas vias excernit. an animal ſit. 1ª. 327. F
Fœtus quomodo ſudat. 1°. de ſem. 1ª. 331. H
Fœtus ſudorem membrana accipiens. 15°. de vſu par. 1ª. 211. B
in Fœtu vbi vrina colligatur. de ana. viuo. Sp. 52. C
in Fœtu mẽbrana tenuior quæ veluti lotiũ colligit. 15°. de v. p. 1ª. 211. B
Fœtus lotiũ p qđ vas trãſit in tunicã inteſtinalẽ. 15°. de vſu p. 1ª. 211. F
in Fœtu tunica inteſtinalis, quæ. 15°. de vſu par. 1ª. 211. F
Fœtus nõ p pudẽdũ, ſed p vmbilicũ lotiũ reddit. 15°. de vſu p. 1ª. 211. G
Fœtus poſt partum cur lotiũ emittit, per collum veſicæ, ſed in vtero eſt ad vmbilicum. 15°. de vſu par. 1ª. 212. C
in Fœtu diſſecandi ratio, vt videatur per quam partẽ vrina exeat. 15°. de vſũ partium. 1ª. 212. D
Fœtui augmentum præſtat augendi vis. an animal ſit. 1ª. 327. F
Fœtum auget alimentum à prægnantis venis. 2°. de ſemine. 1ª. 338. G
Fœtus dum augetur, nutrimentum trahit, ex venis ſanguinem, ex arterijs ſpiritum & ſanguinem tenuem. 1°. de ſemine. 1ª. 330. H
Fœtus quo magis creſcit calidum innatum, fit minus quod eſt ſanguis ſemená, aduerſ. Lycum. Ex. 65. B
Fœtus an ſit animal in vtero. de hiſt. philoſ. Sp. 10. H
Fœtus primo eſt corpus vegetabile vt planta. 1°. de ſem. 1ª. 331. G
Fœtus primo habet principium vegetabile. 1°. de ſem. 1ª. 331. H
Fœtus habet primo vnam animam vt planta. de fœt. for. 1ª. 323. B
Fœtus non eſt frigidus vt planta. 1°. de ſemine. 1ª. 331. H
Fœtus quando dicatur eſſe animal. de fœt. for. 1ª. 323. F
Fœtus non ſolum eſt animal, ſed & humanæ naturæ vim habet. an animal ſit. 1ª. 328. D
in Fœtum ſenſuum diſtributio. an animal ſit. 1ª. 327. F
Fœtus guſtat in vtero. an animal ſit. 1ª. 327. G
Fœtus reſpirat in vtero. an animal ſit. 1ª. 327. G
Fœtus non vtitur functione voluntaria. de fœt. for. 1ª. 323. G
Fœtus in vtero non vtitur motu voluntario. 15°. de vſu par. 1ª. 212. C
Fœtũ nõ oportet videre, audire, guſtare, et olfacere. đ fœt. for. 1ª. 323. g
Fœtus motionis non eſt vnus præfinitus terminus. de fœt. for. 1ª. 322. C
Fœtus abſolutionis nõ eſt vnus præfinitus terminus. de fœt. f. 1ª. 322. C
in Fœt° calidiore et ſicciore tẽperatura pereãt mas. 2°. de ſe. 1ª. 339. H
in Fœtus frigidiore & humidiore temperatura procreatur fœmina. 2°. de ſemine. 1ª. 339. H
an Fœtus ſit mas, vel fœmina. de paſſ. mul. Sp. 96. C
Fœtus calidior & ſiccior cur habeat teſtes extra, & membrum prominens. 2°. de ſemine. 1ª. 339. C
Fœtus frigidior & humidior cur habeat intus teſtes, & vuluam, & pudendum retractum. 2°. de ſemine. 1ª. 339. C
Fœtus exit matricem ſine diſcrimine. 15°. de vſu par. 1ª. 213. A
Fœtus caput quando in collo matricis. 15°. de vſu par. 1ª. 213. A
Fœtus quibus tangat vuluam. de foet. for. 1ª. 322. E
Fœtus conuertitur octauo menſe, & decimo in lucem editur. in 6ᵐ. de mo. vulgaribus, commen. 1°. 3ª. 153. A
Fœtus pficitur pleriſq; mulieribus nouẽ mẽſib. 3°. de na. f. 1ª. 302. G
Fœtus egreſſus in lucem non eſt vnus præfinitus terminus. de foetuum formatione. 1ª. 322. C
Fœtus ducentorum & quinq; dierum non viuit. de ſep. par. 1ª. 341. D
Fœtus ſeptimeſtris quo tempore perfectus. de ſept. par. 1ª. 341. E
Fœtus ſeptimeſtris editionis primus terminus, eſt tempus dimidijs anni. de ſeptimeſtri partu. 1ª. 340. H
Fœtus cur commoueatur ad exitum. de ana. viuo. Sp. 52. D
ad Fœtum edendum vtitur actione expultricis facultatis vterus. 2°. de ſymptomatum cauſis. 3ª. 21. B
Fœtus quo modo trudatur ab expultrice, & quibus adiuuatur. 3°. de naturalibus facultatibus. 1ª. 303. A
Fœtum expellunt muſculi abdominis. 3°. de na. fac. 1ª. 303. B
Fœtus non eſt motus ab vtero, ſed à ſeipſo. in 6ᵐ. de morbis vulgaribus. commen. 1°. 3ª. 153. G
Fœtus, & grauidæ mulieris vigor faciat ad bonum partum. commentario. 5°. aphoriſmo 55°. Ex. 42. H
in Fœtu edendo quantũ aperiantur collũ vteri. 2°. de ſym. cau. 3ª. 21. B
Fœtu viuente vteri os conniuit. 3°. de nat. fac. 1ª. 303. A
Fœtu mortuo vteri os aperitur. 3°. de na. fac. 1ª. 303. A
Fœtum qũo eiiciant tunicæ vteri extenſæ. 2°. de ſym. cauſ. 3ª. 21. C
Fœtuum figuræ vnde ſumãtur. de ſper. Sp. 37. B
Fœtus ſemp erit ſimilis matri, ſi ſimilitudo a mẽſtruo. 2°. đ ſe. 1ª. 336. b
Fœtꝰ ſemp erit ſĩlis ptĩ, ſi formatio fit à ſemĩe maris. 2°. đ ſe. 1ª. 336. b
Fœtus aliq cur partim mari, partim fœminæ aſſimilãt. 2°. đ ſe. 1ª. 338. f
Fœtus cur ſimilis patri. de ſpermate. Sp. 37. A
Fœtus cur quandoque matri ſimilis. 2°. de ſemine. 1ª. 337. F
Fœtus cur matri ſimilis. de ſpermate. Sp. 37. A
Fœtus cur non ſunt quandoque ſimiles parentibus. de ſper. Sp. 37. A
Fœtus quandoque ſimiles progenitoribus ſunt, non ſolis parentibus. de theriaca ad Piſonem. 5ª. 94. E
Fœtus contineat figuram aui. de ſper. Sp. 38. F
Fœtus tales faciunt ſemina iacta habentia uitioſam qualitatẽ uel quãtitatem. an animal ſit. 1ª. 328. C
Fœtus cur praue affecti quandoq; ſint parẽtibus ſanis. de ſp. Sp. 37. A
Fœtus nocumenta. 11°. de uſu par. 1ª. 188. B
Fœtum eſſe ſanum impoſſibile eſt, ſi mulieri utero gerẽti purgationes eant. com. 5°. apho. 60°. Ex. 43. D
Fœtum imbecille ſignificat, ſi mulieri utero gerenti lac multum è uenis effluxerit, ſi uero mammæ ſolidæ fuerint, fœtum ſignificant ſaniorem. com. 5°. apho. 52°. Ex. 42. B
Fœtum corrumpi, ſignificat ſi mammæ tenues appareant. commentario 5°. apho. 52°. Ex. 42. C
Fœtus quando, & quo modo corrumpi poteſt ex mammillarum extenuatione. com. 5°. aph. 53°. Ex. 42. C
Fœtus quare propter inediam corrumpitur. commenta. 5°. apho 37°. 40. H/aph. 52°. Ex. 42. C
an Fœtus poſſit aliquando uiuere utero inflammationem patiente, dignum eſt inquiſitione. com. 5°. aph. 43°. Ex. 41. F
ut Fœtus retineatur. de remed. par. fac. 7ª. 168. G
ut Fœtum contineat mulier, neq; abortiat remedium. de dy. Sp. 29. H
Fœtum euellunt incidentia, & calfaciẽtia uehemẽter. 6°. de ſimpliciũ medicamen.

medicamentorum facul. 5ª.48.E
Fœtum euocat centaurij minoris succus.7°.de simp.me.fa. 5ª.50.H
ad Fœtum eijciendum valet conyza.7°.de simp.med.fa. 5ª.52.B
Fœtum elicit lupini decoctum cum myrrha & melle impositum.6°.de simp.med.fac. 5ª.48.D
Fœtum viuentem educit sabina.6°.de simp.med.fa. 5ª.45.C
Fœtum euellit Thymum.6°.de simp.med.fac. 5ª.48.E
Fœtum educens sine periculo confectio.2°.de anti. 5ª.115.D
Fœtus retẽtos eijciẽs antidotus Tyrãnis appellata.2°.de anti. 5ª.116.D
Fœtum necant amara subtilium partium, quando sunt calida.8°.de simplic.med.fac. 5ª.60.E
Fœtum & lumbricos necant amara.8°.de simp.med.fa. 5ª.61.A
Fœtum viuentem interimit cedrea,& mortuum eijcit.7°.de simplic. med.facul. 5ª.50.E
Fœtum interimit succus cyclaminis.de simp.med.fac. 5ª.53.E
Fœtum interimit elaterium.8°.de simp.med.fac. 5ª.60.E
Fœtus necare creditur onosma.8°.de simp.med.fa. 5ª.57.C
Fœtum & lumbricos tum necat,tum eijcit myrrha.8°.de simpl.med. facultatib. 5ª.61.A
Fœtum necat Thalspi.8°.de simp.med.fac. 5ª.48.D
ad Fœtum necandum citra noxam, vllamq; suspicionis notam.de reme. paratu facilibus. 7ª.169.A
Fœtum mortuum expellit dictamnus.de simp.me. Sp.83.D
Fœtus emortuos lac caninũ eijcere est falsum.10°.de sim.m.f. 5ª.74.A
Fœtum mortuum educit sabina.6°.de simp.med.fac. 5ª.45.C
Fœtus mortuos eijcere creditur theriaca.de vsu ther.ad Pã. 5ª.98.G
Fœtum mortuum,aut non ritu naturali exeuntem eijciens.de remedijs paratu facilibus. 7ª.168.H
Fœtus trimestris, aut quadrimestris vt eijciatur medicamen discrimi nis expers.de remed.par.fac. 7ª.169.A
Fœtus sine dolore eijcit antidotus Aelij Galli.2°.de anti. 5ª.110.H
ad Fœtus eijciẽdos antidotus ĩ Orbanũ Indũ relata.2°.de ant. 5ª.110.E
Fœtus corruptus qua vi eijciatur.2°.de symp.cau. 3ª.21.C
Fœtum mortuum eijcit cedrea,& viuentem interimit.7°.de simp.me dicamentorum facul. 5ª.50.E
Fœtum mortuum euellit, & viuentem interimit centauriũ maius.7°. de simp.med.facul. 5ª.50.F
a Fœtu corrupto quæ relinquuntur educens confectio.7°.de comp.me dicamen.secun.loc. 5ª.185.H
Fœtus emortuos educit antidotus Mithridatis Eupatoris Diascinci no minata.2°.de anti. 5ª.115.C
ad Fœtum mortuum extrahendum.de me.fa.par. 7ª.168.E
ad Fœtum in vtero mortuum.de med.fac.par. 7ª.177.E
Fœtus capræ statim ęditus ambulauit.ĩ 6m.de mor.vul.c.5°. 3ª.189.E
Fœtus viperæ quo modo matrem perimãt.de ther.ad Pis. 5ª.93.C/D
FOLIATVM apud Romanos.7°.de comp.med.per.g. 5ª.271.F
Foliatũ & spicatũ vnguẽta apud Romanos.3°.ḍ cõp.m.p g. 5ª.234.F
Foliata & spicata præciosa mulierum vnguenta.3°.de comp.med.secun.locos. 5ª.241.A
Foliata vnguenta Romæ a diuitibus mulieribus fiebant.6°.de sanitate tuenda. 2ª.100.C
Foliatum vnguentum fœminarum diuitũ.1°.de cõp.me.se.lo. 5ª.125.F
Foliato vnguento solum diuites vti possunt.6°.de sa.tu. 2ª.99.A
Foliata vnguenta preciosa.4°.de loc.aff. 4ª.28.D
Foliatum vnguentum nardino præstantius.6°.de sa.tu. 2ª.99.A
Foliati primi meminit.7°.de comp.med.per ge. 5ª.271.G
Foliatum vnguentum quas habeat vires.6°.de sa.tu. 2ª.98.A
Foliatum vnguentum calidum.2°.de comp.med.se.lo. 5ª.133.A
Foliatum vnguentum valet in defluuio capillorum.1°.de comp.med. secundum locos. 5ª.125.F
Foliatum apud Romanos aurium dolores a frigiditate inductos iuuat. 3°.de comp.med.sec.loc. 5ª.140.F
FOLIVM *quid,& eius vires.de simp.med.* Sp.84.D
Folia malabathri inter aromata.7°.met.me. 7ª.44.A
Folium malabathri quale.4°.de comp.med.sec.lo. 5ª.151.G
Foliũ malabathri pro oris putore.in 6m.de mor.vul.c.4°. 3ª.182.A
Foliũ prohibet humorẽ fluentẽ,pustulas,& vulnera.ḍ ocul. 7ª.189.C
Folium maturat.de ocul. 7ª.189.C
Folij electarium.de med.exper. Sp.107.H
FOLII *tegentis fructus comparatio ad pulmonem respectu cordis.de anatomia viuorum.* Sp.48.B
Folia quæ debent sterni ad refrigerandum.de reme.par.fa. 7ª.155.E
Folia habent diuersas facultates a radicibus,caulibus,seminibus,et fructibus.1°.de alim.fac. 2ª.7.E
Folia ad diacalaminthes medicamẽti cõfectionẽ sumẽda potissimũ subtilissima, viridissima,& q̃ ĩ sũmis herbis nata.4°.de sa.tu. 2ª.86.D
ex Folijs oleum dicitur oleum abusiue.3°.de san.tu. 2ª.79.B
ꝑ Folijs rosarum flos rosarum.4°.de comp.med.sec.lo. 5ª.155.D
FOLIO *seu squamę similis subsidentia in vrina quid significet.1°. de crisib.* 4ª.130.E
Foliosę hypostases quid significet.quæs.in Hipp. Sp.113.D
Foliosæ hypostases in vrinis quibus sint peiores.de vri.sign. Sp.78.G
Foliorum similia in vrinis a vesica veniunt.in 6m.de morb.vulgarib. commentario.5°. 3ª.192.A
Foliorum similia sunt ea quę videntur in vrinis, cum vesica resoluitur,& eroditur.com.4°.aph.76°. Ex.36.C
in FOLIIS *nasi sunt lacerti duo,qui dilatant,& constringunt.de anatomia viuo.* Sp.49.B
FOLLICVLI *cordis tres.de ana.viuo.* Sp.52.G
FOLLE *fatigare corpus est exercitatio.2°.de san.tu.* 7ª.73.G
Follis exercitium exercet supernas partes.6°.de san.tu. 2ª.100.F
Folles fabrorum distenti attrahunt exteriorem aerem per fistulas annexas.8°.de dec.Hip. 1ª.278.A
in Folle fabrili febris exempla.1°.de diff.feb. 3ª.31.A
Follibus fabri ferrarij pulmo cõparatur.de na.& ord.cuius. S.42.A
ꝑ FOMENTA *calefactio.in 6m.de morb.vulg.com.6°.* 3ª.196.A
Fomẽta dãt fieri añ cibũ,vel longe post cibũ.de rem.pa.fa. 7ª.157.D
in Fomentis q̃ incoquẽda absq; cõtusione.de ren.affec.dig. 7ª.194.B
Fomenta per arundinem quo modo.3°.de comp.med.sec.loc. 5ª.145.D
Fomentum facit per calamum.de reme.par.fac. 7ª.155.D
Fomẽtũ ex absinthio in aqua decocto.3°.de cõp.me.se.l. 5ª.146.A
Fomentum ex aqua, & aceto pro pituitosa materia resoluenda.14°. methodi medendi. 7ª.87.F
Fomentum ex aqua calida.de remed.par.fac. 7ª.153.H
Fomentum aquæ calidæ pus mouet.4°.met.med. 7ª.27.D
Fomenta calida quæ sint.de vict.ra.in mor.acu.com.2°. 7ª.116.D
Fomentorũ calidorũ dria.de vict.rat.in mor.acu.com.2°. 7ª.116.D
Fomenta calida quid faciant.de vict.rat.in mor.acu.com.2°. 7ª.116.C
Fomenta calida trahunt foras humores.4°.de sa.tu. 2ª.86.A
Fomẽta calida añ euacuationẽ obsunt.ĩ 6m.ḍ mor.vul.c.2°.3ª.165.G
Fomenta calida cur obsint frigidis,& siccis.7°.met.me. 7ª.47.B
Fomenta per cucurbitulas quo modo.3°.de comp.me.se.lo. 5ª.145.D
Fomentum ex eruo & aceto.de vict.rat.in mor.acu.c.2°. 7ª.116.H
ꝑ Fomento vtilius elychnion.quàm spongia.14°.met.me. 7ª.87.G
Fomentum ex fumi receptione.5°.de comp.me.sec.lo. 5ª.163.G
Fomentum per fermentum,vel(vt alij codices habent)adipem, in veru assatum.3°.de comp.med.sec.loc. 5ª.145.E
Fomentum ex furfure.de vic.ra.in mor.acu.com.2°. 7ª.116.H
Fomentum ex hordeo,& aceto.de vic.rat.in mor.acu.c.2°.7ª.116.H
Fomenta humida inflammationibus a bile conueniunt.de vict.ratio.in morb.acut.com.2°. 7ª.116.E
Fomentando locos lana mollis,vel linteum supponendum.de vict.ra. in mor.acu.com.2°. 7ª.116.G
Fomentum lineo vestiendũ cur.de vict.rat.in mor.acu.c.2°.7ª.116.G
Fomenta ex milio cur cæteris meliora ad capitis dolores.2°.de comp. med.sec.loc. 5ª.137.F
Fomentum ex milio & furfure.de med.fac.par. 7ª.165.H
Fomentum per ollam.3°.de comp.med.se.lo. 5ª.145.C/E
ꝑ Fomento panniculi.5°.de comp.med.sec.lo. 5ª.163.F
ꝑ Fomento panni sordidi.de remed.par.fac. 7ª.157.D
ex Fomẽto ex milio dolores leues sanant.2°.ḍ ar.cu.ad Gla.7ª.104.G
Fomenta sicca quæ & vbi præponuntur humidis.3°.de comp.medic. secundum locos. 5ª.142.E
Fomentum siccum ex milio in coli dolore.12°.met.me. 7ª.79.F
Fomenta sicca inflãmationibus a tenui,& aquoso sanguine conueniũt. de vict.rat.in mor.acu.com.2°. 7ª.116.E
Fomentum ex sale & milio.5°.de comp.med.sec.loc. 5ª.163.F
Fomẽtũ ex sale,& milio,quale.de vict.ra.in mor.acu.c.2°. 7ª.117.B
Fomenta ex salibus.2°.de comp.med.sec.loc. 5ª.137.F
Fomenta ex sale calefacto, & lini semine crudo in doloribus.2°.de arte curat.ad Glau. 7ª.104.G
Fomenta sale ob grauitatem sunt molesta præsertim capiti admota. 2°.de comp.med.sec.loc. 5ª.137.F
Fomentum ex spongia.de vict.rat.in mor.acu.com.2°. 7ª.116.G

pro Fomento ſpongia noua vtitur.14°.met.me. 7ª.88.F
pro Fomento ſpongia ſit noua,& ſi non noua, quid agendũ.2°.de arte cura.ad Glau. 7ª.103.F
Fomenta per ſpongias quo modo.3°.de comp.med.ſec.loc. 5ª.145.D
Fomenta per ſpongias ex aqua calida.2°.de comp.med.ſe.lo. 5ª.133.G
Fomenta per ſpongias calida imbutas & expreſſas.2°.de comp.medicamen.ſecun.loc. 5ª.132.C
Fomento ex ſpongia,& aqua dulci mitiga phlegmonen,quando irrita ta eſt.13°.met.me. 7ª.81.D
Fomenta ex ſtipula fiebant,& per arundinem.3°.de comp.medicam. ſecun.loc. 5.145.B
Fomenta ex vnguentis ad aurium dolorem ex inflammatione.3°.de compoſi.med.ſec.loc. 5ª.141.A
Fomenta per vtriculos.de vict.ra.in mor.acu.com.4°. 7ª.144.E
Fomenta adhibenda ſunt in alopecia.1°.de comp.med.ſe.lo. 5ª.122.H
Fomenta añ purgationem capiti applicat Galen.4°.de lo.af. 4ª.22.E
Fomento vti debemus experientiæ gratia in doloribus oculorum,commentario.6°.aph.31°. Ex.49.F
Fomẽtis oculorũ dolores grauiſſimos ſanauit Gale.3°.me.m. 7ª.17.D
Fomenta quæ adhibenda oculis per ſpongiam mollem non per ſaccũli & cataplaſmata.in 6m.de mor.vul.com.6°. 3ª.196.A
Fomẽta ex aq̃ dulci modice cal̃a qñ oculis adhibẽda.13°.m.m. 7ª.86.C
cur Fomentum,ex aqua calida confert dolentibus oculis. commenta. 6°.aphor.3°. Ex.49.F
Fomenta per ſpongiam in ophtalmia qualia eſſe debent.4°.de compo. med.ſec.loc. 5ª.150.H
Fomenta ad aurium dolorem.3°.de comp.med.ſec.loc. 5ª.145.D
Fomẽtatio ĩ aures frequẽs fieri debet.in 6m.d̃ mor.vul.c.5°. 3ª.191.D
Fomenta ad dentium dolorem.5°.de comp.med.ſec.loc. 5ª.163.F
Fomenta ad dolores dentium.de remed.par.fac. 7ª.157.D
Fomenta ad dentium dolorem an debeant fieri ante cibum, an poſt cibum.5°.de comp.med.ſec.loc. 5ª.163.G
Fomenta pro præcordijs in melancholicis.d̃ mel.ex Gal.Ruf.Sp.110.B
Fomentis calidis vtendum in principio pleuritidis experiundi gratia. 9°.de decr.Hipp. 1ª.282.G
Fomentum ad ilium dolorem,ad lapides proijciendos,& vrinam prouocandam.de dyna. Sp.28.D
Fomenta dolorum partium extremarum ex aqua.in 6m.de mor.vulgaribus.com.6°. 3ª.196.A
Fomentis tentandum eſt reſoluere in principio in pleuritide. de vict. rat.in mor.acu.com.2°. 7ª.116.B
Fomenta pro renum lapide.de ren.affect.dign.& med. 7ª.193.H
Fomentum pro lapide renum.de ren.affect.dig.& med. 7ª.194.A
Fomenta ad vuluam dupliciter agunt.5°.de ſimp.med.fac. 5ª.37.E
Fomentationibus vteri commodo eſt ariſtolochia longa.6°.de ſim.medicamen.facul. 5ª.43.E
Fomentum ad ſugillata quo modo fiat.5°.de comp.med.ſe.l. 5ª.159.D
poſt Fomentum peniculus ex nardino vnguento imbutus vẽtriculo eſt incingendus.8°.met.med. 7ª.53.C
Fomentum ſecuriſſimum eſt afferens vtilitatem tanquam cauſa, & tanq̃ ſignum.com.6°.aph.31°. Ex.49.G
Fomentum dolorem mollit,ſed alteram fluxionem aduocat.comm.6°. aphoriſmo.31°. Ex.49.F
Fomenta maturant.in 1m.de mor.vul.com.2°. 3ª.112.A
Fomẽtis medicinalibus indigentibus ptiſſana nõ dãda.d̃ ptiſ.2ª.47.H
Fomẽto magis ĩprimit fuſio aquæ.de vic.ra.in mor.ac.c.4°. 7ª.144.E
FOMITES, *græce hypocaumata, alimenta nominauit Hippocrates. commen.1°.aph.14°.* Ex.7.H
FONTANA aqua qualis in frigiditate & caliditate.10°.metho di medendi. 7ª.67.C
FONTES *meliores, & aquæ puriores ſunt in ſummitatibus. de bonitate aquæ.* Sp.75.F
Fontes verſus oriẽtẽ fluẽtes ſunt optimi,& quales.de bo.aq. Sp.75.D
Fontes verſus occidentem fluentes,quales.de bon.aquæ. Sp.75.D
Fontes multi frigidi Romæ.2°.de comp.med.ſec.lo. 5ª.132.F
Fontium elegantia Romę.in 6m.de mor.vul.com.4°. 3ª.182.E
Fontes ſuperficiales permutantur in horas.de bon.aquę. Sp.75.H
Fontes profundi cur hyeme calidiſſimi,æſtate frigidiſſimi ſint.de bonitate aquę. Sp.75.H
cur in Fontibus quibuſdam hyeme diſparet aqua, æſtate abundat.de bonitate aquæ. Sp.75.H
Fons in Delo abũdat aqua in æſtate,& non hyeme.de bo.aq. Sp.75.H
Fontis aquam bibant ſe non exercentes,cum æſtate vehementi calore vrgentur.de bon.& vitio ſuc. 2ª.39.D
Fontes ſiue hauritoria ſub radice linguæ.de ana.viu. Sp.49.C
FORAMINA per quæ ingrediuntur res in corpus, & per quæ exeunt.17°.de vſu par. 1ª.222.B
Foramen nullum in corpore eſt ſuperuacuum.17°.de vſu p. 1ª.222.B
Foraminalis tunica oculi,quæ.de ana.ocul. Sp.57.E
Foramen auris incipit ab oſſe petroſo.de ana.viu. Sp.48.G
Foramen eſt ad ipſam aurem in comparatione pupillæ ad oculum. de anatomia viuorum. Sp.48.H
Foramina duo ſunt in radice naſi exeũtia ad angulos lachrymales oculorum.de ana.viu. Sp.49.A
Foramen triangulare habentia duo naſi oſſa.de ana.viuo. Sp.49.A
Foramina narium ſunt duo, latum quidem ad os, per meatus vero tenuiores,ad cerebrum.com.7°.aph.51°. Ex.58.D
Foramen per quod intrat odor,& exit mucilago.de ana.vi. Sp.49.A
Foraminum naſi vſus.de ana.vi. Sp.49.B
Foraminum naſi vtilitas.de compa.memb.ſiue de na.hu. Sp.58.D
quæ Foramina naſi ſtricta vel oppilata,imperfecte & confuſe formãt voces.de ana.viu. Sp.49.A
Foramina duo in ore,quæ.de ana.viuo. Sp.49.B
cũ Foramine dens aufertur.14°.met.med. 7ª.90.G
Foramina duo in epiglotide.de voce & anhel. Sp.61.C
Foramina per quę fit inſpiratio ad ſiniſtrum ventrem cordis.de vtilitate reſpirationis. Sp.64.C
Foramen cæcum vbi,& cur ita dictum.de ner.diſſ. 1ª.53.G
Foramen cæcum non eſt cæcum.9°.de vſu par. 1ª.174.E
Foramen cæcum cur.9°.de vſu par. 1ª.175.F
Foramen vnum cur habeat monoculum inteſtinum.de ana.vi. Sp.50.D
Foramina tanta cur ſint in membris quibuſdam,ſicut in oſſibus.de anatomia viuorum. Sp.44.G
Foramina tria in matricis ceruice.de na.& ord.cuiusl.corp. Sp.42.B
Foraminibus carentia alba exanguia ſunt neruus,copula,tendo.de de cretis Hipp.& Plat. 1ª.233.G
Foraminum diuerſitas a carne ſeparata eſt.de ana.viu. Sp.44.G
Foraminum anguſtia facit febrem.com.6°.aph.42°. Ex.57.D
ſm Foramen morbi cauſæ,quæ.de ocul. 7ª.185.G
in Foraminis largitate morbi cauſa,quæ.de ocu. 7ª.185.G
FORES *ex quibus lignis non debeant fieri.de ſubſtig.emp.* Iſa.32.B
FORFICES *pars organorum.de machin.* 7ª.309.E
Forfices ad quid in organis.de machin. 7ª.310.F
Forfices fabricãtes ſunt inter miniſtros ignobiliores rei medicę.in 6m. de mor.vul.com.5°. 3ª.188.D
Forfice cui compreſſum fuit cor,tamen non amiſit ſenſum vel motum. ſed arteriæ non mouebantur.de decr.Hip.& Pla. 1ª.232.B
FORMA, *natura, ſpecies, & genus pro eodem. ad eos qui de typis ſcripſ.* 3ª.93.C
Forma, ſpecies,differentia idem eſt.in 1m.de morbis vulgaribus, commentario.3°. 3ª.117.G
Forma quæ εἶδος & quæ μορφη differunt.q̃ animi mores. 1ª.317.G
Forma quid.de hiſt.phil. Sp.4.C
Formam Dei nemo auſus dicere.de hiſt.phil. Sp 3.G
Forma cœlo inhærens Deus.de hiſt.phil. Sp.4.F
Forma,& conſtitutio mundi.de hiſt.phil. Sp.4.D
Formam ſecũdum Galenum eſſe complexionem collige,cum inquit in elementorum commoderatione naturam cõſiſtere.com.2°.aph.51°. & cum inquit naturam eſſe temperaturam humidi,ſicci, calidi,& frigidi.com.3°.aph.2°. Ex.20.A
Forma ad quid vtilis.in oratione ſuaſ. Iſa 3.F
Forma,nobilitate, & diuitijs non ſunt contemnenda artium ſtudia.in oratione ſuaſoria. Iſa.3.H
Forma ſeminis vbi recipiatur.de compag.mẽb.ſiue de na.hu. Sp.59.C
Forma habetur ex ſeminis motione.2°.de ſem. 1ª.339.H
Forma corporis natura dicitur.com.2°.aph.34°. 7ª.17.D
nõ Forma corporis,ſed actionibus,& vſibus membrum vnumquodq; indicatur.de decr.Hip.& Pla. 1ª.233.E
Formam corporis cur ſolus viſus ſentiat.de ocul. 7ª.185.A
Formam corporis accidentaliter qũo ſentiat tactus.d̃ ocul. 7ª.185.A
Formam alarum habent orificia vaſorum ſpermatis.de compag.mẽb. ſiue de natura humana. Sp.59.D
Forma neruorum pedum, & crurum differt a forma neruorum brachiorum & manuum.de anat.viuo. Sp.54.B

Forma cordis qualis,& cur talis ſit.de ana.viuo. Sp.56.C
Forma cordis rugoſa eſt intrinſecus quando conſtringitur, plana qñ dilatatur.de ana.viuo. Sp.56.C
Forma ſpeciei prouenit ex mare.2°.de ſemine. 1ª.337.D
Formæ hoĩum ſequuntur regionis naturam.q animi mor. 1ª.320.A
Forma hoĩum vbi plurimũ inter ſe differẽtes.de aer.aq.& lo.2ª.6.D
Formæ hominum vbi compares.de aere,aq.& lo. 2ª.6.E
Formarũ naturã variantia tpa ſunt diuerſa. de aere,aq.& lo.2ª.4.G
Forma non refrangitur in ſpeculo.7°.de decr.Hip. 1ª.272.B
circa Formas ĩdiuiduas artificũ opa.in 1m.de mor.vul.c.3°.3ª.120.H
pp Formam artium ſtudia non contemnenda.in ora.ſuaſ. Iſa.3.G
ſm FORMAM *morbi quinque modis ſunt.de ocul.* 7ª.185.F
Forma ægritudinis quo mõ primis diebus noſcẽda.2°.d crit.ſ.4ª.138.D
Forma & modus multo magis in febribus conſideranda,quàm circuitus acceſſio.1°.de diff.feb. 3ª.35.H
Forma medicamenti non conſideranda.2°.de ſimp.med.ſa. 5ª.10.B
FORMALEM *ſubſtantiam aĩam dixit Ariſt.q animi mor.* 1ª.318.E
FORMANDI *infantium in vtero modus.de nat.& ord.cu.* Sp.42.C
ad Formandum oculum faciunt muſculi circa baſim oculi.de muſc. diſſectione. 1ª.44.E
ad Formandam vocem quid requiratur.de voce & anhel. Sp.60.F
Formantis officium eſt reddere fœtum ſimilem vel diſſimilem vni ex parentibus.2°.de ſem. 1ª.336.F
FORMARE *eſt eius quod primo fuit.2°.de nat.fac.* 1ª.298.H
Formari incipit corpus totum ab acumine cordis.de ana.vi. Sp.46.D
Formaĩ mas ĩ triginta diebus,fœmina ĩ quadraginta.de ſper. Sp.36.C
Formantur prius humeri.de ſper. Sp.36.C
Formatur celerius quod ſiccius eſt.2°.de ſem. 1ª.339.B
FORMATÆ *quo modo ſint nares.de compag.memb.* Sp.58.C
Formatæ ptes abſolutæ incipũt ſua officia exercere.de fœ.f. 1ª.324.G
FORMATIONIS *vocis primum inſtrumentum eſt canna pulmonis. de anato.viuo.* Sp.53.D
in Formatione vocis peccat lingua acuta,& obtuſa.d an.vi. Sp.49.C
Formatione & alteratione conſtat generatio.1°.de na.ſa. 1ª.291.F
Formatio triplex in corporibus animalium.de diff.mor. 3ª.2.F
Formatio ſi fit a ſemine,& ſemen à mare,fœtus ſemper erit ſimilis patri.2°.de ſemine. 1ª.336.H
Formatio fœtus quanto fiat tempore.de hiſt.phil. Sp.11.E
Formationis tempus in tres partes diuiditur.de ana.viu. Sp.52.B
Formatio infantis quot diebus fiat.de nat.& ord.cuiusl.cor. Sp.42.C
in Formatione embryi quid faciant ſingulatim ſeptem planetæ.de compagine membrorum. Sp.29.F
Formatio duplici circuli quãdo.de cõpag.mẽb.ſiue de na.hu. Sp.59.F
poſt Formationem quando tempus motus.de ana.viu. Sp.52.B
in Formatione quo modo poſſunt nutrices obeſſe infantibus ipſos alligantes.de cauſis morborum. 3ª.8.G
in FORMATIONE *duntaxat contingit paſſio.de diff.mor.* 3ª.2.E
in Formatione eſt prima ægritudo in inſtrumentis.de diff.mor. 3ª.2.H
in Formatione ægritudines ſecundi generis ſunt in numero,& quo modo.de cauſ.morb. 3ª.9.C
in Formatione quo modo fiat morbus.de cauſ.morb. 3ª.8.F
in Formatione quæ ægritudines.de diff.morb. 3ª.4.E
Formationes errores.ars med. Iſa.69.A
ad Formationis genus reducuntur concauitatum ægritudines.de differentijs morborum. 3ª.4.D
a Formatione indicatio quo modo ſit.2°.de art.cu.ad Glau. 7ª.102.E
a Formatione ſimul & ſitu inuenitur remedium.ars med. Iſ.69.G
a Formatione & ſitu maxime deſumitur ſanatio partis inflãmatæ.de conſtitutione artis. Iſ.41.D
FORMATRIX *vis neceſſaria præter quatuor qualitates.2°.de temperamentis.* 1ª.20.G
de Formatrice vi,quid ſciat Galenus.de fœt.for. 1ª.326.B
Formatrix vis in vtero trahit optimũ ſanguinem.d atra bile. 1ª.36.H
Formatrix virtus effingit partes ſm animi mores.2°.de temp. 1ª.20.F
Formatrix vis quomodo apparcat.2°.de nat.fac. 1ª.297.F
FORMICAS *non ſecuit Galenus.6°.de anat.adm.* 1ª.89.G
Formicas nunquam diſſecuit Galenus, neq; vnquam voluit diſſecare. 6°.de decr.Hippo. 1ª.263.F
Formicæ habentes millæ alas.ſecretorum. Sp.100.A
Formica ſicca.1°.de temp. 1ª.12.F
Formicæ non mouentur celeriter.2°.de dign.pul. 4ª.75.D
Formicę prudentiores,& non habent ſanguinem.q animi mo. 1ª.319.D
Formica magna quo modo dicatur.2°.de dign.pulſ. 4ª.76.E
Formica magna & mons paruus ad aliquid.in 1m.de morbis vulgaribus,commenta.1°. 3ª.104.A
Formicæ obeunt oleo madefactæ.2°.de ſimp.med.fac. 5ª.14.E
de FORMICANTE *pulſu.1°.de diff.pul.* 4ª.52.B
Formicans pulſus qui,& vnde ſit.de pulſ.ad tir. 4ª.44.G
Formicans pulſus quibus conſtet ſm Archigenem.2°.de dign. 4ª.75.D
Formicans pulſus qualis.2°.de dign.pul. 4ª.75.H
Formicans pulſus exigit tactum exercitatum.2°.d dign.pul. 4ª.75.C
Formicans pulſus.1°.de diff.pul. 4ª.52.B
Formicantes pulſus quæ ſequantur.3°.de cauſ.pul. 4ª.99.D
Formicantes pulſus quando prodibunt ex balneis calidis.3°.de cauſis pulſuum. 4ª.98.G
Formicantis pueri pulſus reſpectu pulſus iuuenis ualentis differentia. 2°.de digno.pulſuum. 4ª.75.H
Formicans genus ſaporis.de compag.memb.ſiue de na.hu. Sp.58.D
ad Formicinas verrucas.de med.fac.par. 7ª.170.G
FORMIDANT *amiciſſimos melãcholici.de mel.ex Gale.Ruf.& Poſſidonio.* Sp.109.C
Formido eſt rectorũ diligentia in filijs principũ.de præcog. 4ª.219.D
Formidoloſæ tenebræ.de mel.ex Gal.Ruf.& Poſſ. Sp.109.C
FORMAT *animal calor naturalis.com.1°.aph.15°.* Ex.8.D
FORMOSOS *pueros facit ſanguis.de dyn.* Sp.19.F
Formoſum q voluit pcreare deformis,hiſtoria.de the.ad Piſ. 5ª.94.E
Formoſi & rudes deſpiciendi.in orat.ſuaſ. Iſa.3.F
in FORNACIBVS *multi ſumptus fiunt.9°.de ſimp.med.ſa.* 5ª.66.D
Fornacum foraminibus clauſis quo modo flamma obſtruitur.de cauſis morborum. 3ª.7.C
vt Fornax ad ignem comparatur, ita cor ad calorem, & ſpiritum.de anatomia viuorum. Sp.46.D
FORNICES *aptiores alij figuris ad pondera ſuſtinenda.8°.de vſu partium.* 1ª.169.G
Fornici comparat ſpinam Galenus.12°.de vſu par. 1ª.197.G
Fornix oſſeus magnus quo modo in pube.14°.de vſu par. 1ª.209.A
FORTE *contrarium imbecillo.12°.de vſu par.* 1ª.192.H
Fortia aĩalia hñt multos dentes acutos & fortes.11°.de v.p. 1ª.187.C
Fortia animalia habent vngues ſimiles & diſſimiles ab vnguibus non fortium.11°.de vſu par. 1ª.187.D
Fortia animalia habent vngues acutos, magnos, fortes, & rotundos. 11°.de vſu par. 1ª.187.F
Fortia & calida animalia habent lienem nigrũ.6°.d an.adm. 1ª.92.G
Fortius eſt & calidius vir ſperma muliebri.de ſpermate. Sp.36.B
Fortes Fœminæ quo modo fiant.de ſpermate. Sp.36.E
Fortibus atq; iuuenibus non conſuetis qui conſueti ſolitos labores ferre,& ſi fuerint imbecilles & ſenes, facilius ferunt.commenta.2°. aphoriſmo.49°. Ex.19.A
Fortibus quid accidat,ſi aqua frigida lauentur.c.1°.aph.15°. Ex.8.B
Fortioribus corporibus fortiora medicamenta,debilioribus debiliora ſunt præbenda.6°.de comp.med.ſec.lo. 5ª.176.F
ſi Fortes ſint viri,noxijs humoribus euacuatis,ceſſant morbi.commentario.2°.aph.25°. Ex.16.A
Fortis motus & frequẽs eſt cã fortitudinis caloris.de ana.vi. Sp.56.D
Fortius quanto eſt vinum,tanto eſt terreſtrius.de vtil.reſp. Sp.64.E
Fortius quanto eſt vinum,tanto eſt ponderoſius.de vtil.reſp. Sp.65.F
in Forti angina minuuntur venæ iugulares.de ana.viu. Sp.55.A
Fortis dolor motus.2°.de loc.aff. 4ª.12.G
ad FORTIORA *procedendum, & inchoandum a leuioribus.de oculis.* 7ª.189.G
Fortiſſima tantum pharmaca debẽt haberi parata cum per mixturam aliàs aliter parabilem pharmacorum vehementia exolui poſſit.3°. de comp.med.ſec.loc. 5ª.141.F
ad Fortia medicamenta in alopecia ceratum liquidum additur.1°.de comp.med.ſec.loc. 5ª.122.D
Fortibus in alopecia pharmacis q debet vti, incipiat a mollioribus,& addat quę eorum vim exoluunt.1°.de comp.med.ſec.loc. 5ª.122.F
Fortium ad alopeciam pharmacorum vim exoluentia.1°.de compo. med.ſec.loc. 5ª.122.F
Fortibus pharmacis indiget pulmo.7°.de comp.med.ſec.lo. 5ª.178.E
Fortiter & frequenter mouentur cor.de ana.vi. Sp.56.D
Fortiter cur moueatur cor.de ana.viu. Sp.56.D
FORTITVDO *quid.ſin.med.* Iſa.45.D
Fortitudo quid,ſecundum Ariſtonem.7°.de dec.Hip. 1ª.268.D

Fortitudo virtutis eſt cauſa motus cordis.de ana.vi. Sp.56.E
Fortitudinis caloris cordis cauſa eſt fortis motus,& frequens.de anatomia viuorum. Sp.56.D
FORTVITA, *quæ.de ſubſ.emp.* If.31.D
Fortuita quæ apud empiricos.de ſect. If.16.B
Fortuito & caſu quod ſit contrarium eſt ei,quod prouidentia & arte ſit.11°.de vſu par. 1ª.186.E
FORTVNAE *figura.in oratione ſuaſoria.* Isa.2.D
Fortuna quid ſit.de hiſt.phil. Sp.5.F
Fortuna,& caſus quomodo differant.de hiſt.philoſ. Sp.5.F
Fortuna vel caſus contraria prouidentiæ.in prog.com.1°. 4ª.189.D
Fortunæ ne te commitas.in oratione ſuaſ. If.2.D
Fortunæ ſequaces,qui.in oratione ſuaſ. Isa.2.F
Fortunam qui ſequuntur,etiam non aſſequuntur.in orat.ſuaſ If.2.E
Fortuna agit mediante materia.11°.met.me. 7ª.68.A
Fortuna raro ſuum finem aſſequitur.9°.de decr.Hip. 1ª.285.B
Fortunæ opera quæ.11°.de vſu par. 1ª.186.E
Fortuna quo modo det bona.in oratione ſuaſ. Isa.2.D
Fortuna multa obtulit commoda arti medicæ.de ſubfig.emp. If.34.B
Fortuna quo modo ſit cauſa ſanitatis.11°.met.med. 7ª.68.A
Fortuna quæ adminiſtrat ī medicamētis.de venæ ſect.ad Eraſ.6ª.7.G
Fortuna dat anſam quando q; medicis diuinandi.5°.de lo.aff. 4ª.35.B
a Fortuna partim medª ſuſcipiunt empirici.de the.ad Piſ. 5ª.90.E
Fortunam viam præbebat Galeno.5°.de loc.aff. 4ª.35.B
Fortuna bona ſequebatur Galenum.de præcognitione. 4ª.219.B
FORTVNATVS *qui habetur.1°.de ſan.tu.* 2ª.64.H
Fortunatus ſenex.de mult. 3ª.77.G
Fortunati qui inæqualitatem ante febrem non ſenſerint.2°.de ſympto matum cauſis. 3ª.22.A
FORIS *turbulenta vrina,& tenuis qd ſignificet.quæſ.in Hip.* Sp.113.B
FORVM *mendacium.in 3ᵐ.de mor.vul.c.2°.137.C|* 3ª.140.B
Forum aſiutorum Athenis.in 3ᵐ.de mor.vul.c.2°.137.E| 3ª.140.C
FOSSAE *organorum pars,de machin.* 7ª.309.E
FOSSIO *eſt exercitatio & opus.2°.de ſan.tu.* 2ª.73.G
Foſſio eſt vehemens exercitatio.2°.de ſan.tu. 2ª.74.C
Foſſio eſt valens & robuſta exercitatio.2°.de ſan.tu. 2ª.74.C
FOSSORVM *naturalis habitus,qui.ad Thraſ.* 2ª.102.H
Foſſores robuſti melius coquũt azymos panes,quàm athletæ.1°.de alimen.faculta. 2ª.10.A
Foſſores a quibus panibus lædantur.1°.de alim.fac. 2ª.10.A
Foſſorum & meſſorum medicamentum.3°.de comp.me.ſe.lo. 5ª.147.C
FOTIO *quibus facienda.9°.de decr.Hip.* 1ª.282.F
Fotus vel ex aceto,vel orobo,vel ſale,quales.de vict.ra.in mor.acu. commen.2°. 7ª.116.F
Fotus hapſo lanæ ex oleo mitigat.de remed.par.fa. 7ª.154.A
Fotus calidus febricitantibus officit.in 6ᵐ.de mor.vul.c.3°. 3ª.177.H
FOVEA *quædam & meatus appellatur medius cordis venter.de anatomia viuorum.* Sp.56.C
Fouea cordis ob quid.de ana.viuo. Sp.46.E
FOVEOLA *in oculo quid.fin.med.* If.48.D
Foueola vlceratio oculorum.fin.med. If.48.D
ad Foueas veteres ſeu dehiſcentia vulnera.5°.de compo.medicamen. per genera, 5ª.246.E
FOVENDVS *eſt prius locus,antequam cataplaſma applicetur.de remedijs paratu facil.* 7ª.156.D
Fouendæ ſunt partes ſpongijs quouſq; coloris euadant phœnicei,& ita deinceps ſcarificandæ.de cucurb.ſcarif. 6ª.3.C
Fouendus eſt ſpongijs locus,vbi hirudo fuerit,aut cucurbitula affigenda.vt virus extrahat.de cucur.ſcarif. 6ª.4.C
Fouenda eſt ac recalfacienda pars ab hirudinibus tracta quia refrigeraſcit.de cucurb.ſcarif. 6ª.4.D

FRACTIO *quid.ars med.* If.69.H
Fractio dicitur continuatis ſolutio.de diff.mor. 3ª.5.D
Fractio eſt in oſſe.de cauſ.mor. 3ª.9.E
Fractionis cauſæ quatuor.de fracturis.com.2°. 7ª.233.D
Fractiones aliquorum receptaculorum ſunt cauſa tuſſis.in 6ᵐ.de mor. vulgarib.com.3°. 5ª.174.C
Fractio cauſat dolorem.com.2°.aph.6°. Ex.11.G
de Fractione coſtarum.de art.com.2°. 7ª.237.D
Fractionis prima intentio eſt coalitus partium.ars med. If.69.H
Fractionis ſecunda intentio eſt alligatio.ars med. If.69.H
Fractio inſanabilis ſecundum primam intentionem.ars med. If.69.B
Fractio ſanabilis quo ad ſecundam intentionem.ars med. If.69.H
Fractio qñ non fuerit recte confirmata,quid agendũ.ars med. If.70.C
de FRACTVRIS *liber Hippocratis exactum opus.in 6ᵐ.de morbis vulgar.com.2°.* 3ª.169.B
de Fracturis librum præcedit librum de ijs qui in medicatrina fiunt. de ijs,quæ in med.ſi.com.3°. 7ª.219.F
de Fracturis librum ſequitur liber de articulis.de art.c.2°. 7ª.251.B
Fractura cum vulnere,& ſine vulnere oſſium affectus.intro. If.59.D
*Fractura in oſſe.de conſt.ar.*If.37.D|6°.met.me.36.G| 7ª.40.B
Fractura in oſſe,& cartilagine.de art.com.2°. 7ª.267.F
Fractura quæ ſit.de ocul. 7ª.190.A
Fracturarum oſſium differentiæ quinque.introd. If.59.D
Fractura per rectitudinem.introd. If.59.D
Fractura per tranſuerſum.introd. If.59.D
Fractura in modum raphani.introd. If.59.E
Fractum in modum nucis.introd. If.59.E
*Fractura in ſpeciem farinæ,introd.*If.59.E|*de frac.c.1°.* 7ª.230.H
Fracturæ engæſomata,quæ ſint.6°.met.med. 7ª.42.D
Fracturæ καμαρώσεις, quæ ſint.6°.met.med. 7ª.42.D
*Fractura caulatim facta,quæ,de ijs,quę in med.ſi.c.3°.*219 G|*de arti. commenta.2°.* 7ª.265.B
Fracturæ ſimplex modus,qui.de frac.com.1°. 7ª.230.H
in Fracturis oſſa nigreſcunt.introd. If.59.E
in Fracturę primis diebus cur fiat pruritus maior, deinde minor.de fractio.commentario.1°. 7ª.230.B
de Fructis caluariæ.6°.met.me. 7ª.42.A
Fracturæ capitis ſine foratione,quæ.6°.de compoſitione medicamentorum per genera. 5ª.255.G
Fracturarum in capite differentiæ.fin.med. If.48.C
Fracturæ capitum faciunt vomitum bilioſum, nauſeam, & ſtomachi morſum.3°.de loc.aff. 4ª.18.C
in Fracturis capitis vſque ad membranas non peruenientes,quo vtemur.6°.de comp.med.per ge. 5ª.255.G
in Fractura ſimplici ad cerebri membranas ſcalpelli,quales.6°.metho di medendi. 7ª.42.B
in Fracturis capitis terebella ſunt ſuſpecta cur, & quando illis vtendum.6°.met.med. 7ª.42.B
in Fracturis capitis cycliſci ſuſpecti cur, & quando illis vtendum.6°. methodi medendi. 7ª.42.B
*de Fracturis caluariæ ad ſecundã vſque laminam.6°.me.m.*7ª.42.A
Fracturę capitis quomodo curandæ.3°.met.me.16.E|6°. 7ª.42.F
ad Fracturas capitis emplaſtra.5°.de comp.med.per ge. 5ª.225.G
*ad Fracturas Pithionis emplaſtrum.5°.de comp.med.per g.*225.D|H 226.B|C|6°. 5ª.255.F
in Fracturis capitis demergit medicamenta in vinum.2°.de compoſi. med.per ge. 5ª.225.H
Fracturas narium iuuat centaureæ ſuccus.de vir.cent. Sp.93.C
in Fractura brachij quo modo debet appendi manus,quando homo deambulat. de frac.com.1°. 7ª.231.A
Fractura oſſis cubiti.de frac.com.3°. 7ª.250.E
in Fractura cubiti qui ſint dies primi.de frac.com.1°. 7ª.230.F
*Fracturæ cubiti quo tempore conſolidentur.de fract.com.1°.*7ª.230.B
Fracturam cubito habentis victus.de fracturis.com.1°. 7ª.230.E
*in Fractura cubiti a vino,& a carne abſtinẽdũ.de fract.c.1°.*7ª.230.G
in Fractura cubiti obſonia.de fracturis,com.1°. 7ª.230.G
Fracturæ venulæ a renibus ſignificatur quibus ſponte ſanguis mingentibus exit.de vri.ſign.ex Hipp. Sp.78.H
in Fractorum crurium inſtrumentis trochilia.6°.met.me. 7ª.41.H
*Fracturę caulatim factę quo mõ ligãdę.de ijs,q̃ ī me.ſi.c.2°.*7ª.208.G
Fracturæ oſſis quę Cauledon.i.per tranſuerſum fit curatio.6°.methodi medendi. 7ª.40.E
Fracturarum curatio.introd. If.60.C
Fracturarum longarum oſſium curatio.6°.meth.med. 7ª.41.G
*in Fracturis oſſium cũ vlcere medicamẽta ſiccãtia.6°.me.m.*7ª.41.G
in Fracturis vtitur vino auſtero.de fra.com.3°. 7ª.244.E
*in Fracturis aquæ calidæ uſus.de ijs,quæ in med.ſi.com.3°.*7ª.215.E
Fracturę cum reſoluuntur,aqua calida perfunduntur.de ijs,quę in me. fiunt commenta.3°. 7ª.215.F
ſi Fracturæ aqua in qua lentiſci folia ſint decocta,frequenter fomentẽtur,celerius aiunt conſolidari.de ſimp.med. Sp.86.B
Fracturis vtiliter myrta imponitur.de ſimp.med. Sp.87.E

Fracturas q topho ſiue calido inducto opus habent, profundunt quidã decocto radicis vlmi.8°.de ſimpl.med.fac. 5ª.59.C
Fractura cum vulnere quo modo curanda intro. Iſ.60.F
*ad Fracturas qbus carnis quoq; vulnº acceſſit, vĩculũ.ḋ faſ.*7ª.305.D
in Fracturis quando remittenda deligatio.de frac.c.1°. 7ª.228.G
Fractura cum vlcere, qñ ferula vti debemus.de frac.c.3°. 7ª.243.G
ad Fracturam quæ non poſſit glutinari.de reme.par.fac. 7ª.154.A
ad Fracturas artuum cum vulnere, & ſine vulnere.2°.de comp.medicamentorum per gen. 5ª.226.D
ad Fracturas artuum.6°.de comp.med.per ge.258.F/7°. 5ª.267.C
ad Fracturas cum vulnere.2°.de comp.med.per ge.225.E/235.C/5°.248.C/6°. 5ª.256.D
ad Fracturas Moſchionis pharmacum.2°.de cõp.me.per ge. 5ª.225.E
ad Fracturas conueniens.2°.de comp.med.per ge. 5ª.226.D
ad Fracturas.1°.de comp.med.per ge.211.F/2°. 5ª.227.E
*Fracturas habentibus cõparantur medici complures.ḋ mult.*3ª.79.F
in FRACTA *parte ſunt albi & ſeroſi humores.de fracturis, commentario.1°.* 7ª.229.G
Fracta vbi fuerit pars aliqua, ſanguis detrahitur abſque ſyndrome plethorica.de vic.rat.in mor.acu.com.4°. 7ª.156.H
Fractum membrum primo die extendendum.de frac.c.3°. 7ª.246.D
in Fracto & luxato membro non prius luxatio an fractio ſit reparanda.de machin. 7ª.314.D
in Fractis cutis non incidenda.de fract.com.3°. 7ª.247.E
Fracta vulnera vinciuntur faſcijs glomeratis.de faſcijs. 7ª.293.F
in Fracto cranio videntur inflari venæ.de vtil.reſp. Sp.63.G
*i Fracta caluaria vſq; ad menĩgẽ vti vult cyclijſcis.6°.me.m.*7ª.42.C
Fracta cum ſunt oſſa caluarię cur conſtringantur, & auferantur.6°.meth.meden. 7ª.43.G
Fracti oſſis ſincipitis caſus.6°.met.me. 7ª.42.F
de Fractis naribus.de art.com.2°. 7ª.266.C
ad Fracti menti compoſitionem laqueus.de laqueis. 7ª.308.D
Fractum os brachij circa appendicem.de frac.com.3°. 7ª.250.E
*ad Fracti ſimul & prolapſi humeri reſtitutionem.de machi.*7ª.314.C
Fractum vbi eſt iugulum, vinculum.de faſcijs. 7ª.300.G
Fracta ſpinali medulla in coſtis non admittitur anhelitus, neque vox.de voce & anhel. Sp.60.F
ꝑ Fractis cruribus inſtrumenta.6°.met.me. 7ª.41.G
ꝑ Fractis cruribus laquei.6°.met.me. 7ª.41.H
Fractum os femoris quo modo curetur.de fracturis.c.3°. 7ª.240.D
*Fracta oſſa tibiæ, & cubiti breuiora redduntur.de fra.c.3°.*7ª.242.F
Fracti oſſis curatio, & curationis intentio.6°.met.me. 7ª.40.D
Fractorum oſſium curatio.de fract.com.3°. 7ª.242.B
in Fracto oſſe indicationes duæ.6°.meth.med. 7ª.41.B
in Fracto oſſe qñq; vena ſecãda, & purgandum.6°.met.me. 7ª.41.E
in Fracto oſſe ex quo generetur callus.de frac.com.1°. 7ª.230.B
in Fracto oſſe cur deligatura fieri debet.6°.met.med. 7ª.40.G
in Fractis oſſibus quando faſcia debet eſſe vel lata, vel ſtricta.6°.methodi medendi. 7ª.40.C.H
in Fracto oſſe deligatura vnde debet incipere.6°.met.me. 7ª.40.H
*in Fractis et diminutis diuerſa deligatio.ḋ ijs, q̃ i med.ſi.c.3°.*7ª.221.F
Fracti oſſis ad medullam ipſam caſus.6°.met.me. 7ª.42.E
Fractis oſſibus quo modo nerui curentur.1°.ḋ ſymp.cau. 3ª.16.C
ad Fracta oſſa.de med.fac.par. 7ª.177.E
ad Fractos articulos.3°.de comp.med.per ge. 5ª.235.C
FRAGILIA *ſunt tenuium partium.1°.de ſimp.med.fac.* 5ª.4.A
FRAGIFOLIA. *de dynamidijs.* Sp.31.G
FRANCIGENA *terra.de dynamidijs.* Sp.30.H
FRANGATVR *cur admodũ durum, & molle.3°.de ſymp.cau.*3ª.27.B
Frangant quæ lapidem.de ocul. 7ª.188.E
Frangũt lapidẽ gñatum in renibus cicera nigra.de diſſ.cont. Sp.74.G
Frangens lapidem electarium.de med.exper. Sp.106.G
*Frangens lapidẽ medicamẽtũ.ſecretorũ.101.G/de med.exp.*Sp.107.G
ad Frangendum lapidem in veſica.de cura.lap. Sp.112.E
*Frãgi qũo debeat liteũ, ſi ex linteo faſcia fieri debeat.ḋ faſ.*7ª.293.b
FRATRARE *pro eſſe affinem. de fract. commenta.3°.246.F/de art. commenta.3°.* 7ª.272.A
Fratratio.de art.com.3°. 7ª.280.F
FRATRES *maxime cognati.de fract.com.3°.* 7ª.246.F
FRAXINEA *quæ in organis fieri debeant.de machin.* 7ª.309.D
ad FREMITVS. de med.fac.par. 7ª.171.D
FREMIVM *luteum florem habens.10°.de comp.me.ſe.lo.* 5ª.206.E
FRENDERE *quid ſignificet.de art.com.1°.* 7ª.256.G
FREQVENTIÆ *motus cordis eſt cã neceſſitas. de ana.viu.* Sp.56.E
Frequenter & fortiter mouetur cor.de anat.vi. Sp.56.D
*Frequẽs et fortis motº cordis ẽ cã fortitudinis caloris.ḋ ana.vi.*S.56.d
Frequẽtes ſunt quidã morbi, & qdã raro cõtingũt.3°.de lo.af. 4ª.15.B
FRIABILITAS tactus qualitas.de na.hu.com.1°. 1ª.28.H
Friabilitas in quibus inueniatur.de bon.& vitio ſuc. 2ª.38.B
Friabilitas, & mollities oſtẽdunt carnẽ bonam.de atten.vic. 2ª.45.D
FRIABILE *quid ſignificet.3°.de alim.fac.* 2ª.30.F
Friabile opponitur lento.de bon.& vit.ſuc. 2ª.38.B
Friabilis quo modo ſit caro.de attcn.vic. 2ª.45.G
Friabile.11°.met.med. 7ª.71.D
FRICATVM *electrum trahit lapis herculeus.de cathar.* Sp.94.H
FRICANDI *locus in vrbe gymnaſion appellatur.2°.de ſa.tu.*2ª.69.E
Fricandus non eſt qui bene ſe habet.3°.de ſan.tu. 2ª.81.H
Fricandus prius qui frigida eſt vſurus.3°.de ſan.tu. 2ª.82.A
Fricandus eſt laſſitudinem ſentiens.3°.de ſa.tu. 2ª.82.A
Fricandæ partes cur tendendæ.3°.de ſan.tu. 2ª.77.A
*Fricandum corpus linteolo ante exercitationem.2°.de ſa.tu.*2ª.69.H
*Fricãdũ cur cũ celeritate, & a pluribus manibus.3°.de ſa.tu.*2ª.76.H
Fricandũ corpus oleo poſt frictionẽ linteo factã.2°.de ſa.tu. 2ª.69.H
Fricãtur q cã augendæ carnis, qñ frictio finienda.2°.de ſa.tu. 2ª.73.C
Fricari a ſomno omnes non deſiderant.5°.de ſan.tu. 2ª.89.F
FRICATIO *ex pice.de præcognitione.* 4ª.217.G
Fricatio ex reſina.de præcognitione. 4ª.217.G
Fricatio ex melle.de præcognitione. 4ª.217.G
Fricatio quanta fieri debet.de reme.par.fac. 7ª.154.H
Fricatio extremorum ore ventriculi male affecto.1°.de arte curatiua ad Glauconem. 7ª.99.F
FRICTA *reſina.3°.de comp.med.per ge.230.C/D/5°.* 5ª.245.G
FRICTIO *eſt ex genere faciendorum.1°.de ſan.tu.* 2ª.68.H
Frictiones ſunt ex genere eorum quæ faciunt.2°.de ſan.tu. 2ª.71.E
Frictio eſt ex motibus extrinſecis.2°.de ſan.tu. 2ª.75.C
Frictiones, modus euacuandi.1°.de ar.cur.ad Glauc. 7ª.98.D
Frictiones ſunt euacuationes totius corporis.c.2°.aph.17°. Ex.13.E
Frictio qualis.14°.met.med. 7ª.91.E
de Frictione quidam damnauit Hippocratem, qui tamen omnium primus de ea tractauit.ad Traſy. 2ª.109.C
de Frictione retius ſenſiſſe creditus eſt Theon gymnaſtes, quàm Hippocrates.2°.de ſan.tu. 2ª.70.F
de Frictione quidam putabant aliquem neſcire loqui, niſi opere exercuerit.ad Thraſyb. 2ª.109.D
Frictionum differentiæ & affectus.5°.de ſan.tu. 2ª.90.F
Frictionum ſex differentiæ.2°.de ſan.tu. 2ª.70.D
Frictionum nouem differentiæ.2°.de ſa.tu. 2ª.71.H
Frictionum non vere differentiæ, quæ.2°.de ſan.tu. 2ª.70.E
Frictionum differentias cur multi plures ſtatuere.2°.ḋ ſa.tu. 2ª.70.F
in Frictionibus quæ inſint contrarietates.2°.de ſan.tu. 2ª.71.E
Frictionum ordo.12°.met.me. 7ª.75.G
Frictio recuratoria, quæ.2°.de ſa.tu. 2ª.72.H
Frictio veſpertina quibus vtilis.3°.de ſa.tu. 2ª.82.B
in Frictione quid ſit obliquum.2°.de ſan.tu. 2ª.70.B
in Frictione quid ſit ſubrectum.2°.de ſan.tu. 2ª.70.B
Frictiones rotundæ, qualcs.5°.de ſan.tu. 2ª.90.D
Frictio tranſuerſa vocatur etiam rotunda.2°.de ſan.tu. 2ª.70.D
in Frictione quid ſit tranuerſum.2°.de ſa.tu. 2ª.70.B
Frictio tranſuerſa quid boni agat.2°.de ſa.tu. 2ª.70.D
in Frictione quid ſubtranſuerſum.2°.de ſa.tu. 2ª.70.B
Frictio dura & mollis quibus fiat.2°.de ſa.tu. 2ª.70.E
Frictio dura quid faciat.2°.de ſan.tu. 2ª.70.D
Frictio dura & facit corpus durius.2°.de ſa.tu. 2ª.72.C
Frictio quæ facit carnem duram.2°.de ſa.tu. 2ª.71.H
Frictio dura reddit corpora denſiora ſimul, & duriora.3°.de ſanitate tuenda. 2ª.76.H
Frictiones duræ quibus fugiendæ.3°.de ſa.tu. 2ª.76.H
Frictio mollis quid faciat.2°.de ſa.tu. 2ª.70.D
Frictio mollis efficit corpus laxum.6°.de ſan.tu. 2ª.98.C
Frictio mollis facit corpus molle.2°.de ſa.tu. 2ª.72.C
Frictio quæ mollit.2°.de ſa.tu.70.F/ 2ª.71.H
Frictionibus mollibus ex oleo poſt paruę pilę luſum vtebãtur.de par. pil.exer. 2ª.49.E
Frictio mollis ex oleo impenſæ calidis conuenit.6°.de ſa.tu. 2ª.96.A

in Frictione quando adhibendum oleum.3°.de san.tu. 2ª.76.H
in Frictione vtitur oleo dulci egelido.3°.de san.tu. 2ª.79.C
Frictio olei dulcis quando secura.3°.de san.tu. 2ª.82.B
Frictio ex oleo æqualis,sicca inæqualis.2°.de simplicium medicamentorum facult. 5ª.14.H
Frictio ex oleo magis,quàm sicca lassitudinem aufert, & emollit.2° de simp.med.fac. 5ª.13.H
in Frictionibus cur adhibenda pinguedo & copiose.3°.de sanitate tuenda. 2ª.77.A
Frictio pinguiter,& molliter facta.8°.met.me. 7ª.51.E
Frictiones cum pinguedine scopi,qui.5°.de san.tu. 2ª.89.F
Frictio pinguis & modica his q sicce scũt,cõuenit.7°.met.me. 7ª.45.B
Frictio cum oleo ad ictterum.de cura icteri. Sp.111.B
in Frictione quæ vlcerosæ lassitudini adhibetur, quæ olea non competant.3°.de san.tu. 2ª.79.A
Frictio multa est euacuatio.14°.met.me. 7ª.89.A
Frictio multa extenuat.2°.de san.tu. 2ª.70.D
Frictio multa facit corpus gracilius.2°.de san.tu. 2ª.72.B
Frictionibus multis plenitudo exhaurit.de cur.ra.p sang.mis. 6ª.18.E
Frictio multa non est ægris iniungenda vnà cũ cibi abstinentia.com.2°. aphorismo.16°. Ex.12.H
nec Frictionibus, nec lauationibus multis indigentiæ irę,tristitiæ,vigiliæ,& curæ.8°.met.med. 7ª.51.E
Frictio pauca quid faciat.2°.de san.tu. 2ª.71.F
Frictiõibus paucis pueri humidi et tenelli molescũt.2°.d san.t. 2ª.73.C
Frictione vehementi fit calefactio membrorũ.2°.de dif.feb.3ª.41.A
Frictio vehemens in puero prohibet incrementũ.2°.de sa.tu. 2ª.70.A
Frictio quo modo euadat mediocris.3°.de san.tu. 2ª.77.A
Frictio mediocris adhibenda temperato.2°.de san.tu. 2ª.75.H
Frictio mediocris quid faciat.2°.de san.tu. 2ª.71.F
Frictio mediocris facit corpus crassius.2°.de san.tu. 2ª.72.C
Frictionis mediocris opus euidens,quale.2°.de sa.tu. 2ª.71.G
Frictionis mediocris opus oscurum,quale.2°.de san.tu. 2ª.71.G
Frictio mediocris auget carnem.2°.de san.tu. 2ª.70.D
Frictio modica maturat.in 1ᵐ.de mor.vul.com.2°. 3ª.112.A
Frictiones siccæ,quæ.5°.de san.tu. 2ª.90.B
Frictionis mediæ indicia.2°.de san.tu. 2ª.73.C
Frictio gracilibus quanta esse debet.7°.met.me. 7ª.45.C
Frictionem crebram,& exiguam exigunt vires imbecilles.5°.de sanitate tuenda. 2ª.90.E
Frictionem raram & multã exigunt vires validæ.5°.d sa.tu. 2ª.90.E
Frictio frequens prodest sanguinem spuentibus ex repletione.de venę sectione aduersus Erasistratæos. 6ª.14.F
Frictio frequens prodest epilcpticis ex repletione.de venæ sectione aduersus Erasistratæos. 6ª.14.F
de Frictione matutina,& vespertina.3°.de sa.tu. 2ª.81.H
Frictio præparatoria,quæ.2°.de san.tu. 2ª.72.H
Frictio ꝑparatoria ad exercitationẽ qualis eẽ dẽat.2°.d sa.t. 2ª.70.A
Frictionis præparatoriæ meta,quæ.2°.de san.tu. 2ª.73.D
Frictionum instrumenta,quæ.2°.de san.tu. 2ª.70.E
Frictiones faciebant cum sindone.de puero epil. 7ª.180.B
pro Frictionibus lintea,qualia.12°.met.med. 7ª.75.F
Frictionibus ante lauationem frigidam lintea duriora accipiantur.3°. de san.tuen. 2ª.78.C
Frictiones in humidis ex aspero sindone.de præcognitione. 4ª.217.H
Frictio cum manica.3°.de san.tu. 2ª.82.A
Frictiones in qua domo faciendæ.12°.met.med. 7ª.75.G
Frictio quomodo fieri debet.2°.de sa.tu.2ª.70.A/12°.met.med.76.F/ de puero epileptico. 7ª.180.B
Frictio quomodo probe facienda.de arti.com.1°. 7ª.257.C
Frictio cur vndequaque fieri debet.2°.de san.tu. 2ª.70.D
Frictio per fasciam circumiectam qũo fiat.2°.de sa.tu. 2ª.75.C
Frictio quando que fit inferne sursum.5°.de san.tu. 2ª.90.D
Frictio debet fieri,qñ ingenti frigori occurrendũ.3°.de san.tu.2ª.81.H
Frictio quantum fieri debet.12°.met.med. 7ª.75.F
Fricatio quanta qñ caro nutrienda.de ijs,quę in med.fi.c.3°. 7ª.218.E
Frictio fiat quoad membra molliantur.2°.de san.tu. 2ª.75.H
Frica cutim,quoad rubescat,vt medicamenta altius descendant.14°. methodi medendi. 7ª.93.E
in Frictione rubor floridus diffunditur per cutim totam.2°.de sanitate tuenda. 2ª.69.H
ex Frictiõibus pulsus mutatio nõ ẽ diuturna.1°.d ꝑsa.ex pul. 4ª.104.h
post Frictiõem fiat exercitatio,& vsq; ad quãtũ.2°.d san.tu. 2ª.76.A
Frictio etiam post exercitium.2°.de san.tu. 2ª.72.C
post Frictionem laxitas qũo corrigenda.3°.de san.tu. 2ª.82.A
Frictionum vtilitates,quæ.2°.de san.tuen. 2ª.72.H
Frictionis omnis commune calefacere.2°.de san.tuen. 2ª.71.G
Frictio trahit foras humores.4°.de san.tu. 2ª.85.H
Frictio potest sanguinem exhaurire.de venæ sect.adu.Erasi. 6ª.8.A
Frictio reuocat ad contrarium.5°.met.me. 7ª.30.F
Frictio vitale robur excitat,& calfacit.5°.de san.tu. 2ª.89.F
Frictio ad membrum roborandum qualis esse debet.de ijs,quæ in medi.fiunt,com.3°. 7ª.220.B
Frictiones loco exercitij habẽtur imbecillibus.d puero epil. 7ª.180.B
Frictione distribuitur nutrimentum, & nutritio fit promptior.5°.de sanitate tuenda. 2ª.89.F
Frictiones vehicula materiæ.ars med. Isa.71.F
per Frictionem vel lotionem sentiunt voluptatem lassitudine laborantes.1°.de symp.causis. 3ª.17.E
Frictione curatur plethora.13°.met.med. 7ª.81.D
Frictione sanatur plethora absque sanguinis missione.de vic.ra.in morbis acu.com.4°. 7ª.136.H
Frictio sola quæ excrementa educere non potest.3°.de sa.tu. 2ª.79.C
Frictio quibus conuenit,& quando.12°.met.med. 7ª.75.E
Frictiõibus nõ penit⁹ arcẽdi quartanarij.1°.de art.cu.ad Gla. 7ª.97.F
Frictio capitis p̃scis ex corio, quale cst squatinæ, ad alopecias, quousque cruentæ reddantur.1°.de comp.me.se.loc. 5ª.123.H
Fricandum non est caput primo,sed posterius.de puero epil. 7ª.180.B
Frictionum errores.2°.de san.tuen. 2ª.72.H
in Frictione curandum ne corpus refrigeretur.de puero epil. 7ª.180.B
ad Frictionũ quos errores sit melius declinare.2°.de san.tu. 2ª.72.H
in Frictionibus a qualitate versus quam oberrare melius sit.2°.de sanitate tunda. 2ª.73.A
in Frictionibus a quantitate versus quam oberrare melius sit.2°.de sanitate tuenda. 2ª.73.A
Frictionibus inassueti in dolores incidũt,si plus æquo perfricti fuerint de venę sectione aduer.Eras. 6ª.14.F
Frictiones non conueniunt infirmis partibus, dum sunt infirmæ.5°.de sanitate tuenda. 2ª.90.B
Frictio partibus infirmis quãdo fieri debet his qui per periodum ægrotant.5°.de san.tuen. 2ª.90.B
Frictiones infirmis partibus conueniunt,quãdo non laborant,& quæ.5°.de san.tu. 2ª.90.B
Frictio est apta seni exercitatio.5°.de san.tu. 2ª.90.F
p Frictione refrictio.de art.com.1°. 7ª.257.D
Frictiõ facta anteq̃ lac sit coctum,quid agat.1°.de sa.tu. 2ª.66.C
FRIGEFACERE *qñ volumus,quid agendum.1°.de elem.* 1ª.7.B
Frigefacientia crassarum partium.3°.de comp.me.per g. 5ª.228.D
Frigefacit & humectat debiliter blitum.2°.de compositione medicamen.secun.loc. 5ª.134.G
Frigefacit & humectat ptissanæ cremor,ideoq; in febribus est conuenientissimus.8°.met.med. 7ª.51.A
Frigefacit post calefactionem coitus imbecilles homines.in 6ᵐ.de mor bis vulgar.com.5°. 5ª.192.F
Frigefacit in ventre cõtenta coitus.in 6ᵐ.de mor.vul.c.5°. 3ª.193.F
FRIGEFACTIO *& calefactio si absint,siccum & humidum contingũt corpus sine violentia.1°.de symp.cau.* 3ª.16.G
Frigefactio cõsueta magis tolerat inconsueta.c.2°.aph.50°.Ex.19.B
inter Frigefactionẽ,& rigorẽ horror medius.2°.de diff.feb. 3ª.39.B
Frigefactio sensum difficilem inuehit.de diff.mor. 3ª.4.D
Frigefactio humorum facit ægritudinem.c.2°.aph.17°. Ex.13.C
Frigefactio immodica est causa diminutionis ptiũ.de cauf.mor.3ª.9.D
FRIGEFACTORVM *ex itinere pulsus.1°.de præsagitione ex pulsibus.* 4ª.107.F
Frigefacti stomachici & cardiaci non admodum rigent,trem.palp.cõ uulf.& rig. 3ª.53.D
Frigefactum corpus, vbi rursus incaluerit,morbi longitudinem significat.præsag.exper.conf. Sp.77.G
Frigefactos nõ absq; tpe,& viribus calefacit ignis.d cau.mor. 3ª.6.H
Frigefieri,horrere,& rigere non idem in valetudinarijs. de trem.pal. conuulf.& rig. 3ª.53.G
Frigentibus pedibus in febre nihil dandum.de victus ratione in morb. acutis.com.4°. 7ª.139.F
FRIGERANTES, *alias, sui partes, alias calefacientes idem corpus habere*

pus habere poteſt. 1°. de alim. fac. 2ª. 9. C
Frigerationis gratia reſpiratio fit. de vtil. reſp. 1ª. 224. D
p Frigerati cur non lædantur tecti pallijs. de vtil. reſp. 1ª. 225. C
Frigerata extrema quid ſignificent. de vic. ra. i mor. ac. c. 2°. 7ª. 140. G
FRIGESCERE a ſudore, & poſtea recaleſcere, malum. in 1ᵐ. prorrhe. commenta. 2°. 4ª. 173. G
Frigeſcunt primo quæ partes. in 1ᵐ. pror. com. 2°. 4ª. 170. A
Frigeſcant cur pedes in febribus. de vic. ra. in mor. acu. c. 4°. 7ª. 139. F
Frigeſcãt cur extrema in acuta febre. in 1ᵐ. de mor. vul. c. 2°. 3ª. 115. B/ de vic. ra. in mor. acu. com. 2°. 7ª. 123. B
Frigeſcit aqua calida in puteum demiſſa. in 6ᵐ. de morbis vulgaribus. commen. 4°. 3ª. 182. G
Frigeſcunt balneo ſole calefacti. de marc. 3ª. 47. F
ſi Frigeſcant aliqui, & rurſus caleſiant, lõgitudinem morbi ſignificat. com. 7°. aph. 60°. Ex. 59. F
in FRIGIDANDVM tm̃ eſt, quantum in calido peccat. ars me. If. 71. B
Frigidando quæ lædant non omnibus nota. 1°. de ſan. tu. 2ª. 63. B
Frigiditas, caliditas, humiditas, & ſiccitas, qualitates primæ. 3°. de ſimp. med. fac. 5ª. 17. C
Frigiditas efficaciſſima qualitatũ poſt caliditatẽ. de conſt. ar. If. 38. E
Frigiditas alterat totam rem. de conſt. ar. If. 38. E
Frigiditatis, & caliditatis pticulas hz in ſe ipſo aer. d̃ vti. ref. Sp. 63. H
Frigiditas, & calor ſunt differentiæ accidentales aquæ. de ſper. S. 41. B
ĩ Frigiditate, & caliditate qualis ſit fontana aqua. 10°. me. m. 7ª. 67. C
in Frigiditate excedunt aquæ ſeptentrionem verſus fluentes, attamẽ dulces ſunt. de bon. aquæ. Sp. 75. E
in Frigiditate caliditate conſimiliter ſe habẽtes aquæ omnibus horis, peſſimæ ſunt. de bon. aquæ. Sp. 75. H
Frigiditas non parum facit ad famen. de ſymp. cau. 3ª. 18. B
Frigiditatis hora eſt hora conuenientior ad cibum accipiendum. de diſ ſolutione continua. Sp. 72. A
Frigiditas vehemens dominatur lacti acetoſo. de diſ. cont. Sp. 73. B
Frigiditas acida tenuium eſt partium. 4°. de ſimp. med. fac. 5ª. 25. B
Frigiditas adſtringens craſſarum eſt partium. 4°. de ſimplicium medicamentorum facult. 5ª. 25. B
Frigiditatem nimiam habentia tarde digeruntur. de diſſ. cont. S. 73. D
Frigiditatis aliquid habent lanæ ſuccidæ. de fract. com. 3°. 7ª. 245. C
Frigiditatis cauſa quo modo ſit laxatio. de cau. mor. 3ª. 7. G
Frigiditatis actio eſt conſtringere & exiccare. de ocul. 7ª. 188. B
ob Frigiditatem & ſiccitatem ſubſtantia eſt conſtans & ſtabilis. 9°. methodi medendi. 7ª. 61. D
ob Frigiditatẽ intẽta qũo laxãtur. d̃ ijs, quę in med. fi. cõ. 3°. 7ª. 215. H
Frigiditas partium celerrime fit ex defectu nutrimenti. 7°. methodi medendi. 7ª. 46. F
Frigiditas ſequitur qñque ad defectum. com. 5°. aph. 57°. Ex. 42. H
Frigiditates ſuccedunt ſiccitatibus ſolidarum partium, ſi perdurent. 7°. metho. meden. 7ª. 46. F
pp Frigiditatẽ, & caliditatẽ qũo fit ſpuma. in 1ᵐ. pror. c. 1°. 4ª. 166. D
Frigiditas nimis abundat in ſenibus. 1°. de ſan. tu. 2ª. 64. D
Frigiditas eſt ſecunda ægritudo. de diff. mor. 3ª. 2. H
Frigiditatis magna mutatio morbos facit. com. 3°. aph. 1°. Ex. 19. G
Frigiditas facit morbos longos. c. 2°. aph. 39°. Ex. 17. H
Frigiditas, & ſiccitas nõ facile p halitũ digeruñt. adu. Lycũ. Ex. 65. D
cur Frigiditas ſyncera halitum non facit. 3°. de ſymp. cau. 3ª. 27. E
Frigiditate fit adſtrictio. 9°. de ſimp. med. fac. 5ª. 66. C
Frigiditas et humiditas aeris, trãſpirationẽ phibet. 9°. me. m. 7ª. 58. A
Frigiditas facit febrem. com. 7°. aph. 42°. Ex. 57. D
ex Frigiditate febricitantes, quales. 1°. de diff. feb. 3ª. 36. A
Frigiditatẽ ſentiũt exeũtes ex tepidioribus balneis. d̃ cau. pc. 3ª. 96. B
Frigiditate vincente affectus. de trem. palp. conuul. & rig. 3ª. 54. D
Frigiditate abundante & caliditate, quo modo reſpiratio ſe habet. 1°. de diff. reſp. 3ª. 58. C
a Frigiditate prĩo, ab hũiditate ſecũdo, ſomnus fit. 3°. de lo. af. 4ª. 16. F
Frigiditas cũ humore intẽſa ſoporẽ ſtuporẽq; facit. 3°. de lo. af. 4ª. 16. F
Frigiditas primo, humiditas ſcõ ignauiã ai ĩducit. 3°. d̃ lo. af. 4ª. 16. F
Frigiditas ſine humore nocet memoriæ & ſtultitiam inducit. 3°. de locis affectis. 4ª. 16. H
Frigiditas ſine materia. 2°. de ſimp. med. fac. 5ª. 14. H
Frigiditas ſubita dolore afficit. de trem. palp. conuul. & rig. 3ª. 54. E
a Frigiditate vehementi fit dolor. 12°. met. me. 7ª. 78. E
a Frigiditate, & caliditate fiunt vehementiſſimi dolores capitis. 2°. de comp. med. ſec. loc. 5ª. 131. H
Frigiditas eſt cauſa procatarctica doloris capitis. 2°. de comp. medic. ſecundum locos. 5ª. 131. H
Frigiditas facit imperfectas coctiones, & ructus. c. 6°. a. 1°. Ex. 46. A
Frigiditas facit hũiliores puſtulas atq; tubercula. c. 6°. a. 9°. Ex. 47. C
Frigiditas eſt cauſa, q̃ neruoſa corpora ſunt difficilia ad difflandum, & cauſa ſingultus. com. 6°. aph. 13°. Ex. 47. E
Frigiditas in viris eſt cauſa ſterilitatis. de aere, aq. & locis. 2ª. 5. F/ com. 5°. aph. 63°. Ex. 44. D
Frigiditas eſt cauſa fœminæ, & cur leua pars frigidior ſit. commen. 5°. aphoriſmo. 48°. Ex. 41. H
Frigiditas vteri facit paucas purgationes. com. 5°. aph. 62°. Ex. 43. F
ex Frigiditate immoderata fit aĩ defectus. de ar. cur. ad Glau. 7ª. 98. G
Frigiditas vehemens vitalis principij facit carentiã anhelitus. cõ. 4°. aphoriſmo. 34°. Ex. 31. B
Frigiditas cur in principijs febriũ. de trem. palp. conuul. & rig. 3ª. 55. F
Frigiditas partium extremarum quot de cauſis fiat. de vic. ra. in mor. acut. com. 4°. 7ª. 138. A/ com. 7°. aph. 26°. Ex. 55. G
Frigiditas pedum ſignificat febrem acceſſuram. de vic. ra. in mor. acu. commenta. 4°. 7ª. 139. F
Frigiditas quæſit rigor. de trem. palp. conuul. & rig. 3ª. 54. D
cur Frigiditatem ſaſtipiunt facile, & ſentiunt dorſi partes. com. 5°. aphoriſmo. 69°. Ex. 45. D
Frigiditas citius perucnit a calcaneo ad cor, quàm a cerebro ad cor. 8°. de vſu partium. 1ª. 165. D
Frigiditas extrema facit hydropem. 2°. de nat. fac. 1ª. 299. F
ex Frigiditate marasmus, qui. de marc. 3ª. 45. C
Frigiditatẽ qñ hz ſignificat atrũ, qñq; caliditatẽ. queſita ĩ Hip. Sp. 113. E
Frigiditatem corporis & debilitatem in omnibus ſignificat vrina alba & nuda. de dynam. Sp. 35. A
Frigiditatem aliqñ ſignificat vrina ſpumoſa ſuperius. de dyn. Sp. 35. E
Frigiditas, & ſiccitas ventriculi qũo curentur. 7°. met. me. 7ª. 46. E
Frigiditatem in ventriculo qui ſentiunt, quomodo curandi. 1°. de arte cur. ad Glauco. 7ª. 99. C
ad Frigiditatem ſtomachi. de med. exper. Sp. 107. F
qñ ob Frigiditatẽ viſceris pauca bilis generatur. c. 2°. a. 2°. Ex. 14. F
Frigiditati hepatis valens medicamen. de med. exper. 105. G/ Sp. 106. F
ad Frigiditatẽ mẽbrorũ datur decoctio gẽtianæ. de med. exp. Sp. 106. E
Frigiditatis membrorum cauſa prouenienti fluxui conferens medicamentum. de med. exper. Sp. 104. G
ex Frigiditate mẽborũ cõtingẽti fluxui antiquo de me. exp. Sp. 106. D
ex Frigiditate nimia exolutio quo modo curetur. 1°. de arte curatiua ad Glauconem. 7ª. 99. D
ad Frigiditatem, & febrem potio probata. de dyn. Sp. 32. D
Frigiditas eſt magno vſui calori. de trem. palp. cõuul. & rig. 3ª. 54. C
ad Frigiditatem declinare, & calefactionis multiplicationem cauere debet medicus. ſecretorum. Sp. 97. B
Frigiditatẽ vehemẽtẽ qñ ĩducere veremur, oleũ chamęmelinũ, pximũ roſaceo valet. 2°. de comp. med. ſec. loc. 5ª. 132. E
Frigiditas vitanda indolore capitis frigido. 2°. de cõp. m. ſ. l. 3ª. 132. C
Frigiditati proſunt calida & humida moderate. 1°. de vſu p. 1ª. 116. D
Frigiditati intenſæ nihil magis prodeſt, quàm balneum aquæ calidæ. 1°. de vſu partium. 1ª. 116. E
Frigiditatem ſanat vini potio. com. 7°. aph. 49°. Ex. 58. A
Frigiditatibus quæ vnguenta conueniant. 3°. de ſan. tu. 2ª. 81. B
FRIGIDVM, & calidum vocabula balneatorum non medicorum ſecundum Empiricos. 2°. met. me. 7ª. 12. B
Frigidum quot modis dicatur. 3°. de ſimp. me. ſa. 17. A/ 5ª. 18. D
Frigidi duo ſignificata. 1°. de temp. 1ª. 12. G
Frigidum nomen ab eſſentia & a qualitatibus. 1°. de ſa. tu. 2ª. 62. E
Frigidum, & calidum qualitates effectrices. 2°. de ſem. 1ª. 339. A
Frigidum qualitas effectrix. de cur. rat. per ſang. miſſ. 6ª. 16. C
Frigidũ, et calidũ actiua ab aliquibus dñr. 1°. de nat. fac. 1ª. 291. C
Frigidum, & calidum cur dicantur actiua. 7°. met. me. 7ª. 44. C
Frigidum ſecundo loco actiuum. 2°. nat. fac. 1ª. 297. H
Frigidum, calidum, humidum ſiccum agunt & patiuntur inter ſe. 2°. de naturalibus facul. 1ª. 297. H
Frigidum & calidum elementa ſpiritus. 5°. de decr. Hip. 1ª. 255. G
Frigidum & calidum non poſſunt eſſe in eodem. 1°. de temp. 1ª. 10. G
Frigidi & calidi media ſunt tepidũ, & temperatũ. 1°. met. me. 7ª. 7. C
Frigidi iudicium vnde ſumatur. 3°. de temp. 1ª. 24. F
Frigidum iudicatur a tactu. 2°. de temp. 1°. 18. B
Frigidum potentia intelligitur non imaginatione. ars med. If. 69. D

Frigidum poteſtate, quale.3°.de temp. 1ª.25.B
Frigidum energia,vel actu quo modo.3°.de temp. 1ª.21.E
Frigidum actu,tactu diſcerni poteſt.2°.de temp. 1ª.16.H
Frigidum corpus actu ſenſu iudicatur.2°.de temp. 1ª.17.C
Frigidi corporis iudex eſt ſolus tactus.2°.de temp. 1ª.17.F
Frigidum eſt pathema,& paſſio tactus.de ſymp.diff. 3ª.10.C
a Frigido eſſe atrum quo modo cognoſcatur.quæſ.in Hip. Sp.113.E
Frigidum & calidum ſunt tantum elementa.de vtil.reſp. Sp.63.H
Frigidum in elementis eſt ſyncerum,in reliquis rebus in medio.1°.de tẽperamentis. 1ª.14.A
FRIGIDVS *eſt aer, ſed admixtione ignei elementi fit temperatus ex Stoici.& animi mores.* 1ª.318.E
Frigidus a quibus dicat aer,a quibus calidus.2°.de ſimp.m.f. 5ª.14.C
Frigidus aer vbi lucernam,& ignem extinguit.de cauſ.mor. 3ª.7.C
Frigidus aer laxationẽ,aut adſtrictionẽ facere põt.de cau.mor. 3ª.8.G
Frigidus aer inſpiratus quid faciat.in 6m.de mor.vul.c.2°. 3ª.164.G
Frigido exiſtente aere, cur quæ ſunt in ventre,fiunt duriora.in 6m.de morb.vulg.commen.5°. 3ª.193.D
a Frigido calidum in profundum corporis fugit.in 6m.de mor.vulgar. commen.5°. 3ª.193.D
FRIGIDIORES *ætates,regiones,naturæ, anni tempora ſunt pituitoſę.2°.de nat.fac.* 1ª.300.D
Frigidi efficiuntur ſenes.com.2°.aph.20°. Ex.14.E
Frigidi & ſicci ſenes.3°.de ſymp.cau. 3ª.29.D
Frigidi & humidi quo modo poſſint dici ſenes, cum non ſint.6°.de ſanitate tuenda. 2ª.96.D
Frigidum,& humidũ corpus in ętate prouecta non inuenias.3°.de ſymptomatum cauſ. 3ª.29.C
Frigidis ætatibus dantur phlegmagoga.de dyn. Sp.21.C
pp Frigidum,calidum, humidum,& ſiccum vnumquodque tale.1°. methodi medendi. 7ª.6.E
de Frigido,calido,humido,& ſicco, quo modo medici tractent & philoſophi.3°.de ſimp.med.fac. 5ª.17.E
Frigidum,humidum,calidum,ſiccum cauſas ponit Hippocrates.in 1m. de morbis vul.com.1° 3ª.129.C
Frigidum,& calidum, & humidum, & ſiccum primus Hippocrates inuenit.1°.met.med. 7ª.3.E
Frigido,ſicco,calido,humido alijs veluti agentibus,alijs veluti patiẽtibus oĩa quæ in corpore animalis ſunt, gubernari qui dicant.2°.de naturalibus facultatibus. 1ª.299.H
FRIGIDO, *ſicco,calido,humido,conſtant animalium corpora,non tamen æqualiter.1°.de temp.* 1°.10 B
Frigida,& calida quo modo dicantur animalia,& inanimata.de vic.ra.in mor.acu.com.1°. 7ª.113.E
Frigida animalia habent parum ſanguinis.6°.de vſu par. 1ª.150.H
Frigidum omne eſt exangue.com.5°.aph.40°. Ex.41.D
Frigidiora animalia ſunt exanguia.2°.de nat.fac. 1ª.300.C
Frigidiora, & humidiora animalia habent lienem albicantem.6°.de anatom.admin. 1ª.92.G
Frigidiorem, & humidiorem naturam animalia nacta hũt lienem non admodum nigrum.de atra bile. 1ª.36.A
Frigidum, & ſiccum animal in decremento facit temperies ſicca.6°. de ſanitate tuenda. 2ª.95.E
Frigida animalia iacent hyeme veluti mortua.2°.de loc.aff. 4ª.14.A
Frigidioris naturæ cum ſint aues,paruum habent pulmonem.de anatomia viuorum. Sp.47.F
Frigidæ naturæ ſunt hirudines.de cucurb.ſcarif. 6ª.4.D
Frigidæ ſunt viperæ.2°.de locis affectis. 4ª.14.B
Frigiditatem in ſummo nullum animal habet.1°.de temp. 1ª.10.C
Frigidiora membra facilius cedunt cauſis refrigerantibus.de natura humana,commen.2°. 7ª.182.H
Frigida eſt adenum natura.com.5°.aph.40°. Ex.41.D
Frigida,& ſicca ſunt oſſa.de anatomia viuorum. Sp.44.E
Frigidũ & humidum eſt cerebrum,& cur frigidũ.de ana.vi. Sp.53.G
Frigidum & humidum cur ſit cerebrum. dẽ compag.membrorum ſiue de natura humana. Sp.58.A
Frigida & ſicca eſt cerebri menynx. de compagine membrorum, ſiue de natura humana. Sp.58.A
Frigidum & ſiccum os auris ſupponitur.de compag.memb. Sp.58.B
Frigidi & humidi ſunt tres humores oculorum.de cõpag.mẽb. Sp.58.B
Frigidæ & ſiccę ſunt tunicæ narium.de compag.memb. Sp.58.C
Frigidus & ſiccus eſt œſophagus.de compag.memb. Sp.58.G
Frigidum ponit cor Ariſtoteles.de anat.viu. Sp.56.A
Frigidus & humidus eſt pulmo ex accidenti.de ana.viu. Sp.52.G
Frigido continentur viſcera vnde ſpiramus.de dyn. Sp.19.D
Frigidus,& ſiccus eſt ſplen.de ana.viu. Sp.50.A
Frigida inferiora,& calida ſuperiora habent lienem decliuem habentes.in 6m.de morb.vulg.com.2°. 3ª.167.G
FRIGIDÆ *aquæ æſtate, hyeme calidæ, optimæ ſunt.de bonitate aquæ.* Sp.75.G/H
Frigidæ aquæ hyeme,æſtate calidę,malæ.de bon.aquæ. Sp.75.D
Frigidiſſimi cur æſtate ſint fontes profundi,hyeme calidiſſimi.de bonitate aquæ. Sp.75.H
Frigidior,& dulcior erit aqua flante borea.de bon.aquæ. Sp.75.G
Frigida,& dura aqua,qualis.de bonitate aquæ. Sp.75.H
Frigidior quo modo fiat aqua primo decocta.7°.met.me. 7ª.44.D
Frigidam aquam niuę præparabant Romæ.7°.met.me. 7ª.44.B
Frigida aqua vt frigida raro ẽ vtilis.de ijs,quę ĩ me.fi.c.3°. 7ª.221.D
Frigida aqua infridat animata & inanimata.3°.de temp. 1ª.24.H
Frigida aqua laxationẽ aut adſtrictionẽ facere põt.& cau.mor. 3ª.8.G
Frigidæ potio naturaliter conuenit calido.de ſalubri diæta. 2ª.43.B
Frigidæ potio,& venæ ſectio duo maxima præſidia febrium ſynocharum.9°.meth.med. 7ª.57.B
Frigidæ potio quibus conueniat.6°.de ſa.tu. 2ª.96.E
Frigidum potum qui ſumere debet.1°.de art.cu.ad Glau. 7ª.99.A
FRIGIDA *quando exhibenda.9°.met.me.* 7ª.57.E
Frigida aqua danda in febribus continentibus.10°.met.med. 7ª.69.B
Frigida aqua quando danda in febre,& quanta quantitate.de vic.ra. in morb.acu.com.1°. 7ª.114.G
Frigida aqua in declinatione danda.9°.met.me. 7ª.57.F
Frigida aqua datur ſi coctionis adſint indicia.9°.met.med. 7ª.57.G
Frigidæ potio ſolum fit vbi euidentes notę concoctionis cernuntur.9°. methodi medendi. 7ª.57.H
Frigida in principio hecticæ.de marc. 3ª.47.F
Frigida aqua in hectica cum putrida.10e.met.me. 7ª.63.F
Frigida ad arbitriũ febricitãtis a quibuſdã dabatur.de op.ſe.Iſ. 23.A
Frigida qui vſurus eſt,prius fricetur.3°.de ſan.tu. 2ª.82.A
Frigida potio quid agat.de ſal.diæta. 2ª.43.B
Frigidæ potio quę proſit,& quæ obſit.3°.de temp. 1ª.23.B
Frigida aqua in calido & humido ventriculo conuenit.7°.methodi medendi. 7ª.47.F
ex Frigida aqua ſanata ventriculi imbecillitas.7°.met.me. 7ª.44.B
Frigida nõ lædunt, qui corpus nõ hñt attenuatũ.7°.met.me. 7ª.47.F
Frigida potione pueri non prohibendi.1°.de ſa.tu. 2ª.66.H
Frigida agoniſtice præbenda quid ſit.de marc. 3ª.48.A
Frigida multos Deo fauente ſanauit.de conſuetu. 2ª.60.F
Frigidæ aquæ potu extincta febris ſub cane ex ira.10°.me.m. 7ª.63.F
a Frigida aqua quando abſtinendum.10°.met.me. 7ª.64.C
Frigidum potum qui cauere debent.1°.de arte cu.ad Glauc. 7ª.99.A
Frigida cui non danda.de conſue. 2ª.60.E
Frigidæ aquæ potio quibus minus tuta.9°.met.me.57.F/G/ 7ª.70.C
Frigida in acutis morbis quibus non ſit danda.de conſue. 2ª.60.E
Frigida aqua in inflammatione non datur. de victus rat.in morb.acut. commentario.1°. 7ª.114.H
Frigidæ aquæ incommoda,qñ intempeſtiue datur.9°.met.me. 7ª.57.E
ex Frigidæ aquæ potu transglutiendi difficultas.7°.met.me. 7ª.47.D
Frigidam potantes cur ſingultiant quandoque.de conſue. 2ª.60.F
Frigida aqua multa epota qd in quodã viro fecerit.7°.me.m. 7ª.47.D
Frigidam potionem inſatiabili auiditate exhauriũt febre ardẽte deprehenſi.de cog.cur.ani.mor. 2ª.53.C
Frigidam bibendi cur poteſtatem fecerit febricitanti, duplex reſponſio.1°.met.med. 7ª.4.F
Frigidi potus ĩſolẽs appetitus oñdit futurã ęgritudinẽ.ars me.Iſ. 67.F
FRIGIDAM *ſi aſperſeris cordi nudato, refrigerabis.de vſu pulſuum.* 1ª.228.B
Frigida aqua ſanandum eryſipelas verum.9°.met.me. 7ª.57.F
Frigidior aqua frigus latenter inſinuat corpori infirmo.7°.metho.medendi. 7ª.44.F
Frigida aqua non poteſt penetrare in cutem denſam. commentario.5°. aphoriſmo.20°. Ex.39.B
Frigida aqua quo modo mordax dici poteſt.com.5°.aph.20°. Ex.39.B
Frigidę aquæ perfuſio quid faciat.com.5°.aph.21°. Ex.39.C
Frigida aqua quo modo calefacit.2°.de art.cur.ad Glau. 7.103.D
Frigida aqua per ſe non calefacit.3°.de temp. 1ª.24.H

Frigida calefacit quandoque per accidens.de conſt. ar. Iſa.40.B/de vtilitate reſpirationis. 1ª.224.F
Frigida aqua cur per accidens calefaciat.3°.de temp. 1ª.25.A
Frigida aqua quòd non calefaciat.3°.de temp. 1ª.24.H
Frigidæ aquæ perfuſio quam conuulſionem & quibus cõditionibus ſanet.com.5°.apho.21°. Ex.39.C
Frigidæ aquæ perfuſio aut extinguit natiuum calorem,aut colligit,& quo modo.commen.5°.aph.21°. Ex.39.C
Frigida aqua claudit & cogit cutim.3°.de ſan.tuen. 2ª.80.E
Frigida lauatio corpus roborat, & cutem denſam & duram facit.3°. de ſanitate tuenda. 2ª.78.B
ad Frigidã lauationẽ quo modo eat tẽperatus.3°.de ſa.tuen. 2ª.78.B
Frigida lauatione qua ætate debemus vti.3°.de ſan.tu. 2ª.78.C
Frigida lauatione quo tpe,& die debemus vti.3°.de ſa.tu. 2ª.78.C
Frigida lotio ab exercitando quando comperat.2°.de ſa.tu. 2ª.70.A
ante Frigidam lauationem pro frictionibus lintea duriora accipiãtur. 3°.de ſan.tuen. 2ª.78.C
Frigida aqua qui vult vti,quo mõ debet ꝑparari.3°.de ſa.tu. 2ª.78.C
Frigidam aquam ingreſſurus oleo perfricandus.3°.de ſa.tu. 2ª.78.C
Frigidam aquam ingreſſus oleo perfricandus.3°.de ſan.tu. 2ª.78.D
in Frigida aqua quantum immorandum.3°.de ſa.tuen. 2ª.78.D
à Frigidæ aquæ lauatione quid fiat.3°.de ſan.tu. 2ª.78.D
ex Frigida lauatione qui magno fruitur commodo.6°.de ſa.tu. 2ª.98.C
Frigida lauatio multos male affecit,qui male ea vſi ſunt.3°.de ſanitate tuenda. 2ª.78.B
ex Frigida lauatione quo modo fiat horror.3°.de ſa.tu. 2ª.78.D
in Frigida aqua natãs quo modo lædatur.de cauſ.mor. 3ª.7.D
Frigida aqua impedit incrementum.2°.de ſan.tu.76.B/3°. 2ª.78.B
Frigida aqua lauari quo modo non lædat.3°.de ſan.tuen. 2ª.78.C
à Frigida lauatione cibus quantus.3°.de ſan.tuen. 2ª.78.D
in Frigidã ex calida mergit in febre ex obſtructiõe.8°.me.me. 7ª.50.B
in Frigidã aquam quando ponendus ſemel totus æger hectica laborãs. 10°.methodi medendi. 7ª.66.H
FRIGIDI *cibi.in 6ᵐ.de mor.vul.com.5°.* 3ª.194.B
Frigidiores cibi ſunt magis pituitoſi.2°.de nat.fa. 1ª.300.D
Frigida multum,calidorum ciborum miſtura corrigi debent.4°.de ſimplic.medicamen.facul. 5ª.29.H
Frigidus ſuccus vitioſus quo faciat appetẽtiã.1°.de ſym.cau. 3ª.18.B
Frigidum chymum generant pira,& poma,ſi matura comedantur,cucumeres,citruli,aqua bathecæ, cucurbitæ.de diſſol.cont. Sp.75.B
Frigidi cibi quibus præbendi.de diſſol.cont. Sp.74.D
Frigidis nutriuntur corpora frigida.ars med. Iſa.68.G
Frigidis nutriendi calidi.in 6ᵐ.de morb.vul.com.4°. 3ª.183.E
Frigidos cibos calidi fortius digerunt.de diſſol.cont. Sp.73.B
Frigidũ cibũ accipientes appetũt.in 6ᵐ.de morb.vul.cõ.4°. 3ª.185.B
Frigidi cibi iuuant flatum hypochondriacum.3°.de loc.affe. 4ª.18.H
Frigidis & humidis cibis æſtate vtendum.1°.de alim.fac. 2ª.13.F
Frigidi & humidi cibi.10°.methodi medendi. 7ª.67.A
Frigidi qui erãt deinde ſunt calefacti, dolent.de inæq.intemp. 3ª.44.E
Frigida conſideranda an corpus nutrire poſſint.3°.de temp. 1ª.23.C
FRIGIDIOR *mare fœmina eſt. com.5°.aph.45°.* Ex.41.E
FRIGIDI *humores cur fiant.de cur.ra.per ſang.miſſ.* 6ª.16.G
Frigida eſt atra bilis.de nat.& ord.cuiuslibet cor. Sp.41.D
Frigidum eſt phlegma.de nat.& ord.cuiuslibet corp. Sp.41.D
Frigidus atq; humidus humor reducit ad pituitã.2°.d dif.ſe. 3ª.37.E
Frigidum & humidum,& ſi ſit craſſum,pituita eſt, & ex pitutæ genere.de cauſ.mor. 3ª.8.C
Frigidiſſimus humor pituita hyeme abundat frigidiſſima tempeſtate.in 1ᵐ.de morbis vulgaribus. com.1°. 3ª.100.H
Frigidus,& humidus humor pituita hyeme gignitur.in 1ᵐ.de morbis vulgaribus.commen.1°. 3ª.104.B
Frigidũ,& aquoſum ſanguinẽ hñt ãalia timida.de vti.reſp.Sp.64.D
Frigidi humores quo modo cognoſcantur.de reme.par.fac. 7ª.160.C
Frigiditas humorum facit morbos longos.com.4°.aph.44°. Ex.32.G
in Frigidis craſſis & lentis ſuccis a calore valde metuendum.12°.me thodi medendi. 7ª.79.C
Frigidi craſſi & pituitoſi humores faciunt morbum comitialem.commentario 5°.aph.7°. Ex.38.A
Frigidus humor in capite quid faciat.13°.meth.med. 7ª.85.E
Frigidi ſucci quo modo deprehendãtur habere aliquam caliditatem. 4°.de ſimp.med.facul. 5ª.25.B
Frigidũ modice in humorib.ſtatim ĩ ſpũm vertit.5°.de ſa.tu. 2ª.94.D
Frigidi, craſſi,& lenti humores a calefacientibus in flatus deducãtur. 12°.methodi medendi. 7ª.79.E
Frigida materia decumbit deorſum.in 1ᵐ.de morbis vulgaribus,commentario 1°. 3ª.105.A
Frigidi humoris gratia ſi vrina ĩpediat,qd cõferat.de cu.lap.Sp 112.F
Frigidi humores per abſceſſum euacuantur.in progn.cõ.3°. 4ª.210.E
Frigidum,& craſſum humorem in corpore habenti confert vinum tenue.de diſſol.cont. Sp.74.H
Frigidum humorem habentibus in venis conueniunt vina calida,& antiqua.de vinis. Sp.76.G
Frigidum aceruantibus humorem dandum Falernum,Tmolites, Ariuſium, Lesbium.de vinis. Sp.76.G
ob Frigidos humores dolorem vẽtris & renum curat chamæmelũ puluerizatum & malaxatum cum melle.de med.exper. Sp.106.E
cur FRIGIDVM *vnum admiſtum ſit multis calidis medicamentis,quo modo inueniatur.1°.de ſimp.med.fac.* 5ª.6.H
Frigidũ medicamẽtũ quodnã dicatur.4°.de cõ.me.per ge. 5ª.240.F
Frigidum quo modo cognoſcatur in medicamento.3°.de temp. 1ª.25.C
Frigida medicamenta ſtuporẽ et ſoporẽ inducũt.2°.de lo.aff. 4ª.14.A
Frida medicamẽta q̃ faciãt obliuionẽ et fatuitatẽ.2°.d ſy.cau. 3ª.24.B
Frigidius quo modo reddatur oleum roſaceũ in regione calida, in qua & fontium frigidorum & niuis penuria eſt.2°.de compoſitione medicamen.ſecun.locos. 5ª.132.F
Frigidum medicamen quandoque non alterat affectum calidum,ſed auget.3°.de temperamentis. 1ª.24.G
Frigidiſſima medicamenta non imponenda eryſipelatis.1°.de compoſi. medicamen.per genera. 5ª.212.A
Frigidum exuperans eſt morbus.1°.de temp. 1ª.11.B
Frigidum multum exuperans eſt mors.1°.de temper. 1ª.11.B
FRIGIDVS *morbus octo modis fit. de ocul.* 7ª.175.F
Frigidi ægroti quo lunæ aſpectu fiãt.de decu.ꝑg.ex mathe.ſcta.Sp.12.g
Frigidi affectus qui ſine dolore.2°.de ſymp.cau. 3ª.22.A
Frigidarum egritudinum cauſæ,quæ.de cauſ.morb. 3ª.7.B
Frigida ægritudo quo modo ex contactu frigidi.de cauſ.mor. 3ª.7.D
Frigidorũ propinquitas cauſa ẽ morborũ frigidorũ.d cau.mor. 3ª7.C
Frigidæ particulæ frigidis,calidæ calidis facile corripiuntur.de comp. med.ſecundum loc. 5ª.126.H
Frigidæ naturæ propter frigida ægrotant,propter calida ſanantur. cõmentario 3°.apho.3°. Ex.20.B
Frigidæ affectiones quæ neceſſario ſint.8°.de com.me.ſe.loc. 5ª.196.A
ex Frigidis humoribus ortum habentes morbi multi enumerantur. cõmentario 2°.aph.39°. Ex.18.A
Frigidi morbi a pituita.2°.de nat.fac. 1ª.300.D
Frigidi morbi a frigidis epotis,& voratis. de cauſ.morb. 3ª.7.D
Frigidos morbos quo faciat vinũ,& ſi ſit calidũ.de cauſ.morb. 3ª.7.D
Frigidi,& pituitoſi morbi quæ ſymptomata faciãt.3°.de l.af. 4ª.16.G
in Frigidos morbos incurrũt frigidiores natura.3°.de ſan.tuẽ. 2ª.93.C
Frigidæ affectiones tarde ad vigorem accedunt.in 1ᵐ.prorrhetico.cõmentario 1°. 4ª.164.E
Frigidum omne eſt difficulter ſolubile,& vix coctionem admittit.commentario 7°.apho.34°. Ex.56.E
Frigidus morbꝰ qñq; facit mẽbra decidere mortua.de diff.mor. 3ª.3.E
Frigida intemperies dum nihil abſunt humoris,incremento quodã modo confert.6°.de ſanitate tuenda. 2ª.95.E
Frigida intẽperies efficacior ſicca & humida.6°.de ſan.tuen. 2ª.96.D
ad Frigidum conuerſiones tabidis infeſtiſſimæ.in 3ᵐ.de morbis vulgaribus,commenta.3°. 3ª.146.B
Frigida intẽperies torpidas animalis partes efficit.3°.d lo.aff. 4ª.19.F
Frigida intemperies plurimum caput vitiat.13°.meth.me. 7ª.86.D
ex quibus Frigidis arboribus & fruticibus ſucci, ad caput calidius ꝑter naturam petantur.2°.de comp.med.ſec.loc. 5ª.132.H
Frigida affudebatur poſt calidæ perfuſionem ad capitis furfures.1°.de com.med.ſec.loc. 5ª.128.E
Frigidis cerebri,et neruorum paſſionibus cõferens medicamen.de medicinis expertis. Sp.104.E
à Frigida intẽperie memoria deperdita, vel grauiter læſa fuit.3°.de locis affectis. 4ª.16.E
Frigida intemperatura facit famem caninam.cõ.5°.aph.21°. Ex.15.A
ſi Frigidiorem habuerit temperaturam os vẽtriculi,plura appetimus. commen.2°.aph.20°. Ex.14.E
Frigidum ſequitur appetentia.1°.de loc.aff. 4ª.5.E
Frigidis humoribus quibus aggrauat os ventriculi,animi defectus illis accidit.

lis accidit.1°.de arte curatiua ad Glauconem. 7ª.98.F
Frigidæ affectionis vētriculi signū.8°.de com.me.sec.loc. 5ª.189.D
Frigidus redditus est ventriculus ablata pinguedine supra ventriculum.de vtil.respira. Sp.63.A
Frigida intemperies quo modo curetur.13°.meth.med. 7ª.82.B
Frigida,& humida intemperies ventriculi quo modo curatur.7°.methodi medendi. 7ª.47.G
Frigida,& humida intēperies stomachi non debet curari solis adstringentibus.8°.de compo.med.sec.loc. 5ª.188.A
Frigida & sicca ītēperies oīum pessima in cōpositis.7°.m.m.7ª.47.H
Frigiditatē cū siccitate esse nō posse nōnulli putabāt.1°.de tēp. 1ª.10.D
Frigidi parū,& sicci ventriculi victus ratio.7°.meth.medē. 7ª.46.G
Frigidus & siccus vēter qñ nardino inungendus.7°.met.me. 7ª.46.G
Frigidos & siccos ventres perungit opobalsamo.7°.met. me.7ª.46.H
Frigidi & sicci ventriculi multū, quo modo curādi.7°.me.m.7ª.46.H
pro Frigidis multū,& siccis vētriculis vnguētū.7°.met.me. 7ª.47.A
in Frigidis et siccis vētriculis vinū antiquū eligēdū.7°.m.m.7ª.47.A
Frigidus & siccus venter qūo pice illinendus.7°.metho.me. 7ª.47.B
Frigidū succū in vētre hōtes sunt segnes ad motū.2°.de sa.tu. 2ª.73.D
Frigidus succus in toto corporis habitu facit segnes ad motum. 2°.de sanitate tuenda. 2ª.73.E
ad Frigidos affectus stomachi.8°.de compo.med.sec.locos. 5ª.189.D/ de med.exper.104.E/ Sp.105.H
Frigidos vētres habentibus datur euphorbiū.de dynamidijs. Sp.22.B
Frigidā intemperiē iecoris quæ comitantur.5°.de loc.affe. 4ª.34.E
Frigidum hepar minus attrahit.commentario 2°.aph.20°. Ex.14.G
Frigidi qñ sunt hepar,et stomachus q cibi sumendi.de disso.cō. Sp.71.F
ex Frigida cā debilitati hepatis valet rhabarbarū.ḋ me.ex.Sp.106.E
Frigidiorem si statim ab initio habuerit aluus temperaturā, quid sequatur.commentario 2°.apho.20°. Ex.14.E
Frigida intēperatura facit vrinæ stillicidiū.cō.7°.aph.48°. Ex.57.H
Frigidus affectus ex retentione hæmorrhoidum,vel mensium quando curatur sanguinis missione.de venæ sect.aduer.Eras. 6ª.7.B
Frigida,& calida intemperies primam facultatem sibi vendicant.3°. de locis affectis. 4ª.16.F
Frigido,& humido retētiua vis imbecillis est.3°.de sym.cau.3ª.29.D
in Frigida & humida intemperie partis alicuius quæ adhibeat Galenus.2°.de comp.med.sec.locos. 5ª.138.A
à Frigido dolor,& curatio.de nat.hum.com.1°. 1ª.28.G/H
Frigidi sunt dolores magni antiqui.in 6ᵐ.de mor.vul.cō.1°. 3ª.156.D
Frigida reddit extrema dolor.de vict.ra.in mor.ac.com.3°. 7ª.130.E
Frigida debent afferri remedia in capitis doloribus,vbi calidior et bilioſior humorū multitudo fuerit,tepida,vbi frigidior,et crudior extiterit.2°.de cōpositione medicamentorum secundū locos. 5ª.137.D
ex Frigida causa dolori forti quid conferat.de med.exper. Sp.104.H
Frigidum dolorem auferens electarium.de medica.exper. Sp.107.D
contra Frigidos dolores valens medica.de medicinis exper.105.G/de cura lap. Sp.112.F
Frigida, & sicca intemperantia pessima.5°.de sanitate tuen. 2ª.95.D
Frigida extrema.in 1ᵐ.de morb.vulgaribus,commen.3°. 3ª.121.B
Frigida liuida extrema.in 3ᵐ.de mor.vulgarib.commē.2°. 3ª.137.E
Frigida & liuida cur fiant extrema.in 3ᵐ.de mor.vul.c.2°.3ª.137.F
Frigida extrema & subliuida.in 1ᵐ.de mor.vul.com.3°. 3ª.124.F
Frigidi cū sunt pedes,quæ sequunt.de vic.ra.in mor.ac.c.4°.7ª.139.F
Frigida extrema exitiale signum.in 1ᵐ.de mor.vulg.c.3°. 3ª.122.E
Frigida extrema intima calida malum.in progno.com.2°. 4ª.198.C/ com.4°.aph.48°.33.A/commen.7°.aph.68°. Ex.60.F
in Frigido ambiente quando vritur æger,de illo desperandum.11°.methodi medendi. 7ª.70.B
Frigidum exspirare pernicioſum.in 1ᵐ.prorrh.com.1°. 4ª.162.A
in Frigidos,& humidos morbos facile incidūt natura frigidi & humidi,contrarij ægrius.in 1ᵐ.de morb.vulgar.commen.1°. 3ª.103.F
Frigidi,& humidi febre laborātes quo victu vtētur.8°.me.m 7ª.54.F
Frigidi,& humidi sint cibi febricitatiū.8°.met.me.51.A/7ª.54.G/H
Frigidus,& humidus sit hecticorum cibus.10°.meth.me. 7ª.67.A
Frigidis & humidis sanatur febris ex siccitate sine putredine.10°.me thodi medendi. 7ª.64.D
Frigidæ,et humidæ cōplexioni valens medicina.de med.exp. Sp.105.C
quibus Frigidis herbis consternebant pauimenta.1°.de arte curat. ad Glauconem. 7ª.99.B
Frigidus,ac siccus victus quartanam generat. 2°.de diff.feb. 3ª.36.E
Frigidis aurium passionibus quid valeat.de cura lap. Sp.112.F
ex Frigida causa anheloſis quid opē ferat.quæsita. in Hip. Sp.113.A
Frigidæ ægritudinis renum signū.cō.7°.apho.34°. Ex.56.E
Frigida in renum lapide quandoque danda,quādoque euitanda.de re. affect.dig.& med. 7ª.194.C
Frigida nō danda in vena renū sistēda.de ren.aff.dig.et me.7ª.192.H
quæcunque Frigidos & spiſsos vteros habent,non concipiunt.commentario 5°.apho.62°. Ex.43.E
ad Frigidam matricem.de paſs.mul. Sp.95.G
contra Frigidas iunctura rum infirmitates valens medicamen.de medicinis expertis. Sp.105.F
Frigidæ causæ podagram quid dissoluat.secretorum. Sp.101.F
Frigida membra confortans medicamen.de med.exper. Sp.104.E
ex Frigida causa membrorum interiorum debilitati quid valeat. de medicinis expertis. Sp.107.A
Frigidis ægritudinibus danda phlegmagoga.de dyn. Sp.21.C
Frigido tumore tumentibus danda phlegmagoga.de dyn. Sp.21.C
in Frigido affectu sanguis nō mittēdus.de venæ sec.aduer.Eraſ. 6ª.6.F
in Frigidarum ægritudinum principijs humores subtilians, & præparans ad exitum.de me.exper. Sp.108.E
ad Frigidas infirmitates dantur drachmæ tres zingiberis, & calefacit.de medicinis expertis. Sp.106.E
ad Frigidas passiones valens electarium.de med.exper. Sp.108.C
Frigidior est nix aqua gelida.de marc. 3ª.48.B

FRIGIDI Planetæ,& signa.

Frigidus est,et siccus Saturnus.de cōpag.mēb.siue de nat.hu. Sp.59.F
Frigida & humida est Venus.de cōpag.mēb.siue de na.hu. Sp.59.G
Frigidus,calidus,humidus,& siccus æque est Mercurius. de compagine membrorum,siue de natura humana. Sp.59.G
Frigida & humida est Luna replēs axungias. de compagine membro. siue de natura humana. Sp.59.G
Frigidus est Scorpio ī secūdo gradu,humidus ī primo.ḋ sper. Sp.38.b
Frigidi sunt Pisces in primo gradu,humidi in secūdo.de sper.Sp.38.H
Frigidus est Taurus in tertio gradu,siccus in secūdo.de sper.Sp.38.H
Frigidus est Capricornus in scdo gradu,siccus in tertio.de sp.Sp.38.H
Frigida est Virgo in scdo gradu,sicca in tertio.de spermate. Sp.38.H
Frigidi & sicci sunt Capricornus,Taurus,Virgo.ḋ spermate.Sp.38.H
Frigidi sunt Cancer,Scorpio,Pisces.de spermate. Sp.38.H

FRIGIDA & humida cur sit qualitas gustabilis.de compagine membrorum, siue de natura humana. Sp.58.D

FRIGIDA regio.

Frigiditas maior in quibus sit partibus,& pp quid.de sper. Sp.39.D
Frigida est Scythia.in progno.com.3°. 4ª.212.H
Frigida & sicca terra in quarto gradu, est sub potentia Saturni. de spermate. Sp.40.C
Frigida, & humida terra in primo gradu Lunæ subiecta est. de spermate. Sp.40.C
Frigida loca quales homines gignant.2°.de sa.tu. 2ª.73.B
in Frigido loco,in calido,viro,puero,seni,mulieri, æstate, hyeme, non æque conueniunt capilli.11°.de vsu partium. 1ª.189.F
in Frigido cubili somnum capiant calidæ naturæ calido tēpore.in 6ᵐ. de morb. vulg.com.4°. 3ª.185.A
in Frigida regione non est secāda vena ēt in febre acuta. de se. Is.16.E
in Frigidis,aut calidis supra modum locis,non est sanguis mittendus, neque euacuandum.1°.de arte cur.ad Glauco. 7ª.98.C
in Frigidis atque humidis locis quotidianæ febres maxime fiunt.2°.de differentijs febrium. 3ª.36.D
in Frigida terra & frigida conditione facies Hippocratica non est exitioſa.in prognoſt.commen.1°. 4ª.191.E
ex Frigidi,calidi,humidi,& sicci miscella fiunt sapores. 1°.de alimentorum facultatibus. 2ª.9.A

FRIGIDVM, & terrenum esse probatur acerbum.4°.de simplicium medicamen.facul. 4ª.25.G
Frigidum est quod tantum est acidum.4°.de simp.med.fac. 5ª.25.A
Frigida omnia acida.4°.de simp.med.fac. 5ª.26.D
Frigidus succus est aciditas manifesta, cū sentitur sine acrimonia.4°. de simp.med.fac. 5ª.25.B
à Frigido vincente perficitur adstrictio.4°.de simp.me.fac. 5ª.27.C
Frigidum est omne adstringens.4°.de simp.med.fac. 5ª.26.D
ex Frigidis,& adstringentibus fit euacuatio.13°.meth.med. 7ª.82.C
Frigidis, & adstringentibus potius quam digerentibus vtendū est ad phlegmonas incipientes.13°.meth.med. 7ª.82.C
ad Frigidum tendunt amara aliqua.3°.de com.me.per gene. 5ª.228.E

Frigida quæ amara sint.4°.de simp.med.fac. 5ª.26.D
Frigida sunt,dulcia mediocriter.de cathar. Sp.95.B
FRIGIDA *simplicia medicamenta.*
Frigidum primi ordinis,quid.5°.de simp.med.fac. 5ª.39.B
Frigida & calida quæ vocet in primo ordine.2°.de sim.me.f. 5ª.16.F
Frigidum secundi ordinis, quid.5°.de simp.med.fac. 5ª.39.B
Frigidum tertij ordinis, quid.5°.de simp.med.fac. 5ª.39.B
Frigidum quarti ordinis,quid.5°.de simp.med.fac. 5ª.39.B
Frigidissima quæ in quarto ordine.3°.de simp.med.fac. 5ª.19.G
Frigida quæ sint,& calida vere.1°.de simp.med.fac. 5ª.2.E
Frigida certe, quæ.in 6m.de mor.vul.com.5°. 3ª.194.D
Frigida quæ ab omnibus iudicentur.3°.de simp.med.fac. 5ª.17.H
Frigidum non est omne albũ.1°.de simp.med fac. 5ª.2.E
Frigida sunt alba aliqua.1°.de simp.med.fac. 5ª.2.E
Frigida alba quæ.1°.de simp.med.fac. 5ª.2.E
Frigida sint an calida,non sunt quærenda medicamenta, sed calefacientia nos,& infrigidantia.2°.de simp.med.fac. 5ª.10.D
Frigidum tenue quo cõparatur calido crasso.1°.de simp.me.f. 5ª.6.C
Frigida multa tenuis essentiæ.1°.de simp.me.fac. 5ª.6.F
Frigidum plurimũ,tenuium partiũ,& parum calidum Acetum.1°.de compo.me.d.sec.lo. 5ª.128.H
Frigidũ subtile & aercũ facit acidã qualitatẽ.4°.de si.me.f. 5ª.26.F
Frigidius est acetum, quàm calidius.1°.de simp.med.fac. 5ª.5.F
Frigidum & siccum acetum.1°.de simp.med.fac. 5ª.6.F
Frigidum aceti tenue.1°.de simp.med.fac. 5ª.5.D
Frigidũ acetum quo probetur esse.1°.de simp.me.fa.5.F 5ª.6.A
Frigida in secundo & sicca est Alga.8°.de simp.med.fac. 5ª.63.D
Frigidæ,& calidæ tẽperantiæ,cõdensatoriæ,et extenuatoriæ est Aloe.de cathar. Sp.94.E
Frigidus & siccius tritico Amylum.8°.de simp.med.fa. 5ª.59.D
Frigida semper Aqua potabilis.1°.de sim.med.fac. 5ª.3.A
Frigidissimæ & sicciſſimæ Arbores.4°.de simp.med.facul. 5ª.26.F
Frigidus est Aster Samius.1°.de simp.med.fac. 5ª.2.E
Frigidus,& viscosus est Atriplicis succus.2°.de sim.me.fa. 5ª.14.D
Frigidum & siccum est in secundo ordine Cichorium.8°.de simp.medicamen.faculta. 5ª.60.C
Frigida est extreme Cicuta.7°.de simp.med.fac. 5ª.53.H
Frigidum & siccum in tertio ordine est Citri semen.7°.de simpl.medicamen.facultatibus. 5ª.56.A
Frigida & pituitosa est citri caro.7°.de simp.med.fac. 5ª.56.A
Frigidus est & humidus in secundo ordine Cucumis.8°.de simp.medicamen.facul. 5ª.60.E
Frigidam, & terrestrem habent substantiam Ellẽborus,& epitymum.de cathartlicis. Sp.94.F
Frigida & sicca in primo ordine Eruãgina.8°.de simp.me.fa. 5ª.57.F
Frigidi Fructus numerantur.4°.de sim.med.fac. 5ª.26.D
Frigidi fructus quo modo cognoscãtur habere aliquam caliditatem.4°.de simp.med.facul. 5ª.25.B
Frigidus & humidus est Fungus, vnde proxime accedit ad facultatẽ deletcriam.7°.de simp.med.facul. 5ª.56.C
Frigidum & crassum humorem generant fungi.de dissõl.con. Sp.74.A
Frigidarum Herbarum succis cum indiges, misce acetum & aquam.1°.de comp.med.per gen. 5ª.211.H
Frigidus in tertio ordine & siccus in primo est Hyacinthus.8°.de simplic.med.facul. 5ª.62.H
Frigidus in tertio ordine Hyoscyamus floris candidi.8°.de simp.med.facultatibus. 5ª.63.A
Frigidum in tertio ordine Hypecoon.8°.de simp.med.fac. 5ª.63.A
Frigida, & humida in secundo ordine est Lenticula palustris.8°.de simplic.med.facul. 5ª.63.B
Frigida,& humida, Mala fructus.7°.de simp.med.facul. 5ª.55.H
Frigidum & humidum quodam modo in secundo ordine malum armenicum.7°.de simp.med.fac. 5ª.56.A
Frigida in tertio ordine est Mãdragora.7°.de simp.me.fa. 5ª.55.C
Frigida terrena et multum desiccat Myrtus.7°.de sim.me.fa. 5ª.56.E
Frigidum quarto ordine est Papauer.7°.de simp.me.fac. 5ª.55.G
Frigidum & humidum est Persicum.7°.de sim.med.fac. 5ª.56.A
Frigida aquosæ substantiæ est Portulaca.2°.de com.me.se.lo. 5ª.136.C
Frigidũ minus Portulaca est Polygonon.2°.de com.me.se.l. 5ª.136.C
Frigidus & humidus est Platanus parum recedens à mediocritate.8°.de simpli.med.facul. 5ª.58.G
Frigidum & humidum est Plumbum.9°.de simp.med.fac. 5ª.70.E
Frigidam humiditatem recrementitiam habet ominia Poma.7°.de simpli.med.fac. 5ª.55.H
Frigidum est in secundo & temperatũ in passuis Psyllium.8°.de simplic.medic.facul. 5ª.64.A
Frigidus in primo,siccus & digerens in secundo ordine est Rhamnus.8°.de simp.medicam.facul. 5ª.59.E
Frigida in secundo,sicca in tertio ordine est Rhus.8°. de simp. medicamen.facul. 5ª.59.H
Frigidæ in primo ordine sunt Rosæ,quæ est tepida caliditas.6°.de sim. medic.facul. 5ª.44.C
Frigidum in tertio ordine est Solanum hypnoticum.8°.de simp.medicamen.facul. 5ª.62.G
Frigidum in secundo ordine est,& siccum in tertio Solanum manicum.8°.de simpli.med.facul. 5ª.62.G
Frigida & humida Stratiotes.8°.de simp.me.fa. 5ª.61.D
Frigidũ,& siccũ extreme corpus est Terra.9°.de simp.me.fa. 5ª.64.G
Frigidus parum & siccus multũ est Tribolus.8°.de sim. me.f. 5ª.62.F
Frigida sunt vina acerba & austera.3°.de cõp.med.se.lo. 5ª.147.A
Frigida moderate Viticis folia.2°.de comp.med.se.loc. 5ª.136.F
Frigida interimentia nos non sunt acida.4°.de sim.med.fac. 5ª.28.C
FRIGIDVS *sudor.in 1m.de mor.vulg.com.3°.* 3ª.121.B
Frigidi sudores sunt peiores calidis.com.4°.aph.42°. Ex.32.E
Frigidus sudor,& multus quid significet.com.7°.apho.61°.Ex.59.F
Frigidi sudores cum acuta quidem febre mortem,cum mitiori autẽ lõgitudinem morbi significant.com.4°.aph.37°. Ex.32.B
in FRIGIDO *tempore anni non est secanda vena,etiam in febre acuta.de sectis.* Isa.16.E
Frigidum,& siccum in autumno dominatur,licet inæqualis sit.in 1m. de morbis vulgaribus,com.1°. 3ª.101.C
Frigidus & siccus vnde sit autumnus.de spermate. Sp.39.A
Frigidus & siccus status,ac etiam ex parte inæqualis.in 1m.de morbis vulgaribus,commentario 2°. 3ª.113.E
Frigido,& humido vere oculi laborant.in 1m.de morb.vulg.commentario 2°. 3ª.108.G
Frigidus,& humidus status non fit nisi hyeme.10°.meth.me.7ª.63.E
Frigida,& humida est hyems.bre.deno.dogm.Hipp.1ª.231.C/in 1m. de morbis vulgaribus,com.1°. 3ª.101.C
Frigida & humida vnde sit hyems.de spermate. Sp.39.A
Frigido humido & aquilonio existente anno, quid secutum est.in 1m. de morbis vulgaribus,com.2°. 3ª.108.B
Frigida,& humida tempora,regiones & constitutiones adstringunt, difflare corpora,& extenuari non sinunt.com.2°.aph.28°.Ex.16.c
in omni Frigidiori atque humidiori temporum statu maximæ quotidianæ febres fiunt.2°.de diff.feb. 3ª.36.D
Frigidi,& humidi magnopere status maxime lædunt corpora intemperata humiditate & algore.in 1m.de mor.vul.com.2°. 3ª.108.F
Frigida,& humida constitutione dandum Falernum,Tmolites,Ariusium,Lesbium.de vinis. Sp.76.G
in Frigidis constitutionibus euacuati nimium refrigerati non possunt tolerare.1°.de arte cur.ad Glauconem. 7ª.98.C
qui FRIGIDIORE. *qui,calidiore sunt temperamento, habent hi suã vtriq; communem naturam. de pulsibus ad tirones.* 4ª.44.A
Frigidi temperamenti tres differentiæ.6°.de san.tu. 2ª.96.H
Frigidum temperamentum notat albus color.in 3m.de morbis vulgaribus,commentario 3°. 3ª.146.D
Frigidiores sunt qui habent venas arctiores.2°.de tem. 1ª.18.C
Frigidius temperamentum significat pulsus tardior.1°.de præsagitione ex puls. 4ª.108.D
Frigidi sunt alba pituita abundantes.in 6m.d mor.vul.c.3°.3ª.146.D
Frigidum & pituitosum qui motus faciant.1°.de san.tuen. 2ª.65.F
Frigidus & siccus ab initio, non est melancholicus, sed pituitosus ab excrementis.2°.de temp. 1ª.21.C
Frigidi non habent pilos,vel habent paucos.11°.de vsu par.1ª.190.B
in Frigidis respiratio minor & rarior.de vtil.resp. 1ª.225.G
Frigidiores natura,sunt magis pigri.2°.de san.tu. 2ª.73.F
Frigidi natura,& habentes frigidos humores,sunt pigrissimi.2°.de sanitate tuenda. 2ª.73.E
Frigidis naturis cõgruũt frigidæ ægritudines.c.2°.aph.34°. Ex.17.C
Frigidi et humidi difficulter incidunt in febres.8°.meth.med.7ª.54.E
Frigidi tertio loco difficulter in febres incidunt.8°.meth. me.7ª.54.E
Frigidi & sicci quarto loco difficulter in febrẽ incidũt.8°.m.m.7ª.54.E
in Frigido corporis tẽperamẽto synochus nõ fit.9°.met.med.7ª.56.D

Frigidæ & ſiccæ naturæ ægre p halitũ digerũtur.9°.met.me.7ª.60.H
Frigidi minus digerunt.in 1ᵐ.de morb.vulg.com.2°. 3ª.115.E
Frigidi,humidi,& ſicci in temperatura modice ſe habentes quo modo curentur 6°.de ſa.tuen. 2ª.96.H
Frigidis mel ſalubre.1°.de alim.fac.8.F/ 2ª.32.H
in Frigidis affectibus idoneum mel.de marc. 3ª.48.D
Frigidiſſimis dandum vinum calidiſſimum.5°.de ſa.tuen. 2ª.94.E
Frigidis cõplone dãdũ Falernũ,Tmolites, Ariuſiũ, Lesbiũ.ḋ v.S.76.G
Frigidis habitudinibus danda phlegmagoga.de dynam. Sp.21.C
Frigidas intemperies frigida et humida lædunt.8°.de compoſitione medicamentorum ſecundum locos. 5ª.195.C
Frigidus & ſiccus à principio,qualis fuit.2°.de temp. 1ª.21.C
Frigidus et ſiccus ex habitus mutatione,melãcholicus.2°.ḋ tẽ.1ª.21.C
Frigidum & ſiccũ temperamẽtũ ſeni ſimillimũ.5°.de ſa.tu. 2ª.94.D
Frigidi & ſicci celeriter ſeneſcunt.5°.de ſan.tuen. 2ª.94.D
Frigidi,& ſicci tarde ad temperiem veniunt.8°.meth.med. 7ª.54.F
Frigidi & ſicci quo modo curentur.6°.d ſan.tuen. 2ª.96.G/H
Frigidis & ſiccis naturis cur vinum conuenit.5°.de ſan.tu. 2ª.94.E
Frigidis,& ſiccis venus aduerſiſſima.6°.de ſa.tu. 2ª.96.H
Frigidis & ſiccis cur obſint valde calida fomenta.7°.met.me.7ª.47.B
Frigida & ſicca corpora agglutinantur,& coaleſcunt.3°.de ſymptomatum cauſis. 3ª.29.A
Frigidum & humidum temperamentum aduerſiſſimum calido & ſicco.5°.de ſanitate tuenda. 2ª.94.C
Frigidæ, & humidæ naturæ ad æſtatem optime afficiuntur, ad hyemẽ peſſime.com.3°.aph.2°. Ex.20.A
Frigidi,& humidi natura facilius cedunt morbis & externis circunſtantys, quos frigidus & humidus ſtatus parit, contrarij ægrius.in 1ᵐ.de morbis vulg.com.1°. 3ª.103.F
Frigidi,& humidi quibus regantur.5°.de ſan.tuen. 2ª.94.C
Frigidæ & humidæ temperaturæ corpus ita exiccabat atque calefaciebat, vt non liqueſceret.de prænotione. 4ª.217.G
Frigidis non eſt ſanguis mittendus, ſed vide modos quibus euacuantur.de curan.rat.per ſang.miſſ. 6ª.17.D
Frigidi moriuntur ſyncopa correpti.1°.de præſag.ex pul. 4ª.107.H
Frigidis & aquilonys ventis ſpirantibus quando caput plurimum lædit.in 1ᵐ.de mor.vul.com.2°. 3ª.113.F
FRIGIDVM *quid faciat.in 1ᵐ.prorrh.com.1°.4ª.166.C/5°.de ſimp. med.facul. 5ª.39.A*
Frigidi proprium.1°.de ſimp. me.fac.6.D/4°. 5ª.24.F
Frigidum delectat aliter quàm calidum.1°.de ſymp.cau. 3ª.16.G
Frigidũ & calidũ faciũt diuerſitatẽ in motibus.4°.de vſu p.1ª.206.C
Frigido immixtum parũ calidi non immutat illud.1°.de ſa.tu. 2ª.64.B
Frigido calidam in quo præſtet.1°.de ſan.tu. 2ª.62.F
Frigidum frigefacit.1°.de temp. 1ª.10.D
Frigus intenſum extinguit flammam.de vti.reſp. 1ª.224.H
Frigidum nihil prompte comburitur.4°.de vſu par. 1ª.137.D
Frigidat is calefit à caliditate feboris.com.4°.aph.57°. Ex.33.G
Frigidum paratum eſt vt frigidus fiat.de cau.morb. 3ª.7.A
Frigidum quid agat tangens.4°. de ſimp.med.fac. 5ª.24.C
Frigida iniecta corpori quid agant.in 6ᵐ.de mor.vulg.cõ.6°.3ª.195.H
Frigida debent comminui a noſtro calore.3°.de ſimp.me.fac. 5ª.22.D
Frigida vt in nos agant a calore noſtro ſunt alteranda, & comminuenda.3°.de ſimp.med.fac. 5ª.22.E
Frigida niſi in pollinem ſint redacta, non frigefaciunt.1°.de ſimplicium medicamentorum facultatibus. 5ª.4.F
Frigidum alterat totum per totũ.1°.de elemen. 1ª.7.H
ex Frigido alteratio valde curatur.7°.meth.med. 7ª.44.C
Frigidum nihil putrefacit.1°.de temp. 1ª.12.B
in Frigidis non breui fit putrefactio.8°.de com.me.ſec.lo. 5ª.194.A
Frigida, & craſſioris eſſentiæ nullum humorẽ poſſunt introducere.3°. de ſimp.medic.facul. 5ª.21.G
Frigido cogitur,& adſtringit.in 6ᵐ.de mor.vul.com.2°. 3ª.160.F
Frigidum exterius dẽſat,refrigeratq; cutaneas partes.in 6ᵐ.de mor. vulg.com.5°. 3ª.195.G
Frigidis cum denſantur corpora,in ſeipſa ſubſidẽt.de cau.mor.3ª.9.B
Frigida mediocriter repercutiunt.1°.de com.med.per ge. 5ª.213.A
Frigida dupliciter euacuant,& quo.5°.de ſimp.med.fa. 5ª.33.A
Frigidum quid mali faciat.in 6ᵐ.de morb.vul.com.3°. 3ª.172.E
Frigidorum vſus immoderatus quid faciat.de marc. 3ª.47.D
Frigidum coctioni aduerſatur.de vi.ra.in mor.acu.com.3°.7ª.130.A
Frigida cauſa,ocium facit pigritiem & ſomnum.2°.de lo.aff. 4ª.14.B
Frigidũ quas paſſiones faciat.c.5°.aph.17°.38.H/aph.20°. Ex.39.B
ex Frigido & calido fiunt horror & rigor.4°.de ſan.tu. 2ª.86.A
Frigida excrementa tenuia faciunt rigorem & horrorem, non tamẽ febrem.4°.de ſanitate tuenda. 2ª.82.H
in Frigidam poſitus digitus facit horrorẽ.3°.de ſimp.med.fac.5ª.20.H
Frigidis qñq; curaĩ tremor.de trem.palpita.conuulſ.& rig. 3ª.52.H
Frigidus ſimpliciter nõ eſt rigor.de trem.palp.conuul.& rig.3ª.53.D
Frigidum neruis contrarium.3°.de comp.med.per gene. 5ª.229.F
a Frigido contagia fiunt in neruis.in 6ᵐ.de morb.vul.cõ.3°. 3ª.172.F
a Frigidis læduntur nerui frigidi.de vic.ra.in mor.acu.c.3°.7ª.130.H
Frigida conuulſionem ſemper prouocant.de fract. com.3°. 7ª.247.H
Frigiditates immodicæ faciunt extenſiones neruorum.commen.4°.aphoriſmo 49°. Ex.33.C
Firgidum conuulſionem facere natura aptum, tamen ſanat aliquãdo. commen.5°.aph.22°. Ex.39.D
Frigida quomodo ſpaſmum inducit.de conſuetud. 2ª.60.E
ob Frigidi vim venarum diſruptio.in 6ᵐ.de mor.vul.c.3°. 3ª.172.H
Frigida ſunt omnia reſoluta,ſtupida, male ſentientia, quæ ſenſum amiſerint.de trem.palp.conuulſ.& rig. 3ª.53.D
Frigidum quomodo faciat dolorem.1°.de ſym.cau. 3ª.16.G
a Frigida reſtupor fit in quibus partibus.2°.de lo.aff. 4ª.8.D/E
Frigidum quibus membris ſit inimicum.cõ.1°.aph.18°. Ex.39.A
Frigiditas lædit inſtrumenta reſpirationis.com.3°.aph.23°. Ex.24.H
Frigidum quæ perimat,& quibus partibus inimicum ſit. commen.5°. in aphoriſmo 22°. Ex.39.D
Frigidum facit exuſtiones in calcaneis,in digitis,& oſſibus extremis, quæ calido ſanantur.com.5°.aph.22°. Ex.39.E
Frigiditas facile aſcendit per anum,per veſicam,& vterum in ventrem.com.5°.aph.22°. Ex.39.F
Frigida tenuium partium mordicant,præſertim ſi inæquabilem habẽt intemperiem.4°.de ſimp.med.fac. 5ª.24.G
Frigida quæ non ſunt mordacia.4°.de ſim. me.fac. 5ª.24.E
a quo Frigido cutis non mordicetur.4°.de ſimp.me.fa. 5ª.24.F
Frigida craſſarũ partiũ non mordicãt.4°.de ſimp.me.fa. 5ª.24.G
Frigida tenuium partium magis penetrant & mordicant.4°.de ſimp. med.fac. 5ª.24.F
Frigidum quibus partibus mordax.4°.de ſimp.med.fa. 5ª.24.C
Frigida mordacia vlceribus.1°.de ſimp.med.fac. 5ª.6.D
Frigidum mordax ex vlceribus.com.5°.aph.23°. Ex.39.F
Frigida nimis fugienda in vlceribus.3°.meth.med. 7ª.21.C
Frigidis non contingendum vulnus.6°.meth.med. 7ª.38.D
Frigida qualis nix & glacies pectori inimica, tuſses mouent, & ſanguinem,& deſtillationes.com.5°.aph.24°. Ex.39.G
Frigidiſſima quæ oculis mire obſint.3°.meth.med. 7ª.17.D
Frigido in quibus vti debeamus.com.5°.aph.23°. Ex.39.F
Frigida curare vomitum ſanguinis.com.7°.aph.37°. Ex.57.A
Frigida perinæo & lumbis adhibenda pro coitu remouendo.6°.de locis affe. 4ª.42.F
Frigidis non eſt ſiſtendus ſanguis ab hirudinibus tractus,quando nimis fluit,ſed adſtringentibus,& emplaſticis.de cucur.ſcar. 6ª.4.D
Frigida ſicca & amara ſunt danda,ſi culpa ſanguinis fuerit ægritudo. de dynamidijs. Sp.19.F
Frigida,humida, & dulcia ſunt danda, ſi culpa choleræ rubræ fuerit ægritudo.de dynamidijs. Sp.19.F
Frigidum, calidum,ſalſum non dant,vt aliquid aluum aut vrinam moueat.1°.de alimen.facul. 2ª.7.D
Frigida & opiata quid faciant in doloribus.3°.meth.med. 7ª.17.D
Frigidum curatur calido.de nat.hum. com.1°. 1ª.28.H
Frigidæ cauſæ aereæ remedium eſt calefactio.2°.de ſym.cauſ.3ª.23.B
in Frigido quantum peccat,tantum calefaciendum.ars med. Iſa.71.B
Frigidæ cur partes vel calidæ fiant.de cur.ra.per ſang.miſſ. 6ª.16.G
Frigidũ excrementũ vel expellitur,vel alteratur.4°.de ſa.t. 2ª.82.H
Frigida facta ſunt calefacienda his demptis quibus ſanguis fluit aut fluxurus eſt.com.6°.aph.19°. Ex.39.A
Frigida calid.tate indigent propter quid.3°.de ſimp.me.fac.5ª.21.H
Frigidiſſima materia non poteſt a febrili calore,nec naturali calefieri. commentario 4°.apho.37°. Ex.32.C
Frigidum & calidum an fieri poſſit corpus.de cauſ.mor. 3ª.8.B
Frigida & humida ſanarentur ſuffitu aromatum,niſi caput grauarẽt. commentario 5°.aphoriſmo 28°. Ex.40.C
Frigoris triplex cauſa.5°.de ſimp.med.fac. 5ª.32.H
propter Frigus Scythæ fului.de aere,aq.& loc. 2ª.5.F

Frigus

Frigus & ſerenitatem facit Boreas. 3°. de ſymp. cauſ. 3ª.27.F
Frigora magna ante Autumnum. in 1ᵐ. de morb. vulg. cō. 2°. 3ª.107.F
Frigus hyemis à ſole quo modo procedat. de natu. hu. c. 1°. 1ª.32.D
in Frigore cur latent animalia. 3°. de loc. aff. 4ª.16.F
Frigus & calor ſi eodem die ſit, morbos autumnales expectare oportet. commentario 3°. apho. 4°. Ex.20.C
Frigus & calor quo mō ſimul ab extrinſeco. de inæq. intemp. 3ª.44.F
Frigus & calor qualem faciant reſpirationem. 2°. de diff. reſp. 3ª.65.E
ex Frigore naturalis caloris quibus notis diſtinguitur reſpirationis difficultas. 1°. de difficultate reſpirationis. 3ª.59.A
in Frigore ſanguinis copia non eſt educēda, cur. præſag. exp. Sp.78.A
Frigoris aliquid participat calor naturalis. & trē. pal. conuul. 3ª.54.C
Frigoris vi fit aciditas. 4°. de ſimp. med. fac. 5ª.27.D
a Frigore ructus acidi. 3°. de ſymp. cauſ. 3ª.25.D
Frigore cur fiant lachrymæ & mucus. 4°. de ſimp. med. ſa. 5ª.24.D
propter Frigus albedo ſit fulua. de aere, aq. & loc. 2ª.5.F
Frigus retardat pubertatem & hoc & in alijs ætatibus intelligas. & commentario 3°. aph. 26°. Ex.25.D
Frigus latenter inſtruat infirmo corpori aqua frigidior. 7°. methodi medendi. 7ª.44.F
Frigore quæ patiantur rara & mollia. 4°. de ſimp. me. fa. 5ª.24.D
Frigore laborantes calidiores natura partes quomodo calfaciēdæ. 7°. methodi medendi. 7ª.49.A
Frigore alieno corrumpuntur res. 4°. de ſimp. med. fac. 5ª.28.B
Frigus & calor abundans corporis languorem, facit, vel malum generat odorem. de dynamidijs. Sp.19.D
Frigus ſentire, & frigueſſe non idem. de trem. palp. conuul. 3ª.53.D
Frigueſſe & frigus ſentire non idē. de trem. palp. cōuul. et rig. 3ª.53.D
Frigus cauſa antegreſſa. introd. Iſa.52.B
ob Frigus palpitationes. 2°. de ſymp. cau. 3ª.20.H
Frigus quid agat in corpora. 16°. de vſu partium. 1ª.220.F
Frigus ſeu perfrigeratio parit morbos. de nat. hu. com. 2°. 7ª.182.B
ob Frigus immodicum moriuntur multi. de cauſ. procatar. 3ª.98.A
Frigus facit caput leuiſſimum. in 1ᵐ. de morb. vul. com. 1°. 3ª.104.B
Frigore congelaſcit aqua. quòd animi mores. 1ª.319.D
Frigore concretū, vt glacies, eſt durū, nō tñ ſiccū. 2°. de tempe. 1ª.17.G
cum Frigore durum neceſſario non eſt ſiccum. 2°. de tempe. 1ª.17.G
Frigus adſtringit. de opt. ſecta. Iſa.25.C
Frigus denſat. 3°. de ſa. tu. 2ª. 81. B/in 1ᵐ. de mor. vul. c. 1°. 3ª.104.D
ex Frigore cutis denſitas quo mō corrigenda. 3°. de ſa. tu. 2ª.82.A
Frigus exiccat, & facit durius. in 6ᵐ. de mor. vul. com. 5°. 3ª.193.F
nō Frigoris, ſed duritiei rōe ſiccitas fit. ī 6ᵐ. de mor. vul. c. 5°. 3ª.193.F
ob Frigus ſolum fit ſopor. in 3ᵐ. de mor. vulg. com. 1°. 3ª.131.H
ex Frigore appetentia. 2°. de temp. 1ª.16.E
Frigus nulli functioni eſt vſui. 3°. de ſymp. cauſ. 3ª.29.E
ob Frigus aliqua ægre mouentur. 2°. de ſan. tu. 2ª.72.F
Frigore fit torpor. 1°. de ſymp. cau. 3ª. 16. B/13°. meth. med. 7ª.85.E
Frigus cū humiditate vel ſiccitate facit torporē. 3°. & ſym. cau. 3ª.29.d
Frigus qui paſſi ſūt, ignaui & pigri ad motū ſunt. 2°. de ſa. tu. 2ª.73.E
Frigore vehementi ſit letargus. 3°. de locis affectis. 4ª.20.B
Frigore, & ſiccitate quæ indurucre, quibus curanda. 5°. de ſimplicium medicamen. fac. 5ª.33.A
Frigore fit conuulſio ſine febre. in progn. com. 3°. 4ª.211.C
ex Frigore conuulſionum ſpecies. de diff. morbis. 3ª.3.E
ex Frigore ſanguis niger. 3°. de ſymp. cauſ. 3ª.28.A
Frigus facit liuidum, & nigrū calorē. de mel. ex Gal. Ruff. Sp.109.F
Frigora ſuccedentia morbis calidis pernicioſora. in 1ᵐ. de morbis vulgaribus, commentario 1°. 3ª.132.A
Frigore laborant pulmo & thorax. in 1ᵐ. de mor. vul. com. 1°. 3ª.104.B
Frigus in muſculis thoracis, vel etiam in neruis facit duritiem quandam, & motum ſimilem conuulſioni. com. 6°. aph. 54°. Ex.53.C
ex Frigore tuſſis ortæ cum ſputo ſanguinis caſus. 5°. meth. me. 7ª.35.E
Frigus in vētre hñtib. qd medicamētū dandum. 4°. de ſa. tu. 2ª.85.B
Frigore afficitur iecur. 5°. de locis affectis. 4ª.33.F
Frigore afficitur muſculus ani. 1°. de locis affectis. 4ª.7.H
Frigore quo modo afficiatur muſculus ani. 1°. de locis affectis. 4ª.7.G
Frigore ſeu perfrigerationes ſunt cauſæ propinquæ morborum. de natura humana. com. 2°. 7ª.180.F
Frigus in qua parte corporis ſit, morbus ibi ſignificatur. com. 4°. apho. 39°. Ex. 32. C/præſag. exper. confir. Sp.77.F
Frigoris mutationes & coloris vbi in toto corpore ſint longitudinem morbi ſignificant. com. 4°. aph. 40°. Ex.32.D
Frigus, & calor ſoluunt vnitatem. de inæq. intemp. 3ª.44.C
ex Frigoribus febris diaria. 5°. de ſanitate tuenda. 2ª.88.F
in Frigore valido iter agentes membra amiſere. de diff. mor. 3ª.3.E
è Frigore mortui pedes. 2°. de locis affectis. 4ª.8.E
Frigore Digitos emortuos habentes currebant in plano, ſed non in decliui. 3°. de vſu partium. 1ª.129.B
Frigore aliqui periere. de inæq. intemp. 44. E/de cauſ. procat. 3ª.96.C
Frigus, et æſtus effugiuntur ab animalibus. de cauſ. procatar. 3ª.96.B
Frigus quo mō cūtent pleraq; animalia. de venæ ſect. adu. Era. 6ª.7.c
Frigus & calorem ob ſanguinem bonū facile ferimus. de dy. Sp.19.D
Frigus ferre nō pōt à morbo liber anteq ſit refectus. ad Thra. 2ª.102.d
contra Frigus facit vrtica. de ſimp. med. Sp.92.A
Frigus ex pulmonibus conceptum ſedat vrtica de ſim. me. Sp.92.A
Frigus magis nocet veſicæ quàm alijs membris. c. 3°. aph. 5°. Ex.20.E
Frigore cum frigefactum fuerit corpus, ſtatim arteriarum, neruorum, & muſculorum motus ceſſant. 8°. de decr. Hipp. 1ª.277.E
FRIGORE *vehementi, atque violento ſit tremor. de trem. palp. conuulſ. & rig.* 3ª.52.H
à Frigore non ſit tremor, & à quo fiat. de palp. trem. conuulſ. 3ª.52.G
cum Frigoris ſenſu rigor. de trem. palp. conuulſ. & rig. 3ª.54.D
Frigus, horror, rigor, quò differant. com. 2°. aph. 1°. Ex.11.A
Frigus cum dolore rigor eſt. de trem. palp. conuulſ. & rig. 3ª.53.G
cum Frigore ſenſibili incipiunt rigores oēs. c. 5°. aph. 69°. Ex.45.D
Frigus quartanarum, quale. 2°. de criſi. 4ª.134.F
Frigora ſoluit in quotidiana vrina alba ſi longo tempore perſeuerauerit. de dynamidijs. Sp.34.F
Frigus principium de tot. morb. temp. 3ª.88.D
ſi Frigus per totam acceſſionem perduret, malum. in 1ᵐ. de morbis vulgaribus, commentario 3°. 3ª.118.B
Frigus principij & remiſſionis multum differunt. in 1ᵐ. de morbis vulgaribus, commentario 3°. 3ª.118.B
Frigora in acceſſione diſcutit thlaſpi. de ſimp. med. Sp.91.G
Frigus partiū extremarū in morbis acutis, malū. c. 7°. ap. 1°. Ex.54.A
Frigus narium, aurium, pedum, manuum, quando malum, et quādo nō. commen. 7°. aph. 1°. Ex.54.A
ex Frigore febrium pulſus, quales. 2°. de cauſ. pulſ. 4ª.91.B
ex Frigore pulſus, quales. de marc. 3ª.46.H
Frigus quos faciat pulſus. 1°. de cau. pul. 4ª.88.F
ad Frigora febriū tollēda valet theriaca. de vſu the. ad Pāph. 5ª.98.F
Frigori ingenti quando occurrendum, frictio & vnctio fieri debent. 3°. de ſanitate tuenda. 2ª.81.H
Frigoribus vehementer reſiſtit Zeia. 1°. de alim. fac. 2ª.12.D
ad Frigore affectas particulas linimētū. 3°. de c. me. per g. 5ª.229.B
Frigus arcens non calefacit. 2°. de ſimp. med. fac. 5ª.15.G
ex Frigore membris debilibus quid opem ferat. de med. exp. Sp.107.B
Frigore, & dolore conſtricta membra vinum reſumit, & reficit. de ſimpli. medic. Sp.92.A
ad Frigus ſtomachi, & eius corruptionem. ſecretorum. Sp.98.F
ad Frigus in renibus. ſecretorum. Sp.101.E
ad Frigus. 7°. de comp. med. per gene. 5ª.273.D/*ſecretorū.* Sp.96.H
Frigoris nocumentum expellens compoſitio. ſecretorum. Sp.101.H
ex Frigore quo modo fiat calor. de cauſ. mor. 3ª.6.G
Frigus ſupra modum vitandum in vlceribus. 3°. meth. med. 7ª.21.C
a Frigore lædentibus beſtijs morſos iuuat agaricum. 6°. de ſimplicium medicamen. facul. 5ª.41.E
ϕ FRIXVM *eſt, ſiccum. de diſſol. cont.* Sp.74.D
Frixa in ſartagine ſunt ſicciora. 3°. de alimen. fac. 2ª.29.D
Frixa omnia flatum quidem deponunt, ſed difficilius coquuntur, magis ventrem ſiſtunt, & alimētū præbent craſſum. 1°. de ali. fac. 2ª.14.B
Frixa cicera ſunt optima ictericis. de cura icteri. Sp.111.D
Frixa oua eſt cibus craſſus, & cur. de diff. cont. Sp.72.G
Frixa oua tarde deſcendunt. de diff. cont. Sp.74.H
FRONDEANT *quæ ſemper arbores, et cur. de hiſt. phi.* Sp.11.H
Frondes cur hieme decidant. de hiſt. philoſ. Sp.11.H
FRONS *quæ. introd.* Iſa.52.H
Frons pars faciei. & animi mores. 1ª.319.F
Frontis cutis cur non poteſt excoriari. 2°. de vſu par. 1ª.22.E
Frons tota muſculoſa eſt, & tenuis. de muſ. diff. 1ª.44.F
Frontis cutis quo loco muſculoſæ ſubæ vnita eſt. 11°. de vſu p. 1ª.190.C
Frontis cutis cur laxa. 11°. de vſu par. 1ª.190.D
circa Frontem cutis dura, intenta, & arida quid ſignificet. in progno. commentario 1°. 4ª.191.B

circa Frontem cutis cur intenta in acutis. in progn. com. 1°. 4ª. 191. D
Frons cur non habet pilos. 11°. de vsu par. 1ª. 189. E
Frontis physionomia quod animi mores. 1ª. 319. F
Frons magna segnes indicat. quod animi mores. 1ª. 319. F
Frons parua mobiles indicat. quòd animi mores. 1ª. 319. F
Frons lata ineſt mente moueri idoneis. quòd animi mores. 1ª. 319. F
Frons rotunda iracundos indicat. quòd animi mores. 1ª. 319. F
Frontẽ cornutam ex tauro contraxit Alexãder. de ſpermate. Sp. 38. G
Frontis vnum os. introd. Iſa. 54. F
ad Frontem a vertice ſutura. 9°. de vſu par. 1ª. 173. E
in Frontis oſſe ſutura obſcura eſt. 11°. de vſu par. 1ª. 192. A
Frontis cutis vnde habet neruos. 9°. de vſu par. 1ª. 176. D
Frons tota vnde accipiat neruos. 9°. de vſu par. 1ª. 176. D
a Frontis muſculis nullus naſcitur tendo. 1°. de mo. muſ. 1ª. 309. F
Frontis cutis moueri debet. 11°. de vſu par. 1ª. 190. C
Frontis cutis mouetur ſine oſſe. 1°. de mo. muſ. 1ª. 309. E
Frontis cutis habet motus voluntario. 9°. de vſu par. 1ª. 176. D
Frontis cutis cur ſola habet motũ voluntariũ. 11°. de vſu par. 1ª. 189. E
Frontis cutis tota mouetur quieſcente maxilla. de muſ. diſſ. 1ª. 44. F
Frõtis cutis cõuellitur, & tũc quæ pars ſit affecta. 3°. de l. af. 4ª. 17. D
Frontis palpitatio vnde. 2°. de ſymp. cau. 3ª. 20. F
in Fronte dolor fit conceptis in bilis horis. de ſperma. Sp. 37. C
ad Frontis dolorem. de paſſ. mul. 95. H/ſecretorum. Sp. 102. F
ſuper Frontem ponendum vnguentum. de ocul. 7ª. 190. D
Frõtis vena qeta eſt, q̃ inter duo exiſtit ſupcilia. de ana. vi. Sp. 54. H
Frontis venæ ſectio. 6°. de comp. med. ſec. loc. 5ª. 174. A
in Fronte cur ſectiones trãſuerſæ & nõ rectæ. 4°. de ana. adm. 1ª. 79. G
Frontis venæ ſectio cui conueniat. de ana. viuo. Sp 55. A
Frontis venam ſecat in ſanguinis profluuio. de remed. par. fa. 7ª. 163. F
Frontis vena quos dolores capitis leuat. de cur. ra. p ſan. miſſ. 6ª. 20. G
in Fronte recta vena inciſa doleti partem capitis poſteriorem prodeſt. com. 5°. aph. 68°. Ex. 45. C
Frontis venæ ſectio confert grauitati capitis, pprie illi quæ eſt in poſteriori parte, grauitati oculorũ, & dolori capitis. de ana. vi. Sp. 55 A
in Frõte tumor capitis ſi perit, perit et coronalis. 9°. de v. p. 1ª. 177. A
ad Frõtẽ, & partes q̃ iuxta ſunt, linteũ ſciſſum de faſcijs. 7ª. 294. E
Frontem ambit vinculum μετωπιαῖον. de faſcijs. 7ª. 295. A
inter Frontẽ, & verticem, ac proximas partes deuinciens vinculum. de faſcijs. 7ª. 296. A/G/H
ad Frontem, & regionem quæ inter ſupercilia eſt Longa ex faſcia glomerata. de faſcijs. 7ª. 300. A
Frons dicitur prima pars teſtudinis. de mach. 7ª. 317. A
FRONTINVS iſchiadicus. 10°. de com. med. ſec. loc. 5ª. 207. D
FRVCTVS ad gñis ppagationẽ creati. 11°. de ſim. me. fa. 5ª. 81. C
Fructus ex quatuor elemẽtis. 1°. de elem. 7. F/de na. hu. c. 1°. 1ª. 30. B
Fructus omnes ex quatuor elementis. de nat. hum. com. 1°. 1ª. 30. B
Fructus differt à ſemine. 2°. de alim. fac. 2ª. 16. C
Fructus viuunt propter ſemina. de marc. 3ª. 45. C
quam Fructuũ annexus ad plantas proportionem habet, eandem habent ad vteros fœtuum comexus. com. 4°. aph. 1°. Ex. 27. A
Fructibus reſpondent proportione fœtus. 11°. de ſimp. me. fac. 5ª. 81. C
Fructus in prima gñatione debilioribus capulis continẽtur, & ideo facile decidũt, qñ vehemẽtior vẽtus ipſos concuſſerit, poſt hac aucti, difficilẽ hũt a plantis diſſolutionem, ſicuti rurſus cũ pfecti ſunt, ſponte ſua ſine vi extrinſeca decidunt. com. 4°. aph. 1°. Ex. 27. A
Fructum ne amittat arbor. de med. fac. par. 7ª. 175. D
Fructus domeſticos facit tranſplantatio. de aere, aq. & lo. 2ª. 4. E
Fructuum partes terrenæ, quæ. 9°. de ſimp. med. fac. 5ª. 64. H
Fructus propè omnes in principio acerbi. 4°. de ſim. med. fac. 5ª. 27. F
Fructus acerbi ſemper. 4°. de ſimp. med. fac. 5ª. 26. F
Fructus acerbi ſunt, & dulces nuper nati. 4°. de ſimp. med. fa. 5ª. 25. F
Fructus qui poſt acerbitatem fiunt dulces. 4°. de ſim. med. fac. 5ª. 25. F
Fructus pontici in principio, qui poſt dulceſcunt. de ocul. 7ª. 188. B
Fructus pontici quo modo dulceſcant, qũo pontici reſtent, qũo fiant acetoſi, & quomodo vnctuoſi. de ocul. 7ª. 188. B
Fructus acerbi cur varias acquirũt qualitates. 4°. de ſim. m. f. 5ª. 26. F
Fructus dulces ſunt maturi, nuper nati acerbi & ſicci. 4°. de ſimpliciũ medicamentorum facultatibus. 5ª. 25. F
Fructus dulces ex amaris qui fiant. 4°. de ſimp. med. fac. 5ª. 28. F
Fructus qui conditi dulces fiunt. 4°. de ſimp. med. fac. 5ª. 25. F
Fructꝰ a terra ſublimes ſunt dulces & ppinqui ſapido, d̃ ocu. 7ª. 188. A
Fructus immaturi quid faciant. 1°. de ali. fac. 2ª. 13. H
Fructus omnes virides pleni ſunt ſemicoctæ humiditatis. 7°. de ſimplicium medicamentorum facultatibus. 5ª. 50. C
Fructus auſteri. 12°. methodi medendi. 7ª. 78. G
Fructus adſtringentes. 7°. methodi medendi. 7ª. 44. C
Fructum maturatio quomodo fiat. de ocul. 7ª. 188. B
Fructibus maturatio a ſolari calore puenit. 4°. de ſim. me. fa. 5ª. 27. D
Fructus omnes maturi immaturis meliores. 2°. de ali. fac. 2ª. 17. D/E
Fructus ante maturationẽ quos gignant humores. de diff. cõt. Sp. 73. A
Fructus qui poſſint conſeruari. de bonit. & vitio ſuccorum. 2ª. 36. H/de puero epileptico. 7ª. 180. D
Fructus quibus domibus ſeruandi. 3°. de comp. med. per ge. 5ª. 228. G
a Fructibus poſtquam fuerint collecti & repoſiti, primo defluit quicquid eſt aquoſum ac tenue, poſt etiam aliquid humidi naturalis. 1°. de alimentorum facultatibus. 2ª. 11. F
Fructus eo quia non difflantur, putreſcere ſolent. 2°. de diff. fe. 3ª. 40. B
Fructus qui non poſſint conſeruari. de bon. & vit. ſuc. 2ª. 36. H
Fructus qui non poſſint ſiccari. de bon. & vit. ſuc. 2ª. 36. H
Fructus apti ad reponendum ſunt mandendi. de atten. vic. 2ª. 45. H
Fructus, herbæ, plantæ, ſunt cibi omnium animalium. 1°. de ele. 1ª. 7. F
Fructibus nutriuntur animalia. 2°. de ſem. 1ª. 338. E
Fructus arborum quibus homines veſcuntur humidi, tenue humidum corpori alimentum præbent. 2°. de ali. fac. 2ª. 17. D
Fructus arborũ plurimi sũt cibi ibecilli. i 6ᵐ. de mor. vul. c. 5°. 3ª. 192. e
ex Fructibus qui intumeſcunt, ac veterem ſiccitatem, ac duritiem cito deponunt, & molliores & humidiores redduntur, ſunt præſtantiores. de bonitate & vitio ſuccorum. 2ª. 36. F
ex Fructibus qui non tument, & priſtinam duritiem retinent, ſunt deteriores. de bon. & vit. ſuc. 2ª. 36. F
Fructus prius quam comedantur, experiendi & quo modo. de bonitate & vitio ſuccorum. 2ª. 36. G
in Fructibus conſiderandum an ad maturitatem venerint, vel non. de bon. & vitio ſuccorum. 2ª. 37. E
de Fructibus iudicium facit coctura. de bon. & vit. ſuc. 2ª. 36. G
Fructus probãdi ſtudioſus erat Galeni pater. de bo. & vi. ſu. 2ª. 36. G
Fructus ferè omnes arborum ſunt mali ſucci. de bo. & vit. ſu. 2ª. 37. E
Fructuũ qui præſtantiſſimi in eodem genere. de bo. & vi. ſu. 2ª. 36. H
Fructuum qui peſſimi in eodem genere. de bon. & vit. ſuc. 2ª. 36. H
Fructus qui ventrem molliunt, ſunt minus noxij. de atten. vic. 2ª. 45. H
Fructus tarde permeantes mali. de atten. vic. 2ª. 45. H
Fructus pontici ac duri omnes praui de atten. vic. 2ª. 45. H
Fructuum oſſa deglutita cur facile excreta. 3°. de nat. fac. 1ª. 303. C
Fructus oleoſi edendo ſunt & dulces. 4°. de ſim. med. fac. 5ª. 26. G
Fructus amari edi non poſſunt. 4°. de ſimp. med. fac. 5ª. 26. G
Fructus nutriunt quidem, ſed parum. 8°. meth med. 7ª. 50. H
Fructuũ nutrimentũ cito exit p cutẽ, & p vrinas. 2°. de ali. fa. 2ª. 17. D
Fructus arborum conſiſtentia ſolidi habent ſuccum craſſum, aut lentũ, aut adſtringentẽ. 2°. de alim. fac. 2ª. 17. D
Fructus arborum conſiſtentes copioſius nutriũt. 2°. d̃ ali. fac. 2ª. 17. D
Fructus horæi quare dicuntur. 2°. de alim. fac. 2ª. 16. D
Fructus horæi, quales. 2°. de alim. fac. 2ª. 16. D
Fructus fugaces in opora a Galeno eſi ſunt. de bo. & vitio ſu. 2ª. 34. C
Fructus horæi oẽs flatulenti, pſertim ĩmaturi. 2°. de ali. fac. 2ª. 16. E
Fructus omnes horæi praui ſucci. 2°. de ali. fac. 2ª. 16. E
Fructus horæi cum moderatione guſtãdi. de bon. & vitio ſuc. 2ª. 34. C
Fructus horæi vitioſum humorem gignunt. de bon. & vitio ſu. 2ª. 37. e
Fructus oporę Galenum decimo nono ſuæ ætatis anno induxere in morbũ acutũ, vt ei venã ſecare opus fuerit. de bo. & vi. ſuc. 2ª. 34. D
a Fructibus horæis cœpit abſtinere Galenus præterquam ab vuis, & ficubus. de bon. & vitio ſuc. 2ª. 34. D
Fructus horæi celeritur ſubducuntur præſertim qui habent ſuccum tenuem. 2°. de alim. fac. 2ª. 16. E
Fructuum oporariorum ſapores. 4°. de ſimp. med. fac. 5ª. 26. D
Fructus horæi ſemper humidi, non ſemp frigidi. 2°. de ali. fac. 2ª. 16. E
Fructus horæi non ſunt adeo frigidi, vt ſi ſumantur calidi, infrigident ventriculum. 2°. de ali. fac. 2ª. 16. E
Fructus horæi ſi corrumpantur, fiunt ſimiles venenis lætalibus. de bono. & vitio ſuccorum. 2ª. 37. E
Fructus qui corrũpuntur vti venenũ in ſtomacho. de diff. con. Sp. 74. H
Fructus horæi humectant & infrigidant. 2°. de alim. fa. 2ª. 16. E
Fructibus horæis vtiliter vtitur, qui æſtu vehementior, & longiore itinere ſe confecerit. 2°. de alim. fac. 2ª. 16. E
Fructus horæi debent refrigerari, quando comeduntur pro calido iecore, aut

re,aut ventriculo.2°.de alimen.fac. 2ª.16.E
Fructꝰ dari debẽt æstate refrigerati siccis et calis.ḋ bo.et vi.su.2ª.39.b
inter Fructus autumnales ficus, & vuæ obtinent principatum. 2°.de alimentorum facultatibus. 2ª.17.G
Fructus autumnales magis iuuant stomachum ipsis melopeponibus. 2°.de alimentorum facultatibus. 2ª.17.B
Fructus autumnales exigue nutriunt.2°.de ali.fac. 2ª.17.E
Fructus autumnales & fugaces sunt praui succi.2°.de ali.fa.2ª.17.E
Fructus qui minus noxij.de atten.vic. 2ª.44.A
Fructus non apti ad victum attenuantem,qui.de atten.vic. 2ª.45.H
Fructibus autumnalibus minus lædunt ficus.2°.de ali.fac. 2ª.17.E
Fructus tenuis essentiæ & frigidos faciunt boreales constitutiones.4°. de simp.med.fac. 5ª.28.C
Fructus frigidi numerantur.4°.de simp.med.fac. 5ª.26.D
Fructus palmæ est frigidus.de dissol.cont. Sp 74.D
Fructus frigidi quo modo cognoscantur habere aliquam caliditatẽ.4°. de simp.med.fac. 5ª.25.B
Fructus plerique humidi sine vlla siccitate.de atten.vic. 2ª.45.G
Fructus lentisci parum nutrit,cur.de dissol.cont. Sp.73.F
Fructus omnes insalubres vbi.de aere,aq.& locis. 2ª.4.H
Fructus agrestium plantarum mali.de bon. & vitio suc. 2ª.37.F
à Fructibus abstinendum esse,collige.de puero epileptico. 7ª.180.F
Fructus boni nutrimenti qui.de diss.cont. Sp.73.A
qui Fructibus æstiuo tempore abundanter replentur malorum humorum multitudinem generant.com.3°.aph.9°. Ex.20.H
ex Fructibus qui humiditatem contraxerit & volunt exerceri incidũt in febrem ephemeram.3°.de san.tuen. 2ª.81.G
Fructus quo modo in olla coqui debent.de rem.par.fac. 7ª.153.E
Fructus qui comedendi ante cibum.de dis.cont. Sp.74.H
Fructus quandoq; ægris dandi.in 6ᵐ.de morbis vulg.cõ.4°. 3ª.180.F
Fructus qui facile coquuntur,dandi pro cibo in tertiana.1°.de arte curatiua ad Glauconem. 7ª.97.D
Fructus qui conueniunt epilepticis.de puero epilep. 7ª.180.C
Fructus, pisces,contra epilepsiam.de dynamidijs. Sp.24.A
Fructus vẽtosi euitãdi in ictericis,& qui edẽdi.de cura ict.Sp.111.D
Fructus habent diuersus facultates à radicibus,caulibus,seminibus,et fructibus.1°.de ali.fac. 2ª.7.E
Fructus spinæ albæ stringunt ventrem cum stypticitate, & ponticitate.de dissol.cont. Sp.75.B
Fructus cum virgultis,qui theriacã ingrediantur.1°.de anti. 5ª.107.D
ex Fructibus confectio.8°.de comp.med.sec.lo. 5ª.189.E
ex Fructibus oleum dicitur oleum abusiue.3°.de san.tu. 2ª.79.B
de Fructibus syrupus.secretorum. Sp.98.D
Fructus facti è cera simillimi.de ijs,quæ in med.si.com.1°. 7ª.199.B
FRVGVM differentiæ per suam substantiam.1°.de ali.fac. 2ª.13.A
Fruges calidas & frigidas esse quo cognoscamus.1°.de ali.fa.2ª.13.B
Frugum maxime apta est ptissana ad detergendũ.4°.de sa.tu. 2ª.84.F
ex FRVMENTACEORVM genere cibi probati succi.de bonita.& vitio succorum. 2ª.34.E
Frumentaceis præferenda ptißana in acutis.de vic.rat.in morbis acutis,commentario 1°. 7ª.110.H
ex Frumentaceis seminibus panis cibus familiaris homini.2°.de alimentorum facultatibus. 2ª.17.B
FRVMENTARIA semina tenuium partium,& calida parum.3°.de cõ posit.med.per gen. 5ª.228.F
Frumẽtaria gustamẽta quæ sint.de vic.rat.in morb.ac.c.1°. 7ª.111.B
Frumentarij seu pistores quo dicãtur panes coquere.de cõsue.2ª.60.b
FRVMENTA quæ sint.de atten.vic. 2ª.44.F
Frumenta,fruges,& hordea quo modo mala.1°.de diff.feb. 3ª.31.G
Frumenti medulla tarde descendit.de dissol.cont. Sp.74.H
Frumentum fit calidius & tenuius vetustate.11°.de si.me.fa.5ª.79.C
Frumentum antiquum generat atram bilem.de dissol.cont. Sp.75.A
Frumẽtũ semiputre comedẽtib. qd euenerit. de na. hu. c.2°.7ª.182.C
Frumẽti panis generat chymum bonũ,& crassũ.de diss.con. Sp.74.A
Frumenti mundi panis factus arte sua, qñ comedit in die suo, generat bonum humorem inter tenuem & crassum.de dissol.con. Sp.73.H
ex Frumento quæcunque accipiuntur,præter panem bene paratũ ex arte,quid faciant.de diss.cont. Sp.74.H
Frumenti panis est cibus calidus.de diss.cont. Sp.74.D
Frumenti panis fermentati & loti medulla est cibus subtilians.de dißolutione continua. Sp.72.G
Frumentum coctum est cibus calidus.de dißol.cont. Sp.74.D
Frumẽtũ coctũ pp eius viscositatẽ tarde digeriẽ.de diss.cont.Sp 73.D
Frumentum trahit aquam à fictili.3°.de nat.fac. 1ª.508.A
Frumenti farina cum caricarũ decocto & oleo mire suppuratoria est. 3°.de comp.med.sec.loc. 5ª.146.F
Frumenti farina cum aqua maturat.de ocul. 7ª.188.E
FRVTICES sylvestres qui.de alim.fac. 2ª.21.H
Frutices quo mo & quo tpe cõsiderãdi.3°.de c.me.per ge. 5ª.228.G
Frutices teneri pariunt malos succos.de bon.& vitio suc. 2ª.33.G
Fruticosæ plantæ, quæ.2°.de alim.fac. 2ª.24.B
in Fruticosis plantis asparagus.2°.de alim facul. 2ª.24.B
Fruticum & arborum germina asparagis olerum respondẽt. 2°.de alimentorum facultatibus. 2ª.24.B
Fruticum & arborum germina quodam modo sunt inter se similia.2°. de alimentorum facultatibus. 2ª.24.B
FVCA piscis saxatilis.3°.de alimẽtorũ facultatibus. 30. G/de atten.vic.rat. 2ª.45.D
Fucæ inter pisces qui cæteris facilius conficiuntur.3°.de ali.fa.2ª.31.A
Fuca ĩter saxatiles obtinet tertiũ locũ suauitatis.3°.de ali.fa.2ª.30.H
Fucæ molles carne.3°.de ali.fac. 2ª 31.A
FVCATAS mulieres Phryna lauare iussit.in oratione sua. Isa.4.E
FVGACES fructus in opora à Galeno esi sunt.de bonitate & vitio succorum. 3ª.34.C
Fugaces fructus sunt praui succi.2°.de ali.fac. 2ª.17.E
Fugaces fructus oẽs minus nutriũt vuis,& ficubus.2°.ḋ ali.fa. 2ª.17.G
Fugaces fructus hñt plus praui succi,q̃ vuæ et ficus.2°.ḋ ali.f. 2ª.17.G
FVGITIVI serui quo mo deprehẽdant.1°.de dign.puls. 4ª.70.H
Fugitiuorũ seruorũ crura adurebãt,& lacerabãt.6°.ḋ dec. 1ª.267.D
FVLCIMEN quid significet.de arti.com.2°. 7ª.271.A
Fulcimentum quid significet.de ijs quæ in med.fiunt.com.3°.7ª.222.C
Fulcimenta,& stabilimenta quo modo differunt.de ijs quæ in medicatrina fiunt,commen.3°. 7ª.222.E
Fulcimina quæ sint.de ijs,quæ in med.si.com.3°. 7ª.218.F
FVLICÆ sanguis.de med.fac.parab. 7ª.179.C
FVLGENTEM habet nigredinem atra bilis.commentario 4°.aphorismo 23°. Ex.29.H
Fulgidus color aerem mutat in instanti.de ocul. 7ª.185.C
FVLGOR solis sensificus.7°.de decre.Hipp. 1ª.272.E
FVLIGINOSVS aer,qui aduersus Lycum. Ex.62.E
Fuliginosus vapor ex humorum adustione.de vsu pul. 1ª.229.D
Fuliginosus halitus quibus augetur.10°.meth.med. 7ª.62.H
Fuliginosa & fumosa,& saullosa recremẽta in caliditatis gñe oĩa terrea,et veluti semicocta cũ innato calore sunt.1°.de dif.res. 3ª.62.A
cur Fuliginosam ciborum superfluitatem naturæ operationem subter fugiat.com.3°.aph.15°. Ex.22.H
Fuliginosa lingua.in 3ᵐ.de mor.vul.com.3°. 3ª.150.H
Fuliginosum quod est in corde per quas arterias transmittatur. 7°.de vsu partium. 1ª.159.E
Fuliginosa excrementa quid faciant.de caus.morb. 3ª.7.F
Fuliginoso vapore detento inæqualis intemperies oriri potest. de inæqua.intemperie. 3ª.44.D
ex Fuliginoso halitu febris.10°.meth.med. 7ª.62.H
Fuliginosa excremẽta intus collecta febrẽ generãt.de cau.mor.3ª.6.G
Fuliginosa excrementa per quam viam mittuntur ad pulmonem.6°.de vsu partium. 1ª.154.D
FVLIGO quæ a multis dicitur ασβολη in 1ᵐ.prorrh.com.2°.4ª.171.F
Fuligo ex quibus exit.8°.de decre.Hipp. 1ª.275.H
Fuligo editur ex materijs immodice assis vslisq̃.8°.meth.me. 7ª.53.G
Fuligo pro adusta materia,varia.7°.de simp.med.fac. 5ª.54.E
Fuligo cedri,qualis.7°.de simp.med.fac. 5ª.54.F
Fuligo furnorum.5°.de comp.med.sec.loc. 5ª.159.D
Fuligo myrrhæ,qualis.7°.de simp.med.fac. 5ª.54.F
Fuligo picis liquidæ,qualis.7°.de simp.med.fac. 5ª.54.F
Fuligo styracis,qualis.7°.de simp.med.fac. 5ª.54.F
Fuligo terebinthinæ,qualis.7°.de simp.med.fac. 5ª.54.F
Fuligo thuris ad quæ valet.7°.de simp.med.fac. 5ª.54.F
Fuligo exiccat.7°.de simp.med.fac. 3ª.54.E
Fuligo acrior vsurpatur ad vocata ptila,et erosos oculorum angulos. 7°.de simp.med.facul. 5ª.54.F
ad Fuliginẽ in aere fumi atra bilis cõparatio.in prog.cõ.3°. 4ª.210.F
Fuligini quiddam simile quando generatur.8°.de decre. 1ª.275.H
FVLMEN quid.de bist.philos. Sp.7.G
Fulmina quando erumpunt.in 6ᵐ.de mor.vul.com.4°. 3ª.184.H

Fulminis expulsio, quæ cognita sit. in 6^m. de mor. vul. cõ. 4°. 3ª. 184. H
à FVLMINE κεραυνιος *dictum vinculum. de fascijs. 7ª. 302. C*
ad FVLLONEM *nemo portat vellus, Archesilai dictum. 2°. de digno. pulsum. 58. B/ 4ª. 60. G*
Fullones cur putaminis nucis succo vtuntur. 7°. de sim. me. fa. 5ª. 50. B
FVLVVS *color potest vocari igneus pallens. 12°. metho. med. 7ª. 76. F*
Fuluo intẽsiorẽ esse flauũ, collige. de vic. ra. in mor. ac. c. 3°. 7ª. 126. E
Fuluum, id est χλιδὸν, *quale. 5°. de san. tuen. 2ª. 91. A*
Fulua fit albedo propter frigus. de aere, aq. & loc. 2ª. 5. F
Fului Scythæ propter frigus. de aere, aq. & loc. 2ª. 5. F
in Fuluũ primo, post in flauum fit transitus ab albo. de vict. ra. in morbis acutis, commentario 3°. 7ª. 126. E
Fului capilli quo modo reddantur. 1°. de comp. med. sec. loc. 5ª. 127. B
Fuluum pulegij semen. 4°. de comp. med. sec. loc. 5ª. 157. G
Fulua fiunt ætate vina austera alba. 12°. meth. med. 7ª. 76. F
Fuluum, & tenue in vrina quid significet. quæsita in Hipp. Sp. 113. A
Fulua excrementa letalia. in 3^m. de morb. vul. com. 3°. 3ª. 147. H
FVMANTIBVS lignis medicamentum ne coquas, nigredinem enim fumus conciliat. 1°. de compo. med. per gen. 5ª. 212. G
FVMIDVS *aer, qui aduersus Lycum. Ex. 64. D*
Fumidus vapor in quo nunquam sentiatur. 8°. metho. med. 7ª. 53. G
Fumida excrementa quid faciant. de caus. mor. 3ª. 7. F
FVMIGATIONES *à stomacho. de dynamidijs. Sp. 20. G*
FVMOSITAS *calida est suba ignis amoto calore. de sper. Sp. 41. B*
FVMOSI *seu nidorosi ructus ab alijs emittuntur, ab alijs acidi. 1°. de locis affectis. 4ª. 5. F*
in Fumosam seu nidorulentam qualitatem cibi corrumpuntur in bilio sis. 8°. methodi medendi. 7ª. 53. B
Fumosum seu nidorosum ructum quis sensit vt ab ouis frictis. 1°. de locis affectis. 4ª. 5. C
Fumosus seu nidorosus ructus significat igneum calorem in ventriculo. 1°. de locis affectis. 4ª. 5. D
Fumosus seu nidorosus ructus vnde proueniat. 1°. de loc. affec. 4ª. 5. D
Fumosæ ciborũ corruptiones ex quibus cibis. 3°. de sym. cau. 3ª. 24. H
Fumosa excrementa à quibus cibis. 3°. de symp. cau. 3ª. 24. H
quæ velut Fumosa, suliginosa, et fauillosa recrementa appellamus in caliditatis genere, omnia terrea, & veluti semicocta cum innato calore sunt. 1°. de diff. resp. 3ª. 62. A
Fũosas mutatiões facit vẽter sub morbis calïorib. 3°. de sy. c. 3ª. 24. H
ad Fumosum, seu nidorosum & acidũ ructum ciborum conuersio ad causas & affectus vẽtriculi referenda est. 1°. de locis affe. 4ª. 5. F
Fumosa caliditas quam respirationem facit. 1°. de diff. resp. 3ª. 62. A
FVMVS, *& fuligo quo modo differant. aduersus Lycum. Ex. 62. E*
Fumus editur ex materijs semiustis. 8°. meth. med. 7ª. 53. G
sine Fumo est ignis ex prunis. 11°. de simp. med. fac. 5ª. 81. E
Fumus quando est & non flamma. 1°. de diff. resp. 3ª. 62. A
Fumũ nõ edentibus lignis qũ vti debemus. 7°. de c. me. se. lo. 5ª. 179. C.
per Fumum cur aliqui videre videantur. 1°. de symp. cau. 3ª. 15. A
Fumus, & vapor in aere ascendens quid faciat. de spermate. Sp. 39. D
ob Fumũ cõtingũt asperitates oculorũ et gutturis de cau. mor. 3ª. 9. C
Fumi in insomnio significãt atrã bilem. de præsag. ex insom. 4ª. 213. C
FVMI *atræ bilis ad suliginẽ in aere cõparatio. in progn. c. 3°. 4ª. 210. F*
Fumo crasso ascendente a stomacho, aut pede, aut aliquo membro alio fit quandoque epilepsia. de vtil. resp. Sp. 63. E
Fumum stomachi quando caput recipit, fit sectio venarum post aures. de anatomia viuorum. Sp. 55. A
Fumi ex putredine, quæ aut in visceribus, aut in magnis vasis est, tendunt ad cor. 1°. de diff. feb. 3ª. 32. H
in Fumũ seu in nidorem vertuntur cibi a caliditate. 1°. de loc. af. 4ª. 5. D
in Fumum seu in nidorem vertẽtibus cibum dãdus panis & chõdrus. 1°. de locis affectis. 4ª. 5. E
FVMI *nulla est vtilitas in medicamẽtis. 7°. de cõ. me. se. lo. 5ª. 179. C*
Fumus accipitur per calamum. de remed. par. fac. 7ª. 165. E
Fumus per infundibulum in os acceptus. de dynamidijs Sp. 35. H
FVMVS *terræ vnde dictus. 7°. de simp. med. fac. 5ª. 49. F*
Fumus terræ vrinã bilio sam & multã prouocat. sanat iecinoris obstructiones, & oculorũ aciẽ succus eius acuit. 7°. de sim. me. fa. 5ª. 49. G
Fumo terræ quo modo stomachus roboretur. 7°. de sim. me. fa. 5ª. 49. G
Fumus terræ qũ comedit cũ aceto, mũdificat stõm. de dis. cõt. Sp. 74. E
Fumus terræ quo modo subducit aluũ. 7°. de simp. med. fac. 5ª. 49. G
FVNCTIONVM quot sunt differentiæ, totidem sunt temperamentorum diuersitates. 1°. de sanitate tuenda. 2ª. 63. E
Functiones suas maiori vi obeunt vires, vbi impendeat necessitas. 4°. de causis pulsuum. 4ª. 99. G
Functionibus omnibus ex propinquis membris non esse originem. 2°. de decretis Hippocratis. 1ª. 237. B
Functionũ causæ ĩ similaribus, & dissimilaribus, q. 1°. d sa. tu. 2ª. 64. D
Functio habetur ex propria specie substantiæ. 6°. de decre. 1ª. 266. B
Functionum arbitrariarũ instrumenta musculi. in 1^m. prorrhetico. cõmentario 1°. 4ª. 163. B
ex Functionibus arbitrarijs cognoscuntur vires debiles, vel robustæ in neruis & horũ principio cerebro. de cur. rat. per san. mis. 6ª. 17. D
Functionem similem in omni parte quæ habeãt. 6°. d dec. 1ª. 266. A/B
per Functiones sanitas discernitur. 1°. de san. tu. 2ª. 63. C
ex Fũctione accipitur corpis vel partis pprietas. 6°. de decr. 1ª. 266. B
ex Functionibus instrumenta iudicantur eadem vel diuersa. 2°. de decretis Hippocratis. 1ª. 240. E
Functioni omni contraria humiditas præter nutritionem, et auctionẽ. 3°. de symp. caus. 3ª. 29. E
Functioni nulli frigus est vsui. 3°. de symp. cau. 3ª. 29. E
ad Functiones vitæ inutilis est, qui corporis partes mouere nequit. 3°. de locis affectis. 4ª. 21. B
Functio non impedita partiũ primũ est quo ĩdigem^o. 14°. m. m. 7ª. 91. a
Functionũ imbecillitas nõ est statim nota morbi, nisi aliquid adãdatur. 1°. de sanitate tuenda. 2ª. 63. H
Functionis vitium symptoma est morbi. 1°. meth. med. 7ª. 7. H
Functiones vitiatæ est vnum ex his quæ corporibus a natura egressis accidunt. 2°. methodi medendi. 7ª. 9. B
Functio læsa, vel affectus lædens, est morbus. 2°. metho. med. 7ª. 9. B
Functionis qui est causa effectrix affectus primo inueniendus. 2°. methodi medendi. 7ª. 12. F
FVNDA *quo modo facienda. de fascijs. 7ª. 298. H*
Funda scissa in partes quatuor ad occipitium. de fascijs. 7ª. 300. E
Funda humerum complectens quæ idem præstat atque geranis. de fascijs. 7ª. 301. B/eadem aliter C/aliter, ibidem.
Funda ad nasum ex quatuor capitibus. de fascijs. 7ª. 298. B
Funda ad nasum ex tribus fasciolis. de fascijs. 7ª. 298. C
Funda ad nasum ex duabus fasciolis. de fascijs. 7ª. 298. C
Funda ad labrũ inferius scissa in partes quatuor. de fascijs. 7ª. 300. A/eadem ad labrum superius. B
Fundamenta ædificijs firma iaci debent. 11°. meth. med. 7ª. 71. E
propter Fundamentum est os spinæ. de anat. viuo. Sp. 55. C
Fundamentum cordis quod. de ana. viuorum. Sp. 46. C
FVNDIT *humores Auster. in 1^m. de morb. vulg. com. 2°. 3ª. 114. A*
Fundit calsacit, & emollit myrrha. 8°. de simp. med. fac. 5ª. 61. A
FVNDVS *vẽtriculi male affectus cruditatibus cã. 5°. de l. af. 4ª. 33. A*
in Fundo ventriculi fit coctio. 5°. de loc. affec. 4ª. 33. A
in Fundo stomachi sunt præponendi cibi duræ & tardæ digestionis. de dissolutione continua. Sp. 71. H
Fundus ventriculi non prohibet appetentiam. 5°. de lo. aff. 4ª. 32. E
Fundus ventriculi cibos non corrumpit. 5°. de locis affectis. 4ª. 32. E
Fundi ventriculi symptomata longe minora, quam oris ventriculi. 5°. de locis affectis. 4ª. 33. A
Fundo vesicæ destinatur vrina. de compag. memb. Sp. 59. B
FVNGI *amanitæ secundi post boletos. 2°. de alim. facul. 2ª. 25. C*
Fungi cum siccari nequeant vitium in se habere maximum indicãt. de bon. & vitio succorum. 2ª. 36. H
Fungi nulla qualitate insigni sunt præditi. 2°. de ali. fac. 2ª. 25 C
Fungi belle elixi ad cibos insipidos accedunt. 2°. de ali. fac. 2ª. 25. C
Fungi varie condiuntur. 2°. de alim. fac. 2ª. 25. C
Fungi sunt praui succi. 2°. de ali. fac. 2ª. 25. C
Fungi quos succos creant. in 6^m. de mor. vul. com. 6°. 3ª. 196. H
Fungi habent alimentum pituitosum frigidum. 2°. de ali. fac. 2ª. 25. C
Fungi generant humorem crassum & frigidum. de disso. con. Sp. 74. A
Fungi cibus crassus, & cur. de dissol. con. Sp. 72. G/H
Fungi mutantur in succum pituitosum, frigidum, crassum. 2°. de alimentorum facultatibus. 2ª. 25. C
Fungi sunt succo frigidissimo, glutinosissimo, & crasso. de bon. & vitio succorum. 2ª. 35. F
Fungi sunt pessimi cibi. de puero epileptico. 7ª. 180. D
Fungi pessimi in victu attenua. de vict. 2ª. 45. G
Fungi in epilepsia fugiendi. de puero epilep. 7ª. 180. H
Fungus frigidus, & humidus, vnde proxime accedit ad facultatem de leteriam. 7°. de simp. med. fac. 7ª. 56. C

Fungorũ nõ nulli genere nõ quãtitate obſunt. 5°. de ſimp. m. f. 5ª. 37. C
Fungorũ non nullorũ minimũ ſi ſumatur, lædit. 5°. de ſimp. m. f. 5ª. 37. C
Fungi quas ægritudines faciant. de bon. & vitio ſuc. 2ª. 35. F
Fungi os ventris ſtomachumúe afficiunt. 1°. de ſymp. cau. 3ª. 18. G
Fungi qui vſus eſt adoleſcens in alopeciam incurrens ſola purgatione ex hiera ex colocinthide curatus. 1°. de comp. med. ſec. lo. 5ª. 121. G
Fungi qui interficiant. 7°. de ſimp. med fac. 5ª. 56. C
ex Fungorum vſu multi interiere. 2°. de alim. fac. 2ª. 25. C
Fungorum eſu quidam mortui. de bo. & vi. ſuc. 2ª. 34. A
a Fungorum eſu alij mortui, alij proxime ad mortem acceſſerunt, ſtrãgulationis periculo, vel alui fluoribus, aut cholera laborãtes. de bo ni. & vit. ſuc. 2ª. 36. F
Fungos malos aſſumentibus quid auxilietur. 2°. de anti. 5ª. 114. C
ex Fungis ſtrangulatione quid opem ferat. ſecretorum. Sp. 102. C
ad Fungos ſuffocantes valet aphronitrum. 9°. de ſimp. me. fa. 5ª. 70. A
Fungos malos compeſcit raphanus. de ſimp. med. Sp. 89. F
a Fungis qui ſuffocantur, illis ſtercus gallinaceum prodeſt. 10°. de ſimplic. med. fac. 5ª. 77. A
ex Fungis deuoratis ſtrãgulationis remedia. de rem. par. fa. 7ª. 60. H
Fungi ſtrangulatoris vicem facere dicitur radix ephemeri. de ſimpli. medicam. Sp. 83. B
FVNGI quę excreſcentię. in 3ᵐ. de mor. vul. com. 3°. 3ª. 144. H
Fungi fiunt menynge cerebrum cuſtodiente affecta in capite fracto. 1°. de locis affectis. 4ª. 2. F
FVNICVLO alligandæ partes viui animalis, vt cognoſcatur quænam actio lædatur. 1°. de anat. admi. 1ª. 64. F
ꝑ Funiculos mouebantur idola, etiã tpe Galeni. 3°. de vſu par. 1ª. 135. D
Funæ arrepto ſi quis ex ſublimis ex ea pendeat, validum & robuſtum laborem exercet. 2°. de ſan. tu. 2ª. 74. D
Funibus naſſularũ cõparat venas & arterias. in Tim. Pla. 1ª. 288. G
FVNIS brachy quæ vena ſit. de anato. viu. Sp. 54. A
Funis brachij vna eſt ex quinq; venis quæ ſecantur in brachio. de anatomia viuorum. Sp. 54. H
Funis brachij in quibus affectibus ſecatur. de anat. viuo. Sp. 54. H
FVRCVLAE oſſis iuuamentum. de ana. viuo. Sp. 43. G
Furculæ vena quando ſecanda. de anat. viu. Sp. 55. D
Furculę venæ ſectio fit ĩ mordicationibus oris ſtomachi. d̃ an. vi. S. 55. B
FVRENTES prius, deinde febricitantes, aliter curantur quàm febricitantes prius, deinde furentes. de opt. ſecta. Iſa. 22. D
FVRFVR minus calidus farina, & magis deſiccat. 5°. de ſimplicium med. facul. 5ª. 34. B
ex Furfure non ſeparato a farina panes medij. 1°. de alim. fac. 2ª. 9. G
Furfuracei panes περιτυφλίαι. 1°. de alim. fac. 2ª. 9. F
Furfuraceis panibus parum fermenti ſufficit. 1°. de alim. fac. 2ª. 9. F
Furfuracei panes poſtulant breuiorem aſſationem. 1°. de ali. fa. 2ª. 9. G
Furfuraceus panis qualis ſit. 14°. met. med. 7ª. 90. H
Furfuraceis panibus reſpondent panes ex hordeo laxo, leuiq;. 1°. de alimentorum fac. 2ª. 11. G
Furfuraceis panes quid agant. 1°. de alim. fac. 2ª. 9. F
Furfuris multi farina generat atram bilem. de diſſol. cont. Sp. 75. A
Furfuraceus panis ſanguinem melãcholicũ gignit. 3°. de lo. af. 4ª. 18. F
Furfuris multi panis lenit ventrem. de diſſol. cont. Sp. 75. A
Furfuracei panes cito excernuntur. 1°. de alim. fac. 2ª. 9. F
ex Furfure confecta cur cito deiciantur. 1°. de alim. fac. 2ª. 12. A
ex Furfure cur magna copia ſtercoris. 1°. de ali. fac. 2ª. 12. A
Furfur hordei remouet viſcoſitatem piſcium. de diſſol. cont. Sp. 73. H
ex Furfure fomentum. de vict. rat. in mor. acu. com. 2°. 7ª. 116. H
ex Furfure & milio fomentum. de med. fac. par. 7ª. 165. H
Furfur detergit. 1°. de alim. fac. 9. F 2ª. 12. A
Furfur mundificat. de diſſol. con. Sp. 74. G
Furfurũ decoctum diſcuſſorium parabile. 6°. de cõp. me. ſe. lo. 5ª. 169. G
FVRFVRES quo modo fiant in vrinis, & ex qua materia, & propter quid, & ex quibus membris. com. 4°. aph. 77°. Ex. 39. F
Furfures mingentis ſigna. de dyna. Sp. 29. A
Furfurea hypoſtaſis quid ſignificet. d̃ vrinis. 124. E/1°. de criſ. 130. D/ in prognoſt. com. 2°. 4ª. 200. G/de natu. hu. com. 2°. 7ª. 180. H/quæ ſita in Hippo. Sp. 113. D
Furfures ſupernatantes albam nebulam habens vrina cholerico cõlore aut longam ægritudinem, aut mortem ſignificat. de dyn. Sp. 34. C
Furfuris mictus curatio. de dyn. Sp. 29. A
ad Furfuris mictum antidotus. de dyn. Sp. 29. A
FVRFVRATIONEM quid vocent medici. 1°. de compoſitio. medicam. ſecundum locos. 5ª. 118. D
Furfures vnde fiant. in 6ᵐ. de morb. vulg. com. 3°. 3ª. 172. D
Furfurationum capitis remedia. 1°. de comp. med. ſec. lo. 5ª. 128. D
Furfures quid tollat. de dynam. Sp. 23. D
ad Furfures capitis valet ſuccus centaureæ cum aceto. de virtute centaureæ. Sp. 93. B
Furfuribus capitis myrta aduerſatur. de ſimp. med. Sp. 87. E
Furfures curat vrina humana. 10°. de ſimp. med. fac. 5ª. 65. D
Furfur repurgans & extergens. 1°. de comp. med. ſec. lo. 5ª. 129. H
ad Furfures ſmegma. 1°. de comp. med. ſe. lo. 5ª. 131. A
ad Furfures Archigenis remedia. 1°. de comp. med. ſec. loc. 5ª. 128. F
ad Furfures capitis. de rem. par. fa. 7ª. 154. C
ad Furfures. 1°. de comp. med. ſec. loc. 5ª. 131. C
ad Furfures. de med. fac. par. 7ª. 161. F
FVRIOSAE inſaniæ quomodo fiunt. com. 6°. aph. 53°. Ex. 53. B
Furioſi non ſunt a medico inuiſendi. 2°. de diff. reſp. 3ª. 68. B
Furioſi quo modo cognoſcantur ex motu arteriæ. 6°. de dec. 1ª. 266. E
Furioſi ſunt & præcipites, quorum vena in cubito uehementiſſime pulſat. & animi mores. 1ª. 320. C
Furioſis vinum non eſt exhibendum. 1°. de ar. cur. ad Glau. 7ª. 95. F
Furioſi atram bilem educimus. de dyn. Sp. 21. B
FVRNORVM fuligo. 5°. de comp. med. ſe. lo. 5ª. 159. D
Furni panis in exterioribus eſt craſſus, & cur. de diſſol. cont. Sp. 72. H
Furnaceus panis non confectus diligenter eſt cibus craſſi ſucci. de bo. & vitio ſuccorum. 2ª. 34. E
FVROR, & delirium differunt. 2°. de diff. reſp. 3ª. 64. B
Furoris incrementum eſt alienatio mentis. com. 7°. aph. 5°. Ex. 54. C
Furor omnis rationi inimicus. de cog. cur. ani. mor. 2ª. 52. D
Furor ſub pectore. 3°. de decr. Hip. 1ª. 242. C
Furores ex quo humore fiant. com. 6°. aph. 56°. Ex. 53. E
Furor ſequitur ad dominium bilis. de anat. viuo. Sp. 45. F
Furor fit ex ſanguine feruenti. com. 5°. aph. 40°. Ex. 41. D
Furor nunq̃ fit ex pituita. com. 6°. aph. 56°. Ex. 53. E
Furores quibus fiant. in 6ᵐ. de mor. vul. com. 2°. 3ª. 167. F
Furores fiunt vere. com. 3°. aph. 20°. Ex. 24. A
Furores in autumno quo modo fiant, & vnde. c. 3°. aph. 22°. Ex. 24. G
Furorem ſignificat quibuſcunque mulieribus ſanguis ad mammas colligitur, quod nunquam vidit Galenus. c. 5°. aph. 40°. Ex. 41. C
Furore eſſe exagitatũ quid ſignificet. in 3ᵐ. de mor. vul. c. 1°. 3ª. 127. C
in Furoribus apparet animã lędi a malis corporeis. qd̃ aĩ mo. 1ª. 319. A
in Furore non ſunt conſiderandæ dextræ vel ſiniſtrę partes cerebri. in 6ᵐ. de morb. vulg. com. 2°. 3ª. 162. H
ex Furore ephemera, qualis. 1°. de arte cur. ad Glau. 7ª. 95. B
a Furore difficultas inteſtinorum, vel aqua inter cutem, vel mẽtis alienatio, bonum. com. 7°. aph. 5°. Ex. 54. C
Furoris ſolutionẽ ſubſecutã eſſe ex vehementi motu cauſarũ efficientium furorem ratiocinando perpẽdit Galenus. c. 7°. a. 5°. Ex. 54. C
Furorem curantur varices. in 6ᵐ. de mor. vul. com. 2°. 3ª. 162. H
FVRVNCVLVS quid ſit. de tum. præter naturam. 3ª. 84. F
de Furunculis. 5°. de comp. med. ſec. loc. 5ª. 160. D
Furunculi validiorem digeſtionem per halitum expoſcunt. 7°. de ſimplic. med. fac. 5ª. 55. D
Furunculis conueniunt acria. de atten. vict. 2ª. 43. G
Furunculis bonum eſt remedium maſtiche. 7°. de ſimp. me. fa. 5ª. 55. C
Furunculos diſcutiunt Pycnocomi folia, fructus, & radix. 8°. d̃ ſimp. med. fac. 5ª. 59. D
Furunculos concoquit triticum manſum, non tamen aqua pinſum. 3°. de natu. facul. 1ª. 304. A
Furunculi tritico maſticato ſanantur. 10°. de ſimp. me. fac. 5ª. 75. G
Furunculi puerorum pane maſticato ſanantur, non tritico. 1°. de ſimp. medic. facul. 5ª. 75. F
ad Furunculos duros ſtercus ouillum. 10°. de ſimp. med. fac. 5ª. 76. H
Furunculos ſanans. 5°. de comp. med. per ge. 5ª. 249. H
Furunculos diſcutiens. 6°. de comp. med. per ge. 5ª. 259. G
ad Furunculos. de comp. me. per ge. 5ª. 246. G
ad Furunculos ſoluendos. 6°. de comp. med. per ge. 5ª. 255. A
FVSANEI morbi qui. ſin. med. If. 45. H
FVSCVS color, qui. 14°. met. med. 7ª. 89. D
poſt Fuſcum giluus color. 2°. de comp. med. per ge. 6ª. 221. F
Fuſcos colores cur ſubinde intuentur pictores, quando in albis corijs depingunt. 10°. de vſu par. 1ª. 178. H
Fuſci coloris recreant oculos. 10°. de vſu par. 1ª. 178. H

Fusci cur sint melancholici.de mel.ex Gal.Ruf.& Pos. Sp.109.D
Fuscum quo modo fiat.1°.de symp.cau. 3ª.17.B
FVSCA *Andromachi.6°.de comp.med.per g.257.E/* 5ª.258.G/H
Fuscum Eubuli 6°.de comp.med.per gen. 5ª.259.C
Fuscum aliud.6°.de comp.med.per ge. 5ª.259.D
Fuscum Liæ.6°.de comp.med.per ge. 5ª.259.A
Fuscum Minerua.6°.de comp.med.per ge. 5ª.258.H
Fuscum Nygmaticum. 3°.de comp.med.per ge.235.E/6°.5ª.258.H
Fuscum Olympionici medicamentum.4°.de comp.me.sec.lo. 5ª.154.C
Fuscum medicamentum.5°.de comp.med.per ge. 5ª.153.B
Fusci vnguenti compositio, qualis.de dyn. Sp.31.H
FVSIO *aquæ magis imprimit q̃ fomentum. de vict. ratione in morbis acu.commen.4°.* 7ª.144.E
Fusos minime dolores quid vocet Archigenes.2°.de loc.aff. 4ª.11.B
FVTVRORVM non est historia.de opt.secta. If.23.A
Futuræ rei est prouidentia.4°.met.me. 7ª.24.E
de Futuris,præsentibus,& præteritis est præscientia & prognostica-tio.de præsag.ex pul. 4ª.104.D
Futura,præterita,& præsentia quo modo præsagienda.in 1m.de mor. vul.com.2°. 3ª.12.E
Futurorum prænotio quo modo.17°.de vsu par. 1ª.222.F
ad Futura præscienda qui peritissimus.4°.de præsag.ex pul. 4ª.121.H
Futura debet præscire & prędicere qui remedio magno vult vti.10°. methodi medendi. 7ª.64.B
Futura ex quibus præscienda.4°.de præsag.ex pul. 4ª.121.F
Futura prędicuntur de stillis quæ per imbres cadunt. in 6m.de morbis vulga.commen.1°. 3ª.159.C

GABIANVM *vinum in Italiaqua le.5°.de san.tu.* 2ª.90.H
Gabianũ vinũ aquosum facile in acidam, & amarã permutat qualitatẽ.& vi. Sp.77.A
GAFIT succi fit mentio. de me. exper. Sp.104.B/H
Gafit electarium.de me.exper. Sp.108.B
GAGATES lapis quid.de simp.me. Sp.86.G
Gagates,qualis.9°.de simp.med.fac. 5ª.67.H
Gagates lapis numeratur inter nigra medicamenta.2°.de comp.med. per genera. 5ª.221.E
Gagates lapis dentes qui agitantur restringere, & stabilire potest.de simp.med. Sp.86.G
Gagates lapis.9°.de comp.med.sec.loc. 5ª.199.D
GALA, id est lac.10°.de simp.med.fac. 5ª.73.E
GALATÆ *sicut frigidæ regionis sunt incolæ,ita in vniuersum sunt pin gues.2°.de simp.med.fac.* 5ª.14.E
GALACTITES *lapis.quid de simp.med.* Sp.86.H
Galactites vnde,& qualis.9°.de simp.med.fac. 5ª.68.C
Galactites lapis leniter stringit,ad lachrymam oculorum facit. de sim plic.med. Sp.86.H
GALBANVM *quid, & eius vires.de simp.med.* Sp.84.F
Galbanum,quale.4°.de comp.me.sec.loc. 5ª.151.D
Galbanum in tertio ordine calidum est,in secundo siccum.8°.de simp. medicam.facul. 5ª.63.E
Galbanum concoquit.introd. Isa.38.B
Galbanum emollit.5°.de simpl.med.fac. 5ª.34.F
Galbanum mollitiuum est,& in quo gradu sit.de ocul. 7ª.188.D
Galbanum emollit scirrhuu.5°.de simp.med.fac. 5ª.33.G
Galbanum oculis conuenit.de ocul. 7ª.188.G
Galbanum datur ad prouocandum vrinam, & ad extrahendum em-bryum.de medicinis exper. Sp.106.F
Galbanum ingreditur theriacam.de ther.ad Pis. 5ª.92.G
Galbanum,& nucleus pineus ex melle attico pro eclegmate peripneu moniæ.de vict.rat.in mor acu.com.4°. 7ª.144.C
Galbanum, vide Chalbanum.
GALEA, *quam græci cranium appellant,cui superposita sit.de natu-ra & ordine cuiuslibet corp.* Sp.41.G
Galea vbi est, subiacent tempora.de na.& ord.cuiu.cor. Sp.41.A
GALEA *plumbea pro remedio in melancholicis.de mel.ex Gal.Ruf.et Possidonio.* Sp.109.C
GALEA *vbi caput pluribus locis vulneratum sit.de fasc.* 7ª.297.B
Galea aliter ad eosdem.de fasciis. 7ª.297.B
Galea perigenis gladiatoria.de fasciis. 7ª.297.A
GALENVS *seipsum nominat nulla facta Claudij mentione.in 6m.de mor bis vulg.com.1°.* 3ª.152.G
Galenus educatus fuit apud Græcos.2°.de diff.pul. 4ª.53.D
Galeni regio temperata est.2°.de temp. 1ª.20.A
Galeni patria probe temperata.2°.de san.tu. 2ª.73.C
Galeni ciuitas quadraginta milliũ hominũ.de cog.cur.aĩ mor. 2ª.55.B
Galenus post quos medicinæ scriptores natus.2°.de die.dec. 4ª.154.E
Galeni pater fuit doctissimus mathematicus.de bo.& vi.suc. 2ª.34.C
Galeni pater callebat Geometriam,Arithmeticam,Architecturam,et Astronomiam.de cogn.cur.ani.mor. 2ª.54.D
Galeni pater ei rusticæ studiosus fuit.de bo.& vit.suc. 2ª.34.C
Galeni pater quo ordine filium docebat.de lib.prop. If.13.H
Galenus patrem habuit pedagogum & doctorem græcum.2°.de diffe rentijs pulsuum. 4ª.55.A
Galenus a patre didicit vsque ad quintũdecimũ ætatis suæ annũ Grã-maticã,Logicã,& Arithmeticam.de ord.lib.suorum. Isa.15.D
Galeni patris documenta ad Galenũ filiũ.de cog.cur.ani.mor. 2ª.54.D
Galeni patris mores probatissimi.de cog.cur.ani.mor. 2ª.54.C
Galeni pater iustus,modestus,ac bonus.de bo.& vit.suc. 2ª.34.C
Galeni pater liberalis fuit.8°.met.med. 7ª.52.C
Galeni matris mores improbissimi.de cog.cur.ani.mor. 2ª.54.C
cũ Galeni pater obijt,Galenus annum ætatis suæ vigesimum agebat. de bo.& vitio suc. 2ª.34.C
Galenus puer cur semper sanus.de bo.& vit.suc. 2ª.34.C
Galenus quæ obseruauit in pueritia.de bo.& vitio suc. 2ª.34.C
Galenus linguas omnes græcas nouit.2°.de diff.pul. 4ª.54.H
Galenus exquisite sciuit nomina Attica & Ionica.ad Thr. 2ª.107.A
Galenus promittit se scripturum de Ionicis nominibus.2°.de differen-tijs pulsuum. 4ª.59.A
Galen.perfecte nesciuit nomina Dorica & Aeolica.ad Thr. 2ª.107.A
Galenum nouisse linguã latinã colligi videtur.1°.de diff.resp. 3ª.57.C
Galenus ab adolescentia seipsum semper assueuit ab incõsulto,& præ cipiti sensu cauere.d̃ cuiusq; ani.pec. 2ª.59.D/3°.*de lo.af.* 4ª.15.A
Galenus adolescens ardentius, quàm æquales studijs incumbebat. de boni.& vit.suc. 2ª.34.C
Galenus adolescens despexit multos pręceptores.de cuiusque ani.pec. not.atq.medela. 2ª.57.C
Galenus Romæ erat tempore Marci Aurelij Antonini.de prænotitio ne ad Posth. 4ª.217.H
Galeni tempore obijt Antoninus.ad eos qui de typ.scrip. 3ª.91.H
Galeni tempore regnabat post Antoninum Seuerus,qui seipsum muta to nomine Antoninum vocauit.ad eos qui de typ.scrip. 3ª.91.H
Galeni temporis mores.1°.met.med. 7ª.2.D
Galeni tempore artium bonarum contemptores.3°.met.me. 7ª.17.E
Galeni consortium multi fugiebant,quia disciplinas fugiebant.10°.de vsu partium. 1°.84.B
Galenum quo modo indocti diuexarent a varijs disciplinarum nomini bus eum subdole appellantes.2°.de diff.pul. 4ª.55.B
Galenum quare odio habuere medici.de purgan.med.fac. 5ª.87.G
Galeni tpe nemo veritatis inquisitioni deditus erat.1°.met.me. 7ª.2.C
Galeni tempore quærebatur pecunia,ciuilis potẽtia, & voluptas.1°. methodi medendi. 7ª.2.C
Galeni tempore insanus putabatur, qui sapientiæ studium quærebat. 1°.methodi medendi. 7ª.2.C
Galeni tempore philosophi & medici nomina ignorabant,& distingue re nesciebant.1°.met.med. 7ª.6.B
Galeni tempore nullus dicebatur stereometra, vt geometra.ad Thra-sybulum. 2ª.109.D
Galenus exercitatus erat in disciplinis facientibus scientiam.2°.de de cretis Hippocratis. 1ª.238.D
Galenus decimoquarto anno ætatis suæ,philosopiæ operã dare cœpit. de cog.cur.ani.mor. 2ª.54.D
Galenus ab adolescentia philosophię studio vacauit.9°.me.m. 7ª.56.E
Galeni præceptores in philosophia,qui.de cog.cur.animi mo. 2ª.54.D
Galenus cur didicit naturalem scientiam.3°.de cris. 4ª.142.C
Galenus decimoseptimo anno in somnis admonitus medicinã aggressus est.de ord.lib.suor. Isa.15.E
Galeni pater per somnium admonitus fuit, vt illi iniungeret medicinã addiscere.de prægn.ad Posth. 4ª.214.F
Galenus medicina operam dedit insomnio patris.9°.met.me. 7ª.56.E
Galeni somnium.de anato.viu. Sp.54.H

Galenus credidit insomnijs. 14°.met.me. 7ª.89.C
Galenus quo modo tractet artem medicam.de ther.ad Pis. 5ª.93.H
Galenus a pueritia didicit notas vtriusq; hũoris atri.& atra bi.1ª.34.b
Galenus semper studet inuenire causas.de ther.ad Pis. 5ª.93.H
Galenus in tota vita sua studuit demonstrandi scientiam tenere.contra ea quæ a Iuliano in Hip. Ex.68.F
Galeni demonstrationes vnde originẽ habeant.de ther.ad Pis.5ª.93.b
Galenus aßẽsũ temerariũ semp sustinuit ac refugit.3°.& lo.af.4ª.15.A
Galenus qua via vsus ẽ vt euaderet sapiẽs.de cog.cur.aĩ mor.2ª.53.f
Galenus integer vitæ,& in arte peritus.de præco.ad Posth.4ª.215.A
Galenus nunq̃ seruum verberauit.de cog.cur aĩ mor. 2ª.51.H
Galenus Romæ preceptores habuit.de vsu ther.ad Pamph. 5ª.98.H
Galeni præceptores.de ord.lib.suorum. Is.15.C
Galeni præceptor Numisianus.1°.de anat.adm. 1ª.63.D
Galeni præceptor Pelops.de mus.diss.46.E/1°.de ana.adm.1ª.63.D/11°.de simp.med.fa.5ª.82.A/com.6°.aph.18°. Ex.48.A
Galeni præceptores Satyrus & Pelops.in 1ᵐ.pror.com.1°.4ª.163.F
Galeni præceptor Satyrus.1°.de anat.ad.1ª.63.D/& antid.5ª.106.C
Galenus quo tempore studeret sub Satyro.de anat.adm. 1ª.64.A
Galeni præceptor Stratonicus.de atra bile. 1ª.35.D
Galeni præceptor Lucius.2°.de comp.med.per ge. 5ª.225.F
Galenus natura se tardum nominat,{tamen puto oppositum}.2°.de differentijs pulsuum. 4ª.53.G
Galenus adolescens præceptorem interrogauit.de mul. 3ª.80.B
Galenus in quibus casibus præceptorem arguit.de mult. 3ª.80.B
Galenus nullã sectã sequebat,et oẽs optime callebat.3°.& lo.af.4ª.15.a
Galenus in omni sectarum scientia se nemini post habendum re ipsa ostendit.3°.de loc.aff. 4ª.15.A
Galenus nullam sequutus est sectam de lib.prop.Isa.11.B/de cog.cur animi morbis. 2ª.54.E
Galeni studium quo modo fuerit.in 1ᵐ.de mor.vul.com.3°.3ª.121.A
Galenus studiosus,& vehemens veritatis amator.5°.de simp.m.f.9.G/7°.de comp.med.per ge. 5ª.264.F
Galenus verax veritatis amatoribus scribit.3°.de locis affect.15.A/2°.de crisi. 4ª.134.B
Galenus mentiendi causam non habet.3°.de loc.aff. 4ª.15.A
Galenus nihil ad gratiam nec ad odium loqui solet.5°.met.me.7ª.33.C
Galenus incredulus,& derisor vocatus.de cuius.ani.pec.no. 2ª.59.e
a Galeno deridẽ assectæ Mosis & Christi.3°.de diff.pul. 4ª.60.E
Galenus quos habuit odio de cuiusq; animi pec.not.atq.med. 2ª.57.C
Galenus odio habuit artẽ sophisticã.in 6ᵐ.de mor.vul.c.2°.3ª.167.A
Galenus damnat eos qui aggrediuntur philosopiam, & medicinam ante grammaticam. de lib.prop. Isa.10.G
Galenus quid dicere solebat ad contradicentes,& discere volentes.3°. de crisibus. 4ª.142.B
Galenus diues & in sua patria honoratus.de cogn.cur aĩ mor.2ª.54.F
Galenus dicit se nõ esse diuitẽ.de cuius.aĩ pec.not.atque me.2ª.60.A
Galenus valentior athletis.ad Thra. 2ª.109.C
Galenus singulis annis vel alternis vsq; ad vigesimũoctauũ annum ali quo morbo laborabat.de bon.& vitio suc. 2ª.34.D
Galenus ætate xix.annorum sanus.de bon.& vit.suc. 2ª.34.C
Galenus quo tempore cœpit abstinere a fructibus horæis.præterquàm ab vuis & ficubus.de bon.& vitio suc. 2ª.34.D
Galenus quot regiones peragrauerit,collige.de vic.rat.in mor.acutis, commen.3°. 7ª.127.B
Galenus gratia discẽdi in Cyprum nauigauit & in cauam Syriam.9°. de simp.med.fac. 5ª.65.B
Galenus totam Lyciam nauigaut.9°.de simp.med.fac. 5ª.68.A
Galenus fuit in Campania.6°.de san.tu. 2ª.99.F
Galenus anno trigesimo tertio ætatis suæ Romam iuit.de articulis,cõmentario 1°. 7ª.256.A
Galenus Romam bis profectus est, primo naui, postea pedester.9°.de simpl.med.fac. 5ª.65.B
Galenus trigesimo septimo ætatis suę anno Roma regressus in patriam. de lib.prop. Isa.11.D
Galenus ab Alexãdria in patriam annum agens vigesimum octauum redijt.de comp.me.per ge. 5ª.231.B
Galeno vigesimum nonũ ętatis suę annũ attingenti a suæ ciuitatis põti fice tradita est curatio gladiatorum.3°.de cõp.me.per g.1ª.231.B
GALENO placet vt non tres facultates animæ dicantur, nec tres animæ,sed tria principia.in Tim.Pla. 1ª.287.D
ſm Galenum cor est calidũ,& siccũ.de anat.viuo.46.D/ Sp.56.B
cõtra Galenũ q; cor sit principiũ sensus & motus.de ana.vi. Sp.45.H
cõtra Galenũ iecur nõ facere sanguinem.de ana.viu. Sp.46.B
Galenus sensit hepar esse principiũ nutricationis.de ana. viu.Sp.45.H
ſm Galenũ vtriusq; sperma coaguli est materia,sed virile fortius,muliebre debilius.de ana. vius. Sp.55.H
Galenus inquit Hippocratem vocare leuem hypostasim eã quæ est continua in indiuulsa. de vri.sing.ex Hip. Sp.79.B
GALENI oĩa audire,& intelligere est oĩbus cõe.2°.de cris. 4ª.133.G
Galenus cur librõs scripserit.in 3ᵐ.de morb.vulg.com.2°.134.E/3ª.136.G/7°.met.me. 7ª.43.B
Galenus capita librorũ solũ i suã utilitatẽ scribebat.7°.me.m.7ª.43.c
Galenus cõmentarios sibi fecit senectuti obliuiosæ.3°.& dif.p.4ª.60.b
Galenus scribebat amicis rogantibus.in 6ᵐ.& mor.vul.c.1°.3ª.152.D
Galenus semper refert quæ vidit.de tot morb.temp. 3ª.89.A
Galenus non audet dicere aut scribere ea,quæ minime præstat. contra Iulianum. Ex.69.H
Galenus alios semper iuuare cupiebat.1°.met.me. 7ª.2.C
Galenus vigil,& inseruiens amicis.5°.de san.tu. 2ª.88.F
Galenus excusat se coactum ab amicis scripsisse contra antiquos.4°.& differentijs pulsuum. 4ª.64.B
a Galeno omnia in omnibus libris dicta sunt.de victus rat.in mor.acu. commentario.1°. 7ª.115.B
Galeni omnia sunt examinata, & probata.5°.met.me. 7ª.35.H
Galen. si aliqua minima pterijt,hoc data opa fecit.11°.& v.p.1ª.191.B
Galenus sequitur dogmata Hippocratis quæ verissima sunt. de vic.ra. in mor.acu.com.1°. 7ª.115.B
Galenus æmulatus est Hippocratem optimum magistrũ,& in quibus. de ther.ad Pisonem. 5ª.91.A
Galeni doctrina.2°.de comp.med.per ge. 5ª.220.C
aĩ Galenum nullus Hippocratem intellexit.7°.met.me. 7ª.43.c
Galenus reprehendit Hippocratem de medicamento in pleuritide. de vict.rat.in mor.acu.com.2°. 7ª.118.H
Galeno aperuerunt viam antiqui errantes.4°.de dig.pul. 4ª.85.D/E
Galenus quæ scripserit solus.8°.met.me. 7ª.52.A
Galeni cõmentaria qualia.in 1ᵐ.de mor.vul.cõ.2°.107.F/3ª.135.F
Galeni diligentia.in 1ᵐ.de mor.vul.com.2°. 3ª.112.F
Galenus scripsit i ſm secundorũ analyticorũ.4°.de diff.pul. 4ª.65.A
Galenus scripsit in secundũ librum de demonstratione Aristotelis.4°. de differentijs pulsuum. 4ª.69.H
Galeni liber magis iuuatiuus ceteris,quinam sit.secretorum.Sp.96.H
Galenus quos libros composuit, dum nihil proprio marte inuenisset. 8°.de anat.admin. 1ª.99.H
Galenus puer scripsit commentaria.de lib.prop. Isa.13.H
Galenus quo tpe multos libros scripsit.de præcog.ad Posth.4ª.218.c
Galenus multum composuerat trigesimo quarto anno ætatis.de libris proprijs. Is.11.C
Galeni librorum quidam ordo.1°.de comp.me.per ge.5ª.210.D/2°.me thodi medendi. 7ª.13.A
Galenus citat librum suum de ordine suarum commentationum.c.3°. aphorismo.30°. Ex.26.F
Galeni argumentũ in empiricos,qui ex singularibus experientiam fieri volebant.adu.emp.med. Is.35.E
Galenus rebus non verbis expugnabat methodicos. de præcognitione ad Posthumum. 4ª.219.D
Galenus multas dissectiones fecit, tamen nunquam meminit hominis. 1°.de anat.adm. 1ª.63.D
Galenus nõ dissecuit hoĩes,sed bruta,& potissimum simias,quæ vero vidit de hoĩbus,illa viuis uel in morbis,vel in mortuis putrefactis. de verarum arteriarumq; dissectione. 1ª.57.G
Galenus cur elegerit anatomiam facere in simia.de mus.diss. 1ª.46.F
Galenus sectionum multos libros fecit.1°.de ana.adm. 1ª.63.C
Galenus q̃ egit i anatome ab alijs non dicta.3°.de cõp.m.p g.5ª.232.A
Galenus simiæ linguã dissecuit, Pelops bubulã.de mus.dis. 1ª.46.E
Galenus arterias dissecuit i somnio monitus.de cu.ra.p san.mis.6ª.21.e
Galeni obseruatio in vena dextri testis.de ven.art.diss. 1ª.58.c
Galenus cur scripserit de musculorũ dissectione.de musc.diss. 1ª.44.c
Galenus ea sola quæ apparent,in libro de musculorum dissectione tra diturus est.de mus.dis. 1ª.44.c
Galenus ponit tibię priores musculos septẽ,qui tres sunt ſm antiquos. de mus.disse. 1ª.52.c
a Galeno etiam diu ignorati musculi.de mus.diss. 1ª.49.c
Galen.ne videat ab antiquis in re minima dissẽtire,quos musculos ge-

nu de articulationem mouentes nouem esse ostenderat. eosdem octo esse dicit. de musc. diss. 1ª.51.g
Galenus inquirit actionẽ musculorũ laryngis. ḍ voc. instr. dis. 1ª.107.D
Galeni inuentum neruus buccam mouens. de neru. diss. 1ª.53.g
Galenus inuẽtor lati musculi. 4°. de anat. admin. 1ª.81.B
Galenus in qua re hæsitauit aliquando circa abdominis carunculam. 5°. de ana. admi. 1ª.87.g
Galeni inuentũ est, ꝙ vtriusque fibris sectis in oĩbus musculis interco stalibus, vox effiatioq; aboleatur. 8°. de ana. adm. 1ª.100.D
añ Galenum nullus cognouit anatomen in neruis. 1°. de loc. aff. 4ª.7.E
Galenus primus locutus ẽ de vsu astitũ glãduloso rũ. 2°. ḍ se. 1ª.340.F
Galenus propter quid scripserit de vsu partiũ. 1°. de vsu par. 1ª.115.A
Galeni benignitas apparet, qui suos de vsu partiũ libros fecit, et si ab ignaris ac non initiatis sit carpendus. 12°. de vsu par. 1ª.194.D
Galenus Deũ benefaciendo imitans scribere instituit libros de vsu par tiũ, etiã si exentas calumnias expectet. 12°. de vsu p. 1ª.194.D
Galenus fecit commentaria in librum epidemiorum rogatus. in 6m. de mor. vul. com. 2°. 3ª.170.D
Galenus in ꝑm epidemiorũ librũ cõmẽtaria fecit. 4°. de lo. aff. 4ª.23.G
Galenus quid palpitationem esse pronunciet. de trem. palp. conuulsio. & rigore. 3ª.52.D
Galenus perfecit tractationem de membris passis. ars med. Is.67.D
Galenus librum de locis affectis in senectute fecit. 3°. de lo. af. 4ª.15.C
Galenus senex fecit librum de locis affectis, tamen non intelligebat Archigenem. 2°. de loc. aff. 4ª.12.H
Galenus quo tempore composuerit librum de differentijs febriũ, de die bus decretorijs, & de crisibus. de prẽcog. ad Posth. 4ª.219.E
Galenus cognouit oĩa febriũ gña prima visitatione. 2°. ḍ cris. 4ª.133.D
Galeni mira præstãtia ĩ distinguẽdis febribus. 1°. de diff. feb. 3ª.33.D
Galenus plerunq; affectum primo die cognouit. 8°. met. me. 7ª.52.D
Galenus primo die nouit quartanam, tertianam, & quotidianam. de crisibus. 4ª.133.E
Galenus hecticã febrẽ ĩcipiẽtẽ cũ putrida nouit. 10°. met. m. 7ª.63.D
Galenus nunq; habuit quartanam. de trem. palp. cõuul. & rig. 3ª.56.A
Galenus ex lassitudine febricitauit, nõ ex alio affectu. 5°. ḍ sa. t. 2ª.88.f
Galenus non erat satis saluber, nec liber. 5°. de san. tu. 2ª.88.F
Galenus multos morbos habuit in pueritia, & ephebia, & adolescen tia. 5°. de san. tuen. 2ª.88.F
Galenus iuuenis quater tertiana laborauit. ḍ tre. pal. cõ. et rig. 3ª.56.a
Galenus sibi ac alijs oxyrhodinum adhibebat, cum æstu nimio afflige retur. 3°. de simp. med. fac. 5ª.18.F
Galenus semel habuit febrem ardentem. de tre. palp. cõuul. & rig. 3ª. 56.A/de loc. aff. 4ª.22.E
Galenus vertigine affectus. 3°. de loc. aff. 4ª.15.G
Galenus habuit stomachum fastidient em, & mœstitia est affectus. 2°. de locis affectis. 4ª.12.G
Galenus singultiebat ex pipere, & vino. 8°. de cõp. me. se. lo. 5ª.190.E
cur Galeno contingebat singultus ex pipere. 3°. de lo. aff. 4ª.20.A
Galenus passus est dolorem in ventre. 2°. de loc. aff. 4ª.9.D
Galenus post vigesimumoctauum annum non ægrotauit nisi diaria. 5°. de sanitate tuenda. 2ª.88.F
Galenus anno suę ætatis trigesimoquinto in palæstra habuit luxationẽ summi humeri. de art. com. 1°. 7ª.260.C
Galenus pp amicos scripsit ḍ diebus decretorijs. 3°. ḍ dieb. dec. 4ª.159.b
Galenus primus reddidit rationẽ cur vigesimus dies sit iudicatorius. in prog. com. 3°. 4ª.207.C
Galenus semper se exercuit in præsagiendo, & in curando. in 6m. de morb. vul. com. 2°. 3ª.167.A
Galenus de quibus præsagisse se iactat. 3°. de diff. pul. 4ª.60.G
Galenus gloriatur de prædictione. in 1m. de mor. vul. c. 3°. 3ª.120.F
Galenus quantum sibi arrogat. 3°. de loc. aff. 4ª.15.A
Galeni laus. de prœcog. ad Posth. 4ª.215.D
Galenus iactat se. 2°. de dign. pul. 7 5.C/4ª.78.B/8°. met. me. 7ª.52.C
Galenus iactator, sed verus. 3°. de diff. resp. 3ª.70.G
Galeni prognosticum verax. de prœcog. ad Posth. 4ª.118.D
Galenus existimatus vates. in prog. com. 3°. 4ª.211.G
Galenus diuinatrice arte, nõ medicinę scientia prædicere existimatus. de diff. feb. 3ª.38.B/10°. de simp. me. fa. 5ª.73.E
Galeni vaticinum. de prœcog. ad Posth. 4ª.217.A/B
Galenus nouit puelli plorantis desiderium. 1°. de sa. tu. 2ª.66.A
Galenus stridere dẽtibus ex natura aliquos nouit. in pg. c. 3°. 4ª.211.G
Galenus seipsum laudat, qui vel ex solo colore cognouerit locũ in vi- sceribus affectum. 5°. de loc. aff. 4ª.34.C
Galenus cum Athenæo sentit in motu pulsus. 4°. de diff. pul. 4.69.B
Galenus fuit incertus per multos annos de arteriæ contractione, & de alijs. 1°. de digno. puls. 4ª.70.E
Galeno viam præbebat fortuna ad præsagij laudẽ consequendã. 5°. de locis affectis. 4ª.34.H
Galenum sequebatur bona fortuna. de prœcog. ad Posth. 4ª.219.B
ad Galenum misit Boethus quadringentos aureos propter vxorem sa natam. de prœcog. ad Posth. 4ª.217.H
Galenus apothecã habebat in qua ꝑciosa seruabat. 1°. ḍ anti. 5ª.106.A
Galenus accersitus a medicis de medicamentis iudicauit. 6°. de comp. med. secun. loc. 5ª.173.B
Galenus de quibus periculum non fecerit. 10°. de sim. me. fa. 5ª.72.D
Galenus cur scribat medicamenta quæ apud medicos expertos inuenit. 1°. de comp. me. se. lo. 5ª.124.A
Galenus quæ pharmaca recepit ab amicis, & præceptoribus inuenit. 1°. de comp. med. sec. loc. 5ª.124.F
Galenus sequebatur experientias aliorum. 1°. de simpliciũ medicamen torum secun. loc. 5ª.131.D
Galenus in seipso expertus tibias vltro thasia inflammatas, aceto ma gis quãre vlla alia mitigari, ac refrigerari. 1°. de simp. m. f. 5ª.5.G
ex Galeni libris, de deriuatione. de cucur. scar. 6ª.4.E
ex Galeni libris reuulsione. de cucur. scar. 6ª.4.F
Galenus conqueritur se scripsisse humidi stilo librum de venæ sectione aduersus Erasistrateos. 6ª.10.A
Galenus acuto morbo correptus venam incidere est coactus. de bonita te & vitio succorum. 2ª.34.C
Galenus nihil tractauit, cuius methodũ nõ didicerit. ad Thr. 2ª.101.F
Galenus quo modo curationẽ morborũ inueniebat. 3°. de lo. af. 4ª.15.C
Galenus sanauit hydropem medicamento hydragogo. contra ea quæ a Iuliano in Hipp. Ex.69.H
Galen° ictericos cholagogo sanauit medicamẽto cõtra Iuliã. Ex.69.H
Galenus excogitauit per se de oculorum doloribus sanandis. 7°. metho di medendi. 7ª.17.E
Galenus inuentor curationis sauciatorum neruorum 6°. de compositio ne med. sec. lo. 5ª.167.G
Galenus vigesimo octauo anno neruorum curationem excogitauit. 3°. de comp. med. per ge. 5ª.231.C
Galenus primus ausus immutare neruorum curationis modum. 3°. de comp. med. per ge. 5ª.229.A
Galenus contra Thessalũ conuicijs agit. 1°. met. med. 7ª.2.F
Galenus multos per literas curauit. 4°. de loc. aff. 4ª.22.C
Galenus habebat literas ex Iberia, Celtica, Asia & Thracia. 4°. de lo cis affectis. 4ª.22.C
Galenus nullum phthisicum seruauit. 4°. de loc. aff. 4ª.28.C
a Galeno consilium petebant medici de admirabilibus & absurdis. de fracturis. com. 3°. 7ª.255.H
Galenus non recordatur cuiusdam loci Hippocratis in Aphorismis. 1°. de diff. feb. 3 2.E/ 3ª.33.G
Galeni non est liber de dynamidijs, quia adducit Isaac. de dy. Sp.21.A
Galenus sandalos non cognouit, neq; cãphoram, neque cassiã, ideo colli ge librum de dynamidijs non esse Galeni. de dy. Sp.23.D
Galeni non est liber de dynamidijs nam in eo fit mentio sandalorum ru brorum & alborum, galangæ, & saccari, & multorum simpliciũ, quæ Galenus non nouit. de dyn. Sp.26.D
Galeni non est liber de dynamidijs, nam fit mentio de oratione domini ca in colligendo carduum. de dyn. Sp.28.D
Galeni syrupi simpliciter mentionem facit. de dy. Sp.26.E
Galenus fecit librum de motibus obscuris. de musc. dis. 1ª.44.F
Galeni libri Romæ combusti ob incendium. 1°. de anat. adm. 1ª.63.C/1°. de comp. med. per ge. 5ª.209.g
Galeni tempore multi libri periere igne & terremotu Romæ. 1°. de na tura hum. 1°. 1ª.27.F
qd Galenus ex se didicit, & nõ a ꝑceptore. 3°. de cõp. me. ꝑ g. 5ª.231.d
Galenus omnia per se ipsum inuestigauit. 7°. met. me. 7ª.43.H
Galenus simul cum patre exercebatur. de bon. & vit. suc. 2ª.36.G
Galenus peritiã experiẽtia acquisiuit. in 6m. ḍ mor. vul. c. 3°. 3ª.171.C
Galenus multa inuenit. 7°. de ana. adm. 1ª.96.G
Galenus inuentor huius nominis vnitatis solutio. de cau. mor. 3ª.9.F
Galenus primus nominauit glutinosum. 11°. met. me. 7ª.71.D
Galen. prius ĩuenit testiũ naturã totũ corpus alterãr. 2°. ḍ s. 1ª.340.F
a Galeno quæ angina raro, ab Hipp. sæpe visa sit. 4°. de lo. aff. 4ª.23.G

Galenus nunquam

Galenus nunquam vidit furorem in muliere, cui sanguis in mãmis ap parcat. com. 5°. aph. 40°. Ex. 41. C
Galeni barbarum ad vulnera maxima. 2°. de cõp. me. per g. 5ª. 227. G
Galeni barbarum ad vulnera minora. 2°. de cõp. me. per g. 5ª. 227. G
Galeni catapotia ad soluendum ventrem. de dyn. Sp. 27. F
Galeni Diacodion. 7°. de comp. med. sec. lo. 5ª. 180. C/G
Galenus nullo doctore vsus pharmacum ex succu nucũ viridium præparauit. 6°. de comp. med. sec. loc. 5.. 167. F
Galeni emplastrum ex chalcitide. 1°. de comp. me. per ge. 5ª. 210. H
Galeni pastillus ex charta vsta. 3°. de comp. med. sec. loc. 5ª. 141. F
Galeni pillulæ ad purgandas multas materias. 5°. met. me. 7ª. 35. G
Galenus semper astitit Demetrio dum theriacam componeret. 1°. de antidotis. 5ª. 99. H
Galenus Cæsari theriacam confecit. 1°. de anti. 5ª. 101. G
Galeni iudicium in compositionibus magnis. 3°. de compositione medicamentorum sec. loc. 5ª. 142. F
a Galeno, & præceptoribus, & amicis probata. 2°. de comp. medicamen. secun. loc. 5ª. 139. C
Galeni ad aphthas sordidas. 6°. de comp. med. sec. loc. 5ª. 176. G
Galeni ad aurium dolores. 3°. de comp. med. sec. loc. 5ª. 141. D
Galeni medicamentum ad appetentiã deiectam. 2°. de ali. fa. 2ª. 20. D
Galeni probatissima in oxeris & polypis. 5°. de compositione medic. secun. loc. 5ª. 148. D/E
Galeni inuẽtũ p habẽtibus nocturnã pollutionẽ. 6°. de se. tu. 2ª. 100. H
Galeno sine ratione non credendum. in 6m. de mor. vul. c. 4°. 3ª. 185. A
Galenus nullam calumniam subijt. 3°. de loc. aff. 4ª. 15. C
Galenus semper eadem de eisdem asserebat. ad Thras. 2ª. 101. F
Galenus mutauit sententiam pro melioribus. 1°. de anti. 5ª. 104. G
Galen. quandoque curauit. 2°. de præsag. ex puls. 4ª. 112. E/3°. de cõ. med. per gen. 5ª. 230. H
Galenus in quo casu reprehenditur. 2°. de diff. resp. 3ª. 64. B
Galenus sæpe repetit. 11°. met. me. 7ª. 71. B
Galenus loquacitatis instructissimus. 4°. de diff. pul. 4ª. 69. G
Galenus fuit de industria loquax. 2°. de diff. resp. 3ª. 68. E
Galenus perpetuam breuitatẽ profitetur. 3°. de differen. pul. 4ª. 63. B/ de art. com. 2°. 7ª. 262. H
Galenus periculũ fecit in qõnibus improuisis. 4°. de diff. puls. 4ª. 69. G
GALERITA *alauda colicos adiuuat. 11°. de simp. med. fac.* 5ª. 82. C
de Galerita alauda fabula, vnde galerum habuerit. 11°. de simplicium medicamentorum facul. 5ª. 82. C
GALEXIA *in pretio erat apud Romanos. 3°. de alim. fac.* 2ª. 31. F
Galexia ex genere mustellorum. 3°. de ali. fac. 2ª. 31. F
Galexia non est in græco mari. 3°. de ali. fac. 2ª. 31. F
Galexia habet carnem mollem. 3°. de alim. fac. 2ª. 31. F
GALFAGVELVT *tarde digeritur. de diff. cont.* Sp. 73. D
Γαλιάγκωνες. *de arti. com. 1°.* 259. G/*com. 3°.* 7ª. 278. E
GALLA *quid & eius vires. de simp. med.* Sp. 84. F
Gallæ quales. 4°. de comp. med. sec. loc. 151. E/*6°.* 170. E/H/5ª. 173. E/ *de oculis.* 7ª. 188. G
Gallarum ordo. 6°. de comp. med. sec. loc. 5ª. 170. G
Galla pro medicamento potius quàm pro cibo est in vsu. 4°. de simplicium med. fac. 5ª. 26. H
Galla acerba est. 6°. de comp. med. sec. loc. 5ª. 172. G
Galla summe acerba. 4°. de simp. med. fa. 5ª. 26. H
Galla austera. 4°. de comp. med. per gen. 5ª. 240. H
Galla essentiæ terrenæ, & frigidæ. 7°. de simp. med. fac. 5ª. 51. B
Galla sicca, & terrestris. 4°. de comp. med. per ge. 5ª. 237. H
Galla calida est in secũdo ordine, sicca in tertio. 7°. & simp. m. f. 5ª. 51. B
Galla deficcat, & repercutit fluxiones, constringit, cõtrahit q̃ partes laxas, ac languidas, omnibus fluxionum affectibus strenue resistit. 7e. de simp. med. fac. 5ª. 51. B
Galla internis vlceribus opitulatur. 4°. met. med. 7ª. 28. H
in Galla, & Rhu deprehenditur adstrictio. 4°. de simp. med. fa. 5ª. 25. D
in Galla adstrictio consideranda. 4°. de simp. med. fac. 5ª. 26. A
Galla adstringit. 9°. de sim. me. fa. 64. C/5°. de cõp. me. per g. 5ª. 247. B
Galla vehementer adstringit. 6°. de comp. med. se. lo. 5ª. 173. E/*de simplic. med.* Sp. 84. F
Galla adstringens summum. 3°. de simp. med. fac. 21. E/4°. de compos. med. per gen. 5ª. 239. E
Gallã immaturã adstringẽs vehemẽs indicat Galen. 5°. met. m. 7ª. 31. G
Gallam Clarum est semper adiicendam, quæ omphacitis i. immatura vocatur. 4°. de comp. med. per. ge. 5ª. 239. E
Galla exiccat. 2°. de simp. med. fac. 5ª. 16. C
Galla immatura modice siccat. 2°. met. me. 7ª. 30. A
Galla desiccat, & indurat. 5°. de simp. med. fac. 5ª. 36. C
Galla magis flaua minus sicca. 7°. de simp. fac. 5ª. 51. C
Galla flaua. 9°. de comp. med. sec. loc. 5ª. 205. C
Gallæ ignem non expertæ magis siccant, & sunt partium tenuiorum. 6°. de simp. med. fac. 5ª. 51. B
Galla cocta non instrenum est cataplasma phlegmonarũ, & procidentiarum sedis. 7°. de simp. med. fa. 5ª. 51. B
Gallarum decoctũ numeratur inter adstringentia fortissima proque garga rismis. 6°. de comp. med. sec. loc. 5ª. 172. G
Galla diuersum effectum habet ab alijs adstringentibus. 3°. de sim. medicamen. facult. 5ª. 20. D
Galla dysenteriam adstringit. 11°. de simp. med. fa. 5ª. 81. E
Gallæ quo parentur ad sanguinẽ sistendum. 7°. de simp. me. f. 5ª. 51. B
Gallæ combustæ sanguinem reprimunt. 7°. de simp. me. fac. 5ª. 51. B
Gallæ tostæ. 9°. de comp. med. sec. lo. 5ª. 203. D
Galla oculis conuenit. de ocu. 7ª. 188. G
GALLAE *omphacitidis similis tamarix. 7°. de simp. med. fac.* 5ª. 56. D
Galla omphacia acerba est. 2°. de loc. aff. 4ª. 12. E/7°. de simpliciũ medicamen. facul. 5ª. 51. B
Galla omphacitis inter adstringentia parabilia numeratur. 6°. de compos. med. sec. loc. 5ª. 169. F
Galla omphacitis adstringit, & dicitur austera, & acerba. 4°. de compos. med. per ge. 5ª. 246. B
Galla omphacitis adstringit vehementer. 5°. de simp. me. fa. 5ª. 39. B
Gallæ omphacitides vehemẽtius adstringũt. 4°. & cõp. m. f. l. 5ª. 149. H
Galla omphacitis siccat euidenter. 4°. de comp. me. per ge. 5ª. 240. H
Galla omphacitis exiccat in tertio ordine, & non vrit. 5°. de simpliciũ med. facul. 5ª. 39. B
Galla omphacitis vlcera exiccat. 4°. de comp. med. per ge. 5ª. 236. G
Galla omphacitis in vlceribus repellẽs. 2°. de cõp. me. per g. 5ª. 220. B
Gallæ omphacitides non perforatæ. 9°. de comp. med. sec. lo. 5ª. 204. B
Gallæ nigrũ. 5°. de cõp. me. se. lo. 5ª. 163. F/*de rem. par. fa.* 7ª. 157. D
Gallæ grana quadraginta si excoriata comedantur, pituitam purgant. de dynamidijs. Sp. 22. A
Galla deficiente, tamarice vtaris. 7°. de sim. me. fa. 5ª. 56. D
GALLICVS *sapo. de remed. par. fac.* 7ª. 160. H/*de dy.* Sp. 28. H
GALLINAE *sunt volucres laudabiles. de renum affectum dignotione atque medela.* 7ª. 195. F
Gallinæ sine maribus ouа pariunt. 14°. de vsu par. 1ª. 206. D
Gallinarum ouа quibus præstantiora. 3°. de alim. fac. 2ª. 29. G
Gallinarum tantum ouis cur vtamur. 11°. de simp. med. fa. 5ª. 81. D
Gallinarũ ouа cib. medius ĩter subtile, et crassum. de dif. cõ. Sp. 73. A
Gallinarum montanarum esus non vitandus. de atten. vic. 2ª. 45. F
Gallinæ non mandendæ homini qui ociose viuit. de atten. vic. 2ª. 45. F
Gallinæ caro minus suauis phasianorum carne. 3°. de ali. fac. 2ª. 29. C
Gallinæ aliarum ãlium volucrum caro concoctu facilior, q̃ gressilium. 3°. de alimen. facul 2ª. 29. C
Gallinæ caro est velocis digestionis. de diff. cont. Sp. 73. C
Gallinæ similis est in coctione & nutrimento phasianorum caro. 3°. de alimen. facul. 2ª. 29. C
Gallinæ caro generat bonum humorem inter crassum, & tenuem. de dissolutione continua. Sp. 73. H
Gallinæ siccis accomodæ sunt. 6°. de sa. tu. 2ª. 99. G
Gallinæ ventriculus præstantissimus est. de bon. & vi. succ. 2ª. 37. B
Gallinæ ventris tunica pro stomachicis. 11°. de simp. me. fa. 5ª. 80. A
in Gallinarum ventre pelliculæ ad sistendam exuberantiam vrinationis. de reme. fac. par. 7ª. 168. D
Gallinæ cerebrum. de med. par. fac. 7ª. 169. F
Gallinarum alæ ad coquendum, & nutriendum accõmodæ sunt. 3°. de alimen. fac. 2ª. 29. F
Gallinæ alæ conueniunt ex balneis redeunti. de bon. & vi. suc. 2ª. 39. C
Gallinarum alis vti possumus ad victũ attenuãtẽ. de atte. vic. 2ª. 45. F
Gallinarum testes, & viscera non conueniunt in victu attenuante. de atten. vict. 2ª. 45. F
Gallinarum ius adstringit. 11°. de simp. med. fac. 5ª. 82. C
Gallinæ ius auxiliatur illis qui aconitũ assumpserint. 2°. & ant. 5ª. 114. B
Gallinæ ius pinguæ adiuuat illos, qui coriandrum viride gustarunt. 2°. de antidotis. 5ª. 114. C
Gallinarũ sanguis non est inferior sanguine suũ. 3°. & ali. fac. 2ª. 29. H
Gallinarũ sanguis multo peior cũ sanguine leporino. 3°. & ali. f. 2ª. 30. A

Gallinarum ſanguine quidam veſcuntur. 3°. de ali. fa. 2ª.29.H
Gallinæ ſanguinem ad hæmorrhagiam non meningum non probat Galenus. 10°. de ſimp. med. fac. 5ª.73.B
Gallinarum adeps in medio eſt anſerini, & ſuilli. 11°. de ſimpliciũ medicamentorum facul. 5ª.79.A
Gallinarum agreſtium adeps ex tenuium partium. 3°. de comp. medicamentorum per ge. 5ª.232.H
Gallinæ adeps. 2°. de arte cu. ad Glau. 7ª.104.G
Gallinarũ adeps quæ indurata ſunt, iuuat. 5°. de ſimp. me. fa. 5ª.34.E
Gallinarum adipe valentior eſt anſerinus. 5°. de ſimp. me. fa. 5ª.34.E
Gallinarum, & perdicum fel probatius in remedica alijs. 11°. de ſimplic. medicamento. faculta. 5ª.75.A
Gallinarum concluſarum ſtercus minus efficax non concluſarum. 10°. de ſimp. med. fac. 5ª.77.B
Gallinæ citrinum ſtercus. de remed. par. fac. 7ª.163.E
Gallinarum interanea aſſa. 9°. de comp. med. ſec. loc. 5ª.202.D
Gallinam ruſam eligit. 3°. de remed. fac. par. 7ª.176.C
GALLINACEOS *pituita tentatos ſanant allia & cæpe. 2°. methodi medendi.* 7ª.12.D
ex Gallinaceorum genere fœminæ, & mares neque craſſi neque tenuis ſucci ſunt. de bon. & vitio ſuc. 2ª.34.H
Gallinacei ſiccis accommodi. 6°. de ſan. tu. 2ª.99.G
Gallinaceorũ renes p̃ſertim altiliũ, ſunt boni ſucci. d̃ bo. et vi. ſu. 2ª.35.f
Gallinaceorũ iecur p̃ſertĩ altiliũ, ſunt boni ſucci. d̃ bo. & ui. ſu. 2ª.35.f
Gallinaceorum annoſorum iuſcula, qualia. de atten. vict. 2ª.45.B
Gallinaceorum altilium teſtes ſunt ſuaviſſimi. 3°. de ali. fa. 2ª.27.A
Gallinaceorũ lacte altorũ alę et teſtes ĩ ſiccitatib°. 7°. me. m. 7ª.45.D
Gallinaceorum teſtes præſertim altilium, ſunt boni ſucci. de bonitate & vitio ſuccorum. 2ª.35.F
Gallinacei vtiles calidis & ſiccis. 8°. met. me. 7ª.51.B
Gallinaceus adeps, qualis. 7°. de comp. med. per ge. 5ª.263.F
Gallinaceus adeps in quo ordine ſit inter acopa. 7°. de compoſitio. medicamen. per gen. 5ª.269.F
Gallinaceorum adeps familiariſſimus phlegmonis. 5°. de ſimplicium medicamentorum fac. 5ª.34.B
Gallinaceus adeps doloroſas omnes affectiones iuuat. 5°. de com. med. ſecundum locos. 5ª.141.H
Gallinaceus adeps q̃ũ doloribus valet. 3°. de comp. me. ſ. l. 5ª.141.H
Gallinaceus adeps laxat. 7°. de comp. med. per ge. 5ª.264.E
℞ Gallinaceo, & anſerino adipe ſuillus. 2°. de arte cu. ad Gla. 7ª.105.F
℞ Gallinaceo adipe ſuillus. 1°. de comp. me. per ge. 3ª.215.A
Gallinaceus adeps pro anſerino. 1°. de comp. med. per ge. 5ª.215.A
Gallinacei pinguedo calidior & ſiccior eſt q ſuum, & tenuior & minimum terreſtris. 4°. de ſimp. med. ſa. 5ª.25.E
Gallinacea pinguedo pro anſeris pinguedine. 8°. met. me. 7ª.53.F
℞ Gallinacea pinguedine pinguedo caprina. 8°. met. me. 7ª.53.F
Gallinacea pinguedo pro anſeris pinguedine. 12°. met. med. 7ª.79.F
Gallinaceum ſeuum pro anſerino, & econtra. 14°. met. me. 7ª.88.C
Gallinaceus fimus a colũbino recedit ad frigidius. 5°. d̃ ſimplicium medicamentorum fac. 5ª.36.C
GALLIVM *lac coagulat. 6°. de ſimpl. med. fac.* 5ª.45.D
Gallij flos competere videtur profluuijs ſanguinis. 6°. de ſimp. medic. facultatibus. 5ª.45.D
Gallij flos combuſtis mederi videtur. 6°. de ſimp. med. fac. 5ª.45.D
GALLI *quod nominibus vocentur. 1°. de anti.* 5ª.107.B
Gallorum cutis, qualis. 2°. de temp. 1ª.20.A
Galli populi candidi ſunt & molles. de cur. rat. per ſang. miſſ. 6ª. 19.F
Galli candidi ſunt. 1°. de ſan. tu. 2ª.64.A
Galliorũ candos eſt affectus ſecundum naturam. 1°. de ſa. tu. 2ª.64.A
Gallorum temperamentum, quale. in 3ᵐ. de mor. vul. c. 3°. 3ª.146.F
Gallos, vel Thracas, vel deniq; q frigidã regionẽ incolũt, ſi quis veſci allijs vetuerit, non leuiter ijs boĩbus nocuerit. 13°. me. m. 7ª.79.F
apud Gallos ne per ſomnium quidem inuenies hominem temperatum. 2°. de ſanitate tuenda. 2ª.73.C
Galli ſunt pingues. 2°. de ſimp. med. fac. 5ª.14.E
Galli, & Scythæ, alijq; barbari vt pueri ac ineruditi habent rationem quæ ab ira vincitur. 3°. de decr. Hipp. 1ª.242.F
Galli iracundi, audaces, & conſilij præcipitis. 2°. de temp. 1ª.20.A
GALLI *ſunt volucres laudabiles. de ren. aff. dig. & med.* 7ª.195.F
GALLI *gallinacei habent oſſium conſiſtentiam laxam, cauam, & leuem. 11°. de vſu partium.* 1ª.191.E
ſine Galli ſemine oua nõ ſunt comparanda ſemini muliebri ſine virili. 14°. de vſu partium. 1ª.206.D
Gallus, cuius cor habebat duos apices. 7°. de anat. adm. 1ª.96.H
Galli gallinacei caſus ex tumore ſcirrhoſo in tunica cordis. 5°. de locis affectis. 4ª.29.D
Galli gallinacei volunt vincere vt aliæ animantes innumeræ pro ſola victoria contendentes. 5°. de decr. Hipp. 1ª.256.G
Gallos excipit a cibis itẽricorũ, niſi moderate carnoſi fuerint. de cura itẽri. Sp.111.D
Galli gallinacei reliquorum q̃ volucrium caro concoctu facilior q̃ quadrupedum. 3°. de alim. fac. 2ª.29.C
Gallorum veterum caro adſtringit. 3°. de ſimp. med. fac. 5ª.20.B
Gallorum vetulorum carnes adſtringunt. de ther. ad Piſo. 5ª.90.H
Gallorum veterum ius educit. 3°. de ſimp. med. fac. 5ª.20.B
Gallorũ ius ſubducit, gallinarũ vero adſtringit. 11°. de ſim. m. f. 5ª.82.C
Gallorum vetulorum ius alutum mouet. de ther. ad Piſ. 5ª.90.H/*de diſſolutione continua.* Sp.75.A
Gallorum lacte altorum teſtes in ſyncope ex ſuccis tenuibus. 12°. methodi medendi. 7ª.78.A
Gallorum criſtæ & palearia nec probandæ nec improbandæ. 3°. de alimẽt. facult. 2ª.29.F
de Gallorum criſtis, vel ruffis inſomnium quid ſignificet. in 1ᵐ. de morbis. vulga. com. 3°. 3ª.117.H
Gallorum teſticuli languentibus dari conſueuerunt. de victus ratione in morbis acutis. com. 1°. 7ª.113.C
Gallorum teſticuli dandi in tertiana. 1°. de art. cur. ad Gla. 7ª.97.D
Gallorum teſtes quando optimi. 3°. de alim. fac. 2ª.29.F
Gallorũ adeps in medio eſt anſerini & ſuilli. 11°. de ſimp. me. f. 5ª.79.A
Gallorum adipe valentior eſt anſerinus. 5°. de ſimp. med. fac. 5ª.34.E
Gallorum agreſtium adipem tenuiorum partium eſſe quàm domeſticorum, colligo. 3°. de comp. med. per ge. 5ª.232.G
Galli ſeuum tenuiũ partium, & altius deſcendit. 14°. me. me. 7ª.93.E
Galli veteris pinna commoda ad verrucas. 14°. met. med. 7ª.93.A
Galli ſanguinem ad hæmorrhagiam meningum non probat Galen. 10°. de ſimp. med. fac. 5ª.73.B
Galli fel ad oculos. 10°. de ſimp. med. fac. 5ª.74.F
GALLI *viride. 2°. de comp. me. per ge.* 5ª.219.C
in Gallis expertus eſt theriacam Galenus. de ther. ad Piſon. 5ª.90.A
ex Galli libris antidotus. 8°. de comp. med. ſec. lo. 5ª.194.H
Galli Marci Aſclepiadei pharmacum. 8°. de comp. med. ſ. l. 5ª.192.G
Galli aridum. 5°. de comp. me. per ge. 5ª.252.F
Galli aromatica optime ad omnia facit. 2°. de anti. 5ª.115.H
Galli arteriaca. 7°. de comp. med. ſec. loc. 5ª.179.D
ex Galli libris fluxiones ſiſtens. 7°. de comp. med. ſec. lo. 5ª.183.G
Galli ſtomachica 8°. de comp. med. ſec. lo. 5ª.189.B
Galli Aelij theriaca, quam dedit Cæſari. 2°. de antid. 5ª.116.A
Gallia alia theriaca. 2°. de antidotis. 5ª.116.A
Galli emplaſtra. 2°. de comp. me. per ge. 5ª.227.D
Galli pinguis compoſitio. 9°. de comp. med. ſec. loc. 5ª.204.H
GALSAMACH *pelliculæ quædam vuluæ ſubiectæ. de ana. vi.* Sp.49.E
GAMES *compoſitio. de med. exper.* Sp.106.H
GAMMARI *habent tenuem teſtam. 3°. de alim. fac.* 2ª.32.C
Gammari non habent palpebras. de inſtr. odor. 1ª.112.B
Gammari ſunt humidi carne, & ſicci cute. 2°. de temp. 1ª.21.A
Gammari conueniunt ſtomachicis. 8°. de comp. med. ſec. loc. 5ª.192.C
GANGLIVM *quid. fin. med.* Iſa.48.H
Gangliorum tumor diuerſus ab alijs. ad Thra. 2ª.105.A
Ganglia fiunt in neruis a frigido. in 6ᵐ. de mor. vul. com. 3°. 3ª.172.F
Ganglia ex humoribus fiunt commixtis. de cauſ. mor. 3ª.8.B
in Ganglijs inutile deponit natura, & in alijs huiuſmodi poſitionibus. d̃ cauſis morborum. 3ª.9.D
Ganglio ſimilis quædam ſubſtantia neruis vnita, vnde videntur craſſiores. 16°. de vſu partium. 1ª.216.F
Gangliorum curatio. introd. Iſ.59.H
Ganglio alligata ipſum diſſipat plumbi bractea. 9°. de ſimp. medicam. facultatibus. 5ª.70.F
Ganglia diſcutiens. 5°. de comp. med. per ge. 5ª.250.B
ad Ganglia. 6°. de comp. med. per ge. 5ª.262.B
GANGRÆNA *vnde nomen habuit. 2°. met. me.* 7ª.9.E
Gangrænam quid proprie medici vocent. com. 7°. aph. 50°. Ex.58.B
Gangręna, & carbũculus quid, & ante vlcus bullæ, cur. de tumoribus præter naturam. 3ª.83.H
Gangræna quid. fin. med. Iſa. 49. D/ de tum. præter natu. 3ª.84.D/ 2°. *de locis*

de locis affectis. 4ª.10.D/2°.*de arte cur.ad Glauconem.*106.H/*de artic.commen.* 3°. 7ª.284.H
Gangræna quid sit in venis.de fract.com. 2°. 7ª.235.D
Gangræna est morbus ex inæquali intemperie.de inæq.intẽp. 3ª.43.B
Gãgræna i parte est inæqualis ĩtẽperies cũ fluxione.& inæq.in. 3ª.43.B
Gangræna vnde oriatur.in 6ᵐ.*de mor.vul.com.* 2°. 3ª.165.H
Gangræne ex vitiosis succis nascuntur. 3°.*de symp.cau.* 3ª.25.B
Gangræne ex mixtis humoribus fiunt.de cau.mor. 3ª.8.B
in Gangrænam, vel in putredinem terminatur inflammatio.de tot.morbi temporibus. 3ª.89.H
Gangræna post magnas inflammationes.de tum.præt.nat. 3ª.83.H
in Gangrænis naturaliis color mutatur.de symp.diff. 3ª.13.B
Gangræna affectus partium exteriorum palpebrarum.intro. If.58.D
Gangręna in oculo totum oculum exercet.introd. If.58.D
Gangrænæ curatio. 2°.*de arte cur.ad Glau.* 7ª.106.H
in Gangræna vsus centaureæ prodest.de virt.cent. Sp.93.F
Gangrænas iuuat lupinus. 6°.*de simp.med.fa.* 5ª.48.C
Gangrænas sanat oleum ex nucibus. 7°.*de simp.med.fa.* 5ª.49.B
ad Gangrænas sal. 2°.*de arte cur.ad Glau.* 7ª.107.A
in Gangrænis scarificatio. 2°.*de art.cur.ad Glau.* 7ª.106.H
Gãgrænas non patiens latius serpere. 5°.*de comp.me.per g.* 5ª.246.E
ad Gangrænas. 5°.*de comp.med.per ge.* 247.D/6°. 5ª.257.A
GANGRAENIGVM *pharmacum.* 4°.*de comp.me.per ge.* 5ª.243.D
GANGRAENOSA *vlcera.* 1°.*de arte cur.ad Glau.* 7ª.98.G
Gangrænode vlcera iuuant tithymalli. 8°.*de simp.me.fa.* 5ª.62.D
Γαργαρεών *quasi plectrum.* 7°.*de vsu par.* 1ª.57.H
Gargareon quid.fin.med. If.44.D/6°.*de comp.med.sec.lo.* 5ª.172.E
ad Gargareona, & gingiuas a capite cur materia transmittatur. 2°.*de differentijs febrium.* 3ª.40.H
quo GARGARISMATE *vtendum in angina. de præcognitione ad Posthumum.* 4ª.219.C
pro Gargarismis adstringentia moderata quæ, quæ fortiora, & quæ fortissima. 6°.*de comp.med.sec.lo.* 5ª.172.F
GARGARIZATVS *ad fauces, & paristhmia.* 4°.*methodi medendi.* 7ª.29.A
GARIOPHYLLVM *qd valet in medicamentis.de med.exp.* Sp.104.B
Gariophyllorum puluis datur ad debilitatem virtutis digestiuæ.de medicinis expertis. Sp.106.F
GARIOPHYLLATVM *ad catharrum quo fiat.de dyna.* Sp.22.D
GARRIRE *doctus, verũ ineptus dicere, dixit comicus.* 3°.*de differen. puls.* 60.E/4°.*de dignos.pul.* 4ª.85.A
GARRVLI *fiunt cum garrulis disputantes, dictum vetus philosophorum.* 3°.*de decr.Hip.* 1ª.244.B
GARVS *dulcis.* 1°.*de alim.fac.* 2ª.9.C
Garum recipientia qualia sint. 2°.*de alim.fac.* 2ª.26.C
Garo similis est salsugo piscium salsorum. 11°.*de simp.me.f.* 5ª.83.G
Garum calidum & siccum multum. 11°.*de simp.me.fac.* 5ª.83.G
Garum hispanum. 3°.*de comp.med.se.lo.* 5ª.142.F
Garum acidum. 5°.*de comp.me.se.loc.* 5ª.163.B
Garum facit ad delectationem.de vict.ra.in mor.acu.cõ. 1°.7ª.111.H
ex Garo qui cibi præsumuntur. 2° *de alim. fac.* 2ª.18.G
cũ Garo ficis ante cibum vulgo vescuntur. 2°.*de alim.fa.* 2ª.17.F
cũ Garo coctum ouum, est compositum ex partibus facultate diuersis. de vic.rat.in mor.acu.com. 1°. 7ª.111.H
cũ Garo & oleo qui cibi post sumuntur. 2°.*de alim.fac.* 2ª.18.G
cũ Garo, & oleo coctum cerebrum, quale.de victus ratione in morbis acutis, commenta. 1°. 7ª.111.G
Garum ex se soluit. 2°.*de alim.fac.* 2ª.20.B
ex Garo et oleo ante cibum assumptus olcribus soluitur senum aluus. 5°.*de sanit.tuen.* 2ª.93.E
cũ Garo & oleo olera deijcere faciunt aluum. 6°.*de san.tu.* 2ª.97.F
Garo & oleo olera deijcere faciunt. 6°.*de san.tu.* 2ª.99.D
cũ Garo & oleo maluæ subducũt vẽtriculũ. 2°.*de alim.fac.* 2ª.20.B
Garum ad vlcera putrescentia valet, dysentericis & ischiadicis injcitur. 11°.*de simp.med.fac.* 5ª.83.G
Garum catharticum quomodo fiat.de dyn. Sp.22.G
Garũ catharticũ melãcholicũ humorẽ maxime educit.de dy. Sp.22.G
Gari dosis.de dyna. Sp.22.G
Garum nigrum quod Romani Sociorum appellant. 3°.*de comp.medic. secundum locos.* 5ª.144.A
Gari Ioachi martyropolitę confectio. 3°.*de med.fa.par.* 7ª.175.B
GASTROCNEMIA, *id est tibiæ venter. de musc.diff.* 1ª.51.F/*de us quæ in med.fi.com.* 2°. 7ª.209.E
GASTRORAPHIÆ *vocantur abdominis seu ventris suturæ.de musc. dissect.* 1ª.50.C
GAVDERE *ac molestari eadem re simulq; eandem rẽ & appetere & abhorrere idem vnum simplex & incompositum non potest.* 5°.*de decr.Hip.* 1ª.259.F
Gaudet spiritus visiuus colore cyaneo.de ana.viu. Sp.57.E
GAVDIVM *est proprietas sanguinẽ consequens.de ana.viu.* Sp.45.E
ad Gaudium pertinentium rerum omnium naturæ affinis est Iuppiter. de spermate. Sp 40.C
Gaudium quo cor relaxet.in 6ᵐ.*de mor.vul.com.* 5°. 3ª.190.g
Gaudium facit animi deliquium. 2°.*de symp.cau.* 3ª.23.E
ex Gaudio animi defectus quo curetur. 1°.*de arte cur.ad Gla.* 7ª.99.g
in Gaudio, & timore excrementorum præter voluntatem exitus. 2°. *de sympt.cau.* 3ª.23.B
Gaudium quandoque interimit. 12°.*met.med.* 7ª.77.D
Gaudio ingenti aliqui mortui vt ex timore. 2°.*de symp.cau.* 3ª.23.E
Γαυσός *cum acuto accentu dicendum sit, an* γαῦσος *cum in circunflexo, in dubio est.de fract.com.* 3°. 7ª.240.g
GAZIRICVM *præsaccũ ictericis conuenit.& cura icteri.* Sp.111.C
GELIDA *aqua nix frigidior.de marc.* 3ª.48.B
GELIDA *febris.in* 6ᵐ.*de mor.vul.com.* 1°. 3ª.160.A
GEMELLI ita similes vt non cognoscantur. 9°.*de dec.Hip.* 1ª.286.C
Gemelli bene a domesticis cognoscuntur, sed non ab alijs. de cuiusque ani.pec.not.atq.med. 2ª.56.F
Gemellorum similium cõparatio ad medicamenta. 1°.*de ant.* 5ª.105.B
Gemelli quid sint in cerebro. 9°.*de anat.adm.* 1ª.105.F
Gemelli vocantur testes honestius. 9°.*de ana.adm.* 1ª.195.E
GEMENTES *quo modo respirent.com.* 6°.*aph.* 54°. Ex.53.C
GEMINATVM *cerebrum.de ana.viuo.* Sp.48.E
an Geminetur hepar in homine, dubium est.de ana.viu. Sp.48.A
Geminatus pulmo cur.de ana.viuo. Sp.48.A
GEMINI *quando fiunt.fin.med.* If.49.g
Gemini, & trigemini quomodo fiant, & cur.de hist.philo. Sp.10.g
GEMINI *calidum est signum in secundo gradu, humidum in primo.de spermate.* Sp.38.H
Gemini, libra, aquarius sunt occidentales, aerei, calidi, & humidi.de spermate. Sp.38.H
GEMIPARÆ *mulieris casus.in* 3ᵐ.*de mor.vul.com.* 3°. 3ª.151.C
GEMITVS *ex thorace non ex corde.* 3°.*decr.Hipp.* 1ª.246.F
GEMMÆ quæ.introd. Isa.53.B
Genam minorẽ q̃ homo habeat, nullũ ãal habet. 10°.*de v.p.* 1ª.184.H
Genã maiorẽ asino, aut equo nullũ animal habet. 10°.*de v.p.* 1ª.148.H
Gena inferior quibus animalibus maxima, & quibus minima. 11°.*de vsu partium.* 1ª.185.A
Gena inferior quibus animalibus media. 11°.*de vsu par.* 1ª.185.A
Genam vtranque qui musculus moueat, inuenit author libri de motibus manifestis & obscuris.de mot.man.& obs. Sp.67.F
Genæ a lato musculo mouentur. 4°.*de loc.aff.* 4ª.23.D
Genam musculorum mouentium magnitudo. 11°.*de vsu par.* 1ª.186.D
Genam retrahentium musculorum actio conseruatur, dũ dormiunt nõ aperto ore. 2°.*de mot.musc.* 1ª.314.E
Genarum pili cur in nobis. 11°.*de vsu par.* 1ª.189.D
Genæ si rubent iudicationis est signũ. 1°.*de art.cur.ad Glau.* 7ª.10.D
Genæ cur rubent in purulentis.in prog.com. 2°. 4ª.204.E
p Genas expurgatur oculus. 1°.*de sanit.tu.* 2ª.68.D
Genæ quomodo lædantur sine mandibula. 4°.*de loc.aff.* 4ª.24.C
Genę occlusæ quibus aperiuntur. 5°.*de simp.me.fa.* 5ª.35.G
Genarum affectus qui.fin.med. If.48.E
ad Genarum exanthemata.de remedijs paratu facilibus. 7ª.157.D
ad Genarum papulas.de remed.par.fac. 7ª.157.D
Genas proprietate siccat minium.de simp.med. Sp.81.C
Genæ particula tenuis discissa non augetur, nec coalescit.commen. 2°. *aphorismo.* 19°. Ex.48.B
Γενειάς *vinculum sub mento circumagitur.de fascijs.* 7ª.295.A
GENERABILIS *substantia mutatur in qualitatibus.secre.* Sp.96.F
Generabilis substantia mutatur quatuor qualitatibus.de motibus manifestis & obscuris. Sp.67.G
Generabilia corpora duabus trãsmutationib.suijciũtur. 1°.*& ele.* 1ª.7.a
Generalia artis scienda. 6°.*de comp.med.per ge.* 5ª.257.C
in Generationibus specialia cõtinẽtur.& vi.ra.i mor.ac.c. 2°. 7ª.124.G
Generalẽ hominẽ nõ particularẽ curabãt methodici. 3°.*me.m.* 7ª.20.f

Generantur propie animalia, non morbi. de mor. temp. 3ª.85.C
quo modo Generentur embriones imperfecti. de compagine membror. siue de natu. huma. Sp.59.H
Generat terra corporis naturam. de spermate. Sp.40.E
Generent quæ mulieres, & qui viri, & qui semper, & qui q̃nque. cõmen. 5°. *apho.* 62°. Ex.44.E
Generantur mare in dextro vteri latere, fœminæ in sinistra, secundum Hippocratem. bre. denot. dogm. Hipp. 1ª.231.C
*Generatur pulsus cum animali, & moritur cum eo. cõpen. pul. S.*65.C
Generant & alterant pulsum variantes causæ, & quæ sint. 1°. *de causis pulsium.* 4ª.86.G
Generãtes cibi bonos humores inter tenues, et crassos. & dis. cõ. S.73.G
quæ Generant humorem bonum, & crassum. de diß. cont. Sp.74.E
non Generant sanguinem purum, mundum, & clarum cibi non temperati. de dissol. cont. Sp.74.A
Generant sanguinẽ crassum miliũ, & panicũ. de diss. cont. Sp.74.B
Generata ex sanguine renascuntur. de ana. viuo. Sp.44.F
Generant phlegma pisces duri quibus dominatur viscositas. de dissolutione continua. Sp.74.H
Generant chymum frigidũ pira, & poma, si matura comedãtur, cucumeres etiam, citruli, aqua bathecæ, cucurbitæ. de diss. cõt. Sp.74.C
Generant fungi humorẽ crassum, & frigidum. de diss. cont. Sp.74.B
Generãtes facile atrã bilẽ, q̃ hoïes. de mel. ex G. R. et Poss. Sp.109.G
Generantes atram bilem cibi, qui. de diss. cont. Sp.74.B
Generant Melancholiam pisces saliti, & antiqui. de diss. cõt. Sp.74.B
Generant melancholiam caules. de diss. cont. Sp.74.C
Generant atram bilem lentes. de diss. cont. Sp.74.B
Generant crassum nutrimentum & corruptibile oua cocta in degamine, vel in testis. de disso. cont. Sp.74.B
Generat lac oppilationem in iecore, & lapidem in renibus. de dissolutione continua. Sp.75.B
Generãtiũ ciborũ malos humores, tres species. de diss. cont. Sp.74.A
Generant malos humores olera omnia. de diss. cont. Sp.74.C
Generant superfluitates putridas ficus siccæ. de diss. cont. Sp.74.B
Generant pediculos siccæ ficus. de diss. cont. Sp.74.C
quando Generatur in stomacho & ĩ reliquo corpore phlegma ex crassitie ciborum assumptorum aut ex multitudine eorum, conueniunt cibi acetosi. de diss. cont. Sp.72.G
si Generatur cholera in stomacho velociter, multa cõueniunt quę extinguunt acuitatem choleræ, aut quod prætermittantur res generãtes ipsam. de diss. cont. Sp.71.F
si Generatur phlegma in stomacho oportet ipsum lauare, & absterge re. de mot. man. & obs. Sp.71.F
cũ Genereẽ ĩ epiglottide hũor viscosus pituitosus. & vo. et an. Sp.60.h
Generat humiditas ĩ duabus glãdulis colli. & voce & anhel. Sp.61.C
Generatur lapis in renibus nociturus ex continuo vsu ciborum acutorum. de diss. cont. Sp.72.F
GENERATIO *cur ita dicta.* 1°. *de nat. fac.* 1ª.292.B
Generatio quid. 1°. *de nat. fac.* 1ª.291.E
de Generatione secundum ántiquos. 1°. *de nat. fac.* 1ª.292.H
Generatio vna ex actionibus, q̃ operib⁹ respõdẽt. 1°. *de nat. fa.* 1ª.291.E
Generatio ẽ principiũ nãæ operũ, & quasi caput. 1°. *de na. fa.* 1ª.292.C
Generatio qui motus sit. 1°. *de nat. fac.* 2ª.290.H
Gñatio est via de inperfecto ad pfectũ. an oẽs anim. partiũ. 1ª.326.D
Generatio absolute est via in substantiam. 2°. *met. me.* 7ª.10.B
Generationis, & auctionis differentia. 2°. *de nat. fac.* 1ª.297.G
Generationi, & corruptioni subiecta substantia, quæ. de mul. 3ª.77.A
in Generatione posit æ res si diffiniantur per causam efficientem, ea diffinitio optima est. 4°. *de differentiis puls.* 4ª.67.H
Generatio non fit ex vno. 1°. *de elemen.* 8.C/*de nat. hu. c.* 1°. 1ª.29.E
Gñatio nõ sit si vnũ elemẽtũ superet alterũ vehemẽter. 1°. *& ele.* 1ª.8.C
in Generatione id elementum primo dãdum, quod maxime exiccat. 1°. *de sanitate tuenda.* 2ª.62.E
in Generatione quantum ignis miscetur. 1°. *de sa. tu.* 2ª.62.E
Generationem tollit qui dicit vnum esse vniuersum. de natura humana. commentario. 1°. 1ª.29.B
Generationem negantes reprehenduntur. de nat. hum. com. 1°. 1ª.29.B
in Generatione substantia alteratur. 1°. *de nat. fac.* 1ª.291.E
Generatio cõstat ex alteratione, & formatione. 1°. *& nat. fac.* 1ª.261.E
in Generatione quæ primo generantur. 1°. *de nat. fa.* 1ª.291.F
Generatio etiam dicitur in accidentibus. 2°. *met. me.* 7ª.10.A
Generatio nihil simile habet ei quod digeritur. 1°. *de sem.* 1ª.332.H
Generationis, & dispensationis principiũ nõ est idẽ. & sæt. for. 1ª.325.A
Generationis principia & materia quæ sint. & cur. ra. & san. m. 6ª.16.C
Generationis materia proxima in animalibus, quæ. 1°. *de elem.* 1ª.8.F
Generatio fœcunda cur a natura facta. 14°. *de vsu par.* 1ª.205.A
Generationis principia vnde sint. de ana. viuo. Sp.47.D
ad Generationẽ duo sufficiũt si sunt cognata, & in essentia coniuncta. & natura huma. com. 1°. 1ª.29.D
Generatio non fit nisi ex familiaribus. de na. hu. com. 1°. 1ª.29.E
Generatio fit ex menstruo, & principio agitatorio quod a mare fit. 1°. *de semine.* 1ª.330.D
ad Generationẽ duo animalia requri melius est. 15°. *de vsu p.* 1ª.110.C
Generatio nostra ex humido est. com. 1°. *aph.* 14°. Ex.7.F
in Generatione sentiuntur mutationes æstatis, hyemis, pluuiæ, & siccitatis, quę mutationes apud Europæ os sunt magis q̃ apud Asianos. & cu. de aere, aq. & loc. 2ª.6.B
in Generationis instrumentis instrumentum mulieris comparatur ad virum vt cera ad sigillum. de anat. viuo. Sp.51.E
Generationis instrumentorum actio non fit a voluntate. de motu musc. & obsc. Sp.68.F
Generationis nostræ primordia sanguis & semen. 1°. *& sa. tu.* 2ª.62.E
in Generatione quo modo se habet maris semen. 2°. *de na. fa.* 1ª.297.E
ad Generationem eodem modo mouetur semen viri, & mulieris. 14°. *de vsu par.* 1ª.206.C
ad Generationem nihil facit glandularum humor qui aliquando in coitu effunditur a muliere. 14°. *de vsu par.* 1ª.208.C
Generatio maris, & fœminæ vbi fiat. & cõp. mẽ. siue & na. hu. Sp.59.D
Generationis diuersitas in parentib. & ĩ filijs notat. de sper. Sp.38.A
Generatio animalis, dispensatio a tribus principijs consistit. de virt. nostrum. corp. dispen. Sp.60.C
Generatio cordis, cerebri, hepatis, & ex quibus sit. de an. vi. Sp.51.H
ad Generationẽ cordis intendit spiritus vitalis. de ana. viu. Sp.51.H
Generatio spiritus in qua parte cordis fiat. de ana. viu. Sp.52.G
ad Generationẽ hepatis intendit spiritus naturalis. de ana. vi. Sp.51.H
ad Generationẽ hepatis intendit spiritus ãialis. de ana. vi. Sp.52.A
Generatio sanguinis est actio hepatis. de vir. nost. corp. disp. Sp.60.D
Generationis vocis initium vbi. de voce. & anhel. Sp.61.D
ad Generationem animalium per putredinem non satis est putredo, sed etiam indigemus plurimo colore. com. 3°. *aph.* 26°. Ex.25.F
Generationem humoris crassi in corpore timenti conueniunt cibi subtiliantes. de dissol. cont. Sp.72.D
Generationem oppilationis in hepate, aut splene timenti conueniunt cibi subtiliantes. de dissol. cont. Sp.72.D
Generationẽ phlegmatis in renibus, aut in pectore, aut in cerebro, aut in iuncturis timenti cõueniũt cibi subtiliãtes. de diss. cont. Sp.72.D
Generationis lapidis causa. de cura. lap. Sp.112.B
Generationem lapidis prohibentia. de cura lap. Sp.112.B
GENEROSIORES, *& degeneres facit temporum mutatio. de aere, aq. & loc.* 2ª.5.B
Generosi minus indignantur. 5°. *de decr. Hip.* 1ª.259.H
GENESIÆ *Cleopatræ libri. de pas. mul.* Sp.95.G
Γεν λιχχοὶ *qui vocentur. de vict. ra. in mor. acut. com.* 1°. 7ª.110.A
GENISTA *trahit.* 8°. *de simp. med. fac.* 5ª.61.C
GENITALIA, *& thorax habent consortium. in* 3ᵐ. *de mor. vulgari. commentario.* 3°. 3ª.148.E
Genitalia membra intra abdominis membranam describuntur, & qua si delineantur primo, postea foras emergunt. 2°. *de sem.* 1ª.239.E
in Genitalibus differentia maris, & fœminæ, quæ. 2°. *de se.* 1ª.339.E
Genitalia eadem sunt in maribus, & fœminis, sed differunt situ, & magnitudine. 2°. *de sem.* 1ª.339.D
Genitalia fœminis esse intus, et non ex̃, nõ mirũ. 2°. *de sem.* 1ª.339.G
q Genitalia intus habeant fœminæ, quid commodi humano generi afferant. 2°. *de semine.* 1ª.339.G
Genitalium virorũ, & mulierũ nutritiones vnde. 2°. *& sem.* 1ª.339.D
in Genitalibus partibus sunt parui nerui, sed nõ circa pudendum, quia ibi magni. 14°. *de vsu par.* 1ª.209.D
in Genitalibus eadem est neruorum origo in mare, & fœmina. 2°. *de semine.* 1ª.339.F
ad Genitalia breui veniũt venæ, et arteriæ, et vñ. 14°. *de v. p.* 1ª.209.C
ad Genitalia duo nerui conuenienter veniũt. 14°. *de vs. p.* 1ª.209.C
ad Genitales partes quare quandoque sanguis mittatur. commentar. 5°. *aphorismo.* 53°. Ex.42.D
Genitalium putredines quid sint. et vñ oriantur. c. 3°. *a.* 21°. Ex.24.D

ad vim

ad vim Genitalium,& veteres affectus.3°.de med.fac.par. 7ª.173.H
Genitalis meatus dicitur varicosus assistens.1°.de sem. 1ª.333.E
Genitalis meatus vbi sit.1°.de se. 1ª.333.E
de Genitalis virgæ anatomia.de ana.viuo. Sp.52.E
Genitales partes cur extenduntur in coitu.14°.de vsu par. 1ª.208.A
Genitale semen.14°.meth.me. 7ª.90.C
Genitale virus quid.in progn.com.1°. 4ª.197 B
Genitalia statim ab initio cognoscunt actiones proprias.6°.de loc. affectis. 4ª.42.D
Genitalem cur vocet Plato dorsalem medullam.in tim.Pla. 1ª.287.H
GENITORIS *qualitatem trahit infans.de sper.* Sp.37.A
Vide Pater.
GENITVM *quod est,immortale fieri nõ põt.1°.de san.tuẽ.* 2ª.67.E
Genitum interire non habet rationem.de marc. 3ª.45.G
Genitum omne cur intereat.6°.de san.tuen. 2ª.96.F
Genitorum nuper puerorum pulsus,qui compend.puls. Sp.65.E
Genita cur sint i extremis partibꝰ cutis bilis vngues.ĩ ti.Pl. 1ª.286.G
Geniti ex quibus sint vngues.in Tim.Plat. 1ª.286.H
GENITVRÆ *figura consideranda est.de decub.progn.ex mathematica scientia.* Sp.12.G
GENITVRA *quid significet.de dissect.vul.* 1ª.108.C
Genitura quid sit apud Hippocratem.1°.de se. 1ª.321.E
Genituram γονὴν appellare solet Xenocrates.10°.de si.me.fa. 5ª.72.C
Genitura differt à semine.sin.med. Isa.49.E
Genituræ origo ex seminis substantia.1°.de sa.tuen. 2ª.62.E
ex Genitura vtraque viri & fœminæ,fit fœtus.2°.de semine. 1ª.336.A
de Genituꝛ temperamento eadem sunt dicenda,quæ de temperamento vteri.de na.hu.com.1°. 1ª.29.E
Genitura humidior familiaris est vtero sicciori,siccior humidiori,frigidior calidiori,calidior frigidiori.de nat.hum. 1ª.29.E
si Genitura in spiritum diffluat,cur vterus non multũ intumescit.1°. de semine. 1ª.329.F
à Genitura 1ª.ad adolescẽtiã caro humidissima est.6°.d̃ sa.tu. 2ª.96.d
Genituræ,stercoris,vrinæ euacuatio naturalis est.in 6ᵐ.d̃ morbis. vulgaribus, commen.3°. 3ª.173.E
Genitura quibus abundat naturaliter,ijs venus innocua est.6°. de sanitate tuenda. 2ª.96.H
Genituræ profluuium quod sin.med. Isa.47.G
Genituꝛę ꝓfluuiũ cohibet lactuca.6°.de simp.me.fac. 5ª.48.E
Genituram exiccat Canabis semen si plusculum edatur.7°. de simplicium medicamen.facul. 5ª.49.G
ex Genitura,& sanguine fœtus.intro. Isa.52.E
Genitura quæ per sex dies in locis fuit,qualis.de fœt.for. 1ª.322.C
Genituræ simile est sublimentum.in prog.com.2°. 4ª.201.D
Genituræ similis suspensio in vrinis.in 3ᵐ.de mor.vul.com.3°. 3ª.135.C
Genituræ similes suspẽsiones rotũdæ.in 1ᵐ.de mor.vul.c.3°. 3ª.121.A
GENIVS *in homine qualis 5°.de decre.Hipp.* 1ª.257.F
in GENTIS *alicuius,aut ciuitatis administratione explicanda, prima est origo repetenda.6°.de decre.Hippo.* 1ª.264.B
GENTIANA *quid.de simp.med.* Sp.84.G
Gentiana nascens in Italia, quando æqualis illi,quæ nascitur in Creta. 1°.de antidotis. 5ª.105.D
Gentiana acres,excalfactorias,& relaxantes vires habet, partũ expellit,serpẽtẽ oẽm fugat,aduersus venenosa ꝓdest.d̃ si.me. Sp.84.G
Gentiana medicamentaria & calida facultate prædita est.9°.de com. med.secun.locos. 5ª.197.F
Gentiana est multum amara.6°.de simp.me.fac. 5ª.45.E
Gentiana est amarior absinthio.de cura icteri. Sp.111.A
Gentiana incidit.14°.meth.med. 7ª.91.D
Gẽtiana multũ extenuat,purgat,abstergit.6°.de sim. me.fac. 5ª.45.E
Gentiana purgat gibbam heparis partem.de cathar. Sp.95.C
Gentiana digerit.14°.meth.med. 7ª.91.D
Gentianæ radix ad neruos vulneratos.3°.de com.me.per ge. 5ª.234.B
Gentianæ decoctio datur ad frigiditatem membrorum, & ad fluxũ ex ea.de med.exper. Sp.106.F
GENV *quid significet apud antiquos.de frac.com.2°.* 7ª.240.C
Genua, quæ introd. Isa.53.E
in Genibus ossa sunt facta propter motum.11°.de vsu par. 1ª.191.C
Genu quo femur ingrediatur.de frac.com.2°. 7ª.240.C
Genu cur habet mollem substantiam.1°.de vsu par. 1ª.115.G
supra Genu rotula,quid sit.3°.de vsu par. 1ª.134.F
supra Genu rotula, cur.3°.de vsu par. 1ª.134.F
à Genu rotula euulsa cuidam puero.3°.de vsu par. 1ª.134.G
in Genu ligamenta validissima,quæ.3°.de vsu par. 1ª.134.H
in Genu articulo quatuor regiones.3°.de vsu par. 1ª.134.H
in Genu articulo regiones magis periculosę quæ,& quæ minus. 3°. de vsu partium. 1ª.134.H
Genu articulatio qb. flectat̃,et qbus extẽdat̃.3°.de vsu par. 1ª.135.C
Genu dearticulatio quo modo se habeat.3°.de vsu par. 1ª.134.F
Genu dearticulationem mouent musculi nouem.de mus.diss. 1ª.51.C
Genu dearticulationẽ mouẽtes musculos,et si nouẽ ẽe ostẽderit, tñ dicit eẽ octo,ne ab antiquis in re minima dissentiat.de mus.dis. 1ª.51.G
Genu dearticulationem qui musculus extendat.de mus.diss. 1ª.51.F
Genu articulationẽ q musculus ad exteriora inuertat.d̃ mus.dis. 1ª.51.a
ad Genu vsque musculus tensus.15°.de vsu par. 1ª.214.B
ad Genu nullus neruus.16°.de vsu par. 1ª.218.C
Genu non confert absinthium.14°.meth.med. 7ª.88.D
de Genuum,& tibiarum passionibus.de dyn. Sp.30.A
Genu morbi, qui introd. Isa.59.D
Genuum grauitas indicat per inferiora debere purgari.commenta.4°. aphorismo 20°. Ex.29.C
in Genuum grauitate elleborus est dandus.de victus ratione in morbis acutis,com.4°. 7ª.144.G
de Genu,quod rigore facile afficiebatur casus.3°.de compositione medicamentorum per ge. 5ª.229.B
pro Genu patiente a frigore & dolente euphorbium cum oleo, & cera.3°.de comp.med.per ge. 5ª.229.B
Genuũ articuli et manuũ ob quid intumescant.c.6°.aph.30°.Ex.49.C
Genu dolorem significat vrina superius clara,inferius nebulosa,et sublimida.de dyna. Sp.35.D
ad Genu tumorem. de dyna. Sp 30.B
ad Genuum tumores diuturnos.9°.de simp.me.fac. 5ª.68.A
ad Genuũ tumorem inueteratum stercus caprinum valet.10°. de sim. med.facul. 5ª.76.E
Genu inflammatione laborans relaxatur.de sectis. Isa.17.D
ad Genuum debilitatem.3°.de med.fac.par. 7ª.176.D
Genua dolent concepto in bilis horis.de sper. Sp.37.C
Genuum dolores fiunt orobos comedentibus.c.3°.ap.16°. Ex.23.B
aut Genua,aut oculos,aut coxas,aut mammas dolor infestabit, et non corrumpent fœtum mulieres,si mammæ quæ ipsis extenuatæ fuerãt rursus durę fiant.com.5°.aph.53°. Ex.42.C
in Genuũ dolore cur oculi lachrymãtur.de na.& or.cu.cor. Sp.42.D
Genuũ societas cum oculis.de na.& ord.cuiuslibet cor. Sp.42.D
ad Genuũ dolorẽ.3°.de me.fac.par.7ª.177.G/de dyn. Sp.30.B
in Genu tres venæ sunt,& qñ deberẽt siccari.c.6°.apho.36°. Ex.50.D
ad Genu fluxus per venæ sectionem è brachio curatur.2°.methodime dendi. 7ª.101.F
ad Genuum fluctiones discutiendas.3°.de med.fac.par. 7ª.173.H
in Genu humores & abscessus extrahens.6°.de compositione medicamentorum per genera. 5ª.261.G
ad Genu contorsionem.2°.de compo.me.per gen. 5ª.226.D
de Genu luxatione & repositione.de art.com.4°. 7ª.292.D
Genu in quot modos erumpat.de machin. 7ª.315.B
Genu in quot partes prolabatur.de machin. 7ª.321.H
in Genu sunt benigniores ossium prolapsiones & dimotiones q̃ in cubiti articulo.de frac.com.3°. 7ª.248.E
in Genu articulus solus iusta, & æquali dearticulatione iungitur. de fract.com.3°. 7ª.248.H
Genuum ossa facile reducuntur.de fract.com.3°. 7ª.249.E
ꝓ Genu difficilius restauratur cubiti iunctura.de fra.c.3°. 7ª.250.A
Genu quando exciderit,sanatur difficulter.introd. Isa.60.H
Genu prolapsi curatio.de machi.315.B/ 7ª.321.H
Genu superiorũ partiũ deligatio.de ijs,quæ in med.si.cõ.2°. 7ª.209.F
Genu inferiorum partium deligatio.de ijs,quæ in medicatrina fiunt,cõmentario.2°. 7ª.209.F
Genua quadrupedum sunt cibi superfluitates non habentes.de dissolutione continua. Sp.73.E
CENVS, *species,differentiæ,quando idem significent.6°.de compositio. med.sec.loc.* 5ª.169.A
Genus,differentiam,& speciem idẽ appellare,nihil refert.9°.de si.me. fac.5ª.64.H/11°.meth.med. 7ª.67.H
Genus,spẽs,forma,& natura ꝓ eodẽ.ad eos qui de typ.scri. 3ª.93.B
Generis nomine dicitur species.ꝙ animi mores. 1ª.317.E
Generis nomen seruantes species.de comate. 3ª.56.C

Genera in differentias dividere difficile est. 1°.meth.me. 7ª.4.E
Generis nomine antiqui quandoque vtuntur in æquinocis.de vict. rat. in morb. acut.com.4°. 7ª.135.G
Generis ciusdē res p oppositā mēbra partiuntur.ad Thras. 2ª.108.C
Generibus multis commune est ad aliquid.2°.de diff.puls. 4ª.55.F
in Generibus,& speciebus vniuersalibus positæ sunt artes,non in particularibus.2°.de diff.puls. 4ª.57.B
Genere, specie,& numero idem dicitur.2°.meth.me.14.C/ 7ª.15.A
Genere silia quę ēt specie similia dici possunt.4°.de ana.admi. 1ª.81.A
Genus primo exprimendum in diffinitione.4°.de diff.puls. 4ª.67.C
Genus quod in diffinitione ponendum,quale sit & an propinquū. 4°. de diff.puls. 4ª.67.D
à quo Genere exordienda sit diffinitio.8°.de diff.pul. 4ª.67.D
Genericæ quædam sunt differentiæ, quædam specificæ,quædam magis genericæ,& quædam magis specificæ.2°.de diff.pul. 4ª.58.C
a Generalissimo per medias differentias descendendum. 9°.de decretis Hippocratis. 1ª.282.A
Genus triplex Bonorum.in oratione suasoria. Isa.4.E
Genera tria Ciborum subtiliantium, quæ.de diff.cont. Sp.72.E
Genus primum ciborum subtiliantium.de diff.cont. Sp.74.E
Genus scdm ciborū subtiliatiū,& eius enarratio.de diſs.cont. Sp.72.E
Genus tertium ciborum subtiliantiū quod & in quatuor secatur differentias de diff.cont. Sp.72.E
Genus triplex Experimenti apud Empiricos.de sectis. Isa.16.B
ſm Genus Medicamentorū librum scciit Archigenes.9°.de compo. me. sec.loc.198.A/199.G/10°.206.G/ 5ª.208.G
per Genera medicamentorum libri duo quando conflagrati.1°.de compoſi.med.per ge. 5ª.209.G
Genera tria medicamētorū cathartcorū,& quæ.de cathar. Sp.49.D
Genera omnia & species morborum scienda.si quis opt.med. Isſ.6.F
Genera duo morborum secretorum. Sp.96.G
Genus,speciem, vel differentiam morbi comitialis si quis dicat nihil refert.3°.de locis affectis. 4ª.19.E
Genera duo musculorum in summa manu.de muscu.diff. 1ª.49.A
Genera quatuor musculorum in pede,& quæ.de musc.diff. 1ª.52.G
Genera quæ in pulsibus,& quod vocantur genera, etiam si sint differentiæ.2°.de diff.pul. 4ª.55.C
Genera,species,qualitates,& differentiæ pulsuum idem sunt.1°.de differentijs pulsuum. 4ª.47.B
Genera, & differentias pulsuum dici negabant quidam.2°.de differētijs pulsuum. 4ª.55.B
Genus proximum in pulsibus, quibusdam videtur esse motus. 4°.de differentijs pulsuum. 4ª.67.D
Genera pulsuum ſm quietem,secundum totū robur, secundum corpus arteriæ, quę.compend.puls. Sp.65.H
Genera tria rerum præter naturam.de constit.ar. Isa.42.C
Generis nobilitas non est inter bona propria.in oratione suas. Isa.3.B
Genus ostentantes qui proprij bonis carent.in oratione suas. Isa.3.C
ꝑp Generis nobilitatē artiū studia nō cōtēnēda.in orat.suas. Isa.3.G
ad Generis instaurationem partes, quæ.14°.de vsu par. 1ª.204.C
propter Generis salutem ac conseruationem maxima voluptas in cōitu & in cibis.14°.de vsu par. 1ª.204.D
GEODES dictus lapis pupillas expurgat.9°.de sim.m.f. 5ª.67.D
GEOMETRAE *dicuntur non solum qui circa plana,sed etiam circa solida versantur.ad Thras.* 2ª.109.D
Geometræ inter rationales numerātur.de cuiusque aī pec.no. 2ª.60.A
Geometræ occupant primam sedem apud deum Mercurium.in oratio. suasoria. Isſ.2.F
GEOMETRIÆ *exercentes artem.de cog.cur.q; an.mo.* 2ª.54.D
Geometriæ scientia qualis.de cuiusq; aī pec.not.atq; med. 2ª.56.G
Geometria est ars nobilis.in oratione suasoria. Ex.5.G
Geometria acuit animum.de cuiusq; animi pec.not.atq; med. 2ª.56.G
Geometria principalis ars.de cogn.cur.animi morbis. 2ª.54.D
Geometria præcedit Astronomiam.si quis opt.med. Isſ.6.B
in Geometria est methodus certa.de cuiusque animi pec.no. 2ª.57.B
Geometria quo modo incedat in suis theorematibus.ꝺ curan.ratio.per sanguinis missionem. 6ª.16.C
Geometrica theoremata.de curan.rat.per sang.miss. 6ª.16.C
Geometria non aufertur,etiam si linea semper sit in corpore.2°.de differentijs pulsuum. 4ª.57.B
Geometriam antiquiores primo docebant.de lib.prop. Isſ.13.F
Geometria exercitatio iuuenū esse debet.ad eos qd typ.scrip. 3ª.92.g
Geometria,et arithmetica tm vtuntur diuites quātū extruēdis ędibus & cōputādis expensis conducit.de prægn.ad Posth. 4ª.214.B
Geometria dicenda est ante medicamen.1°.met.me. 7ª.2.E
Geometria multum confert ad medicinam.si quis opt.med. Isa.6.B
in Geometria Possidonius versatus est ab ineunte ætate.4°.de decretis Hippocratis. 1ª.250.F
GERANIS vinculū appellaī a gruis silitudine.ꝺ fasc. 7ª.301.A
Geranis in speciem fiscellæ.de fascijs. 7ª.302.A
Geranis in speciē fiscillæ in priori parte se ostendens.de fas. 7ª.302.H
Geranium vinculum est varium.de fascijs. 7ª.293.E
Γερανίδαι vinculū admouit Hip.ad fractū iugulum.de fas. 7ª.293.E
GEREONIS *medicinæ.de med.exper.* Sp.105.H
GERMANOS, *flauos nonnulli vocant,sed sunt suffi.de sal.diæ.* 2ª.40.E
Germani sunt humidi temperamento,non tamen frigidi, in 3ᵐ.de mor. vulg.commen.3°. 3ª.146.F
Germani iracundi sunt,audaces,& cōsilij ꝑcipitis.2°.de tēp. 1ª.20.A
Germani barbari, vrsis,apris,leonibus cōparātur.1°.ꝺ sa.tu. 2ª.66.E
Germanorum cutis qualis.2°.de temp. 1ª.20.A
Germani non rectē filios regunt.1°.de san.tuen. 2.66.E
Germani infantulum nuper natū ad flumē porāt.1°.de sa.tu. 2ª.66.E
in GERMANICO *bello nihil didicerunt medici.3°.de composi.medic. per genera.* 5ª.231.F
GERMINA *arborum quæ sint.2°.de alim.fac.* 2ª.24.C
Germina arborū,& fruticū inter se sunt similia.2°.de ali.fa. 2ª.24.B
Germina arborum sunt lignosiora.2°.de ali.fac. 2ª.24.B
Germina fruticū,& arborū,olerū asparagis rīdent.2°.ꝺ ali.f. 2ª.24.B
Germina nouella mādūtur qīq; ob necessitatē. 2°.*de alim.fac.* 2ª.22.B
Germina non mandunt præstantiores cibos habentes, nisi vrgente fame.2°.de alim.fac. 2ª.24.C
Germina morborum cocta manduntur.2°.de alim.fac. 2ª.24.C
Germina arborum pariunt malos succos.de bo.& vitio suc. 2ª.33.G
Germina qualia esse debent.1°.de antid. 5ª.107.D
ex Germinibus oleum dicitur oleum abusiue.3°.de san.tu. 2ª.79.B
Germen sinapis vrinam mouet.de cura icteri. Sp.111.D
Germina Struthij vrinam mouent.de cura icteri. Sp.111.D
GERMINA *adnascuntur auribus,naribus,pudendo,& sedi.de sympto matum causis.* 3ª.28.D
GYROCOMICA *ars.de part.art.med.* Sp.16.D
Gerocomica,et resumptiua medicæ artis partes.ꝺ par.ar.me. S.17.D
Gerocomicę quæ pars medicinæ.5°.de san.tu. 2ª.90.E
Gerocomica pars salubris medicinæ.de sub.emp. Isſ.32.A
GESTABILE quid significet.de art.com.3°. 7ª.270.F
Gestari,deambulare,& luctari differunt.ad Thra. 2ª.185.A
Gestatum debet esse minus gestante.12°.de vsu par. 1ª.297.B
ex GESTV *ægrorum animi mores proditur quo modo.in 1ᵐ.de mor. vulg.com.3°.* 3ª.117.H
GESTAE ferui.1°.met.med. 7ª.2.E

GIBBEROSITAS *quid. de articul.commen.3°.* 7ª.273.E
ad GIBBERVM *vergens angulare in articulo,media est figura doloris expers.2°.de mot.musc.* 1ª.315.G
Gibber infra septum morbos renum,& vesicæ facit, & abscessus circa ilia & inguina.de arti.com.3°. 7ª.269.G
GIBBOSITAS *quid sit.de art.com.3°.* 7ª.268.F
Gibbositas cōcomitatur senes ad mortem.c.2°.aph.40°. Ex.18.A
Gibbositas pulmonis est a parte dorsi.de ana.viu. Sp.48.A
GIBBI *qui appellantur ab Hippocrate.com.6°.aph.40°.* Ex.51.G
Gibbi efficiuntur senescentes proceri.com.2°.aph.54°. Ex.19.F
Gibbi circa lumbos habent coxas graciliores.de art.c.3°. 7ª.269.H
Gibbi circa lūbos tarde faciunt barbā & pubē.de ar.c.3°. 7ª.269.H
Gibbi supra lumbos sunt infœcundiores quàm qui supra. 7ª.269.H
Gibbi pueri cur non crescant in spina.de art.com.3°. 7ª.269.B
Gibbi pueris supra septum non crescunt costæ in latitudinem. de articulis.commen.3°. 7ª.269.C
Gibbi breuioris vitæ sunt.de arti.com.3°. 7ª.269.H
qui Gibbi ex asthmate aut tussi fiunt,ante pubertatem moriuntur.commentario.6°.aph.46°. Ex.51.G
Gibbi quo modo aliqui fiant tentis intra vertebrarum partibus non solum recuruationes,& obliquationes.com.4°.aph.35°. Ex.31.F
a Gibbo ventriculi vena ad lienis cōcauū.6°.de anat.admin. 1ª.91.D
Gibbi iecoris sectio.6°.de anat.adm. 1ª.93.B
in Gibba hepatis parte solæ inueniuntur venæ.de vtil.resp. Sp.64.G

in Gibba hepatis parte sanguis fit ex succo cocto à mesaraicis. de com pag.memb.siue de na.hu. Sp.59.A
Gibba hepatis pars quo modo recipiat materias à capite, & ad cauã transmittat.com.7°.aph.3°. Ex.56.B
ex Gibba hepatis pte humores educẽdi sunt p vrinas.à cat. Sp.94.G
Gibbam hepatis partem purgantia,quæ.de cathar. Sp.95.C
in Gibbo splenis nec vena est, nec arteria.de vti.resp. Sp.64.G
Gibbosa pars quo modo curetur.de const.ar. If.39.D
Gibba spina ex ictu quo modo restituatur.de machinamen. 7a.314.H
Gibbus quo modo contingat. 4°.de loc.aff. 4a.24.A
GIGARTA siue acinorum uuæ nuclei.6°.de simp.me.sa. 5a.45.E
Gignuntur quæ.2°.de natu.fac. 1a.297.H
vnde Gignantur vrinæ oleagineæ.quæs. in Hipp. Sp.113.C
GILVVS color post fuscum.2°.de comp.med.per ge. 5a.221.F
Gilua emplastra.2°.de comp.med per ge. 5a.223.F
Giluum ex libris Damocratis.6°.de com.me.per ge. 5a.262.D
Giluum Haliei.5°.de com.med.per gene. 5a.248.H
Giluũ Haliei quo mõ cõficeret Galenus.5°.de cõ.me.pg. 5a.248.H
GINGIBER quo modo probetur.4°.de sa.tuen. 2a.85.C
Gingiber facile perforari solet. 4°.de sa.tuen. 2a.85.C
Gingiber acris est.9°.de simp.med.fac. 5a.64.C
Gingiber quibus conueniat.4°.de san.tuen. 2a.84.F
Vide Zingiber.
GINGIDIIS nomen impositum à rusticis.de atten.vic. 2a.44.B
Gingidij maximus prouentus in Syria.2°.de alim.fac. 2a.23.E
Gingidium siccum est in secundo ordine,calidum in primo.6°.de simp. med.facul. 5a.45.E
Gingidium medicamentum est.2°.de alim.fac. 2a.23.H
Gingidium amaroremhabet.2°.de alim.facul. 2a.23.H
Gingidium stomacho amicum.6°.de simp.me.fac. 5a.45.E
Gingidium stomachum iuuat.2°.de alim.fac. 2a.23.G
Gingidium crudum conuenit stomachicis.8°.de cõ.me.se.lo.5a.192.C
Gingidium comedunt homines fame adacti. 2°.de ali.fac. 2a.22.B
Gingidium manditur vt scandix.2°.de alimen.fac. 2a.23.G
Gingidium est vitiosissimi succi.de bon.& vitio suc. 2a.37.G
Gingidium non fert magnam ebullitionem.2°.de ali.facul. 2a.23.G
Gingidium cũ aceto collapsam appetentiam excitat.2°.de alimentorũ facultatibus. 2a.23.G
Gingidium adstringit.2°.de alim.fac. 2a.23.H
GINGIVIS,cuti faciei qui musculi sensum præstet.de ner.dis.1a.53.F
Gingiuæ quæ sint,& quo modo roborentur.5°.de compositio.medica- mentorum secundum locos. 5a.162.G
vt Gingiuæ dẽtes,ita cutis pilorũ radices cõplectit.in ti.Pla.1a.286.b
Gingiuis pstat qualitas gustabilis.de cõpa.mem.siue à na.hu. Sp.58.D
in Gingiuis nuper natorum latent dentes.2°.de sem. 1a.339.E
in Gingiuarum prosepiolis sunt dentes.11°.de vsu par. 1a.187.B
Gingiuis quo modo dentes infigantur.de ana.viuo. Sp.49.D
ad Gingiuas præseruandas.5°.de comp.med.sec.loc. 5a.164.H
Gingiuas,& dentes candidos efficit aristolochia rotunda. 6°.de simp. med.facul. 5a.43.E
ad Gingiuas corroborandas.5°.de cõpo.med.sec.loc. 5a.164.A
Gingiuarum carnem instaurans.3°.de med.fac.par. 7a.172.G
cur ad Gingiuas,& ad Gargareona materia a capite trãsmittatur. 2°. de differentijs febrium. 3a.40.H
quibus in Gingiuas fluxiones procumbunt,quæ exercitatio vitãda.5°. de sanitate tuenda. 2a.90.A
Gingiuis quo modo nocet lac.3°.de ali.fac. 2a.28.C
de Gingiuarum morbis.de reme.par.fac. 7a.164.G
ad Gingiuarum affectiones.5°.de comp.me se.loc. 5a.165.D
Gingiuarum prurigo vnde fiat pueris,qui dentire cœperunt. commentario.3°.apho.25°. Ex.25.C
ad Gingiuas pueri.de med.fac.par. 7a.174.F
Gingiuæ cum ex capite ægrotant,qũo curãdæ.6°.de san.tu. 2a.100.A
in Gingiuis epulis,id est caro supercrescens.5°.de composi.medicamẽ. secundum locos. 5a.164.G
Gingiuas tumẽtes ĩpositũ lẽtiscũ emẽdat & sanat.de sim.me. Sp.85.B
ad Gingiuas tumidas & carnis excrescẽtiã.de reme.par.fa. 7a.164.G
ad Gingiuarum inflammationem.de remed.par.fac. 7a.264.H
Gingiuis, & dentibus solis accidit affectus ille qui hemodia dicitur.2°. de locis affectis. 4a.9.H
in Gingiua est dolor,non in dente.5°.de compo.med.sec.loc. 5a.162.D
Gingiuarum doloribus,apostematibus,laxitati.vlceribus,fistulis,scis- suris confert labiorum venæ sectio.de anato.viuo. Sp.55.B
a Gingiuis ex inflammatione dolentes.5°.de com.me.se.lo. 5a.162.H
ad Gingiuas colluendas.de remed.par.fac. 7a.157.D
ad Gingiuarum dolores,Aristocratis.5°.de comp.me.sec.lo.5a.165.B
ad Gingiuarum dolores.5°.de com.me.se.lo.164 G/ 5a.165.D
ad Gingiuas humore pgnantes.6°.de cõ.me.se.lo.172.C/7°.5a.181.H
ad Gingiuarum fluxionem.5°.de composi.med.sec.loc. 5a.164.G
Gingiuas laxas, & mollitie fluidas curantibus additur smiris.9°.de simplic.med.facul. 5a.67.C
ad Gingiuas laxas.5° de comp.me.sec.loc. 5a.166.B
ad Gingiuas madore laxas.5°.de comp.med.sec.loc. 5a.165.B
ad Gingiuas madore laxatas,putrescentesq; ac cruentatas.5°.de cõ. medi.secun.loc. 5a.165.H
ad Gingiuas mollitie fluidas contrahendas valent cornua cerui,& ca præ.11°.de simp.med.fac. 5a.79.G
Gingiuarum laxitatẽ,& mollitiem desiccans smegma.11°.de simplicium medicamen.facul. 5a.81.A
Gingiuis contrahendis smegma.5°.de compo.med.sec.loc. 5a.165.C
ad Gingiuas comprimendas.5°.de comp.med.secun.loc. 5a.164.A
Gingiuas madentes resiccans.5°.de comp.me.per ge. 5a.251.C
ad Gingiuarum nomas.5°.de compo.med.per gen. 5a.251.B
Gingiuæ sanguineæ sunt edito homini,si in tribus horis sanguinis conce ptum sit sperma a muliere.de spermate. Sp.37.B
ad Gingiuas cruẽtatas.5°.de cõ.me.se.lo.163.E/166.C/6°.5a.172.D
ad Gingiuas vlceratas.5°.de compo.med.sec.loc. 5a.165.D
ad Gingiuas sanguinolentas.de reme.par.fac. 7a.164.E
Gingiuis diu sanguinolentis,& tumidis,& phlegmone laborãtibus,et vlceratis,& corrosi,prodest succus cẽtaureæ.de vir.cent.Sp.93.C
ad Gingiuas corrosas.de remed.par.fac.7a.164.G/ 7a.170.C
ad Gingiuas denigratas,& putridas.de remed.par.fac. 7a.164.H
Gingiuarum putredo oris affectus introd. Isa.59.C
ad Gingiuas humidas,& subcorraptas.5°.de compositione medicamẽ torum secun.loc. 5a.165.C
ad Gingiuas fœrentes.6°.de comp.med.sec.loc. 5a.172.C
ad Gingiuarum abscessus.6°.de com.med.sec.loc. 5a.172.D
GINGLYMON quid sit.de oss. 1a.40.B
GIRBVS quid, quale,& propter quid.de ana.viuo. Sp.49.H
Girbus & siphac panniculi hepatis.de anat.par. Sp.43.B
Girbus grossus panniculus hapatis.de ana.parua. Sp.43.B
Γιροκομικὸν appellat partem, quæ de senibus curandis agit.5°.de sani tate tuenda. 2a.89.A
GIT quid sit. de simp.med. Sp.84.F
Git, relaxat,calfacit,menstrua et vrinam prouocat,lumbricos expel- lit,tumores & durities soluit.de simp.med. Sp.84.F
Git. de dynamidijs. Sp.27.H
GIZI cassia.1°.de antid. 5a.106.E
GLABRAM pilis cutem efficit filicula. 6°de sim pli.med.fac. 5a.46.D
Glabris occlusi sint pori.in 1m.de mor.vul.com.2°. 3a.115.E
Glabrum cur sit corpus tabidis.in 3m.de mor.vul.com.3°. 3a.146.D
Glabri quando moriebantur.in 1m.de mor.vul.com.2°. 3a.111.D
circum Glabra vlcera maligna sunt.com.6°.apho.14°. Ex.46.G
GLACIALIS humor vnde dictus.7°.de decr.Hipp. 1a.270.G
Glacialis humor dicitur ab Aristotele humor crystallinus. à anatomia viuorum. Sp.48.D
Glacialis humoris in oculo substantia vt eximia,ita nulli alij parti ne minimum quidem similis.6°.de decre.Hipp. 1a.266.B
Glacialis grandinis,& humorum suorum quod incrementum in tunicis cerebrorum.de ana.viuo. Sp.44.C
Glacialis aqua quid agat.3°.de san.tuen. 2a.78.D
Glaciantur q̃ facile,non sunt frigidiora.1°.de simp.me.fac. 5a.5.A
Glaciantur quæ similiter glacie,duriora sunt,si fuerint substãtiæ crassioris.1°.de simp.me.fac. 5a.5.A
GLACIES fit ex aqua per expressionem aeris.de vti.resp. Sp.63.G
Glaciem vnde didicimus esse frigidam.1°.de simp.me.fac. 5a.7.C
à Glacie venti procedentes,frigidi sunt.de aere,aq.& loc. 2a.5.E
Glacie aquam resolutam bibunt Scythæ.de aere,aq.& loc. 2a.5.E
Glacies facit saliuam expuere.8°.de comp.me.se.loc. 5a.192.B
vt Glacies,& nix frigida pectori inimica,tusses mouent, & sanguinẽ & destillationes.com.5°.aph.24°. Ex.39.G
de Glacie et grãdine ĩsõniũ qd significet.ĩ 1m.de mor.vul.c.3°.3a.117.b
Glaciei insomnium significat pituitam.de præsag.ex insom. 4a.213.C

Glaciem secare prouerbium.4°.de dign.puls. 4ª.85.E
GLADIATORVM *cibus fabacium ptissana.1°.de alim fac.* 2ª.13.G
Gladiatorum curationi praefectus fuit Galenus à suæ ciuitatis pontifice.3°.de comp.me.per ge. 5ª.231.B
Gladiatores in patella vulnerati male curati. 3°. de composi. medicamentorum per genera. 5ª.228.C
Gladiatoribus decoris gra dat vinculũ qd dr auricula.de fa.7ª.297.C
Gladiatoria galea Perigenis.de fasciis. 7ª.297.A
GLADIOLVS *ad venerea percitat,menstrua prouocat,furculos, & spinas de corpore extrahit,durities dissoluit.de sim.med.* Sp.84.H
Gladiolus attrahit,digerit, siccat.8°.de simp.me.fac. 5ª.57.B
Gladiolus vlcera exiccat 4°.de comp.med.per ge. 5ª.326.G
GLADIVS *qui optimus.1°.de vsu par.* 1ª.115.G
Gladius vel ceram secando hebetatur.3°.de simp.med.fac. 5ª.22.A
in Gladij percussionibus quid fieri debet.de virt.cent. Sp.93.G
GLANDVLOSA *corpora quæ sint.14°.metho.med.* 7ª.90.D
Glãdulosa corpora ante vesicam quid agant.14°.de vsu par.1ª.207.E
de Glãdulosorũ astutũ vsu primus Gale.locutus est.2°.de sem.1ª.340.f
Glanduloſæ cur sint mammillæ,& testiculi.de vtil.resp. Sp.63.A
Glanduloſos meatus pudendi virilis παρασατας Herophilus appellauit.14°.de vsu partium. 1ª.208.C
in Glãduloſis pudendorũ partib. humor qd agat.14°.d vsu p. 1ª.208.B
in Glandoſis virorum partibus humor,& semen in testibus mulierum sunt simillima,& cur.14°.de vsu par. 1ª.208.B
GLANDVLARVM *anatomia quarto loco consideranda.1°.de anatom. adminiſt.* 1ª.64.B
Glandulæ quales sint.7°.de vsu par. 1ª.163.C
Glandulæ habent solidam naturam.de arti.com.1°. 7ª.252.D
Glandulæ sunt species carnium.de ana.viuo. Sp.44.D
Glandulę sunt substantia similes linguæ,aliæ plus,alię minus.3°.de alimentorum facul. 2ª.26.H
Glandulæ substantia ita recedunt à lingua, vt lingua a carne.3°.de alimentorum facultatibus. 2ª.26.H
Glandulę sunt de genere pinguedinis.de vtil.resp. Sp.62.H
Glandula exanguis,est tñ ex sanguine facta.2°.de natu.fac. 1ª.297.E
in Glandulis omnibus est alba,& mollis caro.de ana.viuo. Sp.44.D
Glandularum natura duplex est.16°.de vsu par. 1ª.214.H
Glandularum altera species sentit solum,& non habet motum voluntarium.16°.de vsu par. 1ª.214.H
Glandulæ cur non habeant neruos.16°.de vsu par. 1ª.214.H
Glandulæ omnes sunt insensibiles.de vtil.resp. Sp.62.H
quæ Glandulæ neruos habeant.16°.de vsu par. 1ª.214.H
Glandulę vnde accipiunt neruos.9°.de vsu par. 1ª.176.C
Glãdulæ cur nõ habeãt motũ volũtariũ neq; sẽsũ.16°.de v.p.1ª.214.H
Glandulæ quid agant.7°.de vsu par. 1ª.163.C
Glandularum iuuamentum.de ana.viuo.44.C/de vtil.resp. Sp.62.H
Glãdulæ quæ nõ sunt in magno vsu in ãialibus.14°.meth.me. 7ª.90.C
Glandularum quarum magnus est vsus.14°.meth.me. 7ª.90.C
Glandularũ officium in multis corporis partibus.3°.de al.fa. 2ª.26.H
Glandularum duplex vsus,& qui.2°.de sem. 1ª.340.D
Glandulæ quomodo agant.in 6m.de mor.vul.com.2°. 3ª.166.E
Glandula ibi implet, vbi vas a natura diuidit, vt tũ venę ab ossibus diuidant,tũ glãdulis fultæ securius stabiliant.6°. de vsu p.1ª.149.C
Glandulæ implent vasorum diuisiones.8°.de vsu par. 1ª.165.B
Glandulæ quandoq; factæ sunt ad recipiendum venas transeuntes ab vno in aliud, sicut meſaraicas euntes ab hepate ad stomachum & inteſtina.de anato.viuo. Sp.44.D
Glandulæ veluti fulcimentum arteriarum.16°.de vsu par.1ª.220.A
Glãdula molliſſima instar strati arteriæ subiecta.16°.de vsu p.1ª.218.G
Glandulæ in quibus inseruntur venæ & arteriæ.2°.de sem. 1ª.340.D
Glandulæ recipiunt superflua.13°.meth.me. 7ª.80.B
Glãdulæ pinealis suppoſitæ cerebro iuuamẽtũ.de ana.viuo. Sp.44.D
cur Glandulæ duæ sint in vtroq; oculo.10°.de vsu par. 1ª.181.H
Glandulæ aliquæ ad pariſtbmia & laryngа.3°.de ali.fac. 2ª.26.H
Glandulæ ad laryngа,& pharyngа.3°.de alim.fac. 2ª.26.H
Glandulæ ad pariſti mia & laryngа magnæ.3°.de ali.fa. 2ª.26.H
Glandulæ cur in laryngе.11°.de vsu par. 1ª.188.A
Glandulas vocat pharynges.de anat.parua. Sp.42.H
Glandulæ vuluæ vndeoriæ. de nat.& ord.cuiusl.corp. Sp.41.H
Glandula quæ a medicis vocatur mina.de ana.viuo. Sp.54.E
Glandulæ cur in radice linguæ.10°.de vsu par. 1ª.181.H
Glandulas duas cur habeat lingua.de voce,& anhelitu. Sp.61.C
Glandulæ linguæ similes sunt glandibus mãmarũ.3°.d ali.fa.2ª.26.H
Glandulæ in lingua officium.de vtil.resp. Sp.63.A
Glandularum quædam posita est in radice linguę,quæ hauritorium saliuæ dicitur,quędam in locis iũcturalibus,similiter humiditatis collectiua, vt sub axillis,& in inguinibus.de anato.viuo. Sp.55.H
Glandulæ linguæ ad saliuam generandam.3°.de alim fac. 2ª.26.H
ex Glãdulis quæ ad radicẽ linguæ sunt,saliua ferĩ.2°.de se. 1ª.340.C
Glandulæ cur mittant saliuam in os.2°.de sem. 1ª.340.D
a Glandulis cur fauces humectantur.2°.de se. 1ª.340.D
Glandulæ quæ loca irrigent.2°.de semine. 1ª.340.E
ex Glandulis quibusdam descẽdit lenta humiditas saliuæ similis.2°. de semine. 1ª.340.C
Glãdulæ quales circa generationẽ humorũ.de bo.et vitio suc.2ª.35.H
Glandulæ quæ lentum humorem gignunt habent diuersam substantiã. 2°.de semine. 1ª.340.D
Glandulas duas habet collum,in quibus generatur humiditas. de voce,& anhelitu. Sp.61.C
Glandulæ mãmarũ si lac cõtinẽt, vbera dicũt.d bo.& vi.suc.2ª.35.H
Glandulæ mammillares ad quid factæ.3°.de ali.fac. 2ª.26.H
Glandulæ mammillares non suo semper funguntur munere.3°.de alimentorum facul. 2ª.26.H
Glandularum mammillarum differentia, quæ habent lac, & non habent.3°.de alim.fac. 2ª.26.H
Glandulæ lac habentes,& non habentes,quorum animalium sumẽdæ. de bon.& vit.succ. 2ª.36.A
Glandulæ mammillares dulces.3°.de ali.fac. 2ª.26.H
Glandulæ mammarum sunt crassi succi.de bon.& vitio suc. 2ª.36.A
Glandulæ sunt suaues gustu & friabiles.3°.de alim.fac. 2ª.26.H
Glandulæ stillæ lactæ plenæ a guloſis maxime expetuntur.3°.de alimentorum facultatibus. 2ª.26.H
Glandulæ alunt ferè vt caro.3°.de alim.fac. 2ª.27.A
in Glandulas definunt vasa mediani meſenterij. 2°.de sem. 1ª.340.D
Glandulæ in meſenterio.3°.de ali.fac. 2ª.26.H
Glandulę in meſenterio cur.4°.de vsu p.141.H/ 2°.de sem.1ª.340. D/de vtilitate respirationis. Sp.63.A
inter Glandulas renes numerantur.3°.de alim.fac.2ª.27.A/ de vtilitate respirationis. Sp.63.A
Glandulæ inguinum,et alarum cur intumeſcant propter vlcus manus aut pedis.13°.meth.med. 7ª.81.A
de Glanduloſis assistentibus.2°.de sem. 1ª.340.A
Glanduloſi aſlites non sunt instrumẽta seminaria.2°.de sem.1ª.340.B
Glandulæ colli vesicę de natura testium sunt.3°.de ali.fac. 2ª.27.A
ex Glandularum genere sunt testes.3°.de ali.fac. 2ª.27.A
Glandula,caro,os,chartilago non possunt esse vtiles ad confectionem pudendi.15°.de vsu par. 1ª.210.D
Glandulæ magnæ cur in inguinibus.16°.de vsu par. 1ª.219.F
Glandulæ cur in pudendo.14°.de vsu par. 1ª.208.C
Glãdulæ cõſpicuæ maioresq; in mariũ penibus,cur.2°.d sem.1ª.340.E
Glandula quæ vocatur thymus est maxima in nuper natis animalibus,increſcentibus vero minuitur.3°.de ali.fac. 2ª.26.H
in Glandulis phlegmone quo modo curetur.13°.meth.med. 7ª.83.C
Glandulæ quando sunt distentæ phlegmone, aut aliqua alia pars, debet corpus euacuari,& locus scarificari.13°.meth.med. 7ª.81.B
in Glandularum, vel artuũ phlegmone cibus.13°.meth.med.7ª.83.D
ad Glandularum inflammationes.7°.de comp.med.sec.loc. 5ª.181.G
Glandulæ quo modo incidendæ.de dyna. Sp.32.B
Glandulas sanat emplaſtrum diachryſu.de dyn. Sp.32.B
ad Glandulas præsidium.de dyn. Sp.26.A
Glandulæ induratæ eximuntur.de diff.mor. 3ª.4.G
ad Glandulas duras præsidium.de dyn. Sp.26.A
ad Glandulas dissipandas.de reme.par.fac. 7ª.165.C
GLANDES *robuſtæ quo mõ fiãt dulces.4°.de simp.me.facul.* 5ª.26.E
inter Glandes,quernas,acylos,& castaneas in ipsis particulatim arboribus nõ magnũ fructus discrimen recipit.de bon.& vi.suc.2ª.36.D
Glandium omniũ præstantiſſima est Caſtanea.2°.de ali.fac. 2ª.22.A
Glãdes iligneæ durę sũt acerbæ,& insuaues.de bo.& vitio suc.2ª.36.C
Glandes iligneæ cur vitandę.de bon.& vitio suc. 2ª.36.G
Glans iligna exiguũ dat alimẽtũ,et est praui suc.2°.de ali.fa.2ª.22.A
Glandes prius fuere pabulum suibus. 2°.de ali.fac. 2ª.22.A
Glandibus solis viuebant antiqui ante reperta cerealia, Arcades vero etiam poſtea.2°.de alim.fac. 2ª.22.A
Glandibus ruſtici paſſim veſcuntur.2°.de ali.fac. 2ª.21.H

Glandibus ve-

Glandibus vescebantur pro frumentaceis edulijs in penuria. 2°.de alimentorum facultatibus. 2ª.21.H
Glandium prouentus magnus fuit in fame quadam,& quo modo rustici ipsas seruarunt.2°.de alimen.facul. 2ª.21.H
Glandes nutriunt eum,qui digerit illas,nutrimẽto multo, crasso.de dissolutione continua. Sp.73.E
Glandes, cibus crassus,cur.de dissol.cont. Sp.72.G
Glandes copiose nutriunt.2°.de alimen.facu. 2ª.22.A
Glandes nutriunt,vt frumentacea multa.2°.de alim.fac. 2ª.22.A
Glandes faciunt alimentum transitus tardi ac crassi succi.2°.de alimẽtorum facultatibus. 2ª.22.A
Glandes difficulter coquuntur.2°.de alim.facul. 2ª.22.A/ de dissolutione continua. Sp.73.D
Glandes tarde descendunt.de diss.cont. Sp.74.H
Glandium coquendarum varij modi.2°.de ali.facul. 2ª.22.A
Glandium decoctum numeratur inter adstringentia fortiora pro gargarismis.6°.de comp.med.sec.loc. 5ª.172.G
Glãdes supant castaneas in adstringẽdi ptãte.de bo.& vi.su. 2ª.36.C
sub Glande quæ est membrana valde adstringit.6°.de simplicium medicamentorum facultatibus. 5ª.46.E
Glandes stringunt ventrem cum stypticitate,& ponticitate.de dissolutione continua. Sp.75.B
Glandes inter testacea quę conueniunt stomachicis.8°.de compo.med. secundum locos. 5ª.192.C
Glandes quercinæ vitandæ in capitis doloribus a stomacho,et ab alijs. 2°.de compo.med.sec.loc. 5ª.137.B
GLANS vnguentaria.6°.de simp.med.fac. 5ª.44.D
GLANS ægyptia.5°.de compo.med.sec.loc. 5ª.159.G
GLANS quæ.intro. Isa.53.D
Glandis caro alba est.de anat.viuo. Sp.55.H
in Glandibus & tonsillis qui suffocabatur, qua re curatus.6°.de compo.medic.secun.loc. 5ª.167.F
ad Glandes oschei pp quid transit spermatis pars.de an.viuo. Sp.55.H
Glandium græce thymus dicitur.de ven.art.q3 diss. 1ª.56.C
GLANDE vel clystere qñ cibus educendus.8°.met.med. 7ª.53.F
per Glandem aluum soluit stomachi distentione.8°.de compositione medicamentorum.secun.loc. 5ª.192.D
Glans ex stercore murium.10°.de simp.med.fac. 5ª.77.D
GLAVCEDO quid sit.10°.de vsu par. 1ª.179.G
Glaucedines fiũt senibus pp immodicam instrumentorum siccitatem, & quia speciem habent suffusionis.com.3°.aph.31°. Ex.26.H
ad Glaucedinem oculorum.4°.de comp.med.secun.loc. 5ª.153.A
GLAVCIAS interpres sexti libri epidemiorum.in 6m.de morbis vulgar.commen.1°. 5ª.152.C
GLAVCIDANVM medicamentum diasmyrnum.4°.de compositione medicamen.sec.loc. 5ª.153.G
GLAVCIVM quid. de simp.med. Sp.84.E
Glaucij qualitas.6°.de simp.med.fac. 5ª.45.E
Glaucium frigidum vt aqua fontana.6°.de simp.med.fac. 5ª.45.E
Glaucium refrigerat multum.6°.de simp.med.fac. 5ª.45.E
Glaucium quo modo fiat.3°.de comp.med.sec.loc. 5ª.141.C
Glaucium quo modo paretur pro auribus.6°.de san.tuen. 2ª.100.B
Glaucium in cote medica tritum.3°.de comp.med.sec.loc. 5ª.141.C
Glaucij quale,& quo modo lauetur.4°.de cõ.me.sec.loc. 5ª.151.F
Glaucium ad quid valet.14°.meth.med. 7ª.87.G
Glaucium maturat.de ocul. 7ª.189.C
Glaucium solum erysipelata curare potest.6°.de sim.me.fac. 5ª.45.E
Glaucium medicamentum ad œdema.14°.meth.med. 7ª.87.G
Glaucium non sanat scirrhos.14°.meth.med. 7ª.87.G
Glaucium numeratur inter adstringentia parabilia.6°.de compositione medic.sec.loc. 5ª.169.G
in Glaucio adstrictio consideranda est.4°.de sim.med.fac. 5ª.26.A
è Glaucio medicamẽta mediocriter adstringũt.14°.met.med.7ª.92.B
Glaucij impetus lippitudinis,et lachrymas stringit.d sim.m. Sp.84.E
Glaucij phibet humorẽ fluẽtẽ, pustulas,& vulnera.de ocu.7ª.189.C
ex Glaucio collyria in aurium dolore.3°.de com.me.se.lo. 5ª.141.C
GLAVCII vinculum,cui magis fidendum, quàm vinculo ad caluariã. de fasciis. 7ª.295.H
Glaucij vinculum valde iunctum.de fasciis. 7ª.297.A
Glaucij spica vnde dicta.de fascijs. 7ª.300.G
GLAVCOMA quid.fin.med. Isa.48.D
Glaucoma oculorum vlceratio.fin.med. Isa.48.D
Glaucoma quo modo differt à suffusione.fin.med. Isa.48.G
GLAVCONIS philosophi de Galeno admiratio super medici casu ex iecoris inflammatione laborantis.5°.de loc.aff. 4ª.34.F
GLAVCOSIS quid introd. Isa.59.A
Glaucosis affectus pupillæ.introd. Isa.58.D
GLAVCVRIS. de remed.par.fac. 7ª.158.E
GLAVCI oculi frigidi,& a cesijs differunt ex diametro.in 3m.de mor. vulg.com.3°. 3ª.146.F
ad Glaucos oculos.4°.de comp.me.sec.loc. 5ª.153.B
GLAVCI numerantur inter testacea,quæ conueniunt stomachicis.8°. de comp.med.sec.loc. 5ª.192.C
Glauci pisces habent carnem duram.3°.de alim.fac. 2ª.31.E
GLAVX herba calida,& humida.6°.de simp.med.fac. 5ª.45.F
GLENE quid sit. de ossi. 1ª.40.B
Glenois sinus.de ossibus. 1ª.41.H
GLEVCINI confectio iuxta Andromachum.7°.de compositione medicamentorum per genera. 5ª.272.E
Gleucini confectio britonis.7°.de com.med.per ge. 5ª.272.E
Gleucini confectio secundum Dioscoridem.7°.de compositione medicamentorum per genera. 5ª.272.G
Gleucini confectio vt Heras.7°.de comp.med.per ge. 5ª.272.G
Gleucino vnguento Sabina maxime inditur.6°.de sim.me.fa. 5ª.45.C
Gleucinum quale sit.7°.de com.med.per gen. 5ª.272.F
Gleucinum vnguentum optimum.3°.de san.tuen. 2ª.81.C
Gleucinum vnguentum acopum.3°.de san.tuen. 2ª.81.C
Gleucinum vnguentum rarefacit,& discutit.9°.de compositione medicamen.sec.locos. 5ª.197.F
GLEVCOS. i.mustum, flatuosum est,& quale.de vinis. Sp.76.G
GLICHON, i.pulegium.6°.de simp.med.fac. 5ª.45.F
GLIRES in Italia manduntur.2°.de alim.fac. 2ª.26.C
GLYTVS 7°.de comp.med.per gen. 5ª.272.C
GLOEOS. i.stringmenta balneorum,modice emolliendi vim obtinet.6°.de simp.med.fac. 5ª.45.F
GLOMERATÆ fasciæ quæ sint.de fascijs. 7ª.293.F
Glomeratis fascijs fracta membra vinciuntur.de fascijs. 7ª.293.F
Glomerata fascia ad mammam.de fascijs. 7ª.303.D
Glomerata fascia ad mammam duplex in vtranque partem ducta a superiori parte deorsum.de fascijs. 7ª.303.D
Glomerata fascia ad cubitum.de fascijs. 7ª.304.H
Glomerata funda ad nasum.de fascijs. 7ª.298.H
ex Glomerata fascia auris.de fascijs.7ª.299.F/aliter ibidem.
Glomerata fascia ad labrũ inferius.de fascijs.7ª.300.C/eadẽ in vtranque partem ducta ibidem.alia.D.
Glomerata fascia ad librũ supius.de fas.7ª.300.D/eadẽ a medio orsa.
GLORIÆ appetitus est animi affectus.de cog.cur.animi mor.2ª.53.G
Gloria operibus non verbis comparanda est.de sub.emp. Isa.34.E
Gloria postponẽda est sanitati corporis & animi.2°.de ali.fa.2ª.18.F
propter Gloriam artium studia non contemnẽda.in oratio.suas.Is.3.G
Gloriã quo debet cupe medicus.de ijs,quæ in med.fi.cõ.2°. 7ª.205.D
Gloriæ cupiditas ableganda.de vict.ra.in morb.acu.com.1°.7ª.110.G
ob Gloriam sectas facientes,odio digni sunt.de bon.et vit.suc.2ª.34.B
Gloriæ curam habent sophistæ,nõ veritatis.10°.de vsu par.1ª.181.A
GLOSSA communis in pluribus aphorismis Hippocratis.commen.6°. aphorismo 16°. Ex.47.G
GLOSSOCOMON quid.7°.de vsu par. 1ª.161.H
Glossocomum machinamentum quale,& quo modo compositũ. de machin. 7ª.310.G
Glossocomon.6°.meth.med.42.G/H/de fract.com.2°. 7ª.239.D
Glossocomũ Nymphodori qd sit,& qũo conficiãt.de machin.7ª.315.D
Glossocomi cuiusdam auctor Aristion.de machin. 7ª.315.E
GLVTEN quomodo fiat.7°.de simp.med.fac. 5ª.52.A
Glutine præparant libros.7°.de sim.med.fa. 5ª.52.A
Gluten emplasticum concoquens.7°.de simp.med.fac. 5ª.52.A
Gluten fabrile perlucidum.5°.de comp.med.sec.loc. 5ª.160.G
Glutinum fabrile.3°.de comp.med.sec.loc.146.B/5°.5ª.160.G/ de reme.par.facul. 7ª.157.B
GLVTINANDO auro idoneum est hustolix.de simp.med. Sp.85.D
GLVTINATORIA, & cicatricem inducentia quo modo differant.3°. meth.med. 7ª.19.B
Glutinatorium quale esse debet.3°.meth.med. 7ª.19.D
Glutinantia siccitas consequitur.6°.de simp.med.fac. 5ª.45.A
Glutinãtia sicciora carne implentibus.2°.de cõ.me.per ge. 5ª.227.A

Glutinantia ſolum ſint ſicca.2°.de comp.med.per gene. 5ª.227.A
Glutinantia vulnera ſunt multum ſicca.7°.de ſimp.me.fac. 5ª.56.D
in Glutinandis ſubſtantijs eſt adſtrictio.6°.de ſimp.me.fac. 5ª.45.A
Glutinare quæ adſtringentia non poſſunt.1°.de ſimp.me.fac. 5ª.8.H
Glutinantium finis qui.2°.de comp.med.per ge. 5ª.227.A
Glutinantibus viribus eſt calamus aromaticus.de ſim.med. Sp.82.G
Glutinans eſt ipſa Caro.4°.meth.med. 7ª.23.D
Glutinatorijs,& deſiccatorijs miſcetur Centaurij minoris radix areſa cta.7°.de ſimp.med.fac. 5ª.50.G
Glutinat Coagulum.de ſimp.med. Sp.83.D
Glutinat Cytinus recentia vulnera.de ſimp.med. Sp.87.C
Glutinat & purgat vulnera Lenticula.de ſimp.med. Sp.86.B
Glutinat vulnera Myriophyllon.7°.de ſimp.me.fac. 5ª.56.D/*de ſimplic.medic.* Sp.87.G
Glutinare poteſt vulnera capitum Myrrha.8°.de ſimp.me.ſa. 5ª.61.A
Glutinat vlcera maxima Narciſſi radix.8°.de ſimp.me.fac. 5ª.56.H
Glutinat vulnera Periſtereon.de ſimp.med. Sp.89.C
Glutinandis vulneribus conuenit Pix arida.8°.de ſim.me.ſa. 5ª.58.E
Glutinatoria vlcerũ folia Piceæ & tedæ.8°.de ſimp.me.fac. 5ª.58.F
Glutinatorium eſt vulnerum cruentatorum Polygonon.8°.de ſimplicijũ medic.facul. 5ª.58.H
Glutinat vlcera magna Polium.8°.de ſimp.med.fac. 5ª.59.A
Glutinat vlcera Polycnemon.8°.de ſimp.med.fac. 5ª.59.A
Glutinat vulnera Rhu.de ſimp.med. Sp.89.E
Glutinare vlcera valet Sarcocolla.8°.de ſimp.med.fac. 5ª.60.B
Glutinare vlcera poteſt Stratiotes.8°.de ſimp.me.fac. 5ª.61.D
Glutinat & ſtringit viſcide Symphytum.de ſimp.med. Sp.90.E
ad Glutinandum, Vinum quale.2°.de arte cur.ad Glau. 7ª.106.C
ad Glutinandum, vinum mulſum melius eſt melicrato.2°.de arte cu.ad Glauconem. 7ª.106.C
Glutinantia imbecilles carnes.2°.de comp.med.per ge. 5ª.227.B
Glutinantia duras carnes.2°.de comp.med.per ge. 5ª.227.C
Glutinatoria in corporibus admodum ſiccis, quæ habeant vulnus aut ſinum.6°.de ſimp.med.fac. 5ª.42.E
ad Glutinandos ſinus quæ valeant.2°.de arte cur.ad Glau. 7ª.106.G
Glutinans ſinus.1°.de comp.me.per ge. 5ª.217.A
ad Glutinandam carnem.3°.de me.fac.par. 7ª.173.B
ad Glutinanda vlcera.1°.de compo.me.per ge. 5ª.210.H
ad Glutinanda maiora vulnera.2°.de compo.me.per ge. 5ª.219.G
Glutinata vulnera maxima ſine phlegmone.5°.meth.med. 7ª.36.B
Glutinans citra inflammationem.2°.de compo.me.per ge. 5ª.227.E
ad Glutinanda cruenta.2°.de comp.me.per ge.219.G/6°. 5ª.256.D
Glutinantius vulnerum cruentorum quo modo fiet emplaſtrum.2°.de compo.med.per ge. 5ª.223.F
Glutinans Cyzicenum.5°.de compo.me.per gen. 5ª.250.B
Glutinantia emplaſtra.2°.de compo.med.per gene. 5ª.226.H
Glutinatorium emplaſtrũ vocatũ παφυγρον.8°.de anat.ad. 1ª.103.E
Glutinantius quo modo fiat emplaſtrum.1°.de compoſitione medicamen.per genera. 5ª.215.D
Glutinantius medicamentum quo modo fiat.1°.de compoſitione medicamentorum per genera. 5ª.212.G
Glutinatorium.5°.de compo.me.per ge. 5ª.247.A
*ad Glutinationẽ partiũ,quas vulnus deduxit,vinculũ.de fa.*7ª.295.B
Glutinationem quæ prohibent.4°.meth.med. 7ª.23.C
Glutinandis quid noceat acetum.1°.de ſimp.med.fac. 5ª.8.G
GLVTINOSI *nomen primus Galenus nominauit.11°.methodi medendi.* 7ª.71.D
Glutinoſi oppoſitum quid.11°.meth.med. 7ª.71.D
Glutinoſa quæ ſunt,& emplaſtica ſunt.4°.de ſim.me.fac. 5ª.25.D
Glutinoſa dant plus alimenti.1°.de alim.fac. 2ª.14.D
Glutinoſum ſuccum generat caro ſiulla.7°.meth.me. 7ª.45.D
Glutinoſi cibi celeris ſunt tranſitus.3°.de ſym.cau. 3ª.27.D
Glutinoſos & craſſos cibos edentes ſunt magis obnoxij morbis.1°.de differentijs febrium. 3ª.32.A
*Glutinoſi & craſſi cibi ob putredinẽ cauſæ febriũ.1°.ḋ diff.feb.*3ª.32.a
Glutinoſi & craſſi ſucci tremorem faciunt.2°.de ſymp.cau. 3ª.20.E
Glutinoſi cibi prohibendi ſunt in laſſitudine vlcroſa,et phlegmonode.3°.de ſanitate tuenda. 2ª.79.G
Glutinoſi cibi dandi in laſſitudine tenſiua.3°.de ſan.tuen. 2ª.79.G
Glutinoſi ſucci debent detergi.4°.de ſan.tuen. 2ª.84.E
Glutinoſa detergit raduicula ex oxymelite.8°.meth.med. 7ª.51.B
*Glutinoſorũ,& craſſorũ humorũ euacuãdi modi.14°.met.me.*7ª.87.H

Glutinoſa cur per tuſſim non poſſunt expelli.2°.de ſym.cau. 3ª.21.F
ad Glutinoſum reiectantes.7°.de comp.med.ſec.loc. 5ª.185.D
Glutinoſa,candida,& exigua deiectio quid ſignificet.in prognoſt. commentario 2°. 4ª.199.G
Γλουτὸν *quid.8°.de vſu par.* 1ª.170.F
Glutiorum magnitudo.8°.de vſu par. 1ª.171.A
Gluton quid. de oſſibus. 1ª.43.D
GLYCEA quæ.de dynamid. Sp.18.G
Glycea.4°.de comp.med.per ge. 5ª.239.A
GLYCEIÆVM *prodeſt fractis.introd.* Iſa.60.F
Γλυκὺ πικρος *3°.de ſimp.med.fac.* 5ª.21.A
GLYCYRIZA *quid.de ſimp.med.* Sp.84.G
Glycyriza ponitur in theriaca.de theria.ad Piſonem. 5ª.92.E
Glycyriza optima eſt in Creta.1°.de antid. 5ª.105.E
Glycyriza familiaris eſt humanæ tẽperaturæ.6°.de ſi.me.fa. 5ª.45.F
Glycyriza pontica.7°.de comp.med.ſec.loc. 5ª.181.G
Glycyriza exaſperata lenit. 6°.de compoſitione medi.ſecũdum locos. 169.H/7°. 5ª.181.E
Glycyriza aſperitates lenire poteſt, nõ modo in arteria, verum etiam in veſica ſcabra.6°.de ſimp.med.fac. 5ª.45.F
Glycyrizæ radices ſitim ſedant,renum & veſicæ dolorẽ mitigãt, quòcãt.n.vrinã et mẽſtrua,et oẽm tumorẽ placãt.de ſim.med. Sp.84.G
Glycyrizæ radix ſicca pterygiorum,ſeu vnguium oculorum idoneum remedium illita eſt.6°.de ſimp.me.fac. 5ª.45.G
Glycyrizæ medullam eijcit.7°.de comp.med.ſec.loc. 5ª.179.E
Glycyrizæ ſuccus pro ipſa radice ex Creta aſportabatur.7°.de compoſi.medic.ſecun.loc. 5ª.181.A
Glycyrizæ ſuccus tempore dureſcit.6°.de com.me.ſec.lo. 5ª.172.H
Glycyrizæ ſuccus ſiti conuenit.6°.de ſimp.med.fac. 5ª.45.G
Glycyrizæ ſuccus parum adſtringit.6°.de ſimp.med.fac. 5ª.45.F
Glycyrizæ ſuccus exaſperata mitigat.7°.de cõ.me.ſe.loc. 5ª.178.G
GLYCISCIDA. *6°.de ſimp.med.fac.* 5ª.45.G
Γλυκὺ χυμα *dicuntur quæ ſunt dulcis ſucci.2°.de ſimp.me.ſa.* 5ª.12.G
GNAPHALIVM *vnde dictum.6°.de ſimpl.me. facul.* 5ª.45.H
Γνάθον *mala, & bucca quid ſignificent.de art.com.2°.* 7ª.262.G
*GNOMONICA tractatio.de cuiuſq;aĩ pec.not.atq;me.*2ª.58.b
GOBIO *littoralis piſcis paruus.3°.de alimentorum facultatibus.* 2ª.30.H
Gobio qui in arenoſis littoribus,et ſaxoſis promõtorijs viuit,optimus eſt.3°.de alim.fac. 2ª.30.H
Gobio qui in oſtijs fluminum aut ſtagnis,aut ſtagnis maritimis,non bonus.2°.de alimen.fac. 2ª.31.A
Gobio deterrimus, qui.3°.de alimen.fac. 2ª.31.A
Gobiones molles, qui.3°.de alimen.fac. 2ª.31.A
Gobionum caro durior ſaxatilium, & mollior mullorum carne.3°.de alim.fac. 2ª.31.A
Gobiones non habent carnem mollem vt ſaxatiles.3°.de ali.fa. 2ª.31.C
Gobio facilius nutrit, quàm alij piſces.3°.de ali.fac. 2ª.31.A
Gobiones non ſemper optimi.3°.de ali.fac. 2ª.31.C
GOBII *piſces ſaxatiles.de ren.aff.dig.& med.* 7ª.195.F
Gobij viuunt aqua ſalſa,& dulci.de bon.& vi.ſuc. 2ª.37.H
Gobiorum maritimorum caro quo differt a degentibus in aquis vitiatis.de bon.& vitio ſuccorum. 2ª.37.H
Gobij neq; craſſi,neque tenuis ſucci ſunt.de bon.& vit.ſuc. 2ª.34.H
GOMPHOSIS quid ſit.de oſſibus. 1ª.40.B
Gomphos quid ſit.de ocul. 7ª.187.D
GONFITÆ. de dynamidijs. Sp.30.D
GONGILIS, *id eſt rapum.6°.de compo.med.fac.* 5ª.46.A
CONIALGIÆ *affectus genu.introd.* Iſa.59.D
Γονίωσις *in pulſu.2°.de præſag.* 4ª.114.A
GONE *vocatur ſemen.6°.de loc.aff.* 4ª.41.G
Γόνος. *i.genitura.10°.de ſimp.med.fac.* 5ª.72.C
GONORRHOEA *vnde dicatur.6°.de loc.affe.* 4ª.41.F
Gonorrhœa quid ſit.ſin.med.Iſa.47.G/6°.de loc.aff. 4ª.41.F
Gonorrhœa cuius affectio.6°.de loc.aff. 4ª.42.A
Gonorrhœæ duæ differentiæ.2°.de ſymp.cau. 3ª.19.H
in Gonorrhœa cur vaſa ſpermatica afficiũtur.14°.de vſu p. 1ª.208.A
Gonorrhœa cum tenſione pudendi, cur.3°.de ſym.cauſ. 3ª.29.H
Gonorrhœæ cauſæ.3°.de ſymp.cauſ. 3ª.29.H
GORTYNE in Creta.de cogn.cur.animi mor. 2ª.51.H
GORTYNIATES *Tryphon.9°.de comp.me.ſe.lo.* 5ª.199.B/F

GOSSIPIO vtitur

GOSIPPIO vtil Galenus cũ alias vtaĩ lana. 6°. me. me. 7ª. 38. F
si GRACILESCIT dextra mamilla, masculi abortum faciet. de anatomia viuorum. Sp. 51. G
GRACILVM omnium natura communis est, itidem & corpulentorũ. de pulſ. ad tir. 4ª. 44. A
Glacies, & corpulenti habent contrarias habitudines ex cõtrarijs ortas. 1°. de ſan. tuen. 2ª. 64. E
Gracilia differunt ab obeſis. 3°. de alim. fa. 2ª. 29 F
Graciliores, qui. 6°. de ſan. tuen. 96. A/ 2ª. 99. F
Graciles cuius ſint temperamenti. de ſal. diæta. 2ª. 40. D
Graciles vt plurimum ſunt bilioſi. com. 4°. aph. 6°. Ex. 28. A
Graciles ſicci natura ſunt. de art. com. 1°. 7ª. 256. E
Gracilem, & muſculoſum comparat cani. 10°. meth. med. 7ª. 62. C
Graciles homines vbi naſcantur. de aere, aq. & loc. 2ª. 6. E
Graciles natura quo modo cognoſcantur à gracilibus occaſione. 2°. de temperam. 1ª. 18. C
Gracilibus natura aſſimilis eſt gracilis factus ex quadrato. 3°. de cauſis pulſuum. 4ª. 98. D
Graciles cur aliqui fiant. in 6ᵐ. de morbis vulg. com. 4°. 3ª. 186. F
Gracile corpus ex quibus. 2°. de tẽperamen. 1ª. 18. B/ 2°. de ſanita. tuẽda. 70. F/ 6°. 2ª. 98. B
Gracile fit corpus a vigilijs, & triſtitia. 3°. de ſani. tuen. 2ª. 81. F
qui Gracileſcunt fame. 8°. meth. med. 7ª. 54. F
in Gracilitate deficiens nutritio cernitur. 3°. de ſymp. cau. 3ª. 25. B
Gracilitatis et exilitatis mẽbrorũ cauſe eſt ociũ. de ar. c. 3°. 7ª. 277. E
Gracilis habitus cum venarum laxitate. 2°. de temp. 1ª. 18. C
Graciliſſimi aliqui ſanguine abundãt. in 6ᵐ. de mor. vul. c. 3°. 3ª. 176. B
Graciles tardius pueniũt ad mortẽ quã craſſi. c. 2°. aph. 40°. Ex. 18. F
Graciles habentes venas paruas, ſi incidantur, adeps excidit. 2°. de temperamentis. 1ª. 18. D
Gracilitas quid faciat in pulſu. 2°. de præſag. 4ª. 113. F
Graciliũ pulſus natura. de pulſ. ad tiro. 44. A/ 3°. de cauſ. pul. 4ª. 96. C
Graciles habent pulſus longos. 1°. de præſag. ex pulſ. 4ª. 106. B
Graciles habent pulſum inſignẽ, & vehemẽtẽ. 1°. de dig. pulſ. 4ª. 74. B
Gracilium cum iraſcuntur pulſus, qui. 2°. de ca. pul. 4ª. 94. F
Gracilis pulſus qui fiat quadratus. 3°. de cauſ. pul. 4ª. 98. D
Gracilis factus ex quadrato aſſimilis eſt gracilibus natura. 3°. de cauſis pulſuum. 4ª. 98. D
Gracile nimis corpus non probat Galenus. 1°. de ſan. tuen. 2ª. 64. E
Gracilitas externis iniurijs obnoxia. 2°. de ſan. tuen. 2ª. 75. H/ commenta. 2°. apho. 44°. Ex. 18. F
in Gracilibus non fit ſynochus. 9°. meth. med. 7ª. 56. C
Gracilitas carnis facit continere ſemen. de aere, aq. & loc. 2ª. 5. G
Graciles quo modo iter agere debent. de ſal. diæta. 2ª. 40. G
Gracilibus plus cõuenit balneũ, quam corpulẽtis. de ſal. diæ. 2ª. 41. A
Graciles, & facile vomentes ſurſum purgare conuenit vitantes hyemem. de cathar. Sp. 49. C
Graciles quo modo vomere debent. de ſal. diæta. 2ª. 41. G
Graciles nimis, non ſunt purgandi. de dynamidijs. Sp. 20. F
Graciles ſunt imbecilles æſtate calida & ſicca. 10°. metho. me. 7ª. 66. C
Gracilius ſi ſit corpus quid conſiderandum. 5°. de ſan. tuen. 2ª. 89. C
Gracile corpus quo modo ſanatur. 3°. de ſan. tuen. 2ª. 81. G
Graciles partes quo modo craſſeſcant. 14°. meth. me. 7ª. 91. G
Graciles debẽt ferè ſemper vti victu humidiori. de ſal. diæta. 2ª. 40. D
in Gracilibus, qui debent refici, habitus non reſtituitur, niſi ſit plus qđ apponitur, quàm quod euacuatur. 2°. de nat. fac. 1ª. 299. B
Graciles natura quo modo a mangonibus curẽtur. 14°. me. m. 7ª. 91. G
pro Gracilitate pix toto corpore illinitur. 6°. de ſani. tuen. 2ª. 98. B
pro Gracilitate nullum eſt remedium quod, pici æquari poſſit. 6°. de ſanitate tuenda. 2ª. 98. B
Graciliũ alia remedia præter picem pro delicatis. 6°. de ſa. tu. 2ª. 98. B
Gracilibus quod vnguentum ſuccurrit. 6°. de ſan. tu. 2ª. 98. B
pro Gracilibus vnguentum dropax. 6°. de ſan. tu. 2ª. 98. B
Graciles multi redditi pingues. 2°. de temp. 1ª. 18. B
ex Gracilibus obeſi redditi. 6°. de ſan. tuen. 2ª. 98. B
Gracili corpori quæ inimiciſſima. 6°. de ſan. tuen. 2ª. 99. F
Graciles quo modo fiant ex obeſis. 6°. de ſan. tuen. 2ª. 98. B
GRACILIA curſint tria ſuperiora inteſtina. de anato. viuo. Sp. 50. B
Gracilis & tenuis vox vnde fiant, & quo mõ differant. in 1ᵐ. de mor. vulg, commen. 2°. 3ª. 115. F
Gracilis vox vnde fiat. de anat. viuo. Sp. 53. E
Gracili voce qui erãt, qĩ moriebãtur. in 1ᵐ. de mor. vul. c. 2°. 3ª. 115. D
GRACVLI ad ſaliendum ſunt appoſiti. 3°. de alimen. fac. 2ª. 33. C
GRADVS qualitatem vnde ſumendi. 1°. de compoſitione medicamentorum per genera. 5ª. 210. E
Gradus qualitatum verbis exprimi non poſſunt. 1°. de anti. 5ª. 100. F
GRECA Sigia. de dynamidijs. Sp. 31. H
GRÆCANICI menſes quibus perficiantur. de ſep. par. 1ª. 341. A
iuxta Græcanicos mẽſes in minore tempore quam dimidio anno oriri ſeptimeſtris infans poſſet. de ſep. par. 1ª. 341. D
GRÆCIA tota alebat paucos homines. de par. art. med. Sp. 16. F
in Græcia raro manna cadit. 3°. de alim. fac. 2ª. 32. F
in Græcia quæ vina calidiora. 5°. de ſa. tuen. 2ª. 90. H
GRÆCI meliores barbaris. 2°. de decre. Hipp. 1ª. 235. A
Græci vincunt iram ratione. 3°. de decre. Hippo. 1ª. 243. B
Græci bellicoſiſſimi, qui. de aere, aq. & loc. 2ª. 5. B
Græcorum regula in nominibus. de morb. temp. 3ª. 86. B
Græci ſemper clariſſimis nominibus res interpretantur, quod tamẽ nõ videmus Ariſtotelem facere. 2°. de diff. pul. 4ª. 53. D
Græci antiqui non ſeruãt nominũ pprietates. de fra. com. 2°. 7ª. 240. C
Græcorum, & Italorum vinorum comparatio. 5°. de ſa. tuen. 2ª. 90. H
Græce ſcribens reliqua omnia non debet interponere latinam vocẽ vnam ſolam. 1°. de antidotis. 5ª. 104. A
GRAMINIS Parnaſſi vis. qualis. 6°. de ſimp. med. fa. 5ª. 41. C
Gramen terreſtre. 4°. de ſimp. med. fa. 5ª. 28. G
Gramen parum frigidum, et medium in paſſuis qualitatibus. 6°. de ſimpli. med. fac. 5ª. 41. C
Graminis radix frigida eſt & ſicca modice. 6°. de ſimp. medicamentorum facul. 5ª. 41. B/ C
Graminis herba primo exceſſu refrigerat, in humiditate vero, & ſiccitate moderata eſt. 6°. de ſimp. med. fac. 5ª. 41. C
Graminis radix parum mordax eſt & tenuium partium. 6°. de ſimpli. medic. facul. 5ª. 41. B
cur Graminis radix ſanat vlcera cruenta. 6°. de ſim. me. fa. 5ª. 41. C
Graminis ſemen, quale. 6°. de ſimp. med. fac. 5ª. 41. B
Gramen eſculentam habet radicẽ, vbi mollis fuerit, dulcis quidem inſtar aquæ, ſed acre quiddam exiguum & ſubacerbum obtinentem. 6°. de ſimpli. med. facul. 5ª. 41. C
Gramen aqueum eſt guſtantibus. 6°. de ſimp. med. fac. 5ª. 41. C
Graminis ſapor dulcis eſt. 4°. de ſimp. me. fac. 5ª. 25. D
Gramen dulce eſt prius quam aruerit. 4°. de ſim. me. fac. 5ª. 28. G
Gramen edunt canes, quando purgari volunt. de ſimp. me. Sp. 81. C
Gramen potatum vrinam prouocat. de ſimp. med. Sp. 81. C
Gramen lapides frangit. 6°. de ſimp. me. fac. 5ª. 41. C
Graminis decoctio purgat renes. de cathar. Sp. 95. C
Graminis colorem habẽtia excrementa. in 3ᵐ. de morbis vulgaribus, commentario 31°. 1ª. 148. F
GRAMMA quo modo figuretur. 7°. de com. med. per ge. 5ª. 275. C
GRAMMARIORVM quatuor ponderis ſit mentio. de medica. faculta. parab. 7ª. 167. C
GRAMMATICA ars nobilis. in oratione ſuaſoria. Iſa. 5. G
Grammaticæ, dialecticæ, & rhetoricæ tantã cognitionem habebãt nonnulli medici tpe Galeni, quantã aſinus lyræ. de die. dec. 4ª. 46. H
Grammatica ars quibus præficitur. 9°. de decre. Hipp. 1ª. 282. E
Grammaticam didicit a patre Galenus. de ord. lib. ſuo. Iſa. 15. D
ad Grãmaticas ſyllabas comparatio pulſus. compendiũ pul. Sp. 65. E
GRAMMATICI inter rationales numerantur. de cuiuſque animi pe. not. atque med. 2ª. 60. A
Grammatici proximam ſedem occupant apud deum Mercurium. in oratione ſuaſoria. Iſa. 2. F
Grammaticus qui ſit. 9°. de decre. Hipp. 1ª. 282. C
ad Grammaticum quæ ſpectent. ad Thraſy. 2ª. 107. A
Grammatici munus diſputare de noĩbus qũo. 1°. de dieb. dec. 4ª. 146. H
Grãmaticus ſimul arithmeticꝰ et philoſophus ſi fuerit idẽ hõ, poterit quiſpiã vnus artis has oẽs particulas exiſtimare. ad Thra. 2ª. 105. E
Grãmatici pueri caſus, qđ vinũ incidit ĩ vigilias. 2°. de l. af. 4ª. 14. A
Grammatici caſus ex morbo comitiali. 5°. de loc. aff. 4ª. 32. F
GRANATA pontica ſunt frigida. de diff. con. Sp. 74. D
Granata primo ſunt pontica, deinde dulceſcunt. de ocul. 7ª. 188. B
Granati mali ſapores. 8°. de ſimp. med. fac. 5ª. 59. H
Granatum malum adſtringens. 7°. de ſimp. med. fac. 5ª. 59. G
Granata aceroſa ſi inueniunt in ſtomacho humorẽ malum & craſſum, incidũt, & expellũt, & leniũt ventrem, ſi inueniunt mũdum, ſtringunt ventrem.

gunt ventrem.de diß.cont. Sp.75.B
Granatorũ acetoforũ aquæ incidunt,& attenuãt.de diff.con. Sp.72.E
cur Granata parum nutriunt.de diff.cont. Sp.73.E
Granatorum flores sunt cyrrini.8°.de simp.me.fac. 5ª.59.H
Granatorum putamina sunt fica.8°.de simp.me.fac. 5ª.59.H
Granati mali cortex habet diuersum effectum ab alijs adstringẽtibus. 3°.de sim.me.fac. 5ª.20.D
Granati coloris vinum est bonũ nutrimenti.de diff.cont. Sp.73.B
Granata amara.de dyna. Sp.26.E
GRANA *bona logarice.de med.fac.par.* 7ª.176.H
Grana fabæ generant chymum bonũ,& crassum.de diff. con. Sp.74.A
Granũ cnidiũ purgat,acre est,& adurens.7°.de sim.med.fac. 5ª.51.G
ex Grano cnidio oleum solait ventrem.6°.de simp.me fa. 5ª.47.A
Granum Cnidium purgatum.1°.de comp.med.sec.lo. 3ª.207.H
Grana myrti stringunt ventrem cum styptícitate,& ponticitate.de diß solutione continua. Sp.75.B
Grana pini cibus crassus,& cur.de diff.con. Sp.72.H
Granum tintlorium.7°.de simp.me.fac. 5ª.51.H
GRANVM *mensura.2°.de antidotis.* 5ª.120.D
GRANDO *quid.de bißo,phlos.* Sp.7.H
Granda sit pluuia congelata.de vtil.resp. Sp.62.E
de Grandine & glacie insomnium quid significet.in 1ᵐ.de morbis vulgaribus,commen.3°. 3ª.117.H
Grando in somnio significat pituitã.de præsag.ex insom.sum.4ª.213.C
Grando erui magnitudine per sputum ciecta in lõga tussi,cur.4°.de locis affectis. 4ª.28.D
GRANDO *glacialis appellatur ab Aristotele humor crystallinus. de anatomia vinarum.* Sp.48.D
Grandinis glacialis & humorum suorum quod inuamentum in truncis cerebrorum.de ana.vinorum. Sp.44.E
GRANDO *quid sit.de ocul.* 7ª.186.H
Grando palpebræ superioris morbus.de ocul. 7ª.186.H
GRAPHICIDE *os quod.de ossibus.* 1ª.40.H
Graphoides processus, qua.de musc.diff. 1ª.46.D
GRAPHIS *seu leucographis lapis in Aegypto.9°.de simpli. medicamentorum facul.* 5ª.68.E
ad GRATIAM *nihil nec ad actiũ laq solet Gal.c.5°.meth.me.* 7ª.33.E
GRATA *ægris concedenda qua modo intelligendu.in 6ᵐ.de morbis vulga.commen.4°.* 3ª.180.F
Grata melius coquuntur,& nutriũt.in 6ᵐ.de mor.vul.c.4°. 3ª.180.F
GRAVANS *multum dicimus.de mult.* 3ª.79.E
Granatur prompte pars inferna.de curan.ra.per sang.miss. 6ª.17.H
Granat caput eruum.de sinap.med. Sp.85.B
Granatorum & punctorum duorum hominum casus.de mult.3ª.79.E
GRAVEDO *quid.introd.Isa.56.E.in progn.com.2°.* 4ª.202.G
Grauedo morbus longus intrinsecus.introd. Is.56.B
Grauedinis causa.introd. Isa.56.E
Grauedinẽ capitis facunt vina vehementer calida.de vinis.Sp.76.D
Grauedinibus occupat qui biberit aquã pluuialẽ.de bo.aquæ.Sp.75.F
Grauedines quæ tempestate fiunt.com.3°.apb.14°. Ex.22.C
Grauedines fiunt hyeme quando astas fuerit sicca,& autumnus pluuiosus.com.3°.apb.13°. Ex.21.H
Grauedines cur fiunt vere,cùm sit morbus hyemis. commen.3°.apho risma 20°. Ex.24.A
Grauedines quando bonæ,& quando non.in prog.com.2°. 4ª.202.G
Grauedinem capitis tanto minus faciunt vina dulcia,quantũ deficiunt à vehementi calidutate.de vinis. Sp.76.D
Grauedinem,laborem,dolorem,aut martem in synocha significat vrina crocea, & spissa.de dyna. Sp.34.D
in Grauedinibus cur voces raucæ.7°.de vsu par. 1ª.158.F
Grauedines sequitur sternutamentum.in progn.com.2°. 4ª.202.H
in Grauedine quo modo excrementa capitis dispositionem declarant. 3°.de locis affectis. 4ª.16.H
Grauedines,& raucedines in valde senibus coctionem nõ admittunt. commen.2°.apb.40°. Ex.17.H
Grauedinis curatio.introd. Isa.56.E
post Grauedines & raucitates febris illa firmius concoquit. in 6ᵐ.de morb.vulg.com.3°. 3ª.171.E
GRAVEOLENS *omne non est calidum.2°.de simp.med.facul.* 5ª.10.C
Graueolentia vide.3°.de symp.caus. 3ª.30.A
ad Graueolentiam,& beneolentiam reducuntur omnes sapores.4°.de simp.med.facul. 5ª.31.A
Graueolentia stomachum subuertunt.8°.de com.me.sec.loc. 5ª.190.B
Graueolentiæ in symptomatum genere.de symp.diff. 3ª.13.B
Graueolentia est putredinis indicium.in prog.com.1°. 4ª.197.B
Graueolentia necessario sequitur corruptelam excrementorum,mordicatio & inflatio nonnitem.de symp.diff. 3ª.12.E
ad Graueolentiam oris.5°.de comp.me.se.lo. 5ª.166.B
Graueolentiam alarum,& totius corporis sanat scolymos.8°.de sim. medic.facul. 5ª.60.H
quas GRAVIDAS *intelligat Hippocrates, cum inquit* ἐκφόρους. *in 1ᵐ.prorrh.com.3°.* 4ª.180.G
Grauidum est animal omne semen continens.1°.de sem. 1ª.329.A
à Grauidis maxime appetuntur acida,acerba,acria,terra cimolia,testa,& extincti carbones.1°.de symp.cau. 3ª.18.C
Grauidæ lac exiguum est & pravum.1°.de sa.tuen. 2ª.66.B
Grauidæ sanguis deterior est.1°.de sa.tuen. 2ª.66.B
si Grauida supergressa fuerit amphisbænam,abortum facit.de theriaca ad Pisonem. 5ª.93.G
Grauidæ aborsus vt asseratur, ridiculum est docere.10°.de simplicium medicamen.fac. 5ª.72.D
Grauidam,ne deinceps concipiat,ridiculum est docere.10°.de simplicium medicamen.facul. 5ª.72.D
Grauida quando interit necessario.sim.med. Isa.49.F
Grauida, lege Præguans.
GRAVITER *olens vrina quid significet.quæs.in Hipp.* Sp.113.D
Grauiter olẽs vrina puris est particeps.de vrinæ sig.ex Hip. Sp.79.C
Grauitatem seruare debet medicus,vt habeatur tanquam Deus.in 6ᵐ. de mor.vul.com.4°. 3ª.180.G
Grauitas accidit per melancholiam.de ana.vino. Sp.45.F
GRAVITATE *non sunt quærendæ qualitates verum.3°.de simplicium med.facul.* 5ª.17.C
Grauitate terrestri, & spirituali aere admista superiorem purgant vẽtrem,& inferiorem.de catbar. Sp.94.F
Grauitatis cuiusdã sensum percipiũt qdã dolentes.2°.de lo.aff. 4ª.12.F
Grauitas pactiũ significat ibecillitatẽ facultatis.ã prog.c.2°. 4ª.198.F
Grauitas ostendit futuram ægritudinem.ars med. Isa.67.F
Grauitas est signum perspicacissimum multitudinis.de mult. 3ª.77.H
Grauitatem antecedere plenitudini, & grauitatem sequi plenitudinẽ differunt.de mult. 3ª.77.H
Grauitatem sequi plenitudinem,& grauitatem antecedere plenitudinem differunt.de mult. 3ª.77.H
Grauitas quomodo cognoscitur.3°.de diff.puls. 4ª.60.E
à Grauitate cognoscimus sanguinẽ esse causam morbi.d opt.se. Is.22.F
Grauitas quidoq; in mouẽtibus,qñq; in quiescẽtibus.de mul. 3ª.78.B
Grauitas in motu sequitur ad dñium phlegmatis.de ana.viu. Sp.45.E
Grauitatem qui sentiũt,tũ sani fiant.de cur.ra.per sang.miss. 6ª.16.E
Grauitas vnde paralyticis.de mult. 3ª.77.H
Grauitatem capitis superius,obturationem ꝛ, aurium, & narium, inferius vero venum dolorem significat vrina superius subnigra,& plena,inferius claritatem habens.de dyna. Sp.35.D
Grauitatem capitis in fœmina ostẽdit vrina asserica.de dyu. Sp.35.D
Grauitati capitis, quæ est in posteriore parte, confert sectio venæ frõtis.de anato.viuo. Sp.55.A
Grauitati oculorum confert sectio venæ frontis.de ana.viuo. Sp.55.A
Grauitati linguæ confert sectio venarũ sub lingua.de ana.vi.Sp.55.B
Grauitas in pleuritide quo modo fiat.de victus ratione in morbis acutis,commentario 2°. 7ª.117.G
Grauitatis sensus circa pulmonem & sinistrum latus fit luna in coitu Etione solis,saturno in tetragono.d decu.pg. ex math. scie.Sp.13.A
Grauitas sada sentiũ in peripneumonia,et nõ dolor.de vti.resp.Sp.63.E
Grauitatem ex tumoribus præter naturam vnde sentiãt hepar, renes, & pulmo.2°.de loc.af. 4ª.9.B
Grauitas vulvæ ob pituitam.de dyn. Sp.19.G
Grauitates alleuiare potest cucurbitula.de cucur.scar. 6ª.3.F
Grauitate aliqua corporis pmanẽte catharticis vtimur.d dy.Sp.20.E
ex Grauitate,& male dolor quo modo sanetur.12°.meth.me.7ª.79.G
GRAVES *quid faciat.quòd animi mores.* 1ª.320.D
Graue sequitur, & leue præcedit in euacuationibus quæ fiunt per instrumenta attractoria in corpore.7°.de vsu par. 1ª.159.F
Gravia habent terram substantiam.9°.de simp.me.fac. 5ª.66.C
Grauia per inferiores meatus excernuntur.9°.de vsu par. 1ª.171.D
Grauis Ambulatio est concepto ia phlegmatis hora.de dy. Sp.37.C
Grauis Auditus remedium.de dyn. Sp.25.B

Grauis Aqua quæ dicatur.com.5°.aph.26°. *Ex.39.H*
Grauis dolor eſt ſpecies doloris.comp.6°.aph.5°. *Ex.46.H*
Graues dolores quid ſignificent.2°.de comp.med.ſec.loc. 5ª.127.C
Grauis,triſtis,& doloriſicus ſenſus idem.1°.de ſymp.cau. 3ª.16.H
Grauem marcorem facit mandragora.de ſimp.med. *Sp.87.C*
Graues Palpebras hz conceptus in hora phlegmatis.de ſper. *Sp.37.C*
Grauem Pulſum ſpiſſum & ſordidũ hz homotonus.de dyna. *Sp.34.C*
Grauiſſimus Sermo quibus.de aere,aq.& loc. 2ª.5.A
Grauia ſupercilia ſunt edito homini,ſi ſperma conceptum ſit a muliere in tribus horis ſanguinis.de ſpermate. *Sp.37.B*
Graues,& plenæ ſunt Venæ temporũ edito homini,ſi ſperma cõceptũ ſit a muliere in tribus horis ſanguinis.de ſpermate. *Sp.37.B*
Grauis vox cur fiat.de voce & anhel. *Sp.61.D*
Grauis vox eſt edito homini,ſi conceptum fuerit ſperma a muliere in tribus ſanguinis horis.de ſpermate. *Sp.37.B*
Grauis vox adeſt conceptis in hora phlegmatis.de ſpermate. *Sp.37.C*
Grauiſſima vox vnde prouenit.de aere,aq.& loc. 2ª.5.A
GRAVITER *dormit conceptus in hora phlegmatis.de ſper.* *Sp.37.C*
GRESSIBILIA ſunt multo humidiora volucribus.14°.de vſu partium. 1ª.206.D
Greſſilium teſtes coctu difficiles.3°.de alim fac. 2ª.27.A
in Greſſilibus aliqbus vbi ſcindat vena caua.6°.& dec.Hip. 1ª.263.F
Greſſibile bipes differentia hominis.1°.met.me. 7ª.4.C
IPIΦON *quid.in* 1ᵐ.*pror.com.3°.* 4ª.180.B
GRIPHOMELI *dolores,qui.in* 1ᵐ.*pror.com.3°.* 4ª.180.B
GRONGI *in arboribus,qui.in* 6ᵐ.*de mor.vul.com.3°.* 3ª.172.G
GROSSERIVM. *de dynamidys.* *Sp.28.H*
GROSSI *quales.8°.de ſimp.med.ſa.* 5ª.61.F
Groſſi aere ſunt.8°.de ſimp.med.fac. 5ª.57.B
Groſſi coctli duros tumores diſcutiunt,crudi myrmecias, & Thymos ejiciunt.8°.de ſimp.med.fac. 5ª.57.B
GRVMI *ceræ modo.4°.de comp med.fac.* 5ª.239.C
Grumo ſimilia in abſceſſibus inueniuntur.de tum.præter nat. 3ª.83.G
Grumi quo modo efficiantur.1°.de loc.aff. 4ª.3.B
in Grumos tranſit quandoque ſanguis ex venis in aliquam cauitatem exiens.com.6°.aph.29°. *Ex.48.C*
Grumos ſi quis minxerit veſicam male ſe habere ſignificant.com.7°. aphoriſmo.39°. *Ex.57.A*
Grumi in vrina ſignificant inſtrumentorum vrinæ deſeruientium laborem,vel veſicæ vlcus.com.4°.aph.80°. *Ex.37.H*
Grumos,& ſanguinem ſi meiat,ſtrãguriaq; affligatur dolorq; ad perinæũ,ac epigaſtriũ incidat,ſignificat circa veſicã eſſe ægritudinem. de vrinæ ſign.ex Hipp. *Sp.78.H*
Grumi in veſica vel in inteſtinis quid faciant.6°.de loc.aff. 4ª.39.A
Grumus ſanguinis vrinam ſupprimit.6°.de loc.aff. 4ª.39.A
Grumi quo modo cognoſcant vrinã ſupprimere.6°.de lo.aff. 4ª.39.A
Grumũ adeſſe in veſica quo argumẽto deprehẽdat.6°.de lo.af. 4ª.39.A
Grumi in veſicæ meatu ſymptomata.6°.de loc.aff. 4ª.39.A
ex Grumis in veſica omnes ferè moriuntur.6°.de loc.aff. 4ª.39.A
Grumos ſanguinis liquare,ac ſoluere creditur amaranthum.6ᵐ.de ſimplicium med.fac. 5ª.42.E
ad Grumos valet oxymeli.6°.de loc.affect. 4ª.39.A
quibus GRVMOSÆ *vrinæ craſſæ,paucæ,copia,ex his tenuis aduenientes prodeſt.de vrinæ ſign.ex Hipp.* *Sp.78.G*
Grumoſa conſiſtentia in intermedijs muſculorum nata per halitum digerit pyrites lapis.9°.de ſimp.med.fac. 5ª.67.F
GRVES *cuitant frigus.de venæ ſect.aduer.eraſ* 6ª.7.D
Grues cur hũt roſtrũ magnũ & collũ lõgius.11°.de vſu par. 1ª.187.D
Grues cur clangorem edunt.7°.de vſu par. 1ª.158.F
inter Grues & anſeres turdorum caro media.3°.de alim.fac. 2ª.29.E
Gruum caro tota fibroſa & dura.3°.de alim.fac. 2ª.29.E
Gruum caro mortificatur & maceratur antequam comedatur.3°.de alimentorum facul. 2ª.29.E
Gruis cerebrum.8°.de comp.med.ſec.lo. 5ª.204.G
Gruis capitis petræ.de dynam. *Sp.30.G*
Gubernantur inferiora a ſuperioribus.de ſpermate. *Sp.40.A*
Gubernantur ſuperiora virtute Dei.de ſpermate. *Sp.40.B*
Gubernantur elementa a ſignis & planetis.de ſpermate. *Sp.40.B*
Gubernare ex libro prouerbium.3°.de comp.me.perge. 5ª.231.F
GVBERNATORES *ac iudices munus ſuum obituros a vino penitus abſtinere iubebat lex Chartaginenſium.& animi mo.* 1ª.320.H
Gubernatores his quæ tractant non ſibi vtilitates comparant.9°.de decr.Hip. 1ª.281.G
Gubernatori nauis medicus comparatur.in prog.com.1°. 4ª.189.D
Gubernatoria ars coniecturalis.introd. *If.51.F*
GVLA quid de anat.viu. *Sp.49.F*
Gula quæ pars ſit ſecundum antiquos.5°.de loc.aff. 4ª.32.A
Gulę,& duodeni differentia.de anat.viu. *Sp.50.C*
Gulã eſſe viã quæ tranſit ad ſtomachũ,colligę.c.2°.aph.17°. *Ex.13.B*
de Gulæ anatomia.de anat.viu. *Sp.49.F*
Gulæ & tunicarum diſſectio.3°.de nat.fac. 1ª.305.B
Gula quot panniculis cõponatur,& quibus villis.de ana.vi. *Sp.49.F*
Gula habet magis de villis longitudinalibus & latitudinalibus,quam de alijs.de anat.viuo. *Sp.56.A*
Gulæ duæ ſunt tunicæ.5°.de loc.aff. 4ª.32.A
Gulæ tunica interna cur habeat rectas fibras externas tranſuerſas.3°. de natura.fac. 1ª.304.H
Gulæ ventriculo,linguæ,palato,& toti ori tunica cõmunis eſt.in 3g. commenta.3°. 4ª.210.G
Gula minus neruoſa eſt,quam os ſtomachi.de ana.viu. *Sp.49.F*
Gula ſentit.5°.de locis aff. 4ª.32.C
Gula ſpinæ incumbit.5°.de loc.aff. 4ª.32.D
añ Gulæ os ſunt duæ amygdalæ quaſi duæ auriculæ.de an.vi. *Sp.49.F*
Gula vſq; ad quartũ ſpondylum pectoris tendit.de ana.viu. *Sp.49.F*
℔ Gula cataplaſma ſpinæ dorſi ſuperponitur.13°.met.med. 7ª.84.G
Gula coniungitur pulmoni.de natura & ord.cuiusl.cor. *Sp.42.A*
Gulam irrigant glandulæ.2°.de ſemine. 1ª.340.E
Gulæ duplex vſus & qui.5°.de loc.aff. 4ª.32.A
Gula,os,venter,alimenti & humidi & ſicci principium eſt.2°.de decretis Hipp. 1ª.240.F
℔ Gulam trahit venter veluti manus.3°.de nat.fac. 1ª.305.A
Gulla & collo ſuo vtitur vterus tanq; manu.1°.de ſem. 1ª.329.H
Gula impletur ſpiritu,qui cum cibis deglutitur.3°.de na.ſa. 1ª.305.B
in Gulam recipitur oris excrementum.6°.de ſa.tu. 2ª.98.E
de Gulæ paſſionibus.de dyn. *Sp.25.G*
Gula patitur ex humiditate cerebri.com.6°.aph.2°. *Ex.46.E*
Gulæ imbecillitas quo modo cognoſcatur.5°.de loc.aff. 4ª.32.C
Gulæ imbecillitas ſine tumore.5°.de loc.aff. 4ª.32.C
Gulæ imbecillitas cum tumore vnde.5°.de loc.aff. 4ª.32.C
Gulæ anguſtia quomodo cognoſcatur.5°.de loc.aff. 4ª.32.C
Gula plena ſingultum facit.com.7°.aph.3°. *Ex.54.B*
e Gula,& ventriculo ſeruntur quæ vomimus.c.7°.a.37°. *Ex.56.H*
ex Gula,& ventriculo ramenta vomitu ejiciũtur.4°.& lo.af. 4ª.25.F
a Gula ſanguis ejcitur vomitione.4°.de loc.aff. 4ª.25.F
Gulæ partes quomodo ſe habent in vomitu.3°.de na.ſa. 1ª.304.G
Gulam vellicant acria,& ſalſa.5°.de loc.aff. 4ª.32.D
Gulam adſtringunt acida,& acerba.5°.de loc.aff. 4ª.32.D
ad Gulæ dolorem.7°.de comp.med.ſec.loc. 5ª.180.D
in Gula aperta vena non ſentitur dolor.5°.de loc.aff. 4ª.32.D
Gulæ tumor cum inflammatione vnde.5°.de loc.aff. 4ª.32.D
Gula inflammata quo modo vocem vitiat.4°.de lo.af. 4ª.26.D
Gulæ præiacentium muſculorum inflammatio,facit peruerti collum, vt vix poſſit deuorare.com.4°.aph.35°. *Ex.31.F*
Gula & eius muſculi habent quandã ſocietatẽ per neruos & ligamenta ſpinalem medullã, & membranas ipſis adiacentes & oſſa vertebrarũ, quæ extrinſecus adiacent.cõ.4°.aph.35°. *Ex.31.F*
Gulæ inflammatio mortifera eſt.in 6ᵐ.*de mor.vul.c.2°.* 3ª.162.H
in Gula abſceſſus incoctus qũo eſſe deprehendatur.5°.& lo.af. 4ª.32.D
de Gulæ abſceſſu caſus.5°.de loc.af. 4ª.32.D
ex Gulæ abſceſſu periere multi.5°.de loc.aff. 4ª.32.D
ex Gula affecta angina qualis.5°.de loc.aff. 4ª.32.B
in Gula an ſit vlcus experimentũ ex aceto,et ſinapi.5°.me.m.7°. 4ª.34.F
Gulæ vel ventriculi vlcerationem oſtendit ephelcis,ſi vomitione excernatur.1°.de loc.aff. 4ª.2.F
Gula vlcerata quo modo curanda.4°.met.me. 4ª.28.G
in Gula qũ eſt vlcus,quæ admiſcẽda medicamẽtis.4°.me.m.7°. 4ª.29.A
GVLAE *quid deditus eſt,non eſt induſtrius.ſi quis opt.med.* *Ifa.6.F*
Gulæ dediti nõ iuuãtur euacuationibus.& cur.rat.per ſan.miſſ.6°. 4ª.17.F
Guloſi habent iecur magnum,& multifidum.6°.de ana.adm. 1ª.92.D
Guloſi animalibus venter in os rapitur.3°.de nat.fac. 1ª.304.H
GVMMAE ceratę *per aures expelluntur.de comp.memb.ſiue de natura humana.* *Sp.59.B*
Gummi liquor acrimoniæ expers.4°.de comp.me.ſe.loc. 5ª.149.H
Gummi quale ſit.7°.de ſimpl.medicamen.fac 52.B/7°.de compoſitio.

medicamento.secun.locos. 5ª.184.B
*Gummi Album.*5°.*de comp.med.sec.loc.* 5ª.160.E
Gummi Arabicum quale sit.de ocul. 7ª.188.G
Gummi arabicum viscosum & humidum est.de ocul. 7ª.189.B
*Gummi arborum emplasticum.*7°.*de simp.med.fa.* 5ª.52.B
Gummi de Babylonia meminit.de dyna. Sp.28.B
*Gummi Seraforum, quale.*7°.*de simp.med.fa.* 5ª.50.H
Gummi Cypressi maturat.de ocul. 7ª.188.E
Gummi Hederæ.de dynamidijs. Sp.25.F
Gummi Saraceni.de dynam. Sp.27.B
*Gummi Thebaicum.*4°.*de comp.me.se.lo.*156.A/7ª.181.D/5ª.184.C
*Gummi asperitatibus medetur.*7°.*de simp.me.fac.* 5ª.52.B
Gummi Theriacam ingreditur.de ther.ad Pis. 5ª.92.F
*Gummi quomodo administretur.*1°.*de antidotis.* 5ª.107.E
Gummi oculis conuenit.de ocul. 7ª.188.G
*Gũmi admiscẽdũ medicamẽtis qñ vlcus est ĩ gula.*4°.*me.m.* 7ª.29.A
*Gummi in principijs inflammationum arteriæ leuissimum.*6°.*de comp. med.sec.loc.* 5ª.177.H
*Gummi prunorum lapides confringit.*7°.*de simp.med.fac.* 5ª.51.G
Gummi nigra pars.de remed.par.fac. 7ª.165.G
Gummi electarium.de med.exper. Sp.108.D
*GVRGVLIO quid sit.*6°.*de comp.med.sec.lo.* 5ª.172.E
Gurgulionis officia.introd. Isa.54.A
Gurgulionis capiti præstatur qualitas gustabilis.de compag.memb.siue de natura humana. Sp.58.D
de Gurgulionis vitijs curandis.de med.par.fa. 7ª.165.E
*è Gurgulione sanguis ejicitur screatu.*4°.*de loc.aff.* 4ª.25.F
*a Gurgulione sanguis qñque tussiendo expellitur.*4°.*de lo.aff.*4ª.25.F
Gurgulione, vel palato fluente per nares derivatio facienda, & quibus.de cucurb.scarif. 6ª.4.E
*ad Gurgulliones inflãmatas Archigenis.*6°.*de cõp.me.se.lo.* 5ª.173.D
Gurgulio retrahitur.in 3ᵐ.*de mor.vul.com.* 2°. 3ª.135.E
*Gurgulio quando secundus.in progn.com.*3°. 4ª.209.E
Gurgulionis interitus exemplum.de diff.mor. 3ª.4.H
GVSTABILIVM *qualitatũ propria hẽmus noia.*2°.*de lo.aff.* 4ª.12.E
Gustabilem qualitatẽ quare præ omnibus lingua sentiat. de compag. memb.siue de nat.hum. Sp.58.D
Gustabilis qualitas cur sit frigida & humida. de compag.memb.siue de nat.hum. Sp.58.D
Gustabilis qualitas quibus partibus præstatur.de compag.memb.siue de natura humana. Sp.58.D
*Gustabilis differentiæ quot sint.*1°.*de simp.med.fac.* 5ª.8.G
*cũ Gustabilibus hñt proportionem odorabilia.*1°.*d symp.cau.*3ª.17.E
in Gustabilibus qualitatibus laborantes ipsi symptomata conijciant. de symptoma.differen. 3ª.13.C
GVSTANDI *facultas.*1°.*de simp.med.fa.* 5ª.8.G
*Gustãdi facultas sæpius læditur, quàm tãgendi.*4°.*de lo.aff.* 4ª.22.G
Gustandi instrumentum, quale.de instr.odor. 1ª.110.F
*fm Gustandi qualitatem nominatur vinum dulce, austerum, & acre. de vict.rat.in mor.acu.com.*3°. 7ª.125.G
Gustando indicat quæ intus habet lingua affecta, imputatq; sensibilib. 1°.*de sympt.caus.* 3ª.15.H
*Gustandi symptomatum morbi vbi consistant.*1°.*d symp.cau.*3ª.15.G
Gustare non potens, idem quod fastidiosus cibi. in 1ᵐ.*de morb.vulga. commenta.*1°. 3ª.133.B
*Gustare relinquimus p odoratũ sentiẽtes.*4°.*de simp.me.fa.* 5ª.30.H
*Gustare confuse visui, & auditui vitioso comparatur.*1°.*de symptoma tum causis.* 3ª.15.G
*Gustare vitiose quomodo comparetur oculis cum aliorum sensuum vi tijs.*1ᶜ.*de symp.cau.* 3ª.15.G
*Gustat, & tangit idem nervus in lingua.*4°.*de loc.aff.* 4ª.22.G/H
GVSTATORII *nervi vbi.*9°.*de vsu par.* 1ª.173.E
Gustatoria nervorum coniugatio quæ.de ner.diss. 1ª.53.F
GVSTATVS *secundo adiungitur, cum natura incedit a plantis ad animal.*2°.*de sem.* 1ª.339.G
Gustatus instrumentum lingua.instr.odor. 1ª.100.E
in GVSTATRICE *facultate symptoma in arquatis amarorem sensibi libus imputare.*1°.*de symp.cau.* 3ª.15.H
GVSTVS *quid significat.de instr.odor.* 1ª.110.B
*Gustus quid.fin.med.Isa.*45.G/*de hist.phil.* Sp.9.H
Gustus qualis sensus sit.de ocul. 7ª.184.F
*Gustui sensus propriè modum similis est odori sensus.*4°.*de simp.med. facultatibus.* 5ª.30.H
*Gustus & odoratus in odore suauissimo, vt roſę, dissentiunt.*4°.*de simplic.med.facul.* 5ª.31.C
*cum Gustu cognati generis est odoratus.*1°.*de sympt.cau.* 3ª.17.C
*Gustus humidus naturæ sensus est.*1°.*de symp.cau.* 3ª.17.C
Gustum dant nerui molles.introd. Is.54.A
*Gustum, & tactum dant nerui linguæ a tertia coniugatione.*4°.*de locis affectis.* 4ª.22.G
Gustus fit in pelliculis.de vtil.resp. Sp.63.D
Gustus quo modo fiat.de hist.philo. Sp.9.F
Gustus instrumentum cur ex humidiori corporis substantia. de instrumento odoratus. 1ª.110.E
*Gustus instrumentum humidum.*7°.*de decr.Hipp.* 1.271.F
*Gustus sensoria, quæ.*1°.*de simp.med.fa.* 5ª.9.A
*Gustus proprium sensibile succus.*7°.*de decr.Hipp.* 1ª.271.A
*Gustus qualitates, quæ.de na.hu.com.*1°. 1ª.28.H
*in Gustu delectatio, & dolor euidentia, deinde in odoratu, postea in auditu.*1°.*de symp.cau.* 3ª.16.F
Gustus quid primo sentiat, & quid secundo.de ocul. 7ª.185.A
*Gustus primo sapores cognoscit, deinde id quod sapores in se habet. vt visus primo colorem, deinde coloratum corpus.*7°.*& decr.*1ª.271.G
*in Gustu & odoratu quo modo delectamur.*1°.*de symp.cau.* 3ª.17.E
*in Gustu gratissima dulcia & pinguia.*1°.*de symp.cau.* 3ª.17.D
*Gustui dulcia sunt cognata.*1°.*de symp.cau.* 3ª.17.F
pp Gustũ ptermittere qd inuatinũ, ingenerosum est.& cu.ict. Sp.111.A
*Gustum, & odoratum mouent acria, vt allia, & cæpe.*4°.*de simpliciũ medicamen.facul.* 5ª.30.H
Gustum, & odoratum mouet acetum 4°.*de simp.med.fac.* 5ª.30.H
Gustu differunt aquæ.de aere, aq.& loc. 2ª.3.C
*ad Gustum aquosa nullam habent insignem facultatem.*2°.*de alimentorum facultatibus.* 2ª.25.B
*Gustus indiget exacto iudicio.*4°.*de loc.aff.* 4ª.22.G
*Gustu cognoscimus fruges esse calidas, & frigidas.*1°.*& ali.f.*2ª.13.A
Gustus docet discernere cibos attenuantes.de atten.vict. 2ª.43.G
Gustu, & olfactu experiendi pisces.de bon.& vitio succ. 2ª.37.H
*Gustus qũo iudicet de fermento, & sale in pane.*1°.*de ali.fa.* 2ª.10.F
*ex Gustu quale sit oleum potest deprehendi.*3°.*de san.tu.* 2ª.79.B
*Gustu primo probandæ plãtæ, deinde comedendæ.*2°.*de ali.fa.*2ª.24.E
*Gustu iudicat de simplicibus.*9°.*de simp.me.fa.*64.D/ 5ª.66.C
*ex Gustu inuenit facultatem simplicium.*9°.*de simp.me.fa.* 5ª.68.D
*ex Gustu probat lapides.*9°.*de simp.med.fac.* 5ª.68.D
*ex Gustu probat qualitates medicamẽtorũ.*6°.*de simp.me.fa.*5ª.49.C
*ex Gustu vsum medicamẽtorũ cognoscimus.*6°.*de cõp.m.s.l.* 5ª.169.F
Gustu quæ medicamenta cognoscamus. de ther.ad Pis. 5ª.90.E
*Gustu, & odor docent quæ sint aromata.*2°.*de alim.fac.* 2ª.19.B
*ex Gustu temperiem quærit Galenus.*6°.*de simp.med.fa.* 5ª.40.C
*ex Gustu non potest dari iudicium de rerum qualitatibus.*4°.*de simp. med.fac.* 5ª.31.B/D
*Gustus adstringentia iudicat.*8°.*met.me.* 7ª.51.A
*in Gustu, & tactu acerbum.*3°.*de diff.morb.* 4ª.62.H
ex Gustu quomodo inuenienda vim incidendi, & attenuandi habẽtia. de attenuante victus rat. 2ª.44.B
*Gustus castorei videtur humanæ naturæ aduersissimus.*11°.*de simpli. medicamen.fac.* 5ª.80.C
Gustu proprio probare de uita aconitum, thapsiam, crificium de simp. medicamentis. Sp.83.H
*Gustu, & olfactu simplex excellens est validius.*1°.*de anti.* 5ª.100.E
*Gustus, & odor adiuuant experientiam.*4°.*de simp.med.fa.* 5ª.31.D
ex Gustu signa futura ægritudinis.ars med. Is.67.G
*Gustus a quibus lædatur.*1°.*de symp.cau.* 5ª.16.H
Gustus quoque, vt alij sensus, dolet a maximis sensibilibus. de symptomatum differentijs. 3ª.11.E
*Gustus symptomata nihil sentire, & non legitime sentire.*1°.*de symptomatum causis.* 3ª.15.G
*Gustus instrumentum quo modo diuellatur quatenus tactus, & quatenus gustus.*1°.*de symp.cau.* 3ª.16.H
*Gustũ & tactũ seruat lingua, tñ fit paralytica.*4°.*de loc.aff.* 4ª.22.G
Gustus instrumentũ laborãs reficit theriaca.de ther.ad Pis. 5ª.96.A
*GVTTAE cauantis lapidem exempla.*1°.*de loc.aff.* 4ª.4.E
*a Guttula lapis lõgo tpe ictus cauitatẽ cõtraxit.*3°.*d sym.ca.* 3ª.26.F
*Guttæ excauantis lapidem ad humores crudos comparatio.comm.*2°. *aphorismo.*52°. Ex.19.D

GVTTA *ex reumate ſicco naſcitur homini concepto in bilis horis. de ſperm.* Sp.37.C
ad Guttam vnguenta. de dyna. Sp.31.D
ad Guttam emplaſtrum. de dyna. Sp.31.D
ad Guttam probatiſſimum experimentum. de dyna. Sp.35.H
GVTTA *Ammoniaci idem poteſt quod propolis. 7°. de comp. med. per genera.* 5ª.264.B
Gutta ammoniaci emollit. 6°. de comp. med. per ge. 5ª.258.A
Gutta ammoniaci valentiſſime emollit. 7°. de cõp. me. per ge. 5ª.264.C
Gutta ammoniaci purgata. 7°. de comp. me. per ge. 5ª.271.E
Gutta ammoniaci liquatur aqua, aceto, & vino. 3°. de compoſi. medic. per genera. 5ª.233.F
ex Gutta ammoniaci, & oleo ricino medicamentum, quale. 6°. de compoſi. med. per gen. 5ª.258.A
GVTTA *prima ſaponarij eſt miſtra ſaponis. de dyn.* Sp.23.A
GVTTVR λάρυγγα *vocant. 3°. de ſan. tu.* 2ª.77.B
Guttur eſt velut caput aſperæ arteriæ. com. 4°. aph. 34°. Ex.31.B
Guttur facit ventriculi interna tunica. de victus rat. in morbis acutis, commentario. 3°. 7ª.127.G
Gutturis compoſitio. 7°. de vſu par. 1ª.157.C/*de anat. viu.* Sp.53.D
Guttur tribus chartilaginibus conſtat, quæ a multis mouentur muſculis. 2°. de decr. Hipp. 1ª.236.D
Gutlur cur ex chartilaginibus. intro. Iſa.54.C
Gutturis anuli cur ſint intus concaui. de anat. viu. Sp.53.D
Guttur cooperitur a lingula in deglutiendo. intro. Iſa.54.C
a Guttur ambiente oſſe muſculus exortus qd faciat. & muſ. diſ. 1ª.45.C
in Gutture oſſiculum. de oſſ. 1ª.43.G
de Gutturis proprijs muſculis, qui ſunt duo, vnde oriantur, & finiant. de muſc. diſſ. 1ª.46.E
Gutturis muſculorum conſideratio. 7°. de vſu par. 1ª.160.G
Guttur qui muſculi claudunt. de muſc. diſſ. 1ª.46.C
Gutturis capiti incumbens os qũo vocatur. de muſc. diſſ. 1ª.46.D
Gutturis muſculus q mouetur dũ vos ediĩ vbi ſit. de muſ. diſſ. 1ª.46.G
ob Gutturis muſculos qui obmuteſcunt. 4°. de loc. aff. 4ª.26.B
Gutturis venæ anguſtæ. de vict. ra. in mor. acu. com. 4°. 7ª.138.F
Gutturis venæ ſtrictiores q̃ fauciũ. & vic. ra. ĩ mor. acu. c. 4°. 7ª.138.F
Guttur cum ore, naribus, & pulmone principium ſpiritus. 2°. de decretis Hippocratis. 1ª.240.F
Guttur quo modo ſpiritum non recipiat. 3°. de loc. aff. 4ª.14.F
Guttur primũ ac propriũ vocis inſtrumentũ. 2°. & decr. Hipp. 1ª.236.C
Guttur proprium vocis inſtrumentum. 2°. de dec. Hip. 1ª.236.F
a Gutture quo modo procedit vox. 2°. de decr. Hipp. 1ª.237.D
de Gutturis motu in deglutiendo. de mot. man. & obſc. Sp.69.H
an Gutturis nodus tres habeat partes & quæ ſint. de motibus manifeſtis & obſcuris. Sp.70.B
an in Gutturis nodi motu ſit inſtrumentum quod agat. de motibus manifeſtis & obſcuris. Sp.70.B
Gutturis nodus quomodo eleuetur. de mot. man. & obſc. Sp.70.H
Gutturis nodi attractio, & retentio vnde ſit. de mot. man. Sp.70.F
in Gutture voluptatem faciunt maximam dulcia. de vict. rat. in mor. acu. com. 3°. 7ª.127.G
Guttur habet voluptatẽ dulcedinis. & vic. ra. in mor. ac. c. 3°. 7ª.127.G
Gutturis nerui recurrentes, qui. 1°. de loc. aff. 4ª.6.H
℔ *Guttur cum tuſſi expurgantur contenta in cauitatibus pectoris. ars medicinalis.* Iſ.71.E
Gutturis reiectiones ſanguinis ſanans antidotus. 2°. de anti. 5ª.113.C
Gutur occluſum quibus aperiatur. 5°. de ſimp. med. fac. 5ª.35.G
Guttur hominis concepti in horis bilis ſemper amarum eſt, et ſiccum. de ſperm. Sp.37.C
Guttur ſæpe dolet edito homini, ſi conceptum ſperma ſit a muliere in tribus horis ſanguinis. de ſperm. Sp.37.B
Guttur patitur ab humiditate cerebri. com. 6°. aph. 2°. Ex.46.E
ad Guttur fluxio acris quid faciat. 6°. de ſan. tuen. 2ª.98.E
ad Gutturis fluxionem. de med. fac. par. 7ª.179.C
Guttur quo modo contrahatur, quando quis non poteſt deuorare. com. 7°. aph. 60°. Ex.59.E
in Gutturis angina quæ vena ſecãda. de curã. rat. ℔ ſang. miſ. 6ª. 20.G
Gutturis inflãmatio facit anguſtiã anhelitus. cõ. 4°. aph. 34°. Ex.31.B
Gutturis inflãmatio mortifera eſt. in 6ᵐ. de mor. vulg. c. 2°. 3ª.162.H
ad Gutturis phlegmonas ſtercus caninum. 10°. de ſimp. me. f. 5ª.76.A
Gutturi ſoli ineſt repente ſtrangulari. com. 4°. aph. 34°. Ex.31.C
Guttur ſi ingrediuntur cibus & potus, ſtrangulationes, & tuſſes excitantur. intro. Iſ.44.C
Gutturis ſiccitas & humiditas quo modo ſtrangulationem cauſent. cõmen. 4°. aph. 34°. Ex.31.E
Gutturis aſperitates ex quibus cauſis proueniant. de cau. mor. 3ª.9.C
ob Gutturis aſperitatem tuſſientibus conuenit bugloſſum decoctum in melicrato. 6°. de ſimp. med. fac. 5ª.45.B
Gutturis ſupremũ quibus exaſperatũ eſt aut ex vociferatione, aut ex humorũ acrimonia, ijs conuenit ouum. 11°. de ſimp. me. fa. 5ª.81.F
ad Gutturis aſperitudines. 7°. de comp. med. ſec. lo. 5ª.179.F
ad Gutturis affectus valent hirundines vſtæ. 11°. de ſimp. m. f. 5ª.82.B
ad Gutturis tumores. 3°. de comp. med. per ge. 5ª.235.C
Gutture perforato aer exufflat. an. ſang. in art. nat. cont. 1ª.60.E
Guttur voce ablata ſpiritum adhuc habet. 1°. de loc. aff. 4ª.6.G
de Gutture quo modo ſpina extrahatur. ſecret. Sp.97.H
ex Gutture qũo diſcutienda oſſa deuorata. de remed. par. fa. 7ª.165.D
ex Gutture qũo hirudines eijci poſſint. de remed. par. fac. 7ª.165.D
GVTTVROSI *qui ſint, & qũo fiant. de arti. com. 3°.* 7ª.269.E

GYMNASIVM *quid ſignificet. 2°. de ſanita te tuen.* 2ª.69.E
Gymnaſium minus commune quàm exercitium. de ſal. dieta. 2ª.40.A
Gymnaſijs qui præeſt, gymnaſtes dicendus. 2°. de ſan. tuen. 2ª.74.H
Gymnaſia quæ faciunt ſpiritum acutum ſpleniticis. 1°. de comp. medic. ſecun. locos. 5ª.199.F
GYMNASTÆ *nomen non extabat apud Homerum ad Thraſybulum.* 2ª.107.B
Gymnaſtam non appellat Plato, ſed pedotribã. ad Thra. 2ª.107.B
Gymnaſtes dicitur qui gymnaſijs præeſt. 2°. de ſan. tu. 2ª.74.H
Gymnaſtæ miniſter pedotriba. 2°. de ſan. tu. 2ª.75.F
Gymnaſta a palæſtrita longe differt. ad Thraſ. 2ª.108.F
Gymnaſtes dicitur qui tantum ad exercitationes pertinentia callet. 1°. de ſanitate tuenda. 2ª.68.G
Gymnaſtarum, & medicorum differentiæ. 3°. de ſan. tu. 2ª.76.D
Gymnaſtes quid ſciat. de motibus. 2°. de ſan. tu. 2ª.75.D
Gymnaſtes quos motus ignoret, & quid ſciat. 2°. de ſan. tu. 2ª.75.E
Gymnaſtarum ars quando cœpit. ad Thraſ. 2ª.107.B
Gymnaſtarum omnium conſenſu exercitationes acutę extenuant. 6°. de ſanitate tuenda. 7ª.69.A
Gymnaſtæ optimi interponunt ſpiritus cohibitionem inter ipſam exercitationem. 3°. de ſan. tuen. 2ª.77.E
Gymnaſtes ignarus ppriæ cuiuſq; artis materiæ. 2°. de ſan. tu. 2ª.75.G
Gymnaſtæ & palæſtritæ calidi ob vitæ inſtitutum. in 1ᵐ. de mor. vulg. commen. 1°. 3ª.105.A
Gymnaſtis quod bonum eſt ad ſanitatẽ, luctatoria adipiſcitur. ad Thra ſybulum. 2ª.109.B
GYMNASTICA *habet nomen a materia. ad Thraſ.* 2ª.108.F
Gymnaſticę nomen non reperitur frequenter apud Platonem. ad Thra ſybulum. 2ª.107.B
Gymnaſtica, quæ. ad Thraſ. 2ª.108.E
Gymnaſticę eſt ſanorum. ad Thra. 2ª.108.A
Gymnaſtica medicæ artis pars. de part. artis med. Sp.17.D
Gymnaſtica quæ medicinæ pars. ad Thra. 2ª.109.B
Gymnaſtica pars eſt ars corporis. ad Thra. 107.D/ 2ª.108.A
Gymnaſticæ legitimi auctores, qui. ad Thra. 2ª.107.H
Gymnaſticæ legitimæ verus auctor Hippocrates. ad Thr. 2ª.108.E
Gymnaſticæ finis. ad Thra. 102.G/ 2ª.107.F
Gymnaſtica quid faciat circa ſanitatem. ad Thra. 2ª.107.G
de Gymnaſticis. de ſal. dieta. 2ª.42.F
de Gymnaſticis librũ fecit Theon Gymnaſtes. 2°. de ſan. tu. 2ª.70.F
Gymnaſticæ miniſter pædotriba. ad Thra. 2ª.109.A
ad Gymnaſticũ an ad medicũ ptineat pars ſalubris. ad Thra. 2ª.106.G
Gymnaſti corum ſanguis qui. de atra bile. 1ª.35.C
Gymnaſticorum collum in tumorem eleuatũ. 4°. de ana. adm. 1ª.82.F
in Gymnaſticis muſculi carnoſi. 5°. de ana. adm. 1ª.85.A
in Gymnaſticis muſculus apparens. 1°. de anat. adm. 1ª.68.A
cõtra Gymnaſtas ſui temporis Galenus inuehitur. ad Thra. 2ª.109.C
Γυμνόκριθον *hordeum crudum. 1°. de alim. fac.* 2ª.11.A
GYNECOMASTHON quid. ſin. med. Iſ.49.B
GYON, hoc eſt corpus. in 6ᵐ. de mor. vul. com. 4°. 3ª.187.B
GYPSATA dolia vina ſyncera diutius ſeruant. in 6ᵐ. de mor. vulg. commen. 4°. 3ª.183.A
GYPSVM *quid. de ſimp. med.* Sp.84.H
Gypſum eſt facultatis emplaſticæ. 9°. de ſimp. me. fa. 5ª.68.H

ex Gypso emplastica pro sangu'ne sistendo. 5°.met.me. 7ª.30.G
Gypsum ad sanguinis eruptionem accõmodatur,& ad ophtalmias vti le est.9°.de simp.med.fac. 5ª.69.A
Gypsum pro sanguine è naribus.de remedijs par.fac. 7ª.155.H
Gypsum sanguinis fluxũ restringit dysentericis, & cœliacis omne pro fluuium statuit.de simp.med. Sp.84.H
Gypsum os ventris stomachumue afficit.1°.de symp.caus. 3ª.18.D
Gypsum deuorantibus quid dandum.2°.de anti. 5ª.114.D
Gypsi vsus quo modo ad ophtalmias.9°.de simp.med.fac. 5ª.69.A
Gypsum combustum, quale.9°.de simp.med.fa. 5ª.69.A
Gypsum vstum repercussorium est.9°.de simp.med.fac. 5ª.69.A
Gypsum torrefactum.3°.de comp.med.se.lo.149.B/5°.de comp.med. per genera. 5ª.252.F
Gypso vt piscẽ obturãda uasa uinaria, ne uinũ acescat.& vinis.S.77.a

HABENA *nomen vinculi, ab euentu nomen tra hit.de fascijs.* 7ª.293.H
HABITATIO *temperatissima quę sit.com.3°. apho.14°.* Ex.22.F
Habitatio temperatissima in medio mundi. commen.3°.aph.14°. Ex.22.F
Habitationem animalium metalla nocua sunt.de bon.aquæ. Sp.75.F
HABITVALES *intemperaturæ nominantur quę ipso corporis habitu læso fiunt.com.4°.aph.12°.* Ex.28.E
HABITVDO *quid.de art.com.1°.* 7ª.256.D
Habitudo in euacuatione consideranda est, non tantum annorum numerus.præsa.exper.confir. Sp.78.A
Habitudo bona quæ.de bona hab. 1ª.39.C
Habitudo bona est optima sanitas.de bona hab. 1ª.39.C
Habitudinem bonam non possunt efficere medicamenta attenuantia.de bon.& vitio succ. 2ª.39.A
Habitudinẽ bonã equorũ vt cognoscerẽt quidã, eorũ stercora odorabãtur, vt scirent quo alimenta concoxerint.7°.met.me. 7ª.45.A
Habitudo mala quæ.de bona hab. 1ª.39.B
Habitudinibus ascitijs pulsus, qui.3°.de cau.puls. 4ª.98.D
Habitudinibus frigidis danda phlemagoga.de dyna. Sp.21.C
HABITVS *quid significet.de bona hab.1ª.39.B/de vict.ratio.in mor. acut.com.2°.* 7ª.124.A
Habitus quid significet apud Hippocratem.com.6°.aph.16°.Ex.47.G
Habitum, non significare de difficili mobilem, collige.commentar.4°. aphorismo.28°. Ex.30.B
Habitus qd significet in chirurgia.de ijs, quæ in me.fi.cõ.3°. 7ª.217.H
Habitus dicitur natura.fin.med. If.44.F
Habitus quid sit.ad Thras.2ª.103.C/G/2°.meth.me. 7ª.10.A
Habitus bonus qui sit.fin.med.Isa.45.C/de sal.diæta. 2ª.42.H
Habitus optimus idem cum constitutione, dispositione, habitudine,& natura optimis, de opt.nostri corp.const. 1ª.37.G
Habitus bonus salubris est affectio.ad Thras. 2ª.103.G
Habitus bonus,& habitus ad aliquid.ad Thra. 2ª.103.C
Habitus bonus quo modo differt a sanitate.finit.medicæ. Isa.45.C/ad Thrasy. 2ª.103.C
Secundum Habitum sanitas, quæ.ad Thra. 2ª.102.E
Habitus bonus sanitatis, bonus habitus simpliciter dici non debet.ad Thrasyb. 2ª.103.H
Habitus bonus duplex est, naturalis,& athleticus.ad Thr.2ª.102.c
Habitus simpliciter bonus, qui.de bona.ha.1ª.39.B/c.1°.ap.3°.Ex.3.f
Habitus bonus quibus comparetur.ad Thr. 2ª.103.H
Habitus naturalis fossorum, remigantium,& messorum, qui.ad Thrasybulum. 2ª.102.H
Habitus bonus exercitatorum, qui.com.1°.aph.3°. Ex.3.F
Habitus bonus quid secundum Chrysippum.5°.de decr.Hipp.1ª.255.B
Habitus bonus qui laudandus,& qui vituperãdus.ad Thr.2ª.107.C
Habitus nimis bonus, cur periculosus.commen.1°.aph.3°. Ex.3.F/de sal.diæta. 2ª.42.H
Habitus boni corporis proprium.de mul. 3ª.79.F
Habitus bonus facit actiones firmiores.ad Thra. 2ª.102.E
Habitus bonus quibus seruatur.ad Thr. 2ª.107.C
Habitus bonus in quibus non sit.de sal.diæta. 2ª.42.H
Habitus boni plenitudinem senes non possunt suscipere. 2°. de locis affectis. 4ª.11.F

Habitus non restituitur in gracilibus, qui dũt resici, nisi sit plus quod apponitur, quàm quod euacuatur.2°.de nat.fac. 1ª.299.C
Habitu corporis exinanito, nisi sensim renutriatur, plurimum excrementorum in eo congeritur.4°.de san.tuen. 2ª.88.C
Habitus naturalis habet latitudinem.1°.de san.tu. 2ª.64.E
Habitus naturalis non potest stare cum magna siccitate.comment.6°. aphorismo.32°. Ex.49.H
ab Habitu naturali vt facile vel ægre recedant, multum inter se differunt animalia.de cau.mor. 3ª.6.H
in Habitu corporis virorum,& mulierum differentia.3°.de causis pulsuum. 4ª.95.G
Habitum durum facit siccus affectus 5°.de san.tu. 2ª.89.D
Habitus siccitas quid indicet.5°.de sa.tu. 2ª.89.D
Habitus rari,& hirsuti, quales.de sal.diæta. 2ª.43.A
in Habitu raro corporis non fit synochus.9°.met.me. 7ª.56.D
Habitus corporis pro vena secanda est considerandus.de victus ra.in mor.acu.com.3°. 7ª.137.G
Habitus diuersi diuersa exigunt.6°.de comp.me.per ge. 5ª.255.E
p Habitu victus ratio immutanda est.de sal.diæta. 2ª.40.H
Habitus calidus calidos morbos petit, frigidus frigidos, humidus humidos, siccus siccos.com.2°.aph.34°. Ex.17.C
Habitus rari habent rara symptomata.6°.de loc.aff. 4ª.39.D
Habitum lædunt stupefacientia.12ᶜ.met.med. 7ª.75.B
Habitus potius est lædendus, quàm moriendum.12°.met.me.7ª.75.B
Habitu adeo improspero quidam ab ortu sunt, ut Æsculapius non possit illos ducere ad annum sexagesimum.1°.de san.tu. 2ª.67.E
pp Habitum malum si totum corpus grauetur, sanguis transit ad venas vteri,& fit fluxus menstruorum.com.5°.aph.57°. Ex.43.A
in Habitũ malũ de lapsorũ remediũ.7°.de comp.med.se.lo.5ª.186.A
Habitui corporis prauo theriaca optimum est remedium. de theriaca ad Pisonem. 5ª.96.C
Habitũ bonũ corporis pmittit theriaca.de vsu ther.ad Păph.5ª.98.C
Habitum corporis vniuersum firmiorem facit theriaca. de vsu ther. ad Pamphilianum. 5ª.98.G
ad Habitum corruptum.8°.de comp.med.sec.lo. 5ª.196.H
HÆLVRORVM salitorũ caro, qualis.11°.de simp.me.fac.5ª.78.F
HAEMA, *id est sanguis, eiusq; qualitates.10°.de simpli.medicament. facultatibus.* 5ª.72.F
Hęma peristeras, id est sanguis columbæ.10°.de simp.me.fa.5ª.72.H
ad HÆMALORAS. *4°.de compositione med.sec.loc.5ª.157.G/de rem.par.fa.* 7ª.156.F
HÆMATITES *lapis, qui.de simp.med.* Sp.86.E
Hematites, vnde,& qualis.9°.de simp.med.fac. 5ª.68.C
Hæmatites qualis sit.de ocul. 7ª.188.H
Hęmatites lapis est adstringens leue.5°.met.me. 7ª.31.G
Hæmatites lapis viscide stringit.de simp.me. Sp.86.F
Hematites lapis obstruit.de ocul. 7ª.187.H
Hæmatitis lapidis natura probatur per cotem.4°.de compositione medicamen.sec.loc. 5ª.151.D
Hæmatites oculis conuenit.de ocul. 7ª.188.G
Hæmatites lapis ad oculos, qualis.4°.de comp.med.sec.lo. 5ª.151.D
Hæmatites quo modo ocularibus facultatibus adhibendus.9°.de simplici.med.facul. 5ª.68.C
Hæmatites valet ad supercilia exasperata, sanguinis expuitioni competit, omnibusq; vlceribus,& excrescentia reprimit.9°.de simplicium medica.fac. 5°.68.C
Hæmatites lapis vlcera oculorum per se cicatrice includit.9°.de simplic.med.facul. 5ª.68.C
Hæmatitem lapidem ad vlcera oculorum expertus est Galenus.9°. de simp.med.fac. 5ª.68.C
Hęmatites lapis vlceribus humentibus conuenit.9°.de compo.medic. secun.locos. 5ª.205.D
Hæmatites lapis vstus,& lotus.4°.de comp.me.se.lo. 5ª.156.A
ex Hæmatite lapide medicamẽta.4°.de cõp.me.se.l.152.E/5ª.156.A
Hæmatiti vim similem habet magnes.9°.de simp.me.fa. 5ª.68.B
HAEMIONITIS *asplenum, & scolopendria dicitur.9°.de composit. med.sec.loc.* 5ª.198.E/H
Hæmionitis est amara.6°.de simpl.me.fac. 5ª.48.B
Hæmionitis cũ aceto pota lienosis remedio est.6°.de simp.m.f.5ª.48.B
HAEMODIA *solis dentibus,& gingiuis accidit.2°.de loc.af.* 4ª.9.F
Hæmodia dẽtium offensa, quæ ab immaturis fit.de simp.me.Sp.81.A
Hæmodiæ, id est stuporis dentiũ, nõ habet aliquid simile dolor mẽbranarum.

narum.2°.de locis affectis. 4ª.11.B
Hæmodia tactricis virtutis est symptoma.1°.de sympt.cau. 3ª.16.B
HAEMOPTOICA quæ.8°.de simp.med.fac. 5ª.61.H
Hæmoptoica medicamẽta cur recipiant schini florem.8°.de simpliciũ medicamen.facul. 5ª.61.H
Hæmoptoicis cur dentur somnifera,& stupefaciẽtia infestissima.7°.de comp.med sec.loc. 5ª.183.F
Hæmoptoicis exhibetur lemonij fructus.7°.de simp.me.fa. 5ª.54.B
Hæmoptoicis ꝑdest lẽtiscus cũ aqua frigida vel posca.ꝑ sim.m.S.86.B
Hæmoptoicis qũo prodest sanguis hædorũ.10°.de simp.m.fa.5ª.73.C
Hæmoptoicis valet thuris.cortex.7°.de simp.me.fa. 5ª.54.E
ad Hæmoptoicos ex libris Apollonij.7°.de comp.me.se.lo. 5ª.183.C
ad Hæmoptoicos Asclepiadæ.7°.de comp.med.sec.loc. 5ª.185.C
ad Hæmoptoicos,Carterij Robustij.7°.de comp.me.sec.loc. 5ª.184.A
ad Hæmoptoicos,Charixenis.7°.de comp.med.sec.loc. 5ª.184.C
Hæmoptoicus pastillus.7°.de comp.med.sec.loc. 5ª.184.D/E
ad Hæmoptoicos Magni Philadelphi.7°.de comp.me.se.lo.5ª.184.A
ad Hæmoptoicos.7°.de cõp.med.sec.loc.181.E/F/G/182.C/183.B/H/184.A/D/E/F/G/185.B/G/186.A/8°.191.E/9°.5ª.203.A/C/D/de dynamidijs.25.B/ Sp.27.B
HÆMORRHAGIA quid.fin.med. Isa.50.A
Hæmorrhagia quomodo differt ab hæmorrhoide.fin.med. Isa.50.A
in Hæmorrhagijs cur fiant convulsiones.in 1ᵐ.pror.com.3°.4ª.186.E
Hæmorrhagia sanauit delirium.de cau.procatar. 3ª.95.E
ad Hæmorrhagiam meningum non probat Galenus sanguinem galli,& gallinæ.10°.de simp.med.fac. 5ª.73.B
Hæmorrhagicæ sunt phlegmonæ hepatis & hypocondriorum.in 1ᵐ. pror.commentario.3°. 4ª.186.D
Hæmorrhagicæ non sunt phlegmonæ cum palpitatione.in 1ᵐ.pror.commentario.3°. 4ª.186.D
de HAEMORRHOIDIBVS.9°.de comp.med.sec.lo. 5ª.205.B
Hæmorrhois quid.fin.med.44.C/ Isa.50.A
Hæmorrhois ex toto genere præter naturam de symp.diff. 3ª.13.G
Hæmorrhoides inter morbos ponuntur, qui vere apparent.6°.de sanitate tuenda. 2ª.94.D
Hæmorrhoides vnde sint, & quo modo, & ꝑ sit propria passio.consistentium.com.3°.aph.30°. Ex.26.F
Hæmorrhoidum differentiæ quinque.fin.med. Isa.49.C
Hæmorrhoides cæcæ,sedis affectus.intro. Isa.59.D
Hæmorrhoida in singulari dicit Galenus, quasi vna sit tantum.commentario.6°.aph.47°. Ex.52.C
Hæmorrhoidas habet vterus.de ther.ad Pis. 5ª.96.B
Hæmorrhoides qũo fiant docuit Hipp.de venæ sect. 6ª.7.E
ab Hæmorrhoidibus dolor ĩducit ꝙ manifeste appet.1°.ꝺ lo.af.4ª.6.D
Hæmorrhoides qui patiuntur quibus morbis capiantur, et quibus nõ. in 6ᵐ.de mor.vulg.com.3°. 3ª.178.D
per Hæmorrhoides hepatis materia fęculenta vitiosa purgatur.com.6°.aphorismorum.12°. Ex.47.E
Hæmorrhoidum sanguis,qui de atra bile. 1ª.35.C
ab Hæmorrhoidali sanguine quo modo differat sanguis per intestina.ꝺ artic.com.4°. 7ª.288.A
in Hæmorrhoidas descẽdit atra bilis.2°.de arte cur.ad Gla.7ª.107.D
Hæmorrhoides solent euacuare sanguinem crassum plenum melancholico humore.com.6°.aph.11°. Ex.47.D
Hæmorrhoides euacuant melancholiam.com.6°.aph.47°. Ex.52.C
Hæmorrhoides ab humore melancholico.de bo.& vitio suc. 2ª.39.D
Hæmorrhoides sunt maximum remedium melancholiæ, adeo vt quandoque futuram prohibeant.com.4°.aph.25°. Ex.30.B
Hæmorrhoides superuenientes atra bile vexatos & renum passionibꝰ bonum.com.6°.aph.11°. Ex.47.D
Hæmorrhoides insenientibus superuenientes insaniam soluunt.comm.6ⁱ aphorismo.21°. Ex.48.D
Hæmorroides sunt melancholiæ remediũ.in 6ᵐ. de morb.vul.com.3°. 178.E/com.5°.3ª.192.H/de venæ sect.aduers.Eras. 6ª.7.E
Hæmorrhois sanat atram bilem,& lienem duratum. in 6ᵐ.de morbis vulg.commen.6°. 3ª.197.E
per Hæmorrhoidas sanguis exiens seruat hominem sanum.de venæ sectione aduersus Eras. 6ª.7.B
Hæmorrhoides an excusent a venæ sectione.9°.met.me. 7ª.57.b
ꝑ Hæmorrhoidas euacuatiõi nõ ẽ assuefaciẽdũ.c.4°.aph.25°.Ex.30.B
ꝑ Hæmorrhoidas crisis qñ futura qũo cognoscatur.3°.ꝺ cris.4ª.144.G
ꝑ Hæmorrhoidas sanguinem futurum significant lumborum dolores. in 1ᵐ.pror.com.3°. 4ª.185.C
in Hæmorrhoidibus quædam eminentiæ recto intestino esse solent.de dissec.vul. 1ª.109.G
Hæmorrhoides qũo curandæ.in 6ᵐ.de mor.vul.com.3°. 3ª.178.E
Hæmorrhoides qua vena proritentur & qua cohibeantur.de curã.rati.pro sang.miss. 6ª.20.b
Hæmorrhoides quibus retinentur,illis vere vena secanda est.de curã. rati.pro sang.miss. 6ª.16.H
Hæmorrhoidibus suppressis sanguinem auferto. de curãdi ratione per sang.miss. 6ª.18.F
Hæmorrhoidum orificia aperit sectio saphenæ.de ana.viu. Sp.54.H
Hæmorrhoidibus suppressis,crura scarificanda.de hirudini.reuulsione.2.F/de cucurb.scar. 6ª.3.F
Hæmorrhoides prouocãtur ex acritudine humorum,qui euacuantur. ꝑ ex quo potest dici non esse virtutem aloes vt multi existimant.ꝑ com.6°.aph.47°. Ex.52.C
Hæmorrhoidas aperit cæpa.7°.de simp.med.fac. 5ª.53.D
Hæmorrhoidas referat succus cyclaminis.7°.de simp.me.fa.5ª.53.E
ꝑ Hæmorrhoidas purgat quandoque natura fel nigrum.in 6ᵐ.de mor. vulg.com.5°. 3ª.192.b
Hæmorrhoides aperiuntur felle taurino.10°.de simp.med.f. 5ª.74.G
in Hæmorrhoidibus origanum semper conuenit.de victus rat.in morb. acu.com.4°. 7ª.152.F
Hæmorrhoidas sedis,& vteri aperit theriaca.de ther.ad Pis.5ª.96.B
Hæmorrhoidibus assueti quo modo tractandi in euacuatione. de consuetudine. 2ª.61.b
Hæmorrhoides profluentes nimium,quæ mala progignant.de curandi rati.per sang.miss. 6ª.20.b
ob Hæmorrhoidum nimium fluxum fit animi defectus.1°.de arte curatiua ad Glauconem. 7ª.98.E
in Hæmorrhoidum euacuationibus fiunt pulsus vermiculantes.2°.de præsag.expul. 4ª.113.A
Hæmorrhoides qũo sistantur.1°.de arte cur.ad Glau. 7ª.98.G
ab Hæmorrhoidibus diuturnis sanato si vna non seruatur,periculũ est aquã inter cutem vel tabẽ aduenire.com.6°.aph.12°. Ex.47.D
Hæmorrhois vna semper seruanda.de vict.ra.in mor.ac.c.4°.7ª.152.F
ex Hæmorrhoidibus diuturnis suppressis,vel immodica profusione ad extremã frigiditatẽ ducentibus,fit hydrops.2°.de na.fac.1ª.299.F
ꝑꝑ Hæmorrhoidum immodicam vacuationem,& insolitam suppressionem fit aqua inter cutem.3°.de præsag.ex pul. 4ª.121.E
Hæmorrhoidibus prodest Hieracites lapis jussensus, & Galenus fecit experimentum.9°.de simp.med.fac. 5ª.67.E
ex Hæmorrhoidibus profluentem sanguinem sistit lapis Indicus.9°. de simp.med.fac. 5ª.67.E
Hæmorrhoidum nimia purgatione tumidi,luto sanantur ægyptio.9°.de simp.med.fac. 5ª.65.G
per Hæmorrhoidas sanguini fluenti remedium.de dyn. Sp.28.E
Hæmorrhoides periculosæ si in totum supprimantur,vel multum euacuent.com.4°.aph.25°. Ex.30.B
ob Hæmorrhoidum clausas euacuationes facti morbi. de venæ sectione aduersus Eras. 6ª.7.E
Hæmorrhois restricta facit melancholiam.3°.de loc.aff. 4ª.18.E
Hæmorrhoidibus resectis periculum est ne corripiantur melancholia, & quid agendum.de atra bile. 1ª.35.D
ex Hæmorrhoidum sublatione melancholici.de atra bile. 1ª.33.E
ad Hæmorrhoidas cohibendas.5°.de comp.me.per ge. 5ª.250.B
ad Hæmorrhoidas phlegmone tẽtatas.5°.ꝑ cõp.med.per ge.5ª.247.B
ad Hæmorroidas vnguentum.de dyn. Sp.28.G
Hæmorroidas tabefaciẽs,et cõsumens.5°.de cõp.me.per g.5ª.245.H
Hæmorrhoidas cæcas dissoluit marrubiastrũ.de simp.me. Sp.87.F
ad Hæmorrhoidas intrinsecas,& extrinsecas.de dy. Sp.28.G
ad Hæmorrhoidas.3°.de comp.me.se.lo.148.B/5°.de comp.med.per ge.252.F/H/253.C/5ª.254.E/de med.fac.par.7ª.175.F/de dyn. 28.E/F/G/secretorum.97.B/ Sp.103.A
ad Hæmorrhoidas in ore matricis.de pass.mul. Sp.96.B
ad Hæmorrhoidas quæ interius sunt in intestini.de dy. Sp.28.E
Hæmorrhoidum per chirurgiam curatio.de vict.rat.in mor.acu.commentario.4°. 7ª.152.F
Hæmorrhoidum abscissio quo modo.intr. Isa.60.C
Hæmorrhoidum extractorium Magni Tarsensis.9°.de compo.medic. secundum locos. 5ª.205.B
HAEMORRHVS qualis serpens.de ther.ad Pis. 5ª.92.H

Hæmorrhi mor ſum multa accidentia comitanť. de opt. ſect. Iſa. 22. G
contra Hæmorrhum valet theriaca. de ther. ad Piſ. 5ª. 71. E
HÆREDES *inſtituũtur p leges qui nondum nati ſunt. an aĩal.* 3ª 328. E
quorum Hæredes eſſe debeant vt præuideant diuites, vtuntur aſtrolo gia, & diuinatione. de præcog. ad Poſth. 4ª. 214. C
Hæreditates in duodecim partes diuidunt Romani. de cuiuſque animi pec. not. & med. 2ª. 58. D
HÆRESIS *methodica omnia artis bona deſtruit. 2°. de arte curatiua ad Glauconem.* 7ª. 103. C
HÆRETICI *in arte medica. de cathar.* Sp. 94. H
HALAE a græcis dicuntur ſalinę. 9°. de ſimp. med. fac. 5ª. 68. G
HALICA *facit craſſum ſanguinem cum bono ſucco. in 6ᵐ. de mor. vul. commenta. 3°.* 3ª. 175. C
Vide Alica.
HALICACABVS *vrinæ ciendæ idoneus, ad iecur, veſicam, & renes va let. 8°. de ſimp. me. fa.* 5ª. 62. G
HALIEI *acopon viride. 7°. de comp. med. per ge.* 5ª. 271. H
Haliei confectum. 7°. de comp. me. per ge. 5ª. 271. C
Haliei aliud. 7°. de comp. med. per ge. 5ª. 271. D
Haliei giluum qũo conficeret Galen. 5°. de comp. me. per g. 5ª. 248. H
Haliei giluum. 3°. de comp. me. per ge. 235. B/5°. 5ª. 248. H
Haliei ad vetera, & quæ cicatricem ægre ducunt. 5°. de comp. med. per genera. 5ª. 247. F
HALITVOSA *quę ſint excrementa. 8°. meth. med.* 7ª. 51. A
Halituoſorum ſpirituum generatio vnde. 3°. de ſymp. cau. 3ª. 27. E
Halituoſus ſpiritus fit a craſſis glutinoſis. 12°. meth. med. 7ª. 79. D
cum Halituoſo ſpiritu dolores grauiſſimi ex craſſis, & glutinoſis humo ribus. 12°. meth. med. 7ª. 79. C
Halituoſi ſpiritus cur exire non poſſint. 12°. meth. me. 7ª. 79. D
Halituoſior eſt calor puerorum, florentium vero ſiccior. 3°. de ſympto matum cauſis. 3ª. 29. C
HALITVS *ſenſus odoratus. 1°. de ſymp. cau.* 3ª. 17. C
Halitus eſt leuiſſimum et tenuiſſimum in corpore humano poſt ſpiritũ. tertio ſanguis. 3°. de nat. fac. 1ª. 307. F
Halitus tanto eſt aere craßior, quanto aer eſt craßior ſplendore. 1°. de ſympt. cau. 3ª. 17. C
Halitum non facit frigiditas ſyncera, & cur. 3°. de ſymp. cau. 3ª. 27. E
p Halitũ ægre digerũtur frigidę, & ſiccę naturæ. 9°. meth. me. 7ª. 60. H
in Halitũ aptũ eſt redigi humidum, & calidum. 9°. met. me. 7ª. 60. H
p Halitũ digeri nullũ corpus poteſt citra calorẽ. 9°. met. me. 7ª. 60. H
Halitus naturaliter feruntur in ſublime. 1°. de na. fa. 1ª. 293. D
Halituum differẽtiæ ſequuntur temperamenta ſolidorum corporum. de ſymp. diffe. 3ª. 13. C
Halitum bilioſum facit inedia. 10°. met. me. 7ª. 62. H
Halitus fuliginoſus quibus augetur. 10°. meth. me. 7ª. 62. H
ex Halitu fuliginoſo febris. 10°. meth. med. 7ª. 62. H
ad Halitus feruidos. de rem. par. fac. 7ª. 159. A
Halitus qd faciat in pleuritide. de vic. ra. in mor. acu. c. 2°. 7ª. 116. G
Halitus ĩ ſe graueolẽtes aliqñ ſentit odoratus. 1°. d ſymp. cau. 3ª. 17. E
Halitus in ſummo beneolentes quo modo non ſentit odoratus in ſe. 1°. de ſympt. cau. 3ª. 17. E
Halitus ex ſtagnis, paludibus, & fluuio vitãdus. 12°. me. me. 7ª. 77. E
quorũ Halitus aerẽ vicinũ inficiat. in 3ᵐ. de mor. vul. com. 1°. 3ª. 133. F
per Halitum digerentia qualia eſſe debeant. de victus ratione in mor. acut. com. 4°. 7ª. 140. H
per Halitum digerunt humorem medicamenta mouentia pus. 5°. de ſimp. med. fac. 5ª. 33. B
per Halitum educit diacalaminte. 4°. de ſan. tu. 2ª. 86. F
p Halitũ maxime digerit ſuccus Cyrenaicus. 8°. de ſimp. m. f. 5ª. 57. D
HALLVCINATIONES *quando bonæ, & quando non bonæ, conſiderandum. 1°. decriſi.* 4ª. 128. D
Hallucinatum vnum ſequuti ſunt omnes. de dig. ex pulſ. 4ª. 78. H
HALME, *id eſt ſalſugo. 11°. de ſimp. med. fac.* 5ª. 83. H
HALOSACHNE *quid & eius vires. de ſimp. me.* Sp. 81. C
Haloſachne, id eſt ſpuma ſalis. 11°. de ſimp. med. fac. 5ª. 83. E
HALOSANTHOS, *id eſt ſalis flos. 11°. de ſimp. med. fac.* 5ª. 83. E
HALTERES *quid ſint in exercitijs. 4°. de cõp. me. per ge.* 5ª. 237. D
HAMIAE molles carne. 3°. de alim. fac. 2ª. 31. A
Hamiæ habent carnem duram. 3°. de alim. fac. 2ª. 31. F
Hamiæ piſces qui cæteris facilius conficiuntur. 3°. de alim. 2ª. 31. F
HAMMODYTÆ *morſibus confert centaurea. de vir. cent.* Sp. 93. H
HAMO *piſces ars captãs inter acqſitiuas numerať. a. Thr.* 2ª. 106. D
HAMI *inſtrumenta chirurgica. de ijs quæ in med. fi. c. 1°.* 7ª. 200. H
Hamo vtendum ac capiendos tendines. 1°. de ana. adm. 1ª. 65. H
Hamulus qualis eſſe debeat. 8°. de ana. adm. 1ª. 100. E
Hamis, ſpinis, ac rubis ſophiſmata cõparat Galen. de cau. pc. 3ª. 95. H
Hamus ſiue cuſpis. de faſcijs. 7ª. 302. E
HAPLA medicamenta a græcis dicta. de cathar. Sp. 95. A
HAPSVS *lanæ. 7°. meth. me. 43. H/13°.* 7ª. 81. B
Hapſus. de med. fac. par. 7ª. 167. E
HARMANA *dicitur ruta ſylueſtris lingua vernacula Syriorum. 9°. de comp. med. ſec. loc.* 5ª. 200. A
HARMATIVM, *id eſt currus, collyrium. de compoſitione medicamen. ſecundum locos.* 5ª. 156. D
HARMOLA *dicitur ruta ſylueſtris. 7°. de ſimp. med. fac.* 5ª. 56. F
HARMONIA *oßium quid. de oſſ.* 1ª. 40. C
Harmonia omnium oſſium contingit conceptis in horis melancholiæ. de ſpermate. Sp. 37. D
Harmonia trium ventriculorum capitis de ſpermate. Sp. 37. G
HARMONIÆ *& cantus, orationis, & dictionis affectio quędam eſſe videtur. de ſymp. cau.* 3ª. 10. D
HARMONIA *dictum medicamentum. 7°. de cõp. me. ſe. lo.* 5ª. 182. C
HARPALI *attrahens. 6°. de comp. med. per ge.* 5ª. 261. D
HARPOCRAS. *9°. de comp. me. ſe. lo. 203. F/4°. de comp. med. per gene. 242. D/5°.* 5ª. 252. E
Harpocratium medicamentum. 4°. de comp. me. ſec. lo. 5ª. 154. D
Harpocratis aridum. 5°. de comp. me. per ge. 5ª. 252. H
vt Harpocras malagma. 7°. de comp. med. per ge. 5ª. 266. B
Harpocratis ſtomaticũ ex Hirũdinibus. 6°. de cõp. me. ſe. l. 5ª. 171. A
HARVSPICINAM *tantum improbat Plato. de hiſt. phil.* Sp. 10. C
HASEG quid. de ſimp. med. Sp. 85. C
Haſeg ſiccat, & refrigerat, turgentibus & diſtenſis locis impoſitum cito emollit. de ſimp. med. Sp. 85. C
HAVRIRE ſæpe aquam, illam reddit bonam. de bon. aquæ. Sp. 75. D
HAVRITORIA, *ſiue fontes ſub radice linguæ. de ana. vi.* Sp. 49. C
Hauritorium ſaliuæ quæ glandula dicatur. de ana. viu. Sp. 55. H
HEBETATVM *tandem eſt ferrum acutiſſimum vel moliſſimam incidens carnem. 3°. de ſymp. cau.* 3ª. 26. F
HEBETIORIBVS *non eſt legendus liber de ſymptomatum cauſis, niſi poſt lectos libros de potẽtijs naturalibus. 2°. d ſymp. cau.* 3ª. 21. A
Hebetioris ſenſus pars ĩdiget valẽtiorib. remedijs. 4°. me. m. 7ª. 28. F
HEBETVDO *quid. intro.* Iſa. 59. B
Hebetudo viſus ex quibus. 1°. de ſymp. cau. 3ª. 15. C
Hebetudo oculorum quo modo fiat. in 1ᵐ. pror. com. 2°. 4ª. 170. E
Hebetudines viſus adiuuãt caules chameſyces. 8°. de ſim. m. f. 5ª. 65. G
Hebetudinẽ oculorũ ſedare poteſt theriaca. de ther. ad Piſ. 5ª. 95. H
HECATONDRACHMON Emplaſtrum. 2°. de compoſitione medi camen. per gen. 5ª. 220. H
de HECTICA. *7°. meth. med.* 6ª. 64. A
Hecticæ febres vnde dicuntur. 1°. de diff. feb. 3ª. 33 E
Hectica febris quæ vocetur. de inæq. intemp. 3ª. 44. B
Hectica febris, quæ. 8°. met. med. 7ª. 49. G
Hectica excepta omnes febres ſunt intemperies inæquales per totum corpus. de inæq. intemp. 3ª. 43. B
Hectica temperatura, quæ. in 6ᵐ. de mor. vul. com. 6°. 3ª. 196. F
Hectica laborant tabidi. in 1ᵐ. de mor. vul. com. 3°. 3ª. 120. A
Hectica ſola ſine tabe, quando. 1°. de diff. fe. 3ª. 34. G
Hecticæ, & ſynochæ differentiæ. 1°. de diff. feb. 3ª. 35. C
Hecticam ſynocho comparat in continuatione. 1°. de diff. feb. 3ª. 35. C
Hecticę, & ephemeræ quæ febrium genera. 2°. de criſi. 4ª. 137. A
cum Hecticis communicant aliquæ diariæ. de marc. 3ª. 47. E
in Hecticam poteſt tranſire diaria. 9°. met. me. 7ª. 55. G
in Hecticam quo modo ephemera tranſcendat. 1°. de diff. fe. 3ª. 35. E
Hectica diſpoſitio tenaciter hęret. 3°. de loc. aff. 4ª. 14. G
Hectica febris iam facta eſt. 8°. meth. med. 7ª. 49. G
Hecticæ febris ortus. 1°. de diff. feb. 3ª. 34. D
Hectica a principio rariſſime fit. 3°. de præſag. ex pulſ. 4ª. 118 E
Hectica ex inedia fit. 8°. met. me. 7ª. 49. F
Hecticæ ad tabem medicorum inſcitia. 1°. de diff. feb. 3ª. 34. E
in Hecticam qui tranſit ex diaria. 1°. met. me. 7ª. 64. A
Hecticæ non paucæ ab initio peſtilẽtes. 3°. de præſag. ex pulſ. 4ª. 116. b
Hecticas, & maraſmodes febres, q̃ faciãt viſcera. 16°. me. m. 7ª. 64. F
Hectica fit quandoque ex varijs membris. 10°. met. me. 7ª. 64. F

Hectica facit quandoque pulmo.10°.met.me. 7ª.64.F
Hectica, & marasmus ab erysipelatoso affectu oriunt. d mar. 3ª.47.b
Hectica ex inflammatione nobilium partium.1°.de diff.feb. 3ª.35.F
Hectica affectio phrenitidis.in 1m.pror.com.1°. 4ª.168.C
Hecticæ sequũtur ĩflãmationẽ vẽtriculi,et iecoris.1°.d diff.fe. 3ª.35.F
Hectica febre quo modo interdum aliqui laborent ex vẽtriculi nimia caliditate.3°.de symp.cau. 3ª.25.D
Hecticam facit colon intestinum inflammatum.1°.de diff.feb. 3ª.35.F
Hectica ex febribus ardentibus quo modo.1°.de diff.fe. 5ª.35.E
in Hecticis ex caliditate & siccitate, solidarũ partiũ affectus candẽti ferro est similis.1°.met.me. 7ª.66.D
Hecticæ sine siccitate.1°.de diff.fe. 5ª.35.C
Hectica nullum habet tempus.de marc. 3ª.48.C
Hectica habet quatuor tempora 1°.de diff.feb. 3ª.37.D
Hecticæ febres quæ facile curantur.1°.de diff.fe. 3ª.34.E
Hectica, in qua primo afficitur cor.10°.meth.me. 7ª.64.F
in Hectica consumitur humor in corde.de diff.fe. 3ª.34.D
Hectica primo incipit a corde, & per ipsum alijs membris aduenit.1°. de differentijs febrium. 3ª.34.F
in Hectica principium quod & in alijs morbis.1°.de diff.fe. 3ª.34.G
in Hectica tabidaq; febre cor comparatur lucernę fomiti plurimũ exusto.1°.de diff.fe. 3ª.34.E
Hectica quando videatur crescere.de mar. 3ª.48.C
Hectica febris nulla magna.3°.de præsag.expul. 4ª.116.F
Hectica excepta omnes febres sentiuntur.de inæq.tem. 3ª.44.D
Hectica caret dolore.de inæqu.intemp. 3ª.44.B
Hecticæ febres cur sine dolore.2°.de symp.cau. 3ª.22.A
Hecticæ non faciunt subitas mutationes, ideo non habent crisim, nisi abusiue.2°.de crisib. 4ª.138.A
Hecticæ tertia dies est indicium.1°.de diff.fe. 3ª.35.E
Hecticarum febrium signa propria.3°.de præsag.expul. 4ª.115.E
Hectici quem habeant colorem.in progn.com.2°. 4ª.240.D
Hectici calor vt calx.in progn.com.2°. 4ª.204.D
Hecticæ incipientis indicia.1°.de diff.fe. 3ª.35.A
Hectici post cibum quid patiantur.1°.de diff.fe. 3ª.35.B
Hecticis cibo refectis contingit quod in calce, & lapidibus calefactis, cum aqua asperguntur.1°.de diff.fe. 3ª.35.D
Hectici cum bibunt, aut edunt, accenduntur.in prog.cõ.2°. 4ª.204.D
Hectici post cibum magis calent.1°.de diff.fe. 3ª.35.B
Hectici post cibum incalescunt.1°.de diff.fe. 3ª.35.D
Hectici post cibum quantum temporis affligãtur.1°.de diff.fe. 3ª.35.C
Hecticarum commune, & proprium.1°.de diff.fe. 3ª.35.C
Hectica quædam marcida.3°.de præsag.ex pulſ. 4ª.119.C
Hecticæ tabidæ coniunctæ proprium.1°.de diff.fe. 3ª.35.C
Hecticę a tabidis febribus differunt.1°.de diff.fe. 3ª.34.E
qui Hectici in tabidam ingrediuntur.1°.de diff.fe. 3ª.35.E
Hecticæ in tabẽ adductæ indicia facile cognoscũtur.1°.d dif.fe. 3ª.34.F
Hectica sola, id est sine altera febre putrida, facile cognoscitur.1°.de differentijs febrium. 3ª.35.A
Hectica cum putrida difficulter cognoscitur.1°.de diff.fe. 3ª.35.A
Hecticarum indicium maxime ex arterijs.1°.de diff.fe. 3ª.35.F
Hectica febris quo pulsu deprehendatur.3°.d præsa.ex pul. 4ª.115.A
Hecticus pulsus vnde dicatur.4°.de cau.pul. 4ª.101.E
Hectici pulsus.1°.de diff.fe 3ª.35.E/*de pulſ.ad tiro.*45.D/4°.*de cau. pul.*101.A/D/2°.*de præsa.ex pul.*113.A/115.E/117.H/4ª.118.E
Hecticas febres magna ex parte comitatur pulsus durus.1°.de differentijs febrium. 3ª.34.C
Hecticis durities pulsus vnde.1°.de diff.fe. 3ª.35.E
Hecticis debilitas pulsus vnde.1°.de diff.fe. 3ª.35.E
Hecticamedia multas habet latitudines.1°.de diff.fe. 3ª.34.b
ex Hecticis febribus omnis vis vitalis prosternitur.3°.de præsagitione ex pulsibus. 4ª.121.G
Hecticæ proprie curantur.11°.meth.med. 7ª.68.D
Hectica post principium difficile curatur.1°.de diff.fe. 3ª.34.G
Hecticæ cum incipiunt, vix, absolutæ vero, non amplius possint sanari.in 1m.pror.com.1°. 4ª.168.C
Hectica quæ facile sanatur.1°.de diff.fe. 3ª.34.b
in Hectica cor primo accenditur.de marc. 3ª.47.F
Hectici refrigerandi sunt omni ratione.10°.met.me. 7ª.67.E
Hecticorum cibus frigidus, & humidus.10°.meth.med. 7ª.67.A
in Hecticam transeuntium cibus.10°.meth.med. 7ª.64.B
Hecticis quomodo dat lac asininum.10°.meth.med. 7ª.67.B
in Hectica cauendum a melle, & mulsa.10°.meth.med. 7ª.67.B
quibus Hecticis aqua gelida præbenda sit.de marc. 3ª.47.E
in Hecticę principio frigida.de marc. 3ª.47.F
Hecticis non danda aqua frigida.9°.meth.med. 7ª.57.F
Hecticis quo modo obsit aqua gelida.de marc. 3ª.47.E
Hectica si cui implexa fuerit putridarum febrium, balnea a coctione prosunt.de marc. 3ª.47.C
Hecticis q̃ putridã cõiunctã hñt, balneũ prohibet.10°.met.me. 7ª.66.G
Hectica febris balneis sanatur.de marc. 3ª.47.E
Hectici balneo delectantur.3°.de præsag.ex pulſ. 4ª.116.F
Hectici qui non sunt marasmati qũo lauandi.10°.met.me. 7ª.67.C
Hecticę, marasmo, & omnibus febribus conueniunt balnea.10°.metho di medendi. 7ª.65.C
in Hecticis cur balnea frigida recusamus.10°.met.me. 7ª.66.B
Hecticus in frigidam aquam ponatur.10°.met.me. 7ª.66.b
Hectici ad balneum accedentes, nisi in frigidum dimittãtur, nihil iuuãtur.10°.meth.med. 7ª.66.D
in Hectica quomodo lauandi ægri.10°.met.me. 7ª.66.G
Hecticus balneandus quo modo sit tractandus, & quo modo exuendus.10°.meth.med. 7ª.66.G
Hecticus oleo tepido perfundatur.10°.met.me. 7ª.66.G
Hectici caput non perfundendum aqua.10°.met.me. 7ª.66.b
in Hecticis febribus æstuantes adiuuat portulaca totis hypochondrijs imposita.6°.de simp.me.fac. 3ª.43.b
Hectica quæ difficulter sanatur.1°.de diff.fe. 3ª.34.b
Hecticę quæ curari non possunt.1°.de diff.fe. 3ª.34.E
ad Hecticam febrem.de med.fac.par. 7ª.179.C
Hectica, vide Ethica.
Hecticus spiritus, qui tertius ponitur ab aliquibus post animalem & naturalem.intro. If.55.B
HECTOR *dabat typham suis equis.1°.de alim.fa.* 2ª.13.B
HECVBA *visione perterrita.an animal sit.* 1ª.328.F
HEDERÆ frutex in colle Tabiano.5°.meth.med. 7ª.35.A
Hedera in conuiuijs.de cau.procatar. 3ª.46.A
Hedera ex contrarijs composita facultatibus.7°.de simp.m.f. 5ª.51.E
Hederæ diuersitas, & vires.de simp.me. Sp.84.A
Hedera est acerba.8°.de sim.med.fa. 5ª.62.C
Hedera terranea.de dyna. Sp.28.D
Hedera terrestris ad sananda vlcera de sperm. Sp.35.E
*Hederæ albæ meminit.9°.de comp.med.se.lo.*198.E/G/ 5ª.199.H
Hederæ albæ grana tria ad quid cõferãt.9°.de cõp.me.se.lo. 5ª.198.G
Hedera nigra 9°.de comp.me.se.loc. 5ª.198.E
Hederæ rufæ corymbos laudat i difficultate vrine. d me.f.p. 7ª.168.C
Hedera viridis, qualis.7°.de simp.med.fa. 5ª.51.F
Hederę viridis folia in vino decocta vltera maligna ad sanitatem reducunt, & igne factas vlcerationes cicatrice includũt, in aceto vero cocta lienosis prosunt.7°.de simp.med.fac. 5ª.51.F
Hedere folijs viridibus in vino decoctis vlcera grandia glutinantur.7°.de simp.med.fac. 5ª.51.F
Hederæ folia dysænterijs remedio sunt.de simp.med. Sp.84.A
Hederæ folia ad combusta, et vulnera cancerosa faciũt.de simplicibus medicaminibus. Sp.84.H
Hedera sicca qualis.7°.de simp.med.fac. 5ª.51.F
Hederæ flores ad ambusta.7°.de simp.med.fac. 5ª.51.F
ex Hederæ corymbis parata, repellũt.1°.de ar.cur.ad Gla. 7ª.100.A
ex Hederæ cacuminibus apparatum repellit in capitis doloribus.2°. de comp.med.sec.loc. 5ª.137.D
Hederæ succus capiti purgando idoneus est & vetustas auriumfluxiones vlceraq; vetera tum in auribus, tum in naribus sanat.7°.de simp.med.fac. 5ª.51.F
Hederæ lachryma lẽdes ĩteremit, et pilis nudat.7°.d sim.m.f. 5ª.51.F
Hederæ lachryma.5°.de comp.med.sec.loc. 5ª.164.C
Hederę gummi.de dyna. Sp.25.F
HEDRAEON *sedentium dicitur somnus.4°.in 6m. de mor.vulgaribus commenta.4°.* 3ª.183.b
HEDYCHROVM *quidam putauit esse herbam.1°.de anti.* 5ª.104.E
Hedychroum redolet.3°.de comp.med.sec.loc. 5ª.148.G
Hedychroũ odoratas reddit cõpositiones.1°.de cõp.me.se.l. 5ª.128.C
Hedychroi medicamenti cõpositio.de vsu theria.ad Pamph. 5ª.99.B
Hedychroi compositio quo modo fiat.de ther.ad Piso. 5ª.95.C
Hedychroi compositionis differentiæ.1°.de anti. 5ª.104.b
Hedichroon valet ad formam, & decorem.intro. If.58.C

Hedychroum medicamentum interdiu naribus iugiter adhibitum, vti le pro exiccando pulmone. 3°. de loc. aff. 4ª.28.D
Hedychroi magmatis compositio. 1°. de anti. 5ª.104.F
Hedychroum magma ponitur in theriaca. de ther. ad Pis. 5ª.92.D
HEDYOSMOS *dicitur a veteribus mintha odorata. 6°. de compo. med. sec. loc.* 5ª.168.F
Hedyosmus, id est menta. 6°. de simp. fac. 5ª.48.A
Hedyosmi fit mentio. 6°. de comp. med. sec. loc. 5ª.169.C
HEDYSARVM *quid. 6°. de simp. med. fac.* 5ª.48.B
Hedysari meminit. 7°. de cõp. me. pg. 5ª. 272. H/d me. fa. par. 7ª.173.D
HELGYLOPAS, id est fistulas angulorum oculi de medicinis facile parab. 7ª.176.C
Vide Aegylops.
ad HELCYDRIA. 1°. de comp. med. sec. loc. 5ª.131.F
HELCYSMA *dicitur argenti scoria. 9°. de simp. med. fa.* 5ª.71.A
HELCTICE *virtus græce quid. de cathart.* Sp.94.D
HELENIVM *quid. de simp. med.* Sp.83.H
Helenion multi possunt gustare, & intueri, tamen eius vtilitates ignorant. 1°. de elem. 1ª.5.H
Helenium, quale. 8°. de comp. med. sec. loc. 5ª.195.E
Helenium medicamentarium est, & calidum facultate. 9°. de compo. med. sec. loc. 5ª.197.F
Helenion acre est. 5°. de comp. med. per gen. 5ª.246.A
ab Helenio experimẽtũ sumẽdũ de acredine. 4°. de simp. me. fa. 5ª.27.C
Heleny folia imposita renibus doxiosos emũdãt. de simp. me. Sp.83.H
Helenium tussientibus & ruptis prodest, vrinã & mẽstrua prouocat, & partum expellit. de simp. med. Sp.83.H
Heleniũ cuspidibus impositum est venenum. de ther. ad Piso. 5ª.93.H
Helenion numeratur inter herbas quibus vlcera maligna curari debent. 5°. de comp. med. per gen. 5ª.246.A
Helenium demendum a medicamento. 4°. de sa. tu. 2ª.95.B
HELENVS. *2°. de comp. med. per gen.* 5ª.225.D
HELIODORVS *Atheniensis venenorum compositiones scripsit. 2°. de antidotis.* 5ª.114.F
Heliodorus. 5°. de comp. med. per gen. 5ª.253.G
HELIOTROPII *herbæ succus purgat bilẽ flauã. de cath.* Sp.94.F
HELLIOSCOPVS *Tithymallus. 8°. de simp. med. fac.* 5ª.62.E
HELITIS *squama oẽs superat in desiccãdo. 9°. de simp. me. fa. 5ª.69.H*
HELCALIMBAT, *id est terebinthina. secretorum.* Sp.100.H
HELLEBORVM *dicentes antiqui absolute album intelligunt. comm. 5°. aphorismo. 1°.* Ex.37.C
Helicborus niger dicitur cum additione niger. cõ. 5°. aph. 1°. Ex.37.C
Helleboro vescuntur coturnices. 2°. de alim. fac. 2ª.17.C
Helleborũ sumpturi ꝑparatio. quos pur. op. qb. me. et quo. tẽp. 5ª.88.D
Helleborũ si dederis præpares materiã potissimũ, et quo modo. quos purg. opor. quib. med. & quo temp. 5ª.88.D
Helleborũ sumpturus qũo sit disponendus. com. 4°. aph. 13°. Ex.28.F
Helleborũ si quis biberit qũo debeat se regere. c. 4°. aph. 14°. Ex.28.G
Helleborus qũo magis, & minus soluet. com. 4°. aph. 15°. Ex.28.H
Helleborus sanis periculosus est, quia conuulsionem facit, commen. 4°. aphorismo. 16°. Ex.28.H
Helleborus duplicem facit conuulsionem, & quæ sanabilis, & quæ nõ com. 5°. aphoris. 1°. Ex.37.D
ex Helleboro conuulsio letalis est. com. 5°. aph. 1°. Ex.37.C
Helleboro purgatæ filiæ Prœti a Melampode. de atrab. 1ª.36.E
Helleborus anticyricos appellatur sesamoides. 8°. de simplicium medicamentorum facultatibus. 5ª.60.D
vt Helleborus purgat sesamoides. 8°. de simp. med. fac. 5ª.60.D
Vide Elleborus.
HELLESPONTIA *Mysia. 5°. de san. tuen.* 2ª.90.H
HELLESPONTIA *vt Andromachus. 6°. de compositione medicam. per genera.* 5ª.259.E
Hellespontia perspiratu digerens, phlegmonem propulsans. 6°. de compos. med. per gen. 2ª.259.E
in HELLESPONTI *parallelo veris initium. in 1ᵐ. de morb. vulgarib. commen. 1°.* 3ª.102.A
HELMINTHES *inter morbos numeratur, qui prius non erant. 14°. methodi medendi.* 7ª.92.D
Helminthes morbus qui non fuit. 14°. met. me. 7ª.93.C
Helminthes tota substãtia præter naturã sunt. 14°. met. me. 7ª.93.H
Helminthes lũbrici qui ab intestinis ad ventrẽ vsq; ascẽdũt, vires imbecillas faciunt. de vict. rat. in mor. acu. com. 2°. 7ª.124.B
Helminthem latum mirabiliter ab intestinis educit theriaca. de ther. ad Pison. 5ª.96.A
HEMERALOPS affectus pupillæ intro. Isa.58.D
HEMEROCALLES *liuiter digerit adstringitq;. 6°. de simp. medicamento. faculta.* 5ª.48.B
Hemerocalles prodest igni ambustis. 6°. de simp. med. fac. 5ª.48.B
HEMICRANIA, *cephalæa, & cephalalgia differunt. in 6ᵐ. de morb. vulg. com. 1°.* 5ª.154.A
Hemicrania qũo fiat, & curetur, & vbi sit. 2°. de cõp. m. s. l. 5ª.139.G
Hemicrania dolor turgidus. 2°. de loc. aff. 4ª.10.E
cur Hemicranię dolores quotidie, & tertio quoque die infestent. 2°. de differen. feb. 3ª.40.C
Hemicraniæ signa letalia. de dyn. Sp.23.G
Hemicranium qui curat, quid considerare debet. 2°. de comp. med. secundum locos. 5ª.139.H
Hemicraniam etiam curant medicamenta, q̃ ueterem dolorem capitis curant. 2°. de comp. med. sec. loc. 5ª.140.A
in Hemicraniæ medicamentis adstringentia addere debemus. 2°. de cõ positio. medicamen. secun. loc. 5ª.139.H
Hemicraniæ præsidia. de dyna. Sp.23.G
ꝑ Hemicrania quæ in aures instillanda. 2°. de cõp. me. s. lo. 5ª.140.D
Hemicranium mire curat emplastrum diachrysu. de dyna. Sp.32.B
pro Hemicrania, & coxendicum morbo pastillus. 2°. de compositione med. sec. loc. 5ª.140.D
Hemicraniæ pillulæ vtiles. de dyna. Sp.23.G
Hemicrania laborãti vitãda sunt vina odorata. de atten. vic. 2ª.46.D
Hemicrania vino meraciori qñq; sanat. i 6ᵐ. d mor. vul. c. 5°. 3ª.196.E
Hemicranię cõfert sectio venæ super cornu capitis. & ana. vi. Sp.55.A
Hemicraniæ confert sectio venæ temporũ, & quæ sunt in angulis oculorum lachrymalibus. de ana. vi. Sp.55.A
ad Hemicraniam. de med. fac. par. 170. G/H/ 7ª.172.B
ad Hemicraniã inueteratã stercus colũbinũ. 10°. & simp. me. f. 5ª.77.A
ad Hemicranias inueteratas. 2°. de comp. med. sec. loc. 5ª.140.C
HEMICRANICI *qui, quo modo sint, & eorum differentiæ. 3°. de locis affectis.* 4ª.20.E/F
ad Hemicranicos dolores. 2°. de comp. me. se. loc. 5ª.140.A/B
HEMICRANIA *pharmaca. 2°. de comp. med. se. lo.* 5ª.139.H
HEMIECTVM. *de pond. & mens.* 5ª.275.G
Hemiectum, id est semisextum. de pond. & mens. 5ª.277.E
HEMINA *est vocabulum græcum, non Romanum. 6°. de compositione medica. per ge.* 5ª.257.G
Heminarum differentię multæ. c°. de comp. me. per ge. 5ª.257.G
Hemina quantum capiat. 4°. de comp. med. per ge. 5ª.244.C
Hemina Romana. 1°. de comp. med. per ge. 5ª.215.D
Hemina vncijs nouem romanis valet. 1°. de compositione medicamen. per genera. 216. F/6°. 5ª.257.G
Heminæ Italicæ. 4°. de san. tuen. 2ª.86.H
Hemina vnciarum sexdecim. 1°. de cõp. me. per ge. 215. E/6°. 5ª.257.G
Hemina Attica quænam sit. 1°. de comp. me. per ge. 5ª.215.D
Hemina attica quantum continet. 5°. de comp. med. per ge. 5ª.250.A
Hemina quomodo figuratur. de pond. & mens. 5ª.275.C
Hemina. 1°. de comp. me. se. lo. 129. H/2ª. 132 B/3ª. 143. G/ de pode-rib. & mens. 275. G/ 5ª.277.C/D/E/
Hemina vnciæ nouem metallicorum. 5°. de comp. me. per g. 5ª.248.B
Hemina duodecim vnciarum. 5°. de comp. med. per ge. 5ª.248.B
Heminæ quatuor vrinæ simul emissæ quarto die post a vulnere vesicę. 1°. de loc. aff. 4ª.2.E
Heminæ sex, quæ valent libras quinque. 2°. de cõp. me. p g. 5ª.227.H
Heminæ viginti. 4°. de san. tuen. 2ª.86.H
HEMIOLII *mensura quæ sit. 4°. de comp. me. se. lo.* 5ª.152.B
HEMIONIVM *ad quid valeat. de cura icteri.* Sp.111.B
HEMITRITÆVS *vnde dicatur. 2°. de diff. fe.* 3ª.38.E
Hemitritæa febris, quæ. fin. med. Is.46.D
Hemitritæa morbus continuus. fin. med. Is.45.F
Hemitritæi differentiæ. 2°. de diff. fe. 3ª.39.A
Hemitritæi complicatio, qualis. 2°. de cris. 4ª.136.E
Hemitritæi febris quatuor differentiæ. 2°. de diff. fe. 3ª.37.H
Hemitriteus neque ex vtraque continua, neque ex vtraque intermittente fit. 2°. de diff. feb. 5ª.39.E
Hemitritæus habet omnia quæ tertiana. de typ. 3ª.90.G
Hemitritæus exquisitus. 2°. de diff. fe. 38. D/ 3ª.39.A/B
si Hemitritæa aut succensiuæ febris incidãt casus, in humoribus accẽdi febrem

di febrem indicant. 1°. de diff. feb. 3ª.34.A
ad Hemitritæos antidotum Basilij. de spermate. Sp.33.F
ad Hemitritæos casus. 2°. de cri. 4ª.136.F
HEPAR appellatur nomine visceris. com. 4°. aph. 64°. Ex.34.D
Hepar sinistrum est lien, secundum Aristotelem. de vtil. resp. Sp.64.G
Hepar inter partes instrumentales numeratur. de diff. mor. 3ª.2.F
Hepar primum est in ceratione. de ana. viuo. Sp.51.H
Hepar, cor, cerebrum, & animam creat sol. de compagine membrorũ siue de natura humana. Sp 59.G
ad Hepatis generationem intendit spiritus naturalis. de anatomia viuorum. Sp.51.H
Hepar ex quibus generetur. de ana. viuo. Sp.51.H
Hepar quantæ sit magnitudinis in fœtu. 15°. de vsu par. 1ª.212.E
Hepati in fetu arteriarum vsus exiguus. 15°. de vsu par. 1ª.212.F
Hepati neruorum vsus in fœtu nullus. 15°. de vsu par. 1ª.212.F
de HEPATIS anatomia. de anato. viuo. Sp.50.F
Hepar an geminetur in homine dubium est. de ana. uiuo. Sp.48.A
Hepar in piscibus duplex unde. de ana. uiuo. Sp.48.A
Hepatis forma quæ, & qui situs. de ana. uiuo. Sp.50.G
Hepar ubi positum sit. de anat. parua. Sp.43.A
Hepar cur in dextera parte. de anat. viuo. Sp.50.G
Hepatis plura sunt additamenta, quæ comparantur stomacho vt digiti ad manum. de ana. viuo. Sp.50.G
Hepar lobis vt digitis ambit ventriculum. 7°. de vsu par. 1ª.159.H
Hepar cur ambit ventriculum. 4°. de vsu par. 1ª.137.C
super Hepar cur sit stomachus, & ad quid. de ana. viuo. Sp.47.D
Hepar disponitur ex figura ventriculi. 4°. de vsu par. 1ª.137.C
vt ad Hepar stomachus, ita vitreus humor se habet ad crystallinum. de anatomia viuorum. Sp.48.D
Hepar versus dispositus est dexter cordis venter attrahens ab eo. de anatomia viuorum. Sp.56.C
Hepar, & venter non premunt diaphragma. 2°. de diff. resp. 3ª.67.F
Hepatis membrana exterior veluti cutis quædã. 4°. de vsu par. 1ª.138.F
Hepatis panniculi duo. de anato. parua. Sp.43.A
Hepatis panniculus est sensificans. de anat. viuo. Sp.55.F
Hepar componitur ex venis. de ana. viuo. Sp.50.F
Hepatis fibræ nõ sunt tot in oĩbus animalibus. 4°. de vsu par. 1ª.137.C
in Hepate cur fibræ. 4°. de vsu par. 1ª.137.C
Hepar carnosum est. de ana. viuo. Sp.50.F
Hepatis caro purpurea est. de ana. viuo. 44.C/ Sp.55.H
Hepatis caro videtur sanguis crassus. 4°. de vsu par. 1ª.138.E
Hepatis caro mediocris est in mollitie, & duritie. de ana. viuo. Sp.55.H
Hepatis caro est calidior adenibus mammarum. cõmentario. 5°. aphorismo 40°. Ex.41.D
in Hepate cur non est facta vna cauitas, vt in corde, sed sunt anguſti trã situs. 4°. de vsu par. 1ª.139.A
Hepar propter quid genitum sit. de ana. viuo. Sp.50.F
Hepar pars necessaria ad viuendum. 14°. de vsu par. 1ª.204.C
Hepar, cerebrum, pulmo, stomachus, sunt prima membra post cor. de anatomia viuorum. Sp.47.B
Hepar, cor, cerebrum, stomachus, sunt membra quatuor principalia, secundum aliquos. de ana. viuo. Sp.56.A
Hepar vnum principium in nostro corpore. ars med. Isa.63.B
Hepar vnum principium virtutum vniuersi corporis. 2°. de arte curatiua ad Glauconem. 2ª.103.B
Hepar exigitur propter sanguinem. de ana. viuo. Sp.47.C
Hepate, & corde eget cerebrum ad conseruandam substantiam suam. de motib. man. & obsc. Sp.66.G
in Hepate est anima concupiscibilis. 3°. de decre. Hipp. 1ª.246.C
ab Hepate dependentia, quę. ars med. Isa.63.B
ex Hepate prouenit virtus secundum quam nutrimur, & augemur, & cibum appetimus, & assumptum elaboramus concoctione, et digestione, & sanguificatione, et appositione, & prosphysi, & discretione, & excretione. de virt. nost. corp. dispens. Sp.60.B
Hepar est principium nutricationis ſm Galenũ. de ana. viuo. Sp.45.H
Hepar continet in se materiam, & nutrimentum totius corporis. de anatomia viuorum. Sp.49.H
Hepar quo mõ sit principiũ digestionis, et ẽt cor. de ana. vi. Sp.56.H
Hepar venarum principium. 1°. de vsu partium. 117.B/138.F/6°.152.D/15°.212.E/16°. 1ª.214.D
Hepatis caro principium venarum. 4°. de vsu par. 1ª.138.H
Hepar virtutem largitur venis. ars med. Isa.71.A
ab Hepate venæ accipiunt virtutẽ vegetalẽ. 1°. de vsu par. 1ª.117.B
ab Hepate venas nõ nasci, sed à corde, pbatio. ꝺ an. vi. 46. A/Sp.56.F
in Hepate sunt multæ venæ & amplę. ars med. Isa.70.H
ex Hepate venæ maximæ. 16°. de vsu par. 1ª.220.H
in Hepate venæ sunt omnium tenuissimæ. 4°. de vsu par. 1ª.139.B
in Hepate superius oritur vena caua. 4°. de usu par. 1ª.142.B
in Hepate inferius oritur vena portæ. 5°. de vsu par. 1ª.142.B
ab Hepatis portis venarum omnis distributio in inteſtina simul cũ arteryis fit. 16°. de vsu par. 1ª.220.H
Hepatis venarum terminus. ars med. Isa.70.H
in Hepate non sunt simul vena, & arteria. de vti. resp. Sp.64.H
in Hepatæ venæ & arteriæ se contingunt. 9°. de vsu par. 1ª.172.H
in Hepatis gibbo solæ inueniuntur venæ. de uti. resp. Sp.64.H
in Hepatis simo venæ sursum ferunt alimentum ex particulis, quæ ad ventriculum attinent. 4°. de vsu par. 1ª.138.G
in Hepatis gibbo venæ sumunt alimentum. 4°. de vsu par. 1ª.138.H
ab Hepatis vena, & etiam ab arteria sunt meatus quidam ad renes. ꝺ vtilitate respirationis. Sp.64.G
ad Hepatis venam non omnino transmitti succum cibi, immo etiam partim ad arteriam. de vti. resp. Sp.64.G
Hepar dat secundam purgationem nutrimento. 4°. de vsu p. 1ª.136.A
Hepar mouet ad motũ respiratoriorũ organorũ. 1°. de dif. resp. 3ª.59.H
Hepar habet propriam actionẽ naturalem. 2°. de sa. tuen. 2ª.75.A
ab HEPATIS caua ad gibbam cibi mutant qualitatem. 13°. methodi medendi. 7ª.83.E
ad Hepatis coctionẽ exemplũ de vino musto. 4°. de vsu par. 1ª.136.A
Hepar conuertit alimentum in sanguinem. c. 6°. apho. 16°. Ex.47.G
Hepar est principiũ sãguinis ſm Galenũ, et cur. de ana. vi. Sp.50.F
in Hepate sanguinis potestas. de sper. Sp.36.G
Hepar sedes propria sanguinis. de sper. Sp.36.H
Hepar primũ sanguinis generandi instrumẽtũ. 4°. de vsu par. 1ª.138.D
Hepar est immediatum sanguinis principium. de ana. viuo. Sp.50.G
Hepatis caro primũ instrm generãdi sãguinẽ. 4°. ꝺ vsu p. 1ª.138.E/F/H
Hepatis caro mutat sanguinem. 7°. de vsu par. 1ª.159.A
ab Hepatis carne chylus alteratus debet fieri ruber, si illi debet assimilari. 4°. de vsu par. 1ª.138.E
Hepar rubrificat sanguinem. de ana. viuo. Sp.44.C
in Hepatis gibba parte sanguis fit ex succo decocto à meſaraicis. de cõ pag. memb. Sp.59.A
Hepar vertit phlegma in sãguinẽ virtute fellis, et qũo. ꝺ sper. Sp.36.B
in Hepate sanguificatio iuuatur à crassitudine partim ad vmbilicum, & imum ventrem attinentium. com. 2°. aph. 35°. Ex.17.E
in Hepate sanguis qui perficitur, præparatur in venis meſaraicis. 4°. ꝺ vsu partium. 1ª.136.A
in Hepate est chymus, & mittitur ad nutriendum animal. 4°. de vsu partium. 1ª.136.A
Hepar nõ facit sãguinẽ pp oĩa mẽbra. de motib. mani. & obſ. Sp.68.A
ab Hepatis caua sanguis ascendit ad gibbum. 4°. de vsu par. 1ª.136.B
in Hepate semen fit calidum, & humidum. de sper. Sp.36.H
Hepar vnde alatur. com. 2°. aph. 18°. Ex.14.A
ad Hepar non solum venæ ducunt nutrimentum, sed etiam præparãt. 4°. de vsu partium. 1ª.135.H
Hepar trahit succum cibi ab inteſtinis. de vti. resp. Sp.64.D
Hepar nutritur a venis solis tenuissimis, atq; rarissimis. 6°. de vsu partium. 1ª.155.C
Hepar nutritur craſso, & limoſo alimento. 6°. de vsu par. 1ª.151.D
Hepar sibi seruat sanguinem utiliorem ad nutrimentum. Sp.59.B
Hepar primo sursum recipit alimentum. 5°. de vsu par. 1ª.142.G
Hepar habet sanguinem pro humore. com. 5°. apho. 39°. Ex.41.C
ad Hepar et renes dirigitur materia a corde, quæ his vitam defert. de anatomia viuorum. Sp.51.C
ab Hepate cor trahit sanguinem. de vti. resp. Sp.64.D
Hepar sanguinem tenuiorem cordi miniſtrat. de compag. memb. siue de natura humana. Sp.59.B
Hepatis vicinitas facit vteri dexteram partem calidiorem commentario 5°. apho. 48°. Ex.41.H
in Hepate nulla est arteria, ſm Aristotelẽ. de util. resp. Sp.64.E/H
in Hepatis curuatura inueniunt tã arteriæ q̃ uenæ. de ut. resp. Sp.64.H
Hepar vnde accipiat arteriam. 16°. de vsu par. 1ª.219.A
in Hepate cur arteria. 4°. de vsu par. 1ª.138.F
Hepati mittũtur nerui a sexta coniugatione. 16°. de vsu par. 1ª.215.H
in Hepate cur neruus. 4°. de vsu partium. 1ª.138.F

Hepati cur neruus ſyncerus. 16°. de vſu par. 1ª.216.E
ſub Hepatis partibus nerui non ſynceri. 16°. de vſu par. 1ª.216.E
ad Hepar cur fuit neceſſe neruos accedere. 16°. de vſu par. 1ª.215.E
Hepati ineſt neruorum genus molle. 16°. de vſu par. 1ª.215.A
in Hepate cur minimus neruus. 5°. de vſu par. 1ª.145.F
Hepati melius fuit habere minimos neruos. 7°. de vſu par. 1ª.159.H
Hepar cur habet aliquos paruos neruos. 6°. de vſu par. 1ª.155.G
Hepar cur habet paucos neruos. 14°. de vſu par. 1ª.209.D
in Hepate nerui quo in mẽbrana diſpergantur. 2°. de loc. aff. 4ª.9.B
in Hepate non eſt pulſatio, quia non habet neruum diſperſum per totũ. 2°. de locis affectis. 4ª.9.B
Hepar habet ſenſum in ſuperficie. de anato. viuo. Sp.44.C
Hepar cur paruo ſenſu indiget. 5°. de vſu par. 1ª.145.F
Hepar inſenſibile eſt, et q̃ in ipſo ſint ſenſibilia. de vti. reſp. Sp.62.H
ab Hepate meſariacas euntes ad ſtomachũ, & inteſtina recipiunt glã dulæ quædam. de anat. viuo. Sp.44.D
ſub Hepate, & ſplene ſunt hypochondria. de anat. parua. Sp.43.B
HEPATIS *parui indicia colligi poſſunt. ars med.* Iſa.66.H
Hepatis calidi ſigna. ars med. Iſa.65.A
Hepatis caliditatẽ poteſt obtũdere cordis frigiditas. ars med. Iſa.65.B
Hepatis frigidi ſigna. ars med. Iſa.65.A
Hepar frigidus obſtat caliditati cordis. ars med. Iſa.64.E
Hepatis frigiditatẽ poteſt obtundere cordis caliditas. ars me. Iſa.65.B
Hepatis ſicci ſigna. ars med. Iſa.65.B
Hepar aliquando obſtat humiditati cordis. ars med. Iſa.64.G
Hepatis ſiccitatẽ, cordis humiditas nõ poteſt obtũdere. ars me. Iſ.65.B
Hepatis humidi ſigna. ars med. Iſa.65.B
Hepar aliquando obſtat ſiccitati cordis. ars med. Iſa.64.G
Hepatis ſicci, & calidi ſigna. ars med. Iſa.65.B
Hepatis calidi, humidiq; indicia. ars med. Iſa.65.B
Hepatis humidi frigidiq; indicia. ars med. Iſa.65.C
Hepatis frigidi, & ſicci indicia. ars med. Iſa.65.C
HEPATIS *patientis ægritudines quę ſint. de virtutibus noſtrum corpus diſpenſantibus.* Sp.60.B
Hepatis, & ſplenis affectus ſæpe febrẽ attulit. 2°. de dif. feb. 3ª.37.D
in Hepate ſedẽ habẽtes cauſi quales. d̃ vic. ra. ĩ mor. ac. c. 3°. 7ª.136.D
Hepatis affectio nominatĩ non febris. in 1ᵐ. de mor. vul. c. 3°. 3ª.118.H
inter Hepatis gibbam partem & ſimam infarciuntur humores craſſi. de victꝰ rat. in mor. acu. com. 1°. 7ª.111.E
in Hepate malignus, vel acris humor nõ manet. 5°. de vſu par. 1ª.145.F
in Hepatis gibbis venę tunica patiente, quot ibi erunt ægritudines. de differentijs morborum. 3ª.4.C
in Hepatis meatibus quando ſola obſtructio. de diff. mor. 3ª.4.D
de Hepatis obſtructione caſus ars med. Iſa.69.B
Hepati mali ſunt omnes cibi dulces. de diff. cont. Sp.74.H
Hepar obſtruit caſeus multus. de diff. cont. Sp.74.H
in Hepate oppilationem generat. de diff. cont. Sp.75.B
Hepatis craſſitiẽ auget lac ſi comedatur ſolum. de diff. cont. Sp.74.H
Hepatis obſtructiones pariũt palmæ immaturæ. 2°. de ali. fa. 2ª.20.H
Hepar celerime obſtruit palmę ſuccus dulcis. 2°. de ali. fa. 2ª.20.H
in Hepate obſtructionem facit vinũ dulce. de diff. cont. Sp.74.H
Hepati q̃ obeſt vinũ dulce. de vic. ra. in mor. acu. com. 3°. 7ª.125.H
Hepati patienti nocuum eſt dulce vinum, & maxime quando phlegmone laborat. de vinis. Sp.76.D
Hepati calido dulcia prohibenda. de diff. cont. Sp.71.F
Hepatis & ſplenis obſtructio deprehenduntur ex loci dolore. quæſita in Hippocratem. Sp.113.C
ob Hepatis, aut renum oppilationem tenuis vrina mingitur. quæſita in Hippocratem. Sp.113.C
Hepatis oppilationẽ timẽti cõueniũt cibi ſubtiliates. d̃ dif. cõ. Sp.72.d
Hepar obſtructum aperit beta. 2° de ali. fac. 2ª.22.H
Hepati benigna erit Aqua bona ſi modicam vino miſcueris. de bonitate aquæ. Sp.75.F
Hepatis oppilatiões apiunt Amygdalę ꝑprie amaræ. d̃ dif. cõ. Sp.74.b
Hepatis oppilationem aperiunt Fiſtici. de diſſolutione continua. 74.H/*de med. exper.* Sp.104.D
Hepatis oppilationem aperit Lac cum origano, mentaſtro ſylueſtri, pipere. de diff. cont. Sp.74.H
cõtra Hepatis oppilationẽ drachmæ duæ Laccæ. de me. exp. Sp.106.E
ĩ Hepatis vijs humores ĩfarctos purgãt Piſtachia. 2°. de ali. fa. 2ª.21.C
Hepatis oppilationes aperit Sicla. de diff. cont. Sp.74.G
Hepatis oppilationem aperit Secaniabin. de diff. cont. Sp.74.H

in Hepatis apertione valens medicina. de med. exper. Sp.106.G
ad Hepatis fluxum medicamentum. de me. exper. Sp.104.G
Hepatis vitio quo modo fiat dyſenteria. 6°. de loc. aff. 4ª.36.D
HEPATIS *patientis ſigna. ars med.* Iſa.67.B
Hepatis affectus notæ. 1°. de loc. aff. 4ª.6.C
Hepatis vitium vrinam rubram & obſcuram habet. de ſper. Sp.35.E
Hepate læſo læditur lien. 2°. de ali. fac. 2ª.20.H
ob Hepatis immodicam frigiditatem ad ſatis magnam perueniente alimenti diſtributione imbecillitatem ſunt excrementa humidiora. cõmentario 1°. apho. 20°. Ex.14.C
Hepar & ſtomachus q̃n ſunt frigidi, q cibi ſumendi. de diff. cõ. Sp.71.F
ad Hepatis debilitatẽ ex frigida cauſa rhabarbarũ. d̃ me. ex. Sp.106.E
Hepatis debilitati conferens oleum. de dyna. Sp.27.C
ad Hepatis debilitatẽ datur decoctio agarici. de med. ex. Sp.106.F
contra Hepatis debilitatem et oppilationem datur decoctio cafit. de medicinis expertis. Sp.106.F
contra Hepatis debilitatẽ valet electariũ iridis. de me. exp. Sp.105.E
ex Hepatis debilitate fluxui quid conferat. de me. exper. Sp.104.G
Hepar roborant piſtacia. 2°. de ali. fac. 2ª.21.C
Hepar confortant fiſtici. de diff. cont. Sp.74.H
Hepar debile confortans medicamen. de me. ex. 107.F/ Sp.108.A
in Hepatis confortatione quid ſit optimum. de med. exper. Sp.105.F
Hepar valde cõfortãs medicamẽtũ. d̃ me. ex. 104. G/105.C/Sp.107.G
Hepar confortans electarium. de me. ex. 107.B/ Sp.108.A/C
Hepar confortat electarium rhabarbari. de med. exper. Sp.105.F
Hepate non potente ad ſe trahere alimentum, & conuertere ſanguinẽ, fit fluxus alui. com. 6°. apho. 16°. Ex.47.G
Hepatis frigiditati valens medicamen. de med. ex. 105.H/ Sp.106.F
in Hepate aut renibus ſanguine craſſo exuſto ſedimina in vrinis fiũt ſi milia orobis. com. 4°. aphoriſmo 76°. Ex.36.E
in Hepate & ventriculo quæ ſunt corrupta in ſanis et tempore coquũtur. 1°. de diff. feb. 3ª.31.H
epati, & ſimæ eius parti danda cathartica. de cath. Sp.94.G
Hepatis ſimam partem purgantia, quæ. de cathar. Sp.95.C
Hepatis gibbam partem purgantia, quæ. de cathar. Sp.95.C
Hepar purgat Iuniperi fructus. 2°. de ali. fac. 2ª.19.C
ex Hepate quæ educantur. de cathart. Sp.94.G
per Hepar ſanguis purgatur. de ſper. Sp.37.G
Hepar à quatuor inſtrumentis purgatur. 5°. de vſu par. 1ª.145.F
Hepatis ſuperfluitates per quos meatus euacuantur. ars me. Iſa.71.E
ad Hepar vt ſe hẽt veſica, ita monoculũ ad ſtomachũ. de an. vi. Sp.50.F
in Hepate veſica fellis ſita, recipit leue & flauum excrementũ. 4°. de vſu partium. 1ª.136.B
ex Hepate ad inteſtinũ vadit bilis. de vic. ra. in mor. acu. c. 2°. 7ª.120.G
Hepar expurgatur a ſplene. com. 4°. aph. 21°. Ex.29.D
ab Hepate ad ſplenẽ quo mõ ꝓcedat melãcholia. de an. par. Sp.43.B
Hepar niſi expurgetur, viſcera debilitãtur. c. 4°. aph. 21°. Ex.29.D
ab Hepate fluentes ichores faciũt faſtidiũ cibi. c. 6°. apho. 3°. Ex.46.F
Hepatis gibba & cauа pars quo modo recipiãt materias à capite, & quo modo ad inteſtina mittantur. com. 7°. aph. 30°. Ex.56.B
per Hepar partes aliquæ purgantur. 5°. de loc. aff. 4ª.35.D
Hepar per quas vias euacuet commode. com. 1°. aph. 21°. Ex.10.A
Hepatis euacuatio ad quæ loca, mala. com. 1°. aph. 21°. Ex.10.A
Hepatis oppilationibus valens electarium. de me. exper. Sp.107.B
ad Hepatis obſtructionem. de rem. par. fac. 7ª.159.D
Hepatis vigor non eſt reſoluendus madefacientibus, & relaxantibus. ars medicinalis. Iſa.71.A
ĩ Hepatis curatiõe aliqua adſtrĩgẽtia apponẽda ſunt. ars me. Iſa.71.A
Hepati tumenti non conducunt vuæ paſſæ. de atten. vic. 2ª.46.A
MEPAR *nõ multũ dolet, quia minimis participat neruis. in 1ᵐ. prorrh. commen. 2°.* 4ª.175.C
Hepatis dolor quo lunę aſpectu fiat. de decub. prog. Sp.12.G
Hepar tripliciter dolet, & quo modo cognoſcitur differentia cauſarũ. commen. 7°. aphor. 35°. Ex.58.E
Hepatis dolor grauis eſt. 2°. de loc. aff. 4ª.12.C
Hepar vnde ſentiat grauitatem ex tumoribus præter naturam. 2°. de locis affectis. 4ª.9.B
quibus Hepar grauatur ijs conuenit epithymum. de dyna. Sp.21.B
Hepatis dolor quæ ſecum trahat in conſenſum. 2°. de loc. aff. 4ª.12.C
Hepar compatitur per magnam paſſionem ſtomachi, & pectoris. commen. 6°. aph. 16°. Ex.47.G
Hepar quo modo ad ſtomachũ compatitur. com. 1°. aph. 17°. Ex.55.E

Hepate for-

Hepate fortiter patiente compatitur stomachus, & sit singultus, & tussis.com.6°.apho.16°. *Ex.47.F*
Hepate aut splene dolentes difficulter respirant.1°.de dif.resp. 3ª.59.H
si circa Hepatis gibbam partem sit dolor, paruus, & densus sit spiritus.3°.de diff.resp. 3ª.71.C
Hepatis & splenis infernæ partes si cum dolore & tumore sint, densum ac paruum efficiunt spiritum.3°.de diff.resp. 3ª.71.C
quibus Hepar circundolet, his febris superueniens soluit dolorem.cõmen.1°.apho.52°. *Ex.58.E*
Hepatis inflammationis dolor qualis, & in qua parte fiat vehemens. commen.6°.apho.5°. *Ex.46.H*
Hepatis dolori ex calore confert triasandali.de dyn. *Sp.26.E*
ad Hepatis tumorem, vel dolorem, vel inflammationem epithema. de dynamidijs. *Sp.26.D*
Hepatis doloribus confert sectio venæ saluatellæ in dextra.de anatomia viuorum. *Sp.54.G*
Hepatis doloribus antiquis mirabile est iuuamentũ sectio arteriæ manus.de anat.viuo. *Sp.54.H*
in Hepatis dolore antiquo seccantur arteriæ post aures. de anatomia viuorum. *Sp.55.B*
ex Hepate doloris capitis curatio.2°.de comp.med.sec.loc. 5ª.136.H
ad Hepatis dolores.7°.de cõ.me.se.lo. 5ª.182.G/*sec.*98.F/*Sp.*100.H
ad Hepatis, & stomachi dolorem.secretorum. *Sp.97.B*
HEPATIS, *& hypochondriorum phlegmonæ sunt hæmorrhagicæ.in* 1ᵐ.*prorrh.com.3°.* 4ª.186.D
in Hepatis inflammationibus respiratio, qualis.de vtil.resp. 1ª.225.G
ad Hepar inflãmatũ sequiũ respiratio difficilis.2°.de diff.resp. 3ª.65.H
Hepar inflammatum singultum facit com.5°.apho.58°. *Ex.43.C*
in Hepatis inflammatione singultus, malum.com.7°.aph.17°. *Ex.55.B*
in Hepatis inflammationibus aluus profluens, malum.in 1ᵐ.*prorrhe.cõmentario 2°.* 4ª.177.C
ob Hepatis inflãmationẽ fit animi defectus.1°.de ar.cu.ad Gl. 7ª.98.F
Hepatis inflammationes quomodo finiant.3°.de cris. 4ª.139.E
Hepatis inflammatio facit morbum regium.cõ.6°.aph.42°. *Ex.51.A*
pro Hepate inflammato ceratum.8°.de comp.med.se.lo. 5ª.187.D
ad Hepatis inflammationes.8°.de comp.med.se.loc. 5ª.193.B
ad Hepatis phlegmonas antiquas.8°.de comp.me.se.lo. 5ª.196.F
ad Hepar, & præcordia, & inteſtina.8°.de comp.me.se.lo. 5ª.196.D
ad quas Hepatis dispositiones sequatur morbus regius. commentario 4°.aphorismo 64°. *Ex.34.D*
ob Hepatis durum tumorem, inflammationem, & obstructionẽ fit morbus regius.com.4°.apho.62°. *Ex.34.B*
Hepar durum facit morbum regium longo tempore, inflammatum vero & obstructum, breui.com.4°.aph.62°. *Ex.34.B*
Hepar si sit durum laborantibus morbo regio, malum, & cur.commẽtario 6°.apho.42°. *Ex.51.A*
ad Hepatis duritiem emplastrum.secretorum. *Sp.99.E*
ad Hepatis induratas affectiones.8°.de comp.med.sec.loc. 5ª.195.G
Hepatis, coli, et splenis tumores quam respirationem faciant.1°.de difficultate respirationis. 3ª.59.C
Hepar rodere quid significet poetis.3°.de Lacr.Hippo. 1ª.246.C
Hepar aptissimũ est generare vesicas aqua plenas in exterioribus mẽbranis.com.7°.apho.55°. *Ex.58.H*
Hepar quibus aqua plenum in omentum eruperit, his venter aqua repletur, & obeunt.com.7°.apho.55°. *Ex.58.H*
Hepar compatitur in aqua inter cutem.com.6°.apho.43°. *Ex.51.C*
Hepar sit durũ, si retineanẽ hæmorrhoides.com.6°.aph.12°. *Ex.47.D*
Hepatis materia feculenta vitiosa per hæmorrhoides purgata. commentario 6°.apho.12°. *Ex.47.E*
Hepatis calor natiuus extinguitur hæmorrhoidibus recluſis, vt multa ligna flãmis superingesta suffocant ignẽ.c.6°.aph.12°. *Ex.47.D*
si Hepar possit propellere multitudinẽ ad venas pulmonis, vase aliquo disrupto, fit tabes.com.6°.aph.12°. *Ex.47.E*
in Hepate si fit apostema, quid fieri debeat.secretorum. *Sp.99.C*
ad Hepatis apostema.secretorum. *Sp.99.D*
Hepatis putredo incocta quo cognoscitur.com.7°.apho.46°. *Ex.57.G*
HEPATIS *ægritudinibus oĩbus cõferens medicamẽtũ.secre.* *Sp.101.G*
Hepatis morbos sanat antidotus Athanasia Mitridatis.2°.de antidotis. 5ª.114.H
ad Hepar valet antidotus Archiuij.2°.de antid. 5ª.115.H
ad Hepatis affectus longos.8°.de compo.med.sec.loc. 5ª.196.H
ab Hepate ad ventrem quando trahendum.ars med. *Isa.71.A*
ab Hepate ad vrinam quando trahendum.ars med. *Isa.71.A*
Hepar potest euacuari per ventosam.de cura icteri. *Sp.110.H*
Hepati qñ apponendæ cucurbitulæ.2°.de arte cur.ad Glau. 7ª.102.F
supra Hepar partibus affectis è manibus sanguinem mitti, in inferioribus autem venas quæ in poplite vel talo sunt, secare iubet Hippocrates.com.6°.apho.36°. *Ex.50.H*
supra Hepar quandoque venæ secantur.de ana.viuo. *Sp.55.B*
Hepatis substantia nihil patiente, quibus in tunica est pus, saluantur omnes, quibus vero corruptio pertingit vsque ad carnem, nõ absq; ratione moriuntur.com.7°.aph.46°. *Ex.57.F*
Hepate discisso letale est.com.6°.apho.18°. *Ex.47.H*
Hepar habet vulnera plurimo manantia sanguine, ideo prius moriuntur qui ita sunt vulnerati, quàm vulnera agglutinari possint.commentario 6°.apho.18°. *Ex.48.A*
Hepatis fibra abscissa ẽt sanatus est patiẽs.com.6°.aph.18°. *Ex.48.A*
HEPATA *pullorũ, & anserũ sunt temperata.de diff.cont.* *Sp.73.A*
HEPATA *omnium animaliũ tarde digeruntur.de diff.cont.* *Sp.75.A*
Hepata pullorum anserũ sunt velocis digestionis.de dif.cont. *Sp.73.C*
Hepata generant bonum chymum, & crassum.de diff.cont. *Sp.74.A*
Hepata, cibus crassus, & cur.de diſs.cont. *Sp.72.G*
HEPAR *lupidi aridum.6°.de comp.med.sec.loc.* 5ª.172.B
Hepar lupi ad hæpaticas affectiones.6°.de comp.med.se.lo. 5ª.172.B
Hepar lupinum hepaticis valet.11°.de simp.me.fac.80.A/8°.de cõpo.med.sec.loc. 5ª.195.F
Hepatidibus affici consuetis sanguinem mittendum persuaſit Galenus de curan.rati.per sang.miſſ. 6ª.18.E
Hepar vulpis prosplenicis.9°.de comp.med.se.lo. 5ª.199.H
HEPATICI *qui dicerentur ab antiquis.com.4°.apho.73°.* *Ex.35.H*
Hepatici qui dicantur.5°.de lo.affe.34.F/2°.de compoſitione medic. secundum locos. 5ª.135.C
Hepatica affectio, quæ.8°.de comp.med.sec.loc. 5ª.194.C
Hepatica affectio cœliacę, & stomachicæ comparatur.8°.de compoſitione medic.sec.loc. 5ª.194.D
Hepatica affectio in quo consistat.8°.de comp.med.se.loc. 5ª.193.F
Hepaticæ affectiones plurimę a sanguine, & quale initium habent.8°. de comp.med.sec.loc. 5ª.194.B
Hepaticorum signa.de dyna. *Sp.27.D*
Hepaticorum signa letalia.de dyn. *Sp.27.D*
Hepaticorum vrina.de spermate. *Sp.35.A*
Hepaticæ deiectiones, quæ.in 1ᵐ.*prorrh.com.3°.* 4ª.187.D
Hepatica excrementa ab alijs distincta sunt.5°.de loc.aff. 4ª.34.E
Hepatici quid in initio excernant.6°.de loc.aff. 4ª.37.F
Hepaticis tenuia exeunt.in 1ᵐ.*prorrh.com.2°.* 4ª.175.B
Hepaticũ profluuiũ ab ignaris putaĩ dyſenteria.5°.de lo.aff. 4ª.34.F
Hepatici profluuij, & dyſenteriæ differentia.6°.de loc.aff. 4ª.36.F
Hepatici, cur cum sanantur, quandoque excrementa peſſima deijciũt.5°.de locis affectis. 4ª.35.D
in Hepaticis cur sanguis excernatur.8°.de com.me.se.loc. 5ª.194.C
Hepatici nigrũ sanguinẽ quandoq; excernunt.14°.meth.med. 7ª.89.D
Hepatici proprie affectionibus vinum dulce obeſt.de victus ratione in mor.acu.com.3°. 7ª.126.A
Hepaticis damus cholagoga.de dyna. *Sp.20.E*
Hepaticis datur epithymum.de simp.med. *Sp.83.H*
Hepaticis prodeſt hepar lupinum.6°.de compoſitione medicamento. sec.loc.172.B/8°. 5ª.195.F
Hepaticis prodeſt panax ex vino & melle.de victus ratione in morbis aentis, commen.4°. 7ª.144.C
Hepaticis siue iecorarijs morbis prodeſt Chryſocome.8°.de ſimpliciũ medicamen.facul. 5ª.65.H
Hepaticos affectus adiuuat radix papaueris cornuti.7°.de ſimpliciũ medicamentorum facul. 5ª.55.G
Hepatici intemperiem ſanauit philonium ſemel exhibitum.8°.de compo.med.sec.loc. 5ª.194.G
Hepaticos curat theriaca.de ther.ad Piſo. 5ª.96.A
Hepaticum cataplaſma.8°.de comp.me.sec.loc. 5ª.196.C
pro Hepaticis catapotium.8°.de com.med.sec.loc. 5ª.195.D
Hepaticis prodeſt electarium dianthu.de dyn. *Sp.26.D*
*ad Hepaticos malagma.8°.de comp.med.sec.loc.*196.C/*7°.de compo. med.per genera.* 5ª.266.E
Hepaticos affectus aquoſus curans.6°.de com.med.per ge. 5ª.263.A
*ad Hepaticos.7°.de compoſitio.medicamen.sec.lo.*181.F/185./B/D/187.A/*8°.*190.H/193.A/B/C/194.E/H/195.A/*9°.*197.H/198.F/202.F/203.C/

202.F/203.C/10°.206.B.2°.de comp.medicamen. per gene. 227. F.5°.249.B/7°. 5ª.265.B
HEPATICA cur dicta medicamenta.5°.de simp.med.facul. 5ª.38.E
Hepatica quæ nuncupentur.5°.de loc.aff. 4ª.34.D
Hepatice simplicium facultates.5°.de simp.med.fac. 5ª.32.B
Hepaticis facultatibus miscetur palmæ tegumentum.8°.de simpliciũ medicamen.facul. 5ª.63.C
Hepatica medicamenta non debent esse vehementer refrigerantia.8°. de compo.med.sec.loc. 5ª.194.G
Hepatica Antonij Musæ.8°.de composi.med.sec.loc. 5ª.195.B
Hepatica antidotus athanasia.8°.de compo.med.sec.loc. 5ª.194.H
Hepatica antidotus à Nearcho laudata.8°.de com.me.se.l. 5ª.195.A
Hepatica Dioscori antidotus. 8°.de compo.me.se.loc. 5ª.195.A
Hepaticum eclegma Paulini cito iuuans.8°.de com.me.se.l. 5ª.195.F
Hepaticis epithematis commiscetur hypocistis.7°.de simplicium medicamentorum facultatibus. 5ª.51.D
Hepaticus pastillus.8°.de cõ.me.se.l.5ª.195.D/de re.par.fa.7ª.159.D
Hepaticum pharmacum ex cocleis.8°.de com.med.sec.loc. 5ª.195.F
Hepatici potio.8°.de compo.med.sec.lo. 5ª.196.A
HEPHESTIAS vrbs est in Lemno.9°.de simp.me.fa. 5ª.65.C
HEPHESTIAS emplastrum ad cicatricem inducendam. 9°. de simplicium med.facul. 5ª.70.G
HEPIALVS quid sit.de inæq.intemp. 3ª.44.G
Hepiala anasarca,& febris præter hecticam sunt intẽperies inæquales per totum corpus. de inæq.intemp. 3ª.43.B
Hepiala febris.in 6ª.de morb. vulg.com.1°. 3ª.160.A
Hepialon est genus febris.com.7°.apho.42°. Ex.57.D
Hepiala quod genus febris.2°.de diff.feb. 3ª.37.E
Hepialæ febres quid faciant.3°.de simp.me.fac. 5ª.21.A
Hepiale quales.de inæq.intemp. 3ª.44.F
Hepialæ minutæ, quæ.de inæq.intemp. 3ª.44.G
Si Hepialæ,& lypiriæ incidant casus indicium est in humoribus febrem accendi.1°.de diff.feb. 3ª.34.A
Hepiala ex quo fiat humore.2°.de diff.feb. 3ª.37.G
HEPSEMA, hoc est decoctum, inquit Galenus nominare græcos in sua Asia siræum. in 6ª.de mor.vul.com.6°. 3ª.195.G
Hepsema quale,& quomodo fiat.de vic.ra.in mor.ac.cõ.3°.7ª.125.G
Hepsema recipientia qualia sunt.3°.de alim fac. 2ª.26.C
HERACLEA herba.4°.de compo.med.sec.loc. 5ª.156.F
HERACLIANVS nouis scriptor Anatomiæ.de natura humana, commentario 2°. 7ª.183.F
HERACLIDES, & Zeusis omnia opera Hippocratis cõmentati sunt. de ijs,quæ in med.si.com.1°. 7ª.197.F
Heraclides Erythreus interpres sexti Epidemiorum.in 6ª.de morbis vulgaribus,com.1°. 3ª.152.C
Heraclides,Herophilus,ac Zeuxis empirici interpretes aphorismorum.com.7°.apho.65°. Ex.60.D
Heraclidis fuit vulgaris medicus.2°.de comp.me.sec.loc. 5ª.134.H
Heraclides vir fide dignus,si quis alter.4°.de cõ.me.per ge.5ª.241.C
Heraclides ad vtilitatẽ scripsit.in 3ª.de mor.vulg.com.2°. 3ª.138.A
Heraclides scripsit ad Antiochidem.6°.de compo.med.sec.lo. 172.D/174.G/5°.de comp.med.per ge. 5ª.249.H/
Heraclidis liber ad Astydamantem.2°.de antido.117.G/H/4°.de cõpo.medic.per genera. 5ª.241.C
Heraclidis Tarentini pulsus descriptio.4°.de pul.diff. 4ª.66.B
Heraclidis Erynthrei pulsus diffinitio.4°.de pul diff. 4ª.68.A
Heraclides librum fecit apium dictum.6°.de loc.aff. 4ª.39.E
Heraclides librum fecit de serpentibus.2°.de antido. 5ª.118.D
Heraclides Tarentinus scripsit de simplicibus.1°.de antid. 5ª.100.B
Heraclides Tarentinus legẽdus in herbaria re.5°.de sim.me.f.5ª.39.H
Heraclides,& Mantias primi cognitionem medicamentorum tradidere.2°.de compo.me.per ge. 5ª.222.A
Heraclides Tarẽtinus vnus ex primis compositoribus pharmacorum. 2°.de compo.med.per ge. 5ª.218.D
Heraclides Tarentinus medicamentorum scriptor.3°. de compositione medic.per gene. 5ª.234.H
ex Heraclidis scriptis medicamentum.5°.de com.me.per ge. 5ª.251.D
Heraclidis antidotus.2°.de antid. 5ª.117.H
Heraclidæ Tarentini catapotia.10°.de comp.me.se.loc. 5ª.206.E
Heraclidæ arteriaca.7°.de comp.me.se.loc. 5ª.179.G
Heraclidis enneapharmacos antidotus contra viperæ morsum,2°. de antidotis. 5ª.118.D
Hraclidis lite iecsion,quæ.5°.de compo.med.per genera. 5ª.250.A
Heraclidis Tarentini Iecsium nigrum.5°.de com.me.per ge.5ª.249.H
ex Heraclidis libris medicamentum.5°.de com.me.per ge. 5ª.254.E
Heraclidis melinum.2°.de compo.medica.per ge. 5ª.222.F
Heraclidæ psilothrum.1°.de compo.medi.secun.lo. 5ª.127.H
Heraclidæ ad crustas.6°.de compo.med.sec.loc. 5ª.172.D
Meraclides.6°.de comp.med.sec.loc.175.C/5°.de compo.medicamen. per genera. 5ª.254.C
HERACLEIA magnes.9°.de simp.med.fac. 5ª.68.B
fm HERACLITVM splendor siccus animus sapientissimus. quòd animi mores. 1ª.318.G
HERAS cappadox.2°.de comp med.per ge. 5ª.218.D
Heras cappadox medicamentorum scriptor. 3°.de compositione medicamentorum per genera. 5ª.234.H
Heras de medicamentis egregie pertractauit.2°.de compositione medicamentorum per genera. 5ª.222.A
Heram pbat in medicamẽtis q̃ adducit.2°.de cõ.me.per ge.5ª.218.E
Heras librũ fecit de medicamẽtis.2°.de com.me.se.lo.140.A/5°.168. D/7°.178.B/7°.de compo.me.per ge.265.C/ 5ª.272.G
Heras librum fecit Nartheca,id est prõptuariũ medicamẽtorum, inscriptũ.1°.de compo.me.per ge.214.G/5°.245.F/ 5ª.247.E
Heras librum vnum de facultatibus conscripsit.1°. de compositione medicamentorum per genera. 5ª.216.E
Heras de catagmaticis,et cephalicis.2°.de com.me.per ge.5ª.226.B
Heras.6°.de comp.me.sec.loc.175.C/9°.203.G/1°. de compositione medic.per genera. 5ª.214.C
Heræ acopia.7°.de comp.me.per ge. 5ª.273.A
Herę compositio auricularis ad omnem dolorem auris. 3°.de composi. med.secun.loc. 5ª.141.E
Heræ barbarum.2°.de comp.med.per ge. 5ª.227.E
Heræ Besasa.6°.de compo.med.sec.loc. 5ª.170.H
Heræ Cyzicenum.5°.de comp.med.per ge. 5ª.250.B
Heræ Diacodion.7°.de comp.med.sec.loc. 5ª.180.C
Heræ Diamorum.6°.de comp.med.sec.loc. 5ª.169.G
Heræ Diamorum quomodo confectum.5°.de com.me.sec.lo. 5ª.168.D
Heræ emplastrum.2°.de compo.med.per ge. 5ª.223.A
Heræ emplastra.4°.de compo.per gen. 5ª.256.G
Heræ emplastrum candidum.1°.de compo.mẽ.per ge. 5ª.215.F
vt Heras Gleucini confectio.7°.de compo.med.per ge. 5ª.272.G
ab Hera Cappadoce acceptũ malagma.7°.de com.me.p ge. 5ª.267.B
Herę Panacea.5°.de com.med.per ge. 5ª.245.H
ab Hera Cappadoce medicamẽtũ.10°.de compo.me.sec.loc. 5ª.207.D
Heræ ad Aegilopas.5°.de compo.med.sec.loc. 5ª.159.H
Heræ medicamenta ad Alopeciam.1°.de comp.me.se.lo. 5ª.122.H
Heræ pharmacũ pro alopecia puerorũ. 1°.de com.me.se.lo. 5ª.123.A
Heræ cõpositio ad profluuiũ capillorũ.1°.de com.me.se.lo. 5ª.125.G
Herę Cappadocis antidotus ad Canes rabidos.2°.ḍ ant.116.H/5ª.117.B
Heræ ad capitis dolorem.2°.de compo.med.se.lo. 5ª.140.A
Heræ ad columellam luxatam. 6°.de compo.me.se.lo. 5ª.174.F
Heræ ad fugillata.5°.de comp.med.sec.loc. 5ª.159.H
HERBÆ ex quatuor elementis.1°.de elem. 1ª.7.E
Herbarum scriptores.Hipp.ling.explan. Ex.71.D
de Herbis,& plantis quantum locutus est Galenus.10°.de simpliciũ medicamentorum facul. 5ª.72.A
de Herbis per alphabetum scripsit Pãphilus.6°.de sim.me.f.5ª.39.G
Herbarum varia nomina scribere superuacuum est. 6°. de simplicium medicamentorum facultatibus. 5ª.39.G
de Herbis quo modo locutus est Asclepiades in Tanitro.6°.de simplic. medicamentorum facul. 5ª.39.H
Herbæ,& stirpes transportatę alterantur.3°.de sym.cau. 3ª.26.E
Herbę omnium animalium cibi.1°.de elem.7.E/2°.de sem. 1ª.338.E
ad Herbas naturaliter veniunt subiugalia.de consue. 2ª.61.A
Herbæ non pinguefaciunt primo vere,sed procedente tempore animalia,quæ crassas herbas edunt.3°.de alim.fac. 2ª.26.B
Herbam breuem depascuntur pecudes.de art.com.1°. 7ª.256.F
Herba breuis melior ac solidior quam alta.de art.com.1°. 7ª.256.G
Herbã breuẽ cur nõ possunt boues depascere.de art.com.1°.7ª.256.F
Herbis nutriri non possumus vt bruta.1°.de na.fac. 1ª.292.D/E
ex Herbis nutrimentum diuersum est ab his quæ ex carne,& ossibus. 6°.de san.tuend. 2ª.96.C
ad Herbas dum nascuntur egritudinis recentis comparatio in cognitione.in 1ª.prorrh.com.1°. 4ª.160.H

Herbarum abun-

Herbarum abundantissima est Creta.de theria. ad Pisonem. 89.G/1°.
de antidotis. 5ª.100.H
Herbarum vasa plena portantur singulis annis è Creta Romam. 1°.*de antidotis.* 5ª.100.D
Herbæ nullæ adulterantur è Creta nisi aliqui succi. 1°.*de ant.* 5ª.100.D
Herbæ, quas Romæ inuenit Galenus. 1°.*de anti.* 5ª.102.B
Herbę in colle Tabiano. 5°.*meth.med.* 7ª.35.A
Herbæ in terra humida crescunt altissime. 11°.*de vsu par.* 1ª.190.A
Herbę in terra petrosa paruæ ac durę. 11°.*de vsu par.* 1ª.190.A
Herbæ campestres generosiores. 1°.*de antid.* 5ª.107.B
Herbarum probatio docetur. 1°.*de antid.* 5ª.100.E
Herbæ quo modo, & quo tempore considerandæ. 3°.*de compositione medic.per genera.* 5ª.228.D
Herbis qui præstigiaturam inuexerit. 6°.*de simp.me.fa.* 5ª.39.H
Herbæ acres. 13°.*meth.med.* 7ª.84.H
Herbarum acrium vsus qualis. 6°.*de com.me.per ge.* 5ª.255.C
Herba Aeti, id est aquilæ. 6°.*de simp.med.fac.* 5ª.40.B
Herbæ Amaræ sine adstrictione, vel acres ad neruos vulneratos valent. 3°.*de comp.med.per genera.* 5ª.234.B/C
Herba Escuminata. de dyna. Sp.31.A
Herba Fœtidissima. 4°.*de simp.me.fa.* 5ª.29.E
Herbæ Frigidę. 1°.*de compo.me.per ge.* 5ª.212.H
Herbæ infrigidantes inflammationes. 6°.*de cō.me.sec.loc.* 5ª.176.F
Herbæ frigidæ quibus consternebant pauimenta. 1°.*de ar.cu.ad Glauconem.* 7ª. 99.B
Herbis frigidis cum indiges, misce acetum, & aquam. 1°.*de compositmedic.per gene.* 5ª.211.H
Herbæ Heliotropii succus purgat bilem flauam.de cathar. Sp.94.F
Herba Lanaria. 1°.*de comp.med.sec.loc.* 5ª.128.B
Herbæ ex siccis locis Maritimis. 6°.*de compo.med.per ge.* 5ª.255.B
Herbarum maritimarum vsus qualis. 6°.*de com.me.per ge.* 5ª.255.C
Herbæ Maurę.de dyna. 25.H/26.A/ Sp.27.H
Herba Mercurialis educit sanginem.de cathar. Sp.94.G
Herba mercurialis purgat cibos indigestibiles, et lumbricos rotundos. de cathar. Sp.95.C
Herba Occasionis.de dyna. Sp.23.C
Herbis Pallore candenti infectis quandoque assimilatur corpus. 5°.*de locis affectis.* 4ª.34.B
Herbę quæ in Riuis nascuntur.de bon.aquæ. Sp.75.E
Herba Sacra acetosula.de cura icteri. Sp.111.A
Herbæ sacræ horoscoporum triginta sex in libello Mercurij Aegyptij. 6°.*de simp.med.fac.* 5ª.40.B
Herba sacra. 6°.*de compositione medicamentorum sec.lo.* 5ª.176.D/ *de med.fac.par.* 7ª.167.H
Herbæ sacræ dæmoniorum decanorum. 6°.*de simp.me.fa.* 5ª.40.A
Herba Sanctæ Marię.de dyn. Sp.26.E
Herba Scorpiaca. 2°.*de antid.* 5ª.117.E
Herbæ Tenuium partium valent ad neruos vulneratos. 3°.*de compositio.med.per genera.* 5ª.234.B
Herbæ tenuium partium, quæ. 3°.*de comp.me.per ge.* 5ª.234.B
Herba Vrceolaris.de med.fac.par. 7ª.172.D
ex Herbis & metallis aquarum differentia.de bon.aquæ. Sp.75.E
Herbæ quæ habent vires ferè æquales. 6°.*de comp.me.se.lo.* 5ª.168.F
de HERBA *colligenda, sinistra manu, ante solis ortum, superstitio.* 9°.*de comp.me.sec.loc.* 5ª.198.G
Herbæ quo tempore colligendæ pro theriaca. 1°.*de antid.* 5ª.102.B
in Herbis lignosum, & durum abijciendum. 4°.*de san.tuen.* 2ª.86.D
Herba sicca accipitur si non habeatur recens. 1°.*de compositione medic.per genera.* 5ª.211.F
Herbæ siccantur absque sole. 5°.*de comp.med.sec.loc.* 5ª.165.G
Herbæ cur non debeant multum vri. 5°.*de comp.med.sec.loc.* 5ª.165.G
Herbas siccas cognoscunt vnguētarij nō virides. 1°.*de anti.* 5ª.102.B
Herbæ quo modo contundantur, cribrentur, & lœuigentur, sciendum est. 3°.*de comp.med.per ge.* 5ª.234.B
de Herbis medicamentum. 3°.*de comp.me.per ge.* 5ª.234.B
ex Herbis oleum dicitur oleum abusiue. 3°.*de sa.tuen.* 2ª.79.B
Herbę ob quas causas corrumpantur. 1°.*de comp.me.se.lo.* 5ª.121.E
in HERBARIA *re quæ legenda.* 6°.*de simp.me.fa.* 5ª.39.H
HERBARII *medici dicuntur à materia.ad Thra.* 2ª.105.B
Herbarij ministri medicorum.in 6ᵐ.*de mor.vul.com.* 5°. 3ª.188.E
Herbarij inter ministros ignobiliores rei medicæ numerātur. in 6ᵐ. *de mor.vulg.com.* 5°. 3ª.188.D

contra Herbarios. 3°.*de comp.med.per ge.* 5ª.128.G
HERBIVORORVM *animalium alia habēt vngues solidas, alia bifidas.* 3°.*de vsu par.* 1ª.128.B
Herbiuora aīalia nō sunt ita fortia sicut carniuora. 3°.*& vs.p.* 1ª.128.b
HERCVLEVS *lapis trahit ad se ferrum.de cathar.* Sp.94.H
HERCVLEVS *cur dictus morbus comitialis.in* 6ᵐ.*de morb.vulgari. cōmentario.* 6°. 3ª.197.D
HERCVLEM *procreans Alcmena terrorem aduersarijs incutiebat. an animal sit.* 1ª.328.F
Hercules vir potens.de cog.animi mor. 2ª.51.F
HERCVLES *Erythreus sexti Epidemiorum interpres.in* 6ᵐ. *de morb. vulg.com.* 5°. 3ª.193.A
HERCVLIS *nodi ratio.de laqueis.* 7ª.307.G
HERCVLES *cognomento medicamentum.* 5°. *de compositione medica. per genera.* 5ª.254.F
HERIGERON *frigidum est & digerens.* 6°.*de simp.me.fac.* 5ª.48.C
HERYNGIVM *temperatum in actiuis qualitatibus, & parum siccū.* 6°.*de simp.med.fac.* 5ª.48.C
HERMAPHRODITVS *quid.fin.med.* Isa.49.D
de Hermaphroditis meminit.com. 1°.*apho.* 44°. Ex.57.F
HERMONIS *sacri scribæ medicamentum.* 5°.*de compositione medica. per genera.* 5ª.246.F
HERMOCRATIS *casus.in* 3ᵐ.*de morb.vul.com.* 1°. 3ª.130.H
HERNIA *quo modo vocetur.* 6°.*de anat.admi.* 1ª.91.D
Hernia quo modo fiat. 5°.*de anat.admi.* 1ª.87.C
Herniæ de tum.præter naturam. 3ª.84.G
circa Herniam actio diuersa ab alijs.ad Thrasy. 2ª.104.H
in Herniæ curatione ad membranam abdominis adstringēdā laqueus. de laqueis. 7ª.307.G
Herniæ dissectores, perforatores & calculi detractores communi nomine medici dicuntur.ad Thrasy. 2ª.105.B
in HERNIOSIS *aliquid peritonæi aufert* 14°.*met.me.* 7ª.90.G
Hernioſos curat ciricus puluis.de dyna. Sp.30.B
HERODOTVS *quas sectas prauas, & quas bonas reputet.* 1°.*de simpli.med.fac.* 5ª.7.A
Herodotus quæstionibus se implicat. 1°.*de simp.med.fac.* 5ª.6.G
Herodotus librum fecit inscriptum medicus.in 6ᵐ.*de morbis vulgarib.commen.* 2°. 3ª.168.H
ex Herodoto de cucurbitulis.de cucur.scar. 6ª.3 E
Herodotus celebrauit lac muliebre.de bo.& vi.suc. 2ª.36.A
vt Herodotus lite ex salicibus. 5°.*de compo.med.per ge.* 5ª.248.G
HEROES *qui sint.de hist.philos.* Sp.4.H
HEROPHILIVS *fuit Zeno.* 4°.*de puls.diff.* 4ª.67.E
HEROPHILVS *Dialecticus.* 1°.*meth.med.* 7ª.4.F
Herophilus laudat distinctiones. 3°.*de comp.med.sec.loc.* 5ª.141.G
Herophilus contentiosus. 1°.*meth.med.* 7ª.3.H
HEROPHILVS *Chalcedonius auctor sectæ rationalis. introductio seu medicus.* Isa.51.D
Herophilus auctor legitimæ gymnasticę.ad Thrasy. 2ª.108.A
Herophilus discipulus Praxagoræ. 4°.*de puls.* 4ª.66.D
Herophilus ex medicis grauissimis. 8°.*de dec.Hipp.* 1ª.276.B
Herophilus medicus peritus.de dissec.vul. 1ª.108.H
Herophilus artem corpori præsidem totā callebat. ad Thra. 2ª.109.B
Herophilus multa scripsit de medicamentorum vsu. 5°.*de simplicium medic.facul.* 5ª.39.H
Herophilus versatus est in anatomia.de nat.hu.com. 2°. 7ª.183.D
Herophilus instaurauit anatomen amissam. 8°.*de decre.Hip.* 1ª.273.C
Herophilus anatomicus perfectus.de diff.vul. 1ª.108.H
Herophilus, & Eudemus primi post Hippocratem de neruorum anatomia scripsere. 3°.*de loc.aff.* 4ª.21.C
secundum Herophilum testes non multum faciunt ad seminis generationem. 1°.*de sem.* 1ª.333.E
Herophilus ignorauit vasorum seminalium coniunctionem in muliere. de dissec.vul. 1ª.109.C
Herophilus imperfecte, & qñque falsò locut° est. 1°.*& vsu p.* 1ª.115.A
Herophili vocabulum est dodecadactylon. 6°.*de loc.aff.* 4ª.37.G
Herophilus de pulsuum rythmis abunde tractauit. 2°.*de præsag.ex pulsibus.* 4ª.110.B
Herophilus de pulsibus scripsit. 2°.*de puls.diff.* 4ª.55.E
ſm Herophilum quid sit pulsus. 4°.*de puls.diff.* 4ª.65.H
contra Herophilum librum fecit Heraclides de pulsibus. 4°.*de pulsuū differentijs.* 4ª.66.F

Herophili ad sanguinis eductionem.7°.de comp.me.sec.loc. 5ª.183 *H*
vt Herophilus medicamentum.9°.de compo.med.sec.loc. 5ª.204.*F*
HEROPHRONTIS *casus.in 1ᵐ.de mor.vul.com.3°.* 3ª.122.*A*
HEROPYTI *abderitæ casus.in 3ᵐ.de mor.vulg.com.3°.* 3ª.150.*D*
HERPES *à symptomate dicitur.2°.meth.med.* 7ª.9.*F*
Herpes,chironia, telephia nomina sunt vlcerum superuacua. de tum. præter naturam. 3ª.84.*E*
Herpes qd.finitiones medicæ.Isa.48.H/2°.de ar.cu. ad Gl. 7ª.101.*A*
Herpes affectus totius corporis.introd. *Isa.59.D*
Herpes ī parte est inæqualis intēperies.de in.æq.intem.43.B/3ª.44 H
Herpetes affectus caliditate vincente.de palp. 3ª.54.*D*
Herpetes calidi.de bonita.& vitio suc.2ª.39.D/1°.de simpliciū medicamentorum fac. 5ª.5.*H*
Herpetes sunt morbi flāmātes.de vict.ra.in mor.ac.cō.3°. 7ª.137.*B*
Herpes est inflammatio.2°.de arte cur.ad Glau. 7ª.100.*H*
Herpes,& erysipelas quid sint,& quo modo differant.de tumoribus præter naturam. 3ª.84.*B*
Herpetis,& phaged.æ differentia.2°.meth.me. 7ª.9.*F*
Herpetis natura & cancri quo modo media ad naturam carbunculi. de differentijs morborum. 3ª.5.*F*
Herpetes vnde.de bonitate & vitio succorū.2ª.39.D/4°.methodi medendi. 7ª.28.*C*
Herpetes ex mixtis humoribus.de bo.& vitio suc. 2ª.39.*D*
Herpes ab excrementis putridis.9°.de vsu par. 1ª.171.*D*
Herpes à quo humore.2°.de crisi. 4ª.138.*C*
Herpetibus,& erysipelatibus ex flaua bile respondēt cancri,& phaged.æ.2°.de diff.resp. 3ª.37.*D*
Herpetes in plethora curfiant.2°.de diff.feb. 3ª.40.*G*
Herpetes,id est repentes,aliquid loci circumstantis occupant.commētario 6°.apho.45°. *Ex.51.F*
Herpetes calefaciunt partes in quibus putret.de cau.mor. 3ª.6.*F*
Herpetes faciūt febrē,si totū cōcalefaciāt corpus.d cau.mor. 3ª.6.*F*
Herpeti vbi adiungitur febris,sit alter morbus.de diff.mor. 3ª.4.*D*
Herpes quo modo fiat,& curetur,& quo modo differat ab erysipelate.14°.meth.med. 7ª.92.*D*
Herpes sit ex humore tenuissimo.14°.meth.med. 7ª.92.*D*
Herpes æstiomenos vnde oriatur.de tum.præter na. 3ª.84.*B*
Herpes miliaris quid & vnde.de tum.præter.na. 3ª.84.*B*
Herpes miliaris,qui.2°.de ar.cu.ad Glauco. 7ª.101.*B*
Herpes an male habuerit lassitudine laborantem,percontandū est.4°. de sanitate tuenda. 2ª.83.*C*
Herpetis curatio.14°.met.med.92.E/2°.de ar.cu.ad Glau. 7ª.102.*B*
Herpetes depascentes cuius naturæ.2°.de præsag.ex pulſ. 4ª.109.*G*
Herpetes erodentes ex cacochymia.3°.de temp. 1ª.23.*A*
Herpes exedens,qui.2°.de arte cur.ad Glau. 7ª.101.*A*
Herpetibus depascētibus similis color.3°.de præsag.ex pul.4ª.116.G
in Herpete exedente quæ adhibenda.2°.de ar.cu.ad Glau. 7ª.102.*B*
Herpetibus exedentibus,fœdi,pudendis,vtero,vesicę calidū amicūm iudicans,frigidū inimicū et perimens.cō.5°.apho.22°. *Ex.39.D*
in Herpete exedente quæ vitanda.2°.de arte cur.ad Glau. 7ª.102.*B*
in Herpete exedente semper viua non conuenit.2°.de arte curatiua ad Glauconem. 7ª.102.*D*
Herpetes superficiarij quo modo curētur.2°.de ar.cu.ad Gl. 7ª.102.*D*
Herpes miliarius quo modo curetur.14°.meth.med. 7ª.92.*G*
Herpetem in malleolo habentis mulieris casus.14°.meth.me. 7ª.92.*F*
Herpetis medicamenta idonea extrinsecus.intro. *Isa.58.A*
Herpetes sanat Brassica.7°.de simp.med.fac. 5ª.52.*G*
ad Herpetem valet Centaurea.de virt.cent. *Sp.93.E*
ad Herpetes Ceratum ex aceto.1°.de simp.me.fac. 5ª.8.*G*
Herpetibus conuenit Ceratum humidum.1°.de simp.me.fac. 5ª.3.*C*
ad Herpetas quidam vtuntur Cupresso.7°.de simp.me.fac. 5ª.53.*G*
ad Herpetas valet Lycium.7°.de simp.med.fac. 5ª.54.*G*
ad Herpetas Oleum frumenti.de dyn. *Sp.30.D*
Herpetes sanat Orchis serapias.8°.de simp.me.fac. 5ª.57.*F*
Herpetum remedium est Polygonon.8°.de sim.med.fac. 5ª.58.*G*
Herpetes sanat Rhamnus.8°.de simp.me.fac. 5ª.59.*E*
ad Herpetes accommodatur Semperuiuum.6°.de sim.me.fa. 5ª.41.*F*
ad Herpetas Arci.5°.de compo.med.per ge. 5ª.251.*E*
ad Herpetas Tiberij Cæsaris.5°.de comp.med.per ge. 5ª.252.*D*
ad Herpetas.2°.de compositione medicamentorum per genera. 225. *B/244.F/5°.249.E/* 5ª.252.*D/E*
HESIODVS *qualem viam virtutis cecinit.de cuiusque animi pec cat.notitia atque medela.* 2ª.58.*H*
HETEROCRANIA *quid.sin.me.47.D/intro.* *Isa.56.C*
Heterocrania passio in qua fiat tunica.de anato.ocul. *Sp.57.C*
Heterocraniæ curatio.introd. *Isa.56.C*
ad Heterocraniam medicamenta cephalica.introd. *Isa.58.C*
HEXAGIVM.5°.de cō.me.se.l.5ª.165.*H/de re.par.f.*7ª.158.D
HEXAMETER *tones.1°.met.med.* 7ª.3.*C*
HEXIS. *de par.art.med.* *Sp.19.A*
Hexis qui affectus.8°.meth.med. 7ª.51.*H*
HEXAEDROS *quibus constet.8°.de decre.Hippo.* 1ª.274.*G*
HIARE *quid. de frac.com.3°.* 7ª.247.*D*
Hiantes vt aliqui dormiant.commentario.6°.aphorif.52°. *Ex.53.A*
*Hiare dormientium damnat Hippocrates.2°.de motu musc.*1ª.314.*D*
Hiantem dormire exitiosum.in progn.com.1°. 4ª.193.*H*
*Hiare signū exolutionis,ebrietatis,et ignauiæ.2°.d mo.musc.*1ª.314.*d*
*Hiando casum maxillæ habuit Placinus dines.de ar.cō.2°.*7ª.263.*G*
HIATVLÆ, *burinæ, pinæ, ostreæ, patellæ, media inter perfectum animal,& plantam.de fact.for.* 1ª.323.*F*
Hiatulæ habent carnem duram.3°.de alim.fac. 2ª.32.*B*
Hiatulæ sale aut garo condiri solent.3°.de alimen.fac. 2ª.32.*C*
Hiatularum meminit.3°.de nat.fac. 1ª.304.*H*
HIATVS *est nuntius febris.præsag.exper.confir.* *Sp.77.E*
Hiatus cur ante febrem.præsag.exper.confir. *Sp.77.E*
ad HIBERNI ortus solis dextram habitantes vsque ad Mæotidē paludem quales sint.de aere,aquis,& locis. 2ª.4.*F*
HIERA Acuta.2°.de comp.med.sec.loc. 5ª.137.*D*
Hiera Antipatri ad stomachicos.8°.de comp.med.se.lo. 5ª.189.*A*
Hiera Apollonij.8°.de comp.med.sec.loc. 5ª.189.*A*
Hiera Aromatica.3°.de comp.med.sec.loc. 5ª.142.*F*
Hieræ Rufi, Archigenis, Iusti quantitas.de melancholia ex Galeno, Rufo,& Possidonio. *Sp.110.A*
Hiera Lamponiæ Pelusiotæ.8°.de comp.me.sec.loc. 5ª.188.*F*
Hiera Magna.secretorum. *Sp.101.F*
Hiera Rufi,vel Archigenis,aut Iusti.de me.ex G.R.& Po.Sp.110.a
Hiera Rufi & scabiosis & leprosis vtilissima est.de dyn. *Sp.30.D*
Hiera Themisonis antidotus.8°.de compo.med.sec.loc. 5ª.190.*H*
Hiera Themisonis quomodo fiat.de mel.ex Gal.Ru.& Po.Sp.110.A
HIERA *proprie dicitur hiera ex colocynthide.8°.de compositione medica.sec.loc.* 5ª.188.*D*
Hiera vocabatur tēpore Galeni Diacolocynthis.quos purg.opor.qui. med.& quo temp. 5ª.89.*A*
Hiera diacolocynthidos vnde dicta.de rem.par.fac. 7ª.154.*G*
Hiera ex colocynthide purgat à capite pituitā.1°.de compositione medica.sec.loc. 5ª.121.*F*
Hiera ex colocynthide non solum pituitam,sed & alios purgat humores.1°.de comp.med.se.loc. 5ª.121.*F*
Hiera ex cōlocynthide, quæ habet elleborum,& non scammonium,in pleuritide.de vict.rat.in mor.acu.com.2°. 7ª.118.*C*
Hieræ ex colocynthide quantitas exhibenda & frequentia.1°.de compo.med.sec.loc. 5ª.121.*G*
Hiera ex colocynthide purgatus qui fungos comederat.1°.de compositio.med.sec.loc. 5ª.121.*G*
Hiera ex colocynthide.8°.de comp.med.sec.lo. 5ª.188.*D*
HIERA *dialoes.5°.de san.tuen.* 2ª.92.*E*
Hiera ex aloe dupliciter dicitur.8°.de comp.med.sec.lo. 5ª.188.*D*
in Hiera an aloes lota,an nō lota,requiratur.8°.d cō.me.se.l. 5ª.188.*D*
Hiere ex aloe dosis.7°.de compo.med.sec.lo. 5ª.178.*D*
HIERAS *quæ pharmaca vocarent medici Romæ ante Galenum.8°.d compo.med.sec.loc.* 5ª.188.*D*
Hiera picra amara.5°.de san.tuen. 2ª.92.*E*
Hieræ picræ cōpositio,& quibus valeat.2°.de cō.me.se.lo. 5ª.135.*D*
Hiera picra duplex,& qualis.7°.meth.med. 7ª.48.*C*
Hiera picra quo modo magis durabit.7°.met.med. 7ª.48.*D*
Hiera quibus veræ dari debet.8°.de com.me.sec.loc. 5ª.191.*D*
Hiera picra antidotum in cephalæa.de dyn. *Sp.23.C*
Hiera sola pituitam purgat.1°.de comp.med.sec.loc. 5ª.121.*F*
Hiera picra valet in ventriculi affectu.3°.de lo.aff. 4ª.22.*C*
Hiera picra excutitur humor in tunicis ventriculi contentus.1°.de locis affectis. 4ª.5.*F*
Hiera ad stomachicos.8°.de comp.me.sec.loc. 5ª.188.*B*
Hiera picra pro his,qui habent tumores in tunicis intestinorū immersos.12°.

fos.12°.methodi meden. 7ª.78.G
Hiera simplex menses prouocat.de curan.ratio.per sanguinis missionem. 6ª.20.F
Hiera corpus totum purgauit.primo de compositione medicamen.secun.loc. 5ª.121.E
Hieræ amare quantitas.de mel.ex Gal.Ruff.& Poff. Sp.110.A
Hiere simplicis quantitas quæ dari debet.2°.de composi.medicamen.secun.locos. 5ª.135.E
Hieræ picre dosis integra.7°.meth.med. 7ª.48.C
Hieræ dosis moderata drachmæ tres.8°.de compositione medicamentorum secundum locos. 5ª.191.B
Hiera pro melancholicis.de mel.ex Gal.Ruff.& Poff. Sp.110.A
Hiera ex veratro nigro atram bilem purgat.1°.de compo.medicamento.secun.loc. 5ª.121.E
Hiera fortissima ictericis medetur. de dyn. Sp.26.F
Hiera ex scammonio flauam bilem purgat.1°.de composi.med.secundum locos. 5ª.121.E
Hiera non danda inflammationum declinatione.8°. de compositione medic.sec.loc. 5ª.191.B
post Hieram picram accepit theriacam Antoninus, & quid secutum sit. de præcog.ad Posth. 4ª.218.H
HIERACIS *Thebani pastilli gilui.5°.de compositione medicamentorum per gen.* 5ª.251.F
HIERACITES *lapis suspensus hæmorrhoidibus prodest, & Galenus fecit experimentum.9°.de simp.med.fac.* 5ª.67.E
HIERACIVM *collyrium.4°.de com.me.sec.loc.* 5ª.156.F
circa HIERAPOLIN *aer pestilens.1°.de san.tuen.* 2ª.67.A
HIERATICVM *cyphi.8°.de compositione medicamentorum secun.loc.* 5ª.193.B
Hieraticum malagma.8°. de compositione medicamentorum secundum locos. 5ª.193.B
de HIEROGLYPHIS *locutus est rex Nechepsos.9°. de simplicium medicamen.facul.* 5ª.67.D
HILARIS color quo modo per totum corpus inducatur. de dynami. Sp.25.H
Hilarem visum facit sarcocolla.de simp.me. Sp.89.G
HILARIS *vocatur theriaca.de theria.ad Piso.* 5ª.91.D
HILARITATIS, *& lætitiæ causa esse creditur buglossum vinis iniectum.6°.de simp.med.fac.* 5ª.45.B
HINVLI coagulum.7°.de compo.med.sec.loc. 5ª.184.F
Hinus sit ab asina.2°.de semi. 1ª.336.G
HIPPARCVS librum fecit de menstruo tẽpore lunæ.3°.de diebus decretorijs. 4ª.157.D
Hipparchi intercalandi ratio.in primum de morb. vulg. commentario.1°. 3ª.102.E
Hipparchi Hygieni medicamentum.10°.de compositione medicamẽ.secun.loc. 5ª.208.G
HIPPOCAMPVS *qualis.11°.de sim.med.fac.* 5ª.82.D
HIPPOCRATES *fuit Asclepias.1°.meth.med.* 7ª.2.G
Hippocrates Cous princeps sectæ rationalis.intro. Isa.51.D
Hippocratis patria temperatissima.2°. de san.tuen. 2ª.73.C
Hippocrates fuit dogmaticus.commen.1°.apho.1°. Ex.2.B
Hippocrates post Homerum.6°.de decr. Hippo. 1ª.267.D
Hippocrates ingenio maxime philosophico. octauo methodi medendi. 7ª.52.C
Hippocrates probus.de subf.emp. Isa.33.D
Hippocrates vir verax.1°.de dieb.decre. 4ª.146.B
Hippocrates laudandus.2°.de sem. 1ª.336.A
Hippocratis laus.fin.med.Isa.43.C/de atra bile.36.C/ q animi morb. 1ª.319.G/2°.*de diff.resp.63.G/de mor.temp.90.A/in 3ᵐ. de mor.vulgaribus,commen.1°.* 3ª.132.E
Hippocratis gloria.de subf.emp. Isa.35.D
Hippocrates vetustissimus medicus. in prognosticum. commentario primo. 4ª.195.B
Hippocratem vocat auctorem antiquum.1°.de crisi. 4ª.127.B
Hippocratem senem vocat.3°.de diff.resp.69.G/3ª.74.G/11°. methodi medendi. 7ª.71.C
Hippocratem vocat veterem magistrum.aduersus Lycum. Extraordinem. 61.F
Hippocrates magnus.in 1ᵐ. prorrh.com.2°. 4ª.171.G
Hippocrates omnium philosophorum, & medicorum primus.1°.de naturalibus facultatibus. 1ª.293.G
Hippocrates medicorum princeps.3°.de decr.Hippo. 1ª.244.B
Hippocrates omnes præcelluit.intro. Isa.50.H
Hippocrates medicorum diligentissimus.1°.de dieb.dec. 4ª.147.F
Hippocratis diligentiam admiratur Galenus quarto methodi. medendi. 7ª.27.H
Hippocrates peritissimus.2°.de dieb.decre. 4ª.151.F
Hippocrates vir nobilissimus.in progn.com.1°. 4ª.193.D
Hippocrates artifex.2°.de diff.resp. 3ª.66.A
Hippocrates omnium bonorum inuentor.de præcog.ad Post.4ª.213.H/1°.de arte cu.ad Glau. 7ª.94.C
Hippocrates medicinæ artis omnium bonorum auctor. de venæ sectione aduersus Eras. 6ª.5.D
Hippocrates auctor & dux bonarum disciplinarum. 3°. de crisibus. 4ª.143.E
Hippocratem optimum magistrum Galenus æmulatus est. de theria. ad Pisonem. 5ª.91.A
Hippocrates artem corpori præsidem totam callebat. ad Thrasybulum. 2ª.109.E
Hippocrates verus legitimæ gymnasticæ auctor.ad Thrasy. 2ª.108.E
Hippocrates maxime admirandus.in progn.com.3°.4ª.206.F/de theria.ad Piso.94.D/ 5ª.96.G
Hippocratem cur multi admirantur, & illum non sequuntur. si quis opt.med. Isa.6.C
Hippocrates diuinus.2°.de caus.pul.93.H/1°.de dieb.dec.4ª.145.F/de venę sect.aduer.Eras. 6ª.7.E
Hippocrates cur commendetur a Galeno.quòd animi mor. 1ª.320.D
Hippocrates humanitate medebatur, non autem gloriæ aut lucri causa.9°.de decre.Hippo. 1ª.281.H
Hippocratis filij, qui.in 1ᵐ.prorrh.com.2°. 4ª.171.H
Hippocratis filius Thessalus. de ijs,quæ in medic. fi. commentario primo. 7ª.200.E
Hippocratis Comici filios ob immodicum calorem stultitiæ mordent. quod animi mor. 1ª.318.F
Hippocratis discipuli, Dexippus, & Apollonius.de victus ratione in mor.acu.com.1°.113.A/3°. 7ª.131.F
Hippocratis tempore quo modo homines se habebant.2°.de dieb. decret. 4ª.154.F
Hippocratis tempore legitimi medici exercitati in operibus manũ. de artic.com.1°. 7ª.256.B
Hippocrates primus multa adinuenit.commentario septimo. aphorismo.26°. Ex.55.G
Hippocrates primus de formatione fœtuum vera scripsit. de fœt. for. 1ª.322.C
Hippocratis inuenta.5°.meth.med. 7ª.30.D
Hippocrates quæ primus nouit.2°.de dieb.decre. 4ª.151.H
Hippocrates quæ inuenit, & de quibus primo egit. primo methodi medendi. 7ª.3.E
ab Hippocrate primo proposita quæstio.de victus ratione in mor. ac. commen.1°. 7ª.109.H
Hippocrates inuentor rectæ viæ.2°.meth.med. 7ª.12.G
Hippocrates methodi auctor.5°.meth.med. 7ª.33.D
Hippocrates summis captibus methodum indicat. quinto de sanitate tuenda. 2ª.88.G
Hippocrates in omnibus scopum docuit. de victu.ra.in morb.ac. commentario 1°. 7ª.115.B
Hippocrates primus naturæ opera nouit.primo de naturalibus facultatibus. 1ª.293.G
Hippocrates primus naturæ elementa inuenit.1°.de elem. 1ª.8.B
Hippocrates primus omnium de elementis, & nutrimentis egit.8°. de decretis Hippocratis. 1ª.275.B
Hippocrates primus sufficienter rerum elementa demonstrauit.1°.de elect. 1ª.8.B
Hippocrates cur non inscripserit suum librum de elementis,sed de natura humana.1°.de elemen. 1ª.8.B
Hippocratem de natura hominis non damnarunt philosophi.1°.metho. medendi. 7ª.3.A
Hippocratis rationum de natura interpres Aristoteles.2°. de na.fac. 1ª.298.*A*/1°.*meth.me.* 7ª.3.E
Hippocrates quærit elementa insensibilia.1°.de elemen. 1ª.2.C
Hippocrates primus calidum, frigidum, siccum, & humidum inuenit.1°.methodi meden. 7ª.3.E
Hippocrates vsus est calido, frigido, humido,sicco,alijs veluti agentibus,alijs

tibus, alijs velut patientibus. 2°. de natu. fac. 1ª. 299 G
Hippocrates primus determinauit elementa simul agere & pati. 1°. de elementis. 1ª. 5. F
Hippocratis argumentum contra atomos Democriti et aliorum antiquorum. 1°. de elemen. 1ª. 2. F
Hippocratis argumentum, quòd vnum non sit elementum primo de elemen. 1ª. 3. H
Hippocrates cur contradixerit antiquis. 1°. de elem. 1ª. 4. F
Hippocrates & Plato primi omnium de anima recte senserunt. 5°. de decretis Hippocratis. 1ª. 258. D
vt Hippocrates inuenit naturam corporis, ita animæ naturam inuenire voluit Plato. 1°. meth. med. 7ª. 3. D
Hippocrates & Plato ponunt tria principia sexto. de decret. Hippocra. 1ª. 260. E
Hippocratis placita nunquam deserit Plato. contra Iulianum. Extraordinem. 69. D
Hippocrates habet diuersam familiam à Platonica. tertio de vsu partium. 1ª. 133. C
Hippocratis dogmata vtilia & vera. 1°. de na. fac. 1ª. 293. B
Hippocratis dogmata veriſſima, quæ Galenus sequitur. de vict. ratione in morb. acu. com. 1°. 1ª. 115. B
Hippocrates, & Plato explodere ad artes, & vitæ actiones. 9°. de decre. Hippo. 1ª. 280. C
Hippocrates, & Plato inuentores similium & dissimilium, ascensus, & descensus ab vniuersali & generaliſſimo ad singulare. 9°. de decret. Hippocratis. 1ª. 283. H
Hippocrates optime tractauit de simili, & dissimili. 9°. de decr. Hippocra. 1ª. 281. F
Hippocrates primus docuit elementa miscri. de natura humana. commentario 1°. 1ª. 29. F
Hippocrates quo modo de missione egerit primo methodi medendi. 7ª. 3. E
Hippocrates instauravit anatomen amissam. 8°. de decretis Hippocratis. 1ª. 273. B
Hippocrates primus omnium dixit in renem dolor grauis. secundo de locis affe. 4ª. 9. B
Hippocrates prognosticandi artem tradidit. de præcognitione ad Pollbu. 4ª. 213. H
Hippocrates primus inuentor indicationis a morbo. quarto methodi medendi. 7ª. 28. D
Hippocrates author legitimæ gymnasticæ. ad Thras. 2ª. 108. A
secundum Hippocratem omnem lignum durum est & tactu lædit. de machi. 7ª. 319. E
Hippocratem omnes philosophi æmulati sunt de humoribus. 8°. de decretis Hippocratis. 1ª. 276. B
Hippocrates semper vult tempus anni, regionem, ætatem esse spectandam. 8°. de decre. Hip. 1ª. 276. F
Hippocrates scripsit prima rudimenta flatuum tẽporis. in 1ª. de morbis vulg. comme. 1°. 3ª. 103. E
Hippocrates sensit omnem substantiam corpoream, animatam inanimatam esse & ligatam in plancis, & signis, & quatuor elementorum nexibus. de spermate. Sp. 38. G
secundum Hippocratem respiratio est nutritio & refrigeratio. de vtilitate respirationis. 1ª. 225. C
cum Hippocrate idem sentiret Plato, si posuerit attractionem & non circum pulsionem. in Tim. Plat. 1ª. 290. C
Hippocrates accuratius egit de hominis generatione vt spectat ad medicum quàm Plato. 8°. de decre. Hippo. 1ª. 275. D
Hippocrates primus omnium vera scripsit. de fœtum formatione. de fœt. form. 1ª. 322. C
Hippocrates primus recte dixit de facultatibus, de morborum generatione, de remediorum inuentione. 2°. de nat. fa. 1ª. 298. A
Hippocrates quomodo tradiderit de morbis. 3°. meth. med. 7ª. 19. E
Hippocrates docet regionales ægritudines in libro de aqua, aere, & locis. in 1ª. de mor. valg. com. 1°. 3ª. 100. G
Hippocrates de agnoscendo, & præsagiendo plurima scripsit. 5°. de sanitate tuenda. 2ª. 93. C
Hippocrates nouit dies decretorios. in prog. com. 3°. 4ª. 206. F
Hippocrates scientiam pulsuum non attigit. de præcognitione ad posidonium. 4ª. 219. E
Hippocrates de pulsibus nihil dixit. 1°. de pul. diff. 4ª. 47. A
Hippocrates primus pulsum nominauit. 1°. de diff. pul. 4ª. 47. I
Hippocrates primus arteriarum motum pulsum appellauit. quod animaduertere. 1ª. 320. C
Hippocrates signa crisis ex pulsibus non posuit, vel quia ignorabat, vel quia non magni putabat esse momenti. 3°. de crisi. 4ª. 144. I
Hippocrates viam medendi inuenit. 9°. meth. med. 7ª. 58. E
Hippocrates quomodo inuenit medendi viam. nono methodi medendi. 7ª. 58. F
Hippocrates à natura rei inuenit curationem. vndecimo methodi medendi. 7ª. 72. B
Hippocrates probat per contraria. in progn. com. 2°. 4ª. 202. C
Hippocratis consuetudo ex contrarijs iudicare contraria. in prognost. commen. 2°. 4ª. 199. B
Hippocrates ex oppositis iudicat. in prognost. com. 2°. 4ª. 199. E
Hippocrates quo modo calidis naturæ quietem imponit. 5°. de sanitate tuenda. 2ª. 94. A
Hippocrates quo modo pestem curauerit. de theria. ad Piso. 5ª. 96. G
ab Hippocrate sunt tradita medicamenta in tractatibus curatiuis. 5°. de simpli. med. fac. 5ª. 39 H
Hippocrates non scribit omnia vt historicus. 2°. de diff. resp. 3ª. 65. F
Hippocratis libri quo modo fuerunt scripti. in 6ª. de morbis vulgaribus, commen. 2°. 3ª. 162. F
Hippocratis scripta qualia. in progn. com. 2°. 4ª. 203. E
Hippocratis libri perfecti. in 6ª. de mor. vul. com. 2°. 3ª. 169. B
Hippocratis sunt libri prognotionum, aphorismorum, de aquis locisq, ac aerr, de victu in morbis acutis. 3°. de diff. resp. 3ª. 69. E
Hippocratis aphorismi primi omnium librorum Hippocratis secundum aliquos legendi sunt. com. 1°. apho. 1°. Ex. 2. F
Hippocratis liber de natura humana sit simul positus cum libro Polybij de victus ratione salubrium. de nat. hu. com. 2°. 7ª. 181. D
Hippocratis prognostica & aphorismi sunt ex legitimis ipsius libris. in 1ª. prorrh. com. 2°. 4ª. 169. D
Hippocrates quid agat in prognosticis, in aphorismis, et epidemys. 2°. de dieb. decre. 4ª. 154. A
Hippocratis prognostica relegenda. 1°. de dieb. dec. 4ª. 149. F
Hippocrates quo intelligendus est in prognosticis. 1°. de cri. 4ª. 129. E
qui Hipocratis scripsit de ratione victus in morbis acutis. de rat. vic. in morb. acut. com. 1°. 7ª. 111. C
Hippocrates de acutis omnibus ægritudinibus se actorum promittit. de vic. rat. in mor. acu. com. 2ª. 122. B/3°. 7ª. 134. B
Hippocratis varia de phrenitide dicta. de comate. 3ª. 50. C
Hippocrates obscure locutus est de ptissana. de ptissa. 2ª. 46. H
Hippocrates egit de vino vt medicamento, non vt alimento in libro de ratione victus 3°. de ali. fac. 2ª. 33. A
Hippocratis quinam sint libri epidemiri. 2°. de diff. respi. 3ª. 66. A/2°. de diebus decretorijs. 4ª. 153. C
Hippocratis an sit liber quintus epidemion. 2°. de dieb. decr. 4ª. 153. C
Hippocratis institutum in libro de morbis vulgaribus quodnam fuerit. 1°. de mor. vul. com. 6°. 3ª. 100. G
Hippocratis librũ quẽdã esse legitimũ negat Galenus. d mor. 3ª. 46. A
Hippocrati adscriptus liber de morb. in sextum de morb. vulga. commentario 1°. 3ª. 159. H
Hippocratis non est liber prorrheticus. in 1ª. prorrh. commen. 1°. 162. E/165. G/3°. 4ª. 180. H
Hippocratis no est liber de prædictionibus. de præc. ad Posth. 4ª. 215. E
ab Hippocrate de dyspnœa scriptum. 3°. de loc. aff. 4ª. 27. B
Hippocratis est liber de sacro morbo. in prognost. com. 1°. 4ª. 190. D
Hippocrates scribit illa quæ pertinent ad affectionem. 2°. de difficultate respirationis. 3ª. 65. F
Hippocrates egit de venæ sectione. de venæ sect. aduer. Erasi. 6ª. 5. D
Hippocrates venam ranam cur Iecorariam appellat. 8°. de decretis Hippocratis. 1ª. 273. H
post Hippocratem Eudemus & Herophilus primi de neruorum anatomia scripserunt. 3°. de loc. aff. 4ª. 21. C
Hippocrates de medicamentis exacte artem scit. de theria. ad Pisonem. 5ª. 91. A
Hippocrates cur non scripsit contra negantes attractionem medicamẽtorum, quæ humores attrahunt. de purgan. med. 5ª. 86. C
cuius Hippocratis sit liber de medicatrina. de frac. com. 10°. 7ª. 223. F
ante Hippocratis omnes libros liber de ijs, quæ in medicatrina sunt legendus est. de ijs, quæ in med. fi. com. 1°. 7ª. 197. F
Hippocrates cur reuocauerit dislocationes vertebrarum curare. de art. commentario. 3°. 7ª. 270. D

Hippocratis Phyſicam adducit auctor libri d' ſpermate, quam Hippocrates nunquam ſcripſit. de ſpermate. Sp.40.D

Hippocratis librum de alimentis adducit. 1°. de comp. medicamentorum per genera. 5ª.216.H

Hippocrates primo retractauit malefacta. poſtea docuit quid agendū. de arti. com. 3°. 7ª.270.D

Hippocratis libro edidit Artemidorus Capito. de na. hu. c. 1°. 1ª.27.D

Hippocratis librorum infelicitas. in 3ᵐ. de mor. vul. com. 1°. 3ª.130.F

Hipprocratis libri qui non habentur. de artic. com. 3°. 7ª.271.F

ad Hippocratē intelligendū, quid agendum. de fra. com. 3°. 7ª.245.G

Hippocratis quædam opera quo diſcenda. 1°. de dieb. dec. 4ª.149.E

Hippocratis dicta exquiſita ſunt. com. 7°. aph. 63°. Ex.59.H

Hippocratis laus ex re, & ſcribendi modo. com. 7°. apho. 63°. 59. H/ aphoriſmo 64°. Ex.60.B

Hippocratis laus, qui multa bene & breui docet. 1°. de v. p. 1ª.115.B

Hippocrates græci ſermonis peritus. in 3ᵐ. de mor. vul. c. 3°. 3ª.143.D

Hippocrates vtitur lingua attica quandoque. de fract. c. 1°. 7ª.223.E

Hippocratis ſermo cur breuis. 2°. de elem. 1ª.9.D

Hippocrates cur obſcurus. 9°. met. me. 7ª.58.E

ab Hippocrate quæ ſæpe dicantur. de ijs, quæ in med. fi. c. 3°. 7ª.219.E

Hippocratis mos. in 1ᵐ. de morb. vulg. com. 1°. 3ª.100.G

Hippocrates non vtitur præfationibus. in prog. com. 1°. 4ª.189.C

Hippocratis mos ī priuatis ſermonib. in 6ᵐ. de mor. vul. c. 2°. 3ª.167.B

Hippocrates ponit quędam veluti exempla ſermonum vniverſalium. com. 6°. aph. 25°. Ex.43.F

Hippocratis mos eſt de particulari loqui, & intelligere vniverſale. d' articulis. com. 3°. 7ª.277.D

Hippocrates omittit quæ ſequuntur neceſſario. in pgn. eō. 1°. 4ª.195.C

Hippocrates cum dicit vnum ſimilis naturæ, negligit reliqua quę habent vim eiuſdem ſermonis. 1°. de elem. 1ª.3.G

Hippocrates quandoque deſpicit quod crebro euenit, & id quod raro euenit pronunciat. 2°. de dieb. decr. 4ª.156.E

Hippocrates frequenter in ſummam colligit. in 1ᵐ. de morbis vulgaribus, commen. 1°. 3ª.107.D

Hippocratē nō vti ſemp ꝓprijs loquēdi modis. de art. cō. 1°. 7ª.256.D

Hippocrates fruſtra non ſcripſit. 3°. de dieb. decr. 4ª.160.B

Hippocrates nihil fruſtra dixit. 8°. de vſu par. 1ª.168.C

Hippocratis dictio tanquam dei vox. 1°. de vſu par. 1ª.115.A

Hippocratis ſyllabę nedum dictiones ſignificant. de comate. 3ª. 50.H

Hippocratis verba qui ſcripſit Hip. ling. expl. Ex.71.C

Hippocratica nomina quæ ſit explanaturus. Hip. ling. expl. Ex.73.C

Hippocrates aliqua nomina fecit, aliquibus vſus eſt obſoletis Hippo. ling. expl. Ex.71.F

Hippocratis vſitatiſſimus vſus in nominibus. 6°. met. me. 7ª.40.C

Hippocrates partialia ad vnum nomen & caput ſemper reducit. 2°. de diſſ. reſp. 3ª.66.B

Hippocrates in qua ſignificatione vtatur dominari. in 1ᵐ. de mor. vul. commentario. 1°. 3ª.103.E

Hippocrates nunquam nominauit febrem continuam σύνοχον, de natura humana. com. 2°. 7ª.181.D

Hippocrates nūquā dixit σύνοχος, ſed συνεχὲς. de na. hu. c. 2°. 7ª.181.D

Hippocrates boni & mali nominibus quo vtatur. 1°. de criſ. 4ª.130.G

Hippocratis modus loquendi in bonis & malis, optimis, peſſimis. 1°. de criſibus. 4ª.131.E

ab Hippocrate, & ab antiquis qui muſculi manſorij vocentur. de musculorum diſſectione. 1ª.44.H

Hippocrates vocat leuem hypoſtaſim eam quæ eſt continua & indiuiſa. de vri. ſign. ex Hipp. Sp.79.B

Hippocratis libros amore medicinæ cantabat Eraſiſtratus per ciuitates. de cathart. Sp.94.B

Hippocratis interpretes. de ordine libr. ſuorum. Iſa.15.C

Hippocrati par Eraſiſtratus ſecundum aliquos. de venæ ſectione aduerſus Eraſiſtr. 6ª.6.C

Hippocratis omnia opera commentati ſunt Heraclides, & Zeuſis. de ijs, quæ in med. fi. com. 1°. 7ª.197.F

Hippocratem multi interpretati ſunt cōmentario. 4°. aph. 71°. 35.C/ *commen. 7°. aph. 64°.* Ex.60.D

Hippocratis medicatrinam commentati ſunt Bacchius, & Aſclepias. de ijs, quę in med. fi. com. 1°. 7ª.197.F

Hippocratē q vult ītерpretari dz in illo exerceri. 2°. met. me. 7ª.26.H

Hippocratis artis imperitos quoſdam vocat interpretes. commen. 4°. aphoriſ. 71°. Ex.35.C

Hippocratem nullus intellexit ante Galenum. 7°. met. me. 7ª.43.C

Hippocratis præcepta qū videntur pugnare. 5°. de ſan. tu. 2ª.93.H

Hippocratis opera quibus indigeant. 7°. met. me. 7ª.43.C

in Hippocratis libris multa prætermiſſa ſunt. de ijs, quæ in med. ſunt. commentario. 1°. 7ª.199.E

Hippocrates primus inuentor ideo non mirum, ſi multa prætermittit. de vict. rat. in mor. acu. com. 2°. 7ª.121.D

Hippocrates in quibus deſecit. 9°. met. me. 7ª.58.E

Hippocrates imperfecte, & obſcure, tamen nihil perperam ſcripſit. 3°. de vſu partium. 1ª.115.A

Hippocrates laudat corpora aliter, q magno. 1°. de vſu par. 1ª.115.D

Hippocrates vtitur ſolœco figura in dictione. in 1ᵐ. pr. c. 1°. 4ª.162.F

Hippocrates vtitur ſolœciſmo de ijs, quæ in med. ſi. com. 2°. 7ª.210.E

Hippocrati contra dicitur. in 1ᵐ. de mor. vul. com. 1°. 3ª.104.G

Hippocratem aliquis de ſtrictione damnauit. ad Vbra. 2ª.109.C

Hippocrates minus recte ſentire viſus eſt de ſtrictione, quā Theongynaſtes. 2°. de ſan. tuen. 2ª.70.F

contra Hippocratem Eraſiſtratus. de villis ratione in morb. acutis. commentario. 3°. 7ª.131.F

Hippocratem reprehendit Galenus de medicamento in pleuritide. de vic. rat. in mor. acu. com. 2°. 7ª.118.B

Hippocrates conſuevit, erroribus magnis prætermiſſis, minores, culpare. de vict. rat. in mor. acu. com. 2°. 7ª.112.D

Hippocratem excuſat Galenus. 6°. de ſimp. med. fac. 5ª.40.E

Hippocratis correctorem non miniſtrum quendā Hippocratis librorū deſcriptorem appellat Galenus. 3°. de diff. reſp. 3ª.69.G

Hippocrates inuentor faſciādi. 4ª. de comp. me. per ge. 5ª.238.B

ſm Hippocratem quales debeant eſſe faſciæ. de faſcijs. 7ª.293.G

Hippocrates non damnauit vincula varia. de faſcijs. 7ª.293.D

Hippocratis rhombus vinculi genus. de faſcijs. 7ª.295.B

Hippocratem vinculum adducens. de faſcijs. 7ª.299.E

Hippocratis Geranium vinculum. de faſcijs. 7ª.301.A

Hippocratis ſcāñ ad articulos reponēdos p ſe ſatis ē. ad mach. 7ª.310.G

Hippocratice facici exteriores cauſæ. in prog. com. 5°. 4ª.191.G

Hippocratica facies cur ſiat primis diebus. in prog. com. 5°. 4ª.191.F

Hippocratica facies quot modis poterit fieri, & non erit malum. in prognoſt. commen. 5°. 4ª.191.F/G

Hippocratis facies non eſt in pituitoſo mortuo, neque in plethorico. in prognoſt. com. 1°. 4ª.191.F

HIPPOLAPATHVM *quale. 7°. de ſimp. me. fac.* 5ª.51.B

Hippolapathum dyſenterias, diarrhœas, ſiue proſluuia ſanat. 7°. de ſimp. med. fac. 5ª.54.B

HIPPOMARATHRVM. *5°. de ſimp. med. fac.* 5ª.55.C

Hippomarathrum aliud quale ſit. 7°. de ſimp. med. fac. 5ª.55.D

Hippomarathrum ventrē ſiſtit, calculos frangit, auriginoſos ſanat, mēſes & vrinas mouet. 7°. de ſimp. med. fac. 5ª.55.D

Hippomarathri ſemē vrinā mouet. d' met. ex Gal. Ru. & Poſſ. 5.190.A

HIPPOPHAES *non trahit pituitam, ſecundum Aſclepiadem, ſed illam facit. 1°. de nat. fac.* 1ª.294.B

HIPPOSELINON *quale. 8°. de ſimp. med. fac.* 5ª.60.B

Hipposelinum agreſte. 8°. de ſimp. med. fac. 5ª.61.B

HIPPOTERIVM. *4°. de comp. me. per ge.* 5ª.242.A

HIPPVRIS, *ideſt cauda equina. 6°. de ſimp. me. fac.* 5ª.48.F

HIRCIRE qñ pueris aducant. in 6ᵐ. de mor. vul. com. 3°. 3ª.175.F

HIRCIS *ſimiles ſunt calidi & humidi. 8°. met. me.* 7ª.54.B

Hircinus odor, qualis. 1°. de antid. 5ª.105.C

Hircorum carnes quidam cum delectatione edunt, quidam etiam non poſſunt odorem ſentire. de conſue. 2ª.61.A

Hirci non vndequaque laudabilis ſunt alimenti. de atten. vic. 2ª.45.E

Hirci caro mala eſt. de diſſol. cont. Sp.74.A

Hirci maxime non caſtrati caro, mala. de diſſol. cont. Sp.74.B

Hirci ſylueſtris caro, mala. de diſſol. cont. Sp.74.A

Hircorum caro deterrima. 3°. de alim. fac. 2ª.26.A

Hirci caro difficulter coquī. 1°. de ali. fa. 2ª.10.A/ *d' diſ. cōt.* Sp.73.D

Hirci carnes generant ſanguinē craſſum & nigrū. d' atra bile. 1ª.33.A

Hirci caro craſſus cibus, & cur. de diſſ. cont. Sp.72.D

Hirci caro facit melancholiam. 3°. de loc. aff. 4ª.18.F

Hircorum caro in quibus oſit. de atten. vic. 2ª.45.E

Hirci iecur idem poteſt quod caprinum. 11°. de ſimp. me. fac. 5ª.79.D

Hircorum teſtes inſuaues, concoctu difficiles, & mali ſucci. 3°. de alimentorum facult. 2ª.27.B

Hircorum medulla acris. 11°. de ſimp. me. fac. 5ª.79.E

Hircinus adeps qualis.2°.de comp.med.per ge.233.H/7°.5ª.263.F/ 2°.de arte cur.ad Glau. 7ª.104.A

Hirci,& tauri adeps acrimoniam multam, & igneã habet.4°.de simplic.medic facul. 5ª.25.E

Hircinus adeps valentior est adipe caprarũ.5°.de simp.me.f. 5ª.34.E

Hircorum adipe minus calidus est caprarum adeps.11°.de simpliciũ medicam.facul. 5ª.79.B

Hirci adeps morsibus,id est humoribus mordicãtibus siue mordicationibus,succurrit.2°.de simp.me.fac. 5ª.12.C

Hirci seuum molliendo digerit.14°.met.me. 7ª.87.b

Hirci seuum valet in dysentericorum deiectionibus, vbi vehenter rodunt.12°.met.me. 7ª.74.H

Hirci sanguis purgat renes.de cathar. Sp.95.C

Hirci sanguis valet a proprietate ad renũ calculos.de renum affectuũ dignotione atque medela. 7ª.194.H

Hircorum sanguis frangit lapidẽ renũ,& vesicæ.de cathar. Sp.95.D

Hircino sanguine misceri lemniã putabat Galenus.9°.de simpliciũ medicamentorum facult. 5ª.65.B

Hirci agrestis fel pro lusciosis.10°.de simp.me.fac. 5ª.74.H

*Hirci fel ad pilos palpebris ĩnatos oculũ ĩfestãtes.d̃ re.par.fa.*7ª.156.g

Hirci lotium.de med fac.par. 7ª.167.D

Hirci barbæ sordes.1°.de comp.med.sec.loc. 5ª.125.G

HIRSVTI *homines vbi.de aere.aq.& lo.* 2ª.6.E

Hirsuti habitus,quales.de salubri diæta. 2ª.43.A

Hirsuti habent carnem rariorem.de salubri diæta. 2ª.43.A

Hirsuti,macri nigri & latas habentes venas aptissimi sunt vt melancholici humores in ipsis cumulentur.3°.de loc.aff. 4ª.18.E

HIRVDINES *naturæ frigidæ sunt.de cucur.scar.* 6ª.4.D

de Hirudinibus ex Artylli libris.de cucur.scar. 6ª.4.B

de Hirudinibus ex menemacho.de cucur.scar. 6ª.4.D

Hirudinibus quandoq; euacuandum est.de cucur.scar. 6ª.4.A

Hirudines pro cucurbitulis.de hirud.reuul.cucurb.& scarif. 6ª.2.D

Hirudines quo modo abiiciant virus.de cucur.scar. 6ª.4.B

*Hirudines nuper captæ per dies seruãdæ,& sanguis eis pro nutrimẽto dandus,ita enim earũ virulentia exprimetur.de cucur.scar.*6ª.4.B

Hirudines diu includendæ.de cucur.scar. 6ª.4.B

Hirudines quo purgandæ.de hirud.reuulf.cucurb.& scarif. 6ª.2.C

Hirudines alendæ pauco sanguine, vt virulentum abiiciant.de hirud. reuulf.cucur.& scarif. 6ª.2.C

Hirudinum mucor spongia abstergendus est.de cucur.scar. 6ª.4.C

Hirudines miteſcunt.de hirud.reuulf.cucurb.& scarif. 6ª.2.C

Hirudines mites carnem apprehendunt.de cucur.scar. 6ª.4.B

Hirudines nonnunquam,nisi miteſcant in apprehendenda carne,peregrine sese gerunt.de cucur.scar. 6ª.4.B

Hirudines per arctum calamum applicandæ.de cucur.scar. 6ª.4.D

Hirudo quando applicanda est, quo modo pars disponenda. de hirud. reuulf.2.C/de cucur.& scar. 6ª.4.C

Hirudo quando applicanda,pars oleo tepido superinfundenda est.d̃ hirud.reuulf.cucurb.& scarif. 6ª.2.C

Hirudines vbi omnes inhæserint, oleũ tepidũ particulæ, ne refrigeſcat infundemus.de cucur.scar. 6ª.4 C

Hirudines vbi applicandæ,loci superficientenus scarificãdi sunt,quia vbi sanguinẽ gustauerint illũ auidius trahũt.d̃ cucur.scar. 6ª.4.E

Hirudines locis affectis applicantur, vel propinquis non pinguibus.d̃ cucur.scarif. 6ª.4.D

ab Hirudinum erectione cõspicitur excretionis quantitas. de cucurbitulis scarificatione. 6ª.4.E

Hirudines quando manibus aut pedibus sunt admouẽdæ, quid agendum.de cucur.scar. 6ª.4.C

*Hirudinũ applicãdarũ numerus vnde sumendus.d̃ cucur.scar.*6ª.4.D

Hirudines relinquunt in loco venenum,& quo modo exhauriẽdum.d̃ hirud.reuul.cucur.& scarif. 6ª.2.C

Hirudo vbi fuerit,supra eum locum cucurbitula ponẽda est,vt virus abducat,vel spongijs fouendus est.de cucur.scar. 6ª.4.C

Hirudines multum trahunt.d̃ hirud.reuulf.cucur.& scar. 6ª.2.C

Hirudines quem sanguinem trahant d̃ hirudinibus,reuulsione.2.D/d̃ cucur.scarif. 6ª.4.D

Hirudinum vsus in quibus.de cucur.scar. 6ª.4.D

Hirudo quando admouetur.fin.med. If.49.A

Hirudinum appetentiam oleum subuertit.de cucur.scar. 6ª.4 D

ex Hirudinibus sanguis non debet quantum libet effluere permitti. de hirud.reuul.cucur.& scarif. 6ª.2.D

ex Hirudinibus cum nimis effluat sanguis quo modo prohibendum.de hirud.reuul.cucur.& scarif. 6ª.2.C

ne Hirudo amplius trahat,qũo prohibendum.de cucur.scar. 6ª.4.C

*Hirudines qñ remouendæ sunt de hirud.reuulf.2.D/d̃ cuc.sca.*6ª.4.D

Hirudines admotæ quo modo auferendæ.de hirud.reuul.2.C/de cucurbitulis,scarificatione. 6ª.4.E

in Hirudinibus quibus sanguis sistendus.de cucur.scar. 6ª.4.C

ob Hirudines sanguis fluens digito sistitur.de cucur.scar. 6ª.4.E

ab Hirudinibus tractus sanguis non est frigidis sistẽdus,qñ nimis fluit. sed adstringentibus,& emplasticis.de cucur.scar. 6ª.4.D

ab Hirudinibus tracta pars refrigeratur,ideo fouenda & recalfacienda est.de cucur.scar. 6ª.4.D

Hirudinum caudæ incidendæ, quando opus est iterum eisdem nos vti. de cucurbitulis scarificatione. 6ª.4.C

Hirudinem deglutientium remedia.2°.de antid. 5ª.114.E

Hirudines eijciuntur cimicibus epotis, vt etiã allio quo semper vsus est Gal.non autem cimicibus.11°.de simp.me.fac. 5ª.82.E

ad Hirudines ex gutture eijciendas.de reme.par.fa. 7ª.159.A

ad Hirudines deuoratas.de me.par.fac. 7ª.174.C

ad Hirudines.de med.fac.par. 7ª.179.A

p Hirudinibus epithema.10°.de comp.me.se.lo. 5ª.209.B

HIRVNDINIS *cerebrum ad suffusiones.de ther.ad Pis.* 5ª.92.E

Hirundinum excrementum,quale.6°.de comp.me.se.lo. 5ª.170.F

ex Hirundinibus stomaticũ Asclepiadis.6°.de cõp.me.s.l. 5ª.171.A

ex Hirundinibus stomaticũ Harpocratis.6°.de cõp.me.s.l. 5ª.171.A

Hirundines ne,an ipsorum nidum ingrediatur compositionem Besasæ. 6°.de comp.med.se.lo. 5ª.170.F

*in Hirundinũ pullorũ nidis lapilli reperiunt̃.de med.fa.par.*7ª.171.E

in Hirundinum pullorũ ventre lapis.de incant.adiur.& susp. 7ª.181.B

Hirundinum syluestrium nidus qualis.6°.de comp.me.se.l. 5ª.174.H

Hirundines quo modo vrantur.6°.de comp.me.se lo. 5ª.171.A

Hirundines vstę valent ad gutturis,& columellę affectus.11°.de simplicium medicamentorum fac. 5ª.82.B

Hirundines vstæ ad synanchen.11°.de simp.med.fac. 5ª.82.B

Hirundinum vstarum cinis cuius vsus de reme.fac.par. 7ª.158.A

ex HISPANIA quod edulium recens Romam fertur.2°.de alimentorum facultatibus. 2ª.20.D

Hispanum edulium diu durans.2°.de alim.fac. 2ª.20.D

HISPANVM *oleum adstringit.8°.met.me.51.D/13°.* 7ª.83.G

Hispanum oleum ad fluxiones acres oculorum.13°.met.me. 7ª.86.D

Hispanum oleum non valet in frictione.3°.de san.tuen. 2ª.79.A

HISPANICA *pruna sunt in secundo loco.2°.de san.tu.* 2ª.21.D

Hispana pruna ad aluum deijciendam excedunt damascena.5°.de sanitate tuenda. 2ª.92.E

HISTORIA *quid.de sectis.16.B/de opt.sect.23.A/ de subst.empirica.31.G/* Isa.32.H

Historia est præsentium,& præteritorum.de opt.sect. Is.23.A

Historia non est futurorum.de opt.sect. Isa.23.A

Historia ex quibus conficitur.de opt.sect. Isa.22.H

Historiæ an vera sit duplex iudicium.de subf.emp. Isa.33.A

Historia medico necessaria est.in 3ᵐ.de mor.vul.com.2°.3ª.136.G/H

Historia laudatur a Galeno.de subf.emp. Isa.32.H

Historiam cur obseruarent empirici.de opt.sect. Is.22.H

HISTORIA *belli gesti a duce carthaginensi sine exercitu contra Romanos.de theria.ad Pis.* 5ª.91.C

Historia viri deformis,qui voluit formosum procreare. de theria.ad Pisonem. 5ª.94.E

Historia eorum quos caupo carne humana pro suilla cibauerat.10°.de simp.med.fac. 5ª.72.G

*Historia de iuctione organi qd̃ dr̃ Nilei Plinthium.d̃ machin.*7ª.311.B

Historia podagrici.1°.de simp.med.fac. 5ª.7.B

Historia de herba sanguinem trahẽte,& homine,qui multos necarat. de purgan.med. 5ª.87.D

Historia eius qui stercus humanũ dabat pro medicamento.10°.de simplic.medicamen.fac. 5ª.76.B

Historia de messoribus,& leproso qui vinũ ex vipera bibit,& sanatus est.11°.de simp.med.fac. 5ª.77.H

Historia de scorto, quæ leprosum sanauit vino ex vipera imprudens. de simp.med.fac. 5ª.77.H

Historia, vide Casus.

vt HISTORICVS *omnia non scribit Hippocrates.2°.de difficultate respirationis.* 3ª.65.F

HISTORICVM *oleum adstringit.13°.met.me.* 7ª.83.G
HISTRIGNES *a diuitibus ditantur.de præco.ad Posth.* 4ª.214.B

HOCH. *i.mora Celsi.secret.* Sp.102.G

HOEDVM aluit sine matre Galenus.6°.de lo.aff. 4ª.42.A
Hœdi natura feruntur ad lac.6°.de loc.aff. 4ª.42.A
Hœdi ruminant.6°.de lo.aff. 4ª.42.B
Hœdos dissecuit Galenus ꝑ instris uocis.de præcog.ad Posth. 4ª.216.B
Hœdi nuper nati habent arterias mesenterio propinquas lacte plenas an sang.in art. 1ª.61.D
Hœdi habent duplicem ventriculum. 6°.de lo.aff. 4ª.42.B
Hœdi natura sicciores.de bon.& vit.suc. 2ª.35.H
Hœdi præstantiores capris.3°.de alim.fac. 2ª.25.H
Hœdi post sues montanos optimi sunt.8°.met.me. 7ª.51.C
Hœdina caro est in magno vsu.2°.de alim.fac. 2°.16.B
Hœdi innoxij.de atten.vic. 2ª.45.E
Hœdina caro,qualis.de ren.aff.dig.& med. 7ª.195.F
Hœdina caro secundo loco a suilla præstantissima inter animalia pedestria.de bon.& vit.suc. 2ª.37.C
Hœdi anniculi caro humida est & viscosa.de diss.cont. Sp.73.A
Hœdi anniculi caput generat humorem bonum,inter tenuem & crassum.de diss.cont. Sp.73.H
Hœdi anniculi & agni velocius digeruntur, quam caro antiquorũ,& capra.de diss.cont. Sp.73.C
Hœdorum carnes faciunt crassum sanguinem cum bono succo.in 6ᵐ.ꝺ morb.vulg.com.3°. 3ª.175.C
Hœdina caro non incommoda seni.5°.de san.tu. 2ª.91.D
Hœdorum carnes epilepticis conueniunt.de puero epil. 7ª.180.G
Hœdorum adeps minis calidus,q̃ caprarum.11°.de sim.m.fa. 5ª.79.B
Hœdorum sanguis quo modo prosit hæmoptoicis.10°.de simplicium medicament.facul. 5ª.73.C
HOLCIMOS, id est dolor tractorius, non est in vsu apud Græcos.2°. de loc.affe. 4ª.12.B
Holcimo significatur viscidum.2°.de loc.aff. 4ª.12.B
Holcima est pasta tritici,quæ tractiua est.2°.de loc.aff. 4ª.12.B
de HOLERIBVS *librum edidit Diocles.de art.com.4°.* 7ª.186.G
Holera cibus quo vulgus vtitur hyeme.de na.hu.com.1°. 1ª.32.F
HOMERVS,poeta per excellẽtiam dicitur.1°.de dieb.dec. 4ª.149.B
*Homerus ante Hippocratem, & Platonem.6°.de decr.Hip.*1.267.D
apud Homerum medici laus.ad Thras. 2ª.107.A
Homeri tempore non fuit diætetica.ad Thra. 2ª.107.B
apud Homerum non extabat gymnastæ nomen.ad Thra. 2ª.107.B
Homeromastix Zoilus.1°.met.me. 7ª.3.G
Homerum vituperat Galenus.de comate. 3ª.50.B
HOMO *dicentes quid intelligamus.1°.de dieb.decr.* 4ª.149.B
Homo quid.fin.med. Isa.43.F
Homo species est,& genus animalis.2°.de sem. 1ª.339.H
Homines primi Deucalion,& Phoroneus.2°.met.me. 7ª.20.H
Hominis laus.an animal sit. 1ª.328.D
Homines cur fortunati.3°.de decr.Hipp. 1ª.247.F
Homo sapientissimus animalium.1°.de vsu par. 1ª.113.E
Homo animal sapiens,& diuinum.1°.de vsu par. 1ª.113.D
Hominum præstantia vnde.in oratio.suas. Isa.2.F
Homini propria quæ insunt soli spẽi,& non oĩ.2°.de diffi.respir.3ª.4.E
in Homine est anima vt in planta,vt in dijs,vt in brutis.9°.de decret. Hippocratis. 1ª.238.H
Homines habent rationem.5°.de decr.Hipp. 1ª.257.D/E
Hominis proprium rationale.in oratione suas. Isa.2.C
Homo ratione omne animal excedit.in ora.suasoria. Isa.2.B
Homo habet hanc excellentiam, vt ratione vtatur. de cognoscendis, curandisq̃ animi morbis. 2ª.52.E
Homo propter quid rationale animal.in orat.suas. Is.2.C
Homo nuper natus potestate rationalis est.3°.de temp. 1.21.F
Homo dee potestate similis.an animal sit. 1ª.328.D
Homo cum dijs communicat ratione.in oratione suas. Isa.2.D
Homo participat cum dijs,& cum brutis.in oratione suas. Isa.2.A
Hõ oẽs artes ẽt diuinas assequitur ingenio.in orat.suas. Isa.2.C
Homo prudens,qui.de cog.cur animi morb. 2ª.52.E
Hoĩ cõueniẽtiores actiões rõcinari,et log.ꝺ mot.man.& obs. Sp.67.F
Hominis vox proprie locutio est.de hist.phil. Sp.9.G
Homo animal politicum ac mansuetum.11°.de vsu par. 1ª.191.H
in Homine genius,qualis.5°.de decr.Hipp. 1ª.257.F
Homo quo modo animalibus brutis similis efficitur.de cognoscẽdis curandisq̃ anim.mob. 2ª.52.b
Hõ qũo in omni re vinceretur ab aliquo aĩante.in orõne suas.Isa.5.D
HOMINIS *particularis gñatiõ & prima.8°.de decr.Hip.* 1ª.275.C
in Homine secunda generatio,quæ.8°.de decr.Hip. 1ª.275.F/G
de Hominis generatione accuratius Hippocrates q̃ Plato egit,vt spectat ad medicum.8°.de dec.Hippocr. 1ª.275.D
de Hominis natura Hippocratem nõ damnarunt philosophi.1°.metho di medendi. 7ª.3.A
Hominis principium est ex sanguine & spermate.secretorũ. Sp.96.G
in Homine quid faciat sanguis,& sperma.secretorum. Sp.96.G
Homo animal immortale esse non potest ex sanguine menstruo & sper mate constatum.3°.de vsu par. 1ª.133.D
*Homo constat ex sanguine veteri,sm Aristotelem.ꝑ ani.mor.*1ª.119.C
Homo ex quibus constet.intro. Isa.52.E
ꝑ Homo non constet ex atomis aut ex corpusculis incompactis.de differentijs morborum. 3ª.2.E
Homo ex quibus primis elementis constet.1°.de elemen. 1ª.7.E
*in Homine quo modo elementum aereum.8°.de decr.Hipp.*1ª.275.D
in Homine elementum aereum deprehenditur in pulsibus,& respirationibus.8°.de decr.Hipp. 1ª.275.D
Hominem esse solam terram aliquos posuisse inquit Hippocrates.ꝺ natura humana.cõ.1°. 1ª.31.A
Homo præter elementa quatuor humoribus constat.intro. Is.52.E
in Homine quocunque tempore,quacunque ætate sunt quatuor humores.1°.de nat.hu.com.1°. 1ª.31.D
Hominis corpus ex quatuor humoribus constat. de natura & ordine cuiuslibet corporis. Sp.41.D
Hominis corpus rõnabiliter ex quatuor cõstat humorib.ꝺ dyn. Sp.19.E
Homo quo modo ex quatuor constet humoribus.de sper. Sp.37.A
Homo eget omnibus humoribus.2°.de elem. 1ª.9.D/E
Hominem aliqui ex tribus compositis constituunt.intro. Isa.52.E
Homo statim ortus scit vti munijs virium.15°.de vsu par. 1ª.213.B
*Homo fit semper valentior vsq̃ in vigorem ætatis.1°.de sa.t.*2ª.62.F
Homini nato,& peccanti venia danda est.4°.de decr.Hipp. 1ª.249.F
Homo infans incedit manibus & pedibus, vt simia,vbi iam increuit, solis pedibus incedit.15°.de vsu par. 1ª.213.D
ꝑ HOMINIS *& domus edificio exemplum.de diff.mor.* 3ª.2.E
Hominis corpus diuinum.13°.de vsu par. 1ª.203.A
Homo est planta cœlestis non terrena.de consue. 2ª.61.F
Homo tanquam paruus mundus.an animal sit. 1ª.326.H
Homo pars est magni mundi.an animal sit. 1ª.326.H
Hominum fabricatores dij.ꝑ animi mores. 1ª.318.C
*in Homine cõdendo deus fecit quod melius est.6°.de vsu par.*1ª.153.F
Homo animal perfectissimum,& muliere perfectior.14°.de vsu partium. 1ª.205.H
Homo est perfectior muliere propter calorem.14°.de v.p. 1ª.205.b
Hominis corpus ex dissectione innotescit.de const.ar. Isagogici.36.G
Hominem nunquam dissecuisse Galenum collige, etsi multas dissectiones fecerit.1°.de anat.admin. 1ª.63.F
Hominis sectionem fecit Galenus.6°.de vsu par. 1ª.149.B
Hominis anatomiam docet Galenus.6°.de vsu par. 1ª.150.b
Hominum anatomen disces ex simijs.3°.de compositione medicamentorum.per ge. 5ª.231.F
ꝑ Hominibus vtitur simijs in anatome.de art.com.3°. 7ª.268.F
Homini in omnibus similis simia, quare & ossa sunt similia.1°.de anatomicis administ. 2ª.63.E
Hominis similis est simia extrinsece, suis autem intrinsece.de anatomia parua. Spurij.42.G
Hominis ridicula imitatio simia.15°.de vsu par. 1ª.213.D
Hominis,& simiarum differentia.1°.de ana.adm. 1ª.63.b
Homini animalia proximiora sex.4°.de anat.adm. 1ª.80.G
*Hõ hẽt mẽbrorũ naturã similẽ cani.ĩ 6ᵐ.de mor.vulg.c.4°.*3ª.180.D
Hominis partes,quæ.de palp. 3ª.52.B
*Hominis propriæ,& minimæ particulę partes similes.1°.ꝺ ele.*1ª.8.F
in Homine cur sint organa diuersa.de ana.viuo. Sp.47.B
Hominis differentia,gressibile bipes.1°.met.me. 7ª.4.C
Hominem definit per pedestre bipes.2°.met.me. 7ª.13.G
Homini quæ non insunt vt homo.1°.de dieb.decr. 4ª.149.B
Homini cur melius fuit esse bipedem.3°.de vsu par. 1ª.128.D
*Homo solus bipes,& erectus,quia manus habet.3°.ꝺ v.p.*1ª.127.E
Homo solus stat rectus.3°.de vsu par.128.F/13°. 1ª.203.A

Hominem erectum fiare, vt ad cælum prompte aſpiciat, non eſt verũ. 3°.de vſu partium. 1ª.128.F
Homo ſolus ſedet.3°.de vſu par. 1ª.128.F
Homini ſoli ineſt ſedere in iſchia.3°.de vſu par. 1ª.127.H
in Homine quo modo fiat ſeſſio.3°.de vſu par. 1ª.128.E
Homo ſolus recte incedit.3°.de vſu par. 1ª.128.D
Homo ſolus recte ad amuſſim incedit.4°.de ana.adm. 1ª.79.E
Homo habet corpus armis nudum.1°.de vſu par. 1ª.113.G
Homo non eſt nudus neque inermis.1°.de vſu par. 1ª.113.D
Homo cur non indigeat cornibus.1°.de vſu par. 1ª.113.D
Homo cur non indiget vngula. 1°.de vſu par. 1ª.113.D
Homo ſolus omnium animalium manus habuit.3°.de vſu pa. 1ª.127.E
Homo conuenienter habet manus. 1°.de vſu par. 1ª.113.H
Homo cur oĩbus aĩalibus dominetur pp manum.1°.de vſu par. 1ª.113.E
Homo domat oĩa aĩalia ratione,& manibus.11°.de vſu par. 1ª.184.H
Homo ſolus recte manibus vtitur.13°.de vſu par. 1ª.203.A
Homo omnia facit manibus.1°.de vſu par. 1ª.113.E
Homo p pelle,corioue duro thoracẽ habet ferreũ.1°.d vſu p. 1ª.113.D
Homo ſi haberet cornu in manu,non poſſet vti manu ad conſtruendum murum & domum.1°.de vſu par. 1ª.113.D
Hominum manus quo modo vertatur commode.3°.de vſu.p. 1ª.128.E
Homo habet oſſa cauaac laxa.11°.de vſu par. 1ª.191.E
Homo breuiſſimam maxillam habet pro corporis ratione. 4°.de anatomicis adminiſtrationibus. 1ª.80.G
Homo cur nõ habet fortẽ maxillã,et collũ vt leo.11°.d vſu. p. 1ª.191.H
Homines habent muſculos temporales minimos, & minimum neruoſos.10°.de vſu partium. 1ª.184.F
in Hoĩbus,et ſimijs tpalis muſculus exiguus ẽ.16°.d vſu.p. 1ª.217.A
in Hominibus, & ſimijs aurium ſubſtantia ferè immobilis.16°.de vſu partium. 1ª.217.A
Hominis odoratus nõ diſcernit inter odores medios.de ana.vi. Sp.49.B
Homini ſimillima eſt ſimia in collo.de neru.diſſ. 1ª.54.E
ab Homine non multum diuerſam naturam habentia animalia habent in collo ſeptem vertebras.de neru.diſſ. 1ª.54.G
Hominũ coſtæ curuiſſimæ ſupra alia aĩalia.de ar. com. 3°. 7ª.272.C
Homo pectus habet latiſſimũ oĩum aĩalium.de ar.com. 3°. 7ª.272.C
Hominibus cur pectus latũ,brutis anguſtum.13°.de vſu p. 1ª.202.G
Homo habet quinque vertebras in lumbo.de ar. com.3°. 7ª.273.B
Homo habet ventrem anguſtiſſimum omnium animalium à poſteriore in anteriorem partem.de arti.com.3°. 7ª.273.D
in Hominibus vẽtriculi fundum latius orificio.4°.de vſu p. 1ª.136.H
Homo cur non habuit quatuor crura vt cẽtauri. 3°.d vſu p. 1ª.127.F
in Hominibus crura,& ſpina ſunt linea recta.3°.de vſu par. 1ª.128.D
Hõ cur nõ habuit pedes duros,et rotũdos vt eq.3°.d vſu p. 1ª.128.H
in Homine aliſq; omnibus animalibus quæ adſint, vt nullum animalis genus pereat.14°.de vſu par. 1ª.204.D
Hominis pudendum cur longum,& tale.14°.de vſu par. 1ª.206.B
Hominis inſtrumentum habet figuram inuerſam,& protenſam extra de anatomia vixorum. Sp.51.E
Homo ex homine in coitib.gignitur,in 6ᵐ.de mor.vul.c.3°. 3ª.171.H
Hominis figura quando incipiat,& quo modo.de ſpermate. Sp.36.B
Homo quo tempore perfectus ſit.de hiſt.philo. Sp.11.F
Hominis ſperma cur non recipitur ab equa.3°.de vſu par. 1ª.127.F
Homines ſi cocant cum equa, ſperma non perficitur in matrice.3°.de vſu partium. 1ª.127.F
de HOMINIS *tẽperie ſi q̃ratur,quid reſpondẽdũ.1°.de tẽp.* 1ª.13.D
Homo temperatiſſimus omnium corporũ. 1°.de temp.14.H 1ª.15.G
Homo in genere animalium medius temperie.1°.de temp. 1ª.12.H
Homini ſoli conuenit temperata natura.de ſpermate. Sp.41.A
Homo tpatiſſimus,et medio quas notas habere dẽt.1°.d tẽp. 1ª.14.H
Homo temperatus,pro menſura,& regula accipitur. 5°. de ſimpliciũ medicamen.facul. 5ª.32.E
Homo in prima ætate calidiſſimus, in extrema frigidiſſimus eſt. 8°.de decretis Hippocratis. 1ª.277.F
Homo vnus habet medium ſecundum ætatem, vitæ conſtitutionem, cõditionem,& regionem.3°.de alim.fac. 2ª.33.D
Homo calidior altero.de conſt.ar. Ifa.38.G
Hõ idẽ quo mõ ſit calidus, frigidus,humidus,et ſiccus.1°.d tẽ. 1ª.13.C
Hominis caro media.de conſt.ar. Ifa 38.G
Homini ſimilem temperaturam habent porci domeſtici caſtrati. 10°.d ſimp.med.fac. 5ª.75.D
Homo humidior canis ſiccior eſt inter animalia.1°.de temp. 1ª.12.E
Homini conuenientia.1°.de temp. 1ª.14.H
Homines diuerſi diuerſis rõnibus perſuadentur.9°.de decr. 1ª.282.B
Homo habet animam artibus deſtitutam.1°.de vſu par. 1ª.113.G
Hominibus paranda ſunt quę cum poſſeſſore in naufragio exuent. in oratione ſuaſoria. Ifa 2.H
Homo ſi primo non præfecerit,deterreri non debet,quoniam tempore perficiet.de cog.cur.animi morbis. 2ª.55.H
Hominis vnius vita rem vnam non inuenit. de cuiuſque animi peccatorum notitia atque medela. 2ª.58.E
Homo debet eſſe natus ad veritatem.de cuiuſque ani.pec.not. 2ª.56.H
Homines omnes omnium rerum veritatem cognoſcere debent.de cuiuſque animi pecc.not.atque med. 2ª.58.H
Hoĩes à nobis odio haberi q vera loquũtur.de cog.cur.aĩ mor. 2ª.51.B
Homo debet eſſe inſtitutus liberali educatione.de cuiuſque animi peccatorum notitia atque medela. 2ª.56.B
Homines diuerſi in diuerſis numeris et harmonijs educãdi ad varias perturbationes animi compeſcendas.5°.de decr.Hipp. 1ª.257.H
Homines putant ſe eſſe ſine peccato,vel in paucis rebus rectam rationem offendere.de cogn.cur.animi morbis. 2ª.50 D
ſupra Hominis captum eſt nunquam errare.in prog.com.3°.4ª.213.H
Homo exercendus in rerum ſimilitudinibus deſcernendis. 9°.de decretis Hippocratis. 1ª.280.B
Homines debẽt eſſe docti antequam libros legant.1°.de ali.fa. 2ª.9.E
HOMINES *nutriuntur animalibus.8°.de decr.Hipp.* 1ª.275.A
Hominẽ non nutriunt carnes oĩs animaliũ,11°.de ſimp.me.fa. 5ª.77.G
Homini cibus familiaris, qui.2°.de alim.fac. 2ª.17.C
Homini lac alimentum.15°.de vſu par. 1ª.213.B
Hominibus ſuum caro conuenit.de bon.& vitio ſucc. 2ª.37.C
Homo calidæ temperiei quibus nutriendus.de diſſol.cont. Sp.72.B
Hõ,q abũdat cholera citrina,qbus ſit nutriendus.de diſ.cõt. Sp.72.B
Homines faciunt fructus agreſtes domeſticos.de aere,aq. et lo. 2ª.4.E
HOMINVM *corpora augentur creſcente luna.de dy.* Sp.20.C
Hominis ſani vrina, qualis.de dyn. Sp.19.G
Homo videt alium mingentem, aut egerentem, aut pandiculationes agentem,& ad hoc prouocatur.de mot.man.& obſ. Sp.69.D
Homines pingues extenuans medicamentũ.de med.exper. Sp.104.H
Hominibus debilibus,& fortibus quid accidat,ſi aqua frigida lauentur.com.1°.aph.15°. Ex.8.C
HOMINVM *naturæ ſunt numeroſæ.5°.de ſan.tuen.* 2ª.88.D
Homines cur diuerſi.1°.de alim.fac. 2ª.8.F
Homines ſunt diuerſi ex diuerſitate terrarum.de ſpermate. Sp.40.D
Homines vbi æqualiſſimi.de aere,aq.& loc. 2ª.5.A
Homines aliqui habent naturam ſimilem montanis,ſiluoſis,ac aſperis locis.de aere, aq.& locis. 2ª.4.G
Homines dulces & manſueti vnde.de ſpermate. Sp.40.D
Homines magni forma vbi.de aere,aq.& loc. 2ª.6.D
Homines aſiatici pulchri,quales.de aere,aq.& loc. 2ª.4.E
Homines parui cur.& vbi.de aere,aq.& lo. 2ª.6.D
Homium formæ ac mores, regionis naturæ ſunt compares. de aere, aq.& locis. 2ª.6.E
Hominis mentem ſemper excitant mutationes.de aere,aq.et l. 2ª.5.D
Homines ſub poteſtate regum,quales.de aere,aq. & loc. 2ª.5.B
Homines pauci ſunt in regionibus Aſię, quæ ſubeſt regibus, inertesq; ad bellum quare.de aere,aq.& locis. 2ª.5.B
Homines liquidioris ſanguinis ſunt timidi & boni ſenſus, eo quod molles carne.de vtil.reſp. Sp.64.G
Homines bellicoſos quæ terra faciat.de ſpermate. Sp.40.D
Homo durus qui. 3°.de pulſ.diff. 3ª.63.F
Homo acerbus quo modo.3°.de pulſ.diſſ. 4ª.63.G
Homines diſtinguuntur ab Hippocrate in vinum & aquam bibentes. de natura humana.com.2°. 7ª.182.B
Homines Hippocratis tpa quo ſe habebãt.2°.de die. decr. 4ª.154.F
Hominum ſtudia diuerſa.de bon.& vitio ſucc. 2ª.39.A
Homines qui officia obeunt muliebria.de aere,aq.& loc. 2ª.5.G
Hominũ maxima pars negocijs implicita eſt.2°.de ſan.tuen. 2ª.69.C
HOMO *cur procurare debet ſanitatem.6°.de ſan.tu.* 2ª.95.B
Homini nihil tanti eſſe debet,vt ſanitas.de ſal.diæta. 2ª.43.D
Hominis corpus materia eſt medicæ artis.de part.art.med. Sp.18.C
Hõ quibus medicis ſe committere debet. in oratione ſuaſoria. Ifa.4.C
Hoĩes curã ſui corpis cõmittũt,qb. facta sũt expimẽta. d ſubſ. If.34.F
Hominis natura debet ſciri ſecundum rationales.de ſectis. Ifa.16.D
Hominum cõmunem naturam, & propriã medicus cognoſcere debet.

1°.de

1°.de art.cur.ad Glau. 7ª.94.C
Hominum natura propria, & communis.in 1ᵐ. de morbis vulgarib. commenta.3°. 3ª.117.B
Hominum propria nã scribi non põt.1°.de arte cur.ad Glau. 7ª.94.C
Homines qui cito a nobis cognoscuntur.1°.de ana.adm. 1ª.63.b
Hoīs nã an cõcordet tpis mutationi,cõsiderandũ est.de sper. Sp.39.F
Hominum ætates.figuras,colores,terrã,vsum,passiones terræ, in qua sunt geniti,considerare debet medicus.de sper. Sp.39.F
Hominẽ gñalem non particularẽ curabãt methodici.3°.me.m.7ª.20.F
Homo non doleret,si vnum esset.de const.ar. Isa.38.B
Homo si esset ex vno elemento,nihil pateretur.de na.hu.c.1°.1ª.28.F
Homo si esset vnum & doleret, oporteret vnum esse medicationis modum.1°.de elementis. 1ª.3.H
Homo si esset impatibilis vt adamas,non indigeret re medica.1ª.de sanitate tuenda. 2ª.63.A
Homo quando dolet,& quando valet.8°.de decr.Hipp. 1ª.275.C
Homines nunquã morbo corriperentur si cauerent cruditates,& post cibum vehementer non exercerentur.de bon.& vitio suc.2ª.35.A
HOMO quando impletur crudis humoribus.4°.de san.tu. 2ª.88.A
Homines bene & male se habent secundum lunæ,& planetarum stationes.3°.de dieb.decretorijs. 4ª.157.H
Homo mutatur secundum planetas.de sperm. Sp.37.D
Hominis os sanguine incẽditur,& sætet.de dyn. Sp.19.E
Homines male corrumpit veratrum, cibus tamen est coturnicum. de theriaca ad Pisonem. 5ª.91.A
Hominem purgat veratrum.1°.de simp.me.fac. 5ª.2.D
Hominem refrigerat cicuta.1°.de simp.med.fac. 5ª.2.D
Homo fit insensibilis,& similis dormienti compressis quibusdam uenis colli.de vtilitate respirationis. Sp.63.F/H
Homo si videat serpẽtẽ subito,fit pallidus.de mo.mã.& obs.Sp.69.D
Hominem necat viperæ saliua.de inæq.intemp. 3ª.44.C
Hominis saliua viperam necat.de inæq.intemp. 3ª.44.C
Hominis ieiuni sputo scorpio aspersus interit.d bo.& vit.suc.2ª.34.B
Hominem ægrotare quando sit periculum.de const.ar. Is.42.C
Homini conueniunt calida,& humida temperate.de ocul. 7ª.188.C
Homo non habet facultatem miscendi per tota calidum frigidum,humidum,siccum.1°.de temper. 1ª.14.F
Homines multum differunt,ideo idem medicamentum omnibus nõ cõuenit.3°.de comp med.per ge. 5ª.232.D
Homini cuique seorsum proprium conuenit medicamentum ad mouẽdũ suum pus,iuxta suam cuiusque temperaturæ proprietatem.5°. de simp.med.fac. 5ª.33.D
ad Hominem temperatum referenda sunt medicamenta.9°.de simplic. med.facul. 5ª.69.F
Homines omnes non eadem requirunt.5°.de san.tu. 2ª.94.B
Hominum singulorum definienda euacuationis mensura neutiquã præscribi potest.præsag.exper.conf. Sp.78.A
Hõ cõfestim sanatus eductis sex libris sanguinis.præsag.exp.Sp.78.A
Homines digni vt bibant stercus caprinum.10°.de sim.me.fa.5ª.76.F
Homo cui ossa reponuntur,ligandus est.de machin. 7ª.312.B
Homo hominem morsu non necat.de inæq.intemp. 3ª.44.C
Hominum morsus quo mõ sit noxius qñque.1°.de cõp.med.5ª.214.E
ad Hominum morsus.2°.de comp.med.per gene.227.E/3°.235.B/5°. 246.E/H/247.F/248.H/6°. 5ª.256.D
Homo penitus vno humore euacuato moritur.2°.de elemen. 1ª.9.F
Homo moritur vbi vnus humor deest.de na.hum. com.1°.31.E/8°.de decretis Hippocratis. 1ª.276.C
Homine mortuo humores separantur,& ad propriã redeunt naturam secundum aliquos.de sperm. Sp.40.E
Homo mortuus anodynon quomodo.5°.de sim.med.fa.. 5ª.37.B
HOMINES immortales qui volebat reddere,si eos a pueritia rexisset. de marc. 3ª.45.F
Hõ nunq̃ moreretur,si corpus seruaretur humidũ.6°.de sa.t. 2ª.96.F
ad Hominem comparatio ponderis.de cur.rat. per sang.miss.6ª.16.E
HOMOIOMERES partes, quæ.1°.meth.med. 7ª.6.D
HOMONYMIA aperienda est ante diffinitionem.2°.de pulsuum differentijs. 4ª.53.F
Homonymia facit obscuritatem.de sympt.diff. 3ª.10.E
Homonymia facit cauillationes.1°.met.me. 7ª.6.B
Homonymos dicitur tremor & rigor.1°.de symp.cau. 3ª.19.D
HOMOTONAE synochæ species.2°.de diff.feb. 3ª.36.F
Homotonas facit humoris i caua uena putrefactio.2°.d diff.fe.3ª.42.G
Homotona febre correpti pulsum habent grauem spissum,et sordidũ. de sperm. Sp.34.C
ad Homotonam febrem.de sperm. Sp.33.C
ad HONESTATEM ex rõnali trahimur.5°.de dec.Hip. 1ª.256.H
Honestas exigit brachiũ tectũ.de ys quæ in med.fi.com.1°. 7ª.202.b
HONESTVS qui vult fieri,quid agere debet.de cog.curã. 2ª.50.F
Honestus esse non potest insatiabilitatem in animo habens.de cog.cur. animi morbis. 2ª.55.F
Honestus pulsus a phlegmate fit.de dyna. Sp.19.F
HONORVM insatiabilitas quomodo vitanda. de cognoscendis curandisq; animi morbis. 2ª.55.D
Honor postponendus est sanitati corporis,& animi.2°.de.alimentorũ facultatibus. 2ª.18.F
in Honoribus spernendis quo mõ exercendũ.de cog.cur.an. 2ª.55.D
HOPLOMACHICVS motus species exercitationis.2°.de sanitate tuenda. 2ª.75.G
Hoplomachicus armorum meditationus motus.2°.de sa.tu. 2ª.75.D
HORA quod tempus sit.2°.de alim.fac. 2ª.16.D
in Horæ medio oritur canicula.2°.de alim.fac. 2ª.16.D
Horarum equinoctialium meminit Galenus. 2°.de differẽtijs febrium. 3ª.36.H/7°.met.med.45.B/5°. 7ª.52.b
Horæ æquinoctialis viginti quatuor faciunt spatium dici,& noctis.de septim.par. 1ª.341.B
Horæ æquinoctialis æquales sunt.de septim.par. 1ª.341.B
Horæ æqnoctiales mediæ iter maxias,et minimas.d septi.par.1ª.341.B
Horæ in clepsydra,& quo mõ.de cuiusq; aĩ pec.not.atq; me.2ª.58.E
Horæ diei quot.ad eos, qui de typ.scripsr. 3ª.94.E
HORAE humorum per quæ determinentur.de sperm. Sp.38.C
Horæ sanguinis,pituitæ,bilis atræ,bilis,quæ.de spermate. Sp.38.B
Horæ quibus infans efficiatur sanguineus,biliosus,pituitosus,atrabilaris.de spermate. Sp.38.A
in Horis melancholiæ concepti pueri natura.de sperm. Sp.37.C
in Horis choleræ nigræ si sit cõcepta puella,qd sequatũ.d sper. Sp.38.C
in Horis choleræ nigræ si concepti sunt parentes, & infans in sinistra parte,quid eueniat.de spermate. Sp.38.C
in Horis choleræ nigræ si sit conceptus puer, pr in horis cholerę multæ,& mater in horis sanguinis,quid eueniat.de sperm. Sp.38.D
Horis atræ bilis si fuerit conceptio infantis,& parentum,quid sequatur.de spermate. Sp.38.E
in Horis bilis concepti pueri natura.de spermate. Sp.37.A
in Horis choleræ rubræ si cõceptus sit ĩfans qd eueniat.d sper. Sp.38.B
in Horis bilis si sit conceptio oĩum,quid sequatur.de sperm. Sp.38.E
in Horis phlegmatis concepti pueri natura.de sper. Sp.37.C
in Horis phlegmatis si sint concepti parẽtes, puella in horis sanguinis, quid sequatur.de sperm. Sp.38.C
Horæ quibus sanguis dominatur.de na.& ord.cuiusl.corp. Sp.41.D
in Horis sangninis concepti pueri natura.de sper. Sp.37.B
in Horis tribus sanguinis cõceptũ sperma qd efficiat.de sper. Sp.37.B
in Horis sanguinis si sit conceptio infantis,patris in horis phlegmatis, matris in horis choleræ nigræ,quid eueniat.de sperm. Sp.38.D
in Horis sanguinis, vel phlegmatis si sit conceptus puer,parẽtes in horis bilis,quid sequatur.de sperm. Sp.38.E
in Horis sanguinis si sit conceptio infantis & parentũ, quid sequatur. de spermate. Sp.38.E
in Horis sanguinis si pater semẽ fuderit,qd sequetur.de sper. Sp.38.F
Hora sanguinis infantis si cõcepti sunt pater et auus,infans vel puer, quid sequatur.de sperm. Sp.38.E
ab Horis sanguinis quando puer habet principium sicut auus eius,tũc retinet ab eo figuram.de spermate. Sp.38.F
Horæ quibus ægritudo acuitur considerandæ.de sper. Sp.39.H
in Horis sanguinis synocha quę acuitur, qualis sit.de sper. Sp.39.H
in Horis sanguinis quartana si acuitur,qualis.de sper. Sp.39.H
Horis choleræ rubræ quotidiana si acuitur,cito vertitur in tertianam. de spermate. Sp.39.H
Horis choleræ rubræ si acuitur synocha, non est propria synocha. de spermate. Sp.39.H
Horis bilis si acuitur tertiana,vera tertiana est & propria,in illam.r. aliquando mutabitur febrem.de sper. Sp.40.A
Horis cholerærubræ si acuitur tertiana phlegmatica,minus est periculosa.de spermate. Sp.40.A
fm HORAM, & diem ægritudinis cognitio.de sper. Sp.40.B
Horarum octo circuitus.ad eos qui de typ scripsr. 3ª.93.C

Horę duodenæ ſunt ſpatium tertianarum legitimarum.cõmentario 4°. aphoriſmo 43°. Ex.32.F
Horis duodenis ſi acceſſiones tantum permaneant, morbus cito iudicatur.com.4°.aph.43°. Ex.32.F
Horæ duodecim numerus omnium vtiliſſimus.de cuiuſque animi peccatorum notitia,atque medela. 2ª.58.D
Horæ decem & octo ſpatium tertianarum non legitimarum.commen.4°.apho.43°. Ex.32.F
Hora oĩ qñ oportet,detrahi põt ſanguis.preſag.experiẽ.cõſ. Sp.77.G
in Hora ſua ſunt ſumendi cibi.de diſſ.cont. Sp.71.b
Hora frigiditatis eſt hora conuenientior ad cibum accipiendum.de diſſolutione continua. Sp.72.A
in Hora caliditatis non eſt accipiendus cibus.de diſſ.cont. Sp.72.B
Hora cibi conſucta ſi mutetur,qd contingat de diſſ.continua. Sp.72.C
Horarum duarũ ſpatio ius deſcendit a vẽtriculo.de cura lap. Sp.112.G
Hora deglutionis inſpiratio detineri non poſſet.de ana.viu. Sp.48.B
Horis determinatis mouetur dilatando,& conſtringendo inferius orificium ſtomachi.de ana.viuo. Sp.56.E
Horarum diuerſitas pro rebus exercendis.6°.de ſan.tuen. 2ª.97.B
Horis nouem dormire ſatis eſt.6°.de ſan.tuen. 2ª.97.C
Hora mortis quo modo noſcenda.præſag.exper.confir. Sp.77.C
HORÆA *aqua,quæ in 6ᵐ.de mor.vulg.com.4°.* 3ª.184.E
Horæum tempus quæ pars anni.in 6ᵐ.de morb.vulg.cõ.4°. 3ª.184.F/ *de art.com.2°.* 7ª.266.F
Horæi fructus quare dicuntur.2°.de alim.fac. 2ª.16.D
Horæi fructus cum modo ratione guſtandi.de bon.& vit.ſuc. 2ª.34.C
Horæi fructus quales.2°.de alim.fac. 2ª.16.D
Horæos fructus in opora edit Galenus.de bon.& vit.ſuc. 2ª.34.C
ab Horæis fructibus qñ abſtinere cœpit Galenus præterquam ab vuis, & ficubus.de bon.vit.ſuc. 2ª.34.D
Horæi fructus humorem vitioſum gignũt.de bon.& vit.ſuc. 2ª.37.E
Horæi fructus ſi corrumpantur,ſiunt ſimiles venenis letalibus.de bo. & vitio ſuccorum. 2ª.37.E
Horæum collyrium.4°.de comp.med.ſec.loc. 5ª.155.F
de HORDEOLO. *de med.fac.par.* 7ª.163.B
Hordeolum quid.ſin.med. If.48.F
Hordeolum oculorum curat ſuccus centaureæ.de virt.centa. Sp.93.B
ad Hordeolos Antonij Muſæ.4°.de comp.med.ſe.loc. 5ª.153.C
ad Hordeolos.4°.de comp.me.ſec.loc. 5ª.158.D
HORDEVM *quo mõ appelleĩ.de vic.rat.in mor.acu.cõ.1°.* 7ª.111.A
Hordeum quod.de atten.victꝰ. 2ª.44.F
ꝑ Hordeo terra humida eſſe debet.9°.de ſimp.med.fac. 5ª.64.F
in Hordeum terra facile tranſit.4°.de ſimp.med.fac. 5ª.28.D
Hordeum habet æſtiuam,& autumnalem generationem.2°.de alimentorum facultatibus. 2ª.16.D
Hordeum reperitur quod duarum & trium ordinum ſpicas gignit.de hiſto.philoſ. Sp.10.G
inter Hordeum,& triticum media eſt Zea.6°.de ſimp.me fa. 5ª.47.G
Hordei, & tritici mediam naturam poſſidet olyra.8°.de ſimplicium medicam.facul. 5ª.57.C
in Hordeo paucum lolium reperitur.1°.de alim.fac. 2ª.15.G
in Hordeo frequens reperitur ægilos.1°.de alim fac. 2ª.15.G
ex Hordeo ægilops.1°.de alim.fac. 2ª.15.G
Hordei color albus.1°.de alim.fac. 2ª.13.B
Hordeum album.de atten.vic. 2ª.45.A
Hordeum nudum in Cappadocia.1°.de alim.fac. 2ª.13.A
Hordeum mundum prouenit in Cappadocia.de atten.vic. 2ª.45.A
Hordeum,triticum,fabæ,cicer,& huiuſmodi primo qualitate carẽt, poſtea maturata ac ſiccata dulceſcunt.4°.de ſimp.med.fa. 5ª.28.G
Hordei ſapor dulcis eſt.4°.de ſimp.med.fac. 5ª.25.D
Hordeũ non habet eandem facultatem cũ tritico.1°.de ali.fa. 2ª.10.C
Hordeum quando reponitur,non mutatur in contrariam naturam.2°. de alimentorum facul. 2ª.16.D
Hordeum in ſicco ſeruandum.1°.de alim.fac. 2ª.11.F
Hordeo frumẽta,& fruges quo mõ bona & mala.1°.de diſſ.fe. 3ª.31.G
Hordeum quod ſit optimum probatur.de bon.& vit.ſuc. 2ª.37.C
Hordeum quo modo probetur an ſit bonum.de ptiſſ. 2ª.47.C
Hordeum laudatiſſimum.1°.de alim.fac. 2ª.11.F
Hordei laus.de atte.victꝰ. 2ª.45.C
Hordeum optimum,quale.de ptiſſa.2ª.47.C/de victꝰ.rat.in mor.acutis.commen.1°. 7ª.113.D
Hordei ætas qualis eſſe debet.de ptiſſa. 2ª.47.C
Hordeum vetus corrugatur.de ptiſſa. 2ª.47.C
Hordeum qualia habet indicia vetuſtatis.de ptiſſa. 2ª.47.C
Hordeum eſt in vſu frequenti.1°.de alim.fac. 2ª.11.C
Hordeum cibus familiaris equis,& aſinis.2°.de alim.fac. 2ª.17.B
ad Hordeum naturaliter veniunt ſubingalia.de conſue. 2ª.61.A
Hordeum ſanis & ægris dandum.1°.de alim.fac. 2ª.9.A
Hordeo quo modo vti debemus.de atten.vic. 2ª.44.H
Hordeum quot modis edamus.de atten.vic. 2ª.44.G
ex Hordeo panes conficiuntur.de atten.vic. 2ª.44.G
Hordeacei panes friabiles non bñt lentorem vt olyrini & typhini.1°. de alimentorum facultatibus. 2ª.11.F
Hordeacei panes præbent exiguum alimentum.1°.de ali.fac. 2ª.11.F/ *de diſſol.cont.* Sp.73.F
Hordeacei panes ex bono hordeo minus nutriunt triticeis.1°.de alimentorum facultatibus. 2ª.11.G
ex Hordeo laxo,ac leui panes furfuraceis rñdẽt.1°.de ali.fa. 2ª.11.G
Hordeo plus alit faba.7°.de ſimp.med.fac. 5ª.53.A
Hordeum videtur durũ,ſed elixũ eſt molle.de bon.& vit.ſuc. 2ª.36.F
Hordei farina cum lacte elixatur.de atten.vic. 2ª.44.G
Hordeum cum vino dulci aut ſapa coquitur.de atten.vic. 2ª.44.G
Hordeum coctum vino dulci,quale.de atten.vic. 2ª.45.A
Hordeum coctum frigidum,& humidum.1°.de alim.fac. 2ª.9.A
Hordeum inflat.de diſſ.cont. Sp.74.F
Hordeum generat humorem tenuem,& aliquo modo deterſorium.1°. de alimentorum facultatibus. 2ª.11.D
Hordeum qũo craſſum ſuccum gignit vt alica.de atten.vic. 2ª.44.b
Hordeacei panes per aluum citiſſime ſubducuntur.1°.de ali.fa. 2ª.11.G
ex Hordeo panis quæ excrementa faciat.in 1ᵐ.pror.cõ.3°. 4ª.182.G
Hordei ſuuis ſtringit ventrem cum ſiccitate.de diſſ.cont. Sp.75.B
Hordeum facile tranſit in carnem.4°.de ſimp.med.fac. 5ª.28.D
Hordeum eſt multo vſui in varijs medicamentis.7°.de ſimplicium medicamen.facul. 5ª.53.A
Hordeũ integrũ ſumi debet pro ptiſſana conficienda.de ptiſſa. 2ª.47.C
Hordeum quidam conterunt ad ptiſanã conficiendã.de ptiſſ. 2ª.47.C
Hordeacea ptiſſana,cocta ptiſſana, & ptiſſana idem ſignificat.de victus rat.in mor.acu.com.1°. 7ª.113.B
Hordeum non eſt vorandum ſecundum aliquos in acutis,ſm alios cremor dandus.de vic.rat.in mor.acu.com.1°. 7ª.109.D
Hordei cremor pro obſonio in cubiti fractura.de fra.com.1°. 7ª.230.G
Hordei partes,quales.de ptiſſa. 2ª.47.B
Hordei membranæ,quales.de ptiſſa. 2ª.47.C
Hordeum cortice emundandum.de atten.vic. 2ª.45.A
Hordacea farina,qualis.2°.met.me. 7ª.18.B
Hordei furfur remouet viſcoſitatem piſcium.de diſſ.cont. Sp.73.H
Hordei aquæ mentio fit.de vic.rat.in mor.acu.com.4°. 7ª.143.E
Hordei aqua eſt cibus ſapidus dulcis,ſubtilis, abſtergens. de diſſolutione continua. Sp.72.E
Hordei aquæ materia colligitur.de victꝰ.ra.in mor.acu.c.3°. 7ª.131.b
ex Hordeo Zythum.de victꝰ.rat.in mor.acu.com.4°. 7ª.143.H
Hordeum eſt humidum.de diſſ.cont. Sp 74.D
Hordeũ humectat & ſiccat pro mõ præparationis.1°.ꝑ ali.fa. 2ª.11.D
Hordeum eſt frigidum.de diſſ.cont. Sp.74.D
Hordeum frigidum certe.in 6ᵐ.de morb.vul.com.5°. 3ª.194.B
Hordeum nequaq̃ calfacit.3°.de comp.med.per ge. 5ª.228.F
Hordeum quocunque modo coctum refrigerat.1°.de ali.fa. 2ª.10.C
Hordeum refrigerat & exiccat.de ptiſſa. 2ª.47.B
Hordeũ refrigerat,& exiccat in prĩo ordine.7°.ꝑ ſimp.m.f. 5ª.53.A
Hordeo minus deſiccat farina fabacea.7°.de ſimp.me.fac. 5ª.53.A
Hordeo plus deſiccat polenta.7°.de ſimp.med.fac. 5ª.53.A
ex Hordeo polenta.de vic.ra.in mor.acu.com.4°. 7ª.149.D
ex Hordeo polenta laudatiſſima.1°.de ali.fac. 2ª.11.G
ex Hordeo habẽte ariſtã polẽta nõ admodũ ſicca.1°.de ali.fa. 2ª.11.G
ex Hordeo polenta qũo valeat ad tormina ſine febre.de victus ratio. in mor.acu.com.4°. 7ª.149.D
ex Hordeo frixo polenta exiccat.1°.de alim.fac. 2ª.11.D
ex Hordeo frixo polenta.de atten.vic. 2ª.44.G
Hordeum ſiccandi terminus,qui.1°.de ali.fac. 2ª.11.F
Hordeo quando vti debemus.1°.de alim.fac. 2ª.11.F
Hordeum habet vim abſtergendi.de bon.& vit.ſuc. 2ª.37.C
HORDEI *farina moderatiſſime detergit.8°.met.me.* 7ª.52.b
Hordei farina tantum extergit, non etiam meatus ſarctu liberat.5°. de ſimp.med.fac. 5ª.35.B

Hordeum

Hordeum habet quid deterſiui & inflationis. de ptiſſa. 2ª.47.B
Hordeum mundificat. de diſſ. cont. Sp.74.G
Hordeum magis tergit q̃ faba. de atten. vic. 2ª.45.A
Hordeũ põt cutis & vulnerũ ſordes auferre. 5°. *de ſimp. m. f.* 5ª.35.B
Hordei farina exiccat & quo modo. 5°. *de ſimp. me. fa.* 5ª.33.H
Hordei farina euaporat & detergit. 5°. *de ſimp. me. fa.* 5ª.34.A
Hordei farina plurimum reſoluit. de art. cur. ad Glau. 7ª.105.E
Hordei farina non mouet pus. 5°. *de ſimp. me. fa.* 5ª.33.H
Hordei farina ſuppurationẽ prohibet. 2°. *de ar. cu. ad Glau.* 7ª.105.C
Hordei farina quando eſt pus. 2°. *de arte cur. ad Glau.* 7ª.101.H
ex Hordei farina cataplaſmata. 1°. *de alim. fac.* 2ª.9.A
ex Hordei vel tritici farina cataplaſma. 13°. *met. me.* 7ª.81.B
ex Hordei farina cataplaſma ad mouendum pus ſupra omnia. 2°. *methodi medendi.* 7ª.27.D
ex Hordei farina aqua & oleo cataplaſma ad pus cito mouendum. 2°. *methodi medendi.* 7ª.27.D
Hordei farina & aqua in his qui citiſſime ſuppurari debent. 3°. *de cõpoſit. med. ſec. loc.* 5ª.147.C/D
Hordei farina ingreditur emplaſtrum apponendũ in principio inflammationum. 2°. *de arte cur. ad Glau.* 7ª.101.F
Hordei farina non triticea cum melle pro phlegmone coquendo. 13°. *methodi medendi.* 7ª.81.C
ex Hordei farina non debet curari phlegmone. 4°. *met. me.* 7ª.27.E
ex Hordei farina cataplaſma eryſipelati ſuperponendum. 14°. *methodi medendi.* 7ª.87.E
Hordeacea farina in herpete exedente conuenit. 2°. *de ar. curatiua ad Glauconem.* 7ª.102.C
ex Hordeacea farina, & hydrelęo cataplaſma ad cruſtas excidentes. 2°. *de ar. cu. ad Glauc.* 7ª.107.B
ex Hordei farina, et lixiuio ſtillatitio cataplaſmate fouetur pars putre ſcens in contuſionibus neruorum. 3°. *de comp. me. per g.* 5ª.229.A
Hordeacea farina cum aqua lixiua liberauit a putrefactione neruum vulneratum. 6°. *met. me.* 7ª.37.F
Hordeacea farina carnem producit. 2°. *met. me.* 7ª.18.A
Hordei, et hyſſopi d coctiõis calefactio ad petiã oculorũ. d oc. 7ª.190.D
Hordeum numeratur inter fortiſſima medicamenta ad Achoras. 1°. *d comp. med. ſec. loc.* 5ª.129.D
Hordeum contendebat hyeme ruri Galenus exercitij gratia. 2°. *de ſanitate tuenda.* 2ª.73.H
Hordeum ligat in carta vt cõburatur. 5°. *de cõp. me. ſe. lo.* 5ª.165.D
Hordeum vſtum. 5°. *de comp. me. ſe. lo.* 165.D/2°. *de comp. medicam. per ge.* 224.G/5°. 5ª.249.E
Hordeum combuſtum per ſe chironia ſanat inſperſum. 5°. *de comp. medicamentorum per ge.* 5ª.249.E
ex Hordeo, & eruo i aceto ſomẽta. d vic. ra. i mor. ac. c. 2°.7ª.116.H
Hordei, aut erui ſpeciem referẽtia in vrinis vnde in 6ᵐ. *de morbis vulgaribus. com.* 5°. 3ª.192.A
HORIZON *ciuitatis Lucæ, ſuper cuius aerem vincit caliditas & humiditas. ſecretorum.* Sp.98.H
HORNOTINVM *triticum quod. de art. com.* 2°. 7ª.266.F
Hornotinum triticum vnde. de art. com. 2°. 7ª.267.B
Hornotina farina quæ. de art. com. 2°. 7ª.266.F
HOROLOGIA *vnde excogitata, & conſtructa ſit. de curan. rat. per ſanguinis miſſionem.* 6ª.16.C
Horologiorum deſcriptiones architectonica complectitur. de cuiuſque animi pecc. not. atque med. 2ª.57.B
Horologia ſolaria, qualia. de cuiuſ. animi pec. noc. atque med. 2ª.58.C
Horologia ſolaria aqua probant. de cuiuſ. aĩ pecc. not. atq; me. 2ª.58.C
Horologiũ ex aqua qũo fiat, & probet. de cuiuſ. aĩ pecc. not. 2ª.58.C
Horologiorum & clepſydrarum meminit. de lib. pro. Iſ.13.F
HOROSCOPORVM *ſacræ herbæ. 6°. de ſimp. me. fa.* 5ª.40.B
HORRERE, *rigere, & frigefieri non eſt idem in valetudinarijs. de palpitatione.* 3ª.53.F
Horreſcũt plẽi malis ſuccis, cũ caleſaciũt. i 6ᵐ. *d mor. v. c.* 3°.5ª.175.g
qui Horreſcant in balneo. 10°. *met. med.* 7ª.65.G
Horreant cur aliqui in balneo ſe lauantes. 10°. *met. me.* 7ª.65.E
Horrent particulæ vlceratæ ex cauſtico. 2°. *de ſymp. cau.* 3ª.22.E
ne Horreant cruditate laborãtes, quieſcũt. 2°. *de ſymp. cauſ.* 3ª.22.D
Horruere qui balneum & ſolem ingreſſi ſunt cum cruditate. 2°. *de ſymptomatum cauſis.* 3ª.22.D
Horrentes prohibendi ſunt ab omni motu. 2°. *de ſymp. cauſ.* 3ª.22.D
HORRIDA *acceſſio, quæ.* 2°. *de criſ.* 4ª.136.G
Horrida febris, quæ. fin. med. Iſag. 46.D/2°. *de diff. feb.* 3ª.39.A
Horrificæ febres, quales. in 1ᵐ. *de morb. vul. com.* 1°. 3ª.106.B
de Horrida febre caſus. 2°. *de criſ.* 4ª.136.E
Horridum mare a poeta dicitur. in 6ᵐ. *de mor. vul. com.* 3°. 3ª.177.B
Horridos fieri homines in aquilonijs conſtitutionibus clarum eſt conſentaneæ vcz aeris ambientis tẽperaturæ. cõ. 3°. *aph.* 5°. *Ex.* 21.E
HORROR *quid ſit.* 4°. *de ſa. tuen.* 2ª.82.G/*in* 6ᵐ. *de morb. vulg. commentario.* 3°. 3ª.177.B
Horroris conuulſionis, tremoris, palpitationis, rigoris, ſingultus, tuſſis ructus, ſternutationis, pandiculationis, oſcitationis, triſmu. i. dẽtiũ cõcuſſionis, genus commune eſt motus illegitimus, & quo modo hæc in genere differant. 2°. *de ſymp. cauſ.* 3ª.9.E
Horror expultricis virtutis, minus mediocris motus, q̃ pandiculatio & oſcitatio. 2°. *de ſymp. cau.* 3ª.23.G
Horror, rigor, frigus, differre, collige. com. 2°. *aph.* 1°. *Ex.* 11.B
Horror medius eſt inter rigorem, & refrigerationem. 2°. *de differentijs febrium.* 38.E/ 3ª.39.C
Horror minor quam rigor. 2°. *de ſymp. cau.* 3°.22.D/E
Horror habet rigores pauciſſimos. in 1ᵐ. *de mor. vul. cõ.* 2°, 3ª.110.E
Horror auctus dicitur rigor. de mult. 7ª.39.F
Horroris ad rigorem ordo. 2°. *de ſymp. cau.* 3ª.23.B
Horroris affectus rigorem facit concutientẽ, quando eſt vehementior. 2°. *de ſymp. cauſis.* 3ª.22.D
Horror quando in rigorem tranſeat. 2°. *de ſymp. cau.* 3ª.23.H
Horror ſit in aĩo ex his q̃ audiuntur vel vidẽtur. 4°. *de ſa. tu.* 2ª.86.A
Horror, & rigor a ſpectaculis horridis, & a narratione horrenda. de palpitatione. 3ª.55.F
Horroris cauſa, quæ. 10°. *met. me.* 7ª.65.E
Horror fit ex calido, & frigido. 4°. *de ſan. tuen.* 2ª.86.B
Horrorem facit frigus & calor mordax. 2°. *de ſym. cau.* 3ª.22.E
Horror quo modo fiat ex aqua frigida. 3°. *de ſan. tuen.* 2ª.78.D
Horrorẽ facit digitus in frigidã poſitus. 3°. *de ſimp. me. fa.* 5ª.20.H
Horrorem facit aer frigidus ſubito adhibitus. 2°. *de ſym. cau.* 3ª.23.A
Horrorem facit aer frigidus itineris. 2°. *de ſymp. cau.* 3ª.23.A
Horrorem faciunt excrementa frigida tenuia. 4°. *de ſan. tu.* 2ª.82.H
Horror oritur in laſſitudine vlceroſa. 3°. *de ſan. tu.* 2ª.78.G
Horror quo modo fiat. 10°. *met. me.* 7ª.63.A
Horror quo modo ſit neceſſario. 10°. *met. med.* 7ª.62.H
Horror cur fiat. in 3ᵐ. *de mor. vulg. com.* 3°. 3ª.146.C
Horror ſit motis excrementis. 2°. *de ſymp. cau.* 3ª.22.D
Horror prauis humorib. p cutẽ currẽtibus ſit. c. 7°. *aph.* 56°. *Ex.* 59.B
Horror intro fert humores. 4°. *de ſa. tuen.* 2ª.86.A
Horrorem faciunt balnea præcalida. 2°. *de ſymp. cau.* 3ª.23.A
Horrorem generans ſuccus, qualis. 2°. *de ſymp. cau.* 3ª.23.H
Horrores faciunt mordens halitus & ſuccus. 10°. *met. me.* 7ª.62.H
Horrorem incutit humor acris. 15°. *de vſu par.* 1ª.211.H
Horror ex mordicatione. de mult. 3ª.79.E/10°. *met. me.* 7ª.65.G
Horrorem etiam facit cauſa calida. 4°. *de ſan. tuen.* 2ª.82.G
Horrores faciunt aqua feruens, & ſcintillæ ignis in ſanum inſuſæ. 2°. *de ſymp. cauſis.* 3ª.22.E
Horrorẽ faciũt ſubcalida & putrida excremẽta. 4°. *de ſa. tu.* 2ª.82.H
Horror ex mordentibus fit excrementis, & quo modo differat a rigore. 2°. *de ſymp. cau.* 3ª.22.D
Horror quibus accidat. de palp. 3ª.55.F
Horrores frequentes ex dorſo qd ſignificent. in 1ᵐ. *pror. c.* 2.4ª.175.A
Horror eſt nuncius febris. præſag. exper. confi. Sp.77.E
Horror poteſt facere febrem, & augere. 11°. *met. me.* 7ª.73.H
Horror dupliciter ſit in febribus. in. 1ᵐ. *de mor. vul. com.* 1°. 3ª.106.B
cũ Horrore veniens febris a bilioſo, et pituitoſo humore proficiſcitur. in 1ᵐ. *de morb. vul. com.* 3°. 3ª.119.B
Horrorem maxime habent tertianæ febræ præ alijs, cur. 2°. *de ſymptomatum cauſis.* 3ª.22.E
cũ Horrore primum, poſtea cum rigore eſt tertianæ principium. de tu. præter naturam. 3ª.85.G
cũ Horrore ſemitertiana, et quo mõ. i 1ᵐ. *de mor. vul. cõ.* 2°. 3ª.110.A
Horror raro inuadit i ardente febre. in 3ᵐ. *d mor. vul. cõ.* 3°. 3ª.143.G
Horrorẽ bis, & ter quæ febres habeãt. in 1ᵐ. *de mor. vul. c.* 3°. 3ª.119.A
cũ Horrore febris principium obſtruit. 10°. *met. me.* 7ª.61.G
Horror cũ febre inflãmationis ſuppurantis indiciũ. 1°. *de lo. aff.* 4ª.6.D
Horrores qui implacidi dicantur. in 1ᵐ. *pror. com.* 2°. 4ª.175.A
in Horroris principio cibatit Galenus. 10°. *met. me.* 7ª.63.B
Horrores in acceſſione diſcutit thlaſpi. de ſimp. med. Sp.91.G

cũ Horrore febres sudorem faciũt.in 1^m.de mor.vul.com.1°.3^a.106.H
Horror a sudore non bonum com.7°.aph.4°. Ex.54.C
Horror sanatur vino.com.7°.apho.56°. Ex.59.A
HORTENSIBVS agrestia acriora sunt,& sicciora.6°.de simplic.medi. facultа. 5^a.42.E
Hortensis cepa vrinam mouet.de cura ilcer. Sp.111.D
Hortenses lobi sunt crassi succi,& pituitosi.de atten.vic. 2^a.45.B
Hortenses lobi cibo adaptantur.de atten.vic. 2^a.45.B
Hortenses lobi minus inflant sabis.de attenuan.vict. 2^a.45.B
ẽ Hortis cloacas,et latrinas repurgabãt.ẽ 3^m.d mor.vul.c.1°. 3^a.133.F
per Horti postlicum prouerbium.2°.de nat.fac. 1^a.298.G
HORVS Mẽdesius venenorũ cõpositiones scripsit.2°.d'anti. 5^a.114.F
HOSMAIVM.secretorum. Sp.100.G
HOSPITES qui carnes humanas pro carnibus suum vendidere.10°. de simp.med.fa. 5^a.72.G
HOSTIA vrbs ad portum.de art.com.1°. 7^a.256.A
HVMANITAS est quædam in pluribus hominibus similitudo. de opt.sec. Isa.27.B
Humanitas prohibet fieri anatomen.de na & or.cuius.corp.Sp.41.E
HVMANÆ figuræ omnes non sunt Dy. in 3^m.de morb. vulgarib.commentario.3°. 3^a.149.B
Humanam speciem Deus habet.de hist.phil. Sp.4.G
Humani corporis natura quæ proprie dicatur.de spermate. Sp.37.A
de Humana uatura qui liber.de sal.dicta. 2^a.39.G
Humana natura immortalitatem participat.de consue. 2^a.61.F
Humana natura cur cunctis agilior.de sperm. Sp.37.D
Humana generatio ex quatuor humoribus.de natu.hu.com.1°,1^a.30.C
Humanum corpus a causis externis,& internis facile alteratur,cõ.1°. aphorismo.1°. Ex.2.C
Humani corporis vnum bonum.ad Thrasy. 2^a.105.C
Humana complexio qualis sit.de ocul. 7^a.187.H
ab Humana temperatura longius recedit brassica agrestis.7°.de simp. medicamen.facultа. 5^a.52.H
Humanis carnibus similes sunt carnes suũ.10°.de simp.m.fa. 5^a.52.F
Humanas carnes qui hospites,& coqui vendidere pro carnibus suum. 10°.de simpl.med.fac. 5^a.72.G
Humanæ carnis ius suauissimum est.10°.de simp.me.fa. 5^a.75.G
ꝑ Humano sanguine accipiendus sanguis suillus.10°.de simplicium medicamentorum facul. 5^a.72.G
in Humano corpore duæ animæ.de mot.man.& obs. Sp.67.D
Humanæ animæ subæ vna est, facultates tres, rationales, irascibilis concupiscibilis.in Tim Plat. 1^a.287.C
Humanę vitæ parũ cõfert disputatio de natura rerũ.de hist.ph.Sp.2.C
Humanæ vitæ conferunt moralia.de hist.phil. Sp.2.C
Humana studia,quæ.2°.de pul.diff. 4^a.56.B
Humanum stercus cur habeat plures differentias alij.10°.de simplic. medicame.facult. 5^a.76.F
Humanus fimus a columbino vincitur magis gallinaceo. 5°.de simpli. medicam.facul. 5^a.36.E
HVMECTANDI, & refrigerandi materiæ sex.10°.methodi medendi. 7^a.64.D
ad Humectandum & perfrigerandum cur solo aceto non vtimur.10°. methodi medendi. 7^a.65.A
Humectandum, & calefaciendum totum membrum, vbi adest dolor, & quo modo.13°.met.me. 7^a.81.A
Humectando quæ noceant non oĩbus noto.1°.de san.tu. 2^a.63.B
Humectando quoq; agunt medicamenta,sicut calefaciendo,frigefaciẽdo,& exiccando.de nat.hu.1°. 1^a.28.H
Humectantes cibi odoriferi.3°.de loc.aff. 4^a.16.F
Humectantia,& refrigerantia desiderat febris.8°.met.me. 7^a.55.B
Humectans nullum vlceribus conuenit.1°.de cõp.m.per g. 5^a.213.A
Humectantia vulnera quomodo siccat lixiuia.de simp.me. Sp.85.H
HVMECTATIONES numerantur inter species euacuationis.1°.de arte cur.ad Glauco. 5^a.98.D
Humectatio carnis ad quantum fieri debet.4°.met.me. 7^a.23.D
ad Humectationem secret. Sp.102.F
ad Humectationem corporis. secre. Sp.102.E
Humectatiui cibi,qui.com.4°.aph.13°. Ex.28.G
Humectiora & valde mollia abscienda ex his, quæ macerari debent. 7°.de composit.med.secund.lo. 5^a.180.H
HVMECTARE, calefacere,refrigerare,exiccare, quæ debent corpus humanum, inquirat quærenda an sint pinguia, vel lenta,vel leuia. 1°.de simp.med.fac. 5^a.2.E
Humectant efficacissime tenuia quæ habent parum adstrictionis.3°.de simp.med.fac. 5^a.21.G
Humectent & calfaciant,quæ.5°.de sumi.tu. 2^a.89.F
Humectat aqua.2°.de simp.med.fac. 5^a.16.F
Humectãt maxime oĩum aqua,& oleũ.4°.de cõp.m.per g.5^a.237.D
Humectat semper,& refrigerat aqua.1°.de cõp.me.per ge.5^a.212.H
Humectat semper aqua,non semper calfacit.1°.de simp.m.pg.5^a.3.E
Humectat,& secat aqua mulsa,vt ptissana,nõ tamen roborat. d' vict. rat.in mor.acu.com.1°. 3^a.113.C
Humectat nullo modo aqua partes solidas.com.4°.aph.13°.Ex.28.G
Humectãt & calefaciũt cito balnea.de ren.af.dign.& med.7^a.194.B
Humectat,& frigefacit debiliter blitũ.2°.de cõp.me.se.lo. 5^a.134.G
Humectent qui cibi,& qnõ.quos purg.op.qb.med.et quo tẽp.5^a.87.D
Humectat & emollit oleum verum.2°.de simp.me.fa. 5^a.13.G
Humectat oleum,& facit sordium.6°.de comp.me.sec.loc. 5^a.176.G
Humectat oleum rosaceum.9°.de simp.me.fa. 5^a.45.H
Humectat, & calfacit homines pinguedo omnis. 11°.de simplic.medicamen.facu. 5^a.79.A
Humectat largius pinguedo suum,sed non æquę calfacit,vt oleum.11°. de simp.med.fac. 5^a.79.B
Humectat corpora quies.quos purg.op.quib.med.& quo tẽp.5^a.88.D
Humectat somnus.de vict.rat.in mor acu.com.2°. 7^a.125.B
Humectat semper somnus,non tamen calefacit,vel refrigerat.in 6^m.de morb.vulg.com.4°. 3^a.184.A
Humectat os,& sitim extinguit lauatio.in 6^m.de morbis vulga.commentario.5°. 3^a.195.B
Humectat,& supinat os ventriculi chondri sorbitio. d' victus ratio.in morb.acu.com.1°. 7^a.111.F
Humectat ventrem & lenit refrigeratio intrinseca.in 6^m.de mor.vulgaribus.com.5°. 3^a.193.C
cur Humectatur alnus eorum,qui propter fluxum sanguinis nunq̃ sunt debilitati,quando resciuntur.com.4°.aph.27°. Ex.30.C
Humectantur alui ijs quibus hypochõdria sublata murmurantia,iliũ dolore accedente,nisi flatus crumpant, vel vrinę proueniat copia. de vrinæ sign.ex Hipp. Sp.78.G
HVMECTATO eo quod est in capite inani, aut calefacto cerebro, fit sternutatio.com.6°.aph.52°. Ex.58.C
ad Humectas dispositiones.5°.de comp.med.per ge. 5^a.248.E
ad Humectas affectiones valde diu durantes.7°.de composit.medica. sec.loc. 5^a.182.D
ad Humectatum,& infrigidatum corpus secretorum. Sp.98.G
HVMERARIA vena quæ.de ven.art.diff.57.F/3°.de ana.ad.1^a.76.B
Humeraria vena vnde.de ven.ar.diff.56.H/ 1^a.57.E/F
Humeraria vena in cubiti articulo diuiditur in tres ramos.3°.de anatomicis administrationibus. 1^a.76.B
Humeralis vena quando secanda.4°.de sanitate tuenda.2^a.86.F/de cura ran.rat.per sang.miss. 6^a.20.A
Humeraria vena qũ secanda,quæ accipienda.3°.de ana.adm.1^a.77.C
Humerales venæ secandæ sunt, vbi superiores pectore partes laborant.de curan.rat.per sang.miss. 6^a.20.E
Humeralis vena eiusdem lateris secanda est in oculorum doloribus.& curan.rat.per sang.miss. 6^a.20.A
HVMERVS quid significet apud antiquos.de frac.com.2°. 7^a.240.D
Humerus quid sit.de articulis.com.1°. 7^a.252.C
Humeri,qui.introd. If.53.B
Humeri prius formantur.de spermate. Sp.36.C
in Humero quadrupedum, & hominum differentia.13°.de vsu partium. 1^a.202.G
in Humeris simia cur ridicula bõis imitatio.13°.de vsu par.1^a.202.H
Humerus summus,qui.introd. If.53.B
Humeri summitas cur plurimũ distet a pectore.13°.de v.p.1^a.202.G
ab Humeris manus incipiunt.introd. If.53.B
Humeri os maximum est.de ossibus. 1^a.42.G
Humeri os quod.de ossib. 1^a.42.H
Humeri os cui alligetur.de ossibus. 1^a.42.H
in Humeris ossa sunt facta propter motum.11°.de vsu par. 1^a.191.C
in Humerorum extremitatibus cur positæ sint chartilagines.de anatomia viuorum. Sp.55.D
Humeri superiorem partem occupantem musculũ vocant ἐπωμίδα. 1°.de anatomi.admi. 1^a.67.H
Humeri articulus,qualis.2°.de vsu par. 1^a.126.H

Humeri

Humeri dearticulationes, quales. 2°. de vſu partium. 1ª.126.H
ad Humeri articulationem muſculus à nothis coſtis procedens. 16°. d vſu partium. 1ª.217.F
Humeri articuli differentia ab articulo Iſchij. 12°. de vſu partiũ. 194. A/16°. 1ª.218.B
Humeri articulus ĩfirmior eſt articulo coxæ. 15°. de vſu par. 1ª 213.C
de Humeri, et coxæ articulo cur ſimul egit Gal. 15°. d vſu p. 1ª.213.C
Humeri articulus, p articulo, q eſt in humero. de arti. c. 2°. 7ª.262.D
Humeri articulus rotundiſſimus & laxiſſimus. 12°. d vſu p 1ª.194.A
in Humeri dearticulatione paruus muſculus ſitus qualis, vbi naſcatur, ac finiat. de muſcul. diſſect. 1ª.47.G
in Humero actio. ad Thraſ. 2ª.104.H
Humerus quo modo lædatur. 5°. de ſanita. tuen. 2ª.89.H
Humerorum morbi qui. introd. Iſa.59.C
Humerorum humiditas facit inpotentiam emittendi arcum. de aere, aquis, & locis. 2ª.5.F
ab Humeris humiditatem ſoluit vſtio. de aere, aq. & loc. 2ª.5.F
Humeri vſti quibus. de aere, aquis, & locis. 2ª.5.F
in Humeris qui dolore tenentur vino iuuantur, ſi calidum ex vnguento ponatur. de ſimp. med. Sp.92.B
ad Humeri dolorem. 5°. de comp. me. per gen. 5ª.246.H
ad Humerorum duritias. de med. fac. par. 7ª.174.D
Humerus brevior pueris quo fiat. in 6ᵐ. de morb. vul. cõ. 1°. 3ª.158.A
Humerum ſummum habentes auulſum quo modo ſe habent. 9°. de decretis Hippocratis. 1ª.281.F
Humeri auulſi caſus. de ijs quæ in med. fi. com. 1°. 7ª.198.D
Humeri articulus facile luxatur. 12°. de vſu partium. 1ª.194.A
Humeri articulus facilius omnibus excidit. de arti. com. 1°. 7ª.252.A
Humeri ſũmi luxationem Galenus habuit in paleſtra anno ætatis ſuę trigeſimo quinto. de artic. com. 1°. 7ª.260.D
Humerũ habẽtibus e varticulatiõ qd cõtingat. de art. cõ. 1°. 7ª.259.G
in Humero, & coxa non fit ſubluxatio, cur. de arti. com. 4°. 7ª.282.B
Humeri inſtauratio. introd. Iſa.60.G
Humeri qui frequẽter exeũt quo mõ curandi. de art. cõ. 1°. 7ª.258.A
Humeri deligatio qualis. de ijs quæ in med. fi. com. 2°. 7ª.209.C
Humerus vbi excidit, vinculum. de faſcijs. 7ª.300.G
Humero, femori, cubito ſolũ aptaĩ vinculũ variũ. de faſcijs. Sp.293.E
Humerum complectens funda, quæ idem præſtat atque geranis. de faſcijs. 7ª. 301. B/eadem aliter. C/aliter ibidem.
Humeri repoſitio tertia. de art. com. 1°. 7ª.253.D
Humeri repoſitio optima. de arti. com. 1°. 7ª.255.A
Humeri repoſitio altera. de artic. com. 1°. 7ª.253.H
Humeri repoſitio alia. de artic. commen. 1°. 7ª.254.C
Humeri repoſitio alia. de artic. com. 1°. 7ª.254.F
Humeri repoſitio per ſcalam. de art. com. 1°. 7ª.254.H
ad Humerũ in alam prolapſum reſtituẽdum ſcala. de mach. 7ª.311.F
Humeri caput in alã prolapsũ quo mõ reſtituatur. de machi 7ª.312.A
Humeri caput in ſuũ locũ reducẽdi diuerſa ratio eſt. de mac. 7ª.312.C
Humeri caput ſi in priorẽ vel poſteriorem partem exciderit quo modo reponatur. de machinamentis. 7ª.312.F
ad Humeri caput reſtituendum in ſcala plana, quando in alam excidit de machinamentis. 7ª.313.H
ad Humeri caput in priorem, vel poſteriorem partem exciſum repoſitio. de machinamentis. 7ª.314.B
ad Humeri fracti ſimul, & prolapſi reſtitutionẽ. de machin. 7ª.314.C
ad Humeri caput ſuo loco motum. de machin. 7ª.316.A
ad Humeri caput reſtituendum per inſtrumentum Fabri, quãdo in alã prolapſum ſit. de machinamentis. 7ª.318.A
Humeri in priorem, aut poſteriorem partem prolapſi reſtitutio. de machinamentis. 7ª.318.D
Humeri capitis in alam prolapſi per Hippocratis ſi amnum repoſitio. de machinamentis. 7ª.319.D
de Humero luxatoq, comminuto de machin. 7ª.320.A
HVMIDITAS, *ſiccitas, caliditas, frigiditas, ſunt qualitates primæ. 3°. de ſimp. med. fac.* 5ª.17.H
Humiditas eſt actiua qualitas. 3°. meth. med. 7ª.18.H
Humiditas efficaciſſima qualitatũ poſt calidũ et frgidũ. d cõſ. Iſa.38.A
Humiditas alterat totam rem. de conſt. ar. Iſa.38.E
Humiditas ſine caliditate, et frigiditate humectat corpa. d cõſ. 2ª.61.D
Humiditas in aqua eſt eius differentia. de ſpermate. Sp.41.B
Humiditas aquæ eſt idem quòd eius frigiditas. de ſpermate. Sp.41.B
Humiditas aeris ſubſtantia. de ſperinate. Sp.41.A
Humiditas ſubſtantia terræ. de ſpermate. Sp.41.B
Humiditas gñaĩ i duabus glãdulis colli. de vir. noſt. cor. diſp. Sp.61.C
Humiditas aeris ambientis cordas implet. cõ. 6° aph. 39°. Ex.50.G
Humiditas ambientis aeris non ſinit exiccari ſuperflua corporis. commentario 3°. aph. 11°. Ex.21.D
in Humiditatibus paucus vapor emanat à corpore noſtro, in ſiccitatibus multus. in 1ᵐ. de mor. vulg. com. 1°. 3ª.103.C
Humiditas in omni animalis parte, vt ros quidam. 7°. me me. 7ª.44.D
Humiditas eſt diſperſa per corpus cerebri. 3°. de loc. affect. 4ª.16.G
Humiditate multa indiget calor naturalis. 3°. de cauſ. pul. 4ª.98.C
Humiditas, & caliditas habentur ſtatim in primo animantis ortu. 1°. de temperamentis. 1ª.10.G
Humiditatẽ cũ caliditate eẽ nõ poße nõnulli putabãt. 1°. d tẽ. 1ª.10.D
Humiditatem in ſummo nullum animal habet. 1°. de temp. 1ª.10.C
HVMIDITAS *contraria eſt omni functioni præter nutritionem, et actionem. 3°. de ſymp. cauſ.* 3ª.29.E
Humiditate fit nutritio. 3°. de ſymp. cauſ. 3ª.29.E
Humiditas eſt cibi vehiculũ nõ cibus. d vi. ra. ĩ mor. ac. c. 3°. 7ª.128.F
Humiditatem frigidam recrementitiam habẽt omnia poma. 7°. de ſimplic. med. fac. 5ª.55.H
Humiditatem multã habentes cibi parũ nutriũt. de diff. cont. Sp.73.F
Humiditas in cauſa eſt cur corpora facile protendantur. de natura humana, commen. 1°. 1ª.38.D
Humiditatis indicium non eſt ſimpliciter magnitudo. de optima noſtri corporis conſtitutione. 1ª.38.H
ab Humiditate ſunt pili. 7°. de ſimp. med. fac. 5ª.51.E
Humiditas, & frigiditas aeris tranſpirationem prohibent. 9°. methodi medendi. 7ª.58.A
Humiditas immodica, & præter naturalis eſt tertia ſimilarium partiũ ægritudo. de different. morb. 3ª.2.H
Humiditatis magnæ mutationes morbos faciũt. c. 3°. aph. 1°. Ex.19.H
Humiditas facit imbecillẽ virtutẽ retẽtiuã. com. 2°. aph. 20°. Ex.14.E
Humiditas præter naturam ſecundo, frigiditas autẽ primo ignauiã animi inducit. 3°. de locis affectis. 4ª.16.F
Humiditas cauſa balbutiei, & cur. com. 6°. aph. 20°. Ex.49.H
Humiditas cauſa eſt cur pueri pedibus vacillent, & lingua. commentario 6°. apho. 32°. Ex.49.H
ob Humiditatem corporis, & naturalis potentiæ imbecillitatem citiſſime alterantur diſpoſitiones puerorum. com. 3°. apho. 27°. Ex.26.H
Humiditates cur aceruant ſenes. in 3ᵐ. de mor. vul. com. 3°. 3ª.142.D
Humiditas eſt cauſa ne eunuchi, & mulieres calueſcant. ex hoc colligę ſiccitatem eſſe cauſam caluiciį. com. 6°. aph. 28°. Ex.48.H
ob Humiditatem mulieres ſteriles. de aere, aquis, & locis. 2ª.5.G
Humiditas cauſa eſt cur ſemẽ nõ contineatur. de aere, aq. & l. 2ª.5.G
Hũiditas q̃dã exiẽs in fœminis & viris delectat. 14°. d vſu. p. 1ª.208.B
Humiditatem excrementitiam, & flatuoſam habentia excitant venerem. 8°. de ſimp. med. fac. 5ª.57.F
Humiditatem flatuoſam, & excrementitiam habentia ad venerem excitant. 8°. de ſimp. med. fac. 5ª.60.H
Humiditatẽ recrementitiã habet ocimum. 8°. de ſimp. me. fac. 5ª.64.A
quibus Humiditate multa pfundit cerebrũ. cõ. 6°. aph. 32°. Ex.49.H
cũ Humiditate vel ſiccitate frigus torporẽ facit. 3°. de ſy. ca. 3ª.29.D
Humiditas abundans vel ſola longos profundoſq, ſomnos facit. 3°. de locis affectis. 4ª.16.F
ob Humiditatẽ ſomnus pfundus. de vic. ra. in mor. acu. c. 3°. 7ª.134.G
Humiditati miſta fortis refrigeratio facit lethargicas paſſiones. commentario. 2°. apho. 3°. Ex.11.E
Humiditas agit animũ ad demẽtiã, ſm Platonẽ. q animi mor. 1ª.318.D
Humiditas multa ſignificat longum morbum. c. 4°. aph. 56°. Ex.33.F
Humiditas quo modo viſui nocet. de ocul. 7ª.186.E
Humiditas nimia nocet palpebris. 10°. de vſu partium. 1ª.181.H
Humiditates viſui deſeruientes, quæ. de anat viuo. Sp.44.E
Humiditas albuginea. de ana. viuo. Sp.44.E
Humiditas non facit dolorem capitis niſi copia. 1°. de compoſi. medicamentorum ſec. locos. 5ª.131.H
Humiditas deſcendens in aſperam arteriam, quo modo deſcendat. 7°. de vſu partium. 1ª.163.C
Humiditatis pauxillum per aſperam arteriam delatum non nocet, pulmoni, ſed multum. com. 2°. aph. 17°. Ex.13.B
Humiditas claram vocem prohibet. 7°. de comp. med. ſe. loc. 5ª.178.A
ab Humiditate fit vox rauca. in 3ᵐ. de morb. vul. com. 3°. 3ª.143.C
ab Humiditate vox grauiſſime vitiata. 3°. de loc. aff. 4ª.20.C

Humiditas poteſt

Humiditas potest causare strangulationem sine dolore. commentario 4°. apho. 34°. Ex. 31. E
Humiditas multa facit cõtulsionem sanabilem. cõ. 1°. aph. 5°. Ex. 37. D
Humiditate flat ossa vel spiritu vaporoso quo modo fiant oscitationes, et pandiculationes. com. 7°. apho. 56°. Ex. 59. A
Humiditas aquea retundit omnes sapores. 4°. de sim. me. fa. 5ª. 26. E
Humiditas, & caliditas facile p halitũ digerũtur. adu. Lycũ. Ex. 65. D
Humiditas extinguit aromatum qualitatẽ. com. 5°. aph. 62°. Ex. 44. B
Humiditas dissolvitur à febrili calore. com. 4°. apho. 57°. Ex. 33. G
Humiditas natiua à calore febrili cõsumitur. cõ. 7°. aph. 6°. Ex. 54. D
Humiditatem inducit quotidiana. 1°. de arte cur. ad Glau. 7ª. 94. D
Humiditas qualitate acris, & facultate siccatoria corpus incendit. de vict. ra. in morbis acutis, com. 3°. 7ª. 134. D
ex Humiditate & serosa non gignitur callus, sed ex crassa, & quali. 6°. methodi medendi. 7ª. 41. E
Humiditate, & siccitate non possunt ventriculi adeo intemperãtes esse, vt actionẽ amittãt sine prolixo tpis spatio. 3°. d sy. caus. 3ª. 25. D
Humiditatem ventriculi nimiam debet hydrops præcessisse. 2°. de sym ptomatum causis. 3ª. 25. D
Humiditates roridæ superuenientes, in animæ affectibus animi defectum inducunt. 1°. de arte cu. ad Glau. 7ª. 98. F
Humiditatem qui ex fructibus & oleribus contraxerint, & volunt exerceri incidunt in febrem ephemeram. 3°. de san. tuen. 2ª. 81. G
Humiditas impedit partes vniendas. ars med. Isa. 69. H
Humiditatẽ significat somniũ imbriũ. de præs. ex ĩsom. sum. 4ª. 213. C
Humiditatis copiam significat sudor aduentante febri, nec deficiente. præsag. exper. confir. Sp. 77. G
Humiditas quo modo corrigenda. 3°. de sa. tuen. 2ª. 81. G
ob Humiditatem intenta quo modo laxantur. de ijs, quæ in medicatrina fiunt, commenta. 3°. 7ª. 215. G
pro Humiditate nimia dantur carnes auium montanarum, & pisces saxatiles. de præcog. ad Posth. 4ª. 217. H
Humiditates ex vini potione quo modo sanentur. 3°. de sa. tu. 2ª. 81. G
Humiditas post vini potum quo modo corrigẽda. 3°. de sa. tu. 2ª. 82. A
Humiditas ex desidia quomodo corrigatur. 3°. de san. tuen. 2ª. 81. G
Humiditates corruptas quid resoluat secretorum. Sp. 101. H
Humiditates superfluas corporis necesse est euacuare. commẽtario 3°. apho. 15°. Ex. 22. G
Humiditas crassa, viscosa, profunda quibus extrahatur. 8°. de compo. med. sec. locos. 5ª. 189. D
Humiditas lenta ac pinguis læuigat. de caus. mor. 3ª. 9. C
Humiditates ex alto absorbens malagma. 9°. de com. me. s. l. 5ª. 200. B
Humiditatẽ crassam tenuat, & incidit secaniabin. de diss. con. Sp. 74. H
ad Humiditatem stomachi. de med. exper. 107. E. Sp. 108. A
Humiditates ex pectore, & pulmone ad spuendum adiuuant amygdalæ propriæ amaræ. de diss. cont. Sp. 74. H
Humiditatem ex pulmone vt aliquis spuat, adiuuat vinũ subtile, aquo sum. de diss. cont. Sp. 74. H
Humiditatem per vrinam educit mel. 8°. de comp. me. se. lo. 5ª. 195. C
Humiditas aquosa mixta humoribus facit deiectiones non sinceras. cõmentario 7°. apho. 6°. 54. D/apho. 23°. Ex. 55. E
Humiditatem eam nomina πλάδον, quæ supra id quod secundum naturã est innascitur partibus. de vict. ra. in morb. acu. c. 3°. 7ª. 130. C
Humiditatem superfluam πλάδον vocare solet. in 1ᵐ. de morbis vulgaribus. com. 2°. 3ª. 109. C
ad Humiditatem nimiam partis affectæ. 5°. de cõ. me. p ge. 5ª. 253. H
ad Humiditatem, & sordes in vlcere quæ conueniant. 2°. de composit. med. per genera. 5ª. 220. C
HVMIDVM, *nomen à qualitatibus. 1°. de san. tuen.* 2ª. 62. E
Humidum quot modis dicatur. 3°. de simp. med. fac. 5ª. 17. A
Humidi duo significata. 1°. de temperamentis. 1ª. 12. F
Humidum energia vel actu quo modo. 3°. de temperamentis. 1ª. 21. E
Humidum actu, tactu discerni potest. 2°. de temp. 1ª. 16. H
Humidi corporis indices sunt tactus, visus, & ratio. 2°. de temp. 17. F/ 1ª. 18. B/*de sympt. caus.* 3ª. 10. D
Humidi indicium vnde sumatur. 3°. de temp. 1ª. 25. D
Humida esse aliqua probantur, quando reposita facile perforantur, & non facile mordicent. 8°. de simp. med. fac. 5ª. 58. B
Humidum pro apparentiam non est humidum. 2°. de natu. fac. 1ª. 301. C
Humidũ, siccũ, calidũ, & frigidũ inuenit Hippoc. 1°. meth. me. 7ª. 3. E
Humidum calidum, & frigidum siccum causas ponit Hippocrates. in 3ᵐ. de morbis vulgaribus. commentario 1°. 3ª. 129. C
de Humido, sicco, calido, & frigido tractant medici & philosophi. 3°. de simp. med. fac. 5ª. 17. E
Humidum alterat totum per totum. 1°. de elemen. 1ª. 7. H
Humidum, & siccũ passiua ab aliquibus dicũtur. 1°. de na. f. 1ª. 291. C
Humida, & sicca cur passiua dicantur. 7°. meth. med. 7ª. 44. C
Humidum, siccum, calidum, frigidum agunt, & patiuntur inter se. 2°. de natu. fac. 1ª. 297. H
Humido, sicco, calido, frigido multi vtuntur alijs veluti agentibus, alijs veluti patientibus. 2°. de nat. fac. 1ª. 299. G
propter Humidum, siccum, calidum, & frigidum vtum quodque est tale. 1°. methodi medendi. 7ª. 6. E
Humidum, & siccũ prima elemẽta in compositione. de mar. 3ª. 46. C
Humidum in elementis est sincerum, in reliquis rebus in medio. 1°. de temperamentis. 1ª. 14. A
Humidum in quo præpolleat sicco. 1°. de san. tuen. 2ª. 62. E
Humido contraria flamma. de palp. 3ª. 54. F
HVMIDIS *solidis, & spiritibus constant animalia, & homo. bre. deno. dogm. Hipp.* 1ª. 231. A
de Humidis vbi disseruerit Hippocrates. bre. deno. dog. Hip. 1ª. 231. B
in Humido, & calido consistit vita. de ana. vi. Sp. 50. F
Humido semper inheret calor radicalis. de marcore. 3ª. 45. H
Humido radicali assimilantur duo vasa, in quorum vnum defluat alteratus humor. ad Thras. 2ª. 104. F
Humidæ seruandæ animalis particulæ. 6°. de san. tuen. 2ª. 96. F
Humidum insitum si dilabitur, tantundem humoris potum exhibens irrigato. ad Thras. 2ª. 104. E
Humidiores partes ĩ aĩalibus prius assumũtur. cõ. 7°. aph. 6°. Ex. 59. D
Humidũ corpus si seruaretur, hõ nunq̃ moreret. 6°. de sa. tu. 2ª. 96. F
Humidius si quis efficere possit cor, vel iecur, licet tardare senij properationem. de mar. 3ª. 46. F
Humida frigore densata apparent sicca. 3°. de temperamẽtis. 1ª. 23. D
Humidum si mutatur efficitur siccum. 1°. de temp. 1ª. 10. F
Humidum & siccum non possunt esse in eodem. 1°. de tempe. 1ª. 10. G
Humidum simul & siccum an possit fieri corpus. de caus. mor. 3ª. 8. A
Humidum, & siccum contingunt corpus sine violentia, cum absunt calefactio, & frigefactio. 1°. de symp. caus. 3ª. 16. G
Humida modico iuncta calori, id habent ex propria natura, cum tamẽ calori iuncta copiosa sint sicca. 3°. de temp. 1ª. 23. D
Humidus modice, & temperatus aer balnei quo modo fiet. 10°. methodi medendi. 7ª. 66. H
Humidæ quæ. fin. med. Isa. 43. G
Humido, frigido, calido, sicco constant animalium corpora, non tamen æqualiter. 1°. de temp. 1ª. 10. B
Humidum est omne animal. 4°. de simp. med. fac. 5ª. 30. C
Humida naturaliter animalia, quæ. 8°. meth. med. 7ª. 51. B
Humidiorem, & frigidiorem naturam animalia nacta habent lienem non admodum nigrum. de atra bile. 1ª. 36. A
Humidiora, & frigidiora animalia habent lienem albicantem. 6°. de anatomicis admini. 1ª. 92. G
ex Humidis animalibus, quod est maius velocius digeritur antequam durescat, quàm minus. de dissol. cont. Sp. 73. C
Humidum & frigidum est cerebrum. de anat. viuo. Sp. 53. G
Humidum & frigidum cur sit cerebrum. de compag. memb. Sp. 58. B
Humidũ, & molle cur sit cerebrum. de ana. viuo. Sp. 53. G
Humidius, et mollius cur sit cerebrũ ĩ anteriori parte. d an. vi. Sp. 53. H
Humidi, & tenues sunt duo canales in memoria. d cõpag. mẽb. Sp. 58. B
ab Humido quomodo fiat somnus. 3°. de loc. aff. 4ª. 16. G
Humidius nutrimẽtũ facit somnũ vehemẽtiorẽ. 1°. de sym. cau. 3ª. 19. A
Humidi, & frigidi sunt tres humores oculorũ. de cõpag. mẽb. Sp. 58. B
Humida & calida est audibilis qualitas. de compag. memb. Sp. 58. B
Humida, & calida est medulla. de anato. viuo. Sp. 44. E
Humidum instrumentum gustatus. 7°. de decre. Hipp. 1ª. 271. B
Humidæ naturæ sensus est gustus. 1°. de symp. caus. 3ª. 17. C
Humida admodum natura est lingua. com. 6°. aph. 32°. Ex. 50. A
Humida & frigida cur sit qualitas gustabilis. de cõpag. mẽb. Sp. 58. D
Humida & carnosa est canna in ratice, propterea nõ est sonora. de vir tutibus nostrum corpus dispensantibus. Sp. 61. F
Humidus, & frigidus est pulmo ex accidenti. de anat. viuo. Sp. 52. H
Humidum præualet in partibus mollioribus cute. 1°. de temp. 1ª. 14. G
Humida est cutis capitis in pueris, mulieribus, & eunuchis. in 6ᵐ. de morbis vulgaribus. com. 2°. 3ª. 170. A
Humida nimis cutis non facit bilos. in 6ᵐ. de mor. vul. c. 3°. 3ª. 170. A

ex Humida

ex Humida ſubſtantia genituræ origo. 1°. de ſanitate tuenda. 2ª.62.F
Humidos valde vteros habentes non concipiunt, extinguitur enim in eis genitura. com. 5°. apho. 62°. Ex.43.E
Humidæ nõ habent purgationes lunares, vt eſt neceſſe. de aere, aquis, & locis. 2ª.5.G
Humidiores humores, & tenuiores in cauſa ſunt vt menſtrua conſuetum terminum anticipent. com. 5°. apho. 36°. Ex.40.H
Humidiora membra facilius cedũt cauſis humidioribus. de natura humana, commentario 1°. 1ª.36.D
in Humidioribus & frigidioribus inſtrumentis retentiua vis imbecillis eſt. 3°. de ſymp. cau. 3ª.29.D
Humidis, & ſiccis nutrimentis nutriti natura. an animal ſit. 1ª.227.D
HVMIDVS *cibus eſt cauſa præcedens pulſus mollis. 1°. de præſagitione ex pulſibus.* 4ª.109.D
Humida conſiſtentia corrumpuntur, & habent exiguum alimentum. 2°. de alimentorum facultatibus. 2ª.16.E
Humida immodice cur non ſalienda. 3°. de alimen. fac. 2ª.33.C
Humidi cibi quibus conueniunt, & qui ſint. de diſſol. cont. Sp.74.D
Humida victus ratio excrementa, & ſuccorum abundantiã parit. 6°. de ſanitate tuenda. 2ª.96.F
Humidiora cur minus dant alimenti. 1°. de alim. fac. 2ª.14.D
Humidum alimentum, præcipue cum fuerit natura calidum, facilius nutrit. commentario 2°. apho. 11°. Ex.12.D
Humidi cibi celeris ſunt tranſitus. 3°. de ſymp. cauſ. 3ª.27.D
Humida lubrica celeriter deſcendunt. 1°. de alimentorum fa. 2ª.14.D
Humidum victus rationem qui expetant. 6°. de ſan. tuen. 2ª.96.D
Humidi, & frigidi cibi, qui. 10°. meth. med. 7ª.67.A
Humidus, & viſcoſus cibus eſt caro hædi anniculi, caput & caro agni, & pecudum. de diſſol. cont. Sp.73.A
Humidis, & frigidis cibis æſtate vtendum. 1°. de alimen. fa. 2ª.13.F
Humidi, & frigidi ſunt cibi febricitantiũ. 8°. meth. me. 49.H/7ª.54.G
Humidus, & frigidus quantum eſſe debet cibus febricitantium. 8°. methodi medendi. 7ª.54.G
Humidus & frigidus ſit bectlicorum cibus. 10°. meth. med. 7ª.67.A
Humidus, & frigidus ptiſſanæ cremor in febribus conuenientiſſimus eſt. 8°. methodi medendi. 7ª.51.A
Humidum nutrimentum ſiccitati medetur. 3°. de ſan. tuen. 2ª.80.A
Humidum humectat. 1°. de temp. 1ª.10.D
Humida frigida, & dulcia ſunt danda, ſi ob choleram rubram fuerit ægritudo. de dynamidys. Sp.19.F
Humida dulcia, & calida da ægro ob choleram nigrã. de dy. Sp.19.G
Humidos cibos ſicci digerunt. de diſſo. cont. Sp.73.C
Humida Deiectio ad quid ſequitur, ſecundum antiquos. commentario 6°. aphoriſmo. 1°. Ex.46.C
Humida promptius, quàm ſolida per aluum deijciũtur, præſertim ſi qd habent nitroſi. 2°. de alimen. fac. 2ª.16.E
Humida Excrementa, quæ. 8°. meth. med. 7ª.51.A
Humida excrementa ſenium notæ. de marc. 3ª.46.E
Humidiorem tumidioremq́, & excremento ſam carnem facit expultrix imbecilla. 3°. de ſymp. cauſ. 3ª.26.G
Humidum elementum in humoribus prævalet. 2°. de diff. feb. 3ª.41.E
Humidi cũ ſint humores ſiue ſucci, quo modo vnus eſt alio humidior. de natura humana. commen. 1°. 1ª.30.G
Humidus, et frigidus humor ad pituitã reducitur. 2°. de dif. ſe. 3ª.37.E
Humidum eſt phlegma. de nat. & ord. cuiusl. corp. Sp.41.D
Humidum & frigidum, quamuis ſit, craſſum, eſt pituita, & ex pituitæ genere. de cauſis morborum. 3ª.8.C
Humida generant humorem pituitoſum. 3°. de alim. fa. 2ª.27.A
Humidus, & frigidus humor pituita gignitur hyeme. in 1ᵐ. de morbis vulgaribus, commen. 1°. 3ª.104.C
Humidus eſt ſanguis. de nat. & ord. cuiuslibet corp. Sp.41.D
in Humido ignis diuini partem præſefert ſanguis ruber iam factus, & purus. 4°. de vſu partium. 1ª.136.B
Humidum Medicamentum quidnã dicatur. 4°. de cõ. m. p. ge. 5ª.240.F
Humida, & calida medicamenta quo modo dicantur. 5°. de ſimp. medicamen. facu. 5ª.33.B
Humida tenuia et tepida poſſunt penetrare. 3°. de ſimp. me. fa. 5ª.21.F
Humida & calida pus mouent. 5°. de ſimp. 5ª.34.B
Humidam ſubſtantiam habens, & exiccans medicamentum. 2°. de arte curat. ad Glauconem. 7ª.105.G
Humidum exuperans, morbus. 1°. de temp. 1ª.11.B
Humidus morbus, qui. 5°. de ſan. tuen. 2ª.89.D
Humidus affectus & mollis quomodo differãt. 5°. de ſa. tuen. 2ª.89.D
Humidæ ægritudines ex quibus cauſis fiant. de cauſ. morb. 3ª.7.H
de Humido etiam, vt de cæteris qualitatibus, dici poſſet q̃ modice exuperans intemperiei, ampliter, ægritudinis, plurimũ vero mortis cauſa ſit. 1°. de temperamentis. 1ª.11.B
Humidæ ægritudines ſine materia, quæ. de diff. morb. 3ª.3.G
Humida intẽperies ſine materia quo mõ appareat. de dif. mor. 3ª.3.G
Humida intemperies plurimum caput vitiat. 13°. meth. med. 7ª.86.D
ex Humido alteratio cur difficulter curatur. 7°. meth. med. 7ª.44.C
Humidis auribus confert ſuccus centaureæ. de vir. cent. Sp.93.C
Humidum & fœtidum os iuuat ſuccus centaureæ. de vir. cen. Sp.93.C
Humida vẽtriculi intẽperies facile curaĩ, et quo mõ. 7°. m. m. 7ª.47.G
Humidum quibus fiat cor. 3°. de præſag. ex pulſ. 4ª.119.C
Humida aluus vnde ſit. commen. 2° apho. 2°. Ex.14.D
Humida, & ſicca intẽperies ſecundã facultatem ſibi vendicant, quod ad vigilias ſaporeſq́, per morbos pertinet. 3°. de loc. aff. 4ª.16.F
Humida, & calida intemperies quo modo curanda. 7°. me. m. 7ª.47.F
in Humida & frigida intemperie quæ adhibeat Galenus. 2°. de compo. med. ſecundum locos. 5ª.138.A
ab Humido fit dolor. de natura huma. com. 1°. 1ª.28.G
Humidum mediocre non facit dolorem. ars med. Iſa.70.G
ab Humido nulli fiunt capitis dolores. de remed. par. fac. 7ª.153.E
Humida lenta leniunt. ars med. Iſa.70.E
Humido & ſicco tenduntur chordæ. 2°. de loc. affect. 4ª.11.A
Humidum eſt cauſa febrium longarum. com. 3°. apho. 11°. Ex.21.D
Humidæ febres quæ. aduerſus Lycum. Ex.62.A
Humida materia ſit putredo. in 3ᵐ. de morb. vulg. com. 2°. 3ª.141.A
Humidi aliquid deſcendit in aſperam arteriam nobis, tranſglutientib. 6°. de vſu partium. 1ª.154.H
Humidum putreſcens in noſtris corporibus quædam veluti materia eſt patiens à vi caloris. com. 3°. apho. 11°. Ex.21.D
Humidus ſi ſit morb. et particula ſit ſicca, qd agẽdũ. 3°. me. m. 7ª.21.F
in Humidis & frigidis diſpoſitionibus omnibus totũ corpus poſſet ſuffiri per vterum, niſi timeremus illam quæ fit ex ſuffitu, capitis grauitatem, præſertim in febribus. com. 5°. apho. 28°. Ex.40.C
Humidis, & frigidis ſanatur febris ſiccitatis putredinis. 10°. methodi medendi. 7ª.64.D
Humida, & calida moderate pſunt frigiditati et æſtui. 1°. de vſu p 1ª.
Humida, & calida tẽperate homini cõueniũt. d ocu. 7ª.188.C (116.E
Humida, & calida vacuant contenta in partibus phlegmone affectis, et non ipſas exiccãt partes, ſed potius humectãt. 2°. de tẽp. 1ª.21.D
Humidum vlcus indiget ſicco. 2°. methodi medendi. 7ª.18.B
Humida ſiccitate corrigi debent. 4°. de ſimp. med. fac. 5ª.28.H
in Humidioribus vlcera minus ſiccentur. 3°. meth. med. 7ª.18.B
Humidum vlcus quibus lauandum. 4°. meth. med. 7ª.23.E
Humida intemperies carnis quomodo curetur. 4°. meth. med. 7ª.23.E
ad Humidas, & flaccidas carnes. 5°. de cõ. me. per gen. 5ª.248.G
Humidas carnes habentibus famem adhiberi cõuenit. fames enim corpora exiccat. com. 7°. apho. 59°. Ex.59.C
Humidis, et mollibus debet curari ſcirrhus, non ſolum calidis. 14°. methodi medendi. 7ª.87.H
Humidum aliquod remedium in cancris inuenire debemus, quod nõ putrefaciat. com. 6°. aph. 38°. Ex.50.E
Humida quæ offendunt, quo modo extra mittantur in tuſſi. 2°. de ſymptomatum cauſis. 3ª.22.H
Humidæ cauſæ rigoris quæ et febrẽ facit ſanatio eſt euacuatio, et quãdoque concoctio. 2°. de ſympt. cauſ. 3ª.23.A
HVMIDIOR *mare eſt fœmina. 11°. de ſimp. med. fac.* 5ª.79.A
Humidi homines vbi. de aere, aq. et loc. 2ª.6.E
Humidum corpus qũo fiat. quos purg. opor. quib. & quo tem. 5ª.88.D
Humidiſſima eſt omnium puerorum ſubſtantia. 9°. meth. med. 7ª.60.H
Humidi natura ſunt obeſi. de artic. com. 1°. 7ª.256.E
Humidi quando ſint, quibus crura ſunt craſſa. 2°. de temp. 1ª.20.H
ab Hũido corpe ĩſepabilis ẽ mollities, ſi calor ſit tepid⁹. 2°. d tẽ. 1ª.18.B
Humida corpora ſunt mollia, & laxa. com. 3°. aph. 12°. Ex.21.F
Humidi molles. 4°. de compoſi. med. per genera. 5ª.236.F
Humidius & mollius corpus habet habitum debiliorem, quàm durũ ſiccum q́. de vſu pulſuum. 1ª.229.F
Humidũ ſi ſit, & fluxibile, & nulli innitẽs qđ molle eſt, id nec trahendi ſimiliter nec tenẽdi, nec repellẽdi vim habet. 3°. de ſym. cau. 3ª.28.H
Humidum temperamentum ab oĩbus laudatum. 6°. de ſa. tu. 2ª.96.G
Humidi maxime ſunt maxime longeui. 6°. de ſan. tuen. 2ª.96.G

Humidi in rubore sunt magis sani alijs et valentiores vsque ad senũ. 6°.de sanitate tuenda. 2ª.96.G

Humidis & nascilentis minor inflammatio superuenit, quàm siccis et carne oppletis.de artic.commen.1°. 7ª.256.G

Humidum tẽperamẽtũ in principio deterius est.6°.de sa.tu. 2ª.96.G

Humidis corporibus magis accidit putredo.com.3°.aph.11°.Ex.21.C

qbus Hũidiores natura nares, & genitura humidior minus ĩtegra sanitate fruũt, qbus vero cõtraria salubrius degũt.c.6°.ap.2°.Ex.46.E

qui Humidum natura ventrem habent morbo laterali, atque alijs morborum generibus minime corripiuntur.com.6°.aph.33°. Ex.50.B

Humidæ naturæ propter humida ægrotant, propter sicca sanantur. cõmentario 2°.aph.3°. Ex.20.B

Humidis cur fiant difficultates inteslinorum.com.3°.aph.11°. Ex.21.C

Humidis mel salubre.1°.de alim.fac. 2ª.9.H

Humidis naturis cõgruũt humidæ ægritudines c.2°.aph.34°.Ex.17.c

Humidi secundo loco difficulter in febres incidunt.8°.met.m. 7ª.54.E

Humidi debẽt humidis foueri, et ẽt febriẽtes.cõ.1°. aph.16°. Ex.8.H

Humidis corporibus magis humida exhibenda.2°.de composi.medicamento.per genera. 5ª.220.D

Humidi postulant humida nutrimenta.3°.de symp.caus. 3ª.29.C

Humida humidis apta.6°.de san.tuen. 2ª.96.C

Humida citius assimilantur humidis.6°.de san.tuen. 2ª.96.C

Humidi digerunt cibos siccos.de dissol.cont. Sp.73.C

Humida natura non indiget sicco.2°.meth.med. 7ª.18.B

Humida nimiũ corpora euacuatione curantur.ḋ na.hu.cõ.1°.1ª.28.H

in Humidis frictiones ex aspero sindone.de præcog.ad Posth.4ª.217.H

in Humida natura quid faciãt misy, & chalcitis.3°.met.me. 7ª.20.C

Humidi natura bois pleuritici casus. de vi.ra.in mor.ac.c.1°. 7ª.115.A

HVMIDI, *& calidi apti ad digerendos cibos.9°.meth.me.* 7ª.58.A

Humida et calida corpora optime nutriũtur.3°.de sym.cau.3ª.28.H

Humidissimum calidissimumq; corpus celerrime alterat propriũ nutrimentum & assimilat.3°.de symp.caus. 3ª.28.H

Humidissimũ põt alterationẽ facere, si calidũ sit.3°.ḋ sy.cau. 3ª.28.H

in Humidis & mollibus rebus coctio puerorum est vt ingentiũ, in duris deterior.3°.de symp.causis. 3ª.29.C

Humidissimum calidissimumq; quod est, prompte quod alteratũ est in se recipit.3°.de symp.caus. 3ª.29.A

Humidum, & calidum qui habent corpus, concoquunt, apponunt, agglutinant, nutriuntur.3°.de symptomatum causis. 3ª.29.A

Humida conglutinantur, & coalescunt.3°.de symp.cau. 3ª.29.A

Humidiora naturalia instrumenta magis idonea sunt ad nutritionẽ.3°. de symp.caus. 1ª.29.D

Humidæ, & calidæ naturę sunt rarę, & habent semen fœcundum. commentario 5°.apho.63°. Ex.44.C

Humidis, & calidis venus innoxia est.6°.de san.tuen. 2ª.96.H

Humidæ, & calidæ naturæ promptius digerunt, & exhalant.9°. methodi medendi. 7ª.60.H

Humida & calida quàm celerrime in ambientem dissipantur, & quo modo.9°.methodi medendi. 7ª.60.H

Humida & calida temperies vt puerorum facile absumitur. de curã. rat.per sang.miss. 6ª.19.F

Humidi & calidi maxime omnium putredini sunt obnoxij.8°.methodi medendi. 7ª.54.B

Humida & calida promptissime putrescunt, nisi difflentur.1°.de differentijs febrium. 3ª.31.H

Humida, & calida non manent imputrescibilia.8°.meth.me. 7ª.57.D

in Humidis corporibus nascuntur vermes & putrilago.4°.de simpli. medicam.facul. 5ª.30.C

Humidi, & calidi fluxionũ vitij sunt obnoxij.5°.de san.tuen.2ª.94.D

Humidiorũ, & calidiorũ sudores & vrinæ fœtent.8°.me. me. 7ª.54.B

Humidi & calidi sunt similes hircis.8°.meth.med. 7ª.54.B

Humidi & calidi febricitant statim cute stipata.8°.meth.me. 7ª.54.C

Humidi, & calidi qua victus ratione regendi.in 1ᵐ.de morbis vulgaribus, commentario 2°. 3ª.108.G

Humida & calida ventriculi intemperies quomodo curatur.7°.methodi medendi. 7ª.47.G

in Humido, et calido vẽtriculo cõuenit aqua frigida.7°.m.m. 7ª.47.F

Humidi & calidi quo modo balneum requirunt.8°.met.me. 7ª.54.C

HVMIDVM, *& frigidum temperamentum aduersissimum calido et sicco.5°.de sanitate tuenda.* 2ª.94.C

Humidum et frigidum corpus non est in ætate prouecta. 3°.de symptomatum causis. 3ª.29.C

Humidæ, & frigidæ naturæ ad æstatem melius, ad hyemẽ peius se habent.com.3°.aph.2°. Ex.20.A

Humidi, & frigidi natura facilius cedunt morbis frigidis, et humidis, contrarij ægrius.in 1ᵐ.de morbis vul.com.1°. 3ª.103.F

Humidum, & frigidum temperamentum fluxionibus obnoxiũ est.6°. de sanitate tuenda. 2ª.96.H

Humidi, & frigidi difficulter in febres incidunt.8°.meth.me. 7ª.54.E

Humidæ, & frigidæ tpaturæ corpus muliebre timebat Galenus in æstate exiccare, ne ęgrotę corpº liquesceret.ḋ præc.ad Posth.4ª.217.G

Humidi, & frigidi quo modo curentur.6°.de san.tuen. 2ª.96.H

Humidi, & frigidi quibus regantur.5°.de san.tuen. 2ª.94.C

in Humido, & sicco temperati & frigidi quo modo curentur.6°.de sanitate tuenda. 2ª.96.H

Humidi & frigidi non debent curari solis adstringentibus.8°.de compo.medicamen.secundum locos. 5ª.188.A

Humidi, & frigidi quo victu vtentur.8°.met.med. 7ª.54.F

Humidis, et frigidis vinum modicum calidum dandum.in 1ᵐ.de morbis vulgaribus, commen.2°. 3ª.108.F

Humidæ, et frigidę cõplexioni valẽs medicamẽtũ.ḋ me.exp. Sp.105.C

Humida, & calida est omnis detractio medicinæ.de cathar. Sp.94.D

HVMIDVS *pulsus, & plenus à sanguine fit.de dynam.* Sp.19.F

ex Humidi, calidi, frigidi, et sicci miscella fiũt dulce, amarum, salsum, acerbum, austerum, & acre.1°.de alimen.fac. 2ª.9.A

Humidus magis acidus sapor.4°.de simp.med.fac. 5ª.25.G

HVMIDA *simplicia medicamenta.*

Humidum primi ordinis, quid.5°.de simp.med.fac. 5ª.39.B

Humidum secundi ordinis, quid.5°.de simp.med.fac. 5ª.39.B

Humidum tertij ordinis, quid.5°.de simp.med.fac. 5ª.39.B

Humidum quarti ordinis, quid.5°.de simp.med.fac. 5ª.39.B

Humidum actu est Acetum.1°.de simp.med.fac. 5ª.9.C

Humidissimum omnium est Aqua.1°.de simp.med.fac. 5ª.8.E

Humida est aqua potabilis.1°.de simp.medic.facul. 5ª.3.D

Humidus & frigidus in secundo Cucumis.8°.de simp.me.fa. 5ª.60.E

Humidi Dactyli quid faciant.de dissol.cont. Sp.74.H

Humidæ Fabæ parum nutriunt, cur.de dissol.con. Sp.73.G

Humidæ & siccæ Ficus maturæ sũt cibaria media.de dis.cõt. Sp.74.B

Humidæ, et siccæ ficus mũdificãt, et abstergũt renes.ḋ dis.cõ. Sp.74.G

Humidæ ficus inflant. de disso.cont. Sp.74.G

Humidæ ficus generant inflationem.de diss.cont. Sp.74.F

Humidus, & frigidus multũ est fungus, vnde deleterius.7°.de simplicium medica.fac. 5ª.56.C

Humida, et frigida in secundo ordine est Lenticula palustris.8°.ḋ simplicium medica.facul. 5ª.63.B

Humida, et frigida Mala.7°.de simp.medicamen.facul. 7ª.55.H

Humidum et frigidum in secundo ordine est malum armenicum.7°.de simp.med.fac. 5ª.56.A

Humidæ Nuces est cibus humidus.de dissol.cont. Sp.74.D

Humidæ nuces leniunt ventrem.de dissol.cont. Sp.75.A

Humidum, et modice frigidum est Oleum recens.1°.de composi.medicamentorum per genera. 5ª.212.H

Humidum, et frigidum Persicum.7°.de simpli.medica.fac. 5ª.56.A

Humida, et frigida est Platanus.8°.de simp. medic.fac. 5ª.58.G

Humidum, & frigidum est Plumbum.8°.de simp.med.fac. 5ª.70.E

Humidum est, & calidum Polygalon.8°.de sim.med.fac. 5ª.58.H

Humida Pruna leniunt ventrem.de diss.cont. Sp.75.A

Humidus minus, calidus, & humano similis temperie est sanguis suum.10°.de simp.med.fac. 5ª.72.F

Humida, & frigida est Stratiotes.8°.de simp.med.fac. 5ª.61.D

Humidus, & calidus est Testiculus canis.8°.de simp.med.fa. 5ª.57.F

Humidum, & calidum est Triphyllum.8°.de simp.med.fac. 5ª.60.B

HVMIDA *signa & planetæ.*

Humidi sunt Cancer, Scorpio, Pisces.de spermate. Sp.38.H

Humidus ẽ Scorpio in primo gradu, frigidus in secũdo.ḋ sper. Sp.38.H

Humidi in secundo gradu sunt Pisces, frigidi in primo. de sper. Sp.38.H

Humidi sunt Gemini in primo gradu, calidi in secũdo.de sper. Sp.38.H

Humida est Libra in secundo gradu, calida in primo.de sper. Sp.38.H

Humidº ẽ Aquarius in secũdo gradu, calidus ĩ primo.de sper. Sp.38.H

Humidi, & sicci sunt Gemini, Libra, Aquarius.de sper. Sp.38.H

Humidus & calidus est Iuppiter.de compag.memb. Sp.59.F

Humida & frigida est Venus.de compag. memb. Sp.59.G

Humidus, siccus, calidus, frigidus æque est Mercurius.de compag.mẽbro. siue de natura humana. Sp.59.G

Humida,& frigida eſt Luna.de compag.memb. Sp.59.G
HVMIDIS *quæ tempeſtas ſit optima.com.3°.aph.14°.* Ex.22.C
Humida tempora generãt humores pituitoſos,& morbos longos. commentario 3°.apho.7°. Ex.20.F
Humidiora imbribus reddũtur animalium corpora. in 1m. de morbis vulgaribus,com.1°. 3a.104.B
Humida tẽpora generãt febres longas,alui profluuia,putredines,morbos comitiales,apoplexias,& anginas.c.3°.ap.16°. Ex.22.H
Humidis temporibus deſtilationes deſcendunt.in 3m.de morbis vulgaribus,commentario 3°. 3a.143.E/H
Humido frigido et Aquilonio exiſtente anno, quid ſecutum ſit. in 1m. de morb.vulg.commen.2°. 3a.108.B
Humidi & frigidi ſtatus maxime lædunt corpora humida & frigida. in 1m.de morbis vulgaribus,com.2°. 3a.108.F
Humido et frigido vere oculi laborãt.i 1m.de mor.vul.c.2°. 3a.108.G
Humida et frigida eſt hyems.bre.denot.dogma.Hipp. 1a.231.C/*in 1m. de morbis vulgaribus,commen.1°.* 3a.110.H
Humidus,& frigidus ſtatus nõ fit niſi hyeme.10°.meth.mc. 7a.63.E
Humida vnde ſit hyems,& frigida.de ſpermate. Sp.39.A
Humidæ,et frigidæ naturæ hyeme bñ ſe hñt.c.2°.aph.2°. Ex.20.A
Humidum & calidum eſt ver.bre.denota.dogm.Hippoc. 1a.231.B/*de ſpermate.* Sp.40.E
Humidum & calidum vnde ſit ver.de ſperma. Sp.39.A
Humidi & calidi ſtatus temperamenta humida & calida offendunt. in 1m.de morbis vulgaribus,com.2°. 3a.108.F
Humidum & calidum temperamentum ſolet eſſe in peſtilenti tempore.1°.de temperamentis. 1a.11.H
Humida corpora in peſtilentia exiccanda.1°.de diff.feb. 3a.32.E
Humidum & calidum cum tempus eſt,ne veſtes putreſcant, quatiantur.in 3m.de morb.vulg.commen.3°. 3a.141.A
Humida tempora.lege Pluuioſa tempora, Tempora pluuioſa.
HVMIDA *& calida terra in primo gradu Mercurio ſubiecta eſt. de ſpermate.* Sp.40.C
Humida terra in primo gradu, frigida in ſecundo, habens aliquantulũ temperamenti calidi, Veneri ſubiacet.de ſpermate. Sp.40.C
Humida & frigida terra ĩ primo gradu Lunæ cõuenit.d ſper. Sp.40.C
Humida terra in primo gradu calida in ſecundo eſt ſub Martis ditione ſpermate. Sp.40.C
in Humidis locis paſcua efficiunt carnem tardioris coctionis, quàm paſcua in locis ſiccis.de diſſol.cont. Sp.73.C
Humidæ & frigidæ regiones, & conſtitutiones, anni tẽpora magis aſtringunt,& diffiare corpora atque extenuari non ſinunt. commentario 21°.aphor.28°. Ex.16.D
in Humida terra herbæ creſcunt altiſſime.11°.de vſu par. 1a.190.A
in Humida & lacuſtri terra non naſcuntur herbæ.2°.de temp. 1a.18.H
Humidiores,& laxiores partes in homine,quæ.9°.de ſimp.medicamẽtorum facultatibus. 5a.65.H
HVMIDIORES *cucurbitulæ in capite magis accomodantur. de cucur. ſcarif.* 6a.3.E
HVMOR *quid. de anatom.viuo.* Sp.55.G
Humorum ſubſtãtia media eſt inter ſpiritus & ſolidas corporis partes.1°.de differen.feb. 3a.31.B
Humor pro humiditate.2°.de temp. 1a.21.D
in Humoribus præualet humidum elementum.2°.de diff.feb. 3a.41.E
de Humoribus librum prius expoſuit Galenus, quã librum de victus ratione.de vic.ra.in morbis acutis,com.1°. 7a.123.E
de Humoribus omnes philoſophi æmulati ſunt Hippocratem.8°.de decretis Hippocratis. 1a.276.B
in Humoribus Platonis errores.8°.de decre. Hipp. 1a.277.A
Humorum naturæ.fin.med. Iſa.44.B
Humores comparat vino dulci nuper expreſſo.2°.de na.fa. 1a.301.G
de HVMORVM *generatione.2°.de na.fac.* 1a.301.F
Humores ex quibus fiant.3°.de ſimp.med.fac. 5a.17.D
Humores ex cibis,& potibus gignuntur.1°.de elemen. 1a.7.E
Humores q gignãtur à fructibus añ maturationẽ.de diſſ.cõt. Sp.73.A
Humorum cauſas tractare non ſpectat ad medicam artem.8°. de decr. Hippocratis. 1a.275.H
HVMORVM *vtilitates.fin.med.* Iſa.44.B
Humores quatuor in animali ſanguineo.10°.de ſimp.me.fa. 5a.74.E
*ex Humoribus quatuor cõſtat generatio humana. de natura humana. com.1°.*1a.30.C/*de nat.& ordine cuiuslib.corp.* Sp.41.D
ex Humoribus quatuor quo modo conſtet homo.de ſper. Sp.37.A
Humoribus quatuor cõſtat rationabiliter hoĩs corpus.de dy. Sp.19.E
Humores quatuor ſemp habet hõ.2°.de ele.9.E/de atra bile. 1a.36.B
Humoribus omnibus eget homo.2°.de elemen. 1a.9.D/E
Humores quatuor ſunt in homine quocunque tempore,& quacunque ætate.de natura humana.com.1°. 1a.31.D
Humores oẽs in hoĩbus ineſſe exiſtimat Hip.cõtra Iulianũ. Ex.70.B
Humorẽ vnum tantũ eſſe.ſ.ſanguinem,collige ex Gal.vbi inquit, qualiſcunq, fuerit ſãguis q excerneĩ, ſiue ſit rubeº,ſiue ſpumoſus,ſiue flauus,ſiue niger,ſiue aquoſus,ſiue craſſus.c.4°.ap.25°. Ex.30.A
Humor,& ſanguis pro eodem.de mult.78.E/ 3a.79.H
Humores oẽs in vaſis incluſos ſignificat ſanguis.in 6m. de morbis vulgaribus,commentario 4°. 3a.187.C
Humores omnes quando æque abundant,dicitur in ipſis ſanguis abundare.de curan.rat.per ſang.miſſ. 6a.17.F
Humores an mixti ſanguini quo modo noſcendum.de mult. 3a.82.B
Humores diuerſos euomi oſtendit potio quater in anno data. 8°.*de decre.Hippocratis.* 1a.276.F
Humores quid faciãt ĩ humano corpe.de incãt.adiu.et ſuſp. 7a.181.G
ex Humoribus partes ſimilares.1°.de elemen. 1a.7.E
ex Humoribus quatuor fiunt oſſa,& ex grauiori ſanguinis natura.de ſpermate. Sp.36.C
HVMORVM *differentia, quę. de nat.hum.com.1°.* 1a.30.G
Humores diſtincti.de nat.hum.com.1°. 1a.31.A
Humores omnes diſtincti ſunt forma.8°.de decr.Hipp. 1a.276.B
*Humores neq; lentos eſſe oportet,neq; craſſos,neq; aquoſos, neq; plurimos,neque vehementer calidos,ac frigidos, neque mordaces,neque putredini obnoxios,neq; veneni naturę affines.ars.me.*Iſa.71.d
Humorum dŕiæ quot ſint in ſanguificatione.4°.de ſan.tu. 2a.84.B
Humores facientis facultatis fons eſt iecur,& veluti focus ardens.in progno.commen.2°. 4a.201.E
Humorum qualitates.de dynam. Sp.19.E
Humorum variationes in coloribus.8°.de decre.Hipp. 1a.276.B
Humorum vapor & inſpiratio eſt materia ſpiritus vitalis de virtutibus noſtrum corp.diſpenſ. Sp.60.C
HVMORVM *loca. de dynam.* Sp.19.E
Humores ſunt in omnibus partibus.de dynam. Sp.19.F
Humore proprio quælibet pars nutritur.de atra bile. 1a.36.F
Humorum propriæ ſedes,propriaq, domicilia.de ſperm. Sp.36.H
Humores quam partem dominentur. de dynam. Sp.19.F
Humores continentur in partibus ſolidis.de na.hu.c.1°. 1a.30.C
Humores gñantur in oĩ parte aut ad vſum aliarũ partiũ,aut ad gñs propagationẽ,aut ad coceptus nutritionẽ. cõ.5°.aph.39°. Ex.41.B
Humores quo mõ p partes trãſeant.de cur.rat.per ſang.miſs. 6a.17.G
Humores in ventriculo tribus modis degunt.fin.med. Iſa.44.C
Humores in arteriis negat eſſe Praxagoras.4°.de dign. pulſ. 4a.84.H
Humoribus atractis ex venis ad mẽbra ſolida pueniẽt.2°.d ele. 1a.9.H
Humorum in venu, contentorum ſerum eſt vrina.in 3m. de morbis vulga.commentario 1°. 3a.131.D
Humor quid in vrina.de vrinis. 4a.122.H
Humores cũ ſpiritu q̃q; tranſeunt ad veſicã.c.4°.aph.73°. Ex.35.G
Humor in glanduloſis virorum partibus,& ſemen in teſtibus mulierũ ſunt ſimillima,& cur.14°.de vſu par. 1a.208.B
Humor ĩ glãduloſis pudẽdorũ partibus qd agat. 14°.d vſu p. 1a.208.B
Humor qui effunditur in muliere,qualis,& quod non faciat ad generationem.14°.de vſu par. 1a.208.B
Humor qui excitat Venerem,qualis ſit.14°.de vſu par. 1a.208.B
Humor qui genitura eſt,cur nunquam aberrat in tot motibus.de fœtuũ formatione. 1a.325.B
ex Humore omni corporis ſemen deſcendit.de ſper. Sp.36.A
HVMORVM *differentiæ ſecundum ætates.8°.de decre.* 1a.276.G
Humores quatuor diſtinguuntur per quatuor ætates.de nat.& ord.cuiuslibet corp. Sp.41.E
quibus Humoribus abundant diuerſæ ætates.bre.denot.dogm.Hippo. 1a.231.B/*de dynam.* Sp.19.E
Humor in infantibus abundat.1°.de ſan.tuen. 2a.64.D
propter Humorem ſomnolenta eſt pueritia.3°.de loc.aff. 4a.16.F
HVMORES *quibus tẽporibus vigeant.de natu.hum.com.1°.* 33.C/8°. *de decre.Hipp.* 1a.276.D/*in 1m.de morb.vul.com.1°.* 3a.103.B
Humores ſuis temporibus creſcunt.de dynam. Sp.19.E
Humor quid faciat in hyemis conuerſione.de dynam. Sp.20.C
quis Humor creſcat in veris conuerſione.de dynam. Sp.20.C
Humorum temperatiſſimus vere in bene temperata conſtitutione abũdat.in

dat.in 1m.de morbis vulgaribus,commen.1°. 3a.100.H
quis Humor crescat in autumni conuersione.de dynam. Sp.20.C
quis Humor crescat in æstatis conuersione.de dynam. Sp.20.C
ad HVMORES quo se habet regio.8°.de decre.Hipp. 1a.276.G
HVMORVM horæ per quæ determinentur.de sper. Sp.38.C
Humores qui die noctuq; dominentur.de dynam. Sp.19.E
HVMORES faciunt mores.de dynam. Sp.19.E
Humoribus actiones animæ variari possunt.3°.de loc.aff. 4a.19.C
Humorum naturam cur bruta non imitentur. §quod tamen est falsum. nam & bruta suam habent temperiem.§de sperma. Sp.37.D
HVMORVM pulsus quales.de dynam. Sp.19.F
Humores per quas partes habent respirationem.de dynam. Sp.19.E
Humorũ proprie respirationes.de nat.& ord.cuiuslibet corp.Sp.41.E
Humores occupant egestas,copia,& qualitas mala.de mult. 3a.79.C
Humor efficitur siccus tempore.1°.de temp. 1a.10.G
Humores quibus augeantur.ars med. Isa.71.D
Humores quo modo prævaleant.8°.de decre.Hipp. 1a.276.F
HVMORVM abundantia alterare potest pulsus,nõ efficere.1°.de caus pulsuum. 4a.86.G
Humor superfluus duplicem habet speciem in crassitie, & tenuitate. in 3m.de morb.vulg.com.1°. 3a.127.H
Humorum abũdantiam induxit cutis obstructio.in 3m.de morbis vulgaribus,commenta.3°. 3a.149.G
ex Humorum redundantia intemperaturæ plures. 8°.de compositione medicamentorum secundum locos. 5a.188.A
Humor superfluus est ille qui causat morbum, & non tantum debilitas membri.com.6°.aph.28°. Ex.49.A
Humor plurimus non facit eandem doloris speciem,quàm facit humor mordax.2°.de loc.aff. 4a.9.D
Humorum abundantia in capite faciunt dolorem capitis. commen.4°. aphorismo.70°. Ex.35.B
ex Humore nimio dolor quomodo curetur.de ocul. 7a.189.H
Humorum copia quæ facit cardialgiam.in 1m.prorrh.c.3°. 4a.185.C
Humorũ multitudo,& crassities rupit venas.c.4°.aph.78°.Ex.36.G
Humores superabundantes quo modo ex coloribus cognoscantur.commen.1°.apho.2°. Ex.3.D
vt Humorũ in corpore malorum superfluitatis symptomata excernũtur quandoque sudor & vrina,interdũ expurgante natura. in 3m. de morb.vul.com.3°. 3a.144.D
Humorum affluentiam in laborantibus significat vrinarum bonus color.in 3m.de morb.vulg.com.3°. 3a.150.A
Humorum multitudo significatur per sudores tam calidos, quàm frigidos.com.4°.apho.42°. Ex.32.E
Humores aucti proportione inter se seruata indigent missione sanguinis.com.2°.apho.8°.Ex.12.A| de ren.aff.dig.& med. 7a.193.E
Humores in multitudine ratione potentiæ cur cito corrumpantur.1°. de differentijs febrium. 3°.31.H
Humorem exuperantem in venis contentum quandoque natura ad cutem expellit per modum crisεos.com.6°.aph.42°. Ex.51.B
Humoribus abundantibus cathartica damus.de dynam. Sp.20.F
in Humorum multa copia purgationes sunt vtiles corporibus. in 6m.d morb.vulg.com. 2°. 3a.167.E
Humores vbi multi,neque exercendum,neque balneo vtendum. 13°. methodi medendi. 7a.82.B
Humorũ copiã trahũt à cibo balnea.in 1m.de mor.vul.c.3°. 3a.122.G
Humorem Acidũ valde frigidum esse,collige.c.4°.aph. 12°. Ex.28.E
Humores Acres debent ab ægrorum cibis remoueri, & quando. commentario 2°.aph.18°. Ex.13.H
Humorem medium inter flauum, & pallidum acritudine infectũ quidam euomuit.3°.de loc.aff. 4a.28.C
Humorũ acredo quo mõ cognoscitur.in 1m.de mor.vul.cõ.3°. 3a.125.B
Humorũ acredo pulsus alterare põt nõ efficere.1°.de cau.pul.4a.86.G
Humor acris,ac tenuis exulcerationẽ causat.c.4°.aph.12°. Ex.28.E
Humores acres in oculis erodunt corneam.com.6°.aph.31°. Ex.49.E
Humorum acritudo abradit in ſ..mma parte intestina.commẽtario 4°. aphorismo 24°. Ex.29.H
Humorũ acritudine ventriculi atque intestinorũ abrasa superficie quã faciat lævitatem intestinorum.com.6°.aph.1°. Ex.46.A
Humor stimulat ad externendum.1°.de ali.fac. 2a.7.G
Humorum acritudo exasperat.de caus.mor. 3a.9.C
Humorum acrimonia quo modo curanda.introd. Isa.55.E
Humores Acuti generant morbos.ars med. Isa.71.D
Humores acutos, & biliosos exiccatos venæ tempore æstatis ad se trahunt,qui faciunt febres ardentes.com.4°.aph.58°. Ex.33.G
Humores Adustos non habent senes.3°.de caus.pul. 4a.96.F
ex Humorum adustione fuliginosus vapor.de vsu pul. 1a.229.D
Humor Albus est pituita.de atra bile. 1a.34.E
Humores albi & serosi sunt in fracta parte.de fract.cõ.1°. 7a.229.G
Humores albi & serosi indigent diffiatione,et perspiratione.de fracturis,commentario 1°. 7a.229.G
Humor amarus, flauus, vel pallidus.de atra bile. 1a.34.E
Humore amaro abundant iuuenes.in prognost.com.3°. 4a.210.C
Humore Aquoso,et tenui sanguis plenus est.4°.de vsu par. 1a.136.C
Humor aquosus est vehiculum nutrimenti.4°.de vsu par. 1a.136.C
Humor aquosus & tenuis in vapores breui dirigitur. 7°. de vsu partium. 1a.161.C
pro Humore aqueo in corpore asarum & apium ebullita in aqua. de prægnitione ad Posthumum. 4a.217.H
Humors aquosos et pituitã educit Coccus Cnidius.d the.ad Pi.5a.90.f
Humores aquosos et pituitam educit æris squama.de dyn. Sp.22.A
Humores aquosos laxans electarium.de med.exper. Sp.107.G
HVMOR bilioſus et bilis quid significent.de tum.præt.nat. 3a.84.A
Humores bilioſi ex aluo prodeuntes sanant morbum regium. commentario 4°.aphoris.62°. Ex.34.C
Humor biliosus si in ventre fuerit,ab aqua pura,& frigida corrumpitur.de bon.aquæ. Sp.75.G
Humores biliosus neque coeducit secum vinum dulce, neque coeuacuat. de vinis. Sp.76.D
Humoris boni,cibi qui.de dissol.cont. Sp.73.G
Humores bonos inter tenues & crassos qui cibi generent.de dissolutione continua. Sp.73.H
Humorem bonum,& crassum generantia,quæ.de disso.cont. Sp.73.H
Humor bonus et nobis amicus est sanguis.cõ.5°.aph.64°. Ex.44.G
Humores boni iuuant animæ facultates.quòd animi mores.. 1a.321.B
Humor bonus si euacuetur, quid sequitur.com.1°.apho.23°.Ex.10.D
Humores omnes optimos reddit vinum.com.7°.aph.56°. Ex.59.B
Humores Calidi, & frigidi cur fiãt.de curan.rat.p sang.mis. 6a.16.G
Humor calidissimus flaua bilis in calidissima hora abũdat. in 1m.d morbis vulgaribus, commentario 1°.100.H| 3a.104.C
Humores calidos,& mordaces sequuntur deliria,& vigiliæ. in 3m.de morbis vulgaribus,com.1°. 3a.131.A
cum ab Humore calido fit inflammatio pulmonis, quæ multos vapores transmittit ad caput,cerebrum implet vaporibus,et facit phrenitidem.commentario 7°.apho.12°. Ex.54.G
Humores calidi quo modo cognoscantur.de remed.par.fac. 7a.160.D
Humores calidi quo mõ in dolorib. cognoscantur.3°.de l.aff. 4a.20.F
Humores calidi tenues sunt paratissimi ad excretionẽ. in prognost.cõmentario 3°. 4a.209.F
Humores calidi per excretionẽ euacuantur.in progno.cõ.3°. 4a.210.E
Humoribus Concoctis natura euacuat.quos purg.opor. 5a.89.A
Humores semicoctos ſficiũt quies,& somnus.4°.de san.tuen. 2a.83.E
Humores Crassi,& corpus spissum cõtrariũ.c.2°.aph.28°. Ex.16.F
Humores crassos,viscosos,et frigidos gignantes cibi.d pue.epi.7a.180.D
Humores crassos quæ radices non generant.de puero epilep. 7a.180.E
Humorem crassum,et frigidũ generant fungi.de dissol.cont. Sp.74.B
Humores crassi quibus gignãtur,et qbus non.de fract.c.2°. 7a.235.F
Humorem crassum facientia inutilia senibus.5°.de san.tuen. 2a.91.B
Humorem crassum facientibus si senex vtatur obstruuntur renes, lien, & iecur.5°.de sanitate tuenda. 2a.91.C
Humor crassus melancholicus quodam modo magis minusve est. 13°. methodi medendi. 7a.80.H
Humores quo modo cognoscantur esse crassi,vel tenues. in 3m. de morbis vulgaribus,commentario 3°. 3a.144.G
Hũorũ crasitudo alterare põt pulsus nõ efficere.1°.d ca.pul. 4a.86.G
Humores crassi,et crudi vbi sunt, morbi sunt pessimi.in 1m.de morbis vulgaribus,commentario 3°. 3a.122.G
Humores crassi,& tenues tubercula faciunt.in 6m.de morbis vulgaribus,commen.2°. 3a.65.F
Humor crassus,& glutinosus quando in tumorem attollitur de natura humana,commen.2°. 7a.182.H
Humores crassi defluẽtes interdũ soli sed magna ex parte crasso acfluxuoso spiritu associati,faciunt dolores dorsi.c.6°.aph.22°.Ex.48.D
ab Humore crasso & viscoso fit obstructio meatuum subita.3°.de locis affectis. 4a.17.G

ex Humore plu-

ex Humore plurimo,& crasso fit apoplexia.de vtil.resp. Sp.63.E
ex Humore non tanto neque tam spisso,vt in apoplexia contingit,fit epilepsia.de vtilitate respirationis. Sp.63.E
Humorum crassorum multitudo facit abscessum ad articulos. commentario 4°.aph.74°. Ex.35.H
ex Humore crasso dolori iuncturarũ quid profuit.de me.exp.Sp.104.C
Humores crassi retinent menstrua.com.5°.aph.36°. Ex.40.G
Humores crassi,& lenti dupliciter sanãtur per excretionem, et coctionem.com.5°.aph.70°. Ex.45.E
Humores crassi vel crudi vel coquuntur,vel in sanguinem vertuntur, vel in putredinem labuntur.de bon.& vitio succ. 2a.34.F
Humores glutinosos & crassos gignentia si in ventriculo coquantur, & in iecore sanguinem faciant,maxime ad nutriendũ efficacia sũt. de bon.& vitio succorum. 2a.34.H
Humores crassos habenti quid conferat. de med.exper. Sp.104.D
in Humoribus crassum concretum,& modice frigidum, statim in spiritum vertitur.5°.de sanitate tuenda. 2a.94.D
Humores crassos incidunt calidi mediocriter tum cibi tũ potus.d cur. rat.per sang.miss. 6a.17.E
Humor digeritur per calidum.1°.de temp. 1a.10.G
Humor à calido superabundante digeritur.1°.de temper. 1a.10.D
Humores crassos incidentes,et attenuantes cibi.de diss.cont. Sp.74.G
Humoris crassi generationem in corpore timenti conueniunt cibi subtiliantes.de dissol.cont. Sp.72.D
Humorem crassum & malum in stomacho inuentum incidunt poma,et granata acetosa.de dissol.cont. Sp.75.B
Humorem crassum & frigidum in corpore habenti confert vinum tenue.de dissol.cont. Sp.74.H
ab Humore crasso venas mundificat vinũ tenue.de diss.cõt. Sp.74.G
Humorem deducendo mel aperit.de simp.med. Sp.87.A
Humores incidit moderate vinum pauciferum. de vinis. Sp.76.D
Humores humectat vinum pauciferum.de venis. Sp.76.D
Humores incidit,extenuat,dissoluit,& trahit ad æqualitatem calor febrilis.com.6°.apho.40°. Ex.51.A
Humores crassos quæ medicinæ extenuent.com.5°.aph.36°.Ex.40.G
Humores subtilians medicamentum.de med.exper. Sp.104.G
Humores subtilians,& præparans ad exitum in principijs ægritudinũ frigidarum.de medicinis expertis. Sp.108.E
Humores crassos scindens medicina.de med.exper. Sp.196.G
Humores crassos scindens decoctio.de med.exper. Sp.107.C
Humores crassos subtiliat decoctio carui,& seminis apij.de medicinis expertis. Sp.104.D
Humorem crassum et viscosum laxans medicina.de me.exp.Sp.106.G
Humores crassos,et diuersos laxans electarium.de med.exp.Sp.107.F
Humores crassos,& viscosos soluit succus centaureæ cum mellicrato. de virtute centaureæ. Sp.94.A
Humores tantum crassos docet purgare Galenus,et nihil meminit subtilium.com.2°.aph.9°. Ex.12.C
ex Humore crasso febribus chronicis valens medicamen.de medicinis expertis. Sp.105.G
Humores crassi paucam superfluitatẽ habent.2°. de diff.feb. 3a.41.E
Humor crassus si cã est asthmatis medicamẽ valẽs. d me.exp.Sp.106.G
Humores crassi qñ sunt in pulmonis bronchijs.3°.de loc.affe. 4a.27.F
Humores crassi pulmone eẽ,quo cognoscant.3°.de lo.affe. 4a.27.F
Humores crassos quæ medicamenta per pulmonem trahant. de victus ratione in morbis acutis,com.3°. 7a.126.A
Humorem crassum in pectore purgãs medicamẽ.de me.exp.Sp.107.h
ex Humoribus crassis in intestinis colicæ passioni medicamen valens. de medicinis expertis. Sp.106.G
ex Humore crasso colicæ quid opem ferat.de med.exper. Sp.107.F
Humor crassus fecibus vini similis quando excernitur in vlceribus in testinorum.6°.de locis affectis. 4a.36.E
Humores Crudi qui vocentur.de præsag.ex puls. 4a.109.G
Humor crudus pituitę genus.de mult. 3a.81.F
Humor crudus non pituitosus.10°.de comp.med.se.loc. 5a.206.H
Humor crudus a Philippo dicitur humor vitreus.2°.de dif.fe.3a.37.E
Humor crudus qui proprie sit. 1°.de alim.fac. 2a.10.G
Humor crudus,qualis.10°.de comp.med.sec.loc. 5a.206.H
Humorum crudorum copia cum viceroſa lassitudine quo modo fiat,et quo modo curetur.4°.de san.tu. 2a.86.B
Humorũ crudorum plenitudo,qualis.de cur.ra.per san.miss. 6a.18.F
Humoribus crudis quando homo impletur. 4°.de san.tuen. 2a.88.A
Humores crudos habentium color.de cur.ra. per sang.miss. 6a.18.F
Humores crudos habentium pulsus.de cur.rat per sang.miss. 6a.18.F
Humorum crudorum,et biliosorum vrina.in progn.cõ.2°. 4a.200.D
Humorum crudorum vrinæ quales.de vrinæ sign.Hipp. Sp.79.D
Humorem crudum significant vrinæ crassæ,& tenues.in 3m.de morbis vulgaribus,commen.1°. 3a.131.E
Humor crudus quo mõ dignoscatur ab hypostasi bona.d vri.4a.125.d
Humor crudus per vtiles hypostases distinguitur ab inæquali substãtia eius quod subsidet.de vrinæ sign.ex Hipp. Sp.79.C
Humor crudus, et albus cum vrina excretus euenit vt subsidat præbeatq, videndam vtilem hypostasim.de vrinæ sig.ex Hip. Sp.79.C
in Humoribus crudis vrinæ processus.de vrinis. 4a.125.D
Humores crudos in primis venis habentes quo modo nutriendi. 4°. de sanitate tuenda. 2a.84.H
Humores crudos,& multos in primis venis habentes oxymelite,ptisana, & mulsa cibandi.4°.de sanitate tuen. 2a.84.H
Humores crudos in primis venis habentes non debent vomere. 4°.de sanitate tuen. 2a.85.H
Humores crudi,& crassi,aut per abscessum, aut per coctionem soluuntur.in prognost.commen.3°. 4a.209.G
Humores semicrudos vinum concoquit.4°.de san.tuen. 2a.83.E
Humores si sint crudi an eũandi,et qñ.de curan.ra.p.san.mis. 6a.18.E
Humoribus existentibus crudis non potest fieri bona euacuatio, è contra existentibus coctis.commen.4°.apho.22°. Ex.29.G
Humores crudi et fixi non obediunt pharmacis.1°.de crisi. 4a.128.G
quibus Humorum crudorum inest copia, quo modo Galenus mittat sãguinem.de curan.rat.per sang.miss. 6a.19.A
Humorum crudorum plenitudo nunquam est tanta, vt venæ sectionẽ prohibere possit.de cur.rat.per sang.miss. 6a.19.D
Humores crudos purgantia, quæ.de cathar. Sp.95.C
Humores magis crudos,et aquosos purgat coccus cnidius. de dynamidijs. Sp.21.F
ex Humore crudo quo modo dissinguatur deiectio graueolens. in prognostica,commentario 2°. 4a.199.H
ad Humorem crudum.secretorum. Sp.102.E
ad Humorem crudum lapidosum.secretorum. Sp.100.D
Humoribus deficientibus quo modo æger cibandus.commentario. 1°. aphorismo.17°. Ex.9.C
HVMOR Flauus pallido crassior.de atra bile. 1a.34.E
Humoris Fluctuantis sonitus est symptoma imbecillis vẽtris. 3°.de naturalibus facultatibus. 1a.303.B
Humoris fluitantis sonitus imperfectam concoctionem facit. 3°.de naturalibus facultatibus. 1a.303.B
Humor Fluens quo modo inhibeatur.de sectis. Isa.16.D
Humores fluentes retrahuntur.2°.de arte cur.ad Glau. 7a.102.F
ex Humorum influxu morbi semper debent repelli,partem refrigerãdo,& adstringendo.1a.de compo.med.sec.loc. 5a.121.F
Humores Fœminarũ ex menstruis deprehẽdũtur. c.4°.a.2°. Ex.27.F
Humores qui faciunt dolores,& tardos mẽses.c.5°.aph.36°.Ex.40.H
Humoribus plenæ matricis signa,& curatio.de p.ass.mul. Sp.96.B
Humores siue succi corporis cum sint humidi,quo modo differunt siccitate.de natura humana.commen.1°. 1a.30.G
Humor Frigidus,et hũidus ad pituitã reduciť.2°.de diff.feb. 3a.37.E
Humor frigidissimus pituita hyeme frigidissima tempestate abundat. in 1m.de morb.vulg.commen.1°.100.H/ 3a.104.B
Humoris phlegmatici purgatoria est lactucida.de cathar. Sp.95.B
Humorum frigiditas,vel crassitudo,vel multitudo facit lõgas febres. commenta.4°.aphoris.44°. Ex.32.F
Humor frigidus in capite quid faciat.13°.meth.med. 7a.85.E
Humorem aceruantibus frigidum dandum est vinum Falernum,Tmolitanum,Ariusium,Lesbium.de vinis. Sp.76.G
ob Humores frigidos dolorem ventris & renum, curat chamæmelum puluerizatum & malaxatũ cum melle. de med.exper. Sp.106.D
Humoris frigidi gratia si vrina ĩpediat,qd cõferat.d cu.lap. Sp.112.F
Humores frigidi per abscessum euacuãtur.in progn.com.3°. 4a.210.E
Humor Glutinosus & spumeus quorum sit membrorum, commẽtario 5°.aphorismo 39°. Ex.41.C
Humorem carnosæ parti inhærentem, vel crassum, vel pituitosum educere laboriosissimum.contra Iulianum. Ex 69.E
Humor Lentus vnde fiat.13°.meth.med. 7a.80.H
Humores lenti,ac crassi angustiam faciunt.de caus.morb. 3a.9.A
Humorũ lẽtor pulsus alterare põt,nõ efficere.1°.de cau.puls.4a.86.G

Humores lenti, & crassi paralysim pariunt. de atra bile. 1ª.35.H
Humor lentus crassus cur difficulter expuatur. 3°. *de lo. af.* 4ª.27.G
Humores lenti, ac crassi exire non possunt absque tussi valida. 3°. *de locis affectis.* 4ª.27.G
Humores lenti crassi, & frigidi à calefacientibus inflatus deducũtur. 12°. *methodi medendi.* 7ª.79.D
Humores Malos generantium ciborũ tres species. de diff. cõt. Sp.74.A
Humores malos generant olera omnia. de dissol. cont. Sp.74.B
Humoribus malis plenum animal, & non obstructum sanũ est vt tũc. 1°. *de differentijs febrium.* 3ª.31.G
ad Humores vitiosos sequuntur symptomata quæ cerebrũ, & oculos afficiunt. 5°. *de locis affectis.* 4ª.32.H
ex Humoris vitio in cerebro fit dementia. 13°. *meth. med.* 7ª.85.E
Humores mali fluentes ab hepate faciunt fastidium cibi. commentario 6°. *aphorismo* 3°. Ex.46.F
Humores praui lædunt animi functiones. quòd animi mores. 1ª.321.B
Humoribus prauis qũo quis poterit vacare. c. 6°. *apb.* 28°. Ex.49.A
Humores praui vlcera erodunt, & quo modo cognoscantur. commentario 6°. *apho.* 4°. Ex.46.G
Humores mali per quas vias mittãtur à natura. c. 2°. *a.* 15°. Ex.12.F
Humores mali propter exercitium tendunt ad cutem. commẽtario 3°. *aphorismo* 20°. Ex.24.C
Humorum malitia redũdante purgatione vtimur, redundante sanguine euacuamus per venæ sectionem. com. 6°. *aph.* 31°. Ex.49.G
ab Humorum malitia sanguinis copiam distinguere non est difficile. cõmentario 6°. *apho.* 31°. Ex.49.G
Humores vitiosi in toto corpore possunt retinere menstrua, & facere fastidium cibi. com. 5°. *apho.* 61°. Ex.43.E
Humorum vitiosorum fluxus facit vlcera insanabilia. cõmentario 6°. *aphorismo* 45°. Ex.51.E
Humoribus prauis qũo qs possit euacuari. c. 6°. *apho.* 28°. Ex.49.A
Humores praui in intestinis fœno græco subducũtur. 1°. *d ali. fa.* 2ª.14.e
Humorum malorum reliquiæ solent causare recidiuas in febres. commentario 2°. *aphorismo* 12°. Ex.12.D
Humores malignos accipit lupinus cum aceto in modum cataplasmatis impositus. de simpli. med. Sp.86.C
Humore prauissimo excreto corpus lædi, vt sincera atra bile quæ semper letaliter excernitur. de atra bile. 1ª.34.H
Humores vitiosi facile discutiuntur in mollibus corporibus. 1°. *de cõposit. med. secundum locos.* 1ª.123.B
qui Humores vitiatos habent ac male difflantur, febribus facile corripiuntur. 1°. *de diff. feb.* 3ª.31.H
Humores vitiosos habentes quo modo curãdi. 6°. *de san. tuen.* 2ª.97.E
Humorum vitium quibus curetur. 13°. *methodi medendi.* 7ª.81.H
Humores si sint vitiosi sunt purgandi. 6°. *de san. tuen.* 2ª.100.E
Humoribus vitiosis pleni quæ medicamenta requirant. 1°. *de composi tio. med. per genera.* 5ª.212.H
vt Humor sit maxime vitiatus, ac vasorum vis nõ omnino imbecillis, fieri potest. 1°. *de differentijs febrium.* 3ª.33.C
ad Humores vitiosos. 8°. *de comp. med. sec. loc.* 5ª.195.B
HVMOR *Melancholicus est fex sanguinis. com.* 4°. *aph.* 11°. Ex.36.F
Humoris melancholici quatuor differentiæ fin. med. Isa.44.C
Humor melancholicus quando non est atra bilis. de mul. 3ª.81.H
Humor atrabilaris autumno abundat perustis æstate duobus succis, sãguine, et pallida seu flaua bile in 1ᵐ. *de morb. vlg. cõ.* 1°. 3ª.100.H
Humor melancholicus de splene educitur. de cathar. Sp.94.G
Humor melancholicus deorsum purgatur. de cathar. Sp.94.C
Humorẽ melãcholicũ maxime educit garũ catharticũ. d dy. Sp.22.H
Humorum Mordacium differentiæ. de mult. 3ª.79.E
Humores si vehementius mordeãt, veluti cæpa, mordaces sunt. de multitudine. 3ª.79.E
Hũores si modice mordeãt, veluti scilla, pruriginosi sũt. d mul. 3ª.79.E
Humor mordax & amarus est pallida & flaua bilis. 2°. *de comp. medicam. sec. locos.* 5ª.135.D
Humores mordaces habent vim exiccandi. com. 5°. *aph.* 1°. Ex.37.E
Humores mordaces sunt illi q turbãt vẽtriculi. c. 4°. *aph.* 17°. Ex.29.A
Humor mordax non facit eandem doloris speciem, quam facit humor plurimus. 2°. *de loc. affect.* 4ª.9.D
Humor mordax incitans nos ad expulsionem si retineatur propter negocia, quid mali agat. 6°. *de sanitate tuenda.* 2ª.99.E
Humor mordax dysenteriam facit, & vlcerat intestina, & eo remoto non remouetur affectus. 1°. *de locis affectis.* 4ª.4.C

HVMOR *niger quo modo fiat in progno. com.* 2°. 4ª.202.E
Humores Nubilosos facit aer nubilus. i 11ᵐ. *d mor. vul. cõ.* 1°. 3ª.104.C
Humores Oculorum. de anatomia parua. Sp.43.D
Humores tres habet oculus. de anat. ocul. Sp.57.B
Humores oculorum propter quid sint. de ocul. 7ª.182.G
Humores oculorum tres frigidi, & humidi. de comp. memb. Sp.58.B
Humor primus oculi est aqua lucidissima, in qua vis visibilis est. de cõpag. membro. Sp.58.C
Humor secundus oculi est vt tenue oui album. Sp.58.C
Humor tertius oculi est vt vitrum, & habet nõ nihil citrini coloris. de compag. memb. Sp.58.C
Humorum & glacialis grandinis in tunicis cerebrorum iuuamentum. de anatomia viuorum. Sp.44.C
Humor crystallinus ab Arist. dicitur grãdo glacialis. d an. vi. Sp.48.D
Humor crystallini figura, qualis. de anat. viuo. Sp.48.D
Humor crystallinus cur in pfundo & medio positus. d an. vi. Sp.48.D
Humor crystallinus est pars similaris. 1°. *meth. med.* 7ª.6.D
Humor crystallinus visionis primũ instrumentũ. 1°. *meth. me.* 7ª.6.D
Humor crystallinus vt se habet ad visum, ita interior pars ossis petrosi ad auditum. de ana. viuo. Sp.48.G
ad Humorẽ crystallinum ita se habet vitreus humor, vt stomachus ad hepar. de anatomia viuo. Sp.48.D
Humor vitreus ẽ post crystallinũ, et vũ, et quare. de ana. vi. Sp.48.D
Humor vitreus est pars similaris. 1°. *meth. med.* 7ª.6.D
Humor vitreus se habet ad crystallinum in comparatione stomachi ad hepar. de ana. viuo. Sp.48.D
Humorem vitreum qui nerui circuunt. de neruorum diff. 1ª.53.D
Humor albugineus est superfluitas crystallini. de ana. vi. Sp.48.D
Humor albugineus cur liquidus. de ana. viuo. Sp.48.E
Humoris albuginei situs, & propter quid. de anat. viuo. Sp.48.E
Humor albugineus vbi, et qñ dilatãt, et cõstringĩt. d ana. vi. Sp.48.F
Humore albugineo læso læditur visus. de ana. viuo. Sp.48.E
Humor paucus et tenuis distillãs facit tussim siccã. c. 4°. *a.* 54°. Ex.33.E
Humor exiguus maxima facit symptomata. 6°. *de lo. affect.* 4ª.40.A
Humores Peccantes in quali, ẽt in quãto videri peccare, collige ex Galeno cum exponit verbum qualia apud Hippocratẽ significare abũdãtiã humorũ sua qualitate infestantiũ. c. 4°. *apho.* 2°. Ex.27.E
Humores qui infestare possint. 4°. *de san. tuen.* 2ª.83.F
Humorem molestantem vbi educimus, catharticis fortibus vtimur. de dynamidijs. Sp.20.G
Humores infestãtes sunt illi q debẽt euacuari. c. 4°. *aph.* 18°. Ex.29.B
Humores infestantes totius corporis primo euacuari debent in doloribus oculorum. com. 6°. *aph.* 31°. Ex.49.D
Humor noxius semper, & solus euacuandus, & quo modo cognoscatur. commen. 1°. *aph.* 2°. Ex.3.C
Humores qũo cognoscãtur. de vict. rat. in mor. acu. com. 2°. 7ª.116. E/H
Humores oẽs qũo per sua signa cognoscantur. c. 4°. *apho.* 2°. Ex.27.F
ad Humores peccantes cognoscendos multum facit victus ratio præcedens. 14°. *methodi medendi.* 7ª.93.D
ad Humorum qualitates cognoscendas conducunt insomnia. de præsa. ex insom. sum. 4ª.213.E
Humores ex colore cognoscuntur. com. 1°. *apho.* 2°. Ex.3.D
Humores formis vrinę corresp̃dẽt. in 6ᵐ. *de mor. vul. c.* 5°. 3ª.192.A
Humores peccantes si ingurgitauerint, quo modo cognoscendi. commẽtario 1°. *aph.* 2°. Ex.3.D
Humor alienus à natura in loco calido cõstitutus, facillime putrescit. commen. 2°. *aph.* 12°. Ex.12.E
Humoris Pituitosi in throace indicia. 3°. *de loc. affe.* 4ª.27.G
Humor pituitosus propter magnum calorem exiccatus, facit lentores circa dentes. commen. 4°. *apho.* 37°. Ex.33.D
Humores Putrescunt sæpe in toto corpore, & sæpe in solis vasis. commentario 4°. *apho.* 37°. Ex.32.D
Humorum putredinis commune est vt illas partes, in quas impingit, corrumpat. in 3ᵐ. *de mor. vul. com.* 3°. 3ª.142.E
Humores corrumpuntur vt epoto veneno. 5°. *de loc. affe.* 4ª.34.B
Humores fieri venenosos malum. de bon. & uitio suc. 2ª.34.B
Humorum putredinis comes acuta febris. in 3ᵐ. *de morbis vulgaribus commentario* 1°. 3ª.127.D
Hũorũ maligna putredo facit febres periculosas. c. 4°. *a.* 43°. Ex.32.F
Humorum putredo in uasis, qualis. 1°. *de diff. feb.* 3ª.33.B
Humores corrupti ex colore cognoscuntur. 1°. *de compo. medicamen. secundum locos.* 5ª.121.E

Humores corruptos

Humores corruptos habẽtibus quid dandum.com. 1°.aph. 17. Ex. 9. C
in Humorum corruptela dandum eſt medicamentum. quos purg. opor. quibus med. & quo temp. 5ª. 88. B
Humores putridi in cinerem vertuntur. 2°. de diff. feb. 3ª. 41. D
Humor Rubiginoſus quo modo fiat. in progn. com. 2°. 4ª. 202. E
Humor æruginoſus. 12. meth. me. 7ª. 80. A
Humor æruginoſus quid ſignificet. in 1ᵐ. pror. com. 1°. 4ª. 164. E
ꝑ Humore æruginoſo euomendo Galenus aquam tepidam dedit. 12°. methodi med. 7ª. 80. A
in Humore omni eſt Seroſus, ac tenuis liquor, qui differt, vt humores faciunt. in 6ᵐ. de mor. vul. com. 2°. 3ª. 167. F
Humor ſeroſus quo modo cognoſcitur abundare in corpore. in 3ᵐ. de mor. vulg. com. 3°. 3ª. 144. D
Humoris ſeroſi in thorace indicia. 3°. de loc. aff. 4ª. 27. G
Humores ſeroſos ſanguinis exugens epithema. 10°. de compoſi. medic. ſecundum locos. 5ª. 209. B
Humor ſpumoſus ex capite ad ventriculum quandoque facit excrementa ſpumoſa. com. 7ª. aph. 30°. Ex. 56. A
Humorẽ Tenuẽ oculi cõparat ouorũ cãdido. i prog. com. 3°. 4ª. 194. E
Humores tenues & corpus rarum ſunt cauſa extenuationis. com. 2°. aphoriſmo. 28°. Ex. 16. F
Humorum tenuium ebullitio. 2°. de diff. feb. 3ª. 40. D
Humores tenues acres quos dolores faciant, & quòd faciant conuulſionem. 12°. meth. me. 7ª. 80. A
Humores tenues, & aquoſi in principio morbi euacuandi, nulla facta coctione. quos purg. opor. quib. med. & quo temp. 5ª. 88. F
Humoribus tenuibus exiſtentibus non eſt expectanda coctio, ſed in principio euacuandum. de dyn. Sp. 20. D
Humores tenues faciũt magis, et minº purgare. 3°. d ſimp. m. f. 5ª. 23. H
Humores tenues, & aquei cur per tuſſes non exeunt. in 6ᵐ. de morbis vulg. com. 3°. 3ª. 174. C
Humores tenues cur non expurgent per pulmonem. de victus ratione in morb. acu. com. 3°. 7ª. 126. A
Humor tenuis cur difficulter expuatur. 3°. de loc. aff. 4ª. 27. G
HVMORVM *ſuperabundantiũ motus eſt materiæ turgentis motus. 1°. de criſibus.* 4ª. 128. G
Humores turgẽtes ſunt in principio purgãdi. com. 4°. aph. 1°. Ex. 27. B
Humores turgidi ſunt paratiſſimi ad exitum, & properant ad euacuationem. in 6ᵐ. de mor. vul. com. 2°. 3ª. 162. B
Humores quot modis de loco ad locum tendant. in 6ᵐ. de morb. vulg. commentario. 3°. 3ª. 178 G
Humores raro turgent. com. 1°. aph. 22°. Ex. 10. C
in Humorũ motu qd cauẽdũ, & qd diſcriminis ĩmineat. d dy. Sp. 20. D
Humoris collecti in loco ſcopus eſt euacuatio. 1°. de compoſi. medica. ſecundum locos. 5ª. 121. F
Humores firmati in aliqua parte nõ ſũt mouẽdi. c. 4°. aph. 1°. Ex. 26. B
Humores firmi in vno loco nõ debent euacuari niſi cõcocti. quos purg. opor. quibus med. & quo temp. 5ª. 88. H
Humores fixi in aliquo membro non purgandi, antequam maturentur. de dynamidijs. Sp. 20. D
Humores conſiſtentes deriuantur. 2°. de arte cur. ad Glau. 7ª. 102. F
HVMOR *Viſcoſus pituitoſus cur in epiglottide generetur. de Virtutibus noſtrum corp. diſpen.* Sp. 61. C
Humor viſcoſus & vnctuoſus requirit multum tempus ad reſolutionem. 7°. de vſu partium. 1ª. 161. C
Humores viſcoſi quibus indigeant Vt educantur. de vict. rat. in morb. acut. commen. 3°. 7ª. 126. A
Humores viſcoſos laxãs. de med. exper. 104. F/105. G/H/ Sp. 108. B
Humor Vitreus qui ſecundum Philotimum. 1°. de alim. fac. 2ª. 12. A
Humor vitreus qui a Praxagora. 2°. de dif. feb. 37. E/de inæq. intẽpe. 3ª. 44. F/2°. de loc. aff. 9. D/1°. de præſagit. ex pulſ. 4ª. 107. F
Humor vitreus à Praxagora qui, & quos faciat dolores. in 1ᵐ. pror. comment. 1°. 4ª. 168. F
Humor vitreus dolorem vehementem parit. 12°. meth. me. 7ª. 80. A
ex Humore vitreo rigor. de inæq. intemp. 3ª. 44. F
Humor vitreus frigidiſſimus omnium humorum. in 1ᵐ. pror. commentario. 1°. 4ª. 168. F
Humor vitreus frigidiſſimus cur ita dictus. 2°. de loc. aff. 4ª. 9. D
HVMORES *quos coaceruct ruri manens æſtiuo tempore. in 1ᵐ. de mor. vulg. commen. 3°.* 3ª. 118. F
Humores quos coaceruet in vrbe manens lauansq; ſe. in 1ᵐ. de morb. vulg. commen. 3°. 3ª. 118. F
Humorũ plus colligit edẽdo & dormiendo. 2°. de præſ. ex p. 4ª. 109. F
Humorũ minus colligitur p vigilias & inædias. 2°. de pſ. ex. 4ª. 109. F
Humores in aerem ambientem diſſipantur. 2°. de diff. feb. 3ª. 41. E
Humores & calor naturalis totus in principijs acceſſionum in profundum corporis vergunt. com. 2°. aph. 1°. Ex. 11. B
HVMORES *quatuor morborum cauſæ. 8°. de decr. Hipp.* 1ª. 275. H
Humores quatuor ſunt auctores ſanitatis & morborũ. in 3ᵐ. de morb. vulg. com. 1°. 3ª. 129. C
ex Humoribus qui morbi naſcantur. com. 6°. aph. 47°. Ex. 52. C
Humores qui cauſent varios morbos. com. 1°. aph. 2°. Ex. 3. D
Humorales morbi in oĩbus quidem fiunt per robur atque infirmitatem excretinarum facultatum. de natura humana. com. 2°. 7ª. 182. G
Humor qui facit laſſitudinem conſiderandus an cum ſanguine, an cum crudis humoribus, an per ſe conſiſtat. 4°. de ſan. tuen. 2ª. 83. E
Humores laſſitudinẽ faciẽtes quo deprehẽdãtur. 4°. de ſan. tu. 2ª. 83. E
Humor non bene diffiatus putreſcit. 1°. de diff. feb. 3ª. 31. H
ex Humoribus varijs quo modo febris excitetur. in 1ᵐ. de morb. vul. comment. 2°. 3ª. 110. F
Humor vnuſquiſq; acccnſus habet ſuũ calorẽ. aduer. Lycum. Ex. 65. H
Humorum nulla intercueniente putredine qui incidant in febres. 1°. de diff. feb. 3ª. 32. G
ab Humoribꝰ ſpũs facillime accẽdunt, nõ è cõtrario. 1°. d diff. f. 3ª. 31. A
Humores facillime à corpore ſolido accenduntur, non è contrario. 1°. de diff. febrium. 3ª. 31. B
Humor febres tertianas efficiẽs qui, & vnde ſit. 2°. de diff. fe. 3ª. 36. D
ex Humoribus alijs febres, & ex ſanguine ſolum differunt bonitate, et malitia. 2°. de diff. feb. 3ª. 40. C
Humoris in cana vena putrefactio facit febres homotonas, acmaſticas, & paracmaſticas. 2°. de diff. feb. 3ª. 42. G
Humor cordis in hectica febre conſumitur. 1°. de diff. feb. 3ª. 34. A
ab Humoribus peſtilentia. de bon. & vitio ſucc. 2ª. 33. F
Vbi Humores nimij expurgantur, ſolẽt ſequi tuſſes. in 1ᵐ. de mor. vul. comment. 2°. 3ª. 111. A
Humor qui in ſuffuſionibus coagulatur. de anat. ocul. Sp. 57. F
Humores in caput efferri quo modo cognoſcatur. in 6ᵐ. de morb. vulgaribus, commen. 5°. 3ª. 190. F
Humores recipere aptas venas multas habet lingua. in 6ᵐ. de morb. vulg. commen. 1°. 3ª. 191. G
Humores non æque natura apta ſunt ſuſcipere membrana ſubcingens coſtas & pulmo. com. 6°. aph. 33°. Ex. 50. A
Humor faciens pleuritim vbi colligatur. de anat. parua. Sp. 43. A
Humores qui in carne, & toto corpore congeſſere, debent vti acopo ex abiete. 4°. de ſan. tuen. 2ª. 86. G
HVMORES *quibus modis foras ferantur. 4°. de ſan. tuen.* 2ª. 85. H
Humores quibus modis intro ferantur. 4°. de ſan. tu. 2ª. 86. A
Humores q ſunt intus, attenuãdi et coquẽdi ſunt. 4°. de ſa. tu. 2ª. 86. A
Humores q foris ſũt, leniter educẽdi p halitũ ſunt. 4°. de ſa. tu. 2ª. 86. A
in Humorũ alteratione fit cõcoctio. in 1ᵐ. de mor. vul. com. 2°. 3ª. 112. C
Humores ex quibus alterantur. ars med. Iſa. 71. E
Humores trãſmutant pharmacis, quæ venena dicũtur. ars me. Iſ. 71. E
Humores alterant ijs quæ venenis ferarũ aduerſant. ars me. Iſa. 71. E
Humorem vacuare à particula, & particulam ſiccam reddere non eſt idem. 2°. de elementis. 1ª. 21. D
Humores qui per ſectionem venæ, & qui per medicamentum educi debent. com. 6°. aph. 47°. Ex. 52. B
Humorum proli vam diſpoſitionẽ ut remoueamus, catharticis vtimur. de dynamidijs. Sp. 20. E
Humorum ratione medicamentorum diuerſitas. de cathar. Sp. 95. A
Humores proprios euacuant medicamenta. 8°. de decr. Hip. 1ª. 276. C
Humorem aliquem peculiarem attrahit omne medicamentũ purgatorium. 2°. de elem. 9. D/de atrab. 1ª. 36. B/com. 1°. aph. 22°. Ex. 10. C
Humorem proprium appetit attrahere purgatorium pharmacum vel flauam bilem, vel atram, vel pituitam, uel aquoſam ſuperfluitatẽ. commen. 2°. aph. 37°. Ex. 17. G
Humoribus, quos purgant, familiaria ſunt medicamenta. 3°. de ſimpl. medic. facul. 5ª. 23. D
Humorem ſibi proprium primo trahere medicamẽta, deinde alios, ſuperfluæ purgationes oſtendunt. 2°. de elementis. 1ª. 9. E
Humores quo modo trahant medicamenta. de purgan. med. 5ª. 86. H
Humores quo ꝑ ordinẽ euacuãtur à medº. 3°. de ſimp. med. fa. 5ª. 23. G
Humorũ ordo excũtiũ p vim medicamẽtorũ. 1°. de na. hu. cõ. 1°. 1ª. 31. E
Humores quo ordie euacuãt, qñ hõ moriẽ ex euacuatiõe. 2°. d el. 1ª. 9. F

Humores in ſuperpurgationibus cur educuntur, tamen non ſunt medicamenti proprij. 3°. de ſimp. med. fac. 5ª. 23. H
Humor quilibet penitus euacuatus intemperantiam ſequitur. 3°. de ſimplic. med. fac. 5ª. 23. H
Humore vno penitus euacuato homo moritur. 2°. de elemen. 1ª. 9. F
Humor vnus vbi deeſt, homo moritur. de natura humana, commẽ. 1°. 31. E/ 8°. de decretis Hipp. 1ª. 276. C
ex Humore ſolo purgato nullus mortuus in ſuperfluis purgationibus. 1°. de elementis. 1ª. 4. D
Humore vno deficiente deſunt omnia. 7°. de decr. Hipp. 1ª. 276. F
Humor totus perire non poteſt. contra Iulianum. Ex. 70. B
Humores homine mortuo ſeparantur, & ad propriam naturã redeunt ſecundum aliquos. de ſpermate. Sp. 40. F
Humores in terrã redire mortuo hoĩe ĩqt Ariſtoteles. de ſper. Sp. 40. F
Humorem attrahit acredo. de dynamidijs. Sp. 20. E
Humores qui quo tempore ſint purgandi. com. 6°. Aph. 47°. Ex. 52. B
Humores qui euacuandi in morbi principio, & qui non. comment. 1°. aphoriſmo. 22°. Ex. 10. B
Humores educendi prævalente morbo. de dynamidijs. Sp. 20. D
Humores euacuandi per cutim, non ſunt euacuandi per vomitum & per ſeceſſum. in 6ᵐ. de mor. vul. com. 2°. 3ª. 165. G
Humor in cute quo modo euacuãdus. 1°. de cõp. med. ſec. loc. 5ª. 121. F
Humores omnes educuntur de ſtomacho. de cathar. Sp. 49. G
Humores ex ſima parte hepatis per ventrem educendi ſunt: ex parte autem gibba per vrinas. de cathar. Sp. 94. G
Humores morbum facientes ſi non ſint purgati, cauſant abſceſſum, vbi eſt labor. com. 4°. aph. 2°. Ex. 30. H
Humores quo modo debent eſſe fluxui parati ante purgationem. comment. 1°. aphoriſmo. 24°. Ex. 10. G
Humores fluidos eſſe debere, quo modo intelligendum. quos purg. op. quib. med. & quo temp. 5ª. 88. H
Humorũ inclinatio conſideranda. quos purg. op. quib. med. 5ª. 88. G
Humorũ motus pertinet ad euacuationem. com. 1°. aph. 21°. Ex. 10. A
Humores debent euacuari per loca, ad quæ repunt opportuna. cõ. 6°. aphoriſmo. 22°. Ex. 48. D
quis Humor euacuatus ſitim faciat. com. 4°. aph. 19°. Ex. 29. C
Humor qlibet ſyncerus p̃ter ſanguinẽ, ẽmalus. ĩ ꝓgn. cõ. 2°. 4ª. 202. E
Humore pluſculo exolutas partes roborat hypociſthis. 7°. de ſimplic. medic. faculc. 5ª. 51. D
Humores purgandi in ictero. de cura icteri. Sp. 111. F
Humorũ fæcẽ ex corpore mundificans medicamentũ. ſecret. Sp. 101. G
Humores diuerſos laxans medicamen. de med. exper. Sp. 106. B/C
Humores diuerſos laxat electuariũ iridis. de med. exper. Sp. 105. E
Humores diſſoluẽs et liquefaciẽs eos medic. de med. exper. Sp. 106. C
Humores omnes diſſoluit vrtica. de ſimp. med. Sp. 92. A
ad Humores ægre eductiles: 7°. de comp. med. ſec. loc. 5ª. 185. G
ad Humorem emittendum, vinculum. de faſcijs. 7ª. 295. B
Humores à partibus robuſtioribus tranſmittuntur ad partes imbecilliores. de natura hum. com. 2°. 7ª. 182. H
Humores ſemper deferuntur in partem ægram. 11°. met. me. 7ª. 74. B
Humor poteſt irrepere in præcipuam partem, & in non præcipuam. de conſtitutione artis. Iſa. 41. G
Humor ad articulos acceſſurus poteſt per vrinam mitti. commen. 4. aphoriſmo. 74ª. Ex. 35. H
Humores, & maxime in articulamentis extrahens, ſine inciſione. 6°. de comp. med. per gen. 5ª. 261. G
Humores euocans aliud. 6°. de comp. med. per gen. 5ª. 261. G
Humorem contentum extrahens. 6°. de comp. med. per ge. 5ª. 262. A
Humor vnus raro purus in abſceſſibus. de diff. mor. 3ª. 5. G
ex Humoribus ſinceris qui abſceſſus fiant. de cauſ. mor. 3ª. 8. C
ex Humoribus mixtis quæ fiant. de bon. & vitio ſucc. 2ª. 39. D
ex Humoribus commixtis quæ fiant. de cauſ. morb. 3ª. 8. C
ab Humore ſi fieret palpitatio, non tam cito ſolueretur. 2°. de ſympto matum cauſ. 3ª. 20. G
ex Humore, & flatu dolorem curat Galenus oleo in quo ruta cocta ſit, pro clyſteri vtens. 12°. met. med. 7ª. 80. A
HVMORVM *ſapores qui in terra cõtinẽtur. de na. hu. cõ. 1°.* 1ª. 31. G
Humoris tantundem potum exhibens irrigato, ſi humidum inſitum delabitur. ad Thraſ. 2ª. 104. E
Humore conſpergentes miniſtri medicorum. in 6ᵐ. de morbis vulgaribus, commentario. 5°. 3ª. 188. E
HVMOROSAM *vuluã deſiccat diamoron de rubis. de dyn.* Sp. 26. B
HVMI *cubare eſt cauſa fluxus ſanguinis in iuuenibus. comment. 3°. aphoriſmo. 29°.* Ex. 26. C
Humi cubare plus nocet cõſiſtẽtib⁹, q̃ iuuenib⁹. c. 3°. ap. 30°. Ex. 26. D
HVSTOLEX quid. de ſimp. med. Sp. 85. C
Huſtolex eſt chryſocolla. de ſimp. med. Sp. 85. C
Huſtolex ad aurum glutinandum idoneum eſt. de ſimp. med. Sp. 85. D
Huſtolex vires habet viſcide ſtringentes valde. de ſimp. me. Sp. 85. D
HYACINTHVS *quid. de ſimplicib⁹ medicaminibus.* Sp. 92. E
Hyacinthus ſiccus eſt in primo ordine, & frigidus in tertio. 8°. de ſimplic. medic. facul. 5ª. 6. H
Hyacinthus ſtyptica eſt valde. de ſimp. med. Sp. 92. E
Hyacinthus ſeruat pueros impuberes. 8°. de ſimp. med. fac. 5ª. 62. H
Hyacinthus regio morbo laborantib. exhibeĩ. 3°. de ſim. m. f. 5ª. 62. H
HYACINTHI *roborant cor diſſolutum. de ana viuo.* Sp. 46. D
Hyacĩthis ad tẽperãtiã cor diſtẽperatũ reducĩt. de ana. viu. Sp. 56. A
HYBRESTI acuti roſtri antidotus. 2°. de antido. 5ª. 118. E
HYDATIS quid. ſin. med. Iſa. 48. G
Hydatides papulæ, quæ. 5°. de loc. aff. 4ª. 29. D
Hydatides affectus partium exteriorũ palpebrarũ. introd. Iſa. 58. D
Hydatides quo modo curandæ. 14°. met. me. 7ª. 93. F
Hydatides oculorum morbus manu indiget. introd. Iſa. 59. G
Hydatides ſingulatim tolluntur. introd. Iſa. 59. G
HYDERICI *ex vitioſo ſucco quibus color mutatur, in elephãticis, ſplenicis, alijſq; 3°. de ſymp. cauſ.* 3ª. 30. A
Hydericis conuenit cochlearum caro. 11°. de ſimp. med. fac. 5ª. 78. F
Hydericis prodeſt medicamẽ recipiẽs cãtharidas. 3°. de tẽp. 1ª. 23. C
HYDNON, *id eſt tuber terræ. 8°. de ſimp. med. fac.* 5ª. 62. H
HYDRELÆON *quid. 2°. de anti.* 5ª. 114. B
Hydrelæum quo modo fiat. de dynamidijs. Sp. 23. B
Hydrelæum oleum. 2°. de ſimp. med. fac. 5ª. 16. C
ex Hydrelæo infuſiones ad capitis dolorem ex febre. 1°. de arte curat. ad Glauconem. 7ª. 100. B
Hydrelæum prodeſt fractis. introd. Iſa. 60. F
Hydrelæũ p vomitu. 1°. d̃ arte cur. ad Gla. 99. C/ de rem. p. f. 7ª. 160. H
ex Hydrelæo, & pane decocto, cataplaſma ad cruſtas excidentes. 2°. de arte cur. ad Glauco. 7ª. 107. B
ex Hydrelæo, & argẽti ſpuma emplaſtrũ. 1°. de cõp. m. p. ge. 5ª. 212. H
HYDRAGOGA *medicamenta, quæ. de atra bile. 1ª. 36. B/ de dynam. 22. A/ de catharticis.* Sp. 95. A
Hydragoga dantur mulieribus moleſtatis per longum tempus ab aliquo fluxu, & rheumatizantibus. de dynam. Sp. 22. A
HYDRARGYRVS *præparatur, non naſcitur ſponte. 9°. de ſimplicium medic. fac.* 5ª. 71. B
Hydrargyros per eroſionem interimit. 4°. de ſimp. med. fac. 5ª. 30. B
Hydrargyrum non eſt expertus Galenus an interimat, ſi deuoretur. 9°. de ſimp. med. fac. 5ª. 71. B
HYDRENTEROCELE *quid. ſin. med.* Iſa. 49. D
Hydrenterocele ſcroti. ſin. med. Iſa. 49. C
Hydrenterocele tumor ſcroti compoſitus. introd. Iſa. 60. B
HYDROCELE *quid. ſin. med. Iſa. 49. D/ de tum. præt. nat.* 3ª. 85. G
Hydrocele tumor ſcroti. ſin. med. 49. C/ introd. Iſa. 60. B
Hydrocele laborantium curatio. intr. Iſa. 60. B/ 14°. met. me. 7ª. 90. G
Hydroceles humor indicat de ablatione. 14°. met. med. 7ª. 90. F
ad Hydrocelas quidam vtuntur bdellio ſaliua matutina ſubigentes. 6°. de ſimp. med. fac. 5ª. 44. H
HYDROCEPHALON *quid. ſin. med.* Iſa. 49. A
Hydrocephalon ſuturarum diſtentio. intro. Iſa. 59. C
Hydrocephali quatuor ſpecies. introd. Iſa. 59. F
Hydrocephali curatio. introd. Iſa. 59. G
Hydrocephalum incurabile, quod. introd. Iſa. 59. G
HYDROCOPIARVM *deſcriptiones architectonicæ complectitur. de cuiuſque animi pec. not. atque med.* 2ª. 57. B
HYDROMELI *quo modo conficiatur. de dyn. 22. D/* Sp. 23. C
Hydromeli quo tempore faciendum. de dyna. Sp. 22. D
Hydromeli habet ſaporẽ vini vetuſti, et guſtus iudicat. d̃ dy. Sp. 22. E
Hydromeli, & acetum purgat aures. de cathar. Sp. 95. B
HYDROMPHALOM *quid. ſin. med.* Iſa. 49. B
Hydromphali qui. introd. Iſa. 60. A
HYDROPHOBOS *quid. ſin. med.* Iſa. 47. D
Hydrophobos (aquæ timor dicitur). 9°. met. me. 7ª. 58. H
Hydrophobos cuidã cõtigit poſt annum. in 1ᵐ. pror. com. 2°. 4ª. 171. E

de HYDROPE. 9°.de comp.med.sec.loc. 5ª.200.A
de Hydrope ignorantia Eraſiſtrati.2°.de nat.fac. 1ª.299.F
Hydrops eſt aquoſus tumor.de oculis. 7ª.189.E
Hydrops quo modo,& quot eius ſpecies.de tum.præt.nat. 3ª.84.G
Hydropis tres ſpecies.introd. Iſa.56.G
Hydropum duæ ſpecies,& quo modo curentur.de victus rat. in morb. acut.comment.4°. 7ª.148.G
Hydrops aſcites.fin.med. Iſa.47.F
Hydrops aſcites vocatus quando fiat.3°.de ſympt.cau. 3ª.26.C
Hydrops leucophlegmatias dictus qñ fiat.3°.de ſymp.cau. 3ª.26.C
Hydrops anaſarca quid.fin.med. Iſa.47.G
HYPOSARCIDION ſpecies hydropis.introd. Iſa.56.G
Hydrops tympanias quid.fin.med. Iſa.47.G
Hydrops ſicca ab Hippocrate dr tympanias.c.4°.aph.11°. Ex.28.D
in Hydropa tympaniam,& in lienteriam quod cruditatis ſympto-ma finiatur.3°.de ſymp.cau. 3ª.25.C
Hydrops ſubita quo modo.3°.de ſymp.cauſ. 3ª.28.F
Hydrops matellæ quæ affectio.6°.de locis affectis. 4ª.37.F
Hydrops matellæ raro fit,illā tñ bis vidit Galen.6°.de lo.aff. 4ª.37.F
Hydrops quo modo lethargo comparetur.3°.de ſymp.cauſ. 3ª.29.D
Hydrops longus morbus.com.1°.aph.12°. Ex.5.D
Hydropis cauſa.introd. Iſa.56.H
Hydrops ex quibus fiat cauſis.2°.de nat.fac. 1ª.299.F
Hydropis generandi prima cauſa.2°.de nat.fac. 1ª.299.G
Hydropes vniuerſi fiunt patiēte hepate.de vir.noſt.cor.diſp. Sp.60.B
Hydrops ſequitur neceſſario ad ſcirrhum iecinoris.3°.de præſagitione ex pulſibus. 4ª.121.E
Hydrops nō ſequit neceſſario ad ſcirrhū lienis.3°.de p̄ſa.ex. 4ª.121.E
Hydropem facit extrema frigiditas.2°.de nat.fac. 1ª.299.F
Hydropem quo modo faciat aqua frigida.6°.de loc.aff. 4ª.36.C
ad Hydropē deſinūt aliqñ aquę paludoſæ hyeme.de bo.aquę.Sp.75.E
Hydrops humiditatem ventriculi nimiam debet præceſſiſſe.3°.de ſym ptomatum cauſis. 3ª.25.D
ī Hydropē terminaī sāguificę virtutis ībecillitas.3°.d ſym.ca. 3ª.25.C
Hydropes à carne bubala.3°.de alim.fac. 2ª.25.H
Hydrops cur fiat autumno.com.3°.aph.22°. Ex.24.E
Hydropes quibus accidunt.in 6m.de mor.vulg.com.3°. 3ª.178.D
in Hydropem tranſeunt icterici.dc cura icteri. Sp.111.C
Hydropis inceptio.ſecretorum. Sp.100.H
Hydropes quædam colorem mutant.de ſympt.diff. 3ª.13.B
Hydropum qualis caro.3°.de ſymp.cauſ. 3ª.26.G
Hydropum caro qualis.2°.de arte cur.ad Glau. 7ª.107.G
in Hydropib9 qño ſe habēt epigaſtrij muſculi.2°.d mot.muſ. 1ª.316.F
in Hydrope vrina rubra futurā mortem prædicit.de ſperm. Sp.35.D
Hydropis curatio.intro.Iſa.56.H/14°.meth.med. 7ª.90.G
Hydrops,& ſputum ſanguinis quo modo curentur, quia ſunt contrarij morbi.com.1°.aph.16°. Ex.9.A
ī Hydrope dat vinū fuluū antiquū.d vic.rat.in mor.ac.c.4°. 7ª.149.B
in Hydrope dat panes calidos ex oleo vel pinguedine.de victus ratio. in morb.acut.com.4°. 7ª.152.E
Hydropi poculum.de vict.rat.in morb.acut.com.4°. 7ª.152.E
Hydropi potio conueniens.de vict.rat.in morb.acut.cō.4°. 7ª.152.G
p Hydrope Itrium.de vict.rat.in mor.acut.com.4°. 7ª.152.G
ī Hydrope an carnes ſuillæ dandæ.de vict.ra.in mor.ac.c.4°. 7ª.149.B
Hydropis humor indicat de ſui ablatione.14°.meth.med. 7ª.90.F
in Hydrope quo in loco ſit aqua.5°.de loc.affe. 4ª.33.H
Hydrops fit in ſpatio ītер inteſtina,& peritonæū.1°.de na.f. 1ª.293.D
Hydropē medicamēto hydragogo ſanauit Galen.cōtra.Iul. Ex.69.H
Hydropis aquā nō educit medicamētū flauę bilis.de purg.m. 5ª.86.G
p Hydrope catapotia.de vict.rat.in mor.acut.com.4°. 7ª.152.G
ad Hydropem pillulę.ſecretorum. Sp.101.B
p Hydrope tithymalli ſeptem guttæ in ſingulas caricas. de vict. rat. in mor.acut.com.4°. 7ª.152.G
in Hydrope educens cataplaſma.9°.de comp.med.ſec.loc. 5ª.200.F
Hydrops ſanguinis euacuatione curatur.de venæ ſect ad Eraſ. 6ª.7.B
quæ Hydrops ſanguinis miſſione curari poſſit.de vict.rat.in mor.acut. comment.4°. 7ª.149.A
Hydrops quando eſt ex retentione hæmorrhoidum vel menſium, eget ſanguinis miſſione.de venæ ſect.aduerſ.Eraſ. 6ª.7.B
in Hydrope ſecatur vena in ventre ſuper iecur.de ana.viu. Sp.55.B
in Hydrope ſanguis non mittendus.de venæ ſect.adu.Eraſ. 6ª.6.F
Hydropi ſanguinem detrahere potius obeſt,q̄ p̄ſit.de atra bile.1ª.37.E
Hydropem ſanat bubulum ſtercus.de theria.ad Piſon. 5ª.92.F
in Hydrope ſtercus bouis armentariæ.9°.de cōp.me.ſe.lo. 5ª.200.E
in Hydrope ſtercus caprinum.8°.de comp.med.ſec.loc. 5ª.200.F
cōtra Hydropem valet theriaca.de theria.ad Piſo. 5ª.91.G
ad Hydropas incipientes.7°.de comp.med.ſec.loc. 5ª.179.F
ad Hydropem ſecretorum.97.B/ Sp.99.C
Hydropi valens medicina.de med.exper. Sp.105.A/B
Hydrops, vide Aqua intercus.
HYDROPICÆ matricis ſigna,& curatio.de paſ.mul. Sp.96.A
Hydropicorum aqua vbi congregetur.com.7°.aph.53°. Ex.58.H
Hydropicorum pulſus qualis in omni ſpecie.de pulſ.ad tyr. 4ª.46.D
Hydropicorum tumor diuerſus ab aliis.ad Thraſ. 2ª.105.A
Hydropicorum vrina qualis.de ſpermate. Sp.35.B
Hydropici quomodo curentur.intro. Iſa.60.A
Hydropicis quæ à fortuna viſa ſunt conferre.contra Iulia. Ex.66.E
Hydropico damus cathartica.de dynam. Ex.20.E
Hydropicis p̄ſūt medª.trabēcia aquas.d atr.b.1ª.36.E/d dy. Sp.22.A
Hydropicis proſunt Caricæ.de ſimp.med. Sp.84.C
Hydropicos iuuat ſuccus Centaureæ.de virt.cent. Sp.94.A
Hydropicis prodeſt Chamædrys.de ſimp.med. Sp.82.H
Hydropicos ſiccat chamæleo.de ſimp.med. Sp.82.F
Hydropicis vtiliſſima eſt agreſtis Cucumeris radix.de dyn. Sp.22.B
Hydropicos inanit,& purgat Ebuli radix.de ſimp.med. Sp.84.C
Hydropicis maxime datur Euphorbium.de ſimp.med. Sp.83.E
p Hydropicis,& corpulentis Flos ſalis aquæ marinæ miſtus.14°.me thodi medendi. 7ª.91.E
Hydropicis in potu datur lapis Magnes.de ſimpl.med. Sp.86.G
Hydropicis prodeſt Raphanus.de ſimp.med. Sp.89.F
Hydropicis datur Scilla.de ſimp.med. Sp.90.H
ad Hydropicos decoctio.de med.exper. Sp.107.D
Hydropicis prodeſt electarium iridis.de med.exper. Sp.105.D
Hydropicis valens electarium.de med exper. Sp.108.A/D
ad Hydropicos emplaſtrum.9°.de comp.med.ſec.loc. 5ª.200.C
ad Hydropicos epithema.9°.de cōp.med.ſec.loc. 5ª.200.A/de med. fac.par. 7ª.167.D
ad Hydropicos malagma.9°.de cōp.me.ſec.loc.199.D/ 5ª.200.C/E
Hydropicis benefaciens.6°.de comp.med.per gen. 5ª.261.G
Hydropicis valens medica.de med.exp.105.D/H/106.F/Sp.108.A
ad Hydropicos ex Andromacho.9°.de comp.med.ſec.loc. 5ª.200.E
ad Hydropicos, Cleophanti.9°.de comp.med.ſec.loc. 5ª.200.E
ad Hydropicos incipientes.2°.de cōp.med.per ge.225.E/3°.5ª.235.C
ad Hydropicos inueteratos.7°.de comp.med.ſec.loc. 5ª.186.B
Hydropicis anaſarcam patientibus.de dynam. Sp.21.C
ad Hydropicos.8°.de cōp.me.ſe.lo.190.H/193.C/195.B/G/196.H/ 9°.198.F/199.A/C/E/200.E/10°.206.C/207.E/F/2°.de cōp.me. per gen.226.E/F/5°.5ª.247.F/ de re.pa.ſa.159.G/ 7ª.174.D
Hydropicorum vaporarium doliare,quo euacuātur citius & amplius quam in balneis.de vtil.reſp. 1ª.225.C
p Hydropicis inſtrumentum euacuatorium.de vtil.reſp. 1ª.225.C
Hydropicos p̄forare,et cutē ſcarificare diſtāt inter ſe.ad Th.2ª.105.A
Hydropicorum tali ſcarificandi.8°.de comp.med.ſec.loc. 5ª.200.H
Hydropicorum duo caſus.contra Iulianum. Ex.70.C
HYDROPIPERI vnde dictum.8°.de ſimp.med.fac. 5ª.62.H
Hydropiperi ſugillata & tumores induratos digerit.8°.de ſimplicium medic.facult. 5ª.62.H
HYDROPOTON ad febrem quotidianam, tertianam, ſed maxime quartanam,& ad omnes acceſſiones,& anguſtias,ſomnum facit,ſa ſtidium tollit,ſudorem prouocat.de dynam. Sp.32.C
HYDRORODINON quid.de rem.par.fac. 7ª.160.H
HYDRI morſibus conſert centaurea.de virt.centau. Sp.93.H
contra Hydrum valet theriaca.de ther.ad Piſo. 5ª.91.E
HYELINOS, id eſt vitreus humor oculi.de ocul. 7ª.182.G
HYEMS & æſtas quomodo fiant.de hiſt.philoſ. Sp.8.C
Hyemis principium quando.in 1m.de morb.vulg.com.1°. 3ª.102.A
Hyemis principium vergiliarum occaſus.in 1m.de mor. vulg.com.3°. 103.B/com.3°.aph.14°. Ex.22.F
Hyemem & alia tempora poſſe diuidi in multas partes,collige.cō.3°. aphoriſmo.23°. Ex.24.H
Hyemis diuiſio.in 1m.de mor.vulg.com.1°. 3ª.107.G
Hyemis,& æſtatis diuiſio.in 1m.de morb.vulg.com.1°. 3ª.102.B
Hyemis tres partes,& quæ.in 1m.de morb.vulg.com.1°. 3ª.102.B
Hyemis cōuerſio quando,& quid faciat humor tunc, et quibus vti de-

bemus.de dynamidijs. Sp.20.C
Hyems quot dies habeat.de dyna. Sp.20.C
Hyems ferè perpetua Scythis.de aere,aquis,& locis. 5ª.5.E
Hyemis ad æſtatem proportionem habet principium menſis cum pleniluuio.3°.de diebus decretorijs. 4ª.158.B
Hyems eſt frigida, & humida. 1°. de temp.1ª.11.C/in 1ᵐ. de morb. vulga.commentario.1°. 3ª.110.H
Hyemis humidiſſima, & frigidiſſima.2°.de criſib. 4ª.134.D
Hyems cuius cõparatione eſt frigida,& humida.1°.de tem. 1ª.11.F
niſi Hyeme non ſit flatus humidus, et frigidus.10°.met.me.7ª.63.E
Hyems cur humida & frigida.de nat.hu.32.D/de ſperm. Sp.39.A
Hyemis frigus quo modo à ſole procedat.de na.hu.com.1°. 1ª.32.D
HYEMIS *ſi calida aqua,æſtate frigida eſt vna cognitio bonarum, & malarum aquarum.de bon.aquæ.* Sp.75.H
Hyeme frigidæ aquæ, æſtatæ calidæ,malæ.de bon.aquę. Sp.75.D
Hyeme cur,pſũdi fõtes calidiſſimi ſint,eſtate frigidiſſimi.d ho.S.75.H
Hyeme calidæ aquæ,æſtatæ frigidæ,optimę ſunt.de bon.aqu.Sp.75.G
Hyeme in aliquibus fontibus cur aqua diſparet,æſtate abundat.de bonitate aquæ. Sp.75.H
Hyeme non abũdant aqua fons in Delo,& putei in Pitho, ſed in æſtate.de bonitate aquæ. Sp.75.H
Hyemales aquæ optimæ ſunt.de bonitate aquæ. Sp.75.F
HYEMS *naturalis qualis eſſe debet,& quòd ſemper debemus intelligere in regionibus temperatis.com.1°. aph. 13°.* Ex.22.B
Hyems naturalis eſt frigida,& humida.com.3°.aph.13°. Ex.22.B
Hyems humida.com. 1°.aph.2°. Ex.3.D
Hyeme ſm naturã debẽt cẽ uẽti magni.ĩ 1ᵐ.de mor.vul.cõ.1°.3ª.103.H
qñ Hyems mediocritatem ſeruauerit,bene omnia tẽpore hiberno in corpore animalis adminiſtrantur.com.1°.aph.15. Ex.8.E
Hyemes fortis in Europa, cur.de aere,aq.& loc. 2ª.6.B
Hyemis mutatiões ſentiunt ĩ ſemine et gñatiõe.de aere,aq.et l.2ª.6.B
Hyems aſpera dolorem facit.de nat.hu.com.1°. 1°.28.H
Hyems ſi inueniat aliquẽ temperatum,non conſeruat ipſum in ſua tẽperie.comp.3°.aph.20. Ex.24.B
Hyems pituitã gñat, etiã in corpe tẽperato cõ.3°.aph.20. Ex.24.B
Hyeme qui humor abundet.de nat.hu.com.1°. 1ª.31.H
Hyeme abundat pituita ſecũdũ Hippocratẽ.bre.denot.dogm.Hippo. 231.B/8°.de decr.Hipp.1ª.276.D/com.1.aph.20. Ex.3.D
Hyeme pituitæ abundat frigidiſſimus humor in frigidiſſima tempeſtate.in 1ᵐ.de morb.vulg.com.1. 3ª.104.B
Hyeme calor naturalis eſt vehemẽtior.igitur non deberet gignere pituitam,cur ergo gignatur.de nat.hu.com.1°. 1ª.32.E/F
Hyemis tempore vtimur phlegmagogis.de dyna. Sp.21.C
Hyeme quãdoq; abũdat flauabilis,licet raro.cõ.4°.aph.4°.Ex.27.H
HYEMS *qbetatibus et naturis quadret magis.c.3° a.18°.Ex.23.G*
Hyems eſt optima conſiſtentibus.com.3°.aph.18. Ex.23.H
Hyeme,et æſtate naturæ calidæ,et hũidæ hũ ſe hũt.c.3°.a.2.Ex.20.A
Hyeme bene ſe habẽt naturæ calidæ & ſiccæ. cõ.3.apho.2°.Ex.20.B
Hyems pulſus alterare poteſt,non efficere.1°.de cauſ.pulſ. 4ª.86.G
Hyeme animalia latent veluti mortua.2°.de loc.aff. 4ª.14.B
Hyeme viperæ tractatæ non mordent.2.de lo.aff. 4ª.14.B
HYEME *veſtes mundę ſint induendæ.de ſal.dieta.* 2ª.41.A
Hyeme, æſtate,in loco calido in loco frigido, viro,puero,ſeni, mulieri non eque conueniunt capilli.11°.de vſu.par. 1ª.189.F
Hyeme plus appetimus quàm æſtate.com.1°.aph.15. Ex.8.D
Hyeme ventriculi calidiſſimi ſint calore naturali,corporis autẽ partes è contrario.de nat.hu.com.1°. 1ª.32.E
Hyeme cur frigeſcit venter in aliquibus.de nat.hu.com.1°. 1ª.32.E
Hyeme iecur non pfecte cõcoquit ob frigus.de nat.hu.cõ.1°.1ª.32.F
Hyeme vẽe toti corpis refrigeratæ nõ pbe coquũt.d n.b.c.1°.1ª.32.F
HYEMIS *qũo edendum & bibendum,& quid.de ſal.dieta* .2ª.39.H
in Hyeme quomodo cibandum.de dif.cont. Sp.71.G
Hyemis cibi qui vulgo ſunt in vſu.de nat.hum.com.1°. 1ª.32.F
Hyemis cibi pituitoſiores.de nat.hu.com.1°. 1ª.32.F
Hyeme vtendũ cibis ſiccis & melancholicis.1°.de alim.fac.2ª.13.F
Hyeme cur ſumi debeant cibi craſſi.de diſſo.cont. Sp.72.G
Hyeme dari poſſunt multi cibi.com.1°.aph.18°. Ex.9.E
Hyemis cibus quantus.de ven.aff.dig.& med. 7ª.195.B
Hyemis potus quantus & qualis.de ven.aff.dig.& med. 7ª.195.B
Hyeme laudum Falernum,Tmolitanum,Auriniſium, & Lesbium vinum.de dynamidijs. Sp.76.G
Hyeme ĩ ocio degẽtes et multũ bibẽtes multũ mĩgũt.1°.d n.f.1ª.296.D
Hyemem totam cum quidam magnopere repletus ſine exercitijs degeret, quo mõ vere ſuffocatus fuerit.de venæ ſect.adu.Fraſ. 6ª.9.F
Hyeme calefacere, et ſiccare corpora oportet.de ſal.dieta.2ª.39.H
HYEMI *quid agere debent exercitantes ſe.de ſal.dieta.* 2ª.42.E
Hyeme qũo ꝑparandus locus in quo fit exercitatio.de ſan.tu.2ª.73.C
Hyeme qd agebat ruri Galen⁹ exercitij gratia.2°.de ſan.tu. 2ª.73.H
Hyeme paucis lauacris vtendum.de ſal.dieta. 2ª.41.A
Hyems qualis ſequatur,ſi eſtas pluuioſa ſit ſpirante auſtro,& autumnus eodem modo.de aere,aq.& loc. 2ª.4.C
Hyems inſalubris eſt,ſi æſtas, & autumnus ſint pluuioſi. commenta. 3°.aphoriſmo.13°. Ex.22.A
Hyems Aquilonia.in 1ᵐ.de morb.vulg.com.2°. 3ª.170.H
Hyeme aquilo magnus,et lõgus.in 1ᵐ.de mor.vul.com.1°.3ª.103.H
Hyems ſicca,& aquilonia,vel pluuioſum, & auſtrale,quos morbos generet.com.1°.aph.11°. Ex.20.H
ſi Hyems ſit borealis & ſicca,ver auſtrinum,quæ contingant in æſtate.de aere,aquis,& locis. 2ª.4.A
Hyems auſtrina.in 1ᵐ.de mor.vulg.com.1°. 3ª.103.H
HYEMI *qui morbi.de natura humana. com.1°.1ª.31.H/commẽta. 3°.aphoriſmo.23°.* Ex.24.G
Hyeme morbi pituitoſi.8°.de decr.Hipp. 1ª.276.E
in Hyeme maxime febres quotidianæ ſiunt.2°.de diff.feb. 3ª.36.D
Hyeme ſiũt dolores capitis,tuſſes,rauedines,grauedines,et tabes,ſi æſtas aqlonia fuerit,et autũnus pluuioſus.cõ.3°.aph.13°.Ex.21.H
Hyeme tuſſiunt homines.8°.de decr. 1ª.276.E
Hyeme paludoſæ aquæ rupturas,pleureſes,tuſſes faciunt, cõuertunt ad ſplenẽ,& aliquãdo deſinũt ad hydropẽ.de bon.aquæ. Sp.75.D
Hyeme calcanea,digiti,& omnia extrema frigido exulcerantur calo reſanantur.com.5°.aph.22. Ex.39.E
Hyeme partes extremas frigidas eſſe,nõ malũ.c.7°.aph.1°.Ex.54.A
in Hyeme Hippocratica facies nõ eſt exitioſa.in.pg.cõ.1°.4ª.191.E
Hyeme potius accidunt abſceſſus,tardius deſinunt, & minus retrocedant.in prognoſt.com.3°. 4ª.210.D
Hyeme diuturnos vt plurimum fieri morbos inquit Hippocrates.breuis denotatio dogmatum Hippocratis. 1ª.231.G
Hyeme ſi qs in victu delinquat, quo modo vere incidit in morbos diuturnos.com.6.aph.55°. Ex.53.D
Hyems facit tarditatem in morbis.com.1°.aph.12°. Ex.5.E
Hyeme morbi longiſſimi & cur.com.2°.aph°.25. Ex.16.A
Hyeme neq; morbi ſoluunt manctibꝰ ijs q eos efficiũt humoribus,neq; ęgroti moriunt viribus iterim ſufficiẽtibus.c.2°.apho.25.Ex.16.B
Hyems nullam plenitudinem in parte aliqua corporis diſſoluit.com. 1°.aphoriſmo.13°. Ex.22.C
Hyeme terminant morbi qui eſtate augẽtur.de nat.hu.cõ.1°.1ª.33.D
Hyems ſoluit morbos eſtiuos.ĩ 3ᵐ.de mor.vul.cõ.3°.147.B/3ª.151.H
Hyeme q emerſerũt morbi,æſtate,pfligãt.ĩ 3ᵐ.de m.vul.c.3°.3ª.147.C
Hyemales morbi prorſus æſtate diſcuti,mendacium apparet.in.3ᵐ.de morb.vulg com.3°. 147.D
Hyeme ſm Diocle febris ardẽs põt facile ſanari.c.2°.aph.34°.Ex.17.D
Hyeme qũo debẽt gubernari ægri,et qũo cibãdi ſũt.c.1°.a.17.Ex.9.D
Hyeme ĩferiores pies purgãdę,eſtate ſuperiores.cõ.4°.apb.4°.Ex.27.G
Hymes cauenda eſt in vomitu.com.4°.apb.6°. Ex.28.A
Hyemem vitantes graciles,& facile vomentes purgare conuenit.de catharticis. Sp.94.C
Hyeme ſupra purgari, quorum alui inteſtinorum lœuitate laborant, malum.com.4°.aph.12°. Ex.28.E
Hyeme cũ pituita ĩ uẽtre gñatur,vomitib.expurgãda.d ſa.d.2ª.41.H
Hyeme calidæ ſint potiones.12°.met.me. 7ª.76.B
Hyeme calidum,eſtate frigidum oxymeli quibus præbendũ. de vict. rat.in mor.acu.com.1°.114.F/de puero epilep. 7ª.180.E
Hyeme quæ ventrem ſoluant.5.de ſan.tueu. 2°.92.E
Hyeme quibus venter ſtringitur.5°.de ſan.tu. 2ª.92.G.
Hyemale tẽpus alia expetit medicamẽta.1°.de cõ.me.ſe.lo.5ª.124.F
Hyeme, & æſtate, medicamenta vario modo applicanda ſunt.2°.de arte cur.ad Glau. 7ª.101.G
Hyeme medª.dbẽt eẽ molliora,eſtate duriora.7ª.d cõ.m.p ge.5ª.268.G
HYENÆ *adeps tenuium partium.3°.de comp.me per ge.* 5ª.233.H
Hyenæ adeps in quo ordine ſit inter acopa.7°.de cõ.m.p gẽ.5ª.269.F
Hyenæ adeps quo loco reponatur inter calida, quæ valent alopecijs. 1.de comp.me.ſec.loc. 5ª.122.D
ꝑ Hyenæ adipe anſerimus.1°. de comp.me ſe lo. 5ª.122.D
Hyenarũ bile inferius eſt fel taurorũ.10°.de ſimp.me.fa. 5ª.74.H.

Hyenarum bilis inferior eſt bile Callionymi, ſcorpij marini, & marinæ teſtudinis. 10°. de ſimp. me. ſa. 5ª.74.H
Hyenæ fel ad oculos. 10°. de ſimp. me. ſa. 5ª.74.F/H
Hyenæ fel viſum acuit. de theria. ad Pi. 5ª.93.F
Hyenę fel iuuat ſuffuſiones. intro. Iſa.58.C
Hyenæ fel ad pilos palpebris ĩnatos oculũ inſeſtãtes. d re. p. ſ. 7ª.156.g
HYGIDION *collyrium. 4°. de comp. me. ſe. lo.* 5ª.154.D
HYGIENI *Hipparchi medicamentũ. 10°. de cõp. me. ſe. lo.* 5ª.208.G
Hygieni melinum. 1°. de comp. me. ſe. lo. 5ª.130.H
Hygĳni emplaſtrum boni coloris ad multa. 2°. de compoſi. medicamẽ. per gen. 5ª.223.B
HYGRA *ſlypteria. 9°. de ſimp. me. fac.* 5ª.71.A
HYGROCIRSOCELE *quid. ſin. med.* Iſa.44.D
HYMETTION *mel, quale, vbi. de ther. ad Pi.* 5ª.95.G
Hymettium mel maxime detergit. 8°. me. med. 7ª.52.H
HYMNI *maiores laudibus, Dei vero opera vtriſq; maiora. 7°. de vſu partium.* 1ª.162.F
HYOEIS *os. 16°. de vſu par.* 1ª.215.F
Hyoides os a literæ Y ſimilitudine appellatum. de muſ. diff. 1ª.46.A
Hyoides os ſiue hypſiloides, quod & non nulli lambdoides nominãt. de muſ. diſſect. 1ª.46.D
Hyoides os & pharyngethron idem. de voc. inſtr. diff. 1ª.107.B
Hyoides os qui muſculi ligant maxillæ inferiori, & eorum proceſſus. de muſc. diff. 1ª.46.D
Hyoides os q muſculi ſurſum ad maxillã retrahũt. d muſ. dif. 1ª.46.F
HYOSCYAMVS *ex Creta Romam apportai. 1°. de cõ. m. p g.* 5ª.211.F
Hyoſcyami differentiæ, quales. 8°. de ſimp. me. ſa. 5ª.63.A
Hyoſcyamus venenum eſt. de opt. ſecta. Iſa.21.F
Hyoſciamus venenoſus eſt, & fugiendus. 8°. de ſimp. me. ſa. 5ª.63.A
Hyoſcyamus non eſt acidus. 4°. de ſimp. me. fac. 5ª.28.C
Hyoſcyami ſemen frigidum. 3°. de ſimp. me. ſa. 5ª.21.H
Hyoſcyami ſuccus odore cum homine pugnat, nẽpe humanæ naturæ contrarius. 4°. de ſimp. me. ſa. 5ª.29.E
Hyoſcyami ſuccus, modice ſumptus prodeſt. de vict. ratio. in morb. acutis, com. 2°. 7ª.118.D
Hyoſcyamus frigidus natura, frigidos parit morbos. de cau. m. 3ª.7.D
Hyoſcyamus frigidiſſimus eſt in quarto gradu. 3°. de ſim. m. f. 5ª.19.g
Hyoſcyamus floris cãdidi frigidus eſt in tertio. 8°. de ſim. m. f. 5ª.63.a
Hyoſcyami vires, quæ. de ſimp. med. Sp.92.D
Hyoſcyamus vires habet refrigerantes, & ſtringentes, et marcorẽ facit, in antidotis, & collyrys mittitur, omnẽ dolorẽ cõpeſcit, interficit ſi bibatur, & eſt venenoſum. de ſimp. med. Sp.92.D
Hyoſcyamus oculis mire obeſt. 3°. me. me. 7ª.17.E
Hyoſcyamus mortificat corpora. 8°. de comp. me. ſe. lo. 5ª.190.G
ad Hyoſcyamum valet theriaca. de ther. ad Pi. 5ª.91.E
Hyoſcyamus quibus conueniat, & quibus non. 7°. de ſimp. medicam. facul. 5ª.185.A
Hyoſcyami ſemen ad quæ. 8°. de comp. me. ſe. lo. 5ª.189.F
Hyoſcyami ſemen datur per os. 7°. de comp. me. ſe. lo. 5ª.184.C
Hyoſcyami toſti meminit. 9°. de comp. me. ſe. lo. 203. D/ 5ª.206.C
HYOSCYAMINVM *oleum. 6°. de ſimp. me. ſa.* 5ª.46.H
Hyoſcyaminum oleũ mollit, & refrigerat. 6°. de ſim. me. ſa. 5ª.46.H
HYPECOON *frigidũ eſt in tertio ordine. 8°. de ſim. m. f.* 5ª.63.a
HYPERBATON *figurã collige dũ inquit Galenus, Inordinato quodam interpretandi gñe mihi videtur vſus Hip. c. 3°. aph. 3°.* Ex.20.B
HYPERBATOS *laqueus (id nomen traxit ex eo quod ſupra feratur) quomodo adhibeatur. de laqueis.* 7ª.308.H
HYPERBERETAEVS *menſis apud græcos, qui Romæ September. 4°. de ſan. tuenda.* 2ª.86.G
HYPERBOLICAE *figuræ quæ. in progn. com. 1°.* 4ª.193.E
HYPERCRISIS *quid. in progn. com. 3°.* 4ª.207.H
HYPERICVM *quid. de ſimp. med.* Sp.92.E
Hypericũ Italiæ qñ æquale illi, qđ in Creta naſcitur. 1°. de ana. 5ª.105.d
Hypericum Romæ inuenit Galenus. 1°. de anti. 5ª.102.B
Hypericum calidum eſt, & ſiccum. 8°. de ſimp. me. ſa. 5ª.63.A
Hypericum acriter ſtringit, iſchiadicos emẽdat, vrinam prouocat, uẽtrem ſtringit, combuſta ſanat. de ſimp. med. Sp.92.E
Hypericum ad quid valeat. de cura icteri. Sp.111.B
Hypericum menſes, et vrinas prouocat, & ad cicatricem ducit. 8°. de ſimp. med. fac. 5ª.63.A
Hypericum ambuſta ad cicatricẽ ducit, mollia nimis, humidaq; et putredinoſa vlcerum ſanat, & iſchiadicis bibendum exhibetur. 8°. de ſimp. med. fac. 5ª.63.A
Hypericum theriacam ingreditur. de theria. ad Pi. 5ª.92.F
HYPEZOCOTA. *13°. met. med.* 7ª.85.D
HYPNOTICA *quæ. de dyn.* Sp.18.G
Hypnoticum ſolanum quale. 8°. de ſimp. me. fac. 5ª.62.G
Hypnoticũ ſolanũ frigidũ eſt in tertio ordine. 8°. de ſim. me. ſ. 5ª.62.g
HYPOCHIOMINOVS *ſuffuſos vocant. 6°. de ſan. tu.* 2ª.98.H
HYPOCONDRIA *quæ & quare. introd.* Iſa.53.C
Hypochondria loca ſunt ſub ſplene, & hepate. de ana. paru. Sp.43.B
Hypochondrium ſingulari numero, quid ſignificet. in 3ᵐ. de mor. vul. comment. 1°. 3ª.131.B
Hypochondrium ſimpliciter ſignificat dextrum. in 3ᵐ. de mor. vulga. commen. 1°. 3ª.131.B
Hypochondriorum dextræ partis ibi craſſi & leuis ſuccinibil faciunt grauitatis aut tenſionis. de bon. & vitio ſac. 2ª.35.A
Hypochondria (id eſt ilia) optimum eſt abſque dolore eſſe & mollia, & æqualia. com. 2°. aph. 35°. Ex.17.E
Hypochondriorum partes, & quæ in ipſis ſint multę partes. in 1ᵐ. prorhet. com. 2°. 4ª.172.D
Hypochondria tenuia ſunt mala, & tanquam ſignum, & tãquam cauſa. com. 2°. aph. 35°. Ex.17.E
Hypochondria trahuntur intus, qbus vox acuit. i 1ᵐ. pr. c. 2°. 4ª.170.c
Hypochondrij grauitas non eſt ægritudo. de conſt. ar. Iſa.42.D
Hypochondriorum inflammationes ſiunt luna in coniunctione ſolis ſaturno in tetragono. de decub. proz. ex math. ſcien. Sp.13.A
Hypocondriorum, & hepatis phlegmonæ ſunt hæmorrhagicæ. in 1ᵐ. pror. com. 3°. 4ª.186.D
Hypochondria inflammatione obſeſſa non ſpirituũ interclusione, ſanguinis miſſione prius indigent, q̃ enacuatione. de vic. rat. in morbis acutis, com. 3°. 7ª.137.B
Hypochondriorum caliditatem non remouentes ſudores, non boni. in 1ᵐ. pror. com. 1°. 4ª.164.B
in Hypochondriorum inflammationibus roſa conueniret, niſi adſtringeret. 3°. de ſimp. me. ſa. 5ª.18.H
ad Hypochondria ardentia magis conuenit omphaciũ, quam acetum. 4°. de ſimp. me. ſa. 5ª.27.F
Hypochondriorum ardore laborantes, debent ſine violentia mitigari. 4°. de ſimp. me. fac. 5ª.27.F
Hypochondriis ignitis quæ non obſint. de cura icteri. Sp.111.A
Hypochondrij, cruicis, & lumborum dolores habet caput dolens. in 1ᵐ. prorr. com. 1°. 4ª.161.H
ex Hypochondriorum doloribus febres malignæ ſunt. in 1ᵐ. pror. commentario. 2°. 4ª.172.D
ad Hypochondria dolores in febribus cum aphonia ſudore ſi ſoluũtur maligni. in 1ᵐ. pror. c. 2°. 4ª.176.G,H
qbus Hypochõdria ſublata, murmurãtia, iliũ dolore accedẽte, iis alui humectãt niſi flat' erũpãt, vel vrinæ pueniat copia d vri ſi. S.78.g
Hypochondria tenſa illinenda ſunt lini ſemine, aqua, & oleo tepidis. de vic. ra. in mor. acut. com. 3°. 7ª.140.H
Hypochondria extenta habentibus non eſt medicamentum exhibẽdũ. de vic. rat. in mor. acu. com. 4°. 7ª.150.D
ad Hypochõdriorũ. i. pcordiorũ diſlẽtiones. 7°. de cõp. m. ſe. l. 5ª.185.H
Hypochondrys lac non conuenit. 3°. de alim. fac. 2ª.28.B
Hypochondrys valet butyrum. 10°. de ſimp. me. fac. 5ª.74.D
Hypochondrys gratiſſimum chamæmelum. 3°. de ſimp. me. ſa. 5ª.18.H
Hypochondrys gratum lini ſemen. 3°. de ſimp. me. ſa. 5ª.18.H
in Hypochondrys oleo roſaceo vti licet. 2°. de ſimp. me. fac. 5ª.10.A
Hypochondria cataplaſmanda in icthero. de cura icteri. Sp.110.H
Hypochondria quod cerotum vel malagma applicandum in ictheris. de cura icteri. Sp.111.C
in Hypochõdrijs œdema cur facile ſuppuratur. in pz. c. 1°. 4ª.196.F
Hypochondrys quæ affiguntur cucurbitulæ ſepenumero ſanguinis ad nares impetum potenter reuulſiße conſpexiſtis & immodicas per vterum irruptiones. de cucur. ſcar. 6ª.4.G
HYPOCONDRIACVS *flatuoſus q̃, morbus. 3°. de lo. af.* 4ª.18.G
Hypochõdriacus ſtatus quo fiat, & quæ illũ ſequãtur. 3°. đ l. a. 4ª.18.c
Hypochondriaci flatus cauſa. 3°. de loc. affe. 4ª.18.H
Hypochondriacus ſtatus a qua cauſa. 3°. de lo. aff. 4ª.19.D
Hypochõdriaci ſtatus cognitio vnde ſumatur. de mel. ex Ga. S.109.g
Hypochondriaci ſtatus ſigna. de mel. ex Gal. Ruf. & Poſſ. Sp.109.C
in Hypochondriaco ſtatu cruditates. 5°. de loc. aff. 4ª.32.H
Hypochoadriaci ſtatus ſymptomata. 3°. de lo. aff. 4ª.18.H

Hypochondriaci flatus ſymptomata,an in cerebro.3°.de l.af.4ª.19.d
Hypochondriaci flatus ſymptomata ſunt atræ bilis ſymptomata. 5°. de loc.aff. 4ª.32.H
Hypochõdriaca,et flatuoſa quo vocaĩ melancholia.3°.de l.a.4ª.19.d
Hypochondriacus flatus quo modo facit melancholiam.de mel.ex G. Ruſo,& Poſſi. Sp.109.B
Hypochõdriacũ flatũ habẽtes cur melãcholici.2°.de ſym.ca.3ª.24.D
in Hypochondriaco flatu vr in vẽtriculo iflãmatio.3°.de l.af.4ª.19.b
ex Hypochondriaco flatu ſplenici. 5°.de lo.af. 4ª.32.H
ex Hypochondriaco flatu ſenies uitioſa ex ſplene in uentriculum. 5°. de loc. aff. 4ª.32.H
Hypochondriaci flatus curatio.3°.de loc.aff. 4ª.19.D
Hypochõdriacũ flatũ iuuãt cibi frigidi,ſm Dioclẽ.3°.de l.af.4ª.18.H
Hypochondriacis conuenit epithymum. de dy. Sp.21.B
HYPOCHYMA *eſt morbus oculi vt inſtrm eſt.2°.me. me.* 7ª.12.H
Hypochyma quo modo curetur.14°.me.met. 7ª.93.F
Hypochyma quid de ſe indicet.13°.me.med. 7ª.90.F
in Hypochymatis vitium transferendum.14° me.me. 7ª.90.H
Hypochyma pungitur circa irim ex minori angulo. intro. If.59.G
Hypochyma.14°.me. med. 7ª.90.F
HYPOCHYSIS *quid ſignificet.3°.me. med.* 7ª.17.E
HYPOCYSTIS *quid de ſimp. med.* Sp.92.E
Hypocyſtidis ſuccus tẽpore dureſcit.6°.de ſimp.me.ſe.lo. 5ª.172.H
Hypocyſtis qualis, & quo lauetur.4°.de comp.me.ſe.lo. 5ª.251.F
Hypocyſtis ĩ principio tertij ordinis calida eſt.5°.de ſim.m.f. 5ª.39.c
Hypocyſtis acerba eſt. 2°.de loc.aff. 4ª.12.D
Hypocyſtis adſtringit.9°.de ſim.me.fa. 5ª.64.C
in Hypocyſtide adſtrictio cõſiderãda. 4°.de ſim.me.fa. 5ª.26.A
Hypocyſtis mediocriter adſtringit.4°.de comp.me.ſe.lo. 5ª.149.H
Hypocyſtis inter arida moderate adſtringentia numeratur. de comp. med.ſec.loc. 5ª.172.G
Hypocyſtidis decoctum adſtringens moderatum pro gargariſmis.6°. de comp. med.ſe.lo. 5ª.172.F
Hypocyſtis vnũ ex adſtringẽtib medicaminoſis.11°.de ſi.m.f. 5ª.81.e
Hypocyſtidẽ adſtringẽs vehemẽs iudicat.Gal.5°.me.me. 7ª.31.G
Hypocyſtis ſtringit vehementiſime ventris profluuium,& ſanguinis abundantiam reprimit. de ſimp. med. Sp.92.E
Hypocyſtis ſiſtit ſanguinem. intro. If.56.F
Hypocyſtis ad ſanguinis reiectionem efficax remedium eſt.6°.de ſim. med. fac. 5ª.51.D
Hypocyſtis opitulatur internis vlceribus. 14°.me.med. 7ª.28.H
Hypocyſtis efficax remedium eſt ad fluxionum omnes affectu. 6°.de ſimp.med.fa. 5ª.51.D
Hypocyſtis efficax remedium eſt ad profluuia muliebria, cœliacos,dy ſentericosq; affectus,& ſtomachicis epithematis, hepaticisq; com miſcetur. 7°.de ſimp.me.fa. 5ª.51.D
Hypocyſtis oculis conuenit.de ocul. 7ª.188.D
Hypocyſtidis ſuccus cõtra aſperitatẽ palpebrarum.de ocu. 7ª.189.C
Hypocyſtis roborat ptes pluſculo hũore exolutas.7°.d ſi.m.f. 5ª.51.d
ex Hypocyſtide medm ad refrigm et firmãdũ vẽtricm.8°.m.m. 7ª.53.d
Hypocyſtis theriacam ingreditur. de theria. ad Pi. 5ª.92.F
Hypocyſtis cur theriacam ingreditur.7°.de ſim.me.fa. 5ª.51.D
ad Hypocyſtida accedit lentiſcus. 8°.de ſimp.me.fa. 5ª.61.H
in HYPOGASTRIO *cur mammæ in pluribus animalibus.7°.de vſu partium.* 1ª.164.F
ad Hypogaſtrium q non debeat eſſe pudendũ. 15°.de vſ.p. 1ª.210.C
HYPOGLOSSVM *vnde dictum. 8°.de ſimp.med.fac.* 5ª.63.A
Hypogloſſi radix & ſuccus emolliẽdi vim poſſidẽt.8°.d ſi.m.f. 5ª.63.b
HYPOGLOTTIDES *confectiones.7°.de comp.me.ſe.lo.* 5ª.179.F
Hypogloſſis medicamentum.7°.de comp.me.ſe.lo. 5ª.181.D
Hypoglottides medicamenta quæ.7°.de comp.me.ſe.lo. 5ª.177.F
Hypogloſſis ex filice, Andromachi.7°.de comp.me.ſe.lo. 5ª.181.F
Hypogloſſis Dioſcoridæ.7°.de comp.med.ſe.lo. 5ª.181.D
Hypogloſſis Scribonij Largi.7°.de comp.med.ſe.lo. 5ª.181.E
HYPOLAPORON, *& leparon quid ſignẽt.3°.de diff.reſp.* 3ª.75.D
HYPOPHORA. *6°.de comp.med. per ge.* 5ª.255.F
HYPOPHYON *quid. intro.* If.59.A
Hypopyon quid ſit,& quo modo curetur.5°.de cõ.me.ſe.l. 5ª.158.F
Hypopyon affectus iridis oculorum. intro. If.58.D
Hypopya morbus eſt toto genere præter naturã.de diff.mor. 3ª.4.F
Hypopya quomodo curentur. 14°.me.med. 7ª.93.F
Hypopya qũo ſanaret ocularius medicus tpe Gal.14°.me.m. 7ª.93.f
ad Hypopya valet lac. 10°.de ſimp. med fac. 5ª.73.H
ad Hypopya,id eſt liuidates oculorum, valet ſuccus cẽtaureæ.de virtute centaureæ. Sp.93.D
ad Hypopya,id eſt liuorem ſub oculo.de med.fa. par. 7ª.162.H
HYPOSPADIÆ *quid. intro.* Iſa.60.A
Hypoſpadiarum curatio. intro. Iſa.60.A
HYPOSPATHISMVS *ſpecies diuiſionis chirurgiæ. intro.* Iſa.59.E
Hypoſpathiſmus quot diuiſionibus fit. intro. If.59.G
Hypoſpathiſmus ſiſtit fluorem. intro. If.59.G
Hypoſpathiſmo in quibus locis vtendum. intro. If.59.E
HYPOSPHAGMA *quid.fin.med.48.H/intro.* Iſa.58.D
Hypoſphagma affectus albi oculorum.intr. Iſa.58.D
ad Hypoſphagmata in oculis ſanguis colũbæ.10°.de ſim.m.f. 5ª.72.H
ad Hypoſphagmata valet lac.10°.de ſimp.me.fa. 5ª.73.H
ad Hypoſphagmata ſerum valet.10°.de ſimp.me.fac. 5ª.73.G
ad Hypoſphagmata oculorum collyria per gradus deſcribuntur.10°. de ſimp.med.fac. 5ª.72.H
ad Hypoſphagmata.4°.de comp.med.ſe.lo.5ª.157.G/de remed.par. fac. 7ª.156.F
HYPOSPIDIAS *quid.fin.med.* If.49.F
abſq; HYPOSTASI *aquæ,& petroſæ plus alijs,q.de bo.aq.* Sp.75.E
Hypoſtaſim ſi non habet aqua,ſed pura ſit et nõ læſa ſm colorẽ,ſecũda eſt bonarũ & malarũ aquarum cognitio.de bo.aquæ. Sp.75.b
HYPOSTASES *in vrinis. de vic.ra.in mor.acu. c.4°.* 7ª.144.B
Hypoſtaſis partes tres.de vrinæ ſignificatione ex Hip. Sp.79.B
Hypoſtaſim habentes vrinæ,poſtea non habentes quid ſignificent. de vrinæ ſignificatione ex Hip. Sp.79.C
Hypoſtaſis alba non omnis bona,cur.de vrinis. 4ª.125.C
Hypoſtaſis alba ſi fuerit,& vrinæ color bilioſus, erit bilis cum pituita. de vrinæ ſignifi.ex Hip. Sp.79.D
p Hypoſtaſi alba pus qñq; accipitur ab ignaris. de vrinis. 4ª.125.C
Hypoſtaſis quæ fallit homines.de vrinæ ſign.ex Hip. Sp.79.C
Hypoſtaſis alta eſt cruda.de vrinis. 4ª.125.C
Hypoſtaſis atra,vrina male olente in morbo acuto,mortale. quæſita in Hippo. Sp.113.E
Hypoſtaſis ſi atra ſit,maius eſt malum,quã ſi nebula,aut ſublatio eſſent atræ.quæſita in Hip. Sp.113.E
qbus Hypoſtaſes bilioſæ, ſupernæ autem tenuitates celerẽ ægritudinẽ ſignificant.de vrinæ ſignifi. ex Hip. Sp.78.H
Hypoſtaſes crimnodes quid ſignificent. quæſ. in Hip. Sp.113.D
Hypoſtaſis crimnodes.i ſimilis farinę,qd ſignificet.de vrinis. 4ª.124.f
Hypoſtaſes craſſioris farinæ ſpẽ qd ſignificet.d vri.ſi.ex Hip. Sp.78.F
Hypoſtaſis vrinæ infantium craſſa eſt. de vri.ſig.ex Hip. Sp.79.B
p Hypoſtaſes vtiles diſtinguitur humor crudus ab inæquali ſubſtantia eius quod ſubſidet.de vri.ſign. ex Hipp. Sp.79.C
ab Hypoſtaſi bona qũo dignoſcatur humor crudus.de vrinis. 4ª.125.d
Hypoſtaſim vtilem videndam præbet plerunque humor crudus & albus cum vrina excretus ſubſidens.de vri.ſign.ex Hipp. Sp.79.C
Hypoſtaſis cruenta fruſtuloſa quid ſignificet. de vrinis. 4ª.124.F
Hypoſtaſes eruoſæ quid ſignificent. quæſ.in Hip. Sp.113.C
Hypoſtaſes folioſæ quid ſignificent.quæſ.in Hip. Sp.113.D
Hypoſtaſes folioſæ quibus ſint peiores.de vrinæ ſign.ex Hip. Sp.78.g
Hypoſtaſes furfuraceæ quid ſignificent.quæſ. in Hip. Sp.113.D
Hypoſtaſim leuem inquit Galenus vocat Hippocrates continuam,& indiuulſam.de vri.ſign. ex Hipp. Sp.79.B
Hypoſtaſes malæ,quæ.de vrinis. 4ª.125.A
Hypoſtaſim maiorem habent vrinæ mulierum,quam virorum.de vrinæ ſignificatione ex Hipp. Sp.79.A
Hypoſtaſis oxoboides quid ſignificet. de vrinis. 4ª.124.D
Hypoſtaſis perfecta quid ſignificet.de urinis. 4ª.124.B
Hypoſtaſis petaloides quid ſignificet. de vrinis. 4ª.124.E
Hypoſtaſis pinguis,& accumulata quid ſignificet. de vrinæ ſignificatione ex Hipp. Sp.78.H
Hypoſtaſis pityroides,ideſt furfurea,qd ſignificet.de vrinis. 4ª.124.F
Hypoſtaſis plana quid ſignificet. de vrinis. 4ª.125.B
Hypoſtaſis ſi fuerit rufa, color vrinæ albicans, mitte ſanguinem,ſin imbecillis ſit,medicamẽ adhibe, aut accommodatũ exhibe cibum. de vrinæ ſignificatione ex Hip. Sp.79.D
cũ Hypoſtaſi rufa vrina craſſa et rufa qd ſignificet.ãſ.ĩ Hip. Sp.113.b
Hypoſtaſes ſimiles ſandarachæ quid ſignificent. de vrinis. 4ª.124.F
Hypoſtaſes tenues,& albæ admodũ malæ.de vrinæ ſig.ex Hi. Sp.78.g
Hypoſtaſis,lege Reſidentia, Sedimen,Subſimamentum,Nubes.

HYPOTHETICA *problema.de mar.* 3ª.46.E
Hypothetica non accipit verum. 2°.*de simp.me.fa.* 5ª.13.C
HYPSILOEIDES *os, quod & hy des, & lambdoides nominant. de musc.diss.* 1ª.46.D
HISSOPVM quid.de simp.med. Sp.92.D
Hyssopum calidum est & siccum in tertio ordine. 8°.*de simp.medica. facult.* 5ª.63.B
Hyssopus herba acris. 13°.*me.med.* 7ª.84.H
Hyssopus vires habet acres,& excalfactorias tussiẽtibus & suspirio sis prodest, lumbricos expellit. de sim.me. Sp.92.D
Hyssopum cilicium. 5°.*de comp. med. se.lo.* 5ª.159.F/G
*Hyssopum creticum.*8°.*de comp.me. se.lo.* 5ª.191.E
*Hyssopus inter obsonia connumeratur.*2°.*de alim. fac.* 2ª.23.F
cũ Hyssopo ficus ante cibum quando. 2°.*de alim. fac.* 2ª.17.F
Hyssopus incidit.de cur.rat.per sang.miss. 6ª.19.A
Hyssopus habet vim subtiliandi.com. 1°.*aph.*24°. Ex.10.G
Hyssopus purgat caput. de cathar. Sp.95.B
Hyssopus purgat nares.de cathar. Sp.95.B
*Hyssopus detergit.*8°.*me.med.* 7ª.52.G
Hyssopi decoctio curat asthma.de med. exper. Sp.106.F
*cũ Hyssopo mulsa febricum syncope conuenit.*12°.*me. med.* 7ª.75.G
*cũ Hyssopo aquâ mulsa vsq; ad septimũ ĩ syncope.*12°.*m.m.* 7ª.76.a
Hyssopus ex aqua mulsa datur in pleuritide. 5°.*de lo. aff.* 4ª.34.G
*Hyssopũ atticũ ĩ ceratis misce ĩ iecoris phlegmone.*13°.*m.m.*7ª.83.b
*Hyssopus in phlegmone iecoris in declinatione.*13°.*me.me.* 7ª.84.A
*Hyssopus pro resolutione tumoris.*2°.*de arte cur.ad Gla.* 7ª.105.E
*Hyssopo decocto in aqua mulsa,ipsa discussorium est parabile modera tũ.*8°.*de comp.me.se.lo.* 5ª.169.G
Hyssopum aqua mulsa infundens, & concoquens bibendum propina in tertiana notha. 1°.*de arte cur. ad Glau.* 7ª.97.E
Hyssopus in melicrato ebullitus pro potu in animi defectu ex multitudine. 1°.*de arte cur. ad Glau.* 7ª.99.B
Hyssopus in melicrato ebullitus,pro ventriculo, in quo pituita frigida sit acerbata. 1°.*de arte cur. ad Glau.* 7ª.99.D
ex Hyssopo oxymel pro animi defectu ex obstructione membri principalis. 1°.*de arte cur.ad Glauc.* 7ª.99.F
*Hyssopum in mulsò conuenit quibus crudi succi copia est, & foris sensus lassitudinis.*4°.*de san. tu.* 2ª.85.B
*Hyssopi,et ordei decoctiõis calefactio ad petiã oculorũ.d oc.*7ª.190.d
*cũ Hyssopo & nasturtio epota quarta species anchusæ oxybaphi mensura ad latos lumbricos est idonea.*6°.*de simp.me.fa.* 5ª.41.D
*Hyssopum pro origano.*6°.*de comp.me.se.lo.* 5ª.168.F
HYSTERIALGIA, *id est vteri dolor.*2°.*me.me.* 7ª.9.E
*Hysterica,quæ.*6°.*de lo.aff.*39.*D/in* 1ᵐ.*pror.com.*3°. 4ª.183.F
*Hysterica symptomata pertinent ad vterum tanquam ad radicem.*6°. *de loc.aff.* 4ª.40.C
*Hysterici molestari quid significet. com.*5°.*aph.*35°. Ex.40.F
HYSTIMBRA. *secretorum.* Sp.98.F
Hystimbra. secretorum. Sp.98.G

I, E *antiqui eodem characterе notabant. in* 6ᵐ.*de mor. vulgaribus, commentario* 3°. 3ª.178.G
*IACERE quomodo debeãt beneualentes. in prog. com.*1°. 4ª.193.D
*Iacentes q se cõtinere nõ possunt, grauiter lãguẽt.de vic.ra.in mor. ac.c.*4°. 7ª.140.G
Iacere non posse viuentis modo,sed tauq mortuum,& inanimatum corpus deorsum ferri,pessimum.de palp. 3ª.52.A
IACTATOR *est Galenus, sed verus.* 3°.*de diff.resp.* 3ª.70.F
*Iactat se Galenus q prædixerit futura.*2°.*de dig.pul.* 4ª.78.B
*Iactari communius q̃ diuergere. de art.com.*3°. 7ª.279.E
*Iactatio in varias figuras qñ ab ægris fiat.*9°.*me.me.* 7ª.56.G
Iactare manus,& crura quid significet. de ijs, quæ in medicatri. fiũt commentario 1°. 7ª.198.B
in IACVLIS *eximendis opus est noscere partium vtilitatem.*17°.*de vsu par.* 1ª.222.G
IAMENVM olus est humidum. de diff.con. Sp.74.D
Iamenum olus est de cibarijs mediis.de diff.cont. Sp.74.C
Iamenum olus cur est malum stomacho.de diff.cont. Sp.74.E
IANITORES matricis sunt testiculi.de ana. vi. Sp.51.G
IANITRIX *seu porta iecoris quorsum tendat.*6°.*de dec.* 1ª.263.G
IANVÆ *biſores. de art.com.*1°. 7ª.255.F
IANVARIVS *primus triginta dierum tenuius quoq; in* 1ᵐ.*de morb. vulga.com.*1°. 3ª.102.D
IARRI spicæ meminit.de ocul. 7ª.191.D
*IASONIS, & Medeę amor,qualis.*3°.*de dec.Hip.* 1ª.244.H
IASPIS *viridis, qualis.* 9°.*de simp.me.fa.* 5ª.67.D
*ex Iaspide torquem collo suspendit Galenus ita,vt lapides contingerẽt os ventriculi.*9°.*de simp.me.fac.* 5ª.67.D
*IATRALIPTES Diotas Antonij Musæ Panacea vsus est.*7°. *de comp.med. sec.lo.* 5ª.186.B
IATRICEN, *medicinam vocat vniuersa Græcia.ad Thra.* 2ª.107.b
ex IBERIA *plurimæ Palamides afferuntur.* 3°.*de alimentorum fac.* 2ª.31.G
*ex Iberia per literas Galenus plerosq; sanauit.*4°.*de loc.aff.* 4ª.22.C
IBERICVM *oleum non valet in frictione.* 3°.*de sa.tu.* 2ª.79.A
Iberica prona seruantur,& quicunq; fructus exiccantur, priusq; putrescant.de bon.& vit.suc. 2ª.36.H
Iberica pruna subducendi gratia præmanduntur hydromelite incocta. de atten.vic. 2ª.45.B
ex IBERIDE *ischiadicorũ cura.*10°.*de comp.me.se.lo.* 5ª.208.C
*ex Iberide ischiadicorum cura a Damocrate conscripta.*10°.*de cõpo. med.sec.loc.* 5ª.208.C
Iberide vice sinapismi & thapsiæ vsus est Damocrates. 10°.*de cõp. med.se.lo.* 5ª.208.G
IBISCVS quid. de simp.med. Sp.85.E
Ibiscus lenit duritiẽ,& rigorẽ mollit,et relaxat.de sim.med. Sp.85.e
ICESIVM nigrum medicamen,multiplicis vtilitatis. 5°.*de comp.me.se.lo.* 5ª.247.A
*Icesij medicamẽtũ ad oẽ vulnus recens.*5°.*de cõ.me.per ge.* 5ª.247.F
*Icesium nigrum Andromachi,quod.*5°.*de comp.me.per ge.* 5ª.249.F
*Icesium lite Heraclidis,quale.*5°.*de comp.me. per ge.* 5ª.250.A
ICHNEVMONES *beſtiæ volũt vincere.*5°.*de dec.Hip.* 5ª.256.G
ICHOR *quid sit.in* 6ᵐ.*de mor.vul.c.*1°.3ª.167.E/*de vic. rat.in mor. acutis, com.*4°. 7ª.134.E
Ichor est in omnibus humoribus. 8°.*de dec.Hipp.*1ª.276.B/*in* 6ᵐ.*de mor.vul.com.*1°. 3ª.167.F
*Ichor in vlceribus quid,& quid agat.*3°.*me.me.* 7ª.17.H
Ichores sanguinis educuntur ex matrice.de cathar. Sp.94.G
*Ichores acres sunt sanies.*1°.*de comp.me.se.lo.* 5ª.128.F
*Ichores nutrire non poßunt.de vic.ra.in mor. acu.c.*2°. 7ª.122.G
ICHOROIDES *sanguis qui sit appellandus ſm Hippo. in* 6ᵐ.*de mo. vulg.com.*1°. 3ª.167.E
ICHTHYOCOLLA *quo cõficiaĩ,& eius vires. de simp.me.* Sp.85.E
Ichthyocolla pontica. 2ᵘ.*de comp.med.per ge.* 5ª.226.C
Ichthyocolla stringit. de simp. med. Sp.85.E
*Ichthyocolla cutem extendit,& splendidam facit.de sim.m.*Sp.85.E
*Ichthyocolla ad maligna vlcera valet.*4°.*de com.me.per ge.*5ª.236.f
*ICODOTI compositio qualis,& ad quæ valeat.*9°.*de comp.med. secun. loc.* 5ª.204.H
ICOSÆDROS *quid, & quibus constet.*8°.*de dec. Hip.* 1ª.274.G
ICTERVS affectus albi oculorum. intro. Isa.58.D
Icteros regius morbus.de symp.diff. 3ª.12.A
Ictericia vnde sit,& quomodo fiat.in 3ᵐ.*de morb.vul.c.*1°.3ª.131.F
Ictерici cur ita affecti. 5°.*de vsu par.* 1ª.143.G
Ictericia ab eadem causa,a qua cholera prouenit.de opt.secta. Is.25.c
Ictericia passio ex bile. de sper. Sp.38.B
Ictерici quo modo fiant. 9°.*de comp.med.se.lo.* 5ª.197.E
Ictерici fiunt patiente hepate. de virt.noſtrum corp. dispen. Sp.60.B
*Ictерici qui sint.*9°.*de comp.me.se.lo.* 5ª.197.F
Ictericia quibus amoueatur.in 1ᵐ. *de mor.vul.com.*1°. 3ª133.C
Ictерici transeunt in hydropem,& maciem. de cura icteri. Sp.111.E
Ictericis amara apparent dulcia.de cura icteri. Sp.111.A
Ictericorum vrina qualis.de dyna. Sp.35.B
*Ictericorũ pulsus qualis d pulsi.ad tiro.*46.D/4°.*d ca.pul.* 4ª.104.A
Ictericorum cibi,& pulmenta.de cura icteri. Sp.111.C
Ictericis conuenit ericius terrestris.de cura icteri. Sp.111.D
Ictericis confert ius cicerum.de cura icte. Sp.111.D
*Ictericis fructus ventosi euitãdi,& qui edẽdi.de cura icteri.*Sp.111.D
*Ictericis pp quid mala sint repletio,et indigẽ.de cura icteri.*Sp.111.E
ad Icteri curam phlebotomia, & purgatio neceßariæ sunt. de cura icteri. Sp.110.C

in Ictericia quando debeat phlebotomia. de cura icteri. Sp.110.G
ad Icteri curam quando bilis peccat purgatio est magis necessaria. de cura icteri. Sp.110.H
Icterico damus cathartica. de dy. Sp.20.E
in Icteri qui humores purgandi. de cura. icteri. Sp.111.F
Ictericis damus cholagoga. de dy. Sp.20.G
in Ictericia medicamentum educens bilem, multam bilem euacuat. de nat.huma.com.1°. 1ª.31.C
Ictericos cholagogo medicamẽto sanauit Gal. contra Iulia. Ex.69.G
Ictericos si detur medicamentum pituitã vel aquã ducens, quid agat. 1°. de nat.sa. 1ª.294.A
in Ictero quæ pharmaca danda. de cura icteri. Sp.111.A
Ictericorum medicamentum purgatorium. de cura icteri. Sp.110.H
Ictericis non conueniunt medicamẽta debilia. de cura icteri. Sp.110.b
Ictericis prodest calamintha. 7°. de simp.me.fa. 5ª.49.E
Icterici citrini, & nigri bibant chelidoniæ succũ. de sim.me. Sp.82.B
Ictericos optime purgat colocynthis. de dy. Sp.21.E
Ictericis diuturnis vtilis est elleborus niger, de dy. Sp.21.A
Ictericis medetur hiera fortissima. de dy. Sp.26.F
Ictericis medetur Theodoricon anacardinum. de dy. Sp.26.F
ad Ictericos potio accommodata. 9°. de comp.me.se.lo. 5ª.197.H
Ictericorum potio. de cura icteri. Sp.111.A/B
Ictericos multos vna purgatione curauit Galenus, post curatum, qui in iecinore erat, affectum. 1°. de nat.sa. 1ª.294.A
Ictericis medicamenta Critonis naribus apponenda. 2°. de composit. med.se.loc. 5ª.139.E
ad Ictericos confectio commoda. 10°. de comp.me.se.lo. 5ª.206.B
qbus Ictericis conueniat vomitus. de cura icteri. Sp.110.H
in Ictero hypochondria cataplasmanda. de cura icteri. Sp.110.H
Icterici hypochondrio quod cerotum, vel malagma applicandum. de cura icteri. Sp.111.C
in Ictero cerotum cyprinum fortius est Amathonis malagmate. de cura icteri. Sp.111.C
in Ictero cerotum ad splenem. de cura icteri. Sp.111.A
in Ictericia mouere vrinam, bonum. de cura icteri. Sp.110.H
Icterici qui baluco dulci vtantur. 9°. de comp.me.se.lo. 5ª.197.E
ad Icterum fricatio cum oleo. de cura icteri. Sp.111.B
in Ictero ventosas neq; laudat, neq; vituperat. de cura icteri. S.110.H
Ictericorum expurgamenta quibus fieri possit. de cura icteri. S.111.b
i Ictero q̃ colorẽ expurgẽt, & sudores moueãt. de cura icteri. Sp.111.c
Ictericorum colorem potenter emendat triasandali. de dy. Sp.26.E
in Ictericia color in facie quibus abolendus. de cura icteri. Sp.111.F
in Ictericia quando confert coitus. de cura icteri. Sp.111.E
in Ictericia longa quid agendum. de cura icteri. Sp.111.E
ad Ictericos pharmacum vt Apollonius consueuit, ac qũo illo vtendũ 9°. de comp. me.se.loc. 5ª.197.G
ad Ictericos quid conferat. 7°. de comp.me.se. lo. 5ª.181.F
ad Ictericos pharmaca quæ conferunt. 8°. de comp.med.secũ.lo.194. H/195.B/9°. 5ª.197.G/H
ad Ictericos. de dy. 26.E/secr. Sp.102.E
ad Ictericiam causæ calidæ. secre. Sp.101.C
ad Ictericiam citrinam. secretorum. Sp.99.D
ad Ictericiam nigram. secre. Sp.99.D
ad Ictericiam sparsam. secret. Sp.101.C
cum Ictericia tussi quid conferat. secret. Sp.99.E
Ictericia, vide Arquatus, & Morbus regius.
ICTERIODES febris, quæ. fin.med. If.46.D
ICTVS in pulsu quid. de pul.ad tiro.43.E/1°. de pul.dif. 4ª.48.D
Ictum an percussum dicas nihil refert. 4°. de diff. pul. 4ª.67.B
Ictus violẽtus cur in multis pulsibus, & ĩ qb. 4°. de dig.pul. 4ª.82.H
Ictus robur in pulsu in quo consistat. 3°. de diff.pul. 4ª.60.A
Ictus renisus non crassitiem substantiæ significat, sed robur vitalis cõtentionis. 4°. de dig.pul. 4ª.85.G
Ictus in pulsu qũo cognoscatur. 4°. de dig.pul. 4ª.82.H
Ictus in pulsu a tactu sentitur. 1°. de dig.pul. 4ª.71.D
ex ICTV capitis dolor qũo curandus. de reme.par.fa. 7ª.153.H
in Ictu capitis obstupescẽtia & desipiẽtia malũ. c.7°.a.14°. Ex.54.H
Ictus facit mictum sanguinis. com.4°.aph. 78°. Ex.36.G
Ictu quomodo afficiatur musculus ani. 1°. de loc. aff. 4ª.7.G
ex Ictu gibba spina quomodo restituatur. de machi. 7ª.314.H
ad ICTVM calami radicis calami combustæ cinerem superimponito. de med.fac.par. 7ª.174.C
ad Ictus quadrupedum quid faciat. 5°. de comp.me.per ge. 5ª.248.H
Ictum suum sanantia animalia. 11°. de simp.me.fa. 5ª.82.G
ad Ictus apum remedium. de med.fac.par. 7ª.174.D
Ictu phalangij totum corpus afficitur. 6°. de lo.aff. 4ª.40.A
Ictus scorpionis maxima facit symptomata. 6°. de loc.aff. 4ª.40.A
ad Ictus ferarum quid valeat. 5°. de com.me.per ge. 5ª.248.G
ad Ictus venenosarũ ferarũ sanandos qd bonũ. de me.fa.pa. 7ª.170.H
ad Ictus virulentos malagma optimũ. 5°. de cõp.me.per ge. 5ª.249.b
ad Ictus marinorum quid valde conferat. 5°. de cõp.me.p g. 5ª.247.E
ad Ictus sæuorum piscium bonũ quid. 5°. de cõp.me.per ge. 5ª.248.b
ad Ictus reptilium omnia emplastrum conferens. 2°. de ant. 5ª.117.b
IDAEA radix est acerba valde. 6°. de simpl.medicamẽ. facul. 5ª.48.E
Idæa radix sanguinis profluuia, alui fluxus, dysenterias, profluuium mulierum curat. 6°. de simp.me.fa. 5ª.48.E
IDEA, genus, & differentia idem sunt. 11°. me.med. 7ª.67.H
Ideæ rerum sunt specierum non individuorum. 2°. me.me. 7ª.14.A
Ideas solus Plato introduxit. de hist.phil. Sp.3.H
Ideas reprehendit Galenus. de fœt. form. 1ª.325.H
H'δελφισμέκα, id est germana. de vict.ra.in mor.ac.c.2°. 7ª.121.A
H'δελφισαι, quid apud Hippocra. de frac.com.3°. 7ª.246.F
IDEM dicitur numero, specie, & genere. 2°. me.me. 7ª.14.C
Idem vt incipiat, ac perficiat aliquid, fieri non potest. de na.f. 1ª.302.b
Idem non potest facere, vel pati simul contraria. 5°. de dec. 1ª.258.G
cur Idem bis dicat Hippocrates, nescit Galenus conijcere, neq; cur idẽ bis exponant interpretes, vel de eadem re contrariam priori expositionem afferant. com.7°.aph.53°. Ex.58.F
Idem bis, terq; relatum quid faciat. 5°. de comp.me.per g. 5ª.247.F
IDIOSYNCRASIA græce dicitur a vulgo medicorum laborãtis natura. 3°. me.med. 7ª.20.H
Idiosyncrasia, id est corporum proprietas. 3°. met.med. 7ª.17.C
IDIOTÆ qui vocentur. de sal. diæta. 2ª.39.G
Idiotæ qui sint. in 1ᵐ.pror.com.3°. 4ª.184.D
Idiota quinam abiectior & vilior, siue magis spernẽdus, & quare. in 1ᵐ.pror.com.2°. 4ª.169.D
Idiota quem putabit esse febris quotidianæ periodum. ad eos qui de typ.scripsi. 3ª.91.G
Idiotæ quosnam medicos non cognoscant. de arte cur. ad Gla. 7ª.109.b
Idiotarum iudicium in quibus est incorruptũ. 1°. de sim.me.fa. 5ª.5.F
Idiotæ quo modo medicamentum quodlibet generosum fieri dicãt. 1°. de comp.me.per ge. 5ª.215.B
Idiotæ pharmacum. 9°. de comp.me.se.lo. 5ª.199.A
vt IDIVS Infusum ad quid iuuet. 9°. de comp.me.se.lo. 5ª.203.F
IDOLA mouebantur etiam tempore Galeni per quosdã funiculos. 7°. de vsu par. 1ª.135.D
IDOLA cur pueris apparent a somno. de symp. cau. 3ª.15.A
Idola cur vident plurimum bibentes. de sym.cau. 3ª.15.A
Idola cur videantur in suffusis. de symp. cau. 3ª.15.A
Hδοῦσίτε meminit. in Hippoc. lign.explan. Ex.71.E
IECINOROSI qui finitiones medicæ. If.47.E
ad Iecinorosos antidotus conferens. 2°. de anti. 5ª.116.C
ad Iecinorosos remedium. de med.fac.par. 7ª.175.G
IECORARII qui affectus proprie. 2°. de loc.aff. 4ª.13.B
IECORARIAM venam Hippocrates cauã vocat. de fœt. f. 1ª.323.E
Iecoraria cur dicitur ab Hippocrate vena caua. 8°. de dec. 1ª.273.H
cũ Iecoraria vena generatur cor. de fœt. form. 1ª.323.B
Iecoraria vena quorsum erat. 6°. de dec.Hip. 1ª.268.H
Iecoraria vena comparatur trunco. de ven. ar.dis. 1ª.55.G
IECORARII pisces molles carne. 3°. de alim.fa. 2ª.31.A
Iecorarij pisces sunt in medio duræ carnis, & mollis. 3°. de al.f. 2ª.31.a
Iecorarij pisces numerantur inter illos, qui cæteris facilius cõficiunt. 3°. de alim.fac. 2ª.31.A
IECVR viscus vocatur. 3°. de nat.fa. 1ª.304.B
Iecur, & cor viscera sunt. 1°. de marcore. 3ª.46.G
Iecur, cerebrũ, cor desideranda medico, & quare. de tot.mo. 3ª.89.b
Iecinoris corpus quod. 3°. de nat.fa. 1ª.307.C
Iecur iudicauit Galenus esse primum quod formaretur, postea cor. 1°. de fœtuum formatione. 1ª.223.B
Iecur esse primum membrum quod generatur progressus probans. de fœtuum formatione. 1ª.323.C
Iecur quasi quoddam fundamentum. de fœt.for. 1ª.323.A

Iecore posterius cor factum esse credendum est. de fœt. for. 1ª.323.G
Iecur & cor nõ sunt primo genita, quia indigẽt sanguine, qui per venas a vulua trahitur. de fœt. for. 1ª.324.F
Iecur vbi, & quo modo nascatur. de fœt. for. 1ª.323.D
Iecur cur vuluæ vicinius. de fœt. for. 1ª.323.G
Iecur ex sanguine crasso fit. 1°. *de se.* 1ª.331.C
Iecur celerrime fit. de fœt. for. 1ª.322.F
Iecur sexta die habuisse aliquã formã iudicat Galen. de fœ. f. 1ª.323.b
Iecur cerebro, & corde in abortibus triginta dierum longe maius. de fœtuum forma. 1ª.323.A
Iecur quantum in fœtu. 15°. *de vsu par.* 1ª.212.E
Iecur, cor, cerebrum, in abortibus triginta dierum iuxta se locata cernuntur. de fœt. for. 1ª.323.A
Iecur, cor, et cerebrũ in prin° videntur simul iuncta. 1°. *de se.* 1ª.331.d
Iecoris duæ portæ in fœtibus. de fœ. for. 1ª.323.D
ad Iecur venæ seruntur in fœtu. 15°. *de vsu par.* 1ª.211.D
Iecoris venæ tanquam radices sunt. 1°. *de se.* 1ª.331.C
in Iecoris sima, & non in gibba parte cur vena in fœtu inseritur. 15°. *de vsu par.* 1ª.211.F
ad Iecur vena per vmbilicũ tendens, cui assimiletur. de fœ. f. 1ª.324.f
Iecori in fœtu arteriarum vsus exiguus. 16°. *de vsu par.* 1ª.212.F
Iecori neruorum vsus in fœtu nullus. 16°. *de vsu pa.* 1ª.212.F
Iecoris functiones quales in fœtu. de fœt. for. 1ª.323.H
Iecur in quo iuuet cerebrum, & cor. de fœt. for. 1ª.324.H
IECORIS *sectio.* 6°. *de ana. admi.* 1ª.92.D
Iecoris gibbæ partis sectio. 6°. *de ana. adm.* 1ª.93.B
Iecoris dissectionis perfectio. 6°. *de ana. adm.* 1ª.92.H
Iecur in omni aãali dissectio a Galeno semper visũ. 6°. *de dec.* 1ª.263.f
Iecur potest videri extractum ab animali. 4°. *de ana. adm.* 1ª.81.H
Iecoris natura considerãda est intestinis exẽptis. 6°. *de an. ad.* 1ª.92.b
Iecur cur prima die secaret Gal. 5°. *de ana. adm.* 1ª.87.A
Iecur quale sit. 3°. *de ali. fa.* 2ª.27.D
Iecur substantia venosum est, & calidum, ac sanguine affluens, ventriculumq; adiuuat in concoctione. fi. med. Isa.43.H
in Iecore est multus calor insitus. in 6ᵐ. de mor. vul. c. 4°. 3ª.186.D
Iecore quanto sit calidius cor. de fœt. for. 1ª.323.F
Iecoris membrana exterior veluti cutis quædam. 4°. *de vs. p.* 1ª.138.f
Iecur instrumentum, & ꝙ eius prima natura cõposita ex similaribus, sicut & cæterorũ huiusmodi instrumentorũ. 2°. *de temp.* 1ª.26.C
Iecur sanguinis substantiæ simile. de fæt. for. 1ª.322.F
Iecur est multo minus durum cute. 1°. *de temp.* 1ª.15.D
Iecoris substantia ad venarum naturam ne prope quidem accedit. de fœtuum form. 1ª.324.E
cum Iecore eundẽ colorẽ habet cor, & quo mõ. 6°. *de dec.* 1ª.266.C
Iecur cur rubicundius & mollius corde. 6°. *de dec. Hip.* 1ª.266.C
Iecinoris caro quo modo vocetur. 10°. *me. me.* 7ª.67.D
Iecoris caro quam habet naturam. 2°. *de temp.* 1ª.17.H
Iecinoris caro propria cuius sit generis. 1°. *de na. fa.* 2ª.291.G
Iecoris caro, qualis. 2°. *de arte cur. ad Glau.* 7ª.102.F
de Iecoris positione, & ꝙbus inhæreat, et ĩnascaĩ. 4°. *de vs. p.* 1ª.139.e
Iecinoris caro quo modo humida, & calida. 2°. *de tem.* 1ª.17.H
Iecur est humidius corde. 6°. *de dec. Hip.* 1ª.266.C
Iecoris caro videtur sanguis crassus. 4°. *de vsu par.* 1ª.138.E
Iecoris caro sanguis conspissatus. 6°. *de dec. Hip.* 1ª.265.H
Iecur vbi sit positum. 2°. *de lo. aff.* 4ª.33.C
Iecur cur in dextra parte. 4°. *de vsu par.* 1ª.136.G
Iecur cur superius splene. 4°. *de vsu par.* 1ª.136.G
Iecur qũq; in sinistra parte in multis brutis. 6°. *de ana. adm.* 1ª.92.F
Iecur in lepore pluriműi sinistræ partis occupat, vt Herophilus scripsit. 6°. *de ana. admi.* 1ª.92.F
Iecur est medium superiorum, & infernorum partium. in 6ᵐ. de mor. vul. com. 1°. 3ª.162.G
Iecur, vt est in medio, iuuatur exercitatione superiorum, & inferiorũ partium. 5°. *de san. tu.* 2ª.90.B
Iecur medium est inter abdomen, & septum. 3°. *de sa. tu.* 2ª.77.B
cur Iecur ambit ventriculum. 4°. *de vsu par.* 1ª.137.C
Iecur lobis, vt digitis, ambit ventriculum. 7°. *de vsu par.* 1ª.159.H
Iecur cur fibris velut digitis cõplectaĩ ventriculũ. 4°. *de vs. p.* 1ª.137.c
Iecoris fibræ non pares numero in omnibus. 6°. *de ana. admi.* 1ª.92.D
Iecoris fibræ nõ sunt totidẽ in omnibus aãalib. 4°. *de vsu pa.* 1ª.137.c
Iecur disponitur ex figura ventriculi. 4°. *de vsu par.* 1ª.137.C
Iecur per magnas venas copulatur, et lieni, et vẽtriculo, & intestinis in prog. com. 2°. 4ª.197.G
Iecur quo modo cordi copuletur. 4°. *de vsu par.* 1ª.139.F
Iecur non coniungitur omnibus costis mendosis. 5°. *de lo. aff.* 4ª.33.E
Iecur quibus costis alligetur. 2°. *de loc. aff.* 4ª.13.D
Iecur quando tactu sentiri potest, & quando non. 5°. *de lo. aff.* 4ª.33.d
Iecur habentia, habent lienem, & vesicam fellis vel receptaculum, qa vesica non est in omnibus. 6°. *de ana. adm.* 1ª.92.D
in Iecore habet vesicam elephantus. 6°. *de ana. admi.* 1ª.92.D
Iecur magnũ, & multifidũ habẽt gulosi, & timidi. de ana. ad. 1ª.92.D
Iecur meatus amplos habet. 5°. *de simp. me. fa.* 5ª.35.B
Iecur cur amplum a natura factum sit. de ven. aff. dig. & me. 7ª.195.d
in Iecore quo cauitates. 8°. *de comp. me. se. lo.* 5ª.193.H
in Iecore cur non est facta vna cauitas vt in corde, sed sunt anguſti trã situs. 4°. *de vsu par.* 1ª.139.A
Iecoris calidi signa. ars med. Isa.65.A
Iecoris frigidi signa. ars med. Isa.65.A
Iecoris sicci signa. ars med. Isa.65.B
Iecoris obstat humiditati cordis. ars med. 7ª.64.G
Iecoris humidi signa. ars med. Isa.65.B
Si Iecur, & cor nemo seipsis humidiora efficere põt, sed tpis ꝓcessu necessario sicciora euadũt nõ ipsa sola viscera, sed arteriæ ẽt et venæ, seniũ certe vitari nõ põt, at eiº celeritas retardari. de ma. 3ª.46.F
Iecur obstat siccitati cordis. ars med. Isa.64.H
Iecoris sicci, & calidi signa. ars med. Isa.65.B
Iecoris humidi, & calidi signa. ars med. Isa.65.C
Iecoris humidi, & frigidi signa ars med. Isa.65.C
Iecoris frigidi, & sicci signa. ars med. Isa.65.C
Iecur necessarium est omni animanti. 6°. *de ana. adm.* 1ª.90.C
Iecur est pars necessaria ad viuendum. 14°. *de vsu par.* 1ª.204.C
Iecur pars propria ad vitam. fin. med. Isa.45.E
Iecinoris officium quale sit ob vitam. 7°. *met. med.* 7ª.49.C
Iecoris vsus qualis. 11°. *met. me.* 7ª.72.E
a Iecore pariter regitur corpus. fin. med. Isa.50.B
a Iecore dependentia, quæ. ars me. Isa.63.B
Iecur, cor, & cerebrum sunt tria principia, & quarũ operationũ principia. in 1ᵐ. *prorrh. com.* 3°. 4ª.169.F
in Iecore quod principium sit. 6°. *de dec. Hip.* 1ª.266.G
a IECORE *cur incipienda venarũ anatome.* 6°. *de dec.* 1ª.264.A
Iecur est venarũ prĩcipiũ. 4°. *de vs. p.* 138.F/5°.152.D/15°. 1ª.212.e
Iecur venarum radicatio. 6°. *de dec. Hip.* 1ª.266.G
Iecur venis suppeditat virtutẽ. ars med If. 71.A/7°. *me. me.* 7ª.49.c
Iecur est venarum facultatis veluti fons. de mult. 3ª.77.A
Iecur principium, & finis venarum. 6°. *de dec. Hip.* 1ª.265.F
Iecur principiũ facultatis q̃ est in venis. de vi. ra. ĩ mo. a. c. 2°. 7ª.123.b
Iecur multo magis venarum principium, quam cor arteriarum. 6°. *de dec. Hip.* 1ª.265.C
Iecur esse principium venarum, & concupiscibilis facultatis, prima demonstratio. 8°. *de dec. Hip.* 1ª.273.G
Iecur esse principiũ venarum & nutritionis, demonstratio secunda. 8°. *de dec. Hip.* 1ª.273.G
Iecur esse principium venarum & nutritionis, demõstratio tertia. 8°. *de dec. Hip.* 1ª.273.H
a Iecore, vel corde arteriarum, & venarum corpora non videtur germinasse de fœt. forma 1ª.324.G
in Iecore venæ sunt omnium tenuissimæ. 4°. *de vsu par.* 1ª.139.B
n Iecore sunt venæ non minus amplitudine, quam numero excedẽtes. i ars medicina. Isa.70.H
ex Iecore venæ maxime. 16°. *de vsu par.* 1ª.220.H
Iecinoris venæ tunicam habent tenuiorem quã in toto animante. 6°. *de anatomicis administrationibus.* 1ª.92.H
in Iecore superius oritur vena caua. 5°. *de vsu par.* 1ª.42.D
Iecur cauam venam mittit in totum corpus. 1°. *de sem.* 1ª.331.D
in Iecore inferius oritur vena portæ. 4°. *de vsu par.* 1ª.142.B
Iecinoris portæ, quæ. 6°. *de ana. admi.* 1ª.92.H
Iecoris porta quorsum tendat. 6°. *de dec. Hip.* 1ª.263.F
ad Iecoris portas venæ facile inueniuntur. 6°. *de ana. admi.* 1ª.92.B
a Iecoris portis distributio venarũ in intestina. 16°. *de vs. p.* 1ª.220.H
in Iecoris sima parte venæ iunguntur. 15°. *de vsu par.* 1ª.211.D
Iecoris simæ partis venæ quales. 5°. *de lo. aff.* 4ª.33.G
a Iecoris parte caua oriuntur septem venæ ad ventrem pertinentes. de venarum & art. diss. 1ª.55.G
in Iecoris gibba parte venæ vnde incipiant. 5°. *de lo. aff.* 4ª.33.G

in Iecoris gibbo venæ ſamunt alimentum.4°.de vſu par. 1ª.138.H
in Iecur a ventriculo venæ pertinentes.2°.de dec.Hip. 1ª.240.E
Iecur ex meſenterio venas excipit ad concauam ipſius partem pertinentes.6°.de anatom.adm. 1ª.92.H
*inter Iecur,& vētrē venæ habēt duplex miniſteriū.de na.f.*1ª.306.C
Iecoris venarum terminus. ars med. Iſa.70.H
e Iecore vena exoriens origo eſt omnibus, quę circa ſecundas inueniū tur.6°.de dec.Hip. 1ª.265.A
in IECORE *venæ,& arteriæ ſe contingunt.9°.de vſu pa.* 1ª.172.H
in Iecore cur arteriæ. 4°.de vſu par. 1ª.139.D
Iecur vnde accipiat arteriam. 16°.de vſu par. 1ª.219.A
Iecoris arteriæ cur paruæ.4°.de vſu par. 1ª.140.D
in Iecore arteriarum ſitus conueniens. 4°.de vſu par. 1ª.139.C
ad Iecoris portas arteriæ facile nō inueniuntur.6°.de an.ad. 1ª.92.b
ad IECVR, *lienem,renes,ventrem,viſcera,perueniunt nerui a cerebro partim a prima,partim a tertia, partim a ſexta coniugatione. de neruorum diſſectione.* 1ª.54.D
*Iecori mittuntur nerui a ſexta coniugatione.16°.de vſu pa.*1ª.215.b
ad Iecur cur fuit neceſſe neruos accedere.16°.de vſu pa. 1ª.215.A
in Iecore cur neruus,& arteria. 4°.de vſu par. 1ª.138.F
Iecori ineſt neruorum genus molle. 16°.de vſu par. 1ª.215.A
Iecoris neruus vbi. 5°.de vſu par. 1ª.145.C
Iecoris neruus quantus. 5°.de vſu par. 1ª.145.C
Iecur habet perexiguos neruos. in 6ᵐ.de mor. vul.c.1°. 3ª.155.D
Iecur habet aliquos paruos neruos.4°.de vſu p.139.C/5°. 1ª.156.G
Iecoris neruus cur minimus. 4°.de vſu par. 1ª.139.C
Iecur cur habet paucos neruos. 5°.de vſu par. 1ª.209.D
in Iecore cur minimus neruus. 5°.de vſu par. 1ª.145.F
Iecori melius fuit habere neruos minimos. 7°.de vſu par. 1ª.159.H
Iecori cur neruus ſyncerus datus. 16°.de vſu par. 1ª.216.E
Iecur cur ſenſu paruo indiget. 5°.de vſu par. 1ª.145.F
Iecur,& pulmo quo modo ſentiant. de mul. 3ª.77.G
*circa Iecoris gibbam partē caro non ſentit,& quare.de mul.*3ª.77.G
in Iecoris gibba parenchyma caro.de mult. 3ª.77.G
IECVR *habet quatuor facultates.3°.de na.f.*1ª.305.C/*in 3ᵐ.de mor. vul.com.1°.* 3ª.133.C
Iecoris quatuor actiones. 8°.de comp.me.ſe. lo. 5ª.194.A
Iecoris actiones quæ ſint.de virt.noſtrum corp.diſpenſ. Sp.60.D
Iecur habet actionem propriam naturalem.2°.de ſa.tu. 2ª.75.A
Iecoris vis quo modo cognoſcatur. in prog.com.2°. 4ª.200.C
Iecoris facultas plantæ ſimilis.6°.de dec.Hip. 1ª.261.H
Iecur per meſenterias trahit cibum,vt arbor a radicibus. 6°.de locis affectis. 4ª.37.G
Iecur trahit a ventriculo,& ab inteſtinis per meſaraicas.6°.de dec. Hippocratis. 1ª.266.A
Iecori præparantur cibi in ventriculo.6°.de anato.adm. 1ª.90.C/*de bon.& vitio ſuc.* 2ª.37.A
Iecori alimentum percoquit ventriculus. de fœt. for. 1ª.324.H
propter Iecur venter non immutat cibum.6°.de dec. Hip. 1ª.265.H
ad Iecur quo modo cibus a ventriculo afferatur.de conſt.ar. Iſ.41.D
in Iecur ex ventriculo, & iecinore in totum corpus cibi deductio eſt opus naturale.3°.de ſymp. cau. 3ª.26.A
Iecur primo ſurſum alimentum recipit.4°.de vſu par. 1ª.142.G
in Iecore venæ a ventre trahunt.3°.de na.fa. 1ª.306.B
a Iecore in ventrem trahunt venæ in inedia. 3°.de na.fa. 1ª.306.B
ad Iecur non ſolum venæ ducunt nutrimentum, ſed & præparant.4°. de vſu par. 1ª.136.A
in Iecore ſanguis qui perficitur præparatur in venis meſaraicis.4°. de vſu par. 1ª.135.H
Iecur nutritur craſſo,& limoſo alimento.6°.de vſu par. 1ª.151.D
*Iecur a venis nutrit̄ ſolis tenuiſſimis atq;rariſsimis.6°.& vſ.p.*1ª.155.c
Iecur,& cor ſemper habent alimentum niſi in maxima ſanguinis penuria, cur.de marc. 3ª.46.G
Iecoris vis alteratiua, quæ.8°.de comp.me.fac. 5ª.194.A
Iecur quo nutriatur,& quæ eius alimenta. 4°.de vſu par. 1ª.140.C
Iecur inſtrumentum concoquendi.2°.de tem. 1ª.22.A
in Iecore,& ventriculo a qua vi fiat coctio. in prog. c.1°. 4ª.197.B
Iecur hyeme non perfecte concoquit ob frigus.de na.hu.c.1°. 1ª.32.F
Iecoris facultas principaliſſima, quæ.8°.de com.me.ſe.lo. 5ª.194.A
Iecur veluti fons ardens facultatis facientis humores. in prognoſtica, commen.2°. 4ª.201.E
Iecur deſeruit nutritioni. 4°.de præſa. ex pul. 4ª.119.F
*Iecur altricis facultatis initium.6°.de dec.Hippocratis.*1ª.262.H/5°. *de loc.affe.* 4ª.28.H
*i Iecore nō refert dicere natura an aīa nutritoria.4°.de vſ.p.*1ª.193.d
per Iecur quo modo eat cibus. 5°.de lo.affe. 4ª.33.G
Iecur venis meſeraicis vtitur vti manibus. 5°.de loc.aff. 4ª.35.C
Iecoris officium quod.in prog.com.1°.197.F/ 4ª.198.E
in Iecore principium eſt ſanguinis,& venarum, nutriendiq; corpus, ac familiarem ſubſtantiam agnoſcendi. in tim.Plat. 1ª.287.D
in Iecore dīnatur bilis,& ſanguis.de na.& ord.cuiusl.corp.Sp.41.D
Iecur primum ſanguinis generandi inſtrumentū. 4°.de vſ.p. 1ª.138.D
Iecoris caro eſt inſtrumentū generādi ſanguinē.4°.de vſu p. 1ª.138.e
Iecoris caro conuenicns ad generationē ſanguinis.6°.de decre. Hippocratis.265.H/ 1ª.266.C
*Iecoris caro cā eſt,vt cibus mutetur in ſanguinē.7°.de vſ.p.*1ª.159.a
in Iecore & ventriculo quæ mutationes fiant in prog.c.1°. 4ª.197.B
in Iecore,& venis ſanguis coquitur.in 6ᵐ.de mor.vul.c.5°. 3ª.188.b
in Iecinore ſanguis perficitur. introd. Iſa.54.D
*ad Iecoris coctionē exemplum de vino muſto.4°.de vſu par.*1ª.136.a
*Iecur,& ſplen cōſiderāda qū de coctione ſermo fit.1°.de lo.aff.*4ª.5.E
in Iecore non coquuntur cibi male cocti in ventriculo. in 6ᵐ.de morb. vul.com.4°. 3ª.186.D
a Iecoris carne chylus alteratus debet fieri ruber,ſi illi debet aſſimilari.4°.de vſu par. 1ª.139.F
Iecoris proprium eſt generare ſanguinem. 5°.de lo.aff. 4ª.34.D
in Iecore prima ſanguinis generatio plurima. fin.me. If.44.A
Iecur eſt principium alentis ſanguinis.6°.de dec.Hip. 1ª.264.C
in Iecore ſanguis calidus. de fæt. for. 1ª.333.F
a Iecoris ſanguine non diſſimilis eſt ſanguis qui eſt in corde. 6°.de dec. Hippocratis. 1ª.263.C
Iecoris ſanguine cordis ſanguis eſt flauior. 6°.de dec.Hip. 1ª.266.D
Iecoris ſanguis non eſt ſpumoſus.6°.de dec.Hip. 1ª.266.D
a Iecoris cauo aſcendit ſanguis ad gibbum. 4°.de vſu par. 1ª.136.C
e Iecinore in ventriculum pertinentes venæ ſecundum principiū ſunt alimenti.2°.de dec.Hipp. 1ª.240.F
*Iecur dat ſecundam purgationem nutrimento.4°.de vſu pa.*1ª.136.A
Iecur tertium principium alimenti. 2°.de dec.Hip. 1ª.240.F
*ī Iecore chymus apparatur ad nutriēdū aīal.4°.de vſu par.*1ª.136.B
a Iecinore quæ nutriantur.6°.de dec.Hip. 1ª.263.B
*Iecur p̄parat alimētū oībus corporis partibus.de bo.& ui.ſu.*2ª.35.f
a Iecore cibus alteratus in totū corpus tēdit. 6°.de ana.ad. 1ª.90.C
*Iecur alterat cibum in ſanguinē,& mittit ad cor.an oēs an.p.*1ª.326.e
Iecur dat ſanguinem cordi. fin.med. Iſa.50.C
Iecur non præparat ſanguinem pro corde.6°.de dec.Hip. 1ª.263.A
Iccur non ſanguificat propter membra.6°.de dec.Hip. 1ª.265.H
*Iecur ſanguinē non facere,cōtra Galenum probatur.de an.vi.S.*46.B
in Iecore,& venis eſt ſpiritus naturalis,ſi eſt.12°.me.me. 7ª.77.C
*ex Iecore nutrimentū venit in intēſtina,& vētr̄.3°.de na.f.*1ª.306.e
Iecur ſi in alia quapiam parte poneretur, nihilo minus ſuam obtineret actionem. 6°.de locis affe. 4ª.42.D
Iecur debet officium ſuum in morbis facere. 11°.me.med. 7ª.72.E
Iecur ſi vitio careat, vinum dulce aſſumat qui refici debet.de bon.& vit.ſuc. 2ª.38.D
*Iecur quid habeat ab aere,& cibis,& potibus.10°.met.me.*7ª.65.F
Iecur attollitur in retentione ſpiritus.3°.de ſa.tu. 2ª.77.B
IECVR *eſt vnum ex viſceribus, in quibus animæ facultas. 4°.de decre.Hipp.* 1ª.248.D
in Iecore eſt vna ſpecies animæ. & animi mores. 1ª.317.F
in Iecore eſt anima vegetatiua. 9°.me.med. 7ª.58.H
in Iecore exiſtens anima vegetatiua, appetitrix,naturalis, & altrix vocari poteſt.9°.me.med. 7ª.58.H
Iecur principium vegetatricis,& naturalis animæ eſt. in 3ᵐ.de mor. vul.com.1°. 3ª.133.C
*ī Iecore naturalis potētia,& qñ robuſta.ī 6ᵐ.de mo.vu.c.1°.*3ª.154.e
Iecur viſcus eſt tertium,in quo vis animæ concupiſcibilis continetur, 3°.de dec.Hip. 1ª.243.H
Iecur,cor,& cerebrum viſcera quæ cōtinet facultatem, ſubſtantiāq; animæ.6°.de dec.Hip. 1ª.261.H
*Iecur eſt ſedes virtutis concupiſcibilis.in tim.Pla.*1ª.287.C/*3°.de locis affe.* 4ª.16.E
in Iecore quæ eſt anima concupiſcibilis, dicitur altrix,& naturalis ab Ariſtotele.& animi mores. 1ª.318.E
in Iecinore eſt cupiendi vis ſm peripateticos.2°.de dec. 1ª.235.F

in Iecinore

in Iecore irascibilis anima.3°.de dec.Hip.246.C/9°. 1ª.285.E
Iecur Tityo ab aliqua eorum non poetæ modo, verũ & pictores, ac sculptores fingunt.3°.de lo.aff. 4ª.16.A
in Iecore quæ est anima moritur cum corpore.& ani. mor. 1ª.317.F
in IECORE *vt quod superfluum erat purgari posset, instrumenta accommodata natura effecta sunt secũda rõne.6°.de ana.ad.* 1ª.90.C
Iecoris superfluitates per quos meatus euacuantur.ars med. If.71.E
Iecur a quatuor instrumentis purgatur.6°.de vsu par. 1ª.145.F
ob Iecur duæ vesicæ factæ.de fœt.for. 1ª.324.H
in Iecore vesica fellis sita recipit leuẽ,& flauũ. 4°.de vs.p. 1ª.136.b
in Iecinore flaua bilis exuperat. intro. *Isa.54.D*
Iecur bile a sanguine segregat. de theri. ad Pi. 5ª.96.A
ex Iecore bilis in intestina defluens cur regurgitat in ventriculũ quibusdam.1°.de ali.fac. 2ª.7.G
in Iecinore quod crassius est,lien trahit.3°.de nat.fa. 1ª.307.D
Iecur purgari a liene creditum est. de atra bile. 1ª.36.A
Iecinoris concaua expurgant p̃ intestinũ rectum.11°.me.me. 7ª.73.F
in Iecoris simo materia per intestina vacuatur.de const.ar. *Isa.41.D*
a Iecinore aliquid tendit in ventriculum.3°.de nat.fa. 1ª.307.D
in Iecoris gibbo materia per vrina vacuatur.de const.ar. If.41.D/11°. met me.73.F/13°.83.H/2°.de arte cur.ad Glau. 7ª.102.H
Iecoris gibba per reues purganda.13°.met.me. 7ª.84.F/H
Iecur quandoque purgant vrinæ praue.5°.de lo.aff. 4ª.55.E
Iecore,aut renibus languentibus quãdoq; pus cum vrina excernitur, & subsidendo fallit minus acutum artificẽ.de vrinæ.sig. Sp.79.C
a Iecore veniunt erui & hordei speciẽ referentes vrinæ.in 6ᵐ.de mor. vul.com.5°. 3ª.192.A
a Iecore ad vrinam quando liceat trahere humores cum medicamẽtis euacuantibus. ars med. *If.71.A*
a Iecore ad ventrem quando liceat trahere humores cum medicamentis euacuantibus.ars med. 7ª.71.A
Iecinoris gibba,si multos habet succos prauos,per secessum euacuantur,paucos, per vrinam.7°.me.med. 7ª.49.D
Iecinoris caua pars deiectione euacuatur. 7°.me.med. 7ª.49.D
Iecinoris cauum per aluum purgatur.13°.me.med.83.H/84.F/H/2°. de arte cur.ad Glau. 7ª.102.H
ex Iecore bilios⁹ humor descendit. 2°.de se. 1ª.340.C
e Iecore quando descendit bilis ad ventrem, euomitur flaua, magisq; id eis accidit qui perfecte cõcoxerunt.2°.de temp. 1ª.20.E
in Iecore malignus vel acris humor non manet.5°.de vsu pa. 1ª.145.f
Iecinoris excrementum aliud vt flos in vino,aliud vt fex.1°.de sani. tuenda. 2ª.67.F
Iecinoris fex attrahitur a liene.1°.de san. tu. 2ª.67.F
Iecinoris flos attrahitur a vesica fellis.1°.de sa.tu. 2ª.67.F
Iecur per aluũ,& per vomitũ expurgari potest.7°.met.me. 7ª.49.D
Iecur quo modo faciat aliquid ad portionem vomitionis, & per quã viam. 3°.de symp.cau. 3ª.27.H
IECVR, *& omnia alia membra calida,ventriculum autem frigidum habentes morbis obnoxij. 3°.de ali.fac.* 2ª.28.F
Iecinoris morbi quotupliciter fiant. 5°.de lo.aff. 4ª.33.B
Iecoris affectus qui esse possit. 8°.de comp.me.se. lo. 5ª.193.G
Iecinoris affectus morbus longus intrinsecus. intro. *Isa.56.B*
Iecur quando frigore afficitur. 5°.de lo.aff. 4ª.33.F
Iecoris frigidam intemperiem quæ comitantur. 5°.de lo. aff. 4ª.34.E
Iecoris frigida intemperies quid agat. 5°.de locis affe.4ª.34.D/5°.de comp.med.se.lo. 5ª.194.C
Iecoris frigidas affectiones quo modo iuuent cichorea, & seris.8°.de comp.med.se.lo. 5ª.195.C
Iecoris humida intemperies quid agat. 5°.de lo.aff. 4ª.34.D
Iecoris humidæ affectiones quid faciant.8°.de cõp.me.se.lo. 5ª.195.H
ecoris calidam intemperiem quæ comitantur.5°.de loc.aff. 4ª.34.F
Iecoris calida intemperies quid agat. 5°.de lo.aff. 4ª.34.D
Iecoris calida intemperies facit colliquationes. 8°.de comp.medicam. secun.loc. 5ª.194.C
Iecoris sicca intemperies quid agat. 5°.de lo. aff. 4ª.34.D
IECVR *imbecillius est corde. 3°.de nat.fac.* 1ª.306.C
Iecur est valentius quam intestina & venter.3°.de nat.fa. 1ª.306.D
Iecur & ventriculus quandoque valentiora sunt quandoq; imbecillio ra inuicem comparata.3°.de na.fa. 1ª.306.D
in Iecinore lassitudo potest esse.de curan.rat.per san.miss. 6ª.16.F
de Iecinoris imbecillitate sine inflammatione. 5°.de lo.aff. 4ª.34.C
Iecoris imbecillitatis affectiones cur sint octo.8°.de compo. medicam. secun.loc. 5ª.193.H
Iecur quibus partibus refrigeratur. 5°.de lo.aff. 4ª.33.F
ex Iecore male affecto in partes inferiores, imbecilliores morbi incidũt.de san.tu. 2ª.100.C
in Iecinoris,& splenis imbecillitatem quid efficiat vitiosus succus.3°. de symp.cau. 3ª.30.A
Iecoris imbecillitas quid faciat. 3°.de symp. cau. 3ª.27.H
Iecoris imbecillitas quo modo cognoscatur. 5°.de lo.aff. 4ª.34.G
Iecoris imbecillis signum. 5°.de loc.aff. 4ª.34.E
Iecore debilitato paulatim homo in alimento læditur,& colore.6°.de dec Hipp. 1ª.261.G
Iecur quũ nõ põt attrahere,quid sequatur.8°.de cõ.me.se.l. 5ª.194.b
Iecoris attractrice vitiata,quid sequatur. 5°.de lo.aff. 4ª.35.B
Iecori quæ qualitates conueniant.7°.de sim.med.fa. 5ª.56.G
Iecur roboratur adstringentibus.6°.de simp.me.fa. 5ª.47.G
in Iecoris curatione semper aliqua adstringentia apponenda.ars med. Isa.71.A/11°.me.med. 7ª.73.D
Iecur & ventriculus cur adstringentia præ cæteris expetant.11°.me. medendi. 7ª.72.E
in Iecore solui robur est periculosum. 11°.me.med. 7ª.73.B
Iecoris vigor non est resoluendus madefacientibus, & relaxantib.ars medicina. *Isa.71.A*
Iecori præbent robur cichorea,& seris.8°.de cõp.me.se.lo. 5ª.195.B
Iecur qua parte cichorea,& seri iuuetur.8°.de cõp.me.se.l. 5ª.195.C
Iecoris imbecillitatibus conuenit mastiche.8°.de simp.me.fa. 5ª.59.F
Iecur roborant pistacia. 2°.de ali.fac. 2ª.21.C
Iecur inualidum habentibus confert medicamentum ex malorũ succo.6°.de san.tu. 2ª.101.B
Iecoris sima pars quo modo cognoscatur robusta.de const.ar. *If.41.D*
in Iecore quandoq; spiritus halituosus continetur,& quid tunc sentiatur.5°.de loc.aff. 4ª.33.C
IECVR *affici quo modo cognoscatur,oẽs notæ enumerantur.5°.de locis affectis.* 4ª.33.D
Iecoris affecti signa efficacissima. 5°.de lo.aff. 4ª.34.D
Iecoris affecti aliud signum. 5°.de loc.aff. 4ª.34.E
Iecoris patientis signa. ars med. *Isa.67.B*
Iecinoris symptomata quæ.in 3ᵐ.de mor.vul. com.2°. 3ª.135.B
ex Iecore affectus cognoscitur colorum vitijs.3°.de loc.aff. 4ª.16.E
Iecore vitiato color linguæ, & totius corporis alteratur. 2°.de locis affectis. 4ª.13.E
Iecore vitiato vitiatur sanguificatio. 5°.de locis affe. 4ª.33.F
Iecore,ventriculo,& pulmone affectis febres ardentes magna ex parte adueniunt. 5°.de loc. af. 4ª.33.D
Iecur affectum qui pulsus sequuntur.4°.de præs.ex pul. 4ª.120.B
ex Iecinoris, vel thoracis tumore pulsus mollis nunquam fit, cur.4°. de præsag.ex pul. 4ª.120.B
Iecinoris affectum significat tumor dextræ partis præcordiorum. 1°. de loc.af. 4ª.6.B
in Iecoris affectu clauiculæ dolor. de mul. 3ª.77.G
Iecinoris affecti accidens quid existimetur. 2°.de lo. af. 4ª.9.G
Iecinore afflicto alui deiectiones vna cum accessionibus quos inuadũt 11°.me.med. 7ª.74.D
cũ Iecore communia habet symptomata lien.6°.de loc.af. 4ª.36.A
Iecore læso læditur lien. 2°.de alim.fa. 2ª.20.H
in Iecur ex liene periculosa exceptio & morborum transumptio, e cõtrario non. in 6ᵐ.de mor. vul.com.1°. 3ª.165.E
Iecur idem patitur quando ventriculus æstuat.2°.de ali.fa. 2ª.19.C
Iecur,& ventriculus non patiuntur apud se aliqua cocta morari. 3°. de symp.cau. 3ª.28.A
circa Iecur potius stare debent cruditates,quã ire ad principales partes.12°.me.med. 7ª.76.C
ĩ Iecore q̃ sunt,p quietẽ cõcoquũtur.in 6ᵐ.de mor.vul.c.5°.3ª.194.A
Iecoris vitio quo mõ pereat appetitus.in 3ᵐ.de mo.vul.c.1°.3ª.133.c
Iecoris symptoma humidæ ventris deiectioni assimile quæ ad exactã quidem perducta sit coctionem,non tamen digestionem cõsequuta. 3°.de sym.cau. 3ª.28.A
Iecinoris morbi sicci qui vocentur.2°.de arte cur.ad Gla. 7ª.112.F
Iecinoris morbi dum aut nihil excernitur, aut durũ exit sunt, morbi sicci.de ptissana. 2ª.48.A
IECINORIS *obstructio qui morbus.de symp.diff.* 3ª.13.D
in Iecinore potissimum obstructio nascitur ob eius constitutionẽ,actionemq;, & quare.de const.ar. *If.41.D*

in Iecoris meatibus quando obſtructio ſola.de diff.mor. 3ª.4.D
Iecoris quibus vitiis tēteni balneo poſt cibū utētes.6°.de ſ.t. 2ª.96.a
Iecur quibus facile obſtruitur. 3°.*de ali.fac.* 2ª.28.B
Iecur obſtruunt cibi craſſi ſucci. de bo.& vit.ſuc. 2ª.35.F
Iecur obſtruitur facile ſenibus, ſi craſſum humorē faciētibus vtātur. 5°.*de ſa.tu.* 2ª.91.B
Iecoris obſtructiones pariunt cibi dulces.de bon. & vi.ſuc. 2ª.36.E
*Iecur qbus facile obſtruitur, vſum alicę vitare dūt.*1°.*de al.f.*2ª.10.b
Iecur obſtruunt alica, & ſuilla caro. de bon.& vi.ſuc. 2ª.34.F
in Iecore grauitatem, vel dolorem facit alicæ, & ſuillæ carnis vſus vberior.de bon.& vit.ſuc. 2ª.34.G
in Iecinore affectis, & quando meatus ſunt anguſti, obeſt chondrus. 2°.*de ar.cur.ad Glauc.* 7ª.111.E
Iecur obſtruit caſeus. 3°.*de ali.fac.* 2ª.28.B
*Iecoris meatus obſtruit itria ex ſimilagine.*1°.*de ali.fa.* 2ª.11.F
Iecur obſtruit lac caſeoſum. 3°.*de ali. fac.* 2ª.28.A
Iecur obſtruit lac elixum. 3°.*de ali.fa.* 2ª.28.B
Iecoris meatus obſtruit placenta ex lacte, & caſeo.de bonita.& vit. ſuccorum. 2ª.35.D
in Iecore qui panis obſtructiones faciat. 5°.*de ſan.tu.* 2ª.91.E
Iecoris obſtructiones gignit lens mixta ſapæ. 1°.*de ali.fa.* 2ª.13.F
*Iecoris obſtructiones pariūt palmæ immaturæ.*2°.*de nat.fa.* 2ª.20.b
Iecur celerrime obſtruit palmæ ſuccus dulcis. 2°.*de ali.fa.* 2ª.20.H
in Iecore obſtructionem pariunt edulia ex triticea farina & lacte. 1°. *de alim.fac.* 2ª.10.G
in Iecinore arctos alimenti tranſitus habentibus obſtructiones creāt lauacra de ſal.dicta. 2ª.41.B
Iecinoris obſtructiones faciunt pauci motus. 1°.*de ſa.tu.* 2ª.65.F
Iecur offendit potio frigida poteſt exercitationem.de ſal.diæ. 2ª.41.c
Iecoris obſtructio non facit febrem. 2°.*de loc.aff.* 4ª.12.H
*Iecoris cauo venæ obſtructæ quē morbū faciāt.*2°.*me. me.* 7ª.12.H
*Iecoris venarum intemperies quem morbū facit.*2°.*met.me.*7ª.12.H
Iecur quibus indicijs cognoſcatur eſſe obſtructū. 5°.*de ſa.tu.* 5ª.91.G
Iecoris obſtructionem quæ vrina ſignificet.de vri. 4ª.123.B
Iecoris obſtructio concoctum cibum in diuerſas corporis partes diſtribui prohibet.de bon.& vi.ſuc. 2ª.34.F
Iecoris obſtructionis curatio. de conſt. ar. If.41.D
*Iecoris obſtructio,& inflammatio quando coniunguntur, quibus curā dæ.*9°.*de comp.me.ſe.lo.* 5ª.197.F
*Iecur curandum quibus indigeat.*8°.*de comp.med.ſe.lo.* 5ª.194.H
*Iecur obſtructum quibus iuuetur.*6°.*de ſa.tu.* 2ª.97.H
Iecoris obſtructiones quæ adiuuent. 5°.*de ſimp.me.fa.* 5ª.35.B
*in Iecinore obſtructiones abſtergunt & expurgant amara.*7°.*de ſimp. med.fac.* 5ª.49.E
*Iecur,ac lienem obſtructione liberant amara.*8°.*de ſim.me.f.* 5ª.59.b
Iecur expurgat amaritas. 6°.*de ſim.me.fa.* 5ª.47.E
Iecur,& renes expurgant acria & ſubamara. 6°.*de ſi.m.f.* 5ª.45.G
Iecur infarctu liberat Aſparagus. 6°.*de ſimp.me.fa.* 5ª.44.A
Iecur obſtructū aperit Beta. 2°.*de ali.fa.* 2ª.22.H
*Iecur expurgat Betonica.*7°.*de ſimp.me.fa.* 5ª.51.C
*Iecoris obſtructionibus proſunt Caricæ & ficus.*2°.*de ali.fa.* 2ª.17.F
*Iecinoris obſtructiones optime expedit Centaurij minoris ſuccus.*7°. *de ſimp.med.fac.* 5ª.50.H
*Iecur obſtructione liberat Chamæciſſos.*8°.*de ſimp.me.fa.* 5ª.63.C
Iecur obſtructionibus bonū eſt remedium Chamæpityis. 8°.*de ſimpli. med.fac.* 5ª.63.F
Iecur expurgat Cicerum genus arobiæum appellatum. 6°.*de ſimplic. med.fac.* 5ª.47.E
*Iecoris obſtructiones expurgat Eupatoriū.*6°.*de ſimp. me.f.* 5ª.47.G
pro Iecore expurgando Filix conuenit prædominantem habens amarā qualitatem. 8°.*de comp.me ſe.lo.* 5ª.195.D
Iecinoris obſtructiones ſanat Fumus terræ. 7°.*de ſimp.me.f.* 5ª.49.g
Iecur expurgat Iuniperi fructus. 2°.*de ali.fac.* 2ª.19.C
*Iecori prodeſt Laurus.*6°.*de ſimp.me.fa.* 5ª.46.B
Iecur expurgat Lupinus. 6°.*de ſimp.me.fa.* 5ª.48.D
*Iecur ac lienē obſtructione liberat Marrubiū.*8°.*de ſim.m.fa.* 5ª.59.B
*Iecinoris obſtructiones adiuuat Oſiris.*8°.*de ſimp.me.fac.* 5ª.57.G
*Iecur expurgat Phaſiolum.*6°.*de ſimp.me.fa.* 5ª.48.H
*Iecoris obſtructione liberat Piſtacium.*8°.*de ſimp.med.fac.* 5ª.58.F
*in Iecoris vijs humores infarctos purgāt piſtacia.*2°.*de ali.f.*2ª.21.c
*Iecur obſtructum expurgat Pæoniæ radix.*6°.*de ſimp.me.fa.*5ª.45.G
*Iecur expurgat Rubiæ radix.*6°.*de ſimp.me.fa.* 5ª.47.F

Iecori Vua paſſa familiaris. 8°.*de comp.med.ſe.lo.* 5ª.194.H
*pro Iecoris obſtructione quę dantur cum oxymelitueſmi debent.*6°.*de ſan.tu.* 2ª.96.B
*Iecur deobſtruentia conducunt coctionis tarditati, & quæ ſint.*6°.*de ſan.tuenda.* 2ª.97.H
de Iecoris obſtructione caſus. ars med. 2ª.69.C
*Iecoris meatus apertos habere conuenit ſanis,& ægris.*2°.*de alimen. facul.* 2ª.17.F
ad Iecur quibus it fluxio quo mō curandi.de venæ ſec.ad.Er. 6ª.14.e
*Iecur intumeſcit dulcibus omnibus.*13°.*met.med.* 7ª.83.E
Iecur,& ſplen a dulcibus vinis læduntur. de vinis. Sp.76.E
IECINORIS *tumor videtur habentibus gracile abdomen.*5°.*de locis affectis.* 4ª.33.E
Iecinoris tumori quid proprium. 5°. *de lo.aff.* 4ª.33.F
*in Iecori vicinis partibus tumor quandoque adeſt,& quo modo cognoſcatur.*3°.*de loc.aff.* 4ª.13.E
*Iecur quibus indicijs cognoſcatur intumuiſſe flatu.*5°.*de ſa.t.*4ª.91.G
in Iecore & thorace cur nunquam ædema pituitoſum naſcatur. 4°.*de præſag.ex pul.* 4ª.120.B
*Iecinoris ſubſtantia ſcirrhis opportuna.*11°.*me.med.* 7ª.84.C
*Iecore rarior eſt lienis ſubſtantia,& ſcirrhos ſæpius patitur.*11°.*me. medendi.* 7ª.84.C
in Iecoris canis partibus fieri poteſt tumor quidam ſcirrhoſus. de totius morbi temporibus. 3ª.89.C
Iecur affectum ſcirrho quid.fin.med. 7ª.47.E
*Iecur fit ſcirrhoſum in morbis longis.in prog.com.*1°. 4ª.197.G
Iecinoris ſcirrhoſi affectus vnde. de bo.& vi. ſuc. 2ª.39.D
Iecoris dura diſpoſitio non facit febrem. 2°.*de lo.aff.* 4ª.12.H
Iecinoris ſcirrhus facile deprehenditur. 5°.*de loc.aff.* 4ª.33.F
*Iecoris ſcirrhus quo modo deprehenditur.de tot.morb.temp.*3ª.89.d
*Iecinore ſuo munere probe non fungente,ſine tumoribus præter naturā varij colores accidunt in vniuerſo corpore.*5°.*de lo.aff.* 4ª.34.b
*Iecoris ſcirrhus an poſſit ſanari.*2°.*de arte cur.ad Glau.* 7ª.104.D
Iecinoris ſcirrhū ſequitur aqua intercutem. 5°.*de lo.af.*33.F/4°.*de p̄ ſag.ex pul.*4ª.121.E/2°.*de arte cur. ad Glau.* 7ª.104.D
Iecoris ſcirrhus victu attenuante ſanatus. de atten.vict. 2ª.43.G
*Iecur indureſcens liquant reliquiæ balani myrepſicæ, vnde expreſſus eſt ſuccus carnis eius.*6°.*de ſimp.me.fa.* 5ª.44.D
*Iecur,& lienem indurata,& obſtructa ſanat viticis ſemen.*6°.*de ſim. med.fac.* 5ª.42.B
*Iecinoris duritiē hēntibus p̄deſt theriaca.de vſu ther.ad păp.*5ª.98.b
ad Iecoris duritias quid bonum. de med.fac.par. 7ª.178.D
*Iecoris laxitas quo modo curanda.*8°.*de comp.me.ſe.lo.* 5ª.195.H
*ad Iecinoris duritiem quid valeat.*6°.*de comp.me. per ge.* 5ª.256.A
a Iecore an ſemper morbus regius. 5°.*de lo.aff.* 4ª.34.A
*a Iecore aqua intercutem,qualis.in prog.c.*1°. 4ª.197.G
IECORIS *phlegmone exiſtimatur ab ignaris phlegmone muſculorū, præcordiorū,& ita relaxantibus ab ijs curatur.*11°.*m.m.*7ª.72.f
*Iecoris inflāmationes quales ī gibba,et in ſima parte.*5°.*de l.a.*4ª.33.c
*Iecinoris ſimæ partis inflammationes.*5°.*de lo.aff.* 4ª.33.E
Iecoris cōuexi inflammatio periculoſior eſt inflāmatione concaui. in 6ᵐ.*de mor.vul.c.*1°. 3ª.162.H
*Iecinore gibbi phlegmone facit tuſſim.*2°.*de ſym.cau.* 3ª.21.H
Iecore inferioribus partibus inflammatis pauciſſimi pereunt. in 6ᵐ. *de mor.vul. com.*1°. 3ª.162.H
*Iecoris cauo phlegmone obſeſſo afficiuntur meſeraicæ venæ phlegmone & ipſæ protinus.*13°.*me.med.* 7ª.83.F
Iecoris inflammationes vehementiſſimæ. 5°.*de lo. aff.* 4ª.33.E
*Iecoris, & ſplenis inflammationes vnde.*2°.*de diff.feb.* 3ª.40.H
Iecoris inflammatio ex fluxione. 2°.*de diff.feb.* 3ª.40.H
Iecoris inflammatio quid faciat. de pul. ad tir. 4ª.45.B
Iecoris inflammatio quo modo cognoſcatur. 5°.*de loc.aff.* 4ª.34.G
Iecoris inflammationis indicia. 5°.*de lo.aff.* 4ª.34.F
*in Iecoris inflammationibus a pulſu habetur indicium firmum,& ſolidum.*2°.*de loc.aff.* 4ª.13.E
in Iecori inflammatione pulſus diuerſus. 2°.*de lo.aff.* 4ª.13.E
Iecoris inflammati pulſus,qualis.de pul.ad tiro. 4ª.45.A
in Iecoris inflammationibus reſpiratio qualis.de vti.reſp. 1ª.225.G
Iecoris calorem ſignificant excrementa torrida. in 3ᵐ.*de mor. vulg. commenta.*1°. 3ª.131.B
*Iecoris inflammatio facit febrem.*2°.*de loc. aff.* 4ª.12.H
*ex Iecore male affecto tertiana fit.*1°.*de arte cur.ad Glau.* 7ª.95.H

in Iecore,&

in Iecore,& ventre ob materiam fit febris ardens. in 3m.de morbis vulgaribus,com.3°. 3a.141.G
in Iecoris, & ventris venis ardens fit febris.in 1m.de morbis vulgari.com.2°. 3a.109.H
circa Iecinoris parte ſimus fit ardens febris. in 1m.de morbis vulgari.commen.1°. 3a.104.F
Iecoris,& ventriculi inflammationem hecticę ſequuntur.1°.de differentijs febrium. 3a.35.F
in Iecore facta febris quo modo cognoſcatur.in 3m.de morbis vulgari.commen.1°. 3a.131.B
Iecoris inflammatio poteſt facere dolorem in loco notharum coſtarũ. 2°.de locis affectis. 4a.13.D
Iecoris inflammatio facit dolorẽ in coſtis nothis.5°.de lo.aff.4a.34.G
in Iecoris magna inflammatione & ſcirrho iugulum deorſum trahitur.5°.de loc.aff. 4a.34.H
in Iecoris inflammatione cur dolor in iugulo.2°.de loc.aff. 4a.11.D
in Iecoris inflammatione ſanies cruoris tenuis ſimilis ablutioni carnium.5°.de loc.aff. 4a.34.G
ex Iecoris inflammatione medici caſus.5.de loc.aff. 4a.34.F
in Iecoris phlegmõe casº Theagẽis philoſophi cynici.13°.m.7a.83.F
Iecoris phlegmone laborãtem medicum quo modo curauit Galenus. 11°.methodi medendi. 7a.73.A
Iecoris ſuperaſſantis ſanguinem ſigna.5°.de loc.aff. 4a.34.E
Iecinoris phlegmone eſt cum periculo mortis.10°.meth.med.7a.63.H
Iecinoris inflãmatiões ſi in pus uertunt,cõſumũt corpº.intr.Iſa.56.G
in Iecoris phlegmone vna ſalus eſt viriũ robur.10.meth.me.7a.63.H
Iecoris phlegmone quomodo curetur.13.met.me. 7a.82.H
in Iecinoris phlegmone remedia,quæ 11°.meth.med. 7a.73.A
in Iecinoris phlegmone quid agendum.13°.meth.med. 7a.83.C/D
in Iecoris gibbæ phlegmone quæ adhibenda.13.meth.med. 7a.83.H
in Iecoris phlegmone victus qui inſtituẽdus.13.meth.med.7a.83.D
Iecoris inflammatio non exigit cibos.10°.meth.me. 7a.63.H
Iecoris inflãmationi mulſa nõ eſt vtilis,et quare.11°.me.me.7°.73.F
pro Iecore calido fructus debent refrigerari,quando comedũtur.1°. de alim.facul. 2a.16.E
Iecori inflãmato obſunt cibi,& potus dulces.2°.de alim.fac.2a.17.F
Iecori inflammato nocent caricæ & ficus.2°.de alim.fac. 2a.17.F
Iecore affecto quæ vena ſecanda.13°.meth.med. 7a.83.B
in Iecoris phlegmõe uena ſterna cubiti ſecãda.13°.me.me.7a.82.H/ 2°.de arte cur.ad Glau. 7a.102.G
ſupra Iecur membra petunt venæ cubiti ſectionem. in 6m. de mor. vulg.comment.1°. 3a.156.A
infra Iecur membra petunt venæ crurum ſectionem. in 6m. de mor. vulg.commen.1°. 3a.156.A
in Iecoris phlegmone ſi vacuatio conueniat,quæ conſideranda.13°. methodi medendi. 7a.82.H
Iecur quando euacuãdum,timendum eſt, ne quid virtuti officiat.7°. methodi medendi. 7a.49.B
ex Iecore non licet euacuare vtcunq; ſed cum cautione, & quare. 7°.methodi medendi. 7a.49.B
in Iecoris gibba quando eſt inflammatio,per quas partes ſit purgandum.quos purga.op.quib.med. 5a.88.F
in Iecoris ſima quando eſt inflammatio, per quas partes ſit purgandum.quos purg.op.quib.med. 5a.88.F
ex Iecore ſanguinis fluxum retrahunt cucurbitulæ dextris præcordijs ſuppoſitæ.1°.de arte cur.ad Glau. 7a.100.F
in Iecoris caui phlegmone qbus euacuandum.13a.met.me.7a.84.A
Iecoris inflammatio indurata quibus curetur.8°.de compoſitio. medicamentorum facultа. 5a.187.E
Iecur inflammatum non debet curari ſolis laxatorijs,ſed & adſtringentibus.8°.de comp.me ſe.loc. 5a.187.C
in Iecinoris phlegmone non conueniunt adſtringentia,quia bilis meatum arctant.13°.met.med. 7a.83.E
Iecoris inflammatio eget adſtringentibus non ſolis relaxantibus.de re mediis paratu facilibus. 7a.158.F
qp Iecur mediocriter adſtringi debeat.13°.meth.me. 7a.83.F
in Iecoris phlegmõe qñ adſtringẽtia inaugẽda.11°.me.me.7a.73.A
Iecori quæ adſtringentia conueniant.de re.par.fa. 7a.158.F
in Iecoris phlegmone abſinthij coma conuenit, & quo modo.13°. meth.medendi.83.G.14°. 7a.88.D
ad Iecoris inflãmationes abſinthium põticũ bonũ.11°.me.me.7a.72.F
Iecur cũ laborat abſinthiũ ex oleo adhibebimus.11°.met.me.7a.72.F
Iecori vt abſinthiũ,ita lieni capparis cõuenit.11.metho.me.7a.84.F
Iecori quale eupatoriũ,tale lieni ſcolopẽdriũ.11°.met.med.7a.84.F
pro Iecoris phlegmone filicula cum quibus, & quo modo detur.13°. methodi medendi. 7a.84.A
Iecoris inflãmationibº cõpetit maſtiche.7°.de ſimp.med.fac. 5a.55.C
Iecori conuenit ſpica nardi.7°.de ſim. me.fac. 5a.56.G
Iecoris phlegmonis prodeſt ſchini flos.8°, de ſimp.me.fa. 5a.61.H.
ad Iecur valet ſolanum halicacabum.8°.de ſimp.me.fac. 5a.62.G
pro Iecoris phlegmone veratri nigri cortex in ptiſſana coctus conuenit.11°.methodi medendi. 7a.84.A
in Iecoris cauæ partis phlegmone clyſter ex mulſa & ſale conuenit. 11°.methodi medendi. 7a.84.A
in Iecoris phlegmone quæ extrinſecus applicãda.11.me.me.7a.84 D
in Iecoris phlegmones declinatione quæ miſcenda quando ſcirrhoſa. 11°.methodi medendi. 7a.84.A
Iecori inflãmato q̃ apponẽda cũ mollibº.2°.de ar.cu.ad.Gla.7a.104.D
Iecur nõ fert fortia medicamẽta vt ſplẽ.2°.de ar.cu.ad Gla.7a.104.D
pro Iecore cataplaſma in phlegmone cõuenit.13°.met.me.7a.83.G
in Iecoris phlegmõe hyſſopũ atticũ miſce i ceratis.13°.me.m.7a.83.H
Iecoris inflãmationibº facile applicant remedia.3°.de loc.aff.4a.16.B
Iecori qñ remedia aptãda,& quãdo meſenterio.5°.de lo.aff.4a.35.C
Iecoris medicamẽta qũo debeant parari.5°.de ſimp.med.fac.5a.35.B
Iecori qũo humida ſint applicanda.8°.de comp.me.ſec.loc. 5a.196.A
Iecori,& medicamenti tractrici potentiæ idem os diuerſis temporibus ſerunt.3°.de na.fac. 1a.306.C
Iecoris eryſipelatis notæ,quæ.5°.de loc.aff. 4a.33.E
in Iecore qũo ſit morbus ex plenitudine.5°.de lo.aff. 4a.33.H
in Iecore affecto & repleto tentis & craſſis humoribus quid faciendum.ars med. Iſa.70.H
Iecinoris affectibus diuturnis vis vitalis proſternitur.4°.de præſagitione ex pulſ. 4a.121.G.
in Iecore grauitatis ſenſus ſit.de mult. 3a.77.F
IECORIS dolor quibus neglectis fiat.de dyn. Sp.20.A
Iecoris dolores non neceſſario ſequuntur male concoquentem.3°.de ſymptomatum cauſis. 3a.30.C
i Iecinoris dolores icidũt à cibo exercitati et balneati.d ſal.die.2a.43.C
in Iecoris parte illa,qua ſepto tranſuerſo cõmittitur, ſi fuerit dolor, aufertur,ſi emittatur ſanguis ex arteria inter indicem,& pollicem dextræ manus ſita.de curandi rat.per ſang.miſſ. 6a.21.E
Iecinoris dolores ſanguinis miſſione prius indigẽt, q̃ euacuatione. de vic.rat.in mor.acu.com.4°. 7a.137.B
Iecore dolente vena cubiti ſecãda.de cur.ra.per ſang.miſ. 6a.20.A
Iecoris dolorẽ ſentiẽtes qua victº rõne vti debẽt.6°.de ſa.tuẽ.2a.96.B
in Iecoris dolore abſinthij coma danda in aliquo liquore.6°.de ſanita te tuenda. 2a.96.B
pro Iecoris dolore compoſitio vtilis.6°.de ſa.tuen. 2a.96.B
pro Iecoris dolore diacalaminthæ.6°.de ſa.tuen. 2a.96.B
ad Iecoris dolorem Philonis antidotº.9°.de com.me.ſe.lo. 5a.201.A
in Iecinore adeſt palpitatio.2°.de ſymp.cau. 3a.20.F
ad Iecur medicamẽta quædã proprie inſcribuntur.introd. Iſa.57.H
ad Iecoris morbos antidotus vtilis.2°.de antid. 5a.120.E
Iecoris morbo vexatos iuuat antidotus zopyria.2°.de ãtido.5a.115.B
ad Iecoris affectus longos Damocratis malagma.8°. de compoſitio. medicamentorum ſec.loc. 5a.196.H
ad Iecur,& ſtomachum.de med.fac.par. 7a.175.E
ad Iecinoris vitia quid conferat.de med.fac.par. 7a.166.E
ad Iecoris vitia remedia expicta cõfirmata.de me.fa.par.7a.173.D
Iecori commodum medicamentũ.de med.fac.par. 7a.173.D
Iecore affecto tardiſſime fit mors.de vic.ra.i mor.acu.cõ.2°.7.123.H
ex Iecoris affectu quomodo mori contingit.5°.de lo.aff. 4a.29.B
Iecoris,& cerebri temperie deperdita non oportet cordis ſimul actionem perire.5°.de loc.aff. 4a.28.H
ex Iecore non excindimus tela.4°.de anat.admi. 1a.79.F
ad Iecoris vlcus malũ valet cyphi antidotus.2°.de antid. 5a.111.E
ſi Iecur nudatũ collidamus,aut laqueo venas ſtringamus, quid ſequatur.6°.de decre.Hipp. 1a.261.G
ſi Iecur diſciſſum ſit,letale eſt.com.6°.apho.18°. Ex.47.H
Iecore deperdito an aliud ſignatur.de conſt.ar. Iſa.39.G
IECVR animalis mactandi συκωτόν dicitur, quòd ex multarũ ficuũ ſiccarum eſu præparatum fuerit.3°.de alim.fac. 2.a27.D
Iecur eſt craſſi ſucci.de bon.& vit.ſuc. 2a.35.F
Iecur non eſt mali ſucci.de bon.& vit.ſuc. 2a.35.F

Iecur lactentium

Iecur lactentium boni succi.de bon.& vit.succ. 2ª.35.F
Iecur gallinaccorum, & præsertim altilium, est boni succi.de bon. & vit.succ. 2ª.35.F
IECVR *canis rabidi valet ad morsos à cane rabido.* 11°. *de simplicium medicamentorum facult.* 5ª.79.H
Iecore caprino ad nyctalopas quo modo aliqui vtantur. 11°.*de simp. medic.facul.* 5ª.79.H
Iecur caprinum comitiali morbo obnoxios arguit, conuulsionemq; illis accersit. 11°.*de simp.medic.facul.* 3ª.79.H
Iecur hircinum idē potest quod caprinū. 11°.*de simp.med.fa.* 5ª.79.H
Iecur equi in quo casu conueniat,& quo modo exhibendum. de medicam.fac.par. 7ª.166.E
Iecur lacertę dolores eroforum dentium sanat. 11°.*de simplicium medicamentorum facultatibus.* 5ª.80.A
Iecur lupi in quo casu conuenit,& quo modo exhibendum.de medica. fac.par. 7ª.166.E
Iecur lupinum in hepaticum medicamentum se posuisse quidem dicit Galenus, tamen non laudat. 11°.*de simp.med.fac.* 5ª.80.A
Iecur mustelæ.de reme.par.fac. 7ª.162 B
IEIVNANS *quid patiatur.com.*4°.*aph.*17°. Ex.29.A
*Ieiunantes saliuam habent salsam, plus ieiunantes amaram.*4°.*de simplic.medic.facult.* 5ª.20.A
*Ieiunantes habent os amarum, & vrinam biliosam, et venter illis mordetur.*2°.*de nat.fac* 1ª.300.G
*Ieiunantes multū, fiunt habitu bilioſi.*4°.*de simp.med.fac.* 5ª.29.A
*Ieiunantes cur cordis dolorē sentiūt,& morsus.*2°.*de decre.* 1ª.240.C
*Ieiunanti non debet iniungi labor.com.*2°.*aphoris.*16°. Ex.12.G
Ieiunant aliqui vno die in mense.de sal.diæta. 2ª.42.B
IEIVNIVM *contra capitis dolorem & crapulam. de victus ratione in morbis acutis.com.*4°. 4ª.145.B
Ieiunia sunt bona.de sperma. Sp.40.D
ex Ieiunio casus epileptici.de venæ sec.aduer.Erasi. 6ª.14.G
*Ieiuna experientia non eadem quæ à cibo.*2°.*de dig.puls.* 4ª.77.C
in Ieiunijs longis optimus sanguis venit ad nutriendum ventriculum de atra bile. 1ª.36.G
Ieiunis videntur phantasmata somniorū.in 1ᵐ.*prorrh.cō.*1°.4ª.163.G
ex Ieiunis hominibus coniectura fit viperas detentas esse venenosiores.de vsu ther.ad Pamphi. 5ª.99.B
Ieiunum vomere bilem melius est.de dynam. Sp.19.H
*Si Ieiunus potauerit multum merum, incidit in podagram. commē.*6°. *aphorismo.*28°. Ex.49.A
*Ieiunis dādū est medicamentū ex succo malorū.*6°.*de san.tuē.* 2ª.101.B
*in Ieiuno corpore exercitatio facta vacuat.*4°.*de sal. diæta.* 2ª.41.B
IEIVNVM *cur ita dictū.*4°.*de vsu par.*1ª.142.E/*de ana.viu.* Sp.50.C
Ieiunum intestinum vbi sit.de anat.parua. Sp.43.A
Ieiunum secundum intestinum. 5°.*de vsu par.* 1ª.142.E
*Ieiunum quale.*6°.*de anat.admi.* 1ª.92.F
Ieiunum cur sit vacuum.de anat.viuo. Sp.50.C
*Ieiunum intestinum præsertim est lubricū.com.*6°.*apho.*1°. Ex.46.C
*in Ieiuno venæ,& arteriæ se contingunt.*9°.*de vsu par.* 1ª.172.H
*Ieiuni officiū.introd.*Isa.54.B/*de cōp.memb.siue de na. hu.* Sp.59.A
Ieiunum vas nutrimenti.introd. Isa.54.B
in Ieiunum cibi transmissio à ventriculo non est opus naturæ. 6°.*de locis affectis.* 4ª.38.F
in Ieiuno non fit sanguis.introd. Isa.54.D
*Ieiuni sonitus ob flatus.*3°.*de sympt.cau.* 3ª.27.F
ad Ieiunum quando dura aqua & frigida vix à ventre subexierit, nō distribuitur faciliter, neque sputum reducit.de bon.aquæ. Sp.75.G
*Ieiuni morbi sicci, qui.*2°.*de arte cur.ad Glauc.* 7ª.112.F
*Ieiunum affligit fluxio corrupta.*6°.*de san.tuen.* 2ª.98.F
ad Ieiunū intestinū facta ex acri & putredinosa pituita exulceratione, in quibus factus sit tenesmus.in 3ᵐ.*de mor.vul.cō.*3°. 3ª.146.H
*Ieiuni intestini causa maxime iecur imbecillitaī.*5°.*de loc.aff.* 4ª.33.F
*Ieiunum intestinum quinto loco causum facit.de vict. rat. in mor.acut. comment.*4°. 7ª.134.E
*in Ieiuno sedem habentes causi quales. de victus rat. in morb. acutis. comment.*4°. 7ª.135.F
*in Ieiuno intestino fit qnq; hectica.*10°.*meth.med.* 7ª.64.F
*Ieiunum intestinum insanabile est.*6°.*meth.med.* 7ª.39.G
*ex Ieiuno intestino an possibile sit aliquid per nauseam deferri.*7°. *de compositione medicam.sec.loc.* 5ª.184.B
Ἱερᾶς *quid significat.*2°.*de arte cur.ad Glau.* 7ª.110.A
Ἱερόν *est os paruæ spinæ.*12°.*de vsu par.* 1ª.196.G
Ἱεροσκοπίας *quid significat.*2°.*de arte cur.ad Glau.* 7ª.110.A
Ἱεροσκόποι *quid significat.*2°.*de arte cur.ad Glau.* 7ª.110.A
IGNARVS *naturæ boni, quis.*7°. *de decretis Hippocratis.* 1ᵉ.268.E
*Ignari securi in timidis, timidi in securis.*2°.*de ana.admi* 1ª.69.B
*Ignari habēt rationē, quæ facile ab ira vincitur.*3°.*de decr.* 1ª.242.F
Ignaro quid dicendum atq; illi, qui, cum nullam sui curam habeat, non modo artis, sed et rationis omnis expers videī.in or.suas. Isa.3.A
Ignari fugiendi, qui non habent demonstrationes vel logicam. de constitutione artis. Isa.38.F
Ignari etiam verum dicunt.de hist.philo. Sp.3.E
ad IGNAVIAM *animi inducendam frigiditas primum, humiditas secundum locum obtinet.*3°.*de loc.aff.* 4ª.16.F
*Ignauiam inducunt pituitosi & frigidi morbi.*3°.*de loc. aff.* 4ª.16.F
*Ignauiç signa, supinū iacere, hiare, et stertere.*2°.*de mot.mus.*1ª.314.E
IGNAVORVM *respiratio, qualis.*1°.*de diff.resp.* 3ª.61.B
Ignaua febris, quæ.sin.med. Isa.46.D
IGNESCIT *ex motu spiritus noster.de palp.* 3ª.54.H
IGNEA, *& subtilia sunt acuta.de ocul.* 7ª.188.A
*Ignearum partium euaporatione ex aere fit aqua.de vti.resp.*Sp.64.A
*Igneum est instrumentum inspiciendi.*7°.*de decre.Hipp.* 1ª.271.H
*Igneus pallens vocari potest fuluus color.*12°.*meth.med.* 7ª.76.F
*Igneus calor est febris essentia.de frac.com.*3°. 7ª.243.D
Ignei omnes affectus fiunt caliditate vincente.de palp. 3ª.54.C
Igneum totum corpus quibus signis noscatur.in 3ᵐ. *de morbis vulgaribus.comment.*1°. 3ª.131.H
*ad Igneas phlegmonas cypri foliorum decocto quidam vtuntur.*7°. *de simp.med.fac.* 5ª.53.H
Ignea vrina his est, qui laborant ex tristitia, vigilijs, & cogitationibus.de dynam. Sp.34.A
Ignea vrina tertianam significat.de dynam. Sp.35.E
IGNITVR *aer influens per poros cineris ad restaurationem euaporationis ignis.de vtil.resp.*63.H/ Sp.64.A
Igniuntur vehementius cucurbitulæ argenteæ, propterea reijciuntur. de cucurb.scari. 6ª.3.D
IGNIS *arte prędituS Deus est.de hist.philo.* Sp.4.G
Ignem esse animam dicere non licet.quòd animi mores. 1ª.318.E
*Ignis nomen ab essentia.*1°.*de san.tuen.* 2ª.62.E
*Ignis genera multa ex Platone.*7°.*de decre.Hipp.* 1ª.271.C
*Ignem elementum esse dicentes cui imituntur.*1°.*de elem.* 1ª.4.E
*Ignis quo modo dictus sit solum elementum.de nat.hu.cō.*1°. 1ª.28.A
inter Ignem, & terram, cur aer & aqua media secundum Platonem. de vsu partium. 1ª.169.A
Ignem, & aerem continere, aquam, & terram contineri dicunt Stoici. de mult. 3ª.77.C
*Ignis habet partem aereæ essentiæ.de nat.hum.com.*1°. 1ª.33.A
Ignis, & aer in quibus sint.de mult. 3ª.77.C
*Ignis, & Sol actu calida.*3°.*de temp.* 1ª.22.A
*Ignis caliditas, qualis.*1°.*de simp.med.fac.* 5ª.4.B
*Ignis est calidus in summo.*1°. *de temp.* 1ª.10.C
*Ignem vnde dicimus calidum.*1° *de simp.med.fac.* 5ª.7.C
in Igne calor eius est differentia virtutis ipsius, quo calore amoto attrahit siccitatem, & remanet quędam fumositas calida quę est substantia.de spermate. Sp.41.B
*Ignis siccus simplr ac absolute et nō cōparatus alteri.*1°.*d tēp.* 1ª.12.F
*Igni aqua aduersissima.*1°.*de simp.med.fac.* 5ª.4.H
*Ignis an constet ex pyramitis partibus.*8°.*de decre.Hipp.* 1ª.274.G
*Ignis partes pyramitæ.*8°.*de decre.Hipp.* 1ª.274 G
Ignis omnis non est tenuis, nec omne tenue est ignis. 1°. *de simplicium medic.facul.* 5ª.6.C
*Ignis qui tenuis, qui non.*1°.*de simp.med.fac.* 5ª.6.C
*vt Ignis subtile est acetum.*1°.*de simp med.fac.* 5ª.5.H
Ignis fit aer ipse per digestionem.de vtil.resp. Sp.64.A
in Igne quid sit digestio.de vtil.resp. Sp.64.A
Ignis multus non fit ex multo aere.de vtil.resp. Sp.62.E
ad Ignis conseruationem necessarius est aer, nō, vt quidā putant, propter refrigerationem, sed nutrimenti causa.de vtil.resp. Sp.63.H
Ignis nutrimentum est aer.de vtil.resp. Sp.63.H
Ignem ab aere nutriri probatur.de vtil.resp. Sp.62.G
*Ignis nutrimentum nullatenus est aqua, sed aer.de vtil.resp.*Sp.64.C
*Ignis quomodo fiat alia elementa.*1°.*de elem.* 1ª.4.E

Ignis pro fomẽto humiditatem expoſtulat.de nat.hu.cõ.1°. 1ª.33.A
Ignis poteſt mutari in aerem.3°.de temp. 1ª.23.E
vt Ignis,æque mobilis non eſt aer.de vtil.reſp. Sp.62.G
Ignis habet alium motum quàm ſurſum.de vtil.reſp. 1ª.224.G
Ignis non reperitur ſyncerus.1°.de ele. 1ª.5.D
Igne quot fiant bona.de the.ad Piſo. 5ª.97.D
Ignem maxime inter elementa eſſe cauſam vitę exiſtimarunt nobiliſſimi philoſophorum.com.1°.aphoriſ.14°. Ex.7.H
Ignis & aer elementa ſpiritus.5°.de decre.Hipp. 1ª.255.G
Igne vtitur natura ad fabricam membrorum, præſertim eorum quæ ſinus habent & ventriculos,& quare.2°.de ſe. 1ª.339.F
Ignis quantus in generatione miſcetur.1°.de ſa.tuen. 2ª.62.E
Ignis qui ſit in corpore animali qũo cognoſcatur.1°.de ele. 1ª.5.E
Ignem vocat calorem naturalem.1°.de ſan.tuen. 2ª.62.F
Igne priuatum nihil viſibile.7°.de decre.Hipp. 1ª.271.H
Igni qui admouetur ſemper calefit.2° de ſan.tuen. 2ª.71.A
Igne fit calefactio membrorum.2°.de diff.feb. 3ª.41.A
Igne cum fouemur,noſtra corpora caleſiunt.1°.de ſan.tuen. 2ª.74.B
Ignis frigefactos non calefacit ſine tempore.de cau.mor. 3ª.6.H
Ignis minimus non agit.3°.de ſimpl.med.fac. 5ª.23.B
ab Igne qui calefit,ignem recipit.1°.de ele. 1ª.6.H
Ignis penetrat per omnia.8°.de decr.Hippoc. 1ª.277.G
Ignem cito accipientia quæ.3°.de temp. 1ª.22.E
ad Ignem accedens vt cõburi videatur citra tamen combuſtionẽ dolet parte calefacta nihil adhuc patiente.3°.de loc.aff. 4ª.14.D
ab Igne fit eroſio extrinſecus.4°.meth.med. 7ª.23.B
Ignis omnia diſſoluit.de mult. 3ª.77.E
Ignis maxime exiccat.1°.de ſan.tuen. 2ª.62.E
ad Ignem ſuſpenſum vinum in vtribus indureſcit in modum ſalis euaporante aqua in quadam regione.de vtil.reſp. Sp.64.F
ad Ignis euaporationis reſtaurationem ignitur aer influens per cineris poros.de vtil.reſp. Sp.63.A/H
Ignis ingreditur poros metallorum,non aer.de vtil.reſp. Sp.64.A
Igne ex paleis ad aurũ fabrefaciendũ vtunt.aduerſus Lycũ. Ex.64.B
Igne aurum iudicatur.de theria.ad Piſo. 5ª.97.D
ad Ignem comparatio calami.1°.de ſimp.med.fac. 5ª.4.B
Igne quę facile accenduntur,& tenuia ſunt,ac cõtinua, à noſtro calore,æque ab igne facile alterantur.1°.de ſimp.med.fac. 5ª.4.G
Ignis ex ligno generatur,& alitur.6°.de decre.Hipp. 1ª.264.G
Ignis factus ex lignis vitiatis multum nocet.c.2°.aph.41°. Ex.18.A
Ignis quot modis à lignis læditur.de cu.ra.per ſang.miſſ. 6ª.16.G
Ignis qui ex prunis conſtat modicus eſt,& fumi expers.11°.de ſimplicium medicamentorum facultatibus. 5ª.81.E
Ignis flammæ,calor naturalis cõparari non poteſt.de mar. 3ª.45.H
vt ad Ignem fornax comparatur,ita cor ad ſpiritum,& calorem.de anatomia viuorum. Sp.46.D
vt Ignis lignorum materia,ita calor alimento nutritur.in 6ᵐ.de morbis vulg.com.5°. 3ª.194.A
Ignis quibus occaſionibus extinguitur.de cauſ.mor. 3ª.7.B
Ignis quo modo ob ligna extinguatur. de victus ratione in morb.acutis,commen.4°. 7ª.149.A
Ignis lignorũ multitudine ſuperiecta extinguit.c.7°.aph.7°. 7ª.54.D
Ignis lignis multis et paucis extinguitur,et quare.de cau.mor. 3ª.7.C
Igni ſi injiciatur.oleũ,ſtrepitus,& cõcuſſio oritur.de palp. 3ª.54.F
Ignem extinguit aer præter modum frigidus, veluti hyberno tempore iuxta Hiſtrum.de cau.mor. 3ª.7.B
Ignem extinguunt omnia caua anguſta,quæ perſpirare non poſſint.de vtilitate reſpirationis. 1ª.224.F
Igne quando vtendum.5°.meth.med. 7ª.31.D
Igne,ſtalticis,catharticis,& acerrimis rebus curatur cancroſa cauſa.de dynamidijs. Sp.19.A
Ignis neruis inimicus.de art.com.1°. 7ª.259.A
per Ignem fit tractus cucurbitularum æneārum,et vitrearum.de cucurbitulis,ſcarificatione. 6ª.3.E
cũ Igne modico ſunt applicandæ cucurbitulæ.de cucur.ſcar. 6ª.3.D
cũ Igne multo haud ſunt affigẽdæ cucurbitulæ in capite, vehementer enim attrahunt,difficulterq; auelluntur.de cucur.ſcar. 6ª.3.D
Ignis exit per poros ventoſæ.de vtil.reſp. Sp.64.D
ſine Igne fit tractus cucurbitularũ cornearũ.de cucur.ſcar. 6ª.3.E
Ignis cur extinguitur à cucurbita medicinali.de vtil.reſp. 1ª.224.F
Ignis in clibano ſit moderatus in coquẽdo panẽ.1°.de ali.fac. 2ª.9.H
Ignis moderatus quid agat in panem in coctura.1°.de ali.fac. 2ª.9.H
Ignis ardens quid obſit pani in coctura.1°.de alim.fac. 2ª.9.H
ex Igne nimio dupliciter fit panis prauus.1°.de alim.fac. 2ª.9.H
Ignis imbecillus quid agat pani in coctura.1°.de alim.fac. 2ª.9.H
ad Ignem ſplendidum quæ coquenda,& quouſque.5°.de compoſitione medic.ſec.loc. 5ª.162.B
Igne non flammali queſieri iubet medicamentum.5°.de compoſitione medicam.per gen. 5ª.247.E
ad Ignis acerrimi flammam coquit medicamentum.6°.de compoſit. medicam.per genera. 5ª.263.B
Ignis adſtringit.de opt.ſecta. Iſa.25.C
Igne ferrum molleſcit.de ther.ad Piſo. 5ª.97.D
ab Igne exuſti curatio.de opt.ſecta. Iſa.25.C
Igne ambuſta vlcera iuuat atramentum ſcriptorium.9°.de ſimplic. medic.facul. 5ª.70.B
Igne combuſtis quid conferat.6°.de comp.med.per gen. 5ª.259.F
Igne combuſto in loco vt oriantur capilli quid faciendum. de medica. fac.par. 7ª.161.E
vt Ignis vrentia medicamenta.2°.de arte cur.ad Glau. 7ª.102.D
Ignis in ſilice aut calce eſt ignis non tamen actu,quia non vrit.an animal ſit. 1ª.327.D
Ignẽ nõ expta medicamẽta multa sũt acerrima.de the.ad Piſ. 5ª.97.D
Ignis multa reddit meliora.de theria.ad Piſo. 5ª.97.D
Ignis accẽſus in ſtercore colũbarũ ob putrefactionẽ.ā cau.mor. 3ª.6.E
Igni paruo cum multa materia ſuperponitur, comparatur febris quando incipit.3°.de præſag.ex pulſ. 4ª.118.H
IGNIS *quid notet in 3ᵐ.de mor.vul.c.1°.* 3ª.131.A
Ignis nomine profebre vtitur Hippocrates.in 1ᵐ.de morb. vul.cõ.1°. 121.E/*in 3ᵐ.cõ.1°.*133.F/*cõ.2°.* 3ª.139.E/*de fract.cõ.3°.* 7ª.243.D
Ignis,id eſt vehemens febris,exponitur à Galeno.in 1ᵐ.de morb.vul. commen.3°. 3ª.123.B
Ignis dicitur febris magna.2°.de arte cur.ad Glau. 7ª.111.C
Ignis pro febre vehementiſſima ponitur ab Hippocrate ſæpe. in 1ᵐ. de morb.vulg.com.3°. 3ª.121.H
*Igni q correptus.in 1ᵐ.de mor.vul.cõ.3°.*124.E/*in 3ᵐ.cõ.1°.* 3ª.133.F
Igni correptus Hermocrates.in 3ᵐ.de mor.vul.com.1°. 3ª.130.H
Ignis vxorem Oecetai ex abortione ad quintũ mẽſem facta corripuit, & quid ſequutum fuerit.in 3ᵐ.de mor.vulg.com.2°. 3ª.139.E
Ignis,id eſt febris,ex laſſitudinibus, quem corripuerit. in 3ᵐ. de morbis vulg.com.2°. 3ª.137.E
Ignis errans quem corripuit.in 1ᵐ.de morb.vulg.com.3°. 3ª.123.A
IGNIS *ſacer quid.ſin.med.* Iſa.48.H
Ignis ſacer in angina,qui.in progn.com.3°. 4ª.209.C
Ignis ſacer à qua materia fiat.in 3ᵐ.de morb.vul.com.3°. 3ª.141.F
Ignis ſacer fit à materia caliginoſa cum bile. in 1ᵐ. de morbis vulgar. commen.1°. 3ª.104.G
Ignis ſacer morbus flauæ bilis.de decr.Hip. 1ª.275.E
Igni correſpondet flaua bilis.8°.de decre. 1ª.275.D
Ignem ſacrum generat ſanguis calidiſſimus.de ocul. 7ª.189.E
ad Ignem ſacrum proprie facit coriandrum.de ſimpl.med. Sp.82.E
Ignem ſacrum myrta curat.de ſimpl.med. Sp.87.F
Ignem ſacrum curant folia myrtæ.de ſimpl.med. Sp.87.F
Igni ſacro illinitur terra cimolia.de ſimp.med. Sp.85.B
ad Ignem ſacrũ quod remediũ efficacius.de purg.med.fac. 5ª.87.G
ad Ignem ſacrum.de dyn. Sp.30.D
ad Ignem ſacrum vel calorem membrorum.de dyn. Sp.30.E
Ignis ſacer, vide Eryſipelas.
IGNITA *aqua quo modo fiat.de dyn.* Sp.23.B
Igniti lapides fluuiales remouẽt aquoſitatẽ lactis.de diſ.cõt. Sp.75.B
Igniti ferri fruſta remouent aquoſitatem lactis.de diff.cont. Sp.75.B
Ignitum nimis eſt euphorbium.de dynam. Sp.22.B
Ignitis hypochondrijs quæ non obſint.de cura icteri. Sp.111.A
IGNOBILIS *cum nobili collatio.in or.ſuaſ.* Iſa.3.C
ob IGNOMINIAM *animi perturbatio.de co.cur.an.mor.* 2ª.59.E
IGNORANTES *quidam quo modo videant,ſe videre negant. aduer.emp.med.* Iſa.35.C
Ignorante patiente lac anabulæ dandum.de dyn. Sp.27.F
IGNORANTIA *vnum ſolum vitium, ſecundùm Galenum.7°.de decretis Hippocratis.* 1ª.268.E
Ignorãtia vitiũ indelebile,potiſſimũ cũ ſuperbia.11°.met.me. 7ª.84.B
Ignorantium duplex genus.1°.de diff.feb. 3ª.31.C
inter Ignorantiam omniſariam, & notitiam exactam media eſt coniectura artificioſa.1°.de loc.aff. 4ª.3.D

Ignorantiæ signum ex dissensione sumitur.contra Iulianum. Ex.68.C
Ignorantiam ostendunt medicorum controuersiæ. 2°. *de arte curatiua ad Glauconem.* 7ª.109 H
Ignorantiam inueteratam multorũ cum penitus euellere cupimus, qd euitandum.ad Thras. 2.103.D
Ignorantiam suam fassus est auctor libri de motibus manifestis & obscuris.de mot.man.& obsc. Sp.67.B
pp Ignorantiam multa prætermerierunt philosophi & medici. 3°. *de locis affectis.* 4ª.19.D
Ignorantia ducũtur male cognoscentes & agentes. 7°.*de decretis Hippocratis.* 1ª.268.E
*per Ignorantiam quoũ fit, ignoscendum.*5°.*de decre.Hipp.* 1ª.259.D
Ignorantia cum rigore mala.in 1ᵐ.*prorrh.com.*2°. 4ª.173.F
Ignorantia quod symptoma sit. in 1ᵐ.*prorrh.com.*2°. 4ª.177.E
IGNORARE *est desipere.*5°.*de decre.Hipp.* 1ª.256.C
Ignoramus aliqua, quia exigua sunt.de cog.cur.animi mor. 2ª.53.G
Ignorarunt antiqui motum labrorum in priora.de musc.diss. 1ª.44.F
Ignorarunt antiqui musculum latum male excoriantes anim.al.de musculorum dissectione. 2ª.44.E
Ignorati musculi etiam diu à Galeno. de musc.diss. 1.49 C
IGNOTVM *quod est, nullo signo iudicatur.de sectis.* Isa.17.C
Ignota non aggredientes minus errant, q̃ qui illa tractant quæ nunquã didicerunt.de venæ sect.aduer.Eras. 6ª.13.A

ILEON *Vnde dictum.de anat. viuo.* Sp.50.D
Ileon intestinum est tertium. de anatomia viuorum. Sp.50.B
Ileon cur multum inuolutum.de anat.uiuo. Sp.50.D
ILEOS, *& colica idem.secretorum.* Sp.102.G
Ileus quid.fin.med. Isa.47.C
*Ilei, id est uoluuli, quid sint,& quo mõ fiant.c.*3.*aph.*22°. Ex.24.G
Ileos est intestinorum inflãmatio.in 3ᵐ.*de mor.uul.com.*2°. 3ª.338.H
*Ileos quo modo fiat.com.*7°.*aph.*10°. Ex.54.F
Ileos quo modo quandoque gignitur. 3°.*de symp.caus.* 3ª.25.H
Ilei signa quæ.in 3ᵐ.*de mor.vulg.com.*2°. 3ª.139.A
*Ileorum proprium inseparabile nihil descendere ad inferiora.com.*7°. *aphorismo* 10°. Ex.54.F
*in Ileo nihil exit inferius, neq; si quis acerrimo utatur clystere .cõ.*6. *aphorismo* 44°. Ex 51.C
Ileos qui periculosior.in 3ᵐ.*de mor.uul.com.*2°. 3ª.139.A
*Ileos dicitur cum stercus euomitur.*6°.*de loc.aff.* 4ª.37.A
*Ileis letalibus stercus p vomitum emittitur.*3°.*de symp.cau.* 3ª.25.G
*Ileum patientes non semper habent uomitum, sed quandoque exitiales sunt.com.*7°.*apho.*10°. Ex.54.F
*in Ileo uomitus stercoris fiunt in his qui exitialiter se habent.commen.*6°.*apho.*44. Ex.51.C
*ab Ileo uomitus, singultus, desipientia, vel conuulsio, malum.com.*7°. *aphorismo* 10. Ex.54.F
*in Ileo neruorum principium compatientes à stomacho facit desipientiam & conuulsionem.com.*7°.*apho.*10°. Ex.54.F
*in Ileo cur stercus euomatur.*3°.*de nat.fac.* 1ª.306.F
*in Ileis cur stercus emittatur.*3°.*de sympt.cau.* 3ª.25.G
*Ilei dolor à qua fiat causa.*6.*de loc.aff.* 4ª.37.A
*Ilei dolor sequitur ad morsus.com.*6.*apho.*40°. Ex.50.H
*ex Ilei affectu animus deficit.*1°.*de arte cur.ad Glau.* 7ª.98.G
ex Ilei dolore, animi defectus quo modo curandus. 1°.*de arte curatiua ad Glauconem.* 7ª.99.G
ILEX *planta agrestis.*2°.*de ali.fac.* 2ª.21.H
*Ilex,& fagus roboris genera.*6.*de simp.med.fac.* 5ª.46.E
*Ilex arbor frigidissima,& siccissima.*4°. *de simplicium medicament. facultatibus.* 5ª.26.F
*Ilex est acerba.*8°.*de simp.med.fac.* 5ª.62.C
*Ilex vehementius adstringit robore.*6°. *de simp.med.fac.* 5ª.46.E
Ilicis, arbuti, smelacis, phagi uirgultorum tenerorum decoctum inter adstringentia fortiora ponitur, quæ gargarizantur. 6°.*de composit. medic.secun.loc.* 5ª.172.G
*Ilicis radix cocta quid efficiat.*1°.*de com.me.sec.loc.* 5ª.127.A
ILIA *qui locus sit,& cur ita dicatur.de artic.com.*3°. 7ª.276.H
*Ilia quid sint.de fract.com.*2°. 7ª.240.H
*Ilia qualia esse debent.in prog.com.*1°. 4ª.195.E
*Ilia si sint crassa,& ad purgationes & ad vomitum, bonum est & causa & signum, si tenuia, malum.com.*2°.*apho.*35°. Ex.17.E
*ad Ilia extenditur tumor grauidæ.com.*6°.*apho.*44°. Ex.51.D
*Ilia si quis cohibendo anhelitu implere velit, oleo perfundi, & apotherapia uti debebit.*3°.*de san.tuen.* 2ª.76.A
*Ilia murmurantia qũo intelligantur.com.*4°.*apho.*73°. Ex.35.G
Ilia suspensa quot modis fiant.com 4°.*apho.*73°. Ex.35.F
*Ilijs suspensis murmurantibus nocet lac.c.*5°.*apho.*54°. Ex.44.D
*Iliorum suspensorum, murmurantium, inflatorum, flatuosorum differentiæ.com.*5°.*apho.*64°. Ex.44.D
*quibus Ilia suspensa murmurantia, lumborum dolore superueniente, ijs alui humectantur, nisi flatus erumpant, aut urinæ multitudo proueniat, hæc uerò in febribus.com.*4° *apho.*73°. Ex.35.F
*Ilijs murmurantibus, ac suspensis prodesse serum in quo sit positum sal & mel.com.*5°.*apho.*64°. Ex.44.F
*Ilijs inflatis & flatuosis nocet lac.com.*5°.*apho.*54°. Ex.44.F
*Ilia attollit lac dum digeritur.com.*5°.*apho.*64°. Ex.44.E
*Ilia extensa fiunt ad instar utris.com.*4°.*apho.*73°. Ex.35.G
*in Ilijs pulsus quid significet.in prog.com.*1°. 4ª.195.G
*in Ilium pulsu cur fiat delirium.in prog.com.*1°. 4ª.195.H
*in Ilijs œdema quid significet.in prog.com.*1°. 4ª.196.A
*circa Ilia abscessus facit gibber supra septum.de arti.cõ.*2°.7ª.266.G
Ilij ex frigiditate remedium.de dynam. Sp.26.H
*Ilium dextrum si obdurauerit in febribus, regius morbus superueniẽs quocunq; tempore, malum.com.*4°.*aph.*64°. Ex.34.D
*Iliorum dolor quo modo sanetur.in prog.com.*2°. 4ª.200.A
Ilia quibus dolent, quid prosit.de incant.adiut.& susp. 7ª.182.A
ad Ilia si lateris dolor pertingat, indiget purgatione.commentario 6°. *aphorismo* 5°. Ex.46.G
Ilium dolore accedente, quibus hypochondria sublata murmurantia, ijs alui humectantur, nisi flatus erumpant, aut urinæ proueniat copia.de urinæ significatione ex Hipp. Sp.78.H
contra Ilium & vitia renum remedia.de dyna. Sp.28.B
ad Ilij dolorem sorbitiuum.de dyn. Sp.28.C
ad Ilij dolorem potio probata.de dyn. Sp.28.C/D
ad Ilij dolorem fomentum.de dyna. Sp.28.D
ad Ilij dolorem remedia duo.de dyn. Sp.283.C
ILIACA *passio ubi.de ana.par.* Sp.43.A
Iliacrum pulsus.de dyna. Sp.35.C
Iliacis antidotum utile.de dyna. Sp.27.G
ad Iliacos potio Dauid.de dyna. Sp.28.D
ILICEA *pyxis est uas,& cuius sit usus.*4°.*de cõ.me.se.lo.* 5ª.152.H
Ligneæ glãdes duræ, acerbæ,& insuaues.de bon.& uit.suc. 2ª.36.C
Ligneæ glandes cur uitandæ.de bo.& uit.suc. 2ª.36.C
Lignea glans exiguum dat alimentum 2°.*de ali.fac.* 2ª.22.B
*Lignea glans est praui succi.*2°.*de ali.fac.* 2ª.22.B
Lignea quæ in organis fieri debeant.de mach. 7ª.309.D
ILIOSIS *theriaca prodest.de ther.ad Piso.* 5ª.96.B
ILIVM *ossa quæ.de oss.* 1ª.43.C
Ilium ossa in quem sinum ingrediantur.de ossi. 1ª.42.D
ad Ilia uenæ de singulis uertebris mittuntur, secundum eas uenas quæ ad testes deferuntur.de uen.ar.dis. 1ª.58.D
*in Ilium extrema parte paruus excitatur in aliquibus mulieribus, & qua de causa.*6°.*de loc.aff.* 4ª.41.C
ΙΛΛΑΙΝΕΙΝ, *κατιλλαίνειν, & κατιλλαίνουσαι quæ verba. in* 3ᵐ. *de mor. vul.com.*3°. 3ª.143.A
ILLECEBRAE *succi libra dimidia cum quibus sumenda ad ægilopas.*4°.*de comp.med.sec.loc.* 5°.160.2
ILLIDENTIA *omnibus sunt nota.*1°.*de san.tu.* 2ª.63.2
ad ILLINENDVM *pluma vtitur Galenus.de rem.par.fac.* 7ª.158.B
*Illinenda quo modo in loco debeant poni.*4°.*de loc.aff.* 4ª.25.A
Illinendi vis emplastica dicta quibus necesse sit inesse. 5°.*de simplic. medic.fac.* 5ª.34.F
ILLISIO *quid.de caus.morb.* 3ª.9.G
ILLITIO *pennis fit.* 11°.*de compositione medicamentorum secundum locos.* 5ª.209.B
*Illitiones quæ faciant ad aphthas.*6°.*de comp.me.sec.loc.* 5ª.176.C
Illitio iuxta palatum pro capite purgando. 2°. *de composit. medic. sec.loc.* 5ª.139.C
*Illitiones stomaticæ Asclepiadæ.*6°.*de comp.med.sec.loc.* 5ª.171.D
*Illitiones quidam recusant.*5°.*de comp.med.sec.loc.* 5ª.161.D
ΙΛΛΟΣ *& ἰλλότερον rarò apud Græcos veteres inueniuntur. in* 3ᵐ.*de mor.vulg.com.*3°. 3ª.143.B
ἴλλωσις *palpebræ euersio alicubi nominatur ab Hippocrate.* 10°.*de vsu partium.* 1ª.181.D

ILLOTIO *consueta magis toleratur inconsueta. commenta.* 2°. *aphorismo.* 50°. *Ex.*19.*B*

ILLVC *illic quid significent,& quòd Chrysippus altero pro altero vsus fuerit.* 2°. *de decr.Hipp.* 1ª.238.*B*

in ILLIRICO *iris optima est.* 1°. *de anti.* 5ª.105.*D*

ILLYRIS *concoctorum est,& attenuatorium pharmacum.* 9°. *de cõ comp.med.sec.loc.* 5ª.202.*A*/*D*

Illyris. 6°. *de compositione medicamentorũ secundũ locos.* 171.*D*/10° 209.*C*/ 4°. *de compositione medicamentorũ per ge.* 243.*F*/5°.247 *B*/249.*C*/250°.*E*/7°. 5ª.269.*H*

IMAGINATVR *quidam in epilepsia,& etiam in syncope quæ est passio cordis. de vtil.resp.* *Sp.*63.*F*

IMAGINATIVA *pars animæ recordatur.* 2°. *de mot. mus.* 1ª.315.*B*

Imaginatrix pars est eius animalis actionis, quæ à rectrice procedit. de symp.diffe. 3ª.11.*D*

Imaginatricis offensæ quot. de symp.diff. 3ª.11.*H*

IMAGINATIO *quid significet.in* 1ᵐ. *de mor.vulg.com.*3°.3ª.118.*A*

Imaginatio, imaginarium, imaginabile, imago, quo modo differant. de hist.philos. *Sp.*9.*C*

Imaginatio, rerum cogitatio, conseruatio voluntatis sunt tria genera actionis. de voce,& anhel. *Sp.*61.*H*

Imaginatio à visu mouetur. 8°. *de vsu par.* 1ª.167.*E*

Imaginationum & sensuum veritas. de hist.philo. *Sp.*9.*A*

Imaginationem non habent bruta. de hist. philo. *Sp.*9.*C*

fm Imaginationem quid sit. ars med. *Isa.*69.*D*

IMAGINES *terribiles fiunt per somnũ pueris,& quibus os ventriculi multis,& vitiosis humoribus mordetur.c.*3°. *aph.* 24°. *Ex.*25.*B*

Imagines somnis implexas abigit theriaca. de ther. ad Pis. 5ª.96.*A*

Imagines speculorum quo modo fiant. de hist. philos. *Sp.*9.*D*

IMBECILLITAS *quot fiat modis. de vic.ra.ĩ mor.ac.c.* 2°.7ª.123.*F*

Imbecillitatem quæ faciunt. 1°. *de præsag.ex puls.* 4ª.109.*C*

*Imbecillitas fit ob vasorum inanitionem. de victus ratione in morbis acu.c.*2°. 7ª. 23.*F*

Imbecillitas virũ fit ob inanitionẽ.d vic.ra.ĩ mor.acu.c. 2°. 7ª123.*G*

Imbecillitas fit ob euacuationẽ. de vic.rat.in mor.acu.c. 2°.7ª.123.*G*

*Imbecillitat per accidẽs inedia. de vic.ra.ĩ mor.acu.com.*3°. 7ª.128.*F*

*Imbecillitatem virium ex inedia qui non cognoscunt medici, ridendi. de vict.rat.in mor.acu.com.*2°. 7ª124.*A*

Imbecillitas fit ob laborem. de vic.ra.in mor.acu.com. 2°. 7ª.123.*G*

ob Imbecillitatem virium quæ spiratio omnibus agentibus musculis efficiatur,& quomodo differat à magna. 4°. *de lo.aff.* 4ª.27.*B*

*Imbecillitas potentiæ quæ mouet thoracem, facit carẽtiam anhelitus. com.*4°.*aph.*34°. *Ex.*31.*B*

Imbecillitas virium in conualescentibus,& repletio cibi facit tubercula,& in articulis labores. com. 4°. *aph.*45°. *Ex.*32.*G*

Imbecillitas virũ est causa extenuationis. cõ. 2°. *aph.*28°. *Ex.*16.*E*

Imbecillitas potẽtiæ longiores facit accessiones. 2°. *de dif.feb.* 3ª.42.*A*

*Imbecillitas virũ est causa pauci sudoris. c.*4°. *aph.*41°. *Ex.*32.*E*

ex Imbecillitate virtutis in carne, sudoris incidit tum retẽtio, tum expulsio. 3°. *de symp.cau.* 3ª.28.*G*

ob Imbecillitatẽ virũ sopor pucnit.ĩ 3ᵐ. *de mor.vul. cõ.* 1°.3ª.131.*H*

ex Imbecillitate soporem quinam pulsus distinguant ab eo, qui ob humiditatem & algorem fit.in 3ᵐ. *de mor.vul.com.*1°. 3ª. 131.*H*

Imbecillitas facultatis cum arteria dura, quales faciat pulsus. 1°. *de causis pulsuum.* 4ª.49.*H*

Imbecillitas facultatis cum arteria molli, quales faciat pulsus. 1°. *de causis pulsuum.* 4ª.89.*H*

Imbecillitatẽ facultatis signãt partiũ grauitas.ĩ pgn.c. 2°. 4ª.198. *F*

Imbecillitates facultatis animalis comitantur magnam Cerebri intemperiem. 4°. *de præsag.ex puls.* 4ª.121.*G*

Imbecillitas virũ penitus, obseruanda est in venæ sectione. præsagiũ exper.conf. *Sp.*78.*D*

*Imbecillitas vult cibari sæpe, & paulatim. de victus ratione in morbis acutis, com.*2°. 7ª.121.*G*

Imbecillitates in animo et relaxationem quãdam preseferre malos omnes cum perturbationibus succumbunt, recte à Chrysippo dictum est. 4°. *de decr.* 1ª.252.*C*

Imbecillitas virium, lege Virium imbecillitas.

Imbecillitates vocantur à multis exigui membrorum à naturali temperamento recessus. de diff.mor. 3ª.3.*G*

Imbecillitas particularum,& robur earundem, & sensus facilis, & eruditatis magnitudo, et differentia diuersa gignunt symptomata. 3°. *de symptomatum causis.* 3ª.30.*C*

ob Imbecillitatem vnius particulæ omnes thoracis partes dilatantur 4°. *de locis affectis.* 4ª.25.*A*

*Imbecillitas propria ratione iuuat & obest. de victus ratione in morbis acu.com.*3°. 7ª.125.*F*

Imbecillitatis signum.com. 2°. *aph.*28°. *Ex.*16.*E*

Imbecillitas facit vt facilè affectio à sensu dignoscat. 4°. *d l.af.*4ª.25.*E*

ob Imbecillitatem q partes laborent, argumentũ. 6°. *d sa.tu.* 2ª.100.*C*

Imbecillitas particularum quæ excrementa expurgant, vnde. 3°. *de symptomatum causis.* 3ª.26.*A*

*Imbecillitas ptis nõ ẽ sufficiẽs cãre passionem. c.*6°. *ap.* 28°. *Ex.* 49.*A*

Imbecillitas sensus cutis, vnde. de ana.vi. *Sp.*45.*C*

ex Imbecillitate dolor capitis quo curãdus. 1°. *de arte.cu.* 7ª.100.*A*

Imbecillitas sine tumore in gula quo cognoscat. 5°. *de loc.af.*4ª. 32.*C*

ad Imbecillitatem stomachi valet diatrion pipereon. de dyn. *Sp.*26.*H*

ex Imbecillitate septi transuersi athletæ Secundi nominati casus. 4°. *de locis affectis.* 4ª.25.*A*

Imbecillitas instrumentorum ventris, vnde. 3°. *de symp.cau.* 3ª.27.*D*

Imbecillitas iecoris quo modo cognoscatur. 5°. *de loc.aff.* 4ª.35.*G*

*Imbecillitas vasorum vrinæ quo cognoscat. de ren.aff.dign.*7ª.192.*G*

Imbecillitatem roborare quid sit. 2°. *met.me.* 7ª.11.*D*

IMBECILLVM *contrarium fort.* 12°. *de vsu par.* 1ª.192.*H*

Imbecillum quid sit. de symp.diff. 3ª.12.*C*

Imbecilla, & onerata facultas quo differant. 3°. *de cau.pul.* 4ª.99.*B*

Imbecilla pars quo mõ læditur ab extrinsecis. 6°. *de sa.tu.* 2ª. 100.*D*

*Imbecilles fiunt vires ex motibus vehemẽtib.c.*4°.*aph.*32°.*Ex.*30.*H*

Imbecilla membra reddit quies. de ijs, quæ in med. fi. cõ. 3°.7ª.220.*C*

Imbecilles vires habentiũ oculi. in 6ᵐ. *de mor. vul.com.*4°.3ª. 187.*B*

*Imbecillis valde natura ẽ extreme extenuati. c.*4.*aph.*23°. *Ex.*29 *H*

Imbecillis cur testes laxi. 1°. *de semi.* 1ª.334 *E*

*Imbecilli, q sepe ægrotãt, seruant facile ĩ morbis, q.s. ex his nemo, cũ à qualibet lædãt uel minima cã, expectet cãm magnã. d psa.*3ª. 110.*F*

Imbecillas vires hntes vinũ vinosũ dẽnt cuitare. 7°. *met. me.* 7ª.45.*E*

Imbecillas vires hntib. cõuenit vinũ aquosũ austerũ. 7°. *m.m.*7ª.45.*E*

ad Imbecilla corpora balnea cur inuenta. 10°. *met. me.* 7ª.66.*C*

Imbecillibus cõcubentibus vires imbecillitantur. 3°. *de sa.tu.*2ª.81.*D*

Imbecilles primo calefacit coitus, postea frigefacit. in 6ᵐ. *de mor. vul. commenta.* 5°. 3ª.192.*G*

Imbecilla pars quæ sit. 11°. *met.me.* 7ª.74.*A*

Imbecilla membra multum,& prauum excrementum colligũt. in 6ᵐ. *de mor.vul.com.* 1°. 3ª.154.*F*

*Imbecillitas fert ad locũ affectũ supfluitates. c.*4°. *aph.* 32°. *Ex.*30.*H*

ad Imbecilliores partes mittunt partes valentiores superflua. 13°. *methodi medendi.* 7ª.80.*H*

ad Imbecillissimã pticulã sp trãsmittũt aliæ ptes. 2°. *de dif.fe.*3ª.40. *G*

*Imbecillũ, exolutũ q, stomachũ roborare pt cucurbitula. d cu.sc.*6ª.3.*F*

Imbecillibus pisces molles accõmodati. 3°. *de ali.fac.* 1ª.31.*E*

Imbecillum ad multam vitam & ad sanam ducere est admirandũ. 5°. *de sanitate tuenda.* 2ª.88.*H*

Imbecilliores quo modo vomere debent. de sal.dis. 2ª.41.*G*

Imbecillibus frictiones sunt loco exercitij de puero epi. 7ª. 180.*B*

Imbecilli non sunt purgandi. in 1ᵐ. *pror.com.*2°. 4ª.174.*E*

Imbecillis mitiora medicamenta adhibenda. 6°. *mẽt.me.* 7ª. 38.*E*

*cur Imbecillis nã nõ fert medicª tpe ætatis. c.*4°. *aph.* 5°. *Ex.*28.*A*

ad Imbecillos, & nauseantes quid agendũ. de med.fac.par. 7ª.166.*C*

Imbecillus etiam dolor soluit virtutem. de cura.lap. *Sp.* 111.*G*

IMBRES *faciunt regiones irriguas. de aere, aq. & lo.* 2ª.2.*B*

ab Imbribus, niuibus, ac glacie venti frigidi ab vrsis procedentes per petui sunt in Scythia. de aere, aquis, & lo. 2ª.5.*E*

Imbrib. humidiora reddunt aĩalia corpa.ĩ 1ᵐ. *d mor.v.c.* 1°.3ª.104.*B*

*Imbribus se exponere est causa morbi comitialis in iuuenibus. commen.*3°.*aph.*29°. *Ex.*26.*C*

Imbribus siccitates sunt salubriores, & minus mortiferæ. commenta. 3°. aphorismo. 15°. *Ex.*22.*G*

Imbres somniare quid significet. in 1ᵐ. *de mor.vul.com.* 3°.3ª.117.*H*

Imbres somnians significat humiditatem sibi inesse. de præsag. ex insom.sum. 4ª.213.*C*

Imbres, lege Pluuias.

IMBVTI *praua doctrina duobus idigẽt tpibus, alterum in quo prauas opiniones dediscat, alterũ in quo melioribus se exerceat.* 7ª. 43.*H*

IMIKET AYNIOΣ Apollonij iunioris. de fasc. 7ª.302.*G*

IMITARI *opera naturæ debet medicus.de voc.inst. diff.* 1ª.106.B/ *com.4°.aph.2°.Ex.27.C/ de diff.cont.* Sp.72.C
IMITATIO *genus experminenti.de sectis.* Isa.16.B
Imitatione quo modo comparetur experientia.de subf.emp. Isa.31.D
Imitatio in vnoquoque morbo quæ sit.c.4°.aph.2°. Ex.27.C
IMMANITAS notat atrã bilem peccare.cõ.4°.aph.2°. Ex.27.F
Immanitas quibus à natura.de aere,aquis, & lo. 2ª.4.H
IMMINVI,*& imminutio, augere, & augmentum quid significat apud Hippocratem.2°.de diff.resp.* 3ª.64.H
Imminuente luna corpora refrigerare piculosum. de dec.pgn.Sp.16.B
IMMOBILIA *animalia habent solam cupiditatem. 5°. de decr. Hipp.* 1ª.258.C
Immobilis est pulmo per se.de ana.viu. Sp.48.A
Immobilia, & insensibilia sunt secundum se ipsa pulmo, & arteria aspera.de vti.resp. Sp 63.G
Immobile corpus qua vertebra læsa fiat corpus. 8°. de anatomi. administra. 1ª.102.H
Immobiles partes in organis,quæ.de machin. 7ª.310.F
Immobilitas, motus prauus, & motus naturalis, ita differunt vt sanitas,mors,& morbus. 2°.de præsag.ex puls. 4ª.110.G
Immobilitas est motus cõpositus ex duobus motibus. de palp. 3ª.51.G
Immobilitas est vitium actionum.de symp.dif. 3ª.11.C
Immobilitas primũ symptoma motiuarũ actionũ.de sym.dif. 3ª.11.G
Immobilitas in animi functionibus.3°.de symp.cau. 3ª.24.F
Immobilitas brachij fit à vi animali.2ª.de symp.cau. 3ª.20.A
Immobilitas putrefacit vestes.in 3°.de mor.vul.com.3°. 3ª141.A
IMMODERATVM *duplex genere. 1°.de diff.resp.* 3ª.56.G
Immoderatum præter naturam quod.1°.de diff.resp. 3ª.56.G
Immoderata mutanda.de sal.diæ. 2ª.40.A
Immoderatæ excretiones vrinarum fiunt patiente hepate. Sp.60.B
ad Immoderatum vomitum,& fluxum ventris. secretorũ.Sp.101.A
IMMODICVM *ducens ad alterationẽ duplex. 4°. de simp.m.f.* 5ª.29.B
IMMORANS *quid sit.de iis.quæ in med.si.com.3°.* 7ª.216.H
IMMORTALES *ac firmæ sunt animæ differentiæ.de sper.* Sp.37.F
Immortale fieri non potest quod genitum est.1°.de san.tu. 2ª.67.E
Immortales homines qui volebat reddere,si à pueritia sibi regendi traderentur.de marc. 3ª.45.F
Immortalitatis particeps humana natura.de consue. 2ª.61.F
IMMVNDITIA *vasculorũ qd signi. in 6ᵐ.de mo.vul.c.3°.* 3ª.169.H
IMMVNDAM *matricẽ mundificat succus centaureæ.de vir.cẽ.Sp.94.B*
IMPACTA *materia quo curetur.2°.de comp.me.sec.loc.* 5ª.136.B
IMPAR *nũs maiorẽ refert,par vero seminã.3°.de die decr.* 4ª.158.H
Impar numerus maxime seruãdus in morbis acutis.de victus ratione in mor.acu.com.4°. 7ª.141.C
in Impari numero potius quam pari signa multa fiunt.de victus ratione in mor.acu.com.4°. 7ª.141.D
p Imparẽ numerũ ẽt antiq medicamẽta dabãt.11°.de sim.m.f. 5ª.82.B
Impares dies, & pares qñ cosiderãdi.2°.de arte cur.ad Gla. 7ª.112.H
in Imparibus diebus morbi accessionem habentes citius iudicatur, qui vero paribus.tardant.c.4°.aph.36°. Ex.32.A
im Imparibus diebus nisi febres reliquerint,solent febricitantes recidiuare.com.4°.aph.61°. Ex.34.A
ad IMPEDIMENTVM *vrinæ gratia humoris frigidi. de cura lapidis.* Sp.112.F
Impedita vox animalis ex medulla spinali.de mot.ma.& obs.Sp.67.C
vbi IMPELLIMVS *extrahendo, vtimur spatha Fabri atque Andreæ de machinamentis.* 7ª.309.G
IMPERATORES *laudat,& Deos dicit.de ther.ad Pis.* 5ª.90.C
Imperator ad quid constitutus.an animal sit. 1ª.327.G
Imperatoris optimi munus quod.de par.pi.ex. 2ª.59.D
Imperator exercitus, & custos, & fur egregius esse debet.de paruæ pilæ exercitio. 2ª.49.D
Imperator quæ agere non debet.ad Thra. 2ª.108.G
Imper. põt alia scire extra artẽ regiã.ĩ 6ᵐ.ɗ mor.vul.cõ.5°. 1ª188.D
Imperatoria ars est conseruatrix.ad Thras. 2ª.104.C
Imperatores cur creati.ad Thras. 2ª.104.C
in IMPERFECTIS *animalibus membra consimilia officialibus perfectorum.de ana.viu.* Sp.45.G
Imperfecti embryones quomodo generentur.de comp.mem. Sp.59.B
Imperfectæ, & confusæ voces cur fiant.de ana.viu. Sp.49.B
Imperfecta sunt organa tractoria.de machin. 7ª.311.E
IMPERITI *cauillatoribus sunt meliores.de pur.me.fa.* 5ª.87.F
IMPERIVM *à diis adepti sunt Imperatores. de ther.ad Piso.* 5ª.90.C
de IMPETIGINOSIS *tumoribus, & ex quibus humoribus generentur. 5°.de comp.me.se.lo.* 5ª.160.C
Impetiginosæ,& rubræ faciei præsidium.de dyna. Sp.25.E
IMPETIGO *quid.fin.med.* Isa.48.A
Impetigo simplex affectus cutis.intro. Isa.59.D
Impetigo agrestis affectus cutis.intro. Isa.59.D
ex Impetigine quæ incipit scabies & lepra,nondũ appellatur scabies, neque lepra.1°.de comp.me.se.lo. 5ª.121.G
Impetiginis duæ species.intro. Isa.57.G
Impetigines cur fiant vere.com.3°.aph.20°. Ex.24.B
in Impetiginem incidebant qui malos succos ob annonam ederant. de bon.& vit.succorum. 2ª.33.G
Impetigini caricæ vtiles sunt.de simp.med. Sp.84.C
Impetigines delet succus centaureæ.de virt.cent. Sp.93.F
Impetiginibus vtilis elleborus niger.de dyna. Sp.21.A
Impetigini agresti medentur sales theriaci.de theria.ad Pis. 5ª.97.E
ad Impetiginem vnguentum.de dyna. Sp.25.F
ad Impetiginem & pruritum vnguentum.secre. Sp.97.G
ad Impetigines menti quid conferat.de re.par.fac. 7ª.157.B
ad Impetigines faciei et colli quid cõferat.1°.de cõp.me.se.lo. 5ª.126.A
ad Impetigines quid agendum est.med.fac.par. 7ª.179.B
ad Impetigines scabras quid agendum.de rem.par.fac. 7ª.157.C
ad Impetiginẽ agrestem quid conferat.6°.comp.me.per gen. 5ª.256.E
ad Impetigines feras quid conferat.de med.fac.par. 7ª.179.B
ad Impetigines diuturnas.de reme.par.fac. 7ª.157.B
ad Impetigines commodum pharmacũ. 1°.de cõp.me.se.lo. 5ª.131.B
ad Impetigines expertum remed.de med.fac.par. 7ª.174.A
ad Impetigines bonum quid.de med.fac.par. 7ª.175.D
ad Impetiginem remedium.de dyn. Sp.25.F
IMPETVS *quid significet in progn.com.3°.* 4ª.207.B
ab Impetu motus sensibiles fiunt in animalium corporibus, cum sana sunt.de palp. 3ª.51.D
Impetus animi affectus & perturbatio.de co.cu. animi mor. 2ª.50.G
Impetus iræ fiunt Marte cum Luna.de decub.progn. Sp.12.H
Impetum inspirationis alæ nasi insequuntur.de musc.diss. 1ª.14.F
Impetus lippitudinis Glaucium stringit.de sim.med. Sp.84.F
Impetus sanguinis irrationabiles sæpius ligatis coxis retinemus. de catharticis. Sp.94.H
Impetum sanguinis ad nares potenter reuellunt cucurbitulę,quæ hypochondriis affiguntur.de cucur.scar. 6ª.4.G
Impetus morborum duobus remediis pellitur.de dyna. Sp.20.B
IMPLACIDITAS *quarto die, in quo fuerit.in 1ᵐ.de morbis vulgabus,com.3°.* 3ª.124.F
Implacidi quomodo fiant.de vic.ra.in mor.acu.com.3°. 7ª.128.D
Implacida mulier in quo casu.in 1ᵐ.de mor.vul.com.3°. 3ª.125.B
IMPLENTVR *corpora à quo. 5°.de simp.me.fac.* 5ª.32.H
Implenda quæ vlcera,& quę expurganda. 5°.met.me. 7ª.33.F
Implentia medicamenta extrinsecus,quæ.intro. Isa.58.A
Implet vulnera erbum.de simp.med. Sp.85.B
Implẽs caua aridũ cephalicũ medicaᵐ quale.5°.ɗcõ.me.p ge. 5ª.253.D
Implẽs vulnera cyziceñ emplastrũ quale. 5°.ɗ cõp.me.p ge. 5ª.250.B
IMPLETIO *est vnũ caput conuulsionis. 2°.de symp.cau.* 3ª.19.H
IMPLICATVS,*& complicatus idem.ad eos qui de typ.scrip.* 3ª.93.E
Implicati affectus,qui.in 3ᵐ.de mor.vulg.com.2°. 3ª.135.D
IMPONENDA *est cucurbitula reuulsionis cã.de cucur.scari.* 6ª.3.B
Imponere finem rigoribus potest cucurbitula. de cucur.scar. 6ª.3.F
contra IMPORTVNITATES *sophisticas qui scripti libri à Galeno. 1°.de diff.puls.* 4ª.47.C
ab IMPOSITORIBVS *discenda nomina ad Thrasy.* 2ª.107.A
Impositores primi nominum in quibus sint laudandi,& in quibus vituperandi.com.6°.aph.1°. Ex.45.H
IMPREGNATIO *actio naturæ.intro.* Isa.55.B
Imprægnatio nõ fit sp semine emisso.de nat.& ord.cuius.cor.Sp.42.C
IMPRIMIT *magis quàm fomentum aquæ fusio. de victus ratione in morb.acut.com.4°.* 7ª.144.E
IMPROBÆ *sunt vrinæ albæ perspicuæ, præsertim phreniticis apparentes.de vri.sign.ex Hipp.* Sp.78.H
in IMPROPRIE *& proprie distinctio.1°.de puls.diff.* 4ª.43.A
IMPRVDENS *sine cerebro dicitur.3°.de decr.Hipp.* 1ª.243.H
Imprudentes,qui.3°.de decr.Hipp. 1ª.243.H
Imprudens multi apud Abderitas nati.quod animi mores. 1ª.321.H

Imprudentes pauci Athenis.& animi mor. 1ª.321.H
IMPVBERES *seruanᵗ pueri hyacintho.8°.de simp.me.fa.* 5ª. 62.H
Impuberes qūo seruanᵗ testiculi puerorū.1°.de cōp.me.s.l. 5ª.127.E
IMPVLSABILITATES *dependent à corde.de vir.not.* Sp.60.B
IMPVLSIO *qualis.4°.de decr.Hipp.* 1ª.148.G
si IMPVRGATVS *laboraueris,vlcera erumpent.commentario.3°.aphorismo.20°.* Ex.24.C
ab IMPVTRESCIBILIBVS *quo modo recedat caliditas.1°.de differentijs febrium.* 3ª.32.H
IMPVTRIDVM *apud antiques signāt incoctū.c.6°.aph. 1°.* Ex.46.D
IN *præpositio.4°.de decr.Hipp.* 1ª.250.D
INAEQVALE quod est,dissimile erit sibi.de fasc. 7ª.293.E
Inæqualia deteriora æqualibus.in progn.com.2°. 4ª.200.F
Inæqualis tēperatura facit difficultatē vrinę.cō.7°.aph.48.Ex.57.H
ab Inæquali substantia eius quod subsidet distinguitur crudus humor per vtiles hypostases.de vri.sing.ex Hipp. Sp.79.C
Inæqualis cōpositio quæ calculū & tophos gignit.6°.de sa.tu.2ª.99.F
sine Inæqualibus futuris cur debeant esse fasciæ.de fasc. 7ª.293.G
INAEQVALITAS *quo modo fiat.10°.met.me.* 7ª.63.A
de Inæqualitatis vnius pulsus differentijs.1°.de diff.puls. 4ª.48.H
de Inæqualitatibus & æqualitatibus pulsus.1°.de diff.pul. 4ª.48.H
Inæqualitas et æqualitas i pulsu quot fiāt modis.1°.d di. pul.4ª.48.H
Inæqualitatis pulsus motus tres differentiæ.1°. de diff.puls. 4ª.49.G
Inæqualitatum inæqualium vna in parte pulsuum differentiæ.1°de differentijs pulsuum. 4ª.49.G
Inæqualium in vna parte pulsuū differētiæ.1°.de diff.puls. 4ª. 49.G
Inæquales pulsus diuersarū ptiū i vna distētione.1°.de dif.pul.4ª.51.B
Inęqualitas corporis arteria,quæ.1°.de diff.puls. 4ª.51.F
Inæqualitas in pulsu à sede arteriæ.1°.de diff.puls. 4ª.51.G
de Inæqualitate à materia infusa i arteriæ cauitatē.1°.d di.p.4ª.51.F
Inæqualitas in diuersis arteriæ partib⁹,qualis.1°.de dif.pul.4ª.51.E
Inæqualitas collectiua in pulsu,quæ.2°.de cau.pul. 4ª.91.B
Inæqualitatis collectiuæ differentia in pulsu.1°.de diff.pul. 4ª.48.H
Inæqualitatis collectiue differentia in pulsu.1°.de diff.pul. 4ª.51.A
Inæqualitatis omne genus in pulsu,cur.4°.de loc.aff. 4ª.28.E
Inæqualitatis vitalis cōtētionis i pulsu dria.1°.de diff.puls. 4ª. 51.F
Inæqualitatis motus vr sensus,non motus.2°.de symp. cau. 3ª.23.G
Inæqualitas ñ sequit necesario male cōcoquētē. 3°. d sy. cau.3ª.30.C
ab Inæqualitate motᵒ q fiūt expultricis facultatis qdem sūt,sed adhuc minus mediocres q q i horrore,aut pādiculatiōe.2°.d sy.c. 3ª.23.G
Inæqualitas quandoque sentitur ante febrē.2°.de sym.cau. 3ª.22.A
Inæqualitatē añ febrē q nō senserint fortunati.2°. d sym.cau. 3ª.22.B
Inæqualitas ante febrem qualis.2°.de symp.cau. 3ª.22.A
Inæqualitas ex vitiosis excrementis.2°.de symp.cau. 3ª.23.B
Inæqualitatis tempus quando. de morb.temp. 3ª.86.E
Inæqualitatis tempus pōt dici & augmentum de mor.temp. 3ª.86.E
Inæqualitas tempus quod in tertiana.de morb.temp. 3ª.86.A
Inæqualitas quandoque melior æqualitate,et qñ.de vrinis.4ª.123.H
INAMBVLATIO *aliquibus impense calidis satisfacit,qui exercitari prorsus non desiderant.6°.de san.tuen.* 2ª.96.A
INANIMATA *sub substantia sunt tanquā sub gñe.1°.de temp.1ª.13.F*
Inanimata quo modo ægrotent.de const.ar. Isa.38.H
INANE *debet esse corpus,si debeat eē nā leue.1°.d sim.m.fa.5ª.4.G*
INANIT *aluum serū lactis.de mel.& Gal.Ru.& Poss.* Sp.110.A
INANITIO *duplex.1°.de san.tuen.* 2ª.68.H
Inanitio quæ nutritioni ex aduerso opponitur.1°.de san.tuen.2ª.68.H
ob Inanitionē fit ibecillitas viriū.de vic.ra.i mor.acu.c.2°.7ª.123.G
Inanitio singultum & conuulsionem facit.com.6°.aph.39°. Ex.50.G
Inanitio conuulsionem insanabilem facit.com.5°.aph.1°. Ex.37.D
ob Inanitionē singultus icurabilis.de vic.ra.i mor.acu.c.4°.7ª.143.C
Inanitione deprauatur figura.de cau. mor. 3ª.8.H
INANITIO *vasorū qd apud Hippocratē.com.1°.aph.2°.* Ex.3.C
Inanitiones fortes vasorū fieri ñ dñt.d vi.ra.i mor.ac.c.2°.7ª.120.H
ob Inanitionē vasorū ibecillitas.de vic.rat.i mor.acu.c.2°.7ª.123.F
INANITVM *repleri denuo desiderat.de ve.sec.aduer.* 6ª.9.A
INAPETENTIBVS *cerebrū non est dandū.2°.de ali.fa.* 2ª.27.B
INAPPETENTIA *quid.1°.de sym.cau.* 3ª.17.H
Inappetētiā nō necesse ē seq,si qs male cōcoxit.3°.de sym.ca.3ª.30.B
Inappetētias os vētriculi habet per seipsum.1°.de sym.cau.3ª.17.H
Inappetentia potus quæ.1°.de symp.cau. 3ª.18.D
Inappetētia qñ signet idigētiā purgatiōis p supiora.c.4°.17°.Ex.29.A
ad Inappetētiā i diarrhęo ex cruditate quid agēdū.8°.me. m.7ª.53.E
Inaquosum,squalidum,siccum idem est.com.3°.aph.14°. Ex.22.D
INCALESCVNT aures oleo,& castoreo.12°.meth.me. 7ª.79.G
de INCANTATIONE. *de incant. adiur.& susp.* 7ª.181.F
Incantatio quid sit.de incantatione adiur.& susp. 7ª.181.F
Incantatio pro scorpione necando.10°.de simp.med.fac. 5ª.75.G
Incantatio.6°.de simp.me.fac.. 5ª.45.H
Incantationibus vtebantur epodes.17°.de vsu.par. 1ª.222.G
Incantationibus non credit Galenus.5°.de simp.med.fac. 5ª.39.F
in INCARNANTIBVS *medicamentis cur ponatur arugo cum erodat.1°.de comp.me.per ge.* 5ª.210.B
Incarnans medicamentum sit ex cerato,& ærugine,tamen vtrunque per se est contrarium.6°.de comp.med.sec.loc. 5ª.176.H
de INCENDIO *insomnia qd signēnt.i 1ᵐ.de mor.vul.c.3°.* 3ª.117.H
Incendij somnium significat bilem.de præsa.ex insom.sum. 4ª.213.C
INCENDI *corpus nō est affectus,sed symptoma.3°. de sa.tu.2ª.78.F*
Incendit corpus humiditas aeris facultate siccatoria. de victus ratione in mor.acu. com.4°. 7ª.134.D
Incenditur corpus,si siticulosus biberit vinum habēs aquam marinā. de vict.rat.in mor.acu.com.4°. 7ª.134.D
INCENSIONES *nimiæ quo lunæ aspectu fiant.de decub.* Sp.12.G
Incensionem in stomacho facit batheca.de diss.cont. Sp.74.F
Incensionem in stomacho faciunt medullæ,& vinum nouum, nigrum, crassum,ponticum.de diss.cont. Sp.74.F
INCENSA *terra est sal.de vti.resp.* Sp.64.F
ex Incensis calamis quo modo fiat sal.de vti.resp. Sp.64.F
Incensos,& exustos emolliūt.balnea.de ijs,q i med.fi.cō.3°.7ª.215.H
INCESSVS *est crurum.1°.met.me.* 7ª.6.C
INCIDENTIA *corpulentiam,quæ.14°.met.me.* 7ª.91.D
Incidēdi vim hñtia qūo ineniant gustu et olfactu.de attē.vic.2ª.44.A
Incidentia qualia sint.de ocu. 7ª.187.H
Incidere quæ debent,qualia esse oportet.4°. de simp.me.fa. 5ª.29.G
Incidentia quæ calorem non habent.5°. de simp.me.fa. 5ª.35.E
Incidentia minus calida.5°.de simp.me.fac. 5ª.35.E
Incidendi vim habent acria tenuis essentiæ.4°.de sim. me.fa. 5ª.29.G
Incidendi crassitudinē vim habet agaricū.6°.de simp.me.fa. 5ª.41.E
Incidendi vim habent amari sapores.4°.de simp. me.fa. 5ª.29.G
Incidentes cibi & attenuantes humores crassos.de diss.cont. Sp.74.G
Incidunt cibi acuti,& aperiunt,& qui sint.de diss.cont. Sp.72.E
Incidētes pituitā cibi mūdificāt stomachū,et q sint.de dis.cōt. Sp.74.E
Incidens est febrilis calor.com.6°.aph.40°. Ex.51.A
Incidentia medicamenta,quæ de cur. rat.per sang. miss. 6ª.19.A
Incidens valide medicamentum,ad pus è thorace educendum valet.13°.methodi medendi. 7ª.85.E
Incidentia iuuant epilepticos.10°.de simp.me.fa.. 5ª.73.C
Incidentia,& extenuantia lapides frangunt,& lichenas sanant.7°.de simpli.med.facul. 5ª.51.H
Incidentia calculis prosunt.7°.de simp.med.fac. 5ª.53.H
ad Incidentem dolorem matricis vti vespa.de pass.mul. Sp.95.G
Incidendum animal & scarificandum,fame & siti est affligendum.de mot.man.& obsc. Sp.70.D
Incidenti si quid appareat aliter,quàm à Galeno scriptū sit, id rarum 1°.de anatomicis admini. 1ª.68.D
Incidentis operatio,incisi affectio est.6°.de decr.Hipp. 1ª.260.F
INCIDENDA *quōsint membra emortua.2°.de arte cur.* 7ª.107.A
Incidenda quo modo sint vlcera habentia labra decolorata, & dura.4°.methodi medendi. 7ª.23.F
Incidenda quando phlegmone.13°.met.me. 7ª.81.D
Incidenda quo modo cutis in axillis & inguinibus in speciem foliy myrti.13°.met.me. 7ª.81.E
Incidendæ sunt cucurbitulæ in particulis repletis, & vbi est corrupta materia.de cucur.& scar. 6ª.3.B
Incidendæ sunt caudæ hirudinum,quando opus est iterum eisdem nos vti.de cucur.scar. 6ª.4.C
Incidit discutit,& reprimit Acetum.1°.de comp.me.se.loc. 5ª.128.H
Incidit,Amaritudo & acrimonia.7°.de simp.med.fa. 5ª.49.G
Incidūt humores crassos Calida mediocriter.d cu.ra.p sā.mis.6ª.17.e
Incidit crassitudinē humorū Chamædrys.8°.de simp. me.fa. 5ª.63.E
Incidunt,& attenuant Cibi acetosi.de dissol.cont. Sp.72.F
Incidit Eruum.8°.de simp.med.fac. 5ª.57.E
Incidit et extergit Eupatoriū citra caliditatē.6°.de sim m.fa.5ª.47.
Incidit Origanus 8°.de simp.med.fac. 5ª.57.E

Incidit & tenuat humiditatẽ crassã Secaniabin.de diss.cont. Sp.74.H
*Incidit, abstergit, parũ, & siccat tamarix myrice.7°.& si.me.f.5ª.*56.D
Incidit humores moderatẽ Vinum pauciferum.de vinis. Sp.76.C
*Incidit et excalfacit vehemẽter volucrũ maius.8°.& sim.m.f.5ª.*58.B
Inciderit & incidat multum differunt.com.4°.apho.46°. Ex.32.G
INCIDERE *in anatomia vile existimauit Galenus.1°.de anatomicis administrationibus.* 1ª.64.F
Incidere promptissimum est, medicamentis sanare est pulchrius.4°.me thodi medendi. 7ª.25.C
Incidi debet pars putrida.13°.met.me. 7ª.81.E
qñ Inciditur arteria temporis.de ana.viu. Sp.55.B
INCISIO *quæ sit. de ocul.* 7ª.189.H
Incisionem facit mel in copia.de diss.cont. Sp.74.F
Incisio dicitur cum ab aliquo acuto occursante & abscindente fit. de causas morborum. 3ª.9.G
*ante Incisionem ægri animus consulendus, nunquid. s. incisionẽ pati ue lit, vel potius absq; incisione lõgiori tpe curari.4°.met.m.7ª.*23.G
*Incisio dũ fit, statim dolores siũt, nõ posi incisionẽ.de symp.cau.3ª.*16.G
Incisiones qũo faciendæ sm diuersa membra.de cucur.scar 6ª.3.G
Incisio in oculo quando fieri debet, fiat circa musculorum crassitiem. de anato.viuo. Sp.57.H
Incisio labiorum vlceris quanta sit facienda.4°.met.me. 7ª.23.G
Incisio per quam viam fieri debet in inguine.13°.met.me. 7ª.81.E
sine Incisione vsus cucurbitularum conuenit in mediocri dolore, & si mulibus.de cucur.& scar. 6ª.3.C
Incisiones in scarificatione inter sese sint æquales, et quæ inter eas sunt interualla inter se æqualia sint.de cucur.scar. 6ª.3.G
Incisione facta quid agendum.13°.met me. 7ª.81.E
INCISIVA *qualia sint, & quæ.de ocul.* 7ª.188.F
INCISIVOS *dentes, & molares tantum habent animalia quædam. de anatomia viuorum.* Sp.49.E
Incisores dentes quid agant.de anat.viuo. Sp.49.D
INCISORIVM *est tabula, supra quam fit.incisio.* 1ª.102.A
INCISI *affectio, incidentis operatio.6°.de decr.Hippo.* 1ª.260.F
Incisa vulua raucedinem facit.de ana.viuo. Sp.49.E
Incisus si fuerit neruus, particula statim priuatur motu, & sensu.de neruorum dissectione. 1ª.53.B
Incisa phlegmone quid agendum.13°.met.me. 7ª.81.D
Incisos articulos iungit emplastrum barbarum de dyna. Sp.35.F
ad Incisa parua apostemata valet succ⁹ cẽtaureę.de vir.cẽt. Sp.93.H
INCLINATIONIS *in quacunque parte dat cibus.de mor.tẽp.* 3ª.86.H
in Inclinante ætate quibus contingat inflari ventrem, cum venere vtũ tur.in 6ᵐ.de morb.vulg.com.3°. 3ª.171.G
Inclinante morbo quacunque hora diei vena secanda. de curãdi ratio ne per sang.miss. 6ª.21.B
*Inclinãtẽ tibiã ad exteriora sensim q musculº faciat.& mus.dis.1ª.*52.F
INCLINATIO *mundi.de hist.philos.* Sp.6.B
Inclinatio terræ.de hist.philos. Sp.8.F
ad Inclinationem faciei.secretorum. Sp.103.D
*Inclinatio humorũ cõsiderãda.quos pur.op.qb.me.et quo tẽp.5ª.*88.G
in INCLINATIONE *lotium & aluus quando fluunt. quos purgare. op. quib.med.& quo temp.* 5ª.88.G
Inclinatio quando in pleuritide.1°.de crisi. 4ª.132.D
in Inclinatione cibandi sunt ægri, non in febre.10°.met.me. 7ª.73.C
in Inclinatione quibus vti debemus.6°.de comp.med.se.lo. 5ª.167.C
ab Inclinatione in somnũ excitare põt cucurbitula.& cucu.scar. 6ª.3.F
INCLVDENDAE *diu sunt hirudines.de cucur.scar.* 6ª.4.B
INCOCTIO *quid.de const.ar.* Isa.40.C
Incoctio morborũ causa, & si morbũ non faciat.de const.art. Isa.40.C
Incoctio numeratur inter causas procatarcticas.intro. Isa.52.B
Incoctio ob quas causas fiat.3°.de symp.cau. 3ª.24.H
Incoctio quo modo curanda.introd. Isa.55.E
INCOCTVM, *& coctum vnum nomine & genere, sed plura per magis & minus.1°.de crisi.* 4ª.129.F
*Incoctum edulium est caseus.de vic.rat.in mor.acu.com.4°.*7ª.145.D
Incoctum excrementum, quale.1°.de crisi. 4ª.129.D
*Incocta ad malos abscessus cõuersa signant iudicij carẽtiã labores, vel lõgitudinẽ, mortes, vl eorũdẽ malorũ redit⁹.c.4°.ap.22°.*Ex.30.D
*Incoctus morbus qũo cognoscatur ex vrina.in 1ᵐ.pror.c.3°.4ª.*188.C
INCOLAE *frigidorũ locorũ sunt molles.4°.de comp.me.p.ge.5ª.*236.F
INCOMMODERATIONVM, *& cõmoderationũ dist.de cõst.art.* Isa.39.C
INCOMMODA *pluuialis aquæ.de bon.aquæ.* Sp.75.F
Incommoda coitus.de cura icteri. Sp.111.E
INCONSIDERATVM *differt a falso.2°.de decr.Hipp.* 1ª.238.C
INCONSTANS *annus quid sit.c.3°.apho.8°.* Ex.20.G
Inconstans annus facit recidiuas, & mortes.c.3°.apho.8°. Ex.20.G
INCONSTANTIA *in moribus sequitur ad bilis dominium.de anatomia viuorum.* Sp.45.F
INCONSVETA *sunt mala.in progn.com.2°.* 4ª.198.H
INCONTINENS *quando homo.4°.de decr.Hippo.* 1ª.249.C
*Incontinentes cõstiones quæ, ex Chrysippo.4°.de dec.Hipp.*1ª.250.D
Incontinens lingua quid.c.7°.apho.40°. Ex.57.B
Incõtinẽs repẽte facta ligua tale ẽ melãcholicũ.c.7°.ap.40°. Ex.57.B
INCONTINENTIA *linguę non antecedit melancholiam. com.7°.apho rismo.40°.* Ex.57.B
pp Incontinentiam qui suppurantur, illis elleborus non dandus.de vic. rat.in mor.acu.com.4°. 7ª.144.G
ad Incontinentiam vrinæ.de cura lap. Sp.112.F
INCORPOREA *natura totam substantiã penetrat.de sper.* Sp.40.F
*Incorporea substãtia qũo substãtiæ corporeæ copuleẽ.de sper.*Sp.37.E
*Incorpea substãtia nõ nutriẽ a corpore, nec è cõtrario.de sper.*Sp.40.G
Incorporeus pulsus, qui.compen.puls. Sp.65.G
INCORRIGIBILIVM *comparatio.3°.de diff.pul.* 4ª.60.H
INCRASSATIVA *qualia sint.de ocu.* 7ª.188.F
Incrassandi facultas in quibus sit.5°.de simp.med.fac. 5ª.37.F
in Incrassantibus scopus qui.5°.de simp.med.fac. 5ª.38.C
Incrassantium natura non solum est in refrigerantibus.5°.de simplic. med.facul. 5ª.38.D
Incrassat lac crassum, sicut vaccæ.de diss.cont. Sp.73.F
INCREDIBILE *videtur quod caret ostensione. in 6ᵐ.de morb. vulga. commen.4°.* 3ª.185.A
INCREMENTVM *facit naturalis facultas. in 6ᵐ. de morbis vulgar. commen.1°.* 3ª.169.E
Incrementum non potest esse nisi in humido.de sal.diæ. 2ª.40.F
Incrementum quo modo fiat.de hist.philos. Sp.12.A
Incrementum differt ab alteratione.de tu.præ.na. 3ª.82.H
Incrementum rerum non variat colorem. de tu.præ.na. 3ª.82.H
Incrementum quousque perseuerat.de opt.nost. corp.const. 1ª.38.H
ab Incremento maturius aut serius desistũt corpora duplici occasione. de opt.nost.corp.const. 1ª.38.H
ad Incrementum cito peruenies, cito senescit.6°.de sa.tu. 2ª.96.E
Incrementum impedit exercitatio immodica.1°.de san.tuen. 2ª.67.C
INCREMENTVM, *augmentum, & ascensus idem. de morborum tem poribus.83.E/* 3ª.85.F
Incrementum significat anticipatio multa.1°.de crisi. 4ª.125.H
Incrementum accessionis qũo fiat.2°.de arte cur.ad Glau. 7ª.115.G
*Incrementũ nõ indicat de exiguo cibo exhibendo.de op.sect.Isa.*28.G
*Incremẽtũ carniũ signat cutis coitio.in 6ᵐ.de mor.vul.c.3°.*3ª.169.G
INCRESCENTES *morbi qui intelliguntur.in 6ᵐ.de morb.vulgar.com mentario.5°.* 3ª.193.A
Supra INCVDEM *malleus quid faciat.1°.de diff.puls.* 4ª.51.A
INCVRABILIS *pars a corpe demenda.6°.de cõp.me.p.ge.*5ª.255.D
INCVRVETVR *& extendatur quomodo spina.de mus.diss.* 1ª.49.G
INDEMONSTRABILIA quę sint.1°.met.me. 7ª.5.D
INDEX *digitus, qui intro.* Isa.53.C
*Index debebat multũ distare a pollice, & quare.1°.de vsu p.*1ª.117.G
de Indicis motu, & tendonibus.1°. de vsu par. 1ª.117.G
*Indicẽ, pollicẽ, et mediũ vnus musculus mouet.1°.de ana.adm.*1ª.65.C
*Indicẽ, pollicẽ, & mediũ digitũ mouentes musculi.de mus.diss.*1ª.48.E
Indici magnum digitum adducens musculus.de musc.diss 1ª.49.B
ab Indice magnũ digitũ lõgissime abducẽs muscu.de mus.diss. 1ª.49.B
*Indicẽ pedis, & digitũ paruũ qui musculus flectat.de mus.dis.*1ª.52.C
inter Indicem, & pollicem vena secta vetustum sanat dolorem præ sag.exper.conf. Sp.78.C
inter Indicem, & pollicem arteria secatur.de ana.viuo. Sp.54.H
Indice perdito quæ actiones perdantur.1°.de vsu par. 1ª.120.C
Indices dies, qui.in 3ᵐ.de mor.vul.com.1°. 3ª.132.E
INDEX *septenorũ est quartus.2°.de die dec.4ª.*154.F/*c.2°.*Ex.15.G
Index septimi est quartus sua natura.1°.de dieb.decr. 4ª.149.G
INDICANS *sua natura, semper indicabit.9°.met.me.* 7ª.59.D
Indicantia cum alijs, quæ.11° met.me. 7ª.84.D
Indicantia sui ablationem, quæ.3°.met.me.16.C/14°. 7ª.90.F
INDICATIO *quid significet.2°.met.me.* 7ª.13.E
*Indicationes primæ artium ab omnibus sciuntur.6°.met.me.*7ª.37.A

Indicationes chi-

Indicationes chirurgicæ aliquid commune, & aliquid proprium hñt. 14°.meth.meden. 7ª.90.F
per Indicationem fit medendi methodus. 2°.met.me. 7ª.13.E
Indicatio quid agendum sit, inuenit. 3°.met.me. 7ª.16.C
Indicatio quæ, & vnde sumatur. 11°.met.me. 7ª.69.D
Indicatio est id totũ, qđ est ab esperiẽtia seiũctum. 2°.met.me. 7ª.13.E
Indicationẽ suã curatiuã habet quilibet affectus. 9°.met.me. 7ª.61.A
Indicatio communis omnium morborum, quæ. 11°.met.me. 7ª.67.H
Indicatio communis curandi, quæ. 14°.met.me. 87.H/ 7ª.93.D
Indicationes medicatoriæ quot, & vnde sumãtur. 9°.met.me. 7ª.59.G
Indicantia curationem duo sunt. 11°.met.me. 7ª.67.H
Indicationes agẽdorum in omni curatione generatim in tribus ad summum consistunt, & in quibus. 14°.met.me. 7ª.90.H
Indicatio vna generalis, quæ. 9°.met.me. 7ª.60.C
Indicatio vnde sumitur in artibus effectiuis. de const.artis. Isa.39.E
Indicationes remediorum vnde sumantur. 5°.meth.me. 7ª.29.H
Indicationes remediorũ à quibus etiã sumũtur. 11°.meth.me. 7ª.68.B
Indicatio non sumitur a non permanente. 4°.met.me. 7ª.24.A
Indicatio præsidiorũ vnde sumeretur ab antiquis. 2°.met.me. 7ª.11.C
Indicationes eius quod iã inst at, quæ. 1°. de arte cur. ad Glau. 7ª.100.C
Indicatio quandoque sumitur ab eo quod vrget. 3°.met.med. 7ª.21.H
Indicatio ab Actionum vtilitate partium vel omnium vel pancarum, vel vnius solius sumitur. 7°.met.me. 7ª.49.B
Indicatio etiam sumitur ab Aere ambiente. 11°.met.me. 7ª.67.H
Indicatio cur sumatur ab ambiente. 9°.met.me. 7ª.60.D
Indicatio ab Aetate, quæ. 9°.met.me. 7ª.61.G
Indicatio sumenda ab ætate. de sectis. Isa.16.E
Indicatio p̃sidiorũ ab Affectu fit p cõtraria. 4°. de cõ.m.p ge. 5ª.240.G
Indicat auxilia affectio. 2°. de comp.me.sec.lo. 5ª.134.A
Indicatio prima sumitur ex affectibus. 3°.met.me. 7ª.16.C
Indicatio prima, & precipua, quæ ab affectu ægrotantis sumitur. 9°. methodi medendi. 7ª.58.D
Indicat non parum locus affectus. 4°.met.med. 7ª.29.B
Indicationes medẽdi p numero affectuum sumunt. 4°.met.me. 7ª.29.C
Indicatio à cã quæ adhuc manet quid cõe habet. 11°.met.me. 7ª.69.D
nõ Indicant curationem causæ primitiuæ. 4°.met.me. 7ª.24.A
Indicatio causa efficiente summota rationẽ habet diuersam ab ea, quę causa adhuc manente, sumitur. 11°.met.me. 7ª.69.D
Indicationẽ curationis ab externa causa sumi omni modo est absurdũ. 4°.meth.med. 7ª.24.E
Indicatio cibandi vnde sumatur. 10°.met.me. 7ª.63.H
Indicatio à Consuetudine semper est similiũ, quoad ægrotent homines. 8°.meth.med. 7ª.55.B
Indicationes quomodo sumantur à Contrarijs. 8°.met.me. 7ª.55.C
Indicatio in Febre cum phlegmone quid afferat considerandum. 11°. methodi medendi. 7ª.69.D
Indicatio à febre quomodo fit maior. 8°.met.med. 7ª.55.D
Indicatio à febre habet duplicem magnitudinem. 8°.met.me. 7ª.55.D
Indicationes duæ à febre. 11°.met.me. 7ª.70.D
Indicatio vnde sumenda in diaria febre. 10°.met.me. 7ª.61.C
Indicationes duæ pro curanda febre, vna a febre, alia à putredine. 11°. methodi medendi. 7ª.70.D
Indicatio à figura, qualis. 7°.met.me. 7ª.49.C
Indicatio à figura & positu. 4°.meth.med. 28.G/ 7ª.29.B
Indicatio à formatione quomodo fit. 2°. de arte.cur.ad Glau. 7ª.102.E
Indicatio ex Instrumentarijs quæ sit. 13°.met.me. 7ª.82.F
Indicationis à Morbo primus tuẽtor Hippocr. 4°.met.med. 7ª.28.D
Indicatio à morbo non satis. de sectis. Isa.16.D
Indicatio à morbi affectu, quæ. 11°.meth.med. 7ª.69.A
Indicationis principium sumitur à morbo, & ab alijs rebus. 4°.metho di medendi. 7ª.24.A
Indicatio sumitur à morbo. 12°.met.me. 7ª.74.G
Indicatio à morbis est solum principium, vñ medendi ratio promouet. 3°.methodi medendi. 7ª.16.D
Indicatio remediorum non sumitur à differentia morborum, substãtia ipsa prætermissa. 1°.met.med. 7ª.3.H
Indicatio sumitur à Natura. 3°.met med. 7ª.16.C
Indicatio præsidiorum a tota natura, & a partibus fit per similia. 4°. de comp.med.per ge. 5ª.240.G
Indicationes sumere a rerum natura, proprium est medici methodo vtentis. 6°.meth.meden. 7ª.37.F
Indicationes solum tres ex ipsa rei substantia. 9°.met.med. 7ª.59.H
Indicatione ex his, quæ secundum naturam. 11°.met.me. 7ª.71.F
Indicationes sumuntur a septem rebus, quæ sunt præter naturam. 11°. methodi medendi. 7ª.71.E
Indicatio sumenda a Partibus corporis. de sectis. Isa.16.E
Indicatio curatiua sumpta a parte. 5°.meth.me. 7ª.31.F
Indicatio a partibus, quę. 13°.met.me. 7ª.85.G
Indicatio ab internis partibus vnde sumatur. 4°.met.me. 7ª.28.G
Indicationes duæ a Perspiratione impedita. 11°.met.me. 7ª.70.D
Indicatio sumpta a Phlegmone, quæ. 11°.met.me. 7ª.84.D
Indicatio a Putredine qd cõsiderandũ proponat. 11°.met.me. 7ª.69.D
ad Indicationẽ vnicæ Qualitatis nõ sequitur curatio perfecta. de ren. aff.dig. & med. 7ª.194.G
Indicatio a sentiẽdi acrimonia vel hebetudĩe accipit. 7°.me.m. 7ª.49.A
Indicatio ab hebetudine & acuitate sensus non spernenda. 7°.metho di medendi 7ª.49.D
Indicatio ex Similaribus quæ sit. 13°.meth.me. 7ª.82.E
Indicatio inuenit remedium a Situ loci. ars med. Isa.69.G
Indicatio a situ quo modo fit. 7°.met.me. 7ª.49.D
Indicatio ex positu, qualis. 2°. de arte cur. ad Glau. 7ª.102.F
Indicatio a Societate, quæ. 13°.met.me. 7ª.84.F
Indicatio a Temperamento partis laborãtis hr. 7°.met.med. 7ª.49.A
Indicatio a Temperatura, quæ. 2°. de arte cur. ad Glau. 7ª.102.E
Indicationes mensuræ contrarietatis, sunt temperies laborantis, & morbus. 11. methodi meden. 7ª.67.H
Indicatio curãdi nõ ẽ sumẽda a Tpe, sed a morbo. 4°.met.me. 7ª.24.H
Indicatio nulla est a tempore. 4°.met.me. 7ª.27.E
Indicatio a Viribus in morbis omnibus adhibẽda. 8°.met.me. 7ª.55.E
Indicatio a viribus, qualis. 11°.met.me. 7ª.69.A
Indicationes a vi laborantis. de sectis. Isa.16.D
Indicatio a virtute quænam sit. 2°. de arte cur. ad Glau. 7ª.103.B
Indicationem curatiuam præbet virtus. 11°.met.me. 7ª.68.B
Indicatio prima a virtute sumitur. 11°.met.me. 7ª.68.D
Indicationes plures debet sequi victus ratio. 8°.met.me. 7ª 55.C
in Indicationibus consentientibus, & dissentientibus quo modo victus ratio ordinanda. 8°.met.me. 7ª.55.A
Indicationes qñ sunt cõtrariæ quid agẽdũ. 9°.met.m.59.C/ 11°. 7ª.68.F
Indicatio prima, humorum est euacuatio. 14°.met.me. 7ª.88.A
Indicatio vacuationis vincit refrigerationis iudicationem in phlegmone. 13°.meth.med. 7ª.82.E
Indicatio refrigerationis vincit indicationem vacuationis in erysipelate. 13°.met.med. 7ª.82.E
Indicatio prima in ventriculo affecto a temperie loci laborãtis. 7°.me thodi medendi. 7ª.48.H
Indicatio secunda in ventriculo affecto ex actione communi sumitur. 7°.methodi medendi. 7ª.48.H
Indicatio tertia in ventriculo affecto ex figura sumitur. 7°.methodi medendi. 7ª.49.A
Indicatio quarta in ventriculo affecto ex positura capitur. 7°.methodi medendi. 7ª.49.A
Indicationes quatuor sunt in tumorib. 2°. de arte cur. ad Gla. 7ª.102.E
Indicet quid ecchymosis. 4°.meth.me. 7ª.29.C
Indicationes plures in ruptis sunt. 4°.meth.me. 7ª.29.B
Indicationes in osse fracto duæ. 6°.meth.me. 7ª.41.B
INDICATIVA *medicinæ pars in quot partes diuidatur. de subfiguratione empirica.* Isa.32.A
Indicatiuum quot modis diuidatur. ars med. Isa.62.B
Indicatiuum quot modis subdiuidatur. ars med. Isa.62.B
Indicatiuum signum quod. fin. med. Isa.46.B
INDICIORVM *obseruatio necessaria est ad curationem. intro.* Isa.51.H
Indicium & signum quo modo accipiantur. in progn.com. 3°. 4ª.212.C
Indicium de quibus non dicatur, de quibus tamen dicatur signum, in progn.commentario. 3°. 4ª.212.F
Indicia & signa simul, quæ. in progn.com. 3°. 4ª.212.F
Indicium certum, & signum quo differũt. in prog.com. 3°. 4ª.212.C
Indicia bona, quæ in prog.com. 2°. 4ª.203.E
Indicia praua, quæ. in prog.com. 2°. 4ª.203.E
Indicia a viribus vnde sumantur. in progn.com. 3°. 4ª.209.G
Indicia ab ætate vnde sumantur. in prog.com. 3°. 4ª.209.H
Indicia oĩa bona sunt necessaria ad cõuale scẽtiã in pg.cõ. 2°. 4ª.203.H
Indicium vnum malum satis est ad mortẽ. in progn.com. 2°. 4ª.203.H
Indiciũ malũ a multis bonis vinciť, & è cõtrario. in pg.cõ. 3°. 4ª.211.D
Indicia morbi a ventre. de dyna. Sp.19.H

INDICVS *calamus calefacit in puluerem redactus.* 1°. *de simplicium med.facul.* 5ª.4.E
Indicum ferrum,fragile. 1°.*de vsu par.* 1ª.115.G
Indicus lapis suspensus profluentem ex hæmorrhoidibus sanguinem sistit. 9°.*de simp,med.fac.* 5ª.67.E
INDIGENTIA, *& repletio propter quid ictericis mala. de cura icteri.* Sp.111.E
INDIGNATVR *minus aliquis,quo generosior.* 5°.*de decretis Hippocratis.* 1ª.259.H
INDIGESTIBILES *sunt lupini.de simp.med.* Sp.86.C
Indigestibiles cibos quid purget.de cathart. Sp.95.C
INDIGESTIO *accidit comedenti bathecã.de diff.cont.* Sp.74.C
Indigestionis vrina est iudex.de dyna. Sp.34.A
Indigestionem,aut mortã nunciat in pleuriticis vrina tenuis habẽs veluti limum liuidum.de dyna. Sp.34.H
Indigesti sibi de stomacho educuntur.de catha. Sp.94.G
INDIGNATIONEM *renum significat vrina phlegmatica si apparuerit, sicut sol in limpidis coloribus.de dyna.* Sp.34.G
Indignationem omnem vel phrenitim infantium sanat emplastrum diachrysu.de dyna. Sp.32.C
Indignationem,& dolorem renum significat vrina colore alba constitutione tenuis,cum nebulis non bonis.de dyna. Sp.34.C
INDIGNI *qui sint.de præco.ad Posthu.* 4ª.218.C
non INDIVIDVORVM *sed specierũ sunt ideæ.* 2°.*meth.meden.* 7ª.14.A
Indiuiduo differunt quædam. 2°.*de diff.puls.* 4ª.58.H
INDIVISIBILIS, *& breuissima res dicitur,cum diuisionem in plures formas amplius non admittit.* 8°.*de decr.Hippo.* 1ª.274.C
INDIVVLSAM, *& continuam hypostasim inquit Galenus leuem vocari ab Hippocrate.de vri.sig.ex Hippo.* Sp.79.B
INDOCTIS,*& vulgo quid contingat.* 2°.*de pul.diff.* 4ª.56.H
INDOLENTIAM *sana corpora habent.in* 1ᵐ.*de morbis vulgaribus cõmentario.* 1°. 3ª.112.C
ad Indolentiam ducendus infans. 1°.*de san.tuen.* 1ª.65.A
Indolentia medicamẽta,quæ. 2°.*de arte cur.ad Glau.* 7ª.104.H
INDVCTIONES *argumenta remotiora sunt.* 2°.*de decretis Hippocratis.* 1ª.235.C
Inductiones non sunt adhibendæ ad demõstrationes.ad Thras. 2ª.102.C
Inductio,quæ vehementer persuadeat. 2°.*de simp.med.fac.* 5ª.10.F
Inductionibus fieri nõ dẽt demõstratio.de ijs,q̃ in me.fi.cõ. 3°.7ª.221.E
Inductio despicitur à Galeno. 2°.*de simp.med.fac.* 5ª.10.E
INDVRENT *quæ carnem.* 5°.*de simp.med.fac.* 5ª.36.C
Indurescit in modum salis vinum suspensum ad ignem in vtribus, euaporante aqua.de vtil.resp. Sp.64.F
Indurantia,& extergentia cõtraria sunt. 5°.*de simp.me.fac.* 5ª.38.H
Indurãtia medicamẽta sũt frigida,& humida. 5°.*d simp.me.f.* 5ª.34.G
Indurata ab atra bile cancrosa sunt omnia,& ab emollientibus exasperantur. 5°.*de simp.med.fa.* 5ª.34.E
Indurativa qualia esse oportet,& quæ sint.de ocul. 7ª.188.D
Indurantur corpora dupliciter.in 1ᵐ.*pror.com.* 2°. 4ª.175.B
INDVRATA *secundum varias causas quò modo curentur.* 5°.*de simplicium med.fac.* 5ª.34.E
ad Indurata vtimur discussorijs. 6°.*de comp.me.sec.loc.* 5ª.171.G
Indurata à crasso lentoq̃ humore calida poscunt & sicca medicamenta. 5°.*de simp.med.fac.* 5ª.34.E
Induratas partes digerit vitex. 6°.*de simp.me.fac.* 5ª.41.B
Induratis,& diuturnis vitijs neruorũ oleũ pdest.de sim.me Sp.88.D
Indurata emolliens medicamentũ,quale. 5°.*de simp.med.fac.* 5ª.33.E
ad Indurata in inflãmatione quæ dãda. 6°.*de cõp.med.sec.lo.* 5ª.167.C
Indurata & scirrhosa corpora emollit medulla. 11°.*de simpliciumme dicamentorum facul.* 5ª.79.E
ad Induratos & egre solubiles affectus quæ valeant. 11°.*de simpliciũ medicamentorum facul.* 5ª.79.C
Indurata iuuat adeps caprinas,et gallinarũ. 5°.*d simp.me.fa.* 5ª.34.F
INDVSTRIVS *non est qui deditus est gulæ & veneri. si quis optimus medicus.* Isa.6.F
INDORVM *linguæ si sit vocabulum,ab ipsis Indis res discenda est ad Thrasybulum.* 2ª.106.H
INDA *charta.secretorum.* Sp.98.B
INDVM *Tharsici chirurgi medicamentum cuius sit vsus.* 4°.*de cõp. medi.per gene.* 5ª.243.F
INEBRIAT *vinum citrinum antiquum.de diff.cont.* Sp.47.F
Inebriat cur minus vinũ dulce.de vic.rat.in mor.acu.cõ. 3°. 7ª.126.B

INEDIA *est priuatio.de venæ sec aduer.Eras.* 6ª.8.H
Inediã quidam patiuntur,quidam non. 8°.*met.me.* 7ª.52.D
Inedia longa cur ferri possit,& non possit. 2.*de temp.* 1ª.18.C
Inedia quibus ætatibus conueniat.com. 1°.*apho.* 13°. Ex.6.G
Inediam tolerandi facilitas in senibus in non appetendo,& nihil inde mali sustinendo.com. 1°.*apho.* 13°. Ex.6.G
Inediã facilius ferũt pituitosi,q̃ bilioſi.d̃ vi.ra.ĩ mor.ac.c. 2°.7ª.120.E
Inediam cur facilius bilioſis ferunt pituitosi.de vict.ratione in morbis acutis.com. 2°. 7ª.120.F
Inediã cur multũ ferãt crudos humores habẽtes. 12°.*met.me.* 7ª.76.A
Inedia iniũgẽda qbus cutis obstructa est. 2.*de ar.cu.ad Glau.* 7ª.15.E
Inedia statim vtimur,quando corpus fuerit plethoricum vel cacochymum. 6°.*de comp.med.sec.loc.* 5ª.166.H
Inediæ moderatæ,sunt vnus euacuandi modus. 1°.*de arte curatiua ad Glauconem.* 7ª.98.D
Inedia ex accidenti euacuat.com. 4°.*apho.* 2°. Ex.27.D
Inedia euacuat,sed longo tempore de venæ sec.aduers.Eras. 6ª.6.C
Inedia qualis euacuatio,et q̃ carnes eliquet.d̃ ve.se.aduer.Era. 6ª.6.B
Inedia neque nutrit,neque euacuat.de venæ sec.aduer.Eras. 6ª.8.H
Inediæ quo modo euacuent.de venæ sect.aduer.Eras. 6ª.9.A
Inedia non euacuat,sed raritas cutis.de venæ sec.aduer.Eras. 6ª.8.H
Inedia quas noxas faciat.de venæ sec.aduer.Eras. 6ª.6.B
Inediæ quid mali faciant.de venæ sec.aduers.Eras. 6ª.10.E
Inedia per accidens imbecillitat.de vict.ra.in mor.acu.cõ. 3°.7ª.128.F
ex Inedia virium imbecillitatem qui non cognoscunt medici, ridendi. de vic.rat.in mor.acu.com. 2°. 7ª.124.A
Inedia caput mire replet.de venę sect.aduer.Eras. 6ª.14.H
Inedia potest sanguinem exhaurire.de venæ sec.aduer.Eras. 6ª.8.A
Inedia non est imponenda vena secta.de venæ sec.aduers.Eras. 6ª.11.A
Inedia extenuat.comm. 2°.*apho.* 28°. Ex.16.D
Inedia sæpe fœtum perimit.com. 5°.*apho.* 37°. Ex.40.H
Inedia fœtus corrumpuntur.com. 5°.*apho.* 53°. Ex.42.D
Inedia pereuntes non tanto egent cibo, quanto qui iugulantur spiritu. de marc. 3ª.46.H
in Inedia quibus impleatur ventriculus. 3°.*de na.fac.* 1ª.306.D
Inedia præsus sanies à toto corpore defluit in ventriculum. de bonitate & vitio succorum. 2ª.38.H
in Inedia vẽtriculus à qbus accipiat nutrimẽtũ. 3°.*de na.fa.* 1ª.306.D
In inedijs longis per vnam solam venam lien, & ventriculus trahunt humorem.de atra bile. 1ª.36.G
in Inedia trahunt venæ in ventrem à iecore. 3°.*de natu.fac.* 1ª.306.B
Inedia calidis & siccis aduersissima est. 10°.*met.me.* 7ª.63.D
Inedia facit halitum bilioſum. 10°.*meth.med.* 7ª.62.H
in Inedia calor naturalis in igneum transit in bilioſis, de victus ratio. in mor.acu.com. 2°. 7ª.119.H
in Inedia bilis redditur amarior.de vict.ra.in mor.acu.c. 2°.7ª.120.F
Inediam damnat Galenus,quia facit vehementes febres, & alia incõmoda. 8°.*meth.meden.* 7ª.50.E
Inedia febris causa paratissima. 10°.*met.me.* 7ª.63.D
Inedia in sanis facit febrem. 8° *meth.med.* 7ª.51.F
Inedia facit febres ardentes,& postea hecticas. 10.*met.me.* 7ª.63.F
ex Inedia febres ardentissimæ fiunt. 8°.*meth.me.* 7ª.52.D
ex Inedia fit hectica,marasmus,& animi defectus. 8°.*met.me.* 7ª.50.F
Inediæ faciunt marcorem.de marc. 3ª.45.C
ex Inedia,et labore febricitãtes,quas hñt vrinas. 1°.*d crisi.* 4ª.130.C
Inediam cum sustineret grammaticus quidam, morbo comitiali corripiebatur. 5°.*de loc.aff.* 4ª.32.F
Inedia integra quibus conueniat morbis.com. 1°.*apho.* 4°. Ex.4.B
de Inediæ vsu librum scripsit Praxagoras.de venæ sec.aduer. 6ª.8.C
Inedia ĩdicere ĩter primas medicinę actiões numerari.ad Th. 2ª.108.F
Inedia in principijs morborum non est iniungenda. de victus ratione in morb.acu.com. 2°. 7ª.118.H
Inediam vsque ad tertium diem seruari iubebant quidam medici tempore Galeni,vt tertiæ diei noctẽ obseruarent. 8°.*met.me.* 7ª.50.C
per Inedias,& vigilias minus humorum colligitur. 2°.*de præsagitione ex pulsibus.* 4ª.109.F
Inedia facit ad coctionem.in 6ᵐ.*de mor.vul.com.* 3°. 3ª.175.C
Inedia non facit cõcoctionis debilitatem. 8°.*de cõp.me.se.lo.* 5ª.187.H
Inediæ quantum ad coctionem valent,tantum,vel amplius officiunt viribus. 1°.*de arte cur.ad Glau.* 7ª.97.D
Inediæ ex fastidio in longis difficultatibus inteſtinorum,malum.cõmẽtario. 6°.*apho.* 3°. Ex.46.F

ex Inedia laborantium cura.intro. *Isa.55.E*
Inedia curatur plethora.13°.met.med. 7ª.81.H
Inedia,lege Fames.
INEPTVS *ad aliqd dr̃ q difficulter agit.9°.de decr.Hippo.* 1ª.280.G
Ineptus dicere doctus garrire dixit comicus.4°.de dig.pul. 4ª.85.A
INERS *puella naturaliter vnde.de sperma.* *Sp.38.B*
INEVITABILE *accidẽs transitus per œsophagum est eleuatio nodi gutturis.de mot.man.& obs.* *Sp.70.F*
INEXERCITATIO *facit errare.2°.de diff.puls.,* 4ª.57.C
INFANS quando ab Hippocrate vocetur.1°.de seni. 1ª.331.F
Infans quid sit apud Hyppocratem ex Galeno.in 3ᵐ.de morbis vulgaribus,commen.2°. 3ª.139.B
Infantes qui secundum Zeuxidẽ. in 6ᵐ.de mor.vul.cõ.1°. 3ª.154.H
Informis infans quid significet.1°.de comp.me.sec.loc. 5ª.125.D
Infantis informis adeps.1°.de comp.mend.sec.loc. 5ª.125.B
Infans paruus qui intelligatur.in.3ᵐ.de mor.vulg.com.2°. 3ª.139.F
de Infantis natura liber vel Hippocr.vel Polybi.d fœt.fo. 1ª.322.C
Infantiũ formandi in vtero modus.de na.& ord.cuiusf.corp. *Sp.42.D*
Infantis formatio quot diebus fiat.de na.& ord.cuiusf.corp. *Sp.42.C*
Infantes qui quadrageſimo die formantur,nono vel decimo menſe impingente naſcuntur.de nat.& ore.cuiuslibet corp. *Sp.42.C*
Infantis poſitio in vtero.de nat.& ord.cuiusl.corp. *Sp.42.D*
Infans vtriuſque ſexus quo modo fiat.de dyna. *Sp.36.E*
Infans maſculus in dextra matricis continetur, fœmina in ſiniſtra.de natura,& ord.cuiuslibet.corp. *Sp.42.D*
Infans quod pelliculis in vtero circũdetur.15°.de vſu par. 1ª.211.B
Infante in vtero exiſtente quid fiat à natura.15°.de vſu par. 1ª.211.B
in Infantibus & fœtibus quę fiant in nouem menſibus. de natura,& ord.cuiuslibet corp. *Sp.42.D*
Infantis formatio & progreſſus.de theria.ad Piſo. 5ª.94.E
cur Infans ſeptimo menſe viuere poſſit.de compag.memb. *Sp.59.G*
Infans ſeptimeſtris poſſet oriri in minori tempore, q̃ in dimidio anni. de ſeptim.par. 1ª.341.D
Infans cur non ſuperuiuit octauo menſe.de compagine membrorum,ſiue de natura humana. *Sp.59.G*
Infans quando mouetur in vtero.de dyna. *Sp.36.D*
Infans calcitrat,& rũpit membranas,quando in octauo, vel nono mẽſe non habet cibum conuenientem.com.5°.apho.37°. *Ex.41.A*
Infans quando molem corporis maiorem habet,plus cibi requirit.cõ.5°.aphoriſmo.37°. *Ex.41.A*
Infans in vtero q̃ per os nutriatur argumentum.an aũal ſit. 1ª.327.E
Infans menſtruo nutritur.de dyna. *Sp.36.D*
Infantis quantitas vnde fiat.de dyna. *Sp.36.D*
Infans ſi ſperma abundet matris plus figurã habet à matre, ſi ſperma patris ſuperabundet plus habet à patre.de ſperm. *Sp.38.E*
Infans ſit ſimilis matri ob nutrimentum.2°.de ſem. 1ª.336.F
Infans licet mas naſcaũ,matri tñ q̃ ſimillimus fit.2°.de ſem. 1ª.338.H
Infans trahit qualitatem quando ex lacte matris.de ſperm. *Sp.37.A*
Infans trahit qualitatem genitoris.de ſperm. *Sp.37.A*
Infans cum non eſt ſimilis parentibus,quare ſit.de ſperm. *Sp.38.G*
Infantem eiecit pregnans ſolo tonitruo,et ſpectaculo horribili viſo.de theria.ad Piſo. 5ª.94.D
Infans debilis vnde fiat.de dyna. *Sp.36.E*
Infans quibus oris efficiatur ſanguineus,bilioſus,pituitoſus,attrabilaris.de ſperma. *Sp.38.A*
Infanti cõcepto in horis cholerę rubrę quid cõtingat.de ſpe. *Sp.38.A*
INFANTVLVM *nuper natum temperatum regendi ordo.1°.de ſanita tuenda.* 2ª.64.H
Infantes debent ſeruari mundi.1°.de ſan.tuen. 2ª.66.A
Infantibus debẽt adhiberi balnea ex aquis dulcibus ſalubribus.1°.de ſanitate tuenda. 2ª.65.B
Infans quotidie lauandus,& fricandus,& q̃n.1°.de ſani.tu. 2ª.66.C
Infantulus cur ſale inſpergẽdus,et faſcijs ligãdus.1°.de ſa.tu. 2ª.65.A
Infantis corpus oleo liniendum.1°.de ſan.tuen. 2ª.66.C
Infans ad indolentiã,& tolerantiam ducendus.1.de ſan.tuen. 2ª.65.A
Infantulum nuper natum ad flumen portant Germani,& quare.1.de ſanitate tuenda. 2ª.66.F
Infantes myrti ſiccorum foliorum inſpertione indigentes non ſunt temperati.1°.de ſan.tuen. 2ª.65.A
Infantiũ corpora mollia & fluxibilia ſunt.de cau.mor. 3ª.8.G
in Infantibus caput manibus conſtrictum ſit longũ in macrocephalis. de aere,aquis & locis. 2ª.4.G
Infantium oſſa nutrices obtorquent.de arte.com.3°. 7ª.283.E
Infantes plorantes & dolentes vt leniantur,vel papilla ori indita,vel motu mediocri in cunis,vel vocis modulatione opus eſt.1°.de ſanitate tuenda. 2ª.65.D
Infantes quando plorant, videntur inſpirare inſpiratione interrupta. commen.6°.apho.54°. *Ex53.C*
Infantulis ſomnus tribus conciliatur.1°.de ſan.tuen. 2ª.65.D
Infantes naturalites ad muſicam & exercitia ſunt propenſi.1°.de ſanitate tuenda. 2ª.65.D
Infantes tripliciter à nutricibus mouentur.1°.de ſanit.tuen. 2ª.65.D
Infantes quo motu non debent moueri.1°.de ſanitate tuen. 2ª.65.D
Infantium doloris tria remedia.1°.de ſan.tuen. 2ª.65.D
Infantibus cibus qui primo dari debet,qualis.1°.de ſan.tuen. 2ª.66.C
Infantiũ ętas cęteris ętatib° tẽperamẽto humidior.1°.d ſa.tu. 2ª.65.B
Infans nuper natus ĩ ſummo humidus vt alga maris.2°.d tẽp. 1ª.16.A
Infantes nuper nati habent ſubſtantiam calidam aquoſam plurimam cõmen.1°.apho.14°. *Ex.7.F*
in Infantibus abundat humor.1°.de ſan.tuen. 2ª.64.D
Infantium victus ratio debet eſſe humida.1°.de ſan.tuen. 2ª.65.B
Infantium alimentum lac.1°.de ſan.tuen. 2ª.65.B
Infans ſolo lacte alendus,quoad primores dentes emiſerit.1°.de ſanitate tuenda. 2ª.66.C
Infanti vis datur attrahendi lac,cũ ortus eſt.5°.de vſu par. 1ª.213.B
Infantes quo modo fugunt lac.8°.de decr.Hippo. 1ª.278.A
Infans qũo fugat lac à natura edoctus.15°.de vſu par. 1ª.213.B
Infantes quo modo labiorum admotione è bombilijs anguſtiſſimi oris vaſculis humorẽ,qui in ipſis eſt,attrahant.de decr.Hipp. 1ª.278.A
Infans ob lac vlceribus captus.2°.de alim.fac. 2ª.28.A
Infantibus alimentum non ſentientibus pharmacum nutricibus prębendum.7°.de comp.med.ſec.loc. 5ª.185.F
Infanti medicamentum datur nutrici,& ad quid.7°.de compoſitione medic.ſec.loc. 5ª.185.F
Infantes in actionibus naturalibus magis vigent,quàm alij.1°.de ſanitate tuenda. 2ª.64.D
Infantes inepti ad actionem voluntariam.1°.de ſan.tuen. 2ª.64.D
Infantes habẽt neruoſum genus imbecillũ.in progn.com.3°. 4ª.211.C
Infanti cur dentes naſcantur.15°.de vſu par. 1ª.213.C
Infans in dentitione quid faciat.de nat.& or.cuiuſ.corp. *Sp.42.D*
Infans homo incedit pedibus & manibus vt ſimia, cum creuerit ſolis pedibus.15°.de vſu par. 1ª.213.D
Infantes quarto,& quinto anno quo motu debent moueri.1°.de ſanitate tuenda. 2ª.65.E
Infantes ſeptennes quo motu debent moueri.1°.de ſan.tuen. 2ª.65.E
Infantes in ſecũdo ſeptennio calidi ſunt vt erant,ſed non æque humidi.1°.de ſan.tuen. 2ª.67.C
in Infante vno & eodem iudicium optimum ſumi poteſt ad cognoſcendum calidum quod in ætatibus.2°.de temp. 1ª.17.A
Infantes quo modo circa mores tractandi.1°.de ſan.tuen. 2ª.65.E
Infantes habent omnes affectus.5°.de decr.Hipp. 1ª.256.G
Infantes ſtatim iracundi,tñ nõ hñt rationẽ.5°.de decr.Hipp. 1ª.260.B
Infantes volũt vincere & ſuperiores alijs eſſe.5°.d dec.Hip. 1ª.256.G
Infantes qũo tractãdi,ne in cõuulſionẽ incidãt.dc ſal.diæta. 2ª.42.C
Infantes quo modo tractandi vt creſcant,& fiant melioris coloris. de ſal.dicta. 3ª.42.C
Infantibus quale vinum bibendum.de ſal.dicta. 2ª.42.D
Infantes cur debent bibere vinum dilutum.de ſal.diæta. 2ª.42.D
Infantis pulſus qualis.3°.de cau.pulſ. 4ª.96.D
Infantium craſſa eſt hypoſtaſis.de vri.ſign.ex Hippo. *Sp.79.B*
in Infantibus peſſima eſt vrina aquoſa.de vrinæ ſignificatione ex Hippocrate.78.G./quæſ.in Hippo. *Sp.113.F*
Infantibus magis,quàm iuuenibus accidit vt ob lapidẽ in veſica mingere non poſſint,pruriginem patientes in ano.de dyna. *Sp.28.H*
ad Infantiũ procidẽtẽ ſedem quid agendũ.de med.fac.par. 7ª.174.E
Infantibus cuncta ſanguinolentiſſima.aduerſus Lycum. *Ex.65.C*
Infantium indignationem omnem & phrenitim ſanat emplaſtrum diachryſu.de dyna. *Sp.32.C*
INFARCTA *in meatibus quo modo curanda.2°.de compoſit. medicamen.ſec.loc.* 5ª.136.A
Infarctus viſcerum expurgandi vim habet agaricum.6°.de ſimpliciũ med.fac. 5ª.41.E
Infarcta organa obſtructione liberat ampelopraſſum.6°.de ſimp.medicamen.facultatibus. 5ª.42.E

ab Infarctu dolores natos curat aristolochia rotunda. 6°.de simpliciũ medicam.facul. 5ª.43.E
INFERIORA *à superioribus ordinẽ capiũt.3°.de die dec.4ª.156.H*
Inferiora superioribus gubernantur.de sperm. Sp.40.B
Inferiora quæ dicãtur,& quæ superiora in 6ᵐ.de morbis vulgaribus, commentario.1°. 3ª.162.G
Inferiores partes quæ dicãtur,& q̃ superiores.3°.de dig.pul.4ª.81.A
Inferius & superius fiũt relatiua.in 6ᵐ.de morb.vul.cõ.1°.3ª.162.G
Inferius & superius in generc.vbi.2°.de diff.pulſ. 4ª.55.F
per Inferiora q̃ excernantur,& quæ per superiora.quos purg.op.qb. & quo temp. 5ª.88.E
Inferiores purgationes sunt cõtraria supiorib.cõ.4°.apho.9°.Ex.28.C
Inferiora diuertunt à superioribus.com.5°.apho.68°. Ex.45.D
ad Inferiora vbi vergũt succi,fiat reuulsio sursum.de cuc.scar.6ª.4.G
Inferiores partes laborãtes,p clysteres purgant.13°.met.me.7ª.84.G
ad Inferiorem,& ad superiorem ventrem inclinationes per vrinas,ac sudores reuellendæ sunt.de cucur.scar. 6ª.4.F
per Inferiora dñt purgari difficulter vomentes,& bene carnosi,cauẽtes æstatem.com.4°.apho 7°. Ex.28.B
per Inferiora debent purgari tabidi.com.4°.apho.8°. Ex.28.B
per Inferiora paruotidas citra suppurationem fuisse curatas rarissimũ est.in 1ᵐ.de morb.vulg.com.2°. 3ª.116.E
Inferius,& superius corpus purgat scãmonia, & caput & phlegma cum cholera.de chatart. Sp.95.A
Inferiora frigida,& superiora calida habent lienem decliuẽ habentes. in 6ᵐ.de morb.vulg.com.1°. 3ª.167.H
INFERIORIS *maxillæ osse immoto,quo modo buccæ vnà cũ labijs ad latera abducantur.de neruorum dissectione.* 1ª.54.G
Inferior mãdibula eleuat eleuãdo linguã.& mot.mã.& obsc. Sp.68.C
Inferiorem maxillam mouent quatuor coniugationes musculorum,& vbi sunt.de musc.dissec. 1ª.44.G
Inferiorem maxillam q musculi mouẽt sursum.de musc.diss. 1ª.44.G
Inferiori maxillæ qui musculi ligant os hyoides,& eorum processus. de musc.diss. 1ª.46.D
Inferius orificium stomachi,dilatando & constringendo mouetur,horis tamen determinatis.de ana.viu. Sp.56.E
Inferior venter deseruit nutrimento.de ana.viu. Sp.47.C
Inferiores venæ quæ sint.com.6°.apho.36°. Ex.50.D
in Inferioribus partibus quo modo ramificetur vena concaua.de anatomia viuorum. Sp.54.F
Inferiora intestina tria.cur crassa.de ana.viuo. Sp.50.B
INFERNARVM *partium dolores facile perferuntur.in 1ᵐ.pror.commentario.3°.* 4ª.182.E
Inferne sursum ferunt venæ arteriæ,& pharynx.8°.de vs.p.1ª.165.A
INFESTANTIA *quibus instrumentis natura expellat.comm.5°. aphorismo.53°.* Ex.42.D
INFIDA *signa in morbis,quæ.com.2°.apho.27°.* Ex.16.C
INFINITVM *non potest obseruari de opt.secta.* Isa.22.B
INFIRMITAS *quid.fin.med.* Isa.45.D
Infirmitas & robur clucescunt in oculis,& quo modo.in 6ᵐ.de morb. vulg.com.4°. 3ª.187.A
ob Infirmitatem virium omnes thoracis partes dilatantur.4°.de loc. affect. 4ª.25.A
Infirmitas valetudinis non videtur differre ab infirma valetudine.2°. methodi medendi. 7ª.10.D
Infirmitates quibusdam esse substãtiales, alijs accidentales sciendum. de sperm. Sp.39.G
INFIRMA *pars prompte grauatur.de cur.ra.per san.mis.* 6ª.17.G
INFIXA *corpori trahit anagallis.6°.de simp.me.fac.* 5ª.42.H
ad Infixa educenda malagma,& compositio admiranda.10°.de cõp. medic.sec.loc. 5ª.207.G
ad Infixos paxillos.5°.de comp.me.per ge. 5ª.246.E
INFLAMMENTVR *cur partes extremæ membrorum.de fract.commentario.1°.* 7ª.228.G
Inflammantur iterum quandoque cicatrices, & quare.commen.6°. apho.45°. Ex.51.F
Inflammantia,& caput replentia,que.de puero.epil. 7ª.180.E
INFLAMMATIO *quid antiquitus significabat.2°.de crisibus.* 4ª.137. *A/2°.de arte cur.ad Glau.* 7ª.100.G
Inflammationis nomen antiqui omnes magis inflamminibus, etiam si sine vllo sint tumore,adaptabant.com.5°.apho.65°. Ex.44.H
Inflammatio quo modo ab Hippocrate vocetur.in prognost.cõ.1°.4ª.196.A/de ijs,quę in med.fi.com.3°. 7ª.219.D
Inflammari quid nunc significet.in 1ᵐ.progn.com.1°. 4ª.195.F
Inflammina quæ sint secundum Hippocratem.comment.5°.aphorismo.23°. Ex.39.F
Inflãmatio secundũ Erasistratũ quid.de venæ sec.aduer.Eras. 6ª.5.H
Inflammatio quid secundum methodicos.de sectis. Isa.18.H
de Inflammatione methodicos temere pronunciasse.de sectis. Isa.18.G
Inflammatio quid sit.2°.de difficul.resp.65.H/de tumoribus præter naturam.3ª.82.G/in progn.com.1°. 4ª.194.H
Inflammationes secũdum iuniores temporis Galeni, sunt tumores cum dolore.com.4°.apho.34°. Ex.31.C
Inflammationem proprio nomine dicta distinguit ab erysipelate.commen.5°.apho.43°. Ex.41.E
Inflammatio,& tumor præter naturam differunt aliquo pacto.cõ.5° aphorismo.51°. Ex.42.B
Inflammationes sunt morbi euidentes.de diff mor. 3ª.3.D
Inflammatio est calidus affectus.2°.de loc.aff. 4ª.13.B
Inflammatio affectus totius corporis.intro. Isa.59.C
Inflammatio adstricta est affectio.de sectis. Isa.17.H
Inflammatio est primorum corporum ægritudo.de diff.mor. 3ª.5.H
Inflammatio est è numero compositarum ægritudinum. de diffinitione morbi. 3ª.6.A
in Inflammationis definitione cur ponatur dolor. de tum.præter naturam. 3ª.84.A
Inflammationes quæ sint.2°.de arte cur.ad Glau. 7ª.100.G
Inflammatio,& durities quo modo distinguantur.7°.de compo.medic. per genera. 5ª.263.F
Inflammatio quæ proprie sit.in progn.cõ.1°.4ª.195.G/1°.de arte cur. ad Glau.100.F/H/de fract.com.3°. 7ª.243.C
Inflammatio quo modo fiat,& quid sit.10°.met.me. 7ª.64.C
Inflammationum differentiæ.2°.de arte cur.ad Glau. 7ª.100.H
Inflammationes multæ numerantur.2°.de arte cur.ad Glau. 7ª.101.C
Inflammatio humida,quæ 2°.de arte cur.ad Glau. 7ª.100.H
Inflammatio sicca,quæ.2°.de arte cur.ad Glauc. 7ª.100.H
Inflammationes mistæ,quæ.de sectis. Isa.18.G
Inflammationis erysipelas quid.2°.de arte cur.ad Glau. 7ª.101.B
Inflammatio erysipelatis,quæ.de tum.præter naturã.3ª.84.B/2°.de arte cur.ad Glau. 7ª.101.B
Inflammatio erysipelaris, erysipelas,œdema,scirrhus à quo fiant humore.de tum.præter naturam. 3°.84.B/C
Inflammatio erysipelacea ex quibus fiat humoribus.2°.de cõp.med. sec.loc. 5ª.135.H
Inflammationes magna ex parte aliquid erysipelatis vel laxi vel duri tumoris natura complectuntur.de diff.morb. 3ª.5.G
Inflammatio particeps erysipelatis.2°.de loc.aff. 4ª.13.A
Inflammatio scirrhosa quid.de tum.præter naturam. 3ª.84.B
Inflammatorius scirrhus quid.de tum.præter naturam. 3ª.84.B
ab Inflammationibus quo modo distinguantur œdemata, & quæ sint. 14°.meth.med. 7ª.88.E
Inflãmationes cõtinẽtur sub nomine œdematis.c.5°.aph.65°.Ex.44.H
Inflammatorium œdema.de tum.præter naturam. 3ª.84.B
Inflammatio œdemosa quid.de tum.præter naturam. 3ª.84.B
Inflammationes sine ictu ac contusione vnde.2°.de diff.feb. 3ª.41.C
Inflammatio cum duritie,& nigritie, non est inflammatio.2°.de arte curatiua ad Glau. 7ª.102.A
Inflammatio habet aliquam dispositionem quæ est sibi similis, tñ non est inflammatio.com.5°.aph.57°. Ex.43.A
Inflammationi similem affectũ facit exclamatio.4°.de loc.aff.4ª.26.C
Inflammationis sensum habens lassitudo vnde ortum habeat.commentario.2°.apho.5°. Ex.11.G
Inflammatio quandoque non est primo,neque per se,sed tantum ex accidenti.de diff.morb. 3ª.5.H
Inflammatio potest repente fieri.com.4°.apho.62°. Ex 34.B
Inflammationis principium inquirit.de tot.morb.temp. 3ª.88.E
Inflammatio cum incipit semper crescit,vnde nõ videtur habere principium.de morb.temp. 3ª.85.D
Inflammationis augmentum quale.de tot.morb.temp. 3ª.88.F
Inflammatio quo modo crescat.de morb.temp. 3ª.85.D
in Inflammatione,puris generatio est terminus vigoris.de totius morbi temporibus. 3ª 89.G
Inflammationis status quando.de tot.morb.temp. 3ª.88.F
Inflammationis declinatio quando.de tot.morb.temp. 3ª.88.F

Inflãmatio ob quid fiat.de tot.morb.temp. 3ª.88.E/ 2°.de arte curati ua ad Glauconem. 7ª.101.E

Inflammationes & ignei omnes affectus fiunt caliditate vincente. de palpitatione. 3ª.54.C

INFLAMMATIONES *ex quibus fiant.6°.de compositione medicamen torum sec.loc. 5ª.166.H*

Inflammationis causa est omnis dolor.de frac.com. 1°. 7ª.227.H

Inflammationes ex dolore oriuntur.de frac.com.3°. 7ª.244.H

Inflammationes facit fluxio ad membra.in progn.com.2°. 4ª.202.D

Inflammatio nulla diuturna ad quam nihil influat.1°. de compositione medic.per genera. 5ª.211.A

Inflammationes,erysipelata,& herpetes cur in plethora patiãtur par tes debiliores.2°.de diff.feb. 3ª.40.G

Inflammatio aut ab extensione partium,aut à calido,& frigido.de natura huma.com.1°. 1ª.28.H

Inflammatio quælibet fit ex aliquo humore.cõ.6°.aph.33°. Ex.50.A

Inflammatio fit à sanguine.de diff.morb.3ª.35.F/2°.de crif. 4ª.138.C

Inflammationes ab excrementis putridis fiunt,quando collecta compu trescunt.9°.de vsu par. 1ª.171.D

Inflammationum aliæ ex sanguine,aliæ ex flaua bile. 6°. de compositio.medic.secun loc. 5ª.176.E

Inflãmatio ad quos sequat affectus.2°.de arte cu.ad Glau. 7ª.101.A

cur Inflammationes dolentibus partibus adueniant,& quo modo. cõmen.5°.aph.53°. Ex.42.E

Inflammatio quãdo superueniat.de ijs,quæ in med.fiũt.c.2°.7ª.213.B

Inflammatio fit post hyemem propter plenitudinem hyemis.commentario 1°.apho.14°. Ex.8.G

Inflammatio minor superuenit humidis,& macilentis,quàm siccis,et carne oppletis.de art.com.1°. 7ª.256.G

in Inflammatione tenditur cutis.7°.de compo.med. per gen. 5ª.267.G

INFLAMMATIONEM *significant liuida cum duritiæ. de fractu. commenta.2°. 7ª.236.D*

Inflammatio facit rubram & duram cutim.de frac. cõ.2°. 7ª.235.G

Inflammationis exemplum à corijs & loris sumptum.de sec.Isa.18.H

Inflammatio quandoque rubicunda,quandoque flaua.6°.de composit. med.sec.loc. 5ª.176.E

in Inflãmatione venæ insẽsibiles apparent.de tum. pter natu. 3ª.83.C

in Inflammatione esse sanguinem probat.de tum.præ.na. 3ª.83.B

Inflammatio in parte profunda corporis trahit illuc sanguinem,ideo interiora calent,& exteriora frigent.com.4°.aph.38°. Ex.33.B

Inflammationis calor ad se trahit per modum cucurbitulæ sanguinem. commenta.1°.aph.7°. Ex.54.A

in Inflammationibus sanguis non potest remanere sanguis.commẽ.6°. aphor.20°. Ex.48.C

in Inflammationibus ob duplicem causam sanguis corrumpitur. 2°. de differentijs febrium. 3ª.40.B

in Inflammationibus sanguis dispergitur ad cauitates musculorum.cõ men.6°. apho.2°. Ex.48.C

in Inflãmatiõib⁹ cur alteratiões multiformes fiãt & inæq. int. 3ª.43.G

Inflammationes figuram euariant.de cau.mor. 3ª.8.H

Inflammatio membri affert tristem sensum laborantibus ex motu arteriarum.com.7°.aph.21°. Ex.55.D

Inflammatio facit dolorem.4°.de loc.affect.4ª.27.C/commentario 2°. aphorismo 6°. Ex.11.G

vt Inflammatio,ita & flatus ventosus dolorem facit.3°.de com.medic.secundum locos. 5ª.140.F

Inflammatio facit capitis dolorem.com.6°.apho.10°. Ex.47.D

Inflammatio facit dolorem in visceribus.com.4°.aph.66°. Ex. 34.E

Inflammationes calefaciunt corpus.de cau.mor. 3ª.6.F

in Inflãmationibus pars vicina caliditatẽ assumit.de cau.mor. 3ª.6 F

in Inflammationibus materiæ putrescunt.2°.de diff.feb. 3ª.41.C

in Inflammatione cur fiat putrefactio.2°.de crif. 4ª.138.B

Inflammationes ingentes sequitur suppuratio.2°.de loc.aff. 4ª.9.A

Inflãmationis suppurãtis idiciũ horror cũ febre.1°.de loc.aff. 4ª.6.D

ex Inflãmatione quid primo exit,& quid postea.5°.de lo.aff. 4ª.35.D

Inflammationes quæ excrementa faciant.5°.de loc.aff. 4ª.35.D

Inflãmationes omnes quæ nõ teguntur operculo densiore, habent pus quod exit.com.1°.aph.12°. Ex.6.C

in Inflammationibus cum vlceribus sanies aquosa tenuis effluit loco circum cruento apparente.de tum.pret.nat. 3ª.83.A

Inflammationes faciunt febrem.de cau.morb.3ª.6.F/2°.de arte curatiua ad Glauconem. 7ª.100.G

Inflammationes quæ febres faciant ex repletione.de venæ sectione aduersus Erasistratæos. 6ª.12.E

Inflammatio quando febrem facit.2°.de diff.feb. 3ª.41.C

ex Inflammationibus febres,sunt veluti accidentia quædam partium phlegmone laborantiũ.1°.de arte curatiua ad Glauconẽ.7ª.95.F/ com.6°.apho.44°. Ex.51.D

ob Inflammationẽ febres factæ sunt in genere putridarum.10°.methodi medendi. 7ª.64.C

ex Inflammationibus diuersorum membrorum diuersæ sunt febres.2°. de crisibus. 4ª.136.A

Inflãmatio aliqua facit febres periculosas.com.4°.aph.43°.Ex. 32.F

in Inflammatione mẽbranæ febris vnde oriatur.2°.de loc.aff. 4ª.13.B

Inflãmationũ omniũ cum febre pulsus,quales. de puls. ad tir. 4ª.45.B

Inflammationis diuersarũ partiũ pulsus.4°.de præfa.ex pul.4ª. 121.C

Inflammationis pulsus qualis.de pulsi.ad tiro.45.A/2°.de causis pulsuum.91.F/ 4ª.100.B

Inflammatio durum facit pulsum.1°.de diff.feb. 3ª.34.B

ex Inflammatione marcescentium pulsus.de puls.ad tiro. 4ª.45.E

Inflammationes attingentes partes neruosas conuulsionem faciunt. cõmen.5°.apho.2°. Ex.37 E

Inflammatio facit extensiones neruorum.c.4°.apho.49°. Ex. 33.C

in Inflãmatione fit qñque conuulsio.de cogn.cur.animi mor.2ª. 51.H

Inflammationem sequens distensio quid sit.de diff.mor. 3ª.3.F

Inflammatio facit morbum regium qũo.com.4°.apho. 64°. Ex.34.C

Inflammatio vsque ad ossa quãdoque peruenit.de tu.præ.na. 3ª. 83.D

Inflãmatio fit corrupto esse in parte penitiore.c.6ª.aph. 45°.Ex.51.G

Inflammatio vbi apparet in vlcere,quid agendum. 4°.de compositione med.per genera. 5ª.237.A

Inflammationis doloris spiritus quid.in prog.com.1°. 4ª.194.H

Inflammationis ingentis notæ.2°.de arte cu.ad Glau. 7ª.113.H

in Inflammationibus motus arteriarum fit sensibilis cum dolore. de tumor.præter natu. 3ª.82.A

in Inflammatione pulsus arteriarum sentitur.2°.de loc.aff. 4ª.8.G

in Inflammatione intenduntur arterię & venæ.2°.de loc.aff.4ª. 10.G

Inflammatio magna habet pulsum.de tum.præter naturam.3ª.84.A/ in prog.com.1°. 4ª.195.G

Inflammationem significat dolor.in 1ᵐ.de mor.vul.com.2°. 3ª. 113.B

in Inflammatione adest dolor pulsatiuus.2°.de loc. aff. 4ª.9.H

Inflammationum ingentium accidens est dolor pulsatorius.2°.de locis affectis. 4ª.10.G

Inflammationem significat dolor capitis cum pulsu. 1°. de arte curati. ad Glauconem. 7ª.99.H

ob Inflammationis magnitudinem fit insensibilitas quædam.commentario 7°.apho. 50°. Ex.58.B

post Inflammationes magnas gangræna.de tum.pret.nat. 3ª.83.H

Inflãmatio in putredinẽ vel ĩ gãgrænã desinit.de tot.mor.tem.3ª.89.G

ex Inflammatione,& erysipelate scirrhum facit insecitia medicorum. 7°.de comp.med.per ge. 5ª.267.H

Inflammatio sæpius fit.2°.de arte cur.ad Glau. 7ª.100.G

INFLAMMATIO *periculosa, quæ. in 3ᵐ.de morbis vulgaribus, commenta.2°. 3ª.137.G*

Inflammationes quæ morti feræ.in 6ᵐ.de mor. vul. com.1°.3ª.162.H

Inflammatio cũ vlcere, & febre nõ põt sanari.c.7°.aph.37°.Ex.57.A

cum INFLAMATIONE *vulnerum curatio. de venæ sectione aduersus Eras. 6ª.6.A*

Inflammatio quæ fit in omni parte corporis ex plaga.2°.de compositio.medic.sec.loc. 5ª.133.G

Inflammatio totius corporis non potest spatium effatu dignum implere. com.4°.apho.34° Ex.31.D

Inflammatio & erysipelas quo modo sint in capitis doloribus. 2°. de composi.med.sec.loc. 5ª.135.H

in Inflammationibus capitis,& cerebri,& membranarum, principio cucurbitulæ non apponendæ.de hiru.reuul.cucur.et scarifica.6ª.2. E/11°.meth.med. 7ª.73.E

Inflammatio circa cerebrum qua re indiget.11°.meth. med. 7ª.73.E

Inflammatio quando tendit ad duram matrem non est absque periculo. 2°.de comp.med.sec.loc. 5ª.133.H

Inflammatio oculi totum oculum exercet introd. Isa.58.D

Inflammatio oculi cum fluore.de sectis. Isa.17.D

Inflammatio oculorum quid efficiat.in prog.com.2°. 4ª.203.A

Inflammatio circa oculum qbus tollatur.4°.de cõp.me.se.lo. 5ª.151.A

Inflãmationi oculi succº fœniculi,et lac muliebre conuenit.de o.s.Is.21 D

Inflammationes in

Inflammationes indurate tunicarum oculorum quid petant.4°.de cõ-po.med.sec.locos. 5ª.151.B
in Inflammatione indurata oculorum vena' anguli oculorum secanda.de cur.rat.per sang.miss. 6ª.20.G
ad Inflãmationes oculorũ q̃ cõferant.8°.de com.me.se.lo. 5ª.188.G
Inflammatio narium quid efficiat.in prog.com.2°. 4ª.203.A
ad Inflammationes narium quod commodum.de re.par.fac.7ª.155.B
Inflammationi vuæ adhibetur fructus spinæ ægyptiæ & alumen scissile.de sectis. Isa.18.C
Inflammatio oris quid efficiat.in prog.com.2°. 4ª.203.A
in Inflammationibus oris quibus vtendum in flatu. 6°. de compositione medic.sec.loc. 5ª.174.G
ad Inflammationes oris.6°.de comp.med.sec. loc. 5ª.169.C
ad Inflammationem oris quid faciendum.de rem.par.fac.7ª.157.G
ad Inflãmationẽ columellæ quid agendũ.d rem.par.fac.7ª.157.G/H
Inflammatio faucium quæ.in 1ᵐ.de mor.vul.com.1°. 3ª.106.C
Inflammationes faucium quid auferat.præfag.exper. conf. Sp.78.C
Inflammationes faucium vehementiores dissolvimus sectionibus scarificationum.præfag.exper.conf. Sp.78.C
ad Inflammationem faucium quid agendum.de re par.fac.7ª.157.G
ad Inflammationes tõsillarum quoddam pharmacum accommodatũ, & quo modo vtendum.8°.de comp.me.sec.loc. 5ª.191.E
ad Inflammationem tonsillarum.de re.par.fac. 7ª.157.H
ad Inflammationes tonsillarum pharmacum conueniens quo modo illo vtendum.7°.de comp.med.sec. loc. 5ª.181.G
ad Inflãmationes tonsillarũ,& vuæ.6°.de comp.me.se.lo. 5ª.171.E
ad Inflammationes glandularum.7°.de comp.me.sec.loc. 5ª.181.G
in Inflammatione gutturis & arteriæ quæ vna secanda.de curã.ra. per sang.miss. 6ª.20.G
Inflammatio gulæ,& musculorum ipsius facit peruerti collũ, vt vix possit devorare febriens,& moritur.com.4°.apho.35°. Ex.31.E
Inflammatio faciens eversionem colli non est omnino letalis.comm. 4°.aphoris.35°. Ex.31.G
Inflamationes in ligamẽtis,& neruis trahunt vertebras ad intra,ita vt bões fiãt gibbi ad vna partẽ, vel ad duas.c.4°.aph.35°.Ex.31.F
ad Inflãmationẽ i vertebris q̃ sequit cõuulsio.4°.de lo. af. 4ª.24.C
Inflammatio quæ sit anzina.4°.de lo.aff. 4ª.26.C
in Inflammationibus oris mustum quo modo principio,augmento, & statu bonum.6°. de comp.med.sec.loc. 5ª.169.B
Inflammatio asperæ arteriæ difficultatem spirandi facit,sed non strãgulationem,cæt.c.4°.aph.34°. Ex.31.D
in Inflammationem arteriæ principijs,leniſſima quę fiunt.7°. de compo.med.sec.loc. 5ª.177.H
in Inflammatione consistente asperæ arteriæ quid agendum.7°.de cõpos.medic.sec.loc. 5ª.177.G
in Inflammationibus arteriæ abstinendum à vino.7°. de compositione medi.sec.loc. 5ª.177.H
Inflammationes hypochondriorum fiunt luna in coniunctione solis,statuto in tetragono.de decub.progn.ex math.scientia. Sp.13.A
Inflamatio in præcordijs quo curetur.2°.de cõ.me.sec. lo. 5ª.155.G
Inflammationes omnes in præcordijs calidæ, atque acutæ fluxu sanguinis indicantur.3°.de crisi. 4ª.139.E
absque Inflammatione quibus dolor circa hypochondrion fit, febris superueniens morbum soluit.c.6°.apho.40°. Ex.50.H
Inflammationibus hypocondriorum rosa conueniret,nisi adstringeret 3°.de simp.med.fac. 5ª.18.H
in Inflammatione in thorace & pulmone thorax vehementer dilatatur.4°.de locis affe. 4ª.27.A
Inflammatio membranæ quæ subcingens nominatur, est lateralis morbus.com.6°.apho.33°. Ex.50.A
Inflammatio inter costas ob clausas euacuationes hæmorrhoidarũ fit. de venæ sect.aduer.Eraſ. 6ª.7.E
Inflamatio pulmonis qbus indicijs deprehẽdat.4°.d loc.af. 4ª.27.H
Inflãmatione pulmonis laborãs quo deprehẽdat.2°.de lo.af.4ª.13.A
Inflãmatio pulmonis,aut totius visceris,aut asperæ arteriæ, vel gutturis aut fauciũ facit angustiã ambelitus.c.1°.aph.34°. Ex.31.D
ad Inflammationẽ pulmonis sequitur orthopnœa.2°.d lo.af.4ª.13.A
Inflammatio pulmonis quid faciat.de pulſ.ad tir. 4ª.45.B
Inflammatio pulmonis habet breue tempus.4°.de crisi. 4ª.126.F
in Inflammatione pulmonis cur in principio interdicatur cibus.de optima sect.a. Isa.28.G
in Inflãmatione pulmonis cucurbitula apponẽda,si prius sit euacuatus æger,& quare.11°.meth.me. 7ª.73.E
in Inflammationibus laterum ac pulmonis in accessionum quidẽ principijs tumores increscunt,in declinationibus autẽ euaporãt ac submittuntur.2°.de diff.feb. 3ª.40.F
in Inflammatione pulmonis remedia.de med.fac. par. 7ª.168.B
Inflammatio septi transuersi quid faciat.de pulſ.ad tir. 4ª.45.B
Inflãmatio vt i vẽtriculo i statu hypochõdriaco. 3°.de lo.af.4ª.19.B
Inflammatio oris ventriculi quid faciat.de pulſ.ad tiro. 4ª.45.B
Inflammatio ventriculi quid faciat. de pulſ.ad tir. 4ª.45.B
Inflãmatio ventriculum infestans iudicatur causa cur cibi nõ coquantur.de diff.morb. 3ª.4.G
Inflãmatio vẽtriculi,& iecoris nõ exigit cibos.10°.met.me. 7ª.63.H
in Inflammatione ventriculi,ieoris,& lienis mulsa non est vtilis,& quare.11°.metho.med. 7ª.73.F
ad Inflãmationes stomachi Eueni cũfert.8°.de cõ.me.se.lo. 5ª.192.G
Inflammationibus stomachi,ventris,intestinorum,& iecoris,competit masticbe.7°.de simp.med.fac. 5ª.55.C
Inflammationes iecoris quales in gibba & in sima parte. 5°. de locis affectis. 4ª.33.C
Inflãmationes simæ partis iecinoris quid efficiãt.5°.de lo.af.4ª. 33.E
Inflammationes ieoris vehementissmę,quę.5°. de loc.aff. 4ª.33.E
Inflammationes iecoris,& splenis vnde.2°.de diff.feb. 3ª.40.H
Inflammatio iecoris ex finxione.2°.de diff.feb. 3ª.40.H
Inflammationis iecoris indicia.5°.de lo.aff. 4ª.34.F
Inflammatio iecoris qũo cognoscatur.5°.de lo.aff. 4ª.34.G
in Inflammatione iecoris sanies cruoris tenuis similis. ablutioni carnium.5°.de locis affectis. 4ª.34.G
Inflammatio iecoris quid faciat.de pulſ.ad tiro. 4ª.45.B
Inflammatio iecoris facit dolorẽ i costis nothis.5°.de lo.aff. 4ª.34.G
Inflammatio iecoris potest facere dolorem in loco notharum costarũ. 2°.de locis affectis. 4ª.13.D
in Inflammatione magna iecoris & in scirrho iugulum deorsum trahitur.5°.de loc.aff. 4ª.34.H
in Inflãmatione iecoris cur dolor in iugulo fiat.2°.de lo. aff. 4ª.11.D
Inflammatio iecoris facit febrem.2°.de loc.aff. 4ª.12.H
in Inflammationibus iecoris à pulsu habetur indicium firmum,& solidum.2°.de loc.aff. 4ª.13.E
in Inflammatione iecoris pulsus diuersus.2°.de loc. aff. 4ª.13.D
in Inflammatione membranę costas subcingentis pulsus diuersus. 2°. de locis affectis. 4ª.13.D
ob Inflammationis magnitudinem, aut hepatis, aut ventriculi, aut stomachi,febricitantes in animi defectum incidũt.1°.de arte curatiua ad Glauconem. 7ª.98.E/F
Inflammatio hepatis facit morbum reginm.c.4°.aph.62°. Ex.34.B
Inflammationes iecinoris & lienis si in pus vertuntur, consumant corpus.introductio. Isa.56.G
ex Inflãmatione iecoris Glauconis medici casus.5°.de lo.af.4ª.34.F
Inflãmationibus iecoris facile applicant remedia.3°.d lo.af.4ª.16.B
ad Inflammationem hepatis epithema.de dyn. Sp.26.D
Inflammationibus iecoris, & ventriculi absinthium ponthicum confert 11°.meth.medendi. 7ª.72.F
Inflammatio iecoris & stomachi indurata quibus curetur.8°. de compo.med.sec.locos. 5ª.187.F
Inflammationem ieoris,& ventriculi hecticę sequuntur.1°. d differẽtijs febrium. 3ª.35.F
ab Inflammationes hepatis.8°.de comp.me.sec.loc. 5ª.193.B
Inflammatio lienis facile tactu sentitur.6°.de loc.aff. 4ª.36.A
Inflammationes lienis,et hepatis qũo iudicẽtur.3°.de crisi..4ª.139.F
ad Inflammationes recentes splenis epithemata,& emplastra Asclepiadis.9°.de comp.med.sec.loc. 5ª.198.H
Inflammatio vmbilici vnde fiat.de anat.par. Sp.43.C
Inflammatio in intestinis duris facit ægritudines.de diff.mor. 3ª.4.D
Inflammatio intestinorũ est ileos.in 3ᵐ.de mor.vul.com.2°.3ª.139.A
vel Inflammatio effatu digna,vel putredo aliqua est circa vlcera,si vna cum inappetentia febris adueniat difficultati intestinorum.co. 6°.aphoris.3°. Ex.46.G
Inflãmationes crurum scalpello incidũtur & oleo irrigantur, non autem oculorum.de sectis. Isa.18.C
Inflammationes circa viscera crescunt,si dormiant ægri in principio accessionum.com.2°.apho.1°. Ex.11.B
Inflamatione viscerum, vel duro timore pulsus fit durus in ephemeris.1°.de diff.feb. 3ª.34.D

Inflammatio ma-

Inflammatio magna in viſceribus facit frigiditatem partium extrema rum.com.7°.aph.26°. Ex.55.G
Inflammationes viſcerum faciunt tumores inguinum periculoſos. cō. 4°.aphoriſ.55°. Ex.33.E
Inflammatio meſenterij qūo cognoſcitur.5°.de loc.aff. 4ª.33.C
ex Inflammationū genere eſt inguinum tumor bubon.dictus.1°.de diſſenteria febrium. 3ª.32.G
ex Inflammatione inguinum ephemera, qualis.2°.de criſi.4ª. 138.G
Inflammatio veſicæ quo modo noſcatur,& quamobrem difficilis ſit affectio.in progn.com.3°. 4ª.206.A
Inflammatio facit difficultatem vrinæ.com.7°.aph.48°. Ex.58.A
Inflammatio facit difficultatem vrinæ, quæ ſanatur phlebotomia.com. 6°.apho.36°. Ex.50.D
Inflāmatio cauſa ſtillicidij vrinæ quādoque.cō.3°.aph.16°.Ex.23.D
Inflammatio in vtero quando fiat.fin.med. Iſa.48.A
Inflammatio comprimit os vteri.com.5°.aph.51°. Ex.42.D
Inflammatione vteri exiſtente an fœtus poſſit viuere.dignum eſt inquiſitione.com.5°.aph.43°. Ex.41.F
Inflāmationes magnas, vteri febres ſequūtur.ī 1ᵐ.pror.c.3°.4ª.185.G
Inflāmationes vteri ſternutatione non iuuātur.c.5°.aph.35°. Ex.40.F
ad Inflammationes vteri diutinas,& recētes.7°.de compoſitione me. per genera. 5ª.268.A
Inflammationes in vuluis ſectarum in cruribus venarum adiumēto nō parum leuantur.præſag.ex per.conſ. Sp.78.C
Inflammatione laborans genu relaxatur.de ſectis. Iſa.17.D
Inflāmationibus podagricorum medētur ſcorpius, et inteſtinum terræ. theriaca ad Piſo. 5ª.93.F
Inflammatio renum quid faciat.de pulſ.ad tiro. 4ª.45.B
ad Inflammationes podicis quæ cōducāt.8°.de cō.me.ſe.lo.5ª. 188.G
poſt Inflammationum declinationem malagma impoſitum in exarticulatis & luxatis.8°.de comp.med.ſec.loc. 5ª.193.A
INFLAMMATIONEM patientibus dari non debet vinum.8°.de com. med.ſec loc. 5ª.194.F
in Inflāmationibus prohibetur vinū.1°.de arte cur.ad Glau. 7ª.98.H
Inflammationi balnea obſunt.de marc. 3ª.48.A
Inflammationibus acetū eſt contrariū.2°.de cōp.med.ſe.loc. 5ª.134.B
Inflammationi lac nocet.com.5°.aph.64°. Ex.44.F
Inflammatione obſeſſis nocent condita cum melle.1°.de ali.fa. 2ª.10.F
Inflammatio diuerſimode curatur,ſm diuerſas ptes.de ſectis.Iſ. 18.C
in Inflammationibus principium curationis debet bene agi. 2°.de arte curatiua ad Glauc. 7ª.101.E
in Inflammationibus qui ſcopus ad agēdū.6°.de cōp.me.ſ.l.5ª. 166.H
Inflammatio habet ſimplicē ſcopū.7°.de com.med.per gen.5ª.263.G
in Inflauuiatione ſcopus primus ab affectione ſumptus.6°.de com.medicam.ſec.loc. 5ª.167.A
in Inflammatione ſcopus ſecundus à particula quæ curatur.6°.de cōp. med.ſec.locos. 5ª.167.A
Inflammationibus quæ adhibenda ſecundum quatuor tempora.3°.de ſimp.med.facul. 5ª.19.G
Inflammationis per tēpora curatio.1°.de cōp.med.per gen.5ª.212.D
in Inflāmationibus qd agendū p tempora diuerſa.3°.d ſim.m.f.5ª. 21.E
Inflāmatio īcipiens,et creſcens qbus idigeat.1°.de.cō.me.pg.5ª.211.A
Inflammationi q̄ cōueniūt i principio.7°.de cōp.me. per ge. 5ª.267.G
Inflammationis influxus in principio reprimendus.6°. de compoſitione medic.ſecundum loc. 5ª.166.H
in Inflammationum principijs vis repulſoria debet eſſe maior.1°.de cō po.med.per genera. 5ª.211.D
Inflammatio incipiens reuellitur, euacuatur inueterata ex affectis partibus, vel vicinis. de cur. ra.per ſang.miſſ. 6ª.20.G
in Inflāmationibus incipientibus mori ſucco ſolo vſus eſt Galenus, melius eſt enim eo ſic vti ſolo, quàm cum melle cocto incipientibus inflammationibus.6°.de comp.med.ſec.loc. 5ª.167.B
ad Inflammationes omni tempore valet diamorum cum melle.6°.de cō poſi.med.ſec.loc. 5ª.167.B
Inflammina colore rubra,& ſubcruenta à frigore iuuantur, & à frigida aqua.com.5°.apho.23°. Ex. 39.G
Inflammationes infrigidantes herbæ.6°.de comp.me.ſec.loc. 5ª.176.F
Inflammationes non vehementer infrigidandæ,nec adſtringendæ. 2°.de arte cur.ad Glauco. 7ª.103.H
in Inflammatione aqua frigida nō datur.2°.de arte cu.ad Gl. 7ª.114.H
Inflammationes refrigeratæ neque ſtatim, neque ſemper ad priſtinā redeunt conſtitutionem.de tum. præter naturam. 3ª.82.H
Inflammatio refrigerata in quod tranſeat.de tum.præter na. 3ª.83.C
cur Inflammationes in principio morborum non ſunt medicamento ſoluendę.com.4°.aph.1°. Ex.27.E
in Inflammationis principio quod implaſtrum apponendum, & quam vim habeat.2°.de arte cur.ad Glau. 7ª.101.F
in Inflammationum extrinſecarum principiis roſaceum cōuenit.3°. de ſimp.med.fac. 5ª.19.A
Inflammationibus incipientibus conuenit roſatum cum aceto.2°.de cō po.med.ſec.loc. 5ª.134.C
in Inflammationum principio & augmento roſa eſt medela.3°. de ſim. med.facul. 5ª.21.E
in Inflammationum augmentis roſaceum optimum remediū.3°. de ſim. medic.facul. 5ª.21.E
in Inflāmationū augmentis qbus vtēdum.1°.de cō.m.per ge.5ª.211.D
in Inflāmationū vigore mitigatoria adhibenda.6°.d cō.m.ſ.lo.5ª.175.B
in Inflāmationū ſtatu quibus vtendū. 1°.de cō.me.per gen. 5ª.211.D
Inflāmatio quibus cōcoquatur in ſtatu.6°.de comp.me.ſe.loc.5ª.168.F
in Inflāmationum ſtatu oleū, optimū.3°.de ſimp.med.fac. 5ª.21.E
in Inflammationibus quæ ſumenda in declinationibus.6°. de com.me. ſec.loc.168.F/ 1°.de comp.med.per ge. 5ª.211.D
Inflammatio quot modis ſoluitur.de morb.temp. 3ª.85.D
in Inflāmatione q̄ cōſiderāda, pro cūone.2°.de ar.cu.ad Gl. 7ª.101.F
in Inflāmationū declinatione hiera nō dāda.8°.de cō.me.ſ.l. 5ª.191.B
in Inflammationibus dolentibus quibus vti oportet.7°.de comp. med. per genera. 5ª.268.A
Inflammationē ſedantia medicamenta refert.de frac.cō.3°. 7ª.247.E
Inflāmationū medicamēta qualia eſſe dēt.7°.de cō.m.per g. 5ª.268.A
Inflāmatio quo maxime tempore lenienda.de frac.com.3°. 7ª. 246.G
Inflāmatione mitigata ſanguis eſt detrahendus.præſ.exp.cōſ.Sp.77.H
Inflāmationes ſanguinis miſſione prius indigent, quàm euacuatione. de vict.rat.in morb.acu.com.4°. 7ª.137.B
Inflāmatus cū multitudine, venæ ſectione ſanat.c.7°.a.48°.Ex.58.A
Inflāmationes ſanantur per euacuationem vſq; ad animi defectū. com. 1°.aph.23°. Ex.10.E
in Inflāmationib⁹ maximis nullum maius præſidium quam ducere ſanguinem vſque ad animi defectum.præſag.exper.conſ. Sp.77.H
Inflāmatio citius p venæ ſectionē q̄ p inediā curat.d ve.ſe.adu.6ª.6.B
in Inflāmatione ſcarificatio qñ cōueniat.de tum.præter natu. 3ª.83.C
ſupra Inflammationem ſpongiam in aqua frigida & aceto modico intinctam ponere, bonum.2°.de arte.cu.ad Glauc. 7ª.101.G
Inflammationibus à bile conueniunt ſomēta humida.de victus ratione in morb.acut.com.2°. 7ª.116.E
Inflammationibus à tenui,& aquoſo ſanguine fomenta ſicca cōueniūt. de vict.ra.in mor.acut.com.2°. 7ª.116.E
cum Inflammatio adeſt, cataplaſma ex lente ſuperponendum.2°.de arte cur.ad Glauconem. 7ª.101.H
Inflammationibus impoſita lens per modū cataplaſmatis repellit per vim adſtrictoriam.in 6ᵐ.de mor.vul.com.5°. 3ª.194.C
pro Inflammatione ad pus ducendum, cataplaſma commodum ex farina,& aqua.2°.de arte cur.ad Glauc. 7ª.102.A
ad Inflammationes magis conuenit cerotum liquidum, quàm humidū. de fract.com.1°. 7ª.227.B
ad Inflammationes emplaſtrum bonum.de remed.par.fac. 7ª.156.B
Inflammationibus medetur adeps anſerinus.de ther.ad Piſ. 5ª.93.F
in Inflāmationib. diuerſis, qb⁹ vtēdū præſidiis.8°. de c.me.ſ.l.5ª.191.E
Inflammationem poteſt prohibere faſcia.introd. Iſa.60.F
Inflammationem arcens quid.5°.de comp.med.per ge. 5ª.249.A
ad Inflāmationē arcendā bonū quid.4°.de com.me.per gen. 5ª.241.H
ab Inflammatione pulſatili dolor non ſanatur calidis.2°.de comp.me. ſecun.locos. 5ª.141.C
Inflammationes moderatæ non pulſatiles quibus curentur 2°.de compoſi.medic.ſec.loc. 5ª.141.C
ad Inflāmationes feruidas quid faciendum.de reme.par.ſa.7ª.160.E
ad Inflāmationes laxas qd iponēdū vt emplaſtrū.de re.p.ſ.7ª. 160.E
Inflammationes indurate quæ recipiant, & quæ non indurate.2°. de compoſi.med.ſec.loc. 5ª.134.C
ad Inflāmationes induratas quæ danda.6°.de cō.me.ſe.lo. 5ª.167.C
ad Inflammationes induratas quid faciendum, cum præterierit vigor. 6°.de comp.med.ſec.loc. 5ª.168.E
ad Inflammationes inueteratas facit Panacea Antonii Muſæ.7°.de cō poſi.med.ſec.loc. 5ª.186.B
ad Inflāmationes cura debilitatem īueteratas.8°.d c.m.ſ.l. 5ª.193.B

contra

contra Inflãmationes in melancholicis cucurbitulę. ꝺ melancholia ex Galeno, Ruffo, & poſſidonio. Sp. 110. C
ad Inflammationes & tumores duros in melancholicis. de mel. ex Gale. Rufo. & Poſidonio. Sp. 110. C
ad Inflãmationes à venæ ſiciſore factas remediũ. de me. p. f. 7ª. 174. D
ad Inflammationes malagma bonũ. 10°. de comp. me. ſe. lo. 5ª. 208. A
ad Inflammationes quid agendum. de reme. par. fac. 7ª. 159. G
ad Inflammationes. 6°. de comp. med. ſec. loc. 5ª. 172. E
INFLAMMATA *mẽbra tripl'r naturę modũ egrediũt. ꝺ dif. mor.* 3ª. 5 F
Inflammata atque vlcerata membra quo modo quatuor ægritudines patiantur. de diff. mor. 3ª. 5. F
Inflammatæ partes quo modo afficiantur. 2°. de loc. aff. 4ª. 10. G
Inflammata diſtenduntur. de frac. com. 2°. 7ª. 234. E
Inflammatorium eryſipelas quid. de tum. præter. nat. 3ª. 84. B
Inflãmatũ eryſipelas ex quibus humoribus. 2°. de cõ. m. ſ. l. 5ª. 135. H
Inflammatę partes dolent in propria actione. 5°. de lo. aff. 4ª. 32. B
in Inflammata parte dolor cur. 1°. de diff. reſp. 3ª. 58. G
in Inflammatis partibus eſt pulſus. 4°. de diff. pul. 4ª. 64. C
Inflammatarum partium pulſus. 1°. de diff. reſpirationis. 3ª. 58. F/4° *de cauſ. pulſ.* 4ª. 100. C
in Inflãmatis partibus nõ videtur ſpiritus, vt in alijs tumoribus. de tu. præter naturam. 3ª. 82. H
Inflammatæ partes febrem faciunt. 1°. de diff. feb. 3ª. 32. B
Inflãmato quocũque mẽbro principali fit feb. c. 6°. aph. 50°. Ex. 52. F
Inflammato cerebro & menyngibus, ſequuntur febris & deliria neceſsario. 4°. de præſag. ex pul. 4ª. 120. G
Inflammatis muſculis abdominis & thoracis, febris fit. 4°. de præſagitione ex pulſibus. 4ª. 121. D
Inflãmatis vlnis vel tibijs, cõuulſio fit. 4°. de præſa. ex pul. 4ª. 121. D
Inflãmata mẽbrana ſubcingente, quid ſequat. 2°. de loc. aff. 4ª. 13. A
Inflammato corde quo modo quidam obiere. 5°. de loc. aff. 4ª. 29. D
Inflammatus quibus eſt venter, aut os, et ſtomachus ipſius, aut pellicula aliqua, aut muſculus circa præcordia, aut ſeptum tranſuerſum, his paruus & denſus fit ſpiritus. 2°. de diff. reſp. 3ª. 65. H
Inflammato pulmone quid ſequatur. in progn. com. 2°. 4ª. 203. A
ad Inflammatum hepar, & ſplenem, & peritonæum ſequitur reſpiratio difficilis. 2°. de diff. reſp. 3ª. 65. H
Inflammatum inteſtinum aliquod gracile difficilem inducit ſpirationẽ 2°. de diff. reſp. 3ª. 65. H
Inflammatæ partis curatio ex poſitu ac formatione ſumitur, & quare. de conſtitutione artis. Iſa. 41. D
Inflammata quæ exigant. 5°. de comp. med. ſec. loc. 5ª. 162. H
Inflammata quibus indigeant. 10°. de comp. med. ſec. loc. 5ª. 205. H
Inflammatum integram quietem deſyderat. 1°. de diff. reſp. 3ª. 58. G
Inflammata cur debent quieſcere. 1°. de diff. reſp. 3ª. 58. G
Inflammata vlcera oculorum quid petant, quando ſunt recẽtia. 4°. de comp. med. ſe. loc. 5ª. 151. B
Inflammatis oculis adſtringentia adhibemus. de ſectis. Iſa. 18. C
Inflãmatorũ circa arteriã aſperã victus. 7°. de cõ. me. ſe. lo. 5ª. 177. H
Inflammatarum partium excrementa cur exeant per aſperam arteriam. 2°. de locis affectis. 4ª. 13. B
Inflammatis non debet dari vinum. 1°. de arte cur. ad Glauc. 7ª. 95. E
Inflammato crure laxantur manus, non autem oculis, non vua, non auribus. de ſectis. Iſa. 18. C
Inflãmata pars ſtatim dẽt euacuari. de vi. ra. in mor. a. c. 2°. 7°. 117. G
Inflãmata ſi purgentur q̃ ĩcurãt. de vic. ra. in mor. acu. c. 4°. 7ª. 137. E
Inflãmatæ carnoſæ ptes exiccari dñt. 1°. de arte cu. ad Gla. 7ª. 102. E
Inflammatę venoſæ partes, non indigent multa exiccatione. 2°. de arte cur. ad Glauconem. 7ª. 102. E
Inflãmatę parti qd faciat ĩpoſitũ chamemælũ. 3°. de ſim. me. fa. 5ª. 21. B
Inflammatis partibus efficaciſsimum eſt remedium polygonon. 8°. de ſim. med. facul. 5ª. 58. H
Inflãmatæ parti quid faciat ſolani ſuccus. 3°. de ſimp. me. fa. 5ª. 21. B
Inflammata ab acribus exacerbantur. 6°. de comp. me. ſe. lo. 5ª. 179. G
ad Inflãmata barbarũ emplaſtrũ, bonũ. 2°. de cõ. me. pge. 5ª. 227. G
INFLARI *videntur venæ fracto cranio. de vtil. reſp.* Sp. 63. H
Inflantur omnes venæ in conatu. de vtil. reſp. Sp. 63. H
Inflatur prius diaphragma, poſt modũ venæ, deĩde duplex pellis ſpinalis medullę & ipſi⁹ cerebri. vltimo vero nerui. ꝺ vt. re. Sp. 63. D, E
Inflantes ſpiritus ſunt cauſa tenſionis nerui. de vti. reſp. Sp. 63, D
quæ Inflant plurimum, et nutriunt. 1°. de com. me. ſe. lo. 5ª. 124. A
Inflantes ventrem cibi, qui. de diff. cont. Sp. 74. F
INFLATIO *quid. fin. med.* Iſa. 47. C
Inflatio & tumor idem apud antiquos. com. 4°. aph. 34°. Ex. 31. C
Inflationes (græce ædemata) nominat Hippocrates omnes tumores præter naturam. com. 5°. aph. 65°. Ex. 44. H
Inflationẽ dicebãt oĉ incremẽtũ ꝑter naturã. cõ. 4°. aph. 34°. Ex 31. C
Inflatio, tumor, & durities non ſunt affectiones certæ in ſolidis animalis partibus. in 3ᵐ. de mor. vul. com. 1°. 3ª. 129. D
Inflatio eſt affectus totius corporis. intro. Iſa. 59. C
Inflatio duplex eſt. de victꝰ ra. in morb. acut. com. 4°. 7ª. 137. C
Inflationes quæ ſint. 14°. meth. med. 7ª. 88. E
ex Inflationum genere eſt priapiſmus. 14°. met. med. 7ª. 88. H
Inflatio vnde. 3°. de ſymp. cau. 3ª. 27. F
Inflationẽ cõcitat bilis, qua corpꝰ extẽdit'r vt rũpi videat. ꝺ dy. Sp. 19. d
Inflationẽ facit sãguis in vẽtre & inteſtinis. 3°. de cõ. m. ſe. l. 5ª. 149. A
Inflationes proritant cibi dulces. de bon. & vitio ſucco. 2ª. 36. E
Inflationes facit muſtum. de bon. & vitio ſuccorum. 2ª. 38. F
Inflationes facit rapa. de ſimp. med. Sp. 89. F
Inflationem raphanus operatur. de ſimp. med. Sp. 89. F
Inflationes excipiunt complexum imbecillum retentricis facultatis. de ſymptomatum differentijs. 3ª. 12. E
in Inflationib. apparet ẽe ĩ hoĩe elemẽtũ aereũ. 8°. de de. Hi. 1ª. 275. D
Inflationem ſedantia, quæ. 14°. meth. med. 7ª. 89. F
Inflationem quæ digerant. de ren. aff. dig. & med. 7ª. 194. B
Inflationem expellit, & ventrem tenuat Acetum miſtum cum melle. de diſſolutione continua. Sp. 74. G
Inflationum ſedat Ami. de ſimp. med. Sp. 80. H
Inflationes, & tortiones vẽtris ſedat Cardamomũ. de ſim. m. Sp. 82. F
Inflationes diſcutit Cucurbitula. de hiru. reuul. cu. & ſca. 2. F/ 6ª. 3. F
Inflationibus, & tortionibus prodeſt Cyminum. de ſimp. me. Sp. 82 E
Inflationes diſſipat Meu. de ſimp. med. Sp. 87. F
ad Inflationes Oxyporum. de mel. ex Gal. & Ruff. et Poſſ. Sp. 110. E
ad Inflationes Sium facit. de ſimp. med. sp. 91. D
ad Inflationes cõpetit Ruta. 8°. de ſi. m. f. 5ª. 58. D/*de diſ. cõt.* Sp. 74 G
Inflationem ſiccat Rhu. de ſimp. med. Sp. 89. E
Inflatio in artubus quo modo curetur. 14°. meth. med. 7ª. 89. F
Inflatio in muſculis ſub cute qũo curetur. 14°. meth. med. 7ª. 89. F
ad Inflationes muſculorũ ſapa, et olei parũ cõuenit. 14°. m. m. 7ª. 88 F
Inflatio oculi totum oculum exercet. intro. Iſa. 58. D
Inflationes colli petroſelinum remediat. de ſimp. med. Sp. 89. C
ad Inflationem vberum. de paſſ. miul. Sp. 96. D
Inflatio ventriculi quo modo curetur. 14°. meth. med. 7ª. 89. F
Inflationes ventriculi ſedat theriaca de vſu ther. ad Piſo. 5ª. 98. F
Inflationes ſtomachi petroſelinum remediat. de ſimp. med. Sp. 89. C
ad Inflationes vẽtriculi. 2°. de ant. 5ª. 116. D/*. de m. f. par.* 7ª. 172 E/F
Inflatione præcordiorũ vexatis epithymũ dabis. de ſim. m. Sp. 84. A
ad Inflationes ventris antidotus faciens. 2°. de antid. 5ª. 116. D
ad Iflationes ventris quid bonum. de med. fac. par. 7ª. 173. A
Inflatio viſcerum quo modo curetur. 14°. met. med. 7ª. 89. F
ad Inflationem matricis. de paſs. mul. Sp. 95. H
Inflationib. plixis matricis, & coli cõuenit pepliũ. de dyn. Sp. 21. A
ad Inflationẽ q̃ fit ĩ crurib. & coxis emplaſtrum. de dynam. Sp. 30. A
ad Inflationem crurum, & coxarũ q̃ fit cum rubore, et calore emplaſtrum. de dynam. Sp. 30. A
ad Inflationes in coxendicibus bonum quid. de me. fac. par. 7ª. 169. B
Inflationes diſcutiens antidotus. 2°. de antid. 5ª. 116. C
Inflationem diſſoluens medicamen. de med. exper. Sp. 105. E
ad Inflationes q̃d cõmodũ ex Andromacho. 9°. de cõp. m. ſ. l. 5ª. 200. E
ad Inflationẽ, Lucii Tarſenſis potio cõferens. 9° de cõp. me. 5ª. 203. E
ad Inflationem omnem conjectio accommodata, pãchreſtus dicta. 7°. de comp. med. ſec. loc. 5ª. 185. H
pro Inflatione mueterata emplaſticũ cõueniens. 14°. met. m. 7ª. 88. H
ad Inflationes. 1° de cõp. me. ſe. lo. 5ª. 219. C/*de me. fac. par.* 7ª. 167. E
INFLATIVI *cibi quo modo poſſint corrigi. de diff. cont.* Sp. 74. G
Inflatiuæ minus ſunt vuæ maturæ. de diff. cont. Sp. 74. G
INFLATA, *& rotũda facies magis deberet apparere in triſtitia, quã in ira, ſi per cõpreſſionẽ cordis dilataret arteria. de an. vi.* Sp. 47. A
Inflata frigida ſunt omnia. de palp. 5ª. 53. E
Inflatos, & tormina ſanat talus ſuis. 11°. de ſimp. med. fac. 5ª. 80. E
ad Inflata. 9°. de comp. med. ſec. lo. 5ª. 198. F
Inflatũ habentib. vẽtrẽ ructus mouẽdi ĩ 6ᵐ. de mor. v. c. 1°. 3ª. 166. D
Inflatis non eſt medicamentum exhibendum. de victus ratione in morbis acutis. com. 4°. 7ª. 150. F

Inflatis ſto-

Insl uis stomacho quæ conueniant.8°.de comp.med.sec.loc. 5ª.192.D
ad Inflatos.7°.de cõpo.med.se.loc.184.E/185.C/8°.188.G/5ª.190. D/de med.fac.par. 7ª.168.A
INFLEXIONES *præter voluntatem qũo.2°.de symp.cau.* 3ª.22.G
INFLEXVM *esse & inflecti non idem.de art.com.4°.* 7ª.287.A
INFLVIT *à corde ad cætera mẽbra virtus vitalis.d an.vi.* Sp.50.F
Influit p neruum omnis sensus,& motus influens.de an. vi. Sp.48.A
Influens materia qũo curetur.2°.de compo. med.se.loc. 5ª.136.A
ex INFLVXV *humorũ in afflictionibus oĩbus cõmunis scopus est repellere partẽ refrigerando ac adstringẽdo.1°.de cõ.me.se.l.* 5ª.121.F
Influxus vehemẽtissimi succorũ reuulsorijs cohibentẽ.d cuc sca.6ª.4.f contra Influxus omnes congruit tribolus.8°. de sim.med.fac. 5ª.62.F
INFOECVNDITATIS *duplex causa.fin.med.* Isa.49.F
Infœcunditas mariũ et fœminarũ vnde proueniat.de hist.phi.Sp.10.H
Infœcundi,lege Steriles.
INFORTVNATI *sunt qui in medicum aliquem incidunt diatritarium. 10°.meth.med.* 7ª.61.H
in INFOTVNIIS *quæ propter peccata eueniunt,seipsum corrigere oportet.de cogn.cur.ani.mor.* 2ª.50.C
INFRA *quid significet.de ijs quæ in med.fi.com.3°.* 7ª.222.D
INFRIGIDANTIA *nos & calefacientia quærenda sunt,non calida et frigida absolute.2°.de simp.med.fac.* 5ª.10.D
Infrigidantia medicamenta suspecta habuit Galenus in doloribus oculorum.com.6°.aph.31°. Ex.49.E
Infrigidantia sensum torpescere faciunt.com.6°.aph.31°. Ex.50.E
Infrigidãtia vehementis fluxiones nõ sistunt. cõ.6°.aph.31°. Ex 49.E
Infrigidãtia ñ vincũtur à nro corpe,sed illud vincunt.3°.d tẽp. 1ª.23.B
Infrigidantia extrinsecus, quæ.10°.meth.med. 7ª.65.A
Infrigidantes inflammationes herbæ.6°.de comp.me.se.loc. 5ª.176.F
Infrigidãs Galeni ad q̃ valeat,& eius cõpositio.10°.me.me. 7ª.65.A
in Infrigidante ponit acetum Galenus.10°.met.med. 7ª.65.A
Infrigidante quo modo debemus vti,& quod non debet eousque super corpus manere,dum incalescat.10°.met.med. 7ª.65.A
Infrigidantia frigida apponantur.10°.met.med. 7ª.65.A
Infrigidãs epithema ex palmulis pinguib°,qũo fit.10°.me. m.7ª.65.A
INFRIGIDATVR *vniuersum corpus in vteri suffocatione.6°.de locis affectis.* 4ª.39.F
Infrigidatur venter repletus.de anat.viuo. Sp.47.G
Infrigidat extremas partes intestinorũ abrasio. de victus rat.in morb. acutis,commen.3°. 7ª.130.C
Infrigidare est magis periculosum,q̃ calefacere.7°.met. me. 7ª.44.D
Infrigidari magis dñt ptes frigidiores calefactæ.7°.met. me.7ª.49.A
Infrigidentur qũo medicamenta.1°.de comp.med.per ge. 5ª.211.H
Infrigidet quo modo aqua.1°.de simp.med.fac. 5ª.2.E
*Infrigidat strenue acetũ,et quouis pmeat expedite.1°.d sim.m.f.*5ª.7.F
Infrigidat succus hordei immaturi.de simp.med. Sp.90.A
Infrigidare debet melinum.7°.met.med. 7ª.47.G
Infrigidat oleum crudum.7°.meth.med. 7ª.47.G
Infrigidat sensibiliter vinũ album austerũ iuuenile.de vinis. Sp.76.H
Infrigidat vinum rosatum.de simp.med. Sp.92.C
INFRIGIDATIONE *sanatur thapsiæ affectio.introd.* Isa.61.E
Infrigidationes,cordis sunt passiones.de vir.nost.corp.disp. Sp.60.B
Infrigidationibus omnibus intestinorum idoneas vires habet anethum. de simplicibus medic. Sp.81.B
ad Infrigidationem multam corporis.secretorum. Sp.102.E
INFRIGIDATI *nerui recurrentes nõ lædunt.4°.de loc.aff.* 4ª.26.C
Infrigidatæ partes calidiores dñt magis calefieri.7°.met.me.7ª.49.A
ad Infrigidatum corpus,& humectatum.secretorum. Sp.98.G
Infrigidati cuiusdam ex pluuia casus.4°.de loc.aff. 4ª.25.D
Infrigidatus quidam circa sedem & vesicam,excrementa retinere nõ poterat.4°.de loc.aff. 4ª.25.C
INFVNDIBVLVM *quid.9°.de vsu par.* 1ª.172.A
INFVNDVNTVR *quædam apoplecticis.de mo.ma.& obs.* Sp.70.F
INFVSILIA *ad aures secundum locum obtinent post collutiones.3°. de comp.med.sec.loc.* 5ª.144.H
ex INFVSIONE *arteriæ pulsus differentia excogitanda.4°.de dignotione pulsuum.* 4ª.84.G
Infusio per diem & noctẽ,quorũ fiat pro compositione malagmatis cuiusdam.8°.de comp med.sec.loc. 5ª.196.F
ad Infusionem remedium.de dynam. Sp.26.E
INFVSVS *in aqua cum nardo succus absinthij quibus conueniat.de cura.icteri.* Sp.111.A
Infusa in aqua mellis pruna sicca leniunt ventrẽ.de diss.cont. Sp.75.B
Infusum Faustianũ quale,& ad quid iuuet.9°.de cõ.m.se.lo. 5ª.203.F
Infusa ad dysentericos bona.9°.de comp.med.sec.loc. 5ª.204.E
INGENEROSVM est prætermittere quid iuuatiuũ propter gustum. de cura icteri. Sp.111.A
INGENERATIVOS *viros facit Sybaris fluuius.de bo.aq.* Sp.76.A
INGENIARE *est opus cordis pm se.de vir.nost.cor.disp.* Sp.60.D
INGENIOSI *qui.3°.de decr.Hip.* 1ª.243.H
Ingeniosos pueros efficit cholera rubra.de dynam. Sp.19.E
Ingeniosum esse, et à pueritia disciplinas didicisse multum præstat ad artes addiscendas.2°.de comp.med.sec.lo. 5ª.134.H
INGENIVM *subtilem cerebri substantiã indicat.ars med.* Isa.63.E
Ingenio homo omnes artes etiã diuinas assequitur.in or. suas. Ex.2.C
Ingenio præditus inexercitatus peior inepto exercitato. 9°. de decretis Hippocratis. 1ª.280.C
INGREDIENTES *oculum nerui in latum se extendunt & circuunt vitreum humorem.de neru.diss.* 1ª.53.D
INGRESSIO *crurum operatio qũo.6°.de decr. Hipp.* 1ª.261.A
INGVINVM *glandulę.de anat.viuo.* Sp.55.H
in Inguinibus cur glandulæ magnæ.15°. de vsu par. 1ª.219.F
Inguina habẽt adenes,q̃ suscipiũt supfluitates.cõ.4°.aph.31°.Ex.30.H
Inguinum morbi qui.introd. Isa. 59.D
Inguina hñt plura tubercula,qa ẽt adenes plures.c.3°.ap.26.Ex 25.g
*in Inguina fluxionibus vtilis est plumbi succus.9°.de si.m.sa.*5ª.70.F
*circa Inguina absessus facit gibber supra septũ.de ar.c.2°.*7ª.266.G
Inguinum,& alarum glãdulę cur intumescunt,propter vlcus manus, aut pedis.13°.met.med. 7ª.81.A
Inguinum tumor bubon à græcis dictus, est ex genere inflãmationum. 1°.de differentijs febrium. 3ª.32.G
Inguinis inflammatio ex bono sanguine fit.2°.de cris. 4ª.138.C
in Inguinum tumoribus,et inflammationibus ob duplicem causam sanguis corrumpitur.2°.de diff.feb. 3ª.40.B
Inguinum tumores si non fiunt ex causa manifesta,sunt mali.commen. 4°.apho.55°. Ex.32.E
Inguinũ tumores ex causa manifesta,nõ malũ.c.4°.aph.55°.Ex.33.E
ex Inguinũ tumorib.febres oẽs male,pter diarias.c.4°.a.55°.Ex.33.E
ex Inguinũ inflãmatione ephemeræ fiũt febris aliq̃.2°.d crisi.4ª.138.c
*ex Inguinũ inflãmatione febris qualis.1°.de arte cur. ad Gla.*7ª.95.D
ex Inguinum tumoribus ephemeræ,quæ.1°.de diff.feb. 3ª.32.G
ex Inguinum inflammatione ephemera,qualis.2°.de crisi. 4ª.138.H
ex Inguinum tumoribus febres quo modo differunt ab his, quæ ex putredine.1°.de diff.feb. 3ª.32.H
ex Inguinũ inflãmatione febriũ pulsus,qualis.1°.de ar.cur. 7ª.95.D
ex Inguinum inflammatione,febrium curatio per balnea fit.1°. de arte cur. ad Glauconem. 7ª.95.E
ex Inguinum inflammatione ephemera quo modo curetur balneo, & oleo.1°.de arte cur.ad Glauc. 7ª.95.E
Inguẽ cruda phlegmone afflictũ qũo curat.1°.de cõp.me.p g.5ª.212.B
ad Inguinũ inflãmationes quid conferat.1°.de cõp.m.per ge. 5ª.211.C
in Inguinibus in speciem folij myrti quo modo cutis est incidenda.13° methodi medendi. 7ª.81.E
Inguinũ dolore si febris exciteẽ q̃ pulsus,& q̃ vrina.de dyn.Sp.34.A
in Inguine cucurbitã,quãdo menses prouocare volumus,figimus.13°. methodi medendi. 7ª.85.E
Inguina sanguinẽ effundentia difficulter compescimus.fi.me.Isa.50.A
Inguinis deligatio qualis.de ijs,quæ in med.fi.com.2°. 7ª.209.D
ad Inguen alligandum,vinculum.de fascijs. 7ª.303.E
ad Inguem virunque,vinculum.de fascijs.303.F/ 7ª.304.B
ad Inguen alterum vinculum.de fascijs.303.G/ 7ª.304.B
pro Inguine cancrum vinculum.de fascijs. 7ª.304.B
ad Inguen vincendum,vinculum.de fascijs. 7ª.304.B
ad Inguen tuendum iunctura de fascijs. 7ª.304.C
INGVRGITANT *se plus nimio, cum data est facultas,quibus palam aliquid quod appetunt,prohibetur.de puer.epil.* 7ª.180.F
INHAERENTIA quid in vrina.de vrinis. 4ª.122.H
INIICIENDVM quo modo sit vinculum.de fascijs. 7ª.294.B
INIMICVM *qũo dicatur p trãslationẽ.in 6ᵐ.de mor.vul.c.3°.*3ª.177.G
INION *occiput à græcis appellatur.2°.de comp.me.se.loc.* 5ª.132.E
INITIO *generalius est extremum,& terminus.de ijs, quæ in medica. fiunt.com.2°.* 7ª.207.H
Initium à proprijssima materia faciendum est.de par.art.med Sp.18.B
Initium generationis vocis vbi.de vo.& arbel. Sp.61.D

Initia acceſſionum quæ eſſe indicent. 3°. de præſag. ex pulſ. 4ª. 118. G
Initium acceſsionis qui pulſus indicat. 3°. d præſag. ex pulſ. 4ª. 118. G
Initiũ, & ĩcremẽtũ nõ ĩdicãt d cibo exiguo exhibẽdo. d op. ſe. If. 28. B
circa Initia in augmẽto, & in ſtatu mors ſit. 3°. de criſi. 4ª. 141. E
INIQVVS *iudex qui ſit. 2°. met. me.* 7ª. 11. G
INIVCVNDA *ſtomachum ſubuertunt. 6°. de comp. med. ſe. lo.* 5ª. 168. C
ab INIVRIIS *rotundũ eſt remotiſſimum. 11°. de vſu par.* 1ª. 189. B
INNATAE caliditatis principiũ eſt in corde. ĩ Tim. Pla. 1ª. 287. D
Innatę caliditatis ebullitio ẽ paſsio cordis. d vir. noſ. cor. diſp. Sp. 60. D
ab Innatis rebus de locis affectis hr coniectura. 1°. de loc. aff. 4ª. 4. G
INNOXIA *nullam habent inſignẽ qualitatẽ. 2°. de alim. fac.* 2ª. 25. B
INNVENTES *pulſus, qui. de pulſi. ad tiro.* 4ª. 45. D
Innuentes pulſus in quo ſint genere. 1°. de diff. pulſ. 4ª. 51. E
ex INOPIA, & mœſtitia ægrotantis caſus. in prog. c. 1°. 4ª. 191. H
INORDINATIO *ordinata. de typ.* 3ª. 91. A
Inordinatum & erraticum omne ex materia quæ hic verſatur prone nit. 2°. de dieb. decre. 4ª. 151. H
Inordinatarum febrium typi quales. de typis. 3ª. 91. A
Inordinata totius corporis ſuper calefactio luna in coniunctione ſolis, ſaturno in tetragono. de decub. progn. Sp. 13. A
INQVIETATIO quo fiat. de victus ratio. in morb. acut. commen. 2°. 123. B/3°. 7ª. 128. D
Inquietatio qñ affectũ ſequitur. de vic. ra. in mor. acu. cõ. 4°. 7ª. 140. G
Inquietationes in quibus. de vict. ra. in mor. acu. com. 2°. 7ª. 122. F
Inquietatio quid ſignificat. in prog. com. 1°. 4ª. 193. G
Inquietatio ſemper mala. in 1m. pror. com. 2°. 4ª. 173. C
ad INQVIETVDINEM. *ſecretorum. 100. G/* Sp. 101. E
INQVINATVM *quid ſignificet. in 6m. de mor. vulg. com. 1°.* 3ª. 169. E
INQVIRENDA *de re aliqua quæ ſint. 1°. de diff. reſp.* 5ª. 57. F
Inquirendi aliqua ratio tutiſſima. 7°. de ana. admi. 1ª. 96. G
INQVISITIONIS *duplex principium. de conſt. artis.* Iſa. 36. H
INSALVBRIA dicuntur de cauſa, de corpe, de ſigno. ars m. If. 62. A
Inſalubre ſimpliciter corpus quid. ars med. If. 62. A
Inſalubre nunc corpus quid. ars med. Iſa. 62. A
Inſalubre vt multum, quid. ars med. Iſa. 62. A
Inſaluber ſemper, quid. ars med. Iſa. 62. A
Inſalubria ſigna, quæ. ars med. 62. F/ Iſa. 68. A
Inſalubria ſimpliciter quo modo diſtinguantur. ars med. Iſa. 62. H
Inſalubria parum quo modo diſtinguantur. ars med. Iſa. 62. H
INSANABILIS *eſt marcor. 1°. de dieb. decr.* 4ª. 146. F
Inſanabilium omnium ſcopus, qui. 6°. de comp. me. per ge. 5ª. 255. D
INSANIA *quid. fin. med.* If 47. D
Inſania morbus longus intrinſecus. intro. Iſa. 56. B
Inſaniæ quæ ſint. in 1m. de morb. vulg. com. 2°. 3ª. 113. D
Inſaniæ et melãcholię multas ſpecies hnt. d mel. ex. Gal. Ruf. Sp. 109. C
Inſania mediocris, deliriũ dr ab Hippocrate. cõ. 7°. apho. 9°. Ex. 54. E
Inſania eſt vehemens delirium. in prog. cõ. 1°. 4ª. 195. H
Inſania vna eſt q proprie melãcholia appellat. c. 6°. aph. 21°. Ex. 48. D
Inſaniæ maniodes ſunt vehementes. in 1m. prorrh. com. 1. 4ª. 161. A
Inſania, & phreneſis ſolum febre differunt. in 3m. de morb. vulgarib. commentario. 3°. 3ª. 144. F
Inſania eſt ſine febre. 2°. de ſymp. cau. 3ª. 24. C
Inſaniæ & deliria vnde fiant. in 3m. de morb. vulg. com. 1°. 3ª. 131. D
Inſaniæ in vigore febres quid ſint. in 1m. prorrh. com. 1°. 4ª. 161. A
ab Inſania nihil differt iraſcentis impetus. de cog. cur. aĩ. mor. 2ª. 52. C
ad Inſaniã excitandã facit caliditas. in 6m. de mor. vul. c. 3°. 3ª. 178. D
Inſania facta ob clauſas euacuationes hæmorrhoidum. de venæ ſectione aduerſus Eraſiſt. 6ª. 8. B
Inſania cur, & quo, & qñ fiat ex vlceribus. c. 5°. aph. 65°. Ex. 44. H
Inſania fit, ſi tumores de repente euaneſcunt. c. 6°. apho. 65°. Ex. 44. H
Inſaniã ſignificat viſus qui crebro mouetur. in prog. cõ. 1°. 4ª. 195. H
cũ Inſania exiſtens affectio peſſima eſt. in 1m. prorr. cõ. 2°. 4ª. 174. H
Inſania, lege Deſipientia.
in INSANIENTIBVS *abſque febre, capitis cura habenda. de fœtuum formatione.* 1ª. 324. C
in Inſanientibus cum febre, capitis cura habẽda. de fœt. for. 1ª. 324. C
Inſaniẽtes ſi varices, ul hæmorrhoides fiãt, ſanant. c. 6°. a. 21°. Ex. 48. d
Inſanientes ſola purgatione ſanati. de purg. med. fac. 5ª. 87. G
Inſanire quid ſignificet. in 3m. de morb. vul. cõ. 1°. 1ª. 127. C
Inſanire quid ſit. in 1m. prorrh. com. 1°. 4ª. 162. H
Inſaniunt vehemẽter mulieres, ſi alba a partu cum febre retineãtur. in 1m. prorrh. com. 2°. 4ª. 175. D
Inſaniũ minime qb9 humeres ĩ vlcerib9 apparẽt. c. 6°. a. 65°. Ex. 44. H
INSANVS *putabatur qui ſapientiæ ſtudium quærebat tempore Galeni. 1°. met. med.* 7ª. 2. C
cũ Inſanis inſanire cogimur, prouerbium. 1°. de na. fac. 1ª. 295. C
Inſani in tenebricoſo loco contineri debent. de opt. ſect. If. 25. A
INSATIABILITAS *peſſimum aĩ vitiũ. de co. cu. animi mor.* 2ª. 54. B
Inſatiabilitas quod vitium ſit. de cog. cur. animi mor. 2ª. 54. G
Inſatiabilitas ciborum, quæ. de cog. cur. animi mor. 2ª. 54. G
Inſatiabilitas eunuchorũ ĩ ipſis facit podagras. c. 6°. ap. 28°. Ex. 49. B
Inſatiabilitas mœroris, & triſtitiæ cauſa. de cog. cur. aĩ mor. 2°. 55. B
Inſatiabilitatem in animo habens non poteſt honeſtus & probus euadere. de cog. cur. animi mor. 2ª. 55. D
Inſatiabilitatem qui tota animo non odit, mille mortibus dignus eſt. d cog. cur. animi morb. 2ª. 55. F
Inſatiabilitatem debent fugere adoleſcentes, qui ſe ſaluos eſſe velint. de cogn. cur. animi morb. 2ª. 55. F
INSCITIA *alligantium multos lædit. de faſcijs.* 7ª. 293. D
INSCRIPTIO *libri de aere, locis, & aquis, qualis eſſe debeat. de lib. propr.* Iſa. 13. C
INSECTILE *corpus fieri nequit, vt quidquam patiatur. de differentijs morborum.* 3ª. 2. F
Inſectilia nõ dãt ſemen, ſed tãtũ vim informatẽ. 1°. de ſem. 1°. 329. E
INSECTA *q̃dã fœminina in corpus maris articulũ inſerũt, & implentur, vim tantum recipientia informantem. 1°. de ſem.* 1ª. 329. E
INSENSIBILIS *perſpiratio fit quotidie. 2°. de ſym. cau.* 3ª. 22. G
per Inſenſibiles meatus, aeris receptionẽ & expirationẽ dicebat Eraſiſtratus fieri per circulum, Plato vero per duos ſemicirculos. in Tim. Platonis. 1ª. 290. A
Inſenſibilia membra quæ ſint. de vtil. reſp. Sp. 62. G
Inſenſibilia ſunt pinguedines, medullæ, cerebrum, caro pulmonis. de vtilitate reſpirationis. Sp. 62. H
Inſenſibiles ſunt glandulæ omnes. de vtil. reſp. Sp. 62. H
Inſenſibilia & immobilia ſunt ſecundũ ſeipſa pulmo, & arteria aſpera. de vtil. reſp. Sp. 63. G
Inſenſibilis pulmo eſt in ſe. de ana. viuo. Sp. 48. A
Inſenſibilia ſunt hepar, & ſplen, & quæ in ipſis inſenſibilia. de vtilitate reſpirationis. Sp. 62. H
Inſenſibiles partes non dolent. 12°. meth. med. 7ª. 78. C
Inſenſibilis fit homo, & dormienti ſimilis, compreſſis quibuſdam venis colli. de vtil. reſp. Sp. 63. F
INSENSIBILITAS *eſt noxa ſenſus. de ſym. diff.* 3ª. 11. C
Inſenſibilitas eſt vitium actionum. de ſymp. diff. 3ª. 11. C
Inſenſibilitas in animi functionibus. 3°. de ſymp. cauſ. 3ª. 24. F
Inſenſibilitatis cur ab aliquibus ægritudines vocent. de diff. mor. 3ª. 3. E
Inſenſibilitas q̃dã fit ob inflãmatiõis magnitudinẽ. c. 7°. a. 50°. Ex. 58. B
INSENSIBILES *ægroti quo lunæ aſpectu fiãt. de decub. progn. ex math. ſcientia.* Sp. 12. G
INSERITVR *in os ventriculi plurima portio orientium à capite neruorum. de neru. diſſ.* 1ª. 54. C
INSERTIONES *ſeptẽ pnt dici ſeptã tunicæ. 1°. de vſu. par.* 1ª. 178. C
Inſertio muſculi a prima vertebra. de niuſc. diſſ. 1ª. 45. B
Inſertio muſculi exorti ab oſſe guttur ambiẽte. de muſ. diſſ. 1ª. 45. C
INSESSIO *quid ſit. de fract. com. 2°.* 7ª. 240. A
Inſeſſio iuuãs hæmorrhoidas, qualis. 5°. de cõp. med. per ge. 5ª. 252. H
INSIDENS, *& ſubſidens quo differãt. cõ. 7°. apho. 35°.* Ex. 56. G
INSIGNIVM *pharmacorum locupletiſſimus theſaurus, Menecratis liber inſcriptus. 2°. de comp. med. per gen.* 5ª. 222. A
INSIPIDA *aquea ſunt ſubfrigida. 2°. de alim. fac.* 2ª. 25. B
Inſipida nullam habent inſignem qualitatem. 2°. de alim. fac. 2ª. 25. B
Inſipida quæ ſint. de ocul. 7ª. 187. H
Inſipida non nutriunt. 4°. de ſimp. med. fac. 5ª. 28. F
INSIPIENTES *perinde ſunt ac infantes, & beſtiæ.* 1ª. 258. H
INSOLATO *ſitienti, & anheloſo quid exhibendum. 9°. de compoſitio. med. ſec. loc.* 5ª. 198. B
INSOLENTER *qui agant. 5°. de decr. Hip.* 1ª. 260. D
INSOMNIAM *patientibus mulieribus ex melãcholia d matrice triphera magna ſomnum ſuauiter præſtat. de dyſa.* Sp. 26. E
Inſomnia ob quas fiant cauſas. in prog. com. 1°. 4ª. 191. G
Inſomniã, & ſitim faciunt bilioſa. in 1m. de mor. vul. com. 3°. 3ª. 123. B
Inſomniã cur nõ habeãt tremulẽti & repleti, in 1m. pror. c. 1°. 4ª. 163. G
Inſomnijs carent comata, cur. in 1m. prorr. com. 1°. 4ª. 163. G
Inſomnia qũo in facie cognoſcatur. in prog. com. 1°. 4ª. 192. A

In Insania pulsus qualis.in progn.com.1° 4°192.A
Insonia pessima quæ & quid significent.in progn.com.2°. 4ª199.A
INSOMNIETAS *sub quarta parte medicinæ continetur.ad Thrasybulum.* 2ª.108.D
ad Insomnietatem.secretorum. Sp.97.D
INSOMNIA *quo modo fiant.de mult.* 3ª81.G
Insomnia quo modo fiunt & an sint.de hist.philos. Sp.10.C
Insomnia à non nullis continebantur.1°.de nat.fac. 1ª293.A
Insomnia ab Ioue ostenduntur.2° de arte cur.ad Galu. 7ª.110.B
ob Insomnium Pericles Olympius nondum natus terruit Græcos. an animal sit. 1ª328.F
Insomnio patris Galenus medicinæ operã dedit.9°meth.me. 7ª56.E
Insomnijs credidit Galenus.14°meth.med. 7ª.89.C
ab Insomnio monitus arteriã dissecuit Galenus. de curandi ratione per sanguinis missionem. 6ª.21.E
Insomnia præsagia faciunt.in 1ᵐ.de morb.vulg.com.3° 3ª117.H
Insomnia debent considerari secundum tempora accessionum.in 1ᵐ.de morb.vulg.com.3° 3ª.117.H
Insomnia considerandaan sint à cibo ac tali statim,aut sine cibo. in 1ᵐ. de morbis vulg.com.3°. 3ª 118.A
Insomnia de incendio quid significẽt.in 1ᵐ.de morb.vul.cõ.3° 3ª117.H
Insomniũ de imbre quid significet.in 1ᵐ.de mor.vul.com.3°. 3ª117.H
Insomnium de niue,glacie. & grandine quid significet. in 1ᵐ. de mor. vul.commen.3°. 3ª117.H
Insomnium quo videmur conspergi niue,quid significet.in 1ᵐ.de mor. vul.commen.3° 3ª118.A
Insomnia de fœtore quid significent.in1ᵐ.de mor.vul.com.3° 3ª117.H
Insomnia de cristis gallorum aut russis quid significent.in 1ᵐ. de mor. vulgaribus,commen.3° 3ª117.H
Insomnia de caliginosis quid significent.in 1ᵐ. de morb. vulg.commentario. 3° 3ª117.H
ex Insomnijs medicamenta empiricis sumũtur.de ther.ad Pis. 5ª90.E
INSPECTVRIO *quid significet.de art.com.1°* 7ª251.H
INSPICIENTES *ophthalmiam cur incidant in ophthalmiam. de motibus manifestis & obscuris.* Sp.69.D
Inspiciendi instrumentum igneum est.7°.de dec.Hip. 1ª.271.H
Inspiciendum cum nobis est pusillum aliquod corpus accurate directo, quid faciant musculi circa basim oculi.de musc.diss. 1ª.44.F
INSPIRABILE, *& expirabile est corpus omne.in 6ᵐ.de morb.vulg. com.6°.3ª.195.A/1°.de simp.med.fac.* 5ª4.C
INSPIRAMVS *magis calefacti.de vtil.resp.* 1ª.224.A
Inspiramus minus refrigerati.de vtil.resp. 1ª.224.A
Inspirant, & expirant difficulter post prandium, qui rotundum stomachum habent.de anat.viu. Sp.49.G
ex Inspirando partim,partim ex eo,quod reticularis plexus suppeditat,irrigatur atque alitur animalis spiritus.12°.meth.med. 7ª77.B
Inspirando sentimus odorem.8°.de vsu par. 1ª.168.F
Inspirando solum suffocatur homo.de vtil.resp. 1ª.223.H
INSPIRATIO *quid.2°.de decre.Hipp.* 1ª236.G
Inspiratio,& expiratio respirationis partes.1°.de diff.resp. 3ª.56.H
Inspirationis & expirationis diuersitates.1°.de diff.resp. 3ª.60.F
Inspiratio contraria est expirationi.de mo.mus. 1ª.316.C
Inspiratio,& respiratio quomodo fiant.de vtil.resp. Sp.63.H
Inspiratio et expiratio fiunt ignorato lacerto à quo sit de motu musculi. Sp.69.E
Inspirationem qui musculi faciant.de cau. respi. 1ª.227.A
Inspiratio dilatato pectore non fit.de præcog.ad Posthu. 4ª.216.D
in Inspirationibus scapulæ attolluntur.2°.de decr.Hip 1ª236.F
Inspiratio,& expiratio qñ,& quomodo fiãt.1°. de diff.resp. 3ª.57.D
Inspiratio,& expiratio cui actioni pulsus comparentur. 1°. de diffe. resp. 3ª.57.H
Inspiratio non adequatur pulsui, aliter multæ perirent operationes. de ana.viu. Sp.48.B
Inspiratio est attractio.in 6ᵐ.de morb.vulg. com.5°. 3ª194.B
Inspiratio est motus quo spiritus fertur ad interiora. commentario. 4°. aph.68°. Ex.34.G
Inspirationem magnam facit thoracis raritas.4°.de loc.aff.4ª. 27.B
Inspiratio maxima fit per externos intercostales musculos. 2°. de motu musculorum. 1ª.316.C
Inspiratio magna,& parua quo iudicetur.1°. de diff. resp. 3ª.60.D
Inspiratione abundanti egent quam habeant magnam febrem. com.4°. apho.34°. Ex.31.B
Inspirationẽ paucam habẽt strangulati com.4°.apho.34°. Ex.31.B
Inspiratio parua,& velox an fiat.1°,de diff.resp. 3ª.62.A
Inspiratio parua & tarda quibus fiat.1°.de diff.resp. 3ª.61.H
Inspiratio magna & velox vnde.1°.de diff. resp. 3ª.61.H
Inspiratio magna & tarda quibus fiat.1°de diff.resp. 3ª.61.H
Inspiratio velocissima,& densissima,vnd.1°.de diff.resp. 3ª.58.C
Inspiratio composita,quæ.1°de diff.resp. 3ª.60.H
Inspiratio propter quid longa esse debet.de ana.viu. Sp.48.B
Inspiratio lenis non coacta quæ.2°.de decretis Hip. 1ª.236.E
Inspiratio violenta, quæ.2°.de decr.Hipp. 1ª.236.F
Inspiratio vehemens non habet nomen.2°.de mot.mus. 1ª.316.C
Inspiratio vehemens contraria est efflationi.2°.de mot.mus. 1ª.316.C
Inspiratione vehementi qui indigeant.2°.de motu musc. 1ª.316.C
Inspiratio ardentis febris qualis.4°.de loc.aff. 4ª.27.B
Inspiratio propter quid.8°.de decre.Hipp. 1ª.278.E
ex Inspiratione,& per anhelitum,& per totum corpus duplex vtilitas.in 6ᵐ.de morb.vul. com.6°. 3ª.195.C
Inspirãs aeris ad sinistrũ vẽtrẽ cordis p q̃ foramina fiat.de vt.r. Sp.64.C
Inspiratus aer refrigerat.de vtil.resp. Sp.63.C
Inspiratio refrigerat cor.6°.de vsu par. 1ª.148.B
Inspiratio,& vapor humorũ est materia spũs vitalis.de vir. nos.cor. dis. Sp.60.C
Inspiratio in cerebrum necessaria ad vitam.8°.de vsu par. 1ª.168.C
Inspirationẽ ẽt fieri p poros carnis probatur.de vtil. resp. Sp.63.B
Inspirationis quatuor difficultates compositæ.1°.de diff.resp. 3ª.60.F
Inspirõnẽ cõuulsoriã q nã facere cogãtur,et quare.1°.ḋdif.re. 3ª.62.A
Inspirationis impetũ alæ nasi insequuntur.de mus.diss. 1ª44.F
In Inspiratione cur pinnæ nariũ contrahunt.4°.de loc.aff. 4ª26.H
Inspiratio magna,magna causa suffocationis.de vtil.resp. 1ª.224.A
Inspiratio coram se fœtida & corrupta quo casu detineri non posset. de anatomia viuorum/ Sp.48.B
INSPISSAT *nutrimentum calor.de vtil.resp.* Sp.64.B
INSTAVRANS *pars ad quos pertinet.ars me.* Isa.71.F
Instaurationis verus modus,et quòd.i 6ᵐ.ḋ mor.vul.cõ.3°. 3ª.176.D
Instaurationis ppriũ,cutis distentio.in 6ᵐ.de mor.vul.c.3°. 3ª.176.E
INSTILLARE *ex alto supra caput, plurimum imprimit.13°.methodi medendi.* 7ª.85.H
Instillare aliquid in arteriam.de opt.secta. Isa.22.E
INSTITVTVM *vitę notat humorẽ peccantẽ.c.4°.aph.2°.* Ex.27.C
Institutum durũ q̃o ex metaphora dictum.3°.de diff.puls. 4ª.63.F
INSTRVMENTALIVM *vnaquæque pars ex quibusdam simplicibus est constituta.de diff.morb.* 3ª.2.F
Instrumentalium partim compositio secunda est.de diff.mor. 3ª.2.F
ad Instrumẽtale mẽbrũ omne veniunt duæ venæ.de ana. viu. Sp.44.B
Instrumentalium,& similariũ symptomata.3°.de symp. cau. 3ª.25.B
Instrumentales morbi arctant vias.3°.de symp.caus. 3ª.26.A
Instrumentalis morbus est obstructio.11°.meth.med. 7ª.70.C
INSTRVMENTARIAE *partes quæ.8°.de decre.Hip.* 1ª.275.C
in Instrumẽtarijs mẽbris natura iusta.et quare.9°.de de.Hi. 1ª.285.A
Instrumẽtaria pars hẽt particulas,quarũ vna est causa propriæ actionis aliæ gratia huius constitutæ sunt.de op.nost.cor.const. 1ª.38.C
in Instrumẽtarijs corporib. actiones secũdæ.ḋ cu.ra.p san.mis.6ª. 16.E
Instrumentalium partium sanitas in quo.1°.de san.tuẽ.62.B/2ª.63.C
Instrumentariũ partiũ causæ salubres.ars med. Isa.69.A
Instrumentariæ partes q̃o detrimentũ patiuntur.de diff.mor. 3ª.3.H
in Instrumẽtarijs,& similaribus sũt diuersi morbi.2.met.me. 7ª.12.G
de Instrumentarijs morbis.de caus.mor. 3ª.8.F
Instrumẽtariarũ ptiũ,ppriæ passiones sũt auulsiones.de dif.mor. 3ª.5.D
Instrumentariarum ægritudo,exarticulatio.de diff. morb. 3ª.5.H
ex Instrumentarijs indicatio quæ sit.13°.meth.med. 7ª.82.E
INSTRVMENTVM *quid sit.1°.meth.med.* 7ª.6.C
Instrumentis,artificibus,materia,oĩa fiũt.de voc.inst.diff. 1ª.106.E
Instrumẽti fũctionẽ scire nihil facit admedendi.2°.de na.fa. 1ª.301.B
Instrumenti actio nisi sciatur,particulę vsus inueniri non potest. 5°. de vsu par. 143.F
Instrumentum, vsus, & facultas considerandaad pulsus mutantes causas inueniendas.3°.de præsag.ex puls. 4ª.118.A
Instrumenta diuersa in humano corpore cur sint.de anat.viu. Sp 43.F
Instrũrũ corporaliũ alia sũt simplicia,alia cõpositi.de an.vi. Sp.55.C
Instrumenta simplicia corporalia, quæ.de ana.viuo. Sp.55.C
Instrumenta corporalia composita,quæ.de ana.viuo. Sp.55.C
Instrumenta prima, quę.de diff.morb. 3ª.3.B

Instrumenta prima vnde sana, & morbida. de diff. morb. 3ª.3.A
Instrumẽtũ primũ & vniuersale oĩum sẽsuũ ẽ cor. & vti. resp. Sp.62.F
Instrumẽta aliqua videntur prima, & secunda. de diff. mor. 3ª.3.B
Instrumenta secunda, & quæ. de diff. morb. 3ª.3.B
Instrumentum est causa, & quare. de symp. diff. 3ª.10.F
Instrumentum est causa. de caus. procatar. 3ª.96.E
Instrumenta oĩa sensuum, continẽtur pelliculis. de vtil. resp. Sp.63.C
Instrumenta exigit facultas quælibet. 1°. *de caus. puls.* 4ª.87.B
Instrũorũ quodlibet hẽt ĩter se cõtrarias facultates. de vsu p. 1ª.229.D
Instrumentorum finis in animalibus. de diff. morb. 3ª.4.A
Instrumentorum functiones, quæ. 3°. *de nat. fac.* 1ª.307.A
Instrumẽtorũ particulæ vsum p̃stãt similaribus. 2°. *me. med.* 7ª.13.D
Instrumẽtorũ geminorũ ĩ vna quaq; parte vtilitas. 8°. *& vsu p.* 1ª.169.D
ab Instrumẽtis, et à virib⁹ operatiões fiũt, et ĩpediunt. & pal. 3ª.53.C
Instrumẽta iudicantur eadem vel diuersa ex functionibus, & vsibus. 2. de decretis Hippocratis. 1ª.241.E
in Instrumẽtis singulis tẽperies ẽ causa actionis. 2°. *de n. fa.* 1ª.301.A
Instrũorũ gũationis actio nõ fit à volũtate tm. & mo. ma. & obs. Sp.68.F
per Instrũa pauca melius est multa agere, quàm per multa pauca. 11°. *de vs. par.* 1ª.172.D
Instrumẽtũ vnum duabus actionibus seruit. 7°. *de vsu par.* 1ª.158.A
Instrũa multa cur qñque facit nã pp vnã actionẽ. 12°. *& vsu p.* 1ª.195.G
quæ Instrumenta ad agibilia potiora. 3°. *de sym. cau.* 3ª.29.C
Instrũa motura aĩalis mẽbra debent eẽ robusta. de dec. Hip. 1ª.234.A
Instrũa mollia infantiũ non possunt sustinere tactũ, neque lactis qualitatẽ p̃sertim si lac habeat partẽ serosã multã. c. 3°. *aph.* 24°. *Ex.* 25.A
Instrũorũ motus diuersi sũt p fibrarũ positura. 3°. *de na. fa.* 1ª.304.F
Instrumẽta fibris rectis attrahuntur. 14°. *de vsu par.* 1ª.209.F
Instrumenta fibris transuersis excernunt. 14°. *de vsu par.* 1ª.209.F
Instrũa fibris rectis & transuersis retinẽt. 14°. *de vsu par.* 1ª.209.F
Instrumenta habentia vnã tunicã vtrũque genus fibrarũ habent, rectarum scilicet & transuersarum. 3°. *de nat. fac.* 1ª.305.E
in Instrumentis habentibus duas tunicas inuenitur tertium fibrarũ genus. 3°. *de nat. fac.* 1ª.305.F
Instrm nõ est cornea tunica, particula tũ est, & pars. 1°. *me. me.* 7ª.6.D
Instrumenta sensus quo modo sentiant. 1°. *de symp. cau.* 3ª.18.H
Instrumẽta vocis quo modo à Deo ordinata sint. de vo. et an. Sp.60.H
Instrm primũ formationis vocis est cãna pulmonis. de an. vi. Sp.53.D
an Instrm sit in motu nodi gutturis, quòd agat. de mot. man. Sp.70.B
Instrũa vocis ampliss̃ma vocem destruunt. de vo. & anhel. Sp.62.A
in Instrumentis spiritualibus quando calor & angustia conueniunt, quæ symptomata contingant, & quæ spiratio. 4°. *de loc. aff.* 4ª.26.H
Instrũorũ spiritualiũ angustia qũo deprehendatur. 4°. *de lo. af.* 4ª.26.H
Instrumenta naturalia & aĩalia differũt, & qũo. 1°. *de loc. aff.* 4ª.8.A
Instrumenta animalia indigent arterijs & venis ad essentiam ipsorũ seruandam, & quare. 1°. *de loc. aff.* 4ª.8.B
Instrumento vnicuique nisi sit tributa quædam facultas naturalis, animalia non poterunt durare. 2°. *de nat. fac.* 1ª.297.C
Instrũa naturalia habent facultatem perficiendi suam actionem, vt magnes lapis facultatem habet trahendi ferrum. 1°. *de loc. aff.* 4ª.8.A
Instrumenta naturalia humidiora magis idonea ad nutritionem. 3°. *de symptomatum causis.* 3ª.29.D
Instrumentorũ q̃ nutritionis gra cõstituta, officia. 1°. *& na. f.* 1ª.292.E
Instrumentorum alimenti peritiã habere cupiens, in qua re debet esse exercitatus. 5°. *de vsu par.* 1ª.143.F
Instrumentum ad quod spectat motus pectoris, medici est quærere. de mo. manifestis & obscuris. Sp.66.H
Instrm principale respirationis est diaphragma. de vti. resp. Sp.64.B
ob Instrumentorũ affectus respiratio, qualis. 1°. *de diff. resp.* 3ª.59.C
Instrumenta quo mõ faciant pulsus inæquales. 2°. *de caus. pul.* 4ª.91.F
Instrumenta omnia sub septo vestiuntur aliqua tunica habente initiũ à peritonæo. 4°. *de vsu par.* 1ª.141.C
Instrumẽtorũ bina receptacula in anib⁹ fortib⁹. 4°. *de vsu pa.* 1ª.141.E
Instrumentorũ ventris imbecillitas, vnde. 3°. *de symp. caus.* 3ª.27.D
Instrumentum hominis habet figuram inuersam, & protensam extra. de anatomia viuorum. Sp.51.E
in Instrumentis generationis comparatio instrumẽti mulieris ad virũ, qualis comparatio ceræ ad sygillum. de ana. viu. Sp.51.D
Instrumenti mulieris ad virum in instrumentis generationis comparatio est qualis ceræ ad sigillum de ana. viuo. Sp.51.E
Instrm fœminæ hẽt figurã inuersã et ptensam intus. de an. vi. Sp.51.E
Instrũa naturæ ad expellenda infestantia. com. 5°. *apho.* 53°. *Ex.* 42.D
Instrũa multa, gra expurgãdæ materiæ natura fecit. de cau. mo. 3ª.8.E
Instrumenta non sufficiunt materia redundante. de caus. mor. 3ª.8.E
in Instrumentorum amplis capacitatibus q̃ cõtinentur, expultrix non expellit. 2°. *de sym. cau.* 3ª.22.G
Instrumentorum foramina exilia qũo purgẽtur. 3°. *de san. tu.* 2ª.77.B
Instrumentũ vnumquodque quale esse debeat, si recte suum opus perfecturũ est. de diff. mor. 3ª.2.H
Instrumenta omnia trahunt, & expellunt. 3°. *de nat. fa.* 1ª.305.E
Instrumẽtorũ lõgitudo qũo breuiet in attrahẽdo. 3°. *de na. fa.* 1ª.304.G
Instrumentorum imbecillitates à quibus fiant. de diff. morb. 3ª.3.H
Instrumenta maxime passibilia sunt in hominibus liquidioris sanguinis, & carne mollibus. de vtil. resp. Sp.64.F
Instrũorũ noxæ sũt palpitatio, conuulsio, & resolutio. de pal. 3ª.53.C
Instrumẽtorũ attritio quid, et vnde. in 6m. de mor. vul. c. 3°. 3ª.170.B
in Instrumentis morbi, qui. de diff. morb. 3ª.4.A
Instrumenti morbi proprij qui, & qui ex accidẽti. de dif. mor. 3ª.6.A
Instrumento toti ex accidenti attribuuntur morbi similarium partiũ. de differentijs morborum. 3ª.6.A
Instrumentorum compositorum ægritudines. de diff. mor. 3ª.2.H
in Instrumẽtis ægritudo ĩ quatuor generibus cõsistit. & dif. mor. 3ª.3.A
in Instrumentis prima ægritudo est in formatione. de diff. mor. 3ª.3.A
Instrumenta, cum præter naturã sunt leuia vel aspera, causæ sunt ægritudinum, quæ in formatione. de cau. morb. 3ª.9.C
Instrumentariæ naturæ signa. ars med. Isa.66.F
Instrumentorũ scda ægritudo ad numerũ pertinet. de diff. mor. 3ª.3.A
Instrumẽtorũ tertia ægritudo ĩ magnitudine cõsistit. de diff. mor. 3ª.3.A
Instrumentorũ quarta ægritudo in quo consistit. de diff. mor. 3ª.3.A
Instrumentorum signa quæ faciunt sitũ. ars med. Is.66.C
Instrũorũ secũdorũ ægritudines eædẽ sũt q̃ et primorũ. de dif. mor. 3ª.3.B
Instrumẽta quæ habẽt decẽ et octo symptomata. de symp. dif. 3ª.12.B
in Instrumentis compositis, & in simplicibus fit continuitatis solutio. de differentijs morborum. 3ª.5.E
Instrumẽti totius, & diuulsæ particulæ ægritudo, q̃. de dif. mor. 3ª.5.D
Instrumẽtis, & similaribus cõis vnitatis solutio. 2°. *me. me.* 7ª.13.D
Instrumẽti totius, et particulę diuulsæ morbus, qui. de diff. mor. 3ª.5.D
Instrumento læso, actio, quæ illo vtitur, læditur. 1°. *de loc. aff.* 4ª.3.H
ab Instrumento læsę actionis incipiendum, deinde quęrendum quis noxæ sit modus. 1°. *de loc. aff.* 4ª.4.A
in Instrumentis nulla existente noxa, actio quandoque perit ex materię defectu. 1°. *de loc. aff.* 4ª.6.E
Instrumenti totius exarticulatio est, quando artus luxantur simulq; inflammantur. de diff. mor. 3ª.5.H
Instrumenta inuentionis duo sunt, ratio, & experientia. 1°. *meth. medendi.* 7ª.4.F/ *com.* 1°. *apho.* 1°. Ex.2.H
Instrumenta ab arte fiũt ex naturæ iudicio. de opt. doc. gene. Isa.30.H
INSTRVMENTA *quæ adiuuant in re medica. in 6m. de morb. vulga. commen.* 4°. 3ª.188.A
Instrũa chirurgica, q̃ ĩtelligit Hippo. de ijs, q̃ ĩ med. fiũt. c. 1°. 7ª.200.H
Instrumẽta praua habere turpe est medic. de fract. com. 3°. 7ª.246.C
Instrumenta discipulis sunt ostendenda. de art. com. 4°. 7ª.290.A
Instrumentorum differentiæ, quæ. de art. com. 1°. 7ª.258.B
Instrumẽta anatomica q̃dã, & eorũ vsus. 9°. *de ana. adm.* 1ª.101.G
Instrumenta pro capitis anatomia. 9°. *de anat. admi.* 1ª.104.B
Instrumentorum nomina quæ ex ligno densiori conficiuntur. 6°. *de anatomicis administrationibus.* 1ª.92.H
Instrumentorum tenuium nomina. 6°. *de ana. adm.* 1ª.93.D
Instrumenta ex ligno densiori. 6°. *de ana. adm.* 1ª.92.H
Instrumenta q̃ sint asini, aselli, & succulæ. de frac. com. 3°. 7ª.247.B
Instrumenta exciſoria. 6°. *meth. med.* 7ª.42.A
de Instrumentis cauis exciſorijs, scalpris dictis, & quo modo græce vocentur. 6°. *meth. med.* 7ª.42.A
Instrumentũ pyulcũ quod dicatur. 2°. *de arte cur. ad Glau.* 7ª.105.H
de Instrumento Solene dicto, vbi disputauerit Hippocrates. in 3m. de mor. vulg. com. 2°. 3ª.138.E
Instrumentum tuba dictum. 9°. *de anat. adm.* 1ª.104.E
pro Instrumentis fractorũ ossium trochilia. 6°. *meth. med.* 7ª.41.H
Instrumenta pro cruribus fractis. 6°. *meth. med.* 7ª.41.G
Instrumentum per vnicum axem. 6°. *meth. med.* 7ª.41.G
Instrumentum pro vertebris aptandis. de ar. com. 3°. 7ª.273.F
INSVAVIA *ventriculum respapinant, subuertunt, & vomitũ ciunt.* 3°. *de alim. fac.* 2ª.19.E
Insuauia medicamenta qd faciãt. 1°. *de cõp. med. per gene.* 5ª.210.F

INSVESCERE *Vsui alieno a ratione, malũ est. 11°. met. me.* 7ª.72.F
INSVETA *magis molestan consuetis. cõ.* 2°. *aph.* 5°. *Ex.*19.A
ad Insueta debemus permutare corpus. com. 2°. *aph.* 50°. *Ex.*19.A
INSVFFLET *in os per arundinem Asclepiades quid, & qua de causa.* 6°. *de comp. med. sec. loc.* 5ª.174.G
Insufflatio per arundinem quorũ fiat pro narium polypis. 3°. *de comp. med. sec. loc.* 5°.148.C
Insufflatio in nares quorũ fiat, & qua de cã. 3°. *de cõ. m. f. l.* 5ª.149.A
INSVLÆ *in mari ægeo, quæ vnam solã habent ciuitatem ex nomine insulæ, sunt Samus, Chius, Cos, Andrus, & Tenus.* 9°. *de simplicũ medic. facul.* 5ª.65.C
INSVLTVS *millies sine indicijs principij fiunt. de mor. tem.* 3ª.87.B
Insultus sanguinis fiunt Marte cum luna. de decubitus prognostica ex mathematica scientia. *Sp.*12.H
INSVPERABILE *emplastrum quare sic dictum.* 6°. *de compositione medicam. per gen* 3ª.126.D
INTEGRITAS quid. fin. med. *Isa.*45.C
Integritas virtus est corporis. fin. med. *Is.*45.C
Integritas animi proficiscitur ab atra bile. de nat. hu. com. 1°. 1ª.33.B
Integritas a natura in Europæis. de aere, aq. & lo. 2ª.6.C
INTEGRITAS *sextum tempus in febribus. de morb. temp.* 3ª.86.B
ad Integritatem qui circuitus veniant. de mor. tem. 3ª.85.F
Integrum, & totum idem. 1°. *met. me.* 7ª.6.A
INTELLECTIONE *qui non credit, explodendus est.* 9ª. *de decretis Hippocratis.* 1ª.279.E
INTELLECTVS *& mens communiter dicitur ratio, & cogitatio. de ijs, quę in med. fa. com.* 1°. 7ª.199.B
Intellectus est opus dẽdẽs a capite per se. de vir. nost. cor. disp. S. 60.C
Intellectus nõ fit a cerebri varietate, sed a tẽperie. 8°. *de v. p.* 1ª.170.C
Intellꝰ ñ fit a mꝰis spiritibꝰ ãalibꝰ. sed a qualitate. 8°. *d v. p.* 1ª.170.D
Intellectus est separabilis a corpore. 2°. *de semi.* 1ª.329.D
Intellectũ nõ hũt vires ãalis, quæ sunt in oĩbus partibus, sed opifex, partes aũt reguntur potẽtijs naturalibus. cõ. 5°. *aph.* 39°. *Ex.*41.B
Intellꝰ in ipso aliqd eẽ qd prius nõ fuit ĩ sensu, collige. & hist. ph. Sp. 9.C
Intellectum perspicacem reddunt vigilia, & cogitatio non rudis magis q̃ somnus. ad Thrasy. 2ª.107.H
*Intellectus tarditas indicat cerebri substãtiã crassam. ars med. Is.*63.E
Intellectus amissio stultitia est. 3°. *de loc. aff.* 4.16.H
Intellectus quibus perijt quæ obseruanda. 3°. *de loc. aff.* 4ª.16.H
*Intellectus, sensus, & memoria pdunt ĩ epilepsia. d cõpag. mẽb. S.*58.E
INTELLIGENTES, *qui.* 3°. *de decr. Hip.* 1ª.243.H
Intelligẽtia falsa dr ab Hippocrate deceptio. 9°. *de dec. Hip.* 2ª.281.C
Intelligẽtię tarditas ñ necessario seq̃t male cõcoq̃ntẽ. 3°. *d sy. c.* 3ª.30.B
Intelligere & audire quæ dicuntur omnibus. cõ. 2°. *de cris.* 4ª.133.G
nõ Intelligũt quidam nisi quæ vident. de fract. com. 3°. 7ª.247.A
q̃ nõ Intelliguntur prima vice sæpius relegãtur. de ar. c. 3°. 7ª.276.D
ad Intelligendum, & agendum quare homines fiant tardiores. in 6ᵐ. *d morb. vulg. com.* 4°. 3ª.186.F
INTEMPERAMENTVM *intra sanitatem quale esse debet.* 2°. *de temperamentis.* 1ª.18.F
Intemperans qui. 4°. *de decr. Hip.* 1ª.249.E
Intemperantes quomodo euacuandi. de cur. rat. per sang. miss. 6ª.17.F
Intẽperãtes nõ iuuãtur euacuationibus. de cur. rat. p sang. mis. 6ª.17.F
Intemperans qui. de decr. Hip. 1ª.268.E
INTEMPERANTIÆ *plures species, & cuiusque earum diuersa curatio.* 2°. *met. me.* 7ª.12.B
Intemperantiæ octo in qualibet particula. 3ª. *de loc. aff.* 4ª.15.E
Intemperans victus est causa podagræ. com. 6°. *aph.* 28°. *Ex.*49.B
Intẽperãtias solũ quatuor esse, cur aliqui posuere. 6°. *de sa. t.* 2ª.95.E
Intemperantiam pessimam habentia, quæ. 6°. *de san. tu.* 2ª.95.D
Intemperantia frigida, & sicca pessima. 6°. *de san. tu.* 2ª.95.D
Intemperantiæ sunt in similaribus. 2°. *met. me.* 7ª.13.D
Intẽperãtiã sequit humor penitus euacuatus. 3°. *de simp. m. f.* 5ª.23.H
INTEMPERATVRÆ *deteriores octo. de const. ar.* *Is.*38.H
Intemperaturæ octo, quæ. com. 3°. *aph.* 16°. *Ex.*23.C
Intemperaturæ sunt octo, quatuor simplices, & quatuor compõsitæ. com. 5°. *aph.* 62°. *Ex.*43.F
Intẽperaturæ simplices, & nõ simplices, quæ. cõ. 3°. *aph.* 16°. *Ex.*23.C
Intẽperaturæ plures ex redũdãtia humorũ. 8°. *de cõp. m. f. l.* 5ª.188.A
Intemperaturæ qñque fiunt habituales. cõ. 4°. *aph.* 12°. *Ex.*28.E
Intemperantia facit capitis dolorem. com. 6°. *aph.* 10°. *Ex.*47.D
Intemperatura sola est causa vigiliæ. com. 2°. *aph.* 3°. *Ex.*11.E
Intẽperatura inæqualis circa ventrẽ fieri nõ potest vt in longũ extendatur, si oĩa circa ægrum opportuna fiant. cõ. 7°. *aph.* 22°. *Ex.*55.E
Intẽperatura vesicæ facit eius imbecillitatẽ cõ. 5°. *aph.* 58°. *Ex.*55.E
Intẽperaturæ vehementes lædũt operationes. cõ. 2°. *aph.* 22. *Ex.*15.A
Intẽperaturę quę lædũt opationes sunt morbus. c. 5°. *ap.* 57°. *Ex.*42.b
Intemperaturam calidam patientibus, dari non debet vinum. 8°. *de composi. med. sec. loc.* 5ª.194.F
INTEMPERATVS *est calor acquisititius.* 3°. *de cau. pul.* 4ª.97.C
Intemperaturæ naturæ corporum octo. de sperm. *Sp.*41.A
Intemperatus habet vtranq oppositionẽ vitiosam. 1°. *de tẽp.* 1ª.14.D
Intemperatis qualis aer conuenit. 1°. *de san. tu.* 2ª.67.E
Intemperatum facilius ad propriam naturam redit, q̃ ad optimũ temperamentum. 5°. *de sa. uen.* 2ª.93.D
Intemperatæ naturæ corriguntur contrarijs, & seruantur similibus. 5°. *de san. tuen.* 2ª.93.D
INTEMPERIES *aeris cognoscenda, & quare. in* 1ᵐ. *de morb. vulgari. com.* 1°. 3ª.100.G
Intemperies omnis morbus est. de symp. diff. 3ª.13.D
Intemperies est generalis affectio. 8°. *de comp. med. se. lo.* 5ª.193.H
Intemperies est debilitas facultatis. 1°. *de præsag. ex puls.* 4ª.107.E
Intemperies virtutẽ faciunt imbecillem. 3°. *de symp. cau.* 3ª.26.A
Intemperies est primorum morborum causa, quia temperies est corrupta. 2°. *de nat. fac.* 1ª.300.F
Intemperies qua læditur actio, est morbus. 2°. *de nat. fac.* 1ª.301.A
ex Intemperie quatuor qualitatum fit morbus primo ĩ similaribus. 2°. *meth. medendi.* 7ª.12.F
Intẽperies est ĩ similaribus, et simplicibus partibus. 9°. *me. m.* 7ª.61.B
Intẽperiem, & partiũ diuisionẽ facere morbos in similaribꝰ ac simplicibus particulis quo ad sensum, verũ putat Gal. de cau. mor. 3ª.6.C
Intemperies simplices, quæ. de inæq. intemp. 3ª.43.C
Intemperies quælibet sola non potest diu durare. 6°. *de sa. tu.* 2ª.95.E
Intemperies sola non potest suffocare. 4°. *de præsag. ex. pul.* 4ª.120.A
Intemperies compositæ, quæ de inæq. temp. 3ª.43.E
Intemperies tres in vnaquaq contrarietate. 3°. *de lo. aff.* 4ª.16.H
Intemperies quatuor compositas nouere antiqui. 1°. *de tem.* 1ª.14.B
Intemperies octo. 8°. *de comp. med. se. loc.* 5ª.187.H
Intemperies sunt infinitæ. 3°. *de simp. med. fac.* 5ª.19.F
Intẽperies æqualis ẽ veluti acquisititia q̃dã nã. 2°. *de sym. ca.* 3ª.22.A
Intemperies æqualis sine dolore. 2°. *de symp. cau.* 3ª.22.A
de Intemperie inæquali libri intentio. de inæq. intemp. 3ª.43.C
de Intẽperie inæquali liber añ librũ d medicamẽtis legi dẽt. post librũ vero d medicamẽtis meth. med. sequi debet. de inæq. intẽp. 3ª.44.H
Intemperies inæqualis quot fiat modis. de inæq. intem. 3ª.43.B
Intemperies vnde proueniat. 2°. *de symp. cau.* 3ª.22.A
Intemperies quibus fiat. 13°. *met. me.* 7ª.81.H
Intemperies fit ex quatuor elementis. 1°. *de præsag. ex puls.* 4ª.107.E
Intemperiem quomodo faciat aer ambiens. 1°. *de san. tu.* 2ª.68.B
Intemperiem faciunt aqua, & inunctio. 1°. *de san. tu.* 1ª.68.B
Intemperies inæqualis sine materia qũo fiat. de inæq. intemp. 3ª.43.B
Intemperies inæqualis ab extrinsecis qũo fiat. de inæq. intẽp. 3ª.43.C
quæ Intemperies maximæ inæqualis. de inæq. intemp. 3ª.44.A
Intemperies inæqualis in parte quando. de inæq. intem. 3°.43.B
Intẽpies inæqualis ĩ toto ãalis corpe q̃ corĩgar. d inæq. intẽp. 3ª.43.B
cũ Intemperie totius q̃, & quãdo cum intẽperie partis, sunt pravę corporis constitutiones. in 6ᵐ. *de morb. vul. com.* 4°. 3ª.186.G
Intemperies inæqualis per totum corpus sunt anasarca, hepiala, & febres præter hecticam. de inæq. intẽp. 3ª.43.B
Intemperies inæqualis à quibus fiat. de inæq. intemp. 3ª.44.D
de Intemperie frigidã. 2°. de temp. 1ª.18.G
de Intemperie calida, & sicca. 2°. de temp. 1ª.18.G
Intemperies paruæ similariũ partium paruam noxam actioni afferũt. de symp. cau. 3ª.15.B
Intemperies magnæ similarium partiũ noxam actioni magnam afferunt. de symp. cau. 3ª.15.B
Intẽperies corporis sequitur mentis læsio. in 1ᵐ. *pro. cõ.* 1°. 4ª.168.D
in Intemperie præter qualitates q̃q, quoddã, veluti Bos, intemperatũ in corporibus dispergitur. 2°. *de symp. cau.* 3ª.22.A
Intemperies magnæ oẽs vi tutem deyciunt. 3°. *de symp. cau.* 3ª.25.C
Intẽperies oĩs immodica operationẽ exoluit. cõ. 2°. *aph.* 20°. *Ex.*14.F
ab Intẽpie ĩgẽti cordis vis vitalis ꝓsternit. 4°. *d ꝓsag. ex pul.* 4ª.121.G
Intemperies insignis est morbus. com. 4°. *aph.* 39°. *Ex.*32.G
ex Intemperie inæquali morbi fiunt. de inæq. intemp. 3ª.44.H

ab Intemperie fieri possunt lethargus, phrenitis, mania, melancholia, stultitia, memoria amissa. 3°. de loc. aff. 4ª.20.B
Intemperies in quibus partibus cerebri esse pñt. 3°. de lo. aff. 4ª.16.H
ex Intemperie põt laborare crystallinus humor. 2°. met. me. 7ª.12.H
Intemperies inæqualis causa doloris. de inæqu. intemp. 3ª.44.F
Intẽperies calã, & frigida dolorẽ facit. ī 1m. ḍ mor. vul. c. 1°. 3ª.104.H
ex Intemperie fit dolor. in 1m. de mor. vulg. com. 1°. 3ª.104.H
Intẽperies inæqualis facit dolorẽ, & quantũ. 2°. de sym. cau. 3ª.22.A
in Intẽperiebus arteriarũ motus nõ faciũt dolorẽ. 2°. de lo. af. 4ª.8.H
Intemperies facit dolorem iliacum. com. 6°. aph. 40°. Ex.51.A
ab Intẽperie inæquali rigor fit quandoque. de inæq. intemp. 3ª.44.D
Intemperiem duplicẽ inæqualẽ hñt oẽs febres. de inæq. intẽp. 3.44.G
in Intemperie morbus est, febris. de tot. morb. temp. 3ª.88.D
Intemperiem sequens distensio quid sit. de diff. morb. 3ª.3.F
ex Intemperie sola æquali & non æquali quo modo cognoscatur affectus pulmonis. 4°. de loc. aff. 4ª.27.H
Intemperies põt esse cã lætitatis intestinorũ. cõ. 3°. aph. 30°. Ex. 26.F
Intemperies vteri vnde. 3°. de symp. caus. 3ª.29.F
ad Intemperiem inueniẽdã qui medicus requirat. 3°. de lo. af. 4ª.17.F
Intemperies intra sanitatis terminos corrigendæ. 1°. de sa. tu. 2ª.64.G
INTEMPERIEM *corrigere non est postrema sanitatem tuentis pars. aduersus Lycum.* Ex.62.B
Intẽperies simplex simplici qualitae curat. 2°. ḍ ar. cu. ad Gl. 7ª.103.D
Intemperies curatur suo contrario. ars med. Is.70.C
Intẽperiei cãę primo occurrẽdũ, postea ipsi intẽpiei. 5°. me. m. 7ª.29.G
Intemperies frigidas lædũt, quæ frigidã humiditatẽ absq; adstrictione, aut amaritudine possident. 8°. de comp. med. sec. loc. 5ª.195.C
Intemperies calida, & frigida efficacior est sicca, & humida. 6°. de sanitate tuenda. 2ª.96.D
Intemperies calida temperata in humido & sicco quo modo seruetur & quomodo mutetur. 6°. de san. tu. 2ª.95.H
Intemperies frigida quo modo curetur. 13°. met. me. 7ª.82.B
Intemperies ex calore quo modo curanda. 13°. met. me. 7ª.82.C
Intẽperies sicciores, humidiores reddẽdæ, et è cõtra. 1°. de s. t. 2ª.64.G
Intẽperies calidiores, frigidiores reddẽdæ, et è cõtra. 1°. ḍ sa. t. 2ª.64.G
in Intemperie frigida, & humida quæ Galenus adhibeat. 2°. de comp. medicam. secun. loc. 5ª.138.A
in Intẽperie calã, & sicca q̃ Galenus adhibeat. 2°. ḍ cõ. m. s. l. 5ª.138.A
Intemperie calida, & sicca citra vitiatos humores afflictus infestissima aloes. 8°. de comp. med. sec. loc. 5ª.188.D
in Intemperie quando optimum vinum. 8°. de cõp. me. se. lo. 5ª.195.F
Intemperies balneorum. aduersus Lycum. Ex.62.B
INTENDI, *cõfugere, retũdi, et resilire uerba ueterũ. 3°. ḍ pal.* 3ª.54.H
Intenditur primo latus musculus sub colli cute ijs qui spasmo corripiẽdi sunt. de musc. dissect. 1ª.44.D
Intendi commune accidens tumorum est. 2°. de loc. aff. 4ª.10.G
Intendere vbi æqualiter consilium est, laqueus. de laqueis. 7ª.307.H
INTENTIO *animi in vniuersa arte adhibẽda est. de fascijs.* 7ª.293.C
p Intẽtionẽ primã volũtariæ sũt actiões pedũ. ḍ mot. m. et obsc. S. 69.a
in Intẽtione secũda actiões volũtariæ, quæ. de mot. m. & obs. Sp. 69.A
Intentiones in morbis expellendis, quales. 1°. de dif. feb. 3ª.32.F
Intẽtio cõmunis ex morbo assumitur. 2°. de arte cur. ad Gla. 7ª.103.D
Intẽtio vtilis in oi morbo ẽ humor supabũdans. cõ. 4°. aph. 2°. Ex.27.E
Intentiones si sint contrariæ, quid agendum. 11°. met. me. 7ª.84.E
Intentio ducta a viribus maximã in prog. com. 2°. 4ª.203.G
Intentiones sanationis in mẽsibus retẽtis, duæ. c. 5°. aph. 36°. Ex.40.G
Intentiones duæ in spasmo curando. com. 4°. aph. 57°. Ex.33.G
Intẽtiones curãdi ulceris quędã neq; idiotis ignotę. 6°. me. m. 7ª.36.G
Intentiones exhibẽdi medicamẽtũ ppe finẽ. cõ. 4°. aph. 2°. Ex.27.G
Intẽtio ī creatiõe palpebrarũ & pilorũ supciliorũ, q̃. de an. vi. S. 45.C
Intentio spermatis masculi est informare ad similitudinem eius, a quo sperma sẽparatum est. de anat. viu. Sp.44.F
Intentio spermatis mulieris est recipere formam secundum similitudinẽ eius, à quo seminatum est. de ana. viu. Sp.44.G
INTENTA *ex repletioue, quæ euacuata relaxantur. de ijs, quæ in me dicatrina fiunt. com. 3°.* 7ª.215.G
Intenta ob caliditatem, frigiditatem, humiditatem, vel siccitatem quo modo laxantur. de ijs, quę in medic. fiunt. com. 3°. 7ª.215.G
INTERCALARES *cur menses facti. in 1m. de mor. vul. c. 1°.* 3ª.102.E
Intercalandi ratio ab Hipparcho. in 1m. de mor. vul. com. 1°. 3ª.102.E
INTERCIDENTES *dies qui. in prognost. com. 3°.* 4ª.206.G
Intercidens, pulsus qui. de compend. puls. Sp.66.A
INTERCOSTALES *musculi thoracis sunt vigintiduo. de musculorum dissectione.* 1ª.49.D
in Intercostali vnoquoque est vna arteria. de decr. Hip. 1ª.232.E
Intercostalium musculorũ duo genera, & quæ. 5°. de loc. af. 4ª.29.G
Intercostalibus musculis inflammatis arteriarum dilatatio dolorẽ. infert. 2°. de loc aff. 4ª.9.A
INTERFICIT *hyoscyamus, si bibatur. de simp. med.* Sp.92.D
Interficere se pulchrũ esse qdã existimãt. ḍ mel. ex Gal. Ruf. Sp.109.E
INTERFOEMINEVM *quid sit. de fract. com. 2°.* 7ª.237.D
INTERMISSIO *facit morbos sine periculo cõ. 4°. aph. 43°.* Ex.32.F
Intermissio quid sit in febre. 1°. de crisi. 4ª.125.H
Intermissionis febris pulsus in tertiana, qualis. 2°. de diff. pul. 3ª.36.H
Intermissio percipitur in pituitosa febre. 2°. de diff. feb. 3ª.37.B
INTERMITTENTES *morbi, qui. fin. med.* Is.45.F
in Intermittentiũ febriũ cã est difficilis inuentu. 2°. de dif. feb. 3ª.40.E
in Intermittentibus febribus debent numerari dies afflictionis, nõ alij. in prognost. com. 3°. 4ª.207.F
Intermittentium febrium cum continuis mistio difficilior cognitu. 2°. de crisibus. 4ª.135.F
Intermittentium morborum tempora sex. de mor. temp. 3ª.85.H
Intermittẽtes febres q̃, et vñ sit humor q illas efficit. 2°. ḍ dif. f. 3ª.36.E
Intermittentiũ febrium triplex differentia tertiana, quartana, & quotidiana. 2°. de diff. fe. 36. E. in 1m. de morb. vulg. com. 3°. 3ª.118.D
Intermittens quartana exquisita, quæ. 2°. de diff. feb. 3ª.37.B
Intermittẽs exquisita pituitosa quo modo incipiat. 2°. ḍ dif. fe. 3ª.37.A
INTERMITTERE *quid significet. com. 4°. aph. 43°.* Ex.32.E
Intermittere quid sit. de mor. tem. 3ª.86.D
Intermittere dupliciter fit. in 1m. de mor. vul. com. 3°. 3ª.118.D
Intermittens dolor notus est. 2°. de loc. aff. 4ª.12.G
INTERDVM *perpetuo opponit. de vic. rat. in mor. acu. c. 4°. 7ª.* 134.H
INTEREVNT *potius purulenti ex pulmonia maiores natu, q̃ minores. in prog. com. 2°.* 4ª.205.G
Interire genitũ qcunque nõ hẽt cõsequutionẽ eã, q̃ sciam efficit, nec necessariũ. sed quę vsq; ad id qḍ probabile est p̃cedit. ḍ mar. 3ª.45.F
INTERIMVNT *gaudium, & timor. 12°. met. med.* 7ª.77.D
INTERIOR *& anterior pars idem sunt. de artic. com. 3°.* 7ª.271.H
ad Interiora simul tibiam flectens musculus, & sursum ipsam altam quoquo modo attollens. de musc. dissect. 1ª.51.D
ad Interiora inuertens caput musculi, et vna sursum tollens musculus de musc. dissect. 1ª.51.B
in Interioribus membris vena quieta supposita est, pulsatilis superposita. de anatomia viuorum. Sp.56.D
ex Interiore vena brachij ḍxteri sãguis ḍtrahẽbus ẽ. ḍ p̃s. ex. Sp.78.E
Interior panniculus stomachi ex quibusdam fibris lõgitudinalibus, & quibusdam transuersis componitur. de ana. viuo. Sp.49.H
Interius cur sit magis neruosus stomach°. q̃ exterius. ḍ ana. vi. S. 49.H
Interior vesicæ tunicæ quibus texatur. de ana. viu. Sp.51.D
Interior vesicæ tunica duplicata propter quid. de ana. vi. Sp.51.D
Interiorum viscerum mulierum, & virorum cõpago et lienatio vna. de natura, & ordine cuiuslibet corporis. Sp.42.B
si Interiora vrantur, & exteriora frigeant continua cum siti, letale. cõmen. 4°. aph. 48°. 33. A. com. 7°. aph. 68°. Ex.60.F
ab Interioribus ad exteriora moueri vlcera bonum, è contrario malũ. com. 6°. aph. 25°. Ex.48.F
ad Interiora fiat reuulsio, vbi extrorsũ vergũt succi. ḍ cuc. sca. 6ª.4.G
Interiorũ ptiũ defectus q̃bus fiat. de ijs, quæ in med. fi. cõ. 2°. 7ª.213.D
Interioribus omnibus mel leniendo medetur. de simp. med. Sp.87.B
Interioribus partibus vt potio daī lauri lixiuiũ. de simp. me. Sp.85.H
ad Interiorũ mẽbrorũ ḍbilitatẽ valẽs medicamẽtũ. ḍ me. ex. Sp.104.G
ad Interiorũ mẽbrorũ debilitatẽ ex cã frigida. de med. exp. Sp.107.B
in Interiorũ mẽbrorũ cõfortatione qd sit optimũ. de med. ex. Sp.105.F
Interiora membra confortans medicamentũ. de med. exper. Sp.104.G
Interiorum membrorum oppilationes aperiunt drachmę duæ cubebarum. de medicinis exper. Sp.106.E
ad Interiorũ mẽbrorũ dolorẽ electariũ. de med. exper. Sp.106.H
ad Interiorũ mẽbrorũ dolorẽ valens medicina. de med. exp. Sp.106.G
ad Interiores absceſſus ſine dolore diſcutiendos emplaſtrum commodũ 2°. de comp. med. per ge. 5ª.222.F
ad Interiora oĩa malagma Antipatri bonũ. 7°. de cõ. me. p g. 5ª.266.G
Interiorũ medicamẽtorũ librũ fecit Aſclepiades. 3°. ḍ c. m. p. 5ª.234.b
INTERIORA *tarde digeruntur. de diſſol. cont.* Sp.73.D
Interiora tarde deſcendunt. de diſſ. cont. Sp.74.H

Interiora oĩum aĩaliũ ſunt multarũ ſuperfluitatẽ.de diſſ.cõt. Sp.73.E
Interiora generant bonũ chymum,& craſſum.de diſſ.cont. Sp.74.A
Interiora nutriũt eũ q̃ digerit ea nutrimẽto mlto craſſo.d̃ diſ.c.Sp.73.E
INTERITVS,*& ortus an ſint.de hiſt.phil. Sp.5.D*
Interitus neceſſitas ſecundum naturam.de merc. 3ª.45.G
in Interitus deflectũt cruda et ĩcõcocta.i 1m.d̃ mor.vul.c.3°.3ª.124.E
INTERNODIIS *digitorũ exciſis,quid agendũ.14°.met.me. 7ª.92.B*
INTERNAE *cauſæ,quæ introductio. If.52.B*
Interna vena quando ſecanda.4°.de ſan.tuen. 2ª.87.F
ad Internas partes tibiam trahens muſculus.de muſc.diſſ. 1ª.51.F
ab Internis partibus vnde ſumatur indicatio.4°.met.me. 7ª.28.G
ad Internos dolores Euclidis Palatiani theriaca.2°.de anti. 5ª.116.B
ad Internos dolores omnes quid conferat.2°.de anti. 5ª.120.D
ad Internas & malas omnes affectiones corporis valet antidotus Mithridatis.8°.de comp.med.ſec.loc. 5ª.193.B
ad Internas affectiones antidotus multum efficax.2°.de anti. 5ª.118.F
ad Internas affectiones pharmacum accommodatum aromaticum inſcriptis.2°.de anti.110.G/ 5ª.115.C/D
ad Internas affectiones citra tuſſim antidotus accommodata.8°.de cõpoſitione medi.ſec.loc. 5ª.195.H
ad Internas affectiones per circuitum repetentes compoſitio accommodata.7°.de comp.med.ſec.lo. 5ª.182.G
Internos abſceſſus probe repurgans confectio.7°.de compoſitione medicamen.ſecun.locos. 5ª.182.F
ad Internos abſceſſus.7°.de comp.med.ſec.loc.182.H/ 5ª.183.C
ad Internas affectiões bonũ qd.8°.de cõp.me.ſe.lo.190.D/ 5ª.193.E
ad Internos affectus quæ conferant.7°.de comp.med.ſec.loc.184.H/ 185.A/B/D/ 5ª.186.A
ad Internorum affectiones.9°.de comp.med.ſec.loc. 5ª.202.G
ad Interna omnia vitia.9°.de comp.med.ſec.lo. 5ª.203.E
de Internis affectionibus librum fecit Andromachus.7°.de comp.me dic.ſec.lo.182.D/8°. 5ª.294.D
Internorum librum fecit Aſclepiades.7°.de comp.me.ſe.lo.186.D/ 8°.189.C/9°. 5ª.197.H
INTERPOLLATARVM *& continuarum febrium differentiæ.2°.de criſibus. 4ª.135.E*
in Interpollatis non conſideramus numerum dierum, ſed circuitum. commen.4°.aph.59°. Ex.33.H
Interpollatus.vide Intermittens.
INTERPRETES *debent demonſtrare quæ dicunt.in 3m.de morb.vul. commentario.1°. 3ª.130.A*
Interpretum,& expoſitorum bonorum opus.3°.de diff.reſp.3ª.69.G
Interps dẽt adijcere verba gr̃a pſpicuitatis.2°.d̃ ar.cu.ad Gl.7ª.112.C
Interpretis praui enarratio.in 3m.de mor.vulg.com.1°. 3ª.128.E
Interpres & expoſitor damnãdus, qui nec vera dicit,nec cõſentanea cum auctore.in 3m.de mor.vul.com.1°. 3ª.129.D
Interp̃tes ſexti epidmiorũ qd cõmiſſint.i 6m.d̃ mor.vul.c.1°.3ª.152.C
Interpretes corrupere ſextum epidemiorum librum. in 6m. de morb. vulg.commen.1°. 3ª.152.C
INTERPRETARI *quid proprie ſit.in 1m.de mor.vul.com.2°. 3ª.113.C*
INTERPRETATIO *vnum ex principijs medicinæ.intr. Iſa.50.H*
ob Interpretationis malum modum datur ſophiſtis modus inueniendi ſolutiones.com.7°.aph.64°. Ex.60.C
Interpretatio.lege Expoſitio.
de INTERROGATIONIBVS *quibus medici ægrum interrogant,meminit Hippocrates.in 6m.de morb.vulg.com.1°. 3ª.168.F*
INTERSEPTVM *quod.intro. If.53.A*
ad Interſeptum remedia.de med.fac.par. 7ª.167.H
INTERSTITIVM *primum in febribus quid ſit.2°.de criſ. 4ª.137.B*
INTERTRIGINIBVS *& alijs vlceribus ſi illinãt balauſtium,celerrime illa cicatricem contrahunt.6°.de ſimp.med.fac. 5ª.44.F*
Intertrigines belliſſime ſanat piceæ cortex.8°.de ſimp.m.fa.5ª.58.F
ad Intertrigines femorum vtilis medela eſt lithargyrus. 9°.de ſimpl. medicam.fac. 5ª.70.A
Intertriginibus emplaſtrum conferens.1°.de cõp.me.ſe.l. 5ª.130.F/G
ad Intertrigines valet lycium.7°.de ſimp.me.fa. 5ª.54.G
ad Intertrigines remedium accommodatum.5°.de cõm.m.ſ.l. 5ª.162.B
Intertrigines curatu difficiles.de fract.com.3°. 7ª.245.D
Intertrigines in feminibus exiſtẽtes curat coriorum veterum cinis.11°. de ſimp.me.fac. 5ª.80.F
Intertrigines a calciamentis ſanat pulmo agninus,& porcinus.11°.de ſimp.med.fac. 5ª.79.H
ad Intertrigines.de med.fac.par. 7ª.177.G
ad Intertrimenta pedum,& manuum.de med.fac.par. 7ª.176.B
ad Intertrimenta pedum compoſitio optima.de me.fac.par.7ª.178.A
INTERVALLVM *quid ſit.de morb.temp. 3ª.86.D*
Interualla ſunt quatuor in febribus.in 6m.d̃ mor.vul.cõ.1°.3ª.164.C
Interuallum optimum in febribus quod.de morb.temp. 3°.85.H
Interuallum in pulſu quid.de pulſ.ad tiro. 4ª.43.E
Interuallum in pulſu quid ſit.1°.de diff.pulſ. 4ª.48.D
Interuallum breue quid ſignificet.1°.de cauſ.pulſ. 4ª.87.F
Interuallum longum quid ſignificet.1°.de cauſ.pul. 4ª.87.F
Interualla quæ ſunt inter inciſiones in ſcarrificatiõe ſint interſeſe equalia.de cucur ſcar. 6ª.3.G
Interuallum rhombale quid.de art.com.2°. 7ª.266.D
INTESTINALIS *tunica quæ in fœtu.15°.de vſu par. 1ª.211.G*
Inteſtinalis membranæ ortus.1°.de ſemi. 1ª.331.B
Inteſtinalis mẽbrana ex fœminino ſemine orta.2ª.de ſem. 1ª.338.C
Inteſtinalis tunica ex ſolo fœminino ſemine.2°.de ſem. 1ª.338.F
Inteſtinalis membrana vbi coniuncta.2°.de ſem. 1ª.335.H
Inteſtinalis membrana ad quid facta.15°.de vſu par. 1ª.211.G
Inteſtinalis mẽbrana è quo facta,et cur talis figuræ.1°.d̃ ſem.1ª.331.H
Inteſtinalis tunica quæ.15°.de vſu par. 1ª.211.G
in Inteſtinali dolore deceptus Galenus, qui putauit eſſe dolorem renalem.2°.de loc.aff. 4ª.9.D
INTESTINVM *ſimpliciter prolatum quid ſignificet.in 6m.de mor.vul. commen.4°. 3ª.179.G*
Inteſtinũ tenue ſm aliquos non prius dicitur inteſtinum q̃ in orbes anfractusq̃ conuoluatur.6°.de anat.adm. 1ª.93.B
Inteſtinorũ ſubſtantiã ſignificat ẽt ventris nomen.1°.de ali.fa. 2ª.8.D
Inteſtinum rectum quomodo gignatur.de fœt.for. 1ª.322.H
Inteſtina videntur diſtinguia viſceribus.1°.de diff.feb. 3ª.34.G
Inteſtina quomodo generantur.de fœt.for. 1ª.322.H
Inteſtina vnde procreantur.de fœt.for. 1ª.323.D
de INTESTINORVM *anatomia.de ana.viu. Sp.50.A*
Inteſtinorum anatomia quando ſpectanda.1°.de ana.adm. 1ª.64.B
Inteſtinorum ſectio quomodo facienda.6°.de ana.adm. 2ª.92.A
Inteſtina dicuntur eſſe in profundo corporis.cõ.3°.aph.22°. Ex.24.G
Inteſtina vt ſunt in medio iuuantur exercitatione ſuperiorum & inferiorium.5ª.de ſan.tuen. 2ª.90.B
Inteſtina omnia lactibus alligantur.in 6m.de mor.vul.c.4°. 3ª.179.G
Inteſtinum elephanto eſt latiſſimum.6°.de ana.adm. 1ª.92.F
Inteſtinum ſuis eſt in multos conuolutum orbes,& longiſſimum.6°.de anato.admin. 1ª.92.F
Inteſtinorum inuolucra quamplurima in plurimis animalibus fuere. 4°.de vſu partium. 1ª.140.F
ad Inteſtina oia cur omentum extenſum eſt.4°.de vſu par. 1ª.137.E
inter Inteſtinorum tunicas & peritoneum plurimum aquæ colligitur in ipſis hydropibus.1°.de nat.fac. 1ª.293.D
Inteſtina ſemper ſunt applicita ijs, quæ continent.de nat.fac.1ª.303.E
Inteſtina poſſunt videri extra animal.4°.de ana.adm. 1ª.81.H
Inteſtina omnia in diſſectione ab animali demantur relicto meſenterio, 6°.de ana.adm. 1ª.91.H
Inteſtinis exemptis quæ ſint conſideranda.6°.de ana.adm. 1ª.92.B
Inteſtini cuiuſq̃ anfractus pars magis gibba acutiore ſcalpello mediocriter eſt incidenda,& quare.6°.de ana.adm. 1ª.92.A
Inteſtina cur prima die ſecaret Galenus.5°.de ana.adm. 1ª.87.A
Inteſtinorum natura,quæ.6°.de ana.adm. 1ª.92.F
Inteſtina cõpoſita ex arteria,vena,& neruo.6°.de ana.adm.1ª.92.A
Inteſtinis omnibus ineſt neruorum genus molle.16°.de v.p.1ª.215.D
Inteſtinis diſtribuuntur nerui a cerebro.16°.de vſu par. 1ª.315.E
Inteſtinis ſuggeruntur nerui a ſpinali medulla,& a cerebro.16°.de Vſ. partium. 1ª.215.E
Inteſtini duriori ſubſtantia conſtant q̃ caro.de bon.& vit.ſuc.2ª.37.B
Inteſtina neruoſa ſunt,alia ad excipiendum excrementum, ad excernendum alia nata.fin.med. If.44.A
Inteſtina tenuia nõ parũ ptiipãt carnoſæ ſubæ.c.6°.aph.18.Ex.48.A
Inteſtina quam habent carnem.2°.de temp. 1ª.18.A
Inteſtinorũ ſubam non multũ a ventriculo diuerſa.de vſu p. 1ª.140.F
Inteſtina quam habent caliditatem.2°.de temp. 1ª.18.A
Inteſtinorum duæ tunicæ.6°.de ana.ad.1ª.93.C/12°.met.me.7ª.79.D/ de anato.viuorum. Sp.56.A
Inteſtinis cur tunicę binæ datæ.4°.de vſu partium. 1ª.141.B/5°.146.B/ 14°. 1ª.209.E

Inteſtinorum tunicæ quomodo habent villos. 5°. de vſu par. 1ª. 145. H
Inteſtinorum duæ tunicæ habent villos tranſuerſos, quia eorum officiū eſt ſolum propellere. 4°. de vſu par. 1ª. 137. A
Inteſtina habent ſuillos tranſuerſos ſolum & rotundos, quia indigent ſolum expulſione. 4°. de vſu par. 1ª. 141. B
Inteſtina habent magis de villis latitudinalibus. de ana. viu. Sp. 56. A
in Inteſtinis aliquibus cur villi recti. 4°. de vſu par. 1ª. 141. C
Inteſtina ex quibus conſtent fibris. 3°. de nat. fac. 1ª. 305. F
Inteſtina quas habent fibras. 2°. de temp. 1ª. 18. A
in Inteſtinis diuerſum eſt fibrarum genus. 2°. de ſemine. 1ª. 132. C
Inteſtinis inſunt plereq; fibræ circulares. 6°. de ana. adm. 1ª. 92. D
Inteſtinis ſingulis ſunt fibræ circulares. 3°. de nat. fac. 1ª. 304. G
Inteſtina cur ſimplices fibras habent. 5°. de vſu par. 1ª. 146. A
Inteſtinorum principium ſtomachus. intro. If. 57. C
Inteſtinū ſphæres fundo vētriculi nō ē pars vētriculi. 4°. ḋ v. p. 1ª. 137. A
Inteſtinis & ventriculo quæ communia. 6°. de loc. aff. 4ª. 36. D
Inteſtinorum principium. 6°. de ana. adm. 1ª. 92. F
in Inteſtinorum omni reuolutione eſt vnus neruus, vna vena, vna arteria. 5°. de vſu par 1ª. 145. E
Inteſtinis oēb° arteria diſtribuit, et a qbus locis. 16°. de vſ. p. 1ª. 219. A
in Inteſtinorum omnes flexus a quibus locis neceſſe fuerit arteriā venam & neruum diſpertiri. 16°. de vſu par. 1ª. 219. A
Inteſtina cur plura ſint & inuoluta. de ana. viu. Sp. 50. A
Inteſtinorū circunuolutiones pp quid tot. 4°. de vſu par. 1ª. 140. G
ī Inteſtinis facta sūt iuolucra q̄ retardēt excremēta. 4°. ḋ v. p. 1ª. 139. B
in Inteſtino, & colo excrementi portio ſeruatur. 1°. de criſi. 4ª. 139. C
Inteſtinorum inuolucrum vtilitas. de vſu pul. 1ª. 228. A
Inteſtinorum inuolucrum alia cauſa. 4°. de vſu par. 1ª. 140. H
in Inteſtinorū ēt trāſitu coquitur alimentum. 4°. de vſu par. 1ª. 140. E
Inteſtina deſeruiunt nutritioni. 4°. de præſag. ex pul. 4ª. 119. F
Inteſtinorū anfractus cā digeſtiōnis in inteſtinis. de fæt. for. 1ª. 324. H
Inteſtina non concoquunt. 5°. de vſu par. 1ª. 146. B
Inteſtinorum meatus manifeſti. de diff. morb. 3ª. 4. C
in Inteſtinis quot cauitates. 8°. de comp. me. ſe. lo. 5ª. 193. H
Inteſtinū unū aīalia hūtia ſp cibo adhęrēt ut arbores. 4°. ḋ v. p. 1ª. 141. a
Inteſtina neceſſaria omni animanti. 6°. de ana. adm. 1ª. 90. B
Inteſtina ſunt inſtrumenta naturæ. 2°. de mo. muſ. 1ª. 316. A
Inteſtina propter quid conſtructa. 5°. de vſu par. 1ª. 140. F
Inteſtinorum ordo poſt ventriculum. 5°. de vſu p. 1ª. 142. E/6°. de loc. aff. 4ª. 36. H/7°. met. me. 7ª. 49. D
Inteſtina ſex numero ſunt, duodenum ſiue portenarium ieiunum, inuolutum ſiue ileon, cæcum ſiue orbum aut monoculum, colon, extale, vel extenſum, ſiue longaon. de ana. viuo. Sp. 50. B
Inteſtinum primum omnium quod ventriculo coniunctum eſt, & cur vacuum. 5°. de vſu par. 1ª. 142. E
Inteſtinū primū vētriculo coniunctū, qd̄, & vbi. 5°. de vſ. p. 1ª. 142. E
Inteſtinum ſecundum, quale. 5°. de vſu par. 1ª. 142. E
Inteſtinum tenue tertium in ordine. 5°. de vſu par. 1ª. 142. E
Inteſtinum cæcum quartum in ordine. 5°. de vſu par. 1ª. 142. E
Inteſtinum colon quintum in ordine. 5°. de vſu par. 1ª. 142. E
Inteſtinum rectum ſextum in ordine. 5°. de vſu. par. 1ª. 142. E
Inteſtinum ieiunum ob nullam ſui vtilitatem eſt vacuum, ſed ea cōſequitur, quæ alicuius gratia. 5°. de vſu par. 1ª. 142. F
Inteſtinum ieiunum cur habeat tot inuolucra. intro. Iſa. 54. D
Inteſtina ſuperiora tria gracilia. de ana. viuo. Sp. 50. B
Inteſtina tenuia ſuperiora mouentur ad motum reſpiratoriorū organorum. 1°. de diff. reſp. 3ª. 59. H
Inteſtina tenuia habent naturam ſtomachi. cō. 6°. aph. 18°. Ex. 48. A
Inteſtinum tenue, quale. 6°. de ana. adm. 1ª. 92. F
Inteſtīorū tenuie tunicę rara tenuią, cētia cōſtāt. 6°. de lo. af. 4ª. 36. H
Inteſtina tenuia ad quid conſtituta. 4°. de vſu par. 1ª. 141. C
Inteſtini tenuioris officium. introd. Iſa. 54. B
Inteſtina tenuia vaſa nutrimenti. introd. Iſa. 54. B
Inteſtina inferiora tria cur craſſa. de ana. viuo. Sp. 50. B
Inteſtina craſſa ad quid effecta. 4°. de vſu par. 1ª. 141. D
Inteſtina craſſa nutrimenti organa apud medicos. 5°. de vſ. p. 1ª. 146. D
Inteſtinorum craſſorum ordo, qui. 4°. de vſu p. 1ª. 141. D
Inteſtinum cæcum principium craſſi inteſtini. 4°. de vſu par. 1ª. 141. D
Inteſtinū craſſum dicitur manica, & quæ ſit eius vtilitas. de compag. memb. ſiue de nat. hum. Sp. 59. A
Inteſtinū craſſum & veſica colligūt excrementa. 4°. de vſ. p. 1. 141. D
Inteſtini craſſi & tenuis partes mediæ inter abdomē & ſeptum. 3°. de ſanitate tuenda. 2. 77. B
Inteſtinū duodenū vñ dictū ſit. de cōpag. mēb. ſiue de na. hu. Sp. 59. A
Inteſtinū monomachū vñ ſit dictū. de cōp. mēb. ſiue ḋ na. hum. Sp. 59. A
Inteſtinum cæcum poſt inteſtinum tenuius. 6°. de ana. viu. 1ª. 92. F
Inteſtinū cęcum vnū in pedeſtribus, & vbi ſitū. 4°. de vſ. p. 1ª. 141. E
Inteſtinum cęcum duplex aliquibus auibus propter actionis robur. 4°. de vſu par. 1ª. 141. D
Inteſtinum cęcum adinfernas partes extenditur. 6°. de lo. af. 4ª. 36. H
Inteſtinum cæcum propter quid effectum. 4°. de vſu par. 1ª. 141. D
Inteſtinū monomachū coquit. de cōpag. mēb. ſiue de nat. hu. Sp. 59. A
Inteſtinum rectum cyſaron dicitur. an animal ſit. 1ª. 328. C
Inteſtinum rectum, cur dicatur. 1°. de ſan. tuen. 2ª. 67. F
Inteſtinum rectum quod. de diſſ. vul. 1. 108. C
Inteſtini recti ſitus, qui. 14°. de vſu par. 1ª. 209. A
Inteſtinum rectum cui innitatur. de diſſ. vul. 1ª. 108. B
Inteſtinū rectū cur poſt veſicā conſtitutum. 14°. de vſu par. 1ª. 209. E
Inteſtinū rectū ī extremo ad ſedē vſq; porrectū ē. 6°. ḋ an. ad. 1ª. 92. F
Inteſtino recto cognata eſt matrix. com. 7°. aph. 27°. Ex. 55. H
Inteſtinum rectum cur habeat villos rectos. 4°. de vſu par. 1ª. 141. C
in Inteſtino recto qui muſculi ſunt. 1°. de ſan. tuen. 2ª. 67. F
Inteſtini recti os habet muſculos in orbem. 4°. de vſu par. 1ª. 141. E
Inteſtinum rectum recipit excrementum graue. 6°. de an. ad. 1ª. 90. C
p Inteſtinū rectū concaua iecinoris expurgantur. 11°. me. me. 7ª. 73. F
Inteſtino recto quid accidat in hæmorrhoidibus. de diſs. vul. 1ª. 190. G
Inteſtino cæco proportionatur colon. 4°. de vſu par. 1ª. 141. D
Inteſtinum craſſius colon dicitur. 6°. de ſan. tu. 2ª. 98. F
Inteſtino lōgo laxo qūo renes iūgant. in 1ᵐ. de mor. vul. cō. 1°. 3ª. 155. D
Inteſtinum craſſus affligit fluxio corrupta. 6°. de ſa. tu. 2ª. 98. F
Inteſtini ieiuni officium, quale ſit, de cōpag. mēb. ſiue ḋ na. hu. Sp. 59. A
Inteſtinum præſertim ieiunum eſt lubricum. com. 6°. aph. 1°. Ex. 46. C
Inteſtina irrigantur a glandulis. 2°. de ſem. 1ª. 340. C
Inteſtinis qd cōe et muſcul, et vētri, vt veſicæ. 7°. ḋ an. adm. 1ª. 95. G
Inteſtinis proprium. 7°. de ana. adm. 1ª. 95. B
in Inteſtino tenui fiat ſtercus. 3°. de nat. fac. 1ª. 306. A
in Inteſtinis tenuibus fit ſtercus. 3°. de nat. fac. 1ª. 304. C
INTESTINORVM *officium non pendet ab electione, neque eſt a voluntate, & quale ſit. 6°. de loc. aff. 1ª. 38. E*
Inteſtinorū et ſtomachi virtus, nālis eſt. de mot. man. & obſc. Sp. 69. C
Inteſtinū rectum nāli vtiť facultate, muſculus aūt qui extremā illius partē ambit, ea q̄ aīalis, & voluntaria dicitur. 6°. ḋ lo. af. 4ª. 38. F
Inteſtina mouētur motu nāli non voluntario. 10°. de vſ. par. 1ª. 180. G
Inteſtina cur dnt ſentire dolores et mordicationes. 5°. de v. pa. 1ª. 145. E
Inteſtinorū propriū corpus ē ſenſibile elemētū 1°. de na. fac. 1ª. 291. G
Inteſtinorū ſenſus eſt obtuſus. in 1ᵐ. ḋ mor. vul. com. 5°. 3ª. 193. F
Inteſtina ſentiūt ſolū, et nō hnt motū volūtariū. 16°. de v. p. 1ª. 214. H
Inteſtina non indigent facultate attractrice. 4°. de vſu par. 1ª. 137. B
Inteſtina non trahunt a ventriculo. 6°. de loc. aff. 4ª. 37. G
Inteſtina non trahunt, ſed contrahuntur. 3°. de nat. fac. 1ª. 304. G
Inteſtina excernūt exprimēdo, vt manus exprimit aliq̄d. 2°. de ſymp. cauſ. 3ª. 21. E
Inteſtina habent vim expultricem. 1°. de criſ. 4ª. 129. C
Inteſtina & veſica ita actiones naturales lædere poſſunt, vt muſculi affecti actiones a voluntate. 1°. de loc. aff. 4ª. 8. A
Inteſtina habent comprehenſionem. 3°. de ſymp. cau. 3ª. 25. G
Inteſtina habent virtutem conſtrictoria & virtutem contentricem, ſ beneq̄, hoc conſidera. ſ in 6ᵐ. de mor. vul. com. 5°. 3ª. 193. F
in Inteſtinis cē vim retētricē colligit ex dictis Gal. 6°. ḋ. lo. af. 4ª. 37. A
Inteſtina habent vim circunſtringentem, & exprimentem. de vic. ra. in mor. acu. com. 3°. 7ª. 130. C
ab Inteſtinis qūo exprimuntur excrementa. 4°. de vſu par. 1ª. 137. G
Inteſtina protrundunt cibos extra. 3°. de ſymp. cau. 3. 27. C
p Inteſtina exeunt cibus & potus. 6°. de loc. aff. 4ª. 37. G
Inteſtina ejiciunt acrem humorē irritantem. 5°. de vſu par. 1ª. 145. F
Inteſtina & ſi expellāt, nihil tñ elabitur clauſo ano. 5°. ḋ v. p. 1ª. 146. F
Inteſtina alterius auxilio nō īdigēt p ſua functione. ḋ fæt. for. 1. 324. G
ad Inteſtinū, quod græci ἔκφυσιο vocant, ex hepate bilis in quibus deferatur. de vict. rat. in mor. acu. com. 2°. 7ª. 120. G
in Inteſtinū qūo ingrediatur meatus veſicæ bilis. 5°. de v. p. 1ª. 146. C
in Inteſtina bilis ex iecori cur regurgitat ī vētriculū. 1°. ḋ ali. f. 2ª. 7. G
in Inteſtini mediocris primā partē mittitur fel. 1°. de ſa. tuen. 2ª. 67. F
ad inteſtina aliquid peruenit ex cute. 3°. de nat. fac. 1ª. 306. F
ad Inteſtina ſingula cur multæ venę. 4°. de vſu par. 1ª. 137. B

in Inteſtina,

Inteſtina, uenarũ oĩs diſtributio fit ſil' cũ arteriis. 16°. & vſ.p. 1ª. 220. b
ad Inteſtina et lactes, vcnæ et arterię, q̃ ĩ 6ᵐ. & mor. vul. c. 4°. 3ª. 180. E
in Inteſtino tenui venæ, & arteriæ ſe cõtingũt. 9°. de vſ. par. 1ª. 172. H
Inteſtina habent nutrimentum craſſum graue. 3°. de nat. fac. 1ª. 307. F
Inteſtinis in nutrimentum pluri imum in venas rapitur, parum in arterias, & quo tempore. 3°. de nat. fac. 1ª. 307. B
Inteſtina ſibi mutuo diſpartiũt vſq; ad poſtrema ſuccũ, quem ſibi mittit ventriculus. 1°. de vſu par. 1ª. 213. C
ad Inteſtina ptingẽtes venæ multũ cibi ſumũt. 4°. de vſu p. 1ª. 141. A
ad Inteſtina vẽtriculus naturaliter mittit ſupfluũ. 15°. & vſ. p. 1ª. 213. C
in Inteſtina reliquiæ ex ventriculo deſcendunt. 2°. de ſem. 1ª. 340. C
ad Inteſtina pertingentia orificia arteriarum parum cibi ſumunt. 4°. de vſu partium. 1ª. 141. A
ab Inteſtinis cur arteriæ non trahunt. 3°. de nat. fac. 1ª. 307. F
Inteſtina venæ nutrientes in meſenterio, quæ non trahũt ad hepar. 4°. de vſu partium. 1ª. 141. F
Inteſtina et partes ꝓpinq̃ nutriunt a uenis ĩ epiploo. 4°. & v. p. 1ª. 141. F
Inteſtina nutriuntur in ipſa concoctione, & etiam trahunt ab hepate. 4°. de vſu partium. 1ª. 141. F
in Inteſtinorum ſenſibiles amplitudines fit relaxatio oſculorum venarum, ſæpe ſine transfuſione. de mult. 3ª. 78. G
ab Inteſtinis trahit hepar ſuccum. de vtil. reſp. Sp. 64. D
ab Inteſtinis trahit iecur ꝓ meſaicas vẽas alimoniã. 6°. & de. 1ª. 266. a
Inteſtinorum venæ habeat vim mutandi ſuccum in ſanguinem, anteq̃ veniat ad hepar. 4°. de vſu p. 1ª. 138. F
Inteſtinorũ venæ ferunt vtile ad nutriẽdũ iecur. 4°. de vſu p. 1ª. 135. H
ad Inteſtina, & ſtomachum meſeraicas ab hepate euntes recipiũt glã dulæ quædam. de anat. viuo. Sp. 44. D
Inteſtina minus valentia q̃ iecur. 3°. de nat. fac. 1ª. 306. C
Inteſtinorum vniuerſorum cã iecur imbecillitatur. 5°. de lo. af. 4ª. 33. F
Inteſtini ieiuni cauſa maxime iecur imbecillitatur. 5°. & lo. af. 4ª. 33. F
ꝓ Inteſtina præcordijs affectis malagma conueniens a Damocrate conſcriptum. 8°. de comp. med. ſec. loc. 5ª. 196. D
Inteſtina ſunt loca conferentia euacuationi. cõ. 1°. aph. 21°. Ex. 10. A
Inteſtina deiectione euacuantur. 7°. met. me. 7ª. 49. D
Inteſtina euacuãt excernẽdo cãm q̃ moleſtat. & na. hu. cõ. 2°. 7ª. 182. H
de Inteſtinis, et ſtomacho qñ ſupfluitas cibi eſt difficilis deſcẽſus, ĩdigemus his q̃ deſcẽdere faciũt, et vẽtrẽ mollificẽt de diſſ. cõt. Sp. 71. F
in Inteſtinis excrementa collecta qd faciãt. 3°. de ſymp. cau. 3ª. 28. E
INTESTINORVM *morbi ſicci qui vocentur. 2°. de arte curatiua ad Glauconem. 7ª. 112. F*
Inteſtinorum ſunt morbi ſicci, dum aut nihil excernitur, aut durum. de ptiſſa. 2ª. 48. A
Inteſtinorum excrementa non excludentur, ſi abdominis muſculi ociẽtur. 3°. de ſan. tuen. 2ª. 77. B
in Inteſtinis quid faciant grumi. 6°. de loc. aff. 4ª. 38. H
Inteſtinorũ vitiũ ſequẽs excremẽti morã cur accidat. 1°. & ſ. t. 2ª. 68. A
Inteſtina omnia cur vacua non fiunt a bile. de ana. viu. Sp. 50. C
ꝓ Inteſtina aquam ire, malum. de bon. aquæ. Sp. 76. A
Inteſtina ꝓ quas partes expurgant. 2°. de ar. cur. ad Glau. 7ª. 102. H
Inteſtina per rectum inteſtinum expurgantur. 11°. met. me. 7ª. 73. F
ꝓ Inteſtina thorax purgatur quandoque. 6°. de loc. aff. 4ª. 39. C
ꝓ Inteſtina purgantur lien, & iecoris caua. 13°. met. me. 7ª. 84. H
Inteſtina tenuia purgantia, quæ. de cathart. Sp. 95. C
Inteſtina qbꝰ cãis propte deijciãt. de vic. ra. in mor. acu. c. 2°. 7ª. 120. E
in Inteſtinis humores praui fœno græco ſubducunt. 1°. & ali. fa. 2ª. 14. E
in Inteſtinis lumbrici gignuntur. 1°. de loc. aff. 4ª. 6. C
ex inteſtis maiorib. ſcybala, et lũbrici lati educunt. de cath. Sp. 94. G
ex Inteſtino extremo educuntur aſcarides. de cathar. Sp. 94. G
Inteſtina mouent ab acrib. ſuppoſitorijs et clyſterijs. & dyn. Sp. 20. F
in Inteſtinis quæ ſunt, magis ſubducunt dulcia, ſed minus ſunt grata ſtomacho. 7°. de ſimp. me. fac. 5ª. 50. H
Inteſtina mundificant cibi ſalſi. de diſſ. cont. Sp. 72. F
ex Inteſtino ieiuno an poſsibile ſit aliquid per nauſeam deferri. 7°. de compoſi. med. ſec. loc. 5ª. 184. B
Inteſtinorum ſonitus vnde. 3°. de ſymp. cau. 3ª. 27. F
Inteſtinorum tenuium ſonitus ob flatus. 3°. de ſymp. cau. 3ª. 27. F
ꝓ Inteſtinum vacuum, & prorſus anguſtum ſpiritus delatus, acutum & tenue ſonat. 3°. de ſymp. cau. 3ª. 27. F
Inteſtina laborant ob flatus. 8°. de decr. Hipp. 1ª. 274. E
in Inteſtinis latis flatus bombos faciunt. 3°. de ſymp. cau. 3ª. 27. G
Inteſtina non patiũtur ex compreſſione qñ veſica eſt plena, neque qñ vterus mulieris prægnantis ſit plenus. com. 6°. aph. 44°. Ex. 51. D
Inteſtina tenuia poſſunt premi a tumore vteri mulieris prægnantis. cõ. 6°. apho. 44°. Ex. 51. D
Inteſtinũ rectũ ſolũ põt ꝑmi a tumore veſicæ. c. 6°. aph. 44°. Ex. 51. D
INTESTINORVM *intemperies vnde accipiatur. 1°. de ſa. tu. 2ª. 68. A*
Inteſtinum laxius patitur frigidas diſpõnes. cõ. 2°. aph. 40°. Ex. 18. A
Inteſtinis frigidum mordax. 4°. de ſimp. med. fac. 5ª. 24. C
ad Inteſtinorum infrigidationes omnes, idoneas vires habet anethum. de ſimp. med. Sp. 81. B
Inteſtio ſi ſola adſit obſtructio, vna tm̃ erit ægritudo. & dif. mor. 3ª. 4. d
in INTESTINIS *inflamãtio duas facit ægritudies. de dif. mor. 3ª. 4. D*
ĩ Inteſtinorũ phlegmone nõ eẽ purgãdũ p aluũ. 13°. met. me. 7ª. 83. A
ex Inteſtinorum phlegmone exit aliquid. 13°. met. me. 7ª. 84. H
Inteſtinorũ inflammatio eſt ileos. in 3ᵐ. de mor. vũl. cõ. 2°. 3ª. 139. A
in Inteſtinis tenuibus fit ileum. com. 6°. aph. 44°. Ex. 51. D
Inteſtinum aliquod gracile inflammatum difficilem inducit ſpirationẽ 2°. de diff. reſp. 3ª. 65. H
ad Inteſtini recti tumores phlegmonodes quid bonum. 1. de compoſiti. med. per genera. 5ª. 211. E
ĩ Inteſtinis, & vẽtre ſanguis facit ĩflationẽ. 3°. de cõp. m. ſ. l. 5ª. 149. A
circa Inteſtinum aliquod ſanguis non indiget calidis tenuium partiũ. 7°. de comp. med. ſec. loc. 5ª. 183. F
Inteſtinum ieiunum quinto loco cauſum facit. de vict. rat. in mor. acu. commentario. 4°. 7ª. 134. E
Inteſtinorũ inflãmationibus cõpetit maſtiche. 7°. de cõp. m. fa. 5ª. 55. C
in Inteſtinis adeſt palpitatio. 2°. de ſymp. cau. 3ª. 20. F
Inteſtinorũ motus ꝑter nãm. ſymptoma eſt. 2°. de ſymp. cau. 3ª. 20. F
in Inteſtinis affectus ſimilis diabete. 6°. de lo. aff. 4ª. 38. B
Inteſtinũ inflatu quo mitigãdũ, ex aq̃ cala ĩ ſpõgia. 6°. me. m. 7ª. 39. D
INTESTINI *plenioris, & iecinoris dolores non neceſſario ſequuntur male concoquentem. 3°. de ſymp. cauſ. 3ª. 30. C*
Inteſtinorum dolor quomodo fiat. 1°. de loc. aff. 4ª. 4. F
Inteſtinorum dolores bilis. de dyna. Sp. 19. D
Inteſtinorum tenuium dolores mitiores. 2°. de loc. aff. 4ª. 9. G
Inteſtinorum gracilium dolor intenſus cur fiat. 6°. de loc. aff. 4ª. 36. H
Inteſtinorum tenuiũ dolores a quibus pueniãt. 6°. de loc. aff. 4ª. 36. H
Inteſtina ſublimiora hñt vehemẽtiſsimos dolores. 6°. de lo. af. 4ª. 37. A
Inteſtini craſsi dolor, qui. 2°. de lo. aff. 4ª. 9. E
inter Inteſtinorum tunicas ex contento humore frigido dolor fit. 12ª. methodi medendi. 7ª. 79. D
in Inteſtinorum tunicis impacti ſucci mordentes faciebant dolorem in ſene quadragenario. 12°. met. me. 7ª. 78. G
in Inteſtinis noxam ex ſcammonia habentis quadragenarij caſus. 12°. methodi medendi. 7ª. 78. H
in Inteſtinorum tunicis humores immerſos habentibus conuenit hiera picra. 12. met. me. 7ª. 78. G
ad Inteſtinos omnes dolores remedium. de med. fac. par. 7ª. 168. A
Inteſtinorum tenuium dolores, a Philonio ſanantur. 2°. de arte curatiua ad Glauconem. 7ª. 104. H
ad Inteſtinorum, & coli dolores ius album conferre ex Galeno elicitur. 12°. met. me. 7ª. 78. H
in Inteſtinis ſi craſſi humores colicam generant medicamentũ iuuant. de med. exper. Sp. 106. G
Inteſtinorum dolores ſedat theriaca. de vſu ther. ad Piſo. 5ª. 98. F
ex Inteſtini laxi dolore, animi defectus quo modo curandus. 1°. de arte cur. ad Glauconem. 7ª. 99. G
Inteſtinorum tormina incidebant qui malos ſuccos ob annonam ederant. de bo. & vitio ſuccorum 2ª. 33. G
Inteſtinorum torminibus laborantes cœliacos iuuat antidotus zopyria. 2°. de antidotis. 5ª. 115. B
ad Inteſtinorum tormina valet theriaca. de theria. ad Piſo. 5ª. 91. F
ad Inteſtinorum tormina quid conferat. de med. fac. par. 7ª. 167. E
INTESTINORVM *difficultates cur fiant mulieribus & viris humidis, qñ hyems ſit aqlonia, & ver auſtrinũ. cõ. 3°. aph. 11°. Ex. 21. C*
Inteſtiorũ difficultate hoĩes vere et eſtate laborãt. 8°. & de. 1ª. 276. B/E
Inteſtinorũ difficultates vnde fiant, & qũo. cõ. 3°. aph. 16°. Ex. 23. D
Inteſtinorum difficultas quomodo fiat. com. 6°. aph. 3°. Ex. 46. F
Inteſtina in inteſtinorum difficultate quam diſpoſitionem habeant. cõmen. 7°. apho. 27°. Ex. 55. H
Inteſtinorum difficultates ſunt a pituita a capite ad ventrem defluente. com. 3°. aph. 12°. Ex. 21. F
ad Inteſtinorum inuolucra quo modo tendit materia, quæ a capite deſcendit

ſcendit.com.7°.apho.30°. *Ex.56.B*
Inteſtina a qua pituita mordentur ita, vt prouocentur ad deiectionẽ. com.6°.apho.33°. *Ex.50.B*
Inteſtinorum difficultates fiunt potiſſimum a ſalſa pituita.commen.3°. aphor.12°. *Ex.21.G*
Inteſtinorum difficultas a ſincera deiectione.cõ.7°.aph.71°.Ex.60.G
Inteſtinorũ difficultas a deiectiõe ſincera,malũ.c.7°.aph.23°.Ex.56.E
Inteſtina exulcerantur,abraduntur,eroduntur, & cõputreſcũt a trã ſitu ſincere bilis,ſiue flaue,ſiue atre.5°.de vſu par. *1ª.145.E*
Inteſtinis aduerſiſſima eſt vtraq; bilis.5°.de vſu par. *1ª.146.E*
Inteſtinorum difficultas ab alui profluuio.com.7°.apho.71°.Ex.60.G
Inteſtina vlcerantur ob colocynthim.de dyna. *Sp.21.D*
Inteſtina a quibus humoribus et qũo exedant.cõ.7°.aph.23°.Ex.55.E
Inteſtina vlcera humor mordax,& eo remoto nõ remouetur affectus. 1°.de locis affectis. *4ª.4.C*
ad Inteſtini recti mordicationes valet adeps caprin⁹.11°.de ſimpliciũ medicamen.facult. *5ª.78.H*
ad Inteſtinum fluens ſanguis malum, licet minus q̃ ſit per ſuperius. com.4°.apho.25°. *Ex.3.A*
in Inteſtinis conſiſtentes fluxiones deſiccat ſpica nardi.8°.de ſimpliciũ medicam.facul. *5ª.56.G*
ad Inteſtiorũ rheumatiſmũ malagma bonũ.7°.de cõp.m.p.g.5ª.266.E
Inteſtina quomodo paulatim abradantur.com.7°.aph.7°. *Ex.60.G*
Inteſtina quomodo per ordinem vlcerentur.cõ.7°.aph.71°.Ex.60.G
Inteſtinorum difficultates primo corpora pinguia excerni faciũt.com. 4°.aphor.26°. *Ex.30.C*
in Inteſtinorũ difficultatibus ſecundo loco ramenta quædam inteſtino rũ excernuntur,ablata ipſorum ſuperficie interiore,quæ membra- noſa exiſtit & denſa.com.4°.apho.26°. *Ex.30.C*
ex Inteſtinis ramenta deiectione eiciuntur.4°.de loc.af. *4ª.25.H*
in Inteſtinorum difficultate ſubſtantia inteſtini abraditur tertio loco. com.4°.aph.26°. *Ex.30.C*
Inteſtinorum prima tunica exeſa in dyſenteria multi ſuperuixere,& quare.4°.de vſu partium. *1ª.141.B*
Inteſtini tunica eiecta lata & craſſa,ſignificat dyſenteriã eſſe ĩ magnis inteſtinis.1°.de loc.affe. *4ª.2.D*
ab Inteſtinis q̃ excernunt̃ pticulæ ſe cõtrahũt.2°.de ſimp.cau.3ª.21.E
Inteſtina obradit oxymeli. de vict.ratione in mor.acu.c.3°.7ª.130.C
Inteſtina abradit chyloſum excrementum,quod cũ oxymeli deſcẽdit. de vic.ra.in mor.acu.com.3°. *7ª.139.C*
Inteſtinorũ abraſio inutilis ĩ acutis.& vi.ra.ĩ mor.acu.cõ.3°.7ª.130.C
Inteſtinorum abraſio vires frangit, & extremas partes infrigidat.de vic.rat.in morb.acut.com.3°. *7ª.130.C*
Inteſtinum vlceratum quomodo cognoſcatur.1°.de loc.aff. *4ª.6.A*
Inteſtinum vulneratũ ſignãt ſtercus exiẽs p vulnus.1°.de lo.af.4ª.2.E
Inteſtina tenuia an craſſa patiantur,qũo cõgnoſcẽdũ.1°.de lo.af.4ª.6.A
Inteſtina tenuia affecta ſtercus per os faciũt emitti.in 3ᵐ.de mor.vul- garibus.com.2°. *3ª.139.A*
Inteſtinũ ſi p vulnus exeat,ſignãt pitoneũ eẽ diſciſſũ.1°.& lo.af.4ª.2.F
Inteſtinum aliquod vlceratum oſtendit ephelcis cum alui excremẽtis deiecta.1°.de loc.aff. *4ª.2.F*
in Inteſtini colo ſi fuerit affectus, qũo cognoſcatur.2°.de loc.af.4ª.9.F
in Inteſtinis exñtiũ nihil p̃t per vomitũ eũari.cõ.4°.aph.12°.Ex.28.F
Inteſtinorum motus ad ſuperiora,qui.3°.de ſymp.cau. *3ª.25.H*
Inteſtinum ſi perforatum ſit,quid agendũ.6ᵐ.met.me. *7ª.39.G*
Inteſtina craſſa facile ſanant̃,tenuia difficulter.6°.met.me. *7ª.39.G*
Inteſtinum ieiunium inſanabile.6°.met.me. *7ª.39.G*
Inteſtina tenuia diſciſſa,letale.com.6°.apho.18°. *Ex.47.H*
Inteſtina tenuia vulnerata in ſumma parte ſæpius agglutinãtur.com. 6°.apho.18°. *Ex.48.A*
Inteſtiorũ tenuiũ vulnera ſanauit cauda equina.6°.& ſim.m.f.5ª.48.F
Inteſtina gracilia ſi diſcindant̃,nõ coaleſcũt.cõ.6°.aph.24°. *Ex.48.E*
Inteſtina tenuia non poſſunt conſolidari.3°.met.me. *7ª.16.E*
Inteſtina diſciſſa tota vſque ad ſuam cauitatem rariſſime ſanantur cõ. 6°.aphoriſmo 18°. *Ex.48.A*
Inteſtina vlcerata quo modo curanda.9°.de ſimp.med.fac. *5ª.65.H*
ĩ Inteſtis tenuib.vlcera qũo curãda,et p q̃s partes.4°.me.m.7ª.28.G
in Inteſtini craſſis qũo deprehendat̃ eſſe vlcus.6°.de loc.af. *4ª.36.E*
in Inteſtinis ſuperioribus qũo deprehẽdat̃ eſſe vlcus.6°.de lo.af.4ª.36.E
in Inteſtinis inferiorib.qũo deprehendat̃ eſſe vlcus.6°.de lo.af.4ª.36.E
Inteſtina ſuperiora læſa,medicamentis iuuantur.6°.de lo.aff.4ª.36.E
Inteſtina inferiora læſa, clyſteribus iuuantur.6°.de lo.aff. *4ª.36.E*
Inteſtinorum inferiorum diſpõ ſanatur clyſteri.1°.de loc.aff. *4ª.5.H*
Inteſtini recti vlcus teneſmos dicitur.6°.de loc.affe. *4ª.36.F*
in Inteſtinis craſſis vlcera quomodo curand i.4°.met.me. *7ª.28.G*
Inteſtinorũ vlcera qũo per os,& per anũ curentur.5°.me.m.7ª.34.D
Inteſtina magis per potionẽ q̃ p alia ſanari dñt.cõ.6°.aph.18°.Ex.48.B
in Inteſtina quomodo inuciantur medicamenta.5°.met.me. *7ª.33.F*
p Inteſtino recto curando per cornu recti foraminis,cui ſit alligata ve ſica ſuis,quid immitatur in anũ.1°.de comp.me.per ge. *5ª.211.E*
ĩ Inteſtinũ rectũ qũo ĩponẽda medicamẽta.1°.de cõp.me.p g. *5ª.211.E*
in Inteſtinum rectum medicamenta ponit veſica, cui ſit iuncta fiſtula. 5°.methodi medendi. *7ª.33.F*
Inteſtinorum particulæ quando exeunt.3°.de ſymp.cau. *3ª.28.C*
Inteſtinorum difficultas quod differat tantum per magis, & minus,vt p inteſtina ſint magis vel minus exeſa,& non habent ſpeciem ſub ſe collige.com.4°.apho.24°. *Ex.29.H*
Inteſtinorum difficultas q̃n eſt completa.com.4°.aph.26°. *Ex.30.C*
ad Inteſtinum ieiunum facta exulceratione,in quibus factus ſit teneſ- mus.in 3ᵐ.de morb.vulg.com.3°. *3ª.146.H*
Inteſtinũ rectũ tẽtionẽ patiẽt,et qũo,et qd ſit.cõ.7°.aph.27°.Ex.55.H
in Inteſtinis facit q̃nque teneſmon ſecaniabin.de diſſ.cont. *Sp.75.B*
ob Inteſtinorum difficultatem, ac læuitatem, fit defectus animi.1°.de arte cur.ad Glauconem. *7ª.98.E*
ex Inteſtini craſſioris affectu,aĩus deficit.1°.de ar.cur.ad Gl.7ª.98.G
Inteſtinorum difficultates,& læuitates qua ætate contingant.cõm.3°. aphoriſmo.30°. *Ex.26.D*
Inteſtinorum difficultates fiunt autumno.com.3°.aph.22°.Ex.24.E
Inteſtinorum difficultate correpti, lienoſi.com.7°.aph.72°.Ex.60.G
Inteſtinorum difficultate ſuperueniente,lienoſo ſi aqua inter cutẽ, aut inteſtinorum læuitas aduenerit moriũtur.cõ.6°.aph.43°.Ex.51.B
Inteſtinorũ difficultas q̃q;,et q̃ ſanat lienoſos.c.6°.aph.43°.Ex.51.B
Inteſtinorum difficultas quæ ſanabilis,et quę non,& quomodo fiat,& quæ lætalis.com.4°.apho.24°. *Ex.30.A*
in Inteſtinorum difficultate ſi veluti caruncule exeant,letale eſt.com. 4°.aphoriſmo.26°. *Ex.30.C*
Inteſtinorum difficultas, vel aqua inter cutem, vel mentis alienatio a furore bonum.com.7°.apho.5°. *Ex.54.C*
Inteſtinorũ excoriatiõib° p deſt theriaca.& vſu ther.ad Pãph.5ª 98.H
Inteſtinorum difficultas.lege Alui fluxus.
INTESTINORVM *læuitas vnde ſortita eſt nomen, & quod nomen con uenientius fuiſſet.com.6°.aphor.1°.* *Ex.45.G*
Inteſtinorum læuitas quid.com.6°.apho.1°. *Ex.45.G*
Inteſtinorũ læuitas quid ſit,& cur fiat autũno.c.3°.aph.22°.Ex.24.F
Inteſtinorum læuitas qd,& ex qbus cauſis fit.c.4°.aph.12°.Ex.28.E
ĩ Inteſtinorũ leuitate facultatis retẽtricis priuatio.& ſym.dif.3ª.12.D
Inteſtinorũ læuitas,difficultas,tentio, apud Eraſiſtratũ, deinde alios antiquos qũo,& ex qua cauſa fiant.com.6°.aph.1°. *Ex.46.C*
Inteſtiorũ læuitates quot modis,et p quot fieri p̃t.c.3°.a.30°.Ex.26.F
Inteſtinorum læuitas ex quibus cauſis fiat.com.6°.aph.1°. *Ex.45.H*
vt Inteſtinorum læuitas circa aluum,ita circa veſicam diabetes.1°.de criſibus. *4ª.129.H*
Inteſtinorum & renum læuitatis differentia.6°.de loc.af. *4ª.38.A*
Inteſtinorum læuitas ſubito fieri non poteſt.6°.de loc.af. *4ª.37.H*
Inteſtinorũ læuitas ex ſola ĩteſtinorũ læſione fit.c.6°.aph.43°.Ex.51.B
Inteſtinorum imbecillitas facit inteſtinorum læuitatẽ,& quomodo co- gnoſcatur quando fit ab alijs cauſis.com.6°.aph.1°. *Ex.45.H*
Inteſtina magis roborat vinum auſterũ q̃ aqua.6°.met.med. *7ª.39.D*
Inteſtis vinũ meracius magis cõuẽit.& vi.ra.ĩ mor.acu.c.3°.7ª.127.A
Inteſtinis ĩferiorib.q̃ flatuoſa vina nõ ſint nocua,et cur.& vi.Sp.76.F
Inteſtina corroborantur a lente bis cocta.de alim.fac. *2ª.13.C*
Inteſtinorum læuitas ex dyſenteria.intro. *If.57.E*
Inteſtinorum læuitas ſuperuenit ab inteſtinorum difficultate com.7°. aphoriſmo.72°. *Ex.60.G*
Inteſtini partem imam humidam reddit oxymeli parum acre, & facit ramenta.de vict.rat.in morb.acu.com.3°. *7ª.130.C*
Inteſtinorũ leuitas,et difficultas morbi ex bile.cõtra Iulianũ.Ex.67.G
Inteſtina plena humoribus maxime pituita faciunt leuitatem inteſtino rum.com.6°.aph.1°. *Ex.46.A*
Inteſtiorũ leuitate diuturnæ cũones ſiccitatẽ faciũt.1°.& dif.ſe.3ª.34.D
Inteſtinorum longa difficultate ſuperueniẽte,ſi lienoſis aqua inter cutẽ ſuperuenit,aut ĩteſtinorũ læuitas,pereũt.cõ.7°.aph.72°.Ex.60.G
Inteſtinorũ læuitate, id eſt lienterie, laborantes, hectica correpti ſunt 1°.de diſſ.feb. *3ª.35.F*

in Inteſtinorum

in Inteſtinorum longis leuitatibus ſi ructus acidus fiat, qui prius non fuerit, bonum.com. 6°.aph. 1°. Ex.40.G
Inteſtinorum lęuitate laborantes hiberno tẽpore purgare, malum.com men.4°.aph.12°. Ex.28.A
ad Inteſtinorum lęuorem.de med.fac.par. 7ª.167.F
Inteſtinorum lęuitas.lege Leuitas inteſtinorum.
INTESTINA *vnde fiant aſpera.de cau.morb. 3ª.9.C*
Inteſtinorum aſperitatibus medetur ouum.11°.de ſimp.me.ſa 5ª.81.F
ad Inteſtinorum ſciſſuram, quæ bona.de med.fac.par. 7ª.168.A
Inteſtinorum ſuppurationes ruptæ faciunt puris deiectionem com.7°. aphoriſmo.8°. Ex.54.E
INTESTINVM *qua de cauſa procidat muſculo vulnerato.6°.methodi medendi. 7ª.39.B*
Inteſtina mouentur ſuis ſedibus, cum diſſecto omento deciderint. de cau.mor. 3ª.9.E
Inteſtinum quod in ſcrotum iam decidit, in ſuum locum reponi deſiderat.3°.met.med. 7ª.16.C
Inteſtinorũ q̃ pciderũt collocatio, ſpẽs cõpõnis chirurgiæ.intr. Iſ.59.E
Inteſtini recti collocatio ſpẽs compoſitionis chirurgiæ.intr. Iſa.59.E
Inteſtina ẽt ſi exeãt, intro mittuni ſine lęſione.c.6°.aph.58°.Ex.53.F
Inteſtinum cæcum ſolum, quia ſolutum facile deſcendit in ſcrotum.in 6ᵐ.de morb.vulg.com.4°. 3ª.179.G
Inteſtinum in ſcroto quomodo curandum.ars med. Iſ.71.C
in Inteſtinis ſi vas magnum præruptum, adſtringentibus vtendum, & quibus.5°.met.med. 7ª.31.G
in Inteſtinis ſi vas paruum ſit præruptum, quibus adſtringentibus vtẽdum.5°.meth.medendi. 7ª.31.G
Inteſtinorum cuiuis laboranti non ſunt admonenda adſtringentia.11°. methodi medendi. 7ª.73.B
ad Inteſtinorum affectiones antidotus.2°.de antid. 5ª.120.E
Inteſtina confortans medicamentum.de med.exper. Sp.104.G
ad Inteſtinorũ vlcera vtiliſſima eſt theriaca.de ther.ad Piſ. 5ª.96.B
INTESTINA *carnibus contuſis, & ſimilagine implebant.de fract.com mentario.3°. 7ª.245.H*
Inteſtina ſi coquantur qualem ſuccũ generant.3°.de alim.fac.2ª.27.E
Inteſtina ſunt cibaria media.de diſſ.cont. Sp.74.C
Inteſtina tarde digeruntur.de diſſ.cont. Sp.73.D
Inteſtina parum nutriunt, cur.de diſs cont. Sp.73.F
Inteſtina cibus craſſus, & cur.de diſſ.cont. Sp.72.H
INTESTINO *bello ægrotant ciuitates, cum ſeditiones in illis fuerint. 5°.de decr.Hipp. 1ª.255.C*
INTESTINVM *terræ, animalculum.3°.de comp.med.ſe.lo.5ª.145.A*
Inteſtina terræ lumbrici.11°.de ſimp.med.fac. 5ª.82.D
Inteſtinum terræ calculos veſicæ conterit.de ther.ad Piſ. 5ª.93.F
Inteſtinũ terræ regio morbo laborantẽ liberat.d̃ ther.ad Piſ.5ª.93.F
Inteſtinũ terræ podadricorũ ĩflãmatiõib⁹ medeť.d̃ ther.ad Piſ.5ª.93.F
INTIMA *calida, extrema frigida, malum.in prog.cõm.2°. 4ª.198.C*
INTORQVENDA *qũo ſit vena & arteria.5°.met.me. 7ª.40.G*
INTRANEORVM *calorem vſitatum extirpat triaſandali.de dynamidijs. Sp.26.E*
Intrinſeca membra ſeruientia, quæ.de ana.viuo. Sp.45.D
Intrinſecus rugoſa eſt forma cordis, quando conſtringitur, plana, quãdo dilatatur.de ana.vin. Sp.56.C
ab Intrinſeco oſſe propter duritiem magis læditur caro cõquaſſata ab extrinſeco.de ana.viuo. Sp.55.D
Intrinſeca pro febre auferenda quæ.10°.met.me. 7ª.64.D
Intrinſecis vulneribus non poſſunt applicari medicamenta, ſicut extrinſecis.com.6°.aph.18°. Ex.48.B
in Intrinſecis vlceribus, quæ ſumi non debent.4°.met.me. 7ª.28.H
INTRORSVM *oblique, ſurſumq̃ digitos mouentes muſculi quinque. de muſc.diſſ. 1ª.49.A*
Introrſum, & retrorſum femur adducẽs muſculus.de muſ.diſſ.1ª.50.F
Introrſum non nihil tibiam mouens muſculus.de muſc.diſſ. 1ª.50.F
Introrſum magis totũ femur inuertens muſculus.de muſ.diſſ. 1ª.50.G
Introrſum adducens totum femur muſculus.de muſ.diſſ. 1ª.51.C
Introrſum tibiam inuertens muſculus, in rectum illam attollendo.de muſc.diſſ. 1ª.51.D
Introrſum ſimul, & parum per retrorſum femur agens muſculus. de muſculorum diſſectione. 1ª.51.F
Introrſum ſi vergãt ſucci, ad exteriora fiat reuulſio.d̃ cucur.ſc.6ª.4.C
INTVBVS *crudus conuenit ſtomachicis.8°.de cõp.med.fac.5ª.192.C*
INTVENTVR *qui inconniuẽter. 4°.de præſag.ex pulſ. 4ª.120.H*
INTVITVM *proprium placuit empiricis non cognitionem modo, ſed & experientiam appellare, de ſubſt.empi. Iſa.31.F*
INTVMESCENTIA *quid proprie ſit.de fract.com.3°. 7ª.243.C*
Intumeſcentes purgandi non ſunt.in pror.com.2°. 4ª.174.D
Intumeſcere non permit Narciſſi bulbus.de ſimp.me.fac. Sp.87.H
Intumeſcere non patitur laxata emplaſtrũ barbarum.de dy.Sp.35.F
INTVS *relinqui dupl̃r accipiuur.in 6ᵐ.de mor.vul.com.1°.3ª.164.A*
Intus qũo cognoſcatur factã eſſe ſeppurationẽ.cõ.7°.aph.8°.Ex.54.D
INTYBI *an ſit ſeres dubitat Galenus.2°.de alim.fac. 2ª.22.G*
Intybi habent ſimilem facultatem cũ lactucis.2°.de alim.fac.2ª.22.G
Intybi ſunt minus ſuaues lactucis.2°.de alim.fa. 2ª.22.G
Intybi ſuccus infrigidat.10°.met.me. 7ª.65.A
Intybum refrigerat.14°.met.me. 7ª.87.E
INVENIENDA ſunt aliqua remedia per indicationem, vel per experientiam.com.6°.aph.38°. Ex.50.E
Inueniẽda oĩa rõne, & experientib.ſed diſtincte.3°.met.me.7ª.16.D
INVENIRE *quod quæritur docet logica.1°.met.me. 7ª.4.F*
Inuenire methodo quid ſit.1°.met.me. 7ª.4.H
Inueniuntur multa quotidie, q̃apud antiquos non erant inuenta.14°. methodi medendi. 7ª.92.H
Inuenıri non contingit verum ex falſis.3°.de criſ. 4ª.142.C
Inueniri non poteſt quod nuſquam exiſtit.4°.de digno.pulſ. 4ª.84.H
Inuenire qui non poteſt dliquid etiam per multos annos, non debet animum deſpondere.1°.de digno.pulſ. 4ª.70.G
Inueniunt̃ quæſita cũ vſura, & qũo paulatim.1°.de dig.pul. 4ª.70.G
Inueniuntur res, non primo.6°.de comp.med.per ge. 5ª.255.H
Inueniuntur q̃ per rõnem, qũo inueniant̃.de cu.ra.p ſang.miſſ.6ª.16.D
Inuenit auctor libri de motibus manifeſtis & obſcuris muſculum qui vtranque mouet genam.de mot.man.& obſ. Sp.67.C
INVENTIO *vnum ex principijs medicinæ.intro. Iſa.50.H*
Inuentio artium non conſideranda, ſm aliquos.3°.de loc.aff. 4ª.14.H
Inuentio empirica, & logica nõ ſimul cõfundẽda.2°.met.m. 7ª.13.E
de Inuẽtione logica docet in libro methodi Galenus.2°.me.m.7ª.13.B
ad Inuentionẽ auxiliorum quæ conferant.8°.met.me. 7ª.56.D
Inuentionis duo inſtra, rõ, & expientia.1°.met.me.4.F/3°. 7ª.16.G
Inuentionis principia, quæ.1°.de ſimp.med.fac. 5ª.8.E
Inuentionis principium ſunt ſenſui nota.de op.ſect. Iſa.20.B
Inuentio fit longo tempore.1°.de dieb.decr. 4ª 147.C
Inuentio quæ ſit per rationem quomodo fiat.1°.met.me. 7ª.5.A
Inuẽtio affectuũ, eſt cognitio præſentiũ.4°.de præſag.ex pul.4ª.121.F
Inuentio cauſarũ affectus, eſt cognitio præteritorum. 4°.de præſagitione ex pulſibus. 4ª.121.F
de Inuentione Nilei Plinthij hiſtoria.de machin. 7ª.311.B
INVENTOR *primus philoſophiæ apud Ione Thales Mileſius. de hiſtoria philoſophica. Sp.2.D*
Inuentor moralis philoſophiæ Socrates.de hiſt.philoſ. Sp.2.C
Inuentor Dialecticæ Socrates.de hiſt.philoſ. Sp.2.C
Inuentor quorum fuerit Hippocrates, & q̃ non mirum ſi multa prætermittut.de vict.rat.in mor.acu.com.2°. 7ª.121.H
INVENTAE *qũo ſint ſpẽs laſſitudinis.de mot.ma.& obſc. Sp.67.C*
Inuenti fidem dat experientia.5°.de ſan.tuen. 2ª.93.G
Inuentis neceſſe eſt aliquid addere propter ſermonis falſitatem.commenta.7°.apho.64°. Ex.60.D
INVERTENS *totum femur introrſum magis muſculus. de muſculorũ diſſectione. 1ª.50.G*
Inuertẽs genu articulationẽ ad exteriora muſcul⁹.de muſ.diſſ.1ª.51.A
Inuertẽs pedẽ leniter extrorſũ, et retrorſũ muſculus.d̃ muſ.di.1ª.52.B
Inuertens tibiam introrſum in rectum illam attollendo muſculus. de muſculorum diſſectione. 1ª.51.D
Inuertens tibiam ad exteriora oblique, et ſimul illã flectens muſculus de muſculorum diſſectione. 1ª.51.E
Inuertens ad interiora caput muſculi, & vnà ſurſum tollens muſculus.de muſculorum diſſectione. 1ª.51.B
INVETERATA *vnde ſint.4°.meth.med. 7ª.28.C*
in Inueteratis affectionibus conuenit ſanguinis detractio.2°.de comp. med.ſec.loc. 5ª.137.H
Inueterata atra bilis difficulter curat̃.d̃ mel.ex Gal.R.et P. Sp.109.H
ad Inueterata, & quæ difficilem curationem habent quid bonum.5°. de comp.med.per ge. 5ª.251.B
ad Inueterata et calloſa cõmodũ.4°.de comp.me.per ge. 5ª.242.B
ad Inueteratas oculorũ affectiones qd vtile.4°.d̃ cõp.m.ſ.l. 5ª.152.H
ad Inueteratas affectiones catapotium accommodatum.7°. de cõpoſi-

tione medic vncentorum secundum locos. 5ª.182.C
ad Inueteratas affectiões malagmata.9°.d cõp.m.s.l.199.E/ 5ª.200.B
ad Inueteratos affectus malagma bonum.10°.de compo.secundum locos.207.E/ 5ª.208.B
ad Inueteratos affectus myracopon bonũ.7°.de cõp.m.p ge. 5ª.271.G
INVICTVM *emplastrum quod,& quare ita vocatum.6°.de composi. med.per gen.* 5ª.256.D
Inuitum appellatum emplastrũ quale.2°.de cõp.m.per ge. 5ª.227.D
INVIDIA *quid,& eius remedia.de cog.cur.animi mor.* 2ª.53.G
Inuidia animi affectus,& perturbatio.de cog.cur.ani.mor. 2ª.50.G
Inuidiæ euitandæ,& quare ars med. If.68.E
Inuidia omnium vitiorum fœdissima.de cog.cur.animi mor. 2ª.53.G
INVIDI *sunt qui aut veterum monumenta supprimunt,aut demoliũtur.de natu.hum.com.1°.* 1ª.28.F
INVIGILANTES *phlegma facit.de dyna.* Sp.19.E
INVIGSATIO *quid sit.de ocul.* 7ª.186.H
INVOCALE *dupliciter dicitur,& quid secundum vtrumque modum significet.4°.de decr.Hippocratis.* 1ª.250.B
INVOLVTA *cur sint intestina.de ana.viuo.* Sp.50.A
Inuolutum siue ileon intestinum tertium est.de ana.viuo. Sp.50.B
Inuolutum multum cur sit ileon intestinum.de ana.viuo. Sp.50.D
INVNCTILES *liquidæ compositiones.4°.de comp. medicamen.secundum locos.* 5ª.151.B
INVNCTIO *quid faciat post lauationes.7°.met.me.* 7ª.45.B
Inunctio adhibetur in declinatione morbi.de op.sect. Isa.27.G
Inunctio facit intemperiem.1°.de san.tuen. 2ª.68.B
INVSTIO *quo fiat in ventre.de vict.rat.in mor.ac.cõ.4°.* 7ª.149.B
ad Inustiones epicaumata a græcis dictas, compositiones cõmode.4°. de comp.med.sec loc. 154.G/5ª.155.B/D,F/H
INVSTVM *vlceratio quædam oculorum.fin.med.* Isa.48.D
INVTILE *in quibus abijcitur.de cau.mor.* 3ª.9.D
IOANNIS *filij Ligorij medici potio ad paralysim. de dynamidijs.* Sp.31.C
IOCOSE semper seria immiscebat Socrates.1°.de vsu par. 1ª.115.D
IOLLAS scriptor simplicium.1°.de antidotis. 5ª.100.B
IONTHOS, id est varus interpretatur a Galeno.2°.met.med.9.F/de reme.par.fac. 7ª.157.B
ad Ionthos conueniunt balani myrepsicæ recrementa.6°.de simpliciũ medicamentorum facultatibus. 5ª.44.D
IONICVM *genus philosophorum.de hist.philo.* Sp.2.F
Ionica nomina exquisite sciuit Galenus.ad Thra. 2ª.107.A
de Ionicis noĩb⁹ pmittit se scripturum Galenus.2°.de dif.p. 4ª.59.A
IOS æruginis quid efficiat.9°.de simp.me.fac. 5ª.69.D
Ios.i. viola,in quibus conueniat.6°.de simp.med.fac. 5ª.48.F
ΗΠΑΤΙΚΟΣ *iecinorarius interpretatur a Galeno.de fracturis.com.2°.* 7ª.240.G
si cũ IPHICLO comparemur pedibus parum valemus.1°.de sanitate tuenda. 2ª.63.H
IPOTERIVM inscriptum malagma.9°.de cõp.me.sec.loc. 5ª.200.B
Ipoterium aliud.9°.de comp.med.sec.loc. 5ª.200.B
IRA *quid sit.de dec.Hip.4°.248.F/5°.258.C/6°.260.F/267.B/7°.1ª.268.H/de cauf.morb.3ª.6.F/2°.de cauf.pulf.4ª.91.C/de virt.noſtrũ corp.diſpen.* Sp.60.D
Ira quid secundum Platonem.de palp. 3ª.54.B
Ira est ægritudo animi.de cog.cur.animi morb. 2ª.50.G
Ira animi affectus,& perturbatio.de cog.cur.animi mor. 2ª.50.H
Ira non est auctus calor,sed veluti feruor caloris in corde.2°.de sanitate tuenda. 2ª.74.B
Iræ viscus debet esse calidissimum.6°.de decr.Hip. 1ª.266.G
Ira est in pectore.3°.de decr.Hippo.242.B/ 1ª.246.G
Iræ motus qui.2°.de symptomatum causis. 3ª.23.D
Ira est veluti feruor quidam,ac vehemens motus potentiæ irascibilis in ipso corpore cordis sita.1°.de diff.feb. 3ª.31.E
q Ira sit ĩnati caloris feruor ĩ corde antiqua opinio ẽ.3°.d dc.1ª.241.F
Iræ vindictæ appetentia est quid accessorium, non eius essentia.2°.de sanitate tuenda. 2ª.74.B
Ira cor exturbat.6°.de decr.Hipp. 1ª.261.G
Irç,& pulsus,arteriarum,& innatę caliditatis principium est in corde.in Timæum Pla. 1ª.287.D
Ira a corde naturaliter procedit.de spermate. Sp.37.B
Iræ motus in corde.5°.de decr.Hipp. 1ª.254.B
Iræ impetus quo casu fiunt.de decub.progn.ex math.scien. Sp.12.H
Iram a luna tenuit Alexander.de spermate. Sp.38.H
Ira quandoque vtuntur equus,& taurus.3°.de vsu par. 1ª.128.B
Iram comparat equo Galenus.3°.de decr.Hip. 1ª.242.F
Ira,temeritas, atque immanitas iuncta mentis delirio notant atram bilem peccare.com.4°.apho.2°. Ex.27.F
ad Iram præcipites facit vinum.1°.de san.tu. 2ª.66.H
in Ira quæ contingant.2°.de decr.Hippo. 1ª.239.G
in Ira facies inflatur & rubescit,& alia quæ ad ipsam sequuntur 3°. de decr.Hippo. 1ª.241.F
in Ira minus inflata & rotunda faciæ, q̃ in ira deberet, apparere ſ p compreſſionem cordis dilataretur arteria.de ana.viuo. Sp.47.A
in Ira cur in posterum non recordamur eorum quæ egimus.2°.de motu musculorum. 1ª.315.B
Ira cur rationem trahit.3°.de decr.Hipp. 1ª.242.F
Ira est potentior consilio.3°.de decr.Hippo. 1ª.243.A
ab Ira quorum rationes facile vincantur.3°.de decr.Hipp. 1ª.242.F
Ira vincit barbaros,& ineruditos.3°.de decr.Hipp. 1ª.243.B
Iræ scruiunt pueri quasi bestiæ.3°.de decr.Hipp. 1ª.145.G
Iræ euitandæ,quia alterant,& a naturali statu corpus auertunt ars medicinalis. If.68.E
Iram non posse mitigare, cum equi ad parendum idonei reddantur, q̃ turpe admodum est.de cognoscendis.cur animi morbis. 2ª.52.G
Ira minimum affici videtur, qui ratione plurimum vtitur.3°.de decr. Hippocratis. 1ª.245.H
Iræ quid faciant fœtui.11°.de vsu par. 1ª.188.B
Ira facit aborsum.comment.4°.apho.53°. Ex.52.D
Iram quid faciat.4°.de decr.Hippo. 1ª.252.D
Ira quid faciat ex Homero.3°.de decr.Hippo. 1ª.242.A
Ira excitat calorem innatum.3°.de diff.resp. 3ª.75.B
Ira generat bilem.in 6ᵐ.de morb.vulg.com.1°. 3ª.157.A
ab Ira cum sanguis immoderatus feruet,fieri potest inæqualis intemperies in toto corpore.de inæq.intemp. 3ª.44.D
Ira auget halitum fuliginosum.10°.met.me. 7ª.62.H
Ira parit morbos.de nat.hu.com.2°. 7ª.182.B
Ira ascendit febres.1°.de sanitate tuẽda.2ª.65.G/de cauſ.mor.3ª.6.B
ex Ira quidam febricitant.1°.de diff.feb. 3ª.31.F
ex Ira febris quo modo fiat.1°.de diff.feb. 3ª.31.B
ex Ira ephemeræ quo modo fiant.1°.de diff.feb. 3ª.32.G
ob Iram ephemera facta quo modo cognoscitur.2°.de crisib.4ª.138.F
ex Ira ephemera qualis.2°.de crisi. 4ª.138.G
ob Iram causis factus.de vict.rat.in mor.acu.com.4°. 7ª.134.F
ex Ira febris orta sub cane,extincta fiat aqua frigida a Galeno exhibita.10°.met.me. 7ª.63.F
ab Ira siccitas inducta quo modo corrigatur.3°.de san.tuen. 2ª.81.G
Ira validam exercitationem concitat.1°.de cauſ.pulſ. 4ª.87.H
Ira vires resoluit.12°.met.me. 7ª.77.D
ex Ira animi defectus quo modo curetur.1°.de art.cur.ad Gl.7ª.99.G
ab Ira nemo interijt.2°.de sympt.cauſ. 3ª.23.E
Ira quando euitanda,& q̃n nõ.in 6ᵐ.de mor.vulg.com.5°. 3ª.190.G
Ira conuenit calculosis quandoque.de ren.aff.dig.& med. 7ª.194.F
ab Ira prorsus liberari simul ac quis velit,non continuo quis põt,cõprimere aũt illius perturbationis intemperantiam atq; insolentiam potest.de cogn.cur ani.mor. 2ª.51.G
in Ira deprimenda quando qs profecerit.de cog.cur.aĩ mor. 2ª.53.E
Ira potest a ratione cohiberi.3°.de decr.Hip. 1ª.242.F
Ira a quibus vincatur ratione.3°.de decr.Hipp. 1ª.243.B
Iram vicit Vlysses.3°.de decr.Hipp. 1ª.242.G
Ira sub quarta parte medicinæ continetur.ad Thra. 2ª.108.D
Iræ pulsus qualis,de pulſ.ad tiron.44.H/3°.de differ.pulſ.61.F/1°.de cauſ.pulſ.87.H/2°.94.C/4°. 4ª.99.F
ob Iram magnus pulsus quo modo.1°.de præ.ex pulſ. 4ª.104.H
Iram reprimentis pulsus.1°.de præſ.ex pul. 4ª.105.A
ad Iram pulsus motus comparatio,quæ.6°.de decr.Hipp. 1ª.260.H
Ira ex animi affectibus excrementa quieta calefacit,attenuat,et excitat.2°.de symptomatum causis. 3ª.22.D
Iræ nõ indigẽt frictionibus,& lauationibus multis.8°.me.m. 7ª.52.E
IRACVNDIA *vbi sit,& quo modo gignatur.in 6ᵐ.de morbis vulgaribus.commenta.5°.* 3ª.190.B
Iracundia in pueris reperitur,sicut & in bestijs,quanquam minimum rationis habent.5°.de decr.Hippo. 1ª.260.B
ad Iracundiam hominem facilem esse ex motu arteriæ vehementi concipitur.quòd animi mores. 1ª.320.C

Iracundia bilioſas naturas maxime accendit, & febres acutas facit. 6°. de ſanitate tuenda. 2ª.96.E
Iracundiam à rõne differre per ſenoꝝ. 5°. de decr. Hipp. 1ª.260.D
Iracundia & ratio ſe habent vt equus & equus, & canis & venator. 3°. de decretis Hippocratis. 1ª.242.F
Iracundiæ & rationis certamen. 3°. de decr. Hipp. 1ª.242.G
Iracundia data à natura, vt rationi opituletur. 5°. de decre. 1ª.260.A
Iracundia quando opitulatur rationi. 5°. de decr. Hipp. 1ª.260.A
Iracundia ſola in nullo eſt corpore. 6°. de decre. Hipp. 1ª.261.F
q Iracundia in corde probatur. 3°. de decre. Hipp. 1ª.242.A
Iracũdiæ ſemp ſuccũbebãt Hector, & Achilles. 3°. de decre. 1ª.242.F
Iracundiæ dominabantur Vlyſſes, Polydamas, & Neſtor. 3°. de decretis Hippocratis. 1ª.242.F
in Iracundia cauẽda opus eſt ſe exercere. de cogn. cur. ani. mo. 2ª.52.B
Iracundia accendit febres. 1°. de ſan. tuen. 2ª.65.G
Iracunde facere Plato quid dixerit. 5°. de decre. Hip. 1ª.260.D
Iracunda pars animæ eſt cordis temperatio. q animi mor. 1ª.318.D
IRACVNDIORES *q ſint, & cur. in 6ᵐ. de mor. vul. cõ. 4°.* 3ª.186.F
Iracũdi cõtrarij iratis, & quo modo. in 3ᵐ. de mor. vul. c. 2°. 3ª.115.g
Iracundi quales. de cognoſ. cur. animi morbis. 2ª.52.C/*in 1ᵐ. de morbis vulgaribus, com. 2°.* 3ª.115.G
Iracundus eſt naturaliter ſanguineus, tamẽ iram deponit à corde procedentem aliqua occaſione ſuperueniente. de ſpermate. Sp.37.B
Iracundi efficimur ob calidam temperaturam. q animi mor. 1ª.321.G
Iracundi qũo cognoſcantur ex motu arteriæ. 6°. de decre. 1ª.266.E
Iracundi puſillanimes. in 1ᵐ. de morbis vulg. com. 2°. 3ª.115.G
Iracundi animoſiſſimi Leoni aſſimilantur. 3°. de decre. Hipp. 1ª.243.C
Iracundi quando moriebantur. in 1ᵐ. de morb. vulg. com. 2°. 3ª.115.D
IRASCENTIS *impetus nihil ab inſania & etiam à furore differt. de cogn. cur. animi morbis.* 2ª.52.C
Iraſcentium ſignum quod. in 1ᵐ. prorrh. com. 3°. 4ª.184.D
Iraſcentium quanta animi deformitas in membris habendum in memoria. de cogn. cur. animi morbis. 2ª.52.F
non Iraſcentium quantus decor. de cogn. cur. animi mor. 2ª.52.F
de IRASCIBILI *parte quid ſentiant Ariſtoteles & Poſidonius. 5°. de decretis Hippocratis.* 1ª.259.F
Iraſcibilis anima an pars diſtincta ab alijs. 5°. de decr. Hipp. 1ª.259.E
Iraſcibilis, concupiſcibilis, & rationalis, tres animæ facultates. in Timæum Platonis. 1ª.287.C
Iraſcibilis, rationalis, & cõcupiſcibilis partes diuerſæ ſecundum Platonem. 5°. de decre. Hipp. 1ª.259.G
Iraſcibilis pars animæ irrationalis. 2°. de decr. Hipp. 1ª.239.G
Iraſcibilẽ, & cõcupiſcibilẽ habẽt aĩalia irrõnalia. 5°. de dec. 1ª.258.C
Iraſcibilis animę pars in corde. 2°. de decre. Hippo. 1ª.239.G/*3°. de locis affectis.* 4ª.16.E
Iraſcibilis principium eſſe cor, demonſtratio. 8°. de decr. Hip. 1ª.273.F
Iraſcibilis vis collocata eſt in iecore. 9°. de decre. Hipp. 1ª.285.E
Iraſcibilis anima in iecore. 3°. de decretis Hippocratis. 1ª.246.C
in Iraſcibilem partem quãdoq; maxime imperat ratio, ſed hoc eſt rariſſimum. 3°. de decre. Hipp. 1ª.243.B
Iraſcibilis facultas rationali aduerſus concupiſcibilem in corpore habitantem opitulatur. in Timæum Plat. 1ª.287.C
Iraſcibilis nũquã adiuuat concupiſcibilem. 5°. de decr. Hip. 1ª.259.G
Iraſcibilis an ſit mortalis vel immortalis non confert medicinæ, neque morali. 9°. de decr. Hipp. 1ª.285.E
Iraſcibilis animæ affectus, & opera. 3°. de decre. Hipp. 1ª.245.E
ex Iraſcibili trahimur ad victoriam. 5°. de decre. Hipp. 1ª.256.H
IRASCIMVR *virtute proueniente à corde. de vir. noſt. corp.* Sp.60.B
Iraſcendi vis in corde ſm peripateticos. 2°. de decre. Hipp. 1ª.235.F
Iraſcitur ſibi nemo, q à libidine deſiſtere ppoſuerit. 5°. de dec. 1ª.259.G
Iraſceretur cum grammaticus quidam, morbo comitiali corripiebatur. 5°. de locis affectis. 4ª.35.F
IRATIS *contrarij iracundi. in 1ᵐ. de morb. vulg. com. 2°.* 3ª.115.G
Irati facies, qualis. de cogn. cur. animi mor. 2ª.51.G
Irati oculi, efferati. de cogn. cur. animi morbis. 2ª.51.G
Irati magnanimi. in 1ᵐ. de morb. vulg. com. 2°. 3ª.115.G
Iratorum reſpiratio, qualis. 3°. de diff. reſp. 3ª.73.B
Iratorum pulſus, qui. 2°. de ſymp. cau. 3ª.23.D
Iratorum pulſus altus. 2°. de cauſ. pulſ. 3ª.94.C
Iratorum & corporum gracilium pulſus. 2°. de cauſ. pul. 3ª.94.F
Iratus dũes, noli iubere vt aliquis aliũ puniat. de cog. cur. an. 2ª.52.C
HPEMIA *quid. 1°. de pulſ. diff.* 4ª.48.C

IRINGIVM manditur vt cibus, dum oritur, & adoleſcit. de attẽ. victu. 2ª.44.A
Iringium habet magnã incidendi facultatẽ. de attẽ. victu. 2ª.44.A
IRINI *romani experimentum. de med. exper.* Sp.104.F
IRINVM. *vnguentum fit in Perga. 2°. de comp. me. ſec. lo.* 5ª.135.F
Irino vnguento vtebantur antiqui. 3°. de ſimp. med. fac. 5ª.18.F
Irinũ vnguentum, optimũ in quibus affectibus. 3°. de ſan. tuen. 2ª.81.C
Irinum vnguentum aperit. 5°. de ſimp. med. fac. 5ª.35.F
Irinũ vnguẽtũ rarefacit, & diſcutit. 9°. de com. med. ſec. loc. 5ª.197.F
cum Irino oleo vinum prouocat ſudorem. de catharticis. Sp.95.D
Irinum oleum qũ conueniat in fomento. de remed. par. fac. 7ª.153.H
Irinum oleum pro capitis dolore ex frigore. de rem. par. fac. 7ª.153.F
Irinum vnguentum conuenit frigiditatibus. 3°. de ſanita. tuen. 2ª.81.C
Irino vnguento vti oportet poſt balneũ. 8°. meth. med. 7ª.51.F
Irino illita pyxis lignea cuius ſit vſus 5°. de cõ. me. per ge. 5ª.250.E
Irini vnguẽti fex repurgãs, & extergens. 1°. de cõ. me. ſe. lo. 5ª.129.H
Irinum. 7°. de compo. med. per genera. 5ª.274.D
IRIONIS *medicamentã ex quibus cõſtet. 6°. de comp. med.* 5ª.259.D
IRION *herba ad quid valeat. de med. fac. par.* 7ª.167.E
Irion quale. 7ª. de comp. med. ſec. loc. 5ª.179.A
Irion torrefactum ingreditur in Arteriacam laudatam Mitridatis. 7°. de compoſi. medicamen. ſec. loc. 179. A/ 5ª.182.B
Irion torrefactum in confectionem ingreditur, quæ Panchreſtus dicitur. 7°. de comp. med. ſec. loc. 1ª.185.H
IRIS *quomodo fiat. 7°. de decre. Hipp.* 1ª.272.C
Iridem vident lippi ad lucernam. de hiſt. philoſ. Sp.8.A
Iris ſiue corona (vt à nonnullis dicitur) quid. 9°. de vſu par. 1ª.178.C
in Iride ſeptum ſunt circuli. 9°. de vſu partium. 1ª.178.F
Iris græce quid ab aliquibus dicatur. 14°. meth. med. 7ª.93.G
IRIS *quid. de ſimp. medicamen.* Sp.85.D
Iris inter aromata connumeratur. 7°. meth. med. 7ª.44.A
Iris quæ. introd. Iſa.53.A
Iris qualis. 5°. de comp. med. ſec. loc. 170. G/ 5°. de compo. med. per ge. 5ª.247.C/ *3°. methodi medendi.* 7ª.18.A
Iris ſubtilior ijs quæ terrenæ ſunt ſubſtãtiæ. 4°. de ſim. me. fac. 5ª.30.B
Iris imbecillior centaureo, & chamælea. 5°. de cõp. me. p g. 5ª.246.A
Iris agreſtis cuius ſit facultatis. 6°. de ſimp. med. fac. 5ª.47.G
Iris ſylueſtris. 10°. de comp. med. ſec. lo. 5ª.206.D
Iris aſtragalitis. 1°. de comp. med. ſec. loc. 5ª.125.A
Iris candida. 8°. de comp. med. ſec. loc. 5ª.196.E/G
Iris Illyrica, qualis. 9°. de comp. med. ſecundum loc. 5ª.202.A
Iris in Illyrico nata optima eſt. 1°. de antid. 5ª.105.D
Ireos illyricæ radix acris eſt. 13°. meth. med. 7ª.85.E
Ireos illyricæ radix ad curãdos ſinus valet. 2°. d ar. cu. ad Gl. 7ª.106.G
Iridis illyricæ cum Lybica comparatio. 1°. de antidotis. 5ª.105.A
Iris illyrica odoratas reddit compoſitiones. 1°. de cõ. me. ſe. l. 5ª.128.C
Iris illyrica ponitur in theriaca. de ther. ad Piſo. 5ª.92.D
Iris illyrica emollit. 7°. de comp. med. per gen. 5ª.268.A
Iris illyrica. 1°. de antidotis. 5ª.105.D/ 5°. meth. med. 7ª.38.G
Iris longa. de med. fac. par. 7ª.167.E
Iris Macedonica. 7°. de comp. med. per ge. 5ª.269.H
Irios radix fulua flaua, & rubra alba calidior, ſicut in quoque genere ſimilia alia. 4°. de ſimp. med. fac. 5ª.31.D
Iris. 5°. methodi medendi. 7ª.34.B
Irin multi poſſunt guſtare & intueri, tamen eius vtilitatem ignorant. 1°. de elementis. 1ª.5.H
Iris viſcide excalfacit, ſternutare facit, excalfacit ſuauiter, vulnera concaua late replet. de ſimp. med. Sp.85.D
Iridis radicum ſuccus cum aceto nihil calefacit. 2°. de compoſi. medicamen. ſecun. locos. 5ª.136.E
Iris aperit. de ocul. 7ª.188.E
Iris meatus purgat. 5°. de ſimp. med. fac. 5ª.35.C
Iris menſes prouocat, & vrinas. 5°. de ſimp. med. fac. 5ª.38.A
Iridis radicis decoctio apit obſtructionẽ craſſam. de me. exp. Sp.104.B
Iris purgat indigeſtibiles cibos in inteſtinis, & lumbricos rotundos. de catharticis. Sp.95.C
Iris vlcera abſtergit & expurgat. 4°. de ſimp. med. fac. 5ª.29.F
Iris parum extergit. de comp. med. ſec. loc. 5ª.171.H
Iris detergit. 8°. methodi medendi. 7ª.52.H
Iris magis detergit, quã moderatiſſima detergẽtia. 8°. met. me. 7ª.52.H
Iris detergens eſt lenis et ſine morſu. 6°. de comp. me. per ge. 5ª.256.F
Iris colorem expurgat, & ſudorem mouet. de cura icteri. Sp.111.C

Iris purgat pulmonem,& thoracem.de cathart. Sp.95.C
Iris quibus immiſceri debet in iecoris phlegmone.13°.me.m. 7ª.83.G
Ireos radix in phlegmone iecoris conuenit.11°.meth.med. 7ª.73.A
Iris ſoluit durities,& parotidas,& feruores.de ſimp.med. Sp.84.C
Iris cruſtas optime diſrumpit.2°.de arte cur ad Glauc. 7ª.107.B
Iris cũ melle,cruſtas optime diſrũpit.2°.d arte cur.ad Gl. 7ª.107.B
Iris ſarcotica eſt.3°.meth.med. 7ª.16.G
Iris vlcera exiccat.4°.de compo.med.ſec.loc. 5ª.236.G
Iris vlcera ſanat.4°.de comp.med.ſec.loc. 5ª.240.G
Iris vlceri cauo conuenit.2°.de comp.med. per genera. 5ª.216.G
Iris carnem explet.2°.de compo.med.per genera. 5ª.220.B
Iris carnem producit.3°.meth.med. 7ª.18.A
Iris illyrica in cephalicorum medicamentorum compoſitionem ingreditur.6°.methodi medendi. 7ª.42.B
Iridis radix ad neruos vulneratos bona.3°.de cõp.me.p ge. 5ª.234.B
Iris qũo ingrediatur in medicamenta.2°.de comp.me.ſe.loc. 5ª.137.G
Iridis ſedimentum.7°.de comp.med.per gen. 5ª.266.G
Ireos puluis cum mulſa vomitum facit.ſecretorum. Sp.95.C
ex Iride & marrubio confectio pro oxymelite dari poteſt.2°.de arte cur.ad Glauconem. 7ª.113.C
Iridis electarium.de med. exper. Sp.105.E
ex Iride oleum mitigatorium in duris corporibus bonum.3°.de compo.medicamen.per genera. 5ª.235.A
Ἱστρεῶν *quid ſignificet.in 1ᵐ.de mor.vulg.com.1°.* 3ª.105.E
Ἡμιατηρίαν *quid ſignificet.de fract.com.2°.* 7ª.241.H
IRRATIONALE quo modo dicatur.4°.de decr.Hipp. 1ª.250.C
Irrationale quid.4°.de decretis Hippocratis. 1ª.240.G
Irrationale dupliciter dicitur.4°.de decre.Hipp. 1ª250.B
Irrationalis,& rationalis partes animæ.5°.de decre. Hip. 1ª.259.D
Irrõnalis vis trahit nos ad ea quæ appetimus.5°.d dec.Hip. 1ª.258.H
Irrationalis & rationalis facultatis belli.5°.de dec.Hipp. 1ª.259.A
ad Irrationalẽ facultatem quæ pertinent.4°.de decr.Hipp. 1ª.248.F
Irrationales animæ actiones morales vocantur.3°.de loc.aff. 4ª.16.G
Irrõnali & rõnali vi quo mõ vtãtur currẽtes.4°.d dec.Hip. 1ª.249.E
Irrationalia animalia habent concupiſcibilem, & iraſcibilem.5°.de decretis Hippocratis. 1ª.258.C
Irrationalis pulſus qui,& in quo conſiſtant.comp.pul. Sp.65.D
IRRITATIONES *per circuitum repetentes quod pharmacum iuuat.8°.de com.med.ſec.loc.* 5ª.191.E
IRRORARE *aceto medicamentum digito quid ſit.7°.de compoſitio. medi.ſecundum locos.* 5ª.186.B
IRRVPTIONES *immodicas per vterum potenter reuellunt cucurbitulæ,quæ hypochondrijs affiguntur.de cucurb.ſcarifi.* 6ª.4.G
ISATIS *ſylueſtris qualis.6°.de ſimplicium medicamentorum facultatibus.* 5ª.48.G
Iſatis ſylueſtris lienoſis vtilis eſt.6°.de ſimp.med.fac. 5ª.49.G
Iſatis vehementer exiccat ſine morſu.6°.de ſimp.med.fac. 5ª.48.G
Iſatidi herbæ ſimilis bilis,& bilis panacea,& vitellina ſemper dicuntur cum adiectione.in 6ᵐ.de morb.vulg.com.5°. 5ª.191.F
ISCHÆMA quæ ſint.5°.de comp.med.per genera. 5ª.253.F
Ἰσχαιμα *ſanguinem ſupprimẽtia.de vic.ra.in morb.ac.c.4°.7ª.* 152.F
ISCHIADICA *eſt vna ex venis pedum quæ phlebotomantur.de anatomia viuorum.* Sp.54.H
Iſchiadica vena cuius ſit ramus.de anato.viuo. Sp.54.G
Iſchiadicæ ſectio magnopere confert dolori ſciæ,podagræ,in varicæ, in elephantiaſi.de anatomia viuorum. Sp.54.H
ISCHIADICA *laborante aliquo,cathartici is vtimur.de dy.* Sp.20.E
Iſchiadicæ paſſioni quid valeat.de cura lap. Sp.112.G
ISCHIADICVM *græci arthriticum dicunt.in 6ᵐ.de morb.vulgaribus com.4°.* 3ª.179.H
Iſchiadicorum cura ex Iberide.10°.de comp.med.ſec.loc. 2ª.208.C
in Iſchiadicis venæ pedum ſecandæ.præſ.exper.conſ. Sp.78.D
Iſchiadicis de mucilagine articulorum factis danda phlegmagoga.de dynamidijs. Sp.21.D
Iſchiadici ſi ante totius euacuationem curentur acribus, læduntur.de compo.medicam.ſec.loc. 5ª.207.A
Iſchiadicis bibita auxilio eſt Betonica.7°.de ſimp.med.fac. 5ª.51.B
Iſchiadicis ſtrenuũ remediũ eſt Calaminta.7°.de ſimp.me.fa. 5ª.49.D
Iſchiadicis prodeſt Centaurium minus.de dynami. Sp.21.C
Iſchiadicis confert ſuccus centaureæ.de virt.cent. Sp.94.A
Iſchiadicis inſtillatur decoctum centaurij minoris.7°.de ſimpl. medicamentorum facultatibus. 5ª.50.H
Iſchiadicis poteſt Colocynthis.1°.de comp.med.ſec.loc. 5ª.207.B
Iſchiadibus prodeſt colocynthidis ſuccus intrius.9°.de ſimpl medicament.facul. 5ª.52.A
Iſchiadicis vtiliter datur colocynthis.de dynamidijs Sp.21.D
in Iſchiadicis valet Coſtinum oleum.7°.de ſimp. med.fac. 5ª.52.E
Iſchiadicis injicitur Garum.11°.de ſimp.med.fac. 5ª.83.G
Iſchiadicis bibẽdum exhibetur Hypericum.8°.de ſim.me.fa. 5ª.63.A
Iſchiadicos emendat hypericon.de ſimp.med. Sp.92.E
Iſchiadicis illinunt aliqui farinam Lupini cataplaſmatis modo.8°.de ſimplic.med.facul. 5ª.48.D
ad Iſchiadicos in potu exhibetur Polemoniũ.8°.de ſim.m.fa. 5ª.59.A
Iſchiadicis exhibetur à non nullis Rubiæ radix.6°.de ſim.m.f. 5ª.47.F
ad Iſchiadas infunditur Salſugo piſciũ ſalſorũ.11°.de ſim.m.f. 5ª.83.B
Iſchiadibus prodeſt Thlaſpi per ſedem infuſum,ſanguinolẽta euacuãs.6°.de ſimp.med.facul. 5ª.48.D
ad Iſchiadas acopon viride bonum.7°.de compo.me.per ge. 5ª.273.B
*ad Iſchiadicos malagma bonum.9°.de comp.med.ſecun.lo.*190.D/7°. *de compo.med.per genera.* 5ª.266.C/E
Iſchiadicis ſtatim in irritationibus malagma bonum.10°.de comp.medicamen.ſecundum locos. 5ª.208.A
Iſchiadicis faciens ſclirofmon.de dynamidijs. Sp.28.C
ad Iſchiadicos medicamẽta cõmoda.10°.de comp.me.ſe.lo. 5ª.207.B
ad Iſchiadicos valde mitigatoria.10°.de comp.me.ſec.loc. 5ª.207.D
*ad iſchiadicos.7°.de comp.med.ſec.loc.*182.G/183.D/ 5ª.188.G
*ad Iſchiadicos quæ conferant.9°.de compoſi.med.ſe.loc.*199.A/E/H/ 200.C/10°.207.D/E/F/H/208.A/B/G/6°.de cõp.me.per ge.256. A/7°.269.H/270.C/D/H/ 5ª.271.A/D/F/G
Iſchiadica compoſitio qualis.10°.de comp.med.ſec.loc. 5ª.207.E
ISCHIADA *Leucacanthon quidam, polygonaton alij vocant.7°.de cõpoſi.medicam.facul.* 5ª.54.C
ISCHIAS *quid.fin.med.* Iſa.47.H
Iſchias coxendicis eſt morbus.2°.metho.med. 7ª.9.D
Iſchias ex gñe arthritidis morbus eſt.10°.de com.med.ſe.lo. 5ª.206.G
Iſchias non ex frigore,ſed ex repletione.de cur.per ſang.miſſ. 6ª.20.F
Iſchias raro fit ex ſanguine,& ſi fiat,citiſſime curatur.10°.de compoſi.medicam.ſecun.locos. 5ª.207.A
in Iſchiade principium curationis ab euacuatione.10°.de compo. medicamen.ſecun.locos. 5ª.207.A
in Iſchiade venæ ſectio quomodo faciẽda.10°.de cõ.me.ſe.l. 5ª.207.B
in Iſchiade quæ vena ſecanda.de conſt.ar. Iſa.41.E
in Iſchiade vena poplitis potius incidenda quàm malleoli.de cur.ra. per ſanguinis miſſionem. 6°.20.F
in Iſchiadicis qñ ponẽda cucurbitula.10°.de comp.me.ſe.l 5ª.207.B
Iſchiadicis nihil prodeſt ſcarificatio.de cur.ra.per ſang.miſſ. 6ª.20.F
*in Iſchiade nunquã vtenũ repercutientibus.de rem.par.fa.*7ª.160.D
Iſchiadicis vomitus potius,quàm deiectiones prouocandus.10°.de cõpoſi.med.ſecundum locos. 5ª.207.B
in Iſchiade vomitus potius iuuat,quàm euacuare per inferiora.de remedijs paratu facilibus. 7ª.160.D
Iſchiadem curat centaurea minor.de med.exper. Sp.106.E
Iſchiadem curat decoctio centaureæ.de med.exper. Sp.104.D
Iſchiadas rubrificat enula.6°.de ſimp.med.fac. 5ª.47.B
ad Iſchiadem valens electarium.de med. exper. Sp.108.D
contra Iſchiadem optimum experimentum.de med.exper. Sp.104.F
ad Iſchiadem valens medicina.de med.exper. Sp.106.H
*ad Iſchiam ſecretorum.*100.D/ Sp.101.D
ISCHION *quid ſit.de fract.commenta.2°.* 7ª.240.H
in Iſchio ſedere ſoli homini ineſt.3°.de vſu partium. 1ª.127.H
Iſchij articulus rotundiſſimus & laxiſſimus.12°.d vſu par. 1ª.194.A
circa Iſchium duo muſculi femur circũagunt.15°.de vſu p. 1ª.214.B
Ἰσχνα, *id eſt non tumentia.de vict.rat.in morb.ac.cõ.4°.* 7ª.139.A
Ἰσχνη *quid ſignificet.in 1ᵐ.prorrh.commen.2°.* 4ª.176.A
Ἰσχνόφωνοι *qui.in 1ᵐ.de morb.vulg.com.2°.* 3ª.115.F
ISCHVRIA *quid.fin.med.* Iſa.47.G
Iſchuria qui comparetur,& quid ſit.2°.de ſymp.cauſ. 3ª.20.G
Iſchuria quid proprie.3°.de ſymp.cauſ. 3ª.28.C
Iſchuria improprie quid ſit.3°.de ſymp.cauſ. 3ª.28.C
Iſchuria appellatio prima eſt ſuppreſſionis vrinæ.fin.med. Iſa.44.B
Iſchuria, voluntariæ actionis noxa.2°.de ſymp.cauſ. 3ª.19.G
Iſchuria, quæ.6°.de locis affectis. 4ª.38.C
Iſchuria quo modo fiat.6°.de locis affectis. 4ª.38.C
Ἰσχουρίας *cauſa.introd.* Iſa.57.B

ex Ischuria nemo moreretur secundum Erasistratum,& quare. 1°. *de natu.facultatibus.* 1ª.295.H
Ἰσχία *quid apud græcos.* 1°.*de diff.puls.* 4ª.48.C
ISIDORI *infusum ad dyscntericos faciens.*9°.*de compositione medicamen.secundum locos.* 5ª.203.E
*Isidori antiochi emplastrũ ad quæ vtile sit.*6°.*de cõ.me.pg.* 5ª.257.A
*Isidori ad dolorẽ sedandũ remediũ bonũ.*6°.*de cõ.me.per g.* 5ª.259.A
*Isidori ad nomas remedium.*5°.*de comp.med.sec. loc.* 5ª.252.A/C
*secundum Isidori familiarem rusticum pharmacũ quoddam.*2°.*de cõposi.medica.per genera.* 5ª.222.F
*ISIS vnde dicta.*2°.*de composi.medi.per genera.* 5ª.223.F
*Isis vocatum emplastrum quod.*4°.*de composi.med.per ge.* 5ª.243.B
*Isis emplastrum.*2°.*de composi.med.per genera.* 5ª.221.G
*Isis cognominatum emplastrum,quo modo ad vsum emmotorum possit reduci.*2°.*de arte cur.ad Glauconem.* 7ª.106.A
*Isis emplastrum cephalicum.*2°.*de compo.med.per genera.* 5ª.226.B
*Isis cephalica.*4°.*de comp.med.per genera.* 5ª.244.B
*Isis fit sub æstu caniculæ.*2°.*de comp.med.per genera.* 5ª.226.B
*Isis epigoni cuius vis,& vtilitatis per se sit.*5°.*de composi.medicamẽtorum per genera.*246.D/ 5ª.248.B
*Isis nudatæ membranæ imponitur.*6°.*meth.med.* 7ª.42.H
*supra Isin emplastrũ oxymeli foris posito qvteretur.*6°.*m.m.*7ª.42.H
*Isi non est ausus vti Galenus,tñ plures sanabãtur ab Eudemo, qui illo vtebatur,quam ab ijs qui blandis vtebantur.*6°.*met.me.* 7ª.42.H
*cum Iside ægyptia idem valet in neruis medicamentum ex radice dracunculi.*3°.*de comp.med.per gene.* 5ª.229.D
Ισοχρόνοι *motus.*2°.*de dign.puls.* 4ª.75.F
ISOCHRYSON *collyrium.*4°.*de comp.med.sec.loc.* 5ª.156.H
Ισοδρόμοι *motus.*2°.*de dign.puls.* 4ª.75.F
ISOPYRON *aut phasiolum cuius sit facultatis, & in quibus conueniant.*6°.*de simp.med.facul.* 5ª.48.H
ISOTHEOS *appellata colica quibus prosit.*9°.*de comp. medicamen. secundum locos.* 5ª.202.B
*Isotheos cõfectio ad tussim,ad tabẽ,& cætera.*7°.*ꝺ cõ.m.s.l.* 5ª.182.G
*ISTHMI sunt angusti quidam terræ processus inter duo maria.commẽtario.*3°.*aphor.*26°. *Ex.*25.D
Isthmus quid,& cur ita dictus.de musculorum dissectione. 1ª.46.G/ *de anatomia parua.* *Sp.*42.H
*Isthmus dicitur per methaphoram pars illa quæ os,et gulam interiacet commentario.*3°.*apho.*26°. *Ex.*25.D
Isthmi humidi excrementi ac veluti lacunæ à natura conditi renes. finitiones medicæ. *Isa.*44.A
Ἱστίον *velum linteum dicitur.de art.com.*3ª. 7ª.270.H
Ἱστὸς *lignum à stando.de artic.commen.*3°. 7ª.270.H
ad ISTRVM *Mysia est & alia quæ hellespontia dicitur.* 5°. *de sanita. tuenda.* 2ª.90.H
ITALIAE *vias Traianus refecit.* 9°.*methodi medendi.* 7ª.58.F
*in Italia,Co, Cnido,& Rhodo certabant medici.*1°.*meth.med.* 7ª.2.F
*in Italia nata quàm plurima æqualia ijs quæ è Creta afferuntur et quãdo.*1°.*de antidotis.* 5ª.105.D
*in Italia oleum Sabinum relaxat.*3°.*de sanita.tuen.* 2ª.81.B
*in Italia quæ vina fulua vel alba substantia tenuia,& quibus dãda.*4°. *de sanitate tuenda.* 2ª.85.G
*in Italia nõ mirum gigni multa vina aquosa tenuia.de vict.rat. in morbis acutis,commenta.*3°. 7ª.127.B
*in Italia quæ vina calidiora.*5°.*de sanita. tuen.* 2ª.90.H
in Italia quæ vina minus calida. 5°.*de san.tuen.* 2ª.90.H
in Italia ex vinis sabinis non nulla sunt tanto deteriora ijs quæ modice adstringunt,quãto aquã bonitate vincũt.de bon.& vi.su. 2ª.83.F/G
ex ITALICIS *vinis quæ tuto bibantur.de bon.& vit.suc.* 2ª.38.F
*Italicum panicum melius Asiatico.*1°. *de alim.fac.* 2ª.13.C
*Italicæ heminæ.*4°.*de sanitate tuen.* 2ª.86.H
*Italicus modius.*4°.*de sanitate tuenda.* 2ª.86.H
Italicum genus philosophorum.de hist.philos. *Sp.*2.F
Italicæ philosophiæ princeps Pythagoras.dc hist. philoso. *Sp.*2.G
Italorum & Græcorũ vinorũ comparatio. 5°.*de san.tuen.* 2ª. 90.H
ITATIO *est crurum exercitatio.*2°.*de sanitate tuenda.* 2ª.74.H
*ITEA, id est salix,in quibus prosit.*6°.*de simp.med.fac.* 5ª. 48.H
ITER *qui facit exercetur.*2°.*de sanitate tuenda.* 2ª.73.G
*Iter facere quæ exercitatio sit.*2°.*de san.tuen.* 2ª.74.H
Iter quo modo faciendum circa anni tempora.de sal. diæta. 2ª. 40.H
Iter facturus sub sole quid agere debet.de med.fac.par. 7ª.164.A
Iter p solẽ q fecerit,nisi lauerit,quid sequatur. 10°.*met.me.*7ª.66.A
*Iter longum sub sole per pluuerem,quale.*1°.*de diff.feb.* 3ª. 34.G
Iter agentibus præsto adsunt lassitudines,nisi apotherapia deuitentur. 3°.*de sanitate tuenda.* 2ª.77.F
*in Itinere aer frigidus horrorem facit.*2°.*de symp.caus.* 3ª.23.A
Iter agentes in maximo frigore membra amiscre.de diff.mor. 3ª.3.E
*Iter est cã raucedinis,& coryzæ.de vict.rat.in mor.ac.c.*4°.7ª.144.H
*ex Itinere frigefactorum pulsus.*1°.*de præsagitione ex puls.* 4ª.107.E
*Iter facientis comparatio ad celeritatẽ pulsus.*1°.*de cau.pul.*4ª.88.G
*Iter agentium in pulsu comparatio.*1°.*de cau.pul.* 4ª.88.B
*ex Itinere dolores.de vict.rat.in morbis acutis,com.*4°. 7ª.144.H
*ob Iter fit dolor capitis.de vict.ra.in morb.acut.com.*4°. 7ª.150.F
*ex Itinere febris iuuatur balneo.*2°.*de mot.mus.* 1ª.315.C
Iter spermatis.de spermate. *Sp.*36.E
*Itinerantes qui non egent refrigeratione.*10°.*meth.med.* 7ª.66.C
*ITHMOEIDVM ossium vsus.*8°.*de vsu partium.* 1ª.168.E
ITRIA *veteres appellabant lagana,& rhyemata.de bonit. & vitio succorum.* 2ª.35.D
*Itriorum duplex species.*1°.*de aliment.fac.* 2ª.10.E
*Itria ex similagine qualia.*1°.*de alimen.fac.* 2ª.10.E
*Itrijs cur inspergunt papauer.*7°.*de simp.med.fac.* 5ª.55.G
*ex Itrijs & oleo placenta facile corrumpitur.*1°.*de loc.aff.* 4ª.5.C
*Itrium coctũ pro hydrope bonũ.de vict.rat.in mor.ac.c.*4°.7ª.152.G
Ἴτρον *quid. introd.* *Isa.*53.D
IVBAE *Regi Mauriciorũ inscriptus libellus de Euphorbio.*9°.*de comp.med.sec.loc.* 5ª.201.D
*IVCVNDA appellata confectio in quibus conueniat.*7°. *de compo. medicamentorum secundum locos.* 5ª.185.C
*Iucundum duplex genera.*4°.*de simp.med.fac.* 5ª.27.A
Iucunde agere quid sit.de fasciis. 7ª.293.C
Iucundæ q̃ maxime agere cõuenit vbi dolor euitari possit.ꝺ f. 7ª.293.C
Iucũde iniciẽdũ,est vinculũ,vt opus facile præstetur,de fas. 7ª.294.B
Iucundæ sunt res naturales. de palp. 3ª.54.D
è IVDAEA asphaltum, & opobalsamum aduehuntur. 1°. *de antidotis.* 5ª.105.E
IVDAICVS *lapis nihil facit in lapide vesicæ,sed tantum in lapide renum.secretorum.* *Sp.* 102.D
IVDEX *rectus sectarum carere affectionibus debet, & demonstrationum peritus esse.de ord.lib.suo.* *Isa.*14.G
Iudices munus suum obituros à vino prohibet lex Chartaginensium. quòd animi mores. 1ª.320.H
*Iudex durus qui.*3°.*de diff.puls.* 4ª.63.F
*Iudex iniquus qui fit.*2°.*meth.med.* 7ª.11.G
ad Iudicem alium licet appellare, §ergo erant appellationes§ 1°.*methodi medendi.* 7ª.3.H
Iudice se & litigatore Thessalum vicisse insignis est audacia. 1°. *methodi medendi.* 7ª.3.B
IVDICANDI *principium si est in nobis,facile inueniemus.* 9°. *de decretis Hippocratis.* 1ª.279.C
*ad Iudicandum omnem numerum dierum non esse idoneum experientia comprobat.commen.*4°.*apho.*36°. *Ex.*31.H
*ad Iudicãdũ nõ opus est demõstratione,sed sensu.de na.hu.c.*2°. 7ª.183.C
Iudicandi qui sint quo modo se habeant.in prog.com. 3°. 4ª.207.H
non IVDICANTES *dies qui.*2°.*de dieb.decr.* 4ª.154.E
*Iudicantem nunquam vidit duodecimum diem Galenus,sed alius quis vidit,sed male.*1°.*de dieb.decretorijs.* 4ª.145.F
Iudicantes nunquam vidit Galenus duodecimum, & sextumdecimũ. 1°.*de diebus decre.* 4ª.146.G
IVDICARE *quo modo debent medici, vt possint sententiam mutare. de dieb.decre.* 4ª.150.A
*Iudicat Hippocrates ex oppositis.in progn.com.*2°. 4ª.199.E
Iudicare contraria ex contrarijs consuetudo est Hippocratis.in progn. commentario 2°. 4ª.199.B
Iudicatur membrum vnumquodque actionibus & vsibus non forma corporis.de decretis Hippo.& Plato. 1ª.233.E
IVDICARI *est magnas facere permutationes in morbis. commentario* 1°.*apho.*23°. *Ex.*15.D/E
*Iudicãtur per abscessus,& raro per excretionem morbi longi. de vic.rat.in morbis acutis,commenta.*4°. 7ª.140.F
Iudicantur qui morbi per dies pares & impares.in 1ᵐ.*de morbis vulgaribus,commentario* 3°. 3ª.120.C

Iudicantur.

Iudicantur plurimi morbi per acuti cum sudore. commentario 4°. aphoris.36°. Ex.31.H
Iudicat vigesimum primũ decimus octauus.2°.de dieb.dec. 1ª.152.F
Iudicent quo modo septimus,& sextus.1°.de dieb.decr. 4ª.147.B
Iudicãtur quidã sexto die qdã decimoseptimo.2°.de die dec. 4ª.152.C
Iudicantur pauci in sexto die & peruerse.1°.de dieb.decr. 4ª.146.E
Iudicat cur male sextus.in progn.com.2°. 4ª.206.F
Iudicauit sextus dies fideliter virginem quandam,quod mirum notat fuisse Galenus.in 3ᵐ.de morb.vulg.com.3°. 3ª.150.H
Iudicat de sexto quartus.1°.de dieb.decre. 4ª.147.B
quo modo Iudicabantur ardentes febres, in quatuordecim diebus. in 1ᵐ.de morbis vulgaribus.com.2°. 3ª.116.F
Iudicari nihil potest in principio.& vic.ra.in mor.ac.cõ.2°.7ª.123.D
Iudicantur cito febres,quarum accessio duodecim horis,vel minus durat.commen.4°.apho.43°. Ex.32.F
IVDICATIONES *à græcis dicuntur crises.cõ.2°.aph.23°. Ex.15.G*
Iudicatio quid appelletur,sm aliquos.1°.de dieb.decr. 4ª.146.H
Iudicatio vnde dicta sit.in progn.com.2°. 4ª.206.E
Iudicatio quid significet.de vict.rat.in morb.acut. com. 2°. 7ª.118.G
de Iudicationibus liber præcedit librum prognosticorum.in prog.cõmentario 1°. 4ª.191.H
Iudicatio quadrupliciter.in progn.com.2°. 4ª.206.E
Iudicatio in bonam & malam partem fit.in progn.com.2°. 4ª.207.E
Iudicatio simpliciter,quæ.in progn.com. 2°. 4ª.206.E
Iudicatio simpliciter significat illam quæ ad salutem.de vic.ra.in mor. acutis.commen.4°. 7ª.140.C
Iudicatio bona,quæ.1°.de dieb.decre. 4°.145.G
Iudicatio absoluta,quæ.1°.de dieb.decre. 4ª.145.G
Iudicatio fida,quæ.1°.de dieb.decr. 4ª.145.G
Iudicatio firma,quæ.1°.de dieb.decre. 4ª.145.G
Iudicatio firma,etiam in malum.in progn.commen. 1°. 4ª.195.E
Iudicatio tuta,quæ.1°.de dieb.decret. 4ª.145.G
Iudicatio manifesta,quæ.1°. de dieb. decret. 4ª.145.G
Iudicatio cum bonis signis,quæ.1°.de decre. 4ª.145.G
Iudicatio quæ melior.com.1°.aph. 20°. Ex.9.H
Iudicatio mala,quæ.1°.de dieb.decr. 4ª.145.G
Iudicatio imperfecta,quæ.1°.de dieb.decre. 4ª.145.G
Iudicationis imperfectæ terminus quadragesimus dies.commen. 2°. apho.23°. Ex.15.E
Iudicatio si non sit perfecta, medicus debet adiuuare naturam. commentario 1°.apho.20°. Ex.9.H
in Iudicatione derelicta faciunt recidiuas.com.1°.aph. 20°. Ex.9.H
Iudicatio infida,quæ.1°.de dieb.decr. 4ª.145.G
Iudicatio periculosa, quæ.1°.de dieb.decre. 4ª.145.G
Iudicatio periculosa põt habere bonũ finẽ.c.4°.apho. 46°. Ex. 32.D
Iudicatio obscura,quæ.1°.de dieb.decre. 4ª.145.G
Iudicatio sine signis,quæ. 1°.de dieb.decr. 4ª.145.G
Iudicatio quot modis fiat.in progn.com.2°. 4ª.206.E
Iudicationes fiunt ex vrinis, excrementis alui, et sputis non semper bene,sed quandoque male.com.4°.apho.71°. Ex.35.D
Iudicatio per sudorem septimo die in quo fuerit facta.in 3ᵐ. de morbis vulgaribus,commentario 2°. 3ª.135.E
sine Iudicatione quandoque fiunt sudores.com.4°.aph. 4°. Ex.32.E
Iudicatio ex profluuio sanguinis nariũ.4°.de præs.ex pul. 4ª.122.F
Iudicatio qñ fiat.in prog.c.2°.4ª.207.E/com.1°.aph.22°. Ex.10.A
Iudicationes magna ex parte fiunt morbo in suo vigore consistente. commen.1°.aph.19°. Ex.9.G
Iudicatio quando citius,& quando tardius in pleuritide cõtingat.2°. de arte cur. ad Glauco. 7ª.112.H
Iudicatio per dies impares fit,si per impares fiat etiam accessio.in 6ᵐ. de morbis vulgaribus,com.3°. 3ª.171.C
Iudicationem non esse perfectam diebus paribus,collige.commentario 1°.apho.20°. Ex.9.H
Iudicationis primus dies est quartus.com.4°.aph.36°. Ex.31.H
Iudicationes à partu numerandæ in mulieribꝰ.in pg.cõ.3°. 4ª.208.A
Iudicationes febrium quibus sint diebus.com.2°.aph.24°. Ex.15.H
Iudicationis acutorũ morborũ terminus,qui. cõ.1°.aph.23°. Ex. 9.E
Iudicationis primus dies in morbis longis ac vltimus inter acutos, q. com.3°.apho.28°. Ex.26.A
Iudicatio morborum longorum in pueris quo tempore fiat. commentario 3°.apho.28°. Ex.26.A
Iudicationes quo modo primo per quaternarios, postea per septenarios & vigenarios,& menses fiat.in progn.com.3°. 4ª.208.C
Iudicationis tres termini.in prog.commen.3°. 4ª.210.G
Iudicatio quando expectanda.2°.de præsag.expul. 4ª.114.D
Iudicationis ratione quæ fiant.in progn.com.3°. 4ª.211.F
Iudicationem omnem quid præcedat.1°.de arte cur.ad Gla.7ª.100.C
Iudicationem propinquam signa indicantia.cõ.4°.aph.71°.Ex.35.C
Iudicatione propinqua ægri grauiter se habent,vigilãt magna ex parte,& vehementius febriunt.com.4°.apho.71°. Ex. 35.C
Iudicationi propinqui ægri spirant difficilius vt plurimum. commentario 4°.aph.71°. Ex.35.C
Iudicatio futura per assessum,quo cognoscatur ex pulsu.4°. de præsa. ex puls. Ex.122.F
Iudicationis signa non semper bona.com.1°. aph.12°. Ex.6.F
Iudicatio quo modo cognoscatur an in bonum vel in malum.in prog. commentario 3°. 4ª.112.G
Iudicatio optima quo pulsu iudicetur.4°.de præsag.ex pul.4ª.122.B
Iudicatio qñ nõ est expectanda bona.1°.de arte cur.ad Gla.7ª.100.C
ad Iudicationis firmitatem cõducit dies decretorius.in progn. commentario 2°. 4ª.203.E
Iudicatio bona non est crudo morbo.in 1ᵐ.prorrh. com. 1°. 4ª.165.C
in Iudicatione lumbricos teretes vnà cum deiectione descendere,quando bonum.in prog.com.2°. 4ª.199.E
per Iudicationes,morbum debere finire quæ ostendunt.1°. de arte curatiua ad Glauconem. 7ª.100.C
Iudicationis carentia iudicatur à crudis.cõmẽ.4°.aph. 22°. Ex.29.G
Iudicationes malæ,quæ.in 1ᵐ.prorrh.com.2°. 4ª.173.H
ante Iudicationem cibandum potius in principio quàm post. de victus ratio.in morbis acutis,com.2°. 7ª.118.F
in Iudicatione morbi nihil dandum.com.1°.apho.12°. Ex.5.D
in Iudicatione nihil est dandũ.de vict.rat.in mor.acu.c 1°. 7ª.140.E
in Iudicatione quando totum permittendum naturæ, & quando non. commen.1°.apho.20°. Ex.9.G
à Iudicatione p duos dies victus rõ seruãda.2°.& ar.cu.ad Gl.7ª.113.a
Iudicatio.lege Crisis.
IVDICATORII *dies qui sint.c.4°.aph.36°.31.H/aph.71°.Ex.35.E*
Iudicatoriorum dierum ordo,qui.com.2°.aph.24°. Ex.15.H
Iudicatoriorũ dierum primus circuitus,qui com.5°. aph.6°. Ex.37.C
Iudicatoriorum dierum incrementa,ac compositiones fiunt in quaternis diebus,vt quartodecimo,vigesimo,quadragesimo, & sexagesimo,& octuagesimo.com.4°.aph.61°. Ex.34.B
Iudicatorius quo modo nonus dies.in progn.com.3°. 4ª.210.G
Iudicatorius octauus decimus dies.in 1ᵐ.de mor.vul.cõ.2°. 3ª.116.F
Iudicatoriorum dierũ septimus,primus est numero,ordine, potentia, & dignitate.1°.de dieb.decre. 4ª.146.E
Iudicatorius est vigesimus dies,non vigesimus primus apud Hippocratem semper.com.7°.apho.38°. Ex.57.A
Iudicatorius cur sit vigesimus dies, Galenus primus rationem reddidit.in progn.com.3°. 4ª.207.C
in Iudicatorio die sanguinis malus,malum.in 1ᵐ.pror.c.3°. 4ª.186.G
in Iudicatorio die symptomata mala sunt peiora.de victus rat. in morbis acutis,commenta.4°. 7ª.142.G
Iudicatorij dies possunt dici causæ sanitatis.1°.de dieb.dec.4ª.148.D
Iudicatorij dies signa sanitatis.1°.de dieb.decr. 4ª.148.D
Iudicatorij dies bonum iudicium ostendũt.c.4°.aph.23°. Ex.30.D
Iudicatoria non iudicantia praua in 1ᵐ.prorrh.com.3°. 4ª.184.G
Iudicatoria non iudicantia quædam letalia, quædam difficilia. in 1ᵐ. prorrhet.commentario 2°. 4ª.173.H
Iudicatoria quæ non iudicant,partim mortalia,partim male iudicant. commen.7°.apho.4°. Ex.54.C
Iudicatoria signa quæ,& quot.com.1°.aph.12°. Ex.6.D
Iudicatoria signa non statim apparere,collige.c.4°.aph.21°. Ex.29.E
Iudicatoria signa bona in iudicatorijs diebus incipiunt. commentario 4°.aphor.36°. Ex.31.H
Iudicatorij sudores ex qua vi fiant.commen.7°.apho.21°. Ex.55.D
Iudicatorij rigores quo modo fiant in ardentibus febribus.in 6ᵐ. de morbis vulgaribus,com.1°. 3ª.157.A
Iudicatorie quandoque fit morbus regius,& quo modo,& quando.cõmentario 4°.apho.62°. Ex.34.B
Iudicatorie añ septimũ ñ põt efferri cholera.c.4°.aph.61°. Ex. 34.B
IVDICATA *per secessum,& vomitum, quæ.in 1ᵐ.de morbis vulgaribus,commentario 3°. 3ª.122.G*
Iudicata p sudorẽ septimo die quæ in 1ᵐ.de mor.vul.c.1°. 3ª.126.H

Iudicatus p ſudorẽ qui,& quo die in 3^m.de mor.vul.cõ.1°. 3ª.134.C
Iudicatus qui per ſudorem.in 1^m.de morb.vulg.com. 3°. 3ª.122.B
Iudicatus per ſudorem,& profluuium ſanguinis potiſſimũ, qui.in 1^m. de morbis vulgaribus.commentario 3°. 3ª.123.D
Iudicatus nullus die decimo.in 3^m.de morb.vulg.com. 1°. 3ª.128.B
Iudicatum neminem vidit Galenus in decimoſeptimo & decimoſexto die.1°.de dieb.decret. 4ª.145.F
Iudicatum quendam in ſextodecimo die ſupponit Galenus, vt propoſitũ declaret.1°.de dieb.decre. 4ª.148.E
Iudicatus abſq; vrinarũ coctione,qui.i 1^m.d mor.vul.c. 3°. 3ª.124.E
in Iudicatis ad mortem de theriaca experimentum faciunt prætores. de theria.ad Piſonem. 5ª.90.A
IVDICII *vocabulum multa ſignificat.4°.de decr.Hipp. 1ª.249.F*
Iudicium quid vere vocatur.1°.de dieb.decr. 4ª.149.C
Iudicium quid ſit ſecundum aliquos.1°.de diebus decr.4ª.146.H/de biſto.philoſo. Sp.3.D
Iudicia quæ ſint.9°.de decre.Hipp. 1ª.279.E
Iudicij diuiſio.de biſt.philoſo. Sp.3.D
Iudicij in rebus duo genera.de ſectis. Iſa.17.F
Iudicium de perſpicuis intellectui ex communi omnium hominum conceptione habetur.de opt.ſecta. Iſa.19.H
Iudicium quomodo difficile,& quid ſit iudicium.c.1°.aph.1°.Ex.2.H
Iudicium & ratio pro eodem accipiuntur.com.1°.aph.1°. Ex.2.H
Iudicium ad philoſophos,nõ ad medicos ſpectat.de opt.ſecta.Iſa.23.D
Iudiciũ qũo de rebus faciendũ.de victꝰ.ra.in mor.acut.c.3°.7ª.129.A
Iudiciũ nullum eſſe datum hoĩbus à natura ſm Fauorinũ, quo res omnes ſimul collatas poſſint exacte dignoſcere.de op.do.ge.Iſa.30.D
ad Iudicium noſtri qui eligendi.de cogn.cur.animi morbis. 2ª.53.B
Iudicia naturalia in quibus conſiſtant.9°.de decre.Hipp. 7ª.279.D
ad Iudicium ſenſum,ac mentem natura nobis dedit.de ijs,quæ in med. fiunt,com.1°. 7ª.200.A
Iudicium ſi ex ſenſu non fiat,omnia externa ſunt conferenda,& ex ipſis iudicandum.3°.de temperam. 1ª.24.F
Iudiciũ ab ijs que ſumuntur à rei ſubſtãtiã,fieri dẽt.3°.de tẽp.1ª.24.F
Iudiciũ certũ ſine demonſtratione.9°.de decr.Hipp. 1ª.284.B
ſine Iudicio fieri perturbationes,& eaſdem iudicia eſſe,Chryſippus d buerat diſtinguere quomodo intelligeret.4°.de dec.Hip.1ª.249.G
Iudicia,& inſtrumenta per quæ tum ſermones veri parantur,tũ quæ ab aliis dicuntur,iudicare poſſimus, in vniuerſum ſe traditurum pollicetur Galenus.de opt.do.gen. Iſa.30.H
Iudiciũ de toto corpore ex indicijs cutis vanũ eſt.2°.de temp.1ª.20.H
Iudicia vnde ſumantur in omnibus partibus.ars med. Iſa.67.D
Iudicia prima mittendi ſanguinis.præſag.exper.con. Sp.77.H
in Iudicio vt nihil poſſint eloqui,aduerſarios cogere ridiculum eſt.4°. de ſimp.med.facul. 5ª.72.D
IVDICIORVM *differentiæ.in 1^m.de morb.vulg.com.1°.3ª.120.E/1°. de dieb.decret. 4ª.145.F*
Iudicium cõmuniter acceptum,mortem etiam includit.in 3^m. de morbis vulgaribus,com.2°. 3ª.138.A
Iudicia quo modo ſe habeant circa tempus.4°.de decr. Hipp.1ª.253.H
Iudicij tempus ſcire, vtile eſt ad victus rationem inſtituendam. 3°. de diebus decretorijs. 4ª.160.C
in Iudicio à die fides ſpectantur.1°.de dieb.decr. 4ª.148.B
Iudicia in acceſſionibus plurimũ cõtingunt.1°.de dieb.dec. 4ª.148.G
cur Iudicia fiunt in acceſſionibus.in 1^m.de morb.vul.cõ. 3°.3ª.120.F
Iudicia fiunt in vehementibus acceſſionibus.cõ.4°.aph.36°.Ex.32.A
Iudicia in quibus morbis fiunt citius, in quibus tardius ex acceſſionibus.com.4°.apho.36°. Ex.32.A
Iudicium facit celeris concoctio.in 1^m.de morb.vul.com.2°. 3ª.112.D
Iudicium optimum in vno & eodem infante haberi poteſt de eo quod calidiſſimũ eſt in ętatibus.de temp. 1ª.17.A
Iudicium celere ꝓmittũt cõcoctiones.in 1^m.d mor.vul.c.3°.3ª.124.E
Iudicium antecedens nox moleſta.in 6^m.dc mor.vul.com.1°.3ª.156.H
Iudicium expectandum breui,quando grauia habet ſymptomata quartus dies,perinde ac tertius.in 1^m.de mor.vul.com.3°. 3ª.121.B
Iudicia erunt diebus paribus,ſi acceſſiones ſint diebus paribus.in 3^m. de morbis vulgaribus,com.2°. 3ª.138.A
ad Iudiciũ bonum quæ ſint neceſſaria.com.4°.aph.22°. Ex.29.G
Iudiciũ bonũ qũ rigores faciant,& qñ nõ.cõ.4°.aph.29°. Ex.30.D
Iudicij ſecuritatem ſalubres coctiones ſignificant. commentario 4°.aphor.22°.29.G/aph.29°. Ex.30.D
Iudicium non fit per vrinam ægra exiſtente veſica, niſi ſecundũ ipſam veſicam.de vrinæ ſig.ex Hippo. Sp.78.G
Iudicium malum fit die ſexto.com.4°.aph.29°. Ex.30.E
Iudicium morborum acutorum,& peracutorũ quibus diebus terminetur.commentario.4°.aph.59°. Ex.33.H
Iudiciũ febriũ cõtinuarũ,& interpollatarũ.c.4°.aph.59°. Ex.34.A
Iudicia tertianarum ſumuntur ab acceſſionibus,non ſicut cõtinuarum, à diebus.com.4°.apho.59°. Ex.33.H
Iudicium.lege Criſis.
IVGALE *os quod.de oſſibus.1ª.41.A/de art.com.2°. 7ª.263.A*
Iugale vnde ortum habet.de muſ.diſſ. 1ª.44.H
Iugale os oculos tuetur aduerſus maiorum molium incurſus,& vbi cõſtitutum.10°.de vſu par. 1ª.180.A
Iugalia quæ introd. Iſa.54.F
IVGAMENTVM *quid.de articulis,com.2°.* 7ª.263.A
IVGLANS *quid.7°.de ſimp. medicamen.facul.* 5ª.50.C
Iuglandis viridis corticis ſuccus ad quid valeat.5°.met.me. 7ª.34.C
Iuglãdes nuces qũo expertus eſt Galeni pater.de bo.et vi.ſu. 2ª.36.G
IVGVLARES *venæ vnde oriantur.de ven.art.diſſ.* 1ª.57.D
Iugulares venæ qũo à caua oriant.de vic.ra.in mor.ac.c.2°.7ª.117.D
Iugulares venæ per quem locũ tranſeunt.de nat.hu.com.1°. 1ª.37.E
Iugulariæ venæ altius conditæ quæ.de ven.art.diſſ. 1ª.57.F
Iugulariæ venæ ſuperficiales vnde.de ven.art.diſſ. 1ª.57.F
Iugulariæ venæ externæ ſine arterijs.de ven.art.diſſ. 1ª.59.B
Iugulares venę quæ partes nutriãt.de vi.ra.ĩ mor.ac.c.2°.7ª.117.E
Iugulares venæ pulſant quandoque.in 1^m.prorrh.com.3°. 4ª.180.E
Iugulares venæ minuuntur in principio lepręe,& fortis anginæ,& anguſtatione anhelitus,& in aſthmate acuto,& in raucedine vocis, & in apoſtemate pulmonis,& in ſpirandi difficultate,et ægritudinibus ſplenis & laterum.de anato.viuo. Sp.55.B
Iugulares venæ quando ſectæ,quid agendum.5°.met.me. 7ª.31.B
Iugulares ligandi modus.de ana.viuo. Sp.55.B
Iugularibus venis vinctis animal per diẽ viuit.de vſu pul. 1ª.227.H
de Iugularijs venis vinctis exemplum.de vſu pulſ. 5ª.227.H
Iugularibus venis ſectis medicamentum commodũ.5°.me.me.7ª.31.B
IVGVLI *inter clauiculas habentur.introd. Iſ.53.B*
Iugula quæ.de oſſibus. 1ª.42.G
Iugula quibus compoſita.de oſſibus. 1ª.42.G
Iugula extantia habent macri.in 6^m.de mor.vul.com.3°. 3ª.177.E
ad Iugulum vel præcordia mittit dolorẽ pleuritis.5°.de lo.aſ.4ª.31.D
Iugulum cur dolet pleuriticis quibuſdam.2°.de loc.aff. 4ª.11.C
Iugulum quando in pleuritide dolet.2°.de loc.aff. 4ª.11.C
in Iugulo cur dolor in inflammatione iecoris.2°.de loc. aff. 4ª.11.D
Iugulum deorſum trahitur in magna inflammatione iecoris,& in ſcrrho.5°.de locis affectis. 4ª.34.H
Iugulũ iflecti ſibi ſenſit Galenus,& qũo liberatus.d ar.c.1°. 7ª.260.C
Iugulum fractũ difficulter ſanatur.introd. Iſa.60.E
Iugulo fractum quo modo facilius ſanetur.de artic.com.1°. 7ª.260.F
Iugulum vbi eſt fractum,vinculum.de faſcijs. 7ª.300.G
iuxta Iugulum latum os ſcapularum,pectus, dorſum, aut latera, quo vinculo vincienda ſint.de faſcijs. 7ª.301.E
IVIVBAE mulierum & infantium effrenatorum edulium.2°. de alimentorum facultatibus. 2ª.21.D
Iuiubæ exigui alimenti,& concoctu difficiles.2°.de alim.fac.2ª.21.D
Iuiubæ non iuuant ſtomachum.2°.de alim.fac. 2ª.21.D
IVLIANVS cuius fuerit diſcipulus.1°.meth.med. 7ª.6.H
Iulianus ſcripſit libros quadraginta octo contra aphoriſmos Hippocratis.contra Iulianum. Ex.66.C
Iulianus ſæpe ſententiã mutabat in ſuis ſcriptis.1°.me.med. 7ª.6.H
Iuliani ſentẽtia plenitudo cõtinẽs eſt morborũ cauſa.con.Iul. Ex.68.E
Iulianum comparat Aeſopi aſello.contra Iulianum. Ex.70.B
Iulianium appellatum oxymeli quibus præbendum.2°. de compoſitione medicam.ſecundum locos. 5ª.137.A
Iuliani ad vulnera cruenta remedium.2°.de cõp.med.per ge.5ª.227.D
IVLIAX. *de med.fac.par.* 7ª.176.D
IVLIVS *ſecundus quo medicamine vteretur.7°.de comp.medicamẽ. per genera.* 5ª.271.F
Iulius Agrippa quo vſus pharmaco.8°.de com.med.ſe.lo. 5ª.193.D
IVLVS *propter quid habet tot pedes.3°.de vſu par.* 1ª.128.C
IVLIA *piſcis inter ſaxatiles.3°.de alim.fa.* 2ª.30.G
Iulia ĩter ſaxatiles piſces ĩ tertio loco ſuauitatis.2°.de ali.fa. 2ª.30.H
Iulia & piſcibus ſaxatilibus qbus veſcẽdũ ſit. de atten. vic 2ª.43.D
Iulia mollis carne.3°.de alim.fac. 2ª.31.A

Iulia numerat ĩter pisces q facilius ceteris cõficiũt.3°. ḋ ali.f.2ª.31.a
IVMENTORVM alimentum auena.1°.de alim.fa. 2ª.13.B
Iumentorum soleæ sparto nectuntur.1°.de alimen.fac. 2ª.11.D
Iumentorum,& columbarum excrementa à sole calefacta exurebãt. de differentijs febrium. 3ª.32.H
Iumentorum vrina,qualis.in progn.com.2°. 4ª.201.D
ad Iumentorum vrinæ difficultatem.de med.fac.par. 7ª.174.C
Iumentorum vrinæ similis vrina.in 1ᵐ.de mor.vul.cõ.3°. 3ª.122.E
Iumentorum lotio similes vrinæ colliquationem non indicant.in 6ᵐ.de morbis vulgaribus,com.5°. 3ª.192.A
Iumentorum lotio similes vrinæ dolorem capitis significant. in 6ᵐ.de morbis vulgaribus,com.5°. 3ª.192.A
Iumentorum instar perturbatæ vrinæ cephalalgiam adesse, aut affuturam ostendunt.de vrinæ sign. ex Hippo. Sp.78.G
Iumentina vrina pinguedinosa alba dolorem renum significat,& vesicæ,& capitis aliquantum.de dynamidijs. Sp.35.E
Iumento similem vrina si fœmina habeat,dolorẽ vuluæ,& matricis, & febrem significat.de dynamidijs. Sp.35.E
IVNCTVRARVM fabrica ob duo effecta.de frac.c.3°. 7ª.249.C
Iuncturas qui non habent.de aere,aq.& loc. 2ª.2.G
Iuncturas duas habet epiglottis.de voce & anhel. Sp.60.G
cõtra Iucturarũ fridas ĩfirmitates valẽs medicamẽ.ḋ me.ex. Sp.105.g
in Iuncturis generationem phlegmatis timenti conueniunt cibi subtiliãtes.de dissol.cont. Sp.72.E
à Iuncturis phlegma resoluens compositio.secretorum. Sp.102.A
ad Iuncturarum passiones omnes electarium.de me.exper. Sp.107.G
Iuncturarum dolori ex humore crasso ammoniacum profuit.de medicinis expertis. Sp.104.C
ad Iuncturarum dolores ex phlegmate viscoso,quo destruitur motus. de med.expertis. Sp.108.F
ad Iuncturarum dolorem valens electarium.de med.exper. Sp.108.D
ad Iuncturarum dolorem.secretorum.100.C/101.E/ Sp.102.H
Iunctura separatio quo modo fiat.de oculis. 7ª.187.H
Iunctura separationis causa triplex.de ocul. 7ª.185.H
IVNCTVRA *in orbem ʒquidam adijciunt sub auctore Hippocrate.ʒ de fascijs. 7ª.304.H*
Iunctura ad malas ex tribus fascijs. de fascijs. 7ª.299.H
Iunctura ad mentum ex Sorano.de fascijs. 7ª.300.F
Iunctura ad primam palmæ partem.de fascijs. 7ª.305.C
Iũctura ad femur vulneratũ,et vbi adiũctę ptes abscedãt.ḋ f. Sp.305.f
Iunctura quibus vulnerato femore proximæ partes diducuntur. de fascijs. 7ª.305.G
Iunctura ad inguen tuendum.de fascijs. 7ª.304.C
Iunctura ad alterum inguen.de fascijs. 7ª.303.E
Iunctura ad vtrunque inguen.de fascijs. 7ª.303.F
Iunctura eadem in vtranque partem ductã.de fascijs.7ª.303.F/aliter ad alterum inguen.G/aliter ad vtrunque. H/
Iunctura ad scrotum ex tribus capitibus.de fascijs. 7ª.304.G
Iunctura assita ad anum. de fascijs. 7ª.304.D
in IVNCTVRALIBVS *locis sunt glandulæ quædam collectiuæ humiditatis,vt sub axillis,& in inguinibus.de ana.viuo. Sp.55.H*
in Iuncturalibus locis cur positæ glandulæ.de anato.viuo. Sp.44.D
IVNGIT *incisos articulos emplastrum barbarum. de dyn. Sp.35.F*
IVNCI *comparatio ad arteriam venalem.de anato.viuo. Sp.52.H*
Iuncus mouetur in aqua ad aquæ motum.de anato.viuo. Sp.52.A
Iunci germina omnium præstantissima.2°.de alim.fac. 2ª.24.C
Iuncus leuis ex qua sit materia.8°.de simp. med.fac. 5ª.62.A
Iuncus leuis somnum affert, ventris fluxus deficcat,& muliebre profluuium rubrum sistit.8°.de simp.med.fac. 5ª.62.A
IVNCVM *cameli comedunt.1°.de antidotis. 5ª.106.F*
Iunci rotundi odorati flos,qualis.8°.de comp.med.sec.loc. 5ª.170.G
Iunci odorati flos aromaticũ medicamẽtũ.9°.de cõ.me.se.l.5ª.201.G
Iunci odorati pos inter arida adjtringentia moderate numeratur. 6°. de composi.med.secundum locos. 5ª.172.G
Iunci odorati flos, odoratas reddit compositiones.1°.de compositione medicamentorum secundum locos. 5ª.128.C
Iũci flos,cũ quibus misceatur ĩ iecoris phlegmone.13°.me.m. 7ª.83.G
Iunci quadrati(qui cyperus est)radices,cuius sint facultatis,& in qbus conueniant.7°.de simp.med.fac. 5ª.53.H
IVNIPERINVM *oleum refrigeratos calefacit. 2°.de simplicium medicamentorum faculta. 5ª.15.A*
IVNIPERVM *quid. de simp.medic. Sp.85.E*
Iuniperi grano similis cedri fructus.2°.de alim.fac. 2ª.19.C
Iuniperis similis est cedrus.7°.de simp.med.facul. 5ª.50.D
Iuniperus calida & sicca in tertio ordine.6°.de simp.med.fa. 5ª.43.F
Iuniperus vires habet excalfactorias, & diureticas, & ad digestionem facit.de simp.medicamen. Sp.85.E
Iuniperi fructus ἀρκευθὶς dicitur.2°.de alim.fac. 2ª.19.C
Iuniperi fructus calidus in tertio ordine,siccus in primo. 6°. de simp. medicamen.facul. 5ª.43.F
Iuniperi fructus calefacit.2°.de alimen.fa. 2ª.19.C
Iuniperi fructus acris cum dulcedine.2°.de alim.fac. 2ª.19.C
Iuniperi fructus minus adstringit.2°.de alim.fac. 2ª.19.C
Iuniperi fructus parum alit.2°.de alimen.fac. 2ª.19.C
Iuniperi baccæ mitigatoriæ sunt.8°.de comp.med.sec.loc. 5ª.196.B
ex Iuniperi baccis & quibusdam alijs ad stomachi ardorem cũ syncope compositio conferens.8°.de comp.med.sec.loc. 5ª.191.H
Iuniperi fructus mordet stomachum,& calfacit caput.2°. de alimentorum facultatibus. 2ª.19.C
Iuniperi fructus quandoque replet.2°.de alimen.facul. 2ª.19.C
Iuniperi fructus dolores ventris parit.2°.de alimen.fac. 2ª.19.C
Iuniperi fructus non proritat,nec cohibet vẽtrẽ.2°.de ali.fa. 2ª.19.C
Iuniperi fructus mediocriter vrinas euacuat.2°.de ali.fac. 2ª.19.C
ex Iuniperi fructu medicamentum ad venena valet.9°.de simplicium medicamentorum facultatibus. 5ª.65.D
Iuniperi decoctio prouocat menstrua.de med.exper. Sp.106.F
IVNIORVM *animantium vniuersæ partes humidæ & molles.de bonit.& vitio succorum. 2ª.35.H*
Iuniora statim ĩ lucẽ edita cur ñ sũt boni succi.ḋ bo.et vi.suc.2ª.35.b
Iuniores quibus viribus excedant pueri.in progn.com.3°. 4ª.211.C
Iunioribus corporibus vtilis est victus mollior & humidior. de salubri diæta. 2ª.40.E
Iuniores quidam pharmacorum scriptores effecerunt,vt nullo ex veteribus egeamus.7°.de comp.med.sec.loc. 5ª.184.F
IVPPITER dedit leges Cretensibus.an animal sit. 1ª.328.E
Iuppiter compositus ex corporibus neque simplex quid est,secundum aliquos.q qual.incor. sint. Isa.10.A
ex Iouis capite ortæ Mineruæ fabula male à Chrysippo explicata.4°. de decretis Hippocratis. 1ª.246.H
Iuppiter habet affinitatem cum natura rerum omnium, ad gaudiũma xime pertinentium.de spermate. Sp.40.C
Iuppiter calidus est,& humidus.de cõp.mem.siue de na.hu. Sp.59.F
Iuppiter si cum sole à Ioue sanabitur æger.de decub.prog. Sp.12.F
ab Ioue ostenduntur insomnia.2°.de arte cur.ad Glau. 7ª.110.B
Iouem est imitatus Salmoneus.1°.meth.med. 7ª.3.G
IOVIS *diem seruat,& lunę decrementum.de dynamidijs. Sp.25.G*
IOVIS *barba.de spermate. Sp.31.E*
IVPPITER *appellatus pastillus,qualis & ex quibus.10°. de compositione medicam.secundum locos. 5ª.209.B*
IVRAMENTVM fieri debet,vt is,qui iurare facit, intendit. 1°.de præsag.ex puls. 4ª.105.D
IVS per elixationem fit salsius.3°.de alim.fac. 2ª.32.B
Ius gallinaceum pingue auxiliatur illis qui aconitum sumpsere. 2°. de antidotis. 5ª.114.F
Iure gallinaceo pingui iuuantur qui coriandrum viride gustarint.2°.ḋ antidotis. 5ª.114.C
Ius carnis suillæ quibus sorbendũ.2°.de antid. 5ª.114.D
Ius carnis humanæ suauissimum.10°. de simp.med.fac. 5ª.72.F
ex Iure simplici aues sunt boni succi,nec facile putrescunt.5°.de sanitate tuenda. 2ª.90.F
IVS *album Galeni quo modo conficiatur.3°.de alim.fac. 2ª.31.D*
Iuris albi compositio quæ sit apud Galenum.4°.de san.tu. 2ª.87.G
Ius album quo modo conficiatur.2°.de comp.med.sec.lo. 5ª.133.E
Ius album quo modo fiat.2°.de arte cur.ad Glauconẽ.107.F/de puero epileptico. 7ª.180.G
Ius album cum porro & anheto.12°.met.med. 7ª.78.A
ex Iure albo pisces saxatiles quando dederit Galenus homini calidæ, & siccæ naturæ,qui febricitare cœperat.8°.meth.med. 7ª.50.B
ex Iure albo pisces dandi in ptissanæ,& mulsæ fastidio.2°.de arte curatiua ad Glauconem. 7ª.113.C
ex Iure albo asellus quibus pro obsonio dandus.7°.met.me. 7ª.45.D
in Iure albo onisci & pisces saxatiles dati in febre, si carnem petant ægri.4°.de sanitate tuenda. 2ª.87.G
Ius album potest dari ægris.3°.de alim.fac. 2ª.31.D

Ius album dat

Ius album dat Galenus in febre ex obſtructione. 8°.met.me. 7ª.50.B
Ius album in quo caſu dederit Galenus,& quãdo.12°.me.m.7ª.78.H
ex Iure albo aliquid elixæ carnis auium cui exhibuerit Galenus poſt lactucam,in quo caſu,& quo tempore.12°.met.me. 7ª.78.H
Iuris albi mentio.10°.de ſimp.med.fac. 5ª.73.C
IVS *nigrum apud Galenum.in 1ᵐ.prorrh.com.1°. 4ª.165.A*
Iuris caulium,& lentium quæ vis ſit.de diſſo.cont. Sp.75.A
Ius cicerum confert ictericis.de cura icteri. Sp.111.D
Ius ſpatio duarũ horarũ deſcẽdit à ventriculo.de cura lip. Sp.112.G
IVS *lanæ quomodo fiat.de dynamidij. Sp.22.D*
Iuris lanæ cerotum.de dynamidijs. Sp.22.D
IVS *ſaporis.de med.fac.par. 7ª.170.F*
IVRIS *caſus proponitur.de cauſis procatarcticis. 3ª.99.D*
IVRISCONSVLTI *inter rationales numerantur.de cuiuſq; animi peccatorum notitia,atque med. 2ª.60.B*
in IVSCVLIS *quando poni debet ſal.2°.de com.me.ſe.lo. 2ª.133.E*
Iuſcula anicularum ſunt boni ſucci.de remed.par.fac. 7ª.159.C
IVSIVRANDA *antiqua quædam in communi ſermone habita. 9°.de compoſi.med.ſec.loc. 5ª.201.E*
℔ IVSTISSIMA *natura. de fract.com.1°. 7ª.224.G*
IVSTITIA *quid.7°.de decret.Hipp. 1ª.268.D*
Iuſtitia virtus eſt animi.fin.med. Iſa.45.D
Iuſtitia dicitur rerum æqualitas.1°.de temperamentis. 1ª.13.D
Iuſtitia duplex.16°.de vſu partium. 1ª.214.F
Iuſtitiæ veræ & diuinæ proprium quid.6°.de vſu partium. 1ª.149.A
Iuſtitiæ neque oẽs hoſtes,neque amici videntur.℔ ai mores. 1ª.321.C
Iuſtitiæ naturalis proprium.de fracturis,com.2°. 7ª.232.B
Iuſtitia in hominis cõpoſitione conſpicitur,& ſumma conditoris potentia.9°.de decre.Hipp. 1ª.284.H
IVSTVS *quo modo Ariſtides euaſiſſet.de cog.cur.an.mo. 2ª.54.A*
Iuſtus vt quis ſit,quid conſiderandum.16°.de vſu partium. 1ª.214.F
Iuſtus & æquus ſermo,qui.de vict.ra.in morbis acut.c.4°.7ª.135.F
IVSTVM *quid ſignificet apud Hippocratẽ.de frac.cõ.3°. 7ª.248.G*
Iuſtum quid ſm Hippocratem.de articulis.c.1°.257.F/4°. 7ª.287.F
Iuſtum quo modo intelligatur.de frac.com.3°. 7ª.246.B
Iuſta quę.de artic.com.1°. 7ª.258.F
IVSTI *hiera.de mel.ex Gal.Ruff.& Poſſ. Sp.110.A*
Iuſti hieræ quantitas.de mel.ex Gal.Ruff.& Poſſ. Sp.110.A
IVVARE ſemper cupiebat alios Galenus.1°.meth.med. 7ª.2.C
Iuuat quod mens amat.de incant.adiur.& ſuſp. 7ª.182.F
Iuuant herbę aliqñ aquæ vt ſiũ,calaminti,adiantũ.de bo.aq. Sp.75.F
Iuuant multum quæ lætalia medicamenta in modica quantitate exhibita.de vict.rat.in morb.acut.com.2°. 7ª.118.A
IVVAMENTA *arteriarum.de anatomia viuorum. Sp.44.B*
Iuuamentum adipis,& medullæ.de anatomia viuorum. Sp.44.D
Iuuamentum carnis.de anat.viuorum. Sp.44.C
Iuuamentum duplex pelliculæ cooperiẽtis cerebrũ.de ana.vi.Sp.53.D
Iuuamentum in tunicis cerebrorum & grandinis glacialis, & humorum ſuorum quod.de ana.viuo. Sp.44.C
Iuuamentum glãdulę pinealis ſuppoſitæ cerebro.de an. viuo. Sp.44.D
Iuuamentum chartilaginis. de anatomia viuorum. Sp.55.D
Iuuamentum chordarum.de anatomia viuorum. Sp.43.H
Iuuamentum duarum arteriarum cordis.de ana.viuo. Sp.47.E
Iuuamentum diaphragmatis quid.de anato.viuorum. Sp.53.F
Iuuatur diaphragma muſculi quibuſdam.de anato. viuo. Sp.53.G
Iuuamentum fellis.de anato.viuo. Sp.45.F
Iuuamentum ligamentorum.de anato.viuo.43.H/ Sp.44.A
Iuuamentum ligamenti quod.de ana.viuo. Sp.55.E
Iuuamentum foraminũ naſi.de compag.mem.ſiue de nat.hu. Sp.58.D
Iuuamenta glandularum.de anato. viuo. Sp.44.D
Iuuamentum medullæ.de anato.viuo. Sp.44.E
Iuuamentum neruorum.de anato.viuo. Sp.43.G
Iuuamentum oſſis furculæ.de ana.viuo. Sp.43.G
Iuuamentum panniculorum.de anato.viuorum. Sp.44.C
Iuuamentum Pericardij.de compag.memb.ſiue de nat.huma.Sp.58.G
Iuuamentorum pilorum in corpore.de anato.viuo. Sp.55.D
Iuuamentum craſſi inteſtini quale ſit.de compag.memb. Sp.59.A
Iuuamentum pulmonis.de anato.viuo. Sp.53.A
Iuuamẽtũ diuiſionis pulmonis in duas partes.de an.v.47.H/ Sp.48.A
Iuuamentum carnis pulmonis.de anatomia.viuorum. Sp.47.H
Iuuamentũ quantitatis augmentatæ,quæ eſt ſupra pulmonem.de anatomia viuorum. Sp.48.B
Iuuamentum raritatis pulmonis.de anato.viuo. Sp.47.H
Iuuamentum canæ pulmonis quod.de ana.viuo. Sp.53.D
Iuuamentum ſpinalis medullæ.de anato.viuo. Sp.44.F
Iuuamentum ſquamarum in piſcibus.de anatomia viuorũ. Sp.53.D
Iuuamẽtũ quo accipiat natura ex ſuperfluitatibus.de an. vi.Sp.53.D
Iuuamentum venarum. de anato.viuo. Sp.44.B
Iuuamentum, vide Vſus.
Iuuamentum phlebotomiæ Iſchiadicæ magnum eſt in dolore ſcię & podagræ,& in varice,& elephantiaſi.de ana.vi. Sp.54.H
Iuuamentum ſectionis arteriæ manus.de ana.viuo. Sp.54.H
IVVATIVVM *quid prætermittere propter guſtum,ingeneroſum eſt. de cura icteri. Sp.111.A*
IVVENILI *ætate calidiorem puerili dicentes,falſa dicunt.2°.de temperamentis. 1ª.17.C*
Iuuenilis caloris æqualitas cum iuuenili.2°.de temp. 1ª.17.F
Iuuenilis caloris differentia à puerili.2°.de temperamentis. 1ª.17.F
Iuuenilia animalia quo modo erudiantur.5°.de decre.Hipp. 1ª.258.B
Iuuenilia in omni animante habent adipem humidiorem, & minus calidum perfectis.1°.de comp.med.per ge. 5ª.216.G
IVVENES *temperatura ſunt calidi,& humidi, ac ſimiles veri.final. medic. Iſa.44.G*
Iuuenum ad conſiſtentes comparatio, ſicut æſtatis ad autumnum.commentario 3°.apho.30°. Ex.26.D
Iuuenes in quibus debent eſſe exercitati. 2°.de ana. admi. 1ª.69.B
Iuuenes prauis vijs inſiſtere nõ debent ob exercitiũ. ad eos qui de typ. ſcripſ. 3ª.92.G
Iuuenum exercitatio debet eſſe geometria,arithmetica, logiſtice, & dialectica.ad eos qui de typ.ſcrip. 3ª.92.G
Iuuenibus pceritas pulchra,nõ tñ craſſities.c.2°.aph.24°. Ex.19.E
Iuuenes calidiſſimi ſunt.in 1ᵐ.de mor.vul.com.2°. 3ª.115.E
Iuuenes an calidiores ſint pueris.2°.de temperamentis. 1ª.16.F
Iuuene quomodo calidior puer,et è contrario.in 6ᵐ.de morbis vulgaribus,commentario 1°. 3ª.154.H
Iuuenibꝰ quomodo pueri calidiores.in 6ᵐ.de mor.vul.cõ.3°.3ª.173.B
Iuuenis calor in ſicca,puerorum vero in humida ſubſtãtia præſtatur, tamen æqualis vterque.2°.de temp. 1ª.17.E
Iuuenum calor differt qualitate à calore puerorũ.2°.de tem. 1ª.17.C
Iuuenum calor qualis.2°.de temp. 1ª.17.D
Iuuenum calor mordax.commen.1°.apho.14°. Ex.7.D
de Iuuenum & puerorum caloribus exemplum.2°.de temp.1ª.17.D
Iuuenes abundant humore amaro.in progn.com.3°. 4ª.210.C
Iuuenum pulſus,qualis.3°.de cauſ.pulſ. 4ª.96.D
Iuuenis valẽtis pulſus reſpectu formicãtis pueri.2°.d dig.pul.4ª.75.H
in Iuuenibus pulſus intermittẽtes periculoſi.2°.de preſ.exp.4ª.110.F
Iuuenis currentis pulſus,qualis.2°.de præſag.ex pul. 4ª.11.D
Iuuenis q exercitatur,an vino vel aqua vti debeat.5°.dẽ ſa.t. 2ª.94.E
Iuuenes quos pilos habent.2°.de temperamentis. 1ª.19.D
Iuuenes hyeme melius ſe habent.com.3°.apho.3°. Ex.20.B
Iuuenes habent fortem virtutem retentiuam,quoniam ad ſicciorẽ vergunt temperaturam.com.2°.apho.20°. Ex.14.F
Iuuenes habentes aluos humidas,in ſenectute deterius degunt.commẽtario 2°.aph.53°. Ex.20.E
in Iuuenibus cupiditas inſana præcedit coitũ.14°.de vſu p.1ª.207.D
Iuuenibus teſtes non laxi.1°.de ſemine. 1ª.324.F
Iuuenes nequeunt multum ferre inediam.com.1°.aph.13°. Ex.6.H
Iuueni,et puero boni habitus non conuenire idẽ onus.de mul.3ª.76.H
Iuuenes difficilius ferunt inconſueta ſenibus qui conſueti ſint labores ferre.commentario.2°.apho.49°. Ex.19.A
Iuuenis ad ſenem in motu comparatio.1°.de cauſ.pulſ. 4ª.88.A
Iuuenes læduntur minus ex aduſtione, algoribus, humi cubatu, vigilijs,repletione,quàm conſiſtentes.com.3°.aph.30°. Ex.26.D
Iuuenes à magnis etiam cauſis non læduntur.1°. de ſan.tuen. 2ª.90.F
Iuuenes non inciduũt in morbos longos.com.2°.aph.39°. Ex.17.H
Iuuenes in quas ægritudines incidant.com.3°.aph.29°. Ex.26.B
Iuuenes febribus tertianis ardentibus,quæ prę cęteris febribus bilioſiſſimæ ſunt,capiuntur.commen.3°.apho.29°. Ex.26.B
Iuuenes raro moriuntur ex pleuritide.de dynamid. Sp.35.E
Iuuenibus quot de cauſis ℔ fluuia ſanguinis fiãt.c.3°.aph.29°.Ex.26.C
Iuuenes incidentes in tabem,moriuntur.com.3°.apho.30°. Ex.26.D
Iuuenes aliq quos morbos ægre cõcoquãt.cõ.2°.apho.40°. Ex.18.A
in Iuuenibus,ætate.partibus dextris, & ſuperioribus, impares dies criticos eſſe inquit.bre.denot.dogm.Hipp. 1ª.231.D

Iuuenes emaciati quo mõ carnis incremẽtũ accepere. 5°.d ſ.t. 2ª.89.G
Iuuenibus mutare quæ nocent, tentandũ. 5°.de ſanitate tuẽda. 2ª.91.E
Iuuenibus nõ eſt malus cibus caro ouilla. 5°.de ſanitate tuẽda. 2ª.91.D
Iuueni plus bilis medicamentis iiſdem euacuatur, ſeni autem plus pituitæ ſecundum Aſclepiadem. 1°.de natu.fac. 1ª.294.C
Iuueni gracili calido, qui non vixerit in otio, nec in ſatietate ciborum, tpe æſtatis nõ eſt dãdũ medicamẽtũ pituitã educẽs, aliter multũ lædet, ſed dẽt dari medicamẽtũ bilẽ euacuãs. 1°.de na.fa. 1ª.294.C
Iuueni mel in ſalubre, & quare. 1°.de natu.fac. 1ª.300.H
Iuuenes fugiant mel. 1°.de alim.fac. 2ª.8.F
pro Iuuenibus diuerſæ ſunt faſciæ, & diuerſæ pro pueris in deligando. de ijs quæ in medic.fiunt.commen.2°. 7ª.210.C
Iuuenis exemplum pro pulſu. 1°.de dig. pulſ. 4ª.73.A
Iuuenes cur tremunt. 2°.de ſym.cauſ. 5ª.20.E
in Iuuene rigoris caſus. de pal. 3ª.55.G
Iuuenis vulnerati caſus. 6°.meth.med. 7ª.38.D
Iuuenum & pinguium auium axillæ velocius digeruntur, quàm axillæ macrarum & antiquarum. de diſſ.cont. Sp.73.C
IVVENTA *eſt ætas, in qua augetur animal. fin.med. Iſa.44.G*
IVVENTVS *ætas vigens, & qualis. com. 1°.aph. 13°. Ex.6.H*
Iuuentutis terminus qui. com. 3°.apho. 30°. Ex.26.D
Iuuentus, & valida naturæ tardant mortem. in 3ᵐ. de morbis vulgaribus, commentario 1°. 3ª.132.H
IVXTANGINA morbus peracutus. com. 1° aph. 12°. Ex.5.D
Iuxtangina quid ſit. com. 4°.apho. 34°. Ex.31.D
ΙΞΑΛΗ *quid appelletur. de fracturis, com. 3°. 7ª.245.C*
Ιξύς *quid ſit. introd. Iſa. 53.E/ de fract. com. 2°. 7ª.240.H*
IXIAM *aſſumentibus quid auxilietur. 2°.de antidotis. 5ª.114.C*
Ἰξις, *quid ſit apud Hippocratem. 2°.de arte cu. ad Glau. 7ª.113.D*
κατ' Ἰξιν *ſemper apud Hippocratem pro ex directo ponitur. de fracturis, commentario 3°. 7ª.243.E*
IXOS *viſcum, cuius ſit facultatis. 6°.de ſimp.med.fac. 5ª.48.F*

LABIA *ſunt organa locutionis. de anatomia viuo. Sp.49.C*
Labiorum cutis, qualis. 9°.de vſu partium. 176.D/ 11°. 1ª.190.E
Labiorum cutis quo modo ſe habet. 11°.de vſu partium. 1ª.190.D
cum Labiorum muſculis cutis commixtio. 9°.de vſu partium. 1ª.176.D
Labijs muſculorum principia quatuor eſſe oportebat, & quo modo ſe habeant. 11°.de vſu par. 1ª.194.F
Labiorum muſculi quomodo mouentur, & nullum habent tendonem. 1°.de motu muſc. 1ª.309.G
in Labijs quomodo fiant octo motus per quatuor muſculos. 11°.de vſu partium. 1ª.190.F
Labia, buccæ, maxilla inferior, quibus moueantur neruis. de neruorũ diſſectione. 1ª.54.G
in Labijs ex motibus obliquis fiunt recti. 11°.de vſu par. 1ª.190.F
Labia tenera ſunt hoĩs cõcepti in trib. horis ſanguinis. d ſper. Sp.57.B
Labia craſſa cur habeant melancholici. de mel. ex Gal. Ruff. Sp.109.E
Labiorum venæ quando ſecandæ. de ana. vi. Sp.55.B
Labiorum venarum ſectio confert vlceribus oris, & puſtulis, & doloribus gingiuarum, & earum apoſtematibus, & laxitati, & vlceribus, & fiſtulis, & ſciſſuris. de anatomia viuorum. Sp.55.B
inter Labium, & mentum vena quando ſecãda. de ana. vi. Sp.55.B
Labia occluſa quibus aperiantur. 5°.de ſimp.med.fa. Sp.35.G
Labij inferioris concuſſio. de vic.ra.in mor. acut.com. 2°. 7ª.122.F
Labia cur tremant vomituris. in 1ᵐ. prorrh.com. 1°. 4ª.167.E
Labiorum mutilationes in quo ſit genere morbi. de diff.mor. 3ª.4.G
in Labijs quæ deficiunt, quo modo curentur, & nominentur. 14°.methodi medendi. 7ª.92.B
Labia abſciſſa faciunt deformem faciem. 11°.de vſu partiũ. 1ª.189.C
in Labio curtis poteſt aliquis decordari. 14°.meth.med. 7ª.93.B
Labiorum ſciſſuræ prodeſt ſuccus centaureæ. de vir.cen. Sp.93.D
ad Labia ſciſſa. de med.fac.par. 7ª.173.E
ad Labiorum rimas. de remed.par.fac. 7ª.164.A
Labia vlcerata ſi præter naturam coaluerint, ad quã ægritudinis differentiam atiuent. de diff.morb. 3ª.5.D
LABIA, *cibus viſcoſus, & cur. de diſſol.con. Sp.72.H*
LABIA *vlceris incidenda eſſe dixit Theſſalus, cauſam tamen non attulit. 4°.methodi medendi. 7ª.25.B*
Labiorum vlceris inciſio quanta ſit facienda. 4°.meth.med. 7ª.23.F
Labia vlceris fibulis conſtringuntur. 2°.de com.me.ſe.lo. 5ª.133.G
LABOR *quid ſit. 2°.de ſan.tu. 2ª.69.E/ 8°.meth.med. 7ª.52.C*
Labor ſimpliciter, qui. comment. 4°.apho. 31°. Ex.30.G
Labor, motus, & exercitatio an idem. 2°.de ſan.tuen. 2ª.69.E
ad Laboris creationem quid exigatur. 7°.de decre.Hip. 1ª.271.H
Labor eſt vehemens motus, com. 2°.apho. 16°. Ex.12.H
Labor ſignificat vehementem motum, & dolorem, & læſionem. commentario 4°.aph. 32°. Ex.30.H
Labores ex motibus pluribus. com. 4°.aph. 31°. Ex.30.G
Labores differunt, quia aliqui exercent vnam partem, aliqui duas, aliqui plures. com. 2°.aph. 49°. Ex.19.D
in Laboribus qui locus corporis, & quæ pars patiatur. commentario 4°.apho. 31°. Ex.30.G
in Labore non ſint exercendi pueri. 2°.de ſanitate tuenda. 2ª.66.G
ad Labores quo modo ſe habent temperati. 5°.de ſan.tuen. 2ª.89.H
Laboribus conſuetis exercendi ſenes, ſed eorum vehementia remiſſa. 5°.de ſanitate tuenda. 2ª.90.A
Labor mediocris eſſe debet. 2°.de ſa.tuen. 2ª.69.D
Laboribus creſcit virilitas. de aere, aq. et loc. 5ª.5.B
ad Labores robur perficit membrorũ durities. 2°.de ſan. tu. 2ª.69.F
ex Labore vt minus afficiatur corpus membrorum duritia facit. 2°.d ſanitate tuenda. 2ª.69.F
Labores cõſuetos magis, et facilius pferimus alijs. c. 2°.a.49°. Ex.19.A
Laboris intolerantes, qui. de aere, aq. & lo. 2ª.5.B
Laboris tolerantia quibus à natura ineſt. de aere, aq. & loc. 2ª.5.B
Labores intempeſtiui, qui. de vict.rat. in mor.acu. com. 4°. 7ª.150.G
Labores cibum antecedunt. com. 2°.apho. 16°. Ex.12.H
ad Laborum portionem nutrimentũ exhibendũ. 5°.de ſan.tu. 2ª.79.G
cuius Labor naturalis in corpore ſuo eſt debilis, huic conueniunt cibi ſubtiliantes. de diſſolutione cont. Sp.72.D
ob Laborem fit imbecillitas. de vic.rat. in morb.acu.c. 2°. 7ª.123.F
Laboribus ſe exercentes cur minus lædantur à prauis cibis. 1°. de alimentorum facultatibus. 2ª.10.B
Labor non debet inungi ieiunanti. com. 2°.aph. 16°, Ex.12.H
Labores minuant ſiti moleſtati. de ſal. dieta. 2ª.43.B
Labore vehementi infeſtatis non eſt medicamentum exhibẽdum. de victus ratione in morb. acut. com. 4°. 7ª.150.F
Labor habet rationem cauſæ. commen. 4°.aph. 32°. Ex.30.H
Labores cauſæ extrinſecæ læſionũ noſtri corporis. de op. noſt. c. 1ª.38.B
ob Laborem aliquem importunum ſit dolor capitis. de victus ratione in morbis acutis, commen. 4°. 7ª.150.F
ex Laboribus pluſculis, & exercitationibus inæqualis intẽperies oriri ſolet in toto corpore. de inæq. intemp. 3ª.44.D
Labore immenſo excitatur febris. præſag. exper. conf. Sp.77.D
ex Laboribus quidam febricitant. 1°. de diff. feb. 3ª.31.B
ex Laboribus ſit febris diaria. de vi.ra. in mor. ac. com. 4°. 7ª.150.G
ex Laboribus ephemeræ, tactu cognoſcũtur. 1°. d ar. cu. ad Gl 7ª.95.d
Laboribus vita aſſueta in tertianas facile incurrit. 1°. d diff. fe. 3ª.36.D
Labores diuturni atram bilem maxime generãt. 4°. de ſan. tu. 2ª.83.G
ex Labore, et inedia febricitantes, quas hãt vrinas. 1°. de cri. 4ª.130.C
ex Labore, fame, & ſiti, quo modo mutetur vrina. 10°. de ſimplicium medicamentorum facultatibus. 5ª.74.G
Labor labori non medetur. in 6ᵐ. de morb. vulg. com. 3ª. 3ª.177.H
Labores cum multo ſudore faciunt craſſius excrementum. 4°. de ſanitate tuenda. 2ª.83.F
Labores ſine ſudore faciunt excrementum magis tenue. 4°. de ſanitate tuenda. 2ª.83.F
ex Labore multo qui ſudantes deficiunt, & frigeſcunt, pulſus eorum mitior inuenitur, & laſſior. de dyna. Sp.34.A
ob Labores in colendis vitibus & tenuem victum, agricola memoriã rationemq; vitiatam habuit. 3°. de loc. aff. 4ª.17.A
ob Laborem in ſtudijs atque vigilijs, memoria & ratio lęditur. 3°. de locis affectis. 4ª.17.A
à Labore conuulſio fit ex ſiccitate. 3°. de loc. aff. 4ª.17.F
Labores vehementes necant. 12°. meth.med. 7ª.77.D
Laboribus duobus indigent praue imbuti. 7°. meth.me. 7ª.43.H
Laboris amatores medici ſũt meliores d vi.ra. in mor. a.c. 2°. 7ª.121.G
LABOR *quid ſignificet. in 6ᵐ. de morb. vul. com. 5°. 3ª.190.G*
Labor ſignificat læſionem. com. 2°. aph. 1°. Ex.11.A

Labor ſignificat

Labor ſignificant dolorem,& læſionem.com.4°.aph.44°. Ex.32.G
Labor proprie dictus eſt dolor.de vi.ra.in mor.acu.c.2°. 7ª.123.G
Labor ſpontaneus,qui.c.4°.aph.31°. Ex.30.G
Labor qñ appellatur ab Hippocrate ſenſus ſolus.7°.de dec.1ª.271.H
Labor ex multitudine qui,& quid cauſet.c.4°.aph.31°. Ex.30.H
in Labores deflectunt cruda & inconcocta.in 1ᵐ.de mor.vul.c.3°.3ª. 124.E/com.4°.aph.22°. Ex.29.G
Labores videntur in ſomnis in morbis exitialibus commentario.4°. apho.67°. Ex.34.F
Laborem facit cubile præter conſuetudinem aut molle, aut durum.de vict.ra.in mor.acu.com.2°. 7ª.124.A
Laborum in morbis longitudinem qui dies indicent.commentario.4°. apho.36°.32.A/ Ex.31.G
Labores in articulis fiunt his qui habent febres longas.comment.4°. aphoriſmo.44°. Ex.32.F
Laborem,dolorem,grauedinem,ſiue mortem in qua ægritudine ſignifi cat vrina crocea,& ſpiſſa.de dyn. Sp.34.E
Labores extremi,qui.com.1°.aph.7°. Ex.4.D
Laborantes multum gignunt ſuccum bilioſum vel atrabilarium.4°.& ſanitate tuenda. 2ª.83.F
LABORANTES *vehementer quicquid vitiatum eſt in habitum corpo ris recipiunt.1°.de diff.fe. 3ª.31.H*
Laborãtes intẽpeſtiue facile febribus corripiunt.1°.& diff.fe.3ª.31.H
Laborantes quo modo in febrem incidant.1°.de diff.feb. 3ª.31.G
Laborantes cum ad deſidiã venere,cruentis dyſenteriis corrcpti ſunt. de natu.hu.com.2°. 7ª.180.G
Laborantis natura conſideranda in curatione molienda.3°.de locis affectis. 4ª.15.C
Laborantis temperies oſtendit indicationes menſuræ contrarietatis. 11°.methodi medendi. 7ª.67.H
Laboranti morbus eſt cibus vt ſano robur.c.7°.aah.62°. Fx.59.G
LABORANTES *phlegmone aures mitigat ſuccus centaureę.de virtute centaureæ. Sp.93.C*
Laborantibus phlegmone gingiuis prodeſt ſuccus centaureæ.de virt. centaureæ. Sp.93.D
LABORARE *quot habeat ſignificata.c.2°.aph.48°. Ex.19.A*
Laborare tria ſignificat,ſicut & labor.c.4°.aph.32°. Ex.30.H
ſi quid Laborauerit reſurgentibus ex morbis,hic fiunt abſceſſus.com. 4°.aphoriſmo.32°. Ex.30.H
Laborare idem põt per cõſenſum & ppria rõne.1°.de loc.aff.4ª.4.H
Laborantur multum cibaria craſſa in corpe calido.de diff.cõt.S.72.G
LABORIOSVM *non eſt refrigeratum excalfacere,calfactum refrige rare,denſum rarefacere,rarum denſare.cõtra Iulianum.Ex.69.E*
Laborioſiſſimum eſt humorẽ vel craſſum,vel pituitoſum parti carnoſæ inherentem educere.contra Iulianum. Ex.69.E
Laborioſi inæqualiter reſpirant.1°.de diff.reſp. 3ª.61.B
LABRAX *.i.lupus piſcis.de med.fac.par. 7ª.170.H*
LABRA *quæ proprie ſint.de frac.com.2°. 7ª.243.A*
Labra hñt naturam ſingularem & eximiam.4°.de ana.adm.1ª.80.G
Labrorum muſculi quatuor.de muſc.diſſ. 1ª.44.E
Labrorum muſculi ſitus,qui.de muſ.diſſ. 1ª.44.E
Labra oris abſque oſſe mouentur.1°.de mot.muſ. 1ª.309.F
Labrorum motus vnde.4°.de ana.adm. 1ª.80.G
Labrum ſuperius quo ſurſum trahatur,quo ad latus,et quo deorſum. de muſcul.diſſect. 1ª.44.E
Labrorum motus in priora ignoratus ab antiquis.de muſ.diſ.1ª.44.F
in Labra & buccam ceſſantes duos muſculos latos & tenues ignoraverunt antiqui.4°.de ana.adm. 1ª.79.G
Labra fiunt craſſa elephantiaſi laborantibus.de cau.mor. 3ª.8.H
ad Labra a capite cur materia tranſmittatur.2°.de diff.feb. 3ª.40.H
Labra cur commouentur ante vomitum.in prog.c.3°. 4ª.210.F
Labrum inferius tremẽs fuit in Chærione,qui apud Demænetum ægrotabat.in 3ᵐ.de mor.vul.com.2°. 3ª.135.E
Labra conuelluntur,& tunc quæ pars ſit affecta,3°.de lo.aff. 4ª.17.D
Labrum ſi peruertatur in continua febre,corpore exiſtẽte iam debili, letale.com.4°.apho.49°. Ex.33.B
ſi Labrum in febre non intermittente aut naſus,aut oculus,aut ſupercilium peruertitur,ſi non videat,ſi nõ audiat,& iã debilis ſit,quic quid horum fuerit mors prope eſt.c.7°.aph.66°. Ex.60.F
Labri inferioris cõcuſſio qd ſignet.de vi.ra.in mor.acu.c.2°.7ª.123.D
Labrorum curtorum reſtitutio ad naturalem habitum.intro.Iſa.60.D
ad Labrum ſuperius faſcia glomerata. de faſcus.7ª.300.D/eadem a medio orſa.E/
ad Labrum inferius funda ſciſſa in partes quatuor.de faſcijs.7ª.300. A/eadem ad labrum ſuperius.B/
ad Labrum inferius faſcia glomerata de faſcijs.7ª.300.C/eadem in vtranque partem ducta,ac ibidem alia.D/
Labra vlceris quo modo iungantur.5°.met.med. 7ª.30.D
Labra coniungi quæ vlcera poſtulant.5°.met.med. 7ª.20.F
Labra decolorata,& dura habentia vlcera quo modo incidenda.2°. meth.med. 7ª.23.F
Labra,vide Labia.
LABRVSCÆ *flores.de ſimp.med. Sp.85.E*
de LACTE multa diſtincte dicenda de bo.& vit.ſuc. 2ª.34.G
Lac eſt corpus molle.3°.de diff.pul. 4ª.63.D
Lac epiceraſticum eſt.2°.de ſimp.med.fac. 5ª.12.F
Lac eſt ſanguis parum immutans in mammillis.1°.de ſa.tu. 2ª.65.C
Lac quo modo fiat a natura.7°.de decr. 1ª.269.E
ad Lac creandum.de med.fac.par. 7ª.168.G
Lac generatur ex ſanguine exacte cocto.16°.de vſu par. 1ª.219.C
in Lac vertitur ſanguis per quandam decoctionem in mãmillis mulierum.de ſpermate. Sp.36.E
Lac albificant mammillæ.de anat.viu. Sp.44.D
Lactis candor differt ab eo qui eſt in niue.1°.de ſan.tu. 2ª.63.E
Lac generantium glandularũ magnus eſt vſus.14°.met.med.7ª.90.C
Lac habentes,& non habentes glandulæ,quorum animalium ſumendæ.de bon.& vitio ſucco. 2ª.36.A
Lac cibus eſt exacte confectus.7°.de vſu par. 1ª.164.D
Lac cur perfectum in pectore.7°.de vſu par. 1ª.164.D
Lac ſuperfluum eſt vtilis alimenti.7°.de vſu par. 1ª.164.C
Lac in medio pituitæ,& ſanguinis eſt.5°.de ſimp.med.fa. 5ª.37.F
Lac menſtruo germanum.14°.de vſu par. 1ª.207.C
Lac,& menſtrua hñt vnam ſubſtantiam.de ve.ſc.adu.Eraſ. 6ª.6.H
Lacti comparatur ſperma mulieris.de ana.viuo. Sp.55.H
Lac vt ſemen genitale,cito mutatur.7°.met.med. 7ª.44.G
Lac quale ſit.de ocul. 7ª.189.A
Lac eſſe partem dulciſſimam collige,vbi inquit, infantem exugere dulciſſimum ſanguinis.com.5°.aph.37°. Ex.41.A
Lac dulcius eſt melle in venis coctum,ſi guſtari poſſet.4°.de ſimpliciũ medicamen.facul. 5ª.29.C
Lac cum ſit dulce,nunquam fit amarum.4°.de ſimp.me.ſa. 5ª.29.C
Lac viſcoſum & humidum eſt.de ocul. 7ª.189.B
in Lacte frigiditas vincit caliditatem.4°.de ſimp.me.ſa. 5ª.29.C
Lacti dominatur frigiditas vehemens.de diff.cont. Sp.73.B
Lac eſſe frigidum colligi poteſt.com.5°.aph.40°. Ex.41.D
Lac eſt frigidum,quãuis album.1°.de ſimp.med.fac. 5ª.2ª.E
Lac poteſtate calidum eſt.3°.de temp. 1ª.23.E
Lac ſæpe habet temperiem albuminis oui.11°.de ſimp.me.ſa.5ª.81.D
Lac eſt tanto frigidius ſanguine,quanto adenes mammarum ſunt frigidiores hepate.com.5°.aph.40°. Ex.41.D
Lac eſt humidum,ac tepidum.5°.de ſimp.med.fac. 5ª.37.F
Lac vnum quoddam ſicuti ſanguis videtur,tamẽ habet diuerſas partes.2°.de elementis. 1ª.8.H
Lac non eſt ſimplicis naturæ.3°.de alim.fac. 2ª.28.D
Lac quo modo cognoſcatur eſſe diſſimilare.7°.met.med. 7ª.44.H
Lac non eſſe ſimilare probatur ex coagulo.1°.de ſimp.me.fac.5ª.5.D
Lac miſtum eſt ex ſubſtantijs contrarijs.3°.de ali.fac.27.G/ 2ª.28.F
Lac in ſe duas habet facultates,& quænam ſint.3°.de ſimplicium medicamentorum facul. 5ª.20.A
Lac ſiſtit aluum,& euacuat.3°.de ſimp.med.fac. 5ª.20.A
Lactis partes quæ.2°.de elementis. 1ª.8.H
Lac omne ex triplici ſubſtantia conſtat.de bo.& vit.ſuc. 2ª.35.C
Lac habet in ſe naturam ſeroſam,pinguem,& caſeoſam.3°.de ali.fa. 2ª.28.E/4°.de ſimp.med.fac. 5ª.73.F
Lac tribus ſubſtantijs eſt compoſitum,butyro,caſeo,& ſero.4°.de ſimplicium med.fac. 5ª.29.C
Lactis prima ſubſtantia ſeroſa eſt ac tenuis.de bo.& vi.ſu. 2ª.35.C
Lacti quo mõ inſit ſeroſa humiditas.in 6ᵐ.de mor.vul.c.2°.3ª.167.F
Lactis ſecunda ſubſtantia craſſa,ad caſeum faciendum accommodata. de bonitate & vit.ſuc. 2ª.35.C
Lactis tertia ſubſtantia oleoſa eſt,& pinguis.de bo.& vi.ſu.2ª.35.C
ex Lactis pingui butyrum ſit.3°.de alimentor.faculta.2ª.27.G/4°.de ſimp.med.fac. 5ª.73.E
Lac contemperatum eſt ex caſeo,& ſero.2°.de elem. 1ª.8.H

ex Lacte coctus chondrus confert ad tormina febris. de vic. ra. in mor. acu. commen. 4°. 7ª.149.C
Lac conuenit tabidis, & in febribus longis, & paruis, & consumptis præter rationem. com. 5°. aph. 64°. Ex.44.G
Lac omne vtile est thoraci, & pulmoni. 3°. de ali. fac. 2ª.28.B
Lac conuenit habentibus vlcus in pulmone. 3°. de ali. fa. 2ª.28.H
Lac solum pulmonis vlcera sanat. de bo. & vit. suc. 2ª.36.A
Lac præstantissimum in marasmo est. de marc. 3ª.48.D
Lac quorum animalium sumendum. de bo. & vit. suc. 2ª.36.A/de dissolutione continua. Sp.73.H
Lac quorum animalium iucundum. 4°. de simp. med. fac. 5ª.73.F
Lacte quorum animalium post humanum vti debemus. 9°. de simplic. medicamen. facul. 5ª.73.F
Lac quorũ animaliũ bonũ, & quorum non. de bon. & vi. suc. 2ª.36.A
Lac animalium prauum habitum habentium est mali succi. de bonitate, & vitio succorum. 2ª.36.A
Lac quorum animalium iniucundum. 4°. de simp. med. fac. 5ª.73.F
Lac qñ sumimus, cuius ætatis debet esse animal. 5°. de sa. tu. 2ª.91.H
Lac sit animalis ætate florentis. 7°. met. me. 7ª.45.A
Lacte quando vsuri sumus, qualia debent esse animalium nutrimenta. 5°. de san. tuen. 2ª.91.H
Lac quo modo parandum in animali. 7°. met. me. 7ª.45.A
Lacte sumpto os vino diluto colluito. 3°. de alic. fac. 2ª.28.C
Lac duplici alteratione alteratur. com. 5°. aph. 64°. Ex.44.E
Lac propter velocitatem immutationis eius naturæ est malum stomacho. de diss. cont. Sp.74.F
Lac in imbecillũ vẽtriculũ demissum ab eo nõ supat. 3°. de tẽp. 1.23.H
Lac in plurimis in ventriculo vertitur in flatus. 3°. de ali. fa. 2ª.28.B/de dissol. cont. Sp.74.G
Lacti mista augent, vel minuunt vim lactis. 3°. de alim. fac. 2ª.28.B
Lac in aliquibus acescit. 3°. de ali. fac. 2ª.28.E
Lac in aliqbus facit ructus fumosos nidorulẽtos. 3°. de ali. fac. 2ª.28.E
post Lac ad colluendos dentes mel misceat vino. 3°. de ali. fac. 2ª.28.C
post Lac sumptũ quo mõ dẽtes seruẽtur incolumes. 3°. d ali. f. 2ª.28.C
Lac quandoque acescit, quandoque in nidorem vertitur. 2°. de simpli. med. facul. 5ª.12.D
Lac cito acescit. com. 5°. aph. 64°. Ex.44.E
in Lacte acor fit ob caloris inopiam. 3°. de alim. fac. 2ª.28.E
Lac acescit in frigido stomacho. c. 5°. apho. 64°. Ex.44.F
Lac in frigidiore ventre, vbi adest cruditas, quale sit. 4°. de simp. medicamento. facul. 5ª.29.C
Lac repositum cur acescat. 4°. de simp. med. fac. 5ª.29.C
Lac acidum & amarum mordicat linguam. 4°. de simplicium medicamento. facul. 5ª.29.C
ĩ Lacte nidor & fumus fiunt ob caloris excessum. 3°. de al. fa. 2ª.28.E
Lac ad fumosum alteratur pp calorem. com. 5°. aph. 64°. Ex.44.F
Lac euaporat in calido stomacho. com. 5°. aph. 64°. Ex.44.F
Lac in calidiore ventre quale sit. 4°. de simp. me. fac. 5ª.29.C
Lac statim euaporat. com. 5°. aph. 64°. Ex.44.E
Lac seruatur in locis frigidis. 4°. de simp. med. fac. 5ª.28.C
Lacte vtebant Cnidy in nõ acutis. de vi. ra. in mor. acu. c. 1°. 7ª.108.F
Lac emulctũ aliqd naturę bonitatis amittit. de bo. & vit. suc. 2ª.36.A
Lac statim hauriendum, vbi emulctum fuerit. de bon. & vit. 3ª.35.D
Lac bibatur animali astante, & melle iniecto. 5°. met. me. 7ª.35.A
Lac statim mulsum melius est recipere, antequam immutetur ab aere. de dissolutione continua. Sp.74.A
Lac recenter mulsum est boni chymi. de diss. cont. Sp.73.H
Lac recenter mulsum multum nutrit. de diss. cont. Sp.73.F
Lac sugendum è mamma a phthisicis. de mar. 3ª.48.D
Lacte calido ab vbere vti debemus. 10°. de simp. med. fac. 5ª.73.F
Lac è mammillis haustum optimum est. 7°. met. me. 7ª.44.G
in Lacte quo modo fiat coagulatio. 3°. de ali. fac. 2ª.28.G
Lac coagulatum os ventris stomachumúe afficit. de sym. cau. 3ª.18.G
Lac coagulatum in ventriculo aggranat, & strangulat. de bonitate, & vitio succorum. 2ª.35.C
ex Lacte concreto in ventriculo suffocationis remedia. de rem. paratu facilibus. 7ª.160.H
Lac quo modo in ventre non cogetur. 5°. de san. tu. 2ª.91.H
Lac ne coaguletur in ventriculo, quid agendum. de bonitate & vitio succorum. 2ª.35.D/de diss. cont. Sp.73.H
Lac ne coaguletur in vẽtriculo faciũt mel, & sal. 10°. me. m. 7ª.67.B
Lacti mel est miscendum, ne coaguletur. 9°. met. me. 7ª.44.G
Lac cum melle in ventriculo non cogitur. 5°. met. med. 7ª.35.A
in Lacte sciisio quo modo fiat. 3°. de ali. fa. 2ª.28.G
Lac in ventre coagulatum dissoluit leporis coagulum. 11°. de simpli. medicamen. facul. 5ª.74.D
Lac cum subtiliantibus, & mundificantibus quid faciat. de dissolutione continua. Sp.75.B
Lacti cur miscetur aqua consumpto sero. 3°. de ali. fa. 2ª.27.G
Lacti aqua miscetur, ne fiat caseus. 3°. de ali. fac. 1ª.27.G
Lacti mel & sal admiscentur ne fiat caseus in ventriculo. 3°. de alim. facultatibus. 2ª.27.G
in Lacte pone aliquid mellis. 3°. de ali. fa. 2ª.28.C
Lac habens plurimũ seri, nihil habet periculi. 3°. de alim. fa. 2ª.28.A
Lac cum sero subducit. 3°. de ali. fac. 2ª.28.G
Lactis quod genus dandum, si venter acribus excrementis sit plenus. 3°. de alimen. facul. 2ª.27.G
Lac a sero habet quod deijciat. 3°. de ali. fa. 27.G/H/ 2ª.28.G
Lactis aquositas lenit ventrem. de diss. cont. 75.B/de mel. ex Gal. Ruf. & Possidonio. Sp.110.A
Lac quod facit fluere aluum. 3°. de ali. fac. 2ª.28.A
Lactis serum sale & melle conditũ citat aluũ. c. 5°. aph. 64°. Ex.44.F
Lac cum sale ad aluum citius descendit. 5°. met. me. 7ª.35.A
ex Lacte fit deiectio alba. in 1ᵐ. pror. com. 1°. 4ª.165.A
Lac a caseo habet quod sistit. 3°. de ali. fac. 2ª.27.H
Lac iniectis ignitis lapillis sistit aluum. 3°. de ali. fac. 2ª.27.G
in Lac debet poni ferrum candens pro alui profluuijs. 10°. de simplic. medicamen. facul. 5ª.73.G
in Lacte pro dysenteria ferrum candẽs ponebat Galenus pro calculis fluuiorum. 10°. de simp. med. fa. 5ª.76.A
in Lac qui lapides igniti extinguantur pro ventris fluxu. 10°. de simplic. med. facul. 5ª.73.G
Lac a partu quibus restingui facile posit. 10°. de simp. me. fac. 5ª.75.C
in Lacte coquit silices Galenus, & in quo casu. 8°. de composi. medic. secun. locos. 5ª.192.B
in Lacte extinguitur cadmia vsta. 4°. de comp. med. sec. lo. 5ª.154.B
Lac exhibetur ijs, qui aconitum & thapsiam sumpserint. 11°. de simp. medicamen. facul. 5ª.73.H
Lacte vtimur vomitu facto in ijs qui potarunt hyosciamum, aut mortiferum aliud. de opi. secta. Isa.21.F
Lac datur leprosis. de med. exper. Sp.106.D
Lac est medicamẽtũ θωρηγικόν, id est leniẽs. 9°. de sim. m. f. 5ª.73.b
Lac lenitiuus liquor. 4°. de comp. med. se. lo. 5ª.150.G
Lac liquor acrimoniæ expers. 4°. de comp. med. sec. lo. 5ª.151.C
Lac oculis conuenit. de ocul. 7ª.188.G
Lac quale esse debet pro oculis. 4°. de comp. med. sec. lo. 5ª.150.G
Lac totum ad acres fluxiones oculorum, tum per se, tum cum mollium collyriorum quopiam valet. 4°. de simp. med. fac. 5ª.73.G
ex Lacte collyria teruntur in cotibus. 4°. de comp. me. se. lo. 5ª.150.D
Lac in cote cum collyrio calidum. 4°. de comp. med. se. loc. 5ª.150.G
Lac purũ ad acres, & mordaces fluxiones est vtilissimũ. 9°. de simpl. medicamen. facul. 5ª.73.E
Lac vtile est ad hypopia, & hyposphagmata. 9°. de sim. m. f. 5ª.73.H
Lac cum rosacco & ouo ad oculorum phlegmonas valet. 9°. de simp. med. facul. 5ª.73.H
Lac gargarizatum oris phlegmonas mitigat. 9°. de simp. m. f. 5ª.73.H
Lac in principijs inflammationum arteriæ est lenissimum edulium. 7°. de comp. med. sec. loc. 5ª.177.H
Lac infunditur, vtero vlcerato, ad sedis ulcera mitigãda phlegmonas aut stolidas perpetientia, & ad vlcera pudendorũ valet cancrosis applicatur vlceribus, tonsillas, collumellã, & antiadas phlegmone affectas mitigat, proinde in synãche siue angina, & in venenis quæ erosione interimunt, datur. 9°. de simp. me. fa. 5ª.73.H
LAC *quibus inimicum. com. 5°. aph. 64°.* Ex.44.E
Lac non conuenit capiti, nisi quis habeat ipsum admodum firmum. 3°. de alimen. facul. 2ª.38.B
ex Lactis crema leuigata polygonium quo modo facit pro capitis dolore. de reme. par. fa. 7ª.154.B
Lac dare caput dolentibus malum, malũ vero & febricitãtibus & qbus hypochondria suspensa murmurant, & siticulosis, malum autẽ & qbus in febribus cutis biliosæ sunt deiectiones, et sanguinis multa deiectio facta est. cõuenit aũt & tabidis dare, qnõ valde multũ febricitant, & in febribus lõgis & paruis, si nullũ ex supradictis signis affuerit, & præter rõnem cõsumptis. c. 5°. aph. 64°. Ex.44.F

Lac in potu vitandum in capitis doloribus a stomacho & ab alijs.2°. de comp.med.se.loc. 5ª.137.B
Lac quomodo obest dentibus & gingiuis.3°.de ali.fa. 2ª.28.B
ex Lactis vso diuturno quidam dentes amisit.5°.de sa.tu. 2ª.91.G
Lac non conuenit hypochondrijs.3°.de ali.fa. 2ª.28.B
Lac si comedatur solum auget crassities splenis, & hepatis.de dissolutione continua. Sp.74.H
Lac generat oppilationē i iecore, et lapidē i renibus.d dif.cōt. S.75.C
Lac natura crassum est,& aptum ad calculos gignendos.in 6m.d mor. vul.com.3°. 3ª.173.E
ex Lactis vsu diuturno calculus in renibus fit.5°.de sa.tu. 2ª.91.G
Lac quando obstruit.de diff.cont. Sp.74.H
Lac facit conuulsionem.in prog.com.3°. 4ª.211.B
LAC *mori arboris.5°.de comp.med.sec.loc.* 5ª.163.C
ex LACTE *tithymalli farina.de rem.par.fa.* 7ª.164.G
LACCE *drachmæ duæ contra oppilationem hepatis valent. de medicinis expertis.* Sp.106.D
Laccæ electarium.de med.exper. Sp.107.A
Laccæ electarium magnum.de med.exper. Sp.107.A
LACEDEMONII *multum potuere.de par.pi.ex.* 2ª.49.D
Lacedæmonijs Pithius dedit leges.an animal sit. 1ª.328.E
LACERAE *vestis instar quo modo fiat cutis.2°.de arte curatiua ad Glauconem.* 7ª.106.F
LACERANS *dolor,qui.2°.de lo.aff.* 4ª.12.A
LACERNAE, *quales.de sal.die.* 2ª.41.A
LACEROSI *qui sint.2°.de arte cur.ad Glau.* 7ª.106.E
in Laceroſis cutibus mel elixum.2°.de ar.cu.ad Gla. 7ª.106.G
*p Laceroſis cutibus quæ melli iungēda.2°.de art.cu.ad Gla.*7ª.106.G
LACERTAE *semper sunt paruæ.3°.de vsu par.* 1ª.128.F
Lacertæ iecur dolores eroſorum dentium sanat.11°.de simplicium medicamen.facul. 5ª.79.H
*Lacertæ fimus ad oculorum albugines valet.d rem.par.fa.*7ª.156.G
Lacertæ stercus albugines tollit.4°.de compoſitione medicamētorum ſecundum locos. 5ª.158.C
LACERTOSVM *cur sit collum matricis cum multis plicis.d anatomia viuorum.* Sp.51.E
LACERTVS *quasi laceratus.de ana.viuo.* Sp.55.E
Lacerti ex quibus compoſiti.de ocul. 7ª.183.F
Lacertorum vnicuique continuantur arteria, vena,neruus.d motibus manif.& obſc. Sp.66.E
Lacerti oculis neceſſarij ſunt propter motum.de ocul. 7ª.182.D
Lacertorum paria ſex habet coniunctiua ad motum oculi perficiendū. de anatomia viuorum. Sp.48.G
Lacerti duo ſunt in foliis naſi qui dilatant, & conſtringunt.de anatomia viuorum. Sp.49.A
Lacertus mouens linguam vnde oriatur.de mo.man.& obſ. sp.68.D
Lacertus faciens inſpirationē,& expirationem ignoratur.de motibus manif.& obſc. Sp 69.E
Lacerti octo marach adiuuant expulſionem.de ana.viu. Sp.50.E
*Lacertos quatuor habet lōgaon ad faces retinēdas.d ana.vi.*Sp.50.E
Lacertorum actio fit per motum ad ſuam originem.de motibus manifeſtis & obſcuris. Sp.70.C
Lacertus,aut neruus non perficit motus,ſed anima.de palp. 3ª.53.C
*cū Lacertis dū nerui cōponūtur fit motus volūtarius.d ocul.*7ª.183.F
Lacerti vnius eſt ſimplex actio.de palp. 3ª.52.A
Lacerti actionis laxatio an ſit naturalis vel voluntaria. de motib.manifeſtis & obſcuris. Sp.68.H
Lacerti duo quando agunt.de palp. 3ª.52.E
Lacertus, vide Muſculus.
LACERTI *piſces ſunt molles carne.3°.de ali.fa.* 2ª.31.A
Lacerti piſces connumerantur inter illos qui facilius cæteris conficiuntur.3°.de ali.fac. 2ª.31.A
Lacerti piſces medij inter piſces carnis mollis,& duræ.3°.de alimentorum facultatibus. 2ª.31.D
LACHRYMAE *ſunt aquei quidam liquores.7°.de ſimplicium medicamentorum facultatibus.* 5ª.51.F
Lachrymæ,& ſudores ex quibus conſtent.de hiſt.phil. Sp.11.F
Lachrymæ quo modo fiant.de ocul. 7ª.187.A
p Lachrymas purgantur oculi.de cathar. Sp.94.G
Lachrymæ cur fiant frigore.4°.de ſimp.med.fac. 5ª.24.C
p Lachrymas expellūtur ſupflua.de cōp.mēbr.ſiue de na.hu. Sp.59.B
Lachrymas q̄ ex oculis educūt,oculorū cenotica dūr.d cath. Sp.95.B
*Lachrymæ qñ bonæ,& qñ nō bonæ,conſiderandū.1°.de criſi.*4ª.128.B
Lachrymæ ſigna indicatiua criſis.1°.de criſi. 4ª.128.E
Lachrymæ ſpontaneæ,quales.in 6m.de morb.vul.com.1°. 3ª.158.C
Lachrymæ ſpontaneæ ſignificant profluuium ſanguinis narium.in 1m. de morb.vulg.com.2°. 3ª.116.A
de Lachrymis ſpontaneis, & inuitis meminit Galenos. in 1m. de morbis vulgaribus.com.3°. 3ª.118.A
Lachrymæ aridæ,malæ.in 6m.de mor.vul.com.1°. 3ª.158.C
Lachrymæ quando prouocandæ.de ocul. 7ª.190.D
Lachrymas oculorum quid curet.de dyn. Sp.24.G
Lachrymam oculorū ſtringit Eryſibrodani radix.de ſimp.me. S.48.F
Lachrymas ſtringit Glaucium.de ſimp.med. Sp.84.G
Lachrimæ oculorum prodeſt lapis galactites.de ſimp.me. Sp.86.H
*Lachrymam ſtringit Opium collyrijs admixtum.de ſimp.me.*Sp.88.B
Lachrymam ſtringit Sarcocolla.de ſimp.med. Sp.89.G
Lachrymas veluti oppilat Stibium.de ſim.me. Sp.90.A
*Lachrymā reprimit Tragacāthe plus q̄ſarcocolla.de ſim.me.*S.91.D
ad Lachrymas ſtringendas.de ocul. 7ª.191.E
Lachrymis confert ſectio venarum temporum, & quæ ſint in angulis oculorum lachrymalibus.de ana.viuo. Sp.55.A
ad Lachrymas oculorum.ſecre. Sp.97.D
LACHRYMA *Cyrenaica trahit a profundo.6°.met.me.* 7ª.37.D
Lachryma cyrenaica per ſe obeſt, cum alio, & in pauca quantitate conducit.3°.de temp. 1ª.23.B
LACHRYMA *Hederæ.5°.de comp.med.ſec.lo.* 5ª.164.F
Lachryma Medica per ſe obeſt, cum alio,& in pauca quantitate conducit.3°.de temperamentis. 1ª.23.B
Lachrymæ Oleæ.4°.de comp.me.ſec.lo.153.B| 5ª.157.A
*Lachryma oleæ Aethiopicæ.5°.de cō.me.ſe.lo.160.H|*5ª.161.A|B
Lachryma Particha per ſe obeſt,cum alio,& pauca quantitate,ac tē pore congruo ſumpta conducit.3°.de temp. 1ª.23.B
Lachryma Vlmi.5°.de comp.me.ſec.lo. 5ª.160.H
ad LACHRYMALES *angulos oculorum exeunt duo foramina, quæ ſunt in radice naſi ſuperius.de anat.viu.* Sp.49.A
in Lachrymalibus angulis oculorum venæ duæ non apparent multū. de anatomia viuorum. Sp.55.A
*Lachrymantibus oculis cito prodeſt pſyllium.de ſimp.med.*Sp.89.A
ad Lachrymantes angulos oculorū valet fuligo piceæ.tedæ.8°.de ſimplicium med.fac. 5ª.58.F
*Lachrymāt ſponte quibus ſanguis fluxurus eſt.in prog.c.3°.*4ª.211.B
*Lachrymāt oculi in dolore genuū,cur.de na.& or.cuiu.corp.*S.42.D
Lachrymare oculos quid,& vnde.in progn.com.1°. 4ª.192.E
LACHRYMOSVM *vlcus quid ſit.de fract.com.2°.* 7ª.243.A
LACONES *quid cabbalicen artem nominant.ad Thraſy.* 2ª.109.B
in LACONICO *immorari quid ſit.3°.de ſan.tu.* 2ª.78.B
p LACTES *quid intelligendum.5°.de loc.aff.* 4ª.35.C
Lactes & inteſtina,venæ,& arteriæ,quæ.in 6m.de morb.vulgaribus commentario.4°. 3ª.180.E
Lactes vbi ſint.in 6m.de mor.vul.com.4°. 3ª.180.E
Lactium vinculum quod.in 6m.de mor.vulg.com.4°. 3ª.180.E
*Lactiū vinculū,quo ſuſpēdūtur,quale,in 6m.d mor.vul.c.4°.*3ª.180.E
Lactibus alligantur inteſtina.in 6m.de mor.vul.com.4°. 3ª.180.E
LACTENTIS *animalis caro eſt multarum ſuperfluitatem. de diſſolutione continua.* Sp.73.E
*Lactētiū ptes ſunt boni ſucci ſi mater ſit ſana.de bo.& vi.ſu.*2ª.30.H
Lactentium iecur boni ſucci.de bon.& vit.ſuc. 2ª.36.B
LACTEVS *circulus quid ſit.de hiſt.phil.* Sp.7.E
Lacteus color a lacte deducitur.in prog.com.2°. 4ª.201.G
Lactea Concauitas,quæ.de ana.viu. Sp.50.H
in Lacteum ſuccum vertitur cibus in ſtomacho.de compagine memb. ſiue de nat.hum. Sp.58.H
Lactea Vrina in ſynocha in initio ægritudinis iuuenibus ſi aſſuerit, nō bonum ſignificat.de dy. Sp.34.D
LACTVCÆ *nomen impoſitum fuit a ruſticis.de atten.vic.* 2ª.44.B
Lactuca chloros,id eſt viridis,nominatur.in prog.com.1°. 4ª.191.D
*Lactucā ante poſuerūt multi medici oībus oleribus.2°.d ali.f.*2ª.22.D
Lactuca ſimilis chondrillæ.2°.de ali.fa. 2ª.22.F
Lactuca quædam ſatiua,quædam agreſtis.2°.de ali.fa. 2ª.22.H
*Lactuca in medio eſt atriplicis,bliti,& braſicæ.2°.de ali.fac.*2ª.23.B
Lactucæ caulis eſt ſiccus.2°.de ali.fa. 2ª.24.B
*Lactuca nihil habet auſteri,accrbi,ſalſi,& acris.2°.de ali.f.*2ª.22.F
*Lactucas eſt olus inſipidū crudū,cui acria miſcēda.2°.d ali.f.*2ª.23.F

Lactuca frigida eſt.3°.de temp.1ª.21.G/in 6ᵐ.de mor.vul.com.4°.3ª.182.C/de diſſ.cont. Sp.74.D
Lactuca eſt humida.de diſſ.cont. Sp.74.D
Lactuca frigida & humida eſt.de atten.vic. 2ª.44.E
Lactuca frigida & humida ſecundum aquæ fontanæ frigiditatem.6°.de ſimp.med.fac. 5ª.48.E
Lactuca ita eſt frigida & humida ad hominem, ſicut viridia ligna ad ignem.3°.de temp. 1ª.24.E
Lactucæ humidę nouellę quibus proſint.de marc. 3ª.48.B
Lactuca minus ſiccat q̃ braſsica.5°.de ſan.tu. 2ª.92.C
Lactuca magis ſuauis in tybis.2°.de alim.fac. 2ª.22.G
Lactucæ ſunt cibaria media.de diſſ.cont. Sp.74.C
Lactuca q̃n medicamentum,& q̃n nutrimentum.3°.de temp. 1ª.24.C
*Lactuca tã vt cibus,q̃ vt medicamẽtum frigida eſt.3°.d̃ tẽp.*1ª.24.C
Lactuca cibus ſimul & medicamentum multi ſeminis.5°.de ſimplic.medic.facul. 5ª.38.C
Lactuca cruda,& cocta manditur.2°.de alim.fa. 2ª.23.C
Lactucam ſumendi modi.2°.de alim.fac. 2ª.22.E
Lactucę admiſcẽda porrum,etuca,& ocimum.2°.de ali.fa. 2ª.23.F
Lactuca cum oleo,garo,& aceto ſumitur.2°.de alim.fa. 2ª.22.E
Lactucam commedant cum aceto,quibus caput dolet.2°.de compoſitione med.ſec.loc. 5ª.133.E
Lactucę caulis aquæ incoctus cum oleo,aceto,& garo manditur.2°.de alim.facul. 2ª.24.B
Lactucæ facile nutriunt,ſed parum.8°.met.me. 7ª.50.H
Lactucæ,endiuia,citruli,cucurbitæ facilius digeruntur, quàm apium & carbthum.de diſſ.cont. Sp.73.D
Lactuca boni ſucci refrigerans.2°.de comp.me.ſe.lo. 5ª.132.A
*Lactuca eſt mediocris ĩ bonis & malis ſuccis.d̃ bo.& vic.ſu.*2ª.37.G
Lactuca generat parum ſanguinis non laudabilis ſucci,tamen nõ mali.2°.de alim.fac. 2ª.22.D
Lactuca ſi ſanguinem multum generaret,eſſet omnibus edulijs præferenda.2°.de ali.fac. 2ª.22.D
Lactuca indiget multa alteratione ſi debet fieri ſanguis.1°.de natura facultatibus. 1ª.292.D
Lactuca moderate ſumpta hominem nutrit, immoderate necat.3°.de ſimp.med.fac. 5ª.22.C
Lactuca primo vſu oſtendit ſuam alterationem.3°.de temp. 1ª.24.A
Lactuca innoxia,refrigerandi vim habens.de bo.& vit.ſuc. 2ª.39.C
Lactuca refrigerat.10°.met.med.65.A/14°. 7ª.87.E
Lactuca infrigidat,poſtea concocta calefacit.3°.de temp. 1ª.24.C
Lactuca in febre danda.4°.de ſan.tu. 2ª.87.G
Lactuca danda pro cibo in tertiana.1°.de arte cur.ad Glau. 7ª.97.C
Lactucam primum poſtea carnes auium in iure albo elixas cui dederit Galenus,& qua die.12°.met.me. 7ª.78.H
Lactucæ ſuccus non eſt lentus.2°.de alim.fa. 2ª.22.G
Lactuca ad calidas phlegmonas accõmoda eſt, & ad parua & leuia eryſipelata.6°.de ſimp.med.fa. 5ª.48.C
Lactuca in cataplaſmate manifeſte refrigerat eryſipelati impoſita.2°.de alim.facul. 2ª.22.G
Lactuca infrigidat inflammationes.6°.de comp.med.ſe.lo. 5ª.176.F
Lactuca vitanda in herpete exedente.2°.de ar.cu.ad Glau. 7ª.102.B
Lactuca contra ſitim.6°.de ſimp.med.fac. 5ª.48.C
Lactuca conuenit ventriculis bile infeſtatis.2°.de ali.fac. 2ª.22.C
Lactucæ crudæ conueniunt ſtomachicis.8°.de comp.me.ſ.l. 5ª.192.C
Lactucæ albæ ſemen quo modo exhibendum pro ſtomacho exoluto ſolum,& nauſeabundo facto.8°.de comp.me.ſe.loc. 5ª.192.B
Lactuca æſtuantem ventrem refrigerat,& a ſiti liberat.3°.de temperamentis. 1ª.24.A
Lactuca lædit ſtomachum frigidum.3°.de temp. 1ª.24.A
*Lactucæ ſomnum cõciliant.2°.de alimentorum facultatibus.*2ª.22.E/2°.*de loc.aff.* 4ª.14.A
Lactuca grauem inducit ſomnum.3°.de loc.aff. 4ª.16.F
Lactuca cur ſomnifica ſit.2°.de temp. 1ª.16.F
Lactuca inter olera ſola detergit.4°.de ſan.tu. 2ª.84.G
Lactuca quo mõ iuuat dentes male habentes.2°.de ali.fa. 2ª.22.B
Lactuca neque ſiſtit,neque aperit ventrem.2°.de ali.fa. 2ª.22.F
Lactucæ epilepticis conueniunt.de puero epil. 7ª.180.C
LACTVCA *ſuccum habet omnibus laudabiliorem.2°.de alimentorum facultatibus.* 2ª.22.D
Lactucæ ſuccus ſimilis ſucco papaueris.3°.de temp. 1ª.24.C
Lactucæ ſuccus medius inter ſuccum betæ & mali.2°.de alimẽtorũ facultatibus. 2ª.22.G
Lactuca habet ſuccum frigidum,& humidum,non tamen prauum.2°.de alimen.facul. 2ª.22.F
Lactucæ ſuccus refrigerat,& adſtringit.1°.de ar.cu.ad Gl. 7ª.99.C
Lactucę ſuccus tempore concoquitur.2°.de ſimp.med.fac. 5ª.22.B
Lactucæ ſuccus pro ore ventriculi ſupercalefacto bonus.1°.de ar.cu.ad Glauconem. 7ª.99.C
Lactucarum potus ſomnum conciliat.2°.de lo.aff. 4ª.14.A
Lactucæ ſuccus ſi ad cor iret,necaret,vt cicutæ ſuccus.3°.de ſimpl.medicamen.facul. 5ª.22.B
Lactucæ ſuccus venenum.3°.de ſimp.med.fa. 5ª.23.A
Lactucæ ſuccus cuti illitus quid faciat.de marc. 3ª.48.B
*Lactucæ ſuccus oleo roſaceo adhibẽdus.2°.de cõp.me.ſe.lo.*5ª.132.F
*Lactucæ ſucco refrigerari caput põt ruri.2°.de cõp.me.ſe.lo.*5ª.132.G
*Lactucæ ſuccus in dolore capitis calido cõuenit.de re.par.fa.*7ª.153.E
Lactucæ ſucco colluit Galenus linguã cuiuſdã ita tumefactam, vt ore ipſius contineri non poſſet.14°.met.me. 7ª.89.C
Lactucæ ſuccus acquiſitu facilis.1°.de comp.me.per ge. 5ª.211.H
LACTVCAE *ſemen ſoporiferum.de atten.vic.* 2ª.44.E
Lactucæ ſemen potum genituræ profluuium cohibet,& illis qui libidinoſis ſomnijs vexantur,datur.6°.de ſimp.med.fac. 5ª.48.E
Lactucę ſemen pudenda laxat.11°.de ſimp.med.fac. 5ª.80.D
LACTVCA *agreſtis,id eſt* θριδακίνη, *ab hortenſi eſt diuerſa.2°.de alimentorum facul.* 2ª.22.G
Lactuca agreſtis eſt vitioſiſſimi ſucci.de bon.& vitio ſuc. 2ª.37.G
*Lactuca agreſtis calefaciendi vim non habet.de bo.& vi.ſu.*2ª.38.H
Lactucæ agreſtis ſemen,quale.6°.de ſimp.med.fac. 5ª.48.E
Lactucę agreſtis ſemen argemas,& caligines expurgat.6°.de ſimpli.med.facul. 5ª.48.F
Lactucæ agreſtis ſeminis ſuccus ad aduſtiones cum lacte mulierũ inungi ſolet.6°.de ſimp.med.fac. 5ª.48.E
ex LACTVCA *marina lac ſolutiuum q̃o fit.5°.de ſan.tu.* 2ª.91.H
de LACVBVS *aues ſunt multarũ ſuperfluitatũ. de diſſ.cont.* Sp.73.E
in LACVSTRI *& humida terra non naſcuntur herbæ.2°.de temperamentis.* 1ª.18.H
*Lacuſtria & paluſtria omnia ſunt excrementoſa.8°.met.me..*7ª.61.B
Lacuſtres piſces mali ſucci.de bon.& vit.ſuc. 2ª.37.G
LADANVM inter aromata connumeratur.7°.meth.med. 7ª.44.A
*Ladanum quid ſit,& vbi inueniatur.1°.de comp.me.ſe.l.*5ª.125.C/*de ſimp.med.* Sp.86.D
Ladanum in Cypro plurimũ naſcitur.4°.de cõp.me.per ge. 5ª.241.B
Ladanum quale ſit.5°.de comp. med.per gen. 5ª.220.B
Ladanum primo ordine calidum eſt.7°.de ſimp.me.fac. 5ª.51.C
Ladanum ſubſtantia tenui eſt.7°.de ſimp.med.fac. 5ª.51.C
Ladanum vires habet acres,calfactorias,& relaxantes,in malagmata & in emplaſtra mittitur,ad tuſſim veterem facit,capillos fluentes cum oleo myrtino continet.de ſimp.med. Sp.86.D
Ladanum malacticum eſt,& moderate digereus.7°.de ſimplicium medicamentorum ſecun.loc. 5ª.51.E
Ladanum moderate adſtringit.1°.de comp.med.ſec.lo. 5ª.125.E
Ladanum capillos diffluentes retinet.7°.de ſimp.med.fac. 5ª.51.E
Ladanum capillos defluentes cohibet,ideo adſtringit,& exiccat.7°.de ſimp.med.facul. 5ª.55.A
Ladanum quomodo vino conſperſum,& cum myrteo conferat ad capillorum defluuium.de reme.par.fac. 7ª.154.B
cum Ladano oleum lentiſcinum pro capillorum defluuio optimum.1°.de comp.med.ſec.loc. 5ª.125.F
vt Ladanum oleum lentiſcinum.1°.de comp.med.ſe.lo. 5ª.125.F
Ladanum alopecias,ophthalmias, ſiue lippitudines ſanare non põt.7°.de ſimp.med.fac. 7ª.51.E
Ladanum quando ex vino tritum medicamento inijciat.4°.de compoſitio.med.per gen. 5ª.241.A
Ladanum quomodo parandum.4°.de comp.med.per ge. 5ª.241.E
Ladanum igne liquatur.3°.de comp.med.per ge. 5ª.233.F
Ladani meminit.2°.de comp.me.per ge. 5ª.224.B
Ladano,& chamæleonte curantur vlcera vix ſanabilia.4°.de comp.med.per gene. 5ª.241.B
cum Ladano eiuſdem virtutis eſt chamæleon.4°.de compoſitione medicamentorum per gene. 5ª.241.B
LADONIS *quid ſit,& vbi inueniatur.1°.de compo.medicamen.ſecundum locos.* 5ª.125.B/C/D
LAEDENTIA excreta debent iuuare.de atra bile. 1ª.34.H

Læditur cerebrum quando que totius ratione, qñque partis. de mel. ex Galeno, Rufo, & Poss. Sp. 109. B

LÆSIO *significatur nomine laboris. commenta. 4°. aphor. 32°. 30. H/ aphorismo. 44°.* Ex. 32. G

Læsiones omnes malas vocant Iones. de art. com. 2°. 7ª. 264. D

Læsionis nomen significat etiam priuationem. de symp. diss. 3ª. 11. B

Læsiones magis sentimus nocte q̃ die. c. 2°. aph. 13°. Ex. 12. E

Læsio operationum est morbus. com. 5°. aph. 57°. Ex. 42. H

Læsiones nostri corporis a quibus, fiant, & intrinsecæ & extrinsecæ. de op. nost. corp. const. 1ª. 38. C

Læsarum actionum modi docent partem affectam, & curandi facultatem. 3°. de loc. aff. 4ª. 14. F

Læsionis modus considerandus ad quam affectionem pertineat secũdo loco. 2°. de loc. aff. 4ª. 13. D

LÆTITIÆ, *& hilaritatis causam esse creditum est buglossum vinis iniectum. 6°. de simp. med. fac.* 5ª. 45. B

ad Lætitiã cur vĩo epoto trahamur, nesciuit Gale. & aĩ mor. 1ª. 318. A

Lætitiæ pulsus, qui. de pulsi. ad tiro. 44. H/ 4°. de cau. pul. 4ª. 199. G

Lætitia quomodo corpus muret. de inc. adiur. & susp. 7ª. 181. G

Lætitia sola multi morbos euasere. de par. pi. ex. 2ª. 48. G

LÆTI *naturaliter boĩes, quales. de incant. adiur. & susp.* 7ª. 181. H

LÆVIS *partibus dextræ præpollẽt. bre. denot. dogm. Hipp.* 1ª. 231. C

LAGANA itria ab antiquis dicebantur. de bon. & vic. suc. 2ª. 35. D

Lagana species itriorum sunt. 1°. de alim. fac. 2ª. 10. E

Lagana ex tritico sine fermentatione, siue caseo sunt crassioris succi. de bonitate & vitio suc. 2ª. 35. D

Lagana inter crassi succi edulia cõnumerat Gale. 3°. de ali. fa. 2ª. 28. B

Lagana cibus crassus, & cur. de diss. cont. Sp. 72. H

Lagana generant chymum bonum, & crassum. de diss. cõt. Sp. 74. A

Lagana quid faciant. 11°. de alim. fac. 2ª. 10. E

Lagana cum melle quid agant. 1°. de ali. fac. 2ª. 10. E

Lagana cũ melle neq; pulmonẽ neq; thoracẽ lædũt. 1°. de ali. fac. 2ª. 10. F

in LAGOENIS *fictilibus aqua est coquenda. de bon. aquæ.* Sp. 76. A

LAGOPHTHALMON *quid. fin. med.* If. 48. G

LAGOPHTHALMON *oculi est affectus. fin. med.* Isa. 48. F

Lagophthalmi causa quæ. de anat. ocul. Sp. 57. H

LAGOPVS *deficcat alui fluxus. 7°. de simp. med. fa.* 5ª. 53. A

LAMBDOIS quid. intro. If. 54. F

Lambdois futura ad quid. 9°. de vsu par. 1ª. 173. B

Lambdois vbi. de ossib. 1ª. 40. E

Lãbdoeides os qđ hyoeides, siue hypsiloeides noĩat. đ musc. dis. 1ª. 46. D

Lãbdæ os q musculi mouẽt, & vñ orianť ac desinãt. đ musc. dis. 1ª. 46. E

Lambdoeides os qui musculi retrahunt. de musc. dis. 1ª. 46. E

LAMENTATIO *quomodo sedatur. 4°. de decr. Hip.* 1ª. 253. D

Λαμπώδες *splendidum. in 1°. pror. com. 2c.* 4ª. 177. H

LAMPRVS. *de med. fac. par.* 7ª. 167. E

LAMINA *ærea quid. 6°. de anat. adm.* 1ª. 92. G

ex Laminis duabus constat cutis. de ana. viu. Sp. 45. B

Laminæ vnde oriantur. de ana. viuo. Sp. 45. B

Laminæ mẽbranæ custodes instrumẽta chirurgica. de ijs, quæ in med. fi. commentario. 1°. 7ª. 200. H

Laminis silĩa si in vrina appareãt, letale est. de tot. mor. tẽp. 3ª. 89. G

LAMPSANE *prauus cibus. 1°. de diff. feb.* 3ª. 31. G

Lampsane abstergit, digerit. 7°. de simp. med. fa. 5ª. 53. A

LANA ouium est ex familiaribus aĩalibus. 11°. de simplicium medicamentorum facultatibus. 5ª. 81. C

ex Lana ouis a lupo laniatæ vinculum confectum ad quid bonũ. secundum quendam. 10°. de simp. med. fac. 5ª. 76. D

Lanarum ouium sordes, qualis. 10°. de simp. med. fac. 5ª. 77. E

Lanarum sordes concoquunt vt butyrum. 10°. de simp. me. fa. 5ª. 77. E

Lana in se cedit, sed nõ est mollis, quia constat ex pluribus inuicem implicatis. 5°. de simp. med. fac. 5ª. 32. G

Lana mollis superponenda est loco qui debet fomentari. de vict. ratio. in mor. acut. com. 2°. 7ª. 116. G

Lana alligabimus tegenda, & continenda. de fas. 7ª. 293. F

nõ vt Lana, spongia noua materia tantum est, quæ humores irrigandos excipiat, sed etiam manifeste deficcat. 11°. de sim. me. fa. 5ª. 83. G

LANA *non lota succida dicta. 14°. met. me.* 7ª. 88. F

Lanarum succidarum vis, qualis. de fracturis. c. 2°. 7ª. 241. D

Lana æsypera ad quid apta. 11°. de simp. med. fa. 5ª. 81. B

Lana succida contusis conuenit cum irrigatur. 11°. de simp. med. fa. 5ª. 81. B/ 2ª. *de comp. med. sec. loc.* 5ª. 138. E

Lanæ succidæ ob sordes cum caliditate frigiditatis etiam non nihil obtinent. de frac. com. 2°. 7ª. 245. C

Lanis succidis in vino, & oleo intinctis tumores facti ex deligatione curantur. de fract. com. 2°. 7ª. 241. C

Lana sordida. 4°. de comp. me. s. l. 5ª. 157. C/ 2°. đ *ar. cu. ad Gla.* 101. G/ *de rem. par. fac.* 156. F/ 160. F/ *de art. com. 4°.* 7ª. 185. F

Lanæ succidæ tenerę quadrãtẽ accipi iubet. 5°. de cõp. m. s. l. 5ª. 165. C

Lana succida combusta. 3°. de comp. med. per gen. 234. H/ 235. B/ 6°. 258. F/ 5ª. 260. D

Lana quo modo vratur. 11°. de simp. med. fac. 181. B/ 6°. *de comp. me. per genera.* 5ª. 260. D

Lana vsta qualis. 11°. de simp. med. facul. 81. B/ 6°. *de composi. medi. per genera.* 5ª. 258. B

Lanæ combustæ fit mentio. 6°. de comp. med. per ge. 5ª. 257. E

Lana elota ad quæ conferat. 11°. de simp. me. fac. 5ª. 81. B

Lana pura. 4°. de comp. med. sec. loc. 5ª. 157. C

Lanæ ius quo modo fiat. de dyn. Sp. 22. D

Lanæ iuris cerotum. de dyn. Sp. 22. D

quæ Lanæ auribus apponendæ. 3°. de comp. med. sec. loc. 5ª. 145. E

per Lanã quo modo vapor eat in aures. 3°. de comp. me. se. l. 5ª. 142. E

Lanam syringi apponebat Galenus, & quare. introd. If. 60. B

Lanæ manipulum nardino pigmento calido iniunctum apponendũ esse ori ventriculi, qñ non est facta coctio. de præcog. ad Post. 4ª. 219. A

Lanam ex oleo calente apponit primo die adeni, quæ phlegmone vrgeri cœpit. 13°. met. med. 7ª. 81. B

Lanæ bapso ex oleo capitis fotus est mitigatorium medicamentum. de remed. par. fac. 7ª. 154. A

Lanæ bapsus. 7°. met. me. 43. H/ 13°. 7ª. 81. B

Lana plena melle, aut pice nihil effundit, & quare. de sectis. Isa. 19. A

Lana nardino vnguento imbuta in affectione oris ventriculi quidã vtũtur, & quo modo. 7°. de comp. med. sec. loc. 5ª. 187. D

Lana vino acerbo madefacta pro fluxione conuenit. 2°. de art. cura. ad Glauconem. 7ª. 101. H

ĩ Lana exẽplũ, quo declarať ex naribº, oculis, & ore aliqđ qñq; effluere, qa multũ ĩ his humoris sit, nõ qa rara foramina. de sec. Is. 19. A

Lana ad neruorum vulnus quomodo manebit calida. 3°. de compositione medicamen. per ge. 5ª. 229. F

Lana purpuræ. 3°. de comp. med. sec. lo. 5ª. 142. F

Lana purpura infecta vtitur, & quo modo, ac in quo casu. 3°. de comp. med. per gen. 5ª. 143. E

Lanæ flocculi ponuntur ante os, vt deprehẽdatur anspirent prę focatę. 6°. de locis affectis. 4ª. 39. E

Lana plena & vacua quo modo. 4°. de dig. pul. 4ª. 85. B

pro Lana, æsypus quando satisfacit. 14°. me. me. 7ª. 88. H

LANARIA *herba quid efficiat. 1°. de comp. me. se. lo.* 5ª. 128. B

LANEA *ligula ex oue a lupo comesta quæ ligetur, & coxis suspendatur, & quare. de incant. adiur. & susp.* 7ª. 139. G

LANGVENT *graviter qui se iacentes continere non possunt. de victus rat. in morb. acu. com. 4°.* 7ª. 182. B

Lãguẽtibus qui cibi dari cõsueuerĩt. đ vic. ra. in mor. acu. c. 1°. 7ª. 113. C

Languentes sunt in periculo, si nõ sit facta insignis euacuatio. in 1m. prrhe. com. 2°. 4ª. 169. F

LANGVIDVM *quo dicatur apud græcos. 3°. de diff. pul.* 4ª. 61. B

Languidas, & laxas partes constringit contrahitq; galla. 7°. de simpl. medicamen. facul. 5ª. 51. B

LANGVOR *quid sit. in 3m. de morb. vul. com. 3°.* 3ª. 144. B

Languor corporis fit a calore, & frigore abundante. de dyn. Sp. 19. D

Languorem corporis mitigat opium. de simp. med. Sp. 88. B

LANIATVR *facile musculus latus sub cute in collo. de musculorũ dissectione.* 1ª. 44. D

ne Lanientur musculi, simiam excoriare cuiuis non est concedẽdum. de musculorum dissectione. 1ª. 44. D

LAODICEA in Asia. 6°. de san. tu. 2ª. 100. B

Laodiceæ fit nardinum vnguentum optimum. 11°. met. me. 7ª. 72. H

Laodiceæ fiebat optimum vnguentum nardinum. 6°. đ sa. tu. 2ª. 100. B

Λαπαρόν. *de ijs, quæ in med. fi. com. 2°.* 7ª. 209. B

LAPARON *quid significet. 2°. de diff. resp.* 3ª. 66. H

Λαπαρόν *quid proprie significet. de ijs, quæ in med. fi. c. 2°.* 7ª. 209. B

Λαπάρη *quid proprie significet. de fract. com. 2°.* 7ª. 240. H

Laparæ quæ partes corporis. in progn. com. 2°. 4ª. 197. F

Laparæ, id est ventris dolores, qui. in 6m. de mor. vul. c. 3°. 3ª. 178. A

LAPATHON, *& hyppolapathon quid signẽnt. 3°. de dif. resp.* 3ª. 75. D

Lapathium quid.de simp.med. Sp.86.D
Lapathon beta agrestis dicitur. 2°.*de ali.fac.*22.H/ 2ª.23.C
Lapathon insuauius est beta. 2°.*de ali.fac.* 2ª.23.C
Lapathon easdem vires habet cum beta. 2°.*de ali.fa.* 2ª.23.C
Lapathum quale. 7°.*de simp.med.fac.* 5ª.53.B
Lepathum, blitum, beta quo vsui sint apud Empiricos.intro, Is.51.A
Lapathum minus siccat q̃ brassica. 5°.*de san.tu.* 2ª.92.C
Lapathum domesticum.de cura icteri. Sp.111.B
Lapathum hz caulẽ inutilem post semẽ effusum. 2°.*de ali.fac.* 2ª.24.B
Lapathon nemo crudum mandit. 2°.*de alim.fac.* 2ª.23.D
Lapathum in febre dandum. 4°.*de san.tu.* 2ª.87.G
Lapathum dãdũ pro cibo in tertiana. 1°.*de arte cur.ad Gla.* 7ª.97.C
Lapathi folia ventrem soluunt.de ther.ad Pis. 5ª.90.H
Lapathi folia vulneribus super imponi pũt. 10°.*de sim.me.f.* 5ª.74.C
Lapathi semen adstringit.de ther.ad Pis. 5ª.90.H
Lapathi semen dysenterias, diarrhœas, siue profluuia sanat. 7°.*d simplic.medic.fac.* 5ª.53.B
Lapathium omnem maculam a sudore factam infricatum in balneo tollit.de simp.med. Sp.86.D
Lapathy radicum decoctum prouocat menstrua.de catha. Sp.95.D
Lapathij radicũ decoctio frãgit lapidẽ renũ et vesicæ.de cath. S.95.D
LAPIDESCVNT *materia in morbo articulari.* 14°.*met.med.* 7ª.87.H
LAPIDEI *ossis vtilitas.* 9°.*de vsu par.* 1ª.175.F
Lapideum crus quidam se habere somniabat, qui paralyticus fiebat in progn.com. 3°. 4ª.213.D
LAPIDOSA *sunt in pollinem tenuissimum redigenda.* 11°.*de simp.medicamen.facul.* 5ª.80.G
Lapidosa quo modo lauanda. 2°.*de simp.med.fac.* 5ª.13.A
ad Lapidosum & crudum humorem.secre. Sp.100.D
LAPIS *ferrum, & æs superioris sunt generis, q̃ stirpium genus.* 3°.*de temperamentis.* 1ª.13.C
Lapides inanimati a Platone dicuntur.de vsu pul. 1ª.230.B
Lapides qui dixerint moueri. 3°.*de diff.pul.* 4ª.66.B
Lapis corpus est terreum crassum. 4°.*de simp.med.fac.* 5ª.30.B
Lapis est corpus durum. 3°.*de diff.pul.* 4ª.63.D
Lapides habent subiectum stabile, & consians ob siccitatem, & frigiditatem. 8°.*met.med.* 7ª.60.G
Lapidem esse siccum, collige.in 3ᵐ.*de mor.vul.com.* 3°. 3ª.141.A
Lapis potest esse quandoque pari calore cũ aqua, & si siccus sit, aqua humida. 2°.*de temperamentis.* 1ª.17.E
Lapis, æs, ferrum, & aurum, quoniam duriora, non coalescunt, neque agglutinantur. 3°.*de symp.caus.* 3ª.29.A
ex Lapidibus calefactis minimum defluit.c. 1°.*aph.* 14°. Ex.7.F
Lapidi ignito ea medicamẽta sunt similia, q̃ per erosionem interimunt. 4°.*de simp.med.fac.* 5ª.30.B
Lapis ignitus ventrem exulcerat, & exurit. 4°.*de simp.m.f.* 5ª.30.B
Lapides igniti, qui in lac extinguantur, pro vetris fluxu. 10°.*de simp.med.facul.* 5ª.73.G
Lapides sunt qui rigari non sustinent. 9°.*de simp.med.fa.* 5ª.67.A
in Lapidibus inuicem collisis motus parit calorẽ.de caus.mor. 3ª.6.D
Lapides attriti flammam edunt. 3°.*de temp.* 1ª.22.E
in Lapidibus & calce calefactis q̃ contingit, cum aqua aspergunter frigidissima idem, in hecticis cõtingit post cibũ. 1°.*d diff.fe.* 3ª.35.D
Lapides qui mortarij aut cotis attritu in liquorẽ soluũtur. 9°.*de simp.med.fac.*67.C/ 5ª.68.D
Lapis durissimus a guttula longo tempore ictus, cauitatem contraxit. 3°.*de symp.caus.* 3ª.26.F/3°.*de simp.me.fac.* 5ª.22.H
Lapidis excauati a gutta comparatio ad crudos humores. commentario. 2°.*apho.* 52°. Bx.19.D
Lapides putrescere non possunt. 11°.*de simp.med.fac.* 5ª.83.D
Lapides nequaq̃ gladio icidere tẽtaueris, ne dũ adamãtẽ.d cau. 3ª.7.A
Lapis contundendo alterat partes. 3°.*de simp.med.fa.* 5ª.17.D
Lapides omnes exiccant. 9°.*de simp.med.fac.* 5ª.68.D
Lapis ignitus crassior est calce, & cinere, & calidior multo magis quã fauilla. 4°.*de simp.med.fac.* 5ª.50.B
Lapidibus empiricos comparat.aduer.emp.med. Is.35.D
Lapidis multarum artium materia sunt.ad Thra. 2ª.106.A
Lapidum vires a proprietate, & a qualitatibus effectricibus. 8°.*de simplic.med.facul.* 5ª.67.A
Lapides gustu probantur. 9°.*de simp.med.fac.* 5ª.68.D
Lapides Acres ad quæ vtiles. 9°.*de simp.med.fac.* 5ª.67.G
Lapis Ageratus ad poliendа calciamenta mulierum. 6°.*d simplicium medicamen.facul.* 5ª.174.F
Lapis, quo sutores vtuntur ad calciamenta muliebria expoliẽda, inter arida adstringentia numeratur. 6°.*de comp.med.se.loc.* 5ª.172.G
Lapidis Agerati fit mentio de med.fac.par. 7ª.164.H
Lapis quo linteis splendor conciliatur. 9°.*de simp.med.fa.* 5ª.68.D
Lapis Armenus, siue bolus Armena, siue terra Armena vocetur, nihil refert. 9°.*de simp.med.fac.* 5ª.66.G/H
Lapis armenus atram bilem educit.de dyn. Sp.21.C
Lapidis armeni dosis.de dyna. Sp.21.C
Lapidem Asium sarcophagum appellant.de simp.med. Sp.86.F
Lapis asius, quid.de simp.med. Sp.86.F
Lapis asius, qualis. 9°.*de simp.med.fac.* 5ª.67.H
Lapidis asij flos, qualis. 7°.*de comp med.per ge.* 5ª.265.G
Lapidis asij flos. 4°.*de comp.med.sec.loc.* 157.B/5°. 5ª.161.E
Lapis asius viscide relaxat.de simp.med. Sp.86.F
Lapis Batrachides quid.de simp.med. Sp.87.A
Lapis batrachides, lenit, relaxat.de simp.me. Sp.87.A
Lapis Cappadox lapidẽ potẽter frãgit.de ren.aff.dig & me. 7ª.196.D
Lapides Crustacei qui in ignem iacti exilem flammam faciunt ex Cœle Syria complures asportauit Galenus. 9°.*de simp.med.fa.* 5ª.68.A
Lapidem vocat Corallum.de incant.adiur.& susp. 7ª.182.C
Lapis Crystallus quid.de simp.med. Sp.86.H
Lapis crystallus stringit, lac prouocat.de simp.me. Sp.86.H
Lapis Tiaphanes ad quid valeat.de med.fac.par. 7ª.169.B
Lapides Fluuiales igniti remouẽt aquositatẽ lactis.d̃ dif.cõt. Sp.75.B
Lapis fissus. 5°.*de comp.med.per ge.* 5ª.254.A
Lapis Gagates quid.de simp.med. Sp.86.G
Lapis gagates nigrum medicamentum. 2°.*de comp.me.per g.* 5ª.221.E
Lapis gagates dentes qui agitantur, restringere & stabilire potest.de simp.medic. Sp.86.G
Lapis gagates. 9°.*de comp.med.sec.lo.* 5°.199.D
Lapis Galactites quid.de simp.med. Sp.86.H
Lapis galactites quo modo menses ducat.de med.fac.par. 7ª.169.A
Lapis galactites leniter stringit & ad lachrymam oculorum facit.de simplic.med. Sp.86.H
Lapis Hæmatites quid.de simp.me. Sp.86.F
Lapidis hæmatitis nã probatur p cotẽ. 4°.*de simp.me.se.lo.* 5ª.151.D
Lapis hæmatites, qualis. 5°.*met.med.* 7ª.36.E
Lapis hæmatites qualis ad oculos. 4°.*de comp.med.se.lo.* 5ª.151.D
Lapis hæmatites cur valet ad oculos. 9°.*de sim.me.fa.* 5ª.67.A
Lapis hæmatites oculorum vicera solus per se cicatrice includit. 9°.*de simp.med.facul.* 5ª.68.C
Lapidem hæmatitem ad vlcera oculorum expertus est Galenus. 9°.*de simp.med.facul.* 5ª.67.D
Lapis hæmatites adstringens leue. 5°.*met.me.* 7ª.31.H
Lapis hæmatites viscide stringit.de simp.med. Sp.86.F
ex Lapide hæmatite medicamenta. 4°.*de comp.me.se.lo.* 5ª.152.B
Lapis hæmatites vsus & lotus. 4°.*de comp.med.sec.lo.* 5ª.156.B
Lapis Hieracites suspensus profluentem ex hæmorrhoidibus sanguinẽ sistit. 9°.*de simp.med.fac.* 5ª.67.E
Lapis in ventre pullorum Hirundinum quando inueniatur, & ad quid valeat.de incant.adiur.& susp. 7ª.182.B
Lapilli in nidis pullorum Hirundinum reperti appensi q̃, tussi tutũ reddunt.de med.fac.par. 7ª.171.E
Lapis Indicus suspensus profluentem ex hæmorrhoidibus sanguinem sistit. 9°.*de simp.med.fac.* 5ª.67.E
Lapis Iudaicus lapidem vesicæ & renum potenter frangit.de ren.aff.dig.& med. 7ª.196.D
Lapis Iudaicus non proficit ad lapides vesicæ, sed renũ, quod Galenus expertus est. 9°.*de simp.med.fac.* 5ª.67.F, *secre.* Sp.102.D
Lapis Lyncis.de rem.par.fac. 7ª.164.E
Lapis Magnes quid.de simp.med. Sp.86.G
Lapis herculeus trahit ferrum ad se.de cathar. Sp.94.H
Lapis magnes quo modo ferrũ trahat fm Epicurũ.de na.fa. 1ª.294.D
Lapis magnes purgatorias vires habet hydropicis in potu datur.de simp.med. Sp.86.G
Lapis Melitites quid, & eius vires.de simp.me. Sp.86.H
Lapis Molaris. 2°.*de arte cura.ad Glauco.* 7ª.104.C
Lapis molaris pro pyrite quando satisfacit. 14°.*me.med.* 7ª.88.B
Lapis Morochthus efficaciter stringit.de simp.me. Sp.86.H
Lapidem in Aegypto natum, Moroxum quidam, non nulli vero Leucographida vocant. 9°.*de simp.med.fac.* 5ª.68.E

Lapis in Aegypto naſcens, quo modo, et in quibus corporibus ad cicatricē vlceribus inducendum vſurpatur, & ocularibus facultatibus miſcetur. 9°. de ſimp.med.fac. 5ª.68.E

Lapis Miſy quid, & eius vires. de ſimp.med.fac. Sp.87.A

Lapis miſy in aginem colorem maxime ſplendet. de ſim.me. Sp.87.A

Lapis miſy in aginem colorem maxime ſplendet. de ſim.me. Sp.35.H

Lapillus de Oche. de dynamidijs. Sp.35.H

Lapidum duriſſima eſt Petra. 9°. de ſimp.med.fac. 5ª.67.B

Lapis Phloginus quid. de ſimp.med. Sp.86.H

Lapis phloginus ſenium facere dicitur. de ſimp.med. Sp.86.H

Lapis Phœnicites fœtum quo modo detrahit. de med.fa.pa. 7ª.168.H

Lapis Phrygius quid. de ſimp.med. Sp.86.H

Lapis phrygius nimiū ſtringit, et exulcerare ſolet. de ſim.me. Sp.86.H

Lapis Phrygius quid faciat coctus & crudus. de ther.ad Piſ. 5ª.97.E

Lapide phrygio peruſto vſus eſt Galenus. 9°. de ſim.med.fa. 5ª.67.G

Lapis Pyrites quid. de ſimp.med. Sp.86.F

Lapis pyrites vires habet acres, valet ad claritatem oculorū. de ſim. medicaminibus. Sp.86.F

Lapis pyrites extinctus in aceto pro magnis ſcirrhis facit. 14°. methodi medendi. 7ª.88.B

Lapis pyrites. 2°. de compo.med.per genera. 5ª.226.G/*2°. de arte cu. ad Glauconem.* 7ª.104.B

Lapidis pyritæ vſus, & aptatio. 2°. de arte cur. ad Glau. 7ª.104.B

Lapis Quadratus quid. de ſim.med. Sp.86.G

Lapis quadratus vires habet viſcidas, et ſtringētes. de ſi.m. Sp.86.G

Lapis Schiſtus, qualis. 4°. de comp.med.ſec.loc. 5ª.151.D

Lapis ſchiſtus viſcide ſtringit. de ſimp.med.fac. Sp.86.F

Lapis ſchiſtus vſtus, & lotus. 4°. de comp.med.ſec.loc. 5ª.156.B

Lapis Smiris quid, & eius vires. de ſimp.med. Sp.87.A

Lapis ſmiris viſcide ſtringit, in cauſtica mittitur. de ſimp.m. Sp.87.A

Lapides Speculares antiquitus oſtijs apponebāt. 9°. de ana.ad. 1ª.105.A

Lapis ſpecularis exiccat ſine morſu. 4°. de c.me.per ge. 5ª.236.F

Lapides in ſpongijs reperti, quales. 9°. de ſimp.med.fac. 5ª.67.C

Lapis qui in ſpongia reperitur. 10°. de com.med.ſec.loc. 5ª.206.E

Lapis Syriacus fœmina, & maſculus. 10°. de c.me.ſec.loc. 5ª.206.F

Lapis ſyriacus maſculus. 10°. de comp.med.ſec.loc. 5ª.206.B

Lapis Thracius, quid. de ſimp.med. Sp.86.G

Lapis thracius, qualis. 9°. de ſimp. med.fac. 5ª.68.A

Lapis thracius accēditur ab aqua, extinguit ab oleo. de ſi.m. Sp.86.G

Lapis Thyites quid. de ſimp.med. Sp.86.H

Lapis thyites acriter mordet caliginem, & cicatrices oculorum extenuat. de ſimp.med. Sp.86.H

Lapis thyites cicatrices attenuare poteſt, & oculorum vngues. 9°. de ſimpl.med.fac. 5ª.67.F

Lapides prætioſi non recte tanto ſtudio appetuntur. de cognoſcēdis curandiſq; animi morbis. 2ª.54.H

Lapidibus reſarcitur cor diſtemperatum, & quibus. de an.vi. Sp.56.b

Lapides aliqui adhibentur ad ophtalmicas, ſanguinem, & muliebre p fluuium ſiſtentes facultates, & ad vlcera glutināda, cicatrice claudenda, & carne implenda. 9°. de ſimp.med fac. 5ª.67.G

Lapides, q ſuſpenſi ſanent epilepſiā, quales. de incan.ad. & ſu. 7ª.182.B

Lapides ſuſpenſi an iuuerint. 9°. de ſimp.med.fac. 5ª.67.D/E

Lapides quo modo in vſum accipi debeant. 9°. de ſim.me.fa. 5ª.67.F

ex Lapidibus antidotus vt Mitridates. 10°. de cō.me.ſe.lo. 5ª.206.F

Lapides omnes, vt argenti ſpuma lauantur. 1°. de c.me.pge. 5ª.213.E

LAPIDIBVS *ſimile quid in abſceſſibus inuenitur. de tumoribus præter naturam.* 83.G/*2°. de arte cur. ad Glau.* 3ª.105.B

Lapidum fragmenta inuenta in abſceſſibus quandoque. 14°. methodi medendi. 90.E/ 7ª.92.D

LAPIS *coaleſcit in aquis calidis ſponte naſcentibus, & in vaſis vbi caleſit aqua quotidie. in 6ᵐ. de mor. vulg.com. 3°.* 3ª.173.B

Lapides in lebete generantur. de ren.aff.dig. & med. 7ª.192.C

Lapis pyraſtro adnatus quid efficiat. de med.fac. 7ª.168.G

LAPIDES *vnde, & quo modo fiant. com. 3°. aph. 26°.* Ex.25.F

Lapidis generandi cauſa. in 6ᵐ. de morb. vulg. commen. 3°. 3ª.173.D/*de cura lap.* Sp.112.C

Lapis in homine nō pōt fieri ex frigore. de ren.aff.dig. & me. 7ª.192.C

ad Lapidem generandū craſſities accommodata eſt. de renum affectuū dignotione & medela. 7ª.292.C

Lapidis materia quæ ſit. de ren.affect.dig. & med. 7ª.192.C

Lapides ex pituita, quales. de ren.affect.dig. & med. 7ª.192.E

Lapidis cauſa finalis, quæ. de ren.affect.dig. & med. 7ª.192.C

Lapidis cauſa inſtrumentalis, quæ. de ren.aff.dig. & med. 7ª.192.C

Lapidē indurāt calida vrinā prouocātia. de ren.af.dig.et m. 7°.194.C

Lapides vbi gignātur. de ren.affect.dig. & med. 7ª.192.D

Lapides vbi naſcantur ſolum. 1°. de loc.affect. 4ª.6.C

Lapides vbi fiant. de ren.aff.dig. & med. 7ª.193.C

Lapides cur raro in fœminis. de ren.aff.dig. & med. 7ª.192.F

LAPIDES *quo in renibus. in 6ᵐ. de mor. vul.com. 1°.* 3ª.155.F

Lapides quo modo fiant in renibus. in 6ᵐ. de mor. vul.c. 1°. 3ª.155.G/*7°. de compo.med.per genera.* 5ª.267.H

Lapides renū cur florētibus contingāt. de re.aff.dig. & me. 7ª.192.E

Lapides renum cur, & quo modo in ſenibus generentur. commentario 3°. aphoriſmo 31°. Ex.26.G

Lapis in renibus nocituris generentur ex continuo vſu ciborum acutorum. de diß.cont. Sp.72.F

Lapides renum cur magna ex parte ſint minores, æquales, & molliores. de ren.aff.dig. & med. 7ª.193.B

Lapidis renum quatuor cauſæ. de ren.aff.dig. & med. 7ª.192.B

Lapidem in renibus generat lac. de diſſ.cont. Sp 75.C

Lapides in renibus facit caſeus. in 6ᵐ. de morb.vulg.cō. 3°. 3ª.173.E

Lapidem in renibus adducit caſeus multus. de diſſ.con. Sp.74.H

Lapidem in rembus facit vinum dulce. de diſſ.cont. Sp.74.H

Lapidis renum ſignum. de ren.aff.dig. & med. 7ª.192.G

in Lapidibus renū cur ſanguis mingit. in 6ᵐ. de mor. vul.c. 3°. 3ª.155.h

Lapis renum acutus, vel aſper faciat exulcerationem ita, vt pus, & ſanguis exeat. com. 4°. aph. 75°. Ex.36.B

in Lapide renum cur crura doleant. in 6ᵐ. de mor. vul.c. 1°. 3ª.155.H

in Lapide renum quo modo fiat ſtupor in crure. de renum affectuum dignotione & medela. 7ª.192.H

Lapis renum ſimilem dolorem facit colico, & quo modo diſtinguatur ab eo. 6°. de loc.aff. 4ª.37.C

Lapidē in renibus patiētiū victus ratio. de re.aff.dig. & me. 7ª.194.C

in Lapide renum quandoque frigida danda, quandoque euitanda. de renum aff.dign. & med. 7ª.194.C

Lapidē renū qui habet debet exerceri in 6ᵐ. de mor. vul. c. 1°. 3ª.155.H

pro Lapide renum fomenta. de ren.affect.dig. & med. 7ª.193.H

pro Lapide renū fomentum, quale. de ren.affec.dig. & med. 7ª.194.A

Lapidum, & arenularum differentia. de ren.aff.dig. & med. 7ª.193.C

pro Lapide renum, cucurbitulæ. de ren.affect. dig. & med. 7ª.193.H

Lapidem quæ frangunt. de ocul. 7ª.188.F

Lapidem quæ atterunt in renibus, & ſunt tenuiū partium abſque morſu. 3°. de comp.med.ſec.loc. 5ª.141.B

Lapides frangunt & lienes liquant, quæ tenuium ſunt partium. 6°. de ſimp.med.fac. 5ª.44.B

quæ Lapides in renibus atterunt, omniaq; inſuper tenuium partium citra mordacitatem aurium meatus ab obturatione liberant. 3°. de cō po.med.ſec.loc. 5ª.141.B

Lapidem comminuunt tepida, & quæ. de ren.aff.dig. & me. 7ª.194.C

Lapides frangunt, & lichenas ſanant extenuantia, & incidentia. 7°. de ſimp.med.fac. 5ª.51.H

pro Lapide renum decocta. de ren.aff.dig. & med. 7ª.196.D

Lapidem renum quæ frangunt. de ren.aff.dig. & med. 7ª.196.D

Lapidē renū quæ potenter frangunt. de ren.aff.dign. & med. 7ª.196.D

Lapides frangit epotum Adiantum. 6°. de ſimp.med.fac. 5ª.41.E

Lapides frangit Aſplenum. 6°. de ſimp.med.fac. 5ª.44.B

contra Lapidem datur Caſtoreum. de med.exper. Sp.106.E

Lapidem in renibus frangunt Cicera nigra. de diß,cont. Sp.74.G

Lapides frangit Gramen. 6°. de ſimp.med.fac. 5ª.41.C

Lapides confringit Gummi prunorum. 7°. de ſim.me.fac. 5ª.51.H

in Lapide renum facit lapis Iudaicus. ſecretorum. Sp.102.D

Lapides renū rūpūt Lapides in ſpongijs reperti. 9°. de ſim.m.f. 5ª.67.C

Lapides confringit Ononis. 8°. de ſimp.med.fac. 5ª.57.D

Lapides frangit Thragion. 8°. de ſimp,med.fac. 5ª.62.E

Lapides in renibus comminuit Tribulos. 8°. de ſimp.med.fac. 5ª.62.F

pro Lapide, & dolore renum oleum anethinum. de renum affectuū dignot. & med. 7ª.193.H

pro Lapide renum emplaſtrum. de ren.aff.dign. & med. 7ª.194.A

ad Lapidem renum. ſecretorum. 99.H/de med.exper. Sp.105.C

ad Lapidē renū, et veſicæ valēs medicamē. de me.ex. 105.G/Sp.106.A

Lapides qui facile, & qui difficulter excernuntur. de renum affectuū dignotione & medela. 7ª.93.C

Lapis renum emittitur cum mictu. in 6ᵐ. de mor. vul.com. 3°. 3ª.173.C

Lapis qñq; ſolus, qñq; cum cruore excernitur. 2°. de lo.aff. 4ª.9.F

Lapides qui ex renibus minguntur, non ſunt de ſubſtantia renū, ſed ibi conſiſtunt,

consistunt.com.4°.aph.76°. Ex.36.D
Lapidem renum & vesicæ,quæ educunt.de cathar. Sp.95.D
ad Lapides à renibus extrahendos Antonij Musæ Panacea qualis.7°. de comp.med.sec.loc. 5ª.186.B
LAPIS in vesica est toto genere præter naturam.de diff.mor. 3ª.4.F
Lapis vesicæ in pueritia contingit.in 6ᵐ.de mor.vul.com.3°. 3ª.155.C
Lapis vesicæ est puerorum morbus.de ren.aff.dign.& med. 7ª.192.F
Lapis est propria passio puerorum,& cur.com.3°.aph.26°.Ex.25.F
Lapis in vesica cur pueris contingat.in 7ᵐ.de morb.vulg.commen.3°. 3ª.183.B/de ren.aff.dig.& med. 7ª.192.E
Lapidē vesicæ,& non renum cur pueri faciant.in 6ᵐ.de morb.vulga. commentario 3°. 7ª.173.D
Lapides cur generant pueri.in progn.com.2°. 4ª.206.C
Lapidis in vesicæ notæ.1°.de loc.aff. 4ª.6.C
Lapis non fit in renibus.com.3°.aph.26°. Ex.25.F
Lapis in vesica vel renibus esse cognoscitur.1°.de loc.affect. 4ª.2.F
in Lapidē habītib.quo vrina debeat prouocari.6°.de lo.aff. 4ª.38.H
Lapidem vesica habentium qui situs seruari debet, vt mingant. 1°.de locis affectis. 4ª.2.H
à Lapide existente in vesica retinetur vrina.6°.de loc.affect.4ª.38.H
Lapidem maiorem in vesica habentis signa.de dynamidys. Sp.29.A
Lapidis generationem prohibentia.de cura lap. Sp.112.B
Lapidum in vesica curatio.introd. Isa.60.B
Lapidis habentium dolores quales.2°.de locis affectis. 4ª.9.F
Lapidis,& coli dolores difficulter cognoscuntur. 2°.de lo.aff. 4ª.9.F
in Lapidis,& colicæ dubio medicamen.de med.exper. Sp.106.H
in Lapidē dolore potissimū timēdi & ipsis obuiādū.de cu.lap.Sp.111.G
Lapidis & coli dolores habēt præsidia communia.2°.de lo.aff. 4ª.9.F
ob Lapides in vesicæ collo dolores intensissimi.de renum affectuum dignotione & medela. 7ª.193.B
in Lapidis vehementi dolore quid agendum.de cura lap. Sp.112.C
Lapidis dolorem qui syrupus auferat.de cura lap. Sp.111.H
in Lapide quo syrupo vti debeamus.de cura lap. Sp.111.H
in Lapidis dolore confert aqua ciceris.de cura lap. Sp.111.H
ad Lapidis dolorem.de cura lap. Sp.112.C
Lapidem habens parum edat.de cura lap. Sp.112.B
Lapidem habentium cibi.de cura lap.in.H/ Sp.112.E
Lapidem habentium panis.de cura lap. Sp.112.B
Lapidem habentibus carnes dandæ.de cura lap. Sp.112.B
Lapidem habentium cibus est lepus.de cura lap. Sp.112.A
Lapidi confert cibarium ex olere vrticæ.de cura lap. Sp.112.A
Lapidem habens non laboret post cibum.de cura lap. Sp.112.B
ad Lapidem medicamentum in fine mensis Maij, & in principio Iunij. de cura lap. Sp.112.A
Lapidem habētibus theriacam magnā præbet.de cura lap. Sp.112.A
ad Lapidem decoctio.de med.exper. Sp.107.B
Lapidem frangens confectio.10°.de comp.med.sec.loc. 5ª.206.B
ad Lapidem confectio.de cura lap. Sp.111.H
Lapidem vesicæ lapis iudaicus frangit.de ren.aff.dig.& me.7ª.196.d
Lapis vesicæ non comminuit lapidem.10°.de simp.med.fac. 5ª.75.G
ad Lapidem frangendum potio probata.de dyn. Sp.28.B
ad Lapidem frangendum sorbitiuum.de dyna. Sp.28.C
ad Lapidem frangendum remedium.de dynam. Sp.29.B
ad Lapidem in vesica frangendum.de cura lap. Sp.112.E
Lapidem frangens electarium.de med.exper. Sp.106.H
ad Lapidem optimum electarium.de med.exper. Sp.107.G
ad Lapides frangendos.de dy.28.C/D/E/de me.exp.101.H/Sp.107.H
Lapis vesicæ emittitur post mictū.in 6ᵐ.de mor.vul.c.3°. 3ª.173.C
Lapides calculi quo cū forti excernēdi conatu ab aliquibus deiecti sūt, vt nō nulli scribūt,qđ tū non vidit Galenus. 6°.de lo.aff. 4ª.36.F
ad Lapillos detrahendos pastillus cōmodus. 1°.de cō.me.f.l. 5ª.206.e
ad Lapidem extrahendum medicamentum.de cura lap. Sp.112.B
ad Lapides proijciendos fomentum.de dynamidys. Sp.28.D
Lapidem frangens antidotus.10°.de comp.med.sec.loc. 5ª.206.F
ad Lapidem Philonis antidotus qualis.9°.de com.me.se.lo. 5ª.201.A
Lapide / in vesicæ habentibus vtile est adriamum balsamatum,& phi lanthropum.de dyn. Sp.28.A
ad Lapidem suffitus.de cura lap. Sp.112.D
ad Lapidem vesicæ secretorum.99.H/102.D/de medica. exper.105. C/107.A,E/ Sp.108.F
Lapis, lege Calculus.
LAPPA minor est tenuium partium.7°.de simp.med.fac. 5ª.43.F
Lappæ minoris radix, & semen cocta cum vino quadātenus dolores dentium mitigant.6°.de simp.med.fac. 5ª.43.F
Lappæ minoris decoctum & caules teneriores sanare possunt ambusta & chimethla.6°.de simp.med.fac. 5ª.43.F
Lappæ tertiæ speciei digerunt,desiccant, & adstringunt parum.6°.de simp.med.fac. 5ª.43.F
Lappæ tertiæ speciei folia veteribus vlceribus mederi possunt.6°.de simp.med.fac. 5ª.43.F
Lapsus quid.fin.med. Isa.50.C
de LAQVEIS ex Heracle.eodem titulo. 7ª.306.E
Laquei Attollentis ratio.de laqueis. 7ª.306.F
Laqueis Chiasti.de laqueis. 7ª.308.E
Laqueus χιασὸς quomodo implicetur.de laqueis. 7ª.307.B
Laqueus vocatus Draco quomodo conficiatur.de laqueis. 7ª.307.E
Laqueus Epangylotus(ita enim appellatur, quoniam sinus super sinū iniscitur) qua via inseri possit.de laqueis. 7ª.308.D
Laquei & vincula simul sunt,Lepª auritus,Pastoralis.đ fa.7ª.293.H
Laqueus Lupus.de fascijs. 7ª.301.H
Laqueus Nauticus quomodo debeat adhiberi.de laqueis. 7ª.306.H
Laqueus Pastoralis.de fascijs. 7ª.297.C
Laqueus pastoralis,& qui & sandalus dī qūo inijciat.de la.7ª.307.C
Laqueus qui dicitur Perineos.de laqueis. 7ª.307.F
Laquei Plinthij rō,q dī ēt quadruplex circulus.de laq. 7ª.308.C
Laqueus duòs habens sinus,quem strangulantem improprie appellāt, quomodo fiat.de laqueis. 7ª.308.F
Laqueus,quem simplicem nodum dixerunt, qua ratione adhibeatur. de laqueis. 7ª.307.F
Laqueis strangulantis proprie ratio.de laqueis. 7ª.308.G
Laqueus ὑπερβατος. (nomen traxit ex eo quòd supra feratur) quo modo adhibeatur.de laqueis. 7ª.308.H
Laqueus ad cōtinēdas ferulas,q̄ fracturis accōmodāt.de la.7ª.307.A
Laqueus ad cubitum continendum.de laqueis. 7ª.306.A
Laqueus ad extendendum membra,ad continendum,cum in suam sedē compelluntur,& ad figurandum corpora,vbi quid manu fieri oportet.de laqueis. 7ª.306.F
Laqueus cuius facultas ē extēdere æqualiter.đ la.306.F/7ª.307.G/H
Laqueus pro his q̄ extendi inæqualiter debēt.de laqueis. 7ª.307.A/C
Laqueus ad processus capitis recondendos.de laqueis. 7ª.308.F
Laqueus ad maxillam quæ excidit, vbi in suam sedem compellitur.de laqueis. 7ª.307.D
Laqueus ad prolapsam maxillam.de laqueis. 7ª.308.F
Laqueus ad menti fracti compositionem.de laqueis. 7ª.308.D
Laqueus ad corpa figurāda vbi manus curatio adhibet.de la. 7ª.308.E
Laqueus membris cum reponuntur,aptissimus.de laqueis. 7ª.306.G
Laqueus ad corpa figurāda, vbi iuxta anū vitia curant.đ la.7ª.308.G
Laqueus non modo ad ossium,quæ restituūtur,intētionē, sed in herniæ curatione ad membranam abdominis adstringendam,& ad vincienda venarum capita sanguinem fundentia.de laqueis. 7ª.307.G
Laqueis pro cruribus fractis.6°.meth.med. 7ª.41.H
Laqueus ad talum prolapsum vbi reponitur.de laqueis. 7ª.307.D
Laqueus ad talum suo loco motū, vbi reconditur.de laqueis. 7ª.307.E
Laquei non debent cito decidere.de ijs,quæ in med.fi.com.2°.7ª.210.F
LAR seu focus febris,dicitur ea animalis particula, quæ prima suis ipsius solidis partibus immodice fuerit calefacta.de marc. 3ª.47.F
LARGIVS videntur quæ prope sunt.de comp.memb. Sp.58.E
ex LARGI scriptis medicamentum.9°.de com.me.sec.lo. 5ª.205.B
Largus quo pharmacho vsus.6°.de com.med.per gen. 5ª.262.C
ex Largi collectaneis medicamētū.5°.de com.med.per ge. 5ª.251.E
LARICINA resina duplex est.2°.de comp.me.per ge. 5ª.219.F
Laricina resina humidissima omnium.2°.de cō.med.per ge. 5ª.219.F
Laricina minus idonea est terebinthina ad vulnera maligna.4°.de cō. med.per genera. 5ª.241.H
Laricina quando loco terebinthinæ in chironijs medicamētis ponitur. 4°.de comp.med.per genera. 5ª.244.G
p Laricina terebinthina qñ vtendū.4°.de com.me.per gen. 5ª.237.F
LARISSÆ calui casus.in 6ᵐ.de mor.vul.com.3°.149.E/ 3ª.150.H
LARIX resina terebinthinæ similis.2°.de com.me.per gen. 5ª.219.A
Larix quandoq; dī terebenthina liquida.4°.de compo.med. 5ª.244.G
Larice pro terebinthina vti possumus,et qñ.1°.de c.me.p ge. 5ª.215.D
LARYNX dicitur & pharynx,tamen pharynx est ante laryngem.5°. de vsu par. 1ª.165.A
Larynx quid.intr.Isa.54.C/7°.de ana.admin.94.B/7°.de vsu partiū. 1ª.157.H/

1ª.157.H/5°.meth.med. 7ª.34.E
Larynx quæ pars proprie sit.13°.de vsu p.1ª.201.D/7°.de com.me. sec.loc.178.E/ 5ª.77.B
Larynx qualis sit substantiæ fin.med. Isa.43.H
Larynx est arteriæ asperæ superior pars. 6°.de vsu p.156.H/7°.158. F/160.A/8°.162.H/165.A/de mo.mus.1ª.309.G/3°. de sanita. tuenda. 2ª.77.H
Larynx suprema est pars asperæ arteriæ,quæ ori coniũgitur.6°.de sanitate tuenda. 2ª.98.E
Larynx summa arteria dicitur.6°.de san.tuen. 2ª.100.A
Larynx est arteriæ caput.5°.meth.med. 7ª.35.B
Larynx & arteria sumuntur pro re diuersa.7°.de vsu par. 1ª.160.G
Larynx potest videri extra animal.4°.de anato.admi. 1ª.81.H
Larynx ex quibus componatur.de voc.instru.dissect.106.G/6°.de usu partium. 1ª.215.F
Laryngis corpus cur non osseum.de voc.instr.diss. 1ª.107.B
Laryngis particulæ quales,& earum vsu.7°.de vsu par. 1ª.160.A
Larynx ex tribus chartilaginibus constat.7°.de vsu par. 1ª.160.A
Laryngis chartilago maxima.de voc.instr.diss. 1ª.160.G
Laryngis chartilaginũ anterior ex maxima.7°.de vsu par. 1ª.160.A
Laryngis secũda chartilago quanto minor prima,tanto maior tertia. 7°.de vsu partium. 1ª.160.A
Laryngis chartilago tertia,qualis.de voc.instr.diss. 1ª.116.H
Laryngis tertia chartilago vbi incipit.7°.de vsu par. 1ª.160.C
Laryngis os qua parte amplius.7°.de vsu par. 1ª.160.C
Laryngis supernum vt crumena clauditur.7°.de vsu par. 1ª.160.D
in Laryngeglandulæ.3°.de alim.fac. 2ª.26.H
in Laryngeglandulæ sunt magnæ.3°.de alim.facul. 2ª.26.H
ad Laryngem glandes aliquæ.3°.de ali.fac. 2ª.26.G
in Laryngecur glandulæ. 10°.de vsu par. 1ª.188.A
in Laryngepituitosum humorem generantes glãdulæ sunt magno vsui. 14°.methodi medendi. 7ª.90.D
Laryngi cur inest humor viscosus.13°.de vsu par. 1ª.201.H
Larynx habet in medio epiglottidem.16°.de vsu par. 1ª.215.F
Laryngis musculorũ generatio,& dissectio.de voc.instr.diss. 1ª.106.H
in Laryngemusculorum numerus in suas partes distinctus.16°.de vsu partium. 1ª.215.G
Laryngis musculi quo modo se habeant.1°.de mot.mus. 1ª.309.G
Larynx habet musculos circiter viginti. 16°.de vsu par. 1ª.215.F
Laryngis musculorum diuersitas,& vnde oriantur,ac tendãt. 16°.de vsu partium. 1ª.215.F
Laryngea aperiẽtes musculi vnde.de ner.diss.53.H/7°.de v.p.1ª.161.E
Laryngis musculi à qua coniugatione mutãtur.16°.de vsu.p.1ª.215.G
Larynx mouetur à duodecim musculis ex sua cõpositione, & ex octo vicinarum partium,& quo modo.7°.de vsu par. 1ª.160.A
ad Laryngem nerui qui accedunt.6°.de vsu par. 1ª.216.B
ad Laryngem profundum nerui in quibus animalibus euidentissime apparent.16°.de vsu par. 1ª.216.E
Laryngea claudentes musculi.7°.de vsu par. 1ª.161.D
Larynx quibus musculis claudatur,& aperiatur.de voc.instr.dissect. 107.E/8°.vsu par. 1ª.162.H
Laryngis linguæ vsus.7°.de vsu par. 1ª.160.H
Larynx necessario in collo.13°.de vsu par. 1ª.201.D
Larynx est instrumentum vocis.6°.de san.tuen. 2ª.98.E
Larynx est primum et principalissimum vocis instrumẽtum.7°.de vsu par.157.H/8°.165.A/13°.201.D/ 1ª.215.F
Laryngi arteria vocem concinnat.7°.de vsu par. 1ª.157.H
in Laryngemusculi pro voce,qui.11°.de vsu par. 1ª.215.H
Larynx madefactus primo facit vocem raucam, postea paruam deinde totam vocem adimit.6°.de san.tu. 2ª.98.E
in Laryngis meatu corpº ẽ simile linguæ,et quale.7°.de v.p.1ª.160.C
Laryngis meatus quantus.11°.de vsu par. 1ª.188.G
Larynx nisi sit perfusus in febribus ardentibus & magnis æstibus, nõ possunt homines loqui.7°.de vsu par. 1ª.161.D
cum Laryngetota arteria humectatur.6°.de san.tu. 2ª.98.E
Laryngea apertum non teneant,nec trahant spiritum,excernere volentes.5°.de vsu par. 1ª.147.C
LARYNX coquitur cum lingua.3°.de alim.fac. 2ª.26.G
Larynx, vide Bronchus.
LASER quid.de simp.med. Sp.85.G
Laser est lachryma silphij.de simp.med. Sp.90.D
Laser odore viscidum est.ac simp.med. Sp.85.G
Laser habet acerrimas vires, vnde cũ magnis vexationibus excalfacit.de simp.med. Sp.85.G
LASERPITIVM quale.8°.de simp.med.fac.5ª.60.F/de vi.rat.in mor. acu.com.4°. 7ª.146.G
Laserpitij liquor excrescentias emolliendi,& liquandi vim obtinet,& admodum trahentem facultatem obtinet.8°.de sim.me.f. 5ª.60.F
Laserpitij succus & radix quibus choleram siccam generet.de vi.ra. in morb.acu.com.4°. 7ª.146.G
cum Laserpitio caseus,& carnes bubulæ choleram siccam faciunt. de victus rat.in morb.acu.com.4°. 7ª.146.G
LASSATAE particulæ sentiunt voluptatem redeũtes ad propriũ statum.1°.de symp.cau. 3ª.17.E
Lassatis conuenit frictio cum oleo,& qualis.1°.de symp. cau.3ª.17.E
LASSITVDINARII non sunt vere ægri,sed nec sani.de constitutione artis. Isa.42.D
LASSITVDO quid proprie significet.com.2°.aph.5°. Ex.11.F
Lassitudo est immodica caliditas in musculis & articulis.de cau. morbis. 3ª.6.E
de Lassitudine philosophi & medici egere.3°.de san.tuen. 2ª.78.E
de Lassitudine fecit librum Theophrastus.3°.de san.tuen. 2ª.78.E
Lassitudinis notio secundum aliquos.3°.de san.tuen. 2ª.78.E
Lassitudo vnde proueniat.com.2°.apho.5°. Ex.11.G
Lassitudinem non facit omnis motus.de cauf.mor. 3ª.6.G
Lassitudinem qui motus faciat.de cauf.morb. 3ª.6.G
Lassitudinem facit exercitatio immodica.de cauf mor. 3ª.6.E
Lassitudo quando fit ab exercitatione.de cauf.morb. 5ª.6.H
Lassitudo ex immodica exercitatione est symptoma sanorum.4°.de sanitate tuenda. 2ª.82.E
Lassitudo præter exercitationem est symptoma ægritudinem nunciãs. 4°.de san.tuenda. 2ª.82.E
Lassitudinem quidam affectus comitatur, tamen non est lassitudo.3°. de sanitate tuenda. 2ª.78.F
in Lassitudinibus duplex affectio.2°.de simp.med.fac. 5ª.16.A
Lassitudinum differentiæ,quæ.3°.de san.tuen. 2ª.80.F
Lassitudinum diuisio.com.4°.apho.31°. Ex.30.G
Lassitudinum specierum enumeratio.3°.de san.tuen. 2ª.78.H
Lassitudinis sensus qui.2°.de sym.cau.3ª.22.B/in 1ª.prorrh.commentario.2°. 4ª.169.B
Lassitudinis triplex sensus.2°.de symp.cau. 3ª.22.B
Lassitudines tres apud Gymnastas.de mult. 3ª.79.A
Lassitudo spontanea triplex com.2°.apho.5°. Ex.11.F
Lassitudinis septem notiones quidam fecere.3°.de san.tu. 2ª.78.F
Lassitudinis septem species,tres simplices,& quatuor compositæ.3°. de sanitate tuenda. 2ª.78.G
Lassitudinum species quo modo quindecim.3°.de san.tuen. 2ª.80.H
Lassitudinis species quo modo inuentæ.de mot.man.& obsc. Sp.67.C
Lassitudo quæ maior,& quæ minor.3°.de san.tuen. 2ª.8.G
Lassitudinis causa affectus lassitudinis est.4°.de san.tu. 2ª.82.E
Lassitudinis symptoma cõsiderandũ,& quod sit.4°.de sa.tu.2ª.82.E
Lassitudinis affectus consideratur,& qui sit.4°.de san.tu. 2ª.82.E
Lassitudinis affectus causa cõsiderãda,et quæ sit.4°.de sa.tu. 2ª.82.E
Lassitudo an ex his qui malum succum congerunt, quomodo cognoscendum.4°.de sanitate tuenda. 2ª.83.B
Lassitudinem faciens humor considerandus,an cum sanguine, an cũ crudis humoribus,an per se consistat.4°.de san.tuen. 2ª.83.E
Lassitudinem faciẽtes humores qũo possit dephẽdi.4°.de sa.tu.2ª.83.G
Lassitudines sunt causæ propinquæ morborũ.de na.hu.cõ.2°.7ª.180.F
Lassitudini cur obnoxij athletæ.3°.de san.tu. 2ª.76.F
Lassitudini obnoxij qui,nisi sit apotherapia.3°.de san.tu. 2ª.76.F
Lassitudine raro tentatur temperatus & liber.3°.de san.tu. 2ª.76.F
Lassitudo facit humiditatem acrem.2°.de simp.med.fac. 5ª.16.A
LASSITVDO tensiua spontanea,quæ, & à qua causa fiat. 2°.de sympto.caus. 3ª.22.C
Lassitudo tonodes quæ.de mult.3ª.78.E/in 1ª.prorrh.com.2°.4ª.179. E/7°.de comp.med.sec.loc. 5ª.177.G
Lassitudo tensiua ex quo fit.4°.de san.tu. 2ª.82.F
Lassitudo tensiua quo modo fiat.3°.de san.tu. 2ª.78.G
Lassitudo tensiua fit post celeres exercitationes.3°.de san.tu. 2ª.79.D
Lassitudo tensiua quid efficiat.de mul. 3ª.79.A
in Lassitudinibus tensiuis asperæ arteriæ quid agendum.7°.de compositione medica.secundum locos. 5ª.177.G
Lassitudo tensionis quid prædicat.5°.de san.tu. 2ª.87.G

Lassitudinis tensiuæ curatio.3°.de san.tuen. 2ª.79.C
Lassitudinis tensiuæ victus ratio.5°.de san.tuen. 2ª.79.G
in Lassitudine tensiua cibi glutinosi dandi.3°.de san.tuen. 2ª.79.G
in Lassitudine tensiua venam incide,si vires consent.de curan. ra.per sangui.miss. 6ª.17.D
Lassitudo si cum exanthematibus, facile cognoscitur humor peccans. 4°.de sanitate tuenda. 2ª.83.G
LASSITVDINIS *symptoma sensus vlcerosus.4°.de sa.tu.* 2ª.82.E
Lassitudinis vlcerosæ affectus qui,& vnde oritur.4°.de sa.tu. 2ª.82.F
Lassitudo vlcerosa quid sm aliquos.2°.de simp.med.fac. 5ª.2.A
Lassitudo vlcerosa,quæ.in 1ᵐ.prorrh.com.2°. 4ª.169.B
Lassitudo vlcerosa quæ,& à qua causa oriatur.2°.de sy.cau. 3ª.22.C
Lassitudo virtutis, & postea vlcerosus sensus, ad quid sequatur, & quando.de puero epilep. 7ª.180.A
Lassitudo vlceris quibus corporibus,& quibus de causis fiat.3°.de sanitate tuenda. 2ª.79.A
Lassitudo vlcerosa habet sensum,non motum.2°.de sym.cau. 3ª.23.G
Lassitudo vlcerosa fit à succis malis.de curan.ra.per sang.mis. 6ª.16.F
Lassitudinẽ vlcerosam pariũt excremẽta mordacia.4°.d sa.tu. 2ª.82.H
Lassitudinis vlcerosus affectus oritur à copia excrementorum tenuiũ & acrium.3°.de san.tu. 2ª.78.G
Lassitudinẽ vlcerosã excitãt celeres,ac multi motus.3°.d s.t. 2ª.79.A
cum Lassitudine vlcerosa humorum crudorum copia quo modo fiat,et quo curetur.4°.de san.tu. 2ª.86.B
in Lassitudine vlceris cutis dẽsa esse,et horrere vr.3°.de sa.t. 2ª.79.A
in Lassitudine vlcerosa oriũt rigor,& horror.3°.de sa.tu. 2ª.78.G
in Lassitudine vlceris aliq fatenẽ dolore ritu vlceris.3°.de s.t. 2ª.79.A
in Lassitudine vlceris non nulli fatentur tantum cutim dolore,alij subiectam etiam carnem.3°.de san.tu. 2ª.79.A
Lassitudo vlcerosa in causo.de vict.rat.in mor.acut.c.3°. 7ª.134.E
Lassitudo vlcerosa põt esse in solo capite.de cur.ra.p san.mis. 6ª.16.F
Lassitudo vlcerosa quid faciat.4°.de san.tu. 2ª.82.F
Lassitudinis vlceris curatio.3°.de sa.tuen. 2ª.79.H
Lassitudo vlcerosa quo modo sanetur.4°.de san.tu. 2ª.83.B
Lassitudinis vlcerosæ cum copia crudorum humorum in toto corpore curatio.3°.de san.tuen. 2ª.87.C
Lassitudinis vlcerosæ victus ratio.3°.de san.tuen. 2ª.79.F
Lassitudo superueniens plethoris,quæ.4°.de san.tuen. 2ª.82.F
LASSITVDO *phlegmonodes cur ita dicta,& quo modo curetur.3°.de san.tuen.* 2ª.87.F
Lassitudo phlegmonosa cõpositа ex tenode et vlcerosa.3°.d s.t. 2ª.79.E
Lassitudo phlegmonosa, quæ.in 1ᵐ.prorrh.com.2°. 4ª.169.B
Lassitudo inflammata quæ sit.7°.de comp.med.sec.loc. 5ª.177.D
Lassitudo phlegmonode quæ,& à qua causa.2°.de sym.cau. 3ª.22.C
Lassitudo phlegmonodes ex quo fit.4°.de san.tu. 2ª.82.F
Lassitudo phlegmonodes non fit ex abundantia.4°.de san.tu. 2ª.82.F
Lassitudo phlegmonodes qualis,& quo modo fiat.3°.de sa.t. 2ª.78.H
Lassitudo phlegmonodes facit corpus male quàm pro natura amplio re.3°.de sanitate tuenda. 2ª.79.A
Lassitudo phlegmonodes statim febrem accendit,nisi sanguis detrahatur.5°.de sanitate tuenda. 2ª.87.F
Lassitudo phlegmonodes quibus contingat.3°.de san.tu. 2ª.78.H
Lassitudinis phlegmonodes curatio.3°.de san.tu. 3ª.79.D
Lassitudinis phlegmonodis victus ratio qualis.3°.de san.tu. 2ª.79.G
in Lassitudine vlcerosa & phlegmonode cibi glutinosi prohibendi.3°. de sanitate tuen. 2ª.79.G
in Lassitudine phlegmonode album vinum tenue dãdum, & quo die. 4°.de sanitate tuenda. 2ª.87.H
Lassitudo phlegmonodes quas aquas desideret.3°.de san.tu. 2ª.79.H
Lassitudo phlegmonodes curatur per sanguinem narium,& sudorem effusum.5°.de sanitate tuenda. 2ª.87.F
in Lassitudine phlegmonode venam incide,si vires consent.de cur.ratio.per sang.miss. 6ª.17.D
in Lassitudine phlegmonode cur iteranda sanguinis detractio.4°.de sanitate tuenda. 2ª.87.H
in Lassitudine phlegmonode sanguis tertio mittẽdus.5°.d s.t. 2ª.87.H
LASSITVDINIS *ossearię meminit.de vic.rat.in morb.acutis, commẽtario 4°.* 7ª.134.E
Lassitudinis tertio genere laborantes, cum scilicet ostocopo, id est ossium dolore,detinentur,nec minimum quidem motum tolerare possunt.2°.de symptomatum causis. 3ª.22.C
in Lassitudinum victu diuersorum opinio.3°.de san.tuen. 2ª.79.G
Lassitudinis diuersæ causa,quæ.4°.de san.tuen. 2ª.82.G
LASSITVDINI *similis affectus,tamen non est lassitudo,qualis.3°.de sanitate.tuenda.* 2ª.79.E
Lassitudinis similis affectᵒ ab aliquib.putat lassitudo.3°.d s.t. 2ª.79.H
in Lassitudinibus,& maxime in affectu simili lassitudinibus, potissimum musculi patiuntur.3°.de san.tu. 2ª.80.C
Lassitudini similis affectus curatio.3°.de san.tu. 2ª.79.F
in Lassitudini affectu simili vberius cibandum.3°.de san.tu. 2ª.79.H
Lassitudini affectus similis quas aquas desideret.3°.de sa.t. 2ª.79.H
Lassitudinem habẽtibus in febribus, in articulos & circa maxillas potissimum abscessus fiunt.com.4°.apho.31°. Ex.30.G
Lassitudo in quibus possit esse mẽbris.de cur.ra.per sang.miss. 6ª.16.F
Lassitudo quæ totum corpus afficit,qualis.de cau.mor. 3ª.6.G
Lassitudo,& febris non sunt idem.3°.de san.tu. 2ª.80.B
Lassitudo quando non facit febrem.de cau.mor. 3ª.6.H
ex Lassitudine febris diaria.5°.de san.tu. 2ª.88.F
ex Lassitudine febricitauit Galenus.5°.de san.tuen. 2ª.88.F
ex Lassitudine ephemera,qualis.1°.de crisi.4ª.138.G/1°.de arte cura.ad Glauconem. 7ª.95.C
ob Lassitudinem fit pulsus durus in ephemeris.1°.de diff.feb.3ª.34.C
Lassitudines siccis temperamentis vitandæ sunt.5°.de sa.tu. 2ª.96.E
Lassitudinis instantis cauendæ,& eius quæ iam occupauit summouendæ,est similis ratio.4°.de san.tu. 2ª.82.D
Lassitudini minus obnoxios reddit aquæ feruentis lauatio.3°.de sanitate tuenda. 2ª.80.B
Lassitudines præcauere est magna portio artis tuendæ sanitatis.4°.de sanitate tuenda. 2ª.82.D
Lassitudinum communis curatio.3°.de san.tu. 2ª.80.G
Lassitudinum propria curatio vnde accipienda.3°.de sa.tu. 2ª.80.G
Lassitudo futura qũo curetur.3°.de san.tu. 2ª.80.A
Lassitudo in temperato qũo curanda.4°.de san.tu. 2ª.84.D
Lassitudinis sensus foris habentes,& intus multos succos crudos,quo modo curandi.4°.de sa.tu. 2ª.86.A
ad Lassitudinem vehementes affectus quid valeat.7°.de compo.med. per genera. 5ª.270.C
Lassitudo quando imminuta est,quid agendum.4°.de san.tu. 2ª.84.G
post Lassitudinem quid agendum.4°.de san.tu. 2ª.84.F
Lassitudo quiete sanatur.com.2°.aph.5°. Ex.11.G
Lassitudo quomodo quiete soluatur.3°.de san.tu. 2ª.79.H
Lassitudo quomodo lassitudine soluatur.3°.de san.tu. 2ª.79.H
Lassitudines sensus si leuetur,quid sequatur.4°.de san.tu 2ª.84.F
Lassitudinem sedant balnea.de mel.ex G.R.& Poss. Sp.110.D
Lassitudines tollit balneum.de vict.ra.in mor.acu.com.3°. 7ª.132.H
cur Lassitudinibus conueniunt aquarum dulcium lauacra.2°.de simpii.medic.facul. 5ª.16.A
Lassitudinibus adhibetur oleum cum lauacro aquæ dulcis.2°.de sim. med.facul. 5ª.12.A
Lassitudines oleum sanat.2°.de simp.med.fac. 5ª.11.A
Lassitudines cur oleum sanat.2°.de simp.med.fac. 5ª.11.B
Lassitudinum omnium medicamentum simplex oleum.7°.de compositione medic.per gen. 5ª.269.E
Lassitudinem aufert,& emollit frictio ex oleo magis quam sicca.2°.de simpli.medic.facul. 5ª.13.H
Lassitudine laborantes per fricationem vel lotionem sentiunt voluptate.1°.de symp.cau. 3ª.17.E
Lassitas post venerẽ,balneum,& frictionem,quo modo corrigẽda.3°. de sanitate tuenda. 2ª.82.A
Lassitudinẽ sentiès fricandus,& vngendus est.3°.de san.tu. 2ª.82.A
Lassitudo valida quos premit,iuuatur à vespertina frictione.3°.de sanitate tuenda. 2ª.82.A
Lassitudo valida prohibet prandium integrum,et cœnam differt.4°.de sanitate tuenda. 2ª.82.B
Lassitudinem tollit cibi parcitas pituitosis & sanguinis multum habẽtibus.in 6ᵐ.de morb.vulg.com.3°. 3ª.176.A
Lassitudinem non tollit cibi parcitas bilios is,& inopia sanguinis laborantibus.in 6ᵐ.de mor.vulg.com.3°. 3ª.176.A
Lassitudine laborantium cibi.3°.de san.tu. 2ª.79.F
Lassitudinẽ hũtib.qbus necessaria sit cũo.de cu.ra.p san.mis. 6ª.17.B
in Lassitudine quando sanguine euacuandus temperatus,& quãdo nõ. 4.de san.tu. 2ª.84.D
in Lassitudine non est aspectanda febris declinatio pro secanda vena, sed doloris magnitudo.de cur.rat.per sang.miss. 6ª.21.C

Laſſitudini conſert ſuper omnia chamæmelinũ. 3°.de ſim. m.fa.5ª.18.G
Laſſitudo nõ ſoluitur à calidis & ſiccis. 2°.de ſimp.med.fac. 5ª.16.D
ad Laſſitudinum moleſtias acopon.7°.de compo.med.per gen.269.G/ 270.A/ 5ª.273.C/D
Laſſitudo ex viticis ſemine qũo ſanetur.6°.de ſimp.me.fac. 5ª.4.B
ex Laſſitudinibus caſus adoleſcentis cuiuſdã ab Hippocrate refertur. in 6ᵐ.de mor.vulg.com.2°. 5ª.137.E
LASSVS qui habeat ſanguinis boni parum,& multos crudos humores,quomodo curandus.4°.de ſan.tu. 2ª.84.G
Laſſi quomodo parcius nutriendi.3°.de ſan.tuen. 2ª.79.H
Laſſi quo modo pro conſuetudine nutriendi.3°.de ſan.tu. 5ª.79.H
Laſſos inunctos oleum iuuat.2°.de ſim.med.fac. 5ª.16.A
in LATEBRIS occluſa animalia non videntur ſpirare.6°.de locis affectis. 4ª.39.E
Latentia animalia frigida ſunt.6°.de loc.aff. 4ª.39.F
LATENTES *ſenſum res,aliæ per intellectum perſpicuæ ſunt,aliæ per oſtenſionem cognoſcuntur.de opt.ſecta. Iſa.19.G*
LATER *eſt ſiccus.1°.de temp. 1ª.12.G*
LATERALIS *morbus quid ſit.com.6°.apho.33°. Ex.50.A*
Lateris morbus eſt in genere inflammationum.com.1°.aphor.12°.5.E/ com.5°.apho.15°. Ex.38.F
Lateralis morbus acutus.com.1°.aph.12°. Ex.5.D
Laterales morbi,laterum dolores,lumborũ paſſiones, cur fiãt hyeme, & vnde.com.3°.aph.23°. Ex.24.H
Lateralis morbus fit a calidis humoribus,qui aliquem locum obſederunt.com.2°.aph.19°. Ex.14.B
cur Lateralis morbus fiat ex humoribus calidis.c.6°.a.33°.Ex.50.A
Lateralis morbus rariſſime fit ex pituita,præſertim ſi ſalſedinem, atq; acrimoniam aliquam ſibi adiunxerit.com.6°.apho.33°. Ex.50.B
Lateralis morbus a quo humore fiat, per colorem ſputorum cognoſcitur.com.6°.aph.33°. Ex.50.A
Laterali morbo nõ multũ laborãt q acidũ eructãt.c.6°.a.33°.Ex.50.B
Laterali morbo laborãt habẽtes vẽtrẽ humidũ.c.6°.ap.33°. Ex.50.B
Lateralis morbus vbi.4°.de loc.aff. 4ª.31.G
Lateralis morbi accidentia inſeparabilia,quæ.5°.de loc.aff. 4ª.31.D
i Laterali morbo nõ põt cõtingere dolor pulſatorius.2°.de l.a.4ª.9.A
in Laterali morbo dolor punctorius eſt.2°.de loc.aff. 4ª.9.H
Lateris dolor pungitiuus, & pulſus aſperitas cum tenſione ad pleuriticos ſpectant.de ſubſt.empi. Iſ.32.E
Lateralis doloris diſtinctiones.aduerſus Lycum. Ex.62.G
Lateralis morbus difficultatem ſpirandi facit.c.4°.aph.50°.Ex.33.C
Lateralis morbus habet breue tempus.1°.de criſi. 4ª.26.F
in Laterali morbo temporum caſus.1°.de criſi. 4ª.132.F
in Laterali morbo cum ad vigorem febris peruenerit, delirium ſequi ſolet.2°.de locis affectis. 4ª.14.B
in Laterali morbo delirium permanens ſignificat caput habere proprium morbum.1°.de loc.aff. 4ª.14.B
in Laterali morbo dies quartusdecimus eſt terminus iudicationis. cõ. 5°.aphoriſ.15°. Ex.38.F
in Laterali morbo ſi mitis ſit inflammatio,omnis humor noxius per ſputum expurgatur,ſi pernicioſus,antequam coſtæ cõpatiantur, ſtrangulat ægrum.com.7°.aph.11°. Ex.54.G
Lateralis morbus per ſputa euacuatur.com.5°.apho.8°. Ex.38.B
Lateralis morbus impedimento eſt cruenta ſputa reiicientibus, ne ſecetur vena,& qũo hoc intelligendũ.in 6ᵐ.de mor.vul.c.3°.3ª.179.B
in Laterali morbo conueniens eſt ordo,vt primo cruenta,deinde bilioſa expuantur.in 6ᵐ.de mor.vul.com.3°. 3ª.179.C
Lateralis morbus ex ſputo oſtendit ſalutem,vel mortem. commen.6°. aphoriſmo 33°. Ex.50.A
Laterali morbo laborantes raro ſpumoſum expuunt. commentario 7°. aphoriſmo 30°. Ex.54.B
Lateralis morbi terminus,& concoctio.com.1°.aph.12°. Ex.5.D
Laterali morbo laborantes in quatuordecim diebus ſi non repurgantur,ſuppurantur.com.6°.aph.33°. Ex.50.A
Lateralis morbus quo modo & quando ſolet ad ſuppurationem venire.com.6°.apho.33°. Ex.50.A
Lateralis morbi ſuppuratio in quẽ locũ tranſeat.c.5°.a.15°. Ex.38.F
ex Laterali morbo ſuppurati,ſi à die ſuppurationis in quatuordecim diebus nõ ſanantur,ad tabem tranſeunt.com.5°.aph.15°.Ex.38.F
Lateralis morbus & ſputum ſanguinis quo modo curentur, cum ſint contrarij morbi.com.1°.aph.16°. Ex.9.A
in Laterali morbo ſanguinem in cubito octauo die miſit Hippocrates. commen.1°.apho.12°. Ex.6.A
Laterali morbo habito alui profluuium aduenies,malum. commẽ.6°. aphoriſmo 16°. Ex.47.G
qñ Lateralem morbum faciens humor non poteſt in coſtis contineri, pars eius aliqua ad pulmonem fertur.com.7°.aph.11°. Ex.54.G
à Laterali morbo inflammatio pulmonis,malum.c.7°.a.11°. Ex.54.F
in Laterali morbo antiquorum differentia in victu inſtituẽdo.9°.de decretis Hippo. 1ª.283.B
in Laterali morbo vinũ dari poſſe ante ptiſſanam,ex Hippocrate ſumitur,quando nihil exſpuitur ab affecto loco & quare.de victus rat. in morb.acut.com.1°. 7ª.112.F
in Laterali morbo vinũ aliquib.dãdũ,aliquibus nõ.9°.de de.1ª.282.G
in Laterali morbo quidã cibũ non ſubtrahunt.9°.de decre. 1ª.282.G
Lateralis morbi varia medicamenta.9°.de decr. 1ª.282.F
in Laterali morbo curationis inceſſus ſm Hipp.9°.de decre. 1ª.282.G
in Laterali morbo facile applicantur remedia.3°.de lo.aff. 4ª.16.B
in Laterali morbo balnea qñq; conueniunt.9°.de decre. 1ª.282.G
in Laterali morbo adiuuans antidotus.2°.de anti. 5ª.120.D/E
Lateralis morbi caſus.com.1°.aph.12°. Ex.5.D
in Laterali morbo Dionis,& Theonis caſus.c.6°.aph.5°. Ex.47.A
Lateralis morbus, vide Pleuritis.
LATHYRIS *quid.de ſimp.med. Sp.86.E*
Lathyris habet lac,tamen non eſt tithymallus.7°.de ſimplicium medicamen.facul. 5ª.54.A
Lathyris acris eſt,diuretica,acuta,vẽtrem viſcide purgat,cholerã rubram,& phlegma deponit.de ſimp.med. Sp.86.E
Lathyris ſemen maxime purgat.7°.de ſimp.med.fac. 5ª.54.A
Lathyris.i.cataputia,pituitã magis purgat, quã cnicus.de dy.Sp.21.G
Lathyris educit phlegma.de cathar.94.F/ Sp.95.B
Lathyris purgat hepatis ſimum.de cathart. Sp.95.C
Lathyris doſis maioris a minoris,& quibus miſcetur.de dy. Sp.21.G
in LATIBVLIS viuentia animalia cur aliqua nihil comedunt, aliqua parum.com.7°.apho.59°. Ex.59.D
Latibula quæ habitant hyeme animalia, cur non comedant. de vena ſect.aduerſus Eraſ. 6ª.9.A
LATINAM *linguam nouiſſe Galenũ,collige.1°.de diff.reſp. 3ª.57.C*
Latina interponere non debet grace ſcribens.1°.de antid. 5ª.104.A
Latinis vocabulis & omnium communibus non eſſe imponendas ſignificationes vt lubet,& Galeno ſumitur.3°.de diff.pul. 4ª.63.H
LATIO *quid ſit.1°.meth.med. 7ª.6.C*
Lationẽ ſanguinis p venas Plato aãductũ vocauit.ĩ Ti.Pla.1ª.288.C
LATITVDINALES *villi expellunt.de anat.viuo. Sp.55.H*
Latitudinales,& tranſuerſos villos magis habet ſtomachus. de anatomia viuorum.55.H/ Sp.56.A
ex Latitudinalibus filis componitur panniculus exterioris ſtomachi. de anato.viuo. Sp.49.H
Latitudinales villos magis quã alios habẽt inteſtina.de an.vi.Sp.56.a
Latitudinales villos non habet longaon propter compreßionem. de anatomia viuorum. Sp.50.E
LATITVDO *vnde oriatur.ars me. Iſa.66.F*
Latitudo non eſt magnitudo.2°.de diff.pul. 4ª.56.F
Latitudinem ſuperat profunditas.2°.de cauſ.pulſ. 4ª.94.A
ſm Latitudinem diuerſio eſt a dextris & a ſiniſtris ſecundum.com.5°. aphoriſmo 68°. Ex.45.D
Latitudini caloris naturalis ſunt quidam tanquã termini præfixi, quos vltra ſi tẽperamentum progrediatur,aut ægrotare nos,aut tam interire neceſſe eſt.aduerſus Lycum. Ex.62.A
Latitudinem habent tempora morborum.de morb.temp. 3ª.89.B
per Latitudinem curatio.3°.de comp. med.per ge. 5ª.231.D
ex Latitudine faſciarum differentia.de faſcijs. 7ª.293.G
LATRINAS *in hortis repurgabant. in 3ᵐ.de mor.vul.c.1°. 3ª.153.F*
LATRONVM *et medicorũ differentia.de ꝓco.ad Poſth. 4ª.215.G*
Latrones ſibi inuicem parcunt.de præco.ad Poſthu. 4ª.215.G
ad LATVS *cur ſit poſita auris.de ana.viuo. Sp.48.H*
ad Latera maxillam mouentes muſculi, vbi ſint.de muſ.diſ. 1ª.44.G
ad Latera annuenda mouentes dearticulationem primæ vertebræ muſculi, qui.de muſ.diſſ. 1ª.46.A
ad Latera caput qua dearticulatione circũagatur.de muſ.diſſ. 1ª.45.D
ad Latus quo muſculo trahatur labrum ſuperius.de muſ.diß. 1ª.44.E
in Latera dearticulationẽ dilatantes muſculi. de muſ.diß. 1ª.46.B
in Latera efficitur media totius ceruicis flexura.de muſ.diſſ. 1ª.47.A
ad Latera brachium detrahens muſculus.de muſ.diß. 1ª.47.G

in Latere dextro,& siniſtro cordis quæ ſint.de anato.viuo. Sp.46.F
Latera qũo exerceantur in paruæ pilæ ludo.de par.pi.ex. 2ª.49.A
à Latere diuerſo phlebotomiã fieri dbere,collige.c.5°.a.68°. Ex.45.D
Latus diuerſum qũo intelligi debeat.com.5°.apho.68°. Ex.45.D
Lateris eiuſdem vena ſecanda eſt.in 1ᵐ.prorrh.com.3°. 4ª.186.F
à Latere eodem diuertendum.de remed.par.fac. 7ª.160.G
à Latere eodem fiat ſectio venæ in pleuritide.præſ.exper.cõf.Sp.78.B
Latera ſuccingens mẽbrana neruoſa eſt et fortis.5°.de lo.aff. 4ª.30.F
inter Latera, & pulmonẽ qũo pus facile demittaẽ.5°.de l.af.4ª.30.F
Latera extenta habentibus non eſt medicamentum exhibendũ. de vic. ra.in mor.acu.com.4°. 7ª.150.F
Lateribus nocet aqua dura,& frigida.de bon.aquæ. Sp.75.G
in Laterum compunctione inuenitur ſyndrome.5°.de ſan.tu. 2ª.93.E
Laterum compunctiones numerantur inter morbos,qui ex plenitudine oriuntur.5°.de ſan.tu. 2ª.94.D
LATERIS inflammationes lienoſi appellantur, etiã ſi habeant febrẽ. com.4°.aph.73°. Ex.35.H
in Laterũ & pulmonũ inflammationibus, in acceſſionum principijs tumores increſcunt,in declinationibus autem euaporant,& ſubmittũtur.2°.de diff.feb. 3ª.40.F
ad Lateris phlegmonem.de med.fac.par. 7ª.165.H
ad Lateris phlegmone correptos.de med.fac.par. 7ª.172.C
LATERVM dolor eſt accidens pleuritidis.4°.de loc.aff. 4ª.31.D
Lateris dolor morbus ſiccus eſt.de ptiſſ. 2ª.48.A
Lateris dolor vnde ortũ habeat.de vic.ra.in mor.acu.c.2°. 7ª.116.B
Lateribus dolor cur contingat,& qũo.in 1ᵐ.prorr.com.1°. 4ª.166.D
Laterũ dolores qũo & cur fiant cõſiſtentibus c.3°.aph.30°. Ex.26.E
Laterum dolores ἀπτύσοι, qui.in 1ᵐ.de mor.vul.com.1°. 3ª.105.B
Lateris dolor in quibus partibus fieri poſſit,& ad quantum ſe extendi com.c°.apho.65°. Ex.46.H
Lateris dolor quo modo cognoſcatur.com.6°.aph.5°. Ex.46.G
Laterum dolorem in maſculis ſiue fœminis ſignificat vrina alba ſine febribus.de dynam. Sp.35.D
Lateris dolor acutus fit,ſi tumor in vlceribus euaneſcat.commen.5°. aphoriſmo 65°. Ex.44.H
Lateris dolor qui periculoſus, qui non.com.6°.aph.5°. Ex.46.H
Laterũ dolor qũo ſignificat mẽtẽ agrotare.in 1ᵐ.prorr.c.1°.4ª.166.D
Lateris dolor ex ſputis bilioſis qd ſignificet.in 3ᵐ.pror.c.3°. 4ª.179.B
Lateris æſtus cum dolore quid ſignificet.in 1ᵐ.prorr.c.2°. 4ª.173.G
Lateris dolor firmatus cũ torpore malus.in 1ᵐ.pror.cõ.2°.4ª.173.G
ad Laterum dolores incipientes quid conferat.8°.de compoſitio. me. ſecun.loc. 5ª.188.G
Lateris dolorem mulcet balneũ.de vict.rat.in mor.acu.c.3°.7ª.132.H
Lateri cathartica danda.de cathar. Sp.94.G
in Lateris dolore quando debemus vti phlebotomia,& quando pharmacia.com.6°.aph.5°. Ex.46.H
in Laterum ægritudinibus ſecantur iugulares.de ana. viuo. Sp.55.B
in Latere languente quæ vena ſecanda ſit.præſag.exper.conſ.Sp.78.B
Latere dolente,vena cubiti ſecãda.de curan.ra.per ſang.miſ.6ª.20.A
Lateris pericula vbi inſideant puero,ſanguis detrahendus.præſag.ex per.confir. Sp.78.A
à Lateris dolore miniſtrum dei liberauit arteria ĩ ſumma manu inciſa. de curan.ra.per ſang.miſſ. 6ª.21.F
circa Latera dolores recẽtes tollit ſcarificatio crurũ. de cuc.ſc. 6ª.4.F
Laterum dolores ob craſſos viſcoſos q; humores ſanant amygdalæ amaræ.6°.de ſimp.med.fac. 5ª.42.G
ad Laterum dolores longos dia acones.i.ex cote, pharmacum bonum. 6°.de comp.med.per genera. 5ª.256.A
ad Laterum inueteratos dolores ſtercus columbinum confert. 10°.de ſimp.med.facul. 5ª.77.A
Lateris dolor & ſitis in melãcholia quo modo curetur.de dy.Sp.24.E
in Lateris dolore quandoque ptiſſana non danda. in 1ᵐ. de victus rat. in morb.acu.com.1°. 7ª.113.H
in Lateris dolore & febre excrementa ſunt permittenda deſcẽdere, et quieſcendum. de vict.ra.in mor.acu.com.4°. 7ª.139.D
Laterum dolores perſanare apparet Bdellium arabicum.6°.de ſimpli. medica.facul. 5ª.44.H
Laterum dolores ab obſtructione & frigore natos ſanat ſcordion.8°.de ſimp.med.fac. 5ª.60.H
Laterum dolores ab obſtructione natos iuuat triphyllum. 8°. de ſimp. medicamen.facul. 5ª.62.F
in Laterum morbo bona eſt Apellis antidotus.2°.de antid. 5ª.114.H
ad Lateris morbum valet antidotus Archiuij. de antidotis. 5ª.115.G
Lateris vitio laborantibus ſubueniens antidotus.2°.de anti. 5ª.116.D
in Laterum dolores inueteratos valet cinis braſſicarum.7°.de ſim.me dica.facul. 5ª.52.H
ad Laterum dolorem malagma.7°.de comp.med.per gene. 5ª.267.B
ad Lateris affectum melinum conferens.2°.de compoſitione medica. per genera. 5ª.222.F
ad Laterum dolores.7°.de compoſi.medic.ſecun.loc.5ª.182.G/de vi. ratio.in morb.acut.commenta.4°.144.H/de medic.facul.par.172. G/175.E/ 7ª.176.D
Laterum amborum doloris fit mentio.ſecretorum. Sp.100.H
in Lateribus vtriſque dolori quid proſit.ſecre torum.98.F/ Sp.99.H
ad LATERA è riuis diducere eſt deriuare.de cucur.ſcar. 6ª.4.F
ad LATERA deliganda vinculum.de faſcijs. 7ª.301.E
ad Latera,ſeu thoracẽ,vel dorſum vinciẽdũ,vinculũ.de faſ.7ª.301.G
ad Latera deliganda vinculum vocatum auriga. de faſcijs. 7ª.303.A
LATERA quid ſint in organis.de machinamentis. 7ª.309.F
Latera organorũ ex robuſtiori materia fieri debent.de mac.7ª.309.D
Latera in organis immobilia ſunt.de machin. 7ª.310.F
LATVM oſ ſcapularum iuxta iugulum quo vinculo ſit deligandum.de faſcijs. 7ª.301.E
LATVS muſculus in collo vocatur myodes platyſma,id eſt muſculoſa dilatatio.de muſ.diſſ. 1ª.44.E
Latũ muſculũ ignorarũt male excoriantes alal. de muſ.diß. 1ª.44.E
Latus muſculus ſub cute in collo poteſt dici muſculoſa natura vel muſculoſa ſubſtantia.de muſc.diß. 1ª.44.D
Latus muſculus ſub cute in collo vñ incipiat,ac finiat.d muſ.d.1ª.44.d
Latus muſculus in collo nullum detinet articulum,nec in articulum inſeritur.de muſc.diß. 1ª.44.D
Latus muſculus buccas mouet.de muſ.diſſ. 1ª.44.D
Latus muſculus primo intenditur ijs,qui ſpaſmo corripiẽdi ſunt. de muſculorum diſſectione. 1ª.44.D
Latus muſculus ſub cute in collo facile laniatur.de muſ.diſſ. 1ª.44.D
LATAS venas habet conceptus in horis bilis. de ſpermate. Sp.37.C
LATI lumbrici educũtur ex inteſtinis maioribus.de cath. Sp.94.G
LAVACRVM quid ſit. 10°.meth.med. 7ª.65.H
Lauacrum aquæ dulcis vacuationes oẽs pmouet.11°.me.me. 7ª.69.H
Lauacris multis æſtate vtendum,hyeme paucis.de ſal.diæta.2ª.41.A
Lauacra obſtructiones creant ijs,qui in iecinore arctos alimenti tranſitus habent.de ſal.diæta. 2ª.41.B
Lauacrum prohibet febris magnitudo, qualis eſt in continuis. 11°.methodi medendi. 7ª.69.H
Lauacris arcendi ſunt epileptici.de venæ ſect.aduer.Eraſ. 6ª.14.H
Lauacra vniuerſis ſãguinis fluxionib. obſunt.de ve.ſe.ad.Eraſ.6ª.8.F
Lauacra dimittenda in vena rupta.de venæ ſect.adu.Eraſ. 6ª.8.F
Vide Balneum.
LAVANTIA ſunt ex ijs,q̃ foris nobis incidunt.2°.de ſa.tu. 2ª.68.H
LAVATIO ad quartam medicinæ partem pertinet,ad Thra.2ª.108.D
Lauatio in ſiccis quàm frequenter fieri debet.7°.meth.med. 7ª.45.B
nec Lauationibus,nec frictionibus multis indigent,iræ,curæ, triſtitiæ. & vigiliæ.8°.meth.med. 7ª.51.E
Lauationibus conſueti illis delectantur,& iuuantur.7°.m.m. 7ª.45.B
Lauatio in febre diaria,ĩ remiſſione febris fieri debet.8°.m.m.7ª.53.b
à Lauatione aquæ frigidæ quid fiat.3°.de ſan.tu. 2ª.78.D
Lauatione frigida curatur tetanus.1°.de ſymp.cau. 3ª.17.F
Lauatio aquæ feruentis ζεσολουσία dicitur.3°.de ſan.tuen. 2ª.80.B
poſt Lauationes quid faciat inunctio.7°.meth.med. 7ª.45.B
LAVARI quando oportet,& quo modo.de med.fac.par. 7ª.176.B
Lauari aqua dulci quotidie debẽt calidi.ĩ 6ᵐ.d mor.vul.c.4°.3ª.183.E
ſi Lauerit qui per ſolẽ iter fecerit,quid ſequatur.10°.me.m. 7ª.66.A
Lauabat in febribus Galenus,& quo modo.10°.met.med. 7ª.62.G
Lauandi ſunt prima die in febre diaria.8°.meth.med. 7ª.52.B
Lauandum ſæpe in febre diaria ex obſtructione.8°.met.med.7ª.53.A
Lauandi cupidi bis in die lauãdi ſunt.de vic.ra.ĩ mor.ac.c.3°.7ª.133.B
Lauandi quo modo ſint hectici.10°.meth.med.66.G/ 7ª.67.C
qũo lauandi ſint frigida maraſmũ patientes.10°.meth.med. 7ª.66.D
qui Lauanter,a balneo calido tranſeunt in frigidum. de victus ratione in mor.acu.com.3°. 7ª.132.D
Lauit in ĩclinatiõe primæ acceſſiõis in febre Gale.4°.met.me. 7ª.25.G
Lauabant,et vngebãtur poſt febrẽ ciues,nõ agreſtes.10°.m.m.7ª.61.H
Lauantes ſe in balneo aliqui cur horreant.10°.meth.med. 7ª.65.E
Lauãdũ qñ ſit veratro ſumpto.in 6ᵐ.de mor.vul.com.5°. 3ª.193.G

Lauãdi qui ſint in doloribus oculorũ,& q nõ.c.7°.aph.46°. Ex.57.G
Lauãdi, & nõ abſtergẽdi q ſint ægri.de vi.ra.ĩ mor.acu.c.3°.7ª.132.a
Lauandi qui non ſint.de vict.rat.in morb.acu.com.3°. 7ª.133.A
non Lauandum virtute defeſſa.8°.meth.med. 7ª.53.B
Lauandi non ſunt qui nuper comedere vel bibere. de vict. ra.in morbis acutis,com.3°. 7ª.132.G
Lauandi non ſunt, qui in primis venis crudorum humorum copiam habent.4°.de ſanitate tuenda. 2ª.84.H
Lauandi non ſunt,qui habent aluum humidam,& qui adſtrictam.d victus ratio.in morbis acu.com.3°. 7ª.133.A
Lauandi non ſunt,quibus ſpiritus calidus ad caput aſcendit. de victus ratione in morbis acutis,com.4°. 7ª.139.B
Lauandũ qũo balneo deficiente.de vict.ra.in mor.acu.c.3°. 7ª.132.B
Lauant,& mundificant dulcia,& amara.de ocul. 7ª.188.C
Lauare ſe qdã ſomniabat criſi p ſudorẽ inſtãte.in prog.c.3°. 4ª.213.D
quæ LAVENTVR *vt argenti ſpuma.1°.de cõ.me.per gen. 5ª.213.E*
Lauetur quo modo calx.6°.meth.med. 7ª.37.E
Lauari quando debet calx.6°.meth.med. 7ª.38.B
LAVDABILE *dicitur minus malũ.in 6ᵐ.de mor.vulg.c.2°. 3ª.167.G*
Laudari velle vnde prouenit.de cogn.cur.animi mor. 7ª.55.D
Laudat ſeipſum Galenus.5°.de loc.affect. 4ª.34.C
LAVER *latine eſt ſion, & in quo caſu conueniat, ſi coctum edatur.9°. de comp.med.ſec.loc. 5ª.200.F*
LAVRAX *piſcis nõ eſt viſus naſci in aqs dulcibus.3°.d ali.ſa.2ª.301.E*
LAVREOLÆ *drachmæ quatuor cum aceto curant morſus ſcorpionum. de med.exper. Sp.106.E*
LAVRINVS *ſuccus calidus eſt,& tenuium partium.3°.de compoſit. med.per genera. 5ª.228.F*
Laurinũ,& laurinũ oleũ qũo differãt.2°.de cõ.me.ſec.loc. 5ª.135.F
Laurinũ vnguẽtũ calfacit ſufficienter.1°.de c.med.ſec.loc. 5ª.122.B
Laurinum, quale.1°.de comp.med.ſec.loc. 5ª.123.H
Laurinum oleum, quale.6°.de ſim.med.fac. 5ª.46.H
Laurino oleo minus calidum eſt dadinum.6°.de ſimp.med.fa. 5ª.46.H
Laurinum valde calefacit.6°.de com.me.per gen. 5ª.256.B
Laurinũ oleũ calfacit ſufficienter.1°.de comp.me.ſec.loc. 5ª.122.B
Laurinũ oleũ refrigeratos calefacit.2°.de ſimp.me.fac.15.A/5ª.16.d
Laurinũ olcũ quo loco reponatur inter calida quæ valẽt ad alopecias. 1°.de comp.med.ſec.loc. 5ª.122.D
Laurinum oleum eſt oculorum cenoticum.de cathar. Sp.95.B
Laurinum oleum.2°.de arte cur. ad Glau. 7ª.104.G
Laurini loco pix liquida.1°.de comp.med.ſec.loc. 5ª.122.E
LAVRI *vires, & quid ſit.de ſimp.med. Sp.85.H*
inter Laurum,& vitricem ſunt populi folia.2°.de c.me.ſ.l. 5ª.136.F
Laurus eſt magis ſicca homine.1°.de temper. 1ª.13.C
Laurus deſiccat & calfacit vehementer.6°.de ſimp.me.fac. 5ª.46.B
Laurus vires habet acriter calefacientes,euaporantes,& relaxantes. de ſimplicibus med. Sp.85.H
Lauri folia calidiſſima.2°.de compo.med.ſec.loc. 5ª.136.F
Lauri folia ſicca accipienda, in quibus ponantur quæ debent ſeruari. 11°.de ſimp.med.fac. 5ª.79.F
Laurus calculos confringit,& iecori prodeſt. 6°.de ſi.me.fa. 5ª.46.B
Lauri bacchæ.10°.de com.med.ſec.loc. 5ª.207.B
Lauri grana cũ ſubtili ſuba calefac.2°.de arte cu.ad Glau. 7ª.104.G
Lauri bacca decoctum oleũ thermanticum eſſe pluſquam oportet, cer tum eſt.de ſimp.med. Sp.88.D
Lauri baccæ purgatæ.10°.de comp. med.ſec.loc. 5ª.208.B
Lauri bacca expurgat colorem,et mouet ſudorẽ.d cura icteri. Sp.111.C
Lauri baccis offendit ſanguinis reiectatio.7°.de c.med.ſe.lo. 5ª.183.C
Lauri baccæ mundæ.7°.de ſimp.med.ſec.loc. 5ª.183.D
ex Lauri baccis malagma.7°.de comp.med.per genera. 5ª.266.B
Lauri lixiuij vſus.de ſimp.med. Sp.85.H
LAVS *multitudinis commodum ad vſus non nullos inſtrumentũ viuẽ tibus aliquando eſt,mortuis certe nihil prodeſt.7°.me.me.7ª.43.b*
Laudes ſunt minores hymnis.7°.de vſu partium. 1ª.162.F
LAXANTIA, et cotẽaẽtia cõtraria ſunt.5°.de ſi.m.fa. 5ª.38.H
Laxantia & intendentia proprie numerantur inter cauſas.de nat. humana.com.2°. 7ª.182.A
Laxantium remediorũ non eſt vna ſpecies.5°.de ſimp.me.fa. 5ª.35.H
Laxãs,& diſſoluens craſſ te vẽoſitates medicina.de me.ex.Sp.105.D
Laxans,& diſſoluens inflationem medicina.de med.exper. Sp.105.E
Laxans humorem viſcoſum medicamen.de me.exp.105.F/ Sp.106.A
Laxans humores viſcoſos electarium.de med.exper. Sp.108.C
Laxans humores viſcoſos experimentum.de med.exper. Sp.104.F
Laxans craſſos humores electarium.de med.exper. Sp.107.G
Laxans humores aquoſos electarium.de med.exper. Sp.107.G
Laxans humores ſine labore electarium.de med.exper. Sp.107.B
Laxat humores diuerſos electarium iridis.de med.exper. Sp.105.E
Laxans diuerſos humores medicamen.de med.exper. Sp.106.A
Laxans ventrem electarium probatum.de med.exper. Sp.106.H
ad Laxandum ventrem remedium.de dynamidijs. Sp.27.F
Laxans electarium.de dynamidijs. Sp.27.F
Laxantia medicamenta quid faciant particulis.1°.de comp. medicam. per genera. 5ª.212.C
Laxãtia medicamenta qbus nõ cõueniant.1°.de cõ.med.per g. 5ª.214.B
Laxantia immoderate, ſolum robur & membri virtutem.2°.de arte cur.ad Glauconem. 7ª.103.C
LAXATIO *quo modo fiat.5°.de ſim.med.fac. 5ª.35.H*
Laxatio a quibus fiat muſculis.1°.de mot.muſ. 1ª.310.E
Laxationem facere poteſt aer frigidus,& aqua.de cau.mor. 3ª.7.G
Laxatio quo modo ſit frigiditatis cauſa.de cauſ.morb. 3ª.7.G
Laxatione non continuo,ſed p media ſequitur ex euacuatio ſed attenuatio ſemper continuo.de ijs,quæ in med.fi.com.2°. 7ª.215.G
Laxatio immoderata exoluit robur viriũ.de ren.af.dig.et m. 7ª.193.H
Laxantia poſt euacuationem in quibus conueniant.de ſectis. Iſa.18.D
Laxatio, demiſſio,& collapſio particulæ differunt.1°.d dif.re.3ª.62.H
LAXATIVÆ *pillulæ.de dynamidijs. Sp.27.E*
Laxatiuum diuerſorum humorum.de med.exper. Sp.106.G
LAXATORIIS *ſolis non debet curari os ventriculi, & iecur inflammatum,ſed etiam adſtringentibus.7°.de comp.me.ſe.loc. 5ª.187.C*
LAXIORES, *& humidiores partes in homine,quæ.1°.de ſimp.medic. faculta. 5ª.65.H*
Laxiora corpora ſalubriora ſunt quo ad excremẽta.de op.noſt.1ª.38.F
Laxiora corpora facilius afficiuntur a cunctis externis cauſis. de opt. noſt.corp.conſt. 1ª.38.F
LAXITATI *gingiuarũ cõfert ſectio venarũ labiorũ.de an.vi. Sp.55.B*
LAXITVDO *cutis eſt cauſa cur ſudemus.c.5°.apho.71°. Ex.45.F*
LAXARE *carnem quid ſignificet.2°.de ſan.tuen. 2ª.70.G*
Laxari de quibus dicatur.2°.de ſan.tuen. 2ª.72.G
Laxare naturam debes a leuioribus conſuetis.de med.exp. Sp.108.H
quo modo Laxantur intenta ob caliditatem,frigiditatem, humiditatẽ, vel ſiccitatem.de ijs,quæ in med.fi.com.3°. 7ª.215.G
Laxet quid cutim.in 6ᵐ.de mor.vul.com.3°. 3ª.176.H
Laxandi vim habet Anthemis.6°.de ſimp.me.fac. 5ª.43.C
Laxantis,& coquentis facultatis eſt Butyrũ.10°.de ſi.me.fa.5ª.73.g
Laxat,& remollit durities Cera omnis.de ſimp.med. Sp.82.B
Laxat tenſa Chamæmelum.3°.de ſimp.med.fac. 5ª.18.H
Laxat leuiter Cyminum.de ſimp.med. Sp.82.E
Laxãtes vires cũ ſuaui euaporatione Maſtix habet.de ſi.me. Sp.87.D
Laxant ventrem Mora.de ſim.med. Sp.87.H
Laxantia Oleã.7°.de comp.med.per genera. 5ª.264.E
Laxat Opopanax.de ſimp.med. Sp.88.B
Laxat ſtomachum Polium.de ſimp.med. Sp.89.A
Laxat viſcide Sagapenum cum eius acrimonia.de ſim.me. Sp.90.B
Laxat leniter Styrax.de ſimp.med. Sp.90.E
Laxat ventrem Zingiber.de ſimp.med. Sp.90.E
LAXATA *intumeſcere non patiũ emplaſtrũ barbarũ.de dyn. Sp.35.F*
LAXO *opponitur contentum.in 3ᵐ.de mor.vul.com.1°. 3ª.131.B*
Laxum cum duro non habet ſocietatem.11°.de vſu par. 1ª.191.F
Laxo plenum eſt contrarium.4°.de dign.pulſ. 4ª.85.B
Laxa quæ dicantur,& quid ſint.in 1ᵐ.de mor.vul.com.1°. 3ª.104.G
Laxa quo modo fiant coria,& pelles.in 6ᵐ.de mor.vul.c.3°.3ª.177.A
Laxas partes, & languidas confringit, contrahitq; galla.7°.de ſimp. med.facul. 5ª.51.B
Laxa, & quæ facile inaniuntur,humidiore egent alimento.de bonitate & vitio ſuccorum. 2ª.38.A
LAXVS *tumor quo modo fiat.de curan.ra.per ſang.miſſ. 6ª.17.A*
LAXVS *dolor nullus.2°.de locis affectis. 4ª.11.E*
LEA *quæ.de dynamidijs. Sp.18.G*
LEÆNARVM *lien nõ eſt aſculẽtũ.d atra bile.1ª.36.E*
LEBETES quo modo faciunt ſpumam.cõ.2°.aph.43°. Ex.18.D
in Lebete lapides generantur.de ren.affect.dig.& me. 7ª.192.C
in Lebete vel aqua caloris accenſi febris exempla.1°.de differentijs feb. 3ª.30.H
Lebetem vult eſſe nouũ,in quo fit confectio ex capitibus papaueris,ſe cundum

eundum Soranum.7°.de compo.med.sec.loc. 5ª.180.G
LECANII Arci exedens aridũ.5°.de comp.me.per ge. 5ª.252.H
LECTICAM faciens quando artifex iudicetur.9°.de dec. 1ª.284.F
LECTIONES veterum codicũ omnibus præponit Galenus.in 6ᵐ.de morbis vulgaribus,com.2°. 3ª.169.D
Lectionum mille modi.in 6ᵐ.de morb.vul.com.2°. 3ª.169.D
LECTIS ex pluma vtebantur antiquiores.de sectis. Isa.18.E
Lecti ex quibus fieri non debeant.de subs.emp. Isa.32.C
in Lecto valde molli qui febrientes debent manere.de vict.ra.in mor. acutis,com.4°. 7ª.140.H
è Lecto surgere cuidam graue videbatur,vt excremẽta redderet. 3°. de vsu partium. 1ª.133.C
LECISCII fit mentio.de vict.ra.in mor.acu.com.4°. 7ª.152.G
LECYTHON quid sit.de bon.& vitio suc. 2ª.35.F
Lecython factum ex panico & milio debet recipere pinguia & habentia in se lentorem.de bon.& vitio succ. 2ª.35.F
LEICHEN potest dici planta.7°.de simp.med.fac. 5ª.54.B
Leichen dicitur,quoniam lechenas curat.7°.de sim.med.fac. 5ª.54.B
Leichen phlegmonæ(quod aphlegmathon vocatur)aduersat.7°.de simpli.medica.facul. 5ª.54.B
in Leichene damnat Dioscoridem Galenus.7°.de sim.med.fac. 5ª.54.B
LEIPOPSYCHIA quid apud græcos.12°.meth.med. 7ª.77.F
LEGENTIVM diuersitas quid faciat.3°.de sim.me.fa. 5ª.16.H
Legere plurimum, malum.5°.de san.tuen. 2ª.93.F
Legãtur iterũ et ter,quæ semel nõ intelliguntur.de art.c.3°.7ª:276.D
LEGVMINA quæ vocentur.1°.de alim.fac. 2ª.13.D
Legumina haud dubie ex elementis genita sunt.1°.de elemẽtis. 1ª 5.C
Legumina quæ sint.de atten.vic. 2ª.44.F
Leguminum qualitas nobis familiaris est.7°.de vsu par. 1ª.159.B
Legumina qualia sint.de vict.ra.in morb.acu.com.4°. 7ª.146.E
Legumina omnia ventosa sunt,potissimum faba,& cicera. de puero epileptico. 7ª.180.H
Legumina viridia,quæ.de vic.rat.in mor.acut.com.4°. 7ª.146.E
Legumina macerata,quæ.de vict.ra.in mor.acu.com.4°. 7ª.146.E
Legumina fricta,qualia.de vict.rat.in mor.acu.com.4°. 7ª.146.E
Legumina sunt crassi succi.1°.de comp.med.sec.loc. 5ª.128.D
Legumina cum olcribus cocta carent fere nutrimento.de venæ sectione aduersus Erasistratum. 6ª.14.C
Legumen intra modum elixum,nõ coquitur probe in corpore. 4°.de sanitate tuenda. 2ª.88.B
Legumina cibi hyemis sunt.de natura humana. 1ª.32.F
Legumina male afficiunt corpora.com.3°.aph.16°. Ex.23.B
Leguminibus in Aeno tempore famis vescentibus quid eueniebat.de natura humana.com.1°.7ª.182.C/com.2°.aph.16°. Ex.12.G
Legumina multa præclixantes idonea esui paramus. in 6ᵐ.de morbis vulg.com.4°. 3ª.182.C
Legumina habent mordaces humores in se,qui debent remoueri,si eorum velimus rectum iudicium ferre.com.2°.aph.18°. Ex.13.H
quæ Legumina epilepticis non conueniant.de puero epil. 7ª.180.H
Legumina, vt & faba ex masticatioñe summe discussoria reddantur. 5°.de comp.med.sec.loc. 5ª.159.C
ex Leguminũ putredine aer coinqnatus vitiosus ẽ.1°.de sa.t.2ª.67.B
Leguminum putredinis aer euitandus.12°.meth.med. 7ª.77.E
per LEMMATA quid intelligat Galenus. 1°.de simp.medicam. facultatibus. 5ª.4.C
Lemmata quæ sint.de vict.rat.in mor.acut.com.2°. 7ª.119.B
Lemmata apud Græcos, quæ.2°.de decr.Hipp. 1ª.234.D
Lemmatum quatuor differentiæ.3°.de dec.Hip. 1ª.241.B
Lẽmata probabilia apud Aristotelem quæ sint.2°.de diff.pul.4ª.54.D
Lemmata debent sumi a substantia rei quæsitæ.2°.de decr. 1ª.23.B
Lemmata facientia scientiam differunt a dialecticis, oratorijs,& captiosis.2°.de decre.Hippo. 1ª.235.C
Lemmata dialectica, quæ.2°.de decr.Hipp. 1ª.235.C
Lemmata vulgaria non assumuntur in demonstrationibus.2°.de decretis Hipp. 1ª.234.E
Lẽmata oratoria nõ assumũtur ĩ demõstrationibus.2°.de dec.1ª.234.e
LEMNIA terra sphragis appellata.7°.de compositione medicamen.secundum locos. 5ª.183.E
de Lemnia sphragide meminit.9°.de simp.med.fac. 5ª.69.B
Lemnia terra,qualis.9°.de simp.med.fac.66.A/1°.de anti.5ª.107.B
Lemnia rubrica,quid.1°.de ant. 5ª.107.B
è Lẽno terrã sigillatã accepit Galenus.de vsu the.ad Pãphi.5ª.100.C
Lemnia creta ingreditur theriacam.de theriaca.ad Piso. 5ª.92.F
Lemnium sigillum adstringens leue.5°.meth.med. 7ª.31.H
Lemnia terra qñ sanguinem multum sistit.5°.meth.med. 7ª.32.E
Lemniũ sigillum internis vlceribus opitulatur.4°.meth.med. 7ª.28.H
pro Lemnia rubrica sinopica.7°.de comp.med.sec.loc. 5ª.153.G
in LEMNO duæ sunt vrbes,Myrina,& Hephestias.9°.de simplicium medic.fac. 5ª.65.C
in Lemnum decidisse Vulcanum cur ab Homero dicatur.8°. de simplicium medic.fac. 5ª.65.D
LEMONIVM acerbum quibus exhibendum.7°.de simp.medicamen.facultatibus. 5ª.54.B
Lemonij fructus exhibetur cœliacis,disentericis,hæmoroicis,siue sanguinem spuentibus,& iuuat profluuium muliebre.7°.de simpliciũ medic.facul. 5ª.54.B
LENDES de cute corporis educuntur.de cathar. Sp.94.G
Lendes interficit cedrea.7°.de simp.med.fac. 5ª.50.E
Lendes interimit hederæ lachryma.7°.de simp.med.fac. 5ª.51.F
LENEADI emplastrum diapepereon.de dyn. Sp.25.C
LENIENS per se,ab eo quod lenit per accidens,quatuor indicijs distinguitur.2°.de sim.med.fac. 5ª.12.G
Lenientes cibi qui.de diss.cont. Sp.75.A
Lenientes,& pungentes cibi dari debent,si superflua ciborũ tarde descendant.de diss.cont. Sp.75.A
Leniens cibus ante stypticũ,& è cõtrario,qd agant.de dif.cõ.Sp.71.H
Leniens medicamentum quale sit.3°.de comp.me.sec.lo. 5ª.146.E
Lenientes vires habet lapis batrachites.de simp.med. Sp.87.A
Leniendum quando sit in auribus.3°.de comp.med.sec.loc. 5ª.146.E
LENIENTIA ventrem quæ sint.de diss.cont. Sp.75.A
ad Leniendum ventrem quæ excitant.de diss.con. Sp.75.A
Lenit & humectat ventrem refrigeratio intrinseca.in 6ᵐ.de mor.vul. commenta.5°. 3ª.193.C
Lenit ventrem aquositas lactis.de diss,con. Sp.75.B
Leniunt naturam cibi salsi.de diss.cont. Sp.72.F
Lenit ventrem mel non coctum.de diss.cont. Sp.75.A
Leniũt ventrẽ poma,et granata acetosa si inueniunt in stomacho humorem malũ & crassum,quẽ incidunt,et expellũt.de dis.con.Sp.75.C
Leniantur quomodo asperitates fluxionum.13°.meth.med. 7ª.86.A
Leniunt quæ pinguia.1°.de symp.caus. 3ª.17.D
Leniunt duruties styrax.de simp.med. Sp.90.E
Lenit ibiscus. de simp.med. Sp.85.E
LENEM vocat Hippocrates tranquillum,& calidum.in 3ᵐ.de morb. vulgaribus,com.3°. 3ª.141.E
Lenes partes sunt exasperandæ.ars med. Isa.69.E
Lenis particula qũo curanda.de const.ar. Isa.39.H
Lenibus curari debent ambusta.de fract.com.2°. 7ª.244.A
in Lenitate morbi causa.de oculis. 7ª.185.G
LENITIEM stomacho & ventri reddit oleũ.de sim.med. Sp.88.D
LENITIVI liquores, qui.4°.de comp.med.sec.loc. 5ª.150.G
LENON torcularis similitudine quid appellet Herophilus.9°.de anatomicis administrationibus. 1ª.104.C
LENS inter cerealia semina numerat.d vic.ra.in mor.a.c.1°.7ª.111.b
Lens habet siliquas.1°.de alim.fac. 2ª.15.A
in Lente quid sit fructus.2°.de alim.fac. 2ª.16.C
in Lente nascuntur aracum,& securinum.1°.de alim.fac. 2ª.15.H
Lentem strangulat aparine.1°.de alim.fac. 2ª.15.H
Lens qualis sit.6°.de comp.med.sec.loc.5ª.176.D/de vic.ra.in mor. acutis,com.4°. 7ª.146.F
Lentes sunt succæ.de diss.cont. Sp.74.D
Lentes sunt siccæ in secundo ordine,temperatæ in actiuis qualitatibus. 8°.de simp.med.fac. 5ª.63.B
Lentes sunt aridæ,& friabiles.1°.de alim.fac. 2ª.13.D
Lentem cohibere ventrem in ore omnium est.1°.de alim.fac. 2ª.7.F
Lens omnibus aluum non cohibet.1°.de alim.fac. 2ª.7.F
Lens cur alijs aluum mouet,alijs cohibet.1°.de alim.fac. 2ª.7.G
Lẽs hẽt naturã cõpositã ex repugnãtib.facultatibus.1°.de al.f.2ª.7.G
Lentes sunt vnum ex medicamentis mistam ex contrarijs naturam habentibus.1°.de comp.med.sec.loc. 5ª.129.E
Lens habet partes inter se facultate pugnantes.de vic.ra.in morb.acutis.commen.1°. 7ª.111.G
Lentes habẽt corticem adstringentem.1°.de alim.fac. 2ª.13.D
Lens soluit,& adstringit,& quomodo.3°.de sim.med.fac. 5ª.20.B
Lens adstringit.6°.de simp.med.fac.5ª.44.C/de vict.ratio.in morbis acutis,

acutis.com. 1°.7ª.111.D/2°.aph.20°. *Ex.*14.D
Lens bis cocta adstringit & corroborat stomachum, & intestina. 1°. de *alimentorum facul.* 2ª.13.D
Lens bis cocta quæ vocatur. 2°.*de ali.fac.* 2ª.23.A
Lens excorticata, bis cocta sistit aluum. 1°.*de ali.fac.* 2ª.9.C
Lens decorticata nõ ita adstringit, & magis nutrit. 1°.*de al.f.* 2ª.13.E
Lentis caro habet qualitatem austerã exiguã. 1°.*de ali.fac.* 2ª.13.D
Lentis caro est crassi succi, & terrei. 1°.*de ali.fac.* 2ª.13.D
Lentes tarde digeruntur.de diff.cont. *Sp.*73.D
Lentes, & locustæ paulatim, & tarde nutriunt. cõmentario. 2°.*apho rismo.*18°. *Ex.*13.G
Lentium medulla tarde descendit.de diff. cont. *Sp.*74.H
Lentes nutriunt eũ qui digerit illas nutrimento multo crasso.de disso lutione continua. *Sp.*73.E
Lentes inflant. de disso.cont. *Sp.*74.F
Lens cibus non frigidus.in 6ᵐ.*de mor. vul.com.* 5°. 3ª.194.B
ex Lente cur non fit panis. 1°.*de ali.fac.* 2ª.13.D
Lens victus Alexandrinorum.de arte cur.ad Glau. 7ª.107.E
Lente, pane, ptissana, fit sanguis, pituita, bilis tum flaua, tũ atra. 3°.*d simp.me.fac.* 5ª.17.D
ex Lente, & ptissana cibus phacoptissana, qualis. 1°.*de ali.f.* 2ª.13.E
Lens bene cocta omnẽ ponit ventositatem. de puero epil. 7ª.180.H
à Lente fiunt humores crassi praui. 1°.*de ali.fac.* 2ª.13.E
Lẽs crudũ crassũ, & frigidũ humorẽ gignit.de bo.et vic.suc. 2ª.35.E
Lens generat humores crassos.de puero epil. 7ª.180.H
Lens generat sanguinem crassum & nigrum. de atra bile. 1ª.35.A
Lens dat exiguum alimentũ corpori, crassum, & melancholicum. 2°. de *ali.fac.*23.B/*de bo.& vi.suc.* 2ª.37.H
Lentes maxime inter legumina gignunt sanguinem melancholicũ. 3°. de *loc.aff.*4ª.18.F/*de diff.cont.* *Sp.*74.B
Lentibus deteriores sunt ochri, & dolichi.de bo.& vi.suc. 2ª.37.H
ex Lente, & beta teutlophace eduliũ, quale. 1°.*de ali.fac.* 2ª.13.G
Lens hebetat visum. 2°.*de ali.fac.* 2ª.23.B
Lens, & brassica æque exiccant. 2°.*de ali.fac.* 2ª.23.B
Lens magis siccat quàm ptissana. 5°.*de san.tuen.* 2ª.92.C
Lentibus sunt sĩles lupini, nisi & minus siccãt.de atten.vic. 2ª.45.A
*Lentes desiccant, & ventrem sistunt.*8°.*de simp.me.fac.* 5ª.63.B
Lens indurat. de ocul. 7ª.188.E
Lentis succus nunquã est aquosus & humidus. 2°.*de ali.fa.* 2ª.17.C
Lentium succus nitrosus est.de bo.& vit.suc. 2ª.35.E
Lentis succus hẽt saporem talem, ac si nitroso austerum miscueris. 3°. de *simp.med.fac.* 5ª.20.B
Lentium, & caulium iuris vis.de diff.cont. *Sp.*75.A
Lentis succus deijcere facit. 1°.*de ali.f.*15.A/*de bo.& vi.suc.* 2ª.35.E
ex Lente edulium ventrem soluens. 1°.*de ali.fac.* 2ª.13.D
*Lentis decoctum ventrem prouocat.*8°.*de simp. med.fa.* 5ª.63.B
*ex Lente etnos quibus dandum.de vic.rat.in mor.acu.c.*4°.7ª.149.B
Lens quibus præbeatur vtiliter, & quibus non. 1°.*de ali.fa.* 2ª.13.E
Lente quibus vtendum, & quibus non. 1°.*de ali.fac.* 2ª.13.E
Lentes non omnino aspernãdæ. de atten.vic. 2ª.45.A
Lẽs in capitis dolore ex ebrietate cõuenit. 2°.*de cõp.me.se.lo.* 5ª.133.D
Lens conuenit in epilepsia.de puero epil. 7ª.180.G
*Lens cibus est conueniens stomachicis.*8°.*de cõp.me.se.lo.* 5ª.192.C
Lens cibus cõmodus cœliacis & dysentericis. 1°.*de ali.fac.* 2ª.13.E
Lens potest quandoq; gustari in victu attenuãte.de atten.vi. 2ª.45.C
Lentibus vtimur loco medicamenti in multis affectibus. de bonitate & vitio succorum. 2ª.37.H
Lens medicamentum non cibus.de vic.rat.in mor.acu.cõ. 1°. 7ª.111.B
à Lentis multo vsu cauere debet senex. 5°.*de san.tu.* 2ª.91.D
Lens non est accõmoda menstruis purgationibus, & quare. 1°.*de ali mentorum facu.* 2ª.13.E
Lens vtilissima profluuio muliebri. 1°.*de ali.fac.* 2ª.13.E
Lens expetit pulegium & satureiam. 1°.*de ali.fac.* 2ª.13.F
Lens petit suillam carnem salsam. 1°.*de alim.fac.* 2ª.13.F
Lens cum salsis carnibus quid agat. 1°.*de ali.fac.* 2ª.13.F
Lens sapæ mixta cur pessima. 1°.*de ali.fac.* 2ª.13.F
Lens mixta sapæ quid agat mali. 1°.*de ali.fac.* 2ª.13.F
Lentem & sapam corrigit mel. 1°.*de ali.fac.* 2ª.13.F
ex Lente & beta eduliũ τευτλοφακὴ *dr.* 1°.*de ali. fac.* 2ª.9.C
*Lentium decoctum mitigat.*6°.*de comp. me.sec.lo.* 5ª.174.G
ex Lente cataplasma bonum, cum adest inflammatio. 2°.*de arte cura. ad Glauc.* 7ª.101.H
ex Lente cocta cataplasma reprimit, & simul digerit carbunculos. 14°.*methodi medendi.* 7ª.90.B
ex Lente pane, arnogloisso, & rosaceo oleo cataplasma. 2°.*de arte cu ra.ad Glauco.* 7ª.101.G
Lens conuenit herpeti exedenti. 2°.*de arte cura.ad Glau.* 7ª.102.C
LENS *palustris ex aceto & rosaceo imposita valet ad feruidas inflã mationes.de reme.par.fac.* 7ª.160.E
*Lẽtes paludibus ĩnatãtes adstringunt, & reprimũt.d re.p.f.*7ª.156.D
Lens aquis innatans adstringit & reprimit.de re.pa.fac. 7ª.156.D
Lens palustris refrigerat. 10°.*met.me.* 7ª.65.A
LENTIS *formam referentis cochleæ meminit.de mach.* 7ª.310.D
ad LENTES *conueniunt balani recrementa.*6°.*de simplicium medica mentorum fac.* 5ª.44.D
*Lentes adiuuat brassicæ semen.*7°.*de simp.me.fa.* 5ª.52.G
Lentes in facie abstergit pepon. 2°.*de ali.fac.* 2ª.16.H
ad Lentes valet sepiarum testa. 11°.*de simp.me.fa.* 5ª.81.A
LENTICVLA *quid, & eius vires.de simp. me.* *Sp.*86.B
Lenticulæ crassus cibus, & cur.de diff.cont. *Sp.*72.H
Lenticulæ sunt siccæ naturæ.de diff.cont. *Sp.*73.B
Lenticula nunquã erit humectantis naturæ.de bo.& vi.suc. 2ª.38.D
Lenticula calefacit, & exiccat.de sal.dicta. 2ª.40.A
Lenticularum substantia stringit ventrem cũ stypticitate, & pontici tate.de dissol.cont. *Sp.*75.B
Lenticula paratur eo modo quo brassica. 2°.*de ali.fac.* 2ª.23.A
Lẽticula ex aceto cõtra pleuritim.de vic.rat.in mo.ac.c. 1°.7ª.113.C
Lẽticulæ decoctũ cũ melle pudẽda laxat. 11°.*de simp.me.f.* 5ª.80.D
Lenticula palustris numeratur inter refrigerantia quæ nõ adstringũt. 5°.*de simp.med.fac.* 5ª.35.G
Lenticula palustris humida est & frigida in secundo ordine. 8°. *de simp.medic.fac.* 5ª.63.B
*Lenticula palustris refrigerat.*14°.*met.me.* 7ª.87.E
Lenticula palustris condensat. 5°.*de simp.me.fa.* 5ª.35.D
Lenticula palustris cuitanda in herpete exedente. 2°.*de arte curati ua ad Glauconem.* 7ª.102.B
*pro Lenticula rubus cum rosis aridis in quo casu concoqui debeat.*9°. *de comp.med.se.lo.* 5ª.204.A
ad LENTICVLAS. *de rem.par.fac.* 7ª.163.G
ad Lenticulas in facie.de med.fac.par. 7ª.174.E
LENTICVLÆ *spẽm quo hẽt scalper instrm.*6°.*met. me.* 4ª.42.D
Lenticulæ dimidiatæ capreolus similis est.de machin. 7ª.310.C
de LENTIGINIBVS. *de med.fac.par.* 7ª.164.E
Lentigines & maculas tollit chamæleon.de simp.me. *Sp.*82.F
Lentigines, & maculas tollit erbum.de simp. me. *Sp.*85.B
ad Lentigines. de dyna. *Sp.*25.E
LENTISCINVM *oleum, quale.*5°.*de composi.me.se.lo.* 162.H/ 2°.*de comp.me.per ge.* 5ª.220.G
*Lentiscinum oleum adstringit.*13°.*met.me.* 7ª.83.G
Lentiscinum oleũ adstringit cum caliditate. 2°.*de compositione medi. per genera.* 5ª.220.G
*Lentiscinum oleum vetustate fit calidius, & tenuius.*11°.*de simpli cium medicamen.facu.* 5ª.79.C
*Lentiscinũ oleum pro absinthio qñ satisfaciat.*11°.*met. me.* 7ª.72.G
*Lentiscinum propter quid ponatur in medicamẽtis conferentibus ad vlcera.*4°.*de comp.me.per gen.* 5ª.237.H
Lentiscinum oleum dẽt esse recens. 5°.*de comp.me.se.lo.* 5ª.162.H
Lẽtiscino oleo curant linguæ & oris dolores. 5°.*d cõ.me.se.l.* 5ª.162.H
cũ Lentiscino maceratum abrotonum barbã elicit. 6°.*de simplicium medicamen.fac.* 5ª.40.H
Lentiscinum oleum cũ ladano pro capillorum defluuio optimum. 1°. *de comp.me.se.loc.* 5ª.125.F
Lentiscinum oleum vt ladanum. 1°.*de comp.me.se.lo.* 5ª.125.F
*Lentiscini olei meminit.*6°.*de simp.me.fac.* 5ª.46.H
LENTISCINA *resina cuius sit facultatis.* 2°.*de simp.me.fa.*5ª.15.A
*Lentiscina resina mastiche vocata est.*8°.*de simp.med.fa.* 5ª.59.F
LENTISCINI *vini cyatho stœchadis triti cochlearium ebibitum ad quid conferat.de med.fac.par.* 7ª.167.B
LENTISCVS *quid. de simp. me.* *Sp.*86.A
Lentiscus frutex in colle Tabiano. 5°.*met.me.* 7ª.35.A
Lentiscus vnum ex medicamentis mistam ex contrarijs naturam ha bentibus. 1°.*de comp.me.se.lo.* 5ª.129.E
*Lentiscus sicca in secundo ordine est, & tẽperata in actiuis.*8°.*de sim pli.med.facu.* 5ª.61.H

Lentiſcus frigida arbor pro capite præter naturam calidiore bona,& quo modo illius germinibus vtẽdũ.2°.de cõp.me.ſe.lo. 5ª.132.H
Lentiſcus eſt acerba.8°.de ſimp.med.fac. 5ª.62.E
Lentiſcus ad hypocyſtida prope accedit.8°.de ſimp.me.fac. 5ª.61.H
Lentiſci vires.de ſimp.me. Sp.86.B
Lẽtiſcus ad dyſenterias & alui affectus valet,ad ſanguinis expuitiones,ſanguinisq; ex vtero eruptiones, tum ſedis vulueq; pcidentias idonea eſt.8°.de ſimp.me.fac. 5ª.61.H
Lentiſcus inter adſtringentia parabilia numeratur.6°.de cõpoſitione me.ſecun.locos. 5ª.169.F
Lentiſci decoctum adſtringit. 4°.met.me. 7ª.28.H
Lentiſci fructus parum nutrit,cur.de diſſ.cont. Sp.73.F
Lentiſci fructus mentem perturbat.2°.de comp.me.ſe.lo. 5ª.137.B
Lentiſci rami ſternendi ſunt in cubiculis febricitãtium hectica febre. 10°.methodi medendi. 7ª.64.E
Lentiſci tenera germina.13°.met.me. 7ª.83.G
Lentiſci germina,muria,vel oxyhalme cõdita faciunt humorẽ melãcholicum.3°.de loc.aff. 4ª.18.F
Lentiſci ramuli teneri conueniẽtes ſunt ſtomachicis in cibo.8°.de cõ. medica.ſec.lo. 5ª.192.C
Lentiſci ſemini miſtũ oleũ ſtypticã virtutẽ affert.de ſim.me. Sp.88.D
LENTITIA *eſt qualitas.11°.me.me.* 7ª.71.D
Lentitia,& craſſitudo ſunt alimenti vitia.3°.de ſym.cauſ. 3ª.26.A
IENTOR *tactus qualitas eſt.de nat.hum.c.2°.* 7ª.28.H
Lẽtores ſi circa dẽtes fiũt,febres fiũt fortiores.c.4°.ap.53°. Ex.33.D
Lentores quo modo fiunt.com.4°.aph.53°. Ex.33.D
Lentor à quo fiat.1°.de ſan.tuen. 2ª.68.D
Lentor quo modo fiat.in progn.com.2°. 4ª.199.H
Lentor humorũ alterare ẽt pulſus, nõ efficere.1°.de ca.pul. 4ª.86.G
Lentor tenet excretionem.com.2°.aph.18°. Ex.13.F
Lenta per aluum ſubducere faciunt.3°.de ali.fac. 2ª.26.F
LENTI *corporis proprium quid.1°.de ali.fac.* 2ª.9.F
Lentum eſt & obſtruens triticum.8°.de ſimp.me.fac. 5ª.59.H
LENTVS *humor vnde fiat.13°.me.me.* 7ª.80.H
Lenti humores quomodo ſint cauſa,& ægritudo.de diff.mor.3ª.4.D
Lenti humores faciunt conuulſionem, quæ ſanatur à quartana.cõ.5°. aphoriſmo.7°. Ex.45.E
Lenti humores dupliciter ſanantur.c.5°.aph.70°. Ex.45.E
in Lentis, frigidis, & craſſis humoribus à calore valde metuendum. 12°.methodi medendi. 7ª.79.E
Lentus humor ſi non medicamẽtis,aduſtione reſoluatur.de articulis. commentario.3°. 7°.276.C
Lẽti humores à calefaciẽtibus in flatus deducũt.12°.me.me. 7ª.79.E
Lentos & craſſos humores incidunt,& digerunt acria,& amara.8°. de ſimplic.me.facul. 5ª.58.D
Lenti,& craſſi humores à ſecantibus,& digerentibus euacuãtur, & qualia eſſe debent.7°.de ſimp.me.fac. 5ª.51.E
Lentos,& craſſos humores incidit ampelopraſſum. 6°.de ſimplicium medicamentorum facul. 5ª.42.E
Lenta attenuat diacalaminthe.4°.de ſan.tu. 2ª.86.F
Lentus,& craſſus humor difficulter expuitur, & quare. 4°.de locis affectis. 4ª.27.G
Lentorum,craſſorũq; humorũ excreationibus ex pectore pulmoneq; impendio conferunt amygdalæ.6°.de ſimp.med.fac. 5ª.42.G
pro Lentis & craſſis humoribus expuendis in ecligmata ponitur eryſimum.6°.de ſimp.med.fac. 5ª.47.F
Lentum ſine morſu calefaciens dolorem tollit.13°.met.me. 7ª.86.A
ad Lentum exitum vrinæ.de cura lap. Sp.112.F
LEONES *calidi ſunt.2°.de ſimp.med.fac.* 5ª.14.E
Leones aridi ſunt.2°.de ſimp.med.fac. 5ª.14.E
Leo animal ferox vngulis,& dẽtibus valens.1°.de vſu pa. 1ª.113.C
Leo ſiccior eſt boue,& calidior cane.11°.de ſimp.me.fac. 5ª.79.E
Leonis caro,qualis.3°.de ali.fac. 2ª.26.A
Leonis caro calidior & ſiccior.de conſt.ar. If.38.C
Leo iracundum eſt animal. 3°.de dec.Hipp. 1ª.243.C
Leo medius in pronitate.3°.de vſu pa. 1ª.128.F
Leonũ pedes cur medij ĩter pedes hoĩm et equorũ.3°.& uſu p. 1ª.129.E
Leones vehementes dicuntur.3°.de diff.pulſ. 4ª.62.A
Leo,vt creditur,hẽt oĩa oſſa exptia.medullæ.11°.de vſu par. 1ª.191.D
Leo cur medulla careat. de ana.viu. Sp.44.B
Leo velocior eſt homine.1°.de vſu par. 1ª.113.D
Leone velocior eſt equus.1°.de vſu par. 1ª.113.D
Leones quo mõ habeant quartã tunicam oculi.de ana.ocu. Sp.53.F
Leo cur habet fortem maxillam. 11°.de vſu par. 1ª.191.H
Leonib° muſculi tpales maximi, et neruoſiſſimi ſũt.11°.& v.p. 1ª.181.F
Leonis dentes, & ouiũ differunt. 11°.de vſu par. 1ª.187.C
Leonis dẽtibus ſiles ſũt dẽtes pardaleõ & canũ.11°.& v.p. 1ª.187.D
Leones habent os longiſſime fiſſum.11°.de vſu par. 1ª.187.F
Leonis collum,quale.11°.de vſu par. 1ª.191.H
Leones ad carnes veniũt tãquã ad ppria nutrimẽta.& aſſue. 2ª.61.A
Leoni cibus familiaris crudæ animaliũ carnes. 2°.de ali.fac. 2ª.17.C
Leoni conueniens quid.1°.de tem. 1ª.14.H
Leonum eſus feris hominibus relinquendus. de atten.vic. 2ª.45.E
Leo animal eſt craſſi ſucci.6°.de ana.adm. 1ª.91.H
Leo hẽt lienem affatim nigrum. 6°.de ana.adm. 1ª.92.G
Leonum lien non eſt eſculentum.de atra bile. 1ª.36.E
Leonis adeps,qualis.5°.de ſimp.me.facul. 5ª.34.C
Leonis adeps tenuium eſt partium.3°.de cõp.me.per ge. 5ª.232.H
Leonũ adipe minus calidus ẽ taurorũ adeps.11°.de ſim.me.f. 5ª.79.B
inter Leoninũ,& ſuillum adipem,medius eſt adeps taurinus. 11°.de ſimplic.me.fac. 5ª.79.B
Leonis adeps quo loco reponatur inter calida quæ valẽt ad alopecias 1°.de comp.me.ſec.loc. 1ª.122.D
Leonis adeps cæteris potentius digerit.11°.de ſimp.me.fac. 5ª.79.B
Leonis adeps mollificat.2°.de arte cur.ad Gla. 7ª.104.A
Leonũ adeps quæ iuuet,& quibus obſit.11°.de ſimp.me.fa. 5ª.79.B
LEO, *Aries, Sagittarius ſunt orientales,calidi, ignei & ſicci. de ſpermate.* Sp.39.E
Leo calidus eſt,& ſiccus in quarto gradu.de ſper. Sp.38.H
in Leone nati pueri figura.de ſper. Sp.38.H
in Leone tenuit Alexander criſpitudinẽ capillorũ colorem citrinum, iram, & robur.de ſper. Sp.38.H
Leonis proprietatem habet aquila.de ſper. Sp.38.H
Leonis annus eſt plenus ægritudinibus.de ſperm. Sp.39.D
LEONIDES *Alexãdrinus methodicæ ſectæ princeps, ĩter eos cõnumeratus eſt, q ἐπισυνθετικοὶ à græcis nominantur.intro.* Iſa.51.E
LEONINVS *adeps,qualis.3°.de comp.me.per g.233.H/7°.* 5ª.263.E
Leoninus adeps in quo ordine ſit inter acopa. 7°.de cõpoſitione medicamento.per gene. 5ª.269.F
Leoninus adeps odoramentis conditus.7°.de cõp.me. pge. 5ª.272.E
Leoninum adipem ſequitur adeps pardi.2°.de arte cur. 7ª.104.A
Leoninus adeps.6°.de comp.me. per ge. 5ª.261.F
ex Leonino & taurino adipe,reſina,pice,& terebinthina,medicamẽtum.2°.de arte cura. ad Glau. 7ª.104.H
Leoninum ſeũ molliendo digerit. 14°.met. me. 7ª.87.H
LEONTARION *medicamentum ab imagine leonis dictũ.4°.de compoſitione me.ſec.loc.* 5ª.155.H
LEONTOPELATON *in tertio ordine exiccat, calefacit,& digerit.7°. de ſimp.me.fa.* 5ª.54.C
in LEONTINIS *aqua eſt quã bibens moritur. de bon.aquæ.* Sp.76.A
LEOPARDI *ad carnes veniunt, tanquam ad propria nutrimenta. de conſuetudine.* 2ª.61.A
Leopardorum lien non eſt eſculentum.de atra bile. 1ª.36.E
Leopardi morſibus confert centaurea.de virt. cent. Sp.93.H
LEPIDIVM deſcribitur.10°.de comp.me.ſec.loc. 5ª.208.D
Lepidium ſimile naſturtio in quibus.7°.de ſimp.med.fac. 5ª.54.C
Lepidium quo tempore colligendum. 10°.de cõp.me.ſe.lo. 5ª.208.E
Lepidium in quarto ordine calidum eſt. 7°.de ſimp.me.fac. 5ª.54.C
Lepidium,& iberis vice ſinapiſmi & thapſiæ vſui ſunt. 10°.de cõp. medica.ſec.loc. 5ª.208.G
LEPIDOIDES *ſuturæ, vel conglutinationes ſunt quæ à non nullis non ſimpliciter ſuturæ, ſed à ſquamæ ſimilitudine lepidoides ſuturæ ſunt vocatæ.de oſſib.* 1ª.49.E
LEPIS *quid.de ſimp.me.* Sp.85.F
Lepis, id eſt ſquama.de vict.rat.in mor.acu.c.4°. 7ª.152.G
Lepis,id eſt ſquama æris & ferri,cuius vſus,& vtilitatis.9°.de ſim. medicamen.facu. 5ª.69.H
Lepis viſcide ſtringit.de ſimp.me. Sp.85.G
Lepis purgat per ſeceſſum.de cathar. Sp.94.F
LEPORINA *caro eſt multum melancholica. 3°.de loc.aff.* 4ª.18.F
Leporinum cerebellum quo modo cito faciat oriri dentes.5°.de cõpo. medic.ſecun.loc. 5ª.164.F
Leporinus ſanguis vt ſuauiſſimus celebratur. 3°.de ali.fac. 2ª.29.B
Leporinus ſanguis cũ iecore & viſcerib. elixaĩ.3°.de ali. fa. 2ª.29.B

Leporinum ſanguinẽ comedentium quales deiectiones.in 1^m.prorrhe. commentario 1°. 4ª.165.A

Leporina pellis combuſta egit a proprietate in renũ calculos. de ren. aff.dig.& med. 7ª.194.H

Leporinum ſtercus contritum ex vino calido ſumptũ ad quid iuuet.d med.fac.par. 7ª.171.B

LEPRA *quid.ſin.med.47.H/intro.* *Iſa.57.C*

Lepra,qui morbus ſit et quo mõ differat,à leuce,ab ophiaſi,alopecia ptiloſi, myrmecia,vitiligine,ſphacelo,elephante,& ſcabie.14°. methodi medendi. 7ª.92.C

Lepra cutem,totiuſq,corporis partes exagitat.intro. *Iſa.59.D*

Lepra eſt morbus euidens.de diff.mor. 3ª.3.D

Lepræ ſunt toto genere præter naturam.de diff.mor. 3ª.4.F

Lepra,ſcabies & elephas, ſunt melancholicæ affectiones.de tumoribus præter naturam. 3ª.84.E

Lepra affectus eſt melancholicus.3°. de ali. fac.2ª.25.G/ cõmenta. 7°.aphoriſmo.40°. *Ex.57.B*

in Leprã mutatus elephas in quodã fuit.11°.de ſimp.me.fa.5ª.78.A

in Lepram facile tranſeunt lichenes.5°.de comp.me. ſe.lo. 5ª.160.C

ad Lepram ex elephantiaſi philoſophus quidam deuenit,& quo mõ de ſubſ.empi. *Iſa.34.A/B*

Lepra non eſt quæ fit ex impetigine.1°.de comp.me.ſe.lo. 5ª.121.G

Lepræ quæ affectiones ſint leuiores.6°.de ſim.me.fac. 5ª.41.E

Lepræ cur fiant veræ.com.3°.aph.20°. *Ex.24.A/B*

Lepra contingit ſenioribus.in progn.com.3°. 4ª.210.D

Lepræ à quibus fiant humoribus.11°.de ſimp.med.fac. 5ª.78.E

Lepræ ab humore melancholico fiunt. de bo. & vit.ſuc. 2ª.39.D

Lepræ,ac ſcabiei inſtar, puſtulas in corpore aliqui cõtraxerunt, qui prauos cibos comederunt.1°.de diff.ſeb. 3ª.31.G

Lepram incidebant qui malos cibos ob annonæ penuriam ederant. de bonitate & vitio ſuccorum. 2ª.33.G

in Lepris ſuccus eſt multus, ſalſus,craſſus, & immotus.2°.de ſymptomatum cauſis. 3ª.23.H

Lepra quo modo curetur. intro. Iſa.59.C/5°.de cõpoſitione medicamentorum ſecun.locos. 5ª160.H

in Lepræ principio minuuntur venæ iugulares.de ana.viu. *Sp.55.A*

Lepra quibus indigeat.5°.de comp.me.ſec.loc. 5ª.160.C

Lepra infeſtante vtimur catharticis.de dyna. *Sp.20.D*

Lepra affectis damus cholagoga.de dyna. *Sp.20.G*

Lepras quæ Alcyoniæ ſpecies ſanent.11°.de ſimp.me.fac. 1ª.83.C

Lepras ſanat cum aceto radix Anchuſæ onocleæ.6°.de ſimpliciũ medicamentorum facul. 5ª.41.D

Lepras detrahunt Anemonæ.6°.de ſimp.med.fac. 5ª.43.B

Lepræ conueniunt Balani recrementa.6°.de ſimp.me.fac. 5ª.41.D

Lepras curat Braſſica.7°.de ſimp.me.fac. 5ª.52.G

Lepras excoriant caulis & folia virentia Batrachij.6°.de ſimpliciũ medicamen.facul. 5ª.44.G

Lepris congruentibus facultatibus miſcentur Cantharides.11°.de ſimp.medi.facul. 5ª.82.E

Lepras extergit Ciceri genus oribiæum appellatum.6°.de ſimplicium medicamen.facul. 5ª.47.E

Lepras excoriat Clematis.7°.de ſimp.me.fac. 5ª.51.G

ad Lepras accõmodi ſunt vtrique Ellebori.6°.de ſimp.me.f. 5ª.47.C

Lepræ vtilis eſt elleborus niger.de dyna. *Sp.21.A*

Lepra extergitur Liliorum radice cũ melle.7°.de ſimp.me.fa. 5ª.53.C

Lepras eijcit Nigella.7°.de ſimp.me.fac. 5ª.55.D

Lepras ſanat Platani cortex.8°.de ſimp.me. fac. 5ª.58.G

Lepris medentur ſales theriaci.de ther.ad Piſo. 5ª.97.E

ad Lepras Stercibus caprinum valet.10°.de ſimp.me fac. 5ª.76.E

ad Lepras valet Sulfur.9°.de ſimp. me. fac. 5ª69.D

Lepram ſanat Vitis albæ radix.6°.de ſimp.me.fa. 5ª.42.F

Lepras ſanat Vlmi cortex.8°.de ſimp.med. fac. 5ª.59.G

Lepras detergit Vrina humana.10°.de ſimp.me.fac. 5ª.75.D

ad Lepras amouẽdas emplaſtrũ coferẽs.6°.de cõp.me.p g. 2ª.255.A

ad Lepras malagma.7°.de comp.me. per ge. 5ª.267.D

ad Lepram vnguentum.de dyna. *Sp.30.E*

Lepræ quid conferat.1°.de comp.me.ſec.loc.131.D/5°. 5ª162.C

LEPRICIS, *pſoriciſq;,& ſepticus facultatibus quidam miſcent ſalamandræ cinerem.11°.de ſimp.me.fac.* 5ª.82.F

LEPROSI *cur pruritu excitentur,cum tamen non iuuẽtur,ẽt ſi excorientur.2°.de ſimp.cau.* 3ª.23.H

Leproſos curat ciricus puluis.de dyna. *Sp.30.B*

Leproſis vtiliſſima eſt hiera ruſſina.de dyna. *Sp.30.D*

Leproſos curat lac.de med.exper. *Sp.106.D*

Leproſis ſtigmata digerũt caulis,& folia virẽtia batrachij.6°.& ſimpli.medi.fac. 5ª.44.G

Leproſos vngues eximunt piſces. 8°.de ſimp.me.fac. 5ª.58.E

Λεπτοκάρυον, *id eſt auellana.7°.de ſimp.me.fac.* 5ª.58.E

Λεπτοκάρυα *nux pontica,& auellana,idẽ.2°.de alim.fac.* 2ª.21.A

de Leptocaryis experimẽtũ fecit Galeni pr.d bon.& vi.ſuc. 2ª.36.G

Λεπτόσοι *appellant q ſũt exili voce.ĩ 1^m.d mor.vul.cõ.2°.* 3ª.115.F

LEPTOSPHAERI, *id eſt tenues orbes. de me.fac.par.* 7ª.169.B

LEPVS *animal timidum.1°.de vſu par.* 1ª.113.D

Leporis corpus velox eſt,ſed nudũ & inerme.1°.de vſu.par.1°.113.D

cur Lepores & cerui ſunt timidi,& habent cor magnũ. de anatomia viuorum.46.H/ *Sp.53.A*

in Lepore iecur plurimũ ſiniſtræ partis occupat.6°.de ali.fa. 1ª.92.F

Leporum caro,qualis.de atten.vic. 2ª.45.F

Leporis caro non mala.de diſſ.cont. *Sp.74.B*

Leporum caro ſanguinem craſſiorem gignit,ſed melioris ſuccꝰ, quàm bubula,& ouilla.3°.de ali.fac. 2ª.26.A

cur Lepores numerentur inter craſſos cibos.de diſſ.cont. *Sp.72.H*

Leporis caro craſſitie ſua ſtringit ventrem.de diſſ.cont. *Sp.75.B*

Leporum carnes epilepticis conueniunt.de puero epil. 7ª.180.G

Lepores conueniunt ſtomachicis.8°.de comp.me.ſec.loc. 5ª.192.C

Lepus cibus habentium lapidem. de cura lap. *Sp.112.A*

ex Lepore tafea.de cura lap. *Sp.112.E*

Lepus non debet ſaliri.3°.de ali.fac. 2ª.33.C

LEPORIS *caput ad alopecias valet.11°.de ſimp.me. fac.* 5ª.79.G

Leporis cerebrum dentientibus pueris cõmodum.11°. de ſimplicium medicam.facul. 5ª.79.G

Leporis cerebrum ex vino propinatur ad mingentes in ſtragulis. de medic.fac.par. 7ª.179.B

Leporis coagulũ cæteris præſtat, comitialem morbum,& profluuiũ mulicbre ſanare proditum eſt,& lac,& ſanguinẽ in ventre cõcretum diſſoluere.10°.de ſimp.me.fac. 5ª.74.D

Leporũ ventres qũo faciãt ad caluicẽ.1°.de cõp.me.ſec.loc. 5ª.126.E

Leporis matrix ſiccata & trita ſi potui detur mulieri, qñ fuerit à mẽſtruis purgata, ad conceptionẽ facit.de me.fac.par. 7ª.168.E

in Lepore ſanguis venæ non poteſt coagulari, quia tenuis eſt.de vtilitate reſpirationis. *Sp.64.E*

ex Leporum pilis molliuſculis medicamentũ ad ſanguinẽ ſiſtendum.d curan.ra.per.ſang.miſſ. 6ª.21.F

Leporis pilis excepta thuris pars vna, & aloes partis vnius ſemiſſi cũ oui candido miſta,medicamẽtum optimũ ſunt ad ſanguinẽ ſupprimendum.5°.met.me. 7ª.30.H

de Lepore exemplũ ad ppoſitũ accõmodatũ.de opt.ſecta. *Iſa.20.B*

LEPVS *marinus reſpirat vaporẽ p branchias.de ana.viu.* *Sp.48.C*

Lepus marinus quibus ſit ſubtilior,& quantũ penetret,licet terrenæ ſit ſubſtantiæ.4°.de ſimp.me.fac. 5ª.30.B

Leporis marini qualitas nobis cõtraria eſt.7°.de vſu par. 1ª.159.H

Lepus marinus interimit erodẽdo.10°.de ſim.me.fac. 5ª.73.H

Lepus marinus pulmonem exulcerat. de the.ad Piſo. 5ª.91.A

Lepus marinus pulmonem ſolũ vlcerat.10°.de cõpoſitione medica. ſecundum locos. 5ª.209.H

Leporẽ marinũ q comederint,quibus iuuenẽt.2°.de anti. 5ª.114.C

pro Lepore marino Alexiterium qd datũ.9°.de ſimp.me.f. 5ª.65.E

Lepore marino nonnulli ad depilationem vtebãtur.11°.de ſimpliciũ medic.fac. 5ª.82.G

LEPVS *vinculi nomen.de faſciis.* 7ª.293.H

Lepus eſt vinculum ſimul, & laqueus.de faſcijs. 7ª.293.H

Lepus ſine auribus eſt vinculi genus.de faſcijs. 7ª.295.C

Lepus ſine auribus,ſemirhombus, nauicula,idẽ vinculi genus.de faſciis. 7ª.296.G

Lepus auritus quid ſit.de faſciis. 7ª.297.C

LESBIVM vinum celebratiſſimũ. de atten. vic. 2ª.46.D

Lesbium vinum in Aſia. de vinis. *Sp.76.G*

Lesbium vinum,quale.4°.de ſan.tu.84.G/5°. 2ª.90.H

Lesbium vinum ſuluũ odoratum.4°.de cõpoſi.me. ſec.loc. 5ª.152.B

Lesbium vinum odorum rutilum nõ conuenit bilioſis vel natura, vel alia cauſa.de bo.& vitio ſucc. 2ª.38.E

Lesbium vinum cholericis corporibꝰ nõ eſt idoneũ.d vinis. *Sp.76.G*

Lesbium vinũ non eſt dandum à ſole exuſtis. de vinis. *Sp.76.H*

Lesbium vinũ dandũ eſt phlegmaticis, & frigidis complexione, vel

frigidum aceruantibus humorem, vel ocioſe viuẽtib⁹, vel exiſtẽti bus in hieme, vel conſtitutione frigida, & humida. vinis. Sp.76.G
Lesbiũ vinũ pñt bibere ſenes, ſi caput ſit valẽtius. 5°. d ſa.tu. 2ª.90.H
in LESBO tria oppida. 12°. met.me. 7ª.76.E
LETALE quid ſignificet, & quo modo accipiatur apud Hippocr. com. 6°. aph. 18°. Ex.47.H
Letalis cauſſus, & ſynochus quomodo cognoſcantur. de dyn. Sp.34.B
Letalia ſigna hepaticorum. de dyn. Sp.27.D
Letalia ſigna in ſplenitica paſſione quæ. de dyn. Sp.27.D
Letalis eſt vrina male olens, & aquoſa, & atra, & craſſa. de vrinæ ſignificatione ex Hippocrate. Sp.78.G
Letalia quæ ſunt, quo modo iuuant multum. de vic.ra. in mor. acutis, commen. 2°. 7ª.118.D
Letale omne non eſt venenoſum. 6°. de comp.med.ſe.lo. 5ª.167.D
de LETALIBVS medicamentis non eſt locutus Galenus. 10°. de ſimpl. med.fac. 5ª.72.D
aduerſus Letalia medicamẽta valet terra lẽnia. 9°. d ſim.m.f. 5ª.65.A
ad Lætalia pharmaca añtidotus. 8°. de comp.me.ſe.lo. 5ª.195.B
ad Letalia pharmaca antidotus Ariſtarchi, qualis. 7°. de compoſitione med.ſec.loc. 5ª.186.A
non ſolum LETHARGICIS, ſed etiam phreniticis coma accidit. de com. 3ª.50.A
Lethargicorum febres, quales. 11°. de ſimp.med.fac. 5ª.80.C
Lethargicorum pulſus, qualis. de pul.ad tir. 45.F/ 1°. d dign.pul. 71.A/ 4°. de cau.pulſ. 4ª.101.F/ comp.pulſ. Sp.65.G
Lethargica febris a nonnullis veteribus medicis eſt dicta. in 6ᵐ. de mor.vul.com. 1°. 3ª.159.D
Lethargicus qui eſt moriturus. de dy. Sp.24.F
Lethargicis remedia capiti applicantur. 3°. de loc.aff. 4ª.17.B
Lethargicorum capitis fomentationibus adhibetur ſerpyllum. de ſimplicibus medicamentis. Sp.84.B
ad Lethargicos affectus caſtoreum commodum eſt. 11°. de ſimplicium med.facul. 5ª.80.C
LETHARGVS quid.fin.med.47.A/ intr.If.56.D/ de ſymp.diff. 3ª.11. G/ in 1°. pror.com. 1°. 4ª.161.D
Lethargus quid ſit, ex quo fiat. 13°. met.me. 7ª.85.F
Lethargus morbus, qui. 13°. met.me. 7ª.85.F
Lethargus eſt cum febre. 3°. de loc.aff. 4ª.17.A
Lethargus morbus eſt acutus. fin.med. If.45.F/ de vic.ra. in mor.acu. commentario. 1°. 7ª.108.H
Lethargus, & phrenitis morbi acuti; & periculoſi ſunt. in 1ᵐ. de mor. vul com. 3°. 3ª.117.C
Lethargus morbus longus intrinſecus. intro. Ifa.56.B
Lethargi ſunt ægritudines capitis. de vir.noſt.corp.diſp. Sp.60.B
Lethargus accidit cerebro affecto, aut per ſe, aut conſenſum. 17°. de vſu partium. 1ª.222.F
in Lethargo mens primo eſt læſa. 2°. de lo.aff. 4ª.13.F
in Lethargo & ſopore, ratio & memoria ſimul amittuntur. 3°. de locis affectis. 4ª.16.B
ex Lethargo memoriæ, & prudentiæ læſionibus corripiũtur homines. & animi mores. 1ª.318.A
in Lethargo nullum eſt ſignum loci affecti. 3°. de loc.aff. 4ª.16.B
Lethargus imbecillus, cur. 3°. de ſymp.cauſ. 3ª.29.D
Lethargi cauſa, quæ. intro. If.56.D
Lethargus fieri poteſt ab intemperie. 3°. de loc.aff. 4ª.20.B
Lethargus a vehementi frigore fit. 3°. de loc.aff. 4ª.20.B
Lethargus a quo fiat humore. 1°. de ſymp.cau. 3ª.19.B
Lethargus fit ex humore pituitoſo. 4°. de cau.pul. 101.H/ 4ª.102.A
cur Lethargum inducat pituita atque omnino frigorifica, non comperit Galenus. & animi mor. 1ª.318.A
Lethargus qũo, & cur fiat conſiſtentibus. com: 3°. aph. 30°. Ex.26.F
Lethargus morbus quo lunæ aſpectu fiat. de decubitus prognoſtica ex mathematica ſcientia. Sp.12.G
ex Lethargo & phrenitide commixtus affectus qui, ſecundũ aliquos, de comate. 3ª.50.A
inter Lethargum, & phrenitidem morbi deſcriptio. 4°. de cauſis pulſuum. 4ª.102.D
Lethargum referentes cataphoræ. de typ. 3ª.90.F
Lethargus qũo fiat, & qui pulſus. 4°. de præſag.ex pul. 4ª.121.A
in Lethargo pulſus vndoſus eſt. 2°. de præſag.ex pul. 4ª.112.G
in Lethargo cauſa præcedens pulſus mollis, quę. 1°. de præſagitione ex pulſibus. 4ª.109.D
Lethargi curatio, quę. introd. If.56.D/ de dyn. Sp.24.F
in Lethargo ſtatim ab initio vena ſecanda eſt. 13°. met. 7ª.85.E
in Lethargo, & phrenitide cucurbitæ cõueniũt. 13°. met.me. 7ª.85.F
in Lethargo palatum acribus inungendum eſt. 13°. met.med. 7ª.85.F
in Lethargo medicamenta capiti applicantur. 1°. de ſymp.ca. 3ª.19.B
Lethargum ſanantia, & quæ naribus applicanda. 13°. me.m. 7ª.85.F
Lethargus ſternutamentis iuuatur. de inſtr.odor. 1ª.112.D
in Lethargo ſternutatoria conueniunt. 13°. met.me. 7ª.85.F
in Lethargo vtimur oleo roſaceo & aceto. 2°. de cõp.m.ſ.l. 5ª.134.A
in Lethargo aceto vti non debemus. 2°. de comp.me.ſe.lo. 5ª.134.C
Lethargo laborantes quo medicamento illinendi. 2°. de compoſitione medicamen. ſec.loc. 5ª.140.C
in Lethargo aliquando opus eſt preſidiorum quæ capiti adhibẽtur, vehementiam vſq; ad ſinapi augere. 13°. met.met. 7ª.85.F
in Lethargo quo modo caſioreũ probe concoquit. 13°. me.me. 7ª.85.F
Lethargus quo modo finiat. 3°. de criſi. 4ª.139.E
LEVCACANTHON cuius facultatis radicem habeat. 6°. de ſimplicium med.fac. 5ª.41.H
Leucacanthon incidit, et exiccat in tertio ordine, calfacit in primo. 7°. de ſimpl.med.fac. 5ª.54.C
LEVCAS eſt calida & ſicca in tertio ordine. 7°. de ſimplicium medicamentorum facul. 5ª.54.C
LEVCE, id eſt populus alba, cuius facultatis. 7°. de ſimplicium medicamentorum facul. 5ª.54.D
LEVCE, id eſt vitiligo alba vnde nomẽ habuerit. 2°. met.me. 7ª.9.E
Leuce q morbus ſit, et qũo differat ab ophiaſi alopecia, ptiloſi, myrmecia, vitiligine, ſpacelo, elephãte, ſcabie, et lepra. 14°. me.m. 7ª.92.C
Leuce, affectus cutis introd. If.59.D
Leuce mutat naturalem colorem. de ſymp.diff. 3ª.13.B
in Leuce quo modo mutetur color, diſputatio. de ſymp.diff. 3ª.12.H
Leucis defædati caro, qualis. 3°. de ſymp.cau. 3ª.26.D
Leuce toto genere præter naturam eſt. de diff.mor. 3ª.4.F
Leuces, qualis. 1°. de comp.med.ſe.lo. 5ª.121.D
Leuce vnde oriatur. 3°. de ſymp.cau. 3ª.26.C
Leuce vitiliginum ſpecies a pituita genita. contra Iul. Ex.67.E
Leuce prouenit a vitioſa nutritione. de ſymptomatũ differentijs. 12.A 3°. de ſymp.cauſ.25.B/ 3ª.26.E
Leuce cuius virtutis ſit error. 3°. de ſymp.cau. 3ª.26.G
Leuce quo modo fiat. 1°. de nat.fac. 1ª.292.F
Leuces ſymptomata, quæ. de ſymp.diff. 3ª.12.H
Leucas tollit bouis talus illitus. de ther.ad Piſ. 5ª.93.E
ad Leucas quid conferat. 5°. de comp.me.ſe.lo. 5ª.162.D
LEVCI emplaſtrum melinum. 1°. de comp.me.ſe.lo. 5ª.130.H
LEVCIS copioſe oriuntur caſtaneæ. de bo. & vi.ſu. 2ª.36.C
LEVCIPPVS primus atomos excogitauit. de hiſt.phil. Sp.2.G
Λευκίσκο piſcis fluuialis ĩ quo differat a mugili. 3°. d ali.fa. 2ª.30.d
LEVCOIVM amarum eſt. 7°. de ſimp.me.fa. 5ª.54.C
Leucoium non malum medicamentum ad phlegmonem. 7°. de ſimplicium med.facul. 5ª.54.D
Leucoij decoctum vteri phlegmones ſanat, cum cerato vlcera egre ad cicatricem perueniẽtia curat, cum melle ad aphthas adhibetur. 7°. de ſimpl.med.facul. 5ª.54.d
Leucoij florum decoctum menſes mouet, & locos, partumq; emortuũ elicit, & ſi bibatur abortum facit. 7°. de ſimp.med.fa. 5ª.54.d
Leucoij ſemen menſibus ciendis conuenire creditur, partumq; viuentẽ interficere, & mortuum eijcere. 7°. de ſimp.me.fa. 5ª.54.C
Leucoij flores ſicciores oculorum cicatrices craſſas extenuat. 7°. de ſimp.med.fac. 5ª.54.C
Leucoij radices lienes induratos ſanant, & phlegmonas induratas curant. 7°. de ſimp.med.fac. 5ª.54.d
LEVCOMA affectus viridis oculorum. introd. If.58.d
ad Leucomata applicatur phorbium. 8°. de ſimp.me.fa. 5ª.63.d
ad Leucomata. de fac.par. 7ª.170.d
LEVCONOTVS ventus qui. in 3ᵐ. de mor.vul.com. 3°. 3ª.141.C
LEVCOPHLEGMATIAS quos græci appellent. de mult. 81.F/ in 3ᵐ. de mor.vul.com. 3°. 3ª.146.d
Leucophlegmatias hydrops, aquæ intercutis eſt ſpecies, & vñ nomen habuerit. 2°. met.med. 7ª.9.E
Leucophlegmatia a Grecis dicitur aqua intercus ab alba pituita. commen. 7°. aph. 70°. Ex.60.G
Leucophlegmatia ſpecies eſt aquę intercutis & humoris. in 3ᵐ. de morbis vul.com. 3°. 2ª.146.d

Leucophlegmatiæ hydrops dictus qñ fiat 3°.de symp.ca. 3ª.26.C
in Leucophlegmatia sanguis pituitosus est per totum corpus.5°.de locis affectis. 4ª.33.H
Leucophlegmatias adiuuat ther.de ther.ad Pis. 5ª.96.D
LEVCOPYRON *malagma.7°.de comp.med.per ge.* 5ª.266.H
LEVIGAT *exasperata tragacãta.7°.de cõp.me.se.lo.* 5ª.179.A
LEVIGENTVR *quo modo herbæ sciendum est.3°.de compositione medicam.per gene.* 5ª.134.B
Leuigantur facile simplicia medicamenta que ex succis,& liquorib⁹ resiccatis proueniunt.4°.de comp.med.per ge. 5ª.237.H
Leuigentur semper primo simplicia sicca & terrestria.4°.de comp. med.per genera. 5ª.237.H
Leuigentur quæ in sole.in 6°.de comp.med.per ge. 5ª.255.B
Leuigat sua asperitate pumex.de simp.med. Sp.88.H
Leuigantur quæ prius erant aspera.de cau.mor. 3ª.9.C
a LEVIORIBVS *inchoandum, & procedendum ad fortiora.de oculis.* 7ª.189.G
a Leuioribus consuetis laxare naturam debes.de me.exper.S.108.H
LEVIRAIA, *raia,squatina omniaq; huiusmodi duriora sunt, & concoctu difficiliora,alimentiq; copiosioris quàm torpedo & Pastinaca.3°.de alim.facul.* 2ª.32.E
LEVI *asperum opponitur.de ijs,quæ in med.fi.com.3°.7ª.215.B/de vrinæ signifi.ex Hippo.* Sp.79.B
Leue opponitur sicco.de ijs,quę in med.fi.c.3°. 7ª.215.E
Leue quid sit.in prog.com.2°. 4ª.199.G
Leuia habent aeream substantiam.9°.de simp.med.fac. 5ª.66.C
Leue natura corpus esse non põt,nisi sit inane.1°.de simp.m.f.5ª.4.G
Leue,et dẽsum qđ est,necessario mẽbranosum est.4°.de v.p.1ª.137.D
Leuia ne sint,an pinguia,vel lenta nõ sunt considerandæ quæ corpus manum calefacere,humectare,frigefacere,& exiccare debent.1°. de simp.med.fac. 5ª.2.E
Leues facit cholera rubra.de dyn. Sp.19.E
Leues homines & turbulenti,deliri,facile fiunt, contrarij difficulter. in 3ᵐ.de mor.vul.com.3°. 3ª.151.H
Leuis corporis status comparatur tranquillitati maris.in 6ᵐ.de mor. vulg.com.3°. 3ª.177.B
Leuis,& paucus quando est somnus, cibis subtilibus nutriendum est. de diff.cont. Sp.71.G
Leuia facile absoluuntur.de diff.uluæ. 1ª.109.E
Leues cur sint nerui.de ana.viu. Sp.53.G
Leuis carnis,paucæ pinguedinis saliti pisces sunt cibi salsi, dissoluentes,& attenuantes.de diff.cont. Sp.72.F
Leuis & facilis ponderis an sit aqua,est considerãdum ad cognitionẽ aquarum bonarum,& malarum.de bon.aquæ. Sp.76.A
Leue vinum boni odoris,in quo est dulcedo pauca,bonum generat humorem inter tenuem,& crassum.de diff.cont. Sp.73.H
Leuis,& subrubra hypostasis in vrina subrubra quid significet.de vrinæ signifi.ex Hippo. Sp.78.F
Leuem albam & ęqualem eleuationẽ habens vrina deterior est.de vrinæ signifi.ex Hip. Sp.79.B
Leuem hypostasim,inquit Galenus,vocat Hippocrates eã quæ est continua,& indiuulsa.de vri.sin.ex Hipp. Sp.79.B
Leue debet esse quod injcitur oculis.13°.met.me. 7ª.86.B
Leuia per superiores meatus excernuntur.9°.de vsu par. 1ª.171.D
Leue præcedit,& graue sequitur in euacuationibus quæ fiunt p instrumenta.4°.de vsu par. 1ª.160.F
Leuia quæ prius erant asperantur.de cau.mor. 3ª.9.B
LEVES *fasciæ fiunt,ne onere infestent.de fasciis.* 7ª.293.G
LEVISSIMVM *cum sit scammonium,facile ad corpus attrahitur. de dyna.* Sp.20.H
LEVITAS *rerum ostendit rem esse raram.1°.de simp.med.fac.* 5ª.4.G
Leuitate ꝓbatur aliquid esse aeriæ subæ.9°.de simp.med.fa. 5ª.66.A
Leuitas a quibus fiat.de cau.mor. 3ª.9.C
Leuitate non sunt quærendę qualitates rerũ.3°.de simp.me.f. 5ª.17.C
Leuitas in aqua vnde sumatur.com.5°.aph.26°. Ex.39.H
LEVITAS *intestinorum morbus exibile.contra Iul.* Ex.67.H
Leuitatis intestinorum & renum differentia.6°.de loc.aff. 4ª.38.A
Leuitas intestinorum subito fieri non potest.6°.de lo.aff. 4ª.37.H
Leuitate intestinorum laborantes non nulli hectica capti sunt.1°.differentijs febrium. 3ª.35.F
vt Leuitas intestinorum circa aluum,ita circa vesicam diabete contingit.1°.de crisibus. 4ª.129.H
ad Leuitatem intestinorum.de med.fac.par. 7ª.167.F
Leuitas intestinorum,lege Intestinorum leuitas.
Leuitate non frustra partiũ opifex natura molitur.de dif.mor.3ª.4.E
Leuitas in ossibus ob quæ fiat.de cau.mor. 3ª.9.C
in Leuitate morbi qui.de diff.mor. 3ª.4.E
Leuitas in quo genere sit ægrotationis.de diff.mor. 3ª.3.A
LEX *quid sit.ꝙ animi mor.* 1ª.320.A
Lex quid sit ciuitatibus.de ijs, quæ in med.fi.c.2°. 7ª.206.H
Legem ferre in primis Deorum est.an animal sit. 1ª.328.E
Lege quo modo omnia disposuit Deorum pater.an aĩal sit. 1ª.328.C
Leges Moysis,& Christi nulla constitutæ sunt demonstratione.2°.de differentijs pulsuum. 4ª.54.D
Leges auersatur aĩus virilis & magnanimi nã.de aere,aquis.2ª.5.B
Legum peritia ars est nobilis.in orat.suas. Isa.5.G
Leges quæ communes.an animal sit. 1ª.328.D
Lex dura quæ.3°.de dif.pul. 4ª.63.F
ꝙ Leges hæredes instituuntur qui nondũ sunt nati.an ani.sit.1ª.328.E
Legibus punitur qui causa est abortus.an animal sit. 1ª.328.E
Lex nulla est transcribentibus posita,hinc pro arbitrio suo agere põt. com.7°.aph.65°. Ex.60.E
Lex falso contradicentibus statuta nulla est.contra Iul. Ex.66.B
Lex Adrastiæ qualis.6°.de vsu par. 1ª.152.E
Legis casus a Galeno proponitur,& quare.de cau.procat. 3ª.98.E
Legis casus alius ad propositũ accõmodatus.de cau.ꝓcatar. 3ª.98.E
Legis casus de medico qui venenum dedit.de cau.procatar. 3ª.99.F
LEGISLATORES *antiqui cur maxima scelera in multa reliquere.de purg.med.fac.* 5ª.86.B
LEXOPYRETON, *id est febrem siniens,acopon.7°.de composit.med. per genera.* 5ª.270.A
Lexopyretos symphonos medicamentum,quale.7°.de composi.med. secundum locos. 5ª.182.D

LIBA *quæ.1°.de semi.* 1ª.330.B

Λιβάδας quid appellent græci.2°.de ali.fa. 2ª.22.E
LIBANOTVS. *7°.de simp.med.fac.* 5ª.54.D
LIBANOTIS *coronaria ad quid conferat.7°.de simplicium medicamentorum facul.* 5ª.54.E
Libanotides emolliunt & digerunt abstergentisq; omnes ac incidentis facultates participes sunt.7°.de simp.med.fac. 5ª.54.E
Libanotidos per os,prouocant sudorem.de cathar. Sp.95.D
in LIBANO *monte quotannis manna cadit.3°.de ali.fac.* 2ª.32.F
LIBELLÆ *inter cetacea connumerantur.3°.de ali.fac.* 2ª.32.E
Libellæ pisces habent carnem duram.3°.de ali.fac. 2ª.31.E
LIBRI *quid sint.1°.de ali.fac.* 2ª.9.E
Libri in membranis & Tiliæ codicibus scribebantur.de ijs,quæ in medicatr.fi.com.1°. 7ª.197.E
ad Libros gluten quod præparant, cuius facultatis.7°.de simplicium med.facul. 5ª.52.A
Liber nullus habuit falsum titulum ante ætatem Regum Alexandriæ & Pergami.de nat.hu.c.1°. 1ª.24.G
de Libris comparandis fuit certamen inter Attalum,& Ptolemæum reges.de nat.hu.com.2°. 7ª.181.D
Librorum precium a Ptolemæo Athenienſibus datum.in 3ᵐ.de mor. vulg.com.2°. 3ª.137.A
in Libris non obscure scriptis lucrantur prudentes homines.6°.de cõposi.med.sec.loc. 5ª.166.G
Libri titulum negligit Galenus.in 1ᵐ.pror.com.1°. 4ª.160.F
Librum aliquem non esse alicuius auctoris potest a loquendi modo,& ab ipsa re probari.com.7°.apho.63°. Ex.59.H
in Libro non licet ponere omnia.in 6ᵐ.de mor.vul.c.2°. 3ª.171.D
in Libris diuersis eadem non sunt repetenda, ne tempus conteratur. 2°.de decr.Hipp. 1ª.134.E
Libri non debent eadem repetere,sed potius in memoriam reuocare. com.1°.apho.12°. Ex.5.B
Libro qd cõueniat,& quid expositori.ĩ præfa.cõmẽ.septimi.Ex.53.b
Libro amisso scire debemus quæ sint in libro.2°.de compositione med. per genera. 5ª.218.B
Libris meliores sunt præceptores ad discendum.3°.de lo.af.4ª.15.A
a Libro discere, & a viua voce nõ idẽ.6°.de cõp.me.se.lo. 5ª.166.G
ex Libro gubernare secũdũ paræmiã.3°.de cõp.me.per ge.5ª.231.F
Libris si liceret addere,omnia deprauarentur. in 6ᵐ.de morb.vulga. commentario.2°. 3ª.168.D

Librorum ſerui fiunt, qui alicui ſectæ ſunt addicti. in 6^m. de mor. vul. commenta. 2°. 3ª.165.A

Liber ſecundus, a primo ſcriptus adornatus digeſtusq; quo modo intelligatur. de vic. ra. in mor. acu. c. 1°. 7ª.108.F

Librorum coemptionem, cõparationemq; numerat inter res egregias. de cog. cur. ani. mor. 2ª.55.A

in Libro alicuius ſapientis ſi mendacium manifeſtum deprehẽdamus potius dubitandum eſt nos non intelligere, q̃ illum erraſſe. com. 6°. aphoriſmo. 34°. Ex.50.B

Libros veterum non facile eſt intelligere, ſi deſint qui curioſe exponant. 2°. de ſan. tu. 2ª.72.B

Libros vtiles defecturos non eſt metuendum, ẽt ſi in tota vita qs aliud nihil quam de medicamentis legere velit. de ſimp. me. f. 5ª.40.A

LIBROS *cur Galenus ſcripſerit. in 3^m. de mor. vul. com. 1°.* 3ª.134.E/ *7°. met. med.* 7ª.43.B

Librorũ capita ĩ ſuã vtilitatẽ tm̃ ſcribebat Galen. 7°. met. me. 7ª.43.C

Libros multos quo tpe Galenus ſcripſit. de præcog. ad Poſt. 4ª.218.C

Librum Galeni ab alijs diſtinctum, in quo ponit ordinem omniũ ſuorũ librorum. com. 3°. aph. 30°. Ex.26.F

Librorum Galeni quidam ordo. 1°. de comp. med. per gen. 5ª.210.D/ *2°. meth. med.* 7ª.13.B

Liber Galenus magis iuuatiuus cæteris qui ſit. ſecre. Sp.96.H

Libri quidam Galeni Romæ combuſti ſunt ob incendium. 1°. de ana. ad. 1ª.63.C/*10°. de comp. med. ſec. loc.* 5ª.209.G

Liber quem, Galenus promittit, quis. de palp. 3ª.55.E

Liber de viribus naturalibus præcedit librum de differentijs febrium. 2°. de diff. febr. 3ª.41.F

In Libris de ſanitate tuenda, ad quod conſilium oẽ direxerit Galen. 8°. meth. med. 7ª.58.H

Librum de differentijs febrium præcedit liber de viribus naturalib. 2°. de differen. feb. 3ª.41.F

Libri epidemiorum, & aphoriſmorum dria. in prog. com. 3°. 4ª.212.B

Liber epidemiorum poſt librum aphoriſmorum. ĩ prog. c. 3°. 4ª.212.B

Liber de morbis vulgaribus ſequitur librum prognoſticorum. in 1^m. & mor. vul. com. 2°. 3ª.112.D

Liber de morbis vulgaribus poſt librum prognoſticorum exponẽdus. in progn. com. 1°. 4ª.190.G

Librum ſecundum epidemiorum commentatus eſt Galenus. in 6^m. de mor. vul. com. 2°. 3ª.162.D

Liber de maraſmo quibus ſcriptus. de marc. 3ª.48.F

Librum de ſymptomatum cauſis præcedit liber de virtutibus naturalibus. 2°. de ſymp. cau. 3ª.21.B

Liber de morborum & ſymptomatum differẽtijs ante methodum legendus. 2°. met. med. 7ª.13.C

Liber de ſymptomatum cauſis non eſt legendus ab hebetioribus. 2°. & ſymptomatum cauſis. 3ª.21.A

in Libro de ſymptomatum cauſis nullam opinionẽ refellit Galen. 2°. de ſymptomatum cau. 3ª.21.B

in Libri de ſymptomatum cauſis primo & ſecundo quid faciat Galenus. 2°. de ſymp. cau. 3ª.24.B

in Libro tertio de ſymptomatũ cauſis qd agẽdũ. 2°. & ſym. cau. 3ª.24.B

Librũ & locis affectis cõpoſuit Galenus ĩ ſenectute. 3°. & lo. af. 4ª.13.C

Librum de locis affectis Galenus ſenex compoſuit. tamen non intelligebat Archigenem. 2°. de loc. aff. 4ª.13.A

Librũ de locis affectis pp amicos cõpoſuit Galen. 2°. de lo. aff. 4ª.13.C

in Libro de locis affectis quid ſit acturus Galenus. 1°. de lo. aff. 4ª.4.F

in Libris de locis affectis de his quæ ſenſu non percipiuntur, agit Galenus. 4°. de loc. af. 22.B/6°. 4ª.37.B

in Libro de locis affectis apparentia manifeſte non tractantur. 5°. de locis affectis. 31.H/6°. 4ª.33.B

Libro tertio de locis affectis qd acturus erat Galenus, & quæ ex conſequenti egit. 3°. de loc. aff. 4ª.21.C

in Libro quarto de locis affectis Galenus agit de faciei partibus, quæ intrinſecus afficiuntur. 4°. de loc. aff. 4ª.21.E

in Libro quarto de locis affectis nõ loquitur de affectibus notarũ particularum Galenus. 4°. de lo. aff. 4ª.22.F

Librorum de pulſibus ordo. 1°. de præſag. ex pulſ. 4ª.104.C

Libri de pulſibus in quot partes diuidantur. 3°. de diff. pul. 4ª.59.D

Liber de diebus decretorijs pgnoſtica præcedit. in prog. c. 1°. 4ª.190.E

Liber Prorrheticus nõ eſt Hippocratis. in 1^m. pror. com. 1°. 4ª.162.E

ante Librum de ratione victus in morbis acutis Galenus expoſuit librum prognoſticorum, librũ de humoribus, & aphoriſmos. de vic. ratione in mor. acu. com. 2°. 7ª.123.B

Liber prænotionum quibus careat. 3°. de dif. reſp. 3ª.73.D

Libri de ſimplicium medicamentorum facultate quot ſint. 1°. de cõp. med. per gen. 5ª.210.A

Libri de ſimplicium medicamentorũ facultatibus ſunt vndecim. 6°. de comp. med. per gen. 5ª.257.C

Liber de ſimplicium medicamentorum facultatibus præcedit librum methodi. 3°. met. med. 7ª.20.A

Liber de ſimplicium medicamentorũ facultatibus cur accurate legendus, & ad quid valeat eius doctrina. 1°. de ſymp. cau. 3ª.17.D

Libro, ſexto, ſeptimo, & octauo de ſimplicibus quid agat Galen. 7°. de ſimpli. med. fac. 5ª.177.H

Librum nonum de ſimpliciũ medicamẽtorũ facultate poſt viginti annos a præcedentibus compoſuit Galenus. 9°. de ſimp. me. f. 5ª.7c.C

Librum promittit Galenus, in quo agit de his quę agunt a proprietate ſubſtantiæ. 11°. de ſimp. me. fa. 5ª.82.A

Liber ſimplicium añ librum methodi legendus eſt. 4°. me. in. 7ª.24.B

Librum fecit Galenus de medicamentis. 14°. met. me. 7ª.92.H

Liber de componendis medicamentis ſequitur librum methodi medendi. 3°. met. med. 7ª.20.A

Librum de medicamentorum compoſitione edidit Galenus ante librũ methodi medendi. 6°. met. me. 7ª.37.F

Liber de compoſitione medicamentorum ſecundum genera præcedit librum de compoſitione medicamentorum ſecundum locos. 1°. de cõpoſit. med. ſec. loc. 5ª.121.C

Librorum de compoſitione medicamentorũ per genera ordo. 2°. de cõpoſit. med. per ge. 5ª.218.D

ante Librum de compoſitione medicamentorum per genera, Therapeutica & libri de ſimplicium medicamentorum facultatibus legi debent. 2°. de comp. med. per ge. 5ª.218.F

Liber de catharticis Romæ crematus eſt. de cathar. Sp.94.D

ex Libris Galeni, de deriuatione. de cucur. ſcar. 6ª.4.E

ex Libris Galeni, de reuulſione. de cucur. ſcar. 6ª.4.F

Liber de curandi ratione, prognoſtica præcedit. in prog. c. 1°. 4ª.19.H

Librum methodi debet præcedere liber de morborum, & ſymptomatum differentijs, & cauſis. 2°. met. med. 7ª.13.C

ante Librum methodi Galenus ſcripſit librum de compoſitione medicamentorum. 6°. met. med. 7ª.37.E

in Libris methodi propoſitum Galeni. 5°. met. me. 7ª.33.C

Librum de ratione victus in acutis cur inordinatum iudicat Galenus. de vi. ra. in mor. acu. com. 2°. 7ª.125.B

Liber inſcriptus quę in medicatrina fiũt añ omnes Hippocratis libros legendus eſt. de ijs, quæ in med. fi. com. 1°. 7ª.197.F

Liber de medicatrina cuius ſit Hippocratis. de fract. c. 2°. 7ª.223.F

Liber medicus dictus continet commune totius medicinæ exordium. & ijs, quæ in med. fi. com. 1°. 7ª.197.F

Liber de fracturis & de articulis præcedit librum de ijs quæ fiunt in medicatrina. de ijs, quæ in med. fi. com. 2°. 7ª.219.F

Librum de obſcuris motibus cõpoſuit Galenus. de muſc. diſſ. 1ª.44.F

ĩ Libris qũo committantur errores. de ys, quę in med. fi. c. 2°. 7ª.210.E

Librũ placitorũ fecit Alexãder Philalethes. 4°. de dif. pul. 4ª.66.F

Libri optimi Andromachi cur ab omnibus neglecti. 6°. de compoſitione med. per gene. 5ª.257.F

ex Libris Antylli de Hirudinibus. de cucur. ſcar. 6ª.4.B

ex Libris Apollonij, de ſcarificatione. de cucur. ſcar. 6ª.3.G

Librum de parabilibus ſcripſit Apollonius. 11°. de ſim. me. f. 5ª.82.H

Librum de reſtauratione læſæ memoriæ edidit Archigenes. 3°. de locis affectis. 4ª.15.E

Libros vndecim epiſtolarum ſcripſit Archigenes. 3°. de lo. af. 4ª.15.F

Librum compoſuit de longarum affectionum notitia Archigenes. 3°. de locis affectis. 4ª.20.D

Libros tres ſcriptis Archigenes & locis patiẽtibus. 1°. & criſ. 4ª.136.C

Libri Cleopatræ Geneſiæ. de paſſ. mul. Sp.95.G

Liber Crateuæ. de vir. cent. Sp.92.H

Libri tres de oculis a Demoſthene compoſiti. 4°. de diff. pul. 4ª.66.G

Librũ ſcripſit de curatione cãæ paſſionis Diocles. c. 6°. a. 1°. Ex.46.C

Libros diuiſionũ vel ſectionũ edidit Eraſiſtratus. c. 6°. a. 50°. Ex.52.G

Librũ compoſuit Eraſiſtratus de ventriculo. cõ. 6°. aph. 1°. Ex.46.B

Librũ de ſanguinis euacuatione ſcripſit Eraſiſtrat°. 5°. & l. af. 4ª.30.A

Librum de pulſibus contra Herophilum fecit Heraclides. 4°. de differentijs pulſuum. 4ª.66.F

Liber Heraclidis Pontici Apnus inſcriptus eſt. 6°. de loc. aff. 4ª.39.E

Libri Hippocratis quo mõ fuere ſcripti.i 6m.d mor.vul.c.2°.3ª.162.g
Libros Hippocratis cantabat Eraſiſtratus per ciuitates amore medicinæ.de cathar. Sp.94.C
Libri Hippocratis multi periere,ſi quæ pollicitus eſt ſcripſit. de articula.commentario.3°. 7ª.270.C
Libri Hippocratis qui non habentur.de art.com.3°. 7ª.271.F
Libri proprie Hippocratis,qui.3°.de diff.reſp. 3ª.69.F
Liber de aere,aquis,& locis quid tractet.3°.de diff.reſp. 3ª.73.D
Liber de natura humana eſt Hippocratis.de nat.hu.c.1°. 1ª.26.D
Librum de humana natura eſſe Hippocratis probatur. de natura humana.com.1°. 1ª.26.E
Librum de natura humana eſſe Hippocratis, ex Platonis teſtimonio declaratur.de nat.hum.c.1°. 1ª.33.G
Liber de natura humana non eſt Hippocratis ſecundum aliquos.de natura humana.com.2°. 7ª.181.D
Liber de humana natura Hippocrati adſcriptus, & liber de valẽtiũ victu Polybi fuere ſimul poſiti.de nat.hu.c.2°. 7ª.181.D
Liber de morborum differentijs germaniſſimus Hippocratis.de natura humana,com.1°. 1ª.26.G
Librum de alimentis Hippocratis adducit Galenus.1°.de compoſitione medicamen.per gen. 5ª.216.H
Liber de ſalubri victu non eſt Hippocratis,& cuius ſit.de vict.rat.in mor.acu.com.1°. 7ª.111.C
Librum alium de mor.acutis ſe ſcripturum promittit Hippocrates.d vic.ra.in mor.acu.com.2°. 7ª.124.B
Liber de ſacro morbo eſt Hippocratis.in prog.c.1°. 4ª.190.D
Librum quendam ex quo Hippocratis decretum adducitur, legitimũ eſſe Hippocratis negat Galenus.de marc. 3ª.46.A
Liber de morbis Hippocratis adſcriptus eſt.in 6m.de mor.vul.commentario.1°. 3ª.159.H
Liber Lyci de muſculorũ diſſectione cur prolixus.d muſ.diſ. 1ª.44.C
in Libris ſuis longiſſimi fuerũt Menemachus & Menodotus.ad Thraſybulum. 2ª.106.C
Libri Platonis docentes qua methodo definiendũ, quinam ſint.4°.de differentijs pulſuum. 4ª.67.D
Librum fecit de paſſionibus Polybus diſcipulus Hippocratis.cõ.6°. aphoriſmo.1°. Ex.46.D
Librum fecit de aſſidentibus Praxagoras.c.6°.aph.1°. Ex.46.C
Liber Praxagoræ de ſuperuenientibus.com.6°.aph.35°.50.C/com.7°.aphor.15°. Ex.55.A
Libri de naturalib⁹ Praxagoræ meminit Galen.c.5°.a.45°. Ex.41.G
Librum de medicamentis fecit Theſſalus.4°.met.me. 7ª.25.C
Librum de chirurgia fecit Theſſalus.4°.met.me. 7ª.24.G
LIBERVM *arbitrium tollit Andronicus.de ſper.* Sp.40.D
LIBERA *vitalis facultas.1°.de diff.reſp.* 3ª.61.D
℞ LIBERIS *vita deſpicienda eſt.4°.de decr.Hip.* 1ª.249.B
LIBERAT *a peſtilentia crurum ſcarificatio.de cuc.ſcar.* 6ª.4.B
cur LIBIDINOSI *ſint melancholici.in 6m.d mor.vul.c.3°.3ª.171.H*
LIBIDO *quæ complectatur.de atten.vic.* 2ª.53.A
ad Libidinem excitant alimenta quæ plurimum ſeminis pariunt.6°.d locis affectis. 4ª.42.F
in Libidinem præcipites facit vinum.2°.de ſan.tu. 2ª.66.C
Libidinem quæ ſuſpenſa augumẽtet.de incan.adiur.& ſuſp.7ª.182.C
ad Libidinem mulieris excitandum.de dyna. Sp.30.A
Libidini indulſit Diogenes Cynicus.6°.de loc.aff. 4ª.39.H
Libido quo modo ſupprimenda.de cog.cur.animi mor. 2ª.52.H
Libidinis caſtigatio,quæ.de atten.vic. 2ª.53.A
a Libidine quod deſiſtere propoſuerit,nemo ſibi iraſcitur,aut ſe obiurgat.5°.de decr.Hipp. 1ª.259.G
LIBRA nomẽ eſt Romanũ.1°.de cõp.me.per g.215.D/3°.5ª.232.E
Libra ſimpliciter,vel menſuralis quid ſit apud Romanos.1°.de cõp. med.per ge. 5ª.214.C
Libra ponderalis æquiuoce dicitur apud Romanos.1°.de compoſitione med.per gen. 5ª.214.C
Libra ponderalis quid ſit apud Romanos.1°.de compoſitione medicamentorum per gen.214.C/2°. 5ª.224.F
Libra menſuralis Romanorum.2°.de comp.med.per ge. 5ª.223.F
Libra apud Romanos,quæ.1°.de comp.me.ſe.lo.122.B/3°.de cõp.me. per ge.232.F/4°.245.C/6°. 5ª.259.C
Libræ Romanæ ſui tẽporis meminit.1°.de comp.me.per ge.5ª.215.D
Libræ quales.6°.de comp.med.per ge. 5ª.257.G
Libra Romæ ex cornu fiebat.1°.de comp.med.per ge. 5ª.214.C
Libralia cornua Romæ habebant quibus liquida menſurabant.1°.de comp.med.per gen. 5ª.216.F
Libram olei per cornua inciſuris diſtincta Romani metiuntur.6°.de cõpoſitione med.per ge. 5ª.57.G
Libra quantum capiat.de pon.& menſ. 5ª.275.D
Libra eſt menſura in duodecim partes ſecta.3°.de comp.med.per genera. 5ª.132.F
Libra habet vncias duodecim.de pon.& menſ. 5ª.276.F
Libra habet vncias duodecim,drachmas vero nonaginta ſex.de ponderibus & menſuris. 5ª.277.B
℞ Libra drachmæ cẽtũ ſcriptæ inueniũtur.1°.de cõp.m.p g.5ª.216.H
Libræ tertiæ pars æquat drachmas triginta duas.4°.d ſa.tu.2ª.86.H
Libra habet holcas nonaginta. de pond.& menſ. 5ª.276.H
Libra quo modo figuratur.de pond.& menſ. 5ª.275.C
Libras quinque valet hemina.2°.de comp.me.per g. 5ª.227.H
Libra eſt hemina.4°.de ſan.tu. 2ª.86.H
Libra.de pon.& men.275.H/ 5ª.276.B
ad Libras duas ſanguinis euacuatio crus ſcalpendo peſtilentiam deuitauit.præſag.exper.confir. Sp.78.C
Libræ ſex ſanguinis eductæ,& homo conſeſtim ſanatus.præſagium ex per.confir. Sp.78.A
LIBRA, *gemini,aquarius,ſunt occidentales,aerei,calidi & humidi. de ſpermate.* Sp.39.E
Libra calida eſt in primo gradu,humida in ſecundo.de ſperm.Sp.38.H
Libræ annus,qualis.de ſper. Sp.39.D
LIBYA *calida eſt.in prog.com.3°.* 4ª.212.H
ĩ Libya quo vera ſunt ſigna libri ℞gnoſticorũ.in prog.c.3°.4ª.212.G
LIBYSTICVM *quid.de ſimp.med.* Sp.85.H
Libyſticum calidum eſt, & ad quid conferat eius radix.7°.de ſimplicium med.facul. 5ª.54.F
Libyſtici ſemẽ calidũ ẽ cũ ſubtili ſuba.2°.d ar.cu.ad Glauc.7ª.104.G
Libyſticũ eſt vtile ſtomacho,excalfactorium eſt,ad digeſtionem valde vtile,antidotis quę colicis proſunt admiſcetur.de ſimp.m.S.85.H
Libyſticum crudum longo tẽpore in vẽtre durat.4°.de ſa.tu.2ª.85.B
Libyſtici ſemen conuenit diæta attenuante vtẽti.de atten.vi.2ª.44.E
Libyſticum exiccat.3°.de ali.fac. 2ª.26.D
Libyſtico pro delitijs non nulli miſcent acetum.de atten.vic. 2ª.44.C
LICHENES *in petris naſcentes cum aqua mulſa ictericis conueniunt. 9°.de comp.med.ſec.lo.* 5ª.198.B
LICHENES *quæ affectio.5°.de comp.me.ſe.loc.* 5ª.160.H
Lichenes facile in pſoram,ſcabiem, & lepram tranſeant.5°.de cõpo. med.ſec.loc. 5ª.160.C
Lichenas ſanant extenuantia & incidẽtia.7°.de ſimp.me.f.5ª.51.H
Lichenas quæ Alcyonię ſpecies ſanent.11°.de ſimp.me.fa. 5ª.83.D
ad Lichenas adhibetur Chamæleon.8°.de ſimp.med.fac. 5ª.63.F
Lichenas quorũ Cicerũ amaritas extergat.6°.de ſimp.me.f.5ª.47.E
ad Lichenas accõmodi ſunt vtriq; Ellebori.6°.de ſimp.me.f.5ª.47.C
Lichenas puerorum ſanat Gummi prunorũ.7°.de ſimp.me.f.5ª.51.H
Lichenas detergit Pix.8°.de ſimp.med.fac. 5ª.58.E
Lichenas & liuentia ſanat Ra.6°.de ſimp.me.fac. 5ª.59.E
Lichenes puerorum Saliua ſanantur.1°.de ſimp.me.fac. 5ª.75.G
Lichenũ remediũ eſt Sputũ,& pituita in ore.3°.de nat.fac.1ª.304.B
ad Lichenas Stercus caprinum valet.10°.de ſimp.me.fa. 5ª.76.E
Lichenas tollit ſtercus crocodilorum terreſtrium.10°.de ſimplicium medicamen.facul. 5ª.77.D
ad Lichenas valet Sulfur.9°.de ſimp.med.fac. 5ª.69.D
Lichenas detergunt Tithymalli.8°.de ſimp.me.fac. 5ª.62.D
ad Lichenas in mento quid bonum.5°.de comp.me.ſe.lo. 5ª.160.H
ad Lichenas recentes quid agendum.5°.de comp.me.ſe.lo. 5ª.160.H
ad Lichenas inueteratos quid conferat.5°.de cõp.me.ſe.l. 5ª.161.H
ad Lichenas calloſos quid conferat.5°.de comp.me.ſe.lo. 5ª.161.A
ad Lichenas agreſtes ſiue feros qd faciat.5°.de cõp.me.ſe.l.5ª.162.C
ad Lichenas emplaſtra citra exulcerationẽ.5°.de cõp.m.ſ.l.5ª.161.D
ad Lichenas emplaſtrum cuchrun,& emplaſtra alba.5°.de compoſi. med ſec.loc. 5ª.162.A
ad Lichenas malagma.7°.de comp.me.per ge. 5ª.267.D
de Lichenum excoriatorijs.5°.de comp.med.ſe.lo. 5ª.161.F
LICHENES *equorum comitiales curant.11°.de ſimp.me.fa.* 5ª.80.F
Lichenes equorum ad cuiuſuis ferę morſum adhiberi conſulunt.11°. de ſimplicium med.fac. 5ª.80.F
LICHENICA *emplaſtra viridia.5°.de comp.med.ſe.lo.* 5ª.161.H
LICHENICI *paſtilli quo modo conficiantur.5°.de compoſitione*

medicamentorum sec.loc. 5ª.161.A
de LICHENOSIS *tumoribus.* 5°.*de comp.me.se.lo.* 5ª.161.C
Λιχνωειδὲς qui locus in corpore.intro. If.53.G
LICINIVS *Atticus Nilei malagmate vsus est, & quale id,* 8°.*de compositione med.sec.loc.* 5ª.193.A
LIEN viscus est. 3°.*de nat.fac.* 1ª.304.B
Lien vnde procreatur.de fœ.for. 1ª.323.D
Lien quo modo gignatur.de fœt.for. 1ª.322.H
Lien cur vnus. 5°.*de vsu par.* 1ª.144.D
Lien potest videri extra animal. 4°.*de anat.adm.* 1ª.81.H
Lienem cur prima dic secaret Galenus. 5°.*de ana.adm.* 1ª.87.B
Lienis natura cõsiderãda est exẽptis intestinis. 6°.*de ana.ad.* 1ª.92.C
Lienis consideratio. 6°.*de ana.adm.* 1ª.92.G
Lien nigrior iecore.de atra bile. 1ª.36.A
Lienem nigrum habentia, quæ. 6°.*de ana.adm.* 1ª.92.G
Lien animalium calidorum & siccorum niger est, & vix potesi comedi.de atra bile. 1ª.36.E
Lien suum non valde niger.de atra bile. 1ª.36.A
Lienem album habentia. 6°.*de ana.adm.* 1ª.92.G
Lienis substantia talis est, vt in nullo alio talis reperiatur. 6°.*de decretis Hippocratis.* 1ª.266.B
Lienis caro quo modo vocetur. 10°.*met.med.* 7ª.67.d
Lienis caro numeratur inter primas partes quæ generantur. 1°.*de naturalibus facultatibus.* 1ª.291.G
Lienis corpus, quale. 4°.*de vsu par.* 1ª.140.D
Lienis caro, qualis. 2°.*de ar.cu.ad Glau.* 7ª.102.F
Lien qualis sit substantiæ.fin.me. If.43.H
Lienis caro laxa est. 4°.*de vsu par.* 1ª.140.C
Lenis caro rarior & lenior est carne iecoris. 4°.*de vsu par.* 1ª.140.C
Lienis substantia rarior est quàm iecoris, sed scirrhosis sæpius vitijs affligitur, & quare. 13°.*met.me.* 7ª.84.C
Lien meatus amplos habet. 5°.*de simp.med.fa.* 5ª.35.B
Lien aptus est ad fluxiones recipiẽdas.de cu.ra.p sang.miss. 6ª.18.A
Lienis caro quomodo humida, & calida. 2°.*de temp.* 1ª.17.H
Lien cur laxus & rarus. 5°.*de vsu par.* 1ª.144.H
Lienis caro minus est humida q̃ adeps. 1°.*de temp.* 1ª.15.D
Lienis caro cute est humidior. 1°.*de temp.* 1ª.15.d
Lienis sectio, quæ. 6°.*de ana.adm.* 1ª.92.G
Lienis caro quam habet naturam. 2°.*de temp.* 1ª.17.H
Lien cur sit in sinistra parte. 5°.*de vsu par.* 1ª.144.E
Lien medium est inter abdomen, & septum. 3°.*de sa.tu.* 2ª.77.B
cur Lien iuuetur exercitatione superiorum, & inferiorum partium. 5°.*de sanitate tuenda.* 2ª.90.B
in Liene venæ & arteriæ se contingunt. 9°.*de vsu par.* 1ª.173.H
i Lienẽ venarũ oĩs distributio fit simul cũ arterijs. 16°.*d v.p.* 1ª.220.H
ad Lienem vena quæ fertur vnde nascatur. 4°.*de vsu par.* 1ª.140.G
ad Lienem vena vnde oriatur. 16°.*de vsu par.* 1ª.220.H
ad Lienis concauum vena quę a ventriculi gibbo porrigitur, eodẽ modo lieni inseritur, quo etiam ventriculo sublimis, duplici sulta peritonæo. 6°.*de ana.adm.* 1ª.91.D
Lien vnde accipiat arteriam. 16°.*de vsu par.* 1ª.217.A
in Lieno an sint nerui dubitatur.de mult. 3ª.77.G
ad Lienem, iecur, renes, ventrem, viscera perueniunt nerui a cerebro a prima, tertia, & sexta coniugatione.de ner.diss. 1ª.54.D
Lieni melius fuit habere neruos minimos q̃ aliter. 7°.*d v.p.* 1ª.159.H
Lien cur habet paucos neruos. 14°.*de vsu par.* 1ª.209.D
Lien cur habet aliquos neruos. 6°.*de vsu par.* 1ª.155.E
Lienis neruus quantus. 5°.*de vsu par.* 1ª.145.C
Lienem habent, iecur habentia. 6°.*de ana.adm.* 1ª.92.D
Liens decliuis qui sit.in 6ᵐ.*de mor.vul.com.* 2°. 3ª.167.b
Lienem decliuem habentes, habent partes superiores calidas, & inferiores frigidas.in 6ᵐ.*de mor.vul.c.* 2°. 3ª.167.H
Lien instrumentum est.de nat.hu.com. 1°. 1ª.26.C
Lien habet quatuor facultates. 3°.*de nat.fac.* 1ª.305.C
Lien non indiget alio membro pro sua functione.d fœt.for. 1ª.324.A
Lien deseruit nutritioni. 4°.*de præs.ex puls.* 4ª.119.F
Lien quid trahat ad se. 3°.*de nat.fac.* 301.G/ 1ª.302.A
Lien recipit excrementum graue. 6°.*de ana.ad.* 1ª.90.A
Lien trahit quod crassius est in iecinore. 3°.*de nat.fac.* 1ª.307.D
a Liene purgari iecur creditum est.de atra bile. 1ª.36.A
Lien expurgat cœnosa visceris excrementa.de fœt.for. 1ª.224.H
Lien attrahit fecem iecinoris. 1°.*de san.tu.* 2ª.67.F
Lien quod trahit a iecore est tanquam in vino fex, & in oleo amurca.de atra bile. 1ª.36.A
Lienis officiũ est trahere sanguinẽ melãcholicũ. 6°.*de lo.af.* 4ª.36.A
Lien attrahit atra bilẽ ad se. 2°.*de na.fa.* 301.G/*de atra bile.* 1ª.36.F
Lien trahit atram bilem cum aliquo sanguine. 5°.*de vsu p.* 1ª.144.G
Lien sanguinem purgat ab atra bile. 2°.*de nat.fac.* 1ª.301.F
per Lienem purgantur melancholici humores.de atra bile. 37.A/5°.*de vsu par.* 1ª.144.E/3°.*de symp.cau.* 3ª.26.B
Lien, renes, & vesica fellis qũo male purgant. 3°.*de symp.ca.* 3ª.26.B
in Liene exuperat atra bilis.introd. If.55.B
Lien non indiget vase quo nutriatur. 5°.*de vsu par.* 1ª.145.B
Lienis nutrimẽtũ quod. 4°.*de vsu p.* 1ª.140.C/D/13°.*me.m.* 7ª.84.C
Lien nutritur sanguinis fece. 9°.*de comp.med.per gen.* 5ª.198.C
Lien nutritur sanguine melancholico. 6°.*de lo.aff.* 4ª.36.B
Lienẽ nutriẽtis humoris qualitas acida & acerba.de atrabi. 1ª.36.F
Lien in lõgis inedijs trahit humorẽ p vnã sola venã.de atrab. 1ª.36.G
a Liene vomitus qualis, & excretio. 6°.*de loc.aff.* 4ª.36.B
a Liene aliquid tendit in ventriculum. 3°.*de nat.fac.* 1ª.307.D
in Liene melancholicũ excrementum quod elaborari, ac mutari non potuit, mittitur ad ventriculum. 5°.*de vsu par.* 1ª.143.G
a Liene calefiunt sinistræ partes ventriculi. 4°.*de vsu p.* 1ª.137.C
a Liene potest aliquid in omentum transmitti.c. 7°.*aph.* 55°.*Ex.* 58.H
Lien solum purgatur per aluum. 13°.*met.me.* 7ª.84.G/H
Lien indiget vehementi purgatione. 4°.*de vsu par.* 1ª.140.D
Lien attollitur in retentione spiritus. 3°.*de san.tu.* 2ª.77.B
LIENIS *morbi sicci qui vocent.de vi.ra.ĩ mor.acu.com.* 1°.7ª.112.F
Liene peccante corpus fit nigrum. 6°.*de loc.aff.* 4ª.36.A
ex Liene qũo mœstitia melancholica proueniat. 6°.*de loc.aff.* 4ª.36.B
ex Liene sanguinis narium fluxus quo modo retrahatur. 2°.*de ar.cur.ad Glauconem.* 7ª.100.F
Lien si vitio caret, quod vinũ bibet q refici dz.de bo.& vi.su. 2ª.38.D
Lienem infirmissimum habent qui splenici sunt natura.de natu.huma.commen. 2°. 7ª.182.G
in Liene adest palpitatio. 2°.*de symp.cau.* 3ª.20.F
Lienis affectũ significat tumor in sinistra parte. 1°.*de lo.aff.* 4ª.6.B
LIENIS *tumorum differentiæ.in* 6ᵐ.*de mor.vul.com.* 2°. 3ª.168.B
Lienis tumores augent alica, & magis cũ melle.de atten.vi. 2ª.44.G
Lien a carne bubula cuidam intumuit. 3°.*de ali.fac.* 2ª.25.H
Lien intumescit dulcibus omnibus. 13°.*met.med.* 7ª.83.E
Lienis tumor ab humore melancholico in quibus contingat.de bonitate & vitio succorum. 2ª.39.D
Lien cum tumet corpus cacochymum redditur. 2°.*de na.fa.* 1ª.301.F
Lien in tumorem rotundum elatus erat in Philisco.in 1ᵐ.*de mor.vul.commen.* 3°. 3ª.121.B
Lien magnus quid significet.in 1ᵐ.*prorh.com.* 3°.4ª.184.D/*com.* 3°.*aphorismo.* 22°. *Ex.*24.E
Lienes magni faciunt hydropem, & quo modo fiant autumno.c. 3°.*aphorismo.* 22°. *Ex.*24.F
Liene tumefacto sanguinis eruptio diuersa mala. in 1ᵐ. *prorrhetic. commentario.* 3°. 4ª.184.E
Lieni tumenti non conducunt vuæ passæ.de atten.vi. 2ª.46.A
Lienes turgidos sanant opercula purpurarũ. 11°.*de sim.m.f.* 5ª.81.B
Lienis tumor attenuante victus sanatus est.de atte.vi. 2ª.43.G
in Liene potest esse lassitudo.de cu.ra.per san.miss. 6ª.16.F
LIENIS *dolores non necessario sequuntur male concoquentem.* 3°.*de symp.cau.* 3ª.30.D
Lienis dolor grauis. 2°.*de loc.aff.* 4ª.12.D
Lienis grauitas indiget prius sanguinis missione, quàm euacuatione, de vi.ra.in mor.acu.com. 4°. 7ª.137.B
Liene dolente vena cubiti secanda.de cu.ra.per san.miss. 6ª.20.A
Liene patiente vnde sanguis trahẽdus.de cu.ra.per san.miss. 6ª.19.H/13°.*met.me.* 7ª.83.H/*præsag.exper.confir.* Sp.78.B
Lien curatur a vena parui digiti.de cu.ra.per sang.miss. 6ª.19.G
Lien iuuatur ex sectione saluatellæ.præsag.exper.conf. Sp.78.H
in Lienis affectibus quæ vena secatur secundum aliquos sinentes exire sanguinem quantum potest. 3°.*de ana.adm.* 1ª.76.G
Lienis dolores ob crassos viscosos q̃ humores sanãt amygdalę amare. 6°.*de simp.med.fac.* 5ª.42.G
LIENIS *inflammatio facile tactu sentitur.* 6°.*de lo.af.* 4ª.36.A
è Lienis phlegmone exit aliquid. 13°.*met.me.* 7ª.84.H
Liene affecto febris ardens fit.in 6ᵐ.*de mor.vul.com.* 3°. 3ª.171.C
Lienis inflammati pulsus, qualis.de puls.ad tir. 4ª.45.A

Lienis phlegmone quo curetur. 13°.meth.med. 7".84.F
Lieni inflammatio obsunt cibus,& potus dulces.2°.de ali.fa. 2".17.F
Lieni inflammato noxiæ sunt caricæ,& ficus.2°.de alim.fac. 2".17.F
Lienis imbecillitatē augent itria ex similagine.1°.de alim.fa. 2".10.E
Lienis inflammationes auget lens mixta sapæ.1°.de ali.fac. 2".13.F
Lienis inflammationi mulsa non est utilis,& quare.11°.m.m.7".73.f
Lienis inflammationes quo modo saluantur.3°.de crisi. 4".139.E
LIENIS *obstructiones pariūt cibi dulces.de bon.& vit.suc.* 2".36.E
in Liene qui panis faciat obstructiones.5°.de san.tuen. 2".91.F
Lien a vinis crassis lædutur.de vict.rat.in mor.acu.com.3°. 7".126.A
Lien obstruitur facile semibus, si crassum humorem facientibus vtantur.5°.de sanitate tuenda. 2".91.H
Lienis obstructio quo modo curetur.13°.meth.med. 7".84.F
Lienis obstructiones fortes quibus curentur.5°.de sim.me.fa. 5".35.C
Lienem,ac iecur obstructione liberat amara.8°.de sim.me.fa. 5".59.B
Lienis obstructionibus prosunt caricæ,et ficus.2°.de ali.fac. 2".17.F
Lienem obstructione liberat marrubium.8°.de simp.med.fac. 5".59.B
a Liene morbus regius niger.2°.de nat.fac. 1".302.F
ex Liene quo modo fiat color niger toti corpori.de atra bile. 1".36.A
Lien communia habet symptomata cum iecore.6°.de loc.aff.4".36.A
Lien patitur iecore læso.2°.de alim.fac. 2".20.H
Lienis causa iecur imbecillitatur.5°.de loc.aff. 4".33.F
LIEN *quo mō celerrime indurctur.9°.de co.me.per gen.* 5".198.C
Lienis duritia putiosa,& diuturna est.in 1'".de mor.vul.c.3°.3".117.C
Lien durescit in quotidiana febre.de typ. 3".90.F
Liene laborantibus fiūt accessiones per quartū.c.1°.apb.12°. Ex.5.D
ex Liene quartana grauissima quadoq; fatta est, & postea aqua inter cus,& mors demq; est subsequuta.in 1'".de mor. vul.c.3°.3".118.b
Lienis scirrhosi affectus vnde.de bon.& vitio succ. 2".39.D
Lienis scirrhus qui.sim,med. Isa.47.C
Lienis scirrhus, quo modo curetur.13°.meth.med. 7".84.F
ad Lienis,& iecoris scirrhum sequitur aqua inter cutem.2°.de arte curatiua ad Glauconem. 7".104.D
ad Lienis scirrhum non sequitur necessario hydrops.4°.de præsagitione ex pulf. 4".121.B
Liene indurato fit aqua inter cutē cōsētiēte iecinore.6°.de l.af.4".36.n
p Lienis compassionem fit aqua intercus. com.6°.apb.43°. Ex.5 f.B
Lieni duro quid competat.3°.de com.med.sec.loc. 5".147.A
Lien obduratus mollitione indiget.in 6'".de mor. vul.c.2°. 3".161.A
Lien indurato quæ qualitates conueniant.7°.de simp.me.fa. 5".56.D
Lienis medicamenta quo modo parari debeant.5°.de sim.m.f. 5".35.C
Lienes liquant,& lapides frangunt quæ tenuium sunt partium. 6°.de simpli.med.fac. 5".44.A
Lien indiget attenuantibus citra manifestam caliditatem.9°.de comp. medic.per genera. 5".198.C
in Lienis medicamentis debet misceri ex austeris aliquid, quale est adstringentiū genus, vt actiones conferuētur.9°.de c.me.fa. 5".198.D
in Liene quando miscenda adstringentia.11°.meth.med. 7".73.C
Lieni valde amara conueniunt & austera,cur.9°.de comp.med.fe.lo. 5".198.D/11°.meth.med. 7".73.C
Lienem expurgat amaritas ciceris eius generis,quod orobiæum dicitur.6°.de simp.med.fac. 5".47.E
Lieni conuenit Absinthium.14°.meth.med. 7".88.D
ad Lienem aliquid Acetimiscemus.11°.meth.med. 7".73.C
cur Lieni conueniāt acetū,et aceti mulsum.9°.de c.me.fe.lo. 5".198.D
in Liene tutus est aceti vsus.14°.met.med. 7".88.C
Lienes induratos iuuat Acorum.6°.de simp.med.fac. 5".42.A
Lienem,& iecur indurata & obstructa sanat Agni semen.6°.de simp. medic.fac. 5".51.B
Lienes induratos sanat Ammoniacum.6°.de simp.med.fac. 5".42.H
Lieni duro ammoniacum cum aceto conuenit.14°.meth.med.7".88.C
Lienes liquat Asplenum.6°.de simp.med.fac. 5".44.A
Lienes liquant Balaui recrementa.6°.de simp.med.fa. 5".41.A
Lienem consumit Bouis talus.de iber.ad Pis. 5".93.B
Lienes induratos optime iuuat Capparis cortex.7°.de si.m.f. 5".49.G
Lieni est capparis, vt absinthium iecori.13°.meth.med. 7".84.F
pro Liene capparis ex oxymelite facit.13°.meth.med. 7".84.F
Lieni oxymeli suaue est.de vict.rat.in mor.acu.com.3°. 7".128.B
Lieni indurato optimum remedium est Centaurij succus.7°.de simplicium med.fac. 5".50.H
Lienes colliquat Chamædrys.8°.de simp.med.fac. 5".63.E
Lienem expurgat Cicer m genus orobiæum appellatum. 6°.de simpli. medic.facul. 5".47.E
Lienem induratum iuuat Cyclaminis radix.7°.de sim.me.fa. 5".53.F
Lienes sanat cyclaminis cyssambemi fructus.7°.de sim.m.fa. 5".53.F
Lienosis auxilio est Hæmonitis.6°.de simp.med.fac. 5".48.B
Lienosis vtilis est Isatis.6'".de simp.med.fac. 5".48.B
Lien asini,aut equi syluestris splenicos iuuat.9°.de compositione med. secundum locos. 5".198.G
Lien bubulus quo modo comedendus,& in quo casu.6°.de compo.me dic.sec.loc. 5".176.G
Lienes induratos sanant Lenticulæ radices.7°.de simp.med.fac.5".54.D
Lienes induratos sanant folia Lonchitidis,scolopendriæsimilia, cū acie to.7°.de simp.med.fac. 5".54.G
Lienem expurgat Lupinus.6°.de simp.med.fac. 5".48.D
Lienes induratos iuuat Pencedanum.8'".de simp.med.fac. 5".58.D
ad Lienem induratum potui exhibetur Polæmonium. 8°.de simplicib. medic.facul. 5".59.A
Lienem expurgat Rubia radix.6°.de simp.med.fa. 5".47.F
Lienem iuuat prentiarius er Saxifragon.de theria.ad Pisa. 5".91.A
Lieni est Scolopendrium, vt iecori capillus.13°.met.me. 7".84.F
Lieni indurato prodest Tamarix.7°.de simp.med.fac. 5".56.D
Lienes sanat Veneris.8'".de simp.med.fac. 5".62.B
Lienibus prodest Terebinthus.8'".de simp.med.fac. 5".62.A
Lienes scirrho induratos soluit theriaca.de ther.ad Piso. 5".96.A
Lienis duritiē habētib. prodest theriaca.de vsu the.ad Tam. 5".98.H
Lienes induratos sanat Vitis albæ radix.6°.de sim.med.fac. 5".42.E
Lienes induratos sanare potest Xyris.8'".de simp.med.fac. 5".57.B
ad Lienis duritiē.6°.de co.me.p ge.5".256.A/de me.fa.par.7".178.D
pro Liene cataplasma bonum.11°.methodi medendi. 73.C/de medic. fac. par.172.G/ 7".178.H
ad Lienem comminuendum quid valeat.de med.fac.par. 7".178.H
Lienem consumens.de med.fac.par. 7".178.H
Lienis colliquati notæ sunt nigræ vrinæ.i 6'".d mor.vul.c.5°.3".192.A
sine Liene iuuentus fiunt porcellus ex potu cuiusdam medicamenti.9°. de comp.med.sec.loc. 5".198.H
Lien minuitur quibus corpus floret.2°.de nat.fac. 1".301.F
ex Liene in iecore periculosa est exceptio, & contrario non.in 6'".de morb.vulg.com.2°. 3".165.E
cū Liene aut alia quauis notabili parte qs laborat,ipsa prius parte per curata,mox ad vlceris curationē accedemus.4°.met.me.7".23.H
Lienis vitio laborantibus subueniens antidotus.2°.de antid. 5".116.D
ad Lienis morbos valet Athanasia antidotus Mithridatis. 2°.de antidotis. 5".114.H
Lienis morbo vexatos iuuat antidotus Zopyri.2°.de antid. 5".115.A
LIEN *muris.de med.fac.par.* 7".167.B
LIEN *suum cibus non ineptus.de atra bile.* 1".36.E
Lien suillus minus obest,quā aliorū animaliū.de bo.& vi.suc.2".33.F
Lien ex quibus animalib. satis vitiosi succi.de bo.& vitio su. 2".33.F
Lien Leonum,Leonarum,Panthcrarum,Leopardorum,Luporum,non est esculentum.de atra bile. 1".36.E
Liē aūaliū ferratorū dētiū nō habet dulce alimēciū.A atra bile. 1".36.F
Lien gustu est non exacte suauis.habet enim quandam acerbitatem.3°. de alimen.facul. 2".27.D
Lien elixus gustum quendam acerbum habet dissimilem gustui ceteris. de atra bile. 1".36.A
Lien est malisucci.3°.de alim.fac. 2".27.D
Lien generat sanguinem melancholicum.3°.de alim.fac. 2".27.D
LIENOSI, *id est qui habēt diu durū lienē.com.6°.apb.43°. Ex.51.B*
Lienosi.sim.med. Isa.47.E
Lienosi quales mingant vrinas.quæs.in Hipp. Sp.113.E
in Lienosis atræ vrinæ minus perniciosæ.quæs.in Hipp. Sp.113.E
Lienosis difficultas intestinorū supuenies,boni.c.6°.ap.48°. Ex.52.d
Lienosos quando difficultas intestinorum sanat, & quando interficit. com.6°.apb.43°.51.B/com.7°.apbo.72°. Ex.60.G
Lienosis etiam libra sanguinis tuto detrahi potest. de curā.ratione per sanguinis missionem. 6".29.A
Lienosis auxilio sunt amara adstringentia.6°.de simp.me.fa. 5".48.B
Lienosis non est medicamentum exhibēdum. de vitius ratione in mor. acutis,com.4°. 7".150.F
Lienosis vtile medicamentum beta.2°.de alim fac. 2".22.H
Lienosis vtilis est radix anchusæ ononidis,6°,de simp,me.fa. 5".41.D
pro Lienosis hedēræ folia in aceto decocta faciunt.7°.de simp.medicamen facultatibus. 5".51.F

Lienosi quo modo iuuarẽtur terræ ægyptiæ luto. 9°.de simplicium mẽ dicam.facul. 5ª.65.F
Lienosis curat theriaca.de ther.ad Piso. 5ª.96.A
Lienosos difficulter spirantes iuuant volucri maioris fructus, & folia. 8°.de simp.med.fac. 5ª.58.B
Lienosis quo adhibeantur ferramenta candentia.intro. Isa.59.F
ad Lienosos epithema.de med.fac.par. 7ª.167.B
ad Lienosos malagma.7°.de comp.med.per gen. 5ª.266.C
ad Lienosos Damocratis malagma,quale.8°.de c.me.sec.lo. 5ª.197.B
Lienosis nigrum quoddam emplastrum confert. 2°.de compo.medica. per genera. 5ª.227.E
ad Lienosos pastillus Asclepiadis conferens. 5°.de compositione medi camen.per genera. 5ª.251.B
ad Lienosos.2°.de antid.5ª.116.C/de remedijs paratu fa. 159.F/166. H/175.G/ 7ª.176.D
ad Lienosos cum præduro tumore.de med.fac.par. 7ª.167.A
Lien,lienosus,lege Splen,Spleniticus.
LIENTERIA quid.fin.med.Isa.47.F/in 1m.de morbis vulgarib.cõmentario 2°. 3ª.111.C
Lienteria opponitur alimento quod in tertio significato dicitur. 1°.de sanitate tuenda. 2ª.89.A
Lienteriæ vnde sint,& quæ.6°.de lo.affect. 4ª.37.A
Lienteria vexantur concepti in horis bilis.de sperm. Sp.37.C
Lienteriæ causa quæ.in 3m.de morb.vulg.com.3°. 3ª.145.B
Lienteria fit à pituita collecta copiosius ex prauo quopiã corporis affectu.5°.de vsu par. 1ª.143.C
Lienteriæ Thasijs cõtingebant ex superfluitatibus in intestina deriuatis velut in partes imbecillas.in 1m.de mor.vulg.c.2°. 3ª.109.A
in Lienteria symptoma quod.3°.de sym.cau. 3ª.25.F
in Lienterijs quæ excernunt symptomata sunt.2°.de sym.cau. 3ª.21.E
in Lienterijs accidit retẽtricis facultatis priuatio.de sym.dif.3ª.12.D
in Lienterijs euacuatur cum malo bonum.3°.de sym.cau. 3ª.26.G
in Lienteriã aut tympaniã hydropa quid finiat.3°.de sym.cau.3ª.25.c
Lienteria laborantes aliqui hectica capti sunt.1°.de diff.feb. 3ª.35.F
ad Lienterias vtilissima est theriaca.de theria.ad Piso. 5ª.96.B
ad Lienteriam,& dysenteriam.de dynam. Sp.28.A
ad Lienteriam suffumigium.de dyn. Sp.28.A
Lienteria, vide Lauitas intestinorum.
LIENTERICA puella vnde.de sperma. Sp.38.C
ad Lientericos quid commodũ facere.9°.de cõ.me.se.loc. 5ª.203.E
LIGAMENTALES nerui q sint, & vñ oriani.de ossi.1ª.40.D
Ligamentalis neruus vbi,& qualis.de bo.& vit.suc. 2ª.33.G
LIGAMENTVM qd.de mo.mus.1ª.308.H/de ana.viuo. Sp.55.E
Ligamenta, quæ.fin.med.Isa.44.C/de ana.viuo. Sp.43.H
Ligamentum membrum est similare.de nat.hum.com.1°. 1ª.26.C
Ligamenta quæ, & qualia.1°.de vsu par. 1ª.116.H
Ligamenta inter partes similares connumerantur.de diff.mor. 3ª.2.F
Ligamentum primum elementum est quoddam.1°.de elem. 1ª.7.E
Ligamẽtũ albũ ẽ,exãgue,solidũ,expsq;cauitatis.1°.de v.p.1ª.117.C
Ligamenta iudicantur nerui ab aliquibus.1°.de vsu par. 1ª.117.C
Ligamenta qui ignorãt,credũt esse neruos.3°.de cõ.me.pge.5ª.231.E
Ligamenta sunt partes neruorum.com.5°.aph.1°. Ex.37.D
Ligamenta apud Hippocratem,apud recentes nerui colligantes,possũt tendi,sed non habent cauitatem.15°.de vsu par. 1ª.210.D
Ligamentum neruo durius est.1°.de vsu par. 1ª.117.C
Ligamenta sunt magis dura tendonibus.15°.de vsu par. 1ª.210.D
Ligamentum minus siccum est chartilagine.1°.de temp. 1ª.15.C
Ligamentũ mediũ inter neruũ & chartilaginẽ.13°.de vsu p.1ª.193.a
inter Ligamẽtum & neruum tendo medius.1°.de mo.mus. 1ª.308.H
ex Ligamento & neruo tendo factus.1°.de mo.mus. 1ª.309.D
Ligamenti & nerui vsum habet tendo.1°.mo.mus. 1ª.309.D
Ligamenta membranea quæ,& cur ita dicta.4°.de ana.adm. 1ª.80.C
Ligamentorum substantia est minus mollis,& minus rara quàm carnis.com.6°.aph.49°. Ex.52.E
Ligamẽtũ est inter primas partes q̃ generãtur.1°.de nat.fa. 1ª.291.F
Ligamenta è quibus facta.1°.de semi. 1ª.332.C
Ligamentum vbi oriatur.de ana.viuo. Sp.55.E
Ligamentum transit ex osse ad os.1°.de vsu par.117.C/15°. 1ª.210.F/ de oculis. 7ª.183.F
Ligamenta ex ossibus initium habentia in musculorum capita dispergantur.de bon.& vitio suc. 2ª.35.G
Ligamenta inseruntur in caput musculi.1°.de mo.mus. 1ª.309.D
Ligamenta ossium duplicia.de vti.resp. Sp.62.B
Ligamentum non est natum ex cerebro vel spinali medulla. 1°.de vsu partium. 1ª.117.C
in Ligamenta nullus neruus inseritur.16°.de vsu par. 1ª.214.G
Ligamentis circunfunditur lentus humor.3°.de nat.fac. 1ª.308.C
Ligamenta acuto scalpello incidenda.1°.de ana.admi. 1ª.67.E
Ligamentum ex se gubernatur.intro. Isa.63.B
Ligamenti vsus,qui.12°.de vsu.par. 1ª.192.G
Ligamenta cur indita membris.6°.de decr.Hipp. 1ª.266.A
Ligamentorum iuuamentum.de ana.viuo.44.A/ Sp.55.E
Ligamentorum officium quod.1°.de mo.mus. 1ª.309.A
Ligamentorum triplex vsus.1°.de ana.adm. 1ª.67.E
Ligamentum solum ibi est,vbi membrum solo indiget vinculo.12°.de vsu partium. 1ª.193.B
Ligamentum non habet sensum neque motum.12°.de vsu p.1ª.193.B
Ligamentum aliquid mouere non potest.1°.de vsu par. 1ª.117.C
Ligamentum & neruus ibi adsunt,vbi membrum indiget motu voluntario.12°.de vsu.par. 1ª.193.B
Ligamentorum exercitatio fit per accidens à motibus voluntarijs.2°. de sanitate tuenda. 2ª.75.A
Ligamẽta hñt similẽ functionẽ in omni parte.6°.de dec.Hi. 1ª.266.A
Ligamentũ insensibile est.1°.de mot.mus.109.C/1°. de vsu. p.1ª.117.C/ 6°.meth.med.38.G/14°.7ª.88.F/de vtil.resp. Sp.62.G
Ligamẽta cur non habent motũ voluntariũ.16°.de vsu par.1ª.214.H
Ligamenta,nerui,tendones,& musculi quanto sunt sicciora,tanto sunt valentiora.3°.de sym.cau. 3ª.29.D
Ligamento,neruo,chartilagineq; ita vtitur natura, vt nunquam vnũ in alterius trãsponat locum.12°.de vsu par. 1ª.193.A
Ligamenta carnium sunt venæ.de ana.vi. Sp.44.B
ex Ligamentis neruisq; per carnem dispersis enatæ fibræ ab aliquibus ob tenuitatem non Ligentur.de bon.& vitio succ. 2ª.35.G
Ligamenta tria fortissima cur in articulo capitis,& quo modo.12°.de vsu partium. 1ª.193.E
Ligamentum digitorum pars est.de inæq.intemp. 3ª.43.D
Ligamenta cur in articulis.1°.de vsu par. 1ª.116.H
Ligamenta dura crassaq; brachialis & post brachialis ossa nectentia. 1°.de ana.admi. 1ª.68.F
per Ligamenta & neruos est quædam societas partibus gulæ ad spinalem medullam,& membranas ambientes,& ossa vertebrarum,& quæ extrinsecus adiacent.com.4°.aph.35°. Ex.31.F
Ligamẽta quædam sunt in cordis vẽtriculus.1°.de mo.mus. 1ª.309.E
Ligamentum spinæ,quales.12°.de vsu par. 1ª.197.G
Ligamenta matricũ laxiora q̃ in alia parte.14°.de vsu par.1ª.209.F
Ligamentorum matricum vsus.14°.de vsu par. 1ª.209.F
Ligamenta validissima in genu,quæ.3°.de vsu par. 1ª.134.H
Ligamẽtis trahũtur vertebræ intus.vel extra.c.4°.aph.35°. Ex.31.F
Ligamentum impedit quid.1°.de mo.mus. 1ª.312.F
Ligamenta quomodocunque afficiantur, sine periculo id euenit, quia insensibilia.3°.de comp.med.per genera. 5ª.231.E
Ligamentum non dolet,quia non sentit.de const.ar. Isa.38.C
Ligamenta à fluxione incalescunt.de inæq.intemp. 3ª.43.E
Ligamẽtorũ natura tardius inflãmari incipit.c.6°.aph.49°. Ex.52.E
in Ligamentis existentes humores, oportet per modum vaporis euacuare.com.6°.aph.49°. Ex.52.F
Ligamentorum inflammatio ex ictu,longiori tempore peruenit ad consistentiam,& tardius sanatur.com.6°.aph.49°. Ex.52.E
Ligamenta scirrhosa quibus indigeant,& quo modo vsus aceti illis cõueniat.14°.meth.med. 7ª.88.A
Ligamentum si aut relaxatum aut disruptum fuerit,cuius partis motus offenditur.de diff.morb. 3ª.5.C
Ligamentum cum diuellitur,cuius est ægritudo.de diff.mor. 3ª.5.D
in Ligamẽto continui solutio apospasma appellatur.4°.me.m.7ª.23.B
Ligamẽto reciso,cur aliud tale moliri nõ possimus.de const.ar. If.37.E
Ligamenta ablata cur non crescant.1°.de semi. 1ª.332.D
Ligamentorum vulneratorum curatio.6°.meth.med. 7ª.38.H
LIGAMENTA quibus rupturæ ligantur.1°.de compositione medicam. per genera. 5ª.211.F
Ligamenta catagmatica, quæ.1°.de comp.med.per gen. 5ª.211.F
LIGANDI locus eligẽdus est q maxime in rẽ erit.de fascijs.7ª.294.C
ad Ligãdũ facijs duabus vtitur Hippocrates.de frac.cõ.1°. 7ª.228.C
Ligandum qũo fit caput.de ijs,quæ in med.fi.com.2°. 7ª.208.F
Ligãdæ qũo capitis partes contrariæ.de ijs,q̃ in me.fi.c.2°. 7ª.208.G

Ligandæ quo modo fracturæ caulatim factæ.de ijs, quæ in medicatrina fiunt.com.2°. 7ª.208.G
Ligandæ quo asciatim plagulæ.de ijs, quæ in med.fi.com.2°. 7ª.208.G
Ligandus quo modo sit æger supra scalas.de machin. 7ª.311.F
Ligandus est homo, cui ossa reponuntur.de machin. 7ª.312.B
modus Ligandi iugulares venas.de ana.viuo. Sp.55.B
Liganda quæ contusio.de artic.com.4°. 7ª.292.E
LIGANTES *os hyoeides maxillæ inferiori musculi, & eorum processus.de musc.diss.* 1ª.46.D
ad LIGATIONEM *articulorum acopon valde efficax.7°.de com.me. per genera.* 5ª.273.B
ad Ligationem artuum Diascoridis medicamentum.7°.de composi.medi.per genera. 5ª.265.B
ad Ligationē artuū malagma.7°.de compo.me.per gen. 5ª.266.A/G
ad Ligationes articulorū commodum quid.7°.de compositione medicamen.per genera. 5ª.265.C
Ligatio vnde incipienda.2°.de arte cur.ad Glau. 7ª.106.D
Ligatio in venis quo modo fieri debet.5°.meth.med. 7ª.31.C
LIGATORII *nerui, qui.8°.de comp.med.sec.loc.* 5ª.191.D
LIGATVRÆ *vbi faciendæ.de venæ sect.aduers.Eras.* 6ª.13.H
Ligatura quid faciat.intro. Isa.60.D
Ligatura quo fieri debet in ædemate.2°.de arte cur.ad Gla. 7ª.103.H
Ligatura vbi fieri debet in sinibus.2°.de comp.med.per ge. 5ª.224.H
Ligatura quo modo facienda in sanguinis profluuio. 5°.me.m.7ª.30.H
Ligaturæ fortes brachiorum, & extremorum stomachicis conueniunt. 8°.de composi.med.secun.loc. 5ª.192.D
Ligatura in vlcere debet esse conueniens. 4°.de compositione medicamentorum per genera. 5ª.237.A
Ligatura quādo satis est in vulneribus.3°.de cō.me.per ge. 5ª.231.D
Ligatura quæ exprimit, qualis.6°.meth.med. 7ª.41.E
Ligatura ad renutriendum, qualis.6°.meth.med. 7ª.41.E
in Ligatura ossium ferulæ ponendæ.6°.meth.med. 7ª.41.D
sub Ligatura ossis nō dbet creari dolor, vel pruritus.6°.m.m. 7ª.41.D
Ligaturæ ossium tertio die soluendæ sunt.6°.meth.med. 7ª.41.D
LIGATIS *coxis sæpius irrationabiles impetus sanguinis retinentur. de cathar.* Sp.94.H
Ligata pars arte, cur fiat liuida.de vsu pulſ. 1ª.226.D
Ligato neruo quodā animal statim mutū efficitur.de ner.diß. 1ª.54.B
aut LIGANTVR, *aut sumuntur vlcera magna.4°.meth.med.* 7ª.28.B
LICETVR *quomodo poples.de ijs, quæ in med.fi.com.2°.* 7ª.208.H
Ligetur quo modo patella.de ijs, quæ in med.fi.com.2°. 7ª.208.H
LIGNEA *pyxis ad quæ medicamenta seruanda. 6°. de compositione medic.sec.loc.* 5ª.172.C
LIGNOSVM *abijciendum in herbis.4°.de san.tu.* 2ª.86.D
Lignosum omne difficulter coquitur.2°.de alim.fac. 2ª.21.E
Lignum est corpus durum.3°.de diff.pulſ. 4ª.63.D
Ligna terrena sunt.9°.de simp.med.fac. 5ª.64.G
Lignis an aqua grauior diu philosophi altercantes duo fuere.de cuiusque animi peccatorum notitia atque medela. 2ª.59.G
Ligna vniuersa ex sua natura frigida.3°.de temp. 1ª.22.A
Lignum siccū, quia maiorē portionē sicci est adeptū. 1°.de tē. 1ª.12.G
Lignū oē sm Hippocratem est durū, & tactu lædit.de mac. 7ª.319.E
Ligna findebat ruri Galenus exercitij gratia.2°.de san.tu. 2ª.73.H
Ligna viridia diutius aggrauant, & veluti obruūt flammā, demū vero augent.de cau.morb. 3ª.6.E
Ligna viridia & humida, vt accendantur longum tempus est necessarium.de causis morborum. 3ª.6.H
Ligna ardere desinūt, cū cōsumptus est, q in eis fuerat liquor natiuus, tūcq; Cineres appellātur q̄ supersunt reliquiæ.2°.de diff.fe. 3ª.41.D
Lignorum humidorum comparatio ad calorem naturalem in pueris.de mai. 3ª.45.H
Lignorum multitudine ignis extinguitur, ita calor natiuus humoribus multis.com.7°.aph.7°. Ex.54.D
Ligna humida quandoque suffocant paruam flammam, tamen sunt nutrimentum ignis.3°.de temp. 1ª.22.F
Lignis viridibus quando comparetur sanguis.2°.de diff.feb. 3ª.42.C
Lignorū cōparatio ad virus canū rabiētiū.in 1ᵐ.prorr.c.2°. 4ª.171.F
Lignum ισὸν à stando dictum.de art.com.3°. 7ª.270.H
Lignis fumum non edentibus quando vti debemus.7°.de compo.med. sec.loc. 5ª.179.C
Ligna vitea crcmat.de med.fac.par. 7ª.164.H
Ligna vitiata faciunt acutum ignem.com.2°.aph.41°. Ex.18.A
pro Lignis tæde tædas vsurpat.6°.de comp.med.per gen. 5ª.259.F
in Lignis motus parit calorem.de cau.morb. 3ª.6.D
LIGNVM *quarū artiū est materia.ad Thrasy.* 2ª.106.A
Ligna viridia sunt causæ vt corruat domus.de cau.procatar. 3ª.96.E
ex Ligno densiori instrumenta, quæ.6°.de anat.adm. 1ª.92.H
Ligna lunata organorum pars. de machin. 7ª.309.E
Lignum lunatum ad quid in organis.de machin. 7ª.310.A
Lignorum vermes in Aegypto comeduntur.3°.de ali.fac. 2ª.26.D
ad LIGNORVM *fragmenta educenda cyzicenum Heræ bonum.5°.de comp.med.per genera.* 5ª.250.B
LIGNIS *similia in absceſſibus quædam esse videntur.2°.de arte curatiua ad Glauconem.* 7ª.105.B
LIGNVM *aloes quid agat in medicamentis.de med.exper.* Sp.104.G
Lignum rosæ oculis conuenit.de ocul. 7ª.188.G
Λιγνὺς apud Græcos quid significet.3°.de præſa.ex pul. 4ª.188.H
Lignys, id est fuligo, cuius facultatis.7°.de sim.med.fac. 5ª.54.E
LIGORIVS *medicus.de dyna.* Sp.31.C
LIGVLA *lanea ex oue à lupo comesta, quæ ligentur. de incantantione, adiuratione, & suspensione.* 7ª.182.B
Lingula mensuræ nomen. de med. fac.par.170.D/171.B/E/172.A/F/173.D/G/175.G/178.G/ 7ª.179.B
LIGVSTICVM, *aniſum, caron, petroselinon, cyminum, sunt in eodem vſu.7°.de simp.med.fac.* 5ª.53.F
LIGVSTRINVM *ceratum.de med.fac.par.168.A/* 7ª.169.B
LILIACEVM *oleum.6°.de simp.med.fac.* 5ª.47.A
LILIPHAGVS *educit sanguinem.de cathart.* Sp.94.G
LILIVM *quid.de simp.med.* Sp.86.D
Lilium amarum, cur.7°.de simp.med.fac. 5ª.53.A
Lilium multum calefacere, collige.3°.de comp.med.per ge. 3ª.228.F
Lilium durities neruorum remollit, combustis proficit, menstrua prouocat, partū deijcit, ad serpentis morsum facit.de simp.me. Sp.86.D
Liliorum radix & folia, qualia.7°.de simp.med.fac. 5ª.53.C
Liliorum radix in quo præstet foliis.7°.de simp.med.fac. 5ª.53.C
Liliorum radix tosta, & cum rosaceo contrita ambustis, quod cicatrix obducatur, imponitur.7°.de simp.med.fac. 5ª.53.C
Liliorū radix vteros emollit & menses prouocat.7°.de si.m.f. 5ª.53.C
Liliorū folia omnibus vulneribus imponūtur.7°.de sim.me.f. 5ª.53.C
Liliorum radix cum melle, vitiligines, psorā, lepram, & achoras extergit.7°.de simp.med.fac. 5ª.53.C
Liliorum radix melle illi moderate, & conuenienter admixto ad neruorum diuisiones competit.7°.de simp. med.fac. 5ª.53.C
Liliorum radix cicatrici inducendæ optimum remedium. 7°.de simplicium med.fac. 5ª.53.C
Liliorū oleū digerit, & emollit.7°.de simp.med.fac. 5ª.53.B
Liliorū oleū vteri duritiebus est aptissimū.7°.de sim.me.fa. 5ª.53.C
Lilij cœlestis radicis drachmas tres.de med.exper. Sp.106.D
LIMA *inscriptum collyriū quid faciat.4°.de comp.me.se.l.* 5ª.156.C
LIMANDI *quomodo dentes.5°.de compo.med.sec.loc.* 5ª.164.D
LIMATIO, *species est diuisionis chirurgiæ.intro.* Isa.59.E
Limatio vtilis in ossibus. intro. Isa.59.E
LIMAX *animal neq; volatile, neq; aquatile.3°.de alim.fac.* 2ª.26.D
de Limacibus inter pedestria mentio.3°.de alim.fac. 2ª.26.D
Limax habet caput paruum, & oculos decliues, quos emittit, et retrahit.de anat.viuo. Sp.48.C
Limacis extremitates vulgus cornua vocat.de anat.viuo. Sp.48.C
Limaces habent carnem duram, & incoctilem.3°.de alim.fa. 2ª.26.D
Limaces potentissime nutriunt.3°.de alim.fac. 2ª.26.D
Limaces faciunt humorem melancholicum.3°.de loc.affect. 4ª.18.F
Limaces habent succum, qui ventrem subducit.3°.de ali.fa. 2ª.26.D
Limacium conditura, vt subducant.3°.de alim.fac. 2ª.26.E
Limax quo modo coquenda.3°.de ali.fac. 2ª.26.E
Limax bene cocta aluū sistit & probū dat alimētū.3°.de ali.f. 2ª.26.E
Limacis mucus, qualis.11°.de simp.med.fac. 5ª.78.F
Limaces siue conchleæ quo dysenterijs prosint.11°.de sim.m.f. 5ª.81.G
Limax cum testa quo restringat fluxum.de remed.par.fac. 7ª.156.F
Limacis Lapis ad dentes exesos quo confert.de reme.par.f. 7ª.164.E
Limaca Africana quo modo ad aurium dolores recentes conferat.3°. de comp.med.sec.loc. 5ª.143.F
Λιμένα latine portum dicas.ad Thras. 2ª.107.A
Λιμη est lippitudo quædam.de art.commen.3°. 7ª.276.A
Λιμματα quæ sint.1°.meth.meden. 7ª.5.H
LIMNESIA *quid.de virtu.centau.* Sp.93.A

Limoſium ad artem

Limneſium ad arcem vocant.6°.de ſan.tuen. 2ª.99.F
Limneſium aſperum.7°.de comp.med.per gen. 5ª.273.H
LIMNITIS, *vel adarcium,vel adarce,quo loco reponatur inter cali da quæ valent alopecys.1°.de comp.med.ſec.loc.* 5ª.122.D
Limeſtridis meminit.7°.de comp.med.per genera. 5ª.272.C
de LIMONIBVS *emplaſtrum.de remed.par.ſa.* 7ª.156.F
LIMVLA *ferrea pro dentibus prominentibus.5°.de compoſitio. medi ca.ſecun.locos.* 5ª.164.D
Limula Phædri.4°.de comp.med.ſecun.loc. 5ª.152.H
LIMO *ſimilia in abſceſſibus quædam eſſe videntur.2°.de arte curatiua ad Glauconem.* 7ª.105.B
Limus ſanguinis eſt ex quo fit hũor melãcholicus.c.4°.a.21°.Ex.29.D
Limus ſanguinis debilitat viſcera, niſi ſplen bene expurgaucrit hepar.com.4°.aph.21°. *Ex.29.D*
LINAMENTVM *μῶτον γλαυκὸς vocant.10°.de ſimplicium medicamen.facul.* 5ª.75.E
Linamentorum quinque ſpecies.intro. *Iſa.60.G*
Linamentorum genus vnum flexile dictum.intro. *Iſa.60.G*
Linamentorum genus vnum vocatum raſile.intro. *Iſa.60.G*
Linamentorum genus vnum appellatum vulſorium.intro. *Iſa.60.G*
Linamentorum genus vnum nominatum funiculare,vel lucernarium. intro. *Iſa.60.G*
Linamentum fiſſile.3°.de comp.med.ſec.loc. 5ª.148.H
Linamentorum genus vnum nuncupatum priapiſcotũ.intro. *Iſ.60.G*
Linamentum ad priapi formam quando naribus imponendũ.3°.de cõpoſi.med.ſec.loc. 5ª.148.H
Linamentum longum.3°.de compo.med.ſec.loc. 5ª.148.G
Linamentum tortile acctoq; acerrimo madẽs quo modo cõferat ad ſanguinis fluxum è naribus.de remed.par.fac. 7ª.160.F
Linamenti tortilis meminit.de remed.par.fac. 7ª.155.H
Linamentum tortum.3°.de comp.med.ſec.lo.148..A 5ª.149.A
Linamentum ex marina,& muria ſiccũ eſt.1°.de ſimp.me.fa.5ª.3.D
Linamentum ex potabili aqua humidum.1°.de ſimp.med.fa.5ª.30.D
Linamentũ filatim exceptum.4°.de comp.med.per gen. 5ª.242.E
Linamẽtis qũo vtamur in vulnere arteriæ,aut venæ.5°.me.m.7ª.30.d
nõ vt Linamẽtũ eſt ſpõgia noua,materia ſcilicet tãtũ quæ humores irrigãdos excipit,ſed ẽi manifeſte deſiccat.11°.de ſim.m.fa. 5ª.83.G
Linamẽta nõ debẽt citò ẽcidere.ẽ ijs q̃ medicatrina ſũt.c.2°.7ª.210.f
LINIMENTVM *pro oculis.de remed.par.fac.* 7ª.156.E
Linimentum ad tremorem cordis ſecretorum. *Sp.100.H*
Linimentum valens ad omnes particulas affectas frigore.3°.de compo.medic.per genera. 5ª.229.B
LINEA *quid ſit. de hiſto.philo.* *Sp.4.C*
Linea caret magnitudine.2°.de diff.pul. 4ª.56.A
Linea recta data diuiditur in partes æquales.de cuiuſque animi pec.notitia atque medela. 2ª.56.H
Linea & ſi ſit ĩ corpore,nõ auſertur Geometria.2°.ẽ dif.pul. 4ª.57.B
Linearum ſcientiæ imituntur aſtronomia & architectonica.de cuiuſque ani.pecc.not.atque med. 2ª.58.B
LINEARES *nerui qui ſint.de comp.memb.ſiue de na.hu.* *Sp.58.H*
Lineares nerui helicem, id eſt attractuam,ſibi vindicant poteſtatẽ. de compag.memb.ſiue de nat.hum. *Sp.58.H*
LINGONIS *colica confectio data ex frigida ſtatim ſoluit dolores.9°.de comp.med.ſec.loc.* 5ª.202.G
LINGVA *ſignificat voces obſoletas.Hipp.ling.explan.* *Ex.71.C/F*
Lingua tria ſignificat.2°.de diff.pulſ. 4ª.53.H
Linguæ propria ſunt tuenda.2°.de diff.pulſ. 4ª.54.H
Lingua quæ diſcenda.de diff.pulſ. 4ª.54.H
Linguæ Græcæ præſtantia, quæ.2°.de diff.pul. 4ª.55.A
Linguas omnes græcas Galenus nouit.2°.de diff.pul. 4ª.54.H
in Lingua græca doctũ patrẽ habuit Galenus.2°.de diff. pul. 4ª.55.A
Lingua attica quandoq; vtitur Hippocrates.de fract.c.1°. 7ª.223.E
Lingua Athenienſiũ multas paſſa eſt mutationes.2°.de dif.pul.4ª.54.H
Lingua attica tempore Galeni multum à proprietate dciderat.1°.de comp med.per genera. 5ª.213.F
Linguas duas callens δίγλωττος dicitur.2°.de diff.pul. 4ª.54.H
Linguas duas callẽs hõ olim videbat miraculũ.2°.de dif.pu. 4ª.54.H
inter Linguas barbaras, vna eſt alia melior.de ſophi. *Iſa.7.F*
Linguæ barbaræ brutis comparantur.2°.de diff.pul. 4ª.54.H
Lingua Perſica melior. Aethiopica.de ſophi. *Iſa.7.F*
Lingua Caryca, quæ.2°.de diff.pul. 4ª.53.D
Lingua habet nomen proprium ſubſtantiæ.8°.de vſu par. 1ª.166.D
LINGVA *quid ſit.2°.de diff.pul.* 4ª.53.H
LINGVA *qualis ſit ſubſtantiæ.fin.med.* *Iſa.43.H*
Lingua primo occurrit in anatome porci, & de eius neruis. de anatomia parua. *Sp.42.G*
Lingua poteſt videri extra animal.4°.de anat.admi. 1ª.81.H
Linguam bubulam diſſecuit Pelops, ſed Galenus linguã ſimiæ.de muſculorum diſſectione. 1ª.46.E
Lingua bubula multum diſcrepat ab humana.2°.de ana.adm. 1ª.69.E
Lingua conuenienter in ore fuit poſita.8°.de vſu par. 1ª.167.A
Linguæ moles debẽt eſſe adaptatæ ori ad amuſſim.11°.ẽ v.p. 1ª.187.G
Lingua ſubiacet palato.de nat.& ord.cuiuslibet corp. *Sp.41.H*
Linguam quidam putarũt eſſe vnũ muſculũ.1°.de mo.muſ. 1ª.310.A
Linguæ compoſitio.de anat.viuo. *Sp.49.C*
Linguæ propria figura.de anat.viuo. *Sp.49.C*
Lingua cur in apice ſtricta eſt in radice lata.11°.de vſu par. 1ª.187.H
Lingua diuiſa eſt in duas partes cõſimiles, vt ſi forte paralytica ſit una medietas,reliqua motũ ſuũ et ſenſũ nõ amittat.ẽ an.vi.Sp.49.d
Lingua cur diuiſa in ſerpentibus.11°.de vſu par. 1ª.187.H
Linguæ tunica externa à quo ſit.9°.de vſu par. 1ª.175.E
Linguæ, palato, ventriculo, gulæ,& toti ori,communis eſt tunica. in progn.com.3°. 4ª.210.G
Linguæ connexionis ſymmetriæ ſi vel tantillum adieceris,aut ademeris,totius inſtrumenti actionem vitiaueris.11°.de vſu par. 1ª.188.B
Linguam tegentem pelliculam facit interna ventriculi tunica. de vic. rat.in morb.acu.com.3°. 7ª.127.H
Lingua tunicam cõem habet ad ventriculum.cõ.6°.ap.32°.Ex.49.H
Linguæ ſubſtantia qualis.intro. *Iſa.54.A*
Linguæ caro fungoſior & magis ſanguinea.3°.de alimen.fa. 2ª.26.G
Linguæ natura ferè glanduloſa.de bon.& vitio ſucc. 2ª.35.H
Lingua natura aliquo pacto glanduloſa eſt.de bon.& vit.ſuc. 2ª.35.H
Sub Lingua duæ concauitates de anat.viuo. *Sp.49.C*
Lingua mirabilis eſt in muſculis,& motibus.de fœt.for. 1ª.325.C
de Linguæ muſculorum multitudine, diſſectionis profeſſores diſſentiunt de fœtuum formatione. 1ª.325.C
de Linguæ motu quid dixerint antiqui.de fœt.for. 1ª.325.D
Linguæ motus quales & quot.1°.de mot.muſ. 1ª.309.H
Lingua ad omnem partem prompte mouetur.11°.de vſu par. 1ª.187.G
Lingua mouetur voluntarie,& quid agat.11°.de vſu par. 1ª.187.G
Lingua a quibus moueatur.8°.de vſu par. 1ª.166.H
Linguæ motus per muſculos.11°.de vſu par. 1ª.187.G
Linguæ motus ſine doctrina factus.6°.de lo.aff. 4ª.42.C
Linguæ muſculi faciunt omnes motus, & qui ſint, & quo modo.11°. de vſu partium. 1ª.187.H
Linguam mouentium muſculorum nomina.de muſc.diſs. 1ª.46.G
Linguæ bubulæ muſculi ſexdecim ſunt.de muſcu.diſſ. 1ª.46.E
Linguam mouentium muſculorum differentiæ, ortus, & proceſſus.de muſculorum diſſectione. 1ª.46.G
Linguæ muſculi quo modo ſe habeant.1°.de mot.muſc. 1ª.315.H
in Linguæ muſculos ſeptima neruorum coniugatio à cerebro orientium maxima ſui ipſarum parte diſtribuit.de neruo.diſſ. 1ª.53.H
Lingua mouet à ſeptima neruorum à cerebro ortorum coniugatione. 4°.de locis affectis. 4ª.22.G
in Lingua qũo ſe habet media conſtitutio.1°.de mot.muſ. 1ª.315.G
Lingua habet nouem muſculos,& qui.de anat.viuo. *Sp.49.C*
Linguæ muſculi habent capita neruoſa.3°.de alimen.fac. 2ª.26.G
Linguã mouens lacertus vnde oriatur.de mot.man.& obſc. *Sp.68.D*
Linguæ muſculorum magna pars vnde oriatur.7°.de vſu par. 1ª.161.D
Linguam dilatantes muſculi.de anat.viuo. *Sp.49.C*
Linguã eleuãdo eleuatur mãdibula inferior.de mo.ma.et obſ. *Sp.68.C*
Linguæ motum obliquum qui muſculi faciant, eorũq; ortus ac proceſſus.de muſc.diſſ. 1ª.46.F
in Lingua q muſculi faciant motũ circũuolationis. de ana.vi. *Sp.49.C*
in Lingua qui motus faciant duplicationẽ linguæ.de ana.vi. *Sp.49.C*
in Lingua qui muſculi faciant motũ retardationis.de an.vi. *Sp.49.D*
Lingua qũo fiat flexibilis.de comp.memb.ſiue de nat.huma. *Sp.58.F*
Linguæ muſculos ſcire quid ſit.2°.de anat.adm. 1ª.68.H
Linguam qui, quot ve muſculi moueant, nihil facit ad curationem, aut ad prænotionẽ, aut ad morborũ dignotionẽ.17°.de vſu pa. 1ª.221.F
à Linguã muſculis mouẽtibus non orit tendo.1°.de mo.muſ. 1ª.309.E
Linguã mouere a nullo didicit puer.in 6ᵐ.de mor.vul.cõ.1°.3ª.188.F
Linguæ circũiecta corpora quibus venis nutriãtur de ner.diſs. 1ª.58.A
Linguæ venæ vnde.de vena.art.diſs. 1ª.58.H

Linguæ inſu-

Linguæ insunt duæ venæ, & quo modo. 11°. *de vsu par.* 1ª.187.H
in Lingua venæ duæ cur. de voce & anhel. Sp.61.C
Lingua habet magnas venas aptas ad recipiendum humores. in 6ᵐ. *de mor. vulg. com.* 5°. 3ª.191.G
sub Lingua venæ sectio quando fieri debeat. 6°. *de comp. medicamento. secundum locos.* 5ª.174.A
sub Lingua vena quando secatur. de ana. viuo. Sp.55.B
sub Lingua venæ secantur in angina. de cur. ra. p sang. miss. 6ª.20.G
Linguæ venæ in angina secandæ. præsag. exper. confir. Sp.78.D
sub Lingua venæ sectio vacuat phlegmonem in faucibus sine medicamento. de vict. rat. in mor. acut. com. 4°. 7ª.138.G
sub Lingua venam in icteritia secat Galenus. 9°. *de compositione medicamen. per genera.* 5ª.198.C
sub Lingua venæ sectio secatur ob grauitatẽ linguæ. de ana. vi. Sp.55.B
Linguæ venæ obliquæ secandæ. præsag. exper. conf. Sp.78.D
sub Lingua venæ parũ sanguinis mittũt. de cu. ra. p sang. miss. 6ª.19.G
Linguæ insunt duæ arteriæ, & quo modo. 11°. *de vsu par.* 1ª.187.H
ad Linguam arteria quæ accedat. 17°. *de vsu par.* 1ª.220.B
in Lingua, & priapo arteriæ maiores sunt, quàm in alijs membris. de motibus man. & obsc. Sp.68.A
Lingua distenditur in longitudinem, non tamen in omnem dimensionẽ. de mot. man. & obs. Sp.68.B
Linguæ magnificationis causæ. de mot. man. & ob. Sp.67.H
Lingua parua quid faciat. de diff. mor. 3ª.5.B
Lingua & mollem habet, & humidam temperaturam. commen. 6°. *aphorismo* 32°. Ex.49.H
Lingua humida natura ventriculum humidum esse ostendit. commen. 6°. *aphorismo* 32°. Ex.50.A
Linguæ insunt duo nerui, & quo modo. 11°. *de vsu par.* 1ª.187.H
Lingua habet duplex genus neruorum. 8°. *de vsu par.* 1ª.166.H/1°. *de symp. cau.* 3ª.16.E
ad Linguam nerui tendentes, quo modo se habeant, & quales. 8°. *de vsu partium.* 1ª.166.H
ad Linguæ radicem nerui tenues in quibus animalibus perueniãt. 16°. *de vsu partium.* 1ª.216.H
in Lingua multi nerui. 4°. *de simp. med. fac.* 5ª.28.G
ad Linguam neruorum incessus. 9°. *de vsu par.* 1ª.173.H
in Linguam totam nerui qui. 9°. *de vsu par.* 1ª.175.C
Linguæ neruus cur mollior q̃ vt actioni cõueniat. 8°. *de vsu p.* 1ª.167.H
Linguæ nerui cur alijs crassiores. de instr. odor. 1ª.110.E
Linguæ nerui, venæ, & arteriæ sunt maiores & plures in lingua quàm proportione magnitudinis. 3°. *de alim. fac.* 2ª.26.G
Lingua habet maximos neruos propter sensum. 5°. *de vsu p.* 1ª.145.C
Linguæ ligamentum cur inferius. 11°. *de vsu par.* 1ª.188.A
Lingua magna pars animalis, & cuius gratia affecta. primo de vsu partium. 1ª.114.G
Linguæ vsus, qui. de ana. viuo. Sp.49.C
Linguæ officia, quæ. de mo. mus. 1ª.309.E
Lingua propter actionem totius animalis facta. 1°. *de v. p.* 1ª.114.G
Lingua longe differt in functionibus ab artuum partibus. 4°. *de præsagitione ex puls.* 4ª.20.G
Lingua duas habet actiones. 1°. *de sym. cau.* 3ª.15.G
Lingua instrumentum est. de nat. hum. com. 1°. 1ª.26.C
Lingua quod instrumentum fit. in 1ᵐ. *prorrh. com.* 1°. 4ª.162.D
Lingua quod organum, & eius officium. 4°. *de simp. med. fa.* 5ª.28.G
Lingua an vocis instrumentum, & quo modo. 2°. *de dec. Hip.* 1ª.236.F
LINGVA *instrumentum est locutionis. in* 1ᵐ. *de morb. vulg. com.* 2°. 3ᵉ. 115.F/*de anat. viuo.* Sp.49.C
à Lingua fit loquendi vsus. 4°. *de loc. aff.* 4ª.26.E
Linguæ est locutio. 1°. *meth. med.* 7ª.6.B
Lingua potius errandum quàm vita. de ord. lib. suorum. Isa.15.F
Lingua aperit spiritualem canalem quando loquimur, claudit quando mãducamus. de nat. & ord. cuius. corp. Sp.41.H
Lingua in exprimendis vocibus quibus inhæreat. de fæt. for. 1ª.325.D
Linguam se ampliantem, & prioribus dentibus innuentem quæ voces exigant. com. 7°. *aph.* 32°. Ex.49.H
Linguæ organa quodam modo sunt dentes nostri. de natura & ordine cuiuslibet corporis. Sp.42.D
Lingua imbecillior non potest exquisite proferre istas voces, traulus, trepidus, tremit, tradit, trochus, triflis, & similia. commen. 6°. *aphoris.* 32°. Ex.49.G
Lingua imbecillis volens proferre. t. & r. profert. t. & l. commen. 6°. *aphorismo* 32°. Ex.49.H
Linguæ vitium est, non vocis balbutire. com. 6°. *apho.* 32°. Ex.49.H
Linguæ breuis est quandoq; causa balbutiei. c. 6°. *aph.* 32°. Ex.49.H
Lingua rarissime breuis est. com. 6°. *aph.* 32°. Ex.49.H
q Linquã hãt vehemẽtius exiccatã balbutiũt. c. 6°. *aph.* 32°. Ex.49.H
Linguæ musculi cur negant firmiter stabiliri in balbis. commẽtario 6°. *aphorismo* 32°. Ex.49.H
Lingua acuta peccat in formatione vocis. de anat. viuo. Sp.49.C
Lingua obtusa peccat in formatione vocis. de ana. viuo. Sp.49.C
Lingua ob siccitatem efficitur tarda. 11°. *de vsu par.* 1ª.188.A
Lingua quibus redditur expedita. de dyna. Sp.25.D
Linguã velocem ferè semper habent melancholici, sed & balbe, et exili voce loquuntur. de mel. ex Gal. Ruff. & Poss. Sp.109.E
sub Lingua cur positæ sint glandulæ. de ana. viuo. Sp.44.D
in Linguæ radice cur glandulæ sint. 10°. *de vsu par.* 1ª.181.H
Linguæ glandulæ similes glandibus mammarũ. 3°. *de alim. fa.* 2ª.26.H
Lingua habet duas glandulas. de voc. & anhel. Sp.61.C
Linguæ glandulę officium. de vtil. resp. Sp.63.A
Linguæ glandulæ ad saliuam generandam à natura comparatæ. 3°. *de alimen. facul.* 2ª.26.G/H
Linguæ cur inest humor viscosus. 13°. *de vsu par.* 1ª.201.H
Lingua habet saliuã, q̃ alterat, & ea nutrit. c. 3°. *apho.* 39°. Ex.41.C
LINGVA *est instrumentum gustatus. de instr. odor.* 1ª.110.E
Lingua communi sensu tactus partium omnium excellentiorem sensum obtinet. 16°. *de vsu par.* 1ª.215.A
in Lingua idem neruus tangit & gustat. 4°. *de loc. aff.* 4ª.22.G
Linguæ dãt gustũ et tactũ nerui a tertia cõiugatione. 4°. *d l. af.* 4ª.22.G
Linguæ præstatur qualitas gustabilis. de compagine membrorum, siue de natura humana. Sp.58.D
Lingua præ omnibus sentit gustabilem qualitatem, quare. de compagine memb. siue de nat. hum. Sp.58.D
Linguam comprimens sapor. de cõpag. memb. siue de natu. hu. Sp.58.E
Lingua quibus partibus sapores sentit. 8°. *de vsu par.* 1ª.166.H
cum Lingua dentes discernunt omnes sapores, non aliter quam aliæ oris partes. 16°. *de vsu par.* 1ª.215.A
Lingua cur sapores percipit. 2°. *meth. med.* 7ª.10.E
Lingua qũo sapores discernat. 11°. *de vsu par.* 1ª.187.H
Lingua quo modo vitiosè sapores sentiat. 1°. *de sym. cau.* 3ª.15.G
in Lingua affecta extraneis humoribus, quæ sunt, gustandi facultas sensibilibus imputat. 1°. *de sym. cau.* 3ª.16.H
Lingua raro, sed quandoque tamen sentit quę in se habet, nisi alia gustet. 1°. *de sym. cau.* 3ª.15.H
Lingua quibus delectetur. 1°. *de symp. cau.* 3ª.17.D/*de ocul.* 7ª.187.H
Lingua gaudet succis, quos vẽtriculus desiderat. 1°. *de sy. cau.* 3ª.17.d
Linguæ & ventriculi societas, quæ. 1°. *de sym. cau.* 3ª.17.D
Lingua habet euidentissimam dulcedinis sensionẽ. de victus ra. in mor. acutis, com. 3°. 7ª.127.H
Lingua habet in se dulce. 1°. *de sym. cau.* 3ª.17.D
in Lingua quod est dulce, pituitæ species est. 1°. *de symp. cau.* 3ª.17.D
Linguã mordẽtia & calfaciẽtia, sunt attenuãtia. de atte. vi. ra. 2ª.44.D
Lingua quid cõferat ad masticationem. 11°. *de vsu par.* 1ª.85.F
Lingua cum sentitur sanguis extra venas, tale quid patitur, quale ab extrinsecus admotis. 1°. *de symp. cau.* 3ª.17.D
de LINGVÆ *affectibus.* 4°. *de loc. aff.* 4ª.22.G
in Lingua quæ sint ægritudines. de symp. diff. 3ª.11.E
Linguæ duo morbi. 2°. *meth. med.* 7ª.10.E
Linguam pati faciunt vel cum delectatione, vel cum nocumento quibus acr dominatur. de ocul. 7ª.187.H
Linguæ cur amara videãtur q̃ gustat. in 6ᵐ. *d mor. vul. c.* 5°. 3ª.192.C
Linguæ cur salsa videãtur quæ gustat. ĩ 6ᵐ. *de mor. vul. c.* 5°. 3ª.192.C
circa Linguã saliuæ qualitas mutatur. de sym. diff. 3ª.13.C
in Lingua sola alienus color cum subinde aspicitur, quod genus est symptomatis. de sym. diff. 3ª.13.B
Linguæ q̃n tingũtur ex humoribus. in 6ᵐ. *de mor. vul. c.* 5°. 3ª.191.H
Linguę & totius corporis color alteratur iecore vitiato. 2°. *de locis affectis.* 4ª.13.C
Lingua maxime sedem affectam ostendit. 2°. *de loc. aff.* 4ª.13.C
Linguæ albidæ qũo fiant. in 6ᵐ. *de morb. vulg. com.* 5°. 3ª.191.H
Linguæ nigræ qũo fiant. in 6ᵐ. *de mor. vulg. com.* 5°. 3ª.191.H
Lingua nigra qd significet. in 6ᵐ. *de morb. vulg. com.* 5°. 3ª.192.B
Lingua nigricans ardentem febrem portendit. 1°. *de lo. aff.* 4ª.6.D
Lingua cur nigrescat. de vict. ra. in morb. acu. com. 4°. 7ª.134.H

Lingua fit

Lingua atra fit ex morbo pulmonis. 4°. de præsag. ex pul. 4ª.19.G
ex Lingua nigra corporis affectiones cognoscũt. 8°. d dec. Hi. 1ª.275.H
Linguæ rubræ qũo fiant. in 6ᵐ. de morb. vulg. com. 5°. 3ª.191.H
Linguæ virides, quæ. in 6ᵐ. de mor. vul. com. 5°. 5ª.191.E
Lingua viridis quid significet. in 6ᵐ. de mor. vul. com. 5°. 3ª.192.B
Lingua fuliginosa, quæ. in 3ᵐ. de morb. vulg. com. 3°. 3ª.151.A
Lingua fuliginosa in virgine quadam, quæ Lariſſæ acuta & ardenti febre detinebatur. in 3ᵐ. de mor. vul. com. 3°. 3ª.150.H
Linguæ denſæ & aridæ phreniticæ. in 1ᵐ. prorrh. com. 1°. 4ª.162.C
Lingua denſa vnde. in 1ᵐ. prorrh. com. 1°. 4ª.162.C
Linguæ aridæ qũo fiant. in 6ᵐ. de morb. vulg. com. 5°. 3ª.191.H
Lingua arida ī Philiſco fuit, de cuius ægritudine meminit Hippocrates. in 1ᵐ. de morb. vulg. com. 3°. 3ª.121.A
Linguam aridam ſine ſiti in quodam ægro fuiſſe refert Hippocrates. in 1ᵐ. de morb. vulg. com. 3°. 3ª.125.D
Lingua arida ſine ſiti in Hermocrate qua ratione fuerit. in 3ᵐ. de mor. vulg. com. 1°. 3ª.132.G
Lingua arida ſine ſiti qũo eſſe poſſit. in 3ᵐ. de mor. vul. c. 1°. 3ª.132.H
Lingua ſicca non ſentit 7°. de decr. Hipp. 1ª.271.G
Lingua aduſta quid ſignificet. in 3ᵐ. de morb. vul. com. 1°. 3ª.131.B
Lingua aduſta exiſtẽs, ſi ingens ſitis abſit in acuta & valida febre, quid indicet. in 3ᵐ. de mor. vulg. com. 1°. 3ª.131.B
Lingua, & os quibus facile deſiccatur, aloen damus. de dyn. Sp.20.H
Lingua aſpera vnde. in 1ᵐ. prorrh. com. 1°. 4ª.162.C
Lingua cur aſpera reddatur. de victu. ra. in mor. acu. com. 4°. 7ª.134.H
Linguæ aſperitas quo lunæ aſpectu fiat. de decub. progn. Sp.12.G
Lingua aſpera melle fricanda. de dynam. Sp.20.A
Lingua lenitur humidis. ars med. Iſa.69.E
Linguæ nigræ ab vtero ſæpius fiunt. in 6ᵐ. de mor. vul. c. 5°. 3ª.191.H
Lingua turbata quarto die febriẽti ſignificat delirium futurum. de vic. rat. in morb. acut. com. 4°. 7ª.142.G
Linguæ dolores & oris lentiſcino oleo curantur. 5°. de compoſi. medica. ſecundum locos. 5ª.162.H
Lingua grauior in morbo ex thorace. de dyn. Sp.19.G
ad Linguam fluctione laborantem. de med. fac. par. 7ª.173.E
in Linguæ phlegmone euitanda quæ pituitam per os euocant. 13°. methodi medendi. 7ª.83.A
Lingua magna quid faciat. de diff. morb. 5ª.5.B
pro Linguæ magnitudine lactucæ ſuccus conuenit, ſi eo colluatur lingua. 14°. meth. med. 7ª.89.C
Linguam adeo tumefactam quidam habebat, vt in ore illam continere non poſſet. 14°. meth. med. 7ª.89.C
ad Linguæ tumores quid conueniat. 6°. de comp. me. ſec. loc. 5ª.176.A
Lingua incontinens quæ ſit. com. 7°. aph. 40°. Ex.57.B
Lingua ſi repente incontinẽs fiat, aut aliqua pars corporis ſtupore clanguit tale eſt melancholicum. com. 7°. aph. 40°. Ex.57.B
Linguæ incontinentia non videtur antecedere melancholicum. commẽtario 7°. apho. 40°. Ex.57.B
Linguæ paralyſis nullum nomen habet. 2°. de ſymp. cau. 3ª.19.G
Linguæ motus ſolus vitio carebit, quando anterior pars duntaxat cerebri afficietur. 4°. de loc. aff. 4ª.22.H
Lingua ſola paralytica fit, tũ ſeruat tactũ et guſtũ. 4°. de l. aff. 4ª.22.H
Linguæ motus vitiatur per ſeptimam neruorum coniugationem. 4°. de locis affectis. 4ª.23.B
Lĩguæ sẽſus põt vitiari p tertiã neruorũ cõiugationẽ. 4°. d l. a. 4ª.23.B
Lingua reſoluta põt clamare, nõ loqui. ī 3ᵐ. d mor. vul. c. 3°. 3ª.149.C
ad Linguæ mollificationem ſecret. Sp.98.C
Linguæ tremor vnde oriatur. in 1ᵐ. prorrh. com. 1°. 4ª.166.B
Lingua obtremiſcens ſignificat mentem non conſtantem. in 1ᵐ. prorrh. commentario 1°. 4ª.166.B
Lingua cur contremiſcat. in 1ᵐ. prorrh. com. 1°. 4ª.166.B
Linguæ radix cõuelliẽ, & tunc q̃ pars ſit affecta. 3°. de lo. af. 4ª.17.D
Linguæ nexus immodici in quo genere ægritudinis. de dif. mor. 3ª.5.C
in Linguæ vitio, deiectione vtaris. 14°. meth. med. 7ª.89.C
Lingua exerta apto ore canis rabidi exẽplo quidã iactãtes ſe medicæ ſpeculatiõis principes eſſe, impudenter reſiſtũt dicẽtibus fieri poſſe, vt ſolo pſpecto colore, affecta ſedes interdũ noſcaĩ. 5°. d l. a. 4ª.34.C
Linguæ pars dimidia abſciſſa quę ſit ægritudo. de diff. mor. 3ª.5.A
Lingua mutilata erit aliqua magnitudinis diminutio, tamen ipſum animal non neceſſario dicitur mutilum. de diff. morb. 3ª.4.H
Linguæ partem anteriorem quidam mordicus abſcidit in magna neruorum diſtentione. de diff. morb. 3ª.4.G
Lingua amota tuſſim concitat. de opt. ſect. Iſa.21.F
Linguam cuiuſdam ſupra modum abſque vllo doloris ſenſu excreuiſſe vidit Galenus. de diff. morb. 3ª.5.B
Linguam ſubmordet omphax. de ſimp. med. Sp.88.B
Linguam vlcerat tithymalli ſuccus. de dyna. Sp.21.E
Linguæ vulneris præſidium. de dyna. Sp.25.D
ad Linguæ radicem confert ſuccus centaureæ. de virt. cent. Sp.93.D
LINGVA *eſt de cibarijs medijs. de diff. cont.* Sp.74.C
cum Lingua coquuntur laryax, & epiglottis. 3°. de alim. fac. 2ª.26.G
Linguæ ſimile corpus in laryngis meatu, & quale. 7°. de v. p. 1ª.160.B
Linguæ laryngis vſus. 7°. de vſu par. 1ª.160.H
Lingua aquilæ collo ſuſpenſa ad quid iuuet. de med. fac. par. 7ª.171.B
ſub Lingua tenenda medicamenta quando, & quo modo vocentur. 7°. de comp. med. ſec. loc. 5ª.177.E
ſub Lingua quo modo continenda medicamenta, quæ ad pectus tendere debent. de vſu ther. ad Pamph. 5ª.98.G
LINGVLÆ *corpus cur membranoſum eſt. 7°. de vſu par.* 1ª.161.C
in Lingula cur foramina. 7°. de vſu par. 1ª.161.A
Lingula cur viſcoſa ac pinguis. 7°. de vſu par. 1ª.161.C
Lingulæ officium intro. Iſa.54.C
Lingula cooperit guttur in deglutiendo. intro. Iſa.54.C
Lingulam, vel epiglottida fuiſſe affectã oſtendit tunica viſcoſa, & craſſa, quæ tuſſiendo reiecta fuit. 1°. de lo. aff. 4ª.2.D
Lingulæ aliquid quandoque excreatur. 4°. de loc. aff. 4ª.28.B
Λινόν *quid nominare cõſueuerit Herophilus. 9°. de vſu par.* 1ª.173.C
LINOSPERMON, *id eſt lini ſemen, cuius facultatis. 7°. de ſimpli. medic. facul.* 5ª.54.F
LINOZOSTIS, *& mercurialis herba, idem. de ſimp. med.* Sp.86.E
Linozoſtis, id eſt mercurialis, quid. de ſimp. med. Sp.86.E
Linozoſtis cuius facultatis. 7°. de ſimp. med. fac. 5ª.54.F
Linozoſtis, id eſt mercurialis, ſtercus expellit. de dyna. Sp.21.H
Linozoſtis pituitam aquoſam educit. de dyn. Sp.22.B
LINTEOLO *illigat ſimplicia, & facit ea ebullire. 7°. de compoſitione medic. ſec. loc.* 5ª.180.G
per Linteolum concernit pulueres. 6°. de comp. med. ſec. loc. 5ª.175.D
per Linteum exprimit ſuccos. 3°. de comp. med. ſec. loc. 5ª.145.C
per Linteum colat. 6°. de compo. med. ſec. loc. 5ª.170.D/ *de me. facul. par. 7ª.* 172.A
Lintea quo lapide ad ſplendorem ducantur. 9°. de ſimp. me. fa. 5ª.68.D
LINTEOLO *fricandum corpus ante exercitationem. 2°. de ſanitate tuenda.* 2ª.69.H
Lintea pro frictionibus qualia eſſe debent. 12°. met. med. 7ª.75.F
Lintea duriora accipiantur pro frictionibus ante balneum aquæ frigidæ. 3°. de ſanitate tuenda. 2ª.78.C
Linteum ſuperponendum loco qui debet fomentari. de victus ratione in mor. acu. com. 2°. 7ª.116.G
Lintea qualia præparanda. de ijs, quæ in me. fi. cõ. 2°. 7ª.211.F
Lintea quibus irriganda. de ijs, quæ in med. fi. com. 2°. 7ª.211.G
LINTEIS *alligabimus adſtringenda. de faſcijs.* 7ª.293.F
Linteorum duo ſubligamina. de ijs, quæ in med. fi. com. 2°. 7ª.214.E
ex Linteo ſi fiat faſcia, qũo linteũ frangi debeat. de faſcijs. 7ª.293.H
in Lintei lõgitudinẽ factæ faſcię firmius tenẽt vinctũ. de fa. 7ª.293.H
ex Linteo vno extremis partibus vel alibi ſciſſo confectæ faſciæ, dicũtur ſciſſę. de faſcijs. 7ª.293.H
Linteum ſciſſum ad ſummum caput et ei proximam regionem quo modo fieri debeat. de faſcijs. 7ª.294.D
Linteũ ſciſſum ad frontẽ, & partes, quę iuxta ſunt. de faſcijs. 7ª.294.E
Linteum ſciſſum ad totum caput. de faſcijs. 7ª.294.E
Linteum ſciſſum ad naſum. de faſcijs. 7ª.298.A
Linteum ſciſſum in quatuor partes ad aures. de faſcijs. 7ª.299.E
Linteũ ſciſſum in partes ſex ad regionẽ iuxta aurẽ. d faſcijs. 7ª.299.F
LINA *marinæ purpuræ, ſi illis vipera ſuffocetur, & collo alicuius ligentur, pariſthmijs, & morbis colli proſunt. 6°. de ſimplicium medicamen. facul.* 5ª.45.H
LINI *ſemen quale. de vict. rat. in mor. acu. com. 4°.* 7ª.140.H
Lini ſemen eſt craſſum eſſentia. 3°. de ſimp. med. fac. 5ª.18.G
Lini ſeminis vſus & temperies. 1°. de alim. fac. 2ª.15.E
Lini ſemen cibus ſimul eſt & medicamẽtum multi ſeminis. 5°. de ſimpli. medic. facul. 5ª.38.E
Lini ſemẽ medicamẽtoſum, et tentat caput. de atten. vic. ra. 2ª.44.E
Lini ſemine quo modo vtantur ruſtici. 1°. de alim. fac. 2ª.15.E
Lini ſemen flatuoſũ eſt, et humidũ hũs recremẽtũ. 7°. de ſi. m. f. 5ª.54.F

Lini semen calidum in primo ordine, & temperatum in passiuis qualitatibus.7°.de simp.med.fac. 5ª.54.F
Lini semen tepidum est, vt rosaceum.3°.de simp.me.sa. 5ª.18.G
Lini semen temperatum est.3°.de simp.med.sa. 5ª.19.B
Lini semen calorem temperatum habet.11°.meth.med. 7ª.73.C
Lini semen quid agat.1°.de alim.fac. 2ª.15.E
Lini semẽ gratũ visceribus sub Hypochondrijs.3°.de si.me.f. 5ª.18.H
Lini semine tepido, ex aqua & oleo cocto illinenda sunt hypochondria quando sunt tensa.de vict.ra.in mor.acu.com.4°. 7ª.140.H
ex Lini semine crudo fomenta in dolore fiunt.2°.de arte curatiua ad Glauconem. 7ª.104.G
Lini semẽ ad tormina sine febre valet.d vi.ra.in mor.a.c.4°. 7ª.149.C
ex Lini semine cataplasma in pleuritide.de vi.ra.ĩ m.a.c.4°. 7ª.144.B
Lini semen si in aqua coquas, refrigerantem cremorem efficit.6°.de sanitate tuenda. 2ª.100.F
Lini semen exiccat & refrigerat.de vic.ra.in mor.acu.cõ.4°. 7ª.149.b
Lini semen purgat pulmonem, & thoracem.de cathar. Sp.95.C
Lini semen mouet vrinam.1°.de alim.fac. 2ª.15.E
Lini semen frangit lapidem renum, & vesicæ.de cathar. Sp.95.D
Lini semen tostum, quid efficiat.7°.de comp.me.sec.lo. 5ª.182.A/H
Lini semẽ torrefactũ extergit absq; acrimonia.7°.d c.m.s.l. 5ª.177.F
Lini semen frictum.de med.fac.par. 7ª.171.E
LIPARA compositio, qualis.1°.de comp.med.sec.loc. 5ª.131.E
Liparon emplastrum.1°.de comp.med.per ge. 5ª.217.H
LIPODERMVS *quid.fin.med.* Isa.49.B
ad Lipodermos malagma.7°.de comp.med.per ge. 5ª.267.A
LIPPIENTEM *alui pfluuio corripi, bonũ.com.6°.aph.17°.* Ex.47.H
Lippientibus qui colores conferunt.de subf.empi. Isa.32.B
Lippientibus qui colores obsint.de subf.empi. Isa.32.B
ad Lippientes angulos oculorum valet fuligo picæ tedæ.8°.de simpli. med.fac. 5ª.58.F
ad Lippientes collyrium.3°.de com.me.per ge.234.H/6°. 5ª.258.F
iam Lippientibus in linteolo collyrium adhibetur.5°.de composi.med. per genera. 5ª.247.F
Lippientium fluxus quam promptissime cohibens emplastrum.6°.de com.med.per gene. 5ª.259.G
ad Lippientes emplastrum Azanitæ confert, & quo modo ponendũ. 5°.de comp.med.per gene. 5ª.247.D
LIPPITVDINES *cur ita dictæ.com.3°.aph.12°.* Ex.21.G
Lippitudo quid.introd. Isa.58.D
Lippitudo morbus est in oculo.de diff.morb. 3ª.5.H
Lippitudo frequentissima oculorũ affectio.4°.de cõ.med.se.l. 5ª.150.F
Lippitudo affectus est totum oculum exercens.intro. Isa.58.D
Lippitudo cuius sit ægritudo propria, & cuius ex accidenti. de differẽtijs morborum. 3ª.5.H
Lippitudo morbus est contagiosus.4°.de diff.puls. 4ª.64.H
vt Lippitudo, & scabies, pestilẽtia cõtagiosa est.1°.d diff.mor.3ª.31.B
Lippitudines tabidæ quo, & ex quibus fiant.c.3°.aph.16°. Ex.23.A
Lippitudines infestant eos qui sunt repleto capite, his dẽptis qui habent oculos præualidos.com.3°.aph.11°. Ex.21.C
Lippitudines qua tẽpestate, & propter qd.cõ.3°.aph.14°. Ex.22.D
Lippitudines qua tempestate, & quibus annis maxime accidant.cõ. 3°.apho.12°. Ex.21.F
Lippitudines cur fiant æstate.com.3°.apho.21°. Ex.24.C/D
Lippitudines cur fiant, si fuerit byems aquilonia, & autumnus australis.com.3°.aph.11°. Ex.21.A
cur Lippitudo per circuitum fiat.2°.de diff.feb. 3ª.41.F
Lippitudines infestantes quotidie, & tertio die cur eueniunt.2°.de differentijs febrium. 3ª.40.E
Lippitudo oculorũ cũ catocho pessima.i 3ᵐ.d mor.vul.c.2°. 3ª.140.A
in Lippitudine, principio copiosus humor tenuis, & incoctus plurimũ defluit.de tot.morb.temp. 3ª.88.G
Lippitudo lachrymas facit.com.4°.aph.52°. Ex.33.D
in Lippitudine palpebræ dormiẽtiũ agglutinant.d tot.mor.tẽ. 3ª.88.H
Lippitudo cur facta humida.in 3ᵐ.de morb.vul.com.3°. 3ª.146.H
Lippitudo citra fluxionẽ qñ fiat.in 1ᵐ.de mor.vul.com.1°. 3ª.108.C
Lippitudines humidæ quibus accidãt.de aere, aquis, et locis. 2ª.2.F
Lippitudinẽ siccã, & scabiosam iuuãt collyria oxydercica.int.Is.58.B
ad Lippitudinẽ siccã cõmodũ quid.4°.de comp.med.sec.loc. 5ª.152.D
ad Lippitudinem scabram & aridam illitio mordax bono.4°.de com. med.sec.loc. 5ª.153.E
Lippitudo ab alui profluuio soluitur prope finẽ.c.4°.ap.2°. Ex.27.H
LIPPITVDINIBVS *quæ cõmoda.4°.de com.me.sec.loc.* 5ª.149.G
ad Lippitudinẽ remedia, q.cõ.6°.aph.17°.Ex.47.H/de dyn.Sp.24.G
Lippitudo quo modo detergenda.de remed.fac.par. 7ª.156.B
Lippitudinis impetus glaucium stringit.de simp.med. Sp.84.F
Lippitudines sanare non potest ladanum.7°.de simp.me.fac. 5ª.51.E
ad Lippitudines oui candidũ confert.3°.de comp.me.se.lo. 5ª.140.G
Lippitudines optime curat satyrium.de simp.med. Sp.91.C
ad Lippitudines æstiuas.de remed.par.fac. 7ª.156.B
ad Lippitudinẽ incipiẽtẽ qd cõferat.4°.de c.me.se.l.152.G/5ª.154.A
ad Lippitudines diuturnas.de remed.par.fac. 7ª.156.B
Lippitudine oculorũ veteri infestatos qd iuuet.de c.me.se.l. 5ª.139.A
ad Lippitudines inueteratas quid bonum.4°.de composi. med.se.loc. 152.F/154.C/155.G/ 5ª.156.H
ad Lippitudines ad malum habitum productas collyrium.4°.de comp. med.sec.loc. 5ª.156.H
ad Lippitudines oẽs.4°.de cõ.me.se.l.152.G/154.A/155.C/ 5ª.156.E
Lippitudo, vide Ophthalmia.
LIPPI *vident iridem ad lucernam.de hist.philos.* Sp.8.A
LIPSIANI *quid.de simp.med.* Sp.86.C
Lipsiani acriter relaxant, lumbricos occidunt, partũ expellunt.de sim. medicam. Sp.86.C
Lipyria febris, quæ.fin.med. Isa.46.C
Lipyria febris ad quod genus relegetur.in prog.com.2°. 4ª.198.D
Lipyria est consequens febris.com.7°.aph.42°. Ex.57.D
Lipyriæ febres, quales.de inæq.intemp. 3ª.44.G
Lipyriæ febres & hepialæ quos habent casus.1°.de diff.feb. 3ª.34.A
Lipyriæ febres sunt putridæ, 1°.de diff.feb. 3ª.34.A
Lipyriæ febres quid faciant.3°.de simp.med.fac. 5ª.21.A
in Lipyrijs febribus arteriarum partes sunt frigidiores.3°.de præsag. ex puls. 4ª.115.D
LIQVABILIA quæ vocentur.3°.de com.me.per ge. 5ª.233.F
ex Liquabilibus medicamentum.3°.de comp.med.per gen. 5ª.233.F
LIQVANTIA *sunt calida potestate.3°.de temp.* 1ª.23.F
LIQVEFACIENDVM *igne non flamma, quid.5°.de compositio. medica. per genera.* 5ª.247.E
Liquefaciens humores medicamen.de med.exper. Sp.106.B
Liquefaciens phlegma medicamen.de med.exper. Sp.108.A
Liquefaciens phlegma electarium.de med.exper. Sp.107.A/G
Liquefaciens phlegma viscosum electarium.de med.exper. Sp.108.D
si LIQVEFIAT *metallũ, maius sit q̃ fuerit prius.de vt.re.* Sp.64.A
LIQVESCANT *qño metalla.de vtil.resp.* Sp.64.A
LIQVENTVR *quæ igne.3°.de comp.med.per ge.* 5ª.233.F
Liquari quæ possunt, liquida ingrediuntur compositiones.2°.de comp. med.per genera. 5ª.227.F
nõ Liquatur nec siccanẽ fibræ, vt carnes faciunt.10°.me.med. 7ª.67.E
Liquare pro mollire.2°.de san.tuen. 2ª.71.B
Liquandi vim obtinet laserpitium.8°.de simp.me.fa. 5ª.60.F
LIQVIDIOR *est sanguis arteriæ quam venæ.de vtil.resp.* Sp.64.E
Liquidioris sanguinis homines sunt timidi, et boni sensus, quia molles carne.de vtil.resp. Sp.64.F
in LIQVIDO *sanguine nulli inueniuntur neruuli.de vti.resp.* Sp.64.F
Liquidus est humor albugineus, & cur.de anat.viuo. Sp.48.E
Liquidæ compositiones inunctiles in quibus conueniant.4°.de composi tio.medic.sec.loc. 5ª.151.B
Liquidum cur non effluit a manu.1°.de vsu par. 1ª.116.D
Liquidis accipiendis materia apta est chondrus.8°.de si.me.f. 5ª.63.H
Liquidũ significat nõ coctum.de vict.ra.in mor.acu.com.4°. 7ª.134.G
Liquida non exeunt è ventriculo, quia liquida.1°.de nat.fa. 1ª.296.D
Liqdi motus sunt illi, q sunt sensui manifesti.de mot.ma.& ob. Sp.66.D
LIQVIRITIÆ *semen purgat vesicam.de cathar.* Sp.95.D
Vide Glycyriza.
LIQVORES *sunt tenuiũ partiũ, & calidi.8°.de sim.me.fa.* 5ª.60.A
Liquores habẽt varios sapores ex terra mixta.de vtil.resp. Sp.64.F
in Liquore fructuum crassum quippiam defertur.1°.d si.me.fa. 5ª.5.D
Liquore è tritico exit qũo.5°.de comp.med.sec.loc. 5ª.160.H
Liquores alij non nutriũt præter vinũ.de ren.asse.dig.& med. 7ª.195.G
Liquores ex calore primo dulcescũt, post amarescũt.de ocul. 7ª.188.g
Liquores quales esse debeant.1°.de antid. 5ª.110.D
ex Liquoribus & succis simplicia quæ, & quod facile læuigantur.4°. de comp.mẽ.per ge. 5ª.237.H
Liquor Cerenaicus acris.4°.de comp.med.sec.loc. 5ª.149.F
Liquor Euphorbij acris.4°.de comp.med.sec.loc. 5ª.149.F

Liquor Medicus acris.4°.de comp.med.sec.loc. 5ª.149.F
Liquo Sagapeni acris.4°.de comp.med.sec.loc. 5ª.149.F
Liquores tres acrimoniæ expertes, quibus alij duo adduntur. 4°.*de cõ po.med.sec.loc.* 5ª.151.C
Liquor, vide Succus.
LIS mala quæ.1°.meth.med. 7ª.2.G
LITE viride emplastrum.2°.de comp.me.per gen. 5ª.220.E
Lite vt sit, quid requiratur.2°.de compo.med.per genera. 5ª.220.E
Lite ex salicibus vt Herodotus.5°.de comp.me.per ge. 5ª.248.G
Lite emplastrum.2°.de comp.med.per gene. 5ª.221.D
Lite fuscum.6°.de compo.me.per gene. 5ª.259.A
Lite icesium Heraclidis.5°.de comp.med.per gen. 5ª.250.A
LITERARVM *diuisio.9°.de decre.Hipp.* 1ª.282.E
Literas apud Aegyptios inuenit Theuth.9°.de decr.Hip. 1ª.282.E
per Literas multos curauit Galenus.4°.de loc.aff. 4ª.22.C
Literas accipiebat Galenus ex Iberia, Celtica, Asia, et Thracia.4°.de locis affectis. 4ª.22.C
LITHARGYRVS *quid, & eius vires.de simp.me.* Sp.90.F
Lithargyrus præparatur.9°.de simp. med.fac. 5ª.78.D
Lithargyrus Romæ habetur.1°.de antid. 5ª.100.D
Lithargyrus, qualis.9°.de simp.med.fac. 5ª.69.H
Lithargyrus temperatus.9°.de simp.med.fac. 5ª.70.A
Lithargyrus leuissimus est.7°.de comp.med.per gene. 5ª.268.H
Lithargyrus per erosionem interimit.4°.de simp.med.fac. 5ª.30.B
Lithargyro cur vtamur i pluribus medicamẽtis.9°.de si.m.f. 5ª.70.A
Lithargyrus cicatricem inducit per accidens.5°.de si.med.f. 5ª.36.D
Lithargyrus in intrinsecis vlceribus sumi non debet, sed co vtimur in extrinsecis.4°.meth.med. 7ª.28.H
Lithargyrus ad intertrigenes femorum vtilis medela est.9°.de simp. med.facul. 5ª.70.A
Lithargyri vires habet plumbago.9°.de simp.med.fac. 5ª.70.D
LITHIASIS *quid.fin.med.47.G/48.F/intro.* Isa.58.G
Lithiasis affectus partium exteriorum palpebrarum. intro. Isa.58.D
LITHOCOLLA *vtitur ad pilos agglutinandos.4°.de comp. medicam. secundum locos.* 5ª.153.C
Λιθωνθρυπτικὰς *facultates à calculis comminuendis vocant.5°.de simpli.med.fac.* 5ª.32.B
LITHOIDES *os, quid.intro.Isag.54.F/de ossib.40.H/4°.de anatom.ad ministrationibus.* 1ª.84.D
Λιθόλαβον *ferrum, quod.intro.* Isa.60.B
LITIGATORE *se, et se ẽt iudice vicit Thessalus.1°.meth.me.* 7ª.3.A
LITRVM *in medio salis, & aphrolitri vires habet.11°.de simplicium med.fac.* 5ª.83.E
Litrũ berecinũ facit ad vulnera neruorũ. 3°.de c.m.per ge. 5ª.230.F
LITTORALES. *pisces neque crassi, neque tenuis succi sunt. de bon.& vitio succorum.* 2ª.34.H
in Littore mulieris decumbentis casus ab Hippocrate refertur.in 1ᵐ. de morb.vulg.com.3°. 3ª.126.E
LIVENTIA, *ac lichenas sanat rha.8°.de simp.med.fac.* 5ª.59.E
Liuescere quid significet.in prog.com.2°. 4ª.198.F
Liuescentia dura nigrescunt.de fract.com.2°. 7ª.236.C
ad LIVIDITATES *oculorum valet succus centaureæ.de virtute centaureæ.* Sp.93.D
LIVIDVM *græce pelidnon vocant.14°.meth.med.* 7ª.89.D
Liuidum quid significet.in prog.com.3°. 4ª.211.D
Liuidus, et niger color cõtrarius est flauo et pallido.14°.m.m. 7ª.87.E
Liuidus color quid sit, & qũo fiat.de fract.com.2°. 7ª.236.C
Liuidus color semp malus in febribus.in 6ᵐ.d mor.vul.c.1°. 3ª.159.g
Liuidũ et nigrũ colorẽ facit frigus.de mel.ex Gal.R.& Po. Sp.109.E
Liuidus colore musculus, qui.de mus.diss. 1ª.52.A
Liuidum corpus qũo fiat.de tum. præter na.84.C/in 6ᵐ.de morbis vulgarib.com.3°. 3ª.178.A
Liuida extrema in Philisco fuere.in 1ᵐ.de mor.vulg.c.3°. 3ª.121.B
Liuida frigidaq; cur fiant extrema.in 3ᵐ.de mor.vul.c.2°. 3ª.131.B
Liuida cur sint extrema ĩ acutis morbis.in 1ᵐ.d mor.vul.c.2°. 3ª.115.b
Liuidæ, & frigidæ extremitates in acuto morbo lætales sunt. in 3ᵐ.de morb.vulg.com.2°. 3ª.137.F
Liuidi digiti & liuidæ vngues significant mortẽ.in pg.c.2°. 4ª.198.F
Liuidis pedibus nigri sunt minus pestiferi.in prog.com.2°. 4ª.198.G
Liuidas pustulas habentes in superficie optime purgat colocynthis.de dynamidijs. Sp.21.D
Liuidum excrementum quid significet.1°.de crisi. 4ª.29.E

Liuidæ, sanguineæ, biliosæ, & fœtidæ excretiones in febrib.nõ interimũt ctib. oës malæ.cũ vero bene excernũtur, bonũ est, et p vesicã, et vbi aliqd secedẽs fleterit non purgatũ, malũ.c.7°.aph.63°. Ex.60.E
Liuida vrina aut nigra in synocha nõ sine periculo crit.de dy. Sp.34.E
Liuidus qũo sanguis efficiatur.quæs.in Hipp. Sp.113.F
Liuida cũ duritie significant inflammationẽ.de fract.com.2°. 7ª.236.C
Liuidas & duras partes discutientia non sanant erysipelata 6°.de cõ. med.sec.loc. 5ª.176.H
Liuida curat lupinorum farina.6°.de simp.med.fac. 5ª.48.D
Liuida digerit lupinorum farina.6°.de simp.med.fac. 5ª.48.D
ad Liuida accommoda est raphanis.8°.de simp.med.fac. 5ª.59.E
LIVORES *cruenti extrinsecus circa mẽbranã genituræ erãt illius, quæ ab ancilla quadã in terrã desiliẽdo proiecta fuit.d fœ.for.* 1ª.322.d
Liuores faciunt aeris temperaturæ & animi mores. 1ª.318.F
Liuores fiunt à frigido.com.5°.aph.17°.38.H/20°. Ex.39.A
Liuorem facit frigus.com.5°.aph.23°. Ex.39.G
Liuores tollit raphanus.de simp.med. Sp.89.F
ad Liuores quid faciendum.5°.de comp.medica.sec.loc. 5ª.159.F
Liuorem tollit medicamentum Epigoni à nonnullis dictũ ab alijs Isis. 5°.de comp.med.per genera. 5ª.246.E
Ἀντίδοτα *antidota, id est febrifugia quæ.2°.de antid.* 5ª.113.H
Ἀντιφάρμακα *antidota, id est soluimorbia, quæ.2°.de anti.* 5ª.113.H
LIXIVIVM *vnde dicatur.7°.de simp.med.fac.* 5ª.52.B
Lixiuium quid sit, & quale.9°.de simp.med.fac. 5ª.69.G
Lixiuium ex quibus fiat lignis.3°.de comp.med.per ge. 5ª.228.F
Lixiuium præstantissimum, quod.3°.de comp.med.per ge. 5ª.228.F
Lixiuiũ è sarmẽtorũ cinere factũ ad qd conferat.2°.de ant. 5ª.114.C/D
Lixiuium lauri prodest pecoribus quibus pulmo tensione vexatur, & qbus venenata aliqua res per cibum obrepsit.de sim.me. Sp.85.H
Lixiuium lauri in caustica mittitur.de simp.med. Sp.85.H
Lixiuium cur calidum.4°.de simp.med.fac. 5ª.25.A
Lixiuium est tenuissimarum partium.14°.meth.med. 7ª.88.H
Lixiuia res acris est & stiptica.de simp.med. Sp.86.A
Lixiuiæ vires quæ.de simp.med. Sp.85.H
Lixiuium digerit.14°.meth.med. 7ª.88.G
Lixiuiæ virtute quæcunque pro vetustate stupida facta sunt, auferuntur.de simp.med. Sp.86.A
Lixiuium disponit vulnera ad sanitatem.de simp.med. Sp.86.A
Lixiuium sordes vulnurum abstergit.2°.de arte cur.ad Gl. 7ª.106.E
Lixiuium maxime abstersiuum & exiccatorium ex cinere ficus et thymallorum, quid est.6°.de simp.med.fac. 5ª.52.B
Lixiuio aqua cum farina hordeacea in ea cocta medicamentum extemplo factũ ad putredinem in neruo vulnerato.6°.meth.m. 7ª.37.F
cũ Lixiuio cocta farina erui leuat à putrefactionc.6°.me.m. 7ª.37.F
Lixiuium septicis miscetur.9°.de simp.med.fac. 5ª.69.G
Lixiuium quod septicum.7°.de simp.med.fac. 5ª.52.B
Lixiuium est ferè septicũ vel putrefaciens.6°.de simp.me.fa. 5ª.52.B
Lixiuium adurit.introductio.58.B/1°.de comp.med.sec.lo. 5ª.127.F
Lixiuium adurit citra dolorem, quia tenue.9°.de simp.m.fa. 5ª.69.G
Lixiuium ex calce, quale.9°.de simp.med.fac. 5ª.71.B
Lixiuium liquidum.1°.de comp.med.sec.loc. 5ª.127.A
Lixiuiũ figularium cum melle feruefactum ad quid conferat.3°.de cõ po.med.sec.loc. 5ª.144.D
Lixiuiũ figulini aqua.10°.de comp.med.sec.lo. 5ª.209.D
Lixiuiæ quæ flacte dicitur meminit.& forte mistra saponis est&.3°.de cõ po.med.per genera. 5ª.228.F
Lixiuia flacte.6°.de comp.med.per genera. 5ª.261.E/G
ex Lixiuia stillatitia, & farina hordei cataplasmate fouetur pars putrescens in contusionibus neruorum.3°.de c.mc.per ge. 5ª.229.A
Lixiuio vtaris in spongiæ defectu.14°.meth.med. 7ª.87.F
LIXOPERICON. *de dynamidijs.* Sp.32.H
LOBI, *id est siliquæ.2°.de alim.fac.* 2ª.16.C
Λοβοί, *qui.1°.de alim.fac.* 2ª.14.H
Lobi hortenses cibo adaptantur.de atten.vic. 2ª.45.B
Lobi hortenses sunt crassi succi, & pituitosi.de atten.vic. 2ª.45.B
Lobi minus inflant fabis.de atten.vic. 2ª.45.B
LOBI *cur duo in læua thoracis parte.6°.de vsu par.* 1ª.148.H
Lobi cur tres in dextra thoracis parte.6°.de vsu par. 1ª.148.H
Lobi pulmonis in omni animali plures sunt in dextra parte, quam in sinistra.6°.de vsu par. 1ª.149.A
Lobus quintus pulmonis thymus propter quid factus.6°.de vsu partium. 1ª.148.H

Lobos plures

Lobos plures q̃ homo plura animalia habent. 6°.de vſu p. 1ª.149.*A*
LOCALIS motus qui. 1°.*de na. fa.* 1ª.290.*G*
Localia medicamenta eſſe,id eſt quæ à particularibus ducuntur mẽbris,certum eſt.de catharticis. *Sp.*94.*H*
Locale remedium quod.in 6ᵐ.*de mor.vul.com.*2°. 3ª.162.*C*
*ad Localia medicamenta ſtatim deueniendum, quando non adeſt plethora,aut cacochymia.*6°.*de comp.med.ſec.lo.* 5ª.166.*A*
Λοχία purgatio eſt.in 1ᵐ.*prorrhe.com.*2°. 4ª.75.*D*
LOCVS, *& receptaculum quo modo differant.de hiſt.phil.* *Sp.*5.*C*
Locus Dei vbi ſit.de hiſt.philo. *Sp.*3.*F*
in Loco non eſt anima.de ſpermate. *Sp.*37.*H*
*de Locis,aere, & aquis libri ſunt Hipp.*3°.*de diff.reſp.* *Sp.*69.*E*
*de Locis,aere, & aquis liber quid tractet.*3°.*de diff.reſp.* 3ª.73.*D*
Locorum natura debet ſciri ſecundum empiricos.de ſect. *If.*16.*D*
*Locorum diſtinctio per complexiones.com.*3°.*apho.*14°. *Ex.*22.E
ſm Loca diuerſa ſunt animalia, licet ſit in eadẽ ſpecie, & ſimiliter q̃ in animalibus ſunt. 10°.*de ſimpl.med.fa.* 5ª.77.*A*
*Locorum frigidorum incolæ molles.*4°.*de comp.med.per ge.* 5ª.236.*f*
*Loca frigida quales homines gignant.*2°.*de ſan.tu.* 2ª.73.*B*
*Loca ſicca quales homines gignant.*2°.*de ſan.tu.* 2ª.73.*B*
Loca caua pratenſia habitantes,quales.& animi mores. 1ª.320.A
Loca concaua habitantes,quales.de aere,aq.& loc. 2ª.2.*C*
*ex Locorũ tẽperatiõe aliqui ad prudẽtiã iuuãtur.& an.mo.*1ª.320.*D*
*Locus calidus, & ſiccus facit tertianam.com.*4°.*aph.*59°. *Ex.*33.*H*
*Loca ſimilia naturis lædũt,diſſimilia contra.cnm.*3°.*aph.*3°.*Ex.*20.B
LOCI *natura indicat morbi,ſecundum Rationales.de ſect.* *Iſa.*16.*E*
*Locus & indicet febres.com.*1°.*aph.*12°. *Ex.*5.*D*
*Locus indicat febres.com.*1° *aph.*12°. *Ex.*5.*D*
Loca debent eſſe contraria morbis.in 6ᵐ.*de mor.vul.c.* 5°.3ª.192.*E*
à Loco colligitur ꝓportio ex tpe.in 1ᵐ.*de mor.vul.c.*1°. 3ª.103.*F*
Locus facit ad putredinem. in 1ᵐ.*de mor.vul.com.*1°. 3ª.103.*F*
*in Loco bene perſpirabili degere debẽt dolore capitis ex ardore laborantes.*2°.*de comp.med.ſe.lo.* 5ª.132.*B*
*ad Loca diuerſa miſſorum puerorum exẽplũ.*3°.*de dig.pul.*4ª. 79.*G*
*in Locos ꝓficiſci multos medicũ oportet,& quare. ſi qs.op.m. If.*6.*E*
ad LOCA *ſimplicium accedendum, & aſportandum quantum ſatis ẽ in vita.de vſu theria.ad Pamphi.* 5ª.100.*B*
ad Loca vbi ſunt optima ſimplicia medicamenta, nauigauit Gale.de theriaca ad Pamph. 5ª.100.*B*
Loca vbi ſint medicamenta optima veriſſime ſcripſit Dioſcorides.de vſu theria.ad Pamph. 5ª.100.*C*
*in Locis humidis qualia fiant medicamenta.*1°.*de antid.* 5ª.105.*D*
*Loca quæ vitanda pro antidotis.*1°.*de antid.* 5ª.105.*D*
*in Loco,& in qualitate motus fit.*2°.*meth.med.* 7ª.10.*A*
de Loco ad locum permutamur virtute proueniẽte ex capite. de vir. noſtrum corp.diſpenſ. *Sp.*60.*B*
*Loci anguſtatio facit triſtem ſenſum laborantibus ex motu arteriarũ. com.*7°.*aph.*21°. *Ex.*55.*D*
*Loca quo modo dicantur plena & vacua.*3°.*de diff.pul.* 4ª.62.*B*
LOCI *qui ſint apud medicos.de ijs,quæ in med.fi.com.*1°. 7ª.201.*B*
*Loci ſunt particulæ corporis apud antiquos.*1°.*d locis affectis.* 4ª.2. *G/de vic rat.in mor.acutis,commen.*4°. 7ª.138.*B*
Locus diaphragmatus.de ana.parua. *Sp.*43.*A*
Locos,in quibus actio fit.cognoſcere debet medicus, qui ratione curæ turus eſt.de voc.inſtr.diſſ. 1ª.106.*B*
*Loci affecti qui dicantur.*3°.*de lo.aff.* 4ª.14.*D*
*in Locorum effectorũ notitia ſemper debet medicus ſe exercere.*1°.*& lo.aff.*4ª.8.*D/*8°.*de comp.med.ſe.lo.* 5ª.187.*D*
Locos primario affectos inueſtigandos eſſe præcipit Hipp. & qd inde vtilitatis habeatur.bre.denot.dogm.Hpp. 1ª.231.*D*
*de Locis affectis librũ fecit Gal. in ſenectute.*3°.*de lo.af.* 4ª.15.*C*
Loca multũ faciũt ad morbos vulgares.in 1ᵐ.*d mo.vul.c.*1°.3ª.101.*b*
Loci forma multũ facit ad ꝓſagiendũ.in 1ᵐ.*de mo.vul.c.*3°.3ª.117.*E*
*Locus affectus non parum indicat.*4°.*meth.me.* 7ª.29.*B*
Loci affecti cum affectione multum valent ad remediorum inuentionẽ. 2°.*de comp.me.ſe.lo.* 5ª.134.*C*
Locus localiter opitulari nos docet.de voc.inſtr.diſs. 1ª.106.*C*
*Locorum differentia facit vt varietur curatio.*1°.*de loc.affe.* 4ª.2.*G*
Locus affectus dat modum euacuandi. 13°.*met.me.* 7ª.83.*F*
à Loco exercitatio quo modo fieri debeat. 1°.*de lo.aff.* 4.8.*D*
pro Locis affectis inueniendis exercitatio quo modo molienda. 1°.*de locis affectis.* 4ª.13.*C*
*de Locis affectis exercitatio duplex,& qualis.*4°.*de lo.aff.* 4ª.27.*E*
*circa Locos affectos exercitationis modi tres.*2°.*de lo.aff.* 4ª.8.*D*
*Locos affectos inueniendi via,& ratio.*2°.*de lo.aff.* 4ª.13.*A*
*Locorum notæ vnde accipiantur.*1°.*de lo.aff.*6.*A/* 4ª.13.*C*
ad Locorum affectorum cognitionem valet diſpoſitio totius corporis. 1°.*de locis affectis.* 4ª.3.*F*
*Locus affectus vt cognoſcatur quæ prius,& quæ poſterius cõſiderãda.*2°.*de locis affectis.* 4ª.13.*C*
*de Locis affectis habetur cõiectura ab innatis.reb.*1°.*de lo.af.*4ª.4.*G*
*Locum affectum docent ſymptomata.*1°.*de lo.aff.* 4ª.7.*G*
*de Locis affectis habetur cognitio ab accẽtib.*1°.*de loc.af.*4.*G/* 4ª.6.*C*
*de Locis affectis ſcripſit Archigenes.*1°.*de lo.af.*3.*G/*2°. 4ª.10.*E*
*de Locis patientib.Archigenes tres libros ſcripſit.*1°.*de cri.*4ª.136.*C*
*de Locis affectis doctrinã Archigenes ſuis ſcriptis adeo obſcurauit,vt ne Galenus quidem, qui in artis operibus ſenex iam affectus fuerat,dicere vereatur, eius ſe dicta nõ intelligere.*2°.*de l.af.*4ª.12.H
*de Locis affectis librũ pp amicos fecit Gale.*2°.*de lo.af.* 4ª.13.*C*
in de Locis affectis libro quid ſit acturus Gal. 1°.*de lo.af.* 4ª.4.*G*
in de Locis affectis libris de his quæ ſenſu non percipiuntur, agit Galenus. 4°.*de loc.aff.* 4ª.23.*B*
in de Locis affectis libro ſenſibus ſubiecta non tractat Gal. 5°.*de loc. affec.* 4ª.29.*G*
in de Locis affectis libro apparentia manifeſte non tractantur. 5°.*de locis affectis.*31.*H/* 4ª.33.*B*
*in de Locis affectis libro de viſum effugiẽtib⁹ agit.*6°.*de lo.a.*4ª.37.*B*
*in de Locis affectis libro tertio quæ acturus erat Gal. & quæ ex cõſequenti egit.*3°.*de lo.aff.* 4ª.21.*D*
in de Locis affectis libro quarto de faciei partibus, quæ ĩtrinſecus afficiuntur agit Gal.de loc.aff. 4ª.21.*D*
*in de Locis affectis libro quarto non loquitur de affectib⁹ notarũ particularum Gal.*4°.*de lo.af.* 4ª.22.*D*
*Loci affecti in quibus morbis nullum ſit ſignum.*3°.*de lo.af.* 4ª.16.*B*
*Locus affectus dolori capitis difficulter cognoſcitur.*2°.*de comp.med. ſec.loc.* 5ª.132.*A*
à LOCI *natura pilorum origo fit.*11°.*de vſu par.* 1ª.190.*A*
Loca humorum. de dynamiãjs. *Sp.*19.*D*
Locus ſanguinis, qui.de anat.viu. *Sp.*45.*D*
de Loco ad locum quot modis humores tendant.in 6ᵐ.*de mor.vulgar. com.*3°. 3ª.178.*G*
*Loca per quæ debet fieri euacuatio.com.*1°.*aph.*21°. *Ex.*10.*A*
*Loca per quæ natura vergit,euacuandum,ꝑſertim ſi ſint opportuna. com.*6°.*aph.*22°. *Ex.*48.*E*
*Loca per quæ natura euacuat.com.*2°.*aph.*15°. *Ex.*12.*F*
*Loca quæ conferant euacuationi.com.*1°.*aph.*21°. *Ex.*10.A
*ad Loca inutilia motus humorũ noxij, qñ.cõ.*1°.*aph.*21°. *Ex.*10.*A*
*Loca q̃ euacuent partẽ corpis,& quæ totũ.cõ.*4ª.*aph.*2°. *Ex.*27.*D*
*ad quæ Loca malum ſit hepar euacuare.com.*1°.*aph.*21°. *Ex.*10.*A*
*Locus,cui applicandæ ſunt hirudines,qũo ꝑparãdus.de cuc.ſc.*6ª.4.*C*
Locis affectis,vel propinquis non pinguibus applicandæ ſunt hirudines.de cucur.ſcarif. 6ª.4.*D*
*Locus ligandi eligẽdus eſt qui maxime in rẽ erit.de faſciis.*7ª.294.*C*
*in Locum ſuũ reponi quæ deſiderent.*4°.*met.me.* 7ª.16.*C*
LOCI *muliebres ꝑ quas partes. expurgentur.* 2°.*de ar. cur.ad Glauconem.* 7ª.102.*H*
*Loci inhærent fœtui poſt cõceptum.*1°.*de ſemine.* 1ª.329.F
in Loci genitura q̃ fuerat ꝑ ſex dies,qualis exciderit.d fœ.f. 1ª.322.*C*
*Locos eucit cyclaminis cyſſanthemi fructus.*7°.*de ſim.me.fa.* 5ª.53.*F*
*Locos elicit decoctũ florum leucoij.*7°.*de ſimp. me.fa.* 5ª.54.*C*
*Locos retẽtos eijciunt purpurarũ opercula.*11°.*de ſim.me.fa.* 5ª.81.*B*
LOCVSTÆ *cur hñt crura longa,& gracilia.*3°.*de vſu par.* 1ª.128.*C*
*Locuſtas edunt Seleucides aues, & per anum emittunt.*6°.*de loc.affect.* 4ª.37.*H*
LOCVSTAE *habent tenuem teſtam.*3°.*de ali.fac.* 2ª.32.*D*
*Locuſtæ marinæ ſiccæ ſunt cute, humidæ carne.*2°.*de temp.*1ª.21.*A*
Locuſtæ non habent palpebras.de inſtr.odor. 1ª.112.*B*
*Locuſtis non oriuntur pili.*2°.*de temp.* 1ª.18.*G*
LOCVSTAE, *& lentes paulatim nutriunt.com.*2°.*apho.*18°.*Ex.*13.*G*
*Locuſtæ conueniunt ſtomachicis.*8°.*de comp.me.ſc.lo.* 5ª.192.*C*
Locuſtæ ſimilis caro, qualis 3°.*de ſymp.cau.* 3ª.26.*D*
LOCVSTIO *proprie vox hominum.de hiſt.phil.* *Sp.*9.*F*
Lõcutionis vaſa,quæ.de anato.viu. *Sp.*49.*B*
Locutionis organorum vas eſt os.de anat. viu. *Sp.*49.*B*

Locutionis organa ſunt dentes, labia, palatũ, lingua, & vuea, & duæ amygdalæ. de anat. viu. Sp.49.C
Locutionis inſtrumentũ eſt lingua. in 1m. de mor. vul. com. 2°. 3a. 15.F
Locutio eſt linguæ. 1°. meth. med. 7a.6.B
LOCVTIONEM *Atticam non curat in ſcientijs Galen. de ord. lib. ſuorum.* Iſa.15.F
Locutiones obſcuræ nullam habent certam explanationem. de ijs, quæ in medic. fi. commen. 3°. 7a.217.B
LOGARICE grana bona. de med. fa. par. 7a.177.H
LOGARICVON. *de med. fac. par.* 7a.177.H
LOGIATRI, *& nõ medici qui ſint. in 3m. de mor. vul. c. 1°. 3a. 134.D*
LOGICAM *vocat ſermocinandi artem. 2°. de diff. reſp.* 3a.64.F
Logica ſpeculatio, quæ. de tot. mor. temp. 3a.89.A
Logica ſpeculatio prius eſt quàm naturalia theoremata aggredienda. 1°. de temperamentis. 1a.12.C/A
Logicæ ſpeculationes in ocioſum tps dimittendæ. 4°. de ſan. tu. 2a. 82.C
Logica & empirica iuẽtio nõ ſunt ſimul cõfundẽda. 2°. me. me. 7a. 13.e
de Logica intentione in libro methodi docet Gal. 2°. me. me. 7a.13.C
Logicã ſciuiſſe Galenũ facile perſpicitur. 2°. de ſimp. me. fa. 5a.13.D
Logicã calluit Gal. 2°. de decr. Hippocratis. 1a.238.A
Logicam didicit a patre Galenus. de ord. lib. ſuo. Iſ.15.D
Logicam Platonis adducit auctor libri de ſemine. de ſper. Sp.40.D
in Logica quæ primo diſcenda. 2°. met. me. 7a.15.B
Logicæ initium eſt prædicamenta diuidere. 2°. met. me. 7a.15.D
Logica principia quæ, & quod illis adhibenda fides, ſi demonſtrãdum quippiam ſit. 1°. met. me. 7a.5.D
Logica regula in conuertibilibus. 2°. de ſimp. me. fa. 5a.13.C
Logica, & ſophiſtica diſputatio, quæ. 8°. met. me. 7a.58.C
Logica diſputatio quænam dici debet. 8°. met. me. 7a.58.D
Logica quædam quæſtio quæ ſit. de vic. ra. in mor. ac. com. 1°. 7a.109.D
Logicæ & dialecticæ põnes quę ſint, & quę nõ. 3°. de lo. af 4a.14.E
Logica demonſtratione an indigeret in remedijs inueſtigandis, cogitauit Gal. 3°. de lo. aff. 4a.15.A
Logicas põnes & obſcuras ſcribebat Archigenes. 1°. de l. af. 4a.3.C
Logica nomina nõ ſunt immiſcenda rebus modicis. d tot. mo. 3a. 89.A
Logica non deſpicienda. an ſang. in art. nat. conti. 1a.62.D
abſq; Logica cõtẽplatione nõ licet aliqd exqſitæ ſtatuere. 1°. d el. 1a. 6.a
Logicæ ignorantia quid pariat. 2°. de ſan. tuen. 2a. 70.D/ 2°. de diff. re. 3a. 64.F/ 2°. de ſimpl. med. fac. 5a.9.F
Logicæ ignorantia facit hominem ignarum. 6°. de vſu par. 1a.152.H
ob Logicæ imperitiam multi decipiuntur. 2°. met. me. 7a.14.G
Logicæ ſpeculationis expertes, qui. 1°. de ſimp. me. fa. 5a.8.F
Logicam non habentes ſunt fugiendi. de conſt. ar. Iſa.38.F
Logicæ ignari licẽt errẽt, glorianr tñ ſe viciſſe. 2°. de diff. reſp. 3a. 64.F
LOGICVS *qui nominandus. 3°. meth. me.* 7a.16.D
Logici officium eſt differentias rerum quot ſint, & quales inuenire. 3°. de diff. pul. 4a.63.B
LOGISTICÆ *exercitatio iuuenũ eſſe debet. ad eos qui de typi. ſcripſe. de circ.* 3a.92.G
Λόγος *eſt in genere φωνῆς. in 1m. prorrh. com. 2°.* 4a.177.A
LOIVS mẽſis dr ſm Macedones. in 1m. de mor. vul. c. 1°. 3a. 102.E
LOLIVM ſæpe in tritico, qñq; in hordeo. 1°. de ali. fa. 2a.15.G
Lolium ex tritico oritur. 1°. de ali. fa. 2a.15.H
Loliũ tritico miſcẽt in penuria publica piſtores. 1°. de ali. fa. 2a.15.H
Lolium comedentibus quid contigerit. 1°. de ali. fa. 2a.15.H
Lolio peius melampyrom. 1°. de ali. fa. 2a.15.H
Loliũ in tertio ordine calefacit, & exiccat. 6°. de ſimp. me. fa. 5a.41.F
Lolium magis calefacit quam iris. 6°. de ſimp. me. fa. 5a.41.F
Lolium multum deſiccat & calefacit. 6°. de ſimp. me. fa. 5a.41.F
Lolium multum diſcutit. 6°. de com. me. ſe. lo. 5a.176.A
Lolij farina reſiccat. 5°. de ſimpl. me. fa. 5a.34.A
Lolij farina valde exiccat. 6°. de ſimp. me. fa. 5a.44.E
cum Lolij, & orobi farina oxymel ad putreſcentia valet. 2°. de arte cura. ad Glau. 7a.106.H
Lolij farina vſus eſt Gal. i vulnerib. neruorũ. 3°. d cõ. me. pg. 5a.229.H
p Lolij farina, farina fabarũ qñ ſatisfaciat. 2°. d ar. cu. ad G. 7a.107.A
LOLLIGINES *inter aquatilia mollia numerantur. de bonitate & vitio ſuccorum.* 2a.35.E
Lolligines molles ſunt. 3°. de alimentorum fa. 2a.32.D
Lolligines conueniunt ſtomachicis. 8°. de cõp. med. ſec. loc. 5a.192.C
LOMENTVM fabæ nigræ molitæ. 10°. de cõp. me. ſe. loc. 5a.209.B
LONCHITIS quid. de ſimpl. med. Sp.86.D
Lonchitis diureticam radicem habet. de ſimp. med. Sp.86.D
Lonchitis vrinam ciet. 7°. de ſimp. me. fa. 5a.54.G
Lonchitis folia ſcolopẽdriæ ſimilia ad glutinãda vulnera idonea ſunt, & lienes induratos ſanant, & quo modo. 7°. de ſim. me. fa. 5a.54.G
LONGÆVVS *& ſanus quibus erit homo. 1°. de ſan. tu.* 2a.63.A
LONGAON *inteſtinũ, extale, vel extẽſum ſextũ ẽ. de an. vi.* Sp.50.B
Longaon cur ſit rectum. de ana. viu. Sp.50.E
Longaonis locus. de na. & ord. cu. corp. 42.C/ de anat. par. Sp.43.A
Longaon hẽt villos longitudinales ad attrahẽdũ. de ana. viu. Sp.50.E
Longaon habet quatuor lacertos ad feces retinẽdas. de an. vi. Sp.50.e
à LONGE *viſio differt à propinqua. de cuiuſq; animi peccatorum notitia atque med.* 2a.59.D
à Lõge quæ ſunt, tenuius vñr. de cõpa. mẽb. ſiue de na. hu. Sp.58.C
LONGINQVAM *ægritudinem aut futuram mortẽ dicit vrina crocea, turbulenta cum nebulis non bonis. de dynamidiis.* Sp.34.B
à Longinquis partibus qũo trahunt medicamenta. de catha. Sp.94.H
Longinqua vitia ſinapis eliminat. de ſimp. med. Sp.90.G
Longinquis vitiis prodeſt thapſia. de ſimp. med. Sp.91.F
LONGITVDINALES *villi attrahunt. de anat. viu.* Sp.55.H
Longitudinales villos hẽt longaon ad attrahendũ. de ana. viu. Sp.50.E
Longitudinales, & latitudinales villos magis habet membrũ quoddã q̃ alios vt gula. de ana. viu. Sp.55.H
ex Longitudinalibus filis quibuſdã, & quibuſdã tranſuerſis componitur panniculus interior ſtomachi. de ana. viu. Sp.49.H
LONGITVDO *non eſt magnitudo. 2°. de diff. pul.* 4a.56.F
inter Longitudinẽ & breuitatem medium. 4°. de decr. Hip. 1a.248.B
in Longitudinẽ diſtenditur lingua, non tamen in omnem dimenſionem. de mot. man. & obſ. Sp.68.B
in Longitudinẽ erigentes arteriã muſculi. de voc. inſtr. diſs. 1a.107.E
Longitudo priapi quanta eſſe debet. de ana. viu. Sp.52.E
Longitudo ſuperat profunditatẽ in pulſu. 2°. de cauſ. pul. 4a.94.A
Lõgitudo in iuuene pulchra, in ſene illiberalis, quia gibbũ cauſat. commen. 2°. aph. 54°. Ex.19.E
ſm Longitudinẽ auerſio fit ſupra & infra. com. 5°. aph. 68°. Ex.45.D
ex Longitudine faſciarum differentia. de faſcijs. 7a.293.F
ĩ Longitudinẽ lintei factæ faſciæ vinctũ firmius tenẽt. de faſ. 7a.293.H
Longitudinẽ morbi prænunciat vbi in toto corpore mutatio, fueritq; refrigeratũ corpus, aut rurſus incaluerit, aut calor ex alio alius emerſerit. præſag. exper. conf. Sp.77.G
Lõgitudinẽ laborũ in morbis qui dies iudicẽt. cõ. 4°. ap. 36°. Ex.32.A
Longitudinẽ morbi, ſed ſalubritatem ſignificat vrina ſubrubra, & ſedimentum ſubrubrum. in prog. com. 2°. 4a.200.E
de Longitudine ſe excuſat Gal. 5°. de ſan. tu. 88.D/ 2a.92.A
LONGISSIMI *in libris ſuis fuerunt Menemachus, & Menodotus. ad Thraſy.* 2a.106.C
LONGVM *proprie quid ſignificet. com. 2°. aph. 54°.* Ex.19.E
in Longius collũ quã à ſimia habẽtibus aĩ alib. nihil penitus ex quarta cõiugatiõe neruorũ à ſpinali medulla ferĩ ad diaphragma; vt neq; iis, quæ valde longũ habẽt collũ, ex quinta. 13°. de vſu p. 1a.202.d
Longã, & antiquatã conſuetudinem, & ſi ſit non bona, imitari debet medicus in cibando ægro. de diſſ. cont. Sp.72.C
Longior faſcia, quæ in orbẽ faciei & capiti circundatur, dr κατοχος. *de faſcijs.* 7a.294.H
Longa dicta faſcia ad frontem, & regionem quæ inter ſupercilia eſt, ex faſcia glomerata. de faſciis. 7a.300.A
Longa eſſe dẽt inſpiratio & expiratio, pp quid. de ana. viu. Sp.48.B
Longus morbus vnde. de nat. & ord. Sp.41.F
Longã ægritudinẽ, aut mortẽ ſignificat in ſynocha vrina cholerico colorẽ nebulã albã hñs, & furfures ſupnatantes. de dyn. Sp.34.C
Longum morbum ſignificat ſudor aduẽtante febre, nec deficiẽte febre præſag. exper. conf. Sp.77.G
in Longis morbis ſtatus multas hẽt acceſſiones. 1°. de criſi. 4a.128.H
in Longis morbis eſt expectanda cõcoctio. quos pur. opor. quib. me. & quo temp. 5a.88.G
Longi morbi per abſceſſum iudicantur. in prog. com. 2°. 4a.205.B
per Longos morbos fiunt abſceſſus non per bilioſos. in progn. cõmentario 2°. 4a.205.A
in Longis morbis cur multa cõtingunt ſiniſtra. in prog. c. 2°. 4a.203.B
in Longa icteritia quid agendum. de cura icteri. Sp.111.E
ad Longas affectiones. 7°. de comp. med. per ge. 5a.284.E
Longus morbus. lege Morbus longus, Ægritudo longa.
Longus, & eminens cur ſit naſus. de ana. viu. Sp.94.A

in Longum findi potest Neruus, quia venulas habet spiritum capientes. de vtil. resp. Sp.63.C
Longi Sermones quomodo adducendi. com. 1°.*aph.*14°. Ex.7.B
Longæ Vocis emissio, necessaria est sermonibus, vociferationibus, cantibus. de ana. viu. Sp.48.B
Λοπὸν *quid significet. de art. com.* 2°. 7ª.265.E
LOQVACITATIS *solatia, quæ.* 2°. *de diff. resp.* 3ª.68.E
Loquacitas præter naturam mala est. in 1ᵐ. *de morbis vulgaribus, cõmentario.* 3°. 3ª.117.G
LOQVAX *fuit de industria Gal.* 2°. *de diff. resp.* 3ª.68.E
Loquaces, & sophistæ, qui. 4°. *de dign. pul.* 4ª.83.H
Loquax si cogitabũdus, pernigil. sobrius si tardus & torpens appareat, mentẽ læsam significat. in 6ᵐ. *de mor. vul. com.* 2°. 3ª.168.G
LOQVELA *quid.* 4°. *de lo. aff.* 4ª.26.B
Loquelæ instrumentum, quod. 2°. *de decretis Hippo.* 1ª.236.F/4°. *de locis affectis.* 4ª.26.B
Loquela est voluntaria. de mot. man. & obs. Sp.69.A
Loquela voluntatis magnum opus. 2°. *de sym. cau.* 3ª.19.G
Loquela, vox, exufflatio cum strepitu, exufflatio sine strepitu, & exspiratio, qũo se habeant circa læsionem. 4°. *de lo. aff.* 4ª.126.D
Loquelæ amissæ ex epilepsia remedium. de dyna. Sp.24.C
LOQVENDI *vsus fit à lingua.* 4°. *de lo. aff.* 4ª.26.E
Loquendi angustia quo modo fiat. de voce, & anhe. Sp.62.A
ad Loquendi ipotentiã propter phrenitim remediũ. de dy. Sp.35.H
Loquendi exquisita diligentia negligenda. de fract. com. 2°. 7ª.241.E
Loquendi modis proprijs non semper vtitur Hippocrates. de arti. cõmentario. 1°. 7ª.256.D
à Loquendi modo arguit Gal. com. 3°. *aph.* 14°. Ex.7.B
LOQVI, *& ratiocinari sunt cõueniẽtiores homini actiones. de mot. man. & obsc.* Sp.67.F
Loqui sensus aduersus cogitationẽ quo modo finxit Democritus. aduer. emp. med. Isa.35.C
Loqui quidam prohibuit seipsum per annum. 2°. *de mo. mu.* 1ª.315.E
Loquunt exili voce & balbe mẽtici. ꝺ mel. ex Ga. Ru. & P. Sp.109.F
Loquuntur multum phrenitici. in 3ᵐ. *de mor. vul. c.* 3°. 3ª.151.F
Loqui non potest, sed potest clamare lingua resoluta. in 3ᵐ. *de morb. vul. commen.* 3°. 3ª.149.C
Loqui obscure quidam gaudent. de vic. rat. in mor. acu. c. 4°. 7ª.136.E
Loquunt breuiter, obscure nũciãtes. de ijs q̃ in med. ſt. c. 1°. 7ª.200.D
LORA δευτερία *ab Atticis dr.* 2°. *de alim. fa.* 2ª.18.D
Lora prima & secunda dolorem capitis facit. 2°. *de ali. fa.* 2ª.18.D
Lora prima & secunda cito mingitur. 2°. *de ali. fa.* 2ª.18.D
Lora dulcis citius per vrinas meat. 2°. *de alimentorũ fa.* 2ª.18.D
Lora acerba & acida difficilius mouent vrinã. 2°. *de ali. fa.* 2ª.18.D
Lora dicitur τεμφυλτις. 2°. *de alim. fa.* 2ª.18.C
Λόρδοσις *quid significet. de fract. com.* 2°. 7ª.240.G
Lordosis, ideſt excauatio ad interna, vertebrarum luxatio vocatur. 4°. *de loc. affe.* 4ª.23.H
Λόρδωσις *quid apud græcos. de art. com.* 3°. 7ª.268.F
LORVM *quo cingerentur inguina, in quo stercus lupinũ contineretur pro colicis qdã parari præcipiebãt.* 10°. *de sim. me. fac.* 5ª.76.D
Lora comparat Gal. partibus neruosis. cõment. 5°. *aph.* 1°. Ex.37.D
Lora quomodo conuelluntur. 3°. *de lo. af.* 4ª.17.F
Lora patiuntur à calido, vnde ipsis neruos comparati in conuulsione. com. 6°. *apho.* 39°. Ex.50.G
LOTIO frigida ab exercitando qñ conueniat. 2°. *de san. tu.* 2ª.70.A
per Lotionem, vel frictionem voluptatem sentiunt lassitudine laborantes. 1°. *de sym. cau.* 3ª.17.E
Lotio ex aqua frĩa ẽ cõtraria febri ex obstructiõe. 8°. *me. me.* 7ª.50.A
Lotio ex aqua dulci tpata fit ĩ febre ex obstructiõe. 7°. *me. m.* 7ª.50.A
Lotio ex aluminosa aqua est contraria febri ex obstructione. 8°. *meth. medendi.* 7ª.50.A
Lotio calida facit corpa mollia & debilia. ꝺ venæ sec. adu. Er. 6ª.8.G
Lotio calida vires dissoluit. de ren. aff. dig. & med. 7ª.196.D
Lotio quæ facit robur viriũ. de vic. rat. in mor. acu. com. 3°. 7ª.132.D
Lotionis tempus, quod. de ren. aff. dig. & med. 7ª.196.B
Lotio in febris declinatione fiat. 8°. *me. me.* 7ª.53.G
Lotio gracilis quanta esse debet. 7°. *met. me.* 7ª.45.C
post Lotionem cur oleo vngendum. 7°. *me. me.* 7ª.45.C
Lotionis prohibitione pereunt in carcere suam sanitatem tuentes. 5°. *de san. tuen.* 2ª.94.A
LOTIONES *quales in renum colore. de ren. aff. dig. & me.* 7ª.194.A
Lotio ad pedes pro somno inducendo. de dynamidiis. Sp.23.C
Lotio ad scrophulas. de dynam. Sp.25.G
LOTIO *erosionem tollit simplicibus medicamentis.* 4°. *de comp. me. per gen.* 5ª.236.B
Lotio tollit acredinẽ, & morsum medicamentis. 6°. *meth. me.* 7ª.38.C
LOTIVM *quid sit. de ren. aff. dig. & med.* 7ª.192.A
Lotij vesica à lotio patitur. 5°. *de vsu par.* 1ª.145.G
Lotiũ reddit fœtus nõ p pudẽdũ, sed p vmbilicũ. 15°. *ꝺ vsu p.* 1ª.211.G
Lotium cur post partum emittitur à fœtu per collũ vesicæ, & in vtero per vmbilicum. 15°. *de vsu par.* 1ª.212.C
Lotium ciaculatur vt ex incisa vena sanguis. 1°. *de nat. fa.* 1ª.293.G
per Lotium exeunt humores pinguiores, aut per sudorem, vel per vomitum, vel per secessum. in 6ᵐ. *de mor. vul. c.* 4°. 3ª.187.E
Lotio cur detineri non possit. 3°. *de nat. fa.* 1ª.305.H
Lotium cur cito putrescit. 3°. *de nat. fa.* 1ª.306.A
Lotium cum perfectam coctionem ostendit, tunc tẽperatus exuat se vt fricetur. 2°. *de san. tuen.* 2ª.75.H
Lotio qualis esse debet temperato. 2°. *de san. tuen.* 2ª.76.B
Lotiũ qñq; fluit ĩ ĩclinatione. quos pur. op. qd. me. & quo tẽp. 5ª.88.G
Lotiũ quid prouocet. de mel. ex Gal. Ru. & Poss. Sp.110.B
ad Lotiũ citandum prodest vinũ. in 6ᵐ. *de mor. vul. com.* 4°. 3ª.185.C
ad Lotium sanguineum. de med. fa. par. 7ª.178.F
Lotium Hirci cuius vsus. de med. fac. par. 7ª.167.D
LOTVRÆ *carnium similis excretio, quæ.* 3°. *de simp. cau.* 3ª.28.A
LOTVM *supponit esse in colle Tabiano tanquam in loco tẽperato quã boues pascant.* 5°. *met. me.* 7ª.35.A
Lotus agrestis in secundo ordine calefacit. 7°. *de simp. me. f.* 5ª.54.H
Lotus domestica temperata mediocriter concoquit et exiccat. 7°. *de simpl. medic. fa.* 5ª.54.H
Loti ægyptiæ semen in panes fingitur. 7°. *de simp. med. fa.* 5ª.54.H
Loti lignorum assulæ derasæ muliebri accommodantur profluuio, dysenterijs, & cœliacis affectibus. 7°. *de simp. me. sa.* 5ª.55.A
Lotus pilos defluentes cohibet. 7°. *de sim. me. fac.* 5ª.53.A
LOTVS *palustris euitanda in herpete exedente.* 2°. *de arte curatiua ad Glauconem.* 7ª.102.B
LOTO *intempestiue quid contingat.* 10°. *me. me.* 7ª.65.E
Lotis ruber color aduenies actioni neq; commodum, neque ĩcommodũ affert. 1°. *meth. me.* 7ª.7.G
Lota bene medulla panis est pauci nutrimẽti, cur. de diff. cõt. Sp.73.G
Loti fermentati panis, frumenti medulla est cibus subtilians. de dissolutione continua. Sp.72.D
Λοξὸν *quid nominat Gal.* 2°. *de san. tuen.* 2ª.70.B
LVBRICA *humida celeriter descendunt.* 1°. *de alimẽt. facul.* 2ª.14.D
Lubricũ est intestinũ, præsertim ieiunum. com. 6°. *aph.* 1°. Ex.46.C
LVCAE ciuitatis horizon. secret. Sp.98.H
in LVCANIA *aĩal mediũ inter vrsum & suẽ.* 3°. *de ali. fa.* 2ª.26.C
LVCANICÆ *à coquis quomodo fiunt. de frac. com.* 3°. 7ª.245.H
super LVCERNÆ *flammam nunquam totum effunditur oleum, & quare. de cau. morb.* 3ª.7.A
Lucernæ ad calorem naturalem comparatio. com. 1°. *ap.* 13°. Ex.7.A
Lucernæ flamma quomodo fere extinguitur. de cau. mor. 3ª.7.C
qñ Lucerna extinguitur ab aere frigido. de cau. mor. 3ª.7.B
Lucernæ flamma tollitur suffocando. de vtil. resp. 1ª.224.H
Lucerna extincta parieti applicata qũo accẽsa est. 3°. *de tẽp.* 1ª.22.E
Lucernæ flãma extincta aliã lucernã accendit. de vtil. resp. 1ª.224.G
Lucernæ extinctæ odor lethargico olfaciendus est. de dyn. Sp.24.F
Lucernæ fomes plurimũ exustus quale patitur, tale etiã quippiam in marasmode cor pati videtur. 1°. *de diff. feb.* 3ª.34.E
ex Lucernis exit fuligo. 8°. *de decr. Hipp.* 1ª.275.H
Lucernarum oleum quale sit. 1°. *de comp. med. se. lo.* 5ª.123.A
Lucernarum oleum similem oleo veteri & cicino. 1°. *de compo. med. secun. loc.* 5ª.123.A
ex Lucernis oleum. 1°. *de comp. med. sec. lo.* 5ª.123.A
Lucernarum sordes, quales. 1°. *de comp. med. secu. lo.* 5ª.123.A
LVCIDISSIMA *aqua est primus humor oculi, in qua est vis visibilis de compag. memb.* Sp.58.C
LVCIDVM *solum in colores conuertitur. de ocul.* 7ª.185.B
Lucidum visus in instrumentum. 7°. *de dec. Hipp.* 1ª.171.B
Lucidum cur visus instrumentũ. 7°. *de decr. Hipp.* 1ª.272.A
Lucida lumen dispergunt. de ocul. 7ª.182.C
in Lucido aere dormire qs nõ põt nisi tectis oculis. de ĩst. odo. 1ª.112.B

Lucida & nigra vrina, cum sudore & dolore hypochondriorum mor tẽ significat. de dynam. Sp.34.E
Lucida valde vrina i synocha phrenitim vẽturã ostẽdit. ḋ dy. Sp.34.F
LVCIVS *acceptus est in ipcrij cõionem a Seuero, quem non Lucium amplius, sed seuerum vocauit. ad eos, qui de typ. scri. cir.* 3ª.91.H
Lucius præceptor Galeni. 2°. de comp. me. per ge. 5ª.225.F
Lucius præceptor Galeni. 4°. de comp. me. per ge. 5ª.244.A
Lucius vocabat tonsos mimos. in 6m. de mor. vulg. com. 4°. 3ª.181.G
Lucij colica sedans dolorem, qualis. 9°. de cõp med. sec. lo. 5ª.202.G
ex Lucij libris pastilli dysentericis conuenientes, & quales. 9°. de cõpo. med. sec. lo. 5ª.203.C
Lucij emplastrum. 6°. de comp. med. per ge. 5ª.261.H
Lucij ꝓceptoris medicamẽtũ, & cuius vsus. 7°. ḋ cõ. me. p g. 5ª.265.C
Lucij ꝓceptoris Gal. pharmacũ. 5°. de cõp. me. per g. 251.F/ 5ª.254.A
Lucij præceptoris Gal. melinon. 5°. de comp. med. per ge. 5ª.253.H
Lucij præceptoris odoriferum. 5°. de comp. med. per ge. 5ª.254.B
Lucij Tarsensis potio qualis, & ad quid conferat. 9°. de compo. medi. secun. loc. 5ª.203.E
LVCRI *cupiditas fugienda. de vi. ra. in mor. acu. cõmẽ. 1°.* 7ª.110.G
LVCTÆ *artem pædotribicam vocat Gal. ad Thras.* 2ª.109.A
Lucta genus exercitij. 2°. de san. tu. 73.G/ 2ª.75.G
Lucta exercitatio magna. in 6m. de mor. vul. com. 1°. 3ª.156.A
Luctæ vehementes actiones dicuntur. 3°. de diff. pul. 4ª.62.A
Lucta qua exercetur robur luctatorum. 2°. de san. tuen. 2ª.74.E
in Lucta suffocationis periculũ. de vic. ra. in mor. ac. cõ. 4°. 7ª.137.F
Lucta q̃ exercitia quæ meliora. ad Thrasy. 2ª.108.E
Luctam odit bene instituta respublica. ad Thrasy. 2ª.109.B
LVCTANDI *locus in vrbis publica regione aliqua, gymnasium dr. 2°. de san. tuen.* 2ª.69.E
Luctantium exercitium, quale. 2°. de san. tuen. 2ª.74.E
Luctantibus quomodo augeatur robur. 2°. de san. tuen. 2ª.74.E
LVCTATIO *febricitantibus officit. in 6m. de mor. vul. c. 3°.* 3ª.177.H
LVCTATORES *prandent panem, & cœnant carnem. de vict. rat. in. morb. acu. com. 1°.* 7ª.111.H
Luctatores aliqui sciunt eos qui debeant vincere, & quo modo. in ꝑg. comment. 3°. 4ª.207.E
Luctatoribus quæ acciderunt. in 1m. de mor. vul. c. 1°. 3ª.105.A
Luctatoribus cur partes quædam rumpantur. 4°. de lo. aff. 4ª.28.A
Luctatoribus facile flectitur crus. 2°. de mo. mus. 1ª.315.F
Luctatores detractat Gal. ad Thras. 2ª.108.E
LVCTARI, *gestari, & deambulare, differunt. ad Thras.* 2ª.105.A
LVDEBANT in aqua adolescẽtes t̃e Gal. 4°. de l. af. 4ª.26.A
LVMBARIS medulla cur a medicis vocata. 5°. de loc. aff. 4ª.31.E
LVMBRICORVM *triplex species. introd.* Isa.57.F
Lumbrici sunt toto genere præter naturam. de diff. mor. 3ª.4.F
Lumbrici in intestinis gignuntur. 1°. de loc. aff. 4ª.6.D
Lumbrici ex qua materia, & quo modo fiant. cõ. 3°. ap. 26°. Ex.25.F
Lũbrici nõ pñt fieri, nisi adsit plurimus calor. cõ. 3°. ap. 26°. Ex.25.F
Lumbrici cur non fiant in pueris paruulis, sed solum in adultioribus. commen. 3°. aph. 26°. Ex.25.F
Lumbrici etiam fiunt in iumentis male cibum concoquentibus. cõmẽ. 3°. aph. 26°. Ex.25.F
Lumbrici rotundi de stomacho educuntur. de cathar. Sp.94.G
Lũbrici rotũdi plures q̃ ascarides fiũt ĩ pueris. cõ. 3°. a. 26°. Ex.25.g
Lumbrici teretes faciunt morbum longum intrinsecum. intro. If.56.B
Lumbricus longus vnus tenens omnia intestina quandoque. commẽtario 3°. aph. 26°. Ex.25.G
LVMBRICVS *latus qũo fiat, & quid sit. com. 3°. aph. 26°.* Ex.25.G
Lumbrici lati educuntur ex intestinis maioribus. de cathar. Sp.94.G
Lumbrici lati faciunt morbum longum intrinsecum. intro. If.56.B
Lumbrici hemilthes dicti vires imbecilles faciunt. de vic. ra. in mor. acu. commen. 2°. 7ª.124.H
ad Lumbricos latos idonea est anchusæ quarta species. 6°. de simplic. med. facul. 5ª.41.D
Lũbricũ latũ interficit cortex radicis Mori. 7°. de sim. me. fa. 5ª.56.C
Lumbricũ latũ necat Filix, qm̃ amara est. 8°. de simp. med. f. 5ª.59.C
Lumbricum latum helminthem vocatum, mirabiliter ab ĩtestinis educit Theriaca. de theria. ad Piso. 5ª.96.A
ad Lumbricos latos medicamentum. introductio. If.58.A
ad Lumbricos latos, & rotundos. de med. fa. par. 7ª.172.A
Lumbricus qui cibum totum consumit, & corpus emaciat, theriaca ab intestinis eicit. de ther. ad Piso. 5ª.96.A
cum Lumbricis quidam irritata aluo liquida turbida excreuit. in 1m. de mor. vul. com. 3°. 3ª.125.D
Lumbrici quo modo tusses faciunt. in 6m. de mo. vul. com. 2°. 3ª.163.D
Lumbrici teretes quando bonum, vt cum deiectione descendant in iudicatione. in prog. com. 2°. 4ª.199.E
Lumbricorum curatio, quæ. introductio. If.57.F
Lumbrici amaritudine necantur. 6°. de simpl. medicamen. fac. 48.B/ 50.A/52.G/55.D/ 5ª.56.E/C
Lumbricos & fœtum necant amara. 8°. de simp. me. fa. 5ª.61.A
Lumbricos expellit Abrotanum. de simp. med. Sp.81.B
Lumbricos expellit Absinthium. de simp. me. Sp.80.E
Lumbricos necat Brassica. 7°. de simp. me. fac. 5ª.52.G
Lumbricos rotundos educit bouis talus. de theriaca ad Piso. 5ª.93.E
Lumbricos necat Calaminthę succus. 7°. de simpl. me. fa. 5ª.49.D
Lumbricos educit Cantharis. de ther. ad Pis. 5ª.93.F
Lumbricos interficit Cardamomum. 7°. de sim. me. fa. 5ª.50.A
Lumbricos occidit Chamæleon. de simp. med. Sp.82.F
Lumbricos occidit Coriandrum. de simp. med. Sp.82.E
Lumbricos expellit Cornu ceruinum. de simp. me. Sp.83.C
Lumbricos necat Costus. 7°. de simp. me. fac. 5ª.52.F
Lumbricos quod necat est amaritudo quæ in costo. 7°. de simp. medic. facul. 5ª.52.F
Lumbricos infantibus necat Fel taurinum. de dynam. Sp.27.F
Lumbricos expellit Filix. de simpl. med. Sp.84.D
Lumbricos expellit Git. de simp. med. Sp.84.F
Lumbricos expellit Hyssopum. de simp. med. Sp.92.E
Lumbricos occidunt Lipsiani. de simp. med. Sp.86.C
Lumbricos interficit Lupinus. 6°. de simp. med. fac. 5ª.48.D
Lumbricos eĩcere potest lupini decoctum. 6°. de simp. me. fa. 5ª.48.D
Lumbricos expellit farina lupinorum. de simp. med. Sp.86.C
Lumbricos interficit Menta sua amaritudine. 6°. de sim. me. f. 5ª.48.B
Lumbricos eĩcit cortex radicum Mori. de simp. med. Sp.87.H
Lũbricos & fœtũ tũ eĩcit tũ enecat Myrrha. 8°. ḋ sim. me. fa. 5ª.61.A
Lumbricos expellit Nepita. de simp. med. Sp.87.H
Lumbricos interimit Nigella. 7°. de simp. me. fa. 5ª.55.D
Lumbricos necant folia Persici trita supra vmbilicum imposita. 7°. de simp. med. fac. 5ª.56.A
Lumbricos necat Seriphum. 8°. de simp. med. fac. 5ª.60.C
Lumbricos intestina occupantes, & famem inducens enecat Theriaca. de ther. ad Piso. 5ª.96.A
Lũbricos rotundos excludit semen Tithymalli, & succus eius cũ carnicis, aut cũ dactylis comestus, iris; herba mercurialis, thymi decoctio, aloe, absinthium, abrotanum. de cathar. Sp.95.C
Lumbricos educit Triphera magna. de dynamidiis. Sp.26.D/E
Lumbricos excludit Vinum violaceum. de simp. med. Sp.92.C
Lumbricus occidit semen Violarum. de simp. med. Sp.91.A
ad Lumbricos necandos remedium. de dynam. Sp.27.H
ad Lumbricos mirabile remedium. de med. fac. par. 7ª.175.B
ad Lumbricos ventris. de med. fac. par. 175.D/ 7ª.178.H
ad Lumbricos aluum occupantes. de med. fac. par. 172.A/7ª.175.E
LVMBRICI, *siue intestina terræ, neruis diuisis conueniunt.* 11°. *de sim pl. med. fa.* 5ª.82.E
LVMBI *qui introd.* If.53.E/*de ossibus.* 1ª.41.G
Lumbus pars spinæ. 12°. de vsu par. 1ª.196.G
Lumbus longior in simiis q̃ in aliis ãalibus. de art. com. 3°. 7ª.273.B
Lumborum vertebræ quot. de ossibus. 1ª.42.C
in Lumbo vertebras quinq; hẽt homo. de artic. com. 3°. 7ª.273.B
in Lumbo quinq; spondyli. 12°. de vsu par. 196.G/13°. 1ª.201.F
Lumborum vertebræ quales. de ossib. 42.C/13°. *de vsu pa.* 1ª.199.H
Lumborum spondylorum consideratio. 13°. de vsu par. 1ª.200.B
ex Lumborum vertebris prodeuntium neruorũ coniugationes. de neruorum dissectione. 1ª.55.B
Lumbus, seu psoæ, haud exiguus musculus est, & vnde oriatur ac desinat. de musculorum dissectione. 1ª.50.G
ad Lumbos est arteria magna, in cuius partem inseruntur fœtus arteriæ. 15°. de vsu par. 1ª.211.D
in Lumborum vltimis vertebris nõ est arteria venę subiecta, sed e cõtrario. de ven. art. diss. 1ª.38.D
supra Lumbos membrana, est peritonæum. 6°. de ana. adm. 1ª.88.H
Lumborũ exercitationes, quæ. 2°. de san. tuen. 2ª.74.H
in Lumbis quæ sunt, expurganꝺ p vrinæ meatũ. 11°. me. me. 7ª.73.F
Lumbi vt pinguescant, antidotum. de dynamidiis. Sp.28.D

Lumbis & perinæo, id est femini, calida flatuosa adhibenda p coitu, frigida pro contrario. 6°.*de lo.affect.* 4ª.42.F
Lumbi quo modo lædantur. 5°.*de san.tuen.* 2ª.89.H
à Lumbis mulieribus rigores magis incipiunt, & per dorsum.in 6ᵐ. *de mor.vul.c.*3°.3ª.174.C/*com.*5°.*aphor.*69°. *Ex.*45.D
Lumborum distentiones in muliere quæ morbis vteralibus vexabaī, quales fuerint, & quo tempore. 2°.*de sem.* 1ª.336.C
*Lumborum tetanus sanguinis missione soluitur. de vict. rat.in morb. acutis, commen.*4°. 7ª.144.D
LVMBORVM *dolores ex itinere.de vict.rat.mor.ac.c.*4°. 7ª.144.H
*ad Lumbos & coxam quandoq; veniunt dolores ex crapula, & cibis.de vic.ra.in mor.acu.com.*4°. 7ª.144.H
Lumborū, ceruicis, & hypochondrij dolores habet caput dolēs. in 1ᵐ. *prorrhe.com.*1°. 4ª.161.H
Lumborum dolores si ascendant, & oculi peruertantur, malū.in 1ᵐ. *prorrhet.com.*1°. 4ª.174.A
Lumbi dolentes significant stomachi dolores, & sanguinē per hæmorrhoidas futurum.in 1ᵐ.*prorrh.com.*3°. 4ª.185.C
*Lumborū dolor significat purgationem debere fieri per inferius.commenta.*4°.*aph.*20°. *Ex.*29.C
*Lumborum dolore superueniente quibus ilia suspensa sunt obmurmurantia, his alui humectantur. com.*4°.*aph.*73°. *Ex.*35.G
*Lumborum dolor perseuerans tympaniam, id est siccum hydropem inducit.com.*4°.*aph.*11°. *Ex.*28.D
*circa Lumbos dolores exitiales qui.in prog.com.*2°. 4ª.203.H
*in Lūborū doloribus q̄ vena est secanda.de nat.hu.cō.*2°. 7ª.183.B
*ad Lumborum inueteratos dolores stercus columbinū bonū.*1°.*de sim pl.medic.fa.* 5ª.77.A
*ad Lumborū dolorē antidotū.de dyna.*28.D/*de pass. mul.* *Sp.*96.A
*ad Lumbos fasciarum circumiectio qualis.*3°.*de san. tu.* 2ª.77.D
*pro Lumbis quæ vnctiones frigidæ.*6°.*de san.tu.* 2ª.100.F
*Lūbis apposito medᵒ.crura resoluta sanata sunt.*4°.*de l.aff.* 4ª.25.B
*in Lumbis luxatio, qualis.*4°.*de lo.aff.* 4ª.24.B
Lumbos exustos habent Nomades.de aere, aq.& loc. 2ª.5.F
*LVMINIS an cōtrariū tenebra vel priuatio.*1°.*de sym.c.*3ª.17.C
Lumen solis aerem mutat in instanti.de ocul. 7ª.185.C
Lumen lunæ.de hist.philo. *Sp.*7.B
Lumen visibilis spiritus aerem mutat in instanti.de ocul. 7ª.185.C
Lumen coadunāt nigra.de ocul. 7ª.182.C
Lumen dispergunt lucida.de ocu. 7ª.182.C
*Lumen minus semper a maiori vincitur.*1°.*de vsu par.* 1ª.187.G
*Lumen refugere quid, & vnde.in prog.com.*1°. 4ª.192.E
LVNA & sol sunt veluti oculi mundi.an animal sit. 1ª.327.B
*Luna admiranda.*17°.*de vsu par.* 1ª.222.C
*Lunam putat meliorem Gal.aīa, & mente.*17°.*de vsu par.*1ª.222.C
Lunæ figura.de hist.phil. *Sp.*7.B
Luna diuersa à forma humana.in 3ᵐ.*de mor.vulg.com.*3°.3ª.149.B
Lunæ maculæ.de hist.phil. *Sp.*7.C
Luna, & eius orbis quantitas.de hist.phil. *Sp.*7.A
Lunæ magnitudo. de hist.phi. *Sp.*7.B
ad Lunæ magnitudinem procedit demonstratio Geometrarū.de curā. rat.per sang.miß. 6ª.16.C
Lunæ distantia ad nos.de hist.phil. *Sp.*7.D
*Luna aut stella si sinistro oculo cernas dextro clauso, in dextrā partē trāsilire videbit, ī sinistrā aūt cōtra agenti.*10°.*de vsu p.*1ª.183.A
*Lunæ circuitus quot fiat diebus.*3°.*de dieb.decr.* 4ª.157.D
Luna vnoquoq; mense mundum perambulat. de sperm. *Sp.*40.E
Lunę lumen.de hist.phil. *Sp.*7.B
*Luna superat alia astra vicinitate.*3°.*de die.decre.* 4ª.157.B
*Luna sole indiget in omnibus.*3°.*de dieb. decr.* 4ª.157.B
*Luna occidit cum Sole.*3°.*de dieb.decr.* 4ª.157.D
*Luna quantum luceat, & obtenebretur.*3°.*de die.decr.* 4ª.157.A
*Lunæ apparitionis tempus quantum.*3°.*de die.decr.* 4ª.159.F
*Luna per septimanas mutatur.*3°.*de die.decr.* 4ª.157.E
*Lunæ opera magna, sed maiora Solis.*3°.*de die.decr.* 4ª.157.A
*per Lunæ motum omnia mutantur.*3°.*de dieb.decr.* 4ª.157.G
*Luna immutat terrestrem plagam.*3°.*de dieb.dec.* 4ª.160.B
Luna frigida est & humida.de cōpag. mēb. siue de na.hu. *Sp.*59.G
Lunæ cōuenit terra frigida & humida ī primo gradu.de spe. *Sp.*41.B
Lunæ suppositæ terræ, quæ.de spermate. *Sp.*39.E
*Lunæ circuitus communis quę operatio.*3°.*de die. decr.* 4ª.159.E
*Lunæ circuitus propria operatio, quæ.*3°.*de die.dec.* 4ª.159.E
Luna quid efficiat in rebus diuersis.de dynam. *Sp.*20.B
*ex Luna aerem mutari nemo dubitat.*3°.*de die.dec.* 4ª.157.E
*ex Luna quando cognoscatur pluuia.*3°.*de die.decr.* 4ª.157.F
*ex Luna quo mō tēpestas valida cognoscatur.*3°.*de die. de.*4ª.157.F
*Luna rutila significat tempestatem.*3°.*de dieb.dec.* 4ª.157.F
*Lunæ varij aspectus varia faciunt.*3°.*de die.decr.* 4ª.157.A
*de Lunæ tpe mēstruo Hipparchᵘ librū fecit.*3°.*de die.decr.* 4ª.157.D
*Luna menses ordinat.*3°.*de dieb.decr.* 4ª.157.A
a Luna ipsa vr̄ numerare menses Gal.de septim.par. 1ª.341.D
Lunæ ratione non sunt cōputandi menses, sed rōne solis. in 1ᵐ.*de morbis vulg.com.*1°. 3ª.102.D
*a Luna per septimanas mensis mutatur.*3°.*de die.decr.* 4ª.157.G
*Luna quomodo menses variet.*3°.*de dieb. dec.* 4ª.157.B
*Luna cōseruat statū tēpus mēstruorū mulierib.*3°.*de di.de.*4ª.157.A
*Luna comitiales circuitus custodit.*3°.*de die. decr.* 4ª.157.A
*Luna in tabem vertit corpora mortui.*3°.*de die.dec.* 4ª.157.A
*Luna dormientibus sub ipsa pallorem & capitis dolorem cōciliat.*3°. *de diebus decretor.* 4.157.A
*Luna in coitu cum Sole facit mutationes vehementissimas.*3°.*de die. decretorijs.* 4ª.157.B
*Lunæ coitus dies tres, & quid tunc agatur.*3°.*de die.dec.* 4ª.159.E
*Lunæ coniunctionis diuturnæ mutationes.*3°.*de die.dec.* 4ª.157.C
Luna cur magis & minus apparet post coitum diuersis temporibus. 3°.*de dieb. decr.* 4ª.157.D
*Luna in oppositione facit minores mutationes.*3°.*de die.de.* 4ª.157.B
*Luna falcata obscuras mutationes facit.*3°.*de die.dec.* 4ª.157.C
*Luna dicotomos, quæ.*3°.*de dieb.dec.* 4ª.157.C
Luna amphicyrta.de decubitu prog.ex mathe. scien. *Sp.*13.C
Lunæ defectus. de hist.phi. *Sp.*7.C
Lunæ defectus reponitur inter ea quæ manifesto apparent.de cu.animi pec. not.atq; me. 2ª.57.B
Lunæ defectum obseruat.de dynam. *Sp.*26.A
Lunæ lumine, & cursu morborum prognostica.de decu.prog.ex mathe.scien. *Sp.*12.E
Lunę schemata in geminis.de decub.prog.ex math.scien. *Sp.*13.D
Luna primo consideranda sit ne in augmento vel decremento sui cursus.de decub.prog.ex math.scien. *Sp.*12.E
*Lunę augmentū obseruat, & in qua re.de incan.adiu.et susp.*7ª.182.B
Luna decrescente omnia decrescunt.de dyna. *Sp.*20.B
Lunam obseruat decrescentem.de dyna. *Sp.*25.E
Lunæ decrementum obseruat, & diem Iouis. de dyna. *Sp.*27.E
*Lunæ tetragonæ, & diametræ stationes in principijs bonis bonas faciūt alterationes, in malis malas.*3°.*de dieb.decr.* 4ª.158.A
sm Lunæ & planetarū stationes q̄ homines bene & male se habeant. 3°.*de dieb.decretorijs.* 4ª.157.H
Luna si incipiat in vno signo cū æger ĭcipit ægrotare, & faciat coniūctionē cū sole, æger morietur.de decub.pg.ex math. scīa. *Sp.*12.F
*Luna diminuēte q̄n æger sanabiť.de decub.pg.ex math.scīa.*Sp.12.F
Luna existente in ariete si quis decumbat in schemate maleolo, quid futurum.de decub.prog.ex math.scien. *Sp.*12.G
si Luna in ariete in schemate solis æger decūbat, quid fiat.de decub.p gn.ex math.scien. *Sp.*12.G
Luna cum Saturno, & Marte, & Mercurio pōt sanari æger. de decu. progn.ex math.scien. *Sp.*12.H
*Luna cū Saturno & Mercurio necat.de decub.pg.ex ma.scīa.*Sp.12.H
Luna si cū Ioue sit, aut Mercurio, aut Venere, ægro decumbēte, sanabitur.de decub.prog.ex math.scien. *Sp.*12.H
Luna si cum Marte sit & Mercurio sanabitur æger.de decub. progn. ex math.scien. *Sp.*12.H
Luna in coniunctione Solis Saturno in tetragono qui morbi fiant. de decub.prog.ex math.scien. *Sp.*13.A
Luna existente in Tauro qui morbi fiēt, sm tū planetarum aspectus.c̄ decub.prog.ex math.scien. *Sp.*13.B
*Luna in cācro si q̄s decūbat, q̄d sequaī.de dec.pg.ex math.sci.*Sp.13.G
Lunæ sedes est Cancer. de sperm. *sp.*38.H
Luna ī Leone si q̄s decūbat, q̄d sequaī. de dec.pg.ex mat.sci. *Sp.*14.B
Luna si sit in Virgine, quæ ægritudines fiant.de decub.prog.ex mathema.scien. *Sp.*14.D
Luna in Libra existente si quis decumbat, quę ægritudines fiant, & quales.de decub.prog.ex math. scien. *Sp.*14.F
Luna in Scorpione existente qui morbi fiant, & quales.de decub.pg. ex math.scientia. *Sp.*14.H

Luna existente in Sagittario quæ ægritudines fiant,& quales.de dec. progn.ex math. scientia. Sp.15.B
Luna existente in Capricorno quæ ægritudines fiant,& quales.de decub.progn.ex math.scientia. Sp.15.D
Luna existente in Aquario, quæ ægritudines fiant. de decub.prog.ex mathe. scientia. Sp.15.F
Luna existente in Piscibus quæ fiant ægritudines. de decub. prog.ex math.scientia. Sp.15.G
ex Luna ratio dierũ decretoriorũ sumitur.3°.de dieb.dec. 4ª.159.E
Luna ægris & sanis potest dies prænũciare, quales futuri sunt.3°.de diebus decretorijs. 4ª.157.H
ad Lunas, & ad septimanas referuntur circuitus per dies.3°.de die. decretorijs. 4ª.158.B
Lunæ ratione quando crisis tuta est.3°.de dieb.decr. 4ª.157.D
Lunæ dies qui tempora ostendunt.3°.de dieb.decr. 4ª.157.F
Luna obseruanda in curationibus.de dynam. Sp.20.B
Luna imminuente corpora refrigerare periculosum. de decub.progn. ex mathe.scientia. Sp.16.B
in Lunæ augmento excalfacere corpora periculosum. de decub.prog. ex math.scientia. Sp.16.B
LVNATICI *qui.de dynam.* Sp.24.A
Lunaticum fuisse Silenum, de quo Hippocrates meminit, quo modo aliq interpretarentur.in 3ᵐ.de mor. vul.com.1°. 3ª.128.G
LVNATA *figura ab vna parte sima, ab altera gibba est ascia.de fascijs.* 7ª.296.B
Lunata ligna, pars organorum.de machin. 7ª.309.E
Lunatum lignum ad quid organis. de machi. 7ª.310.A
Lunata, & cuneata appendix in organis ĩmobilis est.d ma. 7ª.310.F
Lunata appendix semper immobilis manet.de machin. 7ª.310.F
LVPINVM hepar hepaticis valet.8°.de comp.me.se.lo. 5ª.195.F
Lupinum iecur ad hepaticos valet,tamen non laudat.11°.de simpl. medic.fac. 5ª.80.A
Lupina vesica.de dynamidijs. Sp.28.F
Lupinum stercus quale esse debeat.10°.de simp.me.fa. 5ª.76.C
Lupinum stercus in colicis mirabile.10°.de sim.me.fa. 5ª.76.C
Lupinum stercus quo loco apponebatur inguinibus pro colica.10°.d simpl.med.fa. 5ª.76.D
LVPINA *vua quid. de simpl.med.* Sp.83.C
LVPINA *branca.de dyna.* Sp.24.C
Lupina branca quæ inferius est rotunda. de dyna. Sp.31.A
LVPINÆ *caudæ meminit.de dynam.* Sp.25.H
LVPINA *faba.de dynam.* Sp.25.H
LVPINA *melancholia,qualis.de mel.ex Gal.Ru.& Poss.* Sp.110.F
LVPINVS *quid. de simp.med.* Sp.86.C
Lupinus numerat ĩter cerealia semina.d vi.ra.ĩ mo.ac.c.1°. 7ª.111.B
Lupini lentibus similes minus siccant.de atten.vic. 2ª.45.A
Lupinus habet siliquas.1°.de ali.fa. 2ª.15.A
Lupinus quot habet siliquas.de pon.& mens. 5ª.276.G
in Lupinis quid sit fructus.2°.de ali.fa. 2ª.16.C
Lupinus qualis sit.de vic.ra.in mor.ac.com.4°. 7ª.146.F
Lupinus agrestis, qualis.6°.de simp.me.fa. 5ª.48.D
Lupini semen amarum est 4°.de simp.me.fa. 5ª.26.E
Lupinus amarus,qualis.6°.de simp.me.fac. 5ª.48.C
Lupini aquam amaram efficiunt.3°.de ali.fac. 2ª.32.A
Lupini sunt in frequenti vsu.1°.de alim.fa. 2ª.14.C
Lupini quo modo parentur,vt amittant insuauitatem sibi ingenitam. 1°.de ali fa. 2ª.14.C
Lupinis quidã p obsonio vtebatur,vt esset sanus.1°.de ali.fa. 2ª.14.F
Lupinorum substantia qualis.1°.de ali.fa. 2ª.14.C
Lupinis qũo Galeni pater experimentũ fecit.de bo.& vi.su. 2ª.36.G
Lupinus flatulentus est.de atten.vic. 2ª.45.B
Lupinorũ virtus calida est,corpus nutriũt, sunt indigestibiles, vẽtrẽ tẽperãt si cocti mãducent,aqua vbi cocti fuerit cũ ruta & pipere spleniticis pdest,scabiei maculis vel feruoribus apta fomẽtatio est cũ aceto scropas,vstiones,& malignos humores accipit eorũ farina lũbricos expellit,eorũ radix vrinã mouet.de sim.me. Sp.86.C
Lupinus probe nutrit.de bon. & vit.suc. 2ª.37.D
Lupinus non est mali succi, sed crassi.de bon.& vit.suc. 2ª.36.D
Lupini nutriunt eum qui digerit illos nutrimento multo crasso.de dissolutione continua. Sp.73.E
Lupinus nutrimentum facit crassum.6°.de simp.me.fa. 5ª.48.C
Lupini est cibus crassus,& cur.de dissol.cont. Sp.72.H
Lupinus est duræ naturæ. de diss.cont. Sp.73.B
Lupinus concoctu difficilis.de atten. vi.2ª.45.B|de diss.cõt. Sp.73.D
ex Lupinis fit deiectio alba.in pror.com.1°. 4ª.165.A
Lupinos lumbricos interficit.6°.sim.me.fa. 5ª.48.D
Lupini decoctũ lumbricos eijcere potest.6°.de sim.me.fa. 5ª.48.D
Lupinus aperit.de oculis. 7ª.188.E
Lupinorum decoctio prouocat menstrua.de cathar. Sp.95.D
Lupini repurgantes & extergẽtes sunt.1°.de cõp.me.se.l. 5ª.129.H
Lupinus vitiligines,achoras,pustulas,exanthemata, psoras,gangræ nas,vlcera maligna iuuat,iecur & lienem expurgat, mẽses elicit & fœtum.6°.de simp.me.fa. 5ª.48.D
Lupinus est emplasticus.6°.de sim.me.fa. 5ª.48.C
Lupinus mitis effectus τοῖς ἀπόλους silis efficit.1°.de ali.fa. 2ª.14.C
Lupinorũ farina exiccat,& qũo.5°.de simp.med.fa. 5ª.33.H
Lupinorum farina resiccat.5°.de simp.me.fa. 5ª.34.A
Lupinorum farina non mouet pus.5°.de sim.me.fa. 5ª.33.H
Lupinum potest cutis & vulnerum sordes auferre.5°.de simp. medi. facult. 5ª.33.B
Lupinorum farina liuida curat,& eadem digerit chæradas,& phymata curat.6°.de simp.me.fa. 5ª.48.D
Lupinorum farina ischiadicis cataplasmatis mõ aliqui illinunt.6°.de simp.me.fac. 5ª.48.D
Lupinorũ farina potissimũ si amara sit,supra q̃ quod extergit,nonnihil quoq; meatus expurgat.5°.de simp.me.fa. 5ª.35.B
Lupinorũ amarorum farina vsus est Gale.in vulneribus neruorũ.3°. de com.med.per ge. 5ª.229.H
LVPINI *magnitudine p dosi vtitur.9°.de comp.me.se.lo.* 5ª.200.G
Lupini parui magnitudo pro dosi sumitur.10°.de compo.med.secundum locos. 5ª.206.C
LVPA *recipit sperma canis.3°.de vsu par.* 1ª.127.F
LVPVS *habet ossium substantiam densiorem ac duriorem capris,suibus,& ouibus.11°.de vsu par.* 1ª.191.D
Lupis musculi tpales maximi & neruosissimi.11°.de vsu p. 1ª.184.F
Lupi habent os longissime fissum.11°.de vsu par. 1ª.187.F
Lupi habent multiplicem ordinem dentium.de ana.viu. Sp.49.E
Lupi multos dentes caninos vtrinq; habent.11°.de vsu pa. 1ª.187.E
Lupi ad carnes veniunt tanq̃ ad propria nutrimẽta, de cõsu. 2ª.61.A
Luporum pedes neq; varie dearticulati sunt, vt pedes hominum,neq; simplices, vt equorum.3°.de vsu par. 1ª.129.E
Luporum lien non est esculentum. de atra bile. 1ª.36.E
Lupi hepar aridum.6°.de com.med.sec.loc. 5ª.172.B
Lupi hepar ad hepaticas affectiones valet.6°.de cõp.me.s.l. 5ª.172.B
Lupi iecur.de med.fa.par. 7ª.166.E
Luporum stercora, qualia.de incant.adiur. & susp. 7ª.182.B
Lupos necans est aconitum.6°.de simp.me.fa. 5ª.42.A
Lupos interficit lycoctonum. 6°.de simp me.fa. 5ª.43.D
à Lupo laniatæ ouis lana.10°.de simp.me.fa. 5ª.76.D
LVPI *pisces viuunt aqua salsa,& dulci.de bon.& vit.suc.* 2ª.37.H
Lupũ piscẽ non vidit Gal.nasci in aquis dulcibus.3°.de ali.f. 2ª.30.E
Luporum maritimorum caro quomodo differt à degentibus in aquis vitiatis.de bon.& vit.suc. 2ª.37.H
Lupus pxime asellos vtilis cibus ĩ calidis & siccis.8°.me.m. 7ª.51.B
Lupus piscis.de med.fa.par. 7ª.170.H
LVPVS, *laqueus.de fascijs.* 7ª.301.H
Luscijs fel hirci agrestis prodest, vt quidam scripsere.10°.de simp. medicam.fac. 5ª.74.H
Luscijs quæ conferant.4°.de comp.me.se.loc. 5ª.158.D
LVTEO oui candidi vtitur.de remed.par.fac. 7ª.156.E
LVTEA *bilis,& flaua,idem.5°.de decre.Hipp.* 1ª.275.B
Luteus color quomodo fiat chalcitidi. 1°.de antid. 5ª.107.H
LVTRVM, *id est balneum,pro oculis.4°.de comp.me.se.lo.* 5ª.154.C
LVTVM *quid sit.9°.de simp.me.fa.* 5ª.64.F
in Luto nascitur corallus. de anat.viu. Sp.50.F
Lutum suaue olens, & perfecte assatum.2°.de ali.fa. 2ª.18.A
Lutum liquidum non admittit impressionem.2°.de semi. 1ª.339.B
Lutũ mediocriter induratum admittit ĩpressionẽ.2°.de sem. 1ª.339.B
Lutum mediocriter durum sumit fictor formandum, nõ adhuc liquidum.2°.de semine. 1ª.339.B
Lutum per vrinã expellens est antidotus Biennitę.10°.de comp.med. secun.loc. 5ª.206.F
Lutam calcantibus arbylis cuidam calceari præcepit Hippocrates. ad Thrasyb. 2ª.108.G

ad Luti craſſitiē verbenaca rectā qūo deducat. de re. par. fa. 7ª.154.C
LVTVM *emercum.* 7°. *de compoſi. med. ſe. lo.* 5ª.177.H
LVTVM *ægyptiæ terræ adiuuat phlegmonas veteres, & œdemata la xa.* 9°. *de ſimp. me. fa.* 5ª.65.G
Luto ægyptio ſanati ſunt tumidi ex hæmorrhoidū nimia purgatione. 9°. *de ſimpli. med. fac.* 5ª.65.G
Luti electarium. de med. Sp.108.D
LVCIS *duæ ſpecies. de ijs, quæ in med. fi. com.* 1°. 7ª.201.E
Lux ſtellarum vnde. de hiſt. philo. Sp.6.E
Lux quid oppoſitis faciat tenebris. de hiſt. phil. Sp.9.E
Lucem qui noctu vidēt, ſolēt incidere ī ſuffuſionē. 7°. *de decr.* 1ª.270.B
à Luce læſi cur repente palpebras claudimus. 10°. *de vſu. p.* 1ª.179.B
ob Lucis ſplendorem oculi dolēt. de ſimp. diff. 3ª.11.E
Lux addit in inſaniam ſm methodicos. de opt. ſecta. Iſa.25.A
Lucē quo mō dēt recipere chirurgus. de ijs q̄ in med. fi. c. 1°. 7ª.201.E
Lux clariſſima in oculis nō exigēda. de ijs, q̄ī med. fi. cō. 1°. 7ª.202.A
Lucis ſplendores incerti quo modo fiant. de vict. rat. in morb. acu. com men. 2°. 122.F/ 7ª.123.A
LVXARI *quibus de cauſis contingat tum in anteriorem, tum in poſte riorem partem quæ circa ſpinam ſunt, & qui tunc ſpiritus generetī* 1°. *de diff. reſp.* 3ª.59.D
Luxetur cur facile articulus. de artic. com. 1°. 7ª.252.E
Luxentur quomodo vertebræ. 4°. *de lo. aff.* 4ª.24.C
Luxentur quando boues. de art. com. 1°. 7ª.256.D
LVXATIO, *& exarticulatio idem. de frac. com.* 1°. 7ª.223.E
Luxatio fit à cā externa, & à nobis ipſis. de nat. hu. com. 2°. 7ª.182.G
Luxatio quot modis, & quomodo curetur. de conſt. ar. Iſ.40.A
Luxationis duo modi. de art. com. 1°. 7ª.251.G
Luxationis ſimplex modus. de fract. com. 1°. 7ª.230.H
de Luxatione digitorum & reparatione. de art. com. 4°. 7ª.292.B
Luxationes digitorum quot. de art. com. 4°. 7ª.292.B
de Luxatione brachij. 9°. *de decr. Hipp.* 1ª.281.C
Luxationem brachij quinquies vidit Galenus. de art. cō. 1°. 7ª.255.G
Luxatiōes quas nō vidit Hippocrates, ſed Gal. de ar. c. 1°. 7ª.255.G
Luxatio in alam. de artic. commentario. 1°. 7ª.257.E
in Luxato & ſano ala brachij qūo ſe hēt. 9°. *de dec. Hipp.* 1ª.281.B
Luxatio ſpinæ anguloſa, qualis. 4°. *de lo. aff.* 4ª.24.B
Luxatio in obliquum, qualis. 4°. *de lo. aff.* 4ª.24.B
Luxatio in lumbis, qualis. 4°. *de loc. aff.* 4ª.24.B
Luxatio vertebræ vocem lædit. 4°. *de loc. affect.* 4ª.26.D
Luxatio in poſteriorem partē pp q̄ eueniat. 3°. *de diff. reſp.* 3ª.72.E
Luxatio coxendicis incurabilis. 17°. *de vſu par.* 1ª.222.F
de Luxatione fœmoris, & quot fiat modis. de art. com. 3°. 7ª.276.C
de Luxatione genu & repoſitione. de art. com. 4°. 7ª.292.D
Luxatio oſſiū pedis, & manus quot diebus ſaneī. d fra. c. 2°. 7ª.233.H
Luxatio calcis. de frac. com. 2°. 7ª.234.B
de Luxatione tali & repoſitione. de art. com. 4°. 7ª.292.D
Luxationes quomodo prohibeantur. de frac. com. 3°. 7ª.249.C
Luxationes inferiores iuxta malleolos magis intro prolabūtur. d fra cturis, com. 2°. 7ª.238.G
Luxatio cum vlcere incurabilis. 17°. *de vſu par.* 1ª.222.F
LVXATI *articuli ſecundus modus. de art. com.* 1°. 7ª.253.B
Luxatum cubitum reſtituit Galenus. de art. com. 1°. 7ª.256.C
Luxati quo modo ſe habent. 9°. *de decre. Hipp.* 1ª.281.C
Luxatum brachium ſignificat tumor ſub ala durus & rotundus. de ijs quæ in med. fi. com. 1°. 7ª.198.F
Luxati quo modo curentur. intro. Iſa.60.G
Luxati quo modo debent tractari. 2°. *de motu muſ.* 1ª.314.E
Luxata in ſuum locum reponi deſiderant. 3°. *met. me.* 7ª.16.C
in Luxato, & fracto membro num prius luxatio, an fractura ſit repa randa. de machin. 7ª.314.D
Luxata oſſa cur prius extendenda. de frac. com. 1°. 7ª.224.B
Luxatis oſſibus quomodo nerui curentur. 1°. *de ſymp. ca.* 3ª.16.C
Luxata tribus modis in gñe reponūtur ī ſuā ſedē. de machi. 7ª.309.B
Luxata in ſuam ſedē reponendi methodicus modus eſt in cōmuni vſu, & quibus conuenit. de machinamentis. 7ª.309.C
Luxata reponendi palæſtricus modus eſt magis in vſu in principio, & qui illo reponantur. de machin. 7ª.309.B
Luxata reponēdi methodicꝰ modꝰ, & ad quos valeat. d ma. 7ª.309.C
Luxatas malas eē aptatas ex dētibꝰ cognoſcit. de art. c. 2°. 7ª.264.E
Luxatus cubitus quomodo reſtaurandus. de machin. 7ª.314.E
ad Luxatum ac peruerſum articulamentū Moſchionis pharmacū va let. 2°. *de comp. medic. per gen.* 5ª.225.E
pro Luxato, & comminuto humero repoſitio. de machina. 7ª.320.A
Luxatū humeri articulum qñ repoſitum deligamus tam fulcimentū q̄ ſtabilimentum nuncupari poteſt lana, quæ rotunda forma in alā conijcitur. de iis, quæ in med. fi. com. 3°. 7ª.222.D
Luxata ſpina quo modo reſtituatur. de machin. 7ª.320.H
ad Luxata emplaſtrū Iceſii bonum. 5°. *de comp. me. per ge.* 5ª.247.F
ad Luxata malagma confert Nilo inſcriptum. 8°. *de compoſitio. med. ſecun. loc.* 5ª.193.A
ad Luxata malagma bonum. 10°. *de comp. med. ſe. lo.* 5ª.208.A
de Luxato ad partes internas qui mingere non poterat meminit Ga lenus. 6°. *de lo. aff.* 4ª.38.G
Luxati pueri in primo articulo medij digiti dextræ manus caſus. 3°. *de compo. med. per ge.* 5ª.229.A
Luxati pueri in digito caſus. 3°. *de comp. me. per ge.* 5ª.229.B
LVXATIO *in ſcroto quo modo curanda. ars med.* Iſa.71.D
LVXVRIA *quæ mala faciat.* 3°. *de ſan. tu.* 2ª.81.D
Luxuriantes carnes ſtringit chryſocolla in cerotis poſita. de ſimplici bus medicamentis. Sp.82.E
Luxuriantia vulnera Sori exiccat. de ſimp. me. Sp.90.F
LYBES *ſunt graciles.* 2°. *de ſimpl. medicamentorum fa cultatibus.* 2ª.14.E
LYBIANVM *medicamētū ad q̄ faciat.* 4°. *de cōp. me. ſe. lo.* 5ª.155.A
Lybiana collyria quę appellentur. 4°. *de comp. med. ſe. lo.* 5ª.150.D
LYBICVS *ſuccus.* 10°. *de comp. med. ſec. lo.* 5ª.206.E
LYCHNIDOS coronariæ ſemen in ſecundo calidum & ſiccum eſt. 7°. *de ſimp. med. fac.* 5ª.54.H
Lychnis. de med. par. fac. 7ª.167.D
LYCHNIVM *medicamentum.* 4°. *de compoſitione medicamentorum ſecun. loc.* 5ª.153.E
LYCIAM *totam nauiganit Galenus.* 9°. *de ſimp. me. fac.* 5ª.68.G
LYCIVM *medicamentum quid ſit.* 7°. *de ſimp. me. fa.* 5ª.54.G/*de ſim plic. medi.* Sp.85.G
Lycium quo modo fiat, & quo tempore. de dynamidijs. Sp.22.H
Lycium quale. 4°. *de comp. me. ſe. lo.* 5ª.151.D/*de ocul.* 7ª.188.H
Lycium in ſecundo ordine eſt ſiccum, in actiuis temperatum. 7°. *de ſimp. med. facu.* 5ª.54.G
Lycium Indicum eſt efficacius. 7°. *de ſimp. me. fa.* 5ª.54.H
Lycium Indicum adulteratur. 9°. *de ſimp. me. fa.* 5ª.69.C
Lycium Indicum Gal. habuit. 9°. *de ſimp. me. fa.* 5ª.69.B
Lycīū Indicū. 3°. *de comp. med. ſe. loc.* 143.H/7°. 184.A/9°. 203.A/ B/C/H/204.D/F/212.B/5°. *de comp. me. per ge.* 5ª.251.H
Lycium Indicum adſtringit, concoquit, & diſcutit. 4°. *de compoſitio ne medic. ſe. lo.* 5ª.150.H
Lycium mediocriter adſtringit. 4°. *de comp. me. ſe lo.* 5ª.149.H
Lycium maturat. de ocul. 7ª.189.D
Lycio & nitro mixtum vinum eſt conſolidatiuum, & conſtrictiuum, & confortatiuum. de ocul. 7ª.189.G
Lycīū ad ſugillata & ſedis oriſq; phlegmonas, vlcerationeſq;, tū her petas, putredines, & vlcera contumacia, & aures pure fluentes, & intertrigines, paronychias confert. 7°. *de ſimp. me. fa.* 5ª.54.G
Lycīū ad putredines, & cacoethe vlcera valet, & cœliacis, dyſente ricis, & muliebri profluuio adhibetur. 7°. *de ſimp. me. fa.* 5ª.54.H
pro Lycio centaurij maioris ſuccus ab aliquibus ſumitur. 7°. *de ſimpl. med. fac.* 5ª.50.G
LYCOCTONVM *cuius facultatis.* 6°. *de ſimp. me. fa.* 5ª.42.A
Lycoctonon lupos interficit. 6°. *de ſimp. med. fa.* 5ª.43.D
LYCOIDES *affectio faucium, latine lupus, id eſt ſtrangulator. de ſper mate.* Sp.36.F
LYCOMEDIS *dolorē ſedās cōfectio.* 7°. *de cōp. me. ſe. loc.* 5ª.185.A
LYCOPERSIVM *quæ herba.* 4°. *de ſimp. me. fa.* 5ª.29.F
LYCOPSOS *anchuſa refrigerat, & deſiccat.* 6°. *de ſim. me. fa.* 5ª.41.C
LYCI *Macedonis opinio de aquoſitate tendente ad renes.* 1°. *de natu ralibus facult.* 1ª.296.D
Lycus interpres Hippocratis nonnunquam illū reprehendit, ſed ma le & quare. de ord. lib. ſuo. Iſa.15.C
LYCVS *nouus ſcriptor anatomiæ. de nat. hu com.* 2°. 7ª.183.F
Lycus creditus eſt muſculos diſſecuiſſe optime. de muſ. diſſ. 1ª.44.D
Lyci, & Aeliani, & Pelopis muſculorum diſſectio in pretio iure ha bita eſt. de muſ. d iſſect. 1ª.44.B
Lyci liber de muſculorū diſſectione cur prolixus. de muſ. diſſ. 1ª.44.C
Lycus damnatur, & quare. 4°. *de anat. adm.* 1ª.84.C

in LYDIA vinum seſaminum dulce. 1°.de dign.pul. 4ª.70.H
LYGOS cuias facultatis,& ſubſtantiæ.6°.de ſimp.me.ſ. 5ª.40.H
LYNCEVS ſubterranea intuebat.de cu.aï pec.not.at.med.5ª.59.A
Lynceps optime cernunt.1°.de ſan.tuen. 2ª.63.H
Lynx ſumẽdus pro anatomia,ſi penitus ſimia deſideretur.6°.de anatomic.adminiſtrat. 1ª.89.F
Lynces habent muſculos temporales debiles.11°.de vſu pa. 1ª.184.F
Lynces habent genam inferiorem minimam.11°.de vſu p. 1ª.185.A
LYRARVM cordæ quo mõ & ipſæ cõuellant.3°.de lo.aff. 4ª.17.E
in Lyris conſonantia exactiſſima hẽt latitudinẽ.1°.de ſan.tu.2ª.64.B
Lyra ſolebat pulſari in ſympoſiis.1°.met.me. 7ª.2.D
Lyram non percipit aſinus. de cuiuſq; ani.pec.not.atq; med.2ª.56.G
LYSIAE arteriaca qualis.7°.de comp.me.ſe.lo. 5ª.181.D
LYSIMACHIA quædam ſeruari debebat, & ſeruata eſt ſpinæ Aegyptiæ ſemine,cũ nõ inueniretur.Lyſimachia herba.4 ſub.m.5ª.84.C
Lyſimachij vires,quæ.7°.de ſimp.me.fa. 5ª.54.H
LYSOMVMVDON terens ex aceto in ſole illinito ad faciem dealbandam.de me.fac.par. 7ª.174.B

MABIT iunctura manuum, quæ eſt in compoſitione oſſis adiutorij.de mot.man.& obſ. Sp.66.D
in MACEDONIA prouenit optimum Petroſelinon.1°.de antidotis. 5ª.105.E
Macedonicum petroſelinum probatiſſimum. 4°.de ſan.tuen. 2ª.86.D
à Macedone profecta confectio.10°.de cõp. medic.ſec.lo. 5ª.206.B
Macedonum anni tempora.in 1ᵐ.de mor.vul.com.1°. 3ª.102.D
Macedonum menſis Dion qui.in 1ᵐ.de mor.vul.com.1°.3ª.102.C/D
apud Macedones artemiſius mẽſis q.in 1ᵐ.de mor.vul.c.1°.3ª.102.D
apud Macedones menſis loius qui.in 1ᵐ.de mor.vul.c.1°. 3ª.102.D
MACEDONICVM medicamentũ pro phlegmone in adenibus.13°.methodi medendi. 7ª.81.B
Macedonicum medicamentum ad cruſtas excidentes.2°.de arte curatiua ad Glauc. 7ª.107.B
Macedonicum medicamentum vlceri non apponẽdum.2°.de arte curati.ad Glau. 7ª.101.H
MACER quid ſit.6°.de compo.medicamen.ſecun.lo. 5ª.169.D
Macer aromata redolet.7°.de ſimp.me.f. 5ª.55.A
Macer acerbus guſtu cũ acrimonia odorata.7°.de ſim.me.f. 5ª.55.A
Macer ſiccũ eſt in tertio ordine in actiuis qualitatibus temperatum. 7°.de ſimp.me.fa. 5ª.55.A
Macer generoſe diſcutit.6°.de compo.med.ſecun.lo. 5ª.169.D
Macer arboris cortex conſtipat aluum.de ſubf.emp. Iſa.33.B
à Macere cur credimus ventrem ſiſti.de ſubf.emp. Iſa.33.C
Macer adſtringit.de ſubf.emp If.33.D
Macer deſiccat & adſtringit.7°.de ſim.me.fa. 5ª.55.A
Macer cœliacis,& dyſentericis facultatibus miſcetur.7°.de ſimpliciũ medic.facul. 5ª.55.A
MACRI habent iugula,& venas extantes. in 6ᵐ.de morbis vulgar. commentario.3°. 3ª.177.E
Macrorum cutis,qualis.in 6ᵐ.de mor.vul.com.3°. 3ª.176.E
Macrarum auium,& antiquarum axillis axille auium iuuenum,& pinguium velocius digeruntur.de diß.cont. Sp.73.C
ad Macros.2°.de antido. 5ª.113.D
MACERANDA etiam per plures dies ſunt duriora.7°.de comp.medi. ſecun.loc. 5ª.180.H
Macero pro mollio.de artic.com.2°. 7ª.263.H
ex Macerari debentibus abycienda ſunt humentiora, mollia valde, & duriora.7°.de comp.me.ſec.lo. 5ª.180.H
MACHAONIS Aſclepios ex Scribonio Largo.4°.de compo.medicam. ſecundum locos. 5ª.155.H
Machærium quid.8°.de ana.adm. 1ª.101.G
Machærarũ ſiue oſſium perſiorũ nuclei.5°.de cõp.me.ſec.lo.5ª.163.F
MACHAERIONIS emplaſtrũ.2°.de comp.med.per ge. 5ª.221.G
Machærionis medicamentum, cruſtas optime diſrumpit.2°.de arte curat.ad Glau. 7ª.107.B
Machærionis emplaſticum medicamentum, quo modo ad vſum emotorũ poſſit reduci.2°.de arte cur.ad Glau. 7ª.106.A
Machærionis viride medicamẽtũ obiter adducit.5°.me.mc.7ª.33.E
Machærionis medicamentum.5°.de comp.med.per gen. 5ª.248.D

MACHINARVM ſtructori lignum eſt materia.ad Thraſy. 2ª.106.A
Machinæ ad articulos reponendos.de artic.com.4°. 7ª.289.H
Machina pro fracto crure.7°.de vſu par. 1ª.161.H
MACHINAMENTA quæ organa ſint.de machi. 7ª.309.D
Machinamentorum omnium deſcriptiones architectonica complectit. de cuiuſq; animi pec.no.atque med. 2ª.57.B
Machinamentum ad naues ducendas per ergatã.de machi.7ª.316.C
Machinamentum gloſſocomum quale,& quo modo cõpoſitũ.de machinamentis. 7ª.310.G
MACHINARIA capſula quæ,& quomodo confecta.de fracturis,cõmentario 1°. 7ª.239.F
MACHOZIRI meminit.ſecretorum. Sp.101.D
MACIE affectis corpus biliоſius redditur.in 6ᵐ.de mor. vulgaribus, commentario 3°. 3ª.177.C
Maciem futuram ſignificat vrina alba, & aquoſa in augmento ægritudinis,aut inſtatu veniens.de dynamidijs. Sp.34.B
in Maciem tranſeunt icterici.de cura icteri. Sp.11.F
Macies quo modo curanda.6°.de decre.Hipp. 1ª.267.G
ad Maciem.ſecretorum. Sp.101.H
MACILENTIA in ægris quibus fiat.com.2°.aph.28°. Ex.16.E
in Macilentis multæ arteriæ ſentiuntur.de venæ.ar.diſſ. 1ª.59.D/E
in Macilentis motus muſculorum plurium apparent ante cutis ablationem.de mot.muſ. 1ª.309.H
Macilentis non eſt vena ſecanda,nec ijdem ſunt euacuandi.1°.de arte cura.ad Glau. 7ª.98.D
Macilentæ mulierculæ cui octo menſibus menſes defecerant,ſanguinem detraxit Gal.in 6ᵐ.de mor.vul.com.3°. 3ª.176.C
in Macilenta ſectio venæ quo modo facta,& in quanta quantitate.in 6ᵐ.de mor.vul.c.3°. 3ª.176.C
Macilentis,& humidis minor ſuperuenit inflãmatio, q̃ ſiccis,& carne repletis.de articu.com.1°. 7ª.256.G
Macilenti pice illinendi.14°.meth.me. 7ª.91.F
MACRAVCHENES, id eſt longi colli. in 6ᵐ.de morbis vulgaribus, commentario 1°. 3ª.154.A
MACROCEPHALI quales.de aere,aq.& loc. 2ª.4.G
MACRONOXIAM oſtendit in ſynocha vrina tenuis,& boni coloris, frequens & multa egeſta.de dynam. Sp.34.E
MACVLAE lunæ.de hiſt.philoſ. Sp.7.C
MACVLAS in facie tollit narciſſi bulbus.de ſimp.me. Sp.87.H
Maculas albidas emendant radices aſphodeli combuſtæ,& in cinerẽ redactę. de ſimp.med. Sp.81.B
ad Maculam tibiarum albam vel nigram.de dynam. Sp.30.A
Maculis caricæ vtiles ſunt.de ſimp.med. Sp.84.C
Maculas & lentigines tollit chamæleon.de ſimp.me. Sp.82.F
ad Maculas ex ſole contractas valet coctus.7°.de ſimpl. medicamẽ. facult. 5ª.52.F
Maculas & lentigines tollit erbum.de ſimp.me. Sp.85.B
Maculã omnem à ſudore factam lapatium tollit.de ſimp.me.Sp.86.D
Maculis prodeſt fomentatio aquæ,in qua cocti ſint lupini. de ſimplicibus medicam. Sp.86.C
Maculas oleum ex folijs myrtæ perfricatum emendat. de ſimplici. medicamen. Sp.87.E
Maculas tollit orobum. de ſimp.med. Sp.88.F
ad Maculas albas vel nigras,remedium.de dynam. Sp.25.F
MACVLA corneæ propria paſſio.de ocul. 7ª.187.A
contra Maculam oculorum ſuccus Iari.de med.exper. Sp.106.D
MADAROTES affectus ſuperioris partis capitis,& menti. introductio. Iſa.59.C
Madarotes coroneæ affectus.introductio. Iſa.58.D
MADEFACTIO præparat alimentum ori. de bon.vitio ſuc. 2ª.37.A
MADEFIERI quid ſit.9°.de ſimp.me.fac. 5ª.66.E
MADOR quid ſignificet.de frac.com.3°. 7ª.244.C
MAEMECYLON fructus arbuti vitandus in capitis doloribus à ſtomacho & ab alijs.2°.de comp.me.ſe.lo. 5ª.137.B
MAENIDVM, & ſiluorum ſalſugine maxime vtebantur antiqui.11°. de ſimp.med.fa. 5ª.83.G
Mænidum capita ad columellam.11°.de ſimp. me.fa. 5ª.79.F
Mænidum capita ſale inueterata ad ſedis fiſſuras.11°.de ſimp.medicam.fac. 5ª.79.F
MAGICVM opus videbatur modus quidam curãdi partes iam plane curuatas,& conuolutas.2°.de arte curati.ad Glau. 7ª.104.C
MAGIS, & minus,& plus quo modo recte vſurpentur. commentario 1°.

rio 1°.aphorismo 14°. Ex.7.B
Magis & minus in differentijs à substantia. 1°.de diff.feb. 3ª.30.H
Magis, & minus quæ non habent. 1°.de dieb.decr. 4ª.149.B
Magis, et minus ñ admittit angl'aris figura. d ijs q̃ i me.fi.c. 3°.7ª.217.b
in Magis, & minus differentibus quomodo procedendum. 10°.de simpli.medicam.facul. 5ª.75.A
MAGISTRI *prima rudimenta docentes, sunt in secũda sede prope deũ Mercurium in oratione suasoria.* Isá.2.F
MAGISTRATIBVS *eo anno quo magistratu sunguntur, vinum interdicit lex Chartaginiensium. quòd animi mores.* 1ª.320.H
Magistratum formidabilem adiens tremit. 2°.de sym.cau. 3ª.20.D
MAGMA *quid vocetur. 7°.de comp.med.per gen.* 5ª.266.D
Magmatis hedychroi compositio. 1°.de anti. 5ª.104.F
Magma hedychroum ponitur in theriaca. de ther.ad Piso. 5ª.92.D
Magma malabathrum. 7°.de comp.med.per gen. 5ª.272.E
MAGNANIMI *magis Europæi q̃ Asiani. de aere, aquis, & lo.* 2ª.6.C
Magnanimi non possunt degere sub legibus. de aere, aq. & lo. 2ª.5.B
Magnanimus non moritur ob mœstitiam, vel animi ægritudinem. 5°.de locis affectis. 4ª.29.C
MAGNES *lapis quid. de simp.med.* Sp.86.G
Magnes. 9°.de simplici.med.facul. 5ª.68.C
Magnes vbi inueniatur. 3°.de loc.aff. 5ª.23.D
Magnetis vis. 6°.de loc.aff. 4ª.40.B
Magnes vim similem hæmatiti habet. 9°.de simp.me.fa. 5ª.68.B
Magnes habet facultatem trahendi ferrum. 2°.de nat.fac. 1ª.297.F
à Magnete aliter trahitur ferrũ, q̃ aer à follibus. 3°.de na.fa. 1ª.307.G
Magnes quo modo trahit lapidem ſm Epicurũ. 1°.de na.fũ. 1ª.294.C
Magnes quo modo ferrum attrahat. de theria.ad Piso. 5ª.90.G
à Magnete q̃q; ſtilos dependere vidit Galenus. 1°.de na.f. 1ª.294.F
vt Magnes lapis facultatem habet attrahendi ferrũ, ita naturalia instrumẽta facultatẽ habẽt pſticẽdi ſuã actionẽ. 1°.de loc. aff. 4ª.8.A
Magnes lapis purgatorias vires habet, hydropicis in potu datur. de simpli.medicam. Sp.86.G
NAGNIFICATIONIS *linguæ causa. de mo.ma. & ob.* Sp.67.H
MAGNITVDO *quo modo multis modis dicatur. 2°.de diff.pul.* 4ª.55.F
Magnitudines non sunt longitudo, latitudo, & profunditas. 2°.de differentijs pulsuum. 4ª.56.F
Magnitudine caret linea. 2°.de diff.pul. 4ª.56.A
Magnitudo ducitur in infinitum. 8ˇ.de decr.Hipp. 1ª.274.D
Magnitudo necessario est accidens. 1°.de vsu par. 1ª.115.E
Magnitudo magnũ & parũ sign̄at. de ys, quæ in med.fi.c. 1°.7ª.205.E
Magnitudo solus. de hist.philos. Sp.6.H
Magnitudo corporis quæ proprie sit. com. 2°.apho. 54°. Ex.19.E
Magnitudo corporis simpliciter non est indicium humiditatis. de opt. nostri corp.const. 1ª.38.H
Magnitudo cordis non est causa audaciæ. de anat.viuo. Sp.53.A
Magnitudo non reflectitur in speculo. 7°.de decretis Hippo. 1ª.272.B
Magnitudo non ingreditur pupillam. 7°.de dec.Hipp. 1ª.272.B
Magnitudo reiectæ partis plerunque locum affectum significat. 1°.de locis affectis. 4ª.2.D
Magnitudinis membri minutio pertinet ad morbum quantitatis. de differentijs morborum. 3ª.5.A
MAGNITVDO *& vehementia morbi sunt idem. 3°.de crisi.* 4ª.140.
B/com. 1°.aph.12°. Ex.5.F
Magnitudinis morbi causa de ocul. 7ª.185.G
Magnitudinis morbi in numero causa. de ocul. 7ª.185.G
Magnitudo morbi vnde cognoscatur. 1°.de crisi. 126. A/3°. 4ª.140.C
Magnitudo morbi vnde accipiatur. 7°.meth.med. 7ª.48.F
in MAGNITVDINE *morbi quo modo differunt a morbis in numero. de diff.morb.* 3ª.5.A
MAGNVS *scripsit de pulsibus. 3°.de diff.pul.* 4ª.59.D
Magni compositio theriacæ quo differat ab Andromaci compositione. 5°.de ther aca ad Piso. 5ª.95.B
Magni medicamentum cicatricẽ inducẽs. 5°.de c.me.per ge. 5ª.253.G
Magni cicatricem inducens. 5°.de comp.me.per ge. 5ª.253.G
Magni Tarsensis extractoriũ hæmorrhoidũ. 9°.de c.m.s.l. 3ª.205.B
Magni Elorida ad nomas, putredines, pterygia, carbunculos. 5°.de cõpo.medic.per gen. 5ª.254.D
MAGNVM *est contrarium paruo. 11°.meth.med.* 7ª.71.B
Magnum, & maius quo modo differant. 2°.de dign.pul. 4ª.76.F
Magnum indefinita quantitas. 2°.de digno.pul. 4ª.76.E
de Magno & paruo disputatur an qualia sint, vel ad aliquid. 2°.de differentijs pulsuum. 4ª.54.E
Magnũ, et parũ dicũtur in qualitatib. 3°.de c.med.per ge. 5ª.228.H
Magnum & paruum sunt ad aliquid, & significant quantitatem. 2°.de differen.pulsuum. 4ª.55.G
Magna esse formica quo modo dicatur. 2°.de digno.pul. 4ª.76.E
Magna formica, & mõs puus ad aliqd. in 1ᵐ.de mor.vul.c. 1°.3ª.104.a
Magnum accipitur absolute. 2°.de dign.pulſ. 4ª.76.C
Magnum non dicitur de propria substantia. de tot. morb.tem. 3ª.89.E
Magnum corpus propter quid sit. de opt.nost.corp.const. 1ª.38.G
Magnum quo termino statuatur. 2°.de dign.pul. 4ª.76.E
Magnas res quomodo comprehendat manus. 1°.de vsu par. 1ª.113.H
MAGNI *homines forma vbi contingunt. de aere aq. & lo.* 2ª.6.D
per Magnam cannam, & canales nasi fit attractio aeris ad pulmonẽ. de anatomia viuorum. Sp.47.C
Magna vena est in parte dextera cordis. de ana.viuo. Sp.46.F
Magna vena, & arteria procedunt a duobus ventriculis cordis ad supremum spondylum colli. de vtil.resp. Sp.62.G
Magna vena quæ dicitur cava quorsum procedat. de vti.resp. Sp.62.G
Magna arteria dicta aorta & quorsum pcedat. de vtil.resp. Sp.62.G
Magna arteria, vena cava sub septo transuerso super vertebras incũbit. in Tim.Plat. 1ª.287.H
Magna arteria in dorso. de anat.par. Sp.43.B
Magna vena in dorso. de ana.par. Sp.43.B
Magnum cor habent secundum mensuralem sibi proportionem lepus, & ceruus cum timidi sint. de ana.viuo. Sp.53.A
Magnum cor habent lepores & cerui cur. de ana.viuo. Sp.46.H
Magnum cor non audax. de ana.viuo. Sp.46.H
Magnum habentia calorem animalia magnum quoque habeãt pulmonem necesse est. de ana.viuo. Sp.47.F
Magnũ digitum, anticheira, id est pollicem, quasi promanum dicas, appellant. de musc.dissect. 1ª.49.B
Magnũ digitũ q̃ musculi i neutrã partẽ extendãt. de mus.diss. 1ª.48.D
Magnum digitum mouens musculus. de mus.diss. 1ª.48.E
Magnum digitum qui musculus indici adducit. de mus.diss. 1ª.49.B
Magnum digitum qui musculus longissime ab indice abducit, vbi oriatur & finiat. de mus.diss. 1ª.49.B
Magni digiti primus articulus euidẽtẽ habet motũ. d mus.diss. 1ª.49.D
apud Magnum digitum exortus musculi mouentis brachiale. de musculorum dissectione. 1ª.48.H
apud Magnum digitum qui musculus brachiale flectat in pronum. de musculorum dissect. 1ª.49.A
in Magno digito nõ nunq̃ duo soli musculi apparẽt. de mus.dis. 1ª.49.d
Magnum pedis digitum flectens musculus. de mus.diss. 1ª.52.D
Magnum digitum pedis oblique leniter sursum trahens musculus. de musculorum dissectione. 1ª.52.D
Magnũ quod est ex animalibus siccis, tardius digeritur quàm parũ. de disso. cont. Sp.73.C
in MAGNO *anbelitu quæ partes moueant. de mo.ma. & ob.* Sp.66.H
MAGNI *pulsus definitio. 4°.de diff.pul.* 4ª.69.B
Magnus pulsus, qui. comp.pulſ. Sp.65.H
MAGNI *vt sunt morbi, ita euacuationes magnæ fieri debent. de cucurb.scarif.* 6ª.3.H
MAGNA *biera. secretorum.* Sp.101.G
Magnum laccæ electarium. de med.exper. Sp.107.A
Magnam theriacam præbet lapidem habẽtibus. de cura lap. Sp.112.A
MAIAE sive obstetricis medicamentum ad condylomata & rhagadas generosum. 5°.de comp.med.per gen. 5ª.252.H
Μαίνεσθαι, *id est insanire, quid. in 1ᵐ.prorrh.com. 1°.* 4ª.161.A
Μαινόμενοι *qui sint. in 1ᵐ.prorrh.com. 1°.* 4ª.161.B
MAIORANA *est calida & sicca in tertio ordine. 8°. de simplicium medicamentorum facultatibus.* 5ª.60.A
Maioranæ vires. 6°.de simp.me.fac. 5ª.42.D
Maioranæ drachmas tres cum drachmis duabus rubiæ prouocant mẽstrua. de me.exper. Sp.106.E
MAIVS, *pro efficacius. aduers. Lyc.m.* Ex.65.G
Maius est ad aliquid semper. 2°.de dignos.pul. 4ª.76.C
Maius, & magnum quo modo differant. 2°.de dign.pul. 4ª.76.F
Maius moderato habet quinque differentias. 2°.de diff.pul. 4ª.55.G
Maiores natu qui sint. in progn.com. 2°.205.G/3°. 4ª.209.H
Maiora corpora minorum principia. 6°.de decr.Hipp. 1ª.262.F
Maius est minus obnoxium iniurijs. 15°.de vsu par. 1ª.211.F
Maiores sunt arteriæ in lingua, & priapo, quam reliquis membris. de mot.man.

mot.man.& obſ. Sp.67.H
ex Maioribus inteſtinis educũt ſcybala,& lũbrici lati.de cat. Sp.94.H
Maius quod eſt ex animalibus humidis velocius digeritur antequam dureſcat, quàm minus.de diſſol.cont. Sp.73.D
Maiora duobus digitis capiũtur,ſed nõ extremis. 1°.*de v.p.* 1ª.114.A
Maiorem habẽt hypoſtaſim vrinæ mulierum, quàm virorum. de vrinæ ſignific.ex Hipp. Sp.79.B
Maior flamma quo modo minorem extinguat.de vtil.reſp. Sp.62.D
à Maioribus remedijs inchoandum, vbi morbus eſt maximus. 5°.*methodi medendi.* 7ª.36.A
MALA, γνάθος, & bucca quid ſignificent.de art.cõ. 1°. 7ª.262.G
Mala quid ſignificet.de articu.com. 2°. 7ª.264.E
Malæ quæ. introductio. Iſa.53.B
Malæ ſunt oſſa maxillarum.de nat.& ord.cuiuslibet corp. Sp.42.H
Malæ ſingula oſſa habent. introd. Iſa.54.G
Malas tegit os. 11°.*de vſu partium.* 1ª.189.D
Malarum oſſa cur craſſiſſima. 11°.*de vſu par.* 1ª.191.H
Malæ propter quid ad oculos. 10°.*de vſu par.* 1ª.180.A
Malæ cur nudæ pilis. 11°.*de vſu par.* 1ª.289.D
in Malis & naſo pili faciẽ ſylueſtrẽ effeciſſent. 11°.*de vſu p.* 1ª.189.d
ad Malas pili quid agant. 11°.*de vſu par.* 1ª 189.D
Malarum robur.in 1ᵐ.*de mor.vul.commentario* 3°. 3ª.126.H
Malarum palpitatio vnde. 2°.*de ſym.cau.* 3ª.20.F
ad Malas à capite cur materia tranſmittatur 2°.*de diff.feb.* 3ª.40.H
Malarũ partes cur ĩtumeſcãt in ophthalmia. 4°.*de c.me.ſe.l.* 5ª.150.F
Mala paucis luxatur.de artic.com. 1°. 7ª.262.G
Malas luxatas eſſe aptatas ex dẽtibus cognoſciẽ.de ar.c. 2°.7ª.264.e
a Malis p quas ducitur nomẽ habet vinculũ .de faſ. 7ª.295.A
ad Malas iunctura ex tribus faſcijs.de faſcijs. 7ª.299.H
MALABATHRVM *quid,& eius vires.de ſimp.me.* Sp.87.F
Malabathrum cum ſpica nardi ſimillimum. 7°.*de ſim.me.fa.* 5ª.55.A
Malabathrum Alexandrinum. 7°.*de compoſi.med.per gen.* 5ª.272.E
Malabathri folia inter aromata numerantur. 7°.*meth.med.* 7ª.44.A
Malabatru phyllon. 8°.*de ſimp.med.fac.* 5ª.63.E
Malabathri folium odoratas reddit compoſitiones. 1°.*de compoſi.medicamen.ſecun.loc.* 5ª.128.C
Malabathri folia in theriacam ingrediũtur.de ther.ad Piſ. 5ª.92.E
Malabathri foliũ pro oris putore.in 6ᵐ.*de mor.vul.cõ.* 4°. 3ª.182.A
Malabathrũ aſtrictionis particeps eſt 3°.*de cõ.me.p gen.* 5ª.234.F
Malabathri foliũ mediocriter adſtringit. 4°.*de comp.me.ſ.l.* 5ª.149.H
Malabathri ſemen theriacam ingreditur.de ther.ad.Piſo. 5ª.92.E
Malabathri magmatis meminit. 7°.*de compo.med.per gen.* 5ª.272.E
pro Malabathro nardus gangitis. 7°.*de com.me.per ge.* 5ª.274.D
Malabathri foliũ nardo ſimilẽ vim poſsidet. 8°.*de ſim.me.fa.* 5ª.63.E
MALABATHRINVM *vnguentum primæ confectionis.* 7°.*de compoſi.medicam.per gen.* 5ª.271.B
Malabathrini vnguenti ſex. 7°.*de compo.med.ſec.loc.* 5ª.178.D
MALACHE, *id eſt malua.* 7°.*de ſimpli.med.fac.* 5ª.55.B
MALACOSARCOS *qui.* 9°.*de ſimp.med.fac.* 5ª.65.H
MALACTICA *quæ ſint.* 14°.*methodi medendi.* 7ª.88.A/ *de dynamidijs.* 18.H/ Sp.20.G
Malactica medicamenta,qualia. 5°.*de ſimp.me.fa.* 5ª.33.F
Malacticum digerens ladanum. 7°.*de ſimp.me.fa.* 5ª.51.E
Malactica quid proprie agant. 7°.*de comp.me. per gen.* 5ª.267.G
Malactica ventrem tantum molliunt.de dyna. Sp.20.G
Malacticis rebus,& metaſyncriticis curantur dolores omnes vetuſti, & inſanabiles.de dynam. Sp.19.A
Malactica vlceribus non conueniunt,& quæ ſint. 4°.*de compo. medicamento.per gene.* 5ª.236.H
MALAGMATA *quæ vocentur.* 7°.*de comp.med.per gen.* 5ª.263.D
Malagmata quæ dicantur, & quæ proprie ſint. 1°.*de compo.medicamentorum ſec.loc.* 5ª.192.F
Malagmata poſſunt emplaſtra appellari. 7°.*de cõ.me.p ge.* 5ª.265.A
Malagmata omnia ſunt calida temperata in paſſiuis qualitatibus. 7°.*de comp.med.per gen.* 5ª.263.D
pro Malagmatibus quæ commoda. 9°.*de compo.med.ſec.loc.* 5ª.198.D
in Malagmatibus,acopis,emplaſtris mittiẽ cera.de ſimp.me. Sp.82.B
Malagmatis immittitur ladanum.de ſimp.med. Sp.86.D
ad Malagmata & acopa facit oleum in quo eſt cocta bryonia. de ſimp. medicam. Sp.81.E
Malagmatibus immittitur peucedanum.de ſimp.med. Sp.89.B
in Malagmata mittitur pumex.de ſimp.med. Sp.88.H

Malagmatis conformatio,qualis. 8°.*de comp.med.ſec.loc.* 5ª.197.D
Malagmata quo modo duabus faſcijs applicanda. 9°.*de compo. medicamen.ſecun.loc.* 5ª.198.F
Malagmata Alcimionis titulo inſcriptum ad neruorũ dolorem ex conſenſu. 7°.*de comp.med.per gen.* 5ª.265.F
Malagma ex Alumine. 7°.*de comp.med.per ge.* 5ª.266.C
Malagma Amathonis, vel Polyarchi ad qd valeat.d cura icter. Sp.111.C
Malagmate Amathonis cerotũ cyprinũ fortius eſt.de cur.icter. Sp.111.C
Malagma Amythaonis ad dolores thoracis & præcordiorum, ad mycylas,& abſceſsus valet. 7°.*de comp.med.per gen.* 5ª.266.G
Malagma Amythaonis ad præcordiorum tenſiones,ad duritiẽ & motus articulorum. 7°.*de comp.me.per gen.* 5ª.265.A
Malagma Andreæ multis vtile. 10°.*de compo.me.ſec.loc.* 207.G/7°. *de compo.medica.per gen.* 5ª.266.F
Malagma Andromachi. 8°.*de comp.me.ſe.lo.* 196.D/7°.*de com. medicam.per gen.* 5ª.265.H
Malagma Andromachi ex meliloto. 8°.*de com.me.ſec.loc.* 5ª.192.D
Malagma Antipatri ad colicos omniaq; interiora. 7°.*de compoſi.medicamen.per gen.* 5ª.266.G
Malagma ad multa vtile Apollonij. 7°.*de comp.me.per ge.* 5ª.266.E
Malagma Apollophanis. 8°.*de comp.med.ſe.lo.* 196.D/7.*de compoſi. medic.per genera.* 5ª.266.C
Malagma Ariſtoclis. 7°.*de comp.me.per gen.* 5ª.265.H
Malagma ad artuum ligationem. 7°.*de com.me.per gen.* 5ª.266.A
Malagma apud Aſclepiadem dolorem ſubmouendo,tenſionem ſubito tollens. 7°.*de comp.med.per gen.* 5ª.267.A
Malagma Auri colorem referens. 9°.*de compoſitio. medicamentorum ſecun.loc.* 199.A/E/10°. 5ª.207.F
Malagma aureum ad arthriticos. 7°.*de comp.med.per ge.* 5ª.267.B
Malagma Bacchij quo Cæſar vſus eſt. 7°.*de cõ.med.per ge.* 5ª.267.B
Malagma Baſilicum. 8°.*de com.med.ſec.loc.* 5ª.193.C
Malagma Boni Coloris ad multa accommodatum. 7°.*de compoſi.medicam.per gen.* 5ª.266.C
Malagma Callinici ex collectaneis Paccij ad omnia. 7°.*de compoſitione medic.per gen.* 5ª.266.H
Malagma ex Cedria. 9°.*de com.med.ſec.loc.* 5ª.199.D
Malagma Cloniaci boni coloris. 7°.*de com.me.per gen.* 5ª.267.C
Malagma generoſum Criſpi. 7°.*de comp.med.per gen.* 5ª.266.H
Malagma Damocratis. 7°.*de com.med.per gen.* 5ª.267.C
Malagma ad Dolorem laterum. 7°.*de comp.med.per gen.* 5ª.267.B
Malagma vt Harpocras. 7°.*de comp.med.per ge.* 5ª.266.B
Malagma ad Hepaticos. 7°.*de comp.med.per gen.* 5ª.266.E
Malagma vel cerotum applicandum hypochondrio Icterici, quod.de cura icteri. Sp.111.C
Malagma Ipoterium inſcriptum. 9°.*de compo.medi.ſec.lo.* 5ª.200.B
Malagma ad Iſchiadicos bonum. 7°.*de compo.me.per ge.* 5ª.266.C/F
Malagma ad coxendicum,capitis,omnesq; diuturnos dolores. 7°.*de cõpoſi.medicam.per gen.* 5ª.266.H
Malagma ex Lauri baccis. 7°.*de comp.med.per gen.* 5ª.266.B
Malagma Leucopyron. 7°.*de com.med.per gen.* 5ª.266.H
Malagma ad Lienoſos. 9°.*de compoſi.med.ſecun.lo.* 199.C/7°.*de compo.medica.per gen.* 3ª.266.C
Malagma Marci Talentij Aſclepiadis. 7°.*de cõ.me.per ge.* 5ª.265.F
Malagma ex Meliloto. 7°.*de comp.med.per gen.* 5ª.266.A
Malagma Moſchi. 4°.*de compo.med.per gen.* 5ª.157.G
Malagma Neapolitani. 7°.*de comp.med.per gen.* 5ª.265.H
Malagma Nilo inſcriptum. 8°.*de comp.me.ſe.loc.* 5ª.193.A
Malagma Nili croceum. 8°.*de compo.med.ſec.loc.* 5ª.193.A
Malagma Pharmianum ad pleuriticos. 7°.*de com.me.p ge.* 5ª.265.G
Malagma vt Philonides. 7°.*de comp.med.per gen.* 5ª.266.B
Malagma Polyarchion. 8°.*de comp.med.ſec.lo.* 5ª.193.C
Malagma Polyarchion ex epiſtola. 7°.*de comp.me.per gen.* 5ª.266.D
Malagma ex Polyarchi epiſtola ad omnia interna. 8°.*de compoſi.medicam.ſecun.loc.* 5ª.193.D
Malagma Recens quod inualidum eſt. 8°.*de com.med.ſe.lo.* 5ª.196.H
Malagma ad Rheumatiſmum ſtomachi & inteſtinorum. 7°.*de compoſitio.med.per gen.* 5ª.266.E
Malagma ex Sampſycho ad multa. 7°.*de comp.me.per ge.* 5ª.266.B
Malagma ex Seminibus. 7°.*de comp.med.per gen.* 5ª.266.A
Malagma Vſus multiplicis. 7°.*de comp.med.per gen.* 5ª.266.D
Malagmata nequeunt curare multam aquam in præcordijs exiſtentẽ. 8°.*de compo.med.ſec.lo.* 5ª.197.B

MALAXATAM *& puluerizatam cum melle chamæmelum ad dolorem ventris,& renum pp frigidos humores.de med.exper. Sp.106.D*

MALE *& bene se habent homines secundum lunæ & planetarum stationes.3°.de dieb.decr.* 4ª.157.H

MALEDICIS *in admiratione Zoilus,& Salmoneus sacrilegis.1°.methodi medendi.* 7ª.3.G

MALEFICI, *qui.in progno.com.3°.* 4ª.207.A

Maleficorum lac in 6ᵐ.de mor.vul.com.6°. 3ª.195.H

MALE *olens vrina,aquosa,atra,& crassa,letalis est.de vrinæ significatione ex Hippocrate.* Sp.78.G

Male olens vrina cum hypostasi atra in acuto morbo letale est. quæsita in Hippocratem. Sp.113.E

MALICORIVM, *vel sidia quid.de simpl.med.* Sp.87.C

Malicorium siccum est & terrestre.4°.de cõ.med.per ge. 5ª.237.H

Malicorium inter acerba numeratur. 6°.de com.med.se.lo. 5ª.172.G

Malicorium austerum est.4°.de comp.me.per gen. 5ª.241.G/H

Malicorium adstringit.9°.de simplicium medicamentorum facultatib. 64.C/5° de compo.medica.per gen. 5ª.247.A

Malicorium adstringens eximium. 4°.de cõ.med.per ge. 5ª.239.E/5°. *methodi medendi.* 7ª.31.G

Malicorium modice exiccat. 3°.meth.med. 7ª.20.A

Malicorium siccat euidenter.4°.de composi.med.per ge. 5ª.240.H

Malicorium vlcera exiccat.4°. de com.med.per gen. 5ª.236.G

Malicorium internus vlceribus opitulatur.4°.meth.med. 7ª.28.H

Malicoriũ dum acescit fit imbecillũ.4°.de comp.me.per ge. 5ª.239.F

Malicorium quo modo præparandum.4°.de com.me.per ge. 5ª.239.F

Malicorij meminit.5°.de comp.me.per gen. 5ª.250.F

Malicorium tostum.9°.de compo.me.sec.loc. 5ª.203.D

ad MALIGNITATEM *omnem.5°.de com.me.per gen.* 5ª.245.H

MALIGNI *vbi nascuntur.de aere,aq.& loc.* 2ª.6.E

ad Malignum anhelitum decoctio.de med.exper. Sp.107.D

Malignos humores accipit lupinus cum aceto in cataplasmatis modũ impositus.de simp.med. Sp.86.C

Malignos carbunculos sanat erbum.de simp.med. Sp.85.B

Malignis depascentis oris confert succus cẽtaureæ.de vir.cẽ.Sp.93.D

Malignis vlceribus,quæ cacoethe dicuntur,facit Chamæleon.de simplicibus medicamentis. Sp.82.F

ad Maligna.5°.de comp.med.per gen. 5ª.247.A/D

ad Maligna,& diutina.5°.de com.med.per gen. 5ª.248.C

per MALITIAM *quod fit,non ignoscendum.5°.de decre.* 1ª.259.D

ad Malitiam digestionis.secretorum. Sp.98.D/F

MALLEOLI *quid.de ossibus.* 1ª.43.E

Malleolorum vena quas partes iuuat.de cur.per sang.miss. 6ª.20.E

Malleolorum,& poplitis venæ menses maxime prouocant.de curan. ra.per sang.missio. 6ª.18.F

Malleoli quando scarificari possunt.de cur.ra.per sang.miss. 6ª.18.F

Malleoli vena non incidenda in ischia,sed potius poplitis.de cur.rat. per sang.miss. 6ª.20.F

Malleoli arteria liberat à coxæ dolore.de cur.rat.p sang.miss.6°.21.F

in Malleolo sectæ arteriæ vulnus cum non posset claudi, totã incisit Galenus.de cur.ra.per sang.miss. 6ª.21.F

in Malleolo herpetem habentis mulieris casus.14°.met.med.7ª.92.F

iuxta Malleolos luxationes inferiores in interiori parte prolabuntur. de fracturis,com.2°. 7ª.238.G

MALLEOLI *instrumenti meminit.6°.meth.med.* 7ª.42.D

MALLEI *super incudem ictus duplices quo modo differant.1°.de differentijs pulsuum.* 4ª.51.A

MALTHACODE *pharmaca, id est generis oleosi.4°.de compo. medicamentorum per genera.* 5ª.236.H

MALVÆ *caulis est siccus.2°.de alim.fac.* 2ª.24.B

Malua habet radicem caule,& folijs acriorẽ.2°.de alim.fa. 2ª.24.D

Malua agrestis a satiua differt.2°.de alim.fac. 2ª.22.G

Malua agrestis sicco est.2°.de alim.fac. 2ª.22.G

Malua agrestis sanguinem purgat.de dynam. Sp.22.C

Malua agrestis sanguinem educit.de cathar. Sp.94.G

Malua agrestis minus emollit,quã hortensis.7°.de sim.me.fa. 5ª.55.B

Maluæ sylvestris folia ad scirrhum.14°.meth.med. 7ª.88.D

Malua agrestis.2°.de alim.fac.22.H/6°.de simp.medicam.fac.46.E/ 10°.de comp.med.sec.loc. 5ª.206.A

Malua satiua.2°.de alim.fac. 2ª.22.H

Malua satiua humida est.2°.de alim.fac. 2ª.22.G

Malua hortensis humidior & frigidior sylvestri.6°.de simplicium medicamentorum facultatibus. 5ª.44.C

Malua aquea est,& minimũ habet acris facultatis.ḋ atte.vi. 2ª.43.H

Malua aquea est,& terrea.6°.de simpli.med.fac. 5ª.44.C

Malua humida,& lenta.1°.de alim.fac. 2ª.8.C

Maluæ succus est lentus.2°.alim.fac. 2ª.22.G

Maluæ sunt solum lenti succi.de bon.& vitio suc. 2ª.36.E

Maluæ succus crassus & lentus.2°.de alim fa. 2ª.22.G

Malua habet calorẽ quẽdã moderatũ,ac tepidũ.2°.de ali.fac. 2ª.22.G

Malua,mora,muria,quomodo ventrem soluant hæc per acrimoniam, illa vero per lubricitatem.2°.de simp. med.fac. 5ª.12.B

Malua cur facile descendat,et subducat ventrem.1°.de ali.fa. 2ª.8.C

Malua facile subducit ob humiditatem & lentorem, si ex oleo & garo comedatur.2°.de alim.fac. 2ª.22.G

Maluarum radices molles dulces antequàm aruerint. 4°.de simpliciũ medicamentorum facultatibus. 5ª.28.G

Maluæ facile nutriunt,sed parum.8° meth.med. 7ª.50.H

Malua mediocriter nutrit.2°.de alim.fac. 2ª.22.G

Maluas secundo loco comedentis historia.2°.de alim.fac. 2ª.20.A

Maluæ inter cibos sunt,qui posterius sumuntur ex oleo & garo. 2°.de alimentorum facultatibus. 2ª.18.G

Maluæ cum oleo & garo subuertũt ventriculũ.2°.de ali.fa. 2ª.20.B

Malua mediocris in bonis & malis succis.de bon.& vit.suc. 2ª.37.F

Malua non est mali succi.de bon.& vitio suc. 2ª.39.C

Malua gñat viscosos,crassos,et frigidos humores.ḋ pue.epil. 7ª.180.d

Malua in febre danda.4°.de san.tuen. 2ª.87.G

Maluæ dandæ pro cibo in tertiana.1°.de arte cur.ad Glau. 7ª.97.C

Malua conuenit epilepticis.de puero epileptico. 7ª.180.C

Malua pro cibo in cancro.2°.de arte curati.ad Glauco. 7ª.107.E

Malua pro obsonio in cubiti fractura.de fract.com.2°. 7ª.230.G

Malua minus siccat quàm brassica.5°.de san.tuen. 2ª.92.C

Maluæ folia emolliunt.5°.de simp.med.fac. 5ª.34.F

vt Malua digerit cythisus.7°.de simp.me.fac. 5ª.53.H

Malua mundificat.de ocul. 7ª.188.E

Maluæ semen quid faciat.de mel.ex Gal.Ru.& Poss. Sp.110.A

Maluæ decoctum oleo simile dicitur.2°.de simp.me.fac. 5ª.14.G

Maluæ decoctio scybala euacuat.de cathar. Sp.95.D

à Malua ad blitum,betam,& lapathum tanquam specie similia transeunt Empirici.fin.med. Isa.51.A

MALORVM *multiplex genus.2°.de alim.fac.* 2ª.19.F

Malorum differentiæ ex sapore.7°.de simp.me.fac. 5ª.55.H

Mala nuper enata Acerba & sicca sunt consistentia,& progressu tẽporis humidiora reddũtur,acquiruntq; ad acerbitatem aciditatem, quam sensim exuentia postea dum maturescunt,ac perficiuntur dulcia euadunt.4°.de simp.med.fac. 5ª.25.F

Mala acerba quo magis coques eo dulciora efficies, & decoctum sit acerbum.3°.de alim.fac. 2ª.32.A

Malis acerbis quando vti debemus.2°.de alim fac. 2ª.19.G

Malum Acidum tantum est frigidum.4°.de simp.me.fac. 5ª.25.B

Mala acida habẽt succũ frigidũ tenuiũ partiũ.2°.de ali.fac. 2ª.19.F

Malis acidis quando vti debemus.2°.de alim.fac. 2ª.19.G

Malum Austerum quo casu cõcesserit Galenus.12°.met.me. 7ª.79.A

Mala Adstringentia vocat cotonea,struthia,& cestiana.13°.methodi medendi. 7ª.83.G

Malum adstrictionis particeps.3°.de ali.fac. 2ª.21.E

Mala adstringentia habent succũ frigidũ terreũ.2°.de ali.fac. 2ª.19.F

Malũ mouẽt aliter sensum,quã adstringentia.1°.de sim.me.fa. 5ª.8.H

Mali adstrictio suauis est.3°.de simp.me.fac. 5ª.20.D

Malum omne adstringens,etiam si non sit cydonium,est aptum pro scãmonia aptanda.3°.de simp.me.fac. 5ª.20.C

Malum adstringens,in quo est indita scammonia,purgat.3°.de sim.me dicam.facul. 5ª.20.C

Malum dabant antiqui non scammoniam.3°.de simp.me.fac. 5ª.20.C

Malorũ adstringentium decoctũ adstringens leue.5°.met.me. 7ª.31.H

Malum Armenicum frigidum est & humidum in secundo ordine.7°. de simp.med.fac. 5ª.56.A

Malum Austerum quo casu concessit Galenus.12°.meth.me. 7ª.79.A

Malorum austerorum decoctum adstringens moderatum pro gargarismis.6°.de composi.med.sec.loc. 5ª.172.F

Mala austera & acida,vulnera glutinare possunt,& in phlegmonarũ principio fluxionem repercutere,stomachum ventrẽq; exolutum ac languidum roborare 7°.de simp.med.fac. 5ª.55.H

Mala Cestiana cocta stomacho prosunt,cruda sunt austera.2°.de compositione

positione medicamentorum secun.loc. 5ª.133.D
Mala cestiana euitanda sunt in siccitate.7°.meth.med. 7ª.44.C
Mala cestiana 6°.de comp.med.sec.loc.167.F/9°. 5ª.203.A
Malum Coctanum quale sit.de ocul. 7ª.188.H
Mala Cotonea austera.2°.de loc.affect. 4ª.12.D
Mala cotonea adstringunt.6°.de compo.med.sec.loc. 5ª.176.F
Mali cotonei decoctum adstringit.4°.meth.med. 7ª.28.H
Malũ cotoneũ in aqua coctũ p phlegmone iecoris.11°.me.me. 7ª.73.A
Mala cotonea stomachum roborant.6°.de san.tu. 2ª.99.E
ex Mali cotonei succo vinũ p ventriculo imbecillo.7°.me.m. 7ª.44.A
Mala cotonea euitanda sunt in siccitate.7°.meth.me. 7ª.44.C
Mala cydonia.6°.de comp.med.sec.loc. 5ª.167.F
Mala Dulcia sunt mediæ temperaturæ,tamen ad calidum inclinãt.2°. de alimentorum fac. 2ª.19.F
Mala Frigida.4°.de simp.med.fac. 2ª.26.D
Malum Granatum quid.de simp.med. Sp.87.C
Mali granati sapores,quales.8°.de simp.med.fac. 5ª.59.H
Malum granatum est adstringens.8°.de simp.med.fac. 5ª.59.G/H
Malum granatum adstringit euidenter.1°.de simp.med.fac. 5ª.7.H
Malum granatũ ventrẽ stringit,stomachũ erigit.de simp.me. Sp.87.C
Mala granata quendam coactum ediſſe, cui febris soluta sit, supponitur.de subfig.emp. Isa.31.E
Mali granati cortex habet diuersum effectum ab alijs adstringẽtibus. 3°.de simp.med.fac. 5ª.20.D
Mali Granati putamina cicatrici inducẽdæ apta sunt medicamina.5°. de simp.med.fac. 3ª.36.C
Mala Humida & frigida.7°.de simp.med.fac. 2ª.55.H
Malum Matianum.de dynamidijs. Sp.33.B
Malus Medica.7°.de simp.med.fac. 5ª.56.A
Mali medici cortex acris est.de atten.vict. 2ª.46.A
Mali medici pars intima acida est.de atten.vic. 2ª.46.A
Mali medici caro pituitosa est & crassi succi.de atten.vic. 2ª.46.A
Mali medici semen est amarum.4°.de simp.med.fac. 5ª.26.E
Mala Orbiculata.9°.de comp.med.sec.loc. 5ª.203.A
Malum πλατανίσιον vocatum, & cur.2°.de alim.fac. 2ª.19.H
Malorum Punicorum differentiæ.3°.de comp.me.sẽ.lo. 5ª.148.E
Malorum punicorum tres differentiæ.6°.de comp.me.sec.lo. 5ª.168.H
Malum punicum carens nucleo.de com.med.sec.lo.145.H/ 5ª.148.D
Mala punica, qualia.de atten.vic. 2ª.46.A
Mala punica frigida.4°.de simp.med.fac. 5ª.26.D
Mali punici genera austera.2°.de lo.aff. 4ª.12.D
Mali punici adstrictio suauis.3°.de simp.med.fac. 5ª.20.D
Mala punica nuper enata acerba,& sicca sunt,& progressu temporis humidiora redduntur,acquiruntq; ad acerbuatem, aciditatẽ quã sensim exeuntes postea dum matureſcunt,ac perficiuntur,dulcia euadunt.4°.de simp.med.fac. 5ª.25.F
Mala punica acida tantum sunt frigida.4°.de sim.med.fac. 5ª.25.B
Malum punicum acidum pro refrigerãdo capite minus vituperat.2°. de comp.med.sec.loc. 5ª.132.G
Mala punica sumenda post olera ex oleo,& garo.3°.de sy.c. 3ª.24.H
Malum punicum optimus cibus bilioso stomacho.10°.met.m. 7ª.62.E
Malum punicum dat quando stomachus subuertitur ex potu aquæ.2°. de compo.med.sec.loc. 5ª.133.D
Mala valent ad stomachi, ventrisq; firmitatem, ac robur. de bonitate & vitio succorum. 2ª.37.F
Mala punica in syncope mediocri.1°.de arte cur.ad Glau. 7ª.99.E
Mala punica euitanda sunt in siccitate.7°.methodi medendi. 7ª.44.C
Mali punici succus non debet admisceri rosaceo,quando caput refrigerare volumus.2°.de compo.med.sec.loc. 5ª.132.G
Malum punicũ semp ponit in vas æreũ.3°.de cõ.me.sec.lo. 5ª.148.D
Mali punici succum seruat in vase stãneo.3°.de com.me.se.l. 5ª.148.E
Mali punicæ cytini.5°.de comp.med.per gen. 5ª.251.E
Malorum punicorum cortices in emplastro apponendo in principijs inflammationum.2°.de ar.cur.ad Glau. 7ª.101.F
Mala punica quo modo exprimenda.6°.de com.me.sec.lo. 5ª.169.A
ex Malis punicis medicamentum.6°.de comp.med.sec.lo. 5ª.168.H
Mala qualitatis expertia sunt aquosa,frigida.2°.de alim.fa. 2ª.19.F
Mala Struthia.6°.de com.med.sec.loc. 5ª.167.F
Malum Styracis.de dyn. Sp.24.B
Malum Syriacum.de dyn. Sp.33.B
Mala Syria.de dyna. Sp.24.E
Mala quando sunt idonea.de bon.& vitio suc. 2ª.39.B
Mali fructus malum.2°.de alim.fac. 2ª.16.C
Malis vtimur vt medicamentis.de bon.& vitio suc. 2ª.37.F
ex Malorũ succo medicamentum quo modo fiat.6°.de sa.tu. 2ª.101.B
ex Malis medicamentum per duas,aut tres horas ante cibum dandũ. 6°.de sanitate tuen. 2ª.101.B
ex Malorum succo medicamẽtũ ad quæ valeat.6°.de sa.tu. 2ª.101.A
Malorum medicamentum quomodo proderit ventri intemperie calido & bilioso.6°.de san.tu. 2ª.101.B
ex Malorum succo quo medicamento vti debent pugnantia temperamenta in diuersis membris habentes.6°.de san.tu. 2ª.101.C
ex Malorum succis medicamentum quale accipere debet venter intẽperie frigidus.6°.de san.tu. 2ª.101.C
Mali succus non debet admisceri rosaceo, quando caput refrigerare volumus.2°.de composi.med.sec.loc. 5ª.132.G
Malorum spissamentum.9°.de com.me.sec.loc. 5ª.203.E
MALVM *quid.7°.de decr.Hipp.* 1ª.268.E
Malorum duplex causa in pueris.5°.de decr.Hipp. 1ª.256.H
Mala vt fiant non ea est prouidentia vniuersi,sed vt bona fiant,curat. in prognost.com.1°. 4ª.189.H
Malorũ causæ sunt diuites,& principes.de præco.ad posth. 4ª.214.b
Mala pp se euitanda quæ damnum inferunt.de hist.philo. Sp.2.H
Malum auersari insitum nobis.& animi mores. 1ª.321.C
Mala propria cur non intelligamus.de cog.cur.animi morbis. 2ª.50.G
Mala scriptis tradenda non sunt.10°.de simp.med.fac. 5ª.72.E
Malum precabatur mulieri Galenus.de venæ sect.aduer.Eras. 6ª.9.E
Malum ad meliora conuerti aliqui putant.1°.de elem. 1ª.2.G
Malum quomodo deterius.in prog.com.2°. 4ª.199.H
MALI *naturaliter sunt omnes.& animi mores.* 1ª.321.E
Malus sponte nemo,& cur fiat malus.quòd animi mores. 1ª.319.B
Mali Romæ non fiunt,qui sunt boni,sed mali prius materiam male agendi Romæ nanciſcuntur.de præcog.ad Posth. 4ª.215.F
Mali,& boni nominibus quo modo vtatur Hippocrates in morbis.1°. de crisi.130.G/in progn.com.3°. 4ª.211.E
Malum pro mortali accipitur ab Hippocrate.com.5°.ap.3°.Ex.37.E
Mala mediocria per comparationem ad magna dicuntur. commentario 2°.apho.38. Ex.11.F
neq; Malũ,neq; bonũ portendentia symptomata.1°.de cris. 4ª.131.C
in Malis, bonis, optimis,pessimis Hippocratis loquendi modi.1°.de crisibus. 4ª.131.E
Mala malum semper protendunt.in progn.com.3°. 4ª.212.C
in Malis paruis facies mala,malũ.in 6m.de mor.vul.cõ.2°. 3ª.166.F
in Malis ingẽtibus facies bona,bonũ.in 6m.de mor.vul.c.2°. 3ª.166.f
Mala deterrima sunt,quæ perpetuo vigorem habent.de vri. 4ª.123.H
Malorum eorundem reditus significant cruda & incocta ad malos absceſſus conuersa.com.4°.aph.22°. Ex.29.G
Malum est sudor aduentante febre,quãdo.præsa.exper.conf. Sp.77.G
Malum in phlegmone glandularum & artuum.13°.met.me. 7ª.83.D
Mala omnia ætatis imbecillitas peiora facit.com.7°.aph.1°. Ex.57.C
Mala omnia de corpore tollit radix cucumeris erratici siccata, & rasa & cribrata.de simpli.me. Sp.83.A
Malarum Aquarum & bonarum cognitio,quæ.de bon.aquæ. Sp.75.H
Malæ sunt Aquæ æstate calidæ,hieme frigidæ.de bon.aquæ. Sp.75.D
Malæ sunt aquæ autumnales,& æstiuæ.de bon.aquæ. Sp.75.F
Malum est aquam ire per inteſtina.de bon.aquæ. Sp.76.A
in Malas cõsuetudines mouetur corpus a natura sua.de sper. Sp.40.E
Mali succi sunt Cæpe,allia,raphanus,rapæ,& pastinacæ.de dissolutione continua. Sp.74.C
Malarum Carnium diuersitas.de dissol.cont. Sp.74.A
Mala est caro hirci,& caro bouis,& hirci syluestris, deinde caro hirci maxime non castrati,deinde caro pecudum multorum annorum, deinde caro bouina.de dissol.con. Sp.74.B
Mala sunt omnia Cerebra stomacho,& cum quibus edenda.de dissolutione continua. Sp.74.F
Malos humores generantium Ciborũ tres species.de diss.con. Sp.74.A
Mali cibi qui fiant, cocti.de disso.con. Sp.72.E
Malum cur est stomacho Fœnum græcum.de diss.con. Sp.74.E
Mali chymi sunt fœnum græcum,& cicera,cur.de diss.con. Sp.74.B
Malum est Lac stomacho propter velocitatem immutationis eius naturæ.de dissolutione con. Sp.74.F
Mala membra animalium,quæ. de diss.cont. Sp.74.B
Malos humores generant olera omnia.de disso.cont. Sp.74.C
Malũ est Olus iamenum & cathaj stomacho, cur.de diss.con. Sp.74.E

Mali Pisces, qui. de dissolutione continua. Sp.73.H
Malæ Pulsatilitates dependẽt à corde. de virt. nost. cor. dispẽ. Sp.60.B
Malæ sunt Rapæ stomacho, quando non valde coquũtur, cur. Sp.74.E
Mali chymi sunt Renes, & cur. de dissol. cont. Sp.74.B
Malum est stomacho Sesamum, cur. de dissol. con. Sp.74.F
Mala est Sicla stomacho, cur. de diss. cont. Sp.74.E
Malum est nocuum crassum, V inũ albũ ponticũ. de diss. con. Sp.74.D
MAMMAE cur in ventre, & non in pectore animalibus. 7°. de vsu partium. 1ª.164.C
Mammæ cur in epigastrio pluribus animalibus. 7°. de vsu p. 1ª.164.F
Mammas in pectore quæ animalia habeant. 7°. de vsu par. 1ª.164.D
Mammas in pectore animalia habentia, qualia. 7°. de vsu p. 1ª.164.F
Mammæ cur in pectore in hominibus. 7°. de vsu par. 1ª.164.D
Mammæ cur multæ in animalibus fœcundis. 7°. de vsu par. 1ª.164.C
Mammæ cur duæ tantũ animalibus infecundis. 7°. de vsu p. 1ª.164.C
Mammæ cur non insunt auibus. 14°. de vsu par. 1ª.205.B
Mammæ tegunt cor. 7°. de vsu par. 1ª.164.E
Mammarum glandularum differentia, quæ habent lac, & non habent. 3°. de alim. fac. 2ª.26.H
Mammarum glandulæ si lac continent, vbera vocantur. de bonitate et vitio succorum. 2ª.35.H
Mammarũ glandulæ similes linguæ glandibus. 3°. de ali. fac. 2ª.26.H
Mammarum glandulæ sunt succi crassi. de bon. & vit. suc. 2ª.35.H
Mammarum officium, quod. 14°. de vsu par. 1ª.205.C
Mammæ habent adenes habentes vim alterãdi id quod ad eos influit. commen. 5°. aph. 39°. Ex.41.C
Mammarũ in vetulis substãtia qualis. in 6ᵐ. de mor. vul. c. 3°. 3ª.177.E
Mammarum venas & arterias natura à longinquis partibus ducit. 16°. de vsu partium. 1ª.219.C
ad Mammas vasa tendentia quo modo se habeãt. 7°. de dec. 1ª.269.E
ad Mammas venæ tendunt prius ad cor. 7°. de vsu par. 1ª.174.D
in Mammis venæ, quæ prius ob paruitatem sensum effugiebant, sanguine repletæ sensibiles fiunt. de tum. præt. nat. 3ª.83.D
Mammis, & vtero communes venæ. 5°. de simp. me. fac. 5ª.37.H
Mammæ habent quasdam venas communes cum vtero. commentario 5°. apho. 37°. 40. H/aph. 52°. Ex.42.B
cũ Mãmis maxime cõicant venæ quæ ad vterũ. de ven. ar. dis. 1ª.58.F
Mãmæ cur tm habẽt consensum cũ matricibus. 14°. de vsu p. 1ª.207.a
Mammarũ et mricis venæ solæ cur vtrisq; cões. 14°. de v. p. 1ª.207.B
Mãmæ affectus signat vterũ languere. in 6ᵐ. de mor. vul. c. 5°. 192.D
Mammarum, & matricum communicatio. 14°. de vsu par. 205.E *in 6ᵐ. de mor. vulgaribus, com. 5°.* 3ª.192.D
ad Mammas & matricem tãtummodo eadem vasa quomodo incedãt. 14°. de vsu partium. 1ª.207.A
ad Mammas & testes vasa habẽt cõem. vsum. 16°. de v. p. 1ª.221.A
Mammarum arteriæ vnde oriantur, & quorsum tendant. de decretis Hippocrat. & Plato. 1ª.232.G
à Mammis quæ deorsum feruntur vasis coniunguntur vasa venosa. 16°. de vsu partium. 1ª.219.E
cum Mammis & pectore affinitatis documentum est in tussientibus testiculus tumefactus. in 6ᵐ. de mor. vul. com. 3°. 3ª.178.H
Mammæ exiguæ sunt in principio, & crescunt paulatim. 14°. de vsu partium. 1ª.205.C
Mammæ increscunt puellis virginib. in 6ᵐ. de mor. vul. c. 4°. 3ª.186.b
Mammæ cur non crescunt in masculis. 7°. de vsu par. 1ª.164.F
Mammas turgidas raro homines habent. 2°. de sem. 1ª.336.D
Mammas cur sibi exurant Amazones. com. 7°. aph. 43°. Ex.57.E
Mamma cur igne exuritur de aere, aquis, & loc. 2ª.5.C
Mammæ in mulieribus quæ nondum prægnãtes fuerint, cur contractę. 6°. de locis affectis. 4ª.42.H
Mammæ prægnantium qualem mediocritatem habere debent. commẽ. 5°. aphorismo 52°. Ex.42.C
Mammæ cur impleantur qñq; in prægnantibus. 14°. de v. p. 1ª.207.C
Mammæ cur gracilescant qñq; in prægnãtib. 14°. de vsu p. 1ª.207.C
Mammarum venæ sunt magis plenæ tempore conceptionis. comment. 5°. aphorismo. 39°. Ex.41.C
Mãmæ nõ debẽt eẽ ita plenæ, vt lac effluat. c. 5°. aph. 52°. Ex.42.C
Mãmis si lac multũ fluat, fœtus est imbecillus. c. 5°. aph. 52°. Ex.42.B
Mammæ tenues defectum sanguinis significat. com. 5°. aph. 52°. 42. C/ aphorismo 53°. Ex.42.E
Mammæ si sint duræ, & tamen fluat lac, non est imbecillis infans. com men. 5°. aphor. 52°. Ex.42.B
Mãmæ duræ multitudinẽ sanguinis significant. c. 5°. aph. 53°. Ex.42.E
Mammas duras ẽt corruptio fœtuũ sequitur. c. 5°. aph. 53°. Ex.42.E
Mammæ vastæ cur lac emittentibus. 6°. de loc. aff. 4ª.42.H
Mammæ per omnem diuersionem ex lacte augentur. in 6ᵐ. de morbis vulg. commen. 3°. 3ª.177.B
Mammæ quomodo non intumescant. 9°. de simp. me. fac. 5ª.67.D
Mammæ extenuantur mulieribus, quibus fœtus debent corrumpi. cõ. 5°. aphorismo 53°. Ex.42.D
Mammæ graciles si repẽte fiũt, mulier abortit. c. 5°. aph. 37°. Ex.40.H
Mammæ fiunt graciles materia decurrente ad alterum locum. commẽtario. 5°. aphor. 53°. Ex.42.E
Mammæ quæ fuerunt extenuatæ si fiunt duræ, iterum dolor vexabit aut coxas, aut oculos, aut mammas, aut genua, & non corrumpẽt. commen. 5°. aph. 53°. Ex.42.C
Mamma dextra si prægnanti fiat gracilis, abortit marem, si sinistra fœminam. com. 5°. aph. 38°. Ex.41.A
Mammis apposita magna cucurbitula menstrua cohibet, & quomodo debeat intelligi. com. 5°. aph. 5°. Ex.42.A
in Mammis ventosa stringit sanguinem ex vtero. de cathar. Sp.94.G
iuxta Mammas cucurbitula est reuulsoriũ præsidiũ. ḋ cuc. sca. 6ª.4.F
ꝑpe Mammas cucurbitulæ non sunt ponendæ. de cucur. scar. 6ª.3.D
sub Mammis cucurbita pro reuellendo ab vtero. 5°. met. me. 7ª.30.e
ad Mammas si sanguis mulieribus colligatur, furorem significat, & cur. com. 5°. aph. 40°. Ex.41.C
ad Mammarum mulierum tumores. de med. fac. par. 7ª.179.F
ad Mãmarũ phlegmonas valẽt ova tota cruda. 11°. de si. m. f. 5ª.81.E
Mammarũ durities digerens. 1°. de comp. med. per ge. 5ª.217.B
Mammarum duritias emolliens. 3°. de com. me. per ge. 5ª.235.B
Mammarum duritias discutiens. 5°. de com. med. per gen. 5ª.250.B
ad Mammarum duritias. 5°. de compo. medicamẽ. per gen. 248. H/6°. 262. A/B/7°. 5ª.268.F
ad Mammarũ abscessus. 5°. de comp. me. per ge. 246. E/6°. 5ª.262.B
in Mãmis mulierũ potissimũ fiunt cancri. de arte cur. ad Gl. 7ª.107.B
in Mammis cancer similis animali. 2°. de ar. cur. ad Gl. 7ª.107.D
ad Mammam assuta fascia. de fascijs. 7ª.303.B
ad Mammam glomerata fascia. de fascijs. 7ª.303.D
in MAMILLIS *est caro alba mollis. de ana. viuo.* Sp.44.D
Mamillæ cur glanduloſæ sint. de vtil. resp. Sp.63.A
in Mamillis mulierum per quandam decoctionem sanguis vertitur in lac. de sperm. Sp.36.E
Mamillę albificant lac. de anat. viuo. Sp.44.D
in Mamillis haustum lac optimum. 7°. meth. med. 7ª.44.G
Mamillæ per lac purgantur. de cathar. Sp.94.G
Mamilla dextra si gracilescat, mulier masculi abortum faciet. de anatomia viuorum. Sp.51.F
ad Mamillas cucurbitula ꝑ sanguine vteri supfluo. 13°. me. m. 7ª.85.b
Mamillarum morbi. introd. Isa.59.D
ad Mamillarum duritias digerendas. 5°. de compo. medicamento. per genera. 5ª.247.E
ad Mamillarum phlegmones optimum remedium sordes in palæstris facta. 8°. de simp. med. fac. 5ª.59.H
ad Mamillarum duritias. 5°. de comp. me. per ge. 5ª.249.H
Mamillarum duritiem soluit erbum. de simp. med. Sp.85.B
ad Mamillarum vlcera. 5°. de comp. med. per ge. 5ª.250.G
in Mamilla cancrum aduentantem quo modo purgatione annua prohibuit Galenus. quot purg. op. quib. med. & quo temp. 5ª.88.C
ad Mamillarum nigritias contumaces, & malignas. 4°. de comp. med. per genera. 5ª.242.H
ad Mamillarũ affectiones malignas. 10°. de com. med. se. lo. 5ª.208.A
ad Mamillas ex visco. 6°. de compo. me. per gen. 5ª.261.F
MAMILLARES *glandulæ dulces. 3°. de alim. fac.* 2ª.26.H
Mamillares glandulæ ad quid factæ. 3°. de alim. fac. 2ª.26.H
Mamillares glãdulæ nõ semp sino sunguñ munere. 3°. ḋ ali. fa. 2ª.26.H
MANCITAS quid. de arti. com. 4°. 7ª.283.D
MANCA *quæ sint. de ijs, quæ in med. fi. com. 3°.* 7ª.219.H
Manci qui sint. de arti. com. 3°. 7ª.278.B
Mancæ sunt ægritudines capitis. de virt. nostr. corp. disp. Sp.60.B
Mancum nihil expetimus. ad Thrasy. 2ª.103.B
MANDENDI *actio quando accedat infanti. 15°. de vsu par.* 1ª.213.C
Mandentes medicamentum vt purget caput, quo modo debent manere. 2°. de comp. me. sec. loc. 5ª.139.B
MANDIBVLA *à lato musculo mouetur. 4°. de lo. aff.* 4ª.23.D

Mandibula inferior eleuat eleuãdo linguã de mot.mã.& obſ.Sp.68.C
ſine Mãdibula quomodo lædantur genæ.4°.de loc.aff. 4ª.24.C
*Mandibula cõuellitur,et tũc quæ pars ſit affecta.3°.de lo.aff.*4ª.17.D
MANDRAGORA *quid.de ſimp.med.* Sp.87.C
Mandragora qualis ſit.de ocul. 7ª.188.H
*Mandragora frigida.3°.de temper.*1ª.21.G/*de cauſ.mor.* 3ª.7.D/3°. *de ſimp.med.fac.* 5ª.21.H
*Mandragora frigida iudicatur ab omnibus.3°.de ſim.me.fac.*5ª.17.H
Mandragora in tertio ordine frigida eſt.7°.de ſimp.med.fac. 5ª.55.B
*Mandragora frigidiſſima in quarto gradu.3°.de ſimp.med.fa.*5ª.19.G
Mandragora ẽt ſi detur calefacta,poſtea fit frigida.3°.de tem. 1ª.23.G
Mandragora valde excalfacta vrit.1°.de ſimp.med.fac. 5ª.3.C
Mandragora non eſt acida.4°.de ſimp.me.fac. 5ª.28.C
*Mandragora humida corticem habet ſiccum.5°.de ſim.me.fa.*5ª.37.C
Mandragoræ cortex ſiccus.5°.de ſimp.me.fac. 5ª.37.C
Mandragora vires habet refrigerantes.de ſimp.med. Sp.87.C
Mandragora refrigerat.1°.de ſimp.med.fac. 5ª.2.C
*Mandragora non citra damnũ refrigerat.4°.de com.me.ſe.l.*5ª.132.F
Mandragoræ vires habet ſtringentes,grauem marcorem facit.ſomniſera eſſe creditur,dolores,et vigilias cõpeſcit.de ſim.me. Sp.87.C
*Mandragora ſoporẽ incitat.7°.de ſi.me.fa.*5ª.55.B/*de ocu.*7ª.189.D
Mandragora cur ſomnifica.2°.de temp. 1ª.16.F
Mandragora ſtupefacit.in 6ᵐ.de mor.vul.com.2°. 3ª.161.B
Mandragora obſtupefacit,et necat.5°.de ſimp.med.fac. 5ª.35.G
Mandragora mortificat corpora,& perducit ad frigiditatem immedicabilem.8°.de comp.me.ſe.loc. 5ª.190.H
Mandragoræ nigræ fit mentio.7°.de compo.med.ſec.loc. 5ª.183.B
Manaragoræ ſuccus quo modo è Creta Romam portabatur.1°.de compo.medic.per gen. 5ª.211.F
Mandragora in potu non eſt vtilis.5°.de ſimp.med.fac. 5ª.37.C
Mandragoræ ſuccus qualis.9°.de compo.med.ſec.loc. 5ª.202.A
Mandragoræ ſuccus vel odore ipſo cum homine pugnat,vt naturæ humanæ contrarius.4°.de ſimp.med.fac. 5ª.29.E
Mandragora contraria humanæ naturæ.8°.de cõ.me.ſe.lo. 5ª.190.A
Mandragoræ ſuccus ad vehementiſſimos dolores.4°.de compoſitio. medicamen.ſecun.loc. 5ª.150.H
ex Mãdragora vnctiones frigidæ quibus vtãdæ.6°.de ſa.t. 2ª.100.G
Mandragora in vlceribus fugienda eſt.3°.meth.med. 7ª.21.C
Mandragora ẽ ex medicamentis exitialibus, tamẽ non nocet niſi quãtitate.com.2°.aph.17°. Ex.13.B
*Mandragora modice ſumpta iuuat.de vic.ra.in mor.a.c.2°.*7ª.118.D
Mandragoræ radix inter anodyna,in quibus errant medici.12°.met. medendi. 7ª.75.B
Mandragoræ radix craſſo modo confracta non infrigidat, ſed in puluerem redacta.1°.de ſimp.med.fac. 5ª.4.E
Mandragora oculis mire obeſt.3°.meth.me. 7ª.17.D
Mandragoræ toſtus cortex.10°.de com.med.ſec.loc. 5ª.206.C
ex Mandragoræ paſtillus.7°.de compo.med.ſec.loc. 5ª.185.G
MANDRAGOROCHYLON *organum ad experimendum ſuccum mandragoræ. de ſimp.med.* Sp.87.C
MANDVCATIO *quid. de art.com.2°.* 7ª.263.C
quomodo MANEAT *ceruix recta.de muſc.diſſ.* 1ª.47.A
Manere cur laborioſius, quàm ambulare.de palp. 3ª.51.H
MANETARES. *de med.fac.par.* 7ª.177.F
MANGONES *cutem circumponunt carnoſis particulis. in 6ᵐ.de morb. vulg.commen.3°.* 3ª.176.D
Mangones quomodo reficiant emaciata corpora.in 6ᵐ.de morbis vulga.commentario 3°. 3ª.176.D
*à Mangonibus graciles natura quomõ curentur.14°.me.me.*7ª.91.G
Mango fecit breui craſſas pueri nates.14°.meth.med. 7ª.91.G
*Mãgo aliter laudabat corpora,quã Hippocrates.1°.de v.p.*1ª.115.d
Manía *ſpecies alienationis mentis.introd.* Iſa.56.D
Manía, *id eſt inſania.1°.de dieb.decr.* 4ª.146.F
Mania accidit cerebro affecto aut per ſe,aut per accidens. 17°.*de vſu partium.* 1ª.222.F
Mania ſine febre,phrenitis vero cũ febre eſt.2°.de ſym.cau. 3ª.24.C
Mania eſt ſine febre.3°.de loc.aff. 4ª.17.A
Mania poteſt fieri ab intemperie.3°.de lo.aff. 4ª.20.B
Mania contingit conceptis in horis melancholiæ.de ſper. Sp.37.D
in Mania nullum adeſt affecti loci ſignum.3°.de loc.aff. 4ª.16.B
Maniæ ſignum eſt calor cordis ſuperexcellens. de anat.vi. Sp.53.A
Mania cum quis laborat catharticis vtimur.de dyna. Sp.20.E
Mania laborantibus damus cholagoga.de dyna. Sp.20.G
MANIACIS *vitandum vinum odoratum.de atten.vic.* 2ª.46.D
MANICA *vnde ſit dicta.de compag.memb.ſiue de nat.hu.* Sp.59.A
MANICVM *ſolanum,quale.8°.de ſimp.med.fac.* 5ª.62.G
MANIFESTVM *multis modis dicitur.2°.de decr.Hipp.* 1ª.298.G
Manifeſte apparentium nihil veritatis cultoribus occultũ eſſe debet. 2°.de diff.reſp. 3ª.63.E
Manifeſta quæ ſunt artis elementa Hippocrati placent. breuis denotatio dogmatum Hppocratis. 1ª.231.D
MANIODES *inſaniæ ſunt vehemẽtes.in 1ᵐ.prorrh.com.1°.* 4ª.164.D
MANIPVLARIS *faſciculus.9°.de comp.med.ſec.loc.203.A/7°.de cõpo.med.per gen.* 5ª.271.H
MANIPVLVM *quo modo deſcribat.6°.de comp.me.ſec.lo.* 5ª.175.E
Manipulus quantus duobus digitis apprehendi poteſt.7°.de compoſi. medicam.ſec.loc. 5ª.187.A
Manipulus quantum tribus digitis apprehendi poteſt.9°.de com.me dicamen.ſec.loc. 5ª.199.H
Manipuli meminit.7°.de compoſi.med.ſec.loc.185.E/9°. 5ª.198.G
MANNA *mel roſcidum,& aeriũ vocabatur.3°.de alim.fac.* 2ª.32.F
*Mannæ generatio quo mõ fiat ſm philoſophos.3°.de alim.fac.*2ª.32.F
*Manna quo modo cadit,& quod tẽpus præceſſit.3°.de ali.fac.*2ª.32.F
Manna raro cadit in Græcia.3°.de alim.fac. 2ª.32.F
Manna quotãnis cadit in monte libano.3°.de alim.fac. 2ª.32.F
Manna quomodo colligitur.3°.de alim.fac. 2ª.32.F
Mannæ, & melli dant aliquid plantæ.3°.de alim.facul. 2ª.32.C
MANNA *quid.3°.de comp.med.ſec.lo.* 5ª.146.B/C
Manna quid,& quo modo à thure differat.4°.de compoſi.medicamentorum ſecun.loc. 5ª.151.E
Manna qd ſit,& quod vtilior thure,& qualis.13°.met.me. 7ª.81.E
Manna thuris quomodo adulteretur.de ſimp.med. Sp.91.E
*Manna qualis.1°.de cõ.med.ſec.loc.*5ª.129.F/5°.*de comp.me.per gen.* 247.C/6°.5ª.255.C/5°.*meth.me.* 6ª.36.E
Manna pinguius eſt thus.de arti.com.2°. 7ª.267.A
Manna adſtringens leue.5°.meth.med. 7ª.31.G
Mãna aliquantulũ adſtringit,nõ tñ thus.6°.de com.me.pge. 5ª.256.F
Manna adſtringit magis,quàm thus.5°.meth.me. 7ª.31.A
Manna thus magis eſt emplaſticum.5°.meth.med. 7ª.31.A
Mãna cõcoquit,mouet pus,& carnẽ gignit.2°.de c.me.pge. 5ª.221.E
*Manna vlceribus profundis conuenit.9°.de comp.me.ſec.lo.*5ª.205.d
Manna detergit,& concoquit.6°.de compo.med.per ge. 5ª.256.F
Manna capitalis 6°.metho.med. 7ª.42.B
ex Manna medicamentum ad ſanguinem ſiſtẽdum.de curan.ratio.per ſang.miſs. 6ª.21.F
pro Manna Thus.de articu.com.2°. 7ª.267.A
MANSORII *muſculi ſic appellati ab Hippocrate & ab antiquis. de muſculorum diſſectione.* 1ª.44.H
MANSVETE *quo modo dicatur.in 1ᵐ.prorrh.com.3°.* 4ª.187.F
MANSVETVDINEM *extirpant mentis frequentes perculſiones.de aere,aq.& loc.* 2ª.6.C
MANSVETI *& dulces homines vnde.de ſperma.* Sp.40.D
Manſueti animi quorum.de aere,aq.& loc. 2ª.6.D
Manſueti commodius viuunt quam elati.de hiſt.philo. Sp.3.A
Manſueti quo modo tractandi.de hiſt.philoſ. Sp.3.A
Manſueta animalia habent vngues latos,& molles, & obtuſos.11°. de vſu partium. 1ª.187.G
MANSA *quæ caput purgent.2°.de comp.med.ſec.loc.* 5ª.139.B
MANTEVAS *quid ſcripſit.6°.de ſimp.med.facul.* 5ª.39.H
MANTIAS *fuit vulgaris medicus.2°.de compo.med.ſec.lo.*5ª.135.H
Mantiæ liber de re medica.4°.de compo.me.per gen. 5ª.244.E
Mantias legendus in herbaria re.6°.de ſimp.med.fac. 5ª.39.H
*Mantias medicamentum ſcriptor.3°.de comp.med.per gen.*5ª.234.H
Mantias Herophileus primus medicamentorum compoſitor.2°.de cõpoſi.med.per gen. 5ª.218.D
*Mantias fuit præceptor Heraclidis.6°.de comp.med.ſec.lo.*5ª.175.C
Mantias,& Heraclides primi medicamentorum cognitionem tradidere.2°.de compo.me.per ge. 5ª.222.A
*ex Mantiæ compoſitionibus Attalica.8°.de comp.me.ſec.lo.*5ª.191.C
Mantiæ Aeruginoſum.4°.de compoſi.med.per genera. 5ª.244.E
MANTICAS *duas ab omnibus geſtari inquit Aeſopi fabula.in 1ᵐ. prorrhet.commen.2°.* 4ª.170.H
Mantica duplex collo ſuſpenſa.de cog.cur.animi mor. 2ª.50.F
Mαντικὴ, *quæ.de vic.rat.in mor.acu.com.1°.* 7ª.109.H

Μαντικὴ apud Hippocratẽ quid.de vi.ra.in mor.acu.c.1°. 7ª.110.A
MANVARIVS medicus ab actione dicitur.2°.ad Thraſ. 2ª.105.D
Manuariæ actiones quæ per ſe fiunt.ad Thraſ. 2ª.105.A
MANVBRIOLA ductoria pars organorum.de machin. 7ª.309.E
Manubriola ductoria ad quid in organis.de machin. 7ª.309.H
MANVS in ſolis hoĩbus.3°.de ana.adm.78.E/3°.de vſu p. 1ª.127.E
Manibus ſolus homo recte vtitur.13°.de vſu par. 1ª.203.A
pro Manibus quæ animalia vtantur pedibus.11°.de vſu par.1ª.185.B
pro Manibus multa animalia vtuntur collo.8°.de vſu par. 1ª.165.B
Manus habet homo ꝓpterea bipes,& erectus eſt.3°.de v.p. 1ª.127.E
Manus inſtrumẽtũ maxime propriũ homini.17°.de vſu p. 1ª.221.F
Manus inſtrumentum.de nat.hum.com.1°. 1ª.26.C
Manus inſtrumentum ſapientiſſimo animali conuenientiſſimum.1°.de vſu partium 113.E/3°. 1ª.127.E
Manus officium laudatur.3°.de vſu par. 1ª.131.F
ꝓp Manũ cur hõ oĩbus animalibus dominetur.1°.de vſu p. 1ª.113.E
Manibus,& rõne homo domat animalia oĩa.11°.de vſu p. 1ª.184.H
Manuum actiones manifeſtæ ſunt.1°.de vſu par. 1ª.114.G
Manus actio quæ.1°.de vſu par. 1ª.115.C
Manuum actiones ſunt voluntariæ.de mot.man.& ob. Sp.69.A
Manus non agit, ſed electio.de cauſ.procatar. 3ª.99.E
Manus ob quid conditæ.4°.de præſag.ex pul. 4ª.120.G
Manus propter actionem totius corporis.1°.de vſu par. 1ª.114.G
Manus ſunt partes ad commode viuendum.fin.med. Iſa.45.E
Manus gratia apprehenſionis facta.1°.de vſu p.114.G/115.F/117.A/2°.124.A/12°.194.A/17°. 1ª.221.G
vt Manuũ volæ debẽt eẽ mẽbra bonæ cõprehẽſionis.ꝺ an.vi. Sp.50.G
Manus eſt apprehenſoria,igitur eſt & tactrix,bene ſequitur.2°.de vſu partium. 1ª.122.F
Manus qũo capiat corpora variarũ formarũ.1°.de vſu p. 1ª.114.A
Manus quomodo comprehendat res magnas.1°.de vſu par.1ª.113.H
Manus quo modo capiat res paruas.1°.de vſu par. 1ª.113.H
Manu parũ aliqꝺ tenẽdo quid faciãt muſculi.2°.de mot.mu.1ª.314.d
Manus duræ maiore vi comprehendunt.1°.de temp. 1ª.15.B
Manus ſanæ non æque apprehendunt.1°.de ſan.tu. 2ª.63.E
Manibus nihil valemus ſi cum milone cõferamur.1°.de ſa.t. 2ª.63.H
Manibus cur apprehendat ſimia.15°.de vſu par. 1ª.213.D
Manus ſimiæ prope accedit ad manus hominũ.15°.de vſu p. 1ª.213.d
à Manu cur non effluit liquidum.1°.de vſu par. 1ª.119.D
Manus cur organum organorum.1°.de vſu par. 1ª.113.G
Manibus omnia facit homo.1°.de vſu par. 1ª.113.E
Manus ſunt artium organa.1°.de vſu par. 1ª.113.E
Manus inſtrumenturi neceſſarium ad omnes artes in pace & bello.1°.de vſu partium. 1ª.113.D
Manus non docuerunt hominem artes,ſed ratio.1°.de vſu p.1ª.113.E
propter Manus cum antiquis loquimur.1°.de vſu par. 1ª.113.E
Manus cur duæ.1°.de vſu par. 1ª.114.A
Manus ſunt duæ ꝓp æqualẽ vilitatẽ actionis.6°.de vſu par. 1ª.149.A
Manus duæ tanquam vna manus maxima.1°.de vſu par. 1ª.114.A
Manus cur æquales.1°.de vſu par. 1ª.114.A
Manus cur ad ſe inclinatæ.1°.de vſu par. 1ª.114.A
Manuum interna pars cur glabra.2°.de temp. 1ª.19.E
Manus cur intus non piloſa.2°.de vſu par.122.F/17°. 1ª.222.B
ſi Manus exeũt in partu ante caput,ſunt difficiles partus.15°.de vſu partium. 1ª.213.A
de MANVS ſectione.1°.de anat.adm. 1ª.65.H
Manus ſectionis principium.3°.de ana.adm. 1ª.74.D
Manus anatomiam cur præpoſuit Galenus.2°.de ana.adm. 1ª.69.D
de Manu cur pertractet primo.1°.de vſu par. 1ª.113.H
Manus totius diſciplina primo dicenda, vt ſeruet ordinem librorũ. de vſu partium.1°.de ana.adm. 1ª.64.G
Manum ſecandi modus.1°.de ana.adm. 1ª.65.F
Manus magna pars animalis.1°.de vſu par. 1ª.114.G
Manus vnde incipiunt intro. Iſa.53.B
Manus eſt ab humero ad extremitates digitorum.2°.de vſu par.121.A/3°.de anatomicis adminiſtrationibus. 1ª.74.A
Manus pro brachio & manu.17°.de vſu par. 1ª.221.G
Manus eſt totum ab humero infra.de inæq.intemp. 3ª.43.C
Manus pars maxima eſt brachium.2°.de mot.muſ. 1ª.313.F
in Manu tale brachium, quale in crure femur.3°.de anatomicis adminiſtrationibus.1ª.74.A/de frac.com.2°. 7ª.232.H
Manus pars eſt vlna.2°.de mot.muſ. 1ª.313.F
in Manu talis cubitus, qualis in crure tibia.3°.de anato.adm.1ª.74.A/de fract.com.2°. 7ª.232.H
Manus in tres partes magnas diuiditur.2°.de vſu par. 1ª.121.A
Manus partes.17°.de vſu par. 1ª.221.E
Manus diuidit ĩ brachiũ, cubitum,et ſũmã manũ.ꝺ inæq.intẽ. 3ª.43.C
Manus partes ſũt carpus,μετακάρπιον,& digiti.de inæq.intẽ.3ª.43.C
Manus cur in tot partes,& digitos diuiſa.1°.de vſu par. 1ª.113.H
Manus extrema pars manus.2°.de vſu par. 1ª.121.A
Manus extrema in manu,qualis ĩ crure pes.3°.de ana.adm.1ª.74.A
Manus extrema debet eſſe lenis & tenuis.1°.de vſu par. 1ª.117.D
Manus pars interna,quæ.2°.de vſu par. 1ª.121.B
Manus pars externa, quæ.2°.de vſu par. 1ª.121.B
Manuum externæ partes habent poſitionem minus præcipuam internis.16°.de vſu par. 1ª.220.H
Manus pars ſuperior, quæ.2°.de vſu par. 1ª.121.B
Manus pars inferior, quæ.2°.de vſu par. 1ª.121.B
Manus totius oſſa.2°.de vſu par. 1ª.123.D
Manus digitorum oſſa ſunt viginti ſeptem.de fract.com.2°.7ª.233.A
Manus oſſa cur multa,& ita compoſita.2°.de uſu par. 1ª.123.H
in Manu eſt exacta oſſiũ compoſitio,qualis forte non inuenitur in alio, & quo modo.2°.de mo.muſ. 1ª.313.F
Manu maiorem diligentiam exigit pes.de frac.com.2°. 7ª.233.A
Manus & digitorum ſtructurã conſiderare debeant volentes cœlum et mundum vniuerſum contemplari.de fœt.for. 1ª.325.C
Manus quibus oſſibus non participet cũ pede.3°.de vſu p. 1ª.129.G
ad MANVM vt ſe habent digiti,ita additamẽta hepatis ad ſtomachũ. de anato.viuo. Sp.50.G
Manus actio præcipua in digito.3°.de vſu par. 1ª.131.G
Manus & digitorum motus conſideratio.de fœt.for. 1ª.325.C
in Manus digito quolibet motus quatuor.3°.de vſu par. 1ª.131.G
in Manibus cur digiti maiores, q̃ in pedibus.3°.de vſu par.1ª.129.H
Manuũ digitorũ tendones maiores,quã pedũ.3°.de vſu par. 1ª.131.H
Manuum digiti ſunt in maiori vſu,& frequentiori, & vehementiori, quàm pedum.3°.de vſu par. 1ª.131.G
in Manu quo modo ſex digiti.de cau.mor. 3ª.9.D
de Manuum vnguibus.2°.de ana.adm. 1ª.73.A
in Manibus vngues ijdem qui in pedibus.3°.de vſu par. 1ª.133.A
Manus & pedis comparatio.de frac.com.2°. 7ª.233.A
Manus ſummæ cutis interna nõ põt excoriari.2°.de vſu p. 1ª.122.E
Manuum cutis interna iuncta eſt muſculis.11°.de vſu par. 1ª.190.C
circa Manum errores antiquorum.3°.de ana.adm. 1ª.73.E
Manus eſt debilior mulieri, & quomodo Amazones eam ſibi fortem reddebant.com.7°.aph.43°. Ex.57.E
Manus cutis omnium extremorũ calidi,frigidi,humidi,ſicci vere media eſt.1°.de temp. 1ª.14.G
Manus molles exquiſitius tangunt.1°.de temp. 1ª.15.B
Manus ſummæ quo differãt à ſenſibus.16°.de vſu par. 1ª.215.D
Manus vola maxime omnium ſenit tactum.de cõpag.memb.Sp.58.E
in Manu sũma q̃ inuẽta à Galeno in anatomia.1°.de ana.adm. 1ª.64.H
MANVVM, & pedũ muſculi ſunt neruoſiores.4°.de ꝑſa.ex p.4ª.121.D
in ſumma Manu muſculorum duo genera.de muſ.diſſ. 1ª.49.A
Manus ſummæ ſeptem muſculi.2°.de vſu partium. 1ª.121.B
Manus extremæ,& cubiti muſculi viginti tres.2°.de vſu p. 1ª.120.H
Manus extremæ & cubiti muſculorum ſitus.2°.de vſu par. 1ª.120.H
in Manibus extremis nullus muſculus a foris.3°.de ana.adm. 1ª.77.F
Manus extremæ & cubiti muſculorum vtilitas.2°.de v.p. 1ª.120.H
in Manu interna muſculi vtilitates.2°.de vſu par. 1ª.121.F
Manus partes mouentes muſculi.2°.de vſu par. 1ª.122.C
Manus muſculorum maiorum exortus.2°.de mot.muſ. 1ª.313.H
Manus præcipua actio eſt moueri.1°.de vſu par. 1ª.115.F
Manus habet motus voluntarios.1°.de vſu par. 1ª.115.F
Manibus qui muſculi dent motum.de anat.viuo. Sp.54.A
Manus & pedes mouentur,& nõ mouẽt.de mot.man.& ob. Sp.66.G
Manus in quatuor partes mouetur.de machin. 7ª.314.H
in Manu motus principia quinque.3°.de vſu par. 1ª.131.H
Manuum motus quomodo fiat.de mot.man.& obſ. Sp.66.D
Manus opera a quibus fiant.1°.de mot.muſ. 1ª.311.A
Manuum actiones omnes in opificijs duabus figuris indigent,recta,& ſedente.3°.de vſu par. 1ª.128.F
Manus actiones fortes ſunt articuli carpi motus.2°.de v.p. 1ª.124.C
Manum mouentium muſculorum ſitus,& ordo,& ubi oriantur.2°.de motu muſculorum. 1ª.313.H

Manus extensio à quibus musculis. in 3^m. de mor. vul. c. 1°. 3ª.129.F
Manus flexio a quibus musculis. in 3^m. de mor. vul. c. 1°. 3ª.129.F
Manus quo extenditur et flectitur. 1°. de mot. mu. 3 10. H/2°. 1ª.313.F
Manus summa qñ pfecte extenditur, quid agat. 2°. de vsu par. 1ª.123.F
Manus eleuatio à quibus musculis. in 3^m. de mor. vul. c. 1°. 3ª.129.F
in Manu ex duobus obliqs motibus fit vn⁹ rectus. 12°. de v.p. 1ª.193.F
Manus hominum quomodo vertatur commode. 3°. de v.p. 1ª.128.E
Manus motus diuersi, diuersæ figuræ. 1°. de mot. mus. 1ª.310.H
Manus omnibus figuris commune. 2°. de mot. mus. 1ª.313.E
Manus figuræ proprium. 2°. de mot. mus. 1ª.313.E
Manus quatuor figuræ, & quo modo sint, & an doleant. 2°. de mo. musculorum. 1ª.313.D
Manus quatuor figuræ habent dolorem. 2°. de mot. mus. 1ª.314.C
Manus figura quæ caret dolore. 2°. de mot. mus. 314. C/ 1ª.315.F
Manus ociosa remißa nihil dolet. 1°. de vsu par. 1ª.119.A
Manus supina & prona quæ. 2°. de motu mus. 1ª.313.D
Manus partes ad obliquum vertentes musculi. 2°. de vsu p. 1ª.121.H
Manus quibus musculis fiat prona. 1°. de anatomicis administrationib. 67. A/B. 2°. de vsu par. 1ª.124.E
Manus quo voluatur prona aut supina. 1°. de mot. mus. 1ª.310.H
Manus quo modo vertitur ad pronum. 2°. de vsu par. 1ª.122.A
Manus quo modo vertitur ad supinum. 2°. de vsu p. 122. A/ 1ª.124.E
Manus quibus musculis fiat supina. 1°. de ana. adm. 1ª.67.A/B
Manũ qui musculus in supinum circumagit. de mus. diß. 1ª.49.A
Manus figuras supinas quæ consequantur. 2°. de mot. mus. 1ª.314.B
Manũ sursum tensã fingit, vt motus inueniat. 1°. de mo. mus. 1ª.311.C
Manũ tensam semper habere molestum. 15°. de vsu par. 1ª.210.C
in Manu versiones ad latera quibus fiant. 2°. de vsu par. 1ª.125.A
in Manu versiones rectæ quibus fiant. 2°. de vsu par. 1ª.125.A
Manus concaua quo modo fiat. 2°. de vsu par. 1ª.123.G
Manus cauæ tendo diligenter inspiciendus. 1°. de ana. adm. 1ª.65.H
Manus media figura, quæ. 2°. de motu mus. 1ª.313.D
Manus media figura nullum habet musculum neque agentem, neque qui violenter moueatur. 2°. de mot. mus. 1ª.314.A
in Manus media figura musculi oẽs quiescũt. 2°. de mot. mus. 1ª.314.C
ẽ Manu motus aliquis, cessantib. oĩb. musculis. 1°. d mo. mu. 1ª.311.b
Manus mediæ figuræ terminus. 2°. de motu mus. 1ª.313.E
Manus angulares quæ. de ijs quæ in med. fi. com. 1°. 7ª.203.A
Manus figuram extremam non possunt habere dormientes, & cur. 2°. de motu muscul. 1ª.314.C
Munus quo musculo moueatur ad spinam. de motu mus. 1ª.310.H
in Manu quies aliqua multis agentibus musculis. 1°. de mo. mu. 1ª.311.B
in Manu quo modo fiat reclinatio, & quid. 1°. de mot. mus. 1ª.311.B
in Manu quomodo fiat decidentia, & quid. 1°. de mot. mus. 1ª.311.B
in Manu qũo differant decidentia & reclinatio. 1°. de mot. mus. 1ª.311.B
Manus ferĩ deorsum, et manus demittiĩ differũt. 1°. de mo. mus. 1ª.311.B
Manus tendones a quibus musculis oriantur. 2°. de vsu par. 1ª.121.D
Manus musculi à qb. neruis agitẽtur. in 3^m. de mor. vul. c. 1°. 3ª.127.H
per MANVS *totam carnem cur nerui. 1°. de vsu par.* 1ª.118.D
Manuum, & brachiorum neruorum forma differt a forma neruorum pedum & crurum. de ana. viuo. Sp.54.D
in Manibus & cruribus eadẽ est neruorũ rõ. 16°. de vsu p. 1ª.218.A
Manus, & cruris nerui quo modo differant. 16°. de vsu par. 1ª.218.A
Manus nerui vnde. in 3^m. de morb. vul. com. 1°. 3ª.130.C
Manus nerui ex medulla ceruicis oriũt in 3^m. d mor. vul. c. 1°. 3ª.127.d
ad Manus cur non mittantur nerui à Cerebro. 16°. de vsu p. 1ª.215.E
Manuum cutem duo nerui de spinali medulla adeunt, et quatuor per p fundiora. 3°. de ana. adm. 1ª.75.C/D
ad Manus extremas nerui qui veniunt. 13°. de vsu par. 1ª.201.H
ad Manum summam nerui quo ferantur. 16°. de vsu par. 1ª.218.A
Manus internæ ptes cur habeãt neruos maiores. 16°. de v.p. 1ª.218.A
Manuum partes internis habent magnos neruos propter sensum. 5°. de vsu partium. 1ª.145.C
ad Manus digitos nerui qui perueniunt. 1°. de lo. aff. 4ª.7.C
de MANVS *venarum anatomia. de ana. viuo.* Sp.54.G
Manus sectio p vidẽdis venis, arterijs, et neruis. 3°. de ana. ad. 1ª.74.a
Manus venarum, & arteriarũ cõmunis ratio. 16°. de vsu p. 1ª.221.A
Manus venarum arteriarum sectio. de ana. adm. 1ª.76.B
in Manibus venæ & arteriæ se contingunt. 9°. de vsu par. 1ª.172.H
in Manum totam propagantur duæ venæ. 3°. de ana. adm. 1ª.76.B
Manus venarum occultarum consideratio. de ven. ar. diß. 1ª.57.A
Manuum venæ quæ sint, & quot sint, & quando debent secari. commẽ tario 6°. apho. 36°. Ex.50.D
in MANVM *totam propagatur vna arteria. 3°. de ana. adm.* 1ª.76.B
ad Manus quo modo eant arteriæ. 16°. de vsu par. 1ª.220.A
ad Manus varias partes pingũt arteriæ rami. 3°. de ana. adm. 1ª.77.F
Manus arteria quæ phlebotomatur, est arteria, quæ inter pollicem & indicem existit. de ana. viuo. Sp.54.H
Manus quæ phlebotomatur, sit in aqua calida. de ana. adm. 1ª.54.G
in Manibus extremis arteriæ pulsant. de ven. ar. diss. 1ª.59.D
Manus si prona sit vel supina, pulsus variatur. 1°. de dig. pul. 4ª.74.B
Manus ægri tãgẽda, vt calor pcipiat qualis sit. in pg. cõ. 1°. 4ª.192.A
in Manuũ carpo arteriæ illustrẽ habẽt motũ. de puls. ad tiro. 4ª.43.C
Manus in carpo apprehẽditur ad pulsũ explorãdũ. 5°. de l. af. 4ª.34.G
Manus Medici debet esse mollis. 1°. de dign. puls. 4ª.73.E
Manus aptantium nares debent esse molles. de art. com. 2°. 7ª.267.C
MANVM *exercitationes, quæ. 2°. de sa. tu.* 2ª.74.H
Manus per ignis flammam sine noxa transferimus, cum è locis gelidis discesserimus. de cauf. morb. 3ª.6.H
MANVS *frigidæ cum calefiunt, dolor fit. 12°. met. med.* 7ª.78.D
Manus frigidas calefacientium dolor vbi sit. 2°. de loc. aff. 4ª.9.D
Manus non habent affectum, licet sint imbecillæ ex syncopa cordis vel stomachi. 5°. de loc. aff. 4ª.35.C
Manus quomodo lædantur. 5°. de san. tuen. 2ª.89.H
in Manibus quæ faciunt impedimentum. 1°. de mot. mus. 1ª.308.G
Manus qua pte pectoris patiẽte patiat. i 6^m. de mor. vul. c. 4°. 3ª.180.B
Manus extremas partes frigescere quando non malum, & quando malum. com. 7°. aph. 1°. Ex.54.A
Manum quo mõ, et qñ derelinquit sanguis. c. 7°. aph. 26°. Ex.54.G
Manus intumescunt pueris instar morbi articularis, cur. commentario 6°. aphorismo. 30°. Ex.49.C
Manuũ motiones in febribus quid significent. in prog. com. 1°. 4ª.194.E
Manuũ gesticulatio quid sit. in progn. com. 1°. 4ª.194.E
Manuũ diductio quibus eueniat. præsag. exper. conf. Sp.78.E
Manus tremulæ vnde. in 3^m. de mor. vulg. com. 1°. 3ª.127.H
Manuum tremores quo modo fiant. com. 7°. aph. 9°. Ex.54.E
Manus tremulæ ostẽdũt principiũ læsum. in 1^m. prorrh. c. 3°. 4ª.178.H
à Manibus tremor primo die, & febris acuta. in 3^m. de morbis vulgaribus, commentario 1°. 3ª.127.C
Manus quandoque conuellitur. com. 5°. aph. 65°. Ex.45.B
Manus digiti læduntur ex dorsi ictu. 3°. de ana. adm. 1ª.73.G
Manus digiti cur torpidi ex casu. 3°. de loc. aff. 4ª.14.F
Manus sinistræ minimorum digitorum sensum amiserat Pausanias. 3°. de locis affectis. 4ª.21.C
Manus tota interdum resoluitur. 3°. de loc. aff. 4ª.20.H
Manus extrema quandoq; tantum resoluitur. 3°. de lo. aff. 4ª.20.H
Manus in qua angina resoluta fuerit. 4°. de lo. af. 4ª.24.C
Manus et crura tanquam resoluta iactare quid significet. de ijs, quæ in medicatrina fiunt. com. 1°. 7ª.198.B
in Manibus non resolutus, & in reliquis partibus resolutus quo modo 3°. de locis affectis. 4ª.21.B
Manus totius actiones principalissimæ pereunt læsis intrinsecis musculis. 2°. de vsu partium. 1ª.123.A
Manus operationes quæ pereunt neruis aliquibus pereuntibus. 3°. de anatomicis administrationibus. 1ª.77.G
in Manibus si sit phlegmone, crura sunt vincienda. 13°. me. m. 7ª.83.B
Manibus aut crure inflammatis laxantia conuenit adhibere, sed non semper. de sectis. Isa.18.C
Manu laborante scarifica crura. 13°. meth. me. 7ª.81.B
propter Manus aut pedis vlcus cur intumescunt glandulæ inguinũ & alarum. 13°. metho. medendi. 7ª.81.A
ad Manuum & pedum intertrimenta. de med. fac. par. 7ª.176.B
ad Manus læsas a vento. de med. fac. par. 7ª.176.B
Manum, lumborum, ac pedum distentiones in vidua, quæ vterinis morbis vexabatur. 2°. de semine. 1ª.336.C
ad Manuum callosas excrescentias. 3°. de com. med. per ge. 5ª.235.C
ad Manuum & pedum clauos. 2°. de comp. med. per gen. 5ª.225.E
Manu vulnerata et pede, ab aqua abstinẽdũ. 3°. de c. m. p g. 5ª.231.A
in Manu summa tẽdones male curati. 3°. de cõ. me. per gen. 5ª.228.C
Manus dimotio, et restauratio. de artic. com. 1°. 7ª.262.E
Manus in quot partes prolabatur. de machin. 7ª.320.G
Manus prolapsa quomodo restauretur. de machin. 7ª.314.F
Manus prolapsa quo modo restituatur. de machin. 7ª.320.G
in Manu quæ aptantur magis molestè aptantur, quàm quæ in tibia. de fracturis,

fracturis.com.2°. 7e.236.H
in Manibus non admodum franguntur ossa.de fract.cõ.2°. 7a.233.C
ĩ Manu ossa a sua sede dimota,ĩ eã restitui dñt.de frac.c.2°. 7a.233.F
in Manu curatio.de frac.com.1°. 7a.233.G
Manus os luxatum quot diebus sanatur.de fract.com.2°. 7a.233.H
Manus extrema quandoq; aufertur.de dif.mor. 3a.4.G
Manus opera vti,mederi,& victus rationem instituere, habent pro communi mederi.ad Thras. 4a.108.F
Manuum opera duntaxat curari potest vesicæ calculus non ætatis de cursu.in 6m.de mor.vul.com.5°. 3a.193.B
Manu sola curat steatoma,nec putrescit,nec curat.14°.m.m.7a.90.E
Manꝰ frigida ĩ aceruũ tritici posita sẽtit calorẽ.3°.de sim.m.f. 5a.22.G
Manibus,& brachijs imposita acria medicamenta reuellunt succus ad caput & viscera vergentes.de cucur.scar. 6a.4.G
Manibus,& pedibꝰ oñ hirudines admouẽdę qd agẽdũ.de cu.sc. 6a.4.C
in Manibus & pedibus vtimur repercutientibus,nõ autem in coxa, cur.10°.de comp.med.sec.loc. 5a.207.B
Manus facientis emplastra dẽt inungi.7°.de cõp.me.per ge. 5a.267.C
Manuum nutu dicimus ἐγω.2°.de decr.Hipp. 1a.234.F
*Manus cur sup oculos ponunt a lõge tuẽtibus.10°.de vsu p.*1a.178.H
Manus Hymenæum celebrando te præuenit inquit Diogenes.6°.de locis affectis. 4a.39.G
MANVS *Christi vnde fortasse dicta sit,collige.6°.de comp.med.secundum locos.* 5a.173.B
MAPPVLAS sordidas non ab re nostrę mulieres in doloribus accipiunt calidas.5°.de comp.med.sec.loc. 5a.163.F
MARASMATI qui.de marc. 3a.47.H
Marasmati qui seruantur.10°.meth.med. 7a.67.D
Marasmatis quo modo faciendum balneum.10°.meth.med. 7a.66.F
Marasmatos balneis curauit Galenus.de marc. 3a.47.E
Marasmati casus,qui per accidens superuixit.10°.met.me. 7a.66.F
MARASMODES *fiunt ex genere hecticarum.10°.met.me.* 7a.66.F
Marasmodes febres quo ordine consumat.10°.met.med. 7a.67.D
MARASMVS *vnde dictus.de marc.* 3a.45.B
Marasmus quid sit.de marc. 3a.45.B
*Marasmi sunt metaphorice oës corruptiones a sicco.de marc.*3a.45.C
Marasmum pati possunt viuentia.de marc. 3a.45.B
Marasmus,& in animalibus,& in stirpibus.5°.de san.tu. 2a.92.H
Marasmus quid sit secundum Philippum.7°.meth.med. 7a.46.E
de Marasmo liber quibus scriptus.de marc. 3a.48.F
*Marasmi diuersitates ſm mẽbra a quibus incipit.7°.met.me.*7a.46.E
Marasmos & hecticas faciunt viscera.10°.meth.med. 7a.64.F
Marasmi passiones sunt a corde prouenientes.de virt.nos.cor.Sp.60.B
*Marasmum non vidit Galenus in septo trãsuerso.10°.met.me.*7a.64.F
Marasmus simplex,qui.de marc. 3a.45.C
Marasmus compositus,qui.de marc. 3a.45.C
Marasmus vel senium siccitatem ventriculi maximam debęt præcessisse.3°.de symp.caus. 3a.25.D
a Marasmo,& tabe illa arripi dicuntur,quæ siccitas corruperit. de marcore. 3a.45.C
*Marasmum faciunt inediæ.de marc.*3a.45.C/8°.*meth.med.* 7a.50.F
Marasmus ex frigiditate.de marc. 3a.45.C
Marasmus frigidus senio similis quibus fiat.de marc. 3a.47.B
Marasmus non potest euitari a sene.de marc. 3a.45.D
Marasmus senij potest prolongari non euitari.de marc. 3a.46.F
quo Marasmo senes afficiantur.de marc. 3a.45.C
qui Marasmus senium ex morbo dicatur.10°.meth.med. 7a.66.F
Marasmus ex calore,qui.de marc. 3a.45.C
Marasmus exurens,qui.de marc. 3a.47.A
*Marasmus & hectica ab erysipelatoso affectu oriunt.de mar.*3a.47.H
Marasmi syncoposi,qui.de marc. 3a.47.A
Marasmi syncoposi symptomata,quæ.de marc. 3a.48.F
Marasmus legitimus non curatur.de marc. 3a.47.B
Marasmum habentes sanare non est tentandum.10°.met.m. 7a.66.E
Marasmorum curationes.de marc. 3a.47.C
in Marasmo lac præstantissimum.de marc. 3a.48.D
in Marasmum incidere debenti alicam dat.10°.meth.med. 7a.62.D
Marasmus qui vinum requirit,& qui non.de marc. 3a.48.E
in Marasmum qui ferè deuenit,nõ debet absinthium accipere, neque adstringentia.7°.met.med. 7a.44.B
*Marasmo ſm Philippum non conueniũt balnea.10°met.med.*7a.65.C
*Marasmum patientes quo modo frigida lauandi.10°.met.me.*7a.66.C
MARATHRVM, *id est fœniculum.7°.de simp.med.fac.* 5a.55.B
Marathrum quale sit.de ocu. 7a.188.H
*Marathri semẽ calidũ ẽ cũ subtili suba.2°.de arte cur.ad Gl.*7a.104.G
Marathri semen flatus sanat.8°.meth.med. 7a.53.F
*Marathri semina grata oculis.de ther.ad Pis.*5a.92.B/*de ocu.*7a.188.G
Maratrho serpentes frigant oculos.de ther.ad Pis. 5a.92.B
MARCELLAS *inscriptum librum exteriorum fecit Asclepiades.7°.de comp.med.per gen.* 5a.265.A
MARCELLINI *sedans dolorem.7°.de comp.med.se.loc.* 5a.184.H
MARCESCENTIVM *nomen vnde dictum.4°.de dign.pul.* 4a.101.C
*Marcescẽtiũ pulsus,qualis.de pul.ad tir.*4.5.D/4°.*d dig.pul.* 4a.101.C
MARCIDA *dici non debent corrupta.de fract.com.3°.* 7a.247.G
Marcida sunt vetusta absoluta.de frac.com.3°. 7a.247.H
Marcidæ inflammationis pulsus.de pul.ad tiro. 5a.45.E
Marcor morbus diuturnus est.fin.med. Isa.45.F
Marcor proprius senibus.de puls.ad tiro. 5a.45.E
Marcor proprium senum,& vnde.4°.de dign.pul. 4a.101.C
Marcor ex morbo senium.4°.de dign.puls. 4a.101.C
Marcor quo modo ex morbo senium.1°.de præsag.ex pul. 4a.107.E
Marcor torridus qui.in 3m.de mor.vul.com.1°. 3a.132.H
Marcor insanabilis.1°.de dieb.decr. 4a.145.F
Marcorem inducunt succi frigidi.4°.de san.tu. 2a.84.E
Marcorem facientes vires habet hyoscyamus.de simp.med. Sp.92.D
Marcorem grauem facit mandragora. Sp.87.C
MARCVS *imperator vsus est theriaca.de ther.ad Pis.* 5a.90.B
Marci imperatoris theriaca.2°.de antid. 5a.120.C
Marcus Aurelius Antoninus imperator tempore Galeni, cum esset Romæ.de præcogn.ad Posth. 4a.217.H
MARCI *Talentij Asclepiadis malagma ad duritiem & tensiones.7°. de comp.med.per gen.* 5a.265.F
MARCI *Galli Asclepiadei pharmacum.8°.de comp.medic.secundum locos.* 5a.192.H
MARIS *salsedo quo modo.de hist.phil.* Sp.8.F
in Mari alto est fluctus,vel maior,vel minor.in 3m.de mor.vulgarib. commen.3°. 3a.140.H
Maris recessus & recessus quo modo fiant.de hist.phil. Sp.8.G
Mare per lunam augetur & minuitur.de dyn. Sp.20.B
ex Mari venti quales.1°.de sem. 1a.329.F
Mare quomodo facit spumam.com.2°.aph.43°.18.D/& commen.7°. aphor.30°. Ex.56.B
Mare viride spumã albã facit.de natura,& ord.cuius.cor. Sp.42.C
Mari in quo comparatur aer.in 3m.de mor.vul.com.3°. 3a.140.H
Maris locus strictus est in Chalcide Eubœa, & Messina Siciliæ.in 3m. de morb.vul.com.3°. 3a.140.H
ĩ Mari plura onera naues portãt citra submersionẽ q̃ ĩ fluuijs,& in mari mortuo plura q̃ in mari.4°.de simp.med.fac. 5a.30.D
Maris,& stagnorum ratione qui pisces peiores.8°.meth.med. 7a.51.B
Mare purũ facit bonos,& malos pisces.3°.de alim.fac. 2a.30.G
q̃ Maris cõgius magis latent,puerbiũ.in prognostica,c.3°. 4a.208.E
Mari,& terræ communia animalia respirant vaporem per brãchias. de ana.viu. Sp.48.C
Maris tranquillitati comparatur corporis leuis status.in 6m.de mor. vul.com.3°. 3a.177.B
Mare horridum a poeta dicitur.in 6m.de mor.vul.com.3°. 3a.177.B
*in Maris arena quos calida decũbere faciebat Gal.de præc.*4a.217.G
Mari mistum vinum pro splenicis.9°.de comp.med.se.lo. 5a.199.C/F
Mare pruritum facit.2°.de symp.cau. 3a.23.H
vt Mare & muria vim habet exiccãdi,bilis.4°.de dig.pul. 4a.103.F
MARIS *mortui aqua est salsa & amara.4°.de simp.me.fac.* 5a.30.C
Mare mortuum salem habet amarum.4°.de simp.me.fa. 5a.30.D
Maris mortui aqua cur amara.4°.de simp.med.fa. 5a.30.E
*Maris mortui aqua non exquisite amara.4°.de simp.med.fa.*5a.30.F
Maris mortui aqua pondere tantum superat marinam, quantum marina fluuiatilem aut lacustrem.4°.de simp.me.fa. 5a.30.D
in Maris mortui aquam nec homines,ne animalia submerguntur.4°. de simp.med.fac. 5a.30.D
*in Mari mortuo nullũ aĩal,nulla herba inest.4°.de simp.me.f.*5a.30.F
in Mari mortuo pisces moriuntur.4°.de simp.med.fa. 5a.30.F
*Maris mortui aqua copiosa portat in Italiã.4°.de simp.me.f.*5a.30.E
Maris mortui aqua quo modo fiat arte.4°.de simpl.medicamentorum faculta. 5a.30.E
MARGARITAE *roborant cor dissolutum.de anat.viu.*46.E/*Sp.*56.C

MARINVS *instaurauit anatomen amissam.* 8°.*de decr.Hip.* 1ª.273.*C*
Marinus præstantissimus anatomicus. 2°.*de sem.* 1ª.340.*C*
Marini libri anatomici, quos Galenus compendio in suum secundum redegit.de lib.prop. *Isa.*12.*G*
Marinus laudatur, qui aliquid scripserit de anatomia. 2°.*de anatomicis admin.* 1ª.68.*E*
Marinum laudat, qui scripserit anatomicos aggressus. 2°.*de anatomicis adminst.* 1ª.68.*H*
Marinus accuratius de musculorum dissectione egit, q̃ alij, tamen in aliquibus errauit.de musc.diss. 1ª.44.*B*
Marinus damnatur. 4°.*de anat.adm.* 1ª.84.*C*
Marini meminit. 16°.*de vsu par.* 1ª.216.*H*
*Marinus interpres aphorismorum.c.*7°.*aph.*13°.54.*H*/24°. *Ex.*55.*F*
Marini arteriaca. 7°.*de comp.med.sec.loc.* 5ª.179.*A*
MARINA *Aqua actu humida.* 1°.*de simp.med.fac.* 5ª.9.*C*
Marina aqua, ab aqua ad calidius accedit. 1°.*de simp.me.fac.* 5ª.5.*C*
Marina aqua non frigida. 1°.*de simp.med.fa.* 5ª.3.*A*
Marina aqua quando Erysipelati imponenda. 14°.*meth.me.* 7ª.87.*E*
cum Marina aqua vina ad quæ vtilia. 2°.*de arte cur.ad Gl.* 7ª.101.*H*
Marina aqua cpota quid faciat. 1°.*de symp.cau.* 3ª.18.*E*
Marinæ aquæ flos salis mixtus pro corpulẽtis, & hydropicis. 14°.*methodi med.* 7ª.91.*F*
Marina aqua siccat carnes, et ĩcorruptas seruat. 2°.*de na.fa.* 2ª.301.*C*
Marina aqua, aut bituminosa, aut sulfurosa, aut muria si inspergas, adurens partem. 1°.*de simp.med.fac.* 5ª.3.*A*
pro Marina aqua muria. 3°.*de comp.med.sec.loc.* 5ª.147.*B*
Marina aqua, q̃o fiat, vbi nõ habetur. 4°.*de simp.med.fa.* 5ª.30.*D*/*E*
Marina Balnea fortius resiccant. 7°.*de comp.med.sec.loc.* 5ª.177.*E*
ex Marina aqua balneũ nõ dẽt adhiberi febriẽti. 11°.*met.me.* 7ª.69.*H*
Marinæ aquæ balnea plus bilis ducunt, sed multo minus prosunt, q̃ potabiles. 1°.*de arte cur.ad Glau.* 7ª.97.*B*
Marinã Brassicã Thalassocrambẽ græci vocant. 5°.*de san.tu.* 2ª.92.*F*
Marina brassica senum aluus est soluenda. 5°.*de san.tu.* 2ª.92.*F*
Marina Crux.de dyn. *Sp.*24.*B*
ex Marina Lactuca lac solutiuum. 5°.*de san.tuen.* 2ª.91.*H*
Marinus Lepus respirat vaporem per branchias.de ana.vi. *Sp.*48.*C*
Marina Ὀστρανοδέρματα *habent naturam compositam ex diuersis facultatibus.* 1°.*de ali.fac.* 2ª.7.*G*
Marini omnes pisces fluuijs gaudent, at pauci fluuialium mare ingrediuntur. 3°.*de alim.fac.* 2ª.30.*D*
Marini pisces præstantissimi, qui. 3°.*de ali.fac.* 2ª.30.*B*
Marini pisces non habent multas paruas spinas. 3°.*de ali.fa.* 2ª.30.*C*
Marinorum piscium differentia a fluuialibus & stagnantibus in numero spinarum. 3°.*de alim.fac.* 2ª.30.*D*
Marinæ Turturis morsibus confert centaurea.de vir.cent. *Sp.*93.*H*
ad Marinorum ictu. 5°.*de comp.med.per ge.* 5ª.247.*E*
MARITATÆ *sunt liberæ ab equitatu.de aere, aq. & lo.* 5ª.5.*C*
MARITIMA *loca sunt calida, quia humilia sunt in regionibus frigidis, vt Thraciæ: in calidis autẽ, quia a ventis ab arcto refrigerantur, sunt minus calida.com.* 3°.*aph.* 14°. *Ex.*22.*E*
ex Maritimis locis siccis herbæ. 6°.*de comp.med.per ge.* 5ª.255.*B*
Maritimarum herbarum vsus. 6°.*de comp.med.per ge.* 5ª.255.*C*
MARII *vxor Eassa.* 10°.*de comp.med.sec.loc.* 5ª.206.*B*
MARMORIDARVM *penidiarum confectio.de dyn.* *Sp.*26.*H*
MARONEA *vua.* 7°.*de comp.me.per gen.* 5ª.282.*F*
MARRVBIASTRVM *quid, & eius vires.de simp.med.* *Sp.*87.*G*
Marrubiastrum ad serpentum morsus, & ad suspiriosos facit.de simpli.med. *Sp.*87.*G*
Marrubiastrum strucinas, idest scrophulas, vel hæmorrhoidas cæcas dissoluit, & menstrua prouõcat.de simp.med. *Sp.*87.*G*
MARRVBIVM *quid.de simp.med.* *Sp.*87.*D*
Marrubiũ herba ex locis siccis maritimis. 6°.*de cõp.me.p.g.* 5ª.255.*B*
Marrubium calidum in secundo ordine, siccum in tertio. 8°.*de simp.medic.fac.* 5ª.59.*B*
Marrubium vires habet acres, & efficaciter relaxãtes ad tussim facit, in partibus neruosis optimum est.de simp.med. *Sp.*87.*D*
Marrubiũ iecur, ac lienẽ obstructione liberat, thoracẽ pulmonemq̃ ex purgat, mẽses pmouet, detergit ac digerit. 8°.*de simp.me.fa.* 5ª.59.*B*
ex Marrubio oxymeli pus è thorace valde educit. 13°.*m.m.* 7ª.85.*A*
Marrubiũ cur nõ conuenit stomacho imbecilli.de opt.secta. *Isa.*23.*H*
Marrubium & absinthium ferè non differunt.de opt.sect. *Isa.*23.*H*
Marrubio miscetur absinthij succus cũ adulterat. 1°.*de anti.* 5ª.100.*D*
Marrubij succ⁹ ad aciei oculorũ claritatẽ valet p nares aurigine pur gat, et ad auriũ dolores ĩueteratos adhibet. 8°.*de sim.me.f.* 5ª.59.*B*
Marrubium numeratur inter illa, quibus vlcera maligna curari debent. 5°.*de comp.med.per gen.* 5ª.246.*A*/*B*
Marrubium prędicabat quidam valere aduersus ictus venenosorum. 9°.*de comp.med.fac.* 5ª.65.*E*
in Marrubium theriacam ingreditur.de ther.ad Pis. 5ª.92.*E*
Marrubium vbi est, citrago superflua est. 7°.*de simp.med.fa.* 5ª.55.*E*
ex Marrubio catapotium Platonis. 7°.*de comp.me.se.loc.* 5ª.182.*C*
Marrubij pilulæ. 7°.*de comp.med.sec.loc.* 5ª.185.*H*
ex Marrubio, & Iride confectio pro oxymelite.de vic.rat.in morb.acu.com. 1°. 7ª.113.*C*
MARS *calidus est & siccus.de compag.memb.* *Sp.*59.*F*
*Mars cũ luna quas faciat ægritudines.de decub.pg.ex ma.sci.S.*12.*H*
Mars quæ appetere faciat.de decub.prog.ex math.scien. *Sp.*13.*A*
sub Martis ditione est terra calida in secundo gradu, humida in primo.de sper. *Sp.*40.*C*
MARSI *Romæ viperas venantur.* 11°.*de simp.med.fa.* 5ª.78.*B*
Marsi nutriuntur a spidibus. 2°.*de arte cur.ad Glau.* 7ª.107.*F*
MARSVM *vinũ, quale.* 5°.*de san.tu.* 2ª.91.*B*/1°.*de antid.* 5ª.100.*H*
Marsum vinum aquosum est. 1°.*de antid.* 5ª.100.*H*
Marsum vinum conuenit syncope ex bile circa os ventriculi. 12°.*methodi med.* 7ª.76.*D*
MARSYPIS *facienda fontio.* 9°.*de decr.Hipp.* 1ª.282.*F*
MARTASANCE. *de medic.fac.par.* 7ª.176.*B*
MARTIANVS *anatomista.de præcogn.ad Posth.* 4ª.215.*B*
MARTIVS *mensis est vnius & triginta dierum.in* 1ᵐ.*de mor.vulga.commen.* 1°. 3ª.102.*D*
MARVM *vbi nascatur.* 1°.*de antid.* 5ª.104.*G*/*H*
Marum ægræ Romæ inuenitur. 3°.*de comp.med.per ge.* 5ª.234.*E*
Marum odoratum, subtile. 3°.*de comp.med.per ge.* 5ª.234.*E*
Marum superat amaracum odore. 1°.*de antid.* 5ª.104.*H*
Maron ad neruos vulneratos valet. 3°.*de comp.med.per g.* 5ª.234.*B*
MAS *cur fiat cã est ex semine viri & a mẽre.* 14°.*de vsu p.* 1ª.206.*E*
Mas ex quo semine fiat secundum Stratonicum. 2°.*de sem.* 1ª.338.*H*
Marem quod sperma facit.de sper. *Sp.*36.*E*
Mares, & fœminæ vnde nascantur.de hist.philo. *Sp.*10.*E*
Mas quando generatur ex parte seminis.fin.med. *Isa.*49.*G*
Mas vnde procreatur. 2°.*de sem.* 1ª.338.*H*
Mares generantur propter calorem.com. 5°.*aph.*48°. *Ex.*41.*H*
Mas pcreat in calidiore et sicciore fœtus tẽperatura. 2°.*de se.* 1ª.339.*b*
Mares qui gignunt. 2°.*de sem.* 1ª.339.*C*
Mares generaturus quo modo cognoscatur. 14°.*de vsu par.* 1ª.206.*H*
Mas breuiori tempore in vtero fingitur. 2°.*de sem.* 1ª.339.*B*/*de anat. viuorum.* *Sp.*52.*B*
Mas in triginta diebus formatur.de sper. *Sp.*36.*C*
Mas & fœmina vbi generantur.de compag.memb. *Sp.*59.*D*
Mares in dextro vteri latere, fœminæ in sinistro gñantur, sm Hippocratem.bre.denot.dog.Hip. 1ª.231.*C*/*com.* 5°.*aph.*38°. *Ex.*41.*B*
Mares cur in dextris loculis formentur. 14°.*de vsu par.*206.*G*/2°.*de semine.* 1ª.339.*B*
Maris fœtus in dextris fiunt, & cur.com. 5°.*aph.*48°. *Ex.*41.*H*
Mas quãdoq; in sinistra vteri parte concipitur, & fœmina in dextra, sed raro. 6°.*de loc.aff.* 4ª.41.*E*
Mas raro visus in sinistra. 2°.*de sem.* 1ª.339.*C*
Mas ne sit an fœmina fœtus.de pass.mul. *Sp.*96.*C*
Mas quando gignatur secundum quosdam.fi.med. *Isa.*49.*G*
Mares cognoscuntur etiam in vtero, motu.com. 5°.*aph.*42°. *Ex.*41.*E*
Marem si mulier cõcepit, bene colorata est, si vero fœminam, male colorata.com. 5°.*aph.*4°. *Ex.*41.*D*
Mas in vtero apparet calidior. 2°.*de sem.* 1ª.339.*B*
Mas calidior & siccior. 2°.*de sem.* 1ª.338.*D*
Mas est calidior fœmina.com. 5°.*aph.*42°. *Ex.*41.*E*
Mas minus frigidus fœmina. 7°.*de vsu par.* 1ª.164.*F*
Maribus mulieres sunt frigidiores.commen. 3°.*aph.*62°.43.*F*/*comm.* 5°.*aph.*69°. *Ex.*45.*D*
Mare humidior est fœmina. 11°.*de simp.med.fa.* 5ª.79.*A*
Mas solidior, bilioſior, sanguine plenior fœmina.in 6ᵐ.*de morb.vulg.commen.* 2°. 3ª.170.*F*
Mare citius concrescit fœmina.in 6ᵐ.*de mor.vul.com.* 2°. 3ª.169.*E*
Mas citius mouet, q̃ fœmina, cur.in 6ᵐ.*de mor.vul.com.* 2°. 3ª.169.*D*
Mas in motu perfectior. 14°.*de vsu par.* 1ª.206.*C*

Mares sunt

Mares sunt fortiores fœminis.com. 5°.aph. 16°. Ex.38.G
Mas in omni genere animalis validior fœmina. 3°.de dign.pul. 4ª.95.G
Mares validius agitantur.in 6ᵐ.de mor. vul.com.2°. 3ª.169.E
Mas perfectior fœmina. 14°.de vsu par. 1ª.205.E
Mas cur perfectior fœmina. 14°.de vsu par. 1ª.205.F
Mas quandoq; est debilior fœmina.com. 5°.aph.42°. Ex.41.E
Mares ambidextri reperiuntur.com.7°.aph.43°. Ex.57.E
cum Mare fœmina dissidet.ꝙ an.mor. 1ª.319.C
Mares a fœminis cognoscuntur distincti vel ipso aspectu primo ex multis signis . 2°.de sem. 1ª.338.G
Maris & fœmine differentia.2°.de sem. 1ª.338.G
Marium animalium partes sunt barbæ , calcaria, dentes exerti.2°.de semine. 1ª.338.G
Maris & fœmina differentia in genitalibus.2°.de sem. 1ª.339.E
in Maribus vasorũ spermaticorum situs. 14°.de vsu par. 1ª.209.A
Mares secundum aliquos habent pudendum muliebre. commenta.7°. aph.44°. Ex.57.F
in Maribus corpora musculosa ad testiculos descendunt a musculis hypogastrij.14°.de vsu par. 1ª.208.E
in Mare vasa spermatica quo modo maiora, quàm in fœmina.14°.de vsu partium . 1ª.208.F
in Mare vasa spermatica magna,ex piscibus & auibus cognoscuntur.14°.de vsu par. 1ª.208.G
Marium penem irrigant glandulæ.2°.de sem. 1ª.340.E
in Marium penibus glandulæ conspicuæ.2°.de sem. 1ª.340.E
in Maribus,& fœminis eadem membra genitalia differũt situ et magnitudine.2°.de sem. 1ª.339.D
Marium præputium in fœminis efficit cunnum muliebrem . 2°.de semine . 1ª.339.D
Maris,& fœminæ testium diuersitas.de ana.viu. Sp.51.G
Marium testes maiores,& perfectiores.14°.de vsu par. 1ª.207.G
in Maribus testes penduli.14°.de vsu par. 1ª.209.H
in Mare,et fœmina ĩ genitalibꝰ eadẽ neruorũ origo.2°.de se. 1ª.339.E
Maris semen nutritur semine fœminæ,tãquam re magis familiari, quã sanguis sit.14°.de vsu par. 1ª.208.B
Maris semen maioris quãtitatis,q̃ fœminarum.1°.de sem. 1ª.332.A
Maris semen quo se habet in generatione.2°.de nat.fac. 1ª.297.E
Mas debet semen foras eiaculari.14°.de vsu par. 1ª.207.H
Maris semen motus principium.14°.de vsu par. 1ª.206.E
Maris semẽ habet facultates naturæ,quibus format, auget & nutrit. 2°.de nat.fac. 1ª.298.H
Maris sperma naturaliter intendit imprimere formam eius, a quo deciditur.de anat.viu. Sp.51.H
ex Mare prouenit forma speciei.2°.de sem. 1ª.337.D
Mas an fœmina sit sterilis quo dignoscendũ.de med.fac.par.7ª.175.B
Mares cur steriles,& cur fœcundi.com. 5°.aph.63°. Ex.43.H
Mares qui sint fœcundi,quiq; infecundi.de hist.philos.Sp.10.H/cõ. 5°. aphor. 62°. Ex.43.E
Mares habentes rarum corpus habent semen fœcundissimum. com. 5°. aph.63°. Ex.43.H
Maris semen refrigeratur in vtero frigido,nisi sit semen calidissimum. com. 5°.aph.62°. Ex.43.E
Maris semen debet manere in matricibus,si mulier debet concipere. 14°.de vsu par. 1ª.208.B
ex Mare solo aut fœmina,sine coitu nihil generari potest.de natu.humana.com. 1°. 1ª.29.C
Maris & fœminæ semen simul mixta requiruntur ad generationem. 14°.de vsu par. 1ª.206.C
Maris & fœminæ idem motus in semine.14°.de vsu par. 1ª.206.C
Mares & fœminas scire coniungere ad generandum non est ars medio cris.1°.de nat.hum.com.1°. 1ª.29.E
Maris semen quid requirat ad fœminæ generationem.14°.de vsu partium . 1ª.206.C
Mas matri sæpe assimilatur.2°.de sem. 1ª.338.H
Mari partim , & partim fœminæ cur aliqui fœtus assimilentur. 2°.de semine. 1ª.338.F
in Maribus,nisi raro non sunt in papillis glandulosa corpora . 2°.de semine . 1ª.336.D
sine Mare cur generant oua aliqui pisces & aues.2°.de sem.1ª.338.D
sine Mare gallinæ cur faciant oua.14°.de vsu par. 1ª.206.D
in Maris corpus insecta quædam fœminina articulum inserunt & implentur.1°.de sem. 1ª.329.E
Mas castratus fœminæ est similis.11°.de simp.med.fac. 5ª.79.A
Mas barbatus venerandus.11°.de vsu par. 1ª.189.D
Maris officium,quod.3°.de digno.pul. 4ª.95.G
Marem refert impar,fœminam par numerus.3°.de dieb.dec.4ª.158.H
Mares dearticulare Amazonas fabulosum.de art.com.3°.7ª.278.A
Mas,lege Vir.
MASCVLI *& fœminæ principia sunt semen,& sanguis menstruus.2°. de semine.* 1ª.339.H
Masculus infans in dextra matricis continetur. de na.& ord.cuiuslibet corporis. Sp.42.D
Masculꝰ cur ĩ dextris.in 6ᵐ.de mor.vul.c.2°.3ª.169.B/de sp. Sp.36.E
Masculi abortum faciet mulier,si dextera mammilla graciliscat . de ana.viu. Sp.51.G
in Masculis cur non crescunt mammæ.7°.de vsu par. 1ª.164.F
vt Masculo veretrum,ita est matrix mulieri columna. de nat.& ordin.cuiusli.corp. Sp.42.B
Masculus fœtus pro fœmina quando fiant. 14°.de vsu par. 1ª.207.A
Masculi spermatis intentio est informare ad similitudinem eius, a quo sperma separatum est.de ana.viu. Sp.44.G
ad MASSAE *fermenti modum cogit medicamentum. 5°.de comp.medic.sec.loc.* 5ª.165.F
MASSETERA *nomen vnde dictum.de musc.diss.* 1ª.44.G
Massateres musculi quomodo incidendi.4°.de anat.adm. 1ª.81.B
Masseteres musculi qui.4°.de anat.adm.80.B/11°.de vsu par.1ª.185.F
MASSILIENSE *seseli probatissimum.4°.de san.tu.* 2ª.86.D
MASSILIOTICVM *vinum,quale.2°.de arte cur.ad Gla.* 7ª.102.C
MASSILIOTAE *medicamentum ad carbunculos. 5°.de comp.med.per genera .* 5ª.254.D
Massiliota Demosthenes. 5°.de comp.med.per ge. 5ª.254.D
ad MASTICATIONEM *quid conferat lingua.11°.de vsu p.1ª.185.F*
ad Masticationem multum faciunt buccarum inferiorum fines.11°.de vsu par. 1ª.185.F
in Masticatione ad circũactionẽ musculi,qui.11°.de vsu par.1ª.185.C
ad Masticationem & sermonem musculus conferens anatomicis ignotus.11°.de vsu par. 1ª.190.H
Masticatio facit fabam summe discussoriam. 5°.de compo.medi.secundum loc. 5ª.159.C
MASTICATORII *musculi,qui. 11°.de vsu par.* 1ª.185.F/*de articu. commen.2°.* 7ª.263.C
Masticatorij musculi quid agant.2°.de mot.musc. 1ª.314.E
MASTICATIS *rebus quas vires det saliua. 5°.de comp.medi.secundum loc.* 5ª.159.C
quod Masticatur leuiter & facile, velocius digeritur,q̃ quod difficulter.de diss.cont. Sp.73.D
MASTICHE *quid,& eius vires.de simp.med.* Sp.87.D
Mastiche est resina lentiscina.8°.de comp.med.fac. 5ª.59.F
Mastiche qualis sit.5°.meth.med. 7ª.31.B
Mastiche candida qualis.7°.de simp.med.fac. 5ª.55.C
Mastiche nigra,qualis.7°.de simp.med.fac. 5ª.55.C
Mastiche nigra furunculis optimum est remedium.7°.de simpli.med. facult. 5ª.55.C
Mastiche in secũdo ordine calida,& sicca.7°.de simp.med.fa.5ª.55.C
Mastiche vires habet euaporantes,& cum suaui vaporatione laxantes.de simp.med. Sp.87.D
Mastiche stomacho commoda.8°.de comp.med.sec.loc. 5ª.189.B
Mastiche chia stomacho grata,& adstringẽs.3°.de simp.m.f. 5ª.20.C
Mastiche stomachum calefacit.de med.fac.par. 7ª.175.H
Mastiche chia pro stomachi ore.8°.de comp.med.se.lo. 5ª.187.D
Mastiche stomachi,vẽtris,iecorisq; inflammationibus competit. 7°.de simp.med.fac. 5ª.55.C
Mastiche chia miscenda medicamentis,vt ventriculus nõ euertatur, & propter malum saporem.3°.de simp.med.fac. 5ª.20.C
Mastiche chia in nardino ad oris ventriculi imbecillitatem.8°.metho. medendi. 7ª.53.C
Mastiches decoctio cõfortat stomachũ debilẽ.de med.exper.Sp.104.D
Mastiche ad dolorem stomachi.de med.exper. Sp.106.D
Mastiche chia iecori ĩflãmato cõuenit.2°.de arte cur.ad Gl.7ª.104.D
Mastiche quid valet in medicamentis.de med.exper. Sp.104.B
Mastiche chia medicamentorum vim frangit. 8°.de comp.medi.secun. locos. 5ª.188.E
Mastiches chiæ meminit. 5°.de comp.medi.sec.loc.164.F/7°.178.D/185.C/8°. 5ª.189.B/C

Maſtiche Aegyptia mollificat.2°.de arte cur.ad Glau. 7ª.104.*A*
Maſtiche ęgyptia emollit,& digerit.7°.de comp.me.per g. 5ª.264.*B*
Maſtiche adſtringit & emollit.7°.de ſimp.med.fac. 5ª.55.*C*
Maſtiche deſiccat ſine morſu.8°.de ſimp.med.fa. 5ª.59.*F*
q̄ Maſtiche magis digerit terebinthina,cur.8°.de ſimp.me.fa. 5ª.59.*F*
MASTICHINVM *oleum,quale.7°.de ſimp.med.fa.* 5ª.55.*C*
Maſtichæ miſtum oleum collectícum eſt.de ſimp.med. *Sp.88.D*
Maſtichinum oleum pro abſinthio.11°.meth.med. 7ª.72.*G*
Maſtichinum oleum.6°.de ſimpl.med.fac. 5ª.46.*H*
MASTICHINVM *vnguentum,quale.7°.de ſimp.med.fac.* 5ª.55.*C*
Maſtichinum,melinum,& nardinum vnguentum quem ordinem inter ſe habeant,& quo ani tempore adhibenda.6°.de ſa.t. 2ª.99.*A*
Maſtichinum pro nardino.7°.meth.med. 7ª.46.*H*
Maſtichinum vnguentum modice adſtringit.6°.de ſan.tu. 2ª.99.*A*
Maſtichinum vnguentum ad ventriculi os.8°.meth.med. 7ª.53.*D*
Maſtichinum vnguentum ventriculo imbecillo applicabant antiqui.7°.meth.med. 7ª.43.*H*
Maſtichinum vnguentum iecori inflammato prodeſt. 2°.de arte cura. ad Glau. 7ª.104.*D*
MATELLAE hydrops raro fit,quam tamen bis vidit Galenus.6°.de loc.affect. 4ª.37.*F*
Matellæ hydrops.quæ affectio.6°.de loc.aff. 4ª.37.*F*
MATER *ita animalibus,vt plantis terra.2°.de ſem.* 1ª.338.*E*
Matris vmbilico continuatur vmbilicus fœtus.de ſper. *Sp.36.E*
a Matre plus habent nati quā a patre,ſm Atheneū.2°.de ſe. 1ª.336.*G*
Mater dat Speciem.2°.de ſem. 1ª.338.*H*
ad Matrem cur ſpecies animalis ſpectet.2°.de ſem. 1ª.337.*C*
a Matre etiam ex ſemine viri cauſa eſt cur mas,& fœmina fiant.14°. de vſu par. 1ª.206.*E*
Matri ſæpe mas aſſimilatur.2°.de ſem. 1ª.338.*H*
Matri cur fœtus ſimilis.de ſper. *Sp.37.A*
Matris ſperma ſi ſuperabundat infans plus figuram habet a matre.de ſpermate. *Sp.38.E*
Matri ſimilis infans fit ob nutrimentum.2°.de ſem. 1ª.336.*F*
ex Matris lacte infans quandoq; qualitatem trahit.de ſper.Sp.37.A
Matris lac melius alijs,modo non ſit ægra.1°.de ſan.tu. 2ª.65.*C*
Matris lac exugentes pueri conſueto & proprio vtuntur alimēto.1°. de ſan.tu. 2ª.65.*C*
ex Matris ſanguine omnes animalium ſanguineæ partes ſunt genitæ. 1°.de elementis. 1ª.8.*G*
ſine Matre hœdum aluit Galenus,vt naturæ vires ingenitas eſſe, ac ſine docente fieri cognoſcente.6°.de loc.aff. 4ª.42.*A*
Matris & patris vitio fiūt errores,et nō naturę.11°.de vſu p. 1ª.188.*B*
MATER *dura eſt ſub cranio.de anat.par.* *Sp.43.D*
ad Matrem duram tendens inflammatio non eſt ſine periculo. 2°.de comp.med.ſec.loc. 5ª.133.*H*
MATER pia eſt ſub dura matre.de ana.par. *Sp.43.D*
Materia & ſubſtantia idem ſunt.2°.de ſem. 1ª.337.*C*
Materia,artificibus,inſtrumētis,omnia fiūt.de voc.inſt.diff. 1ª.106.*C*
Materiarū interuentu agit fortuna ars et artifex.11°.me.me. 7ª.68.*A*
Materia,& efficiens ſemper neceſſaria.de cauſ.procat. 3ª.96.*G*
Materia eſt cauſa.de ſymp.diff.10.G/de cauſ.procat. 3ª.96.*E*
Materiæ & organa quo modo cauſæ.de cauſ.procat. 3ª.96.*F*
ꝑ Materia generationis principia quæ.de cu.ra.per ſan.miſ. 6ª.16.*C*
Materiæ mundi quæ natura.de hiſt phil. *Sp.4.A*
Materia prima quæ apud ſtoicos.q̄ qualitates in corp.ſint. *Iſa.9.G*
Materiæ corpeæ opatio ligata eſt quatuor elementis.de ſper. *Sp.40.E*
Materiam dicit habere animam.de fœt.form. 1ª.326.*B*
ex Materia eſt inordinatum oē,& erraticū.2°.de dieb.dec. 4ª.151.*H*
Materiam ſi ſuperet natura,ſemper certis agit temporibus.2°.de diebus.decre. 4ª.151.*H*
Materia membrorum ſimilarium vnde.de anat.viuo. *Sp.44.F*
Materia mixtorum qualis eſſe debeat.2°.de ſimp.med.fa. 5ª.16.*D*
Materijs diuerſæ naturæ compoſita quo modo ſeparentur.in 6m.de morbis vul.com.4°. 3ª.182.*E*
Materia ab alijs partibus præparata indigent aliquæ actiones. 1°.de loc.affe. 4ª.6.*E*
ex MATERIAE *defectu actio quandoq; perit,nulla exiſtente noxa in inſtrumentis.1°.de loc.aff.* 4ª.6.*E*
ex Materia actio lædit parte non læſa,quo modo.1°.de lo.af. 4ª.7.*A*
inter Materiæ multitudinem & reſolutionem eſt ſuperis diſpoſitio. 2°.de loc.aff. 4ª.8.*H*
Materiæ noxiæ dupliciter infeſtant.com.6°.aph.55°. *Ex.53.D*
Materia ſuperflua duplex,aut quantitate ſuperflua,aut qualitate.de cauſis morborum. 3ª.8.*D*
Materiæ expurgandæ gratia multa inſtra fecit natura.de ca.m. 3ª.8.*E*
Materiæ viam,ſemper inuenit natura.com.7°.aph.54°. *Ex.58.G*
Materia redundāte non ſufficiunt inſtrumenta.de cau.mor. 3ª.8.*E*
Materię quo dicanī a capite ꝑ hepar ad iteſtina.c.7°.ap.30°.Ex.56.b
Materia tendit ad partes quæ incalescunt.2°.de diff.feb. 3ª.41.*A*
Materia tendit ad partes dolentes.2°.de diff.feb. 3ª.41.*A*
Materiæ ad loca currentis diuerſitas.de ocul. 7ª.189.*E*
Materiæ cur putreſcant in inflammationibus.2°.de diff.feb. 3ª.41.*C*
ob Materiæ idoneæ additamētū fit febris.præſag.exper.cōf.Sp.77.D
Materia faciēs ſyncopē colligit ī capſula cordis.de ana.par. *Sp.42.H*
Materia faciēs pipleumoniā colligit ī capſula pulmōis.d̄ an.p.Sp.42.b
Materia influens quo modo curetur.2°.de comp.med.ſe.lo. 5ª.136.*A*
Materia tenuis fluens incraſſari debet.de ſect. *Iſa.19.B*
Materia impacta quo modo curetur.2°.de comp.me.ſe.lo. 5ª.136.*B*
Materiæ quæ cito,& quæ tarde diſcutiantur.in 1m.de mor.vul.comment.1°. 3ª.104.*G*
Materia trahit in profundū et ad viſcera in ſomnis,ideo lædūt ſomni, ſed proſunt quia materiam cōcoquunt, quod eſt maius iuuamentū q̄ ſit nocumentum.com.4°.aph.67°. *Ex.34.G*
Materia turgēta qñ prægnātes ſunt purgādæ.c.5°.aph.29°. *Ex.40.C*
Materiæ turgentis motus eſt motus futurorum ſuperabundantium.1°. de criſib. 4ª.128.*G*
Materia quò vergit illuc ducenda.in 1m.de mor.vul.com 1°. 3ª.112.*B*
Materia illuc ducenda quò vergit.com.4°.aph.4°. *Ex.27.H*
Materia nō turgente non debemus euacuare.cō.1°.aph.22°.Ex.10.B
Materia quo modo poſſit digeri breui tempore,quando turget.com.1°. apho.24°. *Ex.10.F*
Materiam præpares potiſſimum,ſi elleborum dederis. quos purg opo. quib.med. 5ª.88.*D*
Materia non præparata,ſi euacuatio fiat, quæ mala ſequantur. quos purg.opor.quib.med. 5ª.88.*D*
Materiam plerunque nō aggreditur natura.3°.de dieb.decr. 4ª.159.*C*
Materia purganda quanta ſit,conſiderandum eſt.de cathar.Sp.94.H
Materiæ propriæ euacuatio,quæ in preg.com.2°. 4ª.199.*C*
Materiā multā inutilē cōgregātib⁹ cathartica dam⁹.de dy. *Sp.20.G*
Materiam vbi per metatheſim medicamur,vtimur fortibus catharticis.de dyn. *Sp.20.G*
Materiam capitis vacuare poteſt cucurbitula.de cucur.ſcar. 6ª.3.*F*
Materiam exhaurit cucurbitula.de hirn.reuul.cuc.& ſcar. 6ª.2.*F*
Materia vbi ē corrupta.cucurbitulæ icidēdæ ſunt.de cu.et ſca. 6ª.3.*C*
Materia acris vbi adſit,ſcarificatione vtimur.de cucur.ſcar. 6ª.3.*F*
Materiam vbi ex alijs partibus in aliam traducere ſtudemus, ſcarificatione vtimur.de cucur.ſcar. 6ª.3.*F*
Materiam in corpore redundantem vbi minuere volumus,ſcarificatione vtimur.de cucur.ſcar. 6ª.3.*F*
Materierum tranſmiſſionis modus a partibus nobilibus ad ignobiles. de cauſis morb. 3ª.8.*D*
Materia in locum ignobiliorem,& morbum leuiorem verſa,eſt ſalutaris.in 1m.de morb.vul.com.3°. 3ª.118.*B*
Materia quo modo retrocedit.ars med. *Iſa.70.F*
ex MATERIA *non ſunt iudicandæ artes.ad Traſ.* 2ª.106.*A*
Materia duplex adeſt medicis,& quæ.2°.de criſ. 4ª.136.*H*
Materia artis medicæ eſt corpus hominis.de part.art.med. *Sp.18.C*
Materia ī qua aduenit finis medici,ē corp⁹ humanū.2°.d̄ cri. 4ª.136.*H*
quo Materia nobilior medico ſubiecta eſt,eò magis quàm alium artificem fungi ſuo munere decet. 7ª.293.*C*
a Materia auxiliorum nomen habet gymnaſticum ac medicamentarium.ad Thraſ. 2ª.108.*F*
MATERIAE *auxiliorum.9°.meth.med.* 7ª.58.*D*
Materiæ quadruplex genus quę ſummuntur,quę geruntur, quę educūtur,quę foris admouentur.2°.de ſan.tu. 2ª.92.*H*
in Materię preſidiorum uiribus omnis affectionis prouidentia conſiſtit.5°.de ſan.tu. 2ª.92.*H*
Materię facultatem,qua agere debemus,experientia oſtendit.2°.de cō po.med.ſec.loc. 5ª.132.*A*
Materia aliorum medicamentorum ſunt medicamenta, quę ualidam uim non habent.11°.de ſimp.med.fa. 5ª.81.*F*
Materia medicamentorum eſt ouum.11°.de ſimp.med.fa. 5ª.81.*F*
Materię tenuis quę ſunt,medicamina nō alimēta ab aliquibus appellantur.

lantur. de bon. & vitio ſuc. 2°.34.G
ex Materiæ quatuor generibus calefacientia, & humectantia eligenda. 5°. de ſan. tuen. 2ª.92.H
Materia medicamentorum omnis fugienda, quæ difficulter comparari poteſt. 10°. de ſimp. med. fac. 5ª.77.B
Materia ſunt omnia vina dulcia flauæ choleræ. de vinis. Sp.76.E
Materiam & nutrimentum totius corporis in ſe continet hepar. de anat. viu. Sp.49.H
Materia vocis eſt anhelitus. de voce & anhel. Sp.60.F
Materia ſpiritus vitalis eſt inſpiratio & vapor humorum. de virtut. noſtrum corp. diſpen. Sp.60.C
Materies arenoſa quibus in vrinis ſubeſt, iis veſica calculeſcit. de vrinæ ſignifi. ex Hipp. Sp.78.H
a Materia, & figura cucurbitularum differentiæ. de cuc. ſcar. 6ª.3.D
ex Materia faſciarum differentiæ. de faſc. 7ª.293.F
ex Materia robuſtiori quæ organa fieri debeant. de machin. 7ª.309.D
Materialis medicinæ pars, quæ. fin. med. Iſ.48.A
Materialis cauſa membrorum conſimilium eſt ſperma, præterquã carnis & adipis. de ana. viu. Sp.55.G
Materialis cauſa adipis, quæ. de ana. viu. Sp.55.G
Materialis cauſa carnis quæ. de anat. viu. Sp.55.G
MATHEMATICAE methodi præſtantia. de cuiuſq; animi peccatorum not. atque medela. 2ª.57.B
Mathematicæ demõſtrões, certæ sũt. de vic. ra. i mor. ac. c. 1°. 7ª. 109.H
Mathematicæ rationes ideſt demonſtratiuæ. 12°. de vſu par. 1ª.194.C
Mathematici exercentes artem vt quæſtum facerent. de cuiuſq; animi peccatorum not. atque med. 2ª.59.B
MATIANVM malum. de dyn. Sp.33.B
MATRICVLA. de dyn. Sp.31.F
MATRIX quid. fin. med. Iſa.44.A
Matrix eſt ager naturæ. de ana. par. Sp.43.C
Matrix ita eſt mulieri columna. vt maſculo veretrum. de nat. & ord. cuiuslibet corporis. Sp.42.B
Matrix propter quid facta. de anat. par. 43.C/de ana. viu. Sp.51.D
Matricis finis. 14°. de vſu par. 1ª.204.E
Matrix ad fœtum vtiliſſima. 14°. de vſu par. 1ª.204.E
Matricis partes ad generis inſtaurationem. 14°. de vſu par. 1ª.204.C
Matricum officium quod. 14°. de vſu par. 1ª.205.C
Matrices puro ſanguine nutriuntur. 14°. de vſu par. 1ª.209.E
Matrix maior veſica in animalibus iam auctis. 14°. de vſu p. 1ª.205.C
Matrices exiguæ in principio, & creſcunt paulatim. 14°. de vſu partium. 1ª.205.C
Matrix minor veſica in aãlibus quæ augent. 14°. de vſu p. 1ª.205.C
Matrix non habet operationem dum aãl augetur, & dum conſenuerit. 14°. de vſu par. 1ª.205.C
Matrices maximæ in ętatibus florentibus. 14°. de vſu par. 1ª.205.D
de MATRICIS anatomia. de ana. par. 43.C/de ana. viu. Sp.51.D
Matricis ſitus. 14°. de vſu par. 1ª.209.A/de ana. par. 43.C/de anato. viuorum. Sp.51.F
Matricis locus conueniens. 14°. de vſu par. 1ª.204.E
Matrix intus eſt, ſcrotum extra. 14°. de vſu par. 1ª.206.B
Matrix eſt cognata recto inteſtino. com. 7°. aph. 27°. Ex.55.H
Matrices cur inter veſicã & rectũ inteſtinũ. 14°. de vſu p. 1ª.209.F
Matrix vtraque. 15°. de vſu par. 1ª.211.C
Matrices duæ. 15°. de vſu par. 1ª.211.C
Matricis natura & compoſitio. de nat. & ord. cuiusl. corp. Sp.42.B
Matricis duæ ſunt tunicæ. de anat. viu. Sp.51.F
Matrix cur ex vnica tunica. 14°. de vſu par. 1ª.209.E
Matricis membrana. 15°. de vſu par. 1ª.211.C
Matrices vtraſq; in idem coniungit mẽbrana extrinſecus circundata & colligata cum propinquis partibus. 14°. de vſu par. 1ª.209.F
Matricis vaſa magna, & duplicia. 16°. de vſu par. 1ª.219.E
in Matricibus cur omne genus fibrarum. 14°. de vſu par. 1ª.209.E
Matrices trahunt, retinent atq; depellunt vt cor, vnde habent multas fibras. 6°. de vſu par. 1ª.150.D
MATRIX vbi alligetur. de ana. vi. Sp.51.G
in Matrice quam ligaturam habeant cerui, capræ, & animalia procliuia ad ſaliendum. 15°. de vſu par. 1ª.211.D
Matricũ ligamẽta laxiora, quã in alia parte. 14°. de vſu p. 1ª.209.F
Matricum ligamentorum vſus. 14°. de vſu par. 1ª.209.F
MATRICES cur habẽt pauciſſimos neruos. 14°. de vſu par. 1ª.209.D
in Matrice vena & arteria vbi, & ad quid. 15°. de vſu par. 1ª.211.C
Matricis nerui ſphincteri. de ana. viu. Sp.54.D
Matrici, & mãmarũ venę ſolę cur cões vtriſq; 14°. de vſu p. 1ª.207.B
Matrix vnde neruos accipiat. 16°. de vſu par. 1ª.218.D
MATRICIS collum intrat os veſicæ. de ana. viu. Sp.51.G
Matricis collum comparatur priapo. de ana. viu. Sp.51.D
in Matricis collo quod contingit, idem & i priapo. de ana. vi. Sp.52.E
Matricis cauitas comparatur burſæ teſticulorum. de ana. vi. Sp.51.E
Matricis collum vbi exoritur. 14°. de vſu par. 1ª.209.B
Matricis colli maxima pars eſt chartilago procedens ab oſſe pubis. de vtil. reſp. Sp.62.H
Matricis collum pp quid durum, ac neruoſum. 14°. de vſu p. 1ª.204.F
Matricis collum cur mediocriter durum. 14°. de vſu par. 1ª.204.G
Matricis collũ quo modo cõtortũ & obliquũ. 14°. de vſu p. 1ª.204.H
Matriciis collum habet rugas. 14°. de vſu par. 1ª.204.H
Matricis collum cur lacertoſum cum multis plicis. de ana. vi. Sp.51.E
Matricis collum cur habet plures neruos. 14°. de vſu par. 1ª.209.D
in Matricis ceruice foramina tria. de nat. & ord. cuiusl. corp. Sp.42.B
Matricis colli diuerſitas. de ana. viu. Sp.51.F
Matricis collum defloratione virginis dilatatur, & quæ venæ frangantur. de anat. viu. Sp.51.E
Matricibus propugnaculum eſt nympha. 15°. de vſu par. 1ª.211.A
Matricum collum iter ſpermati. 14°. de vſu par. 1ª.204.F
Matricis ſuccus familiariſſimus ſemen. 14°. de vſu par. 1ª.208.D
Matricis duplex meatus ad quid. 14°. de vſu par. 1ª.208.D
Matricis os comparatur roſæ. de anat. viu. Sp.51.E
Matricis collum in coitu eo vſuq; patet ac tendit vt ſemẽ facile in matricum ſinum perueniat. 14°. de vſu par. 1ª.204.F
in Matricis ſinus ſemen repente ſumi debet. 14°. de vſu pa. 1ª.204.G
Matricis capacitas non ſimplex. 14°. de vſu par. 1ª.204.H
in Matrice porcorum, & animalium multos fœtus gerentium ſunt multa conceptacula. 14°. de vſu par. 1ª.204.H
Matricis ſinꝰ alter in dextris, alter in ſiniſtris. 14°. de vſu p. 1ª.205.A
Matricis ſinus tot, quot mammæ. 14°. de vſu par. 1ª.205.A
in Matrice ſeminis receptacula ſeptem. de ſper. Sp.36.D
Matrix habet ſeptem cellulas, ſed falſum eſt. de ana. par. Sp.43.C
Matricis cellulæ non ſunt quinque, neq; ſeptem. de ana. viu. Sp.51.F
Matricis cõparatio ad ſlipitẽ in cõceptione fœtus. de ana. vi. Sp.51.F
in Matrice recipitur viri ſperma muliebri aſſociatum cum quodã ſpiritu, & ibi pingueſcit matricis calore. de ſper. Sp.36.B
in Matrice duplex ſpiritus, & vnde. de ſper. Sp.35.B
Matricis ſpiritus exterior non ſinit interiorem exire. de ſper. Sp.36.B
ex Matricis calore p ſpiriũ naturalẽ oſſa craſſeſcũt. de ſper. Sp.36.C
Matricis calore ſperma vertitur in ſanguinem. de ſper. Sp.36.B
in Matrice eandem poteſtatem habet natura, quam ſperma in loco ſuo. de ſper. Sp.37.A
in Matrice poteſtatem habet natura, ſicut ſperma viri in toto corpore. de ſper. Sp.37.A
in Matricibus debet manere maris ſemen, ſi mulier debeat cõcipere. 14°. de vſu par. 1ª.208.B
Matricis os in prægnantibus videtur conniuere obſtetricibus. 3°. de nat. facult. 1ª.302.H
Matricis prægnantis collum non recipit ſpecilli acumen, in partu vero ſumme aperitur. 15°. de vſu par. 1ª.212.H
Matricis collum in conceptione non poſſet ingredi acumẽ acus. de ana. viuorum. Sp.51.E
Matricis collũ cũ aãl cõcepit, ad vnguẽ claudit. 14°. đ vſu p. 1ª.204.F
Matrici qũo, et per quæ cõiungatur fœtus. 15°. de vſu par. 1ª.211.B
Matricis collum quo modo dilatatur. 15°. de vſu par. 1ª.212.A
Matricis collũ in partu plurimũ diſtenditur. 14°. de vſu par. 1ª.204.F
Matricis collum in partu dilatatur vt concauitas. de ana. vi. Sp.51.E
ad Matricis collum in partu quomodo fœtus natura peruenit. 15°. de vſu par. 1ª.213.A
è Matrice exit fœtus ſine diſcrimine. 15°. de vſu par. 1ª.213.A
Matrix poſt tantam dilatationem breui redit ad priſtinum ſtatum. de anat. viu. Sp.52.D
Matrices tenuiſſimæ ſunt quo tempore gerunt, quare & imbecilliſſimæ. 14°. de vſu par. 1ª.109.G
Matrix dextera exiguam & ſeroſam humiditatem habet. 14°. de uſu partium. 1ª.207.D
Matrix ſiniſtra habet ſanguinem impurum, excrementoſum, humidũ, & ſeroſum. 14°. de uſu par. 1ª.206.F
in Matricis dextra cõtinetur maſculus, in ſiniſtra fœmina. de natura

& ordine cuiuslibet corporis. Sp.42.D
in Matricis sinistra parte in horis sanguinis si cõceptus maneat, quid sequatur.de sper. Sp.38.A
in Matricis dextra parte in horis sanguinis si conceptus sit infans, quid sequatur.de sper. Sp.38.B
in Matricis sinistra parte si cõceptus sit isans in horis cholerę rubrę, parẽtib⁹ cõceptis in horis sanguinis, quid accidat.de sper. Sp.38.B
in Matricis dextra parte si sit conceptus puer in horis phlegmatis omnium, quid sequetur.de sper. Sp.38.C
in Matricis sinistra si sit puella, quid sequatur.de sper. Sp.38.C
in Matricis sinistra si sit puer conceptus horis phlegmatis, parentes horis sanguinis, quid sequatur.de sper. Sp.38.D
MATRICIS *os duplex est.de ana.viu.* Sp.51.F
Matricis os ante horam partus ipsius fœminæ constringitur.de anato. viuorum. Sp.51.E
MATRICIS *cornua duo vbi,& eorum vtilitas.de ana.viu.* Sp.51.F
Matricis cornua duo cum mmamillis colligantur.de ana.viu. Sp.51.G
Matricum,& mammarum communicatio.14°.de vsu par. 1ª.205.C
Matrices cur tm hñt cõsensum cũ mammis.14°.de vsu par. 1ª.207.A
ad Matricem & mammas tantum eadem vasa quo modo incedant. 14°.de vsu par. 1ª.207.A
Matricum cornua cur sursum.14°.de vsu par. 1ª.208.E
MATRICIS *testiculi vbi sint.de ana.par.43.C/de ana.viu.* Sp.51.G
Matricis ianitores testiculi sunt.de ana.viu. Sp.51.F
Matrici subiecta mẽbra, quæ.de nat & ord.cuiusli.corp. Sp.42.B
*Matrix sentit solũ,& nõ habet motũ volũtariũ.16°.de vsu p.*1ª.214.H
Matrix vnde habet magnum sensum.de ana.viu. Sp.51.F
ex Matrice educuntur sanguinis ichores.de cathar. Sp.94.G
circa MATRICEM *prurigo quo modo curetur.de pass.mul.* Sp.95.H
Matricem immundam mũdificat succus cẽtaureæ.de vir.cẽ. Sp.94.B
in Matricis collutionibus proprie confert succus centaureæ.de virtute centa. Sp.94.B
ad Matricem frigidam.de pass.mul. Sp.96.A
ad Matricem clausam præsidium.de pass.mul. Sp.96.A
ad Matricis oppilationes.de med.exper. Sp.107.D
Matricem purgantia, quæ.de cathar. Sp.95.C
*Matrices mulierum purgans decoctio.de med.exper.*105.D/Sp.107.B
Matrices purgans electarium.de med.exper. Sp.107.D
Matricis passionibus vtilissimus est elleborus niger.de dyn. Sp.21.A
*Matricis ægritudinib⁹ confert sectio venarũ pedũ.de ana.vi.*Sp.54.H
Matrix propter tensionem laborat.com.7°.aph.27°. Ex.55.H
Matricis ventositatis signa,& curatio.de pass.mul. Sp.96.A
Matricis & colli prolixis inflationib⁹ cõuenit pepliũ.de dy. Sp.21.A
ad Matricis inflationem.de pass.mul. Sp.95.H
Matricis hydropis signa & curatio.de pass.mul. Sp.96.A
ad Matricis tumorem remedium.de dy.30.A/de pass.mul. Sp.95.H
Matricem, & orificium eius quando phlegmone laborat, & vlcera eius iuuat succus centaureæ.de vir.cent. Sp.94.A
in Matrice dolens puella naturaliter vnde sit.de sper. Sp.38.C
Matricis dolor.secret. Sp.100.H
Matricis & vuluæ dolorem,& febrem significat vrina iumento similis in muliere.de dyn. Sp.35.E
in Matricis ore vehemens dolor, cui nisi cito occurratur, exulcerat. de pass.mul. Sp.95.F
*ad Matricis dolorem propter abstinẽtiam viri.de pass.mul.*Sp.95.G
ad Matricis dolorem cum dormiunt cum viro.de pass.mul. Sp.95.H
ad Matricis dolores omnes post partũ vnguentum.de dyn. Sp.29.H
ad Matricis dolorem.de pass.mul. Sp.95.H
*cõtra Matricis dolorẽ valẽs medicamẽ.de med.ex.*107.H/ Sp.108.A
Matricis præfocatio quo modo fiat.de vtil.resp. Sp.63.B
in Matricis suffocatione quæ accidentia fiant.de pass.mul. Sp.95.F
ad Matricis suffocationem suffumigium.de pass.mul. Sp.95.F
ad Matricis suffocationem potio.de pass.mul. Sp.95.G
*ob Matricis suffocationẽ aphoniæ quid succurrat.de pas.mu.*Sp.95.G
Matricis descensus curatio.de pass.mul. Sp.95.F
ad Matricis descensum.de dyn. Sp.29.H
ad Matricem renocandam.de dyn. Sp.30.A
ad Matricis exitum remedium.de dyn. Sp.30.A
Matricis plenæ humoribus signa,& curatio.de pass.mul. Sp.96.B
ad Matricis sanguinis effusionem.de pass.mul. Sp.96.B
ad Matricis vlcus ex partu.de pass.mul. Sp.96.B
ad Matricis vlcera.de pass.mul. Sp.96.A
Matrix si exiuerit,& tardauerit,& foris vulnerata fuerit, quid fieri debeat.de pass.mul. Sp.96.B
in Matricis ore hęmorrhoidibus qd fieri cõueniat.de pas.mul. S.96.B
in Matricis ore rhagadijs quid succurrat.de pass.mul. Sp.96.B
ad Matricis condilomata.de pass.mul. Sp.96.C
Matricis cancri signa,& curatio.de pass.mul. Sp.96.A
ad Matricis apostema remediũ.de dyn.29.H/de pass.mul. Sp.95.H
Matricis & vesicæ passiones si prolixæ fuerint.catharticis vtimur.de dynamidijs. Sp.20.D
in Matricibus mulierum euenientes fortes ægritudines quid iuuet.de medic.exper. Sp.107.H
MATRICE *fuilla debet vesci, si quis se exerceat.de attẽ.vic.*1ª.45.H
Μάτεσθαι quid significet.de art.com.2°. 7ª.265.C
MATVLA *petita cur aliqui non mingunt.1°.de diff.resp.* 3ª.60.A
MATVRANTIA *cuius naturæ esse debent.in 6ᵐ.de mor.vul.commentario.2°.* 3ª.165.H
MATVRATIO *fructuum quo modo fiat.de ocul.* 7ª.188.B
Maturatio fructibus prouenit a calore solari.4°.de simp.medicamen. facultatibus. 5ª.27.D
aũ Maturationem, fructus, quos gignãt humores.de dif.con.Sp.73.A
Maturationes fiunt per calefacientia mediocriter.in 1ᵐ.de mor.vul. commen.1°. 3ª.112.A
MATVRATIVA *potentia vna ex potentijs medicinarum oculi.de oculis.* 7ª.189.A
Maturatiua enumerantur.de ocul. 7ª.188.E
Maturatiua quæ sint.de ocul. 7ª.189.C
Maturatiua qualia sunt.de ocul. 7ª.188.D
*Maturatiua cur debent habere obstructionẽ quandã.de ocul.*7ª.188.E
*Maturatiuum & dissolutiuum medicamẽtũ in oculo.de ocul.*7ª.190.C
Maturatiua medicina quid agat in oculis.de ocul. 7ª.189.B/C
MATVRESCENTES *in arbore fructus multum differunt a non maturescentibus.de puero epil.* 7ª.180.D
Maturent quæ.in 1ᵐ.de mor.vul.com.1°. 3ª.112.A
MATVRIVS *& tardius est in genere, quando.2°.de dif.pul.* 4ª.55.F
MATVRÆ *fic⁹ humidæ,& siccæ sunt cibaria media.de dif.cõ.S.74.C*
Matura si comedantur pira & poma, generant chymum frigidum. de diff.cont. Sp.74.B
Maturæ vuæ sunt minus inflatiuæ.de diff.cont. Sp.74.D
MATVTINO *tempore sanguis detrahendus.præsag.exper.* Sp.77.H
Matutinum tempus est accõmodatius venæ sectioni in febre continua. præsag.exper.conf. Sp.78.D
de Matutina frictione.3°.de san.tu. 2ª.81.H
MAVRAE herbæ fit mentio.de dyn.25.H/ Sp.27.H
Μαῦρος. *de fract.com.2°.* 7ª.240.G
MAXILLAE, quæ.intro. Isa.53.B
Maxillarum descriptio.de art.com.1°. 7ª.263.A
Maxillarum ossa sunt malæ.de na.& ord.cuiusl.corp. Sp.42.H
Maxillæ superioris ossa.de ossibus. 1ª.41.A/D
Maxillæ superioris ossa terna ab vtraq; parte.de ossib. 1ª.41.B
Maxillæ superioris ossa nouem.11°.de vsu par. 1ª.191.B
Maxillæ superioris ossa nouem,& quæ.11°.de vsu par. 1ª.192.D
Maxilla superior quia non mouetur non habet medullam.11°.de vsu partium. 1ª.191.H
in Maxillam superiorem nerui quo modo.9°.de vsu par. 1ª.173.H
circa Maxillas partes vnde accipiant neruos.9°.de vsu p. 1ª.176.C
Maxilla inferior quibus comparatur.de arti.com.2°. 7ª.265.H
Maxillæ superioris ossa constant coagmentatione.intro. Isa.54.G
Maxillæ inferioris, ossa quot.de ossibus. 1ª.41.F
Maxilla inferior duo habet ossa comata.intro. Isa.54.G
Maxillæ inferioris ossa duo.11°.de vsu par. 1ª.191.B
Maxillæ inferioris os coctum aperitur.de ossib. 1ª.41.F
Maxillæ inferioris os cur vnam solam habet euidentem diuisionem. 11°.*de vsu par.* 1ª.192.D
Maxilla inferior medulloſa non habet appendicem.de ossib. 1ª.39.H
Maxilla inferior non habet epiphysim.11°.de vsu par. 1ª.191.F
Maxilla inferior cur habet medullam.11°.de vsu par. 1ª.191.C
Maxilla inferior cur cum habeat medullam, non habet epiphysim vt alia habentia medullam.11°.de vsu par. 1ª.191.C
Maxillæ superioris os in aliquibus animalibus cur non habeat medullam sicut inferioris.11°.de vsu par. 1ª.191.C
in Maxilla vtraque cur sutura.11°.de vsu par. 1ª.192.A
Maxillæ summæ sutura est obscura.11°.de vsu par. 1ª.192.A

Maxillæ cõmissura nõ est euidẽs in oĩbus simijs.4°.de an.adm. 1ª.81.E
Maxillæ commissura euidens in canibus.4°.de ana.adm. 1ª.81.F
Maxilla quo modo vniatur.de ossib. 1ª.39.H
Maxillarum suillarum ossa.1°.de comp.med.sec.loc. 5ª.123.G
Maxillæ si paruæ faciés rotunda,parui etiam ipsarum musculi.1°.de anat.adm. 1ª.63.E
Maxillæ longæ faciunt faciem longam,& musculos.1°.de anat.administrationibus. 1ª.63.E
Maxillam magnam animalia habentia,quale habent temporalis musculi caput.16°.de vsu par. 1ª.217.B
Maxilla aliorum ãimalium prolixior q̃ simix.4°.de ana.adm. 1ª.80.G
Maxillam breuissimam habet homo pro corporis ratione.4°.de anato. administr. 1ª.80.G
Maxilla cur fortis in leone.11°.de vsu par. 1ª.191.H
Maxilla cur non fortis in homine,vt in leone.11°.de vsu par. 1ª.191.H
Maxillarum caro crocea est.de ana.viu. Sp.55.H
Maxillarum pili cur crescant.11°.de vsu par. 1ª.189.F
Maxillæ inferioris figuræ.2°.de mot.musc. 1ª.314.E
Maxillæ figuræ a quibus musculis fiant.2°.de motu musc. 1ª.314.E
in Maxilla incisio quo modo facienda.4°.de ana.adm. 1ª.81.F
Maxillæ inferioris articulus κορώνη.11°.de vsu par. 1ª.192.D
Maxillarum inferiorem mouent animalia præter crocodylum.4°.de anat.admin. 1ª.80.B
Maxillæ inferioris magni motus.11°.de vsu par. 1ª.192.D
Maxillarũ tres motus,in manducando,in claudendo & aperiendo os.4°.de anat.adm. 1ª.80.B
Maxilla immota fit motus a buccis.4°.de ant.adm. 1ª.80.B
Maxilla quiescente mouetur cutis frontis tota.de musc.dis. 1ª.44.F
*Maxilla inferior buccæ labia quib⁹ neruis moueant.de ner.dis.*1ª.54.G
Maxillas mouẽtes musculi,q de ar.c.2°.7ª.263.C/de ana vi.Sp.53.E
Maxillam mouentiam tria paria musculorum.4°.de ana.adm. 1ª.81.C
Maxilla mouẽs musc.⁹ qui,& cui neruo inhæreat.de ner.dis. 1ª.53.G
Maxillam sursum trahentes musculi,& os claudentes vbi sint,& quo modo procedant.de musc.dis. 1ª.44.G
Maxillam inferiorem mouent musculorum quatuor coniugationes. de musc.diss. 1ª.44.G
*Maxillã inferiorẽ sursum mouẽtes musculi vbi sint.de mu.di.*1ª.44.G
Maxillam inferiorem mouentes musculi ad lãtera vbi sint. de muscu. dissect. 1ª.44.G
Maxillam inferiorem deorsum trahentes musculi vbi sint.de musculorum.diss. 1ª.44.G
Maxillam inferiorem,& posteriorem partem mouentes musculi quinam sint,& vbi oriantur.de musc.dis. 1ª.44.H
Maxillam inferiorem in interiori parte sursum trahentes musculi qui, & eorum processus.de musc.diss. 1ª.44.H
*in Maxilla extrema musculi duo mutuo colligati.de musc.dis.*1ª.46.D
ad Maxillam os hyoides sursum retrahentes musculi,qui. de musculorum dis. 1ª.46.F
ad Maxillę inferioris ĩternos musculos arteria.16°.de vsu p. 1ª.220.B
Maxilla inferior quo se habeat morientibus.2°.de mot.musc. 1ª.314.E
Maxilla sit rubicunda in pulmonia.in prog.com.1°. 4ª.189.D
Maxillæ hũt adenes qui suscipiunt supfluitates.c.4°.aph.31°.Ex.30.G
Maxillarum abscessus fiunt lassitudinem habentibus,& cur.com.4°. aphor.31°. Ex.30.G
Maxillæ quibus pungendæ.8°.de comp.med.sec.loc. 5ª.192.E
Maxillarum contractio quibus eueniat.præsag.exper.conf. Sp.78.E
Maxillæ dolent in morbis ex thorace, vel (vt alij legunt) mammillæ. de dyn. Sp.19.G
ad Maxillas tumidas remedium.de dyn. Sp.25.E
Maxillæ inferioris a superiori eluxationes faciei affectus.intr. Isa.59.C
Maxilla inferior quo modo excidat.intr. Isa.60.G
Maxilla inferior quomodo curetur.intro. Isa.60.G
Maxilla inferior nõ discedit a superiori, nisi ebrius, vel ignarus, vel summe desessus dormiat.2°.de mot.musc. 1ª.314.D
Maxillæ casum habuit Placinus dies biando.de arti.cõ.2°.7ª.263.G
Maxilla quæ exciderit,quomodo restituatur.de machi. 7ª.319.B
Maxillam & nasum membrana alligabimus.de fascijs. 7ª.293.E
ad Maxillam vulneratam,seu prolapsam.seu ob distentionẽ oris,aliũ ue morbum oportet ab altera parte vinciri.de fasc. 7ª.296.B
*ad Maxillam vtranque suo loco motam,vinculum.de fasc.*7ª.296.C
iuxta Maxillæ processum & aurem,vinculum.de fasc. 7ª.296.F
*ad Maxillã quæ excidit vbi in suã sedẽ cõpellit.de laque.*7ª.307.D
ad Maxillam prolapsam laqueus.de laqueis. 7ª.308.F
MAXILLARES *dentes vnde dicti.de ossib.* 1ª.41.F
Maxillares dentes & mollares ijdem.de ossib. 1ª.41.F
Maxillares dentes,qui.de ossib. 1ª.41.F
Maxillares dentes,quot.de ossib. 1ª.41.F
Maxillares dentes superiores habent tres radices, inferiores vero duas,exceptis aliquibus superioribus,qui hũt quatuor, & inferioribus qui habent tres,& qui sint.de ossib. 1ª.41.F
MAXIME *quid significet.de artic.com.2°.* 7ª.265.A
MAXIMAE *& minime rei consideratio quæ manu comprehendi potest.1°.de vsu par.* 1ª.114.A
in Maximis affectibus phlebotomia non est omittenda.de cucurbitu. scarific. 6ª.3.H
Maxima arteria oritur ĉ sinistro cordis sinu.1°.de decr. 1ª.232.D
*Maxima arteria est truncus omnium arteriarum.1°.de decr.*1ª.232.D
MAZAE *fiunt ex polenta frixa.1°.de alim.fac.* 2ª.11.H
Maza cuius naturæ & facultatis.1°.de ali.fac. 2ª.11.H
Maza τριπτὴ quæsit.1°.de ali.fac. 2ª.12.B
Maza minus siccat & calfacit,quàm panis.de sal.diæ. 2ª.40.A
Maza placenta modica alit.in 6ᵐ.de mor.vul.com.3°. 3ª.170.F
Maza vt caro fiat exigit tres mutationes, tamen est caro potestate. 2°.de temp. 1ª.21.G
Maza præter consuetudinem deuorata quid faciat.de vic.rat.in mor. acu.com.2°. 7ª.121.B
Mazis ossis q̃ dentium viperarum foramina obstruuntur, ne morsu no ceant.de ther.ad Pis. 5ª.94.G
MAZVCHI *vocatus morbus deprehenditur,& eius pulsus. de pulsi. ad Tirones.* 4ª.45.G
MEATVS *manifesti,qui.de dif.morb.* 3ª.4.C
Meatᵘ inferiores ãpli.9°.ĉ vs.p. 1ª.171.D
Meatus patientes habet optima corporis constitutio.de bonita.& vit. succorum. 2ª.34.G
*Meatus cur nõ insunt mollib⁹ partibus corporis.9°.de vsu p.*1ª.171.E
Meatus cur insunt duris corporis partibus.9°.de vsu par. 1ª.171.E
Meatus quidam sensibilis aperte intus adest solis neruis oculorum ante quam in oculos inserantur.de ner.diss. 1ª.53.D
Meatus leuium cerebri excrementorum superiores sunt et tenues.9°. de vsu par. 1ª.171.D
Meatus a cerebro descendens obstructus aliud symptoma facit, q̃ cũ crura sunt resoluta per spinæ inflammationem.1°.de lo.aff. 4ª.6.G
per Meatus insensibiles aeris receptionem & expirationem fieri per circulum dicebat Erasistratus, Platos per duos semicirculos. in tim.Plat. 1ª.290.A
Meatus quidam siue fouea appellatur medius ventriculus cordis. de anat.viuo. Sp.56.C
Meatus duo sunt stomachus & anus.5°.de vsu par. 1ª.147.A
Meatus amplos habent venter,iecur,lien,viscera. 5°.de simp.medic. facult. 5ª.35.B
Meatus, per quem a iecore ad ventrem mittitur bilis, in aliquibus vnus in aliquibus geminus.2°.de temp. 1ª.20.D
Meatus iecoris quando sint angusti,obest chondrus. de vic.ra.in mor. acu.com.1°. 7ª.111.E
Meatus tres habet vesica fellis.de ana.viu. Sp.50.H
Meatus quidam adrenes sunt non solum a vena hepatis,sed etiam ab arteria.de vtil.resp. Sp.64.G
*Meatus quibus fœtus alligat.dicunt cotyledones.de ana.par.*Sp.43.C
Meatus duo in priapo.de ana.viu. Sp.52.E
Meatus multi differunt a venis,neruis,& arterijs. & qui sint.1°.de natura fac. 1ª.291.H
Meatum aliquem esse a vena ad arteriam.de vti.resp. Sp.64.G
in Meatibus venæ non sunt vt arteriæ.de vsu puls. 1ª.228.G
Meatus qui in eundem locum profundunt,ad eandem etiam functionem non necessario pertinent.2°.de sem. 1ª.240.B/C
Meatuum ampliatio & angustatio,duæ primæ ægrotationes.de diffe. morborum. 3ª.2.G
Meatus angustia cur ægritudo.de diff.mor. 3ª.4.F
Meatus obducentia & obturantia quæ dicantur.4°.de comp.medicamen.sec.loc. 5ª.150.A
Meatuum obstructionis causa,quæ.de diff.mor. 3ª.4.C
Meatus obducit Emplastrõ medicamentũ.1°.de cõp.me.se.lo. 5ª.127.G
Meatuum obstructio subita fit a viscoso & crasso & humore.3°.de locis affe. 4ª.17.G

ob Meatus immodicos vel qualitatum intemperiem, instrumenti fiũt imbecillitates. de diff. mor. 3ª.3.H
Meatuum stipatio potest febrem accendere. 8°. meth. med. 7ª.50.A
Meatuum angustiæ, quæ alias sequuntur ægritudines, primo sunt curã dæ. ars med. Isa.70.E
Meatus per quos tendunt superflua debent fieri fluxibiles. 11°. meth. medendi. 7ª.73.F
Meatus de obstruentia quæ dicantur. 4°. de comp. me. se. lo. 5ª.150.A
Meatus quæ purgent. 5°. de simp. med. fa. 5ª.35.C
Meatus exiguos expurgat exercitatio. 2°. de san. tu. 2ª.69.G
Meatus purgat farina erui & lupinorum, potissimum si amara fuerint. 5°. de simp. me. fac. 5ª.35.B
Meatus aperiunt amara omnia absque morsu, & sunt tenuium partiũ. 3°. de comp. me. sec. loc. 5ª.141.B
ad Meatus purgandos valent amara nitrosa. 5°. de simp. me. fa. 5ª.35.B
Meatus adstrictos aperit acetum mulsum. de bon. & vi. suc. 2ª.39.A
in Meatibus infarcta quo curãda. 2°. de comp. med. sec. loc. 5ª.136.A
Meatus mundificans medicamentum. secret. Sp.101.G
MECHANICARVM artium ad medicinam comparatio, & diuisio. ad Thras. 2ª.106.G
MECONIDES *inter olera, quæ cruda stomachicis conueniunt. 8°. de cõpo. med. sec. loc.* 5ª.192.C
Mechon, id est Papauer. 7°. de simp. me. fac. 5ª.55.F
Meconium quid. 1°. de comp. med. per gen. 5ª.211.H
Mecon aphrode. 8°. de simp. me. fac. 5ª.58.A
Mecon Ceratitis. 7°. de simp. me. fa. 5ª.55.G
Mecon Heraclea. 7°. de simp. me. fac. 5ª.55.H
Meconion quomodo fiat, & eius vires. de simp. med. Sp.88.A
Meconium quibus adulteretur. de simp. med. Sp.88.A
Meconiũ et si calidũ det, extinguit calorem aĩalis. 3°. de temp. 1ª.23.C
Meconium valde excalefactum urit. 1°. de simp. me. fa. 5ª.3.C
Meconium fugiendum in vlceribus. 3°. meth. me. 7ª.21.C
Mecon ponitur in therica. de ther. ad Pis. 5ª.92.E
ad Meconem valet theriaca. de ther. ad Pis. 5ª.91.D
Meconiæ meminit. 7°. de comp. me. per gen. 5ª.267.A
MECONIVM *vocatum cum excrementum sit, ex toto fœtus nutrimento est, humorq; is, qui in vrinaculo est. an animal.* 1ª.328.C
MEDEAE & Iasonis & amor, & qualis. 3°. de dec. Hip. 1ª.244.a
Medea indocta barbara. 3°. de decr. Hip. 1ª.245.H
Medeæ pharmacum, quale. de bon. aquæ. Sp.76.A
MEDELA *eadem vtuntur rationales & empirici. de sectis.* Isa.16.F
de Medelas iueniẽdi rõne dissentiũt rõnales & empirici. de sec. Is.16.F
Medela non indiget, sed refectione a morbo graui conualescens. ad Thrasybulum. 2ª.102.D
MEDENDI *modus medicinæ pars. intro.* Isa.52.H
Medendi viam quomodo inuenit Hippocrates. 9°. meth. med. 7ª.58.F
Medendi methodum qui vult cõponere, quid agere debet. 2°. methodi medendi. 7ª.13.F
pro Medendi methodo quatuor considera. 1°. meth. med. 7ª.7.H
Medendi methodi principium. 1°. meth. med. 7ª.7.F
Medendi methodus fit per indicationem. 2°. meth. me. 7ª.13.E
Medendi rationes octo. 7°. meth. me. 7ª.43.G
Medendi methodum cur distulit componere Galenus. 1°. m. m. 7ª.2.C
Medendi ars quibus constet. 1°. de arte cur. ad Gla. 7ª.94.C
ad Medendum conferunt temporis occasio, & auxiliorum quãtitas. 1°. de arte cur. ad Glauc. 7ª.94.C
ad Medendũ nihil facit scire medicinaliũ instrorũ functionẽ, nisi et corporis cui applicent, intemperies cognoscat. 2°. de nat. fa. 1ª.301.B
ad Medendi peritiam quid spectet. 12°. meth. me. 7ª.77.B
Medendi tota indicatio. 9°. meth. me. 7ª.59.H
ad Medendi artem spectant febrem accendentia. 4°. de san. t. 2ª.82.H
ad Medendum primum est cognitio morbi. 2°. meth. me. 7ª.13.F
Medendi principium tantum, non medicinæ portio, est indicatio quę a morbis sumitur. 3°. meth. med. 7ª.16.D
Medendi præceptum. com. 5°. aph. 32°. Ex.40.D
Medendi præcepta, & quomodo in cibando se gerere debet medicus, & quæ considerare debet. com. 1°. aph. 17°. Ex.9.B
Medendi ratio ad ossa fracta. de dyn. Sp.31.E
ad Medendũ pertinet facere coctiones. in 1ᵐ. de mo. vul. c. 1°. 3ª.112.A
MEDERI *commune est omnibus medicinæ partibus diæteticę, pharmaceuticæ, chirurgiæ. ad Thras.* 2ª.108.F
cum Medendo quandoq; est mixta prouisio. 12°. meth. me. 7ª.74.G
Mederi, manus opera vti, & rationem victus instituere, habent pro cõmuni mederi. ad Thras. 2ª.108.F
Mederi non põt methodum curatiuã ignorans. de puero epil. 7ª.187.F
Mederi vnde incipiendum. 5°. de san. tu. 2ª.93.C
Mederi repente ægro cum volumus, & ipsi velocem præsidij sensum moliri, celerrima fit mutatio in corporib⁹. de ther. ad Pis. 5ª.94.D
Mederi quot vicibus ægro debeat medicus in vlceribus, & quoto die deligatura soluenda. 4°. de comp. me. per ge. 5ª.238.F
MEDIANVM *quid significet. de art. com. 4°.* 7ª.289.B
MEDIASTINVM *propter quid factum sit. de ana. viu.* Sp.53.C
MEDICAMEN *agens per accidens quo cognoscit. 3°. de temp.* 1ª.24.H
Medicamen agens per se quomodo cognoscitur. 3°. de temp. 1ª.24.H
Medicaminum aliorum materia est oleum. 2°. de simp. me. fa. 5ª.15.C
Medicaminum genera quæ. de dyn. Sp.18.G
Medicaminis vi, sanguis alteratus transit in biles. de atra bile. 1ª.37.D
Medicamen Acostror. de med. exper. Sp.140.G
Medicamina Acria, alexiteria venena quandoq; sunt morborum calidorum causæ. de morb. cau. 3ª.6.G
Medicamina acria febrium causa. de morb. cau. 3ª.6.G
Medicamen Acritonis. de med. exper. Sp.107.E
Medicamina acuta sæpe accipientes quo modo in febrem incidant. 1°. de dif. febr. 3ª.31.G
Medicamen Agargei. de med. exper. Sp.104.E
Medicamen Amaloz. de med. exper. Sp.106.C
Medicamen Amoronis. de med. exper. Sp.108.E
Medicamen Asiritæ. de med. exper. Sp.108.F
Medicamina Attenuantia non possunt efficere bonam habitudinem. de bon. & vitio suc. 2ª.39.A
Medicamina attenuantia ad sanitatem tutioram, q̃ humores crassos facientia. de bon. & vi. suc. 2ª.39.A
Medicaminum Calefacientium atq; exiccantium immodicus vsus febres tertianas faciliter affert. 2°. de dif. feb. 3ª.36.D
Medicamen purgans Choleram. de me. exper. Sp.105.A
Medicamen in dubio Colicæ, & lapidis. de med. exper. Sp.106.H
Medicamen Emplastrosum. 3°. de comp. med. per gen. 5ª.233.F
Medicamen Emplastrodes. 4°. de comp. med. per gen. 5ª.238.G
Medicamen Experimentatoris ad splenem. de me. exper. Sp.104.D
Medicamen ad Febres compositas. de med. exper. Sp.104.F
Medicamen recipiens cãtharides pdest Hydericis. 3°. de tẽp. 1ª.23.C
Medicamen contra Hydropem. de med. exper. Sp.105.B
Medicaminum interiorum duodecim species. intro. Isa.57.H
Medicamina Salubria tenuandi potestatem habent. de bonit. & vit. succor. 2ª.39.A
Medicamen Senis. de med. exper. Sp.104.D
Medicamen Squilitum. de me. exper. Sp.106.C
Medicamen melius q̃ Theriaca. de me. exper. Sp.106.C
Medicamen Virtus appellatum. 2°. de comp. med. per gen. 5ª.224.H
Medicamen prouocans Vrinas. secr. Sp.102.A
Medicamen adhibe, si vrinæ color albicans fuerit, hypostasis rusa. de vrinæ signi. ex Hipp. Sp.179.D
Medicamen subtilians humores, & præparãs ad exitum in principijs ægritudinum. de med. exper. Sp.108.E
Medicamen aliquod nimium laxat. de cau. mor. 3ª.9.C
MEDICAMENTARIA *habet nomẽ a materia. ad Thras.* 2ª.108.E/F
Medicamentaria quæ. ad Thras. 2ª.108.E
quæ Medicamentaria, & calida facultate sunt, lædunt febricitantes. 9°. de comp. med. sec. loc. 5ª.197.F
Medicamentariæ rei egestatem quæ indicent. 3°. de comp. med. secundum loc. 5ª.147.C
Medicamentarius medicus a materia dicitur. ad Thras. 2ª.105.D
Medicamentarij medici dicuntur a materia, sicut ocularij, auriculij, dentarij, & huiusmodi, a membris. ad Thras. 2ª.105.B
MEDICAMENTVM *sumitur pro eo quod per os accipitur. commenta. 6°. aph. 31°.* Ex.49.E
Medicamentum significare videtur & quod purgat, & quod non purgat, vbi dicit purgatio cum medicamento. c. 6°. aph. 47°. Ex.52.B
Medicamentum accipit Galenus pro eo quod applicatur extra, quia distinguit ipsum cõtra potionem, collige. com. 6°. aph. 18°. Ex.48.B
Medicamentum quid sit. 1°. de simp. med. fa. 2. C/3°. 5ª.17.C
Medicamenta quæ sint, collige. 11°. de simp. med. fac. 5ª.77.G
Medicamina non alimenta ab aliquibus appellantur, quæ sunt tenuis materiæ. de bon. & vi. suc. 2ª.34.G

Medicamenti & nutrimenti differentia. 5°.de simp.med.fac. 5ª.31.F
Medicamenta probantur esse medicamenta,quia nullum præbent corpori alimentum.2°.de alim.fac. 2ª.19.C
Medicamenta in nutrimenta quandoq; transeunt.quos purg.opor.quibus med.& quo temp. 5ª.89.B
Medicamentis quidam nutriuntur.de ther.ad Pis. 5ª.91.B
Medicamentum si nutrit,conuertitur in humorem quem educit.3°.de simp.med.fac. 5ª.23.C
Medicamenta quæ sint solum.3°.de temp. 1ª.23.F
Medicamenta quæ sint,non cibi.de vi.ra.in mor.acu.cõ.1°.7ª.111.B
Medicamẽta q̃ non sint,& sint alimenta,& qualia.1°.de ali.fa.2ª.8.E
Medicamenta,& nutrimenta simul.quæ.3°.de temp.3ª.22.D/8°.methodi med. 7ª.50.H
Medicamenta quæ comeduntur vt cibi.de atten.vic. 2ª.44.A
Medicamẽti et cibi vim hz ptissana.de vic.ra.in mor.ac.c.1°.7ª.115.D
Medicamentum loco salis ad obsonia.4°.de san.tu. 2ª.86.E
Medicamentum veluti acetum in ptissana.4°.de san.tu. 2ª.86.F
Medicamentum veluti piper.4°.de san.tu. 2ª.86.F
Medicamentosam qualitatem vehementem cibi habentes nõ nutriũt, sed exigue nutriunt si coctione,aut assatione,aut maceratione qualitatem illam deposuerit.2°.de alim.fac. 2ª.19.D
Medicamenta omnia sunt medicinæ materia.ad Thras. 2ª.106.A
Medicamenta a quibus sumantur.6°.de simp.med.fac. 5ª.39.E/F
Medicamentorum studiosus Attallus rex Pergamenorum. 1°.de cõp.me.sec.loc. 5ª 214.D
Medicamentorum copia vnde habetur.7°.meth.med. 7ª.43.G
Medicamentum non pertinet ad sanos.1°.de san.tu. 2ª.65.D
Medicamenta Acerba,& mordacia sunt omittenda.4°.de simp.medicam.facul. 5ª.25.A
Medicamenta Acopa extrinsecus.introd. Isa.58.A
Medicamenta Acria reuellunt a capite.de hirud.reuuls.cuc. 6ª.2.E
Medicamenta acria bracijs & manibus inposita succos ad caput et viscera vergentes reuellunt.de cuc.scar. 6ª.4.G
Medicamenta acria non debẽt applicari ante euacuationem, aliter faciũt fluxionẽ & inflãmationẽ.de cur.rat.per san.mis. 6ª.20.D
a Medicamentis quæ Actiones fiunt.ad Thras. 2ª.105.A
Medicamentorum quædam prima & ex professo sunt opera, quædam vero mediante natura.9°.de simp.med.fac. 5ª.68.G
Medicamentorum diuersitas in agendo vnde proueniat.7°.de simpli.med.fac. 5ª.49.B
Medicamenta Adstringentia simul & mordicantia.4°.de simp.medicamen.fac. 5ª.26.A
Medicamento adstringente quando vti oportet.de const.ar. Isa.41.E
Medicamentum Aduenæ cuiusdam.de med.exper. Sp.104.C
Medicamenta Adurentia extrinsecus.intro. Isa.58.A
Medicamenta adurentia vt ignis.2°.de arte cur.ad Gla. 7ª.102.D
Medeę medicamentum,quod omnia vrebat,in quæ calor incidebat,ex sulfure & bitumine humido.3°.de temp. 1ª.22.E
Medicamenta Alexipharmaca.intro.57.H/ Isa.58.A
Medicamentum ex Alga.14°.meth.med. 7ª.92.F
Medicamentum ad Alphum.intro. Isa.58.B
Medicamentum Amarum ex aloe datur comitiali ex ore ventriculi.5°.de locis aff. 4ª.32.G
Medicamentum amarum in colico.1°.de loc.aff. 4ª.5.G
a Medicamento coli intestini doloris casus.1°.de loc.aff. 4ª.5.G
Medicamentum ex gutta ammoniaci,& oleo ricino quale.6°.de cõp.med.per gen. 5ª.258.B
Medicamenta Anodyna.intro. Isa.57.H
Medicamenta anodyna.9°.de comp.med.sec.loc. 5ª.200.H
Medicamẽtũ Aridũ inspersile quid sit.4°.de cõp.me.per ge.5ª.238.G
Medicamentum Arostocamet cõstipãs naturã.de med.exp.Sp.104.g
Medicamentum Arrhabiani ponticum.7°.de cõp.me.sec.lo.5ª.184.C
Medicamenta Arteriaca quæ sint.7°.de cõp.med.sec.loc. 5ª.177.B
Medicamenta ad Articulorum morbos extrinsecos.intro. Isa.58.B
Medicamentum Authemeron.9°.de comp.med.sec.loc. 5ª.199.E/F
Medicamenta bicolora,seu bifacia.2°.de arte cur.ad Gla. 7ª.106.E
Medicamen ex Cadmia in quibus partibus cicatricem inducit.5°.methodi med. 7ª.33.G
Medicamenta omnia agunt,aut calefaciendo,aut refrigerando,aut humectando,aut exiccando.de nat.hum.com.1°. 1ª.28.H
Medicamenta quæ facile accenduntur calfaciunt.3°.de tẽp. 1ª.21.H
Medicamenta q̃ facile accẽdunt̃,quo ipediri possunt.3°.de tẽp.1ª.21.H
Medicamenta quæ corpus calfacere videntur,prompte in ignem vertuntur.3°.de temp. 1ª.21.H
Medicamenta calefacientia & exiccantia.2°.de simpl.me.fac.5ª.16.D/8°.meth.med. 7ª.54.D
Medicamenta quæ nos calfaciunt primo a nobis caloris principiũ accipiunt.2°.de simp.me.fac. 5ª.15.C
Medicamenti calor modo acceperit scintillam caloris naturalis,totus accenditur.3°.de temp. 1ª.22.B
Medicamenta a nobis accipiunt vt sint calida.3°.de temp.1ª.22.A
Medicamenta aliqua vt tangunt corpus, cur id calefaciunt alia tardius,alia citius.3°.de temp. 1ª.22.B
Medicamenta non agunt in instanti.3°.de temp. 1ª.22.A
Medicamenta nacta a nobis caloris principium,calorem ipsum postea superant.1°.de simp.me.fac. 5ª.4.B
Medicamẽta principiũ calfactionis a nobis accipiũt: postea vel æque, vel plus nos recalfaciunt.2°.de simp.me.fac. 5ª.15.H
Medicamenta q̃ prius debent calefieri,si debeant calefacere, non mirum.3°.de temp. 1ª.22.A
Medicamenta calfacientia & nihil aliud agentia.3°.de temp.1ª.22.D
Medicamenta calfacientia extrinsecus.intro. Isa.58.A
Medicamenta parum calfacientia.7°.de simp.me.fa. 5ª.53.C
Medicamentum Calidum,frigidum,humidum, & siccum quinam dicatur.4°.de comp.med per gen. 5ª.240.F
Medicamenta,alimenta,& tegumenta habentur calida potestate.2°.de simp.med.fac. 5ª.15.D/E
Medicamenta omnia sunt potentia calida.com.1°.aph.24°. Ex.10.F
Medicamẽtũ aliquod potestate calidũ erodit,et vrit.3°.de tẽp.1ª.23.B
Medicamentum an sit calidum quo modo probetur.3°.de comp.medi.per gen. 5ª.230.E
Medicamenta calida sunt euacuationes communes.ars med. Isa.71.E
Medicamenta probantur esse calida,vel frigida,vel humida, vel sicca comparando ad hominem.3°.de simp.me.fac. 5ª.18.D
Medicamentum idem corpora diuersa calefacit, & frigefacit.3°.de simp.med.fac. 5ª.19.E
Medicamentis calidis quandoq; vnum frigidum mixtum.1°.de simp.med.fac. 5ª.6.H
Medicamenta calida vrũt,cũ sunt crassa.4°.de simp.me.fa. 5ª.24.G
Medicamẽta debẽt esse tãto calidiora,quãto exuperauit frigiditas,& è cõtrario:& ita de sicco & humido dicẽdũ.5°.de sim.m.f. 5ª.33.A
Medicamenta calida liquida.de ijs quæ in med.fi.com.3°. 7ª.220.C
Medicamẽta quo modo Candida fiant.1°.de cõp.me.per g. 5ª.212.G
Medicamenta Capiti extrinsecus applicata nihil proficerent, nisi essent futuræ.13°.meth.med. 7ª.85.G
Medicamenti capiti suprapositi substantiam futura potissimum coronaria intromittit.13°.meth.med. 7ª.85.G
Medicamentum debet considerari quantum, & quale debet peruenire ad membrum.2°.de arte cur.ad Gla. 7ª.102.H
Medicamenta Carbunculis idonea extrinsecus.intro. Isa.58.A
Medicamentum Carnem conficiens,ex oleo,cera, & ærugine fit.3°.meth.med. 7ª.17.B
Medicamentum incarnans fit ex cerato & ærugine,vtrunq; tamẽ per se est contrarium incarnationi.6°.de comp.me.se.lo. 5ª.176.H
Medicamenta remouent impedimẽta caro autem generatur a natura.2°.de comp.med.per gen. 5ª.227.A
Medicamenta Κεφαλικὰ vnde dicta,& quæ sint.6°.me.me. 7ª.42.B
Medicamenta cephalica.intro. Isa.57.B
Medicamentum quod instergitur Κατάπασον. 7°.de comp.medicam.sec.loc. 5ª.184.D
Medicamenta Chalastica quæ vocent̃.7°.de cõp.med.per g. 5ª.267.F
Medicamenta Cicatricem inducentia intrinsecus.intro. Is.58.A
Medicamenta Cholagoga,id est choleræ eductiua,ita ab effectu nominant̃.com.4°.aph.2°. Ex.27.E
in Medicamentis quæ cognoscere debet medicus.3°.de comp.medic.per gen. 5ª.228.H
de Medicamentis duplex peritia.3°.med.me. 7ª.20.A
de Medicamentis quæ consideranda.de ther.ad Pis. 5ª.91.B
Medicamenti cuiusq; cognoscendi regula, vt videlicet omni aliena qualitate vacans spectetur.2°.de simpli.med.fac. 5ª.15.A
Medicamenta quæ probamus,debent esse expertia alienæ qualitatis.1°.de simp.med.fac. 1ª.2.G
Medicamentum quod iudicandum venit, oportet esse simplex.1°.de simp.med.fac. 5ª.7.F

Medicamenta optima

Medicamenta optima vbi sint, verissime scripsit Dioscorides. 1°.*de antidotis.* 5ª.100.C
Medicamẽta adulterata cognoscẽda sunt. 3°.*de cõp.me.p g.* 5ª.228.H
Medicamenta quomodo probanᵗ. 8°.*de comp.med.sec.loc.* 5ª.190.G
Medicamenti vis non secure probaī sine sensu. 1°.*de sim.me.f.* 5ª.7.F
Medicamentorum vsum ex gustu cognoscimus. 6°.*de compo.med.sec. locos.* 5ª.169.F
Medicamentorũ vires cognoscunᵗ sine saporib. 4°.*de sim.m.f.* 5ª.26.C
Medicamenta probanda ex temperaturis. 3°.*de simp.me.fa.* 5ª.19.F
Medicamenti facultas si ab externis petatur, quibus indigeamus. 1°. *de simp.med.fac.* 5ª.3.H
Medicamenti facultas quo modo ab externis sumenda. 1°.*de simplic. med.fac.* 5ª.3.H
Medicamenti facultas colligenda ex euidenter apparentibus, & vnde. 1°.*de simp.med.fa.* 5ª.3.G
Medicamenti vim nemo cognoscit sine experientia. 4°.*de comp.med. facult.* 5ª.140.D
Medicamenta experientia comparanda. 5°.*de san.tu.* 2ª.92.F
de Medicamentis non est ex duobus vel tribus experimentis sententia dicenda. 7°.*de comp.med per gen.* 5ª.264.E
in Medicamentis experiundis quid faciat differentiam. 7°.*de comp. med.per gen.* 5ª.264.F
Medicamentorum experimẽtum sumi debet primo in temperatissima natura, secundo in intemperata tertio in morbis simplicibus. 6°.*de simpli.med.fa.* 5ª.39.E
Medicamenta Colica. 9°.*de comp.med.sec.loc.* 5ª.200.H
Medicamentum ex Colliquabilibus. 3°.*de comp.med.per g.* 5ª.233.F
Medicamentorum Cõpositiones cur inuentæ.de ther.ad Pis. 5ª.91.B
Medicamenta Composita cur inuenta. 1°.*de comp.me.per g.* 5ª.210.E
Medicamẽtorũ primi cõpositores, qui. 2°.*de comp.me.per g.* 5ª.218.D
de Medicamentorum cõpositione vbi composuerit Galenus, promittit se alium librum scripturum. 2°.*de arte cur.ad Gla.* 7ª.104.G
Medicamẽta experiẽtia cõponunᵗ. 2°.*de comp.med.per ge.* 5ª.218.H
Medicamentum componi non potest sine notitia simplicium. 1°.*de simpli.med.fac.* 5ª.6.E
Medicamentorum compositorum vis ex simplicibus est. 1°. *de antid.* 102.C/6°.*de comp.med.per gen.* 5ª.257.F
Medicamentorum differentia per variationem simplicium. 7°.*de cõpo.med.fac.* 5ª.264.G
Medicamentis vim non dant simplicia quædam, sed commoditatem. 1°.*de comp.med.per gen.* 5ª.212.E
Medicamenta qui cõponere scit, & vti. 1°.*de comp.me.per g.* 5ª.215.B
Medicamenta qui facile cõficiet. 6°.*de comp.me.per ge.* 5ª.254.H
Medicamenta q̃ sibi pararent medici. 6°.*de cõp.med.se.lo.* 5ª.168.A
Medicamenta non possunt componi absq; methodo. 4°.*de comp.medi. per gen.* 5ª.140.D
de Medicamentorum compositione librũ fecit Galenus ante methodi librũ. 3°.*meth.med.* 17.B/20.A/5°.33.A/6°. 7ª.37.E
de Medicamentis componendis liber sequitur librum de simplicium medicamentorum facultatibus. 7°.*de simp.med.fac.* 5ª.55.G
Medicamenta quo modo componi addiscantur. 6°.*de comp.medic.per genera.* 5ª.254.H
Medicamenta non ex sola lectione librorum fiunt. 1°.*de anti.* 5ª.104.F
Medicamentorum compositionis regula. 4°.*de san.tu.* 2ª.86.E
Medicamenta ex simplicibus quæ habentur componenda. 4°.*de cõpo. med.per gen.* 5ª.239.A
Medicamenta quo ordine ingrediantur simplicia. 3°.*de comp.medic. per gen.* 5ª.233.G
Medicamenta ingredientium simplicium ordo. 6°.*de com.me.per ge.* 255.F/256.H/ 5ª.259.H
Medicamenti confectio secundum simplicium ingrediẽtium ordinem. 2°.*de comp.med.per gen.* 5ª.225.F
Medicamentum quando multiplex esse debet, & quando simplex. 4°. *de comp.med.per gen.* 5ª.240.A
Medicamenti confectio. 2°.*de comp.med.per ge.* 226.C/ 5ª.227.E
Medicamentorum singulæ compositiones quomodo cognoscantur. in 1ᵐ.*de mor.vul.com.* 1°. 3ª.103.A
Medicamenti, quo nõ aliud melⁱ, cõfectio. 2°.*de cõp.m.p g.* 5ª.223.B
Medicamenta debent in parua & tenuia frangi. 3°.*de temp.* 1ª.22.A
in Medicamentis varijs multo sunt vsui, faba, hordeum, cera, et oleũ. 7°.*de simp.med.fa.* 5ª.53.A
Medicamenta vt inhærent, ponitur cera. 7°.*meth.med.* 7ª.46.H
Medicamentorum materia cur sit ouum. 11°.*de simp.me.fa.* 5ª.81.F
Medicamenta quando componuntur ex melle, quo modo loquendũ de quantitate eorum in permixtione. 6°.*de comp.med.se.lo.* 5ª.168.C
Medicamenta cum aqua coquendi modus. 4°.*de san.tu.* 2ª.87.A
i Medicamẽtis coquẽdis cur ponebãt vinũ et aquã. 4°.*d s.t.* 2ª.87.A
Medicamenta magis cocta, meliora. 1°.*de comp.med.per g.* 5ª.212 F
Medicamenta denigrat aer nubilus, syncerus dealbat. 1°.*de cõpo.me dic.per gen.* 5ª.212.G
Medicamentis obest fumus. 1°.*de comp.med.per gen.* 5ª.212.G
Medicamenta antequam fiant, carbones sunt primo vrendi. 1°.*de cõp. med.per gen.* 5ª.212.G
Medicamenta cur ad prunas ardentes non facienda. 7°.*de comp.med. sec.loc.* 5ª.179.C
Medicamentum in sole æstiuo fiat, vel in aere calido. 4°.*de compo.me dic.per gen.* 5ª.245.B
Medicamenta conficiuntur sub caniculæ æstu. 4°.*de comp.med.per ge.* 244.A/5°.252.E/6°. 5ª.256.E
ad Medicamenta agitanda æris rubri radius. 3°.*de compo.medi.sec. locos.* 5ª.148.A
Medicamenta q̃ non præparanda in copia, quando dura vt lapis euadunt. 4°.*de comp.med.per gen.* 5ª.239.B
Medicamentum tertio aut quarto die soluendum. 6°.*de composi.med. per gen.* 5ª.256.D
Medicamentum idem dilutum, & non dilutum varia facit. 2°.*de compositi.med.per gen.* 5ª.225.C
Medicamenti vnius diuersitas. 6°.*de comp.med.per gen.* 5ª.256.F
ad Medicamentum seruandum, fictile. 5°.*de comp.me.se.lo.* 5ª.163.B
pro Medicamento conseruando oui testa. 5°.*de cõp.me.se.lo.* 5ª.161.B
pro Medicamento seruando pellis. 6°.*de compositione medicam.per gen.* 256.H/ 5ª.262.G
Medicamentũ ponit in pellem albam. 9°.*de comp.me.se.lo.* 5ª.199.D
pro Medicamento cõseruãdo vesica. 5°.*de cõp.me.sec.loc.* 5ª.161.B
Medicamenta ad Concoctionem.intr. Isa.57.H
Medicamenta concoquentia, quæ.intro. Isa 57.H
Medicamenta concoquentia extrinsecus.intro. Isa.58.A
Medicamenta concoquentia extrinsecus quibus constent.intr. Is.58.B
Medicamenta simillima temperaturæ hominis ocyssime concoquunt quod in pus verti debet. 5°.*de simp.med.fac.* 5ª.33.G
Medicamenta mistam ex Contrarijs habentia naturam. 1°.*de compo. med.sec.loc.* 5ª.129.A
Medicamentum nullum ad multa valet, nisi sit contrariorũ particeps. 6°.*de comp.med.per gen.* 5ª.256.B
quæ Medicamenta non habent mistionem contrariorum. 1°.*de comp. med.sec.loc.* 5ª.129.E
Medicamentum ad vniuersum Corpus extrinsecus.intro. Isa.58.A
Medicamentum ex Cotoneorum succo. 8°.*meth.med.* 7ª.53.E
Medicamentum ex carne cotoneorum. 8°.*met.med.* 7ª.53.E
Medicamenta Crassiora nequeunt angusta venarum oscula subire. 4°. *de san.tuen.* 2ª.86.D
Medicamenta cruenta ex bitumine fiunt.de fract.com. 3°. 7ª.242.E
Medicamentum cruentum quale sit.de fract.com. 3°. 7ª.242.D
Medicamẽta cruenta exiccant mediocriter.de art.com. 2°. 7ª.268.D
Medicamenta ad cruentos extrinsecus.introd. Isa.58.A
Medicamentum cruentum pro Contusis.de fract.com. 3°. 7ª.245.B
Medicamentis Crustam facientibus q̃ vtendum. 5°.*met.me.* 7ª.51.D
Medicamenta Deleteria cur in calidis naturis vim suam exercent. 3°. *de simp.fac.* 5ª.21.H
Medicamẽta sũt letalia, et deleteria.de vic.ra.i mor.ac.c. 2°.7ª.118.D
Medicamentum Diachalciteos. 6°.*met.med.* 7ª.38.E
Medicamentũ Diaspermaton. 5°.*meth.med.* 33.C/12°. 7ª.75.C
Medicamenta extrinsecus Digerentia quibus constant.intr. Isa.58.B
Medicamenta quæ cum digerentibus habent adstringentia, qualia. 6°. *de comp.med.per gen.* 5ª.258.C
Medicamentum Dioclis Chalcidonij. 7°.*de cõp.med.sec.loc.* 5ª.184.F
Medicamenta Discutientia extrinsecus.intro. Isa.58.A
Medicamẽta p Diuitibus q̃o parãda. 6°.*de cõp.med.se.lo.* 5ª.171.G
Medicamenta diuitum debent esse cara & odorata, quæ multa cõstent pecunia.de comp.med.per gen. 5ª.234.C
Medicamenta cara qui volebat, diuitis historia. 3°.*de comp.med.per genera.* 5ª.234.D
Medicamentis abhorrent mulieres diuites. 6°.*de comp.med.secundũ locos.* 5ª.171.E

Medicamentis gauden-

Medicamentis gaudentis diuitis, & fallere etiam gaudentis medicos. 1°.*de præsag.ex puls.* 4ª.105.C
ad Medicamenta aliqui magis propensi.de purg.med. 5ª.86.D
*Medicamenta Dolores sedantia quæ sint.*2°.*de simpl.med.facul.*12.C/9°.*de comp.med.sec.loc.* 5ª.200.H
*per Medicamentum, vel sanguinis missionẽ sedatio doloris in pleuritide non est curatio symptomatis.*12°.*met.med.* 7ª.74.G
*Medicamenta Dropacita.de ijs, quæ in med.fi.com.*3°. 7ª.220.D
*Medicamenta Electa quæ sint.*7°.*de comp.med.se.loc.* 5ª.177.B
*Medicamẽtorũ Effectꝰ quo secũdũ Epicurũ.*1°.*de nat.fac.* 1ª.294.D
*Medicamenta efficaciora, quæ parum accipiunt cerati.*5°.*de composi. med.per gen.* 5ª.246.G
*Medicamentum Emolliens indurata, quale.*5°.*de simp.me.fa.*5ª.33.E
*Medicamenta parum calefacientia & adstringentia sunt Emplastica & peptica, idest concoquentia.*7°.*de simp.med.fac.* 5ª.53.C
*Medicamentũ pus mouens dr esse emplasticũ.*5°.*de sim.m.f.* 5ª.33.G
Medicamenta idonea erysipelatis extrinsecus.intro. Isa.58.A
*a Medicamento valenti fit Erosio extrinsecus.*4°.*meth.med.* 7ª.23.B
*Medicamentum Euaphion a lenitudine appellatum.*9°.*de comp.med. sec.loc.* 5ª.205.B
*Medicamentum est exercitium.*1°.*de san.tu.* 2ª.65.D
Medicamenta exiccantia cuti applicanda.de const.ar. Isa.42.E
*Medicamentum exiccatorium ex salice.*6°.*de simp.med.fac.*5ª.48.H
*Medicamentum optimum ad exiccandum absque morsu.*7°.*de simpli. med.fac.* 5ª.53.B
*Medicamenta exiccãtia & abstergentia, ac vlcera pura reddentia.de fract.com.*3°. 7ª.242.E
*Medicamentum vehementissime exiccans.*5°.*met.med.* 7ª.34.A
*Medicamentum aliud vehementissime siccans.*5°.*meth.med.* 7ª.34.B
*Medicamenta siccantia in longis fracturis ossium.*6°.*met.me.* 7ª.41.G
*Medicamentum an bene exiccauerit, per sordem & saniem ꝓbatur.*3°. *meth.med.* 7ª.18.E
*Medicamenta fortissima, quæ.*6°.*de comp.med.sec.loc.* 5ª.171.H
Medicamenta quæ illinuntur extrinsecus.intro. Isa.58.A
*Medicamenta fortia quæ sint.*6°.*de comp.med.sec.loc.* 5ª.176.G
*in Medicamentis vis maior quæ intelligenda.*14°.*meth.me.* 7ª.88.G
*Medicamenta fortia, quæ sint, & quo modo eorum erosio mitescat.*2°. *de comp.med.per gen.* 5ª.219.G
*Medicamenta fortia quæ indigent mitigatorijs.*2°.*de comp.medic.sec. locos.* 5ª.139.F
*Medicamenta fortia, quibꝰ miscẽda.de vi.ra.in mor.ac.c.*2°.7ª.117.H
*Medicamentorum fortiũ vim reprimentia.*3°.*de simp.me.fa.* 5ª.20.C
*Medicamentorum vim, quæ frãgunt.*8°.*de cõpo.med.sec.loc.*5ª.188.F
*Medicamentorum vim q̃ obtundant.*7°.*de cõpo.med.sec.loc.*5ª.182.E
*Medicamentum vnum quo modo fieri possit fortius, & imbecillius, et debeat.*3°.*de compo.med.sec.loc.* 5ª.141.F
*Medicamentis fortibus quando vti debemus, & quomodo.*2°.*de cõp. med.sec.loc.* 5ª.139.F
*Medicamenta fortiora fortioribus corporibus, debiliora debilioribus sunt exhibenda.*6°.*de comp.med.sec.loc.*5ª.176.F/6°.*methodi medendi.* 7ª.38.E
*Medicamenta validiora habeant dura corpora.*7°.*de comp.med.per genera.* 5ª.268.G
*Medicamentis fortioribus indigẽt duri.*2°.*de cõp.me.per g.*5ª.227.B
Medicamenta fortißima cõueniũt rusticis.de art.cu.ad Gla. 7ª.107.A
*Medicamentorum messorũ & fossorum.*3°.*de comp.me.se.lo.*5ª.147.C
Medicamentorum fortium minus recipiunt molles. 2°.*de comp.med. sec.loc.* 5ª.140.D
*Medicamenta fortia in oculorum fluxionibus.*4°.*de comp.medi.secũ. locos.* 5ª.157.A
Medicamentum fort e in cephalæa.de dyn. Sp.23.C
*Medicamenta fortißima tolerat auditorius meatus.*6°.*m.m.*7ª.42.H
*Medicamentis valentissimis gaudet membrana cerebri crassa.*6°.*methodi med.* 7ª.42.H
*Medicamenta fortiora exigũt profundæ partes.*4°.*met.me.* 7ª.29.C
*Medicamenta fortia non ferunt naturæ molles.*3°.*met.med.* 7ª.20.E
*Medicamentorum duo genera oportet habere parata, validissimum, & moderatissimum.*7°.*de compo.med.per gen.* 5ª.263.E
*Medicamenta duo habere debet medicus, vnum valens, aliud imbecil lum.*3°.*de comp.med.per gen.* 5ª.232.D/E
*Medicamenta valida supra vlcus carbunculi.*14°.*met.med.*7ª.90.B
*Medicamento robur fit ab oleo veteri.*3°.*de cõp.med.per g.*5ª.230.F
*Medicamentis fortibus qũo vtendum.*1°.*de comp.me.se.lo.*5ª.122.C
Medicamenta natura frigida ab antiquis dicta sunt potestate frigida. 3°.*de simp.med.fac.* 5ª.22.D
*Medicamẽta frigida cur ptãte frigida dicanr.*3°.*de sim.me.fa.*5ª.22.D
*Medicamenti frigidi a calido in quãtitate differentia.ars med.*If.69.F
*Medicamentum refrigerans.*10°.*meth.med.* 7ª.65.A
*Medicamenta q̃ cum hoc quod refrigerant, vnà etiam adstringunt, ea & ad vlcera rebellia omnia, & ad fluxiones, & putredines conue niunt ac proinde & ad dysenterias.*6°.*de simp.med.fac.* 5ª.43.G
*Medicamentis refrigeratæ partes perfricantur, vt calor reuocetur & fiat rarum quod frigore erat densum.*3°.*de temp.* 1ª.22.A
*Medicamenta quo modo infrigidenr.*1°.*de comp.med.per ge.*5ª.211.H
*Medicamentum Fuscum.*5°.*de comp.med.per gen.* 5ª.253.H
*Medicamentũ quo sæpe vsus est Galenus.*1°.*de cõp.me.se.lo.*5ª.130.D
*Medicamentum Galeni cirrhum dictum, ad vulnera sanguinolẽta.*2°. *de arte cur.ad Glau.* 7ª.106.E
*Medicamentũ siccum Galeni ad oculos.*9°.*de simp.med.fac.* 5ª.67.G
*de Medicamentorum cõpositione secundum genera librum fecit Archigenes.*5°.*de comp.med.sec.loc.*158.G/5°.162.C/8°.196.B/9°. 199.G/10°.206.G/ 5ª.208.G
Medicamentorum compositionem per genera aliàs scripserat Galenꝰ. 1°.*de comp.med.per gen.* 5ª.209.G
*de Medicamentis secundum genera ante librum de arte curandi ad Glauconem, scripsit Galenus.*2°.*de arte cur.ad Gla.* 7ª.107.G
in de Medicamentorum compositione per genera quid agat Galenus. 1°.*de comp.med.per gen.* 5ª.212.H
*Medicamentũ Glutinantius qũo fiat.*1°.*de cõp.med.per g.*5ª.212.G
Medicamenta sicca glutinãt resinæ omnes humiditate & viscositate. 4°.*de comp.med.per gen.* 5ª.240.A
Medicamenta idonea Herpetis extrinsecus.intro. Isa.58.A
*Medicamẽta Humida, et calida qũo debẽt esse.*5°.*de sim.me.f.*5ª.33.A
*Medicamenta Hypoglottidis quæ.*7°.*de comp.med.sec.loc.* 5ª.177.F
Medicamentum Ictericorum purgatorium.de cura ictter. Sp.110.H
Medicamenta ad Iecur.intro. Isa.57.H
*Medicamẽtis Imbecilliorib⁹ indigẽt molles.*2°.*de cõp.m.p g.*5ª.227.H
*Medicamẽtũ quale debet exhiberi teneris.*3°.*de cõp.me.p g.*5ª.232.H
*Medicamenta imbecilliora in superficietenus existentibus morbis.*4°. *meth.med.* 7ª.29.C
*Medicamenta debilia non conueniunt ictericis.de cura ictter.*Sp.110.H
*Medicamenta quæ vim validam non habent, sunt materia aliorũ medi camentorum.*11°.*de simp.med.fac.* 5ª.81.F
Medicamentorum Indefinitis descriptionibus fidem per omnia habere non parum noxæ inferunt: § ergo nec Dioscoridi fidendum.§ 3°. *de comp.med.sec.loc.* 5ª.142.C
Medicamenta ad Impetiginem.intro. Isa.58.B
Medicamenta Implentia extrinsecus.intro. Isa.58.A
*Medicamentis iuuanr Intestina superiora læsa.*6°.*de lo.aff.* 4ª.36.E
Medicamenta Inueniendi via.de venæ sect.aduer.Eras. 6ª.6.D
*Medicamẽta quibꝰ organis inuenta.*6°.*de cõpo.med.per.g.* 5ª.257.B
*de Medicamẽtis qd dicãt Empiricus & rõnalis.*2°.*de sim.m.f.*5ª.11.F
Medicamenta ꝓpe vniuersa ad quæ referunt Empirici. 10°.*de cõp. med.per gen.* 5ª.210.A
*Medicamenta ab alio ad aliud trahunt empirici.*3°.*met.me.* 7ª.17.C
*Medicamenta multa casu inuenta volunt Empirici.*3°.*de comp.med. per genera.* 5ª.230.H
Medicamẽta ex ĩsõnijs turpiter se accipe ꝓfitẽtes.d th.ad Pi. 5ª.90.E
Medicamentum somnians quidam didicit, a Deo monitus per quietẽ. 11°.*de simp.med.fac.* 5ª.78.B
*Medicamenta Deorum manus.*6°.*de comp.me.sec.lo.* 5ª.173.B
*Medicamẽta a fortuna se accipe turpiter ꝓfitẽtes.de th.ad Pi.*5ª.90.E
*Medicamẽtis quæ fortuna administrat.de venæ sec.aduer.Era.*6ª.7.G
*ad Medicamentorum copiam parandam quantum valeat rationalis methodus.*6°.*de comp.med.sec.loc.* 5ª.166.G
*Medicamentum per rationem inuentum præstat illi, quod per experiẽ tiam est inuentum.*6°.*de comp.med.sec.loc.* 5ª.166.G
q̃ Medicamẽtorũ rõ fuerit apud Aegyptios ꝑter herbas.intr. If.50.G
*Medicamenta qũo experiẽtia inuenit Gal.*4°.*de cõp.me.p g.* 5ª.239.H
Medicamentum ad Lapidem in fine Menses Maij, & in principio Iunij.de cura lap. Sp.112.A
Medicamentum ad lapidem extrahendum.de cura.lap. Sp.112.B
Medicamentum ad lapidem.secret. Sp.102.D
*Medicamenta qũo Lauanr & dealbantur.*2°.*de simp.med.f.*5ª.12.H

Medicamẽta ꝙ aquę miſceri nõ patiuntur, lauanda.2°.de ſim.m.f. 5ª.12.H
Medicamenta quæ excalfieri & fundi ſuſtinent, lauanda, & quo modo.2°.de ſimp.med.fac. 5ª.13.A
Medicamentis morſum tollit lotio.6°.met.med. 7ª.38.C
Medicamẽta laxãtia qd faciũt particulis.1°.de cõ.m.per g. 5ª.212.D
Medicamentis non habentibus adſtringentia, partes eſſaminant.1°. de comp.med.per gen. 5ª.212.C
Medicamenta ad Lepram.intro. Iſa.58.B
Medicamenta ad Leucen.intro. Iſa.58.B
Medicamenta ad Lienem.intro. Iſa.57.H
Medicamenta Liquida multis moleſta vulneribus.2°.de compo.medi. per gen. 5ª.231.A
Medicamenta Locatia eſſe, id eſt quæ a particularibus ducant membris, certum.de catbar. Sp.94.H
de Medicamentis ſecundum locos ante methodum compoſuerat Galenus.14°.meth.med.88.G/2°.de arte cura.ad Glau. 7ª.107.G
Medicamento, vel ſectione, vel vtroq; primo præparandũ eſt corpus. 4°.de comp.med.per ge. 5ª.236.C
Medicamenta varia quo modo ſint applicanda in affectibus diuerſis. 7°.de comp.med.per gen. 5ª.264.C
Medicamentorũ applicãdorũ vis quãta eſſe debeat.3°.de tem.1ª.25.B
Medicamentum in parti mutatę, vel alteri imponendum. 3°.de cõpo. med.per gen. 5ª.228.D
Medicamentum non dimittendum, etiam ſi per multos dies agere non videatur.1°.de comp.med.per gen. 5ª.212.B
Medicamentum applicatum vbi mutare volueris, primo partem oleo ſimplici lauato.7°.de comp.med.per gen. 5ª.264.C
Medicamenta vario modo, æſtate, & hyeme applicanda. 2°.de arte cur.ad Glau. 7ª.101.G
Medicamentum ad Lumbricos latos.intro. Iſa.58.A
Medicamẽtũ Macedonicũ p phlegmone in adenibus.13°.m.m.7ª.81.B
Medicamentum Macedonicum ad cruſtas excidentes.2°.de arte cur. ad Glauc. 7ª.107.B
Medicamẽtum Machærionis, cruſtas optime diſcumpit.2°.de arte cura.ad Glau. 7ª.107.B
Medicamenta Media quæ ſint.8°.de comp.med.ſec.lo. 5ª.195.E
Medicamẽta media qualia.7°.de comp.med.ſec.loc. 5ª.179.H
Medicamenta media quo componãt.6°.de compo.me.ſe.loc. 5ª.168.B
Medicamenta Mediocria ad materias craſſas atrabilarias. 14°.methodi medi. 7ª.89.H
Medicamenta ad Melãcholiã educẽdã.de mel.ex G.R.& P. Sp.110.A
Medicamenti melini confectio.2°.de comp.me.per ge. 5ª.222.G/H
Medicamentum vnum quo modo altero melius ſit.6°.de compo.med. per gen. 5ª.170.C
Medicamẽtorũ nõ põt dici alio potius.7°.de cõp.m.per ge. 5ª.264.H
Medicamenta Metallica Galenus collegit quæ ſatis eſſent in vita ſua, cũ in Syriam nauigauit.9°.de ſim.me.fa. 5ª.69.B
Medicamenta ex metallis ad nervos vulneratos. 3°.de comp.med.per genera. 5ª.232.B
Medicamenta quo ordine ingrediantur in metallicorum ſimplicia.2°. de comp.med.per gen. 5ª.223.H
Medicamenta miſta cur inuenta.8°.de ſimp.med.fa. 5ª.188.A
Medicamenta quomodo miſcenda.6°.de comp.me.ſe.loc. 5ª.173.C
Medicamenta quo cõficiẽda vt bñ miſceant.4°.de cõp.m.pg. 5ª.239.C
Medicamenta miſta debent ſibi inuicem conſentire. quos purga.op. quib.med.& quo temp. 5ª.89.C
Medicamenta quo modo miſta faciant qualitates æquales.1°.de cõpo. med.per gen. 5ª.210.E
Medicamenta miſta reducuntur ad vnam tertiam formam per vnianem.de ther.ad Piſ. 5ª.94.C
Medicamentum idem quo modo alijs miſtum faciat diuerſos effectus. 1°.de comp.med.per ge. 5ª.211.E
ad Medicamenta cõparatio gemellorũ ſimilium.1°.de anti. 5ª.105.B
Medicamenta æſtate ſunt cõtẽpanda oleo roſacro.6°.met.me. 7ª.38.E
Medicamenta hyeme ſunt cotẽperãda oleo ſabino.6°.met.m. 7ª.38.E
Medicamenta Mitia, quæ.4°.de comp.med.per ge. 5ª.238.G
Medicamenta mitigantia.2°.de comp.med.ge. 5ª.220.D
Medicamenta moderata quæ ſint.6°.de cõp.med.ſec.loc. 5ª.176.G
Medicamẽta mitiora exigũt mollia corpa.7°.de cõp.me.p g. 5ª.268.G
Medicamenta mollificantia verbum.2°.de arte cur.ad Gla. 7ª.103.H
Medicamenta debent eſſe molliora hyeme, duriora æſtate. 7°.de cõp. med.per gen. 5ª.268.F
Medicamentum quibus molliendũ.4°.de comp.med.per gen. 5ª.238.G
Medicamẽti Molochini cõficiẽdi mod.2°.de cõp.me.per g. 5ª.220.H
Medicamentum Morſus expers vlcus purum ſeruat. 2°.de comp.me dic.per gen. 5ª.227.A
Medicamentum Muſæ.5°.meth.med. 7ª.34.B
Medicamentum Muſæ ad quæ valeat.5°.meth.med. 7ª.34.B
Medicamenta ad Neruorum reſolutiones extrinſecus.intro. Iſa.58.A
Medicamentum ad neruos vulneratos odoratum & ſumptuoſum.3°. de comp.med.per gen. 5ª.234.E
Medicamenti ad neruos præciſos componendi ordo.3°.de comp.medi. per gen. 5ª.234.B
Medicamentum ex Nitro, quo nullum vehementius in arte medica.3°. de loc.aff. 4ª.15.H
Medicamẽta ad Oculos extrinſecus.intro. Iſa.58.A
Medicamenta ad Opiſtothonos extrinſecus.intro. Iſa.58.B
Medicamentum non poteſt dici Optimum nec peſſimum, niſi per relationem.2°.de comp.med.per gen. 5ª.119.C
Medicamentũ optimum quodnam ſit.1°.de cõp.med.per gen. 5ª.215.C
Medicamentum optimum ad multas affectiones inuenire impoſſibile eſt.8°.de comp.med.ſec.loc. 5ª.190.D
Medicamentorum Ordo.7°.de comp.med.ſec.loc. 5ª.269.H
Medicamentum confectum ex Origano & ſapa.de cucur.ſca. 6ª.4.E
Medicamentorum gradus ponit pro Oris affectibus.6°.de comp.med. ſec.loc. 5ª.171.F
Medicamẽta qũo a Partibus denominata.5°.de ſimp.me.fa. 5ª.38.D
Medicamentũ quod in altũ penetrat, quale.3°.de cõp.m.pg. 5ª.228.D
Medicamenta aliqua cur non eunt in profundum.3°.de temp.1ª.23.A
Medicamenta, vt altius deſcendant, cutim frica, vt rubeſcat.14°. meth.med. 7ª.93.D
Medicamenta facit celeriter tranſire mel.4°.meth.med. 7ª.29.A
Medicamento aliquo cum volumus oſſa cranei pertranſire, quid agẽdum.11°.meth.med. 7ª.73.E
Medicamenta qbus Galen° in Pectore pforato vtit.5°.me.m. 7ª.33.C
Medicamentum Philippi.7°.de comp.med.ſec.loc. 5ª.184.G
Medicamen ex Plantis.5°.de comp.med per gen. 5ª.253.A
Medicamenta ad Podagras extrinſecus.intro. Iſa.58.B
Medicamen Polyſſomi ad Podagras.6°.de cõp.med.per ge. 5ª.261.F
Medicamentum ex Pompholyge in roſacco pro neruo detecto.6°.methodi med. 7ª.38.B
Medicamenti Potio facit aliquid albi apparere in oculis dormientiũ. com.6°.aph.52°. Ex.53.A
Medicamenti potio exiccat totum corpus, & vires debilitat.com.6°. aphor.52°. Ex.53.A
ex Medicamenti potione conuulſio letalis eſt.c.6°.aph.25°.Ex.53.A
Medicamentũ epotũ ſanat dolores oculorũ.cõ.6°.aph.31°. Ex.49.C
Medicamẽta Probata cur nolũt ſeq medici.5°.de cõp.m.p g. 5ª.224.A
Medicamenta eiuſdẽ generis quæ exiſtimanda meliora, ſtatũ eſt quærere.6°.de comp.med.ſec.loc. 5ª.173.A
Medicamẽta dña reſpectu ad aliud dicunt.6°.de cõp.me.ſe.l. 5ª.173.A
Medicamenta omnia habent detrimentum & emolumentum.6°.de cõpoſi.med.ſec.loc. 5ª.173.A
de Medicamentis iudicauit Galenus accerſitus a medicis. 6°.de cõp. med.ſec.loc. 5ª.173.B
Medicamenta omnia Profluuiorum non adſtringunt, contra Herodotum & Dioſcoridem.1°.de ſimp.med.fac. 5ª.8.A
Medicamenta Profluuij capillorum quid agere debẽt.1°.de cõp.med. ſec.loc. 5ª.125.E/F
Medicamentum tendens ad pulmonem, per quot partes tranſeat.2°. de arte cur.ad Glau. 7ª.103.A
Medicamentum Purgans quid ſit.de fract.com.3°. 7ª.242.D
Medicamentũ purgans, ergo eſt ẽt non purgas.c.6°.aph.47°.Ex.52.B
Medicamenta purgantia.intro.57.H/ Iſa.58.A
de Medicamentorum purgantium facultatibus librũ fecit Galenus. 13°.meth med. 7ª.82.B
Medicamenta purgantia habent duplicem ſimilitudinem, vnam actu, aliam potentiam.3°.de ſimp.med.fac. 5ª.25.E
Medicamenta purgãtia pfectiſſim quæ, & qualia.de catbar.Sp.94.F
Medicamenta ſunt contraria naturis quæ purgant.de vict.ra.in mer. acu.com.2°. 7ª.118.D
Medicamẽtũ oẽ purgatoriũ attrahit aliquẽ humorẽ.2°.de elem.1ª.9.D
de Medicamẽtorũ attractione Aſclepiadis opinio. 2°.de elem.1ª.9.B
de Medicamentorum ductione.1°.de elem. 1ª.294.A

Medicamentorum diuer-

Medicamẽtorũ diuerſitas rõne humorũ et partiũ corpis.d cat.S.95.A
Medicamenta euacuant proprios humores.8°.de decr.Hip.1ª.276.C
Medicamenta trabere proprium humorem oſtendunt ſuperfluæ purgationes.2°.de elem. 1ª.9.E
Medicamentum trabens quo modo agat.de cathar. Sp.94.D
Medicamẽta quomodo humores trahunt.de purg.med.fac. 5ª.86.H
Medicamenta trahentia quos humores per ordinem trahant.3°.de ſimpli.med.fac. 5ª.23.G
Medicamentum omne primo trahit humorem ſibi peculiarem.de atra bile. 1ª.36.B
Medicamentum primum crodit proprium humorem,poſtea alios, ſed primo eos,qui facilius ducuntur.de nat.hum.com.1°. 1ª.31.F
Medicamento vnicuique ineſt quædam potentia naturalis attractiua. 2°.de elem.1ª.9.H/de ter.ad Piſ. 5ª.90.G
Medicamenta purgantia ſunt familiaria humoribus quos purgant.3°. de ſimp.med.fa. 5ª.23.D
Medicamenta trahunt ob familiaritatem.5°.de ſimp.med.fa.5ª.37.E
Medicamenta purgantia ſunt efficaciora humoribus quos purgant, vt magnes ferro.3°.de ſimp.med.fac. 5ª.23.D
ad Medicamẽtũ cõparatio rerum q̃ attrahant.de cath. Sp.94.H
Medicamenta qũ trahunt a partibus longinquis.de cathar.Sp.94.H
Medicamenta promptius a propinquiori purgant.4°.met.me. 7.28.C
Medicamenta quæ aquam trahunt,qualia ſecundũ antiquos.de purg. med.fac. 5ª.86.H
Medicamenta bilem flauam & atram educentia,qualia eſſe debent.de purg.med.fac. 5ª.86.H
Medicamentum purgatorium melancholiæ.de dyn. Sp.24.E
Medicamẽta ſuo cuiq; humori propria ſunt dãda, aliter non cõferũt, ſed lædunt.de atra bile. 1ª.37.E
Medicamentum a tota ſubſtantia agens non a qualitate.8°.de compo. med.ſec.loc. 5ª.195.G
Medicamenta quæ tota ſubſtantia educunt.de ther.ad Piſ. 5ª.90.F
Medicamento & iecori quo modo idem os & oſtium diuerſis temporibus deſerunt.3°.de nat.fac. 1ª.306.C
Medicamento euacuatur plenitudo.de venæ ſect.adu.Eraſ. 6ª.19.A
Medicamenta quo modo euacuent tardius, & citius diuerſos humores.de vic.rat.in mor.acu.com.2°. 7ª.118.B
Medicamenta quæ longo tempore agunt,cur ſunt in vſu medico.4°.de comp.med ſec.loc. 5ª.150.B
ad Medicamentum exhibendum intentiones.cõ.4°.aph.2°. Ex.27.F
Medicamenta non omnibus conueniunt.4°.de ſan.tu. 2ª.83.A
Medicamentum vnum non poteſt omnibus conuenire,ſed oportet medium eſſe.2°.de comp.med.per gen. 5ª.218.H
Medicamentum idem omnibus hominibus non conuenit,quia multum differunt.3°.de comp.med.per gen. 5ª.232.D
Medicamentum vnum non poteſt omnia curare, ſed bene duo. 4°.de comp.med.per gen. 5ª.235.H
Medicamenta duo contraria facultatibus debent haberi in omni affectu.6°.de comp.med.ſec.loc. 5ª.173.B
ex Medicamentis duobus cõtrarijs vni affectui,ſit medicamẽtũ optimum illi affectui.6°.de comp.med.ſec.loc. 5ª.176.H
Medicamenta & antiqui dabant per contrariam naturam.11°.de ſimpli.med.fac. 5ª.82.A
Medicamẽta quæ ĩdigẽt cõtrarijs.1°.de cõp.med.per ge.5ª.210.D/E
Medicamento purgari quibus conuenit.com.6°.aph.47°. Ex.52.B
Medicamenta quando danda,& quomodo ſint præparandi, qui ea accipere debent.com.1°.aph.24°. Ex.10.G
Medicamentum dabat Galenus,& ſanguinem mittebat non expectata coctione.11°.de ſimp.med.fac. 5ª.78.A
Medicamenta exhibendi tempus.introd.Iſa.58.A/6°.meth.med.37.C/11°.7ª.70.A/de ſper. Sp.39.G
Medicamentum q̃n debeat dari,& quando nõ.c.1°.aph.22°.Ex.10.C
Medicamentum dandum in humorum corruptela. quos purg.op.qui.me.& quo temp. 5ª.88.B
Medicamentum nihil efficit,natura ad vrinam vergente. quos purg. op.quib.med.& quo temp. 5ª.89.B
Medicamentum ne prebeto,cum vrinæ ſunt a principio tenues.de vri. ſign.ex Hip. Sp.79.A
Medicamẽtis gnoſis ne vtaris,q̃n morium̃ ægri.12°.met.me.7ª.75.H
Medicamentum non valet, niſi in tempus debitum, & in temperaturis conuenientibus.de med.exper. Sp.106.F
Medicamẽta nihil ſunt niſi eorũ vſus ſit rect°.6°.de cõ.m.ſ.l.5ª.173.B
Medicamẽta nõ agũt,niſi medicus dextre vtat.6°.met.me. 7ª.38.A
Medicamentorum dexter vſus,qualis.6°.meth.med. 7ª.38.A
Medicamenti vi morbi qui ſanantur in principio,carent reliquis trib⁹ temporibus.de opt.ſecta. Iſa.29.D
Medicamenta quæ conueniunt in vno periodo ægritudinis, non conueniunt in alio.de ſper. Sp.39.H
Medicamina febrem quandoque faciunt.1°.de diff.feb. 3ª.31.C
Medicamenta euitanda in acutis morbis,cum febre vehementiſſima. de vic.rat.in mor.acu.com.2°. 7ª.118.B
Medicamenta non exigit febris,cur tamen in febre exhibeantur,cum ſint calida.quos purg.op.quib.med.& quo temp. 5ª.88.G
Medicamentum etſi calidũ ſit,& febris calida,tñ ſit maius iumentum ex ipſo,licet cõtraria ſit caliditas.cõ.1°.aph.24°. Ex.10.F
Medicamentum nullum ſorte exhibendum in quartana febre. de arte cur.ad Glau. 7ª.97.F
Medicamenti quantitas ignoratur.de cur.ra.per ſang.miſſ. 6ª.18.H
Medicamẽtum purgatoriũ quo dari debet.com.2°.aph.8°. Ex.12.A
Medicamentum quo modo debes dare,cum ignoras naturam ægri. de vict.rat.in mor.acu.com.2°. 7ª.118.C
Medicamenta ſciri non poſſunt ignorata corporis ægrotantis intemperie.2°.de nat.fac. 1ª.301.B
Medicamenta aliqua cur intro ſumpta maximum faciunt malum, nõ extra.3°.de temp. 1ª.23.A
Medicamenta aliqua cur intro ſumpta quandoq; lædunt, quandoque proſunt.3°.de temp. 1ª.23.A
Medicamenta intro ſumpta tempore,quantitate,mixtura, conferunt, intempeſtiue lædunt.3°.de temp. 1ª.23.B
Medicamenta omnia aliquid mali faciunt præter Caſtoreum. 11°.de ſimp.med.fac. 5ª.80.D
Medicamẽta aliqua cur ũ° et extra applicata lędũt.3°.de tẽp.1ª.23.A
Medicamenta purgantia ventriculũ lædunt,& potiſſimum os eius, et cur.quos purg.op.quib.med.& quo temp. 5ª.89.C
Medicamẽta purgantia omnia,os ventris,& ventrem lædunt.de vic. ra.in mor.acu.com.2°. 7ª.118.A
Medicamentum anteq̃ exhibeatur,quando primo os ventriculi roborandum.1°.de arte cur.ad Gla. 7ª.98.B
Medicamentum quo modo non lædat os ventriculi. de vict.ra.in mor. acu.com.2°. 7ª.118.D
Medicamenta illa danda ſunt,quæ ſi non proſint,ſaltem non obſint.1°. de comp.med per gen. 5ª.216.C
Medicamenta pp qd inſuauia ſint.de vi.ra.in mor.acu.c.2°.7ª.118.A
Medicamenta nõ debent eſſe inſuauia.6°.de cõp.med.ſe.l. 5ª.167.A
Medicamenta inſuauia quid faciant & quibus corrigantur. 1°.de cõpo.med.per gen. 5ª.210.F
Medicamenta debent fieri iucundiſſima ſed ſeruata eorum virium vtilitate.4°.de ſan.tu. 2ª.86.F
Medicamentum quomodo iucundum dicatur.4°.de ſimp.me.ſ.27.A/7°.de comp.med.ſec.loc. 5ª.182.E
in Medicamentis cur ponatur odor.8°.de comp.me.ſec.loc. 5ª.190.B/de vic.rat.in mor.acu.com.2°. 7ª.118.A
Medicamentis quæ miſcenda, vt ventriculus non euertatur propter malum ſaporem.3°.de ſimp.med.fac. 5ª.20.C
Medicamentis purgantibus cur olentia admiſceantur, & qualia olentia.quos purg.op.quib.med. 5ª.89.C
Medicamentis purgantibus quæ ſint miſcenda odorata aromata.8°. de comp.med.ſec.loc. 5ª.190.B
in Medicamẽtis quid agat Aloe.de med.exper. Sp.104.B
Medicamenta purgãtia ſũt cacoſtomachica ꝑter aloẽ.de dy.Sp.20.H
in Medicamentis quid ualet Aniſum.de med.exper. Sp.104.B
Medicamẽtis cur miſceantur aniſum,apium,& abſinthium.8°.de cõpo.med.ſec.loc. 5ª.190.B
in Medicamentis quid agat Cinnamomum.de med.exper. Sp.104.A
Medicamenta cum carne mali cydonij quãdoq; exhibebant. 3°.de ſimpli.med.fac. 5ª.20.C
in Medicamentis,quid ualet Gariophilum.de med.exper. Sp.104.B
in Medicamentis,quid ualet Maſtiche.de med.exper. Sp.104.B
in Medicamentis,quid ualet Spatana.de med.exper. Sp.104.B
in Medicamentis,quid agat Spica nardi.de med.exper. Sp.104.B
poſt Medicamentum aliquid edendum. quos purg.op.qui.me.5ª.89.E/de uic.rat.in mor.acu.com.2°. 7ª.118.D
poſt Medicamẽtũ cur edẽdũ.de uic.rat.in mor.acu.cõ.2°. 7ª.118.D
Medicamenta quæ ſumi non poſſunt poſt cibum.4°.de ſan.tu. 2ª.86.F

Medicamentum ſi euacuat nigra nõ malũ.com.4°.aph.21°. Ex.29.E
poſt Medicamentũ cur ptiſſana.de vic.ra.in mor.ac.cõ.2°.7ª.118.E
in Medicamentis quidam alterantur.1°.de præſag.ex pul. 4ª.105.B
Medicamenta in quo genere alterationis ſint.5°.de ſimp.me.f. 5ª.17.D
in Medicamento pulſus auctus quo modo cognoſcit,& quomodo diſ ferat ab acceſſione.1°.de præſag.ex pul. 4ª.105.B
Medicamẽto excellẽtior sãguinis miſſio cur.d cu.ra.p ſan.mi. 6ª.18.H
Medicamẽto ſecurior eſt venæ ſectio.de vi.ra.i mor.ac.c.2°.7ª.118.C
Medicamentorum periculũ vnde ſit.de venæ ſect.aduer.Eraſ. 6ª.7.G
Medicamentis quibus confidendum.1°.de comp.med.ſec.lo. 5ª.128.F
Medicamentum quando potius adhibendum,q venæ ſectio,& è cõuer ſo.2°.de comp.med.ſec.loc. 5ª.136.H
non per Medicamentum ſed per ſectionem venæ minorationem materiæ fieri debere collige.11°.meth.med. 7ª.72.D
Medicamenta ad Pus extrinſecus.introd. Iſa.58.A
Medicamentum pus mouens quale.5°.de ſimp.med.fac. 5ª.33.D
Medicamenta mouentia pus per halitum digerunt humorẽ. 5°.de ſim pli.med.fac. 5ª.33.B
Medicamentum mouens pus & indurata emolliens diuerſum eſt in ho mine temperato.5°.de ſimp.med.fac. 5ª.33.D
Medicamẽta facilitia pus i vlcerib.ſunt ſecura.c.5°.ap.22°.Ex.39.D
Medicamẽta ad Puſtulas ĩ ſũma cute exiſtẽtes extrinſecus.ĩtr.Iſ.58.B
Medicamina aliqua habent vim Putrefaciendi.de cauſ.mor. 3ª.9.D
Medicamentũ factum exemplo ad putredinem in nerno vulnerato.6°. meth.med. 7ª.37.F
Medicamẽta Qualitatis expertia q̃.4°.de comp.med.ſe.lo.5ª.150.A
Medicamẽtorũ qualitates quatuor diſtincte.1°.de cõp.m.p g.5ª.210.C
in Medicamenus multæ diuerſi generis miſtæ ſunt ſubſtantiæ. 3°.de ſimpl.med.fac. 5ª.23.B
Medicamẽta cõſiderãda an Rara vel denſa.1°.de ſimp.me.fa. 5ª.4.F
Medicamentũ Recẽs quod inualidũ eſt.8°.de cõp.med.ſec.lo.5ª.197.H
Medicamentum quo vti non debemus cum eſt recens.7°.de comp.me di.ſec.loc. 5ª.183.C
Medicamẽta Relaxãtia quæ vocentur.7°.de comp.me.per g.5ª.267.F
Medicamenta ad Renes affectos.introd. Iſa.57.H
Medicamenta optima quæ Repercutiunt ac digerunt.9°.de ſimp.med. facult. 5ª.67.H
Medicamenta Reprimentia extrinſecus.intro. Iſa.58.A
Medicamenta reprimentia in principio cur Galenus habuit ſuſpecta in doloribus oculorum.com.6°.aph.31°. Ex.49.F
Medicamenta Repurgantia extrinſecus.intr. Iſa.58.A
Medicamentum Rhodianum.1°.de comp.med.per gen. 5ª.217.B
Medicamenta Salubria vocata quæ tenuandi vim habent cur inuẽta. de bon.& vitio ſuc. 2ª.34.F
Medicamẽtis ſalubribus eſt opus nõ mõ cibo ꝓbato et innoxio,cui negocia & occupationes sũt impedimẽto, vt ante cibũ exerceri non poſſit,& cibũ aptis tpibus ſumere.de bon.& vit.ſuc. 2ª.34.D
Medicamentum ex Sandice.14°.meth.med. 7ª.92.F
Medicamentum optimum ad ſanguinem ſupprimendum.5°.meth.me- dendi.30.H/ 7ª.31.B
Medicamẽta quæ ſint ſatis in ſanguinis ſpuitione.5°.met.me.7ª.33.A
Medicamenta multi Seminis,quæ.5°.de ſimp.med.fa. 5ª.38.C
Medicamenta ſimul & cibi multi ſeminis.5°.de ſimp.me.f. 5ª.38.C
Medicamenta verſibus ſcribere probat Galenus.1°.de anti.5ª.102.C
Medicamenta omnia verſib⁹ ſcripſit Democrates.1°.de anti.5ª.102.C
Medicamenta verſibus ſcripta quid melius habeant alijs. 1°.de cõpo. med.per ge.217.F/5°.250.F/7°.267.C/ 5ª.268.A
Medicamẽta verſib⁹ ſcripta nõ pñt alterare doſim.1°.de ant.5ª.108.a
Medicamentis non notis ponderũ,ſed integris vocabulis eſſe ſcribenda voluit Menecrates.1°.de anti.102.C/ 5ª.104.A
Medicamentorum ſcriptores.3°.de comp.med.per ge. 5ª.234.H
de Medicamentis qui egregie pertractarunt.2°.de compo.medic.per genera. 5ª.222.A
de Medicamentis qui ſcripſere.7°.de comp.med.ſec.loc. 5ª.178.B
Medicamẽtorũ vt librũ fecit Archigenes.4°.de cõp.me.p g.5ª.242.D
de Medicamentis librum fecit Crito.1°.de antid.110.A/ 2°.de cõp. med.per gen.233.E/6°. 5ª.256.H
de Medicamẽtis librũ fecit Heras.2°.de cõp.med.ſe.loc.140.A/6°. 168.C/7°.de cõp.me.p g.265.C/5ª.272.G/14°.met.me. 7ª.92.H
Medicamentorum promptuarium inſcriptum libr um fecit Heras. 1°. de comp.med.per ge. 5ª.214.D
Medicamẽta ſunt tradita in tractatibus curatiuis ab Hippocrates.6°. de ſimp.med.fac. 5ª.39.H
de Medicamentis exacte artẽ fecit Hippocr.de the.ad Piſ.5ª.91.A
Medicamentorum cognitionem primi tradidere Mantias & Heraclides.2°.de comp.med.per ge. 5ª.222.A
de Medicamentis librum fecit Theſſalus.4°.met.med. 7ª.25.C
de Medicamentis intra corpus aſſumendis liber Andromachi.2°.de antidotis. 5ª.114.A
de Medicamentis librum antecedere debet liber de inæquali intempe ric,& poſt librum de medicamentis ſequi debet liber de methodo medendi.de inæq.intemp. 3ª.44.H
Medicamenta apud medicos expertos cur ſcripſit Galenus.1°.de cõ- po.med.ſec.loc. 5ª.124.A
Medicamenta q̃ a ſcribẽte cõſiderãda.6°.de comp.med.ſe.l. 5ª.175.E
Medicamenta Simplicia q̃ a Græcis apla vocantur.de cath. Sp.95.A
Medicamentum ſimplex quid.de ſimp.med.fa. 5ª.2.C
Medicamenta qũo dicunt ſimplicia.in 6ᵐ.de mor.vul.c.5°. 3ª.194.C
Medicamenta quæ ſimplicia videntur,ſunt compoſita.3°.de ſimp.me dic.fac. 5ª.19.H
de Medicamentorum ſimplicium facultatibus librum ſequitur liber de componendis medicamentis.7°.de ſimpli.med.fac. 5ª.55.G
Medicamẽta hẽt vbiq; qui ſimplicia nouit.6°.de cõp.me.ſ.l.5ª.167.E
Medicamenta eligenda quæ ex paucioribus,& paratu facillimis ſim- plicibus componuntur.2°.de comp.med.per gen. 5ª.220.D/E
Medicamentum non eſt conſiderandum,quale ſit,ſed qualiter non affi- ciat.1°.de ſimp.med.fac. 5ª.9.B/C
Medicamenta ad hominem ſunt referenda,quid videlicet agant in ho- minem,non autem quid in ala animalia.2°.de ſimp.med.f. 5ª.14.H
Medicamenta ſemper ſunt referenda ad temperatum hominem.9°.de ſimpl.med.fa. 5ª.69.F
Medicamentum quod ex Sinapi conſtat.de cucur.ſcar. 6ª.4.E
Medicamẽtum ex ſinapi pro comitiali.3°.de loc.aff. 4ª.19.H
Medicamentum vehementiſſimum ſinapiſmus.3°.de loc.aff. 4ª.15.H
Medicamenta facile deſcendunt ad Stomachum & ad ventrem.7°. de comp.med.ſec.loc. 5ª.184.A
Medicamenta ad os dicunt Stomatica.6°.de comp.me.ſe.lo.5ª.166.H
Medicamenta ſtomatica.intro. Iſa.57.H
in Medicamentis ſtomaticis,in quibus,& hoc,& illud ponitur conſi- derare oportet quid redundet.6°.de comp.med.ſe.lo. 5ª.170.D
Medicamentum ex ſuccis appellatum diachylon ad phlegmone.7°.de comp.med.per ge. 5ª.268.A
tanquã Medicamẽtũ temperatum eſt oleũ.2°.de ſimp.me.f. 5ª.15.E
Medicamenta temperamento vicina,quæ.de ocul. 7ª.189.B
Medicamenta tẽperamẽtia quo modo agãt.2°.de ſimp.m.fa.5ª.12.D
Medicamentum Tenax nullum auferendum priusq̃ ſua ſponte abſce- dat.7°.de compo.med.per ge. 5ª.264.C
Medicamenta tenacia etiam ſi laueris permittenda ſunt.7°.de cõpo. med.fac. 5ª.264.C
Medicamenta Tenuantia quid agant.de bon.& vit.ſuc. 2ª.34.F
Medicamenta tenuantia hũt vim calefaciẽdi.de bo.& vi.ſuc. 2ª.34.F
Medicamentis tenuantibus ſi quis vberius vtatur efficiunt ſanguinẽ vel biliоſum,vel ſeroſum,vel melancholicum,procedente tẽpore. de bon.& vit.ſuc. 2ª.34.F
Medicamenta Tenuia,quæ in totum corporis halitum maxime digerũ tur.4°.de ſan.tu. 2ª.86.D
Medicamenta ad Tetanos extrinſecus.introd. Iſa.58.B
Medicamentum ex Thapſia pro comitiali.3°.de lo.aff. 4ª.16.H
Medicamentum temperie habens Theriacæ.ſecr. Sp.101.G
Medicamenta ſi debeãt deferri ad Thoracem,& pulmonem,quę exi- gant.7°.de comp.med.ſec.loc. 5ª.184.B
Medicamenta Trigona.12°.met.med. 7ª.75.C
Medicamenta ad tuſſim.introd. Iſa.57.H
Medicamẽta omnia non ſunt Venenoſa.3°.de ſimp.med.fac. 5ª.23.C
Medicamentum venenoſum,& nutrimentum quo modo differant.3°. de natur.fac. 1ª.304.A
de Medicamẽtis letalib⁹ nõ eſt locutus Gale.10°.de ſim.m.f. 5ª.72.E
Medicamentorum duo genera quæ venena ſunt,& quid agant in cor- pus.2°.de temp. 1ª.22.D
Medicamenta, quæ non purgant,in venenum mutantur.quos pur.opo. quib.med.& quo temp. 5ª.89.B
Medicamẽta dans ſi interimat a Solonis legibus mulctantur.in prog. commen.4°. 4ª.189.G
aduerſus Medicamenta letalia aũ,& poſt exhibita,terra lẽnia valet. 9°.de ſimp.

9°.de simp.med.fac. 5ª.65.D
Medicamenta contra venena qualia.5°.de simp.med.fa. 5ª.36.F
Medicamenta contra venena,lædunt corpus largius sumpta.5°.de simpli.med.fac. 5ª.36.H
ad Medicamenta pernitiosa.de med.fac.par. 7ª.179.C
ad Medicamenti venenosi potum.de med.fac.par. 7ª.199.C
Medicamentum exugit vt cucurbitula theriaca.de th.ad Pi. 5ª.96.G
Medicamenta aduersus Vesicæ calculos.intro. Isa.57.H
Medicamenta ad vlcera vesicæ.introd. Isa.57.H
Medicamẽta oĩa Vetusta sunt fugiẽda.1°.de cõp.med.se.loc. 5ª.122.C
Medicamentum ex Viperis cõtra ictũ viperarũ.3°.de lo.aff. 4ª.19.H
Medicamentum ictibus viperarũ imponendum.2°.de anti. 5ª.118.F/G
Medicamenta Viridia.de frac.com.3°. 7ª.242.E
Medicamentum viride.5°.meth.med. 7ª.33.A
Medicamẽta viridia sunt acriora.2°.de arte cur.ad Gla. 7ª.105.H
Medicamentum Viscidissimum est ueratrum.de simp.med. Sp.91.G
Medicamentum vlcus facere potens quo agat.cont.Iul. Ex.70.G
Medicamẽta qñ in vlcere danda.4°.de comp.med.per gen. 5ª.237.B
Medicamenta quo ponanť supra vlcera.4°.de cõp.me.per g.5ª.238.e
Medicamentum Vomitorium.de dyn. Sp.27.F
Medicamenta purgãtia per uomitũ,quæ,& qualia.de cath. Sp.94.F
Medicamentum prouocans Vrinam.de med.exper. Sp.105.D
Medicamẽtorum Vsus,qualis.5°.de simp.med.fac. 5ª.31.G
in Medicamento vno quæ dicta sunt ad alterius exemplum trahit.6°.de comp.med.sec.loc. 5ª.169.E
Medicamento vno omnibus mederi posse putabat quidam.3°.de compo.med.per gen. 5ª.234.D
Medicamenta multa ingrediuntur,& in multo vsu sunt, quæ non multum a medio recedunt.7°.de simp.med.fac. 5ª.53.A
Medicamẽta q̃dã partes corpis priuatim vitiãt.de the.ad Pi.5ª.91.A
Medicamentorũ vsus ſm tempora.6°.de cõpo.med.sec.loc. 5ª.169.F
Medicamentorum variatio secundum ætates,& temperaturas.7°.de comp.med.sec.loc. 5ª.181.B
Medicamenta alia expetunt ætas frigida, & tempus hyemale. 1°.de comp.med.sec.loc. 5ª.125.G
Medicamentum debet respondere proportione affectui. 1°.de compo.med.per gen. 5ª.210.E
Medicamenta augenda,& minuenda pro affectus ratione. 6°.de cõp.med.sec.loc. 5ª.169.D
Medicamenta quo modo morbos sanent.3°.de morbis vulgarib. commenta.5°. 3ª.187.H
Medicamenta ad Vuluam.intro. Isa.57.H
Medicamentis sanare pulchrius,incidere vero promptissimum est.4°.meth.med. 7ª.25.G
Medicandi ratio antiqua vocata ab Asclepiade mortis meditatio. de venæ sect.aduer.Eras. 6ª.6.G
MEDICATIO, & purgatio quomodo differunt. commentar.2°.aphorismo.37°. Ex.17.G
Medicatio ex quibus fiat.7°.meth.med. 7ª.43.G
Medicationis modum vnum esse oporteret si homo esset vnum & doleret.1°.de elem. 1ª.3.H
Medicatio quibus varietur.de ren.aff.dig.& med. 7ª.194.G
Medicationem quæ etiam varient.de ren.aff.dig.& me. 7ª.194.G
Medicationes difficiles sub cane,& ante canẽ.c.4°.aph.5°.Ex.28.A
Medicatio,lege purgatio.com.4°.aph.5°. Ex.28.A
MEDICATIVO si quis per diuisionem conseruatiuam opponat cognatorum oppositionem facit.ad Thras. 2ª.108.F
Medicatiuæ artis diuisiones multæ.de part.art.med. Sp.16.D
Medicatiuæ partes primæ,propriæ,& maximæ quæ. de partibus artibus medicinæ. Sp.17.H
MEDICATORIAE indicationes quot, & vnde sumantur. 9°.methodi medendi. 7ª.59.G
MEDICATRINA libri inscriptio.de ijs,quæ in me.fi.com.1°.7ª.200.E
de Medicatrina libri auctor.de ijs,quæ in med.fi.com.1°. 7ª.200.E
de Medicatrina liber cuius sit Hippocratis.de frac.com.1°.7ª.223.F
de Medicatrina librum præcedit liber de fracturis,& de articulis.de ijs,quæ in med.fi.com.3°. 7ª.219.F
Medicatrina Hippocratis ante omnes collegios Hippocratis legenda.de ijs quæ in med.fi.com.1°. 7ª.197.E
Medicatrinam Hippocratis commentati sunt Bacchius,& Asclepias.de ijs,quæ in me.fi.com.1°. 7ª.197.F
ad Medicatrinam inspectantibus maximam vim habet cõsuetudo. de ijs,quæ in med.fi.com.1°. 7ª.217.F
MEDICATRIX pars ars corporis.ad Thras. 2ª.107.C
MEDICINA, quid.fin.med.Isa.43.D/ad Thras.2ª.102.A/11°.methodi medendi. 7ª.71.C
Medicinæ alia diffinitio.ad Thras. 2ª.102.F
Medicinæ diffinitio Hippocratis.de opt.sect. Isa.21.C
Medicina,quid sit ex Hippocratis sententia.intro. Isa.51.G
Medicinæ diffinitio secundum Herophilum in principio artis paruæ posita a Galeno.de subf.emp.intro. Isa.32.A
Medicina quid apud Empiricos.de sect. Isa.16.B
Medicina secundum methodicos.quæ.de opt.sect. Isa.26.B
Medicinæ diffinitio per finem.ad Thras. 2ª.102.B
Medicina quarum sit scientia rerum.ars med. Isa.62.A
Medicina ars nobilis.in oratione suas. Isa.5.G
Medicina præstantissima cæterarum scientiarum.in orat.suas.Isa.5.G
Medicina reliquas artes præcedit.1°.meth.med. 7ª.3.B
Medicina grauis ars vt facetijs vti nõ dẽat medic°.3°.de sa.t.2ª.81.H
Medicina necessaria est.1°.de san.tu. 2ª.62.D
Medicina perfecta diuina inuenta ab Aesculapio.intro. Isa.50.G
Medicina cur inuenta.ad Thras. 2ª.106.C
Medicinæ ars vnde excogitata.intro. Isa.51.F
Medicina ad hominum salutem inuenta.fin.med. Isa.43.B
Medicina ad vsum vitæ confert.fin.med. Isa.43.B
Medicinæ principium.intro. Isa.50.H
Medicinæ principia tria inuentio,ratio,traditio.intro. Isa.50.H
Medicinæ amore cantabat Erasistratus per ciuitates Hippocratis libros.de cath. Sp.94.C
Medicina an sit scientia,an ars.intro. Isa.51.E
Medicina non est scientia.intro. Isa.51.E
Medicina,an contemplatiua,an actiua,an factiua,an possessiua.de constitutione artis med. Isa.36.E/F
Medicina inter effectiuas,aut acquisitiuas, nõ inter actiuas,nec inter speculatiuas artes numeratur.ad Thras. 2ª.106.D
Medicina est vna effectiuarum artium,non simpliciter,sed vt reparatrix.de const.art. Isa.42.G/H
Medicina est ars factiua.de const.ar. Isa.36.E
Medicinæ opus post actionem perdurat.intro. Isa.51.F
Medicina non format suum exemplum.de const.art. Isa.42.H
Medicinam appellari artem male habentia corpora curantem nemo negat.ad Thras. 2ª.107.B
Medicina,& ars tuendæ sanitatis,idem.3°.de ali.fac. 2ª.30.A
Medicina quo modo vna ars,& quo modo plures.ad Thras. 2ª.105.B
Medicina est ars coniecturalis.introd. Isa.51.F
Medicina coniectura artificiosa est.com.1°.aph.12°. Ex.5.B/C
qΦ Medicina sit ars quædã cõiecturalis docere Hippocratẽ in principio aphorismorũ habet ꝑ incõueniẽti Galenus.c.1°.aph.1°. Ex.2.E
Medicina est ars,non coniecturalis,sed scientifica.2°.de comp.medic.sec.loc. 5ª.136.A
Medicina minus præstans q̃ Theologia.17°.de vsu par. 1ª.222.D
ad Medicinã mechanicarũ artiũ cõparatio,et diuisio.ad Thr.2ª.106.G
Medicina perinde est vt ars vestium arctoria.ad Thras. 2ª.106.D
Medicinæ diuisio.ad Thras. 2ª.106.G
Medicinæ variæ partes.de part.art.med. Sp.16.E
Medicina diuidiť in cõstituiuas,et finales partes.de subfi.emp.If.31.H
Medicinæ maximæ,& primæ partes,quæ.de part.art.med. Sp.17.F
Medicinæ duæ partes contemplatiua,& actiua.fin.med. Isa.48.A
Medicinæ partes duæ,vna ad tuendam sanitatẽ,altera ad morbos profligandos.1°.de san.tu.62.C/ad Thras. 2ª.109.E
ad Medicinam pertinet pars tuendæ sanitatis.ad Thras. 2ª109.E
Medicinæ tres partes.ad Thras. 2ª.106.E
Medicinæ tres esse partes nemo est qui neget.ad Thras. 2ª.107.B
Medicinæ tres partes instauratrix,præcautrix,conseruatrix. de constit.artis. Isa.42.C
Medicinæ quinq; partes, naturæ indagatrix,cognitrix affectuũ,victꝰ institutrix.materialis,& curatrix.fin.med. Isa.48.A
Medicinæ partes quinq; φισιολογικόν,αιτιολογικόν, seu παθολογικόν, ὑγιεινὸν,σημειωτικόν,& θεραπευτικόν. intro. Isa.51.H
Medicinæ pars euectica id est boni habitꝰ seruatrix.ad Thr.2ª.106.E
Medicinæ pars euectica magis parua vitia castigat,minus vero salubris hæc adhuc minus analeptice.ad Thras. 2ª.106.E
Medicinæ pars,q̃ prophilactica dr̃,qd agat.6°.de san.tu. 2ª.100.A
Medicinæ pars præseruatiua cõtraria curatiuæ.1°.de sa.tu. 2ª.62.D

Medicinæ pars eorum qui iam morbum euaſerunt, reſectrix dicitur. ad Thraſ. 2ª.106.E
Medicinæ pars refectrix a non nullis analeptice, id eſt inſtauratrix dicitur. ad Thraſ. 2ª.106.E
Medicina correctiua eſt, & quo modo. ad Thraſ. 2ª.106.E
Medicinæ diuiſio, vt correctiua. ad Thraſ. 2ª.106.E
Medicinæ pars ſalubris, eſt ex vna medicinæ diffinitione, ex altera nõ. ad Thraſyb. 2ª.102.A
Medicinæ pars ſalubris inter euecticen, & analepticen collocatur. ad Thraſyb. 2ª.106.E
Medicinæ partis differentiæ, quæ ὑγεινόν dicitur. intro. Iſa.52.C
Medicinæ pars ſalubris in quot partes diuidatur. de ſubſ. emp. Iſ.32.a
Medicina de quibus, primo & præcipue agat. ars med. Iſa.62.B
Medicina primo de ſalubribus, ſecundario de inſalubribus, tertio de neutris agit. ars med. Iſa.62.B
Medicinæ quædam partes neutræ dictæ. ad Thraſ. 2ª.106.F
quæ Medicinæ pars nõ fuit multũ in vſu apud antiquos Aſclepiadas. ad Thraſ. 2ª.107.B
Medicina vetus ſeruanda eſt. 3°. meth. med. 7ª.17.E
Medicinæ pars de affectibus quid contineat. fin. med. Iſa.50.B
Medicinæ pars indicatiua in quot partes diuidat. de ſub. emp. Iſ.32.A
Medicinæ pars curatiua in quot partes diuidit. de ſubſ. emp. Iſ.32.A
Medicinæ partes dietetica pharmaceutica, & chirurgia mutua ope indigent. 3° de comp. me. per ge. 5ª.231.F
Medicinæ pars adnotatrix neceſſaria eſt. intr. Iſa.52.D
Medicatio φαρμακεία dicta quibus vtatur inſtrumentis. intro. Iſ.52.D
Medicina quæ manu medetur neceſſaria eſt. intr. Iſa.52.D
inter Medicinæ alias partes ĩmiſcẽda anatomia. 2°. de ana. ad. 1ª.68.g
extra Medicinam ſunt documenta de vnguentis, & ſuffimentis. 1°. de compo. med. ſec. loc. 5ª.127.E
Medicinæ quomodo ſubiectum eſt noſtrum corpus. ad Thra. 2ª.106.B
Medicinã eſſe de oĩbus animalibus poſſet colligi vbi excipit ab aphoriſmo animalia, quæ in latibulis degunt. com. 1°. *aph.* 15°. *Ex.*8.B
Medicinæ prima intentio duplex eſt. de ocul. 7ª.185.C
Medicinæ finis, qui ſecundum diuerſos. 1°. *meth. med.* 7ª.7.C
Medicinæ finis ſecundum empiricos. de ſubſ. emp. Iſa.34.C
Medicæ artis finis. ad Thraſ. 2ª.102.C
Medicinæ cõis ſcopus, & finis. de ijs, quæ in me. fi. com. 1°. 7ª.200.D
Medicę arti communia. de ijs, quæ in med. fi. com. 1°. 7ª.196.A
Medicinæ finis non conſiſtit in contemplatione. ad Thraſ. 2ª.106.D
Medicinæ vnum propoſitum ſanitas. de opt. ſect. Iſa.20.E
Medicinæ finis quo ſanitas. de ſectis. Iſ. 15.H/*ad Thraſ.* 2ª.102.G
Medicinæ finis, qui quieſcente medico demonſtratur, eſt ipſa ſanitas. ad Thraſ. 2ª.105.H
ad Medicinam an ſpectent incurabilia. de arti. com. 3°. 7ª.281.C
Medicina cui ſimilis. ad Thraſ. 2ª.105.G
Medicinæ duæ primæ ſectæ. fin. med. Iſa.43.E
Medicina propter quid addiſcatur. 9°. de decr. Hipp. 1ª.281.G
Medicinam qui vult aſſequi quid agendum. de aere, aq. & loc. 2ª.2.C
Medicinæ quæ artes prædiſcendæ. 1°. met. med. 7ª.2.E
Medicinæ neceſſaria eſt philoſophia naturalis. de ocul. 7ª.185.C
ad Medicinam multum facit Aſtronomia. de aere, aq. & lo. 2ª.2.D
Medicinam, & philoſophiam, ante grammaticam, & alias ſcientias aggredientes, damnat Galenus. de lib. prop. Iſa.10.C
Medicinam aggreſſus eſt decimo ſeptimo anno Galenus in ſomnis admonitus. de ord. lib. ſuo. Iſa.15.E
Medicinam cum philoſophia iunxit Galenus. de ord. lib. ſuo. Iſa.15.E
Medicinę operã dedit Galen⁹ ĩ ſomnio pr̃is monitus. 9°. me. m. 7ª.56.E
Medicinæ totius commune exordium continet liber medicus dictus. de ijs, quæ in med. ſi. com. 1°. 7ª.197.F
in Medicina primo ſunt inſpicienda ſimilia, & diſſimilia. de ijs, quę in med. ſi. com. 1°. 7ª.197.F
Medicina quo modo ſit longa. com. 1°. *aph.* 1°. *Ex.*2.D/F
Medicinam poſſe diſci ſex menſibus qui dixerit. de ſectis. Iſ.17.E/2°. *de criſ.* 4ª.133.G
Medicinæ partes tres quib⁹ inſtrumẽtis addiſcãt. de ſub. emp. Iſ.31.H
ad Medicinã diſcẽdã qñq; patria opitulatur. de ther. ad Piſ. 5ª.89.g
Medicinæ non confert ſcire an irraſcibilis, & concupiſcibilis ſit, mortalis, vel immortalis. 9°. *de decr. Hip.* 1ª.285.E
ad Medicinam nihil facit cognoſcere an plantæ ſint priuatæ ſenſu, vel non. de ſubſ. facult. nat. 1ª.239.H
ad Medicinam non ſpectat tractare cauſas colorum, & humorũ. 8°. *de decr. Hipp.* 1ª.275.H
Medicinæ vtile eſt ſcire animæ facultates, & loca. 9°. *de dec.* 1ª.285.F
Medicinæ neceſſarium ſcire an plures ſint hominum facultates. 8°. *de decr. Hip.* 1ª.273.A
in Medicina cur ſunt multa ambigua. 9°. *de decr. Hip.* 1ª.285.F
Medicinæ veritas non eſt inuentu facilis. com. 1°. *aph.* 1°. *Ex.*2.E
Medicina quomodo ſit ferè incõprehenſibilis. com. 1°. *aph.* 1°. *Ex.*2.C
Medicinam ſatis eſt in pluribus verificari. com. 6°. *aph.* 58°. *Ex.*55.A
in Medicina perueniendum ad primas præpoſitiones indemonſtrabiles. 1°. *meth. med.* 7ª.5.B
in Medicina ſæpe abutimur vocabulis. com. 6°. *aph.* 14°. *Ex.*7.C
Medicinam qui habet, & non habet eius vſum, idem eſt ac ſi quis lyram habeat, & ipſa non vtatur. de vſu ther. ad Pamph. 5ª.98.C
non Medicinæ ſcientia diuinandi arte videbatur aliquibus prædicere. 2°. de dif. feb. 3ª.38.B
Medicinæ ignari non poſſunt vti libris de compoſitione medicamentorum per genera Galeni. 3°. de comp. med. per gen. 5ª.228.B
Medicina debet agere q̃ cõueniũt circa ægrũ. com. 1°. *aph.* 1°. *Ex.*2.D
Medicinæ opera vnde debet auſpicari medicus. de ijs, quæ in medi. fi. comm. 1°. 7ª.200.A
Medicina habet calamitates multas. de præcogn. ad Poſth. 4ª.213.H
Medicinæ corruptores Galeni tẽpore qui. 3°. de dieb. de decr. 4ª.158.C
Medicina patiĩ calũniã apud vulg⁹. de vic. rat. in m. ac. c. 1°. 7ª.109.H
MEDICINA *quæ ſit. 5°. de ſimp. med. fac.* 5ª.31.H
Medicinarum virtutes variæ. de ocul. 7ª.188.D
Medicinarũ grad⁹ in primis qualitatib⁹ qũo cognoſcant. & oc. 7ª.188.D
Medicinarum virtutes ſecundæ, quæ. de ocul. 7ª.188.D
Medicinarum virtutes tertiæ. de ocu. 7ª.188.F
Medicinæ vires maxime ſaporibus oſtenduntur. de ocul. 7ª.187.G
Medicinæ proprietates, qui norunt. de ren. aff. dig. & med. 7ª.194.H
Medicina ad tpamentũ hominum referenda. 5°. de ſimp. me. fa. 5ª.33.D
de Medicinis ſubſtitutis ſcripſere Dioſcorides, Philiſtiõ, & Euriphõ. de ſubſt. med. 5ª.84.B
Medicina etiam ſexies, vel ſepties probata, non dicitur facere vniuerſalem propoſitionem. com. 3°. *aph.* 11°. *Ex.*21.E
Medicina, pbãda ſingularibus exẽplis. in 1ᵐ. *de mo. vul. c.* 1°. 3ª.101.G
a Medicinis non expertis cauæ. de med. exper. Sp.108.G
Medicina experta nocet vbi non conuenit. de med. exper. Sp.103.H
Medicina duobus modis obſtruit, & qui ſint. de ocul. 7ª.187.H
Medicinæ aliquæ ſunt euacuatiuæ alicuius partis, aliquæ omnium. cõ. 4°. *aph.* 2°. *Ex.*27.C/D
Medicina trahit humorẽ in partẽ intrinſecã. cõ. 4°. *aph.* 5°. *Ex.*28.A
Medicinæ potentia calidæ ſunt. 2°. de ſimp. med. fa. 5ª.15.H
Medicinæ detractio omnis eſt calida, & humida. de cathar. Sp.94.D
Medicina quælibet habet latentem acritudinem, & caliditatem. com. 4°. *aph.* 21°. *Ex.*29.D
vt Medicinæ exhibentur melancholicis cibi acres. de melãcholia ex Galeno, Ruſo, & Poſſ. Sp.110.D
Medicina aliqua aquã trahit, p̃cipue ĩ hydrope. c. 6°. *aph.* 14°. *Ex.*47.F
Medicinis cur miſceant dulcia, & boni ſaporis. de med. exp. Sp.108.G
Medicinæ, q̃ intro ſumunt, debent parari gratæ. 1°. de ant. 5ª.102.A
Medicinis quæ dent odorem bonum. de dyn. Sp.21.B
Medicina, quam infirmus habet odio, plus nocet, quam proſit. de med. expertis. Sp.108.G
Medicina omnis aliquo pacto inducit ſitim. com. 4°. *aph.* 19°. *Ex.*29.C
Medicina cur faciat ſitim aliquibus cito, aliquibus tarde. commen. 4. *aph.* 19°. *Ex.*29.C
Medicina cuius ſit qualitatis, quæ facit ſitim. c. 4°. *aph.* 19°. *Ex.*29.C
Medicina non inducens ſitim, qualis ſit. com. 4°. *aph.* 19°. *Ex.*29.C
Medicinæ non exhibendæ in magnis mutationibus temporum. de aere, aquis, & locis. 2ª.4.C
Medicina diu vti nõ dẽt q̃ſquã. ne fiat ei naturalis. de me. exp. S.108.g
per Medicinas curante magis laudandus qui curat per cibos. de medic. exper. Sp.108.G
Medicinę in aliquib⁹ locis ſunt venena, ĩ alijs bonę. & me. ex. Sp.108.h
Medicinæ carminibus ſcriptæ facilius memoriæ mandantur, et ponderа earum ſincerius ſeruantur. 2°. de anti. 5ª.118.G
Medicinæ Achaaſos. de med. exper. Sp.106.C
Medicina aduenæ Aegyptiaci. de med. exper. Sp.104.B
Medicinæ Andrczeos. de med. exper. Sp.106.F
Medicina Aſloronis experimentatoris. de med. exper. Sp.104.A
Medicinę Azariconis philoſophi. de med. exper. Sp.105.F

Medicinæ Betarcm.de me.exper. Sp.106.B
Medicina quę fit ex Calamento cit menſes,incidit craſſos humores,& extenuat.com.5°.aph.36°. Ex.40.G
Medicinæ Caſionis.de me.exper. Sp.104.H
Medicinæ Catilinæ medici.de me.exper. Sp.105.A
Medicinę conuenientes morbo Comitiali.com.5°.aph.7°. Ex.38.A
Medicinæ Fortes.com.5°.aph.55°. Ex.42.G
Medicinæ Gereonis.de me.exper. Sp.105.H
Medicinæ Incidentes,iuuant menſibus.com.5°.aph.36°. Ex.40.G
Medicina,quæ ſanat morſus ſerpentium.2°.de anti. 5ª.118.G
contra Medicinas Mortiferas medicamen.de me.exper. Sp.106.B
Medicinę Neruoſarũ partiũ ſint calidę,& ſiccæ.c.5°.ap.66°. Ex.45.C
Medicinæ Noxiæ non ſcribendæ.1°.de anti. 5ª.105.F
Medicinæ Socionis.de me.exper. Sp.105.C
Medicinæ Theſaurus.ſecretorum. Sp.99.F
Medicinæ Zenonis.de me.exper. Sp.107.F
a Medicina dictus medicus.ad Thraſ. 2ª.109.D
Medicina,lege Pharmacum.
MEDICINALEM *ſcientiam deſtruunt ponentes vnum ſolum elementum.1°.de elemen.* 1ª.5.A
Medicinalis facultas cum ijs,quę generantur,& corrumpuntur ſuum exhibet quodam modo miniſterium.1ª.de elem. 1ª.5.A
de Medicinalibus rebus nihil ferè inter medicos olim conueniebat.de optima ſecta. Iſa.23.E
Medicinalis cibus qui.com.4°.aph.13°. Ex.28.G
Medicinalis cibus cur difficulter deglutitur.3°.de nat.fac. 1ª.304.H
Medicinalium organorum differentiæ in genere.de mach. 7ª.309.C
MEDICOR, *pro exerceo.1°.de mor.vul.com.1°.* 3ª.112.F
Medicari,quid ſit.com.1°.aph.22°. Ex.10.B
Medicari,quid ſignificet apud Hippocratem.de frac.cõ.2°. 7ª.235.H/
com.4°.aph.1°. Ex.27.B
cum Medicamur aliquibus mores illorum cognoſcere debemus.de ijs, quæ in me.fi.com.1°. 7ª.198.B
Medicari dici poſſunt natura,ars medica,medicus,miniſter,venæ ſectio,& per ipſam factum ſanguinis profluuium.in 6ᵐ.de morbis vulgar.com.5°. 3ª.188.A
Medicari materiam per metatheſim.de dyn. Sp.20.G
MEDICVS *a medicina dictus.ad Thraſ.* 2ª.109.D
Medicus,quid ſit.6°.met.me. 7ª.37.B
Medicus, quid apud empiricos.de ſecta. Iſ.16.B
Medicus,quid ſit.5°.de ſimp.med.fac. 5ª.31.H
Medicus inſcriptum librum fecit Herodotus.in 6ᵐ.de mor. vulgarib. commentario.2°. 3ª.168.H
Medicus inſcribitur liber de ijs,quæ in medicatrina fiant.de ijs, quę in me.fiunt.com.1°. 7ª.197.D
Medicus dictus liber continet commune totius medicinæ exordium.& ijs, quæ in me.fi.com.1°. 7ª.197.F
Medici communi nomine qui.ad Thraſ. 2ª.105.B
Medici exiſtimantur a vulgo,qui nomina aliqua medica nominant.de vict.ra.in mor.ac.c.1°. 7ª.109.C
Medici cur oẽs vocati,q aliqd agunt ſecundũ artẽ.ad Thraſ.2ª. 105.D
Medicus appellandus,qui morbis medetur.2°.de ſan.tu. 2ª.73.H
Medicus ὑγιεινὸς dicendus.2°.de ſan.tu. 2ª.73.H
Medicus dici non debet,neque Gymnaſtes,qui ſanitatem tuetur.2°.& ſan.tuen. 2ª.73.H
*ad Medicũ,an ad Gymnaſticũ ptineat pars ſalubris.ad Thr.2ª.*106.G
*Medicorũ,& Gymnaſtarũ dĩæ de ſanitate tuẽda.3°.& ſa.tu.2ª.*77.D
Medicus,& exercitator circa ſanitatem corporis verſantur, nec tamen habent commune nomen.ad Thra. 2ª.107.D
Medicis adeſt materia duplex,corpus humanum,& medicamentum.2°.de criſibus. 4ª.136.H
Medicum eo magis quàm aliũ artificẽ fungi decet ſuo munere,quo ſibi nobilior eſt ſubiecta materies.de faſcijs. 7ª.293.C
Medico debet eſſe curæ opera naturæ.15°.de vſu par. 1ª.210.E
Medicum an artis,vel naturæ miniſtrum dicas nihil refert.de morbis vulgar.com.2°. 3ª.112.G
Medicus eſt miniſter naturæ.ad Thraſ. 2ª.105.G
Medicus debet imitari naturam.com.6°.aph.17°. Ex.47.H
*Medicus imitat naturam,& fortunã ſm Theſſalũ.cõtra Iul.Ex.*68.E
Medicus debet imitari naturam rectè operantem, quo modo aũt operetur,docet.com.2°.aph.1°.2.F/G/ Ex.3.C
Medicus,& amulus,& miniſter nãę.in 6ᵐ.de mor.vul.c.1°. 3ª.112.B
Medicis quo modo auxiliatur.in 1ᵐ.de mor.vul.c.1°. 3ª.112.C
*Medicus,& natura cauſæ oĩum rerũ circa corpus.de cõſt.ar.Iſ.*39.E
Medicus põt corrigere os fractum,non natura.de cõſt.ar. Iſa.39.E
Medicus prauus non eſt adiutor naturæ,ſed inimicus.1°.de diebus decretorijs. 4ª.149.H
*Medicus non implet cauum vlcus,ſed bũ natura.de conſt.ar.Iſ.*39.E
Medici quid præſtent ad carnis generationem.6°.met.me. 7ª.42.B
Medicus non coquit,ſed ſola natura.de conſt.ar. Iſa.39.E
Medicus gubernatori nauis comparatur.in prog.com.1°. 4ª.189.D
ad Medicum Architecti comparatio.in 6ᵐ.de mor.vul.c.5°. 3ª.188.C
Medicus,qui alio præſtantior.6°.met.me. 7ª.36.H
Medicus,qui non errabit.1°.de ar.cu.ad Glau. 7ª.94.E
Medici ſunt in prima ſede apud Deum Mercurium.in or.ex. Iſa.2.F
Medici laus apud Homerum.ad Thraſ. 2ª.107.A
Medicus cur neceſſarius.ad Traſ. 2ª.104.E
Medici finis,vt finis.9°.de decr.Hipp. 1ª.281.G
*Medicus,vt medicus ſanitati corporis cõſulit.9°.ꝺ dec.Hipp.*1ª.281.G
Medicus cauſa eſt ſanitatis.de cau.procat. 5°.96.F
Medicus ſimilis veſtes reſarcienti,& veteres calceos inſtauranti ad Thraſybulum. 2ª.104.B
Medicus vitioſum corpus inſtaurat.ad Thraſ. 2ª.104.B
Medici proprium eſt morbos adimere.2°.met.me. 7ª.10.D
*Medici opus errores corrigere circa humanũ corp⁹.1°.ꝺ dif.fe.*3ª.32.F
Medici errarunt,qui de ſanitate tuenda ſcripſerunt nullo facto nature diſcrimine.5°.de ſan.tuen. 2ª.93.D
Medico quieſcente demonſtratur medicinæ finis.ad Thraſ. 2ª.105.H
*Medicus,et morbus quo ſe hũ ĩter ſe.ĩ 1ᵐ.de mor.vul.c.2°.*3ª.112.G
Medico ars prior dignitate eſt.in 6ᵐ.de mor.vul.c.5°. 3ª.188.B
*Medicorũ tres ſectæ Rationalis,Empirica,& Methodica.inotr.Iſ.*31.A
Medicorum certantium ſcholæ tres.1°.met.me. 7ª.2.F
Medici certabant in Coo,Cnido,Rhodo,& Italia.1°.met.me. 7ª.2.F
Medicorum certamen honeſtum.1°.met.me. 7ª.2.F
*ad Medicos vnius ſectæ non ſpectat iudiciũ ferre de ſapiẽtia,abitate,q ſcriptoris eiuſdem ſectæ,ſed ad philoſophos.de opt.ſecta.Iſa.*23.D
Medicus idem eſt & philoſophus.ſi quis opt.me. Iſa.6.G
Medicus naturalis,rationalis,moralis.ſi quis opt.me. Iſ.6.G
Medicorum nomina vnde.ad Thraſ. 2ª.105.B
Medici verbotenus qui vulgo habeantur.in progn.com.3°. 4ª.208.F
Medici plures,quàm corporis partes.de par.art.me. Sp.16.G
Medicorum officia diuerſa.de part.art.me. Sp.16.F
*Medici ſm varios fines diuerſo mõ vocabunt.9°.ꝺ decr.Hip.*1ª.281.G
*Medici Ægyptij quo vtant medicamẽto.4°.ꝺ cõp.me.ſ.l.*5ª.154.A
*Medici altariũ curabant p cibos ſacrificiorũ.de me.exper.Sp.*108.G
Medici altariũ cur nobiliores aliis medicis.de me.exper. Sp.108.G
Medicos altarium non damnat,qui curant cum cibis ſacrificiorum.de medicinis exper. Sp.103.H
Medici anales.de part.art.me. Sp.16.F
Medici auriculares.de par.ar.me. Sp.16.F
Medici dentales.de part.art.me. Sp.16.F
in Medicum aliquem diatritarium qui incidunt,ſunt in fortunati.10°.met.meden. 7ª.61.H
Medici diatritarij errabant.de cauſ.procat. 3ª.95.F
Medici equorum quibus ſcalpris vtantur.7°.de ana.adm. 1ª.95.E
Medici oculorum Romæ erant.com.6°.aph.31°. Ex.49.E
Medici organici qui.7°.de vſu par. 1ª.161.G
Medicus ex ciuitate Sidica.in 6ᵐ.de mor.vul.com.2°. 3ª.136.F
Medici pneumatici,qui.3°.de diff.pul. 4ª.62.D
Medicus vetuſtiſſimus Hippocrates.in prog.com.1°. 4ª.195.B
Medicorum diligentiſſimus Hippocrates.1°.de dieb.decr. 4ª.147.F
Medicorum princeps Hippocrates.3°.de decr.Hip. 1ª.224.B
Medicus habet eandem naturam cum habentibus animum ad rem medicam.idoneum.9°.de decr.Hip. 1ª.280.F
Medicus qualis eſſe debet.5°.de ſan.tuen. 2ª.93.E
Medici quales eſſe debent.de ther.ad Tiſ. 5ª.93.H
Medicus optimus,qui fin.me.Iſ.43.F/3°.met.me. 7ª.20.F
Medici cur vocantur optimi ab ignaris.1°.met.me. 7ª.2.D
Medici iure dicti,qui.ad Thraſ. 2ª.109.E
Medicus optimus quid faciat,vt Hippocratis gloriam aſſequatur.de ſubfiguratione empirica. Iſa.34.D
Medicus præclarus qui eſſe debet.de ren.aff.dign.& me. 7ª.194.H
Medici qui celebriores.de vict.rat.in mor.acu.com.2°. 7ª.121.G
*Medici laboris amãtiores sũt meliores.ꝺ vi.ra.ĩ mor.ac.c.2°.*7ª.121.G

Medicis pauperibus vtilia.6°.de comp.med.sec.loc. 5ª.168.*A*
Medici multi pauperes,& ægri.6°.de comp.med.sec.loc. 5ª.168.*A*
Medicis pauperibus Galenus respondet.6°.de comp.m.s.l. 5ª.168.*A*
Medico multæ artes matcriam præparant,in 6m.de morbis vulgarib. commen.5°. 3ª.188.*C*
Medicus multo indiget tempore ad artem exactè acquirendam.1°.de digno.puls. 4ª.70.*D*
Medicus q̃ scire debeat.si quis opt.med.Is.6.F/2°.de sa.tu. 2ª.73.*H/ de tu.præter na.* 3ª.83.*G/1°.de lo.af.* 4ª.2.*C/2°.de cõp.me.pge.* 5ª. 218.*F/de ren.aff.dig.& me.* 7ª.194.*F/G/de decub.pg. ex mathe. scien.*15.*H/de vir.nost.cor.dijb.* *Sp* 60.*B*
Medicus quid præcipuè discere debet,quid post precipua. in prognost. commen.3°. 4ª.212.*F*
Medicus quid prius discere debet.de ijs,quę in me.fi.com.1°. 7ª.197.*G*
a Medico primum discendum est,quid sit sanitas.secr. *Sp.*96.*G*
Medicus salubria,insalubria,& neutra debet percipere.de subfiguratione empir. *Is.*32.*C*
Medicus linguam callere debet.in 6m.de mor.vul.com.4°. 3ª.181.*E*
Medicorum antiquorum secundũ tẽpora sermo.c.6°.aph.1°. *Ex.*46.*C*
Medici non curant de atticismo.2°.de ali.fuc. 2ª.18.*F*
*Medico q̃q; abuti nominibus,vt in atra bile.c.6°.aph.*53°. *Ex.*53.*B*
Medicorũ propõnes magna ex parte verę sunt.c.4°.aph.44°. *Ex.*32.*g*
Medici nihil possunt indefinitum,et vniuersale pronunciare.9°.de decretis Hip. 1ª.283.*G*
a Medicis præstantissimis solum causæ rerum cognoscuntur.in 6m.de mor.vul.com.5°. 3ª.193.*C*
Medicus de natura loqui debet.in 6m.de mor.vul.com.4°. 3ª.185.*A*
Medicus temperamentorũ anni rõnem hẽ d3.de aer.aq.& lo. 2ª.2.*C*
Medicus aquarum facultates noscere debet.de aer.aq.& lo. 2ª.2.*C*
Medico q̃ sint considerandæ circa tẽporũ mutationes.de sper. *Sp.*39.*F*
Medici exercitandi in methodo demonstratiua.7°.met.me. 7ª.44.*B*
Medici,q̃nesciũt dividere,cõparant malis coquis.2°.me.mẽ. 7ª.13.*B*
Medici non exercitati in Dialectica non possunt cauere a falsis demonstrationibus.3°.de simp.med.fa. 5ª.16.*H*
Medicorũ errores contingunt ob dividendi prauitatem.1°.de art.cur. ad Glauc. 7ª.94.*E*
Medici nõ nulli tpe Galeni tãtã cognitionẽ habebãt Dialecticæ,Grãmaticæ,& Rhetoricæ,quantum asinus lyræ.1°.de die.decr. 4ª.146.*H*
Medici qui tempore Galeni.1°.met.me. 7ª.8.*H*
Medici tempore Galeni audaces.4°.de comp.med.per.ge. 5ª.241.*D*
Medici,& philosophi tẽpore Galeni nomina ignorabant,& distinguere nesciebant.1°.meth.me. 7ª.6.*B*
Medici Galeni tempore sequebantur artem sophisticam.in 6m.de mor. vul.com.3°. 3ª.176.*E*
Medici ob quæ odio habuere Galenum.de purg.med. 5ª.87.*G*
Medici a Galeno consilium petebant de admirabilibus,& absurdis.d artic.com.1°. 7ª.255.*H*
Medici mali,qui bonos doctosq; calumniantur ac persequuntur.d præcogni.ad Posth. 4ª.215.*F*
Medici Romæ quid agant.de præcog.ad Posth. 4ª.215.*F*
Medici antiqui incubuerunt anatomiæ.2°.de ana.adm. 1ª.68.*E*
Medicus qualia sint ossa singula,& quam structuram habeant,scire debet de ossibus. 1ª.39.*G*
Medicus debet esse optimus exercitatus in anatomia musculorum,& partium intrinsecarum,& in viscerum latentium functionibus.2°. de anato.admin. 1ª.69.*B*
Medicus debet habere notitiam omnium partium,tam similarium, quam instrumentarium.de const.ar. *Isa.*37.*A*
Medicus de corporis instrumentis agat,philosophus. de animę.6°.de decr.Hip. 1ª.266.*G*
ad Medicum spectat quærere ad quod instrumentum spectet motus pectoris.de mot.man.& obs. *Sp.*66.*H*
Medici vocant quandam glandulam minam.de ana.vi. *Sp.*54.*D*
*Medicis vtile,& necessariũ fœtus formationẽ scire.d fœ.for.1ª.*324.*A*
Medici errarunt,qui dissectionem spectare noluerunt,sed ex consecutione ita esse arbitrati sunt.de decr.Hip.& Pla. 1ª.234.*A*
Medici germanico bello nihil didicerũt.3°.de cõp.m.per g. 5ª.231.*F*
a Medicis primo cognoscendi sunt ægroti,cur.1°.de arte curatiua ad Glauconem. 7ª.94.*D*
Medicus naturam communem hominum,& propriam scire debet.1°. de arte cur.ad Glauc. 7ª.94.*C*
Medicus debet exerceri citra particularia.4°.de lo.aff. 4ª.21.*E*
*Medicus scire debet tẽperiẽ,causas,& accidẽtia.de me.exp.S.*103.*g*
Medici optimi decepti videntes caluum,& putantes totius corporis temperamentum siccum.2°.de temp. 1ª.19.*F*
Medici Empirici scire negligunt læsarum actionum necessaria accidẽtia.3° de loc.aff. 4ª.14.*G*
*Medicus rõnalis quæ facilius cognoscat.& ijs,q̃ in me.fi.c.1°.*7ª.198.*G*
a Medico quæ seruanda sint.1°.de anti. 5ª.107.*D*
Medicus quo modo se gerere debet in his,quæ sunt secũdum naturam. de part.art.med. *Sp* 18.*D*
Medicus quo modo se gerere debet in his,quæ sunt præter naturam.de part.art.med. *Sp.*18.*D*
Medicus debet habere tanquam scopum,quod secundum naturam est, aliter ægritudines ignorabit.de ossib. 1ª.39.*G*
Medicus dispositiones noscere debet.de const.ar. *Is.*40.*A*
Medicus considerat morbum,& naturam.de const.ar. *Is.*42.*A*
ad Medicum quid pertineat scire,& quid non,circa locorum affectus. 1°.de loc.aff. 4ª.5.*D*
Medico quo modo fiat admirabilis,si morbos affectosq; locos recte dignoscat.5°.de lo.aff. 4ª.34.*F*
Medico cuinis non est promptum cognoscere affectus qui euacuatione liberantur.contra Iulianum. *Ex.*69.*F*
Medicus qui requirat ad intemperiẽ inueniẽdã.3°.de loc.aff. 4ª.17.*B*
Medicus qui scire debet circa symptomata.3°.de symp.cau. 3ª.25.*B*
*Medici antiqui passiones superuenire dicebãt,quęcũq; ipsius passionis adauctæ ratione contingere consueuere.com.6°.aph.*35°.*Ex.*50.*C*
Medicum oportet esse exercitatum in pulsuum differentijs.2°.de crisibus. 4ª.133.*G*
Medicorum varietas in pulsuum ictibus sentiendis.1°.de dignitate pulsuum. 4ª.73.*F*
Medici omnes putant eundem esse vsum pulsuum,& respirationis.de vsu pulsuum. 1ª.227.*D*
Medicus,circa morbi causam,quo modo se habere debeat.3°.de cõp. med.sec.lo. 5ª.142.*E*
Medicus imperitus non intelligit ex quo humore fiant ægritudines.de dynamidijs. *Sp.*19.*g*
*Medici quando dicant abundare atram bilem.2°.de nat.fuc.*1ª.301.*D*
Medici,& philosophi egere de lassitudine.3°.de san.tu. 2ª.78.*E*
*Medicus,& philosophus diuersa ratione tractant.ad Thras.*2ª.106.*B*
Medicus scire Astronomiam debet.in 1m.de mor.vul.c.1°. 3ª.102.*C*
Medicus in omni regione scire debet ortus,& occasus syderum.in 1m. de mor.vul.com.1°. 3ª.102.*A*
Medico necessaria historia.in 3m.de mor.vul.c.2°. 3ª.136.*G*
Medicis an pictura necessaria.1°.met.me. 7ª.6.*H*
ad Medicum quæ scire non spectant.9°.de dec.Hip. 1ª.284.*c*
Medicorum delictũ solemne,ac etiam philosophorum,disputare de nominibus.3°.de diff.puls. 4ª.59.*c*
Medici qui non sint,sed logiatri.in 3m.de mor.vul.com.1°. 3ª.134.*D*
Medicus qui erit verbis,non re.3°.de comp.med.per gen. 5ª 228.*b*
*Medico inutilis speculatio & elemẽtorũ causis.8°.& dec.Hip.*1ª.274.*F*
a Medicis sciri non est necessarium quo modo temperaturã recipiẽtia per totum temperentur.1°.de elem. 1ª.8.*D*
Medicorum,& philosophorum communis cõsideratio.3°.de decretis Hippocratis. 1ª.241.*B*
ad Medicum,vt ad physicum non pertinet de veritate disputare secundum antiquos in 6m.de mor.vul.com.4°. 3ª.135.*A*
ad Medicum non spectat de mistione disputare.1°.met.me. 7ª.3.*F*
apud Medicos sunt facilia solutu problemata,quæ difficilia sunt apud Philosophos.2°.de sim.med.fa. 5ª.12.*A*
ad Medicum non spectat de animæ substantia scire.in 6m.de mor.vulg. commen.5°. 3ª.189.*H*
*Medicus de anima quid scire debet.in 6m.de mor.vul cõ.5°.*3ª.189.*H*
Medicis vtile est scire quo loco applicanda medicamẽta,ideo vtile scire de principatu animæ vbi sit.9°.de decr.Hip. 1ª.284.*B/c*
Medicus quomodo de animi moribus loquatur.1°.de sa.tu. 2ª.65.*F*
Medicus non iudicat de moribus.de opt.sect. *Is.*23.*C*
ad Medicum spectat animi mores curare,& non solum ad philosophũ. 1°.de san.tu. 2ª.65.*F*
Medicos ab euidenter offendentibus abhorrere oportet.de vic.rat.in mor.acu.com.1°. 7ª.109.*E*
Medici quidam nescientes causas rerum,reddere eas negant.5°.de locis affect. 4ª.30.*H*
Medicus quæ possit negare.1°.de comp.med.se.lo. 4ª.127.*G*

Medici ac philoſophi oĩa cordi tribuẽtes.q̃ ignorarũt.d̃ fe.fol.1ª.324.h
Medicus debet ſcire artem obſonatricem.2°.de alim.fac. 2ª.20.b
Medici debent ſcire de obſonijs, vt coci,ſed ob diuerſum finem.2°.de alimen.facul. 2ª.23.F
apud Medicos condimenta qualia eſſe debent.2°.de alim.fac.2ª.23.F
Medicus habeat peritiam omnium ſtirpium.1°.de antid. 5ª.102.B
Medicus q̃ cognoſcere d3 in medicamẽtis.3°.de cõp.m.per g. 5ª.228.b
Medicorum plurium error in chondro.8°.de ſimp.me.fac. 5ª.63.b
Medici ignari volunt ſcire compoſitionem ſimpliciter optimam.1°.de comp.med.per gen. 5ª.215.B
Medici parabant ſibi medicamenta.6°.de comp.me.ſe.lo. 5ª.168.A
Medicus probe callet vires eius q̃cunq3 pararit.2°.d̃ ſa.tu. 2ª.75.F
Medici duo interempti mel guſtu examinantes.10°.de ſimplic.medic. facultatibus. 5ª.72.E
Medicis duobus quid contigerit amiſſis libris de medicamentorum cõpoſitione.2°.de comp.me.per ge. 5ª.218.B
Medici Catilinæ medicinæ.de med.exper. Sp.105.A
Medicus quid præcognoſcere debeat.de conſt.ar. Iſa.40.b
ad Medicũ ſpectat cognoſcere q̃ hoĩes ſimulãt ægrotare.intro.Iſ.61.B
Medicus quid primo cognoſcere debet.ad eos qui d̃ typ.ſcrip.3ª.92.B
Medicus ignauus,qui quarto die ignorat febris genus.ad eos qui de typis ſcripſerunt. 3ª.92.B
Medicus ſi ignorat morbum, qui debet in ſeptimo finiri,eſt ignarus.1°.de criſibus. 4ª.131.F
Medici putantes tertianarum implexum eſſe vnam quotidianam.ad eos qui de typis ſcrip. 3ª.92.F
Medici generoſi offm eſt ſtatum futurũ cognoſcere.1°.d̃ cri.4ª.126.D
Medico quæ præſtẽt anſam prædicẽdi.de na.& ord.cu.corp.Sp.42.E
Medici quo modo debeãt iudicare, vt poſſint ſententiam mutare.1°.d̃ dieb.decreto. 4ª.150.E
Medicus quo modo prædicere debeat.de cõſt.art.Iſ.41.11/in prognoſt. commen.1°. 4ª.189.C
Medici præcognoſcunt,et prædicunt facilius, ſi ſuperauerint id,quod ex cauſa extrinſeca eſt,& non a morbo.com.3°.aph.5°. Ex.20.C
Medicum vacare culpa oſtendit prædictio.de cõſt.ar. Iſa.41.A/3°.de ana.adm.1ª.73.E/12°.met.me. 7ª.75.b
Medicus optimus raro errat in prædicendo.com.2°.aph.19°.Ex.14.C
Medicis diuinandi anſam quandoque dat fortuna.5°.d̃ lo.aff.4ª.35.B
Medicum quo modo iuuet fortuna.5°.de loc.aff. 4ª.34.b
Medico multa feliciter ſeſe offerunt, vnde laudem, & admirationem conſequatur,ſi fortuna vti ſciat.5°.de loc.aff. 4ª.34.b
Medicus quibus vere illuſtretur.i 1m.de morb.vulg.com.3°.3ª.119.C
Medicus quo mõ gloriã debet habere.de ijs,q̃ in me.fi.c.2°.7ª.205.D
Medici vulgi gratiam ambientes artis peritia neglecta,quales.de præcog.ad Poſth. 4ª.213.G
Medicus ſtudet,vt ſit populo gratus.de art.com.4°. 7ª.291.E
Medici qui in ciuitatib.circũ curſant.i 6m.de mor.vul.c.2°.3ª.165.A
Medici probi inſidijs petũtur, calumnijs, & veneno. de præcognitio: ad Poſthumum. 4ª.214.A
Medicus doctus venenatus Romę.de præcog.ad Poſth. 4ª.215.b
Medici,qui venenum dedit,caſus.de cauſ.procat. 3ª.99.F
Medicorum diſcordiæ i diebus criticis,vnde ortum habuere.2°.de diebus decretorijs. 4ª.152.G
Medici optimi quo modo fallãtur,vbi ſubſtãtia cõtẽtorum in ventriculo diuerſa eſt a qualitate cordis.3°.de præſag.ex pul. 4ª.115.D
Medici eruditi,nõ ſolum vulgares,in ſimilitudinibus decipiũtur.commen.4°.aph.2°. Ex.27.F
Medicus debet exercitari cõtinue in arte.3°.met.me. 7ª.21.F
Medicus in qua re debet maxime exercitari.3°.de criſ. 4ª.141.A
Medicus duobus his veluti cruribus,& inſtrumẽtis vti debet,in vniuerſalibus theorematis methodo,in particularibus, exercitatione. 9°.meth med. 7ª.58.C
Medicus debet vti ratione prẽter experiẽtiã.9°.de dec.nip.1ª.283.B
Medicum oportet vti cõiecturis.de aere,aq.& lo. 2ª.6.E
Medicus quo mõ cognoſcat auxilia.i 6m.de mor.vul.cõ.5°.3ª.188.D
Medicus omnia perite ſcire debet adminiſtrare.ad Thraſ. 2ª.105.D
Medicus in opere ſuo nõ debet aberrare.de ijs,quæ in medi.fi.com.2°. 7ª.207.A/com.6°.aph.49°. Ex.52.E
Medicus ſemp dẽt pdeſſe,nũquã obeſſe.i 6m.de mor.vul.c.2°.3ª.112.F
Medici eorum quæ tractãt,nõ autem ſuas vtilitates quærũt,vt gubernatores quoque.9°.de decr.nipp. 1ª.281.G
Medicus breuis abbreuiat ægritudinem a praue medico prorogatã.de nat. & ord.cuiusl.corp. Sp.41.F
Medicus fidus qui exiſtimabitur.in progn.com.1°. 4ª.189.E
Medicis fidem habere dñt ægri.de ijs,quæ.in med.fi.c.2°. 7ª.205.D
Medicis antiquis,& conſuetis fides habetur.de venæ ſect. 6ª.9.D
Medicus ſenum idoneus,qui.5°.de ſan.tu. 2ª.92.H
Medicus conſummatus,qui.fin.med. Iſa.43.F
Medicis iuuenibus non fidendum.5°.meth.med. 7ª.32.C
Medici iuniores omnia audent.2°.de ſimp.med.fa. 5ª.12.F
Medicis non indigebunt qui ea ſequuntur quæ iuuant, & quæ obſunt, dimittunt.6°.de ſan.tuen. 2ª.101.A
Medicus quæ debet conſiderare pro ægro ſanando.1°.de arte curat.ad Glauconem. 7ª.94.E
Medicus debet cognoſcere homines ſanos, quos ægros curaturus eſt.d̃ ijs,quæ in med.fi.com.1°. 7ª.197.H
Medici omnem conſuetudinem ſeruandam cenſentes,minus errant.5°. de ſanitate tuen. 2ª.93.H
Medici cum ignotos curant,quid ipſis agendum.in 1m.de mor.vulgar. commentario.3°. 3ª.117.B
Medici iraſcuntur in aduentu medicorum ignobiliorum.de ijs, quæ in medi.fi.commen.1°. 7ª.198.D
Medicus debet eſſe prudens & exercitatus.8°.meth.me. 7ª.55.D
Medici pauci exercitati.4°.de comp.med.ſec.lo. 5ª.149.H
Medicus debet eſſe prudens,& quid habere debeat.1°.de comp.medicamen.ſec.loc. 3ª.128.F
Medicus quo modo debet viſitare ægros.in 6m. de morb.vulgar.commentario.4°. 3ª.181.A
Medicus debet eſſe mundus,potiſſimum manibus,facie,pilis,veſte.in 6m.de mor.vulgar.com.4°. 3ª.180.H
Medicorum veſtis qualis eſſe debet.in 6m.de mor.vul.cõ.4°. 3ª.181.F
Medicus tonſuram capillorum facere debet vt ſit ægro iucundior.in 6m.de morb.vulg.com.4°. 3ª.181.G
Medici bene induti,& faceti,qui.de præcog.ad Poſth. 4ª.213.G
Medici manus debet eſſe mollis.4°.de dign.pulſ. 4ª.73.E
Medicorum vngues,quales.in 6m.de morb.vulg.c.4°. 3ª.181.H
Medicus circa odorẽ q̃d facere debet.in 6m.de mor.vul.c.4°.3ª.181.H
Medicus vinum olere non debet.in 6m.de mor.vul.c.4°. 3ª.181.H
Medicus non d3 ineſſe odor axillarũ.in 6m.de mor.vul.c.4°. 3ª.181.H
Medico non debet ineſſe oris putor.in 6m.de mor.vul.c.4°.3ª.182.A
Medicus non comedat allia & cæpas.in 6m.d̃ mor.vul.c.4°. 3ª.181.H
Medico odor oris adſit.in 6m.de mor.vul.c.4°. 3ª.181.H
Medicum turpiſſimum eſt ægrotare,habere ſcabiem, alopeciã, morbũ articularem,& ophiaſim.in 6m.de mor.vul.com.4°. 3ª.181.H
Medici aliqui fatentur ſe ob intemperantiam ægrotare, qui ſunt deridendi.5°.de ſan.tuen. 2ª.88.F
Medici aliqui ægrotantes id imputant negocijs.5°.de ſan.tu. 2ª.88.F
Medicus æger in plegmone iecoris.11°.met.me. 7ª.73.A
Medicus debet quandoque ſæpe, quandoque raro inuiſere medicos.in 6m.de mor.vul.com.4°. 3ª.181.D
Medici figura cum ad ægrum accedit.in 6m.de mor.vul.c.4°.3ª.181.F
Medici introitus ad ægros qualis eſſe debet.in 6m.de morbis vulgar. commentario.4°. 3ª.181.D
Medicus grauitatem ſeruare debet, vt habeatur tanquã Deus.in 6m. de mor.vul.com.4°. 3ª.181.E
Medicorum miniſtri quales,& quot.in 6m.de mor.vul.c.5°.3ª.188.C
Medici miniſter coquus.2°.de ſan.tu. 2ª.75.F
Medicus qui facit illa,quæ miniſtri,cui comparetur.in 6m.de mor.vulgar.commen.5°. 3ª.188.D
Medici proœmium ad ægros.in 6m.de mor.vul.com.4°. 3ª.181.E
Medicorum ſermones cum ægrotantibus,quales.in 6m.de morb.vulg. comment.4°. 3ª.181.D
Medicorũ ſermones debent eſſe varij.in 6m.de mor.vul.c.4°.3ª.181.G
Medicus de ſingulis interrogare debet.de conſt.ar. Iſa.42.C
Medici ad ægrum interrogatio.in 6m.de mor.vul.c.2°. 3ª.168.F
a Medicis quo modo interrogandi ægri.in progn.com.1°. 4ª.192.C
Medicus interrogans oſtendit qualis nam ſit in arte medica.in 6m.de morb.vulg.com.2°. 3ª.168.G
Medicus debet multa diſcere,ægro non referente.de vict.rat.in mor.acu.commen.1°. 7ª.108.C
Medico inſidiantur quidam ægri,& illum decipere volunt & quo mõ agendum cum his.1°.de præſag.ex pulſ. 4ª.105.D
Medicos fallere gaudentis diuitis caſus.1°.de præſa.ex pul.4ª.106.E
Medicum quanti faciant diuites.de præcogn.ad Poſth. 4ª.214.C

Medico coquum præferunt diuites. de præcogn. ad Posth. 4ª.214.C
Medici quibus nominibus turpibus ab aliquibus antiquis nominarẽtur. de subsi. emp. Isa.34.E
Medicorum studiosos φιλιάτρους vocant. 4°. *de sa. tu.* 2ª.84.C
Medico non semper verum dicunt ægri. 1°. *de præsag. ex pul.* 4ª.105.B
Medicus quid agere debet, quando æger verum non dicit. 1°. *de præsagitione ex pulsib.* 4ª.105.B
Medici in quibus decipiant ægros. in 6ᵐ. *de mor. vul. com.* 5°. 3ª.191.E
Medicus quo modo agere debet cum ægris, qui sunt simplices, & oĩa agunt aperte. 1°. *de præsag. ex pul.* 7ª.105.C
Medicus nõ dẽt adulari, nec eẽ asper. in 6ᵐ. *de mor. vul. c.* 4°. 3ª.181.E
Medicus debet gratificari ægro. com. 2°. *aph.* 38°. Ex.17.G
Medici adulatores. d' præcog. ad Posth. 4ª.213. *G/d vi. ra. in mor. acutis commentario.* 1°. 7ª.111.G
Medici adulatores, qui faciũt oĩa mãcipiorũ more. 1°. *met. me.* 7ª.2.E
Medicus debet imperare ægris. 1°. *met. med.* 7ª.2.E
Medicus debet iubere inferri in cubiculum ægri ea quibus oblectatur. in 6ᵐ. *de mor. vulg. com.* 4°. 3ª.181.A
Medici liberalitate quidam ægri euaserunt obsequentissimi. in 6ᵐ. *de morb. vulg. com.* 4°. 3ª.181.B
Medici obediunt pauperes, non diuites. 3°. *de cõp. me. per g.* 5ª.231.A
Medici confidentes, & non obsequentes pereunt. in 6ᵐ. *de mor. vulgaribus. com.* 2°. 3ª.168.G
Medicum quoderũt, illi nõ parent. in 6ᵐ. *de mor. vul. com.* 4°. 3ª.180.G
Medici non parentes obeunt multi. in 6ᵐ. *de mor. vul. cõ.* 2°. 3ª.168.F
Medicus culpa vacat, ægrũ moriturũ prænosciẽs. in pg. c. 1°. 4ª.189.E
a Medicis p se exerceẽ curatio. d' vic. ra. ĩ mor. acu. com. 1°, 7ª.108.D
Medici quo mõ curent morbos. in 6ᵐ. *de mor. vul. com.* 5°. 3ª.188.A
Medicus qui curare optime potest. in 6ᵐ. *de morb. vul. c.* 3°. 3ª.174.G
Medici functionum duæ sunt primæ differentiæ, aut enim eos qui nunc vrgent affectus ijs quæ moliuntur, curant, aut eos qui non sunt, fieri prohibent. 4°. *meth. med.* 7ª.24.E
Medici qui Euripi more agantur. 1°. *meth. me.* 7ª.5.C
Medico quæ licet facere. 14°. *met. me.* 7ª.91.C
Medici methodo uenĩs proprium est indicationes sumere a rerum natura. 6°. *met. med.* 7ª.37.F
Medicus ad id quod magis vrget, verti debet. 7°. *met. me.* 7ª.48.F
Medici magnæ auctoritatis nolunt curare communes res. commen. 6°. *aphoris.* 38°. Ex.50.F
Medicus unum tempus idoneum agendi ac modũ habet. in 6ᵐ. *de morbis vulg. commen.* 5°. 3ª.188.A
Medicus occasionis inuentor, qui. in 6ᵐ. *de mor. vul. c.* 5°. 3ª.188.A
Medicorũ diuersitas in morbo laterali curãdo. 9°. *d' dec. Hip.* 1ª.282.F
Medici controuersi in oĩbus morbis. d' vi. ra. in mor. acu. c. 1°. 7ª.109.F
Medicorum controuersiæ ostendunt ignorantiam. de vic. rat. in morbis acu. com. 1°. 7ª.109.H
Medicorum conuenientię ostendunt scientiam. de vic. rat. in mor. acu. commentario. 1°. 7ª.109.H
Medici dissident circa idẽ, & contraria opinantur. d' opt. sect. Is. 23.A
Medici altercantes deridentur a vulgo. de purg. med. fac. 5ª.87.F
de Medici mirandum. qui inter se dissentiant in rebus quas experientia definit. 9°. *de decr. Hip.* 1ª.283.A
Medici contentiosi qui. 1°. *met. me.* 7ª.3.H
Medici temerarij incõsiderati q vires nõ cõsiderant. 9°. *m. m.* 7ª.59.B
Medici pauci recte victum præscribunt. 1°. *de die. decr.* 4ª.150.E
Medicus qui non verebitur mutare victus rationem & alia, qualis esse debet. 9°. *de decr. Hipp.* 1ª.283.B/C
Medici non possunt uti dicta conuenienti in prægnanti, nec exhibere pharmaca potentia. com. 5°. *aph.* 55°. Ex.42.G
Medici qui laudandi in acutis morbis curandis. de vic. rat. in morb. acu. commen. 1°. 7ª.108.H
ob Medicorũ insciti ã accessiones inordinatæ fiunt. de dif. feb. 3ª.42.G
Medici ignari alleuiationẽ cõsiderãt. in 3ᵐ. *de mor. vul. c.* 1°. 3ª.132.C
Medicus describens auxilium aliquod, quid facere debet. de uenæ sectione aduersus Eras. 6ª.11.H
Medici cur nolunt sequi probata medicamenta. 2°. *de comp. medicam. per genera.* 5ª.224.A
Medicorum expertorum medicamenta cur scripsit Galenus. 1. *de cõp. med. sec. loc.* 5ª.124.A
Medici volunt videri semper aliquid facere. 11°. *met. me.* 7ª.72.C
Medicus iubeat alios suum sudorem gustare. 4°. *de san. tu.* 2.83.G
Medicorũ intẽtiones duę i spasmo ex repletione. c. 4°. *ap.* 57°. Ex.33.F
Medicorum duplex ratio contra dolores. 12°. *met. me.* 7ª.75.H
Medicus qualis vera dolorib. nomina dare posset. 2°. *d lo. af.* 4ª.10.B
Medici dz potiº declinare ad frigiditatẽ q̃ ad caliditatẽ. sec. Sp. 97.B
Medicus q̃n dz euacuare in crisi, & q̃n no. cõ. 1°. *aph.* 20°. Ex.9.H
Medicus dz materię motum animaduertere, si idoneus fuerit ei adminiculari, si autem non, prohibere. com. 1°. *aph.* 12°. Ex.5.G
Medici mulieres euacuare debent misso sanguine per venam, q̃n videmus naturam operari, si uomitus sanguinis adsit. commentario 5°. *aphorismo.* 32°. Ex.40.D
Medicorum documentum in mulieribus, quarum impedita partu purgatio est. in 1ᵐ. *de mor. vul. c.* 3°. 3ª.122.D
Medicorum error dum euacuant. de præcog. ad Posth. 4ª.217.G
Medico euacuanti metiri opus est quantum euacuandum. commen. 1°. *aphorismo* 23°. Ex.10.D
Medici negligentia unus obĳt a cane rabido morsus, alter seruatus est alterius medici diligentia. de sectis. Is.18.A
Medici multa propter ignorãtia præterierũt. 3°. *de lo. aff.* 4ª.19.C
a Medicis quæ ignorentur. de vi. ra. in mor. acu. com. 1°. 7ª.109.D
Medicus ignarus quæ scire non possit. 3°. *de cõp. me. p gen.* 5ª.236.A
Medicorum, & latronũ differentia. de præcog. ad Posth. 3ª.215.G
Medicis prauis ignari dant lucrum. de art. com. 3°. 7ª.273.C
Medicorum error. 3°. *de comp. med. sec. loc.* 141.F. 5ª.142.C
Medici legitimi tempore Hippocratis exercitati in operibus manus. de art. com. 1°. 7ª.256.B
Medicus quisque conari debet ut melius agat; quàm alij eiusdem artis professores. de fasciis. 7ª.293.C
Medicus non solum studeat utilitati, sed & elegantiæ, ac mundicie. de fasciis. 7ª.293.C
Medicus cæteriq; opifices instrumenta sibi ad certas actiones parant. an animal sit. 1ª.327.G
Medico turpe est habere instrumenta praua. de frac. com. 3°. 7ª.246.C
Medicus quid primo agere debet, & quid secundo. de ocul. 7ª.185.C
Medicus operarius quomodo manere debet. de frac. com. 2°. 7ª.232.F
Medici uenas incidebant. 5°. *meth. me.* 7ª.32.C
Medicorum usus est in hydrope perforare. cõ. 6°. *aph.* 27°. Ex.48.H
Medico quæ necessario noscienda pro vulneribus, & loxationibus, & similibus. 2°. *de ana. adm.* 1ª.68.H
Medicorum insciti a facit ex inflammatione uel erysipelate scirrhum. 7°. *de comp. med. per ge.* 5ª.267.H
Medicus ĩ curatione ulcerũ facit ipsa ĩsanabilia. c. 6°. *ap.* 45°. Ex.51.b
Medici mali necant, uel mutilant quandoq;. 2°. *de ana. adm.* 1ª.68.b
Medicorum ignauia qui claudi facti. 3°. *de comp. me. per ge.* 5ª.228.C
MEDICAE *mulieres tempore Galeni.* 6°. *de lo. aff.* 39.D/ 4ª.40.D
Medica ars tota a præcipua parte denominatur. ad Thras. 2ª.109.D
Medica ars quid sit. de sectis. Is.16.A
Medica ars ante Apollinem non erat, tamen quasdam herbas cognoscebant. intro. Isa.50.F
Medicæ artis dei Apollo & Aesculapius. in ora. suas. Is.2.C
Medicam artem veram concedunt Aesculapio & Apollini. 3°. *meth. medendi.* 7ª.20.b
Medicã artẽ Aesculapius edocuit ab Apolline institutus. in. Is. 50.F
Medica ars primo erat in Asclepiadũ familia. 2°. *de ana. ad.* 1ª.68.F
in Medica arte omnium bonorum auctor Hippocrates. de uenæ sectione aduersus Erasistr. 6ª.5.D
Medicæ artis gloria, quæ. de aere. aq. & lo. 2ª.2.D
Medica ars quibus artibus præsit. ad Thras. 2ª.108.b
Medica ars omnibus ciuitatibus utilis. de cau. procat. 3ª.95.b
de Medica re scripsit Philonides. 4°. *de dif. puls.* 4ª.68.E
Medicam scientiam uniuersam nullus elaborauit ut Athenæus. 1°. *de clementis.* 1ª.5.G
Medicam artem quo modo tractat Galen. de ther. ad Pis. 5ª.93.b
Medicam artem scripsit Galenus secundum triplicem doctrinam. ars medicinalis. Isa.62.A
de Medica re augenda certamen. 1°. *met. me.* 7ª.2.G
de Medica re scribens debet pauperibus & diuitibus materiam parare. 6°. *de comp. med. sec. lo.* 5ª.168.B
in Medica re libri tot utiles scripti sunt, ut quis per totam uitam habeat quod legat. 6°. *de simp. med. fac.* 5ª.40.A
Medica ars quibus consset. in 1ᵐ. *de mor. vul. com.* 2°. 3ª.112.G
Medica ars secundum formam & materiam quibus constat. de constitutione artis. Isa.39.B
Medica ars habet materias infinitas, & quæ sint. ad Thras. 2ª.106.A

Medica ars tota magna. 1 1°.met.me. 7ª.71.H
Medicæ artis difficultas. 2°. de crisi. 4.134.A
in Medica re cur pauci proficiunt. de ord. lib. suor. Is.15.E
Medica ars est vna, quæ tamen duas habet partes. secre. Sp.96.F
Medicæ artis partes. de part. me. Sp.17.F
Medicæ artis plures diuisiones. de part. art. med. Sp.17.F
Medicę artis quatuor partes sunt iuxta auxiliorum materias, videlicet eorum quæ assumuntur, quæ fiunt, quæ euacuantur, quæ foris occursant. ad Thras. 2ª.108.D
Medicę artis prima pars in assumptis q̃, et in quibus. ad Thr. 2ª.108.D
Medicæ artis secũda pars in euacuatis q̃, & in quib. ad Thr. 2ª.108.D
Medicę artis tertia pars q̃ versat in his q̃ euacuant. ad Thr. 2ª.108.D
Medicæ artis quarta pars in exercitationibus quæ, & quæ capiat. ad Thrasybulum. 2ª.108.D
Medica ars non mirum si in tot diuidatur, cũ maxima existat. de partibus artis medicinæ. Sp.16.G
Medicæ rei scopi. de cõst. ar. Is. 39.F/*de vic. ra. ĩ mor. ac. c.* 1°.7ª.108.C
Medica ars corpori hominis tuendo dicata est. 1°.*de san. tu.* 2ª.62.C
Medicæ artis materia humanum corpus. de part. art. med. Sp.18.C
Medica ars inter effectrices humani corporis, quarum duplex est officium. ad Thras. 2ª.106.D
Medicæ artis propositũ quibus nominibus dici possit. ad Thr. 2ª.103.E
Medicæ artis finis est sanũ & sanitas. de ijs, q̃ in me. fi. c. 1°. 7ª.197.F
Medicæ rei partes finales, quæ. de par. art. med. Sp.17.F
Medicæ speculationes quæ sint. 15°. *de vsu par.* 1ª.210.G
Medicæ artis officium quale sit. de cur. rat. per sang. mis. 6ª.16.E
Medica ars naturæ minist̃ra est. in 6m. de mor. vul. cõ. 5°: 3ª.188.D
ad Medicam rem an ad exercitatoriam spectet ars tuẽdæ sanitatis. ad Thrasybulum. 2ª.101.G
Medicæ artis munus est inuenire quo pacto fractũ os formetur, & cõponatur, aut meliceris tollatur. 3°.*met.me.* 7ª.16.D
Medica re non indigeret homo, si esset impatibilis vt adamas. 1°.*de sanita. tuen.* 2ª.63.A
Medica ars a qua maxime fiat coniecturalis. de curan. rat. 6ª.18.H
Medicã artem antiqui solum filios edocebant. 2°. *de ana. adm.* 1ª.68.F
in Medica re expertũ pręceptorẽ habere oportet. 2°.*de cri.* 4ª.133.G
Medicam artem sex mensibus se edocturos methodici profitentur. 1°. *de dign. puls.* 4ª.70.E
Medica præcepta omnia debent esse vera, vtilia, & consentanea principijs. de opt. sect. Is.19.F
ad Medicã artẽ quæ sunt necessaria. in 6m. de mor. vul. c. 2°.3ª.168.H
ad Medicam rem philosophia necessaria est. 3°.*met.me.* 7ª.18.G
ante Medicam artem discenda est philosophia naturalis. 6°.*de decre. Hippocratis.* 1ª.264.G
in Medica arte nihil potest cognoscere, qui ignorat quibus elementis homo constet. intro. Is.52.D
Medicam rem adiuuat dissectio. 2°.*de decr. Hip.* 1ª.236.D
ad Medicam rem quid faciat anatome. 1°.*de loc. aff.* 4ª.7.C
in Medica re ꝙ necessaria exercitatio. 2°.*de cõp. me. per ge.* 5ª.218.B
ad Medicam rem quid faciat ars diuinatrix. de const. ar. Isa.41.F
Medica œconomia. in 6m. de mor. vul. com. 2°. 3ª.169.A
in Medica re ordo dignitatis ministrorum. in 6m. de morb. vulgaribus. commentario. 5°. 3ª.188.D
in Medica re ministri ignobiliores. in 6m. de mor. vul. com. 5°.3ª.188.D
in Medicis rebus mensura certa requiritur. de venæ sect. 6ª.7.H
ad Medicam rẽ an spectent morbosa symptomata. 4°. *& sa. tu.* 2ª.82.C
in Medica re quod dici & scribi non possit. 3°.*met.me.* 7ª.17.E
Medicis rebus nõ sunt ĩmiscẽda logica nomina. & tot. mor. tẽp. 3ª.89.A
in Medica re aliquæ actiones contrariæ. ad Thras. 2ª.105.D
Medicæ artis pars quæ discernit morbos, primo exercenda & quomodo. de ijs, quæ in med. fi. com. 1°. 7ª.198.H
ad Medicam præsagiendi exercitationem artis sagittandi comparatio. 2°.*de crisib.* 4ª.134.A
Medica ars, similis videtur vaticinationi. de vict. rat. in morb. acutis. commenta. 1°. 7ª.109.H
Medicam præsagiendi scientiam tentantes, si non assequantur per multas vices, non tamen tristandum, neque ab exercitio desistendum. 2°.*de crisibus.* 4ª.134.A
Medica ars semper in singularibus exercenda. in 1m.*de morb. vulgar. commenta.* 1°. 3ª.101.G
in Medica re innumera singularia, sed vnum opus generale omnibus commune. ad Thras. 2ª.105.F

Medicam exercentes artem vt quæstum facerent. de cuiusque animi peccatorum notitia atque medela. 2ª.59.B
in Medica re turpe ẽ ostẽtare, et nihil efficere. de artic. c. 2°.7ª.268.D
in Medica re sophistæ nec curant, nec possunt facere quicquam. 3°.*de anatomicis administ.* 1ª.73.D
in Medica arte heretici. de cathar. Sp.94.H
MEDICI *succi essentia numeratur inter attrahentia sponte nata.* 5°. *de simp. med. fac.* 5ª.36.E
Medico, & Cyrenco collata panax, differunt. 1°.*de compo. medicam. per genera.* 5ª.210.C
Medicus succus pro succo cyrenaico. 3°.*de cõp. m. per ge.* 5ª.228.E
Medicus liquor acris. 4°.*de comp. med. sec. loc.* 5ª.149.F
Medicus succus in vrinã statim mittit suã qualitatẽ. 1°.*de se.* 1ª.335.A
Medicus succus ad discutiendas inflammationes induratas valet. 6°. *de comp. med. sec. loc.* 5ª.169.D
Medici succi meminit. in 6m. de mor. vul. com. 6°.3ª.196.B/4°.*de compos. it. med. sec. loc.* 5ª.156.E
Medica lachryma per se obest, cum alio autem & pauca conducit. 3°.*de temp.* 1ª.23.B
MEDIETAS *linguę si paralytica sit, reliqua motũ & sensum nõ amittit ob diuisionẽ linguæ in duas cõsimiles partes. & ana. vi.* Sp.49.D
ad Medietatẽ aquæ coctura. 7°.*de comp. me. f. l.* 181.A/9°. 5ª.198.B
MEDIMNVS *quo modo significetur. de pond. & mens.* 5ª.275.D
Medimnus atticus. de pond. & mens. 5ª.275.G
Medimnus. de pond. & mens. 5ª.276.B/F
MEDIOCRIA *mediocriter se habent.* 1°.*de ali. fac.* 2ª.14.D
Mediocris est in duritie & mollitie caro hepatis. de ana. viu. Sp.55.A
Mediocribus vinum mediocre dandum. 5°.*de san. tuen.* 2ª.94.F
MEDIOCRITATEM *seruans sermo optimus est. in prologo commentarij septimi.* Ex.54.A
Mediocritas duplicem patitur corruptionem, vel exuperantiam vel defectum. de diff. morb. 3ª.2.G
MEDIOCRITER *exiccantia sunt exhibenda in carnosa parte vulnerata. ars med.* Isag.69.b
Mediocriter dulcia sunt frigida. de cathart. Sp.93.B
MEDION. 7°.*de simp. med. fac.* 5ª.55.F
Medij radix fluxiones cohibet, & profluuium muliebre. 7°.*de simpli. medicament. facult.* 5ª.55.F
Medij semen menses cit. 7°.*de simp. med. fac.* 5ª.55.F
per MEDITATIONEM, *& disciplinas ephemera quomodo cognoscitur.* 1°.*de cris.* 4ª.138.F
Meditari qui recte volunt temperiem cerebri seruare debent. de virtu. nost. corp. dispens. Sp.60.C
MEDIVM. *quod.* 2°.*de san. tu.* 2ª.75.H
Medium proprie quid. 8°.*de vsu par.* 1ª.169.B
Medium semper non est idem, sed est aliquid. 1°.*de sa. tuen.* 2ª.65.H
Media inter contraria per negationem exprimuntur. de ijs, quæ in medicat. fiunt. com. 2°. 7ª.210.D
Medium aliquo pacto extremis opponitur. c. 4°.*aph.* 76°. Ex.36.E
Media facile noscuntur notis extremis. 2°.*de ali. fac.* 2ª.20.G
Medium in omnibus est rectum. 4°.*met.me.* 7ª.23.C
a Medio quæ non multum recedunt, sunt in multo vsu, & ingrediuntur multa medicamenta. 7°.*de simp. med. fac.* 5ª.53.A
Medium suum proprium habent singulæ animalium naturæ. 3°.*de alimentorum facultatibus.* 2ª.33.D
Medium quo inuenitur in miscella sicci, & humidi. 1°.*de temp.* 1ª.14.F
Medium inter sanum & ægrum quodam modo potest colligi. com. 2°. *aphoris.* 4°. Ex.11.E
inter Medios colores non discernunt oculi piscium. de ana. viu. Sp.49.B
de Medijs corporibus intelligitur quod simpliciter, & sine addito dicitur. 1°.*de simp. med. fac.* 5ª.74.C
Medium inter exuperantias omnes, inter vniuersa corpora saluberrimum censetur. de opt. nostr. corp. const. 1ª.38.G
in Medio corporis cur sit cor. de ana. viuo. 46.G/ Sp.56.C
Media Cibaria quę sint. de diff. cont. Sp.74.C
Medijs cibarijs inter subtilia & crassa, cibatur temperatus, qui non multum mouetur. de diff. cont. Sp.73.A
Media, & subtilia cibaria & se sunt velocis digõnis. & dif. cõt. Sp.73.C
Media edulia quæ sint. 3°.*de ali. fac.* 2ª.33.D
Medius Digitus qui. intro. Is.53.C
Medium digiti articulum flectentes musculi. de musc. diss. 1ª.52.H
Medium digitum, pollicem, & indicẽ vnus musculus mouet. 1°.*de ana*

tonicis administ. 1°.65.C
Media vlexuum totius cruris in latera efficitur.de mus.dif. 1°.47.A
Medium habet vnus Homo secundum vitæ conditionem, ætatem, institutionem,& regionem.3°.de ali.fac. 2°.43.D
Mediorum ætate hominum natura sim.med. 1f.44.G
Medium inter Lac asinæ,& camelæ est lac caprinæ.de diff.cõt.sp.73.F
Media Medicamenta quæ sint.8.de comp.med.sec.loc. 5°.195.E
Media medicamenta,qualia.1°.de comp.med.sec.loc. 5°.179.H
Media medicamenta quo modo componantur.6°.de comp.medicamento.ferun.loc. 5°.168.B
Mediæ facultates habentia pharmaca cur excogitata.6°.de compo.medica.sec.loc. 5°.168.A
Medius Motus quibus musicalis efficiatur.de mus.dif. 1°.47.G
inter Medios Odores non discrepat odoratus bõis.de ana.vita.Sp.49.B
Media fermè est Qualitatis omnia talibus natura.de ana.oculi.S.58.E
Media scribendi forma,quæ.2°.de cri. 4°.136.H
Media vena quando secanda.4°.de san.tu. 2°.87.F
Medius Ventriculus cordis qualis sit.de ana.vivo. Sp.56.G
Media inter Voluntatem et naturam est,secundum aliquos,amplius alto.de Vite & sobri. Sp.62.B
MEDVLLA *quid sit.me.44.D/intr.Isa.52.F/de anat.vit.* Sp.44.D
Medulla an sit membrum.de ana.vit. Sp.55.G
Medulla & adeps partes animalium,& quæ,& eorum instrumentum, de anato.vivo. Sp.44.D
Medullæ instrumentum.de ana.vit. Sp.44.E
Medullæ natura,quæ.de ana.vit. Sp.55.G
Medulla qualis.1°.de comp.med.per gen. 5°.215.H
Medulla est calida,& humida.de ana.vit. Sp.44.E
Medulla fit ex fabuliori natura sanguinis grauioris.de sper. Sp.36.C
Medulla evangelii est tunica ex sanguine facta.2°.de na.fac.1°.297.E
Medulla est brauidior mollior,& pinguior medulla spinali et cerebro.3°.de alim.fac. 2°.27.C
Medullæ mollis substantia potest assimilari pinguedini.1°.de mot.musculorum. 1°.308.b
Medulla aliorum ossium, præter quàm spinæ est humida & quodãmodo flavitis.1°.de mot.mus. 1°.308.H
Medulla abundat animal omne abundans sepo,& pinguedine.de anatomia vivorum. Sp.44.E
Medulla est prosperum nutrimentum ossium.11°.de vsu par. 1°.191.F
Medullæ ex ossibus est vere medulla.11°.de simp.med.fac. 5°.79.F
Medullam habens os habet duo capita, velut duo opercula.11°.de vsu partium. 1°.191.C
Medullæ cur inest inferiori maxillæ.11°.de vsu par. 1°.191.C
Medulla cur non inest maxillæ superiori.11°.de vsu par. 1°.191.C
Medulla nõ inest maxillæ superiori quæ mouet.12°.de vs.p. 1°.191.H
Medulla non inest ossi parvo.11°.de vsu par. 1°.191.D
Medulla creditur non inesse ossibus leonis.11°.de vsu par. 1°.191.D
Medulla caret leo,& cur.de ana.vit. Sp.44.E
Medulla est crassior in eo co, qui est in cauernulis ossium non habentibus medullam.11°.de vsu par. 1°.191.F
Medullæ vires,quæ.de simp.med. Sp.87.D
Medulla omnis leniter mollit,& relaxat duritiē,& tumores.de simplicium medicamen. Sp.87.D
Medullæ sunt emollientia validissima.7°.de cõp.me.per g. 5°.264.A
Medulla indurata & scirrhosa corpora emollit.11°.de simp.medicamento.facult. 5°.79.E
Medullæ scirrhum in hepate sanant.2°.de ar.cur.ad Glau. 7°.104.E
Medullæ malacticæ vlceribus non conueniunt.4°. de compo.medica.per genera. 5°.236.H
Medulla quo modo seruanda.11°.de simp.med.fac. 5°.79.F
Medullarum secundum animalia diuersitas.2°.de arte cur.ad Glau.7°.104.b/de simp.med. Sp.87.D
Medullarum differentia,& quæ præstantiores.3°.de comp. medicamento,per gen. 5°.233.H
Medullarum differentia in emolliendo.7°.de cõp.m.per g. 5°.264.I
Medullæ mollificantes,quæ.2°.de ar.cur.ad Glau. 7°.104.I
Medulla simpliciter posita significat cerebrum.6°.de comp.medicam. sec.un.loc. 5°.171.E
MEDVLLA *cerui sicca est & humida.5°.de simp.med.fa.* 5°.34.E
Medulla cerebri quo modo fiat.de dyn. Sp.22.F
Medulla cerebri mollissimo digerit.14°.met.me. 7°.87.H
Medulla cerebri efficacissima est.de simp.med.fac. Sp.87.D
Medulla cerebri est fortior bubula.6°.de comp.me.sec.lo. 5°.171.E
Medulla cerebri emollit modice.5°.de simp.med.fac. 5°.34.E
Medulla cerui blandissimum remedium est inflammationibus. de theriaca ad Pisonem. 5°.93.E
Medulla cerebri vlceris ora indurata emollit.2°.de comp.medicam. per gen. 5°.220.B
Medulla cerebri emollit scirrhum.5°.de simpl.med fac. 5°.33.G
Medullæ cerebrorum optima, pallea vitulorũ.11°.de simp.m.f. 5°.79.E
Medulla cerebri deficiente, vitulina accipiatur,& hac deficiente accipiatur resina aliqua humida non acris.4°.de compositio.medicamen.per gen. 5°.240.A
Medullæ cerui quomodo miscenda medicamentis.4°. de compositio. medicam.per gen. 5°.237.H
Medullæ cerui vtilissima pro pingui vituli marini.7°.de compo.medicamen.per genera. 5°.270.H
Medulla cerebri.3°.de comp.med.per ge. 5°.234.A
Medullæ cerebri elaborata.2°.de comp.med.per gr. 5°.225.H
MEDVLLA *vitulina pro medulla cerebri.4°.de composi.medicamen. per genera.* 5°.240.A
Medulla vituli sicca & humida.5°.de simpl.med.fac. 5°.34.E
Medulla vitulina mollitiæ est,& in quo gradu sit.de ocul.7°.188.D
Medullæ vitulinæ emollit modice.5°.de simp.med.fac. 5°.34.E
Medulla vitulina vlcera oris indurata emollit.2°.de comp.medicam. per gen. 5°.220.B
Medullæ vitulinæ emollit scirrhum.5°.de sim.med.fac. 5°.33.G
Medullæ vitulinæ minus efficax quàm cerebri.de simp.med.Sp.87.D
ex Medullæ vitulinæ & cerebri pessi vterum mollientes.11°.de sim. medicamen.facultatib. 5°.79.E
Medullæ vitulinæ deficiente accipiatur resina aliqua humida nõ acris.4°.de comp.med.per ge. 5°.240.A
Medullæ vituli quo modo miscenda medicamentis.4°.de comp.medicamen.per gen. 5°.237.b
Medullæ vitulinæ.5°.de comp.med.per gen. 5°.234.A
MEDVLLA *caprinæ mollitiæ est,& in quo gradu sit.de ocu.7°.188.D*
Medullæ caprinæ minus efficax vitulinæ.de simp.med. Sp.87.D
Medullæ hircorum acris.11°.de simp.med.fac. 5°.79.E
MEDVLLA *taurorum acris.11°.de simp.med.fa.* 5°.79.E
Medullæ bouinæ mollitiæ est,& in quo gradu sit.de ocu. 7°.188.D
Medullæ.6°.de comp.med.sec.loc. 5°.171.E
Medullæ Camelli.9°.de comp.med.sec.loc. 5°.204.H
Medullæ cerebro dulciar,iucundior,& pinguiar.3°.de ali.fa. 2°.27.C
Medullæ comparatum cerebrum est asserum.3°.de alim.fa. 2°.27.C
Medullæ naufeam pronocat.3°.de alim.fac. 2°.27.C
Medullæ velociter accedũt in stomacho,& faciunt inuersionem.de dissolutione continua. Sp.74.F
Medullæ probè nutrit si concoquatur.3°.de ali.fac. 2°.27.C
Medullæ nutriant cum quã digerit vas,nutrimento multo crassio.de dissolutione continua. Sp.73.F
MEDVLLA *dorsi quo nomine vocatur.5°.de loc.aff.* 4°.31.E
Medulla dorsalis.5°.de loc.aff. 4°.31.E
Medulla cerui ialis.5°.de loc.aff. 4°.31.E
Medulla lumbaris.5°.de loc.af. 4°.31.E
Medulla spinalis varijs modis.12°.de vsu par. 1°.196.D
Medulla spinalis.5°.de loc.aff. 4°.31.E
Medulla spinalis cur in dicta.3°.de alim.fa. 2°.27.C
Medulla spinalis quæ proprie.3°.de loc.aff. 4°.20.b
Medulla dorsi quid sit.7°.de decr.Hipp. 1°.272.G
Medulla spinalis, & medulla aliorum ossium sunt diuersæ.8°.de vsu partium. 1°.166.C
Medulla spinalis frigida est,& habet substantiam mollem facile alterabilem.com.5°.aph.69°. Ex.45.D
Medullæ spinalis dissectio.8°.de anat.adm. 1°.101.G
Medullæ dorsi evectus in occipitio.in 6m.de mor.vul.c.1°. 3°.154.C
Medulla spinalis colli principium.16°.de vsu par. 1°.217.C
Medulla spinalis cur facta.12°.de vsu par. 1°.197.D
Medulla spinalis tutior in loco, in quo est,q.alibi.12°.de v.p. 1°.196.D
Medulla spinalis conuenientius est in loco, vbi est, quàm alibi.12°.de vsu partium. 1°.196.D
Medullæ spinalis nec maior nec minor fieri debuit.12°.de v.p. 1°.197.E
Medulla spinali non videntur differre nerui molles.1°.de mot.musculorum. 1°.308.b
Medullæ spinalis similis cerebro compactio.1°.de mot.mus. 1°.308.b

Medulla ſpinalis cerebro continua. 3°. de ali. fac. 2ª. 27. C
Medulla ſpinalis eiuſdem generis cum cerebro. 3°. de ali. fac. 2ª. 27. C
Medulla ſpinalis eſt de cerebro. de ocul. 7ª. 183. F
Medulla dorſi vnde. in 6ᵐ. de mor. vul. com. 1°. 3ª. 154. C
Medulla ſpinalis a cerebro. 16°. de vſu par. 1ª. 214. F
Medulla dorſi cur a cerebro. 7°. de dec. Hip. 1ª. 272. G
cũ Medulla ſpinali & cerebro muſculi coicãt. 1°. de mot. muſ. 1ª. 308. H
Medulla ſpinalis in quibuſdam habet quædam cõmunia cum cerebro, quædam propria. 13°. de vſu par. 1ª. 201. G
Medullæ ſpinali, & cerebro communia 13°. de vſu par. 1ª. 201. G
Medullæ ſpinali propria. 13°. de vſu par. 1ª. 201. G
Medulla ſpinalis non pulſat, ſed cerebrum. 13°. de vſu par. 1ª. 201. H
Medulla ſpinalis tanquam cerebrũ partibus ſub collo, & capite. 12°. de vſu par. 196. E] 1ª. 197. H
Medulla ſpinalis dureſcit, quantum a cerebro diſcedit. 3°. de alimentorum facul. 2ª. 27. C
Medulla ſpinalis an ſit medulla, & eius innamẽtũ. de ana. vi. Sp. 44. F
Medullæ ſenſu carent. de mult. 3ª. 77. G
Medulla ſpinalis & cerebrum ſenſum obtinent de mult. 3ª. 77. G
in Medullæ ſpinalis ortu meatus patẽs ſenſui. 3° de dec. Hip. 1ª. 270. G
Medullæ ſpinali quæ tunica eſt circundata. 13°. de vſu par. 1ª. 201. H
Medulla ſpinalis circundatur a meninge. 16°. de vſu par. 1ª. 219. D
Medulla ſpinalis duplici pelle tegit, vt cerebrum. de vri. reſp. p 62. G
Medullæ ſpinalis duplex pellis quando inflectur. de vri. reſp. Sp. 63. D
Medulla ſpinalis cur habeat membranas. 7°. de dec. Hip. 1ª. 272. G
Medullæ ſpinalis oſſa habent motus vehementes. 13°. de vſu partium. 1ª. 201. H
in Medullam ſpinalem arterias. 16°. de vſu par. 1ª. 219. D
Medulla ſpinalis ſuperne fœtur deorſum. 8°. de vſu par. 1ª. 165. A
ex Medulla ſpinali nervos alios, alios ex cerebro ipſo oriri dicendum eſt. de ner. diff. 1ª. 53. C
a Medulla ſpinali quidam nervi oriuntur, quidam a cerebro. de motib. mira. & obſcuris. Sp. 66. F
Medulla dorſi ſecundum Pelopem a Cerebro, a quo nervi. 6°. de dec. Hippocratis. 1ª. 272. E
a Medulla ſpinali oriuntur nervi. 3°. de comp. med. per gr. 5ª. 231. F
a Medulla ſpinali & cerebro orientium nervorum proprium. 15°. de vſu partium. 1ª. 210. D
Medullæ ſpinalis & nervorum principium eſſe cerebrum dicendum eſt. de ner. diff. 1ª. 53. E
Medulla dorſi habet a cerebro facultatem. 7°. de dec. Hip. 1ª. 272. H
a Medulla aliorum oſſiũ nervi non oriuntur. 1°. de mot. muſ. 1ª. 308. H
Medulla ſpinalis diuiditur in quinquaginta octo nervos. 12°. de vſu partium. 1ª. 197. E
a Medulla ſpinali triginta paria nervorum, & quæ, & vbi. de anato. viuorum. Sp. 53. A
è Medulla dorſi ſexaginta nervi. 7°. de dec. hip. 1ª. 272. G
a Medulla ſpinali oriuntur, præter triginta paria nervorum, vnus nervus ſine pari. de ana. viu. Sp. 53. H
a Medulla ſpinali orientium nervorum anatomia. de ana. viu. Sp. 53. b
a Medulla ſpinali qui nervi procedant. de ocul. 7ª. 183. G
Medulla ſpinalis dat nervos omnibus partibus ſub capite. 16°. de vſu partium. 1ª. 214. G
in Medulla ſpinali inſtiſſime nervi diſpoſiti. 16°. de vſu par. 1ª. 217. A
a Medulla ſpinali quæ in collo orientium nervorum prima coniugatio quo modo procedat. de ner. diff. 1ª. 54. D
Medulla ſpinalis generat membrorum exteriorũ & muſculorum dorſalium nervos. com. 5°. aph. 65°. EX. 45. E
a Medulla dorſi oriuntur nervi qui ad muſculos pectoris perueniunt. de præcogn. ad Poſth. 4ª. 216. D
a Medulla ſpinali, aut cerebro peruenit nervus ad vnumquẽque muſculum. de voce & anhel. Sp. 60. F
a Medulla ſpinali duntaxat veniunt nervi ad muſculos qui ſunt inter coſtas. de vo. & anhel. Sp. 62. A
a Medulla ſpinali hãt nervos partes ſub facie. 16°. de vſ. p. 1ª. 215. E
a Medulla ſpinali nervi partium extremarum. 16°. de vſ. p. 1ª. 215. E
ex Medulla cervicis nervi manus oriuntur. in 3ᵐ. de morb. vulgarib. commentario 1°. 3ª. 127. D
a Medulla ſpinali ſumuntur nervi ac vires in infernis partibus. 16°. de vſu partium. 1ª. 216. E
Medulla ſpinalis qualis circa generationem humorum. de bon. vict. ſuc. 2ª. 35. H
de Medullæ ſpinalis affectibus. 4°. de loc. affe. 4ª. 13. E
Medullæ ſpinalis ſymptomata. 4°. de loc. aff. 4ª. 14. A
Medulla ſpinalis qũ laborauerit, quid accidet. c. 7°. aph. 58°. EX. 59. C
Medulla ſpinali læſa pro parte quid ſequatur. 1°. de lo. aff. 4ª. 7. E
Medulla dorſi affecta quid ſequatur. 1°. de ſymptomatum cau. 3ª. 23. & ſin 1ᵐ. prorrh. com. 2°. 4ª. 169. de
Medulla ſpinali læſa ſiue tota, ſiue parte qd ſequat. 1°. de loc. af 4. 7. E
ad Medullę ſpinalis, & cerebri læſionem angina cõparatio. 1°. de ſymptomatum cauſis. 3ª. 116. D
Medulla ſpinalis qd ageret, ſi ſpõdylus excideret. 12°. de v. p. 1ª. 196. b
Medulla dorſi læſa in prima vertebra reddit immobilem. 2°. de decr. Hippocratis. 1ª. 237. A
Medulla ſpinali inciſa, qd infra eſt omittit virtꝰ. 1°. de mo. mu. 1ª. 309. a
Medulla ſpinali affecta in vertebra, inferiores partes reſolumunt. 1°. de locis affectis. 4ª. 7. E
Medulla ſpinali quo loco fracta non amittitur anhelitus, neq, vox. de voce & anhel. Sp. 60. F
Medulla ſpinali abſciſa vſque ad tertium ſpondylum, quid ſequatur. de voce & anhelitu. Sp. 61. A
Medulla ſpinali læſa, quando omnino lædetur vox & exſſlatio. de voce & anhelitu. Sp. 62. A
ex Medulla ſpinali fracta quo modo vox animalis impediatur. de mot. man. & abſ. Sp. 67. C
Medulla ſpinali fracta, curare non licet. de ar. com. 3°. 7ª. 170. C
in Medullæ dorſi ex ortu bouis vulnerati habent ſanguinem in aliquo ventriculo. de Hip. & Pla. decr. 1ª. 231. G
Medullam ſpinalem, ſinum eſſe ſignificatur ex mentis conſtantia. commentario 2°. aph. 33°. EX. 17. E
MEDVLLA *ex ſpina etiam accipitur, & qualis. 11°. de ſimpl. medica. facultatibus.* 5ª. 79. F
Medulla ſpinalis ſeorſum ponenda 11°. de ſimp. med. fac. 5ª. 79. F
Medulla ſpinalis non pinguis. 3°. de alim. fac. 2ª. 27. C
Medulla ſpinalis nauſeam non pronocat. 3°. de ali. fac. 2ª. 27. C
Medulla ſpinalis ſi probe confectatur, non exiguum dat corpori alimentum. 3°. de ali. fac. 2ª. 27. D
Medulla ſpinalis, lege Spinalis medulla.
MEDVLLA *frumenti, & fabarum, & lentium tarde deſcendit. de diſſolutione continua.* Sp. 74. b
Medulla panis bene lota eſt nutrimenti pauci. de diff. cont. Sp. 73. C
Medulla panis frumenti, fermentati, loti eſt cibus ſalutiaris. de diſſolutione continua. Sp. 74. b
ſuper MEDIA eſt locus, ſuper quem & regio ſtat nigra. de loc. affe. aquæ. Sp. 76. A
MEGALIVM, *& medicium dicitur vnguentum Aegyptiacum. de comp. med. ſec. loc.* 3ª. 114. b
Μεγαλοσωμία & μεγαλόμηρος, id eſt venter prominuli, & venter coſt. 1°. de alim fac. 2ª. 3. D
MEGALIVM *vnum dialtilicæ auctor. de hiſt. phil.* Sp. 1. F
MEGES *quo medicamento eſt vſus ad ozenas. 3°. de compoſi. medicamen. ſecun. lo.* 5ª. 148. B
MELILOT *quid. de venæ ſect. aduer. Eraſi.* 6ª. 7. C
Meiendi officium a voluntate. 6°. de lo. aff. 4ª. 3. E
in Meiendo qui muſculi magis agant. 2°. de mot. muſc. 1ª. 316. B
Meiat ſi quis ſanguinem, & grumos, ſtrangurieq, affligatur, doloreq, ad permæum ac epigaſtrium incidat, ſignificat circa veſicam aegritudinem eſſe. de vri. ſign. ex Hipp. Sp. 72. H
Meium vrinas & menſes prouocat. 5°. de ſimp. med. fac. 5ª. 38. A
Μειοπύρετος & μειόπυρος pulſus, hoc eſt mitis, & quaſi decurtatus de differentijs pulſuum. 4ª. 49. D
MEL. *quid. de ſimpl. med.* Sp. 67. A
Mellis materia eſt manna, ſeu ros, conſpicuus. 3°. de ali. fac. 2ª. 32. F
Mel roſcidum vocabatur manna. 3°. de ali. fac. 2ª. 32. F
Melli & mannæ dant aliquid plantæ. 3°. de ali. fac. 2ª. 32. G
Mel quale. 6°. de compoſi. med. ſec. loc. 170. E/ 5°. de compoſi. medicamen. per genera. 5ª. 246. D
Mel humidum. 1°. de temp. 1ª. 11. G
Mel poteſtate calidum. 3°. de temp. 1ª. 13. E
Mel multum calidum. 7°. de ſimp. med. fac. 5ª. 51. C
Melli dominatur caliditas vehemens. de diff. com. Sp. 73. B
Mel calidũ eſt & ſuccum in ſecundo ordine. 7°. de ſimp. me. fa. 5ª. 55. D
Mel calidum & viſcoſum eſt. 2°. de ſimp. med. fac. 5ª. 14. D
Mel quo modo lentum. de ptiſſ. 2ª. 47. E

Mel dicitur pinguc.in 6^m.de morb.vulg.com.6°. 3ª.195.G
Mel calefacienti vires habet.de bon.& vi.ſuc. 2ª.39.A
Mel calfactoriã,et exterſoriã vim habet.7°.de cõp.m.ſ.lo. 5ª.178.G
Mellis non parua differentia.de bo.vi.& ſuc. 2ª.39.A
Mellis diuerſitas a regionibus.1°.de antid. 5ª.100.F
Mel quod vinum ſapit.1°.de antid. 5ª.100.F
Mellis probatio.4°.de ſan.tu.85.D/5°. 2ª.91.E
Mel ſincerum & vitio carens,quale.de bo.vi.ſuc. 2ª.39.A
Mel optimum,quale.1°.de antid.5ª.100.E/7°.met.me. 7ª.44.G
Mel luteum eſſe debet.1°.de antid. 5ª.100.E
Mel obtinens principatum.1°.de antid. 5ª.102.A
Mella quę debent ingredi antidota,& vbi optima naſcantur.1°.de antidotis. 5ª.101.D
Mel optimum in patria Galeni,vbi.1°.de antid. 5ª.101.E
Mel laudatiſſimum gignitur in locis,vbi thymus,& herbę,& frutices temperamento calidæ,& ſiccæ.3°.de ali.fac. 2ª.32.G
Mel non probat Thymum redolens.7°.met.me. 7ª.44.H
Mellis multum facit Cyriſus,& quale.1°.de antid. 5ª.101.E
Mel oritur in plantarum foliis.3°.de ali.fac. 2ª.32.F
Mel quale theriacæ imponendum.1°.de antid. 5ª.101.C
Mel quod Athenas fertur.1°.de antid. 5ª.106.H
Mel atticum probatiſſimum.5°.de ſan.tu. 2ª.92.E
Mel atticum.3°.de comp.med.ſec.loc.144.G/8°. 5ª.189.B
Mel atticum crudum & coctum.5°.de ſan.tuen. 2ª.89.H
Mel hymettium vnum ex ſimplicibus theriacam ingredientibus,quæ Galeno videntur difficulter haberi.1°.de antid. 5ª.101.F
Mel hymettion quale,& vbi.de ther.ad Piſ. 5ª.95.G
Mel quantum debet imponi theriacæ.de ther.ad Piſ. 5ª.95.G
Mel actæum ingreditur in theriacam.de ther.ad Piſ. 5ª.92.G
Mel cuius ætatis pro theriaca.1°.de antid. 5ª.101.G
Mel rubeum.1°.de antid. 5ª.101.D
Mel originale ſecret. Sp.102.G
Mel admirabile.1°.de antid. 5ª.101.E
Mel dilutum.3°.de comp.med.ſec.loc. 5ª.144.A
Mel vitiatum,quale.de bo.vi.ſuc. 2ª.39.A
Mel in quo cera vel propolis,malum.7°.met.me. 7ª.44.H
Mel ceroſum quod ſit.7°.met.me. 7ª.44.H
Mel excrementoſum,quale.7°.met.med. 7ª.44.H
Mella Athenis quædam adulterata ſunt.1°.de antid. 5ª.101.G
Mellis venditores quomodo adulterant.7°.met.me. 7ª.44.H
Mellis fraudes cognoſcendæ ſunt.1°.de antid. 5ª.101.G/H
Mel guſtãtes duo medici interẽpti ſunt.10°.de ſimp.med.fac. 5ª.72.E
in Melle,& ſirco deprehenditur dulcedo.4°.de ſimp.med.fa. 5ª.25.D
Mel,et ſi ſapã dulcedine æquet,tñ nõ vellicat ſenſũ.1°.d anti. 5ª.100.E
Mel corrigit ſapam & lentem.1°.de ali.fa. 2ª.13.F
Melle minus dulce ſacchar.7°.de ſimp.med.fac. 5ª.55.E
vt Mel non facit ſitim ſacchar.7°.de ſimp med.fac. 5ª.55.E
Mel amarum Sardoum.7°.de ſimp.med.fac. 5ª.55.E
Mel corſicum.3°.de compoſi.med.ſec.loc. 5ª.146.A
Melli mixtũ abſinthium qd imprimat in linguã.3°.d ſimp.m.f. 5ª.21.A
Mel vino põderoſius quarta parte,et decima.de põd.et mẽſ. 5ª.275.F
ad Mel,& vinum differentia olei.de pond.& menſ. 5ª.275.F
de Mellis pondere.de pond.& menſ. 5ª.277.D
Mellis amphora.de pond.& menſ. 5ª.277.D
Mel,oleum & vinum diutius ſeruatur,quàm alij ſucci.3°.de ſimplicium med.fac. 5ª.20.F
cum Melle coctus ſuccus cydoniorum & ſtruthiorum cur durat.7°. de ſimp.med.fac. 5ª.55.H
ſine Melle corrumpuntur ſucci.6°.de comp.med.ſec.lo. 5ª.172.H
Mel fit tenuius,& calidus vetuſtate.11°.de ſim.med.fac. 5ª.79.C
Mel vetuſtate ſub amarum.1°.de antid. 5ª.101.D
Mel fit amarum tempore,& quo modo.4°.de ſimp.med.fac. 5ª.28.F
Mel decoctum vetuſtum amarum.4°.de ſimp.med.fac. 5ª.27.B
Mel tempore fit acre.3°.de comp.me.per ge. 5ª.233.H
Melli quo modo dematur acrimonia.3°.de ali.fac. 2ª.32.G
Mel quo modo ſeruatur diu.2°.de ali.fac. 2ª.20.D
in Melle fit cruſta ob ætatem.2°.de ali.fac. 2ª.20.D
Mel non poteſt per anguſta tranſire niſi liquidum.in 6^m.de morb.vulgarib.com.3°. 3ª.173.D
Mel eſt alimentum,& a plantis,& ab animalibus ſecretum.3°.de alimentorum facultatib. 2ª.32.F
Mel eſt cibus dulcis,ſapidus,ſubtilis,abſtergens.de diſſ.cõt. Sp.72.E

Mel ciborum dulciſſimum.de atten.vic. 2ª.46.B
Mel magis patitur a noſtro corpore,q̃ agat in illud.3°.de tẽp. 1ª.23.H
Mel alicui ſalubre,alicui vero inſalubre eſt.1°.de ali.fac. 2ª.8.F
Mel habet ſuccum tenuem.1°.de ali.fac. 2ª.10.E
Mel tenuium partium.5°.de ſimp.med.fac. 5ª.35.B
Mel quod eſt partium tenuiorum.3°.de ali.fac. 2ª.32.G
Mel facit ſuccum tenuiſſimum conſiſtentia.de atten.vic. 2ª.46.B
Mel facultatis attenuantis eſt.7°.de comp.med.ſe.lo. 5ª.181.A
Mel ſimpliciter neque ſalubre,neque inſalubre.1°.de ali.fac. 2.9.b
Mel quibus conuenit,& quibus non.de bo.vic.ſuc. 2ª.39.A
Mel quibus inutile.1°.de ali.fac. 2ª.8.F/G
Mel calidis & ſiccis inſalubre.1°.de ali.fac. 2ª.10.A
Mel inſalubre iuueni,& bilioſo.2°.de nat.fac.1ª.300.H/1°.de alimentorum facul. 2ª.8.F
Mel inimicum morbis bilioſis.2°.de na.fac. 1ª.300.G/b
Mel,& dulcia cum vehementer incaluerint in bilem vertuntur,& ſi diu in ventriculo morentur.in 6^m.de mor.vul.c.5°. 3ª.191.G
Mel quibus in multam vertitur bilem.2°.de na.fac. 1ª.300.B
Mel in calidis prompte in bilem vertitur.3°.de ali.fac. 2ª.32.G
Mel totum vertitur in flauam bilem in flore ætatis,ſi ſit natura calidior,& vitam degat laborioſam.2°.de nat.fac.1ª.300.E/G/3°.de alimentorum facul. 2ª.32.b
Mel non habet bilem in ſe,aliter eſſe amarum.2°.de nat.fac. 1ª.300.B
Mel quibus fiat ſuccus amariſſimus.4°.de ſimp.med.fac. 5ª.29.B
Mel in calidis prius fit bilis,quàm ſanguis.3°.de ali.fac. 2ª.32.G
Mel in bilem conuerſum non nutrit.3°.de ali.fac. 2ª.32.b
Mel quibus vtile.1°.de ali.fac. 2ª.8.F
Mel frigidis eſt accommodatiſſimum.3°.de ali.fac. 2ª.32.G
Mel in ſanguinẽ vertit natura,et ætas frigida.2°.de nat.fac. 1ª.300.G
Mel in ſenibus vertitur in ſanguinem.2°.de nat.fac. 1ª.300.B
Mel in frigidis tranſit in bonũ nutrimẽtũ.4°.de ſimp.med.fac. 5ª.29.B
Mel dat exiguum nutrimentum.3°.de ali.fac. 2ª.32.b
Mel in ſanguinem mutatum nutrit frigidos.3°.de ali.fac. 2ª.32.G
Mel frigidis,humidis,pituitoſis ſalubre.1°.de ali.fac. 2°.10.A
Mel ſalubre ſeni,& pituitoſo.2°.de natu.facult.1ª.300.b/1°.de alimentorum facult. 2ª.8.F
Mel accommodum ſenibus,& frigidis.3°.de ali.fac. 2ª.32.b
Mel amicum ſenibus.2°.de nat.fac. 1ª.300.b
Mel in frigidis affectibus eſt maxime idoneum,è contrario calidis aduerſum.de marc. 3ª.48.E
Mel pituitoſis morbis amicum.2°.de nat.fac. 1ª.300.b
cum Melle panis ſenum.5°.de ſan.tuen. 2ª.92.D
ex Melle panis ſiccat præcordia.10°.met.me. 7ª.64.A
Melle conditis vinis ſenex quando vti debet.5°.de ſan.tu. 2ª.91.C
Mellis compoſitioni vinum aptum.5°.de ſan.tu. 2.91.C
Mel habet nobiſcum familiaritatem,ſed non tantam,quantam habet vinum.de ren.aff.dig.& med. 7ª.195.G
Mel eãdem quam & vinum facultatem habet,& quo modo differat.8°.de comp.med.ſec.loc. 5ª.194.G
Mel dñt recipere placẽtę ex butyro,& ſimilagine.5°.de ſa.tu. 2ª.91.E
ex Melle placentæ azymæ.1°.de ali.fac. 2ª.10.E
cum Melle lagana quid faciant.1°.de ali.fac. 2ª.10.E
cum Melle lagana neque thoracem,neque pulmonem lædunt.1°.de alimentorum facul. 2ª.10.E
cum Melle ex carne læuigata edulium.2°.de ali.fac. 2ª.20.D
cum Melle,& aceto cappares præparati ſtomachum roborant,& corrugant.de diſſ.cont. Sp.74.E
cum Melle et aceto ſi edãtur cappares,qd faciãt.de diſſ.cõt. Sp.74.G
cum Melle & aceto quando ſumendum ſar.5°.de ſan.tu. 2ª.92.D
Mel quidam addunt ptiſſanæ.de ptiſſ. 2ª.47.D
in Melle ſimul,& aceto æque mixto frigiditas prævalet.4°.de ſimplicium med.fac. 5ª.27.E
cum Melle pro delitijs quidam miſcent acetum.de atten.vic. 2ª.44.C
Mel quo modo elixetur.2°.de arte cur.ad Glau. 7ª.106.G
Mel elixum ſine aqua quid faciat.3°.de ali.fac. 2ª.32.b
Mel cum aqua elixum parum nutrit.3°.de ali.fac. 2ª.32.b
Mel elixum in laceroſis cutibus.2°.de arte cur.ad Glau. 7ª.106.G
a Melle,& mulſa cauendum in hectica.1°.meth.me. 7ª.67.B
a Melle abſtinendum in tertiana.1°.de ar.cur.ad Gla. 7ª.97.D
Mellis aliquid ponendum in lacte.3°.de ali.fac. 2ª.28.C
Mel cur lacti miſcendum in ſiccitatibus.7°.met.me. 7ª.44.G
Mel admiſceẽ lacti ne fiat caſeus in ventriculo.3°.de ali.fac.2ª.27 G

Mel facit.

Mel facit ne lac coaguletur in ventriculo. 10°.meth.med. 7ª.67.B
Melle iniecto lac bibit ãiali aſtãte ſtatim multũ. 5°.meth.m. 7ª.35.A
ſine Melle ſumptũ lac caprinũ periculoſum.de bo.& vi.ſuc. 2ª.35.C
Mel miſcendum vino ad colluẽdos dẽtes poſt lac. 3°.de ali.fa. 2ª.28.C
Mel in copia pungit ſtomachum,& facit inciſionẽ.de diſſ.cõ. Sp.74.F
Mel qñ nõ coquit,generat vẽtoſitatẽ in ſtomacho.de diſſ.cõ. Sp.74.G
Mel imperfecte coctum flatus in ventriculo,& inteſtinis parit. 3°. de alimentorum facul. 2ª.32.G
Mel recipientia quibus nocent. 1°.de alim.fac. 2ª.10.F
Mel aliqui auerſantur.4°.de ſan.tuen. 2ª.86.F
Mel ſolum ſi delingatur ſine aquæ admixtione,nutrit infirmius,ſed aluum deijcit.3°.de alim.fac. 2ª.32.G
Mel per ſe copioſius ſumptũ purgat per aluũ. de art.cõ.2°. 7ª.267.H
Mel non coctum lenit ventrem.de diſſ.cont. Sp.75.A
in Mellis aqua infuſa pruna ſicca leniunt ventrem.de diſſ.cõ. Sp.75.B
Mellis aqua tendit velociter in venas.de diſſ.con. Sp.75.A
Melle,& ſale ſerum conditum citat aluum,& valet ilijs ſuſpenſis.commen. 5°.aph.64°. Ex.44.F
Mel & ſal qñ maxime adiſcẽtur caſeo,lenit vẽter.& diſ.cõ. Sp.75.A
cum Melle,& ſale aloe ventrem purgat.de cathar. Sp.95.D
cum Melle fœnum græcum lenit ventrem.de diſſ.cont. Sp.75.A
cum Melle miſtum acetum tenuat ventrem,& expellit inflationem.de diſſolutione conti. Sp.74.G
Mel ſcybala euacuat.de cathar. Sp.95.D
Mel ſi coquatur,non lenit ventrem.de diſſ.cont. Sp.75.B
Mel coctũ non facit flatus,& vrinam mouet.5°.de ali.fa. 2ª.32.G
Mel vrinam ciet.8°.de compo.medicamen.ſec.loc. 5ª.196.B
Mel humiditatem per vrinam educit.8°.de comp.med.ſe.l. 5ª.195.C
Melle mouendæ vrinæ in ſenibus. 5°.de ſan.tuen. 2ª.92.E
Mel eſt oculorum cenoticum.de cathar. Sp.95.B
Mel claritati oculorum,& faciei prodeſt.de ſimp.med. Sp.87.B
Mel atticum melius habetur ad claritatem faciei,& oculorum.de ſimplic.medicaminib. Sp.87.A
Mel mordax oculis.6°.de compo.med.ſec.loc. 5ª.170.E
Mel vlceribus mordax non cuti.5°.de comp.me.ſe.lo. 5ª.159.A
Mel purgat aures.de cathar. Sp.95.B
cum Melle,& aceto aphronitrum purgat aures.de cath. Sp.95.B
Mel adhibendum dentientibus gingiuis.10°.de ſimp.me.fa. 5ª.74.D
Mel,& ſal ſimul qualia ſint.6°.de comp.med.ſec.loc. 5ª.174.D
Mel exterſorium eſt.7°.de compo.med.ſec.loc. 5ª.179.C
Mel non coctum ſuper omnia emundat.4°.meth.med. 7ª.28.H
Mel abſtergit.2°.de ſimp.med.fa. 5ª.12.G
Mel multum extergit.7°.de ſimp. med.fac. 5ª.53.B
Mel hymetthium magis detergit.8°.meth.med. 7ª.52.H
Mel vehementiſſime abſtergit.6°.de comp.me.ſe.loc. 5ª.171.H
Mel detergit extra applicatum.8°.meth.med. 7ª.51.A
ex Melle fricatio.de præcog.ad Poſth. 4ª.217.G
Melle fricanda eſt lingua aſpera.de dyn. Sp.20.A
Melle vtendum ante balneum.6°.de ſan.tu. 2ª.97.G
Mel dandum his,qui cibum in acidum vertunt.1°.de lo.aff. 4ª.5.E
Mel ſolum faſtidium tollit,orexin facit,nauſeã prohibet,pulmoni,& interioribus oĩbus per totum leniẽdo medetur.de ſimp.me. Sp.87.B
ex Melle,cydoniorum ſucco,pipere albo,zingibere,& aceto medicamentum ad appetentiam deiectam.2°.de alim.fa. 2ª.20.D
Mel multum ſumptum vomitum excitat.3°.de alim.fa. 2ª.32.H
Mel quod vomitum commouebat.1°.de antid. 5ª.101.E
Mel cũ nõ nullis alijs mixtũ cauſat ſingultũ.cõ.6°.aph.39°. Ex.50.H
Mel tenuat ſputum craſſum,& iuuat ad ſpuendũ.de diſſ.con. Sp.74.G
ex Melle confecta faciunt magis expuere.7°.de compoſi.medicamentorum ſec.loc. 5ª.181.A
cum Melle,& amygdalis amaris butyrum pro educendo ſputo.10°.de ſimp.med.fac. 5ª.74.D
Mel purgat pulmonem,& thoracem.de cathar. Sp.95.B
Mel tenuat,& Mundificat,& quod mel.de diſſ.cont. Sp.74.G
Mel tenuat quibus miſcetur.1°.de alim.fac. 2ª.10.E
Mel miſceri debet in medicamentis vlceris,thoracis,& pulmonis.4°. methodi medendi. 7ª.29.A
Mel facit celeriter tranſire medicamenta.4°.meth.med. 7ª.29.A
Mel omnibus antidotis commiſcetur vulnerum ſorditiem adhibitũ comedit,ſaucibus exiccatis illinitur deducendo humores aperit.de ſimplic.medicaminibus. Sp.87.A
Mel poteſt cutis,& vulnerũ ſordes auferre.5°.de ſim. me.fa. 5ª.35.B
Melle ad ſinuoſorum vlcerum glutinationem vtuntur.7°.de ſimpliciũ medi.facul. 5ª.55.D
Mel conuenit herpeti exedenti.2°.de arte curati.ad Glau. 7ª.102.C
cũ Melle iris cruſtas optime diſrũpit.2°.de arte cura.ad Gl. 7ª.107.B
Mel cum iride,vel radice panacis,vel ariſtolochiæ,vel acori, cruſtas optime diſrumpit.2°.de arte cur.ad Gla. 7ª.107.B
cum Melle farina orobi cruſtas optime diſrumpit.2°.de arte curatiua ad Glauconem. 7ª.107.B
Melli pro fiſtulis,& laceroſis cutibus quæ adiungenda.2°.de arte curatiua ad Glauconem. 7ª.106.G
Mel,& farina hordei non triticea pro phlegmone coquẽdo. 3° metho di medendi. 7ª.81.C
Mel quo modo ſecundum quantitatem diuerſis ſuccis miſceatur.6°.de compo.med.ſec.loc. 5ª.169.A
Mel prius coquitur. 5°.de comp.med.per gen. 5ª.247.G
Mel ſeorſum coquitur.7°.de comp.med.per gen. 5ª.270.A
Mel quo modo coquitur.4°.de ſanitate taenda. 2ª.85.D/*7°.de compoſi.medic.ſec.loc.* 5ª.181.E
Mellis coctura in duplici vaſe quod manus non inquinet. 7°.de comp. med.ſec.loc. 5ª.178.H
Mel coqui debet ſuper prunas quercus vel vitis candentes.7°. methodi medendi. 7ª.47.A
Mel in coctione amittit quartam partem.4°.de ſan.tuen. 2ª.85.F
Mel malum habet multam ſpumam,et indiget longiori coctione. 4°.de ſanitate tuenda. 2ª.85.F
Mel optimum breuiſſimo tempore coquitur,& minimum ſpumæ euomit.4°.de ſan.tuen. 2ª.85.F
Mel non debet coqui plus quàm conueniat,quoniam fit amarum.1°.de antidotis. 5ª.101.D
Mel inueteratum coctum amareſcit.de ocul. 7ª.188.C
Mel fit amarum vi ignis.4°.de ſimp.med.fac. 5ª.29.B
Mel cur fiat igne amarum.4°.de ſimp.me.fa. 5ª.29.B
Mel coctum amariſſimum.2°.de nat.fac. 1ª.300.G
Mel cur coctum non efficitur dulcius.2°. de nat.fac. 1ª.300.G
Mel amarum.1°.de antid. 5ª.101.D
Mel optimum curioſe deſpumatum.4°.de ſan.tuen. 2ª.86.E
*Mel curioſe deſpumari debet. 4°.de ſan.tuen.*85.D/ 2ª.86.E
Mel deſpumatum minus excrementoſum eſt,& magis nutrit. 7°.methodi medendi. 7ª.47.A
Mel deſpumatum cibus optimus ventriculo frigido, peſſimus calido. 7°.methodi meden. 7ª.47.A
Melle deſpumato vtitur Galenus.6°.de comp.med.ſec.loc. 5ª.171.D
Melli,& aceto quid faciat coctura de puero epil. 7ª.181.A
Mel,& acetum optime miſceri facit coctura.de puero epil.7°. 7ª.181.A
Melle cocto vtitur.8°.de compo.med.ſec.lo. 5ª.192.H
Mel coctum.7°.de comp.med.ſecun.loc. 5ª.182.G/H
Mel coquit prius,quàm miſceat.8°.de compo.medica.ſe.lo. 5ª.195.D
Mel coctum aloes remittit inſuauitatem. de dyna. Sp.20.H
cum Melle,vel garo,vel ſale coctum ouum, eſt compoſitum ex partibus facultate diuerſis.de victu.ra.in mor.acu. com.1°. 7ª.111.H
Mel intendit medicamentum.2°.de compo.medic.per gen. 5ª.220.D
Mel quando poni debeat.1°.de antid. 5ª.107.F
Mel miſcendum cum mitigatorijs.13°.meth.med. 7ª.81.C
Mel auſteris admiſceri debet.6°.de comp.me.ſe.loc. 5ª.173.F
Mel non conuenit in tenui deſtillatione.7°.de cõ. me.ſec.lo. 5ª.181.A
ex Melle cur primo factum Diamoron.6°.de comp. me.ſe.lo. 5ª.167.B
cum Melle quo modo miſcendus ſuccus in medijs pharmacis. 7°.de cõpo.med.ſec.lo. 5ª.168.B
Mel in diamoro quantum.6°.de comp.med.ſec.loc. 5ª.168.B
Mel quintuplum ad ſuccum pro ſeruanda ſymmetria. 6°.de comp. medicamen.ſe.lo. 5ª.168.B
ex Melle quando medicamenta componuntur, quomodo loquẽdum de quantitate eorum in permixtione.6°.de com.med.ſec.lo. 5ª.168.C
ex Melle diacodion quando melius.7°.de com. me.ſe.lo. 5ª.181.A
ex Melle,hyſſopo,origano,& pulegio potus pro animi defectu ex mẽbri principalis obſtructione.1°.de arte curati.ad Glauco. 7ª.99.F
Mellis ſyrupus quo modo fiat.de med.exper. Sp.104.C
de Melle ſyrupus pro potu.ſecre. Sp.102.E
ex Melle,& pane cataplaſma.13°.meth.med. 7ª.83.F
ex Melle cataplaſmatis vſus tempore Galeni.1°.de diff.feb. 3ª.35.F
Mellis emplaſtrũ pro neruis detectis.6°.meth.med. 7ª.38.C
cũ Melle puluerizatum,& malaxatum chamæmelum ad dolorẽ ventris &

tris,& rerum propter humores frigidos.de med.exper.Sp.106.D
Melli quando pulueres misceendi 2°.de arte cur.ad Glau. 7ª.106.H
ex Melle,aqua,& oleo,clysser.8°.met.med. 7ª.53.F
ex Melle,& Rha medicamẽtũ adstringit.de pcog.ad Posth.4ª.219.C
Melli q̃ simile in mulceridibus inuenit.de tum.præter na. 3ª.83.G
ex Melle acopon.7°.de comp.med.per gen. 5ª.270.A
ex Melle thapsia p mẽbris q̃ ægre reficiũtur.14°.meth.med. 7ª.91.G
Mel pro resina liquida.de art.cur.2°. 7ª.267.A
Melli simile facultate,& consistentia est caricarum decoctũ. 8°.de sim plic.medi.fac. 5ª.61.E
Mel sesilitium qua dandum quantitate.de puero epil. 7ª.181.C
MELAMPVS erat valde auritus.1°.de san.tu. 2ª.63.H
à Melampode elleboro purgat.æsculi e Præti.de atra bile. 1ª.36.E
MELAMPHYLLVM. 6°.de simp.med.facul. 5ª.41.H
MELAMPYRON ex tritici mutatione.1°.de ali.fac. 2ª.15.H
Melampyron peius lolio.1°.de alim.fac. 2ª.15.H
Μέλαν atramentum appellat.2°.de ali.fa. 2ª.17.A
Μελάγχλωρος. in 6ᵐ.de mor.vul.com.2°. 3ª.167.B
in MELANCHOLIAM transeunt bilis,& sanguis.de sper. Sp.40.F
Melancholiam bilem acidam appellat Galenus.in 1ᵐ.de mor. vul.cõ mentario 1°. 3ª.103.C
in Melancholiam vertitur bilis incensa.de spr. Sp.40.A
Melancholia non transit in bilem vel sanguinem.de spер. Sp.40.G
Melancholia transit in pituitam.ꝟhoc absurdum est.ꝟ de spер. Sp.40.G
Melancholia appellatur sanguinis fex, quæ inferius residet. de anato. viuorum. Sp.50.H
Melancholia ad splenẽ ab hepate q̃o proceda.de ana.par. Sp.43.B
Melancholiæ sedes in splene.de ana.viuo. Sp.45.F
Melancholiæ proprium vas est splen.de anat.viuo. Sp.50.H
Melancholia in stomacho quid faciat.de ana.viuo. Sp.45.F
Melancholia transmittitur ad os stomachi ad prouocandum appetitũ. de anat.viuo. Sp.51.A
ex Melancholiæ superflua trãsmissione ad os stomachi accidit bulimus sine canimus appetitus.de ana.viuo. Sp.51.A
Melancholia valde acida facit magnã inappetẽtiã.6°.de l.af. 4ª.36.B
Melancholia æstate peccat,licet raro.com.4°.aph.4°. Ex.27.H
Melancholiam generat caro cordis.de anat.viuo. Sp.56.B
Melancholiam quæ operationes sequantur.de ana.viuo. Sp.45.F
ex Melancholia est membrum omne congelatum,terrestre, primatũ sẽ sia.de ana.viuo. Sp.45.F
in Melancholiæ horis concepti pueri natura.de spер. Sp.37.C
Melancholia facit morbum longum. com.2°.aph.2°. Ex.14.E
Melancholiæ passiones cancri,elephantes,scabies,lepræ,vitiligines ni grx.com.7°.aph.40°. Ex.57.B
Melancholiæ affectio,lepra,scabies,et elephas.de tu.pter.na. 3ª.84.E
Melancholia quos tumores generet. de ocul. 7ª.189.E
Melãcholia facit sputa nigra ĩ morbo latereli.c.6°.aph.33°. Ex.50.A
Melancholia affligente,catharticis vtimur.de dyn. Sp.20.E
Melancholia purgatur medicamento educente atram bilem.quos purgare opor.quib.med. 5ª.88.F
Melancholia descendat,& per partes infernas purgatur quia grauis. commen.4°.aph.9°. Ex.28.C
ex Melãcholia epileptico data ẽ decoctio epithymi.d me.ex. Sp.104.C
Melancholiæ conuenit pepliun.de dyn. Sp.21.A
Melancholiæ vitia sedat theriaca.de ther.ad Pis. 5ª.96.D
Melancholiæ purgatorium medicamentum.de dyn. Sp.24.E
Melancholiã cũ vapore quod medicamentũ extrahat.sicr.Sp.101.G
ad Melancholiam educendam.secret.99.D/de melan.ex Gal.Rufo,& Posidonio. Sp.110.A
Melancholiam laxans electarium.de med.exper. Sp.107.G
ad Melancholiam electarium.de med.exper. Sp.107.A
MELANCHOLIA vnde nomen habuit. 2°.metho. meden. 7ª.9.E
Melancholia quid.fin.med. Isa.47.D
Melancholica vesiasis,quæ.in 1ᵐ.prorrh.com.1°. 4ª.165.C
Melancholia passio atræ bilis. de spер. Sp.38.C
ad Melancholiam perducit sanguis atræ bilis in vitiosos vapores solutus.de vtil.respira. 1ª.226.E
Melancholia fit à vaporibus melancholicis.de vti.resp. 1ª.226.E
Melancholia morbus frigidus,& siccus.1°.de temp. 1ª.11.C
Melancholia morbus longus inuinsecus.intro. Isa.56.B
Melancholia morbus duorum.quos pur.opor. quib. med. & quo tẽp. 5ª.88.C/com.6°.aph.47°. Ex.52.B

Μελαγχολία species alienationis mentis.intro. Isa.56.D
Melãcholia quæ est insaniæ species,sit à melãcholia.3°.d l. af.4ª.18.B
Melancholia proprie insania est.com.6°.aph.21°. Ex.48.D
Melancholiæ,& insaniæ multas species habent.de melanch. ex Gale. Ru.& Posidonio. Sp.109.D
Melancholia est melancholicus affectus.3°.de ali.fac. 2ª.25.G
Melancholiæ sunt ægritudines capitis.de vir.nost.cor.disp. Sp.60.B
Melancholia accidit cerebro affecto aut per se,aut per accidens.17°.d vsit partium. 1ª.222.F
ad Melancholiam atra bile in capite redundante,cur trahamur,nesciui Galenus.q animi mor. 1ª.318.A
Melancholia fit ob oris ventriculi affectus.5°.de lo.aff. 4ª.32.E
Melancholiæ habet os ventriculi ratione societatis.1°.de symptoma. causis.17.H/ 3ª.18.F
in Melancholiam ex stomachi affectibus pro consensum cerebri deuenitur.de consl.ar. Isa.41.B
Melancholiæ tertium genus habet exemplum morbi comitialis depen dentis à ventriculo.3°.de lo.aff. 4ª.18.G
in Melancholijs apparet aĩam lædi à malis corporcis.q aĩ mor.1ª.319.A
Melancholia canina,& lupina quales.d mel.ex G.R.et Pos.Sp.110.E
in Melancholiam incidunt flaui.3°.de lo.aff. 4ª.18.E
ad Melãcholiã procliue rubrum valde.in 1ᵐ.prorr.com.2°. 4ª.170.H
Melancholicus.de bon.& vi.suc. 1ª.39.D
in Melancholiam cur incidunt consistentes.com.3°.aph.30°.Ex.26.D
Melancholia senioribus contingit.in progn.com.3°. 4ª.210.D
Melancholiam faciunt vigiliæ,labores,solicitudines,& tenuis victus. 3°.de locis affect. 4ª.18.E
Melancholiam facit hæmorrhois restricta,sanguis cõsuetus restrictus, & menses retricti.3°.de lo.aff. 4ª.18.E
Melancholia corripiuntur,qui varices habent ex melancholia,et quid agendum.de atra bile. 1ª.35.C
Melancholia corripiuntur,qui habent hæmorrhoides,& quid agendũ. de atra bile. 1ª.35.C
Melancholici ex varicum sublatione.de atra bile. 1ª.35.E
Melancholia potest fieri ab intemperie.3°.de lo.aff. 4ª.20.B
Melancholia quid faciat,si totum corpus,vel si partem occupet.3°.de sympto.causis. 3ª.26.B
Melancholia quid faciat.in 1ᵐ.prorrh.com.3°. 4ª.185.D
in Melãcholia nullum adest loci affecti signum.3°.de loc.aff.4ª.16.B
Melancholiæ,in cuius nomine omnes græci consentiunt,signa.commen ta.7°.aphoris.40°. Ex.57.B
Melancholiæ signa communia de mel.ex Gal.Ruff.& Poss.Sp.109.D
Melancholia est sine febre.3°.de loc.aff. 4ª.17.A
in Melancholia,& amentia quales vrinæ.quæsita.in Hipp. Sp.113.E
in Melancholijs quæ videantur.q animi mor. 1ª.318.C
cuius Melancholiæ principium sit ex eruditate.de melancho.ex Gale. Rufo,& Possidonio. Sp.109.B
Melancholiæ initium quæ significent ex sermone.in 1ᵐ.de mor. vul.cõ mentario 3°. 3ª.117.G
Melancholiæ principium quo modo nouit Galenus.in 1ᵐ.de morb.vul. commentario 3°. 3ª.117.H
Melancholia non antecedit linguæ inconstantia, neque stupor.com.7°. aphorismo 40°. Ex.57.B
Melãcholia qũ vocaĩ flatuosa,et hypochõdriaca.3°.d lo.aff.4ª.19.D
Melancholiam quo modo faciat flatus hypochondriacus. de melanch. ex Gal.Ruf.& Poss. Sp.109.B
ex Melãcholia,et phrenitide deliriũ.in 3ᵐ.de mor.vul.c.3°. 3ª.151.E
Melancholiæ per euacuationem occurrit Ga.cõ.6°.aph.47°. Ex.52.B
Melãcholiã exacuũt vomitus aliqbus.d me.ex G.R.& Poss.Sp.110.E
in Melancholia vsus abstergentium quando conueniat.de mel.ex Ga. Ruf.& Poss. Sp.110.C
Melãcholia existẽte,q humores sint euacuãdi.c.6°.aph.47°. Ex.52.B
Melancholia fit ex humoribus crassis,qui debet in principio veris eua cuari.com.6°.aph.47°. Ex.52.C
Melancholiam patientes non solum vere,sed & autumno purgari debent.com.6°.aph.47°. Ex.52.C
Melancholia albo veratro curatur.de atra bile. 1ª.36.D
Melancholiã quidã singulis annis patiebaĩ,nisi purgaretur vere. quos purg.op.quib.me.& quo temp.5ª.88.C/cõ.6°.aph.47°. Ex.52.B
ex Melancholia multos seruauit Galenus, eos incunte vere euacuãs. quos pur.op.quib med.& quo temp. 5ª.88.C
Melancholiã aduenientẽ qdã præsentiebat.c.6°.aph.47°. Ex.52.B

in Melãcholia ſi educere ſanguinẽ opus ſit Poſſidonius iubet primo ſe care venam poſtea euacuare. de mel. ex Ga. & Ru. et Po. Sp. 110. A
in Melancholia qñ mittendus ſanguis. de mel. ex G. R. et P. Sp. 109. F
in Melancholia venæ ſectio vſque ad animi deliquium. de mel. ex Ga le. Ru. & Poſſido. Sp. 110. F
in Melancholicis quæ vena ſecãda. de mel. ex G. R. & Po. Sp. 109. H
Melancholiæ medela ſunt hæmorrhoides. in 6m. de morb. vulg. cõ. 3°. 178. E/com. 5°. 3ª. 192. H
ad Melancholia clyſter. de mel. ex Gal. Ru. & Poſſ. Sp. 109. H
in Melancholia ſomnifera danda. de mel. ex Ga. Ru. & Po. Sp. 110. F
in Melancholiam. ſecret. Sp. 102. G
Melancholia, vide Atra bilis.
MELANCHOLICA *Caro non idem eſt quod caro. 2°. de ſymptomatum cauſis. 3ª. 26. D*
Melancholica multum caro leporina. 3°. de loc. aff. 4ª. 18. F
Melancholicis Cibis abſtinendum Autumno. 1°. de ali. fa. 2ª. 13. F
Melancholicis cibis vtendum hyeme. 1°. de ali. fac. 2ª. 13. F
Melancholicæ complexionis eſt ſplen. de ana. viuo. Sp. 51. A
Melancholicum aut bilioſum excrementum facit alteratrix potentia calidior. 2°. de ſymp. cau. 3ª. 26. B
Melancholicũ excrementum pauciſſimum. 5°. de vſu par. 1ª. 144. E
Melancholicum excrementum craſſiſſimũ. 5°. de vſu par. 1ª. 144. E
Melancholicũ excrementũ cur trahitur à liene. 5°. de vſu par. 1ª. 144. E
Melãcholicũ excremẽtũ ĩ liene mittit ad vẽtriculũ. 5°. A vſu p. 1ª. 143. g
Melancholicus humor, & atra bilis differunt. 14°. meth. me. 7ª. 89. E
Melãcholicus humor qũo differat ab atra bile. c. 4°. ap. 21°. Ex. 29. D
Melancholici humoris quatuor differentiæ. fin. me. Iſa. 44. B
Melancholicus humor quando non eſt atra bilis. de mult. 3ª. 31. H
Melancholicum ſuccum quem nominet Gale. 3°. de lo. aff. 4ª. 18. A
Melancholicus humor non dicitur ſimpliciter bilis, vt flava, ſed bilis cũ illa adiectione atra. c. 6°. aph 56°. 53. E/et c. 7°. aph. 32° Ex. 56. d
Melancholicus humor qui vere ſit. com. 6°. aph. 53°. Ex. 53. B
Melancholicus humor eſt ſanguinis mixtus. com. 6°. aph. 11°. Ex. 47. D
Melancholicus quodam modo eſt humor craſſus. 13°. met. me. 7ª. 80. H
Melancholicus humor eſt ſanguinis ſex. com. 4°. aph. 77°. & com. 6°. aph. 11°. 36. F/ Ex. 47. D
Melancholicum humorem diſtinctum eſſe à ſanguine, collige. commen. 6°. aphoriſmo. 11°. Ex. 47. D
Melancholicus humor quomodo fiat. com. 4°. aph. 21°. Ex. 29. D
Melancholicus humor in ſanis generatur. de atra bile. 1ª. 37. E
Melancholicum humorem non habent molles, candidi, & obeſi. 3°. de locis affectis. 4ª. 18. E
Melancholici humoris cumulationi aptiſſimi ſunt macri, nigri, et hirſuti, latas habentes venas. 3°. de loc. aff. 4ª. 18. E
Melancholicum humorem qui facile incidunt. in 3ĩ. de morbis vulgari. commenta. 3°. 3ª. 146. G
in Melancholicum humorem aſſatim incidũt ruſo colore homines. 3°. de locis affect. 4ª. 18. E
Melancholicum humorem facientes cibi. 3°. de lo. af. 4ª. 18. F
Melancholicus humor à cibis ſiccis, et craſſis ſit. 1°. de ali. fa. 2ª. 13. E
Melancholicum humorem qñ pariat caſeus vetus. 3°. d lo. af. 4ª. 18. F
Melancholicus humor ex vicia, & aphace. 1°. de ali. fac. 2ª. 15. G
Melancholicus humor quo modo dicatur peccare, & quot ſignis cognoſcatur. com. 4°. aph. 2°. Ex. 27. F
Melancholicus humor quos morbos faciat. de bo. & vi. ſuc. 2ª. 39. D
Melãcholicus humor facit quaternarios circuit°. c. 7°. a. 40°. Ex. 57. B
contra Melãcholicas febres valens medicina. de me. exper. Sp. 104. H
Melancholicus humor in coxas, & crura deſcendens, facit varices. c. 6°. aph. 21°. Ex. 48. D
ex Melancholico humore quomodo fiat carbo. de atra. 1ª. 35. B
Melancholico ſanguine plenæ ſunt venæ, quæ ſunt circa cancrum. commen. 6°. aphoriſmo. 38°. Ex. 50. F
Melancholicus humor facit apoplexias, conuulſiones, cæcitates, furores. com. 6°. aph. 56°. Ex. 53. D
Melancholicus humor, qui furorẽ facit qui ſit. c. 6°. aph. 56°. Ex. 53. E
Melancholicus humor cur pernicioſiſſimus in Pleuritide. de conſtitutione artis. Iſa. 40. H
Melancholicus humor cum abundat, ſanguis mittendus, aut vtendum medicamento euacuante atrã bilẽ. de cur. rat. p ſang. miſſ. 6ª. 18. E
Melancholicus humor deorſum purgatur. de cathar. Sp. 94. C
Melancholicus humor de ſplene educitur. de cathar. Sp. 94. G
Melancholici humores per lienem purgantur. de atra bile. 1ª. 37. A
Melancholici humores lieni inſerti ſi euacuentur, bonum, commenta. 6°. aphoriſmo. 43°. Ex. 51. B
Melancholicus humor quo modo ex epithimo in ſero lactis euacuetur. 14°. methodi medendi. 7ª. 89. G
Melãcholicũ humorẽ maxime educit garũ cathartícũ. de dy. Sp. 22. G
inter Melancholicum Sanguinem, & atram bilem Galenus ponit differentiam. 5°. de loc. affec. 4ª. 34. E
Melancholicũ ſanguinem quẽ nominet Galenus. 3°. de loc. aff. 4ª. 13. A
Melancholicus ſanguis eſt ſuperfluitas ſanguinis, quæ cõtinetur in ſplene. de anat. viuo. Sp. 50. F
Melancholicus ſanguis craſſus eſt. de cur. rat. per ſang. miſſ. 6ª. 18. E
Melancholicum ſanguinem continet ſplen. de anat. viuo. Sp. 50. A
Melancholicum ſanguinem generat lien. 3°. de ali. fac. 2ª. 27. D
Melancholicus ſanguis eſt ſanguis cũ melancholia mixtus. 10°. d ſimpli. medic. facul. 5ª. 72. F
Melancholico ſanguine aliqua membra indigent. 1°. de ſem. 1ª. 332. E
Melancholicũ ſanguinẽ trahere, lienis eſt officiũ. 6°. de lo. af. 4ª. 36. A
Melancholico ſanguine nutritur lien. 6°. de loc. aff. 4ª. 36. B
Melancholicus ſanguis qũo faciat appetitũ. de ana. viuo. Sp. 50. A
Melancholicus ſanguis eſt vt plurimum, quem à puerperio euacuant. de mor. vul. com. 3°. 3ª. 148. E
Melãcholicũ ſanguinẽ facit braſſica ſola inter olera. 3°. de l. af. 4ª. 18. F
Melancholicum ſanguinem maxime gignunt lentes inter olera. 3°. de locis affectis. 4ª. 18. F
Melãcholicũ ſanguinẽ craſſum generãt carnes ſalſę. 1°. A ali. ſ. 2ª. 13. F
Melancholicum ſanguinem faciunt carnes ſalſæ, & piſces ſalſi. 3°. de locis affectis. 4ª. 18. F
Melancholicũ ſanguinẽ faciũt vina craſſa & nigra. 3°. d l. af. 4ª. 18. F
Melancholicum ſanguinem habentes nutriendi ſunt cibis calidis, et humidis. de bon. & vi. ſuc. 2ª. 38. A
Melancholicus ſanguis, aut nigrum, aut liuidum facit ſputum. 2°. de locis affectis. 4ª. 13. B
Melancholico ſanguine plenæ ſunt venæ, quæ ſunt circa cancrum. commen. 6°. aphoriſmo. 38°. Ex. 50. F
Melancholicus ſanguis in cerebro quandoque ſit quando recipitur ab alia parte. de mel. ex Ga. R. & Poſſ. Sp. 109. B
Melancholicus ſanguis an ſit in toto corpore, vel in cerebro, quo modo cognoſcatur. 3°. de loc. aff. 4ª. 18. E
Melancholicus ſanguis ſi in vniuerſo ſit corpore, curatio dẽt incipere à venæ ſectione, ſi in cerebro ſolo, ea nõ eſt opus. 3°. d l. af. 4ª. 18. E
Melancholico ſanguine abundante cubiti venam mediam ſecato. 3°. de locis affectis. 4ª. 18. G
in Melancholico ſanguine mittendo, ſi ſanguis, qui exit non videatur, melancholicus ſiſtendus eſt. 3°. de lo. aff. 4ª. 18. G
à Melancholica materia, etiam ſine febre, quo modo fiat elephas. de atra bile. 1ª. 35. B
MELANCHOLICI *vnde quidam ſint, quidam pituitoſi, quidam cholerici, quidam ſanguinei. de ſper. Sp. 37. B*
Melancholici ſunt ſanguinem multum calidũ habentes. in 3ĩ. de mor. vul. com. 3°. 3ª. 146. G
Melancholica puella quomodo fiat. de ſper. Sp. 38. C
Melancholica temperamenta ex ſanguinis aduſtione. 2°. A tẽ. 1ª. 21. B
Melancholia dicta paſſio, et oẽ mẽtis dliriũ cui ira, temeritas, atq; ĩmanitas iungitur, ſignificãt atram bilẽ peccare. c. 4°. ap. 2°. Ex. 27. F
Melancholici carne bubula melancholicos affectus incidunt. 3°. de alimentorum facu. 2ª. 25 G
Melancholici quomodo fiant. 2°. de ſymp. cau. 3ª. 24. D
Melancholici ex hæmorrhoidum ſuppreſſione. de atra bile. 1ª. 35. E
cur Melancholici euadant flatum hypochondriacum habentes. 2°. de ſymp. cauſis. 3ª. 24. D
Melancholicorum varij affectus. de mel. ex G. R. & Poſſ. Sp. 109. C
Melancholicorum ſymptomata. 3°. de loc. aff. 4ª. 19. B
Melancholicorum differentia. 3°. de lo. aff. 4ª. 19. C
Melancholiam mœſtitia diuturna ſignificat. 2°. de ſymp. cau. 3ª. 24. D
Melãcholicis timor eſt maxime pprius. 16ĩ. d mor. vul. c. 3°. 3ª. 172. A
Melancholicos timor nunquam deſerit. 3°. de lo. aff. 4ª. 19. B
Melancholicorum timor. 2°. de ſymp. cau. 3ª. 24. D
Melancholica mœſtitia qui afficiantur. 6°. de lo. aff. 4ª. 36. B
Melancholica mœſtitia qũo ex liene procedat. 6°. de lo. aff. 4ª. 36. C
Melancholicis ob ſiccitatem videntur phantaſmata ſomniorum in 1ĩ. prorrh. com. 1°. 4ª. 163. F
Melãcholici putãt dæmonas ſibi ĩmiſſos. d me. ex G. R. et P. Sp. 109. C

Melancholica deli-

Melancholica deliria vnde.2°.de symp.cau. 3ª.24.C
Melancholica deliria ex causa frigida.2°.de sympt.cau. 3ª.24.C
Melancholici cur fusci sunt.de mel.ex Gal.Ru.& Poss. Sp.109.E
Melãcholici plurimi cur pilosi euadũt.d mel.ex G.R.& Pos.Sp.109.E
Melancholici cur linguam velocem ferè semper habent,sed & balbe, & exili voce loquuntur.de mel.ex Ga.Ruff.& Poss. Sp.109.E
Melancholici tacent.in 3ᵐ.de mor.vul.com.3°. 3ª.151.G
Melancholicũ est,si lingua repente incontinẽs fiat,aut aliquo pars stupore elanguit.com.7°.aph.40°. Ex.57.B
Melancholici cur conniuent oculis,& labia habent crassa,& oculos p minentes.de mel.ex Ga.Ru.& Poss. Sp.109.E
Melãcholici magna ex pte morbo comiciali afficiũt.3°.d l.af.4ª.18.D
Melancholicum est,si timor,atq; mẽstitia longo tempore homines habentes perseueraucrint.com.7°.aph.40°. Ex.57.B
Melancholicum esse cerebrum primo affectu quo modo cognoscatur.de mel.ex Ga.Ru.& Poss. Sp.109.H
Melãcholici efficiunt morbo comiciali laborantes.3°.de l.af.4ª.18.D
Melancholicorum,& phreniticorum proprium est cooperiri.in 3ᵐ.de mor.vul.com.3°. 3ª.151.G
Melãcholici plurimi cur cibos appetãt.d mel. ex G.R.et P.Sp.109.D
Melãcholici plurimi cur potũ dsiderẽt.d mel.ex G.R.et P.Sp.109.D
Melancholici cur assidua cruditate laborant.de mel.ex Galeno Rufo, & Possidonio. Sp.109.E
Melancholicis cur aluus ferè semper adstricta est.de mel. ex Galeno Rufo,& Possidonio. Sp.109.E
Melancholici plerique in venerem proniores euadunt.de mel.ex Gal. Ru.& Possidonio. Sp.109.C
Melancholici cur libidinosi.in 6ᵐ.de mor.vul.com.3°. 3ª.172.A
Melãcholici aliq cur seipsos perimunt.de mel.ex G.R.et P.Sp.109.E
Melancholicorum accidentium causæ explicari non possunt.de me.ex Ga.Ru.& Possi. Sp.109.D
Melancholici,qui morituri sunt.de dyna. Sp.24.E
Melancholicæ naturæ quies condonanda est.de melancholia ex Ga.R. & Possidonio. Sp.110.E
Melancholicis qui cibi conueniant.de diss.cont. Sp.71.E
Melãcholicorũ vinũ quale ẽe debeat.d me.ex G.R.& Poss.Sp.100.D
Melancholicis cibi acres, exhibeantur vt medicinæ. de melan.ex G. Ru.& Possidonio. Sp.110.D
Melancholicis p̃betur acetũ copiosæ.d me.ex G.R.& Poss. Sp.110.D
Melancholicis aduersissimum est acetũ.1°.de simp. me.fa. 5ª.7.F
Melancholicis quod serum magis conueniat pro aluo inanienda.de me lan.ex Gal.Ru.& Poss. Sp.110.A
Melancholici sitis,& dolor lateris quo modo curetur.de dy. Sp.24.E
in Melancholicis sudor conuenit.de mel. ex G.R.& Poss. Sp.110.B
in Melancholicis cura præcordiorum habenda est.de mel. ex Ga. Ru. & Possidonio. Sp.110.B
in Melancholicis fomenta pro præcordijs,quæ.de me. ex Ga. Rufo,& Possidonio. Sp.110.B
in Melancholicis aduentriculi ventositates quæ conueniunt. de melan cholia ex Gal.Ru.& Poss. Sp.110.C
in Melancholicis cataplasma ad ventriculum.de melancho. ex Gale. Ru.& Possidonio. Sp.110.C
in Melancholicis rubificantia quando conueniant. de melãcho.ex Ga. Ruf.& Possidonio. Sp.110.C
pro Melancholicis siccum bouis stercus quo modo conueniat. de melan.ex Gal.Ruff.& Poss. Sp.110.C
Melancholici, qui conuelluntur,quomodo tractandi. de melancho.ex Ga.Ruf.& Poss. Sp.110.D
Melancholicis quando vomitus conueniat,& ex quibus.de melanch. ex Gal.Ruf.& Poß. Sp.110.E
Melãcholicis obsunt vomitus fortes.de mel.ex G R.& P. Sp.110.E
Melancholici debent per inferiora purgari.cõ.4°.aph.9°. Ex.28.C
Melancholici purgari debent in principio veris.quos purga. opor.qui bus med.& quo temp. 5ª.88.D
Melancholicis educimus atram bilem.de dyna. Sp.21.B
pro Melancholicis epithymum.de mel.ex Ga.Ru.& Poß. Sp.109.H
Melancholicis datur lapis armenus.de dyna. Sp.21.C
Melancholici sola purgatione sanati.de purgan.med.fa. 5ª.87.G
pro Melancholicis hiera.de mel.ex Gal.Ru.& Poss. Sp.109.H
Melãcholiæ cõferũt varices,et hæmorrhoides.c.6°.a.21°. Ex.48.D
Melãcholicæ passionis maximum remedium hæmorrhoidalis sanguis. com.4°.aph.25°.30.B/com.6°.aph.11°. Ex.47.D
Melancholiam futuram quando prohibet sanguis hæmorrhoidalis.cõ. 4°.aphoris.25°. Ex.30.B
Melancholicis sanguinem mittendum persuasit Galenus.de curan.ratio. per sang.miss. 6ª.18.E
in Melancholicis cucurbitulæ contra inflammationes. de melancholia ex Ga.Ruf.& Poss. Sp.110.C
Melancholici aliqui dum curantur,non videntur proficere. de melancho.ex Gal.Ruf.& Poss. Sp.109.C
in Melancholicis galea plumbea remedio est.de melancho.ex Ga. Ruf. & Possidonio. Sp.109.C
ad Melancholicas ægritudines.secre.102.D/ Sp.103.E
MELANGIA *ad aperiendum.de dyn.* Sp.35.E
Melangiæ meminit.de dyna. Sp.31.E
Melangia,& pilosella. de dyna. Sp.35.F
MELAN *graphicum.9°.de simp.me.fac.* 5ª.70.B
MELANTHIVM *oleum.6°.de simp.med.fac.* 5ª.46.H
Melanthium ideſt Nygella.7°.de simp.med.fa. 5ª.55.C
Melanthij semen amarum.4°.de simp.med.fa. 5ª.26.E
Melanthium prouocat menstrua.de cathar. Sp.95.D
Melanthium in nasi obturatione.2°.de comp.med.sec.lo. 5ª.139.G
Melanthium in morbo regio.2°.de comp.me.se.loc. 5ª.139.G
Melanthium frictum collo in linteo suspensum catarrhos, & coryzas desiccat.6°.de simp.me.fa. 5ª.45.H
Melanthium torrefactum.5°.de compo.med.sec.lo. 5ª.163.E
MELANTHERIA *ex clauis confecta.5°.de compo. medicamento. per genera.* 5ª.253.B
Melanteria qualis.9°.de simp.med.fac. 5ª.70.B
Melanteria adstringens summum.3°.de simp.med.fa. 5ª.21.D
Melanteriç meminit.5°.de compo.medi.per gen. 5ª.248.G
MELCA *cibus refrigerans.7°.metho.meden.* 7ª.44.B
Melca quando conuenit.de bon.& vit.suc. 2ª.39.B
MELEA *id est malus.7°.de simp.madica.fac.* 5ª.55.H
MELEA *armenice,id est malus armenica.7°.de sim.me. fa.* 5ª.56.A
Melea medice,id est malus medica.7°.de simp.med.fac. 5ª.56.A
Melea persice, id est malus persica.7°.de simp. med.fa. 5ª.56.A
Μελεδόνας *vocant poetæ dolores,& curas.de arti.com.1°.* 7ª.257.B
Μελέτη *pro diligentia accipitur.de fract.com.2°.* 7ª.235.D
MELICERIS *affectus iuncturarum cubiti.intro.* Isa.59.C
Meliceris futurarum distentio.intro. Isa.59.C
Meliceris id est formica,siue sessilis veruca nomen sumpsit à similitudine ad aliquid extra positum.2°.metho.me. 7ª.9.E
Meliceris numeratur inter affectus, qui prius nõ fuere.14°.methodi medendi.92.D/ 7ª.93.C
Meliceris quid.de tum.præter natu. 3ª.83.G
Meliceris affectus partium exteriorum palpebrarum.intr. Isa.58.D
in Meliceride quod inutile est deponitur in natura.de cau.mor. 3ª.9.D
Meliceridum tumor diuersus ab alijs.ad Thras. 2ª.105.A
Meliceris ex humore tenuiore generatur.14°.meth.me. 7ª.90.E
Meliceris quo sanet.14°.me.m.93.F/2°.de arte cur.ad Gla. 7ª.107.G
Miliceris,œdema,ramex,struma magna similitudine conueniunt,sed in curatione distant.de opt.sect. Isa.24.A
Melicerides ablationem sui indicant.3°.meth.me. 7ª.16.C
ad Meliceridas digerendas.6°.de compo.med.per gen. 5ª.261.F
Meliceridas discutiens.6°.de comp med.per ge. 5ª.261.D
ad Meliceridas magnas.6°.de comp.med.per gen. 5ª.262.H
Μελεωδ*ης dicitur poeta Lyricus.17°.de vsu par.* 5ª.222.G
MELICRATON *facit victum tenuissimum.com.1°.aph.4°.* Ex.4.B
Melicratum cur præbeatur ægrotantibus.de boni. aquæ. Sp.75.G
Melicrato quãdo vti debemus. de vict.rat.in mor.acu.c.2°. 7ª.121.F
Melicratum dandum in febribus continuis,quibus non bilescit in ventriculo.1°.de arte cura.ad Glau. 7ª.98.A
Melicrato vtendum pro siti in pleuritide.de vict.ra.in mor.acu.commentario 1°. 7ª.114.F
Melicratũ stomachum supinat.de vict.ra.in mor.acu.cõ.1°. 7ª.111.E
Melicratum paulisper coctum quid faciat.3°.de alim.fac. 2ª.32.G
Melicratum in balneo bibitum quibus cõferat.de cura icter. Sp.111.C
Melicrato parari debent medicamenta thoracis,et pulmonis.5°.d simplicium med.facul. 5ª.35.C
cum Melicrato oxymel incidit.de cur.rat.per san.miss. 6ª.19.A
Melicratum maturat.de ocul. 7ª.189.D
Melicratum,in quo aliquid decoctum sit hyssopi, origani, tragorigani, thymi,pulegij,habet vim extenuandi.com.1°.aph.24°. Ex.10.C

Melicrati potus

Melicrati potus in quo ebullierit thymus origanũ, puleg iũ, vel hyſſopus cõuenit ĩ aĩ affectu ex Multitudine. 1°. à arte cur. ad Gl. 7ª. 99. B

Melicratum in quo hyſſopus ebullierit pro ventriculo, in quo pituita frigida ſit acerbata. 1°. de arte curatiua ad Glauconem. 7ª. 99. D

Melicratũ ſoluere in ore omnium eſt. 1°. de alim. fac. 2ª. 7. F

Melicratum aluum omnibus non ſubducit. 1°. de alim. fac. 2ª. 7. F

Melicratum quos ſoluat, & quos non. 1°. de alim. ſa. 2ª. 8. D

Melicrati cyatis duobus miſcetur colocynthis. de dyn. Sp. 21. D

Melicrato, vel oximelite excipitur agaricum. de dyn. Sp. 21. G

cum Melicrato ſuccus centaureæ purgat choleram, & ſoluit craſſos, et viſcoſos humores. de virt. cent. Sp. 94. A

Melicratum expurgat in icteris. de cura icter. Sp. 111. B

Melicrato abluendum vlcus. 2°. de arte cu. ad Glau. 7ª. 101. H

Melicratum mordicationes quandoque ſanat, et ſalſuginoſum eſt. 2°. de ſimp. med. fac. 5ª. 12. B

Melicratũ ad expurgãdũ melius eſt vino. 2°. de ar. cur. ad Gl. 7ª. 106. C

Melicrato, melius vinum mulſum ad glutinandum. 2°. de arte cura. ad Glauconem. 7ª. 106. C

Melicratũ conglutinat ſinus profundos. 2°. de arte cur. ad Gl. 7ª. 106. C

MELIDIÆ *caſus. in 1ᵐ. de mor. vul. com. 3°.* 3ª. 126. G

MELILOTVS *eiuſdem ferè generis exiſtit cum croco. 4°. de compoſi. medic. ſecun. loc.* 5ª. 151. D

Melilotus magis calidus quàm frigidus, digerit, & concoquit. 7°. de ſimpli. med. facul. 5ª. 55. D

Melilotus adſtringit exigue, & diſcutit. 5°. de cõp. me. ſe. lo. 5ª. 159. B

Melilotus iuuat oculos inflammatos circumdolentes. intro. *Iſa. 58. C*

Meliloti attici meminit. 8°. de compoſi. medicamen. ſecun. lo. 5ª. 196. E

Melilotus odoratas reddit compoſitiones. 1°. de cõp. me. ſe. l. 5ª. 128. C

Meliloti decoctum, quale. 4°. de compoſi. medic. ſe. lo. 5ª. 151. F

ex Meliloto medicamentum quo modo fiat, & valeat diuerſis vlceribus. 8°. de comp. med. ſec. lo. 5ª. 187. F

ex Meliloto malagma. 7°. de compo. medica. per gen. 5ª. 266. A

in Meliloti emplaſtro miſcentur vitella ouorum. 11°. de ſimpl. medica men. facult. 5ª. 81. E

ex Meliloto emplaſtrum. 8°. de comp. med. ſec. loc. 5ª. 193. D

MELINE *dicitur ab aliquibus panicum. de bon. & vi. ſuc.* 2ª. 37. D

Meline id eſt panicum. 6°. de ſimp. me. ſa. 5ª. 47. D

Meline eſt praui ſucci. de atten. vict. 2ª. 45. B

Meline flatuenta eſt, & concoctu difficilis. de atten. vic. 2ª. 45. B

MELINA *Critonis medicamenta. 2°. de comp. med. per gen.* 5ª. 223. D

Melina quo modo fiant viridia per coctiuram poſtea Gilia. 2°. de compoſi. med. ſec. loc. 5ª. 223. E

Melinum inſcriptum aromaticum. 8°. de comp. med. ſec. lo. 5ª. 193. A

Melina vocat buxea. 2°. de comp. me. per gen. 5ª. 223. D

Melinũ ceratũ eſt vtilius vẽtriculo q intus vratur. 8°. me. m. 7ª. 53. D

Melinum collyrium. 4°. de compo. medica. ſec. loc. 5ª. 156. H

Melinum Diaphantis aphra. 2°. de comp. me. per ge. 5ª. 222. F

Melinũ Andromachi emplaſtrum. 2°. de comp. me. ſec. l. 5ª. 222. C

Melinum emplaſtrum Paſionis. 1°. de comp. med ſe. lo. 5ª. 130. H

Melinum Herachlidis. 2°. de compo. med. per ge. 5ª. 222. F

Melinum Hygieni. 1°. de comp. med. ſe. lo. 5ª. 130. H

Melinon Lucy præceptoris ad cruſtas, & callos. 5°. de compoſi. medicamen. per genera. 5ª. 253. H

Melinum Leuci emplaſtrum. 1°. de comp. med. ſec. lo. 5ª. 130. H

Melinum Menoeti. 2°. de comp. med. per ge. 5ª. 222. G

Melinum Serapionis. 2°. de comp. med. per ge. 5ª. 222. G

MELINVM *oleum adſtringit. 13°. meth. med.* 7ª. 83. G

Melinũ oleũ adſtringit, & refrigerat. 4°. de cõp. me. per ge. 5ª. 237. A

Melinum oleum pro abſinthio. 11°. meth. med. 7ª. 72. G

Melinum oleum. 6°. de ſimpli. med. fac. 5ª. 47. H

MELINVM *maſtichinum & nardinum vnguentũ quem ordinẽ inter ſe habeant, & quo anni tempore exhibendũ. 6°. de ſa. tu.* 2ª. 99. A

Melinum vnguentum modice adſtringit. 6°. de ſan. tu. 2ª. 99. A

Melino vnguento pectus eſtate vngendum. 5°. meth. me. 7ª. 32. H

Melinum vnguentum ventriculo imbecillo applicabant antiqui. 7°. methodi medendi. 7ª. 43. H

Melinum vnguentum Iecori inflammato conuenit. 2°. de arte curati. ad Glauconem. 7ª. 104. D

Melinum vnguentum dum adhuc fluit aluus. 8°. meth. me. 7ª. 53. D

Melinum vnguentum pro nardino. 8°. de comp. me. ſe. lo. 5ª. 187. D

MELINA *terra, quid, & eius vires. de ſimp. med.* *Sp. 85. B*

MELIVS, *& nobilius debent dominari. 1°. de dec. Hipp.* 1ª. 242. F

à Melioribus rectius incipitur. de inæq. intemp. *Iſa. 43. F*

ad Melius ſemper translatio. ars med. *Iſa. 68. G*

Melius ſe habere cũ qdã viſi ſint cur moriantur. 3°. de criſ. 4ª. 142. G

Meliores, qui ſint cibi eorum, qui non velociter corrumpuntur in ſtomacho. de diſſolu. conti. *Sp. 75. A*

Meliſſophylon id eſt citrago. 7°. de ſimpli. med. ſa. 5ª. 55. E

Melyſſophyllum odoratas reddit compoſitiones. 1°. de compoſi. medicamen. ſec. loc. 5ª. 128. C

MELISSI *opinio falſa quod vnũ eſſet intranſmutabile. 1°. de ele.* 1ª. 4. b

MELITERIVM *vaſis genus. de puero epil.* 7ª. 181. B

MELITITES *lapis, quid, & eius vires. de ſimp. med.* *Sp. 86. H*

Melitites qualis. 1°. de ſimpli. medica. fac. 5ª. 68. C

Melitites medicamentum flauum & rufum. 2°. de compoſi. medicamẽ. per genera. 5ª. 221. E

MELITONES *aridum erodens. 5°. de comp. med. per gen.* 5ª. 253. B

Melitonis caſus. com. 7°. aph. 42°. *Ex. 57. C*

MELITI *ſtomaticum. 6°. de comp. med. ſec. lo.* 5ª. 171. D

MELIVM *alumen. 3°. de comp. medi. ſec. loc.* 5ª. 147. G

MELLA *quid ſit, & qũo fiat in Grecia. de fract. com. 2°.* 7ª. 235. H

Mella eſt aqua mulſa auſtera. de fract. com. 2°. 7ª. 235. H

Mella ex maceratis ſauis. de fract. com. 3°. 248. D/ 7ª. 246. D

Mella pro potu. de fract. com. 4°. 7ª. 292. E

Melleum dulce idem. 1°. de ſimp. me. fac. 5ª. 8. H

MELLITO *et muccoſo ſimilia ſæpe inueniuntur in abſceſſibus. de tum. præter naturam.* 3ª. 83. G

MELON *qui modus ſit egreſſionis vueæ. de ocul.* 7ª. 187. C

MELONES *ſunt humidi frigidi, & pituitoſi potiſſimum ſi crudi, & non elixi mandantur. de atten. vic.* 2ª. 44. A

MELONGIANÆ *ſunt craſſæ, & cur. de diſſol. cont.* *Sp. 72. H*

MELOPEPON. *2°. de alim. fac.* 2ª. 17. A

Melopepones dicuntur olera. 2°. de alim. fac. 2ª. 16. D

Melopepones ſunt humidi frigidi, & pituitoſi potiſſimum ſi crudi, & non elixi mandantur. de atten. vic. 2ª. 44. A

Melopepones humidi, & lenti. 1°. de alim. fac. 2ª. 8. C

Melopepones minus humidi, quàm pepones. 2°. de alim. fac. 2ª. 17. A

Melopepones nullã habent adſtringentẽ facultatẽ. de alim. ſa. 2ª. 18. H

Melopepones quando ſunt idonei. de bon. & vitio ſuc. 2ª. 39. B

Melopepones non poſſunt conſeruari. de bon. & vit. ſuc. 2ª. 36. H

Melopepones non poſſunt ſiccari. de bon. & vit. ſuc. 2ª. 36. H

Melopeponibus ipſis fructus autumnales magis iuuant ſtomachum. de alimen. facul. 2ª. 17. B

in Melopeponibus editur caro. 2°. de alim. fac. 2ª. 17. B

Melopepones parcius edendi, quã alij fructus. de bo. et vi. ſuc. 2ª. 39. B

Melopepones non ſunt boni ſucci. de bon. & vit. ſuc. 2ª. 37. F

Melopepones nõ ſunt adeo praui ſucci vt pepones. 3°. d ali. ſa. 2ª. 17. A

Melopepones ſi non digerantur vertuntur in ſuccum ſimilem letalibus venenis. de bon. & vitio ſuc. 2ª. 37. F

Melopepones tardius deorſum deſcendunt. 2°. de alim. ſa. 2ª. 17. A

Melopepones ad vomitũ nõ adeo apti vt pepones. 2°. d ali. ſa. 2ª. 17. A

Melopepones mouent vrinam. 1°. de alim. fac. 2ª. 8. C

Melopepones minus mouent vrinas peponibus. 2°. de ali. ſa. 2ª. 17. A

Melopeponum pars intima in qua inſunt ſemina prouocat deiectionẽ. 2°. de alim. fac. 2ª. 17. B

Melopepones mediocriter abſtergunt. 1°. de alim. fac. 2ª. 8. C

Melopepones ſemen ſupprimunt, tamen non corrumpunt. 5°. de ſimp. medic. facul. 5ª. 38. C

MELOTIS *inſtrumentum tenue ad ora vaſorum aperienda. 6°. de anatomicis adminiſt.* 1ª. 93. D

MELOTRYS *vnde dictum. 1°. de compo. medicamen. per ge.* 5ª. 213. F

MEMBREDIAE poſſunt dici curæ quaſi quod membra edant. de artic. commen. 1°. 7ª. 257. B

in MEMBRANIS *nominum differentia apud aliquos. 4°. de vſu partium.* 1ª. 137. H

Membrana, & tunica idem apud Galenum. 4°. de vſu par. 1ª. 137. H

Membranæ quæ ſint. 17°. de anat. adm. 1ª. 94. B

Membrana inter partes ſimilares. de nat. hum. com. 1°. 1ª. 26. C/ *de differentijs morborum.* 3ª. 2. F

Membrana prima, et ſimpliciſſima particula. 1°. de elem. 1ª. 6. E

Mẽbrana ex primis ẽ, et ſimpliciſſimis ſẽſui elemẽtis. 1°. de ele. 1ª. 7. E

Membranæ, & copulæ differentia. 1°. de decr. Hipp. 1ª. 233. G

Membrana qualis. 1°. de decre. Hipp. 1ª. 233. G

Membranæ ex primis partibus quæ formantur. 2°. de temp. 1ª. 16. A

Mẽbrana eſt inter primas partes quæ generãtur. 8°. de dec. Hip. 275. C/ 1°. de nat. fac. 1ª. 291. F
Membranæ quo modo gignantur. de fœ. for. 1ª. 322. G
Membranarum principium viri ſemen. 14°. de vſu par. 1ª. 208. B
Membranæ ſunt à ſemine. 1°. de ſem. 1ª. 332. C
Membranæ ex ſemine vſus. 2°. de ſem. 1ª. 331. A
Mẽbrana quæ primo fit à ſemine cur perforata. 1°. de ſem. 1ª. 330. H
Membrana intrinſecus fibrarũ matrices vtraſq; iungit, et colligat propinquas partes. 14°. de vſu par. 1ª. 209. F
Membrana primo cornibus copulatur. 1°. de ſem. 1ª. 331. A
Membrana quæ eſt operimentum, munimentum, ligamentum, pellicularum fœtus, et matricis. 15°. de vſu par. 1ª. 211. C
Membrana chorion dicta quomodo oriatur. 1°. de ſem. 1ª. 331. B
Membranæ allantoidis, & inteſtinalis ortus. 1°. de ſem. 1ª. 331. B
Mẽbrana ĩteſtinalis è quo facta, et cur talis figuræ. 1°. de ſem. 1ª. 331. 11
Membrana fœtus ſudorem accipiens. 15°. de vſu par. 1ª. 211. B
Mẽbranæ σίγματος græcæ literæ figurã habentes. 6°. de dec. 1ª. 264. C
Membranas diſrumpit ante decimum menſem fœtus, vel incipit diſrumpere. com. 5°. aph. 37°. Ex. 41. A
Membranarum ſubſtantia eſt denſa. com. 6°. aph. 33°. Ex. 50. B
Membrana eſt minus ſicca chartilagine. 1°. de temp. 5ª. 15. C
Mẽbrana exãguis, tñ eſt ex ſanguine facta. 2°. de nat. fac. 1ª. 297. E
Membranæ non habent fibras. 6°. de anat. adm. 1ª. 92. D
Membranæ ſentiunt ſolum, & non habent voluntarium motum. 16°. de vſu partium. 1ª. 214. H
Membranæ non habent pulſationem. 2°. de loc. aff. 4ª. 9. B
Membrana a ſeipſa gubernatur. ars med. Iſa. 63. B
Membranæ quando nutriuntur habent naturales facultates. 2°. metho di medendi. 7ª. 12. H
Mẽbranæ habẽt ſimilẽ functionẽ in oĩ parte. 6°. de dec. Hip. 1ª. 266. B
Membranis lentus humor circumfunditur. 3°. de nat. fac. 1ª. 308. C
Membranæ cur inditæ membris. 6°. de decr. Hip. 1ª. 266. A
Membrana a cute non niſi ſcalpello ſeparatur. 3°. de ana. adm. 1ª. 74. C
Membrana ablata in ſimia non videntur venæ vel nerui ob tenuitatẽ. 3°. de anatomicis adminiſt. 1ª. 74. D
Membranis craneum inhæret. de nat. & ord. cuiusl. corp. Sp. 42. G
Membrana caluariæ habet continuam ſubſtantiã per totum caput. 2°. de comp. med. ſec. loc. 5ª. 133. G/H
Membrana celerrime recedit ab oſſibus, quæ ſunt afflicta. 6°. methodi medendi. 7ª. 42. C
Membrana cerebri, medullæ dorſi, thoracis ſuccinctorium, & abdominis eodem tempore fiunt. 1°. de ſem. 1ª. 332. A
Membranæ cerebri quam habent qualitatem. 2°. de temp. 1ª. 18. A
Mẽbrana dura, & mollis ob quid in cerebro. 7°. de dec. Hip. 1ª. 269. B
Membranæ duræ natura qualis. 9°. de anat. adm. 1ª. 104. A
Membranæ duræ ſectio. 9°. de anat. adm. 1ª. 104. A
In Membranis cerebri ab aliquibus ponitur animę principatus. 1°. de vſu partium. 1ª. 114. H
In Mẽbranis ne, anĩ cerebro ſit aĩæ prima facultas. 2°. đ lo. af. 4ª. 13. H
In Membrana dura cerebri dolor quo modo fiat. de ijs, quæ in medicat. fiunt, commen. 3°. 7ª. 222. F
Membranæ cerebri quando rumpuntur ex caſu. 2°. de com. medicamẽ. ſecun. loc. 5ª. 133. H
Membrana circa cerebrum vulneratũ præciſa inducit febrem, & vomitum bilis. com. 6°. aph. 50°. Ex. 52. G
Membrana craſſa per ſe vulnerata cauſat febrem, & vomitum bilis ſecundum Eraſiſtrati ſectatores. com. 6°. aph. 50°. Ex. 52. G
Membranę cerebri fractæ faciũt deſipientiã. cõ. 7°. aph. 24°. Ex. 55. F
Membranæ cerebri ſanguinem effundentes difficulter compeſcũtur. fi. med. Iſa. 50. A
Membranæ cerebri vulnus qũo curet. 2°. de comp. me. ſe. lo. 5ª. 133. H
Mẽbranæ cerebri, & cerebrũ eadẽ idigẽt curatione. 2°. đ l. af. 4ª. 13. H
Membrana cerebri quibus glutinetur. 2°. de comp. me. ſec. l. 5ª. 138. D
Supra Mẽbranam ponitur oleũ roſaceum. 2°. de com. me ſe. l. 5ª. 134. B
Membrana craſſa cerebri valentiſſimis gaudet medicamentis. 6°. methodi medendi. 7ª. 42. H
Membranæ nudatæ imponitur Iſis. 6°. meth. me. 7ª. 42. H
Ad Membranas cerebri medicamentum. 5°. meth. me. 7ª. 31. B
In Membranarũ capitis inflammationis principio cucurbitulæ nõ ſunt apponendæ. de hiru. revul. cucurb. & ſcarif. 2. E/ 6ª. 3. B
In Membranę inflammatione vti non debemus cucurbitulis in principio. 11°. metho. med. 7ª. 73. E
In Membranarum dolore a calida, & ſpumoſa ſubſtantia arteriæ capitis ſecandę. de cur. rat. per ſang. miſſ. 6ª. 21. F
Ad Membranas cerebri in ſimplici fractura ſcalpelli quales. 6°. methodi medendi. 7ª. 42. B
Membrana agnata oculi quæ vocetur. 4°. de compo. me. ſe. l. 5ª. 501. F
Membranarum oculi affectus. intro. Iſa. 58. D
Membranæ ſuperioris adnatæ paſſio eſt lippitudo. de diſ. mor. 3ª. 6. A
Membranæ ſuper corneam vitia. 1°. de ſymp. cau. 3ª. 15. G
Ad Membranarũ oculorũ extuberantias. 4°. de cõ. me. ſe. lo. 5ª. 156. D
Membrana, os, aden ſatis ſunt ad palati mcatum. 9°. de vſu p. 2ª. 172. C
Membrana digitorum pars. de inæq. intemp. 3ª. 43. D
Membranarum ſubſtantiæ cur in digitis. 1°. de vſu par. 1ª. 117. D
Membranas volunt eſſe principium neruorum ſectatores Eraſiſtrati. com. 6°. aph. 50°. Ex. 52. G
Mẽbranæ ſpinalis medullæ quam habent qualitatẽ. 2°. de tẽp. 1ª. 18. A
Membranæ ambientes ſpinalem medullam cum quibus partibus habẽt ſocietatem. com. 4°. aph. 35°. Ex. 31. F
Membranarum thoracis vtilitates. 6°. de vſu par. 1ª. 148. E
Membrana in oſſe pectoris. 7°. de ana. adm. 1ª. 94. C
Mẽbranæ ſubcingentis, et peritonei differẽtia. 7°. de ana. adm. 1ª. 94. C
Membranæ ſubcingentis ſectio. 7°. de ana. adm. 1ª. 94. C
Membrana ſubcingens obducitur omnibus intra thoracem inſtrumentis. 7°. de anatomicis adminiſtra. 1ª. 94. C
Membrana ſubcingens latera neruoſa eſt, & fortis. 5°. de l. af. 4ª. 30. F
Mẽbrana ſubcĩgẽs iflãmata facit morbũ lateralẽ. c. 6°. a. 33°. Ex. 50. A
Membrana ſubcingens coſtas vnde doleat. 2°. de lo. aff. 4ª. 9. A
Membranæ quo genere dolorum afficiantur. 2°. de criſ. 4ª. 137. E
Membrana ſubcingens nõ habet dolorem pungitiuũ, & qũo in laterali dolore patiatur, & etiam curetur. com. 6°. aph. 5°. Ex. 46. H
Mẽbranarũ dolor pũctioni ſimilis et qũo. de cur. ra. p ſang. 6ª. 21. F
Membrana, pulmo non æque ſunt natura aptæ humores ſuſcipere. cõ. 6°. aph. 33°. Ex. 50. A
Membrana ſubcingens magis apta eſt ſuſcipere humores biliioſos quã pulmo. com. 6°. aph. 33°. Ex. 50. B
Membrana ſuccingẽte inflãmata quid ſequatur. 2°. de lo. affe. 4ª. 13. B
In Mẽbranæ ſuccingẽtis inflãmatione vñ oriat̃ febris. 2°. đ l. af. 4ª. 13. B
Membranæ quæ coſtis ſubſternitur phlegmon eſt cum periculo mortis. 10°. metho. meden. 7ª. 63. H
In Membranæ coſtas tegentis inflammationibus indicium firmum, & ſolidum accipitur a pulſu. 2°. de lo. aff. 4ª. 13. E
In Membranæ coſtas ſuccingentis inflammatione pulſus qualis. 2°. de locis affectis. 4ª. 13. D
Membranæ affectæ magis tendunt, & indurant arteriam quam muſculi affecti. 5°. de lo. aff. 4ª. 29. H
In Membrana ſuccingente ſcirrhus non facit febrẽ, nec œdema. de conſtitutione artis med. Iſa. 40. D
Mẽbranã coſtas ſuccĩgẽtẽ eẽ vulneratã qũo cognoſcat̃. 1°. đ l. af. 4ª. 2. F
Mẽbrana ſuccíngẽs cõfoſſa, et thorax, cõfoſſus idẽ eſt. 1°. de l. af. 4ª. 2. F
Membrana cingens coſtas eroſa in pleuritide. 5°. de lo. aff. 4ª. 29. H
Membrana tegens ſpiritualia membra vt peritoneum naturalia. 7°. de anatomicis adminiſtr. 1ª. 94. D
Membrana pericardion quæ. 7°. de anat. adm. 1ª. 94. D
Membranę pericardion ſectio. 7°. de ana. adm. 1ª. 94. D
Membranæ in corde quo modo ſe habent. 6°. de dec. Hip. 1ª. 264. E
Membranę cur naſcuntur oſculis in corde. 3°. de nat. fac. 1ª. 307. E
Membrana inſtar operculi advas pulmonis. 15°. de vſu par. 1ª. 212. G
Membranæ pulmonis quo loco ſuſpendantur. 4°. de loc. aff. 4ª. 27. E
Membrana pulmonem cingens dura neruoſa. 5°. de lo. aff. 4ª. 31. A
Membrana pulmonis coaleſcit tempore. 15°. de vſu par. 1ª. 212. G
Mẽbranæ Thoracẽ interſepientes qũo ſe habeãt. in pg. c. 2°. 4ª. 204. C
Membrana ſuper lumbos eſt peritonæum. 5°. de ana. adm. 1ª. 88. H
Ad Mẽbranã abdominis adſtringẽdã ĩ hernię curatione. đ laq. 7ª. 307. g
In Membrana quo modo diſpergantur nerui in hepate, renibus, & pulmone. 2°. de loc. aff. 4ª. 9. A
Membranæ cur in veſicis. 5°. de vſu par. 1ª. 145. B
Ex Membranis, & fibris fiũt arteriæ, et venæ. de inæq. intẽp. 3ª. 43. D
Membrana ſubſtrata arteriæ, quæ. 16°. de vſu par. 1ª. 218. G
Membranæ σιγμοειδες in vena arterioſa. 6°. de vſu par. 1ª. 153. G
Membrana a fluxione incaleſcit. 1°. de inæq. intemp. 3ª. 43. E
Membranarum dolore hemodiæ id eſt ſtupori dentium, non habet aliquid ſimile. 2°. de loc. aff. 4ª. 9. H
Membranis accidunt dolores in latitudinem. 2°. de lo. aff. 4ª. 11. B

Membranarum dolores non ſunt inæquales. 2°. de loc. aff. 4ª. 11. B
Membrana ſuper cutim quos dolores faciat. 2°. de loc. aff. 4ª. 11. D
Membrana in media carne quos dolores faciat. 2°. de lo. aff. 4ª. 11. D
Membrana os pertingens, & non pertingens, facit doloris diuerſitatẽ. 2°. de loc. affect. 4ª. 11. C
Membranarum ad oſſa pertingentium dolores. 2°. de lo. aff. 4ª. 11. E
ad Membranulam oſſis punctam. 7°. de comp. med. per gen. 5ª. 268. B
ad Membranarum vulnera. 7°. de compo. medica. per ge. 5ª. 268. B
ex Membrana pingui quandoque fit hectica. 1°. meth. med. 7ª. 64. F
ad Membranas inſitas eliquandas. 5°. de comp. me. per ge. 5ª. 248. C
Membranæ tuto conſuuntur cũ muſculis. 3°. de cõ. me. per ge. 5ª. 231. D
Membrana craſſa quæ exiuit ex contuſo digito fecit dubitare Galenũ, & alios quid eſſet. 3°. de comp. med. per ge. 5ª. 229. C
Membrana quandoque aufertur in mutilatione. de diff. mor. 3ª. 5. A
Membrana ablata cur non creſcit. 1°. de ſem. 1ª. 332. D
Membranæ difficillimum eſt fieri carnem. 1°. de ſem. 1ª. 332. E
MEMBRANA *naſum, & maxillam alligabimus. de faſc.* 7ª. 293. I
MEMBRANA *ſub cortice roboris valde adſtringit. 6°. de ſimp. medic. facultatibus.* 5ª. 46. D
Membrana ſub glande valde adſtringit. 6°. de ſimp. med. ſa. 5ª. 46. D
MEMBRANIS, *& Tiliæ codicibus libri ſcribebantur. de ijs, quæ in medica. fi. com. 1°.* 7ª. 197. E
MEMBRANOSVM *neceſſario eſt, quod eſt leue & denſum. 4°. de vſu partium.* 1ª. 137. D
Membranoſas, carnoſas, & fibroſas particulas habent partes ſimplices. 10°. meth. med. 7ª. 67. D
Membranoſa corpora vnde orta. 7°. de ana. adm. 1ª. 94. C
Membranoſa ſuba habet dolorem pungitiuum. de conſt. ar. Iſ. 40. D
Membranoſum corpus ſi excernatur ex varijs locis, quos affectus indicet. de conſt. art. Iſa. 41. A
Membranoſę tunicę fruſtulum eiectum ex diuerſis partibus, quo modo ſignificat varias affectiones. 1°. de lo. aff. 4ª. 6. B
MEMBRA *quibus elementis conſtent. de hiſt. philo.* Sp. 11. F
Membrorum formam conſtituit figuræ varietas. 7°. de dec. 1ª. 272. B
quæ Membra prius formentur. de ſper. Sp. 36. C
Membrum primum quod generatur. de hiſt. philo. Sp. 11. B
a Membro primo genito alia non gignuntur. de fœt. form. 1ª. 324. G
Mẽbra prĩcipalia fiunt in ſecũdo tẽpore fabricę fœtus. 1ª. de ſe. 5ª. 331. E
Membra omnia quarto tempore ſunt abſoluta. 1°. de ſem. 1ª. 331. F
Mẽbrũ nullũ põt fieri abſq; ſubſtantia ſanguinis. de fęt. for. 1ª. 322. F
Membrum omne ex ſanguine menſtruo fit. 1°. de ſem. 1ª. 332. G
Membra aliqua indigent ſanguine puriore. 1°. de ſem. 1ª. 332. E
Membra aliqua exigunt ſanguinem ſeroſiorem. 1°. de ſem. 1ª. 332. E
Membra ex parte ſanguinis, quæ. de ana. vi. Sp. 45. D
Membra exanguia facta ex ſanguine, quæ. 2°. de nat. fac. 1ª. 297. E
Mẽbra carnea ſanguine generantẽ, & nutriũtur. 1°. de ſem. 1ª. 335. D/E
Mẽbra ſola è ſemine generantur, & nutriũtur. 1°. de ſem. 1ª. 335. D/E
Membrum omne congelatum terreſtre, priuatum ſenſu, ex melancholia eſt. de anat. viuo. Sp. 45. F
Membra corporis, quæ ſicciora ſint. 3°. meth. me. 7ª. 21. E
Membra, quæ Deus bili aſſimilauit. de anat. viuo. Sp. 45. F
ad Membrorum fabricam, quæ ſinus habent, & ventriculus igne, & aere vtitur natura. 2°. de ſem. 1ª. 339. E
Membra aliqua cur ſint perforata, vt oſſa. de anat. viuo. Sp. 44. G
Membra cætera ſequuntur caput in naturali ordine exeundi fœtus. de anato. viuo. Sp. 52. D
Membrorum diuiſio in ſimplicia, & compoſita. de ana. viuo. Sp. 43. F
Membra ſimilaria, quæ de nat. hu. com. 1°. 1ª. 26. C
Membra ſimplicia. quæ. de ana. viuo. Sp. 43. F
Membrum primum ſimilare quid, & ſecundum. de ana. vi. Sp. 43. G
Membrorum ſimilũ partium materia vnde. de anat. viuo. Sp. 44. F
Membrorum ſimplicium, ideſt conſimilium cauſa materialis eſt ſperma præterquam carnis, & adipis. de ana. vi. Sp. 55. G
Membrorum ſimplicium diuerſitas. de ana. viuo. Sp. 55. G
Membra, completa, quæ tamen vocẽtur ſimplicia. de ana. vi. Sp. 44. G
de Membrorũ conſimilium anatomia. de ana. viu. Sp. 55. B
Membrum an ſit medulla. de ana. viuo. Sp. 55. G
Mẽbrũ quoddã magis habet de villis longitudinalibus, & latitudinalibus, vt gula, quoddã magis de trãſuerſis, & latitudinalib. vt ſtomachus, quoddã magis de latitudinalib. vt ĩteſtina. de an. vi. Sp. 55. H
Mẽbrorũ villi ĩ qbus debet aliqd ĩmorari quales. de ana. viu. Sp. 45. A
Membrorum diuerſitas penes tunicas. de ana. viuo. Sp. 55. H
in Membro aliquo cur plures tunicæ. de ana. viuo. Sp. 45. C
Membra compoſita, quæ. de ana. viuo. Sp. 43. F
Membra contrariam ſubſtantiam habentia non vniuntur à natura, ſed iunguntur per vinculum quoddam. 14°. de vſu par. 1ª. 209. G
Membrorum compoſitum habet propriam actionem. de ocul. 7ª. 182. G
Mẽbra habẽtia naturã propriã, cõſideranda. de tot. morb. tẽp. 3ª. 89. H
Membra quorum miniſterium eſt neceſſarium. 7°. meth. me. 7ª. 49. B
Membrum vnum principale ſecundũ Ariſtotelem. de ana. vi. Sp. 56. B
Membra principalia duo ſecundum alios. de ana. viu. Sp. 56. A
Mẽbra principalia, non etiam principaliſſima, tria. de ana. vi. Sp. 45. D
Mẽbra tria principalia ſunt tres trunci in animali. 1°. de ſem. 1ª. 331. G
Membra principalia quatuor ſecundum aliquos. de ana. vi. Sp. 56. A
Membra principaliſſima quatuor. de ana. vi. Sp. 45. D
Membra principalia nouẽ ſphæris comparantur. de ana. vi. Sp. 45. D
Membra regalia intrinſeca, quę. de ana. vi. Sp. 45. D
Mẽbra ſeptẽ regalia, & famoſa cõparata planetis. de ana. vi. Sp. 56. A
de Membro nobili natura ſollicita eſt. de ana. vi. Sp. 45. C
ad Membra omnia vniuerſale principiũ eſt cor. de ana. vi. Sp. 56. H
Membrorũ ſpiritualium principaliſſimũ eſt cor. de cõ. mẽb. Sp. 58. G
Membris omnibus corporis cor eſt calidius. de cõpag. mem. Sp. 58. G
ad Membra cætera influit virtus vitalis à corde. de ana. vi. Sp. 56. F
Membrum nullum habet tantam actionis conſtantiam, quantam habet cor. 6°. de vſu par. 1ª. 150. D
Mẽbrũ neceſſariũ qđ ſeruet aerẽ intrinſece cur fuit. đ ana. vi. Sp. 53. A
Membra prima poſt cor quæ. de ana. viu. Sp. 47. B
per Mẽbra omnia qũo naturalis vis. 4°. de præſag. expul. 4ª. 122. D
Mẽbra oĩa gubernantur à venis, neruis, & arterijs. 1°. đ ſem. 1ª. 330. C
Membris cur inditæ arteriæ, venę, nerui. membranæ, & ligamenta. 6°. de decr. Hipp. 1ª. 266. A
ad Mẽbra minimo ĩteruallo ducũt venæ, et arterię. 16°. đ vſ. p. 1ª. 220. A
Mẽbrũ vbi ĩdiget ſolo viculo, ibi ſolũ ẽ ligamẽtũ. 12°. đ vſu p. 1ª. 193. B
Mẽbrũ vbi indiget ſolo ſenſu, ibi ſolus ẽ neruꝰ. 12°. de vſu p. 1ª. 193. B
Membrum vbi indiget motu voluntario, ibi adeſt neruus, & ligamentum. 12°. de vſu par. 1ª. 193. B
ad Membra diuerſa, arteriarum inceſſus. 1°. de decr. 1ª. 233. A
ad Mẽbrũ oẽ inſtrumentale veniunt duæ venæ. de ana. vi. Sp. 44. B
in Membro primo quod mouetur eſt anima. 2°. de dec. Hip. 1ª. 234. H
de Mẽbris, q̃ mouent motu voluntario. de motu ma. & obſc. Sp. 68. H
Mẽbrorũ exercitatio fit p ſe ex motib. volũtarijs. 2°. de ſa. tu. 2ª. 75. H
Mẽbra motu volũtario primo mouẽt cerebrũ. de motu man. Sp. 66. G
ad Membra alia mittuntur motu volũtario, & ſenſus à cerebro. de voce, & anhel. Sp. 61. G
Membrum nullum quod voluntarie mouetur caret muſculo, accipit neruum a cerebro. de dec. Hipp. & Plat. 1ª. 234. B
Membrum totum nõ mouet vnus muſculus. 1°. de mot. muſ. 1ª. 310. A
Membra mouent muſculi neruos excipiẽtes. 1°. de dec. Hip. 1ª. 234. A
Membrum, quod extenditur, flectitur, et circumagitur habet duo genera muſculorũ. 6°. de ana. adm. 89. H/9°. 1ª. 90. A
Membrum totum quando ſurſum trahitur. de motu muſ. 1ª. 312. C
Membra attollit ac ſuſtinet virtus. 2°. de ſymp. cau. 3ª. 20. A
Membrũ qũo intelligatur validiſſimum. de na. hu. com. 2°. 7ª. 182. E
Mẽbrorum roboris cauſa, quæ ſm Ariſtotelem. 1°. de ſem. 1ª. 334. G
Membrorum durities quid faciat. 2°. de ſan. tu. 2ª. 69. F
Membrorum duritiem perficit exercitatio. 2°. de ſan. tuen. 2ª. 69. F
in Membro, ſi nõ eſſet aliqua facult.as ſentiendi, nõ eſſet doloris ſenſus qñ cæditur, vel confringitur, vel adurit. 7°. de dec. Hipp. 1ª. 272. D
Membra, quę ſolum habent ſenſum in ſuperficie. de ana. viu. Sp. 44. C
Membra inſenſibilia, quæ. de vti. reſp. Sp. 62. G
Membra omnia tanto ſunt frigidiora cute, quanto minus habent ſanguinis. de temp. 1ª. 15. C
Membra, quæ opus commune habent. 7°. meth. med. 7ª. 49. H
Membra ſeruientia, quæ extrinſeca, & intrinſeca. de ana. vi. Sp. 45. D
Membra, quæ alijs deſeruiunt, ſolum habent vnam viam, & vno modo tendunt ad illa. 6°. de decr. Hipp. 1ª. 263. A
Membrorum formæ non ſunt diuerſæ in magnis, & paruis animalibus contra Ariſtotelem. 6°. de vſu par. 1ª. 150. G
Membrũ nullum indiget alio pro ſua functione. de fęt. form. 1ª. 324. G
Membrũ oĩ intendit ſuo cõmodo, & reparationi. de mot. m. Sp. 68. A
in Membro omni quatuor vires. in 6ᵐ. de mor. vul. com. 5°. 3ª. 188. C
Membris omnibus inęſt appetentia conuenientium, & alienarũ auerſio. 3°. de nat. facul. 1ª. 303. G
Mẽbra uim habent trahẽdi ad ſe cõueniẽtia. de purg. me. ſa. 5ª. 87. A/

de motibus manifestis & obsc. Sp.68.B
Membra,quæ aluntur,proprios succos trahunt.4°.de sa.tu. 2ª.88.A
Membrum omne habet facultatem propriæ qualitatis,& meatum ad attrahendũ.14°.de vsu par. 1ª.208.D
Membri attractiuæ virtutis fortitudo quo mõ fiat.de ocul.7ª.189.E
Membra trahunt nutrimentum per vim quàm habent qualitatis attrahendæ qui vt magnes ferrum.2°.de nat.fac. 1ª.299.D
Membrum omne habet cibum quo reficitur.de ocul. 7ª.182.H
Membra a venis capiunt succum sibi accõmodatũ.1°.de sem. 1ª.335.B
Membra nutriuntur succo quã simillimo.6°.de decre.Hip. 1ª.266.C
Mẽbro omni suus proprius cibus suauissimus est.3°.de na.fa. 1ª.305.D
Mẽbrũ oẽ alteri sequẽti dat materiã nutrimẽti.6°.de decr. 1ª.266.A
Membrum,quod sibi est superfluum excernit,idque alterius partis fit alimentum.1°.de sem. 1ª.335.E
Mẽbro vni qđ est excremẽtũ est alteri nutrimentũ.2°.de sem. 1ª.335.E
Membra diuersa diuersis nutriuntur.1°.de sem. 1ª.332.E
Mẽbra oĩa habent aliqđ ppriũ ab alijs diuersum.6°.de decr. 1ª.266.A
in Mẽborũ diuersorũ nutritione sanguis diuersus.8°.đ dec. 1ª.275.G
Membra quælibet habent virtutẽ alteratiuam,per quam alterant nutrimẽtũ sibi ipsis,et habent ppriũ humorũ.cõ.5°.aph.39°.Ex.41.B
Membrũ omne immutat alimẽtũ in suã materiã.1°.de sem. 1ª.335.A
Membra rubra rubificant materiam q̃ conuertũt.de ana.vi. Sp.44.D
Membra alba albificant materias,quas cõuertũt.de ana.vi. Sp.44.D
Membra in quibus est caro mollis,& alba.de ana.viu. Sp.44.D
Membra agere propter alia membra non est verum. de motibus manifestis,& obscuris. Sp.68.B
Mẽbra oĩa vt nutriat,nõ digerit,stomachus.de mo.m.& ob. Sp.68.A
propter Membra iecur non sanguificat.6°.de dec.Hipp. 1ª.265.H
ob Mẽbra oĩa non facit sanguinẽ iecur.de mot.man.& obsc. Sp.68.A
p Mẽbro alio nõ facit pulsum cor,sed p sui cõmodo.đ mot.m. Sp.68.A
Membra officialia in perfectis animalibus.de ana.viu. Sp.45.G
Membra in animalibus imperfectis consimilia officialibus perfectorũ. de anato.viuo. Sp.45.G
in Membri vtilitate noscenda,quid primo considerandum,quid secundo,quid tertio.1°.de vsu par. 1ª.115.H
Membrum vnumquodque actionibus,& vsibus non forma corporis iudicatur.de decr. Hip.& Pla. 1ª.233.E
Membrorum operationẽ debet inuestigare medicus.de ren.affec.dign. & medela. 7ª.192.B
Mẽbra infra septũ transuersũ sunt supra dimidiũ.6°.de decr. 1ª.263.B
Membra bonæ comprehensionis debent esse sicut volæ manuum. de anatomia viuorum. Sp.50.G
Membra tria orationi,& voci necessaria.de voce & anhe. Sp.60.G
Membra quæ continuantur æsophago.de mot.man.& obs. Sp.70.A
Membris alijs maiorẽ sensum habet os stomachi.de vo.et an. Sp.61.H
q̃bus Mẽbris cõicet os vẽtriculi.de mel.ex Gal.R.& Po. Sp.109.H
quę Membra mouentur ad motum respiratorium organorum.1°.de difficultate respirationis. 3ª.58.G
inter Membra duo calida,cur sit positus splen.de ana.viu. Sp.51.A
Membrum virile ex quibus componatur.de anat.viu. Sp.52.E
Mẽbrũ pmĩnẽs cur hẽat fœtus calidior,& siccior.2°.đ sem. 1ª.339.C
Membrum virile sentitur trahi ab vtero.1°.de sem. 1ª.329.C
Membrum asininum in medicamento.1°.de comp.me.sec.lo. 5ª.124.H
Membra subiecta matrici,quæ.de nat.& or.cuius.corp. Sp.42.B
in Membris exterioribus vena pulsatilis supposita est, quieta superposita.de anat.viuo. Sp.56.E
in Membris interioribus vena quieta supposita est, pulsatilis superposita.de anat.viu. Sp.56.D
Membrorum exceptiones considerandæ ex quibus affectibus,in quos affectus,& locos fiant.in 6ᵐ.de morb.vulg.com.2°. 3ª.165.D
in Membro quid sequatur,quando motus obliquus distat a recto.12°. de vsu partium. 1ª.193.H
Membra a natura sunt tam optime facta, vt nullam timeant passionis occasionem.de ocul. 7ª.184.C
Membrorum sanitas,quid.5°.de dec.Hip. 1ª.255.B
Membrorum ægritudo,quid.5°.de decr.Hip. 1ª.255.B
Membrum peccans supplicium patitur.3°.de decr.Hip. 1ª.246.C
per Membra, quæ peccarunt;puniamur.6°.de dec.Hip. 1ª.267.D
Membri defectio qualis sit.de ocul. 7ª.189.E
in Membris defectus quid faciat.1°.de vsu par. 1ª.120.D
Membra cum minuuntur,ab aliquibus dicitur ægritudo alimenti defectus.de differ.morb. 3ª.5.B
Membri tabes ab aliquibus dĩ cũ membra minuunt.đ dif.mor. 3ª.5.B
Membra non crescunt pueris natis super quantitatem naturalẽ nisi raro,sed frequentius minuuntur.de diff.mor. 3ª.5.B
Membra omnia quiete fiunt tenuia.de fract.com.2°. 7ª.238.F
Membra emaciata quomodo Galenus sanauit. de ijs,quæ in me. fiunt, commentario 3°. 7ª.220.B
Membris excessus quid faciat.1°.de vsu par. 1ª.120.D
Membrorum figuræ debent conseruari,vt suo fungi valeant officio. de differentijs morbo. 3ª.4.B
Membrum aliquod si agitatur in ægroto,significat iudicationem.1°. de arte curatiua ad Glauconem. 7ª.100.D
Membra omnia patiuntur a qualitatibus,& si illas non sentiant.3°.de simpli.med.fac. 5ª.21.B
Membrum cito põt fieri calidum,aut frigidum.de vti. resp. 1ª.226.C
Membra citius corrumpuntur a caliditate,quam ab alijs qualitatibus de vtilitate respir. 1ª.226.C
Mẽbrũ nõ fit in pauco tpe siccum, aut humidũ.de vtil.resp. 1ª.226.C
Membrorũ exigui recessus a naturali temperato a multis per ignorantiam non morbi, sed imbecillitates dicuntur. de diff.mor. 3ª.3.G
Membrum vnũ quandoq; est praue affectũ.đ mel.ex G.R. Sp.109.B
Membra duo esse æqualiter debilia rarum est.in 6ᵐ.de mor. vul. commentario 2°. 3ª.168.D
Membro validissimo affecto totum patitur.de nat.hu.c.2°. 7ª.182.E
Membra quãdoque omnia habent eandem temperaturam,vt in cachexia & elephantiasi.de mel.ex Gal.R.& Pos. Sp.109.B
in Membris omnibus dolor.secretorum. Sp.100.H
Membrum an propter seipsum sit affectum,an propter aliud considerandum.6°.de san.tu. 2ª.100.D
Membrorũ extremæ partes cur inflãmentur.de fract.cõ.2°. 7ª.228.G
Membrorum extremorum infrigidatio est nuntius febris.præsag.experientia confirm. Sp.77.E
a Membris validioribus ad infirmiora superfluum depellitur.2°.de semine. 1ª.359.H
Membra imbecilla multum,& prauum colligunt.in 6ᵐ.de morb. vul. commentario 1°. 3ª.154.F
Membrorum ordo in aptitudine ad recipiendas fluxiones. de curã.ra. per sang.miss. 6ª.17.H
Mẽbrũ quot modis præparetur ad recipienda supflua.de ocu. 7ª.189.E
ex Mẽbrorum dispositionibus ortum habent ægritudinum accessiones, quæ per aliquos circuitus fiunt.2°.de dif.feb. 3ª.42.G
Membro principali inflammato necesse est superuenire febrem. cõ.6ᵘ. aphorismo.50°. Ex.52.F
Membra principalia non possunt diu pati,immo non transeunt septem dies.com.6°.aph.51°. Ex.52.H
Membri principis robur semper seruandum.4°.meth.me. 7ª.28.G
Membra carnosa,et pinguia non distenduntur,nec contrahũtur. in 3ᵐ. de mor.vul.com.3°. 3ª.153.B
Membro affecto sunt inuenienda cibaria illi membro conuenientia. de dissolutione continua. Sp.74.D
Membro conueniens cibus qui.de ocul. 7ª.183.A
Mẽborũ patictiũ humiditatem sudor euacuat.com.4°.a.38°.Ex.32.C
Membrorum alia rariora,alia densiora,& indigent vario modo euacuationis.14°.meth.med. 7ª.88.A
ad Membra solida peruenitur attractus humoribus ex venis.2°. de elementis. 1ª.9.H
in Membris diuersis pugnantia temperamenta habentibus quomodo consulendum.6°.de san.tu. 2ª.101.C
in Membris interioribus euenientes oppilationes aperiunt drachmæ duæ cubebarum.de me.exper. Sp.106.E
Membra interiora confortãs medicamẽtũ.de me.exp.104.G/Sp.105.F
ad Membrorum interiorum debilitatem valens medicamentũ.de medicinis expertis. Sp.104.G
ad Mẽborũ interiorũ debilitatem ex cã frigida.de me.exp. Sp.107.B
ad Membra debilia ex frigore.de me.exper. Sp.107.B
Mẽbra labefactãt motus intempestiui. et vehemẽtiores.đ cau.m. 3ª 8.f
ad Membrum roborandum frictio qualis esse debet.de ijs, quæ in medicatrina fi.com.3°. 7ª.220.C
Membra quoad molliantur quo casu fricanda.2°.de san.tu. 2ª.75.H
Membra sunt emollita cũ floridus color apparet.2°.de sa.tu. 2ª.76.A
pro Mẽbris q̃ ægre reficiuntur ex melle thapsia.14°.met.me. 7ª.88.H
ad Membrorum frigiditatem, & fluxum prouenientem ex ea datur decoctio gentianæ.de med.exper. Sp.106.F

Membrorum frigi-

Mẽbrorũ frigiditatis cã fluxũ quid conferat.de med.exper.Sp.104.G
ex Mẽbrorum frigiditate proueniẽti fluxui antiquo valens medicamentum.de medicinis expertis. Sp.106.D
Membra frigida confortans medicamen.de med.exper. Sp.104.E
ad Membrorũ interiorũ dolorẽ valens medicina.de med.exp.S.106.G
ad Membrorũ interiorũ dolorem electarium.de med.exp. Sp.106.G
ad Menbrorum dolorem.de cura lap. Sp.112.D
Membrorum tremori quid valeat.de cura lap. Sp.112.E
Mẽbrũ motu priuant phlegmone & scirrhus.1°.d' mot. musc. 1ª.310.G
Membrum motu priuat cicatricum durities.1°.de mot.musc.3ª.310.G
Membris non adimitur motus pulsu adempto.de vsu puls. 4ª.227.D
Membrum ignauum nullus habere cupit.ad Thras. 2ª.103.B
Membri dispositio contracta tempore per influentiam humorum facit vulnera insanabilia.com.6°.aph.45°. Ex.51.E
Mẽbra qãq; mortua decidere facit morbus frigidus.d' diff.mor.3ª.3.E
Membrorum mortificationi valens medicamen.de me.exp. Sp.104.E
Membra emortua, vbi incidenda.2°.de arte cur.ad Glau. 7ª.106.H
Membra quomodo tota resecanda.introd. If.60.H
Membra abscinduntur a venenatis feris commorsa.introd. If.60.H
Mẽbra a venenatis feris cõmorsa quo mõ abscindũtur.introd.If.60.h
Membro externo abscisso quid sequatur.1°.de mo.musc. 1ª.312.G
Membra ablata ad qd genus ægritudinis referũtur.de dif.mor.3ª.5.A
Membrum abscissum ad quod genus egritudinis referendum sit.de differentijs morborum. 3ª.5.A
Mẽbra q̃ scissa sunt,nõ coalescũt,nec augẽtur.c.7°.aph.28°. Ex.55.H
sm Membra diuersa incisiones quomodo faciẽdæ.d' cucur.sca. 6ª.3.G
Membrum recta linea diuidendum.intro. Isa.59.E
Mẽbrorũ puersiones qũo fiãt,et ex qbus causis.c.4°.ap.49°. Ex.33.C
Membrum distortum quando sit.de fract.com.1°. 7ª.226.H
Mẽbra q̃ videre turpe ẽ,qũo collocãda.de ijs,q̃ i med.fi.c.1°.7ª.202.A
Membri positio situalis, qualis.de ocul. 7ª.189.E
in Membro luxato,et fracto num prius luxatio, an fractura sit reparãda.de machin. 7ª.314.D
Membrum fractum primo die extendendum.de fract.cõ.3°.7ª.246.D
Membra fracta tertio quoq; die deliganda in principio, postea rarius. introductio. If.60.F
Membra non extendenda tertio,aut quarto post die.de ijs,quę in med. fiunt.com.1°. 7ª.201.A
Membra fracta glomeratis fascijs vinciuntur.de fascijs. 7ª.293.F
Membri figuram eligere debet medicus, quæ sit minus dolorifica.1°. de anat.adm. 1ª.64.E
Membrorum figuratio qualis esse debet.de fract.com.3°. 7ª.245.D
Membrorũ rectissima figura est a dolore aliena.6°.met.me. 7ª.41.B
Membrum æquilibre,quale.de art.com.2°. 7ª.266.A
Membra quando accipiunt mediam figuram.1°.de mo.musc.1ª.312.G
Membrorum media figura non facit dolorem.1°.de mo.musc.1ª.312.H
Membrorum stabiliri quid sit.de ijs,quæ in med.fi.com.3°. 7ª.222.D
ad Membrum medium rhombus.de fascijs. 7ª.305.D
ad Membrum vnicum rhombus multiplex.de fascijs. 7ª.305.E
Membris,cum reponuntur,aptissimus laqueus.de laqueis. 7ª.306.G
ad Membra extendenda,& continenda,cum in suam sedem compellũtur,laqueus.de laqueis. 7ª.306.F
MEMBRORVM *aãlium quæ mala sint & q̃ bona.d' dif.cõt. Sp.74.A*
Membra varia,etiam,si edantur,gustu varia.7°.de ana.ad. 1ª.95.H
MEMAECYLVS *arbuti fructus.7°.de simp.med.fac. 5ª.52.A*
Memæcyli fructus decoctum inter adstringentia fortissima pro gargarismis.6°.de comp.med.sec.loc. 5ª.172.G
Hemæcylis rustici passim vescuntur.2°.de alim.fac. 2ª.21.H
MEMINIMVS *virtute proueniente ex capite.de virt.nostrum corpus dispensantibus. Sp.60.B*
Meminisse vnius rei facilius quidẽ fuerit, quàm in eius exacta cognitione persistere.de cuiusque animi pec.not.atq; med. 2ª.59.F
MEMNON *curauit inuestigare veterum medicorum libros, & eorum placita colligere.1°.de na.hu.com.1°. 1ª.27.G*
MEMORARI *quid.2°.de mot.musc. 1ª.315.B*
Memorandi rõnem hz aãa in corpore cerebri.3°.de loc.aff. 4ª.17.H
MEMORATRICIS *symptomata.de symp. diff. 3ª.11.H*
MEMORIALIS *tertia pars cerebri.de anat.ocul. Sp.58.B*
in Memoria duo sunt cãnales tenues,& humidi.de anat.ocul.Sp.58.B
MEMORIA *quid.fin.med. Isa.45.B*
Memoria vbi sit.de ocul. 7ª.183.H
Memoria actio ẽ depẽdẽs a capite p̃ se.de virt.nost.corp.disp.Sp.60.C
Memoria ostẽdit firmã,ac stabilẽ cerebri substantiam.ars me.If.63.E
Memoria sequitur ad dominium bilis.de ana.viu. Sp.45.F
Memoria mouetur a visu.8°.de vsu par. 1ª.167.E
Memoria fons,& radix sensus.1°.de elem. 1ª.3.H
Memoria requies conuenit.de ocul. 7ª.183.H
Memoria rerũ assiduã requirit consuetudinẽ.1°.de ana.adm. 1ª.63.H
Memoriam parit obseruatio.de subst.empi. If.32.D
Memoriam experientiam parit.de subst.empi. Isa.32.D
Memoria pollẽtes medici magis valẽt.d' vi.ra.i mor.ac.c.2°.7ª.121.G
Memoriæ obseruationem indicat empirico concursus accidentium. de sectis. If.16.F
Memoriæ signum suggerens,quod sm empiricos.fin.med. If.46.B
Memoria,& ratio amittunt in lethargo,et sopore.3°.d' loc.aff.4ª.16.E
Memoria,& ratio lęduntur in comitiali morbo.3°.de loc.aff.4ª.17.G
Memoria,sensus,& intellectus perdũtur in epilepsia.de cõpag.mẽb. sine de natura humana. Sp.58.E
Memoria lædituer simul læsa ratione.3°.de lo.aff. 4ª.16.E
Memoria amissa potest fieri ab intemperie.3°.de loc.aff. 4ª.20.B
Memoria depdit,vel graui ter lędit fit a frida ãtẽpie.3°.d' lo.a.4ª.17.a
Memorię nocet,& stultitiam inducit,frigiditas sine humore.3°.de locis affectis. 4ª.16.G
Memoria lædituer ob laborẽ i studijs,atq; vigilijs.3°.de lo.af.4ª.17.A
Memoriam rationem q; vitiaram habuit agricola ob labores in colẽdis vitibus,& tenuem victum.3°.de loc.aff. 4ª.17.A
in Memoria deperdita nullum adest affecti loci signum, neque tumor præter naturam.3°.de loc.aff. 4ª.16.B
Memoria quibus perijt,quæ obseruanda.3°.de loc.aff. 4ª.16.H
de Memoriæ lesę instauratiõe librũ fecit Archigenes.3°.d' lo.a.4ª.15.E
in Memoria qũocũq; læsa capitis cura habenda.de fœt.for. 1ª.324.C
Memoriam deperditam super caput cucurbitula instaurat secundum Archigenem.3°.de loc.aff. 4ª.15.F
Memoria deperdita quomodo instauratur.3°.de loc.aff. 4ª.16.A
Memoriam deperditam quo modo instaurauerit Galenus sine præceptore.3°.de loc af. 4ª.15.D
MENAE *conditæ aceto ad dies vigintiunum ad quid vtiles.9°.de comp.med.sec.loc. 5ª.203.G*
Menæ quomodo vrantur olla cruda.9°.de comp.med.se.lo. 5ª.203.D
MENANDER *comicus optimus.1°.de nat.fac. 1ª.296.B*
Menander rector.de caus.procathar. 3ª.95.D
Menander vsus est infuso Nicostrati ad dysentericos.9°.de composi. med.sec.loc. 5ª.203.H
MINDAE *multę in scripturis.in 3ᵐ.de mor.vul.com.3°. 3ª.145.B*
q̃n MENDACIVM *manifestũ habens sermo inuenitur in aliquibus non sine rõne legentes dubitare cõtingit,& primo quidẽ sibi ipsis diffidere, quasi neque illa quæ sunt manifesta nascentibus deinde suspicari ne falso fuerit interiectum.com.6°.aph.34°. Ex.50.B*
Mendacio habitantis mulieris casus.in 3ᵐ.de mor.vul.c.2°.3ª.140.B
Mendacium forum.in 3ᵐ.de mor.vul.com.2°.137.E/ 3ª.140.B
MENDACES *sequuntur mensas diuitum,principum, & tyrannorum. de cog.cur.animi mor. 2ª.50.H*
MENDESIVM *vinum.2°.de compo.med.sec.lo.138.B/4°. 5ª.154.D*
Mendesium,& Megaleum dicitur vnguentum Aegyptium.2°.de compositione medicamen.secun.lo. 5ª.137.H
Mendesium vnguentum quale.2°.de comp.med.sec.loc. 5ª.134.D/E
MENECRATES *natus est ante Andromachum.6°.de composit.medic. secun.loc. 5ª.175.C*
Menecrates voluit medicamenta esse scribenda non notis ponderum, sed integris vocabulis.1°.de antid. 5ª.102.C
Menecrates de medicamentis scripsit.7°.de comp.med.sec.lo.178.B/ 3°.de comp.med.per ge. 5ª.234.H
Menecrates librũ fecit optimorũ pharmacorũ.6°.d' cõp.m.s.l.5ª.175.C
Menecratis libri titulus Autocrator hologrammatos.7°.de comp.medi.per gene. 5ª.268.A
Menecrates librum fecit inscriptum Insignium pharmacorũ locupletissimus Thesaurus.2°.de comp.med.per ge. 5ª.222.B
Menecratis stomaticum.6°.de comp.med.sec.lo. 5ª.171.D
Menecrates ad strumas,& mãmarũ durities.6°.d' cõp.m.p.g.5ª.262.B
Menecratis accipiter.de fascijs. 7ª.299.C
Menecratis vinculum ad partes extremas.de fascijs. 7ª.305.A
MENELAI *Emplastrum ad Canem rabidum.2°.de antid. 5ª.117.B*
MENEMACHVS *Aphrodisieus methodicę sectæ auctor. introductio. If.51.E*

Menemachus fuit longissimus in suis libris.ad Thras. 2ª.107.C
ex Menemacho de hirudinibus.de cucur.scar. 6ª.4.D
MENESTEI *pharmacum ad rhagadas, & condylomata.* 5°.*de comp. med.per gene.* 5ª.251.G
MENINGES *quæ.sin.med.* *Is.*43.H
Meninges cur duæ.8°.de vsu par. 1ª.169.B
Meninx cerebri frigida est,& sicca.de anat.ocul. *Sp.*58.B
Meninx tenuis quid ambiat.8°.de vsu par. 1ª.168.G
Meningā tenuē ambire cerebrū argumentum.8°.de vsu par. 1ª.168.H
Meninx χοροειδης.i.tenuis est tegmentum cerebri innatum.8°.de vsu partium. 1ª.169.B
Meninx tenuis similis secundæ,& mesaræo.8°.de vsu par. 1ª.168.G
Meninx tenuis ex multis arteriis,& venis propinquis sunt.8°.de vsu partium. 1ª.168.G
Meninx crassa non est connata cranio.8°.de vsu par. 1ª.169.C
Meninx dura quomodo ossibus iungatur.9°.de vsu par. 1ª.176.F
Meninx dura supra quæ feratur.9°.de vsu par. 1ª.173.F
Meninx dura ligatur in sutura capitis.8°.de vsu par. 1ª.169.C
Menin dura tangit cranion,sed nō adhæresit.8°.de vsu par. 1ª.170.B
Meninx crassa quid faciat,& eius vsus.8°.de vsu par. 1ª.168.H
Meninx crassa non est tegmentum.8°.de vsu par. 1ª.169.A
Menix crassa ē sciūcta a cerebro.vasis tn coherēs.8°.& v.p. 1ª.169.A
Meninga dura instar cribri est perforata.8°.de vsu par. 1ª.168.D
ante Meningas cur ossa foraminulenta.8°.de vsu par. 1ª.168.D
Meninga dura quomodo dividat cerebrum.8°.de vsu par. 1ª.167.C
MENINGO *phylax.i.meningis custos.4°.de loc.aff.* 4ª.23.A
Meningum venulas non potest sanguis subintrare, nisi fuerit plurimū digestus.de vtil.resp. *Sp.*63.A
Meniges differūt functionibus ab artubus.4°.& pſag ex pul. 4ª.120.G
Meningæ si sunt calidæ cerebrum incalesceret.8°.de vsu par. 1ª.165.F
Meningis inflammatis febres, & deliria necessario sequuntur.4°.de præsag.ex pul. 4ª.120.G
Meninges quando sunt affectæ,pulsus.4°.de præsag.ex pul. 4ª.121.B
sine Meningibus cerebrum non patitur,& e contrario.4°.de præsagitione ex pulsibus. 4ª.121.G
Meninx dura pōt esse affecta sine cerebro.4°.de pſa.ex puls. 4ª.121.B
Meningum sanguinis eruptio periculosa.10°.de simp.me.fa. 5ª.73.C
ad Meningum hæmorrhagium galli, & gallinæ sanguinem non probat Galenus.10°.de simp.med.fac. 5ª.73.B
Meninge cerebrum custodiente affecta in capite fracto fungi fiunt.1°. de locis affectis. 4ª.2.F
supra Meningam duram an poni debeat sanguis columbę,an columbi, vel pulli.10°.de comp.med.fac. 5ª.72.H
Meninga ambit spinalem medullam.16°.de vsu par. 1ª.219.D
MENIVS *rufus.7°.de comp.med.per gen.* 5ª.269.H
MENODORIOS *potio.7°.de comp.med sec.lo.* 5ª.182.F
MENODOTVS *empiricæ sectæ auctor.introd.* *Is.*51.D
Menodotus empiricus.9°.de decr.Hipp.281.G/1°.de na.fa. 1ª.294.H
Menodotus fuit longissimus in suis libris.ad Thras. 2ª.206.C
Menodotus vocat dogmaticos tribonicos.de subst.emp. *Is.*32.H
MENOETI *emplastrū aurei coloris.2°.de cōp.me.per ge.* 5ª.223.A
Menœti melinum.2°.de comp.med.per ge. 5ª.222.G
MENS, *animus,idem.com.2°.aph.6°.* *Ex.*11.G
Mēs absq; materia Deus ē sm Socratē,et Platonē.d hist.ph. *Sp.*4.F/G
Mens quædam extensa per aerem.17°.de vsu par. 1ª.222.C
de Mente vbi egit Plato.9°.de decr.Hip. 1ª.279.G
de Mentem consequentibus vbi egit Plato.9°.de decr.Hip. 1ª.279.H
Mens,& intellectus communiter dicuntur ratio, & cogitatio.de ijs, quæ in med.fi.com.1°. 7ª.199.B
Mens.i.consilium.3°.de decr.Hip. 1ª.247.C
Mens iudicium naturale.9°.de decr.Hip. 1ª.279.D
Mens non gignitur ex elementis.17°.de vsu par. 1ª.222.C
Mentis orationis,& vocis eadem origo.2°.de dec.Hipp. 1ª.237.C
Mentis coniugationum nuncia vox.16°.de vsu par. 1ª.215.E
Mens sermone explicanda.2°.de diff.pul. 4ª.53.D
Mens vbi.2°.de decr.Hipp. 1ª.237.C
Mens in pectore.3°.de decr.Hipp.242.D/4°. 1ª.248.C
Mens tanta in tanta carnium,& humorum colluuie,mirabile est.17°. de vsu partium. 1ª.222.D
Mens separabilia a corpore.1°.de sem. 1ª.329.D
Mentem hominis semper excitant mutationes.de aer.aq.& lo. 2ª.5.B
Mentem quid acuit.secretorum. *Sp.*101.F
Mentem subtilem non parit venter crassus.ad Thras. 2ª.107.H
Mens quid agat.9°.de decr.Hip. 1ª.279.D
Mentis opera quæ propriæ.2°.de loc.aff. 4ª.13.F
Menses sensit sm Hippocratem.de ijs quæ in med.fi.cō.1°. 7ª.199.D
Mens quod amat,illud iuuat.de incant.adiur.& susp. 7ª.181.G
Mentem profundam habere quid significet.3°.de dec.Hip. 1ª.244.F
Mente constare, est bonum signum.com.2°.aph.33°. *Ex.*17.B
Mentis constantia indicat de cerebro.com.2°.aph.33°. *Ex.*17.B
Mentis constantes non sunt quibus rigor ex desidia.in 1ᵐ.prorrh.com mentario.1°. 4ª.168.D
Mentem tentant omnia vina immodice sumpta.in 3ᵐ.de morb.vulga. commentario.2°. 3ª.138.A
Mentē,& neruos ferit vinū,et acetū.de vic.ra.i mor.ac.c.1°.7ª.113.F
qui Mente quempiam vacuum esse dicunt,metaphora non utuntur.3°. de diff.puls. 4ª.62.C
Mentis opera quomodo læduntur.2°.de loc.aff. 4ª.13.F
Mentis læsio sequitur intemperaturas corporis.in 1ᵐ.prorr.commentario.1°. 4ª.168.D
Mens lēditur a vaporibus, vel humoribus a ventriculo ascendētibus. 1°.de locis affectis. 4ª.6.E
Mens quomodo sit læsa primo,& quo secundo.2°.de loc.af. 4ª.13.F
Mentis lesæ inditia.de comate. 3ª.50.C
Mentem læsam quæ significent.in 6ᵐ.de mor.vul.com.2°. 3ª.168.G
Mentem non constantem significat lingua contremiscens. in 1ᵐ.prorr. commentario.1°. 4ª.167.B
Mentis affectio quem spiritū facit.in 1ᵐ.de morb.vul.c.3°.3ª.121.D
Mente motorum respiratio.1°.de dif.resp. *Sp.*62.F
Mentē ægrotare quo significat laterū dolor.i 1ᵐ.prr.c.1°. 4ª.166.D
Mentis deliriū significat humorē melancholicū.c.4°.aph.2°.Ex.27.F
Mentis pigrities significat humorē pituitosum.c.4°.aph.2°. *Ex.*27.F
Mentis torpor,mentis imbecillitas est.com.5°.aph.16°. *Ex.*38.H
Mentis,& cogitationis segnities quid faciat.1°.de san.tu. 2ª.65.F
Mentis torpor fit substantia cerebri dissoluta.c.5°.aph.16°. *Ex.*38.H
Mentis stupor contigit cōceptis in horis melancholiæ.de sper. *Sp.*37.D
Mentis oblitio cōtingit cōceptis in horis melācholiæ.de sper. *Sp.*37.D
Mentis defectus sequitur profusiones sanguinis.c.5°.a.16°. *Ex.*38.H
*Mentis vacillatio esse potest catochus.in 1ᵐ.prorrh.com.2°.*4ª.176.E
*Mētē silem tenebris efficiēs atræ bilis color,timorē.3°.& lo.af.*4ª.19.C
Mens quibus perturbatur.2°.de comp.med.sec.loc. 5ª.137.B
Mētis perturbationē q dolores significēt.in 1ᵐ.prorr.c.1°. 4ª.168.D
Mentis perturbatio vitanda in doloris capite ob ardorem.2°.de compositi.med.sec.loc. 5ª.132.B
*Mentis frequētes pulsiones feritatē inducūt.de aere.aq.& lo.*2ª.6.C
Mentis alienatio duplex.introd. *Isa.*56.D
Mentis alienatio est furor vehemens.com.7°.aph.5°. *Ex.*54.C
*Mētis alienatio quo lunæ aspectu fiat.de decub.pg.ex mat.scīa.S.*12.G
Mentis alienationis causa.introd. *Is.*56.D
*Mentis alienationem faciunt nerui inflāmati.1°.de mo.mus.*1ª.309.A
Mentis alienatio quibus indicetur.in 1ᵐ.prorrh.com. 4ª.166.A
*Mētis alienatio a furore bonū,tn Galenus dubitat.c.7°.a.5°.Ex.*54.C
Mentis alienationis curatio.introd. *Is.*56.D
in Mente quocunque læsa capitis cura habenda.de fæt.for. 1ª.324.C
MENSA *prima aliqd subducendi gra sumebatur.de atten.vic.* 2ª.45.B
MENSIS *quid sit.2°.de cris.* 4ª.133.H
Menses ordinat luna.2°.de dieb.decr. 4ª.157.A
Menses quo modo variet luna.3°.de die.decr. 4ª.157.B
Mensis a luna per septimanas mutatur.3°.de dieb.decr. 4ª.157.G
Menses a luna ipsa videtur numerare Galenus.de sep.par. 1ª.341.C
Menses cōputādi rone Solis,nō lunæ.de morbis vulg.cō 1°.3ª.102.D
Menses circuitus referuntur ad Solem.3°.de die.decr. 4ª.158.A
Mensis principium cum plenilunio habet proportionem hyemis ad æstatem.3°.de dieb.decr. 4ª.158.B
*Mensis integris diebus non numeratur.in prog.Hip.com.3°.*4ª.207.B
Menses inæquales,sed medicis numeratur æquali numero.de septimestri partu. 1ª.341.B
*Mensi quæ portio addenda sm Hipparchum.de septim.par.*1ª.341.A
Mensis quantus.de septim.par. 1°.341.A
Mensis quot diebus constet.3°.de dieb.decretor.159.D/3°.in prognostica Hipp.com.3°. 4ª.207.C
Mensis est ex vigintinouem diebus cum dimidio,& nescio quid.de septimestri partu. 1ª.341.E
Mensis dimidium quod nam sit.de sep.par. 1ª.341.C

Menſium duodecim eſt annus Romanorũ.i 1m.*d mor.vul.c.*1°.3ª.102.*D*
Menſes,& anni Palæſtinorum.in 1m.*de mor.vul.com.*1°. 3ª.102.*E*
Menſes græcanici.de ſept.par. 1ª.341.*D*
Menſes græcanici quibus perficiantur.de ſeptim.par. 1ª.341.*A*
Menſes intercalares cur.in 1m.*de mor.vul.c.*1°. 3ª.102.*E*
Menſis quintus triginta vnum continet diem.in 1m.*de mor.vul.commentario.*1°. 3ª.102.*E*
Menſis ſextus xxx.dies habet.in 1m.*de mor.vul.c.*1°. 3ª.102.*E*
Menſis ſeptimus,& octauus triginta vnius dierũ ſunt.in 1m.*de mor. vulga.commentario.*1°. 3ª.102.*E*
Menſis nonus triginta dies habet.in 1m.*de mor.vul.com.*1°.3ª.102.*E*
Mẽſis decimꝰ eſt triginta,et vnius dierũ.i 1m.*d mor.vul.c.*1°.3ª.102.*E*
Menſis vndecimus dies hẽt triginta.in 1m.*de mor.vul.c.*1°. 3ª.102.*E*
Menſes duos habet autumnus.in 1m.*de mor.vul.com.*1°.3ª.102.*B/F*
Menſes duos ſolidos ver non habet.in 1m.*de mor.vul.c.*1°. 3ª.102.*B*
*Menſis nominatus eſt ab antiquis,tẽpus inter duas Lunę,ac Solis coitiones intercidens.in prog.com.*3°. 4ª.207.*C*
Menſes diuerſi apud diuerſas nationes.in 1m.*d mor.vul.c.*1°.3ª.102.*C*
Mẽſis Dion Macedoniꝫ appellatus.i 1m.*de mor.vul.c.*1°.3ª.102.*C/D*
Menſis Artemiſius apud Macedonas.i 1m.*de mor.vul.c.*1°.3ª.102.*D*
*Menſis quem κυλλὸν vocant,qui.*3°.*de dieb.decr.* 4ª.157.*E*
Mẽſis Loius qui apud Macedonas.in 1m.*de mor.vul.c.*1°.3ª.102.*D*
*Menſibus ſex methodici profitentur ſe artem medicam edocturos.*1°. *de dignoſ.pulſ.* 4ª.70.*E*
*Mẽſibus duodecim geſtari partũ credidit Timæus.de hiſt.phi.Sp.*11.*D*
*Menſes decem portatur infans in vtero.com.*5°.*aph.*37°. *Ex.*41.*A*
Menſes decimo fœtus gignitur.in 6m.*de mor.vul.c.*1°. 3ª.153.*G*
*Menſibus nouem fœtus perficitur.*3°.*de nat.fa.* 1ª.302.*G*
Menſibus nouem quæ fiant in fœtibus,& infantibus. de natura, & ord.cuiuslibet corpo. *Sp.*42.*D*
Menſe ſeptimo cur infans ſuperuiuit.de compagine membrorum, ſiue de nat.hum. *Sp.*59.*G*
Menſe ſeptimo qnaſcantur.de cõpag.memb.ſiue de nat.hu. *Sp.*59.*F*
*Menſe ſecundo aut tertio abortiens ſine cauſa manifeſta habet acetabula vteri plena mucoris.com.*5°.*aph.*45°. *Ex.*41.*G*
Menſe octauo fœtus conuertitur.in 6m.*de mor.vul.com.*1°.3ª.153.*G*
*Menſe octauo,& nono mammæ,venæ,& vteri ſunt magis pleni.c.*5°. *aphoriſmo.*39°. *Ex.*41.*C*
Menſe octauo cur infans nõ ſupuiuit.ꝑ cõpa.mẽb.ſiue d̃ na.hu. *S.*59.*G*
*Menſibus,diebus,& annis morbi iudicantur.*2°.*d̃ die.decr.*4ª.155.*B*
*in Menſibus ſeptem finiunt aliqui morbi.*1°.*de dieb.decr.* 4ª.149.*D*
*per Menſes,per vicenos dies, per ſeptenarios,& primo per quaternarios quomodo indicationes fiant.in progn.com.*3°. 4ª.208.*C*
*Menſes iudicantes de menſibus,ſeptimanæ de ſeptimanis,anni de annis.com.*3°.*aph.*28°. *Ex.*26.*A*
MENSES *quinam ſanguis ſit.*14°.*de vſu par.* 1ª.207.*B*
*Menſium profluuio excepto,omnia alia ſanguinis profluuio præter naturam ſunt.*3°.*de ſymp.cau.*26.*H/* 3ª.27.*A*
Menſiũ excretionẽ Eraſiſtratus purgationẽ dixit.d̃ atra bile. 1ª.36.*H*
*vt Menſes,& hæmorrhoides, dyſenteria totum corpus euacuat.*2°.*de locis affectis.* 4ª.9.*G*
*Menſes cur mulieribus ſuperueniant.de venę ſect.aduer.Eraſ.*6ª.6.*H*
*in Menſibus laxantur vteri.*3°.*de nat.fac.* 1ª.303.*A*
Menſes quibus ſuperueniant.de venæ ſect.aduer.Eraſ. 6ª.11.*B*
Menſes habet puella.in 3m.*de mor.vul.c.*3°. 3ª.105.*H*
Mẽſes erupturos ſignificat æſtus circa ſpinã.in 1m.*prr.c.*3°. 4ª.186.*B*
*Menſibus erũpentibus ſanguis nõ expuit̃.de venę ſec.ad.Eraſ.*6ª.11.*B*
*Menſes non attrahuntur ab vtero.*5°.*de ſimp.med.fac.* 5ª.37.*H*
Mẽſibus ĩcipiẽtibus vel ceſſantib.tps cõceptionis.d̃ diff.vul. 1ª.109.*E*
in Mẽſiũ tpe intermedio mulier nõ põt cõcipere.de diß.vul. 1ª.109.*E*
Menſes antequã veniant,cur non concipiunt.de diß.vul. 1ª.109.*E*
*poſt Menſes ſtatim facile concipiunt.*1°.*de ſem.* 1ª.329.*C*
*Menſium colores vnde varient.*3°.*de ſymp.cau.* 3ª.29.*G*
*Menſes decolores,nec per idem ſemper tempus venientes,purgationem indicant eſſe neceſſariam.com.*5°.*aph.*36°. *Ex.*40.*G*
*Menſes fiunt decolores propter humores pituitoſos,cholericos,& melancholicos.com.*5°.*aph.*36°. *Ex.*40.*H*
*Menſium anticipatio vnde.com.*5°.*apho.*36°. *Ex.*40.*H*
*Menſium mora quædam naturalis vnde.*3°.*de ſymp.cau.* 3ª.29.*G*
*Mẽſes tardi mulieribus quare,& eorũ remedia.c.*5°.*a.*36°.*Ex.*40.*G*
*Menſium retentio vnde,& quot fiat cauſis.*3°.*de ſymp.cauſ.*3ª.29.*F*
Menſium ſuppreſſio vnde fiat.in 6m.*de mor.vul.com.*1°. 3ª.156.*C*
*Menſes reſtricti ſanguinẽ melancholicũ gignunt.*3°.*de loc.aff.*4ª.18.*E*
Menſibus ſuppreſsis tabeſcunt corpora.de opt.ſect. *Iſa.*26.*F*
*Menſes non ſunt prouocandi in phlegmone vteri,& pudendi.*13°.*methodi medendi.*82.*A/* 7ª.83.*A*
*in Menſiũ defectu quæ vena ſecanda.de cur.ra.per ſang.miſſ.*6ª.20.*H*
Menſibus deficientibus in mulieribus atrabilarijs quæ vena ſecanda. de mel.ex Gal.Ru.& Poſ. *Sp.*110.*A*
Menſes cum expectantur,tunc venæ ſectio fieri debet.de venæ ſectione aduerſ.Eraſiſtr. 6ª.11.*A*
Menſes quibus non fluunt, ſecanda vena eſt tribus quatuorue diebus ante purgationem.de cur.ra.per ſan.miſſ. 6ª.20.*E*
Menſibus ſuppreſsis venę brachiorum non ſecandæ.de curã ratio.per ſanguinis miſſio. 6ª.18.*G*
Menſes maxime prouocant malleolorum, & poplitis venæ.de cur.ra. per ſang.miſſio. 6ª.18.*F*
in Menſium retentione ſi venæ non incidantur quæ immineant pericula.de venæ ſectio.aduer.Eraſiſtratum. 6ª.9.*E*
*Menſes an excuſent a venæ ſectione.*9°.*met.me.* 7ª.57.*H*
Menſes prouocat tali ſcarificatio.de cur.rat.per ſang.miſſ. 6ª.20.*F*
ob Menſium defectum per octo menſes mulierculæ maculẽtæ detraxit ſanguinem Galenus.in 6m.*de mor.vul.com.*3°. 3ª.176.*C*
Menſium circuitus ſuggerere poteſt cucurbitula.de cucur. 6ª.3.*F*
*Menſes quando trahere volumus cucurbitula in pube,& inguine figimus.*13°.*met.med.* 7ª.85.*B*
*Menſes,lac,& ſemen prouocantia habent quandam affinitatem.*5°.*de ſimp.med.fac.* 5ª.37.*F*
*Menſes mouentibus & vrinas,& lac cientibus commune eſt calefacere.*5°.*de ſimp.med.fac.* 5ª.38.*A*
*a Menſes mouentibus qũo differãt diuretica.*5°.*de ſimp.m.f.*5ª.38.*A*
*Menſes quæ prouocant.*5°.*de ſimp.med fac.*37.*H/* 5ª.38.*A*
ad Menſes ciendos debet eſſe tenuiſſimus puluis.de curan.rat.per ſanguinis miſſionem. 6ª.20.*F*
*in Menſibus ciendis eadem proportio eſculentorum, & medicamentorum.*5°.*de ſimp.med.fac.* 5ª.38.*C*
*Menſes prouocant incidentia,& calefacientia vehementer.*6°.*de ſimpli.med.fac.* 5ª.48.*E*
*Mẽſiũ motibus auxiliant̃ Acria tenuis eſſentiæ.*4°.*d̃ ſim.m.f.*5ª.29.*H*
*Menſes mouent Amari ſapores.*4°.*de ſimp.me.fa.*29.*G/*8°. 5ª.59.*B*
*Menſes educit Amaranthũ cũ vino epotũ.*6°.*de ſimp.me.fa.* 5ª.42.*D*
*Menſes appoſitæ eliciunt Anemonæ.*6°.*de ſimp.med.fa.* 5ª.43.*B*
*Menſibus difficulter exeuntibus auxiliatur antidotus Aelij Galii.*2°. *de antidotis.* 5ª.110.*H*
*Menſes ciet Apium.*8°.*de ſimp.med.fac.* 5ª.60.*B*
*Menſes Aromatum ſuffitus ducit.com.*5°.*aph.*28°. *Ex.*40.*B*
*Menſes cit Betonica.*7°.*de ſimp.med.fac.* 5ª.51.*A*
*Menſes prouocat Bunium.*6°.*de ſimp.med.fac.* 5ª.45.*B*
*Mẽſes prouocat Calamĩtha,tũ epota,tũ appoſita.*7°.*d̃ ſim.m.f.* 5ª.49.*D*
*Menſes educit diacalaminthe.*4°.*de ſan.tu.* 2ª.86.*F*
*Mẽſibus irritãdis valet Calamus aromaticus.*7°.*d̃ ſimp.m.f.*5ª.49.*E*
*Menſes promouet Capparis cortex.*7°.*de ſimp.med.fac.* 5ª.49.*G*
*Menſes prouocat Centaurium.*7°.*de ſimp.med.fac.* 5ª.50.*F*
*Menſes euocat centaurij minoris ſuccus.*7°.*de ſimp.med.fac.* 5ª.50.*H*
*Menſes prouocat Chamædrys.*8°.*de ſimp.med.fac.* 5ª.63.*E*
*Menſes ducit Chamæpitys.*8°.*de ſimp.med.fac.* 5ª.63.*F*
*Menſes prolicit Cicer.*6°.*de ſimp.me.fac.* 5ª.47.*E*
*Menſes prouocat Coſtus.*7°.*de ſimp.med.fac.* 5ª.52.*F*
*Menſes ciet Crocodilij ſemen.*7°.*de ſimp.med.fac.* 5ª.53.*C*
*Menſes ciet Cacumis agreſtis.*8°.*de ſimp.med.fac.* 5ª.60.*E*
*Menſes prouocat Cyclaminis radix.*7°.*de ſimp.med.fac.* 5ª.53.*E*
*Menſes prouocant Cyperi radices.*7°.*de ſimp.med.fac.* 5ª.53.*H*
*Menſes prolicit Daphne herba.*6°.*de ſimp.med.fac.* 5ª.46.*B*
*Menſibus prouocandis efficax eſt Dauci ſemen.*6°.*d̃ ſim.m.f.* 5ª.46.*B*
*Menſes ciet Fœniculum.*7°.*de ſimp.med.fac.* 5ª.55.*B*
Menſes prouocat Hiera ſimplex.de cur.rat.per ſang.miſſ. 5ª.20.*F*
*Menſes prouocat Hypericum.*8°.*de ſimp.med.fac.* 5ª.63.*A*
*Menſes mouẽt Hyppomarathri radix,& ſemẽ.*7°.*de ſim.m.f.* 5ª.55.*C*
*Menſes mouet decoctum florum Leucoij.*7°.*de ſimp.med.fa.* 5ª.54.*C*
*Menſibus ciendis cõuenire credit̃ ſemẽ leucoij.*7°.*de ſim.m.f.*5ª.54.*D*
*Menſes cient Lybiſtici ſemen & radix.*7°.*de ſimp.med.fac.* 5ª.54.*F*
*Menſes prouocat radix Liliorum.*7°.*de ſimp.med.fac.* 5ª.53.*C*
*Menſes elicit Lupinus.*6°.*de ſimp.med.* 5ª.48.*D*
*Menſes promouet Marrubium.*8°.*de ſimp.med.fac.* 5ª.59.*B*

Menſes cit Mediȷ ſemen.7°.de ſimp.med.fac. 5ª.55.F
Menſes cit Meum.7°.de ſimp.med.fac. 5ª.56.B
pro Menſibus ciendis Mulſa. 9°.de cur.rat.per ſanſ.miſſ. 6ª.20.F
Menſes mouet Myrrhis.7°.de ſimp.med.fac. 5ª.56.E
Mẽſes puocãt Nepita,& pulegium.ꝺ cur.rat.per ſang.miſſ.6ª.20.F
Menſes prouocat Nigella.7°.de ſimp.med.fac. 5ª.55.D
Menſes cit Pæoniæ radix.6°.de ſimplicium med.fac. 5ª.45.G
Menſibus mouendis medicamentum accommodum eſt fructus Panacis Heraclȷ.8°.de ſimp.med.fac. 5ª.57.H
Menſes prouocat Paſtinaca.8°.de ſimp.med.fac. 5ª.61.C
Menſes,& vrinam affatim prouocat Petroſelinon.8°.de ſimplicium med.fac. 5ª.58.C
Menſes ciet Polium.8°.de ſimp.med.fac. 5ª.59.A
Menſes mouet Pulegium.6°.de ſimp.med.fac. 5ª.45.F
Menſes cit Rubiæ radix.6°.de ſimp.med.fac. 5ª.47.F
Menſes prouocat Sabina.6°.de ſimp.med.fac. 5ª.45.C
Menſes valenter ſciẽt Sabina,& Dictamũ.ꝺ cur.ꝑ ſang.miſſ.6ª.20.F
Menſes ciet Schini flos.8°.de ſimpl.med.fac. 5ª.61.H
Menſes mouet Serpyllum.6°.de ſimp.med.fac. 5ª.47.E
Menſes euocat Sion.8°.de ſimp.med.fac. 5ª.60.F
Menſes mouet Smyrnium.8°.de ſimp.med.fac. 5ª.61.B
Menſes prouocat Stachys.8°.de ſimp.med.fac. 5ª.61.C
Menſes,& vrinam cit Staphilinus.6°.de ſimp.med.fac. 5ª.46.B
Menſes prolicit Styrax.8°.de ſimp.med.fac. 5ª.61.B
Mẽſes educit Theriaca.ꝺ the.ad Pi.96.B/ꝺ vſu the.ad Pãph.5ª.98.G
Menſes cit Thlaſpi.6°.de ſimp.med.fac. 5ª.48.D
Menſes prouocat Thymum.6°.de ſimp.med.fac. 5ª.48.E
Menſes mouet Tragion.8°.de ſimp.med.fac. 5ª.62.E
Menſes prouocat Triphyllum.8°.de ſimp.med.fac. 5ª.64.G
Menſes Viri conſuetudine prouocantur.1°.de ſan.tu. 2ª.66.B
Menſes cit Viticis ſemen.6°.de ſimp.med.fac. 5ª.41.B
Menſibus retentis mirum medicamentum.11°.de ſimp.med.f. 5ª.80.D
ad Menſes extrahendos valet pharmacum dia acones pectini ſuprapoſitum.6°.de comp.med.fac. 5ª.256.A
ad Mẽſes ducẽdos.2°.de ant.115.C/7°.ꝺ cõp.me.ſe.lo.185.H/8°.190.H/191.E/9°.5ª.202.D/de paſſ.mul.96.B/de cura lapidis.Sp.112.H
ad Menſium retentionem,& dolores ſecretorum. Sp.102.H
Menſes cui retẽti ſunt,caſus mulieris.de venę ſect.aduer.Eraſ.6ª.9.F
Menſes ſuperflui noxȷ ſunt.in 6ᵐ.de mor.vul.com.2°. 3ª.166.F
Menſium ſupra menſuram fluxus cauſæ.3°.de ſymp.cau. 3ª.29.G
Menſium profluuiorum pulſus,qualis.de pulſ.ad tiro. 4ª.44.H
in Menſium immodicis profluuijs fiunt pulſus vermiculantes.2°.de præſag.ex pulſ. 4ª.113.A
ad Menſes ſequuntur pulſus vermiculantes.3°.de dign.pul. 4ª.99.D
Menſes fortiter habentes non ſunt purgandæ.de dyna. Sp.20.F
ad Menſes ſuperfluos remedium.de dyn. Sp.29.E
ad Menſes ſiſtendos.11°.de ſimp.med.fac. 5ª.78.G
MENSTRVOSÆ *lac euaneſcit.de venæ ſect.aduer.Eraſ.* 6ª.7.A
MENSTRVVM *humidum eſt com.1°.apho.14°.* Ex.7.D
Menſtrua,& lac habent vnam ſubam.de venæ ſect.adu.Era. 6ª.6.H
Menſtruo lac germanum.14°.de vſu par. 1ª.207.C
Menſtrua cur habeat mulier.ſin.med. Iſ.49.H
Menſtrua cur nõ habeãt mulieres q̃ lac ꝑbẽt.14°.de vſ.par. 1ª.207.B
Menſtruorum circuitus cur ſeruatur,& qñ.2°.de dif.feb. 3ª.42.E
Menſtruorũ ſtatũ tꝑs luna mulieribus cõſeruat.2°.de die.dec. 4ª.157.D
de Menſtruo tꝑe lunæ librũ fecit Hipparcus.3°.ꝺ dieb.decr. 4ª.157.D
Menſtrua cur viri non patiuntur.de ſperm. Sp.36.D
Menſtrua quomodo oriri ſoleant.de venæ ſect.aduerſ.Eraſ. 6ª.11.A
Menſtruus ſanguis quo modo præter naturam,& quo modo ſecũdum naturam.3°.de ſymptomatum cauſis.26.H/ 3ª.27.A
Mẽſtruus ſanguis qũo ſupfluus,et qbus ꝺ cauſis.3°.ꝺ ſymp.ca. 3ª.27.a
Menſtrua cur nihil mali faciant.de cur.ra.per ſang.miſſ. 6ª.20.H
Menſtruũ eſt vacuatio,& purgatio.in 3ᵐ.de mor.vul.c.3°. 3ª.148.E
Menſtruis erumpentibus maxime mutant corpora mulieres.commẽn.2°.aphoriſmo.22°. Ex.15.C
Menſtrua erũpentia ſoluũt vomitũ ſanguinis.c.5°.aph.32°. Ex.40.D
ante Menſtruorum purgationem qualis ſit vulua.ꝺ diſſ.vul. 1ª.109.B
Menſtruorũ purgatione inſtãte qualis ſit vulua.de diſſ.vul. 1ª.109.B
in Menſtruis purgationibus cur refrigerantur mulieres. 14°. de vſu partium. 1ª.204.H
Menſtrua mulierum notant humores peccantes.c.4°.aph.2°. Ex.27.F
Menſtrua nigra per vrinam tẽpore purgationis.ꝺ atra bile. 1ª.36.H
Menſtrua melancholicasin 3ᵐ.de mor.vul.com.3°. 3ª.150.H
Menſtrua quandoque pauca ſunt, quandoque mediocria, quando deficiunt,vel anticipant.com.6°.aph.29°. Ex.49.C
Menſtrua fiũt pauciora,ſi acetabula vteri fuerint plena pituita.cõ.5°.aphoriſmo.39°. Ex.41.B
Menſtruæ purgationes minus,& intempeſtiuæ cauſa ſunt non continendi ſemen.de aere,aq.& lo. 2ª.5.G
Menſtrua quot modis retineantur,& ſupprimantur,& ſanentur per ſuffitus aromatum.com.5°.aph.28°. Ex.40.B
Menſtrua criſis quando futura,qũo cognoſcatur.3°.de criſ. 4ª.144.G
Menſtrua ſuppreſſa quomodo deprehendantur.6°.de loc.aff. 4ª.41.B
Menſtrua retenta mulieribus obſunt.com.5°.aph.33°. Ex.40.E
Menſtrui retentio quid faciat.in 1ᵐ.de mor.vul.com.3°. 3ª.122.D
Menſtruorum occultatio oſtendit futurã ægritudinẽ.ars med.Iſa.67.F
Menſtrua ſuppreſſa quid mali faciant.6°.de lo.affe. 4ª.41.B
Menſtruorum ſuppreſſorum ſymptomata.6°.de lo.aff. 4ª.41.B
ex Menſtruorum retentione tremor,hydrops, & affectus frigidus qñ indigẽt ſanguinis miſſione.de venæ ſect.aduer.Eraſ. 6ª.7.A
*Menſtruorum retentio aquæ inter cutem cauſa.5°.de loc.aff.*4ª.34.A
Menſtruæ purgationis in mulieribus omnimoda ceſſatio, vel immodica euacuatio facit hydropem.2°.de nat.fac. 1ª.299.F
ob Menſtruorum ſuppreſſiones, & immodicas euacuationes fit aqua inter cutem.4°.de præſag.ex pulſ. 4ª.121.F
Menſtrua ſuppreſſa febrẽ faciunt,& caput grauant,cur.in 6ᵐ.de morbis vulg.com.1°. 3ª.153.C
a Menſtruis vel ſemine retento fit præfocatio.6°.de lo.aff. 4ª.39.F
Menſtruis retentis quid quandoque ſequatur.5°.de loc.aff. 4ª.35.D
ex Menſtruorũ retẽtione lac qñq; in mammis.c.5°.aph.39°.Ex.41.B/C
*Menſtrua alba ſi a partu retineant,inſaniunt.ĩ 1ᵐ.ꝑr.cõ.2°.*4ª.175.D
*Menſtrua quę cœperunt,& deſierũt,peſſima.in1ᵐ.ꝑr.c.1°.*4ª.161.F
*Mẽſtruus ſanguis ad alias particulas delatus.3°.ꝺ ſymp.ca.*3ª.29.G
Menſtrua deficientia quo modo indicent mulierem prægnantem.c.5°.aphoriſmo 61°. Ex.43.D
Menſtruum vnde excernatur grauidis.com.5°.aph.60°. Ex.43.D
Menſtruum generationi confert.com.1°.aph.14°. Ex.7.E
Menſtruo alitur fœtus.com.5°.aph.61°. Ex.43.D
Menſtruo nutritur infans.de ſperm. Sp.36.B
ex Menſtruo ſanguine tunica.1°.de nat.fac. 1ª.291.G
*Menſtruus ſanguis principium fœminæ,& maris.2°.de ſe.*1ª.339.H
*Menſtruus ſanguis principium materiale aĩalis.2°.de na.fa.*1ª.297.F
Menſtruum eſt materia,& facultas.2°.de ſem. 1ª.337.D
Menſtruus ſanguis non eſt prima,neque propria materia gignendi animal.14°.de vſu par. 1ª.204.F
ex Menſtruo ſanguine,& duplici bile,& pituita factę ſunt omnes partes.de nat.hu.com.1°. 1ª.30.C
ex Menſtruo,& principio agitatorio,quod a mare fit,fit generatio.1°.de ſemine. 1ª.329.E
*ex Mẽſtruo ſanguine fit oẽ mẽbrũ ſm Ariſtotelẽ.1°.de ſem.*1ª.332.G
*ex Menſtruo ſanguine & ſpermate cum homo cõſtet,is aĩal immortale quoque vt eſſet,non eſt ęquũ poſtulare.3°.de vſu par.*1ª.133.D
Mẽſtruis deficiẽtibus,ſanguis è narib⁹ fluẽs,bonũ.c.5°.a.33°. Ex.40.E
*Menſtruis ſuppreſſis venam ſtatim ſeca.ꝺ cur.rat.per ſan.miſ.*6ª.18.F
Menſtruis quomodo vena ſecanda.de venæ ſect.aduer.Eraſ. 6ª.11.A
pro Menſtruis ciendis vena vna,vna die ſecanda,alia altera.de curã.rat.per ſang.miſſ. 6ª.20.E
Menſtrua prouocat ſaphenæ ſectio.de ana.viu. Sp.54.H
Menſtrua vitiantia attrahunt,ijſq; alleuiationem præſtant cucurbitulæ.de hirud.reuul.ſ.cucurb.& ſcarif. 6ª.2.F
Menſtruis ſuppreſſis quando ſcarificari poſſunt malleoli.de curan.rat.per ſang.miſſ. 6ª.18.G
*Menſtrua quomodo poteris prouocare.de cur.ra.per ſan.miſ.*6ª.20.F
*Menſtrua quæ prouocent.de ocul.*7ª.188.F/*de cathart.* Sp.95.D
Menſtrua prouocantia ſine periculo.2°.de antid. 5ª.115.D
Menſtrua,& vrinam prouocat Ami.de ſimp.med. Sp.80.H
*Mẽſtrua mulieribus detrahit antidotus Apellis.2°.de antid.*5ª.114.H
Menſtrua,& vrinam prouocat Artemiſia.de ſimp.med. Sp.80.F
Menſtrua,& vrinam prouocat Aſphodelus.de ſimp.med. Sp.81.B
Menſtrua prouocant Aſſari drachmæ duæ.de med.exper. Sp.106.E
Menſtrua fortiter prouocat aſſari decoctio.de med.exper. Sp.104.D
*Menſtrua,& vrinam prouocat Cardamomum.de ſimp.med.*Sp.82.G
Menſtrua fortiter prouocat decoctio Carui & ſeminis apij.de medicinis expertis. Sp.104.D

Menſtrua mouet Centaurea.de ſimp.med. Sp.82.A
Menſtrua,& vrinam prouocat Chamædrys.de ſimp.med. Sp.82.G
Menſtruæ purgationis prouocandæ vim quandam obtinet Chryſocome.8°.de ſimp.med.fac. 5ª.63.H
Menſtrua,& vrinas prouocat Daucum.de ſimp.med. Sp.83.D/E
Menſtrua,& vrinam prouocat Dictamum.de ſimp.med. Sp.83.D
Menſtrua prouocat Gladiolum.de ſimp.med. Sp.84.H
Mẽſtrua,& vrinã prouocãt radices Glycyrrhizæ.de ſim.m. Sp.84.G
Menſtrua,& vrinam prouocat Git.de ſim.med. Sp.84.F
Menſtrua,& vrinam prouocat Helenium.de ſimp.med. Sp.83.H
Menſtrua prouocat Iridis electarium.de med.exper. Sp.105.E
Menſtrua prouocat Iuniperi decoctio.de med.exper. Sp.106.F
Menſtrua prouocat Laccę electarium.de med.exper. Sp.106.H
Menſtruis purgationibus Lens non eſt accõmoda.1°.de ali.fa. 2ª.13.E
Menſtrua prouocat Lilium.de ſimp.med. Sp.86.D
Menſtrua prouocant Maioranæ drachmæ tres cum duabus drachmis rubiæ.de med.exper. Sp.106.E
Menſtrua prouocat Marrubiaſtrum.de ſimp.med. Sp.87.G
Menſtrua & vrinam prouocat Meu.de ſimp.med. Sp.87.F
Menſtrua,& vrinam prouocat Origanum.de ſimp.me. Sp.88.F
Menſtrua prouocat Pelecinus.de ſimp.med. Sp.89.B
Menſtrua prouocat Pulegium.de ſimp.med. Sp.88.H
Menſtrua,& vrinam prouocat Ruta.de ſimp.med. Sp.89.D
Menſtrua,& vrinam prouocat Serpillum.de ſimp.med. Sp.84.B
Menſtrua prouocat Stœchas.de ſimp.med. Sp.90.G
Menſtrua prouocat Eriphera magna.de dyna. Sp.26.E
Menſtrua prouocans confectio.ſecretorum. Sp.99.C
*Menſtrua prouocans decoctio.de med.exper.*105.D/ Sp.107.D
Menſtrua fortiter prouocans electarium.de med.exper. Sp.105.F
Menſtrua prouocantia electaria.de med.exper. Sp.107.H
Menſtrua,& vrinam prouocans electarium.& med.exper. Sp.107.D
ad Mẽſtruorũ prouocationẽ valẽs medicina.de med.exp. Sp.104.H
Menſtrua,& vrinam prouocãs medicamen.& me.exper. Sp.106.B/H
ꝙbus Mẽſtrua nõ apparẽt,& nõ cõcipiũt,potio vtilis.de dy. Sp.29.G
ad Menſtrua retenta ex plenitudine,& pingui ſuperfluitate. de dynamidijs. Sp.29.D
*ad Menſtrua prouocanda.de dynam.*29.D/F/*ſecretorum.*99.B/*de medicinis expertis.* Sp.108.A
Menſtrui retenti caſus.de venæ ſect.aduer.Eraſ. 6ª.9.H
Menſtruorum plurima excretio in grauidis quid ſignificet.commentario.5°.aphoriſmo.60°. Ex.43.D
Menſtrua plura cur fiant,& pauciora.com.5°.aph.57°. Ex.43.A
Menſtrua plura ſi fiant accidunt morbi,& ſi non fiant,ex vtero morbi contingunt.com.5°.aph.57°. Ex.42.H
Menſtruorum fluxui ſi conuulſio,& animi defectus adueniat,malum. commentario.5°.aphor.56°. Ex.42.H
Menſtrua multa plurimum lædunt operationẽ.c.2°.aph.22°. Ex.15.C
Menſtrui nimy fluxus curatio.com.5°.aph.50°. Ex.42.A
*Menſtrua quo modo ſiſtantur.1°.de ar.cur.ad Glau.*98.H/ 7ª.99.A
in Menſtruis ſuperfluis reuellit cucurbitula appoſita præcordijs.de bi rud.reuulſ.cucurb.& ſcarif. 6ª.2.E
*Menſtrua cohibentur a ſectione venæ cubiti.de curã.rat.per.*6ª.20.E
Menſtruorum profluuij caſus.de prægn.ad Poſth. 4ª.217.D
MENSVRA *eſt optima.de cog.cur.animi mores.* 2ª.50.H
ſine Menſura nihil egregium.de cog.cur.animi mores. 2ª.50.H
Menſura annorum.de hiſt.philoſ. Sp.7.D
Menſura cordis quanta.de anat.viuo. Sp.46.G
Menſura eadem nõ eſt in vno,ſed in vnoquoq; alia.adu.emp.m. If.35.F
Menſura euacuationis ſingulorum hominum nequaquam prgſcribi poteſt.de præſag.exper.conf. Sp.78.A
Menſuram in duodecim diuidunt.de cuiuſq; animi pec.not. 5ª.58.D
Menſura certa requiritur in rebus medicis.& venę ſec.ad.Era. 6ª.7.H
Menſura quo modo iudicatur.de pond.& menſ. 5ª.275.B
Menſurãtur quæ multiplici ſunt differẽtia.de põd.& menſ. 5ª.275.B
Menſuræ ſunt in varijs regionibus diuerſæ.de pond.& menſ. 5ª.275.B
Menſuræ Romanæ ab alijs diuerſæ.6°.de comp.med.ſec.lo. 5ª.170.A
Menſuris pondera non æqualiter reſpondent propter materiæ differentiam.de pond.& menſ. 5ª.276.B
pro Menſurandis liquidis cornua libralia Romæ habebãt.1°.de comp. med.per gen. 5ª.216.F
pro Menſura,fictile.7°.de comp.med.per ge. 5ª.272.G
pro Menſura,metreta.7°.de comp.med.per gen. 5ª.272.G
Menſuram ex oui facit putamine.9°.de cõp.med.ſe.lo. 5ª.204.B
pro Menſura,vaſculum.7°.de comp.med.per ge. 5ª.272.F/H
Menſura Cochlearij.11°.de ſimp.med fac. 5ª.80.H
Menſura cochlearij magni.11°.de ſimp.med.fac. 5ª.81.H
Menſura Congij.6°.de comp.med.ſec.lo. 5ª.170.A
Menſura Cyathi.8°.de ſimp.med.fa. 5ª.58.E
Menſura Fabæ Aegyptiæ.de vſu ther.ad Pamph. 5ª.98.H
*Menſura Oxybaphi.6°.de ſimp.med.fac.*41.D/48.D/8°. 5ª.63.F
Menſura plena manu.de dynamidijs. Sp.31.C
Menſura quantum tribus digitis leuari poteſt.de dyn. Sp.30.F
Menſura trium digitorum.de dynam. Sp.25.B
MENTA *qualis ſit.2°.de comp.med.ſec.loc.* 5ª.136.G
Menta calida in tertio.6°.de ſimp.med.fac. 5ª.48.A
Menta ſupra oẽs herbas eſt tenuium partiũ.6°.de ſimp.m.f. 5ª.48.B
Menta infirmior calamintha.6°.de ſimp.med.facul. 5ª.48.A
Mentæ vires quæ.de ſimp.med.fac. Sp.87.D
Menta obſonium ſponte proueniens.2°.de alim.fac. 2ª.25.D
Menta eſt cibus acutus,incidens & aperiens.de diſſ.cont. Sp.72.E
Menta ad venerem excitat.6°.de ſimp.med.fac. 5ª.48.A
Menta amara & acerba.6°.de ſimp.med.fac. 5ª.48.B
Menta lumbricos interfecit,& recentes ſanguinis reiectiones reprimit.6°.de ſimp.med.fac. 5ª.48.B
Menta ſtomacho valde apta eſt,ſanguinis abundantiam ſtringit,capitis dolorem ſedat,ſingultus & nimios vomitus reprimit,conceptũ vetare dicitur.de ſimp.med. Sp.87.D
Mentæ folio lingua aſpera fricanda.de dynam. Sp.20.A
Menta quidam vruntur in abſceſſibus.6°.de ſimp.med.fac. 5ª.48.B
*Menta viridis repellit.2°.de comp medi.ſec.loc.*5ª.137.D/1°.*de arte curati.ad Glau.* 7ª.100.A
ex Menta viridi apparatum repellit in capitis doloribus.2°.de compoſit.med.ſec.loc. 5ª.137.D
ex Menta viridi parata repellunt.1°.de art.cur.ad Glau. 7ª.100.A
Menta ſicca.5°.de comp.med.ſec.loc. 5ª.166.A
*ex Menta oleum euacuat & diſſoluit.1°.de arte cu.ad Glau.*7ª.100.B
Menta odorata exiccat.3°.de alimen.facul. 2ª.26.D
*Mẽta odorata a veteribus hedyoſmos dř.6°.de cõp.me.ſe.lo.*5ª.168.F
Mentæ odoræ in aqua mulſa decoctum inter diſcuſſoria parabilia moderata.6°.de comp.med.ſec lo. 5ª.169.G
Menta odora pro origano.6°.de comp.med.ſec.loc. 5ª.168.F
Menta cum polenta abſceſſus ſanat.de med.fac.par. 7ª.174.G
in MENTAGRA *nouo Roma morbo Pamphilus medicus multa lucratus eſt hoc medicamento.5°.de comp.med.ſec.loc.* 5ª.161.F
*Mentagra in vrbe quo modo ſanaretur.5°.de comp.me.ſe.lo.*5ª.161.F
ad Mentagras.5°.de comp.me.ſe.lo. 5ª.161.H
MENTASTRVM *eſt cibus acutus,incidens,& aperiens.de diſſolutione continua.* Sp.72.E
*cum Mentaſtro ſilueſtri ſunt comedenda cerebra.de diſſ.cõt.*Sp.74.F
Mentaſtrum ſylueſter mundificat,& ſubtiliat.de diſſ.cont. Sp.74.H
MENTIONEM *bis de aphoriſmis aliquibus cur fecit Hippocrates & ſui interpretes.com.7°.aph.53°.* Ex.58.E
MENTIANTVR *cur ſectæ vni addicti.3°.de loc.aff.* 4ª.15.A
Mentiendi cauſam non habet Galenus.3°.de loc.aff. 4ª.15.A
pro MENTVLA *vnguentum album.de dynamidijs.* Sp.29.C
MENTVM *quod.introd.* If.53.B
*inter Mentum,& labium vena quando ſecanda.de ana.viuo.*Sp.55.B
Menti pili parum habent vtilitatis.1°.de comp.med.ſe.loc. 5ª.121.D
Menti affectus,qui.introd. Iſa.59.C
ad Menti pilos non enaſcentes.1°.de comp.med.ſec.loc. 5ª.125.A
ad Menti raritatem pilorum.1°.de comp.med.ſec.loc. 5ª.124.H
de Menti eruptionibus.5°.de compoſi.med.ſe.loc. 5ª.160.D
ad Menti papularum eruptiones.5°.de com.med.ſec.loc. 5ª.162.C
ad Menti papullarum ficoſas eruptiones.5°.de cõp.me.ſe.l. 5ª.160.F
ad Menti ficoſos tumores.5°.de comp.med.ſec.loc. 5ª.162.C
ad Menti lichenas.5°.de comp.med.ſec.loc. 5ª.160.H
ſub Mento circumagitur vinculum γνωτὸς. de faſcijs. 7ª.295.A
ad Mentum iunctura ex Sorano.de faſcijs. 7ª.300.F
ad Menti fracti compoſitionem laqueus.de laqueis. 7ª.308.D
ad MEOTIDEM vſque paludem habitantes ad dextram hiberni ſolis ortus,quales.de aere,aq.& lo. 2ª.4.F
prope Meotim in Europa Scythæ.de aere,aq.& lo. 2ª.5.B
contra MERCATORES *ſimplicium medicamentorum.3°.de compoſitio.med.per gene.* 5ª.228.G

MERCVRIALIS *herba quid.de simp.med.* Sp.86.E
Mercurialis vrinam mouet.de cura icteri. Sp.111.D
Mercurialis ventrem purgat.7°.de simp.med.fac. 5ª.54.G
Mercurialis stercus expellit.de dynam. Sp.21.H
Mercuriali herba soluendus fenum venter.5°.de san.tu. 2ª.92.F
Mercurialis sanguinem purgat.de dynam. Sp.22.C
Mercurialis herba sanguinem educit.de cathar. Sp.94.G
Mercurialis expurgat in icteris.de cura icteri. Sp.111.B
Mercurialis herba purgat cibos indigestibiles, & lumbricos rotundos.de catharticis. Sp.95.C
Mercurialis digerens est.7°.de simp.med.fac. 5ª.54.G
Mercurialis pro phlegmone cauę partis iecoris.13°.met.m.7ª.84.A
Mercurialis in phlegmone intrinseco.13°.meth.med. 7ª.85.C
MERCVRIVS *secundum calidum & humidum, frigidum & siccum est æquus.de compag.memb.siue de nat.hum.* Sp.59.G
Mercurius Marti probe congruit, Saturno minime. de decub.progn. ex mathematica scientia. Sp.12.H
sub Mercurio ẽ terra calida, et humida i primo gradu.& sper. Sp.40.C
Mercurius qua effigie pingatur.in oratione suas. Is.2.E
Mercurio adscriptus liber de sacris herbis.6°.de simplicium medicamentorum facultatibus. 5ª.40.B
MERGI *venter ad quæ valet.11°.de simp.med.fac.* 5ª.80.A
Mergi ventriculus adiuuat coctionem.3°.de alim.fac. 2ª.29.G
MERIDIES *temperata.2°. de san.tuen.* 2ª.73.C
Meridies danda homini temperato.quando debet exerceri.2°.de sanitate tuenda. 2°.73.C
Meridiem spectantia cubicula sunt calida.11°.de simp.me.fa. 5ª.79.F
Meridies ab omnibus euitatur in æstate.de caus.procatar. 3ª.96.A
MERIDIONALES *sunt capricornus, taurus, virgo.de sper.* Sp.39.A
Meridionales vrbes, quæ.in 1ᵐ.de mor.vul.c.1°. 3ª.103.F
Meridionalis & in loco concauo est Cranon vrbs.in 1ᵐ.de mor. vulgaribus.commen.1°. 3ª.103.F
Meridionalium cutis, qualis.2°.de temp. 1ª.20.A
Meridionales calidi calore extrinseco, intrinseco frigidi.2°.de temperamentis. 1ª.20.B.
Meridionales non patiuntur phlebotomiam integram.& sectis. Is.18.B
MERVLA *piscis numeratur inter saxatiles.3°.de alim.fac.* 2ª.30.H
Merula obtinet fm locũ suauitatis inter saxatiles.3°.de ali.f. 2ª.30.H
Merulæ pisces molles carne.3°.de alim.fa. 2ª.30.H
Merula inter pisces qui cæteris facilius cõficiũtur.3°.& ali.f. 2ª.30.H
Merularum caro durior concoctu carne perdicis & colũbæ.y°.de alimentorum facultatibus. 2ª.29.C
Merulæ in confinio tenuantium, crassumq; facientium sunt. de bonita. & vitio succorum. 2ª.34.H
Merulæ quibus conueniunt.6°.de san.tuen. 2ª.99.G
MERI *potione tempora pulsant.4°.de diff.puls.* 4ª.64.C
ob Meri potationem dolori capitis confert succus centaureæ.de virtute centaureæ. Sp.93.B
Meri potione affectus oculorum interdum curabat Galen.2°.de differentijs febrium. 3ª.41.G
MERA *quæ eße possint, & quæ dicantur.in 3ᵐ. de morb.vulgaribus. commentario.2°.* 3ª.139.G
Merum quid significat in bile.in 3ᵐ.de mor.vul.com.1°. 3ª.133.G
MESAREI *nomen vnde.6°.de ana.adm.* 1ª.91.H
Mesaraicum continuatur arteriæ cuidam procedenti a dorso.de vtilitate respirationis. Sp.94.G
Mesaræum ex multis arterijs & venis sibi ipsi propinquis constat.8°. de vsu par. 1ª.168.G
Mesaræi morbi sicci qui vocentur.de vict.ratione in morb.acut.commentario.1°. 3ª.112.F
Mesaræon quando facit hecticam.10°.met.me. 7ª.64.F
MESARAICAE, *siue mesentericæ venæ, quæ.de vtil.resp.* Sp.74.D
Mesaraicæ vbi sitæ de vtil.resp. Sp.64.D
Mesaraicarũ ordo multiplex,& q et vñ oriatur.de ana.viu. Sp.50.B
Mesaraicæ venæ vnde ortæ.13°.meth.med. 7ª.93.F
Mesaraicæ paucæ vel nullę veniunt ad stomachum.de ana.vi. Sp.50.E
Mesaraicæ decoquunt succum, qui in gibbo iecoris fit sanguis.de compagine memb.siue de nat.hum. Sp.59.A
Mesaraicis venis veluti manibus iecur vtitur.5°.de lo.aff. 4ª.35.C
per Mesaraicas iecur trahit a ventriculo, & ab intestinis.6°.de decretis Hippocratis. 1ª.266.A
per Mesaraicas cibum attrahit iecur, vt arbor a radicibus.6°.de loc. affectis. 4ª.37.G
Mesaraicas euntes ab hepate ad stomachum & intestina, recipiũt glãdulæ quædam.de ana.viu. Sp.44.D
Mesaraicæ venæ quæ orificia quando que aperiant, & claudant.& anatomia viuorum. Sp.56.E
Mesaraicæ venæ quibus afficiantur.5°.de loc.aff. 4ª.33.F
Mesaraicas venas afficit phlegmone i iecoris cauo.13°.me.m.7ª.83.F
Mesaraici qui ægroti vocentur.5°.de loc.aff. 4ª.35.C
MESENTERII *nomen vnde.6°.de anat.adm.* 1ª.91.H
Mesenterium quid significet.in 6ᵐ.de morb.vul.com.4°. 3ª.180.E
Mesenterium siue mesaræum appellatur pellis, in qua sunt mesaraicæ.de vtilita.resp. Sp.64.D
Mesenterium quid.6°.de anat.admin. Sp.91.G
Mesenterium, id est lactes.5°.de loc.aff. 4ª.35.C
Mesenteria duo.de ven.art.diss. 1ª.59.C
Mesenterium tertium quod.de ven.art.diss. 1ª.59.C
Mesenterium medianum quo modo formetur.de fœt.for. 1ª.322.H
Mesenterij mediani quædã vasa i glãdulas desinũt.2°.& sem. 1ª.340.d
Mesenterij sectio.6°.de ana.admin. 1ª.92.A
Mesenterij ortus vnde.6°.de ana.adm. 1ª.91.G
Mesenterium quid faciat.intro. Is.54.D
Mesenterium fungitur vice radicis.de vtil.resp. Sp.64.D
ad Mesenteriũ arteriæ venientes vñ oriantur.an sang.in art. 1ª.61.E
Mesenterio coniungitur arteria, quæ a corde protenditur per dorsum, & non transit per hepar.de vtil.resp. Sp.64.D
Mesenterio propinquas arterias plenas lacte habent hędi nuper nati. an sang.in art.natura cont. 1ª.61.D
in Mesenterio venæ quæ nutriunt intestina, & quæ non trahunt ad hepar.4°.de vsu par. 1ª.141.F
Mesenterij glandulæ.6°.de ana.adm.92.C/3°.de alim.fac. 2ª.26.H
in Mesenterio cur sint glandulæ.4°.de vsu par.141.b/2°.de semi. 1ª.340.D/*de vtil.resp.* Sp.63.A
in Mesenterio generantes quendam humorẽ pituitosum glandulæ sunt magno vsui.14°.met.me. 7ª.90.D
Mesenterij appendiculum quod.6°.de ana.adm. 1ª.92.B
Mesenterium p intestinum rectum expurgatur.11°.met.med. 7ª.73.F
Mesenterium robustum quomodo cognoscatur.de const.ar. Isa.42.B
Mesenterij inflammatio quo modo cognoscitur. 5°.de lo.aff. 4ª.35.C
ex Mesenterio affecto primo cruor sanioßus, postea crassus, & feculẽtus.5°.de locis affectis. 4ª.35.D
Mesenterij vasa affligit fluxio corrupta.6°.de san.tu. 2ª.98.F
Mesenterio quando aptanda remedia, & qñ iecori.5°.& lo.af. 4ª.35.C
Mesenterica vena ad quam venæ ingrediuntur, quæ a capite ad intestina eunt.com.7°.aph.30°. Ex.56.B
Mesentericarũ venarum causa iecur imbecillitatur.5°.& lo.af. 4ª.35.F
MESIANVM *emplastrum.6°.de comp.med.per ge.* 5ª.256.C
MESOCOLON *quid significet.in 6ᵐ.de mor.vul.com.4°.* 3ª.180.E
MESPILVM, *& cotoneum similia.de opt.sect.* Isa.21.G
Mespilum qualitatem cotonei saporis habet.de opt.sect. Is.21.G
Mespilum pro cotoneo torminosis adhibent empirici.de op.se. Is.53.G
Mespilorum magnus prouentus quo modo seruatus a rusticis.2°.de alimentorum facultatibus. 2ª.21.h
Mespilis parce vescendum.2°.de alim.fac. 2ª.20.F
Mespilis non vtendum ad sanitatem.de atten.vict. 2ª.45.h
Mespila ad victũ attenuantẽ non sunt accòmoda.de atte.vic. 2ª.45.h
Mespilis vti debemus vt medicamento, non vt alimento.2°.de alimen. facultatibus. 1ª.20.F
Mespila mouent aliũ sensum, q̃ adstringentia.1°.de simp.me.fa. 5ª.8.h
Mespilus habet diuersum effectum ab alijs adstringentibus.3°.de simplic.med.facul. 5ª.20.D
Mespilũ adstringit. de opt.sect.Isa.21.G/9°.de simpli.medi.fac.64.C/6°.de cõp.me.se.lo.5ª.176.F/de vict.ra.in mor.acu.c.1°. 7ª.111.D
Mespilum adstringit euidenter.1°.de simp.med.fa. 5ª.7.H
Mespila valentius, quàm sorba adstringunt.2°.de alim.fac.2ª.20.F/8°.de simpl.med.fac. 5ª.57.B
Mespila minus suauia sorbis.2°.de alim.fac. 2ª.20.F
Mespilorum decoctum adstringens leue.5°.met.med. 7ª.31.h
Mespilorum decoctum inter adstringentia fortiora pro gargarismis. 6°.de comp.med.sec.loc. 5ª.172.G
Mespila quo magis coquas, eo dulciora efficies, & decoctum fit acerbum.3°.de alimentorum facul. 2ª.32.A
Mespila ventrem stringunt.7°.de simp.med.fac. 5ª.52.G

Meſpilum ventrem coercet mire, qm̃ acerbũ. 7°. de ſimp. me. f. 5ª. 55. *E*
Meſpila cibus vtiliſſimus ventri fluenti. 2°. de alim. fac. 2ª. 20. *F*
Meſpila adſtringunt dyſenteriam. 11°. de ſimp. med. fac. 5ª. 81. *E*
Meſpila valent ad ſtomachi ventriſq; firmitatem ac robur. de bonitate & vitio ſuccorum. 2ª. 37. *F*
Meſpilorum ſuccus ad stomachi ardorem cum ſyncope. 8°. de compo. medicamen. ſecun. loc. 5ª. 191. *b*
Meſpila cibus conueniens ſtomachicis. 8°. de cõp. me. ſe. lo. 5ª. 292. *C*
Meſpili ſuccus non debet admiſceri roſaceo, quãdo caput refrigerare volumus. 2°. de comp. med. ſec. loc. 5ª. 132. *G*
ex Meſpilorum ſucco medicamentum. 6°. de comp. me. ſe. lo. 5ª. 169. *A*
MESSINAE *Siciliæ ſitus. in 3ᵐ. de mor. vul. c. 3°.* 3°. 140. *H*
MESSIO *eſt exercitatio, & opus. 2°. de ſan. tuen.* 2ª. 73. *G*
MESSIS *quid ſit. 1°. de antidotis.* 5ª. 110. *A*
MESSORES *cur duram, & ſiccam cutim habent. de aſſue.* 2ª. 61. *D*
Meſſores robuſti melius concoquunt panes optimos, quàm athletæ. 1°. de alimentorum facul. 2ª. 10. *A*
Meſſores a quibus panibus lædantur. 1°. de alim. fac. 2ª. 10. *A*
Meſſorum, & foſſorum medicamentum. 3° de cõp. me. ſe. lo. 5ª. 147. *C*
Μεταϰάρπιον *quod. intro.* *Iſa.* 53. *C*
Metacarpium quę manus pars. de inæq. intemp. 3ª. 43. *C* / *de fracturis, commentario. 2°.* 7ª. 233. *A*
Μεταγραμματισμὸν *erratum ex transliteratione. de ijs quæ in med. fiunt, commentario. 2°.* 7ª. 210. *F*
Metaleptice quæ pars ſit inſtrumenti, quod cruribus ſubijcitur. 6°. methodi medendi. 7ª. 41. *H*
Μεταληπτικὴ τάσις, *qui motus. de machin.* 7ª. 310. *H*
METALLICA *ſunt craſſiorum partium. 3°. de compoſitio. medic. per genera.* 5ª. 232. *B*
Metallicorum conſiſtentiæ vnde veniant. 9°. de ſimp. me. fac. 5ª. 68. *F*
Metallica medicamenta, quę. 9°. de ſimp. me. fac. 5ª. 68. *E*
Metallica quo modo conficiantur. 1°. de comp. me. per ge. 5ª. 216. *F*
Metallica cur indigeant præparatione. 3°. de cõp. me. per ge. 5ª. 232. *B*
Metallica quo modo præparanda. 2°. de comp. me. per ge. 5ª. 223. *H*
Metallicis qui commiſcenda viſcoſa, & humida. de ocul. 7ª. 189. *B*
Metallica quo modo lauanda. 1°. de comp. med. per gene. 5ª. 216 *D* / *E*
Metallicorum lotio quoties facienda. 9°. de ſimp. med. fac. 5ª. 68. *F*
Metallica medicamẽta ad ſolẽ miſcẽda. 3°. de cõ. m. p ge. 5ª. 232. *B* / *C*
Metallica per coctura fiunt meliora. 6°. de cõp. me. ſec. lo. 5ª. 168. *E*
Metallica medicamenta, cũ multum ebullierint, habent ſubtiliores partes, & magis exiccant. 2°. de arte cura. ad Glau. 7ª. 106. *A*
Metallica oĩa medicamenta ingredi debere Thus, colligi videtur. 3°. de comp. med. per ge. 5ª. 232. *F*
Metallica omnia deſiccant, quia terrea. 9°. de ſimp. med. fac. 5ª. 68. *E*
Metallica ſunt ſæpe medicamenta oculorum. de ocul. 7ª. 189. *B*
Metallica exaſperãt, & dolorẽ cõcitãt. 3°. de cõp. me. per g. 5ª. 232. *H*
Metallica calida tenuium partium, & parum adſtringentia. 3°. de cõpoſitio. med. per ge. 5ª. 228. *E*
Metallica adſtringentia vitanda in neruorum vulneribus. 3°. de compoſi. med. per ge. 5ª. 232. *B*
Metallica conueniunt in neruis nudis. 3°. de cõp. med. per g. 5ª. 235. *A*
Metallica non conueniunt neruo punctlo, niſi præparata. 3°. de compo. medicamen. per gen. 5ª. 235. *A*
Metallicum valentiſſimum ad neruos. 3°. de comp. me. per g. 5ª. 232. *E*
Metallicũ medicamẽtum inualidiſſimum ad neruos quomodo paretur. 3°. de compoſi. medic. per gen. 5ª. 232. *E*
Metallicum medium. 3°. de comp. med. per gen. 5ª. 232. *E*
METALLA *in Cypro naſcuntur. 9°. de ſimp. med. fac.* 5ª. 65. *B*
inter Metalla numeratur ſal foſſilis. 9°. de ſimp. med. fac. 5ª. 68. *F*
Metàlla a natura locorũ accipiũt qualitates. 9°. de ſim. me. fa. 5ª. 68. *F*
Metalla conſtant partibus craſſioribus. 2°. de cõp. me. p ge. 5ª. 219. *H*
Metalla habent multum ſubſtantiæ igneæ. 9°. de ſimp. me. fac. 5ª. 68. *F*
Metalla quæ liqueſcunt habet plus aquę. 9°. de ſimp. med. fa. 5ª. 64. *G*
Metalla quo modo liqueſcunt. de vtil. reſp. *Sp.* 64. *A*
Metallũ oĩs maius fit ſi liquefiat, q̃ fuerit prius. de vti. reſp. *Sp.* 64. *A*
Metallorum aer vitandus. 12°. met. me. 7ª. 77. *E*
Metalla ad animalium habitationem nocua ſunt, & ad aquarum potationem. de bonitate aquæ. *Sp.* 75. *F*
ex Metallis aquarum differentia. de boni. aquæ. *Sp.* 75. *F*
ex Metallis effoſſa præbentes in re medica inter miniſtros ignobiliores ſunt. in 6ᵐ. de morb. vulg. com. 5°. 3ª. 188. *D*
Metallorũ, & figulinæ terræ comparatio. 9°. de ſimp. me. fac. 5ª. 68. *E*
Metalla poſſunt ſeruari per totam vitam. 1°. de antid. 5ª. 100. *B*
ex Metallis medicamẽta ab hominibus parata. 9°. de ſim. m. f. 5ª. 68. *E*
Metalla exigunt oleoſam humiditatem, quando in medicamentis ponuntur. 4°. de comp. me. per gen. 5ª. 244. *D*
Metalla parant melius ſole q̃ igne. 4°. de comp. med. per ge. 5ª. 241. *D*
Metallorum poros non intrat aer, ſed ignis. de vtil. reſp. *Sp.* 64. *A*
Metalla fiunt mordacia per ignem. 2°. de comp. med. per ge. 5ª. 219. *H*
Metalla combuſta qualia & quomodo comburantur. 2°. de comp. medicamen. per gen. 5ª. 219. *H*
in Metallis, & plantis multo magis ſunt recrementa, quàm in ſuccis. 4°. de ſimp. med. fac. 5ª. 24. *H*
Metalla diu cocta quid faciant. 4°. de com. me. per ge. 5ª. 241. *A*
Metalla ad ſiccandum ſine morſu debent diutius coqui. 4°. de compoſ. medicamen. per gen. 5ª. 241. *A*
Metalla quo modo fiant tenuiora. 2°. de comp. med. per ge. 5ª. 219. *H*
Metalla attenuat accetum. 3°. de comp. med. per gen. 5ª. 232. *B*
Metallum tenuium partium citra calorem. 3°. de cõp. m. p g. 5ª. 228. *E*
Metalla aceto trita qualia ſint. 4°. de comp. med. per ge. 5ª. 241. *D*
Metalla vino trita qualia ſint. 4°. de comp. med. per gen. 5ª. 241. *D*
Metalla debent eſſe diu trita. 3°. de comp. med. per ge. 5ª. 232. *C*
Metalla quæ non comminuuntur. 3°. de comp. med. per ge. 5ª. 232. *B*
Metalla ſi lauantur amittunt roſionem. 1°. de compoſitio. medicamen. per genera. 5ª. 217. *D*
Metalla omnia ſint elota, vt ſiccent ſine morſu. 6°. met. me. 7ª. 38. *C*
Metalla quomodo lauanda. 1°. de comp. med. per gen. 5ª. 213. *D*
Metalla quibus lauanda. 1°. de comp. med. per ge. 5ª. 217. *E*
Metalla quæ debent cribrari. 3°. de comp. med. per ge. 5ª. 232. *B*
Metalla quæ conueniunt oculis. de ocul. 7ª. 188. *G*
ex Metallis medicª ad vulneratos. 3°. de comp. me. per ge. 5ª. 232. *B*
Metalla quæ conueniunt ano. 9°. de comp. med. ſec. loc. 5ª. 204. *E*
METAPHORARVM *examen an ſint recte ſumptæ. 3°. de differentijs pulſuum.* 4ª. 63. *G*
Metaphora quid agat. 3°. de diff. pulſ. 4ª. 63. *F*
Metaphora quid ſit. 3°. de præfag. ex pulſ. 4ª. 117. *F*
Metaphoris in quibus vti liceat, et ĩ quibus nõ. 3°. d diff. pul. 4ª. 63. *G*
Metaphoræ quæ nec poetis conueniunt. 3°. de diff. pul. 4ª. 63. *A*
Μετάφρενον *quod. introd.* *Iſa.* 53. *E*
Metaporopœſeos, id eſt exiguorum meatuum ſtatus mutatio, nomen quid ſignificet. 4°. meth. med. 7ª. 26. *C*
Μετασυγκρίνειν τὴν ἕξιν. 4ᶜ. *meth. med.* 7ª. 26. *B*
Μετασυγκρίνειν. 5°. *de ſimp. med. fac.* 5ª. 38. *F*
Metaſyncriſeos nomen vnde ortum. 4°. met. me. 7ª. 26. *C*
Metaſyncriſis quid. 4°. meth. med. 7ª. 26. *D*
Metaſyncriticum, hoc eſt quod ex alto euocat humores medicamentum. 1°. de comp. med. ſec. loc. 5ª. 131. *E*
Metaſyncritica medicamenta, hoc eſt ex alto euocantia. 2°. de compo. med. ſecun. loc. 5ª. 133. *B*
Metaſyncritica quæ pharmaca ſint. 1°. de comp. med. ſe. lo. 5ª. 122. *H*
Metaſyncritica medicamenta. 1°. de comp. medic. ſecun. lo. 5ª. 124. *E* / *de dynamidijs.* *Sp.* 18. *H*
Metaſyncriticę facultates. 5°. de ſimp. med. fac. 5ª. 38. *F*
Metaſyncritica curatio. 2°. de comp. med. ſec. loc. 5ª. 138. *A*
Metaſyncreticũ vĩ oleum chamęmelo decoctũ. de ſimp. med. *Sp.* 88. *D*
Metaſyncreticam virtutem oleum habere incipit nardo decoctum. de ſimplic. medicam. *Sp.* 88. *D*
Metaſyncreticis, et malacticis rebus curanĩ dolores oĕs vetuſti, et ĩſanabiles, aut parcgoricis mitigant, aut igne pueũtur. d dyn. *Sp.* 19. *A*
Metaſyncriticum acopon. 7°. de comp. med. per ge. 5ª. 271. *F*
METENTIVM *naturalis habitus, qui. ad Thraſ.* 5ª. 102. *H*
METEOROLOGICON *quartum Ariſtotelis librum citat Galenus. 3°. de natur. facul.* 1ª. 304. *D*
Μετεξέτερος *apud Ionas ſignificat idem quod* ἕτερος, *id eſt alius. de artic commen. 3°.* 7ª. 277. *G*
Μεθημερινοὶ *febres quæ vocentur. in 1ᵐ. de mor. vul. com. 3°.* 3ª. 118. *D*
METHIMNA *oppidum Lesbo. 12°. meth. med.* 7ª. 76. *F*
METHODICA *vna ex tribus ſectis medicorum. intro.* *Iſa.* 51. *A*
Methodica tertia ſecta. fin. med. *Iſ.* 43. *E*
Methodicorum ſectæ diffinitio. de ſect. *Iſa.* 17. *E*
Methodica ſecta, quæ. fin. med. *Iſa.* 43. *E*
Methodica quibus cognoſcatur. intro. *Iſ.* 51. *B*
Methodica hæreſis oĩa artis bona deſtruit. 1°. d ar. cu. ad Gl. 7ª. 103. *B*
Methodicus qui nominandus. 3°. meth. med. 7ª. 16. *D*

Methodici qui,& quid ſentiant.de ſectis. *Iſa.17.C*
Methodici primi,qui.introductio. *Iſ.51.D*
Methodici vnde incipiunt.intro. *Iſ.50.H*
Methodicorum nomina.5°.de ſimp.med.fac. *5ª.38.F*
Methodici ſex menſibus ſe artem medicam edocturos profitentur.1°. de digno.pulſ. *4°.70.E*
Methodici generalem hominem curabant,non particularem.3°.meth. medendi. *7ª.20.F*
Methodici inter initia ſemper adſtringunt.de opt.ſect. *Iſ.29.E*
Methodicos arguit,qui cauſarum notitiam ad curationem inutilem di cunt.de ther.ad Piſ. *5ª.96.E*
Methodicos rebus nõ verbis expugnabat Gal.d̃ præc.ad T.4ª.219.D
Methodicus modus reponendi luxata in ſuam ſedem eſt in communi vſu & quibus conuenit.de machin. *7ª.309.C*
METHODVS *qui ſit.4°.meth.med.* *7ª.26.A*
Methodus,& redargutio quid.in 6ᵐ.de mor.vul.com.3°. *3ª.174.H*
Methodus diuiſiua quæ apud Platonem.9°.de dec.Hipp. *1ª.281.H*
Mothodo diuiſo vtitur Galenus.1°.de diff.reſp. *3ª.57.D*
Methodus conſiſtit in vniuerſalibus.9°.met.me. *7ª.58.C*
Methodus communis in omni re,quæ.3°.de ſymp.cauſ. *3ª.30.B*
Methodo inuentire quid ſit.1°.met.me. *7ª.4.H*
Methodus quando habetur.9°.met.me. *7ª.58.C*
Methodus artis conſtituendæ qualis.9°.met.me. *7ª.61.A*
Methodi forma quo modo inchoanda.1°.met.med. *7ª.4.E*
per Methodum doctrina quid efficiat.6°.de ſan.tuen. *2ª.98.D*
Methodus in anno inuenitur,ſed exercitium fit per totum curſum vitæ.9°.de decr.Hipp. *1ª.280.B*
Methodus vniuerſalis ſine exercitatione non poteſt facere bonum artificem.9°.de decr.Hip. *1ª.280.B*
Methodus ſuæ artis ſemper exercenda.de conſt.ar. *Iſa.37.H*
in Methodo omni quo modo exercitandum.1°.met.me. *7ª.5.F*
Methodi tres per quas poſſumus exerceri.9°.de decr.Hip.1ª.285.G
Methodos non ſolum nouiſſe oportet, verum etiam in particularibus multifariam exercitare.1°.de ſymp.cau. *3ª.15.E*
in Methodo demonſtratiua exercendi ſunt medica.7°.me.m. *7ª.44.C*
Methodus,qua ſinguli motus inueniri poſſint,vbi doceatur.de muſcu lorum diſſectione. *1ª.45.A*
Methodus rationalis quantum valeat ad medicamentorum copiã parandam.6°.de comp.med.per ge. *5ª.167.E*
abſq; Methodo non poſſunt componi medicamenta.4°.de compo.medi camen.per gen. *5ª.140.D*
citra Methodum pharmaca non ſunt adminiſtranda.1°.de comp.med. ſec.loc. *5ª.121.D*
Methodus componendi & vtendi eadem in pharmacis.4°.de com.me dicamen.ſec.loc. *5ª.149.C*
Methodus medendi ſit per indicationem.2°.met.me. *7ª.13.F*
Methodi auctor Hippocrates.5°.meth.med. *7ª.33.G*
ante Methodum medendi quæ diſcenda.2°.met.me. *7ª.9.H*
Methodũ medẽdi q vult cõponere,qd agere dz.2°.meth.me. *7ª.13.F*
Methodũ curatiuã ignorans non põt mederi.de puero epil. *7ª.187.F*
Methodum curatiuam perfectè ſcripſit Galen.de pue.epi.7ª.187.F/G
ante Methodum medendi liber de morborum & ſymptomatum differentijs legendus.2°.meth.me.9.G/ *7ª.13.D*
Methodum per generales ſermones indicare ſymptomatum cauſas inſtitutũ eſt libri de ſymptomatum cauſis.1°.de ſymp.cau. *3ª.15.E*
ante Methodum medendi, Galenus ſcripſit librum de arte curandi ad Glauconem.2°.de art.cu.ad Glau. *7ª.107.G*
Methodus medẽdi ſequi dz librũ de medicamẽtis.de ĩæq.ĩtẽp.3ª.44.H
ante Methodum medendi eſt liber de ſimplicium medicamentorum facultate.3°.de comp.med.ſecun.loc.141.H/8°.5ª.193.F/3°.me thodi medendi.20.A/4°. *7ª.24.B*
Methodus medendi ante librum de cõpoſitione medicamẽtorũ.1°.de cõp.me.ſe.lo.5ª.130.D/3°.meth.me.17.B/5°.33.A/6°. *7ª.37.E*
Methodus medendi ante librum de compoſitione medicamentorũ per gen.2°.de comp.me.per ge.227.B/4°. *5ª.236.B*
Methodus medendi liber præcedit librum de cõpoſitione medicamẽto rũ ſecundũ locos.1°.de comp.me.ſec.lo.121.C/2°.133.B/136.B/3°. 141.H/4°.149.E/8°.188.A/5ª.193.E/14°.met.me. *7ª.88.G*
Methodũ medendi cur diſtulit componere Galenus.1°.met.me.7ª.2.C
Methodi medendi libri finis.8°.met.me. *7ª.58.H*
in Methodo medendi quid agat.de comp.med.per ge.5ª.212.H/5°.me thodi medendi. *7ª.33.C*
in Methodi libro de logica inuentione loquitur Galenus.2°.meth.me-dendi. *7ª.13.C*
Methodi medendi tertijdecimi intẽtio de tumorib.13°.me.m.7ª.80.D
pro Methodo medendi quatuor conſidera.1°.met.me. *7ª.7.H*
Methodo vtentis medici proprium eſt indicationes ſumere a rerũ natura.6°.met.me. *7ª.37.F*
ſine Methodo non legendi Ariſtoteles,& Theophraſtus.3°.de ſimpli. med.facul. *5ª.17.E*
Methodi medendi principium.1°.met.me. *7ª.7.F*
Methodum ſuam habet morbi quælibet ſpecies.4°.met.me. *7ª.23.C*
Methodus conſiderandorũ in febre ex putredine.11°.me.m.7ª.69.D
Methodus conſiderandi pulſum optimum.2°.de dign.pul. *4ª.76.H*
Methodo procedit ad inueniendas cauſas doloris.12°.met.m.7ª.78.C
Methodus inueniendi partium omnium vtilitates.1°.de vſ.p.1ª.114.G
METONIS *caſus.in 1ᵐ.de mor.vul.cum.3°.* *3ª.123.D*
Μετοπιᾶιος vinculum frontem ambiens.de faſcijs. *7ª.295.A*
METRENCHYTAE *quæ inſtrumenta ſint.9°.de compoſi. medicament. ſecun.loc.* *5ª.205.D*
Metrenchytæ,id eſt vterini clyſteres.5°.met.me.31.F/32.D/7ª.34.C
METRETA *pro menſura.7°.de comp.me.per ge.* *5ª.272.G*
Metreta Syriorum quanta.de pond.& menſ. *5ª.276.F*
Metreta Italorum quanta.de pond.& menſ. *5ª.276.F*
Metreta.de pon.& menſ. *5ª.276.E*
METRODORVS *Hippocratis interpres qualis.in 3ᵐ.de morbis vulg. commen.1°.* *3ª.129.D*
METVS, *animi ægritudo.de cog.cur.animi mor.* *2ª.52.E*
Metu agimus quædã, quorũ nõ recordamur,cur.2°.d̃ mot.m.1ª.315.B
in Metu quæ contingant.2°.de decr.Hip. *1ª.239.G*
Metus longus quomodo refrigerat.1°.de preſag.ex pulſ. *4ª.105.H*
ad Metum valet cerebrum leporis.11°.de ſimp.med.fac. *5ª.79.G*
MEV quid.de ſimp.med. *Sp.87.F*
Meu,& panax pro eodem habet.de dyna. *Sp.22.H*
Meu vires habet relaxantes,rigorem veſicæ,& renum remollit,infla tiones diſſipat,vrinam,& menſtrua prouocat.de ſimp.m.Sp.87.F
Meu radices excalfacientes.de ſimp.med. *Sp.87.F*
Meum calidum in tertio ordine eſt, ſiccum in ſecundo.7°.de ſimpliciũ medicamen.facul. *5ª.56.B*
Meum nobis admotum videtur calidum.3°.de temp. *1ª.21.H*
Meum calidum,& acre eſt vrinam ciens.5°.de ſimp.me. *5ª.35.D*
Meum vrinam cit.9°.de comp.med ſec.loc. *5ª.202.A*
Meum vrinam menſesq; cit:ac ſi pluſculum ſumatur,capiti dolorẽ mo uet.7°.de ſimp.med.fac. *5ª.56.B*
Meu expurgat in icteris.de cura icteri. *Sp.111.B*
Meum ſanguinem extenuat,& ſecernit.5°.de ſimp.me.fac.5ª.35.D
Meum pro phlemone gibbę partis iecoris.13°.met.me. *7ª.83.H*
Meu in theriacam ingreditur.de ther.ad Piſ. *5ª.92.E*
Mei radix ad neruos vulneratos.3°.de comp.me.per.ge. *5ª.234.B*
Meum diſcutit.6°.de comp.med.ſec.loc. *5ª.169.D*

MICROLOGIA *quid.2°.met.me.* *7ª.16.A*

MICTIO *quomodo fiat.6°.de loc.aff.* *4ª.38.F*
Mictio per quot fiat muſculos,& quo modo.15°.de vſ.par.1ª.212.C
Mictio vrinæ præter voluntatem,cur.6°.de loc.aff. *4ª.38.F*
Mictio noctu plurima facta,paruam ſignificat deiectionem.comm.4°. apho.83°.Ex.37.B/de vrinæ ſign.ex Hipp. *Sp.78.H*
Mictio pauca,& frequens dr vrinæ ſtillicidium.c.5°.aph.58°.Ex.43.B
Mictio ſanguinis ex quot fieri poſſit.com.4°.aph.78°. *Ex.36.G*
Mictio ſanguinis,vel puris qd ſignificet.de vrinæ ſig.ex Hip.Sp.78.h
Mictio ſanguinis,aut puris,renum aut veſicæ exulcerationem ſignifi cat.com.4°.aph.75°. *Ex.36.A*
Mictio ſanguinis,aut puris vnde veniat,& per quæ fiat.comment.4°. aphoriſmo.75°. *Ex.36.B*
Mictio ſanguinis poſt quod medicamentum.9°.de compo.medicamen torum ſecun.loc. *5ª.199.C*
MICTVS *gratia muſculi magni in epigaſtrio.4°.de vſu par.1ª.137.F*
de Mictu inuoluntario.de med.fac.par. *7ª.177.F*
Mictus inſcius.in 3ᵐ.de mor.vulg.com.2°. *3ª.140.B*
ad Mictum inuoluntarium.de med.fa.par. *7ª.178.F*
ad Mictus difficultatem.de med.fac.par. *7ª.178.F*
Mictus arenalis ſigna.de dynamidijs. *Sp.28.H*
Mictus arenalis curatio.de dynamidijs. *Sp.28.H*
Mictus furfuris cura.de dynamidijs. *Sp.29.A*

ad Mictum furfuris antidotum. de dynamidijs. Sp.29.A
Mictus sanguinis ob quas causas. 6°. de loc. aff. 4ª.37.D
ad Mictum sanguinis. de med.fac.par. 7ª.178.F
MIGALE suum ipsius ictum sanat. 11°. de simp. med.fac. 5ª.82.G
MILAX leuis calida. 7°. de simp.me.fac. 5ª.56.B
MILAX aspera calida. 7°. de simp.med.fa. 5ª.56.B
MILIACEVS *panis vituperandus. 1°. de alim.fac.* 2ª.12.H
Miliacei panes friabiles sunt, & exiccant aluum. 1°. de ali.fa. 2ª.13.C
MILIARISIVM *spicæ vtriusq; accipi iubet. de med.fa.par.* 7ª.175.E
MILIOSI *cibi. de arti.com. 3°.* 7ª.275.F
MILIVM *inter cerealia semina numeratur. de vi.ra.in mor.acu.cõmentario 1°.* 7ª.111.B
Miliũ similis gñis cũ panico, sed minus malũ. de bo. & vi.suc. 2ª.37.D
Milium præfertur panico: 1°. de alimen.fac. 2ª.13.C
Milium medicamentũ est non cibus. de vic.ra.in mor.ac.c. 1°. 7ª.111.B
Milio nigro similia quandoque visa per cruditates contingunt. in prognostica, commentario 1°. 4ª.194.F
Milium fuluum, flauum, et rubrũ albo calidius. 4°. de sim.m.f. 5ª.31.D
Milium frigidum certe. in 6m. de mor. vulg. com. 5°. 3ª.194.B
Milium est frigidum. de diff.cont. Sp.74.D
Milium cibus frigidissimus. in 6m. de morb. vul.com. 5°. 3ª.194.B
Milij panes frigidi, & exigui alimenti. 1°. de ali.fa. 2ª.13.C
Miliũ est frigidũ in primo ordine siccũ ĩ tertio. 7°. de sim.m.fa. 5ª.50.D
Milium est asperum multum. de diff.cont. Sp.73.B
ex Milio panis arenã vel cinerẽ sapit dũ estur. de bo. et vi.su. 2ª.36.F
Milium flatulentum, & concoctu difficile. de atten. 2ª.45.B
Milium tarde digeritur. de diso.cont. Sp.73.D
Milium minimum nutrit. 7°. de simp.me.fac. 5ª.50.D
Milium parum nutrit, et cur. de diff.cont. Sp.73.F
Milium est praui succi. de atten.vic. 5ª.45.B
Milium generat sanguinem crassum. de diss.cont. Sp.74.B
Milium cum lacte decoctum, est crasi succi. de bo. & vi.suc. 2ª.35.D
Milij pasta non dr holcima, id est tractoria. 2°. de lo.affectis. 4ª.12.B
Milium magis siccat, quàm faba. 5°. de san.tuen. 2ª.92.C
Milij farina resiccat. 5°. de sim.me.fa. 5ª.34.A
Milij farina exiccat, & quomodo. 5°. de simpli.med.facul. 5ª.33.H
Milium ventrem desiccat. 7°. de simp.me.fac. 5ª.50.D
Milij farina non mouet pus. 5°. de simp.me.fac. 5ª.33.H
ex Milio farina non lenta: 1°. de alim.fac. 2ª.12.B
ex Milij farina cibi apud rusticos. 1°. de alim.fac. 2ª.13.C
Milij panes in penuria. 1°. de alim.fac. 2ª.13.C
Milium sistit ventris fluxum. 6°. de simp.me.fac. 5ª.47.D
Milium stringit ventrem cum siccitate. de diff.cont. Sp.75.B
Milium Herodotum forte adstringebat, aliorum vero neminem. 1°. de simpli.medica.facul. 5ª.7.H
Milium optimum fomentum his, qui debẽt exiccari citra morsum. 6°. de simp.med.fac. 5ª.50.D
ex Milio fomentũ tenuissimũ, et maxime siccãs. 12°. meth.me. 7ª.79.G
ex Milio fomenta in capite meliora, cur. 2°. de cõ.me.se.lo. 5ª.137.F
ex Milio fomentum siccum in coli dolore. 12°. meth.med. 7ª.79.F
ex Milio fomẽto sananť dolores leues. 2°. de arte cur. ad Gla. 7ª.104.G
ex Milio calido pleni sacculi. de ijs, quæ in med.fi.com. 3°. 7ª.222.D
ex Milio, & sale fomentum. 5°. de compo. med.secun. loc. 5ª.163.F/ *de vict.rat. in mor.acu.com. 2°.* 7ª.117.A
Milium nõ debet poni in cataplasmatibus. 6°. de simp.med.fa. 5ª.50.D
q̃ Milij granum perforare absurdius esse qui putarunt philosophiæ operam dare. de præcogn. ad Posth. 4ª.214.C
Milij granorum visio. 16°. de vsu par. 1ª.215.C
Milio similis fructus crateogonos acris. 7°. de simp.me.fa. 5ª.52.H
ad Milij magnitudinem accipit. 2°. de comp.med.sec.loc. 5ª.139.C
MILIVM *solis lapidẽ renũ frangit. de ren. aff. & dign. et me.* 7ª.196.D
MILITIBVS *sunt Xenophontis læsi, oculis quia per niuem ambularunt. 10°. de vsu par.* 1ª.178.H
Militibus dabatur polenta. 1°. de alim.fac. 1ª.11.H
Miliarium mensura. de med.fac.par. 7ª.175.H
in MILITIAM *si proficiscuntur seruientes alijs nihil aliud habent, quã vulnera, & cædes, si quid vero sit lucri, est dominorum. de aere, aq. & locis.* 2ª.5.B
MILLEFOLIVM *vulnera glutinat, & sine tumore custodit. de simplicib. medicam.* Sp.87.G
MILO *plurimum valebat manibus. 1°. de san.tuen.* 2ª.63.H
Milo quo genere exercitationis se exercuerit. 2°. de san.tuen. 2ª.74.D
Milonis mors. in oratione suas. Isa.5.C
Milone erat maior Polydamas. 2°. de dign.pul. 4ª.76.F
MILTOS *lemnia. 9°. de simp.me.fa.* 5ª.65.A
MILVI *caput Podagricis auxiliatur. de theria. ad Pis.* 5ª.93.E
Miluorum fel, quale. 10°. de simp.me.fa. 5ª.75.A
MIMOS vocabat Lucius detonsos vsque ad cutem. in 6m. de morb. vulgaribus, com. 4°. 3ª.181.G
MINAE diuersitas. de pond. & mens. 275. D/H/ 5ª.276.F
Mina Alexandrina qualis. 5°. de comp.me.per ge. 5ª.247.G
Mina Alexandrina quanta. de comp.me.per ge. 5ª.277.B
Minæ Alexandrinæ meminit. 2°. de compo.me.per gen. 5ª.225.G
Mina Ptholemaica. de pond. & mens. 5ª.276.C
Mina Italica quanta. de comp.med.per gen. 5ª.277.B
Mina secundum medicos. de compo.med.per gen. 5ª.277.B
Minæ pondus quantum sit. 4°. de compo.medicamen.per gen. 5ª.244.C/5°.247.G/H/6°. 5ª.260.B
Mina drachmarum centum sexaginta. 2°. de com.me. per ge. 5ª.225.G
Mina quot capiat vncias. 1°. de comp. me.per gen. 5ª.215.D
Mina vnciarum sexdecim. 2°. de comp.me.per ge. 220.G/ 5ª.226.D
Mina quot denarios contineat. 5°. de comp.me.per gen. 5ª.247.G
Minam inscribit denarium pondo centum. 4°. de composi. medicamentorum per genera. 5ª.243.F
Mina quæ valet denarios centum. 5°. de comp.me. per gen. 5ª.252.E
Mina habet denarios centum sexaginta. 2°. de compo. medicamen.per gene. 225.E/3°. 5ª.235.C
Minas capit quot congius. 5°. de comp.me.per gen. 5ª.248.B
Minæ fit mentio. 7°. de composi.medica.se.lo. 179.G/8°. 193.B/C/196.B/198.H/204.H/1°. de comp.med.per gen. 215.D/de pond. & mensu. 275.H/276.A/H/ 5ª.277.B
Mina quo modo significetur. de pond. & mens. 5ª.275.D
MINA *nomen glandulæ. de anat.viuo.* Sp.54.D
MINAEA *dicitur myrrha troglodytica. 1°. de antid.* 5ª.106.B
MINERA *spiritum quæ. de anat.viuo.* Sp.52.G
in Minera febris primè pticulç affectus duplex. 2°. de diff.feb. 3ª.42.E
Mineralia quæ præparantur arte. 9°. de simp.med.fa. 5ª.71.C
MINERVÆ *fabula aliter refertur iuxta Chrysippum à Galeno. 3°. de decretis Hippocratis.* 1ª.247.C
MINERVA *medicamentum. 3°. de comp.med.per gen.* 5ª.229.D
Minerua dictum emplastrum fuscum. 6°. de com.me. per ge. 5ª.258.H
MINGENDI *difficultas quid sit, & quomodo sanetur, & vnde fiat. cõmenta. 7°. aph.48°.* Ex.57.H
MINGENTEM *videns prouocatur ad hoc. de mot.man.* Sp.69.D
ad Mingentes in somno. 9°. de comp.med.sec.loc. 5ª.205.F
Mingentes sæpius, vrinæ habent infrigidationem. de dyna. Sp.35.E
Mingentis furfures signa. de dyna. Sp.29.A
Mingentibus quibus sponte exit sanguis, eis à renibus significatur vnulæ fractura. de vrinæ sign. ex Hipp. Sp.78.H
Mingentis sanguinem ex casu, casus. 6°. de locis affectis. 4ª.38.H
ad Mingentes sanguinem. 7°. de comp.med.sec.loc. 5ª.183.G
Mingens lapidem ex renibus, intelligitur, q̃ remoratur in renibus, non q̃ sit de substantia renum. com. 4°. aph.76°. Ex.36.D
non Mingentes matula accepta. 1°. de diff.resp. 3ª.60.A
ad Mingentes in strangulis. de med.fac.par. 7ª.179.B
cur MINGIMVS *frigidum in balneo, foris tepidum. 3°. de simplicium med.facul.* 5ª.18.B
Mingat, & minxerit differunt multum, & quæ sit ipsorum differentia commentario 4°. aph.75°. Ex.36.B
Mingere q̃n naturale est. non voluntarium. de mo.man.et ob. Sp.69.C
cur Mingitur quandoque dormiendo. de mot.man. & obs. Sp.68.G
cur Mingatur vrina tenuis, & alba. quæs. in Hipp. Sp.113.C
Mingentes vrinas tenues, crudas, diuturnas, si alia signa tanquam cuasuris adsuerint, absceſſum ad septi transuersi regiones infernas expectare debent, de vrinæ signif. ex Hipp. Sp.78.G
Mingant quales vrinas lienosi. quæs. in Hippo. Sp.113.F
Mingiť q̃n sanies sanguinis tenuis, quis affectus sit. 6°. de lo.af. 4ª.37.E
Mingere capillos, & carũculas vñ pueniat. c. 4°. aph.76°. Ex.36.C
Mingere melius, bonum. in 1m. de mor.vul.com. 3°. 3ª.122.H
Mingere non potentes, multos, vidit Galenus mortuos, quorũ nullus factus est ileosus. commen. 6°. aph.44°. Ex.51.C
Mingere nõ poterat qdã luxatus ad ptes externas. 6°. de l.af. 4ª.38.G
Mingere non potentibus remedium. de dyna. Sp.29.C
de MINIMO. *de hist.philos.* Sp.5.B

Minimum na-

Minimum naturale datur.8°.de decr.Hipocratis. 1ª.274.D
Minorum non idem sensus videtur,& vere est.1°.de elem. 1ª.2.B
Minima duobus digitis capiuntur.1°.de vsu par. 1ª.114.A
Minimus digitus qui.introductio. Isa.53.C
Minimum eorum quæ tota essentia nobis contraria sunt si sumatur lædit.5°.de simp.me.fac. 5ª.37.C
Minimæ artis partes discendæ. de part.art.med. Sp.16.H
MINISTRI *medicorum quales,& quot.in 6m.de morbis vulg. commentario.5°.* 3ª.188.C
Ministrorum dignitatis ordo in re medica.in 6m.de morb.vulgari commentario 5°. 3ª.188.D
Ministri pauci obtemperant.1°.de dieb.decr. 4ª.150.E
Ministri ægrorum qui esse debet.in 6m.de mor.vulg.c.4°. 3ª.180.H
MINIVM *quando ingrediatur in medicamenta.2°.de composi. medicamento.per gene.* 5ª.221.C
Minium coloris gratia imponitur medicamento.5°.de compositio.medica. per gen.252.A/6°. 5ª.261.D
Minium si topicum.2°.de comp.med.per gen. 5ª.221.C
MINOIS *centaurij decoctum quid faciat.de melancho.ex Gale.Ruf. & Possidonio.* Sp.110.B
Minorationem dictam à recentioribus,in principio etiã si materia non turget, collige ex Galeno cũ inquit, Vt igitur coctiones citius eueniũt,melius est in principijs euacuare,vt minorem iam factam materiam facilius natura possit cõcoquere.com.2°.aph.29°.Ex.16.G
Minoratio debet fieri p sectionem venæ,non per medicamentum.11°. method. medendi. 7ª.72.D
MINTHN *odoratam aliqui nuncupant hedios mon.6°.de simplicium medicamentorum facultatib.* 5ª.48.A
MINVITIVA *carnis qualia.de ocul.* 7ª.188.F
Minuendus est sanguis abundans.de cucurb.scar. 6ª.3.G
MINVERE *phlegmonen potest cucurbitula.de cucur.scar.* 6ª.3.F
Minuere vbi volumus redundantem in corpore materiam, scarificatione vtimur.de cucurb.scar. 6ª.3.F
Minuit pestilẽtiã secta vena ad dũas libras.de p̃sa. exp. cõf. Sp.78.C
Minuit inflationem ruta.de diss.cont. Sp.74.G
MINVS *& plus, magis & minus quo modo recte vsurpentur. cõmẽ. 1°.aphorismo 14°.* Ex.7.C
Minus pro imbecillius aduersus lycum. Ex.65.G
Minus,& magis quæ non habeant.1°.de die decr. 4ª.149.B
MINVTAL *ex vrtica confert lapidi.de cura lap.* Sp.112.A
MINVTIANI *adrum.as.6°.de comp.med.per ge.* 5ª.261.E
Μινύαι *instrumenta ab atticis dicta,quæ.de fract.com.2°.* 7ª.232.C
MINIANTHES *vocatur triphyllum.8°.de simp.med.fac.* 5ª.62.F
MIRACH lacerti octo adiuuant expulsionem.de ana.vi.Sp.50.E
MIRACVLVM *de Triphelio, p̃ percussis a vipera membris sanitatem inducat.de ther.ad Pis.* 5ª.90.H
MISCELLA neruorum à capite orientium, qualis. de neruorum dissectione. 1ª.54.G
MISCENTVR *elementa tota,& inuicem agunt.curan. ra. per sanguinis missionem.* 6ª.16.C
Miscentur per tota,omnia quæ miscentur.2°.de nat.fac. 1ª.297.H
Misceri nihil potest per totum,nisi fuerit in partes exiguas redactum. 12°.de vsu partium. 1ª.193.C
MISERI, *qui dicunt diuitias fructum formæ inorat.suas.* Isa.3.G
MISERATIONE *meretur stupiditas quæ nequit rationes percipere. de cauf.morb.* 3ª.7.A
Μισήθρων *meminit.9°.de simp.med.fac.* 5ª.72.D
MISSILIA *ex ollis plenis feriarum venenosarum in pugna Chartaginẽsium contra Romanos.de ther.ad Pis.* 5ª.91.C
MISTIO *quid,& quo modo fiat.de hist.philo.* Sp.5.B
de Mistione non spectat ad medicum disputare.1°.meth.me. 7ª.3.F
de Mistione Hippocratis opinio quomodo ab Aristotele differat.1°.me thodi medendi. 7ª.3.E
Mixtio quo modo fiat secundum Galenũ.de theria. ad Piso. 5ª.94.E
Mistionis causa.2°.de simp.med.fac. 5ª.14.G
Mistionem contrariorum non habentia medicamenta.1°.de comp.medicamen.secun.loc. 5ª.129.E
MISTVRA, *& complexus differunt.de morb.temp.* 3ª.87.E
in Mistura validius præpollet imbecilliori.de ther.ad Piso. 5ª.94.C
Misturam motuum exactã deus tantũ nouit.3°.de dieb. dec. 4ª.159.F
Mista multa,& in puluerẽ redacta videtur vnũ sensui.1°.de elc. 1ª.2.C
Mistorum materia qualis esse debeat.2°.de simpli.med.fac. 5ª.16.D
in Misto virtute sunt simplicia.de theria.ad Piso. 5ª.94.C
in Mistis quo modo sint qualitates.1°.meth.med. 7ª.3.F
Mixti philosophi qui fuere.de hist.philos. Sp.3.B
Mista medicamenta cur inuenta.8°.de simpli.me.fa. 5ª.188.A
Mista medicamenta debent sibi inuicẽ consentire.quos pur.opor.quib. med. & quo temp. 5ª.89.C
Mista medicamenta reducuntur ad vnam tertiam formam per vnionẽ de theria. ad Piso. 5ª.94.C
Mista medicamenta quomodo faciant qualitates æquales.1°.de comp. medic.per genera. 5ª.210.E
Mista aqua quæ bituminosa est, vel furfurosa.1°.de sim.me.fa.5ª.3.A
Mistum alijs medicamentum idem quomodo faciat diuersos effectus. 1°.de comp.med.per gen. 5ª.211.E
Mistam naturam habentia.1°.de comp.me.sec.loc. 5ª.129.E
Mixta contraria agere probat.3°.de simp.med.fac. 5ª.21.C
Mista non possunt bene explorari.4°.de simp.med.fac. 5ª.26.B
ex Mista terra varios habent sapores vinum, & liquores.de vtil. resp. Sp.64.F
in Mistis morbis quod magis vrget, curatur.de sect. Isa.17.D
MISY, *sory, & chalcitis sponte nascuntur.9°.de simp. medicamen. facul.* 5ª.71.E
Misy, chalcitis,& sory quo modo in vno sint loco.9°.de simpliciũ medicamentorum facultatibus. 5ª.70.B
Misy oritur supra chalcium, vt ærugo supra æs.9°.de simpliciũ medicamen.facul. 5°.70.C
Misy chalcitidi genere cognata est.4°.de comp.me.per ge. 5ª.236.E
Misy quo modo sunditur.1°.de comp.me.per gen. 5ª.212.F
Misy,chalcitis, & sory earundem sunt virium, sed differunt tenuitate crassitudine.9°.de simp.med.fac. 5ª.70.C
Misy calidũ est.3°.de tẽp.1ª.21.H/1°.de sim.me.fa.6.F/3°. 5ª.22.G
Misy nobis adnotum videtur calidum.3°.de temp. 1ª.21.H
Misy calidum est tenuium partium, & parum adstringens.3°.de compo.medica.per gen. 5ª.228.E
Misy adstringit valenter.1°.de simp.med.fac. 5ª.8.A
Misy adstringit simul, & mordicat.4°.de simp.me.fac. 5ª.26.A
Misy siccat euidenter.4°.de comp.med.per gene. 5ª.240.H
Misy vehementius exiccat modice exiccantibus medicamentis.3°.me thodi medendi. 7ª.20.A
Misy vehementer exiccat,& calefacit.2°.de simp.med.facul. 5ª.16.D
Misy est medicamentum forte.2°.de comp.me.per gen. 5ª.219.D
Misy quid faciat in natura humida.3°.meth.med. 7ª.20.C
Misy crodit.4°.de comp.med.sec.loc. 5ª.140.G
Misy crosio quo modo mitescat.2°.de comp.med.per ge. 5ª.219.H
Misy extergit,& repurgat.4°.de compo.medica.se.lo. 5ª.149.G
Misy vlcera glutinare non potest.1°.de simp.med.fac. 5ª.7.H
Misy ex Cypro Galenus asportauit.1°.de antid. 5ª.100.B
Misy cyprinum.3°.de comp.med.sec.loc.147.G/149.B/ 6°.171.D/5°. de comp.med.per gen.252.C/ 5ª.253.H
Misy peregrinum.4°.de com.me.se.lo.152.F/5°.161.B/D/4°.de com. med. per gen.243.E/F/5°. 5ª.254.A/F
Misy non comminuitur.3°.de comp.med.per gen. 5ª.232.B
Misy crudum,& vstum.4°.de comp.me.se.loc. 5ª.156.B
Misy crudum.4°.de composi. medi.sec.lo.153.C/5°.161.B/ 6°.172.A/ 5°.de comp.me.per gen.252.H/6°. 5ª.262.C
Misy exedit non vstum.4°.de comp.med.per gen. 5ª.240.H
Misy assatum.3°.de compo.medicamentorum secun.lo. 5ª.146.C/ 148. A/B/4°.152.G/5°.161.E/9°. 5ª.204.G
Misy torrefactum.6°.de compo.med.sec.loc. 5ª.172.A
Misy tostum.2°.de comp.med.per gen. 5ª.224.C
Misy vstum.3°.de compo.med.secun.loc.148.B/4°. 5ª.153.G
Misy vt argenti spuma lauatur.1°.de composi.med.per gen. 5ª.213.E
MITELLA quid sit.de fract.com.1°. 7ª.231.A
Mitella quatuor modis præue subijcitur cubito.de frac.c.1°. 7ª.231.A
Mitella quo canali circundanda.de frac.com.2°. 7ª.240.G
MITHRIDATES, *& Attalus omnium simplicium,quæ venenis aduersantur,experti sunt in condemnatis morti.1°.de antid.* 5ª.99.F
Mithridates simplicia omnia ad omnia venena in vnum miscuit.1°.de antidotis. 1ª.99.G
Mithridates non potuit veneno interire.de theria.ad Piso. 5ª.97.A
ad Mithridatem Zopyri epistola.2°.de antid. 5ª.115.A
Mithridatis Antidotus.10°.de composi.medi.sec.loc. 5ª.206.F
Mithridatis antidotus Athanasia.2°.de antid. 5°.114.H

Mithridatis Aro-

Mithridatis Aromatica.7°.de comp.med.sec.loc. 5ª.181.E
Mithridatis antidotus Eupatoris Diascinci notata.2°.de anti. 5ª.115.C
Mithridatis Panacea.7°.de comp.me.sec.loc. 5ª.181.G
Mithridatis Theriaca.2°.de antid. 5ª.115.G
Mithridaticum antidotum quale.de theriaca ad Pisonem.97.A/2°.de antidotis. 5ª.110.C/D
Mithridatica compositio.4°.de loc.aff. 4ª.28.D
Mithridatica antidotus dẽt fieri ex medicinis optimis.1°.d an. 5ª.101.b
Mithridatica antidotus.2°.de antid. 5ª.116.D
Mithridatici antidoti, & theriacæ comparatio. 1°.de antid. 5ª.99.G
MITHRIDATVM *recipit multa amara.1°.de antid.* 5ª.102.B
Mithridatum ad plura venena quàm theriaca valet, sed minus viperæ ictus sanat.1°.de antidotis. 5ª.110.C
Mithridatum describitur.2°.de antid. 5ª.111.A
Mitigandi ratio sit remittendo, & relaxando.4°.meth.med. 7ª.28.G
Mitigantia quæ sint quo indicio cognoscãtur.2°.de simpli.medicamen. facultatibus. 5ª.12.H
Mitigantia medicamenta, quæ.2°.de comp.me.per ge. 5ª.220.E
Mitigantia medicamenta, & habentia valentes vires.14°.meth. medendi. 7ª.88.G
Mitigans curativum, & diagnosticũ præsidium.6°.de lo.aff. 4ª.36.G
Mitigativa doloris, qualia.de ocul. 7ª.188.F
MITIGATORIA *sunt cucumeris semen, & iuniperi bacæ.8°.de compo.medica.sec.loc.* 5ª.196.B
Mitigatoria adhibenda in inflammationum vigore. 6°.de composi. medicamen.secun.loc. 5ª.175.B
cum Mitigatoriis mel miscendum.13°.meth.me. 7ª.81.C
Mitigatoria quæ in neruis punctis.3°.de comp.me.per ge. 5ª.235.A
Mitigata inflammatione vel dolore, sanguis est detrahendus præsig.ex per.cons. Sp.77.H
Mitigat, & replet in extrinsecis omnibus succus centaureæ.de virtute centaureæ. Sp.94.A
Mitigat tuſses succus centaureæ datus in fabæ magnitudine cũ aqua. de virt.cent. Sp.94.A
Mitigat lentium decoctum.6°.de compo.med.se.loc. 5ª.174.G
Mitigat pharmaca thus.4°.de compo.med.se.lo. 5ª.140.C
MITES *hirudines carnem facile apprehendunt.de cuc.scar.* 6ª.4.B
MITTENDVS *quando sit sanguis in melancholia.de melanch.ex Gale. Rufo, & Possidonio.* Sp.109.F
Mittunt cur sanguinem partes ad alias partes.13°.meth.me. 7ª.80.F
MITYLENEVS *Premigenes nisi lauisset, febricitabat. 5°.de sanitate tuenda.* 2ª.93.E
Mixacanthus qualis.de atten.vic. 2ª.44.D

MNASEAS *methodicæ sectæ auctor.introd.* Isa.51.D

Mnaseus.1°.de comp.med.per gen. 5ª.216.G
Mnasei pharmacum.1°.de compo.medica.per ge. 5ª.212.C
Mnaseæ emplastrum.3°.de compo.medicamentorũ secun.lo. 5ª.147.E
Mnasei emplastrum in secundo emollientium ordine.7°.de compo.medicamen.per genera. 5ª.264.F
MNASONIS *inscriptus liber Andromachi.2°.de antid.* 5ª.114.A
MNEMON *quæstus gratia docebat in 3ᵐ.de morbis vulgarib.cõmentario 2°.* 3ª.137.A
Mnemon inscripsit notas libro epidemiorum.in 3ᵐ.de mor. vulgarib. commentario 2°. 3ª.136.F
MNESITHEVS *Athenienſis auctor sectæ rationalis. intr.* Isa.51.D
Mnesitheus scripsit de elementis.2°.de alim.fac. 2ª.24.C
Mnesitheus scriptor antiquus anatomix.de nat.hum.c.2°. 7ª.183.E
Mnesitheus in arte medica doctus.1°.de arte cura.ad Glau. 7ª.94.D
secundum Mnesitheum Zeiæ, & tiphæ panum differentiæ.1°.de alim. facul. 2ª.12.C

MOBILIS *non est aer æquę, vt ignis. de vtilitate respirationis.* Sp.62.D
bene Mobilia corpora fiunt in tempestate aquilonia. commenta.3°.aphor.17°. Ex.23.E
Mobile est naturaliter caput calidum. de ocul. 7ª.183.H
Mobiles, & instabiles sunt cerebrũ calidũ habentes.de ocu. 7ª.183.H
Mobilitas in opinionibus ostendit calidam cerebri substãtiam.ars medicinalis. Isa.63.E
Mobilitas vitiosa est symptoma motiuarũ actionũ.de sym.dif.3ª.11.F
MOCLIA *quid.fin.med.* Isa.50.C
Μοχλικὸς *inscriptus liber quid contineat.de fract.com.1°.* 7ª.223.H

MODERATIO tẽperata in aere quæ.2°.de simp.med.sa. 5ª.15.F
Moderata conseruanda.de sal.diæta. 2ª.40.A
Moderatum est secundum naturam.1°.de diff.resp. 3ª.56.G
Moderatum optimum est.de cura ictleri. Sp.111.E
Moderata quæ sint.de atten.vic. 2ª.44.A
Moderatũ corpus non facile corripitur à causis exterioribus. de opti. nostri corp.const. 1ª.38.D
Moderatum corpus quæ habeat.de opt.nostr.corp.const. 1ª.38.D
Moderatum corpus rarissimum est.de opt. nostr.cor.con. 1ª.38.E
Moderatos pueros facit sanguis.de dynam. Sp.19.E
Moderata ambulatio est hominis concepti in tribus sanguinis horis. de spermate. Sp.37.B
Moderato maius, habet quinquevel sex dẽrias.2°.de diff.pul.4ª.55.G
Moderatæ naturæ pulsus, qualis.2°.de digno.puls. 4ª.78.B
Moderatum, & immoderatũ quo modo cognoscanꝫ.de opt.sect. Isa.26.C
Moderatum curat immoderatum.ars med. Isa.69.D
MODESTE, *quid significet.de artic.com.3°.* 7ª.281.A
MODESTIA, *virtus animi, quæ.fin.med.* Isa.45.D
in Modestia quod est summum, ad id enitendum, atque studendum. de cognoscendis curandisq; animi morbis. 2ª.53.D
ad Modestiam quę via.de cogn.cur.animi mor. 2ª.53.D
in Modestia quando quis profecerit.de cog.cur.animi mores.2ª.53 D
MODESTVM *quid significet.de art.com.1°.* 7ª.254.G
Modesti debent esse scriptores.in progn.com.1°. 4ª.190.A
Modestus quomodo superet consuetudinẽ.de cog.cur.ani.mo.2ª.53.D
Modestus, & prudens audacter respondens indicatur amens. in 6ᵗᵒ. de morb.vul.com.2°. 3ª.168.G
in Modesto homine responsio ferox, malum.in 1ᵐ. prorr. commentario 2°. 4ª.170.C
Modeste respondens ferox in quem morbum incidat.in 1ᵐ. prorrhetico.commentario 2°. 4ª.170.G
MODIVS *ægyptius, qualis.de pond.& mens.* 5ª.275.G
Modius Italicus.4°.de san.tuen.2ª.86.H/de ther.ad Piso.97.F/5°. de compo.medicamentorum sec.loc. 5ª.165.H
Modius quo modo significetur.de pond.& mens. 5ª.275.D
Mody meminit.de dynam. Sp.22.G
MODIVS *quid significet.in 1ᵐ.de morb.vulg.com.3°.* 3ª.117.G
Modus, differentia, & species pro eodem accipiantur. de ijs, quæ in medicatrina fiunt, com.1°. 7ª.201.E
Modi, & mores, & differentiæ, & essentiæ febrium, idẽ.in 1ᵐ. de morbis vulg.com.3°. 3ª.120.A
Modorum formas in morbis cognouit Galenus ex oblatis.de mor. vulgaribus, commen.1°. 3ª.117.C
Modum excedentia, somnus & vigilia, morbum faciunt. commentario 7°.aphorismo.67°. Ex.60.E
Modus albi vnguenti conficiendi.1°.de comp.med.per gen. 5ª.216.D
Modus conficiendi molochinum medicamentum. 2°.de composi. medicamen.per gene. 5ª.220.H
MOEROR *animi affectus, & perturbatio. de cognoscendis curandisq; animi morbis.* 2ª.50.H
Mœror est animi ægritudo.de cogn.cur.animi mor. 2ª.52.E
Mœror videtur vt labor in corpore.de cog cur.animi mor. 2ª.53.H
Mœrore multi ægrotarunt.de paruæ pil.exer. 2ª.48.G
Mœroris causa insatiabilitas.de cog.cur. animi morbis. 2ª.54.G
cum Mœrore animi facies florida, mala.in 1ᵐ.prorr. com.2°.4ª.170.H
Mœror parit morbum.de nat.hum.com.2°. 7ª.182.B
Mœror causa est cur bilis in ventriculum meet.2°.de decr. 1ª.240.C
in Mœroribus fortibus ad ventriculum fluit biliosa supersluitas. commentario 6°.apho.50°. Ex.52.F
ex Mœroribus ephemeræ pulsus habent minores. 1°. de arte curatiua ad Glauconem. 7ª.95.D
Mœrore vexatis quæ vina conueniant.de bon.& vit.suc. 2ª.38.E
Mœrore confecti euomant, vel per inferna deyciãt.2°.de decretis Hippocratis. 1ª.240.C
Mœrores maiores minores obscurant.com.2°.aph.46°. Ex.18.H
MOESTITIÆ, *& anxietudinis est quasi genus dolor.3°.de decretis Hippocratis.* 1ª.245.F
Mœstitia, dolor cordis ne an alteriꝰ ptis sit affectꝰ.3°.d de.Hi.1ª.245.F
Mœstitię cognatę timoribus sunt.in 1ᵐ.de mor.vul.com.2°. 3ª.115.A
Mœstitia nulla, & multo minus melancholia necessario sequuntur male concoquentem.3°.de symp.cau. 3ª.30.C
Męstitia melãcholica quo modo ex liene oriatur.6°.de lo.af.4ª.36.C

Mestitia melancholica qui afficiantur.6°.de locis affectis. 4ª.36.B
si Mestitia,& timor longo tempore perseuerent, ex eo melancholia significatur.com.7°.aph.40°. Ex.57.B
Mestitia diuturna significat melancholiam.2°.de symp.cau. 3ª.24.D
Mœstities numerantur inter causas extrinsecas lasionum nostri corporis.de opt.nostri corp. 1ª.38.C
Mestitia affectus est Galenus.2°.de loc.aff. 4ª.12.G
ob Mestitiam aliqui interierunt.5°.de loc aff. 4ª.29.B
ex Mestitia,& inopia ægrotantis, casus.in prog.com.1°. 4ª.191.H
MOLA *os quid.de ossib.1°.43.E/14°.meth.med.* 7ª.90.F
MOLA, quid,& quod respondet ouo, si alicui rei respondeat. 14°. *de vsu partium.* 1ª.206.D
Mola non fit sine viro.14°.de vsu par. 1ª.206.D
ad Molæ dolorem catapotium.7°.de composi.med.sec.loc. 5ª.182.H
MOLARES *dentes vnde sint dicti. de ossibus.* 1ª.41.F
Molares dentes,& maxillares dicere,idem est.de ossibus. 1ª.41.F
Molares dentes quales,& eorum officium.de anat.viuo. Sp.49.D
Molares dentes,habent radices ternas,& quaternas.de natura et ordine cuiuslibet corp. Sp.42.H
Molares tm dentes,et incisiuos hnt quædam alia.de ana.vi. Sp.49.E
MOLARIS *lapis.2°.de arte curatiua ad Glauco.* 7ª.104.C/ *de dynamidijs.* Sp.28.A
MOLARIS *Antiphanis.5°.de compo.med.sec.loc.* 5ª.165.A
Molaris Aphrodæ.5°.de comp.med.sec.loc. 5ª.165.A
Molaris Aristocratis.5°.de compo.sec.lo. 5ª.165.B
Molaris Chæreæ.5°.de comp.med.sec.loc. 5ª.165.A
MOLES *nimia est abortus causa.3°.de nat.fac.* 1ª.305.H
ex Mole,& grauitate dolor quo modo curetur.12°.meth.me. 7ª.79.C
MOLESTARI, *& gaudere vna eademq; de causa, vti etiam idem appetere,et abhorrere, vnum idemq; non potest.5°.de dec.* 1ª.259.E
MOLESTANTEM *humorem vbi educimus, fortibus vtimur cathartici. de dynamidijs.* Sp.20.G
MOLESTVM, *cum aliquid adest vis excretoria operatur.13°.methodi medendi.* 7ª.80.G
MOLITANVM *seu Tmolites vinum quibus non est dandum,et quibus dandum.de vinis.* Sp.76.G
MOLLESCAT *quomodo facies,& albescat.de dyn.* Sp.25.H
MOLLIGINVM *quid significet apud Hippocratem.4°.de comp.medic. per genera.237.E/* 5ª.240.F
MOLLIENDO *digerentia quæ sint.14°.methodi medendi.* 7ª.87.H
Molliendo digerentia, quæ scirrhis conueniunt.14°.meth.me. 7ª.87.H
Molliendū quibus sit medicamētū.4°.de com.me.per ge. 5ª.238.G
Mollientia, quæ.7°.de composi.medi.per genera. 5ª.263.D/ *2°.de arte curatiua ad Glauconem.* 7ª.104.A
Mollientium diuersitas.7°.de compo.med.per ge. 5ª.264.D
Molliētia medicamēta secūdi ordinis quæ.7°.de cō.me.p ge. 5ª.264.E
Mollientia valentissima sunt bdellium,& styrax.7°.de composi.medi. per genera. 5ª.264.C
Mollientia validissima sunt medullæ.7°.de com.me.per ge. 5ª.264.A
Mollientia imbecilla sunt cera,& adeps suillus.7°.de composi.medic. per genera. 5ª.264.A
Molliētes cū aliqua acrimonia vires ejus habet.de simp.me. Sp.92.D
Mollientes vterum pessi ex medulla vitulina,& ceruina.11°.de simplic.med. facul. 5ª.79.E
Mollientia semper miscenda sunt in resolutionibus duritierum.2°.de arte curati. ad Glauc. 7ª.104.F
inter Mollientia poni nō debēt siccātia.7°.de cō.me.p gen. 5ª.264.B
MOLLIRE *carnem, quid significet.2°.de san.tuen.* 2ª.69.G
Mollit vehementer gutta Ammoniaci.7°.de cō.me.p ge. 5ª.264.A
Molliat valenter quod nā Bdellium.7°.de com.me.per ge. 5ª.264.A
Mollit pectora constipata Diapenodion minus.de dyn. Sp.26.D
Mollit in secundo ordine emplastrum Mnasæi.7°.de composi. medicamento.per genera. 5ª.264.F
Mollit duritiem Ibiscus.de simp.med. Sp.85.E
Mollit,& relaxat durities, & tumores Medulla omnis. de simplicib. medicaminibus. Sp.87.D
Mollit strictturas,& durities Opoponax.de simp.med. Sp.88.B
Mollit durities Seuum.de simp.medic. Sp.90.B
Mollit,& concoquit seuum vitulinum.2°.de com.me.per ge. 5ª.221.C
Mollit valenter Styrax.7°.de comp.med.per gen. 5ª.264.A
Mollit durities styrax.de simp.med. Sp.90.E
quando MOLLIFICANTVR *in aqua siccæ nuces, leniunt ventrem.de dis solutione continua.* Sp.75.A
Mollificans adeps,qui sit.2°.de arte cura.ad Gla. 7ª.104.A
Mollificantes medullæ, quæ sint.2°.de arte cur.ad Gla. 7ª.104.A
Mollificantibus ventrē, & descendere facientibus indigemus quando superfluitas cibi est difficilis descensus de stomacho, & intestinis. de dissol.cont. Sp.71.F
Mollificantia medicamēta ad scirrhum.2°.de ar.cur.ad Gl. 7ª.104.A
ad MOLLIFICATIONEM *crurium medicina.secret.* Sp.100.D
ad Mollificationem linguæ medicina.secretorum. Sp.98.C
MOLLIFICATIVA *qualia sint.de ocul.* 7ª.188.D
MOLLIOR *vita causa est præcedens pulsus mollis.1°.de præsagitione ex pulsibus.* 4ª.109.D
Molliora indurantur.in 6m.de morbis vulg.com.2°. 3ª.161.A
MOLLE *quid significet.2°.de san.tuen.* 2ª.72.F
Molle, quid sit.5°.de simp.me.fac. 5ª.52.G
Molle est contrarium duro.12°.de vsu par. 1ª.192.H/ *in 6m. de morb. vulg.com.1°.* 3ª.160.B/*com.5°.aph.61°.* Ex.45.C
de Molli,& duro Aristoteles elimatius egit quàm Plato.3°.de differentijs pulsuum. 4ª.63.A
Mollia, quæ dicantur.4°.de digno.puls. 4ª.83.F
Mollia, quæ sint.3°.de alim.fac. 2ª.32.D/*3°.de diff.puls.* 4ª.63.D/*5°. de simp.med.fac.* 5ª.32.F
Mollia sunt duræ carnis.3°.de alim.fac. 2ª.32.D
Mollia cocta sunt magni nutrimenti.3°.de alim.fac. 2ª.32.E
Mollium diuisio.5°.de simp.me.fac. 5ª.32.E
Molle in similaribus dicitur.2°.de sanitate tuenda. 2ª.72.G
Molle in calore mediocri humidum est.2°.de temp. 1ª.17.G
Molle cū calore vehemēti necessario nō est humidū.2°.de tēp. 1ª.17.G
Molles sunt candidæ mulieres.4°.de comp.me.per gen. 5ª.236.F
Molles candidi & obesi non habent humorem melancholicum.3°.de locis affectis. 4ª.18.E
Molles & candidi sunt Galli.de curan.rat.per sang.miss. 6ª.19.F
Molles,& humidi qui sint.6°.de comp.med.sec.lo. 5ª.176.F
Molle, sensu cognoscimus.4°.de dign.puls. 4ª.83.D
à Molli quę fit alteratio est pathema tactus.de simp.diff. 3ª.10.D
Mollia an dura sint corpora considerare debet medicus, qui curat.9°. de simplicium medicamentorum facultatibus. 5ª.66.B
Mollem cuticulam habent similem, pueri, Eunuchi,& mulieres.1°.de compo.medi.sec.loc. 5ª.123.B
Molles partes corporis cur non habent meatus.9°.de vsu par. 1ª.171.E
Molles partes non ostendunt sua spatia.de inæq.intemp. 3ª.43.D
Molle,& humidum cur sit cerebrum.de anat.viuo. Sp.53.G
Mollius,et humidius cur sit cerebrum in anteriore parte.de anatomia viuorum. Sp.53.H
Mollior est cæteris prima neruorum coniugatio.de ner.diss. 1ª.53.D
Molles nerui ad sensum tm idonei sunt.de decr.Hipp.et Pl. 1ª.233.G
Mollis est,& humida, lingua.com.6°.apho.32°. Ex.49.H
Mollis caro in quibus sit membris.de anat.viuo. Sp.44.D
Mollis est caro pulmonis.de anat.viuo. Sp.55.H
Mollis pulmo cur.de anat. viuo. Sp.47.H
Mollem vnam tunicam cur habet arteria venalis.de ana.vi. Sp.52.H
Molles carne cum sint homines liquidioris sanguinis,sunt timidi, et boni sensus.de vtil.resp. Sp.64.F
Mollia corpora quo modo fiant.3°.de diff.puls. 4ª.62.E
Mollis cutis vnde.de anat.viuo. Sp.45.C
Mollia ex aqua fiunt corpora.1°.de simp.med.fac. 5ª.3.F
Mollia & debilia corpa facit lotio calida.ḍ venæ sect.adu.Era. 6ª.8.G
Mollius,& humidius corpus habet debiliorem habitum, quàm durū, & si.cum.de vsu puls. 4ª.229.F
Molle corpus facile sequitur ducentem, & segnius in suam reuertitur naturam.de vsu puls. 1ª.229.F
Molles sunt ad sentiendum admodum habiles.4°.de compositio.medic. per genera. 5ª.236.C
Molle & rarum corpus facile patitur.de assue. 2ª.61.D
Mollis substantia est facile alterabilis.3°.de alimēto.facul. 2ª.31.G/ *commen.5°.apho.69°.* Ex.45.D
Molle summe prompte patitur,& sentit.3°.de vsu par. 1ª.134.A
Mollia,& rara, quæ à frigore patiantur.4°.de simp.med.fac. 5ª.24.D
Molle qd ita est, vt & humidū sit,et fluxile,et nulli innitens,id nec tra hendi sit,nec tenendi,nec repellēdi vim habet.3°.ḍ sym.c. 3ª.28.H
in Mollibus, & humidis rebus coctio puerorum est vt vigentium, in duris autem deterior.3°.de sym.cau. 3ª.29.C

Molles corpulenti

Molles corpulenti rubicundi vnde ſint.de ſal.die. 2ª.40.D
Molles corpulẽti et rubicũdi quo victu ſint nutriẽdi.đ ſal.die. 2ª.40.D
Mollibus corporibus quæ conueniãt.2°.de comp.me.per ge. 5ª.220.F
pro Mollibus punica auſtera,pro duris acida conueniunt.3°.de comp. medic.ſecun.loc. 5ª.148.E
in Mollibus carnis vehemens infrigidatio non eſt inducenda.2°.de com poſi.medica.ſec.loc. 5ª.132.E
Mollia corpora quæ medicamenta requirunt.1°.de compoſi.medicam. per genera. 5ª.212.H
Molles minus recipiunt fortia medicamẽta.2°.de cõ.me.ſe.l. 5ª.140.D
Mollia corpora non ferunt vehementia medicamenta.9°.de ſimp. me. facul.66.C/3°.meth.me. 7ª.20.E
Molles indigent medicamentis imbecillioribus.2°.de com.me.per ge. 227.B/7°. 5ª.268.G/2°.*de arte cur.ad Glauc.* 7ª.107.A
Mollibus ſatis eſt butyrum.3°.de compoſi.medi.ſec.lo. 5ª.146.H
Mollibus quæ medicamẽta ſint ſatis in ſanguinis ſpuitione.5°.methodi medendi. 7ª.33.A
Mollem carnem non habentibus,in euacuatione minus eſt parcendum. de præſag.exper.conf. Sp.77.H
in Mollibus corporibus vitioſi humores facile diſcutiuntur.de compoſi. med.ſec.loc. 5ª.123.B
Molles partes facile euacuantur.ars med. Iſa.70.H
Molliorum corporum vulnera ab alijs medicamentis ſanantur, quam vulnera durorum corporum.7°.de ſimp.med.fac. 5ª.52.G
ad Mollium corporum tumores præter naturam.1°.de comp.med.per genera. 5ª.214.B
Mollibus quæ conueniãt in vlceribus.4°.de cõ.me.per gen. 5ª.236.B
ad Mollem cuticulam habẽtia vlcera.1°.de comp.me.per ge. 5ª.214.C
Molle recluditur facile.3°.de ſym.cau. 3ª.27.A
Molle admodum cur frangatur.3°.de ſymp.cau. 3ª.27.A
in Molli corpe vſus medicamẽti ad neruos.3°.de cõ.me.p g. 5ª.233.G
ad Mollia corpora muliebria,& puerili aptatur paleſtricus modus reponendi luxata. de machinamentis. 7ª.309.C
Molles faſciæ cur eſſe debeant.de faſcijs. 7ª.293.G
Molliũ tm eſt corporũ in vnũ coeundi habilitas.5°.meth.me. 7ª.32.B
in Mollibus,& puerulis oſſa vniuntur.6°.meth.med. 7ª.40.D
Molle eſſe debet quod colliditur.de cau.morb. 3ª.9.G
Mollia cauata ad naturam ſuam regrediuntur,remota cauſa.de cauſis morborum. 3ª.9.G
Mollia debent eſſe concreſcentia.3°.meth.me. 7ª.19.A
Mollia faciunt multum ſuccum crudum.3°.de ali.fac. 2ª.32.E
Molles cardui vrinam mouent.de cura icteri. Sp.111.D
Molles radices ſmyrnij expurgant ictericos.de cura icteri. Sp.111.B
Mollis ac ſpongioſa ſubſtantia inſtar ſtębes.7°.de vſu par. 1ª.158.G
in Molli & lutoſa terra in mari naſci corallum inquit Ariſtoteles,& tamen eſt arbor duriſſima.de ana.viu. Sp.46.A
Molle non naſcitur ex duro,& è conuerſo.2°.de vſu par. 1ª.193.B
Molle non debet iungi duro.de anat.viuo. Sp.43.G
Molle non conuenit ad motum.12°.de vſu par. 1ª.193.A
Mollis affectus,& humidus quomodo differant.5°.de ſan.tu. 2ª.89.D
Mollis affectus, qui.5°.de ſan.tuen. 2ª.89.D
Mollem & debilẽ ſtom rectificãt cibaria ſtyptica.de diſſ.con. Sp.74.D
Mollia palpitant.2°.de ſymp.cau. 3ª.20.F
Mollia dolorem leuantia putrefaciũt.3°.de com.me.per ge. 5ª.232.G
Mollibus,& humidis ſcirrhus debet curari non ſolum calidis.14°.methodi medendi. 7ª.87.H
Mollia valde debent abijci ex his,quæ debent macerari.7°.de compo. medicam.ſec.loc. 5ª.180.H
MOLLISSIMVM *non poteſt ſtatim vno impetu fieri durum.1°.de natura.faculta.* 1ª.292.D
MOLLITER *poni corpus, quid ſignificet.in progn.com.1°.* 4ª.193.E
MOLLITIES *quid.2°.de ſani.tuen.* 2ª.71.A
Mollities opponitur duritiei.3°.de ſan.tuen. 2ª.79.C
Mollities vnde oriatur.3°.de ſym.cau. 3ª.30.A
Mollities cõſequitur miſtionẽ ex qualitatibus.1°.de vſu p. 1ª.115.D
Mollities maxima eſt in corporib.Scytharũ.de aere,aq.et lo. 2ª.5.F
Mollities cutis in poſteriori capitis parte vnde.de ana.viu. Sp.45.C
Mollities eſt tactus qualitas.de nat.hu.com.1°. 1ª.28.H
Mollities duritiesq; tactu iudicatur.de ſymptoma.differen. 3ª.13.D/3°. *de differentijs pulſuum.* 4ª.63.D
Mollities nerui requiritur ad ſenſum, ad motum vero durities.9°.de vſu partium. 1ª.174.F
Mollities fit ex lotione aquæ calidæ.1°.de ſimplicium med.fac. 5ª.3.F
Mollities immodica laxat.de cauſ.mor. 3ª.9.B
Mollites eſt cauſa cur pueri non ambulant,& balbutiant.commen.6°. aphoriſmo 32°. Ex.49.H
Mollities in tumoribus bona eſt.com.3°.apho.67°. Ex.45.C
Mollities paſſio muſculorum.de ocul. 7ª.187.F
Mollities obſiſtit tenſioni.15°.de vſu par. 1ª.210.D
Mollities immodica vnde proueniat,quæ vaſorum eſt vitium ſicut duritia & tenuitas.3°.de ſymp.cauſ. 3ª.27.A
Mollities,& friabilitas oſtendunt carnem bonã.de atten.vic. 2ª.45.D
Mollities in medicamentis fit ab oleo.3°.de cõ.med.per gen. 5ª.230.F
Mollitiæ quando indigemus.de par.pil.exer. 2ª.49.E
MOLLITIVA *enumeratur.de ocul.* 7ª.188.D
Mollitiua medicina quid agat in oculis.de ocul. 7ª.189.B
MOLY *vnde dicatur.7°.de ſimp.med.fa.* 5ª.56.F
Moly eſt ruta ſylueſtris.8°.de ſim.med.fa. 5ª.58.E
Moly eſt calidum tertio ordine.7°.de ſimp.me.fa. 5ª.56.F
Moly craſſos humores deſiccat, ac digerit,ac vrinam mouet.7°.de ſimpli.medicamento.faculta. 5ª.56.F
MOLYBDÆNA. *9°. de ſimp.med.fac.* 5ª.70.D
Molybdæna quid,& eius vires.de ſimp.med. Sp.87.C
Molybdæna qualis.5°.meth.me. 7ª.36.E
Molybdæna argẽti ſpumæ,et ceruſſę cõparat.1°.de cõ.m.p g. 5ª.215.A
Molybdæna,& argenti ſpuma ad coſdem vſus.1°.de compo.medicamento.per genera. 5ª.213.F
Molybdænam inuenit in via Galenus, quæ ad Ergaſteria ducit à Pergamo.9°.de ſimp.medic.fac. 5ª.70.D
Molybdæna quem colorem reddat.1°.de com.me.per ge. 5ª.213.F
MOLYBDOS, *id eſt plumbum.9°.de ſimp.med.fac.* 5ª.70.E
Molochinum emplaſtrum.2°.de comp.me.per gen. 5ª.220.H
MOLPHI *vel Thais Parigenis vinculum.de faſcijs.* 7ª.295.D
MOMENTI magni quæ ſunt, eadem bis & ter commemoranda ſunt.de cog.cur.animi morbis. 5ª.52.C
MONACHVS Ebinus.ſecretorum. Sp.97.F
MONETA *quid ſit in vrbibus.2°.de diff.pul.* 4ª.54.H
Monetarum adulteratores puniendi.2°.de diff.pul. 4ª.54.H
MONOBIBLVS *liber.1°.de comp.me.ſec.loc.* 5ª.131.D
MONOCVLVM *inteſtinum vnde dictum,& quale ſit.de anatomia viuorum.* Sp.50.D
Monoculum cur habeat vnum foramen.de ana.viuo. Sp.50.D
Monoculum inteſtinum eſt quartum.de ana.viuo. Sp.50.B
in Monoculo ſunt villi retentiui.de ana.viuo. Sp.44.H
Monoculũ ita ſe hẽt ad ſtomachũ,vt veſica ad hepar.đ ana.v. Sp.50.f
MONOMACVM *inteſtinum vnde ſit dictum.de compagine membro.ſiue de natura humana.* Sp.59.A
Monomacum inteſtinum coquit.de compag.memb. Sp.59.A
MONOHEMERA *collyria.4°.de compo.medic.ſecun.loc.* 5ª.150.G
Monohemerum medicamentũ.4°.de compoſi.med.ſec.lo. 5ª.154.B
Μονονυχα *quaſi ſolũguia,& ſolidunguia dicos de art.c.1°.* 7ª.256.H
MONSTRVOSA, *& abominabilia vomunt melancholici.de melã. ex Gale.Ruſo,& Poſſidonio.* Sp.109.C
MONSTRA *quomodo generantur.fin.med.Iſa.44.G/de hiſtoria philoſophi.* Sp.10.F
à MONTIBVS *eſt origo fluminum.de vtil.reſp.* Sp.63.H
à Montibus nunquam deſcendunt venti.de aere,aq.& loc. 2ª.6.E
à Montibus riphæis ſpirat boreas.de aere,aq.& lo. 2ª.6.E
Montes ad ſeptentrionem auerſi ſunt à Sole.5°.meth.me. 7ª.34.H
Montes ſcythiæ cur inhabitabiles.de ae.aq.& lo. 2ª.6.E
Montes alti & aſperi ſunt.de artic.com.4°. 7ª.284.E
Montes altos aſperos habitantes quales.q; animi mores. 2ª.320.A
Mons paruus quomodo dicatur.2°.de digno.pul. 4ª.76.E
Mons paruus,et formica magna ad aliquid dicuntur.1°.de morbis vulgari.commentario 1°. 3ª.104.A
ſuper Montis excelſi apicem incedens quis,timet, & pedes eius tremunt.de motibus manifeſtis & obſcuris. Sp.69.D
MONTANA *aſpera,nuda, aquoſa,habitantes quales.de aere,aquis, & locis.* 2ª.6.C
Montana animalia qualia.3°.de ali.fac.27.E/de atten.vic. 2ª.45.C
Montanæ aues ſunt præſtantiores alijs.de atten.vic. 2ª.45.C
Montanæ aues edendæ ſunt.de atten.vic. 2ª.44.G
Montanarum auium cerebri natura.3°.de ali.fac. 2ª.29.F
MONTICOLÆ *aues detergunt.4°.de ſan.tuen.* 2ª.84.F

Monticolæ aues sunt boni succi, & non glutinosi. 4°.*de san.tu.* 2ª.86.C
MONTVOSA *animalia diutius seruantur imputria, quàm domestica.* 3°.*de alim.fac.* 2ª.27.E
MORÆA quid sit. de ijs, quæ in med.fi.com. 2°. 7ª.208.A
MORALIVM *uirtutum basis, & radix est cor.de anat.vi.* Sp. 46.B
Morales uocantur irrationalis animæ actiones, rationalis uero, principes. 3°.*de loc.aff.* 4ª.16.G
Moralis philosophiæ inuentor fuit Socrates.de hist.philo. Sp.2.C
Moralis scientia dependet ex cogitatione facultatũ animæ iuxta quosdam. 4°.*de decr.Hipp.* 1ª.253.E
ad Moralem philosophiam & medicinam vtile est noscere animæ facultates, & loca. 9°.*de decr.Hipp.* 1ª.285.E
Moralia conferunt vitæ humanæ.de hist.philos. Sp.2.C
ad Moralia quæstiones quæ nihil faciunt. 9°.*de decr.Hipp.* 1ª.284.C
Morali philosophiæ non confert scire irascibilis, & concupiscibilis anima sit mortalis, vel immortalis. 9°.*de decre.Hipp.* 1ª.285.E
in Morali philosophia fieri non potest vt naturalem, & ratiocinatoriam prorsus non attingas. 9°.*de decr.Hipp.* 1ª.284.D
MORBIDI *morbidos generant.de aere, aq. & loc.* 2ª.4.G
in Morbida, & salubri natura magnum interuallum. de diff. morborum. 3ª.2.H
MORBOSA *sunt quæ minime sunt similia sanis. commentario* 7°. *aphoris.*63°. Ex.59.H
Morbosi affectus, qui.in 6ᵐ.*de morb.vulgaribus, com.* 5°. 3ª.189.A
a Morbosis affectibus proueniunt sternutamenta, quæ semper naturæ opus sunt.in 1ᵐ.*de mor.vul.commentario* 5°. 3ª.189.A
Morbosa symptomata an ad rem medicã, vel ad sanitatis tuendæ partem, vel ad aliam partem spectent. 4°.*de san.tuen.* 2ª.82.C
Morbosi cibi, qui. 1°.*de diff.feb.* 3ª.32.A
MORBVS *quid significet.de ijs, quę in med.fi.com.* 1°. 7ª.197.G
*Morbus quid.fin.med.*45.F/G/*ars me.*If.69.D/2°.*de nat.facul.* 301.B/1°.*de sanita.tuen.* 2ª.64.A/*de dif.mor.* 2ª.C/4.A/*de simp. diff.* 3ª.10.C/G/H/1°.*methodi meden.*6.F/7.E/8°.E.2°.16.A/11°.71.D/*de ocul.* 7ª.185.E/H
Morbus quid communiter ad corpus & ad animã. 5°.*de dec.* 1ª.255.B
Morbus quid sit per exempla ostendit. 2°.*meth.med.* 7ª.9.H
Morbus quid sit, & quomodo inueniatur. 1°.*meth.me.* 7ª.5.G
Morbus in quibus consistat. 2°.*de temp.* 1ª.18.E
Morbus in quo consistat. 1°.*de san.tu.* 2ª.64.C/*de symp.diff.*3ª.10.F/9°.*meth.me.*7ª.59.G.*contra Iulianum.* Ex.67.C
Morbus duo exigit vt sit morbus.de symp.diff. 3ª.11.B
Morbus est vnum ex illis quæ sunt præter naturam in corpore. 1°.*methodi medendi.* 7ª.8.G
*Morbus præter naturam est.fin.med.Isa.*45.D/1°.*de san.tu.* 2ª.64.A/2°.*metho.med.* 7ª.12.E
Morbus vnusquisq; suam propriam habet naturam neq; aliquis est citra naturam.de aere, aq. & loc. 2ª.5.H
Morbus est immoderatio.de diff.mor. 3ª.2.D
Morbus est exitus a temperie naturali, è contra sanitas. commenta. 4°.*apho.*39°. Ex.32.D
Morbus non est etiam si sit affectus præter naturam. 1°.*de sanitate tuenda.* 2ª.64.A
Morbus & sanitas quid secundum Olympicum. 1°.*meth.me.* 7ª.6.G
Morbus est affectus contrarius sanitati a quo læditur actio. 2°.*methodi medendi.* 7ª.10.C
Morbus & sanitas contraria sunt. 1°.*meth.med.* 7ª.6.G
Morbus quomodo distinguitur a sanitate.de symp.diff. 3ª.10.F
Morbum præcedit dignitate, & tempore sanitas. 1°.*de sa. tu.* 2ª.62.D
Morbus, sanitas, & mors vt differunt, ita naturalis motus immobilitas & praui motus. 1°.*de præsag.ex pul.* 4ª.110.F
Morbus qui vere sit. 2°.*meth.med.*9.D/ 7ª.10.C
Morbus qui proprie sit. 1°.*methodi medẽdi.*7ª.7. H/*commentario* 2°. *aphorismo.*22°. Ex.15.B
Morbus nõ est vlla alteratio, nisi sint læsę operationes. 1°.*me.m.*7ª.8.C
Morbi sunt quæcunque intemperaturæ quæ lædunt operationes. commen. 5°.*aphorismo* 57°. Ex 42.H
Morbus est actionis noxa.ad Thras. 2ª.102.E
Morbus est causa læsionis, quæ in actione est.de symp.diff 3ª.13.A
Morbus proprie est causa continens quæ actionem vitiat. 2°.*metho. medendi.* 7ª.12.F
Morbus est vel functio læsa, vel affectio ledens. 1°.*meth.med.* 7ª.9.B
Morbus põt dici affectus corporis, et vitiũ actionis. 1°.*me.me.*7ª.7.E
Morbus vel sit læsa actio, vel affectus, cuius vitio actio læditur nihil refert dicere. 1°.*de san.tuen.* 2ª.64.C
Morbi vocari possunt actio læsa, & affectus, qui lædit actionem. et ex hoc nihil mutatur curatio. 2°.*meth.med.* 7ª.12.F
Morbum nihil refert ponere in genere constituentium, vel functionum. 1°.*de san.tuen.* 2ª.64.D
Morbus sõlum est quando læsio est sensibilis. 1°.*de san.tuen.* 2ª.64.C
Morbus est cum prorsus corrumpitur functio, vel impeditur. 2°.*de naturalibus facultatib.* 1ª.300.D
Morbus, qui actionem impedit potest habere causam, & potest esse remota causa. 1°.*meth.med.* 7ª.8.C
Morbus sine medio actionis nocet.de ocul. 7ª.185.H
Morbus est ex genere permanentium. 2°.*meth.me.* 7ª.10.B
Morbi & symptomatis differentia.de symp. diff. 3ª.11.B
Morbus quo modo sit sub symptomate.de symp.diff. 3ª.11.B
de MORBIS *quomodo tradiderit Hippocrates.* 3°.*meth me.* 7ª.19.E
Morborum nõa varia quibus nihil refert vti. 2°.*meth.me.* 7ª.10.D
Morbi a curantibus nominati. 2°.*meth.me.* 7ᵈ.9.F
Morbi a patientibus nominati. 2°.*meth.me.* 7ᵉ.9.F
Morbi nominati a causa putata. 2°.*meth.me.* 7ª.9.E
Morbi nominati a similitudine extrinseca. 2°.*meth.me.* 7ª.9.E
Morbus non est, idem, nisi etiam nomen idem. 9°.*de dec.Hip.*1ª.282.H
*Morbi facile numerari non possunt.de vic.ra in mor.ac.c.*1°.7ª.108.H
Morborum numerum qui vult tradere, quid agere debet. 1°.*methodimedendi.* 7ª.4.D
de Morborum numero quomodo agitata quæstio. 1°.*met.med.* 7ª.4.B
Morborum numerum qui discere poterit. 2°.*meth.me.* 7ª.10.E/G
Morbi non sõlum sciendi, sed quales sint.de vic.ra.in morb. ac. commentario 2°. 7ª.121.F
Morbi plures diuitibus, quam pauperibus eueniunt apud Scythas.de aere, aq. & locis. 2ª.6.A
Morbi omnes diuini.de aere aq. & lo. 2ª.5.H
MORBORVM *diuisio.fin.med.* Isa.45.F
Morborũ diuisio infrequẽtes, et raro euenientes. 3°.*de loc.aff.* 4ª.15.B
Morborum differentiæ.de diff.mor. 3°.2.D/*in prog.com.* 3°.4ª.208.C
Morborum differentia non est morbus. 1°.*meth.me.* 7ª.3.H
Morborum differentiæ nouem.fin.med. Isa.45.F
de Morborum, & symptomatum differentijs liber ante librum methodi legendus est. 2°.*meth.med.* 7ª.13.D
Morbus triplex.de ocul. 7ª.185.E
Morborum differentiæ tres quoad tempora.in prog.com. 1°. 4ª.195.B
in MORBIS *ita sunt tempora vt ætas in aĩalibus.de mor.tẽ.* 3ª.85.B
Morborum tempora καιροὶ dicuntur.de morb.temp. 3ª.85.B
Morborũ tẽpora vnde fm aliquos distinguantur. 1°.*de crisi.* 4ª.125.H
Morborũ vnum tẽpus, alterũ vero auxiliorum.de opt.sect. Isa.27.E
Morborum tempora causarum motiones dicũtur, quę sunt quatuor. de optima secta. Isa.27.E
*Morborum tempora quatuor quo distinguantur. de opt.sect.*Isa.27.E
Morborum tempora quatuor. 1°.*de crisi.* 4ª.125.G
Morborum tempora quatuor quæ non distinguuntur dierum numero. 1°.*de crisibus.* 4ª.125.G
Morborum sex tempora, quæ.de morb.temp. 3ª.86.H
Morborum tempora habent latitudinem.de tot.morb.temp. 3ª.89.B
Morbi tempora in morituris, quę.de tot.morb.temp. 3ª.89.E
Morborum tempora non sunt æqualia. 1°.*de crisi.* 4ª.126.D
Morbi tẽpora vniuersalia quo quis præcognoscet. 1°.*de crisi.* 4ª.131.F
Morborum tempora quantum debeant perdurare quo modo coniectu randum. 1°.*de crisi.* 4ª.128.F
in Morbo quid significet principium.in progn.com. 1°. 4ª.192.D
ad Morborum initia modus loquendi Hippocratis quid significet. in 6ᵐ.*de morb.vul.com.* 1°. 3ª.157.F
Morborũ principia attẽdẽda sunt.in 1ᵐ.*de morbis.vul.c.*3°.3ª.126.D
Morbi cum incipiunt sunt in sua specie.de morb.tem. 3ª.85.C
in Morbis principium esse probat.de morb.temp. 3ª.85.E
Morbi principium quid sit. 1°.*de crisi.* 4ª.125.D
Morbi principium quale intelligendum sit. 1°.*de dieb.decr.* 4ª.147.F
Morbi qui habent breue principij tempus. 1°.*de crisi.* 4ª.126.F
*Morbi triplex principium.com.*1°.*aph.*12°. Ex.5.D
Morbi principium vnde sumẽdũ. 1°.*de dieb.dec.*147.D/2°. 4ª.151.G
Morbi quibus salus futura est habent principium, augmentum, statũ, & declinationem.de tot.mor.temp. 3ª.89.D
in Morbi principio non existit tremor qui viriũ consequitur offensam,

citra validâ ægritudinem, aut famem, aut laſſitudines, aut vigilias, aut ſolicitudines, ad hæc immoderatam venerem. in 3^m. de morb. vul. commen. 1°. 3^a.127.D
Morbi augmentum quo modo cognoſcatur. 1°. de criſ. 4^a.125.H
Morbi vehementiſſima pars eſt ſtatus. 1°. de criſ. 4^a.128.D
Morbi conſiſtentia quomodo deprehendatur. 1°. de criſ. 4^a.126.B
Morbus qui in ſecundo quaternione erit in ſtatu, & qui vltra. 1°. de diebus decretorijs. 4^a.151.A
Morborum ſtatum auferunt eteſiæ. in 3^m. de mor. vul. cõ. 3°. 3^a.147.C
Morborum qui ſoluuntur vt vigor, ſic etiam declinatio quædam eſt. de tot. morb. temp. 3^a.89.E
Morbi qui iudicantur non habent declinationem. de opt. ſect. Iſa.29.D
Morbi qui ſanantur in principio vi medicamenti carent reliquis tribus temporibus. de opt. ſect. Iſa.29.D
in Morbi ſine vrina oleoſa. in 3^m. de mor. vul. com. 3°. 3^a.147.F
Morborum qui non ſoluuntur natura. de tot. mor. temp. 3^a.89.E
Morbos quomodo acceſſiones ſequantur. com. 1°. aph. 12°. Ex.5.C
Morbi qui dicuntur conſtare motu inæquali. com. 2°. aph. 23°. Ex.15.G
Morborum quidam acuti ſunt et cõtinui, alij è cõtrario. fin. me. Iſ.45.F
Morborum duplex genus. 8°. meth. med. 7^a.49.F
Morborum duo genera acuti & longi. introd. Iſa.55.E
Morbi primi, & maxime gñales ſunt quatuor. 2°. de na. fa. 1^a.300.D
ex Morborum primorum numero quo modo ſit calor immodicus. 2°. de naturalibus facultatibus. 1^a.300.F
Morbos primos quatuor eſſe qui affirment. contra Iulianum. Ex.67.D
Morborum genera ſex. 2°. meth. me. 7^a.13 D
Morbi ſpecies quæ. 3°. de criſ. 4^a.140.B
de Morbis duæ ſuppoſitiones. de cauſ. mor. 3^a.6.C
MORBVS *acutus vnde dicatur. 3°. de die. decr.* 4^a.160.D
Morborũ q acuti ſint, qui peracuti, qui chronici. c. 1°. aph. 12°. Ex.5.B
Morbus acutus quo modo differat a longi temporis morbo. 3°. de dieb. decretorijs. 4^a.160.D
Morbi acuti qui. fin. med. 45.F/introd. Iſa. 55.E/in 6^m. de mor. vul. cõ. 1°. 3^a.158.H/2°. de dieb. decr. 4^a.155.F
Morbi acuti numerantur. de vict. rat. in mor. acu. com. 1°. 7^a.108.H
Morborum acutorum differentiæ. in progn. com. 3°. 4^a.208.A
Morbus acutus exacte, qui. 2°. de dieb. dec. 155.F/3°. 4^a.160.C
Morbus acutus non exacte, qui. 2°. de dieb. decr. 4^a.155.F
Morbus acutus ex delapſu, qui. 2°. de dieb. decr. 4^a.155.F/H
Morbi acuti vocantur quorum febres maxima ex parte continuæ sũt. com. 7°. apho. 1°. Ex.54.A
Morbi acutiſſimi ſunt cum febre continua. in 1^m. de morbis vulg. com. 3°. 3^a.118.F/com. 5°. apho. 30°. Ex.40.D
Morbi acutiſſimi in ſynochis. in 1^m. de mor. vul. com. 3°. 3^a.118.G
Morbi acuti aliqui ſine febre. in prognoſt. com. 1°. 4^a.195.A/commentario 5°. aphoriſmo. 30°. Ex.40.D
Morbi acutiſſimi ſunt autumno. com. 3°. aph. 9°. Ex.20.G
Morbi acuti fiunt in ſiccitatibus. com. 3°. aph. 7°. Ex.20.F
Morbos acutos ſemper operatur bilis. com. 7°. aph. 32°. Ex.56.D
Morbi acutiſſimi quo modo, & quando facti ſunt propter exercitationes. com. 3°. aph. 20°. Ex.24.C
Morbus acutus ſimpliciter, qui. com. 2°. aph. 23°. Ex.15.E
Morbus acutus qui quadraginta diebus iudicatur. commentario. 2°. aphoriſ. 23°. Ex.15.E
Morbi acuti ſunt magni, & cito veniunt in ſtatum. commentario. 2°. aphoriſ. 23°. Ex.15.D
Morbus acutus non indicat principium. de opt. ſect. Iſa.29.C
Morbus acutus quatuor habet permutationes. c. 2°. aph. 23°. Ex.15.D
Morborum acutorum terminus quid ſit. com. 2°. aph. 23°. Ex.15.D
Morbi acuti, & peracuti quando habent ſuum iudicium. commen. 4°. apho. 59°. Ex.33.H
Morbi acuti, & febres ardentes diebus imparibus fiunt. in 3^m. de mor. vulg. com. 3°. 3^a.144.A
Morbi acuti qui terminantur die decima ſeptima habuere acutiei principium tertia vel quarta die, qui autem in vigeſima habent criſim eorum acuties cœpit ſexta vel ſeptima die § bene nota hanc regulã, quæ docet ſemper per duas ſeptimas terminari morbos acutos. § cõmen. 2°. aph. 23°. Ex.15.F
Morbi acuti facile præiudicantur. in progn. com. 3°. 4^a.207.E
Morbi acuti ſymptomata. in 3^m. de mor. vul. com. 2°. 3^a.135.D
in Morbis acutis vehementiſſimi caſus ſolent quandoque bonas criſes facere. com. 7°. aph. 5°. Ex.54.C
Morbus acutus duplex habet periculum. com. 5°. aph. 30°. Ex.40.D
de Morbis acutis ſolis eſt liber prognoſticorũ. 1°. de criſ. 4^a.128.A
ĩ Morbis acutis cũ febre luctuoſa ſuſpiria, malũ. c. 6°. aph. 54°. Ex.53.C
in Morbis acutis frigus partiũ extremarũ, malũ. c. 7°. aph. 1°. Ex.54.A
Morbi acuti per excretionẽ iudicantur. in prog. com. 2°. 4^a.205.B
ad Morbos acutos ſequitur aqua inter cutem. 6°. de loc. aff. 4^a.36.B
Morbus acutus exigit diligentem curationem. de dynam. Sp.20.A
in Morbis acutis ptiſſana non eſt danda. de ptiſ. 2^a.47.H
Morbis acutis æſtate aſſuetum quo modo Galenus preſeruarit. 5°. de ſanitate tuenda. 2^a.93.G
p Morbos acutos detrahito ex vena ſanguinẽ. ſſag. exp. conf. Sp.78.E
Morbi acuti & vehementis vbi pericula inſideant, puero ſanguis eſt detrahendus. de præſag. exper. conf. Sp.78.A
Morbi acuties non necat, niſi prouideatur. com. 2°. aph. 26°. Ex.16.B
ob Morbi celeritatem ſextus dies quando que necat in imparibus. 1°. de diebus decretorijs. 4^a.149.F
in Morbis acutis quæ multũ lædũt. ꝺ vic. ra. in mor. acu. c. 2°. 7^a.118.C
MORBI *peracuti, qui. fin. med. Iſa. 45.F/2°. de dieb. decr.* 4^a.155.F
Morbi peracuti prima ſeptimana terminantur. c. 4°. aph. 10°. Ex.28.D
Morbus peracutus exacte, qui. 2°. de die. decre. 4^a.155.F
Morbus peracutus non exacte, qui. 2°. de dieb. decr. 4^a.155.F
Morbi vigor, vel ſtatus quando in peracutis. com. 1°. aph. 7°. Ex.4.E
Morbi peracuti ex ſudore iudicantur plurimum tertio, vel quinto die, quarto autem raro. com. 6°. aph. 36°. Ex.32.A
Morbi acuti, vide Acuti morbi.
MORBI *æſtatis proprij, qui. de ſperm.* Sp.39.G
Morbi æſtatis & autumni. de temp. com. 1°. 1^a.32.B
Morbi qui æſtate augẽtur, hyeme terminãtur. de na. hu. c. 1°. 1^a.33.D
Morbos æſtiuos tollit hyems. in 3^m. de mor. vul. com. 3°. 3^a.151.H
MORBVS *articularis longos intrinſecus numeratur inter morbos. introductio.* Iſa.56.B
Morbus articulorum diuturnus eſt. fin. med. Iſa.45.F
Morbus in articulis quibus neglectis accidat. de dynam. Sp.19.H
in Morbo articulari materiæ lapideſcunt. 14°. meth. me. 7^a.87.H
MORBI *in aſperitate cauſa. de ocul.* 7^a.185.G
MORBI *autumnales expectandi ſunt quando eadẽ die modo calor, modo frigus. com. 3°. aph. 4°.* Ex.20.C
Morbi autumni in vere finiunt. de nat. hu. com. 1°. 1^a.33.D
in MORBIS *biliosis, & cruditatibus vrina diuerſa eſt. de totius morbi temporibus.* 3^a.89.F
Morbi bilioſi, & calidi quę ſymptomata inducãt. 3°. de lo. aff. 4^a.16.F
per Morbos bilioſos non fiunt abſceſſus ſed per longos. in prognoſtica. commentario 2°. 2^a.205.A
Morbis bilioſis mel inimicum eſt. 2°. de nat. fac. 1^a.300.H
MORBVS *breuis non poteſt habere æqualia tempora longo. 1°. de criſibus.* 4^a.125.G
MORBI *cacoethes, qui. in 3^m. de morb. vul. com. 3°. 3^a.141. G/in 1^m. prorrhe. com. 1°.* 4^a.165.C
MORBVS *nullus datur apud antiquos calidus, & humidus. 1°. de temperamentis.* 1^a.11.C
Morbi calidi ſeptem cauſæ. de ocul. 7^a.185.F
Morbi calidi à bile. 2°. de nat. fac. 1^a.300.D
Morbi calidi qũo pp ppinquas ptes primo calefaciãt. ꝺ mor. cau. 3^a.6.f
in Morbos calidos incidũt q sũt calidiores natura. 5°. ꝺ ſa. tu. 2^a.93.C
ſub Morbis calidioribus venter fumoſas facit mutationes. 3°. de ſymptomatum cauſis. 3^a.24.H
Morbis calidis ſuccedentia frigora perniciosiora. in 3^m. de morb. vulg. commentario. 1°. 3^a.132.A
Morbi calidi per excretionem iudicantur. in prog. com. 3°. 4^a.209.F
MORBI *colliquatiui, & diſcuſſorij. in 6^m. de mor. vul. cõ. 3°.* 3^a.176.E
de MORBO *comitiali. 3°. de loc. aff.* 4^a.19.E
Morbus comitialis quid. fin. med. 47.B/intro. Iſa.56.B
Morbus comitialis diuturnus eſt. fin. med. Iſa.45.F
Morbus comitialis numerãt iter morbos lõgos intrinſecus. intr. Iſ.56.b
Morbum paruum comitialem, concubitum eſſe Democritus cenſuit. in 3^m. de mor. vulg. com. 1°. 3^a.130.D
Morbi comitialis curatio. intro. Iſa.56.C
MORBI *ſecundum compoſitionem, qui. de ocul.* 7^a.185.F
Morbi compoſiti, qui. de ocul. 7^a.185.F
Morbi varij paſſunt ſimul commiſceri. de tot. morb. temp. 3^a.89.H
Morbi compoſiti difficulter cognoſcuntur. 2°. de cr. ſ. 4^a.135.H
in Morbo compoſitionis ſcopi. de conſt. ar. Iſa.40.A

Morbi compo-

Morbi compositi causæ quot. de ocul. 7ª.185.G
MORBI *secundum concauitatem. de ocul.* 7ª.185.G
MORBI *aliqui contagiosi numerantur.* 1°. *de diff. feb.* 3ª.31.B
MORBI *continui, qui. fin. med.* Isa.45.F
Morborũ continuorũ acuties ad quãtũ protẽdat. c. 2°. *aph.* 23°. Ex.15.g
MORBI *in corruptione causa. de ocul.* 7ª.185.G
MORBVS *crudus, quĩ in* 1ᵐ. *prorrh. com.* 1°. 4ª.165.C
Morbũ crudũ significat vrina tenuis. i 3ᵐ. *de mor. vul. cõ.* 1°. 3ª.132.F
in Morbo crudo non est bona iudicatio. in 1ᵐ. *prorrh. com.* 1°. 4ª.165.C
Morbis crudis sudores non prosunt nec sunt bonum signum. in 1ᵐ. *de morbis. vul. com.* 1°. 3ª.110.G
Morbi à cruditate nihil ab excretionibus iuuantur. in 1ᵐ. *de mor. vulgari. commentario.* 1°. 3ª.111.C
Morbo toto existẽte crudo potest aliquando in parte fieri coctio. in 1ᵐ. *de mor. vul. com.* 2°. 3ª.116.F
Morbi cito pueris coquuntur. in 1ᵐ. *de mor. vul. com.* 2°. 3ª.116.G
MORBORVM *quidam sunt cões, quidã dispersi inter cões, alij publici sunt, quos vocãt* ἐνδήμους, *græci, alij vulgares, qui ab illis tum* ἐπιδήμοι, *tum* ἐπιδήμιοι *vocantur. in* 1ᵐ. *de mor. vul. c.* 1°. 3ª.101.F
Morbi dispersi quando fiant. in 1ᵐ. *de mor. vul. com.* 1°. 3ª.103.B
in MORBIS *quid sit diuinũ ſm Galenũ. in progn. com.* 1°. 4ª.190.D
Morbi ἔνδημοι, *id est publici. in* 1ᵐ. *de mor. vul. com.* 1°. 3ª.101.E
Morbi endimy sunt rari. de vic. ra. in mor. acu. com. 1°. 7ª.109.E
MORBVS *euasorius, qui. fin. med.* Isa.45.G
MORBI ἐπανερχόμενοι, *qui. in* 1ᵐ. *prorrh. com.* 1°. 4ª.178.G
MORBI *euidentes. qui. de diff. morb.* 3ª.3.D
Morbi non euidentes, qui. de diff. morb. 3ª.3.D
MORBIS *excrementitijs cur partes debiliores primæ corripiantur. de curan. rat. per sang. miss.* 6ª.17.H
MORBVS *exitialis, qui. fin. med.* Isa.45.G
Morbus exitialis non tolerat tenuissimũ errorẽ. 10°. *met. me.* 7ª.67.D
Morbi mortales non fiunt hyeme. com. 2°. *aph.* 25°. Ex.16.A
Morbi incolumes obdelicta fiunt mortales. 1°. *de dieb. decr.* 4ª.150.D
Morbis mortalibus timores, labores, conuulsiones quandoque fiunt ex somnis. com. 4°. *aph.* 67°. Ex.34.F
ex Morbis mortiferis sanantur, quibus nullus fit error & à quibus. 6ᵐ. *de mor. vul. com.* 2°. 3ª.168.F
MORBI *extremi, qui. com.* 1°. *aph.* 1°. Ex.2.E
MORBVS *factus, & in fieri potest colligi, & quo modo curetur. commen.* 2°. *aph.* 22°. Ex.15.B
Morbi qui ante non fuere. 14°. *meth. med.* 7ª.93.C
MORBI *febrilis nulla species est, quæ quarto die non cognoscatur.* 2°. *de cris.* 4ª.136.E
Morbus febrilis est quando febris est passio, & non casus. commentario. 4°. *aphorismo.* 66°. Ex.34.F
ex Morbo febrili senectus. 5°. *de san. tuen.* 2ª.92.H
MORBI *secundum figuram causæ, quæ. de ocul.* 7ª.185.G
Morbi in figura quomodo ex contrarijs curentur. de const. ar. Is.39.D
MORBI *cum fluxione, qui. de inæq. intemp.* 3ª.43.B
Morbi orti ex fluxionibus. de inæq. intemp. 3ª.44.H
MORBI *secundum foramen causæ, quæ. de ocul.* 7ª.185.G
Morbi in lagitate foraminis causa. de ocul. 7ª.185.G
MORBI *secundum formam quinque modis. de ocul.* 7ª.185.F
MORBVS *in formatione quo modo fiat. de cau. mor.* 3ª.8.F
MORBVS *frigidus octo modis fit. de ocul.* 7ª.185.F
Morbi frigidi capitis qui sint. 1°. *de comp. medic. sec. loc.* 5ª.126.G
in Morbos frigidos incidũt, q sũt frĩdiores natura. 5°. *de san. tu.* 2ª.93.C
Morbis frigidis, & humidis facilius cedunt frigidi, & humidi natura: contrarij, ægrius. in 1ᵐ. *de morb. vul. commentario.* 1°. 3ª.103.F
Morbi ex frigidis humoribus, qui. com. 2°. *aph.* 40°. Ex.18.A
Morbi frigidi à pituita. 2°. *de nat. fac.* 1ª.300.D
sub Morbis frigidioribus venter acidas facit mutationes. 3°. *de sympto matum causis.* 3ª.24.H
Morbus frigidus mẽbra qñq; mortua decidere facit. d diff. mor. 3ª.3.E
Morbi qui senes comitantur ad mortem. com. 2°. *aph.* 40°. Ex.18.A
MORBI *fusanci sunt qui omni tpe, & loco fiunt. fin. med.* Isa.45.H
MORBVS *in habitu est cum corpora solida ægrotant. in* 1ᵐ. *de morbis vulg. commen.* 1°. 3ª.112.C
MORBVS *humidus quadruplex. de ocul.* 7ª.185.G
MORBI *qui hyeme fiunt. de nat. hum. com.* 1°. 1ª.31.H
Morbi qui hyeme augentur æstate terminantur. de nat. hu. c. 1°. 1ª.33.D
Morbos hyemales tollit æstas. in 3ᵐ. *de mor. vul. com.* 3°. 3ª.147.B
MORBI *increscentes qui intelligantur, in* 6ᵐ. *de mor. vul. commentario.* 5°. 3ª.173.A
de MORBIS *instrumentarũs. de cau. mor.* 3ª.8.E
Morbi in instrumentis, qui. de dif. morb. 4.A/3°. *de symp. cau.* 3ª.24.G
Morbi in membris compositis quot. de ocul. 7ª.185.F
Morbi instrumentales arctant vias. 3°. *de symp. cau.* 3ª.26.A
Morbus instrumentalis est obstructio. 11°. *methodi meden.* 7ª.70.C
MORBI *intermittentes, qui. fin. med.* Isa.45.F
Morborum intermittentium sex tempora. de morb. temp. 3ª.85.H
in MORBO *laterali non potest contingere dolor pulsatorius.* 2°. *de locis affectis.* 4ª.9.A
in Morbo laterali est dolor punctorius. 2°. *de loc. aff.* 4ª.9.G
in Morbo laterali casus temporum. 1°. *de cris.* 4ª.132.E
Morbi lateralis varia medicamenta. 9°. *de decre. Hipp.* 1ª.282.F
in Morbo laterali medicorum diuersitas. 9°. *de decr. Hipp.* 1ª.282.F
in Morbo laterali fomẽtis calidis ĩ principio vtil. 9°. *de dec.* 1ª.282.G
MORBI *in leuitate causa. de ocul.* 7ª.185.G
MORBVS *lethargus dictus quo lunæ aspectu fiat. de decub. progno. ex mathe. scientia.* Sp.12.G
à MORBO *longi temporis quo modo differat morbus acutus.* 3°. *de diebus decret.* 4ª.160.D
Morbi diuturni, qui. fin. med. 45.F/G/*introd.* Isa. 55.E/1°. *de crisibus.* 4ª.126.F/*quos purg. op. quib. med. & quo temp.* 5ª.88.C
Morbus diuturnus qui proprie sit. 3°. *de dieb. decr.* 4ª.160.C
Morbi longi intrinseci, qui. intro. Isa.56.B
Morbi longi sunt frigidi. com. 2°. *aph.* 39°. Ex.17.H
Morbi longi ex quibus fiant, & quomodo. com. 2ª. *aph.* 19°. Ex.14.B
Morbi longi fiunt propter humores frigidos, aut multos, aut crassos. cõmen. 4°. *apho.* 44°. Ex.32.G
Morbi longi sunt in senioribus. com. 6°. *aph.* 6°. Ex.47.B
Morbi qui senioribus contingunt. in progn. com. 3°. 4ª.210.D
Morbum esse senium quidam volunt. de marc. 3ª.46.E
Morbi aliqui habent annorum mẽsurationẽ. in prog. com. 3°. 4ª.208.D
in Morbos diutinos cur aliqui incidant quibus tota vita explicari non possunt. 6°. *de san. tuen.* 2ª.98.A
Morborum longorum principium est dies quadragesimus. commen. 6°. *aphorismo* 36°. Ex.32.A
Morbis longis dies primus iudicationis est vltimus acutorum. commẽta. 3°. *aphorismo.* 27°. Ex.25.H
Morbo longo æqualia tempora habere non potest morbus breuis. 1°. *de crisibus.* 4ª.125.G
Morbi longi fiunt a pituita, & ab atra bile. intro. Isa.55.E
Morbi fiunt ob delicta. 1°. *de dieb. decr.* 4ª.150.D
Morbi longi in temporibus pluuiosis fiunt. com. 3°. *aph.* 7°. Ex.20.F
Morbus an lõgior sit, vel breuior quo cognoscat. 2°. *de cris.* 4ª.137.H
Morbus lõgus quibus indicetur. c. 7°. *aph.* 31°. 56.C/*aph.* 61°. Ex.59.G
Morbus est longus quando paroxismi seruant eandem horam. commentario 4°. *aph.* 30°. Ex.30.E
Morbi longitudo significatur vbi in toto corpore mutationes sunt caloris & frigoris. com. 4°. *aph.* 40°. Ex.32.D
Morbi longitudinem prænunciat vbi in toto corpore mutatio, fueritq; refrigeratum corpus, aut rursus incaluerit, aut color ex alio emerserit. præsag. exper. conf. Sp.77.G
Morbi longitudinem significat sudor aduentante febre, nec deficiente febre. præsag. exper. conf. Sp.77.G
Morbus longus est si sudor in febre non deficiente appareat, quia multam humiditatẽ ostendit. com. 4°. *aph.* 56°. Ex.33.F
Morbus quando ab vrina significatur diuturnus, & non tutus. de vrinæ significatione ex Hippocrate. Sp.78.F
Morbos producũt vrinæ tenues. in 1ᵐ. *de morb. vul. com.* 3°. 3ª.122.H
Morbꝰ lõgus significat ab vrina alba ꝓspicua. c. 4°. *aph.* 72°. Ex.35.E
Morbũ longũ significãt vrinæ rubræ. in 3ᵐ. *d mor. vul. cõ.* 1°. 3ª.131.B
Morbum longum, licet salubrem significat vrina rubra. in 1ᵐ. *de morbis vul. com.* 3°. 3ª.123.B/*de vrinis.* 124.B/1°. *de cris.* 4ª.130.F
in Morbis longis, pulsus longus angustus, & humilis. 1°. *de præsa. ex pul.* 4ª.107.E
Morbi non futuri diuturni signa. 3°. *de cris.* 4ª.144.H
Morbi qui non possunt in longum extendi. com. 7°. *aph.* 22°. Ex.55.E
Morbi lõgi quas ætates magis debilitãt. c. 2°. *a.* 26°. 28°. Ex.16.B/C/D
in Morbis diuturnis corpus exiccatur. 7°. *methodi med.* 7ª.45.H
in Morbis longis iecur fit scyrrhosum. in progn. com. 2°. 4ª.197.G
in Morbis longis cur multa cõtingãt sinistra. in progn. c. 2°. 4ª.203.B

Morbi longi fiunt, ſi in febribus abſceſſus ad primas iudicationes non ſoluuntur.com.4°.aph.51°. Ex.33.D
Morbi longi difficulter præiudicantur.in prog.com.3°. 4ª.207.D
in Morbis etiam longius eſt aliqua criſis.2°.de dieb.decr. 4ª.152.
Morbi diuturni nõ ſolent per ſudores iudicari.c.4°.aph.36°.Ex.31.H
Morbi longi non iudicantur per excretiones, ſed per concoctionem & abſceſſus.com.6°.aph.36°. Ex.31.H
in Morbis longis fiunt abſceſſus ad articulos.in 6ᵐ.de mor.vulgarib. commentario 4°. 3ª.179.E
Morbi longi quo tpe in pueris iudicantur.c.3°.aph.28°. Ex.26.A
in Morbis diuturnis non eſt malum partes extremas corporis frigeſce re.com.7°.aph.7°. Ex.54.A
in Morbis longis faſtidium cibi, & deiectiones ſinceræ, malum.cõ.7°. aphoriſmo 6°. Ex.54.D
in Morbis diutinis facies Hippocratica non eſt exitioſa.in prognoſtica. commentario 1°. 4ª.191.E
in Morbis longiſſimis quo modo fiat virium lapſus ex atropia.12°.me thodi medendi. 7ª.77.C
in Morbis longis qui ſunt euaſuri fameſcunt.c.7°.aph.6°. Ex.54.D
in Morbis longis quo occurrere poſſumus.c.6°.aph.47°. Ex.52.B
in Morbis longis ſemper eſt expectanda coctio. quos purg.op.quibus me.& quo temp.5ª.88.G/com.1°.aph.24°. Ex.10.F
Morbus paulatim poteſt coqui.1°.de criſ. 4ª.128.C
Morbus eſt cõcoctus ſi vrina careat cõtẽtis.& vri.ſig.ex Hip.S.79.C
Morbi longi per ſuperiora purgantur.introd. If.58.A
Morbi longi per abſceſſum iudicantur.in prog.com.2°. 4ª.205.B
in Morbis longis abſceſſus per decubitum maxime fiũt.in 1ᵐ.de mor. vulg.com.1°. 3ª.111.C
Morbi diuturni ſanãtur in temporibus oppoſitis.de na.hu.c.1°.1ª.33.D
ad Morbum longum valens antidotus.2°.de antid. 5ª.111.F
ad Morbum longum.8°.de compo.med.ſec.loc.196.H/6°.de compoſi. med.per genc. 5ª.262.H
Morbus longus, lege Longus morbus, Lõga egritudo, Aegritudo lõga.
MORBI *vehementia,& magnitudo ſunt idem.3°/de criſ. 4ª.140.B*
Morbus magnus re & effectu, qui fin.med. Iſa.45.G
Morbus imagine magnus, qui.fin.med. Iſa.45.G
Morbus tripliciter eſt magnus,& grauis.4°.met.me. 7ª.28.D
Morbi magnitudo vnde cognoſcatur.de conſt.ar. If.42.B
Morbi magnitudo vnde.de conſtitutio.ar.If.40.H/ de tot.morb.temp. 3ª.89.E/de ocul. 7ª.185.G
Morbi magnitudinis in numero cauſa.de ocul. 7ª.185.G
Morbi magnitudo vnde accipiatur.7°.met.med. 7ª.48.F
Morbi propter tria ſunt magni.4°.met.me. 7ª.28.B
Morbus magnus eſt epilepſia.de puero epil. 7ª.187.F
Morbi maximi validiſſimi & grauiſſimi, qui.in 1ᵐ.de mor.vul.com- mentario 3°. 3ª.118.F
Morbo magno non capiuntur quartanarij. in 6ᵐ.de morb.vulga.com- mentario 6°. 3ª.197.C
Morbos magnos tollit quartanas ſuperueniens. in 6ᵐ.de morb.vulg. commen.6°. 3ª.197.C
ob Morbi arthritidis magnitudinem articulis ſuis ſedibus decidunt.de differentijs morborum. 3ª.4.B
Morbi magnitudo vnde cognoſcatur.1°.de criſ. 4ª.126.A
Morbi Magnitudo p quæ cognoſcatur.1°.de arte cu.ad Glau.7ª.94.D
Morbus magnus non ſanatur abſque ſignis ſolutorijs.1°.de diebus de- cretorijs. 4ª.145.C
vt Morbi sũt magni ita euacuatiões magne fieri.dñt.d cuc.ſca.6ª.3.H
Morbi magnitudo & virtus ſunt ſanguinis mittendi primi ſcopi.de cu ran.rat.per ſang.miſſ. 6ª.18.B
Morbus magnus indicat de ſanguinis miſsione.de curan.ratio.per ſan. miſſione. 6ª.18.E
ob Morbi magnitudinem vacuatio fiat totius corporis non ſolum ob re dundantiam.13°.met.med. 7ª.81.C
Morbi ī magnitudīe qũo differũt a morbis ī numero.& dif.mor.3ª.5.a
Morbi ſecundum magnitudinem, qui.de ocul. 7ª.185.F
MORBVS *malignus.fin.med.If.45.G/cõ.7°.aph.11°. Ex.54.G*
in Morbis malignis fit permutatio in hora caliditatis,& frigiditatis.in 1ᵐ.prorrh.com.2°. 4ª.170.B
in Morbis malignis ſitis mala.in 1ᵐ.prorrh.com.2°. 4ª.170.B
MORBI *manifeſti non traduntur in libro de locis affectis.5°.de locis affectis. 4ª.33.B*
MORBVS *medius, quid.fin.med. If.45.G*
inter Morbũ ſenſibilẽ,& ſanitatẽ datur mediũ.5°.de ſan.tu. 2ª.93.D
in MORBI *melancholicis ad hæc periculoſi decubitus apoplexiã cor- poris, vel furorem, vel conuulſionem, vel cęcitatem ſignificant.cõ. 6°.aphor.56°. Ex.53.D*
MORBVS *quando minor.de decub.prog.ex math.ſcien. Sp.12.F*
MORBORVM *mos vnde.de conſt.ar. If.40.H*
Morbi mos vnde cognoſcatur.1°.de criſ. 4ª.126.A
Morbus more feræ inſidiatur.in 3ᵐ.de mor.vul.com.1°. 3ª.132.D
Morbi more rigor qui.de palp. 3ª.53.H
MORBI *multi quo modo fiant.9°.de vſu par. 1ª.171.D*
MORBI *ſecundum numerum, qui.de ocul. 7ª.185.F*
MORBI *diſtinctio in ordinatum & in inordinatum colligitur.com.1°. aphoriſmo 19°. Ex.9.F*
MORBI *a læſa particula nominati.2°.met.med. 7ª.9.D*
Morbi vt plurimũ a parte patiẽte nominanī.1°.d art.cu.ad Gl.7ª.95.F
Morbi nominati a particula,& ſymptomate.2°.met.me. 7ª.9.E
Morbi vehemẽtiſſimi ex validiſſimo mẽbro.de nat.hu.cõ.2°.7ª.182.E
Morbi quibus fiant partibus.de dynamidijs. Sp.19.G
Morbus quomodo cognoſcatur eſſe a capite.de dyn. Sp.19.G
Morbi qui contingunt denigrantibus capillos.1°.de comp.medicamen. ſecun.locos. 5ª.126.H
Morbi ventriculi ob alias partes.7°.meth.med. 7ª.48.A
Morbo exiſtẽte a thorace ſudare ĩcipit caput, ligua fit grauior, aut os amarũ: aut mãmillę dolẽtę vel vt alij legũt maxillæę oſcitatio ſequit ſine ſomno,& quiete: grauitas, & prurigo corporis, aut dolor, bra chia, manusq; intumeſcunt, ſubitq; tuſſis arida.de dy. Sp.19.G
Morbi thoracis vomitu ſanantur.de dyn. Sp.19.H
Morbus ſi ex ventre oritur, vẽter oritur,& turbatur,& ſentit dolorẽ vt cibus,& potus amara videantur, genua ſubſidunt lumbi grauã tur, inter ſcapulas contrahitur, totumq; corpus particulariter gra ueſcit, tardantur pedes, grauia ſunt crura, renes indoleſcunt,& in- currunt febriculam.de dyn. Sp.19.H
Morbus ſi a veſica naſcitur. Pleni vñr,& cito ſaturi ſentiuntur, fre- quenter ſentiũtur inflationes ventris,& ſtrepitus, vñr oſcitare nec oſcitant, ſed tantum os diducunt, ſequitur totius corporis ſtupor, ſomnus grauis quaſi macri corporis ſit, vrina liuida,& vix exit, tumeſcunt etiã verenda,& inde calculoſi.fiunt.de dy. Sp.19.H
Morbi veſica curatio.de dyn. Sp.19.H
in Morbis veſicæ, vuluæ, renum quæ ſecari debeat.præſagiũ experien tia confirmatum. Sp.78.C
MORBI *parui non debent ſanari antidoto magna.de vſu theriacæ ad Pamph. 5ª.99.A*
Morbi paruitatis cauſa.de ocul. 7ª.185.G
Morbi parui, qui.de vſu ther.ad Pamph. 5ª.99.A
MORBI *aliqui patrij, aliqui cões ſunt.de aere,aq.& loc. 2ª.2.D*
MORBI *periculoſi qui ſint,& qui non.com.4°.aph.43°. Ex.32.F*
Morbus periculoſus, qui.fin.med. Iſa.45.G
Morbi minus piculoſi ſunt q naturæ ſunt cognati.7°.met.me.7ª.49.A
ī Morbis piclitant robuſti q diu ſani vixere.1°.pſag.ex pul.4ª.110.E
MORBVS *communis eſt peſtis.in 1ᵐ.de mor.vul.com.1°. 3ª.101.E*
Morbus exitialis eſt peſtis.in 1ᵐ.de mor.vul.com.1°. 3ª.101.E
Morbi peſtiferi ſunt rari.de vic.ra.in mor.acu.com.1°. 7ª.109.B
in Morbo peſtilenti ſtranguria bonum.in 1ᵐ.de mor.vul.c.1°. 3ª.111.F
MORBI *inter phrenitidem,& lethargum deſcriptio.4°.de dignotione pulſuum. 4ª.102.D*
ad MORBOS *pituitoſos quando valeat venus. in 6ᵐ.de mor.vul.com- mentario 5°. 3ª.192.F*
Morbis pituitoſis mel amicum eſt.2°.de nat.fac. 1ª.300.H
Morbus plethoricus vt ſit phlegmone, quid exigit.cõt.Iul. Ex.69.D
in Morbos plethoricos facit incidere euacuatio ſanguinis retenta.in 1ᵐ.prorrh.com.3°. 4ª.185.D
Morbis putridis, & carbunculis quæ vrbes obnoxiæ ſint.in 1ᵐ.de mor.vulg.com.1°. 3ª.103.F
Morbi ſunt phlegmon,& putredo.3°.met.me. 7ª.22.E
MORBVS *regius ſeu arquatus, quid.fin.med. If.47.D*
Morbus regius eſt morbus acutus.introd. Iſa.55.E
Morbus regius eſt in oĩbus corporis partibus.3°.de loc.af. 4ª.18.D
Morbus regius & melancholiæ cancris,& phagædenis reſpondẽt.2°. de diff.feb. 3ª.37.D
Morbus regius vnde.3°.de ſymp.cauſ. 3ª.A/D
Morbus regius an ſemper a iecore procedat.5°.de loc.aff. 4ª.34.A
Morbus regius, vel eryſipelata quando amaram bilẽ comitãtur.3°.de

ſymptomatum cauſis. 3ª.26.B
in Morbo regia laborantibus bilis redundat, attamen non febricitant. 2°.de diff.febr. 3ª.36.C
Morbus regius a liene niger.2°.de nat.fac. 1ª.301.E
Morbus regius dicitur cum a bile mutatur color, cum vero ab atra bile, caret nomine.3°.de ſymp.cauſ. 3ª.30.D
in Morbo regio deiectiones albę quo fiant.in 1ᵐ.pror.c.1°. 4ª.165.A
Morbo regio ſatuitas ſuperueniens malũ.in 3ᵐ.de mor.vulg.c.1°.3ª.133.D/in 1ᵐ.prorrh.com.1°. 4ª.167.F
Morbum regium emendat nepita.de ſimp.med. Sp.87.H
MORBVS *renum diuturnus eſt fin.med.* Iſ.45.F
MORBVS *ſacer cur ſit dictus morbus comitialis. in 6ᵐ.de mor.vulg. commentario.6°.* 3ª.197.D
Morbus ſacer cur puerilis dictus.in 6ᵐ.de morb.vul.c.1°. 3ª.193.A
Morbus ſacer eſt frequentior in pueris quam lapis veſicæ. in 6ᵐ.de mor.vul.com.5°. 3ª.193.B
Morbus ſacer qui merito appelletur.contra Iulianum. Ex.67.E
de Morbo ſacro liber eſt Hippocratis.in progn.com.1°. 4ª.190.D
MORBO *ſalubri laborantis caſus.3°.de criſ.* 4ª.140.G
MORBI *ſicci, qui.de ptiſſ.* 2ª.47.H
Morbi ſicci diuerſarum partium.de vic.ra.in mor.acu.c.1°. 7ª.112.F
Morbus ſiccus eſt quadruplex.de ocul. 7ª.185.G
Morbus ſiccior quo naſcatur.de vict.ra.in mor.acu.c.1°. 7ª.112.E
MORBVS *primus in ſimilaribus eſt ex intemperie quatuor qualitatiũ. 2°.meth.med.* 7ª.12.F
Morbi diuerſi ſunt in ſimilaribus,& in inſtrumentis.2°.met.me. 7ª.12.G
Morbus quod non ſit vllus vtriſque particulis proprius quo modo probetur.de dif.mor. 3ª.3.B
Morbus communis ſimilarium, & inſtrumentalium partium eſt vlcus.3°.meth.med. 7ª.18.F
*Morbi ſimplices primo ponendi ſunt, deinde cõpoſiti.3°.me.m.7.19.*E
Morbi ſimplices, qui.de ocul. 7ª.185.F
Morbi ſimplices quomodo inueniuntur.de diff.mor. 3ª.2.D
in Morbo ſimplici ſimplex ẽ curatio, et è cõtrario.4°.me.me. 7ª.23.B
Morbus ſimplex indiget ſimplici curatione, in copulatis debemus maiori inſtare non prætermittentes minorẽ.com.1°.aph.16°. Ex.8.H
MORBI *ſoporiferi in cerebro fiunt.3°.de loc.aff.* 4ª.20.C
MORBI *ſporades, qui.de vi.rat.in mor.acu.com.1°.* 7ª.109.A
Morbi ſporadici ſunt frequẽtes.de vic.ra.in mor.acu.c.1°. 7ª.109.B
MORBI *ſuperuentus quid.com.7°.aph.11°.* Ex 54.G
MORBI *tranſmutatio, quid ſit.com.7°.aph.11°.* Ex.54.G
MORBVS *tardus non eſt ſemper longi tpis.3°.de dieb.decr.* 4ª.160.D
MORBI *veris in autumno finiuntur.de nat.hu.com.1°.* 1ª.33.D
MORBI *vernaculi, qui.fin.med.* Iſ.45.H
MORBI *omnes poſſiunt duci ad vlcera.de fract.com.1°.* 7ª.246.E
MORBI *in vnitate, qui.de ocul.* 7ª.185.F
MORBI *vniuerſales, qui.in 1ᵐ.de mor.vul.com.1°.* 3ª.101.D
MORBI *vteri proprij, quid agant.3°.de ſymp.cau.* 3ª.29.H
MORBI *vulgares, qui.fin.med.Iſ.45.H/in 1ᵐ.de morb.vulg.com.1°.103.B/in 3ᵐ.com.3°.* 3ª.142.B
Morbus epidemicus quando nullus.in 1ᵐ.de mor.vul.c.1°. 3ª.103.B
Morbi vulgares conſiderandi ſunt.in prog.com.3°. 4ª.212.A
de Morbis vulgaribus libro quæ ſunt prædiſcenda.in 3ᵐ.de mor.vul. commentario.1°. 3ª.101.B
de Morbis vulgaribus liber ſequitur librum prognoſticorum.in 3ᵐ.de mor.vul.c.1°.3ª.112.D/in progn.Hipp.com.1°. 4ª.190.G
Morbi vulgares vnde.in 1ᵐ.de morb.vulg.com.1°. 3ª.103.C
Morborum epidemicorum cauſæ.de nat.hu.com.2°. 7ª.182.D
Morborũ vulgariũ cauſa eſt cœlũ.in 1ᵐ.de mor.vul.c.1°. 3ª.101.D/F
ad Morbos vulgares pluuiæ multæ faciũt.ĩ 1ᵐ.d mor.vul.c.1°.3ª.101.g
Morbi epidemici ſignum.de na.hu.com.2°. 7ª.182.B
Morbi paſſim graſſantes quo modo a regionalibus differant. in 1ᵐ.de morbis vulgaribus.com.1°. 3ª.100.G
Morbi pro ratione vniuſcuiuſque tempeſtatis fiunt ſimilitudinẽ habentes cũ natura ſucci exuberantis.in 1ᵐ.de mor.vulg.c.1°. 3ª.100.H
Morbo vno,& eodem cur non omnes capiuntur in vnaquaque tempeſtate.in 1ᵐ.de mor.vul.com.1°. 3ª.101.A
MORBI *proprie non generantur, ſed aũalia.de mor.temp.* 3ª.85.D
Morborum generationes neceſſario ſciri debent.de conſt.ar. Iſ.40.G
de Morborum generatione Hippocrates primus recte dixit, Ariſtoteles poſt eum recte interpretatus eſt.2°.de decr.Hip. 1ª.298.A
Morborum cauſæ neceſſario ſciri debent.de conſt.ar. Iſ.40.G
Morbi cauſam inuenire magnã vim h3.2°.de ar.cu.ad Glau. 7ª.101.D
Morbi omnes vnde proueniant.intro.Iſ.55.C/8°.de decr.Hippocr.1ª.274.E/G/de tot.mor.temp.3ª.89.E/1°.met.me. 7ª.6.F
Morbus,& ſanitas quibus fiant.de decub.prog.ex math.ſciẽ.Sp.12.B
Morborum cauſæ præcedentes, quæ.de cau.mor. 3ª.7.B
Morbi aliqui fiunt abſente cauſa.9°.met.me. 7ª.61.C
Morbum præcedens cauſa quę.de ſymp.cau. 3ª.10.G
Morborum cauſæ, quæ ſint, non autem morbi.de diff.mor. 3ª.4.A
Morborum cauſæ, quæ.1°.met.me. 7ª.7.D
Morbi cauſæ, quæ propriæ.de ſymp.dif.3ª.10.G/2°.met.me.7ª.10.C
Morbi cauſa eſt affectus.1°.met.med. 7ª.7.E
Morbi cauſa poteſt dici corporis affectus, vel corpus tertio modo affectum.1°.meth.med. 7ª.6.F
Morbi in quibus videtur affectus.13°.met.me. 7ª.85.G
cũ Morbis quæ cauſæ ſimul inuadunt.1°.de ar.cur.ad Glau. 7ª.96.H
Morbi cã triplex eſt.de ocul.7ª.185.F/i 1ᵐ.de mor.vul.c.1°.3ª.100.G
Morborum cauſæ internæ, quæ.de ocul. 7ª.185.G
Morbi ſecundum Dioclem fiunt a ſimili, & ſanantur a contrario.com. 2°.aph.34°. Ex.11.C
Morbos fieri a ſimilibus quo intelligatur.c.1°.aph.16°. Ex.8.H
Morbi fiunt aliqñ ex ſola qualitate ſine materia.de cau.mor. 3ª.8.B
Morborum aliqui cũ materia, aliqui ſine materia.9°.met.me.7ª.61.B
Morbi ex inequali intemperie, qui.de ineq.intemp. 3ª.44.G
Morbi per calidam,& ſiccam intemperiem, qui.de atra bile.1ª.38.A
Morbus ex intemperie eſt febris.de tot.mor.temp. 3ª.88.D
Morbo propinquum eſt temperamentum ſymmetriam egreſſum.8°.me thodi medendi. 7ª.51.H
Morborum cauſæ duplices externæ, & ex nobis ipſis.de natura humana.commen.2°. 7ª.182.G
Morborũ cauſa continens ſm Iulianũ eſt plenitudo.cont.Iul.Ex.68.E
Morborum continens cauſa ſecundum Theſſalum eſt plenitudo.contra Iulianum. Ex.68.E
in Morbis plenitudo quid faciat.3°.de ſymp.cau. 3ª.25.G/C
Morbos cõmittũt maximę mutatiões.d victu.ra.ĩ mor.ac.c.2°.7ª.113.G
Morbi fiunt mulieribus,& viri, ex exceſſu,& defectu.commentario. 5°.aphoriſ.57°. Ex.42.H
Morbi accidunt ſi plura menſtrua fiant,& ſi non fiant ex vtero continguntur morbi.com.5°.aph.57° Ex.42.H
Morbi fiũt ex defectu menſtruorũ,& exceſſu.c.5°.aph.57°.Ex.42.H
ex Morbo aborſus.in 3ᵐ.de mor.vul.com.2°. 3ª.139.B
Morbi ex defectu quomodo fiant.com.5°.aph.55°. Ex.42.H
Morbi cõſiſtũt in fluxu,& clauſu ſm Hippocratẽ.1°.met.me. 7ª.3.H
Morbus oĩs aut adſtrictius eſt, aut fluens, aut miſtus.de ſect. Iſa.17.D
Morbi minime fiunt habentibus vẽtrẽ humicũ.c.6°.aph.33°.Ex.50.B
Morbus plerunque permanet cauſa ablata.1°.de lo.aff. 4ª.3.H
Morbus adeſſe,& cauſa abeſſe poteſt.4°.met.me. 7ª.24.A
Morbus quandoque habet cauſam pręſentem; quandoque non.com.2°. aphoriſmo.22°. Ex.15.C
Morbi qui nec locũ affectũ, nec cãm repræſentant.2°.met.me. 7ª.9.E
Morbi diuerſi fiunt ex victu.in 1ᵐ.de mor.vul.com.1°. 3ª.101.D
Morbi quando fiunt ex victu.de na.hu.com.2°. 7ª.182.C
Morbi a cibo,& a potu, quales.in 1ᵐ.de mor.vul.com.1°. 7ª.101.D
Morbis ſunt magis obnoxij cibi craſſi,& glutinoſi.1°.d diſſe.3ª.32.A
Morbos graueiſſimos incidunt homines inaniti comedentes carnes difficulter coctiles.1°.de alim.fac. 2ª.10.A
Morbi effectiuus, vel quod rectius diceretur auctificus eſt cibus,& nõ morbus.com.7°.aph.62°. Ex.59.H
Morbus a quo cibo fiat ratione quanti.com.2°.aph.17°. Ex.13.B
Morbo in ſanis faciunt cibi deprauati, in ægris augent.2°.de differentiis febrium. 3ª.42.G
Morbi fiunt a cruditate.intro. Iſa.55.C
Morborum cauſa incoctio.de conſt.ar. Iſ.40.C
Morbus ortus ab aqua.in 1ᵐ.de mor.vul.com.1°. 3ª.101.D
Morbos alios, ac præcipue febrem faciunt exercitia conſucta dimiſſa. 1°.de diff.feb. 3ª.31.C
Morbi fiunt diuerſi ſm diuerſitatẽ naturarũ.c.3°.aph.19°. Ex.24.A
Morbi omnes quem modum ſeruant.in 1ᵐ.de mor.vul.c.3°. 3ª.120.B
Morborum cauſæ quatuor humores.8°.de dec.Hip. 1ª.275.H
Morborum,& ſanitatis auctores ſunt quatuor humores.in 3ᵐ.de morbis vulg.com.1°. 3ª.129.C
Morbi notant humorem peccantem.com.4°.aph.2°. Ex.27.E
Morbus fit ab humore ſuperfluo,& non tantum a debilitate membri. com.6°.

com.6°.apho.28°. Ex.49.A
Morbi ab atra bile.de atra bile. 1ª.36.E
Morbi fiunt si humores abundent corrupti.de na.hu.com.2°.7ª.182.G
Morbi ab humorum crassitie sunt podagrici,arthritides,et melãcholici.quos purg.op.quib.me.& quo temp. 5ª.88.D
Morborum mater bilis.de dyn. Sp.19.D/G
Morborum prẽcipua causa sanguinis multitudo secundum Erasistratum.de venæ sect.aduers.Eras. 6ª.9.H
Morbi cãm esse sanguinẽ cognoscimus a grauitate.de op.sect. Is.22.F
Morbi humorum cur augentur.de cau.mor. 3ª.8.E
Morbi per defluxum substantiæ in locum.de dif.mor. 3ª.3.D
Morbi ex defluxionibus ad partes imbecillas. in 1m.de morb.vulgar. commen.1°. 3ª.108.H
Morbi in quibus necesse decũbere.in 1m.de mor.vul.c.1°. 3ª.105.A
Morbos aliquos esse hæreditarios a patribus, & auis collige.commẽ. 6°.apho.28°. Ex.49.B
Morbi oẽs possunt fieri quocunque tempore.c.3°.aph.19°. Ex.24.A
Morbi non omnes omni tpe fiunt.in 1m.de mor.vulg.com.1°.4ª.103.c
Morbos non faciunt noĩa tempora anni,sed tẽperamẽta.in 3m.de mor. vulg.c.3°.147.C/cõ.1°.aph.16°.8.H/com.3°.aph.4°. Ex.20.C
Morbos,& febres facit aeris ambiẽtis tẽpantia.2°.d crisi.4ª.134.C/D
Morborum non est sola causa temperatura aeris,sed & victus.cõ.3°. aphorismo.19°. Ex.23.H
Morbi a temperamento aeris fiunt ob naturam,& victũ vniuscuiusq;. in 3m.de mor.vul.com.3°. 3ª.141.F
Morbi cum fit ab aere signum.de nat.hum.com.2°. 7ª.182.C
Morbi ex succesione temporũ fiunt,& soluũtur.c.3°.aph.1°. Ex.19.G
Morbi fiunt a similibus temporibus,& dissoluuntur a dissimilibus.cõmentario 3°.aph.3°. Ex.20.B
Morbis quæ maxime patent.6°.de san.tu. 2ª.95.D
Morbis sunt magis obnoxia corpora ex contrarij temperamenti partibus constructa.3°.de ali.fac. 2ª.28.F
Morbis qui raro corripiuntur.de bon.& vit.suc. 2ª.39.B
MORBORVM genera, & species vt sciantur,quæ cognoscenda.si quis opt.med. Isa.6.E
Morbi species,magnitudo,motus & mos vnde cognoscantur.3°.de crisibus. 4ª.140.B
Morbi forma primo die cognoscenda.2°.de crisi. 4ª.133.E
Morbi qũo cognoscantur,& quibus.in 1m.de mor.vul.c.3°.3ª.117.E
Morbus vnde cognoscatur.4°.de præsag.ex puls. 4ª.121.E
Morbi hñt propriam figuram,qua cognoscuntur.2°.de crisi.4ª.137.E
Morborum dignotio vnde exordienda a medico.de ijs, quę in me.fiũt, commentario 1°. 7ª.199.C
ad Morborum omnium notitiam qua methodo perueniatur, exemplo phrenitidis ostendit.in 1m.prorrh.com.1°. 4ª.163.A
Morbi in libris Galeni qũo inueniãtur.1°.de comp.me.per g. 5ª.210.D
Morbos discernens medicæ rei pars in quibus exercenda.de ijs, quæ in med.si.com.1°. 7ª.198.H
Morborũ coniecturalẽ dignotionẽ pleriq; hñt.5°.de san.tuen.2ª.93.E
Morbus qui facit dolorem capitis difficulter cognoscitur.2°.de compositio.med.sec.loc. 5ª.132.A
ad Morborum dignotionem nihil facit scire,qui,& quot musculi moueant linguam.17°.de vsu par. 1ª.221.E
ad Morbi cognitionem multum faciunt causæ procatarcticę.2°.de compos.med.secun.lo. 5ª.132.A
Morborum signa quæ,& quot.com.1°.aph.12°. Ex.5.D
Morbos futuros qui poterit prædiceret.de aere aq.& lo. 2ª.2.D
Morbus est qua parte corporis sudor est.c.4°.aph.38°.Ex.32.C/præsag.exper.conf. Sp.77.G
Morbus est vbi frigiditas insignis,aut caliditas.c.4°.aph.39°.Ex.32. D/præsag.exper.conf. Sp.77.G
Morbos significant vrinæ potissimum.de vrin.sign.ex Hipp.Sp.79.A
Morbus ex vrina qũo cognoscatur incoctus,& coctus.in 1m.prorrh. commentario 3°. 4ª.188.B
Morbos manifestant symptomata pulsuum.de const.ar. Isa.40.H
Morborum symptomata necessario sciri debent.de const.ar. Is.40.G
Morbi symptoma est functionis vitium.1°.met.me. 7ª.8.B
in Morborum doctrina debent symptomata tradere, qui nolunt sanitatem esse affectum corporis,vnde actio proficiscatur,sed ipsas actiones.de symp.diff. 3ª.11.C
a Morbis quomodo symptomata dependent.de const.ar. Is.40.C
Morbi sunt omnium symptomatum causæ.de symp.diff. 3ª.13.A
Morbi quorum symptomatum sunt causæ.de symp.diff. 3ª.13.A
cũ Morbi sil'incipiũt propria morbi symptomata.4°.de crisi. 4ª.126.H
ad Morbi,& passionis magnitudinem symptomata sunt magna.d symptomatum causis. 3ª.15.B
Morbi,& symptomata expultricis,& retentricis similiter miscẽtur. 3°.de symp.causis. 3ª.25.E
Morbi a symptomatibus nominati.2°.met.med. 7ª.9.D
Morbus ex symptomatibus cognoscitur.de const.ar. Is.40.C
Morbi qui faciunt symptomata in vocibus.de symp.diff. 3ª.13.D
de Morbo aliquo habetur coniectura ex voce.in 6m.de morb.vulgar. commentario.2°. 3ª.168.G
Morborum signa ex plenitudine.intro. Is.55.C
Morbus quo modo cognoscitur deterior.1°.de crisi. 4ª.128.H
Morborum signa ex indigentia.intro. Is.55.C
Morbus est causa accidentium.de ocul. 7ª.185.H
Morborum accidentia tria.de ocul. 7ª.185.H
Morbi in quibus nullum adest affecti loci signum.3°.de lo.aff. 4ª.16.B
in Morbis bonum vel malum significãtes dictiones, quibus vtitur Hippocrates.in 1m.progn.com.3°. 4ª.211.E
Morbi ratione cõsideranda sunt accidentia.c.6°.aph.16°. Ex.47.G
in Morbo omni venter mollis,& corporatus sit.in prog.c.2°.4ª.199.F
Morbus is est difficulter solubilis,cuius causa fixa,& firmata est.commen.4°.aph.30°. Ex.30.F
in Morbo quid significet solutio.1°.de die.decr. 4ª.148.H
Morborum subitæ solutiones excretionem euidentem requirunt, vel absceſſum.1°.de dieb.decr. 4ª.147.B
Morbi crassarum materiarũ finiũt p absceſſum.ĩ prog.c.2°.4ª.201.C
Morbi materiarũ tenuiũ finiunt per excretionẽ.in prog.c.2°.4ª.201.C
Morbus illuc vergit,vbi labor est.com.4°.aph.32°. Ex.30.H
Morbus firmatur vbi dolor ante morbum aliquam partem molestauerit.com.4°.aph.33°. Ex.31.A
in Morbis si quis sponte illachrymet nihil absurdum, si vero non spõte absurdum.com.4°.aph.52°. Ex.33.D
Morbi sunt pessimi vbi crassi,& crudi sunt humores.in 1m.de morbis vulg.com.3°. 3ª.122.E
Morborũ mutationes particulares vñ pueniãt.3°.d die.decr.4ª.185.C
Morbi motus vnde cognoscatur.3°.de crisi. 4ª.140.C
in Morbis motus celeritas vnde oriatur.3°.de crisi. 4ª.140.E
in Morbis permutari crebro est malum.in 1m.prorrh.c.1°.4ª.164.H
Morbus non timendus quoniam indifferens habetur nec bonum.s.nec malum.7°.de decr.Hipp. 1ª.268.E
Morbi solutio simpliciter,quid.3°.de crisi. 4ª.141.F
Morbi solutionis primus modus.3°.de crisi. 4ª.141.F
Morbi solutionis secundus modus.3°.de crisi. 4ª.141.F
Morbi,qui soluuntur sine crisi.3°.de crisi. 4ª.141.F
Morbos iudicat natura.ad Thra. 2ª.105.G
Morborum,quorum sint crises.2°.de crisi. 4ª.138.A
Morbus paulatim finitur,& crisis plerũq; nõ adest.1°.d crisi.4ª.133.D
Morbus an per crisim debeat terminari,qũo cognoscatur.3°.de crisi. 4ª.140.c/1°.de art.cur.ad Glau. 7ª.100.c
Morbi iudicantur diebus,mensibus,& annis.2c.de die.decr.4ª.155.B
Morborũ iudicationes qñ,qũo,qbus diebus fiãt.c.4°.aph.71°.Ex.35.D
Morborum iudicatorij dies.com.4°.aph.36°. Ex.31.H
Morbi quibus diebus maxime iudicantur.de aere,aq.& lo. 2ª.4.D
Morbus finire non potest vigesimo die, si septimo adhuc cruditas adsit.1°.de dieb.decr. 4ª.151.c
Morbi,qui non citius quadragesimo die finiũt.1°.de die.dec.4ª.151.D
Morbus post quadragesimũ diẽ qũo soluatur.1°.de dieb.dec. 4ª.151.D
Morborum dies boni,& mali,qui.com.6°.aph.36°. Ex.31.H
Morbi,qui citius iudicantur,& qui tardius.cõ.6°.aph.36°.Ex.32.A
ĩ Morbis qũo decernãtur primus,& scds dies.1°.de die.dec.4ª.148.H
Morbi breuiores tẽporis tertia die iudicantur,mediocris,scilicet quinta.com.6°.aph.36°. Ex.32.A
Morbum qui debet in septimo finiri si medicus ignorat, est ignarus.1°. de crisibus. 4ª.131.F
Morbi non soluuntur in duodecimo,in sextodecimo nono,in octauo,& in decimo.1°.de dieb.decr. 4ª.147.c
Morbi qũo soluãtur post quadragesimũ diẽ.1°.de die.decr. 4ª.149.D
Morbi aliqui finiũt in septẽ mensibus,aliqui in septem annis,aliqui in quatuordecim annis,aliq in viginti annis.1°.de die.dec. 4ª.149.D
Morbi in quibus fiunt sudores calidi,sunt meliores frigidis. commentario.4°.aph.42°. Ex.32.E

Morbus ſi velociter moueatur & videatur mutatio coloris, ẽ iudiciũ ſufficiens iudicationis.com.4°.apho.71°. Ex.35.D
qui Morbi per abſceſſum finiant.in progn.com.3°. 4ª.209.F
Morbi qui iudicantur per abſceſſus.com.4°.aph.31°. Ex.30.G
Morbũ verti ab interioribus ad exteriora bonũ.c.7°.a.49°. Ex.58.A
ĩ Morbis dñt offm ſuũ facere vẽtriculus,et iecur.11°.met.me.7ª.72.E
ſi Morbus per totum animalis corpus extenderetur,a toto etiã æqualis fieret euacuatio.com.4°.aph.38°. Ex.32.C
in Morbis cur natura expellat.in 1m.de mor.vul.com.3°. 3ª.120.D
a Morbo conualeſcentes ſi quid laborauerit,hic fiunt abſceſſus.cõ.4°. apho.32°. Ex.30.H
ex Morbo ſæpius alter contrahitur morbus.de dif.mor. 3ª.4.D
ĩ Morbũ leuiorẽ ĩ verſa mã ẽ ſalutaris.ĩ 3m.de mor.vul.c.3°.3ª.118.B
Morborum prognoſtica ex lumine,& lunę curſu.de decub.progno.ex mathe.ſcient. Sp.12.D
Morbo virtutem ſuperante quid ſequatur.2°.de ſymp.cauſ. 3ª.19.H
Morbum virtute ſuperante quid ſequatur.2°.de ſymp.cauſ. 3ª.19.H
Morbũ ſupari a natura quibus ſignis cognoſcatur.de conſt.ar.If.42.B
Morbus,et virtus qñ ęquæ pugnãt,qd ſequaĩ.2°.d ſymp.cau.3ª.19.b
ex Morbo debilitas viriũ balbutiem cauſat.c.6°.aph.32°. Ex.49.H
Morbi opera ſunt palpitatio,& cõuulſio,naturæ vero ſternutatio,tuſſis,oſcitatio,ſingultus. 2°.de ſymp.cau. 3ª.19.F
Morbi, & facultatis ſimul opera ſunt torpentium motus,& tremor. 2°.de ſymp.cauſ. 2ª.19.F
Morbi mutant ſemen.de aere aq.& lo. 2ª.6.F
Morbus,& natura conſiderantur a medico.de conſt.ar. If.42.A
MORBORVM *curator qui merito dicendus.3°.met.me. 7ª.16.D*
Morbis qui medetur medicus eſt appellandus.2°.de ſan.tu. 2ª.73.H
Morbos adimere medici proprium eſt.2°.met.me. 7ª.10.D
Morbos quomodo curent medici.in 6m.de mor.vul.c.5°. 3ª.188.A
ĩ Morbis oĩbꝰ cõtrouerſi medici,q.de vic.ra.in mor.ac.c.1°. 7ª.109.F
Morbus,& medicus qũo hñt ĩter ſe.in 1m.de mor.vul.c.2°.3ª.112.G
ad Morbũ qũo ſe habet æger.in 1m.de mor.vul.com.2°. 3ª.112.G
Morbum quomodo æger adiuuat.in 1m.de mor.vul.com.2°.3ª.112.G
Morbus debet conuenire naturæ.in 1m.prorrh.com.2°. 4ª.171.H
Morborum medicatrices naturæ.ad Thraſ. 2ª.105.G
Morborum medicatrix natura quomodo intelligendum.in 6m.de mor bis vulg.com.5°. 3ª.187.H
Morbos qũo primo ſanet natura.in 6m.de mor.vul.c.5°. 3ª.178.A
in Morbo quid faciat natura.in 6m.de mor.vul.c.5°. 3ª.188.B
Morbum auferre cupimus pp actionis læſionẽ.2°.met.me. 7ª.10.D
Morbo applicantur remedia.non læſæ actioni.2°.met.me. 7ª.10.E
Morbum qui non poterit inuenire.2°.met.med. 7ª.10.E
vbi Morbum efficiens cauſa non adeſt,hic ſola curatio factorum relinquitur.com.2°.aph.22°. Ex.15.C
Morbi an plures,aut vnus qũo conſiderandũ.de tot.mor.tẽp.3ª.89.H
Morbi quælibet ſpecies habet ſuam methodum.4°.meth.med.7ª.23.C
Morbi quot ſunt, tot ſunt curationes.2°.met.med. 7ª.12.E
Morbi nõ dñr ſanari,qui aliũ morbũ faciunt.c.6°.aph.26°. Ex.48.G
Morbi ſunt præoccupandi præſidijs.de cur.rat.per ſang.miſſ. 6ª.18.C
Morbi ne incidãt difficile eſt mediocritatẽ ſeruare.6°.de ſa.t. 2ª.96.G
Morbi quo modo præcauendi.intro. If.55.C
Morbi ex plenitudine quo modo præcauendi.intro. Ifa.55.C
Morbi ex indigentia quo modo præcauendi.intro. If.55.C
Morborum impetus duobus remedijs euitatur.de dy. Sp.20.A
Morbis plurimis qũo occurrerit Galenus.com.6°.aph.47°. Ex.52.B
Morbis multiplicatis multiplicant intẽtiones curatiuæ.ars me.If.70.b
in Morbo duplici duplex intentio.ars med. If.70.B
Morbi duo eſſe poſſunt,in venis vnus,in thorace alter.in 3m.de morb. vulg.commen.1°. 3ª.127.H
Morbi duo contrarij ſi inuadunt,fortior aggrediendus.1°.de art.cura. ad Glauconem. 7ª.98.E
Morbos curandi via vnde habeatur.5°.de ſimp.med.fa. 5ª.36.H
Morbum profligandi ſcopus qui.1°.de ſan.tu. 2ª.64.C
Morbi eſſentia conſideranda eſt,& per contraria ſimpliciter,vel compoſite curandum.2°.de loc.aff. 4ª.13.G
Morbi ſanantur contrarijs.com.2°.aph.34°. Ex.17.C
Morbus quiſque habet ſuam contrarietatem.11°.met.me. 7ª.68.C
Morbus oſtẽdit ĩdicationes mẽſuræ cõtrarietatis.11°.met.me.7ª.67.H
Morborum ſublatio per contraria perficitur.de inæq.intemp. 3ª.44.C
Morbis contraria eſſe debent loca.in 6m.de mor.vul.c.5°. 3ª.192.E
Morborũ oĩum remedia vnde inuenienda.4°.met.me. 7ª.26.B
Morbos recte ſanare,vñ habeaĩ.de vi.ra.in mor.acu.c.1°. 7ª.109.D
Morborum curationes qũo inueniebat Galenus.3°.de loc.aff.4ª.15.B
in Morborũ remedijs inueſtigãdis diu cogitauit Galen.an logica demõſtratione indigeret,an illis q̃ ab experiẽtia hñr.3°.de lo.af.4ª.15.A
quos Morbos ſciant curare experimentatores.3°.de loc.aff. 4ª.15.B
Morbi curati remedijs ſine experientia inuentis.3°.de loc.aff.4ª.15.B
Morbus primo cognoſcẽdus ẽ anteq̃ facias curationẽ. 1°.de al.f.2ª.9.D/de vi.rat.in mor.acu.com.1°. 7ª.108.D
Morborum numerus præſciendus ante curationem.1°.met.me.7ª.5.g
Morbi quantitas conſideranda eſt.1°.de art.cur.ad Glau. 7ª.96.H
Morbi quantitas non põt ſcribi.1°.de art.cur.ad Glau. 7ª.97.A
Morbi profundi.i.loci affecti debent ſciri.8°.de ſimp.me.f. 5ª.187.G
Morbi cognitio primum eſt ad medendum.2°.met.me. 7ª.13.F
Morbus niſi ſit cognitus non fit curatio.de art.com.1°. 7ª.257.F
a Morborum ſpeciebus indicatio remediorum.ſi quis opt.med. If.6.F
a Morborũ dñia non ſumitur indicatio remediorũ.1°.met.me. 7ª.3.H
Morbi cognitio eſt materia remediorum.1°.de ali.fa.2ª.9.D/1°.de cõpoſi.med.ſec.lo.5ª.121.B/9°.met.me.59.G/12°. 7ª.74.G
Morbus indicat d auxilijs ſuæ affectiõis.d vi.ra.ĩ mor.ac.c.1°.7ª.115.C
a Morbo ſumitur principiũ medicationis.4°.met.med.23.H/7ª.24.D
Morbi occaſio,& occaſionis generatio conſideranda.de venę ſect.adueſſus Eraſiſtratęos. 6ª.6.F
a Morbi occaſione curationis principium.de nat.hu.c.2°. 7ª.182.C
a Morbo,nõ a tpe ſumẽda eſt curãdi indicatio.4°.met.me. 7ª.24.H
in Morbis omnibus cõmunis intentio qualis.1°.de dif.feb.3ª.32.F/11°. methodi medendi. 7ª.67.H
ex Morbo accipitur intentio cõis.2°.de arte cur.ad Glau. 7ª.103.D
a Morbi indicationis primus inuẽtor Hippocrates.4°.me.m. 7ª.28.D
Morbus docet ſui ablationem.11°.met.me. 7ª.68.E
a Morbis indicatio eſt ſolum principium agendi.3°.met.med.7ª.16.D
a Morbi affectu indicatio.11°.met.med. 7ª.69.A/B
Morbus vbi maximus eſt,a maioribus remedijs inchoandum.5°.methodi medendi. 7ª.36.A
in Morbis omnibus indicatio a viribus ſumenda.8°.met.me. 7ª.55.E
in Morbis qũo ſpiritus ſubſtantia cuſtodienda.12°.met.me. 7ª.77.B
non ſolum Morborum iam factorum,ſed etiã eorũ, quæ morbos creãt ſanatio dicitur.de nat.hu.com.2°. 7ª.181.F
Morbum curandum,& locum affectum,& diſpoſitionem,ſymptomata docent.1°.de loc.aff. 4ª.7.G
Morbi curari nõ põt ſi qs nãm corporum ignorabit.1°.met.me.7ª.3.F
ad Morbos nihil facit ſcire q̃ ſit aĩę eſſentia.de ſubſt.fac.nat.1ª.230.F
a Morbo graui conualeſcens indiget refectione, non amplius medela. ad Thraſy. 2ª.102.D
a Morbo liber antequã ſit refectus,a quibus male afficiatur.ad Thraſybulum. 2ª.102.D
ĩ Morborũ diuerſorũ prĩcipijs victus rõ ẽ inueniẽda.1°.d criſ.4ª.131.F
in Morbi cuiuſque,principio ſubtrahendum eſt ſecũdum methodicos. de optima ſecta. If.28.G
Morbi ſunt qui victu curantur.in de ſect. If.17.E
in Morbis cibi nõ ſine iudicio ſumẽdi.in 1m.d mor.vul.c.3°.3ª.126.D
Morbus eſt laboranti, vt ſano robur,ſi quis cibum febricitãti dederit. com.7°.aph.62°. Ex.59.G
ſi ex Morbo cibum aſſumens quis non corroboratur ſignificat corpus pluri vti alimento.com.7°.aph.62°. Ex.59.H
Morbo inuadente pueri ſtatim nutriendi.intro. Ifa.55.F
Morbo vigente qñque nutrimus,& qñ non.c.1°.aph.9°. Ex.4.H
Morbo conſiſtente tenuiſſimo victu vtendum eſt.c.1°.aph.1°. Ex.2.F
in Morbis quandoque edendum,& plene.de art.com.1°. 7ª.275.B
in Morborum principijs non appetentes melius euadunt, q̃ appetẽtes. com.2°.aph.32°. Ex.11.A
Morborum faſtidia orectícis rebus curantur.de dyn. Sp.19.A
Morbos multi ſola lætitia euaſere.de par.pil.exer. 2ª.48.G
a Morbis alijs quartana liberat.in 1m.de mor.vul.c.3°. 3ª.118.H
Morbi qui alios curant.in 6m.de mor.vul.com.6°. 3ª.197.E
Morbum curatum fuiſſe quidam dicit,licet homo obierit.1°.de arte curati.ad Glau. 7ª.103.C
ĩ Morbis oĩbꝰ totius corporis curatio primo moliẽda.3°.d lo.af.4ª.15.d
Morbi vis indicat de ſanguinis miſſione,& de purgatione.4°.methodi medendi. 7ª.28.C
Morbus,qui ſit futurus grauis expetit venæ ſectionem. de curan.ra.p ſanguinis miſſionem. 6ª.18.B
Morbus ſi ſit infra clauiculã,quæ vena ſecãda.3°.de ana.ad.1ª.77.D

Morbus ſi ſit

Morbus si sit supra clauiculam, quo ordine secandæ venæ. 3°. de anato micis administrationibus. 1ª.77.D
his, qui à Morbis resumuntur, & difficulter in naturalem habitudinẽ redeunt, conducit scarificatio. de cucur. scar. 6ª.4.B
dum Morbi fiunt cucurbitulis non vtemur. de cucur. scar. 6ª.3.B
Morbi ab alimẽto cõgruenti qualitate, & copia, in tempore exhibito. ab humido fomẽto, a cataplasmatis, a clysteribus, a venæ sectione, & id genus alijs propulsantur. in 6ᵐ. de mor. vul. com. 5°. 3ª.187.H
a Morbi magnitudine, & vi accipitur euacuationis indicatio. 4°. methodi medendi. 7ª.28.E
Morbo prævalente humores educendi. de dyn. Sp.20.E
Morbus cessat euacuatis humoribus malis. c. 2°. aph. 25°. Ex.16.A
Morbi conditio docet humorem euacuandũ. quos purga. op. quib. med. & quo temp. 5ª.88.F
in Morbi principio, qui humores euacuandi. com. 1°. aph. 22°. Ex.10.B
in Morbi principio humores tenues, & aquosi euacuandi sunt nulla facta coctione. quos purg. op. quib. me. & quo temp. 5ª.88.F
in Morbi principio nihil excernitur naturæ ratione, sed accidenti dispositionum corporis. com. 4°. aph. 22° Ex.29.G
Morbi ab atra bile statim a principio strenue purgandi sunt. de atra bile. 1ª.37.D
Morbi in quibus conueniat euacuatio vsque ad animi defectionem. cõ. 1°. aphorismo 23°. Ex.10.D
Morbum induratum vbi commouemus vtimur catharticis fortibus. de dynamidijs. Sp.20.G
Morbo facientes humores si nõ sint satis expurgati quid fieri debeat. commen. 4°. aph. 32°. Ex.30.H
Morbi species notat bonas excretiones. com. 4°. aph. 47°. Ex.32.H
Morbi qui ex aloe iuuantur. 8°. de simp. med. sec. loc. 5ª.188.E/F
Morbi ex humorum in fluxu semper debent repelli refrigerando, & adstringendo. 1°. de compo. med. secun. loc. 5ª.121.F
in Morborum omnium fine ex succis biliosis, calefacientibus & exiccantibus est vtendum. 14°. met. me. 7ª.89.C
ad Morbos internos corporis valet Ambrosia Philippi Macedonis. 2°. de antidotis. 5ª.115.A
ad Morbos omnes corporis internosque valet antidotus, quàm composui Andromachus. 2°. de anti. 5ª.110.C
ad Morbos internos corporis valet Mithridatica antidotus. 2°. de antidotis. 5ª.110.C
ad Morbos internos, & malos corporis valet Antidotus Mithridatis Eupatoris diascinci nominata. 2°. de anti. 5ª.115.C
ad Morbos internos corporis valet Mithridatis Antidotus. 2°. de antidotis. 5ª.115.D
ad Morbos internos corporis Antidotus multum efficax. 2°. de antidotis. 5ª.115.G
ad Morbos omnes valens Antidotus. 2°. de anti. 5ª.115.E
ad Morbos oẽs optime facit Aromatica Galli. 2°. de anti. 5ª.116.A
a Morbo se ægre recolligẽtiũ remediũ. 8°. de comp. med. se. lo. 5ª.195.G
Morbus, lege ÆGritudo.
MORDACITAS *his tribus saporibus communis est acido, amaro, & acri, acido vt frigido, & subtili, amaro, et acri, vt calidis. 4°. de simplic. med. facul.* 5ª.29.D
Mordacitas a tactu etiam sentitur. 4°. de comp. me. fac. 5ª.28.D
Mordacitas a tactu, pprie, nõ a gustu sentiẽ. 4°. de simp. me. f. 5ª.29.D
Mordacitas choleræ facit dolorem capitis. c. 6°. aph. 10°. Ex.47.D
Mordacitas facit tormina. com. 5°. aph. 41°. Ex.41.D
Mordacitas humorũ facit læuitatẽ intestinorũ. c. 6°. aph. 1°. Ex.45.H
Mordacitatis exptia pharmaca, et lenia q̃. 5°. ḍ comp. me. f. l. 5ª.149.E
MORDAX *proprie quid sit. com. 5°. aph. 20°.* Ex.29.B
Mordax & tenue non est calidum. 1°. de simp. med. fac. 5ª.6.D
Mordax minus est, quod est tenuius inter illa, quæ sunt eiusdem generis. 9°. de simp. med. fac. 5ª.69.H
Mordax acritudo fieri non potest vt in lõgũ extẽdatur, si omnia opportuna fiant circa egrum. com. 7°. aph. 22°. Ex.55.E
Mordax & acre calidum quorum sit. 6°. de san. tu. 2ª.96.A
Mordax calor quibus natura est, ijs balneũ vile. 5°. de sa. tu. 2ª.94.C
Mordacium differentiæ. de mult. 3ª.79.E
Mordacium humorum differentix. de mult. 3ª.79.E
Mordax est atra bilis, vt acetum. com. 4°. aph. 23°. Ex.29.H
Mordax humor, & amarus est pallida, & flaua bilis. 2°. de composi. medic. secun. loc. 5ª.135.D
Mordaces humores vnde oriantur. de mult. 3ª.79.E
Mordaces humores ab alimẽtis ægrorum auferunt. c. 2°. a. 18°. Ex.13.b
Mordax efficitur propter cacochimam, quod sua natura non est mordax. 2°. de simp. me. fac. 5ª.12.H
Mordaces humores exiccant. com. 5°. aph. 1°. Ex.37.E
Mordacia non adstringunt. 1°. de simp. med. fac. 5ª.7.H
Mordaces succi inducunt vigilias. 4°. de san. tu. 2ª.84.E
Mordaces, & calidos humores sequuntur vigiliæ, & deliria. in 3ᵐ. de mor. vul. com. 1°. 3ª.131.A
Mordax hũor a capite depẽdẽs facit sternutamẽtũ. c. 7°. a. 51°. Ex.58.C
Mordacia apposita naribus faciũt sternutamẽta. c. 7°. ap. 51. Ex.58.C
Mordax humor nõ facit eandẽ doloris speciem, quàm facit humor plurimus. 2°. de loc. aff. 4ª.9.D
Mordaces dolores quid significent. 2°. de comp. me. se. lo. 5ª.137.B
a Mordaci acredine dolor nõ sanat a calidis. 3°. de cõp. m. f. 5ª.141.C
Mordacia, & acria tussim mouent non è cõtrario vt, quæ tussim mouẽt acria sint. 2°. de simp. med. fac. 5ª.13.B
Mordacia oleosa, & pinguia quo tussim excitãt. 2°. de sim. m. f. 5ª.13.F
Mordax humor facit dysenteriam, & vlcerat intestina & ea remota ad huc remanet affectus. 1°. de loc. aff. 4ª.4.C
Mordaces succi quando sunt in intestinis, quæ adhibẽda. in 6ᵐ. de mor. vulg. com. 6°. 3ª.196.C
Mordaces succi sunt educendi. 4°. de san. tu. 2ª.84.E
Mordaces succi cauẽdũ est ne intro reuocentur. 4°. de san. tu. 2ª.85.H
Mordax, & acris superfluitas, vnde. 1°. de dif. feb. 3ª.31.F
Mordax excrementum dupliciter incitatur. 4°. de san. tu. 2ª.82.H
Mordaces deiectiones quo modo curet clyster acer. in 6ᵐ. de mor. vul. commentario. 2°. 3ª.161.H
Mordacia excremẽta vlcerosam pariũt lassitudinẽ. 4°. ḍ sa. t. 2ª.82.H
Mordacia vni mẽbro ñ sũt alteri mordacia. 6°. de cõp. m. s. l. 5ª.170.E
Mordacia, & acerba medicamenta sunt relinquenda ea q̃ sunt quærẽda quæ adstringunt sine mordicatione. 4°. de simp. me. fac. 5ª.25.H
ad MORDENDVM *parata animalia qualia. 16°. de vsu par.* 1ª.215.H
Mordentia animalia habent os maximam, & refertum dentibus. 11°. de vsu partium. 1ª.187.F
Mordens seu pungens molestum dicimus. de mult. 3ª.79.E
Mordentes vires habet thlapsi. de simp. med. Sp.91.G
Mordentibus irritatur atra bilis. 14°. met. me. 7ª.89.H
ex Mordente humore dolor quomodo curetur. 12°. met. me. 7ª.79.C
Mordentes cibi augent phlegmonas. 13°. met. me. 7ª.83.E
MORDENTVR *scriptores omnes a morosis lectoribus, qui paucis volunt scire omnia. 2°. de cris.* 4ª.136.C
Mordeãt si modice hũores pruriginosi, sũt veluti scylla. ḍ mul. 3ª.79.e
Mordeãt si uehemẽtiꝰ humores mordaces, sũt uti cepa. ḍ mul. 3ª.79.E
Mordentur intestina salsis, & acribus humoribus. comment. 6°. aphorismo 33°. Ex.50.B
Mordentia cito a natura expelluntur, & qũo. 2°. ḍ symp. cau. 2ª.22.G
Mordent & contristantur calida vehementer. in 6ᵐ. de mor. vulgari. commentario. 2°. 3ª.165.G
Mordet vehementer chalcitis. 6°. de comp. med. sec. loc. 5ª.176.H
Mordet viscide gustum piper longum. de simp. med. Sp.88.F
Mordet acriter lapis thyites. de simp. med. Sp.86.H
MORDICANTIA *in alto obtundit adeps anserinus. 11°. de simp. medicamen. fac.* 5ª.79.A
Mordicãs qd sit, & quo indicio cognoscatur. 2°. de simp. me. fa. 5ª.12.H
Mordicãtia ĩ excremẽtis a quatuor fiũt causis. 3°. ḍ sym. cau. 3ª.27.D
Mordicantia faciũt ῥίγη, id est concussiones, & horrores. 10°. methodi medendi. 7ª.65.G
Mordicantia quo modo cicatricem inducant per accidens. 5°. de simp. med. fac. 5ª.36.D
Mordicãtia simul & adstringẽtia medicamẽta. 4°. ḍ sim. m. f. 5ª.26.A
Mordicantia ad quæ valent. 9°. de simp. med. fac. 5ª.68.D
Mordicantibus indigent vlcera putrida. 2°. de arte cur. 7ª.102.D
MORDICATIO *a calido, & frigido quo modo differat. 4°. de simplic. medicamen facul.* 5ª.24.D
Mordicatio ab acribus est. 2°. de symp. cau. 3ª.23.B
ex Mordicatione horror. de mult. 3ª.79.F
ĩ Mordicationibꝰ oris stomachi fit sectio venæ furculæ. ḍ ana. vi. S. 55.b
Mordicatio vna excitat, ad excretionem. 3°. de simp. me. fa. 5ª.23.H
Mordicationes cur debeãt sentiri ab intestinis. 5°. de vsu p. 1ª.145.E
Mordicatio vnde pueniat in purgationibus. 3°. de simp. me. f. 5ª.23.H
Mordicationibus acres mitigantia. & collimentia, quæ sint. 10°. de simpli. medicamen. facul. 5ª.73.E

Mordicationibus recti intestini,& coli valet adeps caprinus.11°.de simpl.medic.fac. 5ª.78.H
Mordicationem quo modo curauerint cachomia aliqua non mitigãdo illam,sed educendo.2°.de simp.med.fac. 5ª.12.F
Mordicationem protinus mitigant dulcia.2°.de simp.med.fac. 5ª.12.G
Mordicationem quæ tollunt dulcia.2°.de simp.med.fac. 5ª.12.G
Mordicationes qñq; sanat melicratum.2°.de simp.med.fac. 5ª.12.B
Mordicationis cã oleũ datur bibendum.2°.de simp.med.fac. 5ª.12.A
Mordicationes omnes lenit oleum.2°.de simp.med.fac. 5ª.12.E
Mordicationes quandoq; sanant salsugo, & serum lactis.2°.de simp. med.fac. 5ª.12.C
quæ Mordicant,& excitant ad deponendum cibum,& leniendum vẽ trem.de diff.cont. Sp.75.B
Mordicat & adstringit æris squamma.3°.de simp.med.fac. 5ª.20.B
MORELLÆ *fit mentio.de dyna.* Sp.29.E
MORGELINAE *fit mentio.de dyn.* Sp.25.E
Morgelinæ succus.de dyna. Sp.31.D
MORIA *est motio deficiẽs actionis rõcinatricis.de symp.dif.* 3ª.11.G
ad MORIENDVM *omnes non sunt procliues, etiam si infinitis malis conflictentur.2°.de motu musc.* 1ª.315.E
Morientibus extinguitur caliditas.de palp. 3ª.54.E
in Morientibus oculi consyderandi. in 6ᵐ.de mor.vul.c.4°. 3ª.187.A
Morientium pulsus in angina qualis.4°.de dignos.puls. 4ª.103.A
Morientis vitalis facultatis signa.in 3ᵐ.de mor.vul.cõ.1°. 3ª.132.G
Morientibus qũo se habeat maxilla inferior.2°.de mot.musc. 1ª.314.E
MORI *qui exoptent.2°.de symp.cau.* 3ª.24.D
q̃ Mori ilico,melius est in senis habitu pmanere.10°.met.med. 7ª.66.F
Mori non potest animal nisi cor afficiatur.5°.de loc.aff. 4ª.28.H
Morerentur quo modo homines vt scirẽt antiqui,viscera scrutati sunt. de nat.& ord.cuius.corp. Sp.42.G
Moritur qui bibit aquam in Leontinis,& in Ereo Arcadiæ.de bonitate aquæ. Sp.76.A
Moritur qui bibit aquã quandã in Thracia.de bo.aq. Sp.76.A
Moriuntur pauciores,quàm sanentur, prẽterquam in pestilenti morbo.com.2°.aph.23°. Ex.15.D
Moriũtur ægri medico tamen culpa vacante. in prog.c.1°. 4ª.189.E
Moritur pulsus cum animali,& generatur cum eo.cõp.puls. Sp.65.C
Moriatur qui quarto die,& qui sanetur.1°.de dieb.decr. 4ª.150.H
Morietur ægertertio, quinto,sexto die, si accessio secunda, & quarta sit vehemens.presag.exper.conf. Sp.77.D
Moriatur quando homo quinta die ex errore.1°.de dieb.dec. 4ª.150.E
Moriatur quando homo in sexto.1°.de dieb.decr. 4ª.150.E
Moriebantur qui sexto die.in 1ᵐ.de mor.vulg.com.2°. 3ª.115.A
Moriuntur quidam in septimo.1°.de dieb.decr. 4ª.146.E
qũo Moriantur ægri in principio.3°.de crisi. 4ª.142.G
Moriantur quo modo in augmento ægri.3°.de crisi. 4ª.142.G
Moriuntur rari in augmento particulari.3°.de crisi. 4ª.142.G
Mori an super viuere debeat æger cognosci non potest statu ignorato. 3°.de crisibus. 4ª.141.C
Morianẽ cur aliqui in declinatione particulari.3°.de crisi. 4ª.142.E/F
Moritur æger in declinatione vniuersali ex errore.3°.d̃ crisi. 4ª.142.E
qui Moriantur,cum videntur melius se habere.3°.de crisi. 4ª.142.G
Mori quo modo cõtingat in syncope vitio stomachi,in dolore vehemẽti,in graui timore,& maxima voluptate.5°.de loc.aff. 4ª.29.B
cur Moritur homo in balneo clausus.de caus.procatar. 3ª.96.B
Moritur cõuulsus si ebrius quispiã repente obmutuerit,nisi febre corripiatur,aut vbi ad horam peruenerit, qua soluuntur crapulæ,vocem recuperet.commen.5°.aph.5°. Ex.37.G
Moriuntur quando egri,ne medicamentis generosis vtaris.12°.metho di medendi. 7ª.75.H
Moriuntur multi ex cataplasmatibus, quę non deberent apponi.11°. methodi medendi. 7ª.72.C
Mori quo modo contingat ex iocinoris affectu.5°.de loc.aff. 4ª.29.B
Moriũtur omnes suppurati si secentur,aut vrãtur,& totũ pus exeat. com.6°.aph.27°. Ex.48.G
Moriuntur omnes habentes aquam intercutem si aut vrantur,aut secentur,& tota aqua exeat.com.6°.aph.27°. Ex.48.G
Moriũtur fere omnes ex grumis in vesica.6°.de loc.aff. 4ª.39.A
Moriantur qui inter dormiendum.2°.de præsag.ex pul. 4ª.111.A
Moriantur qui sine sudore,& qui cum sudore.c.5°.aph.71°.Ex.45.F
Moriuntur calidi,conuulsi.1°.de præsag.ex puls. 4ª.107.H
Moriuntur frigidi syncopa correpti.1°.de præsag.ex puls. 4ª.107.H
qui Moriantur sitim non habentes lingua arida.in 3ᵐ.de mor.vulgar. commentario.1°. 3ª.132.H
ĩ Mox morituris summa præsagitionis est ex duabus facultatibus animali,& vitali collapsis.in prog.com.2°. 4ª.198.F
in Morituris morbi tempora.tot.morb.temp. 3ª.89.E
Morituri ad declinationem non perueniunt.3°.de crisi. 4ª.141.G
Moriturus quando sit homo in crisi.1°.de dieb.dec. 4ª.150.F
Morituri quo modo se habeant.in progn.com.3°. 4ª.207.G
Morituri ex præcordijs quibus cognoscantur.de dyna. Sp.26.C
MOROCHTHVS *lapis quid.de simp.med.* Sp.86.H
Morochthus lapis efficaciter stringit.de simp.med. Sp.86.H
Μωρωσις quid.in 1ᵐ.prorrh.com.2°. 4ª.177.E
Morosis est motio deficiẽs actionis ratiocinatricis.d̃ symp.diff. 3ª.11.G
MOROSVM *quid significet.in 3ᵐ.de mor.vul.c.3°.* 3ª.150.G
Morosæ mulieris casus.in 3ᵐ.de mor.vul.c.3°. 3ª.150.F
MOROXVS *lapis in Aegypto.9°.de simp.med.fac.* 5ª.68.E
ad MORPHEAM *albam,& nigram,& serpiginem.de dyn.* Sp.25.F
ad Morpheam albam,vel nigram trociscii.de dyn. Sp.25.E
ad Morpheam nigram vnguentum de oleo frumenti probatum est.de dynamidijs. Sp.30.D
ad Morpheam vnguentum.de dynam. Sp.25.F
ad Morpheam.secret. Sp.102.D
ex MORSV, *& punctu animalis dolor quo modo curetur.13°.metho di medendi.* 7ª.82.C
Morsibus Aranei & viperæ medetur trifoliũ.de the.ad Pis. 5ª.90.H
ad Morsus Aspidis valet Antidotus Antipari.2°.de antid. 5ª.115.H
ad Morsus Aspidum theriaca Euclidis Palatiani.2°.de anti. 5ª.116.B
Morsibus Bestiarum auxiliatur betonica vlceri illita.7°.de simplicium medicamentorum facul. 5ª.51.A
Morsi a Cane rabido sunt neutri.de part.art.med. Sp.17.E
Morsus canum rabidorum est venenum.11°.de simp.medi.fa. 5ª.82.A
Morsus canis rabidi qũo inficiat.in 3ª.de mor.vul.c.3°. 3ª.149.D
Morsi a cane rabido in quanto tempore moriantur.in 1ᵐ.prorrh.com mentario.2°. 4ª.171.E
Morsus canis rabidi silis ẽ morsui canis nõ rabidi.d̃ the.ad Pi. 5ª.96.E
Morsi a cane rabido quo modo curandi.11°.de simp.med.fac. 5ª.81.H
Morsus canis rabidi curatio.de ther.ad Pis. 5ª.96.F
Morsi a cane rabido, qñ non pñt curari.in 1ᵐ.prorrh.c.2°. 4ª.161.E
Morsus canis rabidi habet duo remedia.com.2°.aph.22°. Ex.15.C
in Morso a cane rabido vulnus ampliandũ est.de ther.ad Pis. 5ª.96.E
ex Morsu rabiosi vlcus cicatricem ducere non sinens,medicamentum. 3ᶜ.de comp.med.per ge. 5ª.233.G
Morsis a cane rabiente mirabilis est cancri cinis.11°.de simplicium medicamentorum facultatibus. 5ª.81.H
Morsis a cane rabido cur cancer prodest.11°.de simp.med.fa. 5ª.82.A
contra Morsum canis rabidi agunt cancri vsti a proprietate substãtiæ. 11°.de simp.med.fac. 5ª.82.A
ad Morsum canis rabidi Albũ heræ medicamentũ.2°.de anti. 5ª.117.B
Morsos a cane rabido mirificæ iuuat alysson.6°.de simp.m.f. 5ª.42.C
contra Morsum canis rabidi Basilica.2°.de anti. 5ª.117.C
Morsus canis rabidi sanatur a centaurea. de virt.cent. Sp.92.H
Morsus canis rabidi dentes suspensi.de incant.adiur.& susp. 7ª.182.B
ad Morsum canis rabidi electarium.de med.exper. Sp.107.A
ad Morsum canis rabidi emplastrum.2°.de antid. 5ª.117.B
pro Morsis a cane rabido medicamentum a Galeno probatum.1°.de comp.med.per gen. 5ª.216.A
Morsi a cane rabido medicamentum quo nullus, est mortuus 11°.de simplic.med.fac. 5ª.82.A
ad Morsum canis rabidi valet Theriaca.de ther.ad.Pis. 5ª.91.H
in Morsis a cane rabido quanto temporis theriaca vti debemus.de theriaca ad Pisonem. 5ª.95.G
ad Morsum canis rabidi medicina.secret. Sp.97.A
ad Morsum canis rabiosi aquam ex paue scentes.1°.de compo.medicamentorum per gen. 5ª.215.F
ad Morsum canis rabiosi.5°.de comp.me.per ge. 5ª.248.D/*de me.fac. par.* 7ª.178.G/*secre.* Sp.102.B
ad Morsus canum & hominum.2°.de comp.med.per gener.227.E/G/ 5°.247.F/ 5ª.248.H
ad Morsus canum.3°.de comp.med.per ge.233.G/235.B/5°.247.A/ 5ª.249.H/de med.fac.par. 7ª.178.g
Morsum Draconis trigla sanat.11°.de simp.med.fac. 5ª.82.g
Morsus ferarum inter vitæ mala difficilior.de ther.ad Pis. 5ª.93.H

Morsus no-

Morſus noxiarum ferarum ſunt ineuitabiles. de ther. ad Piſ. 5ª.91.C
è Morſu ferarum ſanguis in bilem vertitur. 5°.*de lo.aff.* 4ª.34.A
Morſos a feris adiuuans Antidotus. 2°.*de antidotis.* 5ª.111.H
Morſus a venenoſis feris nullus periit, qui theriacam ſtatim biberit. de ther. ad Piſonem. 5ª.90.A
ad Morſum cuiuſuis feræ equorum lichenas adhiberi conſulunt. 11°. *de ſimpl.med.fac.* 5ª.80.F
ad Morſus quoslibet ferarum. 6°.*de comp.med.per ge.* 5ª.258.G
ad Morſus ferarum. 5°.*de comp.med.per ge.* 5ª.248.C
Morſum Hæmorrhi multa accidentia comitãtur. de opt.ſect. Iſ. 22.G
Morſus hominum quomodo ſit prauus quandoque. 1°.*de comp. medicamen.per gen.* 5ª.214.E
ad Morſus hominũ, canum, & ferarum. 6°.*de cõp.me.per g.* 5ª.256.D
ad Morſus hominũ. 1°.*de cõp.me.per g.* 215.F/3°.235.B/5°.5ª.246.E
ad Morſum Muris aranei. 5°.*de comp.med.per ge.* 5ª.246.H
ad Morſus Phalangiorum Antidotus Andreæ. 2°.*de antid.* 5ª.117.G
ad Morſus phalangiorum Antidotus Charitonis Circulatoris. 2°.*de antidotis.* 5ª.117.G
ad Morſus phalangiorum antidotus alia. 2°.*de anti.* 5ª.117.G/H
ad Morſum phalangiorum. 5°.*de cõp.med.per ge.* 5ª.246.H
ad Morſus Quadrupedum cunctorum, & ſerpentium. 6°.*de comp.medicamen.per gene.* 5ª.260.C
ad Morſus quadrupedum. 5°.*de comp.me.per ge.* 248.H/6°.5ª.259.G
ad Morſus rabioſos album medicamentum. 1°.*de comp.medicamentorum per genera.* 5ª.216.C
ad Morſos a rabioſis. 1°.*de comp.med.per.g.* 214.F/215.F/5ª.217.A
ad Morſus Reptilium antidotus Heraclidis. 2°.*de anti.* 5ª.117.H
ad Morſus reptilium valet antidotus Zopyria. 2°.*de anti.* 5ª.115.A
ad Morſum Rutelæ valet decoctio centaureæ, & rutæ. de medicinis expertis. Sp.106.F
ad Morſum Scorpionis aſſa fœtida. de med.exper. Sp.106.D
Morſibus ſcorpionum prodeſt myrta ſi imponatur, aut potui detur. de ſimplicib.med. Sp.87.E
Morſus ſcorpionum curant quatuor drachmæ laureolæ cum aceto. de medicinis expertis. Sp.106.E
ad Morſum ſcorpionis electurium. de med.exper. Sp.106.G
ad Morſum ſcorpionis. 5°.*de comp.med.per ge.* 5ª.247.E/*de med.exper.* 104.B/106.B/C/ Sp.108.D
Morſum ſcorpionis, q̃ ſuſpenſa valeãt. de incãt.adiur. & ſuſp. 7ª.132.C
Morſi a ſcorpione, caſus. 3°.*de loc.aff.* 4ª.19.F
Morſum Serpentium curat Dictamus. de dyn. Sp.35.F
ad Morſus venenoſorum ſerpentũ facit trifoliũ. de ſimp.me. Sp.91.G
Morſibus ſerpentum vtile eſt murrubiaſtrum. de ſimp.med. Sp.87.G
Morſui ſerpentum prodeſt ſmyrnium. de ſimp.med. Sp.91.B
Morſus ſerpentum ſanans medicina. 2°.*de anti.* 5ª.118.G
ad Morſus ſerpentum. de med.fac.par. 7ª.174.C/D
contra Morſum Tyri acetum ſorte calidum. de me.exper. Sp.106.D
Morſæ a Venenoſis partes languidæ ſunt. 3°.*de lo.aff.* 4ª.19.G
Morſus venenatorum quo modo curandus. intro. Iſa. 60.H/*de virtute centaureæ.* Sp.92.H
Morſibus venenoſis reſiſtit agaricum. de ſimp.med. Sp.80.E
ad Morſus oĩum venenatorũ valet antidotus Zopyria. 2°.*Ɨ an.* 5ª.115.b
ad Morſus omnium venenatorum valet antidotus Athanaſia mithridatis. 2°.*de antidotis.* 5ª.114.H
ad Morſus venenatorum omnium valet antidotus Mithridatis. 2°.*de antidotis.* 5ª.115.D
ad Morſus venenatorũ. 2°.*de anti.* 115.H/5°.*Ɨ ſimp.me.fa.* 5ª.250.F
Morſibus viperarum raphanus prodeſt. de ſimp.med. Sp.89.F
Morſos a vipera ſcorpius ſanat. 11°.*de ſimp.med.fac.* 5ª.82.G
Morſus viperæ trifolium remediat. de ſimp.med. Sp.91.G
Morſos viperæ ſanat theriaca. 5°.*de loc.aff.* 4ª.34.B
Morſi in digito caſus. 1°.*de comp.med.per gen.* 5ª.214.E
a Morſu ſuo hominẽ ſanare q̃o vipera põt. de ther.ad Piſ. 5ª.93.G
Morſu viperæ liberans. de med.fac.par. 7ª.179.C
Morſi a vipera caſus. 5°.*de loc.aff.* 4ª.34.A
MORSVS *oculorum quibus curandi.* 13°.*met.me.* 7ª.86.A
Morſus oris ventriculi aut cordis q̃o fiat. c.4°.*aph.* 65°. Ex.34.E
Morſus vẽtriculi fit ſiquis ſanus, præſertim bilioſus, abſtineat a cibis, & cur.com. 6°.*aph.* 50°. Ex.52.G
Morſum nõ neceſſe eſt ſeq ſi qs male cõcoxit. 3°.*Ɨ ſymp.cau.* 3ª.30.B
Morſus patitur os vẽtriculi ratione ſocietatis. 1°.*Ɨ ſymp.cau.* 3ª.17.H
Morſus in ventriculo choleram notat. com. 4°.*aph.* 2°. Ex.27.E
Morſus cordis ſignificat purgationem debere fieri per ſuperiora. commentario. 4°.*aphoriſmo* 17°. Ex.29.A
Morſum ſtomachi ſanat ſpica nardi. 8°.*de ſimp.med.fac.* 5ª.56.G
Morſu ſtomachi nauſeam, & vomitum bilioſum faciunt capitis fracturę. 3°.*de loc.aff.* 4ª.18.C
Morſus vehemens facit tormina. com. 4°.*aph.* 11°. Ex.28.D
Morſum ilij ſequitur dolor. com. 6°.*aph.* 40°. Ex.50.H
Morſus qui aſſiduas facit excretiones, vnde, & quot de cauſis fiat. 3°. *de ſymptomatum cauſis.* 3ª.27.D
Morſus ex morbo quo modo fiat. in 3ᵐ.*de mor.vul.com.* 2°.3ª.139.E
Morſibus quæ ſuccurrant. 2°.*de ſimp.med.fac.* 5ª.12.C
Morſibus ſuccurrit ceratum ex roſaceo, & adipe. 2°.*de ſimp.medicamentorum facul.* 5ª.12.C
ad Morſus clyſter ex oleo, ſabina, & Anſeris pinguedine. 8°.*methodi medendi.* 7ª.53.F
in Morſus 7°.*de comp.med.per ge.* 5ª.267.C
Morſus ex humorum acredine vterum irritans abortus eſt cauſa. 3°.*de naturalibus facultatibus.* 7ª.305.H
ſine Morſu vt ſiccent metalla, ſint elota. 6°.*met.me.* 7ª.38.C
Morſum tollit medicamentis lotio. 6°.*met.med.* 7ª.38.C
Morſu expers medicamentum vlcus purum ſeruat. 2°.*de comp.medicamento.per gene.* 5ª.277.B
MORTALE *eſſe omne corpus nouum, & temporaliter creatum ſtoici dicebant. de ſperma.* Sp.38.A
Mortales morbi non fiunt hyeme. com. 2°.*aph.* 25°. Ex.16.A
Mortalia ſigna habentur. commẽ. 4°.*aph.* 21°.29.D/*aphor.* 22°.29.G/*apho.* 23°.29.H/*apho.* 24°.29.H/*aphor.* 26°.30.C/*apho.* 34°.31.B/*apho.* 35°.31.E/*apho.* 37°.32.B/*aphor.* 42°.32.E/*aph.* 46°.32.G/*apho.* 48°.33.A/*aph.* 50°.33.C/*aph.* 57°.33.G/*aphor.* 67°.34.F/*apho.* 70°.35.B/*com.* 5°.*aph.* 1°.37.C/*aph.* 2°.37.E/*aph.* 6°.37.H/*apho.* 12°.38.D/*apho.* 14°.38.F/*aph.* 15°.38.F/*apho.* 16°.38.G/*apho.* 21°.39.C/*aph.* 30°.40.C/*aph.* 43°.41.E/*c.* 6°.*aph.* 19°.48.B/*apho.* 33°.50.A/*apho.* 43°.51.B/*apho.* 44°.51.C/*apho.* 46°.51.G/*apho.* 50°.52.F/*apho.* 52°.53.A/*cõ.* 7°.*aph.* 1°.54.A/*aph.* 4°.54.C/*apho.* 23°.55.E/*apho.* 25°.55.G/*apho.* 31°.56.C/*apho.* 45°.57.F/*apho.* 46°.57.G/*apho.* 48°.57.H/*apho.* 51°.58.C/*aphor.* 57°.59.B/*apho.* 60°.59.F/*aph.* 73°.60.H/*aph.* 75°.76°.60.H/*aph.* 69°.60.F/*aphoriſmo.* 70°. Ex.60.G
Mortalis declinationis pulſus. 3°.*de criſ.* 4ª.142.F/G
MORTARIA *qualia eſſe debent.* 1°.*de antid.* 5ª.107.E
Mortarium æreum. 5°.*de comp.med.per ge.* 5ª.252.E
Mortarium ligneum ac piſtillus. 10°.*de comp.med.ſec.lo.* 5ª.206.C
Mortario cum piſtillo plumbeo reddunt res frigidiores. 9°.*de ſimplic. med.fac.* 5ª.70.E
Mortario plumbeo vtitur. 1°.*de comp. me.ſe.lo.* 127.H/9°.5ª.205.E
Mortario plumbeo, & piſtillo vtitur. 1°.*de com.me.ſec.lo.* 5ª.130.C
Mortarium quo modo pelle cingendum, & cur. 1°.*de antid.* 5ª.110.B
MORTIFERVM *ſignum eſt calidum exire vaporem per cutem, cum prius anhelitus fuerit frigidus. in* 6ᵐ.*de morb.vul.cõ.* 4°.3ª.187.C
Mortiferis puncturis oĩbus valens electurũ. de me.exper. Sp.107.A
Mortiferas medicinas medicamen. de med.exper. Sp.106.B
MORTIFICATIONI *membrorum valens medicamen. de medicinis expertis.* Sp.104.E
MOTIS *nomine quid appellatur. com.* 6°.*aph.* 40°. Ex.50.H
Mors quid ſit. 1°.*de diff.feb.* 3ª.34.E
Mors quid proprie ſit. 3°.*de criſ.* 4ª.141.C
Mortẽ ẽt cõtinet iudiciũ cõiter acceptũ. ī 3ᵐ.*Ɨ mor.vul.c.* 2°.3ª.138.a
Mors naturalis, quæ. 1°.*de diff.feb.* 3ª.34.E
Mors quo modo fiat ſecundum Platonem, quod animi mor. 1ª.317.H
Mors, & ſomnus quo modo fiant. de hiſt.phil. Sp.11.G
Mortis frater quo modo eſt ſomnus. 3°.*de dign.pul.* 4ª.98.A
Mors eſt ſubſtantiæ ſemper mobilis quies. de palp. 3ª.54.G
Mors caloris naturalis extinctio. 2°.*de temp.* 1ª.16.D
in Morte calor naturalis extinguitur. de marc. 3ª.45.H
Mors deducit ad frigidum, & ſiccum. 1°.*de temp.* 1ª.11.C
Mors non eſſet, ſi non alteraremur. de morb.temp. 3ª.85.C
Mors non accideret homini, ſi nihil deflueret, vacuareturq̃. 16°.*de vſu partium.* 1ª.220.E
Mors, ſanitas, & morbus vt differunt, ita naturalis motus, immobilitas & prauus motus. 1°.*de præſag.ex pulſ.* 4ª.110.G
Morte pertubari non debemus. de cog.cur.animi mor. 2ª.54.E
Mors non timenda eo qd indifferens habetur, nec bonum, videlicet nec malum

malum.7°.de decr Hip. 1ª.268.E
Mortis meditatio vocata ab Asclepiadi medicandi ratio antiqua.de venæ sect.aduer.Eras. 6ª.6.G
Mortis genus in Athletis,quod.ad Thras. 2ª.107.G
Mors Milonis.in oratio exor. Isa.5.C
Mors quæ semper sequatur.5°.de loc.aff. 4ª.28.H
Mors cur ob cerebrum læsum superueniat.de vti.resp. 1ª.226.D
Mortem inducit spiritus corruptus in cerebro.in 6ᵐ.de mor.vul.commentario.5°. 3ª.189.H
Mors cur sequatur ob spiritus læsos.de vtil.resp. 1ª.226.D
Mors quando necessario sequitur ad rigorem.2°.d' symp.cau. 3ª.23.G
Mors quo modo ad calorẽ immodicũ sequatur.c.5°.a.16°. Ex.38.H
Mortem inferre non possunt musculi præcordiorum inflammati.in prognost.com.1°. 4ª.196.B
Mortem inducit vehemens febris.com.4°.aph.35°. Ex.31.F
Mors sequitur cum functio aliqua ad vitã necessaria perit.4°.de præsagitione ex pulsibus. 4ª.121.G
Mortes sequuntur ex crudis ad malos abscessus conuersis.commentario.4°.aphorismo.22°. Ex.29.G
Mortem facit cordis vitium.3°.de decr.Hipp. 1ª.245.E
Mors semper sequitur vulnerato corde.de subs.emp. Is.32.D
Mortes in annis inconstantibus fiunt.com.3°.aph.8°. Ex.20.G
Mortes fiunt autumno.com.3°.aph.9°. Ex.20.G
Mortis tempus quando.4°.de præsag.ex puls. 4ª.121.G
Mors in principio,in statu,& in augmento.3°.de cris. 4ª.141.G
Mors in augmento circa initia,& in statu.3°.de cris. 4ª.141.E
Mortem significat Θ.in 3ᵐ.de morb.vulg.c.1°.130.H/2°. 3ª.136.E
Mortis signum in cephaleæa.de dyn. Sp.23.C
Mortis dies,& hora noscenda est.præsag.ex per.cons. Sp.77.C
de Morte vires iudicant quando adsunt vehementia symptomata.in 1ᵐ.de morb.vulg.com.3°. 3ª.122.E
Mors quo modo cognoscatur futura.4°.de præsag.ex puls. 4ª.121.G
Mors sine crisi quomodo præcognoscatur futura.3°.de cris. 4ª.143.B
Mortis sine crisi tres modi,& quales.3°.de cris. 4ª.142.G
Mortem ægritam prænuntiant signa exitialia.c.1°.aph.12°. Ex.6.D
Mortis signa duo.com.2°.aph.43°. Ex.18.C
Mortem in causo significat vrina pinguis.de dyn. Sp.34.B
Mortem subitaneam ostendit vrina sanguinea cum dolore capitis, & hypochondrij dextræ partis.de dyna. Sp.34.B
Mortis genus quoddã repentinum,quale.2°.d' præsa.ex puls. 4ª.III.A
Mortem ostendit vrina viridis critico die immutata.de dy. Sp.34.B
Mortem significat vrina si ex bono colore in malum die critico conuersa fuerit.de dyn. Sp.34.C
Mortem significat, aut longam ægritudinem in synocha vrina choleri co colore nebulã albã hñs,& surfures supnatãtes.de dyn. Sp.34.C
Mortem,phrenetim,aut spasmum in synocha significat urina tenuis cũ nebulis non bonis.de dyna. Sp.34.C
Mortem mulieribus significat vrina tenuis, maxime si dolor capitis, & scapularum,& insomnia fuerit.de dyn. Sp.34.E
Mortem non significant vrina tenues,et decolores,sed desiderant tempus ad coctionem.in 1ᵐ.de mor.vul.c.3°. 3ª.118.C
Mortem cito ventura nunciat nrina cũ sudore,si in febriũ synocharum augmento fuerit,& abundantia vrinæ fuerit.de dyn. Sp.34.D
Mortem futuram dicit,aut longinquã ægritudinem vrina crocea turbulenta cum nebulis non bonis egesta.de dyn. Sp.34.B
Mortem,laborem,dolorem,& grauedinem significat vrina crocea,et spissa.de dynam. Sp.34.E
Mortẽ significat in synocha urina subalbida,et spumosa,aut ruffa,et si ex cholerico humore ipsa ægritudo nata fuerit.de dy. Sp.34.D
Mortẽ futurã ĩ quibus affectibus p̃dicat vrina rubra.d' dyn. Sp.35.D
Mortẽ cito futuram significat in synocha vrina rubra, et spissa si fuerit in augmẽto febriũ,& abũdantia eius fuerit.de dy. Sp.34.D
Mortem significat in synocha vrina nigra,& spissa non boni coloris si multus vesicæ dolor fuerit.de dyn. Sp.34.E
Mortem ostendit in synocha vrina nigra,& tenuis,& efluosa si æstuatio fuerit cũ sastidio,et si turbatũ sensum patiens habuerit,et nõ recte intelligat,& loquatur,aut malefactio nõ d'fuerit.d' dy. Sp.34.E
Mortem nunciat in synocha vrina nigra,& lucida cum sudore,& dolore hypochondriorum.de dyn. Sp.34.E
Mortem significat in synocha vrina spissa,& cholerica,si fuerit in augmento febris.de dyn. Sp.34.E
Mortem significat aut spasmum vrina non bonum colorẽ habens,& si non fuerit digesta, vel constitutionem vrinæ animalis similem habuerit,& mista in calice cito resederit,& amens patiens fuerit,& insomniam senserit.de dyna. Sp.34.E
Mortem in quibus affectibus prædicat vrina alba, aut subliuida.de dynamidijs. Sp.35.D
Mortem proxima significat vrina alba,si se subito in malum colorem mutauerit.de dyna. Sp.34.G
Mors proxima,loquendi modus Hippocratis.in prog.c.2°. 4ª.203.F
Mortem proximam fore qñ prædicendum.quæsita in Hipp. Sp.113.C
Mortẽ dumõstrat in pleuriticis vrina alba,& subliuida.de dy.S.34.b
Mortem ostendit in pleuritici vrina pinguis,& rufa.de dyn. Sp.34.H
Mortem nunciat aut indigestionẽm in pleuriticis vrina tenuis habens veluti limum liuidum. de dyna. Sp.34.H
Mors quo modo sequatur ad pulsum intermittentem.1°.de præsagitione ex pulsibus. 4ª.110.H
Mortẽ significãt sudore frigidi cũ acuta febre.præs.exp.cõs. Sp.77.F
Mortẽ significat vomitus liuidus graueolens.in prog.c.2°. 4ª.201.H
Mortis signum apertum.in 3ᵐ.de morbis vulg.com.2°. 3ª.137.G
Mors quando erit ineuitabilis.de decub.prog.ex math.scientia.12.F/ quasi in Hippo. Sp.113.F
Mortem significant vngues,ac digiti liuidi.in progn.c.2°. 4ª.198.F
ad Mortem vnum inditium malum satis.in prog.c.2°. 4ª.203.H
Mortis periculum nullum est elapso statu.3°.de crisibus. 4ª.141.B
Mortem in statu fieri,colligi potest.com.4°.aph.34°. Ex.31.C
Mortem tardant iuuentus,& valida materia.in 3ᵐ.de mor.vul.commentario.1°. 3ª.132.H
Mors vt euitet potius lædẽdus ẽ habitus anodynis.12°.me.m.7ª.75.B
in ad Mortem iudicatis experimentum de theriaca faciunt prætores. de theriaca.ad Pisonem. 5ª.90.A
Mors qũo ex vituperarum morsu citius adsit.de ther.ad Pis.5ª.93.B
Mortem generosam obire maluit Cleopatra quàm in seruitute viuere. de theria.ad Piso. 5ª.93.B
MORTIFICATIONEM *quandam ventriculo aduenisse in longis difficultatibus intestinorum compatiendi ratione quo casu significetur. com.6°.aph.3°.* Ex.46.F
MORTVO *homine inquit Aristoteles humores in terram redire.de spermate.* Sp.40.E
Mortuo homine humores separantur, & ad propriã naturam redeũt secundum aliquos.de sperm. Sp.40.E
Mortua Corpora in Tabem vertit luna.2°.de dieb.decr. 4ª.157.A
Mortis nihil prodest laus multitudinis,viuentibus prodest.7°.methodi medendi. 7ª.43.E
Mortuus homo quo modo sit anodynon.5°.de simp.med.fac. 5ª.37.A
Mortui sunt aliqui ob refrigerationem capitis pro capillis denigrãdis. 1°.de comp.med.sec.loc. 5ª.126.G
Mortui ex frigore aliqui.de caus.procatar. 3ª.96.C
Mortui pedes a frigore.2°.de loc.aff. 4ª.8.E
Mortuus pedis digitus secunda die.2°.de diff.resp. 3ª.68.B
Mortui aliqui ex timore.2°.de symp.cau. 3ª.23.E
Mortui tabidi ex tristitia.6°.de comp.med.per ge. 5ª.254.H
Mortuus qui dolore animi.2°.de comp.med.per ge. 5ª.218.B
Mortui ferè sunt omnes, qui in toto primo epidemiorum libro numerati sunt.2°.de dieb.dec. 4ª.152.H
de Mortuis etiam dicitur crisis.2°.de dieb.dec. 4ª.153.B
Mortui multi subito sunt sine crisi,sanati vero nulli.3°.d' cris. 4ª.142.E
Mortuũ corpus cur non potest in latus stare.2°.de motu mus. 1ª.314.E
Mortuum fœtum expellit dictamum.de simp.med. Sp.83.D
Mortui anatomia dẽt p̃cedere viui anatomiã.9°.de ana.adm. 1ª.103.b
Mortui animalis partes perfundantur aqua calida,ita facile videbuntur.8°.de vsu partium. 1ª.168.B
in Mortui anatomia quid videatur.9°.de anat.adm. 1ª.103.H
MOREA, *id est morus.7°.de simp.med.fac.* 5ª.57.B
MORVS *quid.de simp.med.* Sp.87.G
Mororum nomen vnde natum.2°.de alim.fac. 2ª.18.G
Mora,& sycamina idem.2ª.de alim.fac. 2ª.19.B
Moris quædam cerasia similia.2°.de alim.fac. 2ª.19.B
Mora quo modo in obsonijs sumantur.7°.de simp.med.fac. 5ª.56.C
Mora quando sunt idonea.de bon.& vitio suc. 2ª.39.B
Mora abluenda sunt antequàm mandantur.2°.de alim.fac. 2ª.19.B
Mora epilepticis conueniunt.de puero epil. 7ª.180.C
Mora inter fructus minus noxios numerantur.de atten.vic. 2ª.45.H
Mora minus noxia fugacibus.2°.de alim.fac. 2ª.18.H

Mora rubi innoxia ſunt ſi edantur.6°.de compoſi.med.ſe.lo. 5ª.169.A
Mora non poſſunt conſeruari.de bon.& vitio ſuc. 2ª.36.H
Mora ſi diu ſtent in ventre,corrumpuntur.2°.de alim.fac. 2ª.19.A
Mora velociter corrumpuntur in ſtomacho.de diff.cont. Sp.74.H
Mora etſi moderatiora perſicis,& prunis,cum corrumpuntur non habent in ſe minus vitij quàm illa.de bon.& vi.ſuc. 2ª.37.E
Mora ſi corrũpãtur ſũt letalib. venenis.de bo.& vi.ſu. 2ª.37.E
Mora corrumpuntur nouo genere corruptionis vt cucurbitæ.2°. de alimen.facul. 2ª.18.H
Mora corrupta obſunt,vt pepones.2°.de alim.fac. 2ª.18.H
Mora non lædunt ventriculum,vt pepones.2°.de alim.fac. 2ª.19.A
Mora vomitum non excitant,vt pepones.2°.de ali.fa. 2ª.19.A
Mora ſi coquantur ſunt innoxia,niſi liberalius ſumantur. de bonitate, & vitio ſuccorum. 2ª.37.F
Mora habent contrarias facultates.2°.de alim.fac. 2ª.19.A
Mora ſunt humida.de diff.cont. Sp.74.D
Mora humectant,non tamen refrigerant niſi frigida ſumantur. 2°. de alimentorum facul. 2ª.19.A
Moris vtẽdũ eſt cũ vẽtriculus ſqualore æſtuat.2°. de ali.fa. 2ª.18.H
Mora frigida.4°.de ſimpli.med.facul. 5ª.26.D
Mori acinus planè frigidus eſt.4°.de ſimp.me.fa. 5ª.25.B
Mororum ſuccus aptus eſt ad refrigerandum caput. 2°.de compo.medica.ſecun.loc. 5ª.132.G
Mora ſemen ſupprimũt,tñ nõ corrũpunt.5°.de ſim.me.fac. 5ª.38.C
Mora vt pepones parum nutriunt.2°.de alim.fac. 2ª.19.A
Mora cur parum nutriunt.de diff.cont. Sp.73.F
Mora acerba,& ſicca ſunt nup enata,vbi maturuerint dulcia, & progreſſu tẽporis humidiora redduntur.4°.de ſim.me.fac. 5ª.25.F
in Moris immaturis acida qualitas acerbam ſuperat.7°. de ſimplicũ medicamentorum facultatib. 5ª.50.H
Mora immatura ſunt etiam acida.2°.de alim.fac. 2ª.18.H
ex Moris immaturis ſtupor dentium.3°.de alim.fa. 2ª.28.C
Mora nondum matura adſtringunt.2°.de ali.fac.2ª.18.H/7°.de ſimpl. med.facul. 5ª.56.C
Mororum ſuccus multũ adſtringit.6°.de com.me.ſe.lo. 5ª.167.D
Morus habet diuerſum effectum ab alijs adſtringentibus.3°.de ſimpli. med.facul. 5ª.20.D
Mora immatura pro dyſenteria,& diarrhœa.2°.de alim.fac.2ª.18.H
Mori fructus ad dyſenterias accommodus eſt,et affectiones cœliacas. 7°.de ſimp.me.fac. 5ª.56.C
Mora minus ſiccãt,q̃ amygdale,et terebinthi ſemẽ.5°.d̃ ſa.tu.2ª.92.d
Mora ventrẽ lubricant.2°.de ali.fac.19.A/de atten.vic.2ª.45.H/7°. de ſimp.me.fac.5ª.56.C/de diff.cont. Sp.75.A
Mora ventrem laxant,digeſtionem faciunt, ſynanche laborantes curant,vulnera,attritiones,putredines,ſynanchem cum tumore venientem emendãt, vitia oris abſtergunt.de ſimp.med. Sp.87.H
Mori radicũ cortex ventrẽ ſoluit,lumbricos eijcit.de ſim.m. Sp.87.H
Mori radicis cortex amarus eſt.7°.de ſimp.me.fac. 5ª.56.C
Mori radicis cortex latum lũbricũ interficit.7°.d̃ ſim.me.fa. 5ª.56.C
Mori radicum decoctum eſt adſtringens moderatum pro gargariſmis. 6°.de compo.med.ſecun.loc. 5ª.172.F
Mora cur facile deſcendant,& ſubducant ventrẽ.1°.de ali.fa.2ª.8.C
Mora ſylueſtria quid.de ſimp.med. Sp.87.H
Mora ſylueſtria ſtringunt fortiter ſynanchicos melius curant alys.de ſimp.med. Sp.87.H
Mori ſolo ſucco vſus eſt in inflammationibus incipientibus.6°.de com. medic.ſec.loc. 5ª.167.B
Mori ſuccus q̃o coquẽdus in Diamoro.6°.de cõ.me.ſe.lo. 5ª.168.D
Mororum ſuccus debilis.6°.de compo.med.ſec.loc. 5ª.171.F
Mororum rubi ſuccus fortior.6°.de compo.med.ſe.loc. 5ª.171.F
ex Moris medicamentum.5°.meth.me.34.C/13°. 7ª.83.C
ex Moris medicamentum omnibus notum eſt.6°.de compoſit.medicamen.ſecun.loc. 5ª.166.H
Mororum ſuccus ad ſtomaticha medicamẽta.7°.de ſim.me.fa. 5ª.56.C
Mororum rubi ſuccus roborat quandoque ſtomachum.6°.de com.medicamen.ſec.loc. 5ª.169.A
Mororũ ſuccus non roborat ſtomachũ.6°.de cõp.me.ſe.lo. 5ª.169.A
ex Mororũ batinorum ſucco medicamenta ſunt efficaciora.2°.de alimentorum facul. 2ª.19.B
Mora batina.6°.de comp.medica.ſec.loc. 5ª.169.A
διὰ Μώρων medicamentum. 2°.de alim.fac. 2ª.18.G
Mori lac.5°.de compoſi.med.ſecun.loc. 5ª.163.C

de MORIBVS *iudicat philoſophus.de opt.ſecta.* Iſa.23.C
de Moribus,et vitijs ſenex conſulẽdus.de cog.cur.animi mo. 2ª.53.G
Mores inſiti naturaleſq̃, alij,alij philoſophici dicũtur.ar.med.Iſ.65.A
Mores philoſophici ab inſitis naturalibus q̃, diſtingũtur.ar.me.Iſ.65.a
Mores vbi ſint plurimum differentes.de aere,aquis,& loc. 2ª.6.D
Mores hominum ſequuntur regionis naturam.quod aĩ mor. 1ª.320.A
Mores,formeq̃, hominum regionis naturæ ſunt compares. de aere,aqu. & locis. 2ª.6.E
Mores temperatos facit temperata regio.quod animi mor. 1ª.319.H
Mores ferinos,& agreſtes qui habeant.quod animi mor. 1ª.320.A
Mores agreſtes habent qui ad ſeptẽtrionẽ degũt.quod aĩ mor. 1ª.319.H
Mores pertinaces qui habeant.de aere,aq.& loc. 2ª.6.E
*Morũ,porũ generatio fit ex quatuor hũoribus.d na.hu.c.*1°.1ª.33.B
Mores quos faciat ſanguis.de nat.& ord.cuiuſ.corp. Sp.41.E
Mores quod faciat bilis.de nat.& ord.cuiuſ.corp. Sp.41.E
Mores quod faciat pituita.de nat.& ord.cuiuſ.corp. Sp.41.E
Mores ex ſubſtantiæ temperatura.2°.de ſem. 1ª.337.C
Moribus idoneum corpus præparat natura.2°.de ſem. 1ª.337.C
Moribus optimis pueri ſunt inſtituendi.de cog.cur.ani.mor. 2ª.54.B
More Romano Romæ viuendum.6°.met.med. 7ª.42.H
Mores ægrotantis ſunt cognoſcendi.1°.de præſag.ex pulſ. 4ª.105.B
*Mores hominũ qbus medicamur noſcẽdi.de ijs,q̃ in me.ſi.c.*1°.7ª.198.b
Mores aĩ qũo ex geſtu produntur.in 1ᵐ.*de mor.vul.com.*3°.3ª.117.H
Mores,& differentias,& eſſentias non nũquã vocat Hippocrates modos febrium.in 1ᵐ.*de mor.vul.com.*3°. 3ª.120.A
Mos morbi vnde cognoſcatur.1°.de criſ. 4ª.126.A
MOSCHIONIS correctoris pulſus definitio.4°. de differentijs pulſuum. 4ª.69.D
Moſchio librum fecit de ornatu.1°.de comp.med.ſec.loc. 5ª.124.D
Moſchionis arteriaca.7°.de comp.med.ſec.loc. 5ª.179.E
Moſchionis catagmaticum.3°.de comp.med.per ge. 5ª.235.C
Moſchionis emplaſtrum.2°.de comp.med.per ge. 5ª.224.F
Moſchionis ad nomas.5°.de comp.med.per ge. 5ª.254.B
Moſchi ad alopecias compoſitio.1°.de comp.med.ſec.loc. 5ª.123.C
Moſchionis pharmacum ad fracturas.2°.de comp.me.per g. 5ª.225.E
Moſchi malagma.4°.de comp.med.ſe.loc. 5ª.157.G
MOSYLLVM *cinnamomi ſpecies p̃ſtãtiſſima. de ther.ad Piſ.* 5ª.94.H
MOTIO quid.ſin.med. Iſa.50.C
Motio ſex modis cõficitur qui ſunt generatio,corruptio, augmẽtũ, decremẽtũ,alteratio,& à loco in locũ translatio.ſin.med. Iſa.45.A
in Motione omni naturali ſanguis & ſpiritus concurrunt. de ren. aſſe. dign.& med. 7ª.193.A
Motiones propriæ capitis breuiſſimæ ſunt.de muſ.diff. 1ª.45.D
ad Motionem ſui non indiget cerebro cor,& è contrario. de Hippo.& Plat.decret. 1ª.232.B
*Motiões varias.& vigilias ĩducũt calida medic*ª.2°.*de lo.aff.*4ª.14.A
Motionibus exhauritur plenitudo.de cur.rat.per ſang.miſſ. 6ª.18.E
ſi Motio aſſidua interceſerit nihil cum alio coire,aut iungi poteſt 1°.*de ſemine.* 1ª.330.H
à Motionibus factis ſumitur ſanguinis mittendi quantitas. de curandi ratione per ſang.miſſ. 6ª.18.D
MOTIVE *virtus cauſa eſt anima.de anat.viu.* Sp.56.D
Motiuæ virtutis diuiſio.de ana.viu. Sp.44.F
Motiua actio in quo conſiſtat.de ſymp.diff. 3ª.11.D
Motiuarum actionum prima ſymptomata quæ, & in quod diuidantur. de ſymptomatum differentijs. 3ª.11.F
Μότος μικτὸς, *ideſt carpinatum.*11°.*de ſimp.med.fac* 5ª.83.G
Moti qui.5°.meth.med. 7ª.30.D
MOTVRA *inſtrumenta animalis membra robuſta eſſe debent.de decretis Hippocratis.* 1ª.234.A
*Motura debent eſſe maiora,& fortiora mouẽdis.3°.de vſu p.*1ª.134.B
MOTVS *eſt vnum ex ſex rebus non naturalibus. ars med.* Iſa.68.C
Motus neceſſario noſtro corpori occurrit.ad Thraſy. 2ª.104.D
*Motus quid ſit.1°.meth.me.*7ª.6.B/*de hiſt. phil.* Sp.4.B
*de Motu cõuenit diſputare in philoſophia naturali.1°.de mo.m.*1ª.311.F
Motum negantiũ rõnes Diogenes deludebat de cauſ.procatar. 3ª.97.G
Motus dum ſit eſt.4°.de diff.pul. 4ª.67.H
Motus in agendo eſt.16°.de vſu par. 1ª.215.C
Motus omnis in actione poſitus eſt.in 3ᵐ.*de morb.vul.c.*1°. 3ª.129.D
Motus per ſacere explicatur,ſenſus per affici.1°.de lo.aff. 4ª.7.D
in Motu quędam habent ſuam eſſentiam.2°.meth.med. 7ª.10.H
Motus & actio quo modo differant.de mot.man.& obſc. Sp.66.G

Motui an contraria sint quies vel priuatio.1°.de symp.cau. 3ª.17.C
Motus duplex in loco,& in qualitate.2°.meth.me. 7ª.10.A
Motus omnis habet tempus.2°.de dign.puls. 4ª.75.B
Motus fieri non potest nisi ossa simul articulentur,& per musculos cõnectantur.12°.de vsu par. 1ª.192.G
ad Motus,& sensus sustentamentum sunt ossa pedum,tibiarum,& crurum.de anat.viuo. Sp.55.C
pp Motum in quibus partibus facta sunt ossa in quibus vero propter alia.11°.de vsu par. 1ª.191.C
Motus vnde habeatur in animalibus.7°.de dec.Hip. 1ª.269.F
Motuum tria principia.de fæt.for. 1ª.326.C
Motus,& sensus vniuersis corporis partibus à cerebro suppeditatur.5°.de locis affectis. 4ª.29.A
Motus,& sensus principium est cerebrum.de ana.viuo. Sp.45.H
Motũ,& sensũ bũt à cerebro corpis ptes.de vir.nost.cor.dif. Sp.60.C
Motum ac sensum accipit à cerebro spina.3°.de loc.aff. 4ª.20.H
Motus,et sẽsus principiũ est à corde ſm Aristotelẽ.d vti.resp. Sp.63.D
Motus,& sensus principiũ nõ esse cor probat Gale.de an.vi. Sp.45.H
Motus,& sensus principium esse cor contra Galenũ probatur.de anatomia viuorum. Sp.45.H
Motus,ex volũtate et sẽsus vñ ẽ ibi aĩæ pricipiũ.8°.de de.Hi. 1ª.273.B
Motus principia sunt quinque vt in manu.3°.de vsu par. 1ª.131.H
Motum,& sensum partium qui musculi faciũt.1°.de lo.aff. 4ª.7.E
de Motibus quid sciat qui se exercet.3°.de san.tuen. 2ª.75.D
de Motibus qui sciat Gymnastes.2°.de san.tuen. 2ª.75.D
Motuũ quos exercẽt, vires ignorant artifices.2°.de san. tuen. 2ª.75.E
Motus qui spectant ad artem tuendæ sanitatis.2°.de san.tu. 2ª.75.D
Motum, & quantitatem,& formam corporis cur solus visus sentiat. de oculis. 7ª.105.A
Motus non solo sensu sed etiam ratione deprehendi volunt dogmatici.4°.de diff.puls. 4ª.66.B
Motus actiuus est actio.1°. meth.me.6.B/2°.7ª.10.A/B/ de motibus manifestis & obscuris. Sp.66.G
Motus qui nõ sunt actiones sunt in triplici genere.2°.de sa.tu. 2ª.75.B
Motus passiuus est alteratio.2°.meth.med. 7ª.10.A
Motus ab alio prodiens est passio.de mot.man.& obs. Sp.66.G
Motus ab altero qui sit.1°.de san.tuen. 2ª.65.E
Motus oĩs ab altero in alterũ dr passio a Platone.de sym.dif. 3ª.10.D
Motus multi fiunt patiendo.17°.de vsu par. 1ª.221.C
Motus qui per alia perficiuntur.2°.de san.tuen. 2ª.75.D
Motus sensibiles duplices a naturali ĩpetu,& vitales.de palp. 3ª.51.d
Motu & sensu differt aĩal a non animali.1°.de motu musc. 1ª.309.B
Motus triplex genus in homine.8°.de decr.Hip. 1ª.273.B
Motus secundum accidens tangitur a Galeno.7°.de vsu par. 1ª.158.A
ex Motu partiũ anatomiã qũo cognoscebãt.1°.de ana.adm. 1ª.64.A
Motuum animalium gubernatrix vis auctrix.de pal. 3ª.53.C
Motus perficit anima, non nervus aut lacertus.de pal. 3ª.53.C
Motuum in animalibus diuersitas. in 3ti. de morbis vulga. commentario 1°. 3ª.129.D
Motus animales otiantur in somno,& sensuales,& musculorum. commen.4°.aph.15°. Ex.28.H
Motus ſm aĩam,est quandoq; causa aborsus.cõ.4°.aph.1°. Ex.27.B
a Motu animæ & corporis fit febris.præsag.exper.conf. Sp.77.D
Motus diuersæ species.1°.de nat.fac. 1ª.290.H
Motus ab arterijs & corde vitales sunt.de palp. 3ª.51.D
Motus arteriarum sequitur motum cordis.de ana.viuo. Sp.47.A
Motus pulsus principiũ arterijs est cor.de vir.nos.cor.dif. Sp.60.D
Motũ Articulorũ tardũ reddit repletio.2 6m.d mor.vul.c.5°.3ª.190.b
ad Motum quot modis redigantur articuli inepti.de diff.mor. 3ª.4.B
Motus Assumptiuus qui.7°.de vsu par. 1ª.161.G
Motus Brachiorum & figurationes.de frac.com.1°. 7ª.226.A
Motus brachij fit a vi animali.2°.de symp.cau. 3ª.20.A
Motus postbrachialis cum brachiali est latens,& obscurus.de musculorum dissectione. 1ª.49.D
Motum proprium Capiti dantes musculi,quales,vnde orti, & eorum processus, ac munus.de musc.diss. 1ª.43.D
Motus capitis abnuendo a quibus fiat musculis recte,& a quibus cum inclinatione.de musc.diss. 1ª.45.G
Motus secundi musculi capitis est obliquus, & circumagit caput in priorem partem.de mus.diss. 1ª.45.E
Motum excitat,& vigilias causa calida.2°.de loc.affe. 4ª.14.B
in Motibus calidum,& frigidũ faciunt diuersitatem, & sunt eorũ principia.14°.de vsu par. 1ª.206.C
ad Motum procliuius est coryus calidius.3°.de præs.expul. 4ª.116.E
ad Motus qui sunt segniores.2°.de san.tuen. 2ª.73.D
ad Motum ignaui,& pigri sunt plethorici & qui passi sunt frigus.2°. de sanitate tuenda. 2ª.73.E
Motus Celer qui.3°.de dign.puls. 4ª.82.A
Motus qui celerior,& qui tardior.2°.de dign.puls. 4ª.75.G
Motus celeritatem significat stridor vt de Cyclope oues agente scribit Homerus.3°.de diff puls. 4ª.60.B
Motus celeritate resarcitur defectus.1°.de cau.puls. 4ª.87.E
Motus celeres, & multi excitant lassitudinem vlceris.3°. de sanitate tuenda. 2ª.79.A
Motu celeres,robusti,graues an dẽsent, vel emacient nescit hoplomachichus.2°.de san.tuen. 2ª.75.D
Motus celer augendo plurimum calorem corpus colliquat . de salubri diæta.40.H/ 2ª.41.A
Motus oĩs celer vitãdus est siccis tẽperamentis.6°.de san.tu. 2ª.96.E
Motus Ceruicis quibus fiant musculis.de mus.diff. 1ª.47.A
Motus ante tps,et citatiores pñt figurã inuertere nälẽ.de ca.m. 3ª.8.F
Motus cõpositus ex duobus motibus ẽ immobilitas.de palp. 3ª.51.H
Motus compositus in tibia qui.2°.de ana.adm. 1ª.70.A
Motus plures mixti cur facti a natura.15°.de vsu par. 1ª.213.G
Motuum exactam mixturã Deus tantum nouit.3°.de decr. 4ª.159.F
ex Motibus Cõtrarijs quorũ & alter alterũ mutuo excipit, & consequitur,alterũ nõ põt sine altero conseruari.de vtil.resp. 1ª.224.G
inter Motv duos cõtrarios necesse ẽ qetẽ iteruenire.d ana.vi. Sp.46.H
Motus cõtrarij sibi ĩuicẽ succedẽtes simul pcũt.1°.d mo.mu. 1ª.310.C/D
Motus oppositi simul non agunt.1°.de vsu par. 1ª.119.B
a Motibus duobus ex transuerso sibi inuicẽ occurrentibus si vnus multum supereminet,alter perditur.1°.de vsu par. 1ª.119.C
Motus Cordis est primus.de anat.viu. Sp.47.B
Motus cordis,& arteriæ perpetuus est.6°.de lo. aff. 4ª.42.D
ad Motum cerebro non indiget cor.2°.de decr.Hip. 1ª.239.C
Motus cordis principium est virtus motiua.de anat.viuo. Sp.56.D
Motus cordis vbi fit,tanquam in instrumento.de anat.vi. Sp.56.D
Motus cordis dilatatiui quæ causa sit.de anat.viuo. Sp.56.D
Motus cordis constrictionis quæ causa sit.de ana.viuo. Sp.56.D
Motus est causa caloris cordis.de ana.viuo. Sp.56.D
Motus cordis causa est fortitudo virtutis.de ana.viuo. Sp.56.D
Motus fortis, & frequens cordis est causa fortitudinis caloris. de anatomia viuorum. Sp.56.D
Motus frequentis cordis causa est necessitas.de ana.viuo. Sp.56.D
Motus creber cordis quid significet.com.4°.aph.65°. Ex.34.E
Motus Cruris agitatio totius est corporis.de const.ar. Isa.37.B
Motus instrumentum crus.3°.de vsu par. 1ª.129.A
Motu,& firmatione perficitur ambulatio.3°.de vsu par. 1ª.129.B
Motus Densus,celer,numerosus,qui.2°.de symp.cau. 3ª.21.A
Motus secundum Desideriũ qũo læsum sit.in progn.com.2°. 4ª.198.E
Motus Diaphragmatis est in circulum.de ana.viuo. Sp.53.F
Motum,& sensum qui nervus det diaphragmati.de ana.viuo. Sp.53.F
an Motus diaphragmatis sit voluntarius.de vtil.resp. Sp.63.H
Motus quatuor in omni Digito manus.3°.de vsu par. 1ª.131.G
Motus ad latera duplex in digitis.1°.de vsu part. 1ª.119.B
Motũ obliquũ vnicuiq; digito suppeditãtes musculi.d mus.diß. 1ª.52.b
Motũ euidẽtẽ habet primus articulus magni digiti.d mus.dif. 1ª.49.D
Motus medij sunt innumerabiles in digitis.1°.de vsu par. 1ª.116.B
de Motu Egerendi,& vomendi.de mot.man.& obs. Sp.68.G
Motus,exercitatio,labor, an idem.2°.de sanitate tuenda. 2ª.69.E
Motus aliquis alicui est exercitatio,alteri non.2°.de san.tu. 2ª.69.E
Motus qui est exercitatio,qualis.2°.de san.tuen. 2ª.69.E
Motus Exiguus,& lentus salubris est, quibus calor natura mordax est.5°.de san.tuen. 2ª.94.C
Motus Extrinseci.2°.de san.tuen. 2ª.75.B
Motus pprius facultatis quis sit,inueniẽdi modv.1°.de mo.mu. 1ª.311.E
Motus nullus fortis cum inedia fieri debet.com.2°.aph.16°. Ex.12.H
Motus fortes aborsum faciunt.com.7°.aph.27°. Ex.55.H
Motus videntur esse Generatio,& corruptio.4°.de diff.pul. 4ª.67.D
de Motu Gutturis in deglutiendo.de mot.man.& obs. Sp.69.H
in Motu nodi gutturis quæstio.de mo.man.& obs. Sp.70.B
Motus musculus gutturis dum vox editur vbi sit.de mus.dif. 1ª.46.G
a Motu oĩ phibẽdi sunt Horrẽtes,et rigẽtes.2°.de sym.cau. 3ª.22.D
Motus Immodicus fit ex calore.13°.meth.me. 7ª.85.E

Motus immodicus excretiuę virtutis nimiũ laxat. de cau.mor. 3ª.9.B
Motus Incitatorij à cerebro. 7°.*de decretis Hipp.* 1ª.272.G
Motus in instrumẽtis habentꝰ p fibrarũ positura. 3°.*de nat.fa.* 1ª.304.E
Motus Ἰσχρόνοι,& ἐσοδρόμοι. 2°.*de dign.puls.* 4ª.75.F
Motus intẽpestiui,et vehementiores labefactãt mẽbra.& cau.m. 3ª.8.F
Motus Labrorũ in priora ignoratus ab antiquis.de mus.diss. 1ª.44.F
Motu ad suã originẽ fit actio Lacertorũ.de mot.man.& obsc. Sp.70.C
in Motibus,& musculis Lingua mirabilis est.de fæt.for. 1ª.325.C
Motus linguæ sine doctrina fit. 6°.*de loc.aff.* 4ª.42.C
Motũ circũuolutionis in lingua qui musculi faciãt.de ana.vi. Sp.49.C
Motũ duplicationis in lingua qui musculi faciant.de ana.viu. Sp.49.c
Motũ retardationis in lingua qui musculi aciãt.de ana.viuo. Sp.49.D
Motus liquidi sunt illi, qui sunt sensui manifesti.de mo.man. Sp.66.D
Motus localis qui. 1°.*de nat.fac.* 1ª.290.H
in Motu locali tempus,& spatium inseparabilia sunt. 1°.*de difficultate respirationis.* 3ª.57.A
Motus Magnus,& paruus qũo intelligatur. 1°.*de diff.resp.* 3ª.58.G
Motus Manuum quo modo fiat.de mot.man.& obsc. Sp.66.D
Motum manibus qui musculi dent.de anat.viuo. Sp.54.B
Motus manus violentus aquò fiat,et quo mõ. 2°.*de mo.mu.* 1ª.314.B
Motus aliqs in manu cessantibꝰ oĩbus musculis. 1°.*de mot.mus.* 1ª.311.B
Motus Materiæ sunt vehicula,ambulationes,frictiones & balnea. ars medicinalis. Isa.71.F
Motus materiæ turgentis est motus humorum superabundantium. 1°. *de crisi.* 4ª.128.G
Motum Maxillis qui musculi dent.de ana.viuo. Sp.54.B
Motus Membra quanto tempore fiunt.de fæt.for. 1ª.323.H
Motus tempus quando est post formationem.de ana.vi. Sp.52.B
Motus Medius quibus efficiatur musculis.de mus.diss. 1ª.47.G
Motu Moderato indigent scnes. 5°.*de san.tuen.* 2ª.92.D
Motus Morbi vnde cognoscatur. 3°.*de crisi.* 4ª.140.C
Motus celeritas in morbis vnde. 3°.*de crisi.* 4ª.140.E
Motus Multus,& celer aduersissimus est illis quibꝰ calor natura mordax est. 5°.*de san.tu.* 2ª.94.C
Motus multi extenuant.com. 2°.*aph.* 28°. Ex.16.E
Motum primum excipiunt Musculi,& articuli.de cau.mor. 3ª.6.E
Motus principium habent musculi a neruis. 3°.*de loc.aff.* 4ª.20.B
de Motu musculorum liber præcedit librum prognosticorum.in progn. commen. 1°. 4ª.193.E
Motus oĩs ab impetu ptinet ad offm musculorum. 1°.*de lo.aff.* 4ª.7.D
Motus a musculis procedens sunt animales, & voluntarij. 1°.*de mo. mus.* 1ª.309.B
Motus musculorũ est cum appetitu animalis.cõ. 6°.*aph.* 39°. Ex.50.G
Motus quatuor differentiæ in musculis,& quæ. 1°.*de mot.mu.* 1ª.311.F
Motus tertius quo modo sit inuentus. 1°.*de mo.mus.* 1ª.311.C
Motus quartus quo modo sit inuentus. 1°.*de mo.mus.* 1ª.311.C
Motus musculorum agendo perficitur. 1°.*de symp.cau.* 3ª.16.F
Motus quando aliquis vult eleuare pondus, quo fiat musculo. 2°.*de anatomicis administ.* 1ª.70.E
Motus alarum Nasi quid agant. 1°.*de diff.resp.* 3ª.62.H
Motus Naturales,et nõ naturales,de ijs,q in med.fi.com. 3°.7ª.222.D
Motus naturalis qui,& à quibus fiat.de ana.vi. Sp.44 H
Motus vel naturales,vel ex affectibus animi sunt duplices. 2°.*de sanitate tuenda.* 2ª.75.A
Motus naturalis est attractio,retẽtio,et expulsio.de ana.vi. Sp.44.H
Motũ naturalẽ esse anhelitũ quidã existimarũt.de mot.man. Sp.69.H
an Motus naturalis,vel volũtarius sit sternutatio.de mo.ma. Sp.69.b
an Motus naturalis,vel voluntarius sit risus.de mot.man. Sp.69.H
Motus naturalis, immobilitas,& prauus motus ita differunt vt morbus sanitas,& mors. 1°.*de præsag.ex pul.* 4ª.110.G
a Motu naturali differt conuulsio, quia est præter voluntatem. 3°. *de loc.aff.* 4ª.17.E
Motus principiũ primo dat Neruis,postea musculis voluntas in cerebro iuxta neruorum originem ordinata in sanis. 3°.*de lo.aff.* 4ª.17.E
Motũ,ac sẽsũ exhibẽs noĩaĩ neruus,aut tenor.de decr.Hip. 1ª.233.G
Motus omnis,& sensus influẽs influit p neruũ.de ana.vi. Sp.48.A
Motus in nulla animalis parte est sine neruo.de mus.diss. 1ª.53.B
Motum,ac sensum omnes nerui habent. 16°.*de vsu par.* 1ª.214.H
Motum,& sensum dantibus neruis semper indigent musculi. 1°.*de locis affectis.* 4ª.8.B
Motus,& sensus instrumenta sunt nerui. 3°.*de decr.Hipp.* 1ª.245.D
Motus accipitur a neruis. 12°.*de vsu par.* 1ª.193.E
Motum dant nerui duri.intro. Isa.54.A
ad Motum requiritur nerui durities,ad sensum vero mollities. 9°.*de vsu partium.* 1ª.174.F
ad Motum nerui duri apti. 7°.*de ana.adm.* 1ª.96.A
pro Motu nerui duri. 16°.*de vsu par.* 1ª.215.A
pro motu,& sensu nerui duri,& molles. 16°.*de vsu par.* 1ª.215.A
Motus neruus cur durior. 7°.*de decre.Hippo.* 1ª.270.F
Motum faciunt nerui duri.de ocul. 7ª.184.H
Motus Numerosus qui. 2°.*de symp.cau.* 3ª.21.A
Motus numerosus,densus,celer qui. 2°.*de symp.cau.* 3ª.21.A
Motũ Obliquũ faciũt musculi obliq. 2°.*de ana.adm.* 70.A/6°.1ª.90.A
ex Motibus duob. obliquis fit vnus rectus, vt in manu,& carpo. 12°. *de vsu partium.* 1ª.193.F
Motꝰ obliquꝰ qñ distat a recto qd sequaĩ ĩ mẽbro. 12°.*de v.pa.* 1ª.193.H
de Motibus obscuris librum fecit Galenus.de mus.diss. 1ª.44.F
ad Motum Oculi necessarij lacerti sunt.de ocul. 7ª.183.D
ad Motum oculi perficiendum coniunctiua tunica habet sex paria lacertorum.de anat.viuo. Sp.48.G
Motus quos agant musculi oculi.de mus.diss. 1ª.44.G
Motus,& oculorum,& totius corporis fit malus in tempestate australi.com. 3°.*aph.* 17°. Ex.23.F
de Motu Palpebrarum.de mot.man.& obsc. Sp.69.F
Motus palpebrarũ ẽ volũtarius,et naturalis.de mo.ma.et ob. Sp.69.g
de Motu Pectoris an naturalis, vel voluntarius.de motibus manifestis & obscuris. Sp.69.G
Motus pectoris ad quod instrumentum spectet, spectat ad medicũ quærere.de mot.man.& obsc. Sp.66.H
de Motu clibani pectoris in tussi,risu,& sternutatione.de motib. manifestis,& obscuris. Sp.69.G
Motus Pedum quo modo fiat.de mot.ma.& obs. Sp.66.D
Motus pedis actio musculi.de const.ar. Isa.37.A
Motus Perfectos cur non habeant pueri.de marc. 3ª.46.C
Motus Priapi est difficilis.de mot.man.& obsc. Sp.67.D
de Motu virgæ.de mot.man.& obs. Sp.67.D
Motus principium maris semen. 14°.*de vsu par.* 1ª.206.E
Motus quatuor Pulmonis.de hist.phil. Sp.10.B
Motum proprium nullum habet pulmo. 5°.*de loc.aff.* 4ª.31.C
ex Motus qualitate oriuntur Pulsus inæquales celeritate,& tarditate. 3°.*de dignos.pul.* 4ª.80.C
Motus initium percipiemus in pulsibus vehementibus sed non quantitatem. 3°.*de dign.puls.* 4ª.81.G
Motus Recti sex genera secundum Platonem.de hist phil. Sp.8.F
Motum rectum faciunt musculi recti. 2°.*de ana.adm.* 1ª.70.A
in Motibus Remissoribus calor mediocris sanguificationi & nutritioni prodest.de sal.dieta. 40.H/ 2ª.41.A
de Motu respirationis,q notior ẽ visus veterib. de mo.man. Sp.66.H
Motus p respirationẽ sufflãdo accẽdit,aiũt qdã.de vtil.resp. 1ª.224.E
ad Motum respiratoriorum organorum quæ membra mouentur. 1°.*de difficultate respirationis.* 3ª.59.H
in Motu respirationis læsiones. 1°.*de diff.resp.* 3ª.57.D
Motus mistus quo modo est Rigor.de palp. 3ª.54.G
Motus stellarum.de hist.phil. Sp.6.E
Motu indigent Surdastri. 3°.*de composi.med.sec.loc.* 5ª.145.D
Motus est ipsa Tabes. 4°.*de diff.puls.* 4ª.67.D
Motus Tardus qui. 3°.*de dign.puls.* 4ª.80.A
Motus tardi carnem augent,& rarefaciunt. 2°.*de san.tuen.* 2ª.75.F
Motus primum instrumentum Tendo. 12°.*de vsu par.* 1ª.193.D
Motus Tensiuus. 2°.*de symp.cau.* 3ª.20.B
Motus musculorũ Thoracis cur seruatur in somno. 5°.*de lo.af.* 4ª.29.B
Motu animalis thorax mouetur. 1°.*de dif.resp.* 3ª.58.G
Motus Tonici qui. 1°.*de motu mus.* 1ª.311.D
Motus Tractorii organi quo modo fiat.de machin. 7ª.311.E
Motus Transitiuus quomodo in animalibus.fin.med. Isa.45.B
Motus in tremẽtibus quo modo mistus est.de palp. 3ª.54.G
Motus Valentiores desiderãt frigidi,& humidi. 5°.*de san.tu.* 2ª.94.C
Motus validi,ac plurimi indicant marẽ in fœtu.c. 5°.*ap.* 42°.Ex.41.E
Motus Vehemens significatur nomine laboris & plurimus. commenta. 4°.*apho.* 32°. Ex.30.H
Motus vehementes imbecillitatẽ causant.com. 4°.*aph.* 32°. Ex.30.H
Motus vehementes caliditatẽ maiorẽ accẽdũt.c. 4°.*ap.* 32°.Ex.30.H
Motus vehementis comitatur dolor. 4°.*de loc.aff.* 4ª.27.C
à Motu qui dolor procedat. 2°.*de loc.aff.* 4ª.9.B

Motus vehemens causarum efficientium solet furorem sanare cõmentario.7°.aph.5°. Ex.54.C
Motus sui vehementia vini potio oppilationes oculorum aperire potest.com.6°.aph.31°. Ex.49.G
Motus nec vehementes,nec continui sunt proprij apotherapiæ.3°.de sanitate tuenda. 2ª.77.E
Motus Velox propter quid sit.1°.de diff.resp. 3ª.57.H
Motus velocissimi qui non sentiuntur cur.3°.de dig.puls. 4ª.80.B/C
Motus Vicissitudo vnde.2°.de symp.cau. 3ª.20.C
Motus tertium genus in Venis.de palp. 3ª.51.D
Motus omnis fit per Villos.de ana.viuo. Sp.44.G
Motuum Vitiosorum species quot.de symp.cau.diff. 3ª.11.F
Motus praui differentiæ.de symp.diff. 3ª.11.F
in Motibus offensio duplex.de diff.resp. 3ª.63.A
in Motibus quæ faciunt impedimentum.1°.de motu mus. 1ª.308.G
Motus illegitimus quorũ sit genus symptomatũ.2°.d symp.cau. 3ª.19.E
Motum vitiat tibia crassior.3°.de vsu par. 1ª.134.D
Motum debilitat tibia tenuior.3°.de vsu par. 1ª.134.E
Motus qui faciat lassitudinem.de caus.mor. 3ª.6.G
Motum fugiunt lassi.2°.de symp.cau. 3ª.22.D
Motus sunt vitiati in senibus.2°.de temp. 1ª.16.D
Motus difficultas dyscinesia græce dicitur.de sym.diff. 3ª.11.B
Motus difficultas vitia quædam actionum sunt.de symp.diff. 3ª.11.C
Motus,& sensus cur fm antiquos deperdatur.4°.de lo.aff. 4ª.25.D
Motum & sensum tollit non stupor sed refrigeratio completa.2°.de locis affectis. 4ª.8.E
Motus qb.affectibus demit neruo affecto.1°.de motu mus. 1ª.309.A
Motus totus perit musculis penitus absciss.1°.de motu mus. 1ª.310.C
Motũ priuat mẽbrũ phlegmone,& scirrhus.1°.de motu mus. 1ª.310.G
Motu priuat membrum cicatricum durities.1°.de motu mus. 1ª.310.G
Motus alteratio non lædit actionẽ ventriculi.2°.de na.fac. 1ª.300.D
Motus et sensus priuationẽ facit cerebri vitiũ.3°.de dec.Hip. 1ª.245.E
Motus non amittitur nisi vulnus penetret ad aliquẽ ventriculum cerebri.7°.de decr.Hip. 1ª.269.C
absque Motu,& sensu omni fit homo compressis quibusdam venis colli.de vtilitate respira. Sp.63.H
Motum,& sensum non amisit cui compressum forfice fuit cor tamen arteriæ non mouebantur.de decre.Hipp. 1ª.232.B
Motus nõ amittit corde detecto,et cõpresso.2°.de decr.Hip. 1ª.236.H
Motus non adimitur membris pulsu adempto.de vsu pul. 1ª.227.D
Motus cur non pereat quandoq; sensu pereunte.4°.de lo.aff. 4ª.25.E
Motu seruato quo modo pereat sensus.1°.de lo.aff. 4ª.7.D
Motu,& sensu statim priuatur particula si neruus inusus fuerit.de musculorum dißectione. 1ª.53.B
Motus læditur musculis incisis.1°.de motu mus. 1ª.310.C
Motu sensuque priuantur partes infernæ ad dexteram, vel sinistram in qua spina sit incisa.3°.de loc.aff. 4ª.21.A
Motum,& sensum tollunt nerui ligati.de vsu puls. 1ª.227.D
Motus,& sensus defectus ex ebrietate.de caus.mor. 3ª.7.D
Motum destruenti phlegmaticoso in imacturis & dolorem inferenti qd conferat.de med.exper. Sp.108.E
Motus cur amittatur prima vertebra percussa.7°.de dec.Hi. 1ª.269.F
Motus & sensus faciei quando amittitur.4°.de lo.aff. 4ª.22.H
de Motu Voluntario motis membris.de mot.man.& obs. Sp.68.H
Motus voluntarij quo fiant.in 6m.de morbis vul.com.5°. 3ª.188.F
Motus voluntarij causa quæ secundum aliquos.de mot.man. Sp.69.E
Motuũ volũtariorũ principium est in cerebro.in Tim.Pla. 1ª.287.D
Motu voluntario cerebrum primum est quod mouet membra.de motibus manifestis,& obscur. Sp.66.G
Motus voluntarius,& sensus mittuntur à cerebro ad alia membra.de voce & anhel. Sp.61.G
Motus voluntarij fiunt à musculis.1°.de vsu par. 1ª.115.F
ad Motũ volũtariũ musculi sunt constructi.16°.de vsu par. 1ª.214.H
Motus voluntarij ex musculis.2°.de dec.Hi.236.D/1ª.272.F/de pal. 3ª.56.B/*1°.de lo.affe.4ª.7.D/6°.meth.me.7ª.38.D/com.4°.aph.15°.Ex.28.H/de voce & anhel.* Sp.60.F
Motus omnis voluntarius fit attractis musculis ad suam originem.3°.de locis affectis. 4ª.17.E
Motus voluntarius per villos fit in musculis.de ana. viuo. Sp.44.H
Motus voluntarius non est tantum musculorũ.de mot.man. Sp.68.E
Motũ volũtariũ nulla pars aĩalis habet sine neruo.d ner.dis. 1ª.53.B
Motus voluntatis est neruorum motus.1°.de loc.aff. 4ª.6.H
Motus volũtarius fit dum nerui cũ lacertis cõponũtur.de oc.7ª.183.F
Motus volũtarij instrumẽta hñt magnos neruos.5°.d vsu par. 1ª.145.D
Motus voluntarij offensæ in motibus fiunt musculorum.in 3m.de morbis vulg.com.1°. 3ª.129.D
ad Motũ volũtariũ natura nõ vtiť solis neruis.12°.de vsu p. 1ª.193.B
ad Motum voluntarium natura non potuit vti solis ligamentis.12°.de vsu partium. 1ª.193.B
Motus voluntarius cur non inest glandulis.16°.de vsu par. 1ª.214.H
Motũ volũtariũ esse anhelitũ probať.de mot.man.& obs. Sp.67.A
à Motu voluntario vox quo modo lædatur.4°.de lo.aff. 4ª.26.D
per Motum voluntarium est lotij excretio.15°.de vsu par. 1ª.212.C
Motu voluntario non vtitur fœtus in vtero.15°.de vsu par. 1ª.212.C
de Motu Vomitus & deuorationis.de mot.man.& obs. Sp.68.D
Motus solus facit vomitum.com.4°.aph.15°. Ex.28.H
MOTVS *multi auis est melior & subtilior.de diss.cont.* Sp.73.A
ante Motum quid faciat cibus.de diß.con. Sp.71.H
Motus si multus ante cibum sit quomodo cibandũ.de diß.cõt. Sp.71.G
Motus quando non ante cibum quid agendum.de diss.cont. Sp.71.G
Motus quando est conueniẽs dabimus cibos temperatos in subtilitate, & crassitie.de diss.cont. Sp.71.G
Motus post cibum quid faciat.de diss.cont. Sp.71.H
post Motum quid faciat cibus.de diss.cont. Sp.71.H
Motus qualiscũq; admodũ noxius sumpto cibo.d bo.& vi.su. 2ª.35.A
Motus post cibum quæ mala pariat.de bon.& vi.suc. 2ª.35.A
Motus quo modo alteret corpus.ars med. Isa.68.C
Motus excitat,transmutat,ac alterat corpora.c.4°.aph.14°. Ex.28.H
ex Motibus omnibus pulsus mutatio non est diuturna.1°.de præsagitione ex puls. 4ª.104.H
Motus qui faciunt animal biliosum.1°.de san.tuen. 2ª.75.F
qui Motus faciunt pituitosum,& frigidum.1°.de san.tuen. 2ª.65.G
ex Motu quomodo augetur caliditas.de cau.mor. 3ª.6.D
Motus corpora calefacit,& vires corroborat.de frac.c.2°.7ª.238.G
Motus roborat.in 6m.de morbis.vulg.c.3°. 7ª.170.D
Motus cur faciat concitatiores vires.1°.de caus.pul. 4ª.88.B
Motus omnis non facit lassitudinem.de.cau.mor. 3ª.6.G
in Motu comparatio iuuenis ad senem.1°.de cau.pul. 4ª.88.A
Motus omnis euacuat totum corpus.com.4°.aph.2°. Ex.27.D
Motus corpus exiccat.ars med. Isa.68.G
ex Motu ignescit spiritus noster.de palp. 3ª.54.H
Motus nimij febres faciunt,& calidiores affectus.1°.de sa.tu. 2ª.65.G
ob Motum fit febris.præsag.exper.conf. Sp.77.D
ob Motum febris fit dupliciter.præsag.exper.confi. Sp.77.D
per Motum febris à cruribus incipit.de cau.procatar. 3ª.98.G
Motus pauci quos morbos pariant.1°.de san.tuen. 2ª.65.G
Mota causa magis infestat quiescente.2°.de symp.cau. 3ª.22.D
MOVENDI *non sunt crudorum humorum copiam habentes in primis venis.14°.de san.tuen.* 2ª.84.G
Mouendi facultas a cerebro in neruos diffunditur.1°.de se. 1ª.335.B
Mouẽdi facultatẽ a corde accipiũt arteriæ.3°.de præsa.ex pul. 4ª.115.C
Mouentes caput vna cum ceruice musculi duo in priori parte, qui, & quorsum extendantur.de mus.diss. 1ª.45.H
Mouentes os Lambdę musculi qui, & vnde oriantur, ac desinant.de musculorum dissectione. 1ª.46.E
Mouẽs maxillã musculus qui,& cui neruo inhęreat.d ner.diss. 1ª.53.G
Mouentium maxillam inferiorem musculorum quatuor coniugationes vbi sint.de mus.diss. 1ª.44.G
Mouẽtes maxillam inferiorem, & posteriorem partem musculi qui nã sint,& vbi oriantur.de musc.diss. 1ª.44.H
Mouẽtes sursũ maxillã inferiorẽ musculi vbi sint.de mus.dis. 1ª.44.G
Mouentes musculi ad latera maxillam inferiorem vbi sint.de musculorũ dissectione. 1ª.44.G
Mouẽtẽ vtranq; genam lacertum quis inuenerit.de mo.man. Sp.67.C
Mouet buccas musculus latus.de musc.diss. 1ª.44.D
Mouentium linguam musculorum nomina.de musc.diss. 1ª.46.G
Mouentium linguam musculorũ differentiæ,ortus & processus.de musculorum dissectione. 1ª.46.G
Mouens linguam lacertus vnde oriatur.de mot.man.& obs. Sp.68.D
Mouentes ad latera annuendo dearticulationẽ primæ vertebrę musculi,& qui.de musc.diss. 1ª46.A
Mouentes brachium musculi vndecim sunt, qui & quo modo, & vbi cõplantati,ac finiuntur.de musc.diss. 1ª.47.B
Mouẽtis brachiale musculi apud parũ digitũ exort°.d m.dis. 1ª.48.H

Mouentis bra-

Mouentis brachiale muſculi apud magnum digitũ exortus. de muſculorum diſſectione. 1ª.48.H
Mouẽtes pollicẽ, indicẽ,& mediũ digitũ muſculi.de muſ.diſſ. 1ª.48.E
Mouens pollicem oblique muſculus.de muſc.diſſ. 1ª.48.D
Mouens magnum digitum manus muſculus.de muſc. diſſ. 1ª.48.E
Mouentes oblique introrſum, ſurſumq; digitos manus muſculi quinque.de muſc.diſſ. 1ª.49.A
Mouentiũ radium obliquorũ muſculorũ exortus.de muſc.diſ. 1ª.49.A
Mouentibus coxendicis dearticulationem primis muſculis qui nerui inſerantur.de neruo.diſſ. 1ª.55.C
Mouentes genu dearticulationem muſculos,& ſi nouẽ eſſe Galenus oſtenderit,tamen ne ab antiquis in re minima videatur diſſentire octo eſſe dicit.de muſ.diſſ. 1ª.51.G
Mouens totam pedis dearticulationem muſculus.de muſc.diſ. 1ª.52.E
in Mouentibus ſe quando grauitatis ſenſus fiat.de mult. 3ª.78.B
Mouẽt mẽbra muſculi neruos excipiẽtes.de decr.Hippo. 1ª.234.A
Mouet tm̃ cerebrum,& non mouetur.de mot.man.& obſ. Sp.66.G
Mouere qui non poteſt corporis partes ad vitę functiones cenſetur inutilis.3°.de loc.aff. 4ª.21.B
Mouet calidum cur.de vtil.reſp. Sp.64.A
quæ Moueant pruritum.de cathar. Sp.95.D
Mouet tympanum cochlea ad imaginem lentis.de machin. 7ª.310.D
quæ Moueant ſudores.de cura icteri. Sp.111.C
Mouere vrinam in icttero,bonum.de cura icteri. Sp.110.H
quæ Mouent vrinam,quæ.de mel.ex Gal.Ru.& Poſſ. Sp.110.B
quæ Moueant vrinam ſuauiſſime,olera.de cura icteri. Sp.111.D
MOVERI *quid.1°.de nat.fac.* 1ª.290.G
Mouentur aſtra,& moueri non videntur.4°.de diff.pul. 4ª.66.C
Moueri perpetuo omnes ſtirpes et lapides confirmãt philoſophi oẽs,p generationẽ videlicet & corruptionem.4°.de diff.pul. 4ª.66.B
Mouemur de loco ad locum virtute proueniente ex capite. de virtu. noſtrum corpus diſpenſantibus. Sp.60.B
Mouetur cerebrum & cor motu dilatationis & conſtrictionis licet differant.de anat.viuo. Sp.56.E
Mouetur cutis frontis tota quieſcente maxilla.de muſc.diſſ. 1ª.44.F
Moueanť quib⁹ neruis maxilla inferior,labia,buccæ.ḋ ner.diſ. 1ª.54.g
Moueri à nullo lingua didicit.in 6ᵐ.de mor.vlg.com.5°. 3ª.188.E
Mouetur manus in quatuor partes.de machin. 7ª.314.F
Mouetur cor fortiter & frequenter.de anat.viuo. Sp.56.D
non Mouetur pulmo ex ſe,& cur.de ana.viuo. Sp.53.F
quæ Moueantur in magno anhelitu.de mot.man.& obſc. Sp.66.H
quo Mouet thorax parte inferiori & ſuperiori.de mo.man. Sp.67.A
Mouetur dilatando,& conſtringendo horis determinatis inferius oriſicium ſtomachi.de anat.viuo. Sp.56.E
Moueanť tũ totus pes,tũ digiti à quib. muſculis.de muſc.diſſ. 1ª.51.H
Moueatur cur fœtus ad exitum.de ana.viuo. Sp.52.D
Mouetur qui muſculus ẽt,ſentit ẓnota.ʒ 1°.de ſym.cau. 3ª.16.F
Mouenť quæ p neruũ partes ẽt p eundẽ ſentiũt.1°.de ſym.cau. 3ª.16.E
Mouentur cur particulæ,& non ſentiũt.1°.de ſymp.cau. 3ª.16.E
Mouentur aliqua ægre ob quæ.2°.de ſan.tuen. 2ª.72.F
Mouet quib.& ꝑturbet vehemẽti corpus.de puero.epil. 7ª.187.G
qui non Mouentur qũo edere debẽt cibos craſſos.de diſſ.cont. Sp.72.G
his qui non Mouẽtur cõueniunt cibi ſubtiliantes.de diſſ.con. Sp.72.D
qui non Mouetur multum,& eſt temperatus cibatur cibarijs mediis inter craſſa,& ſubtilia.de diſs.cont. Sp.73.A
Mouẽtur raro febricitãtes,niſi coacti,vel delirio.c.2°.a.28°. Ex.16.E
Mouentur aliqua parte corporis deliri,ſi non potuerint mouere totum corpus.commen.2°.aph.28°. Ex.16.E
Mouentur affectus dum alterantur.2°.meth.med. 7ª.10.A
cum Mouentur organa, quæ partes ſint vſui.de machin. 7ª.310.F
quæ Mouentur in eodem loco in organis.de machin. 7ª.310.F
MOX apparentia ſigna,quæ.com.1°.aph.12°. Ex.5.G
MOYSES, & Chriſtus legem tulere præter demonſtrationem.2°. de differentijs pulſuum. 4ª.54.D
Moyſes melius ꝓnũtiabat de natura,q̃ Epicurus.11°.ḋ vſu p. 1ª.189.G
Moyſis et Græcorũ dŏria ĩ rebus cõdẽdis à Deo.11°.de vſu p. 1ª.189.G
Moyſi Chriſtiq; aſſeclæ in ſua quique ſecta obſtinatiſſimi habẽtur à Galeno.3°.de differen.pulſ. 4ª.60.H

MVCILAGO *per qđ foramen intrat, et exit. de ana.viuo.* Sp.49.A
Mucilagines purgat colocynthis.de dynamidijs. Sp.21.D
Mucilago Pſylly quo modo fiat.7°.de comp.med.ſec.loc. 5ª.184.E

MVCORES *qui ſint.commentario 6°.aph.59°.* Ex.53.G
Mucor quo modo fiat quandoque.de art.com.1°. 7ª.257.C
Mucor in acetabulis vteri aborſum facit.com.5°.aph.45°. Ex.41.G
Mucor acetabulorum an fœtus corrumpat abſque mammarum extenuatione.com.5°.apho.53°. Ex.42.D
Mucores ſuperueniunt moleſtatis à coxendicum doloribus,quando excidit,& rurſus incidit coxa.com.6°.aph.59°. Ex.55.G
ad Mucore pingui obſeſſa.10°.de compo.med.ſe.loc. 5ª.207.G
Mucor hirudinum ſpongia abſtergendus eſt.de cucur.ſcar. 6ª.4.C
MVCOSA *carne fiunt oſſis ſiderationes.de art.com.3°.* 7ª.276.A
Mucoſi cibi minuunt vim attenuantium.de atten. vic. 2ª.44.C
Mucoſus humor qui.de arti. com.3°. 7ª.276.A
Mucoſus humor in omnibus articulis.de art.com.3°. 7ª.271.E
Mucoſa ſanguinolenta,& cruda excrementa quid indicarent apud antiquos.com.1°.aph.1°. Ex.46.C
Mucoſo,& mellito ſucco ſimilia ſæpe inueniuntur in abſceſſibus.de tumore præter naturam. 3ª.83.G
MVCVS *apud alios, blena apud Hipp.2°.de ſemine.* 1ª.340.C
Mucus dicitur phlegma à Prodico.2°.de nat.fac. 1ª.301.D
Mucus quid.2°.de nat.fac. 1ª.302.B
Muci ex numero excrementorũ humani corporis.intro. Iſa.55.B
Mucus cur fiat frigore.4°.de ſimp.me.fac. 5ª.24.C
per Mucos p nares, per lachrymas purgãtur oculi.de cath. Sp.94.G
Muci per nares quorum ſint ſigna.in 1ᵐ.prorrh.com.1°. 4ª.163.H
Mucos purulẽtos auriũ ḋſiccat muci limacis medᵐ.11°.ḋ ſi.m. 5ª.78.F
Mucus limacis qualis.11°.de ſimp.med.fac. 5ª.78.F
Mucus cochlearũ quo mõ habeat multus.11°.de ſimp.me.fa. 5ª.78.G
Mucus cochlearum,pilorum in ſupercilijs præter naturam gluten eſt. 11°.de ſimp.medicam. 5ª.78.G
MVCRO *ſpecilli.13°.meth.me.* 7ª.81.F
Mucro latus ſpecilli.13°.metho.meden. 7ª.81.G
MVGILES ex ſquammatorum genere.3°.de alim.fa. 2ª.30.A
a Mugili in quo differat leuciſcus.3°.de ali.fac. 2ª.30.D
Mugil non habet multas paruas ſpinas. 3°.de alim.fac. 2ª.30.C
Mugil viuit in aqua dulci,& ſalſa.3°.de alim.fac. 2ª.30.C
Mugil,& muræna multũ differũt ex locis ĩ cõgnib.3°.de ali.f. 2ª.31.C
Mugilum diuerſæ ſpecies ex locis.3°.de ali.fac. 2ª.30.A
Mugiles naſcuntur in ſtagnis,& in fluminibus.3°.de ali.fa. 2ª.30.A
Mugilum caro in aquis limoſis qualis.3°.de ali.fac. 2ª.30.A
Mugilum marinorum caro qualis.3°.de alimen.facul. 2ª.30.A
Mugil è pelago vtilis in calidis,& ſiccis.8°.meth.med. 7ª.51.B
Mugil a mari diſcedens natat aduerſo flumine.3°.de ali fac. 2ª.30.C
Mugilũ in paludib⁹,et ſtagnis degẽtiũ caro qualis.3°. de ali.f. 2ª.30.a
Mugilum in fluuijs degentium caro qualis.3°.de ali. fac. 2ª.30.B
Mugilẽ præſtantiorem guſtus indicat.3°.de alim.fac. 2ª.30.D
Mugilũ caro iucũdior,acrior,et pinguedinis exps.3°.ḋ ali.fa. 2ª.30.D
Mugiles pingues in quo deteriores.3°.de ali.fac. 2ª.30.D
Mugiles pingues ſtomacho noxij.3°.de ali.fac. 2ª.30.D
Mugiles cur cum origano parantur.3°.de ali.fac. 2ª.30.D
Mugil ſale conditus aſſeruatur.3°.de ali.fac. 2ª.30.D
Mugil recens ſalitus præſtantior eſt veteri ſalito.3°.de ali.fa. 2ª.30.D
Mugil ſtagnalis ſale conditus multo quam ante præſtantior euadit.3°. de alim.fac. 2ª.30.D
MVLARVM ſterilitas vnde.de hiſt.philoſ. Sp.11.A
MVLIEBRIA *officia qui homines obeunt.de acr.aq.& loc.* 2ª.6.G
Muliebrẽ veſtẽ ĩduũt Scytæ q putũt ſe eẽ euiratos.ḋ aer.aq.et l. 2ª.6.b
Muliebre lac cur alia præcedit.de bo.& vi.ſuc. 2ª.36.A
Muliebre lac conuenit oculo inflammato.de opt.ſect. Iſa.21.D
Muliebre ſemen vnde effundatur.2°.de ſemine. 1ª.336.C
Muliebre ſemen profunditur ex proprijs teſticulis per vtrunque corniculum,& quo modo.com.5°.aph.48°. Ex.41.H
Muliebre ſemẽ quo tẽdat in effuſione ſeminis ĩ ſomnis.2°.ḋ ſe. 1ª.336.C
Muliebris ſpermatis intentio eſt recipere formam ſecundum ſimilitudinem eius a quo ſeminatum eſt. de ana.viuo. Sp.44.G
Muliebri ſpermati aſſociatur ſperma viri.de ſpermate. Sp.36.B
Muliebre ſemen confert maſculo.14°.de vſu par. 1ª.209.H
Muliebria quid ſignificent.com.5°.aph.28°. Ex.40.B
Muliebria ſuffitus aromatum ducit.com.5°.aph.28°. Ex.40.B
Muliebris fluxus quid.fin.med. Iſa.48.B
Muliebris fluxus cuius ſymptoma.de ſymp.cau. 3ª.13.E
Muliebris fluxus quot cauſis fiat.de ſymp.diff. 3ª.13.F
in Muliebri fluore fiũt pulſus vermiculares.2°.ḋ p̃ſ.ex.pul. 4ª.113.A

Muliebris fluxus quandoq; finitur in hydropē. 2°. de nat.fa. 1ª.299.G
Muliebre profluuium nimium, aquæ intercutem causa. 5°. de locis affe. 4ª.333.H
Muliebri profluuio lens vtilissima est. 1°. de alim.fac. 2ª.13.E
ad Muliebrem fluxum sistendum. 9°. de compo.med.sec.loc. 5ª.203.E
ad Muliebria vitia. 9°. de com.me.se.loc. 5ª.198.F
ad Muliebres affectiones. 2°. de antido. 5ª.120.D
ad Muliebria corpora aptatur palæstricus modus reponendi luxata. de machinamentis. 7ª.309.C
MVLIERES *in quo sint similes maribus. 9°. de decre.Hipp. 1ª.281.A*
Mulieres in quo dissimiles maribus. 9°. de decr Hipp. 1ª.281.A
Mulierum differentia ex habitu corporis. 3°. de dignos.pul. 4ª.95.G
Mulier cur habet corpus molle, vt pueri. 11°. de vsu par. 1ª.189.D
Mulieres candidæ sunt molles. 4°. de compo.me.per gen. 5ª.236.F
Mulieres pueri, & eunuchi similem habent cuticulam mollē. 1°. de cōpo.med.sec.loc. 5ª.123.B
Mulieres sunt ad sentiendum admodum habiles. 4°. de composi. medic. per gen. 5ª.236.C
Mulieres sunt minus siccæ viris. de sal.diæta. 2ª.42.E
Mulieres humidæ sunt. 9°. de simp.me.fac. 5ª.69.F
Mulieres sunt humidiores viris. com. 3°. aph. 11°. Ex.21.A
Mulieribus capitis cutis humida. in 6ᵐ. de morbis. vul.c. 3°. 3ª.170.A
Mulier est natura imbecillior, & frigidior mare. c. 5°. ap. 69°. Ex.45.d
Mulieres sunt frigidiores maribus. com. 5°. aph. 62°. Ex.43.H
Mulier cur frigida facta. 14°. de vsu par. 1ª.206.A
Muliere calidior est vir. 3°. de caus.puls. 4ª.95.D
Mulieres minus digerunt. in 1ᵐ. de mor. vulg. com. 2°. 3ª.115.E
Mulier imperfectior homine propter calorē. 14°. de vsu par. 1ª.205.H
Mulieri in motu imperfectior. 14°. de vsu par. 1ª.206.C
Mulierum complexio imperfecta. de incant. adiur. & susp. 7ª.181.F
Mulier & si imperfecta est tamen toti generi vtilis. 14°. de vsu partium. 1ª.205.H
Mulieres quæ tenues apparent, nigræ, & hirtæ sunt temperatę. com. 5°. aphorismo. 62°. Ex.44.B
Mulieres graciles, et nigræ magnas hñt venas. de cur.ra.p san. 6ª.19.G
Mulieres carnosæ, & candidæ paruas habent venas. de curan.rat. per sang.miss. 6ª.18.G
Mulieres albæ hñt sanguinē tenuem. de cur.ra. per sang.miss. 6ª.18.G
Mulieres cur vocē habent acutam. in 1ᵐ. prorrh. com. 2°. 4ª.170.E
Mulier cur non fit ambidextra. com. 7°. aph. 43°. Ex.57.E
Mulieres gibbæ ante, aut retro a nutricibus factę ob fascias, dū studēt vt infantulæ maiora faciant fœmora q; pectora. de caus.mor. 3ª.8.G
Mulier nō habet mores venerādos, vt mas. 11°. de vsu par. 1ª.189.D
Mulierū mos quo gestu negant se credere dictis. 5°. de decr. 1ª.244.E
Mulieres fucatas Fbryna lauari præcipiens detexit ac deturpauit. in oratione suasoria. Isa.4.E
Mulieri, viro, puero, seni æstate, hyeme, in loco calido, in loco frigido non æque conueniunt capilli. 11°. de vsu par. 1ª.189.F
Mulier non eget tegmēto, quia domi se cōtinet. 11°. de vsu p. 1ª.189.D
Mulier egebat capite comato tegumenti gratia, & ornatus. 11°. de vsu partium. 1ª.189.D
Mulieres eadem studia sectari debent, quæ & viri. 9°. de decre. Hippocra. 1ª.280.D
Mulieres multæ meliores multis viris ad multa opa. 9°. d d. 1ª.280.H
Mulier est apta musicæ, & medicinæ. 9°. de decr. Hippo. 1ª.280.H
Mulieres professæ artem medicam. 6°. de lo.aff. 39.D/ 4ª.40.D
Mulieris crus quale. de art.commen. 3°. 7ª.277.F
Mulierum collum vesicæ quale. 15°. de vsu par. 1ª.211.A
Mulierū collū vesicæ apophysi caret, q̄ hñt vir. 15°. de vsu p. 1ª.211.A
Mulieris meatus vrinarius habet vnam inflexionē in collo vesicæ. 5°. de vsu partium. 1ª.147.G
cur Mulier habet menstrua. fin.med. Isa.49.H
Mulieres maxime mutant corpora in eruptionē menstruorum. commē ta. 3°. aphorismo 28°. Ex.25.H
Mulieri sanguinem euomenti menstruis erumpentibus solutio. com. 5°. aphorismo 32°. Ex.40.D
Mulieri menses decolores, nec per idem semper tēpus veniētes purgationem indicant esse necessariam. com. 5°. aph. 36°. Ex.40.G
Mulieres cur refrigerantur in menstruis purgationibus. 14°. de vsu partium. 1ª.204.H
Mulieres quæ habent fortiter mēses nō sunt purgādæ. de dyn. Sp.20.F
Mulieribus menses educit diacalaminthe. 4°. de san.tuen. 2ª.86.F
in Mulieribus menstruæ purgationis omnimoda cessatio, vel immodica euacuatio facit hydropem. 2°. de natu.fac. 1ª.299.F
Mulieribus, quæ non purgantur, scarificatio prodest, & quantum sanguinis sit educendum. de cucur.scarif. 6ª.4.A
Mulieribus quibus scarificatio crurum conuenit. de curan.ratione per sangui. miss. 6ª.18.G
Mulieribus attrabilarijs, quibus menses defecerunt, quæ vena secanda. de melancho. ex Gale.Ru. & Poss. Sp.110.A
Mulieris cui menses retenti casus. de venæ sect.aduer.Eras. 6ª.9.F
Mulier podagra n̄ laborat nisi mēstrua defecerīt. c. 6°. a 29°. Ex.49.B
Mulieris vēter qūo incidi debeat ē antiquū inuētū. 6°. de dec. 1ª.265.B
Mulieres, & viri habent vnam viscerum interiorum compaginatam lineationem. de natu. & or.cuiusl.cor. Sp.43.B
Mulier habet omnes ptes quas habet mas, licet aliquæ sint maiores, aliquæ minores. 14°. de vsu par. 1ª.208.E
Mulier habet oēs ptes viri differūt solū positione. 14°. ā v. p. 1ª.205.G
in Muliere sunt tot partes quot in viro, sed in muliere sunt intus, in viro extra. 14°. de vsu par. 1ª.205.F
Mulierum vulua biformis est. 2°. de sem. 1ª.339.C
Mulieri ita matrix columna est, vt masculo veretrum. de natura, et ordine cuiusl corp. Sp.42.B
Mulieris pudenda quo modo se habeant. com. 5°. aph. 46°. Ex.41.H
Mulier habet pudendum vt vir. 14°. de vsu par. 1ª.205.F
Mulier habet pudendū in perinæo. 14°. de vsu par. 1ª.205.G
in Mulierū pudendi finib. cur cutis epiphyses. 15°. de vsu p. 1ª.211.A
Mulieris pudendum est in loco commodissimo, & non potest per minimū etiam transponi. 15°. de vsu par. 1ª.210.B
Mulieris instrumenti ad virum, in instrumentis generationis comparatio est qualis cerę ad sigillum. de ana. viuo. Sp.51.D
Mulieres nunq̄ habēt pudendum viri. com. 7°. aph. 43°. Ex.57.F
Mulierū partes pudēdæ quib. vasis. nutriātur. 14°. de vsu p. 1ª.209.B
Mulierū, & virorū genitaliū nutritiones vnde. 2°. de sem. 1ª.339.E
Mulierum testes vbi. de diss. vul. 109.B/ 14°. de vsu par. 1ª.205.F
Mulierum testiculi duo sunt alter sub dextro rene, alter sub sinistro. de compagine membrorum. Sp.59.D
Mulierum testiculi loco opportunissimo sūt. 14°. de vsu par. 1ª.208.G
Mulierum testiū forma qualis. de diss. vul. 1ª.109.C
Mulierum testes quales. de dissect. vul. 1ª.109.B
Mulierum testiculorū & virorum differentia. de natu. & or. Sp.43.B
Mulierū testes sunt minores testibus masculorum. de diss. vl. 1ª.109.C
Mulieris testiculi minores, & imperfectiores quàm mariū. 14°. de vsu partium. 1ª.206.B
Mulierum testiculi breuiores, & fragiliores quàm marium. de natura, & ord.cuiusl.corp. Sp.42.B
Mulierū testes minores, & densiores q̄ mariū. de venæ art.diss. 1ª.58.D
Mulierum testes exigui sunt. 14°. de vsu par. 1ª.209.H
Mulierum testes cur parui, et videtur iuncti. 14°. de vsu par. 1ª.208.G
Mulieres, quæ habent maiores testes, viragines appellantur. de natu. et ordine cuiuslibet cor. Sp.43.B
in Mulierum testiculis cur ἐπιδυμίδες non sunt manifestæ. 14°. de vsu partium. 1ª.209.G
Mulierum testes sunt minus molles, & minus humidi testibus virorū. 14°. de vsu par. 1ª.209.H
Mulierum testes imperfectiores testib. virorū. 14°. de vsu p. 1ª.207.G
Mulierum testes continent semen, vt testes virorum vasis seminarijs. de dissect. vul. 1ª.109.C
in Mulieribus vas spermaticum quare. 14°. de vsu par. 1ª.207.H
in Mulieribus qualia sint vasa seminaria, & cur. de ana. viu. Sp.51.G
Mulierum vasa spermatica sunt minus dura vasis spermaticis virorū. 14°. de vsu par. 1ª.209.H
Mulierum vas spermaticum paruum est. 14°. de vsu par. 1ª.209.H
in Muliere vasorum seminalium coniunctio, a summis viris ignorata. de dissect. vul. 1ª.109.C
in Mulierum membris seminalibus non est adhibenda fides Athenæo. 2°. de semine. 1ª.336.C
in Mulierum testibus semen, & humor in glanduloſis virorum partibus sunt simillima, & cur. 14°. de vsu par. 1ª.208.B
Mulieribus semen vnde accipitur. 2°. de semine. 1ª.335.G
Mulier tenet semen in se ipsa. 14°. de vsu par. 1ª.207.H
Mulieris sperma comparatur lacti. de ana. viuo. Sp.55.H
Mulieris semen cur minus coctum. 14°. de vsu par. 1ª.207.G
Mulieris semen imperfectum. 14°. de vsu par. 1ª.207.H

Mulieris semẽ tenuius, & frigidius est semine viri. 1°. ♁ sem. 1ª. 331. A
Mulierum semen humidius est, & frigidus. 6°. de locis affec. 4ª. 39. G
Muliebri spermate calidius, & fortius ẽ sperma viri. de sper. Sp. 36. B
Mulieris semen ad quid vtile. 14°. de vsu par. 1ª. 208. B
Mulieris semen commiscetur cum virili. 1°. de semi. 1ª. 331. A
Mulieris semine nutritur viri semen, tanquam re magis familiari, quã sanguis sit. 14°. de vsu par. 1ª. 208. B
Mulieris semen nutrimentum seminis viri. 2°. de sem. 1ª. 336. D
Mulieris semen cur alimentum sit seminis viri. 1°. de sem. 1ª. 331. A
in Mulieris spermate quid agat sperma viri. de ana. viuo. Sp. 51. H
Mulieris semen eodem modo mouetur ad generationem quo viri. 14°. de vsu partium. 1ª. 206. B
Mulieris semen quid confert ad generationẽ. 14°. de vsu pa. 1ª. 208. B
Mulieris semẽ aliqd agere ĩ gñatione põt colligi. c. 5°. ap. 48°. Ex. 41. H
ex Mulieris, & viri semine fit semen perfectum. 2°. de sem. 1ª. 336. D
ex Mulieris, & viri spermate fit fœtus. de ana. parua. Sp. 43. C
Muleris sperma intendit suscipere formam. de ana. viuo. Sp. 51. H
ex Mulieris semine fit tunica ἀλλαντοειδὴς. 14°. de vsu par. 1ª. 208. B
Mulieris semen facit iuteſtinale volucrum. 2°. de sem. 1ª. 336. D
in Mulieribus, et viris humiditas exiẽs delectat. 14°. ♁ v. p. 1ª. 208. B
in Mulieribus in qua parte potissimum sit dulcedo in coitu. de compa. memb. siue de nat. hum. Sp. 59. D
Mulier in coitu videtur magis delectari. 1°. de symp. cau. 3ª. 17. G
ex Mulieris & viri calefactione semen emittitur. de sperma. Sp. 36. A
in Muliere humor qui effunditur qualis, & quod nihil faciat ad generationem. 14°. de vsu par. 1ª. 208. C
Mulieres excernunt semen in somnis vt viri. 2°. de sem. 1ª. 336. D
Mulier vidua quibus affectibus afficiebatur in emissione seminis collecti. 2°. de semine. 1ª. 336. C
Mulieris affectæ ob semen retentum casus. 6°. de loc. aff. 4ª. 39. H
Mulieres habentes vterum frigidum quid habeant. commen. 5°. apho. 62°. com. 2°. aph. 62°. Ex. 43. F
Mulieris vterus frigidus facit fœminas. com. 5°. aph. 42°. Ex. 41. E
Mulieres habent corpus simile viris. com. 5°. aph. 62°. Ex. 44. A
in Mulieris vtero per quæ cõcoquanĩ sanguis, & spiritus, & vbi sint. 14°. de vsu partium. 1ª. 207. G
Mulieres laxarum carnium, & pituitosarum vt plurimum per vterũ purgantur. 6°. de lo. aff. 4ª. 41. D
Mulieribus quidam coire non possunt, & curatio. de incantatione adiu ratione, & suspensione. 7ª. 181. H
ad Mulieris libidinem excitandum. de dyna. Sp. 30. A
Mulier violata vt non cognoscantur. de pass. mul. Sp. 96. D
Mulieres contrariæ quando viris contrarys iungi debent. commenta. 5°. aphor. 62°. Ex. 43. F
quæ Mulieres non procreent, & quæ procreent, quod etiam ad viros trahitur. com. 5°. aph. 62°. Ex. 43. E
Mulieres quæ semp gñabunt, & quæ non. com. 5°. aph. 62°. Ex. 43. F
Mulieribus quibusdam in generatione solet adiici illud virile, quo luxuriantur. de compag. memb. siue de nat. hu. Sp. 59. H
in Mulieribus humiditas acris, & mordax excitat venerem. 14°. de vsu partium. 1ª. 207. E
Mulieres quo modo concipiant. de hist. philos. Sp. 10. E
Mulieres cur raro cõcipiãt, ẽt si cõcumbãt sæpe. de hist. phi. Sp. 10. F
Mulier certo tempore concipit, & quando. de nat. & ord. Sp. 42. C
Mulier si debeat cõcipere, maris semen debet manere in matricibus. 14°. de vsu partium. 1ª. 208. B
Mulieres, quæ minime concipiant. com. 5°. ap. 59°. Ex. 43. C
Mulieres quæ sint fœcundæ, & quæ non. com. 5°. aph. 62°. Ex. 43. H
Mulieri fœcundæ quid sit opus. com. 5°. aph. 62°. Ex. 43. H
Mulieres cur steriles. de na. hum. com. 1°. 1ª. 29. E
Mulieres ob pinguedinẽ, et humiditatẽ steriles sint. de aere aq. 2ª. 6. g
Mulieris fœcundæ, & sterilis cognitio. com. 5. aph. 62°. Ex. 44. A
Mulier an debeat cõcipere, qũo cognosci põt. c. 5°. aph. 59°. Ex. 43. C
an Mulieris, vel viri culpa non concipiat mulier quo modo cognoscatur. de pass. mul. Sp. 96. C
Mulier si conceperit quomodo cognoscatur. de pass. mul. Sp. 96. C
Mulieris quæ concepit maximum indicium. com. 5°. aph. 51°. Ex. 42. B
Mulieres quo modo sciant se concepisse. 3°. de nat. fac. 2ª. 302. H
Mulieres quid sentiant vbi semen conceperint. 1°. de sem. 1ª. 329. B
Mulier si velis noscere an conceperit, cum dormitura est ei aquã mulsam potandam da: & si alui tormina patietur, concipit, si minus, nõ concepit. com. 5°. aph. 41°. Ex. 41. D
Mulieri si cessent purgationes, neq; febrem, neq; rigorẽ habuit, et incidat fastidia, iudicia ipsam habere in vtero. com. 5°. aph. 61°. Ex. 43. D
Mulieres quæ conceperũt hũt angustũ vterũ. cõ. 5°. aph. 41°. Ex. 41. D
Mulier si marem concepit bene colorata est, si vero fœminam, male colorata. com. 5°. aph. 42°. Ex. 41. D
Mulier cur in sinistris oriatur. 14°. de vsu par. 1ª. 206. G
ad Mulieres, quando non concipiunt. de pass. mul. Sp. 96. C
vt Mulier concipiat. de dynamidijs. Sp. 29. F/G
vt Mulier non abortiat, & fœtũ contineat, remediũ. de dyn. Sp. 29. H
Mulier ne vnquam concipiat. de incant. adiur. & suspens. 7ª. 182. C
Mulieri si gracilescat dextra mamilla masculi abortum facit. de anat. viuorum. Sp. 51. F
ĩ Muliere grauida ex tumore vteri nõ fit ileon. c. 6°. aph. 44°. Ex. 51. D
Mulierũ vterum gerentium errores. 11°. de vsu par. 1ª. 188. B
Mulieres albæ quid gignant. in 6ᵐ. de morb. vul. com. 1°. 3ª. 156. C
Mulieres nigræ quid gignãt. in 6ᵐ. de mor. vulg. com. 1°. 3ª. 156. C
Mulierib. nigriores plerũq; sunt viri. in 6ᵐ. de mor. vul. c. 2°. 3ª. 169. b
Mulieris gemiparæ casus. in 3ᵐ. de mor. vul. com. 3°. 3ª. 151. C
Mulierum quæ pepererunt corpora non rubescunt ob frictionem. de cucurbitulis & scarificationibus. 6ª. 3. C
Mulieris dolori post partũ datur decoctio squinãti. ♁ me. ex. Sp. 106. F
Mulierũ partubus conuenit scientia constitutionum. de decub. progno. ex mathematica scientia. Sp. 16. B
Mulieribus iudicationes à partu numerandæ. in prog. cõ. 3°. 4ª. 208. A
Mulier, quæ neque grauida est, neque peperit, si lac habet, ei defecerũt menstrua. com. 5°. aph. 39°. Ex. 41. B
Mulier qũo, & vnde, & quando lac faciat. com. 5°. aph. 39°. Ex. 41. B
Mulier non prægnans cur quandoque habeat lac in mamillis. commenta. 5°. apho. 39°. Ex. 41. C
Mulieres q̃ lac præbeãt cur nõ habeãt mẽstrua. 14°. de v. p. 1ª. 207. B
Mulier quando plus habet lactis. com. 5°. aph. 39°. Ex. 41. C
Mulierũ lac sugere debent pulmonis vlcera habentes. de bonitate, & vitio succorum. 2ª. 36. A
Mulieris lac pro phthisicis. 5°. meth. med. 7ª. 35. A
Mulieris lac pro phtoe optimum. 7°. met. med. 7ª. 44. G
Mulieris quæ fœminã peperit lac accipi iubet. de me. fac. par. 7ª. 176. b
in Mulieribus, quæ non dum prægnantes fuerint, cur mammæ sunt contractæ. 6°. de loc. af. 4ª. 42. H
Mulieribus si sanguis colligatur ad mammas, furorem significat. commentario 5°. aph. 40°. Ex 41. C
Mulieribus quæ tempestas optima. com. 3°. aph 14°. Ex. 22. E
Mulieribus confert æstas sicca borealis. dẽ aer. aq. & lo. 2ª. 4. C
de Mulierum morbis librum fecit Diocles. in 6ᵐ. de morb. vulgaribus, commentario 2°. 3ª. 169. E
Mulieribus febres cõtingũt æstate, si hyems borealis sit, & sicca, ver vero austrinum, & pluuiosum. de aere, aq. & lo. 2ª. 4. B
Mulieribus magis, quàm viris rigor accidit. de palp. 3ª. 55. G
Mulieribus ociosius degentibus magis rigor accidit. de palp. 3ª. 55. G
Mulieribus incipiunt rigores ex lumbis magis, & per dorsum ad caput. in 6ᵐ. de mor. vul. com. 3°. 3ª. 174. C/cõ. 5°. aph. 69°. Ex. 45. D
Mulieris de rigore historia. de palp. 3ª. 55. G
Mulierũ pulsus qualis. de pul. ad Tyr. 44. A/3°. de cau. pul. 4ª. 95. D
Mulieres habent arterias molles, tamen habent pulsus paruos. 3°. de dignotione pulsuum. 4ª. 95. H
Mulier qũo poterit habere pulsum maiorẽ viro. 3°. de dig. pul. 4ª. 95. F
Mulierem amare deprehendit Gale. de præcog. ad Posth. 4ª. 216. A
Mulierum vrina habet hypostasim maiorem, quam virorum. de vrinę signif. ex Hippocrates. Sp. 79. A
in Mulieribus vrina optima, quæ. de vrin. 4ª. 125. B
in Mulieribus, & viris vrinæ pessimæ quæ. 1°. de crisibus. 4ª. 130. F
in Muliere, & viro pessima est vrina atra. de vrin. sign. ex Hip. 78. G/de quæs. in Hipp. Sp. 113. F
Mulieris, quæ nigram vrinam minxit, casus. de atra bile. 1ª. 36. H
Mulieres qua tempestate maxime patiantur inteſtinorum difficultates. com. 3°. aph. 12°. Ex. 21. F
ad Mulierum dolorem in coxa, & ventre. de pass. mul. Sp. 95. H
Mulierum matrices purgans decoctio. de med. exper. Sp. 105. D
in Mulierũ collutionibus confert succus centaureæ. de vir. cẽt. Sp. 94. B
Mulieribus, quæ ex melancholia ob matricem insomnia patiuntur Triphera magna somnum suauiter conciliat. de dyna. Sp. 26. E
Mulieres, quæ vterariæ diuntur. in 3ᵐ. de mor. vul. com. 3°. 3ª. 153. C
in Mulieribus cur fiat distentio, & conuulsio ex vtero. in 6ᵐ. de morb. vulgaribus,

vulgaribus,commen.1°. 3ª.153.C
Mulieribus euenientes in matricibus ægritudines fortes opem ferens electarium.de med. exper. Sp.107.H
Mulieris,quæ veteralibus morbis vexabatur casus.2°.d se.1ª.336.C
Mulieres quo modo regendæ in ratione victus de sal.dia. 2ª.42.D
Mulieribus in quibus abundant superfluitates phlegmaticæ optimum medicamen.de med.exper. Sp.108.E
Mulieres,quæ pituitosum humorẽ aggregẽt.cõ.5°.aph.62°. Ex.43.G
Mulierum fluxus remedium.de dyna. Sp.25.B
Mulieribus rheumatizãtibus dãda sunt phlegmagoga.de dy. Sp.21.D
Mulieribus molestatis per longum tempus ab aliquo fluxu,et rheumatizantibus dantur hydragoga.de dyn. Sp.22.A
Mulieres sanguinem vomentes debent medici euacuare misso sanguine è vena.com.5°.aph.32°. Ex.40.D
Mulieribus nigris secat venam.de curan.ra.per sang.miß. 6ª.18.G
Mulieribus per quas vias exeat sanguis.de na.hu.com.1°. 1ª.32.B
in Mulieribus sedis venæ fluor deriuandus est ad vteri venas. de cucurbitulis scarificatione. 6ª.4.F
Mulierum dolores morbosq; subleuans antidotus.2°.de anti. 5ª.120.E
Mulieris diuites abhorrẽt a medicamẽtis.6°.de cõ.me.se.lo. 5ª.171.E
Mulieres, quæ medicamẽta requirãt.1°.de cõ.me.per ge. 5ª.212.H
Mulieris Herpetis curatio.14°.methodi medendi. 7ª.92.F
Mulieris habentis herpetem in malleolo casus.14°.meth.me. 7ª.92.F
Mulieribus quæ conueniãt in vlceribus.4°.de cõ.me.per ge.5ª.236.B
Mulieribus satis est butyrum.3°.de comp.medica.sec.loc. 5ª.146.H
Mulieribus confert cadmia.9°.de simp.med.fac. 5ª.69.F
Mulierum delicatarum vnguentum.8°.meth.me. 7ª.53.D
in Mulieris sinu cancer incisus non venit ad cicatricem.comment.6°. aphorismo 38°. Ex.50.E
Mulieres quas partes occultent.de ijs, quæ in med.fi.cõ.1°. 7ª.202.C
Mulieris apud aquam frigidã casus.in 3ᵐ.de mor.vul.c.3°. 3ª.148.C
Mulieris in cranone casus.in 6ᵐ.de mor. vulg.com.3°. 3ª.171.B
Mulieris in littore casus.in 1ᵐ.de morb.vul.com.3°. 3ª.126.E
Mulieris in mendacio casus.in 3ᵐ.de morbis vul.com.2°. 3ª.140.B
Mulieris morosæ casus.in 3ᵐ.de mor.vul.com.3°. 3ª.150.F
Mulieris apud Pãtimedẽ casus.in 3ᵐ.de mor.vul.c.2°. 3ª.139.H
Mulieris apud Tisamenũ casus.in 3ᵐ.de mor.vulg.com.2°.3ª.139.H
Mulieres quatẽpestate plurimum moriuntur.c.3°.aph.1°. Ex.21.B
MVLIERCVLÆ macilentæ cui octo mensibus menses defecerunt sanguinem detraxit Galenus.in 6ᵐ.de mor.vul.com.3°. 3ª.176.C
Mulierculæ sunt molles,& humidæ.6°.de compo.me.se.loc. 5ª.176.F
MVLLVS fit ab equa.2°.de semine. 1ª.336.F
MVLLVS piscis pelagicus.de alimen.facul. 2ª.30.E
Mulli inter pelagicos numerantur.de atten.vic. 2ª.45.E
Mulli pisces saxatiles.de ren.aff.dig.& med. 7ª.195.F
Mullᵘ celebraĩ tanq; voluptate cibos reliquus supet.3°.d ali.f. 2ª.30.E
Mulli caro qualis.3°.de alimen.fac. 2ª.30.F
Mulli habent duram carnem.3°.de alim.fac.2ª.31.E/8°.de comp.medicamen.sec.loc. 5ª.192.C
Mullorum caro friabilis est,non mollis.de atten.vic. 2ª.45.H
Mulli caro cur iucunda.3°.de ali.fac. 2ª.30.F
qui Mulli nihil mali succi in se habent.de bon.& vitio suc. 2ª.37.H
Mulli ægre cõficiũt,et pariũt succos crassos et salsos.3°.d ali.f. 2°.31.E
Mullus super omnes nutrit si conficitur.3°.de ali.fac. 2ª.30.F
Mullus vtilis est calidis,& siccis.8°.methodi medendi. 7ª.51.B
Mulli conueniunt stomachicis.8°.de compo.med.se.lo. 5ª.192.C
Mulli peiores,qui carcinadas pascunt.de bon.& vi.suc. 2ª.37.H
Mulli parui,qui cancellos vorant.3°.de ali.fac. 2ª.30.G
Mulli,qui cancellos edunt qũo cognoscantur.3°.de ali.fac. 2ª.30.G
Mulli comedentes cãcellos propriã carnẽ corrũpũt.3°.d ali.f.2ª.31.A
Mulli caput gulosi laudant.3°.de ali.fac. 2ª.30.G
Mulli Hepar pp voluptatẽ à gulosis expetitur.3°.de ali.fa. 2ª.30.F
Mulli iecur quo modo coquatur.3°.de ali.fac. 2ª.30.F
Mulli Iecur non esĩ visum suaue Galeno.3°.de ali.fac. 2ª.30.G
Mullus quo intinctu comedatur.3°.de ali.fac. 2ª.30.F
Mullos magnos quidã ingenti pecunia emerat propter Iecur, & caput.3°.de ali.fac. 2ª.30.H
Mulli magni peiores paruis.3°.de ali.fac. 2ª.30.G
Mulli vt sale condiantur non sunt accommodi.3°.de alim.fac. 2ª.33.C
MVLSÆ differentiæ.8°.meth.me. 7ª.52.H
inter Mulsam,& oxymeli medium est apomeli.8°.meth.me. 7ª.52.G
Mulsa aquosa.8°.meth.med. 7ª.52.H
Mulsa quæ mediocri est mistura.8°.meth.med. 7ª.52.H
Mulsa aqua austera,est mella.de fract.com.2°. 7ª.235.H
Mulsa aqua p noctẽ sub dio exponẽda.9°.de com.me.se.lo. 5ª.199.H
Mulsa cruda qualis,& eius vires.12°.meth.med. 7ª.75.H
Mulsa aqua cruda ṗm Galenũ est flatuosa.com.5°.aph.41°.Ex.41.D
Mulsa cocta qualis,& eius vires.12°.meth.med. 7ª.75.H
Mulsa aqua est vnũ ex auxilijs morbi.de vic.ra.ĩ mor.ac.c.1°.7ª.115.C
Mulsa quibus conueniat.4°.de san.tuen. 2ª.84.F
Mulsa aqua ad quæ valet.11°.meth.me. 7ª.70.F
Mulsæ exiguo cibandi sunt crassos,& multos humores in primis venis habentes.4°.de san.tuen. 2ª.84.H
in Mulsa hyssopum conuenit,quibus intus crudi succi copia est,& foris lassitudinis sensus.4°.de sanitate tuenda. 2ª.86.B
Mulsæ aquæ,& ptissanæ comparatio.8°.meth.me. 7ª.51.B
Mulsa aqua,& cremor ptissanæ detergit humores in ventre insertos. de vic.ratio.in mor.acu.com.1°. 7ª.111.E
Mulsa magis humectat quàm ptissana.d vi.ra.ĩ mor.ac.c.1°.7ª.112.F
Mulsa aqua,vt ptissana humectat,& siccat,non tamen roborat. de vi.ra.in mor.acu.commen.1°. 7ª.113.C
a Mulsa fit vomitus.7°.meth.me. 7ª.48.D
cum Mulsa sinapis vomitum facit.de cathar. Sp.95.C
cum Mulsa puluis ireos vomitum facit.de cathar. Sp.95.C
Mulsa non minus valet ad vomitum ptissana.8°.meth.me. 7ª.51.A
in Mulsa coctum absinthium conuenit quando pituita tenuis fuerit in ventriculo.7°.meth.me. 7ª.48.D
Mulsa melior ptissana in febribus.de vic.ra.in mor.acu.c.1°.7ª.111.E
Mulsa aqua infundens,& decoquens, Hyssopum, origanum, & nardũ bibendũ propina in tertiana notha.1°.de arte cu.ad Gla. 7ª.97.E
Mulsa cum hyssopo quando conueniat.12°.meth.me. 7ª.75.G
a Mulsa,& melle cauendum est in hectica febre.10°.met.me.7ª.67.B
Mulsa inimicissima est febribus colliquatiuis.10°.meth.me. 7ª.67.F
Mulsa aqua quomodo noxia in febribus.11°.meth.me. 7ª.70.F
si Mulsam aquã,ptissanãq; eger fastidierit,pisces saxatiles dandi ex iure albo.de vic.rat.in morbis acu.commen.1°. 7ª.113.C
Mulsam dat ante cibum.de vic.ra.in mor.acu.com.1°. 7ª.112.E
Mulsam primo dat,post horã dat cremorẽ ptissanæ.8°.me.m.7ª.56.H
pro Mulsa,vel alica,ptissanæ cremor in syncope.12°.met.m. 7ª.76.A
ex Mulso,& vino frigido alica nihil mali succi in se habet. de bonitate & vitio succorum. 2ª.39.C
Mulsa aqua,in qua origanũ,vt hyssopũ,aut thymus, aut calamintha, aut pulegium,aut mintha odora sint incocta numerãtur inter discussoria parabilia moderata.6°.de comp.med.sec.loc. 5ª.169.G
ex Mulsa aqua Hyssopus in pleuritide datur.de loc.aff. 4ª.34.G
Mulsa aqua vsque ad vigorem in pleuritide confert. de vi.ra.in mor.acu.commentario.1°. 7ª.115.D
Mulsa tantum,per septem dies cibauit Galenus.10°.met.me.7ª.63.G
Mulsum acceptum ante euacuationem in pleuritide obest.de vict.rat. in morb.acu.com.1°. 7ª.114.B
Mulsa aqua,in qua Rosa ferbuerint.de præcog.ad Post. 4ª.219.C
Mulsa,in qua coctæ sint herbæ acres valenter ad pus educendum facit.13°.meth.med. 7ª.84.H
Mulsa numeratur inter mediocria,quæ pus educunt è Thorace.13°.methodi medendi. 7ª.84.H
Mulsam aquã iectã expuũt vulnerati thorace 5°.de lo.aff. 4ª.31.A
Mulsa aqua in affectibus thoracis per vlcus imposita exit per sputa. 5°.de locis affe.29.H/ 4ª.31.A
Mulsam quidam expuit ex pectore.5°.meth.me. 7ª.32.G
Mulsa acer non est vtilis inflãmationi ventriculi,Iecoris,& lienis.11°. methodi medendi. 7ª.73.F
ex Mulsa,& sale clyster pro phlegmone cauæ partis iecoris.13°.methodi medendi. 7ª.84.A
Mulsa in phlegmone glandularum,& artuum.13°.meth.me.7ª.83.D
Mulsa aqua nihil adstringit,sed extergit.6°.de comp.me.se.l.5ª.173.G
Mulsa eluit.in 6ᵐ.de morbis vul.com.6°. 3ª.196.C
Mulsa detergit.4°.de san.tuen.2ª.84.F/8°.met.me. 7ª.52.G
Mulsa citra morsum detergit.13°.meth.me. 7ª.83.A
Mulsa aqua non calefacit,& euacuat.11°.meth.me. 7ª.69.G
ex Mulsa aqua cum oleo clyster.11°.meth.me. 7ª.69.G
Mulsa aqua meracior per aluum purgat.de art.com.2°. 7ª.267.H
in Mulso,cui pluscul ũ insit mellis maceratis prunis damascenis soluitur aluus in senibus.5°.de san.tuen. 2ª.92.E
Mulsa quæ deiiciat.12°.meth.me. 7ª.75.H

Mulſa pro menſibus ciendis.de curan.rat.per ſan.miſſ. 6ª.20.F
Mulſo abluendum vlcus.2°.de arte cur.ad Glau. 7ª.101.H
Mulſo inſpergunt aliqui pilulas aloes.5°.de ſan.tu. 2ª.92.H
Mulſam dat ad ſemihoram poſt catapotiũ.7°.de comp.m.ſ.l. 5ª.185.H
Mulſam,& ſcamonium bibere differunt.ad Thraſ. 2ª.105.A
pro Mulſa aqua cremor ptiſſanę.12°.met.me. 7ª.75.H
cum Mulſo panis ſenum.5°.de ſan.tu. 2ª.92.D
Mulſo aceto ĩ neruoſis partibus vti nõ debemus.d fra.c.2°. 7ª.236.A
Mulſum ſcylliticum.7°.de comp.med.ſec.lo. 5ª.186.G
Mulſum vinum.3°.de comp.med.ſec.loc. 5ª.143.C
Mulſi vini veteris meminit.3°.de comp.med.ſec.loc. 5ª.143.F
MVLTIPEDÆ *ad aurium dolores valent.11°.de ſimp.m.ſ.* 5ª.82.H
MVLTIPLICEM *ordinem dentium habent lupi.de ana.viu.* Sp.49.E
Multiplicẽ ordinẽ dẽtiũ,ſed eiuſdẽ gñis hñt piſces.d ana.vi. Sp.49.E
Multiplex ordo meſaraicarum.de ana.viuo. Sp.50.B
MVLTIPLICATIO *pilorum cur a natura fiat.de anat.viu.* Sp.45.C
MVLTIPLICITATE *tunicarum cooperientium nec venæ, nec veſica indiget.de ana.viuo.* Sp.45.A
MVLTITVDO *eſt ad aliquid.11°.met.med.* 7ª.71.D
in Multitudinẽ innumerabilẽ ſecari põt oĩs quãtitas.ad Thr. 2ª.106.E
Multitudo,quæ è Theatris confertim conatur exire, in exitu hæret.3°.de ſan.tu. 2ª.77.F
Multitudo,& plenitudo nomina cognita apud medicos,& ignorata.2°.de mult. 3ª.76.B
Multitudinis duæ differentiæ ad robur,& ad vaſa.de mult. 3ª.76.H
Multitudo enchyma quæ,& quod ſit in oĩbus rebus.de mul. 3ª.77.B
Multitudine,aut craſſitię ciborũ aſſumptorũ qñ generatur phlegma in ſtomacho,ac reliquo corpe,cõueniũt cibi acetoſi.de diſſ.cõt.S. 72.G
Multitudo,& morbus,multitudinis quid.com.2°.aph.17°. Ex.13.C
Multitudinis ſignum perſpicaciſſimum grauitas.de mult. 3ª.77.H
Multitudo adeſſe ſignificat tã per frigidos quàm per calidos ſudores.commen.4°.aph.42°. Ex.32.E
Multitudinem ſolam cauſare morbum,non autem defectum aliqui antiqui voluere.com.5°.aph.57°. Ex.42.H
Multitudo humorum facit febres longas.com.4°.aph.44°. Ex.32.G
Multitudo quem laborem facit.com.4°.aph.31°. Ex.30.G
Multitudo faciens dolorẽ oculorũ qbus ſanetur.c.7°.a.46°. Ex.57.H
ĩter Multitudinem mãm,et reſolonẽ ẽ ſtuporis diſp°.2°.d lo.af. 4ª.8.H
Multitudo materiæ facit difficultatẽ vrinæ,quæ ſanatur phlebotomia.commen.6°.aph.36°. Ex.50.D
Multitudine ægrotamus qñ venter retinetur.2°.de elem. 1ª.9.C
in Multitudine humorũ ſanguis eſt mittẽdus,in corruptela vero pharmacũ exhibendũ pro cura præſeruatiua.quos purg.opor. 5ª.88.B
MVLTVM *eſt contrarium pauco.11°.met.med.* 7ª.71.B
Multum vnum,& vnum multa ſecundum Plat.2°.met.med. 7ª.14.F
Multa ex vno intelligi poſſunt.com.5°.aph.7°. Ex.37.H
Multa cognoſcunt,ſed an noceãt,et quo noceãt,ignorat.1°.d ele. 1ª.5.G
Multa excremẽta qd ſignificẽt apud antiquos.c.6°.ap.1°. Ex.46.C/D
Multi oculi herba.de artic.com.4°. 7ª.286.H
MVNDE quo dãtur cibi,& potus.in 6m.de mor.vul.c.4°. 3ª.180.G
de MVNDICIIS *librum fecit Cleopatra.de pond.& menſ.* 5ª.276.C
Mundiciem,& celeritatẽ quęcunq; admittunt munde,& celeriter cõficienda ſunt.de faſcijs. 7ª.293.C
Mũdiciei,et elegãtię,nõ ſolũ vtilitati ſtudeat medicus.d faſ. 7ª.293.C
MVNDIFICANDAM *vulneris oculorũ putredinem.de cul.* 7ª.191.C
Mundificantia quæ ſint.de diſſ.cont. Sp.74.G
Mundificans meatus medicamentum.ſecretorum. Sp.101.G
Mundificans ſanguinem medicamentum.ſecretorum. Sp.101.G
Mũdificãs ſupflua a pulmõe,& pectore electariũ.d me.exp.S. 107.G
Mundificans fecẽ humorũ ex corpore medicamẽtũ.ſecreto. Sp.101.H
cũ Mũdificãtibus & ſubtiliãtibus qd faciat lac.de diſſ.cõt. Sp.74.H
MVNDIFICATIVA *potentia eſt vna ex potentijs medicinarum oculi.de ocul.* 7ª.189.A
Mundificatiua qualia,& quæ.de ocul.188.E/189.C/ 7ª.190.G
Mundificat,& lauant dulcia,& amara.de ocul. 7ª.188.C
Mundificat mel,& tenuat,& quod mel.de diſſ.cont. Sp.74.G
Mundificant amygdalæ propriæ amaræ.de diſſ.cont. Sp.74.G
Mundificat venas ab humore craſſo vinum tenue.d diſſ.cõt. Sp.74.H
quo Mundificetur,& abſtergatur ſtomachus.de diſſ.cont. Sp.74.G
Mundificans ſtomachum cibi qui incidunt pituitã.de diſ.cõt. Sp.74.E
Mundificant ſtomachum & inteſtina cibi ſalſi.de diſſ.cont. Sp.72.G
quibus Mundificetur pituita in ſtomacho calido.de diſſ.cont. Sp.74.E
quæ Mundificant aliquando ſtomachum.de diſſ.cont. Sp.75.B
Mundificat pectus,& pulmonem ſecani abin.de diſſ.cont. Sp.74.G
Mundificat canales pulmonis,& hepatis decoctio cortici fiſtici.de medicinis expertis. Sp.104.D
Mundificant renes,& frangunt lapidẽ generatum in eis cicera nigra.de diſſol.cont. Sp.74.G
Mundificant,& abſtergunt renes ficus humidæ & ſiccæ.de diſſolutione continua. Sp.74.G
Mundificãt matricẽ immundã ſuccus centaureæ.de vir.cen. Sp.94.B
MVNDVM *qui primus appellauit.de hiſt.phil.* Sp.5.F
Mundus quid ſit.an animal ſit.1ª.327.A/de hiſt.phil. Sp.4.D
Mundus eſt vnum corpus continuum.3°.de diff.pul. 4ª.62.C
de Mundo,& vacuo philoſophorum rationes rhethoricæ.de cuiuſque animi pec.not.atq.med. 2ª.60.A
Mundi author & conditor Deus.9°.de decr.Hip. 1ª.285.C
Mundus maximus eſt,& pulcherrimus oĩum rerũ.3°.d v.p. 1ª.133.F
Mundi generatio quæ.de hiſt.phil. Sp.3.G
Mundi materia quæ natura.de hiſt.phil. Sp.4.A
Mundus à quo elemento cœperit.de hiſt.phil. Sp.5.H
Mundi conſtitutio,& forma quæ. de hiſt.phil. Sp.4.D
Mundi figura quæ.de hiſt.phil. Sp.5.G
Mũdũ q dñt immobilẽ eſſe ſimiles ſunt lapidibus.an ani.ſit. 1ª.327.A
Mundi partium ordo.de hiſt.phil. Sp.6.A
Mundus,& mundi ordo cur coſmos dicatur.in progn.c.3°. 4ª.207.G
Mundi dextra ac ſiniſtra pars,quæ.de hiſt.phil. Sp.6.C
de Mundi quatuor partium alteratione.de ſper. Sp.39.E
ſecundum Mundi partes quatuor terræ ſunt diuerſę.de ſper. Sp.39.F
Mundi pars terra media ab Euclide pbatur.8°.de dec.Hip. 1ª.272.E
Mundi pars terra media certe tenetur.8°.de decr.Hip. 1ª.273.E
de Mundi ſeptem climatum alteratione.de ſper. Sp.39.D
Mundi veluti oculi ſunt Sol & Luna.an animal ſit. 1ª.327.B
Mundum luna perambulat vnoquoque menſe.de ſper. Sp.40.E
Mundi perfectio quæ.an animal ſit. 1ª.327.A
Mundi finitas,& infinitas quæ.de hiſt.phil. Sp.5.F
Mundum non eſſe vnũ Epicurus opinatur,ſed eſſe infinitos.de cuiuſq; animi pec.not.atq.med. 2ª.60.A
Mundum eſſe vnum,& extra non vacuum & totum plenum peripateticus diſputabat.2°.de cuiuſq.ani.pec.not.atq.med. 2ª.59.H
Mundi æternitas.de hiſt.phil. Sp.5.G
Mundus an alatur.de hiſt.phil. Sp.5.H
extra Mundum an aliquid ſit.de hiſt.phil. Sp.6.B
in Mundum nullum eſt vacuum.3°.de diff.pul. 4ª.62.C
in Mundo nihil vacui ponebat Stoicus,ſed extra mundum vacuum aſſerebat.de cuiuſq.ani.pec.not.atq.med. 2ª.60.A
Mundi inclinatio.de hiſt.phil. Sp.6.B
Mundum vniverſum,& cœlum contemplari volentes manus,& digitorum ſtructuram conſiderare debebant.de fœt.for. 1ª.325.C
Mundi totius anima quæ.de ſub.fa.nat.230.B/de hiſt.phil. Sp.5.G
in Mundo primus ſpiritus quibus nominibus appellatur. an animal ſit. 1ª.327.A
MVNDVM *ſanguinem purum,& clarum non generant cibi non temperati.de diſſ.cont.* Sp.74.A
Mundus debet eſſe medicus potiſſimum manibus,facie, pilis, veſte.in 6m.de mor.vul.com.4°. 3ª.180.H
Mundæ debent eſſe faſcię,& cur.de faſcijs. 7ª.293.G
MVNERE *ſuo magis quam alium artificem fungi medicum decet,quo ſibi nobilior eſt ſubiecta materia.de faſc.* 7ª.293.C
Munus muſculorum qui dant capiti propriũ motũ.de muſ.diſ. 1ª.45.D
MVR vocata myrrha.de med.fac.par. 7ª.177.G
MVRENAE *viuunt aqua ſalſa,& dulci.de ho.& vi.ſuc.* 2ª.37.H
Murena,& mugil multum differunt ex locis in congeneribus.3°.d ali mentorum facultatibus. 2ª.31.C
Murenæ molles carne.3°.de ali.fac. 2ª.31.A
Murenæ neque craſſi neq; tenuis ſunt ſucci.de bon.& vit.ſu. 2ª.34.H
Murenæ inter piſces qui facilius conficiuntur.3°.de ali.fac. 2ª.31.A
Murenæ non ſemper optimæ.3°.de alim.fac. 2ª.31.B
Murenæ quæ peſſimæ.de boni.& vit.ſuc. 2ª.37.H
Murena peſſima in oſtijs fluuiorum.3°.de alim.fac. 2ª.31.B
Murena peßima in Tyberi Romæ.3°.de alim.fac. 2ª.31.B
Murena cur Romæ minimo emitur.3°.de ali.fa. 2ª.31.B
MVRIA *fit ex ſale quando caremus aqua.1°.de ſimp.me.fa.* 5ª.3.A
Muria aqua,ab aqua ad calidius accedit.1°.de ſimp.med.fac. 5ª.5.C

vt Muria,& mare vim habet exſiccãdi bilis.4°.de dign.pul.4ª.103.F
Muria ſiccat carnes,& incorruptas ſeruat.2°.de nat.fac. 2ª.301.C
Muria incidit,& attenuat.de atten.vict. 2ª.46.B
Muria aqua,aut bituminoſa,aut ſulfuroſa,aut marina ſi iſpergas partem adures. 1°.de ſimp.med.fac. 5ª.3.A
Muria pro aqua marina.3°.de comp.med.ſec.lo. 5ª.147.B
Muria quæ reponi debet caucali conditur.7°.de ſimp.me.fa.5ª.50.C
Muria eſt cibus ſalſus,diſſoluens,& attenuans.de diſſ.cont. Sp.72.F
Muria ĩ qbus cibi poſita eſt,hi diſſoluũt ac attenuãt.de diſ.cõt.S.72.F
Muriæ in quo plurimum ponitur,eſt ſiccum.de diſ.cont. Sp.74.D
in Muria condita tantum a priſtinis viribus immutantur, quantum a conditura fuerit alterata.de atten.vic. 2ª.46.B
Muria condita arborum germina faciunt humorem melancholicum. 3°.de loc.affect. 2ª.18.F
cũ Muria qñ comeduntur oliuæ añ cibũ leniũt vẽtrẽ.de diſ.cõt.Sp.75.A
ſine Muria qñ comeduntur oliuæ poſt cibum cum aceto qd faciant.de diſſol.cont. Sp.75.A
Muria oliuarum.6°.de comp.med.ſec.loc. 5ª.175.H
cum Muria,& aceto comedendum eſt catharſ.de diſſ.cont. Sp.74.E
in Muria ſuperuacuum & acre excernitur per aluum, vrinas,& ſudores.3°.de temperamentis. 1ª.22.H
Muria pruritum facit.2°.de ſymp.cau. 3ª.23.H
Muria in quibus ſugillationibus fugienda.5°.de comp.me.ſ.l.5ª 158.H
Muria quando eriſypelati imponenda.14°.met.med. 7ª.87.E
Muria impoſita cuti exulcerat,& erodit.3°de temp. 1ª.22.G
MVRMVR *quid ſit,& quomodo fiat.com.4°.aph.73°. Ex.35.G*
Murmura quorum ſunt ſymptomata.de ſymp.diff. 3ª.13.E
MVRMVRANTIA *ilia ſuſpenſa quo modo ſint.commentar.4°.aphoriſmo 73°. Ex.35.G*
Murmurantia ſublata quibus ſunt hypochõdria ilium dolore acceden te ijs alui humectantur niſi flatus erumpant vel vrinæ proueniat copia.de vrin.ſign.ex Hip. 1ª.78.G
MVRES *ſecuit Galenus.6°.de anat.adm. 1ª.89.G*
Mus agris.3°.de alim.fac. 3ª.26.C
Mures domeſtici ſanant ſcorpij ictum.11°.de ſimp.med.fac.5ª.82.G
Murium domeſticorum ſanguis fertur verrucas decidere facere 10°. de ſimp.med.facul. 5ª.73.D
Murium capita alopeciam ſanant.de ther.ad Piſ. 5ª.93.E
Murium ſtercus cũ aceto tritũ alopecias ſanat.de the.ad Piſ.5ª.93.F
Murium ſtercus quo loco reponatur inter calida,quæ valent alopecij. 1°.de comp.med.ſec.loc. 5ª.122.D
Murium ſtercus ad alopecias.10°.de ſimp.med.fac. 5ª.77.D
Murium ſtercus pro balano.10°.de ſimp.med.fac. 5ª.77.D
Mures ad ſe trahit ſerpens ſpiritu ſuo.de cathar. Sp.94.H
ad MVRIS *aranei morſum.5°.de comp.med.per ge. 5ª.246.H*
MVRIS *modo pulſus qui.de comp pulſ. Sp.65.H*
MVRIS *auricula.6°.de ſimp.med.fac. 5ª.42.D*
Muris auricula ſicca eſt in ſecundo ordine,temperata in actiuis qualitatibus.7°.de ſimp.med.fac. 5ª.56.D
Muris auris condenſat.5°.de ſimp.med.fac. 3ª.35.G
MVSA *plures libros ſcripſit.6°.de comp.med.ſec.lo. 5ª.175.C*
Muſa de medicamentis ſcripſit.7°.de comp.med.ſec.lo. 5ª.178.B
Muſæ de medicamẽtis egregie ptractauit.2°.de cõp.m.pg. 5ª.222.A
Muſæ quantum attribuat Galenus.6°.de comp.med.ſec.lo. 5ª.172.C
Muſæ ad anginam.6°.de comp.med.ſec.lo. 5ª.172.C
Muſa primus vſus eſt ſtercore canino.6°.de comp.me.ſe.lo. 5ª.172.C
Muſæ compoſitio dolorem ſedans.7°.de comp.med.ſec.lo. 5ª.182.A
Muſæ medicamentum ad quæ valeat.5°.met.med. 7ª.34.B
Muſæ medicamentum vlceribus protractis in longum conuenit.1°.de art.cur.ad Glauc. 7ª.102.D
Muſæ medicamentum.5°.met.med. 7ª.34.B
Muſæ paſtillus.3°.de comp.med.ſec.loc. 5ª.141.D
Muſæ remedium.5°.de comp.med.per ge. 5ª.252.A
Muſæ trociſci ad putreſcentia vtiles.2°.de ar.cur.ad Gla.7ª.107.A
Muſæ ad vocem interceptam.7°.de comp.med.ſec.lo. 5ª.181.B
Muſæ fit mentio.2°.de comp.me.per ge.5ª.218.E/de dyn. Sp.32.F
MVSCAE *non fiunt ab eodem opifice quo homo.de fœt.for. 1ª.326.B*
Muſcæ quando videntur.de ocul. 7ª.186.D
Muſcas nunquàm diſſecuit Galenus neque voluit diſſecare.6°.de dec. Hippocratis. 1ª.263.F
Muſcæ cur videantur in ſuffuſis.de ſymp.cau. 3ª.15.A
Muſcæ pereunt oleo.2°.de ſimp.med.fac. 5ª.14.E
Muſcæ in medicamentis.1°.de comp.med.ſec.lo. 5ª.124.G
ex Muſcarum capitibus cataplaſma.de ocul. 7ª.190.E
Muſcarum capita.1°.de comp.med.ſec.loc. 5ª.124.H
Muſcę corpore vtiũ pro medicamento.4°.de comp.med.ſe.l.5ª.158.D
Muſcæ carne vtitur in chymoſi.4°.de comp.med.ſec.loc. 5ª.157.E
Muſcarum caninarum ſanguis.4°.de comp.med.ſec.loc. 5ª.153.C
MVSCERDA. *1°.de comp.med.ſec.loc. 5ª.123.D*
MVSCVLOSVM, *& gracilem comparat cani.10°.met.me. 7ª.62.C*
in Muſculoſis motus muſculorum plurimum apparent ante cutis ablationem.1°.de motu muſ. 1ª.309.H
Muſculoſa,& tenuis eſt tota frons.de muſ.diſ. 1ª.44.F
Muſculoſa dilatatio vocat muſculus latus ĩ collo.de muſ.diſ.1ª.44.E
Muſculoſa natura,vel muſculoſa ſubſtantia poteſt dici muſculus latus ſub cute in collo.de muſ.diſſ. 1ª.44.D
Muſculoſæ partes in vtero, & in mare videntur in pudendis.14°.de vſu partium. 1ª.208.E
MVSCVLVS *quid.fin.med.44.D/ar.med.If.65.E/ 1°.de motu muſcu. 1ª.309.C/de ana.viu. Sp.55.E*
Muſculi ſunt corpora neruoſa.com.5°.aph.1°. Ex.37.D
Muſculus inter prima inſtrumenta numeratur.de diff.mor. 3ª.3.B
ex Muſculorum ſubſtantia moles noſtri corporis conſtat. de bonitate, & vitio ſuccorum. 2ª.35.G
Muſculi,& oſſa ſunt fundamẽta totius corporis.1°.de ana.ad.1ª.64.B
Muſculi robuſtiores adenibus.13°.met.med. 7ª.80.H
Muſculus ex qua naturæ machina effectus.1°.de ſem. 1ª.332.C
Muſculi propria ſuba.quæ de mul.3ª.78.B/de frac.c.1°. 7ª.221.D
Muſculi proprium corpus ſunt fibræ.de frac.com.1°. 7ª.221.D
Muſculi fibras poſitu ſimplices obtinent.de anat.adm. 1ª.95.G
Muſculi omnes fibram habent ſecundum longitudinem vt plurimum porrectas.12°.de vſu par. 1ª.195.E
Muſculi ſectio vſque in fibras.1°.de motu muſc. 1ª.309.D
in Muſculo vno quoque neruus fibras efficit.1°.de decr.Hip.1ª.234.B
Muſculorum aliqui habent vna fibrã,alij duas.1°.de ana.ad.1ª.64.C
Muſculorum omnes fibræ tenduntur in vehementi tenſione.3°.de ſanitate tuenda. 2ª.78.G
Muſculorum,& fibrarum cognitio quid faciat ad Chirurgum.1°.de anatomicis adminiſtrationibus. 1ª.64.H
in Muſculorum genere cor quidam ponunt.de bo.& vi.ſuc. 2ª.35.G
a Muſculo differt ſubſtantia cordis.7°.de ana.adm. 1ª.96.A
Muſculo quolibet cor durius eſt.7°.de ana.adm. 1ª.95.H
Muſculus coctus habet guſtum diuerſum a corde cocto.7°.de anato. adminiſtrationibus. 1ª.95.H
Muſculus totus qualis.de bo.& vit.ſuc. 2.35.G
Muſculos appellat pelliculas quaſdam.de ana.par. Sp.43.D
Muſculus cur vocetur ſolum extrema pars.de bon.& vit.ſu.2ª.35.G
Muſculi quidam habent capita neruoſa.3°.de alim.fac. 2ª.26.G
Muſculi caput magis neruoſum eſt.1°.de motu muſc.1ª.309.C/de bonitate & vitio ſuccorum. 2ª.35.G
in Muſculi caput inſeruntur ligamẽta,& neruus.1°.de mo.m.1ª.309.C
Muſculorum capita a foris habent ligamina tranſuerſim circundata. 1°.de anatomicis admin. 1ª.65.F
in Muſculorum capitibus nerui inſeruntur, ex finibus autem chordæ oriuntur.com.5°.aph.66°. Ex.45.C
Muſculorum ventres qui.1°.de motu muſ. 1ª.309.C
Muſculi cauitates ſunt quas ſola ratione contemplamur.commentario 6°.aph.20°. Ex.48.C
Muſculi medium magis carnoſum eſt.1°.de motu muſ. 1ª.309.C
Muſculi finis inferior magis carnoſus eſt.1°.de mot.muſ. 1ª.309.D
Muſculi ſunt carnes exactę,potiſſimum mediæ partes.3°.de alimentorum facultatibus. 2ª.26.G
Muſculorum particulæ ſunt carnes.7°.de ana.adm.1ª.96.A/2°.de locis affectis. 4ª.11.D
Muſculus carnoſiſſimus eſt.16°.de vſu par. 1ª.218.A
ex Muſculorũ ſubſtantia maxima aialiũ caro.4°.de ana.ad. 1ª.84.E
pro Muſculis carnes accepit Hippocrates.de fract.c.2°. 7ª.240.E
Muſculorũ carnes nutriũtur ſãguĩe parũ alterato.3°.de na.fa.1ª.308.B
Muſculorũ carnoſã ptẽ cõſuete piculo vacat.3°.d cõp.m.pg.5ª.231.D
Muſculus,& caro propter quid ſint facta.12°.de vſu par. 1ª.193.D
Muſculus ad conſtituendũ tendonem factus eſt.12°.de v.p.1ª.193.D
Muſculi omnes deſinunt in tendonem.11°.de vſu par. 1ª.185.G
in quod Muſculus deſinit,tendo vocatur.1°.de decr.Hipp. 1ª.253.G
Muſculorum neruoſę partes tẽdone vocãtur.de frac.c.3°. 7ª.249.C

ex Muſculi

ex Muſculi ſine naſcitur tendo. 1°. de motu muſc. 1ª. 309. C. de bon. & vitio ſuccorum. 2ª. 235. G
ex Muſculis oriuntur tendines. 3°. de comp. med. per ge. 5ª. 231. E
Muſculi multi in magnos tendones deſinunt. 3°. de alim. fac. 2ª. 26. G
Muſculi ad fines modum hũt maximos tẽdones. 3°. ḋ alim. fa. 2ª. 26. G
Muſculus vnus videntur eſſe plures cum plures habet tẽdones. de motu muſculorum. 1ª. 308. F
Muſculorum anatome cognoſcenda eſt. 1°. de loc. aff. 4ª. 7. G
in Muſculorum anatomia, & partium intrinſecarũ debet eſſe optime exercitatus medicus. 2°. de anat. adm. 1ª. 69. B
Muſculorum anatomia ſecundo loco videnda eſt. 1°. de ana. ad. 1ª. 64. B
Muſculis ignoratis, nerui, aut vaſa nõ pũt ſecari. 2°. ḋ ana. ad. 1ª. 69. E
de Muſculorum diſſectione qui ſcripſerint. de muſ. diſſ. 1ª. 44. B
de Muſculorum diſſectione nemo ſcripſit qui non ſit reprehendendus. de muſculorum diſſectione. 1ª. 44. B
de Muſculorum diſſectione Marinus accuratius egit, quàm alij, tamẽ aliquibus errauit. de muſ. diſſ. 1ª. 44. B
Muſculorum diſſectio Pelopis, & Lyci, & Aeliani in precio iure habita eſt. de muſ. diſſ. 1ª. 44. B
Muſculos optime diſſecuiſſe creditus eſt Lycus. de muſ. diſſ. 1. 44. D
de Muſculorum diſſectione Lyci liber cur plixus. de muſ. diſſ. 1ª. 44. C
de Muſculorum diſſectione cur ſcripſerit Galenus. de muſ. diſ. 1ª. 44. C
de Muſculorum diſſectione libro Galenus ea ſola, quæ apparent traditurus eſt. de muſ. diſſ. 1ª. 44. C
Muſculorum diſſectionem in ſimia exercet. de muſ. diſſ. 1ª. 44. D
ne Muſculi lacerentur cuilibet non eſt concedendum ſimiam excoriare. de muſculorum diſſect. 1ª. 44. D
in quibus Muſculis anatomia ſimiarum fecerit errare. de motibus manifeſtis & obſcuris. Sp. 70. E
de Muſculorum cognitione prius in cadauere exercitãdum. 1°. de anatomicis adminiſtrationibus. 1ª. 64. C
Muſculi recti vnde oriantur. 5°. de vſu par. 1ª. 146. G
Muſculus rectus quo modo eleuandus. 5°. de ana. adm. 1ª. 88. A
Muſculi tranſuerſi vnde oriantur. 5°. de vſu par. 1ª. 146. G
Muſculi obliqui vnde oriantur. 5°. de vſu par. 1ª. 146. H
Muſculi obliqui quomodo ſecandi. 5°. de ana. adm. 1ª. 88. F
Muſculi longitudinales vulgo dicti. 5°. de anat. adm. 1ª. 87. C
Muſculi longitudinales quo modo incedunt. 5°. de vſu par. 1ª. 146. E
Muſculi vulgo dicti latitudinales. 5°. de ana. adm 1ª. 87. D
Muſculi tranſuerſales quo modo incedunt. 5°. de vſu par. 1ª. 146. E
Muſculi obliqui quomodo incedunt. 5°. de vſu par. 1ª. 146. E
Muſculi vulgo dicti tranſuerſales. 5°. de ana. ad. 1ª. 87. C
Muſculorum ordo cur talis. 5°. de vſu partium. 1ª. 146. F
Muſculi interiores, anteriores, poſteriores, & exteriores. commentario. 7°. apho. 36°. Ex. 56. H
Muſculi innaſcuntur particulis, quæ mouentur in diuerſis locis, et contrarijs. 1°. de mot. muſ. 1ª. 308. G
Muſculus eſt tanquam planta. 1°. de mot. muſ. 1ª. 309. B
Muſculi inferuntur duobus modis. 1°. de mot. muſ. 1ª. 312. B
Muſculus omnis trahit ad partẽ in qua inſeritur. 11°. de v. p. 1ª. 185. D
Muſculi ita coaleſcunt, vt vnus eſſe videantur. 1°. de mo. m. 1ª. 308. F
Muſculi in gymnaſticis carnoſi ſunt. 5°. de ana. adm. 1ª. 85. A
Muſculus apparens in gymnaſticis. 1°. de ana. adm. 1ª. 68. A
Muſculi extrinſeci, quique oculis primo occurrunt, corporis habitum indicant. ars med. If. 65. E
Muſculi tot ſunt vt difficile ſit eos numerare. 1°. de mo. muſ. 1ª. 308. F
Muſculi ſunt multo plures, quam illi qui volũtaria motione membra agitant. de fœt. for. 1ª. 325. F
Muſculorum ſcopi ad numerum trium millium. de fœt. for. 1ª. 325. F
Muſculorum numerus vnde attendendus. 1°. de ana. adm. 2ª. 65. A
Muſculos conſiderandi varij modi. 1°. de anat. adm. 1ª. 65. C
Muſculi poſitionem ignorans, actionẽ ignorat. 2°. de vſu par. 1ª. 126. E
Muſculi ex actione cognoſcuntur. 1°. de lo. aff. 4ª. 7. G
Muſculorum optima poſitio qualis. 3°. de vſu par. 1ª. 132. H
Muſculorum omnium quid commune ſit. de muſ. diſſ. 1ª. 45. C
Muſculorum omnium opus commune quale. 5°. de vſu par. 1ª. 146. F
Muſculorum omnium commune. 7°. de vſu par. 1ª. 160. D
Muſculorum vtilitas quæ. 1°. de vſu par. 1ª. 117. B
MVSCVLI *primo motum excipiunt. de morb. cauſ. 3ª. 6. E*
Muſculi agunt. 7°. de vſu par. 1ª. 160. G
Muſculi aliqui præſtant motum, aliqui non. 2°. de decr. 1ª. 236. F
Muſculus mouet. 1°. de nat. fac. 1ª. 291. B
ex Muſculis omnes partes mouentur. de conſt. ar. If. 37. A
Muſculorum motus actiones dicuntur. 1°. de nat. fac. 1ª. 291. B
de Muſculorum motu liber diligenter conſiderandus eſt. 4°. de anatomicis adminiſt. 1ª. 83. C
de Muſculorum motu liber præcedit librum prognoſticorum. in prognoſtica. com. 1°. 4ª. 193. E
Muſculi vnde moueantur. 1°. de motu muſ. 1ª. 309. C
Muſculis virtutem ſuppeditat cerebrum. 7°. met. med. 7ª. 49. C
ad Muſculũ vnumquẽq; peruenit neruus a cerebro, aut ſpinali medulla. de voce & anhel. Sp. 60. F
Muſculis deducunt vires a cerebro nerui. 1°. de mot. muſ. 1ª. 309. A
Muſculi, & cerebrũ, & ſpinalis medulla cõicãt. de mot. mu. 1ª. 308. H
Muſculi mouentur a neruis. 2°. de decr. Hip. 1ª. 236. E
Muſculi habent principium motus a neruis. 3°. de loc. aff. 4ª. 20. B
ſine Muſculo nullus neruus facit actionem. 1°. de lo. aff. 4ª. 7. D
Muſculi excipientes neruos mẽbra mouent. de decr. Hip. 1ª. 234. A
Muſculi irrigantur vena, neruo, & arteria. 1°. de mot. muſ. 1ª. 309. B
Muſculus nullus eſt ſine vena, & arteria. 16°. de vſu par. 1ª. 219. F
in Muſculos diſpenſantur nerui. 1°. de ſem. 1ª. 332. C
a Muſculis qui nerui oriuntur. 15°. de vſu par. 1ª. 210. D
Muſculus mouetur a ſpiritu lato per neruum. de mult. 3ª. 78. A
Muſculus eſt inſtrumentum animale. 1°. de mo. muſ. 1ª. 309. B
Muſculi inſtrumenta animæ mouentis. 17°. de vſu par. 1ª. 221. C
Muſculos mouere animæ officium eſt. 2°. de mo. mu. 1ª. 314. H
Muſculus nunquam perfectè moueretur, niſi ab animali facultate adiuuaretur. 1°. de mot. muſc. 1ª. 311. H
a Muſculis motus procedentes ſunt animales, & voluntarij. 1°. de motu muſculorum. 1ª. 309. E
Muſculi animali, & voluntaria vtũtur facultate. 6°. de lo. af. 4ª. 38. F
Muſculi ſunt cõſtructi ad motũ voluntariũ. 16°. de vſu par. 1ª. 214. H
Muſculi ſunt inſtrumenta motus voluntarij. 1°. de mo. muſ. 1ª. 308. F/ 6°. met. med. 7ª. 38. D/de voc. & anhel. Sp. 60. F
Muſculi actio voluntatis noſtræ imperiũ imitatur. 1°. de lo. aff. 4ª. 2. H
Muſculi mouentur voluntarie. 7°. de ana. ad. 96. A/ 1°. de vſu p. 115. F/2°. de dec. Hip. 236. D/7°. 272. F/1°. de mo. mu. 1ª. 309. B/de bo. & vitio ſuc. 35. B/2°. de ſan. tuen. 2ª. 75. A/de palpe. 3ª. 56. B/1°. de loc. affect. 4ª. 7. D
Muſculorum motus fiunt ex appetitu. com. 4°. aph. 15°. Ex. 28. H
Muſculorum tantum non eſt motus voluntarius. de motibus manifeſtis, & obſcuris. Sp. 68. E
ꝑ Muſculos, & neruos fiũt actiones volũtarię. de voc. inſtr. 1ª. 106. D
in Muſculis per villos fit motus voluntarius. de ana. viu. Sp. 44. H
Muſculis ſecundo, & neruis primo dat principium motus voluntas in cerebro iuxta neruorũ originẽ ordinata ĩ ſanus. 3°. ḋ l. af 4ª. 17. E
Muſculi ſunt inſtrumenta voluntatis. 4°. de vſu par. 1ª. 141. E
Muſculis attractis ad ſuam originem fit motus omnis voluntarius. 3°. de locis affectis. 4ª. 14. E
ad Muſculorũ officiũ ptinet motus oĩs ab impetu. 1°. de lo. af. 4ª. 7. D
Muſculus cur nõ ſenſus inſtrm, ſed ſolũ motus. 1°. de mo. mu. 1ª. 309. B
in Muſculorum motibus voluntarij motus fiunt offenſę. in 3m. de mor. vulg. commen. 1°. 3ª. 129. D
Muſculorũ vnũ genus ſemp agit, alia quieſcũt. 2°. de mo. mu. 1ª. 314. A
Muſculo omni oppoſitus eſt muſculus auctor contrarij motus. 3°. de vſu partium. 1ª. 135. D
Muſculo omni motu aliquo prædito natura ſemper poſuit oppoſitum, ne pars aliqua claudicet. 12°. de vſu par. 1ª. 195. B
Muſculorum oppoſitorum actio tonica dicitur. 2°. de mo. mu. 1ª. 313. C
Muſculorum tonicon officium quod. in prog. com. 2°. 4ª. 198. E
Muſculi oſſibus inhærent ideo magnitudinem ſequuntur, & figuram illorum. 1°. de anat. adm. 1ª. 63. E
Muſculos ſequunt arteriæ, venæ, nerui in figura. 1°. de ana. ad. 1ª. 65. E
Muſculus eſt magnus vt exigit pars mouẽda. 11°. de vſu p. 1ª. 190. C
Muſculi omnes quomodo agant. de voc. inſtr. diſſ. 1ª. 107. D
Muſculi opus quomodo fiat. de frac. com. 3°. 7ª. 247. C
Muſculi mouent nobis ignorantibus. de fœt. for. 1ª. 325. C
in Muſculis agere quid ſit. 1°. de mot. muſ. 1ª. 310. B
in Muſculis ſequi quid ſit. 1°. de mot. muſ. 1ª. 310. B
Muſculi habent multos motus. 1°. de mot. muſ. 1ª. 309. G
in Muſculis quatuor differentiæ motus, & quę. 1°. de mo. m. 1ª. 311. F
in Muſculis eſſe ſex motus redarguitur. 1°. de mot. muſ. 1ª. 310. A
Muſculi qui faciunt ſimplicem motum. 4°. de ana. adm. 1ª. 83. G
Muſculi qui faciunt compoſitum motum. 4°. de anat. adm. 1ª. 83. G

Musculi recti motum rectum faciunt. 2°. de anat. ad. 1ª. 70. A
Musculi obliqui motum obliquum faciunt. 2°. de anatomicis administ. 7°., 9/6°. 1ª. 90. A
Musculi quo modo dilatentur, & elongentur. 6°. de lo. aff. 4ª. 40. G
Musculus quilibet habet unam actionem, scilicet contractionem ad se. 17°. de vsu par. 1ª. 195. B
Musculorum proprium in seipsos contrahi. de art. com. 1°. 7ª. 252. F
Musculus quomodo videatur contrahi evidenter. de const. ar. If. 36. H
Musculi contractio, & extorsio quæ actiones sint. 1°. de mo. m. 1°. 310. C
Musculorum torsio communis trium operum. 3°. de fa. tu. 2ª. 77. D
a Musculis qui intus sunt fit flexio. 1°. de mo. musc. 1ª. 310. D
a Musculis qui foris sunt fit extensio. 1°. de mot. musc. 1ª. 310. D
Musculorum intrinsecos flectere, extrinsecos vero extendere ostenditur cura anteactarum. 1°. de mot. musc. 1ª. 310. F
Musculi, qui flectunt & extendunt in brutis sunt similes humanis musculis. 6°. de anat. adm. 1ª. 90. A
Musculi, qui in orbem circum volvuntur, quales. 16°. de v. p. c. 1ª. 214. C
Musculorum duo genera habet membrum quod extenditur, flectitur, & circumagitur. 6°. de anat. adm. 1ª. 86. G
quibus Musculis efficiatur motus medius. de musc. diff. 1ª. 47. G
Musculorum media figura habet duplicem constitutionem. 2°. de motu musculorum. 1ª. 313. C
Musculorum motus æquipollens qui. 1°. de nat. musc. 1ª. 312. F
Musculorum motus vt ostendat Galenus cathenam ossi ligat. 1°. de motu musculorum. 1ª. 312. C
Musculi quandoque perveniunt ad partes mouendas, quandoque per tendones. 1°. de loc. aff. 4ª. 7. D
Musculus omnis non desinit in tendonem. 1°. de mo. musc. 1ª. 309. E
Musculi mouentes ossa desinunt in tendones. 1°. de mot. mu. 1ª. 309. F
Musculi mouentes alia quam ossa aliqui desinunt in tendones, aliqui non. 1°. de motu musculorum. 1ª. 309. F
Musculi pares ossibus mouendis. 1°. de mot. musc. 1ª. 312. C
Musculis mouentibus linguam non oritur tendo. 1°. de mot. musc. 1ª. 309. E
Musculi qui mouentur absque motu ossium. 1°. de mot. musc. 1ª. 309. E
Musculi respectu ossium sunt sectores. 17°. de vsu par. 1ª. 221. C
Musculi recti, & obliqui adsunt vbi est vnum os. 6°. de anatomicis administrationibus. 1ª. 90. A
Musculi cum ossa alternatim in seipsos concurrunt. de fra. c. 3°. 7ª. 248. B
Musculi sunt sicut habenæ, quæ in contrarium distrahunt. 1°. de motu musculorum. 1ª. 310. B
Musculus a quo fit motus, quando aliquis vult elevare pondus. 2°. de anatomicis administ. 1ª. 70. E
Musculis vibratis artiodi vibrantur. 2°. de symp. can. 3ª. 22. G/H
Musculi qui faciunt partium sensum, & motum. 1°. de lo. aff. 4ª. 7. E
Musculus qui movetur sentit, nota. 1°. de symp. can. 3ª. 16. F
Musculorum motus agendo perficitur. 1°. de symp. can. 3ª. 16. F
Musculi ociosi male alunntur. de fract. com. 2°. 7ª. 238. G
Musculos otiosos non habent dormientes. 2°. de mot. mu. 1ª. 314. C
Musculos quiescentes qui habeant. 2°. de motu musc. 1ª. 314. C
a Musculo vno an duo motus procedât, & quo. 1°. d mot. mu. 1ª. 310. C
Musculi singuli habent singulos motus. 6°. de vsu par. 1ª. 150. D
Musculus vnus non movet totum membrum. 1°. de mo. mu. 1ª. 310. A
Musculi, nervi, tendones, & ligamenta quanto sunt siccIora, tanto sunt valentiora. 3°. de symp. caus. 3ª. 29. D
Musculos parvos habent actiones imbecilles. 2°. de vsu par. 1ª. 123. D
Musculos magnos, & binos hæ actiones vehementes. 2°. d v. p. 1ª. 123. d
Musculi magni etiam mortuo animante tensi functiones suas citra carnium præcisionem indicare possunt. 2°. de anat. ad. 1ª. 69. G
Musculi exigui non possunt indicare suas functiones, nisi ablatis multis ipsorum cacumbus. 9°. de anat. adm. 1ª. 69. G
Musculorum variorum exortus. 1°. de mot. musc. 1ª. 312. C
Musculi quid peculiare, & commune habent. de frac. c. 1°. 7ª. 224. A
Musculi superne feruntur deorsum. 8°. de vsu par. 1ª. 165. A
Musculi qui superne deorsum feruntur. 16°. de vsu par. 1ª. 215. E
Musculi, qui infeme sursum feruntur. 16°. de vsu par. 1ª. 215. F
Musculos venientes a remotis partibus susci piunt, & retinent chartilagines quædam. de ana. vin. Sp. 55. G
MVSCVLORVM *materia vnà cum capite augescit, & roboratur. in 6ᵐ. de mor. vulg. com. 1°.* 3ª. 154. E
Musculi caput mouentes quot, & quo modo distribuantur, & quos motus faciant. 12°. de vsu par. 1ª. 195. A
Musculi, qui capiti dant proprium motum, quales, vnde orti, & corũ processus, ac munus. de musc. diff. 1ª. 45. D
Musculi, qui solum caput annuendo mouent. de musc. diff. 1ª. 45. H
Musculus secundus capitis quo modo in duas partes dividatur, & vtr partes oriantur, ac finiant. de musc. diff. 1ª. 45. D
Musculus secundus capitis cur non sit vnus. de musc. diff. 1ª. 45. E
Musculi secundi capitis motus est obliquus, & circumagit caput in priorem partem. de musc. diff. 1ª. 45. E
Musculi qui ex occipitio nascuntur, quales, & quot, & vnde, & eorũ ortus, & finis. de musc. diff. 1ª. 45. F
Musculorum coniugationes, quæ in capitis dearticulatione habentur, vbi. de musc. diff. 1ª. 45. G
Musculi, q caput movet circa dearticulationẽ solũ. de musc. dif. 1ª. 45. G
Musculus vnus si agat, motus capitis est obliquus. de musc. diff. 1ª. 45. H
Musculi duo si agant motus capitis est rectus. de musc. diff. 1ª. 45. H
in Musculis totam cervicem occupantibus obliqui quidem obliquum caput abnuendo movent, recti vero, rectum id faciunt. de musculorum diff. 1ª. 45. H
Musculi duo in priori parte, qui caput vna cum cervice movent, & quorsum extendantur. de musc. diff. 1ª. 45. H
Musculi, qui movent os lambdæ, & vnde oriantur ac desinant. de musc. diff. 1ª. 46. E
Musculorum sex par ex occipitij parte ossis. 4°. de ana. adm. 1ª. 82. E
Musculi, qui flectant caput in posteriora. 4°. de ana. adm. 1ª. 83. A
Musculi facientes obliquam mutationem capitis. 4°. de ana. ad. 1ª. 83. B
Musculi quibus movetur caput in latera. 4°. de ana. ad. 1ª. 83. F
ad Musculis committentibus caput clavicules, & pectori. 4°. de anatomicis administrationibus. 1ª. 83. F
Musculi quibus caput circumvertitur. 4°. de anat. adm. 1ª. 83. G
Musculus latus sub cute in colla vnde incipiat, ac finiat, & eius substantia. de musc. diff. 1ª. 44. D
Musculus latus in collo nullum detinet articulum, nec in articulum inseritur. de musc. diff. 1ª. 44. D
Musculus latus sub cute in collo facile laniatur. de musc. diff. 1ª. 44. D
Musculus latus sub cute in collo potest dici musculosa natura, vel musculosa substantia. de musc. diff. 1ª. 44. D
Musculus latus in collo vocatur myodes platysma id est musculosa dilatatio. de musc. diff. 1ª. 44. E
Muscululatiũ ignorarũt male excoriantes animal. de mu. diff. 1ª. 44. E
Musculi, qui trahunt collum, & caput. 12°. de vsu par. 1ª. 195. B
Musculi bronchorum sunt in collo. de voc. & arter. Sp. 60. G
in Musculos octo dividitur genus musculorum, quod colli, ac capitis est commune. de musc. diff. 1ª. 45. F
Musculi, qui caput vnà cum cervice tota movent. de mu. diff. 1ª. 45. G
Musculi, qui caput cum cervice flectunt. de musc. diff. 1ª. 45. H
Musculi a capite orti, qui inserũtur cervici, sunt communes capiti, & cervici. de musc. diff. 1ª. 46. H
Musculi proprij cervicis, qui, & vtr oriantur finiãt. de mu. di. 1ª. 46. H
quibus Musculis fiat motus cervicis. de musc. diff. 1ª. 47. A
Musculus, qui cervicem in priora obliquam flectat. d' mu. dif. 1ª. 46. H
Musculi a cervice ad Thoracem sex sunt. 8°. de anat. adm. 1ª. 102. F
Musculorum tres coniugationes, quæ collum, & caput retro attollunt. 16°. de vsu par. 1ª. 217. E
Musculi oculorum vnde. 1°. de mot. musc. 1ª. 309. G
Musculorum cingentium oculos sectio. 4°. de ana. ad. 1ª. 81. H
Musculos in oculo quinq, falsũ esse dicere error est. de musc. diff. 1ª. 44. G
Musculi sunt sex, qui oculum movent, & vbi, & quomodo se habent, & de illorum motibus quos agunt. de musc. diff. Sp. 44. G
Musculi oculũ movẽtes sũt sex. 4°. d la. af. 4ª. 21. G/d' ana. ocu. S. 57. B
Musculi septem sunt in oculo. de ocul. 7ª. 185. E
Musculi oculorum duodecim sunt, & quales. de ocul. 7ª. 187. F
Musculi in oculo sunt sex. de anat. ocul. Sp. 57. G
Musculorum pinguedo in oculis cur sit. de ana. ocul. Sp. 57. G
Musculi circa oculi basim, sive vnus, sive duplex, sive triplex sit, dubitatur. de musc. diff. 1ª. 44. F
Musculi circa basim oculi faciũt ad firmãdũ oculũ, d musc. diff. 1°. 44. F
Musculi oculorũ, linguæ, testium, penis, quales. 1°. de mo. mu. 1ª. 309. G
circa Musculorum crassitiem fiat incisio in oculo. de ana. ocu. Sp. 52. H
de Musculis faciei & capitis. 3°. de anat. adm. 1ª. 78. G
Musculi faciei quo modo moventur, & non habent tendinẽ. 1°. de mo. musculorum. 1ª. 309. F
Musculi frontis quo modo moventur, & nõ habent tendonem. 1°. de motu musculorum. 2ª. 309. E

Musculorum delineamenta circa aurem. 16°. de vsu par. 1ª.217.B
Musculus sub radice auris. 4°. de anat. adm. 1ª.83.G
Musculi crotaphitæ, id est temporales, qui. de mus. diss. 1ª.44.G
Musculi temporales, qui. 4°. de ana. adm. 1ª.80.A
Musculi temporales, & masticatory. de arti. com. 2°. 7ª.263.C
Musculus temporum cuidens est. 4°. de ana. adm. 1ª.81.E
Musculorum omnium magnitudo cur pro ratione magnitudinis animalis facta, præter q̃ musculorũ temporũ. 11°. de vsu par. 1ª.184.F
Musculi temporum vbi. 9°. de anat. adm. 1ª.173.H
Musculorum duo motus circa tempora. 1°. de mot. mus. 1ª.309.G
Musculorum temporalium officium. 4°. de anat. adm. 1ª.80.A
Musculi temporales sanguinem effundentes difficulter compescuntur. fin. med. If.50.A
Musculi nasi alas aperientes vbi sint. de musculorum dissectione. 44. F/4°. de ana. adm. 1ª.81.B
Musculorum genera quinque in ore. 4°. de anat. adm. 1ª.80.B
Musculi masseteres, qui. 4°. de ana. adm. 1ª.80.B
Musculi masseteres quo modo incidendi. 4°. de anat. adm. 1ª.81.B
Musculi maxillas mouentes qui. de art. commentar. 2°. 7ª. 263. C/de anat. viuorum. Sp.54.A
Musculus maxillam mouẽs q, & cui nerno inhæreat. de ner. di. 1ª. 53. G
Musculorum tria paria maxillam mouentia. 4° de ana. adm. 1ª.81.C
a Musculo lato mandibula mouetur. 4°. de lo. ass. 4ª.23.D
Musculorum quatuor coniugationes maxillam inferiorem mouentes vbi sitę. de musc. diss. 1ª.44.G
Musculi, qui mouent sursum maxillam inferiorem vbi sint. de musculorum dissectione. 1ª.44.G
Musculi, qui ad latera mouẽt maxillam vbi sint. de mus. diss. 1ª.44.G
Musculi, qui deorsum trahunt maxillam inferiorem vbi sint. de musculorum dissectione. 1ª.44.G
Musculi qui maxillam sursum trahũt, & os claudunt, vbi sint, & quo modo procedant. de mus. diss. 1ª.44.G
Musculi, qui inferiorem maxillam in interiori parte sursum trahunt, qui, & eorum processus. de mus. diss. 1ª.44.H
Musculi mouentes maxillam inferiorem, & posteriorem partem, qui nam sint, & vbi oriantur. de mus. diss. 1ª.44.H
Musculus, qui sursum retrahit ad maxillam os hyoides. de musculorum dissectione. 1ª.46.F
Musculi duo in extrema maxilla mutuo colligati. de mus. diss. 1ª. 46. D
Musculum qui vtramq, mouet genam inuenit author libri de motibus manifestis, & obscuris. de motibus man. & obs Sp.67.C
Musculorum trahentium genam actio conseruatur dum dormimus nõ aperto ore. 2°. de mot. mus. 1ª.314.E
Musculi, qui ligant os hyoides superiori maxillę & eorum processus. de musculorum diss. 1ª.46.D
Musculi, a quibus fiunt figuræ maxillæ. 2°. de motu mus. 1ª.314.E
Musculi, qui mãsorij appellantur ab Hippocrate, & ab antiquis. de musculorum diss. 1ª.44.H
Musculi masticatorij quid agant. 2°. de mot. mus. 1ª.314.E
de Musculis faucium. de musc. diss. 1ª.46.G
de Musculis buccarum. 4°. de anat. adm. 1ª.80.B
Musculorum diuersitas ad buccas a locis vbi nascuntur. 4°. de anatomicis adminis. 1ª.80.B
Musculorum sectio qui buccas vnà cum labris mouent inferiore maxilla qui escente. 4°. de ana. adm. 1ª.80.A
Musculi buccæ quo modo suo officio fungantur. de articu. commentario. 3°. 7ª.280.F
Musculus latus buccas mouet. de mus. diss. 1ª.44.D
Musculos duos latos, & tenues in buccam, & labra, ignorarunt antiqui. 3°. de anat. adm. 1ª.78.G
Musculi labiorum quo modo mouentur. 1°. de mot. mus. 1ª.309.F
Musculi labrorum situs qui. de mus. diss. 1ª.44.F
Musculi labrorum quatuor. de mus. diss. 1ª.44.E
Musculi quatuor peculiares asperæ arteriæ qui illam contrahunt, & arctant vnde oriantur, & finiant. de mus. diss. 1ª.46.A
Musculi proprij gutturis vnde oriantur, & finiant. de musculorum dissectione. 1ª.46.B
pro Musculis mouentur chartilagines asperæ arteriæ. 7°. de vsu partium. 1ª.160.C
Musculi, qui asperam arteriam adstringunt, & os lambdoides retrahunt. de musc. diss. 1ª.46.E
Musculorum gutturis consideratio. 7°. de vsu par. 1ª.160.D
Musculi ex quibus pendet epiglotis inchordantur quãdo cõstringitur. de voce & anhel. Sp.60.G
Musculi, qui ad superiora, & priora chartilaginem scutiformẽ attrahunt. de musc. diss. 1ª.46.B
Musculi, qui chartilaginem scutiformem cogunt et astringunt. de musculorum dissectione. 1ª.46.B
Musculi, qui fines chartilaginis coniungunt. de mus. diss. 1ª.46.B
Musculi qui scutiformem chartilaginẽ cõiũgunt. de mus. diss. 1ª.46.B
Musculi qui chartilaginem cogunt, & guttur claudũt, & qui nã sint in omni animante. de mus. diss. 1ª.46.C
Musculi qui faciunt vocem. 4°. de loc. ass. 4ª.26.E
Musculi claudẽtes & aperiẽtes ad vocẽ prępui. 4°. de lo. as. 4ª.26.C
Musculus gutturis, q mouẽ dũ vox editur vbi sit. d mus. diss. 1ª.46.G
Musculorum ad vocem situs. de voc. & anhel. Sp.61.A
Musculi sex ex octo ad vocẽ necessary. de voce & anhel. Sp.61.A
Musculi a qbus fit vox dũ est in epiglotide. de voc. & anhe. Sp.60.G
Musculorum epiglottidis radices qui nervus intret. de voce & anhelitus. Sp.61.H
Musculos linguæ scire quid sit. 2°. de anat. adm. 1ª.68.H
Musculorum mouentium linguam differentiæ, ortus, & processus. de musculorum dissec. 1ª.46.G
Musculorum mouentium linguam nomina. de mus. diss. 1ª.46.G
in Musculis, & motibus lingua mirabilis est. de fac. for. 1ª.325.C
Musculos nouem habet lingua, & qui sint. de ana. viu. Sp.49.C
Musculi qui faciunt linguam dilatari. de ana. vi. Sp.49.C
Musculi qui faciunt motum circumuolutionis in lingua. de anatomia viuorum. Sp.49.C
Musculi facientes motum duplicationis in lingua. de ana. vi. Sp.49.C
Musculi facientes retardationem in lingua. de ana. viu. Sp.49.C
Musculi bubulæ linguæ sex decim sunt. de mus. diss. 1ª.46.E
Musculorum, qui faciunt motum obliquum linguæ, ortus, & processus, de musculorum dissect. 1ª.46.F
Musculi linguę cur quandoque nõ possint flabiliri. c. 6°. a. 2°. Ex.49.H
Musculi scapularum quomodo secandi. 8°. de ana. adm. 1ª.101.E
Musculi qui mouent scapulas. de mus. diss. 1ª.46.E
Musculi scapularum qui. 4°. de anat. adm. 1ª.83.H
Musculus quo mouentur scapulæ. 4°. de ana. adm. 1ª.84.D
Musculi peculiares scapulis qui. 4°. de anat. adm. 1ª.84.D
Musculi peculiares scapulis sex. 4°. de anat. adm. 1ª.84.D
Musculus scapularũ gratia, et nõ capitis factus. 4°. d ana. ad. 1ª.82.D
Musculorum actio circa scapulas. 1°. de dis. seb. 3ª.62.H
Musculi, qui vtranque mouent scapulam sunt septem, & qui nam sint. de musculorum dissect. 1ª.45.B
Musculi, qui trahunt scapulas ad caput, vnde oriantur, et procedant, quales sint. de musc. diss. 1ª.45.A
Musculus, qui scapularũ Basim è directo capitis attollit vbi, & quomodo procedat. de mus. diss. 1ª.45.A
Musculus, qui ex inferiori, & priori parte totam scapulam deorsum ac in priora ad seipsum trahit. de mus. diss. 1ª.45.C
Musculi ab osse guttur ambiente exortus, & insertio, scapulã in priorem regionem cruricis versus proprium principiũ abducit. de musculorum dissectione. 1ª.45.C
Musculi qui retro abducunt scapulam, vbi & eorũ processus ac exortus. de mus. diss. 1ª.45.C
qui Musculus axillæ partem carnosam faciat. de mus. diss. 1ª.47.C
Musculũ supra humerũ ἐπωμὶς appellant. 1°. de ana. ad. 1ª.67.H
Musculus parvus in humeri de articulationem situs qualis vbi nascatur, & finiat. de mus. diss. 1ª.47.G
Musculi tres ad alam. de art. com. 1°. 7ª.252.D
Musculus deltoides qui. de art. com. 1°. 7ª.252.D
Musculus qui ob malam excoriationẽ amittitur. de mus. diss. 1ª.47.D
Musculorum brachij dissectio. 1°. de anat. adm. 1ª.67.H
Musculi an duo per totum brachium. 1°. de ana. ad. 1ª.65.D
Musculi quatuor in brachio. 2°. de vsu par. 1ª.126.A
Musculi mouentes brachium vndecim sunt, qui & quomodo, & vbi complantati sint, ac finiant. de mus. diss. 1ª.47.B
Musculus prior brachij ab oĩbus vnus putatur. 1°. de ana. ad. 1ª.65.B
Musculi exterioris nodi brachij. 1°. de ana. adm. 1ª.66.F
Musculus q brachiũ sursum p rectã lineã attollit. de mus. diss. 1ª.47.F
Musculus, qui attollit brachium ad interna. de mus. diss. 1ª.47.F
Musculus qui brachium ad exteriora abduxit. de mus. diss. 1ª.47.G
Musculus qui brachium ad latera detrahit. de mus. diss. 1ª.47.G

Muſculus, qui ab inferiori humilioris coſtę termino aſcendit, quas motiones extrinſecus excipiat. de muſ. diff. 1ª.47.G
Muſculus qui caput brachij attrahit. de muſ. diff. 1ª.47.G
Muſculus, qui brachium pectori abducit. de muſ. dif. 1ª.47.G
Muſculus, qui totum brachium pectori abducit. de muſ. diff. 1ª.47.G
Muſculus vnus ſub vnaquaque clauicula, & qualis, & eius ortus ac finis. de muſ. diff. 1ª.46.C
Muſculi qui primam coſtã ad clauiculã attrahũt. de muſ. diff. 1ª.46.D
Muſculus brachium ad coſtas rectum extendens. de muſ. diff. 1ª.47.G
Muſculi ab ipſa ſcapula ad exteriora poſterioraq, membrum circumagentes. de muſ. diff. 1ª.47.G
Muſculi cubiti, & extremæ manus qũo vigĩti tres. 2°. *& v. p.* 1ª.120.H
Muſculorum cubiti, & extremæ manus vtilitas. 2°. *de v. p.* 1ª.120.H
Muſculorum cubiti, & extremæ manus ſitus. 2°. *de v. p.* 1ª.120.H
Muſculi octo totum cubitum occupantes & ſex & ſeptem. 1°. *de anatomicis adminiſt.* 1ª.66.F
Muſculi mouentes dearticulationem cubiti vnde oriantur, & ſiniant. de muſculorum diff. 1ª.47.H
Muſculi vlnæ quot. 2°. *de vſu par.* 1ª.122.C
Muſculi duo flectunt vlnam. 2°. *de vſu par.* 1ª.126.D
Muſculi duo extendunt vlnam. 2°. *de vſu par.* 1ª.126.D
Muſculi, qui extendunt dearticulationem cubiti. de muſ. diff. 1ª.48.A
Muſculus qui facit lentam extenſionem cubiti. de muſ. diff. 1ª.48.B
Muſculos alios hãt ſimiæ in cubito q̃ alia aĩalia. de muſ. diff. 1ª.48.B
Muſculi in cubito tyronibus ſunt quindecim, veteranis decem, & ſeptem. de muſ. diff. 1ª.48.B
Muſculorũ cubiti numeratio, & ortus, ac finis. de muſ. diff. 1ª.48.B
Muſculus in cubito in quo omnes errarunt. de muſ. diff. 1ª.48.C
Muſculus qui medio cubito a foris incumbat. 1°. *de ana. adm.* 1ª.65.A
Muſculorum obliquorũ, q radium mouẽt exortus. & muſ. diff. 1ª.49.A
Muſculi obliqui radium mouentes. 2°. *de vſu par.* 1ª.122.F
Muſculi in obliquum radium vertentes. 2°. *de vſu par.* 1ª.126.E
q Muſculus radij os tanquã in pronũ circũagat. de muſ. diff. 1ª.49.A
Muſculi duo magni totam eam regionem, quæ inter cibum, & radium media eſt, replentes, cui exortiui ſubiaceant. de mu. diff. 1ª.48.H
Muſculorũ duplices deneruatiões in flexiõe carpi. 1°. *de v. p.* 1ª.118.B
Muſculi ſeptem intra cubitũ, quorũ officiũ eſt flectere brachiale, & digitos, & radium in pronum circumagere. de muſ. diff. 1ª.48.F
Muſculus primus omnium diſſecãdus intra cubitũ. & mu. diff. 1ª.48.G
Muſculi duo brachiale flectentes. 1°. *de ana. adm.* 1°.65.F
a qbus Muſculis extendatur brachiale. de muſ. diff. 1ª.48.C
Muſculus extendens brachiale. de muſ. diff. 1ª.48.D
Muſculi mouentis brachiale apud magnum digitũ exortus. de muſculorum diſſectione. 1ª.48.H
Muſculus, qui brachiale apud magnum digitum flectit in pronum. de muſculorum diff. 1ª.49.A
Muſculus qui brachiale flectit cum inclinatione ad ſupinum, & q cum declinatione in pronum. de muſ. diff. 1ª.48.G
Muſculi mouentis brachiale apud paruum digitum exortus. de muſculorum diſſectione. 1ª.48.H
Muſculi manũ & pedum ſunt neruoſiores. 4°. *de præſ. exper.* 4ª.121.D
Muſculorum ſitus mouentium manum, & ordo, & vbi moriantur. 2°. *de motu muſc.* 1ª.313.H
Muſculi mouentes partes manus. 2°. *de vſu par.* 1ª.122.C
Muſculi qui dant motum manibus. de ana. viu. Sp.54.B
Muſculi manus a qbus neruis agitentur. in 3ᵐ. *de mor. vul. c.* 1°. 3ª.127.H
Muſculorum maiorum manus exortus. 2°. *de mot. muſ.* 1ª.313.H
de Muſculis è quibus oriuntur tendones manus. 2°. *de v. p.* 1ª.121.D
Muſculi, in interna manu vtilitates, 2°. *de vſu par.* 1ª.121.F
Muſculus quibus fiat manus prona. 1°. *de ana. adm.* 1ª.67.A
Muſculus qui manum in ſupinum circumagit. de muſ. dif. 1ª.49.A
Muſculis quibus fiat manus ſupina. 1°. *de ana. adm.* 1ª.67.A
Muſculi oĉs in media manus figura quieſcunt. 2°. *& mo. muſ.* 1ª.314.C
Muſculorum robur facit manus fortiores & ambidextros. commen. 7°. *aph.* 43°. Ex.57.E
Muſculi q flectũt & extendũt digitos, & qũo. 1°. *de mo. muſ.* 1ª.309.G
Muſculus qui extendit digitos vnus eſt. 1°. *de ana. adm.* 1ª.65.A
Muſculus duos exiguos digitos extendens. de muſ. diff. 1ª.48.D
Muſculus, q extẽdit digitos quatuor prẽter pollicẽ. de mu. diff. 1ª.48.C
Muſculus vnus extendit quatuor digitos. 1°. *de ana. adm.* 1ª.65.B
Muſculi mouentes pollicẽ, indicẽ, & mediũ digitũ. & muſ. diff. 1ª.48.E
Muſculus vnus mouet tres primos digitos, pollicẽ, indicem, & mediũ. de anatomicis admin. 1ª.65.C
Muſculi duo ducunt in latera pollicem, indicem & medium. 1°. *de anatomicis admin.* 1ª.65.C
Muſculos duos ponere moueant digitos qui magis laudat Galenus. 1°. *de anatom. admin.* 1ª.65.C
Muſculorum duo genera in ſumma manu. de muſc. diff. 1ª.49.A
Muſculi ſeptem ſummæ manus. 2°. *de vſu par.* 1ª.121.B
Muſculus ſextus in ſumma manu magnũ digitũ indici adducit. de muſculorum diff. 1ª.49.B
Muſculus ſeptimus in ſumma manu paruum digitũ a reliquis longiſſime abducit. de muſc. diff. 1ª.49.B
Muſculus qui magnum digitum longißime ab indice abducit vbi oriatur & ſiniat. de muſ. diff. 1ª.49.B
Muſculi qui magnum digitum in neutram partem extendãt. de muſculorum diſſectione. 1ª.48.D
Muſculus, qui abducit digitos paruos ab alijs, & qui alios tres abducit. de muſc. diff. 1ª.48.C
Muſculus a quos fit obliquus digitorũ motus. 3°. *de ana. adm.* 1ª.78.G
Muſculus q paruos digitos in obliquũ mouet, vn⁹. 1°. *& ana. ad.* 1ª.65.A
Muſculus vnus in obliquum agit. 1°. *de ana adm.* 1ª.65.B
Muſculus mouens obliquæ pollicem. de muſc. diff. 1ª.48.D
Muſculi ducentes digitos ad obliquum. 2°. *de vſu par.* 1ª.121.G
Muſculi flectentes in obliquum duos digitos poſt magnum. 2°. *de vſu partium.* 1ª.121.H
Muſculi vertentes ad obliquum partes manus. 2°. *de vſu p.* 1ª.121.H
Muſculi quinque oblique introrſum, ſurſumque digitos mouentes. de muſculorum diſſectione. 1ª.49.A
Muſculus quinque digitos flectens. de muſ. diff. 1ª.48.G
Muſculus nullus in extremis manibus a foris. 3°. *de ana. adm.* 1ª.77.F
Muſculi qui primum digiti articulum flectunt. de muſ. diff. 1ª.49.C
Muſculi flectentes ſecundam articulorum dearticulationem, & quo modo. de muſ. diff. 1ª.49.C
Muſculi ſummarum partium digitorum. 1°. *de anat. adm.* 1ª.67.D
a Muſculis ad articulos tendo rotundus. 1°. *de vſu par.* 1ª.117.D
Muſculi duo ſoli apparẽt nõ nunq̃ in magno digito. de muſ. dif. 1ª.49.D
Muſculi duo digitorum quandoque vnus eſſe vidẽtur adeo inter ſe coaliti ſunt. de muſc. diff. 1ª.49.D
Muſculis oĩbus ceſſantibus aliqs motus eſt ĩ manu. 1°. *& mot. m.* 1ª.311.B
Muſculi thoracis, & vẽtris carnoſi ſunt. 4°. *de præſ. ex pul.* 4ª.121.D
Muſculorum in Thorace differentiæ. 5°. *de loc. aff.* 4ª.29.G
Muſculi ſuperni thoracis ſunt ſex. 1°. *de loc. aff.* 4ª.6.F
Muſculi a quibus mouetur thorax. 5°. *de ana. adm.* 1ª.86.B
Muſculus, qui dilatat thoracem. de muſ. diff. 1ª.46.H
Muſculi qui thoracem dilatant. de muſc. diff. 1ª.49.E
Muſculus, qui maiore dilatatione thoracem dilatat, qualis, & vnde oriatur, ac deſinat. de muſ. diff. 1ª.47.A
Muſculus dubius an thoracis ſit, an ceruicis. de muſ. diff. 1ª.47.A
Muſculus circularis in thorace ppetuę functiõis. 5°. *de ana. ad.* 1.88.G
Muſculorum thoracis motus cur ſeruaĩ in ſomno. 5°. *de lo. af.* 4ª.29.B
Muſculi thoracis quando omnes mouentur. 4°. *de loc. af.* 4ª.26.G
Muſculi medij a thorace ad oſſa pubis quo tendantur. in 1ᵐ. *prorrhet. commen.* 3°. 4ª.186.D
Muſculi extra thoracem vnde alantur. de venæ art. diff. 1ª.58.D
Muſculi pectoris quo modò ſecandi. 5°. *de anat. adm.* 1ª.84.F
ad Muſculos pectoris qui perueniunt nerui, a dorſi medulla oriuntur. de prẽcog. ad Poſth. 4ª.216.D
Muſculi a pectore aſcendentes quas motiones intrinſecus excipiant. de muſc. diff. 1ª.47.F
Muſculorum a pectore enatorum ſi alter duntaxat agat altior altiorẽ. humilior humiliorem adductionem efficit. de muſc. diff. 1ª.47.G
Muſculi pectoris ſunt organa ſpiritus. de ſper. Sp.36.G
Muſculi pectoris niſi extendantur non fiunt anhelitus neque vox. de voce & anhelitu. Sp.61.A
Muſculi qui faciant expirationem. 4°. *de loc. aff.* 4ª.26.E
Muſculi reſpirationis opifices. 5°. *de anat. adm.* 1ª.86.C
Muſculi omnes ſi moueantur in ſpiratione quid ſequatur. 4°. *de locis affectis.* 4ª.26.G
Muſculi ſimiles equi in reſpiratione vt habenis nerui, ac equiti voluntas. de cauſ. reſp. 1ª.227.B
Muſculi qui faciant exufflationem. 4°. *de lo. aff.* 4ª.26.E
Muſculus interior qui eſt inter coſtas facit anhelitum, & tunc fit quã do aer expellitur vehementer a pectore. & voce & anhel. Sp.60.F

Musculi Thoracis, & abdominis sunt necessarij ad deiectionem. 2°. de symptomatum causis. 3ª.27.D
Musculi cordis quot. de ana. viu. Sp.46.D
de Musculi intercostalibus sermo. 5°. de ana. adm. 1ª.86.E
in Musculorũ costarũ anatomia exercitatio vnde incipiat. 8°. de anatomicis administrationibus. 1ª.100.A
Musculi primi intercostales quo mõ secantur. 8°. & ana. adm. 1ª.100.A
Musculorum intercostalium sectionis modus. 8°. de ana. adm. 1ª.101.F
pro Musculis intercostalibus spectandum animal macilentum, & vetus. 5°. de anat. admin. 1ª.86.F
Musculorum intercostaliũ duo genera, & quæ. 5°. de lo. aff. 4°.29.G
Musculi thoracis intercostales sunt viginti duo. de mus. dis. 1ª.49.D
Musculi inter costas sunt viginti duo. de voce & anhel. Sp.62.B
ad Musculos qui sunt inter costas non veniunt nerui nisi ex sola spinali medulla. de voce & anhel. Sp.62.B
Musculus costis omnibus incumbens. 1°. de anat. adm. 1ª.64.G
Musculus costarum coarticulationẽ contrahens. de mus. diss. 1ª.50.A
Musculi mediarum costarum quid agant. 1°. de dif. feb. 3ª.63.A
Musculus detrahens duodecimam costam. de musc. diss. 1ª.49.E
Musculi costarum notharum natura. 8°. de anat. adm. 1ª.100.A
Musculi costarum notarum in quo animali facilius videantur. 8°. de anatomicis administrationibus. 1ª.100.A
Musculi, quibus diaphragma iuuatur. de ana. vi. Sp.53.G
vna cũ Musculis septũ trãsuersum thoracẽ dilatat. & mus. dis. 1ª.49.F
Musculi præcordiorum mouentur ad motum respiratoriorũ organorũ. 1°. de diff. resp. 1ª.59.H
Musculis præcordiorum non sunt admouenda adstringentia. 11°. methodi medendi. 7ª.73.B
Musculis alijs quando indiget septũ trãsuersum. 4°. de lo. aff. 4ª.26.G
Musculi octo ita exprimũt ad stomachũ sicuti ad anũ. 5°. & vs. 1ª.147.A
Musculum non esse ventriculum, nec os ventriculi colligo. 3°. de symptomatum causis. 3ª.25.E
Musculi vicini ventri quando vngendi. 3°. de san. tuen. 2ª.82.B
Musculorum abdominis sectio. 5°. de anat. adm. 1ª.87.B
Musculorum in abdomine sectio. 6°. de anat. adm. 1ª.93.F
Musculi abdominis statim incidũtur ãiali mortuo. de anat. ad. 1ª.87.B
Musculi octo abdominis quo modo incidendi. 5°. de ana. adm. 1ª.87.F
Musculorũ in abdomine consideratio. 6°. de ana. adm. 1ª.93.F
Musculi abdominis cõducunt cõtractioni thoracis. de mus. dis. 1ª.49.F
Musculi, quos psoas nominant. de mus. diss. 1ª.49.G
Musculi octo abdominis. 5°. de loc. aff. 4ª.33.C
Musculi epigastrij cur octo. 5°. de vsu par. 1ª.146.G
Musculi octo abdomĩs quales, et eorũ exortus, ac finis. & mus. 1ª.49.H
Musculi octo epigastrij quales, & quid agant. 5°. de vsu p. 1ª.146.E
Musculorum epigastrij positio cur talis. 5°. de vsu par. 1ª.146.G
Musculi abdominis quibus nutriantur. de ven. art. diss. 5ª.58.D
Musculus maximus abdominis vnde oriatur. de mus. diss. 1ª.47.B
Musculorum abdominis vtilitas. de musc. diss. 1ª.50.C
Musculi magni ĩ epigastrio gratia efflationis, vocis, egestionis, mictus. 4°. de vsu par. 1ª.137.F
Musculi abdominis faciunt deiectiones. 6°. de loc. aff. 4ª.38.F
Musculis abdominis compressis fit deiectio. 6°. de lo. aff. 4ª.38.F
Musculi octo abdominis quid faciant dum animal excernit. 6°. de anatomicis admin. 1ª.93.H
Musculis intestinis, ventri, vulvæ, & vesicæ omnibus commune, est fibris situ diuersis, & carne simplici conflari. 7°. de anatomicis administrationibus. 1ª.95.G
Musculi recti intestini partem extremam ambit actio & vtilitas. 6°. de locis affectis. 4ª.38.E
Musculi rotundioris in vesicę officium quale. 6°. de lo. aff. 4ª.38.E
Musculus vnus circularis in vesica, qui claudit vesicam. 6°. de anatomicis administrationibus. 1ª.93.H
Musculi vesicæ quo modo mouentur. 1°. de mot. musc. 1ª.309.F
Musculi colli vesicæ munus quales sit. de mus. diss. 1ª.50.D
Musculus ceruicis vesicæ nihil agit cũ vesica agit. 1°. de lo. af. 4ª.2.F
Musculi testem sursum attollentes. de mus. diss. 1ª.50.D
Musculi duo ad testes descendunt, & eorum ortus, & finis. de musculorum dissectione. 1ª.50.D
munus Musculi colli vesicæ quale sit. de mus. diss. 1ª.50.D
Musculi testium & penis vnde. 1°. de mot. mus. 1ª.309.G
Musculi duo obliqui pudendi quales, & vbi sint. de mus. diss. 1ª.50.D
Musculorum duo paria in priapo. de ana. viuo. Sp.52.E
Musculi qui dant pudendo rigiditatem. de musc. diss. 1ª.50.E
Musculorum neruosa propago quæ. 5°. de anat. adm. 1ª.88.H
Musculi spinæ. 12°. de vsu partium. 1ª.197.A
Musculus a prima vertebra qualis nam sit, & eius processus, ac insertio. de musc. diss. 1ª.45.B
Musculi, qui primæ vertebræ dearticulationem ad latera annuẽdo moueant. de musc. diss. 1ª.46.A
Musculi spinales a secunda ceruicis cerebri incipiunt, & quot sint. de musculorum dissec. 1ª.49.F
Musculus ex omnibus vertebris natus. de musc. diss. 1ª.46.H
Musculorum spinalium duplex genus. com. 7°. aph. 36°. Ex.56.G
Musculi spinales aliqui vtranque spinã complectuntur. comment. 7°. aphorismo. 36°. Ex.56.H
Musculi spinã flectentes vbi oriantur, & desinant. de mus. dis. 1ª.49.G
Musculi flectentes superiorem spinę partem. 5°. de ana. adm. 1ª.89.A
Musculi spinam flectentes qui. 5°. de anat. adm. 1ª.89.A
Musculi dorsales. 4°. de anat. adm. 1ª.82.F
Musculorum spinalium nerui, & membrorum extremorum a medulla spinali nascuntur. com. 5°. aph. 65°. Ex.45.B
Musculi qui faciant erigere priapum. de anat. viuo. Sp.52.E
Musculus ani Sphincter. 2°. de symp. caus. 3ª.25.H
Musculus sedis dici potest musculus cuticulosus, vel carnosa cutis. de musculorum dissec. 1ª.50.E
Musculorum in sede sectio. 6°. de anat. adm. 1ª.93.F
Musculus ad anum pertinens. 2°. de anat. adm. 1ª.71.D
pro Musculis sedis videndis ossa pubis quomodo incidenda. 6°. de anatomicis administ. 1ª.93.F
Musculorum in sede consideratio. 6°. de ana. adm. 1ª.93.F
Musculus vnus quo modo sine pari in ano. 5°. de vsu par. 1ª.146.E
Musculi rotundi in ano officium quale. 6°. de lo. aff. 4ª.38.E
Musculi duo ĩ sede obliqui quo mõ, & qd agant. 5°. de vsu p. 1ª.146.E
Musculis sedis quomodo mouentur. 1°. de motu musc. 1ª.309.F
Musculus trãsuersus sedis qui ipsam claudit vbi sit. & mus. dis. 1ª.50.E
Musculi qui sursum sedem attollunt. de mus. diss. 1ª.50.E
Musculi prealidi sunt custodes finibus excretoriorum meatuum corporis. 2°. de mot musc. 1ª.314.F
per Musculos custodiuntur superfluitatum effluxiones ne iniussę exeant. 2°. de mot. musc. 1ª.314.F
Musculus ani orbicularis relaxatus in excretione. 6°. de anatomicis administrationibus. 5ª.93.H
Musculi circularis sedis dissectio. 6°. de ana. adm. 1ª.93.H
Musculus ani quo modo afficiatur frigore. 1°. de loc. aff. 4ª.7.H
Musculi decem qui coxendicem mouent. de mus. diss. 1ª.50.F
Musculus tensus vsque ad genu. 15°. de vsu par. 1ª.214.B
Musculus crus mouens. de mult. 3ª.78.A
Musculi ad tensionem in crure. 2°. de ana. adm. 1ª.70.E
Musculi crurium operationes, & quo impediantur. 1°. de motu musculorum. 1ª.308.G
Musculo quo ad originem ipsius protensio tibia figuratur sicut pueri eam statuunt in palestris crus inuertentes, cũ alterius femori crus injiciunt. 2°. de ana. admin. 1ª.69.G
Musculi fœmoris primi omnium secandi, alij vero deinde non habent ordinem. 2°. de anat. adm. 1ª.69.E
Musculus q introrsum, et retrorsum femur adducit. & mus. diss. 1ª.50.F
Musculus psoas, haud exiguus est, & vnde oriatur, ac desinat. de musculorum dissectione. 1ª.50.F
Musculus qui flectit, et simul introrsum magis totum femur inuertit. de musculorum dissec. 1ª.50.G
Musculus qui retrorsum magis femur abducit. ad alterum simul femur leniter adducens. & aliæ eius actiones. de mus. diss. 1ª.50.H
Musculus qui exacte femur extendit in posteriora trahens. de musculorum dissec. 1ª.50.H
Musculus introrsum simul & parumper retrorsum agens femur. de musculorum dissectione. 1ª.51.F
Musculus latus in exteriori parte femoris non multum considerandus cur. 2°. de anat. adm. 1ª.69.C
Musculi tibiam mouentes octo sunt. de musc. diss. 1ª.50.F
Musculus qui tibiam sensim ad exteriora inclinantem facit. de musculorum dissectione. 1ª.52.F
Musculus qui introrsum non nihil etiam tibiam mouet. de musculorum dissectione. 1ª.50.F
Musculus totum femur extendens, & ad exteriorem regionẽ caput

ipſius trahens.de muſc.diſſ. 1ª.51.A
Muſculus qui ſurſum ſimul, & extorſum femoris caput trahit.de muſculorum diſſect. 1ª.50.B
Muſculus qui caput femoris ſurſum tollit, & vnà ad interiora inuertit.de muſculorum diſſectione. 1ª.51.B
Muſculi qui femoris caput circumagunt.de muſ.diſ. 1ª.51.B
Muſculus qui totum femur introrſum adducit. de muſc. diſſ. 1ª.51.B
Muſculi, qui coxendicis dearticulationem euidenter, vehemẽterq; mouent.de muſc.diſſ. 1ª.51.D
Muſculus primis coxendicis dearticulationem mouentibus qui nerui inſerantur.de ner.diſſect. 1ª.55.C
Muſculi nouem mouent genu dearticulationem.de muſ.diſſ. Sp.51.C
Muſculi, qui genu dearticulationem extendunt.de muſ.diſſ. 1ª.51.F
Muſculus qui genu dearticulationem ad exteriora inuertit.de muſculorum diſſectione. 1ª.51.A
Muſculos genu dearticulationem mouentes, & ſi nouem eſſe oſtenderit, tamen.dicit eſſe octo Galenus, ne ab antiquis in re minima diſſentiat.de muſc.diſſ. 1ª.51.G
de Muſculis tibiæ.2°.de anat.adm. 1ª.71.D
Muſculi ſex poſterioris tibiæ.3°.de vſu par. 1ª.132.H
Muſculus qui ad interiora ſimul tibiam flectit, & ſurſum ipſam altã quo modo attollit.de muſc.diſſ. 1ª.51.D
Muſculus, qui tibiam introrſum inuertit in rectum illam attollendo.de muſculorum diſſ. 1ª.51.D
Muſculus qui inuertit ad exteriora tibiam oblique, & ſimul flectit. de muſculorum diſſectione. 1ª.51.E
Muſculus qui tibiam vertit extrorſum.de muſ.diſſ. 1ª.51.E
Muſculus flectens ad exteriora tibiam.de muſc.diſſ. 1ª.51.E
Muſculus ſuram efficiens non eſt vnus.1°.de anat.adm. 1ª.65.B
Muſculus ad tibiam flectendam natus.de muſ.diſ. 1ª.51.H
Muſculi tibiæ quatuordecim quo modo ſint.de muſc.diſſ. 1ª.51.H
Muſculi actio eſt, motus pedis.de conſt.art. Iſ.37.A
Muſculi pedum ſunt diuerſi, & natura, & numero ab illis manuum.& muſculorum diſſec. 1ª.52.F
Muſculorum in pede genera quatuor, & quç.de muſculorum diſſectione.52.G/2°.de anat.adm. 1ª.72.D
Muſculus qui facit ſolidum, tenſum, durum, pilis nudum, facile ſentiẽs pedis veſtigium.de muſ.diſſ. 1.ª52.A
Muſculi tres conſtituunt depilem pedis partem.3°.de vſ.p. 1ª.132.G
Muſculi qui totius pedis dearticulationem flectunt.& muſ.diſ. 1ª.51.H
Muſculi ſimul cũ eſſe totũ pedẽ retrorſum abducẽtes.& muſ.di. 1ª.52.A
Muſculus liuidus colore, qui.de muſc.diſſ. 1ª.52.A
Muſculi a quibus tũ totus pes, tũ digiti mouẽtur.de muſ.diſ. 1ª.51.H
Muſculus, q dilatatur ĩ pede verſus magni digiti partes magis, retrorſumq; & extrorſum leniter pedem inuertens.de muſc.diſ. 1ª.52.B
Muſculi qui retrorſum ſimulq; extrorſum pedem abducunt. de muſculorum diſſectione. 1ª.52.B
Muſculi portio magni digiti internodium leniterq; ad exteriora extendens.de muſc.diſſec. 1ª.52.B
Muſculi flectentes digitos pedum.3°.de vſu par. 1ª.132.A
Muſculus mouens tres maiores digitos pedis.2°.de anat.ad. 1ª.71.H
Muſculi mouẽtes mediũ digitorũ pedũ articulũ.2°.de ana.ad. 1ª.72.D
Muſculus qui paruũ digitũ, & indicẽ pedis flectit.de muſ.diſ. 1ª.52.C
Muſculi priores tibiæ tres ſecundum antiquos, tamen Galenus ſeptem eſſe ponit.de muſ.diſ. 1ª.52.C
Muſculus magnum digitum pedis oblique leniter ſurſum trahens. de muſculorum diſſ. 1ª.52.D
Muſculus qui habet vtilitatem qualẽ in curribus circuli, per quos aurigæ habenas traijciunt.de muſ.diſſ. 1ª.52.D
Muſculus magnum digitum flectens.de muſ.diſ. 1ª.52.D
Muſculus paruum pedis digitũ retrorſum abducens.& muſ.diſ. 1ª.52.D
Muſculus totum pedem ſurſum tendens.de muſ.diſſ. 1ª.52.D
Muſculus pedem reſimans.de muſ.diſſ. 1ª.52.E
Muſculus qui paruum digitũ extrorſum deducit.de muſ.diſ. 1ª.52.E
Muſculus qui digitos extendit.de muſ.diſſ. 1ª.52.F
Muſculus totam pedis dearticulationem mouet. de muſ.diſſ. 1ª.52.F
Muſculi qui digitos agunt obliquo motu in pede.de muſ.diſſ. 1ª.52.G
Muſculi qui medium digiti articulum flectunt.de muſ.diſſ. 1.52.H
Muſculi ſm articulum cuiuſque digiti flectentes.de muſ.diſſ. 1ª.52.G
Muſculi qui ſingulos digitos obliquo motu mouent.de muſ.diſſ. 1ª.52.H
Muſculi extrinſecus digitos longiſſime ab alijs abducentes. de muſculorum diſſectione. 1ª.52.H
Muſculi obliquũ unicuiq; digito motũ ſuppeditãtes.& muſ.diſ. 1ª.52.H
Muſculi qui mediocriter digitos flectunt. de muſc.diſſ. 1ª.52.H
Muſculi qui cum nulla in latus inclinatione digitos flectunt.de muſculorum diſſectione. 1ª.52.H
Muſculus, qui cum modica in latus inclinatione digitos flectit.de muſculorum diſſectione. 1ª.52.H
Muſculi tres calcaneum mouent.3°.de vſu par. 1ª.132.G
Muſculi parui non animaduerſi ab anatomicis, nec ab ipſo Galeno niſi tarde.3°.de vſu par. 1ª.132.C
Muſculus, in quo errarunt antiqui.de muſ.diſſ. 1ª.45.E
Muſculi octo in diſſectione ſimiarũ ignorabantur ab antiquis.1°.de anatomicis admin. 1ª.64.E
Muſculi omnibus incogniti ante Galenum.2°.de ana.adm. 1ª.72.B
in 6m.de mor.vul.com.5°. 3ª.188.G
in Muſculo vlnæ, error anatomicorum añ Galenũ.2°.& vſu p. 1ª.121.E
Muſculus prætermiſſus ab anatomicis.5°.de anat.adm. 1ª.89.B
Muſculi ignorati etiam diu a Galeno.de muſ.diſſ. 1ª.49.C
Muſculi qui lateant quandoque Galenum.1°.de anat.adm. 1ª.67.C
Muſculorum motus tertius a Galeno inuentus.1°.de mot.muſ. 1ª.311.C
Muſculi lacti inuentor Galenus.4°.de anat.adm. 1ª.81.B
Muſculus a Galeno inuentus.4°.de ana.adm. 1ª.102.G
Muſculi duo qui ab anatomicis vnus putabantur.2°.de vſu p. 1ª.121.G
Muſculorũ extremitates cibus viſcoſus, & cur.de diſ.cont.Sp.72.H
MVSCVLI *potiſſimum patiuntur in exercitationibus, & laſſitudinib. & potiſſimum in affectu ſimili laſſitudini.3°.de ſa.tu.* 2ª.80.C
Muſculos ſuper naturalem habitum ſola laſſitudo phlegmonodes attollit.3°.de ſani.tu. 2ª.79.D
Muſculi qui patiantur inter exercitandum.3°.de ſan.tu. 2ª.80.C
Muſculus non poteſt ſe ipſum grauare.de mult. 3ª.77.H
Muſculi in laboribus quid patiuntur.com.4°.aph.30°. Ex.30.G
Muſculorum propria affectio.1°.de diſſ.reſp. 3ª.61.C
Muſculorum duplex paſsio mollities, & ſpaſmus.de ocul. 7ª.187.F
Muſculorum vitium conuulſiones.de optima ſecta. Iſ.24.C
Muſculus, aut neruus eſt affectus qui mouet aliquam partem, cõuulſa illa parte.3°.de locis aff. 4ª.21.B
circa Muſculos, & neruos fit ſpaſmus, & ſaltus.de cõp.pulſ.Sp.65.C
Muſculus latus, prio intẽdit ſpaſmo corripiẽdis.de muſc.diſſ. 1ª.44.D
cuius Muſculi affectio ſit caninus ſpaſmus.de muſ.diſſ. 1ª.44.E
Muſculus cum tenditur, vel cõuellitur eſt vitium vnius nerui, qui particulam mouet.1°.de ſymp.cauſ. 3ª.19.D
Muſculi quandoque habent diſpoſitionem ſimilem conuulſioni, quæ tamen non eſt conuulſio.com.6°.aph.54°. Ex.53.C
Muſculi in ſuris præſertim contrahuntur patientibus choleram.commentario.5°.apho.1°. Ex.37.D
Muſculis qualis paſsio conuulſio, talis eſt ſingultus ſtomacho.commentario.7°.aph.3°. Ex.54.B
Muſculorum diſtenctione multi correpti ſunt ob eſum coturnicũ quia veratro veſcuntur.in 6m.de mor.vul.com.5°. 3ª.194.E
ad Muſculos tenſos.7°.de comp.me.per gen. 5ª.274.E
ad Muſculos conuulſos.7°.de comp.me.per ge. 5ª.267.C
Muſculi diſtorquentur.2°.de cauſ.pulſ. 4ª.93.G
ex Muſculis affectus tremores, & cõuulſiones fiũt.& fra.c.2°. 7ª.235.C
Muſculi affecti minus tendunt, & indurant pulſum, quàm membranæ affectæ 5°.de locis affectis. 4ª.29.H
Muſculi qñque nõ ſunt affecti, & actio impediẽt.de art.c.3°. 7ª.280.E
Muſculi ſubiecti cuti palpitãti q et ipſi palpitare pñt.2°.& ſy.c. 3ª.20.F
Muſculorum gulæ inflammatio quid faciat.com.4°.aph.35°.Ex.31.E
ex Muſculi capitis percuſſione fit animi defectus.1°.de arte curatiua ad Glauconem. 7ª.98.G
Muſculi colli quando extenduntur, & inchordantur vt extẽduntur in aſſumptione cibi, & potus accidit raucedo.& voce & anh.Sp.60.G
ob Muſculos gutturis muti.4°.de loc.aff. 4ª.26.B
Muſculi pectoris intemperie inæquali quem habeant motũ.2°.de ſymptomatum cauſis. 3ª.22.H
Muſculorũ thoracis immobilitas qñ mortẽ parit.4°.de lo.af. 4ª.26.G
Muſculis Thoracis nõ affectis quo modo læſę reſpirationis affectio inueſtiganda eſt.in 1m.prorrhe.com.1°. 4ª.163.C
in Muſculis intercoſtalibus leſio qũo variet.8°.& ana.admi. 1ª.100.H
Muſculis intercoſtalibus inflammatis arteriarum dilatatio dolorem infert.2°.de locis aff. 4ª.9.A
Muſculorum intercoſtalium quanta pars reſoluitur tãta pars perit naturalis efflationis, & vocis.8°.de anat.adm. 1ª.102.C

in Muſculũ fluxio calida quid faciat.de inæq.intemp. 5ª.44.E
Muſculorum dolorificas diſpoſitiones enumerat.5°.de lo.af. 4ª.29.G
Muſculo inflammato quo modo duplex dolor ſentitur arterijs dilatatis.2°.de locis affectis. 4ª.8.H
Muſculorum præcordiorum phlegmõ ab ignaris exiſtimatur iecoris, & ita relaxantibus curatur.11°.meth.me. 7ª.72.F
Muſculus circa præcordia inflammatus inducit paruum, ac dẽſum ſpiritum.2°.de diff.reſp. 3ª.65.H
Muſculi præcordiorum inflammati non poſſunt inferre mortem.in prognoſt.com.1°. 4ª.196.B
circa Muſculos circumſitos peritonæo,membranæ aluum, ac inteſtina omnia ambienti ſi dolor adſit, denſus, ac paruus fit ſpiritus.2°.de difficultate reſpirationis. 3ª.71.D
Muſculis abdominis,& thoracis inflammatis febris fit.4°.de præſagitione ex pulſibus. 4ª.121.D
Muſculi ſpinæ dolentes in renali morbo quo modo ſignificant abſceſſus intrinſece & extrinſece futuros.com.7°.aph.36°. Ex.56.G
Muſculorum rectorum tumores quales.5°.de lo.aff. 4ª.33.D
ad Muſculorũ inflammationẽ, ſapa,& oleũ.14°.meth.me. 7ª.88.F
in Muſculi ſub cute inflatio qũo curetur.14°.meth.me. 7ª.88.F
Muſculi contuſi quibus leniendi.14°.meth.me. 7ª.88.G
ad Muſculorũ cõtuſionẽ ppriæ facit emplaſtrũ barbarũ.de dy.Sp.35.F
in Muſculis ſolutio continui Thlaſma appellatur.4°.met.me. 7ª.23.B
in Muſculorum partibus carnoſi diſtinctis ruptum dicitur vt in fibris conuulſum.de conſt.ar. Iſ.37.D
à Muſculis eſt vlcus,& ruptio.6°.meth.me. 7ª.36.G
Muſculi ob ſuffuſionem inciduntur.1°.de ana.adm. 1ª.64.D/E
Muſculi in capitibus, vel finibus vulnerati habent vulnera praua.commen.5°.aphoriſ.66°. Ex.45.C
ad Muſculorum magna vulnera quid ſequatur.6°.de lo.aff. 4ª.38.H
Muſculo vulnerato qua de cauſa inteſtinũ procidat.6°.m.m. 7ª.39.B
Muſculus videtur extenſus,& ita ſemper permanere neruo peruenïẽte ad muſculũ intus abſciſſo.1°.de mot.muſ. 1ª.311.G
Muſculorum varia abſciſio ſm varios affectus.1°.de mo.m. 1ª.310.F
Muſculo extra abſciſſo quid ſequatur.1°.de mot.muſ. 1ª.310.D
Muſculo externo abſciſo particula flectitur.1°.de motu muſ. 1ª.311.H
Muſculo intus abſciſo quid ſequatur.1°.de mot.muſ. 1ª.310.D
in Muſculo interno ſcirrho nato pars flexa non extenditur,in externo autem pars extenſa non flectitur.1°.de mot.muſ. 1ª.310.G
Muſculis inciſis læditur motus.1°.de mot.muſ. 1ª.310.C
Muſculus ſenſu,& motu priuatur, vulnerato neruo, qui in muſculum venit.de conſt.ar. Iſa.36.H
Muſculis penitus abſciſſis perit totus motus.1°.de mot.muſ. 1ª.310.C
Muſculus non mouebitur abſciſo neruo.de voce & anhel. Sp.60.F
Muſculi priuantur motu ex læſione neruorum, vel fibrarum inciſione.8°.de anatomicis adminiſtrationibus. 1ª.101.E
Muſculus ſectus per tranſuerſum impedit aliquos motus particulæ.1°.de motu muſc. 1ª.308.G
Muſculis intrinſecis læſis actiones principaliſſimæ totius pereunt.2°.d vſu partium. 1ª.123.A
Muſculus, vel neruus ẽ affectus pereũt vna actiõe.4°.de l.af. 4ª.25.B
Muſculorum dolores.6°.de comp.med.per ge. 258.G/ 5ª.260.C
ad Muſculos præciſos.3°.de compo.medicamen.per gene. 234.H/5°.249.B/6°. 5ª.258.F
ad Muſculos percuſſos.5°.de comp.med.per gen. 5ª.247.E
cum Muſculis tuto cõſuũtur mẽbranæ.3°.de cõ.me.per ge. 5ª.231.D
Muſculorum motus ceſſat,cum corpus frigore, aut veneno frigefactũ eſt.8°.de decr.Hip. 1ª.277.E
ad Muſculorum vulnera.7°.de compo.me.per gen. 5ª.268.B/G
ad Muſculos putreſcentes.5°.de comp.med.per ge. 1ª.250.G
in Muſculorum intermedijs pus,& conſiſtentia grumoſa per halitũ digerit pyrites lapis.9°.de ſimp.me.fac. 5ª.67.F
ad Muſculos duros.7°.de comp.med.per ge. 5ª.268.F
ad Muſculos induratos.1°.de comp.me.per ge. 5ª.213.C
ad Muſculos cum phlegmone induratos.7°.de cõ.me.pge. 5ª.267.C
ad Muſculos,& neruos abluendos.2°.de com.me.per ge. 5ª.223.B
in Muſculis abſceſſum habentis Steſiani caſus.5°.de lo.aff. 4ª.34.B
de Muſculo lato tibiæ abrupto cauſa.2°.de ana.adm. 1ª.70.B
MVSCVS *fri.idus digerit,& mollit.6°.de ſimp.me.fac.* 5ª.45.D
Muſci meminit.7°.de compo.med.per gen. 5ª.272.H
MVSCELLINVM *oleum.de dyna.* Sp.27.B
MVSICA *eſt ars nobilis.in orat.ſuaſ.* Iſa.5.G
Muſicæ ars in corde cur,& quomodo.de anat.viuo. Sp.46.H
Muſica indiget multa exercitatione.9°.de decr.Hippocra. 1ª.280.C
ad Muſicã naturaliter ſunt propenſi infantes.1°.de ſan.tu. 2ª.65.D
Muſices praua conſuetudine corrũpũtur aĩ mores.1°.de ſa.tu. 2ª.65.F
Muſica medicinæ prædiſcenda.1°.meth.med. 7ª.2.E
Muſica, quantum ad oblectandas aures ſufficiat, vtuntur diuites. de præcogn.ad Poſth. 4ª.214.C
MVSICVS *qui dicatur.9°.de dec.Hipp.* 1ª.282.C
Muſici inter rõnales numerãtur.de cuuſq; aĩ pec.not.at.me. 2ª.60.B
Muſicus, cæteriq; opifices inſtrumenta ſibi ad certas actiones parant. an animal ſit. 1ª.327.G
Muſicus ad quantum ſentiat vocem.2°.de diff.pul. 4ª.57.G
MVSTELAS *ſecuit Galenus.6°.de ana.adm.* 1ª.89.G
Muſtela paruũ cor hẽt,ſed calidũ,et ppea ẽ audax.de ana.vi.Sp.53.A
Muſtelæ cerebrum comitialibus prodeſt.de ther.ad Piſo. 5ª.93.E
Muſtelæ ſanguis curioſum remedium.3°.de com.me.ſec.loc. 5ª.147.C
Muſtelæ arefactæ caro ad quæ valeat.11°.de ſimp.med.fac. 5ª.78.E
Muſtelæ cinis contra podagricos,& arthriticos facit.11°.de ſimp.medicamen.facultatibus. 5ª.82.D
Muſtela arefacta, ac pota comitialib.ꝑdeſt.11°.de ſim.me.fa. 5ª.82.D
Muſtela alexipharmacum omnis ferè.11°.de ſimp.me.fa. 5ª.82.D
MVSTELANEI *qui ſint.de art.com.1°.* 7ª.259.G
MVSTELORVM *variæ ſpecies.3°.de alim.fac.* 2ª.31.F
Muſteli habent duram carnem.3°.de alim.fa. 2ª.31.E
Muſteli ægre conficiuntur,& pariunt ſuccos craſſos, & ſalſos.3°.de alimen.facultatibus. 2ª.31.F
MVSTVM *quid.2°.de alim.fac.* 2ª.17.H
Muſtum eſt ex primo ordine excalfacientium.8°.de ſim.me.f. 5ª.57.B
Muſtum quale eſſe debet.6°.de compo.medic.ſec.loc. 5ª.170.B
Muſtũ acidarũ,et auſterarũ vuarũ ad oĩa peſſimũ.2°.de ali.fa. 2ª.18.C
Muſtum Aminæum.7°.de compo.med.per ge. 5ª.272.G
Muſtum quomodo dulce.4°.de ſimp.me.fa. 5ª.27.C
Muſtum dulciſſimum pro deiectione bibitur.2°.de ali.fac. 2ª.18.C
Muſtum mouet aluum.de bon.& vitio ſuc. 2ª.38.F
Muſtum lenit ventrem.de diſſol.cont. Sp.75.B
Muſieum vinum eſt craſſi ſucci.de atten.vic. 2ª.46.C
Muſtum,& ſi coquaĩ,facit craſſum ſuccũ.de bo.& vi.ſuc. 2ª.38.F
Muſtum cruſtum ſolis æſtu coquitur.de theriaca ad piſo. 5ª.97.D
ex Muſto,& farina triticea placenta eſt craſſi ſucci.de bo.& vitio ſuccorum. 2ª.35.D
Muſtum in magnam quantitatem aeris ſoluitur.1°.de ſem. 1ª.329.F
Muſtum flatuoſum eſt,& quale.de vinis. Sp.76.G
Muſtum inflationes facit.de bon.& vit.ſucc. 2ª.38.F
Muſto dolia inflata rumpuntur.de mult. 3ª.79.D
in Muſtis dolia rũpũtur ob ſpiritus.in 1ᵐ.de mor.vulg.c.1°. 3ª.104.G
Muſtum quid boni in ſe habet.de bon.& vi.ſuc. 2ª.38.F
Muſtum quo modo in principio, augmento, ſtatu eſt bonum medicamentum in inflammationibus oris.6°.de comp.med.ſec.loc. 5ª.169.B
Muſtũ qũo in declinatione fiat bonũ.6°.de comp.med.ſe.lo. 5ª.169.C
ex Muſto medicamẽtũ qũo cõficiaĩ.6°.de com.me.ſec.loc. 5ª.169.E
ex Muſto medicamentium.5°.meth.med. 7ª.34.C
Muſtum ad ſtomatica quale.6°.de comp.me.ſec.loc. 5ª.169.B
ex Muſto ſtomatichum Andromachi.6°.de com.me.ſe.lo. 5ª.170.B
ex Muſto ſtomatichum Critonis.6°.de com.med.ſec.loc. 5ª.170.C
MVTANTIA locum in organis quæ ſint.de machin. 7ª.310.F
MVTATIO *in omni re æſtimanda.de pulſ.ad Tyro.* 4ª.45.B
Mutatiõ vniuerſalis omnibus mundanis.de ſpermate. Sp.40.B
Mutatio in rebus ex natura terræ,& planetarum in regionibus diuerſis.de ſpermate. Sp.40.C
Mutatio elementorum qualiter fiat.de ſper. Sp.40.H
Mutatio dupliciter fit.1°.meth.med. 7ª.6.C
Mutatio fit aut ĩ qualitate,aut ĩ quãtitate,& qũo.1°.de ſa.tu. 2ª.68.H
Mutatio ſecundum qualitatem quid.1°.de vſu par. 1ª.333.C
circa Mutatiões tẽporũ quæ ſint à medico cõſideranda.d ſper.Sp.39.F
Mutationes temporum quo modo intelligantur.cõ.3°.aph.1°.Ex.19.G
Mutationes magnæ temporum ad frigus,aut colorem pariunt morbos. com.3°.apho.1°. Ex.19.G
Mutatio ad contraria repentina facit morbos.c.3°.apho.22°.Ex.24.F
Mutationes maximæ morbos cõmittũt d vi.ra.ĩ mor.ac.c.1°.7ª.113.G
Mutatio in toto corpe vbi fuerit,refrigeraturq; corpus, aut rurſus ĩcaluerit,morbi longitudinẽ ſignificat.de præſag.exp.conſ. Sp.77.G
Mutationes cauendæ ſunt.in 6ᵐ.de morbis vulgaribꝫ.cõ.3°. 3ª.175.G

Mutatione cœli

Mutationes cæli qũo euitari possunt.in 6m.de mor.vul.c.3°.3ª.175.b
Mutationes repentinæ deuitandæ.de vi.ra.in mor.acu.c.2°.7ª.118.H
Mutatio repentina à consuetudine,corpora multum offendit.de vic.ra. in mor.acu.commen.2°. 7ª.121.A
Mutationes repentinæ ciborũ bene valẽtibus,& male valentibus,læsionem afferunt.de vict.ratio.mor. acu.com.2°. 7ª.119.A
Mutatio celerrima fit in corporibus,quando ægro repente auxiliari volumus,et velocẽ auxilij sensum ipsi moliri.d th.ad Pis.5ª.94.D
Mutatio omnis vehemens crisis appellatur.3°.de die.decre. 4ª.157.G
Mutationes repentinæ acutorum sunt.3°.de cris. 4ª.139.F
Mutationes subitas non faciunt ephemeræ,& hecticæ,& ideo non habent crisim,nisi abusiue.2°.de crisi. 4ª.138.A
Mutationes propriæ,& communes in nobis.3°.de dieb.dec. 4ª.159.E
Mutatio quæ à natura fit sensim fit.4°.de simp.med.facul. 5ª.28.F
Mutationes particulares morborũ vñ.pueniãt.3°.de die.dec. 4ª.158.C
Mutationes magnæ fiunt in septimanis.3°.de dieb.dec. 4ª.158.H
Mutationes paruæ fiunt in quartis.3°.de dieb.decr. 4ª.158.H
Mutationi ipsi anhois natura cõcordet cõsiderandũ.de sper. Sp.39.F
Mutationi temporum passio cholerica,& sanguinea concordare solet. de spermate. Sp.39 F
Mutatio de specie in speciem qualis.3°.de simp.me.fac. 5ª.17.D
in Mutatione qd est, differt ab eo q fiũ factũ est.de symp.dif. 3ª.10.E
Mutatio,& quod mutatur non idem sunt.de nat.hu.com.1°. 1ª.28.B
Mutatio,& mutatum esse quid differant.de inæq.intemp. 3ª.43.G
Mutationes in vẽtriculo,et lecore quæ fiant.in pgn.com.1°. 4ª.197.B
Mutationẽ celerẽ extremis figuris appetimus.1°.d mot.ma.1ª.312.b
Mutationes mentem hominis semper excitant.de aere, aq.& l.2ª.5.B
Mutatio excitat corpus,& animum ad exercitationẽ.de ae.aq.et l.2ª.6.c
MVTATVS *color in fluxu sanguinis superflui est signum infrigidati, et humectati corporis secretorum. Sp.98.G*
MVTILATIONES *quorũ membrorũ dici pũt.de diff.mor. 3ª.4.G*
MVTANTVR *omnia per lunæ motum.3°.de dieb.decr. 4ª.157.G*
Muat subs gñabilis quatuor qualitatibus.de mo.m.& ob. Sp.67.G
Mutatur substantia generabilis in qualitatibus.secretorum. Sp.96.F
Mutantur in boras fontes superficiales.de bon.aquæ. Sp.75.H
si Mutetur bora consueta cibi, quid contingat.de diff.cont. Sp.72.C
MVTOLORVM, *quos myacas græci vocant,caro qualis.11°.de simp. medicamentorum facultatibus. 5ª.78.F*
MVTA *sunt ex animalia,quibus deest collum.8°.de vsu par.1ª.165.A*
Mutus q sit dictus ab Hipp.c.5°.aph.5°.37.G/c.6°.aph.51°.Ex.52.H
Muti qui ab Hippocrate quandoque dicuntur.c.7°.aph.58°.Ex.59.C
Muti sentiunt.com.6°.aph.51°. Ex.52.H
Mutos statim necesse est fieri quibus cerebrum aliqua ex parte concussum fuerit.com.7°.aph.58°. Ex.59.B
qcũq; Muti statim fiũt sani dolore capitis repẽte capti,et extertũt,in se partẽ dieb. pereũt,nisi febris apprehẽderit.c.6°.aph.5°. Ex.52.G
Mutum q̃o modo reddetur animal.8°.de anat.adm. 1ª.101.H
Mutum animal quo neruo ligato efficiatur.de neruo.diff. 1ª.54.B
Mutum animal reddentes nerui.8°.de anat.adm. 1ª.101.B
Muti ob gutturis musculos.4°.de loc.aff. 4ª.26.B
Mutum reliquit quendam chirurgus qui strumas incidens nervos recurrentes læsit.1°.de loc.aff. 4ª.7.A
Muti effecti casus.in 1m.de mor.vul.com.3°. 3ª.121.B

MYACANTHIVS *asparagus.6°.de simplici.medicamentorum facultatibus. 5ª.44.A*
MYACES *qui,11°.de simp.med.fac. 5ª.78.F*
MYAGROS *habet vim emplasticam.7°.de simp.me.fac. 5ª.56.C*
MYDESIS. quid.intro. Isa.58.F
Mydesis affectus partium interiorum palpebrarum.intro. Isa.58.D
Mydesis affectus totius corporis.intro. Isa.59.D
MYDRIASIS *quid.fin.med.48.E/intro. Isa.59.A*
Mydriasis affectus oculorum.intro. Isa.58.D
Mydriasis vlceratio oculorum.fin.med. Isa.48.D
Mydriasis i.dest papillæ nimia dilatatio.3°.meth.med. 7ª.17.E
MYELOS quid.11°.de simp.medicamen.facul. 5ª.79.E
Μύελος ῥαχιάῖος *spinalis medulla.12°.de vsu par. 1ª.196.D*
Mygdales morsibus confert centaurea.de vir.cent. Sp.93.H
Μύλαι. *de fracturis,com.2°. 7ª.240.D*
Myli vt sale condiantur sunt appositi.3°.de alim.fac. 2ª.33.C
Myles radix bulbo similis.7°.de simp.me.fac. 5ª.56.D
MYOCEPHALVM quid sit.med.48.E/intro. Isa.59.A
Myocephalum vlceratio oculorum.fin.med. Isa.48.D
Myocephælon affectus iridis oculorum.introd. Isa.58.D
ad Myocephalos.4°.de compo.med.secun.loc. 5ª.155.G
MYωDES *platysma,id est musculosa dilatatio vocatus musculus latus in collo.de musc.diss. 1ª.44.E*
MEOPES *quid.intro. Isa.59.B*
MYOPIASIS *quid.fin.med. Isa.48.E*
Myopiasis oculorum vlceratio.fin.med. Isa.48.D
Myopiasis affectus pupillæ.intro. Isa.58.D
Myopiasis totum oculum exercet.intro. Isa.58.D
MYOSOTA *quid.6°.de simp.med.fac. Isa.42.D*
Myosotis. 7°. de simp.me.fac. 5ª.56.D
MYRACOPA ex quibus fiant,& quo modo ab acopis differunt. 7°.de composi.medica.per gen. 5ª.268.G
Myracopon bonum.7°.de comp.med.per ge. 5ª.272.D/E
Myracopon.7°.de compo.medica.per ge.271.G/ 5ª.274.F
MYRICE *quid.7°.de simp.me.fa. 5ª.56.D*
Myricæ succo pediculos occidit,culices,et pulices fugat.d si. Sp.87.G
Myricæ radix ad splenẽ mirifice cõuenit.de ar.cura.ad Gla. 7ª.104.C
MYRINÆ *vrbs est in lemno.9°.de sim.med.fac. 5ª.65.C*
MYRIOPHYLLON *vulnera glutinat.7°.de simp.me.fac. 5ª.56.D*
MYRMECIA *vnde nomen habuit.2°.meth.med. 7ª.9.E*
Myrmeciæ verucæ in 6m.de mor.vul.com.2°. 3ª.161.A
Myrmecias,acrochordones,psydraces,& epignytides notæ sunt.de tumore præter naturam. 3ª.84.F
Myrmecijs præditos esse,aut vitiliginibus,vel acrochordonibus id sieri colligitur non natura.fin.med. Isa.45.E
Myrmeciæ cutis affectus.intro. Isa.59.D
Myrmecia q morb.sit,et qũo differat ab ophiasi,alopecia,ptiloſi,leuca,vitiligine,sphacelo,elephãte,scabie,et lepra.14°.me.m.7ª.92.C
Myrmeciæ meminit.14°.meth.med. 7ª.90.F
Myrmeciarum curatio.introd. Isa.60.D
Myrmecia difficilius curat̃ ἀκροχόρδονας.10°.de simp.med.fa.5ª.73.E
Myrmeciæ ablationem sui indicant.2°.methodi med. 7ª.16.C
Myrmecia detrahunt Batrachij caulis, & folia virentia.6°.de simp. medicamen.facultatib. 5ª.44.G
Myrmecias auferunt caules Chamæsices.8°.de simp.med.fac.5ª.63.G
Myrmecias ejcit Ficus arbor.8°.de simpli.medi fac. 5ª.61.F
Myrmecias ejciunt Grossi crudi.6°.de simp.me.fac. 5ª.57.B
Myrmecias ejcit Nigella.7°.de simp.me.fac. 5ª.55.D
ad Myrmecias stercus Ouillum.10°.de sim.me.fac. 5ª.76.H
Myrmecias tollũt cineres excortice Salicis.6°.de sim.me.fa. 5ª.48.H
ad Myrmecias caput Saurarum.11°.de simp.med.fac. 5ª.79.G
Myrmecias auferũt Tithymalli.8°.de simp.med.fac. 5ª.62.D
Myrmecias quidam ore sanabat.14°.methodi meden. 7ª.92.H
MYRMECIZON *pulsus qui.de comp.pul. Sp.66.B*
MYROBALANVS *pinguis.8°.de comp.me.fec.lo. 5ª.197.C*
Myrobalanõ,et cupatoria iecur iuuãt peculiariter.d th.adPi.5ª.91.a
Myrobalani exps̃io iecoris ĩflãmato,pdest.1°.d ar.cur.ad Gl. 7ª.104.D
Myrobalani piesma p iecoris phlegmone. 11°.m.m.73.A/13°.7ª.83.g
Myrobalani fex.7°.de compo.med.per ge. 5ª.266.C
MYROPISSOCERVM. *1°.de comp.med.sec.loc. 5ª.125.B*
Myropissoceron quid significet.1°.de comp.med.sec.loc. 5ª.125.C
MYRRHA *quid.de simp.med. Sp.87.B*
Myrrha mur vocata.de med.fac.par. 7ª.177.G
Myrrha qualis.4°.de com.med.se.loc.151.D/6°.170.E/G/7°.179.D/ 8°.190.G/9°.201.G/1°.de composi.med.per ge.215.H/6°. 5ª.258. c/de ocul. 7ª.188.G
Myrrha qualis,& qũo differat ab aloe.5°.de c.me.per g. 5ª.246.D
Myrrhæ fuligo qualis.7°.de simp.me.fac. 5ª.54.F
Myrrhæ cinis.6°.de comp.med.per gen. 5ª.262.B
Myrrha omnis styptica est,acris,et excalfactoria.de si.me. Sp.87.B
Myrrha facit stypticam.de ocul. 7ª.190.c
Myrrha adstringit,cõcoquit,& discutit.4°.de cõ.me.se.lo. 5ª.150.H
Myrrha in secundo ordine calida,& sicca est.8°.de sim.me.f. 5ª.61.A
in Myrrha optima opocalpasum reperitur.1°.de antid. 5ª.104.B
Myrrha minæa.1°.de antid.106.B/5°.de compo. med.sec. loc. 161.B/ c/164.B/6°.170.A/9°.205.A/B/10°.206.B/F/5°.de compo. medicamentorum per genera. 5ª.250.c
Myrrha beotia calfacit,fundit,& emollit.8°.de simp.me.fa. 5ª.61.B
Myrrha sicca.5°.de compo.me.per ge. 5ª.253.B
Myrrha stacte.3°.de composi.medicamento.secun.loc.148.B/8°.195. G/9°.199.D/

G/9°.199.D/10°. 5ª.207.F
Myrrha Throgloditica.6°.de c.m.ſe.l.170.F/7°.179.D/8°.5ª.192.H
Mirrha concoquit.8°.de compo.med.ſec.loc. 5ª.189.A
Myrrha vbi adeſt,ibi adeſt vis caleſaciendi, & reſiccandi. 2°.de compo.medicamen.ſec.loc. 5ª.134.F
Myrrha refrigeratos caleſacit.2°.de ſimp.me.fac. 5ª.15.A
Myrrha caleſacit,& exiccat.2°.de comp.med.fac. 5ª.16.D
Myrrha exiccat ſine morſu.de arti.com.2°. 7ª.267.H
Myrrha citra adſtrictionem diſcutit, & deſiccat humores.4°.de com. med.ſecun. loc. 5ª.151 D
Myrrha diſcuſſoria.5°.de compo.med.ſec.loc. 5ª.159.C
Myrrha concoctoria eſt.3°.de cõ.med.ſe.lo.142.H/4°.149.H/5ª.150. C/de ocul. 7ª.189.D
Myrrha concoquit ſufficienter.7°.de comp.me.ſec.loc. 5ª.178.G
Myrrha videtur omnes affectiones ſuſſicienter cõcoquere, & dolores leuat.7°.de comp.me.ſec.loc. 5ª.178.G
Myrrha capitũ vulneribus illita caglutinare põt,fœtũ, & lumbricos tũ enccattũ eijcit,abſtergit,ocularibus miſcetur facultatibus,& medicamentis inditur, quæ ad tuſſim veterem,aſthma,ſiue anhelationem exhibetur.8°.de ſimp.me.fac. 5ª.61.A
Myrrha cicatricem inducit per accidens.5°.de ſimp.me.fac. 5ª.36.D
Myrrha in vno eſt præſtantior Thure,in alio inferior.4°.de comp.medica.ſec.loc. 5ª.151.D
Myrrha adiungenda melli,pro fiſtulis,& laceroſis cutibus. 2°.de arte curatiua ad Glauconem. 7ª.106.G
Myrrha oculis conuenit.de ocul. 7ª.188.G
cur Myrrha vlcera oculorum expurgat.7°.de ſimp.me.fa. 5ª.54.E
Myrrha in collyrijs quid faciat. 1°.de antido. 5ª.105.C
quæ Myrrha eſt idonea antidotis.1°.de antid. 5ª.106.B
Myrrhã debẽt recipere arteriaca medicamẽta.8°.de ſi.me.fa.5ª.61.B
Myrrha in Alexiterias antidotos ĩgredi ñ põt.5°.de ſim.m.f.5ª.37.C
Myrrha ponitur in Theriaca.de ther ad Piſ. 5ª.92.E
Myrrha ponii in medicamẽtis odoris gra.9°.de cõ.me.ſe.lo.5ª.202.F
Myrrha odoratas reddit compoſitiones.1°.de com.me.ſec.l.5ª.128.C
Myrrha bene olet.1°.de antid. 5ª.106.B
Myrrha eſt odorata,& calida.com.5°.aph.59°. Ex.43.C
Mirrhæ odor capitis dolorem parit.2°.de comp.me.ſec.loc.5ª.134.F
Myrrha vitanda in capitis doloribus à ſtomacho,& ab alijs partibus. 2°.de com.med.ſec.loc. 5ª.137.B
Myrrha ſi largius bibatur,aut dementat,aut mortem infert.5°.de ſimpli.med.facul. 5ª.37.C
Myrrha quomodo interficiat.1°.de antid. 5ª.105.C
Myrrha penetrat i altũ,qa eſt tenuiũ ptiũ.6°.de cõ.me.ſe.l. 5ª.167.C
Myrrha,& crocus adiuuant,ſe in penetrando in profundum.6°.de cõpo.med.ſec.loc. 5ª.167.C
Myrrham,& crocum recipit Diamoron.6°.de com.me.ſe.lo.5ª.167.c
Myrrha in Diamoro deducit adſtringẽtia.6°.de cõ. me.ſec.l. 5ª.167.D
Myrrha manſuetiſſima pro ſtomachicis.6°.de com.med.ſe.lo. 5ª.171.E
Myrrha facile leuigatur.4°.de comp.med.per gen. 5ª.237.H
Myrrha coctionem non fert.2°.de comp.me.per ge. 5ª.222.H
Myrrha per coctura amittit vires.6°.de comp.me.ſec.lo. 5ª.168.E
Myrrha torrefacta.4°.de comp.med.ſe.loc.151.D/ 5ª.152.F
MYRRINE. 7°.de ſimp. med.fac. 5ª.56.E
MYRRHIS in ſecundo ordine calida.7°.de ſimp.med.fac. 5ª.56.E
Mirrhis purgat thoracẽ, et pulmonẽ degrauãtia.7°.de ſi.m.f. 5ª.56.E
Myrſinites dicta Tithymallus fœmina.8°.de ſimp.me.fac. 5ª.62.E
MYRTA quid,& eius vires.de ſimpli.med. Sp.87.E
Μύρτα vocant græci fructum myrti.2°.de alim.fac. 2ª.19.D
Myrta adſtringi.9°.de ſimp.me.fac. 5ª.64.C
Myrta adſtringit euidenter.1°.de ſimp.med.fac. 5ª.7.H
Myrta mouet aliũ ſenſum,quã alia adſtringẽtia.1°.de ſim.me.f.5ª.8.H
Myrta adſtringit dyſenteriam.11°.de ſimp.med.fa. 5ª.81.E
Myrtæ vires,quæ.de ſimp.med. Sp.87.E
Myrta non excedit fines tuendæ ſanitatis.1°.de ſan.tu. 2ª.68.H
Myrtas tuber circa myrtum qualis.7°.de ſim.med.fa. 5ª.56.E
MYRTHEVM qũo excellit roſaceũ.2°.de cõ.me.perge. 5ª.224.A
Myrtheum oleum quale.1°.de comp.me.ſec.lo. 5ª.129.E
Myrtinum oleum.6°.de ſimp.me.fac. 5ª.46.H
Myrtinũ oleũ eſt craſſiorũ partiũ,et adſtringẽs.11°.me.me. 7ª.72.H
Myrtheũ oleũ adſtringit,et refrigerat.4°.de cõ.me.pgen. 5ª.237.A
Myrtheum oleum adſtringit.13°.met.me. 7ª.83.G
Myrtheũ oleũ valet in defluuio capillorũ.1°.de com.me.ſe.l.5ª.125.F
Myrtheum adſtringit.2°.de compo.med.per gen. 5°.220.G
Myrtheum emollit.4°.de comp.med.per ge. 5ª.241.H
Myrtheum oleoſum.2°.de comp.med.per gen. 5ª.220.F
Myrtheũ oleoſum mitigat medicamẽta.2°.de cõ.me.per g. 5ª.220.D
Myrtheum propter quid ponatur in medicamentis ad vlcera.4°.de cõpo.med.per genera. 5ª.237.H
MYRTEI ſcalpelli ad quid.5°.de anat.adm. 1ª.84.G
ad MYRTACEI folij ſpeciem ſcalprum.14°.meth.me. 7ª.92.H
MYRTINA naſca.de dynam. Sp.24.B
MYRTITE vinum.3°.de compo.med.ſec.loc. 5ª.143.F
MYRTVS qualis.1°.de comp.med.ſec.loc. 5ª.129.E
Myrtus frigida eſt terrena,& multũ deſiccat.7°.d ſim.me.fa.5ª.56.E
Myrtus alba.6°.de comp.med.ſec.loc. 5ª.175.D/H
Myrti baccæ quales.1°.de comp.med.ſec.lo. 5ª.129.E
Myrti baccæ inter adſtringentia parabilia.6°.de c.me.ſe.lo. 5ª.169.F
Myrti,earũq; baccæ ñ hñt miſtionẽ cõtrariorũ.1°.de c.me.ſ.l. 5ª.129.E
Myrti baccas exacinat.8°.de comp.med.ſec.loc. 5ª.189.E
Myrti baccæ ad ſtomachi ardorẽ cũ ſyncope.8°.de c.me.ſ.l. 5ª.191.H
Myrti fructus habent contrariam facultatem.2°.de alim.fa. 2ª.19.D
Myrti fructus acerbus,& dulcis.4°.de ſimp.med.fa. 5ª.26.F
Myrti fructus nutrit tenuiter.2°.de alim.fac. 2ª.19.D
Myrti fructus frigidus eſt non tñ tm vt adſtringat.2°.de ali.fa.2ª.19.D
Myrtus vehementer adſtringit.5°.de comp.me.ſe.loc. 5ª.159.B
Myrti ſtomacho grati,& adſtringens.3°.de ſimp.me.fa. 5ª.20.C
Myrti fructus valenter adſtringit.2°.de ali.fac. 2ª.19.D
Myrtus numeraĩ inter adſtringẽtia parabilia.6°.de c.me.ſ.l. 5ª.169.F
Myrti fructus ſiſtit aluũ.2°.de ali.fac. 2ª.19.D
Myrti grana adſtringunt ventrem cum ponticitate, & ſlypticitate.d diſſolutione continua. Sp.75.B
Myrti ramuli cõueniẽtes ſtomachicis in cibo.8°.de c.me.ſ.l. 5ª.192.C
Myrti tenera germina.13°.met.me. 7ª.83.G
Myrti miſcentur medicamentis, ne ventriculus cuertatur, et propter malum ſaporem.3°.de ſimp.me.fa. 5ª.20.C
Myrtus purgat gibbã hepatis.de cathar. Sp.95.C
Myrtorum decoctum adſtringit.4°.meth.me. 7ª.28.H
Myrtorum decoctum adſtringens lene.5°.meth.me. 7ª.31.H
Myrti decoctum inter adſtringentia fortiora pro gargariſmis. 6°.de cõpo.medicam.ſec.loc. 5ª.172.G
Myrtorum foliis conſternebant pauimentum antiqui,cũ opus erat hor bis frigidis.1°.de arte cur.ad Glau. 7ª.99.B
Myrti ſiccis foliis iſantes ĩdigẽtes,nõ sũt tẽperati.1°.de ſa.t. 2ª.65.A
in Myrti foliij ſpeciem quo modo cutis incidenda in axillis, & inguinibus.13°.met.med. 7ª.81.E
Myrti vſus non facit ad ſanitatem.de atten.vic. 2ª.45.H
MYSI lapis quid & eius vires.de ſimp.med. Sp.87.A
Myſi lapis in aginem colorem maxime ſplendet.de ſim.me. Sp.87.A
Μύσιν quid appellant græci.3°.de ſanitate tuenda. 2ª.81.B
MYSIA ad inſtrum.5°.de ſan.tu. 2ª.89.H
Miſia belleſpontia.5°.de ſan.tu. 2ª.89.H
in Myſia quæ ſup pgamũ,cæſeus pſtãtiſſimus.2°.de ali.fac. 2ª.29.H
in Myſia non ſit elephãtis morbus.2°.de arte cur.ad Gla. 7ª.107.D
Myſium vinum quale.5°.de ſan.tu. 2ª.89.H
Myſium vinum habet vires ſimiles ſurrentino.5°.de ſa.tu. 2ª.89.H
Myſiũ vinũ cõmodũ ſenibꝰ caput valẽtius hñtibus.5°.de ſa.t.2ª.89.b
Myſiorum multa nomina cur collegit Galenus.ad Thraſ. 2ª.106.H
Μύσαξ quid.intro. Iſa.53.B
NYSTERIORVM libri qbus legi debeant.7°.de ſim.m.f. 5ª.49.B
Myſterium appellata confectio.7°.de comp.me.ſec.loc. 5ª.185.D
in MYSTICIS ſermonibus imperabant prophanis,vt aures obturarent.12°.de vſu par. 1ª.194.C
MYSTRVM doſis.7°.de comp.med.ſec.loc.182.A/8°. 5ª.189.E
Myſtrum quantum capiat.de pond.& menſ. 5ª.275.G
Myſtrum magnum.de pond.& menſ. 5°.275.G/276.E/ 5ª.277.E
Myſtra parua.2°.de ant.119.E/de pond.& menſ.275.G/ 5ª.277.E
Myſtrum minutum.7°.de comp.med.ſec.loc. 5ª.180.E
Myſtrum mediocre.6°.de ſan.tuen. 2ª.101.B
Myſtrum iuſtiſſimum.de pond.& menſ. 5ª.277.E
Myſtrum.2°.de antid.116.G/119.F/7°.de cõ.me.ſec.lo.185.E/F/186. E/9°.202.E/F/7°.de pond.& menſ. 5ª.276.G/H
MYTILENE oppidum in Lesbo.12°.meth.me. 7ª.76.F
MYXA apud iuniores idem quod βλένα,κορύξα, apud antiquos.8°. de vſu par. 1ª.168.B

NANACHVAM *fit mẽtio in confectione gari Ioachi martyropolitæ.de medic.fac.par.* 7ª.175.B

NAPI *agrestis semen quàm optimũ è Creta affertur.*1°.*de antid.* 1ª.105.E

Napi semen contra venena cum vino optimo datur.de simp.med. Sp.89.F

*Napi sẽia quo mõ cõtũdãt.*1°.*d.au.* 5ª.107.E

Naporum,quæ βουνιάδας vocant radices sunt in confinio boni,& mali succi.de bon.& vitio succ. 2ª.37.G

Napus inflat.de simp.med. Sp.89.F

*Napy calidũ est et siccũ in quarto ordine.*8°.*de simp.med.fa.* 5ª.56.H

*Napy excalfacit.*1°.*de simp.me.fac.*4.E/5°. 5ª.32.A

*Napy proportione respondit aeri calidiori.*2°.*de simp.me.fa.*2ª.15.G

*Napy acre est.*9°.*de simpli.med.fa.* 5ª.64.C

*Napy accenditur,& plurimo tẽpore durat.*6°.*de sim.me.fa.* 5ª.48.A

*Napy vrere potest.*5°.*de simp.me.fac.* 5ª.38.F

*Napy,& cauterium non similiter vrunt.*5°.*de simp.me.fac.* 5ª.39.C

*vt Napy causticum est nasturtium.*7°.*de simp.me.fac.* 5ª.50.A

NAR *qualis fluuius.*3°.*de alim.fac.* 2ª.31.C

*Nar quanto spatio ante Romã fluit in Tyberim.*3°.*de ali.fa.* 2ª.31.C

*Nar habet pisces præstantiores Tyberinis.*3°.*de ali.fac.* 2ª.31.C

NARCE, *id est torpedo.*11°.*de simp.med.fac.* 5ª.82.F

NARCISSVS *quid.de simp.med.* Sp.87.H

Narcissi bulbus maculas in facie tollit,suppurationem ponit,& intumescere non permittit.de simp.med. Sp.87.H

*Narcissi bulbi succus per aluum purgat.de art.com.*2°. 7ª.267.H

*Narcissi radix vlcera maxima conglutinat.*8°.*de sim.me.fa.* 5ª.56.H

Ναρκώδες, *id est stupidos,& resolutos adiuuat pyrethri radix.* 8°.*de simp.medidamen.facul.* 5ª.59.D

quæ NARCOTICA *non sunt danda potui.*5°.*de simp.me.fac.* 5ª.37.C

*à Narcoticis etiam fit cataphora.*5°.*de simp.med.fac.* 5ª.37.C

*Narditidos herbæ radicem misceri cataplasmati pro phlegmone iocinoris consuluit Galenus.*13°.*meth.med.* 7ª.83.G

NARDINO *collyrio quando,& cur vti debemus.* 4°.*de compo.medicamen.sec.loc.* 5ª.150.G

Nardina medicamenta exicant,& leniunt.intro. Isa.58.C

Nardina medicamenta ad oculorum dispositiones.intro. Isa.58.C

Nardini medicamenti vsus est in interioribus.intro. Isa.58.C

*Nardina modice adstringit.*14°.*meth.med.* 7ª.92.B

*Nardinum vinum.*9°.*de comp. me.sec.loc.* 5ª.200.G

*Nardinũ vnguentũ quod optimũ sit,& vbi fiat.*11°.*met.m.*7ª.72.H

*Nardinum optimum vbi fiebat.*6°.*de san.tuen.* 2ª.100.B/8°.*de compos.med.secun.loc.* 5ª.187.D

*Nardinum vnguentum curiosè factum.*8°.*meth.med.* 7ª.53.C

*Nardinum vnguentum asianũ.*8°.*de comp.me.se.loc.* 5ª.193.D

*Nardinum Asianum aromaticum.*8°.*de comp. me.se.loc.* 5ª.193.C

*Nardinũ vnguentũ liquidũ esse collige.*3°.*de cõ.med.se.loc.* 5ª.141.A

*Nardinum vnguentum calefacit vehementius.*11°.*met.me.*7ª.72.H

*Nardinum vnguentum roborat aures.*6°.*de san.tuen.* 2ª.100.B

*Nardinum optimum auribus instillandum.*6°.*de sa.tu.* 2ª.100.B

*Nardinum vnguentum,melinum, & mastichinum quẽ ordinẽ habeãt inter se,& quo anni tempore exhibenda.*6°.*de san.tu.* 2ª.99.A

*Nardinũ vnguentũ deterius spicato,& foliato.*6°.*de san.tu.*2ª.99.A

*Nardinum vnguentum adstringit.*12°.*meth.med.* 7ª.83.G

*Nardinum vnguentum modice adstringit.*6°.*de san.tu.* 2ª.99.A

*Nardinum vnguentum valet in defluuio capillorum.*1°.*de comp. medicamen.sec.loc.* 5ª.125.F

*Nardinum vnguentum pro stomacho.*6°.*de sa.tu.* 2ª.99.A

Nardinum vnguentum admouit vẽtriculo Galenus in animi defectu, de præcogn.ad Posth. 4ª.217.F

*Nardinum vnguentum pro ventriculo imbecillo.*7°.*met.me.*7ª.43.H

in Nardino vnguento chia mastiche ad oris vẽtriculi imbecillitatem 8°.*methodi medendi.* 7ª.53.C

*Nardino vnguẽto præcordica cõfricauit Gal.de pr.ec.ad P.*4ª.217.F

*Nardinũ vnguẽtũ Iecori,et ori vẽtriculi cõuenit.de rem.p.f.*7ª.158.F

Nardino vnguento pectus hyeme vnguentum. 5°.*meth.me.*7ª.32.H

*Nardino inungendus vẽter,qñ frigidus ẽ et siccus.*7°.*me.m.*7ª.46.H

*Nardino,vel irino vnguento vti oportet post balneũ.*8°.*m.m.*7ª.51.F

*pro Nardino mastichinum.*7°.*meth.med.* 7ª.46.H

NARDITE *quid sit.*9°.*de composi.medicamen.sec.loc.* 5ª.201.G

NARDOSTACHYOS *meminit in antidoto Basilij.de dyna.* Sp.33.F

NARDVS *quæ nominanda.*9°.*de comp.med.sec.loc.* 5ª.201.D

*Nardus qualis.*6°.*de compo.med.sec.loc.* 5ª.170.G

*Nardus aromaticum medicamentum.*9°.*de comp.me.se.lo.* 5ª.201.D

*Nardi spica quæ nominanda.*9°.*de compositio.med.secun.lo.*5ª.201.D

*Nardus est radix.*1°.*de antid.* 5ª.106.F

*Nardi spica qualis.*8°.*de comp.med.sec.loc.* 5ª.190.F

Nardi spica calida est in primo ordine,sicca in secundo. 8°.*de simplicium medicamentorum facultatibus.* 5ª.56.G

*Nardi spica adstrictionis particeps est.*3°.*de cõ.me.per ge.*5ª.234.F

*Nardi spica mediocriter adstringit.*4°.*de comp.me.sec.lo.* 5ª.149.H

*Nardi spica pro ventriculo imbecillo.*7°.*meth.med.* 7ª.44.A

*Nardi spica ad Iecur,& stomachũ cõuenit,vrinã ciet, stomachi morsus sanat,in vẽtre,ac ĩtestinis consistentes fluxiones desiccat,ad hęc & eas,quæ in capite,& thorace sunt.*8°.*de simp.me.fac.* 5ª.56.G

*ex Nardi spica Iecori inflammato vnguentum.*2°.*de arte curatiua ad Glauconem.* 7ª.104.D

*à Nardi spica distingui nardũ celticã collige.*7°.*de c.m.se.l.*5ª.182.H

Nardi spica quid agat in medicamentis.de med.exper. Sp.104.B

*Nardi spica,indica,celtica, & montana odoratas reddit compositiones.*1°.*de composi.med.secun.loc.* 5ª.128.C

Nardus ponitur in Theriaca.de theria.ad Piso. 5ª.92.E

*Nardi spica vim habet ciendi vrinam.*1°.*de ar.cura. ad Glau.*7ª.99.F/*de mel.ex Gal.Ru.& Poss.* Sp.110.B

*Nardi spicæ aliquid injiciunt vino pro calculosis.*5ª.*de san.tu.*2ª.91.C

Nardi spica,& beleniũ,& quædam alia quando demenda a medicamento διὰ τριῶν πεπτέρεων. 4°.*de san.tu.* 2ª.85.B

*Nardi Asianæ conseruatoriæ fit mẽtio.*7°.*de cõ.me.per ge.*5ª.271.F

*Nardi Babylonię meminit.*7°.*de comp.medica.per ge.* 5ª.272.D

*Nardus qualis sit,& potissimũ Celtica.*9°.*de com.me.se.lo.* 5ª.201.G

Nardus celtica iecori inflãmato pdest. 2°.*de arte cu. ad Gl.*7ª.104.D

Nardus celtica p phlegmone gibbæ partis iecoris. 12°.*m.m.*7ª.83.H

*Nardi celticæ fit mẽtio.*8°.*de sim.me.fa.*56.H/4°.*de cõ. med.sec. loc.* 152.D/157.B/6°.174.H/7°.178.D/181.H/182.H/8°.188/H/192.A/193.B/C/D/195.A/9°.197.G/200.D/10°.206.B/C/5°.*de compo.medica.per ge.*252.E/7°. 5ª.266.A

*Nardi Creticæ meminit.*9°.*de comp.med.sec.loc.* 5ª.201.D

*Nardus Gallica qualis.*1°.*de antid.* 5ª.107.B

*Nardus gallica est calidior alijs.*8°.*de simp.me.fac.* 5ª.56.H

*Nardus gallica vrinam prouocat.*8°.*de simp.med.fac.* 5ª.56.H

*Nardi gallicæ sit mentio.*7°.*de compo.med.per ge.* 5ª.272.F/G/H/*de med.fac.par.* 7ª.171.A

*Nardus Gangitis.*7°.*de compo.med.per gen.* 5ª.274.G

*Nardus gangetida pro malabathro.*7°.*de com.med.per ge.*5ª.274.D

*Nardus Montana imbecillior alijs.*8°.*de simp.me.fac.* 5ª.56.H

*Nardus montana.*8°.*de simp.med.facul.* 5ª.56.H

*Nardus indica,& celtica quo differant.*9°.*de comp.me.se.l.*5ª.201.G

*Nardus ĩdica iecori inflãmatiõi adhibeẽ.*2°.*de arte cu.ad Gl.*7.104.D

*Nardi indicæ meminit.*4°.*de compo.medicamentorum secun.loc.*152.D/F/G/154.C/D/E/155.C/D/H/156.A/157.A/B/6°.170.C.171.A/D/7°.178.D/179.C/181.F/182.A/183.G/184.H/185.B/F/8°.188.B/189.G/191.A/F/192.A/193.C/E/194.H/195.A/B/D/H/9°.197.H/198.F/200.H/201.H/202.A/C/H/.10°.206.C/F/7°.*de compo.med.per gen.*266.E/267.A/ 5ª.272.E

*Nardus Orea idest montana,quæ,& qualis.*8°.*de simp.me.f.*5ª.56.H

*Nardus Stachys id est spica nardi.*8°.*de simp.med.fac.* 5ª.56.G

*Nardi Syriacæ meminit.*3°.*de compo.med.sec.lo.*143.H/7ª.179.D/183.G/9°.197.G/198.G/ 5ª.202.G

Nardi spica oculis conuenit.de ocul. 7ª.188.G

Nardus expurgat in ictteris.de cura ictteri. Sp.111.B

*Nardus colorem expurgat,& colorẽ mouet.de cura.ictteri.*Sp.111.C

*Nardus optima modicæ adstringens.*8°.*methodi medendi.* 7ª.53.C

*Nardus ad ventriculi imbecillitatem.*8°.*methodi medendi.*7ª.53.C

ex Nardo,aloe,mastiche,& cera ceratum iecori, & ventriculi ori conuenit.de remed.par.fac. 7ª.158.F

cum Nardo infusus in aqua succus absinthij quibus conueniat.de cura ictteri. Sp.111.A

*Nardum mulsa aqua infundens,& concoquens propina bibendum in tertiana notha.*1°.*de ar.cur.ad Glau.* 7ª.97.E

*cum Nardi spica ptissanæ succus iuuat laborantes tertiana notha.*1°.*de arte curatiua ad Glauconem.* 7ª.97.E

Nardo decoctũ oleũ metasyncreticã virtutẽ habet.de si.me. Sp.88.D

Nardum primæ

Nardum primæ compositionis accipi iubet.7°.de compo.medicamentorum per genera. 5ª.271.G
Nardi vnguentum.7°.de comp. med.per gen. 5ª.271.G
Nardum crocinum.7°.de comp.med.per gen. 5ª.272.D
Nardo viribus similis est phu.8°.de simp.me.fac. 5ª.63.D
Nardo similem vim possidet folium malabathri.8°.de si.m.f. 5ª.63.E
NARES *quæ.fin.med.43.H/intro.* *Isa.53.A*
Nares quo modo sint formatæ.de compag.memb. *Sp.58.D*
Nares vnde habent initum.intro. *Isa.53.G*
Nares ex cerebro ducuntur.com.6°.aph.2°. *Ex.46.E*
ad Nares tendunt duo foramina, quæ in anteriori ventriculo cerebri oriuntur.de instr.odor. 1ª.110.C
per Nares, & per os expurgantes cerebrum meatus sunt ampli.9°. de vsu partium. 1ª.171.D
ad Nares cur foramen ex oculis feratur.10°.de vsu par. 1ª.181.G
Narium meatus habet duo officia.8°.de vsu par. 1ª.168.B
Nares ad quid factæ.de natu. & ord.cuius l.corp. *Sp.42.H*
Nares sunt partes ad viuendum cõmodius.14°.de vsu par. 1ª.204.C
Narium officia potissimæ, quæ intro. *Isa.54.A*
Nares non sunt propter excretionem superfluorum, sed ea quidẽ ex abundãti cerebro male affecto est subsidium.8°.de vsu par. 1ª.168.C
Nares cur patulæ.de ana.viuo. *Sp.49.B*
Nares cur habent mollem substantiam.1°.de vsu par. 1ª.115.G
Narium duo ossa.intro. *Isa.54.G*
ante Nares cur os veluti spongia sit situm.8°.de vsu par. 1ª.168.D
in Naribus, aure, pudendo, sede germina fieri videntur.3°.de symptomatum caus. 3ª.28.D
in Naribus germen aliqd carnis, quæ ægritudo sit.de diff.mor. 3ª.4.F
Narium tunicæ sunt frigidæ, & siccæ.de compo.memb.siue de natura humana. *Sp.58.D*
Narium tunica, quæ partem internam subiungit, a tertia neruorum cõiugatione oritur.9°.de vsu par. 1ª.176.C
Naribus, & ori tunica communis.9°.de vsu.par. 1ª.176.E
Nares habent vnum genus neruorum.8°.de vsu par. 1ª.166.H
ad Nares nerui a Cerebro.de instru.odor. 1ª.110.E
Narium sensus principium esse cerebrum dicentes decipiuntur.2°.de decretis Hippoc. 1ª.237.A
Naribus qualiter adueniat odoratus.de anato.viuo. *Sp.58.D*
intra Nares sunt pelliculæ plenæ spongiosa carne, in quibus sit olfactus.de vtil.respira. *Sp.63.D*
per Nares, & os fit respiratio in Tim.Pla. 1ª.288.G
per Nares, os, & pharynga animalia respirantia habent pulmonem, & dextrum cordis ventriculum.6°.de vsu par. 1ª.150.F
per Nares ingreditur spiritus in corpus.17°.de vsu par. 1ª.222.B
per Nares attrahitur spiritus in cerebrum.de vsu pul. 1ª.227.G
per Nares spiritus partim ad cerebrum, partim ad cor accedit.de vtilitate respira. *Sp.226.H*
per Nares aer ex inspiratione attractus, & crassior pituita defluit. 2°.de semine. 1ª.340.C
Nares in trahendo spiritu contrahuntur.de vsu pul. 1ª.228.E
Narium partium extremarum motus.de vsu pul. 1ª.228.E
Narium pinnæ cur dilatantur inspiratione.4°.de loc.aff. 4ª.25.A
Narũ pinnæ cur contrahantur in inspiratione.4°.de loc.aff. 4ª.26.H
Narium pinnæ a lato musculo mouentur.4°.de lo.aff. 4ª.23.D
Narium pinnas mouent qui suffocantur a peripneumonia ab angina, & suppuratione.in 3ᵐ.de mor.vul.com.2°. 3ª.136.A
per Narem vtranque spiritus æqualis significat conuulsionem.de virat.in morb. acu.c.4°. 7ª.141.G
Naris pinnæ quo conuellantur.de vic.ra.in mor.ac.com.4°.7ª.141.G
Naribus summis respirare quid sit.in 3ᵐ.de mor. vul.c.2°. 3ª.136.A
in Nares cur venit potus.in 3ᵐ.de mor vul.com.2°. 3ª.136.C
in Nares promptissime transmittit caput.6°.de san.tu. 2ª.98.E
per Nares sanguis habet respirationẽ.de natu.& ord.cu.cor.Sp.41.E
per Nares expurgatio conuenit naturæ.com.3°.aph.24°. *Ex.25.B*
Nares expurgant caput.ars med.Isa.71.E/1°.de arte cur. 7ª.100.B
per Nares, aures, & palatũ purgatur cerebrũ.7°.meth.me. 7ª.49.D
Nares expurgãt cerebrũ.de const.ar.Isa.41.D/11°.met.me. 7ª.73.F
per Nares, & os mucus cerebri externitur.de instr.odor. 1ª.110.D
per Nares expurgat oculus.1°.de san.tu. 2ª.68.D/*de cath.* *Sp.94.G*
per Nares excreta ea, quæ in cerebro continentur indicant.in 1ᵐ.de morbis vulgaribus.commen.2°. 3ª.112.A
per Nares exeuntia ostendunt cerebri robur.de const.ar. *Isa.42.B*
per Nares exeuntia ostendunt futuram ægritudinem.ars med.Is.67.F
ad Nares, & os si odor suffitus aromatum per corpus ire videatur mulier ex se ipsa non est sterilis.com.5°.aph.59°. *Ex.43.C*
de NARIVM *affectionibus.3°.de composi.medic.sec.loc.* 5ª.147.F/*de med.fac.par.* 7ª.163.D
ad Narium passiones valet succus centaureæ.de vir.cent. *Sp.93.C*
Nares acutæ qbusdã sũt signa lætalia, alijs naturalia.de op.se.Is.26.a
Nares frigidas esse, quando malum.com.7°.aph.1°. *Ex.54.A*
Nares sudare pernitiosum est in ardentibus febribus.in 1ᵐ.de morbis vulg.commen.2°. 3ª.115.C
Nares senum cur humidæ.com.3°.aph.31°. *Dx.26.G/H*
quibus Nares natura humidiores, & genitura humidior, minus integra sanitate fruuntur, quibus vero contraria, salubrius degunt.cõ. 6°.aph.2°. *Ex.46.E*
Nares humectat balneum.de vict.rat.in mor.acu.com.3°.7ª.132.H
Naribus rheuma nocet.de dyn. *Sp.20.E*
Narium euacuatio fœda est noxia.com.5°.aph.33°. *Ex.40.E*
è Naribus stilla prauum signum.in 3ᵐ.de mor.vul.c.3°. 3ª.144.A
è Naribus stillatio comatosis pernitiosa est.in 1ᵐ.prrh.c.1°.4ª.160.H
per Nares muci quorum sint signa.in 1ᵐ.prorrh.com.1°. 4ª.161.G
è Naribus cur plerunque exeat sanguis.de ana.viuo. *Sp.44.C*
à Naribus quibus facile sãguis fluat.1°.de arte cur. ad Gl.7ª.100.E
è Naribus sæpe fluit sanguis homini concepto in tribus horis sanguinis.de spermate. *Sp.57.B*
è Naribus profluuium intelligit Hippocrates cum profluuium inquit sine alio adiecto.in 1ᵐ.de morb.vul.com.1°.3ª.104.G/in 1ᵐ.prorrhet.commen.3°. 4ª.185.G
ex Naribus profluuium sanguinis est peculiare febrium ardentium. in 1ᵐ.de mor.vul.com.1°.104.E/2°. 3ª.113.A
è Naribus cur fluat sanguis in ardentibus febribus.in 1ᵐ.de morbo. vul.commen.2°. 3ª.199.F
è Naribus sanguis cur effluat in febribus acutis.de vic.rat.in morbis acu.commen.4°. 7ª.135.D
per Narium sanguinis fluxum soluitur causus.de vic.ra.in mor.acu, commenta.4°. 7ª.135.D
è Naribus sanguinis fluxio qua ætate expectanda est.in prognostica commentario.2°. 4ª.208.G
per Nares sanguinis profusio est toto genere præter naturam.de symptomatum differentijs. 3ª.13.G
è Naribus sanguis multis stillat per accessiones.quos purgare oportet quibus medicamentis, & quo tempore. 5ª.88.G
è Naribus fluxurũ sãguinẽ quæ indicẽt.1°.de arte cu.ad Gl.7ª.106.D
ex Nariũ profluuio sanguinis iudicatio quo modo cognoscatur ex pulsu.4°.de præsa.ex pul. 4ª.122.F
Narium sanguinis profluuium qui capitis dolor significet.in prognosti.com.2°.208.E/ 4ª.211.A
è Naribus sanguinem fluxũ significatur à colore rubro faciei.in 1ᵐ. prorrh.commen.2°. 4ª.171.A
Narium sanguinis profluuium significant lacrymæ spontaneæ.in 1ᵐ.de morbis vulgarib.commen.2°. 3ª.116.A
è Naribus fluet sanguis si manus sint tremolæ.de vic.ra.in mor.acu. commen.4°. 7ª.141.F
è qua parte Narium fluxurus sit sanguis præsoscendum est.1°.de arte curatiua ad Glauconem. 7ª.100.E
è Naribus sanguinis profluuium quando bonum, & quando non bonum.1°.de crisibus. 4ª.128.B
è Naribus sanguis instar fluoris, letale est.in 1ᵐ.prorr.c.3°.4ª.186.A
è Naribus quibus sanguis fluit illis medicamenta non sunt exhibenda.de vic.ra.in mor.acu.com.4°. 7ª.150.F
per Nares sanguinem euocantia, quæ.de med.fac.par. 7ª.154.E
per Nares sanguinem trahit radix crocodilij.7°.de sim.me.f.5ª.53.C
ad Narium sanguinem extrahendum.de med.fac.par. 7ª.163.D
per Nares emissus sanguis non malus.com.4°.aph.25°. *Ex.30.A*
è Naribus sanguis fluens in febribus soluit surditatem.com.4°. apbor.60°. *Ex.34.A*
ex Narium sanguinis fluxus sanat absessum futurum ad articulos. commen.4°.apho.74°. *Ex.35.H*
à Naribus sanguis fluens liberat è lassitudine phlegmonide.4°.de sanitate tuenda. 2ª.87.F
è Naribꝰ fluẽs sãguis mẽstruis deficiẽtib.bonũ.c.5°.a.33°.Ex.40.E
per Nares, os, aut aures pus, vel aqua, vel sanguis effluens caput dolẽti, & circumdolenti, soluit morbum.com.6°.aph.10°. *Ex.47.C*

Narium ſanguis quibus ſiſtatur. 1°.de arte cura.ad Glauconẽ.7ª.98. H/de catharticis. Sp.94.G

pro Narium ſanguine aures obturandæ ſunt, & extrema conſtringen da.de remed.par.fac. 7ª.155.H

quibus è Naribus profluxit ſanguis eorum aliqui ex capitis refrige- ratione deterius habuerunt. 5°.met.med. 7ª.31.H

in Narium ſanguine duplex auerſio. 5°.meth.med. 7ª.32.A

è Naribus profluente ſanguine cucurbita ſupra ceruicem cõfert.5°. methodi medendi. 7ª.32.A

Narium ſanguinem reuellit cucurbitula appoſita Hypochondriis.de Hirud.reuulſ.cucurb.& ſcarif.2.E/de cucur.ſcarif.6ª.4.G/5°.me thodi medendi.30.E/13°. 7ª.85.B

è Nare dextra ſanguis ſupprimitur cucurbitula in dextro hypochon drio.de curan.ra.per ſang.miſſ. 6ª.19.H

in Narium ſanguinis profluuio vena ab eodem latere ſecanda eſt.5°. methodi medendi. 7ª.30.E

è Naribus profluuium ſanguinis ſanatum fuit venæ ſectione. de cu- ran.rat.per ſang.miſſ. 6ª.18.D

è Naribus ſanguine profluente medicamenta, quæ ſcribunt in nares inſerenda, atq; in frontem illinenda, infirma eſſe cõperit Galenus.& curan.ra.per ſan.miſs. 6ª.18.G

è Naribus profluuio ſanguinis prorumpenti caudæ equinæ ſuccus pro deſt.6°.de ſimp.med.fac. 5ª.48.G

Narium ſanguinis fluxum ſiſtit ſuccus centaureæ.de vir.cen.Sp.93.C

ad Nariũ ſanguinis eruptiones.3°.de comp.med.ſec.loc.148.G/149. A/5°.de com.med.per gen.5ª.254.E/de me. fac.par.154. E/155. G/160.F/163.D/7ª.172.C/H/de dyn.25.B/ſecre. Sp.98.B

ad Narium ſanguinis eruptiones, quæ ſupprimi nequeunt. de medi. fac.par. 7ª.154.E

de Naribus parum, idq; merũ ſtillauit quinta die Philiſco. in 1ª. de mor.vulga.commen.3°. 3ª.121.A

Narium fluxu ſanguinis ſanato à delirio quidam nihil præteritorum recordabatur.2°.de mot.muſ. 1ª.315.C

Narium ſanguinis profluuio aſſueti quo modo tractandi in euacuatio nibus.de conſuetud. 2ª.61.H

è Naribus quibus ſanguis profluit, non ſunt lauandi.de vict. ratio.in morb.acutis,com.3°. 7ª.133.A

ex Naribus aperta vena quando proſit in capitis doloribus. 2°.de cõ po.medi.ſecun.loc. 5ª.137.D

ad Nares deriuat in oris phlegmone.13°.meth.med. 7ª.83.B

per Nares, & os derivandum ſi ad oculos, vel aures ſucci fluãt,& q bus.de cucur.ſcar.6ª.4.E/5°.meth.med. 7ª.30.F

per Nares derivatio facienda eſt fluente gurgulione, vel palato. de cu curbitulis ſcarificatione. 6ª.4.E

ad Narium ſanguinis eruptiones, Andromachi.3°.de compoſi. medi- camen.ſecun.loc. 5ª.149.B

Nares,& aures obturat ſperma deſcendens à capite.de ſper.Sp.36.F

Narium,& aurium obturationem capitis grauitatem ſuperius, dolo- rem renum inferius ſignificat vrina inferius claritatem habens, ſu- perius ſubnigra,& plena.de dyna. Sp.35.D

Nares occluſæ quibus aperiantur. 5°.de ſim.med.fac.5ª.35.G/ de cu ra lapidis. Sp.112.H

Nares quibus opplentur illis elleborus eſt dandus.de vic.ra. in mor. acu.commen.4°. 7ª.144.G

Naribus danda ſunt medicamenta purgatoria.de cathar. Sp.94.G

p Nares materiã trahẽtia.de reme.par.fa.7ª.163.D/de cath.Sp.95.B

per Nares purgantia caput.2°.de comp.me.ſec.loc. 5ª.138.H

ex Naribus expurgat Anagallidã ſuccus.6°.de ſim.me.fa. 5ª.42.H

ex Naribus purgat ſuccus Anemones.6°.de ſimp. med.fa. 5ª.43.B

per Nares purgat Beta.8°.de ſimp.med.fac. 5ª.62.A

Nares purgat ſuccus Chelidonij minoris. 8°.de ſimp.me.fa. 5ª.63.G

Nares purgat ſuccus Cyclaminis. 7°.de ſimp.med.fac. 5ª.53.E

per Nares quomodo bilis educatur.2°.de compo.me.ſe.lo. 5ª.139.E

Narium inflammatio quid efficiat.in progn.com.2°. 4ª.203.A

in Naribus phlegmone, & ſcyrrho orto laborantes per os inſpirare coguntur.11°.de vſu par. 1ª.188.F

ad Narium phlegmonas congruit aloe.6°.de ſimpli.med.fa. 5ª.42.C

ad Narium interiores phlegmonas.de med.fac.par. 7ª.163.E

ad Narium carnem excreſcentem malum punicum.3°.de compo.me dicamen.ſec.loc. 5ª.148.D

Narium ozenæ.3°.de comp.me.ſe.loc. 5ª.147.F

Narium polypodes.3°.de compo.med.ſec.loc. 5ª.147.F

Nares obſtruens polypus vocem lædit.4°.de loc.affe. 4ª.26.F

Naris polypos quid curet.de dynam. Sp.25.C

Nare vlcerata quid agendum.5°.meth.me. 7ª.34.B

in Naris meatibus vlcera quibus à Galeno curentur. 3°.de comp.me dicamen.ſec.loc. 5ª.148.F

ad Narium vlcerationes,& putredines,& fętores confert ſuccus cẽ taureæ.de vir.cent. Sp.93.C

ad Narium exulcerationes.3°.de compo.med.ſecũ.loc. 5ª.148.D/de medic.fac.par. 7ª.163.E

in Naribus vlcera vetera ſanat hederæ ſuccus.7°.de ſim. me.f.5ª.51.F

ad Narium vlcera cum duritie. de med.fac.par. 7ª.163.E

ad Narium vlcera.3°.de cõp.me.ſec.loc.148.C/5°.de compo.medic. per gen.248.D/5ª.251.F/de med.fac.par. 7ª.163.D

Narium fœtores in quo ſint genere ſymptomatum.de ſym.dif.3ª.13.B

ad Narium fœtores.3°.de compo.med.ſecun.loc. 5ª.148.D/ de med. fac.par.163.D/7ª.172.C/de dyna. Sp.25.C

ad Narium putredines.3°.de compo.med.ſec.loc. 5ª.148.D

de ijs quæ Naribus inſunduntur,& apophlegmatiſmis.2°.de compo- ſi.medica.ſecun.locos. 5ª.138.H

Naribus quod attrahitur errhinum.9°.de comp.med.ſec.lo.5ª.198.A

ad Nares medicamentum quod attrahitur.7°.de compoſi.medicamen torum ſecun.loc. 5ª.181.H

intra Nares medicamenta, quæ.2°.de comp.med.ſec loc. 5ª.137.D

Naribus quod inditur pro capite purgando.2°.de compoſi.medicamẽ torum ſecun.loc. 5ª.139.A

Naribus quæ applicanda in lethargo.13°.meth.med. 7ª.85.F

in Nares quæ injiciuntur pro dentiũ dolore.de reme.par.fac.7ª.157.E

inter Nares hedychroum medicamentum pro exiccando pulmone.4°. de locis affectis. 4ª.28.D

in Nares quæ ponitur ſpongia filo ligetur. 3°.de compoſitio. medica- mentorum ſecun.loc. 5ª.148.H

per Nares ne nimis aſcendant ſpongiæ filum linteum nectit.de reme- diis paratu facilibus. 7ª.155.G

ad Nares parũdinẽ in ſufflatus puluis.2°.de com.me.ſe.lo.5ª.139.A

è Naribus per arundinẽ quædã inſpirant. de reme. par.f.7ª.155.F/G

in Narium inſufflatione.3°.de comp.me.ſec.loc. 5ª.149.A

Naribus ictericorum apponenda Critonis medicamenta. 2°.de com. medicamen.ſec.loc. 5ª.139.E

in Nares quo infundendũ Elaterium. 2°.de comp.me.ſe.loc.5ª.139.E

Naribus quod infunditur parabile pharmacum.2°.de compoſi.medi- camento.ſec.loc. 5ª.139.G

Naribus adhibenda ſunt quæ fœtidiſſimum odorem habent in defectu animi ex vtero.1°.de ar.cur.ad Glau. 7ª.99.B

Naribus ſi imponas aliquid mordax.ſternutat.c.7°.aph.51°.Ex.58.C

Naribus frigidum mordax.4°.de ſimp.me.fac. 5ª.24.C

Nares irritate pennis.ſternutant,& quare.com.7°.aph.51°.Ex.58.C

Nares apprehendito, & oſ ſternutatorio impoſito vt ſecundæ procidant.com.5°.apho.49°. Ex.42.A

Narium reſectæ particulæ mutilationes dicuntur.de diff.mor.3ª.4.G

Narium curtarum curatio.intro. Iſa.69.D

de Naribus fructis.de artic.com.2°. 7ª.266.C

Nares facilius confringuntur toto corpore.de art.com.2°. 7ª.267.E

Nares fractæ ex palato reſimum faciunt.intro. Iſa.60.E

Nares confractæ non poſſunt reſtitui.intro. Iſa.60.D

Narium fracturas iuuat ſuccus centaureæ.de vir.cent. Sp.93.C

Nares aptantium manus debent eſſe molles.de art.c.2°. 7ª.267.H

de Naribus ſideratio.de art.com.2°. 7ª.267.C

ad Narium vitia.de med.fac.par. 7ª.155.F

Nares quandoq; ingreditur ſanguiſuga.4°.de locis affectis. 4ª.26.A

Naribus quę illabuntur corpuſcula quo modo extrahãtur.3°.de com. med.ſec.loc. 5ª.148.E

NARTHEX, *id eſt ferula.8°.de ſimplicium medicamentorum facul- ta.5ª.56.H/de ſimp.med. Sp.79.H*

Nartheca, id eſt prompt uarium medicamẽtorum inſcriptum libru ſe- cit Heras.1°.de comp.me.per gen.214.D/4°.245.F/ 5ª.247.E

NASCA, *id eſt quercinus fungus.de dyn. Sp.24.B*

Naſcæ myrtinæ meminit.de dyn. Sp.24.B

NASCAPHITHVM *quid.de ſimp.med. Sp.88.A*

Naſcaphithum viſcide excalefacit, in antidotis excalefactorijs mitti- tur.de ſimp.med. Sp.88.A

NASCENTIAS *diſpergit emplaſtrum diachryſu.de dyna. Sp.32.D*

ad Naſcentia mala vnguentum.de dyna. Sp.30.D

in Nascente respectu aspectuum, casus. 3°. de dieb. dec. 4ª. 157. H
qui NASCANTVR *septimo mẽse. de cõp. mẽb. siue de na. hu.* Sp. 59. E
Nascuntur venæ à nervo potius, quam à carne. de ana. viuo. Sp. 50. F
Nasci quid faciat pilos. secretorum. Sp. 97. A
Nascuntur in rinis sium, calaminthæ, adiantum. de ho. aquæ. Sp. 75. F
NASSÆ *comparatur cutis nostri corporis. in Tim. Pla.* 1ª. 288. F
Nassæ Piscatoriæ exemplum. in Tim. Pla. 1ª. 288. D
per NASSVLAS *duas intelligit ventrem medium, & inferiorem. in Tim. Plat.* 1ª. 288. E
Nassularũ funibus cõparat venas, et arterias. in Tim. Pla. 1ª. 288. G
Νασὸν genus panis. 4°. *de dign. puls.* 4ª. 84. A
Νασὸν pro pleno. 4°. *de dign. puls.* 4ª. 84. B
NASTVRTIVM *sylvestre quid sit.* 10°. *de comp. med. sec. lo.* 5ª. 208. G
Nasturtium obsonium cum pane. 7°. *de simp. me. fac.* 5ª. 50. A
Nasturtium est prauus cibus. 1°. *de diff. feb.* 3ª. 31. G
Nasturcium est cibus acutus, incidẽs, & aperiens. de diff. con. Sp. 72. F
Nasturtium cur parum nutriat. de dißol. cont. Sp. 73. G
Nasturtium acre est. de atten. vic. 2ª. 43. H
Nasturtium fortiter excalfacit dum gustatur. 4°. *de simplicium medicamentorum facultatibus.* 5ª. 29. D
vi Nasturtium non est calidum cardamomum. 7°. *de simp. medicamento. facultatibus.* 5ª. 50. A
Nasturtium accẽditur, & plurimo tempore durat. 6°. *de simplicium medic. fac.* 5ª. 48. A
Nasturtium causticum est vt Napy. 7°. *de simp. me. fac.* 5ª. 50. A
Nasturtium quo loco reponatur inter calida, quæ valent alopecijs. 1°. *de compo. med. sec. loc.* 5ª. 122. D
Nasturtium cur miscetur remedijs asthmaticorum. 7°. *de simp. medicamen. facul.* 5ª. 50. A
Nasturtium attenuat. de atten. vic. 2ª. 43. H
Nasturtiũ incidit phlegma, & mũdificat stomachũ. de dif. cõ. Sp. 74. E
cũ Nasturtio, & hyssopo epota quarta species anchusæ oxybaphi mẽsura ad latos lumbricos est idonea. 5°. *de simp. me. fac.* 5ª. 41. D
Nasturtium pro Thapsia. 1°. *de comp. med. sec. loc.* 5ª. 122. E
Nasturtio in quibus simile est lepidium. 7°. *de simp. me. fa.* 5ª. 54. C
Nasturtiũ nigri fit mentio. 9°. *de comp. med. sec. lo.* 5ª. 198. E
NASI *sectio. de instrum. odor.* 1ª. 110. C/*de ana. viuo.* Sp 48. H
Nasus propter quid creatus. de ana. vi. Sp. 48. H
Nasus cur longus, & eminens. de ana. viuo. Sp. 49. A
Nasus propter quid ad oculos sit situs. 10°. *de vsu par.* 1ª. 180. A
Nasus cuius sit propugnaculum. 11°. *de vsu par.* 1ª. 188. H
Nasus cur nudus pilis. 11°. *de vsu partium.* 1ª. 189. D
Nasi substantia, quæ in prognost. com. 1°. 4ª. 191. C
Nasi alæ cur chartilaginosæ, & mobiles. 11°. *de vsu par.* 1ª. 190 H
Nasi ossa duo. de ossibus. 1ª. 41. C
in Naso ossa duo foramen triangulare habentia. de ana. vi. Sp. 49. A
in Naso osticulum. de ossibus. 1ª. 43. G
Nasi ossa cur tenuissima. 11°. *de vsu par.* 1ª. 191. H
in Nasi ossis concauitate iacent duæ caruncvlæ spongiosæ instar duarũ paruarum mamillarum. de ana. viuo. Sp. 49. A
Nasi os ab alio osse pendet. in 6ᵐ. *de morbis vulg. com.* 1°. 3ª. 154. G
Nasi suturę quot. de ossibus. 1ª. 41. D
in Nasi radice sunt duo foramina exeuntia ad angulos lachrymales oculorum. de ana. viuo. Sp. 49. A
ex Naso cerebri foramina orta sunt duo p q̃ tenuissimæ venæ dextera lævaq; alterius inuicẽ sibi cõtinet. de nat. & ord. cu. cor. Sp. 41. H
Nasi foraminũ vsus. de ana. vi. 49. B/*de c. mẽb. siue de na. hu.* Sp. 58. D
Nasi tunica quibus continua sit. de instru. odor. 1ª. 110. D
Nasi tunica quot partes ambiat. de instr. odor. 1ª. 110. D
Nasi tunicæ quem motum habent. de instr. odor. 1ª. 111. F
Nasi tunicæ quo modo operiantur. de instr. odor. 1ª 111. G
Nasi alæ pterygia dicuntur. 11°. *de vsu par.* 1ª. 188. G
Nasi alæ, quæ. de ossibus. 1ª. 41 D
in Nasi alis musculi vnde oriãtur, & quot sint. 11°. *de v. p.* 1ª. 191. A
Nasi alas mouentes musculi quales. 4°. *de ana. adm.* 1ª. 81. B
in Nasi foliis sunt lacerti duo, qui dilatant, & constringunt. de anatomia viuorum. Sp. 49. A
Nasi alas aperientes musculi vbi sint. de diff. mus. 1ª. 44. F
Nasus quales neruos habeat. 16°. *de vsu par.* 1ª. 215. D
Nasus debet habere sensum exactiorem. 16°. *de vsu par.* 1ª. 215. D
Nasi os non poterat habere sensum. 11°. *de vsu par.* 1ª. 191. A
Nasi chartilago non poterat habere sensum. 11°. *de vsu par.* 1ª. 191. A
Nasus habet duplicem facultatem, odoratus, et respiratus. 1°. *de symptomatum causis.* 3ª. 15. H
Nasus est instrumentum odoratus. de instrum. odor. 1ª. 110. B
Nasi membrana an odores cognoscat. de instrum. odor. 1ª. 110. C
Nasi os non est instrumentum odoratus. de instrum. odor. 1ª. 110. C
Nasus semita odorum. de instrum. odor. 1ª. 110. C
Nasus primum instrumentum respirandi. 11°. *de vsu par.* 1ª. 188. F
per Nasi canales, & cãnam magnam fit attractio aeris ad pulmonẽ. de anat. viuo. Sp. 47. C
Nasi alarum motus quid agant. 1°. *de diff. resp.* 3ª. 61. D
Nasi alæ inspirationis impetum insequuntur. de musc. diff. 1ª. 44. F
Nasus tegitur caliditate, quam expirat. 11°. *de vsu par.* 1ª. 189. D
Nasus quo musculo trahatur deorsum. de musc. diff. 1ª. 44. F
Nasus per eandem viam attrahit, & expellit. 3°. *de na. fa.* 1ª. 306. H
Nasi arteriæ, quæ. 16°. *de vsu par.* 1ª. 220. C
in Naso cæteris ẽ amplis capacitatibus excrementa q̃ sunt expultrix vis expellit manifeste ac sẽsibiliter, reliqua vero totius corporis, insensibiliter quotidie per halitum. 2°. *de symp. can,* 3ª 22 G
Nasũ aquilẽũ exprprietate sui signi habuit Alexãder. d sper. Sp. 38. b
in Naso quæ sint ægritudines. de symp. diff. 3ª. 11. E
in Naso, & cerebro faciunt intemperiem catarrhi, & coryzæ. 1°. *de symptomatum causis.* 3ª. 16. A
Nasi foramina stricta, & oppilata, imperfecte, & confuse formant voces. de ana. viuo. Sp. 49. A
in Nasi obturatione melanthium. 2°. *de comp. me. sec. loc.* 5ª. 139. G
Nasi ossa affecta animal parum afficiunt. 11°. *de vsu par.* 1ª. 161. H
ex Nasi phlegmone exit aliquid. 13°. *meth. med.* 7ª. 84. H
Nasus si peruertatur in febre continua debili existente corpore, letale. cõ. 4°. *aph.* 49°. 33. B/*com.* 7°. *aph.* 69°. Ex. 60. F
Nasus acutus nõ semp significat siccitatẽ corporis. 2°. *de tẽp.* 1ª. 20. G
Nasus rubicundior factus, est iudicationis signum. 1°. *de arte curativa ad Glauconem.* 7ª. 100. D
Nasus resimus est humidus. 2°. *de temp.* 1ª. 20. G
Nasus resimus nõ semp indicat corpis humiditatẽ. 2°. *de tẽp.* 1ª. 20. G
Nasus resimatur elephantiasim patientibus. de caus. mor. 3ª. 8. H
Nasus ex ictu violente resimatus quid faciat. de diff. mor. 3ª. 4. E
Nasi angustiæ causa est simitas. de diff. morb. 3ª. 4. F
Nasus aduncus est siccus. 2°. *de temp.* 1ª. 20. G
Nasus subsidens quibus sit. in 6ᵐ. *de mor. vul. c.* 1°. 3ª. 154. F
Nasus compressus cur malus. in progn. com. 1°. 4ª. 191. A
Nasus compressus qui. in progn. com. 1°. 4ª. 191. C
iuxta Nasi angulum excrescentis carnis remedia. 4°. *de compo. medicamen. sec. loc.* 5ª. 152. F/G
ad Nasi vlcera. 3°. *de comp. med. sec. loc.* 5ª. 147. G
in Naso tunica excidit in polypo. 14°. *meth. me.* 7ª. 90. G
Nasi alæ abscissæ faciunt faciem deformẽ. 11°. *de vsu par.* 1ª. 189. C
in Naso curtis potest aliquis decor dari. 14°. *meth. med.* 7ª. 93. C
Nasum, & maxillam membrana alligabimus. de fascijs. 7ª. 293. F
ad Nasum linteum sciissum. de fascijs. 7ª. 298. A
ad Nasum funda ex quatuor capitibus. de fascijs. 7ª. 298. B
ad Nasum funda ex tribus fasciolis. de fascijs. 7ª. 298. C
ad Nasum funda ex duabus fasciolis. de fascijs. 7ª. 298 D
ad Nasum accipiter ex tribus fasciolis. de fascijs. 7ª. 298. F
ad Nasum accipiter ex binis fasciolis. de fascijs. 7ª. 298. F
ad Nasum fascia glomerata. de fascijs. 7ª. 298 G
inter Nasum medium vel supercilia vbi deligare est opus vinculum. de fascijs. 7ª. 299. B
ad Nasũ in alterã partẽ declinatũ Amintæ vallũ. de fascijs. 7ª. 299. D
in Naso quidam sanguisugã habebat insciens. 4°. *de lo. af.* 4ª. 26. A
NATABILE qd significet quodã in loco. de ar. com. 1°. 7ª. 261. D
Natans contra fluxum nunquã mouebitur, & semper mouebitur. 1°. *de motu musculorum.* 1ª. 311. E
Natans cibus in stomacho non digeritur. de diff. cont. Sp. 71. H
Natatrices, siue colymbæ nx conueniunt stomachicis. 8°. *de com. medicamen. sec. loc.* 5ª. 192. C
NATES *quæ. intro. Isa.* 53. E/*de ossibus.* 1ª. 43. D
Nates cur ita factæ circa anum. 11°. *de vsu par.* 1ª. 189. C
Nates cur circa anum. 11°. *de vsu par.* 1ª. 190. C
Natium musculi carnosi quales in homine. 15°. *de vsu par.* 1ª. 213. D
Natium musculi carnosi in simia ridiculi. 15°. *de vsu par.* 1ª. 213. D
Nates pueri mango breui crassas fecit. 14°. *meth. med.* 7ª. 91. G
in Nate suppurationem habentis casus. 4°. *de lo. aff.* 4ª. 25. B

NATES *quid sint in cerebro.9°.de anat.adm.* 1ª.105.F
Nates paruæ cerebri,quæ,& cur.8°.de vsu par. 1ª.170.F
in NATIONIBVS *multis lac non coquitur, & tamen ali.de decretis Hippocratis.* 1ª.264.G
NATIVVS *calor in bono sanguine consistit.de sal.diæta.* 2ª.40.F
Natiuus calor temperatus.de sal.diæta. 2ª.40.F
Natiuus calor puerorum qualis.de sal.diæta. 2ª.40.F
Natiuus calor à frigore vel colligitur, vel extinguitur. commentario 5°.apho.21°. Ex.39.C
Natiuus calor non accenditur propter multitudinem,sed extinguitur. commen.7°.aph.7°. Ex.54.D
Natiuus calor extinguitur in forti dolore ventris,ideo partes extremæ frigescunt.com.7°.aph.26°. Ex.55.G
Natiuus calor quo sit causa sternutamenti.com.7°.aph.51°. Ex.58.C
Natiuus calor suppurationem facit.com.5°.apho.20°. Ex.39.B
Natiua humiditas à calore febrili consumitur.c.7°.aph.6°.Ex.54.D
si NATAT *cibus in stomacho quibus cibandum.de diff.cont.Sp.71.F*
NATVRAM *quilibet scit nominare.de fœt.for.* 1ª.325.A
Naturæ nomen multa significat apud Hippocratem.de vic.ra. in mor. acu.com.1°.7ª.120.G/com.2°.aph.34°. Ex.17.C
Naturæ nomen quid significet.de nat.hum.com.1°.1ª.25.G/de symp. causis.19.F/in 6ᵐ.de mor.vul.c.5°. 3ª.187.G
Naturæ proprijssimum significatum.com.3°.aph.2°. Ex.20.A
Natura quid,eiusque varię significationes.fin.med. Isa.44.E
Natura quid sit.de hist phil.4.B/de sperm. Sp.39.A
per Naturam quid intelligat Galenus.3°.de temp. 1ª.23.H
Natura significat tẽperaturã.de vict.ratio.in mor.ac.c.2°.7ª.124.A
Natura dicitur,de Complexione,de virtute rectrice, & de compositione.secretorum. Sp.96.F
Natura est medius gradus i caliditate,et humiditate. de sper.Sp.37.B
Natura cõsistit in elemẽtorũ cõmoderatione.c.2°.aph.51°.Ex.19.D
Natura elementorum vnde. de sperm. Sp.38.H
Natura pro forma corporis qnque sumitur.com.2°.aph.34°.Ex.17.D
Natura humani corporis quæ proprie dicatur.de sper. Sp.37.A
Natura aĩalium quæ sit ſm Hippocratem.com.1°.aph.15°. Ex.8.C
Natura,& calor innatus idem est. de marc.46.A/de palpita. 3ª.54. *B/com.5°.aph.22°.* Ex.39.E
Natura,et calor insitus cum extinguũtur,quid accidat.in 3ᵐ.*de mor. vulg.com.1°.* 3ª.132.C
Natura est virtus solidorum corporum.in 1ᵐ.*de morb.vulga. commen.2°.* 3ª.112.C
Natura, quæ regit solida corpora secundum Hippocratem, est calor naturalis.com.4°.aph.37°. Ex.32.B
Natura est protensa p solida corpora.in 1ᵐ.*d mor.vul.c.2°.*3ª.112.c
Natura,& substantia idem.quid animi mores. 1ª.317.C
Natura,& vires idem sunt.3°.de crisi. 4ª.141.C
Natura,species,& genus,et forma pro eodem accipiuntur.ad eos,qui de typ.scrip.de circ. 3ª.93.B
Natura est spiritus secundum stoicos.quod animi mor. 1ª.318.E
Natura est mens,quæ omnia penetrat.17°.de vsu par. 1ª.222.B
Natura incorporea penetrat totam substantiam.de sper. Sp.40.F
Natura an rationem habeat,& mentem.de caus.morb. 3ª.8.C
Natura a stoicis,& à Platone concupiscibilis,ab Aristotele vegetabilis.anima dicitur.de fœt.for. 1ª.326.B
Natura minus idonea ad omnia,quam anima.an animal sit. 1ª.328.A
Natura mortalis est,& qualis sit.an animal sit. 1ª.327.H
Natura cui opponitur.2°.de symp.cau. 3ª.20.A
*in Naturæ scientia vtilitas est, nõ in nominib.9°.de anat.ad.*1ª.103.H
Natura rõnalis perspici potest si Platonẽ,Aristotelẽ,Hipparchũ Archimedẽ,ac complures alios cõtẽpleris.17°.de vsu par. 1ª.222.C
de Natura longius disputationem producentes reprehendũtur. de natura humana.com.1°. 1ª.27.A
de Natura scripsit Diogenes,sed eius liber ad Galeni manus non peruenit.in 6ᵐ.*de mor.vul.com.3°.* 3ª.169.E
de Natura dicta celebria.ad Thras. 2ª.105.G
de Natura humana liber.de sal.diæta. 2ª.39.G
de Natura rationum Hippocratis interpres est Aristoteles.1°.meth. medendi. 7ª.3.E
vt Naturam corporis inuenit Hippocrates, ita naturam animæ vult Plato inuenire.1°.meth.me. 7ª.3.D
Naturam corporum si quis ignorabit,morbi curari non possunt.1°.me thodi medendi. 7ª.3.F
Natura ex quibus constet.3°.methodi med.17.G/11°.7ª.68.B/commen.1°.apho.15°. Ex.8.B
Naturæ laus.de marc. 3ª.46.A
Natura in omnibus prouidens.5°.de ana.adm. 1ª.86.H
in Naturam originalem,& affectum acquisititium diuiditur virtus. 11°.metho.med. 7ª.68.G
Naturæ quatuor facultates,quibus trahit,retinet,demutat, et expellit.1°.de natur.facul. 1ª.292.H
Naturæ opera.2°.de dieb.decr. 4ª.151.G
Naturæ opera generatio,auctio,& nutritio.1°.de nat.fac. 1ª.290.G
Naturæ opera primus nouit Hippocrates.1°.de nat.fac. 1ª.293.G
Natura effectrix respondet textoriæ,& coriariæ ad Thras. 2ª.104.B
Naturæ opera explicare difficillimum.14°.de vsu par. 1ª.205.E
Natura artificiosa.6°.de ana.adm.90.E/17°.de vsu par. 1ª.221.C
*Natura est prior tempore,et sapientior arte.7°.de vsu par.*1ª.160.H
Natura eruditate,quæ.in 6ᵐ.*de mor.vul.commen.5°.* 3ª.188.H
Natura eruditate est, licet recte facere non didicerit.9°.de decr.Hippocratis. 1ª.285.C
Naturæ vis potẽtior qualibet arte.in 6ᵐ.*de mor.vul.c.5°.*3ª.188.G
*Naturã ob quid quidã vocauere inartificiosam.17°.de vsu p.*1ª.221.E
Naturam cur dicant aliqui non habere prouidentiam.1°.de natu.facultа. 1ª.292.H
*ad Naturæ artẽ cognoscẽdam quid exigatur.17°.de vsu p.*1ª.221.E
Naturæ actiones,quæ.intro.Isa.55.B/com.3°.aph.17°. Ex.23.F
*Naturæ vires quo modo in nobis,& in rebus.de ther.ad Pis.*5ª.90.H
Natura similia similibus in nobis adiungit.de theria.ad Pis. 5ª.90.G
*Naturæ opera multa differunt ab operibus artis.1°.de sym.c.*3ª.31.A
Natura in operibus existit.de ijs,quæ in med.fi.com.3°. 7ª.216.G
Natura agit per se ipsam.11°.meth.med. 7ª.63.E
Naturæ primum instrumentum calor.14°.de vsu partium. 1ª.205.H
Natura alicuius gratia omnia molitur.2°.de nat.fac. 1ª.298.B
Natura nihil agit frustra.de instrumento odora.112.A/1°.de vsu partium.120.D/12°.197.C/13°.201.G/15°.211.E/212.E/16°.217. E/1°.de semine. 1ª.330.D
à Natura nihil minus,aut superfluum.9°.de vsu par. 1ª.176.F
Natura nihil superfluum, aut temere facit.4°.de anatom.admin.82. D/2°.de semine. 1ª.340.A
Natura aliquid fecit frustra.9°.de ana.adm. 1ª.105.E
Natura ingeniosa,nihil omittit.5°.de anat.adm. 1ª.88.G
Natura nihil prætermisit per incuriam.5°.de vsu par. 1ª.147.D
*Natura oĩno sufficit inqt Hippoc.1°.de die.dec.149.H/2°.*4ª.151.G
Natura sola sufficit animalibus.1°.de nat.fac. 1ª.293.G
Naturæ solertia nec dum a quoquam satis perspecta est quãta sit.10°. de vsu partium. 1ª.181.F
Natura iusta est.9°.de decr.Hipp. 1ª.285.C
*Natura iusta apud Hippocratẽ.16°.d vs.p.214.D/1°.d na.fa.*1ª.293.g
Natura recte vocatur iusta ab Hippocrate.2°.de vsu par. 1ª.126.F
Natura in omnibus rebus iusta est.1°.de vsu par. 1ª.117.E
*Natura oĩum iustissima.5°.de v.p.*1ª.145.D/*de frac.c.1°.* 7ª.224.G
*Natura nusq̃ frustra multũ ab analogia discedit.11°.de v.p.*1ª.186.A
Naturæ opera sunt opulenta.15°.de vsu par. 1ª.212.A
Naturæ singula opera ineuitabilia sunt,generationisq̃ ordinem necessarium habent.de marc. 3ª.45.D
Natura quo modo agat ab humano ingenio inueniri non potest.15°. de vsu partium. 1ª.212.H
Natura quo modo occulte operetur.com.3°.aph.20°. Ex.24.C
Naturam semper materiebus viã inuenire Hippocrates opinatur. cõmentario 7°.aph.54°. Ex.58.G
Natura gubernatrix præparat plantas fructus ferentes omnibus corporis partibus.de bon.& vitio suc. 2ª.37.A
Naturæ opera in plantis,& animalibus diuerso modo facit Aristoteles.1°.de semine. 1ª.331.G
Natura per gradus incedit à plantis ad animal.2°.de sem. 1ª.339.G
Natura stirpium qualis.bre.deno.dogm.Hipp. 1ª.231.A
Natura calida,et tenui cõsistũt epithymũ,et ellebor⁹.de cat.Sp.94.F
*Natura primaria est ars,medicus naturæ ẽ minister.ad Thr.*2ª.105.E
Natura omnia in animali agit,ad Thrasybulum.2°.105.G/ de renum aff.dig.& med. 7ª.193.E
Natura cuique animalium fecit corpus idoneum animi affectibus.6°. de anatomicis.adm. 1ª.89.G
Naturæ singulæ animalium habent suum proprium medium.3°.de alimentorum facul. 2ª.33.C

Natura creationis nostræ auctor est. 9°. de decr. Hip. 1ª. 285. C
Natura quæ nos finxit, & gubernat substantiam non est ausus pronũtiare Hippocrates. 9°. de decr. Hip. 1ª. 285. C
Natura ex contrarijs qualitatibus contrarias vtilitates temperauit. 14°. de vsu par. 1ª. 240. G
ad Naturam pertinet miscere tota per tota. 1°. de temp. 1ª. 14. G
Naturæ solius est opus continuum in omnem partem extendere. 1°. de naturalibus facultatibus. 1ª. 192. B
Natura facit multa ex contrarijs. 1°. de alim. fac. 2ª. 7. G
Natura habet hoc peculiare generare similia. 1°. de sem. 1ª. 332. D
Natura nullius materiæ veterẽ formã seruat. 2°. de nat. fac. 1ª. 297. D
a Natura quæ fiant prima ratione. 6°. de decr. Hip. 1ª. 260. G
Natura multum prouida fuit in animalium corporibus conformãdis. 2°. de vsu partium. 1ª. 126. F
Naturæ mira studia in fabricandis partibus aĩaliũ. 11°. d̃ v.p. 1ª. 188. C
Natura habet rõnẽ aĩaliũ. 17°. de vsu p. 222. G/3°. de na. fa. 1ª. 302. E
Natura si potuisset, voluisset suum opus esse immortale, sed propter materiam non licuit. 14°. de vsu par. 1ª. 204. D
Natura comparatur vrbis conditori circa perpetuitatem reip. conseruandæ. 14°. de vsu par. 1ª. 204. D
Natura explet quod vnicuique est vtile. 6°. de loc. aff. 4ª. 42. E
Naturæ prouidit ne semper homo esset solicitus circa corpus. 11°. de vsu partium. 1ª. 189. D
Natura gubernat corpus pro salute animalis. de atra bile. 1ª. 34. H
Naturæ sollicitudo duplex. de ana. viuo. Sp. 47. C
Naturæ bona quo procedunt, magis crescunt. ad Thras. 2ª. 107. G
Natura cur fecit generationem fœcundam aliquibus animalibus. 14°. de vsu partium. 1ª. 205. A
a Natura quæ fiant existente infante in vtero. 15°. de vsu p. 1ª. 211. B
Naturæ instrumẽta ĩ fœtibus cur celeriter formant. 1°. de sem. 1ª. 333. B
Naturæ instrumenta, quæ. 2°. de motu musc. 1ª. 316. A
Natura semper per similia instrumenta similiter operatur. 1°. de motu musculorum. 1ª. 310. A
Naturæ opus primarium, summeq; artis, & admirationis in fœtu formando. 15°. de vsu par. 1ª. 211. C
Natura cur nõ fecit fœtus membranas crassas, & duras, sed tenues. 15°. de vsu partium. 1ª. 212. B
Natura igne, & aere vtitur ad fabricam membrorum, quæ habens sinus & cauitates. 2°. de sem. 1ª. 339. F
Natura cur facit lac in enixis. 14°. de vsu par. 1ª. 205. A
Natura pueris consuluit lac dando. 1°. de san. tu. 2ª. 65. B
Natura præparauit lac, & dedit pueris naturalem facultatem exugendi. 1°. de sanitate tuenda. 2ª. 65. C
Natura ad quid fabricauerit duos ventres. de ana. viu. Sp. 47. C
Natura auibus loco lactis mirum indidit amorem in pullos, vt a matribus nutriantur. 14°. de vsu par. 1ª. 205. B
Natura habet prouidentiam partium principaliorum. 2°. de vsu partium. 1ª. 123. B
Natura de nobili membro est sollicita. de ana. viu. Sp. 45. C
Natura procurat ne principes partes lædantur. 9°. d̃ vsu p. 1ª. 173. G
Natura quod præcipuum est in profundo, quod non præcipuum in superficie collocat. 1°. de vsu par. 1ª. 118. B
Natura non armauit aliquod animal timidum. 1°. de vsu p. 1ª. 113. C
Natura non destituit nudum armis quodpiam audax, et strenuum animal. 1°. de vsu par. 1ª. 113. D
Natura cur non dedit arma hominibus. 1°. de vsu par. 1ª. 113. G
Natura cur non dedit artes hominibus. 1°. de vsu par. 1ª. 113. H
Natura ex abundanti ornauit omnia membra, vt hi, qui sculpunt in vasis ea, quæ nil faciunt ad finem vasis. 11°. de vsu par. 1ª. 189. B
Natura cur multiplicet pilos. de ana. viu. Sp. 45. C
Naturæ diuersitates in partibus. 6°. de san. tu. 2ª. 95. D
Natura chartilaginis, quæ. de ana. viuo. Sp. 43. G
Natura medullę, quæ. de anat. viuo. Sp. 55. G
Natura cur fecit in oculo vnum neruum a dextris, alium a sinistris, in medio, & non in principio coniunctos. 10°. de vsu p. 1ª. 183. E
cur Natura omnibus sensuum instrumentis fecit cooperimentum. 11°. de vsu partium. 1ª. 188. H
Natura semper intenta est vt sensus in suis actionibus detineatur. de instrumento odoratus. 1ª. 112. B
Natura quibus partibus dedit sensum exactiorẽ. 16°. de v.p. 1ª. 215. B
Natura a longinquis partibus ducit venas, & arterias mammarum, & testiculorum. 16°. de vsu par. 1ª. 219. C
Natura a propinquis partibus ducit venas, & arterias ad partes. 16°. de vsu partium. 1ª. 219. C
Natura cur vbique cum venis ponit arterias, nisi quid maius obstet. 5°. de vsu partium. 1ª. 142. C
Natura vtitur vasis magnis vt aquæductibus. 16°. de v.p. 1ª. 219. B
Naturæ tres scopi ĩ neruorum distributione, sensus in sensorijs, motus in motorijs, & doloris cognitio. 5°. de vsu par. 1ª. 145. C
Naturæ solertia incredibilis in neruorum reuertentium flexione. 16°. de vsu partium. 1ª. 216. C
Natura cur non constituit omnes articulos stabiles, & firmos. 2°. de vsu partium. 1ª. 127. A
Natura in omni articulo vtilius legit. 1°. de vsu par. 1ª. 194. A
Natura semper posuit motui motum oppositum ne pars claudicet. 12°. de vsu partium. 1ª. 195. B
Natura cur quandoque propter vnam actionem facit multa instrumenta. 12°. de vsu par. 1ª. 195. G
Natura fecit manum ad apprehensionem. 17°. de vsu par. 1ª. 221. G
ad Naturam ostentandã pars vna sola satis est. 17°. de v.p. 1ª. 222. A
Naturæ artem mirantur anatomistæ. 9°. de dec. Hip. 1ª. 284. G
Natura nihil reliquit sine stabilimento. 5°. de vsu par. 1ª. 142. F
inter Naturam, & voluntatem media est actio anhelitus secundum aliquos. de voce, & anhel. Sp. 62. B
Natura duplicis oris stomachi qualis. de ana. viu. Sp. 49. G
a Natura est cordis motus. 7°. de vsu par. 1ª. 159. G
Natura cur ducit a corde, non a iecore venam pulmonem nutrientem. 6°. de decr. Hip. 1ª. 263. D
Naturæ frigidioris cũ sint aues, hãt paruũ pulmonẽ. d̃ ana. vi. S. 47. F
Naturam an animam nutritoriam dicas eam, quæ est in iecore nihil refert. 4°. de vsu par. 1ª. 139. D
Natura semp tẽtat desecare sanguinẽ, & expurgare. d̃ atrab. 1ª. 35. C
Naturæ cura præcipua cur expurgare partes. 9°. de vsu p. 1ª. 171. C
Naturæ officium est excernere, & continere tempestiue. 6°. de locis affectis. 4ª. 41. G
Natura vbi voluit materias diutius morari fecit trãsitum difficilem. 4°. de vsu par. 1ª. 139. B
quo modo Natura ex superfluitatibus iuuamentum accipiat. de anatomia viuorum. Sp. 53. D
Naturæ opus semper sunt sternutamenta, sed ab affectibus morbosis proueniunt. in 6m. de mor. vul. com. 5°. 3ª. 189. A
Naturę prouidentia in ructibus, & deiectionibus conspicitur. in 6m. d̃ mor. vul. com. 5°. 3ª. 181. D
Natura quæ fecit gratia alicuius, ad alium vsum probe abutitur. 11°. de vsu partium. 1ª. 191. F
Natura, & cõpositio matricis, quę. de na. & ord. cuius. corp. Sp. 42. B
Naturæ ager est matrix. de ana. parua. Sp. 43. C
Natura æqualiter diuisit spinam, mole spondylorum æstimata non numero. 13°. de vsu par. 1ª. 199. A
Natura potestatem habet in matrice sicut sperma uiri habet potestatẽ in toto corpore. de spermate. Sp. 37. A
Naturæ opera in corporibus a quibus ipsa nunq̃ cessat, quot sint. commentario. 1°. aphor. 3°. Ex. 3. F
Naturæ opera circa nutrimentum diuiditur in tria tempora. 3°. de naturalibus facultatibus. 1ª. 307. B
Natura attrahit, segregat, auget, & nutrit. 1°. de nat. fac. 1ª. 293. G
Naturę opera tria, quæ se consequuntur, concoctio, discretio, euacuatio. com. 4°. aph. 23°. & 22°. Ex. 29. G/H
Natura ea est, quæ dissolutionem, & concoctionem facit. commen. 4°. aphorismo. 59°. Ex. 34. A
Natura quod optimum est conatur assimilare, quod vero pessimum expellere. 2°. de diff. seb. 3ª. 37. D
Naturę operationes melius fiunt in tempestate aquilonia. commen. 3°. aphorismo. 17°. Ex. 23. F
Natura euacuat concoctis humoribus. quos purgare oportet quibus medicamentis, & quo tempore. 5ª. 89. A
a Natura, & voluntate vomituum differẽtia. de motibus manifestis, & obscuris. Sp. 68. G
a Natura facta excretio, & vrina. de mot. man. & obs. Sp. 68. H
Natura quando aliquid violenter excernit, illuc mittit sanguinem, & spiritum, tanq̃ instrumenta. com. 5°. aph. 53°. Ex. 42. D
Naturæ thesaurus primus, & melior est spiritus, & sanguis. de anatomia vinorum. 45. A
Natura est solicita de sanguine. de ana. viuo. Sp. 46. B

a Natura fit crisis. 17°. de vsu p. 222. G/1°. de nat. fac. 1ª. 293. G/ad Thrasybulum. 2ª. 105. G

Natura expellit noxios humores, & medicamentum attrahit. cõ. 1°. aphorismo. 22°. Ex. 10. C

Naturæ itinera, & via quæ. in 6ᵐ. de mor. vul. com. 5°. 3ª. 188. F

Natura per quas vias expellit. de præcog. ad Posth. 4ª. 215. D/com. 1°. aphor. 15°. Ex. 8. C

Natura non vtitur eisʃ̄ m vasis ad materias semicoctas, & plene cõfectas. 6°. de dec. Hip. 1ª. 263. D

Natura quandoque mittit ad cutem humorem superabundantem per viam crisis. com. 6°. apho. 42°. Ex. 51. B

Naturæ motus ad aures qñ permittendus. 3°. de cõp. me. ſ. l. 5ª. 146. E

Naturam recordari propriarum operationum, quo modo cognoscemus. com. 5°. aph. 35°. Ex. 40. G

Natura plerunq; non aggreditur materiam. 3°. de dieb. dec. 4ª. 159. C

Natura aggrediente id quod corpus lædit, qui fiat pulsus. de prȩcognitione. ad Posth. 4ª. 215. D

Natura non potest in paruo tempore multas conficere dispositiones. cõmen. 4°. aph. 40°. Ex. 32. D

Naturæ partes ī euacuatione cõsiderãdę sunt. c. 1°. aph. 21°. Ex. 10. A

Naturæ motus debet a medico animaduerti, si bonus eum adiuuet, si malus è contra. com. 1°. aph. 21°. Ex. 10. B

Natura qñ adiuuanda, & quando non. de venæ sect. adu. Eras. 6ª. 6. E

Naturæ qñ totum permittendum, & qñ non. c. 1°. aph. 20°. Ex. 9. G/H

Natura euacuante metiri oportet ȩtũ eũandũ. c. 1. aph. 23°. Ex. 10. D

Natura absoluẽte euacuationem medicus sistere debet. quos purgare opor. quibus med. & quo temp. 5ª. 89. A

ſi Natura vult sanguinem transmittere non est arte mittendus. de præcognitione ad Posth. 4ª. 219. F

Natura principium medicinæ. intro. Is. 50. H

Naturæ indagatrix medicinæ pars, quæ. fin. med. Is. 48. A

Naturæ rerũ contemplatio numeratur inter primarias medicinæ partes. introductio. Isa. 51. H

Naturæ rei principium aliud, & aliud doctrinæ, inuenire stultum est. 6°. de decr. Hipp. 1ª. 264. A

ſm Naturam rei quæ fit doctrina, habet cum re ipsa principium. 6°. ȩ decr. Hipp. 1ª. 264. A

Naturarum diuersitas scienda est. de diff. cont. Sp. 71. D

Naturæ proprietates considerandæ sunt. 7°. met. me. 7ª. 46. C

Natura in omni statu cõſydcrãda est. ī 1ᵐ. de mor. vul. c. 2°. 3ª. 108. E

Naturæ nullo facto discrimine errant medici, qui de sanitate tuenda scripsere. 5°. de san. tuen. 2ª. 93. D

Natura laborantis consideranda est. 3°. de lo. aff. 4ª. 15. C

Naturam communem, et propriam hominum, medicus scire debet. 1°. de arte cu. ad Glau. 7ª. 94. C

Natura propria hominũ scribi non põt. 1°. de ar. cu. ad Glau. 7ª. 94. C

Naturam alicuius hominis qui cognoscit medicus melius curat. de reñ affect. & med. 7ª. 196. F

Naturam quorum scimus, in illis alterationes certe cognoscuntur. 1°. de præsag. ex pul. 4ª. 104. G

Naturæ, seu qualitates corporum sunt nouem, octo intemperatæ, vna temperata. de spermate. Sp. 41. A

Natura temperata soli conuenit homini. de sperm. Sp. 41. B

Natura humana cur cunctis agilior. de sper. Sp. 37. D

Natura tactilis ferme media est omnium qualitatum. de compag. mẽbror. siue de nat. hu. Sp. 59. E

Naturam corporis terra generat per operationem Planetarum secũdum Isaac de spermate. Sp. 40. E

Naturæ hominum sunt numerosæ. 5°. de san. tu. 2ª. 88. D

Naturæ vbi plurimum differentes. de aere, aquis, & locis. 2ª. 4. E

Naturæ calidiores sunt biliosæ. 2°. de nat. fac. 1ª. 300. D

Naturæ frigidiores sunt pituitosæ. 2°. de nat. fac. 1ª. 300. D

Natura frigida vertit mel in sanguinem. 2°. de nat. fa. 1ª. 300. G

Natura pueri concepti in horis sanguinis. de sperm. Sp. 37. B

Natura pueri concepti in horis bilis. de sperm. Sp. 37. C

Natura pueri concepti in horis phlegmatis. de sperm. Sp. 37. C

Natura pueri concepti in horis melancholiæ. de sperm. Sp. 37. C

Naturę melãcholicę qes cõdonãda est. de mel. ex G. R. & P. Sp. 110. E

Natura ī pueris ad vitã pficiẽdã plurimũ pt. ȩ cog. cur aĩ mo. 2ª. 53. b

Natura optimam constitutionem, dispositionem, habitudinem, & habitum optimum dicere idem est. de opt. nost. corp. 1ª. 37. G

Naturæ optima non corrigitur, sed sanatur. 5°. de san. tu. 2ª. 89. A

Naturæ quo modo se habeant melius, vel peius ad tempora anni, & ætates. com. 3°. apho. 18°. Ex. 23. G

quæ Naturæ hyemi, et q̃ estati magis cõueniãt. c. 3°. aph. 2°. Ex. 20. A

ob Naturarũ differentiam sunt diuersi morbi. c. 3°. aph. 19°. Ex. 24. A

Naturarũ aliæ magis passibiles sunt aliæ minus. c. 3°. a. 11°. Ex. 21. C

Naturæ temperatæ diu multumq; resistunt causis morborum. de optima nostri corporis constitutione. 1ª. 38. F

Naturæ mutant respirationem. de vtil. resp. 1ª. 225. G

Natura infirma quid patiatur. 4°. de simp. med. fac. 5ª. 27. H

Naturæ imbecilles, & intemperatæ facile a morborum causis capiuntur. de opt. nost. corp. const. 1ª. 38. F

sicut Natura corporis sequẽdo quatuor mutationes in die, mutat corpus secundum illas, sic natura mutat sperma in matrice secundum easdem mutationes. de sperm. Sp. 37. A

Naturæ nostræ cum exercitijs societas quo indicio cognoscitur statim a natiuitate. 1°. de san. tu. 2ª. 65. E

Naturas qñq; reprimit ætas, vel diæta, seu aliud. de sperm. Sp. 37. B

Natura quiescit, & mutatur, sed eius proprietas est inconuertibilis. de spermate. Sp. 37. B

Natura hominis an concordet temporis mutationi considerandum est. de spermate. Sp. 39. F

Natura corporis mouet corpus in cõsuetudines malas. ȩ sper. S. 40. E

Natura, & consuetudo conueniunt. 2°. de mot. mus. 1ª. 315. F

Natura acquisititia est consuetudo. 2°. de mo. mus. 1ª. 315. F

Natura secunda est consuetudo. de dissol. cont. Sp. 72. C

Naturæ familiaritas facit, vt aliqui alia auidius comedant, alia non possint comedere. de assuetud. 2ª. 61. A

Naturæ familiaris est ordo. 2°. de præsag. ex puls. 4ª. 114. C

Natura ægrotantis indicat bonas excretiones. c. 6°. aph. 47°. Ex. 32. H

Natura, & morbus considerantur a medico. de const. ar. Isa. 42. A

Naturæ opera debent esse curæ medico. 15°. de vsu par. 1ª. 210. E

Naturæ ne, an artis ministrum medicũ dicas nihil refert. in 1ᵐ. de morbis vulg. com. 2°. 3ª. 112. G

Naturæ minister, & imitator medicus. 9°. de decr. Hipp. 1ª. 285. C/in 1ᵐ. de mor. vulg. com. 2°. 3ª. 112. B

Naturæ minister est medicus. ad Thras. 2ª. 105. G

Naturæ ministra est ars medica. in 6ᵐ. de mor. vul. com. 5°. 3ª. 188. D

Naturæ operum imitator est medicus. de voc. instr. diff. 1ª. 106. B/cõmen. 6°. apho. 17°. Ex. 47. H

Naturam recte operantem debet imitari medicus. com. 1°. aph. 1°. 3. C/com. 4°. aph. 2°. 27. C/com. 5°. aph. 32°. Ex. 40. D

Natura ægri ignorata, quo modo medicamentum debes dare. de vic. rat. in morb. acu. com. 1°. 7ª. 118. C

Naturæ imitator Polycletus. 7°. de vsu par. 1ª. 221. E

Naturæ, Phidiæ, & Praxitelis differentia in condendis rebus. 2°. de naturalibus facultatibus. 1ª. 297. D

Natura, & medicus cãę oĩum rerũ circa corpus. ȩ cõst. ar. me. Is. 39. E

Natura morborum medicatrix. ad Thras. 2ª. 105. G

Natura morborum medicatrix quo modo intelligendum. in 6ᵐ. de morbis vulg. com. 5°. 3ª. 187. G

Naturæ morborũ medici sunt inqt Hippocr. 9°. de dec. Hip. 1ª. 285. C

Natura sanat ad Thras. 2ª. 105. G

Natura primo sanat morbos. in 6ᵐ. de mor. vul. com. 5°. 3ª. 187. H

Natura qd faciat in ăiali, & morbo. in 6ᵐ. de mor. vul. c. 5°. 3ª. 187. H

Natura in omnibus auxiliatur. ad Thras. 2ª. 105. G

Naturæ qũo auxiliatur medicus. in 1ᵐ. de mor. vul. com. 2°. 3ª. 112. B

Natura mediante aliqua opera fiunt. aliqua vero ex professo, & prima medicamentorum sunt opera. 9°. de simp. med. fac. 5ª. 68. G

Naturæ inimicus est prauus medicus. 1°. de dieb. decr. 4ª. 149. H

Natura nõ põt iterũ facere illa, q̃ fecit ex semine. de cõst. art. Is. 39. E

Natura nõ põt corrigere os fractũ, sed bñ medicus. de cõst. ar. Is. 39. E

Natura implet cauum vlcus, non medicus. de const. ar. Is. 39. E

Naturæ opus est carnis generatio. 6°. met. me. 42. B/14°. 7ª. 93. C

Naturæ opus est capillos, & pilos generare. 14°. met. me. 7ª. 93. C

Natura sola coquit, non medicus. de const. ar. Is. 39. E

a Natura rei curationis modũ inuenit Hippocra. 11°. met. me. 7ª. 72. B

a Natura rei sumitur indicatio. 3°. met. me. 16. C/12°. 7ª. 84. D

a Natura rei indicationes sumere proprium est medici methodo vtẽtis. 6°. met med. 7ª. 37. F

Natura rerũ suggerit qd agendum exercitatis. 14°. met. me. 7ª. 92. H

Naturæ robur vnde accipitur. de const. ar. Is. 42. A

Natura p̃ pcessum tẽporis vires suas colligit. c. 4°. aph. 27°. Ex. 30. C

Natura insu-

Natura insuperabilis, quæ.de vic.ra.in mor.acu.com.4°. 7ª.146.H
Naturam superari a morbo quibus cognoscatur.de const.ar. Is.42.B
Natura ordinata si materiam superet semper certis agit temporibus. 2°.de dieb.decr. 4ª.151.H
Natura in affectis locis quo fiat imbecillior.de ar.com.3°.7ª.276.A
Naturæ imbecillitas est causa cur facillime alterantur puerorum dispositiones.com.3°.aph.27°. Ex.25.H
Natura imbecillis cur non ferat medicamenta.c.4°.aph.5°.Ex.28.A
Natura non patitur subitas alterationes.ars med. Is.68.H
Natura quando alteratur,& corrumpitur.2°.de diff.feb. 3ª.40.G
a Natura exitus in quauis partes si paruus sit, minorem morbum,si vero plus,maiorem, si vero admodũ multus sit a natura recessus, mortalem debemus morbum iudicare.com.7°.aph.75°. Ex.69.A
Naturas immutat ægritudo.de puero epil. 7ª.179.F
Naturæ ordo peruertitur in ægris.4°.de vsu par. 1ª.140.H
Naturas immutat epilepsia.de puero epil. 7ª.179.F
Naturæ debet conuenire morbus.in 1ᵐ.pror.com.2°. 4ª.171.H
Naturæ cognati morbi sunt minus periculosi.6°.met.me. 7ª.49.A
Natura quo modo a flatibus distrahitur.de vrin. 4ª.123.H
ad Naturam reditus fit per contraria.5°.met.me. 7ª.29.H
Naturæ intemperatę corriguntur contrarijs, & seruantur similibus. 5°.de sanitate tuenda. 2ª.49.D
Naturis calidis quo quietẽ imponit Hippocrates.5°.de sa.t.2ª.94.A
Naturis intemperatis debent esse oppositi cibi.de diss.con. Sp.71.G
Natura nutritur humidis,& siccis nutrimentis.an aĩal sit.1ª.327.D
Naturæ conuenientia,& gratissima gustu sunt dulcia, & pinguia.1°. de sympt.cau. 3ª.17.D
Naturam laxare debes a leuioribus cõsuetis.de med.exper.S.108.H
Natura ad ea q̃ placẽt,it,et refugit illa q̃ displicent.7°.me.m.7ª.44.F
Natura sagitarij circa ægritudines.de decub.prog. Sp.15.D
Natura Capricorni,& quos inferat morbos.de decub.prog. Sp.15.E
Natura interdum piscium non admittit secare venam. de decub.pgn. ex math.scien. Sp.16.A
Naturam leniunt cibi salsi.de diss.cont. Sp.72.F
Naturam cito dissoluens medicamen.de med.exper. Sp.105.A
Naturam constipans medicamentum.de med.exper. Sp.104.G
Naturæ consentire quid sit.5°.de decr.Hip. 1ª.257.H
a Natura ꝓpria patiẽ,cui nihil extrĩsecũ affert passiões.1°.d̃ ele.1ª.4.a
ex Natura sua quid significet.1°.de dieb.decr. 4ª.149.G
Natura q̃d est,id nec ſm naturã nec ꝓter naturã iã est.fin.med.Is.45.D
ſm Naturam multipliciter dicitur.6°.de decr.Hip. 1ª.260.G
ſm Naturam est vnum,& simplex.in 3ᵐ.de mor.vul.c.1°. 3ª.129.D
Natura familiaris vna.4°.de simp.med.fac. 5ª.28.E
Natura aliena plurima.4°.de simp.med.fac. 5ª.28.E
ſm Naturam contrarium ei,quod præter naturã.11°.me.me. 7ª.71.B
ſm Naturam vox cur vsurpata.14°.met.me. 7ª.91.B
ſm Naturam operari,est bene valere.ad Thrasy. 2ª.103.B
secundum Naturam habere,& secundum naturam agere, idem.14°. methodi medendi. 7ª.91.A
ſm Naturam est regula, & mensura.1°.de diff.resp. 3ª.56.G
ſm Naturam moderatum est.1°.de diff.resp. 3ª.56.G
ſm Naturã q̃ sunt,nõ sunt emẽdãda.sed seruãda.d̃ art.c.1°.7ª.252.G
ſm Naturam non sunt,qui sibi displicent.8°.met.me. 7ª.54.H
ſm Naturam quæ sunt,habent indicationes.11°.met.me. 7ª.71.E
ſm Naturam quæ sunt,indicant de sui custodia.3°.met.me. 7ª.18.B
citra Naturam nullus morbus est.de acre,aq.& loc. 2ª.6.H
Naturæ gaudent consuetis.8°.met.me. 7ª.54.H
Naturæ contraria pernitiosa.in progn.com.2°. 4ª.201.B
ſm Naturam quod est postulat similia.8°.met.me. 7ª.54.G
Naturas a similibus offendi,a dissimilibus iuuari quomodo intelligendum.com.1°.aph.16°.9.A/com.3°.aph.3°. Ex.20.B
a Natura propria nullum corpus offenditur.2°.de symp.cau.3ª.22.A
ſm Naturam existenti maxime contrariũ est crudũ.de vrin.4ª.127.H
ſm Naturã nõ expetiũ primo,& pp̃ seipsum,in quibus natura deficit, sed propter actionem,& ex accidenti.14°.met.me. 7ª.91.B
contra Naturam qui agant.17°.de vsu par. 1ª.221.F
non Natura quæ sint.fin.med. Isa.45.E
ꝓter Naturã,& non naturaliꝝ distinguit Galenus.8°.met.me.7ª.54.H
ꝓter Naturam est multiplex.in 3ᵐ.de mor.vul.com.1°. 3ª.129.D
ꝓter Naturã q̃ sunt,in duplici differentia sunt.11°.met.me. 7ª.70.H
ꝓter Naturam dupliciter dicitur.com.5°.aph.44°. Ex.41.F
extra Naturam res duplex.de ocul. 7ª.185.E
extra Naturam res tres.de ocul. 7ª.185.E
ꝓter Naturam quæ sunt in corpore, sunt aut morbus, aut causa, aut symptomata.1°.met.med. 7ª.8.G
ꝓter Naturã septem a quibus indicationes sumunt̃.11°.me.m.7ª.71.E
ꝓter Naturam quatuor sunt morbus,actio læsa,causa morbi, & symptoma.2°.methodi medendi. 7ª.12.F
ꝓter Naturam tota substantia quæ sint.14°.met.me. 7ª.93.G
ꝓter Naturam res dolorem faciunt.de palp. 3ª.54.D
ꝓter Naturam quæ sunt indicant de sui ablatione.3°.met.me.7ª.18.B
ꝓ præter Naturam est,multitudine est infinitum,& propterea arte in comprehensibile.1°.de diff.resp. 3ª.56.G
ꝓter Naturam quæ sunt, reducenda sunt in naturalem statum.de art. commentario.1°. 7ª.272.G
ꝓter Naturam incidentium curatio fit per contraria.2°.de sanit.tuen. 2ª.89.E/8°.met.me. 7ª.54.G
NATVRALE, & spontaneum idem.4°.de diff.pul. 4ª.67.B
Naturalia appellari non conuenit, quæ communia omnibus non fuerint.9°.de dec.Hip. 1ª.279.C
Naturalia quæ sint.de hist.phil. Sp.4.B
Naturalia quæ apud empiricos.de sectis. Isa.16.B
Naturalia corpora quæ nominentur.9°.de simp.med.fac. 5ª.64.H
Naturalis res duobus est modis.de ocul. 7ª.185.D
Naturales res sunt septem.de ocul. 7ª.185.E
non Naturales res sunt sex.de ocul. 7ª.185.E
Naturales res sunt iocundæ.de palp. 3ª.54.D
Naturalium cognitio cur fuerit quæsita.1°.de diff.resp. 3ª.56.G
Naturalis scientia de quibus considerat.1°.de elem. 1ª.5.A
Naturalem scientiam,& medicinalem destruunt ponentes vnum solũ elementum.1°.de elem. 1ª.5.A
Naturales partes quo modo tractet Plato.de subf.fac.nat.1ª.230.B
Naturalem scientiam cur Galenus didicit.3°.de cris. 4ª.142.C
Naturalis speculationis est quo modo nobis volentibus, vel nolẽtibus pudendum intendatur,cęteraq̃ huiusmodi physica problemata non autem de vsu partium quærentis.15°.de vsu par. 1ª.210.H
Naturales corporum differentiæ sciri debent.8°.de sa.tu. 2ª.88.E
nisi Naturalia cognoscantur sciri non possunt ea,quæ præter naturam sunt.introductio. Isa.52.A
a Naturali inuenitur q̃d contra naturam.de vri.sig.ex Hip.Sp.79.A
Naturalis habet similitudinẽ ad artificialia.an oẽs par.ani.1ª.326.D
ex Naturalibus rebus sumẽdæ sunt demõstratiões.d̃ bon.hab. 1ª.39.F
ĩ Naturali philosophia cõuenit de motu disputare.1°.d̃ mo.m.1ª.311.E
Naturalis philosophia discẽda ẽ añ medicinã.6°.d̃ dec.Hip.1ª.264.G
Naturalẽ philosophiã medicinæ esse necessariã pbaẽ.d̃ ocul. 7ª.185.D
Naturalis cõtẽplatio a morali,seiũgẽda est.9°.de dec.Hip. 1ª.284.D
Naturalia iudicia omnes habemus.9°.de dec.Hip. 1ª.279.C
Naturalia iudicia in quibus consistant.9°.de decr.Hip. 1ª.279.D
nõ Naturalia tanto peiora sunt,quanto maiora.ad Thras. 2ª.107.G
Naturalis calor non potest dici ignis.8°.de decr.Hip. 1ª.277.E
Naturalis caloris substantia ex sanguine & spiritu.8°.de decretis Hippocratis. 1ª.277.F
Naturalis calor quo in corpore gignatur.8°.de dec.Hip. 1ª.277.E
Naturalis calor cordis est principium omnium aliorum. de anatomia viuorum. Sp.45.G
Naturalis calor in quibus maior.5°.de san.tu. 2ª.94.E
Naturalium omnium operum auctor est calor innatus.8°.de decretis Hippocratis. 1ª.277.E
Naturalis caloris auctio,& diminutio est vna causa mutandi pulsus. 2°.de sanitate tuenda. 2ª.75.A
Naturalis caloris immodicam quantitatem habet bubo.2°.de natur. facultatibus. 1ª.300.E
Naturali calore debilitato propter fluxum sanguinis non potest cõcoquere,nec in sanguinẽ transmutare,nec distribuere, propterea fiũt alui humidæ.com.4°.aph.27°. Ex.30.C
Naturalis calor quandoque est proximus extinctioni,& tũc quæ euacuantur sunt frigida. com.4°.aph.37°. Ex.32.C
Naturalem calorem in corporibus senum confortans medicamen.de medicinis expertis. Sp.108.A
Naturalis spiritus qui intro. Isa.55.B
Naturalis spiritus quando fiat,& ad quem finem.de ana.viu.Sp.51.H
Naturalis spiritus intendit ad generationẽ hepatis.de ana.vi. Sp.51.H
de Naturalibus facultatibus liber præcedit librum de symptomatum causis.2°.de symp.caus. 3ª.21.A

Naturalis vis triplex.de ocul. 7ª.185.E
Naturales vires quatuor,a quibus ſtirpes,& animalia gubernantur. 2°.de differentijs febrium. 3ª.40.F
Naturalibus quatuor facultatibus omnes partes gubernantur.2°.de ſanitate tuenda. 2ª.75.A
Naturalis vis quo modo per omnia membra ſit diſperſa.4°.de præſagitione ex pulſibus. 4ª.122.D
Naturalis quædam facultas niſi eſſet vnicuique inſtrumento tributa, animalia non poſſent durare.2°.de nat.fac. 1ª.297.C
Naturales facultates agũt abſq; electione.de voc.inſtr.diff. 1ª.116.C
Naturalis vis vbi ſit,& quo cognoſcaĩ.1°.de ar.cu.ad Glau. 7ª.99.G
Naturales facultates ſemper operantur.1°.de diff.reſp. 3ª.60.A
Naturalis facultas incremẽtũ facit.in 6m.de mor.vul.c.3°. 3ª.169.E
Naturalis virtus ſtomachi,& inteſtinorum.de mot.man. Sp.69.C
Naturalis eſt non voluntaria vis expulſiua ſtomachi. de motibus manifeſtis,& obſcuris. Sp.68.G
Naturale ventriculi robur exoluit aqua.de bo.& vitio.ſuc. 2ª.38.H
Naturalis virtus ab hepate.1°.de vſu par. 1ª.117.B
*Naturalis anima poteſt vocari,quæ in iecore eſt.8°.met.me.*7ª.58.H
Naturalem animæ partem addidit Ariſtoteles.de hiſt.phil. Sp.5.A
*a Naturali corporis ratione tẽperaturæ fit anima.qđ aĩ mor.*1ª.318.G
*Naturalis potẽtia ex iecore q̃n robuſta.6m.đ mor.vul.c.1°.*3ª.154.E
a Naturali facultate fit iudicatio.4°.de prſag.ex pul. 4ª.122.D
Naturales actiones,& animales diuerſæ ſunt.de ſymp.diff. 3ª.11.D
Naturales actiones,quæ ſint.1°.de ſa.tu. 2ª.64.D
Naturales operationes,virtutes vitales ad vnum principium reducendæ ſunt.de ana.viuo. Sp.45.G
Naturalium operationum auctor eſt calor naturalis.in 6m.de morb. vulg.commen.5°. 3ª.190.A
*in Naturalibus actionib9 ĩfantes magis vigẽt,q̃ alij.1°.đ ſa.t.*2ª.64.D
Naturalis vis quo modo cognoſcatur deficere.in 3m.de morb.vulga. commentario.3°. 3ª.148.A
Naturalis motus qui,& a quibus fiat.de ana.viu. Sp.44.H
Naturalis motus attractio,retentio,expulſio.de ana.vi. Sp.44.H
inter Naturales facultates attractio eſt maxime pracipua.in Timæũ Platonis. 1ª.290.C
Naturales motus q̃ex arteria,& vena p̃cedũt.1°.đ mo.mu. 1ª.309.B
*ex Naturalibus operibus eſt ĩpus cõuerſio.5°.de ſimp.me.f.*5ª.34.A
Naturalis,& volũtarius eſt motus palpebrarũ.de mo.man.Sp.69.G
Naturales motus ſunt duplices.2°.de ſan.tuen. 2ª.75.A
an Naturalis ſit actio anhelitus, ſpectat ad Dialecticum quærere.de mot.manif.& obſc. Sp.66.H
Naturalis eſt ſecũdũ aliquos actio anhelitus.de voce et anhel.62.B/ de mot.man.& obſc. Sp.69.H
an Naturalis,vel volũtarius ſit pectoris motus.đ mot.man.Sp.69.H
an Naturalis,vel volũtarius mot9 ſit ſternutatio.đ mo.ma. Sp.69.H
an Naturalis,vel voluntarius motus ſit riſus.de mot.man. Sp.69.H
Naturale quando eſt,non voluntarium,egere,& mingere.de motibus manifeſtis,& obſcuris. Sp.69.C
Naturale eſt renum deſiderium.6°.de lo.aff. 4ª.37.H
Naturales actiones ita veſica,& inteſtina ledere poſſunt,vt muſculi affecti actiones a voluntate.1°.de loc.aff. 4ª.8.A
Naturalis ne ſit an voluntaria laxatio actionis lacerti. de motibus manifeſtis & obſcuris. Sp.68.H
Naturales virtutes,& præcipue digeſtiuam excitans medicamentũ. ſecretorum. Sp.101.G
*Naturalis modus nihil aliud eſt,quam ſanitas.ad Thraſy.*2ª.105.F
Naturalis temperies eſt ſanitas.com.4°.aph.39°. Ex.32.D
Naturalis habitus qui.ad Thraſy. 2ª.102.C
Naturalis habitus habet latitudinem.1°.de ſan.tu. 2ª.64.E
in nõ Naturalem habitum cum corpora mutantur dolor ſentitur.12°. methodi medendi. 7ª.78.D
in Naturalem habitum cum corpora mutantur etiam dolor ſentitur. 12°.met.med. 7ª.78.D
Naturale quod eſt,eſſe moderatũ in omni re,eſt conſtans omniũ principium.de diff.morb. 3ª.2.D
non Naturale eſt immoderatum.de diff.morb. 3ª.2.D
Naturalis iuſtitiæ proprium.de fract.com.2°. 7ª.232.C
Naturalia inſtrumenta,& animalia differunt.1°.de loc.aff. 4ª.8.A
Naturale inſtrumentum muſculus factus eſt propter venã,et arteriã. 1°.de mot.muſculorum. 1ª.309.B
Naturalia inſtrumenta ita facultatẽ hãt ꝑficiendi ſuã actionẽ,vt magnes lapis facultatem habet attrahendi ferrũ.1°.de lo.aff. 4ª.8.A
*Naturalia mẽbra cur indigent venis,& arterijs.1°.de loc.aff.*4ª.8.A
Naturalia inſtrumenta humidiora magis idonea ad nutritionem.3°. de ſympt.cauſis. 3ª.29.D
Naturalia,ratione qua naturalia,habent diuerſa ſymptomata ab animatis qua animata.1°.de loc.aff. 4ª.8.B
Naturalium actionum ſymptomata.de ſymp.diff. 3ª.12.A
Naturalium actionum ſymptomata inueniendi methodus vnde incipiat.de ſympt.diff. 3ª.12.A
in Naturali omni inſtrumento ſunt octo ſymptomata. de ſymptomatum differentijs. 3ª.12.B
in Naturali inſtrumento duodecim ſymptomata. de ſymptomatum differentijs. 3ª.12.B
Naturalis diſpoſitio eſt nomen antiquum.de diff.mor. 3ª.2.B
*ſupra Naturalia membra ſignificant excrementa.de vrin.*4ª.128.A
cuius Naturalis labor in corpore ſuo eſt debilis,huic conueniunt cibi ſubtiliantes.de diff.cont. Sp.72.D
Naturales plicaturæ fœtus quæ.de anat.viuo. Sp.52.D
Naturalis ordo in exeundo fœtus eſt,vt præcedat caput,& ſequantur cætera membra.de ana.viuo. Sp.52.D
*ad Naturalium vlcera.1°.de comp.me.per ge.*2.11.E/5°. 5ª.248.D
NATI *plus habent a matre,q̃ a patre.1°.de ſem.* 1ª.336.F
Natu maiores qui ſint.in progn.com.2°. 4ª.210.A
*Natis per ſe balneis vtendũ in longa ictericia.de cura icteri.*Sp.111.E
NAVALIS *exercitus duces trierarchas vocant, & ſi triremes non ſint.ad Thraſy.* 2ª.109.F
NAVICVLÆ *ex vno ligno fabrefactæ.de aere,aq.& loc.* 2ª.4.H
NAVICVLA, *ſemirhombus, lepus ſine auribus idem genus vinculi. de faſcijs.* 7ª.296.G
NAVIGANTIVM *aduerſo vento exemplum in motu digitorum per muſculos paruos,& magnos.1°.de vſu par.* 1ª.119.C
NAVIGATIO *motus quidam eſt.com.4°.aph.14°.* Ex.28.H
Nauigatio turbat corpora, adeo vt & vomitum excitet.commen.4°. aphoriſmo.14°. Ex.28.H
de Nauigatione in Lemnũ,& Hepheſtiada,& de ſtadijs ex induſtria Galenus ſcripſit.9°.de ſimp.med.fac. 5ª.65.C
NAVIS *ortus vnde.6°.de decr.Hipp.* 1ª.264.B
Nauium artificij lignum eſt materia.ad Thraſ. 2ª.106.A
in Nauis fabrica quid primo fiat.an omnes part.al. 1ª.326.D
Nauis ſentina.an animal ſit. 1ª.327.E
Nauis partes quædam propter quid factæ.an animal ſit. 1ª.327.E
Naues factitantes exercentur,& operantur.2°.de ſa.tu. 2ª.73.G
Naues onera plura in mari portant,q̃ in fluuijs citra ſummerſionem, & in mari mortuo plura,q̃ in mari.4°.de ſimp.me.ſa. 5ª.30.D
*Nauis gubernatori comparatur medicus.in progn.com.1°.*4ª.186.D
*ad Naues ducendas per ergatam machinamentũ.de mach.*7ª.316.C
NAVPLIOS *euboicus.9°.de comp.med.ſec.loc.* 5ª.201.B
Nauplios euboicus eſt pyrethrum.9°.de comp.me.ſe.lo. 5ª.201.C
NAVSEA *eſt affectus oris ventriculi.5°.de loc.aff.* 4ª.32.H
Nauſea eſt naturale accidens.5°.de lo.aff. 4ª.32.H
*Nauſeæ p̃cedũt vomitus ſicut cerebros tuſſim.2°.đ ſymp.ca.*3ª.21.G
Nauſea,& vomitus qui motus ſit.3°.de ſymp.cau. 3ª.25.F
Nauſea eſt motus fortis corporis.com.4°.apho.14°. Ex.28.H
Nauſea perturbat.com.4°.aph.14°. Ex.28.H
Nauſea eſt nuntius febris.præſag.exper.confir. Sp.77.E
Nauſeam inducunt aquea.2°.de alim.fac. 2ª.16.H
Nauſeæ fiunt ſi cibus non placet.com.2°.apho.38°. Ex.17.G
Nauſeam prouocat medulla.3°.de alim.fac. 2ª.27.G
Nauſea ſequitur ad humorem calidum contentum in tunicis ventriculi.1°.de locis aff. 4ª.5.E
*Nauſeã inanẽ facit humor cõtẽtus ĩ tunicis vẽtriculi.1°.đ lo.af.*4ª.5.F
Nauſeam, vomitum bilioſum,& ſtomachi morſum faciunt fracturæ capitis.3°.de loc.aff. 4ª.18.C
per Nauſeam an poſſibile ſit aliquid ex inteſtino ieiuno deferri.7°.de comp.med.ſec.loc. 5ª.184.B
*Nauſeam excitabant non nullis tpe Galeni ptiſſana.7°.me.m.*7ª.46.D
Nauſeam prohibet mel.de ſimp.med. Sp.87.A
Nauſeam prohibet pulegium odore.de ſimp.med. Sp.88.H
Nauſeam prohibet ſal.de ſimp.med. Sp.90.A
Nauſea laborantem ſanat Theriaca.de ther.ad Piſ. 5ª.96.A
ad Nauſea affectos.8°.de comp.med.ſe.loc. 5ª.191.G
ad Nauſeam, vel fluxum ſtringendum.de dyn. Sp.27.H

ad Nauſeam. ſecretorum. Sp.98.D
NAVSEABVNDVM animal cur dicatur. 3°. de nat. fac. 1ª.306.F
Nauſeabundi non ſunt lauandi. de vict. ra. in mor. acu. c. 3°. 7ª.133.A
NAVSEANTES aliqui non vomunt. 2°. de ſymp. cau. 3ª.21.G
ad Nauſeantes, & imbecillos. de med. fac. par. 7ª.159.F
NAVSEARE nullum animal docetur. 2°. de ſymp. cau. 3ª.21.D
NAVSEATIO quid ſit in venis. de fract. com. 2°. 7ª.235.D
NAVSEORVM eſt odore ſori. de ſimp. med. Sp.90.F
NAVTÆ duri, & aridi. 6°. de comp. med. ſec. lo. 5ª.176.F
Nautæ cur duram, & ſiccam habent cutim. de aſſuetud. 2ª.61.D
Nautę, et Agricolę ſup oēs ſtatū aeris cōſiderāt. 2°. d̄ die. dec. 4ª.157.E
NAVTICVS laqueus qūo debeat adhiberi. de laqueis. 7ª.306.H
NAXIAE cotis ramentum, vt mammæ non intumeſcant efficit. 9°. de ſimp. med. fac. 5ª.67.D
in NEAPOLI eſt Tabiæ locus pro phthiſicis. 5°. methodi medendi. 7ª.34.H
circa Neapolim in Italia vina qualia. 5°. de ſa. tu. 2ª.90.H
Neapoli non fit bonum vnguentum nardinum. 11°. met. me. 7ª.72.H
NEAPOLITANI malagma. 7°. de comp. med. per ge. 5ª.265.H
Neapolitani paſtillus. 5°. de comp. med. per gen. 5ª.251.C
NEAPOLITÆ Aſianum. 6°. de comp. med. per ge. 5ª.262.C
Neapolitæ emplaſtrum. 6°. de comp. med. per ge. 5ª.262.D
Neapolitæ malagma aromaticū inſcriptū. 8°. de cōp. me. ſe. l. 5ª.193.B
Neapolitę medicamentum. 7°. de comp. me. ſe. lo. 270.H/ 5ª.271.F
Neapolitæ paſtillus. 7°. de comp. med. per ge. 5ª.184.E
a NEARCHO laudata antidotus hepatica. 8°. de compoſi. medicamen. ſecun. locos. 5ª.195.A
NEBVLA cur obſcura. in 1ᵐ. de mor. vul. com. 1°. 1ª.104.C
Nebula decidens eſt ros. in 1ᵐ. de mor. vulg. com. 1°. 3ª.104.C
Nebulæ, & caligini q̄ſimilis ſpiritus. ī 1ᵐ. de mor. vul. c. 1°. 3°.104.C
per Nebulam cur aliqui videre videantur. de ſymp. cau. 3ª.15.A
NEBVLA in vrina qūo fiat. de vrin. ſign. ex Hip. 79.B/ Sp.79.D
Nebulę in urinis conſiderād. ſunt, ſurſum ne, an deorſum meent, quos ue colores habeant. de vrin. ſign. ex Hip. Sp.78.G
Nebularum ſuſpenſarum ſignificatio. præſag. exper. confir. Sp.78.G
Nebulæ ſublimæ in vrinis. de vict. rat. in mor. acu. c. 4°. 7ª.144.B
Nebulæ ſubſidentes in vrinis. de vict. rat. in mor. acu. c. 4°. 7ª.144.B
Nebulæ deorſum labentes cum quibus coloribus ſint malæ. de vrinæ ſignificatione ex Hippocrate. Sp.78.G
Nebulatio, & ſublatio ſi atra ſit, minus eſt malum, quam hypoſtaſis. quæſita in Hippocratem. Sp.113.E
Nebulam non bonam habens vrina tenuis in ſynocha, phrenitim, ſiue mortem, aut ſpaſmum ſignificat. de dyn. Sp.34.C
Nebulam bonam habens vrina alba, & aquoſa cum odore bono ege ſta phrenitim purgat. de dy. Sp.34.D
Nebulā albā ſi habeat vrina colore cholerico, & furfures ſupernatā tes, aut lōgā ægritudinem, aut mortem ſignificat. de dy. Sp.34.C
Nebulas cholericas habens urina in ægritudinem acutam tranſire ſignificat. de dyna. Sp.34.G
in Nebulis quaſi ſanguinem habens vrina, quæ velut raſuram habue rit & arenam, renum colliquationem oſtendit. de dy. Sp.34.G
Nebulas ſciſſas ſi habeat vrina macronoxiā ſignificat. d̄ dy. S. 34.G
NEBVLOSVM quid ſignificet. in 1ᵐ. de mor. vul. com. 1°. 3ª.104.B
Nebuloſi q̄n ſint ſpiritus noſtri. in 1ᵐ. de mor. vul. com. 1°. 3ª.104.B
Nebuloſos oculos habet homo a muliere conceptus in tribus horis ſanguinis. de ſperma te. Sp.37.B
Nebuloſa vrina alba, ſpumoſa in ſynocha non bonum ſignificat. de dy namidijs. Sp.34.D
Nebuloſa vrina, alba, & ſpumoſa ſi in ſynocha ſit critico die, vel poſt criticum diem ſuperuenerit ſignificat ſolutionem ægritudinis. de dynamidijs. Sp.34.D
Nebuloſa, & rubra vrina in arthriticis dolorem ceſſare ſignificat. de dynamidijs. Sp.35.D
Nebuloſa vrina, & ſubliuida inferius, ſi claritatem ſuperius habuerit, ſignificat dolorem renum, & coxæ, & genu, & ſuperius ſtomachi. de dyn. Sp.35.D
Nebuloſas, vel craſſas vrinas habentes ſunt purgandi a principio. de vrinæ ſign. ex Hipp. Sp.79.A
NECANTIA nos quæ. de bon. & vit. ſuc. 2ª.34.B
NECESSARIA quę ſint, & quæ non. ars med. Iſa.68.B
de maxime Neceſſarijs ſæpius meminiſſe non eſt inutile. 2°. de ſan. tu. 2ª.75.H/7°. met. med. 47.A/1°. 7ª.64.B
NECESSITAS quid ſignificet. de fract. com. 2°. 7ª.237.A
Neceſſitas quid, & vbi ſit. de hiſt. phil. Sp.5.D
Neceſſitas panniculorum. de anato. viuo. Sp.55.F
NECHEPSOS res locutus eſt de hierogliphis. 9°. de ſimplicium medicamentorum facultatibus. 5ª.67.D
Nechium. de oculis. 7ª.190.C
NECROSIS affectus ſummæ partes pedis. intro. Iſa.59.D
NECTAREA antidotus. 8°. de comp. med. ſec. loc. 5ª.194.H
Nectareum Eclegma colicis. 9°. de comp. med. ſec. lo. 5ª.202.D
Nectareum medicamentum. 4°. de comp. med. ſec. lo. 154.A/5ª.155.H
non NEGANDAE res ſed potius quærendæ quo modo fiant. 5°. de locis affectis. 4ª.31.B
NEGATIONIS vis qui habet particula. 4°. met. me. 7ª.27.F
q̄ Negationem præpoſitam non faciat æquipollere ſuo contradictorio, collige, vbi dicit, nō omnes homines ſunt boni, id eſt pauciſſimi ſunt boni. c. 1°. aph. 14°. 14.C/com. 2°. aph. 19°. Ex.28.H
Negationē, & priuationē aliqd dici multū differt. 1°. de loc. af. 4ª.5.B
per Negationem, & per priuationem, idem. 4°. de ſimplicium medicamentorum facultatibus. 5ª.28.E
NEGOCIIS implicita maxima hoīum pars. 2°. de ſa. tu. 2ª.69.C
Negocia prohibent aliquos a doctrina. 3°. de diff. reſp. 3ª.69.C
Negocijs imputant ſuam ægritudinem aliqui medici ægrotantes. 5°. & ſanitate tuenda. 2ª.88.E/F
Negocijs diſtrictus tutius eſt, vt nec tentet temperamentum ſuum mutare. 6°. de ſanitate tuenda. 2ª.96.C
Negocia cui ſunt impedimento, vt ante cibum exerceri nō poſſit, huic non modo probato, & innoxio cibo eſt opus, ſed etiam ſalubribus medicamentis. de bo. & vit. ſuc. 2°.34.D/E
Nemereſin. ſecretorum. Sp.100.B
Negocijs vacui rariſſime frigido potu egent. de bo. & vi. ſu. 2ª.39.D
NEMO de muſculorum diſſectione ſcripſit, qui non ſit reprehendendus. de muſ. diſſ. 1ª.44.B
NEMPE cām dictorum reddit. de vict. ra. in mor. acu. c. 4°. 7ª.146.F
NEPHANDVM eſt aſſumere quid nocuum propter delectationem. de cura icteri. Sp.111.A
NEPHELIA vlcera quæ ſint. de med. fac. par. 7ª.163.A
NEPHELION in oculo quid. intro. Iſ.58.H
Nephelion affectus iridis oculi. intro. Iſa.58.D
Nephelion vlceratio oculorum. fin. med. Iſa.48.D
Νεφελοειδέα. i. nebuloſę. de vict. ra. in mor. acu. com. 4°. 7ª.140.C
NEPHRITICI qui nominentur. 1°. de nat. facul. 1ª.293.C/2°. de compoſi. medicamen. ſecun. loc. 5ª.135.C
Nephriticus, & ſtrāgurioſus differūt. ī 3ᵐ. d̄ mor. vul. c. 1°. 3ª.128.D
Nephriticos adiuuat ſuccus cū caulis, tum ſeminis crocodili. 7°. de ſimp. med. facul. 5ª.53.C
Nephriticis prodeſt Erinacei terreſtris deſiccata caro. 11°. de ſimp. medicamen. facul. 5ª.78.F
Nephriticis confert ficuum eſus. 2°. de alim. fac. 2ª.17.F
Nephriticis vtile eſt Adrianum balſamatum. de dyn. Sp.28.B
ad Nephriticos Oneſidemi. 10°. de comp. med. ſec. loc. 5ª.206.D
Nephriticis vtile eſt philantropon. de dyn. Sp.28.B
Nephriticis vtile eſt ſcliroſmon. de dyn. Sp.28.C
Nephriticus affectus Theriaca curatus. de ther. ad Piſ. 5ª.90.C
in Nephritico, & colico incipiente dolore uſdem indigemus præſidijs. poſtea vero perſeuerante diuerſis. 6°. de loc. aff. 4ª.36.H
ad Nephriticos. 7°. de comp. me. ſe. lo. 182.G/185.D/8°. 190.H/194.H/195.B/9°. 200.F/10°. 206.B/C/F/7°. de comp. me. per g. 5ª.265.B/de dynamidijs. Sp.32.D
NEPHRITICA medicamenta differunt a podagricis, & quo modo. 6°. de ſan. tu. 2ª.99.H
Nephriticæ Antidoti quæ ſint. 10°. de comp. med. ſec. loc. 5ª.205.H
Nephritica cōpoſitio Antonij Muſæ. 10°. de comp. me. ſec. l 5ª.206.C
NEPHRITIS, id eſt renum vitium nomen eſt morbi impoſitum a leſa particula. 2°. met. me. 7ª.9.D
Nephritis quid. fin. med. 47.H/intro. Iſ.56.G
Νεφρίτις, quid proprie ſit. de ren. aff. dig. & med. 7ª.192.B
Nephritis ſignificat vitium renum. c. 7°. aph. 35°. Ex.56.F
Nephritides renum vitia. de bo. & vit. ſuc. 2ª.39.D
Nephritis quomodo deprehendantur ex vrina. 6°. de lo. aff. 4ª.37.C
Nephritis quā venā ſecari cogat. de curan. rat. per ſang. miſſ. 6ª.20.E
Nephritica ſi quem vexet catharticis vtimur. de dyn. Sp.20.F
ad Nephritides ſtercus columbinum. 10°. de ſimp. med. ſa. 5ª.77.A

ad Nephritim exhibetur ſymphitũ petræũ.8°.de ſimp.m.f. 5ª.61.G
NEPHROPOMA, *id eſt renum dolor contingit conceptis in horis melancholiæ.de ſperm.* Sp.37.D
Nephropoma contingit conceptis in hora phlegmatis.d̃ ſper. S.37.C
NEPITA. 7°.*de ſimp.med.fac.* 5ª.49.C
Nepitæ folia acria ſunt guſtu,& excalfactoria.de ſimp.me. Sp.87.H
Nepita coxioſis prodeſt,regium morbum emẽdat,lũbricos,& tineas & partũ expellit,vermes in auribus occidit.de ſimp.m. Sp.87.H
Nepita incidit.de curan.rat.per ſang.miſſ. 6ª.19.A
Nepita menſes prouocat.de curan.ra.per ſang.miſſ. 6ª.20.F
Nepitam ſcripſit calamenthi loco Andromachus iunior lingua romana. 1°.*de antid.* 5ª.104.A
NEREMISCH fit mentio.ſecretorum. Sp.100.D
NERIGIL *fit mentio.ſecretorum.* Sp.103.B
NERII *vires.8°.de ſimp.med.fac.* 5ª.57.A
Nerij ſuccus.de med.fac.par. 7ª.172.E
NERONI *cõuixit Andomachus memoria dignus.de the.ad Pi.* 5ª.91.D
*inter Neronis medicos primus fuit Andromachus.*1°.*d̃ anti.* 5ª.99.G
Neroni ſcripta eſt Theriaca.de ther.ad Piſ. 5ª.91.D
*ad Neronem epiſtolam ſcripſit Theſſalus.*1°.*met.me.* 7ª.2.G
NERVIK *fit mentio.ſecretorum.* Sp.103.B
NERVOSVM *genus quid ſit.*2°.*de loc.aff.* 4ª.8.G
*Neruoſum genus imbecillum hñt infantes.in prog.Hip.c.*2°. 4ª.211.C
*Neruoſum corpus quid ſit.*4°.*de diff.pul.* 4ª.67.F
*Neruoſorum corporum tria genera.*1 5°.*de vſu par.* 1ª.210.D
Neruoſa corpora ſunt nerui,ligamenta,muſculi,tendones.commenta. 5°.*aphoriſmo.*1°. Ex.37.D
*Neruoſæ partes muſculi dicuntur collidi.de fract.c.*2°. 7ª.240.A
*Neruoſæ partes muſculorũ tẽdones vocãtur.de fract.c.*3°.7ª.249.C
*Neruoſæ partes ſunt ſedes,vterus,& veſica.c.*5°.*aph.*22°. Ex.39.F
Neruoſa pars eſt vterus.in 6ᵐ.*de mor.vul.com.*1°. 3ª.153.A
Neruoſa qũo dñr vterus,& veſica.in 6ᵐ.*de mor.vul.c.*2°. 3ª.153.B
Neruoſus cur ſit magis ſtõus ĩterius,quã exterius.d̃ ana.vi. Sp.49.H
Neruoſum magis eſt os ſtomachi,q̃ gula.de ana.viuo. Sp.49.F
*Neruoſæ diſcriminationes ſunt ĩ corde.de Hip.& Pla.dec.*1ª.233.E
*Neruoſum corpus vt id quod eſt in pube,in nulla alia corporis parte eſt.*1 5°.*de vſu par.* 1ª.210.E
*Neruoſa,& fortis ſubſtantia requiritur ad tenſionem pudendi.*15°.*de vſu partium.* 1ª.210.D
Neruoſorum vaſorum tunicæ quot.de ana.viu. Sp.44.H
Neruoſæ omnis membranæ origo.vnde.intro. If.53.H
*Neruoſis & mẽbranoſis ptibus adeps eſt affuſa.*16°.*de v.p.*1ª.214.H
*in Neruoſis partibus cur ſp pinguedo cõſiſtit.*6°.*de ana.ad.* 1ª.92.B
*Neruoſorum corporum proprium eſt dilatari maxime, et conſtringi. de vict.ra.in mor.acu.com.*3°. 7ª.131.A
*Neruoſę partes maxime patiuntur dolores.com.*5°.*aph.*66°.Ex.45.C
*in Neruoſis membris dolor conuulſionem facit.de art.c.*4°.7ª.285.B
*Neruoſa corpora,ex quibus fiunt motus ſecundum electionem,cõuulſionem patiuntur.com.*5°.*aph.*1°. Ex.37.D
*in Neruoſis ptibus cõtinuitatis ſolutio eſt cõuulſio.de dif.mor.*3ª.5.D
*in Neruoſis fibris eſt ſpaſmus.*6°:*met.me.* 7ª.36.G
*ex Neruoſarũ ptiũ repletione cõuulſio neq; acutiſſima,neq; ſiẽr pernicioſa eſt,vt ea quæ fit ex euacuatione.com.*5°.*aph.*70°. Ex.45.E
*Neruoſæ partes pituitoſiores iuſto.*3°.*de alim.fac.* 2ª.25.G
*Neruoſæ partes ſunt,quæ conuelluntur.com.*6°.*aph.*39°. Ex.50.G
*Neruoſa ſunt poſteriora,ideo potiſſimum conuulſiones, & diſtẽtiones in his fiunt.com.*5°.*aph.*66°. Ex.45.C
Neruoſę partes ſi patiantur in ſuperflua euacuatione,fit conuulſio.cõmenta. 5°.*apho.*56°. Ex.42.H
*Neruoſæ partes communicant cum hepate, ideo ſi patiantur, ſingultus fit.com.*5°.*aph.*58°. Ex.42.C
*Neruoſæ partes contrahuntur repletione, & euacuatione.comm.*4°. *aphoriſmo.*57°. Ex.33.F
*cur Neruoſę partes hyeme lædantur.com.*3°.*aph.*23°. Ex.24.H
*Neruoſæ ptes exiccant a ſole & igne,et calore.c.*6°.*a.*39°. Ex.50.G
Neruoſa ſubſtantia facile offenditur a crapula,deſidia,vino,coitu. cõmentario 6°.*aph.*28°. Ex.49.A
*Neruoſæ partes ab inflammatione cõuelluntur.c.*5°.*aph.*2°.Ex.37.E
Neruoſis partibus inflammatis promptius fit delirium,& quo modo. 3°.*de loc.aff.* 4ª.18.C
*ob Neruoſorum corporum inflammationem in vlceratione conuulſis contrarium vehementer eſt frigidum.com.*5°.*aph.*21°. Ex.39.C
*Neruoſa corpora fridigitate,& rigore efficiuntur ad difflandum difficilia,& implentur.com.*6°.*aph.*13°. Ex.47.E
*Neruoſi muſculi vulnerati hñt parua vulnera.c.*5°.*a.*66°. Ex.45.C
*Neruoſa corpora non agglutinantur.*15°.*de vſu p.*1ª.212.H/*com.*6°. *aphoriſmo.*18°. Ex.48.A
Neruoſarum partium pulſus qualis.de pulſ.ad tiro. 4ª.45.A
*Neruoſæ partes aut nullos, aut paruos faciunt pulſus.*4°.*de præſag. ex pul.* 4ª.121.E
*ex Neruoſa tẽtione fit pulſus durus in ephemeris.*1°.*d̃ dif.fe.*3ª.34.D
*Neruoſæ ptes medicinas calidas ſiccas deſiderãt.c.*5°.*a.*66°.Ex.45.C
*Neruoſæ partes magis exiccandæ,quàm arterioſæ.*2°.*de arte curatiua ad Glauconem.* 7ª.102.E
Neruoſis locis & delicatis ꝑprie vtile eſt butyrũ.de ſimp.m. S.81.D
*Neruoſæ ptes potiſſimũ iuuant a caſtoreo.*11°.*de ſimp.me.f.*5ª.80.B
Neruoſis partibus marrubium optimum eſt.de ſimp.me. Sp.87.D
Neruoſis partibus ſertula prodeſt.de ſimp.med. Sp.90.H
*in Neruoſis ptibus aceto mulſo vti nõ debemus.d̃ frac.c.*2°.7ª.235.H
NERVVLI *inueniuntur in ſanguine ſpiſſo.de vtil.reſp.* Sp.64.F
Neruuli nulli inueniuntur in ſanguine liquido.de vtil.reſp. Sp.64.F
de NERVO. *de ana.viuo.* Sp.55.D
*de Neruis ſermo,eſt idẽ cũ illo d̃ venis,et arterijs.*13°.*d̃ v.p.*1ª.202.A
*Neruus vnde dicatur.*1°.*de motu muſ.* 1ª.308.H
Nerui qui appellentur.in 6ᵐ.*de mor.vul.com.*1°. 3ª.153.B
Neruus qui.de anatom.viu. Sp.55.D
Neruus et tonus qd,et qd̃ officiũ habeat.ĩ 6ᵐ.*de mor.vul.c.*1°.3ª.153.A
*Neruus eſt neruus ob quatuor qualitatum certam quandam temperaturam.*1°.*de vſu par.* 1ª.115.D
*Nerui dicuntur a multis copulæ.*3°.*de locis affect.*4ª.17.C/*de fract. commentario.*3°. 7ª.249.D/E
*Nerui ẽt noĩantur ab aliqbus tẽdones.*3°.*de comp.me.ꝑg.* 5ª.229.B
*Nerui a quibus dicantur tendones.*2°.*de loc.aff.* 4ª.11.A
*Neruus,copula,tendo quo modo differant,& quid ſint.*1°.*de Hippo. & Plat.decre.* 1ª.233.F
Neruus omnis teres eſt,non omnis tendo teres, neque copula.de Hippo.& Plat.decr. 1ª.233.F
*Neruos eſſe ligamenta credunt, qui ipſa ignorant.*3°.*de comp.medi. per genera.* 5ª.231.E
*Nerui putantur ab ignaris ligamenta,& tendones.*6°.*me.m.*7ª.38.H
*Nerui colligantes a recentioribus medicis nominantur,quæ ab Hippocrate ligamenta.*15°.*de vſu par.* 1ª.210.D
*Neruo durius eſt ligamentum.*1°.*de vſu par.* 1ª.117.C
*inter Neruũ,& ligamentũ tendo eſt medius.*1°.*de mot.muſ.*1ª.308.H
*ex Neruo,& ligamento tendo factus.*1°.*de motu muſ.* 1ª.309.C/D
*Neruo qui in muſculum deſcendit multa maior eſt tendo.*1°.*de motu muſculorum.* 1ª.309.D
*Neruum quantum excedat tendo.*1°.*de mot.muſ.* 1ª.309.D
*Neruus cur minor tendone.*1°.*de motu muſ.* 1ª.309.D
*Nerui,& ligamenti vſum habet tendo.*1°.*de mot.muſc.* 1ª.309.E
*Neruus,ligamentum,chartilago nunq̃a natura vnum in aliud trãſponitur.*12°.*de vſu par.* 1ª.193.A
*in Neruos tranſmutari arterias putauit Praxagoras.*1°.*de Hipp.& Plato.decr.* 1ª.232.C
NERVORVM *differentiæ.fin.med.*If.44.C/9°.*de vſu par.* 1ª.175.H
*Neruorum duo ſpecies.intro.*If.53.G/*de ocul.* 7ª.183.E
Neruorum tria genera.de oſſi. 1ª.40.C
Nerui voluntarij qui ſint,& vnde oriantur.de oſſi. 1ª.40.D
Nerui ligamentales qui ſint,& vnde oriantur.de oſſi. 1ª.40.D
Nerui copulatiui qui,& vnde dicti.in 6ᵐ.*de mor.vul.c.*3°.3ª.180.E
*Neruus noĩaĩ motũ,ac ſenſum exhibẽs.*1°.*d̃ Hip.et Pl.dec.*1ª.233.G
*Nerui,venæ,arteriæ ſi ab inſtrumentarijs mẽbris demantur,ſunt ſimplicia.*1°.*de naturalibus facultatibus.* 1ª.291.G
*a Neruis,venis,& arterijs,multi meatus differunt, vt vrinarij.*1°.*de naturalibus facultatibus.* 1ª.291.G
*Neruus in prima generatione aĩalis generatur.*1°.*de nat.fac.*291.F/ 8°.*de decr.Hippo.* 1ª.275.C
Nerui inter partes ſimilares numerantur.de diff.mor. 3ª.2.F
Neruus eſt inter prima,ac ſimpliciſſima humani corporis elementa. 1°.*de elemen.* 1ª.7.E
*Neruus,arteria,& vena ſunt elementa homines.*2°.*met.me.*7ª.11.H
*ex Neruis,venis,arterijs,oſſibus,& carne compoſitum incorruptibile eſſe non poteſt.*14°.*de vſu par.* 1ª.204.D
*Neruorum duplex materia qualis.*8°.*de vſu par.* 1ª.167.B

Nerui natura

Nerui natura constat triplici substãtia,& a tribus partibus deflexa. 1ª.269.A
7°.de dec.Hip.
Nerui substantia,quæ.de atra bile. 1ª.36.F
Nerui crassescunt sola substantia.16°.de vsu par. 1ª.216.F
Neruus,copula,tendo alba sunt exanguia, foraminibus carentia.1°. de Hipp.& Plat.decr. 1ª.233.G
Nerui sunt exangues.de atra bile.36.F/1°.de sem. 1ª.330.C
Neruus est exanguis,& frigidus.1°.de temp. 1ª.15.B
Neruus non fit è sanguine,sed è semine.1°.de sem.330.C/ 1ª.331.H
ad Nerui generationem,quæ sunt necessaria in seminis substantia inueniuntur.1°.de sem. 1ª.330.E
Neruus exanguis est,tñ ex sanguine factus.2°.de na.fa. 1ª.297.E
Nerui sunt minus sicci chartilagine.1°.de temp. 1ª.15.C
Neruus mollior chartilagine,& ligamento.12°.de vsu p. 1ª.193.A
Nerui chartilagineæ copulæ quæ.1°.de Hipp.& Pla.decr. 1ª.233.F
Nerui sunt robustiores adenibus.13°.met.med. 7ª.80.H
in Neruis non est sanguis.2°.de nat.fac. 1ª.298.E
Nerui a quo cibo aluntur.de atra bile. 1ª.36.F
Nerui nutriuntur ex frigidis,& glutinosis humoribus.commentario. 2°.apho.26°. Ex.16.B
Nerui nullam habent cauitatem perspicuam.15°.de v.p.1ª.210.D/ 1°.de semine. 1ª.330.C
Nerui secundum Empedoclem constãt ex igne, terra, & aquæ partibus duabus.de hist.phil. Sp.11.F
Neruus ex humoribus.3°.de simp.med.fac. 5ª.13.D
Nerui quo modo fiant ex fibris.1°.de mot.mus. 1ª.309.D
Nerui in fibras membraneas dissoluuntur.1°.de mot.mus.1ª.309.A
Neruº cur ĩ fibras subtiliores telis araneis diuisus sit.1°.d̃ se.1ª.332.C
Neruo obliquo fibræ obliquæ inseruntur.16°.de vsu par. 1ª.217.B
Nerui lineares qui.de compag.memb.siue de nat.hu. Sp.58.H
Nerui textiles qui.de compag.memb.siue de nat.hu. Sp.58.H
Nerui lineares helcticem.i.attractiuam sibi vendicant potestatẽ.de compag.memb.siue de nat.hum. Sp.58.D
Nerui transuersi vindicant sibi facultatem anelcticem.i.retentiuam. de compag.memb.siue de nat.hu. Sp.58.H
Nerui obliqui vindicant sibi potestatem apocreticem.i.expulsiuam. de compag.memb.siue de na.hu. Sp.58.H
Nerui apopletici falso dicti qui.de motu man.& obs. Sp.67.B
Nerui commemorabiles vbi & quales.16°.de vsu par. 1ª.216.G
Nerui ligatorij qui.8°.de com.med.sec.loc. 5ª.191.D
Neruus habet venulas spiritum tantum capiẽtes,& ideo findi potest in longum.de vtil.resp. Sp.63.C
Neruis lentus humor circunfunditur.3°.de nat.fac. 1ª.308.C
NERVORVM, venarum arteriarum anatomia tertio loco spectandæ est.1°.de ana.adm. 1ª.64.B
Nerui sæpius videndi.3°.de comp.med.per ge. 5ª.231.F
Nerui non possunt secari ignoratis musculis.2°.de ana.adm. 1ª.69.E
de Neruorum anatomia primi post Hippocratem scripsere Herophilus & Eudemus.3°.de loc.aff. 4ª.21.C
in Neruis dissectionem nullus añ Galenum cognouit.1°.d̃ lo.af.4ª.7.E
Neruorum sectio per longitudinem fieri debet.3°.de ana.ad.1ª.74.E
Nerui non videntur in simia ablata membrana ob tenuitatem.3°.de anatom.admistr. 1ª.74.D
Nerui videtur in equis,asinis,mulis,bobus,ablata mẽbrana ob crassitiem.3°.de anat.adm. 1ª.74.D
Nerui euidẽtius visunt in senibus,& nup natis.4°.de ana.ad.1ª.80.D
Nerui super oĩa occultantur a pinguedine.4°.de ana.adm. 1ª.80.D
Nerui cur acu circundandi.4°.de ana.adm. 1ª.80.E
Neruorum origo est in corde secundum aliquos.2°.de decr.1ª.234.D
Neruorum veram originẽ ignorauit Aristoteles.7°.de decr.1ª.272.H
de Neruis confuse,& indistincte bis tractauit Aristoteles.1°.de Hip. & Plat.decr. 1ª.233.D
Neruorum principium non esse cor contra Aristotelem.1°.de decre. Hipp.232.C/ 1ª.233.D
Neruorum principium ponendo cor quo modo Aristoteles errauerit. 1°.de decr.Hip.233.H/ 1ª.234.A
Neruos a corde oriri qui dicunt qua ignorantia detineantur.3°.de locis affectis. 4ª.17.C
Neruorum principium non est cor.7°.de vsu par. 1ª.161.E
Nerui non oriuntur a corde contra stoicos.2°.de decr.Hip. 1ª.234.E
Neruorum origo a quo discenda est.3°.de loc.aff. 4ª.17.C
Nerui vnde oriantur.7°.de decr.Hip.269.F/8°.273.B/1°.de mot.mu sculorum.1ª.308.H/de vtil.resp. Sp.62.G
Neruorum principiũ qđ vocet Gale.in 6ᵐ.de mor.vul.c.1°.3ª.153.B
Neruorum origo vbi est, ibi animæ principatus.7°.de decr.Hippocr. 267.F/8°. 1ª.273.B
Neruorum origo in capite.7°.de decr.Hip.1ª.268.H/commentar.5°. aphorismo.69°. Ex.45.D
Neruorum,& spinalis medullæ principium esse cerebrum dicendum est.de neruo.dissect. 1ª.53.B
Neruorum omnium principium cerebrum.de cõst.ar.37.A/ars med. If.63.B/de ner. diss.53.B/ 1°.de vsu p.117.B/3°.133.G/8°.166. A/10°.183.G/12°.193.E/15°.212.F/16°.214.D/2°.de dec.Hip. 239.A/D/in Tim.Plat. 1ª.287.D/com.7°.aph.3°. Ex.54.B
Nerui vnde secundum Pelopem.6°.de decr.Hip. 1ª.262.F
Nerui vnde oriantur sm Erasistratum.7°.de decr.Hip. 1ª.269.A
de Neruo elementari Erasistrati.2°.de nat.facul. 1ª.298.F
Neruorum principium sm sectatores Erasistrati sunt mẽbranę supra cerebrum,sm Erasistratum cerebrum.c.6°.aph.50°. Ex.52.G
Nerui a cerebro oriuntur,non a mẽbranis, vel inuolucris.7°.de decr. Hippocratis. 1ª.269.A
Nerui a cerebro videntur procreati.de fœt.for. 1ª.324.H
Nerui omnes a cerebro primarie nascuntur.3°.de loc.aff. 4ª.20.B
Nerui omnes cur a cerebro.7°.de decr.Hip. 1ª.272.G
Nerui ex cerebri substantia.2°.de ana.adm. 1ª.73.A
Neruus habet eandem substantiam cum cerebro.7°.de dec.Hip.269. F/de fœt.for. 1ª.324.D
Nerui substantia est ac si cerebrũ sit densatũ.1°.de mo.mu.1ª.308.H
Nerui cur duriores cerebro.8°.de vsu par. 1ª.167.B
Nerui quanto a cerebro distantiores, tanto etiam ab eius vi distant. 7°.de decr.Hip. 1ª.269.F
Neruos similes cerebro esse dicentes errant.7°.de ana.adm. 1ª.96.A
Nerui aliqui ex cerebro oriuntur,aliqui ex spinali medulla.de neruo rũ dissect.53.B/15°.de vsu par.1ª.210.D/3°.de alim.facultat.2ª. 26.F/de mot.man.& obsc. Sp.66.F
Neruorum principium spinalis medulla.1°.de vsu p.1ª.117.B/c.5°. aphorismo.66°. Ex.45.C
Nerui qui dant motum oriuntur in parte posteriori vt plurimum.ars medicinalis. If.63.D
Nerui q dãt sensũ oriunt in pte anteriori vt plurimũ.ars me.If.63.D
Neruorum qui oriuntur a cerebro ordo in crassitie,& tenuitate.de instrumentorum odoratus. 1ª.110.E
Neruorũ duriorũ principiũ est spinalis medulla.9°.de v.p.1ª.176.A
Neruorum mollium principium est cerebrum.9°.de vsu p. 1ª.176.A
Neruorum mediorum principium quod.9°.de vsu p. 1ª.176.A
Neruorum productio a cerebro posteriori.7°.de vsu p. 1ª.162.B
Nerui superne feruntur deorsum.8°.de vsu par. 1ª.165.A
Neruis tutius erat per interna iter facere.16°.de vsu par. 1ª.217.H
Nerui molles in primis productionibus, postea efficiuntur duriores. 7°.de vsu par. 1ª.162.E
Nerui ex suo processu fiunt duri.9°.de vsu par. 1ª.175.C
Nerui cur leues in principio.de ana.viu. Sp.53.F
Nerui cur rari.de ana.viuo. Sp.53.F
Nerui cur flexuosi.de ana.viuo. Sp.53.F
Nerui a cerebro prodeuntes sunt tecti panniculo quoad exeant os capitis.de ocul. 7ª.183.A
Nerui anteq̃ exeant cranium lædi non possunt,sicut nec cerebrum,licet concutiatur.10°.de vsu par. 1ª.183.H
quot Nerui procedant a cerebro,& quomodo.de ocu. 7ª.183.F
Neruorũ a capite dependentium plantationes.9°.de vsu p.1ª.174.D
Nerui propagines a cerebro ad quæ viscera.16°.de vsu p. 1ª.215.E
Neruorum primum,secundum,tertium, quartum,& vltimum par unde oriantur.de Hip.& Pla.decr. 1ª.232.F/G
Neruorum a cerebro orientium prima coniugatio.de ner.diss.1ª.53.C
Neruorum prima coniugatio est mollior cæteris.de ner.diss. 1ª.53.D
Nerui a cerebro partim a prima,partim a tertia,partim a sexta coniugatione perueniunt ad iecur,lienem,renes, ventrem, viscera.de neruorum dißectione. 1ª.54.D
Neruorũ a cerebro secũda cõiugatio qualis,& vbi.d̃ ner.diss.1ª.53.D
Neruorum secunda coniugatio ad musculos mouentes oculos.1°.de neruorum dissect. 1ª.53.D
Neruorum a cerebro tertia coniugatio qualis,& quorsum tendat.de neruorum dissect. 1ª.53.D
Neruorũ tertia cõiugatio diuiditur in multas ptes.de ner.dis.1ª.53.E

Neruorum tertia coniugatio mollis dicta.de ner.diff. 1ª.53.D
Neruorum tertia coniugatio vnde.de ner.diß. 1ª.53.F
Nerui a tertia cõiugatione pficiscẽtes qũo,& vñ.9°.de v.p. 1ª.176.B
Neruorum tertia coniugatio quorsum tendat.de ner.diff. 1ª.53.F
a Neruorum tertia coniugatione quæ oriantur.9°.de v.p. 1ª.176.C
Neruorum tertia coniugatio est principium musculorum faciei.11°.de vsu partium. 1ª.186.D
Neruorum a cerebro coniugatio quarta qualis,& quorsum tendat.d neruorum dissectione. 1ª.53.D
Neruorum quarta coniugatio cur minus mollis, quam tertia.9°.de vsu partium. 1ª.174.D
Nerui quartæ coniugationis vnde oriantur.de ner.diff. 1ª.53.D
Neruorum a cerebro orientium quinta coniugatio qualis,& vnde orta.de neruorum dissectione. 5ª.53.G
Neruorum a cerebro orientium sexta coniugatio quales, & vbi. de neruorum dissectione. 1ª.53.H
Neruorum sexta coniugatio vnde.2°.de ner.diff. 1ª.53.H
Neruorũ sexta cõiugatio nõ penitus dissecanda.4°.de loc.aff.4ª.26.C
Neruorũ sextę cõiugationis a cerebro distributio.de ner.diff.1ª.54.B
Neruorum sexta coniugatio quorsum.9°.de vsu par. 1ª.175.A
Nerui a sexta coniugatione mittuntur cordi vẽtriculo,& hepati.16°. de vsu partium. 1ª.215.H
Neruorum a cerebro orientium septima coniugatio.de ner.di.1ª.53.H
de Neruorũ septima cõiugatiõe,& vñ pficiscant.9°.de v.p.1ª.175.C
Neruorum septima coniugatio ad linguę musculos.de ner.diff.1ª.53.H
a Neruorum a cerebro ortorum septima coniugatione lingua mouetur.4°.de loc.aff. 4ª.22.G
Neruus vnus solus sine coniugio,& vbi.de ner.diff. 1ª.53.E
Neruus nullus oritur a cerebro,vel a spina quin sit cõiugatus.de neruorum dissectione. 1ª.53.E
Neruorum multæ coniugationes vnde.13°.de vsu par. 1ª.201.G
Nerui multi cur simul colligati incedunt, deinde in partes dissoluuntur.9°.de vsu partium. 1ª.175.A
in Neruorum distributione tres sunt scopi naturæ,sensus in sensorijs, motus in motorijs,& doloris cognitio.5°.de vsu par. 1ª.145.C
Nerui molles non videntur differre a spinali medulla.1°.de motu musculorum. 1ª.308.H
NERVORVM vtilitas quæ.1°.de vsu par. 1ª.117.B
Neruorum iuuamentum.de anat.viuo. Sp.43.H
ex Neruo,vena,arteria contextæ sunt omnes animalis particulæ secundum Erasistratum.7°.de vsu par. 1ª.158.H
Nerui cur inditi membris.6°.de decr.Hip. 1ª.266.B
Neruis indigent partes compositę.ars med. Isa.63.B
Nerui sunt instrumenta cerebri.de ocul. 7ª.183.E
Neruus cõe instrumẽtũ,quo oĩa aĩalia gubernãtur.1°.de sem. 1ª.330.C
Neruorũ,arteriarũ,& venarũ facultas diuersa est.de mul. 3ª.77.A
Nerui,venæ,arteriæ simul commiscentur.16°.de vsu par. 1ª.220.E
Neruis æquales numero venę,& arteriæ.13°.de vsu par. 1ª.202.A
Neruus habet similẽ functionem in oĩ parte.6°.de dec.Hip.1ª.266.A
Neruis communia quæ.16°.de vsu par. 1ª.215.B
Nerui commune corporis instrumentum.16°.de vsu par.1ª.214.D/ 2°.methodi medendi. 7ª.12.G
Neruus,vena,pellis,sunt receptacula sanguinis,& spiritus.de vtilitate respirationis. Sp.63.C
in Neruis adest quidam spiritus.7°.de decr.Hip. 1ª.269.G
Neruus nulli parti frustra insertus.16°.de vsu par. 1ª.215.A
Neruis indigent sensuum instrumenta.16°.de vsu par. 1ª.214.H
NERVI molles qui.9°.de vsu par. 1ª.176.A
Neruorum mollium natura proxima cuti.2°.de temp. 1ª.17.H
Neruos molles habent pueri.in 1ᵐ.de mor.vul.com.2°. 3ª.113.C
Nerui molles pro sensu.16°.de vsu par. 1ª.215.A
Nerui magni,& molles oĩbus sensibus insunt.16°.de vsu p.1ª.215.D
Nerui molles faciunt quinque sensus.de ocul. 7ª.183.F
Nerui sensuum quanti.de instrum.odor. 1ª.110.G
Nerui molles ad sensum apti.7°.de ana.adm.96.A/de decr.Hipp.1ª. 233.F/de ocul.183.F/ 7ª.184.G
Neruum mollem poscunt omnia sensoria.8°.de vsu par. 1ª.166.H
Neruus ad sentiendũ cur mollior.7°.de dec.Hip. 1ª.270.F
Neruus mollis qui sit apud dissectores.4°.de lo.aff. 4ª.23.B
Neruus mollis tantum habet minus caloris,quãtum illi deest sanguis. 1°.de temperamentis. 1ª.15.C
Nerui molles vt cutis temperati sunt in humiditate, & siccitate, non tamen in caliditate,& frigiditate.1°.de temp. 1ª.15.C
Nerui molles quibus partibus distincti a duris.16°.de v.p. 1ª.215.D
Neruus nullus mollis ex pte posteriori cerebri.8°.de vsu p.1ª.167.C
Neruorum processum differentiæ ad instrumenta sensoria.8°.de vsu partium. 1ª.167.D
NERVI duri qui.9°.de vsu par. 1ª.176.A
Nerui duriores quam naturam habent.2°.de temp. 1ª.17.H
Neruos duros facit exercitatio.de art.com.3°. 7ª.277.E
Nerui duri quid agant.de ocul. 7ª.183.F
Nerui duri dant motum.intro.If.54.A/7°.de ana.adm.96.A/16°.de vsu par.1ª.215.A/de ocul. 7ª.184.H
Neruus pro motu cur durior.7°.de decr.Hip. 1ª.270.F
Neruos duros hñt partes,q̃ hñt motũ volũtariũ.8°.de vsu p.1ª.166.H
Neruum durum,& magnum habent partes,quæ multũ mouẽtur.16°. de vsu partium. 1ª.215.B
Neruos magnos hñt instrumenta motus volũtarij.5°.de v.p.1ª.145.D
Nerui durissimi expetuntur ab artubus.9°.de vsu par. 1ª.174.G
Nerui primi durissimi qui.9°.de vsu par. 1ª.175.C
ex Neruorum tensione sunt vires corporis.de vtil.resp. Sp.63.E
Nerui tensionis causæ sunt spiritus inflantes.de vtil.resp. Sp.63.E
Nerui,tendones,musculi,& ligamenta,quãto sunt sicciora tanto sunt valentiora.3°.de symp.caus. 3ª.29.D
Neruorũ robur facit homines ambidextros.c.7°.aph.43°. Ex.57.E
in Neruis,& horũ principio cerebro vires debiles, & robustæ cognoscunt ex arbitrarijs functionibus.de curã.ra.per san.miss. 6ª.17.D
Neruos duros,& molles partes habentes.16°.de vsu par. 1ª.215.D
Nerui medij qui.9°.de vsu par. 1ª.176.A
Nerui mixtio pro motu,& sensu.16°.de vsu par. 1ª.215.D
Neruorum mistiones sunt gratia securitatis.16°.de vsu p. 1ª.217.H
Nerui in quibus fiunt mistiones.16°.de vsu par. 1ª.217.H
vbi NERVVS ibi sensus.1°.de motu mus. 1ª.309.B
Neruus omnis sensu præditus.1°.de motu mus. 1ª.309.C
Nerui omnes habent sensum tactus.de ocul. 7ª.183.F
Neruus,arteria,vena,et vẽtriculis diuerso mõ sentiũt.d mul.3ª.77.F
præter Neruos,pelliculas,venas,& arterias nihil in corpore sensibile est.de vtil.resp. Sp.62.G
Neruus ibi solum est, vbi membrum solo sensu indiget sensu.12°.de vsu partium. 1ª.193.B
p Neruos sensus mittitur ad oẽs particulas.1°.de symp.cau.3ª.18.H
sine Neruo ĩ nulla aĩalis parte est motus,vel sensus.d ner.dis.1ª.53.B
Nerui omnes habent sensum,& motum.16°.de vsu par. 1ª.214.H
sine Neruo nulla pars animalis habent motum volũtariũ,vel sensum. de neruorum dissectione. 1ª.53.B
Neruus nullus est in osse,chartilagine, ligamento, & glandula.16°. de vsu partium. 1ª.214.G
Nerui non indiget adeps.16°.de vsu par. 1ª.214.H
Nerui,quibus glandulis insint.16°.de vsu par. 1ª.214.H
Nerui cur non insint omnibus glandulis.16°.de vsu par. 1ª.214.H
per Neruum quæ mouẽtur partes etiã sentiũt.1°.d symp.cau. 3ª.16.E
a Neruis corpus primo accipit motum, postea sensum.12°.de vsu partium. 1ª.193.E
Neruus nisi afficiatur,sensus non fit.7°.de decr.Hip. 1ª.270.F
iuxta Neruorũ principiũ in cerebro ordinata volũtas insanis motus principiũ primo dat neruis,postea musculis.3°.de loc.aff.4ª.17.E
Neruo,vena,& arteria irrigantur musculi.1°.d motu mus. 1ª.309.B
Neruus,vena,arteria continuantur vnicuiq; lacerto.de motibus manifestis,& obscuris. Sp.66.E
Nerui sequuntur musculos in figura.1°.de anat.adm. 1ª.63.E
a Neruis mouentur musculi.2°.de decr.Hip. 1ª.236.E
Neruus a cerebro aut spinali medulla peruenit ad vnũquemq; musculum.de voce,& anhelitus. Sp.60.E
Neruus in vnoquoque musculo fibram efficit.de decr.Hip. 1ª.234.B
Nerui pertinent ad musculos.9°.de decr.Hip. 1ª.284.H
Neruus inseritur in caput musculi.1°.de motu mus. 1ª.309.C
Nerui nascuntur in capitibus musculorum,chordę autem in fine.c.5°. aphorismo.66°. Ex.45.B
qui Nerui oriuntur a musculis.15°.de vsu par. 1ª.210.D
qui Nerui ex ossibus producuntur.15°.de vsu par. 1ª.210.D
Nerui deducunt vires musculis a cerebro.1°.de mot.mus. 1ª.309.A
in Neruis motus principium habent musculi.3°.de loc.aff. 4ª.20.B
Neruis,qui dent sensũ,& motũ sp indigẽt musculi.1°.de lo.af.4ª.8.B
Neruorum musculosa propago,quæ.5°.de ana.adm. 1ª.88.H

Neruis

Neruis virtutem ſuppeditat cerebrum.7°.meth.med. 7ª.49.C
per Neruũ mittitur à cerebro ſentiens facultas.de ſym.cau. 3ª.14.B
Nerui accipiunt virtutem animalẽ à cerebro.1°.de vſu par. 1ª.117.B
Neruorum facultatis cerebrum veluti fons eſt.de mult. 3ª.77.A
per Neruos ad inſtrumenta propria defertur ſenſibilis facultas.7°.de decre.Hippoc. 1ª.269.F
Nerui andent vires cerebro,vt cerebrum neruis.de conſt.ar.Iſ.37.A
per Neruum influit omnis ſenſus,& motus.de ana.vi. Sp.48.A
Neruorum actiones voluntariæ ſunt.2°.de ſan.tu.2ª.75.A/1°.de locis affectis. 4ª.6.H
Neruis ſolis nõ vtiẽ natura ad motũ volũtariũ.12°.de v.p.1ª.193.B
Neruos excipiẽtes muſculi mẽbra mouẽt.de Hip.& Pla.d.1ª.234.A
p Neruos,& muſculos fiunt actiões volũtariæ.d voc.inſt. diſ.1ª.106.C
Nerui dũ cũ lacertis cõponũtur fit volũtarius motus.d ocul.7ª.183.F
Neruus,& ligamentum ibi adeſt vbi membrum indiget motu voluntario.12°.de vſu partium. 1ª.193.B
Neruorũ exercitatio fit p ſe ex motib9 volũtarijs. 2°.de ſa.t.2ª.75.A
Neruum à cerebro accipiente muſculo caret nullum membrum quod voluntarie moueatur.de decre.Hipp. 1ª.234.B
Neruus nullus ſine muſculo facit actionem.1°.de loc.aff. 4ª.7.D
Neruis vtuntur muſculi ad mouendum.de decre.Hipp. 1ª.234.A
Neruum omnium muſculorum cognoſcere oportet ob vulnera,& ſpicula infixa.3°.de anat.admi. 1ª.77.H
Nerui non tam in muſculos, quam in omnia viſcera ſimili diſtributione diſpenſantur,1°.de ſem. 1ª.332.C
Neruum recipientes partes omnes præter muſculos habent ſenſum, et non motum,& quæ ſint.16°.de vſu par. 1ª.214.H
Neruus,aut lacertus motus non perficiunt,ſed anima.de trem.palp, conuulſ.& rig. 3ª.53.C
Neruis ſubſtantia ſimilis vbi,& qualis.16°.de vſu par. 1ª.216.F
à Neruo potius quam a carne naſcuntur venæ.de ana.vi. Sp.50.F
Nerui inſunt cuilibet parti capitis,& faciei.9°.de vſu par.1ª.176.b
Nerui capitis vſque quo tendant.16°.de vſu par. 1ª.217.A
Neruorum a capite orientium miſcella qualis de ner.diſ. 1ª.54.A
Neruorum exortus in lateribus capitis.6°.meth.med.. 7ª.42.G
Neruus opticus ad oculum venit.de ana.parua. Sp.43.D
Nerui per quam viam veniant ad oculos.9°.de vſu par. 1ª.174.A
Nerui oculorum cur ſint dicti pori.8°.de vſu par. 1ª.167.E
Nerui oculorũ, quales.16°.de vſu par. 1ª.215.C/D
Neruus viſorius qualis:7°.de dec.Hipp.1ª.270.G/de ocul.7ª.183.H
Neruorum opticorum figura.10°.de vſu par. 1ª.182.B
Nerui duo a cerebro ad oculos quales.de ocul. 7ª.183.A
Nerui ſenſifici quales,& qui.7°.de decre.Hippo. 1ª.270.F
Nerui ſenſifici oculorũ prĩcipaliores motoribus.9°.de v.p.1ª.174.A
pp Neruos ſenſificos totus oculus factus eſt.9°.de vſu p. 1ª.174.A
in Neruis ſenſificis præcipua viſus pars conſiſtit.9°.de v.p.1ª.174.A
Neruus viſorius eſt omniũ maximus.7°.de decre. Hipp. 1ª.270.G
Neruus maximus quo intelligat apud anatomicos.3°.de an.ad.1ª.75.c
Nerui optici ſunt omniũ maiores,& molliores.16°.de v.p.1ª.215.D
Nerui maiores,& molliores a cerebro immittuntur partibus habentibus ſenſum exactiorem.16°.de vſu par. 1ª.215.C
Nerui oculorum quomodo ſint molliſſimi.de ner.diſſ. 1ª.53.C
Neruus oculi maior eſt q neruus oris vẽtriculi.de inſtr.odor.1ª.110.G
Neruos magnos particulæ hãtes propter ſenſum.5°.de v.p. 1ª.145.C
Nerui oculorum vnde oriantur.de ner.diß. 1ª.53.C
Nerui optici vnde oriantur.16°.de vſu partium.215.D/7°.de decretis Hippocratis. 1ª.269.H
Neruorum opticorum inceſſus.10°.de vſu par. 1ª.183.E
Nerui optici vna cum arterijs aſcendunt. 16°.de vſu par. 1ª.220.C
Nerui viſibiles quo modo cum alijs conueniant,& ab alijs diſcrepent. de oculis. 7ª.184.A
Nerui viſorij proprietates.7°.de decr.Hipp. 1ª.270.G
de Neruis oculorum res mira, quæ non eſt facilis explicatu. de neruorum diſſectione. 1ª.53.C
Nerui mouentes oculos duri ſunt in anteriori parte cerebri. 8°.de vſu partium. 1ª.167.C
Nerui oculorum ſunt craſſiores.de inſtrum.odor. 1ª.110.E
Nerui optici cur craſſi.16°.de vſu par. 1ª.215.D
Nerui optici ſunt pforati.16°.de vſ.p.215.D/7°.de dec.Hip.1ª.269.b
Neruus oculi eſt concauus.de ocul. 7ª.183.A/F
in Neruo oculorum meatus ſenſibilis.de ner.diſſ.1ª.53.D/1°.de ſymptomatum cauſis. 3ª.16.B
in Neruis oculorum ſolis aperte intus ſenſibilis quidã meatus adeſt. de ner.diſſ.53.D/8°.de vſu par.1ª.167.C/4°.de lo.aff. 4ª.21.G
Neruum oculi concauum eſſe probatur.de ocul. 7ª.184.A
Nerui oculorum foramen vnde patet.7°.de decre.Hip. 1ª.269.H
Neruos oculorum eſſe perforatos quo modo tribus argumentis deprehendatur.7°.de decre.Hipp. 1ª.269.H
Nerui optici cur caui.16°.de vſu par.1ª.215.D/de ocul. 7ª.184.F
per Neruum concauum vis viſus deſcendit.de ocul. 7ª.186.B
Nerui aliqui non habent meatus ,ſed vis tranſit tanquam ſolis radij per aquam,vel aerem.1°.de ſymp.cau. 3ª.16.C
Nerui optici vtrum iungantur,& quomodo.de ocul. 7ª.184.C
Nerui optici cur vniunt ſuos meatus , poſt iterum ſeparantur.10°.de vſu partium. 1ª.182.B
Nerui optici cur coeant ſm antiquos.10°.de vſu par. 1ª.183.G
Nerui oculi niſi iungerentur res vna dupla videret.de ocul.7ª.184.D
Nerui oculorum cur duo, non vnus.de ocul. 7ª.184.E
Neruus ſeruãs ſpũm viſibilẽ cur ppinquior cerebro.d ocul.7ª.185.A
per Neruos oculorũ ſpiritus lucidus.7°.de decre.Hipp. 1ª.269.H
Neruus oculi venit ad Chryſtallynũ corpus ſolũ de inſtr.odo.1ª.110.g
Nerui optici cur ptingũt ad vẽtriculũ cerebri.16°.de v.p.1ª.215.D
qui Nerui ſm Pelopem in muſculos oculorum diſperguntur,6°.de de cretis Hippocratis. 1ª.262.F
Nerui mouentes oculos quomodo ſint.de ner.diß. 1ª.53.D
Nerui mouentes oculos vnde oriantur.de ner.diſſ. 1ª.53.D
Neruus auditorius dr,qui venit ad aures.de ana.parua. Sp.43.D
Nerui auditorij exortus qui,& quorſum tendat.de muſc.diß.1ª.53.G
Nerui aurium quales.16°.de vſu par. 1ª.215.C
Neruus auditorius cur durior , quam vt actioni conueniat.8°.de vſu partium. 1ª.167.H
Nerui minimi circa aurem.16°. de vſu partium. 1ª.217.A
Neruorum vnum genus in naribus,& aurib.8°.de vſu p. 1ª.166.H
Nerui faciei a cerebro.3°.de loc.aff. 4ª.21.A
Nerui a cerebro ad nares.de inſtrum.odor. 1ª.110.E
Nerui qui præſtant ſenſum gingiuis,& cuti faciei.de ner.diſſ.1ª.53.F
Nerui dentium ſunt molles,& cur. 16°.de vſu par, 1ª.215.A/B
Nerui inſunt aliquibus radicibus dentium.11°.de vſu par. 1ª.186.D
Nerui quib.mouent buccæ,labia maxilla inferior.de ner.diſ. 1ª.54.G
Nerui qĩ ſupiorẽ maxillã ferebãt quo diuidũtur.9°.de v.p.1ª.173.H
cui Neruo inhereat muſculus maxillam mouens.de ner. diſſ. 1ª.53.G
de Neruis linguæ porci.de ana.parua. Sp.42.G
Nerui,venæ,et arteriæ ita ſunt in lingua,ut in alijs carnibus.3°.de alimentorum facultatibus. 2ª.26.G
Nerui tendentes ad linguam quo,et quales.8°.de vſu par. 1ª.166.H
Nerui linguæ a cerebro accipiuntur.com.6°.aph.32°. Ex.49.H
Neruorum inceſſus ad linguam.9°.de vſu par. 1ª.173.G
Neruorum duplex genus in lingua,et oculis.8°.de vſu par.1ª.166.H
Neruorum duo genera habent lingua,& oculi alterum pro ſenſu,alterum pro motu.1°.de ſymp.cau. 3ª.16.E
Nerui linguæ cur alijs craſſiores.de inſtru.odor. 1ª.110.E
Nerui ſunt maiores in lingua , & plures,quam exigit corpus linguæ. 3°.de alimentorum facultatibus. 2ª.26.G
Nerui tenues ad linguã in quibus ſint aĩalib.16°.de vſu par.1.216.b
Neruus linguæ cur mollior, quã vt actioĩ cõueniat.8°.de v.p.1ª.167.b
Neruus idem tangit,& guſtat in lingua,4°.de loc.aff. 4ª.22.G
Nerui à tertia coniugatione dant guſtũ,& tactum linguæ.4°.de locis affectis. 4ª.22.G
Nerui,qui in totam linguam.9°.de vſu par. 1ª.175.C
Neruorum coniugatio guſtatoria,quæ.de muſculo,diſſ.1ª.53.F/9°.de vſu partium. 1ª.173.F
Nerui molles dant guſtum.introd. Iſa.54.A
Nerui,qui mittuntur ad vocem,vnde.16°.de vſu par. 1ª.215.H
Neruus à cerebro pro voce edenda.16°.de vſu par. 1ª.216.H
Nerui recurrentes ad vocem præcipui.4°.de loc.aff. 4ª.26.C
Nerui,quos vocales Galenus vocauit,et recurrẽtes.q.1°.d l.af.4ª.6.b
Nerui,qui reuertuntur quo,& vnde reuertantur,& cur alter longiore via,alter vero breuiore.16°.de vſu par. 1ª.216.A
Nerui reuerſiui vnde.de vo,& anhel. Sp.61.B
Nerui vertentes,qui.de compag.memb. Sp.58.H
Neruorum reuerſiuorum quorũdam ratio.7°.de vſu par.1ª.162.C/D
Nerui,qui ad laryngem accedunt.16°.de vſu par. 1ª.216.B
Nerui ad profundam laryngem in quibus animalibus euidẽtiſſime appareant,16°.de vſu par. 1ª.216.E

per Neruos

per Neruos, & ligamenta eſt quædam ſocietas partibus gulæ ad ſpinalem medullam, & membranas, & oſſa vertebrarum, & his, quæ extrinſecus adiacent. com. 4°. aph. 5°. Ex. 31. F

Nerui in partibus, quæ ſub facie, quales. 16°. de vſu par. 1ª. 217. A

Neruos à cerebro quæ partes ſub facie habeant. 16°. de v. p. 1ª. 215. e

Nerui partium ſub facie a ſpina procedunt. 16°. de vſu p. 1ª. 215. E

de Neruorũ a ſpinali medulla orientiũ anatomia. de ana. vi. Sp. 53. H

Nerui, qui a ſpinali medulla procedunt. de ocul. 7ª. 183. G

Neruorũ coniugationes a ſpina prodeuntes. 13°. de vſu par. 1ª. 200. H

Neruos mouentes, qui ex ſpinali medulla procedunt partes ſub cerui ce rectæ a voluntate habent. 3°. de loc. aff. 4ª. 20. H

Neruorũ trigita paria ſpinali medulla, et q̃, et vbi. de an. vi. Sp. 53. H

Nerui ſexaginta è medulla dorſi. 7°. de decre. Hipp. 1ª. 272. G

in Neruos ſexaginta diuiditur cerebri poſterior pars. 2°. de comp. me dicamentorum ſecundum locos. 5ª. 132. E

præter Neruorum triginta paria orientium a ſpinali medulla oritur vnus neruus ſine pari. de ana. viuo. Sp. 53. H

Neruos comparat paruo fructici. 3°. de anato. admi. 1ª. 74. F

Nerui ſunt vti virgulta, & vnde oriantur. de ana. viuo. Sp. 43. G

in Neruorum coniugationibus differentia animalium habentium collũ longum, & breue. 13°. de vſu par. 1ª. 202 D

Nerui in ſpinali medulla sũt iuſtiſſime diſtributi. 16°. & vſu p. 1ª. 217. A

Neruorum coniugationes a vertebris quo ordine incedant. 8°. de anatomicis adminiſtrationibus. 1ª. 102. F

Nerui ex lateribus ſpinæ oriuntur. 13°. de vſu par. 1ª. 202. D

Nerui, q̃ ſunt in dextera parte, ſunt et in ſiniſtra. 9°. de dec. 1ª. 284. H

Nerui quatuor ex primis vertebris ſpinæ ad caput aſcendunt. 4°. de locis affectis. 4ª. 25. D

Nerui qui a ſpondylis deducuntur. 16°. de vſu par. 1ª. 217. C

Neruus cur in primo ſpondylo. 13°. de vſu par. 1ª. 200. D

Neruorum dorſi primi paris egreſſio vbi ſit. de ana. viuo. Sp. 53. H

Neruorum dorſi ſecundi paris egreſſio vbi. de ana. vi. Sp. 53. H

Neruorum dorſi tertij paris egreſſio vbi. de ana. vi. Sp. 54. A

Neruorum dorſi quarti paris egreſſio ubi. de ana. viuo. Sp. 54. A

Neruorum dorſi quinti paris egreſſio ubi. de ana. vi. Sp. 54. A

Neruorum dorſi ſexti paris egreſſio ubi. de ana. vi. Sp. 54. B

Neruorum dorſi ſeptimi paris egreſſio ubi. de ana. vi. Sp. 54. B

Neruorum dorſi octaui paris egreſſio. de anato. viuo. Sp. 54. B

in Neruis primis uertebrarum cognoſcendis quid obſcuritatem fecerit. de neruorum diſſectione. 1ª. 54. A

Neruorum prima coniugatio a ſpinali medulla in collo quo modo procedat. de ner. diſſ. 1ª. 54. D

Neruorum colli prima coniugatio in animalibus habẽtibus vertebras paruas parua eſt, vt in ſimijs. de ner. diſſ. 1ª. 54. E

Neruorum colli prima coniugatio in animalibus habentibus vertebras magnas magna eſt, vt ſunt animalia habentia dentes ſerratos, & cornigera. de neruorum diſſectione. 1ª. 54. E

Neruorũ colli ſecũda coniugatio vbi, & qũo exit. de ner. diſſ. 1ª. 54. E

Neruorũ colli tertia coniugatio ubi, & qũo exit. de ner. diſſ. 1ª. 54. F

Neruorũ coniugationũ q̃ in collo ſunt cõia quædã. de ner. diſſ. 1ª. 54. G

Neruorum coniugationum in collo peculiaria. de ner. diſſ. 1ª. 54. G

Nerui ad muſculos colli ab inferioribus partibus ſurſum ferũtur. 16°. de vſu partium. 1ª. 212. E

Nerui qui non ſeruant eundem ordinem, neque eundem numerum. 3°. 16°. de anatomicis adminiſtrationibus. 1ª. 74. G

Nerui in quibus flexiones diſcrepantes. 16°. de uſu par. 1ª. 226. C

Nerui extremarum partium a ſpinali medulla proficiſcuntur. 16°. de uſu partium. 1ª. 215. E

Nerui qui ad extremas ueniunt manus. 15°. de vſu par. 1ª. 200. H

Neruos unde habeant manus. in 6ᵐ. de mor. uul. com. 1°. 3ª. 130. C

Nerui duo de ſpinali medulla profecti manũ cutẽ adeũt, quatuor alij p profundiora in omnes totius membri muſculos diſſeminantur, ac propagines quaſdã tenues cuti tranſmittunt. 3°. de ana. ad. 1ª. 75. D

Nerui cur a cerebro non mittantur ad manus, & pedes, neque ad brachia, neque ad crura. 16°. de uſu par. 1ª. 75. D/E

Nerui manus ex medulla ceruicis oriunt. ĩ 3ᵐ. & mor. uul. c. 1°. 3ª. 127. D

a Neruis qbus muſculi manũ agitent. ĩ 3ᵐ. & mor. uul. c. 1°. 3ª. 127. D

Nerui ad ſummam manũ qũo ferãtur. 16°. de uſu par. 1ª. 217. H

Nerui uocati ab antiqs digitos mouẽtes sũt tẽdones. 1°. & uſu p. 1ª. 117. c

Nerui qui perueniunt ad digitos manus. 1°. de lo. aſſ. 4ª 7. C

Neruus ad paruos digitos unde. 16°. de uſu par. 1ª. 218. A

Neruus ad magnos digitos unde. 16°. de uſu par. 1ª. 218. A

Nerui cur per totam carnem manus ſint diſperſi. 1°. de uſu p. 1ª. 118. D

Nerui per cutem manus diſperſi dant ſenſum. 3°. de loc. aff. 4ª. 21. C

Nerui cur maiores ſint ĩ ptibus internis manus. 16°. de uſu p. 1ª. 218. A

Neruorum brachij ſectio. 3°. de ano. admi. 1ª. 74. F

Neruorum cubiti ſectio. 3°. de ana. adm. 1ª. 75. D

Neruũ primũ uidit Galenus abſumi ad cubiti flexũ. 3°. & an. ad. 1ª. 75. G

Neruus tenuis ad cubitum. 4°. de loc. aff. 4ª. 25. B

Neruus ualidus pro attollendo brachio, qui. 16°. de uſu par. 1ª. 217. G

Neruus p attollendo brachio unde oriatur. 16°. de uſu par. 1ª. 217. H

Neruus externus ulnæ unde. 16°. de uſu par. 1ª. 218. A

Nerui ſub alijs cur tenores uocentur. de artic. com. 1°. 7ª. 259. B

Nerui thoracem mouentes a medulla dorſi oriunt. de fœt. for. 1ª. 324 H

Nerui thoracem mouentes ubi. 3ª. de loc. aff. 4ª. 20. H

Nerui dantes motum thoraci unde. 8°. de decre. Hipp. 1ª. 278. B

Nerui quomodo ferantur per thoracem. 16°. de uſu par. 1ª. 217. F

Nerui, qui ad muſculos peruenient pectoris, a dorſi medulla oriuntur. de præcog. ad Poſth. 4ª. 216. D

Neruorum pectoris primi paris egreſſio ubi. de ana. uiuo. Sp. 54. B

Neruorum pectoris ſecundi paris egreſſio ubi. de anato. uiuo. Sp. 54. B

Neruorũ paria tria ueniũt ad diaphragma. de uoce. & anhe. Sp. 62. A

Nerui diaphragmatis unde producuntur. 13°. de uſu par. 1ª. 202. C/4°. de locis affectis. 4ª. 23. H

Neruorum diaphragmatis origo thorace elatior eſt. 8°. de anatomicis adminiſtrationibus. 1ª. 101. C

Neruus qui dat diaphragmati ſenſum, & motũ. de ana. vi. Sp. 53. F

Nerui vltimo loco ĩflani, nã prius ĩflat diaphragma, deinde venę, dein de duplex pellis ſpinalis medullæ, et ipſi cerebri. & vti. reſp. Sp. 63. E

de Neruis reſpirationis. de cauſ. reſp. 1ª. 227. B

Nerui ſimiles habenis in reſpiratione. de cauſ. reſp. 1ª. 227. B

quo Neruo aĩal vtit in paruis reſpiratione. de ana. ad. 1ª. 101. D

Neruos vnde habeat ſtomachus. in 3ᵐ. de mor. vul. com. 1°. 3ª. 130. C

de Neruis qui veniunt ad ventriculum qua via incedant, & quo modo. 9°. de vſu partium. 1ª. 175. B

Nerui, cã vẽtriculi ſunt tranſmiſſi deorſum. 9°. de vſu par. 1ª. 174. H

Nerui quanta ſecuritate deſcendũt ad vẽtriculũ. 9°. de vſu p. 1ª. 174. H

Neruus à cerebro ad os vẽtriculi neceſſario accedit. 16°. & v p. 1. 215. e

Nerui ventriculi quales. 4°. de præſag. ex pul. 4ª. 120. D

Neruorũ à capite orientium plurima portio in os ventriculi inſeritur. de neruorum diſſectione. 1ª. 54. C/4°. de loc. affe. 4ª. 32. G

Neruorũ portio a cerebro ad partes cæteras viſcerum, & inteſtinorũ mittitur exigua, magna vero ad os vẽtriculi. 16°. de v. p. 1ª. 216. E

Nerui a cerebro ad vẽtriculũ obliqua uia ĩcedũt. 6°. de v. p. 1ª. 149. G

Neruos habet magnos a cerebro os vẽtriculi. 1°. de ſym. cau. 3ª. 17. H

Neruorum a cerebro ad os ventriculi magnitudo. 3°. de loc. aff. 4ª. 18. C/com. 4°. aph. 17°. Ex. 29. A

Neruorum quædam coniugatio fit ex cerebro in ore ventriculi. commentario 6°. aph. 50°. Ex. 52. F

Neruus ĩ uẽtriculo qũo sẽtit defectũ cibi, et potus. 9°. & v. p. 1ª. 174. g

Neruorũ principiũ cõpatiẽ patiẽte ſtomacho. c. 7°. aph. 10°. Ex. 54. F

Nerui aliqui ſunt cões ſtomacho, & hepati. cõ. 7°. aph. 17°. Ex. 55. B

Neruorum portionem quandam a ſexta coniugatione ſuſcipiunt pulmo & cor. de neruorum diſſectione. 1ª. 54. D

Neruos ad cor, & hepar accedere cur fuit neceſſe. 16°. de v. p. 1ª. 215. e

per Neruos, pelliculas, & venas colligantiam habẽt ad cor omnes partes corporis. de vtil. reſp. Sp. 62. G

Nerui anexi arterijs ſoporarijs iungũt cor cerebro. 2°. & de. 1ª. 239. B

Nerui duo orti a cerebro diuiduntur in quatuor ramos, qui tendunt ſupra coſtas. de voce, & anhelitu. Sp. 61. H

ex Neruis qui tendunt ſupra coſtas vnus corũ intrat cor, & pulmonem, alius ſtomachum, tertius reuertitur ad radicem muſculorum epiglottidis. de voce, & anhelitu. Sp. 61. H

Neruus paruus deſcendẽs a cerebro in cor infigitur. de dec. 1ª. 233. H

Neruos multos non habere cor oſtenditur. 1°. de dec. Hipp. 1ª. 233. H

Nerui multi non ſunt in corde, ſed neruoſæ diſcriminationes. 1°. de decretis Hippocratis. 233. E/2°. 1ª. 240. E

Neruus nullus videtur in corde, tũ a pericardio aliquis paruus in ipſum deduci videtur in magnis animalibus. 6°. de vſu par. 1ª. 155. F

Nerui aliqui parui cur inſunt cordi, pulmoni, iecori, lieni, & renibus. 6°. de vſu partium. 1ª. 155. G

Nerui non faciunt ad motum cordis, quia cor mouetur, exemptum ab animali. 7°. de anato. admi. 1ª. 96. B

Nerui non ueniũt ad muſculos qui ſunt inter coſtas, niſi à ſpinali medulla. de

la.de voce & anhelitu. Sp.62.B
Nerui ad radices coſtarum quales.16°.de vſu par. 1ª.216.E
Neruorum coniugationes ex thoracis vertebris prodeuntium. de neruorum diſſectione. 1ª.54.H
*Neruorũ coniugationes ex lũborũ vertebris ꝓdeũtiũ.de ner.diſ.*1ª.55.B
Neruus inſertus vmbilico infantis.intro. Iſa.54.E
*Neruorum uſus eſt nullus hepati in fœtu.*15°.*de vſu par.* 1ª.212.F
*Neruus cur in iecore.4°.de vſu par.*138.F/ 1ª.139.D/E
Neruus ſyncerus cur hepati,& cordi.16°.de vſu par. 1ª.216.E
Neruus iecoris, renum,lienis,& veſicæ fellis quantus, & vbi.5°.de vſu partium. 1ª.145.C
*Neruus iecoris cur minimus.4°.de vſu par.*139.C/5°. 1ª.145.F
*Nerui cur pauci in hepate,liene,& renibus.14°.de vſu par.*1ª.209.d
Neruos paruos cur habeant inſtrumẽta nutritoria. 5°.de v. 1ª.145.E
Neruus hepatis, renum,& pulmonis in membrana diſpergitur. 2°.de locis affectis. 4ª.8.H
Neruum diſperſum per totum quia non habent hepar renes,et pulmo, non ſentiunt pulſationem.2°.de loc.aff. 4ª.9.B
Nerui duo tenues ſunt in pulmone a ſexta coniugatione deducti, & ſuperficiarij, vnde non ſentit.4°.de lo.aff. 4ª.25.G
Nerui non ſynceri partibus ſub iecore.16°.de vſu par. 1ª.216.E
Nerui vnde inſint veſicæ fellis.5°.dc vſu par. 1ª.145.A
*Nerui an in liene,renibus,et pulmone ſint,dubitatur.de mul.*3ª.77.G
*Neruos vnde accipiũt partes intra peritonæũ.16°.de vſu p.*1ª.216.F
Neruus vnus in omni reuolutione inteſtinorum. 5°.de vſu p. 1ª.145.F
Neruus qui in flexus inteſtinorum it. 16°.de vſu par. 1ª.219.A
Neruus ſm latitudinem eſt in duodeno.de ana.viuo. Sp.50.C
Nerui vnde inſint veſicæ vrinæ.5°.de vſu par. 1ª.145.A
Nerui cur magni in veſicis.5°.de uſu par. 1ª.144.H
Nerui vrinæ diuerſi ſunt a neruis ſpermatis.de ſper. Sp.36.B
Nerui orti a ſpina non poßunt magnam imbecillitatem veſicæ inferre. 6°.de loc.aff. 4ª.38.D/E
Nerui ſphincteri,priapi,veſicæ,matricis.de ana.vi. Sp.54.D
Nerui mediocres in pudendis.14°.de vſu par. 1ª.209.B
*Nerui duo conuenienter veniunt ad genitalia.14°.de vſu p.*1ª.209.C
Nerui parui in partibus genitalibus.14°.de uſu par. 1ª.209.D
Nerui magni circa pudendum.14°.de vſu par. 1ª.209.D
Neruus ex quo pudendum factum.15°.de vſu par. 1ª.210.D
Neruũ cauũ implente ſpũ pudendũ intẽditur.15°.de vſu p. 1ª.210.G
Neruus cauus vbi ſit in pudendo.15°.de vſu par. 1ª.210.H
Neruus fiſtuloſus in priapo.6°.de loc.aff. 4ª.42.A
Neruus fiſtuloſus in priapo extenditur.6°.de loc.aff. 4ª.42.D
Nerui fiſtuloſi motus non ſemper eſt.6°.de loc.aff. 4ª.42.D
*Neruus cauernoſus dr genitalis comes.in 6m.d mor.vul.c.*1°.3ª.153.b
Nerui vtilitas ad pudendum quæ.14°.de vſu par. 1ª.209.D
*Neruos duos habent teſticuli pendentes,et deſcẽdentes,a principali oſſe colli,& fundamẽto corporis per dorſum,& renes qui nerui alios habẽt neruos cõiunctos alijs oſſib9 totius corporis.de ſper.*Sp.36.F
Nerui cur pauciſſimi in teſtibus,& matricibus,& ſcroto.14°.de vſu partium. 1ª.209.D
*Nerui cur plures in uirga,& collo matricis.14°.de vſu p.*1ª.209.D
*Neruos,ſed puſillos habet vterus.in 6m.de mor.vul.c.*1°. 3ª.153.D
Nerui,qui primis muſculis dearticulationem coxendicis mouentibus inſeruntur.de ner.diſſ. 1ª.55.C
Nerui femoris qui.3°.de anat.admi. 1ª.78.B
Nerui tibiæ.3°.de anato.admi. 1ª.78.F
Neruorum pedum,& crurum forma differt a forma neruorum brachiorum,& manuum.de anat.vi. Sp.54.D
Nerui a dorſi medulla ad crus delati.de art.com.3°. 7ª.281.F
*Neruorũ rõ eadẽ eſt in cruribus,& manibus.16°.de vſu p.*1ª.218.A
Nerui in tarſum excurrentes ad pedis extremũ porriguntur.3°.de anatomicis adminiſtrationibus. 1ª.79.C
Neruos,& venas propriας habet ſperma,quæ trahunt a toto corpore ad teſticulos.de ſperm. Sp.36.B
*Neruus nõ continẽt in panc,q tũ poſtea in cibo ſumptus, & concoctus vertitur in ſanguinem,et cæteros humores.*1°.*de nat.fac.*1ª.291.B
*Neruo difficillimũ ẽ fieri carnẽ,ſed ſáguini facillimũ.*1°.*d ſe.*1ª.332.E
Neruus elixatus ad quam naturam veniat.3°.de ali.fac. 2ª.26.F
NERVORVM *ſanitas quid.5°.de decre.Hipp.* 1ª.255.B
Neruorum ægritudo quid.5°.de decre.Hipp. 1ª.255.B
Neruorum paſsiones quæ ſint.com.5°.aph.66°. Ex.45.C
Nerui laborarunt in motu.com.5°.aph.1°. Ex.37.C
*Neruus vel muſculus ẽ affectus pereũtc vna actiõe.4°.d l.af.*4ª.25.C
Neruus quando primo eſt affectus.4°.de loc.aff. 4ª.23.C
*Neruus qñ nõ eſt affectus,cerebrũ iñ eſt affectũ.4°.de lo.aff.*4ª.23.C
*ad Neruorum omnem affectionem per conſenſum.8°.de comp.me.ſe. lo.*193.B/C/10°.208.A/7°.*de comp.med.per gen.* 5ª.265.B
*ĩ Neruis muſculi eẽ diſpõnẽ ſignificat pulſus ſtupidus.2°.d l.af.*4ª.8.b
Neruos infirmos habent pueri.in 1m.de mor.vul.com.2°. 3ª.100.B
Neruorum debilitas eſt in his qui ſtertunt,vel dormientes, vel apoplectici.com.6°.aph.51°. Ex.52.H
ad Neruorum debilitatem.de med.exper. Sp.108.F
Neruorum incontinentia fit a calido.com.5°.aph.5°. Ex.37.G
*Neruos,& mẽtẽ ferit vinũ,& acetũ.de vic.ra.ĩ mor.ac.c.*1°.7ª.113.F
Neruorũ ſubſtantia diſſoluitur a calore.com.5°.aph.5°. Ex.37.G
Nerui calefiunt a vino.com.5°.apho 5°. Ex.37.G
*Neruos tẽtant oĩa vina ĩmodica.in 3m.de mor.vul.com.2°.*3ª.138.D
*Neruis,& cerebro obſunt pocula multa.ĩ 3m.d mor.vul.c.*3°.3ª.151.G
Neruorum principium lædit vinum.3°.de præſag.ex pul. 4ª.118.E
Nerui nonnũq lædunt à vino rutilo dulci.de bon.& vi.ſuc. 2ª.38.E
Neruos debiles non tangit vinum pauciferum.de venis. Sp.76.C
Nerui quandoque a vino ſanantur.com.5°.aph.5°. Ex.37.G
*Neruos lædit,et cerebrũ ꝺbilitat Ven9.ĩ 3m.d mor.vul.c.*3°.3ª.151.G
Nerui facile refrigerãtur,& conuelluntur.de ar.com.4°. 7ª.285.C
*Nerui frigidi a frigidis læduntur.de vict.ra.in mor.acu.c.*3°.7ª.130.b
Neruis contrarium frigidum.3°.de compo.medic.per genera. 5ª.229.E/*com.5°.aph.18°.*39.A/*aph.22°.* Ex.39.F
*Neruos offendit potio frigida poſt exercitationem.de ſal. diæ.*2ª.41.C
*Neruis noxium acetum.de puero epi.*181.C/*de fract.com.2°.*7ª.236.A/*de diſſ.con.* Sp.74.D
Neruos offendere acetũ ꝓbat.de vict.ra.in mor.ac.com.3°. 7ª.130.H
Neruis vbi aliquid timemus, venti cauendi ſunt.de ijs, quæ in med. fiunt commen.1°. 7ª.201.H
Neruorum refrigeratio fit à frigido.com.5°.aph.17°. Ex.38.H
Neruis inimicus eſt ignis.de art.com.1°. 7ª.259.B
Neruus ſeipſum grauare non poteſt.de mult. 3ª.77.H
cur Neruus palpitare non põt.de trem.palp.conuul.& rig. 3ª.52.B
Nerui qua cauſa concutiantur.3°.de loc.aff. 4ª.20.A
*Nerui ſua natura nõ dilatant,neq; cõſtringũtur.15°.d vſu p.*1ª.210.D
Neruorum contractiones,& extenſiones quo modo fiant,& quot modis.com.4°.aph.49°. Ex.33.C
Nerui trahũt vertebras ad initia,vel ad latus. c.4°.a.35°. Ex.31.F
*in Neruis continuitatis ſolutio conuulſio dicitur.de cauſ.mor.*3ª.9.H/ *4°.meth.med.* 7ª.23.B
Neruus poteſt diuidi,& pati ſolutionẽ vnitatis.de ſym.diff. 3ª.14.C
circa Neruos,& muſculos fit ſpaſmus,& ſaltus comp.pulſ. Sp.65.C
Neruorum diſtentionem,ſpaſmum vocant græci.de diff.mor. 3ª.3.E
Nerui vbi ſunt,ibi eſt conuulſio.in prognoſt.com.1°. 4ª.191.D
quorum Neruorum ſit conuulſio,& paralyſis.3°.de loc.aff. 4ª.17.C
in Neruorũ diſtentione quæ paſſio ſæpe accidat.de diff.morb. 3ª.3.E
Neruorum diſtentiones ſola intemperie aliqui ægritudines vocant.de diff.morb. 3ª.3.F
Nerui ex frigore duritiem quandam incidunt, & diſpoſitionem ſimilẽ conuulſioni.com.6°.apho.1°. Ex.53.C
*Nerui qũo ex repletiõe,et inanitione cõuellãtur.c.5°.aph.1°.*Ex.37.d
*Nerui tenduntur vt chordæ in cythara.2°.de lo.aff.*4ª.11.A/*com.5°. aphoriſmo 1°.* Ex.37.D
Neruos cernicis omnes extentos habet tetanus.de muſ.diſſ. 1ª.47.A
Neruorum ſiccitas facit conuulſiones,& diſtentiones difficillimas.cõmen.7°.aph.13°. Ex.54.H
circa Neruos quid faciat conuulſio.2°.de ſymp.cau. 3ª.20.A
*Neruorũ diſtentio quę ſymptomata faciat.de arte cur.ad Gl.*7ª.98.B
Neruus,aut muſculus qui partem aliquam mouet eſt affectus conuulſa illa parte.3°.de loc.aff. 4ª.21.C
*Nerui citius extenduntur caliditate,& ſiccitate.2°.de ſem.*1ª.339.B
Nerui exiccantur in febribus vehementibus,& faciunt malas conuulſiones.com.4°.aph.66°. Ex.34.E
Neruorum exortus inareſcit cerebro inareſcente.in 6m.de morb.vulgar.commen.3°. 3ª.170.B
ex Neruis humiditates ad ſe attrahẽs efficacia pharmaci poteſt facere conuulſionem.com.5°.aph.1°. Ex.37.D
Neruorum ſubſtantia poteſt ex elleboro vehementius exiccari. com. 5°.aphoriſmo 1°. Ex.37.D
Neruorum conuulſio moderatiſſima fieri poteſt ex elleboro per cõpa-

tiendi

tiendi ad os ventriculi societatem.com. 5°.apho. 1°. Ex.37.C
Neruorum passiones inferuntur ob colocynthim.de dynam. Sp.21.D
Neruis,ac musculis mouẽtibus thoracem iã paratis ad cõuulsionẽ fit respiratio, q̃ i medio siũ iterruptus subsilit.c.4°.aph.68°.Ex34.G
Nerui inflãmati frequẽter cõuulsionẽ incidũt.c.6°.aph.49°. Ex.52.E
Nerui inflammati facere spasmum,& alienationem mentis. 1°.de motu musculorum. 1ª.309.A
Neruus debet incidi i spasmo,& alienatione. 1°.de motu mus.1ª.309.a
Neruorum inflammatio ex ictu tardius venit ad consistentiam,& tardius sanatur.com.6°.aph.49°. Ex.52.E
in Neruorum distentione multum sanguinis mittendus non est. de arte curatiua ad Glauconem. 7ª.98.B
Neruorum distentione,aut conuulsione qui tenetur febre superuenente liberatur.com.4°.aph.57°. Ex.33.F
in Neruorũ distẽtione capiti p̃sidia sũt adhibenda.3°.de lo.af. 4ª.17.C
Neruis conuulsis,primis vertebris remedia sunt adhibenda. 3°.de locis affectis. 4ª.17.C
Nerui cui in capite,vel ceruice,vel scapulis contrahuntur, hunc sanat emplastrum diachrysu.de dyna. Sp.32.C
ad Neruorum contractiones. 6°,de compo. med. per genera.256.D/ 7°.265.C/ 5ª.270.A/C
ad Neruorũ omnem distentionem.7°.de comp.med.per ge. 5ª.272.C
ad Neruorũ omnẽ laborem.7°.de compo.med.per ge. 5ª.272.D
in Neruorum distentione quidam sibi linguæ partem anteriorem abscidit.de diff.mor. 3ª.4.G
NERVI non inflãmãtur,sed dolent in podagricis.c.6°.a.49°.Ex.52.c
in Neruis dolores distendentes. 2°.de lo.ass. 4ª.10.H
Nerui sunt magni vbi sentitur dolor vehemẽs. 5°.de vsu p.1ª.145.D
ex Neruorũ acuto sensu dolor capitis qũo curetur.6°.de sa.t 2ª.98.b
ex Neruorum doloribus animi defectus qũo curandus.1°.de arte curatiua ad Glauconem. 7ª.99.G
ad Neruos condolescentes.7°.de comp.med.per gen. 5ª.269.G
ad Neruorum dolorem omnem ex consensu.7°.de comp.med.per genera.265.C/269.H/ 5ª.270.B/C
ad Neruorum dolores.6°.de comp.med.per ge.258.G/7°. 5ª.273.C
ad Neruorum omnem dolorem.7°.de comp.med.sec.loc. 5ª.185.C
ad Neruos dolentes citra causam.6°.de comp.med.per gen. 5ª.260.C
NERVORVM resolutio quæ proprie sit 3°.de loc.ass. 4ª.21.C
Neruorum resolutio,vna est ex voluntariæ functionis læsionibus.2°. de symptomatum causis. 3ª.19.G
Neruorum resolutio ex immodico vini potu.3°.de temp. 1ª.22.G
Neruorum resolutione capiuntur senes.2°.de temp. 1ª.16.D
Neruorũ resolutio rõne,non sensu cognoscitur.3°.de loc.affe.4ª.20.G
ad Neruorum resolutione prius tentatos.7°.de compositio.medic.per genera. 5ª.270.E
ad Neruorum resolutionem.7°.de comp.med.per gen. 5ª.273.B
in NERVIS fiũt ganglia à frigido.in 6ᵐ.de mor.vul.c.3°. 3ª.172.G
Neruorũ passionibus frigidis cõferẽs medicamẽ.d me.exper.Sp.104.E
Neruorum motus cessat,cum corpus frigore, aut veneno frigefactum est.8°.de decre.Hippo. 1ª.277.E
Neruorum principium patitur in stupore,vel principaliter,vel secũdum compassionem.com.5°.aph.5°. Ex.37.G
Nerui replentur ex frigidis,& glutinosis humoribus.commen.2°.aphorismo 26°. Ex.16.B
ad Neruos à renis materie tẽdẽtes tumores faciũt.c.2°.a.26°.Ex.48.f
ex Neruis ad arterias,& venas noxij humores ducũtur,& è contra. com.6°.apho.26°. Ex.48.G
in Neruis quæ sunt vt euacuentur,quomodo exhibendum Castoreum. 11°.de simp.med.fac. 5ª.80.C
Neruorum longinqua vitia,quæ nimis doloribus contrahuntur, castoreum elinat.de simp.med. Sp.81.H
Nerui quibus affecti sunt,ijs præbetur Centaurij minoris succus.7°.de simp.med.fac. 5ª.50.H
Neruorũ,eorumq̃ passionũ purgatiua est colocynthis.de dy. Sp.21.D
circa Nervos consistentibus affectibus conuenire creditur Peucedanũ.8°.de simp.med.fac. 5ª.58.D
Nerui quibus affecti sunt,ijs exhibetur decoctum radicis Poterij.8°. de simp.med.fac. 5ª.57.A
Neruis ligatis aut sectis quid sequatur.de fœt.for. 1ª.324.D
Neruus,quo ligato animal statim mutum efficitur. de ner. diss.54.B/ 8°.de anato.admi. 1ª.101.B
Neruo quibus affectibus læso impediatur motus,& sensus. 1°.de motu musculorum. 1ª.309.A
ex Neruorũ læsione musculi priuãtur motu.8°.de ana.adm.1ª.101.E
ex NERVI percussione fit animi defectus. 1°.de arte cu.ad Gl.7ª.98.G
Neruis affectis p sympathiã patit̃ prĩcipiũ.3°.de c.me.p ge.5ª.251.E
cum Neruis cerebrum patitur.de fract.com.2°. 7ª.235.C
ad Neruos percussos.5°.de comp.med.per gen. 5ª.247.E
NERVIS denudatis quæ cauenda.3°.de comp.med.per ge. 5ª.232.C
Neruus nudatus qũo regi debeat.3°.de com.med.per gen. 5ª.232.C
Neruo nudato intẽtio est exiccare sine mordicatione.6°.m.m.7ª.38.B
in Neruis detectis vtaris parum adstringentibus cum digerendi virtute,sine morsu.3°.de comp.med.per gene. 5ª.234.F
in Neruis idem valet cum Iside Aegyptia medicamentum ex radice dracunculi.3°.de comp.med.per gen. 5ª.229.D
in Neruo detecto calx elota.6°.meth.med. 7ª.38.B
pro Neruo nudato calx lota,& pompholyx elota.6°.me.me.7ª.38.C
Neruo denudato q̃d medicamẽtũ cõueniat.3°.de cõ.me.pg. 5ª.232.G
in Neruis nudis metalla conueniunt.3°.de com.me.per ge. 5ª.235.A
pro Neruo detecto medicamentum ex pompholyge in rosaceo.6°.methodi medendi. 7ª.38.B
pro Neruis detectis emplastrum.3°.de com.med.per gen. 5ª.229.D
pro Neruis detectis mellis emplastrum.6°.meth.med. 7ª.38.C
ad Neruos detectos euphorbium.3°.de comp.med.per ge. 5ª.229.D
Neruo nudo oleum non debet poni.6°.meth.med. 7ª.38.D
in Neruo apparente vtitur sapa.3°.de compo.med.per ge. 5ª.229.D
in Neruo apparente quo vtitur pastillo.3°.de cõ.med.p ge.5ª.229.D
pro Neruis detectis terebinthina elota.6°.meth.med. 7ª.38.C
ad Neruos simul denudatos.6°.de comp.med.per gen. 5ª.258.D
NERVVS incisus nullam habet propriam appellationem.6°.methodi medendi. 7ª.36.G
Neruo,qui in musculum venit vulnerato,musculus motu,& sensu priuatur cum ipso vero,& q̃ mouetur articulus.de const.ar.Isa.36.H
Neruus si fuerit ĩcisus sensu,ac motu statim priuatur particula. de neruorum dissectione. 1ª.53.B
Nerui omnes qui valentes sensum adiuuant, ijdem vitiati offendunt sensum.1°.de symp.cau. 3ª.16.E
Neruos duros tantũmodo habentia membra qũo vel solo motu, vel solo sensu priuari queant.1°.de sym.cau. 3ª.16.E
Neruis quæ mouentur particulæ duplici noxa lædi possit si nerui patiantur.1°.de sym.cau. 3ª.16.E
Neruo abscisso non mouebitur musculus.de voce,& anhel. Sp.60.F
Neruo perueniente ad musculum intus abscisso musculus videtur extensus,& ita semper permanere.1°.de motu mus. 1ª.311.G
Neruo inciso vis amplius nõ transmittit̃ à cerebro.de ocul. 7ª.184.H
si Neruum præcidas, tota ea pars, quæ à continuitate cerebri per sectionem fuerit separata illico stupida efficitur.7°.de dec. 1ª.270.E
Neruis præclusis quid sequatur.6°.de decr.Hip. 1ª.261.G
Neruo obstructo animalis virtus impedietur,si quidem meatum aliquẽ tanq̃ certã viã à cerebro p neruũ habeat.1°.de sym.cau.3ª.16.C
Neruis præcisis superiorum partiũ functiones seruantur inferiorũ vero deperduntur.de const.ar. Isa.37.A
Neruus crassior,& durior impedit transitum virtutis à cerebro.1°.de symptomatum causis. 3ª.16.C
Neruus quibus de causis crassescat.1°.de symp.cau. 3ª.16.C
ad Neruorum crassitiem.7°.de comp.med.per gene. 5ª.267.C
ad Neruos crassos.7°.de comp.med.per gen.268.F/ 5ª.273.G
Neruus quibus de causis durescat.1°.de symp.caus. 3ª.16.C
Neruorum durities bdelium emollit.de simp.med. Sp.81.C
Neruorum duritiem lilium emollit.de simp.med. Sp.86.D
Neruorũ vitijs diuturnis,& induratis oleũ pdest.d sim.me.Sp.88.D
Nerui visui imbecillitas duplex.de ocul. 7ª.186.B
Nerui oculorum quomodo cognoscuntur mollificati.de ocul.7ª.187.G
Neruis colli præcisis quid sequatur.2°.de decr.Hipp. 1ª.239.B
quibus Neruis excisis vox penitus amittatur.1°.de loc.affe. 4ª.6.H/ de præcogn.ad posth. 4ª.216.D
Neruis exiguis in dorso interceptis laqueo vox perit.8°.de anatomicis administrationibus. 1ª.100.G
Neruis inter costas prope spondylos læsis vox, & anhelitus destruetur de voce,& anhel. Sp.60.E
Neruus qui laqueo captus mutũ animal reddit.de ner.dissect.1ª.54.B
Neruos recurrentes puero quidam læsit strumas euellens, & mutum reddidit puerum.1°.de loc.affect. 4ª.7.A
Nerui recurrentes ob imperitiã q̃q; diuelluntur.4°.de lo.aff.4ª.26.C

Nerui recurrentes quando inciduntur. 4°. *de locis affectis.* 4ª.26.C
Nerui recurrentes infrigidati non lædunt. 4°. *de loc. effect.* 4ª.26.C
p Neruorũ ſeptimã cõiugationẽ motus linguæ vitiat. de l. aff. 4ª.23.B
per Neruorũ tertiam conigationem ſenſus linguæ poteſt viuiari. 4°. *de locis affectis.* 4ª.23.B
Neruis thoracis præciſis cor reſpiratione priuat. de fęt for. 1ª.324.H
Neruis cerebri, & cordis læſis animal fit mutũ. 2°. *de decr.* 1ª.239.B
Neruum aliquem ex his, qui à medulla ſpinali naſcuntur, quando periculum eſt abrumpi. com. 7°. *aph.* 58°. *Ex.* 59.C
Nerui medulla præciſa quid ſequatur. 7°. *de decre. Hippo.* 1ª.272.G
Neruorum, & ſpinæ læſionis differentiæ. 1°. *de loc. aff.* 4ª.7.E
Neruus affectus circa regionẽ ſequẽtẽ ſpinã. 1°. *de loc. affect.* 4ª.7.G
Neruis aliquibus pereuntibus, quæ manus operationes pereunt. 3°. *de anatomicis adminiſtrationibus.* 1ª.77.G
Nerui primi à ſeptima vertebra inflammati auferunt ſenſum digitis. 1°. *de locis affectis.* 4ª.7.B/C
Nerui qũo reddãtur luxatis, aut fractis oſſibus. 1°. *de ſy. cau.* 3ª.16.C
Neruorũ curuaturis aptiſſimus eſt leonis adeps. 11°. *de ſi. m. f.* 5ª.79.B
Neruus abſciſsus non coaleſcit. com. 7°. *apho.* 28°. *Ex.* 55.H
Nerui, et neruoſæ ptes coaleſcũt, neq; augentˇ. c. 6°. *a.* 19°. *Ex.* 48.B
Neruus nunquam, vel raro viſus eſt renaſci in magnis vulneribus. 1°. *de ſemine.* 1ª.332.H
Neruus vulneratus cur nõ creſcit. de cõſt. ar. 37.E/1°. *de ſe.* 1ª.332.D
in Neruis vlcera ſunt dolorоſa ſpaſmoſa, & deliria facientia. 4°. *methodi medendi.* 7ª.28.B
Nerui ſaucij. 3°. *de com. med. per genera.* 5ª.229.B
NERVI *vulnerati curatio.* 6°. *meth. med.* 7ª.37.H
Nerui vulnerati qũo ab antiquis curarẽtur. 3°. *de cõ. me. p ge.* 5ª.231.C
Neruorum medicamenta à nullo ante Galenum inuenta. 6°. *de compoſi. medica. per genera.* 5ª.257.D
Neruorum ſauciatorum curationis inuentor Galenus. 7°. *de compoſi. medic. ſec. loc.* 5ª.167.H/6°. *meth. med.* 7ª.37.C
Neruorum curationem excogitauit Galenus vigeſimo octauo anno ætatis ſuæ. 3°. *de com. med. per gene.* 5ª.231.B
Neruorum curationis modum Galenus primus auſus eſt immutare. 3°. *de comp. medic. per gen.* 5ª.229.A
ad Neruorũ vulnera Galenus inuenit medicamenta. 6°. *m. m.* 7ª.37.E
Neruorum curationem Galenus inuenit Deorum prouidentia. 3°. *de cõpoſi. med. per genera.* 5ª.234.F
à Neruorum Galeni curatione omnes ſeruabantur. 3°. *de compoſitione medicamen. per genera.* 228.B/ 5ª.231.C
Neruos vulneratos qui ſemper ſanabit. 3°. *de cõ. me. per ge.* 5ª.232.A
Neruorum vulneratorũ curatio ſecundum Galenum. 3°. *de compoſit. medic. per genera.* 228.B/ 5ª.229.E
Neruorum vulnera qui curat, partium corporis naturas ſciat. 3°. *de compoſi. medic. per genera.* 5ª.231.B
Nerui vulnerati debent ſæpe curari. 3°. *de cõ. me. per ge.* 5ª.232.D
Neruorũ vulnerib. quę ſimplicia valẽt. 3°. *de co. me. p ge.* 5ª.230.H
in Neruis vulnera cur non ſunt frigidis contingenda. 6°. *m. m.* 7ª.38.C
in Neruorum vulneribus aquam reiecit. 3°. *de compoſi. medicamentorum per genera.* 229.F/ 5ª.231.C
Neruo vulnerato aqua inimica eſt. 6°. *meth. med.* 7ª.38.E
Neruis vulneratis aqua calida inimiciſſima. 6°. *meth med.* 7ª.37.D
Neruis non omnino vtile eſt tepens. 3°. *de com. me. per ge.* 5ª.229.E
Neruorũ vulneribus q̃ cõueniũt in gñe. 3°. *de cõ. me. p ge.* 5ª.230.G
in Neruorum vulneribus calida ſemper applicanda. 3°. *de compoſi. medicamen. per genera.* 5ª.229.H
in Neruorum vulneribus calx lota. 6°. *meth. med.* 7ª.37.E
ad Neruorum vulnerationes congruit coccus. 7°. *de ſim. m. fa.* 5ª.51.H
pro Neruis vulneratis emplaſtrum Galeni ex euphorbio, cera reſina fricta, & pice. 6°. *meth. med.* 7ª.37.F/G
in Neruorum vulnere euphorbium. 3°. *de com. me. per ge.* 5ª.230.A
in Neruorum vulneribus quibus farinis vſus eſt Galenus. 3°. *de com. medicamen. per genera.* 5ª.229.H
in Neruo vulnerato farina hordeacea leuat a putrefactione. 6°. *meth. medendi.* 7ª.37.F
in Neruo vulnerato leuat a putrefactione farina erui cũ lixiuio. 6°. *methodi medendi.* 7ª.37.F
ad Neruos vulneratos valent herbæ tenuium partium. 3°. *de compoſitio. medica. per genera.* 5ª.234.B
Neruos vulneratos nihil iuuant, quæ ſunt craſſarum partium. 3°. *de compoſi. medicam. per genera.* 5ª.234.C
ad Neruos vulneratos valent amaræ herbæ ſine adſtrictione, vel acres. 3°. *de compoſi. med. per gen.* 5ª.234.B
ad Neruos vulneratos herbæ. 3°. *de comp. med. per gen.* 5ª. 234.B
in Neruorum vulneribus danda opera eſt, vt lana permaneat calida. 3°. *de compoſi. med. per genera.* 5ª.229.F
ad Neruorum diuiſiones competit radix liliorum cũ melle. 7°. *de ſimplic. medic. faculta.* 5ª.53.B
Neruis diuiſis conueniunt lumbrici. 11°. *de ſimp. med. fac.* 5ª.82.E
ad Neruos vulneribus quod medicamentum præſtantius. 3°. *de compoſi. medic. per genera.* 5ª.232.C
Neruorum medicamentum ſiccum temperatum in actiuis qualitatibus. 3°. *de compoſi. med. per genera.* 5ª.228.C
in Neruo vulnerato medicamentum ad putredinem extemplo factũ. 6°. *methodi medendi.* 7ª.37.F
Nerui vulnerati quærũt ſubtilia medicamẽta. 3°. *de c. m. p g.* 5ª.234.C
ad Neruos vulneratos medicamentum odoratum, & ſumptuoſum. 3°. *de compo. medic. per genera.* 5ª.234.D
ad Neruos vulneratos medicamenta ex metallis. 3°. *de comp. medicamentorum per genera.* 5ª.232.B
in Neruorum vulneribus metalla adſtringentia vitanda. 3°. *de comp. medica. per genera.* 5ª.232.B
ad Neruos metallicum validiſſimum. 3°. *de com. me. per ge.* 5ª.232.E
Neruorum vulnus a principio, niſi adeſt ſanguis, oleo eluendum. 3°. *de comp. med. per genera.* 5ª.229.F
ad Neruorũ vulnera oleũ, ex nucibus valet. 7°. *de ſim. me. fa.* 5ª.50.B
Neruis affectis oxymeli nõ conuenit. de vic. ra. ĩ mor. ac. c. 1°. 7ª.113.C
pro Neruis oleũ nõ ſit adſtringẽs. 3°. *de cõ. med. per gen.* 5ª.229.G
in Neruorum vulneribus quando oleum debet eſſe vetus. 3°. *de compo. medicamentorum per genera.* 5ª.229.H
pro Neruorũ vulnere oxæleum. 3°. *de comp. med. per gen.* 5ª.229.H
in Neruorum vulnere pix liquida cum fermento. 3°. *de compoſi. medicamen. per genera.* 5ª.229.H
Neruos inciſos glutinare creditur Poteriũ. 8°. *de ſim. me. fa.* 5ª.57.A
ſupra Neruorũ vulnus ppolis, & fermentũ. 3°. *de c. m. p g.* 5ª.229.G
ad Neruos vulneratos radices. 3°. *de comp. me. per gen.* 5ª.234.B
in Neruorum vulneribus ſapa valet. 3°. *de com. me. per ge.* 5ª.232.C
Neruorum vlcera ſapa detergenda. 6°. *meth. med.* 7ª.38.D
ad Neruos, & muſculos abluendos. 2°. *de com. med. per ge.* 5ª.223.B
in Neruorum vulneribus ſtacte. 3°. *de comp. med. per gen.* 5ª.229.H
ad Neruorum vulnera valet ſulphur. 3°. *de com. me. per ge.* 5ª.230.F/ 6°. *methodi medendi.* 7ª.38.E
pro Neruorum vulnere tithimali ſuccus. 3°. *de c. me. per ge.* 5ª.229.H
ad Neruorum vlcera vinum dulce. 6°. *meth. med.* 7ª.38.E
Neruis vinum non adhibendum, quare nec acetum vinoſum. 3°. *de cõpoſi. med. per genera.* 5ª.229.G
in Neruis quo modo vtatur aceto. 3°. *de com. med. per ge.* 5ª.229.E
in Nerui vulnere trãſuerſo maior timor cõuulſionis. 6°. *me. m.* 7ª.38.F
Nerui vulneris per tranſuerſum curatio. 6°. *meth. med.* 7ª.38.F
Nerui contuſi quomodo curentur. 6°. *meth. med.* 7ª.38.G
cum Nerui vulneratione, & contuſione vulnus glutinat caro ſola limacium in ipſa impoſita. 11°. *de ſimp. med. fac.* 5ª.78.G
Neruorum contuſionibus, & vulneribus farina fabacea imponitur. 7°. *de ſimp. med. fac.* 5ª.53.D
in Neruorum contuſionibus dolentem partem non putreſcentem oleo calente perfunde. 3°. *de comp. med. per genera.* 5ª.229.A
in Neruorũ contuſionibus putreſcens pars cataplaſmate ex lixiuia ſtillatitia, et farina hordei fouetur. 3°. *de cõ. me. per ge.* 5ª.229.A
ad Neruorũ cõtuſiones proprie facit emplaſtrũ barbarũ. d dy. Sp. 35.F
Neruorũ vulnerib⁹ anguſtis quæ aptiora. 3°. *d c. me. p ge.* 5ª.232.C/D
ad Neruos vulneratos. 1°. *de compo. med. per gene.* 214.F/3°. 230.F/5°. 248.D/6°. 5ª.255.B
ad Neruos preciſos. 2°. *de compoſi. med. per ge.* 225. E/3°. 235.B/C/ 4°. 243.F/5°. 246.H/ 248.H/249.B/250.D/ 5ª.258.F
Neruus nigrefactus excidet. de fract. com. 3°. 7ª.244.A
Neruus nigrefactus non eſt acribus curãdus. de fract. c. 3°. 7ª.244.A
ad Neruos perditos. 5°. *de comp. med. per gen.* 5ª.250.G
ad Neruorum deſperatos affectus. 7°. *de comp. me. per gen.* 5ª.272.C
in Neruo vulnerati caſus. de ꝓco. ad poſt. 4ª.216.A/6°. *m. m.* 7ª.37.H
a Nerui vulnere cuiuſdã, qui nimis cito domũ exiuit, caſus. 3°. *de cõpoſi. med. per genera.* 5ª.229.F
NERVI *punctura facit conuulſionem. ars med. Iſa.* 70.A/3°. *methodi medendi.* 7ª.21.H

Neruorum

Neruorum punctorum curatio.6°.meth.med. 7ª.37.D
in Nerui punctura locus aperiendus est.ars med. Isa.70.A
Neruus angustiæ punctus quo curandus.3°.de com.med.p ge. 5ª.231.g
Neruorũ punctus quæ requirãt.6°.de cõ.med.p gen. 5ª.258.D/E
in Nerui punctura initio sine phlegmone quæ cõueniunt.3°.de compo sitio.med.per genera. 5ª.235.A
in Neruis punctis incisio fieri debet,& quomodo.3°.de composi.med. per genera. 5ª.231.H
in Neruorum puncturis acrioribus medicamentis vtaris, quæ seruẽt apertum vulnus.3°.de compo.med.per gene. 5ª.234.F
in Neruorum puncturis quæ digerentia conueniunt.3°.de compositio. medica.per genera. 5ª.235.A
in Neruis pũctis quæ mitigatoria cõueniãt.3°.de cõ.me.pg. 5ª.235.A
Neruo puncto metalla non conueniunt,nisi præparata.3°.de composi tio.medicam.per genera. 5ª.234.H
Neruus punctus ex euphorbio sanatur.3°.de cõ.me.per ge. 5ª.233.B
ad Neruorum puncturas.2°.de compo.medic. per genera. 223.B/3°. 235.E/4°. 5ª.244.C
in Nerui punctura casus.6°.meth.med. 7ª.37.B
ad Neruos itercostales scalpelli myrtei forma.8°.de ana.ad. 1°.101.A
ad Neruorũ affectiões.3°.de cõ.me.se.lo.143.G/7°.272.G/ 5ª.274.E
ad Neruorum omnem dispõnẽ.7°.de comp.med.per ge. 5ª.271.D/E
NERVORVM *sutoria ars dicitur,quæ calciamenta fracta restituit.ad Thrasyb.* 2ª.102.C
NESTOR dominabatur iracundiæ.3°.de decre.Hipp. 1ª.242.G
NEVRAS, id est Poterium.8°.de simp.med.fac. 5ª.56.H
Νεῦρον quid.1°.de mot.mus. 1ª.308.H
ad NEVROTATA, *id est neruorum vulnera,oleum ex nucibus valet. 7°.de simp.med.fac.* 5ª.50.B
Neurotroti id est nerui saucij. 3°.de com. med.per gen. 5ª.229.B
NEVTRALITATEM *præsentem signa ostendentia. ars medicinalis.* Isa.67.D
NEVTRVM *dari ex argumento aliquorum. de opt.sect.* Isa.26.D
Neutrum quid sit.introductio. Isa.51.H
Neutri definitionem,qua Galenus vtitur in principio artis medicæ,ac ceptam esse ab Herophylo collige.1°.de simp.med.fac. 5ª.6.D
Neutrũ in corporibus affectis est fm Herophilũ.6°.de sa.tu. 2ª.95.F
Neutra dicuntur de corpore,de causa,& de signo ars med. Isa.62.A
Neutri diuisio.ars med. Isa.62.B
Neutra quo modo distinguantur.ars med. Isa.62.H
Neutrum primi significati quid.ars med. Isa.62.D
Neutrum simpliciter quid.1°.de simp.med.fac. 5ª.6.B
Neutrum simpliciter primi significati quid ars med. Isa.62.D
Neutrum vt nunc primi significati quid.ars med. Isa.62.D/E
Neutrum simpliciter semper primi significati quid.ars med. Isa.62.D
Neutrum simpliciter multum primi significati quid.ars med. Isa.62.E
Neutrum secundi significati quid.ars med. Isa.62.E
Neutrum semper secundi significati quid.ars med. Isa.62.E
Neutrum simpliciter secundi significati quid.ars med. Isa.62.E
Neutrum vt multum secundi significati quid.ars med. Isa.62.E
Neutra sunt Corpora quæ debẽt cadere in ægritudinẽ.ars me. Isa.67.D
Neutrum vt nunc corpus quid.ars med. Isa.62.E
Neutri sunt à cane rabido morsi,& venenati.de par.art.me. Sp.17.E
Neutrum tertij significati quid.ars med. Isa.62.E
Neutra signa quæ.ars med.62.E/ Isa.68.A
Νεῦον quid significat.1°.de mot.mus. 1ª.308.H
NEVOS *in facie detergit Polygonatũ.8°.de simp.me.fac.* 5ª.58.H
Neuos extergit vitis agrestis.6°.de simp.med.fac. 5ª.42.F
NEXVS qui in deligatis neruis cito soluitur.8°.de ana.ad. 1ª.100.F
Nexus cæcus ægre soluitur.8°.de anato.admi. 1ª.100.G

NICERATI *eclegma.7°.de compositione medicamen.secun.loc.* 5ª.185.E
Nicerati errhinum.9°.de comp med.sec.loc. 5ª.198.A
Nicerati pharmacum ciens vrinam.9°.de compo.me.se.lo. 5ª.197.H
Nicerati pharmacum.7°.de comp.med.sec.loc.186.F/8°. 5ª.192.H
NICODEMVS *Romæ medicus.9°.de comp.med.sec.loc.* 5ª.205.C
Nicodemi abderitani casus.in 3ᵐ.de morb.vul.com.3°. 3ª.150.E
NICOLAI *medicamentum.5°.de comp.med.per gen.* 5ª.251.G
NICOMACHVS *tantum creuit,vt non posset corpus mouere.de differẽtijs morborum.* 3ª.5.B
Nicomachi viride.5°.de compo.med.per genera. 5ª.249.E
NICOMEDES *rex qua antidoto vtebatur.2°.de antid.* 5ª.114.G
NICOSTRATI *ad aquarum formidinem.2°.de antid.* 5ª.120.G
vt Nicostratus colica.9°.de simp.med.fac. 5ª.202.B
Nicostrati dolorẽ sedans.7°.de comp.med.per genera. 5ª.267.A
vt Nicostratus stomachica.8°.de composi.med.sec.loc. 5ª.189.B
Nicum,& Helenium idem est.de theria.ad Piso. 5ª.93.H
NIDOREM quo modo amittit absinthium.8°.meth.me. 7ª.53.B
NIDOROSI *ructus quibus accidant.2°.de alim.fac.* 2ª.17.C
in Nidorosam qualitatẽ ciborum conuersio calidiorum ventriculorũ inditium.in 6ᵐ.de morb.vul.com.4°. 3ª.186.D
NIDVS *hirundinũ syluestriũ qualis.6°.de cõ.med.se.lo.* 5ª.174.H
NIGELLA in tertio ordine est calida,& sicca.7°.de simplicium medicamen.facu. 5ª.55.C
Nigella catharros sanat flatus extinguit,lumbricos interimit, lepras, clauos,myrmecias eijcit,orthopnœam iuuat, et menses prouocat. 7°.de simp.medic.facul. 5ª.55.D
*Nigella ad abolendum colorẽ in facie ictterici.de cura ictteri.Sp.*111.F
Nigella medicamentum ad odoratum.de instr.odor. 1ª.111.B
Nigelle paulum ad cerebri ventriculos pucnit.de inst.odor. 1ª.111.B
NIGER *scriptor simplicium medicamentorum.1°.de antid.* 5ª.100.B
per NIGRVM *an pura qualitas, vel etiam corpus subiectum intelligatur.1°.de elimentis.* 1ª.6.A
Nigrum crassarum est partium.1°.de symp.caus. 3ª.17.A
ad Nigrũ rẽ vergere qd signẽt.de vict.ra.in mor.ac.c.2°. 7ª.124.A
*Nigris,& albis alcolis confert succus centaureæ.de vir.cen.Sp.*93.D
Nigra cur sit atra bilis.de mel.ex Gal.Ruf.& Poss. Sp.109.F
Nigra Bilis,& melãcholicus humor quo differãt.14°.me.me.7ª.89.E
Nigra bilis duplex est.14°.meth.med. 7ª.89.E
*Nigros capillos habet conceptus in horis melãcholiæ.de sper.Sp.*37.C
Nigros facere capillos in quas ægritudines inducat.1°.de comp. medi camen.sec.locos. 5ª.125.G
Nigri cur sint Carbones.de mel.ex Gal.Ruff.& Poss. Sp.109.F
Nigra est Caro splenis.de anato.viuo. Sp.55.H
Nigra est caro in splene,& in vua.de ana.viuo. Sp.44.D
Nigra cicera mundificant renes,& frangunt lapidem generatũ in eis. de dissolutione continua. Sp.74.F
Niger color pathema & passio visus.de caus.mor. 3ª.10.D
Niger color cur non est iucundus visui.1°.de sym.caus. 3ª.17.A
Nigerrimũ minus obest visui,q̃ splendidissimũ.1°.de sym.cau. 3ª.17.A
Nigra lumen coadunat.de ocul. 7ª.183.C
Niger color confert lippientibus.de subf.emp. Isa.32.B
Niger,et liuidus color cõtrarius ẽ flauo,et pallido.13°.m.m.7ª.87.E
Nigri veluti principium est viride.de vrin. 4ª.130.E
Nigrum,& liuidum colorem facit frigus.de melan.ex Galeno,Ru.& Possidonio. Sp.109.F
Niger color atram bilem purgandam indicat.14°.meth.me. 7ª.93.D
Niger color cur in acutis.in prognost.com.1°. 4ª.191.D
Niger color quo modo fiat toti corpori ex liene.de attrab. 1ª.36.A
Nigrum fit corpus liene peccante.6°.de loc.affect. 4ª.36.A
Nigræ deiectiones quales,& quo modo discernantur ab atra bile, & quo modo generantur.com.4°.apho.21°. Ex.29.E
Nigra deiectio mortẽ significat.de vic.ra.in mor.ac.cõ.4°. 7ª.142.D
Nigræ deiectiones.in 1ᵐ.de mor.vul.com.3°. 3ª.126.H
Nigra in principio mala,in vigore autem morbi expurgamẽtũ sunt. cõ men.4°.apho.21°. Ex.29.E
Nigra si euacuẽtur p hæmorrhoidas,malũ.c.4°.aph.25°. Ex.30.B
Niger Elleborus educit atram bilem.de cathar. Sp.94.G
Niger elleborus purgat splenem.de cathar. Sp.95.C
Niger elleborus purgat matricem.de cathar. Sp.95.C
Niger elleborus purgat per secessum.de cathar. Sp.94.F
Nigriores mulieribus sunt plerũq; hoĩes.i 6ᵐ.& m.vul.c.2°.3ª.169.b
Nigri sunt temperamento sicci.de sal.diæ. 2ª.40.E
Nigri debent fere semper vti victu humidiori.de sal.diæ. 2ª.40.E
Nigri homines macri hirsuti, & latas venas habentes aptissimi sũt, vt melancholici humores in ipsis cumulentur.3°.de lo.affe.4ª.18.E
Nigri in sole æstiuo cur fiant homines.in prognost.com.2°. 4ª.200.H
Nigræ mulieres.in 6ᵐ.de mor.vul.com.1°. 3ª.156.C
Nigri quando moriebantur.in 1ᵐ.de mor.vulg.com.2°. 3ª.115.B
Nigræ quo modo fiant partes nostri corporis.de vri. 4ª.130.D
Niger humor quo modo fiat.in progn.com.2°. 4ª.202.E
Nigris in Icteritijs bibitur chelidoniæ succus.de simp.med. Sp.82.B
ad Nigram icteritiam.secretorum. Sp.99.D
ad Nigras Maculas remedium.de dyna. Sp.25.F

Nigra quæ ſunt Medicamenta. 2°.*de comp.med.per gene.* 5ª.221.*E/F*
*Nigra pharmaca ſanant capitis mala,& canum morſus.intr.Iſa.*58.*B*
Nigrum ex duplici Ariſtolochia. 5°.*de comp.med.per ge.* 5ª.247.*B*
Nigrum catagmaticum optimum. 2°.*de comp.med.per ge.* 5ª.225.*D*
Nigrum Iceſium. 5°.*de comp.med.per ge.* 5ª.247.*A*
Nigrum ex pyrite lapide. 4°.*de comp.med.per gene.* 5ª.243.*D*
ad Nigrã Morpheam trociſci.de dynamidijs. *Sp.*25.*F*
ad Nigrã morpheam albã,& ſerpiginẽ remediũ.de dy. *Sp.*25.*G*
in Nigrã,et albã media Nubes qũo fiat.ĩ 1ᵐ.*d mor.vul.c.* 1°.3ª.104.*c*
*Nigros Oculos habet cõceptus in horis melancholiæ.de ſper.Sp.*37.*C*
Nigros hũtes oculos qũ moriebãtur.in 1ᵐ.*de mor.vul.cõ.* 2°.3ª.115.*D*
*Nigrum Papauer purgat pulmonem,& thoracem.de cathar.Sp.*95.*B*
Nigri pedes minus peſtiferi,quàm liuidi.in progn.com. 2°. 4ª.198.*G*
Nigrum Piper purgat nares.de cathar. *Sp.*95.*B*
Niger,et albus Pulſus dr̃ ſicuti nigra,et alba.vox. 3°.*d di.p.*4ª.62.*b*
ad Nigrum Rheumatiſmum.de paſſ.mul. *Sp.*96.*B*
Niger Sãguis qũo diſcernaĩ a nigra cholera.c. 4°.*aph.* 23°. *Ex.*29.*H*
Niger ſanguis fæci vini aſſimilatur. 14°.*meth.med.* 7ª.89.*D*
Niger sãguis in facie nõ multũ appareat.ĩ 6ᵐ.*d mor.vul.c.* 1°.3ª.163.*F*
Niger ſanguis malus ſi per os exeat,non tamen per inferius.commentario 4°.*aphoriſmo* 25°. *Ex.*30.*B*
Niger fit sãguis paulatim exitẽs ſua tarditate.c. 4°.*ap.*25°. *Ex.*30.*B*
Nigra Sputa notant melancholicum humorem in morbo laterali.commentario 6°.*aphoriſmo* 33°. *Ex.*50.*A*
Nigra Vena ſiue purpurea vna eſt ex quinque,quæ in brachio ſecãtur de anato.viuo. *Sp.*54.*G*
Nigra vena in quibus affectibus ſecatur.de anato.viuo. *Sp.*54.*G*
Nigra vina vbi naſcuntur. 5°.*de ſan.tuen.* 2ª.91.*C*
Nigrum vinum commotum ſpumam albam facit.de na.et or. *Sp.*42.*c*
*Nigrũ vinũ craſſum dulce quale ſit in nutriendo.de diſ.cont.Sp.*73.*F*
*Nigrum vinũ craſſum aſperũ quale ſit in nutriendo.de diſſ.cõ.Sp.*73.*F*
Nigrum vinum auſterũ quale. 9°.*de decre.Hipp.* 1ª.283.*E*
Nigra vina craſſa adſtringentia,quæ. 5°.*de ſan.tu.* 2ª.91.*B*
Nigrum vinum nouum craſſum ponticum velociter accſcit in ſtomacho,& incenſionem facit.de diſſol.cont. *Sp.*74.*F*
Nigra vina craſſa non adstringentia,quæ. 5°.*de ſan.tu.* 2ª.91.*B*
Nigra vina non mouent vrinam,ſed ventrem. 5°.*de ſan.tu.* 2ª.91.*B*
Nigra vina ante cibum. 5°.*de ſan.tuen.* 2ª.91.*B*
Nigra vina inutilia ſcnibus. 5°.*de ſan.tuen.* 2ª.91.*B*
Nigra per vomitum exeuntia.in 3ᵐ.*de mor.vul.com.* 2°. 3ª.140.*C*
Nigrorum vomitus.in 1ᵐ.*de mor.vul.com.* 3°. 3ª.125.*D*
Nigra remouentes purgandi non ſunt.in 1ᵐ.*prorrh.com.* 2°. 4ª.174.*B*
Nigra & alba Vox ſicuti dicitur,ita & pulſus. 3°.*de dif.pul.*4ª.62.*H*
Nigræ voces vnde.in 1ᵐ.*prorrh.com.* 2°. 4ª.162.*D*
ad Nigra faucium Vulnera remedium.de dyna. *Sp.*26.*B*
Nigrũ Vultũ habet conceptus in horis melancholiæ.de ſper. *Sp.*37.*C*
Niger vultus color, malus.in prognoſt.com. 1°. 4ª.191.*B*
Nigræ Vrinæ vnde.in 1ᵐ.*de morb.vulg.com.* 2°. 3ª.115.*B*
Nigrum eſt pernitioſum.de vrin. 4ª.127.*H*
Nigra & tenuis vrina deterior eſt.de vri.ſign.ex Hipp. *Sp.*79.*A*
Nigra vrina tenuis cũ nebulis phrenitim ſignificat.de dyn. *Sp.*34.*B*
Nigra vrina tenuis cum aurium obtuſione ſanguinis fluxum imminere oſtendit.de dynamidijs. *Sp.*34.*B*
*Nigra vrina,aut liuida in ſynocha nõ ſine periculo eſt.de dy.Sp.*34.*E*
Nigra vrina cum ſudore in ſynocha non bona ſigna imminere oſtẽdit. de dynamidijs. *Sp.*34.*E*
Nigra vrina in ſynocha per varios colores frequenter mutata cũ nebulis nõ bonis,& velut conciſis, & ſeparatis, & frequẽter ĩ nigrũ colorẽ conuerſa phrenitim cum morte ſignificat.de dyn. *Sp.*34.*E*
Nigra vrina,& lucida in ſynocha cum ſudore,& dolore hypochondriorum mortem nunciat.de dynamidijs. *Sp.*34.*F*
Nigra vrina, & ſpiſſa non boni coloris in ſynocha, ſi multus veſicæ dolor fuerit,mortem ſignificat.de dyna. *Sp.*34.*F*
Nigra vrina tenuis,et æſtuoſa in ſynocha,ſi æſtuatio fuerit cũ faſtidio, & ſi turbatũ ſenſum patiẽs habuerit,& non recte intelligat,& loquaĩ,aut malefactio nõ defuerit,& mortẽ oſtẽdit.de dy. *Sp.*34.*F*
NIGREDO *vnde oriatur.in prognoſt.com.* 2°. 4ª.200.*G*
Nigredines affectus ſummæ partis pedis.introd. *Iſa.*59.*D*
Nigredinem fulgentẽ habet atra bilis.com. 4°.*apho.* 23°. *Ex.*29.*H*
Nigredo fit in veteri ſanguine frigore.com. 5°.*aph.* 23°. *Ex.*39.*G*
NIGREFACTA *caro,& nigrefactus neruus excident, nec acribus debent curari.de fract.com.* 3°. 7ª.244.*A*
NIGRESCVNT *liueſcentia dura.de fract.com.* 2°. 7ª.236.*C*
NIGRICANTIA *adſtringunt.* 1°.*de comp.med.ſec.loc.* 5ª.126.*E*
NIGRINO *Domitio compoſitum.* 7°.*de comp.med.per ge.* 5ª.270.*H*
NIGRITIES *qualitas viſus.de nat.huma.com.* 1°. 1ª.28.*H*
Nigrities corporis ſignificat melancholiam.com. 4°.*aph.* 2°. *Ex.*27.*F*
Nigrities quædam fit in ſanguine ob magnitudinem inflammationis. commenta. 6°.*aph.* 20°. *Ex.*48.*C*
Nigritia ex ſole non eſt morbus. 1°.*de ſan.tu.* 2ª.64.*A*
ad Nigritias contumaces, & malignas tibiarum,& quæ in mammillis ſunt. 4°.*de comp.med.per gen.* 5ª.242.*G*
ad Nigritiam. 4°.*de compoſitio.medicamentorum per genera.* 242.*G/* 5°.246.*H/* 5ª.247.*F*
NIGRITVDO *quid ſignificet in membro.de fract.com.* 2°. 7ª.235.*G*
NIHIL ex nihilo fit.de marc. 3ª.46.*B*
Nihil fit ſine cauſa. de ſubſ. facul. nat. 230. *C/* 2°.*de na.fac.* 1ª.298.*B/* 1°.*methodi medendi.* 7ª.6.*E*
*Nihil certo ſciri poſſe videtur probabile ſm Fauorinũ.de opt.Iſ.*30.*c*
NILEI croceum malagma. 8°.*de com.med.ſec.loc.* 5ª.193.*A*
Nilei Pharmacum quale. 2°.*de comp.med.ſec.loc.* 5ª.137.*G*
Nilei Plinthiũ ad quid factũ,& quo modo factũ.de mach. 7ª.311.*A*
NILIACVS *Stratiotes.* 2°.*de com.med.ſec.loc.* 5ª.132.*G*
NILVM *ita laudo vt ſicut mihi videtur paucis comparetur fluuijs ſecundum bonitatem aquæ. de boni.aquæ.* *Sp.*75.*E*
Nili aqua eſt limoſa,& compoſita. 1°.*de ſimp.med.fac.* 5ª.3.*B*
Nilum tranſeunter delibat canis. 2°.*de ſa.tu.* 2ª.71.*D*
Nili incrementum.de hiſt.philoſ. *Sp.*8.*H*
NILI *collyrium ex roſis diarhodon celebratum iam diu.* 4°.*de compo.med.ſecun.loc.* 5ª.158.*G*
vt Nilus Antipatri potio adſplenicos. 9°.*de comp.me.ſe.l.*5ª.198.*E*
NIMIS ne quid fiat. 12°.*meth.med.* 7ª.75.*B*
Nimium omne eſt natura inimicum.com. 2°.*apho.* 51°. *Ex.*19.*C*
Nimia caliditas exiccat.de mel.ex Gal.Ruf.& Poſſi. *Sp.*109.*F*
Nimis ignitum eſt euphorbium.de dynamidijs. *Sp.*22.*B*
*Nimis graciles,& nimis pingues non ſunt purgandi.de dyn.Sp.*20.*G*
Νῆστις vocatur ieiunum inteſtinum. 5°.*de vſu partium.* 1ª.142.*E*
NITOR thuris epitheton. 1°.*de antid.* 5ª.106.*F*
NITROSITAS *in cibis quid faciat.de diß.cont.* *Sp.*75.*A*
NITROSA *quæ.* 1°.*de ſimp.med.fac.* 5ª.8.*E*
Nitroſum adſtringentibus oppoſitum eſt. 1°.*de ſimp.med.fac.* 5ª.8.*G*
Nitroſa adſtringunt,& euacuant. 3°.*de ſim.med.fac.* 5ª.20.*B*
ex Nitroſi intentione prouenit amarus ſapor. 1°.*de ſimp.me.fa.* 5ª.8.*G*
Nitroſo ſalſus imbecillior. 1°.*de ſimp.med.fac.* 5ª.8.*G*
Nitroſa,& auſtera ſimul qũo linguã afficiunt. 3°.*de ſi.me.f.*5ª.21.*A*
Nitroſa aqua non eſt frigida. 1°.*de ſimp.med.fac.* 5ª.2.*H*
Nitroſa aqua eſt miſta. 1°.*de ſimp.med.fac.* 5ª.3.*A*
Nitroſa aqua cõpoſita ex pugnãtib.qualitatibus. 1°.*de ſim.m.f.*5ª.6.*F*
*Nitroſæ aquæ palpitationis remedia.de palp.conuulſ.& rig.*3ª.52.*G*
Nitroſa balnea euacuant totum corpus.com. 4°.*aph.* 2°. *Ex.*27.*D*
Nitroſæ aquæ balnea ducunt plus bilis, ſed multo minus proſunt quã potabiles. 1°.*de arte cur.ad Glau.* 7ª.97.*B*
Nitroſam participat qualitatem beta. 8°.*de ſimp.med.fac.* 5ª.62.*B*
Nitroſa aperiunt.de ocul. 7ª.188.*E*
Nitroſum ſaporem habentia incidunt.de atten.vic. 2ª.44.*B*
Nitroſa procurant deiectionem. 2°.*de ali.fac.* 2ª.16.*E*
Nitroſa qualitas ad excernendum excitat. 2°.*de ali.fac.* 2ª.23.*C*
Nitroſum ſaporem habentia aluum deijciunt.de atten.vic. 2ª.44.*B*
Nitroſa quoq;,& ſalſa vel amara,ac prurituoſa dici poſſunt excrementa,quæ pruritum faciunt. 2°.*de ſymp.cauſ.* 3ª.23.*G*
Nitroſa non conueniunt oculis. 4°.*de com.med.ſec.loc.* 5ª.150.*C*
Nitroſus puluis extenuat. 5°.*de ſan.tu.* 2ª.90.*D*
NITRVM, *nitri ſpumæ,& aphrolitrum diuerſa ſunt.* 1°.*de compoſitione medic.ſec.loc.*128.*B/* 3°. 5ª.141.*B*
Nitrum eſt in medio ſalis,& aphronitri. 11°.*de ſim.me.fa.* 5ª.83.*E*
Nitrum quale. 4°.*de ſimp.med.fac.*30.*F/G/*9°. 5ª.70.*A*
Nitrum nobis admotum videtur calidum. 3°.*de temp.* 2ª.21.*G*
Nitrum calidum. 3°.*de temp.* 1ª.21.*H/* 4°.*de ſimp.med.fac.* 5ª.26.*E*
Nitrum Amarum. 4°.*de ſimp.med fac.* 5ª.26.*E*
Nitrum Album.de med.fac.par. 7ª.173.*H*
Nitrum Alexandrinum.de remed.par.fac. 7ª.154.*G*
Nitrum Berenicium eſt tenuium partium. 6°.*de compoſi.med.ſec.loc.* 167.*E/* 3°.*de comp.med.per gen.* 5ª.228.*E/* 8°.*meth.me.*7ª.52.*H*
Nitrum bernicarium. 6°.*de ſa.tu.*2ª.99.*D/de rem.par.fac.* 7ª.157.*E*

Nitrum lapi-

Nitrum lapidosum quo modo præparari debent.8°.met.med.7ª.52.H
Nitrum Marinum.7°.de comp.med.sec.loc. 5ª.197.C
Nitrum Molle.6°.de comp.med.sec.loc. 5ª.168.E
Nitrum molle quo loco reponatur inter calida, quæ valent alopecijs. 1°.de composi.med.sec.loc. 5ª.122.D
Nitrum molle in articularia medicamenta miscetur, 3°.de compositione med.secun.loc. 5ª.141.B
Nitrum Nigrum. 4°.de comp.med.sec.loc.152.H/ 5ª.153.A
Nitrum Omphacinum siccum. 5°.de comp.med.per gen. 5ª.254.E
Nitrũ Rubrũ. 5°.de c.me.se.l.159.G/9°.199.G/200.B/10°. 5ª.207.G
Nitrum Rufum.6°.de comp.med.per gen. 5ª.261.D
Nitrum Tostum. 5°.de comp.med.per gen. 5ª.254.D
Nitrum Vstum discussorium parabile fortius. 6°.de composi. medicamento.secundum locos. 5ª.169.G
Nitrum foco incenditur.de incant.adiur.& susp. 7ª.182.H
Nitrum præparatur absq; pinguedine.3°.de com.me.sec.lo. 5ª.142.H
Nitri vis aliquibus balnearum aquis inest.4°.de san.tu. 2ª.83.C
Nitri qualitatem habentes aquæ exiccant. de caus.mor. 3ª.7.H
Nitrum non est in balneis inspergendum.1°.de arte cur. ad Gl. 7ª.97.B
Nitrum aperit.de ocul. 7ª.188.E
Nitrum digerit.introd. Isa.58.B
Nitrum detergit.1°.de alimen.fac. 2ª.13.H
Nitrum adhuc magis detergit,magis moderate detergentibus. 8°.methodi medendi. 7ª.52.H
Nitrum siccat vt sal,& non habet vim adstringendi. 2°.de compositione med.per genera. 5ª.222.A
Nitrum oculis conuenit.de ocul. 7ª.188.G
Nitrum cum diospolitico quibus confert.6°.de san.tu. 2ª.97.H
Nitrũ per se in libo sumptũ meatus purgat. 5°.de sim.me.fa. 5ª.35.C
cum Nitro,& licio mixtum vinum confortatiuum est constrictiuum, & solidatiuum.de ocul. 7ª.188.G
Nitrum mistum cum vino purgat aures.de catharticis. Sp.95.B
Nitrum capiti imponendum pro materia resoluenda in dolore ipsius. 1°.de arte cur.ad Glauconem. 7ª.100.B
Nitrum in oxymelitæ decoctum ad tegendũ ventrẽ.2°.de an. 5ª.114.E
Nitro vtaris in spongiæ nouæ defectu.13°.menh.med. 7ª.87.F
ex Nitro medicꝰ quo nullũ vehemẽtius i arte med.3°.de lo.af. 4ª.15.H
NITRI *spuma Aphronitrum,& nitrum quid differant. 4°.de simpli. medica.facul.* 5ª.31.G
Nitri spuma quo modo a sale differat.3°.de alim.fac. 2ª.33.C
Nitri spuma media est inter aphronitrũ,& salẽ. 9°. de si.m.f. 5ª.68.G
Nitri spuma qualis. 4°.de simp.med.fac. 5ª.30.F/G
Nitri spuma calida est.10°.de comp.med.sec.loc. 5ª.207.C
Nitri spuma subtilium partium.3°.de compo.med.per gen. 5ª.228.E
Nitri spuma quo loco reponatur inter calida,quæ valent alopecys.1°. de comp.med.sec.loc. 5ª.122.D
Nitri spuma discussoriũ parabile fortius 6°.de cõ.me.se.lo. 5ª.169.G
Nitri spuma ad hæc magis detergit, magis moderate detergentibus. 8°.methodi medendi. 7ª.52.H
Nitri spuma crassos humores incidit.2°.de ali.fac. 2ª.25.C
Nitri spuma in libro sumpta meatus purgat.5°.de sim.me.fa. 5ª.35.C
Nitri spuma in articularia medicamenta miscetur. 3°.de compo.medica.secun.loc. 5ª.141.A
Nitri spuma mordicat excrescentias carniũ.4°.de sim.me.fa. 5ª.31.G
Nitri spuma.6°.de comp.med.sec.loc. 5ª.168.E
NIVALEM aquã qui bibere non debent,de ren.aff.dig. 7ª.195.H
NYX quid.de hist.phil. Sp.7.H
Nix fit nubes congelata.de vtil.resp. Sp.62.E
Nix plurimũ habet aeris quemadmodũ spuma de vtil.resp. Sp.62.E
Niuem non candidam quidam putarunt.2°.de temp. 1ª.16.H
Nix non alba secundum Anaxagoram.2°.de simp.me.fac. 5ª.9.G
Niuis candor differt ab eo, qui est in lacte.1°.de san.tu. 2ª.62.F
Nix frigida quamuis alba.1°.de simp.med.fac. 5ª.2.E
Nix frigidior aqua gelida. de marc. 3ª.48.B
Niuem eandem qualitatem habere cum igne quidam dixit. 9°.de sim. med.faculta. 5ª.64.D
Niues faciunt regiones irriguas.de aer.aq.& loc. 2ª.4.E
à Niuibus venti frigidi.de aere,aq.& loc. 2ª.6.E
Niue oppressam regionem habitantes quales.quod ani.mor. 1ª.320.C
Niuis in modum refrigerat diphryges.de simp.med. Sp.83.D
à Niuibus aquam resolutam bibunt Scythæ.de aere,aq.& lo. 2ª.6.E
Niue aquam frigidam præparabant Romæ.7°.meth.med. 7ª.44.A

Nix quo modo seruetur.de const.ar. Isa.38.E
Niuis vbertas Romæ,& in Pergamo.2°.de cõ.me.se.loc. 5ª.132.F
Niuis vsum vitent se non exercentes cum summa æstate vehementi calore vrgentur.de bon.& vitio succorum. 2ª.39.D
Nix quo modo lædat qui ea vtuntur.de bon.& vitio suc. 2ª.39.D
Nix quibus partibus nocet,& quas ægritudines faciat.commen.5°. aphorismo 24°. Fx.39.G
ex Niuis frigiditate dolor statim abit niue remota.3°.de lo.af. 4ª.14.E
Nix combussit pedes ambulantium.9°.de simp.med.fac. 5ª.64.E
per Niuem iter fecit Galenus mordicantem.4°.de sim.me.fa. 5ª.24.F
Nix seruat pisces.de bon.& vitio succ. 2ª.37.H
Niue qui se putat conspergi quid significat in somno. in 1ᵐ.de morbis vulgaribus,commentario 3°. 3ª.118.A
de Niue insomnium quid significet.in 1ᵐ.de mor.vul.c.3°. 3ª.117.H
Nix in somnio significat pituitam.de præsag.ex insom.sum. 4ª.213.C
ad Nixum,& robur calor conducit.3°.de symp.caus. 3ª.30.E

NOBILIS *qd agere debeat i oratione suasoria. Is.3.C*
Nobilius,& melius æquum est, vt dominetẽ,vt eques equo,ratio iræ.3°.de decretis Hippocratis. 1ª.242.F
de Nobili membro natura sollicita est.de ano.viuo. Sp.45.C
Nobiliores cur sint alijs medicis,medici altariũ.de me.exp. Sp.108.G
Nobilior materies quo medico subiecta est eò magis quàm alium artificẽ fungi suo munere decet.de fascijs. 7ª.293.C
Nobilitas,diuitiæ,forma raro in eodem.in orat.suas. Isa.3.H
NOCENT quæ oculis.de ocul. 7ª.187.H
Nocet neruis acetum.de dissol.cont. Sp.74.D
Nocent aliqñ valde herbæ aquis,aliquãdo iuuãt.de bo.aquæ. Sp.75.F
Nocẽt metalla habitationi ãialiũ,& potui aquarũ.de bo.aq. Sp.75.F
Nocet plus quam prosit medicina quam infirmus otio habet.de medica.exper. Sp.108.G
Nocet vbi non conuenit medicina experta.de med.exper. Sp.103.H
NOCTVÆ *sanguis ad difficulter spirãtes.10°.de sim.me.f.* 5ª.73.A
NOCTVRNA *dicitur quotidiana.in 3ᵐ.de mor.vul.c.3°.* 3ª.145.G
Nocturnæ veneris imagines quæ.6°.de sa.tu. 2ª.100.E
ꝑ Nocturnã pollutionẽ hñtib. Galeni inuẽtũ.6°.de san.tu. 2ª.100.H
Nocturnis imaginibus rosæ sub renibus cõferunt.6°.de sa.t. 2ª.100.G
Nocturnas imagines inhibet sup renes lamina plũbi.6°.de s.t. 2ª.100.G
NOCTYLOPA *vnde dicta.2°.meth.med.* 7ª.9.G
NOCVMENTVM *maximum qñ accidat voci.de voc.& an.* Sp.61.E
NOCVVM *quid.de caus.procatbar.* 3ª.96.E
Nocuum est vinum album ponticum.de diss.cont. Sp.74.D
Nouum vinum crassum tarde digeritur propter eius superfluitatem. de dissolutione continua. Sp.73.E
Nouum vinum crassum nigrum ponticum velociter acescit in stomacho,& incensionem facit.de dissol.cont. Sp.74.F
Nouũ vinũ dulce põticũ crasũ tarde descẽdit.de dissol.con. Sp.74.H
Nocuũ qd assumere pp delectationẽ,nephãdũ.de cu.icteri. Sp.111.A
Nocuum quo modo partes contendant transmittere ad alias.de cur.ratio.per sang.miss. 6ª.17.H
NODVS significat partem.de ana.vi. Sp.47.B
Nodus gutturis an tres habeat ptes,& q̃ sint.d mo.ma.et ob. Sp.70.B
an in Nodi gutturis motu sit instrm quod agat.de mo.m.et ob. Sp.70.b
Nodus gutturis quo modo eleuetur.de mot.man.& obs. Sp.70.F
Nodi gutturis eleuatio est accidens ineuitabile transitus per œsophagum.de mot.man.& obs. Sp.70.F
Nodi gutturis attractio,& retẽtio vnde sit.de mot.mã.et ob. Sp.70.E
Nodus quid sit in deligatione.de ijs,quæ in med.fi.com.2°. 7ª.207.B
Nodus quid significet.de ijs,quæ in med.fi.com.2°. 7ª.208.C
Nodus qualis esse debet.de ijs,quæ in med.fi.com.2°. 7ª.208.C
Nodus deligationis fieri non debet supra vlcus.de ijs,quæ in medicatrina fiunt,commentario 2°. 7ª.207.G
Nodus in quo loco poni debet.de ijs,quæ in med.fi.com.2°. 7ª.208.A
Nodus simplex dictus laqueus qua ratione adhibeaẽ.de laq. 7ª.307.F
Nodi Herculei ratio.de laqueis. 7ª.307.G
NOETICOS, id est intellectualis animæ pars.de sper. Sp.37.H
Nomi quid sit,& vnde sit dictum.5°.meth.med. 7ª.31.D
Noma quid sit.9°.de sim.me.fa.65.H/9°.de cõ.me.se.lo. 5ª.202.H
Nomæ quæ sint.5°.de comp.med.per gene. 5ª.254.A
Nomæ in aphtis.6°.de comp.med.sec.loc. 5ª.171.B
Nomæ quæ sint dictæ a medicis.6°.de comp.med.per gene. 5ª.254.G
ad Nomas hoc est vlcera serpentia oris. 4°.de cõ.me.se.lo. 5ª.152.G
ad Nomas id est vlcera depascentia.2°.de com.me.per ge. 5ª.222.E

ad Nomas in ore.6°.dc comp.me.ſe.loc.172.A/7°.181.G/5°.de compoſi.medi.per gen. 5ª.254.D
ad Nomas,& Rhagadas ani.5°.de comp.med.per ge. 5ª.251.G
ad Nomas gingiuarum.5°.de comp.me.per gc. 5ª.251.B
ad Nomas quæ conueniant.4°.de comp.med.per ge. 5ª.242.F
ad Nomas Antipatri.5°.de comp.med.per ge. 5ª.253.A
ad Nomas Criſpi odoriferum.5°.de comp.me.per gen. 5ª.253.A
ad Nomas emplaſtrum.6°.de comp.med.per gen. 5ª.257.B
ad Nomas Iſidori.5°.de comp.me.per ge. 5ª.252.A
ad Nomas Iſidori celebris paſtillus.5°.dc comp.med.per g. 5ª.252.C
ad Nomas linamentum.6°.de comp.med.per ge. 5ª.255.B
ad Nomas Moſchionis.5°.de comp.med.per gc. 5ª.254.B
ad Nomas probum medicamentum.5°.de comp.med.per ge. 5ª.253.A
ad Nomas Publij.5°.de comp.med.per ge. 5ª.253.A
Nomas ſiſtens,& cruſtas non faciens.5°.de cõp.me.per g. 5ª.245.H
ad Nomas ſiſtendas.5°.de comp.med.per ge. 5ª.254.B
ad Nomas ſiccum.5°.de comp.med.per ge. 5ª.253.A
ad Nomas veteres.6°.de comp.med.per ge. 5ª.257.A
ad Nomas.6°.de comp.me.ſe.lo.176.D/4°.de cõp.me.per g.242.G/5°.251.B/C/D/H/252.E/G/H/253.B/254.A/D/6°. 5ª.255.F
Nomode vlcera curat ſomnum manicum.8°.de ſimp.me.fac. 5ª.62.H
NOMADES *quales.de aere,aq.& loc.* 2ª.5.D
Nomades non habent domos,ſed habitãt in curribus luto obturatis inſtar domorum.de aere aq.& loc. 2ª.5.D
Nomades multi hñt exuſtos articulos ob humiditatẽ.d aer.aq. 2ª.5.F
Nomades.10°.de ſimp.med.fac. 5ª.77.B
NOMINA *quid,& quomodo fingenda.de ſymp.diff.* 3ª.10.E
Nomina etiam ſunt ipſa verba.de ſophiſ. Iſa.8.G
Nomen ſolum per ſe prolatum nihil indicat.ad Thraſ. 2ª.106.H
Nominibus propter res vti neceſſe eſt.2°.met.me. 7ª.9.D
Nomina ad rerum cognitionem nihil referunt,tamen ad docendum interſunt.1°.de pulſ.dif. 4ª.46.H
Nomen corrumpitur ad corruptionem rei.de ſophiſ. Iſa.8.F
Nomina imponere rebus ſpectat ad oratorem,vel potius ad Dialecticum.3°.de diff.pulſ. 4ª.63.B
de Nominibus diſputare munus eſt dialectici,rhetoris,& grammatici.1°.de dieb.decre. 4ª.146.H
Nomina rebus imponunt Dialectici.1°.met.me. 7ª.8.E
Nomina ab impoſitoribus diſcenda.ad Thraſ. 2ª.107.A
Nomina induntur ſpeciebus.2°.met.med. 7ª.14.A
Nomina quandoque ab accidentibus non a ſubſtantia imponuntur.8°.de vſu partium. 1ª.166.C
a Nominibus propriis fieri poſſunt translationes,ſed a translatitijs nõ item.3°.de diff.pul. 4ª.63.A
Nomina ex abuſu facta propria.3°.de comp.me.per ge. 5ª.229.A
Nomina duo vnum ſignificantia dñr a Galeno oratio.§contra Ariſtotelem.§8°.de vſu par. 1ª.166.D
Nomina tria vnius rei ſunt aliquando.2°.de diff.pul. 4ª.53.G
Nominibus varijs rem appellare nihil refert,modo res eadem ſeruet.2°.de decr.Hip. 1ª.238.F
Nominis cõmunio ſiue æquiuocatio diſtinguẽda.4°.de dec. 1ª.249.G
Nomina multa communia citra diſtinctionem dicere conſueuerunt cũ id,quod ſignificant in ijs rerum melius eſt declarare volverint.de vict.rat.in mor.acu.com.4°. 7ª.140.C
Nomina primo definienda.6°.de dec.Hip. 1ª.260.F
Nominibus melius docent definitiones.2°.de diff.pul. 4ª.57.E
non Nominum,ſed rerum ſunt diffinitiones.2°.de diff.pul. 4ª.54.C
Nominum verborumq; copia plerunq; non eſt indecora.5°.de ſimpliciũ medicamen.facul. 5ª.32.F
Nominum partitio quo modo fieri debet.ad Thraſ. 2ª.106.H
Nominum diſtinctio ad quid vtilis.3°.de ſimp.med.fa. 5ª.17.C
in Nominibus græcorum regula.de mor.temp. 3ª.86.B
Nominũ pprietates nõ ſeruant græci antiqui.de frac.c.2°. 7ª.240.C
Nominum curioſitatem antiqui neſciebant,ſed ſatis illis erat vt intelligerent.de arti.com.3°. 7ª.281.E
Nominibus ſimpliciter vtebantur antiqui.1°.de diff.pul. 4ª.46.G
Noĩbus mẽtẽ nõ adhibuerũt antiq mõ res apterẽt.d ar.c.4°. 7ª.284.G
Nominum vſum qui authores euerterint.3°.de diff.pul. 4ª.59.E
Nomina ſancte pronunciabat Archigenes.2°.de diff.pul. 4ª.58.F
in Nominibus Prodicus ſolus curioſus.de arti.com.4°. 7ª.284.G
Noĩm exquiſita ſignificatio vbi apud Platonẽ tractat.d dec. 1ª.281.H
de Nominibus non eſſe habẽdam curam, cui plurimarum,& magnarum rerũ inueſtigatio pponitur,Plato inquit.2°.de dif.ſe. 3ª.38.B
in Nominibus ſuam legem nõ ſeruat Ariſtoteles.11°.me.m. 7ª.71.H
de Nominibus parũ curat Galenus.2°.de dec.Hip. 1ª.235.C/*ad Thr.* 2ª.106.H/3°.*de loc.aff.* 4ª.21.C
Nomina nihil faciunt ad artem.1°.de pulſ.dif. 4ª.46.F
de Nominibus inuitus diſputat Galenus.1°.de pulſ.dif. 4ª.46.G
de Nominibus doctrinam perditiſſimam,& falſam vocat Galenus.2°.de alim.facul. 2ª.23.B
de Nominibus loqui præſtigia vocat Galenus.3°.de dif.pul. 4ª.59.C
Nominibus vtiũ Galenus,vt vtunt̃ hoĩes ſui ſeculi.2°.de ali.f. 2ª.18.C
Nomina quibus vti debemus.1°.de dif.reſp. 3ª.57.B
Nominibus vti debemus vt ſunt in vſu.1°.de na.ſa. 1ª.290.G/2°.*de alimentorũ facul.* 2ª.23.B
Nominibus vtendũ in diſputatione,quibus quiſque maxime delectatur.14°.met.med. 7ª.88.E
Noĩbus in ppriis,& incõſuetis vti nõ debemus.1°.d dif.reſp. 3ª.37.C
Nomina,quæ confundunt auditores.1°.de diff.reſp. 3ª.57.B
Nomina patria nõ cõfundẽda,neq; corrũpenda.2°.de loc.af. 4ª.11.F
de Nominibus non eſt ſollicitus Hippocrates.7°.met.me. 7ª.43.D
Nomina aliqua Hippocrates fecit,aliquibus vſus eſt obſoletis.Hipp.ling.ex plan. Ex.71.D
Nomina propria cur ponit quandoque Hippocrates.in 6m.de morbis vulg.commen.3°. 3ª.171.G
in Nominibus vſitatiſſimis vſus Hippocratis.6°.met.me. 7ª.40.C
Nomina antiqua per magnũ ocium inueſtigãda.2°.de ali.fac. 2ª.19.D
Nomina obſcura in dubio relicta inutilia reputanda perinde,ac ſi nũquam ſcripta fuiſſent.2°.de loc.aff. 4ª.10.A
Nominibꝰ abutũtur medici,pſertim ĩ atrabile.c.6°.a.53°. Ex.53.B
Nominum impoſitores in alijs vocibus laudandi,non tamẽ in leuitate inteſtinorum.c.6°.aph.1°. Ex.47.C
Nomina ignorabant,& diſtinguere neſciebãt philoſophi,& medici tempore Galeni.1°.met.me. 7ª.6.B
de Nominibus quantum curandum.de vrin. 4ª.127.E
de Nominibus quantum ſtudendum.in prog.com.2°. 4ª.201.G
de Nominibus ne ſimus admodum ſolicitu.5°.de ſimp.me.fa. 5ª.36.B/6°.*meth.med.* 7ª.36.G
Nominibus neglectis ſcientiæ incumbendum.6°.de ana.adm. 1ª.93.D
Non a nomine,ſed a re doctrina ſcientifica comparatur.14°.methodi medendi. 7ª.89.D
Noĩa non ſpectãda,ſed nã rerũ.de ſy.dif.3ª.12.C/1°.d lo.af. 4ª.6.E/D
de Nominibus ſemper conueniendum,& ad res properandũ.de ſymptom.differentijs. 3ª.10.E
Nomina contemne,& res pertracta.14°.met.me. 7ª.89.E
de Nominibus nõ curãdum.4°.de vſu par. 1ª.137.H/2°.*de alim.fac.* 2ª.20.F/3°.*de diff.pulſ.* 4ª.59.C/5°.*de ſimp.me.fa.* 32.H/10°.77.G/4°.*de comp.me.per ge.* 5ª.236.E/3°.*met.me.* 22.B/11°.7ª.71.B/*com.2°.aph.22°.* Ex.15.C
Nominibus non eſt opus ſeduci.1°.met.me. 7ª.6.A
Nominibꝰ quiſq; vtatur vt placet,ſed nõ remedijs.11°.me.m. 7ª.68.B
Nomina non obſunt ægris.de mor.temp. 3ª.86.C/3°.*de compoſitione medicamen.per ge.* 5ª.229.C
de Noĩbus,& ſyllabis argumẽtãtur recẽtes.1°.de pulſ.dif. 4ª.46.G
de Nominibus contendunt ſophiſtæ neglectis rebus,& contumelijs diſputant.2°.de dif.pul. 4ª.53.D
de Nominibus litigantes totam vitam cõterunt.de ſymp.dif. 3ª.10.D
de Noĩbus litigare in re cõfeſſa obſcœnum eſt.in progn.c.2°. 4ª.209.C
Noĩa,et accẽtus q ſectant nõ ſunt admittẽdi.d frac.com.3°. 7ª.240.H
Nomina negligentes ſunt ſapientiores.4°.de vſu par. 1ª.139.D
Nomina poſſunt mutari,modo res permaneant.de ſymp.diff. 3ª.10.H
Nomina methodicorum.5°.de ſimp.med.fa. 5ª.38.F
Nomina muſculorum mouentium linguam.de muſ.dif. 1ª.46.G
de Nominibus pulſuum.de compen.pulſ. Sp.66.A
Nomina temporum anni morbos non faciunt,ſed temperamenta.in 3m.de mor.vul.com.3°. 3ª.147.C
Nomina Theſſalicorum.5°.de ſimp.med.fac. 5ª.38.E
Nomina diuerſa vinculorum.de faſc. 7ª.295.A
Nomen vnde vincula accipiant.de faſc. 7ª.293.H
Nomen vinculorum ab animalibus.de faſc. 7ª.293.H
Nomen vinculorum ab euentis.de faſc. 7ª.293.H
Nominum defectus in multis.8°.de ſimp.med.fac. 5ª.60.A
Nomina cum denſunt nominentur res.3°.de ſymp.cau. 3ª.28.C
Νόμιμα id eſt legitima.de arti.com.1°. 7ª.261.F

NOMINATIO *fit a superabundanti in mistura.1°.de temp.* 1ª.10.C
NON oino modus loquendi pro nõ in oĩbus.c.2°.aph.19ᶜ.Ex.14.B
Non negatio addita admodum quid significat.c.5°.aph.72°.Ex.45.F
NONANAM *febrem,& septimanam non dari iudicat Galenus.in 1ᵐ. de mor.vul.com 3°.* 3ª.119.H
Nonanam nunquàm vidit Galenus.in 1ᵐ.de mor.vul.c.3°. 3ª.118.E
Nonani sudores boni.de præsag exper.confir. Sp.77.G
NONÆ, *& octauæ diei crisis comparatio.2°.de dieb.decr.* 4ª.154.B
Nonus dies qualis.2°.de dieb.decr. 4ª.154.E
Nonus dies cur decernat.3°.de dieb.decr. 4ª.159.A
Nonus dies quo modo iudicatorius.in prog.com.2°. 4ª.210.H
Nonus est bonus dies.com.4°.aph.36°. Ex.31.G
Nono die si debet finire morbus dat cibum.11°.met.me. 7ª.74.C
post Nonã vel septimã cibus dãdus.d vic.ra.i mor.ac.c.1°.7ª.114.H
post Nonum,vndecimum,& vigesimum diem est quintus,& tertius decimus decretorius.1°.de dieb.decr. 4ª.147.B
in Nono decimo die morbi non soluuntur.1°.de dieb.dec. 4ª.147.B
Nono mensæ mammarum venæ,& uteri, sunt magis plenæ.com.5°. aphorismo.39°. Ex.41.C
Noscantur quæ secundum empiricos.1°.met.med. 7ª.5.C
Nosema,nosus nosontes quid significet.2°.met.me. 7ª.10.D
NOTATIO *quid fin.med.Isa.46.A/de mult.* 3ª.79.H
Notatio quid sit apud Hippocratem,& quomodo fiat.de iis,q̃ in medicatrina fiunt.com.1°. 7ª.198.H
NOTIONES, *& anticipationes quæ sint.de hist.phil.* Sp.9.B
Notiorum differentia.de hist.phil. Sp.9.B
a Notione euidenti fides,& demonstratio habetur.1°.d ali.fa.2ª.7.C
NOTISSIMA *vulgi scribere non est artis opus. de vic.ra.in mor.acu. commen.1°.* 7ª.108.C
Notitiæ siue mentis functiones quæ sint.9°.de decr.Hip. 1ª.279.D
Notitiam firmissimã exhibent oculi.in 6ᵐ.de mor.vul.c.4°.3ª.187.A
de Notitia sola dici potest quid sit res.ad Thras. 2ª.101.F
inter Notitiam exactam,& omnifariam ignorantiam media est coniectura artificiosa.1°.de loc.aff. 4ª.3.D
Notitia loci affecti etiam sumitur ex his,quæ in alieno spatio contingũtur,vt lapis in renibus.1°.de lo.aff. 4ª.2.F
NOTÆ *propriæ nõ sunt despiciẽdæ p his,q̃ frequẽter fiũt.d tẽp.1ª.21.C*
Nota vna magna præfertur multis paruis.8°.met.me. 7ª.60.E
non Notis ponderum,sed integris vocabulis esse scribenda medicamẽta voluit Menecrates.1°.de anti. 5ª.104.A
de Notis scripsit Zeno.in 3ᵐ.de mor.vul.com.2°. 3ª.136.E
Νωτιαῖος μυελὸς id est spinalis medulla.12°.de vsu par. 1ª.196.D
Νῶτον id est tergum.introductio. Isa.53.E
NOTÆ *vbi sunt res,diffinitiones sunt superfluæ.4°.de dif.pul.*4ª.64.C
a Notis per se ad ignota via pfectissima.de cuiusq; aĩ pec.no.2ª.59.H
NOVACULA auferendi sunt capilli in alopecia.1°.de compo. medicamen.secun.loc. 5ª.122.G
Nouacula fit abrasio vt capilli facile,& cito renascantur.1°.de comp. med.sec.loc. 5ª.123.E
Nouacula radi quidam timent.1°.de comp.med.sec.lo. 5ª.127.G
NOVELLORVM *ac nuper editorum animalium caro quibus rationibus praua.3°.de alim.fac.* 2ª.29.D
Nouella vina quid agant.5°.de san.tu. 2ª.90.H
Nouies nouem grana piperis.de dyn. Sp.29.F
NOCTEM comprehendit dies.8°.met.me.56.A/10°. 7ª.61.G
Nox etiam est accipienda cum dicitur dies in medicamentis,in infusionibus,& similibus.7°.de comp.med.sec.loc. 5ª.180.G
Noctis,& diei spatium faciunt viginti quatuor horæ æquinoctiales.de septimestri partu. 1ª.341.B
Noctibus computatis annus est dierum.7°.de cõp.me.se.l. 5ª.180.H
Noctis discrimina.6°.de san.tu. 2ª.97.B
Noctium prolixitas facit frigiditatem.de nat.hu.c.1°. 1ª.32.D
Nox expers auxilij cur.& qualit.incorporeæ. Is.10.B
Noctu nouem horis dormire satis.6°.de san.tu. 2ª.97.C
Noctu cur plures vestes,& plura capitis tegumenta sint necessaria. in 6ᵐ.de mor.vul.com.4°. 3ª.183.D
Nox antecedens iudicio molesta.in 6ᵐ.de mor.vul.com.1°.3ª.156.H
Nox añ accessionẽ molesta ĩ tertianis.ĩ 6ᵐ.& mor.vul.c.2°. 3ª.164.B
Nocte magis sentimus lxsiones.com.2°.aph.13°. Ex.12.E
Nocte cur magis sentiantur dolores quam in die.de mot.man.S.69.F
Noctu si multũ mingat exiguũ excremẽtũ significatur.de vri.S.78.H
Noctu qui veneris habent insomnia amerinæ,& rutæ frondes substratas habere debent.6°.de san.tu. 2ª.100.G
Noctu qui veneris habent insomnia vitent frigidas vnctiones ex papauere,& mandragora.6°.de san.tu. 2ª.100.G
NOXÆ *modus secundus quærendus quæsitum lesæ actionis instrumẽtum.1°.de locis affectis.* 4ª.4.A
Noxæ per simplices qualitates, & per totam substantiam in morbis. in 6ᵐ.de mor.vul.com.6°. 3ª.196.H
sine Noxa nullum inuenitur remedium.11°.met.me. 7ª.70.F
NOXIVM, *& vtile est aliquid.1°.de comp.med.per gen.* 5ª.216.H
Noxia cum salubribus non sunt miscenda.5°.de san.tu. 2ª.91.E
Noxium minus dandum in ancipiti est.11°.met.me. 7ª.74.C
Noxiũ qppiã se deuorasse credũt melãcholici.d mel.ex Gal.Sp.109.G
Νοῦς, φρὲνες, *& διάνοια idem. in 1ᵐ.pror.com.1°.* 4ª.163.A
NVBECVLA *quid significet.de vrin.124.A/ in progn.com.2°.* 4ª.201.D
Nubecula qd apud Hippocratẽ,et apud Galen.in pgn.c.2°.4ª.200.D
Nubecula est sublimamẽtũ apud Hipp.in prog.c.2°.200.G/4ª.201.D
Nubecula propter flatus suspenditur.de vrinis. 4ª.124.A
Nubeculæ quæ bonæ,& quæ malæ.in prog.com.2°. 4ª.200.G
Nubecula sola indicat solutionem in febribus tertianis,& in ephemeris.de vrinis. 4ª.125.C
Nubeculæ malæ quæ.de vri. 4ª.125.A
Nubecula qualis appeat ĩ vrina,si sanguis sit coctº.4°.d sa.t.2ª.83.H
NVBECVLA *in oculo quid.fin.me.* Is.48.D
Nubecula vlceratio oculorum.fin.med. Is.48.D
NVBES *quid.de histo.philo.* Sp.7.H
Nubes,cum sit fumus,congelata fit nix.de vti.resp. Sp.62.E
Nubes sp agitanť licet stare videanť.ĩ 3ᵐ.de mor.vul.c.3°.3ª.140.H
Nubes alba quando.in 1ᵐ.de mor.vul.com.1°. 3ª.140.C
Nubes candida quo modo.in 1ᵐ.de mor.vul.com.1°. 5ª.104.C
Nubes atra quomodo fiat.in 1ᵐ.de mor.vul.com.1°. 3ª.104.C
Nubes candida quomodo fiat.in 1ᵐ.de mor.vul.com.1°. 3ª.104.C
Nubes media ĩter albã,et nigrã quo fiat.ĩ 1ᵐ.d mor.vul.c.1°.3ª.104.C
Nubes q̃n nõ sit existẽte Aquilone.ĩ 1ᵐ.de mor.vul.cõ.1°. 3ª.104.C
Nubes cur splendescat.in 1ᵐ.de mor.vul.com.1°. 3ª.104.C
NVBIS *nomẽ ad vrinas q prius dixit.ĩ 3ᵐ.de mor.vul.c.1°.3ª.128.C*
Nubes albæ quid significent in vrinis.com.4°.aph.71°. Ex.35.D
Nubes rubra raro apparet,sed alba sæpe.com.4°.aph.71°. Ex.35.D
Nubes rubeæ,& subrubeæ qd significẽt ĩ vrinis.c.4°.a.71°.Ex.35.D
Nubes rubra in vrina quarta die apparens significat iudicationem in septima.com.4°.aph.71°. Ex.35.C
Nubes rubra apparens antea non visa significat coctionem, & bonũ iudicium.com.4°.aph.71°. Ex.35.D
Nubes rotundæ genituræ similes cui contingerint.in 1ᵐ.de mor.vulg. commen.3°. 3ª.121.A
Nubes,lege hypostasis,sedimen,sedimentum,residentia.
NVBILOSOS *humores facit aer nubilus. in 1ᵐ.de morb.vulgaribus. commentario.1°.* 3ª.104.C
Nubilosæ suspensiones,in vrinis quæ.ĩ 3ᵐ.& mor.vul.c.1°.3ª.128.C
NVCLEATA instrumenta de art.com.2°. 7ª.267.D
NVCLEI *oliuarum terreni sunt.9°.de simp.med.fac.* 5ª.64.H
Nucleus pineus,& galbanum pro eclegmate peripneumoniæ.de vic. ratione.in mor.acu.com.4°. 7ª.144.C
Nucleo carens malum punicum.3°.de cõp.me.se.l.145.H/5ª.148.D
NVCLEVS *dicitur specilli pars extrema.3°.de compo.medimen.se.lo. 148.C/4°.* 5ª.153.B
pro Nudari refrigerari accepit.de frac.com.3°. 7ª.243.H
Nudari in sole tentandum in longa icteritia.de cura icteri.Sp.111.E
NVDATO *corpore vigor excitatur.2°.de symp.cau.* 3ª.22.E
Nudatæ parti an alteri medicamentum imponendum.3°.de composit. medicamen.per ge. 5ª.228.D
Nude deambulare cur extenuat.de sal.die. 2ª.41.C/D
Nuda,& alba vrina in omnibus corporis debilitatem, & frigiditatẽ significat.de dyn. Sp.35.D
NVGAS euitandas esse admonet Galenus.in 3ᵐ.de morb.vulgar. commentario.2°. 3ª.138.E
Nugarum causa in febre.in 3ᵐ.de mor.vul.com.1°. 3ª.127.C
NVGACITATIS *proprium quid.in prog.com.1°.* 4ª.197.B
NVGARI *quid significet.in 3ᵐ.de mor.vul.com.1°.* 3ª.127.C
NVMEROSVS motus qui.2°.de symp.cau. 3ª.21.A
NVMERORVM *ars illustris.ad Thras.* 2ª.105.E
Numerorũ nõ ĩ pueritia addiscẽda.ad eos q de typ.scri.d cir.3ª.93.F

Numeri quibus noīb⁹ vocarentur antiquitus.3°.de die.decr.4ª.159.H
Numerus ἐπιμόριος qui.1°.de puls.diff. 4ª.48.G
Numero specie,& genere idem dicitur.2°.met.me. 7ª.14.C/H
Numerus dentium.de ana.viu. Sp.49.G
in Numeris ars medica absurda est.ad eos q̄ d̄ typ.scrip.dec.3ª.91.H
Numerus ipar maxime seruādus.de vic.ra.ī mor.ac.c.4°. 7ª.142.C
Numero impari potius q̄ pari signa multa fiunt.de victus rat.in mor. acutis.com.4°. 7ª.142.D
p Numerū imparē,ēt antiq dabāt medicamēta.11°.d̄ sim.m.f.5ª.82.B
Numerus applicandarū hirudinum vā sumendus.de cuc.sca.6ª.4.D
Numerus particularum est in organis.2°.met.me. 7ª.13.D
Numerum facientium instrumentorum signa.ars medicinalis.Is.65.F
de caus.morb. 3ª.9.D
fm NVMERVM *morbi.de ocul.* 7ª.185.F
ad Numerū passio ptinet ad p̄dicamētū quātitatis.de dif.mor.3ª.5.A
ad Numerū ptinet secūda instrumētorū ægritudo.de dif.mor. 5ª.3.A
in Numero sunt ægritudines in formatione secūdi generis,& quo modo.de cau.morb. 3ª.9.D
Numeri partium errores.ars med. Is.69.A
in Numero excessus quo modo corrigatur.ars med. 7ª.69.B
in Numero est finis.de ord.lib.suo. Isa.15.C
NVMISIANVS *interpres Hippocratis.de ord.lib.suo.* 1ª.63.D
Numisianus præceptor Galeni.1°.de ana.adm. 1ª.303.C
NVMVS *deglutitus cur facile excernus.3°.de nat.fac.* Sp.77.F
NVNTII febris qui sint.de præsag.exper.confir. Sp.73.F
NVTRIBILIVS est vinū rubrū crassum dulce.de d.ss.cont. Sp.73.F
NVTRICANDI *principium non est in corde.2°.de decr.* 1ª.240.E
NVTRICATIO *quid.fin.med.* Is.44.G
Nutricationis principium fm Galenum est hepar.de ana.vi. Sp.45.G
Nutricationis motum habent & ipsæ arteriæ.2°.de sa.tu. 2ª.75.B
p NVTRIENDI *munere facultates quatuor.2°.de symp.cau.3ª.19.G*
Nutriendi vis quibus consistat quo modo cognoscatur an bona an mala.de cur.rat.per sang.miss. 6ª.17.D
Nutriendi vis calore excitato firmatur.5°.de san.tu. 2ª.98.C
Nutriendi corpus principium est in iecore.in Tim.Pla. 2ª.287.D
Nutriendarum partium numerus infinitus.9°.de vsu par. 1ª.173.C
Nutrienda quo modo nutriantur.de bo.& vitio suc. 2ª.37.A
Nutriēdorū corporū naturæ similia edulia,& dulcedinē præseferūt, nec vllam præparationem postulant.4°.de simp.me.fac. 5ª.28.H
Nutriēdorū dissimilia īsuania sūt añ p̄parationē.4°.d̄ sim.m.f.5ª.28.H
ad Nutriendum fœtum vnde veniat sanguis.de ana.viu. Sp.52.D
ad Nutriendum prodest vinum.in 6ᵐ.de mor.vul.c.4°. 3ª.185.C
Nutriendum quomodo sit in ætate.de diss.cont. Sp.71.G
Nutrienda quibus sint corpora densa.de diss.cont. Sp.71.F
Nutriendum quibus sit corpus rarum.de diss.cont. Sp.71.E
Nutriendus quibus sit homo calidæ temperiei.de dis.cont. Sp.72.B
Nutriendus qbus sit homo q abūdat cholera citrina.d̄ dis.cōt.S.72.B
Nutriendi sunt frigidis calidi.in 6ᵐ.de mor.vul.c.4°. 3ª.183.E
Nutriendus quibus sit stomachus debilis de dis.cont. Sp.71.F
Nutriendi qui sint frequenter,aliàs resoluuntur.12°.met.me.7ª.77.F
Nutriēdū est subtilius q̄ sōnus est paucus,et leuis.de diss.cōt.S.71.G
Nutriendi quomodo sint febricitantes omnes.11°.met.med.7ª.72.A
Nutriendi sunt in accessione quidam ægrotantes.10°.met.me.7ª.62.F
in Nutriendi actione quæ symptomata.de symp.diff. 3ª.12.A
in Nutriendi actione symptoma.3°.de symp.caus. 3ª.25.C
in Nutriendi actione,priuatio quidē actionis,in atrophia est,deficiens vero nutritio,in gracilitate,vitiosa,in leucis,& elephantiasi,cernitur.3°.de symp.caus. 3ª.25.B
NVTRIENS *facultas quid agat.in 6ᵐ.de mor.vul.c.5°.* 3ª.188.B
Nutrientis,& nutriti debet esse quædam communicatio,& similitudo.3°.de temperamentis. 1ª.22.C
Nutriens quare esse debet quod familiare.4°.de simp.me.fa. 5ª.26.H
Nutriens est ex genere dulcium.4°.de simp.me.fa. 5ª.26.H
Nutriens nutrito dulce.4°.de simp.med.fac. 5ª.28.G
Nutriens alteratur ab eo,quod nutritur.de assuet. 2ª.61.B
Nutriens mutatur in substantiam nutriti.6°.de dec.Hip. 1ª.265.G
Nutrientium assimilationis ad nutritum argumentū.de assue.2ª.61.B
Nutriens aliquod magis conuenit,aliquod minus.3°.de temp. 1ª.22.C
Nutriens multum cibi.8°.met.me. 7ª.50.H
Nutrientes plurimum cibi qui.de diss.cont. Sp.73.G
Nutriens in summo quale esse debet.7°.met.me. 7ª.45.D
Nutriens esse non potest cibus coctu facilis.7°.me.me. 7ª.45.D
Nutrientes minus cibi qui de diss.cont. Sp.73.G

NVTRIMENTALIS, *& vitalis sanguinis differentia.de anatomia viuorum.* Sp.53.A
NVTRIMENTI *nomen(inquiunt quidam)eius quod vincitur,alteratur que,ac mutatur duntaxat est.3°.de symp.cau.* 3ª.26.E
Nutrimentum quid sit.1°.de simp.med.fac. 5ª.2.C
Nutrimenta quomodo dicantur omnes cibi.1°.de nat.fac. 5ª.292.G
Nutrimentum proprie dicitur,& æquiuoce.1°.de nat.fa. 1ª.292.G
Nutrimentum nomine,& non re quod.3°.de temp. 1ª.22.F
Nutrimentum proprie quod.3°.de temp. 1ª.22.F
Nutrimenti,& medicamenti differentia.5°.de simp.me.fa. 5ª.31.F
Nutrimentum,& venenosum medicamentum quomodo differant.3°. de natu.facult. 1ª.304.A
in Nutrimentum quandoque transeunt medicamenta.quos purg opor. quibus med.& quo temp. 5ª.89.B
cur Nutrimenta aliqua imposita cuti exulcerant, & erodunt.3°.de de temper. 1ª.22.G
Nutrimentum omne quale sit.de oc. 7ª.187.H
Nutrimenti differentiæ.1°.de nat.fac. 1ª.292.G
Nutrimenti boni pisces.qui de diss.cont. Sp.73.A
Nutrimenti boni vuæ,& fructus quæ.de diss.cont. Sp.73.B
Nutrimenti boni est vinum coloris granati.de diss.cont. Sp.73.B
Nutrimentum crassum,& corruptibile generant ouа cocta.in degami ne vel in testis,& caseus.de dis.cont. Sp.74.B
Nutrimentum crassum facit lupinus.6°.de simp.med.fac. 5ª.48.C
Nutrimentum lactis est crassum.de diss.cont. Sp.73.F
Nutrimentum fabarum quale.de diss.cont. Sp.73.G
Nutrimentis humidis,& siccis nutritur natura.an ātal sit. 1ª.327.D
Nutrimentum humidum siccitati medetur.3°.de san.tu. 2ª.80.A
Nutrimenta mali succi edētes pruritu exercēt.2°.de sym.c. 3ª.23.H
Nutrimenti multi cibi,qui.de diss.cont. Sp.73.E
Nutrimenti multi cibi a quo sumendi.de dis.cont. Sp.73.E
Nutrimenti multi cibi aggrauant stomachum.de dis.cont. Sp.73.E
Nutrimenta ex palea,& herbis diuersa ex his,quæ ex carne,& ossibus.6°.de sanitate tuenda. 2ª.96.C
Nutrimenti pauci,sunt subtiles cibi.de dis.cont. Sp.73.F
Nutrimenti pauci est medulla panis lota bene, & amylum.de dissolutione continua. Sp.73.G
Nutrimentum paucissimum corpori præbent aquosa,& subtilia vina. de vinis Sp.76.D
Nutrimento ferè carentes cibi.de venæ sect.aduer.Eras. 6ª.14.C
Nutrimentum siccum non debet habere siccum instrumentum.3°.de symptomatum causis. 3ª.29.D
Nutrimentum simplicissimum est solus panis.6°.de sa.tu. 2ª.97.G
sine Nutrimento auctio fieri non potest.1°.de nat.fa. 1ª.292.B
Nutrimenti tempus quando sit.introd. Is.55.E
Nutrimentum aliud alij corpori proprium est.de assuet. 2ª.61.A
ad Nutrimenta propria quomodo veniunt naturaliter animalia.de assue. 2ª.61.A
Nutrimentum quomodo fiat.de hist.phil. Sp.12.A
circa Nutrimentum naturæ opera diuiditur in tria tempora, & quæ sint.3°.de nat.fac. 1ª.307.B
Nutrimenti vasa.introd. Is.54.B
Nutrimēti triplicia instra in oībus animalibus.6°.de ana.ad. 1ª.90.B
Nutrimenti organa cur sint multa.1°.de nat.fa. 1ª.292.D
Nutrimentum debet transire per concoquendi instrumenta,& non extrinsece.3°.de temperamentis. 1ª.22.D
Nutrimenti partium officia.introd. Is.54.B
Nutrimenti instrumenta principalissima quæ.5°.de vsu p. 1ª.146.D
Nutrimenti via maxima communis,& publica ad ventriculi os.4°. de vsu partium. 1ª.135.G
pro Nutrimento est venter inferior.de ana.viu. Sp.47.C
Nutrimenti digestio per quid fiat.de vti.resp. Sp.64.A
Nutrimentum inspissat calor.de vti.resp. Sp.64.B
in Nutrimento quomodo fiat similium adunatio.de vti.resp. Sp.64.B
Nutrimentū an in ventre probe in chylū verti posset no ita refert scire,sicut an sanguinem bonum gignere possit.2°.de nat.fa.1ª.299.E
Nutrimento secundam purgationem dat iecur.4°.de vsu p. 1ª.135.H
Nutrimentum totius corporis in se cōtinet hepar.de ana.vi. Sp.49.H
Nutrimentum non solum ducitur ad Hepar per venas,sed etiam præparatur.4°.de vsu par. 1ª.135.H
pro Nutrimenti conseruandis excremētis secundum genus organorū. 1°.de nat.fac. 1ª.292.E

Nutrimenti organa apud medicos inteſtina craſſa quoque,& veſica. 5°.de vſu partium. 1ª.146.D
Nutrimenti inſtrumenta ſunt muſculi excrementorum expulſorij,& cohibitorij,& qui.5°.de vſu par. 1ª.146.D
Nutrimenti vehiculum eſt aquoſus humor.4°.de vſu par. 1ª.136.C
ad Nutrimentum corporis facit aqua.de ana.viu. Sp.47.G
*Nutrimẽtũ aquæ cõparat & venas riuis ĩ hortis.ĩ Tim.Pl.*1ª.297.F
Nutrimenti diſtributio frictione fit facilior.5°.de ſan.tu. 2ª.89.G
Nutrimẽtũ omne ſimile fit ei cuius eſt nutrimẽtũ.de vti.reſp.S.63.H
*Nutrimentũ diuerſe alteratur a variis mẽbris.3°.de na.fa.*1ª.304.A
Nutrimentum proprium celerrime alterat,& aſſimilat corpus humi diſſimum,& calidiſſimum.3°.de ſymp.cau. 3ª.28.H
Nutrimentum mutat carnem.3°.de ſymp.cauſ. 3ª.26.E
in Nutrimento affixio quid ſit.3°.de ſymp.cau. 3ª.29.A
Nutrimentum ſibi conueniens trahunt omnes particulæ.3°.de ſymp. cau.3ª.26.A/3°.de ſimp.med.fac. 5ª.23.D
Nutrimentum ita trahitur a membris per vim qualitatis trahendę,vt magnes ferrum.3°.de nat.fac. 1ª.299.D
Nutrimentum in inteſtinis,plurimũ in venas, parum in arteria rapitur.3°.de nat.fac. 1ª.307.B
Nutrimenti tranſitus per venas ἀναδοσις.2°.de nat.fac. 1ª.299.C
ad Nutrimentum cerebri dealbatus ſanguis, & ad teſtes defertur. de anatomia viuorum. Sp.52.G
Nutrimentum triplex habet ſtomachus.de ana.viu. Sp.50.A
Nutrimentum cordis quibus virtutibus ſit.de ana.vi. Sp.46.H
Nutrimentum vnde tranſmittit ad cor vena habens ventrem ad cor. de anatomia viuorum. Sp.54.D
Nutrimento indiget vitalis calor,nõ refrigeratiõe.de vti.reſp.S.64.B
Nutrimentum caloris cordis quale.de vtil.reſp. Sp.64.B
Nutrimẽtũ caloris ĩ ſiniſtro vẽtre cordis a quo fit.đ vti.reſp.S.63.A
ad Nutrimentum ſui ſeruat hepar ſanguinem vtiliorem.de compag. memb.ſiue de nat.hu. Sp.59.A
Nutrimentum oſſium quale.6°.met.med. 7ª.40.D
Nutrimentum proprium in oſſe.2°.de vſu par. 1ª.126.G
Nutrimẽtũ ſpermatis virilis ẽ muliebre ſperma.đ ſper.3 6.B/S.37.A
Nutrimentum quo modo ſuſcipiat fœtus in vtero.de hiſt.phi.S.11.A
Nutrimentum vnde ſumat fœtus in vtero.de ana.parua. Sp.43.C
Nutrimentum ignis nullatenus eſt aqua,ſed aer.de vtil.reſp.Sp.64.C
Nutrimentum ignis eſt aer.de vti.reſp. Sp.63.H
Nutrimenti cauſa aer eſt neceſſarius ad conſeruationem ignis nõ propter refrigerationem,vt quidam putant.de vti.reſp. Sp.63.H
ad Nutrimentum ſpiritus eſt aer.de ana.viu. Sp.47.G
Nutrimentũ oẽ influẽs refrigerat id,quod nutrit.de vtil.reſp.S.63.A
Nutrimenti omnis communis effectus.3°.de temp. 1ª.22.F
*Nutrimẽtũ oẽ,vt nutrimẽtũ auget corporis calorem.3°.đ tẽp.*1ª.22.F
Nutrimenta omnia duabus vel pluribus agunt qualitatibus.4°.đ ſimplic.medic.fac. 5ª.26.H
Nutrimenta calida eſſe debent.4°.de ſimp.med.fac. 5ª.27.A
Nutrimentum quomodo iucundum.4°.de ſimp.med.fac. 5ª.27.A
Nutrimenti vitia in abundantiam , & qualitatem diducuntur.3°.de ſymptomatum cauſis. 3ª.25.B
ex Nutrimenti defectu fit partium frigiditas.7°.met.me. 7ª.46.F
Nutrimento deficiente fit caloris augumentatio ratione vacuitatis.de vtil.reſpi. Sp.93.C
Nutrimenti defectus facit fluxum capillorum.c.5°.aph.12°. Ex.38.D
Nutrimentum minus cur datur poſt magnum exercitium,& cur non. 3°.de ſanitate tuenda. 2ª.80.C
Nutrimentum hirudinum nuper captarum debet eſſe ſanguis.de cucurbit.ſcarifica. 6ª.4.C
Nutrimentum,lege Alimentum,& Cibus.
NVTRIRE *dulcis ſaporis terminus eſt.4°.de ſimp.med.fa.* 5ª.29.F
nõ Nutrit a corpe ſubſtãtia ĩ corporea nec ecõtrario.de ſper.Sp.40.G
Nutrimur virtute pueniente ab hepate.de vir.noſt.cor.diſp.Sp.60.B
vnde Nutriatur fœtus.de ana.viu. Sp.52.D
Nutritur infans menſtruo ſanguine.de ſper. Sp.36.D
Nutritur fœtus per vmbilicum.de ſper. Sp.36.E
Nutritur,ac augetur quodque a ſimilibus.2°.de dif.feb. 3ª.44.C
Nutriri ignem ab aere probatur.de vti.reſp. Sp.62.D
Nutrit flãma nõ tm a pingui,ſed & ab aere vicino.đ vti.reſp.S.62.D
Nutrit animalia calor naturalis.c.1°.aph.15°. Ex.8.B
Nutritur vitalis calor,qui eſt in corde a ſanguine pingui, & vncluoſo vt flamma ab oleo ſecundum Ariſtotelem.de vtil.reſp. Sp.62.C
Nutrit aer calorem cordis.de vti reſp. Sp.63.C
Nutriatur vnde cor.de compag.memb. Sp.58.D
Nutritur pulmo ſanguine calido,& ſicco.de ana.viuo. Sp.52.H
quibus Nutriatur panniculus ſtomachi,& qũo.de ana.vi. Sp.49.H
vt Nutriat membra omnia non digerit ſtomachus.de mot.manifeſtis & obſcuris. Sp.68.H
Nutriuntur ſanguine renes.de ana.viuo. Sp.51.C
Nutriri debet caro ex ſanguine.de ana.viu. Sp.49.H
*quæ Nutriuntur proprium ſuccum a ſanguine ducũt.1°.de ſe.*1ª.332.E
vt Nutriantur complexioni ſanguinis vicina non indigent magna ſanguinis conuerſione.de ana.viu. Sp.44.G
vt Nutriantur ſpermatica a ſanguinis complexione remota, multa indigent ſangninis conuerſione.de ana.viu. Sp.44.G
Nutriuntur per tota,quæ nutriuntur.2°.de nat.fac. 2ª.297.H
*Nutriunt,& coquunt melius grata.in 6m.de mor.vul.c.4°.*3ª.180.F
*aliqua Nutriunt plurimũ,& inflant.1°.de comp.me.ſe.loc.*5ª.124.A
Nutriunt corpus nutrimento plurimo adhærente ſomni multi poſt cibum.de diſſolutione continua. Sp.72.G
*Nutrit maxime caro ſuilla.in 6m.de mor. vul. commen.3°.*3ª.171.F/ *7°.methodi medendi.* 7ª.45.D
Nutriunt multum cibi craſſi viſcoſi ſi coquantur.de diſſ.cont.S.72.G
Nutrit magis mulſa,q̃ aqua.de vic.ra.in mor.acu.com.3°. 7ª.128.G
Nutrit plus mulſa q̃ vinum.de vic.ra.in mor.acu.com.3°. 7ª.129.C
Nutriunt multum vina craſſa.14°.met.me. 7ª.91.F
Nutrit vinum ſi cum modica aqua bibatur,de ſimp.me. Sp.92.B
non Nutriunt alij liquores præter vinum vel aduerſantur etiam nutritioni.de ren.aff.dig.& med. Sp.195.G
Nutrit cito vinum,citiſſime odor.com.2°.aph.12°. Ex.5.B
Nutriunt quæ celerrimæ.com.2°.aph.18°. Ex.13.F
Nutrire vniuerſim,& celeriter quid.c.2°.aph.18°. 7ª.13.F
Nutriant qui cibi facile,ſed parum.8°.met.me. 7ª.50.H
Nutriant quæ tarde.com.2°.aph.18°. Ex.13.G
Nutriant quæ minime.de ocul. 7ª.187.H
non Nutriant aer,& aqua cur.de ana.viu. Sp.47.G
*Nutrit nullo pacto aqua.de vict.rati.in morb.acu.com.2°.*7ª.128.F/ *de bon.aquæ.* Sp.75.G
Nutrire aliquo mõ vĩ aqua.de vic.rat.in mor.ac.com.3°. 7ª.128.G
Nutrit parum caro ouilla.in 6m.de mor.vul.com.3°. 3ª.170.F
*Nutrire nõ pñt humores crudi prius q̃ ſint cocti.12°.met.me.*7ª.77.F
Nutrit modice mel.de vic.rat.in mor.acu.com.3°. 7ª.128.F
Nutriuntur bruta quædam per odoratum.de ana.viu. Sp.49.B
Nutriuntur quidam medicamentis.de ther.ad Piſ. 5ª.91.B
quod Nutritur non eſt vnum.1°.de nat.fac. 1ª.292.E
Nutriunt optima calida,& humida corpora.3°.de ſymp.ca. 3ª.28.H
Nutriuntur optime qui corpora habent calida humida q̃.3°.de ſymptomatum cauſis. 3ª.29.A
*Nutriuntur peſſime frigida,& ſicca corpora.3°.de ſym.cau.*3ª.29.A
Nutrire corpora quando debemus,& qñ non.c.1°.aph.12°. Ex.5.C
Nutriri,& aſſumptos cibos,& potus recte conficere ægris vtiliſſimũ. in 6m.de mor.vulg.com.4°. 3ª.180.F
*Nutrire quid faciat in febribus,& quæ prohibeat.11°.me.m.*7ª.71.G
non Nutrire quid faciat.2°.de ſan.tu. 2ª.84.E
ſi non Nutritur corpus,poteſt eſſe vel ex malis humoribus,vel ex nutritiua imbecillitate.com.2°.aph.31°. Ex.16.H
non Nutriuntur cur ſenes.3°.de ſymp.cau. 3ª.29.C
Nutrit palpebras proprietate minium.de ſimp.med. Sp.81.C
NVTRITIO *quid.1°.de nat.fac.291.E/292.F/1°.de ſe.*1ª.335.E/8°.đ *comp.med.ſec.lo.*5ª.194.B/*com.1°.aph.15°.* Ex.8.B
Nutritio eſt euacuati repletio.4°.de ſimp.med.fa. 5ª.26.H
Nutritioni quæ inanitio ex aduerſo opponatur.1°.de ſan.tu. 2ª.68.H
Nutritio,& concoctio alterationes ſunt.3°.de ſymp.cau. 3ª.29.A
Nutritio alterationis ſpecies.3°.de ſymp.cau. 3ª.26.C
Nutritio eſt alteratio dicta aſſimilatio.1°.de na.fac. 1ª.295.C
*Nutritio eſt aſsimilatio.1°.de naturalib.facultatibus.*1ª.292.H/3°.de *ſymptomatum cauſis.* 3ª.26.C
Nutritio eſt res diuerſa a ſanguificatione.3°.de nat.fac. 1ª.303.D
a Nutritione diuerſa eſt agglutinatio.3°.de nat.fa. 1ª.307.A
Nutritionem præcedit agglutinatio.1°.de nat.fac. 1ª.292.F
Nutritio eſt ipſa actio.1°.de nat.fac. 1ª.292.C
Nutritio actio naturæ.introd. If.55.B
Nutritio vna ex tribus actionib9,quæ vni ex tribus naturæ operibus reſpondent.1°.de nat.fac. 1ª.291.E

Nutritio naturalium actionũ prima præcipua,& maxime neceſſaria, 3°.de ſymp.cauſis. 3ª.26.C
*Nutritio eſt primũ naturæ operũ,& veluti caput.1°.d̃ na.fa.*1ª.295.C
Nutritio eſt cõis ẽt plantis,& eſt opus naturæ.1°.de na.fa. 1ª.290.F
Nutritione indigent quæ augentur.1°.de nat.fac. 1ª.292.B
*Nutritio quo modo fiat.2°.de na.fac.*1ª.298.A/*5°.de ſa.tu.*2ª.96.C/ *de vtilitate reſpirationis.* Sp.62.D
Nutritio quo modo fiat per partes.3°.de nat.fac. 1ª.307.C
Nutritionis,& venarum origo.de marc. 3ª.46.G
Nutritio quando ſit.3°.de nat.fac. 1ª.302.D
Nutritionis cauſa eſt facultas.1°.de nat.fac. 1ª.292.C
Nutritionis inſtrumenta quot.4°.de præſag.ex pul. 4ª.119.F
Nutritio fit a calore innato.2°.de nat.fac. 1ª.298.A
Nutritio ſit ex ſanguine.2°.de decr.Hipp. 1ª.290.H
Nutritio quo ſanguine fiat.com.2°.apho.47°. Ex.18.H
*in Nutritione ſanguis attrahitur p tunicã vaſoru.6°.de vſu p.*1ª.151.D
*Nutritionis principiũ eſſe Iecur demõſtratio.8°.de decr.*1ª.273.B/G
ad Nutritionem magis idonea naturalia inſtrumenta humidiora.3°.& ſymptomatum cauſis. 3ª.29.D
Nutritioni accommoda eſt humiditas.3°.de ſymp.cau. 3ª.29.E
Nutritio fit humiditas.3°.de ſymp.cau. 3ª.30.E
Nutritione,& auctione exceptis omni functioni contraria eſt humiditas.3°.de ſymp.cau. 3ª.29.E
in Nutritione omni id,quod nutritur,attrahit,& congregat particulas ſibi ſimiles.de vti.reſp. Sp.64.A
in Nutritione omni fit ex multo nutrimento res modica per digeſtionem.de vtil.reſp. Sp.62.E
Nutritio quibus fiat.1°.de elementis. 1ª.7.B
Nutritio fit promptior frictione.5°.de ſan.tu. 2ª.89.G
in Nutritione vinorum differentiæ.de diſſ.cont. Sp.73.F
Nutritioni noxiæ ſunt vuæ acidæ,& auſteræ.2°.de ali.fac. 2ª.18.B
Nutritio gignit partes earum,quę aluntur ijs ſimiles,quæ digeſta ſunt. 1°.de ſemine. 1ª.332.H
*Nutritio appoſitio quædam eſt ſine ampliatione.1°.de na.fa.*1ª.291.E
*Nutritionem parciorem ὁ Διγοτροφίαν vocant.3°.de ſan.tu.*2ª.80.C
Nutritio quo modo fruſtretur.3°.de ſymp.cauſ. 3ª.26.C
Nutritio vitiata in ſenibus.2°.de temp. 1ª.16.D
Nutritio vitioſa deficiens in gracilitate eſt.3°.de ſymp.cauſ. 3ª.25.B
*Nutritio vitioſa ĩ leucis,& elephãtiaſi cernit.3°.d̃ ſymp.cau.*3ª.25.B
a Nutritione vitioſa quæ proueniant.de ſymp.diff. 3ª.12.A
Nutritionis inſtrumentorum affectorum dempto ventriculo pulſus. 4°.de præſag.ex pulſ. 4ª.120.E
ſupra Nutritionis inſtrumentum oſtendunt vrinæ.in 3ᵐ.de mor.vul. commentario.2°. 3ª.139.A
in Nutritione differentia morborum acutorum,& longorum.de vict. rat.in mor.acu.com.4°. 7ª.150.E
Nutritio vnde maxime accipiatur.com.1°.aph.17°. Ex.9.C
Nutritio ægri a quo tempore ſumatur.c.1°.aph.17°. Ex.9.C
Nutritio in plethoricis diſpoſitionibus.com.1°.aph.17°. Ex.9.C
Nutritione qui indigent celeri quomodo tractandi ne fiant tabidi.de vene ſect.aduerſ.Eraſiſt. 6ª.7.H
Nutritio citiſſima per quæ facienda.c.1°.aph.11°. Ex.5.A
Nutritionis velocis initium vnde.com.2°.aph.18°. Ex.13.G
Nutritionem velocem,vel tardam debemus probare ex ſanis.Galen. com.2°.aph.18°. Ex.13.H
NVTRITIVA *vis quadruplex.de ocul.* 7ª.185.E
*Nutritiua mẽbra a ſpiritualibus diuidit diaphragma.de an.vi.S.*56.F
Nutritiua imbecillitas quid agat.c.2°.aph.31°. Ex.16.H
Nutrimentum magis eſt vinum ad rubedinem,& dulcedinem declinans.de diſſolutione continua. Sp.73.F
Nutritiuum minus eſt vinum album ſubtile.de diſſ.cont. Sp.73.F
NVTRITORIA *vis particulariter ineſt in omnis animalis particula. 3°.de nat.fac.* 1ª.302.D
*Nutritoria inſtrumẽta cur habeãt neruos paruos.5°.de v.p.*1ª.145.E
NVTRICIS *facultatis principium eſt iecur.5°.de lo.af.* 4ª.28.H
Nutricis actio eſt adſimilatio.1°.de nat.fac. 1ª.292.D
Nutrix vis adiuuat auctricem.1°.de nat.fac. 1ª.292.A
*Nutrix vis indiget inſtrumẽtis,& facultatibus.1°.de nat.fa.*1ª.295.D
NVTRICES *fingunt,& formant membra puerorũ.2°.de tẽp.*1ª.16.A
*Nutrices qũo pñt obeſſe infantibus informatione.de cau.mor.*3ª.8.F
Nutrices obtorquent infantium oſſa.de arti.com.4°. 7ª.283.E
de Nutrice qualis habenda.cura.1°.de ſan.tu. 2ª.66.B

Nutricum lac examinandum.3°.de ali.fac. 2ª.28.A
Nutricis ſanguis qualis eſſe debeat.1°.de ſan.tuen. 2ª.66.B
Nutrix omnino a venere abſtineat.1°.de ſan.tu. 2ª.66.B
Nutrice prægnante nihil peius.1°.de ſan.tu. 2ª.66.B
Nutrices prudentes quid agant.1°.de ſan.tu. 2ª.66.A
Nutrices infantes tripliciter mouent cunis,lectulis,pẽdẽtibus,ac ſuis ipſarum vlnis.1°.de ſan.tu. 2ª.65.D
Nutrix quæ oleribus ſylueſtribus vtebatur quo modo alumnum læſe rit.3°.de alim.fac. 2ª.28.A
Nutricibus quę præbet Galenus.6°.de comp.med.ſec.loc. 5ª.176.F
Nutrici datur pro infante medicamentũ.7°.de comp m.ſ.l. 5ª.185.F
Nutrices a quibus abſtinere debent in aphthis puerorum.6°.de cõp. med.ſecun.locos. 5ª.176.B
NVCES ad perfectionem veniunt in fine æſtatis.6°.de compoſitio. med.ſecun.locos. 5ª.168.G
Nuces oleoſæ,& pinguis qualitatis.2°.de ali.fa. 2ª.21.B
Nuces citius,quàm amygdalæ fiunt oleoſæ.2°.de alim.fa. 2ª.21.B
Nux gratior ſtomacho,quàm auellana.2°.de ali.fac. 2ª.21.A
Nux facilius coquitur,quàm auellana.2°.de ali.fac. 2ª.21.A
Nuces velocius digeruntur quàm auellanæ.de diſ.cont. Sp.73.D
Nux parum alit.2°.de ali.fac. 2ª.21.A
cur Nuces parum nutriunt.de diſſ.cont. Sp.73.F
Nuces accommodæ victui attenuanti.de atten.vic. 2ª.45.H
Nuces ſunt cibaria media.de diſſ.cont. Sp.74.C
Nux recens non habet aliquem ſaporem.2°.de ali.fac. 2ª.21.A
Nuces humidæ cibus humidus.de diſ.cont. Sp.74.D
Nux humida apta ad deiectionem.2°.de ali.fac. 2ª.21.B
Nux cum garo præſertim viridis ſubducit.2°.de ali.fac. 2ª.21.B
Nux ſicca minus apta ad deiectionem.2°.de ali.fac. 2ª.21.B
Nux ſicca aqua macerata fit viridis virtute.2°.de ali.fa. 2ª.21.B
Nuces humidæ,& ſiccę quando molliſicantur in aqua leniunt ventrẽ. de diſſ.cont. Sp.75.A
Nucis nucleus aridus modice tenuium partium et exiccatorĩu eſt medicamentum expers morſus.7°.de ſimp.med.fa. 5ª.50.C
Nux caricis manditur.2°.de alim.fac. 2ª.21.B
cum Nucibus caricæ præſtantiores.de bo.& vitio ſuc. 2ª.37.F
Nuces contra venena.de boni.& vit.ſuc. 2ª.37.F
Nux,& caricæ cum ruta valent contra medicamenta letalia.2°.de alimentorum facul. 2ª.21.B
Nuces cum ficubus incidunt phlegma,& mundificant ſtomachum.de diſſ.continua. Sp.74.D
Nux nocet capiti.de ſubfig.emp. Iſa.32.C
Nuces in prandio dantur epilepticis.de puero epil. 7ª.180.F
Nux antiqua oleoſa quo modo ſugillatis valet. 5°.de com.medicam. ſecundum locos. 5ª.159.H
Nuces virides ad capillorum defluuium.de rem.par.fac. 7ª.154.B
ex Nucæ fit oleum.4°.de ſimp.me.fa. 5ª.26.G
ex Nucibus oleum quo modo fieri debet.7°.de ſimp.me.fac. 5ª.50.B
Nucum oleum eſt oculorum cenoticum.de cathar. Sp.95.B
Nucum oleum purgat aures.de cathar. Sp.95.B
*ex Nucibus oleum ad neruorum vulnera valet.7°.de ſim.m.f.*5ª.50.B
ex Nucibus oleum gangrænas,carbunculos,& ægilopas ſanat.7°.de ſimpl.med.fac. 5ª.50.B
Nucum ſuccus eſt tenuium partium.6°.de comp.me.ſe.lo. 5ª.167.H
Nucum ſuccus probatur adſtringens,quia inhereat manibus,& multum penetrat.6°.de comp.med.ſec.loc. 5ª.167.G
Nucum ſuccus fortior,quàmuis non ſit in guſtu acerbus.6°.de comp. medicamen.ſecun.loc. 5ª.171.F
in Nuce vbi adſtrictio maior.7°.de ſimp.me.fa. 5ª.50.B
ex Nucibus de medicamento.6°.de comp.med.ſec.loc. 5ª.167.F
ex Nucibus medicamentum pro ſtomacho.7°.de ſim.me.fa. 5ª.50.B
Nucum ſuccus non vorandus.6°.de comp.med.ſec.loc. 5ª.169.A
Nucum ſucco vtuntur tinctores.6°.de comp.med.ſe.lo. 5ª.167.G
*Nucis putaminis ſucco cur fullones vtuntur.7°.de ſimp.me.f.*5ª.50.B
Nucum putamina terrena ſunt.9°.de ſimp.med.fa. 5ª.64.H
Nucum cinis qualis.6°.de comp.med.ſe.loc. 5ª.175.A
*Nucum internum quod eſt inſtar columellæ.de med.fac.par.*7ª.167.G
*ex Nuce non dñt fieri lecti,nec fores,nec vaſa.de ſubf.emp.Iſa.*32.C
Nuces Amaræ.1°.de comp.med.ſec.loc. 5ª.154.F
*Nux auellana doſis nomen.8°.de comp.med.ſec.lo.*195.H/*9°.*197.G/ *1°.de comp.med.per gen.* 5ª.215.F
Nux Magna doſis nomen.de pond.& menſ. 5ª.277.F

Nux Noua.de med.fac.par. 7ª.178.H
Nux Pinea qualis.7°.de comp.med.sec.loc. 5ª.179.A
Nux pinea, quæ a græcis strobilon dicitur non est mali succi, sed crassi. de bo.& viti suc. 2ª.35.F
Nux pinea boni ac crassi succi est,& multũ nutrit.2°.d ali.f. 2ª.19.D
Nux pinea difficulter coquitur.2°.de ali.fac. 2ª.19.D
Nux pinea videtur dura, sed elixa est mollis.d bo.& vi.su. 2ª.36.F
Nuces pineæ ad stomachi ardorem cum syncope.8°.de composi.med. secun.locos. 5ª.191.H
Nuces pineæ in inflammationum arteriæ principij leniſsimæ.7°.de cõ posi.med.sec.loc. 5ª.177.H
Nuces pineæ tostæ.6°.de comp.med.sec.loc. 5ª.171.C
Nuces pineæ tostæ.7°.de comp.med.sec.loc. 5ª.182.B
Nux pontica, auellana,& λεπτοκάρια idem.2°.de ali.fac. 2ª.21.A
Nuces ponticæ quales.de atten.vic. 2ª.45.H
Nux pontica plus habet essentiæ terrestris, & frigidæ, & austerior est cæteris.7°.de simp.med.fac. 5ª.50.C
Nuces põticas quo expertus est pater Galeni.d bo.& vi.su. 2ª.36.G
Nuces ponticæ purgatæ.10°.de comp.med.sec.loc. 3ª.206.D
Nucis ponticæ magnitudo pro Dosi.7°.de comp.med.secun.loc. 178. D/181.E F/182.B/D/H/183.H/185.G 186.A/E/8°.195.A/H/ 9°.201.H/202 D G/H/10°.206.A/B/D/F/*de pond.& mensu.* 5ª. 277.F/*de med.fac.par.* 7ª.178.f
Nuces Regiæ sunt nuces communes.2°.de ali.fa. 2ª.21.A
Nux regia pinguis.2°.de ali.fa. 2ª.21.A
Nux regia tempore oleo veteri assimilatur.2°.de ali.fac. 2ª.21.A
Nux regia adstringit.2°.de ali.fac. 2ª.21.A
Nux regia parua dosis.9°.de composi med.sec.loc. 5ª.201.H
*Nux regia nomen ponderis,5°.de comp.med.per ge.*253.A/*de pon- der.& mens.* 5ª.276.G
Nux Syriaca.de med.fac.par. 7ª.176.A
Nucis virginis cortex.de dyn. Sp.28.H

ΝΥΧΘΗΜΕΡΟΝ *q̃l appellet ab astrono mis.de sept.p.*1ª.241.B

NYCTALOPS *quid fin.med.*48.E/*intro.* If.59.B
Nyctalops affectus palpebræ.intro. If.58.D
Nyctalops ulceratio oculorum..fin.med. If.48.D
ob Nyctalopas secantur arteriæ post aures.de ana.viu. Sp.55.B
Nyctalopibus confert sectio venarum temporum,& quæ sunt in an- gulis oculorum lachrymalibus.de ana.viu. Sp.55.A
℔ Nyctalopis in ollam iubet inspici. de rem.fac.par. 7ª.156.H
*ad Nyctalopas iecur caprinum.*11°.*de simpl.med.fac.* 5ª.79.H
*ad Nyctalopas.4°.de comp.med.secundum loc.*5ª.158 D/*de remed. paratu fac.*156 H/ 7ª.163.H
NICTICORACIS *ouum.de remed.fac.par.* 7ª.156.G
*ΝΥΓΜΑΤΙCΥΜ, Fuscũ.3°.de cõp.m.p g.*235.E/B/5ª.258.H
Νεμφαι quæ.introd. If.53.D
*Nympha est propugnaculum matricibus.*15°.*de vsu par.* 1ª.211.A
NYMPHEÆ *semen exiccat.5°.de med.fac.par.* 5ª.38.C
*Nymphææ semen desiccat citra morsum.8°.de simp.med.fa.*5ª.57.A
*Nymphææ radix,& semẽ, semẽ siue p insomnia siue alio pacto ĩmodi ce profluens retinet, iuuat dysentericos.8°.de simp.me.fa.*5ª.57.A
Nymphæa candidam radicem habens muliebri prostunio medetur.8°. de simp.med.facul. 5ª.57.A
*Nymphææ aliquid potandũ in priapismo exhibet.*14°.*me.m.*7ª.89.B
*Nymphææ omnes alphos sanant,& alopecias.8°.d simp.m.f.*5ª.57.A
NYMPHODERI *glossocomum quid sit,& quomodo conficiatur. de machinamentis.* 7ª.215.D
NYMPHODOTVS 6°.*de comp.med.per ge.* 5ª.261.B

℥ Ω *antiqui eodem charactere scribebat. in 6ᵐ.de morb.vul.c.3°.* 3ª.178.G

Ox *vocabant attici sorba.* 2°.*de alimen- torum facultatibus.* 2ª.20.E

Oξύ *id est sorborum decoctum adstringens moderatum pro gargarismis.6°.de compo sitione med.sec.loc.* 5ª.1-2.F

OBAVDITIO *in auditu vitium est.1°.de sym ptomatum causis.* 3ª.15.G

Obauditio siue obauditus nomen vitij in auditrice vi, quale nec in gu- statrice, nec in odoratrice reperitur.1°.de symp.cau. 3ª.16.G

OBEDIENTIA *libididis ad rationem optima est.de cogn.curand.ani- mi morbis.* 2ª.53.A
OBEDIVNT *voluntati æsophagus,& stomachus.de mo.mu.* Sp.68.E
Obediunt illi magis ægri, quos libenter aspiciunt, & contra.in 6ᵐ.de mor.vulg.com.4°. 3ª.180.G
OBEVNT *multi nõ parẽtes medicis.in 6ᵐ.d mor.vul.c.*2°.3ª.168.F
Obicre multi ex abscessu gulæ.5°.de loc.aff. 4ª.32.D
Obeunt cito syncopa intercepti.5°.de loc.aff. 4ª.29.E
Obijt homo, morbus tamen est curatus inquiunt quidam.2°.de arte cu ratiua ad Glauconem. 7ª.103.C
Obelo signo vtebatur Aristarchus apud Poetam iuxta sibi suspectos versus.de nat.hum.com.2°. 7ª.181.E
pro OBESITATE *sananda febris est apta.14°.met.me.* 7ª.91.F
OBESVM *præstat exercitatio mediocris.5°.de san.tu.* 2ª.89.C
Obesi humidi natura sunt.de arti.com.1°. 7ª.256.E
Obesi molles, & candidi non abundant humore melancholico.3°.de locis affectis. 4ª.18.D
Obesi non sunt præter naturam.de tum.præ.na. 3ª.82.F
Obesum si sit corpus quid considerandum.5°.de san.tu. 2ª.89.C
Obesum valde corpus non probat Galenus.5°.de san.tu. 2ª.64.E
Obesi quo modo fiant gracilles.6°.de san.tu. 2ª.98.C
Obesi ex gracilibus redditi.6°.de san.tu. 2ª.98.C
Obesi quo modo euomere debent.de sal.diæ. 2ª.41.F
OBINTELLIGENTIA hoc est παρασυνεσις, *signãt non deceptionẽ absolute, sed eã q̃ veritati adiacet.d ar.c.3°.* 7ª.276.D
OBICES, *pars organorum.de machin.* 7ª.309.E
OBIVRGAT *se nemo, qui a libidine desistere proposuerit.5°.de decr. Hippocra.* 1ª.259.G
OBLAESIO quid.fin.med. If.47.H
OBLATIONES *flatuũ p venas qbus eueniant.de præs.exp.* Sp.78.E
OBLATA *qũo faciunt prædicere.in 1ᵐ.de mor.vul.com.3°.*3ª.117.B
ex Oblatis morborum formas,& non solum modos cognouit Galen. in 1ᵐ.de mor.vul.com.3°. 3ª.117.C
ad Oblata promptitudo bonum est signum.c.1°.aph.33°. Ex.10.D
OBLECTANTIA *dari ægris iubere debet medicus.in 6ᵐ.de morbis vulg.com.4°.* 3ª.181.A
Oblectent quæ visum.in 6ᵐ.de mor.vulg.com.4°. 3ª.181.B
Oblectent quæ tactum.in 6ᵐ.de mor.vul.com.4°. 3ª.181.A
OBLIQVATIO *est distortio in latus.de ar.com.2°.* 7ª.272.f
Obliquationes quo modo fiant.com.3°.aph.31°. Ex.26.H
Obliquationes comitantur senes ad mortem.c.5°.aph.40°. Ex.18.A
OBLIQVE *pollicem mouens musculus.de mus.dis.* 1ª.48.D
Obliq, introrsum, sursumq, digitos mouentes musculi quinque.de mu- sculorum dissectione. 1ª.49.A
Oblique tibiã ad exteriora inuertens,& simul flectens musculus.de musculorum dissectione. 1ª.51.E
Oblique magni digiti internodium leniterq, ad exteriora extendens musculus.de musc.diss. 1ª.52.B
Oblique leniter, sursum trahens magnum digitum pedis musculus.de musculorum dissectione. 1ª.52.D
OBLIQVITATEM *Zodiaci Pythagoras primus inuenit. de historia philosophorum.* Sp.6.C
Obliquitas est passio propriæ spinæ.com.6°.apho.46°. Ex.51.G
OBLIQVVM *cur sit colon intestinum.de ana.viu.* Sp.50.f
Obliqui musculi,& recti adsunt vbi est vnum os.de ana.ad. 1ª.90.A
Obliquam positionem habentes musculi principia motus in diuersis lo cis habent constituta.16°.de vsu par. 1ª.216.H
Obliqua positio partis duplex est.2°.de vsu par. 1ª.125.B
Obliqui musculi quo modo secandi.5°.de ana.adm. 1ª.88.B
Obliqui motus fiunt ab obliquis musculis.6°.de ana.adm. 1ª.90.A
Obliquus est motus secundi musculi capitis.de mus.diss. 1ª.45.E
*Obliquus est motus capitis si musculus vnus agat.de mus.dis.*1ª.45.H
Obliqui musculi ex ijs, qui totam ceruicem occupant, obliquum caput abnuendo mouent.de mus.diss. 1ª.45.H
Obliquã ceruicẽ in priora flectens musculus, q.de musc.diss. 1ª.46.H
Obliquum linguæ motum qui musculi faciant.de musc.diss. 1ª.46.f
Obliquorũ musculorũ, qui radiũ mouẽt, exortus.de mus.diss. 1ª.49.A
*Obliqui duo musculi pudendi quales,& vbi sint.de mus.diss.*1ª.50.D
*Obliquo motu qui musculi agunt digitos in pede.de musc.diss.*1ª.52.G
*Obliquo motu q musculi mouent singulos digitos.de mus.dis.*1ª.52.H
Obliquum motum in manu vnicuique digito suppeditantes musculi.& musculorum dissectione. 1ª.52.H

OBLIQVI *nerui sibi vendicant potestatem apocreticen id est expulsiuam.de comp.memb.* Sp.58.H
OBLIQVVM *capistrum ad alteram partem.de fascijs.* 7ª.296.F
OBLITI *literarum,& artis sunt aliqui ex peste liberati.2°.de symptomatum causis.* 3ª.24.B
Obliti propriorum nominum fuerunt non nulli ex peste liberati.2°.de sympt.causis. 3ª.24.B
Obliti sunt quidam suorum, & sui met in peste Athenis a Thucydide relata.2°.de symp.cau. 3ª.24.B
OBLIVIO *mẽtis cõtingit cõceptis in horis melãcholiæ.de sper.S.36.C*
Obliuionẽ quæ medicamenta frigida faciant.2°.de symp.cau.3ª.24.B
Obliuio ex refrigeratione.2°.de symp.cau. 3ª.24.B
Obliuionem facit senium.2°.de symp.cau. 3ª.24.B
ad Obliuioni senectutis commentarios sibi fecit Galenus.3°.de differentijs pulsuum. 4ª.60.H
Obliuio in consueta ostendit futuram ægritudinem.ars med. Is.67.F
Obliuio signum exitiale.in 3ᵐ.de mor.vul.com.3°. 3ª.144.B
Obliuio cum rigore malum.in 1ᵐ.pror.com.2°. 4ª.173.F
in Obliuione,& stoliditate consistit actionis ratiocinatricis amissio.2°.de symptomatum causis. 3ª.24.B
Obliuio ob accessum in morbis.2°.de symp.caus. 3ª.24.B
Obliuionem quid deleat.secretorum. Sp.24.B
ad Obliuionem.secretorum.101.E/de cura lap. Sp.112.G
OBLIVISCI *quid sit,& cur in magnis animi affectibus obliuiscamur 2°.de motu musc.* 1ª.315.B
OBLONGVS *cur sit stomachus.de ana.viu.* Sp.49.G
ex Oblonga fascia fit καθολκεύς. de fascijs. 7ª.294.H
Obstetricia satura quæ.introd. Isa.54.F
Obolus quantum capiat.de pond.& mens. 5ª.276.E
Oboli meminit.2°.de comp.me.sec.lo.139.F/3°.143.D/de pond.& mensu.276.A/D/F/ 5ª.277.B
Oboli duo dosis.7°.de comp.me.se.lo.182.G/de põd.& mẽ.5ª.276.A
Oboli tres sunt drachmæ dimidium.7°.de comp.med.se.lo. 5ª.171.C
Obolus quo modo figuretur.de pond.& mens. 5ª.275.C
in Obscœnis si dimidia pars abscindatur, parti q̃ superfuerit, ea erit mutilatio ægritudo. de diff.morb. 3ª.5.A
in Obscœnis mutilatis erit aliqua diminutio magnitudinis, tamẽ ipsum animal necessario non dicetur mutilatum.de dif.mor. 3ª.5.A
OBSCVRE *loqui quidam gaudent.de vic.ra.in mor.ac.c.4°.7ª.136.F*
OBSCVRITAS *in authoribus vnde sit.3°.de decr.Hip.* 1ª.243.E
Obscuritatem faciẽtia in disputationibus tollẽda sunt.de atrab.1ª.54.C
non Obscuritas sed falsitas cogit aliquid addere inuentis.comm.7°. aphorismo.64°. Ex.60.C
Obscuritas cornex passio.de ocul. 7ª.187.H
OBSCVRVM *quid sit re vera.de fract.com.1°.* 7ª.223.C
Obscurum respectu alterius quid sit.de frac.com.1°. 7ª.223.C
Obscuri qui.in 1ᵐ.pror.com.2°. 4ª.169.B
Obscurus ex industria Erasistratus.5°.de loc.aff. 4ª.30.B
Obscura volunt aliqui tegere breuitate.3°.de decr.Hipp. 1ª.243.F
Obscura facilius cõijciunt, q̃ percipiantur.de cog.cur aĩ mor.1ª.50.C
Obscuræ locutiones nullam habent certam explanationem. de ijs quæ in med.fi.com.3°. 7ª.217.B
Obscure enunciantes breuiter loquuntur.de ijs, quæ in med.fiunt, commentario.1°. 7ª.200.D
Obscuræ enunciationes nihil docent.in 1ᵐ.pror.com.1°. 4ª.165.D
Obscuri sermones quid faciant.com.7°.aph.64°. Ex.60.C
in Obscuris antiqui mutabant veteres scripturas. in 1ᵐ.prorrh.commentario.3°. 4ª.182.D
Obscura quisque potest pro arbitrio scribere,cum nulla lex sit posita transcribentibus.com.7°.aph.64°. Ex.60.C
quis de Obscuris rebus credat alicui, qui euidẽtibus cõtraria statuat? aduer.empir.med. Is.35.D
in Obscuris tẽpus non conterendum.in 6ᵐ.de mor.vul.c.3°.3ª.179.C
Obscura intelliguntur, quæ sæpius iterum repetuntur.de fracturis.cõmentario.1°. 7ª.227.B
Obscuris contentio non potest iudicari.de sect. Is.17.C
de Obscuris motibus librum fecit Galenus.de musc.diff. 1ª.44.F
Obscurus,& latens est motus post brachialis cũ brachiali.de musculorum dissectione. 1ª.49.D
Obscuram vrinam & rubram habet hepatis vitium.de dyn.Sp.35.E
Obscura,& rosea vrina ĩ febribus phrenitim significat.& dy. S.35.E
in Obscuro qui febrientes debent manere.de victus ratione in morbis acutis.com.4°. 7ª.140.H
OBSERVANDÆ *sunt vires imbecillæ in sectione venæ.de præsag.exper.confir.* Sp.68.D
quæ Obseruanda sint in Hippocratis aphorismorum interpretatione. com.6°.aph.18°. Ex.48.B
OBSERVATIO *quid.de opt.sect.* Isa.21.G
Obseruatio index euidentium sensui,& non per se cognitorum.de optima secta. Is.21.A
Obseruatio parit memoriam ex hac est experientia, ex qua proxime ars emanat.de subfig.emp. Is.32.D
Obseruatione ars constitui non potest remota ratione.2°.de dignotione pulsuum. 4ª.77.G
Obseruationes empiricorum quales.de subfig.emp. Isa.32.D
OBSOLANI *quo modo fiant circa Solem, vel Lunam.7°.de decretis Hippocratis.* 1ª.272.C
Obsoletis nominibus aliquibus vsus est Hipp.noua aliqua fecit Hip.ling.ex pl. Ex.71.F
OBSONATRICEM *artem debet scire medicus.2°.de ali.fac.* 2ª.20.H
ad Obsonatricem commentationem quæ valeant.3°.de ali.fa.2ª.26.D
OBSONIA, *& bellaria quo modo differant.de sal.diæ.* 2ª.41.B
Obsoniorum ars.9°.de decr.Hip. 1ª.280.G
Obsonia sua sponte prouenientia, quæ.2°.de ali.fa. 2ª.25.D
Obsonia quæ cum alimentis manducantur.2°.de ali.fac. 2ª.25.D
ab Obsonij delicatioribus auidius in omnium conspectu deuorandis abstinendum.de cog.cur.ani.mor. 2ª.53.C
Obsonij minus sumendum.de cogn.cur.animi mor. 2ª.53.C
Obsonij elixis æstate vtendum.de sal.diæ. 2ª.40.C
Obsonium est cum pane nasturtium.7°.de simp.med.fac. 5ª.40.A
ad Obsonia medicamentum loco salis.4°.de san.tu. 2ª.86.E
quæ Obsonia ante balneum sumenda sunt.6°.de sa.tu. 2ª.97.G
Obsonia in capitis dolore ex stomacho.2°.de comp.med.se.lo.5ª.135.B
Obsonia in cubiti fractura.de fract.com.1°. 7ª.230.G
OBSTETRICVM *opus quod sit.com.5°.aph.62°.44.A/commen.7°. aphorismo.64°.* Ex.60.C
Obstetricibus videtur conniuere os matricis prægnantium.3°.de naturalibus facultatibus. 1ª.302.H
Obstetrices cur non statim faciunt surgere mulieres parturientes, nec eas statim in sella pariendi collocant, sed tantisper expectant donec vterus perfecte hiscat.3°.de nat.fac. 1ª.303.B
Obstetrices pfundũt collũ matricis humore quodã.15°.d̃ v.p.1ª.212.A
Obstetrices quomodo possint obesse puerulis.de caus.mor. 3ª.8.F
OBSTIPITAS *quid sit.de art.com.3°.269.F/* 7ª.273.E
Obstipitas est distortio in latus.de arti.com.3°. 7ª.272.F
OBSTIPPVM *quid significet.de frac.com.2°.* 7ª.240.G
OBSTRVCTIO *duplex est.10°.met.me.* 7ª.62.A
Obstructio est ægritudo.de diff.morb. 4ª.4.F
Obstructio affectus instrumentalium partium.de const.ar.41.D/11°. methodi medendi. 7ª.70.C
Obstructio quomodo sit ægritudo, lenti vero humores, ægritudinis causa.de diff.morb. 3ª.4.D
Obstructio quando est morbus.de symp.diff. 3ª.13.A
Obstructio potest repente fieri, & etiam permanere diu.commen.4°. aphorismo.62°. Ex.34.B
Obstructio a quibus.3°.de symp.cau. 3ª.28.G
Obstructio ex quibus fiat.1°.de arte cur.ad Glau. 7ª.95.D
Obstructio quo modo fiat.3°.de san.tu.2ª.81.B/9°.methodi medendi. 55.G/de ocul. 7ª.185.G
Obstructio quomodo fiat ab auræ flatu.3°.de san.tu. 2ª.81.B
Obstructio quibus fiat modis,& curetur.11°.met.me. 7ª.69.F
Obstructio inseparabilis a quibus fiat.10°.met.me. 7ª.71.G
Obstructionis meatuũ causæ quæ.de diff.mor. 3ª.4.C
Obstructionis causa in vijs.3°.de symp.caus. 3ª.26.A
Obstructio est cibus qualis.5°.de san.tu. 2ª.91.D
Obstructio ex lentis,& crassis humoribus.ars med. Isa.70.C
Obstructio meatuũ subita fit a viscoso,et crasso hũore.3°.d̃ lo.a.4ª.18.C
Obstructiones auget vinum dulce.de vic.ra.in mor.ac.c.3°.7ª.125.H
Obstruit dulce vinũ crassum,& obstructionẽ pficit.de vinis. Sp.76.E
Obstructio ex vinis qualis.5°.de san.tu. 2ª.91.D
Obstructio in finibus vasorum quot de causis fiat.11°.me.m.7ª.68.H
ob Obstructionem vasorum angustia.1°.de san.tu. 2ª.68.C
ob Obstructionem transitus angustia.1°.de san.tu. 2ª.68.C
Obstructionis symptoma est transpirationis retẽtio.11°.me.m. 7ª.70.C

Obſtructionem ſequitur putrefactio.8°.de comp.me.ſec.loc. 5ª.193.H
ex Obſtructione quo modo ſequatur febris.de cauſ.mor. 3ª.7.G
Obſtructio facit diariam.9°.met.me. 7ª.57.G
ex Obſtructione ephemera quæ.3°.de ſymp.cauſ. 3ª.32.G
Obſtructio facit febrem,quæ ſanatur balneo.c.7°.aph.42°. Ex.57.D
Obſtructio non facit febrem citra putredinem.9°.met.me. 7ª.56.C
Obſtructio prohibet coctionem.de diff.morb. 3ª.4.D
ſi Obſtructio aliqua in digeſtionis inſtrumentis digeſtionem impediat, particula exiſtente commode tẽperata,obſtructio ipſa morbus eſt, digeſtionis impedimentum eius ſymptoma.de ſymp.diff. 3ª.13.A
Obſtructionis magnitudo vnde ſit.8°.met.me. 7ª.52.G
Obſtructio cutis abundantiam humorum induxit.in 3ᵐ.de mor.vulg. commentario 3°. 3ª.149.G
Obſtructio cutis quibus ſolet eſſe moleſta.8°.met.me. 7ª.54.C
Obſtructio alicuius partis facit dolorẽ capitis.c.4°.aph.70°. Ex.35.C
Obſtructio fortis dolorem viſcerum facit.c.4°.aph.66°. Ex.34.E
Obſtructio cordis omnium peſſima.2°.de præſag.ex pul. 4ª.110.D
Obſtructio potiſſimum fit in Iocinore.de conſt.ar. Iſa.41.D
Obſtructio quando ſola in meatibus iecoris.de diff.mor. 3ª.4.D
Obſtructiones in Iecore,liene,& renibus qui panis faciat.5°.de ſanitate tuenda. 2ª.92.E
ab Obſtructionis noxa abeſt panis lotus.1°.de alim.fa. 2ª.10.G
Obſtructionem in iecore facit vinum dulce.de diſ.cont. Sp.74.H
ex Obſtructione dolor hepatis quo cognoſcat.c.7°.aph.52°. Ex.58.E
Obſtructio hepatis facit morbum regium.com.4°.aph.62°. Ex.34.B
Obſtructio quomodo eſt cauſa morbi regij.c.2°.aph.64°. Ex.34.D
quæ Obſtructio ileum faciat.com.6°.apho.40°. Ex.51.A
Obſtructio ſi ſola adſit inteſtino, vna tãtũ erit ægritudo.de dif. 3ª.4.D
Obſtructionem quo modo ſequatur mors.de cauſ.mor. 3ª.7.G
Obſtructa cutis quomodo prima die cognoſcatur.8°.met.me. 7ª.52.F
Obſtructio quomodo cognoſcitur.3°.de ſan.tu. 2ª.81.B
Obſtructio membri principalis quomodo cognoſcatur ex pulſu.1°.de arte cura,ad Glau. 7ª.99.F
Obſtructio iecoris,& ſplenis deprehenditur ex loci dolore.quæſita in Hippocratem. 1ª.113.C
Obſtructio Iecoris non facit dolorem.2°.de loc.aff. 4ª.12.H
Obſtructionem Iecoris quæ vrinæ ſignificent.de vrin. 4ª.123.B
Obſtructionem renum quæ vrinæ ſignificent.de vrin. 4ª.123.B
ex Obſtructione pauca quo modo cognoſcatur effecta febris diaria.8°. methodi medendi. 7ª.52.A
Obſtructiones quibus ſoluãtur,de cõſt.ar.Iſ.42.F/8°.met.me. 7ª.52.F
Obſtructio quid habet contrarium.11°.met.me. 7ª.71.D
Obſtructionis intentio,aperitio.ars med. Iſa.70.C
Obſtructiones in peſtilentia aperiendæ ſunt.3°.de ſymp.cau. 3ª.32.E
Obſtructiones quæ alias ſequuntur ægritudines primo ſunt curandæ. ars medic. Iſa.70.E
Obſtructio ex qualitate humorum attenuantibus indiget.10°.methodi medendi. 7ª.62.A
Obſtructio faciẽs dolorem quo debeat curari.c.7°.apho.46°. Ex.57.H
ex Obſtructione mẽbri principalis, animi defectus quo modo curetur. 1°.de arte cura.ad Glauconem. 7ª.99.F
in Obſtructione membri principalis vinum album tenue.1°.de art.cura.ad Glauconem. 7ª.99.F
Obſtructio a ſtercore duro quo modo emendetur.ars me. Iſ.70.C
Obſtructio a lapide in veſica quomodo curetur.ars med. Iſ.70.D
in Obſtructione ſanguinis miſſio pro copia.10°.met.med. 7ª.62.A
Obſtructio non curatur per ſanguinis miſſionem.11°.me.me. 7ª.71.G
Obſtructionem aperit decoctio Abſinthy,& centaureæ, minus quàm decoctio iridis.de med.exper. Sp.104.B
Obſtructiones omnes diſcutit Acetũ mulſum.de bo.& vi.ſuc. 2ª.39.C
Obſtructiones aperit Allium.2°.de ali.fac. 2ª.25.E
Obſtructiones expedit Fruum.8°.de ſimp.med.fac. 5ª.57.E
Obſtructionẽ craſſam apit decoctio radicis iridis.de med.exp.S. 104.B
Obſtructiones expediendi facultatem habet Oſiris.8°.de ſimplicium medicamentorum fac. 5ª.57.E
Obſtructione liberat Stoechas.8°.de ſimp.med.fac. 5ª.61.D
ob Obſtructione natos laterum dolores iuuat Tryphyllum.9°.de ſimp. medicamen.facul. 5ª.62.F
OBSTRVCTIONES *viſcerum extergit carpeſium.7°.de ſimp.medic. facultatibus.* 5ª.50.C
Obſtructiones viſcerũ purgat Chamedrys.8°.de ſimp.me.fa. 5ª.62.E
Obſtructiones viſcerum expurgat pelecinus.6°.de ſimp.me.f. 5ª.48.B
Obſtructione liberat viſcera omnia polium.8°.de ſimp.me.f. 5ª.59.A
Obſtructione liberat viſcera ſcandix.8°.de ſimp.me.fa. 5ª.60.E
Obſtructiones viſcerum deijcit ſiſon.8°.de ſimp.med.fa. 5ª.60.F
OBSTRVCTIONIS *Iecoris curatio.de conſt.ar.* Iſ.41.D
Obſtructio Iecoris,& inflammatio quando coniunguntur quibus curanda.9°.de comp.med.ſec.loc. 5ª.197.F
Obſtructiones in iocinore abſtergunt,& expurgant amara.7°.de ſimplic.med.fac.49.E/8°. 5ª.62.E
Obſtructiones Iocinoris optime expedit Centaurij minoris ſuccus.7°. de ſimp.med.fac. 5ª.50.H
Obſtructione liberat iecur Chamæciſſi flos.8°.de ſimp.me.fa. 5ª.62.E
Obſtructiones Iecoris expurgat Eupatoriũ.6°.de ſimp.me.f. 5ª.47.G
Obſtructiones iocinoris ſanat Fumus terræ.7°.de ſimp.me.f. 5ª.49.G
Obſtructione liberat iecur,ac lienẽ Marrubiũ.8°.de ſimp.m.f. 5ª.59.B
Obſtructione iocinoris ſanat Oſiris.8°.de ſimp.med.fa. 5ª.57.F
Obſtructiones liberat Piſtachiũ maxime iecoris, ſed etiam Thoracis, & pulmonis.8°.de ſimp.me.fac. 5ª.58.F
OBSTRVCTIO *lienis quomodo curetur.13°.met.med.* 7ª.84.F
Obſtructione liberant lienẽ,ac Iecur amara.8°.de ſimp.me.fa. 5ª.59.B
ex Obſtructione febris quomodo curetur.8°.met.med. 7ª.50.A
in Obſtructione facta febre conuenit lotio ex aqua temperata.8°.met. medendi. 7ª.50.A
ex Obſtructione,ephemera quo modo ſanetur oleo, & balneo.1°.de arte cura.ad Glauc. 7ª.95.E
Obſtructionem quandam cur debent habere maturatiua medicamenta.de ocul. 7ª.188.E
OBSTRVCTA *quæ.in 6ᵐ.de mor.vul.com.2°.* 3ª.162.D
Obſtructi pori faciunt augeri calorem.de vtil.reſp. Sp.62.F
Obſtructa quibus eſt cutis illis inedia iniungenda. de victus ratione in morb.acu.com.1°. 7ª.115.E
Obſtructa parte præcipua aliqua,ſit animi defectus.1°.de arte curat. ad Glauconem. 7ª.98.F
OBSTRVENTIVM *natura qualis.5°.de ſimp.med.fac.* 5ª.35.F/ *de ocul.* 7ª.188.E
Obſtruentia quæ ſint.5°.de ſimp.med.fac. 5ª.35.F/H
Obſtruentes cibi numerantur.de diſ.cont. Sp.74.G
Obſtruens,& lentum eſt triticum.8°.de ſimp.med.fac. 5ª.59.D
ab Obſtruentibus cibis cauendum ſeni.5°.de ſan.tu. 2ª.91.D
Obſtruentes materiæ tempore corrumpuntur.2°.de dif.fe. 3ª.42.C
OBSTRVITVR *quo modo corpus.3°.de ſan.tu.* 2ª.77.F
Obſtruit febris principium cum horrore.10°.de ſimp.me.fa. 7ª.61.G
Obſtruit duobus modis medicinis.de ocul. 7ª.187.H
Obſtruit oleum frigidum.6°.met.me. 7ª.37.D
OBSTVPESCENTIA *quid ſit.com.7°.aph.14°.* Ex.54.H
Obſtupeſcentia quibus comparetur.com.7°.aph.14°. Ex.55.A
Obſtupeſcentia in capitis ictu,malum.com.7°.aph.14°. Ex.54.H
Obſtupidis aliqua parte oleum calidum medetur.2°.& ſimplicium medicamentorum fac. 5ª.11.E
OBTVRANTIA, & obducentia meatus quæ dicantur.4°.de comp.med.ſec.loc. 5ª.150.A
OBTVRATIONEM *aurium,& narium,& capitis grauitatẽ ſuperius, renumque dolorem inferius ſignificat vrina ſuperius ſubnigra, & plena, quæ inferius claritatem habuerit.de dyn.* Sp.35.D
OBTVRAT *aures,& nares ſperma a capite.de ſper.* Sp.36.E
Obturat ſanguinem vinculum.5°.met.med. 7ª.30.B
OBTVSVM *nihil ſignificat vltra languidum.3°.de diff.pul.* 4ª.61.B
Obtuſa lingua peccat in formatione vocis.de ana.viu. Sp.49.C
OBVLI cataplaſma ad quid vtile.de dyna. Sp.26.A
ad OBVOLVENDVM *vniuerſum caput faſcia.de faſ.* 7ª.294.H

OCCECATIO *vlceratio oculorum ſi.med.* Iſa.48.D

Occæcati in ſolis defectibus,dum oculis in conniuentibus deficientẽ intuerentur.10° de vſu par. 1ª.179.A
OCCASIO *quid ſignificet.in 6ᵐ.de mor.vul.com.3°.* 3ª.174.A
Occaſio quid apud Hippocratem.in prognoſt.com.2°. 4ª.205.C
Occaſio præceps quo modo.com.1°.aph.1°. Ex.2.C
Occaſiones dicuntur primæ cauſæ.in 3ᵐ.de mor.vul.com.1°. 3ª.133.F
Occaſiones ægritudines conſiderandæ.in 6ᵐ.de mor.vul.c.3°. 3ª.178.B
Occaſio morbi quomodo conſideranda.de venæ ſect.adu.Eraſ. 6ª.5.C
Occaſionis inuentor medicus qui.in 6ᵐ.de mor.vul.com.5°. 3ª.188.A
OCCASIONIS *herba.de dyn.* Sp.24.B
ad OCCASVM *eſtiuum ſpectãtes mõtes optimi ſunt.5°.me.m.* 7ª.36.B

Occaſus Pleiadum

Occasus Pleiadum quando sit.de dyna. Sp.20.C
OCCIDENDI, *quo modo cito necantur ab aspidibus in Alexandria.de ther.ad Pison.* 5ª.93.B
ad OCCIDENTEM *& orientem sitæ vrbes differunt, & ad austrum, & septentrionem.de aere.aq.& lo.* 2ª.2.C
Occidentem versus fluentes fontes quales.de bon.aquæ. Sp.75.E
OCCIDENTALES *sunt,gemini,libra,aquarius.de sper.* Sp.38.H
OCCIDVNT *quædam ægritudines tempore accessionis, quædam in vigore.1°.de crisi.* 4ª.125.G
Occidunt lumbricos lipsiani.de simp.med. Sp.86.C
OCCIPVT *quod.introd.* Isa.52.H
Occipitis vnum os.introd. Isa.54.F
Occipitis ossa habent futuram obscuram. 11°.*de vsu par.* 1ª.192.A
ex Occipitij ossis partesm par musculorum.4°.de ana.adm. 1ª.82.E
ex Occipitio nascentium musculorum numerus,ortus, ac finis. de musculorum dissectione. 1ª.45.F
in Occipitio dorsi medullæ exortus.in 6m.de mor.vul.cõ.1°. 3ª.154.D
in Occipitio cucurbita ad oculorum fluxiones.13°.meth. med. 7ª.85.A
supra Occiput cur apponantur cucurbitulæ propter oculos,& partes anteriores.2°.de comp.med.sec.loc. 5ª.137.H
*Occipitio quo mõ cucurbitula apponenda.de remed.par.fa.*7ª.156.B
ad Occipitium vinculum.de fascijs. 7ª.294.E
ad Occipitium funda scissa in partes quatuor.de fascijs. 7ª.300.E
OCCVLTA *esse omnia quidam cupiunt.* 10°.*de vsu par.* 1ª.179.C
Occulta quoquæ in re medica necessaria sunt ad obseruationem, non solum sensa cognita,contra empiricos.de opt.sect. Isa.21.B
Occulta si sit vena quid agendum.de anat.viuo. Sp.54.H
OCCVPATIONES *cum sunt impedimento vt ante cibum exerceri non possint,huic non modo probato,& innoxio victu est opus, sed etiã salubribus medicamentis.de bon.& vitio suc.* 2ª.34.E
OCEANI *exteriores aquas dulces putat Euthymenes. de historia philosophica.* Sp.8.H
*Oceani aquis exterioribus Nyʼũ augeri quis putet.de his.phi.*Sp.8.H
Ωʼχετεύειν, *id est rinare est per cibos ducere.de cucur.scar.* 6ª.4.F
OCHRA *genus terræ.in prognost.com.2°.* 4ª.201.G
Ochra incidens est minus calida.5°.de simp.med.fac. 5ª.35.E
Ochra vrinam bene prouocat.5°.de simp.med.fa. 5ª.35.E
Ochræ meminit.6°.meth.me. 7ª.37.F
OCHRON *vnde dicatur.in prog.com.2°.* 4ª.201.G
Ωʼχρον *quid sit.de victu.ra.in mor.acu.com.2°.* 7ª.119.D
Ωʼχρον *quo modo mandere debemus.1°.de ali.fac.* 2ª.14.F
Ochris fuluis,flauis,& rubri albi sunt calidiores. 4°.*de simplic. medica. facultatibus.* 5ª.31.D
Ochri meliores cicerculis.de bon.& vitio suc. 2ª.37.D
Ochri deteriores faba,piso,& lentibus.de bon.& vitio suc. 2ª.37.D
ex Ochris farina calfacit,& exiccat.5°.de simp.med.fac. 5ª.34.A
Ochra quo modo expertus est Galeni pater.de bo.& vitio su. 2ª.36.g
Ωʼχρόξανθον *dicunt flauum ex pallido.4°.de san.tuen.* 2ª.83.G
OCHTHODE *quid significat.3°.meth.med.* 7ª.18.A
Ochthode si quæ labia in vlcere.4°.de com.med.per ge. 5ª.239.B
Ochthodeis.4°.de comp.med.per ge. 5ª.237.H
OCIMOIDES *semen habet exiccans absque mordicatione.8°.de simp.med.facul.* 5ª.64.A
Ocimũ habet caulẽ inutilẽ post semen effusum.2°.de ali.fa. 2ª.24.A
Ocimi semen quale.2°.de com.me.se.loc. 5ª.136.F
Ocimum in secundo ordine calidum est,& humiditatem habent recrementitiam.8°.de simp.med.fac. 5ª.64.A
Ocimum vires habet acriter excalfacientes,& relaxantes,& vrinã prouocantes.de simp.med. Sp.88.E
Ocimum non generat scorpiones.2°.de ali.fac. 2ª.23.H
Ocimum pro obsonio mandunt.2°.de ali.fac. 3ª.23.A
Ocimum lactucæ miscendum.2°.de alim.fac. 2ª.23.F
Ocimum non debet edi.8°.de simp.med.fac. 5ª.64.A
Ocima prauus cibus.1°.de diff.feb. 3ª.31.G
Ocimum praui sacci,& concoctu difficile.2°.de alim.fac. 2ª.23.H
Ocimum stomacho noxium est.2°.de ali.fac. 2ª.23.H
cum Ocimo,vel apio,panis, crustas optime disrumpit. 2°.de arte cur. ad Glauconem. 7ª.107.B
OCIOSVM *nihil est.1°.de nat.fac.* 1ª.291.H
Ocioſi gignunt succum pituitosum.4°.de sa.tu. 2ª.83.F
Ocioſis corpus impletur.in 3m.de mor.vulg.com.1°. 3ª.130.D
Ocioſi pinguedine abundant.6°.de anat.admi. 1ª.92.B
Ocioſæ mulieres non concipiunt.de aere,aq.& loc. 2ª.5.G
*Ocioſius degentibus mulierib. rigor magis accidit.de tre.pal.*3ª.55.G
Ocioſam vitam agentes vitent cibos crassi,& lenti succi. de bonitate, & vitio succorum. 2ª.35.A
Ocioſis pisces molles sunt accommodati.3°.de alim.fac. 2ª.31.E
Ocioſæ viuentibus dandum est vinum falernum,molitanum, auriusiũ, lesbium de vinis. Sp.76.H
Ocioſi ad exercitationes tẽdẽtes primo vacuãdi.5°.de san.tu. 2ª.94.D
Ocioſi ad exercitationes tendentes,nisi fuerint euacuati, quos morbos incidant.5°.de san.tuen. 2ª.94.D
in Ocioſorũ virorum vrinis est subsidẽtia multa.1°.de crisi. 4ª.130.C
Ocioſi multi cum vrinis magnam copiam eiecere crassi humoris muco similis.de natura humana.com.2°. 7ª.180.B
in OCIO *degunt philosophi.3°.de loc.aff.* 4ª.17.B
Ocium facit causa frigida.2°.de loc.aff. 4ª.14.B
Ocio augetur timiditas.de aere,aq.& loc. 2ª.6.C
Ocium obest corpori.de assuet. 2ª.61.E
Ocium effœminationem facit.de ijs,quæ in medic.fi.com.2°. 7ª.219.B
Ocium imbecilles facit.de assuetud. 2ª.61.E
Ociũ causa exilitatis,& gracilitatis mẽbrorũ. de art.c.3°. 7ª.277.E
Ocium parit repletionem de nat.hum.com.2°. 7ª.181.E
in Ocio qui vitam inertem egerunt, ijs occlusi sunt pori. in 1m.de mor. vulg.com.2°. 3ª.115.E
in Ocio hyeme degentes, & multum bibentes multum mingunt. 1°.de naturalibus facul. 1ª.296.D
Ocium maxime obest sanitati.de bon.& vitio suc. 2ª.35.A
Ocium quando salubre & quando non.ars med. Is.68.D
Ocium parit morbos.de na.hum.com.2°. 7ª.182.B
Ocium causa frigidorum morborum.de caus mor. 3ª.7.B
Ocium non facit morbos per se.de nat.hum.com.2°. 7ª.181.E
in Ocio quidam semper sani.5°.de san.tu. 2ª.93.E
ad Ocium se conuertens educatus in exercitatione dysenteriam cruentã incidit.de nat.hum.com.2°. 7ª.180.E
in Ocio,& secordia qui degerunt quando moricbantur.in 1m.de morb. vulg.com.2°. 3ª.115.D
*ex Ocio & repletione febricitantes quo sanentur.1°.de crisi.*4°.130.C
OCREA *pars anterior tibiæ sine carne,de ossibus.* 1ª.43.E
OCTAEDROS *quid.8°.de decre.Hipp.* 1ª.274.G
Octædros ex quibus constet.8°.de decr.Hipp. 1ª.274.G
OCTAVÆ, *nonæ diei crisis cõparatio.2°.de dieb.dec.* 4ª.154.B
Octauus decimus iudicatorius.in1m.de mor.vul.com.2°. 3ª.116.G
*Octauus decimus indicat vigesimũ primũ.2°.de dieb.dec.*4ª.152.F/G
Octauus decimus post quartum decimum septimi naturam imitatur. 1°.de dieb.decre. 4ª.147.B
in Octauũ vel decimũ diem si subita morbi solutio incidat similis ferè ei est,quæ in sexta accidit.1°.de dieb.decr. 4ª.147.B
in Octauo morbi subito non soluuntur.1°.de dieb.dec. 4ª.147.C
in Octauo solutio qualis.1°.de dieb.decr. 4ª.147.B
Octaua die mittitur sanguis, sed prius est cõmodius.in 3m.de morbis vulg.com.1°. 3ª.127.E
*Octauo mẽsæ mãmarũ venæ sunt magis plenæ.cõ.5°.a.39°. Ex.*41.C
Octauo mense fœtus conuertitur.in 6m.de mor.vul.com.1°. 3ª.154.G
Octauo mense cur infans non superuiuit.de comp.mem. Sp.59.G
Octuagesimus quibus constet.2°.de dieb.dec. 4ª.154.H
Octuagesimus & quadragesimus dies decretorij sunt. in 1m.de morb. vul.commen.3°. 3ª.123.C
Octuagesimus,& sexagesimus dies decretorij sunt.in 1m.de mor.vulga.commen.3°. 3ª.123.C
OCVLARII *medici dicuntur a membris.ad Thras.* 2ª.105.B/D
*Oculares medici antiquitus Romæ erant.com.6°.aph.31°. Ex.*49.E
Ocularius nõ poterit nisi Romæ,& Alexandriæ ex sua arte viuere.de part.art.med. Sp.16.G
qũo Ocularius Galeni tpe hypopius sanauit.14°.meth.med. 7ª.93.F
Ocularium coticula vtitur.5°.de comp.me.sec.loc. 5ª.158.G
*Ocularium pharmacorũ distinctio.4°.de comp.me.sec.lo.*5ª.151.C
OCVLARIBVS *facultatibus miscetur armeniacum.9°.de compo.medic.sec.loc.* 5ª.68.G
Ocularib.facultatib. qũo Hæmatites adhibẽd°.9°.de si.m.f. 5ª.68.C
in Ocularias medicinas vtuntur fuligine thuris.7°.de si.m.f. 5ª.54.F
Ocularibus medicinis cõmiscetur stimmi.9°.de sim.me.fa. 5ª.71.A
Ocularis spongia.3°.de comp.me.sec.loc. 5ª.142.E
*Ocularium vinculũ tenue vel oculus simplex.de fascijs.*7ª.297.D/*idem ab inferiori*

ab Inferiori parte ſurſum ibidem.
OCVLATVM *quis ſe non probe exiſtimet ſi formicas duum ſtadiorum interuallo non cernat?* 1°.*de ſan.tuen.* 2ª.63.*H*
*Oculi habent nomen proprium ſubſtantiæ.*8°.*de vſu par.* 1ª.166.*D*
*Oculis quid ſit.*1°.*meth.med.* 7ª.6.*C*
*Oculus proprie qui.*4°.*de locis aff.* 4ª.21.*G*
*Oculorum naturã qui ſcire deſiderat qd agere debet.de ocul.*7ª.182.*F*
*Oculi inter partes inſtrumentales numerantur.de natu.hu.c.*1°. 1ª.26. *C/de diff.mor.* 3°.2.*F*
Oculus eſt inſtrumentum viſus.de inſtr.odor. 1ª.110.*E*
*Oculi officium eſt vt videat.*1°.*meth.med.* 5.*H/* 7ª.6.*B*
*Oculi inſtrumenti præſtãtia.*10°.*de vſu p.*179.*H/* 6°.*de dec.* 1ª.266.*B*
*Oculi ſunt ſenſu tactis excellentiores.*16°.*de vſu par.* 1ª.215.*A*
*Oculi partes magnæ animalis.*1°.*de vſu par.* 1ª.114.*G*
*Oculorum permagnus eſt vſus.*6°.*de ſan.tu.* 2ª.100.*B*
*Oculus pars ẽ ad cõmode viuẽdũ.ſi.m.If.*45.*E/*14°.*de v.p.* 1ª.204.*C*
*Oculi propter actionẽ totius animalis facti ſunt.*1°.*de vſu p.*1ª.114.*G*
*Oculorum actiones manifeſtæ ſunt.*1°.*de vſu par.* 1ª.114.*G*
*Oculorum actio eſt propter colorem.*1°.*de vſu par.* 1ª.115.*E*
*Oculi cur duo,& non vnus.*10°.*de vſu par.* 1ª.177.*E*
*Oculi debent eſſe ſiti in alto.*8°.*de vſu par.*166.*F/*10°. 1ª.189.*A*
*Oculi cur ſupius et ĩ pte anteriori sũt ſiti.*10°.*d̃ v.p.*177.*E/*1ª.180.*F*
*Oculi cur non ſint poſterius.*10°.*de vſu par.* 1ª.177.*F*
*Oculi in hominibus,cur ſunt in parte in qua ſunt.*8°.*de vſu p.*1ª.166.*G*
Oculi in capitis anteriore parte eminẽti ſiti ſunt,inſtar ſpeculatoris vn dique perſpicientis aciem.de ana.viuo. Sp.48.*C*
*Oculus eſt vt ſol in corpore animalis.*3°.*de vſu par.* 1ª.133.*F*
*pp Oculos cerebrũ ſitũ eſt in capite.*8°.*de vſu par.* 1ª.167.*A*
*Oculorum ſenſus principium cerebrum eſſe dicentes quia propinquũ, decipiuntur.*2°.*de decr.Hipp.* 1ª.237.*B*
*Oculi fabrica excellentia ſuperat reliqua ſenſuum omnium inſtrumen ta.*7°.*de decre.Hipp.* 1ª.270.*H*
*Oculorum æqualitas cur.*9°.*de decr.Hipp.* 1ª.285.*A*
ad OCVLORVM *anatomia.de anatom.viuo.* Sp.48.*C*
*Oculus poteſt videri extra animal.*4°.*de an.adm.* 1ª.81.*H*
*Oculi nõ sũt vidẽdi in ſimia,ſed in maiorib. aĩalib.*4°.*de a.ad.*1ª.81.*H*
*Oculorum conſtitutio quæ.*9°.*de decr.Hipp.* 1ª.285.*A*
Oculi eſſentia quæ.de decr.Hipp.& Pla. 1ª.233.*E*
Oculi conſtant ex diſſimili ſubſtantia.de bon.& vitio ſucc. 2ª.37.*B*
*Oculus habet multũ ſubſtantiæ cerebri.*7°.*de decr.Hipp.* 1ª.270.*G/H*
*Oculus cur ꝓpius ad Cerebri naturam accedit.*7°.*de decr.* 1ª.270.*H*
*Oculorũ naturã qſcire vult cerebri naturã cognoſcat.d̃ ocul.*7ª.183.*e*
*Oculi cur molles in hominibus.*8°.*de vſu par.* 1ª.166.*F*
Oculos duros habent quædam animalia.de ana.viuo. Sp.48.*D*
*Oculi clauſi ſunt in multis nuper natis.*2°.*de ſem.* 1ª.339.*E*
*Oculis in non nullis diſtincti quidem ſunt.*2°.*de ſem.* 1ª.339.*E*
Oculus ex quibus conſtat.ſin.med. Iſa.43.*D*
Oculorum partes.de ana.parua. Sp.43.*D*
Oculorum oſſa duo.introd. Iſa.54.*G*
Oculis tria ſunt neceſſaria.de ocul. 7ª.184.*D*
Oculus conſtat tunicis quatuor,humoribus tribus,muſculis ſex.de a natom.ocul. Sp.57.*B*
Oculorum panniculi qui ſint,& quot.de ocul. 7ª.182.*H*
Oculorum tunicæ quot.de natura,& ord.cuiusl.corp. Sp.41.*H*
ĩ Oculo cur pãniculi plures,et pauciores à diuerſis dicãt̃.d̃ 0.7ª.183.*d*
Oculus duas habet tunicas.introd. If.53.*H*
Oculorum tunicæ ſunt ſeptem.de comp.memb. Sp.58.*C*
*Oculi operimentum naturale leue eſt, & lucidum, ac ſplendens inſtar ſpeculi.*10°.*de vſu par.* 1ª.179.*H*
*Oculi operimentũ naturale proximũ venoſum,molle,nigrum, ac per tuſum eſt.*10°.*de vſu par.* 1ª.179.*H*
*Oculi operimentũ,& propugnaculũ extremũ tenue,album,ac durum eſt quaſi cornu.*10°.*de vſu par.* 1ª.179.*H*
*Oculi album membrana agnata dicitur.*4°.*de comp.me.ſe.lo.*5ª.150.*F*
Oculi candidum quod.intr. Iſa.53.*A*
*Oculi albũ,rarũ ſuba,& ſenſu tenue eſt.*4°.*de cõ.me.ſe.lo.* 5ª.150.*F*
Oculorum panniculi propter quid ſint.de ocul. 7ª.182.*H*
Oculorum panniculi quomodo iuncti.de ocul. 7ª.183.*B*
Oculi corona quid,& vbi.de anat.viuo. Sp.48.*F*
*Oculi quæ pars ſit corolla,& cui copuletur.in prog.com.*1°. 4ª.192.*F*
Oculi corona habet quatuor tunicas.de ana.viuo. Sp.48.*F*
*Oculorum humores qui introd.*Iſa.53.*H/*7°.*de decr. Hipp.* 1ª.270.*G/*
de ana.parua. Sp.43.*D*
Oculorum humores tres frigidi,& humidi.de anat.ocul. Sp.58.*C*
Oculorum humores propter quid ſint.de ocul. 7ª.182.*G*
*Oculorum humores nutriuntur per diadoſin.*10°.*de vſu par.* 1ª.177.*G*
*in Oculorũ humoribus non eſt vena.*10°.*de vſu par.* 1ª.177.*H*
*Oculorũ humorũ nutrimentũ vnde ſumatur.*10°.*de vſu p.* 1ª.177.*H*
Oculi cryſtalloides à ſimilitudine cryſtalli.de bo.& vitio ſu. 2ª.37.*B*
*in Oculo eandem habet rationem cryſtallinus humor, quàm in aure finis meatus prope neruũ.*1°.*de ſymp.cau.* 3ª.15.*F*
*Oculi partes reliquæ propter cryſtallinum humorem factæ.*2°.*methodi medendi.* 7ª.12.*G*
*Oculi particulæ aliæ oẽs cryſtallyno hũori deſeruiũt.de ſy.ca.*3ª.14.*D*
*in Oculo primum ſentiendi inſtrumentum cryſtallinus eſt humor.*3°.*de ſymptomatum cauſis.* 3ª.14.*B*
in Oculi pelliculis fit viſus non in cryſtallino.de vtil.reſp. Sp.63.*D*
Oculis vnde adueniat viſibilis qualitas.de comp.memb. Sp.58.*C*
Oculis qualiter adueniat viſus.de comp.memb. Sp.58.*C*
Oculi tenuis humor nec debet eſſe plus,nec minus,nec craſſior, nec tenuior.de ſym.cauſ. 3ª.14.*H*
*in Oculo quid faciat humor tenuis.*10°.*de vſu par.* 3ª.179.*F*
in Oculo humoris color facit diuerſitatem colorum in his, quæ videntur.de ſymp.cau. 3ª.15.*A*
*Oculi operationes ſunt ſingulorum colorum dignotiones.*5°.*de decretis Hippocratis.* 1ª.255.*F*
*Oculi hyaloides humor à vitri ſimilitudine dictus.d̃ bo.& vi.*2ª.37.*B*
Oculo cibus eſt vitreus humor.de ocul. 7ª.183.*B*
*Oculi habent duplex genus neruorum.*8°.*de vſu partium.*166.*G/*1°. *de ſymp.cauſ.* 3ª.16.*E*
*Oculorũ nerui ſenſifici principaliores motoriis.*9°.*de vſu p.*1ª.174.*A*
*Oculorum nerui cur dicti pori.*8°.*de vſu par.*167.*C/*10°. 1ª.182.*A*
*Oculorum pori cur non eunt directi.*10°.*de vſu par.* 1ª.182.*A*
*Oculorum pori cur variãt ſuas productiones.*10°.*de vſu p.*1ª.182.*A*
*Oculorum nerui ratio.*8°.*de vſu par.* 1ª.166.*H*
Oculorum nerui cur duo,non vnus.de ocul. 7ª.184.*E*
Oculorum nerui vnde oriantur.de ner.diſſ. 1ª.53.*C*
*ad Oculos nerui per quàm viam tendant.*9°.*de vſu par.* 1ª.173.*H*
Oculum ingredientes nerui in latum,ſe extendunt, & circuunt vitreũ humorem.de ner.diſſ. 1ª.53.*D*
ad Oculum venit neruus opticus.de ana.par. Sp.45.*D*
ad Oculos à cerebro prodeuntes nerui quales ſint.de ocul. 7ª.183.*A*
*Oculorum nerui quales.*16°.*de vſu par.* 1ª.215.*B/D*
Oculorum nerui craſſiores.de inſtr.odor. 1ª.110.*E*
Oculorum nerui qũo ſint molliſſimi.de ner.diſſ. 1ª.53.*D/C*
*Oculi habent maximos neruos propter ſenſum.*5°.*de vſu p.* 1ª.145.*C*
Oculi neruus maior ẽ quã neruus oris vẽtriculi.d̃ inſtr.odo. 1ª.110.*G*
*Oculorũ neruorũ nutrimentũ vnde accipiat.*10°.*de vſu p.* 1ª.177.*H*
de Oculorum neruis res mira.de ner. diſſ. 1ª.53.*C*
*Oculi neruus concauus eſt.de ocu.*183.*A/* 7ª.184.*A*
Oculorum nerui cur concaui.de ocul. 7ª.184.*F*
*Oculorum nerui apparent meatus.*8°.*de vſu par.* 1ª.167.*C*
*Oculorum nerui meatus ſenſibilis.de ner. diſſect.*1ª.53.*D/*1°.*de ſympto matum cauſis.* 3ª.16.*B*
*Oculorum neruus ſolus habet foramen manifeſtũ.*4°.*de l.aff.* 4ª.21.*G*
Oculorum meatus vnde.introd. Iſa.53.*G*
ad Oculum a cerebro nerui foramen clare cernitur,& eſt ſenſibilis ſpiritus via.de ſymp.cau. 3ª.14.*D*
*Oculorum nerui foramen vnde patet.*7°.*de decr.Hipp.* 1ª.269.*H*
*Oculorum neruos eſſe perforatos qũo tribus argumentis deprehenda tur.*7°.*de decr.Hipp.* 1ª.269.*H*
*Oculorum pororũ mutua coitio quid faciat.*10°.*de vſu par.*1ª.183.*D*
*Oculi vnius facultas tranſit in alium.*10°.*de vſu par.* 1ª.184.*A*
ad Oculũ vnũ tendũt ſpiritus alterius,qñ clauditur.de ocu. 7ª.184.*D*
*Oculo vno clauſo alterius pupilla dilatatur.*7°.*de dec.Hip.*1ª.270.*A*
Oculo altero vbi conniuemus cur alterius pupillam dilatari contingit. de ſymptomatum cauſis. 3ª.14.*D*
*vt ad Oculũ ſe habet pupilla,ita foramẽ ad ipsã aurẽ.d̃ a.vi.*Sp.48.*H*
Oculus dexter non plus cernit quam ſiniſter.in 6ᵐ.*de morbis vulgaribus.commen.*2°. 3ª.169.*C*
ab Oculo dextro ſolum corpus viſum ſi eſt, propius eſt in ſiniſtris, ſi longius in dextris,& è contrario ſi ab vtroque oculo, eſt in medio. 10°.*de vſu partium.* 1ª.182.*E*
Oculus dexter quod videat quæ in ſiniſtra,& è contrario, exemplũ. 10°. *de vſu*

1°.de vſu partium. 1ª.182.G
ſupra Oculos cur manus imponũt à longe intuẽtes.10°.de v.p.1ª.178.H
Oculi ſani non æque cernunt.1°.de ſan.tu. 2ª.63.E
Oculorum diuerſitates in videndo 2°.de ſem. 1ª.339.F
Oculi piſcium non diſcernunt inter medios colores propter debilitatẽ viſus.de ana.viuo. Sp.49.B
Oculi offendũtur à ſplẽdida,et vehemẽti luce. 10.de vſu p. 1ª.178.H
in Oculis nõ exigẽda lux clariſſima.de ijs,quæ in me.fi.c.1°.7ª.202.A
Oculi offenſi ſunt militibus Xenophontis quia per niuem ambulauerunt.10°.de vſu par. 1ª.178.H
Oculi recreantur à ceruleis,& fuſcis coloribus.10°.de v.p.1ª.178.H
in Oculis non ſemper euidenter eſt delectatio,& dolor.1°.de ſymptomatum cauſ. 3ª.16.F
Oculi neruus venit ad Cryſtallinum corpus ſolũ.de inſtr.odo.1ª.110.G
in Oculo ſpiritus quid faciant.1°.de vſu partium. 1ª.179.F
ad Oculos ſpiritus cũ aere ambiente vnitur.7°.de decr.Hip. 1ª.270.C
Oculi inſtrumentum aer ambiens.7°.de dec.Hipp. 1ª.270.H
Oculo ita aer inſtrumentum eſt ad propriorũ ſenſibilium dignotionem, vt cerebro neruus.7°.de decr.Hipp. 1ª.270.H
ad Oculũ quo modo eant ſpiritus a cerebro.3°.de ſymp.cau. 3ª.14.D
per Oculorum neruos ſpiritus lucidus.7°.de decr.Hipp. 1ª.269.H
Oculorum ſpiritus fulgidus eſt.7°.de decre.Hipp. 1ª.272.E
per Oculos ſpiritus tranſeunt ſubtiliter.de ocul. 7ª.184.F
in Oculo eſt animalis ſpiritus copia.7°.de decr.Hip. 1ª.270.H
in Oculo ſpiritus animalis qualis.de ſym.cau. 3ª.15.C
in Oculo ſpiritus aĩalis ſũba qualis eße debeat.1°.de ſym.cau.3ª.15.C
ad Oculos à cerebro venit ſpiritus animalis luminoſus.in 6ᵐ.de morbis vulg.com.4°. 3ª.187.B
in Oculo ſpiritus multus animalis,& æthereus longiſſime, videt,ac exacte diſcernit.1°.de ſym.cau. 3ª.15.C
in Oculo ſpiritus humidus multus longiſſime quidem,ſed non exacte videt.1°.de ſym.cau. 3ª.15.C
Oculus cur habet meatus patentes præter poros.1°.de ſan.tu.2ª.68.d
Oculos mouentes nerui quomodo ſe habeant.de ner.diſſect. 1ª.53.D
Oculos mouentes nerui vnde oriantur.de ner.diſſ. 1ª.53.D
Oculos mouẽtes nerui duri i anteriori pte cerebri.8°.de v.p. 1ª.167.B
Oculos neceſſario mobiles eſſe.10°.de vſu par. 1ª.180.E
propter Oculos collum mobile eſt.10°.de vſu par. 1ª.180.E
Oculorum motus quot,& quales.1°.de motu muſ. 1ª.309.G
Oculorum motus quatuor.10°.de vſu par. 1ª.180.F
Oculi habent motus voluntarios.10°.de vſu par. 1ª.180.E
Oculi mouentur motu voluntario,& nullum os ſecum mouetur.1°.de motu muſculorum. 1ª.309.E
Oculum oportuit circumagi.10°.de vſu par. 1ª.180.F
Oculi cõſtãtes vnde fiãt.d vic.rat.in mor.acu.com.4°. 7ª.137.H
Oculis neceßarij ſunt lacerti propter motum.de ocul. 7ª.183.E
Oculum mouentes muſculi ſunt ſex.4°.de loc.aff. 4ª.21.H
Oculum mouentes muſculi ſunt ſex,& vbi,& quo modo ſe habent, et de illorum motibus quos agant.de diſſ.muſc. 1ª.44.G
in Oculo ſunt ſex muſculi.de anatom.ocu. Sp.57.G
in Oculo muſculus quinque ſolũ eſſe dicere error eſt.d muſ.diſ.1ª.44.g
in Oculo ſeptem ſunt muſculi.de ocul. 7ª.183.E
Oculorum muſculi duodecim.de ocul. 7ª.187.F
Oculos cingentium muſculorum ſectio.4°.de ana.adm. 1ª.80.F
Oculorum muſculi vnde.1°.de motu muſc. 1ª.309.G
in Oculorum muſculos qui nerui diſperguntur ſecundum Pelopem.6°. de decre.Hipp. 1ª.262.F
Oculi à duobus muſculis circumaguntur.10°.de vſu par. 1ª.180.F
Oculorum muſculi mouent aliud,& non os.1°.de motu muſ.1ª.309.F
circa Oculi baſim muſculus an vnus ſit,vel duplex, vel triplex dubitatur.de muſc.diſſ. 1ª.44.F
in Oculi radice magnus muſculus quid faciat.10°.de vſu par.1ª.180.F
circa Oculi baſim muſculi faciũt ad firmãdũ oculũ.d muſ.diſ. 1ª.44.F
Oculorum muſculi facile coquuntur.de bon.& vitio ſucc. 2ª.37.C
Oculi a paucis eduntur.de bon.& vitio ſuc. 2ª.37.B
ad Oculum quæ venæ,& arteriæ deſcendunt.4°.de loc.aff. 4ª.22.F
Oculorum venæ quandoq; videntur,quandoq; non.de mult. 3ª.80.G
in Oculis venæ inſenſibiles apparent.de tum.præter na. 3ª.83.D
ad Oculos arteriæ quæ.16°.de vſu par. 1ª.220.C
in Oculo rete quid.de ocul. 7ª.183.B
Oculorum regio quæ.8°.de vſu par. 1ª.167.F
in Oculorum regionibus non erant facienda multa foramina pro vno.
9°.de vſu partium. 1ª.175.H
Oculorum anguli qui.introd. Iſa.53.A
in Oculorum angulis cur os.9°.de vſu par. 1ª.176.E
in Oculi angulo propter quid corpus carneum.10°.de vſu p. 1ª.181.F
in Oculi angulo cur raro parum excidenda.10°.de vſu par. 1ª.181.G
ad Oculorum angulos lachrymales exeunt duo foramina, quæ ſunt in radice naſi ſuperius.de ana.viuo. Sp.49.A
in Oculorũ angulis q̃ ponuntur in ore ſentiũtur.de ana.viuo. Sp.49.A
ex Oculis cur foramen ad nares.10°.de vſu par. 1ª.181.F
in Oculo vtroque cur duæ glandulæ.10°.de vſu par. 1ª.181.H
Oculis cur circum fuſa pinguedo.10°.de vſu par. 1ª.181.H
in Oculis cur ſit pinguedo.de ana.oc.Sp.57.G/13°.de vſu p.1ª.201.H
Oculorum munimenta.10°.de vſu par. 1ª.180.A
Oculorum tegmenta quæ,& quot.11°.de vſu par. 1ª.188.H
Oculi propter quod habent tegmentum.de inſtr.odor. 1ª.112.A
ad Oculum quid faciat cutis.10°.de vſu par. 1ª.180.A
Oculi propter quid habent palpebras.de inſtr.odor. 1ª.112.B
Oculi duri cur non habent palpebras.de inſtr.odor. 1ª.112.B
Oculi abſq; palpebris indecorum.1°.de comp.med.ſec.loc. 5ª.126.A
in Oculo pilorum ſitus optimus.10°.de vſu par. 1ª.180.D
Oculorũ pili ſpatiũ habent inter ſe mirum.10°.de vſu par. 1ª.180.D
Oculorum pilis ſi quid addatur,aut auferatur illorum vtilitas corrumpitur.11°.de vſu par. 1ª.189.G
ad Oculos pp quid,mala,naſus & os iugale.10°.de vſu par.1ª.180.A
OCVLORVM excrementa vnde confluant.10°.de vſu par. 1ª.181.G
Oculi per os,& per nares purgantur.introd. Iſa.58.A
Oculus expurgatur per nares,et palpebras.1°.de ſan.tu. 2ª.68.D
Oculus cur hẽt meatus euidentes p quos expurgeẽ.1°.de ſa.tu.2ª.68.d
in Oculos excrementa quæ feruntur,ad naſum,& palatum deriuanda ſunt.6°.de ſanitate tuenda. 2ª.100.B
Oculis admota medicamenta quidã per os expuerunt, alij per nares emunxerunt,& quo modo.10°.de vſu par. 1ª.181.G
per Oculos reſpirationem habet atrabilis.de na.& or.vniuſ.Sp.41.E
OCVLORVM calidorum indicia.ars med. Iſ.64.C
Oculorum frigidorum indicia ars med. Iſa.64.C
Oculi calidi in frigore.11°.de vſu par. 1ª.189.D
Oculorum humidorum indicia.ars med. Iſa.64.C
Oculorum ſiccorum indicia.ars med. Iſ.64.C
Oculos ſanguineos nebuloſos paſſionibus ſemp abundantes habet homo conceptus in tribus horis ſanguinis.de ſperma. Sp.37.B
Oculorum magnitudo quid ſignificat.ars med. Iſa.64.C
Oculos magnos habent humidi ſecundum aliquos.2°.de temp.1ª.20.F
Oculi magni interdum ſunt cum notis ſiccitatis.2°.de temp. 1ª.20.G
Oculos paruos habẽtes ſicci ſunt ſecundum aliquos.2°.de tẽp. 1ª.20.f
Oculi parui interdum ſunt cum notis plenitudinis.2°.de temp. 1ª.20.G
Oculi notæ ſignificant ſupra oculos,& non ſupra totum corpus.2°. de temperamentis. 1ª.20.H
OCVLORVM phyſionomia.quòd animi mores. 1ª.319.G
Oculi candidũ caprinũ optimorũ morũ indiciũ eſt.qđ ani.mor.1ª.319.F
Oculi intus conditi clariſſime cernunt.quod animi mores. 1ª.319.G
Oculorũ variatio ſm colores.in 6ᵐ.de mor.vul.com.4°. 3ª.187.B
Oculorum colores quid ſignificant.ars med. Iſa.64.D
Oculi bene colorati corpus totum bene ſe habere ſignificant.in 6ᵐ.de mor.vul.com.4°. 3ª.187.B
Oculi firmiſſimã notitiã exhibẽt.in 6ᵐ.de mor.vul.com.4°.3ª.187.A
in Oculis robur,& infirmitas eluceſcunt quo modo.in 6ᵐ.de mor.vul. commentario 4°. 3ª.187.A
Oculis quomodo robur adijciatur.6°.de ſan.tuen. 2ª.100.B
Oculi habentes vires imbecillas.in 6ᵐ.de mor.vul.com.4°. 3ª.187.B
Oculos habentes imbeciliores in vere ſunt inaniendi.de cur.ratio. per ſang.miſſ. 6ª.17.F
Oculi robuſtorum.in 6ᵐ.de mor.vul.com.4°. 3ª.187.B
Oculi nigri vnde oriantur.ars med. Iſa.64.D
Oculi nigri,ſicci,acuti sũt cõceptis in horis melãcholiæ.d ſper.Sp.36.c
Oculos nigros habentibus occluſi ſunt pori.in 1ᵐ.de morbis vulgaribus, commentario 2°. 3ª.115.E
Oculi glauci qui.ars med. Iſa.64.D
Oculi glauci vnde.ars med. Iſa.64.D
Oculi glauci a cæſijs differunt ex diametro.in 3ᵐ.de mor.vulgaribus, commen.3°. 3ª.146.F
Oculi cæſij quales,& qũo cognoſcãtur.in 3ᵐ.d mo.vul.c.3°.3ª.146.E
Oculorum cæſiorum qualitas.in 3ᵐ.de mor.vul.com.3°. 3ª.146.G

Oculi cæsij sunt calidi,& sicci. in 3^m.de mor.vulg.com.3°. 3^a.146.E
Oculi cæsij quid significent.2°.de temp. 1^a.20.H
Oculi crassi,delati,aliquando similes oculis accipitris sunt cõceptis in hora phlegmatis de spermate. Sp.36.C
Oculum vnum aquileum ex proprietate sui signi habuit Alexander. de spermate. Sp.38.H
Oculis cur comineẽt melancholici.de mel ex Gal.Ruf.& P. Sp.109.D
Oculis qui intuentur inconniuenter. 4°.de præsag. ex pul. 4^a.120.H
Oculos sperninẽtes cur habeãt melãcholici.ã mel.ex G.R.et P. Sp.109.D
ex Oculis, & insanis,& egris quæ cognoscantur. 1°.de arte curatiua ad Glauconem. 7^a.95.C
OCVLI *sunt indicia certiora in ægris. 1°.de arte cur.ad Gla.* 7^a.95.C
Oculi,et os,cur in aliquibus dormientibus tenentur aperti. commen. 6°.aphoris.52°. Ex.53.A
Oculi in morientibus considerãdi.in 6^m.de mor.vul.com.4°. 3^a.187.A
Oculorum signa praua.in prog.com.1°. 4^a.192.E
Oculi phreniticorum puluerulenti.in 1^m.prorrh.com.1°. 4^a.165.H
Oculorũ distortio signũ malũ cur.in 3^m.de mor.vul. cõ.2°. 3^a.139.H
Oculi obtorti significant delirium.in 6^m.de mor.vul. com.1°. 3^a.158.D
Oculus dexter distortus ꝙd signãt.ĩ 3^m.de mor.vul.com.1°. 3^a.134.A
Oculorum peruersio quando mala.in 1^m.prorrh.com.2°. 4^a.176.G
Oculus si peruertatur in febre continua debili existente corpore, letale est,com.4°.aph.49°.33.C/com.7°.aph.66°. Ex.60.F
Oculi si peruertantur,& lumborum dolores ascenderint, malũ.in 1^m. prorrh.com.2°. 4^a.174.A
Oculorum peruersio malum est signum.in 1^m.prorrhe.c.2°. 4^a.174.C
Oculus ferox,& clausus quid significet.in 1^m.prorrh.c.2°. 4^a.174.C
Oculus ꝙb.est ferox hi purgandi non sunt.in 1^m.prorr.c.2°. 4^a.174.B
Oculi cur claudantur.in 1^m.prorr.com,2°. 4^a.174.C
Oculi clausio in acutis mala.in 1^m.prorrh.com.2°. 4^a.175.H
Oculos clausos hãt comatosi,& cataphorici.in 1^m.prr.c.2°. 4^a.176.F
Oculi genam frequenter attollere molestũ est.13°.meth.med. 7^a.86.B
Oculus corrugatus malum,& cur.in 6^m.de morb.vul.c.1°. 3^a.158.D
Oculi senum cur rugosi.in 6^m.de mor.vul.com.1°. 3^a.158.D
Oculi senum cur humidi.com.3°.aph.17°. Ex.23.F
Oculi immobiles praui.in 6^m.de mor.vul.com.1°. 3^a.158.D
Oculorum obscuratio mala.in 6^m.de mor.vulg.com.1°. 3^a.158.D
Oculus altero minor quid significet.in prog.com.1°. 4^a.192.F
Oculi albũ,rubrum apparere quid,& vnde.in prog.cõ.1°. 4^a.192.F
Oculorũ venæ liuidæ et nigræ quid portẽdãt.in prog.com.1°. 4^a.192.G
Oculi sublimes quid,& vnde.in progn.com.1°. 4^a.192.H
Oculi caui quibusdã signa letalia,alijs naturalia.de opt.sect. Isa.26.A
Oculi tumidi & caui,mali.in progn.com.1°. 4^a.192.H
Oculi caui mali.in prognost.commen.1°. 4^a.191.B
Oculi quomodo caui fiant in acutis.in prog.com.1°. 4^a.192.C
Oculorum cauitas quibus contingat.1°.de arte cur.ad Glau. 7^a.95.C
Oculos cõcauos habere cõe est longarũ febriũ.in ꝙg.c.2°. 2^a.204.D
Oculorum cãdidum si apparet in somno quid significet in prognostica. commen.1°. 3^a.193.A
Oculorũ in dormiẽtibus suspectiões cõsiderare oportet. nã si quid albi cõmissis palpebris subinspiciẽ,neq; ex alui pfluuio,aut medicamẽti potiõe istud cõtigat,malũ ẽ signũ,et letale valẽt.c.6°.a.52°. Ex.53.A
Oculos aptos,& tesos hãt catocho correpti.ĩ 1^m.prorr.c.2°. 4^a.176.E
in Oculo sinistro signum apparens in modum lenticulæ letale signum est in cephalæa.de dyna. Sp.23.B
Oculos nigros habẽtes qñ moriebant.in 1^m.de mor.vul.c.2°. 3^a.115.D
Oculi quomodo exercẽtur in ludo paruæ pilæ.de par.pil.ex. 2^a.49.B
de Oculo dat exemplum.1°.meth.me. 7^a.5.H
de Oculis libri tres à Demosthene facti. 4°.de diff.puls. 4^a.66.G
Oculis gratiam conciliabant mulieres antiquæ sibio, & quomodo.6°. de sanitate tuenda. 2^a.100.B
Oculi quibus tingantur.de remed.par.fac. 7^a.156.G
ad Oculi sanitatem conseruandam.alchohol.sec. Sp.97.F
de OCVLORVM *Affectibus.4°.de locis affectis.4^a.21.F/de reme.par. fac.155.H/* 7^a.162.G
de Oculorum morbis qui sensui apparent.de ocul. 7^a.186.F
Oculo extrinsecus quæ contingant.intro. Isa.58.D
Oculorum passiones in mobilibus locis,quæ.de ocul. 7^a.187.F
Oculorum affectus vnde oriantur.de remed.par.fac. 7^a.155.H
in Oculis quæ sit ægritudo.de simp.diff. 3^a.11.E
Oculi propria ægritudo,& cõposita quæ.de diff.mor. 3^a.6.B
Oculorum propriæ passiones quæ.com.4°.aph.52°. Ex.33.D

Oculis ꝙ incidũt cõniuctib.nobis palpebras,et particulã sub quicte habẽtibus,vel parũ vel nihil cõtristãt.2°.de sym.cau. 3^a.22.D/E
Oculi laborãt vere frigido,& humido.in 1^m.de mor.vul.c.1°. 3^a.108.G
in Oculo quæ sunt à toto genere præter naturam.de diff.mor. 3^a.4.F
in Oculis quo mõ fiat exacerbatio ꝑ circuitũ.2°.de diff.feb. 3^a.41.G
Oculorũ Abiectio quid.in 6^m.de mor.vul.com.1°. 3^a.160.D
Oculorum Accidentia triplicia.de ocul. 7^a.186.A
Oculorum actionis nocumentum quod.de ocul. 7^a.186.A
Oculorum nocumentum naturalium actionum.de ocul. 7^a.186.A
Oculorum affectus tres.fin.med. Isa.48.D
Oculorum affectus totum oculum exercentes qui.intro. Isa.38.D
Oculus quo modo affici cognoscatur.1°.de loc.aff. 4^a.6.D
Oculorum affectibus quæ adhibeat Galenus.2°.de diff.feb. 3^a.41.G
ad Oculorum affectus valet centaureæ succus.de vir.cen. Sp.93.B
ad Oculorũ affectionũ declinationes.4°.de cõ.med.se.lo. 5^a.154.E
ad Oculorum affectiones ex plagis.4°.de com.med.sec.lo. 5^a.155.F
ad Oculorum affectiones collyriũ viride.4°.de cõ.me.sec.lo. 5^a.155.b
ad Oculorum affectiones intensas.4°.de comp.med.sec.loc. 5^a.154.H
ad Oculorũ veteres ac recentes affectiones.4°.de cõ.me.se.l. 5^a.154.H
ad Oculorũ antiquas affectiones collyrium.4°.de cõ.me.se.l. 5^a.156.H
ad Oculorum inueteratas affectiones.4°.de compo.med.sec.loc. 155.H/156.A/B/C/H/ 5^a.157.A/*de ocul.* 7^a.191.C
ad Oculorũ antiquas dispõnes oẽs valet succ° cẽtaureę.ĩ vi.cẽ.Sp.93.c
ad Oculorum inueteratas,& callosas affectiones.4°.de compo.medic. secundum locos. 4^a.158.A
in Oculorũ affectu arteriaca qñq; incidit,& qũo.13°.me.m. 7^a.86.D
ad Oculorum affectiones omnes.4°.de comp.med.sec.loc. 5^a.154.F
ad Oculorum omnem passionem collyrium.de ocul. 7^a.191.C
Oculi Albugo vnde oriatur.de vtil.resp. Sp.63.D
Oculorum albuginum tincturæ.4°.de comp.med.sec.loc. 5^a.153.B
ad Oculorum albugines.4°.de comp.me.sec.lo. 5^a.158.C/*de reme.par. fac.*156.G/170.D/7^a.172.F/*de dynam.24.H/secre.* Sp.97.F
Oculorum Album quæ infestent.intr. Isa.58.G
in Oculi albo quando oritur.intro. Isa.58.G
in Oculorum albedine panus qũo curetur.de ocul. 7^a.190.H
Oculi propter quid allucinantur intro. Isa.57.C
Oculorum affectus circa Angulos.fin.med.48.F/intro. Isa.58.D
in Oculis angulorum immoderationes duæ in augmento videlicet,et diminutione.de diff.mor. 3^a.5.C
ĩ Oculi angulorũ ĩmoderatũ augmẽtũ enchatida vocãt.ꝺ diff.m. 3^a.5.c
in Oculis angulorum diminutionẽ rhœada vocant.de diff.mor. 3^a.5.C
in Oculorum angulo diminuta,qũo curentur.14°.meth.med. 7^a.92.B
ad Oculorũ angulos erosos lippientes,& lachrymantes fuligo piceæ, tedæ,& coni accommoda est 8°.de simp.med.fac. 5^a.58.F
ad Oculorum angulos erosos vsurpatur fuligo acrior. 7°.de simpliciũ medic.facul. 5^a.54.F
ad Oculorum angulos corrosos collyrium.4°.de com.me.sl. 5^a.156.H
ad Oculorum angulos erosos.4°.de comp.me.se.lo.156.E/ 5^a.157.A
ad Oculorum angulos scabros,& corrosos collyrium. 4°.de composi. medic.sec.loc. 5^a.157.A
ad Oculorum scabros,& circumrosos angulos.4°.de composi. medic. secundum locos. 5^a.156.G
ad Oculorum angulos circumrosos.4°.de compo.med.sec.lo. 5^a.152.D
ad Oculorum angulos erosos,& putrescentes. 4°.de composi. medica. secundum locos. 5^a.156.D
Oculus cur aperiri non possit laxa palpebra.4°.de loc.aff. 4^a.22.A
de Oculorum Apostematibus.de ocul. 7^a.189.D
pro Oculorũ apostemata vna die soluẽdo collyrium.de ocu. 7^a.191.B
ad Oculũ descensionis Aq̃ ĩ prĩcipio qd opẽ ferat.de me.exp. Sp.107.E
in Oculum si aqua descendat quid conferat.sec. Sp.101.D
ad Oculorum aquam electarium.de med.exper. Sp.107.A
Oculorum Asperitates ex quibus causis proueniãt.de cau.mor. 3^a.9.C
ad Oculorum ingentes asperitates valet sepiarũ testa.11°.de simpliciũ med.facul. 5^a.81.B
Oculorum asperitudines,& cicatrices thlapsi extenuat. de simplicib. medicamentis. Sp.91.G
ad Oculorum asperitudines.4°.de cõ.med.sec.lo.155.H/156.A/C/H/ 157.A/2°.de comp.med.per gen. 5^a.224.E
Oculi Atrophia quid.intr. Isa.58.F
Oculorum Caligatio est morbus longus intrinsecus.intr. Isa.56.C
Oculorum Caligationes inducit triticum elixum.1°.de ali.fa. 2^a.11.B
Oculorũ Caliginem cito transeuntem ostendit vrina pinguis sine febre senibus

ſenibus eueniens ſoluta apoplexia.de dynam. Sp.34.B
Oculorũ caligini pdeſt chelidonia collyrijs miſta.de ſimp.me. Sp.82.B
Oculorum caligines,& cicatrices eximit fel.de ſimp.me. Sp.84.E
Oculorum caliginem,& cicatrices extenuat lapis thyites. de ſimplicibus medicamentis. Sp.86.H
Oculorum caligini facit oleum.de ſimp.med. Sp.88.D
Oculorum caligini facit oliue lachryma. de ſimp. med. Sp.83.F
ad Oculorũ caliginem,& nebulas.de med.fac.par. 7ª.163.B
ad Oculorum caliginẽ.de med.fa.par. 172.F/*de ocul.*7ª.191.E/*de dynamidijs.* Sp.24.G
*ad Oculorũ Callos exterendos.*4°.*de cõ.me.ſc.lo.*156.C/G/ 5ª.157.A
*ad Oculorum callos.*4°.*de compo.med.ſec.loc.* 5ª.156.B/D
*ad Oculorum calloſas affectiones.*4°.*de comp.med.ſec.loc.* 5ª.156.C
*ad Oculorũ Cãcros aſperatos cõfert ſuccus cẽtaurex.devi.cẽ.*Sp.93.B
ad Oculorum carbonem.de ocul. 7ª.190.D
ad Oculorũ carnẽ excreſcẽ 4°.*de c.m.ſ.l.* 5ª.152.D/*de ocu* 7ª.190.d
*ad Oculorum carnis omnem extuberantiam.*4°.*de compoſitione med. ſecundum locos.* 5ª.152.G
in Oculo Cataracta quæ ſit.de ocul. 7ª.186.D
*Oculi venetici qui habẽt cataractas apud antiquos.de ocul.*7ª.187.D
*ad Oculorũ Chemoſeis.*4°.*de comp.med.ſec.loc.* 5ª.155.A
ad Oculorum grauem chymoſin.de remed.par.fac. 7ª.155.D
Oculi Cicatrix qũo differt ab albugine.intro. Iſa.59.A
in Oculo cicatrix quando fiat.intro. Iſ.59.A
*Oculorum cicatrices extenuat anemone.*6°.*de ſimp.med.fac.* 5ª.43.B
*Oculorum cicatrices extenuat cedrea.*7°.*de ſimp.me.ſac.* 5ª.50.E
Oculorum craſſas cicatrices detergunt caules chamæcyces. 8°.*de ſimpli.medic.facul.* 5ª.63.G
Oculorũ cicatrices craſſas extenuãt leucoij flores ſicciores. 7°.*de ſim. medic.facul.* 5ª.54.C
Oculorum cicatrices expurgat,& extenuat ſagapenum. 8°.*de ſimpli. med.fac.* 5ª.60.A
*ad Oculorũ cicatrices exterendas collyriũ.*4°.*de c.me.ſe.lo.* 5ª.156.F
ad Oculorum cicatrices exterendas. 4°.*de compoſitione medicamentorum.ſec.loc.*155.A/ 5ª.156.B/C/E/F
ad Oculorum cicatrices veteres.de med.fac.par. 7ª.170.D
*ad Oculorum cicatrices,& callos exterendos.*4°.*de compoſitione medica.ſec.loc.* 155.H/ 5ª.156.H
*ad Oculorum cicatrices,& callos exterendos collyria.*4°.*de compoſi. medic.ſec.loc.* 5ª.156.H
*ad Oculorum ſcabras cicatrices exterendas.*4°.*de compoſitione med. ſecundum locos.* 5ª.157.A
*ad Oculorum cicatrices reſolutas.*4°.*de comp.med.ſec.loc.*5ª.155.B
ad Oculorum cicatrices albas,& caligines confert centaurea.de virtute centaureę. Sp.93.B
*ad Oculorũ cicatrices.*4°.*de comp.med.ſec.loc.* 5ª.156.B/D
*Oculis Claritatẽ mirifice facit ſuccus radicis acori. de ſim.me.*S.81.A
ad Oculorum claritatem facit anagallidum ſuccus cum melle attico.d ſimp.med. Sp.80.G
Oculorũ claritati maxime facit cridrium.de ſimp.med. Sp.83.E
Oculorũ claritati proprie confert lapis pyrites.de ſimp.med. Sp.86.F
*ad Oculorũ aciei claritatem valet marrubiũ.*8°.*de ſim.me.f.*5ª.59.B
Oculorum,& faciei claritati melius habetur mel atticum alio melle.d ſimp.med. Sp.87.A
Oculos clarificans vnguentum.de dynam. Sp.23.D
ad Oculorum viſum clarificandum. de dynam. Sp.24.H
*Oculus cur Claudi non poteſt.*4°.*de loc.aff.* 4ª.22.A
*ad Oculorum Concauitates.*4°.*de comp.med.ſec.loc.* 5ª.155.A
Oculus Concretus qui.in 1ᵐ.*prorrh.Hipp.com.*2°. 4ª.170.F
Oculi Confuſio quid.intr. Iſa.59.B
*ad Oculorum confuſiones.*4°.*de com.med.ſec.loc.* 5ª.155.B
*Oculi Conuelluntur,& tunc quæ pars ſit affecta.*3°.*de loc.aff.* 4ª.17.D
*Oculorum conuulſio quibus ſanetur.*13°.*meth.med.* 7ª.86.C
*Oculi Conuerſio cur obliqua.*4°.*de loc.af.* 4ª.21.H
Oculi Coronæ affectus qui.intr. Iſa.58.D
ad Oculorum Crithæ.de remed.par.fac. 7ª.156.H
Oculi Curti reſtauratio.intr. Iſa.60.D
*Oculi Defluxio qũo fiat.*4°.*de loc.aff.* 4ª.21.H
*Oculus quare Delapſus videatur.*4°.*de loc.aff.* 4ª.21.H
Oculis denigratis quæ adhibenda.de remed.par.fac. 7ª.157.A
*Oculorum Dolores quibus fieri poſſint.*13°.*meth.med.* 7ª.86.B
*Oculi quot modis patiantur dolorem,& qũo curetur.de ocul.*7ª.189.H
*Oculorum dolores quæ,& qũo curandi.com.*7°.*aph.*3°. Ex.54.B
Oculorum dolores pertinent ad tactum.de ſym.diff. 3ª.11.E
Oculi dolent ob lucis ſplendorem.de ſymp.diff. 3ª.11.E
*Oculis contingit dolor infixus.*2°.*de lo.aff.* 4ª.11.B
*Oculi dolore minor eſt dolor capitis.*2°.*de comp.med.ſec.loc.* 5ª.134.H
*Oculorum dolor vehementiſſimus coegit quendam vltro ſibi mortem inferre.*4° *de comp.med.ſec.loc.* 5ª.149.E
in Oculo dolor quando magnus.de ocul. 7ª.187.B
*Oculi dolor ex acri humore.*2°.*de arte cur.ad Glau.* 7ª.103.D
*Oculorum dolores in febribus qũo curentur.*12°.*meth.med.* 7ª.79.F
Oculis dolentibus quæ agenda.in 6ᵐ.*de mor.vul.com.*6°. 3ª.196.D
*Oculorũ dolores grauiſſimos qb. Galenus ſanauit.*3°.*meth.m.*7ª.17.D
*Oculorũ dolores qũo modis varijs ſanantur.c.*5°. *aph.*31°. Ex.49.F
*Oculorum dolores meri potio,aut balneum,aut venæ ſectio, aut medicamentum epotum ſoluit.com.*6°.*aph.*31°. Ex.49.C
*Oculorum dolores poſt meri potionem, & aquæ calidæ balneum venæ ſectione curantur.com.*7°.*aph.*48°. Ex.57.G
*Oculi ſqualidi habentes venas plenas,oſtendunt vini potione dolores ſanari debere.com.*6°.*aph.*31°. Ex.49.F
Oculorum dolor qũo vini potione ſanatur.de ocul. 7ª.189.B
*Oculorum dolores balneo ſanauit Galenus.com.*6°.*aph.*31°. Ex.49.D
*Oculorũ doloribus fomentum eſt ſecuriſſimum,& tanquam ſignum, et tanquam cauſa ſanitatis.com.*6°.*aph.*31°. Ex.49.G
*in Oculorũ dolore non eſt expectanda febris declinatio pro ſecanda vena,ſed doloris magnitudo attẽdenda eſt.de cur.ra.p ſang.miſ.*6ª.21.C
in Oculorum dolore quæ vena ſecanda.de præſag.exper. Sp.78.B
Oculorum doloribus vena eiuſdem lateris humeralis ſecanda. de curan.ra.per ſang.miſſ. 6ª.20.A
*pro Oculorum doloribus anthera.*4°.*de comp.me.ſe.loc.* 5ª.153.E
*Oculorũ doloribus, vel tumorib.vtilis eſt lẽticula.d ſimp.me.*Sp.86.B
*in Oculorum doloribus paliuri folia.*4°.*de com.me.ſe.loc.* 5ª.157.F
*in Oculorum doloribus peponis,& cucurbitæ caro.*4°.*de compoſitione medic.ſec.loc.* 5ª.157.F
*Oculorum,& dentium dolores ſedat medicamentum ex caſtoreo in auribus inſtillatum.*12°.*meth.med.* 7ª.79.G
Oculis ex rheumate dolentibus proſunt vitijs folia.de ſim.m. Sp.92.B
ad Oculorum tumoris calidi dolorem.de ocul. 7ª.191.F
*in Oculorũ doloribus exhibet ſtupefacientia.*12°.*meth.med.* 7ª.75.B
*Oculorũ dolorẽ ſedãs pharmacũ.*4°.*de comp.med.ſec.loc.* 5ª.153.G
*Oculorum dolorẽ ſedãs collyriũ.*4°.*de comp. med.ſec.loc.* 5ª.154.F
*ad Oculorum dolores collyriũ.*4°.*de comp.med.ſec.loc.* 5ª.154.F
*ad Oculorũ doloris moleſtias collyrium.*4°.*de cõ.med.ſe.lo.* 5ª.154.F
*ad Oculorũ doloris moleſtias.*4°.*de c.m.ſ.l.*153.H/ 5ª.155.B/C/F/H/
ad Oculorum dolores circuncirca moleſtantes. 4°.*de compoſitio med. ſec.loc.*154.G/ 5ª.151.A
*pro Oculorum doloribus vehementiſſimis collyria ex opio.*12°.*meth. medendi.* 7ª.79.G
ad Oculorum dolores vehementes.de med.par.fac. 7ª.156.E
ad Oculorum maximos dolores, & affectiones. 4°.*de compoſi.medic. ſecundum locos.* 5ª.154.G
*ad Oculorum dolores maximos.*4°.*de compo.med.ſecun.locos.*5ª.154. C/*de ocul.* 7ª.191.E
*ad Oculorum doloris vexationem.*4°.*de compoſi. med. ſecundum locos.*153.G/154.D/155.A/F/9°. 5ª.202.B
*ad Oculorũ dolores.*4°.*de compoſi.med.ſec.loc.*153.D/154.C/G/155. B/F/157.E/7°.181.C/182.G/ 8°.5ª.191.E/ *de remed. paratu.fac.* 156.E/170.E/174.H/*de ocul.*7ª.191.E/*ſecretorum.* Sp.97.D
in Oculo Durities quid.de ocul. 7ª.186.G
*ad Oculorum Eminentiam omnem.*4°.*de comp.med.ſec.loc.* 5ª.152.H
*ad Oculorum Epiphoras.*2°.*de comp.med.per ge.* 5ª.224.E
*contra Oculorum epiphoras maximas.*4°.*de comp.me.ſec.l.* 5ª.153.F
Oculorum Extenſio ab humore,vel flatu quo modo curetur. 13°. *methodi medendi.* 7ª.86.C
*ad Oculorum omnem extuberantiam.*4°.*de compoſitio.medicamento. ſecundum locos.* 5ª.156.C
*ad Oculorum ficoſa.*4°.*de com.med.ſec.loc.* 5ª.156.A
*ad Oculorum ficoſas eminentias.*4°.*de cõ.me.ſe.lo.*152.G/ 5ª.156.H
ad Oculorum fiſtulas.de med.fac.par. 7ª.170.D
Oculi cur fluant.de ſect. Iſa.19.B
*ad Oculorũ fluxiones quæ agẽda,& q̃ vitãda. de me.fa.par.*7ª.170.E
ad Oculos quod modis humores fluant, & quo modo cognoſcatur. de oculis, 7ª.187.G

ad Oculos quo modo veniunt humores.de ocul. 7ª.190.B
ad Oculos à capite quo materiæ trãsmittantur.13°.meth.me. 7ª.86.D
ad Oculos cur a capite materia transmittatur.2°.de diff.fe. 3ª.40.G
ad Oculos defluxus sunt à capite.2°.de diff.feb. 3ª.40.F
ad Oculos diu currens materia incidit cutim.de fascijs. 7ª.295.F
ad Oculos a capite fluxio quo curanda.7°.meth.med. 7ª.48.A
Oculi si ex capite ægrotent quo curãdi.6°.de san.tuen. 2ª.100.A
ad Oculorũ fluxiones curatio.4°.de compo.med.sec.loc. 5ª.157.B
Oculorum fluxionem cohibentia.4°.de comp.med.sec.loc. 5ª.158.G
ad Oculos fluẽtiũ humorũ remediũ.d reme.par.f.156.E/d ocu. 7ª.191.E
ad Oculorum,& aliorum membrorum corporis fluxiones valet antidotus Aellij Galli.2°.de antid. 5ª.110.H
ad Oculos vel aures succi si fluant, deriuandum per nares,& os.de cur.scar. 6ª.4.E
in Oculis fluxio ad nares deriuatur.5°.meth.med. 7ª.30.F
Oculorũ fluxiones ad fauces traducũt.ẽ 6m.d mor.vul.c.2°. 3ª.166.B
Oculis qñ rheuma frequẽter nocet vtimur catharticis.de dy. Sp.20.E
in Oculorum fluxionibus clysteres,& medicamenta fortia.4°.de com.medic.sec.loc. 5ª.157.C
ad Oculorũ fluxiones cucurbita in occipitio.13°.meth.med. 7ª.85.A
ad Oculorũ destillationẽ venæ sectio cõuenit.de rem.par.fa. 7ª.156.C
in Oculorum fluxionibus venæ sectio.4°.de cõ.med.sec.loc. 5ª.157.C
pp Oculũ secantur arteriæ temporum ob fluxum calidum, & spumosum.de cur.rat.per sang.miss. 6ª.21.D
ad Oculos quæ deferunt fluxiones vasa quandoque incidenda.13°.me thodi medendi. 7ª.86.D
ad Oculos ferẽtia fluxiões vasa q̃ incidi nõ debẽt.13°.me.me. 7ª.86.D
ad Oculorum calidam destillationem.de remed. par.fac. 7ª.156.D
ad Oculos destillationes quo modo dicantur coqui.de vict. rat. in mor. acutis.com.2°. 7ª.122.H
ad Oculos fluxionis calidæ remedia.4°.de comp.med.sec.lo. 5ª.157.D
Oculorũ fluxionẽ cohibẽt agglutinatoria.4°.de cõ.me.se.lo. 5ª.158.G
Oculorum fluxiones resiccat muci limacis medicamentum.11°.de simpli.med.facul. 5ª.78.F
Oculorum fluxiones desiccantibus collyrijs miscetur cornu ceruinum.11°.de simp.med.fac. 5ª.79.H
Oculis rheumatizantibus bdellium proprium est.de dy. Sp.22.A
ad Oculorum fluxiones vtuntur echini herbæ fructu.6°.de simplicium med.facul. 5ª.47.G
Oculorum fluxiones sistit Epigoni medicamentum fronti impositũ.5°.d comp.med.per ge. 5ª.246.E
ad Oculorum fluxiones acres lac valet,tum per se,tum cũ mollium collyrium quopiam.10°.de simp.med.fac. 5ª.73.H
Oculorum fluxionibus collyrijs accõmodatis inditur pompholyx.9°. de simp.med.fac. 5ª.70.H
ad Oculorum fluxionem cataplasma.de med.fac.par. 7ª.172.F
ad Oculos fluxiones acres variores sunt.13°.meth.med. 7ª.86.D
in Oculorũ fluxionibus acribus quibus vtamur.13°.met.me. 7ª.86.D
in Oculorum fluxionibus acribus non debemus vti Thapsia,& sinapi.13°.meth.med. 7ª.86.D
ad Oculorum fluxiones tenues,& acres.4°.de com.me.se.lo. 5ª.149.E
Oculorum acredinem qui ferre non possunt ijs valet melinũ.4°.de compo.med.sec.loc. 5ª.155.E
ad Oculorum fluxũ tenuẽ,& multũ.4°.de cõ.med.sec.loc. 5ª.155.H
ad Oculorum fluxum tenuem.4°.de comp.med.sec.lo. 5ª.155.C
ad Oculos humores tenues descẽdẽtes reprimẽs collyriũ.d o. 7ª.191.C
ad Oculorum fluxũ acrẽ,& vberem.4°.de comp.me.se.lo. 5ª.155.F
ad Oculorum multam fluxionem.4°.de comp.med.sec.loc. 5ª.155.C
Oculorum diutinæ fluxiones qũo sanandæ.13°.meth.med. 7ª.86.D
ad Oculorum fluxiones antiquas.4°.de comp.med.sec.loc. 5ª.155.D
ad Oculorũ affectiones ægre cedentes.4°.de com.me.sec.loc. 5ª.155.D
Oculos cum quidam ex longo tempore ab incessabili fluxione infectos haberet quo sit præsidio sanatus.de cucur.scar. 6ª.4.A
ad Oculorũ fluxum omnis generis.4°.de com.med.sec.loc. 5ª.159.H
Oculorũ fluxiones.4°.de com.med.sec.loc. 154.F/157.G/7°.185.A/8°.191.E/5°.*de comp.med.per genera.*246.H/5ª.249.B/*de medica.fac.par.* 7ª.172.F
ad Oculos fuscatos valet theriaca.de ther.ad Pis. 5ª.91.G
*ad Oculos Glaucos.4°.de comp.med.sec.loc.*153.B/5ª.158.D/*de medica.fac.par.* 7ª.163.B
Oculorum Grauitati confert sectio venæ frontis.de ana.viu. Sp.55.A
Oculorum Hebetudo est morbus paruus.de ther.ad Pis. 5ª.99.A
Oculorum hebetudo quo fiat.in 1m.prorrh.com.2°. 4ª.170.E
Oculorum hebetudini medetur accipiter.de ther.ad Piso. 5ª.193.F
Oculorum hebetudinibus ob crassitiem humorum non malum est remedium sagapenum.8°.de simp.med.fac. 5ª.60.A
ad Oculorũ hebetudinem collyrium.4°.de com.med.sec.loc. 5ª.156.H
Oculorum hebetudinẽ sedare potest Theriaca.de the.ad Piso. 5ª.95.H
Oculos acutissime cernere facit acetũ scillinũ.de me.fac.par. 7ª.178.C
Oculorum aciem obtusam ab humorũ crassitudine succus, & radices herbæ libanotidis mistus melli emendat.7°.de simplicium medicamentorum facultatibus. 5ª.54.E
Oculorum aciem acuit fumiterræ succus.7°.de simplicium medicamẽtorum facultatibus. 5ª.49.G
Oculos senum acutos reddens antidotus.2°.de antid. 5ª.111.H
Oculi Hippos quid.fin.med. Isa.48.F
Oculorum affectus equus.in prognost.com.1°. 4ª.194.C
Oculi Hordeolum curat succus centaureæ.de vir.cent. Sp.93.C
ad Oculos Humectos collyrium.4°.de comp.med.sec.loc. 5ª.157.A
*ad Oculos humectos.4°.de comp.med.sec.loc.*152.D/ 5ª.156.D
Oculi Humorum vitia quæ.de sym.cau. 3ª.14.E
Oculi morbus vt instrumentum est Hypochyma.2°.met. me. 7ª.12.H
ad Oculorum hypospbagmata collyria qualia per gradus.10°.de sim. medic.facul. 5ª.72.H
ad Oculorum hypospbagmata sanguis columbæ valet.9°.de simpliciũ medic.fac. 5ª.72.H
ad Oculos multis Illitionibus læsos.4°.de comp.me.sec.loc. 5ª.155.H
Oculorum Immobilitas vnde.in 1m.prorrh.com.2°. 4ª.170.F
Oculos Imperturbatos conseruans collyrium.4°.de compositione medic.secundum locos. 5ª.156.E
ad Oculos imperturbatos conseruandos.4°.de compositione medicam. secundum locos. 5ª.156.D
Oculi inflammatio quid.fin.med. Isa.48.D
Oculi inflammatio cum fluore.de sect. Isa.17.D
Oculorum inflammatio quid efficiat.in prog.com.2°. 4ª.203.A
circa Oculum inflammatio,& dolor quibus tollatur.4°.de comp.med. secundum locos. 5ª.151.A
Oculorum tunicarum inflammationes induratæ quid petant.4°.de cõ. med.sec.loc. 5ª.151.B
Oculis inflammatis adstringentia adhibemus.de sect. Isa.18.C
Oculorum phlegmones abrotono sanantur cum malo cydonico cocto, aut pane.6°.de simp.med.fac. 5ª.40.D
Oculorum phlegmonas,& dolores mitigat succus centaureæ.de virtute centaureæ. Sp.93.C
ad Oculorum phlegmonas lac valet cum ouo,& rosaceo.10°.de sim. med.facul. 5ª.73.H
ad Oculorum phlegmonas congruit aloe.6°.de simp. med.fa. 5ª.42.C
Oculo inflammato succus fœniculi,& lac muliebre conuenit. de optima secta. Isa.21.D
in Oculorum phlegmone decoctum fœnugræci optimum, & quomodo fiat.13°.meth.med. 7ª.86.C
Oculorũ phlegmonẽ alui pfluuiũ sanat.ẽ 6m.d mor.vul.c.6°. 3ª.197.E
Oculi phlegmone vna die p purgationẽ leuata fuit.13°.me.m. 7ª.83.A
Oculorum inflammationes non inciduntur scalpello, nec oleo irrigantur.de sect. Isa.18.C
*Oculis inflãmatis nõ luxãtur manus sicut inflãmato crure.de sc.Is.*18.C
in Oculorum indurata inflammatione oculorum anguli vena secanda. de cur.rat.per sang.miß. 6ª.20.G
in Oculorum angulis lachrymalibus venæ duæ non apparent multum. de anat.viuo. Sp.55.A
in Oculorum angulis venæ sectio.6°.de comp.me.sec.loc. 5ª.174.A
Oculi angulorum magnorum venæ parum mittunt sanguinis. de curã. rat.per sang.miss. 6ª.19.C
ad Oculos inflammatos.8°.de comp.med.sec.loc. 5ª.192.G
ad Oculorum inflammationum declinationes.4°.de comp.medicamen. secundum locos. 5ª.154.E
ad Oculorum inflammationes.8°.de comp.med.sec.loc. 5ª.188.G
ad Oculorum omnem inflammationem.4°.de compositione medicamẽto.secundum locos. 5ª.159.F
ad Oculorum phlegmone casus.de curan. rat.per sang.miss. 6ª.20.B
Oculi Inflatio quid.intro. Isa.58.E
Oculorum Infractio quid.in 6m.de mor.vulg.com.1°. 3ª.160.D
*ad Oculorum inusliones.4°.de compositione medicamentorum secundum locos.*154.G 5ª.155.A/H

ad Oculorum inusliones quas epicaumata græci vocant. 4°.de com. medic.sec.loc. 5ª.160.A
ad Oculorum inusliones. 4°.de comp.med.sec.loc. 5ª.155.B/D/F
Oculi Iridem infestantia quæ.introd. Isa.58.D
Oculos lachrymare quid,& vnde.in prog.Hipp.com.1°. 4ª.192.E
Oculi sponte lachrymantes sunt iudicationis signũ. 1°.de arte cura.ad Glauconem. 7ª.100.D
Oculus si nullo modo affectus lachrymet,absurdum,si autem affectus non absurdum.com.4°.aph.52°. Ex.33.D
Oculorum potentiæ contentiuæ debilitas ostenditur per lachrymas.cõmen.4°.aph.52°. Ex.33.D
Oculi cur lachrymãtur in dolore genuũ.de na.& or.cu.corp.Sp.42.D
cum Oculis genuum societas.de nat.& ord.cuius.corp. Sp.42.D
Oculorum lachrymam stringit erytrodani folia.de simp.med.Sp.84.B
Oculorum lachrymæ prodest lapis galactites.de simp.me. Sp.86.H
Oculis lachrymantibus psyllium cito prodest.de simp.me. Sp.89.A
ad Oculorum lachrymas.de dyn.24.G/secretorum. Sp.97.C
de Oculorum Liuoribus.de me.fac.par. 7ª.162.H
ad Oculorum liuiditates valet centaureæ succus.de virt.cen.Sp.93.D
contra Oculorum Maculam succus yari.de med. exper. Sp.106.D
Oculorum Meatuum affectus.intr. Isa.58.D
ad Oculorũ Mẽbranarũ exuberantias.4°.de cõ.me.se.lo. 5ª.156.D
Oculorum Nerui quo modo cognoscantur mollificati,& aliter affecti. de oculis. 7ª.187.G
Oculi Mordentur in tempestate aquilonia.com.3°.aph.17°. Ex.23.F
Oculos mordicant acida,& amara.4°.de comp.me.sec.loc. 5ª.150.C
Oculorum morsus quibus curandi.13°.meth.me. 7ª.86.B
Oculi peius Mouentur in tempestate australi.c.3°.aph.17°. Ex.23.F
Oculorum motus amissus vnde.4°.de loc.aff. 4ª.21.G
Oculorum motus voluntarij passio.de ocul. 7ª.186.E
Oculorum Obtenebrationem patiẽtes solis purgationibus sanati sunt. de purgand.med. 5ª.87.G
Oculi Oedema quid.intr. Isa.58.E
ad Oculorum œdemata.de rem.par.fac.156.F/ 7ª.157.A
Oculorum frequentissima affectio est Ophthalmia,siue lippitudo.4°.de comp.med.sec.loc. 5ª.150.F
Oculos infirmissimos habent qui sunt opportuni lippitudinibus. de natu.hum.com.2°. 7ª.182.G
in Oculorum ophthalmia quæ apponenda in calidis,& frigidis humoribus.de ocul. 7ª.190.C
ad Oculorum ophthalmias fœnugræci succus sanguine columbino præstat.10°.de simp.med.fac. 5ª.72.H
ad Oculorum lippitudinem præsidia.de dynam. Sp.24.G
in Oculis fit Palpitatio.de trem.palp.conuul.& rig. 3ª.52.B
ad Oculorum Panum.de ocul.7ª.191.E/de dynam. Sp.24.G
ad Oculorum panum,& sanguinem præsidia.de dyn. Sp.24.H
Oculũ in aliquibus offendit Paralysi,à generatione.d an.ocu. Sp.57.G
Oculorũ paralysis,& spasmus quot sint,& quo fiũt.de ocul.7ª.187.e
Oculus quando dicitur resolutus.intr. Isa.58.G
ad Oculorum Pediculos.de med.fac.par. 7ª.163.C
ad Oculorum Pellicularum eminentias. 4°.de comp. medicamentorũ sec.loc.152.H/ 5ª.155.H
ad Oculorum pelliculas confestim auferendas. 4°.de comp. medicam. secundum locos. 5ª.158.A
Oculi Perturbatio initium phlegmonis est.in 6ᵐ.de morbis vulga.commentario 5°. 3ª.189.A
ad Oculorum Petiam quæ conueniant.de ocul. 7ª.190.D
ad Oculorum petia.de ocul. 7ª.191.A
Oculi Phthisis quid.intro.Isa.59.B/10°.de vsu par. 1ª.179.F
Oculorum tabitudines,quæ.com.3°.aph.17°. Ex.23.F
de Oculorum pilorum ablatione.de ocul. 7ª.190.E
ad Oculũ infestantes pilos palpebris innatos.de reme.par.fa.7ª.156.G
Oculorũ pituita quid,& vnde.in prog.com.1°. 4ª.192.G
Oculus cur Procidit,& à sua sede mouetur.4°.de loc.aff. 4ª.21.H
Oculus qũo a sua sede remoueatur.4°.de loc.aff. 4ª.21.H
ad Oculorum prolapsus.4°.de comp.me.sec.loc. 5ª.155.C/D/F
ad Oculos qui extra exeunt.de ocul. 7ª.191.A
Oculi Profluuium quod.intr. Isa.58.E
ad Oculorum Pruritũ confert succus Centaureæ.de vir.cen. Sp.93.B
ad Oculorum intensos pruritus collyrium.4°.de compo.medicamento. secundum locos. 5ª.157.A
ad Oculorũ intensos pruritus.4°.de cõ.me.sec.loc.156.G/H/5ª.157.B
ad Oculorum pruritum,& pinguem pituitam.de dyn. Sp.24.H
ad Oculorum pruritus.de ocul.190.D/ 7ª.191.E
ad Oculos Purulentos.4°.de comp.med.sec.loc. 5ª.155.A/D
ad Oculorũ purulentiam recentem.de rem.par.fac. 7ª.157.A
ad Oculos purulentos cum molli tumore.de rem.par.fac. 7ª.157.A
in Oculis pus qũo digerendum.14°.meth.med. 7ª.93.G
in Oculo existens pus qũo vacuetur.14°.meth.me. 7ª.93.G
Oculorum Pustulæ quibus indigeant medicamentis. 4°.de compo.me. secun.locos. 5ª.151.B
ad Oculorum pustulas.4°.de cõ.med.sec.loc.154.G/H/ 5ª.155.A/B/C/D/F/H/de ocul.189.C/ 7ª.191.E
Oculus quare Retractus videatur.4°.de loc.aff. 4ª.21.H
in Oculorhyas quid.10°.de vsu par.1ª.181.G/in 6ᵐ.de morb. vulgarib.commen.2°. 3ª.166.B
ad Oculorum rhoeadas,hoc est, angulos antrosos. 4°.de compositione. med.sec.locos. 5ª.156.A
Oculus Rubicundior factus est iudicationis signum. 1°.de arte curatiua ad Glauconem. 7ª.100.D
Oculorum rubor a vomitu,malum,& quare.com.7°.aph.3°.Ex.54.B
Oculos rubicundos,& sanguinosos curat succus Centaureæ.de virtute centaureæ. Sp.93.C
ad Oculorum Rupturas.4°.de comp.med.sec.loc. 5ª.155.A
Oculis Sanguinolentis,subflauis,& subpallidis quid adhibendum. de re med.par.fac. 7ª.157.A
ad Oculos sanguinolentos.de ocul.7ª.191.E/de dyna. Sp.24.G
ad Oculorum sanguinem,& vulnus præsidium.de dyn. Sp.24.G
ad Oculorum sanguinem,& dolorem præsidium.de dynam. Sp.24.G
ad Oculorum sanguinem præsidium.de dyn. Sp.24.H
in Oculis cruentis sanguis columbæ ex pennis teneris.4°.de composi. med.sec.locos. 5ª.157.G
ad Oculos cruentatos.4°.de comp.med.sec.loc. 5ª.157.G
ad Oculorũ Scabies duras.de ocul. 7ª.190.H
ad Oculorũ scabiem.de ocul. 7ª.191.E
ad Oculorum pruriginosam scabiem.de remed.par.fac. 7ª.156.F
Oculorum Scabræ affectiones quibus sanentur. 4°.de composi.medic. secun.locos. 5ª.151.B
ad Oculorum Scabrities.4°.de com.med.sec.loc. 5ª.156.B
ad Oculorũ scabras affectiones.4°.de cõ.me.se.l.156.E/F/H/5ª.157.A
ad Oculos scabros pp solẽ,& puluerẽ.4°.de c.me.se.lo. 5ª.157.H
ad Oculos Scabros.4°.de comp.me.se.loc. 5ª.158.A
ad Oculorũ Staphylomata.4°.c.med.secun.loc.155.A/D/ 5ª.158.C
in Oculo quæ sit causa Strabismi,& spasmi.de ana.ocul. Sp.57.G
Oculi Soli Suffusione laborant.1°.de loc.aff. 4ª.6.C
Oculis qualia accidentia accidant per suffusiones.5°.de lo.aff.4ª.32.E
in Oculo qd faciat humor euaporans in vẽtriculo.1°.de l.aff. 4ª.4.A
Oculi affecti in suffusiões incidunt ob vẽtriculi affectũ.d cõst.ar.If.41.b
Oculos,& cerebrum quæ efficiant symptomata vitiosorum humorum vaporationem sequuntur.5°.de loc.aff. 4ª.32.H
ante Oculos symptomata suffusioni similia apparent cum sunt excrementa in ore ventriculi.1°.de loc.aff. 4ª.3.F
Oculi infestantur suffusioni similibus affectibus stomacho affecto.3°. de locis affectis. 4ª.14.E
Oculorum suffusiones adhuc tenues aufert myrrha.1°.de ant.5ª.105.C
Oculorum suffusiones ex ictu iuuat stœbe.8°.de simp.med.fa. 5ª.61.C
ad Oculos multo sanguine in æstate suffusos.4°.de c.me.se.l. 5ª.155.B
ad Oculos Suppuratos.4°.de comp.med.sec.loc.154.F/G/ 5ª.155.H
Oculorum Sycoses quæ sint,& quibus sanentur. 4°.de compo.med.sedum locos. 5ª.151.A
Oculorum sycosi quæ conueniant.4°.de comp.me.sec.loc. 5ª.151.B
ad Oculorum sycoses confert succus centaureæ.de vir.cen. Sp.93.B
Oculis obortæ Tenebræ,quando bonæ,& quando non bonæ considerandum.1°.de cri. 4ª.128.B
Oculis obortæ tenebræ signa crisis indicatiua.1°.de cris. 4ª.130.C
circa Oculos quid tenebricosum.in prognost.com.3°. 4ª.210.E
ad Oculis tenebras offundentia.de med.fac.par. 7ª.170.E
ad Oculorum Tubercula.de remed.par.fac. 7ª.156.H
Oculorum Tumores myrta compescit.de simp.med. Sp.87.E
Oculorum tumorem fertula sedat.de simp.me. Sp.90.H
ad Oculorũ tumorem calidũ,& sanguinem ipsorum.de ocul.7ª.191.F
ad Oculorũ tumores ex plaga.4°.de comp.med.sec.loc. 5ª.157.H
ad Oculorũ molles ex ictu tumores.de remed.par.fac. 7ª.156.F
ad Oculorũ tumorẽ,et caliginẽ,et sanguinẽ præsidia.de dyn. Sp.24.G

ad Oculorum tumores.de ocul. 7ª.190.D
ad Oculorum Tunicas induratas.4°.de comp.med.sec.loc. 5ª.151.G
Oculi Turbulenti quibus.in 1ᵐ.prorrh.Hipp.com.2°. 4ª.170.F
Oculorum Vacillatio quibus eueniat.præs.exper.conf. Sp.78.E
ad Oculorum Vertiginem remouendam.de med.fac.par. 7ª.172.F
ad Oculos qui non videant vesperi.de ocul. 7ª.191.A
Oculis cur res duplæ videantur.4°.de loc.aff. 4ª.22.A
Oculorũ Vitia expurgat dracũculi succus.6°.de sim. me.fa. 5ª.46.D
Oculorum vitijs maxime idoneum est fœniculum.de simp.me. Sp.84.D
ad Oculorum vitia præsidia.de dynam. Sp.24.G
ad Oculorum varia vitia.de med.fac.par. 7ª.170.D
in Oculo Vnguem pterygion vocant græci.de diff.mor. 3ª.4.F
in Oculo vnguis,lippitudo,cornea exesa,ragoidis procidentia,& suffusionis initium non est simplex morbus,sed compositus,vel multi, de diff.morb. 3ª.5.H
in Oculo vnguis,suffusio,& rhoeas morbi sunt non ex accidẽti sed primo totius instrumenti.de diff.morb. 3ª.6.B
in Oculo vnguis est ex genere naturali.de diff.mor. 3ª.4.F
Oculorum pterigia vlcera ambigua.14°.meth.med. 7ª.90.H
in Oculo vngula.de ocul. 7ª.186.F
Oculorũ vngues quibus attenuentur.4°.de cõ.me.sec.lo. 5ª.151.A
Oculorũ vngues attenuare potest Thyites lapis.9°.d sim.m.f. 5ª.67.F
Oculorũ pterygijs quæ conueniant.4°.de cõ.med.sec.loc. 5ª.81.B
Oculorum vngues eliquat sepiarum testa.11°.de sim.me.fac. 5ª.81.B
Oculorum vngues auferunt tithymalli.8°.de simp.me.fac. 5ª.62.D
ad Oculorum vngulas dura.de ocul. 7ª.190.H
ad Oculorum pterygia.4°.de composi.med.sec.loc. 5ª.158. D/*de remed.par.fac.*7ª.156.H/*de dynam.* Sp.24.H
de Oculorum Vlceribus.de med.fac.par. 7ª.163.A
in Oculis differentiæ vlcerationum.fin.med. Isa.48.D
Oculorum vlcera quo modo sanentur,& quibus:4°.de com.medicam. secundum locos. 5ª.150.H
Oculo exulcerato quid agendum.5°.meth.med. 7ª.34.B
Oculorum vlcera inflammata quid petunt,quando sunt recentia.4°.de comp.med.sec.loc. 5ª.151.B
Oculorum vlcera cum acri fluxione quæ curare possunt.4°.de compo. med.sec.loc. 5ª.150.C
Oculorũ vlcera vetusta quid petant.4°.de comp.me.se.loc. 5ª.151.B
Oculorum vlcus mundum seruari debet.4°.de compositione medicamen.secun.locos. 5ª.151.A
ad Oculorum vlcera multa.fluxiones,bullas,siue pustulas accõmoda sunt remedia ocularia,qbus cbenus missus est.6°.d si.m.f. 5ª.46.D
ad Oculorum vlcera lapidem hæmatitem expertus est Galenus.9°.de simp.med.fac. 5ª.68.D
Oculorum vlcera per se cicatrice includit hæmatites lapis.9°.de sim. medic.facul. 5ª.68.D
Oculorum vlcera expurgant,& implent myrrha,styrax,& thuris ramus.7°.de simp.med.fac. 5ª.54.E
ad Oculorũ sordida vlcera,& serpentia.4°.de comp.me.sl. 5ª.154.H
ad Oculorũ sordida vlcera.4°.de comp.med.sec.lo.151.A/ 5ª.155.F
ad Oculorũ vlcera repurgata.4°.de comp.med.sec.loc. 5ª.155.F
ad Oculorum vlcera.4°.de comp.med.sec.loc. 5ª.155.F
ad Oculorum omnis generis vlcera.4°.de comp.medicamentorum secundum locos. 5ª.154.G
de Oculorum Vulneribus,& eorum curatione.de ocul. 7ª.190.C
in Oculo quid faciat vulnus magnum.1°.de sym.caus. 3ª.15.D
Oculi humor è pupilla vbi effluxit qd sequatur.1°.de sym.cau. 3ª.15.D
contra Oculorum vulnera quæ valeant.de ocul. 7ª.189.C
in Oculo vulnerato quid agant acetosa frigida.de ocul. 7ª.189.B
ad Oculorum vulnera simplicia.de ocul. 7ª.190.G
ad Oculorũ vulnera cum tumore,& dolore.de ocul. 7ª.190.G
ad Oculorum vulnera cum putredine.de ocul. 7ª.190.G
ad Oculos.de med.fac.par. 7ª.173.C
in OCVLIS *diligenter agendum est.de anat.ocul.* Sp.57.H
Oculos q curare vult debet illos cognoscere sanos.d ana. ocu. Sp.57.B
Oculos qui curare vult quid agere debet.de ocul. 7ª.182.F
Oculi qũo præparandi ad curationem.4°.de c.med.sec.loc. 5ª.150.B
pro Oculis curandis purgandum prius totum corporis, deinde caput. 14°.methodi medendi. 7ª.92.B
Oculus non potest sanari ante totum corpus.4°.meth.med. 7ª.25.E
in Oculis primo caput sanandum.13°.meth.med. 7ª.86.D
Oculis antequam aliquid adhibeamus caput corpusq; totũ primo euacuandum est.4°.de comp.med.sec.loc. 5ª.149.F
Oculos curans capite non purgato quæ incurrant.4°.de composi. medicamen.secundum locos. 5ª.149.F
Oculis danda sunt purgatoria medicamenta.de cathar. Sp.94.G
Oculorũ cenotica,q̃ ex oculis lachrymas educũt.de cathar. Sp.95.B
ad OCVLOS *medicamenta extrinsecus.intro.* Isa.58.A
Oculorum pharmacorum septem species.intro. Isa.58.C
Oculorum pharmaca ad lippitudines incipientes.introd. Isa.58.C
Oculorum pharmaca ad eorum dispositiones.intr. Isa.58.C
Oculorum pharmaca ad eorum fluorem.intr. Isa.58.C
Oculorum pharmaca ad eorum scabritiem.introd. Isa.58.C
Oculorũ pharmaca ad lippitudinẽ siccam,& scabiosam.intr. Isa.58.C
Oculorum pharmaca ad suffusiones.intro. Isa.58.C
Oculorũ pharmaca ad eos inflãmatos,& circũdolentes.intr. Is.58.C
Oculorum medicina qualis debeat esse.de ocul. 7ª.190.B
Oculi requirunt suauissima medicamenta.11°.de sim.me.fa. 5ª.81.D
pro Oculis odorata medicamenta.4°.de comp.med.sec.loc. 5ª.151.G
supra Oculos qũo imponenda medicamenta.13°.meth.med. 7ª.86.A
in Oculo quod injcitur debet esse leue.13°.meth.med. 7ª.86.B
pro Oculis terrea ad vnguem leuiganda.13°.meth.med. 7ª.86.F
Oculorũ medicamẽta in cote terunt.de vic.ra.in mor.ac.c.4°. 7ª.152.G
in Oculos qũo injicienda medicina.de ocul. 7ª.190.C
Oculis qũ debemus vti repercussuis.com.6°.aph.31°. Ex.49.D
Oculis apposita styptica quid agant.de ocul. 7ª.189.B
de Oculorum medicinarum potentijs.de ocu. 7ª.189.A
Oculis qũo valeat medicina aperitiua & dissolutiua.de ocul. 7ª 189.B
in Oculis quid agant mollitiua,dissolutiua,& maturatiua medicamẽta.de oculis. 7ª.189.B
in Oculo medicamẽtũ dissolutiuũ,& maturatiuum.de ocul. 7ª.190.C
ad Oculos quid faciant medicamenta contractiua.de ocul. 7ª.189.C
ad Oculos quid faciant concoquentia.4°.de cõ.med.sec.loc. 5ª.150.C
ad Oculos quid faciant medicamenta maturatiua.de ocul. 7ª.189.D
in Oculo qũo valet oppilatiua medicina.de ocul. 7ª.189.B
pro Oculis puerorum medicamentũ.4°.de cõ.med.sec.lo. 5ª.152.F
Oculorum medicamentis adhibetur aqua pluuialis.in 6ᵐ.de mor.vul. commentario 4°. 3°.184.F
ad Oculos quæ valent.5°.de simp.med.fac. 5ª.38.E
Oculis de nascentibus terræ quæ conueniant.de ocul. 7ª.188.G
Oculis quæ animalia conueniant.de ocul. 7ª.88.G
pro Oculis balneum.4°.de compo.med.sec.loc. 5ª.154.C
Oculis conferunt balnea.13°.meth.med. 7ª.86.B
ad Oculos quæ biles,& feles recipiantur.10°.de simp.med.fa. 5ª.74.F
ad Oculos fel laudatorum animalium.10°.de simp.med.fac. 5ª.74.H
Oculorum medicamenta,quæ fel recipiunt,debent aliud simul habere & quod.10°.de simp.med.fac. 5ª.74.H
Oculis cũ melle illinitur cẽtaury minoris succus.7°.de si.m.fa. 5ª.50.b
ad Oculos qualis lapis hæmatites.4°.de comp.med.sec.loc. 5ª.151.C
ad Oculos quale sit fœnugræcum.4°.de comp.me.se.loc. 5ª.149.F
pro Oculis lac quale esse debet.4°.de comp.med.sec.loc. 5ª.150.G
ad Oculos cur valet lapis hæmatites.9°.de simp.med.fac. 5ª.68.C
Oculorũ bonũ remediũ est lapis phrygius coctus.de the.ad Pi. 5ª.97.E
Oculis grata sunt semina marathri.de ther.ad Pis. 5ª.92.B
Oculis quæ metalla conueniant.de ocul. 7ª.188.G
Oculorum medicamenta sunt sapissime metallica.de ocu. 7ª.189.B
Oculi liliorum oculis conueniunt.de ocul. 7ª.188.G
pro Oculis oua.13°.meth.med. 7ª.86.B
in Oculis multum valet oui humor.13°.meth.med. 7ª.86.A
ad Oculos ouorum liquor subtenuis, & qualis.4°.de com.medicam. secun.locos. 5ª.149.F
supra Oculũ oui luteum assum.4°.de comp.med.se.loc. 5ª.157.D/H
supra Oculos expressus succus pennarum pullorum iuuat.9°.de simp. med.fac. 5ª.72.H
Oculos posca fouet.de remed.par.fac. 7ª.155.H
Oculis q̃ desse cõprobatur sanguis foras illinitus.de simp.me. Sp.90.B
Oculis imponuntur folia violæ.6°.de simp.med.fac. 5ª.48.F
pro Oculis arida medicamenta.4°.de comp.med.sec.loc. 5ª.151.H
ad Oculos siccum medicamentum Galeni.9°.de simp.me.fa. 5ª.67.G
ad Oculorum valetudinem tuendam Galeni aridum.4°.de compositione med.sec.loc. 5ª.152.A
pro Oculis collyrium ex cinnamomo.12°.meth.med. 7ª.79.H
pro Oculis quæ collyria arida conueniunt.4°.de com.me.se.lo. 5ª.151.H
Oculis valde commoda confectio.7°.de com.med.sec.loc. 5ª.185.D

Oculorum empla-

Oculorum emplastrum.de rem.par.fac. 7°.156.E
Supra Oculos fomenta ex aqua calida.13°.met.me. 7ª.86.C
Oculis quæ fomenta adhibenda per spongiam mollem, non per saccu-los,& cataplasmata.in 6m.de mor.vul.com.6°. 3ª.196.A
Supra Oculos cataplasmata qualia.de ocul. 7ª.190.C
Oculi quibus debent calefieri.de ocul. 7ª.190.C
pro Oculis linimentum.de reme.par.fac. 7ª.156.E
pro Oculis quæ fugienda.de rem.par.fac. 7ª.156.C
Oculis non conueniunt acria.4°.de comp.me.se.lo. 5ª.150.B
*Oculorũ ægritudines cur nõ sunt acribus excitãdę.10°.d v.p.*1ª.181.g
*Oculi nõ tolerãt acria medicamẽta,et cur.2°.d ar.cu.ad Gl.*7ª.103.d
Oculus afficitur acribus.5°.de comp.med.se.lo. 5ª.159.H
Oculus habet acerrimum sensum.13°.met.me. 7ª.86.A
Oculi habent sensum acutum.de ocul. 7ª.189.B
in Oculis repercutientibus non vtimur.13°.met.me. 7ª.86.C
in Oculis si quis opio vtatur quid facit.3°.met.me. 7ª.17.E
in Oculis emitãda sunt stupefaciẽtia quãtũ fieri põt.secreto. Sp.97.B
Oculorum tunicæ duram dispositionem acquirunt insanabilem a stupe facientibus.com.6°.aph.31°. Ex.49.E
Oculis nullum stomaticum conuenit.13°.met.me. 7ª.83.C
Oculo non confert absinthium.14°.met.me. 7ª.88.D
Oculis non adhibetur acetum cum rosaceo.de sect. Is.18.C
Oculis quæ mire obsunt frigidissima.3°.met.me. 7ª.17.D
Oculi frigidum mordax.4°.de simp.med.fac. 5ª.24.C
Oculis nõ cõueniũt nitrosa salsa,et austera.4°.d cõp.me.s.l. 5ª.150.C
Oculo oleum nocet,non alijs partibus.de opt.sect. Isa.21.D
nec Oculis nec ori oleum adhibẽdũ in phlegmone.13°.me.m. 7ª.83.C
Oculis ab inunctionibus molestatur.2°.de ar.cu.ad Gla. 7ª.103.D
in Oculis non conueniunt relaxantia,& discussoria.4°.de composi-tione med.sec.loc. 5ª.150.C
Oculis contrarium est vinum nigrum dulce.de simp.me. Sp.92.B
Oculis non adhibemus tragi succum capræ adipem,& ceratum mor-su carens.in 6m.de mor.vul.com.6°. 3ª.296.D
Oculis non adhibetur fructus spinæ ægyptiæ, & alumen scissile. de sectis. Is.18.C
Supra Oculos stillicidium fieri non debet.13°.met.me. 7ª.86.A
pp Oculos, & partes anteriores cur apponantur cucurbitulæ supra occiput.2°.de comp.med.se.lo. 5ª.137.H
OCVLORVM *morbi qui manu indigent.intro.* Is.59.G
Oculorum morborum qui manu indigent curatio.intro. Is.59.G
*Oculos ambiẽtiũ in idẽ coagmẽtatio partiũ manu idiget.intr.Is.*59.G
*Oculorũ appũctiua qualis pars ĩ arte medica.de part.art.me.S.*17.A
in Oculorum vitijs quandoque fit arteriarum sectio.4°.de cõpositione med.sec.loc. 5ª.150.B
in Oculo quando debet fieri incisio circa crassitiem musculorum.d ana tom.ocul. Sp.57.H
Oculus sublimitur sine scalpello.ad Thras. 2ª.104.H
OCVLVS *vocata deligatio quæ, & cui.de ijs, quæ in med.fiunt com-mentario.2°.* 7ª.206.d
*Oculus simplex,vel tenue vinculum ocularium.de fascijs.*7ª.297.D/ *idem ab inferiori partem sursum.* ibidem
Oculus duplex a superiori parte ductus.de fascijs. 7ª.297.E
*Oculus duplex ĩ vtrãq; ptẽ deorsum.de fasc.*7ª.297.F/*aliter.ibidem.*
Oculus rectus ad alteram partem.de fasc. 7ª.297.G
*Oculus duplex ex eodem ductus.de fascijs.*7ª.297.G/*idẽ ab inferiori parte.H/idem in vtranq; partem ductus.* ibidem
Oculi cuidam procedere, cui caput fuit vario vinculo deligatum.de fascijs. 7ª.293.d

ODIO *nimio cuiuscunque rei detineri est affectus,& ptur-batio animi.de cog.cu.animi mor.* 2ª.50.H
Odium meretur contentio.de caus.mor. 3ª.7.A
ad Odium nihil,nec ad gratiã Galen.loqui solet.5°.met.me. 7ª.33.C
ODONTALGIA *vnde nomen habuit.2°.met.me.* 7ª.9.E
ODONTICÆ *facultates quæ dicantur.5°.de simp.me.fa.* 5ª.32.B
ODONTOIS *processus qui.de oss.* 1ª.41.H
ODOR *quibus nominibus dicatur.4°.de simp.med.fac.* 5ª.31.A
Odores non habent nomina, vt sapores.4°.de simp.me.fa. 5ª.31.A
*Odores consequuntur mistionem ex qualitatibus.1°.de v.p.*1ª.115.d
Odores sciendi sunt.1°.de ali.fac. 2ª.9.A
Odorum cognitio quid iuuat.8°.de vsu par. 1ª.168.F
Odores omnes reducuntur ad benevolentiam, & graveolentiam.4°.de simp.med.fac. 5ª.31.A
Odores qui suaues sunt,& qui non.4°.de simp.med.fa. 5ª.31.A
Odorum substantia est vaporosa.de instr.odor. 1ª.110.H
*Odores non ostendunt locum vnde veniant.7°.de decr.Hip.*1ª.272.B
Odor quando non sentitur.7°.de decr.Hipp. 1ª.271.G
Odor non sentitur nisi spiritu attracto.de instr.odor. 1ª.110.C
Odores cur non sentiant nisi spiritũ attrahamus.de instr.odor. 1ª.111.d
Odorem sentimus inspirando.8°.de vsu par. 1ª.168.F
Odor sentitur solum attrahendo spiritum,ideo sensus odoratus est in-tus.de instr.odor. 1ª.110.H
Odoris cur nulla pars in cerebrum impellatur in motu spiritus per na si tunicas.de instr.odor. 1ª.111.G
Odor per quod foramen intrat,& exit.de ana.viu. Sp.49.A
Odoris sentiendi instrumentum,quod.de instr.odor. 1ª.110.F
Odoris sensus est in cerebri ventriculis.4°.de simp.med.fa. 5ª.31.A
*Odoris sensus inest ĩ anteriorib⁹ cerebri vẽtriculis.d instr.odo.*1ª.111.c
Odoris sensus similis est sensui gustus.4°.de simp.med.fac. 1ª.30.H
Odorum semita est nasus.de instr.odor. 1ª.110.C
Odores an cognoscat membrana nasi.de instr.odor. 1ª.110.C
inter Odores medios non discernit odoratus hoĩs.de ana.vi. Sp.49.B
Odoris Boni vinum leue,in quo est dulcedo pauca bonum generat hu morem inter crassum,& tenuem.de diss.cont. Sp.73.H
Odoris boni vinum persicum vel citrinum est boni chymi & subtilis. de dissolutione continua. Sp.73.H
Odorem bonum quæ dent medicinis.de dyn. Sp.21.B
*Odor bonus cur in medicamẽtis ponatur.8°.de cõp.me.se.l.*5ª.190.C
Odores Calidi capitis dolorem faciunt.3°.de loc.aff. 4ª.20.G
*Odore Carentia habent crassam essentiam.4°.de sim.me.fac.*5ª.31.B
Odoris carentia in vino significat imbecillitatem. de vic.rat.in mor-bis acu.commen.3°. 7ª.128.H
Odorem Fœdissimum habentia adhibenda naribus in defectu animi ex vtero.1°.de arte cu.ad Glau. 7ª.99.B
Odoris fœditatem, & oleaceam pinguedinẽ.i.ἐλαιώδη habens vrina mortem minatur.de tot.morb.temp. 3ª.89.G
Odore Graui opoponax.de simp.med. Sp.88.B
Odor gravis significat proprie exulcerationem vesicę,si talis odos sit in vrina.c.4°.aph.81°. Ex.36.H
Odorem grauem in sputis considerat Galenus,& in sputo, & in vesi-ca.com.5°.aph.11°. Ex.38.d
Odoris Hircinus qualis.1°.de anti. 5ª.105.C
Odor Lucernæ extinctæ.de dyn. Sp.24.F
Odor corporis Malus generatur ex abundante frigore, & calore. de dynamidijs. Sp.19.d
Odor medicamenti non considerandus.2°.de simp.me.fac. 5ª.10.A
ex Odoribus non quærenda medicamentorum facultas.2°.de simpli. medicamen.facul. 5ª.10.B/D
Odor,& gustus adiuuant experientiam.4°.de simp.me.fac. 5ª.31.D
Odor indicat de temperamento plantę.2°.de ali.fa. 2ª.24.E
Odor Castorei videtur naturæ humanæ aduersissimus.11°.de simplic. med.facul. 5ª.80.C
Odor,& gustus docent ea,quæ sunt aromata.2°.de ali.fac. 2ª.19.C
Odore viscidum est Laser.de simp.med. Sp.85.G
Odores,& colores non considerant,qui quærunt facultates.rerum.2°. de simp.med.fac. 5ª.16.E
*Odore non sunt quærendæ qualitates rerum.3°.de simp.me.f.*5ª.17.C
ex Odore non potest dari iudicium de qualitatibus rerum.4°.de sim. med.facul. 5ª.31.B
*Odore,sapore,colore eodẽ q̃ sũt,tñ ñ hãt easdẽ vires.1°.d ali.f.*2ª.7.D
*Odores præter naturã morbos necessario sequunt.d sym.diff.*3ª.13.F
Odor in Pure vnde.in progn.com.1°. 4ª.197.C
Odores Validi caput lædunt.de instr.odor. 1ª.112.E
Odores Validi inducunt delirium.de inst.odor. 1ª.112.E
Odor in Vino significat robur.de vi.ra.in mor.acu.c.3°. 7ª.128.H
Odor citissime nutrit.com.5°.aph.11°. Ex.38.d
Odores exiccant.4°.de lo.aff. 4ª.28.d
Odore nauseam prohibet pulegium.de simp.me. Sp.88.H
*Odores iuuãt,et obsunt p accidẽs.de vi.ra.in mor.acu.c.3°.*7ª.125.F
Odore ipso quæ cum homine pugnant naturæq; humanæ cõtraria sunt. 4°.de simp.med.fac. 5ª.29.E
Odores fugiendi qui sint.de subfig.emp. Is.32.C
ODORABILIS *spiritus vnde feratur.de compagine membrorum, si-ue de natura humana.* Sp.58.d
Odorabiles differentiæ,quæ.de symp.diff. 3ª.13.B

Odorabilia cum gustabilibus hñt proportionem.de sym.cau. 3ª.17.E
*Odorabilia hñt vaporosam substantiam.*4°.*de simp.me.fa.* 5ª.31.A
*ab Odorabilibus qño moueatur sensus.*4°.*de simp.med.fac.* 5ª.31.A
ODORAMENTVM *pro somno.*4°.*de comp.me.se.lo.* 5ª.157.G
Odoramentum ad spasmum,& torturam.secretorum. Sp.103.D
de ODORANDI *sensu læso,casus.de instr.odor.* 1ª.111.B
ODORATIORA *simplicia semper sumenda sunt.*1°.*de ant.* 5ª.105.D
ODORATISSIMVM *non potest extemplo fieri grauissime olens.*1°.*d nat.facul.* 1ª.292.D
ODORATRIX *vis quo modo afficiatur.*1°.*de symp.cau.* 3ª.15.H
*Odoratricem vim impedientia.*1°.*de symp.caus.* 3ª.15.H
ODORATVS *significat sensum odoris, & vim ipsam odorandi.de instrum.odor.* 1ª.110.B
*Odoratus sensus est halitus.*1°.*de symp.cau.* 3ª.17.D
*Odoratus sensus propter quid factus.*4°.*de simp.med.fac.* 5ª.30.H
*Odoratus cum gustu cognati generis est.*1°.*de symp.cau.* 3ª.17.D
*Odoratus,& gustus consentiunt.*4°.*de simp.med.fa.* 5ª.30.H
*Odoratus,& gustus in odore suauissimo vt rosæ dissentiunt.*4°.*de simplic.med.fac.* 5ª.30.H
*in Odoratu idē quod in gustu in extrinsecis.*1°.*de symp.cau.*3ª.17.D
Odoratus instrumentum quale.de instr.odor. 1ª.110.F
Odoratus instrumentum non est palati tunica.de instr.odor. 1ª.111.A
Odoratus instrumentum non sunt fauces.de instr.odor. 1ª.111.A
Odoratus instrumentum an colatorium.de instr.odor. 1ª.111.A
Odoratus instrumētū nō sunt asperæ arteriæ.de instr.odor. 1ª.111.A
Odoratus proprium instrumentum quod.de instr.odor. 1ª.111.B
Odoratus instrumētum cur medium inter tenue vt aer,& ita crassum vt humor.de instr.odor. 1ª.110.F
*Odoratus sensorium ventriculi cerebri.*1°.*de symp.cau.* 3ª.15.G
Odoratus instrumentum est nasus.de instr.odor. 1ª.110.B
*Odoratus,et respiratus facultati subseruit nasus.*1°.*de sym.ca.*3ª.15.H
Odoratus instrumentum non est os nasi.de instr.odor. 1ª.110.B
Odoratus qualiter adueniat naribº.d cōp.mēb.siue d na.bu. Sp.58.D
*Odoratus quo modo moueatur ab odorabilibus.*4°.*de simplicium medicamen.facul.* 5ª.31.A
*Odoratus sensus vnde perficiatur.*3°.*de loc.aff.* 4ª.21.D
*Odoratus quo modo sentiat in se halitus graueolentes,& beneolētes.*1°.*de symp.cau.* 3ª.17.E
*in Odoratu est delectatio,& dolor post tactum,& gustum,post odoratum vero est in auditu.*1°.*de symp.caus.* 3ª.16.F
*in Odoratu quo modo voluptas.*1°.*de symp.cau.* 3ª.17.D
*in Odoratu,& in gustu quomodo delectamur.*1°.*de sym.cau.* 3ª.17.E
*per Odoratum nutriuntur bruta quædam.*1°.*de ana.viuo.* Sp.49.B
*Odoratum mouent acida omnia.*4°.*de simp.med.fa.* 5ª.30.H
*Odoratum,& gustum mouet acetum.*4°.*de simp.me.fac.* 5ª.30.H
*Odoratū gustūq; monēt acria,allia,& cæpe.*4°.*de simp.m.f.* 5ª.30.H
*Odoratu odorata sunt cognata.*1°.*de symp.caus.* 3ª.17.F
Odoratu quæ medicamenta cognoscamus.de ther.ad Pis. 5ª.30.E
ad Odoratum nigella medicamentum.de instr.odor. 1ª.111.B
*Odoratus quo modo vitiosus.*1°.*de symp.cau.* 3ª.16.A
Odoratus hepetior ostendit futuram ægritudinem.ars med. If.67.F
ex Odoratu signa futuræ ægritudinis.ars med. If.67.G
ODORATA *omnia habent quandam partium tenuitatem.*7°.*de simp. medicamen.facul.* 5ª.49.E
*Odorata tenuia sunt,& calida.*4°.*de simp.med.fac.* 5ª.31.B
*Odorata omnia calida sunt.*4°.*de simp.med.fac.* 5ª.31.A
*Odorata sunt myrrha,thus,storax.c.*5°.*aph.*59°. Ex.43.C
*Odoratum est pistachium.*8°.*de simp.med.fa.* 5ª.58.F
Odoratorū ōnium semen cōuenit i diata attenuāte.de attē.vi. 2ª.44.E
*Odorata stomachum corroborant.*8°.*de comp.me.se.lo.* 5ª.190.B
Odorata adiuuent coctionem.de subfig.emp. If.32.C
Odorata nocent capiti.de subfig.emp. If.32.C
*Odorata omnia capitis dolorem pariunt.*3°.*de loc.aff.* 4ª.20.G
*Odoratum insuauissimum sentientes gustare relinquimus.*4°.*de simp. medicamen.facul.* 5ª.30.H
*Odorata aromata quæ sint miscenda purgantibus medicamentis.*8°. *de comp.med.sec loc.* 5ª.190.B
*Odorata cur medicāmētis miscēda.de vi.ra.ī mor.acu.c.*2°.7ª.118.A
*Odoratas compositiones quæ reddant.*1°.*de comp.me.se.lo.*5ª.128.C
*Odorata medicamenta pro oculis.*4°.*de comp.me.se.lo.* 5ª.151.D
Odoratum aliquod & adstringens superponimus in dolore ventriculi. in 6m.de mor.vul.com.6°. 3ª.169.D
*Odorata vero adhibenda sunt in animi defectu ex vtero.*1°.*de ar.cu. ad Glauconem.* 7ª.99.B
ī Odoratis versari in somnijs qd signēt.de pīa.ex.insom.tu. 4ª.213.E
ODORIFERA *sunt odoratui cognata.*1°.*de symp.cau.* 3ª.17.F
*Odoriferæ radices de Ponto expurgāt in ictēris.de cura ict.Sp.*111.B
*Odoriferum Lucij præceptoris.*5°.*de comp.me.per ge.* 5ª.254.B
Οδυνηραὶ *facultates quæ sint, quæ contra* ἀνώδυνοι.5°.*de simplicium medicamen.facul.* 5ª.32.B
OE *id est,sorbus.*8°.*de simp.med.fac.* 5ª.57.B
OECETAI *vxoris ex abortu casus. in* 3m. *de mor.vul. commentario.*2°. 3ª.139.E
ad OECONOMICAM *quæ necessaria.in* 6m.*de mor.vul.c.*2°.3ª.168.H
Oeconomia medica.in 6m.*de mor.vul.com.*2°. 3ª.169.A
*Oedema vnde habeat nomen.*2°.*met.me.* 7ª.9.E
*Oedema quid sit.*2°.*de arte cu.ad Glau.* 7ª.103.F
*Oedema quid sit,& quibus fiat.*14°.*met.me.* 7ª.87.E
*Oedema pprie qd.in prog.c.*1°.4ª.196.D/*de fract.com.*3°.7ª.243.C
Oedema est morbus euidens.de diff.mor. 3ª.3.D
*Oedema morbus instrumentalis.*3°.*de symp.cau.* 3ª.24.G
Oedema affectus totius corporis.intro. If.59.C
*Oedematis & tumoris noie prisci idē itelligebāt.c.*4°.*a.*34°.*Ex.*31.C
*Oedema quid apud Hippocratem.in prog.c.*1°.4ª.196.A/*de ijs,quæ. in med.fi.com.*3°. 7ª.219.D
Oedema quid significet apud Hippocratem,& recentes tempore Galeni.in 6m.*de mor.vul.com.*4°. 3ª.179.E
Oedema apud Hippocratē oēm tumorem prēter naturā signāt.in 6m.*d mor.vul.c.*1°.152.H/*c.*3°.3ª.172.B/*com.*5°.*aph.*65°. *Ex.*44.H
*Oedēata sūt tūores molles sine dolore fṣ iuniores.c.*4°.*a.*34°. *Ex.*31.C
Oedema apud recentes laxus tumor.in 6m.*de mor.vul.c.*3°.3ª.172.B
*Oedema indolens,ac laxus tumor.*3°.*de symp.cau.* 3ª.26.C
Oedema pro omni tumore.in 6m.*de mor.vul.c.*1°. 3ª.158.A
Oedema tumor mollis.de diff.morb. 3ª.5.B
*Oedemata quæ sint,& quo modo distinguantur ab inflationibus.*14°. *methodi medendi.* 7ª.88.E
Oedema quo modo fiat.de tum.præt.nat. 3ª.84.D
*Oedemata facit fluxio ad membra.in prog.com.*2°. 4ª.202.D
Oedema,erysipelas,īflāmatio,& scirrhus a quo fiāt humore.de tum. præter naturam. 3ª.84.C
Oedema inflammatorium quod.de tum.prēt.nat. 3ª.84.B
*Oedema quando fiat.*3°.*de symp.cau.* 3ª.26.D
*Oedema quibus contingat.*2°.*de arte cur.ad Glau.* 7ª.103.F
Oedema,& scyrrhus quid habent cōe.de tum.præt.nat. 3ª.84.C
*in Oedematibus proprie arteriarum motus non faciunt dolorem.*2°. *de locis affectis.* 4ª.8.H
Oedema oculi totum oculum exercet.introd. Isa.58.D
*ad Oedemata oculorum.de rem.par.fac.*156.F/ 7ª.157.A
*Oedema pituitosum cur nunquam in thorace nascatur, & iecore.*4°. *de præsag.ex pul.* 4ª.120.D
Oedema in succingente mēbrana non facit febrem.de cōst.ar. If.40.D
*pp Oedema febris non fit.de vic.ra.in mor.acu.c.*3°. 7ª.128.A
*Oedema in ilijs quid significet.in prog.com.*1°. 4ª.196.A
*Oedema in hypochōdrys cur facile suppurat.in prog.c.*1°.4ª.196.G
*Oedema sub vmbilico raro in pus vertitur.in prog.com.*1°.4ª.196.F
*Oedematum quod letale,& quod non.in prog.com.*1°. 4ª.196.E
*Oedematis pulsus qui.*4°.*de præs.ex pul.* 4ª.121.B
*Oedematum diuersarū partiū puls.*4°.*de præsag.ex pul.* 4ª.121.C
*ab Oedemata vñ pulsus molles.*4°.*de pīag.ex pul.*119.H/4ª.120.A
Oedema,ramex,struma,melliceris magna similitudine cōueniūt.in curatione maxime distant.de opt.sect. If.24.A
*Oedema quo modo curetur.*14°.*met.me.*87.F/ 7ª.88.d
*in Oedemate intentio curationis quæ.*2°.*de arte cu.ad Gla.*7ª.103.G
*Oedema ex pituita in loco,qūo curetur.*2°.*de ar.cu.ad Gla.*7ª.103.F
*Oedema in præcordijs quomodo curatur.*14°.*met.med.* 7ª.88.d
*Oedema in pravis affectibus qūo curetur.*2°.*de ar.cu.ad Gl.*7ª.103.F
*in Oedemate diuturno quid agendum.*2°.*de ar.cu.ad Glau.*7ª.103.G
Oedemati conuenit succus Centaureæ.de virt.cent. Sp.94.A
Oedemata mitigat Damasonium.6°.*de simp.med.fac.* 5ª.46.A
*Oedemata illius sanat orchis serapias.*8°.*de simp.me.fa.* 5ª.57.F
*Oedemata illitu contrahit spina alba.*6°.*de simp.med.fac.* 5ª.41.H
*Oedemata laxa adiuuat lutum ægyptiæ terræ.*9°.*de simplic.medicamentorum facul.* 5ª.65.F
*Oedematum,& phlegmonum cataplasma.*4°.*met.me.* 7ª.27.E

pro Oedemate qũo acetum,& aqua temperanda.14°.me.m.7ª.87.E
ad Oedema glaucium medicamentum.14°.met.me. 7ª.87.G
Oedema cũ nõ ſanaẽ primis præſidijs,adde alumẽ.14°.me.m.7ª.87.G
ad Oedemata valet glaucium.14°.met.me. 7ª.87.G
ad Oedemata omnia.1°.de comp.med.per ge. 5ª.211.F
ſupra Oedemata quomodo deliganda ſpongia.14°.met.me. 7ª.87.F
in Oedemate quomodo faſciandum.14°.met.me. 7ª.87.G
in Oedemate qũo fieri debet ligatura.2°.de ar.cu.ad Glau.7ª.103.G
OEDEMATOSI *tumores facies.de bo.& vi.ſuc. 2ª.34.A*
Oedematodes tumores mirifice digerit Iſatis.6°.deſim.m.f. 5ª.48.G
Oedematoſum eryſipelas quod.14°.met.me. 7ª.87.E
Oedemoſa inflammatio.de tum.præt.nat. 3ª.84.B
OENANTHE quid ſit.8°.de comp.med.ſe.lo.5ª.187.E/de ſimpl. medicam. Sp.85.E
Oenanthe refrigerantes vires habet,& ſtomacho præſtantes.de ſimplic.med. Sp.85.E
Oenanthe ad refrigerãdũ,et firmandũ vẽtriculum.8°.me.m. 7ª.53.D
Oenanthe iecori inflammato conuenit.2°.de ar.cu.ad Glau.7ª.104.D
ex Oenanthe vitium aqua.de vic.ra.in mor.acu.c.4°. 7ª.149.B
Oenanthe vſus in balneo.8°.met.me. 7ª.51.C
Oenanthe catagmaticum.2°.de comp.med.per ge. 5ª.225.G
OENÆLEVM *leum.1°.de comp.med.ſe.lo. 5ª.132.C*
Oenelæum prodeſt fractis.introd. Iſa.60.F
Oenelæum phthiſico non dandum.de med.fac.par. 7ª.171.D
ex Oenæleo,& argenti ſpuma emplaſtrũ.1°.de cõp.me.pg.5ª.213.C
OENOPIA *radix tollit omnem triſtitiam ſed & vinum quotidie idem præſtat.quod animi mores. 1ª.318.A*
Oenos id eſt vinum.8°.de ſimp.med.fac. 5ª.57.B
de OESOPHAGO. de cõpag.memb.ſiue de nat.hum. Sp.58.H
Oeſophagus quid.1°.de motu mu. 1ª.309.F
Oeſophagus quæ pars ſecundum antiquos.5°.de loc.aff. 4ª.32.A
Oeſophagus canalis colli qui ad anteriora fertur. de cõpag.mẽbr.ſiue de natura humana. Sp.58.F
Οἰσοφαγος ventriculi pars eſt ab ore ad ventriculum.4°.de vſu partium. 1ª.136.H
Oeſophagi ſitus,& proceſſus.6°.de vſu par. 1ª.149.C
Oeſophagus trachæa arteria vbi ſint.de ana.parua. Sp.42.H
Oeſophagus tranſit per thoracem,tamen nõ lædit thoracem.6°.de vſu partium. 1ª.149.C
Oeſophagus extenditur in medio quatuor primarum dorſi vertebrarum.6°.de vſu par. 1ª.149.D
Oeſophagus quibus alligeẽ.6°.de vſu p.1ª.148.F/de cõp.mẽ.S.58.H
Oeſophago quæ membra continuantur.de mo.man.& obſ. Sp.70.A
Oeſophagus ex quibus componatur.de mo.man.& obſ. Sp.68.F
Oeſophagus frigidus eſt,et ſiccus.& cõp.mẽb.ſiue.& nat.hu. Sp.58.H
ad Oeſophagum cur venæ obſcuræ.4°.de vſu par. 1ª.137.C
per Oeſophagum tranſitus accidens ineuitabile eſt eleuatio nodi gutturis.de mo.man.& obſc. Sp.70.F
Oeſophagi quæ tunica magis agit in tranſglutiendo.de motibus manifeſtis & obſcuris. Sp.68.F
Oeſophagus & ſtomachus quo modo obediant voluntati.de motibus manifeſtis & obſcuris. Sp.68.E
OESYPVM *quid.2°.de comp.me.ſ.l.5ª.138.E/de ſimp.me. Sp.92.D*
Oeſypon ex quo fiat.10°.de ſimp.med.fac. 5ª.77.E
Oeſypus quomodo adulteretur.de ſimp.med. Sp.92.d
Oeſypus atticus omnes antecellit.14°.met.me. 7ª.88.G
Oeſypis atticis meminit.4°.de cõp.me.pg.237.H/272.C/5ª.273.H
Oeſypum malthacodes.4°.de cõp.me.per ge. 5ª.238.E
Oeſypus fit tenuius,& calidius vetuſtate.11°.de ſimp.m.f. 5ª.79.C
Oeſypus vires habet cum aliqua acrimonia mollientes,& relaxãtes. de ſimp.med. Sp.92.D
Oeſypon ad quæ in lana.11°.de ſimp.med.fa. 5ª.81.B
Oeſypus per lanam.14°.met.me. 7ª.88.F
Oeſypus ĩ vlceribꝰ valet vbi ora dura.4°.de cõp.me.per g.5ª.237.H
ex Oeſypo,reſina,et cera cerata qualia.7°.de cõp.med.p ge.5ª.264.E
Oeſypi ceroti compoſitio.de dyn. Sp.22.D
Oeſypi ceratum ad phlegmonas præcordiorũ.14°.met.me. 7ª.88.G
Oeſypi fit mentio.7°.de comp.med.per ge. 5ª.268.A
OFFA *quo modo fiat.de venæ ſectione aduerſus Eraſiſtratos. 6ª.12.A*
OFFENDENTIA *euidenter ſunt euitanda.de vict.rat.in morb.acutis. commen.1°. 7ª.109.E*
OFFENSIONIS *in reſpiratione eius differentiam cognoſcit qui efficientem cauſam deprehendit.de cauſ.reſp. 1ª.226.H*
OFFICIVM *cerebri.de ana.viuo. Sp.47.D*
OFFICIALIA *membra in perfectis aĩalibus.de ana.viu. Sp.45.G*
Officium dentium inciſorum quod.de ana.viu. Sp.49.D
Officium dentium caninorum quod.de ana.viu. Sp.49.D
Officium dentium molarium quod.de ana.viu. Sp.49.D
Officium glandulæ in lingua quod.de vti.reſp. Sp.63.A
Officium pulmonis quod.de vtil.reſp. Sp.63.H
Officium venæ arterialis quod.de ana.viuo. Sp.52.G
Officium venalis arteriæ quod.de ana.viuo. Sp.52.G
Officiũ ieiuni inteſtini quale ſit.de cõpag.mẽb.ſiue nat.hum.Sp.59.A
OFFVSCATIONIS *viſus curatio.4°.de compoſitione medicamentorum ſecun.loc. 5ª.158.C*
ΟΓΚΟΣ, *id eſt tumor,quid ſit.de tumoribus præter naturam. 3ª.82.F*
ΟΫΙΔΟΣ *appellat intumeſcẽtiam. de fracturis,commentario.3°. 7ª.243.C*
Οἰνόμελι *quo modo in miſtione accipiat vnam formam. de theriaca ad Piſonem. 5ª.94.C*
Οἰωνισαὶ *quid ſignificet.2°.de arte cur.ad Glau. 7ª.100.A*
Οἰωνιστικὴ . *de vic.ra.in mor.acu.com.1°. 7ª.110.A*
Οἰωνοσκόποι *quid ſignificet.2°.de arte cur.ad Glau. 7ª.100.A*
OKIS *lenit ventrem.de diſſ.cont. Sp.75.A*
OLEA *quam terram deſideret.9°.de ſimp.medicamentorum facultatibus. 5ª.64.F*
Oleæ excolendi artis finis,& bonum idem ſunt,& propoſitum vnũ. ad Thraſybulum. 2ª.103.E
ex Oleæ teneris germinibus apparatum repellit in capitis doloribus. 2°.de comp.med.ſec.loc. 5ª.137.D
Oleæ Aethiopicæ lachryma.5°.de comp.med.ſe.lo.160.H/5ª.161.B
Oleæ lachrymæ.4°.de comp.med.ſec.loc.153.A/ 5ª.157.A
OLEACEAM *pinguedinem.i.ἐλαιωδη,& odoris fœditatem habens vrina mortem minatur.de tot.morb.temp. 3ª.89.G*
OLEAGINEA *demunt famen inde collige quod demant appetitum.cõmen.2°.aph.21°. Ex.14.H*
Oleaginæ vrinæ vnde gignantur.quæſ.in Hip. Sp.113.C
Oleagineæ vrinæ quid ſignificent.de vrinis. 4ª.124.D
ὠλὲκρανον qđ intr.Iſ.53.B/2°.de v.p.1ª.121.B/de frac.c.2°.7ª.240.C
OLENTIA *cur purgantibus medicamentis admiſceantur,& quæ oĩẽtia.de purg.med. 5ª.89.C*
oĩa Olentia bene,non ſunt calida, neque oĩa graueolentia.2°.de ſimpl. medicamen.facul. 5ª.10.D
Olentia graue ſtomachum ſubuertunt.8°.de comp.me.ſe.lo. 5ª.190.B
Olentes aquæ lædunt ventrem,& ſplenem.de aere aq.& loc. 2ª.6.D
Olens graviter vrina puris eſt particeps.& vrinæ ſig.ex Hip.Sp.79.C
Olens graviter vrina quid ſignificet.quæſ.in Hip. Sp.113.D
Olens male vrina cum hypoſtaſi atra in morbo acuto mortẽ haud dubiam ſignificat.quæſ.in Hip. Sp.113.E
OLEOSA *quæ vocentur.2°.de comp.med.per ge. 5ª.220.F*
Oleoſa omnia aquea ſunt,& aerea.5°.de ſimp.med.fac. 5ª.38.H
Oleoſum quid faciat.5°.de ſimp.med.fac. 5ª.39.A
Oleoſum an pingue dicas in ſaporibus nihil refert, ſicut etiã dulce an melleum.1°.de ſimp.me.ſa. 5ª.8.H
Oleoſi fructus edendi ſunt,& dulces.4°.de ſimp.me.fac. 5ª.26.G
Oleoſa vitanda in vlceribus,& quæ.4°.& comp.me.per ge.5ª.236.H
Oleoſum nihil apponendum vlceri.2°.& ar.cu.ad Glau. 7ª.101.H
Oleoſum Cyprinũ mitigat medicamẽta.2°.de cõp.me.per ge.5ª.220.D
Oleoſum roſaceum mitigat medicamenta.2°.de compoſitione medicamentorum per ge. 5ª.220.D
Oleoſum myrteum mitigat medicamenta.2°.& cõp.me.p g. 5ª.220.D
Oleoſum emplaſtrum.2°.& comp.me.per gen. 5ª.221.G
Oleoſa vrina non eſt vnius coloris, vt nec oleum.in 3ᵐ.de mor.vulg. commen.3°. 3ª.147.H
Oleoſæ vr.næ.in 1ᵐ.& mor.vul.com.3°. 3ª.125.C
Oleoſa vrina.in 1ᵐ.de mor.vul.com.3°. 3ª.225.D
OLEVM *aliquid quando dicitur quid ſignificet.4°.& compoſi.medicamento.per gene. 5ª.240.H*
Oleum eſt corpus molle.3°.& diff.pulſ. 4ª.63.D
Olea ex quibus fiant.4°.& ſimp.me.facul. 5ª.26.G
Oleum proprie eſt quod ex oliuis fit alia per translationem dicuntur.

2°.de simp.med.fac.11°.G/6°. 5ª.46.F
Olea quæ non sunt ex oliuis dicuntur abusiue olea.3°.de sa.tu.2ª.79.B
Oleum omne quomodo fiat.de dyn. Sp.23.F
Oleum per combustionem expressum.de me.fac.par. 7ª.173.E
Oleum quomodo probetur esse optimum.6°.de simp.med.fa.5ª.46.G
Oleum crassę,& lentæ substantiæ.1°.de simp.med.fac. 5ª.4.H
Oleum quo modo lentum.de ptiss. 2ª.47.E
Oleum quale.1°.de comp.med.sec.loc.129.F/2°. 5ª.136.D
Oleum ex gustu quale sit potest deprehendi.3°.de san.tu. 2ª.79.B
Oleum ex gustu deprehendit Galenus.3°.de san.tu. 2ª.79.B
Olei experiundæ facultatis recta ratio.2°.de simp.me.fac. 5ª.14.H
Oleum vnum est,qualitas diuersa.2°.de comp.med.per g. 5ª.220.A
Oleum materia quatuor qualitatum.2°.de simp.med.fac. 5ª.16.B
Oleum quo modo videatur habere contrarias facultates.2°.de simpl. medicamen.fac. 5ª.11.E
Oleum quot qualitates habeat secundũ diuersos.2°.de simplicium medicamen.facul. 5ª.14.C
Oleum aereum cur.2°.de simp.med.fac. 5ª.14.B
Olei vis qualis.de fract.com.2°. 7ª.241.D
Oleum quid faciat.de vic.rat.in mor.acu.com.4°. 7ª.148.F
Oleũ excalfactorias vires hẽt,q̃ penitus relaxãt.de simp.m.Sp.88.D
Oleum an calidum sit cur in dubium venit.3°.de temp. 1ª.24.F
Oleum potestate calidum est.3°.de temp.21.G/ 1ª.23.D
Oleum esse calidum ex quo probatur.3°.de temp. 1ª.24.F
Oleum quo argumento calidum ab oliquibus dicatur.2°.de simpliciũ med.fac.14.B/3°. 5ª.17.G
Oleum calidũ esse apparet qa in flãmã vertitur.4°.de vsu p.1ª.137.D
Oleum facile in flammam vertitur,sed celeriter nõ calefacit,& cur. 1°.de simp.med.fac. 5ª.4.H
Oleum est aptissimum ignis nutrimentum.3°.de temp. 1ª.22.G
vt Oleo flãma,ita calor vitalis qui est in corde sanguine pingui, & vnctuoso nutritur.de vti.resp. Sp.62.C
Oleum non semper flammam accendit.3°.de temp. 1ª.22.G
Oleum vniuersum flammæ additum extinguit lucernam.commen.7°. aphorismo.7°. Ex.54.D
Oleum, mel, vinum diutius seruantur, q̃ alij succi.3°.de simplicium medicamen.facul. 5ª.20.F
Oleum fit calidius ætate.2°.de comp.med.per ge. 5ª.220.A
Oleũ ad mel,& vinũ in põdere differentia.de põd.& mẽs.5ª.276.F
Oleum tenuiũ partiũ facit vetustas.1°.de comp.me.per ge.5ª.211.A
Oleum longa vetustate incrassatur.3°.de ali.fa.2ª.27.D/2°.de comp. medicamen.per gene. 5ª.223.G
Olei crassum amurca dicitur.1°.de simp.med.fac. 5ª.5.D
Oleum habet duplex excrementum,vt & alij omnes plantarum succi tenue videlicet,& crassum.2°.de simp.med.fac. 5ª.13.F
Olei pars tenuis,quæ.2°.de simp.med.fac. 5ª.13.F
in Oleo,lacte,& in succis recrementa.4°.de simp.med.fac. 5ª.24.H
Oleum,& vinum eliquata parum relinquunt excrementi,sed tendit in aerem,& vapores.2°.de diff.feb. 3ª.41.E
ab Oleo qũo serosum excremẽtũ remoueat.2°.de simp.me.f. 5ª.13.F
Oleũ an calefaciat,vel refrigerat,ambiguũ.5°.de simp.m.f.5ª.32.A
Oleum cur calefacere videatur.2°.de simp.med.fa. 5ª.15.H
Oleum quo modo calefacit.2°.de simp.med.facl 5ª.15.F
Oleum calefacit vt alimentum.2°.de simp.me.fa. 5ª.15.E
Oleum vt tegmentum calefacit.2°.de simp.med.fac. 5ª.15.F
Oleum ex his est quod æque nos recalfacit vbi excalfactionis principium a nobis accepit.2°.de simp.med.fac. 5ª.15.H
Oleum tuetur a frigore.2°.de simp.med.fa. 5ª.11.A
Oleum cur defendat a frigore.2°.de simp.med.fac. 5ª.14.F
Oleum prodest algentibus.2°.de simp.med.fa. 5ª.15.A
Oleum inæqualiter nos calefacit.2°.de simp.me.fa. 5ª.15.B
Oleum continet multam bilem.2°.de nat.fac. 1ª.300.A
Oleum frigidum,& calidum esse quo modo ab antiquis probarctur. 2°.de simp.med.fac. 5ª.10.E
Oleum quo argumento frigidum ab aliquibus dicatur.2°.de simpliciũ medicamen.fac. 5ª.14.B
Oleum promptius congelatur, quam vinum,acetum, vel aqua.2°.de simplic.med.fac. 5ª.14.B
Oleo frigidior est rosa.3°.de simp.med.fac. 5ª.19.D
Oleo calidius est fœnum græcum.3°.de simp.me.fa. 5ª.19.D
Oleum est tanquam medicamentum temperatum.2°.& simplicium medicamentorum facultatibus. 5ª.15.F
Oleum temperatum est.2°.de simp.med.fac.15.C/3°. 5ª.19.A/D
Oleum humidum est.1°.de temp.1ª.12.G/com.1°.aph.14°. Ex.7.F
Oleum,& aqua natura humida.11°.de simp.med.fac. 5ª.80.B
Oleum medium inter humectantia,& exiccantia.2°.de simpliciũ medicamentorum facul. 5ª.15.H
Oleum humectat,& calefacit,& quo modo.5°.de simp.m.f.5ª.33.A
Oleum humectatorium est,& calidum moderate.6°.de simplicium medicamentorum facul. 5ª.46.F
Oleo magis penetrat,& humectat rosaceum.3°.de simplicium medicamentorum facul. 5ª.21.F
Oleum humectat,& facit sordidum.6°.de comp.me.se.lo. 5ª.176.G
Oleũ humectat.5°.de sa.tu.2ª.92.D/5°.de simp.med.fac. 5ª.32.A
Oleũ nõ ꝑdest senibus,si humectatione nõ indigẽt.5°.de san.tu.2ª.92.B
de Oleo problemata quo modo proponenda.2°.de simp me.f.5ª.11.A
Oleum habet nobiscum familiaritatem nõ tantam,quantum habet vinum.de ren.aff.dig.& med. 7ª.195.G
Oleum conuenit sanis,& ægris.de cog.cur.ani.mor. 2ª.54.H
Oleum minime mordax omnium medicamentorum quale.2°.de simp. medicamen.facul. 5ª.13.G
Oleum durescere,& vrere cutem dicebat Archidamus.2°.de simpl. medicamen.facul. 5ª.10.G
Oleum bis infunditur,qui grauiter mordicantur propterea q̃ sit ex numero adstringentium.1°.de simp.med.fac. 5ª.8.B
Oleo sanatur stomachus mordens.2°.de simp.med.fa. 5ª.12.E
Oleum facit ad debilitatem stomachi,& ventositatem, & debilitatẽ hepatis.de dyn. Sp.27.C
Oleum lenit omnes mordicationes.2°.de simp.med.fac. 5ª.12.E
Oleo sanantur mordicationes factæ a Thapsia,scilla,& vrtica.2°.de simplicium med.fac. 5ª.12.A
Oleum scillæ morsus sanat.2°.de simp.me.fa. 5ª.11.A
Oleum vrticæ morsus sanat.2°.de simp.med.fac. 5ª.11.A
Oleum interimit insecta animalia.1°.de simp.me.fa. 5ª.2.E
Oleum insecta interimit.2°.de simp.me.fa. 5ª.11.A
Oleo apes,muscę,vespæ,& formicæ obeunt.2°.de simp.me.f.5ª.14.E
Oleum guttur exasperat.2°.de simp.med.fa. 5ª.11.A
Oleum quo modo tussim excitat.2°.de simp.med.fac. 5ª.13.E
ex Oleo capparis sumptum citra dolorẽ extenuat.4°.ꝑ sa.tu.2ª.85.G
Oleum minuit robur attenuantium.de atten.vic. 2ª.44.C
cum Oleo,& garo conditum cerebrum,quale.ꝑ victus ratione in morbis acu.com.1°. 7ª.111.G
cũ Oleo,& garo maluæ,subuertunt ventriculum.2°.ꝑ ali.fa.2ª.20.B
Oleum bibendum dedit Galenus.2°.de simp.me.fa. 5ª.13.G
Oleũ simplex datur bibendum vel ex aqua temperatum indolore vẽtris superioris.in 6ᵐ.de mor.vul.com.6°. 3ª.196.D
Oleum epotum quid faciat.1°.de arte cur.ad Glau. 7ª.99.B
Oleum verum humectat,& emollit.2°.de simp.med.fa. 5ª.13.G
Oleum ventrem subducit.2°.de simp.med.fa. 5ª.11.A
Oleo ante cibum assumpto soluitur senum aluus.5°.de sa.tu. 2ª.92.E
ex Oleo,& garo olera faciũt deũcere aluũ.6°.de sa.tu.97.F/2ª.99.D
Oleum cur aptum ad subducendum.5°.de san.tu. 2ª.92.G
Oleum quid faciat ad deiectionem.de vi.ra.in mor.acu.c.1°.7ª.111.G
ex Oleo solo quo modo conficiantur placentæ.1°.de ali.fa. 2ª.10.D
ex Oleo crassi succi placenta ventrẽ cohibet,& crudos succos gignit. 1°.de ali.facul. 2ª.10.E
ex Oleo vel pinguedine panes calidos dat in hydrope. de victus ratione in mor.acu.com.4°. 7ª.152.E
Oleũ non incidit crassos succos.de atten.vic. 2ª.44.C
Oleum lassitudines sanat.2°.de simp.med.fac. 5ª.11.A
Oleum medicamentum simplex omnium lassitudinum.7°.de compositione med.per gen. 5ª.269.F
Oleum cum lauacro aquæ dulcis adhibetur lassitudinibus.2°.de simp. med.facul. 5ª.11.H
cũ Oleo frictio conuenit lassatis,& quomodo.1°.de symp.cau. 3ª.17.E
Oleum cur sanet lassitudines.2°.de simp.med.fac. 5ª.11.B
Oleum prohibet vaporosas expirationes.2°.de simp.me.fa.5ª.16.A
Oleum lassos iuuat inũctos.2°.de simp.med.fac. 5ª.16.A
Oleũ,& resina qũo dealbãtur,& lauãtur.2°.de simp.me.f. 5ª.12.H
Oleum quomodo in lotione verberandum.2°.de simp.me.fa. 5ª.13.A
Oleum in frictione quando adhibendum.3°.de san.tu. 2ª.76.H
Oleo probe terra non irrigatur.2°.de simp.med.fa. 5ª.14.G
Oleum aqua mixtum in terra effusum oleum vadit huc,illuc aqua.1°. de naturalibus facul. 1ª.296.D

cur Oleum alijs non commiſceatur. 2°. de ſimp. me. fa. 5ª. 14. G
Oleum in quo vino ſupernatet. de vti. reſp. Sp. 64. F
Oleum nihil delet in libris atramento ſcriptis. 2°. de ſim. me. f. 5ª. 14. F
Oleo extinguitur lapis thracias. de ſimp. me. Sp. 86. G
Oleum lora, & coria emollit, & quæ in ipſo coquũtur duriora omnia efficit. 2°. de ſimp. med. fac. 5ª. 11. A
Oleo, & ſeuo delibuta, & aqua madefacta coria, & pelles laxa fiunt. in 6ᵐ. de mor. vul. com. 3°. 3ª. 177. A
Oleo magis tum emollit, tum concoquit adeps ſuis. 11°. de ſimplicium medicamen. facul. 5ª. 78. H
Olea propinqua pinguedo ſuum omnium humidiſſima. 11°. de ſimplic. medicamen. facul. 5ª. 78. H
vt Oleum non calfacit pinguedo ſuum, ſed largius humectat. 11°. de ſimp. med. fac. 5ª. 79. A
Oleum, & adeps ſuillus ſimilia, & quo differant. 1°. de compoſitione mẽd. per gen. 5ª. 211. A
cur Oleo illinunt coqui carnes, & piſces, quæ aſſantur. 2°. de ſimpliciũ med. facul. 5ª. 11. A/B
in Oleo coctæ carnes quales. 3°. de comp. med. per ge. 5ª. 229. E
Oleo perfundebantur ante balneum. 6°. de ſan. tu. 2ª. 97. C
Oleo quando vngendum corpus. 2°. de ſan. tu. 2ª. 69. H
Oleo poſt lotionem vngendum cur. 7°. met. med. 7ª. 45. C
Oleo poſt lintheum corpus fricandum. 2°. de ſan. tu. 2ª. 69. H
Oleo perfricandi aquam frigidam ingreſſuri. 3°. de ſan. tu. 2ª. 78. C
Oleo gymnaſtæ fricant Atletas cur. 2°. de ſimp. med. fa. 5ª. 11. B
Oleo liniendum corpus infantis. 1°. de ſan. tu. 2ª. 66. C
Oleo fricant pueros pedotribę cur. 2°. de ſimp. me. fa. 5ª. 11. B
ex Oleo mollis frictio ſatisfacit impenſe calide. 6°. de ſan. tu. 2ª. 96. A
Oleum poſt balneũ qñ adhibẽdũ vt ſudent. 2°. de ſimp. me. fac. 5ª. 35. H
Oleo inungendi ſunt ſani corpus exhauſtum habentes. 2°. de ſimpliciũ medicamen. facul. 5ª. 15. H
ex Oleo, & aqua balneum multum humectat, & calefacit. 5°. de ſim. medicamen. facul. 5ª. 33. A
cum Oleo frictio ictericorum. de cura icteri. Sp. 111. B
ex Oleo frictio magis quàm ſicca laſſitudinem aufert, & emollit. 2°. de ſimpl. med. fac. 5ª. 13. H
Oleum cur cum ſale perfricant podagræ, & arthrytidi. 2°. de ſimpli. medicamen. facul. 5ª. 13. H
ex Oleo frictio æqualis ſicca inæqualis eſt. 2°. de ſimp. me. fa. 5ª. 14. A
Oleo multo, & tepido, et manibus mollibus perfricare quam plurimũ oportet ex laſſitudine febricitantes. 1°. de arte cu. ad Gla. 7ª. 95. E
Oleum in aqua infundendum in febre Tertiana, in quo ægri quantum poſſunt innatent. 1°. de arte cur. ad Glau. 7ª. 97. C
Oleo inungendi ſunt febricitantes omnes poſt tertianam acceſſionem. 11°. meth. med. 7ª. 72. A
Oleum eſt ſolatium in ardoribus. 2°. de ſimp. med. fac. 5ª. 15. B
Oleũ, & aqua remediũ exiccatis corporibus. 2°. de ſimp. m. f. 5ª. 16. C
Olea quæ non valent in frictione. 3°. de ſan. tu. 2ª. 79. B
Oleum materia aliorum medicaminum. 2°. de ſimp. me. fa. 5ª. 15. C
ab Oleo fit mollities in medicamentis. 3°. de comp. me. per g. 5ª. 230. F
Oleum mitigat medicamenta. 2°. de comp. med. per ge. 5ª. 220. D
Oleum vim ſortium medicamentorum exoluit. 1°. de compoſitione medicamentorum ſec. loc. 5ª. 122. E
Oleum vincit acetum in hebetanda acrimonia. 1°. de ſimp. m. f. 5ª. 5. H
Oleũ in medicamento digerit fortius. 7°. de comp. me. p ge. 5ª. 264. G
Olei plus hyeme, quàm æſtate in emplaſtris ponendũ. 2°. de comp. me. per ge. 223. G/3°. 235. F/5°. 249. B/6°. 258. H/ 5ª. 261. F
Oleo debent eſſe infectæ veſtes æſtate. de ſal. diæ. 2ª. 41. A
Oleo infectæ veſtes ſordidæ. de ſal. diæ. 2ª. 41. A
Olei plus coctionem retardat. 6°. de comp. med. per ge. 5ª. 259. F
in Olea quæ ingrediantur contundenda. 4°. de ſan. tu. 2ª. 86. G
Oleum quod debet ingredi acopi compoſitionem habet vim relaxãdi. 4°. de ſanitate tuenda. 8°. 86. H
Olei menſura vnde ſumatur in medicamentis. 4°. de compoſitione medicamen. per ge. 5ª. 241. A
in Oleis coquẽdis quãtũ aquæ vel ſucci miſcẽdũ. 4°. de ſa. tu. 2°. 87. A
Olei coctura in medicamẽto quid faciat. 7°. de cõp. me. p ge. 5ª. 264. G
cum Oleo cur miſceri non debet ladanum, ſed cum vino. 4°. de compo. medicamen. per ge. 5ª. 250. D
Olea ſine ſpiſſamentis parata. 2°. de comp. med. per ge. 5ª. 220. D
Oleum potes dimittere, ſi reſinis liquidis vtaris. 2°. de compoſitio. medica. per genera. 5ª. 220. F
ex Oleo tetrapharmacum pro dolore. 13°. met. med. 7ª. 81. B
ex Oleo, & argenti ſpuma cruda acopum. 7°. de compoſitione medicamentorum per gen. 5ª. 264. H
ex Oleo roſaceo arnogloſſo, & pane, cataplaſma. 2°. de arte curatiua ad Glauconem. 7ª. 101. G
Oleum quale pro emplaſtro candido. 1°. de comp. me. per ge. 5ª. 215. A
Oleum fluxionibus aduerſatur. 2°. de arte cu. ad Glau. 7ª. 101. G
ex Oleo calente lana apponitur adeni, quæ cæpit phlegmone vrgeri. 13°. met. med. 7ª. 81. B
Oleum optimum in inflammationum ſtatu. 3°. de ſimp. me. fa. 5ª. 21. E
Oleum oculos duntaxat mordicat non corpus vniuerſum. 2°. de ſimp. med. facul. 5ª. 11. A
Oleum ad inflationum muſculorum. 4°. met. me. 7ª. 88. F
Oleum oculo nocet non alijs partibus. de opt. ſect. If. 21. D
Oleum, & aqua aptiſſima ſunt ad puris generationem. 5°. de ſimplic. medicamen. facul. 5ª. 34. A
Oleum cum aqua calida maturat. de ocul. 7ª. 188. E
ex Oleo, & aqua panis cito pus mouet. 4°. met. me. 7ª. 27. D
ex Oleo farina, & aqua cataplaſma pro inflammatione ad pus ducendum. 2°. de arte cur. ad Glau. 7ª. 102. A
ex Oleo aqua, & farina hordei cataplaſma pus cito mouet. 4°. metho di medendi. 7ª. 27. D
ex Oleo aqua, & farina triticea cataplaſma, citius ad ſuppurationẽ perducit quam quod ex pane. 2°. de arte cur. ad Glau. 7ª. 105. C
ex Oleo, & caricarum decocto farina frumẽti mire ſuppurotoria eſt. 3°. de comp. med. ſec. loc. 5ª. 146. F
Oleum, & aquaſi coquantur. prius aqua conſumitur. 1°. de ſimpliciũ med. facul. 5ª. 4. H
cum Oleo pluri vel minori quid faciat medicamentum pus mouens. 5°. de ſimp. med. fac. 5ª. 34. B
cum Oleo cera maturat. de ocul. 7ª. 188. E
Oleũ, & aqua mixta, tepidam generant caliditatem, & molliunt. de vic. rat. in mor. acu. com. 4°. 7ª. 140. H
Oleo aqua, & lini ſemine hypochondria ſunt illinenda quando ſunt tẽſa. de vic. ra. in mor. acu. c. 4°. 7ª. 140. H
Oleum cum ſale pro oedemate. 14°. met. me. 7ª. 87. F
ex Oleo, & ſale frictio œdema in prauis affectibus curat. 2°. de arte curatiua ad Glauc. 7ª. 103. F
Oleo perfundenda particula ſcirrhoſa. 14°. met. med. 7ª. 88. B
Oleo, et vino intinctis lanis ſuccidis tumores ex deligatione curatur, de frac. com. 2°. 7ª. 241. C
Oleum vlcera lenit. 2°. de ſimp. med. fa. 5ª. 11. A
Oleum perfuſum cũ aqua moderate calida adhibetur vlceribus phlegmone affectis. 2°. de ſimp. med. fa. 5ª. 12. A
Oleo, & vino lanam ſuccidam madentem alligat ſuper vlcera 4°. de comp. med. per gen. 5ª. 244. E
Oleo ſimplici vtit in vulneribus capitis. 2°. de comp. me. f. l. 5ª. 133. H
Oleo quo vtendum vbi durities in vlcere fit. 4°. de compoſitione medicamentorum per gene. 5ª. 237. A
Oleum non imponendum vlceri. 2°. de arte cu. ad Glau. 7ª. 101. H
Oleum eſt medicamẽtũ aduerſiſſimũ cauo vlceri. 3°. met. me. 7ª. 17. A
Oleum impedit partes vniendas. ars med. If. 69. H
Oleum glutinationem prohibet. 4°. met. me. 6ª. 23. C
Oleum infenſiſſimum Apthæ. 6°. de comp. med. ſe. lo. 5ª. 176. G/de remed. par. fac. 7ª. 158. C
Oleo augetur eryſipelas. 2°. de ſimp. med. fa. 5ª. 15. B
Oleum ad caliginem oculorum facit, ad diuturna, & indurata vitia neruorum lenitiem ſtomacho, & ventri reddit ſtricturas leniendo relaxat. de ſimp. med. Sp. 88. D
Oleo calente perfunde dolentem partem non putreſcentem in contuſionibus neruorum. 3°. de comp. med. per gen. 5ª. 229. A
Oleo eluendum vulnus neruorum a principio niſi adeſt ſanguis. 3°. de comp. med. per ge. 5ª. 229. F
Oleum quale pro neruis detectis. 6°. met. med. 7ª. 38. B
Oleum pro neruis non ſit adſtringens. 3°. de cõp. me. per ge. 5ª. 229. G
ex Oleo, cera, & ærugine fit medicamentum carnem conficiens. 3°. methodi medendi. 7ª. 17. B
Oleum in venę ſectionem inſtillatus reddit fluidum ſanguinem. 2°. de comp. med. fac. 5ª. 14. D
Oleum hirudinum appetentiam ſubuertit. de cucur. ſcar. 6ª. 4. D
Oleo fotus lanæ hapſo mitigat. de rem. par. fac. 7ª. 154. A
ex Oleo, aqua, & melle clyſter. 8°. met. me. 7ª. 53. F

ex Oleo cum aqua mulsa clyster.11°.met.med. 7ª.69.G
ex Olei hemina clyster.12°.met.med. 7ª.79.F
ex Oleo puro clysteres in abdomine vulnerato.6°.met.me. 7ª.39.G
Oleo simplici partem primo lauato vbi medicamentū mutare volueris.7°.de comp.med.per ge. 5ª.264.C
Olei quidam limus in abscessibus inuentus.14°.met.me. 7ª.90.F
Oleorum differentiæ, & quomodo vnum pro alio poni potest.3°.de comp.med.per gene. 5ª.233.H
Olei differentiæ.2°.de simp.med.fac. 5ª.11.G
Olea diuersa quorum facultas medico est cognoscenda.2°.de simplic. medicamen.facul. 5ª.11.F
Olea secundum prouincias probantur.6°.de simp.me.fa. 5ª.47.A
Oleum variat sin res, quæ illi imponuntur.6°.de simp.me.fa.5ª.47.A
Oleum quod sine morsione per hablitum digerit vt abietinum.4°.de san.tuen. 2ª.86.H
Oleum ex absinthij coma feruefacta pro stomachi ore.8°.de composit. med.secun.loc. 5ª.187.D
Oleum in quo absinthium ebullierit,pro ventriculo in quo pituita frigida sit aceruata.de arte cur.ad Glau. 7ª.99.D
ex Oleo absinthij fomentetur ventriculus.8°.met.me. 7ª.53.B
ex Oleo adhibebimus absinthium cum iecur, & ventriculus laborabunt.11°.met.med. 7ª.72.F
ex Oleo absinthium pro iecoris phlegmone.11°.met.me. 7ª.73.A
Oleum quod habet vim adstringendi.11°.met.me. 7ª.72.G
Olea adstringentia.1°.de cōp.me.per g.5ª.211.D/13°.me.m.7ª.83.G
Oleum quatenus gustu adstringens videtur,eatenus etiam est frigidū. 6°.desimp.med.fac. 5ª.46.G
Olea quæ parum adstringunt.4°.de comp.med.per ge. 5ª.237.F
Olei albificationem multi scripsere.2°.de simp.med.fac. 5ª.11.G
Oleum album quod.1°.de comp.med.sec.loc. 5ª.130.B
Oleum ex Althea.3°.de comp.med.per ge. 5ª.235.A
Oleum ex althea mitigatorium in punctis neruis.3°.de compo.medi. per gene. 5ª.235.A
Oleum Amygdalinum quale.6°.de simp.med.fac. 5ª.46.H
Oleum amygdalinum quale.6°.de simp.med.fac. 5ª.46.H
Oleum amygdalinum est oculorum cenoticum.de cath. Sp.95.B
Oleum amygdalinum purgat aures.de cathar. Sp.95.B
Oleū amygdalinum frangit lapidem renum,& vesicæ.de cath.S.95.D
Oleum in quo Anethum maduerit thermanticum comprobatur. de simplicibus medicaminibus. Sp.88.D
Oleum anethinum facile paratur.4°.de san.tu. 2ª.87.B
Oleum anethinum discussorium est,& rarefaciens cutim.9°.de comp. med.sec.loc. 5ª.197.F
Oleum in quo anethum ebullierit,euacuat, & dissoluit.1°.de arte cura.ad Glauconem. 7ª.100.A
Oleum anethinum relaxat.12°.met.me. 5ª.75.F
Oleū anethinū valet ad dolorē capitis ex frigore.& re.pa.fa. 7ª.153.F
Oleum anethinum est oculorum cenoticum.de cathar. Sp.95.B
Oleum anethinum prouocat sudorem.de cathar. Sp.95.D
Oleum anethinum pro lapide, & dolore renum.de renum affectuum dignatione atque medela. 7ª.193.H
Olei anethini meminit.de reme.par.fac. 7ª.159.E
Oleum ex Aristolochia.3°.de comp.med.per ge. 5ª.235.A
Oleum ex Aro.3°.de comp.med.per gen. 5ª.235.A
Oleum Balaninum.6°.de simp.med.fac. 5ª.46.H
Oleum ex Bryonia.3°.de comp.med.per ge. 5ª.235.A
Oleum in quo est cocta bryonia ad acopa facit,& malagmata.de sim. medicaminibus. Sp.81.D
Oleum Calidum,& frigidum contraria facit.3°.de compositione medicamen.per gen. 5ª.229.E
Oleum calidū quo efficit,& quibus valet.2°.de simp.me.fac.5ª.11.E
Oleo quo vti debemus cum indigemus caliditate.2°.de compo.med. secundum locos. 5ª.133.A
Oleum calidum digerit.6°.met.med. 7ª.37.D
Oleum calidum euacuat,& dissoluit.1°.de arte cur.ad Gla.7ª.100.A
Olea calida pro doloribus.in 6ᵐ.de mor.vul.com.6°. 3ª.196.B
Oleis calidis mouetur pus si sit frigidus abscessus.5°.de simplicium medicamentorum facul. 5ª.34.B
Oleo calido,& anetho succurrit dolori ex frigore interno.2°.de simp. med.facul. 5ª.12.C
ex Oleo calido quo vrinā reddere fecerit Galenus.1°.de lo.af.4ª.3.C
Olea pro lapide,& dolore renum.de ren.aff.dig.& me. 7ª.193.H
Oleum quomodo fiat Candidius,& dulcius.2°.de simp.me.f. 5ª.13.C
Olea candida.2°.de simp.med.fac. 5ª.12.D
Oleum candidum,& cera expers mordacitatis ad eadem valent.2°. de simp.med.fac. 5ª.12.D
Oleum Caryinum.6°.de simp.med.fac. 5ª.46.H
Oleum caryinum,quale.6°.de simp.med.fac. 5ª.46.H
Oleo ex Castoreo incalescunt aures.12°.met.med. 7ª.79.G
Oleum Cedrinum,quale.6°.de simp.med.fac. 5ª.46.H
Oleum cedrinum refrigeratos calefacit.2°.de simp.med.fac.5ª.15.A
Oleum cedrinum pro doloribus.in 6ᵐ.de mor.vul.com.6°. 3ª.196.B
Oleum Chamæmelinum,quale.12°.met.me. 7ª.75.F
Oleū chamæmelo decoctū metasyncreticum vī.de simp.me.Sp.88.D
Oleum chamæmelinum rosaceo per simile est.3°.de simp.me.f.18.G/ 2°.de comp.med.sec.loc. 5ª.132.E
Oleo chamæmelino vtii qm̄ calidior rosaceo.de re.par.fac.7ª.153.H
Oleum chamæmelinum discussorium,& rarefaciens cutim.9°.de cōp. med.secun.loc. 5ª.197.F
Oleum ex chamæmelo humores lentos ac crassos in carne,& cute euaporari facit.4°.de san.tuen. 2ª.87.B
Oleum chamæmelinum sudorem prouocat.de cathar. Sp.95.D
Oleum chamæmelinū mitigatorium est.3°.de cōp.me.p ge.5ª.235.A
Oleū Cicinum,& raphaninū habentur in ægypto.3°.de sa.tu.2ª.81.C
Oleum cicinum vbi,& quale.7°.de comp.med.per g. 5ª.269.E
Oleum cicinum,quale.6°.de simp.med.fac. 5ª.46.H
Oleum cicinum simillimum oleo vetusto.6°.de simp.med.fac.5ª.46.H
Oleo cicino simile oleum lucernarum.1°.de comp.me.se.lo. 5ª.123.A
Oleum tenue est cicinum,raphaninum,sicyonium,vetus,& sabinum. 6°.de simp.med.fac. 5ª.40.H
Oleum cicinum discussorium est,& rarefaciens cutim.9°.de composi. medicamen.sec.loc. 5ª.197.F
Oleum cicinum digerit.1°.de comp.med.per gen. 5ª.211.E
Oleum cicinum ventrem subducit.6°.de simp.me.fac.46.H/5ª.47.A
pro Oleo cicino vtaris communi oleo,& è contra. 6°. de simplicium medicamen.facul. 5ª.46.H
Oleum cicinum pro vetere sumi potest.2°.de cōp.me.per g.5ª.223.G
Oleū cicinū naturā habet sabini inueterati.1°.de cōp.me.sl.5ª.122.A
Oleum Comagenum acopum.7°.de comp.med.per g. 5ª.269.F
Oleum comagenum laxat.7°.de comp.med.per ge. 5ª.264.E
Oleum comagenum ad sicca liquanda.7°.de comp.me.p ge.5ª.264.C
Oleum Conixa sanat rigores.7°.de simp.med.fac. 5ª.52.B
Oleum Costinum exulcerat.7°.de simp.med.fac. 5ª.52.F
Oleum costinum rigores tollit.7°.de simp.med.fac. 5ª.52.F
Oleum Crudum omphacinum,& omotribes græce vocant.6°.de sanitate tuenda. 2ª.98.H
Oleum crudum,& acerbum ὠμοτριβὲς: & omphacinum vocant.6°. de sanitate tuenda. 2ª.100.F
Oleum crudum,quale sit.2°.de comp.med:sec.lo. 5ª.132.E
Oleum crudum adstringit.13°.met.me. 7ª.83.G
Oleum crudum,& absinthinum applicabant ipsi ventriculo extra antiqui.7°.met.med. 7ª.43.H
Oleo crudo vtimur ī fluxionib° acribus ad oculos.13°.me.m. 7ª.86.D
Oleum crudum,& acerbum conuenit lumbis.6°.de san.tu. 2ª.100.F
Oleum ex radice Cucumeris agrestis decocta.3°.de compositione medicamen.per gen. 5ª.235.A
Oleū,in quo cucumeris agrestis radix admista,& decocta sit,cathartica,& thermanticam virtutem habet,& quidem proprie attritis inunctio facit.de simp.med. Sp.88.D
Oleum in quo mala Cydonia sint per tempora madefacta paregoricū, vel stypticum aliquantum inuenitur.de simp.med. Sp.88.D
Oleum cotoneorum ventriculo conuenit.de rem.par.fac. 7ª.158.F
Oleum Cyprinum,& vnguentum cyprinum quo modo differant.4°.& comp.med.per gen. 5ª.240.H
Oleū cyprinū adstringit cū caliditate.2°.de cōp.me.per ge.5ª.220.G
Oleum cyprinum emollit.4°.de comp.me.per ge. 5ª.241.H
Oleum cyprinum.8°.de comp.med.sec.lo. 5ª.193.A/B/C
Oleum Dadinum minus laurino calidum.6°.de simp.me.fac.5ª.46.H
Olea Digerentia.1°.de comp.med.per ge. 5ª.211.E
Olea Discussoria.9°.de comp.med.sec.lo. 5ª.197.F
Oleū ex Dracunculo.3°.de comp.med.per ge. 5ª.235.A
Oleum perfectum Dulcissimum quæ faciunt oliuæ.6°.de simplicium medicamen.facul. 5ª.46.G
Oleum dulce quo modo temperatum.4°.de simp.med.fac.5ª.25.D/E

Oleum dulce expers adſtrictionis. 3°. de ſan. tu. 2ª.82.*A*
Oleum dulce non adſtringens guſtu calidum modice. 6°. de ſimplicium medicamen. facul. 5ª.46.*G*
Oleum dulciſſimum calidũ diſcutit, & magis inueteratum, & ſicyonium. 2°. de compoſi. med. ſecun. loc. 5ª.137.*D*
Oleum dulce mitigans eſt. 2°. de ſimp. me. fa. 5ª.12.*H*
Oleo dulci mitigantur medicamenta. 2°. de comp. med. ſe. lo. 5ª.139.*F*
Oleum dulce qñ opportunũ ſit aſperitati. 2°. de ſimp. med. fac. 5ª.12.*G*
Oleum dulciſſimũ morſibus ſolum ſuccurrit. 2°. de ſimp. me. f. 5ª.12.*C*
ex Oleo dulci ceratum ſuccurrit morſibus. 2°. de ſimp. me. fac. 5ª.12.*C*
Oleum dulce acredinem remouet. 7°. de ſimp. med. fac. 5ª.51.*F*
Oleum dulciſſimum optimum ad ſenſum vlceris. 3°. de ſa. tu. 2ª.79.*B*
Oleo dulci egelido vtitur in frictione. 3°. de ſan. tu. 2ª.79.*C*
Oleum dulce mundificat. de diſſ. cont. *Sp.*74.*F*
Olea quæ Emolliunt, & adſtringunt. 6°. de ſimp. med. fa. 5ª.46.*H*
Oleum Emplaſticum, quale. 6°. de compoſitio. med. per ge. 5ª.255.*E*
Oleum habet vim emplaſtici medicamenti. 6°. de ſan. tu. 2ª.98.*C*
Olea quæ Exiccant. 2°. de ſimp. med. fa. 5ª.16.*A*
Olei cum Euphorbio mixtio qualis. 1°. de comp. med. ſec. loc. 5ª.122.*B*
Olea cum ſunt Fluida ceram adde. 1°. de comp. med. ſec. loc. 5ª.122.*B*
Oleum occludit quidquid natum eſt a nobis extra fluere. 2°. de ſimpli. medic. facul. 5ª.13.*H*
Oleum frigidum quo modo paretur. 2°. de ſimp. med. fa. 5ª.11.*D*
Oleum frigidum obſtruit. 6°. met. me. 7ª.37.*D*
Oleum frigidiſſimum ad febres. de dy. *Sp.*32.*H*
Olea ex Fructibus expreſſa. 6°. de ſimp. me. fa. 5ª.46.*H*
Oleum frumenti ad ſcabiem. de dyn. *Sp.*30.*D*
Oleum frumenti ab herpetas. de dyn. *Sp.*30.*D*
Oleum tritici. 2°. de comp. med. per gen. 5ª.227.*G*
Oleum Glaucinum acopum. 7°. de comp. med. per ge. 5ª.269.*F*
Oleum ex Grano gaidio ſoluit ventrem. 6°. de ſimp. med. fac. 5ª.47.*A*
Oleũ ex Herbis cũ aromatibus ſunt vnguẽta. 6°. de ſimp. m. f. 5ª.47.*A*
Olea ex herbis, & floribus. 6°. de ſimp. med. fac. 5ª.47.*A*
Oleum hiſpanum. 6°. de ſimp. med. fa. 5ª.46.*G*
Oleum hiſpanum adſtringit. 1°. de cõp. me. p ge. 211.*B/D/* 5ª.214.*A/* 8°. *met. me.* 51.*D/*11.72.*G/*12°.75.*F/*13°. 7ª.83.*G*
Oleũ ex Iberia portatũ adſtringens frigidũ. 6°. de ſimp. me. fa. 5ª.46.*G*
Oleum hiſpanum pro capillis fluentibus. 1°. de comp. me. ſe. l. 5ª.125.*F*
Oleo hiſpano vtimur ī fluxioni⁹ acrib⁹ ad oculos. 13°. me. m. 7ª.86.*D*
Oleum hiſpanum fugiendum. 1°. de comp. me. ſec. loc. 5ª.122.*A*
Oleum hiſpanum. 2°. de comp. med. per ge. 224.*A/*3°. 5ª.229.*G*
Oleum Hiſtricum adſtringit. 1°. de comp. med. per ge. 5ª.211.*B/D/*12°. *methodi medendi.* 75.*F/*13°. 7ª.83.*G*
Oleum hiſtricum adſtringit vehementer. 11°. *met. med.* 7ª.72.*G*
Oleum hiſtricum parum adſtringit, & amaricat. 1°. de compoſitione medic. per gen. 5ª.214.*A*
Oleum Hydrelæum. 2°. de ſimp. med. fac. 5ª.16.*C*
Oleum in quo cocta Hyena, quale. 11°. *de ſimpl. med. fa.* 5ª.82.*H*
Oleum Hyoſcyaminum emollit, refrigerat. 6°. de ſimp. me. fa. 5ª.46.*H*
Oleum hyoſcyaminum. 6°. de ſimp. med. fac. 5ª.46.*H*
Oleum Immaturum repellit. 1°. de arte cur. ad Glau. 7ª.100.*A*
Oleũ immaturũ p dolore capitis ex æſtu ſolis. de rem. par. fa. 7ª.153.*E*
Oleum immaturum pro roſaceo. de remed. par. fa. 7ª.153.*E*
Oleum Inſulſum. 1°. de comp. med. ſec. lo. 5ª.128.*A*
Oleum ex Iride. 3°. de comp. med. per ge. 5ª.235.*A*
Oleum irinum pro dolore capitis ex frigore. de rem. par. fa. 7ª.153.*F*
cum Oleo irino vinum ſudorem prouocat. de cathar. *Sp.*95.*D*
Oleum irinum. de rem. par. fac. 7ª.153.*H*
Oleum Iuniperinum refrigeratos calefacit. 2°. de ſimp. me. fa. 5ª.15.*A*
Oleum Laurinum, & laurinum ſimpliciter quo modo differant. 2°. de compoſi. med. ſec. loc. 5ª.135.*F*
Oleum laurinum, quale. 6°. de ſimp. med. fa. 5ª.46.*H*
Oleum cum bacca lauri decoctum thermanticum eſſe plus quàm oportet, certum eſt. de ſimp. med. *Sp.*88.*D*
Oleum laurinum refrigeratos calefacit. 2°. de ſimp. me. fac. 5ª.15.*A*
Oleum laurinum ſufficienter calfacit. 1°. de comp. me. ſe. lo. 5ª.122.*B*
Oleum laurinum quo loco reponat inter calida, quæ valent alopecijs, 1°. de comp. med. ſec. loc. 5ª.122.*D*
Oleum laurinum & cedrinum exiccat. 2°. de ſimp. med. fac. 5ª.16.*A*
Oleum laurinum eſt oculorum cenoticum. de cathar. *Sp.*95.*B*
Oleum laurinum pro doloribus. in 6ᵐ. de mor. vul. com. 6°. 3ª.196.*B*
Oleum laurinum. 6°. de ſimplicium medi. fac. 5ª.46.*H/*2°. *de arte curatiua ad Glauconem.* 7ª.104.*G*
Olei laurini loco, pix liquida. 1°. de comp. med. ſec. loc. 5ª.123.*E*
Olea laſſantia. 7°. de comp. med. per gen. 5ª.264.*E*
Oleum Lentiſcinum, quale. 5°. de comp. med. ſec. loc. 5ª.162.*H*
Oleum lentiſcinum. 6°. de ſimp. med. fac. 5ª.46.*H*
Oleum omne ſiue lentiſcinum ſiue cicinũ, ſiue raphaninum, ſiue ipſum, quod ex oliuis conficitur vetuſtate fit calidius & tenuius. 11°. *de ſimplic. med. facul.* 5ª.79.*C*
Oleũ ſemini lentiſci miſtũ ſtypticã virtutẽ affert. de ſimp. me. Sp. 88.*D*
Oleum lentiſcinũ adſtringit. 13°. *met. me.* 7ª.83.*G*
Oleũ lentiſcinũ adſtringit cũ caliditate. 2°. de cõp. me. per g. 5ª.220.*G*
Oleum lentiſcinum acopum. 7°. de comp. med. per ge. 5ª.269.*F*
Oleo lentiſcino oris, & linguæ dolores curantur. 5°. de compoſi. medi. ſecun. locos. 5ª.162.*H*
Oleum lentiſcinum vt ladanum. 1°. de comp. me. ſe. lo. 5ª.125.*F*
Oleum lentiſcinum cum ladano pro capillorum defluuio optimum. 1°. de comp. med. ſec. loc. 5ª.125.*F*
Oleum lentiſcinum pro abſinthio. 11°. *met. med.* 7ª.72.*G*
Oleum lentiſcinum debet eſſe recens. 5°. de comp. me. ſe. lo. 5ª.162.*H*
Oleum Liliorum digerit, & emollit. 7°. de ſimp. me. fa. 5ª.53.*B*
Oleum liliorũ vteri eſt duritiebus aptiſſimũ. 7°. de ſimp. m. f. 5ª.53.*B*
Oleum liliaceum. 6°. de ſimp. med. fac. 5ª.47.*A*
Oleum lotum non mordicat. 6°. de ſimp. med. fac. 5ª.46.*G*
Oleum Lucernarum quale ſit. 1°. de comp. med. ſe. loc. 5ª.123.*A*
Oleum lucernarum ſimile oleo veteri, & cicino. 1°. de compoſitio. medicamentorum ſecun. lo. 5ª.123.*A*
Oleum ex lucernis. 1°. & comp. me. ſe. lo. 5ª.123.*A*
Oleum Malthacodes. 4°. de comp. med. per gen. 5ª.238.*E*
Oleum Maſtichinum, quale. 7°. de ſimp. med. fac. 5ª.55.*C*
Oleum Maſtiche admiſtum colleticum videtur. de ſimp. me. *Sp.*88.*D*
Oleum Maſtichinum. 6°. de ſimp. med. fac. 5ª.46.*H*
Oleum maſtichinum acopum. 7°. de comp. med. per gen. 5ª.269.*F*
Oleum maſtichinum pro abſinthio. 11°. *met. me.* 7ª.72.*G*
Oleum Melanthinum. de ſimp. me. fac. 5ª.46.*H*
Oleum Melinum pro abſinthio. 11°. *met. me.* 7ª.72.*G*
Oleum melinum adſtringit. 13°. *met. me.* 7ª.83.*G*
Oleum mælinum magis adſtringit oleo hiſpano, & hiſtrico. 1°. de compo. med. per gene. 5ª.211.*B*
Oleũ melinũ adſtringit, & refrigerat. 4°. de cõp. me. per ge. 5ª.237.*A*
Oleũ melinũ. 6°. de ſimp. me. fa. 47.*A/*7°. *de cõp. me. per ge.* 5ª.270.*D*
Oleum Mitigans quod. 2°. de ſimp. med. fac. 5ª.12.*D*
Oleum non eſſe Mordax quomodo probetur. 2°. de ſimp. me. fa. 5ª.11.*E*
Oleum eſſe mordax quibus probetur. 2°. de ſimp. me. fa. 5ª.11.*E*
Oleum mordicans quod. 2°. de ſimp. med. fa. 5ª.12.*D*
Olea quæ mordicant. 2°. de ſimp. me. fa. 5ª.13.*F*
Oleum Muſellinum. de dyn. *Sp.*27.*B*
Oleum Myrtinum quo modo fiat. de dyn. *Sp.*23.*F*
Oleum Myrteum, quale. 1°. de comp. med. ſe. loc. 5ª.129.*E*
Oleum myrteum adſtringit. 13°. *met. med.* 7ª.83.*G*
Oleũ Myrteũ adſtringit, & refrigerat. 4°. de cõp. med. p ge. 5ª.237.*A*
Oleum myrtheum emollit. 4°. de comp. med. per ge. 5ª.241.*H*
Oleum myrteum magis adſtringit oleo hiſpano, & hiſtrico. 1°. de cõp. med. per gene. 5ª.211.*B*
Oleum myrtinum valet in defluuio capillorum. 1°. de compoſitione medicamen. ſec. loc. 5ª.125.*F*
Oleum myrtinum. 6°. de ſimp. med. fac. 5ª.46.*H*
Oleum Nardo decoctum metaſyncreticam virtutem habere incipit. de ſimplicibus medic. *Sp.*88.*D*
Oleum ex Nucibus quo modo fieri debet. 7°. de ſimp. me. fa. 5ª.50.*B*
Oleum vncinum eſt oculorum cenoticum. de cath. *Sp.*95.*B*
Oleum nucinum purgat aures. de cathar. *Sp.*95.*B*
Oleum ex nucibus gangrenas, carbunculos, & ægilopas ſanat. 7°. de ſimplicium medicamentorum fac. 5ª.50.*B*
Oleum ex agreſti Oliua, quale. 6°. de ſimp. me. fa. 5ª.47.*A*
Oleum ex maturis oleis preſſum calidius omphacino. 2°. de comp. me. per genera. 5ª.220.*A*
Oleum habens ſurculos oleæ, quale. 2°. de comp. med. per g. 5ª.220.*A*
Oleum ex frondibus oleæ adſtringit. 11°. *met. med.* 7ª.72.*G*
Oleum Omotribes, quale. 1°. & comp. med. ſec. lo. 5ª.122.*A*
Oleũ omotribes, id eſt crudũ eſt frigidũ. 2°. de ſimp. med. fa. 5ª.11.*D*
Oleũ omotribes adſtringit, & refrigerat. 4°. de cop. me. pg. 5ª.237.*A*
Oleum otribes adſtringit. 1°. de comp. me. per ge. 5ª.211.*D*

Oleum omotribes.6°.de simp.me.fa.46.G/2°.de comp.me.sec.loc.5ª.132.E/6°.met.med. 7ª.37.D
Oleum Omphacinum, quale.1°.de comp.med.sec.lo. 5ª.122.A
Oleum omphacinum est frigidius oleo ex maturis oleis presso.2°.de comp.med.per gen. 5ª.220.A
Oleum omphacinum adstringit.2°.de simp.me.fa.13.B/1°.de cõp.medicamen.per ge.5ª.214.A/11°.met.me. 7ª.72.G
Oleum omphacinum adstringit, & refrigerat.4°.de compositio.medi. per genera. 5ª.237.A
Oleo omphacino fit refrigeratio.2°.de comp.med.per ge. 5ª.220.F
Oleum Omphacinum tantum est frigidum quantũ adstringit.6°.de simplicium med.facul. 5ª.46.G
Oleum omphacinum repellit in capitis doloribus.2°.de comp.medic. secun.locos. 5ª.137.D
Oleum omphacinum obstruit.de ocul. 7ª.187.H
Olei omphaci.fit mentio.6°.de simp me.fa.5ª.46.G/2°.de comp.med. secundum locos. 5ª.132.E
Oleum simile omphacino non quomodo fiat.6°.de simp.me.f. 5ª.46.G
Oleum ex Panacc.3°.de comp.med.per ge. 5ª.235.A
Oleum Pinsum in plumbo nigrum fit.1°.de comp.med.se.l.5ª.130.C
Oleum Pingue vnde probatur.6°.de simp.me.fa. 5ª.47.A
Oleum ex nigra Pice, quale.6°.de simp.med.fac. 5ª.46.H
Oleum, & pix mixta qualia sunt.6°.de cõp.med.se.lo. 5ª.173.H
Oleum picinum refrigeratos calefacit.2°.de simp.med.fac. 5ª.15.A
Oleum ex Populi flore.3°.de comp.me.per ge. 5ª.235.A
Oleũ Põticũ rectificat stomachũ molliẽ, & debilã.de dis.cõt. Sp.74.D
Oleum Raphaninum.6°.de simp.me.fac. 5ª.46.H
Oleum raphaninum acopum.7°.de comp.me.per g. 5ª.269.E
Oleum raphanũ pro doloribus.in 6m.de mor.vul.c.6°. 3ª.196.B
Olei quibus Rarefiat cutis.9°.de comp.me.se.loc. 5ª.197.F
Oleũ Recẽs humidum, & modice frigidũ.1°.de comp.me.p ge.5ª.212.H
Oleum recens magis conuenit in phlegmone cum magno dolore, quam antiquum.1°.de comp.me.per ge. 5ª.211.A
Oleo refrigerato caput ardore grauatum Galenus obliniuit.2°.de sim. medicamen.facul. 5ª.11.D
Oleum Ricinum, quale.7°.de simp.med.fac. 5ª.51.C
Oleum ricinum, quale.2°.de comp.med.sec.loc. 5ª.132.D
Oleum ricinum non est expertus Galenus.2°.de cõp.me.se.l.5ª.132.G
Oleum ricinum digerit.3°.de comp.med.per ge. 5ª.235.A
Oleum ricinum pro doloribus.in 6m.de mor.vulg.com.6°. 3ª.196.B
Oleum ricinum emollit.6°.de comp.me.per ge. 5ª.258.A
Oleum ricinũ in vlcere vbi duricies fit.4°.de cõp.me.per g.5ª.237.A
ex Oleo ricino, & gutta ammoniaci medicamentum quale.6°.de cõp. med.per genera. 5ª.258.B
p Oleo ricino oleum vetus.4°.de comp.me.p ge.245.F/6°.5ª.258.A
Oleum Rosaceum, & vnguentum rosaceum quomodo differant.4°.de comp.med.per gene. 5ª.240.H
Oleum rosaceum quid.2°.de simp.med.fac. 5ª.16.F
Oleum rosaceum quomodo conficiendum.2°.de simp.me.fa.5ª.16.E/F
in Oleum rosatum aliqui ponunt salem.6°.de san.tu. 2ª.98.H
Oleum rosatum ex oleis sine frondibus.6°.de san.tu. 2ª.98.H
Oleũ rosaceũ quale.2°.de simp.me.fa.16.F/2°.de cõp.me.s.l.5ª.136.C
Oleum rosaceum dubium facit apud medicos an calidum potestate, an frigidum.3°.de temp. 1ª.24.G
Oleum rosaceum tenuis substãtiæ, & tepide.3°.de simp.me.fa.5ª.21.G
Oleum rosaceum in primo ordine frigidum.3°.de simp.me.fa.5ª.18.G
Oleo rosaceo calidior oleum chamamelinũ.de rem.par.fac. 7ª.153.H
Oleum rosaceum bonũ quale esse debet.2°.de comp.me.s.l.5ª.141.A
Oleum rosaceum perfectum quale, & quomodo fiat.2°.de cõpositione med.per gen.132.E/ 5ª.220.A
Oleum rosaceum quomodo odoratum per multum tempus maneat.2°. de comp.med.sec.loc. 5ª.141.A
Oleum rosaceum purum adstringit.3°.de simp.me.fa. 5ª.21.G
Oleum rosaceum repellit.1°.de arte cu.ad Gla. 7ª.100.A
Oleum rosaceum concoquit, & repellit.2°.de cõp.me.per g.5ª.220.G
Oleum rosaceum debet esse recens.2°.de comp.med.se.lo. 5ª.132.E
Oleo rosaceo in quibus vti licet.2°.de simp.me.fac. 5ª.10.A
Oleum rosaceum quomodo refrigerandum in affectu frigido.2°.de com posi.med.sec.loc. 5ª.132.F
Oleo rosaceo quæ frigida adhibenda.2°.de comp.me.sec.lo.5ª.132.F
Oleo rosaceo nõ debet admisceri succ9 mali punici, mali mespili, et solani, qñ caput refrigerare volumus.2°.de cõp.med.se.loc. 5ª.132.G
Oleo rosaceo iuuantur adusti.2°.de simp.me.fac. 5ª.16.F
Oleum rosaceũ qũo calefacit, & refrigerat.3°.de simp.me.f. 5ª.19.B
Oleum rosaceum leuiter refrigerat.3°.de simp.med.fac. 5ª.18.A
Oleum rosaceum quomodo refrigerat.3°.de simp.med.fac. 5ª.18.A
Oleum rosaceum quomodo refrigeret in calidis locis.2°.de composit. medicamen.secun.locos. 5ª.132.F
Oleum rosaceum cum aceto inflammationibus incipientibus cõuenit. 2°.de comp.med.sec.loc. 5ª.134.C
Oleum rosaceũ solũ in vigore valet.2°.de comp.me.se.loc. 5ª.134.C
Oleũ rosaceũ repellit in capitis doloribus.2°.de cõp.me.se.l.5ª.137.D
Oleo rosaceo vtitur in capitis dolore ex plaga.2°.de compositione medicamen.secun.locos. 5ª.133.F
Oleum rosaceum in principio in dolore capitis, & in qua parte ponendum.2.de com.med.sec.loc. 5ª.132.D
ex Oleo rosaceo capitis optima refrigeratio.2°.d cõp.me.s.l.5ª.132.E
Olei rosacei mensura in refrigerando caput.2°.de compositione medicamen.secun.locos. 5ª.132.F
Oleum rosaceum, & acetum in capite vulnerato.2°.de compositione medicamen.secun.loc. 5ª.134.A
Oleũ rosaceũ supra membranam nudam.2°.de comp m.s.l. 5ª.134.B
Oleũ rosaccũ cũ aceto supra caluariã.2°.de comp.me.se.l. 5ª.134.B
Oleo rosaceo nihil melius in fractura cranei, si sit optimũ rosaceum.1°. de simpl.med.fac. 5ª.72.H
Oleo rosaceo, & aceto in lethargicis, & phreniticis vtimur.2°.de cõ positio.med.sec.loc. 5ª.134.A
Oleum rosaceum purgat aures.de cathar. Sp.95.B
Oleo rosaceo vtimur in fluxionib9 acrib9 ad oculos.13°.me.m.7ª.86.d
Oleum rosaceum mitigatorium est in neruis punctis.3°.de composit. medicamen.per gen. 5ª.235.A
Oleum rosaceum emollit.4°.de comp.med.per gen. 5ª.241.H
Oleum rosaceum humectat.9°.de simp.med.fac. 5ª.65.H
Oleo rosaceo cõtẽperãda sunt medicamẽta æstate.6°.me.m. 7ª.38.E
Oleum rosaceum vincit acetum in hebetanda acrimonia.1°.de simpli. medicamen.facul. 5ª.5.H
Oleum rosaceũ mitigat medicamenta.2°.de cõp.me.p gene.5ª.220.D
ex Oleo rosaceo, & cera, ceratũ liquidũ.1°.de cõp.me.p ge.5ª.218.H
Oleum rosaceum.6°.de simp.med.fac. 5ª.47.A
Oleo incoquenda Rosmarini herba.4°.de san.tu. 2ª.87.B
Oleum Rutaceum ad dolores intestinorum, & coli.12°.me.m.7ª.78.G
Oleum rutaceũ pro dolore capitis ex frigore.de rem.par.fa. 7ª.113.F
Oleo rutaceo in quo dolore vtatur Galenus.2°.de lo.aff. 4ª.9.D
Oleo in quo ruta cocta pro clysteri vtitur Galenus in dolore ex flatu & humore.12°.met.me. 7ª.79.H
Oleum rutaceum flatus sanat.8°.met.me. 7ª.53.F
Oleum rutæ cum anserino adipe in eo liquato sanat dolores ex intemperie cum mordicatione.2°.de simp.med.fa. 5ª.12.C
Oleum Sabinum optimum vbi.2°.de comp.med.se.lo. 5ª.133.B
Oleum sabinum optimum.6°.de simp.med.fac. 5ª.46.G
Oleum sabinum optimum in Italia.3°.de comp.med.per ge. 5ª.229.G
Oleum sabinum quale.3°.de comp.med.per ge. 5ª.232.F
Oleũ sabinũ tenuiũ partiũ.1°.de cõp.me.se.loc.122.A/2°.5ª.141.F/ 10°.met.med.65.A/11°.72.G/2°.de art.cur.ad Glau. 7ª.104.A
Oleum sabinum tenuissimum omnium.6°.met.me. 7ª.37.D
Oleum sabinum non adstringit.3°.de san.tu. 2ª.79.A
Oleum sabinum dilatat.8°.met.med. 7ª.51.D
Oleum sabinum in Italia relaxat.3°.de san.tu. 2ª.81.B
Oleum sabinum habet vim relaxandi.4°.de san.tu. 2ª.85.H
Oleum sabinum relaxat.7°.de comp.medicam.per ge.269 F/12°.me thodi medendi. 7ª.75.F
Oleum sabinum vetus melius.3°.de san.tu.2ª.81.C/2°.de compositione med.per gen. 5ª.223.G
Oleum sabinum vetus.7°.de comp.med.per ge. 5ª.271.B
Oleo sabino cõtẽperãda sunt medicamẽta æstate.6°.me.me. 7ª.38.E
ex Oleo sabino, & anseris pinguedine clyster ad morsus.8°.methodi medendi. 7ª.53.F
Oleum sabinum pro vetere.10°.de comp.me.se.lo. 5ª.209.C
Olei sabini meminit.1°.de comp.med.secun.locos.131.A/B/7°.269.H/ 271.A/C/D/H/ 5ª.274.B
Oleo sabino quod oleum simile.4°.de san.tu. 2ª.86.H
Olei sabini inueterati naturam habet oleum cicinum.1°.de comp.med. secundum locos. 5ª.122.A
Oleum debet esse citra Salem confectum.10°.met.med. 7ª.65.A

Oleum expers salis ἄ"αλον. 2°. de simp. med. facul. 5ª.12.B
Oleũ qd nihil hẽat salis magis refrigerat. 2°. de simp. med. fac. 5ª.11.D
Oleum habens salem calidius est. 2°. de comp. med. per ge. 5ª.220.A
Oleum cum sale habet mordacitatem. 2°. de simp. med. fa. 5ª.13.G
Oleum Salsum, & non salsum quomodo ventrem ducit. 2°. de simplicium medicamentorum fac. 5ª.12.B
Oleum Scissile. de med. fac. par. 7ª.172.H
Oleum Sesaminum quale. 8°. de simp. med. fac. 5ª.60.D
Oleum sesaminum. 6°. de simp. me. fac. 5ª.46.H
Oleum sesaminum acopum. 7°. de comp. med. per ge. 5ª.269.E
Oleum Sicyonium quale. 12°. met. med. 7ª.75.F
Oleum Sicyonium digerit. 3°. de comp. med. per ge. 5ª.235.A
Oleũ sicyoniũ, euacuat, & dissoluit. 1°. de ar. cur. ad Glau. 1ª.100.A
Oleũ sicyonium discutit. 2°. de comp. med. sec. loc. 5ª.137.D
Oleũ sicyoniũ recẽs magis emollit, quã vetus. 5°. de sim. m. fa. 5ª.34.F
Oleũ sicyonium sudorem prouocat. de cathar. Sp.95.D
Oleum Sinapinum. 6°. de simp. med. fac. 5ª.46.H
Oleum sinapinum acopum. 7°. de comp. me. per ge. 5ª.269.E
Oleũ sinapinum pro doloribus. in 6m. de mor. vul. com. 6°. 3ª.196.B
Oleũ, in quo Spondylium, vel serpillum, vel pulegij coma, vel calamentum, vel menta vel si symbrium decocta sint, euacuat, & dissoluit. 1°. de arte curatiua ad Glauco. 7ª.100.B
Oleum Styracinum. 7°. de comp. me. per ge. 5ª.270.F
Oleũ Susinũ recens magis emollit, quã vetus. 5°. de sim. me. fa. 5ª.34.F
Oleum susinũ acopum. 7°. de comp. med. per ge. 5ª.269.F
Oleũ sisinum laxat. 7°. de comp. me. per ge. 5ª.264.E
Oleum susinum ad sicca liquanda. 7°. de comp. me. per ge. 5ª.264.C
Oleũ Tẽperatũ aptissimũ ad puris generationẽ. 5°. de si. m. f. 5ª.34.A
Oleum Tenue vnde probatur. 6°. de simp. me. fac. 5ª.47.A
Oleũ Tepidũ pro febricitantibus ex obstructione. 8°. meth. me. 7ª.51.E
Oleo tepido perfundatur hecticus. 10°. meth. med. 7ª.66.H
Oleũ tepidũ, vbi omnes hirudines inhæserint, particulæ, ne refrigescat, infundemus. de cucur. sca. 6ª.4.C
Oleum Terebinthinum. 6°. de simp. me. fac. 5ª.46.H
Oleum Venefranum. 7°. de com. med. per ge. 269. G/ 5ª.272.G
Oleum Vetus Galenus seruauit. 4°. de comp. med. per ge. 5ª.240.B
Oleũ qd pro veteri Galenus faciebat. 6°. de cõ. me. per ge. 5ª.258.A
Oleum vetus quale. 1°. de comp. med. per ge. 5ª.211.A
Oleũ vetus ex immaturo, quale. 6°. de simp. med. fac. 5ª.46.G
Oleum vetus calidius est. 6°. de simp. med. fac. 5ª.46.G
pro Oleo veteri venditur adeps suillus vetus. 4°. de compositione medicamentorum per genera. 5ª.240.A
ab Oleo veteri qũo differat adeps suillus. 4°. de cõ. me. per g. 5ª.240.A
Oleũ inueteratũ rosionẽ acquirit. 4°. de comp. med. per ge. 5ª.240.B
Olei vetcris, & noui vires. de simp. med. Sp.88.D
Oleum vetus, & recens facit quatuor differentias in compositionibus. 7°. de comp. med. per ge 5ª.264.G
Oleum vetus digerens. 1°. de comp. med. per ge. 211. E/3°. 5ª.235.A
Oleũ vetus abũde digerit sinẽ erosione. 4°. de c. med. per ge. 5ª.239.E
Oleum vetus rarefacit. 5°. de simp. med. fac. 5ª.35.F
Oleum vetus magis exiccat. 1°. de comp. me. per ge. 5ª.213.B
Oleum vetustum est vnũ ex fortissimis medicamentis ad achoras. 1°. de composi. med. sec. loc. 5ª.129.D
cũ Oleo veteri abrotonõ valet ad alopecias. 6°. de sim. me. fa. 5ª.40.H
Oleum vetus prodest phlegmoni contumaci. 1°. de compositione medicamentorum per genera. 5ª.211.A
Oleũ vetus in vlcere vbi durities fit. 4°. de com. me. per ge. 5ª.237.A
Oleũ quadraginta annorũ vlcera sanat. 4°. de c. me. per ge. 5ª.240.B
Oleum quando debet esse vetus in neruorum vulneribus. 3°. de compositio. med. per genera. 5ª.229.H
ab Oleo veteri robur fit medicamento. 3°. de comp. me. p ge. 5ª.230.F
Oleũ vetus pro ricino. 4°. de cõ. me. per ge. 245. F/6°. 5ª.258.A
Oleo vetusto simillimũ est oleum cicinũ. 6°. de simp. me. fac. 5ª.46.H
Oleo veteri simile est oleũ lucernarũ. 1°. de cõ. me. se. loc. 5ª.123.A
pro Oleo veteri cicinũ sumi potest. 2°. de comp. me. per ge. 5ª.223.G
pro Oleo veteri sabinum. 10°. de com. med. sec. loc. 5ª.209.C
Oleũ Viride cõtra spasmum ex siccitate. de me. exper. Sp.106.F
Oleum in quo cocta est Vulpis, quale. 11°. de simp. med. fac. 5ª.82.H
OLFACTVS quid. fin. me. Isa. 45. B/ de hist. philo. Sp.9.H
Olfactus vbi habeat sedem. 7°. de decr. Hipp. 1ª.271.C
Olfactus cur in cerebro. 8°. de vsu par. 1ª.168.C
Olfactus sensorij natura. 8°. de vsu p. 1ª.168.A/4°. *de loc. af.* 4ª.22.G
Olfactus instrumentum vaporosum est. 7°. de dccr. Hip. 1ª.271.B
Olfactus sensorium habet spiritũ vaporosum. 8°. de vsu par. 1ª.168.A
Olfactus fumosus. de ocul. 7ª.185.B
Olfactus quo modo fiat. de hist. phil. Sp.9.F
Olfactus fit in pellicullis plenis spongiosa carne, quæ sunt intra nares. & vtilitate respirationis. Sp.63.D
Ofactus instrumẽto os ꝓpositũ ἤθμοειδὲς dr. 11°. *de vsu par.* 1ª.188.H
Olfactum auferunt ossai ithmoide, id est colla. 3°. de loc. aff. 4ª.21.D
Olfactus tertio adiungitur, cum natura incedit a plantis ad animal. 2°. de semine. 1ª.339.G
Olfactus qualitates totidem sunt, quot gustus, sed non sunt sortitæ peculiaria vocabula. de na. hu com. 1°. 1ª.28.H
in Olfactum non sunt nomina. 3°. de diff. puls. 4ª.63.H
Olfactus iudicat de qualitatibus. 9°. de sim. med. fac. 5ª.64.D
per Olfactum deuenimus in cognitionem qualitatis, & substantiæ alimentorum. 3°. de ali. fac. 2ª.28.F
Olfactu primo probandæ sunt plantæ, deinde comedendæ. 2°. de alimẽtorum facultatibus. 2ª.24.E
Olfactus docet discernere cibos attenuantes. de atten. vic. 2ª.43.G
Olfactu regula inueniendi habentia vim attenuandi, & incidendi. de attenuante vic. 2ª.44.B
Olfactu, & gustu simplex medicamentum excellens est validius. 1°. de antidotis. 5ª.100.E
Olfactus quid percipiat in morbis. de ijs, quæ in me. fi. c. 1°. 7ª.169.D
Olfactus quibus contristatur. 1°. de symp. cau. 3ª.16.H
Olfactum angit humor acris. 15°. de vsu par. 1ª.211.H
Olfactus potentiæ læsio vnde fiat. 3°. de loc. aff. 4ª.21.D
OLIBANI electarium. de med. exper. Sp.108.A
OLIGOPHORA *vina vnde dicta. de bon. & vi. suc.* 2ª.38.G
Oligophorum vinum, quale sit. 7°. meth. med. 7ª.45.E
Oligophora vina non sunt noxia capiti. de bo. & vit suc. 2ª.38.G
Oligophora vina sedant dolorem capitis, qui fit ab humoribus ventriculo collectis. de bon. & vi. suc. 2ª.38.G
OLIGOSGHOENOS. *8°. de sim. me. fac.* 5ª.62.A
Oligoschœni fructus somnum affert. 8°. de simp. me. fac. 5ª.62.A
Ὀλιγοτροφιων *nutritionem parciorẽ vocant. 3°. de san. tu.* 2ª.80.C
OLIVÆ *acerbæ, & siccæ sunt nuper enatæ, vbi maturuerint dulces, & progressu temporis humidiores redduntur. 4°. de simplicium medicamentorum facul.* 5ª.25.F
Oliua primo pontica est, deinde dulcescit. de ocul. 7ª.188.B
Oliuæ palam ab acerbitate in dulcedinem transeunt. 4°. de simplicium medicamentorum facul. 5ª.25.F
Oliuarum partes solidæ quo modo vocentur. 2°. de ali. fac. 2ª.18.C
Oliuarum nuclei terreni sunt. 9°. de sim. me. fac. 5ª.64.H
Oliuarum natura calida est moderate. 6°. de simp. med. fac. 5ª.46.F
Oliuæ caducæ habent multum pinguedinis. 2°. de ali. fa. 2ª.20.H
Oliua pinguis exacte. 4°. de simp. med. fac. 5ª.26.F
Oliua immatura adstringit, & refrigerat. 6°. de simp. me. fac. 5ª.46.F
Oliuæ non caducæ succũ habẽt adstringentẽ. 2°. de ali. fac. 2ª.20.H
Oliuas caducas cum pane mandunt. 2°. de ali. fac. 2ª.20.H
Oliuæ albæ. 5°. de comp. med. sec. loc. 5ª.164.E
Oliuæ colymbades. 6°. de comp. med. se. loc. 5ª.176.C
Oliuæ druppæ. 6°. de simp. med. fac. 5ª.46.G
Oliuæ nigræ vitandæ in capitis doloribus a stomacho, & ab alijs partibus. 2°. de composi. med. sec. loc. 5ª.137.B
Oliuæ smaragdinæ. de dyna. Sp.24.B
Oliuæ numerant inter cibos, qui prius sumebãt. 2°. de ali. fac. 2ª.18.G
Oliuæ cum garo ante cibos deijcere faciunt. 2°. de ali. fac. 2ª.20.H
Oliuæ cum tertia parte panis ventrem molliunt. de pue. epil. 7ª.180.C
Oliuæ muria conditæ quales. 6°. de comp. med. sec. loc. 5ª.176.B
Oliuarum muria. 6°. de com. me. sec. loc. 5ª.175.H
Oliuæ cum aqua, quando comeduntur ante cibum cum muria, leniunt ventrem. de dissol. con. Sp.75.A
Oliuæ post cibum sine muria, & maxime quæ sunt põticæ quid faciãt. de dissol. cont. Sp.75.A
Oliuæ parum nutriunt. 2°. de ali. fac. 2ª.20.H
cur Oliuæ parum nutriunt. de dissol. cont. Sp.73.F
Oliuæ rectificant stomachũ mollẽ, & debilẽ. de diss. con. Sp.74.D
Oliuæ stomachum roborant. 2°. de ali. fac. 2ª.20.H
Oliuæ appetentiam excitant. 2°. de ali. fac. 2ª.20.H
Oliuæ cum oleo repositæ stomachum roborant, & appetentiam excitant. de alimentorum fac. 2ª.20.H

Oliuæ obſoniũ in capitis dolore ex ſtomacho. 2°. de cõ.m.ſ.l. 5ª.135.B
Oliuas in prandio dat epilepticis. de puer. epil. 7ª.180.F
Oliuæ quales in dieta attenuante. de atten. vic. 2ª.46.A
Oliuæ ante balneum ſumendæ ſunt. 6°. de ſan. tuen. 2ª.97.G
ex Oliuæ teneris germinibus quæ fiunt, repellunt. 1°. de arte curati. ad Glauconem. 1ª.100.A
ex Oliuis proprie dicitur oleum. 6°. de ſimp. med. fac. 5ª.46.F
quæ Oliuæ oleum perfectam dulciſſimum faciunt. 6°. de ſimplicium medicamen. facul. 5ª.46.G
ex Oliuis olea quæ nõ ſunt, dicuntur olea abuſiue. 3°. de ſa. tu. 2ª.79.B
Oliuæ ſarmentorum cinis qualis. de ſimp. med. Sp.86.A
Oliuæ radices pituitam purgant. de dynam. Sp.22.A
Oliuæ radicis doſis. de dynam. Sp.22.A
Oliuæ lachryma vires hẽt vehemẽter excalfactorias. de ſi.m. Sp.83.F
Oliuæ lachryma ad oculorum caliginem facit. de ſimp. med. Sp.83.F
OLLAM nouam pro medicamento accipi iubet. 4°. de compoſi. medicamen. per gene. 5ª.243.C
Olla æris rubri. 6°. de comp. med. per ge. 5ª.256.E
Ollarum flos. de med. fac. par. 7ª.174.B
per Ollam fomentum quomodo fiat. 3°. de com. med. ſec. loc. 5ª.145.C
in Ollam iubet inſpici propter nyctilopas. de remed. par. fac. 7ª.156.H
OLOSTIVM exiccat adſtringens. 8°. de ſimp. med. fac. 5ª.57.C
Oloſtium ad rupta potui exhibent. 8°. de ſimp. med. fac. 5ª.57.C
OLVS quod nomen ſit, & quid ſignificet. de atten. vic. 2ª.44.B
Olerũ ſpeciebus nõ erãt impoſita noĩa antiquitus. de atte. vic. 2ª.44.B
Olerum facultates ſcire ſatis eſt, quamuis ſingulas ſpecies non agnoſcas. de attenuante vic. 2ª.44.B
ne Olus quidem abſq; definitione aliqui emerẽt. 2°. de diff. pul. 4ª.53.E
in Oleribus caulis eſt annuus. 2°. de alim. fac. 2ª.24.C
Olerũ caulis hẽt tpaturã foliorũ ſed ſicciorẽ. 2°. de alim. fa. 2ª.24.A
Olerum omnium radices quales. de atten. vic. 2ª.45.G
Olerum qualitas nobis familiaris eſt pro alimẽto vt etiam leguminum. & huiuſmodi, contraria vero cantharidis. 7°. de vſu par. 1ª.159.B
Olera, quibus non eſt multa acuitas, ſunt de cibarijs mediis. de diſſolutione continua. Sp.74.B
Olera ſunt cibi imbecilli. in 6ᵐ. de mor. vul. com. 5°. 3ª.192.E
Oleribus & ſucco ptiſſanæ, ſi exercens ſe, vtatur, cito labefactatur. 1°. de alimen. facul. 2ª.10.B
Olera omnia vitio digeruntur. de diß. con. Sp.73.E
Olera facile nutriunt, ſed parum. 8°. meth. med. 7ª.50.H
Olera omnia cur parum nutriunt. de diß. cont. Sp.73.G
Olera omnia habent alimentum pauciſſimum, tenue, & aquoſum. 2°. de alimen. facul. 2ª.23.D
Olera quos faciant humores. com. 2°. aph. 18°. Ex.14.B
Olera nulla habent bonum ſuccum. de bon. & vi. ſuc. 2ª.37.F
Olera omnia generant malos humores. de diff. cont. Sp.74.C
Olera quæ ſunt vitioſiſſimi ſucci. de bon. & vit. ſuc. 2ª.37.G
Olerum radices, germina, ſtipites, & folia ſuccum gignunt pituitoſum. de attenuan. vic. 2ª.45.G
Oleribus paucis vere vtendum eſt. de ſal. die. 2ª.40.C
Oleribus crudis, & elixis æſtate vtendum. de ſal. die. 2ª.40.C
Olera quæ edenda illis, qui ſemel tantum comedunt in die. de vic. rat. in mor. acu. com. 4°. 7ª.145.B
Olera cruda q̃ ſtomachicis conueniunt. 8°. de com. med. ſe. lo. 5ª.192.C
Olera cocta q̃ ſtomachicis conueniunt. 8°. de comp. me. ſe. lo. 5ª.192.C
Olus ventrem mollit. de puer. epil. 7ª.180.C
quæ Olera deiectionem faciunt. 2°. de alim. fac. 2ª.23.C
Olera ex oleo, & garo faciũt deijcere aluũ. 6°. de ſa. tu. 97.F/2ª.99.H
Oleribus ex oleo, & garo aſſumptis ante cibũ ſoluitur ſenũ aluus. 5°. de ſanitate tuenda. 2ª.92.E
poſt Olera ex oleo, & garo ſumenda ſunt mala punica. 3°. de ſymptomatum cauſis. 3ª.24.H
Olera ſuauiſſima mouentia vrinam. de cura iſter. Sp.111.D
quæ Olera epilepticis conueniunt. de puer. epil. 7ª.180.C/F
ex Oleribus qui humiditatem contraxerunt, & volunt exerceri, incidunt in febrem ephemeram. 3°. de ſan. tuen. 2ª.81.G
Olerum acrium radices ſunt mali ſucci. de bon. & vi. ſuc. 2ª.37.G
Olerum agreſtium aliud genus. de atten. vic. 2ª.44.B
Olera ſylueſtria quæ. de atten. vic. 2ª.44.C
Olera agreſtia pariunt malos ſuccos. de bon. & vit. ſuc. 2ª.33.G
ex Oleribus agreſtibus omnia ſunt vitioſiſſimi ſucci. de bonitate & vitio ſuccorum. 2ª.37.G

Oleris atri ſemen frangit lapidem renum, & veſicæ, de cath. Sp.95.D
ex Oleribus braſſica potius ſiccat quam malua. 5°. de ſan. tu. 2ª.92.C
Oleribus oĩbus multi medici antepoſuerũt lactucã. 2°. de ali. f. 2ª.22.d
Olerum ſola lactuca detergit. 4°. de ſan. tuen. 2ª.84.F
Olera hortẽſia cur cũ aceto, & oleo mãdumtur. de atten. vic. 2ª.44.C
Olus iamenum eſt humidum. de diff. con. Sp.74.D
Olus iamenum eſt de cibarijs mediis. de diff. con. Sp.74.B
Olus iamenum eſt malum ſtomacho, & cur. de diß. con. Sp.74.E
Olera ſpinoſa mediocriter iuuant ſtomachum. 2°. de alim. fac. 2ª.23.D
Olerũ halitus inficit vicinũ aerẽ. in 3ᵐ. de mor. vul com. 1°. 3ª.133.F
ex Olerũ putredine aer coinquinatus fit peſtilẽs. 1°. de ſa. tu. 2ª.67.B
Olerum putredinis aer euitandus. 12°. meth. med. 7ª.77.E
OLYMPIACVS Mileſius methodicæ ſectæ auctor. intr. If. 51.E
Olympicus nugax. 1°. meth. med. 7ª.6.H
in Olympijs ſe exercentes nõ curãt filios ſuſcipere. 1°. de ſem. 1ª.334.A
ab Olympio vſitatum malagma. 9°. de comp. me. ſec. loc. 5ª.200.D
OLYNTHI groſſi. 8°. de ſimp. med. fac. 57.B/ 5ª.61.F
OLYRA. 1°. de alim. fac. 2ª.12.C
Olyræ color albus. 1°. de alim. fac. 2ª.13.B
Olyra vbi plurima. 1°. de alim. fac. 2ª.13.B
Olyra in Aſia frequens. 1°. de alim. fac. 2ª.12.G
Olyra frequens in Aſia, qualis. de atten. vic. 2ª.44.H
Olyra media eſt inter triticũ, & hordeũ. 8°. de ſim. med. fac. 5ª.57.C
Olyra quanto ſit tritico deterior. de atten. vic. 2ª.44.H
Olyra & Typha ſunt zea. de atten. vic. 2ª.44.H
Olyræ, & tragi ſemina idẽ ab aliquibus putantur. 1°. de ali. f. 2ª.12.H
ex Olyra tragus quomõdo. 1°. de alim. fac. 2ª.12.H
Olyra cortice emundanda. de atten. vic. 2ª.45.A
Olyrini panes quales. 1°. de alim. fac. 2ª.12.G
OMATARICHON id eſt crudũ ſalſamẽtum. 5°. de comp. med. ſec. loc. 5ª.159.D
Omelyſeos meminit. 6°. de comp. med. ſec. loc. 5ª.174.A
OMENLYSIM quid vocent Græci. 3°. de comp. med. per gene. 5ª. 229.A/ 14°. meth. med. 7ª.87.E
OMENTVM & epiploon, idem. 6°. de ana. adm. 1ª.91.D
Omentum vocatur viſcus. 3°. de nat. fac. 1ª.304.B
Omentum quomodo gignatur. de fœt. for. 1ª.322.H
Omenti ſectio. 6°. de anat. admi. 1ª.91.D
Omentum facile eximi poteſt ab animali. 6°. de anat. admi. 1ª.91.F
Omentum vbi ſit. de anat. parua. Sp.43.B
Omenti ortus. 6°. de anat. adm. 91.F/4°. de vſu par. 1ª.138.B/ commen. 7°. aphoriſmo. 55°. Ex.58.H
Omentũ qb. cõnectatur. 6°. de ana. adm. 91.F/4°. de vſu par. 1ª.138.C
Omenti figura quæ. 6°. de ana. admi. 1ª.91.F
Omentum cur extenſum cſt ad omnia inteſtina. 4°. de vſu p. 1ª.137.E
Omenti eſſentia eadem cum eſſentia peritonei. 6°. de ana. adm. 1ª.92.A
Omentum quibus conſtet. 4°. de vſu par. 1ª.137.D
Omenti compoſitio vnde. 6°. meth. med. 7ª.40.A
Omentum habet duas tunicas. 4°. de vſu par. 1ª.137.D
Omentum eſt ſolidum, & firmum vndequaque, ita vt nihil in ipſum ex aliqua parte poſſit incidere. com. 7°. apho. 55°. Ex.58.H
Omento venæ intextæ vnde. de ven. art. diß. 1ª.56.B
ad Omentum vena vnde oriatur. 16°. de vſu par. 1ª.220.H
in Omentum venarum omnis diſtributio fit ſimul cum arterijs. 16°. de vſu partium. 1ª.220.H
in Omento quid agat pinguedo. 4°. de vſu par. 1ª.138.C
Omenti vſus qualis. 6°. meth. med. 7ª.40.A
Omẽtum factũ eſſe gratia calefaciẽdi qũo pbetur. 4°. de vſu p. 1ª.137.D
Omentum calidum eſt. 4°. de vſu par. 1ª.137.D
Omentum eſt cibi inſtrumentum. 6°. de ana. adm. 1ª.90.F
Omentum quid agat. 6°. de ana. adm. 1ª.90.F
in Omẽtũ quibus hepar aqua plenũ eruperit his venter aqua repleť et moriuntur. com. 7°. apho. 55°. Ex.58.H
Omẽto ñ pot aqua effluere, niſi aliquo mõ exedať. c. 7ᵇ. a. 55°. Ex.58.H
Omentũ cum ad inferiores teſticulorum tunicas deuoluitur eſt ægritudo in ſitu. de diff. mor. 3ª.5.C
Omentum deuolutum ad inferiores teſticulorum tunicas appellãt græci epiplocelem. de diff. mor. 3ª.5.C
Omento diſſecto inteſtina ſuis ſedibus mouentur. de cau. mor. 3ª.9.E
Omẽtũ ſi p vulnus exeat ſignificat ptoneũ eẽ deciſſũ. 1°. de l. af. 4ª.2.F
Omentum excidit peritonæo vulnerato. 6°. meth. med. 7ª.39.H

Omentum si excidat necessario putrescit.com.6°.aph.58°. Ex.53.F
Omentum si exciderit quid agendum.6°.meth.med. 7ª.39.A
si Omentum quod exciderat putrescit, quid agant medici.commen.6°. aphorismo 58°. Ex.53.F
Omentum non admittur etiam si exiuerit, nisi sit liuidum effectum.4°. de vsu partium. 1ª.137.D
Omentis pars nigra amputanda est, quãdo abdominis vulnus exit. 6°. methodi medendi. 7ª.40.B
Omentum quibus excidit,& vulneratum sit,& abscisßum, sentiunt in ventriculo frigiditatem.4°.de vsu par. 1ª.137.E
in Omento si dimidia pars abscinditur partis quæ superfuerit ægritudo mutilatio erit.de diff.mor. 3ª.5.A
in Omento mutilato erit aliqua diminutio magnitudinis, tamen ipsum animal necessario non dicetur mutilatum.de diff.mor. 3ª.5.A
Omentum aufertur.de diff.mor. 3ª.4.G
Omẽtũ totũ ferè Galenus abscidit cuidã gladiatori.4°.de v.p.1ª.137.E
OMNINO *vocabuli expositio.de na.huma.com.1°. 1ª.27.B*
Oĩno si habeat ante se negationẽ quid significet.cõ.2°.ap.19°. Ex.14.C
OMNIA *sunt in omnibus sed inæqualiter, vt sanguis quoque in arterijs,aer quoque in venis,& ventriculo.6°.de vsu par. 1ª.154.H*
Omnia compatiuntur,& consentiunt in compagine totius corporis.1°. de vsu partium. 1ª.114.F
Omnia inter se mutuo afficiuntur.1°.de nat.fac. 1ª.293.H
ad Omnes Ægritudines emplastrum.secr. Sp.102.B
Omne Animal habens calorem magnum necessarium fuit habere pulmonem magnum.de ana.viu. Sp.47.F
Omne animal abundans in sepo,& pinguedine,abundat et in medulla. de anatomia viuorum. Sp.44.D
Omne animal est particeps rationis quanquam de homine sole dicitur per excellentiam.in oration.exor. Is.2.B/C
Omnes Aquæ tarde descendunt.de dißol.con. Sp 74.H
Omnes aquæ paludosæ sunt pessimæ.de bon.aquæ. Sp.75.D
Omniũ Arteriarũ trũcus est arteria maxima.1°.de decr.Hi.1ª.232.D
Omnes arteriæ a magna arteria,quæ in sinistro cordis ventriculo est, oriuntur.1°.de Hipp.& Plat.decre. 1ª.233.C
Oĩs Cadmia ſtyptica est,& vehementer stringit.de simp.me. Sp.81.F
Omnis Caro quiescens non velocis exercitij est multarum superfluita tũ.de diff.con. Sp.73.E
Omnis Casia fistula acriter calfacientes,& stringentes vires habet. de simp.med. Sp.82.H
Omnis Cera remollit, & laxat durities.de simp.med. Sp.82.B
Omnes Chamæpithios species vires habent acres,& diureticas.de simplic.medic. Sp.85.F
Omnes Cibi dulces sunt mali hepati,& renibus.de diff.con. Sp.74.G
Oĩbus Corporis membris cor est calidius. de compag. memb.si.de natu.huma. Sp.58.G
Omnes corporis partes habent colligãtiam ad cor per venas peliculas, & neruos.de vtil.resp. Sp.62.G
Omne Costum vires habet acriter stringentes.de simp.me. Sp.82.D
Omne Crocum vires habet leuiter stypticas.de sim.med. Sp.81.E
Omne Daucũ vires habet acres,& excalfactorias.de sim.m. Sp.83.E
Omnis fimus efficacissime tumorem lenit,& veteres durities remollit. de simp.med. Sp.84.E
Omnis fimus podagricos in accessionibus iuuat.de simp.med. Sp.84.E
Omne qđ fit ex alio minus est eo a quo generatur.de vti.resp. Sp.62.E
Omnia ob aliquem finem facta.1°.de nat.fac. 1ª.291.H
Omnis Galla stringit vehementer.de simp.med. Sp.84.F
Omnes Glandulæ sunt insensibiles.de vtil.resp. Sp.62.H
Omnia instrumenta sensuum continẽtur pelliculis.de vti.resp.Sp.63.D
Omne Lignũ durum est secundum Hippocratem, & tactu lædit. de mar. 7ª.319.E
Omnia Mala de corpore tollit radix cucumeris agrestis siccata,& rasa,& cribrata.de simp.med. Sp.83.A
Omnis detractio Medicinæ est calida,& humida.de cathar. Sp.94.D
Omnis Medulla leniter mollit,& relaxat durities,& tumores. de simpli.med. Sp.87.D
Omne Membrum cõgelatum terrestre priuatum sensu ex melancholia est.de ana.viuo. Sp.45.F
ad Omne mẽbrũ instrumẽtale veniũt duæ venæ.de ana.vi. Sp.44.B
Omne membrum intendit suo cõmodo,& reparationi.de motibus manifestis, & obscuris. Sp.68.A
Omnia habent sanitatis tuendæ prouidentiam.6°.de san.tu. 2ª.95.B
Oẽ mẽbrũ attrahit sibi qđ cõuenit ei.de mot.man.& obscu. Sp.68.A
Omnis motus fit per villos.de ana.viuo. Sp.44.G
Omnis Myrrha ſtyptica est,acris,excalfactoria.de simp.me. Sp.87.B
Omne Nutrimentũ simile fit ei cuius est nutrimẽtum.de vtilitate respirationis. Sp.63.H
Omne nutrimẽtũ influẽs refrigerat id qđ nutrit.de vtil.resp. Sp.63.A
Omnia Oua dura elixa,& assa tarde descendunt.de diff.con. Sp.74.H
Omne Piper Syncere stringit, excalfacit,totũ corpus vehementer cõ mouet.de simp.med. Sp.88.F
Omnis Prauitas est extra naturam.de sper. Sp.40.D
Omnis Resina efficaciter relaxat,& remollit.de simp. med. Sp.89.D
Omnia Salsamenta pruritum mouent.de cathar. Sp.95.D
Omnis Sensus,& motus influens influit per neruũ.de ana.vi.Sp.48.A
Omnes sensus particulares reducuntur ad sensum communem. de anatomia viuorum. Sp.45.G
Omnis substantia corporea animata ex elementis est.de sper.Sp.39.A
Oĩs suba corporea animata teste Hippocrate iuncta est, & ligata in planetis,& signis,quatuorq; elemẽtorũ nexibus.de sper. Sp.38.G
Oˢμογενῆ, *id est eiusdem generis.in 1ᵐ.prorrh.com.1°. 4ª.161.G*
Oˢμοειδῆ, *id est eiusdem speciei in 1ᵐ.prorrh.com.1°. 4ª.161.G*
Oˢμοιομερῆ *similares partes vocat Aristoteles.6°.de sa.tu. 2ª.95.C*
Ὠμοπλάται *quid.intro.Isa.63.E/13°.de vsu par.1ª.202.D/10°.metho.medendi. 7ª.64.G*
in Omplatis venæ,& arteriæ se contingunt.9°.de vsu par. 1ª.172.H
OMOTONA *febris quæ in 6ᵐ.de mor. vul.com.1°. 3ª.160.A*
Omotonis spiritus synochi.9°.meth.med. 7ª.57.A
OMOTRIBES *vocant oleũ crudum.6°.de san.tu.98.H/ 2ª.100.F*
Omotribes oleum,quale.1°.de compo.med.sec.loc. 5ª.122.A
Omotribe,id est oleo omphacino fit refrigeratio. 2°.de cõpositione medicamen.per genera. 5ª.220.F
Omotribes oleum non valet in frictione.3°.de san.tu. 2ª.79.B
Omotribes oleum.6°.de simp.med.fac.46.G/2°.de comp.med.sec.loc. 5ª.132.E/6°.meth.med. 7ª.37.D
OMPHA *dicta nardus, quæ.1°.de anti. 5ª.106.F*
OMPHACINVM *vocant oleũ crudum.6°.de sa.tu.98.H/ 2ª.100.E*
Omphacinum oleum,quale.1°.de comp.med.sec.loc. 5ª.122.A
Omphacinum oleum non valet in frictione.3°.de san.tu. 2ª.79.A
Omphacinum oleum.6°.de simplic.med.facul.46.G/2°.de compositione medi.sec.loc. 5ª.132.E
OMPHACITIS *galla desiccat,& indurat.5°.de simplicium medicamẽto.facultatibus. 5ª.36.C*
ONPHACIVM *quo modo fiat.de dynam. Sp.23.A*
Omphacium,& acetum differunt.4°.de simp. med.fac. 5ª.27.D
Omphacio tenuius est acetum.4°.de simp.med.fac. 5ª.27.E
Omphacium neque habet calorem,neque acrimoniam.4°.de simpli.medic.facultа. 5ª.27.D
Omphacium,& Sal contraria sunt.6°.de compositione medicamentorum secundum locos. 5ª.174.D
Omphacium est acidum,& acerbũ.4°.de simp.med.fac. 5ª.27.F
Omphacium numeratur inter adstringentia parabilia.6°.de compositio.medic.sec.loc. 5ª.169.G
Omphacium adstringit.9°.de simp.med.fac. 5ª.64.C
Omphaciũ vehementer adstringit.5°.de simp.med.fac.39.B/4°.de cõ. med.sec.loc. 5ª.149.H
Omphaciũ adstringens vehemens iudicat Galenus.5°.met.me.7ª.31.G
Omphacium vinum plus adstringit quam oportet.1°.de composi.medic.per genera. 5ª.211.G
Omphacium conuenit dysenteriæ.11°.de sim.med.fac. 5ª.81.E
Omphacium exiccat in tertio ordine non tamen vrit.5°.de simplicium med facul. 5ª.63.B
Omphacio refrigerantur ardores.4°.de simp.me.fac. 5ª.27.G
Omphacium ad hypochondria ardentia magis conuenit, quam acetũ. 4°.de simp.med.fac. 5ª.27.F
Omphacium vlcera glutinare non potest.1°.de sim.med.fa. 5ª.7.H
Omphacij meminit.5°.meth.med. 7ª.34.B
pro Omphacio succus Rheis.6°.de comp.sec.loc. 5ª.168.D
Omphacium rosaceum.10°.meth.med. 7ª.65.A
OMPHACOCARPVM *idem cum apparine herba.6°.de simplic.medic. facul. 5ª.43.D*
OMPHAX *quid,& eius vires.de simp.med. Sp.88.B*
Omphax vua acida.4°.de simp.med.fac. 5ª.27.D
Omphax gustu est styptico valde linguam submordet potẽter stringit,

omne profluuium confcſtim tenet.de ſimp.med. Sp.88.B
Omphaciarum vuarum differentia.4°.de ſimp.med.fac. 5ª.27.F
Omphax quomodo ab aceto differat.4°.de ſimp.med.fac. 5ª.25.A
Omphacis ſuccus perfecte refrigerat.4°.de ſimp.med.fac. 5ª.25.A
Omphax quo modo prodeſt ardoribus.4°.de ſimp.me.fac. 5ª.25.A
OMPHACOMELI quo modo fiat.dynam. Sp.22.C
Omphacomeli ad quæ valet.de dynam. Sp.22.C
Omphacomeli alia compoſitio.de dyn. Sp.22.D
ONAGRON habet vini facultatem, & vinum olet.8°.de ſimp.med.fac. 5ª.57.C
Ὀναειροπόλοι qui dicantur.de victu.in mor.acu.com.1°. 7ª.110.B
Ὀνειροπομῶν meminit.10°.de ſimp.med.fac. 5ª.72.D
ONERATA facultas,& ibecilla quo differāt.3°.d ca.p. 4ª.99.B
ONESIDEMI ad Nephriticos.10°.de comp.me.ſec.loc. 5ª.206.D
Oneſidemi confectio.10°.de comp.med.ſec.loc. 5ª.206.D
ONETRI pharmacum.7°.de comp.med.ſec.loc. 5ª.187.A
ONISCOS in albo iure dabis in febre ſi guſtarelit carnem. 4°.de ſanitate tuenda. 2ª.87.G
Oniſci ad aurium dolores valent.11°.de ſimp.med.fac. 5ª.82.G
ONOBRYCHIS rarefacit, & digerit.8°.de ſim.me.fa. 5ª.57.C
Onobrychis folia phymata digerunt,& ſtranguriasſanant.8°.de ſim. med.facul. 5ª.57.C
Onobrychis ſudores elicit cum oleo iuncta.8°.de ſimp.me.ſa. 5ª.57.C
ONOCHOS anchuſa calidior eſt,anchuſa lycopſo. 6°.de ſimpliciū med.facul. 5ª.41.C
Onochæ, anchuſæ qualitates.6°.de ſimp.med.fac. 5ª.41.C
ONONIS calidā eſt in tertio ordine.8°.de ſimp.med.fac. 5ª.57.D
Ononis vrinas prouocat,& lapides confringit , cruſtas detrahit,et ad dentium dolores valet.8°.de ſimp.med.fac. 5ª.57.D
ONOSMA acris,& amara.8°.de ſimp.med.fac. 5ª.57.C
Onoſma fœtus necare,& eijcere creditur.8°.de ſimp.me.fac.5ª.57.C
ONOTHERA aut onothris,aut onagron idem eſt. 8°.de ſimplicium me dic.facul. 5ª.57.C
ONERIS geſtatio eſt exercitatio,& opus.2°.de ſan. tu. 2ª.23.G
Onus non eſt idem puero,& iuueni.de mult. 3ª.76.H
ad Onus portamen ægri comparatio. 3°.de criſi. 4ª.141.D
ONYCHIS bdelli,meminit.8°.de comp.med.ſec.loc. 5ª.197.C
ONYX qualis,& eius vires.de incant.adiur.& ſuſp. 7ª.182.A
ONYCHITES cadmia quæ.de ſimp.med. Sp.81.F
OPERARI quid ſit.in 6ᵐ.de morbis vulgaribus, cōmentario 3°. 3ª.161.D
Operari vt poſſimus ſtructura efficit naturalis.de diff.mor. 3ª.2.C
Operari ſecundum naturam eſt bene valere.ad Thraſ. 2ª.103.B
OPERATIO quid.6°.de decr.Hipp.1ª.260.F/de ſper. Sp.39.A
Operatio,& affectio quando vna & eadem res.6°.de decr. 1ª.260.H
Operario corporeæ materiæ ligata ē quatuor elemētis d ſper. Sp.40.D
Operatio ſecundum naturam.6°.de decr.Hipp. 1ª.260.G
Operationes cuiuſcunq; particulæ aīalis quatuor.c.2°.a.7°.Ex.11.H
Operationes naturales, virtutes vitales reducendæ ad vnū principiū. de anatomia viuorum. Sp.45.G
Operationum naturalium auctor eſt calor naturalis. in 6ᵐ.de morbis vulg.com.5°. 3ª.190.A
Operationes per ſolidas animalis partes fiunt.c.1°.aph.17°.Ex.23.G
Operatio animæ in corporibus perficitur.de ana.viuo. Sp.55.B
Operationes obtinentes principatum quæ.ars med. Iſa.63.E
Operationes cordis,iecoris,& cerebri.in 1ᵐ.prorrh.cō.2°.4ª.169.F
Operationem membrorum debet inueſtigare medicus. de rerum affectuū digno.& med. 7ª.192.B
Operationum per ſanitatem modum cognoſcere eſt principium inueniē di,quæ nocent virtutibus.3°.de ſymp.cau. 3ª.24.F
Operatio omnis ab aliqua ægritudine læditur.de diff.morb. 3ª.4.H
Operationes niſi ſint leſæ nulla alteratio eſt morbus.1°.me.me. 7ª.8.C
Operationum læſio eſt morbus.com.5°.aph.57°. Ex.42.H
Operatio tripliciter læditur.ars med. Iſ.67.C
Opationū sēſibilis læſio diſtinguit ſalubria ſalubribus.ars me.Iſ.62.H
Opationes oēs immodica intēperies exoluit.com.2°.aph.20°. Ex.14.F
Operationes læduntur a vehementibus intemperaturis. comment.2°. aphoriſmo.22°. Ex.15.B
Operationes multum læduntur,ſi exeat ſanguis,aut ex hæmorrhoidibus vel venis,vel vtero muliebri.com.2°.aph.22°. Ex.15.B
Opationis læſio ſequit neruo,q ſit via,obſtructo. 1°.de ſym.c. 3ª.16.C
OPERCVLVM nomen vinculi ab euentis.de faſciis. 7ª.293.H
Operculum ſciſſum in partes octo ad caput. de faſcijs. 7ª.294.G
Opculū ex faſcia lata triū capitū vocatur σκεπάστρα. de.fa.7ª.194.H
Operculum in organis ad quid.de mach. 7ª.310.E
Opercula cur habeant organa.de mach. 7ª.316.G
de OPHIASI. 1°.de comp.med.ſec.loc. 5ª.121.E
Ophiaſis vnde nomen habuit.2°.meth.med. 7ª.9.E
Ophiaſis vnde dicta,& quā formā habeat.de reme.par.fa. 7ª.154.E
Ophiaſis quid.fin.med.Iſa.48.C/de remed.par.fac. 7ª.154.E
Ophiaſis qui morbus ſit,& quomodo differat à ptiloſi,myrmecia, leuce,vitiligine,ſphacelo,alopecia,elephāte,ſcabie,& lepra. 14°.methodi medendi. 7ª.92.C
Ophiaſis qualis.1°.de comp med.ſec.loc. 5ª.121.E
Ophiaſis pilorum affectus, fin.med. Iſa.48.B
Ophiaſis eſt capillorum paſſio.com.6°.aph.34°. Ex.50.C
Ophiaſis affectus ſuperioris partis capitis,& menti.introd. Iſa.59.C
Ophiaſis pp quid fiat,& vnde dicat. 1°.de cō.med.ſec.loc. 5ª.121.E
Ophiaſis quo modo fiat.14°.meth.med. 7ª.93.D
Ophiaſis incipiens non eſt ophiaſis.1°.de comp.med.ſec.loc. 5ª.121.G
in Ophiaſi amittitur particula vtilis.14°.meth.med. 7ª.93.C
Ophiaſim hēre medicā eſt turpiſſimū.in 6ᵐ.de mor.vul.c.4°.3ª.181.H
in Ophiaſi colores conſiderandi.de rem.par.fac. 7ª.154.E
ad Ophiaſim pilulæ.de remed.par.fac. 7ª.154.G
ad Ophiaſim localia medicamenta.de remed.par.fac. 7ª.154.G
Ophiaſis meminit.in 6ᵐ.de morb.vulg.com.2°. 3ª.160.H
OPHIOSCORODON agreſte allium eſt. 8°.de ſimplicium medicamen. faculta. 5ª.60.H
OPHITES lapis qualis.9°.de ſimp.me.ſa. 5ª.67.D
Ophites lapis collo ſuſpenſus morſus a vipera ſanauit.9°.de ſimpliciū med.fac. 5ª.67.E
Ophites lapis veſicæ lapides confringit.9°.de ſim.me.fac. 5ª.67.D
OPHTALMIA a læſa particula nomen ſortita eſt.2°.methodi medendi. 7ª.9.D
Ophtalmia quid.4°.de comp.me.ſec.loc.5ª.150.F/2°.de arte cura.ad Glau.101.D/de ocul.7ª.189.B/D/de par.ar.med. Sp.17.C
Ophtalmia ſiue lippitudo oculorum frequentiſſima affectio.4°.de compoſi.med.ſec.loc. 5ª.150.F
Ophtalmia morbus coniunctiuæ.de ocul. 7ª.186.F
Ophtalmia triplex,& eius cauſa.de ocul. 7ª.186.F
Ophtalmia eſt inflammatio.2°.de arte cur.ad Glau. 7ª.101.C
Ophtalmia ponitur inter morbos q vere apparēt.5°.de ſa.tu.2ª.94.D
Ophtalmia ab aliquibus ſymptoma dr. 12°.meth.med. 7ª.74.F
Ophtalmia a quo humore fiat,& quib. cureī.7°.de ſim.me.f. 5ª.51.E
in Ophtalmia cur ptes circa malas ītumeſcāt.4°.de cō.m.ſ.l. 5ª.150.F
Ophtalmiā inſpicientes cur incidant ophtalmiā.de motu man.Sp.69.d
Ophtalmia graui laborātibus q exercitatio vitāda. 5°.de ſ.t.2ª.90.A
Ophtalmia laborantibus capilli auferendi ſunt.11°.de v.p. 1ª.189.F
in Ophtalmia ſecat venā extrinſecā è directo.2°.de a.c.ad G.7ª.102.G
Ophtalmijs vehementibus affici conſuetis ſanguinem mittendum perſuaſit Galenus.de cur.ra.per ſang.miſs. 6ª.18.E
Ophtalmiæ confert ſectio arteriarū poſt aures.de ana.viuo. Sp.55.B
Ophtalmiæ antiquæ confert ſectio venarum temporum , & quæ ſunt in angulis oculorum lachrymantibus.de ana.vi. Sp.55.A
in Ophtalmia qbus vtendū medicamentis.4°.de com.me.ſ.l. 5ª.150.F
Ophtalmiā quæ ſanāt quo concinnari debeāt.9°.de ſim.me.f. 5ª.67.G
Ophtalmia laborantibus damus cholagoga.de dy. Sp.20.F
Ophtalmicis datur aloe.de dyn. Sp 20.G
ad Ophtalmias vtile eſt gypſum.9°.de ſimp.med.fac. 5ª.69.A
ad Ophtalmias quo ſit vſus gypſo Galenus.9°.de ſim.me.fa.5ª.69.A
pro Ophtalmia lac mulieris.10°.de ſim.med.fac. 5ª.73.H
Ophtalmias ſanare non poteſt ladanum.7°.de ſimp.med.fa. 5ª.51.E
ad Ophtalmiā valet Antidotus Archiuij.2°.de anti. 5ª.115.H
in Ophtalmia oculorū ex calidis,& frigidis humoribus quæ apponenda.de ocul. 7ª.190.C
in Ophtalmia fomēta pſpōgiā qualia eē dēt.4°.de c.m.ſ.l. 5ª.150.H
de Ophtalmijs incipientibus.de med.par.fac. 7ª.162.G
in Ophtalmiæ initio collyrium.de ocul. 7ª.191.A
in Ophtalmiæ initio collyrium Oribaſij.de ocul. 7ª.191.D
in Ophtalmiæ dolores augmento collyriū diarhodon.de ocu. 7ª.191.A
in Ophtalmiæ augumento collyrium.de ocul. 7ª.191.A
Ophtalmiæ duræ collyrium.de ocul. 7ª.191.D
ad Ophtalmiam.ſecretorum. Sp.97.D/E
OPHTALMICÆ facultates quæ dicantur. 5°.de ſimp.me.fa. 5ª.32.B

Opthalmica medi-

Ophtalmica medicamenta.5°.de ſimp.med.fac. 5ª.38.E
OPIATA qũo dici poſſint ſanare dolorẽ.3°.de cõ.me.ſe.l. 5ª.141.E
Opiata, & frigida quid faciant in doloribus.3°.meth.med. 7ª.17.D
Opiatis quæ miſceri debeant.7°.de comp.me.ſec.loc. 5ª.182.D
OPILIONES quo modo differũt a bubulcis.9°.de dec. 1ª.281.H
OPINABILE quid.fin.med. Iſa.43.F
Opinabilia quæ.de ijs, quæ in med.fiunt.com.1°. 7ª.199 C
OPINIO *quid ſecundum Democritum.1°.de elem.* 1ª.2.F
Opinio in anima conſiſtit, & quomodo deliria fiant in morbis thoracis.2°.de loc.affect. 4ª.13.E
Opinio ſequenda, quæ & ſi non habet demonſtrationem, tamen a nulla euertitur.de vtil.reſp. 1ª.225.E
Opinio potius ꝑdenda eſt ciuitas iuxta Archigenẽ.2°.de dif.p. 4ª.58.F
Opiniones falſæ animas hominum præoccupantes non ſolũ ſurdos, ſed & cæcos faciunt, ita vt videre nequant quæ alijs conſpicue appareant.8°.de comp.med.ſec.loc. 5ª.187.C
Opiniones prauas cur antiqui non reprehendere.de purg.me. 5ª.86.B
Opiniones quatuor de elemẽtis ꝑ diuiſionẽ inueniũtur.1°.de ele. 1ª.3.C
Opinionem nullam refellit Gallenus in opere.2°.de ſym.cau. 3ª.21.B
OPISTHOTONICORVM *pulſus.de dyn.* Sp.35.D
ad Opiſthotonicos.7°.de compoſitione medicamentorum per genera. 165.C/170.A/C/D/ 5ª.272.G
OPISTHOTONVS *quid.fin.med.47.B/introd.* Iſa.56.B
Opiſthotonos, id eſt tentio ad poſteriora.com.4°.aph.57°. Ex.33.F
Opiſthotonos ſymptoma ipſius ægri eſt, non autem cauſæ, non loci, non facultatis.de opt.ſect. Iſa.24.B
Opiſthotonos videtur totius corporis conuulſio.de ſymp.diff. 3ª.11.F
Opiſthotonus morbus acutus.introdu. Iſa.55.E
Opiſthotonos eſt perpetuus.3°.de locis affect. 4ª.17.G
in Opiſthotono capiti præſidia adhibenda.3°.de loc.affe. 4ª.17.B
Opiſthotonon ſanat triphyllum.8°.de ſimp.med.fac. 5ª.60.B
OPIVM *quid ſit.9°.de compo.medic.ſecun. loc.* 5ª.201.E/ *de ſimpli. medic.* Sp.88.A
Opium eſt lachryma papaueris, non ſuccus.2°.de antido. 5ª.114.B
Opium quomodo fiat, & quo tempore.de dyn. Sp.21.C
Opium Thebaicum optimum eſt.1°.de antido. 5ª.100.A
Opij hiſpani meminit.4°.de comp.med.ſec.loc.156.A/7°. 5ª.184.F
Opium quale.8°.de com.med.ſec.loc. 190.F/9°. 5ª.201.F
Opiũ ſoporiferũ eſt etiam partibus extrinſecis applicatum, & quomodo.9°.de comp.med.ſec.loc. 5ª.201.F
Opium ſoporiferum eſt.de ocul.7ª.189.D/de ſimp.med. Sp.88.A
Opium ſtupefacit.in 6ᵐ.de morbis vulgaribus, com.2°. 3ª.161.B
Opium mortificat corpora, & reddit in frigiditatem immedicabilem. 8°.de comp.med.ſecun.loc. 5ª.191.H
Opium quomodo necet.de theriaca ad Piſo. 5ª.94.B
Opium ſi qui biberint quid eos adiuuet.2°.de antido. 5ª 114.B
Opiũ qũo dici poſſit ſanare dolorem.3°.de comp.med.ſe.lo. 5ª.141.E
Opio quæ ſint miſcenda.9°.de comp.med.ſec.loc. 5ª.201.F
cũ Opio, eſt ſtupefacientibus cur ponant calida.8°.d̃ c. m.ſ.l. 5ª.190.H
cũ Opio cur ponitur Caſtoreum.3°.de comp.med.ſec.loc. 5ª.143.A
Opio in facultate oppoſitũ eſt caſtoreũ.8°.de cõ.me.ſec. loc. 5ª.190.C
Opium quibus conueniat, & quibus non.7°.de com.me ſe.l. 5ª.184.C
Opium oculis conuenit.de ocul. 7ª.188.G
*ex Opio collyria ꝑ dolorib.oculorũ vehemẽtiſſimis.12°.m.m.*7ª.79.G
Opium collyrijs admiſtum lachrymam ſtringit.de ſim.med. Sp.88.A
Opium mire oculis obeſt.3°.meth.med. 7ª.17.D/E
ex Opio collyria multis fuere detrimento.2°.de cõ.me.ſe.lo. 5ª.134.G
Opiũ quo adhibetur in aurium dolore.2°.de comp.me.ſe.lo. 5ª.140.G
Opium circum linitum refrigerat, auricularum dolorem totum, corporis languorem mitigat.de ſimp.med. Sp.88.A
Opium curat phrenitim.de theria.ad Piſo. 5ª.94.B
Opium cur cœliacis datur, & in affectionibus ſtomachi.8°.de compo. med.ſec.loc. 5ª.190.C
Opiũ vitãdũ vbi ſtomachus male affectus eſt.7°.d̃ c.me.ſe.lo. 5ª.178.E
Opium non ſanat pleuritidẽ.de vic.ra.in mor.acu.com.1°. 7ª.114.A
Opium quo modo debet ſeruari præparatũ.2°.de c.me.ſe.l. 5ª.140.G
Opio quando vti debemus.3°.de comp.med.ſecun.loc. 5ª.142.C
ex Opio pharmaca raro debent eſſe in vſu, & quando.2°.de compoſi. medic.ſec.locos. 5ª.134.G
Opiũ ſemper fugit Galenus quando põt.3°.de cõ.me.ſec.loc. 5ª.142.H
Opium torrefacit.3°.de comp.med.ſec.lo. 5ª.142.F
Opij torrefacti fit mentio.4°.de compoſi. medicamentorum ſecundum locos.154.F/156.A/9°. 5ª.203.C
Oππαα, id eſt armamẽta nauiũ funes appellãt.de art.com.4°.7ª.291.F
OPOBALSAMVM quid.de ſimp. med. Sp.88.C
Opobalſamum quale ſit.2°.de compoſi.med.ſec.loc. 5ª.136.F
Opobalſamum quale eſſe debet.4°.de comp.med.ſec. loc. 5ª.152.C
Opobalſamum optimum è iudæa aduehitur.1°.de antid. 5ª.105.E
Opobalſamum ſagadinum.1°.de antid. 5ª.101.F
Opobalſama adulterantur.9°.de ſimp.med.fac. 5ª.69.B
Opobalſami differentiæ.1°.de antido. 5ª.101.F
Opobalſamum calidum facit.7°.meth.med. 7ª.47.A
Opobalſamum eſt tenuium partium non multum calefaciens.3°.de cõpoſi.med.per gen. 5ª.228.E
Opobalſamum vires habet aliquatenus acriores, quæ viſcide excalfacere, & relaxare efficaciter poſſunt.de ſimp.med. Sp.88.C
Opobalſamum non confert quando indigemus calfactione.2°.de compo.med.ſec.loc. 5ª.133.A
Opobalſamum ponitur in Theriaca.de theriaca ad Piſo. 5ª.92.E
Opobalſamum ſyriacum vnũ ex ſimplicibus theriacã ingredientibus, quæ Galeno videntur difficulter haberi.1°.de antid. 5ª.101.F
Opobalſami ſyriaci meminit.4°.de comp.med.ſec.loc. 5ª.152.C
Opobalſamo mitigantur medicamenta.2°.de c.me.ſec.loc. 5ª.139.H
Opobalſamũ vltimo ponit in cõpoſitione.7°.de cõ.me.p gen. 5ª.272.A
Opobalſamum eſt oculorum cenoticum.de cathar. Sp.95.B
Opobalſamum purgat gibbam hepatis partem.de cathar. Sp.95.C
Opobalſamo perungit ſiccos & frigidos.7°.meth.med. 7ª.46.H
Opobalſamum pro aſſaro.9°.de comp.med.ſec.loc. 5ª.200.F
OPOCALPASVM *reperitur in myrrha optima.1°.de anti.* 5ª.105.B
Secundum Opocalpaſum, ſagapenum, & cinnamomum quædam proueniunt, quæ neque myrrha neque chalbanũ, neque caſia quidem amplius ſunt nondum tamen ſagapeni cinnamomiũe, aut opocalpaſi naturam perfecte conſequuta.1°.de antid. 5ª.105.B
Opocalpaſum venenoſum eſt.1°.de antid. 5ª.105.C
OPOPANAX. *8°.de ſimp.med.fac.* 5ª.57.G
Opopanax quid.7°.de com.me.per ge. 5ª.265.F/*de ſim.me.* Sp.88.B
Opopanax ex quo fiat panace.8°.de ſimp.med.fac. 5ª.57.G
Opopanax quo modo fiat.de dyn. Sp.22.H
Opopanax qualis.10°.de compo.med.ſec.loc. 5ª.207.C
Opopanax calidum eſt in tertio ordine, ſiccum in ſecundo.8°.de ſimpl. med.facul. 5ª.57.H
Opopanax odore graui quidem viſcide poteſt laxare, calfacere, molli re ſtructuras, & duities, fugare viperas, & omnem ſerpentum acceſſum.de ſimp.med. Sp.88.B
Opopanax mollificat.2°.de arte cur.ad Glau. 7ª.104.B
Opopanacis, & chalbani differentiæ in emolliendo, & coquendo.7°.de comp.med.per gen. 5ª.264.C
Opopanax trahit ex profundis.6°.meth.med. 7ª.37.D
Opopanax liquatur aqua, aceto, & vino.3°.de c.med.ꝑ ge. 5ª.233.G
Opopanax ingreditur Theriacam.de theria.ad Piſo. 5ª.92.G
OPORÆ *principium qũ ſit.in 1ᵐ.de mor.vulg.com.1°.* 3ª.99.B
Opora eſt pars, id eſt ſecunda æſtatis poſt ortum canis, quando fructus inchoant.commen.3°.aph.14°. Ex.22.F
Oπος ſucci genus vno noĩe cõprehenſum.1°.de ſimp.med.fac. 5ª.8.H
Opos ſiue ſuccus.8°.de ſimp.med.fac. 5ª.57.D
Opos tithymalli cum dactylis comeſtus purgat indigeſtibiles humores, & lumbricos rotundos.de cathar. Sp.95.C
OPPANGERE, id eſt ἐγχρίμπλειν, de ijs dicitur, quæ inter ſe cõnituntur, & ſeſe contingendo allidunt.de artic.com. 3°.7ª.282.E
OPPILATIONEM *ſi patiantur membra attrahentia, ſtomachus faſtidium patitur.de anat.viuo.* Sp.49.G
Oppilationẽ faciunt cibi craſſi viſcoſi niſi coquant̃.de diff.cõ. Sp.72.g
Oppilatio facit putrefactionem.8°.de comp.med.ſe.loc. 5ª.194.G
ex qua Oppilatione fiat ſomnus, epilepſia, apoplexia.d̃ vti.re.S.63.E
ex Oppilatione dolori vtile medicamen.de med.exper. Sp.105.H
Oppilatio omnimoda tracheæ arteriæ ſuppoſitæ vuluæ fit in omni conatu.de vtil.reſp. Sp.63.F
Oppilationes aperit motus vehementia in potatione vini. commentario 6°.aphoriſmo 31°. Ex.49.G
Oppilationes quæ accedunt in membris interioribus aperiunt drachmę duæ cubebarum.de med.exper. Sp.106.E
Oppilationes aperit decoctio ſquinanthi.de med.exper. Sp.107.A
Oppilationes aperientes decoctiones.de med.exper. Sp.107.B
Oppilationes aperiens electarium.de med.exper.107.D/F/ Sp.108.C

Oppilationes aperiens medicamentum.secretorum. 101.G/104.E/de med.exper. 105.G/106.D/107.G/ Sp.108.A/H
ad Oppilationes chronicas valet electariũ laccæ.ḋ me.exp. Sp.107.A
ad Oppilationes antiquas medicina de med.exper. Sp.104.B
Oppilationi narium quid valeat.de cura lap. Sp.112.G
Oppilationis hepatis aut splenis generationem timenti conueniunt cibi subtiliantes.de diss.con. Sp.72.D
Oppilationem in iecore generat lac.de diff.con. Sp.75.C
ob Oppilationem iecoris aut renum mingitur vrina tenuis. quæsita in Hippocratis. Sp.113.C
Oppilationes hepatis, & splenis aperiunt amygdalæ propriæ amaræ. de dissol.continua. Sp.74.G
ad Oppilationes hepatis datur decoctio cafith.de med.exp. Sp.106.F
Oppilationem hepatis aperiunt fistici.de diff.con. Sp.74.G
Oppilationem hepatis, & splenis aperit lac, si comedatur cum origano,mentastro sylvestri,pipere.de diff. con. Sp.74.H
ad Oppilationẽ hepatis faciũt drachmæ duæ laccæ.ḋ me.ex.Sp.106.D
Oppilationẽ hepatis, & splenis aperit fecaniabin.de diss.con. Sp.74.G
Oppilationibus hepatis,et splenis valẽs electariũ.de me.ex.Sp.107.A
ad Oppilationes matricis.de med.exper. Sp.107.D
Oppilatio, lege obstructio.
OPPILATIVA medicina quæ sit, & quomodo valet in oculo. de oculis. 7ª.189.A/B
ex OPPLETIONE pulsus, & repercussio.de fract.c.3°. 7ª.243.D
OPPORTVNITAS temporis multum facit.de pne.epi. 7ª.181.B
OPPOSITIO secundum Aristotelem est contrarietas in quãtitate. 11°. metho.meden. 7ª.71.B
Oppositio vtraque quæ sit.de san.tu. 2ª.95.E/H
Oppositiones duæ inter se permutatæ quatuor constituũt coniugia. 1°. de diff.resp.62.E/3°. 3ª.69.F
ex Oppositis iudicat Hippocrates.in progn.com.2°. 4ª.199.E
Oppositæ partes corporis quæ sint.com.5°.aph.68°. Ex.45.D
Oppositi debent esse cibi naturis, præter tẽperatos.ḋ diff.cõ. Sp.71.G
OPTICVS nervus ad oculum venit.de anat.parua. Sp.43.D
Opticorum nervorum figura.10°.de vsu par. 1ª.182.B
Optici nervi vnde oriantur.16°.de vsu par. 1ª.215.D
Optici nervi omnium molliores, & maiores.16°.de vsu par. 1ª.215.C
Optici nervi cur crassi.16°.de vsu par. 1ª.215.D
Optici nervi sunt perforati vel habẽt meatus.16°.de vsu p. 1ª.215.D
Optici nervi cur cavi.16°.de vsu par. 1ª.215.D
Opticorum nervorum incessus, & quid agãt.10°.de vsu par.1ª.173.E
Optici nervi vnà cum arteriis ascendunt.16°.de vsu par. 1ª.220.C
Optici nervi pertingũt in ventriculũ cerebri.16°.de vsu par. 1ª.115.D
Optici nervi cur coeant secundum antiquos.10°.de vsu par. 1ª.183.G
Optici nervi cur vniunt suos meatus, deinde iterum separantur. 10°. de vsu par.182.B/ 1ª.184.A
OPTIME quid significet.2°.de san.tuen. 2ª.69.B
Optimum quid existit.de diff.mor. 3ª.2.E
Optimũ est vnũ in oĩ gñe.7°.de dec.1ª.268.B/6°.de san.tu. 2ª.95.D
Optimum, & pessimum sunt contraria.com.3°.aph.18°. Ex.23.H
Optimum dicitur minus malum.in 6ᵐ.de mor.vul.com.2°. 3ª.167.G
Optimum est vbique quod est moderatum.de cura icteri. Sp.111.E
Optima aqua quæ.de bon.aquæ. Sp.75.D
Optimæ sunt aquæ,q̃ æstate frigidæ sunt,hyeme calidæ.de bo.Sp.75.A
Optimæ sunt aquæ vernales, & hyemales.de bon.aquæ. Sp.75.F
Optimi sunt fontes versus orientem fluentes.de bon.aquæ. Sp.75.F
Optima vrina quæ.de vrin.sign.ex Hippo. Sp.78.F
Optima vrina sanorum qualis.de vrin.sign. ex Hipp. Sp.79.A
Optima vrina ægrotantium quæ.de vrin.sign.ex Hipp. Sp.79.B
OPVS, & actionem dicere nihil refert.1°.meth.med. 7ª.5.H
Opera ab actione procedunt. 1°.de nat.fac. 1ª.291.D
Opus ipsum est finis artiũ,non aũt operis actio.ad Thra. 2ª.105.G/H
Opus quod est tantum exercitatio.2°.de san.tuen. 2ª.73.G
Operum exercitatio ad quæ iuuet.3°.de cris. 4ª.142.D
ab Operibus inchoandum.1°.de natu.fac. 1ª.291.D
Operibus non verbis gloria comparanda.de subfig.emp. Isa.34.E
in Operum multitudine opifices vel optimi allucinantur interdum, nũ quam tamen Deus nostri opifex ob summam ipsius tum sapientiã, tum potentiam.5°.de vsu par. 1ª.213.B
Opera esse voluntaria quo iudicari debẽt.2°.ḋ motu musc.1ª.314.G/H
Opera naturæ à quibus nunq̃ desistit q̃,& quot sint.c.1°.a.3°. Ex.3.F
ex Operibus naturalib⁹ est in pus cõuersio.5°.de simp.me.fa.5ª.34.A
Opus commune quæ membra habeant.7°.meth.med. 7ª.49.B
Opera docent facultates.1°.de natu.fac. 1ª.291.B
ab Operibus symptomata bene distinguenda.de symp.diff. 3ª.13.F
Opus q̃nq; putaĩ symptoma,& symptoma opus.de sym. diff. 3ª.13.G
ORACVLA interdum silent. de theriaca ad Pisonem. 5ª.97.H
cum Orali cribrari iubet medicamentum.secretorum. Sp.101.G
ORANDI ars illustris est,ac etiam arithmetica,geometria,musica.ad Thrasybulum. 2ª.105.E
ORATIO quid.de sophis.Isa.7.G/2°.de decre.Hipp. 1ª.237.C
Orationem quid quando vocet Galenus.8°.de vsu par. 1ª.166.B
Oratio vnde procedit.2°.de decre.Hippo. 1ª.237.C
Orationis, vocis,& mentis eadem origo est.2°.de dec.Hip. 1ª.237.C
Orationis elementa.8°.de decr.Hip. 1ª.274.H
Orationi,& voci tria membra necessaria sunt.de voc.& an. Sp.60.H
Oratio nulla magis exprimit rẽ,q̃ visus,& tactus.12°.ḋ v.p.1ª.195.b
Orationis virtus est perspicuitas.2°.de alim.fac. 2ª.21.G
Orationis ꝑspicuitas virtus est.de vict.ra.in mor.acu.c.4°. 7ª.136.E
Orationis obscuritas vitium est.de vic.rat.in mor.acu.c.4°. 7ª.136.E
Oratio breuissima quæ.7°.de decre.Hippo. 1ª.272.C
Orationis affectio quædam esse videtur.de sym.diff. 3ª.10.C
ORATIONE dominica vtitur ad colligendũ carduum § vide si liber hic de dynamidijs esi Galeni.§de dyn. Sp.28.B
ORATORES differunt à philosophis, demonstrationibus, dialecticis, et sophistis.3°.de decre.Hipp. 1ª.241.H
ad Oratorem spectat vel potius Dialecticum nomina imponere rebus. 3°.de diff.pul. 4ª.63.B
Oratores indigent etiam exercitatione post artis præcepta. 2°.de dec. Hippocratis. 1ª.235.E
Oratores quo modo se exerceant.9°.de decre.Hipp. 1ª.280.D
ORATORIA, arithmetica, & ædificatoria nullum commune propositum habent.ad Thras. 2ª.105.C
Oratoriam facultatem primus philosophiæ coniunxit Protagoras. de historia philosophica. Sp.2.G
Oratoriæ scientiæ.quæ.2°.de decr.Hipp. 1ª.240.A
Oratoriæ partes quæ.ad Thrasy. 2ª.105.C
Oratoria tẽmata non assumunt in demõstrationib.2°.de dec. 1ª.234.D
ab Oratorij differunt tẽmata facientia scientiã.2°.de decre. 1ª.235.F
in ORBANVM indum relatus Antidotus ad fœtus eiiciendos.2°. de antidotis. 5ª.110.E
ORBICVLARIS musculus ani relaxatur in excretione.6°.de anatomicis administra. 1ª.93.H
Orbicularis debet esse simplex species vinculi.de fascijs. 7ª.293.E
ORBICVLI vnde dicuntur.3°.de comp.med.per gen. 5ª.251.B
Orbiculi pars organorum.de machin. 7ª.309.E
Orbiculi ad quid in organis.de machin. 7ª.310.A
ORBIS lunæ quantitas.de hist.philos. Sp.7.B
ORBIS quadrifidus etiam in septem diuisus est partes secundum septẽ planetas.de spermate. Sp.40.B
Orbis terrarum compendium, & breuiarium Roma dicta est à Polemone.de fract.com.1°. 7ª.256.A
in ORBEM iunctura, quidam adijciunt auctore Hippocratis. de fascijs. 7ª.304.H
in Orbem faciei,& capiti circundata fascia lõgior dicitur κὰτοχο.de fascijs. 7ª.294.H
Orbus intestinum dictum vbi sit.de anat.par.43.A/de an.vi. Sp.50.B
ORCHIS quid.introd. Isa.53.D
Orchis herba.2°.de comp.med.per gen. 5ª.224.H
Orchis cynos,i.testiculus canis.8°.de simp.med.fac. 5ª.57.F
Orchis serapias sicca est in secundo ordine.8°.de simp.me.fa. 5ª.57.F
Orchis serapias œdemata illitus discutit,vlcera sordida expurgat.herpetes sanat,siccatus putrescentia contumaciaq; vlcera sanitati restituit,& venerem sistit.8°.de simp.med.fac. 5ª.57.F
ORDINATVM omne pulchrum, & artificiosum ex Deo, & cœlo est.2°.de dieb.decr. 4ª.151.H
Ordinata q̃o sint a Deo vocis instrumenta.de voce & anhel.Sp.60.H
ORDO quid.2°.de digno.puls. 4ª.95.A
Ordo naturæ familiaris est.2°.de præsag.ex pul. 4ª.114.C
Ordo partium mundi.de histo.philoso. Sp.6.A
Ordo stellarum.de hist.philoso. Sp.6.E
Ordo eorum hominum, qui sunt prope Deum Mercurium literis artibusq; præstantium.in oratione sua. Ex.2.F

Ordo in rerum qualitatibus noſcendus. 3°. de ſimp. med. fac. 5ª. 19. G
Ordo in ſimplicium facultatibus eſt ſpectãdus, etiam quintus ſi fieri poſſit. 1°. de ſimp. med. fac. 5ª. C. G
Ordines quatuor qualitatum medicamentorũ. 7°. de ſim. me. f. 5ª. 49. B
Ordines quatuor temperaturarum. 5°. de ſimp. med. fac. 5ª. 39. B
In Ordine quolibet tres differentiæ. 5°. de ſimp. med. fac. 5ª. 39. C
In Ordine primo quæ vocet calida, & frigida. 2°. de ſim. m. fa. 5ª. 16. F
de Ordine, & natura vniuſcuiuſq; corpis. de nat. & ord. vn. Sp. 41. D
Ordinẽ dẽtiũ multiplicẽ, ſed eiuſdẽ gñis hñt piſces. d ana. vi. Sp. 49. D
Ordinem multiplicem dentium habent lupi. de ana. viuo. Sp. 49. E
Ordinis tunicarum in ſtomacho ratio. de ana. viuo. Sp. 45. B
Ordo attrahendi in appetentia. de ana. viuo. Sp. 49. G
Ordo meſaraicarũ multiplex, & qui, et vñ orianť. de ana. vi. Sp. 50. B
Ordo naturalis fœtus in exeundo eſt vt præcedat caput, & ſequantur cætera membra. de ana. viuo. Sp. 52. D
Ordo procedendi in ſignis Criſeos. 1°. de criſ. 4ª. 131. D
Ordo ſeruandus in cibis. de diß. cont. Sp. 71. G
Ordo eſt in omni ſcientia, & arte. 2°. de diff. pul. 4ª. 58. B
Ordo ſeruandus in diſputatione. 6°. de vſu par. 1ª. 152. E
Ordo in rebus tractandis non ſequitur ordinem enumeratorum. de fracturis. com. 1°. 7ª. 223. G
Ordo, & diffinitio philoſophiæ. de hiſt. philoſ. Sp. 2. H
Ordo philoſophorum antiquorum. de hiſt. philoſ. Sp. 2. D
ORECTICA quæ dicantur. de dyn. Sp. 18. G
Orecticis rebus curantur faſtidia morborum. de dynam. Sp. 19. A
OREOSELINVM *quale. 8°. de ſimp. med. fac.* 5ª. 60. B
ORESTINI *ad alopecias inueteratas. 1°. de com. me. ſe. lo.* 5ª. 123. C
Orexis quid. 5°. de dec. Hipp. 1ª. 259. B
Orexis petitio dicitur à græcis. 4°. de decre. Hippo. 1ª. 249. H
Orexim facit mel. de ſim. med. Sp. 87. A
Orexim facit ſal. de ſimp. med. Sp. 90. A
Opγᾶν quid ſignificet. de fract. com. 3°. 7ª. 244. C
ORGANICI *medici qui. 7°. de vſu par.* 1ª. 161. G
Organicus modus reponẽdi laxat, & ad quos valeat. d mac. 7ª. 309. C
ORGANA *diuerſa in homine cur. de ana. viuo.* Sp. 47. B
Organorum diſtinctio in regalia, & ſeruilia. de ana. vi. Sp. 45. D
Organa regalia quæ. de anat. viuo. Sp. 45. D
Organa particularia hñt particulares texturas. de ana. viuo. Sp. 43. F
Organa ita debet ſcire q vult ſcire oẽs facultates. 1°. d na. fa. 1ª. 292. F
in Organis ſunt figuræ, particularũ numerus, quantitas cuiuſque partis, & poſitura. 2°. meth. med. 7ª. 13. D
circa Organorum actiones errarunt omnes, qui circa partium vtilitatem peccarunt. 1°. de vſu par. 1ª. 114. H
Organum organorum manus cur. 1°. de vſu par. 1ª. 112. G
Organum apprehenſoriũ quo optime conſtit tũ. 1°. de vſu p. 1ª. 112. H
Organorum locutionis vas eſt os. de ana. viuo. Sp. 49. B
Organa locutionis in homine, & vociferationis in brutis ſunt dentes, labia, palatũ, lingua, vua, & duæ amigdalæ. de ana. viuo. Sp. 49. B
Organa linguæ quodammodo ſunt dentes noſtri. de na. et ord. Sp. 42. D
Organum non ſenſibile eſt cerebrum a natura. de voc. & anh. Sp. 60. C
Organorum reſpirationis qualitas. de compag. membr. Sp. 58. F
Organa ſpiritus ſunt pectoris muſculi. de ſperm ate. Sp. 36. G
Organorũ ſm genus p cõſuãdis nutrimẽti excremẽtis. 1°. d n. f. 1ª. 292. e
Organũ motus voluntarij eſt muſculus. de voce & anhel. Sp. 60. F
Organa ſpermatis ſunt venæ, & arteriæ. de ſper. Sp. 36. E
Organorum tertium genus pro deferendis bonis ſuccis per totum corpus. 1°. de nat. fac. 1ª. 292. E
Organorũ læſiones variæ ſm qd mẽbra hñt officia. d vti. reſp. 1ª. 226. d
Organum in id ipſum per quod ſanum exiſtens actionẽ iuuit, etiã egrotans læditur. 1°. de diff. reſp. 3ª. 61. C
Organa & mãteriæ quomodo dicãtur cauſæ. de cau. procatar. 3ª. 96. f
in Organis quam reſpirationem dolor faciat. 1°. de diff. reſp. 3ª. 61. G
vt Organũ eſt pars corpis, ita et pars artis in arte. de par. ar. Sp. 17. C
Organorum affectiones præter dolorem quam reſpirationem faciãt. 1°. de difficul. reſp. 3ª. 59. B
ORGANORVM *medicinalium differentiæ in genere. de machinamentis.* 7ª. 309. C
quæ Organa ſint machinamenta. de machin. 7ª. 309. D
Organa ex qua fiunt materia. de machin. 7ª. 309. D
quæ Organa ex robuſtiori materia fieri debeant. de machin. 7ª. 309. D
quæ Organa eſſe debeant ærea, & ferrea. de machin. 7ª. 309. D
Organa an ferrea, vel ænea potius eſſe debeant. de machin. 7ª. 309. D
Organa ex quibus conſtent partibus. de machin. 7ª. 309. E
in Organis quid ſint. Alæ, calces. de machin. 7ª. 309. F
in Organis alæ, dracones, fibulæ. de machin. 7ª. 310. B
in Organis Anuli ad quid. de machin. 7ª. 310. E
in Organis Axes ad quid. de machin. 7ª. 309. H
in Organis Bacula verſantia ad quid. de machin. 7ª. 309. H
in Organis Catenæ ad quid. de machin. 7ª. 309. G
in Organis Chiniſci ad quid. de machin. 7ª. 309. H
in Organis Claui ad quid. de machin. 7ª. 309. H
in Organis Columbaria cur inſcripta. de machin. 7ª. 310. B
in Organis quæ ſint Crura. de machin. 7ª. 309. F
in Organis quid faciant adiuncta crura. de machi. 7ª. 310. F
in Organis ad quem vſum ſint Cubiti. de machin. 7ª. 309. F
in Organis ad quem vſum ſit cuneus. de machin. 7ª. 310. A
in Organis Delphines dẽtibus incluſi qd, et ad qd. de mach. 7ª. 310. B
in Organis Dens quid ſit. de machin. 7ª. 310. D
in Organis Epipoma, & epipigma quid, et ad quid. de mach. 7ª. 310. a
in Organis Forfices ad quid. de machin. 7ª. 310. F
in Organis ad quid Lunatum lignum. de machin. 7ª. 310. A
in Organis Manubriola ductoria ad quid. de machin. 7ª. 309. H
in Organis quæ in eodem loco mouentur. de mnchin. 7ª. 310. F
in Organis locum mutantia quæ. de machin. 7ª. 310. F
Organa cum mouentur quæ partes ſint vſui. de machin. 7ª. 310. F
in Organis immobiles partes quæ. de machin. 7ª. 310. F
eorum quæ in Organis immobilia ſunt, quædam ſemper, & vbiq; immobilia ſunt, qdã & eximi, & inſeri poſſunt. de machin. 7ª. 310. F
in Organis periculum ad quid. de machin. 7ª. 310. E
Organa cur habeant opercula. de machin. 7ª. 316. G
in Organis Orbiculi ad quid. de machin. 7ª. 310. A
in Organis Phlix ad quid. de machin. 7ª. 309. H
in Organis Polus quid, & ad quid. de machin. 7ª. 311. A
in Organis Priapiſcus, ſtiliſcus, et ſcalmꝰ qd, et ad qd. d mac. 7ª. 310. E
in Organis ad quid Radices, & fibulæ. de machin. 7ª. 309. G
in Organis ad quid Spatha. de machin. 7ª. 309. G
in Organis teſtudines ad quid. de machin. 7ª. 310. B
in Organis, quæ ſint Tranſuerſaria. de machin. 7ª. 309. E
in Organis Trochleæ. ad quid. de machin. 7ª. 309. H
in Organis Tympanus quid ſit, & propter quid. de mach. 7ª. 310. B
in Organis Vertebræ ad quid. de machin. 7ª. 309. G
in Organis Vnci ad quid. de machin. 7ª. 309. G
Organa erecta quæ ſint. de machin. 7ª. 309. D
Organa Fabri, atque Andreæ. de machin. 7ª. 309. F
Organi fabri compoſitio. de machin. 7ª. 317. A
in Organo fabri ſedile quid. de machin. 7ª. 317. A
de Organi fabri motu. de machin. 7ª. 318. A
per Organum fabri quo modo reſtituatur humeri caput vbi in alam plapſum ſit. de machin. 7ª. 318. A
Organa plana quæ ſint. de machin. 7ª. 309. D
Organa cur plana collocantur. de machin. 7ª. 210. E
Organa tractoria quæ. de machin. 7ª. 309. C
Organa tractoria imperfecta ſunt. de machin. 7ª. 311. E
Organi tractorij motus quomodo fiat. de machin. 7ª. 311. E
quod Organum triſpaſtum ſit appellatum, & cur. de machin. 7ª. 316. F
Organorum vſus qui. de machin. 7ª. 309. E
ORICVLARIA nomen inſtrumenti. 6°. de ana. adm. 1ª. 92. H
Oricularium ſpecillum eſt ſyringa. de opti. ſect. Ifa. 25. B
Oricularij clyſteres. 5°. meth. meden. 7ª. 34. C
Oricularium clyſterem quo modo vocabant. 6°. de ſan. tu. 2ª. 100. B
ad ORIENTEM, *& occidentem ſitæ vrbes differunt, & ad auſtrum, et ſeptentrionem. de aere, aquis, & locis.* 2ª. 2. C
verſus Orientẽ fontes fluẽtes ſunt optimi, et quales. de bo. aq. Sp. 75. E
ORIENTIVM *à cerebro neruorum prima coniugatio. de muſculorum diſſectione.* 1ª. 53. C
Orientium a cerebro neruorum ſecunda coniugatio qualis, & vbi. de neruorum diſſectione. 1ª. 53. D
Orientium a cerebro neruorum tertia coniugatio qualis, & quorſum tendat. de nerno. diſſect. 1ª. 53. D
Orientium a cerebro neruorum quarta coniugatio qualis, & quorſum tendat. de neruo. diſſect. 1ª. 53. D
Orientium a cerebro neruorum coniugatio ſexta. de neruo. diſ. 1ª. 53. H
Orientium a cerebro neruorum coniugatio ſeptima. de ner. diſ. 1ª. 53. H
Orientium a capite neruorum miſcella qualis. de neruo. diſſ. 1ª. 54. A

Orientium à capite neruorum plurima portio in os vẽtriculi inſeritur. de neruo.diſſect. 1ª.54.C
Orientium neruorum à ſpinali medulla, quæ in collo eſt prima coniugatio quomodo procedat.de neruo.diſſect. 1ª.54.D
ORIENTALES clara voce, & ſolertia meliores his, qui habitant ad Aquilonem.quòd animi mores. 1ª.319.H
Oriẽtales ſunt aries,ſagittarius,leo,calidi,ignei,ſicci.de ſper.Sp.38.b
ORIFICIVM inferius ſtomachi dilatando, & conſtringendo mouetur horis determinatis.de anat.viuo. Sp.56.E
Orificia ventris duo,& ad quid.de nat.& ord.exiusl.cor. Sp.42.A
Orificia quæ quandoque aperiunt,& claudunt venæ meſaraicæ. de anatomia viuorum. Sp.56.E
Orificia vaſorum ſpermatis alarũ formã habent.de cõ.mẽb. Sp.59.C
Orificium matricis quando phlegmone laborat iuuat ſuccus centaureæ.de virtut.cent. Sp.94.A
Orificia venarum quid aperiat.de curà lap. Sp.112.H
Orificia hæmorrhoidum aperit ſectio ſaphenæ.de ana.viuo. Sp.55.H
ORIGINALE mel.ſecretorum. Sp.102.G
Origani copia vbi proueniat.1°.de antid. 5ª.101.E
Origanum in tertio gradu calidus,ſiccus,extenuans,& incidens.8°.de ſimp.med.fac. 5ª.57.E
Origanum eſt planta calida,& ſicca.de diſſ.cont. Sp.74.G
Origanum acre.de atten.vict.2°.43.H/9°.de ſimp.med.fac. 5ª.64.C/ 13°.metho.meden. 7ª.84.H
Origanum vires habet excalfactorias,acres,relaxantes,cuaporantes, ſuſpirioſis,tuſſientibus prodeſt,ſerpentes fugat,biles detrahit, ventrem detrahit,vrinam,& menſtrua prouocat.de ſim.me. Sp.88.E
Origanum exiccat.3°.de alim.fac. 2ª.26.D
Origanum hẽt vim ſubtiliãdi.de at.vi.2ª.43.H/c.1°.aph.24.Ex.10.G
Origanũ eſt tã cibus quã medicamẽtum calidum.3°.de tem. 1ª.24.D
Origanũ potius pro obſonio comeditur,quàm pro alimento.2°.de alimentorum facultatibus. 2ª.22.H
Origanum inter obſonia connumeratur.2°.de alim.fac. 2ª.23.F
Origanũ viride obſoniũ eſt,quod ſpõte prouenit.2°.de ali.fac. 2ª.25.D
cum Origano ficus ante cibũ quando conueniãt. 2°.de ali.fac. 2ª.17.F
cum Origano ſunt comedenda cerebra.de diſſ.cont. Sp.74.E
Origanum eſt cibus acutus incidens, & aperiens.de diſs.con. Sp.72.E
Origanum incidit.de curan.rat.per ſang.miſs. 6ª.19.A
Origanum detergit.8°.metho.med. 7ª.52.G
Origanum mundificat,& ſubtiliat.de diſs.cont. Sp.74.H
Origanum in aceto coctum naribus applicandum in lethargo. 13°.methodi medendi. 7ª.85.F
Origani decoctum in aqua mulſa diſcuſſorium parabile moderatũ. 6°. de comp.med.ſec.loc. 5ª.169.G
Origanum mulſa aqua infundens, & concoquens, bibendum propina in tertiana notha.1°.de arte cur.ad Glau. 7ª.97.E
Origanum in phlegmonis iecoris declinatione.13°.meth.me.7ª.84.A
ex Origano oxymel pro animi defectu,ex obſtructione membri principalis.1°.de arte cur.ad Glau. 7ª.99.F
Origanum in mellicrato ebullitum pro potu in animi defectu à multitudine.1°.de arte cur.ad Glauc. 7ª.99.B
Origanum in ſapa in Diamoro.6°.de comp.med.ſec.loc. 5ª.168.F
ex Origano,& ſapa confectum medicamentum.de cucur.ſcar. 6ª.4.E
ex Origano Paſtillus.5°.de comp.med.per gen. 5ª.252.A
pro Origano hyſſopũ, pulegium,thymum, thymbra, calamintha, aut menta odorata.6°.de comp.med.ſec.loc. 5ª.168.F
Origano aſſimilis eſt centaurea.de ſim.med. Sp.82.A
Origano ſimiles flores habens amomũ reprobat. de ſim.me. Sp.80.G
ORIGENIÆ compoſitio.7°.de comp.med.ſec.loc. 5ª.182.A
Origeniæ arteriaca.7°.de comp.med.ſec loc. 5ª.184.E
Origeniæ ad ſtomachi ſubuerſiones.8°.de com.med.ſec.loc. 5ª.188.F
Origo duorum neruorum colli vbi.de voce,& anhel. Sp.61.G
Origo reſpirationis vocis,& oĩum viriũ corporis.de vtil.re. Sp.63.F
Origo venarum, & arteriarum vnde.de vtil.reſp. Sp.63.G
Origo fluminum eſt à montibus.de vtil.reſp. Sp.63.H
ORIONIS Pexoris acopon.7°.de comp.med.per gen. 5ª.272.D
ORIRI idem quod procedere.4°.de ana.adm. 1ª.82.G
Oriri neruos alios ex ipſo cerebro,alios ex dorſali medulla dicendum eſt.de neruo.diſſect. 1ª.53.C
Oriuntur duo nerui à cerebro, qui diuiduntur in quatuor ramos tendentes ſupra coſtas.de voce,& anhel. Sp.61.H
non Oriri neruos a corde contra Ariſtotelis rõnẽ.de decre. 1ª.233.D
Oritur arteria maxima è ſiniſtro cordis ſinu.de decre.Hipp. 1ª.232.D
vnde Oriantur arteriæ mammarum, & quorſum tendant. de decretis. 1ª.232.G
ORITYPI qui dicantur.in 6ᵐ.de morb.vul.com.3°. 3ª.173.K
ORIZA eſt contraria alicæ.introd. Iſa.51.B
Oriza coquitur vt alica.1°.de alim.fac. 2ª.13.D
Oriza minus alitur quam alica.1°.de alim.fac. 5ª.13.D
Oriza ſuauior alica.1°.de alim.fac. 2ª.13.D
Oriza tarde digeritur.de diſſ.con. Sp.73.D
Oriza cibus craſſus.1°.de alim.fac. 2ª.28.B
Oriza ſiſtit aluum.1°.de alim.fac. 5ª.13.D
Oriza mediocriter ventrem ſiſtit.8°.de ſimp.med.fac. 5ª.57.F
Oriza ſtringit ventrem cum ſiccitate.de diſſ.con. Sp.75.B
Orizæ ſuccus quid operetur. de ſimp.med. Sp.90.A
Oriza cibus conueniens ſtomachicis. 8°.de compoſitione medic. ſecundum locos. 5ª.192.C
Oriza cocta cum butyro ad ſtomachi ardorem cum ſyncope.8°.de com. med.ſecun.loc. 5ª.192.A
ORMINVM cuius ſubſtantiæ, & naturæ, & vſus ſit. 1°.de alimentorum facul. 2ª.15.F
Orminum aere.de atten.vict. 2ª.43.H
Orminum attenuat.de atten.vict. 2ª.43.H
Orminum vrinam mouet.de cura icteri. Sp.111.D
ORNATISSIMAM vnam linguam diſcere procliuius eſt, quã ſexcentas deprauatas.2°.de diff.pulſ. 4ª.55.A
ORNAMENTVM capitis quod κεφαλὸν appellãt.de faſ. 7ª.297.B
de ORNATV corporis librum fecit Cleopatra.1°.de compo.med.ſec. loc.123.D/126.A/ 5ª.131.C
de Ornatu librum fecit Crito.1°.de cõ.med.ſec.loc.123.B/126.C/5°. 159.F/160.D/7°.de comp.med.per gen. 5ª.273.F
de Ornatu librũ fecit Moſchio.1°.de comp.med.ſec.lo. 5ª.124.E
OROBANCHE, id eſt Eruangina.8°.de ſimp.med.fac. 5ª.57.E
Orobos id eſt Eruum.8°. de ſimp.med.fac. 5ª.57.E
Oroborum colores.1°.de alim.fac. 2ª.15.D
Orobus inſuauiſſimus, & praui ſucci.1°.de alim.fac. 2ª.15.C
Orobo veſcuntur boues non homines.1°.de alim.fac. 2ª.15.C
Orobus quo modo comedatur.1°.de alim.fac. 2ª.15.C
Orobo ſi veſcamur genua dolent.com.3°.apho.16°. Ex.23.B
Orobum eſſe cibum craſſum collige.com.4°.aph.76°. Ex.36.C
Orobus quid faciat.de vict.rat.in morb.acut.com.2°. 7ª.116.H
Orobus facit capillitium dictum morbum.com.4°.aph.76°. Ex.36.C
Orobis ſedimina aliqua ſunt ſimilia.com.4°.aph.76°. Ex.36.E
Orobo ſimiles ſubſtantiæ quales.in 6ᵐ.de morb.vul.c.1°. 3ª.155.F
Orobo ſimiles hypoſtaſis quid ſignificet.de vri. 4ª.124.D
Orobus aperit.de ocul. 7ª.188.E
Orobus deſiccat.de alimen.fac. 2ª.15.D
Orobus purgat pulmonem,& thoracem. 1°.de alimentorum facultatibus.2ª.15.D/de cathar. Sp.95.B
Orobo erratico vtitur in cura veſicæ.de dyn. Sp.20.A
ex Orobo fotus quales.de vic.rat.in morb.acut.com.2°. 7ª.116.F
Orobi farinæ vires quales.de ſimp.med. Sp.88.E
ex Orobi farina,& oxymele cataplaſma.2°.de ar.cu.ad Gl.7ª.102.d
cum Orobi farina,& lolij oxymel ad putreſcentia valet.2°.de ar.cur. ad Glauconem. 7ª.106.H
Orobi farina cum melle cruſtas optime diſrumpit. 2°.de arte curatiua ad Glauconem. 7ª.107.B
pro Orobi farina,farina fabarum.2°.de arte cur.ad Glau. 7ª.106.H
OROBVS nomen ponderis.de pon.& menſ. 5ª.277.F
ORONTIVS herba.9°.de comp.med.ſec.loc. 5ª.198.C
ORPHEVS Theologus venenorum compoſitiones ſcripſit. 2°.de antidotis. 5ª.114.F
ORPHITI meminit.7°.de comp.med.ſec.loc. 5ª.271.F
Ορθὸν κυλλον quid ſit.de arti.com.3°.279.F/ 7ª.280.G
Orthonis ad alopecias inueteratas medicamentum. 1°.de compoſitio. med.ſecundum locos. 5ª.123.D
de ORTHOPNOEA. 7°. de comp.med.ſec.loc. 5ª.186.C
Orthopnœa quæ ſit.in 1ᵐ.prorrh.com.2°. 4ª.176.A
Orthopnœa quæ,& vnde fiat.in 6ᵐ.de mor.vul.com.4°. 3ª.180.A
Orthopnœa aſthmatis ſpecies,com.6°.aph.46°. Ex.52.A
Orthopnœa meminit.in 3ᵐ.de morb.vulg.com.2°. 3ª.136.B
Orthopnœa quando fiat.4°.de loc.aff. 4ª.28.F
Orthopnœa in quibus fiat morbis.in 1ᵐ.prorrhe.com.2°. 4ª.176.A

Orthopnœa ſequitur

Orthopnœa ſequitur ad pulmonis inflãmationẽ. 2°. de lo. aff. 4ª. 13. A
Orthopnœa quo mõ fiat. 1°. de diff. reſp. 3ª. 59. D/de ana. pa. Sp. 43. A
Orthopnœæ reſpiratio qualis. 1°. de diff. reſp. 3ª. 59. D
Orthopnœæ pulſus qualis. de pul. ad tyr. 46. B/4°. de cau. p. 4ª. 103. A
Orthopnœa laboranti cathartica adhibemus. de dyna. Sp. 20. E
Orthopnœa ſicca quæ. de vict. rat. in morb. acut. c. 4°. 7ª. 137. D
Orthopnœa ſicca in qua pus non ſubit ſanguinis miſſione prius ĩdiget q̃ euacuatione. de vict. rat. in mor. acut. c. 4°. 7ª. 137. B
in Orthopnœa cauenda ſunt valde refrigerantia, & calefacientia. 7°. de comp. med. ſe. lo. 5ª. 186. G
Orthopnœam iuuat nigella. 7°. de ſimp. me. fac. 5ª. 55. D
Orthopnœæ prodeſt rha. 8°. de ſimp. me. fa. 5ª. 59. E
Orthopnœis competit ſeſeli. 8°. de ſimp. me. fa. 5ª. 60. C
℔ Orthopnœa vrina pueri. 10°. de ſimp. me. fa. 5ª. 75. F
ad Orthopnœam Andronici. 7°. de comp. me. ſe. lo. 5ª. 187. A
ad Orthopnœas Apollonij. 7°. de comp. med. ſe. lo. 5ª. 187. A
ad Orthopnœam Soſicratis. 7°. de comp. me. ſe. lo. 5ª. 187. A
ORTHOPNOICI qui dicantur, & vocentur. 7°. de comp. medi. ſecundum locos. 5ª. 186. C
Orthopnoici quo modo ſpiritum hñt. in 3ᵐ. de mor. vul. c. 2°. 3ª. 136. B
in Orthopnœis denſus, & magnus fit ſpũs. 3°. de diff. reſp. 3ª. 71. C
Orthopnoicis quæ conueniant. 6°. de comp. me. ſe. lo. 5ª. 186. G
Orthopnoicos iuuat ſuccus centaureæ. de virt. cent. Sp. 94. A
Orthopnoicis vtiliter datur colocynthis. de dina. Sp. 21. D
ad Orthopnoicos Valentis. 7°. de comp. me. ſe. lo. 5ª. 187. A
ad Orthopnoicos. 7°. de cõp. me. ſ. l. 185. H/186. H/187. A/. 5ª. 198. G
ORTVS, & interitus an ſint. de hiſt. philo. Sp. 5. D
Ortus animalium quo modo fiat. de hiſt. philo. Sp. 11. D
Ortus corneæ tunicæ. de ana. viuo. Sp. 48. F
Ortus corneæ vnde ſit. de anat. ocul. Sp. 57. D
Ortus tunicæ ſecundinæ. de ana. viuo. Sp. 48. D
Ortus ſecundæ tunicæ oculi. de anat. ocul. Sp. 57. E
Ortus tertiæ tunicæ oculi. de ana. ocul. Sp. 57. E
Ortus araneæ tunicæ. de ana. viuo. Sp. 48. E
Ortus retinæ tunicę. de ana. viuo. Sp. 48. E
Ortus vuæ. de ana. viu. Sp. 48. F
Ortus ſcleroticæ tunicæ. de ana. viu. Sp. 48. F
Ortus albuginis oculi. de vtil. reſp. Sp. 63. D
Ortus caloris, & omniũ eſt a corde, ſm Ariſt. de ana. viu. Sp. 45. H
Ortus duarum arteriarum cordis vnde. de ana. viu. Sp. 47. E
Ortus quatuor muſculorum aſperæ arteriæ peculiarium, qui illã contrahunt, & arctant. de muſ. diſſ. 1ª. 46. A
Ortus muſculorũ propriorũ gutturis. qui sũt duo. de muſ. diſſ. 1ª. 46. B
Ortus muſculi ab oſſe guttur ambiente. de muſ. diſs. 1ª. 45. C
Ortus muſculorum mouentium linguam. de muſ. diſſ. 1ª. 46. G
Ortus lacerti mouentis linguam. de mot. man. & obſ. Sp. 68. D
Ortus muſculorum facientium obliquum linguæ motũ. de muſculorũ diſſectione. 1ª. 46. F
Ortus muſculorũ mouentium maxillã inferiorem, & poſteriorẽ partẽ, vbi. de muſ. diſſ. 1ª. 44. H
Ortus arteriarũ crurum. 1°. de decr. Hipp. 1ª. 233. B
Ortus cauæ venæ vnde. de ana. viu. Sp. 50. H
Ortus meſaraicarum. de ana. viu. Sp. 50. B
Ortus neruorum vnde. de ana. viu. Sp. 43. H
Ortus neruorum partim à cerebro, partim à ſpinali medulla. de motibus manifeſtis, & obſcuris. Sp. 66. F
Ortus primi paris neruorum, ſecundi, tertij, quarti, vltimi, vnde ſit. 1°. de dec. Hipp. 1ª. 232. F/G
Ortus quintæ neruorum coniugationis a cerebro orientiũ, vñ. de neruorum diſſectione. 1ª. 53. G
Ortus nerui auditorij qui. de ner. diſſ. 1ª. 53. G
Ortus triginta parium neruorũ, & vnius ſine pari a ſpinali medulla. de ana. viu. Sp. 53. H
in Ortu dorſi medullæ vulnerati boues habẽt ſanguinem in aliquo vẽtriculo. de dec. Hipp. 1ª. 231. G
Ortus muſculorum oſſis lambdæ. de muſ. diſſ. 1ª. 46. E
Ortus muſculorum, qui ex occipitio naſcuntur. de muſ. diſſ. 1ª. 45. F
Ortus à capite muſculorum, qui inſeruntur ceruici, ſunt cõmunes capiti, & ceruici. de muſ. diſſ. 1ª. 46. H
Ortus muſculorũ, qui dant capiti, propriũ motũ. de muſ. diſſ. 1ª. 45. D
Ortus muſculorum qui ſunt proprij ceruicis. de muſ. diſſ. 1ª. 46. H
Ortus muſculorũ, qui trahũt ſcapulas ad caput. de muſ. diſſ. 1ª. 45. A
Ortus muſculorum qui retro abducunt ſcapulã. de muſ. diſſ. 1ª. 45. C
Ortus parui muſculi, qui in humeri dearticulatione ſitus eſt. de muſculorum diſſectione. 1ª. 47. G
Ortum vnde habeat Zigoma, id eſt iugale. de muſc. diſs. 1ª. 44. H
Ortus muſculi qui eſt ſub vnaquaq; clauicula. de mu. diſs. 1ª. 46. C
Ortus muſculi mouẽtis brachiale apud paruũ digitũ. d mu. di. 1ª. 48. H
Ortus muſculi mouentis brachiale apud magnum digitum. de muſculorum diſſectione. 1ª. 48. H
Ortus muſculorum cubiti. de muſ. diſſ. 1ª. 48. B
Ortus muſculorum mouentium dearticulationem cubiti. de muſculorum diſſectione. 1ª. 47. G
Ortus muſculorum obliquorũ mouentiũ radiũ. de muſ. diſ. 1ª. 49. A
Ortus muſculi, qui magnum digitum longiſſime ab indice abducit. de muſculorum diſſectione. 1ª. 49. B
Ortus muſculi thoracẽ dilatãtis magna dilatiõe de muſ. di. 1ª. 47. A
Ortus fibrarum dilatantium thoracem. de muſ. diſſ. 1ª. 49. D
Ortus muſculorum ſpinam flectentium. de muſ. diſs. 1ª. 49. G
Ortus pſoæ, ſeu lumbi, qui eſt muſculus haud exiguus. de muſculorũ diſſectione. 1ª. 50. G
Ortus octo muſculorum abdominis. de muſ. diſſ. 1ª. 49. H
Ortus duorum muſculorũ deſcendentiũ ad teſtes. de muſ. diſs. 1ª. 50. D
Ortus maximi muſculi abdominis. de muſ. diſs. 1ª. 47. B
Ortus pleiadum quando. de dyna. Sp. 20. B
Ortus coralli in luto. de ana. vi. Sp. 50. G

OS quod. introductio. If. 53. B

Os paruum cur homini datum. 11°. de vſu par. 1ª. 187. F
Os maxrmum, & dentibus refertum habent animalia mordẽtia. 11°. de vſu part. 1ª. 187. F
Os conuenienter fuit in capite. 8°. de vſu par. 1ª. 167. A
Oris moli debet eſſe adaptata lingua. 11°. de vſu par. 1ª. 187. G
in Ore conuenienter lingua. 8°. de vſu par. 1ª. 167. A
Oris Cameli membrana interior cur aſpera eſt. 6°. de an. adm. 1ª. 90. E
Oris cornigerorum membrana interior cur aſpera. 6°. de anatomicis adminiſtrationibus. 1ª. 90. E
de Oris anatomia. de ana. viu. Sp. 49. B
Oris omniũ partiũ cur vna tunica continua. 4°. de vſu par. 1ª. 137. B
Ori, & naribus tunica communis quæ. 9°. de vſu par. 1ª. 176. E
Oris partes calidæ, & humidæ ſunt. 9°. de ſimp. me. fa. 5ª. 69. B
Oris ſpatium irrigant glandulæ. 2°. de ſem. 1ª. 340. D
in Os cur ſaliuam mittunt glandulæ. 2°. de ſem. 1ª. 340. D
in Ore duo foramina quæ. de ana. viu. Sp. 49. B
Oris officia intro. Iſa. 54. A
Os propter quid creatum. de ana. viu. Sp. 49. B
in Ore quinq; functiones. 4°. de ana. adm. 1ª. 80. A
Os eſt vas nutrimenti introd. Iſa. 54. B
Os eſt ciborum introitus. 1°. de nat. fac. 1ª. 292. F
Os via nutrimenti maxima communis, & publica ad vẽtriculum. 4°. de vſu par. 1ª. 135. G
Os primum alimenti principium. 2°. de dec. Hipp. 1ª. 240. F
Ori præparant alimentum, elixatio, aſſatio, & madefactio. de bonitate & vitio ſuccorum. 2ª. 37. A
Os preparat alimentum ventriculo. de bo. & vi. ſuc. 2ª. 37. A
in Ore fit aliqua coctio. 3°. de nat. fa. 1ª. 304. A
in Ore ciborum alteratio quanta. 3°. de nat. fa. 1ª. 304. A
ad Os vſque peruenit ſtomachus in quibuſdam piſcibus. de motibus manifeſtis, & obſcuris. Sp. 71. A
in Os quibus animalibus ventriculus fertur in magna cibi appetentia 3°. de nat. fac. 1ª. 304. H
Os idẽ deſeruit diuerſis tpib⁹ iecori, et medicamẽto. 3°. d na. f. 1ª. 306. C
Os principium ſpiritus. 2°. de dec. Hipp. 1ª. 240. G
per Os, & nares fit reſpiratio. in tim. Plat. 1ª. 288. G
per Os, nares, & pharyngha animalia inſpirantia habet pulmonem, & dextrum cordis ventriculum. 6°. de vſu par. 1ª. 150. F
per Os quo tempore animalia ſpirant. 11°. de vſu par. 1ª. 188. F
per Os aſthma cogit inſpirare. 11°. de vſu par. 1ª. 188. F
Os eſt ſecundum inſtrumentũ reſpirandi quando naſus eſt affectus. 11°. de vſu par. 1ª. 188. F
per Os ſpiritus partim ad cerebrum, partim ad cor accedit. de cauſis reſpirationis. 1ª. 226. H
Os contrahitur in trahendo ſpiritu. de vſu pul. 1ª. 228. E
Os neque odorat, neque ſentit. de inſtr. odor. 1ª. 110. F

Os eſt vt receptaculum uocis. de uoc. inſtr. diſſ. 1ª.106.E
Os eſt vas organorum locutionis. de ana. viu. Sp.49.B
Oris partes habent quinque motus diuerſos. 4°. de ana. adm. 1ª.80.F
in Ore quinq; muſculorum genera. 4°. de ana. adm. 1ª.80.B
Oris labra abſq; oſſe mouentur. 1°. de motu muſ. 1ª.309.E
Os animalis quomodo aperiatur. 11°. de vſu par. 1ª.185.D
Os animalis quo modo claudatur. 11°. de vſu par. 1ª.185.D
Os quibus claudatur, & aperiatur. 11°. de vſu par. 1ª.192.E
Os aperiẽtes muſculi diſſimiles ab omnibus alijs muſculis. 11°. de vſu partium. 1ª.185.G
in Ore multum aperto poſſumus fauces diligentius inſpicere. commẽtario. 4°. aph. 34°. Ex.31.C
Os & oculi cur in aliqbus teneãtur aperti. com. 6°. aph. 52°. Ex.53.A
Os clauſum habere ſitim prohibet. in 6ᵐ. de mor. vul. cõ. 3°. 3ª.178.A
Os per eandem viã attrahit, & expellit. 3°. de nat. fac. 1ª.306.H
ꝑ Os, & ꝑ nares cur ampli ſint meatus cerebri. 9°. de vſu. pa. 1ª.171.D
ꝑ Os cerebri mucus excernitur. de inſtr. odor. 1ª.110.D
Oris excremẽtũ recipit i gula, & in aſpa arteria. 6°. de ſa. tu. 2ª.98.E
in Os promptiſſime caput tranſmittit. 6°. de ſan. tu. 2ª.98.E
ꝑ Os purgantur ſuperiores partes laborantes. 13°. met. me. 7ª.84.G
ꝑ Os ſumpta quas partes purgent. 13°. met. me. 7ª.84.G
ꝑ Os, & nares deriuandum ſi fluãt ſucci ad oculos, vel aures. de cucurbitulis ſcarificatione. 6ª.4.E
ad Os auertenda materia auriũ ex vlcerationib⁹. 6°. de ſa. tu. 2ª.100.C
ꝑ Os reſpirationẽ hẽt phlegma. de nat. & ord. cuiusl. corp. Sp.41.E
ꝑ Os, & per anũ qũo curent vlcera inteſtinor. 5°. met. me. 7ª.34.D
in Ore ſentiuntur quæ in angulis oculorũ ponunt. de ana. vi. Sp.49.A
ꝑ Os ſemen accipit vipera. de theria. ad Piſo. 5ª.93.C
Os humectant & ſitim extinguũt balnea ex aquis potabilibus. in 6ᵐ. de morbis vulgaribus, com. 6°. 3ª.195.B
qbus Os, & lingua facile deſiccatur aloem damus. de dyna. Sp.20.G
ad Os & nares ſi odor ſuffitus per corpus aſcendat, mulier q̃ non concepit, ex ſe non eſt ſterilis. com. 5°. aph. 59°. Ex.43.C
ex Ore ſanguis expellitur ſimplici expuitione. 4°. de loc. aff. 4ª.25.F
ꝑ Os emiſſus sãguis qualiſcũq; ſit, malus. c. 4°. ap. 17°. 18°. Ex.29.A/B
ꝑ Os, pus aqua vel ſanguis effluens caput dolenti morbũ ſanat. com. 6°. aphoriſmo. 10°. Ex.47.C
Oris excretiones etiam paruæ ſi exeant ad bonum terminantur. com. 4°. aphoriſmo. 47°. Ex.32.H
Ore qdã ſanabat acrocordonas, & myrmecias. 14°. me. me. 7ª.92.H
Ore quidam virus exugunt. 13°. met. me. 7ª.82.D
in Ore ſputũ, & pituita eſt lichenũ remediũ. 3°. de nat. fac. 1ª.304.B
Os cur ſputo plenum vomituris. in 1ᵐ. pror. com. 1°. 4ª.167.E
Ori non confert abſinthium. 14°. met. me. 7ª.88.D
Ori frigidum mordax. 4°. de ſimp. me. fac. 5ª.24.C
ꝑ Oris affectibus gradus ponit medicamentorum. 6°. de cõpoſi. medi. ſecundum locos. 5ª.171.F
ad Os medicamẽta dicunt ſtomatica cur. 6°. de cõp. me. ſe. l. 5ª.166.H
Os gaudet ſimilibus medicamentis. 9°. de ſimp. med. fa. 5ª.69.B
ad Oris curationem cur non ſunt accipienda fortia, & venenoſa. 6°. ꝺ comp. me. ſe. lo. 5ª.167.B
Oris morbi qui. introductio. Iſa.59.C
Oris ægritudo erit dentis amiſſio. de diff. mor. 3ª.4.H
in Ore partes exiſtentes ſi ex capite ægrotent, quomodo curandæ. 6°. de ſan. tuenda. 2ª.100.A
in Oris affectibus venam humeralem incide. 13°. met. me. 7ª.83.B
ad Oris affectus, & ptiũ eius valet ſucc⁹ cẽtaureæ. ꝺ vi. cẽt. Sp.93.D
ad Oris affectus dianucum. de reme par. fac. 7ª.157.H
ad Oris affectiones. 6°. de comp. me. ſe. lo. 172. A/ 5ª.176.C
Oris Amaritudo vnde fit, & quomodo fiat. c. 4°. aph. 17°. Ex.29.B
Os amarũ, & ſiccũ ſemp hẽt conceptus in horis bilis. de ſper. Sp.37.C
Os amarum eſt in morbis ex thorace. de dynam. Sp.19.G
Oris amaritudo ſignificat purgationem per ſuperiora fieri debere. cõmen. 4°. aph. 17°. Ex.29.B
ꝑ Os purgatio particularis ex apophlegmatiſmis faciẽda eſt poſt vniuerſalem purgationem. 1°. de comp. me. ſe. lo. 5ª.121.F
ad Oris Ariditatem. de med. fa. par. 7ª.173.E
in Ore oſſa vbi carie tentantur quid agendũ. 5°. met. me. 7ª.34.C
de Oris Cruſtis. 6°. de comp. me. ſe. lo. 5ª.171.G
ad Oris cruſtas Archigenis. 6°. de comp. me. ſe. lo. 5ª.172.B
ad Oris cruſtas Critonis. 6°. de comp. me. ſe. lo. 5ª.172.A
ad Oris cruſtas paſtillus. 6°. de comp. me. ſe. lo. 5ª.172.A
ad Oris cruſtas. 6°. de comp. me. ſe. lo. 171. D/ 172. A/3°. 5ª.188.G/
de reme. par. fac. 7ª.158.A
Os ſæpe Dolet hoĩ cõcepto in tribus horis ſanguinis. de ſper. Sp.37.B
Oris, & lingue dolores lẽtiſcino oleo curanĩ. 5°. de cõ. me. ſ. l. 5ª.162.H
Oris fœtor non dẽt ineße medico. in 6ᵐ. de mor. vul. cõ. 4°. 3ª.181.H
Oris bonus odor debet adeſſe medico. in 6ᵐ. de mo. vu. cõ. 4°. 3ª.181.H
ꝑ Oris putore Amomum, & folium malabathri. in 6ᵐ. de morb. vul. commentario. 4°. 3ª.182.A
Ori fœtoris confert ſectio venæ quæ eſt inter mentum, & labium inferius. de anat. viu. Sp.55.B
ad Oris fœtorem. 5°. de comp. me. ſe. lo. 5ª.165.D/*de dynam.* Sp.25.C/*5°. de compoſitione medica. ſe. lo.* 5ª.166.B/*de remediis paratu facilibus. 157. F/* 7ª.164.B
ad Oris tetros abſq; vlcere odores. de med. par. fac. 7ª.164.A
ab Ore ſanguinis fluxus remedia. de med. fac. par. 7ª.164.B
Os humidum, & fœtidũ iuuat ſuccus cẽtaureæ. de vir. cent. Sp.93.D
Oris inflammatio quid efficiat. in prognoſt. com. 2°. 4ª.203.A
ex Oris phlegmone exit aliquid. 13°. met. me. 7ª.84.H
ad Oris inflammationem quomodo inuenienda medicamenta. 6°. de cõ poſi. med. ſe. lo. 5ª.166.H
Oris inflãmationes quo modo ſm tpa curandæ. de re. par. fa. 7ª.157.G
in Oris inflãmationibus muſtũ quo modo in principio augmento, & ſtatu bonum. 6°. de comp. me. ſe. lo. 5ª.169.C
in Oris inflammationum ſtatu quibus vtendum. in 6°. de comp. medi. ſecundum locos. 5ª.168.F
in Oris phlegmone deriuandum ad nares. 13°. met. me. 7ª.83.B
in Oris phlegmone euitãda q̃ ꝑ os pituitã euocãt. 13°. me. me. 7ª.83.A
nec Ori nec oculis oleũ adhibendũ in phlegmone. 13°. me. me. 7ª.83.C
ad Oris phlegmonas congruit aloe. 6°. de ſimp. me. fa. 5ª.42.C
Oris phlegmonas ſanat butyrum. 10°. de ſimp. me. fac. 5ª.74.C/D
Oris phlegmonas mitigat lac gargarizatũ. 10°. ꝺ ſimp. me. f. 5ª.73.H
ad Oris phlegmonas valet Lycium. 7°. de ſimp. me. fac. 5ª.54.G
ad Oris inflãmationes. 6°. de comp. me. ſe. loc. 169. G/ 171. D/ 5ª.172.A/*de reme. par. fac.* 7ª.157.G
Oris Mollities in pueris non ſuſtinet tactũ, neq; lac p̃ſertim ſi habent multam ſeroſitatem. com. 3°. aph. 24°. Ex.25.A
Oris partes ne remolleſcant facit acetũ ſcillinũ. de med. f. pa. 7ª.78.C
ad Oris nomas. 6°. de cõpoſi. med. ſecun. loc. 172. A/ 7°. 181. G/ 5ª.*de comp. med. per gen.* 5ª.254.D
ad Oris puſtulas. 6°. de comp. me. per. ge. 5ª.260.B
in Ore cur Putredo cito fiat. 6°. de comp. me. ſec. loc. 5ª.171.G
Oris putredinibus, & depaſcentiis malignis confert ſuccus cẽtaureæ. de virtute centaureæ. Sp.93.D
ad Oris putrefactiones. 5°. de comp. me. ſe. lo. 5ª.165.H/ 6°.172.D/*de reme. par. fac. 157. H/* 7ª.158.A
in Ore fit relaxatio. de mult. 3ª.78.G
ad Oris paralyſim. de cura. lap. Sp.112.F
Ori quando Rheuma frequenter nocet. de dyna. Sp.20.E
Os tortum quo mõ fiat. in 3ᵐ. de mor. vulg. c. 1°. 127. F/ 3ª.128.A
Oris torturæ quid valeat. de cura. lap. Sp.112.F
Oris vitio aut vulneri vnguentum bonũ. de dyna. Sp.25.D
ad Oris vitia. 5°. de cõp. me. per ge. 5ª.251.E/*de med. pa. fa.* 7ª.164.A
ad Oris omnia vitia. 5°. de cõp. me. ſe. lo. 165. H/ 6°. 5ª.171.C
Oris Vlcera morbus paruus. de theria. ad Piſo. 5ª.99.A
Oris vlcera cur æſtate fiant. com. 3°. aph. 21°. Ex.24.D
in Ore vlcera, & putredines efficit ſanies a capite. 6°. de ſ. t. 2ª.98.F
Oris vlceribus cõfert ſectio venarum labiorũ. de ana. viu. Sp.55.A
in Ore vlcera maligna atramento ſutorio vtuntur. 6°. de compoſi. me. ſecundum locos. 5ª.169.B
Oris vlcerationis confert ſuccus centaureæ. de vir. cent. Sp.93.D
Oris vlceribus aphthodeſi, & ipſis aphtis accommoda ſunt cyperi folia commanſa. 7°. de ſimp. me. fac. 5ª.53.H
Oris vlceri conueniunt cyperi radices. 7°. de ſimp. me. fa. 5ª.53.H
ad Oris vlcera putreſcentia valet dyphriges poſt cadmiam repertus. 9°. de ſimp. me. fac. 5ª.69.B
Oris vlcera ſanant rubi folia & germina recenter nata ſi mandant. 6°. de ſimp. me. fac. 5ª.44.F
ad Oris vlcera, & aphthas. 6°. de comp. me. ſe. lo. 5ª.170.C
ad Oris putreſcentia vlcera competit terra armenia. 9°. de ſimp. med. facul. 5ª.66.G
ad Oris vlcera, & putredines. de med. par. fac. 7ª.164.B
ad Oris vlcera ſerpentia. 4°. de comp. me. ſe. lo. 5ª.152.C

ad Oris vlcera.6°.de com.me.fe.lo. 5ª.171.A. 5°.met. me.34.C/de med.fac.par.164.E. 7ª.174.G
añ os gulæ sunt duæ amygdalæ quasi duæ auriculæ. đ an.vi.Sp.49.F
Os ventris cor vulgo dicitur.1°.de symp.cauſ. 3ª.17.G
Os ventriculi cor dr̃,& cur valde ſentit.in progno.cõ.3°. 4ª.110.F
Os ventriculi cor ab antiquis dicebatur.3°.de criſibus.4ª.144.E/cõmentario.4°.aph.65°. Ex.34.D
Os ventriculi cur ab antiquis cor dictũ.5°.de loc.aff. 4ª.32.E
pro Ore ventriculi ſtomachus accipitur.3°.de lo.af.20.A/1°. de pul. ad Tyron.4ª.46.D/de victꝰ.rat.in mor.acu.com.4°. 7ª.140.G
Os ventriculi quando ſtomachus dicitur.6°.de loc.aff. 4ª.41.B
Os ventriculi ſtomachus dicitur vſitato noñe.de pſag.ex.inſ.4ª.217.F
Os ventriculi vulgus ſtomachũ vocauit.4°.de cauſ.pulſ. 4ª.103.C/12°.methodi medendi. 7ª.80.A
Os ventriculi tpe Galeni ſtomachus vocabatur.5°.de lo.af. 4ª.32.F
Os ventris qũo ſtomachus dr̃.de venæ ſect.adu.Eraſ.:4.G/6ª.15.G
Os ventriculi ſtomachus per abuſum dicitur. 8°.me.me. 7ª.53.C
Os ventriculi diſtinguitur à ſpatio ipſius.1°.de loc.aff. 4ª.6.C
Os ſtomachi duplex,& eorum natura.de ana.viu. Sp.49.G
Os,ſtomachus, vẽtriculus vna tunica iungunt.7°.de vſu p.1ª.157.D
Ori toto,& ventriculo cõmunis eſt tunica.in progn.cõ.3°.4ª.210.G
ante Os ſtomachi cur poſita fuerit chartilago.de ana.viu. Sp.55.D
Os ſtomachi vbi incipit.de ana.parua. Sp.43.A
Os ſtomachi eſt in duodecimo ſpondyli.de ana.viu. Spu.49.F
Os ventris manifeſte ſentit.de victꝰ.rat.in mor.acu.com.3°.7ª.127.H
Os ventris exactiſſimum hẽt ſenſum.1°.de ſymp. cau. 3ª.17.G
Os ventriculi cur excellentes ſentit.1°.de ſymp.cauſ. 3ª.17.H
Os ſtomachi ſenſibile eſt maxime,& quid ſentiat.de an.vi. Sp.49.G
Os vẽtriculi propter quid hẽt ſenſum potiorẽ omnibus partibus corporis.3°.đ loc.aff.4ª.18.C/de voce & anhel. Sp.61.H
in Os ventriculi inſeritur plurima portio neruorum orientiũ à capite de neruorum diſſectione. 1ª.54.C
Os ventriculi magnos hẽt neruos à cerebro.1°.de ſym.cauſ.3ª.17.A
ad Os ventriculi à cerebro neruorũ magnitudo.3°.de lo.aff. 4ª.18.C
ad Os ventriculi a cerebro nerui multi.5°.de loc.aff. 4ª.32.G
Os ſtomachi eſt magis neruoſum gula.de ana.viu. Sp.49.F
Oris hõi ſenſus ĩ qbuſdã nõ refert acetũ vel ſinapi.3°.đ lo.af.4ª.20.G
Os vẽtriculi acra medicamẽta nõ fert.2°.de arte cur.ad Gl. 7ª.103.D
Oris ſtomachi actio eſt deſiderium.de motibus man.& obſc.Sp.70.H
Os vẽtriculi inſtrumentũ appetentiæ.5°.de lo. aff. 4ª.32.H
Os vẽtriculi appetit,nõ cõcoqt.de victꝰ.ra.ĩ mor.acu.cõ.1°. 7ª.111.F
Oris ventriculi quinque ſymptomata pro fame inducẽda. 1°.de ſymptomatum cauſis. 3ª.18.A
Oris ventris ſymptomata pertinent ad tactũ.1°.de ſym.cau.3ª.17.G
Oris vẽtriculi ſymptomata lõge maiora sũt q ſũdi.5°.đ l.af.4ª.33.A
Os ſuũ ventriculus claudit poſt cibũ ſumptũ, intellige inferius.2°.de ſymptomatum cauſis. 3ª.21.F/C
Os uẽtriculi inferius qñ apiaĩ nõ cocto cibo.2°.de ſymp.cau.3ª.21.C
de Oris ventriculi affectibus.de remed.par.fac. 7ª.185.F
Oris ventriculi affectus vnde.4°.de lo.aff. 4ª.29.C
ob Oris ventriculi affectus qui morbi ſequanť.5°.de lo.aff. 4ª.32.E
Os ventriculi appetentiam prohibet,& cibos natantes corrũpit propria ratione.4°.de lo.aff. 4ª.32.E
Os ventriculi per ſeipſum inducit inappetentiam diminutã,& vitioſã inappetentiam.1°.de ſympt.cauſ. 3ª.17.H
ex Ore ventriculi citta,& pica.5°.de lo.aff. 4ª.32.H
Os ventriculi læſum ſignificat appetentiam canũ,& ciborũ malorũ. 5°.de loc.affectis. 4ª.32.H
in Ore ventriculi quo ſit appetentia canina.6°.de lo.aff. 4ª.37.H
Os ventris nauſeas habentis,& uentrem retinentẽ quid adſtringens poſt cibum ſumptum deijcere faciat.6°.de ſan.tu. 2ª.99.E
Os ventriculi cibos corrumpit natantes.5°.de loc.aff. 4ª.32.E
Os ventriculi ſupinat,& humectat chõdri ſorbitio.de victꝰ.ra in morbis acutis,com.1°. 7ª.111.F
ex Ore ventriculi ſymptomata.5°.de loc.affe. 4ª.32.G
Oris ventriculi affectus qui.de curan.rat.per ſang.miſſ. 6ª.16.F
Os ventriculi affectus ſunt nauſea,cordis dolores,& ſingultus.5°.de locis affectis. 4ª.32.H
Os ventris quibus refrigeretur.1°.de ſymp.cauſ. 3ª.18.G
Oris ventricnli perfrigerationem facit viduarũ perfrigeratio in vtero,& ijs quæ non purgantur.1°.de ſymp.cauſ. 3ª.18.G
Os ventriculi ſtomachum ue perfrigerãt fungi bupreſtres,ceruſa,gypſum,& lac coagulatum.1°.de ſymp.cauſ. 3ª.18.G
in Ore ventriculi bilis magis colligitur.2°.de cõp.me.ſe.lo.5ª.135.D
Os ventris cum amara bili abũdat,aut imbecillũ eſt, aut ſupra modũ ſenſibile eſt ſanguis non detrahendus.9°.met.me. 7ª.57.B
Oris ventriculi imbecilli curatio.in progn.com.1°. 4ª.191.G
ad Oris ventriculi imbecillitatẽ chia maſtiche.in nardino.8°.methodi medendi. 7ª.53.C
pro Ore ventriculi imbecillo ceratum.8°.me.me. 7ª.53.D
Os ventriculi roborant adſtringentia,& plus Iuſto exiccãt. de uictꝰ rat.in mor. acu.com.1°. 7ª.111.F
Ori ventriculi q̃ ſint adſtringẽtia cõuenientia.de re.par.fac.7ª.158.C
ad Os uentriculi ualet acetũ ſcillinum.de med.fac.par. 7ª.178.C
Os ſtomachi confortant drachmæ duæ aloes.de med exper.Sp.106.E
Ori uentriculi apponendũ lanæ manipulũ nardino pigmẽto calido inũctum quãdo non eſt facta coctio.de præſ.ex inſom.ſum.4ª.219.A
Ori uentriculi quando prius roborandũ q̃ medicamẽtum exhibeatur. 1°.de arte cura.ad Glau. 7ª.98.B
Oris uentriculi morſus cur dolor cordis dicať.in prog.c.3°.4ª.210.F
Os uentriculi quibus mordetur,& qũo.com.4°.aph.65°. Ex.34.E
Oris ſtõi mordicationibꝰ cõfert ſectio uenæ furculæ.de an.vi.Sp.55.B
Oris ſtomachi dolores qñ boni,& quando non boni,cõſiderandum.1°. de criſibus. 4ª.128.B
Os uentriculi cũ qbus cõueniat mẽbris.de mel.ex Gal.Ruf.Sp.109.B
Os uentriculi afficit utrumq; principiũ.1°.de ſymp.cau. 3ª.17.G
Os uẽtris trahit ſecũ ad ſympathiã principalia mẽbra,& q̃ ſymptomata faciat.de uict.rat.in morb.acut.com.2°. 7ª.123.H
Oris uentriculi,& cerebri quantus conſenſus.5°.de lo.aff. 4ª.32.H
Ori uentriculi cõſentit cerebrum.in progno.com.1°.4ª.195.H/đ mel. ex Gal.Ruf.& Poſſ. Sp.109.B
Oris uentriculi & cordis quantus conſenſus.5°.de loc.aff. 4ª.32.H
Os uẽtriculi in conſenſũ ducit aĩam.in 6ᵐ.de morb.uul.c.4°.3ª.186.F
Os uentriculi ſyncopas,& ſymptomata non parua incurrit ob ſenſũ exquiſitum.12°.met.me. 7ª.77.F
Os uentriculi quibus laborat,ſolet animæ defectus ſuperuenire.de articulis,commenta.2°. 7ª.264.H
in Ore uentriculi humor acris ſæpe facit animi defectũ.2°.de arte curat.ad Glauconem. 7ª.103.C
Os uẽtriculi plenũ humoribꝰ facit aĩ defectũ.cõ.1°.aph.23°.Ex.10.D
Ore uentriculi uexato ſyncopi detinentur hoĩes. 11°.me.me.7ª.74.D
ex Ore uentriculi defectus animi,quo mõ curetur.2°.de arte cura.ad Glauconem. 7ª.99.B
circa Os uentriculi ſyncopi ex flaua bile quomodo curanda.12°.methodi medendi. 7ª.76.C
circa Os uentriculi ſyncope quæ uina cõueniant.12°.me.me.7ª.76.D
in Ore uentriculi,cur ſingultus fiat.com.5°.aph.1°. Ex.37.D
in Os uẽtriculi humores mali quos caſus faciãt.c.4°.a.67°. Ex.34.G
Os uentriculi cõpatiens quo modo conuulſionẽ faciat. commenta.5°. aphoriſmo.1°. Ex.37.C
Os uentriculi hẽt ſocietatem in patiendo ex elleboro cum neruis. commentario.5°.aph.1°. Ex.37.C
Os uẽtriculi ratione ſocietatis facit diſpnœas,apnœas, morſus epilepſias,deliria & melancholias.1°.de ſymp.cau. 3ª.17.H
ex Ore uentriculi ſomni tumultuoſi.5°.de lo.aff. 4ª.32.H
in Ore uentriculi cum ſunt excrementa apparẽt ſymptomata ſuffuſioni ſimilia.1°.de lo.aff. 4ª.3.F/H
ab Ore uentriculi qũo cognoſcatur fieri uertigo.3°.de lo.aff.4ª.20.D
p Oris uentriculi morbo comitiali vinum album modice adſtringẽs. 5°.de locis affectis. 4ª.32.F
ex Ore uentriculi comitiali morbo correpto datur medicamentũ amarum ex aloe.5°.de loc.aff. 4ª.32.G
ob Oris uentriculi uitium deliria generantur.5°.de loc. aff. 4ª.31.F
ex Oris uentriculi amentia.5°.de lo.aff. 4ª.32.H
ad Oris uentriculi incontinentiam. de reme.par. fac. 7ª.158.F
cum Oris uentriculi offenſione febris uel ex cruditate qualis. 12°.me thodi medendi. 7ª.75.E
Os uentriculi quomodo cauſum facit.de uict.rat.in morbis acutis, cõmentario.4°. 7ª.134.E
Oris uentris magnę affectiones quibus curentur.8°.de compo.medicamen.ſecun.loc. 5ª.192.F
Os uentriculi calefactum quibus refrigerantibus cureť.1°. de arte cura.ad Glauconem. 7ª.99.C
Oris uentriculi inflãmatio quid faciat.de pulſ.ad tyro. 4ª.45.B

Oris ventriculi inflammmatio eget adstringentibus nõ solis relaxãtibus.de reme.par.fac. 7ª.158.F
Oris ventriculi vlcera insanabilia quo modo.6°.met.me. 7ª.39.G
Oris ventriculi vicus ob nimiũ sensum nõ sanat.6°.met.me. 7ª.39.G
ad Oris stomachi vitio vexatos.de med.fac.par. 7ª.173.F
Os vesicæ quibus constet.de ana.viu. Sp.51.D
Os vesicæ intrat collum matricis.de ana.viu. Sp.51.G
Os vteri quod sit.com.5°.aph.46°. Ex.41.H
Os matricis duplex est.de ana.viu. Sp.51.E
Os matricis comparatur rosæ.de ana.viu. Sp.51.E
*Os vteri in p̃gnãte nec stylimucro ingrederet.2°.de symp.caus.*5ª.21.B
Os vteri quomodo nouẽ mensibus claudit.6°.de loc. aff. 4ª.42.D
Os matricis constringitur ante horam partus.de ana.viu. Sp.51.E
Os vteri affectum quæ aperiant.5°.de comp.me.fac. 5ª.35.G
in Ore matricis sit vehemẽs dolor,cui nisi cito occurratur,exulcerat. de pass.muli. Sp.95.F
in Ore matricis hæmorrhoidibus quid prosit. de pass. mul. Sp.96.B
in Ore matricis rhagadïs quid conferat.de pas.mul. Sp.96.C
ORIS *vasorum apertio ἀναστομωσις appellatur.4°.met.me.*7ª.23.B
Oscillorum venarum, & arteriarum apertio in toto corpore anastomõsis dicitur.6°.de vsu par. 1ª.151.H
Ora vasorum aperire est intentio in prouocandis menstruis,& purgandis.de coloribus.com.5°.aph.36°. Ex.40.H
Ora vasorum reserat ficus arbor. 8°.de simp.med.fac. 5ª.61.F
Ora venarum quo modo aperiãtur in pulmone.4°.d loc.aff. 4ª.28.A
ORA *vlcerum indurata adeps vitulinus emollit.4°.de cõpositione med.per genera.* 5ª.240.A
de OSSIBVS. *de anatom.viuo.* Sp.55.C
Ossa quid.fin.med.44.D/49.D/ Is.52.F
Ossa qualia singula sint,& quam structuram habeant medicus scire debet.de ossibus. 1ª.39.G
Ossa,& ossium nomina sciri debent.1°.de ana.adm. 1ª.64.B/C
Ossium anatomia primo spectanda est.de ana.adm. 1ª.63.F
Ossium anatomiam auditoribus ante oculos ponunt medici Alexandrini.1°.de ana.admin. 1ª.63.F
Ossa mortuorum quomodo vidit Galenus.1°.de ana.admi. 1ª.63.F
Ossium dissimilitudinem ab hominibus non habent Cynocephali.1°.d anatom.adm. 1ª.63.H
Ossa simiarũ pro humanis ostẽdit Galenus.de art.com.2°. 7ª.262.H
*Ossium natura primo spectãda in hoïe,& simia.1°.de ana.ad.*1ª.63.H
Os est inter similaria ac prima & simplicissima sensui elementa.1°.de elementis. 1ª.7.E
Os membrum similare.de nat.hum.com.1°. 1ª.26.C/*de diff.mor.3ª.2.F/ de anato.viu.* Sp.43.G
Ossa sunt inter primas partes quæ generant.8°.de decr.275.C/ 1°.de natu.facul. 1ª.291.F
Ossa vltimæ sunt partes quæ verficiuntur.2°.de tẽ. 1ª.16.A
*Os ex quo fit.1°.de semine.1°.*331.D/*3°.de simplic.medi.fa.*5ª.17.D/*de hist.philo.* Sp.11.F
Ossa fiunt ex quatuor humoribus & grauiore sang.na.d sper. Sp.36.C
Os quo modo fiat ex sanguine.1°.de nat.fac. 1ª.292.D
Os ex angue tamen ex sanguine factũ.2°.de nat.fac. 1ª.297.E
Ossa calore fiunt.1°.de semine. 1ª.332.B
Ossa crassescunt ex calore veniente a matrice per spiritum naturalẽ. de spermate. Sp.36.C
Ossa citius concrescunt calidiuate,& siccitate.2°.de sem. 1ª.339.B
Ossa sunt corpus terrestre in animali.1°.de elem. 1ª.5.D
Ossa terrena sunt.9°.de simp.me.fac. 5ª.64.H
Ossa etiam in nuper natis humida sunt.2°.de temp. 1ª.16.A
Ossa in pueris magis sunt cerea q̃ lapidea.com.3°.aph.24°. Ex.25.B
Ossa porcellorum nuper natorum cui similia.2°.de temp. 1ª.16.A
Ossa veterum animalium siccissima.2°.de temp. 1ª.16.B
Os siccum.1°.de temp. 1ª.12.G
*Os qñ siccum dicitur simpliciter cui cõparatur.1°.de temp.*1ª.13.A
Os cur siccum. de anat.ocul. Sp.58.B
*Ossa ĩ variis animalib⁹ sunt magis sicca,& minus.1°.de tẽp.*1ª.13.A
*Ossa dicunt sicca & humida in diuersis hominibus.1°.de tẽp.*1ª.13.B
Os vbi minus aridum,& cur.1°.de sem. 1ª.332.C
Os frigidum.de inæqu. intemp. 3ª.44.A
*Os siccum & frigidum.1°.de elem.*1ª.6.E/ *de anat. viu.* Sp.44.E
Os est minus frigidum, & siccum pilo.1°.de temp. 1ª.15.C
Os omnium durissimum.2°.de temp. 1ª.18.A
Ossa durissima aridissima terrestria.de ossib. 1ª.39.G
Os est os propter duritiem.1°.de vsu par. 1ª.115.E
*Ossa cur dura.1°.de sem.*1ª.332.B/*de ana.viu.* Sp.43.G
Ossa insensibilia sunt.de vtil.resp. Sp.62.G
Os capitis sensu caret.13°.met.me. 7ª.86.A
Ossa non sentiunt acum.1°.de elem. 1ª.2.H
Ossa si debent nutriri opus est nutrimẽtũ habere multas mutationes. 3°.de nat.fac. 1ª.308.B
Ossa quo nutriantur.de inæq. intemp. 3ª.43.D
Ossium nutrimentum quale.6°.met.me. 7ª.40.D
Ossis nutrimentum proprium quod.2°.de vsu par. 1ª.126.G
*Ossium proprium nutrimentum est medulla.11°.de vsu par.*1ª.191.E
Ossium medulla quantum humida.2°.de temp. 1ª.17.G
Ossium medulla differt à Cerebro.2°.de temp. 1ª.17.G
Ossium medulla differt à spinali medulla.2°.de temperamentis.17.H/ 8°.de vsu partium. 1ª.166.D
Ossa sunt perforata.de ana.viu. Sp.44.G
Ossa ostendunt sua spatia.de inæq.intemp. 3ª.43.D
*Ossiũ cauernæ plenæ crasso,& albo humore.de inæq.intemp.*3ª.43.D
Ossium extrema cur caua.de ana.viu. Sp.43.G
Ossis extremũ ὄυραῖον dr.de vict.rat.in mor.acut.com.4°. 7°.144.F
Ossis vacuitates extremitatum bucelarum ingredientiũ iuuamentum sunt chartilagines quædam.de ana.viu. Sp.55.D
Os à seipso gubernatur.ars med. Isa.63.B
Ossa qualiter in hominum substantia.1°.de ana.adm. 1ª.63.E
Ossium substantia propter quid.16°.de vsu par. 1ª.214.G
Ossa propter quid sint.11°.de vsu par. 1ª.191.B
Ossium duplex est scopus.11°.de vsu par. 1ª.191.E
Os habet functionem similem in omni parte.8°.de decr. 1ª.266.B
Ossa in quibus facta sunt propter motũ.11°.de vsu par. 1ª.191.B
sine Ossibus polypi mouentur.1°.de vsu par. 1ª.115.H
*absq; Ossium motu qui musculi mouẽtur.1°.de motu musc.*1ª.309.E
Ossa virtutem corpori præstant.de dyna. Sp.19.D
*Ossa & musculi totius corporis fundamẽta sunt.1°.d ana.ad.*1ª.64.B
Ossa fundamẽta totius corporis. de oss.1ª.39.G/de ana.viu. Sp.55.C
Ossium firmitas quæ in toto corpore.1°.de vsu par. 1ª.115.H
Ossa, quæ sustinent laborem sunt sicca.de dynamidiis. Sp.19.D
Ossibus quomodo circumponuntur carnes.1°.de semine. 1ª.332.B
Ossium inuolucrum quomodo fiat,& ex quo.1°.de sem. 1ª.332.B
*Ossiũ figurã sequuntur quæcunq; sunt ĩ aĩali.1°.de ana. adm.*1ª.63.E
Ossibus inhærent musculi,iõ magnitudinem sequuntur,& figuram illorum.1°.de ana.adm. 1ª.63.E
Ossium respectu musculi sunt actores.17°.de vsu par. 1ª.221.C
*Ossibus qui incumbunt musculi quo se habẽt.2°.de motu.mu.*1ª.316.E
Ossa cũ alternant musculi in se ipsos cõcurrũt.de frac.c.3°. 7ª.248.B
Os vnũ vbi est, ibi adsunt musculi recti,& obliqui.6°.de anatomicis administrationibus. 1ª.90.A
Ossa duo vbi sunt,ibi vnũ extendit & flectit membrũ,aliud in latera circumagit.6°.de anatomicis adminis̃tr. 1ª.90.A
Ossi catenã ligat vt experientia motus musculorũ ostendat.1°.de motu musculorum. 1ª.312.D
*Ossiũ exercitatio fit p accẽs à motib⁹ volũtariis.2°.d san.tu.*2ª.75.A
Ossa cur non habeant motũ voluntariũ.16°.de vsu par. 1ª.214.H
cur Ossa non possunt moueri.1°.de vsu par. 1ª.117.C
ex Ossibus, carne, venis, neruis, & arteriys cõpositũ incorruptibile esse non potest.14°.de vsu par. 1ª.204.D
Ossa in quibus facta sunt ppter perspiratũ.11°.de vsu.par. 1ª.191.C
*Ossa ĩ qb⁹ fcã sunt pp difficultatẽ & securitatẽ.11°.d vsu pa.*1ª.191.C
in Ossibus squamosis propter discrimen partiũ in ossibus cõpositiones factæ sunt.11°.de vsu par. 1ª.191.C
in Osa magna cur inseruntur vasa tenuia.13°.de vsu par. 1ª.202.B
Os breuissimũ sub longiori vehi conuenit.2°.de vsu par. 1ª.125.B
in Ossis terminum inseritur tendo.1°.de motu muscu. 1ª.309.D
Os quo modo disponatur quãdo tendo circa os.2°.de vsu pa. 1ª.123.C
in Ossa nullus neruus inseritur.16°.de vsu par. 1ª.214.G
ex Ossibus nerui qui producantur.15°.de vsu par. 1ª.210.D
*Os quomodo disponat qñ neruus est circa os.2°.de vsu par.*1ª.123.C
ab Ossibus chartilagines qñq; procedunt.de vtil. resp. Sp.62.H
ex Osse ligamenta emergunt.15°.de vsu par. 1ª.210.F
*ex Ossibus oriuntur ligamenta.3°.de cõp.med.per gen.*5ª.231.F/6°. *met.me.*38.H/*de ocul.* 7ª.183.G
*Ossium ligamẽta sensus expertia sunt.3°.de alim.fa.*2ª.26 F/ *de vtilitate*

litate respirationis. Sp.62.G
Ossium ligamenta duplicia quæ.de vtil.resp. Sp.62.G
Ossium dearticulationes quomodo esse debeant.de const.ar. Is.37.B
in Ossium articulis vnum mouetur,aliud stat,vt faciunt cardines ostiorum.1°.de motu musculorum. 1ª.312.C
Ossa dura cur exigunt articulationes.11°.de vsu par. 1ª.191.F
Ossa quod adimentum habeant.com.5°.aph.39°. Ex.41.B
Ossa habent venas exiguas.16°.de vsu par. 1ª.220.G
Ossa quædam grandia,cana medullosa,alia parua solida,& sine medulla.de ossibus. 1ª.39.H
Ossibus magnis appendices adnascuntur.de ossib. 1ª.39.H
OSSIVM diuersitas.de ana.viu. Sp.55.C
Ossiũ ἐπιφύσις vocãt græci capitũ processus.11°.de vsu p. 1ª.191.F
Ossium eminentiæ vnde.16°.de vsu par. 1ª.218.A
Os hũs medullã,habet duo capita veluti duo opercula.11°.d̃ v.p.1ª.191.C
Ossium capita non sunt in omnibus habentibus medullam,quia non est medulla in maxilla inferiori.11°.de vsu par. 1ª.191.F
in Ossibus caput quid sit.de ossib. 1ª.40.B
in Ossibus corone quid sit.de ossib. 1ª.40.B
Os paruũ non habet medullã,neq; sinũ magnũ.11°.de v.p. 1ª.191.D
Ossa grãdia cana facta sũt ne nimis eẽnt põderosa.11°.de vs.p.1ª.191.D
Ossa cur laxiora ac cana aĩalibus imbecillioribº.11°.de v.p.1ª.191.D
Ossa cur cana,& laxa in hominibus.11°.de vsu par. 1ª.191.E
Ossa cauitate carentia habent tale quid,vt medulla in suis cauernulis.11°.de vsu par. 1ª.191.F
Os cur sine medulla.11°.de vsu par. 1ª.185.D
Ossa cur densiora animalibus fortioribus.11°.de vsu par. 1ª.191.D
Ossa in quibus animalibus densiora sint.11°.de vsu par. 1ª.191.H
Ossium concretio in aquilis densissima est.11°.de vsu par. 1ª.191.E
Ossis cauitas quomodo vocetur.1°.de motu musc. 1ª.312.C
Ossium concauitates cotylas vocant.de caus.morb. 3ª.9.E
Ossis cauitas quantum profunda.1°.de motu mus. 1ª.312.C
Ossium concauitatibus fractis membrorum capita facile excidunt.de causis morborum. 3ª.9.E
Ossis conuexitas quomodo vocetur.1°.de motu musc. 1ª.312.C
OSSA ducenta sunt, & amplius.de fæt.for. 1ª.325.F
Ossa plus quàm trecenta in homine.9°.de dec.Hip. 1ª.284.G
Ossium omnium compago sceletos dicitur.de ossib.39.H/ 1ª.43.G
Ossa duobus modis in nobis coniuncta.fin.med.50.C/Introd.Is.54.F/de ossibus. 1ª.39.H
Ossium compositio naturalis dicitur articulus.de oss. 1ª.39.H
Ossium vnio naturalis dicitur symphysis.de oss. 1ª.39.H
Os capitis caluaria dicitur.de ossib. 1ª.40.D
Os cranij est adtuendum.de ana.vi. Sp.55.C
Os capitis cur cauernosum ẽ,et hũs multas futuras.9°.d̃ v.p.1ª.171.E
Ossibus quomodo iungatur crassa meninx.9°.de vsu par. 1ª.176.E
Ossium materia vnà cum capite augescit,& roboratur.in 6ᵐ.de mor.vulg.com.1°. 3ª.154.E
Os in toto corpore non superat tantum alterum, quantum os capitis ossa primorum spondylorum.12°.de vsu par. 1ª.195.H
Ossa capitis futuris constant.introd. Is.54.F
Ossa quæ habent futuram obscuram,tamen per cocluram videtur.11°.de vsu partium. 1ª.192.A
Ossa capitis excepto sphenoide sunt sex.de ossib. 1ª.40.G
Ossa caluariæ septem.introd. Is.54.F
Os sphenoides quod.de ossib. 1ª.40.F
Os lithoides quod.de ossib. 1ª.40.H
Os belonoides quod.de oss. 1ª.40.H
Os styloides quod.de oss. 1ª.40.H
Os a literæ y similitudine hioides appellatum.de mus.diss. 1ª.46.A
Os hyoides siue hypsiloides non nulli lambdoides nominant.de musculorum dissectione. 1ª.46.D
Os hyoides,& pharyngethron idem.de voc.instr.disse. 1ª.107.B
Os ὑοειδὲς quod introd. Is.54.F
Os ὑοειδὲς quale,& eius vsus.7°.de vsu partium. 1ª.63.D
Os hyoides ligantes musculi inferiori maxillæ,& eorum processus.de musculorum dissectione. 1ª.46.D
Os hyoides q̃ musculus sursũ ad maxillã retrahat.de mus.dis.1ª.46.F
Os Lãbdæ q̃ musculi mouẽt,& vñ orianť,ac desinãt.d̃ mus.di.1ª.46.E
Os lambdoides qui musculi retrahunt.de musc.diss. 1ª.46.E
Os graphoides quod.de ossibus. 1ª.40.H
Os Zygoma quod de oss. 1ª.40.H
Ossa alaria & πτερυγοειδῆ quæ.de art.com.2°. 7ª.263.D
Os iugale,& iugamentum quid sint.de artic.com.2°. 7ª.263.A
Os iugale quod.de oss. 1ª.40.H
Os frigidum & siccum auri supponitur.de ana.ocul. Sp.58.B
Os petrosum quale.de ana.viu. Sp.48.G
ab Osse petroso incipit foramen auris.de ana.viuo. Sp.48.G
Ossis petrosi pars interior se habet ea cõparatione ad auditum in qua se habet crystallinus humor ad visum.de ana.viu. Sp.48.G
Ossa cur dura circa musculos temporales.11°.de vsu par. 1ª.185.B
Ossa maxillarum sunt malæ.de nat.& ord.cuiusl.corp. Sp.41.H
Ossa suillarum maxillarum qualia.1°.de comp.med.se.loc. 5ª.123.G
Ossa superioris maxillæ constant coagmentatione.intro. Is.54.G
Ossa maxillæ superioris.de oss. 1ª.41.A/D
Ossa terna maxillæ superioris ab vtraque parte.de oss. 1ª.41.B
Ossa faciei duodecim.introd. Is.54.G
sine Osse mouẽtur frõtis,cutis,& faciei partes.1°.de mo.m.1ª.309.F
cur Ossa veluti spongia ante nares sint sita.8°.de vsu par. 1ª.168.D
Ossa ante menyngas cur foraminulenta.8°.de vsu par. 1ª.168.D
Ossium σπογγοειδῶν,& ἠθμοειδῶν,vsus.8°.de vsu par. 1ª.168.E
Os olfactus instrumẽto ꝓpositũ ἠθμοειδὲς dr̃.11°.de vsu par.1ª.188.H
Ossa ithmoide,id est cola dicta olfactum auferunt,& quo modo.3°.de locis affectis. 4ª.21.D
per Ossa colatoria spiritus halituosi exturbantur a cerebro.de symp.causis. 3ª.21.G
Os nasi ab alio osse pendet.in 6ᵐ.de mor.vul.com.1°. 3ª.154.G
Ossa nasi duo.de ossibus. 1ª.41.C
in Ossis nasi concauitate iacent duæ caruncvlæ spongiosæ.de anatomia viuorum. Sp.49.A
Ossa duo in naso foramen triangulare habentia.de ana.viu. Sp.49.A
Ossa phatnia quibus insunt dentes.de oss. 1ª.41.F
Ossa in quibus dentes quę.11°.de vsu par. 1ª.192.D
Ossa non sunt dentes ipsi.de nat.& ord.cuiusl.corp. Sp.42.D
absq; Osse mouentur oris labra.1°.de motu mus. 1ª.309.E
Ossa maxillæ inferioris quot.de ossib. 1ª.41.G
Os maxillæ inferioris cochlum aperitur.de ossibus. 1ª.41.G
Os capiti gutturis incumbens quo modo vocetur.d̃ mus.diss. 1ª.46.D
ab Osse guttur ambiẽte musculi exortus & insertio scapulã in priorẽ regionẽ ceruicis versus ꝑpriũ principiũ adducit.d̃ mus.dis.1ª.45.C
Os membrana & aden satis sunt ad palati meatũ.9°.d̃ v.p.1ª.172.C
Ossa Thoracis quot.de ossibus. 1ª.42.E
Ossa thoracis quæ.de ossibus. 1ª.42.E
Ossa thoracis quomodo glutinentur.de oss. 1ª.42.E
Ossium pectoris motus.de ossibus. 1ª.42.E
Ossis pectoralis tota figura Xiphoides.de oss. 1ª.42.F
Ossis furculæ iuuamentum.de ana.viuo. Sp.43.H
Ossa ex diametro opposita pulmoni.16°.de vsus par. 1ª.220.G
Os in elephantis corde inuenit Galenus.7°.de ana.adm. 1ª.96.F
Os cordi cerui.de med.fac.par. 7ª.175.B
Ossa clauiculæ forma.1°.de ana.adm. 1ª.67.H
Ossium clauiculæ ad summum humerum ligantur.introd. Is.54.G
Os humeri maximum est.de ossib. 1ª.42.H
Os humeri quod.de ossib. 1ª.42.H
Os humeri cui alligetur.de ossibus. 1ª.42.H
Os vnum in brachio.2°.de vsu par. 1ª.126.A
Os brachij cur gibberosũ ẽ exterius,simiũ iterius.2°.d̃ v.p.1ª.126.A
Os maius cubiti proprie vlna dicitur.2°.de vsu par. 1ª.121.B
Os cubiti longius est quam os radij.de frac.com.1°. 7ª.224.F
Ossa cubiti inæqualia sunt.de fract.com.3°. 7ª.249.D
Os paruum in cubito radius.2°.de vsu par. 1ª.121.B
Ossa quæ fiunt radius,& cubitus.de fract.com.1°. 7ª.227.B
Ossa brachij,& crurum a quibus moueantur.17°.de vsu par.1ª.221.C
Ossa totius manus.2°.de vsu par. 1ª.123.D
Ossa manus cur multa,& ita composita.2°.de vsu par. 1ª.123.H
Ossa octo in carpo.2°.de vsu par. 1ª.123.D
Ossa carpi cur octo.2°.de vsu par. 1ª.124.B
Os octauum carpi quale.2°.de vsu par. 1ª.124.F
Ossa carpi omnia se contingunt.2°.de vsu par. 1ª.124.C
Ossa carpi cur duos habent ordines.2°.de vsu par. 1ª.124.C
Ossa quatuor sunt in metacarpio.2°.de vsu par. 1ª.123.D
Ossa metacarpij cur quatuor.2°.de vsu par. 1ª.124.B
Ossa palmæ.introductio. Is.54.H
Ossa χαλκοειδῆ quæ.introductio. Isa.55.A

Ossa digitorum partes.de inæq.intemp. 3ª.43.D
*Ossa digitorum internodia dicuntur.*1°.*de ana.ad.* 1ª.66.B
*Ossa cur in digitis.*1°.*de vsu par.* 1ª.115.H
*Ossa si deessent tremerent digiti.*1°.*de vsu par.* 1ª.116.A
*sine Ossibus non possemus scribere neq; incidere.*1°.*de v.p.*1ª.116.A
Ossa digitorum quot.de ossibus. 1ª.43.B
*Ossa digitorum manus sunt vigintiseptem.de frac.com.*2°. 7ª.233.B
*cur Ossa multa sint,& non vnum in digitis.*1°.*de vsu par.* 1ª.116.A
*Ossa tria in omni digito.*2°.*de vsu par.* 2ª.123.D
*Ossa digitorum neque plura,neque pauciora tribus esse debuere.*1°. *de vsu partium.* 1ª.116.E
*Ossa digitorũ inferiora cur maiora superioribus.*1°.*de v.p.* 1ª.116.F
*Ossa digitorum cur rotunda.*1°.*de vsu par.* 1ª.116.F
*Ossa digitorum cur in lateribus,& intus non sint connexa.*1°.*de vsu partium.* 1ª.116.F
*Ossiũ digitorũ figura cur talis,& tãta esse debet.*1°.*d̃ v.p.*1ª.116.F
*ab Ossibus tribus digitorum sex figurarum differentiæ fiunt.*1°.*d̃ vsu partium.* 1ª.116.B
*Ossium digitorum labia cur non sunt æqualia.*1°.*de vsu p.* 1ª.117.A
*Ossa digitorum cur dura,densa,& sine medulla.*1°.*de v.p.*1ª.117.A
*Os spinæ propter fundamentum corporis factũ est.de ana. vi.Sp.*55.C
*Os quod supra spondylũ excrescit est ad replendũ.de ana.vi.Sp.*55.C
*Ossa vertebrarum per nervos,& ligamenta habent quandam societatem cum partibus gulæ.com.*3°.*aph.*26°. *Ex.*25.D
Os renum duplex.de ana.viuo. *Sp.*51.C
Os sacrum quod.introd. *Isa.*53.E
*Os sacrum coccix.*3°.*de ana.adm.* 1ª.71.A
*Os sacrum quod,& latum dicitur.*6°.*de ana.adm.*1ª.93.G/*de fract. commentario.*3°. 7ª.245.D
Os sacrum quale.de ossibus. 1ª.42.G
*Ossi sacri spina similis est ei,quã cæteræ hãt vertebræ.de oss.*1ª.42.D
*Os sacrum pars spinæ.*12°.*de vsu par.* 1ª.196.G
Os sacrum quibus compositum.de ossibus. 1ª.42.D
Os sacrum ex vertebris connatis constat.intro. *Is.*54.H
*Os sacrũ ex quatuor spõdylis vel ossibus cõstat.*12°.*de v.p.*1ª.196.G
*Os sacrum vnde oriatur.*12°.*de vsu par.* 1ª.196.G
*Ossis sacri articulatio,& epiphyses.*13°.*de vsu par.* 1ª.201.F
*Ossis sacri cum aliis iunctio.*14°.*d̃ vsu par.* 1ª.208.H
*Ossis sacri ligamentum quale.*13°.*de vsu par.* 1ª.201.F
*Ossis sacri vtilitates.*13°.*de vsu par.* 1ª.201.E
Ossa ilium quæ.de ossibus. 1ª.43.C
Ossa ilium quæ ingrediantur.de oss. 1ª.42.D
Os coccix quod nam sit.de oss. 1ª.42.D
Os coccix quale.de ossibus. 1ª.42.D
Os coccix quibus constet.de oss. 1ª.42.D
*Ossa pubis quo modo incidenda pro videndis sedis musculis.*6°.*d̃ anatom.administ.* 1ª.93.G/F
*Ossi pubis multa caro supercst.*6°.*de anat.ad.* 1ª.93.G
p Ossis pubis foramen venę.de ven.& art.diss. 1ª.58.F
*Os,caro,glandula,& chartilago non possunt esse vtiles ad confectionem pudendi.*15°.*de vsu par.* 1ª.210.D
*ex Osse pudendi corpus emergit,vt alia ligamẽta.*1°.*de v.p.*1ª.210.F
*ab Osse cur emergit pudendum.*15°.*de vsu par.* 1ª.210.E
Ossa coxendicum quæ.de oss. 1ª.43.C
*Ossis coxæ natura.de artic.com.*3°. 7ª.280.H
*Ossium cruris differentiæ.de fract.com.*3°. 7ª.249.B
*p Ossa innitimur cruribus.*17°.*de vsu par.* 1ª.222.F
*Os aliquod in crure si tollaĩ,tollitur ambulatio.*17°.*de v.p.*1ª.222.F
Os fœmoris quod & quale.de oss. 1ª.43.D
*Ossa tibiæ,os suræ vocat Hippocrates,& quod communi totius mẽbri nomine tibia nuncupatur.de art.com.*4°. 7ª.284.E
*Os tibiæ interius maiorẽ oneris partem fert.de frac.c.*2°. 7ª.240.A
Ossa pedis quæ,& quot.de oss. 1ª.42.F
*Ossa digitorum pedis quatuordecim sunt.de fract.c.*2°. 7ª.233.B
*Ossi calcis communicationẽ nervi magni hãt.de fract.c.*2°. 7ª.234.D
Ossa pectinis quæ.de oss. 1ª.43.C
*Ossis cyboidis situs.*3°.*de vsu par.* 1ª.130.B
Os scaphoides,quod.de oss. 1ª.43.F
*Ossa sesamina quæ.de ana.viu.*49.C/ *Sp.*55.C
Ossa pedum,tibiarum,& crurum sunt ad sustentamentum sensus,& motus.de ana.viuo. *Sp.*55.C
*Os sesamois quale.*2°.*de vsu par.* 1ª.124.H
in Ossibus quæ fiunt.introd. *Is.*59.F
*os affectum esse quo modo cognoscatur.de frac.c.*3°. 7ª.244.C
Ossa non dolent quia non sentiunt.de const.ar. *Is.*38.C
Ossa dolent concepto in bilis horis.de sper. *Sp.*37.C
Ossium omniũ harmonia dolet conceptis in horis melancholiæ.de spermate. *Sp.*37.D
*Ossium dolores qui.*2°.*de loc.aff.* 4ª.11.E
*Ossium dolor quo modo fiat.*3°.*de san.tu.* 2ª.78.H
*ad Ossa pertinentiũ mẽbranarũ dolores qui.*2°.*de loc.aff.*4ª.11.E/H
Os quidam sibi grauari sensit.de mult. 3ª.77.F
*Ossibus nocet frigus,& prodest calor.c.*5°.*aph.*18°. *Ex.*39.A
*Os non palpitat,neque chartilago.*2°.*de symp.caus.* 3ª.20.F
*Os palpitare non potest,& cur.de palp.trem.conuuls.& rig.*3ª.52.H
*Ossa non consumuntur.in prog.com.*1°. 4ª.191.C
ad Ossa vsq; inflammatio.de tum.præter naturam. 3ª.83.D
ad Os rodentia vulnera.de ocul. 7ª.191.D
Ossium morbi qui.introd. *Is.*59.D
*in Osse vnitatis solutio quid sit.*3°.*met.me.* 7ª.16.D
*in Osse continuitatis solutio dicitur fractio. de diffe.morb.*3ª.5.D/4°. *methodi medendi.* 7ª.23.B
*in Osse solutionis continui proprium nomen est medicis apagma inusitatum vulgo.*6°.*meth.me.* 7ª.40.B
*in Osse solutio continuitatis est catagma,& ita ab omnibus græcis proprio nomine vocatur.*6°.*met.me.* 7ª.40.E
*in Osse est fractura.*6°.*me.m.*36.G/*de art.c.*2°. 7ª.267.F
in Osse fractio,& caries.de cau.mor. 3ª.9.F
*de Ossium fractura.*6°.*met.med.* 7ª.40.B
in Osse fractura,& disruptio.de const.ar. *Isa.*37.D
Ossium fracturarum differentiæ quinque.intro. *Is.*59.D
*Ossium scissurarum varia nomina.*6°.*met.me.* 7ª.40.C
*in Osse quæ scissura cauledon dicatur.*6°.*met.me.* 7ª.40.B
*Ossis fracturæ καυλιδοῦ dictæ curatio.*6°.*met.med.* 7ª.40.E
*in Osse quæ scissura schidacedon dicatur.*6°.*met.me.* 7ª.40.B
*in Osse quæ scissura raphanedon dicatur.*6°.*met.me.* 7ª.40.C
Ossium fractura faciei affectus.introd. *Is.*59.C
*Ossib⁹ fractis,aut luxatis qũo afficiãtur nervi.*1°.*de sym.ca.*3ª.16.C
*Ossa in pedibus,& manibus non admodum franguntur. de fracturis. commentario.*2°. 7ª.233.G
Ossa nigrescunt in fracturis.introd. *Is.*59.E
Ossa fractura luxata quo modo vniuntur.de ossib. 1ª.40.A
Os fractũ nõ põt corrigere natura,sed bñ medicus.de cõst.ar. *Is.*39.F
Ossiũ fractorũ cõiunctio est species cõpõnis chirurgiæ.introd. *Isa.*59.E
*Ossiũ omniũ fractorũ curatio.intr.Is.*60.D/*de fract.com.*3°.7ª.242.B
*Ossis fracti curatio,& curationis intentio.*6°.*met.me.* 7ª.40.D
in Osse fracto duplex intentio.ars med. *Is.*59.H
ad Ossa fracta ratio medendi.de dyn. *Sp.*31.D
*Ossium longarum fracturarum curatio.*6°.*met.me.* 7ª.41.F
*Ossium longis fracturis medicamenta siccantia.*6°.*met.me.* 7ª.41.G
*Osse fracto indicationes duæ.*6°.*met.me.* 7ª.41.C
*Ossis cubiti fractura.de fract.c.*3°. 7ª.350.E
*Os brachij fractum circa appendicem.de frac.com.*3°. 7ª.250.E
*Os fœmoris fractum quo modo curetur.de fract.com.*2°. 7ª.240.D
*Ossa Tibiæ,& cubiti fracta breuiora reddũtur.d̃ fra.c.*3°. 7ª.242.F
*Ossa confracta,& luxata cur prius extẽdẽda.de fra.cõ.*1°. 7ª.224.B
Os cruentum,& humidum detergens.de med.fac.par. 7ª.172.G
*Ossiũ fractorũ deligatura species cõpositionis chirurgiæ.intr.Is.*59.E
*Osse fracto deligatura fieri debet.*6°.*met.me.* 7ª.40.G
Ossa fracta quomodo deliganda.introd. *Is.*60.E
*in Osse deligando fascia sit latissima.*6°.*met me.* 7ª.40.G
*Ossibus fractis quando fascia debet esse stricta.*6°.*met.me.* 7ª.40.H
*in Osse fracto vnde debet incipere deligatura.*6°.*met.me.* 7ª.40.H
*ab Ossis deligatura nõ dẽt creari dolor,& pruritus.*6°.*m.m.*7ª.41.d
*in Ossis deligatura aqua infundenda.*6°.*met.me.* 7ª.41.D
*in Ossium ligatura ponendæ ferulæ.*6°.*met.me.* 7ª.41.D
*supra Ossium extuberationes ferulę non imponendæ.de ijs,quę in medicatrina.fi.com.*2°. 7ª.215.C
Os latum scapularum iuxta iugulum quo sit vinculo deligandum.de fasciis. 7ª.301.E
*Ossium ligaturæ tertio die soluendę.*6°.*met.me.* 7ª.41.d
in Osse fracto victus ratio.ars me. *Is.*70.A
*Ossa quibus deligata,cibandi tenuissime.*6°.*met.me.* 7ª.41.E
*Osse fracto vena secanda,& purgandum.*6°.*met.me.* 7ª.41.E

ad Ossa fracta inuntio.intro. Isa.60.F
Ossium fracturam sanat emplastrum diachrysu.de dyn. Sp.32.B
ad Ossium fracturas.1°.de comp.med.per ge.5ª.211.C/de med.fac. par.7ª.177.E/de dyn. Sp.32.A
ad Os fractum,vel scissum remedium.de dyn. Sp.32.C
ad Ossium crassa fragmenta innatantia.5°.de cõp.m.per g.5ª.248.A
Ossi quando inherebit caro.6°.met.me. 7ª.42.B
ex Osibus perfractis qui male conformati fuerunt vsum membri pro bum non habent.de diff.mor. 3ª.4.B
Ossa tardius curantur nisi a nãli situ permaneãt.đ fra.c.2°.7ª.241.H
in Osibus quid prolapsio,& quid dimotio.de fract.c.3°. 7ª.248.E
de Osibus denudatis cum luxatione.de art.c.4°. 7ª.284.E
ad Ossa nuda valet cortex radicis panacis heraclij.8°.de simp.medicamen.facul. 5ª.57.H
ad Ossa carne denudata.5°.de comp.med.per ge. 5ª.257.D
Os quando a suo loco mouetur.de fract.com.2°. 7ª.233.F
Os brachij extra non euadit.de fract.com.3°. 7ª.248.A
Os fœmoris extra non euadit.de fract.com.3°. 7ª.248.A
Osium prolapsiones in genu benigniores.de fract.c.3°. 7ª.248.E
Ossa in pede,& manu a sua sede dimota in ea restitui debent.de fracturis.commen.2°. 7ª.233.F
Ossa genuum facile redeunt.de frac.com.3°. 7ª.249.F
Osa cui reponuntur ligandus est.de machin. 7ª.312.B
ad Osiũ,quæ restituuntur intẽtionẽ vtilis laqueus.de laq.7ª.307.G
ad Ossa reponenda machinæ.de art.com.4°. 7ª.289.H
Osium antiqui restauratores.de art.com.4°. 7ª.288.H
Osium restauratores ignari.de art.com.1°. 7ª.256.B
Ossa cubiti quot diebus corroborẽt,et restaurẽt.đ fra.c.1°.7ª.229.b
Osis brachij primus repositionis modus.de art.com.1°. 7ª.252.E
Ossa pedis,& manus luxata quot diebus sanẽt.đ fra.c.2°.7ª.233.H
Os brachij in quadraginta diebus corroborãt.de frac.c.2°. 7ª.232.G
Os Tibiæ ĩ quadraginta diebus corroboratur.de fract.c.2°.7ª.239.H
Os tenue qñ debet recedere quid agendum.de frac.com.3°.7ª.244.D
Os magnum si recedere debet quid agendum.de fract.c.3°.7ª.244.E
Osium recessio futura qũo cognoscatur.de frac.com.3°. 7ª.244.C
Os a reducens.5°.de comp.med.per ge. 5ª.254.F
Os a facile reducens.2°.de comp.med.per ge. 5ª.226.B
Os ex loco vbi pulsum est,sanguis detrahendus absq; syndrome plethorica.de vic.ra.in mor.acu.c.4°. 7ª.136.H
de Osibus excidendis.de art.com.4°. 7ª.287.F
Os excidere numeratur inter primas medicæ artis actiones.2°.ad Thrasybulum. 2ª.108.F
in Osium excisione quæ contingant.2°.de ana.adm. 1ª.68.H
Ossa excidentes in quem errores veniant.4°.de ana.adm. 1ª.79.H
in Osis præcisione desipientia si in vacuum apprehenderit.commentario.7°.apho.24°. Ex.55.F
ad Ossa præcisa.2°.de comp.med.per ge. 5ª.227.E
Osse capitis perforato quando curatio adhibẽda.6°.met.me.7ª.42.G
in Osibus nudatis capitis & aliarũ partium pinguia pharmaca vitamus,siccis solis vtimur.5°.de comp.med.per ge. 5ª.253.D
in Ossibus capitis denudatis fugimus emmota medicamẽta quoniam lineamentis inunctis offerantur.5°.de comp.med.per g.5ª.253.D
Osium fracturis,& præsertim capitis prodest calidum.commen.5°. aphor.22°. Ex.39.E
Os vehemẽter cõfractũ in capite totũ auferẽdũ.6°.met.med.7ª.42.E
Ossa caluariæ cur constringantur, & auferantur quando sunt fracta. 6°.med.med. 7ª.42.G
Osis fracti ad medullam ipsam,casus.6°.met.med. 7°.42.E
Osis sincipitis fracti,casus.6°.met.med. 7ª.42.E
Ossa ex capite educens.5°.de comp.med.per ge. 5ª.246.H
ad Ossa capitis innatantia,& ab alijs separata.2°.de compo.medica. per genera. 5ª.225.D
ab Osibus squammas detrahunt,quę valide desiccant.8°.de simp.medicamen.facul. 5ª.58.D
ex Osibus squammas celerrime detrahit Peucedani radix.8°.de simplic.med.facul. 5ª.58.D
ad Ossa separanda.5°.de comp.med.per ge. 2ª.245.G
Ossa cranij cum medicamento aliquo volumus pertransire quid agendum.11°.met.me. 7ª.73.E
Os cubiti crassius vulneratum facilius sanatur.de fra.c.1°.7ª.227.B
Os sacrum habet vlcera difficilia.de fract.com.3°. 7ª.245.D
Ossis tibiæ portione absciss̃a,quid agendum.14°.met.me. 7ª.92.B
in Osse caro livida malum est.com.7°.aph.2°. Ex.54.B
Ossa quo modo putrescant.de fract.com.3°. 7ª.246.H
in Osse foratio fit ab acutis humoribus.de caus.mor. 3ª.9.G
Osis caries quid sit.6°.met.me.7ª.41.A/de caus.mor. 3ª.9.C
in Osibus cariem inducunt exasperantes causæ.de cau.mor. 3ª.9.E
in Osse caries,quæ terredõ grece dicitur, an sanari queat,sicut erosio in carne,non est compertum.3°.met.me. 7ª.16.E
Ossa in ore vbi carie tentantur quid agendum.5°.met.med. 7ª.34.C
Osis asperitas.de caus.morb̃. 3ª.9.G
Ossa leuigata,& asperata sunt euidentissima.de diff.mor. 3ª.4.E
in Osibus ob quæ fiat asperatio,& leuitus.de caus.mor. 3ª.9.C
circa Os existentium asperitatũ remediũ.6°.de cõp.me.f.l. 5ª.175.D
Ossa leuigantur humidis.ars med. Is.70.E
in Osse quid sit collisio.de caus.mor. 3ª.9.G
Ossa non dicuntur collidi,sed musculi partes neruosæ, & cutis.de fracturis,commen.2°. 7ª.240.A
Os corrumpere quod vlcus posit.4°.met.med. 7ª.28.C
Ossa putrida qualia.de diff.mor. 3ª.3.G
Osis corrupti passio facit vlcera difficulter sanabilia.commentario. 6°.aphorismo.45°. Ex.51.F
Os corruptum in parte penitiori iterum facit inflãmationem,& sanguinem corrumpit,& rumpit cicatricem.c.6°.aph.45°. Ex.51.F
Os corruptum vel patiens in vlceribus siccitate indiget,& quanta. commen.6°.aph.45°. Ex.51.F
ad Ossa corrupta dirimenda.3°.de comp.me.se.lo. 5ª.148.A
ad Ossa corrupta educenda.10°.de comp.me.se.lo.207.G/4°.de cõp. med.per ge.243.H/5°.249.A/B/ 5ª.253.D
ad Ossa corrupta reducenda.4°.de comp.med.per ge. 5ª.243.A/H
ad Ossa educenda.5°.de comp.med.per ge. 5ª.250.B
ad Ossa corrupta.5°.de comp.med.per ge. 5ª.251.B
Ossa in quibus partibus tota quandoq; eximantur.de diff.mor.3ª.4.G
in Osis exustione Erysipelas,malum.com.7°.aph.19°. Ex.55.C
Os in adustione non debet calefieri.de arti.com.2°. 7ª.276.C
Ossa combusta.4°.de comp.med.per gen. 5ª.242.C
Ossa humana vsta qualia.11°.de simp.me.fac. 5ª.80.E
Ossa hominũ sanant epilepsiam,& artritim.11°.de sim.m.f. 5ª.80.E
Os discissum non calescit,neque augetur.c.6°.aph.19°. Ex.48.B
Os qñ abscinditur non augetur,nec coalescit.c.7°.aph.28°. Ex.55.H
Os non generari est in confesso.com.6°.aph.19°. Ex.48.B
Os ablatum cur non crescat.1°.de sem. 1ª.332.D
Os cauatum non curatur.3°.met.med. 7ª.16.F
Os pueri potest coalescere.ars med. Isa.69.H
Ossa vniuntur in puerulis,& mollibus.6°.met.me. 7ª.40.D
Ossa glutinans,& reducens.5°.de comp.med.per ge. 5ª.249.D
Osse deperdito an aliud gignatur.de const.ar. Is.39.G
Osse ablato generatur altera substãtia eius loco.ars me.Is.71.C/14°. methodi medendi. 7ª.93.B
Ossa contrahunt aliquẽ callũ,& nõ coalescũt.c.6°.aph.19°. Ex.48.B
in Osse quando maxime fit callus.6°.met.med. 7ª.41.D
Ossa quo modo coniungantur per porum.5°.met.med. 7ª.32.B
Osse fracto ex quo callus generetur.de frac.c.1°. 7ª.230.A
ad Ossa callo obducenda.3°.de comp.med.per ge. 5ª.235.C
Ossa cum conuenienti ligatura ad callum perducens.2°.de comp.med. per genera. 5ª.225.E
Ossa quo modo siderentur.de frac.com.2°. 7ª.235.A
Ossis siderationes fiunt a carne mucosa.de artic.com.3°. 7ª.276.A
Os sideratum.de artic.com.3°. 7ª.276.C
Os calcis sideratur.de fract.com.2°. 7ª.235.A
in Osis cado quo modo sanguis effundatur.5°.met.me. 7ª.32.G
ad Ossa deuorata ex gutture excutienda.de med.fa.par. 7ª.159.A
Ossa inuenta in abscessibus.14°.met.me. 7ª.92.D
Osibus similia in abscessibus inueniuntur.de tum.præt.nat. 3ª.83.G
Osium persiorum nucleus.5°.de comp.me.se.lo. 5ª.163.E/F
OSCITATIONIS, conuulsionis,tremoris,palpitationis,rigoris,horroris,singultus,tussis,ructus,sternutationis,pandiculationis Tryfimid est dentium concussionis genus commune est motus illegitimus,& quo modo hæc in genere differant.2°.de sym.cau.3ª.19.E
Oscitatio qũo fiat.3°.de diff.resp.3ª.74.A/com.7°.aph.56°.Ex.59.A
Oscitationes quo modo fiant in febribus.præf.exper.confir. Sp.77.E
Oscitatio est nuntius febris.præsag.exper.confir. Sp.77.E
Oscitatio cuius symptoma.de symp.diff. 3ª.11.G
Oscitatio facultatis opus.2°.de symp.caus. 3ª.19.F

Oscitatio č expulsricis virtutis mediocris motus. 2°. d sym.c. 3ª.23.G
Oscitatio cur fiat. in 6m. de mor. vul.c. 5°. 3ª.189.B
Oscitationibus continuis medetur anhelitus longus. in 6m. de morbis vulg.com.2°. 3ª.162.D
Oscitatio sanatur longa spiratione. 3°. de diff.resp. 3ª.74.A
Oscitare videntur nec oscitant, sed tantum os diducũt quibus morbus in vesica nascitur. de dyna. Sp.19.H
Oscitatio vino soluitur. com.7°.aph.56°. Ex.59.A
Oσχεον quid. introd. 53.D/ If.54.E
ad Osches glandulas pp qd transit pars spermatis. de ana.vi. Sp.55.B
OSCVLORVM conuenientia quo modo fiat. 1°. de san.tu. 2°.68.C
Osculorum venarum relaxatio fit ĩ quibus partib9. de mult. 3ª.78.G
OSIRIS obstructione expediendi facultatem habet, & in iocinore consistentes obstructiones sanat. 8°. de simp.med.fac. 5ª.57.F
Osiride fiunt cacoremata. 8°. de simp.med.fa. 5ª.57.F
Osmas, Onosmas idem est. 8°. de simp med.fa. 5ª.57.C/E
Oσφύς quid introductio. If.53.E
OSSEA, & dura circumplicari nequeunt. 1°. de vsu par. 1ª.114.C
Osseum cur non sit corpus Laryngis. de voc.instr.diff. 1ª.107.B
Osseum vel chartilagineum quid est ĩ corde. 4°. de ana.adm. 1ª.79.H
in Osseis locis vlcera sunt dolorosa, & spasmosa, & deliria facientia. 4°. methodi medendi. 7ª.28.B
Osseæ partes multum exiccandæ. 2°. de ar.cu.ad Gla. 7ª.102.F
OSSICVLVM in corde. de ossi. 1ª.43.G
Ossiculum in naso. de ossibus. 1ª.43.G
Ossiculum in gutture. de ossi. 1ª.43.G
Osiculum in digito. de osibus. 1ª.43.G
Ostentare quid significat apud Atticos. de arti.c.4°. 7ª.289.A
Ostentare, & nihil efficere turpe est in oĩ arte. de art.c.2°. 7ª.271.A
OSTIARIORVM ars conseruatiua. ad Thrasy. 2ª.104.C
OSTIOLVM ventriculi quiduis patiens in similem affectum facile cerebrum ducit. de mel. ex Gal. Ruf. & Poss. Sp.109.B
Oστέοπον ossium dolorem appellant. 3°. de san.tu. 2ª.78.H
Ostocopi id est ossium dolores, qui. 2°. de loc.aff. 3ª.11.F
Ostocopos cõtinetur sub lassitudine phlegmonode. de sym.ca. 3ª.22.C
OSTRACITIS cadmia quæ. de simp med. Sp.88.F
Ostracites qualis. 9°. de simp.med.fac. 5ª.67.D
Ostracitatem vberum tesliumq; phlegmonas sanare inquiunt aliqui. 9°. de simp.med.fac. 5ª.67.D
OSTRACODERMA cur vocentur. 3°. de ali.fac. 2ª.32.B
Oστρακόδερμα habent naturam compositam ex repugnantibus facultatibus. 1°. de ali.fac. 2ª.7.G
Ostracoderma sunt admodum crassi succi. de bon.& vitio su. 2ª.35.E
Ostracoderma duriora difficilius coquuntur, sed firmioris sunt nutrimenti. 3°. de alim.fac. 2ª.32.D
Ostracoderma habent succum salsum in carne qui aluum subducit. 3°. de alimen.facul. 2ª.32.B
Ostracodermatum succus deijcit aluum vt serum lactis. de bonitate & vitio succorum. 2ª.35.E
Ostracoderma cur fugienda. de atten.vic. 2ª.45.E
Ostracoderma quomodo parata dantur his quibus cibi in ventriculo corrumpuntur. 3°. de ali.fac. 2ª.32.C
OSTRACON. 9°. de simp.med.fa. 5ª.70.G
OSTRAGRA. 6°. met.med. 7ª.42.D
OSTREA quæ dicuntur. 11°. de simp.med.fac. 5ª.80.F
Ostrea sunt animalia. 14°. de vsu par. 1ª.205.G
Ostrea media inter animal & plantam. de fœt.for. 1ª.323.F
Ostreæ non habent vim vitalem. 4°. de præsag. ex puls. 4ª.122.C
Ostrea non habent sensum nisi vnicum. s. tactum. de ana. vi. Sp.45.G
Ostrearum pleraq; genera oculis carent. 2°. de semine. 1ª.339.G
Ostrea omnia cauenda in epilepsia. de puer.epil. 7ª.180.H
Ostreis non oriuntur pili. 2°. de temp. 1ª.18.G
Ostreæ quales sint. 3°. de comp.med.sec.lo. 5ª.147.B
Ostrearum corpus humidissimum. 2°. de temp. 1ª.21.A
Ostrearum caro humidior, & tenacior. de bon.& vit.suc. 2ª.35.E
Ostrea inter testacea hñt carnem mollissimam. 3°. de ali.fa. 2ª.32.B
Ostreæ sunt admodum crassi succi. de bo.& vit.su. 2ª.35.E
Ostrearum partes solidiores serius ob crassitiem concoquuntur. de bonitate, & vitio succo. 2ª.35.E
Ostrearum partes solidiores generant humorem crudum, crassum, & frigidum. de bo.& vit.suc. 2ª.35.E
ab Ostrearum multo vsu senex cauere debet. 5°. de san.tu. 2ª.91.D
Ostrea plurima cur non edenda. de atten.vi. 2ª.45.E
Ostrearum succus educit, & adstringit. 3°. de simp.med.fac. 5ª.20.B
Ostrea valentius aluum subducunt. 3°. de ali.fac. 2ª.32.C
Ostrearum testa qualis. 11°. de simp.med.fac. 5ª.80.H
Ostrearum testa siccissima. 2°. de temp. 1ª.21.A
Ostrea citra elixationem mandunt. 3°. de ali.fac. 2ª.32.C
Ostreis dentes splendidi fiunt. 11°. de simp.me.fa. 5ª.81.A
Ostreæ, & similia quo modo cõcremẽtur. 1°. de cõp.me.p.g. 5ª.216.E
Ostreæ concrematæ quales. 1°. de comp.med.per ge. 5ª.216.F
Ostrearũ testæ vstæ p vlceribꝰ exiccãdis. 4°. de cõp.me.p.ge. 5ª.236.F
ex Ostreis combustis, & fermento medicamentum pro humore suppurato. 2°. de arte cu.ad Glau. 7ª.105.G
Ostreis concrematis fit albũ emplastrũ. 1°. de cõp.me.p.g. 5ª.217.C
Ostreacea cur habent duros oculos. 8°. de vsu par. 1ª.166.F

OTALGIA vnde nomen habuit. 2°. methodi medendi. 7ª.9.E
Otalgia aurium dolor. de symp.diff. 3ª.11.F
Oτέγυτα oricularium clysterem vocant. 6°. de san.tu. 2ª.100.B/5°. methodi medendi. 7ª.34.C
Oτεγαὶ, id est cicatrices. de art.com. 1°. 7ª.258.C
Oticæ facultates quæ dicantur. 5°. de simp.med.fac. 5ª.32.B

OVILLA caro est in magno vsu. 2°. de alimentorum facultatibus. 2ª.16.B
Ouilla caro qualis. de ren.aff.dign.& med. 7ª.195.F
Ouilla carnes calidæ sunt, & ægre coctiles. in 6m. de morbis vulgarib. commen.4°. 3ª.180.C
Ouilla caro difficulter coquitur. 1°. de ali.fac. 2ª.10.A
Ouilla caro parum nutrit. in 6m. de mor.vul.c.3°. 3ª.170.F
Ouilla caro iuuenibus non est malus cibus. 5°. de sa.tu. 2ª.91.D
Ouilla caro senibus non est commoda. 5°. de san.tu. 2ª.91.D
ab Ouillarum carnium esu prima vice quis læditur, postea per mẽsem edens non læditur. de consue. 2ª.60.C
Ouillarũ cerebrũ valet ad dẽtitionẽ puerorũ. d ther. ad Pis. 5ª.93.E
OVILLI lactis vsus apud non nullos. de bo.& vitio succor. 2ª.35.B
Ouillum lac multo minus pingue quam bubulũ. 3°. de ali.fa. 2ª.27.H
Ouillum lac habet in se crassitiem. de bon.& vit.suc. 2ª.35.B
Ouillum lac habet plus casei. de bon.& vit.succ. 2ª.35.B
OVILLI pulmonis pars supra naues. de art.com.2°. 7ª.267.D
supra OVILLVM fel, est fel capræ, post vrsorum, ac boum. 10°. de simplic.med.facul. 5ª.74.H
Ouillum stercus ad quæ valet. 10°. met.me. 7ª.76.H
Ouilla pellis recens detracta verberatos sanat. 11°. d sim.m.f. 5ª.80.E
OVES frigidæ sunt. 2°. de simp.med.fa. 5ª.14.E
Oues sunt naturaliter humidæ. 8°. met.me. 7ª.51.B
Ouis est siccior suæ. 11°. de simp.med.fa. 5ª.78.E
Ouis siccior est capra. 11°. de simp.med.fac. 5ª.78.E
Oues pingues sunt. 2°. de simp.med.fac. 5ª.14.E
Ouem si caper inierit fit ouis duriori lana. 2°. de sem. 1ª.336.G
Oues a natura hominis non longe alienæ in fœtu. de fœt.for. 1ª.322.E
Oues geminos vteroferre solent. 6°. de loc.aff. 4ª.41.E
Oues propter quid castrantur. 3°. de alim.fac. 2ª.27.B
Oues habent ossium substãtiam minus densam, ac durã canibus, lupis, & pardalis. 11°. de vsu par. 1ª.191.H
Ouis, & leonis differunt. 11°. de vsu par. 1ª.187.C
Ouium dentes similes sunt dentibus caprarum. 11°. de v.p. 1ª.187.C
Oues habent tantum dentes incisiuos, & molares. de ana.vi. Sp.49.E
Ouium musculus temporalis qualis. 11°. de vsu par. 1ª.184.G
Ouium caro excrementosior, & praui succi. 3°. de ali.fa. 2ª.26.A
Ouiũ oĕ genus nõ vndequaq; laudabilis ẽ alimẽti. d atte.vic. 2ª.45.E
Oues primo ac medio vero præstantiores sunt. 3°. de ali.fa. 2ª.26.B
Ouis carnem dat pro cibo. secretorum. Sp.102.E
Ouis adeps acer est. 4°. de simp.me.fa. 5ª.25.E
Ouium fel acrius suillo. 10°. de simp.med.fac. 5ª.74.H
ex Oue non fit butyrum. 10°. de simp.med.fac. 5ª.74.C
Ouiũ lana ĕ ex ijs ẽ q̃ familiaria sunt aĩalibꝰ. 11°. de sim.m.f. 5ª.81.C
Ouis pili. 1°. de comp.med.sec.loc. 5ª.124.H
Ouis a lupo laniatæ lana. 10°. de simp.me.fa. 5ª.76.D
ex Oue a lupo comesta ligula lanea. de incant.adiur. & susp. 7ª.182.B
Ouium lanarum sordes quales. 10°. de simp.med.fac. 5ª.77.E
Ouium vulnera sanat pix humida. 7°. de simp.med.fa. 5ª.50.F
Ouium vulnera a forfice facta sanat cedrea. 7°. de simp.me.f. 5ª.50.F
ad Ouium scabiem cedrea valet. 7°. de simp.med.fa. 5ª.50.F

ad Ouium ricinos cedrea valet.7°.de simp.med.fac. 5ª.50.F
Ουλομελίη quid significet.de art.com.1°. 7ª.258.D
Ο'υραχον quid vocant anatomici.intr. Isa.54.E
Ο'ραῖον appellant ossis extremum.de vict.ra.in mor.acu. 7ª.144.F
Οὔρηματα non dixisset Hippocrates & Polybus.de natura humana, commentario 2°. 7ª.180.G
οὐρητῆρες meatus qui.introductio.Isa.54.E/1°.de nat.fac. 1ª.291.G
Οὐρῆθρα quæ pars sit.introd. Isa.53.D
de OVIS & lacte multa distincte dicēda.de bo.et vitio su.2ª.34.G
Ouum quid.de simp.med. Sp.88.E
Oua an partes animalium.11°.de simp.med.fac. 5ª.81.C
Oua habēt ꝓportionē his q̄ agnoscuntur.11°.de sim.med. fac. 5ª.81.C
Ouum est factū ad generis ꝑpetuā ꝓpagationē.11°.de sim.m.f. 5ª.81.C
in Ouis est caro alba,& mollis.de anat.viuo. Sp.44.D
Ouorū albumē quale.11°.de sim.me.f.5ª.81.D/F/de ocul. 7ª.189.A/B
Oui albumen magis terrenum oleo est.4°.de sim.med fac. 5ª.25.E
Oui albuminis temperiem lac sæpe habet.11°.de sim.me.fa. 5ª.81.D
Oui albo tenui similis est secundus humor oculi. de compag. membrorum siue de natura humana. Sp.58.C
Ouorum candido comparat humorē tenuem.in progn.c.1°. 4ª.194.E
Oua Zephyria subuentanea quæ.2°.de sem. 1ª.337.G
Oua auū,& piscīū nō nullorū cur genita sine mare.2°.de se. 1ª.338.D
Oua facientes sine mare aues & pisces sunt siccæ temperaturæ. 2°.de semine. 1ª.338.D
Oua sine mare cur faciant gallinæ & nihil tale faciant vllæ fœminæ intergressilia.14°.de vsu par. 1ª.206.D
ex Ouis subuentaneis animal gigni non potest.14°.de vsu p.1ª.206.D
Oua gallinarum sine mare non generant.14°.de vsu par. 1ª.206 D
de Ouis tribus exemplo aquilæ, anatis, serpentis sine matre exclusis ostenditur naturam doctore non egere.1°.de vsu par. 1ª.113.F
Ouis gallinæ tantum cur vtamur.11°.de simp.med.fac. 5ª.81.D
Ouum gallinarum est cibus medium, inter crassum,& subtilem.de dis solutione continua. Sp.73.A
in Ouo primum apparet caput pulli.de ana.viuo. Sp.51.H
vt in Ouis pellicula est ita in fœtu.de anat.viuo. Sp.52.B
Oua sunt boni succi.de remed.par.fac. 7ª.159.C
Oua sunt crassi succi & boni,& humorum acrimoniam infrenat.de vi. rat.in morbis acutis,com.4°. 7ª.149.D
Oua ab aliquibus difficulter coquuntur.1°.de loc.affe. 4ª.5.C
Ouorū vires proprie accedunt ad alicam.de bon.& vitio suc. 2ª.34.G
Oua dant humens alimentum.de ptissa. 2ª.48.B
Oua multum nutriunt.8°.meth.med. 7ª.50.H
Oua faciunt victum plenum.com.1°.aph.4°. Ex.4.C
Oua languentibus dari cōsueuerūt.de vict.ra.in mor.ac.c.1°.7ª.112.F
Oua dedit ante quartum diem, & post quartum dat carnem in febre cū syncope in tenuibus succis.12°.meth.med. 7ª.78.A
Oua purgatis tuto exhibentur.præsag.exper.conf. Sp.78.D
ab Ouorum multo vsu senex cauere debet.5°.de san.tu. 2ª.91.D
Ouorū vitella facilius coquūtur,q̄ albumina.1°.d̄ arte.c.ad G.7ª.97.d
Ouorū vitella danda in tertiana ꝑ cibo.1°.de artæ cur.ad Gl. 7ª.97.D
Ouorum vitelli dandi in syncope ex tenuibus humoribus.12°.methodi medendi. 7ª.78.A
post Oua dat carnem in syncope.12°.meth.med. 7ª.78.A
Ouorum album ægre concoquitur.12°.meth.med. 7ª.78.A
Oua albificat semen.de anat.viuo. Sp.44.D
Oua recentissima optima.3°.de alim.fa. 2ª.29.H
Oua vetustissima pessima.3°.de alim.fac. 2ª.29.H
Oua vetusta quæ praua.11°.de simp.med.fac. 5ª.81.D
Ouorum tres differentiæ.3°.de alim.fac. 2ª.29.G
Ouum crudum raucos emendat,lachryma quoque tepida in oculis dolentibus inuncta salutem restituet.de simp.med. Sp.88.E
Ouum si crudum bibatur sitim prohibet.de simp.med. Sp.88.E
ad Oua multum facit coctura.3°.de alim. fac. 2ª.29.G
Oua cocta qualia.3°.de.alim.fac. 2ª.29.G
Ouum gallinæ semicoctum virtutem stomacho præbet, & non permittit corpus debilitari.de simp.med. Sp.88.E
Oua semicocta ad tormina siue febre.de vic.ra.in mor.a.c.4°.7ª.149.c
Oua tremula qualia.3°.de alim.fac. 2ª.29.G
Oua mediocriter cocta tremula ꝑstātia ad multa.d̄ bo.& vi.su.2ª.35.d
Ouis tremulis vtendū ex balneis redeunti.de bo.& vi.suc. 2ª.39.C
Oua sorbilia qualia.3°.de alim.fac. 2ª.29.G
Ouum sorbile cibus leuissimus.de dynamidijs. Sp.19.H
Oua sorbilia cibi sunt boni succi.2°.de comp.med.sec.loc. 5ª.133.D
Oua sorbilia boni succi,& non calefaciunt.de reme.par.fac.7ª.153.G
Oua sorbilia vires posſunt reficere.8°.de com.med.sec.loc. 5ª.192.E
Oua sorbilia in inflammationum arteriæ principijs leuissima.7°.de cō. med.sec.loc. 5ª.177.H
Oua sorbilia antiquitus accipiebant cū garo.2°.de c.me.se.l. 5ª.133.D
Oua cum sale.2°.de comp.med.sec.loc. 5ª.133.D
Ouum cum melle,vel garo,vel sale coctum,est compositum ex diuersis facultate.de vict.ra.in mor.acu.com.1°. 7ª.111.H
Oua sorbilia leniunt gutturis asperitates.de bon.& vitio suc.2ª.35.E
cum Ouo sorptum sulfur expurgat in ictteris.de cura ictteri. Sp.111.B
Oua in calidis cineribus assata qualia.3°.de alim.fac. 2ª.29.G
Oua frixa tarde descendunt.de dissol.cont. Sp.74.H
Oua frixa sunt mali succi.de bon.& vitio succ. 2ª.35.D
Oua frixa corrūpūt ēt secum admixtos cibos.de bo.& vit.su.2ª.35.D
Oua frixa inter deterrima earum rerum habētur,quę cōcoqui nequeūt. de bon.& vitio succ. 2ª.35.D
Oua frixa pessime nutriunt.3°.de alim.fac. 2ª.29.H
Oua frixa sunt fumosæ coctur æ in stomacho.de bon.& vi.suc.2ª.35.D
vt ab Ouis frictis ructum fumosum sentit quis.1°.de loc.affe. 4ª.5.C
Oua suffocata qualia.3°.de alim.fac. 2ª.29.H
Ouorum suffocatorum praparatio.3°.de alim.fac. 2ª.29.H
Oua supramodum crassa qualia.3°.de alim.fac. 2ª.29.H
Oua mediocriter crassa qualia.3°.de alim.fac. 2ª.29.H
Oua crassitiei temperatæ quæ.de diss.con. Sp.73.A
Oua superne caldarijs imposita qualia.3°.de alim.fac. 2ª.29.H
Oua cocta in degamine,vel in testis generant nutrimentum crassum,& corruptibilem.de diss.cont. Sp.74.B
Oua non dura velocius digeruntur quam dura.de dissol.con. Sp.73.D
Oua omnia non dura bene parata,& cocta generant bonum humorem inter crassum,& tenue.de dissol.con. Sp.73.H
Oua in aqua durata sunt fugienda in epilepsia.de puero.epi.7ª.180.H
Oua in aqua durata sunt difficilis coctionis.de puc.epil. 7ª.180.H
Oua dura tarde digeruntur.de dissol.cont. Sp.73.D
Oua elixata vsque quo induruerint tarde,& paulatim nutriunt. commentario 2°.apho.18°. Ex.13.G
Oua dura elixa aut assa,cibus crassus,& cur.de diss.cont. Sp.72.G
Oua omnia dura elixa,& assa tarde descendunt.de diss.cont.Sp.74.H
Ouum coctū in aceto fluxiones vētris desiccat.11°.de si.me.f.5ª.81.E
Ouum coctū per durū dysentericis prodest.de sim.med. Sp.88.E
Oua adiunctis aliquibus quæ valeant ad dysenteriam,& cœliacū affectum ad illos affectus valent.11°.de simp.med. 5ª.81.E
Oua elixa qualia.de diss.con. Sp.73.A
Oua, quæ elixa,vel tosta penitus densata sint,crassi succi censentur.de bonitate,& vitio succorum. 2ª.35.D
Oua assata.4°.de comp.med.sec.loc. 5ª.153.F
Oua tosta.1°.de comp.med.per gen. 5ª.217.B
Ouum cur materia medicamentorū.11°.de simp.med.fac. 5ª.81.F
Oua non extergunt.4°.de comp.med.sec.loc. 5ª.150.D
Ouorum liquor tenuis est, acrimoniæ expers.4°.de c.me.sc.lo.5ª.151.c
Ouorum liquor subtenuis ad oculos optimus,& qualis.4°.de compo. medicam.sec.loc. 3ª.149.F
Oui humor in oculis multum valet.13°.meth.med. 7ª.86.A/B
Oui albumen ad quorum vsus.11°.de sim.me.fac. 5ª.81.D
Oui candidum lenitivus liquor.4°.de comp.med.sec.loc. 5ª.150.G
Oui albumen collinit,& mitigat acres mordicationes.10°.de simplic. medicam facul. 5ª.73.F
Oui albumen oculis conuenit.de ocul. 7ª.188.G
cum Ouo, & rosaceo lac valet ad oculorum phlegmonas.10°.de sim. medicamen. 5ª.73.H
Oui candidum ad aurium dolores,& ad lippitudines.2°.de composit. medicam.sec.loc. 5ª.140.G
Oui albugo obstruit.de ocul. 7ª.187.H
Oui albumē miscet medicamētis ꝑfluuiū sāguinis ex cerebri inuolucris supprimētibus,& ad vlcera rebellia valet.11°.de sim.m.f. 5ª.81.D
ex Ouorum albumine medicamentum ad sanguinem sistendum.de curatione per sang.miss. 6ª.21.F
cum Oui candido mista,& pilis leporis excepta,aloes partes vnius semissi,& thuris pars vna sunt medicamentum optimum ad sanguinē supprimendum.5°.meth.med. 7ª.31.A
Oui candidi meminit.de remed.par.fac. 7ª.156.A
Oui vitellus miscetur cataplasmatis phlegmonē extinguentibus.11°.de simplic.

simpli.medicamentorum facultatibus. 5ª.81.E
Ouorum vitellorum elixorum, & assorum differentia. 11°.*de simplic. medicamen.facul.* 5ª.81.E
*Ouorum vitellus quibus miscεatur vitellis.*11°.*de sim.me.fa.* 5ª.81.E
*Ouorum vitella emplastro de meliloto miscεtur.*11°.*de si.m.f.* 5ª.81.E
Oui vitellus extrinsecus illinitus pategoricus, vel stypticus inuenitur de simp.med.facul. Sp.88.E
*Oui luteum assum ad oculos.*4°.*de compo.med.sec.loc.* 5ª.157.D/H
*Ouorum assatorum vitellis vtitur.*5°.*de comp.med. per ge.* 5ª.251.G
*Oui vitellus tostus,& in farina cōminutus.*8°.*de cō.me.s.l.* 5ª.192.B
Oui candidi luteo vtitur.de remed.par.fa. 7ª.156.E
*Oua cruda tota cum rosaceo valent ad palbebrarū aurium, & mammarum phlegmonas,& ad illos qui sunt in cubito,digitis, tendonibus et articulis,*11°.*de simp.med.fac.* 5ª.81.E
*ex Ouis cerata qualia.*7°.*de comp.med.per gen.* 5ª.264.E
*Oui aquatum accipi iubet.de remed.par.fa.*156.C/159.A/7ª.160.G
OVI *anserini putamen.de remed.par.fac.* 7ª.160.A
*Oua araneorum.*5°.*de comp.med.sec.loc.* 5ª.163.E
*Ouum nyctlicoracis.*4°.*de comp.medica.secun.locos.* 5ª.158.C/*de remed.par.fac.* 7ª.156.G
Oua perdicis.de med.fac.par. 7ª.169.E
*Oui testa pro medicamento conseruando.*5°.*de com.me.se.lo.* 5ª.161.E
*ex Oui putamine facit mensuram.*9°.*de comp.med.sec.loc.* 5ª.204.B

OXALIS *quid sit.*4°.*de compositione medicamentorum facultatibus.* 5ª.28.C
*Oxalis acida tantum est frigida.*4°.*de simp.med.fac.* 5ª.25.B
*Oxalyda refrigerare comperit Galenus.*4°.*de simp.med.fac.*5ª.26.D
*Oxalidis meminit.*10°.*meth.med.* 7ª.65.A
OXALME, *vel muria condita arborum germina sanguinem melancholicum faciunt.*3°.*de locis affectis.* 4ª.18.F
*Oxalme quando imponendum erypsipelati.*14°.*meth.med.* 7ª.87.E
Ὀξελαιὸν. *de remed.par.fac.* 7ª.155.C
*Oxelæum pro neruorum vulnere.*3°.*de comp.me.per ge.* 5ª.229.H
*Oxelæum pro Argenti spuma fundendum.*1°.*de cō.me.p ge.*5ª.212.F
*ex Oxelæo,& argenti spuma emplastrum.*1°.*de cō.me.p ge.* 5ª.213.A
*Oxiaa candem esse cum oxalide.*4°.*de simp.med.fac.* 5ª.25.B
OXOS, *id est acetum.*8°.*de simp.med.fac.* 5ª.57.D
*Oxyacantha asparagorū genus in plātis fruticosis.*3°.*d ali.fa.*2ª.24.B
*Oxyacanthus piro syluestri similis.*8°.*de simp.med.fac.* 5ª.57.D
*Oxyacanthes fructus fluxionum omnes affectus cohibet.*8°.*de simpli. med.fac.* 5ª.57.D
OXIBAPHI *mensura.*6°.*de simp.me.fac.*41.D/48.D/8°. 5ª.62.F
Oxybaphum quantum capiat.de pond.& mens. 5ª.275.D/*de vic. ratione in morbis acutis,com.*1°. 7ª.112.E
*Oxybaphi meminit.*7°.*de simp.med.fac.*54.B/2°.*de antid.* 5ª.118.C
OXICRATVM *aliquos refrigerat,sed dubium an ratione aceti.* 1°.*de simp.med.facul.* 5ª.7.D
*Oxycratum aquosum.*7°.*de simp.med.fac.* 5ª.53.G
Oxycratum quibus concedi.de marc. 3ª.48.B
*Oxycratum aquosum valet ad digerendum viscosos, & crassos, succos.de vict.rat.in mor.acut.com.*1°. 7ª.117.A
*cum Oxycrato,& aceto ab omni terra leui iuuantur ambusta,& prohibentur bullæ.*9°.*de simp.me.fac.* 5ª.66.B
*Oxycratum pro abluendo vulnere.*2°.*de arte cur.ad Glau.*7ª.101.H
Oxycratum vlcerum congelatorium dicendum est non acetum. 1°.*de simpli.med.fac.* 5ª.7.G
Ὀξυδερκῶν *medicamenta quæ.*10°.*de simp.med.fac.* 5ª.73.D
*Oxydericæ facultates quæ.*5°.*de simp.me.fac.* 5ª.38.D
*Oxderycum collyrium.*4°.*de comp.med.se. lo.*156.G/ 5ª.157.B
Oxydericon iuuat lippitudinem siccam,& scabiosam.introd. If.58.C
OXYGALA *quale.*3°.*de alim.fac.* 2ª.28.E
*Oxygala frigidum est,& crassi succi.*3°.*de alim.fac.* 2ª.28.E
*Oxygala quid agat.*3°.*de alim.fac.* 2ª.28.C
*ex Oxygalacte dentium stupor.*3°.*de alim.fac.* 2ª.28.C
*Oxygala conuenit calidis ventriculis.*3°.*de ali.fac.* 2ª.28.E
*Oxygala niue refrigeratū ferūt vētriculi calidiores.*3°.*de al.f.*2ª.28.d
*Oxygala frigidis ventriculis aduersissimum.*3°.*de alim.fac.* 2ª.28.E
*Oxygala,& si non coquatur quibus non vertitur in nidorem, & cur.*3°.*de alim.fac.* 2ª.28.E
OXYGALACTINON *genus casei.*1°.*de alim.fac.* 2ª.12.H
*Oxygalactinus caseus qualis.*3°.*de alim.fac.* 2ª.29.A
*Oxygalactinus caseus vulnus magnū curauit.*10°.*de si.m.f.* 5ª.74.C
OXYGARVM. *de remed.par.fac.* 7ª.157.D
Ὀξυγλυκὲς. *de frac.com.*2°.235.H/*com.*3°. 7ª.248.D
Oxyglycy cum melicrato incidit.de curan.ra.per san.miss. 6ª.19.A
OXYLAPATHVM *quid sit.*4°.*de simp. med.fac.* 5ª.28.C
*Oxylapathon habet caulē inutilē post semē effusū.*2°.*de al.fa.*2ª.24.b
*Oxylapathum quale.*7°.*de simp.med.fac.* 5ª.54.B
*Oxylapathum frigidum est.*4°.*de simp.med.fac.* 5ª.26.D
*Oxylapathum acidum tantum est frigidum.*4°.*de simp.me fa.*5ª.25.B
*Oxylapathon comedunt rusticæ mulieres pica laborātes,et gulosi pueri.*3°.*de alim.fa.* 2ª.23.D
*Oxylapathon parum nutrit.*3°.*de alim.fac.* 2ª.23.D
*Oxylapathi semen dysenterias, diarrhœas,siue profluuia sanat.*7°.*de simp.med.facul.* 5ª.54.B
*Oxylapathi meminit.*10°.*metho.med.* 7ª.65.A
*Oxylipe panis.*8°.*metho.med.* 7ª.53.D
OXYMELI *vnum ex auxilijs morbi.de victus ratio.in morbis acutis, commentario* 1°. 7ª.115.C
*Oxymeli numerat inter pharmaca.*8°.*m.m.*52.G/13°.*m.m.*7ª.83.E
*Oxymeli qualia dici potest.de vict.ra.in mor.acut.com.*4°. 7ª.136.E
*Oxymelitis cōpositio quō.de vic.ra.in mor.ac.c.*3°.125.D/ 7ª.129.E
*Oxymeli non est conficiendum semp eodē modo.*4°.*de sa.tuen.*2ª.85.E
Oxymelitis differentiæ.de puero epilep. 7ª.181.A
Oxymeli ex factis.de puero epilep. 7ª.181.A
*Oxymeli fit ex mulsa.de vict.rat.in mor.acu.com.*3°. 7ª.130.B
Oxymelitis mistio q̄ multis cōueniat,qualis eē.debet. 4°.*d sa.t.* 2ª.85.F
*Oxymelitis alia compositio.*4°.*de san.tu.* 2ª.85.F
Oxymeli cur coquendum de vic.ra.in morbis acutis,cō. 3°.7ª.129.E
*Oxymeli magis forte q̄ vinū,& minus familiare.*4°.*de sa.tu.*2ª.85.E
*Oxymeliti aqua miscenda est.*4°.*de san.tu.* 2ª.85.E
Oximeli dilutum quomodo fiat.de pue.epilep. 7ª.180.E
*Oxymeli quo modo egregie preparetur.*4°.*de san.tuen.* 2ª.85.E
*Oxymeli valde acre sputum non educit,sed viscosum redditur. de victus ratione in morbis acutis,com.*3°. 7ª.129.F
*Oxymeli acre q̄ vim habet.de vic.ra.in mor.acu.com.*3°. 7ª.129.F
*Oxymeli acre quō dandū.de victus ra.in mor.acu.cō.*3°. 7ª.129.H
*Oxymeli parū acre quale sit.de victus rat.in mor.ac.cō.*3°.7ª.130.A
Oxymeli parum acre flatum discutit, & vrinas mouet. de victus ratione in morbis acutis,com 3°. 7ª.130.B
*Oxymeli non acre humidam reddit partem vnāq; intestini facit,& ramenta.de vict.rat.in morbis acutis,com.*3°. 7ª.130.B
*Oxymeli abradit intestina.de vic.rat.in mor.acut.com.*3°. 7ª.130.C
*Oxymelitis iudicium ex gustu sumendum.*4°.*de san.tuen.* 2ª.85.F
*Oxymele iucundissimum vtile.*4°.*de san.tu.* 2ª.85.F
*Oxymeli iniucundum aduersissimum.*4°.*de san.tu.* 2ª.85.F
Oxymeli cur præbeatur ægrotantibus.de bon.aquæ. Sp.75.H
*Oxymeli non valde dulce sitim maxime sedet.de puero epil.*7ª.180.f
*inter Oxymeli,& mulsam mediū est apomeli.*8°.*meth.med.* 7°.52.G
Oxymelitis varius vsus in diuersis humorib.de puero epil. 7ª.181.A
Oxymel incidit.de ptiss. 2ª.48.B
Oxymel cum melicrato incidit.de curan.ra.per sang.miss. 6ª.19.A
*Oxymeli disecat,et detergit pituitā,et nō calefacit.*6°.*d sa.t.*2ª.99.d
*Oxymel mixtum cū attenuātibus auget illis vim.de attē.vic.*2ª.44.C
*Oxymeli detergit.*4°.*de san.tu.*2ª.84.F/8°.*metho.med.* 7ª.52.G
*Oxymeli sine morsu detergit.*13°.*meth.med.* 7ª.83.E
*ex Oxymelite radicula glutinosa detergit.*8°.*meth.med.* 7ª.51.B
*ex Oxymelite, & radicula vomitus.*5°.*meth.med.*34.E/7°. 7ª.48.E
cum Oxymelite cedri cortex vomitum facit.de cathar. Sp.95.C
*Oxymeli calefacit, & euacuat.*11°.*metho.med.* 7ª.69.G
Oxymeli catharticum quo modo fiat.de dynamidijs. Sp.32.E
*Oxymeli obstruit Iecur.*6°.*de san.tu.* 2ª.97.H
*in Oxymelite sumi debent,quæ dantur pro iecoris obstructione.*6°.*de sanitate tuenda.* 2ª.96.B
*Oxymeli conducit concoctionis tarditati.*6°.*de san.tuen.* 2ª.97.H
*ex Oxymelite capparis conuenit vbi grauitas in præcordijs.*14°.*methodi medendi.* 7ª.91.H
*Oxymeli suaue leni,& hepati.de vic.ra.in mor.acu.cō.*3°. 7ª.130.B
*ex Oxymelite capparis sumptum citra calorem extenuat.*4°.*de sanitate tuenda.* 2ª.85.G
*Oxymeli in splene duro.*2°.*de arte cur.ad Glau.* 7ª.104.C
*ex Oxymelite capparis pro liene.*13°.*meth.med.* 7ª.84.F
*ex Oxymelite,absinthio et cappari cataplasma p liene.*11°.*m.*7ª.73.d
*Oxymeli q̄n bibendū.de vict.ra.in mor.acu.com.*3°. 7ª.130.E

Oxymeli dandum

Oxymeli dãdũ poſt cremoris coſtionẽ.de vic.ra.ĩ mor.a.c.3°.7ª.130.F
Oxymeli hyeme calidum,æſtate frigidũ.de vic.ra.in morbis acutis, cõmentario 1°.114.F/de puero epil. 7ª.180.E
Oxymelite quando vtendum.11°.metho.med.70.F/de victus ratione in morbis acutis,commen.2°. 7ª.121.F
Oxymeli quibus cõueniat,& quibus non.4°.de ſan.tu. 2ª.85.E
Oxymeli quibus conueniat.4°.de ſan.tuen. 2ª.84.F
Oxymelite cibanãi craſſos,et multos humores in primis habẽtes. 4°.de ſanitate tuenda. 2ª.84.H
Oxymeli per ſe,& cum hyſſopo, & origano craſſos humores incidit. 2°.de aliment.facul. 2ª.25.C
Oxymeli bibunt in pituitæ vitio.de vic.rat.in mor.ac.com.1°.7ª.136.E
Oxymeli pro ventriculo in quo pituita frigida ſit aceruata.1°.de arte curat.ad Glauconem. 7ª.99.D
Oxymeli conuenit in epilepſia.de puero epilep. 7ª.180.E
Oxymeli in pleuritidæ valet.de vict.rat.in mor.acu.c.3°. 7ª.129.D
Oxymeliti miſceri debent medicamenta thoracis, & pulmonis 5°.de ſimplic.medic.facul. 5ª.35.C
Oxymeli ex marrubio pus è thorace valde educit.13°.m.m. 7ª.85.A
Oxymeli facit expuere viſcoſos humores.de victus ratione in morbis acutis,commentario 3°. 7ª.126.B
Oxymeli tuſſes incitat quomodo.de vict.rat.in mor.acu.c.3°.7ª.127.E
Oxymeli acceptum ante euacuationem in pleuritide obeſt. de victus ratione in morbis acutis,com.1°. 7ª.114.B
ex Oxymelite abrotanum in peripneumonia.de victus ratione in morbis acutis,com.4°. 7ª.144.C
ex Oxymelite panax qb. proſit.de vic.ra.in mor.ac.cõ.4°. 7ª.144.C
Oxymel p potu in aĩ defectu ex multitudine.1°.de ar.cu.ad.G.7ª.99.d
Oxymel ex hyſſopo,origano,pulegio,& melle epotũ, aĩ dfectus ex obſtructione quo modo curetur.1°.de arte cur.ad Glau. 7ª.99.F
Oxymeli in ſyncope.12°.meth.med. 7ª.76.A
ex Oxymelite,& fabacea farina cataplaſma.6°.metho.med. 7ª.38.G
Oxymel cum farina orobi, & lolij, ad putreſcentia valet. 2°.de arte curatiua ad Glauconem. 7ª.106.H
Oxymeli valet ad gumos.6°.de loc.affe. 4ª.39.A
Oxymelite vel melicrato excipitur agaricum.de dyn. Sp.21.G
Oxymelitis noxæ omnes.11°.meth.med. 7ª.70.C
Oxymeli quibus nõ conueniat.de vict.ra.in mor.acu.c.1°. 7ª.113.C
Oxymeli non datur febricitantibus.de remed.par.fac. 7ª.159.F
Oxymeli potione plurimos iuuat intertiana notha. 1°.d arte curatiua ad Glauconem. 7ª.97.E
pro Oxymelite confectio ex marrubio, et iride.de victus rat. in morbis acutis,commen.1°. 7ª.113.C
Oxymyrſine aſparagorũ genus in plãtis fruticoſis.2°.d ali.fa. 2ª.24.B
OXIPHILLVM. *8°.de ſimp.med.fac. 5ª.62.F*
OXIPORIVM *ad inflationes.de mel.ex Gal.Ruff.& Poſſ. Sp.110.E*
Oxyporiũ ad concoctionẽ adiuuãdã.de mel.ex Ga.Ru.& P.Sp.110.E
ὀξυρεγμία id eſt, ructus acidus.com.6°.aph.1°. Ex.46.A
ὀξυρεγμιῶντας vocãt græci acidũ ructãtes.7°.de ſim.me.fa. 5ª.51.A
pro OXYRODINO *proportio olei ad acetũ.de reme.par.fa. 7ª.153.E*
Oxyrhodinum repellit.1°.de arte cu.ad Glau. 7ª.100.A
Oxyrhodinũ nõ refrigerat ſm Herodotũ.3°.de ſimp.med.fac. 5ª.18.E
Oxyrhodinũ p dolore capitis ex febre.1°.de arte cur.ad Gla.7ª.100.B
Oxyrhodinum debet applicari cauſa phrenitidis.2°.de lo.aff.4ª.13.H
Oxyrhodinum capiti phreniticorũ applicatur.13°.meth.me. 7ª.85.D
Oxyrhodinũ in principio phreneſis.3°.de ſimp.me.fa. 5ª.18.E
Oxyrhodinum pro ædemate.14°.meth.med. 7ª.87.F
Oxyrhodinum ſal habens pro ædemate.14°.meth.med. 7ª.87.F
ex Oxyrhodino ſola frictio ædema in prauis affectibus curat.2°.de arte curat.ad Glau. 7ª.103.F
OXYSCHENOS. *8°.de ſimp. med.fac. 5ª.62.A*

de OZAENA *de med.fac.par. 7ª.163.D*

Ozæna quid.fin.med. Ifa.47.H
Ozænæ quæ in naribus.3°.de compo.med.ſec.loc. 5ª.147.F
Ozænæ quibus fiant.3°.de compoſi.med.ſec.loc. 5ª.147.F
Ozænæ curatio difficilis eſt.introd. Ifa.59.H
Ozænæ curatio quæ.introductio. Ifa.59.H
Ozænæ, & polypi curatio cõis vtrique.3°.de com.me.ſe.lo. 5ª.147.F
ad Ozænas.Archigenis.3°.de comp.me.ſec.lo. 5ª.147.G
in Ozænis nariũ q Galenus inueni.pbatiſſima.3°.de c.m.ſe.l.5ª.148.E
ad Ozænas Aſclepiadis.3°.de compoſi.me.ſec.loc. 5ª.148.B
in Ozænis,& polypis ſternutatoria.3°.de comp.med.ſe.lo.5ª.148.B
in Ozæna diuitis caſus q volebat odorata.3°.de cõ.me.ſe.l. 5ª.148.G
ad Ozænas,& polypos.3°.de comp.me.ſec.loc. 5ª.147.H
ad Ozænas.3°.de com.med.ſec.loc.148.A/B/5°.165.H/5°.de compoſi.med.per genera.5ª.251.B/de remed.par.fac.155.F/7ª.163.E
OZANORSI, *id eſt ſquinanthi.ſecretorum. Sp.98.H*

Π litera ſcribunt aliqui numerum nongenteſimum. in 3ᵐ.de morbis vulgaribus,com.2°. 3ª.136.E

PACCIANVM *croceũ. 4°. de comp.med.ſec.loc. 5ª.151.A*

PACCII *Antiochi medicamentum ad colicos.9°.de com.med.ſec.loc. 5ª.202.F*
Pacij Aſclepiadeũ ad oculorũ affectus.4°. de compo.med.ſec.loc. 5ª.155.H
Paccij Ophtalmici medicamentum ad oculorum affectiones intenſas.4°.de compoſitio.med.ſec.loc.155.H/ 5ª.156.F
ex Paccij collectaneis malagma Callinici.7°.de cõ.me. pgc.5ª.266.H
Paccij Sphragis.4°.de comp.med.ſec.loc. 5ª.154.B
PAEDAGOGI qui ſm Zenonem.de cog.cur.an.mor. 2ª.51.D
Pedagogum in lingua græca habuit Galenus patrem ſuum.2°.de differentijs pulſuum. 4ª.55.A
PÆDEROTA *vocant acanthon, hoc eſt vulgarem ſpinam.6°.de ſimpli.medic.facul. 5ª.41.H*
PÆDICÕN *medicamentum.4°.de comp.med.ſec.loc. 5ª.153.H*
PÆDOTRIBA *eſt gymnaſtæ miniſter.ad Thraſyb. 2ª.109.B*
Pædotriba differt à gymnaſta, vt coquus a medico.2°.de ſa.t.2ª.74.F
Pædotribam magis quàm gymnaſtam appellabat Plato gymnaſtæ artis profeſſorem.ad Thraſyb. 2ª.107.B
Pædotriba eſſe debet,qui præſit exercitationi.de par.pil.ex. 2ª.49.E
Pædotribam prudentem inuenire difficile eſt.de puero epil.7ª.179.G
Pædotriba quos motus ſciat,& quos ignoret.2°.de ſa.tu. 2ª.75.E
de PÆDOTRIBICA *arte.ad Thraſyb. 2ª.109.A*
PÆDOTROPHICA *ars. de par. art.med. Sp.16.D*
PÆONIA *temperata eſt in actiuis qualitatibus, & ſicca, ac tenuium partium.6°.de ſimp.med.fac. 5ª.45.H*
Pæonia veſicam purgat.de cathar. Sp.95.D
Pæonia prouocat menſtrua.de cathar. Sp.95.D
Pæoniæ radix menſes cit,iecur obſtructum & renes purgat, ac vẽtris prouenientes fluxiones ſiſtit.6°.de ſimp.me.fac. 5ª.45.G
Pæoniæ radix leniter adſtringit.6°.de ſimp.me.fac. 5ª.45.G
Pæoniæ radix ſuſpenſa collo comitialem morbum ſanat.6°.de ſimplicium medicamentorum facul. 5ª.45.H
PÆONIVM *dictum catapotiũ Andreæ.9°.de cõ.me.ſe.lo. 5ª.198.G*
Pæonia medicamenta pro efficaciſſimis.1°.de ſem. 1ª.332.D
PAGRVS piſcis eſt duræ carnis.3°.de alim.fac. 2ª.31.E
Pagrus ægre conficitur,& ſuccos craſſos,& ſalſos gignit.3°.de alim. facultatibus. 2ª.31.E
Pagri piſcis ſel ad quid vtile.4°.de comp.med.ſec.loc. 5ª.153.C
PAGVRVS *fluuiatilis ad quid vtilis.de med.fac.par. 7ª.176.E*
Paguri habent tenuem teſtam.3°.de ali.fac. 2ª.32.C
Paguri mollem teſtam habent.de ren.aff.dig.& med. 7ª.195.F
Paguri non habent collum,neque caput.8°.de vſu par. 1ª.164.H
Paguri non habent palpebras.de inſtr.odor. 1ª.112.B
ex PALAESTINA Syriæ balſamũ habuit G.1°.de an.5ª.100.C
in Palæſtina vina tenuia reperit Galenus.de victus ratione in morbis acutis.commentario 3°. 7ª.127.C
Palæſtinorum,& Indorum anni, & menſes qui in 1ᵐ.de morbis vulgaribus,commentario 1°. 3ª.102.E
PALÆSTRA *laborantes ad quid exerceantur. de par.pi. ex. 2ª.49.D*
in Palæſtra exercentur pueri, vt per funem manibus aſcendant ad robur.2°.de ſan.tuen. 2ª.74.D
in Palæſtra alteres qui.2°.de ſan.tuen. 2ª.74.H
in Palæſtra puluere alto vtebantur.2°.de ſan.tu. 2ª.74.E
in Palæſtra percuſſi quandoque expuunt cum tuſſi ſanguinem bene coloratum.com.5°.aph.13°. Ex.38.F
in Palæſtra luxationem ſũmi humeri habuit Galenus anno ætatis ſuę trigeſimo quinto.de art.com.1°. 7ª.260.C
PALÆSTRICÆ *inſertiones, quæ.intr. Ifa.60.G*
PALÆSTRITÆ *qui.1°.de alim.fac. 2ª.10.B*

à Palæstrita longe differt gymnasta.ad Thrasyb. 2ª.108.G
Palæstritæ, & gymnasiæ calidi ob vitæ institutum. in 1ᵐ.de morbis vulgaribus,commentario 1°. 3ª.105.A
Palæstritas damnat Galenus.de par.pil.exer. 2ª.49.G
Palæstritæ vt fues sunt.de par.pil.exer. 2ª.49.C
Palæstrita somniabat se esse in cisterna sanguinis ob sanguinis copiã. de dignotione èv insom. 4ª.213.D
PALÆSTRICVS modus reponendi luxata est magis in vsu in principio,& qui illo reponantur.de machin. 7ª.309.B
PALATII bibliotecha conflagrauit Galeni tempore. 1°.de compositione med. per gen. 5ª.209.G
PALATVM quid, & quale esse debet.in 6ᵐ.de morbis vulgaribus.cõmentario 1°. 3ª.155.B
in Palato cur perforatio.11°.de vsu par. 1ª.188.D
per Palatum cur duo meatus,& quo modo.9°.de vsu par.1ª.172.A
ad Palati meatum tria satis sunt, aden, os, & membrana.9°.de vsu partium. 1ª.172.E/C
Palati quatuor ossa intro. Isa.54.G
Palato,linguæ,gulæ,toti ori,& ventriculo communis est tunica.in.pgnostica, commentario 3°. 4ª.210.G
Palati tunica non est odoratus instrumentum.de instr.odor.1ª.111.A
Palati ossa habent futuram obscuram.11°.de vsu par. 1ª.192.A
Palati ossis natura,& car densum,ac rarum.11°.de vsu par.1ª.192.B
Palato subiacet lingua.de nat.& ord.cuiusc.er. Sp.41.H
Palato cur sit suspensa vuula.de comp.memb.siue de nat.hu.Sp.58.F
Palato ægritudinem affert vuæ abolitio.de diff.morb. 3ª.4.H
Palato pstat gustabilis qualitas.de cõ.memb.siue de na.hu. Sp.58.D
Palatum debet habere sensum exactiorem.16°.de vsu par. 1ª.215.D
Palatum quales neruos habeat.16°.de vsu par. 1ª.215.D
Palatum ab irritãtibus cibis abstinẽdũ est.de cog.cur.aï mor. 2ª.53.D
Palatum explere cupientes placentis, & edulijs,lætantur. de cognoscendis curandisq;animi mor. 2ª.53.D
Palatum est organum locutionis.de ana.viuo. Sp.49.B
ad Palatum,& Parisithmia, & pulmonem cur à capite materia trãsmittatur.2°.de diff.sib. 3ª.40.H
Palatum expurgat caput.ars med.Isa.71.E/c.6°.aph.2°. Ex.46.E
Palatũ locus est,p quẽ fit euacuatio cõuenies.cõ.1°.aph.21°.Ex.10.a
p Palatũ,& nares caput purgatur.1°.de arte cu.ad Glau. 7ª.100.B
p Palatũ,nares,& aures purgat cerebrũ.7°.mm.49.D/11°.7ª.73.E
p Palatum humor excrementitius ex cerebro.2°.de lem. 1ª.340.C
ẽ Palato sunt duo canales, qbus cerebrũ expurgat.8°.de v.p.1ª.168.C
p Palatum expurgatio naturæ conuenit.com.6°.aph.2°. Ex.46.E
per Palatum exeuntia ostendunt qualis sit cerebri robur.de constitutione artis medicæ. Isa.42.B
per Palatum exeuntia ostendũt futuram ægritudinem.ars.m. Is.67.F
in Palato cur exeat plerunque sanguis.de anato.viuo. Sp.44.C
Palatum sanguinem effundens difficulter compescitur.fin.me.Is.50.A
iuxta Palatũ illitio pro capite purgando.2°.de cõ.me.sc.lo.5ª.139.D
in Plati phlegmone cauitanda sunt quæ pituitam per hos euocant.13°. methodi medendi. 7ª.83.A
Palatum acribus vngendum est in lethargo.13°.meth.med. 7ª.85.F
in Palato fluxio,ad aures deriuatur.5°.meth.med. 7ª.30.F
Palato,vel gurgulione fluente deriuatio per nares facienda est,& quibus.de cucur.scar. 6ª.4.E
Palati cancri vsti vel dissecti nõ possunt ad cicatricem peruenire. commentario 6°.apho.38°. Ex.50.E
Palato confert succus centaureæ.de vir.cent. Sp.93.D
PALEA est terrestris,& siccæ essentiæ.4°.de sim.me.fac.5ª.28.G
Palea est cibus familiaris equis.2°.de alim.fac. 2ª.17.B
ex Palea nutrimentũ diuersum est ab his, quæ ex carne, & ossibus. 6°.de sanitate tuenda. 2ª.96.D
Paleas trahit electrum fricatum.de cathar. Sp.94.H
Παλίγκοτα appellat maligna vitia recrudescẽtia.d fr.c.2°.7ª.235.G
PALINODIAM aliquam emeruisse,dictum Stesichori. de venæ sectione aduers.Erasist. 6ª.10.B
PALIVRIVS habet lignum de remed.par.fac. 7ª.157.C
Paliuri folia adstringunt valde.8°.de simp.med.fac. 5ª.57.G
Paliuri folia ventrem fluentem cohibent,phymata curant.8°.de simplicium med.facul. 5ª.57.G
Paliuri folia valent in doloribus oculorum. 4°. de compositione medicamentorum sec.loc. 5ª.157.F
Paliuri fructus calculos vesicæ comminuit,pectoris,pulmonisq; excre tionibus auxiliatur.8°.de simp.med.fac. 5ª.57.G
Paliuri semen lapidẽ potenter frangit.de rem.aff.dig.& me.7ª.196.A
Paliuri meminit.de rem.par.fac. 7ª.156.E
PALLA maris.de dynam. Sp.24.B
PALLAS dedit leges Athenien sibus.an animal sit. 1ª.328.E
PALLERE. 8°.de comp.med.sec.loc. 5ª.197.B
PALLIDVM, & æruginem significat χλωρὸν. in 1ᵐ.prorrhet. commẽtario.3°. 4ª.180.A
Pallidum quid. in progno.com.1°.4ª.191.D/de victus ratione in morbis acutis,com.2°. 7ª.119.E
Pallidus color quo modo fiat.de vic.ra.in mor.acu.com.2°.7ª.119.E
Pallido,& flauo colori contrarius color liuidus,& niger. 14°.methodi medendi. 7ª.87.E
Pallidus color tantum a flauo in albiorem tendit quantum flauus a rubro.de vict.ra.in mor.acut.com.2°. 7ª.119.E
ex Pallido flauum ὠχρόξανθον dicunt.4°.de sa.tu.83.G/5°. 2ª.91.A
ex Pallido flauum.2°.de com.med.per ge. 5ª.217.C
ex Pallido albicans ὠχρόλευκον dicitur.5°.de san.tuen. 2ª.91.A
pro Pallido viridẽ.in 6ᵐ.de morb.vulg cõ.2°.163.C/c.5°.3ª.191.G
Pallida quandoque est bilis amara.1°.de crisibus. 4ª.130.A
Pallida,& amara dicitur bilis flaua.de vi.ra.in mor.ac.c.2°.7ª.120.D
Pallida bilis,& flaua differunt.3°.de loc.affect.4ª.18.B/5°.4ª.29.H/ de frac.com.2°. 7ª.236.D
Pallidum facit bilis.4°.de san.tuen. 2ª.83.G
inter Pallidum, & flauum humor acris.4°.de loc.aff. 4ª.28.C
Pallidius solito corpus affectum indicat succum biliosum abũdare.4°. de san.tu.83.B/ 2ª.84.A
Pallidior color quam pro naturæ habitu bilem purgandam indicat. 14°.methodi medendi. 7ª.93.D
Pallidus tumor bilem significat.14°.meth.med. 7ª.89.D
Pallidum colorem qualem Itclerici,Phasiani populi semper habent.de aere, aquis,& locis. 2ª.4.H
Pallida omnia vident morbo regio laborantes.1°.de sym.cau.3ª.15.C
Pallidum aut flauum sputum est,si bilis abundat.5°.de lo.aff.4ª.29.H
Pallidus est sæpe conceptus in phlegmatis bora.de sperma. Sp.37.C
Pallidus est color timentibus.1°.meth.med. 7ª.7.H
Pallidis ex longa ægritudine caricæ vtiles sunt.de simp.me. Sp.84.C
ad Pallidos.8°.de comp.med.sec.loc. 5ª.196.H
Pallida vrina quid significet.1°.de crisi. 4ª.130.A
Pallida,& tenuis vrina quid significet.quæs.in Hipp. Sp.113.A
Pallidam esse vrinam,aut rufam aut flauam,& simul in tenui, quæ remaneat tenuis esse sedimento impossibile est.de vrin. 4ª.124.G
Pallida,& densa vrina melior est.de vri.sign.ex Hipp. Sp.79.A
PALLOR corporis ex ijs est, quæ absolute dicũtur.2°.me.m.7ª.10.A
Pallores quibus accidant.in 6ᵐ.de mor.vul.com.3°. 3ª.178.D
Pallorem præsefert bilis flauæ copia.de mult. 3ª.81.E
Pallorem,& capitis dolorem conciliat luna dormientibus sub ipsa.3°. de diebus decretorijs. 4ª.157.B
Pallorem facit cyminum,si bibatur.de simp.med. Sp.82.E
Pallor accidit in colore hominis videntis serpentem subito. de motibus manifestis,& obscuris. Sp.69.D
Pallor quo modo curandus.6°.de decre.Hip. 1ª.267.B
ad Pallore malo cãdentia mẽbra valet Theriaca.de the.ad Pi.5ª.91.E
ad Pallorem mulieris a partu. de med.fac.par. 7ª.169.A
PALMA qualis sit.8°.de simp.med.fac.63.C/1°.de compo.medicam. per gen. 5ª.210.H
Palmæ particulatim a palmis nõ leuiter differũt.d bo.et vi.su.2ª.36.d
Palmarum differentia.2°.de alim.fac. 2ª.20.G
Palmæ præstantissimæ quæ in Syria palæstina in hierichonte proueniunt.2°.de alim.fac. 2ª.20.G
Palmarum syriacarum meminit.3°.de comp.med.sec.loc. 5ª.147.D
Palmæ ægyptiæ, quales.2°.de alim.fac. 2ª.20.G
Palmæ Thebaicæ sunt obscuræ dulcedinis.2°.de alim.fac. 2ª.20.G
Palmæ καρυωταὶ sunt molles,humidæ,& dulces.2°.d ali.fa. 2ª.20.G
Palmæ teneriorum germen quod elatem vocant,quale.8°.de simp. medi. faculta. 5ª.63.C
Palmæ elatę.8°.de comp.med.sec.loc. 5ª.188.F
Palmæ cerebrũ quid.de atten.vic.2ª.44.D/4°.de simplicium medicamentorum facultatibus. 5ª.28.G
Palmæ cerebrum est eius vertex.2°.de alim.fac. 2ª.22.B
Palmæ verticem mandunt quidam.2°.de alim.fac. 2ª.22.B
Palmæ cerebrum viride nutrit.4°.de simp.med.fac. 5ª.28.G

Palmæ fructus

Palmæ fructus palmam appellare eodem cum tota arbore nomine græcis omnibus mos est. 2°.*de alim.fac.* 2ª.20.*G*

Palmarum fructus quales.de bonitate,& vitio succo. 2ª.36.*D*/ 8°.*de simplicium medicamentorum facultat.* 5ª.63.*C*

Palmæ fructus,& radix est frigidus.de diss.con. *Sp.*74.*D*

*Palmæ fructus austerus vna,& dulcis est.*4°.*de sim.med.fa.* 5ª.26.*F*

Palmarum fructus sunt crassi succi.de bon.& vitio succ. 2ª.36.*C*

Palmarum succus crassus est,& iecur facile obstruit.de bonitate,& vitio succorum. 2ª.36.*E*

Palmæ non maturescunt in regionibus non valde calidis. 2°.*de alimentorum facultatibus.* 2ª.20.*H*

Palmæ possunt conseruari.de puero epi. 7ª.180.*D*

*Palmæ omnes adstringunt.*2°.*de alim.fac.* 2ª.20.*G*

*Palmæ adstringentes hñt succum frigidiorẽ.*2°.*de alim.fac.* 2ª.20.*H*

*Palmæ dulces habent succum calidiorem.*2°.*de alim.fac.* 2ª.20.*H*

*Palmæ succus dulcis celerrime obstruit.*2°.*de alim.fac.* 2ª.20.*H*

*Palmæ difficulter coquuntur.*2°.*de alim.fac.* 2ª.20.*G*

*Palmæ copiosæ sumptæ inocciles sunt.*2°.*de alim.fac.* 2ª.20.*G*

*Palmæ capiti dolorem inferunt.*2°.*de alim.fac.* 2ª.20.*G*

*Palmarum glandes à proprietate dolorem capitis pariunt.*2°.*de compo.med.sec.loc.* 5ª.133.*D*

Palmæ quædam sensum cuiusdam morsus in ore ventriculi inducunt. 2°.*de alim.fac.* 2ª.20.*G*

*Palma habet succum crassum,lentum.*2°.*de alim.fac.* 2ª.20.*H*

*Palmæ virides multo maxime ad omnia noxiæ sunt si paulo largius sumantur.*2°.*de alim.fac.* 2ª.20.*H*

Palmæ virides proportione respondent alijs palmis, vt ficus. cariois. 2°.*de alim.fac.* 2ª.20.*H*

*Palmæ virides flatus gignunt, vt ficus.*2°.*de alim.fac.* 2ª.20.*H*

Palmæ immaturæ crudis succis implent, rigores inducunt qui ægre calefiunt,& hepatis obstructiones pariunt. 2°.*de alim.fa.* 2ª.20.*H*

*Palmas passas accipi iubet.*9°.*de comp.med.sec.loc.* 5ª.203.*A*

Palmæ radix est humida.de diss.con. *Sp.*74.*D*

*Palmæ radix exiccat sine morsu.*8°.*de simp.med.fac.* 5ª.63.*D*

*Palmæ velut tegumentum est vsui ad vlcerũ putrescentia, articulos plus iusto laxatos contrahentibus medicamentis miscetur, & facultatibus hepaticis,& stomachicis.*8°.*de simp.me.fac.* 5ª.63.*D*

*à Palma an phœniceus color sit dictus in prog.com.*2°. 4ª.201.*G*

*ex Palmæ ramusculo rudicula.*4°.*de comp.me.perge.* 5ª.239.*C*

*ex Palma spatula.*1°.*de comp.med.perge.* 5ª.211.*B*

PALMAM *quilibet desiderat in proprio catu.*1°.*meth.med.* 7ª.3.*H*

PALMÆ *ossa.introd.* *Isa.*54.*H*

ad Palmã, vel primã palmæ partẽ alligandá vinculũ.d saf. 7ª.305.*B*

ad Palmæ partem primam iunctura.de fascijs. 7ª.305.*C*

Palma habena. de fascijs. 7ª.305.*E*

PALMOS *saltus, tremor,spasmus circa quas fiat particulas. compendium pulsuum.* *Sp.*65.*B*

*Palmos vnde nomen habuit.*2°.*meth.med.* 7ª.9.*D*

Palmos, id est palpitatio, quid.in 1ᵐ.*prorrh.com.*3°. 4ª.186.*C*

PALMVLA *mascula ad quid vtilis.*2°.*de compositione medicamentorum secundum locos.* 5ª.138.*C*

Palmulæ quales.de atten.vic. 2ª.46.*C*

*Palmularum syriacarum meminit.*7°.*de comp.me.sec.loc.* 5ª.179.*D*

Palmulas Thebaicas accipi iubet.de med.fac.par. 7ª.173.*E*

*Palmulæ nup enatæ acerbæ,& siccæ sunt, vbi maturuerit, dulces,& progressu tẽporis humidiores redduntur.*4°.*de simp.med.fa.* 5ª.25.*F*

Palmulas passas maximas græci patetos vocant. 8°.*de compositione med.sec.loc.*189.*F*/9°. 5ª.202.*E*

Palmulæ vbi condi non possunt.de atten.vic. 2ª.46.*C*

Palmulæ quæ possunt condi,quales.de atten.vic. 2ª.46.*C*

*Palmulis vtuntur aliqui ante balneum.*6°.*de san.tuen.* 2ª.97.*G*

*Palmularum caro valet ad refrigerandum,& firmandum ventriculum.*8°.*meth.med.* 7ª.53.*D*

ex Palmulis pinguibus infrigidans epithema quo modo fiat. 10°.*methodi medendi.* 7ª.65.*A*

*Palmularum cremoris sorbitio ad stomachi ardorem cum syncope.*8°.*de comp.med.sec.loc.* 5ª.191.*H*

*Palmulæ sunt conuenientes stomachicis in cibo.*8°.*de cõpositione medicamentorum sec.loc.* 1ª.192.*C*

Palmulæ obsonium in capitis dolore ex stomacho. 2°.*de compositione medicamen.sec.loc.* 5ª.135.*B*

*Palmulæ sua natura faciunt capitis dolorẽ.de reme.par.sa.*7ª.153.*H*

Palmulæ recentes rigorem fecerunt.de palp. 3ª.55.*G*

*ex Palmulis decoctum adstringens moderatum pro gargarismis.*6°.*de comp.med.sec.loc.* 5ª.172.*F*

*ex Palmulis aqua qualis.de vict.rat.in morb.acu.com.*4°. 7ª.149.*C*

*Palmularum ossa qualia.*6°.*de comp.med.sec.lo.* 5ª.175.*A*

PALPEBRE *quæ.introd.* *Isa.*53.*A*

Palpebræ substantia, quæ introd. *Isa.*54.*A*

Palpebræ chartilagineæ sunt.de voc.instr.diss. 1ª.107.*C*

*Palpebræ sunt natura siccæ.com.*6°.*aph.*52°. *Lx.*53.*A*

*Sub Palpebras cõtegẽte cute mẽbranæ sũt tenues.*10°.*d v.p.* 1ª.181.*C*

*Palpebræ propter quid factæ.*10°.*de vsu par.* 1ª.180.*A*

in Palpebrarum creatione, quæ intentio.de ana.vivo. *Sp.*45.*C*

Palpebræ propter quid insunt oculis.de instr.odor. 1ª.112.*C*

Palpebræ non insunt duris oculis.de instr.odor. 1ª.112.*B*

*absq; Palpebris oculos esse indecorum est.*1°.*de com.m.s.l.* 5ª.126.*B*

Palpebræ cur cohereant albo, vel nigro oculi.introd. *Is.*58.*G*

*in Palpebris pilorum generatio.*17°.*de vsu par.* 1ª.222.*B*

*Palpebrarum pili propter quid facti sint.*10°.*de vsu par.* 1ª.180.*D*

*Palpebrarum pili vtilitatem magnam animalibus pariunt.*1°.*de compositione medic.sec.loc.* 5ª.121.*D*

*Palpebrarum pili faciunt ad sanitatem.*1°.*de com.me.se.lo.* 5ª.126.*B*

*Palpebrarum pili cur semper æquales.*11°.*de vsu par.* 1ª.189.*F*

de Palpebrarum motu.de mot.man.& obsc. *Sp.*69.*F*

*Palpebræ habent musculos quibus mouẽtur.*10°.*de vsu p.* 1ª.180.*G*

*Palpebras mouẽtes musculi tegũtur a mẽbranis.*10°.*de v.p.*1ª.181.*C*

*Palpebrarum musculorũ situs.*10°.*de vsu par.* 1ª.181.*C*

Palpebræ habent motum voluntarium. 10°.*de vsu par.* 1ª.180.*E*/*de motibus manifestis,& obscuris.* *Sp.*69.*G*

*Palpebræ superiores mouentur motu volũtario.*10°.*de v.p.* 1ª.181.*A*

*Palpebræ inferiores vnde.*10°.*de vsu par.* 1ª.180.*C*

*Palpebra inferior est immobilis.*10°.*de vsu partium:*1ª.180.*H*/4°.*de locis affectis.* 4ª.22.*A*

*Palpebra inferior cur non mouetur.*10°.*de vsu par.* 1ª.181.*E*

*Palpebra inferior cur minor.*10°.*de vsu par.* 1ª.181.*E*

Palpebræ superioris & inferioris pars communis angulus est.quod animi mores. 1ª.319.*F*

*in Palpebris pp quid sint foramina tenuia.*10°.*de vsu par.* 1ª.181.*H*

*Palpebræ quibus extendantur.*10°.*de vsu par.* 1ª.181.*C*

*Palpebrarũ motus sursũ,& deorsũ a quo fiat.*10°.*de v.p.*1ª.181.*C*/*D*

*Palpebræ figura curua, vel inflexa.*10°.*de vsu par.* 1ª.181.*D*

Palpebræ cur non patent semper.in 6ᵐ.*de mor.vul.com.*5°.3ª.188.*F*

*Palpebræ vnde accipiunt neruos.*9°.*de vsu par.* 1ª.176.*C*

Palpebræ acumen quid.de ocul. 7ª.186.*H*

*Palpebræ ala.*4°.*de comp.med.sec.loc.* 5ª.158.*C*

Palpebrarum physionomia.quod animi mor. 1ª.319.*F*

Palpebræ graues sunt concepto in hora phlegmatis.de sper. *Sp.*37.*C*

*ad Palpebras exornandas.*4°.*de comp.med.sec.loc.* 5ª.152.*F*

Palpebras nutrit a proprietate minium.de simp.med. *Sp.*81.*C*

PALPEBRARVM *passiones quæ,& quales.de ocul.* 7ª.186.*G*/*H*

Palpebrarum partium exteriorum affectus qui. introd. *Isa.*58.*D*

Palpebrarum partium interiorum affectus qui. introd. *Isa.*58.*D*

Palpebræ superioris mala.de ocul. 7ª.186.*H*

Palpebræ toti communis affectus qui.introd. *Isa.*58.*D*

Palpebræ asperæ quæ.introd. *Isa.*58.*F*

*Palpebrarum asperitas lachrymas prouocat.c.*4°.*aph.*52°.*Ex.*33.*D*

*in Palpebrarum asperitatibus quid agunt medici ad consilij inopiam redacti.*4°.*de comp.med.sec.loc.* 5ª.150.*D*

ad Palpebrarum asperitatem collyrium.de ocul. 7ª.191.*E*

*ad Palpebrarum asperitudines.*4°.*de comp.med.sec.loc.*150.*D*/154.*A*/5ª.156.*B*/*D*/*de ocul.* 7ª.189.*C*

*ad Palpebrarum scabras affectiones.*4°.*de compo.medica.secun.loc.* 151.*G*/ 5ª.152.*E*

Palpebrarum scabies quotuplex.de ocul. 7ª.186.*H*

Palpebrarum scabiei confert sectio venarum temporum,& quæ sunt in angulis lachrymalibus oculorum.de ana.vivo. *Sp.*55.*A*

*ad Palpebrarum scabiem quæ valeant.de ocul.*185.*C*/ 7ª.191.*D*

Palpebræ crassæ, quæ.introd. *Isa.*58.*F*

*ad Palpebras crassas.*4°.*de comp.med.sec.loc.* 5ª.154.*A*

Palpebræ densæ quæ.in 1ᵐ.*prorrh.com.*1°. 4ª.162.*E*

*ad Palpebrarum vitia.*4°.*de comp.med.sec.loc.* 5ª.138.*A*

in Palpebris fit palpitatio.de palp. 3ª.52.*B*

Palpebræ rasura quæ.de ocul. 7ª.189.*H*

Palpebrarum pili quandoque cadunt. de ocul. 7ª.186.H
Palpebrarum pili difficilius defluũt, quã capilli. 11°. de vſu p. 1ª.190.B
Palpebrarum pili non defluunt niſi in magnis partium affectibus. 11°. de vſu partium. 1ª.190.B
ad Palpebrarum pilos decidiuos in principio. 1°. de cõ.me.ſ.l. 5ª.123.e
Palpebrarum pili adglutinantur albumine oui. 11°. de ſimplicium medicamentorum facultа. 5ª.81.F
Palpebræ dormiẽtiũ agglutinantur in lippitudine. ḋ tot. mor. tẽ. 3ª.88.H
Palpebris quæ viſcoſa aduerſantur, & cur. 11°. de ſi.me.ſa. 5ª.81.F
ad Palpebrarum defluuia. 4°. de comp.med ſe.lo. 152. F/156.B/157. B/ 5ª.158.A/*de ocul.* 7ª.190.E
ad Palpebras carentes pilis. de remed. par. fac. 7ª.156.G
in Palpebris lac caninũ non ſinere renaſci pilos, eſt falſum. 10°. de ſimplicium med. fac. 5ª.74.A
de Palpebrarum hordeolis. de med. fac. par. 7ª.170.E
in Palpebra pediculi, & hordeoli quid ſint. de ocul. 7ª.186.H
ad Palpebrarũ pilos inutiles pũgẽtes. 4°. de com.me.ſe.lo. 5ª.158.B
ad Palpebrarum pilos enaſcentes, & pungentes. 4°. de compoſitione medicamentorum ſec. loc. 5ª.153.B/C
ad Palpebrarum pilos oculum infeſtantes. de remed. par. fa. 7ª.156.G
in Palpebra inuerſi pili. de ocul. 7ª.186.H
ad Palpebrarum pilos. 4°. de comp.med.ſec.loc. 5ª.158.A
Palpebræ relaxatio quomodo fiat. de ana. ocul. Sp.57.H
Palpebra quo laxa fiat vt oculus aperiri nõ poſſit. 4°. de l.af. 4ª.22.a
Palpebrarum relaxationis curatio. intro. Iſa.59.G
Palpebrarum calculi manu indigent. intr. Iſa.59.G
Palpebrarum calculorum curatio. intro. Iſa.59.H
Palpebras cur repente claudimus læſi à lucc. 10°. de vſu p. 1ª.179.B
Palpebra quo modo inuertatur. de ijs, quæ in me.fi.com. 2°. 7ª.213.D
Palpebra quo modo conuertatur. de ijs, quæ in med.fi.c. 2°. 7ª.213.D
Palpebræ perverſio vnde. in prognoſt. com. 1°. 4ª.193.C
Palpebræ euerſio, ὴλωσιν *alicubi nominat Hippocrates. 10°. de vſu partium.* 1ª.181.D
ad Palpebras diſtentas. de remed. par. fac. 7ª.156.D
ad Palpebræ vtriuſque diſtortionem, & inflammationem. 4°. de compoſitione medic. ſec. loc. 5ª.157.E
Palpebra liuida quid ſignificet in prognoſt. com. 1°. 4ª.193.C
Palpebris nocẽt nimiæ ſiccitates, & humiditates. 10°. ḋ v.p. 1ª.181.b
Palpebrarũ ſiccitas, et potẽtia mouẽs ĩbecillis, faciunt ne oculi poſſint pfecte claudi, ideo aliqd albi in piſis videt. c. 6°. aph. 52°. Ex. 53.A
Palpebrarum humiditatem ſiccat aloe. quod animi mor. 1ª.317.D
Palpebris commiſſis, ſi quid albi in oculis dormientium ſubinſpicitur, neque ex alui profluuio, aut medicamenti potione iſtud contingat, malum eſt ſignum, & letale valde. com. 6°. aph. 52°. Ex. 53.A
Palpebræ clauduntur in ſopore. 4°. de loc.aff. 4ª.23.A
Palpebræ ſunt apertæ in catalepſi. 4°. de loc.aff. 4ª.23.A
Palpebrarum tumores quid faciant. 1°. de ſym.cau. 3ª.15.F
ad Palpebrarum tubercula inſtar grandinis. 4°. de compoſitione medicamentorum ſec. loc. 5ª.183.D
Palpebrarum tubercula prius exaſperanda, deinde medicamẽtis obliuenda. in 6ᵐ. de mor. vul. com. 2°. 3ª.160.H
ad Palpebrarum phlegmonas valet ouum totum crudum. 11°. de ſimplicium med. fac. 5ª.81.E
Palpebræ vlcera caua quo implentur. 4°. de comp.me.ſe.l. 5ª.150.E
Palpebræ, ſi præter naturam coaluerint, hoc ad quam agritudinis differentiam attineat. de diff. morb. 3ª.5.C
Palpebrarum connatarum curatio. introd. Iſ.59.H
ad Palpebras ficoſas. 4°. de com.med.ſec.loc. 5ª.152.D/G
ad Palpebrarum affectus inueteratos. de remed. par. fac. 7ª.156.G
Palpebræ illinuntur in principio repellentibus. intro. Iſa.58.D
Palpebra quo modo fracta videbitur. 4°. de loc.aff. 4ª.22.A
Palpebræ conſuuntur. ad Thraſyb. 2ª.105.D
Palpebras qua actione conſuimus. ad Thraſyb. 2.104.H
PALPITANTES *particulæ an dilatentur vt ſolles. 2°. de ſymptomatum cauſis.* 3ª.20.G
PALPITATIO *quid apud antiquos. 1°. de pulſ. diff.* 4ª.47.B
Palpitatio quid ſit. 2°. de ſymptomatum cauſ. 3ª.20.F/ in 1ᵐ. prorrh. commentario 3°. 4ª.186.C
Palpitatio qui affectus ſit. 6°. de decr. Hipp. 1ª.260.G
Palpitationes ſunt affectus frigiditate vincente. de palp. 3ª.54.D
Palpitationem, tremorem, & conuulſionem arteriarum affectus putat Praxagoras. de palp. 3ª.52.E
Palpitatio nõ eſt motus pulſus et cuius ſit paſſio. 2°. de ſy. cau. 3ª.29.f
Palpitatio differt à pulſu. 6°. de decr. Hip. 1ª.265.D
de Palpitationib. librũ fecit Aegimi°. 1°. de pul. dif. 47. A/4°. 4ª.65.H
de Palpitatione, & pulſu ſcripſit Aegimius. 4°. de diff. pul. 4ª.68.G
Palpitatio, & pulſus habent aliquid cõmune. in 3ᵐ. de mor. vul. commentario 1°. 3ª.129.H
Palpitatio cuius ſymptoma ſit nullius ante Galenum dixit. 1°. de ſymptomatum cauſis. 3ª.19.D
Palpitatio eſt morbi opus. 2°. de ſymp.cau. 3ª.19.F
Palpitationis, conuulſionis, Tremoris, rigoris, horroris, ſingultus, tuſſis, ructus, ſternutationis, pandiculationis, oſcitationis, Tryſmu, id eſt dẽtium concuſſionis, genus commune eſt motus illegitimus, & quo modo hæc in genere differant. 2°. de ſym.cau. 3ª.19.E
Palpitationis motus qui. 2°. de ſymp.cau. 3ª.22.G
Palpitatio, conuulſio, & reſolutio noxæ ſunt inſtrumentorum. de palpitatione. 3ª.53.C
Palpitatio, & conuulſio, & rigor, quo modo fiant, & differant. in 3ᵐ. de morb. vulg. com. 1°. 3ª.129.E
Palpitationis, & conuulſionis differẽtia vnde. 2°. de ſy. cau. 3ª.20.H
Palpitationis, & tremoris dĩa. 2°. de ſy. cau. 20. H/ de palp. 3ª.51.G
Palpitationi aſſimilatur rigor concutiens. 2°. de ſym.cau. 3ª.21.D
Palpitatio quo modo fiat. in 1ᵐ. prorrh. com. 1°. 4ª.168.E
Palpitationis cauſæ, quæ. 1°. de ſym.cau. 3ª.19.D
Palpitationes quæ faciunt omnia frigida ſunt. de palp. 3ª.52.F
Palpitationis materia, quæ. 2°. de ſym.cau. 3ª.20.G
Palpitatio fit ex ſubſtantia aerea craſſa. 2°. de ſym.cau. 3ª.20.G
Palpitationis cauſa quò ad quantitatem. de palp. 3ª.52.E
Palpitatio quando fiat. 3°. de præſag. ex pul. 4ª.116.D
Palpitatio à quo duplicetur. 2°. de ſym. cau. 3ª.20.H
Palpitatio cuius partis affectus ſit ſm diuerſos. de palp. 3ª.52.C
Palpitatio in quibus fiat, & quid ſit. de palp. 3ª.52.B
Palpitatio in quibus fiat particulis. 2°. de ſymptomatũ cauſ. 3ª.20.F/ 4ª. *de differentijs pulſuum.* 4ª.66.D
Palpitatio in quibus partibus non fiat. 2°. de ſym.cauſ. 3ª.20.F
Palpitatio in partibus perfrigeratis fit. 2°. de ſymp.cau. 3ª.20.H
Palpitatio oculi totum oculum exercet. intro. Iſa.58.D
Palpitatio palpebrarum vnde. 2°. de ſym.cau. 3ª.20.F
Palpitatio ſuperciliorum vnde. 2°. de ſym.cau. 3ª.20.F
Palpitatio frontis vnde. 2°. de ſym.cau. 3ª.20.F
Palpitatio malarum vnde. 2°. de ſymp.cau. 3ª.20.F
Palpitationes in præcordijs ſunt motus non naturales. de ijs, quæ in med. fiunt, commentario 3°. 7ª.222.E
Palpitatio cordis quæ, & quo modo fiat. 5°. de loc.aff. 4ª.29.D
in Palpitationibus cordis motus eſt affectio, non operatio. 6°. de decretis Hippocratis. 1ª.260.G
Palpitatio cordis in ſanis quandoque. 5°. de loc.aff. 4ª.29.E
Palpitationem cordis patientis, caſus. 5°. de lo.aff. 4ª.29.E
Palpitationis præſidium ſanguinis miſſio. 5°. de loc.aff. 4ª.29.E
Palpitatio ad vmbilicum. in 3ᵐ. de morb. vul. com. 1°. 3ª.134.C
Palpitatio colis aſſidua vnde. 6°. de loc.aff. 4ª.42.F
Palpitationem tollentia, quæ. de palp. 3ª.52.F
Palpitationis remedia. de palp. 3ª.52.G
in PALPITATORIIS *affectionibus apparet elementum aereum in homine. 8°. de decr. Hipp.* 1ª.275.D
PALPITAT *ſæpe cutis. 2°. de ſym.cau.* 3ª.20.F
Palpitant mollia. 2°. de ſym.cau. 3ª.20.F
Palpitare non poſſunt os, mẽbrana, & neruus, & cur. de pal. 3ª.52.B
PALVDOSA *qualia. de cura icteri.* Sp.111.D
Paludoſæ aquæ omnes ſunt peſſimæ. de bon.aquæ. Sp.75.D
Paludoſæ aquæ Aegypti ſolæ ſanæ, cur. de bon.aquæ. Sp.75.D
Paludoſæ aquæ æſtate ventres perturbant, à veſica tarde pertrãſeũt, multoties dyſenterias faciunt. de bon.aquæ. Sp.75.D
Paludoſæ aquæ hyeme rupturas, & pleureſes, et tuſſes, faciunt, conuertuntur vero ad ſplenem, & aliquando deſinunt ad hydropem. de bonitate aquæ. Sp.75.D
PALVMBARIVS *accipiter habet oſſium concretionem minus duram, ac denſam aquilis. 11°. de vſu par.* 1ª.191.E
PALVMBI *caro durior eſt carne turturis, & anatis. 3°. de alimentorũ facultatibus.* 2ª.29.C
Palumbes habent carnem duriorem columbis, perdicibus, & turturibus. de atten.vic. 2ᶜ.45.F
Palumbes ſunt difficiles coctu, & excrementitij. de atten.vic. 2ª.45.F

Palumbes con-

Palumbes conueniunt ſtomachicis.8°.de comp.med.ſec.loc. 5ª.192.C
Palumbi ſanguis ſupra duram mẽbranam in fractura cranei. 10°.*de ſimpli.med.facul.* 5ª.72.G
ex Palumbium ſtercore medicamentum ſupra caput habentis catharrum.5°.meth.med. 7ª.35.D
PALOS *educit Heluorũ ſalitorum caro.*11°.*de ſimp.me.ſa.* 5ª.78.F
*ad Palos eximendos vtuntur Limacibus totis vnà cum teſtis ad leuorẽ tritis.*11°.*de ſimp.med.fac.* 5ª.78.F
Palos,& alia id genus infixa ad extimam cutem elicit Pycnocomũ. 8°.*de ſimp.me.fac.* 5ª.59.D
*Palos extrahit Saurarum caput.*11°.*de ſimp.med.fac.* 5ª.79.G
*Palo infixo ſimilis dolor.*2°.*de loc.aff.* 4ª.9.E
PALVDVM *aer euitandus eſt.*12°.*meth.med.* 7ª.77.E
Paludum vaporationes ſunt cauſæ morborum vulgarium. de natura humana commentario 2°. 7ª.184.D
*ex Plaudibus ſpirantes venti quales.*1°.*de ſem.* 1ª.329.F
*è Paludibus aues ſunt multarum ſuperfluitatum.de diſſ.con. Sp.*73 E
*extra Paludes aues ſunt commodæ ſen.*5°.*de ſan.tu.* 2ª.91.D
PALVSTRIA, *& lacuſtria omnia ſunt excrementoſa.* 8°.*metho.med.* 51.B/*de puero epil.* 7ª.180.H
*Paluſtris terra pp humiditatẽ cur nõ generet.c.*5°.*aph.*62°.*Ex.*43.G
*Paluſtris aſparagus.de mel.ex Gal.Ruff.& Poſſ. Sp.*110.D
*Paluſtrium auium cerebri natura.*3°.*de alim.fac.* 2ª.29.F
Paluſtres piſces non ſunt boni ſucci.de bon.& vitio ſuc. 2ª.37.G
Paluſtris febris.in 6ᵐ.*de mor.vul.com.*1°. 3ª.160.A
PAMPHILIAE *vinum quale.de atten.vic.* 2ª.46.E
Pamphilianus quid ſignificet.de vſu ther.ad Pamp. 5ª.98.C
PAMPHILION *emplaſtrum.*2°.*de comp.med.per gen.* 5ª.224.D
*Pamphilion medicamentum.*1°.*de comp. med.per gen.* 5ª.217.A
PAMPHILVS *de herbis per alphabetum ſcripſit.* 6°.*de ſimplicium medicamentorum facul.* 5ª.39.F
Pamphili pharmacopolæ confectio finiens febrem. 7°.*de compoſitione medicamentorum ſec.loc.* 5ª.183.A
*Pamphilus medicus quo medicamento plurima lucratus eſt in mentagra,nouo Romæ morbo.*5°.*de comp.med.ſec.loc.* 5ª.161.F
*Pamphilus cur fugiendus.*6°.*de ſimp.med.ſac.* 5ª.40.A
*Pamphilus nugax.*7°.*de ſimp.med.fac.* 5ª.51.G
PAMPINORVM *vitis ſuccus oleo roſaceo addendus eſt.* 2°.*de compoſitione med.ſec.loc.* 5ª.132.F
Pampinorum ſuccus vitis ad ſtomachi ardorem cum ſyncope. 8°.*de compoſitione med.ſec.loc.* 5ª.191.H
*Pampinorum vitis decoctum adſtringens moderatum pro gargariſmis.*6°.*de comp. med.ſec.loc.* 5ª.172.F
PANACEA *antidotus.*2°.*de antid.* 5ª.110.F
*Panacea Andromachi.*2°.*de comp.med.per gen.* 5ª.225.A
*Panacea Antonij muſæ.*7°.*de comp.med.ſe.lo.* 5ª.186.B
*Panacea Heræ.*5°.*de comp.me.per gen.* 5ª.245.H
*Panacea Mithridatis.*7°.*de comp.med.ſec.loc.* 5ª.181.G
*ex Panacea catapotium.*7°.*de comp.med.ſec.loc.* 5ª.182.B
PANARITIIS *prodeſt myrta.de ſimp.med. Sp.*87.E
per PANACEM *quid intelligere oporteat.*2°.*de cõ.me.ſe.lo.* 5ª.136.G
*Panax, & meu pro eodem habet. de dyn. Sp.*22.H
*Panax quid ſit.*5°.*de com.me.per ge.* 5ª.250.C/*de ſimp. me. Sp.*89.B
*Panax aſclepium quale.*8°.*de ſimp.med.fac.* 5ª.57.H
*Panacis aſclepij flores ad vlcera,phymata, & phagedænas valẽt.*8°.*de ſimp.med.fac.* 5ª.57.C
*Panax chironium, quale.*8°.*de ſimp.med.fac.* 5ª.57.H
*Panaces heraclium.*8°.*de ſimp.med.fac.* 5ª.57.E
*Panacis Heraclij fructus mẽſibus mouẽdis valet.*8°.*de ſi.m.f.* 5ª.57.H
*Panax quale.*3°.*meth.med.* 7ª.18.A
*Panax vlcera abſtergit, & expurgat.*4°.*de ſimp.me.ſa.* 5ª.29.F
*Panacis radix magis detergit moderatiſſime detergentibus.*8°.*meth. medendi.* 7ª.52.H
*Panacis radix digerit.*14°.*meth.med.* 7ª.91.E
*Panacis radice ſanantur vlcera.*4°.*de comp.me.per ge.* 5ª.240.G
*Panacis radix vlceri cauo conuenit.*2°.*de com.me.per ge.* 5ª.218.G
*Panacis radix vlcera exiccat.*4°.*de comp.med.per gen.* 5ª.236.G
*Panax ſarcoticum eſt.*3°.*metho.med.*16°.G/ 7ª.18.A
*Panacis radix cephalica eſt.*6°.*meth.med.* 7ª.42.B
*Panacis radix ad neruos vulneratos.*3°.*de comp.me.per ge.* 5ª.234.B
*Panacis radicis cortex ad nuda oſſium,& ad vlcera maligna, et contumacia valet,carnemq; procreat.*8°.*de ſimp.me.ſa.* 5ª.57.H
*Panacis radix optime cruſtas diſrũpit.*2°.*de arte cur.ad Gl.* 7ª.107.B
*Panacis ſuccus & radix quo modo differant.*2°.*de compoſitione medicamentorum ſecundum locos.* 5ª.136.G
ex Panacis heraclei radicibus, & caulibus exciſis fit opopanax. 8°.*de ſimp.med.fac.* 5ª.57.G
*Panax cyreneo,& medico collata differunt.*1°.*de c.me.pg.* 5ª.210.C
*Panacis ſuccus nihil habet cum chalbano ſimile.*1°.*de anti.* 5ª.105.A
*Panacis liquor eſt tenuium partium.*3°.*de com.me.per ge.* 5ª.228.E
Panacis ſuccus pro doloribus.in 6ᵐ.*de mor.vul.com.*6°. 3ª.196.B
ex Panace oleum mitigatorium valentius in duris corporibus. 3°.*de compoſitione medic.per genera.* 5ª.235.A
*Panax ex oxymelite qbus ꝑſit.de victꝰ.ra.in mor.ac.cõ.*4°. 7ª.144.C
*Panax pro ventre expurgando debet miſceri mulſæ aquoſæ multæ.de victus rat.in morb.acut.com.*4°. 7ª.144.C
PANCHRESTVM *Athenipion.*4°.*de compoſitione medicamentorum ſecundum locos.* 5ª.157.B
*Panchreſtum collyrium.*4°.*de com.med.ſec.loc.* 5ª.156.G
*Panchreſtus dicta confectio.*7°.*de com.me.ſec.loc.*152.G/5ª.185.H
*Panchreſtum medicamentum.*4°.*de com.med.ſec.loc.* 5ª.154.E
PANCRATIASTÆ. 1°.*de alim.fac.* 2ª.10.B
*Pancratiaſtarum, ſiue Athletarũ emplaſtrũ.*5°.*de c.m.ſe.l.* 5ª.162.A
PANCRATIVM *ſpecies artis Athleticæ.in or.ſuaſor. Iſa.*5.A
*Pancratium genus exercitijs.*2°.*de ſa.tu.*73.G/ 2ª.75.G
Pãcratio certare ẽ exercitatio magna.in 6ᵐ.*& mor.vul.c.*1°.3ª.156.A
*Pancratij radice pro ſcilla quidam vtuntur.*8°.*de ſim.me.fa.* 5ª.57.G
Παγκρέας *quid.*4°.*de vſu partium.* 1ª.138.C
Παγκρέας *propter quid generatum.*5°.*de vſu par.* 1ª.142.D
Pancreon, vel calicreon quid ſit.de ven.art.diſſ. 1ª.55.G
PANDICVLATIO *quid ſit. in* 6ᵐ.*de mor.vul.com.*5°. 3ª.189.E
*Pandiculationis,conuulſionis, palpitationis,tremoris,rigoris,horroris, ſingultus, tuſſis, ructus,ſternutationis, oſcitationis, tryſmus, id eſt dentium concuſſionis genus commune eſt motus illegitimus,et quo modo hæc in genere differant.*2°.*de ſymp.cau.* 3ª.19.E
*Pandiculatio eſt facultatis opus.*2°.*de ſymp.cau.* 3ª.19.F
Pandiculatio cuius ſymptoma ſit.de ſymp.diff. 3ª.11.G
*Pandiculatio eſt expultricis virtutis mediocris motus.*2°.*de ſymptomatum cauſis.* 3ª.23.G
*Pãdiculatio à natura ẽ data ad ſeruãdas partes.*2°.*de ſy.cau.* 3ª.22.B
Pandiculatio cur fiat.in 6ᵐ.*de mor.vul.com.*5°. 3ª.189.B
*Pandiculatio cur poſt ſomnum maxime fiat.*2°.*de ſym.cau.* 3ª.22.B
*Pandiculatio quibus cueniat.de præſag.exper.conſi. Sp.*78.E
*Pandiculationis agentẽ videns ꝙocatur ad hoc.de mot.mã. Sp.*69.D
PANICVM *ab aliquibus dicitur meline.de bon.& vit.ſuc.* 2ª.37.D
*Panicũ inter cerealia ſemina numeratꝰ.de vi.ra.in mor.ac.c.*1°.7ª.111.b
*Panicum inter legumina numeratur.*6°.*de ſimp.med.fac.* 5ª.47.D
*Panicum Italicum melius eſt Aſiatico.*1°.*de alim.fac.* 2ª.13.C
*Panico præfertur milium.*1°.*de alim.ſac.* 2ª.13.C
*Panicum eſt frigidum.de diſſ.cont. Sp.*74.D
*ex Panico panes frigidi ſunt,& exigui alimenti.*1°.*de alim.ſa.*2ª.13.C
*Panicum eſt aſperum multum.de diſſ.con. Sp.*73.B
ex Panico panis arenam,vel cinerem ſapit,dum eſtur.de bonitate,et vitio ſuccorum. 2ª.36.F
*ex Panici farina cibi fiunt apud ruſticos.*1°.*de alim.fac.* 2ª.13.C
*Panici panis in penuria editur.*1°.*de ali.ſa.* 2ª.13.C
*Panicum eſt flatulentum,& concoctu difficile.de atten.vic.*2ª.45.B
*Panicum pauci nutrimenti eſt,& exiccat.*6°.*de ſimp.me.ſa.* 5ª.47.D
*Panicum cur parum nutrit.de diſſ.con. Sp.*73.F
Panicum dat prauum ſuccum.de atten.vic. 2ª.45.B
*Panicum generat ſanguinem craſſum.de diß.con. Sp.*74.B
à Panico penitus abſtinendum eſt.de bon.& vit.ſuc. 2ª.37.D
*ex Panico panes friabiles exiccant aluum.*1°.*de alim.fac.* 2ª.13.C
*Panicum ſiſtit nonnihil ventris fluxum.*6°.*de ſim.med.ſa.* 5ª.47.D
*Panicum ſtringit ventrem cum ſiccitate.de diſſ.con. Sp.*75.B
*Panici farina reſiccat.*5°.*de ſimp.med.fac.* 5ª.34.A
*Panicum magis ſiccat quàm zea.*5°.*de ſan.tu.* 2ª.92.C
*Panici farina exiccat,& quo modo.*5°.*de ſimp.med.fac.* 5ª.33.H
*Panicũ ſi foris illinaꝰ exiccat,atque refrigerat.*6°.*de ſi.me.f.* 5ª.47.D
*Panici farina non mouet pus.*5°.*de ſimp.med.fac.* 5ª.33.H
PANIFEX *quæ de pane non nouit.ad Thraſyb.* 2ª.108.G
Panifici ſimilis luctator.ad Thraſy. 2ª.108.G
PANIS *dicitur* βέκος *more phrygum.*2°.*de diff.pulſ.* 4ª.54.G
*Pane ex tritico ſignificãt Cibaria.de vic.ra.in mor.ac.cõ.*4°. 7ª.146.F

Panis ſolus

Panis solus est nutrimentum simplicissimum. 6°. de san. tu. 2ª.97.G
Panum esus vtilissimus inter alimenta. 2°. de alim. fac. 2ª.16.A
Panis qualitas est nobis familiaris. 7°. de vsu par. 1ª.159.B
de Panis bonitate maior cura habenda, quam de bonitate mellis. 5°. de sanitate tuenda. 2ª.91.E
Panis optimus qui. 1°. de alim. fac. 10. F/de bon. & vitio suc. 2ª.34.E
Panes optimi neq; tenues, neq; crassi sunt. de bon. & vit. suc. 2ª.34.H
Panum proborum differentiæ. de bon. & vitio suc. 2ª.34.E
Panes qui non sunt boni. de diß. cont. Sp.72.H
Panes pessimi qui. 1°. de alim. fac. 2ª.9.H
Panes medij. 1°. de alim. fac. 2ª.9.H
Panũ diuersorũ cõmoda, & incõmoda. de ren. aff. dig. & me. 7ª.195.E
Panes ex quibus conficiantur. de vict. rat. in mor. ac. cõ. 4°. 7ª.146.F
Panes quo modo fermententur. de assuetud. 2ª.60.H
in Pane qui modus salis, & fermenti. 1°. de alim. fac. 2ª.10.F
Panes qui multo fermento indigeant, & longa fermẽtatione. 1°. de alimentorum facultatibus. 2ª.9.F
in Pane debet addi sal. de bo. & vit. succ. 34. E/15°. de sa. tu. 2ª.91.E
Pani addebant salem. 8°. de simp. me. fa. 5ª.59.D
in Pane de sale, & fermento qũo iudicat gustus. 1°. de ali. fac. 2ª.10.F
Panum differentia. de ren. aff. dig. & med. 7ª.195.E
Panis, & pisces crudi sunt inutiles, cocti vtiles sunt, & nutrimenta. de theriaca ad Pisonem. 5ª.97.D
Panis bene præparatus arte, est cibus medius inter subtilem, et crassum. de dissolutione continua. Sp.73.A
ex Pane optime ꝑparato fit sanguis laudatissimus. 3°. de ali. f. 2ª.30.E
Panes qũo frumentarij dicantur coquere collige. de assuet. 2ª.60.H
Panum coctionum ratio. 1°. de alim. fac. 2ª.9.H
Panum diuersitas per coctura. 1°. de alim. fac. 2ª.10.C
Panes optimi coctura. 1°. de alim fac. 2ª.10.C
Panes pessimi coctura. 1°. de alim. fac. 2ª.10.C
in Pane coquendo in clibano ignis sit moderatus. 1°. de ali. fa. 2ª.9.H
Pani in coctura quid agat ignis moderatus. 1°. de ali. fac. 2ª.9.H
Pani in coctura quid obsit ignis ardens. 1°. de alim. fa. 2ª.9.H
Panis prauus ex nimio igne fit dupliciter. 1°. de alim. fac. 2ª.9.H
Pani in coctura quid agat ignis imbecillus. 1°. de alim. fac. 2ª.9.H
Panẽ clibano coctũ accipi iubet ꝑ cataplasmate. 14°. met. m. 7ª.90.B
Panis in furno non sub clibano coctus. 1°. de antid. 5ª.104.B
Panis furno coctus, & fermentatus, & modice purus detergit. 4°. de sanitate tuenda. 2ª.84.F
Panis coctus in furno vtilis est calidis, & siccis. 8°. met. me. 7ª.51.B
Panes clibanitæ ex tritico. de atten. vic. 2ª.45.C
Panis non bene conditus facit succum crassum, glutinosum, et tenacẽ. de bon. & vitio succ. 2ª.35.B
Panes non bene in clibano assi sunt crassi succi. 3°. de alim. f. 2ª.28.B
Panes non multa trituratione elaborati sunt crassi succi. 3°. de alimentorum facultatibus. 2ª.28.B
Panes non multo sale aut fermento mediocri saturati sunt crassi succi. 3°. de alimentorum facultatibus. 2ª.28.B
Panis furni in exterioribus est crassus, & cur. de diss. con. Sp.72.H
Panis in testis cum oleo, & sine oleo cibus crassus, & cur. de dißolutione continua. Sp.72.H
Panis male coctus nõ coquitur probe in corpore. 4°. de sa. tu. 2ª.88.B
Panis nimis coctus siccus est. 5°. de simp. me. fa. 5ª.34.B
Panis habens acetum. 8°. meth. med. 7ª.53.D
Panis Alexandrinus siccus est. 9°. de comp. med. sec. loc. 5ª.203.G
Panes ex Alica sunt plurimi nutrimenti. 1°. de alim. fac. 2ª.10.H
Panis ex aqua. 2°. de comp. med. sec. loc. 5ª. 133. D/1°. de arte curatiua ad Glauconem. 7ª.98.C
Panis ex aqua cibus est boni succi. 2°. de com. med. sec. loc. 5ª.133.D
Panis aqua maceratus est boni succi, et nõ calefacit. d re. pa. f. 7ª.153.g
Panis ex aqua in febribus continuis. 1°. de ar. cur. ad Glau. 7ª.98.A
Panis commodus Athletæ qui. 1°. de alim. fac. 2ª.10.A
Panis athletarum qualis. 5°. de san. tuen. 2ª.91.F
Panem, & carnes edunt Athletæ. de sal. diæta. 2ª.39.H
Panem prandent, & cænant carnem luctatores. de victus ratio. in morbis acutis, commentario 1°. 7ª.111.H
Pane ex caseo cur soli Athletæ vescuntur. 1°. de alim. fac. 2ª.10.B
Panis Auenæ insuauis. 1°. de alim. fac. 2ª.13.B
Panes non fiunt ex auena nisi in extrema fame. 1°. de ali. fac. 2ª.13.B
Panis Autopyrus qui. de victus ra. in mor. acu. com. 2°. 7ª.121.C
Panis autopyrus, qualis. 2°. de arte cur. ad Glau. 7ª.105.H
Panem Azimum accipi iubet. de dyn. Sp.31.E
Panes ἄζυμοι ex caseo. 1°. de alim. fac. 2ª.10.A
Panes Calidi qui boni. 1°. de alim. fac. 2ª.12.G
Panis calidus qui multum nutrit. 1°. de alim. fac. 2ª.12.H
Panis calidus qui expetit caseum. 1°. de alim. fac. 2ª.12.G
Panes calidos ex oleo vel pinguedine datur in hydrope. de victus ratio. in morbis acutis, com. 4°. 7ª.152.E
Panis calidus sitim infert. de vic. ra. in mor. acu. com. 2°. 7ª.121.B
Panis Confusanei quid agant. de vic. ra. in mor. acu. cõ. 2°. 7ª.121.B
Panes Dulciarij lenissimi in arteriæ inflammationum principijs. 7°. de comp. med. sec. loc. 5ª.177.H
Panis Epicerasticus. 2°. de simp. med. fac. 5ª.12.F
Panis de Farina est cibus medius. de diss. con. Sp.74.C
Panes Festiui rusticani ex caseo omnes lædunt. 1°. de ali. fa. 2ª.10.A
Panis ex seminibus Frumẽtaceis familiaris cibus hoĩ. 2°. d ali. f. 2ª.17.c
Panes varios facit tritici differentia. 1°. de alim. fac. 2ª.9.G
Panis comparandus tritico. 1°. de alim. fac. 2ª.12.H
Panis frumenti mundi bene factus arte sua generat bonum humorem inter crassum, & tenuem. de disso. cont. Sp.73.H
Panis frumenti generat chymum bonũ, & crassũ. de dis. con. Sp.74.A
Panis frumenti est cibus calidus. de diss. cont. Sp.74.D
Panis ex tritico quæ excrementa faciat. in 1ᵐ. prorrh. co. 3°. 4ª.182.G
Panis tritici pus facit. 5°. de simp. me. fac. 5ª.34.A
Panis Furfuraceus qualis. 14°. meth. med. 7ª.90.B
Panis furfuraceus facit humorem melancholicum. 3°. de l. af. 4ª.18.F
Panis multi furfuris lenit ventrem. de diß. cont. Sp.75.A
Panes furfurei cur cito excernuntur. 1°. de alim. fac. 2ª.9.F
Panis furfuraceus pro calculo renum. de ren. aff. dig. & me. 7ª.195.E
Panes Hordeacei ex bono ordeo minus nutriunt triticeis. 1°. de alimẽtorum facultatibus. 2ª.11.G
Panes hordeacei friabiles non habent lentorem, vt olyrini, & Typhini. 1°. de alimentorum facultatibus. 2ª.11.F
Panes ex laxo, leuique hordeo furfuraceis rñdẽt. 1°. de ali. fa. 2ª.11.G
Panes hordeacei exiguum præbent alimentum. 1°. de ali. fac. 2ª.11.F
Panis hordei cur parum nutrit. de diss. cont. Sp.73.F
Panes hordeacei ꝑ aluum citissime subducuntur. 1°. de ali. fa. 2ª.11.G
Panis ex hordeo, quæ excrementa faciat. in 1ᵐ. prorrh. c. 3°. 4ª.182.G
Panis Iuuentum, qualis. 5°. de san. tu. 2ª.91.E
Panis cur non fit ex Lente. 1°. de alim. fac. 2ª.13.D
Panis habentium lapidem. de cura lap. Sp.112.B
Panis lotus propter quid inuentus. 1°. de alim. fac. 2ª.10.G
Panis in aqua frigida est frigidus, & humidus. 10°. meth. me. 7ª.67.A
Panis Lotus neq; calefacit, neq; refrigerat. 1°. de alim. fa. 2ª.11.C
Panis lotus succũ habet minimũ, crassũ, & lentũ. 1°. de ali. fa. 2ª.10.G
Panis lotus ex terrestri factus aereus. 1°. de alim. fac. 2ª.10.G
Panis lotus leuis est. 1°. de alim. fac. 2ª.10.G
Panis lotus supernatat vt suber. 1°. de alim. fac. 2ª.10.G
Panis lotus minus alit. 1°. de alim. fac. 2ª.10.G
Panes loti minus nutriunt, quam non loti. 1°. de alim. fac. 2ª.11.C
Panis lotus est boni succi. 2°. de simp. me. fa. 5ª.12.H
ex Pane loto ſtous vni mordet, alteri nõ. 2°. de simp. me. fa. 5ª.12.E
Panis frumẽti fermẽtati loti medulla ẽ cibꝰ subtiliãs. d diſ. cõ. Sp.72.D
Panis medulla lota bene est nutrimenti pauci. de diss. con. Sp.73.G
Panis Loti meminit. 2°. de simp. med. fac. 5ª.12.E/H
in Panes figitur loti semen. 7°. de simp. med. fac. 5ª.54.H
Pane Masticato, non tritico sanantur furunculi puerorum. 10°. de simplicium medi. fa. 5ª.75.G
Panes Medij ex farina non separata a furfure. 1°. de ali. fa. 2ª.9.G
Panis ex Melle siccat præcordia. 10°. meth. med. 7ª.64.A
Panes Miliacei friabiles sunt, & exiccant aluum. 1°. de ali. fa. 2ª.13.C
Panis miliaceus vituperandus est. 1°. de alim. fac. 2ª.12.H
Panis genus Nασὸν dictum. 4°. de dignos. puls. 4ª.84.A
Panes Olyrini, quales. 1°. de alim. fac. 2ª.12.G
Panis Oxylipe in diaria ex cruduate cũ ꝓfluuio. 8°. meth. m. 7ª.53.D
Panes Panici frigidi, & exigui alimenti. 1°. de alim. fa. 2ª.13.C
Panis ex panico arenam, vel cinerem sapit dum estur. de bonitate, & vitio succorum. 2ª.36.F
Panes panici in penuria. 1°. de alim. fac. 2ª.13.C
Panis ex panico quæ excrementa faciat. in 1ᵐ. prorrh. c. 3°. 4ª.182.G
Pani inspergitur Papauer & edunt melle maceratum. 7°. de simplicium medicamentorum facultatibus. 5ª.55.E
Panibus, & placentis miscent papaueris semen. de atten. vic. 2ª.44.E

Panibus cur

Panibus cur inſpergunt papauer.7°.de ſimp.me.fa. 5ª.55.G
Panis condimentum papaueris ſemen.1°.de ali.fac. 2ª.15.E
Panis Puriſſimus σιλιγνίτης.1°.de ali.fac. 2ª.9.G
Panis purus quid faciat.14°.methodi medendi.90.B/de victus rõne in mor.acu.com.2°. 7ª.121.B
in Pane puro eſt multum nutrimentum.8°.met.me. 7ª.50.H
Panes puriſſimi ponderoſi,& tarde deijciuntur.1°.de ali.fa. 2ª.9.F
ex Pane puro fiunt deiectiones albæ. in 1ᵐ.pror.c.1°. 4ª.165.A
Panes non multũ puri faciunt ad ſeceßiones.de cura icteri.Sp.111.C
Panis commodus Seni qui.1°.de ali. fa. 2ª.10.A
Panis ſenum qualis.5°.de ſan.tu. 2ª.91.E
Panis ſenum ſuas dotes non habens quid faciat.5°.de ſan.tu. 2ª.91.F
Panis quo modo præparetur iuueni.5°.de ſan. tu. 2ª.92.D
Panis qualis dandus in ſiccitate.7°.met.med. 7ª.45.C
Panis Siligineus aluum retinet.de ren.aff.dig.& med. 7ª.195.E
Panis de Simila bene paratus ex arte eſt boni chymi, ac ſubtilis.de diſſolutione continua. Sp.73.H
Panis ſimilæ bene paratus,& ex arte coctus generat chymum bonũ & craßum.de diſſ.cont. Sp.74.A
Panis ſimilæ multum nutrit.de diſſ.cont. Sp.73.E
Panis ſimilagineus aluum retinet. de ren.aff.dig.& med. 7ª.195.E
Panes Sordidi qui.1°.de ali.fac. 2ª.9.H
Panis Sthomachicorum qualis eſſe debet.8°.de cõ.me.ſe.l. 5ª.192.C
Panes omnium deterrimi Subcineritij.1°.de ali.fa. 2ª.10.C
Panis ſubcineritius,qualis.de vict.rat.in mor.acu.c.4°. 7ª.149.C
Panis Syncomiſtus qui. de vict.rat.in mor.acu.c.2°. 7ª.121.C
Panis ſyncomiſtus,qualis.2°.de arte cura.ad Glau. 7ª.105.H
Panis quantum debeat poni in Theriaca,1°.de anti. 5ª.104.C
Panis miſcendus viperæ.de ther.ad Piſo. 5ª.95.F
Panis non debet viperarum iure macerari.1°.de anti. 5ª.104.C
Panis exiccandus per aliquot dies.1°.de anti. 5ª.104.C
Panis ſiccus ponitur in paſtillis theriacæ.de theria. ad Piſo. 5ª.92.C
Panes Typhini,quales.1°.de ali.fa. 2ª.12.G
Panis ex typha facit humorem melancholicũ.3°.de lo.af. 4ª.18.F
cum Pane vinum calidum quando in ſyncope dandum.1°.de arte curatiua ad Glau. 7ª.99.E
Panis ex vino quando in ſyncope dãdus.12°.me.me.75.H/7ª.76.C
Panum diuerſitatis ratio in nutriendo.1°.de ali.fa. 2ª.9.G
Panis virtute ptiſſanam antecellit.de ptiſſ. 2ª.47.F
Panis magis nutrit, quam ptißana.de bo.& vit.ſuc. 2ª.37.D
Panis cum duræ coctionis cibis numeratur videlicet ſuilla,& bubula carne.2°.de temp. 1ª.20.E
Panis ĩ ibecillũ vẽtriculũ demiſſis ab eo nõ ſuperat.3°.d tẽp.1ª.23.G
Panis vbi vẽtriculus hẽt igneũ calorẽ nõ coquitur.1°.de l.af. 4ª.5.E
Panes aggrauantes ventriculũ vt lutum videatur qui.1°.de alimẽt. facult. 2ª.12.G
Panes qui non ſeruandi.1°.de ali.fac. 2ª.12.G
qui Panis habet iniucunditatem. de ptiß. 2ª.47.F
Panis inſuauis dum ſumitur.de vic.rat.in mo.acu.com.1°.7ª.111.D
Panes nulli conuenientes qui.1°.de ali.fa. 2ª.10.A
Panes qui lædunt foſſores,& meſſores.1°.de ali.fac. 2ª.10.A
Panis roborat,ſed non humectat,nec ſecat.de victus ratione in morbis acutis,com.1°. 7ª.113.C
ex Pane quod accipitur generat atram bilem.de diſſ.cont. Sp.74.A
Panis dat alimentum humens. de ptiſſ. 2ª.48.B
ex Pane, Ptiſſana,& lente fitſ inguis,pituita,bilis tũ flaua,tũ atra.3°.de ſimp.me.fa. 5ª.17.D
Panis continet parum bilis.2ª.de nat.fac. 1ª.300.A
Panis fit ſanguis.1°.de nat.fac. 1ª.291.B
ex Pane quo modo fiat ſanguis.1°.de nat.fa. 1ª.292.D
Panis indiget multa alteratione ſi debet fieri ſanguis.1°.de naturalib. facult. 1ª.292.D
Panis in pituitam primo trãſit deinde in ſanguinem. de victus rõne ĩ mor.acu.com.2°. 7ª.120.F
Panis generat carnem compactam ac firmam.2°.de ali.fac. 2ª.17.E
Panis vt caro fiat exigit tres mutationes tamen eſt caro poteſtate.3°. de temperamentis. 1ª.21.G
cũ Pane,& carnibus ſcãmonij,& veratri proportio eadẽ eſt, q̃ ſecũ di libri de differẽtijs pulſuũ cũ libro primo.2°.de diff.pul. 4ª.53.C
Panis ventrem mollit.de puero epil. 7ª.180.C
Panis dandus his qui cibum vertunt in fumum.1°.de lo.af. 4ª.5.E
Panis in acutis morbis datur.de vic.ra.in mor.acu.com.1°.7ª.111.B
citra Panẽ ſalſamẽtũ edat ſplenicus.9°.de cõp.me.ſe.lo. 5ª.199.B/F
Panis in quibus ſtomachi affectibus ſit odorandus.8°.de compoſitio. med.ſec.loc. 5ª.192.D
Panis ex aqua mulſa pro cataplaſmate.5°.de compoſitione medica. ſecundum locos. 5ª.161.G
ex Pane cataplaſma,quale.5°.de ſimp.me.fac. 5ª.34.B
Panis pro cataplaſmate, qualis.2°.de arte cur.ad Glau. 7ª.105.D
ex Pane cataplaſma magis digerit quam ex tritico.8°.de ſimplicium med.fac. 5ª.59.D
Panis cataplaſma cur maxime diſſoluat.2°.d ar.cu.ad Gla.7ª.105.C
ex Pane cataplaſmate citius ad ſuppurationẽ perducit quod eſt ex aqua,oleo,& farina triticea.2°.de arte cur.ad Glau. 7ª.105.C
Panis ex aqua, & oleo cito pus mouet.4°.met. me. 7ª.27.D
ex Pane decocto, et hydrelæo medicamentum ad cruſtas excidentes. 2°.de arte cur.ad Glau. 7ª.107.B
Panis tritus cum apio, vel ocymo cruſtas optime diſrumpit.2°.de arte cur.ad Glau. 7ª.107.B
ex Pane,lente,arnogloſſo,& oleo roſacco cataplaſma.2°.de arte curatiua ad Glauc. 7ª.101.G
ex Pane,& melle cataplaſma.13°.me. me. 7ª.83.F
Panis mica maturat.de ocul. 7ª.188.E
Panis micula tuſſire facit.2°.de ſimp.me.fa. 5ª.15.E
pro Pane maza liquidior. de vic. rat.in mor.acu.com.4°.7ª.145.B
Panis calefacit,& ſiccat magis,quàm maza.de ſal. dieta. 2ª.40.A
pro Pane polenta vtuntur ruſtici cyprij.1°.de ali.fac. 2ª.11.H
PANNICVLI *qui ſint.de anat.viu.* Sp.44.C
Panniculi omnes ſunt membra completa, quæ tamen ſimplicia vocantur.de ana.viu. Sp.44.G
Panniculorum iuuamentum. de anat.viu. Sp.44.C
Panniculorum neceſſitas.de ana.viu. Sp.55.F
Panniculorum diuerſitas. de ana.viu. Sp.55.F
Panniculi diſtinguentes qui de ana.viu. Sp.44.C
Panniculi quibus componantur.de ana.viu. Sp.44.G
Panniculi ſenſum dantes qui.de ana.viu. Sp.55.F
Panniculi cerebri duo,& quales & eorum officiũ.de ocul.7ª.183.A
Panniculus inter phantaſiam,& rationalem habet carnem aliquam. de anatomia viuorum. Sp.58.B
Pãniculi cur plẽs,et pauciores ĩ oculo ponãt à diuerſis.d oc. 7ª.183.d
Panniculi oculorum propter quid ſint.de ocul. 7ª.182.G
Panniculo tecti ſunt nerui a cerebro prodeuntes quo ad exeant os capitis.de oculis. 7ª.183.B
Panniculi oculorum quo modo iuncti ſint. de ocul. 7ª.183.B
de Panniculi tribus ante cryſtallinum.de ocul. 7ª.183.B
Panniculorum iuxta pupillam morbi. de ocul. 7ª.186.C
Panniculus præſtans ſenſibilitatem auri vbi ſit.de ana.vi. Sp.48.H
Panniculus quot componatur gula.de ana.viu. Sp.49.F
Panniculus ſtomachi quibus, & quo nutriatur.de ana.viu.Sp.49.H
ex Pãniculis duob⁹ cõponit ſtomach⁹,et q̃ã ſint.d ana. viu.Sp.49.G
Panniculus ſtomachi exterior cõponitur ex filis latitudinalibus. de anato.viuo. Sp.49.H
Panniculus ſtomachi interior componitur ex quibuſdam filis longitudinalibus,& ex quibuſdam tranſuerſis. de ana.viu. Sp.49.G
Panniculus quidam diuidit mẽbra nutritiua à ſpiritualibus vt diaphragma quidam eſt ſenſificans vt pulmonis,hepatis ſplenis,renũ. de ana.viu. Sp.55.F
Pãniculus cor ambiẽs ĩter ptes ignobiles numerat.5°.d lo.a.4ª.29.E
Panniculus cordis eſt denſior quocunq;alio.de ana.vi. Sp.46.E
Panniculus cordis vbi illud tangat.de ana.viu. Sp.56.B
per Panniculum ſuſpenduntur renes in dorſo.de ana.viu. Sp.55.F
Panniculos quatuor habent teſticuli.de ſperma. Sp.36.F
de Panniculorum fœtus anatomia.de ana.viu. Sp.52.C
Panniculis tribus cur inuoluatur fœtus.de ana.viu. Sp.52.C
Panniculus ex filis.4°.de comp.me.per ge. 5ª.244.E
Panniculi filatim excerpti.4°.de comp.me.per ge. 5ª.242.F
Panniculus Ampelinus.1°.de comp.me.ſe.lo. 5ª.123.E
PANNO *lacero ſimilis efficitur cutis colliquata.2°. de arte curatiua ad Glau.* 7ª.105.G
Pannus ex pilis,vel ſetis cõpoſitus.3°.de comp.me.ſe.lo. 5ª.149.A
Pannus ſetaceus ad quid vtilis.de med.fa.par. 7ª.175.E
Panni ſordidi pro fomento.de reme.par.fac. 7ª.157.D
PANNVS *ad ventrem ſoluendum.de dyna.* Sp.27.F
Pannum blattæ biſantiæ.de dyna. Sp.24.B

Pannus Sabini. secret. Sp.97.E
PANNVS *in oculorum albedine qũo curetur. de ocul.* 7ª.190.H
Panno confert sectio venarum tẽporum,& quæ sunt in oculorum angulis lachrymalibus.de ana viu. Sp.55.A
ad Pannum oculorum. de ocul. 7ª.191.E
Panni oculorum remedium.de dyna. Sp.24.G
Panni,& sanguinis oculorum remedium.de dyna. Sp.24.H
PANTHEMINVM *atram bilem educit. de dyna.* Sp.21.C
PANTHERIS *nonnulli vescuntur. 3°.de ali.fa.* 2ª.26.A
Pantherarum lien non est esculentum.de atra bile. 1ª.36.E
apud PANTIMEDEM *mulieris decumbentis casus. in 3ᵐ.de morbis vul.com.2°.* 3ª.139.B
vbi PANVS, *seu bubon struma fit.1°.de loc.aff.* 4ª.4.H
Panus siue bubõ ingẽs ab vlcere in pleno corpore. 1°.de l.af. 4ª.4.H
Panus, siue bubon fit ob vlcus,& post vlceris curationem diutius p manet.2°.de lo.af. 4ª.14.C
Panus in extrema ilium parte in viris.6°.de loc.aff. 4ª.41.C
Panus suppuratus si incidatur,& excat stercus significat,in colo esse abcessum.1°.de lo.af. 4ª.2.E
Pani quo modo curentur.6°.de lo.aff. 4ª.41.C
ad Panos.6°.de comp.me.per ge. 5ª.259.E
qñ PANIS *distortio spinæ fit in anteriorem partem.de articulis, cõmentario.3°.* 7ª.268.F
à Panis nõ subuertũtur,neq; trahunt ossa.de art.com. 3°. 7ª.268.G
Πάνυγρον *quid significet. de fract.com.3°.* 7ª.247.E
PAPAVERIS *species, quæ.7°.de simp.me.fa.* 5ª.55.F
Papaueris satiui semen somnũ conciliat.7°.de simp.me.fac. 5ª.55.F
Papaueris semen est soporiferum de atten.vic. 2ª.44.E
Papaueris semen somnum profundum inducit.1°.de ali.fac. 2ª.15.E
ex Papauerum capitibus profusio in delirio,& vigilijs. 13°.metho. medendi. 7ª.85.E
Papauer cur somnificum.2°.de temp. 1ª.16.F
Papaueris semen caput grauat.de atten.vic. 2ª.44.E
Papaueris semen condimentum panibus.1°.de ali.fac. 2ª.15.E
Papaueris semen miscent panibus,& placentis.de atten.vi. 2ª.44.E
Papaueris satiui semen pani inspergunt, & edunt melle maceratum. 7°.de simp.me.fac. 5ª.55.F
Papauer cur inspergant itrijs,bellarijs,& panibus.7°.de simpl.med. facul. 5ª.55.G
Papauer non dat alimentum.1°.de ali.fa. 2ª.15.E
Papauer cur parum nutrit. de diff.cont. Sp.73.F
Papauer album tostum.7°.de comp.me.se.lo. 5ª.185.F
Papauer nigrum tostum.10°.de comp.me.se.lo. 5ª.206.C
Papaueris succum cur torrefaciant, & an bene faciant.3°.de cõpo. med.sec.lo. 5ª.142.C
Papauer nigrum purgat pulmonem,& thoracem.de catha. Sp.95.B
Papaueris agrestis.7°.de comp. med. sec.lo. 5ª.180.C/D
Papauer cornutum vnde dictum.7°.de simp.me.fa. 5ª.55.G
Papauer ceratitis.6°.de comp.me per ge. 5ª.255.B
Papaueris cornuti radix hepaticos affectus adiuuat. 7°.de simp.me. facul. 5ª.55.G
Papaueris cornuti folia,& flores sordida admodum,& contumacia vlcera iuuant.7°.de simp.me.fa. 5ª.55.G
Papauer herculeam pituitam expurgat.7°.de simp.me.fa. 5ª.55.H
Papauer frigidum est.3°.de temp. 1ª.21.G/3°.*de simp.me.fa.* 5ª.21. H/*de diffo.cont.* Sp.74.D
Papauer frigidum iudicatur ab omnibus.3°.de simp.me.fa. 5ª.17.H
Papaueris succus frigidus est in quarto ordine. 3°.de simpliciũ med. fac.19.G/7°. 5ª.55.G
Papaueris succus magis refrigerat q̃ semen.de atten. vic. 2ª.44.E
Papaueris semen melius herba. de atten.vic. 2ª.44.E
Papaueris semen quomodo refrigerare probet.de atten.vic. 2ª.44.E
Papauer quomodo infrigidet.1°.de simp.me. fa. 5ª.4.E
Papauer quo modo calefaciat,& quo modo calida refrigeret.1°.de comp.med.per ge. 5ª.209.H
Papaueris succus,etsi detur calefactus,tamen postea fit frigidus.3°. de temperamentis. 1ª.23.G
ex Papaueris succo medicamenta refrigerant,& siccant.12°.meth. medendi. 7ª.79.C
Papaueris lachryma est opium non succus.2°.de anti. 5ª.114.B
Papaueris lachryma refrigerat,& siccat.1°.de temp. 1ª.10.E
Papaueris succus odore cum homine pugnat quippe hominis naturæ contrarius.4°.de simp.me.fa. 5ª.29.E
Papaueris succus est homini contrarius.3°.de temp. 1ª.23.F
Papaueris succus non est acidus.4°.de simp.me.fa. 5ª.28.C
Papaueris succº modice sumptus iuuat.& vi.ra.ĩ mo.ac.c.2°. 7ª.118.d
Papauer dolores mitigat,& qũo.6°.de comp.me.per ge. 5ª.255.C
Papaueris succus aufert dolorem.2°.de comp.me.se.lo. 5ª.138.G
Papauere fiunt emplastica anodyna,& reprimentia. commentar.6°. aphoris.31°. Ex.49.E
Papaueris succus numeratur inter anodyna,in quibus errant medic. 12°.meth.med. 7ª.75.E
ex Papaueris capitibus q̃ fiunt repellunt.1°.de arte cur. 7ª.100.A
ex Papaueris capitibus apparatũ repellit in capitis doloribus.2°.de comp.me.se.lo. 5ª.137.D
ex Papauerum capitibus infusiones ad capitis dolores ex febre.1°. de arte cur.ad Gla. 7ª.100.B
Papauer obest in processu doloris capitis.2°.de cõp.me.se.l. 5ª.137.F
Papauer cõuenit catarrho tenui a capite defluente.1°.de ali.f. 2ª.15.E
Papauer confert tussi ex thorace,& pulmone.1°.de ali.fa. 2ª.15.E
Papauer purulentis cõuenit.de vic.rat.ĩ mor.acu.com.4°. 7ª.152.G
Papauera non sunt sumenda in humidis, & palustribus locis in Diacodio.7°.de comp. me.se.lo. 5ª.180.H
Papauera quantæ magnitudinis esse debẽt in Diacodio. 7°.de comp. med.sec.loc. 5ª.180.H
Papaueris succus in Theriaca quantũ tpis durat. 5°.met.me. 7ª.35.D
Papaueris succus valet in coli dolore.12°.me.me. 7ª.79.G
Papauera nec duriora,nec molliora esse debẽt in Diacodio.7°.de cõp. med.se.lo. 5ª.180.G
ex Papauere medicamentis quo modo vti debemus. 3°.de composi. med.se.lo. 5ª.142.C
Papaueris succus alexiterias antidotos ingredi non potest.5°.de sim. med.facu. 5ª.37.C
Papaueris succum semper fugit Gal.quando potest.3°.de composit. med.sec.lo. 5ª.142.H
ex Papaueris succo composita aures offendunt.2°.de composi. medi. secun.loc. 5ª.134.G
ex Papauere vnctiones frigidæ quibus cauẽdæ.6°.de sa.tu. 2ª.100.G
Papaueris succus quæ mala faciat.3°.de comp.me.se.lo. 5ª.142.C
Papauer facit morbos frigidos.de cau.mor. 3ª.7.D
Papauer quãtã pariat refrigerationẽ.1°.de cõp.me.per ge. 5ª.210.A
Papauer non citra damnũ refrigerat.2°.de comp.me.se.lo. 5ª.132.F
Papaueris succus stupefacit.in 6ᵐ.de mor.vul.com.6°. 3ª.196.E
ex Papaueris succo medicamenta omnia stupefaciunt.3°.de compo. med.sec.lo. 5ª.142.B
Papauer obstupefacit,& necat.5°.de simp.med.fa. 5ª.35.G
Papauer inducit mortem.7°.de simp.me.fa. 5ª.55.G
Papaueris liquor quomodo necet,& obsit.de ther.ad Piso. 5ª.94.B
Papaueris succus deleterius est. 3°.de temp. 1ª.23.F
Papauer habet naturam exitialem, tñ non nocet sine quantitate. cõ. 2°.aphoris.17°. Ex.13.B
Papaueris succus si largius bibatur aut demẽtat,aut mortem infert. 5°.de simp.me.fa. 5ª.37.C
Papaueris succus cur si vino mistus bibatur necet citius. 3°.de sim. medic.fa. 5ª.22.E
Papaueris succus liquatur sapa.12°.me.me. 7ª.79.G
Papaueris succi epoti noxã vinũ vetus sanat.3°.de sim.me.f. 5ª.22.E
Papaueris succũ q̃ biberunt ijs confert hydrelæon.2°.de anti. 5ª.114.B
Papaueris lachrymã qui biberunt quid adiuuet.2°.de anti. 5ª.114.B
ĩ PAPILLIS *mariũ raro sunt glãduloſa corpora.2°.de sem.* 1ª.336.D
Papillæ mammarum ligandæ papyro in sanguinis profluuio. de reme dijs paratu facilibus. 7ª.163.F
PAPVLÆ *quæ vocantur petechie vulgo. in 1ᵐ.de morbis vulgaribus comment.3°.* 3ª.121.G
Papulæ paruæ quæ euanescebant, & forte petechie dictæ à nobis.& in 1ᵐ.de mor.vul.com.1°. 3ª.111.D
Papulæ vnde fiant,& vnde dictæ.in 3ᵐ.de mor.vul.c.3°. 3ª.145.A
Papularum prouentus quando fiat.3°.de sym.cau. 3ª.26.C
Papulæ Hydatides,quæ.6°.de loc.aff. 4ª.29.D
ad Papulas feruidas circa caput existẽtes.1°.de cõ.me.se.l. 5ª.129.B
ad Papulas feruidas.1°.de cõp.me.se.lo. 5ª.130.F
ad Papulas oculorum.4°.de comp.me.se.lo. 5ª.154.F
ad Papulas genarum.de reme.par.fac. 7ª.157.C
ad Papularum in mento eruptiones.5°.de comp.me.sec.lo. 5ª.162.C

ad Papularũ mentificoſas eruptiones.5°.de cõp.me.ſe.lc.5ª.160.F
ex PAPYRACEA *charta vſta medicamentũ valde ſiccat.5°.meth. medendi.* 7ª.36.D
PAPYRVS *per ſe non ingreditur vſum medicinalem.8°.de ſimpl.me dicam. fac.* 5ª.57.G
Papyri cinere infirmius exiccat cartæ cinis.8°.de ſim.me.f.5ª.57.G
Papyro ligandum penis extremum in ſanguinis profluuio. de remediis paratu facilibus. 7ª.163.F
PAR numerus fœminã ĩpar marẽ refert.3°.de dieb.dec.4ª.158.H
Pares,& impares dies conſiderandi ſunt.de vic.ra.in mor. ac.commentario.1°. 3ª.112.H
Pares dies ſi habeant vehementiores acceſſiones morbus eſt longus. cõmen.4°.aph.36°. Ex.32.A
Paribus dieb⁹ acceſſiões,& dolores.ĩ 3ᵐ.d̄ mor.vul.c.3°. 3ª.150.F/H
Paribus diebus afflictus. in 3ᵐ.de mor.vul.com. 3°. 3ª.148.H
Paribus diebus non fit perfecta iudicatio.com.1°.aph.20°. Ex.9.H
de PARABILIBVS *medicamentis librum ſcripſit Apollonius.11°.de ſim.me.fa.82.H/2°.de comp.med.ſec.lo.132.B/3°.141.F/144. G/148.D/5°.163.H/6°.174.D/* 5ª.175.H
PARACENTESES, *id eſt punctiones fiunt qñ hydropici perforantur. 14°.me.me.7ª.90.G/com.6°.aph.27°.* Ex.48.G
PARACENTETICEN *vocant perforatoriam artem. ad Thraſybulum.* 2ª.105.B
Παραχθῆναι *quid ſignificet.in 1ᵐ.pror.com.1°.* 4ª.161.A
Παραχμασιὼν *inclinantẽ ætatẽ græci vocant.5°.de ſan.tu.* 2ª.89.A
PARACMASTICA *febris.in 6ᵐ.de mor.vul.com.1°.* 3ª.160.A
Paracmaſtica ſpecies ſynochi.9°.me. me. 7ª.57.A
Paracmaſticas febres facit humoris in caua vena putrefactio.2°.de differentijs febrium. 3ª.42.H
PARACMASTICVS *pulſum tenet mitiorem homotono, & acmaſtico in ſecundo vel tertio die cum declinatione, licet in principio fuerit vehemens.de dyna.* Sp.34.C
PARACOPEM, *phrenitim,dementiam ſiue cardiacam ſignificat vrina tenuis,maxime ſi dolor capitis,& ſcapularũ,& inſomnia fuerit.de dyn.* Sp.34.E
Paracopẽ aut phrenitim venturam oſtẽdit in ſynocha vrina quæ veluti florem vini ſupernatantem habuerit.de dyna. Sp.34.F
Παρακόψαι *quid ſignificet.in 1ᵐ.pror.com.1°.* 4ª.161.A
PARADOXOLOGVS, *& paradoxopœus à quibus ſit dictus Galenus. 10°.met.me.* 7ª.63.C
PARAGOGÆ *articulorum affectus.intr.* Iſa.59.E
Παραλυθῆναι *quid ſignificet.in 1ᵐ.pror.com.1°.* 4ª.161.A
PARALIVM, *id eſt pauper.7°.de ſimp.me.fa.* 5ª.55.G
PARALLELI *ab aliquibus zonæ dicuntur.c.3°.aph.14°.* Ex.22.F
Paralleli ſunt lineæ imaginariæ.com.3°.aph. 14°. Ex.22.F
PARALIVS, *ſiue marinus Titymallus.8°.de ſimp.me.fa.* 5ª.62.E
Παραλόγως, *id eſt præter rõnem quomodo dicatur.in 1ᵐ.pror. commentario 2°.* 4ª.172.F
PARALYSIS *vnde dicta.2°.met.me.* 7ª.9.D
Paralyſis quid.fin.med.Iſa.47.H/1°.de ſym.cau. 3ª.16.C
Paralyſis in corpore ſeq̃t ad dñiũ phlegmatis.de ana. viu. Sp.45.E
Paralyſis contingit conceptis in phlegmatis hora.de ſper. Sp.37.C
Paralyſis paſſio atræ bilis.de ſperm. Sp.38.B
Paralyſis contingit conceptis in horis melancholiæ.de ſper. Sp.37.D
de Paralyſi librum fecit Eraſiſtratus.de aſſuet. 2ª.60.D
Paralyſis quorum ſit neruorum.3°.de lo.aff. 4ª.17.C
Paralyſis qua parte cerebri affecta fiat.4°.de lo.aff. 4ª.22.G
Paralyſis typum non habet.de typ. 3ª.90.D
Paralyſis quædam læuis eſt torpor.2°.de ſymp. 3ª.19.H
Paralyſis, & torporis differentia.1°.de ſym.cau. 3ª.16.C
Paralyſis qñq; à generatione offendit oculum.de ana.ocul. Sp.57.G
*Paralyſis oculorum quotuplex ſit,& quo modo fiat.de ocu.*7ª.187.E
Paralyſis coronę affectus.intr. Iſa.58.D
Paralyſis affectus communis toti palpebræ. intr. Iſ.58.D
Paralyſis linguæ nullum nomen habet.2°.de ſymp.cau. 3ª.19.G
Paralyſis ſtomachi.3°.de ſymp.cau. 3ª.25.G
Paralyſis qua cauſa fiat.2°.de ſimp.cau. 3ª.20.A
Paralyſim pariunt lenti,& craſſi humores. de atra bile. 1ª.35.H
Paralyſi qñ ſequitur ad cõpreſſionẽ vertebræ.4°.de lo.aff. 4ª.24.C
Paralyſis fit ex ſolo morbo.2°.de ſymp.cau. 3ª.20.A
Paralyſis ſequitur apoplexiam.4°.de lo.aff. 4ª.22.H
Paralyſis totius corporis eſt apoplexia.2°.de ſym.cau. 3ª.19.H
Paralyſis nunquã viſa ſecundum aliquos.4°.de lo.aff. 4ª.25.E
in Paralyſi nullum adeſt loci affecti ſignum. 3°.de lo.aff. 4ª.16.B
ad Paralyſim tendit pulſus ſtupidus,& ſignificat diſpoſitionem eſſe ĩ neruis muſculi.1°.de loc.aff. 4.8.H
Paralyſim ſignificat vrina ſpiſſa cardiacorum.de dyna. Sp.34.H
*in Paralyſi vrina rubra prædicit futuram mortem.de dyna.*Sp.35.D
Paralyſis quo modo mortem inferat.1°.de ſymp.cau. 3ª.16.D
in Paralyſi ſanguinea quid agendum.de cura lap. Sp.112.F
Paralyſi infeſtante catharticis vtimur.de dyn. Sp.20.E
ad Paralyſim oris.de cura lapidis. Sp.112.G
Paralyſi quæ conueniant.de dyna. Sp.31.C
Paralyſi conueniunt euphorbium,& adarce.6°.de ſan.tu. 2ª.99.G
Paralyſi quid valeat. de cura lapidis. Sp.112.F
ꝑ Paralyſi ſaluia.de dyna. Sp.35.E
ad Paralyſim potio Ioannis filij Ligorij medici.de dyna. Sp.31.C
ad Paralyſim vnguentum.de dyna. Sp.31.D
ad Paralyſim valens medicam. de med.exper. Sp.105.G/H
*ad Paralyſim lõgo tempore infeſtatos.7°.de cõp.me.per g.*5ª.270.F
ad Paralyſim reſolutos.7°.de comp.me.ſe.loc. 5ª.185.A
*ad Paralyſim.7°.de comp.me.per ge.*5ª.273.B/*ſecret.* Sp.96.H
ad Paralyſim compoſitio.ſecretorum. Sp.97.A
PARALYTICA *naturaliter puella quomodo ſit.de ſper.* Sp.38.B
Paralyticus quidam qui fiebat ſe crus lapideum habere ſomniabat. de præſag.ex inſomn. 4ª.213.D
Paralyticus nemo fit per excauationem.4°.de lo.aff. 4ª.24.A
Paralyticis vnde granitas.de mult. 3ª.77.H
Paralytica ſi eſt vna medietas lĩguæ,reliqua motũ,& ſenſum nõ amittit pp diuiſionẽ eius in duas partes cõſimiles.de ana.vi. Sp.49.D
*Paralytica ſit ſolà lĩgua,tũ ſeruat tactũ,et guſtũ.4°.d̄ lo.af.*4ª.22.G
*Paralyticorũ pulſus qualis.de pul.ad ty.46.A/4°.de ca.p.*4ª.102.G
Paralyticis damus phlegmagoga.de dyna. Sp.21.C
Paralyticis ſuccurrit potio ſancti Pauli.de dyna. Sp.31.C
ad Paralyticos acopon.7°.de comp. me. per ge. 5ª.273.A
Παράμεσος *digitus qui. intro.* If.53.C
Παραφρονῆσαι *quid ſignificet.in 1ᵐ.pror.com.1°.* 4ª.161.A
Παραφρονοῦντες *quid ſint.in 1ᵐ.pror.com.1°.* 4ª.163.E
PARAPHROSYNE *2°.met.med.* 7ª.9.E
PARAPLEGIA *quid.in 1ᵐ.de mor.vul.com.3°.* 4ª.183.E
Paraplegiæ quæ ſint.in 1ᵐ.de mor.vul.com.2°. 3ª.113.D
Paraplegiæ quæ & quod parotides in ipſis vitioſæ fiant. in 1ᵐ.prorrheti.commen.3°. 4ª.187.G
Paraplegia q̃,& ꝑ qñq; apoplexia dicat.ĩ 1ᵐ.prorh.c.2°. 4ª.175.F
*Paraplegiæ q̃o ex vẽtis frigidis fiãt.in 1ᵐ.de mor.vul.c.2°.*3ª.113.G
*Paraplegia ĩ mẽbri reſolutionẽ decũbit.ĩ 1ᵐ.d̄ mor.vul.c.2°.*3ª.113.G
PARAPLEXIA *quid.in 1ᵐ.pror. com.3°.* 7ª.183.E
Paraplexia quomodo differt ab apoplexia.fin.med. Iſa.46.B
Paraplexia q̃o fiat,& q̃ ſit.de vic.ra.in mor.acu.c.4°. 7ª.138.D
Paraplexia ex immodico vini potu.3°.de temp. 1ª.22.G
Paraplexiæ meminit.de vict.rat.in mor.acu.com.4°. 7ª.138.A
Παραλήματα *q̃.de ijs q̃ in med.ſi.cõ.3°.214.H/ de ar.c.2°.* 7ª.265.G
PARARHYTMVS *qu.ſi.med.Iſa.46.G/1°.de pul.diff.4ª.48.G/cõp. pulſ.* Sp.65.H
Παρασκεπάσρα *quid.de faſcijs.* 7ª.294.H
PARASTATÆ *latine aſtites.fin.med.* Iſa.44.A
PARASYNANCHE *ſeu paracynanche quo modo fiant,& in qua parte.com.4°.aph.34°.* Ex.31.D
Paraſinanche morbus peracutus.com.1°.aph.12°. Ex.5.D
ex PARATV *facillimis remedia melius eſt componere pro pauperibus.3°.de comp.me.per ge.* 5ª.234.D
PAREXILLÆ *meminit præſag. exper.conf.* Sp.78.B
PARDALIS *habet oſſium ſubſtantiam denſiorem, ac duriorẽ capris ſuibus,& ouibus.11°.de vſu par.* 1ª.191.D
Pardalis adeps qualis.5°.de ſimp. me.fa. 5ª.34.C
Pardalis adeps tenuium partium.3°.de comp.me.per ge. 5ª.233.H
Pardalis adeps quo loco reponatur inter calida, quæ valẽt alopetijs. 1°.de comp.me.ſec.loc. 5ª.122.D
Pardaleon dentes ſimiles leoninis.11°.de vſu par. 1ª.187.C
Pardales calidi.2°.de ſimp.me.fa. 5ª.14.E
Pardales aridi.2°.de ſimp.me.fac. 5ª.14.E
PARDALIANCHES. *6°.de ſimp.me.fa.* 5ª.42.A
PARDI *cur noctu vident.7°.de decr. Hipp.* 1ª.270.B
Pardi caro qualis.3°.de alim.fa. 2ª.26.A

Pardorum esus hor inibus feris relinquendus. de atten. vic. 2ª.45.E
Pardi pingue qual .7°. de comp.me.per ge. 5ª.269.F
Pardi adeps qualis .4°. de com.me.per ge. 242.A/7°. 5ª.263.E
Pardi adeps tenuium partium. 3°. *de comp.me.per ge.* 5ª.232.H
Pardi adeps mollificat. 2°. *de arte cur. ad Gla.* 7ª.104.A
Pardi adeps sequitur leoninum. 2°. *de arte cura ad Gla.* 7ª.104.A
PAREGORICÆ *facultates.* 5°. *de simp.me.fa.* 5ª.37.A
Paregorica quæ de reme.par.fa. 7ª.154.C/155.E/*de dyna. Sp.* 18.H
Παρηγορικόν. *i. leniēs medicamētū est lac.* 10°. *de simp.me.f.* 5ª.73.H
Paregoricus est vitellus oui extrinsecus illinitus. de sim.me. Sp. 88.E
Paregoricū inuenitur oleū vbi mala sydonia per tempus maduerint. de simp.me. Sp. 88.D
Paregoricis rebº mitigant̄ dolores vetusti, et ī sanabiles. d̄ dy. S. 19.A
Παρειὰς *vinculum a malis per quas ducit nomē hēt. de fa.* 7ª.295.A
PAREMPTOSIS *affectus meatuum oculorum. intro. Isa.* 58.D
Paremptosis transsultus spirituum. de venæ sect. aduer. Erasi. 6ª.5.F
Paremptosis quid. 13°. *met.me.* 7ª.80.E
PARENCHYMA *quid.* 6°. *de ana. adm.* 93.A/7ª.95.B/ 6°. *de dec. Hip.* 1ª.266.A/14°. *met. me.* 7ª.87.B
Parenchyma quæ caro. de mul. 3ª.81.D
Parenchyma seu effusio dicitur proprie viscerum caro. de partibus ar. medicæ. Sp. 17.A
Parenchyma cur vocetur viscerum caro. 11°. *de simplicium medica. facul.* 5ª.77.F
Parenchyma dicitur caro in gibba iecoris parte. de mul. 3ª.77.G
Parenchymatum meminit. de mul. 3ª.80.E/8°. *de comp.me.se. locos.* 5ª.194.A/10°. *met.me.* 7ª.67.D
PARENTIBVS *vnde filij similes. de hist. philo. Sp.* 10.G
Parentibus cur dissimiles fily. de hist phil. 10.G/ *de sper. Sp.* 38.G
Parentibus cur fœtus quandoq; non sint similes. de sper. Sp. 37.A
Parentibus sanis cur fœtus qñq; praui sint affecti. de sper. Sp. 37.A
Πάρεγρον ἔργον ποιεῖσθαι. *de vict. rat. in morb. acu. com.* 1°.7ª.108.E
Paresuasa. de med. par. fac. 7ª.176.G
PARIENTI *difficulter mulieri sternutatio superueniens bonum. cō.* 5°. *apho.* 35°. *Ex.* 40.F
ad Parientes ægre suffitus. de med. fa. par. 7ª.168.G
quę Pepererūt mulieres ob frictionē nō rubescūt. de cuc. scari. 6ª.3.C
PARIEPIPHIMOSIS *quid fin. med. Is.* 49.C
PARIETARIA *pro vrina prouocanda. de med. fac. par.* 7ª.168.C
ex Parigenis libris concoctorium. 7°. *de comp.me.se.lo.* 5ª.183.A
PARILITAS *consequenter habens quę.* 1°. *de diff. resp.* 3ª.61.F
Parilitas iuxta circuitus quæ. 1°. *de diff. resp.* 3ª.61.F
PARIDIS *saltatoris Psilothrum.* 1°. *de comp.me.se. loc.* 5ª.127.H
Παρίσθμια *tonsillas vocant græci.* 5°. *de san.tu.* 2ª.90.A
Παρίσθμια *qd.* 11°. *de vsu p.* 185.G/16°.1ª.216.H/3°. *d̄ sy. ca.* 3ª.29.F
Paristhmia, vuæ, et tōsillæ qd, & quo fiāt loco. de tum. p̄. na. 3ª.84.H
ad Paristhmia glandulæ sunt magnæ. 3°. *de ali. fac.* 2ª.26.G
Paristhmia consequūtur saniē à capite defluentē. 6°. *de sa.tu.* 2ª.98.H
ad Paristhmia, & palatum, & pulmonem cur a capite materia transmittatur. 2°. *de diff. seb.* 3ª.40.H
ad Paristhmia qūo tendantur medicamenta. 4°. *met.me.* 7ª.29.A
ad Paristhmia elxines succum gargarizandum non nulli exhibēt. 6°. *de simp.me.fac.* 5ª.47.C
ad Paristhmia gargarizata. 4°. *met.me.* 7ª.29.A
Paristhmijs, & morbis colli quo modo prosunt purpuræ marinæ. 6°. *d̄ simp.med.fa.* 5ª.45.H
Paristhmiorū phlegmonas tollit scarificatio omnē. d̄ cucu. sca. 6ª.4.B
ad Paristhmia phlegmone conflictātia cōfert succus cētaureæ. de vir tute centaureæ. Sp. 93.D
Paristhmiorum escharis confert succus cētaureæ. de vir. cēt. Sp. 93.D
PARII *casus. in* 3ᵐ. *de mor. vul. com.* 3°. 3ª.147.E
Parij multum iuuantur sanguinis missione authoritate Asclepiadis. ī 3ᵐ. *de mor. vul. com.* 3°. 3ª.147.F
PARMENIDES *primus terram extra duos circulos habitabilem dixit. de hist. philo. Sp.* 8.E
Παροχετέυειν *est à riuis ad latera diuertere. de cucur. sca.* 6ª.4.F
PAROCHETEVSIM *vocat Hippocrates deriuationē ad partes propī quas.* 6°. *de san.tu.* 2ª.100.B
Parocheteusis. i. deriuatio est eiusdem generis cum euacuatione facta per particula, quæ fluxionem suscipit. de cucur. scar. 6ª.4.E
Parocheteusis. 5°. *me.me.* 7ª.30.D
PARONICHIA *vnde dicta.* 8°. *de sim.me.fa.* 5ª.57.H
Paronychias sanat paronychia. 8°. *de simp.me.fa.* 5ª.57.H
Paronychia calida est sicca in tertio ordine, & substantiæ tenuis. 8°. *de simp.me.fac.* 5ª.57.H
Paronychia est tenuium partium, exiccat sine morsu. 8°. *de simpliciū medic. facu.* 5ª.57.H
Paronychia fauos sanat. 8°. *de simp.me.fa.* 5ª.57.H
ad PARONYCHIAS *vtuntur Lycio.* 7°. *de simp.me.fac.* 5ª.54.G
Paronychūs conferunt sordes aurium. 10°. *de simp.me.fa.* 5ª.77.E
ad Paronychias. 8°. *de comp.me.se.lo.* 188.G/2°. *de com.me. per ge.* 223.A/4°.5ª.244.B/*de med.fac.par.* 7ª.174.A
Paroraſis id est visus prauitas. 1°. *de sym.cau.* 3ª.16.B
de PAROTIDIBVS. *de reme.par.fac.* 7ª.155.D
Parotides quid fin.med. Is. 48.H
Parotides. i. absessus iuxta aures. com. 4°. *aph.* 74°. *Ex.* 36.A
Parotides ab aliquibus symptomata dicuntur. 12°. *met.me.* 7ª.75.F
Parotides vitiosæ paraplegicis. in 1ᵐ. *pror. com.* 3°. 4ª.187.G
Parotides quomodo fiant, & quando. de dyna. Sp. 34.A
Parotides fiūt in febribus laboriosis, & quo modo, & ex qua materia com. 4°. *aph.* 74°. *Ex.* 36.A
Parotides a quibus fiant succis. in 1°. *pror. com.* 3°. 4ª.188.G
Parotides fiunt in adenibus auriū. in 1ᵐ. *de mo. vul. com.* 1°.3ª.104.H
Parotides quibus signis cognoscūtur futuræ. in 1ᵐ. *pro. c.* 3°.4ª.187.E
Parotidas quomodo cognosces futuras ex facie. in 1ᵐ. *prorrh. commen.* 3°. 4ª.188.E
Parotidum signum præcipuum. in 1ᵐ. *pror. com.* 3°. 4ª.188.H
Parotides simplices quibus curentur. 3°. *de comp.me.se.lo.* 5ª.147.E
Parotidibus inchoantibus p̄sidiū. 3°. *de cōp.me.se.lo.* 5ª.146.H
in Parotidibus nunquam est vsus repulsoriorum. 3°. *de compo. medi. secun. locos.* 5ª.146.H
Parotides non sunt repercutiendæ, sed attrahendæ. 3°. *de compositio. med. sec. loc.* 5ª.146.E
Parotides quibus digerantur. 3°. *de comp.me.se.lo.* 5ª.147.E
Parotides tolluntur à tussicula cum sputo frequenti. in 1ᵐ. *prorrhetico. commen.* 3°. 4ª.188.G
in Parotidibus quando venæ sectio exercenda sit. 3°. *de compositio. med. sec. loc.* 5ª.146.E/F
ad Parotidas cucurbitula. 3°. *de comp.me.se.lo.* 5ª.146.D
Parotides quo modo incidendæ. de dyna. Sp. 32.C
Parotides quo modo finiant. 3°. *de cris.* 4ª.139.E
Parotidas citra suppurationem curari per inferiora rarissimum est. in 1ᵐ. *de mor. vul. com.* 2°. 3ª.116.F
Parotides euanescentes reuertuntur. in 6ᵐ. *de mo. vul. c.* 4°. 3ª.179.E
in Parotidibus durities qūo curāda. 3°. *de cōp.me.se.loc.* 5ª.146.F
ad Parotidas butyro vtuntur. 10°. *de simp.me.fa.* 73.G/ 5ª.74.C/D
Parotidas soluunt caricæ sicut Iris. de simp.me. Sp. 84.C
Parotidas induratas iuuat eryſimū. 6°. *de simp.me.fa.* 5ª.47.E
ad Parotidas caprinum stercus. 10°. *de simp.me.fa.* 5ª.76.E
Parotidas sanat vrtica. 6°. *de simp.me.fac.* 5ª.41.C
Parotidibus inueteratis qd cōpetat. 3°. *de cōp.me.se.lo.* 5ª.147.A/D
Parotidas sanat emplastrū diachrysu. de dyna. Sp. 32.C
ad Parotidas Archigenis medicamentū. 3°. *de cōp.me.se.lo.* 5.146.H
ad Parotidas. 2°. *de cōp.med.per ge.* 223.A/3°. *de comp.me.sec.loc.* 146.D/242.H/5°.246.E/247.A/D/F/6°.256.H/259.E/261.H/ 5ª.262.A/*de med.fac.par.* 7ª.162.G/*de hist. philo. Sp.* 8.E
PAROXYSMVS *lege circuitus, & accessio.*
PARS *& totum sunt ad aliquid.* 1°. *met.me.* 7ª.6.A
Pars quæ sit. 1°. *met.me.* 7ª.6.A
Partes minimas simul ponere non est tota per tota miscere. 1°. *de tēperamentis.* 1ª.14.G
Partes vicinæ qualitate in se agunt. 4°. *de composit. medicam. per genera.* 5ª.238.A
Partes corporis sunt loci. de vict. rat. in mor. acu. com. 4°. 7ª.138.B
Partium inter se differentia. 16°. *de vsu par.* 1ª.215.B
Pars animalis quomodo ab alia differat. 7°. *me.me.* 7ª.43.F
Parti omni quatuor qualitates dant certam quandam temperaturā. 1°. *de vsu par.* 1ª.115.D
Partium symmetria qualis. 11°. *de vsu par.* 1ª.188.G
Partes omnes inueniendi methodus. 1°. *de vsu par.* 1ª.114.G
Partis substantia debet sciri ad vsum adiumentorum. de constitutio. ar. Isa. 41.C
Partis cuiusque essentia primo, deinde actio, & societas, quam cum proximis habet cognosci debet ex anatome. 1°. *de loc.affe.* 4.3.E

Partis ſubſtantia quid doceat.de conſt.ar. Iſa.41.C
Partes quo ſint factæ tales non inquirendum.15°.de vſu pa.1ª.210.F
Partes quo ſint factæ tales non inquirendum. Iſa.41.C
Partis formatio quid doceat.de conſt. ar.
à Partibus ſecunda vtilitas animalib⁹ puenit.17°.de vſu p.1ª.221.C
Partium vtilitatem ſcire oportet.de ſect. Iſa.18.F
Partium ſingularum actio, & vtilitas neceſſario ſciri debent. de cõſtitutione artis. Iſ.40.G
Partis vtilitas non poteſt inueniri niſi cognita actione. 1°.de vſu pa. 114.H/14°. 1ª.205.B
Partis vtilitas cognoſci non poteſt niſi totius inſtrumẽti actio fuerit notat.16°.de vſu par. 1ª.215.F
Partis vſus pendet ex vtili actione. 17°.de vſu par. 1ª.221.D
Partis actio,& vſus quo differãt,& qd ſint.17°.de vſu p.1ª.221.B
de Partium omnium vtilitate nullus antiquorum dixit, neq; Ariſtoteles.1°.de vſu par. 1ª.115.A
de Partium vſu imperfecta,& quandoq; falſa dixit Ariſtoteles, & Erophylus.1°.de vſu pa. 1ª.115.A
de Partium vſu imperfecte, & obſcure,tamen nõ perperam ſcriptũ eſt ab Hippocrate.1°.de vſu par. 1ª.115.A
de Partium vſu propter quid ſcripſerit Gal.1°.de vſu pa.1ª.115.A
de Partium vſu vtilitates 17°.de vſu par. 1ª.222.E
de Partium vſu tractare pertinet ad philoſophum,non ſolũ ad medicum.17°.de vſu par. 1ª.222.D
de Partium vſu liber principium theologiæ.17°.de vſu p.1ª.222.D
Pars nulla habetur propter ſe ipſam,aliter eßet fruſtra, & abſcindẽda.17°.de vſu par. 1ª.221.C
Partes ſimplices primo conſiderandæ ſunt.5°.me.me. 7ª.29.G
Partes ſimplices habent particulas fibroſas, membranoſas, & carnoſas.10°.met.me. 7ª.67.D
Partes diſſimilares quæ ſint.7°.me.me. 7ª.44.H
Partes primæ quæ formentur.2°.de temp. 1ª.16.A
Partes vltimæ quæ formentur.2°.de temp. 1ª.16.A
Partes magnæ animalis quæ.1°.de vſu par. 1ª.114.G
Partium ſolidarum quantitas,ex quibus ſit.11°.me.me. 7ª.68.B
Partium ſolidarũ quantitas ſemp eadem manet.11°.me.me.7ª.68.B
Partis cuiusq; quantitas eſt in organis.2°.met.me. 7ª.13.D
Partes pro dignitate conſiderandæ.7°.met.me. 7ª.49.B
Partes quæ ad vitam conferunt ſunt principes.6°.de vſu p.1ª.150.B
Pars principalis quot nominib⁹ poſſet dici.2°.ꝺ dec.Hipp.1ª.238.E
Pars princeps in corpore q̃ ſit habenda.6°.de vſu par. 1ª.150.A
Partiũ principaliorũ prouidentiã hẽt natura.2°.de vſu par.1ª.123.B
Partes prĩcipales a natura ſũt maiore robore dotatæ.ꝺ ca.mo.3ª.8.D
Pars vna ſola ſatis eſt ad naturã oſtentandũ.17°.de vſu.p.1ª.222.A
Partes principaliores ſunt in profundo.2°.de vſu par. 1ª.123.B
Partes minus principales ſunt in ſuperficie.2°.de vſu par.1ª.123.B
Partes prĩcipales quibus cor gubernaũ tres ſunt. 5°.de l.aff.4ª.28.H
inter Partes ignobiles numeratur panniculus cor ambiens.5°.de locis affectis. 4ª.29.E
Partes corporis ſummæ quæ ſint.in 1ᵐ.pror.com.2°. 4ª.170.A
Partes extremæ habent parum carnis,& pinguedinis.3°.de aliment. facult. 2ª.26.F
Partes extremæ neruoſæ,& cutaceæ.3°.de ali.fac. 2ª.26.F
Pars corporis inanis quæ.in progn.Hipp.com.2°. 4ª.197.F
Partes corporis caſſæ quæ ſint.de ijs,quæ ĩ med.ſi.com.2°.7ª.209.B
Partes quæ quieſcunt.de ijs, quæ in med.ſi.com.2°. 7ª.209.H
Partes corporis laparæ quæ.in progn.com.2°. 4ª.197.F
Partes externæ vt aures,naſi,primæ debent eſſe factæ ex ſubſtantia, q̃ non facile contundatur,vel frangatur.11°.de vſu pa.1ª.188.H
Partes cur calidæ, vel frigidę.de cur.rat.per ſang.miſſ. 6ª.16.G
Pars dextera quomodo ſiniſtra calidior.14°.de vſu pa. 1ª.206.F
Partes ſecundum rectitudinem ſitæ plus inter ſe communicãt.14°.ꝺ vſu par. 1ª.206.G
Partes contrariæ non poſſunt bene vniri.11°.de vſu par. 1ª.191.F
Partium quæ connexu vniuntur proprium.3°.de ana.adm. 5ª.74.C
Pars quæ non habet coniugẽ dẽt eſſe ĩ medio.15°.de vſu p.1ª.210.G
Partis poſitio obliqua duplex.2°.de vſu par. 1ª.125.B
Partes cur tenuiores in medio radij, & vlnæ.2°.de vſu p.1ª.125.B
Partes cur craſſiores in cubito, & carpo. 2°.de vſu par. 1ª.125.B
Partes,quæ non habent operimentum in homine,remedium in cõſtructione habent difficultatem ad patiẽdum.1°.de vſu pa. 1ª.117.A
Partes ſub facie habent neruos à ſpina.16°.de vſu pa. 1ª.215.E
Partes inſernæ à ſpinali medulla accipiunt vires,ac robur.16°.de vſu partium. 1ª.216.F
Partes habẽtes magnos neruos propter ſenſum.5°.de vſu p.1ª.145.C
Partibus habentibus ſenſum exactiorem maiores,& molliores nerui a cerebro immittuntur.16°.de vſu par. 1ª.215.B
Partes præter ventriculum,& eius os non habent ſenſum indigẽtiæ. 4°.de vſu par. 1ª.136.E
Partes oẽs conſequẽter exugunt à ventriculo.4°.de vſu p.1ª.136.E
Partes ſub facie quæ habeant neruos a cerebro.16°.ꝺ vſu p.1ª.215.E
Partes intra peritonæũ vnde neruos accipiãt.16°.de vſu p.1ª.216.F
Partes quę multum mouentur habent neruũ durum,& magnum.16°. de vſu par. 1ª.215.B
Pars motu volũtario nõ mouetur ſine muſculo.11°.de vſu p.1ª.190.C
Partes, quæ mouentur motu voluntario,habẽt ad minus duos muſculos.10°.de vſu par. 1ª.180.G
Partes animalis quæ ſunt vtiles generare humores ad quid ipſos generent.com.5°.aph.39°. Ex.41.B
Partes aliquæ recipiunt ſemen 15°.de vſu pa. 1ª.210.A
Partes aliquæ eĳciunt ſemen.15°.de vſu par. 1ª.210.A
Partes quæ totius habent cognitionem.4°.de diff. pulſ. 4ª.67.E
Partium ſuperiorum exercitatio qñ maior.de par.pil.exer. 2ª.49.E
Partium robur quo exercetur, & firmatur.2°.de ſa.tu. 2ª.74.D/E
Partes ſimul attritæ quid acquirant.1°.de ſan.tu. 2ª.68.E
Partiũ proximarũ cõpreſſio quo modo fiat.1°.de ſan.tu. 2ª.68.C
Partes noſtri corporis quæ recipiant,& tranſmittant recrementa.de curan.rat. per ſang.miſſ. 6ª.17.H
per Partes inferiores exit flatus inutilis.4°.de vſu par. 1ª.138.A
Partes corporis quo modo a virtutibus varijs gubernãtur.2°.de arte cura.ad Glau. 7ª.103.B
Partes omnes a quatuor naturalibus facultatibus gubernantur.2°.ꝺ ſanita.tuenda. 2ª.75.A
Pars quælibet habet quatuor facultates.8°.de compoſi.med.ſec.loc. 194.A/9°. 5ª.198.D
Pars quælibet animalis hẽt quatuor potentias,& quæ ſint.de cauſis mor.3ª.8.D/com.1°.aph.22. Ex.10.C
Pars quælibet animalis hẽt naturales potẽtias.c.5°.ap.39°.Ex.41.B
Partes omnes habent vim attractricẽ,retẽtricẽ, excretritem, alteratricem.4°.de vſu par. 1ª.136.E
Partes oẽs hũt vi expultricẽ,& attractricẽ.de inſtr.odor.1ª.112.F
Partium animalium opus quod.in prog.com.1°. 4ª.197.B
Partes quædã corporis quibus primarijs fruantur, & quibus vniuerſum corpus, ſexto loco eſt conſiderandum.2°.de loc.aff. 4ª.13.D
Partium omnium communes actiones quæ.5°.de lo.aff. 4ª.34.D
Partium animalis munia quæ.de diff.mor. 3ª.4.H
Pars q̃libet aĩalis hẽt propriam actionem.7°.met.me. 7ª.43.F
Partes corporis ſine doctrina ſuas faciũt actiones.6°.ꝺ l.af. 4ª.42.A
Pars quælibet habet humorem ſimilem.com.5°.aph.39°. Ex.41.B
Partes omnes non aluntur eodem alimento.6°.de vſu par. 1ª.155.B
Pars vnaquæq; proprium habet nutrimentũ.cõ.2°.aph.12°.Ex.12.E
Pars quælibet trahit proprium alimentum.6°.me.me. 7ª.40.D
Partes omnes corporis ſanguinẽ ſibi familiarem trahunt.9°.de cõp. med.ſec.loc. 5ª.198.C
Partes,quę nutriuntur, trahunt ex proximis vaſis alimentum.4°.de vſu par.140.B/9°. 1ª.172.G
Partes,quæ trahunt a longinquo, habent inſtrumentum adiuuans.9°. de vſu par. 1ª.172.G
Pars quælibet trahit ad ſe ſuccum adglutinat,& aſſimilat. de naturalibus facul. 1ª.293.B
Partes,quæ volunt ſuccũ,quo nutriuntur,alteratum, habẽt aliqñ cauernulã, vel ſinũ, vel penu,in quo alterat.3°.de nat.fa. 1ª.308.B
Partes ſingulæ habent vim primum attrahendi nutrimentũ, poſtea alterandi, poſtea in partem propinquam tranſmittendi.6°.de ſanitate tuenda. 2ª.100.C
Partes quomodo tranſmittant ad alias partes.6°.de ſan.tu.2ª.100.C
Partes primo ſumunt pro ſuo alimẽto, poſtea ad alias partes mittũt. 4°.de ſan.tu. 2ª.88.A
Partes corporis augentur in longum,latum,& profundum.1°.de vſu partium. 1ª.115.H
Partium magnitudo a quibus augetur. de cau.mor. 3ª.9.D
Partes omnes indigent calore naturali ſemper,ſed ſecundum modũ. 16°.de vſu par. 1ª.220.D
Partium calor quo modo ſeruetur.de vſu pul. 1ª.228.C
Partes ſolidæ quo modo cuſtodiantur.11°.met.me. 7ª.68.E

Partes carnosæ quo modo custodiantur. 11°.met.me. 7ª.68.E
Partes semper magis siccantur in processu ætatis.2°.de tẽp. 1ª.16.A
Partes quod ob victum,& non ob imbecillitatem laborent argumentũ.6°.de san.tu. 2ª.100.D
à Partibus longinquis quo trahunt medicamenta. de catha.Sp.94.H
Partes quasdã corporis priuatim vitiant medicamenta quædam. de theria.ad Pisonem. 5ª.91.A
Partes effœminantur à medicamentis adstringentia non habentibus. 1°.de comp.me.per ge. 5ª.212.C
Partes corpis priuatim iuuãt q̃dã medicamẽta.đ the.ad Piso. 5ª.91.A
à Partib° denominata quo sunt medicamẽta. 5° de sim.me.f. 5ª.38.E
in Partibus omnibus corporis qui fiant morbi.3°.de lo.aff. 4ª.18.C
à Parte patiente, vt plurimum nominãtur morbi.1°.de arte curatiua ad Glauc. 7ª.95.F
Partes quæ primo frigescunt. in 1ᵐ.pror.com.2°. 4ª.170.A
Partes extremas corporis frigidas esse quando malum, & quando nõ.com.7°.aph.1°. Ex.54.A
Partium extremarum frigiditas in forti dolore ventris, malũ. cõ.6°. aphoris.16°. Ex.47.F
Partes insensibiles non dolent.12°.met.me. 7ª.78.C
Pars corporis dolens, dura, renitens in tumorem elcuata quo modo fiat,& curetur.de sect. Is.16.D
Partibus dolentibus cur inflãmationes fiant.cõ.5°.ap.53°. Ex.42.E
Partibus dolentibus quippiam influit.1°.de simp.me.fa. 5ª.6.D
Partes quæ à fluxione incalescunt.de inæq.temp. 3ª.43.E
Partes cur mittunt sanguinem.11°.met.me. 7ª.80.F
Partes cur attrahunt sanguinem.13°.me.me. 7ª.80.F
Partes valẽtiores supflua mittũt ad ĩbecilliores.13°.me. m.7ª.80.H
Partes quo modo cõtẽdant transmittere nocuum ad alias.de cu.rat. per sang.miss. 7ª.17.H
Partes debiliores cur primæ morbis excrementitijs corripiuntur. de curan.rat.per sang.miss. 6ª.17.H
in Partem ægram semper deferuntur humores.11°.met.me.7ª.74.B
ad Partes imbecillas descendit quod in corpore redundat. 1°.de ali. facultatibus. 2ª.10.H
Pars infirma prõpte grauatur.de curan.rat.per sang. miß. 6ª.17.G
Partiũ grauitas significat ĩbecillitatẽ facultatis.in pg.c.2°. 4ª.198.F
Partes aliquæ cur alijs imbecilliores. de cau.mor. 3ª.8.D
Pars imbecilla quæ sit.11°.me.me. 7ª.74.A
Pars imbecilla quo læditur ab extrinsecis.6°.de san.tu. 2ª.100.D
Partis imbecillitas nõ est satis ad inducendum, sed oportet etiam humorem adesse.com.6°.aph.28°. Ex.49.A
Partes q̃o intelligãtur per consensum affici.2°.de loc. aff. 4ª.14.C
Pars læsa per consensum nondum habet permanentẽ dispositionẽ.2°. de loc. affe. 4ª.14.D
Partes corporis q̃n compatiuntur alijs.com.6°.aph.16°. Ex.47.F
Partibus quæ sentiendi,& mouendi vim habẽt solis accidit,vt ipsis nequaq̃ affectis earum pereat actio.1°.de loc.aff. 4ª.8.A
in Partibus animalibus symptomata sunt diuersa, ratione qua sunt animata, & ratione qua sunt naturalia.1°.de loc.aff. 4ª.8.B
ꝑp Partium circumiacentium innixum vasorum angustia.1°.de sanitate tuenda. 2ª.68.C
Partes superficiarię,& ipsarum affectus facile cognoscuntur,partes intimæ non item.1°.de lo.aff. 4ª.2.C
Partes in imo corpore expetunt virum exercitatæ cogitationis.1°. de locis affectis. 4ª.2.B
Pars principalissima grauiter affecta mortem inducit. commenta.7°. aphoris.50°. Ex.58.B
Parte principali male affecta necesse est cito terminari. commen.4°. aphoris.74°. Ex.36.A
à Parte principali ad minus principalẽ fieri diuersionem bonum est, è contra malum.com.6°.aph.25°. Ex.48.F
de Partium vsu scitia ad curationẽ cõuenit.17°.de vsu p.1ª.222.G
ad Partem affectam cognoscendam cognitio vtilitatis, & actionũ cõfert.17°.de vsu par. 1ª.222.F
à Parte indicatio curatiua.5°.me.me.31.F/9°. 58.G/13°. 7ª.85.G
Partium affectarum notio semper inuenienda.3°.de lo.aff. 4ª.15.B
Partis affectæ indicium est proprietas essentiæ.6°.de loc.aff.4ª.39.B
Partium affectarũ semper memoria est habenda in omnibus morbis. 13°.meth.medendi. 7ª.88.A
Partium corporis naturas sciat, qui vulnera neruorum curat.3°.de comp.med.perge. 5ª.231.B
Partium vtilitatem noscere oportet in eximendis sagittis, aut iaculis.17°.de vsu par. 1ª.222.G
Partem patientem,& passionem significantes morbi.2°.de arte cura. ad Glau. 7ª.100.D
Partem cui applicanda remedia,scire valde confert ad curandi ratione.2°.de lo.affe. 4ª.13.G
in Partibus similaribus scopi curatiui qui.de const.ar. Is.39.H
in Partibus quæ ad numerũ spectãt curatiui scopi.de cõst.ar.Is.39.H
Parti cui adhibenda remedia quando per consensum fit affectio.2°. de locis affectis. 4ª.13.G
Pars anteq̃ remediis subiiciaꝛ, totũ est purgandũ.4°.me.me.7ª.26.F
Pars non potest sanari ante totum.4°.met.me. 7ª.25.E
Partes corporis quo modo præparandæ ad curationem. 4°.de comp. med.sec.loc. 5ª.150.B
ad Partium numerum ægritudo quæ.de cau.mor. 3ª.9.C
Partes deficientes quæ possunt corrigi,& q̃ non.ars med.Isa.69.A/B
de Partibus faciei,quæ intrinsecus afficiuntur in quarto libro de locis affectis agit Gal.4°.de loc.aff. 4ª.21.F
Partiũ seruientium respirationi, & pulmonis passio, & inflammatio faciunt spirandi difficultatem.com.4°.aph.50°. Ex.33.C
Partes omnes læsæ non sunt roborandæ.6°.de san.tu. 2ª.100.B
Partes corporis a quibus statim est euacuandum,& a quibus nõ.7°. meth.medendi. 7ª.49.A
Pars vulnerata altiorem locum occupat.6°.me.me. 7ª.39.A
Parti aduersæ loci læsi medicamentum ponit in læso neruo.3°.de cõ. med.per ge. 5ª.229.F
Partes i ꝑfundo ægrius sanantur,q̃m superficie.fin.med. Isa.50.A
Pars incurabilis à corpore demenda est. 6°.de compositione medic. per genera. 5ª.255.D
Partes quæ exciduntur in affectibus.14°. met.me. 7ª.90.F
Partes quibus excidũtur à corpore.6°.de com.me.per ge. 5ª.255.D
Pars agitatur cum toto.de art.com.3°. 7ª.275.G
Parte secta tuti° est vrere, vt i pudẽdis.2°.đ arte cu.ad Gl.7ª.107.A
Partiũ differentiæ ratione febris.2°.de diff.feb. 3ª.42.F
Partes inferiores pulsuum quæ dicantur,& quę superiores.3°.de dignosc.puls. 4ª.80.H
Partis nota in ponderibus græcis. de pond.& mens. 5ª.275.H
PARTHICVS *succus pro doloribus.in 6ᵐ.de morbis vulgaribus. cõmentario.6°.* 3ª.196.B
Particha lachryma per se obest,cum alio, & paucha conducit.3°.de temperamentis. 1ª.23.B
PARTICVLÆ *quæ sint.1°.de vsu partium.1ª.113.B/1°.methodi medendi.* 7ª.6.A
Particula animalis propter quid dicitur vna.1°.de vsu pa.1ª.113.C
Particulæ alijs ꝑximæ προσεχῶς *græce dicuntur.de inæq.intẽp.3ª.43.C*
Particulæ corporis apud antiquos loci dicuntur.1°.de lo. aff. 4ª.2.B
Particularum propriam substantiam complent temperamenta.1°.đ vsu par. 1ª.115.D
Particulæ formantur q̃n vtilitas adest.an omn.animalis pa.1ª.326.E
Particulæ multæ fiunt ex semine tanquã ex materia quę denuo fieri non possunt.de const.ar. Isa.39.G
Particulæ prominentes animalium ex qua substantia creatæ sunt.1°. de vsu par. 1ª.115.G
Particulæ aĩaliũ differũt,quia,& aĩæ differũt.1°.de vsu p.1ª.113.E
Particularum diuersus sensus.de mult. 3ª.77.F
Particulæ omnes animæ vtiles sunt.1°.de vsu par. 1ª.113.C
Particulæ cuiuscũq̃ cõstitõnẽ cognoscere oportet.2°.đ vsu p.1ª.123.B
Particulæ pfectæ politicæ assimilantes.an oẽs animalis par.1ª.326.F
de Particularum vtilitate antiqua disputatio, & dissensiones.1°.de vsu par. 1ª.114.F
Particularum vsum antiquorũ pauci mouere.3°.de vsu p.1ª.128.G
Particulæ vtilitas non pot bene inueniri antequam eius actio noscat 1°.de vsu pa.117.A/4°. 1ª.139.C
Particulam ostendere volens cito illã detegat,& vario modo demonstret.1°.de ana.adm. 1ª.64.B
Particula quælibet multo ocio inspiciẽda est.1°.de ana.adm.1ª.63.H
Particula nulla est oscitanter consideranda.5°.de vsu par.1ª.144.B
Particula a quodã Atticißante putabatur vua.6°.de cõpositione medic.sec.loc. 5ª.173.E
Particula quælibet corporis quo modo superet cor duplicem cõmodi tatem recipiens.5°.de vsu par. 1ª.228.C
Particula quælibet musculi habet motum cõnatũ in se ipsam s.coitionem.1°.de

nem. 1°.de motu mus. 1ª.310.F
Particulæ oēs trahūt nutrimētū sibi cōueniēs. 3°.de sym.ca. 3ª.26.A
Particula quælibet nutrimentū sibi familiare attrahit. 3°.de simplicium medic.fac. 5ª.23.D
Particula quælibet nutritur sibi simili. 6°.de vsu par. 1ª.151.D
Particularū diuersitas sm sanguinē nutrientem.de consue. 2ª.61.D
Particulæ per ampla orificia trahentes succū non trahunt ipsum purū. 5°.de vsu par. 1ª.144.G
Particulæ per parua orificia trahentes succū trahūt ipsum sincerū. 5°.de vsu par. 1ª.144.G
Particula aliqua corporis potest esse plena, tamen corpus non erit plethoricū.com.6°.aph.31°. Ex.49.F
Particularū tēperies nō est silis excremētorū naturæ.2°.d tē. 1ª.21.C
in Particula potest colligi pituita tamen non erit humida,sed frigida. 2°.de temperamentis. 1ª.21.C
Particula vna ppria ē singularū alialis corpis actionū.1°.d l.a.4ª.3 h
non Particulis,sed functionibus egemus. 1°.met.me. 7ª.8.C
Particula agit secundū proprietatē tēperamēti. 5°.de lo.af.4ª.35.F
Particulæ actio quomodo defendatur.7°.met.me. 7ª.43.F
Particulæ quæ excitantur quales. de consue. 2ª.61.E
Particulæ duræ,& siccæ ostendunt sua spatia.de inæq.intēp.3ª.43.D
Particula,quæ parum trahit,habet intemperiem, quæ est morbus.d symp.disse. 3ª.13.A
Particularum trahentiū cibū symptomata.3°.de sym. cau.3ª.26.A
Particulæ oēs quę nutriātur,excrementū creāt. 1°.de na.f. 1ª.296.E
in Particula omni adest facultas,quæ expellit, quod est præter naturā in ea.2°.de symp.cau. 3ª.21.C
Particulæ quomodo expellant superflua.2°.de symp.cau. 3ª.22.G
Particularum robur, & imbecillitas diuersa gignunt symptomata. 3°.de symp.cau. 3ª.30.C
Particulæ semper trāsmittūt ad imbecillissima.2°.de diff.fe.3ª.40.H
ob Particularum,quæ excrementa purgant imbecillitatē bilis amara,& nigra,& serosum excrementum parum cōmode purgātur. 3°.de symp.cau. 3ª.26.B
ob Particulæ vnius imbecillitatem omnes thoracis partes dilatātur. 4°.de locis affectis. 4ª.25.A
à Particula læsa morbi nominati.2°.met.me. 7ª.9.D/F
Particula quando sola est causa affectionis.4°.de loc.aff. 4ª.23.C
Particulæ duplicē vsum habentes sæpe in duplices agritudines, vel causas incidunt.de diff.mor. 3ª.4.H
de Particularum notis affectibus non loquitur Galenus in libris de locis affectis,sed de occultis.4°.de loc.aff. 4ª.22.F
Particula cotilis in quibus morbis amittitur. 14°.met.me. 7ª.93.C
Particulæ affectæ natura curationē indicat. 1°.de compositione med. secun.loc. 5ª.121.B
Particula si sit sicca,& morbus sit humidus quid agendum.3°.met. medendi. 7ª.21.F
Particula gibbosa quomodo curetur.de consl.ar. If.39.D
Particula compressa quomodo curetur. de consl.ar. If.39.D
Particula lenis quomodo curanda.de consl.ar. Isa.39.D
Particula aspera quo modo curanda.de consl.ar. If.39.D
in PARTICVLARES distinguuntur vniuersales differentiæ. in 6ᵐ. de mor.vul.com.3°. 3ª.174.G
Particularia artis scienda sunt. 6°.de comp.me.per ge. 5ª.257.C
in Particularibus nisi exerceatur,non sat est euenisse in vniuersalia. 13°.meth.med. 7ª.83.D
Particularia addiscēda post vniuersalia.in 1ᵐ.pr.Hip.c.3°.4ª.184.H
circa Particularia debet exerceri medicus.4°.de loc.aff. 4ª.21.E
in Particularibus consistit exercitatio.9°.met.me. 7ª.58.C
Particulares naturas cognoscere difficillimū est.3°.me.me. 7ª.20.F
in Particulari non addiscuntur artes,neq; pleuritis addiscitur in pleuritico Dione.2°.de diff. pul. 4ª.57.B
nō Particularē,sed gnalē hoiem curabāt Methodici.3°.m.m.7ª.20.F
à Particularibus fit vniuersalium doctrina.de victus ratione in mor. acu.commenta.1°. 7ª.111.A
Particularia ī vlibº cōtinent.de vic.rat.in morb.acu.c.2°.7ª.124.G
Particularibus sermonibus pro vniuersalibus vtitur Hippocrates. de vic.rat.in mor.acu.com.1°. 7ª.111.A
ex Particulari exemplo communis sermo declaratur. de vict.rat.in mor.acu.com.1°.109.G/111.A/de arti.com.3°. 7ª.277.D
Particularia ad vnū nomē reducit Hippocrates.2°.d dif.res.3ª.66.B
Particularia organa hūt particulares texturas.de ana.viu.Sp.43.F
Particulares sensus oēs ad cōmunē sensū reducunt.de an. vi.Sp.45.G
à Particularibus quæ ducunt membris medicamenta,localia esse certum est.de cathar. Sp.94.H
Particularia remedia quæ.1°.de comp.me.se.lo. 5ª.128.H
PARTITIONEM quoddam exercitium vocabatur Theon, & Thryphon. ad Thrasy. 2ª.109.F
PARTVS quo modo incipiat, & quo tempore, & quomodo cognosci possit.com.5°.aph.37°. Ex.40.H
Partus ex vehementissimis motibus.3°.de nat.fac. 1ª.305.H
Partus quando fiat.3°.de nat.fac. 1ª.305.G
Partus fit quādo fœtus per os potest nutriri.15°.de vsu p. 1ª.213.A
Partus temporis diuersitas.de ana.viu. Sp.52.C
de Partu septimestri.de septim.par. 1ª.340.H
Partus septimestres cur viuunt.fin.med. Isa.49.G
Partus octimestris cur non viuunt.fin.med. Isa.49.G
Partº ī cētesimo octuagesimo quarto dies semel visus.d se.p.1ª.341.A
Partū duodecim gestari mēsibus credidit Timæus.d hist.phi.Sp.11.D
Partubus mulierū conuenit natura constitutionum. de decub.progn. ex math.scientia. Sp.16.B
in Partu dilatatur collū matricis vt concauitas. de ana.vi. Sp.51.E
in Partu matricis collū plurimū distenditur.14°.de vsu.p.1ª.204.F
ī Partu matricis ꝑgnātis collū summe aperit.15°.de vsu p. 1ª.213.A
in Partu fœtus caput quo in collo matricis.15°.de vsu pa.1ª.213.A
Partus tempore in matrice cōuertit se puer ad exitum.s.caput inferius & extremitates superius. de ana.viu. Sp.52.D
Partus boni duo exigunt,vigorem infantis, & prægnantis. commen. 5°.apho.53°. Ex.42.D
Partus non sine periculo qui.com. 5°.aph.53°. Ex.42.D
Partus præter naturam obliqui per lōgum.15°.de vsu p. 1ª.213.A
in Partu manus,& crus quādoq; exeunt ante caput, sed sunt partus difficiles.15°.de vsu pa. 1ª.213.A
in Partu quando pedes præcedunt timendum est ne brachia frāgātur. de ana.viu. Sp.52.D
in Partu qū pes vnus præcedit timēdū est de alio.de ana vi. Sp.52.D
Partus cur ægre exeant.fin.me. If.49.H
in Partu rumpuntur cotylidones,& exit sanguis.de ana.vi.Sp.52.D
in Partu profluuiū ab antiquis dictū purgatio.de atra bile. 1ª.36.H
post Partum profluuium sanguinis quid prosit. de pass.mul. Sp.96.B
in Partu quæ non expurgant,qd faciant.in 1ᵐ.pror.cō.2°. 4ª.175.E
à Partu purgationes non habentium remedium.7°.de compo.medic. sec.loc.5ª.185.F/de med.fa.par. 7ª.169.A
à Partu relicta educens confectio.7°.de compo.me. se.lo. 5ª.185.H
à Partu si alba retineant cū febre,insaniūt.in 1ᵐ.pro.c.2°.4ª.175.D
à Partu ex retēta purgatione mortua.in 1ᵐ.d mo.vul.c.3°.3ª.122.D
Partus qua tempestate difficiles. com.3°.aph.12°. Ex.21.F
ad Partus difficultatē. de med.fac.par. 7ª.168.E
Partus vt acceleretur.de med.fac.par. 7ª.168.G
ad Partum retinendum remedium.de dyna. Sp.30.A
Partus expellit Artemisia.de simp.med. Sp.80.F
Partum expellit Cardamomum.de simp.med. Sp.82.F
Partui medicamentum Cedrea.de simp.med.fac. 5ª.50.A
Partum expellit Centaurea. de simp.med. Sp.82.A
Partum expellit Chamædrys.de simp. med. Sp.82.G
Partum deicit Daucum.de simp.me. Sp.83.D
Partum expellit Gentiana.de simp.med. Sp.84.G
Partum expellit Holonium de simp.med. Sp.83.H
Partum deicit Lilium. de simp.med. Sp.86.D
Partum expellunt Lipsiani.de simp.med. Sp.86.C
Partum expellit Nepita.de simp.me. Sp.87.H
Partum expellit Puleginm.de simp.me. Sp.88.H
Partum expellit Ruta sit plus sumatur. de simp.me. Sp.89.D
Partum expellit Sauina.de simp.med. Sp.85.C
Partum expellit semen Violarum.de simp med. Sp.91.H
Partum viuum necat filix mortuum autem eicit.8°. de simpliciū medic.facul. 5ª.59.C
Partum viuentem interficit, & mortuum eijcit Leucoij semē.7°.de simpl.med.fac. 5ª.54.C/D
in Partubus cur refrigerentur mulieres.14°.de vsu par. 1ª.204.H
post Partū dolori mulieris datur decoctio sqnāti.d me.exp. Sp.106.F
ex Partu molestiarum remedium.8°.de comp. med.sec.lo.5ª.195.B
à Partu palloris remedia.de med.fac.par. 7ª.169.A
ex Partu vlceri matricis quid succurrat. de pass.mul. Sp.96.B

in Partu factæ plagæ quid conferat. de pass.mul. Sp.96.B
cur à Partu fœmina celeriter augeat.ĩ 6m.de mo.vul.cõ.3°.3ª.169.E
à Partu numerãdæ sũt iudicatiões ĩ mulieribus.in ꝙg.c.3°.4ª.208.A
PARVLIDES, *epulides, & thymi quid.de tumo.præ.nat.* 3ª.84.H
Parulis oris affectus.intro. Isa.59.C
Parulides consequuntur saniẽ à capite defluentẽ.6°.de sa.tu. 2ª.98.F
Parulidarum curatio.intro. Isa.59.H
ad Parulidas confert succus centaureæ.de vir.cent. Sp.93.D
ad Parulidas.5°.de comp.me.se.lo. 5ª.165.H
PARVITAS *non est simpliciter inditium siccitatis.de opt.nostri corpo.const.* 1ª.38.H
Paruitas cordis non est causa timiditatis. de ana. viu. Sp.53.A
Paruitatis membrorum cã est vel paucitas materiæ, vel naturæ debilitas, vel incisio.de ocul. 7ª.185.G
PARVO *contrarium est magnum.11°.met.me.* 7ª.71.B
de Paruo, & magno disputatur an qualia, vel ad aliquid sint.2°.de differentiis pulsuum. 4ª.54.E
Paruum, & magnum sunt ad aliquid, & significant quantitatẽ.2°.de diff.puls. 4ª.55.G
Paruum, & magnum significat magnitudo. de ijs, quæ in med. fiunt. commentario.2°. 7ª.206.G
Paruũ, & magnũ dicunt.in qualitatib.3°.de cõp.me.p ge. 5ª.228.H
Paruũ quo termino statuatur.2°.de dign.puls. 4ª.76.E
Parua, & magna quæ.2°.de diff. puls. 4ª.56.A
Parua non sunt magnorum principia.6°.de decr.Hipp. 1ª.262.F
Parua illa sũt ꝓstãtissima q̃ magna cõtinẽt.8°.de vsu par. 1ª.169.H
Parua sensum effugiunt.1°.de diff.resp. 3ª.58.E
ĩ Paruis aĩalibꝰ vẽ vnus solus vẽtriculus cordis.d̃ vti.resp. Sp.64.D
Paruorum animalium caro lenit ventrem.de diff.cont. Sp.75.A
Paruum quod est ex animalibus siccis velocius digeritur, quam magnũ.de dissol.cont. Sp.73.C
ad Parua, spissa, & rubicunda vlcuscula capitis confert succus centaureæ.de vir.cent. Sp.93.B
ad Parua icisa apostemata valet succus cẽtaureę.d̃ vir.cẽt. Sp.93.H
Paruarum auium caro generat sanguinẽ calidiorem, & crassiorẽ tẽperato.de diff.cont. Sp.73.A
Parua Cheme drachmas habet duas, magna vero treis. de ponderib. & mensuris. 5ª.276.D/G
Paruum cor non timidum.de ana.viu. Sp.46.G
Paruum cor licet habeant tyrus, serpens, mustella, & animalia q̃dã alia, tñ quia calidum habent, audacia sunt.de ana. viu. Sp.53.A
Parui cordis animalia cur audacia.de ana.viu. Sp.46.H
Paruum corpus propter quod sit. de opt.nostri corp. const. 1ª.38.G
Parui pisces, quibus non est pinguedo multa, & sunt teneri, sunt boni chymi, & subtilis.de diß.cont. Sp.73.H
Parui homines cur.de aere aqu. & loc. 2ª.6.D
Paruus mons quomodo dicatur.2°.de dignos.pul. 4ª.76.D
Paruus mons, & magna formica ad aliquid.in 1m.de morbis vulgar. commentario.1°. 3ª.104.A
ad Parua, spissa, & rubicunda phygethla capitis valet succus cẽtaureæ.de virtute cent. Sp.93.B
Paruorum piscium caro est cibus subtilians.de diß.con. Sp.72.D
Paruæ pilæ lusus conuenit senibus, & pueris.de p.pil.exe. 2ª.49.E
Παρυγρον *emplastrum glutinatorium.8°.de an.adm.* 1ª.103.E
Parygron medicamentum.11°.de simp.me.fac.78.H/7°.de composit i.med.per gen. 5ª.263.G
Parygrũ medicamẽtũ ad arcendũ dolorẽ.1°.de cõp.me.se.l. 5ª.129.B
ad PASCENTIA vlcera.1°.de comp.me.per ge. 5ª.216.D
ad Pascens omne malignũ.4°.de comp.me.per ge. 5ª.244.E
ex PASCVO *vitioso lac quale.5°.de san.tu.* 2ª.91.G
Pascua habentia animalia in locis desertis, & sicci, sunt cibi superfluitatibus carentes, de diss.cont. Sp.73.E
Pascua in locis siccis efficiunt carnem velocioris digestionis, quã pascua in locis humidis.de diss. cont. Sp.73.C
Pascua multum faciunt ad lac.5°.de san.tu. 2ª.91.G
Pascua si habeat in locum boni nutrimenti mundi aeris, & sicci, auis multi motus, est melior multum, & subtilior.de diß.cõt. Sp.73.A
PASICRATES *qua confectione vsus est ad vrinam ciendam.8°.de comp.me.se.lo.* 5ª.195.G
PASIONIS *viride.2°.de comp.me.per ge.* 5ª.221.B
Pasionis medicamentum vlceribus protractis in longum cõuenit.2°. de arte cur.ad Glau. 7ª.102.C
Pasionis medicamentũ supra vlcus carbunculi.14°.me.me. 7ª.90.B
Pasionis melinum emplastrũ.1°.de comp.me.sec.lo. 5ª.130.H
Pasionis pastillo vtendum in sanguinis profluuio ex erosione.5°.methodi medendi. 7ª.31.H
Pasionis pastillus.5°.de comp.me.p g.5ª.254.C/6°.met.me. 7ª.38.E
Pasionis pastillo vlcera in naris meatibus à Galeno curata.3°.de cõposi.med.sec.lo. 5ª.148.G
Pasionis trociſci ad putrescentia.2°.de arte cu.ad Gla. 7ª.107.A
PASSERES *caput paruum habent.2°.de temp.* 1ª.19.F
Passeres sunt volucres laudabiles.de ren.aff.dig. & mc. 7ª.195.F
Passer laudatissimam carnem habet autumno.de vict.rat.in mo.acu. commentario.4°. 7ª.147.B
Passerũ paruorũ caro durior est q̃ perdicis.3°.de ali.sa. 2ª.29.C
Passerculi oẽs neq; tenues, neq; crassi sunt.de bon. & vit.suc. 2ª.34.H
Passeres montaneæ edendæ in victu attenuante.de atte.vic. 2ª.45.C
Passeres montanæ vtiles in calidis, & siccis.8°.met.me. 7ª.51.B
Passerculi in siccitate dantur.7° met.me. 7ª.45.D
Passerculi in turribus nidificãtes siccis cõueniũt.6°.d̃ sa.tu. 2ª.99.G
Passeres turritæ nominatæ aues sunt laudabiles. de renum affectuũ dignotione, & medela. 7ª.195.F
Passer troglodytes à proprietate agit in renum calculis.de renum affectuum dign. & medela. 7ª.194.H
Passerum stercore vtitur.8°.de comp.me.se.lo. 5ª.192.B
PASSER, *piscis, & solea similia sunt sed diuersæ speciei.3°.de alimẽtorum fa.* 2ª.31.D
Passeres pisces molles carne.3°.de ali.fac. 2ª.31.A
Passeres pisces facilius cæteris conficiuntur.3°.de ali.fac. 2ª.31.A
PASSIBILIA *maxime instrumenta hñt homines liquidioris sanguinis, & molles carne.de vtil. resp.* Sp.64.F
PASSIO *latine.græce pathema.de symp.diff.* 3ª.10.C
Passio quid significet.3°.de præsa.ex pul.4ª.114.E/de ijs, quæ i med. fiunt.com.1°. 7ª.197.G
de Passionis curatiõe, & cã librũ fecit Diocles.cõ.6°.aph.1°. Ex.46.C
Passionis vocabulum fm aliquos de longa solũ ægritudine apud Hippocratem dr, quos reprehendit Gal.cõ.3°.aph.28°. Ex.26.A
Passionem quid vocet Galenus.de symp.diff. 3ª.11.A
ꝓ Passionem quid intelligat.de motu man. & obs. Sp.66.D
Passionum significatio quid.fin.me. Is.46.A
Passio quid sit.de symp.diff. 3ª.10.F
Passio quid.de symp.diff. 3ª.11.B
Passio est motus qui ab alio prodit.de motu man. & obs. Sp.66.G
Passio quomodo distinguitur ab actione.de symp. diff. 3ª.10.E
Passionis nomen de morbo dictum.2°.met.me. 7ª.10.D
Passio, & affectus, & ægritudo idem.de diff.morb. 3ª.5.A
Passio est affectus permanens.de symp.diff. 3ª.10.D
Passionis, & affectus differentia.de symp.diff. 3ª.10.D
Passio, & symptoma quandoq; eadem res.de symp.diff. 3ª.11.A
Passio quæ potest accidens vocari. de diff.mor. 3ª.4.D
Passio quando non potest esse symptoma. de symp.diff. 3ª.11.A
Passionis, & symptomatis differentia.de sym. diff. 3ª.11.B
de Passione Asclepiadis opinio.1°.de na.fac. 1ª.293.H
de Passionibus librum fecit Polybus.com.6°.aph.1°. Ex.46.D
Passio in quo consistit.de symp.diff. 3ª.10.E
Passiones quæ sint.2°.met.me. 7ª.10.B/C
Passio est, quod deficit alicui quomodocunq; ad naturalem eius gubernationem.3°.de loc.aff. 4ª.14.F
Passio est naui vehi.1°.meth.med. 7ª.6.C
Passiones appellantur sensuum alterationes.de symp.diff. 3ª.10.D
Passio vnde habet generationem. de sym.diff. 3ª.10.D
Passionis signa quæ.com.1°.aph.12°. Ex.5.H
Passionẽ, et ptẽ patictẽ significãtes morbi.2°.d̃ ar. cu.ad Gl. 7ª.100.D
Passiões passionibꝰ supuenire qd sit apud antiquos.c.6°.a.35°. E.50.C
cũ Passionis magnitudine symptomata sunt magna.d̃ symp.ca. 3ª.15.B
Passiones ex principalibus partibus ad cutẽ transferri confert.com. 6°.aphoris.37°. Ex.50.D
Passionẽ aliq̃ q̃ faciũt passiões, nõ dicũt sanare.c.6°.ap.26°. Ex.48.G
Passionis mutatio dr proprie, & abusiue.com.5°.aph.7°. Ex.37.H
Passio quonã pacto duntaxat contingit in compositione, & formatione.de diff.mor. 3ª.2.E
cũ Passione forti detinentur partes corporis, nõ semper patiuntur cũ aliæ patiuntur.com.6°.aph.16°. Ex.47.F
Passio aliqua nũquã fiet ex sola mẽbri ĩbecillitate, nisi humor fluat. commen.6°.

com.6°.apho.28°. Ex.49.A
Passio facit aborsum.com.5°.aph.53°. Ex.42.D
Passio aliqua in vtero facit aborsum. com. 5°.apho.45°. Ex.41.G
a Passionibus diuturnis quo Galenus præseruauit multos per euacuationem. com.6°.apho.47°. Ex.52.B
ad Passionem omnem vberum.de pass.mul. Sp.96.D
PASSIVVS motus qui sit.1°.meth.med. 7a.6.C
Passiuus motus est alteratio.2°.meth.med. 7a.10.A
PASSVLÆ sunt frigidæ. de diss.cont. Sp.74.D
Passillæ dulces, cibus calidus.de diss.con. Sp.74 D
Passulæ dulces leniunt ventrem.de diß.cont. Sp.75.A
Passulis sine acinis vtitur.de remed.fac.par. 7a.158.E
PASSÆ vuæ quales.7°.de comp.med.sec.lo. 5a.179.A
Passa vua habet passi facultatem.7°.de com.med.sec.lo. 5a.179.A
Passæ vuæ ponticæ parum nutriunt,cur.de diss.con. Sp.73.F
Passæ palmæ.9°.de comp.med.sec.loc. 5a.203.A
Passum vinum creticum.9°.de com.med.sec.lo. 5a.203.A
Passum creticũ vinũ est molle.7°.de comp. me.se.lo. 5a.177.F/H
Passum creticum.4°.de cõ.me.se.lo.152.H/6°.177.C/7°.178.C/179.F/9°.204.D/10°.206.A/ 5a.209.A
Paßum hispanum.9°.de comp.med.sec.loc. 5a.203.H
Paßum protropum.3°. de comp.med.sec.lo.143.G/7°. 5a.181.D
Paßum scybelitæ.7°.de comp.med.sec.loc. 5a.181.C
Passum Theræum.7°.de comp.med.sec.loc. 5a.181.C/D
Passum iuuat oculos inflammatos,& circũdolentes.introd. Isa.58.C
Passi facultatem habet vua passa.7°.de compo. me.sec.lo. 5a.179.A
PASTA tritici holcina quæ tractiua est.2°.de loc.aff. 4a.12.B
Pasta hordeacea non holcima.i.tractiua.2°.de loc.aff. 4a.12.B
Pasta milij non holcima.i. tractiua.2°.de loc.aff. 4a.12.B
PASTILLATVM. de dynam. Sp.26.E
PASTILLI vnde dicuntur.5°.de comp.med.sec.lo. 5a.251.B
Pastillorum forma.8°.de comp.med.sec.loc. 5a.190.H
Pastilli qua magnitudine formentur.7°.de com.med.sec.lo. 5a.181.E
Pastillus vnus quo modo fieri posit fortior,& imbecillior. 3°.de compo.med.sec.loc. 5a.141.F
Pastillus Achillæ.5°.de comp.med.per gen. 5a.252.B
Pastillus Amazonũ ad quid vtilis.8°.de comp.med.sec.lo. 5a.190.D
Pastillo Andronij vlcera in naris meatibus a Galeno curata. 3°.de comp.med.sec.loc. 5a.148.G
Pastilli Andronis.6°.meth.med. 7a.38.E
Pastillus Andronicus.3°.de comp.med.sec.loc.141.D/6°.167.E/174.G/5°.de comp.med. per ge. 5a.252.B
Pastillus amarus Aphrodæ.8°.de comp.med.sec.loc. 5a.188.H
Pastillus Apollonij Archistratoris similimus.5°.de c.me.pg.5a.252.C
Pastillus Aristarchi Tharsei ad plura vtilis.5°.de c.me.pg. 5a.251.B
Pastillus Aromaticus.9°.de comp.med.sec.loc. 5a.204.C
Pastillus cognomento Bithynus in Sicilia confectus.5°.de compo.me.per genera. 5a.252.E
Pastillo Bithyno vlcera in naris meatibus a Galeno curata.3°.de compo.med.sec.loc. 5a.148.G
Pastillus Bithynus.3°.de comp.med.sec.loc. 5a.141.F
Pastillus Cephalicus.2°.de comp.med.per ge. 5a.226.B
Pastillus Chrysermi.9°.de comp.med.sec.loc. 5a.198.H
Pastillus est Corallo.7°.de comp.med.sec.loc. 5a.184.F
Pastillus Croceus.2°.de compo.med.sec.loc. 5a.136.H
Pastilli Diobolares.7°.de compo.med.sec.loc. 5a.185.B
Pastilli Drachmales.7°.de com.med.sec.loc.184.A/ 5a.185.B/F
Pastilli ponderis Drachmæ dimidiæ.8°.de com.med.sec.loc. 5a.191.F
Pastilli vnius drachmæ & trium obolorũ.7°.de cõ.me.se.lo. 5a.185.C
Pastillus Disentericus.introd. Isa.57.E
Pastillorum Fabæ magnitudo.de med.fac.par. 7a.172.D
Pastillus Galeni ex charta vsta.3°.de comp.me.sec.loc. 5a.141.F
Pastilli Gilui Hieracis Thebani.5°.de comp.med.per ge. 5a.251.F
Pastillus Glaucij ad multa faciens.5°.de comp.med.per ge. 5a.252.D
Pastillus Hæmoptoicus.7°.de comp.med.sec.loc. 5a.184.E
Pastillus Hepaticus.8°.de cõ.me.f.l. 5a.195.D/de rem.par.f.7a.159.e
Pastillus Iuppiter appellatus.10°.de comp.med.sec.loc. 5a.209.B
Pastilli Lichenici.5°.de comp.med.sec.loc. 5a.161.A
Pastillus ex Mandragora.7°.de comp.med.sec.loc. 5a.185.G
Pastillus Musæ.3°.de com.med.sec.loc. 5a.141.D
Pastillus Neapolitæ.7°.de comp.med.sec.loc. 5a.184.F
Pastillus Neapolitani.5°.de comp.med.per gen. 5a.251.C
Pastillo quo vtitur in Neruo apparente.3°.de c.me.per ge. 5a.229.D
Pastillus Niger quo vtitur Galenus ad nomas. 5°.de cõpositione me. per genera. 5a.252.A
Pastillus ad Nomas Isidori celebris.5°.de com.me.per ge.5a.252.C
Pastillus ad Nomas.5°.de comp.med.per ge. 5a.251.D
Pastilli Obolares.7°.de comp.med.sec.loc. 5a.185.G
Pastilli oboli vnius,& dimidij.7°.de comp.med.sec.loc. 5a.185.C
Pastillus ex Origano.5°.de comp.med.per ge. 5a.252.A
Pastillus Pasionis vlcera in naris meatibus a Galeno curata.3°.de cõpo.med.sec.loc. 5a.148.G
Pastillis,Pasionis,Andronis,et Polyeidæ utendum in sanguinis profluuio ex erosione.5°.meth.med. 7a.31.H
Pastilli Pasionis.6°.meth.med. 7a.38.E
Pastillus Petronij.5°.de comp.med.per ge. 5a.251.H
Pastillus Philippi.9°.de comp.med.sec.loc. 5a.204.C
Pastillo Polyeidæ vlcera in naris meatibus a Galeno curata.3°.de cõpo.med.se.loc. 5a.148.G
Pastillus polyeide.3°.de cõ.me.se.loc.5a.141.F/6°.me.me.7a.38.C/E
Pastillus Pudendus.3°.de comp.med.sec.loc. 5a.146.B
Pastillus ex Rhu.5°.de comp.med.per ge. 5a.252.B
Pastillorum è Rosis confectio.2°.de antid. 5a.113.D
Pastillus ad Serpentia.5°.de comp.med.per gen. 5a.251.E
Pastilli Scillitici quo fiant.de ther.ad Piso. 5a.95.C
Pastillorum scilliticorum compositio.de vsu ther.ad Pamph.5a.99 B
Pastilli scillitici quo loco seruandi.1°.de antid. 5a.104.E
Pastillus Splenicus.9°.de comp.med.sec.loc. 5a.198.G
Pastillus ex Stirpibus inscriptus.5°.de comp.med.per ge. 5a.251.D
Pastillus, ex Succino.7°.de comp.med.sec.loc. 5a.184.E
Pastillus ex Succis.5°.de comp.med.per ge. 5a.251.H
Pastilli Theriacæ quo conficiantur.de Theria.ad Pisonem.95.F/de vsu theria.ad Pamph.99.B/1°.de antid. 5a.104.A/D
ꝑ Pastillis Theriacæ conficiendis quæ addenda.de ther.ad Pi.5a.92.C
Pastillorum theriaces puluis abstergẽdus linteo.1°.de anti.5a.104.D
Pastilli Theriaci quo vase recondi debeant.1°.de antid. 5a.104.D
Pastilli debent æqualiter vtraq; ex pte siccescere.1°.de anti. 5a.104.C
Pastilli theriaci quanto tempore durant.1°.de antid. 5a.104.D
Pastillus Threpti ad serpentia vlcera.5°.de cõ.me.per ge. 5a.251.E
Pastillus Trigonus.2°.de comp.med.sec.loc. 5a.136.H
Pastillos facit Triobolares in multis compositionibus.7°.de compositio.med.sec.loc. 5a.183.G
Pastilli triobolares.7°.de comp.med.sec.loc. 5a.185.A/B/D
Pastillus ex Vesicarijs.5°.de comp.med.per ge. 5a.252.A
Pastilli qui seruantur in Vinatijs.9°.de comp.med.sec.loc. 5a.203.H
Pastilli ex vipera quanti esse debeant.1°.de antid. 5a.104.C
PASTINACA qualis.8°.de simp.med.fac. 5a.61.C
Pastinacæ vires quæ.de simp.med. Sp.89.B
Pastinacæ radices quales.de atten.vic. 2a.45.G
Pastinaca acris est,excalfactoria,diuretica.de simp.med. Sp.89.B
Pastinaca cibus calidus.de diß.con. Sp.74.D
Pastinacæ sunt cibi subtiliantes secundi generis.de diss.con. Sp.72.E
Pastinacæ tarde digeruntur.de diss.cont. Sp.73.E
Pastinacæ parum nutriunt propter multitudinem superfluitatem. de dissolutione continua. Sp.73.G
Pastinacæ radix minus nutrit quã rapæ,& orũ.2°.de ali.fac. 2a.25.B
Pastinacæ sunt mali succi.de diss.cont. Sp.74.C
Pastinaca calefacit.2°.de alim.fac. 2a.25.B
Pastinaca aromaticon quoddam ostentat.2°.de alim.fac. 2a.25.B
Pastinaca vrinam ciet.2°.de ali.fa.2a.25.B/de cura icteri.Sp.111.D
Pastinaca frequentes vrinas ducit.de ren.aff.dig.& med. 7a.196.E
Pastinaca vrinas,menses q́,prouocat,et phagedenica vlcera pura reddit.8°.de simp.med.fac. 5a.61.C
Pastinaca pruritum mouet.de cathar. Sp.95.D
PASTINACA habet carnem mollem.3°.de alim.fac. 2a.32.D
Pastinacæ marinæ venenum alia educunt,& alia surculos,& viperæ venena.1°.de nat.fac. 1a.295.B
ad Pastinacæ venenum trahens.5°.de comp.med.per ge. 5a.246.E
ad Pastinacæ morsum.3°.de comp.med.per ge.235.B/5°. 5a.248.H
ad Pastinacæ percussionem.5°.de comp.me.per ge. 5a.247.E
ad PASTIONEM sistendam.5°.de comp.med.per gen. 5a.251.E
ad Pastionem communem.5°.de comp.med.per ge. 5a.245.H
ad Pastionem omnem,maxime phagedænicã.5°.de compositione medicamen.per genera. 5a.248.D

PASTORALIS *est vinculum simul,& laqueus.de fascijs.* 7ª.293.H
Pastoralis laqueus.de fascijs. 7ª.297.C
Pastoralis laqueus, q,& sãdalus dr qũo inijciat.de laqueis. 7ª.307.C
PATARICAE succi meminit.2°.de antid. 5ª.113.B
PATELLA *quid sit.de ossib.* 1ª.43.E
Patella quod nam os sit intro. Isa.55.A
Patella quid.1°.de comp.me.per ge. 5ª.212.B/*de frac.c.3°.*7ª.249.H
*Patella quid,& qũo ligetur.de ijs quæ in me.fiunt.com.2°.*7ª.209.A
in Patella vulnerati gladiatoris male curati, casus.3°.de compositio ne medicamentorum per ge. 5ª.228.C
PATELLA *media est inter animal,& plantam.de fæt.for.* 1ª.323.F
Patellarum succus ducit aluum non secus ac lactis serum.de bonitate & vitio succorum. 2ª.35.A
Patellæ sunt crassi admodum succi.de bo.& vi.suc. 2ª.35.E
PATELLA *ad eliquandum.7°.de compositione medicamentorum per genera.* 5ª.272.B
PATETOS *quid in palmulis.8°.de comp.me.se.loc.* 5ª.189.F
Patete vocantur Palmulæ maximæ.9°.de compositione medicamentorum secundum locos.202.E/ 5ª.203.A
PATRI *cur fœtus similis.de sper.* Sp.37.A
Patris sperma si superabundet, infans plus figuram habet a patre.de spermate. Sp.38.E
Pater si fuderit semen in horis sanguinis quid sequat.de sper. Sp.38.F
si Pater & auus infans vel puer cõcepti sunt in horis sanguinis infantis, quid sequatur.de sperm. Sp.38.E
Patres cur agant aliquid ad dispositionem filiorum. commentario 6°. aphorismo 28°. Ex.49.B
cur Patres podagrici filios generant podagricos.c.6°.a.28°. Ex.49.B
*Patris,& matris vitio fiũt errores,& nõ naturæ.11°.& v.p.*1ª.188.B
Pater qui non curat erudire filios non est nutriẽdus.in ora.sua. Is.3.E
PATHE *quæ sint.2°.meth.med.* 7ª.10.C
PATHEMA *quid solent nominare.de symp. diff.* 3ª.10.C
Pathema latine passio.de simpt.diff.10°.C/ in 1m.de morbis vulgaribus.commentario 1°. 3ª.106.B
Pathemata appellantur sensuum alterationes.de sym.diff. 3ª.10.D
a Pathematis ad patiẽtes,& è contra transferuntur appellationes. de victus ratio.in mor.acu.com.4°. 7ª.141.C
PATHOGNOMONICA *symptomata q.de const.ar.* Isa.40.D
Pathognomonica dicta symptomata causam iudicantia.de vi.ratione in morb.acu.com.4°. 7ª.134.G
Παθογνομονικὰ *quæ dicatur.de vic.ra.in mor. ac.com.4°.* 7ª.134.G
Pathognomonicum signum quod.fin.med.Isag.46.A/in 1m. prorrhe. commentario 1°. 4ª.163.D
Pathognomonica syndrome.de vic.ra.in mor.acu.com.4°. 7ª.142.C
Pathognomonicis signis remotis an affectus possit seruare speciẽ suã. in 1m.de mor.vul.com.3°. 3ª.143.H
PATHOLOGICA *medicinæ pars.de par.art.med.* Sp.16.E
Παθοποιά *medicamenta.10°.de simp.me.fac.* 5ª.72.D
PATHOS *latine passio.de symp.diff.* 3ª.10.C
*Pathos qui.id.de symp.diff.*3ª.10.D/2°.*meth.med.* 7ª.10.B
Pathos quid solent nominare.de symp.diff. 3ª.10.C
Pathos quid significet apud veteres.2°.meth.med. 7ª.10.B
Pathos quid sm Olympicum.1°.meth.me. 7ª.8.F
Pathos quid secundum Thessalum.1°.meth.med. 7ª.8.F
Pathos nomen de morbo dictum.2°.meth.med. 7ª.10.D
in PATINIS *condita quale nutrimẽtũ dant.3°.de alim.fac.* 2ª.26.C
in Patinis qui fiunt apparatus in totum sunt causæ cruditatis.3°.de alimentorum facultatibus. 2ª.31.D
Patina ærea.9°.de comp.me.sec.loc. 5ª.199.D
in PATIENDO *sensus, motus vero in faciendo aliquid,fit.1°.de locis affectis.* 4ª.7.D
PATIENTES *a pathematis transferuntur appellationes.de victus ra. in mor.acu.com.4°.* 7ª.141.C
Patiens nisi sit aptum causa non agit.1°.de diff.feb. 3ª.32.C
ex Patientibus & sentientibus vel transmutabilibus fiunt corpora. 1°.de elementis. 1ª.3.F
PATITVR *aliquid dupliciter,principaliter, & per compassionem, collige Ex Galeno.com.5°.apho.5°.* Ex.37.G
*Pati secundum totam substantiam quid.4°.de simp.med.fac.*5ª.28.D
Pati quæ possunt magis quam agere in nos.3°.de tem. 1ª.23.H
non Patitur natura diu passiones magnas, immo nec diem septimam. commentario 6°.aph.51°. Ex.52.H
pro PATRIÆ *salutæ vita despicienda.4°.de decr.Hip.* 1ª.249.B
Patriam potius proderent Stoici, quam dogma desererent. quod animi mores. 1ª.321.F
Patria qñq; ad discendã medicinã opitulat.de ther. ad Pis. 5ª.89.G
Patria noia nõ sunt confundẽda,neq; corrũpenda.2°.de l.aff.4ª.11.F
PATROCLVS *vir potens.de cong.cur.animi mor.* 2ª.51.F
Patroclus Cæsaris libertus.7°.de comp.me.per ge. 5ª.270.G
PATRONÆ *victus ratio in febre acuta.de vic.ra. in morb. acut.commentario 1°.* 7ª.109.G
PATVLÆ *cur sint aures, & nares.de ana.vi.* Sp.49.B
PAVCIBIBI qui apud Hippocratem.de diff.resp. 3ª.60.B
PAVCIFERVM *vinum quid. de vinis.* Sp.76.C
Pauciferum vinum stipticum.de vinis. Sp.76.C
Pauciferum vinum virtuti simile aquæ.de vinis. Sp.76.C
Pauciferum vinum ad quæ valeat.de vinis. Sp.76.C
PAVCIORIBVS *signis plurima non sunt semper potentiora.1°.de crisibus.* 4ª.130.G
PAVCO *contrarium multum.11°.meth.med.* 7ª.71.B
Paucum & multum in sola quantitate.com.1°.aph.14°. Ex.7.C
Pauca multi volunt addiscere,et nihil p̃termittere.2°.& cris. 4ª.136.B
Paucis datum omnia percurrere.1°.de simp.me.fac. 5ª.4.D
*Paucus,& leuis qñ est somnus subtilibus nutriatur.de diff.cõ.*Sp.71.G
Paucus vapor satis est piscibus respirantibus.de ana.vi. Sp.48.C
PAVIMENTA *quibus frigidis herbis consternebant.1°.de arte curatiua ad Glauconem.* 7ª.99.B
PAVLINVS *Valerius.7°.de comp.me. per gen.* 5ª.271.C/D
Paulina compositio.7°.de comp.med.sec.loc. 5ª.186.A
Paulini Eclegma hepaticum.8°.de compositione medicamentorum secundum locos. 5ª.195.F
PAVLVS *rethor flauam bilem euomebat.de vic.ra.in morb.acutis.commentario 2°.* 7ª.120.D
Pauli sancti antidoti fit mentio in libro de dynamidijs §hoc inter reliqua ostendit librum illum non esse Galeni.§de dyn. Sp.24.A
PAVONIS *caro durior est,& fibrosior carne phasianorum.3°.de alimen.facul.* 2ª.29.C
Pauonis caro coctu difficilior carne phasianorũ.3°.de ali.fac. 2ª.29.C
Pauones tarde digeruntur.de diff.cont. Sp.73.D
PAVOR *in somnis fit conceptis in bilis horis.de sper.* Sp.37.C
*Pauores per somnum cur fiant infantibus.com.3°.aph.24°.*Ex.25.A
Pauor in corde.3°.de decr.Hipp. 1ª.245.C
Pauor facit abõrsum.com.5°.apho.53°. Ex.42.D
Pauor lege Timor.
PAVPER *quo dicatur diues.de cog.cur animi mor.* 2ª.55.C
Pauperes sunt magis Deorum neglectores,quã diuites.de aere aquis, & locis. 2ª.6.A
Pauperes Deos detestantur.de aere aquis,& locis. 2ª 6.A
Pauperes sunt multi medici,& ægri.6°.de comp.me.se.lo. 5ª.168.B
Pauperibus medicis vtilia.6°.de comp.me.sec.loc. 5ª.168.A
Pauperibus sunt magis pleni diuites.11°.meth.me. 7ª.72.B
*Pauperes habẽt pauciores morbos,q diuites.de aere aq.et lo.*2ª.6.A
Pauperibus medicis Galenus respondet.6°.de cõ.me.se.lo. 5ª.168.A
Pauperes obediunt medicis,non autem diuites.3°.de compositione medicamentorum per genera. 5ª.231.A
pro Pauperibus, & diuitibus materiam parare debet scribens de re medica.6°.de comp.me.sec.loc. 5ª.168.B
PAVPERTAS *non timenda quando indifferens habetur.1°.de decretis Hippo.* 1ª.268.E
PAVSANIÆ *Syri sophistæ casus,qui amiserat sensum minimorum digitorum sinistræ manus.3°.de loc.aff.* 4ª.21.C
PAVIS delubrum tempore Galeni deflagrauit.1°.de compositione medicam.per genera. 5ª.209.G
PAXAMADVM *vocatorum purgatoria.de med.fac.par.* 7ª.174.B
ad PAXILLOS *infixos medicamentum dictum Isis.5°.de compositio. med.per genera.* 5ª.246.E

PECCATVM *accipitur latius, & cõtractius. cui.aĩ.pec.no.atq; me.*2ª.56.B
*Peccata quid sint.4°.de decr.Hip.*1ª.249.B/*de cuiusque animi peccatorum notitia,atque medela.* 2ª.56.A
Peccata quæ sint.de cogn.cur.animi mor. 2ª.50 D
Peccatum,& perturbatio quo modo differant.de cuiusque animi peccatorum notitia atque medela. 2ª.57.H
*Peccati cõsensus oĩbus notus.de cuius.animi pec.no.atq; me.*2ª.56.C

Peccati consensus imbecillus,& titubans,qui.de cuiusque peccatorũ notitia atque medela. 2ª.56.C
sine Peccato nullus inuenitur.de cogn.cur.animi 2ª.51.E
sine Peccato putant se esse homines.de cogn.cur.animi mor. 2ª.50.D
Peccata sua cognoscere difficile est.de cogn.cur.animi mor. 2ª.50.G
Peccata nostra cur non intelligamus.de cogn.cur.animi mor. 2ª.50.G
Peccata ex falsa opinione cõmittunt.de cog.cur.ani.mor. 2ª.50.C/G
Peccatorum multorum causa est opinio de fine vitæ. de cuiusque animi peccatorum notitia atque medela. 2ª.57.H
Peccata infra modum non lædunt,sed supra. 1°.*de compositione medicamen.sec.loc.* 5ª.122.C
Peccatis qui vult esse mundus quid agere debet. de cuiusque animi peccatorum notitia atque medela. 2ª.56.D
à Peccatis quomodo quis se abducat.de cog.cur.ani.mor. 2ª.50.C
Peccata quæ in infortunijs eueniunt seipsũ corrigere oportet.de cogn. curan.animi morb. 2ª.50.C
PECCARE *quid sit.de cogn.curan.animi morb.* 2ª.50.D
Peccant raro qui permittunt se ab alijs iudicari. de cognoscendis curã dis q animi morbis. 2ª.50.D
Peccant frequenter qui se optimos existimant, nec volunt iudicari. de cognoscendis curandis q animi morb. 2ª.50.D
PECTINES *sunt crassi admodum succi.de bo.& vit.succ.* 2ª.35.E
Pectines conueniunt stomachicis.8°.de comp.me.se.loc. 5ª.192.C
Pectinũ succus ducit aluũ nõ secus ac lactis serũ.d bo.et vi.su. 2ª.35.a
PECTEN *digitorum quod.introd.* *Isa.53.C/D*
Pectinis ossa quæ.intro.Isa.54.H/de ossibus. 1ª.43.C
Pectinis dolor significat laborẽ aliquorũ instrumẽtorũ deseruiẽtiũ vrinæ,vel vlcus vesicæ.c.4ª.a.8°.39.H/c.7°.aph.39°. *Ex.57.A/B*
ad Pectinis dolores vti vespa incidens.de pas.mul. *Sp.95.G*
ad Pectinis dolorem. de pass.mul. *Sp.95.H*
quo PECTINE *vtendum. de puero epil.* 7ª.180.B
PECTEN, *seu vinculum suspendens ad colem. de fascijs.* 303.H/*aliter.* 7ª.304.A
PECTORALE *os propinquius cauæ venæ.16°.de vsu par.* 1ª.218.G
PECTVS *quid sit in quodam loco.de arti.com.1°.* 7ª.261.C
Pectus pedis quid sit.de artı.com.3°. 7ª.278.G
Pectus quod.intro.Isa.53.C/6°.de decre.Hippoc. 1ª.265.E
à Pectore cur plurimũ distat humeri sũmitas.2°. de vsu p. 1ª.200.H
Pectoris longitudo.13°.de vsu par. 1ª.202.H
Pectus cur hominibus latum,brutis angustũ.13°.de vsu p. 1ª.202.H
Pectus latissimum habet homo oĩum aialium.de ar.com.2°. 7ª.272.C
Pectus maius alijs animalibus habet simia excepto homine.de articulis,commentario 3°. 7ª.272.C
Pectore lato quod est ad pleraque exercitationes ineptum est.5°.de sanitate tuenda. 2ª.89.H
Pectoris sectio quo modo fieri debeat.5°.de ana.adm. 1ª.84.F
in Pectore quo modo incidendum ne sanguis profluat.7°.de anatomicis administrationibus. 1ª.97.C/D
Pectoris sectionis modus quidam sine sanguine.8°.de ana.ad. 1ª.102.G
Pectoris musculi quomodo secandi.5°.de ana.adm. 1ª.84.G
Pectus quo modo aperiendum.7°.de ana.adm. 1ª.97.C
Pectus quo instrumento aperiendum.7°.de ana.adm. 1ª.97.C
Pectoris os sternon dicitur.8°.de vsu par. 1ª.164.D
Pectoralis ossis tota figura Xiphoides.de ossibus. 1ª.42.F
Pectoris os cur vnum videtur.8°.de anat.adm. 1ª.99.D
Pectoris ossa quot sint.8°.de an.admi. 1ª.99.D
Pectus ex septem ossibus constat.introd. *Isa.54.H*
Pectoris os cur ex multis ossibus factum.7°.de vsu par. 1ª.164.A
Pectoris medij os qũo arteriam recipiat.16°.de vsu par. 1ª.218.F
ad Pectoris ossa aperienda qui culter sit aptus.7°.de an.adm. 1ª.94.c
Pectoris ossium motus exiguus.de ossib. 1ª.42.E
in Pectoris osse membrana.7°.de ana.adm. 1ª.94.D
Pectori cur non iunctus stomachus.16°.de vsu par. 1ª.218.G
Pectorali osse propinquior stomacho spina.16°.de vsu par. 1ª.218.G
ad Pectoris spondylũ duodecimum procedit gula.de ana.vi. *Sp.49.F*
Pectoris pars est diaphragma.de mot.man.& obs. *Sp.66.H*
in Pectore aialia mãmas habẽtia,quæ.7°.de vsu par. 1ª.164.C/D/F
in Pectore cur mammæ in hominibus.8°.de vsu par. 1ª.164.C
Pectore,& mammis affinitatis indicium est si tussientes habent testiculum tumefactum.in 6ᵐ.de mor.vul.c.3°. 3ª.178.G
in Pectore cur profectum lac.8°.de vsu par. 1ª.164.D
Pectus continet in se viscera.com.6°.aph.27°. *Ex.48.G*
Pectus quale,& quantum esse debet.in 6ᵐ.de mor.vul.c.1°. 3ª.154.B
Pectus longum,& angustum vitiosum est.in 6ᵐ.de morbis vulgaribus,commentario 1°. 3ª.154.B
Pectus angustum habẽtes sunt inclinati in phthisim.com.2°.aph.34°.17.D/com.3°.22.C/com.4°. *Ex.28.B*
Pectus angustum,et compressum qui habent ineptissimi sunt ad vomitum.quos purg.quibus med.& quo temp. 5ª.88.E
Pectora exusta quibus sint populis.de aer.aq.& loc. 2ª.5.F
in Pectore esse animæ principatum quibus argumentis probet Chrysipus.3°.de decr.Hippo. 1ª.234.F
in Pectore esse animæ principatũ nullo sensu percipimus.2°.de decretis Hippocratis. 1ª.235.H
Pectus hirtum cur audaciam significat.2°.de tempe. 1ª.19.G
sub Pectore furor.3°.de decre.Hippo. 1ª.242.D
sub Pectore bilis.3°.de decre.Hippo. 1ª.242.D
sub Pectore ira.3°.de decre.Hipp.242.D/ 1ª.246.G
sub Pectore mens.3°.de decre.Hipp. 1ª.242.D
in Pectore consilium.3°.de decre.Hippo. 1ª.242.D
in Pectore sententia.3°.de decre.Hippo. 1ª.242.E
Pectus cũ corde augetur,et minuit.in 6ᵐ.de mor.vul.c.3°. 3ª.174.B
Pectori motus principium dat caput.2°.de sym.cau. 3ª.21.G
Pectoris motus ad quod instrumentum spectet,medici est quærere. de mot.man.& obsc. *Sp.66.H*
de Pectoris motu an naturalis,vel voluntarius.de motibus manifestis,& obscuris. *Sp.69.G*
de Pectoris clibani motu in tussi,risu,& sternutatione.de motib. manifestis,& obscuris. *Sp.69.G*
in Pectore, ac pulmone talis est actio in tussi, qualis expultricis facultatis in ventre cum euomitur.2°.de sym.cau. 3ª.21.D
Pectus pulmonem dilatat,& contrahit.2°.de sym.cau. 3ª.21.G
Pectus inspiritu recipiendo dilatatur.de vsu pul. 1ª.228.F
Pectore dilatato non fit inspiratio.de præcogn.ad Posth. 4ª.216.D
Pectore constricto non fit expiratio.de præcogn.ad Posth. 4ª.216.D
Pectoris actio flatus.de vsu puls. 1ª.229.D
Pectoris actionis remissio est spiritus emissio.de vsu pul. 1ª.229.D
Pectus a musculis dilatatur.de instr.odor. 1ª.111.F
Pectoris musculis sunt organa spiritus.de sper. *Sp.36.H*
Pectoris musculi nisi extendantur non fiunt anhelitus neque vox. de voce & anhelitu. *Sp.61.A*
Pectoris musculi in intemperie inæquali quem habeant motum.2°.de symptomatum causis. 3ª.22.H
Pectoris musculi habentes similem dispositionem conuulsioni interrũpunt inspirationem.com.6°.aph.54°. *Ex.53.C*
Pectus totum si impleretur animal ilico periret.1°.de na.fa. 1ª.296.e
a Pectore ascendentes musculi intrinsecus quas motiones excipiant. de musc.disse. 1ª.47.G
Pectori brachium abducens musculus qui.de mus.diss. 1ª.47.G
ad Pectoris musculos qui perueniunt nerui a dorsi medulla oriuntur. de præcogn.ad Posth. 4ª.216.D
ex Pectore neruorum primiparis egressio vbi.de ana.viuo. *Sp.54.B*
a Pectore vesicæ reiectiones quid significent.de vic.ra.in morbis acutis,commentario 2°. 7ª.122.F
in Pectore est potestas phlegmatis.de sperm. *Sp.36.G*
in Pectore semen mutatur in frigidum,& humidum.de sper. *Sp.36.H*
Pectori nocent frigida: vt nix,& glacies.com.5°.aph.24°. *Ex.39.G*
Pectori nocent dura,aqua,& frigida.de bon.aquæ. *Sp.75.G*
Pectus refrigerat vua radicitus dempta.de diffi.morb. 3ª.4.H
Pectus imbecille habentibus valens antidotus.2°.de ant. 5ª.111.F
Pectoris dolores vnde hyeme oriantur.com.3°.aph.23°. *Ex.24.H*
Pectoris dolores fiunt,& vigent in tempestate aquilonia. commentario 3°.aphorismo.17°. *Ex.23.F*
Pectoris dolores in aquilonijs cur fiant.com.3°.aph.5°. *Ex.20.C*
Pectorum dolores si multũ differant pdiscẽdum.c.6°.a.5°. *Ex.46.G*
Pectoris dolorẽ mulcet balneũ.de vic.ra.in mor.acu.c.3°. 7ª.132.H
Pectoris dolore laborãtibus auxiliatur Theriaca.de vsu the. 5ª.98.F
ad Pectoris dolores omnes inueteratos.2°.de anti. 5ª.113.D
Pectoris instrumenta laborant ob sanguinem,vel humorem ingrediẽtem.8°.de decr.Hippo. 1ª.274.E
in Pectore generationem phlegmatis timenti conueniunt cibi subtiliãtes.de diss.cont. *Sp.72.E*
Pectus quibus phlegmate abũdat phlegmagoga dãda.de dy. *Sp.21.C*
ad Pectus a capite in fluxionibus quo medicamẽto vtendũ.4°.de sanitate tuenda.

tate tuenda. 2ª.85.B
in Pectus quæ fluxerunt trahuntur ad manus.de Hirud.reuul.scarifi.& cucurbi. 6ª.2.D
ad Pectoris fluxionem.de med.fac.par. 7ª.172.A
in Pectus quæ dicuntur descendere de quibus intelligatur.3°.de decretis Hippocratis. 1ª.244.F
Pectoris superfluitates per quæ expurgantur.ars med. Is.71.E
Pectus per quam viam purgetur,& transmittat aliquid in cauitatẽ. 13°.meth.med. 7ª.84.H
Pectus per eandẽ viã expurgaĩ,p quam pulmo.13°.met.m. 7ª.84.B
Pectus per asperam arteriam, & fauces purgatur.7°.metho.meden. 49.D/11°. 7ª.73.F
in Pectore quando continentur humores remedia. de medicinis facile parandis.171.G/ 7ª.179.D
ex Pectore tripliciter educuntur materiæ.5°.meth.med. 7ª.33.B
in Pectore contenta per tussim educuntur ars med. Isa.70.D
in Pectore,& pulmone contenta indicant tuses.in 1ᵐ.de morbis vulga.commen.2°. 3ª.108.C
in Pectore contenta ab attenuantibus educuntur. ars med. Isa.70.D
Pectus,& pulmonem expurgant amara.8°.de simp.me.fac. 5ª.59.B
ex Pectore pulmoneq; excreationibus crassorum lemorũq; humorum impendio conferunt amygdalæ amaræ. 6°.de simplicium medicamentorum fac.5ª.42.G/de diff.cont. Sp.74.G
Pectus expurgat Betonica.7°.de simp.med.fac. 5ª.51.A
ad Pectus purgãdũ dragmæ tres radicis lilij cœlestis.de me.Sp.106.d
contra Pectoris infirmitates dantur penidiæ.de me.exper. Sp.106.F
Pectora constipata mollit diapenidion minus.de dyna. Sp.26.D
ex Pectore,et pulmone excreationib.idonea ẽ faba.7°.d̃ si.m.5ª.53.D
Pectus mundificat se caniabin.de diss.con. Sp.74.G
a Pectore superflua mundificans electariũ.de me.exper. Sp.107.G
p in Pectore est humoris crassi purgãs medicamẽ.d̃ me.exp.Sp.107.H
Pectoris inflãmatio mortifera est.in 6ᵐ.de mor.vul.c.2°. 3ª.162.H
in Pectoris phlegmone artus vinciuntur. 13°.met.me. 7ª.83.B
Pectoris qua parte patiente manus patiatur.in 6ᵐ.de morbis vulgar. commentario.4°. 3ª.180.B
Pectus cõpatitur patiẽte hepate,& è contra.c.6°.aph.16°. Ex.47.G
Pectus cõicat cũ genitalibus.in 6ᵐ.de mor.vul.com.4°. 3ª.180.A
Pectus cum coxendice nihil habet commune.in 6ᵐ.de morbis vulgaribus,commentario 4°. 3ª.180.A
à Pectore qui sanguinem reiecerunt debent phlebotomari vere. de cur.ratione per sang.miss. 6ª.17.E
Pectoris,pulmonisq; excretionibus auxiliatur paliuri fructus. 8°.de simp.med.fac. 5ª.57.G
Pectore & pulmone sanguinẽ reijcientibus conuenit Theriaca.de vsu ther.ad Pamph. 5ª.98.G
ad Pectoris sanguinis reiectiones.2°.de antid. 5ª.113.C
inter Pectus,& pulmonem sanguis collectus facit tabem.8°.de decretis Hippocratis. 1ª.275.F
ex Pectoris ĩterna facie,cum phlegmone premitur excernitur aliqua sanies.13°.meth.med. 7ª.84.H
ad Pectoris labem sanioſam valet Theriaca.de ther.ad Pãph. 5ª.91.g
Pectus,& thoracem suppurari dicuntur.com.6°.aph.27°. Ex.48.G
Pectori quam noxam faciat in pulmonia cubare supine. in prognostica, commentario 1°. 4ª.194.A
Pectus facit profluuium alui.com.6°.aph.16°. Ex.47.G
ex Pectore fit quandoque hectica febris.10°.meth.me. 7ª.64.F
in Pectoris affectibus à quibus cibis præcipit abstinendum esse Hippocrates.in 6ᵐ.de mor.vul.com.4°. 3ª.180.C
Pectus vbi affectum quæ vena secanda.13°.meth.med. 7ª.83.B
Pectoris superiores partes vbi laborant humerales venæ secandæ. sunt.de curan.rat.per sang.miss. 6ª.20.D
ad Pectus,& pulmonem sanguinis declinantis exemplum. in 6ᵐ. de morbis vulg.com.3°. 3ª.179.A
Pectus quibus æstate,& quibus hyeme vngẽdũ.5°.met.me. 7ª.32.H
ad Pectus quo modo tendant medicamenta.4°.meth.me. 7ª.29.A
in Pectus quæ tendere debent medicamenta quomodo sub lingua continenda.de vsu ther.ad Pamp. 5ª.98.G
Pectus est in medio eorum membrorum quæ indigent adstrictione, & eorum quæ minime.11°.meth.med. 7ª.73.B
Pectus non indiget adstrictione.11°.meth.med. 7ª.73.B
in Pectore quæ sunt quid expetant.5°.de simp.med.fac. 5ª.38.B
in Pectore tumor,aut rubor superueniens ab angina habito bonum.cõmen.7°.aphoris.49°. Ex.58.A
si Pectus habet magnum tumorem,periculosum est pus totum vna vice exire com.6°.aph.27°. Ex.48.G
Pectore perforato aere exufflat.an sang.in art. contineatur. 1ª.60.E
ex Pectore quidam mulsam expuit.5°.meth.med. 7ª.32.G
in Pectoris vulneribus sæpius exit pulmonis fibra.d̃ cau.mor. 3ª.9.E
ex Pectore perforato quibus medicamentis Galenus vtitur.5°.meth. medendi. 7ª.33.C
in Pectore vulnerati historia.7°.de anat.admi. 1ª.97.F
Pectoris vlcera curantur per ea, quæ comeduntur,& bibũtur. 5°.me thodi medendi. 7ª.34.D
ad Pectoris causas facit Diaprasiu.de dyn. Sp.26.F
ad Pectoris affectiones valens antidotus.2°.de antid. 5ª.111.F
ad Pectoris passiones decoctio.de med.exper. Sp.107.C
Pectoris vitia.de med.fac.par. 7ª.175.A
ad Pectus.de med. fac.par. 7ª.173.B
ad Pectus deligandum vinculum.de fascijs. 7ª.301.E
ad Pectus,& alam Sostrati vinculum rectum.de fascijs. 7ª.301.F
ad Pectus,& alam vinculum in speciem literæ.x.de fascijs.7ª.301.G
ad Pectus medijũ vinciendum vinculum.de fascijs. 7ª.301.G
de PECVNIIS opinio quod bonæ sunt,quando sit ægrotatio.4°.de decretis Hippocratis. 1ª.251.C
Pecuniam insatiabiliter cupientes ad annum quadragesimum sunt insanabiles.de cog.cur.animi mor. 2ª.55.F
Pecunia quærebatur tempore Galeni.1°.meth.med. 7ª.2.C
ob Pecuniæ amissionem Galenus non afficiebatur. de cognoscendis curandisq; animi mor. 2ª.54.F
ob Pecuniam amissam animi commotio.de cog.cur.ani.mor. 2ª.50.E
PECVDES pro omnibus animalibus.de.arti.com.1°. 7ª.256.F
Pecudes depascuntur herbam breuem.de arti.com.1°. 7ª.256.F
Pecudibus castratis prodest cinis impositus.de simp.med. Sp.86.A
Pecudibus prodest lixiuium lauri.de simp.me. Sp.85.H
Pecudis caro humidior,& frigidior.de const.ar. Isa.38.G
Pecudũ caput,& caro cibus humidus,& viscosus.de dis.con.Sp.73.a
Pecudis caro est de cibarijs mediis.de diss.cont. Sp.74.G
Pecudum caro tarde digeritur.de diss.con. Sp.73.D
Pecudum multorum annorum caro mala est.de diss. con. Sp.74.A
Pecudis caro facit pituitam.de diss.cont. Sp.74.A
per PEDESTRE bipes hominem definit.2°.meth.med. 7ª.15.E
Pedestre bipes animal quæ diffinitio sit.1°.de diff.pul. 4ª.48.A
Pedestria omnia animalia sanguinea homini similia habent quatuor pedes.3°.de vsu partium. 1ª.128.C
ex Pedestrium & volatilium genere ventriculus maxime differt de bon.& vitio succorum. 2ª.37.B
in Pedestribus omnibus præter sues, hœdos, ac vitulos abstineat qui cupit boni succi generationem.de bon.& vitio suc. 2ª.37.C
in Pedestribus vnum cæcum intestinum.4°.de vsu partium. 1ª.141.E
PEDICVLI de cute corporis educuntur.de cathar. Sp.94.G
Pediculi qũo fiant,& eorum curatio.1°.de compo.med.se.lo.5ª.128.F
Pediculorum ad cutim protusorum causa in quibus sit viperarum caro.11°.de simp.me.fac. 5ª.78.D
Pediculos gignit caricarum vsus.2°.de ali.fac. 2ª.17.F
Pediculorum copiam gignunt caricæ.de bon.& vi.suc. 2ª.37.F
Pediculos interficit cedrea.5°.de simp.me.fac. 5ª.50.A
Pediculos occidit miricæ succus.de simp.med. Sp.87.G
Pediculos occidit staphysagria,ex oleo leuigata, & corpori illinita. de simp.med. Sp.90.C
ad Pediculos capitis.de rem.par.fac. 7ª.154.C
Pediculi in palpebra quid sint.de ocul. 7ª.186.H
ad Pediculos oculorum.de med.fac.par. 7ª.163.C
Pediculi canini sanguis ad pilos palpebris innatos oculum infestantes.de remed.par.fac. 7ª.156.G
Πεδίον quid. introd. Isa.53.F
Πεδίον pars pedis ante digitos 3°.de vsu par. 1ª.129.C
Πεδίον planum pedis.3°.de vsu par. 1ª.129.C
Πεδίον simile metacarpio.3°.de vsu par. 1ª.129.F
Pedion quot ossibus constat.introd. Isa.55.A
PEDITORVM, siue crepituum,& flatuum inferiorum differentia ex sonitu.3° de symp.caus. 3ª.27.G
PEDVNCVLI exeunt ex esu salium.de ther.ad Pis. 5ª.97.E
PEGANON id est ruta.8°.de simp.med.fac. 5ª.58.D
Peganon agion,id est ruta syluestris.7°.de simp.me.fac. 5ª.56.F

PEGVLÆ meminit.de dyna. Sp.25.F
PELAGII pisces qui dicantur.3°.de ali.fac. 2ª.30.E
Pelagij pisces inter congeneres nullũ hũt discrimẽ.3°.de ali.f.2ª.30.b
Pelagij pisces cæteris præstantiores.de bo.& vi.suc. 2ª.38.G
Pelagici pisces neq; crassi,neq; tenues sunt.de bo.& vi.suc. 2ª.34.H
Pelagij pisces sunt innoxij.de bon.& vi.suc. 2ª.38.G
Pelagij pisces sunt propinqui pani bene præparato, & perdici. 3°.de alimentorum facul. 2ª.30.E
ex Pelagijs piscibus sanguis laudatissimus.3°.de ali.fac. 2ª.30.E
ex Pelagia terra emplastrum.6°.de comp.med.per ge. 5ª.251.C
Pelagia terra.6°.de comp.me.per ge. 5ª.261.C
Pelagij venti quales.1°.de sem. 1ª.329.F
PELAMIDES vnde habentur.3°.de ali.fac. 2ª.31.G
Pelamides cur iure in pretio.3°.de ali.fac. 5ª.31.G
Pelamides ad mediocritatem tendunt.de bo.& vitio succ. 2ª.35.E
Pelamides ad saliendum appositi.3°.de ali.fac. 2ª.33.C
Pelamides salsæ laudatissimis salsamẽtis ñ cedũt.3°.de ali.fa.2ª.31.g
PELARGITIS herba.9°.de comp.med.sec.loc. 5ª.198.G
PELECINVS quid.de simp.med. Sp.89.B
Pelecinus reperitur in tritico.de simp.me.fac. 5ª.26.E
Pelecinus acrimonia viscide stringit.de simp.med. Sp.89.B
Pelecinus amarus.4°.de simp.med.fac. 5ª.26.E
Pelecinus amarus,& subacerbus est.6°.de simp.me.fac. 5ª.48.B
Pelecinus gratus est stomacho,& viscerum obstructiones expurgat. 6°.de simp.med.fac. 5ª.48.B
Pelecinus in antidota mittitur,menstrua puocat.de sim.me. Sp.89.B
PELICON continuum dicitur apud græcos.de diff.mor. 3ª.5.A
PELIDNON quid.14°.meth.med. 7ª.89.D
per PELLICVLAS, neruos, & venas colligantiã habent cum corde omnes partes corporis.de vtil.resp. Sp.62.G
Pelliculæ quæ vocantur musculi.de anat.par. Sp.43.D
ad Pelliculam omnem coniungitur aliqua vena,quæ diuiditur in multas parvas.de vtil.resp. Sp.63.C
Pelliculis continentur omnia instrumenta sensuũ.de vtil.resp.Sp.63.d
in Pelliculis ipsis fiunt sensus.de vtil.resp. Sp.63.D
in Pelliculis oculi fit visus,non in crystallino.de vtil.resp. Sp.63.C
in Pelliculis fit gustus.de vtil.resp. Sp.63.D
in Pelliculis carni cõmistis fit tactus,nõ in carne.ꝺ vti.resp. Sp.63.D
Pelliculis valde subtilibus, quæ à crassis venis procedunt, & ab eis deportant subtilem sanguinem ad nutrimentum carnis, reticulatã esse carnem manifestum est.de vtil.resp. Sp.63.D
Pellicula est intra aurẽ plena aere,ĩ qua fit auditus.ꝺ vti.resp. Sp.63.D
Pelliculæ plenæ spongiosa carne sunt intra nares, in quibus fit olfactus de vtilitate respirationis. Sp.63.D
Pellicula quæ est sub cranio dicitur dura mater.de ana.par. Sp.43.D
Pelliculæ cooperiẽtis cerebrũ duplex est inuamẽtũ.de an.vi. Sp.53.D
Pelliculæ subiectæ vuluæ dicuntur Galsamach.de ana.viuo. Sp.49.E
Pellicula quæ valet ad vomitum.de mot.man.& obs. Sp.70.H
Pelliculla succingens peritonæo similis.7°.de ana.adm. 1ª.94.B
Pellicula succingens quid sit.7°.de ana.admi. 1ª.94.C
Pellicula aliqua circa præcordia quibus inflammata est, his paruus, & densus fit spiritus.2°.de diff.resp. 3ª.65.H
Pelliculas multas cur habeat collum matricis.de ana.vi. Sp.51.D
Pelliculis tribus inuoluitur fœtus in vtero de ana.viuo. Sp.52.C
Pellicula prima versus fœtum tenuissima est,et dicitur camisia pueri, vel profundatio sudoris.de ana.viuo. Sp.52.C
Pellicula vt in ouis quæ in fœtu.de ana.viuo. Sp.52.C
in Pelliculis fœtus cur aqua colligatur.de ana.viuo. Sp.52.C
ad Pellicularum oculorum eminentias.4°.de cõ.me.se.lo. 5ª.154.A
ad Pellicularum eminentias.4°.de comp.me.se.loc. 5ª.155.H
ad Pelliculas oculorũ cõfestim auferẽdas.4°.de c.me.se.l.5ª.152.H
ad Pelliculas educendas.7°.de comp.med.sec.loc. 5ª.185.G
ad Pelliculas disparandas.6°.de comp.me.se.lo. 5ª.175.D
Pelliculæ in vẽtre gallinarũ p vrina puocãda.de me.fa.pa.7ª.168.D
Pellicula pro vase.5°.de compo.med.sec.loc. 5ª.162.C
PELLIS vena,neruus sunt receptacula sanguinis,& spiritus.de anatomia viuorum. Sp.46.F
Pellis ambiens caput vnde habeat sensum.4°.de lo.aff. 4ª.25.D
Pellem plenam fistulis facit trachea arteria,quæ aerem,& non sanguinẽ recipiunt.de vtil.resp. Sp.64.C
Pelles duas plenas venis,& arterijs faciunt circa pulmonem vena,et arteria, quæ veniunt à corde.de vtil.resp. Sp.64.C
Pellẽ duplici tegitur medulla spinalis,vt cerebrũ.ꝺ vti.resp. Sp.62.G
Pellis duplex spinalis medullæ,et cerebri qñ inflentẽ.ꝺ vti.re.Sp.63.D
Pellis in qua sunt mesaraicæ appellatur mesenterium, siue mesareũ. de vtilitate respirationis. Sp.64.D
Pellibus duris similiter riget corpus senum.5°.de sa.tu. 2ª.92.G
Pellem siccã se habere cur quispiã putaret.de mel.ex.G.R.Sp.109.D
Pellis ouina recens detracta verberatos sanat.11°.de si.m.f. 5ª.80.E
Pelles optime maceratæ plurimũ distenduntur.de ar.c.2°. 7ª.263.G
Pellis pro seruando medicamento.6°.de compositione medicamentorum per genera.256.H/ 5ª.262.G
Pellis alba in qua ponitur medicamentum vt exeat.9°.de compos. med.sec.loc. 5ª.199.A/D
Pellis superior spissior omni parte subiecta.2°.de loc.aff. 4ª.11.H
Pelles,& coria aqua madefactæ fiunt laxæ quando oleo, & seuo delibuntur.in 6ᵐ.de mor.vulg.com.3°. 3ª.177.A
PELOPS interpres Hippocratis.de ord.lib.suorum. Isa.15.C
Pelops nouus scriptor anatomiæ,de na.hu.com.2°. 7ª.183.F
Pelopis,& Lyci, & Aeliani musculorum dissectio in pretio iure habita est.de musc.diss. 1ª.44.B
Pelops linguã dissecuit bubulã,sed Galenus simiæ.de mus.dis. 1ª.46.g
fm Pelopẽ q nerui in musculos oculorũ dispergãt.6°.de dec. 1ª.262.F
fm Pelopem dorsi medulla a cerebro oritur,a qua nerui. 6°.de decretis Hippocratis. 1ª.262.F
Pelops vasorũ omniũ initiũ cerebrũ eë volebat.6°.de decr. 1ª.262.D
Pelops ꝓceptor Galeni.de ord.lib.suo.Isa.15.C/de mus.diss. 46.E/1°. de ana.adm.1ª.63.B/in 1ᵐ.prorrh.c.1°.4ª.163.F/ 11°.de simp.me. fa.5ª.82.A/de art.c.3°.7ª.272.F/com.6°.aph.18°. Ex.48.A
Pelopem audiuit Galenus adolescentulus.6°.de decr.Hip. 1ª.262.D
Pelopis præceptoris error.6°.de decr.Hip. 1ª.263.H
fm Pelopem docẽdi ratio differt a re ipsa.6°.de decr.Hip. 1ª.263.H
PELTALIS chartilago quæ sit.de ana.viuo. Sp.53.D
PELVIS vbi sit.9°.de vsu par. 1ª.173.F
PELVSIOTA vt Lampon.8°.de comp.med.sec.loc. 5ª.188.F
Peluſiotæ Protæ medicamentum.10°.de comp.med.se.loc.5ª.207.D
Πέμματα ἄρυμα. 1°.de ali.fac. 2ª.10.E
Πέμπελο est vocabulum senis Acherontij.5°.de san.tu. 2ª.94.H
Πέμπελον vnde dicatur.5°.de san.tuen. 2ª.94.H
PEMPHIGODES febris quæ.sin.med. Isa.46.C
Pemphinx quot significet.in 6ᵐ.de mor.vul.com.1°. 3ª.159.A
PENETRANS in altum medicamentum quale.3°.de compositione med.per gen. 5ª.228.D
Penetrat totam substantiam natura incorporea.de spcr. Sp.40.F
Penetrat magis acris succus quam acidus.4°.de simp.me.fa. 5ª.27.E
Penetret cur acetosum.de ocul. 7ª.188.B
Penetrare facit acetũ mistũ aqua tanquã ala.1°.de sim.me.fa.5ª.7.D
cur Penetret acetum.3°.de comp.med.per ge. 5ª.228.D
Penetrare facit acetũ caliditas a putrido calore.4°.de si.m.f.5ª.27.E
cur Penetrare nõ põt aqua frigida.de vic.ra.in mor.a.c.4°. 7ª.135.A
PENNICILLVM ex intorto panno lineo.de reme.par.fac. 7ª.155.G
PENICVLVS ex purpura tyria, vel marina cuius vsus. 8°.methodi medendi. 7ª.53.C
PENIDIARVM marmaridarum confectio.de dyna. Sp.26.H
Penidiæ dant cõtra ifirmitates pectoris,et asthma.ꝺ me.ex.Sp.106.B
PENIS siccior carne.5°.meth.med. 7ª.36.D
Penis habet in se fistulã vrinariã.com.4°.aph.82°. Ex.37.A
ex Pene quomodo res in vesicam injciantur.4°.meth.med. 7ª.29.B
in Pene,oculis,& mammis venæ quales.de tumore præt.na.3ª.83.d
Penis musculi vnde.1°.de mo.mus. 1ª.309.G
Penis musculi mouentur sine osse.1°.de mot.mus. 1ª.309.F
Penis musculi non mouent.1°.de mo.mus. 1ª.309.G
Penis vietus.de hist.philo. Sp.10.H
ad Penem roborandum.de me.fac.par. 7ª.176.G
Penis ne cui erigi possit.de me.fac.par. 7ª.169.D
Penis magnus cuidã effectus ẽ ob abstinẽtiã a coitu.6°.de l.a. 4ª.42.G
ad Penis dolorem,& inflammationem.de remed.par.fac. 7ª.179.B
Penis vlcera nullum cataplasma desiderant.5°.meth.me. 7ª.36.D
Pens integer quandoque aufertur.de diff.morb. 3ª.4.G
PENNARVM publorum succus expressus supra oculos iunat.10°.de simpli.med.fac. 5ª.72.H
Pena apposita naribus puocat sternutamentũ.c.7°.aph.51°.Ex.58.C
Penna illinitiones facit.6°.de compo.me.sec.lo.176.C/10°. 5ª.209.B
PENSILIS vua quid agat.2°.de ali.fac. 2ª.18.A

PENTAPHYLLVM *non adulteratur.* 1°. *de antid.* 5ª. 107. *B*
Pentaphyllum siccum est in tertio ordine, calidum in primo. 8°. *de simpli. medicam. fac.* 5ª. 58. *A*
Pentaphyllum quod dicitur eupatorium. 5°. *de compositione medicamentorum secundum locos.* 5ª. 163. *B*
PENTOROBON *aliqui appellant pæoniam.* 6°. *de simplicium medicamen. facul.* 5ª. 45. *G*
PENVRIÆ *sensus est appetentia.* 1°. *de symp. cau.* 3ª. 18. *A*
a Penuria dissolutæ facultatis pulsus qui. de pul. ad Tyro. 4ª. 44. *G*
in Penuria quæ obseruauit Galenus. de bo. & vitio suc. 2ª. 34. *B*
in Penuria pistores publici lolium tritico miscent. 1°. *de ali. f.* 2ª. 15. *H*
in Penuria panes panicei, & milij. 1°. *de ali. fac.* 2ª. 13. *C*
PEPLIVM, *& elleborus qualia sint. de vic. ratione in morbis acu. commentario* 2°. 7ª. 118. *B*
Peplij semen purgat. 8°. *de simp. med. fac.* 5ª. 58. *A*
Peplio quæ miscenda, & quæ dosis. de dyna. *Sp.* 21. *A*
Pepliũ educit bilem, atram bilem, pituitam, & flatus. de dy. *Sp.* 21. *A*
Pepliũ pro potiore in hydrope. de vic. ra. in mor. acu. com. 4°. 7ª. 152. *G*
Pepliũ dat Hippocrates in pleuritide. de vic. ra. i mor. a. c. 2°. 7ª. 117. *b*
PEPLOS *lac emittit tamen non est Tithymallus.* 8°. *de simplicium medicamen. facul.* 5ª. 58. *A*
Peplos purgat vt Tithymallus. 8°. *de simp. med. fac.* 5ª. 58. *A*
PEPIRA. *i. matura dñr pira, et cucurbitæ.* 2°. *de alim. fac.* 2ª. 17. *A*
Πέπων *noĩari non põt racemus cũ exacta ẽ maturus.* 2°. *d a. f.* 2ª. 17. *a*
Pepones dicuntur olera hortensia. 2°. *de ali. fac.* 2ª. 16. *D*
Pepones quando idonei. de bon. & vi. suc. 2ª. 39. *B*
Pepones non possunt conseruari. de bo. & vi. suc. 2ª. 36. *H*
Pepon qualis. 8°. *de simp. med. fac.* 5ª. 60. *E*
Pepones frigidi sunt & valde humidi. 2°. *de ali. fac.* 2ª. 16. *H*
Pepones sunt magis humidi cucumeribus. 2°. *de ali. fac.* 2ª. 17. *B*
Pepones abstergunt. 2°. *de ali. fac.* 2ª. 16. *H*
Pepones abstergere cutem patet. 2°. *de ali. fac.* 2ª. 16. *H*
Peponis semen magis detergit quàm caro. 2°. *de ali. fac.* 2ª. 16. *H*
in Peponibus non editur caro propter semina. 2°. *de ali. fac.* 2ª. 17. *B*
Peponis caro ad quid vtilis. de rem. par. fac. 7ª. 156. *E*
Peponis caro in oculorum doloribus. 4°. *de comp. me. sec. lo.* 5ª. 157. *F*
Peponis succus nunquam crassus & terreus fit. 2°. *de ali. fa.* 2ª. 17. *C*
Pepones mouent vrinam. 1°. *de ali. fac.* 8. *C*/2°. 2ª. 16. *H*
Pepones expeditius cucurbita deorsum pmeãt. 2°. *de ali. fa.* 2ª. 16. *H*
Pepones subducunt ventrem, tamen etiam abstergũt vnde sunt media. 1°. *de alim. fa.* 2ª. 8. *C*
Pepones teneri carent ferè nutrimento. de ven. sect. adu. Eraſ. 6ª. 14. *C*
Pepones parum nutriunt. 2°. *de ali. fac.* 2ª. 19. *A*
Peponis vsus est quando ventriculus squalore æstuat. 2°. *de alimen. facul.* 2ª. 18. *H*
Pepones ledunt ventriculum. 2°. *de ali. fac.* 2ª. 19. *A*
Pepon inducit vomitum. 2°. *de ali fac.* 16. *H*/ 2ª. 19. *A*
Pepones non sunt boni succi. de bo. & vitio suc. 2ª. 37. *F*
Pepones facile corrumpuntur in ventriculo. 2°. *de ali. fa.* 2ª. 17. *B*
Pepon quando generat succum vitiosum. 2°. *de ali. fac.* 2ª. 16. *H*
Pepones nisi digerantur vertuntur in succum letalibus venenis simile. *de boni. & vitio succorum.* 2ª. 37. *F*
Peponis vsus choleram generat. 2°. *de ali. fac.* 2ª. 16. *H*
Pepones cucumerini conueniunt epilepticis. de puero epi. 7ª. 180. *C*
PEPTICA *medicamenta quæ sint.* 5°. *de simp. med. fac.* 5ª. 38. *D*/ *de dynamidijs.* *Sp.* 18. *G*
Peptica id est concoquentia sunt medicamẽta parum calefacientia, & adstringentia 7°. *de simp. med. fac.* 5ª. 53. *D*
PERACVTVS *morbus qui.* 2°. *de dieb. decre.* 4ª. 155. *F*
Peracutus morbus exacte qui. 2°. *de dieb. decr.* 4ª. 155. *F*
Peracutus morbus non exacte qui. 2°. *de dieb. decr.* 4ª. 155. *F*
Peracutorũ prima dria ẽ veluti vna accessio. 3°. *de die. dec.* 4ª. 159. *B*
Peracuti morbi habent statim primam accessionem vehementissimã. commentario 4°. *aph.* 36°. *Ex.* 32. *A*
Peracuti morbi ex sudore plurimo tertia & quinta die iudicantur, non autem quarta vt videatur quasi ponere quartam non esse iudicatoriam. com. 4°. *aph.* 36°. *Ex.* 31. *H*
PERCA *piscis saxatilis.* 3°. *de ali. fac.* 2ª. 30. *G*
Percæ in tertio loco suauitatis sunt inter pisces saxatiles. 3°. *de alimẽtorum facultatibus.* 2ª. 30. *H*
Perca est mollis carne. 3°. *de ali. fac.* 2ª. 31. *A*
Perca cæteris facilius conficitur. 3°. *de ali. fac.* 2ª. 31. *A*
PERCVTIENTIA *omnibus sunt nota.* 1°. *de sa. tu.* 2ª. 63. *B*
Percutiens pulsus à cholera rubra fit. de dyna. *Sp.* 19. *F*
PERCVSSIO *vitanda in capitis dolore ob ardorem.* 2°. *de compositio. med. sec. lo.* 5ª. 132. *C*
ex Percussione stupidus sopor. 2°. *de loc. aff.* 4ª. 13. *G*
in Percussionibus gladij quid fieri debeat. de vir. cent. *Sp.* 93. *G*
PERCVSSVS, *& ictus idem.* 4°. *de diff. pul.* 4ª. 67. *B*
ad Percussos venenatos. 5°. *de compo. me. per gen.* 5ª. 250. *F*
PERDICIVM *docent, & parthenium, & sideritium, & herocleam, elxinem.* 6°. *de simp. me. fac.* 5ª. 47. *C*
PERDISCERE *quid sit. com.* 6°. *aph.* 5°. *Ex.* 46. *G*
PERDITOS *cur occidimus. quod animi mores.* 1ª. 321. *C*
PERDICES *volunt vincere.* 5°. *de decr. Hippo.* 1ª. 256. *G*
Perdix non est edenda recens mactata. de atten. vic. 2ª. 45. *F*
Perdicum caro qualis. de atten. vic. 2ª. 45. *G*
Perdices neq; crassæ neq; tenues sunt. de bo. & vitio suc. 2ª. 34. *H*
Perdicis caro coctu facilis. 3°. *de alim. fac.* 2ª. 29. *C*
Perdices iuuenes sunt boni succi. de rem. par. fac. 7ª. 159. *C*
Perdices sunt volucres laudabiles. de ren. aff. dign. & me. 7ª. 195. *E*
ex Perdice fit sanguis laudatissimus. 3°. *de ali. fac.* 2ª. 30. *E*
Perdices montanæ edendæ in victu attenuante. de atten. vic. 2ª. 45. *C*
Perdices conueniunt stomachicis. 8°. *de comp. med. se. lo.* 5ª. 192. *C*
Perdices conueniunt siccis. 6°. *de sa. tuen.* 2ª. 99. *G*
Perdices in siccitate dantur. 7°. *meth. me.* 7ª. 45. *D*
Perdices vtiles in calidis, & siccis. 8°. *meth. med.* 7ª. 51. *B*
Perdicis oua ad quid vtilia. de me. fac. par. 7ª. 169. *E*
Perdicis fel ad oculos. 10°. *de simp. me. fac.* 5ª. 74. *B*/*F*
Perdicis syluestris fel. 4°. *de comp. me. se. loc.* 5ª. 153. *A*
Perdicum, & gallinarum fel probatius in re medica alijs. 10°. *de simpli. med. fac.* 5ª. 74. *H*
PEREGRINATIONES *tentandæ sunt in longa ictteritia. de cura ictteri.* *Sp.* 111. *E*
in Peregrinatione in hyeme theriaca ẽ optima. de the. ad Pi. 5ª. 96. *H*
Peregrinæ non nunquam se se gerunt hirudines nisi mitescant. de cucurb. scarific. 6ª. 4. *B*
PEREVNT *confidentes in medicis, & non obsequentes. in* 6ᵐ. *de morb. vulg. commen.* 2°. 3ª. 168. *G*
quam Perire sine spe, periculosa potius agenda sunt. 10°. *methodi medendi.* 7ª. 66. *E*
PERFECTE, *& suauiter educit choleram in stomacho, ventre, & intestinis existentem aloe. de dyna.* *Sp.* 20. *H*
PERFECTIO, *virtus, & cuiusq; rei bonũ idem. ad Thraſ.* 2ª. 103. *G*
Perfectio hominis quando sit. de hist. philos. *Sp.* 11. *F*
Perfectio arborum quando sit. de hist. philo. *Sp.* 11. *F*
Perfectio vnius vt se habet ad perfectionẽ alterius, ita se habet vnũ perfectum ad aliud perfectum. de ana. viuo. *Sp.* 46. *B*
PERFECTISSIMO *non potest esse deterius. de const. ar.* *Isa.* 38. *H*
PERFECTVM *refertur ad artem.* 9°. *de decr. Hippo.* 1ª. 284. *G*
in Perfectis animalibus membra officialia quæ. de ana. vi. *Sp.* 45. *G*
Perfectus sanguis fit in corde. de ana. viuo. *Sp.* 46. *B*
Perfectum vocabant quoddam exercitium Theon, & Tryphum. ad Thra. 2ª. 109. *E*
PERFICITVR *in corporibus operatio animæ. de ana. viuo.* *Sp.* 55. *B*
PERFIDOS *facit choleram nigra. de dyn.* *Sp.* 19. *F*
PERFLATVS *sensum latens quid.* 1°. *de sa. tuen.* 2ª. 67. *H*
Perflatus sensum latens perspiratio, & transpiratio idem est. 1°. *de sanitate tuenda.* 2ª. 67. *H*
ad PERFORANDVM. 10°. *de comp. me. sec. locos.* 207. *G*/6°. *de composi. med. per ge.* 5ª. 256. *H*
PERFORATIO *quid sit.* 7°. *de ana. admi.* 1ª. 97. *H*
PERFORATORES, *calculi detractores, hernię diſsectores communi nomine medici vocantur. ad Thraſ.* 2ª. 105. *B*
PERFORATORIAM *artem vocant paracenteticem. ad Thra.* 2ª. 105. *B*
PERFORATVM *est cerebrum. de ana. viuo.* *Sp.* 56. *F*
Perforatum non est cor. de ana. viuo. *Sp.* 56. *F*
cur Perforata est cutis vt cribellum. de ana. viuo. *Sp.* 45. *B*
Perforata quando videntur omnia. de ocul. 7ª. 186. *D*
PERFORARE *in hydrope magis quam vrere est in vsu apud medicos. com.* 6°. *apho.* 27°. *Ex.* 48. *G*
Perforantur quæ facile. 6°. *de simp. med. fac.* 5ª. 47. *H*
ad PERFRICTIONEM *in itinere per hyemem.* 7°. *de compositione med. per genera.* 5ª. 274. *A*

ad Perfectiones moleſtas.7°.de comp.med.per ge.271.A/ 5ª.273.C
ad Perfrictiones.7°.de compo.med.per ge. 5ª.272.G
Perfectis prodeſt emplaſtrũ Azanitæ. 5°.de cõ.me.per ge. 5ª.247.D
PERFRIGERATIONEM *facit dolor vnius partis.2°.de ſympto. cauſ. 3ª.23.F*
ad PERFRIGERATOS *7°.de comp.med.ſec.lo.181.D/10°. 5ª.208.G*
in PERGA *fit Irinum vnguentum.2°.de cõ.me.ſe.lo. 5ª.135.F*
PERGAMO *vicina eſt Myſia.5°.de ſan.tu. 2ª.90.H*
Pergamus patria Galeni probe temperata eſt.2°.de ſa.tu. 2ª.23.C
in Pergamo,& Romæ eſt niuis vbertas.2°de com.med.ſe.lo. 5ª.132.F
Pergami caſeus præſtantiſſimus.3°.de alim.fac. 2ª.29.A
Pergami hyperberetæus mẽſis dr q Romæ ſeptẽb.4°.de ſa t. 2ª.86.G
PERICALAMITIS *quid ſit,& vnde dicat.1°.de c.me.ſec.loc. 5ª.125.C*
PERICARDIVM *quid.de nat.& ord.cuiusl.corp. Sp.42.A*
Pericardum quibus conſtet, & eius vtilitas.de com.memb. Sp.58.G
PERICAEA. *12°.meth.med. 7ª.77.D*
Περίχεοι *excretiones quæ ſint.in 1ᵐ.prorrh.com.2°. 2ª.172.A*
PERICLES *habuit magnũ caput.in 6ᵐ.de morb.vul.cõ.1°. 3ª.154.C*
Pericles olympius nondũ natus ob inſomnium terrebant græcos.animal ſit. 1ª.328.F
Periclis caſus.in 3ᵐ. de morb.vulg.commen.3°. 3ª.149.H
PERICLITARI, *vel agendum aliquid.conſiliũ Thucididis.10°.methodi medendi. 7ª.66.D*
Periclitãt in morbis robuſti q diu ſani vixere.1°.de ꝑſa.ex ꝑ. 4ª.110.E
PERICLYMENOS, *id eſt volucrum maius.8°.de ſim.me.fa. 5ª.58.B*
PERICOCHLIADES, *id eſt circumtortuoſa tunica teſticulorum.de natu.& ord.cuiuslibet corp. Sp.42.B*
Περικόχλιον *quid. de machin.309.E/ 7ª.310.C*
PERICRANIVM *quid.fin.med.43.H/introd. Iſa.53.H*
Pericranij generationis cauſa ſuturæ capitis.11°.de vſu p. 1ª.191.C
Pericranio vocatæ tunicæ inuolucrum cerebri craßum quædam membranulæ connectunt.in 6ᵐ.de morb.vulg.com.1°. 3ª.153.E
PERICVLOSISSIMA *omnium hominum ſanat mirifice emplaſtrum barbarum.de dyna. Sp.35.F*
Periculoſa potius agenda ſunt quam ſine ſpe pire.10°.met.m.7ª.66.E
Periculoſa eſt in ſyncha vrina nigra,aut liuida.de dy. Sp.34.E
Periculoſam ægritudinem crudam,diuturnam ſignificat vrina tenuis, et rutila.de vrin.ſign.ex Hippo. Sp.78.G
Periculoſum exponit dictionem lethale.com.5°.aph.2°. Ex.37.E
Periculoſum,& nõ cõcoqui multũ differunt.c.2°.aph.34°. Ex.17.D
Periculoſum eſt corpora excalfacere in lunæ augmẽto.de de.Sp.16.B
Periculoſum eſt refrigerare corpa ĩminuẽte luna.de decu.pg.Sp.16.B
PERICVLVM *morbi in quo conſiſtat.com.4°.aph.43°. Ex.32.F*
Periculi diſcrimine laborantibus ptiſſana non eſt dãda.de pti.2ª.47.H
PERIGENIS *arteriaca.7°.de com.med.ſec.loc. 5ª.179.G*
Perigenis catapocium.7°.de comp.me.ſec.lo. 5ª.183.D
Perigenis galea gladiatoria.de faſcijs. 7ª.297.B
Perigenis Thais. de faſcijs. 7ª.295.D
PERIMITVR, *ac corrumpitur quidquid a diſsimilibus.de inæqua.intempe. 3ª.44.C*
PERINÆOS *appellatur à quibuſdam laqueus eius nomẽ eſt ſimplex nodus.de laqueis. 7ª.307.F*
Περίναιον *quid. de artic.com.4°. 7ª.289.E*
Perinæum totũ cur a collo veſicæ occupatur.15°.de vſu p. 1ª.211.A
in Perinæo mulier habet pudendum.14°.de vſu par. 1ª.205.G
Perinæo,& lumbis adhibenda ſunt calida flatuoſa pro coitu,frigida p contrario.6°.de loc.aff. 4ª 42.F
ad Perinæum,ac epigaſtrium ſi dolor incidat,ſi ſtranguria affligatur, ſi ſanguinem meiat,& grumos,ſignificat circa veſicam ægritudinem eſſe.de vrin.ſign.ex Hippo. Sp.78.H
PERIODVS *quid.fin.med.46.D/Iſa.50.B/de typ.90.D/ad eos qui de typ.ſcrip. 3ª.91.G*
Periodus quid apud ignaros,ad eos qui de typ.ſcrip. 3ª.93.G
Periodi complexio quo modo ſe habet.de mor.temp. 3ª.87.D
Περίοδος *quid.in tim.Plat. 1ª.289.G*
PERIOSTEÆ *membranæ quæ.fin.med. Iſa.44.D*
Περιόſτιον *quid.10°.de vſu par. 1ª.178.C*
Περιςίον *membrana vnde oriatur.10°.de vſu par. 1ª.177.H*
PERIPATETICI *diſtincti ſunt à Stoicis, & Platonicis. de libris proprijs. Iſa.13.G*
Peripateticus mundum vnum eſſe,& extra non vacuum,ſed totũ plenum eße diſputabat.de cuiuſque ani.pec. not.atque med. 2ª.59.H
Peripateticorum quoque ipſorum doctrinis animæ principatum in capite ponitur.2°.de decre. 1ª.235.F
Peripatetici iraſcendi vim in corde ponunt.2°.de dec.Hip. 1ª.235.F
Peripatetici cupiendi vim in iocinore ponunt.2°.de dec.Hip.1ª.235.F
Peripateticus quidam contra Galenum de membranula a corde ad cerebrum.7°.de decr.Hippo. 1ª.268.A
Peripatetici quidam putarunt ſemen viri ſolum ingredi vterum,vt mẽſtruo det principiũ motionis, poſtea excerni.1°.de ſem. 1ª.329.C
PERIPHERIA, *id eſt circunferentia.10° de vſu par. 1ª.182.C*
PERIPNEVMATICI *affectus quàm reſpirationem faciant.1°.de differentijs reſp. 3ª.59.D*
Peripneumonicus pulſus raro dicrotus.4°.de cauſ.pul. 4ª.102.B
PERIPNEVMONIA *vnde habuerit nomen.2°.meth.med. 7ª.9.D*
Peripneumonia a parte patiente noĩatur.1°.de arte cu.ad Gl. 7ª.95.F
Peripneumonia nominatur,non febrilis morbus, ab antiquis pulmonis inflammatio.in 1ᵐ.de mor.vulg.com.3°. 3ª.118.H
Peripneumonia.quid.fin.med.47.B/introductio.Iſa.55.G/2°.de arte curatiua ad Glauconem. 7ª.181.D
Peripneumonia eſt inflammatio.2°.de arte cur.ad Glau. 7ª.100.C
Peripneumoniæ ponunt inter morbos vere appentes.5°.d ſ.t. 2ª.94.D
Peripneumonia morbus acutus.fi.mc.45.F/introdu.Iſa.55.E/ de victus ratione in morb.acut.com.1°. 7ª.108.G
q Peripneumonia lethalis eſt lethargia.4°.de cauſ.pul. 4ª.102.A
Peripneumonia & pleuritis cur non factæ in conſtitutione frigida, & humida.in 1ᵐ.de morb.vul.com.2°. 3ª.108.H
Peripneumoniæ cauſa.introd. Iſa.55.G
Peripneumoniam vehementem patiens quid ſymptomatum paſſus ſit. 4°.de locis affectis. 4ª.25.B
Peripneumonia quo modo cognoſcatur.de ſubfig.emp. Iſa.32.E
Peripneumoniæ notæ.1°.de locis affectis. 4ª.6.C
Peripneumoniam ſignificat vrina alba pinguedinoſa.de dy. Sp.35.E
Peripneumoniæ & pleuritidi communia.de ſubfig.emp. Iſ.32.E
in Peripneumonia inuenitur ſyndrome.5°.de ſan.tu. 2ª.93.E
Peripneumoniæ, pleuritidis,& anginæ concurſus quo modo differãt, 4° de locis affect. 4ª.24.D
Peripneumonia, & pleuritis quo modo differant.de victus ra.in morbis acutis,commen.3°. 3ª.133.A
Peripneumonia afficitur pulmo.3°.de præſag.ex pul. 4ª.116.C
Peripneumoniã faciens materia colligitur in capſula pulmonis.de anatomia parua. Sp.42.H
in Peripneumonia non ſentitur dolor,ſed grauitas ſola.d vti. Sp.63.G
Peripneumõia ñ põt cõtigere dolor pu.ſatorius.2°.d lo.af. 4ª.9.A
in Peripneumonia ſemper caput læditur.4°.de cauſ.pul. 4ª.100.H
ex Peripneumonia fiunt deliria.5°.de loc.affect. 4ª.31.F
in Peripneumõia cũ ad vigorẽ febris puenerit fit dliriũ.2°.d l.4ª.14.b
Peripneumonia facit tuſſim.2°.de ſypto.cauſ. 3ª.21.G
in Peripneumonia quæ ſpiratio.4°.de loc.aff. 4ª.26.H
Peripneumonia quẽ habeat pulſum.4°.de cauſ.pul.100.H/ 4ª.101.F
in Peripneumonia nulla pulſus duricies apparet.5°.de lo.aff.4ª.29.H
Peripneumoniæ reſpiratio quæ in 3ᵐ.de morbis vulgaribus, commen. 2°.3ª.136.B/4°.de loc.affect. 4ª.25.A
in Peripneumonis denſus, & magnus fit ſpũs.3°.de diff.reſp. 3ª.71.C
Peripneumõia nõ expurgata qualẽ hẽat reſpirationẽ.d dif.reſ.3ª.60.H
Peripneumonia non repente ſtrangulat, ſed paulatim creſcens vſque ad conſiſtentiam.com.4° aph.34°. Ex.21.C
a Peripneumonia qui ſuffocãtur pinnas narium mouẽt. in 3ᵐ.de mor. vulgaribus,com.2°. 3ª.136.A
in Peripneumonia ſputorum colores varij.2°.de loc.aff. 4ª.13.A
in Peripneumonia ſputum tenue ſignificat principiũ.de tot.m.3ª.88.g
in Peripneumonia ſputa letalia quæ.de tot.morb.temp. 3ª.89.G
Peripneumoniæ,et pleuritides graniſſimæ ſunt in quibus nihil expuitur.in 3ᵐ.de morb.vulg.commen.1°. 3ª.128.A
Peripneumonia ſicca quæ.de vic.ra.in morb.acut.com.1°. 7ª.112.F
in Peripneumonia vrina rubra prædicit futurã mortẽ.de dy.Sp.35.d
Peripneumonia quomodo finiat.3°.de criſ. 4ª.139.E
in Peripneumoniã q̃n angina mutabitur.de pulſ.ad tyro. 4ª.46.B
Peripneumoniæ curatio.introdu. Iſa.55.H
in Peripneumonia q̃ cõſiderãda.de vic.ra.in mor.ac.cõ.4°. 7ª.143.H
Peripneumonias magis iuuat balneum quam febres ardentes. de victus ratione in morb.acut.com.3°. 3ª.132.H
in Peripneumonia ſanguis mittendus eſt.de ven.ſect.adu.Era.6ª.7.D
in Peripneumoniã qui prompte incidunt illis vere vena ſecãda.de curan.rat.per

ran.rat.per sang.missi. 6ª.17.E
Peripneumonia affici consuetis sanguinem mittẽdũ persuasit Galenus. de curan.rat.per sang.mis. 6ª.18.E
Peripneumonijs prodesi chrysocome.8°.de simp.med.fa. 5ª.63.H
Peripneumonia qñ dandũ vinũ dulce.ḋ vic.ra.i mor.a.c.3°.7ª.126.H
Peripneumoniæ eclegma.de vict.ra.in mor.acu.com.4°. 7ª.144.C
PERIPNEVMONICI, et pleuritici dicuntur qui habẽt hos morbos, & licet habeãt febrem,non dñr febrientes.cõ.4°.aph.73°. Ex.35.H
Peripneumonici omnes febrem habẽt acutã.4°.de cau.pul.4ª.101.H
Peripneumonica febris quæ.in 6ᵐ.de mor.vul.com.2°. 3ª.159.D
Peripneumonicorũ pulsus qualis.ḋ pu.ad Ty.4ª.45.A/F/ḋ dy.Sp.35.a
Peripneumonicis cur pulsum duriorem habeant pleuritici. 4°.de præsag.ex pul. 4ª.120.B
Peripneumonicis cur anhelitus difficilis ineſt.7°.de c.m.ſ.l. 5ª.186.C
Peripneumonicorum vrina qualis.de dyn. Sp.35.A
Peripneumonici,& phrenitici ſi qui non ſint,an poſſint contingere ſputa ſubrubra.in 3ᵐ.de mor.vul.com.1°. 3ª.127.G
Peripneumonicis vna ſalus eſt viriũ robur.10°.meth.me. 7ª.63.H
in Peripneumonicis, & pleuriticis affectibus expuitionibus ex pulmone confert butyrum.10°.de ſimp.me.fac. 5ª.74.D
Peripneumonicis ſubuenit diapenidion magnum.de dyn. Sp.26.D
ad Peripneumonicos.7°.de cõ.me.ſe.lo.181.E/182.C/185.G/186.A/187.A/8°.193.C/9°. 5ª.203.C
ex PERIPTOSI, id eſt incidentia,ſeu caſu Empirici plurima compoſitorũ medicaminũ inuenta eſſe putãt.3°.de cõ.m.per ge. 5ª.230.G
Periptoſis Empiricorum.1°.de comp.med.per ge. 5ª.210.H
ex Periptoſi fit ſpaſmus,& tractus oculi.de ana.ocul. Sp.57.G
Περίρρεψις quid ſignificet.de ijs,quæ in medic.fiunt.cõ.3°. 7ª.214.G
PERISYTHISMVS quid. intro. Iſa.59.G
Periſcythiſmus ſpecies diuiſionis chirurgiæ.introdu. Iſa.59.E
Periſcythiſmus ſiſtit fluorem.introd. Iſa.59.G
Periſcythiſmo in quibus locis vtendum.introd. Iſa.59.F
κατὰ Περίσφαλσιν modus reficiendi articulos.de ar.com.1°. 7ª.252.H
PERISTEREON. colũbina,& verbena dr.de ſimp.med. Sp.89.C
Periſtereon vnde dicta.8°.de ſimp.med.fac. 5ª.58.C
Periſtereon herba tota vulnera glutinat, alienationes ſtringit,ad omnia venena potui datur,tertianis, & quartanis apta eſt, eius ſuccus incollirijs mittitur.de ſimp.med. Sp.89.C
Periſtereon vulnera conglutinat.8°.de ſimp. med.fac. 5ª.58.C
PERITIAM ex experientia acquiſiuit Galenus.in 6ᵐ.de morbis vulg. commen.3°. 3ª.171.C
Περίτλομα cur dictum quod ſuperfluit.1°.de ſan.tuen. 2ª.62.H
PERITONÆVM vnde dictum.6°.de anatom.adm.90.G/4°.de vſu partium. 1ª.137.G
Peritonæi nomina.4°.de vſu partium. 1ª.137.G/H
Peritonæum quomodo hic interpretatur.1°.de diff.reſp. 3ª.59.H
Περιτόναιον quod.introd. Iſa.53.C
Peritonæum, id eſt membrana abdominis interior.c.6°.a.58°.Ex.53.F
Peritonæum eſt membrana ſupra lumbos.5°.de ana.adm. 1ª.88.H
Peritonæi membrana vertex dicta.5°.de anat.adm. 1ª.88.E
Peritonæum tertia ventriculi tunica.6°.de ana.adm. 1ª.92.D
Peritonæum non habet fibras.6°.de ana.adm. 1ª.92.D
Peritonæum cur tunica dicatur.6°.de ana.adm. 1ª.91.B
Peritonæi ſectio.6°.de anat.adm. 1ª.90.G
Peritonæi ſectionis perfectio.6°.de ana.adm. 1ª.91.G
Peritonæum apparet diſſectis muſculis.6°.de ana.adm. 1ª.90.G
Peritonæi figura.5°.de anat.adm. 1ª.87.E
Peritonæum qbus partibus circũtẽdatur,& qũo.4°.de v.p.1ª.138.a
Peritonæum cuius ſubſtantiæ ſit.4°.de vſu par. 1ª.137.F
Peritonæum cõpoſitũ eſt ex duobus corporibus.6°.meth.me. 7ª.39.B
Peritonæi eſſentia eadem eſt cũ eſſentia omẽti 6°.de an.adm. 1ª.92.B
cum Peritonæo eandem naturam habet exterior veſicæ tunica. 1°.de natu.fac. 1ª.293.D
in Peritonæo oritur exterior veſicæ tunica.1°.de nat.fac. 1ª.293.D
Peritonæũ in duplo excedit interna veſicæ tunica.1°.ã na.f.5ª.293.D
Peritonæo ſimilis eſt pellicula ſuccingens.7°.de ana.adm. 1ª.94.C
Peritonæi,& ſuccingentis mẽbranæ dria.7°.de anat.ad. 1ª.94.C
Peritonæi craſſities, & tenuitas in qbus.ptib.6°.de ana.adm. 1ª.91.F
ſub Peritonæo duplici venæ.6°.de ana.adm. 1ª.91.D
circa Peritonæum partes vnde nutriantur.de vena.art.diſſ. 1ª.58.E
Peritonæo quantum arteriæ craſſiores.4°.de digno.pul. 4ª.85.G
circa Peritonæũ partes vnde neruos accipiant.16°.de v.p.1ª.216.F
Peritonæum vnde accipiat neruos.16°.de vſu par. 1ª.218.D
Peritonæi vſus.4°.de vſu partium. 1ª.137.F
Peritonæum quæ membra tegat.6°.de anat.adm. 1ª.91.B
Peritonæum tegit naturalia membra,vt membrana ſpiritualia.7°.de anatom.admin. 1ª.94.D
Peritonæum mouetur ad motum reſpiratorium organorum.1°.de differentijs reſp. 3ª.59.H
ad Peritonæũ inflãmatũ ſequitur ſpiratio difficilis.2°.de di.re. 3ª.65.H
inter Peritonæum,& inteſtina fit hydrops.1°.de nat.fac. 1ª.293.D
in Peritonæo latẽtes abſceſſus,phibet.6°.de com.me.per ge.5ª.256.D
Peritonæo vulnerato omentum excidit.6°.meth.med. 7ª.39.H
intra Peritonæum vulnus quale.4°.meth.med. 7ª.28.B
Peritonæum eſſe diſciſſum indicant omentum, & inteſtina ſi per vulnus exeant.1°.de loc.aff. 4ª.2.F
Peritonæo vulnerato aer exuffluat.an ſang.in ar. 1ª.60.E
Peritonæo vulneratis,et nõ bñ curatis qd cõtingat.4°.de v.p.1ª.137.g
in Peritonæo percuſſi caſus,qui vrinam reddere non poterat & quomodo cognoſcatur.1°.de locis affect. 4ª.3.C
intra Peritonæum vulnera cur curatu difficilia.5°.met.med. 7ª.33.C
Peritonæi muſculis nõ ſunt admouẽda adſtringẽtia.11°.me.m.7ª.73.b
Peritonæi aliquid aufertur in herniosis.14°.meth.med. 7ª.90.G
PERIVRIVM conceditur à Dijs Amantibus.4°.de decre. 1ª.252.F
PERITOMA, id eſt circũcinctorium tertia teſticulorum tunica. de natura, & ordine cuiusl.cor. Sp.42.B
ex PERMANENTIVM genere ſunt ſanitas,morbus,ſymptoma,& causæ.2°.meth.med. 7ª.10.B
Permanens eſt quædã diſpoſitio,quædã adhuc fiẽs.1°.de lo.af. 4ª.4.A
PERMEAT exquiſite acetũ,et infrigidat.1ª.de ſim.med.fac. 5ª.8.E
PERMVTATIO quid.in 1ᵐ.prorrh.commen.1°. 4ª.167.A
Permutationes qualitatum exiguæ in corporibus non facile deprehẽdi poſſunt.de diff.morb. 3ª.3.G
Permutatiões qualitatũ magnę i corpib° mãifeſte patẽt.ḋ dif.m.3ª.3.g
Permutatio fit in morbis malignis in hora caliditatis, & frigiditatis. in 1ᵐ.prorrhe.com.2°. 4ª.170.B
Permutatio in phreniſi conuulſionem ſignificat, & quid ſit permutatio.in 1ᵐ.prorrh.com.1°. 4ª.167.A
Permutatio ſitis quæ intelligenda in 1ᵐ.prorrhe.com.2°. 4ª.170.B
PERMVTARI in morbis crebro eſt malũ.in 1ᵐ.prr.c.1°. 4ª.164.H
PERNIONES rapa ſanantur.de opt.ſect. Iſa.23.H
ad Perniones viri ſemen quod in mulieris congreſſu intus non remanſit.10°.de ſimp.med.fac. 5ª.72.C
Perniones ſanat vnguium aſinorum cinis.11°.de ſimp.me.fa. 5ª.80.F
ad Perniones.1°.de comp.med.per gen.211.C/4°.241.D/5°. 5ª.246.H/de reme.par.fac. 7ª.178.A
ad Perniones vlceratos.1°.de comp.med.per gen. 5ª.211.E
PERNITIOSVM non omne prauum eſt.in 1ᵐ.prorrh.com.2°.4ª.171.D
Pernitioſã cruditatẽ ſignificat vrina admodũ tenuis.quæſ.in Sp.113.B
Pernitioſi morbi.in 1ᵐ.de morb.vulg.commen.1°. 3ª.101.G
in Pernitioſis febribus ardentibus conuulſioni contrariũ euenire ſolet. de palp.trem. 3.56.C
Pernitioſæ minus ſunt in lienoſis atræ vrinæ.quæſ.in Hipp. Sp.113.E
Pernitioſa vt plurimum eſt in acutis ægritudinibus vrina atra. quæſita in Hippocratis. Sp.113.E
PERNOCTATIONES quæ ſint.in 6ᵐ.de morbis vulgaribus, commentario 4°. 3ª.185.C
Περόνη quid.introductio. Iſa.55.A
Περόνη, id eſt fibula os minus in tibia.3°.de vſu par. 1ª.131.A
Περόνη paruum os tibiæ,& eius vtilitas.3°.de vſu par. 1ª.131.A
PEROSIS quid.fin.med. Iſa.47.H
PERPERINA quod vinum ferat.de bon.& vit.ſuc. 2ª.38.C
Perperinæ vina prouenientia media inter thereum, & cilicium.de bonitate & vitio ſuccorum. 2ª.38.C
Perperinum vinum in Aſia quale.3°.de ſan.tu. 2ª.91.B
Perperinum vinum nigrum.de bon.& vit.ſuc. 2ª.38.C
PERPETVITATEM, & robur dant teſtes.1°.de ſem. 1ª.334.B
PERPETVO apponitur interdũ.de vic.ra.in mor.ac.c.4°. 7ª.134.H
PERSARVM linguæ ſi ſit vocabulum, ab ipſis perſis res diſcenda eſt. ad Thraſybulum. 2ª.106.H
Per ſe debet diſtingui ab eo quod eſt ex accidenti.1°.de ſimp. medica. facul.2.E/2°.11.H/ 5ª.12.F
PERSEA inſola eſt Alexandria.2°.de comp.med.ſec.loc. 5ª.137.H
Perſeæ fructus in perſea lethalis.2°.de comp.med.ſec.loc. 5ª.137.H

Perſeæ adſtringit.8°.de ſimp.me.fac. 5ª.58.B
Perſea ſanguinis eruptione affectis partibus imponitur. 8°.*de ſimp. med.fac.* 5ª.58.B
PERSICA *lingua melior q̃ Aethiopica.de ſophiſ.* Iſa.7.F
*Perſicũ vinũ boni odoris,ẽ boni chymi & ſubtilis.de diſ.cõ.*S.73.H
Perſica planta,qualis.3°.de ſymp.cau. 3ª.26.E
Perſica arbor translata in Aegyptum non mutat formam,ſed acquirit bonum alimentum.2°.de ſemine. 1ª.336.F
Perſica amara in folijs.7°.de ſimp.me.fac. 5ª.56.A
Perſici folia trita,& ſuper vmbilicum impoſita lumbricos necant. 7°.*de ſimp.me.fac.* 5ª.57.A
Perſica ſunt frigida.de diſſ.cont. Sp.74.D
Perſica ſunt humida.2°.de ali.fac. 2ª.17.D
Perſicum frigidum,& humidum.6°.de ſim.me.fac. 5ª.56.A
Perſica humida ſunt,& aquoſa.1°.de ali.fac. 2ª.8.C
Perſica non poſſunt ſiccari.de bon.& vitio ſucc. 2ª.36.H
Perſica non poſſunt conſeruari.de bon.& vitio ſucc. 2ª.36.H
Perſicorũ caro praua eſt ac facile corrũpitur.2°.de ali.fa. 2ª.19.D
*Perſica in ventriculo corrũpuntur,& aceſcunt.2°.de ali.fa.*2ª.19.E
Perſica non ſunt poſt alios cibos edenda,quia corrumpuntur in ſuperficie natantia.2°.de alim.fac. 2ª.19.E
Perſica non faciunt ad ſanitatem.de atten.vic. 2ª.45.H
Perſica refrigerata exhibentur.de bon.& vitio ſucc. 2ª.39.D
ex Perſicorum genere armeniaca.2°.de ali.fac. 2ª.19.E
*Perſicis ſuauiora ſunt vulgo apparent armeniaca.2°.de al.f.*2ª.19.E
PERSICVM *piſcis qualis.de atten.vict.* 2ª.45.E
PERSIVM *eſt ex magnis arboribus.2°.de ali.fac.* 2ª.21.F
*Perſium venenum eſt in Perſia,non in Aegypto.2°.de ali.fa.*2ª.21.F
Perſium in Alexandria vidit Galenus.2°.de ali.fac. 2ª.21.F
Perſia habent magnitudinem piri,& mali,& eodem modo manduntur.2°.de ali.fac. 2ª.21.F
Perſicorum oſſium nucleus.5°.de comp.med.ſec.loc. 5ª.163.F
*Perſicorũ oſſiũ ſiue macherarũ nuclei.5°.de cõp.me.ſe.lo.*5ª.163.F
de PERSPICVIS *contentio poteſt iudicari.de ſect.* Iſa.17.C
Perſpicuorum intellectui qũo iudicium habeatur.de opt.ſec. Iſ.19.H
qbus Perſpicuæ vrinæ albæ, improbæ,præcipuæ in phreniticis apparentes.de vrin.ſign.ex Hipp. Sp.78.G
PERSPIRABILE *quomodo ſit corpus de vſu pulſ.* 1ª.228.H
PERSPIRATIO. *ſin.med.Iſa.44.H/8°.de decr.Hippocr.*1ª.278.C/*de ſal.diæta.40.B/1°.de ſan.tu.* 2ª.68.H
Perſpiratio,& difflatio idem ſunt,& ſemper ſunt in hominibus.i 6ᵐ. *de mor.vul.com.4°.* 3ª.186.H
Perſpiratio,perflatus,ſenſum latens,& tranſpiratio idem.1°.de ſanitate tuend. 2ª.67.H
Perſpirationes ignotas hẽre corpus neceſſe eſt.in tim.Pla. 1ª.287.B
Perſpiratio inſenſibilis fit quotidiæ.2°.de ſymp.cau. 3ª.22.G
Perſpiratio inſenſibilis quando ſit viſibilis.3°.met.me. 7ª.17.H
de Perſpiratione egit plato,non de reſpiratione.8°.de dec. 1ª.278.a
Perſpiratio,quando ſit per totum corpus quomodo fiat per circũpulſionem.in tim.Plat. 1ª.89.G
Perſpiratione,& difflatione indigent humores ſeroſi. de fracturis cõmentario,1°. 7ª.229.G
a Perſpiratione impedita indicationes duæ.11°.me.me. 7ª.70.D
pp PERSPIRATVM *oſſa in quibus facta ſint.11°.de vſu pa.*1ª.191.C
PERSTREPERE *quid ſignificet.in 6ᵐ.de mor.vul.c.3°.* 3ª.175.G
PERSVASIO *quid ſit.9°.de dec.Hipp.* 1ª.279.E
Perſuaſio etiam in brutis.9°.de dec.Hip. 1ª.272.E
*Perſuaſio ſcietificata diſtincta eſt a demõſtratiõe.de vti.reſ.*1ª.225.a
PERSVLTATIO *.i.diapedeſis quid.4°.de com.me.ſec.loc.* 5ª.158.F
PERTVRBATIO *quid ſit.4°.de decre.Hipp.*1ª.249.B/G/*de cog.cur. animi mor.*2ª.50.C/*in progn.com.1°.* 4ª.145.H
Perturbatio.4°.de dec.Hip. 1ª.252.C
Perturbatio,& peccatum quo modo differant.de cuiuſque ani.pecc. not.atque medel. 5ª.57.H
Perturbatio animi quid.5°.de dec.Hipp. 1ª.254.D
Perturbationes animi quæ.de cog.cur.animi morb. 2ª.50.H
Perturbationes qui incurrant.4°.de decr.Hip. 1ª.251.D
*Perturbationũ motus cauſa ſecundũ Stoicos.4°.de de.Hip.*1ª.250.G
in Perturbationibus animæ motus.2°.de ſimp.cau. 3ª.23.D
*Perturbationem facit facultas irrationælis.4°.de decr.Hi.*1ª.251.B
Perturbatio fit ob expertem rationis appetitum.de cogn.curan.animi morbis. 2ª.50.G
in Perturbationib⁹ ſtultorũ animus qualis.5°.de dec.Hi. 1ª.254.E
Perturbationem non habent ſapientes.5°.de dec.Hip. 1ª.254.D
ad Perturbationem motus maximam vim habent tempus,& conſuetudo.4°.de dec.Hip. 1ª.253.H
Perturbationis proprium quid.4°.de decr.Hip. 1ª.250.E
Perturbatio animi pulſum mutat.in progn.com.1°. 4ª.192.B
Perturbationem cur aliqui difficulter euitent.5°.de decr. 5ª.257.C
Perturbationes temporis diuturnitate ſedantur.4°.de de. 2ª.253.D
Perturbatio mentis vitãda in capitis dolore ob ardorem. 2°.*de com. med.ſec.loc.* 5ª.132.C
*Perturbatio ex multis fit edulijs.de victꝰ.rat.in mor.acu.c.*1°.7ª.111.G
Perturbatio eſt bona quando natura properat ad excretionẽ.de vic. rat.in mor.acu.com.2°. 7ª.123.E
Perturbatio eſt mala quando non nihil excernit. de victus ratione in morbis acut.com.2°. 7ª.123.E
quibus PERTVRBATAE *vrinæ veluti iumentorum ijs cephalalgiæ aut adſunt, aut aderunt.de vrin.ſign.Hipp.* Sp.78.G
quibus PERTVRBETVR *& moueatur vehementer corpus. de puero epilep.* 7ª.175.E
PERVERSIONES *partium cur,& quomodo fiant.commenta.*4°.*apho riſmo.49°.* Ex.33.B
Peruerſio oculorum malum ſignum.in 1ᵐ.*pror.com.2°.* 4ª.175.E
Peruerſio palpebræ vnde.in progn.com.1°. 4ª.193.C
Peruerſiones vteri vnde.6°.de loc.aff. 4ª.41.E
PERVSTIS *quæ vina non conueniant.de bon.& vitio ſuc.* 2ª.38.E
PES cruris pars.de inæq.intemp. 3ª.43.D
Pes a coxa ad vltimas pedum partes.3°.de ana.adm. 1ª.73.A
Pes pars parua,& abiecta in animali.3°.de vſu pa. 1ª.133.E
Pes magna pars animalis.1°.de vſu par. 1ª.114.G
*Pes nõ ẽ deterius cõſtructus cerebro,vel oculo.3°.de vſ.p.*1ª.133.G
*Pes i crure talis,qualis in manu extrema manus.3°.de an.ad.*1ª.73.a
Pes inter ſecunda inſtrumenta ponitur.de diff.mor. 3ª.3.B
Pedes ſunt partes ad commode viuendum.ſin.med. Iſ.45.E
*Pes factus eſt propter actionẽ totius animalis.1°.de vſ.p.*1ª.114.G
Pes eſt organum ambulandi.2°.de vſu par.124.A/12°. 1ª.194.A
Pes inſtrumentum firmationis.3°.de vſu par. 1ª.129.B
Pes omnis baſis eſt,& fundamentum.3°.de vſu par. 1ª.129.F
Pedes ſtabilitatis gratia ſunt facti.3°.de vſu par. 1ª.129.B
*Pedum oſſa ſunt ad ſuſtentamẽtũ ſenſus,& motus.de an.vi.*Sp.55.C
Pes terræ fixus facit ne cadamus.3°.de vſu par. 1ª.129.B
*Pedes q̃ ſint vt non cadamus duo exempla.3°.de vſu par.*1ª.129.B
*Pedes ſunt duo pp æqualẽ vtilitatem actionis.6°.de vſu p.*1ª.149.A
Pedes quatuor habent omnia animalia ſanguinea hominiſimilia.3°. de vſu partium. 1ª.128.C
*Pedibus quatuor aĩalia ambulare qũo eſt tutius.3°.de vſ.p.*1ª.128.C
*Pedibus animalia quæ vtuntur pro manibus.11°.de vſu p.*1ª.185.A
Pedibus anterioribus pro manu ad quid vtũtur carniuora animalia. 3°.de vſu par. 1ª.128.B
Pedes cur tot in Iulo & ſcolopendra.3°.de vſu par. 1ª.128.C
Pedis ſimiæ,& humani differentia.2°.de ana.adm. 1ª.72.A
Pes ſimiæ cur multũ differt ab humano.3°.de vſu par. 1ª.130.H
*Pedes rotũdos,et duros cur nõ habuit hõ vt equus.3°.d vſ.p.*1ª.128.b
*Pes equi ad leuitatem,& prõptitudinẽ aptus.3°.de vſu p.*1ª.129.E
*Pes hominũ cur multifidus,et in medio cauus.3°.de vſu p.*1ª.129.E
Pedes cur caui.3°.de vſu par. 1ª.129.D
Pedis cauitas propter tria.3°.de vſu par. 1ª.130.H
Pedis concauum quod.introd. Iſa.53.E
Pes humanus imitatur manum.3°.de vſu par. 1ª.129.E
Pedes luporum,leonum,& canum cur medij ſunt inter pedes hominum,& equorum.3°.de vſu par. 1°.129.E
Pes quodammodo apprehenſorius eſt.3°.de vſu par. 1ª.129.E
*ad Pedẽ tibiã hẽre ſymmetriã qũo probatur.3°.de vſu p.*1ª.134.D
Pedum interna pars cur altiora.3°.de vſu par. 1ª.129.H
Pedum externa pars cur humiliora.3°.de vſu par. 1ª.129.H
*Pedum internis partibus pilorũ priuatio.17°.de vſu par.*1ª.222.B
Pedum inferna pars cur glabra.2°.de tem. 1ª.19.E
*Pedis partem depilem tres muſculi conſtituũt.3°.de vſu p.*1ª.132.G
Pedis pars cruri ſubiecta non habet nomen,ſed cõponitur ex tribus oſſibus.3°.de vſu par. 1ª.129.G
Pedis oſſa quot.de oſſ. 1ª.43.F
Pedis digitorum oſſa ſunt quatuordecim.de frac.com.2°. 7ª.223.B
Pedis oſſa quæ.de oſſibus. 1ª.43.F

Pes quibus ossibus non participet cũ manu. 3°. de vsu par. 1ª. 129. G
ad Pedes mouẽdũ principalissimũ os. astragalus. 3°. de vs. p. 1ª. 130. g
in Pede quomodo astragalus. 3°. de vsu par. 1ª. 130. B
Pedis planum πεδίον. 3°. de vsu par. 1ª. 129. C
Pedis planum an cõueniãt metacarpo manus. 3°. de vsu p. 1ª. 130. D
in Pede quid sit Tharsus. 1°. de comp. me. per ge. 5ª. 216. D
Pedis pars ante planum ταρσὸς dicitur. 3°. de vsu par. 1ª. 129. C
Pedis prima pars tarsus. de oss. 1ª. 43. G
in Pede ταρσὸς similis carpo in manu. 3°. de vsu par. 1ª. 129. F
Pedis tarsus an conueniat carpo. 3°. de vsu par. 1ª. 130. D
Pedis pecten quod. introd. Isa. 53. E
Pedis pectus quid sit. de arti. com. 3°. 7ª. 278. G
in Pede talum ponit. de fract. com. 2°. 7ª. 223. C
Pedis summum quid. de ar. com. 3°. 7ª. 281. H
Pedum sectio. 2°. de ana. adm. 1ª. 71. F
Pedum cutis qualis. 3°. de vsu par. 1ª. 133. B
Pedis cutis est mollis, & dura moderate. 3°. de vsu par. 1ª. 133. H
Pedis cutis adharet exacte omnib⁹ particulis. 3°. de vsu par. 133. H
Pedum plantæ cutis est iuncta musculis. 11°. de vsu par. 1ª. 190. C
Pedũ cutis inferna nõ potest excoriari, & cur. 2°. de vsu p. 1ª. 122. E
Pedum sectio quomodo fieri debeat pro videndis venis, neruis, et arterijs. 3°. de ana. adm. 73. H/ 1ª. 74. A
Pedum, & crurum neruorum forma differt a forma neruorum brachiorum, & manuum. de ana. viuo. Sp. 54. D
ad Pedes cur non mittãtur nerui a cerebro. 16°. de vsu p. 1ª. 215. E
Pes sentit, sed non vt manus. 3°. de vsu par. 1ª. 133. H
Pedes quomodo differant a sensibus. 16°. de vsu par. 1ª. 215. D
Pedes fissos in digitos animalia habentia cur habent collum breuius. 11°. de vsu partium. 1ª. 187. D
de Pedium digitis. 3°. de vsu par. 1ª. 130. C
in Pedibus cur digiti. 3°. de vsu par. 1ª. 129. H
in Pedibus cur digiti minores quã in manu. 3°. de vsu par. 1ª. 129. b
Pedum digiti sunt in minori vsu, q̃ manuũ. 3°. de vsu par. 1ª. 131. H
Pedum digiti quot habent ossa. intro. Isa. 55. A
Pedum digiti ex quot ossibus constant. de oss. 1ª. 43. G
in Pede hoĩes habent maiorẽ digitũ grandẽ. 6°. de ana. adm. 1ª. 89. E
Pedis magnus digitus cur maior pollice. 3°. de vsu par. 1ª. 130. C
Pedis magnus digitus cur ex duabus constet phalangibus. 3°. de vsu par. 1ª. 130. C
Pedum digiti simiæ cur deducti. 15°. de vsu par. 1ª. 213. D
in Pedibus cur variæ dearticulationes. 3°. de vsu par. 1ª. 129. C
in Pedibus vngues eadem vt in manibus. 3°. de vsu par. 1ª. 134. A
de Pedum vnguium manuumq; generatione. 3°. de ana. adm. 1ª. 73. A
ad Pedes venæ quatuor descendunt. de ven. art. diss. 1ª. 58. G
Pedis inferior regio qua vena alatur. 3°. de anat. adm. 1ª. 77. F
ĩ Pede ad mittẽdũ sanguinẽ vena cõmodissima. de vẽ. ar. di. 1ª. 58. E
ex Pedis venis q̃ phlebotomãt vna ẽ ischiadica dicta. d an. ui. Sp. 55. b
Pedũ venæ in q̃bus affectibus sint secãdæ. præfag. ex conf. Sp. 78. D
Pedum venarum sectio confert ægritudinibus, quæ sunt ex materie bus ad caput declinãtib⁹, et ægritudinib. matricis. d an. ui. Sp. 55. a
ĩ Pede sectio venæ q̃n vterus ẽ male affectus. de trem et p. 3ª. 53. A
Pedum. venarum sectio quomodo fieri debet. de ana. viu. Sp. 54. H
Pedis venæ sectio magis debilitat q̃ vene brachij. de ana. vi. Sp. 54. b
Pedis arteria quo modo ramificetur, & eat. 3°. de ana. adm. 1ª. 73. C
in Pede pulsus vnde sit. 3°. de ana. adm. 1ª. 79. D
Pedũ fm plãtas arteriæ illustrẽ habẽt motũ. de pul. ad tyr. 4ª. 43. C
per Pedũ tarsos arteriæ pulsant. de ven. art. diss. 1ª. 59. D
Pedes, & manus mouentĩ, & non mouent. de mo. mã. & obs. Sp. 66. g
Pedis motus præter digitos quatuor. 3°. de vsu par. 1ª. 132. D
Pedis motus quibus fiant. 3°. de vsu par. 1ª. 132. D
Pedum motus quo modo fiat. de mot. man. & obs. Sp. 66. D
Pedum actiones sunt voluntariæ per intentionem primam. de mo. manif. & obscuris. Sp. 66. A
Pedum actiones manifestæ sunt. 1°. de vsu par. 1ª. 114. G
Pedis motus actio musculi. de const. art. Isa. 36. B
Pes scalas ascendens quo modo se habeat. 3°. de vsu par. 1ª. 129. D
Pedes sani non æque currunt. 1°. de san. tu. 2ª. 63. E
Pedibus parũ valemus, si cũ ipbiclo cõferamur. 1°. de sa. tu. 2ª. 63. H
Pedum plantas leuigatas habentes deterius eũt. de diff. mor. 3ª. 4. A
Pes nõ dẽt moueri ad actiones. de vic. rõne in mor. ac. c. 2°. 7ª. 124. C
Pedis digitus q̃o mouetur per vim trãsmissam. an san. ĩ ar. 1ª. 62. H
Pes quibus extendatur, & flectatur. 3°. de vsu par. 1ª. 130. E
Pedum musculi sunt diuersi natura & numero ab illis manuũ. de musculorum dissectione. 1ª. 52. F
Pedũ & manuũ musculi sunt neruosiores. 4°. d̃ p̃sa. ex pul. 4ª. 121. D
in Pede genera quatuor musculorum, & quæ. de musc. diss. 52. G/2°. de ana. administ. 1ª. 72. D
Pedis tres digitos maiores musculus mouẽs. 2°. de ana. adm. 1ª. 71. F
Pedum digiti habent quatuor motus. 3°. de vsu par. 1ª. 131. G/H
Pedum digiti quibus tendonibus moueantur. 3°. de vsu pa. 1ª. 131. G
Pedis vestigium qui musculus solidum faciat, tensum, durum pilis nudum facile sentiens. de musc. diss. 1ª. 52. A
Pedũ digitorũ mediũ arliculũ musculi mouẽtes. 2°. de ana. ad. 1ª. 72. d
Pedẽ retrorsũ simulq; extrorsũ abducẽs musculus. de mus. dis. 1ª. 52. B
Pedum digitos flectentes musculi. 3°. de vsu par. 1ª. 132. A
Pedis paruũ digitũ, & indicẽ flectens musculus. de mus. diss. 1ª. 52. C
Pedis magnum digitum flectens musculus. de musc. dis. 1ª. 52. D
in Pede digitos qui musculi agũt obliquo motu. de mus. dis. 1ª. 52. G
Pedem totum sursum tendens musculus. de musc. dis. 1ª. 52. D
Pedis totius dearticulationẽ flectẽs musculus. de mus. dis. 1ª. 51. H
Pes totus, tũ digiti a q̃bus musculis moueãtur. 1°. de mus. dis. 1ª. 51. H
Pedẽ totũ simul cũ osse retrorsũ abducẽs musculus. d mus. dis. 1ª. 52. d
Pedum digitorum tendones sunt multo minores, quam manuum. 3°. d vsu partium. 1ª. 131. H
ad Pedis omnes particulas tendonis germen in calcaneo dissemina-tum est. 3°. de vsu par. 1ª. 133. H
ĩ Pede humano tendo nõ existẽs, sed bñ ĩ simia. 2°. de an. ad. 1ª. 72. A
ĩ Pede quæ inuenerit Galenus in Anatomia. 1°. de ana. adm. 1ª. 64. H
circa Pedem errores antiquorum. 3°. de anat. adm. 1ª. 73. E
Pedes cum præcedunt in partu timendum est ne brachia frangantur. de anatomia viuorum. Sp. 52. D
Pes vnus q̃n p̃cedit in partu timendum est de alio. de ana. vi. Sp. 52. D
Pedes debent esse natura imbecilliores his, qui debent podagram pati. com. 6°. aphoris. 28°. Ex. 49. A
de PEDE, & quæ in eo contingant. de artic. com. 4°. 7ª. 262. E
Pedis summæ partis morbi. intro. Isa. 59. D
ad Pedis plantæ vitia. 6°. de comp. me. per ge. 5ª. 256. D
Pedes cũ sunt calidi cibus dãdus. de vic. rat. in mor. ac. c. 4°. 7ª. 139. F
Pedis callum mire curat emplastrum diachrysu. de dyna. Sp. 32. C
ad Pedum excrescentias callosas. 3°. de comp. me. per g. 5ª. 235. C
ad Pedum, & manuum clauos. 2°. de comp. me. per ge. 5ª. 225. E
Pedũ distẽtiões ĩ muliere, q̃ morbis vteralib⁹ vexabat. 2°. d s. 1ª. 336. c
Pedes dolent concepto in bilis horis. de spermate. Sp. 37. C
Pedis dolor. in 1ᵐ. de mor. vulg. com. 3°. 3ª. 124. G
Pedum dolores incidunt multum equitantes. de aer. aq. & lo. 2ª. 6. A
Pedum, & articulorum dolores cur quibusdam per circuitus exacerbantur. 2°. de diff. feb. 3ª. 41. H
ad Pedũ dolorẽ antidotus Amarãthi grãmatici. 2°. de ant. 5ª. 120. g
ad Pedũ dolorẽ antidotus, qua Galenus vtebat. 2°. de ant. 5ª. 120. H
ad Pedum dolorem ex offensione, aut casu aliquo violento. de medi. facile parandis. 7ª. 174. A
ad Pedum dolorem. de reme. par. fac. 7ª. 160. C
ad Pedes si sit fluxio sanguis mittendus est ex cubiti venis, vel vomitus prouocandus. in 6ᵐ. de mor. vul. com. 1°. 3ª. 162. C
ad Pedũ fluxiones vtilis est Plũbi succus. 9°. de sim. me. f. 5ª. 70. F
Pedes cur frigescant in febribus. de victus ratione in morbis acutis, commentario. 4°. 7ª. 139. F
Pedum frigiditas significat febrem accessuram. de vic. rat. in morb. commenta. 4°. 7ª. 139. F
Pedum frigiditas significat febrem accessuram. de vic. rati. in morb. acu. commentario 4°. 7ª. 139. E
Pedes sunt frigidi que sequuntur. de vict. rat. in morbis acutis, commentario. 4°. 7ª. 139. F
Pedes sanguine derelinquuntur. com. 7°. aph. 26°. Ex. 55. G
Pedes mortui e frigore. 2°. de loc. aff. 4ª. 8. E
Pedes frigidi q̃nque malum, & quandoque nõ. cõ. 7°. ap. 1°. Ex. 54. A
ad Pedee incrassatos. 7°. de simp. me. fac. 5ª. 273. G
Pedum intertrimenta. de med. fac. par. 176. B/ 7ª. 178. A
Pedes nigri minus pestiferi quã liuidi. in prognost. com. 2°. 4ª. 198. G
Pes solus in crure quandoq; resoluitur. 3°. de loc. aff. 4ª. 20. H
ad Pedum fissuras. de med. fac. par. 7ª. 178. A
Pedes incedentis super apicem pinnaculi, aut montis excelsi tremũt. de mot. man. & obsc. Sp. 69. D
Pedum tremores ex defectu quo modo fiant. cõ. 7°. aph. 9°. Ex. 54. E

Pedes intumescunt in omni aqua inter cutẽ.in progn.cõ.2°. 4ª.197.G
Pedes cur primi intumescant in aqua inter cutẽ.in pg.c.2°.4ª.198.B
Pedes purulentorum cur tumidi.in progn.com.2°. 4ª.204.E
ad Pedes læsos a vento.de med.fac.par. 7ª.176.B
in Pedum digitis vlcera quo modo fiant.1°.de cõ.me.sec.l.5ª.123.a
pp Pedis, & manus vlcus cur intumescunt glandulæ inguinum, & alarum.13°.met.me. 7ª.81.A
Pedis digitorum vlcera sanat vrina humana.1°.de sim.m.f.5ª.75.E
ad Pedum digitorum vlcera.1°.de comp.me.sec.loc. 3ª.123.A
in Pede vulnerati aqua abstineant.3°.de com.me.per g. 5ª.251.A
e Pede furculus medicamento euulsus.1°.de nat.fa. 1ª.295.A
a Pede ascendente fumo crasso fit qñq; epilepsia.de vti.resp.Sp.63.E
Pedis digiti affectionẽ qũo sentiat cerebrum.in prog.c.1°.4ª.194.F
Pes indiget cerebro.3°.de vsu par. 1ª.133.G
in Pedes summos sæua pestis grassata.3°.de vsu par. 1ª.129.B
ob Pedis digitum mortui secanda die casus.2°.de diff.resp.Sp.68.B
ad Pedes humores ferri prohibentia medicamenta, faciunt ipsos ire ad pulmonem,& suffocant.de ther.ad Pis. 5ª.96.C
cur in Pedibus,& manibus vtimur repercutientibus, non autem in coxa.10°.de comp.me.sec.loc. 5ª.207.A
Pedes fouendi pro capite.de dyna. Sp.23.C
Pedes quo modo fouendi.de med.fac.par. 7ª.176.B
Pedes in aquam frigidam pro capitis dolore.de dyn. Sp.23.C
Pedum lotio pro somno inducendo.de dyna. Sp.23.D
Pedes,& brachia acerrimo aceto vsque ad excitatas bullas madescunt pro stomacho.8°.de comp.me.sec.lo. 5ª.192.D
Pedes vnguñ in dolore capitis ex stomacho.2°.de cõ.m.s.l.5ª.135.f
Pedibus, & manibus quando sunt hirudines admouendæ qd agendum.de cucur.scar. 6ª.4.C
ĩ Pede ossa a sua sede dimota restitui ĩ eũ debẽt.de fr.c.2°.7ª.233.f
Pes maiorem diligentiã exegit,q̃ manus.de fract.com.2°.7ª.223.A
Pedis,& manus comparatio.de frac.com.2°. 7ª.223.A
in Pede curatio.de fract.com.2°. 7ª.233.G
Pes quomodo debet manere in Thoro.de fract.com.2°. 7ª.236.D
Pedis os luxatum quo1 diebus sanetur.de frac.com.2°. 7ª.233.H
Pes quomodo debet esse altior crure.de fract.com.2°. 7ª.238.E
in Pedibus non admodum franguntur ossa.de fract.c.2°. 7ª.223C
Pes quandoque aufertur.de diff.mor. 3ª.4.G
PEDES *cibo inepti.3°.de ali.fac. 2ª.29.F*
Pedes quo modo edantur.3°.de ali.fac. 2ª.26.E
Pedum variæ condituræ.3°.de alim.fac. 2ª.26.E
Pedes quadrupedũ sunt cibi supfluitates nõ hñtes.de dis.cõ.Sp.73.E
Pedes,maxime pedes vaccæ non velociter corrumpuntur in stomacho.de dis.cont. Sp.75.A
Pedes ponit pro bono nutrimento quibus stomachus ob bilem aram inflatur.8°.de com.me.sec.loc. 5ª.192.C
Pedes cur parum nutriunt.de diff.cont. Sp.73.F
Pedibus suillis licet vesci in victu attenuante.de atten.vict.2ª.45.D
Pedes suũ,& crura cõcedit in siccis qui sanantur.7°.me.me.7ª.45.H
Pedes suum dandi pro cibo in tertiana.1°.de ar.cura.ad Gla.7ª.97.C
PES *Romanus.1°.de antid. 7ª.106.A*
PESSARIVM *cinnamomi purgat matricem.de cathar. Sp.95.C*
Pessarium pro vteri suffocatione.de pass.mul. Sp.95.C
PESSIMA *optima sunt contraria.com.3°.aph.18°. Ex.23.H*
in Pessimis,optimis,bonis,multis,& valde talibus Hippocratis loquendi modi.1°.de crisi. 4ª.131.E
Pessimæ sunt aqua consimiliter se habentes omnibus horis in calidita te,& frigiditate.de bon.aquæ. Sp.75.H
Pessima est vrina atra in viro & muliere.de vrin.sign.ex Hipp.78. G/quæs.in Hippocr. Sp.113.E
Pessima est in infantibus vrina aquosa.de vrin.sign.ex Hippo.78.G/ quæs.in Hippoc. Sp.113.E
PESSI *ad vuluam dupliciter agunt.5°.de sim.me.fa. 5ª.37.E*
Pessi adhibiti citant menses,colores non decolores faciunt.comment. 5°.aphorismo.36°. Ex.40.G
Pessis pro diutinis,& recentibus vteri inflammationibus.7°.de cõ. med.per genera. 5ª.268.H
Pessus emolliens.1°.de comp.me.per ge. 5ª.215.G
Pessi ex medulla vitulina,& ceruina vterum mollientes.11°.de sim. medic.facult. 5ª.79.E
Pessi per sanguifluas venas.in 6m.de morb.vul.com.1°. 3ª.160.H
Pessum qui mitigat,& inflammationem discutit intelligunt quidam nomine balani.in 1m.de mor.vul.com.3°. 3ª.122.D
PESTIFERI *morbi sunt rari.de vict.ra.in mor.ac.c.1°. 7ª.109.F*
ad Pestiferam luem,quæ spiratu grauis est,valet theriaca. de theri. ad Pison. 4ª.91.G
a Pestiferis,ac putridis febribus interierunt quidam, qui coacti fame prauos cibos comederunt.1°.de diff.feb. 3ª.31.G
in PESTILENTI *tempore solet esse temperamentum calidum & humidum.1°.de temp. 1ª.11.H*
in Pestilenti aeris statu calor extrinsecus sanguinem opprimit.2°.de differentijs febrium. 3ª.40.B
Pestilens aer febrem facit.de diff.feb. 3ª.31.B
PESTILENS *febris quæ.fin.med. Isa.46.D*
Pestilẽtes febres nõ sunt calore vehemẽtes.9°.de sim.me.f. 5ª.66.H
Pestilens febris nõ hẽt calorẽ extra.in 6m.de mor.vul.cõ.1°.3ª.159.f
Pestilentis febris calor differt ab aliarum calore per excellẽtiã putredinis.in 6m.de mor.vul.com.1°. 3ª.159.F
Pestilẽs febris putridũ calorem hẽt.in 6m.de mor.vul.c.1°.3ª.159.d
Pestilentis febris fit mentio.in 6m.de mor.vul.com.1°. 3ª.160.A
Pestilentis febris symptoma proprium est syntaxis. in 3m. de morb. vul.commen.3°. 3ª.145.D
Pestilentes nõ pauci ab initio hecticæ.3°.de præsag.ex pul.4ª.116.b
Pestilenti morbo qui tenentur quibus inditijs cognoscantur.3°.de p̃sag.ex pul. 4ª.116.G
Pestilentium vrinæ quales.3°.de præsag.ex pul. 4ª.116.G
in Pestilenti morbo deiectiones nigræ visæ sunt tam in seruandis,quã in his,qui mori debebant.com.4°.aph.21°. Ex.29.D
in Pestilenti quoddam morbo hic erat oreo excrementorũ,prius exi bant flaua,et ruffa colliquamenta,deinde nigra, vt sanguinis fex. commenta.4°.aph.21°. Ex.29.E
in Pestilenti morbo strãguria bonũ.in 1m.de mor.vul.c.2°.3ª.111.E
in Pestilenti morbo cum virium precessit imbecillitas cur vena non secanda.de bon.& vitio succo. 2ª.33.H
PESTILENTIA *quid.fin.med. Isa.45.H*
Pestilẽtia cõtagiosa est vt scabies,& lippitudo.1°.de dif.fe.3ª.31.b
Pestilentiæ causa.1°.de diff.feb. 3ª.32.B
in Pestilentia aer corruptus est.de vsu ther.ad Pamph. 5ª.98.D
in Pestilẽtia oẽs ab eadẽ causa nõ æque patiunt.1°.de dif.fe.3ª.32.f
Pestilẽtia ex humoribus.de bon.& vitio suc. 2ª.33.H
in Pestilentia ex inopia cur morbi,& symptomata diuersa. de bon. & vitio succorum. 2ª.33.H
Pestilentiam patientium color qualis.3°.de præsag.ex pul.4ª.116.G
in Pestilentia quæ seruanda.1°.de diff.feb. 3ª.32.F
cũ Pestilentibus non conuersandum.1°.de diff.feb. 3ª.31.B
in Pestilẽtia humida corpora exiccanda sunt.1°.de diff.feb.3ª.32.E
in Pestilentia sicca corpora ita seruanda.1°.de diff.feb. 3ª.32.E
in Pestilentia purgandi sunt pleni.1°.de diff.feb. 3ª.32.E
in Pestilentia obstructione aperiendæ.1°.de diff.feb. 3ª.32.E
a Pestilentia liberat crurum scarificatio.de cucur.scar. 6ª.4.B
Pestilentiam minuit secta vena ad duas libras.præs.ex conf. Sp.78.C
in Pestilentia vena secta ægre ad cicatricem perducitur. de bonitate & vitio succorum. 2ª.33.H
in Pestilentia sanguis qualis.de bon.& vitio suc. 2ª.33.H
a Pestilentia liberat theriaca.de vsu ther.ad Pamp. 5ª.98.D
Pestilẽtiæ a Thucidide relata symptomata.q̃ animi mor. 1ª.319.A
Pestilentia apud Athenienses a Thucydide descripta.1°.de dif.febr. 3ª.32.B/2°.de diff.resp.65.F/in 6m.de mor.vul.com.4°.3ª.183. C/de arti.commen.4°. 7ª.288.D
in Pestilẽtia a Thucydide descripta qualis febris.in 6m.de mor.vul. commenta.1°. 3ª159.D
Pestilentia vehemens in Asia quando.de cucur.scar. 6ª.4.B
Pestilentiæ maximæ quæ in Asia fuit mẽtio fit.præs.ex.cõs.Sp.78.C
Pestilentia grauis tempore Galeni.5°.met.me. 7ª.34.F
in Pestilentia maxima quæ fuit tempore Galeni pulsus quales fuerint.3°.de præsag.ex pul. 4ª.115.D
Pestilentia fuit tempore Galeni, in qua ethici ad tabem non tendebant.1°.de diff.feb. 3ª.35.E
Pestilentia magna adhuc vigebat quando Galenus librum de præsagitione ex pulsibus fecit.3°.de præs.ex pul. 4ª.116.H
Pestilentia erat quo tempore Galenus librum de simplicium medicamentorum facultate scribebat.9°.de simp.me.fac. 5ª.66.G/H
Pestilentia in Italia.de vsu theria.ad Pamph. 5ª.98.D
in Pestilẽtia quidã vomuere,quidam habuere alui profluuia. 5°.me

thodi medendi. 7ª.35.B
Pestilentia fortissimi sepelites fuere.i 3ᵐ.*de mor.vu.c.* 3°.3ª.145.E
a Pestilentia qvlceribus scatebant sanantur. 5°.*met.me.* 7ª.34.F
in Pestilentia pustulæ nigræ per totum corpus,& sanabantur. 5°.*me thodi medend.* 7ª.35.B
in Pestilentia carbunculi citra pustulas,quibus cutis statim excoria ta est. 14°.*met.me.* 7ª.90.A
PESTIS *qui morbus.in* 3ᵐ.*de mor.vul.cō.* 3°.3ª.142.B/ *de vitt. rat. in mor.acu.com.* 1°. 7°.109.A
Pestis morbus communis.in 1ᵐ.*de mor.vulg.commen.* 1°.101.E/*in* 3ᵐ.*comacen.* 3°. 3ª.140.G
Pestis morbus exitialis.in 1ᵐ.*de mor.vul.com.* 1°. 3ª.101.E
Pestis refertur ad Deos.in 1ᵐ.*de mor.vul.com.* 1°. 3ª.101.E
in Peste aer corruptus est.de theria.ad Piso. 5ª.96.G
Pestis quando nulla.in 1ᵐ.*de mor.vul.com.* 1°. 3ª.103.B
Pestis longissima tempore Galeni.in 3ᵐ.*de mor.vul.com.* 3°.147.H/*in* 6ᵐ.*comm.* 1°. 3ª.159.F
Pestes sequantur ad expurgationem nimiorum humorum, in 1ᵐ.*de mor.vulg.commen.* 2°. 3ª.111.A
Pestis tanquā bestia ciuitates depascitur.de theria.ad Pis. 5ª.96.G
Pestē quo modo curauerit Hippocrates.de theria.ad Piso. 5ª.96.G
cūtra Pestem mira est terra armenica. 9°.*de sim.me.fac.* 5ª.66.H
a Peste præseruat hyacinthus.de iuuant.adiut.& fusp. 7°.182.A
Pesti optimum remedium est Theriaca.de ther.ad Pis. 5ª.96.H
a Peste liberat theria.de vsu ther.ad Pamph. 5ª.98.D
*Pestis quæ sanabatur ex vino potu in Syria.*10°.*de sim.m.f.*5ª.75.D
in Peste per excrementa alui multi periere.in 3ᵐ.*de mor. vulgar.ib. commenta.* 3°. 3ª.145.D
Pestis sæua in summos pedes grassata. 3°.*de vsu par.* 1ª.129.B
*Pestis similis pesti a Thucidide descripta.*9°.*de sim.me.fa.* 5ª.66.H
*Pestis quæ fuit tempore quo Galenus scribebat methodum medendi. ethicas inducebat.*10°.*met.me.* 7ª.67.F
in Peste quæ fuit tempore Galeni quæ excrementa fiebant.in 3ᵐ.*de mor.vulg.commen.*3°. 3ª.147.H
PETALOIDES *sint veluti squammæ.de vrin.* 4ª.124.E
Petaloides hypostasis quid significet.de vrin. 4ª.124.E
PETASITES *in tertio ordine desiccat.*8°.*de sim.me.fac.* 5ª.57.C
*Petasites ad cacoethe,& phagedænica vlcera adhibetur.*8°.*de sim. me.fac.* 5ª.58.A/C
PETECCHIE *quomodo apud Hippocratem & Galenum sint vocatæ. in* 1ᵐ.*de mor.vul.com.*3°. 3ª.121.G
PETIA *est morbus coniunctiuæ oculi tunicæ.de ocul.* 7ª.186.F
*ad Petiam oculi quæ conueniant.de ocul.*190.G/ 7ª.191.A
PETRA *lapidum durissima est ex qua calx.*9°.*de sim.me.f.* 5ª.67.B
*Petræ asiæ flos qualis.*9°.*de simp.me.fa.* 5ª.67.H
*Petræ asiæ flos emeritius est.*9°.*de sim.me.fac.* 5ª.68.H
*Petra asia subtilium partium.*3°.*de comp.me.per g.* 5ª.228.E
Petræ asiæ flos calidus,& subtilissimus omnium terrestrium. 3°.*de com.me.per gene.* 5ª.228.E
Petræ asiæ flos septicum medicamentum. 5°.*de sim.me.fac.* 5ª.36.C
*Petræ asiæ flos sicrat vt sal,& non habet vim adstringendi.*2°.*de cō posi.med.per gen.* 5ª.222.A
*Petræ asiæ flos carnes molles,et fluidas eliquat.*9°.*de si.m.f.*5ª.67.b
*Petræ Asiæ flos.*6°.*de comp.me.sec.loc.* 5ª.168.F
Petræ de terde Cretiæa.de dyna. Sp.28.B
Petræ de Capite Corui marini nigræ.de dyna. Sp.24.B
Petræ capitis Coruis.de dyna. Sp.30.H
Petræ de Luenbio.de dyna. Sp.29.B
Petra Molendini.de dyna. Sp.28.A
Petræ sancti Sepulchri mentio fit libro de dynamidijs & propterea nō est Galeni.& de dyna. Sp.24.B
PETRA *in Renibus fit ex superfluo bilis.desper.* Sp.36.H
Petra quam homo mingit.de dyna. Sp.28.C
ad Petram vesicæ remedium.de dyna. Sp.29.B
ad Petram rumpendam potiones probatissimæ.de dyn. Sp.28.D
ad Petram Diacbrysō.de dyn. Sp.29.B
ad Petram medicamentum.secretorum. Sp.101.D
PETRAPII *semen calidum est cum subtili substantia.*2°.*de arte cura. ad Glauco.* 7ª.104.G
PETROLAEVM *exhibet in potu.de dyna.* Sp.33.B
PETRONAS *medicamētorū scriptor.*3°.*de cōp.me.per ge.* 5ª.234.G
*Petronas de medicamentis egregijs pertractant.*2°.*de comp. medicamen.per genera.* 5ª.222.A
Petronas vinum & carnem febrientibus dabat.de vitt. rati. in mor. acu.commen. 1°. 7ª.109.F
*Petronij pastillus.*5°.*de comp.me.per gen.* 5ª.251.H
PETROSELINVM *amat loca edita,& sicca.*4°.*de san.tu.* 2ª.86.D
*in Petroselini,& Apij genere est smyrnium.*8°.*de sim.m.f.* 5ª.60.E
*a Petroselini virib⁹ nō multū differe smirniō.*8°.*de sim.m.f.*5ª.58.C
Petroselinum,anisum,liguslicum,carō,cyminum sunt in eodem vsu. 7°.*de sim.me.fac.* 5ª.53.F
*Petroselinū est in tertio ordine calidū,& siccū.*8°.*de sim.m.f.*5ª.58.c
Petroselini vires quæ.de sim.me. Sp.89.C
*Petroselini semē calidū est et acre,vrinā ciēs.*5°.*de sim.m.f.*5ª.58.d
Petroselinū menses,& vrinas affatim prouocat,& flatus extinguit. 8°.*de simp.me.fac.* 5ª.58.C
*Petroselinum vrinam ciet.*14°.*met.me.*91.D/1°.*de art.cu. ad Glau.* 7ª.99.F/*de mel.ex Gal.R.& Pos.* Sp.110.A
*Petroselini semē vrinā,prouocat,& attenuat.*9°.*de cō.m.f.l.*5ª.201.H
Petroselinum menstrua prouocat.de ocul. 7ª.188.G
Petroselinum caput replet,& inflammat.de puero epi. 7ª.180.E
*Petroselinum inflationem sedat.*13°.*met.me.* 7ª.88.F
Petroselinum stomachi,& colli inflationibus, & tēsionibus remedū est.de simp.me. Sp.89.C
*Petroselinum in phlegmone gibbę partis iecoris.*13°.*me.m.*7ª.83.H
Petroselinum expurgat ictericos.de cura icteri. Sp.111.B
*Petroselini semē cōuenit attenuāte dicta vrēti.de atten.vic.*2ª.44.E
Petroselinum attenuat,& acre est.de atten.vict. 2ª.43.H
Petroselinum injicitur in vinum pro articularibus morbis. 5°.*de sān. tuenda.* 2ª.91.C
*Petroselinum lapidem comminuit.de ren.aff.dign.& med.*7ª.194.C
Petroselinum ingreditur Theriacam.de ther.ad Pis. 5ª.92.F
Petroselinum quale accipiendum pro theriaca. 1°.*de ant.* 5ª.106.H
*Petroselinum ostreaticum.*1°.*de anti.* 5ª.106.H
*Petroselinum maredonicum probatissimum.*4°.*de san.tu.* 2ª.86.D
*Petroselinum optimum in macedonia prouenit.*1°.*de anti.* 5ª.105.E
*Petroselinum macedonicum.*8ª.*de comp.me.fe.lo.* 5ª.192.F
*Petroselinum amarum.*1°.*de anti.* 5ª.107.A
*a Petroselino Theriaca est amara.*1°.*de anti.* 5ª.107.A
Petroselinum exhibet melācholicis.de mel.ex G.R.& Po. Sp.110.D
PETROSITAS *morbus palpebræ superioris.de ocul.* 7ª.186.H
PETROSA *terra non gignit.*11°.*de vsu par.* 1ª.190.B
*in Petrosa terra plantæ paruæ,ac duræ.*11°.*de vsu pa.* 1ª.190.H
PETROSVM *os quale.de ana.vi.* Sp.48.G
a Petroso osse incipit foramen auris.de ana.viu. Sp.48.G
Petrosi ossis pars interior ita se habet ad auditū, vt cristallinus humor ad visum.de ana.viu. Sp.48.G
PETVLANTIS *hominis proprium quid.*8°.*de decr.Hip.* 1ª.278.F
PETVLCA *quid.de scalt.com* 3°. 7ª.245.C
PEVCEDANVM *quid.de sim.med.* Sp.89.B
*Peucedani radix calida est in secūdo ordine,sicca in tertio.*8°.*de sim. medi.facul.* 5ª.60.H
*Peucedani radix calfacit,& digerit.*8°.*de sim.me.fac.* 5ª.58.D
*Prucedanum ōibus circa neruos consistentibus affectibus conuenire creditur,& etiā morbis in pulmone,thoraceq, ex crassitudine,& viscositate humorum prouenientibus,dētiū perforatorū dolores sedat,lienes induratos iuuat,squāmas celerrime ab ossib⁹ detrahit, & vlceribus cōtumacibus remediū est.*8°.*de sim.me.fac.* 5ª.58.D
Peucedanum ad gustum excalfacit,facit ad vulnera antiquata, expurgat viscide,in aliquibus emplastris,& malagmatibus mittit, serpentes,& viperas fugat.de simp.med. Sp.89.B
*Peucedanum olfactu prodest.*8°.*de simp.me.fac.* 5ª.58.D
*Peucedanum mentum perturbat.*2°.*de comp.me.sec.loc.* 5ª.137.B
Peucedanum purgat gibbam hepatis partem.de cathar.. Sp.95.C
PEXORIS *Orionis acopon.*7°.*de comp.me.per ge.* 5ª.272.D
PHACOPTISSANA *cibus ex lente, & ptissana qualis.*1°.*de alim.facul.* 2ª.13.F
*Phacoptissanæ confectio.*1°.*de ali.fac.* 2ª.13.F
*Phacoptissana mediocris.*1°.*de ali.fa.* 2ª.13.G
PHACOS *id est lenticula palustris.*8°.*de sim.me.fac.* 5ª.63.B
*Phacid id est lentes.*8°.*de sim.me.fac.* 5ª.63.B
PHACOSIS *affectus albi oculorum.intro* If.58.D
PHACOTIS *nomē scalpri a lenticule similitudine.*6°.*met.me.* 7ª.42.A

PHAEON *medicamentum.4°.de comp.me.sec.loc.* 5ª.153.H
PHEON *quatuor equis in annulo insculptus.17°.de vsu pa.1ª.222.D*
PHAGAEDENAE *nomen inditum est a symptomate.12°.method. medendi.* 7ª.9.F
Phagedæna quid.sm.med.Isa.47.E/49..A/de tum.præt.nat.3ª.84.E
Phagedæna affectus totius corporis.introd. *Isa.59.D*
Phagedænæ dicta vlcera qualia.com.6°.apho.45°. *Ex.51.E*
Phagedænæ quid essent apud antiquos,& quid apud Galenũ, & quo modo fiant.com.6°.aph.45°. *Ex.51.E*
Phagedænæ quæ sint.6°.de comp.me.per ge. 5ª.254.H
Phagedenæ,& Herpetis differentia.2°.met.me. 7ª.9.F
Phagedæna morbus ex inæquali intemperie de inæq.intem. 3ª.44.H
Phagedæna in pte est inequalis intẽperies cũ fluxione.de inæq.3ª.43.B
Phagedæna ex qua fiat materia.2°.de cris. 4ª.138.C
Phagedænæ ex cacochymia.3°.de tẽ.1ª.23..A/3°.de sym.ca.3ª.25.b
Phagedænæ accidebant ijs,qui malos cibos ob annonæ caritatem edebant.de bon.& vitio succo. 2ª.33.G
Phagedænæ ex commixtis humoribus.de cau.mor. 3ª.8.B
Phagedenæ,& cancri respondent herpetibus, & erysipelatibus ex flaua bile.2°.de diff.feb. 3ª.37.D
Phagedænæ meminit.in 6ᵐ.de mor.vul.com.3°. 3ª.178.D
Phagedæna quomodo curatur.14°.met.me. 7ª.92.D
ad Phagedænas valent panacis heraclij flores.8°.de simpl. medica. faculta. 5ª.57.H
ad Phagedænas.4°.de com.me.per ge.242.G/5°. 5ª.251.B
PHAGEDAENICA *vlcera quæ.in 6ᵐ.de mor.vul.com.3°.* 3ª.178.D
Phagedænica vlcera,id est carnẽ comedẽtia.e.5°.aph.22°.Ex.39.D
Phagedænica vlcera ab humoribꝰ mixtis.de ho.& vitio suc.2ª.39.d
Phagedænica vlcera sanat chamelæötis radix.8°.de si.m.f.5ª.63.F
Phagedænica vlcerum pura reddit pastinaca.de sim.me.fa.5ª.61.C
ad Phagedænica vlcera adhibetur prtasites.8°.de sim.m.f.5ª.58.C
Phagedænica vlcerum,anthracode,& gangrœnode iuuant tithymali.8°.de sim.med.fac. 5ª.62.E
ad Phagedænica vlcera.4°.de comp.me.per ge. 5ª.243.D
cũ Phagedænicam pastionem.5°.de comp me.per ge. 5ª.248.D
PHAGRI *marini piscis fel.4°.de comp.me.sec.loc.* 5ª.153.B
PHAGI *decoctum inter adstringentia fortiora pro gargarismis.6°.de com me.sec.locos.* 5ª.172.G
PHALANGIA *non fiunt ab eodem opifice quo hõ.de fœt.for.* 1ª.226.B
Phalangia cur necamus.quod animi mores. 1ª.321.C
Phalangij ictu totum corpus afficitur.6°.de loc.aff. 4ª.40.A
Phalangij ictus quomodo totum corpus afficit.3°.de lo.aff. 4ª.19.F
a Phalangijs morsis medetur phalangites.8°.de sim.me.fa. 5ª.63.B
Phalangiorum ictuum dolorẽ sedens antidotus.2°.de ant. 5ª.117.D
ad Phalangiorum morsus antidotus Andreæ.2°.de anti. 5ª.117.G
ad Phalangiorum morsus Antidotus alia.2°.de anti. 5ª.117.G
ad Phalangiorum morsus antidotus Charitonis circulatoris. 2°.de antidot. 5ª.117.F
ad Phalangiorum morsus antidotus Heraclidis tarentini. 2°.de antidot. 5ª.117.G
ad Phalãgiorũ ictus antidotus.2°.d ant.117.D/G/H/118.F/5ª.120.C
cõtra Phalangia valet theriaca.de theria.ad Piso. 5ª.91.E
ad Phalangiorum percussiones.7°.de comp.me.sec.lo. 5ª.182.G
ob Phalangij morsum qui in periculum deuenere adiuuans antidotus.2°.de antidot. 5ª.117.D
ad Phalangij morsus valens medicina.2°.de ant.118.H/5°.de com. med.per gene. 5ª.246.H
ad Phalangia.2°.de anti. 5ª.118.C
PHALANGITES *vnde dicta.8°.de sim.med.fa.* 5ª.63.B
Phalangites morsis a phalangijs medetur,& tormina patientibus fuccurrit.8°.de sim.me.fa. 5ª.63.B
PHALANGOSIS *quid.intro.* *Isa.58.G*
Phalangosis coronæ affectus.intr. *Isa.58.D*
Phalangosis Trichiasios differentia.sin.med. *Isa.48.F*
PHALANX *digitorum quid.de ossib.* 1ª.43.C
PHALERE, *seu vallum.de fasc.* 7ª.299.B
PHALERIS *tenuis est & calida.8°.de sim.me.fac.* 5ª.63.B
Phaleris valet ad vesicæ dolores.8°.de sim.me.fa. 5ª.63.B
PHALERNVM *vinum calidum est.5°.de sa.tu.* 2ª.90.H
Phalernum vinum bibere debent senes valentius caput habẽtes.5°. de sanit.tuen. 2ª.90.H
PHANII *infessio.5°.de comp.me.per ge.* 5ª.252.H
Phanium serapiacũ medicamentũ.4°.de com.me.sec.loc. 5ª.154.E
PHANTASIA *est prima celebri diuisio.de ana.ocul.* *Sp.58.B*
inter Phantasiam,& rationalem panniculus habet carnem aliquã. de anatom.ocul. *Sp.58.B*
PHANTASIA *apud Stoicos quæ.9°.de decr.Hip.* 1ª.286.B
Phantasia vbi sit.de ocul. 7ª.183.G
Phantasia est actio dependens a capite p se.de vir.nost.cor. *Sp.60.C*
Phantasiæ fons & radix.est sensus.1°.de elem. 1ª.3.H
Phantasia & visu immutantur res.de iher.ad Piso. 5ª.94.E
Phantasiæ contingũt conceptis in boris melancholię.de sper.Sp.37.D
Φαντασία duplex est intro. *Is.57.H*
Φαντασίων quid significet apud Hipp.de fract.com.2°. 7ª.235.H
Φαντασίων quid proprie significet.in 1ᵐ.prog.co.2°. 4ª.174.B
Φαντασίων, & καθαρσιν. idem significant.de vict.us ratio.in mor. acutis,com.4°. 7ª.150.F
PHARMACEVTICE *quæ sit.de vict.ra.in mor.acu.c.1°.* 7ª.108.G
PHARMACIÓN *cognomento,Asclepiades.1°.de compo.medicamen. per gen.* 5ª.216.F
PHARMACOPOLIS *ac simplicium institoribus re credant pharmacorum compositores.4°.de comp.me.per ge.* 5ª.240..A
Pharmacorum librum fecit Archigenes.6°.de comp.medicamen.sec. loc.173.D/ 5ª.176.D
de Pharmacis secundum genus librum fecit Archigenes.1°.de com. medica. sec.loc.125.H/3°.142.D/146.G/4ª.157.C/5ª.160..A/ 8°.191.F/9°.198..A/ 5ª.200.E
de Pharmacorum compositione scripsit Archigenes. de reme. facilibus. 7ª.156.C
de Pharmacis exterioribus librum fecit Asclepias.3°.de compos. medi.secun.locos. 5ª.148.B
de Pharmacis proprijs librum fecit Anus Asilepias.4°.de compo. med.secun.loc. 5ª.156.B
Pharmacorum optimorum librum fecit Menecrates.6°.de comp.me. secun.loc. 5ª.175.C
Pharmacorum insignium locupletissimus Thesaurus inscriptum librũ fecit Menecrates.2°.de comp.me.per ge. 5ª.222..A
Pharmacorum quorundam promissiones magnæ sunt, effectus autem nullus aut exiguus.4°.de com.me.sec.loc. 5ª.151.H
de Pharmacorum parabilium descriptione librũ fecit Apollonius. 3°.de comp.me.sec.locos. 5ª.141.F
in Pharmacis eadem methodus est componendi,& vtendi.4°.de cõ po.me.secun.loc. 5ª.149.C
Pharmaca componendi scopus.4°.de comp.me.sec.loc. 5ª.149.C
in Pharmacis componendis quid maxime agendum.1°.de compos. me secun.locos. 5ª.130.E
in Pharmacis quę consideranda.2°.de comp.me.sec.lo. 5ª.136.B
Pharmaca habent diuersas ætates.1°.de com.me.sec.loc. 5ª.122.C
Pharmaca quo modo cognoscantur esse in vigore.1°.de comp. medi. secun.locos. 5ª.122.C
Pharmacum quo modo seruetur diu.2°.de alim.fac. 2ª.20.D
in Pharmacis qualitates quo modo noscẽdæ 1°.de c.m.s.l. 5ª.122.C
in Pharmacis contrariæ facultatis quid agendum.2°.de com.medi. sec.locos. 5ª.136.E
Pharmaca cur plura fiant ad eundem affectum.2°.de comp.medica. secun.locos. 5ª.136.B
Pharmaca quomodo misceat Galenus.2.de cõ.m.se.loc. 5ª.136.B
Pharmaca in libellis inuenichat,& inuenta examinabat Galenus.1°. de comp.me.sec.loc. 5ª.125.B
Pharmaca quæ accepit Galenus ab amicis,& præceptoribus.1°.de comp.me.sec.loc. 5ª.124.F
Pharmaca mitigat Thus.4°.de com.me.per gen. 5ª.240.C
Pharmaca nõ sunt administranda cura methodum.1°.de comp.me. secund.locos. 5ª.121.D
Pharmaco recte vti non potest qui vim ipsius ignorat.9°.de compo. me.secundum locos. 5ª.167..A
Pharmaca quę secundum varia tempora exhibenda.2°.de composit. me.secun.loc. 5ª.136.C
Pharmacum prorumpens abscessus.3ª.de com.me.se.loc. 5ª.146.F
Pharmacum Aere in vlceribus quid agat.de palp. 3ª.55.B
Pharmacum aere vlceri suppositum facit vigere.in 6ᵐ.de mor. vul. commentario. 3ª.174.D
Pharmaca in Alopecia.1°.de com.me.sec.loc. 5ª.122.H
Pharmaca debilia ad Alopeciã,& quę fortia,et ñ media.1°.de cõp.

medicamen.secundum locos. 5ª.123.A
Pharmaca admiranda ad Alopeciam, 1°.*de com.me.se.lo.* 5ª.124.H
Pharmacum pro alopecia quantum debet esse calidum. 1°.*de cõ. me. secun.locos.* 5ª.121.H
Pharmacum Heræ p alopecia puerorũ. 1°.*de cõp. me.se.lo.* 5ª.123.B
Pharmaca ex Alto euocantia. 1°.*de compo.me sec.loc.* 5ª.124.E
Pharmaca Calida quo modo faciant frigus euacuando. 1°.*de simpli. med.facu.* 5ª.2.H
Pharmaca in Cephalea.de dyna. Sp.23.B
Pharmacum pro Cutis morbis debet esse tenuium partium. 1°.*de cõ. medi.secun.loc.* 5ª.121.H
Pharmaci Efficacia humiditates ex neruis ad se attrahens facit conuulsionem.com. 5°.*apho.* 1°. Ex.37.D
Pharmaca Fortissima cur debeant haberi parata. 3°.*de com. medica. secun.loc.* 5ª.141.F
Pharmacis fortibus quo modo uti debemus,& quando. 2°.*de comp. med.secun.locos.* 5ª.139.F
Pharmacis fortibus indiget pulmo. 7°.*de comp.me.sec.lo.* 5ª.178.E
Pharmacorum fortium vim exoluẽtia. 1°.*de cõ.me.se.lo.* 5ª.122.H
Pharmacis fortibus qui uti debet incipiat a mollioribus, & addat q̃ eorum vim exoluunt. 1°.*de comp.me.sec.loc.* 5ª.122.F
Pharmaca fusca multiplicis vsus. 6°.*de com.me.per g.* 5ª.257.E/G
Pharmaca in Hemicrania. 2°.*de comp.me.sec.lo.* 5ª.139.H
quæ Pharmaca danda in Ictero.de cura ictteri. Sp.111.A
ad Pharmaca Lætalia quid sit agendum.de rem.par.sec. 7ª.160.G
ad Pharmaca Lætalia. 7°.*de com.me sec.lo.* 186.A/8°. 5ª.195.B
Pharmacum Medeæ quale.de bon.aquæ. Sp.76.A
Pharmaca Media qualia sint. 2°.*de comp.me.sec.loc.* 5ª.179.H
Pharmaca medias facultates habentia cur excogitata. 6°.*de compo. med.secun.locos.* 5ª.168.A
Pharmaca Mortifera non sunt tractanda.de reme.par.fa 7ª.160.G
Pharmacum Nili quale 2°.*de comp.me.sec.lo.* 5ª.137.G
inter Pharmaca numerat Oxymeli. 8°.*met.me.* 52.G/ 7ª.83.E
Pharmacum Parabile quod naribus infunditur. 2°.*de composi.med. secundum loc.* 5ª.139.G
Pharmaca Purgatoria faciunt speciem euacuationis manifestæ differentem.com. 4°.*apho.* 2°. Ex.27.D
Pharmaco purgatorio proprium attrahere humorem appetente vel flauam bilem,vel atram, vel pituitam, vel aquosam superfluitatem,quia vero ille non adest,sanguinem colliquante,& carnes,vt ex his quod sibi proprium est attrahat,fit in sanis corporibus purgatio difficilis.com. 2°.*aph.* 37°. Ex.17.G
Pharmaca quando exhibenda.com. 1°.*aph.* 22°. Ex.10.C
Pharmaca purgantia cur non debemus exhibere nisi ex interuallis, commen. 3°.*apho.* 15°. Ex.22.G
Pharmaca no debẽt dari nisi valde indigẽtib⁹.c. 3°.*aph.* 15°. Ex.22.G
Pharmacum præbendi tempus.de sperma. Sp.39.F
Pharmaca frequenter sumpta nocent, & trahunt corpus in malam consuetudinem.com. 3°.*apho.* 15°. Ex.22.G
Pharmacum sumere Assueti quid agere debent.de assue. 2ª.61.H
Pharmacis non obediũt humores crudi,& fixi. 1°.*de crisi.* 4ª.128.G
Pharmaca radicula agitantur. 5°.*de com.me.se.lo.* 5ª.165.H
Pharmacum ex Succis. 7°.*de comp.me.per ge.* 5ª.269.B
Pharmacum lege Medicina,Medicamentum,Medicamen.
PHARMIANVM *malagma.* 7°.*de com.me.per ge.* 5ª.265.G
PHARNACES *barbarus.* 8°.*de comp.me.se.loc* 5ª.195.A
PHARYNX *quid.intr.* 54.E/*de mus.dess.* 1ª.46.G
Pharynx est aspera arteria. 2°.*de decr.Hip.* 1ª.236.G
Pharynx etiam est laryngx,tamen pharynx est ante laryngem. 8°. *de vsu partium.* 1ª.165.A
pp Pharyngem collum factum. 8°.*de vsu part.* 1ª.165.A/B
Pharynx inferne sursum fertur. 8°.*de vsu par.* 1ª.165.A
circa Pharyngæ glandulæ. 3°.*de ali.fac.* 2ª.26.H
Pharyngi propugnaculum est vua. 15°.*de vsu par.* 1ª.211.A
Pharyngis nauseandi quo modo se habent. 1°.*de mot.musc.* 1ª.309.B
Pharynx est vocis,& respirationis instrumẽtũ. 8°.*de vsu p.* 1ª.165.B
ex Pharyngæ aer solus ad trachæas arterias. 7°.*de vsu p.* 1ª.159.F
Pharyngis asperitates leniunt oua sorbilia. 3°.*de ali.fa.* 2ª.29.G
PHARYNGETHRON *idest os hyoides.de vo.instr.dif.* 1ª.107.B
PHASELVS *differt a phaseolo.* 1°.*de ali.fac.* 2ª.14.H
Phaselus idem cum cicercula. 1°.*de ali.fac.* 2ª.14.H
Phaseli cicercula,cruciata sunt vnum genus habens plura nomina. 1°. *de alim.faculta.* 2ª.15.B
Phaseli sunt dolichi apud Dioclem. 1°.*de ali.fac.* 2ª.15.B
Phaseli eandem habent facultatem cum dolichis. 1°.*de ali.fa.* 2ª.15.B
Phaselus siluus flauus,& ruber calidior albis. 4°.*de si.m.f.* 5ª.31.d
Phaseli sunt medium edulium inter oës qualitates. 1°.*d al.f.* 2ª.14.G
Phaselos comedendi modus. 1°.*de ali.fac.* 2ª.14.F
Phaseli quo modo mãdantur,& eorum vsus. 1°.*de ali.fa.* 2ª.14.F
Phaseli copiosius nutriũt,quam fœnugræcum. 1°.*de ali.fac.* 2ª.14.F
Phaselis quomodo subducatur venter. 1°.*de ali.fac.* 2ª.14.F
Phaselis quidam vtebatur vt esset sanus.de ali.fa. 2ª.14.F
Φασήολο quid. 1°.*de alim.fac.* 2ª.14.H
Phaseoli deteriores fabis.de atten.vic. 4ª.45.A
Phaseolus flatulẽtus,& ad coquendũ difficilis. de atte.vic. 2ª.45.b
Phaseoli siliqua sola est edulenta. 2°.*de ali.fac.* 2ª.16.D
PHASGANIVM *seu Xanthium semen digerẽdi vim obtinẽs.* 8°.*de sim. med.fac.* 5ª.57.A
PHASIANI *forma sũt diuersi ab aliis horũ⁹.de aer.aq.& lo.* 2ª.4.G
Phasianis ventus frequens auster.de aere,aquis,& locis. 2ª.5.A
Phasianorum peculiaris ventus Cenchron.de aere.aq.& lo. 2ª.5.A
PHASIANI *neq; crassi,neq; tenues sunt.de ho.& vi.suc.* 2ª.34.H
Phasianorum caro in colitione & nutrimẽto similis gallinæ. 3°.*de ali. facult.* 2ª.29.C
Phasianorum caro suauior,quam gallinæ. 3°.*de ali.fa.* 2ª.29.C
Phasiam sunt boni succi.de reme.par.fac. 7ª.159.C
Phasiani sunt boni chymi,& subtilis.de diff.cont. Sp.73.H
Phasiani sunt volucres laudabiles.de ren.affe.dign.& med. 7ª.195.F
Phasiani caro est cibus subtilians.de disso.cont. Sp.72.D
Phasiani vtiles in calidis,& siccis. 3°.*met.me.* 7ª.51.B
Phasianorum oua præstantissima. 3°.*de ali.fac.* 2ª.29.G
Phasiani adeps ī renũ calculo valet.de re af.dif.dig.et me. 7ª.193.H
PHASIOLVM *sub amarum,& sub acerbum.* 6°.*de simpl.medicamẽ. facult.* 5ª.48.H
Phasiolum incidit humores crassos,excreationibus pectoris cõducit, ictur expurgat,& sanguinem expuentibus non est aduersum. 6°. *de simpl.me.fac.* 5ª.48.H
Phasiolum cur contrarijs conueniat. 6°.*de simp.me.fac.* 5ª.48.H
PHASIS *qualis regio.de aere,aq.& loc.* 2ª.4.H
Phasis stagnantissimus omnium fluuiorum.de aere.aq.& lo. 2ª.4.H
Phasim habitantes quales.de aere,aq.& loc. 2ª.4.H
Φαυλία quid. 11°.*de vsu par.* 1ª.187.B
Phatnia ossa quibus insunt dentes.de ossibus. 1ª.41.F
Φαυλος quid significet.de fract.com. 1°.227.C/230.E/*com.* 3°.248. E/*de arti.com.* 3°. 7ª.275.D
PHERÆ tẽtio oblõga dicitur.in 6ᵐ.*de mor.vul.c.* 3°.3ª.172.G
ad PHERECIDEN, *& Philistionem Hippocrates scripsit.cõ.* 6°.*apho rismo.* 1°. Ex.46.D
Pherniũ succus. 4°.*de comp.me.sec.lo.* 5ª.153.B
PHIALA argentea. 7°.*de com.me.per ge.* 5ª.274.F
PHIDIAS *bonus artifex.* 15°.*de vsu par.* 1ª.213.B
Phidiæ,Praxitelis,et naturæ differentia in condendis reb⁹. 2°. *de naturali.facul.* 1ª.297.D
Phidias materiã auri non mutabat,sed formã solũ. 2°.*de n.f.* 1ª.297.D
PHILADELPHI *magni ad Hæmoptoicos.* 7°.*de composi.mediam.sec. locos.* 5ª.184.A
Philadelphus magnus. 9°,*de composi.med.sec.lo.* 203.F/5ª.*de com. me.per genet.* 5ª.251.F
Philadelphum medicamentum. 4°.*de comp.me.sec.lo.* 5ª.154.E
PHILANTROPHOS *& aparine idem.* 6°.*de simp.me.fa.* 5ª.43.D
Philantropon vtile est Nephriticis turbulentam vrinam facientib⁹, lapidem in vesica habentibus.de dyna. Sp.28.B
Φιλάτρους *medicorum studiosos vocant.* 4°.*de san.tu.* 2ª.85.C
PHILIATRVS *inscriptum librum fecit Damocrates.* 7°.*de composit. med.secun.locos.* 5ª.180.D
PHILINVS *cous auctor sectæ empiricæ.intro.* If.51.D
Philini medicamentum. 7°.*de comp.me.sec.loc.* 186.H/ 5°.*de comp. med.per ge.* 7ª.253.B
Philini vxoris casus.in 1ᵐ.*de mor.vul.com.* 3°. 3ª.122.C
PHILETERIVM *a quibusdam dicitur polemonium.* 8°.*de simplicium medicam.facul.* 5ª.59.A
PHILIPPENDVLA. *de dyn.* Sp.35.G
a PHILIPPO *vitreus humor dicit crudus.* 2°.*de diff.feb.* 3ª.37.E
fm Philippum quid sit marasmus. 7°.*met.me.* 7ª.46.E

Philippus balnea negabat. 10°. met. me. 7ª. 65. C
Philipp° medicamẽtorũ scriptor. 3°. de cõ. m. p g. 234. II/7°. 5ª. 178. E
Philippus egregie de medicamentis pertractauit. 2°. de comp. medic. per genera. 5ª. 222. A
Philippi macedonis antidotus Ambrosia. 2°. de anti. 5ª. 115. A
a Philippo Trallianis data antidotus. 7°. de com. me. se. lo. 5ª. 186. B
Philippi medicamentum. 7°. de comp. me. sec. loc. 5ª. 184. G
Philippi pastillus. 9°. de comp. me. sec. loc. 5ª. 204. C
PHILISCI *casus. in 1'''. de mor. vul. com. 3°.* 3ª. 121. A
PHILISTÆ *casus. in 3°. de mor. vul. com. 2°.* 3ª. 135. A
PHILISTION *vnus ex primis Empiricis. de fub. em.* Isa. 31. D
Philistion vtitur calido, & frigido, humido, sicco aliis veluti agentibus aliis veluti patientibus. 2°. de nat. fac. 1ª. 299. G
fm PHILISTIONEM *respiratio est innati caloris ventilatio. de vtilita. resp.* 1ª. 223. C
PHILOCALVS. 10°. *de comp. me. sec. loc.* 5ª. 208. C
a PHILOCLE *acceptum acopon. 7°. de comp. med. per ge.* 5ª. 272. B
PHILONIS *scopus qualis sit. 8°. de comp. me. sec. loc.* 5ª. 190. G
PHILONIDES *siculus scripsit de re medica. 4°. de dif. pul.* 4ª. 68. E
vt Philonides malagma. 7°. de com. me. per ge. 5ª. 266. B
PHILONIVM *a Philone inuenta compositio. in 6'''. de morb. vulgari. comment. 6°.* 3ª. 196. E
Philonium celeberrimum. 12°. met. me. 7ª. 75. C
Philonium fieri põt ex simplicib° nõ oĩno bonis. 1°. de ant. 5ª. 101. F
Philonij compositio examinatur. 9°. de comp. me. se. loc. 5ª. 201. F
Philonio vti debemus in doloribus. 2°. de ar. cu. ad Gla. 7ª. 104. H
a Philonio cito sanantur dolores Tenuium inteſtinorum. 2°. de ar. cu ra. ad Glauco. 7ª. 104. H
Philonium in colica. introd. Isa. 61. C
Philonis ætas quando eo vti debemus. 2°. de ar. cu. ad Gl. 7ª. 104. H
Philonij ætas. 12°. met. me. 7ª. 75. C
Philonium antidotum in cephalea. de dyna. Sp. 23. C
Philonium hepatici intemperiem semel exhibitum sanauit. 8°. de cõ. me. secundum locos. 5ª. 194. G
Philonio vtitur cito Galenus. 2°. de loc. aff. 4ª. 9. F
Philonium. 9°. de com. me. sec. lo. 5ª. 201. A
PHILOPATOR *stoicus. de cogn. cur. animi mor.* 2ª. 54. D
PHILOSOPHICVS *dicitur Asclepiades. 7°. de composi. medica. secun. loc. 185. II/8°.* 5ª. 192. G
φιλόρις α quid significet. 4°. de diff. pulſ. 4ª. 64. D
Philoriſſiæ morbus. 4°. de diff. pul. 4ª. 69. H
PHILOSOPHIA *maximum in diuinis bonis. in orat. ſu.* Isa. 2. C
Philoſophia artium omnium parens. de præcog. ad Poſth. 4ª. 214. C
Philoſophiam ſimpliciter quid vocet Galenus. 3°. de diſ. pul. 4ª. 59. B
Philoſophiæ ortus. de hiſt. philo. Sp. 3. C
Philoſophiæ ordo, & definitio. de hiſt. phil. Sp. 2. H
Philoſophiæ primus inuentor apud Iones Thales Mileſius. de hiſt. phil. Sp. 2. D
Philoſophiæ Italicæ princeps Pythagoras. de hiſt. philo. Sp. 2 G
Philoſophiæ cognomina. de hiſt. phil. Sp. 2. G
Philoſophia quæ apud Stoicos. 7°. de decr. Hip. 1ª. 268. E
Philoſophia Erytriaca vnde. de hiſt. philo. Sp. 2. F
Philoſophiam Antiſthenes primus in opus deduxit. de hiſto. Philo. Sp. 2. D
Philoſophiæ ſepticæ auctor Pyrrho. de hiſt. philo. Sp. 2. F
Philoſophiam qui potius dubitando quàm ſtatuendo ſecuti ſint. de hi. philoſophica. Sp. 2. G
Philoſophiam contẽtioſam Zeno Eleates inuexit. de hiſt. phi. Sp. 2. G
in Philoſophia cur ſint multa ambigua. 9°. de decre. Hip. 1ª. 285. F
in Philoſophia cur nõ ſunt ſedatæ diſcordiæ. 9°. de de. Hi. 1ª. 283. A
in Philoſophia ſimilitudines difficultatem pariunt. de cuiuſq; animi pec. not. atque med. 2ª. 56. F
Philoſophiæ finis voluptas ſecundum Ariſtippum. de hiſtoria philoſophic. Sp. 2. G
Philoſophiæ partes. de hiſt. phil. Sp. 3. A
Philoſophia ſpeculatiua, & actiua. 9. de decr. Hip. 1ª. 285. F
ad Philoſophiam ſpeculatiuam quæ pertinẽt. 6°. de decr. 1ª. 284. C
Philoſophię morali vtile eſt ſcire animæ facultates, et loca. 9°. de de. Hippoc. 1ª. 285. E
Philoſophiæ neceſſarium ſcire ſi plures ſint hominum facultates. 8°. de dec. Hipp. 1ª. 273. B
Philoſophiæ incumbendum eſt. ſi quis opt. med. Isa. 6. H
Philoſophiam, & medicinam qui aggrediuntur, abſque grammatica, & alijs diſciplinis damnat Galenus. de lib. prop. Isa. 10. G
Philoſophiæ partes cæteras dialectica præcedere debet. de Hiſtoria philoſo. Sp. 3. A
Philoſophia ad rem medicam neceſſaria eſt. 3°. met. med. 18. G/de ocu. 7ª. 185. C
Philoſophia naturalis prædiſcenda rei medicæ. 6°. de dec. 1ª. 264. G
cũ Philoſophia medicinã iunxit Galenus. de ord. lib. ſuo. Isa. 15. D
Philoſophiæ quomodo ſubiectum eſt noſtrũ corpus. ad Thr. 2ª. 106. B
Philoſophię oratoriam facultatem primus coniunxit Protagoras. de hiſtor. philoſophica. Sp. 2. G
Philoſophicæ quæſtiones ignotæ. de cuiuſq; ani. pec. atq; me. 2ª. 57. A
Philoſophicæ quæſtione controuerſæ. 9°. de decr. Hip. 1ª. 248. A
PHILOSOPHI *differunt a ſophiſtis oratoribus, demonſtrationibus & dialecticis. 4°. de decr. Hipp.* 1ª. 241. H
Philoſophus ſimul grammaticus, & Arithmeticus ſi fuerit idem homo poterit quiſpiam vnus artis has omnes particulas exiſtimare. ad Thraſybulum. 2ª. 105. G
Philoſophi in prima ſede prope Deum Mercurium ſcite olim pingebantur. in oratione ſuaſ. Isa. 2. F
Philoſophorum antiquorum ordo. de hiſt. phil. Sp. 2. D
Philoſophorum genera duo Ionicum, Italicum. de hiſt. phi. Sp. 2. G
Philoſophorum quatuor ſectæ diſtinctæ. de ord. lib. ſuo. Isa. 14. F
Philoſophi ſeptici vnde dicti. de ſubſig. cap. Isa. 31. C
Philoſophi ſinguli extra proprium gregem a nullo alio laudari. de cuiuſq; animi pec. not. atque med. 2ª. 60. A
Philoſophus vnus in ſcythis. quod animi mor. 1ª. 321. H
Philoſophus non debet habere veſtem diuerſam ab alijs ſed animũ. de hiſt. philo. Sp. 2 D
Philoſophorum verorũ & apparentiũ differentia. 8°. de de. 1ª. 273. E
Philoſoprorum eminentiſſimus Plato, 3°. de decre. Hip. 1ª. 244. B
Philoſophi ſtudio veritatis incumbant. 3°. de dec. Hip. 1ª. 241. D
Philoſophi debent eſſe magis exercitati in demõſtratione, quam alij. 8°. de decr. Hipp. 1ª. 273. E
Philoſophis magis, quam geometris, aut arithmeticis, aut ratiocinatoribus, aut aſtronomis, aut architectis conuenit. dem°. 8°. de decret. 1ª. 276. B
a Philoſophis argumẽta ſunt ppinqua captioſis. 2°. de dec. 1ª. 235. H
Philoſopho non conueniunt argumenta per translationem. 3°. de dec. Hippocrat. 1ª. 244. G
Philoſophi nihil poſſunt vniuerſale, & indefinitum pronunciare. 9°. de decr. Hipp. 1ª. 283. G
Philoſophorum rationes rhetoricæ, de mundo & vacuo. de cuiuſque animi pec. no. atque med. 2ª. 60. A
Philoſophorum controuerſia de quibus non habetur euidens coniectura. de vtil. rat. in mor. acu. com. 1°. 7ª. 109. D
Philoſophus de animæ facultatibus agere debet. 6°. de dec. 1ª. 266. G
ad Philoſophum nihil facit ſcire in quo loco ſit principalis animæ pars. 9°. de decr. Hipp. 1ª. 284. B
Philoſophus curat animi mores. 1°. de ſan. tu. 2ª. 65. E
Philoſophus qualios docet qualis eſſe debet. de cog. cu. aĩ mor. 2ª. 54. D
Philoſophus qũo loquatur de moribus animi. 1°. de ſa. tu. 2ª. 65. F
Philoſophus iudicat de moribus. de opt. ſect. Isa. 23. D
Philoſophi non plorant. 13°. met. me. 7ª. 84. B
Philoſophi in ocio degunt. 3°. de loc. aff. 4ª. 17. B
Philoſophi abundant atra bile. 2°. de nat. fac. 1ª. 301. D
Philoſophi omnes putant eſſe eundem vſum reſpirationis, & pulſuũ. de vſu pulſuum. 1ª. 227. D
Philoſophorũ, et medicorũ cõmunis cõſideratio. 3°. de dec. 1ª. 241. B
Philoſophi non damnarũt Hippocratis opinionẽ de natura hominis. 1°. methodi medendi. 7ª. 3. A
Philoſophi omnes amulati ſunt Hippocratem de humoribus. 8°. de dec. Hippocratis. 1ª. 276. B
Philoſophi antiqui incubuerunt anatomiæ. 1°. de ana. adm. 1ª. 68. D
Philoſophis vtile, & neceſſarium eſt ſcire materiam de fœtuũ formatione. de fœt. form. 1ª. 324. A
ad Philoſophũ pertinet de vſu par. tractare. 17°. de vſu p. 1ª. 222. D
Philoſophi de qua parte pulſuũ tractarunt. 1°. de digno. pul. 4ª. 70. C
Philoſophi, & medici egere de laſſitudine. 3°. de ſan. tu. 2ª. 78. E
ad Philoſophos quod iudicium ſpectat, non ad medicos. de opt. ſect. Isa. 23. C
apud Philoſophos q̃ difficilia ſunt ſolutu, pblemata facilia ſunt apud

medicos.2°.de simp.me.fac. 5ª.11.F
Philosophorum sententiæ contrariæ non possunt oēs esse veræ,sed bene omnes falsæ.de cuiusque animi pec.not.atque med. 2ª.56.D
Philosophi multa ꝑpter ignorātiā prætermerūt.3°.de loc.aff. 4ª.19.D
Philosophi quæ ignorarunt.de fœt.for. 1ª.224.H
Philosophi,& medici tempore Galeni nomina ignorabant,& distinguere nesciebant.1°.meth. 7ª.6.B
Philosophi qui ininani opinione versabātur.de cuiusque animi peccat.not.atque.med. 2ª.57.G
Philosophi duo altercabantur an aqua lignis grauior esset. de cuiusque animi pec.not.atque med. 2ª.59.G
Philosophus deridens Architectus.de cuiusque animi pec.not. atque me. 2ª.59.H
Philosophos vomitū impedictes spernit Galenus.6°.de sa.tu. 2ª.95.H
Philosophi Azariconis medicinæ.de med.exper. Sp.105.F
Philosophorum quod dicitur Turpilliani medicamentum. 4°.*de cōp. med.per gen.* 5ª.243.A
PHILOTAE *cephalicum.4°.de comp.me.per ge.* 5ª.243.H
PHILOTIMVS *medicus grauissimus.8°.de decr.Hipp.* 1ª.276.B
Philotimus antiquus medicꝰ qua ætate floruerit.c.6°.ap.1°. Ex.46.C
Philotimus auctor legitimæ gymnasticę.ad Thras. 2ª.108.A
Philotimus callebat totam artem corpori ꝑsidē.ad Thras. 2ª.109.E
Philotimus antiquus scriptor anatomiæ.de na.hu.com.2°. 7ª.183.E
Philotimus ignorauit vasorum seminalium coniunctionem in muliere.de dissec.vul. 1ª.109.C
fm Philotimum vitreus humor qui.1°.de ali.fac. 2ª.12.A
fm Philotimum ptisana triticea est alica.1°.de alim.fac. 2ª.10.H
fm Philotimum salsus succus fit ex duris cibis omnibus qui supra modum coquuntur.3°.de ali.fac. 2ª.31.H
Philotimus salsum humorem ex diuturniori coctione fieri arbitrabatur.3°.de alim.fac. 2ª.31.H
PHILOXENVS *grammaticus.7°.de comp.me.per gen.* 5ª.272.C
Philoxeni Claudii chirurgi Aegyptiū.3°.de cō.me.per ge. 5ª.235.B
Philoxenus medicamento ex chomꝫleonte ad fiuctia,& agre curabilia vlcera vsus est.4°.de comp me.per gen. 5ª.243.C
ex Philoxenis collectaneis medicamētū.4°.de cōp.me.pg. 5ª.243.F
PHILOXENIS *medicamentum ad neruos præcisos.5°.de comp.medic. per gen.* 5ª.250.E
Φίλθρων *medicamentorum meminit.10°.de simp.me.fac.* 5ª.72.D
Φίμωσις *qd,& in qꝰ fiat partibus.de ijs q̄ in me.fi.c.2°.* 7ª.213.D
PHISEMA *7°.de comp.me.per gen.* 5ª.264.B
PHISICAE *finis in contemplatione.ad Thras.* 2ª.106.D
PHISIOLOGICA *medicinæ pars.de part.art.med.* Sp.16.E
Φλάσματα *quæ sint.de ijs,quæ in med.fi.com.3°.* 7ª.219.C
Φλεβοδονώδεα *nomen peregrinū ostendens venas agitari. in 1ᵐ.prorrheticorum.com.3°.* 4ª.180.C
Phleborragia significat venarum ruptionē.de vict.rat.in morbis acutis,commenta.4°. 7ª.144.H
PHLEBOTOMIA *vnum ex auxilijs morbi.de vict.rat.in mor.acut.cōmenta.1°.* 7ª.115.C
Phlebotomiam qua omne simul educitur non patiuntur septentrionis incolæ,& Aegypti,nec meridionales.de sect. Isa.18.B
Phlebotomia in maximis affectibus nō omittenda.de cucu.sca.6ª.3.F
Phlebotomiam esse magis securam purgatione potesi colligi.commēt. 1°.aphorismo.3°. Ex.3.G.
Phlebotomia in basilica quando fieri debet.secr. Sp.97.D
Phlebotomia in cephalica quando fieri debet.secr. Sp.97.D
Phlebotomiam debere fieri a latere diuerso,& quod sit latus diuersum collige.com.5°.aph.68°. Ex.45.D
Phlebotomia in contraria parte quid faciat.de cathar. Sp.94.G
Phlebotomia nihil aptius est ī dolore viscerū.de cu.icteri. Sp.110.H
Phlebotomia necessaria est ad icteri curam.de cur. icteri. Sp.110.G
Phlebotomia quādo fieri debeat in icteritia.de cura icteri. Sp.110.H
Phlebotomia fieri debeī post purgationem choleræ rubræ in Erysipelate.de ocul. 7ª.189.G
Phlebotomia facit animi defectum.com.1°.aph.23°. Ex.10.D
Phlebotomia aborsum facit.com.5°.aph.31°. Ex.40.D
PHLEBOTOMANDI *debent iacere,ne animo deficiant.commenta.1°. aphorismo.23°.* Ex.10.E
Phlebotomari debent vere qui sanguinem reiecerunt.de cur.rat.per sang.miss. 6ª.17.E
Phlebotomari non debet æger cum inedia.cō.2°.aph.16°. Ex.12.H
PHLEGMA *a nobis dictum Prodicus* φλέγμαν. *idest muccum dixit.2°. de nat fac.* 1ª.301.D
Phlegma quid significet.in prognost.com.2°. 4ª.205.C
Phlegma appellatur sanguinis aquosa superfluitas admixta sanguini. de ana.viuo. Sp.50.H
Phlegma album quid.8°.de decr.Hipp. 1ª.277.D
Phlegma frigidum est,& humidum.de dyna. Sp.19.E
Phlegma est frigidum,salsū,& humidū.de nat.& or.cuiusl. Sp.41.D
Phlegmatis alia pars in capite,alia in stomacho, alia ī vesica vel vt alij legunt in pulmone.de dyna. Sp.19.E
Phlegmatis potestas est in pectore.de spermate. Sp.36.G
Phlegmatis propria sedes est pulmo.de spermate. Sp.36.H
Phlegma dominatur ab hora noctis tertia vsque in horam noctis nonam.de dynam. Sp.19.E
in Phlegmatis horis concepti pueri natura.de sperm. Sp.37.C
in Phlegmatis horis si conceptio sit parentum,& infantis,quid sequatur.de sperma. Sp.38.C
in Phlegmatis horis si sit conceptus puer,& sit in sinistra,parentes in horis sanguinis,quid sequatur.de sper. Sp.38.D
in Phlegmatis vel sanguinis horis si sit puer conceptus,parentes horis bilis,quid sequatur.de spermate. Sp.38.D
Phlegma dominatur in pueris ab ineunte ætate vsque ad quatuordecim annos.de nat.& ord.cuiusl.corp. Sp.41.E
Phlegma cum parte sanguinis dominatur vsq; in annū decimū quartum.de dyna. Sp.19.E
Phlegma dominatur ab annis choleræ nigræ vsque in summam ætatē. de natura,& ord.cuiusl.corp. Sp.41.E
Phlegma in quibus gignatur.2°.de nat.fac. 1ª.301.D
Phlegma crescit in hieme.de dyna. Sp.19.E
Phlegma fit in temporibus pluuiosis.com.3°.aph.7°. Ex.20.F
Phlegma generat cerebrum,& cur.de diss.cont. Sp.74.A
Phlegma generant ventres & cur.de diss.cont. Sp.74.A
Phlegma generant pisces duri, quibus dominatur viscositas.de diss. cont. Sp.74.B
Phlegma per os respirationē hēt.de nat.& ord.cuiusl.corp. Sp.41.E
per Phlegma & saliuam purgatur os.de cathar. Sp.94.G
Phlegma per os,& nares respirationem habet.de dyna. Sp.19.E
Phlegma facit compositos corpore.inuigilantes,& intra se cogitātes, & canos cito producentes.de dyna. Sp.19.E
Phlegma honestum pulsum facit,plenū,& æqualem.de dyn. Sp.19.F
Phlegma quo vertit ab hepate ī sanguinē virtute fellis.d̄ sp. Sp.36.B
Phlegma salsum vertitur in bilem adustam.de sper. Sp.40.A
ex Phlegmate superfluo qui affectus nascuntur.de sper. sp.36.G
ex Phlegmate fiunt febres quotidianæ.8°.de decr.Hipp. 1ª.277.B
Phlegma quomodo cognoscatur abundare.com.1°.aph.2°. Ex.3.D
Phlegma quos tumores generat.de ocul. 7ª.189.E
Phlegma si sit scirrhosior adde sal.3°.met.me. 7ª.81.D
Phlegma si fuerit ægritudinis causa,da ei assidue dulce calidum,& siccum.de dyn. Sp.19.F
Phlegma si generatur in stomacho oportet ipsum lauare,& absterge re.de diss.cont. Sp.71.F
Phlegma quando generatur in stomacho,ac reliquo corpore ex crassitie ciborum assumptorum,aut ex multitudine eorum conueniunt cibi acetosi.de diss.cont. Sp.72.G
Phlegmatis generationem in renibus,in pectore,in cerebro,in iuncturis timenti conueniunt cibi subtiliantes.de diss.cont. Sp.72.E
Phlegma educitur de stomacho.de cathar. Sp.94.G
Phlegmata quibus abundāt in ventre,& pectore & stomacho, dāda phlegmagoga.de dyna. Sp.21.C
Phlegma quod incrassatur in stomacho quid resoluat.secr. Sp. 101.F
Phlegma a stomacho,& a iūcturis resoluēs cōpositio.sec. Sp.101.H
Phlegmate laborātē thoracē raphanus emūdat.de sim.me. Sp.89.F
Phlegma in canalibus pulmonis quid agat.de ana.viu. Sp.45.E
Phlegmata pinguia multum,& frequenter mingentibus dāda phlegmagoga.de dyna. Sp.21.C
Phlegma deponit agaricum.de simp.med. Sp.80.E
Phlegma purgat,& deorsum deducit clematis.de simp.me. Sp.83.B
Phlegma & choleram deponit cnicum.de simp.med. Sp.83.B
Phlegma purgat colocynthis.de dyna.21.D/de cath. Sp.95.A
Phlegma deponit lathyris.de simp.med. Sp.86.E
Phlegma cum cholera purgat scammonia.de cathar. Sp.95.A
ex Phlegmate viscoso,quo destruitur motus,dolori iūcturarū valēs medicamentum

medicamentum.de med.exper. Sp.108.E
ad Phlegma deponendum catharticum.de dyn. Sp.32.F
Phlegma viscosum scindens electarium.de me. exper. Sp.107.D
Phlegma subtilians,et attenuans,& alleuians exitum eius ex corpore medicamentum.secretorum. Sp.101.G
Phlegma viscosum liquefaciens electarium.de me.exper. Sp.108.D
Phlegma liquefaciens electarium.de med.exper. Sp.107.A/G
Phlegma liquefaciens medicamen. de med.exper. Sp.108.A
Phlegma laxans electarium.de med.exper. Sp.107.G
Phlegma, vide pituita.
PHLEGMAGOGA *quæ,& in quibus vsus.de dyn.* Sp.21.C
Φλεγμαίνοντα *quid significet apud Hippocratem.de victus ratione in morbis acu.com.4°.* 7ª.137.B
PHLEGMASIA *quid. com.1°.apho.7°.* Ex.4 E
PHLEGMATICI *humoris purgatoria est lacterida. de catharticis.* Sp.95.B
Phlegmaticis superfluitatibus abundantibus mulieribus optimum medicamen.de med.exper. Sp.108 F
Phlegmatica puella vnde fiat.de sperm. Sp.38.C
Phlegmaticis idoneum est vinum falernum molites,auriusium,lesbiũ. de vinis. Sp.76.G
Phlegmatico accidentales infirmitates sunt in æstate synochus,et causus.de spermate. Sp.39.G
Phlegmatica vrina si apparuerit sicut sol in limpidis coloribus indignationem renum significat.de dyn. Sp.34.G
Phlegmatica tertiana si acuitur in bilis horis minus periculosa. d sperm ate. Sp.40.A
*cõtra Phlegmaticas febres valẽs medicina.d me.ex.*104.H/Sp.106.C
Phlegmatica tussis.secretorum. Sp.100.F
*ad Phlegmaticas ægritudines.secre.*102.D/103.C/*d me.ex.*Sp.107.b
Phlegmatica apostemata quomodo curentur.de ocul. 7ª.190.G
PHLEGMÆNON *non est differẽtia vlceris & cur.* 3°.*methodi medendi.* 7ª.22.D
Phlegmænon est morbus.3°.meth.med. 7ª.22.E
PHLEGMATODES *erysypelas.* 1°.*de dif.feb.* 3ª.32.A
à PHLEGMONE *incipit Galenus acturus de tumoribus præter naturã.* 13°.*meth med.* 7ª.80.D
Phlegmone ex ijs est quæ absolute dicuntur.2°.meth.me. 7ª.9.H
Phlegmone phlogosis apud Antiquos.3°.de diff.resp. 3ª.71.D
*Phlegmon quid significet.7°.de cõ.me.per ge.*5ª.263.G/*de victus ratione in morbis acutis,com.4°.* 7ª.137.B
Phlegmone quid significet apud Hippocratem.in 6m.de morbis vulgaribus,commen.3°. 3ª.179.E
*Phlegmone qd.de opt.sec.*20.C/*fin.med.*Is.48.H/*de tu.ft.na.*3ª.82.H
Phlegmone quid sit secundum Erasistratum.7°.meth.med. 7ª.43.E
Phlegmone quid proprie sit.de frac.com.3°. 7ª.243.C
*in Phlegmone partibus affectis intemperies adest.2°.de tem.*1ª.21.D
Phlegmone in parte est inæqualis intemperies cum fluxione. de inæq. in temper. 3ª.43.B
Phlegmon an sit morbus.1°.met.me. 7ª.7.D
Phlegmoni quæ affectio.1°.de simp.me.fac. 5ª.2.H
Phlegmon est affectus præter naturam.1°.met.med. 7ª.8.A
Phlegmon duplici ratione a natura recessit.13°.meth.med. 7ª.82.E
Phlegmon est morbus.1°.de san.tuen. 2ª.68.C
*Phlegmone q morbus sit.de inæq.intẽ.*3ª.43.E/13°.*met.me.*7ª.80.d
Phlegmones sunt morbi flammantes. de victus ratione in morbis acutis,commentario 4°. 7ª.137.B
Phlegmones calidi.1°.de simp.me.fac. 5ª.5.H
*Phlegmone morbus instrumentalium partium.de symptomatum differentijs.*14.G/3°.*de symp.cau.* 3ª.24.G
*Phlegmon nõ durus,sed resistẽs tumor.in 6m.d mor.vul.c.1°.*3ª.160.C
Phlegmon ponit inter morbos vere apparẽtes.5°.de sa.tuen. 2ª.94.D
Phlegmones quo aspectu fiant Martis cum luna.de decub.prog.ex mathematica scientia. Sp.12.H
Phlegmon quomodo fiat, & quid sit.de inæq. intẽp. 3ª.43.B/*de cur. rat.per sang.mis.*6ª.17.A/10°.*meth.med.*64.C/14°. 7ª.87.A
Phlegmon fm Erasistratum quo accendatur.6°.de vsu p. 1ª.155.A
Phlegmon quo fiat a vi expultrice.13°.meth.med. 7ª.80.G
Phlegmon ex quibus fiat.de simp.diff. 3ª.14.G
*Phlegmon a sanguine fit.1°.de diff.feb.*3ª.32.A/13°.*met.m.*7ª.80.E
Phlegmonem generat sanguis temperati caloris.de ocul. 7ª.189.E
Phlegmones quomodo fiant ex sanguine.13°.met.med. 7ª.80.F
in Phlegmonis locum quo influit sanguis.13°.meth.med. 7ª.80.F
Phlegmonas,& profluuiũ sanguinis incitat super omnia dolor.5°.methodi medendi. 7ª.31.A
Phlegmonis causæ sunt calor loci, & dolor.13°.meth.med. 7ª.80.H
Phlegmonem quo modo augeat calor.13°.meth.med. 7ª.82.F
Phlegmon quomodo dolorem faciat.1°.de symp.cau. 3ª.16.H
Phlegmon ex calida fluxione.3°.de temp. 1ª.25.B
*Phlegmones excitant acria.11°.meth.med.*73.F/13°. 7ª.81.D
Phlegmonas feruentes iritat acerbatq; fenu græcum. 8°.*de simpliciũ medicam.facul.* 5ª.62.D
Phlegmonem augent cibi mordaces.13°.meth.me. 7ª.83.E
Phlegmonas inciderant qui malos cibos ob annonam caram ederant. de boni.& vitio suc. 2ª.33.G
Phlegmone excitatur de industria ad morbũ simulãdũ.intr. Isa.61.B
Phlegmone qui tentabitur.6°.meth.med. 7ª.36.H
in Phlegmone duplex affectus.3°.de temp. 1ª.25.B
Phlegmones sensus nõ est affectus,sed symptoma.3°.de sa.t. 2ª.78.G
in Phlegmonis parte est rubor.13°.meth.med. 7ª.80.E
Phlegmon frequentissime fit,& cum febre.14°.meth.med. 7ª.86.H
Phlegmon pulsationem habet.14°.met.me. 7ª.87.A
Phlegmon quando habet pulsum.13°.meth.me. 7ª.80.D
Phlegmonis diuersitas.14°.meth.med. 7ª.89.E
Phlegmones cur variæ.de inæq.intemp. 3ª.43.H
Phlegmon magna quæ.7°.de comp.med.per ge. 5ª.263.G
Phlegmon parua quæ.7°.de comp.med.per ge. 5ª.263 G
Phlegmones quæ siccæ.de vict.ra.in mor.acu.com.1°. 7ª.112.F
Phlegmones quomdo siccæ sint.de ptis. 2ª.48.B
à Phlegmone qũo differat siccitas.de vic.ra.in mor.ac.c. 2°.7ª.125.A
Phlegmone partibus affectis calida, et humida admota superuacua, quæ media similarium spatia occuparũt,euocant,& partes nõ excitant,sed potius humectant.2°.de temp. 1ª.21.D
Phlegmonis,& erysipelatis ppria,& drĩæ.14°.me.me. 7ª.87.A
*Phlegmone erisypelatodes qd.1°.d diff.fe.*3ª.32.A/14ª.*m.m.*7ª.87.C
Phlegmone erisipelatodes,& è contrario quando sint.7°.de simpliciũ medicamen.facul. 5ª.52.E
Phlegmon,& scirrhus in multis persimiles sunt,tamen curam habent contrariam.de opt sect. Isa.24.A
Phlegmon scyrrhosus,& phlegmonosus scirrhus quid.7°.de compositione med.per gene. 5ª.263.G
ex Phlegmone quando scirrhi fiunt,& quando non. 7°.*de compositione.med.per gen.* 5ª.267.H
ex Phlegmone scirrhi.7°.de comp.med.per ge. 5ª.267.H
Phlegmones vitio fit vasorum angustia.1°.de san.tu. 2ª.68.C
Phlegmon facit impedimentum in motibus.1°.de mo.mus. 1ª.308.G
Phlegmon vt scirrhus priuat membrũ motu.1°.de mo.mu. 1ª.310.G
ob Phlegmonem aliqua ægre mouentur.2°.de san.tu. 2ª.72.F
Phlegmonis lassitudo an composita sit ex tenode,& vlcerosa. 3°.*de sanitate tuenda.* 2ª.79.E
Phlegmonis sensus diuersitas ab alijs lassitudinib°. 3°.*de s.t.* 2ª.79.E
Phlegmones lassitudinis victus ratio.3°.de san.tu. 2ª.79.G
Phlegmones lassitudo aquas tepidiores desiderat.3°.de sa.t. 2ª.79.H
in Phlegmonarũ gnibus cõuulsio et repletiõe.2°.de sy.cau. 3ª.20.A
Phlegmonis quæ sit curatio.13°.metho.med. 7ª.80.F
Phlegmonis curationis duplex genus.de inæq.intemp. 3ª.43.F
Phlegmonis curatio quibus potissimũ consistat.13°.met.m. 7ª.82.F
Phlegmonis curatio propria.3°.de temp. 1ª.25.B
in Phlegmone curatio obseruata.de opt.sect. Isa.22.C
*Phlegmonem curans recte quid agere debet.13°.meth.med.*7ª.83.D
Phlegmonis curandi prima intentio quæ.13°.meth.med. 7ª.80.E
Phlegmonis in fieri curatio.13°.meth.med. 7ª.80.E
in Phlegmone quæ fit sanguinis inhibitio.13°.me med. 7ª.81.G
à Phlegmone præseruans diuisionem,& contusionem. 6°.*de composi. med.per gen.* 5ª.258.G
à Phlegmone præseruans diuisa quælibet, & contusa. 6°.*de composi.med.per gen.* 5ª.260.C
ad Phlegmonem arcendam præsertim vbi contusio fuerit. 5°.*de compos.med.per gen.* 5ª.248.D
*citra Phlegmonẽ fuãs vulnera recẽtia.*7°.*de com.me.per ge.*5ª.268.G
*Phlegmonem quæ deligatio prohibet.*6°.*meth.med.* 7ª.41.B
*Phlegmonem prohibet ceratum humidum.*6°.*meth.med.* 7ª.41.B
contra Phlegmonarum generationes valet Tribolus. 8°. *de simpliciũ medica.facul.* 5ª.62.F

Phlegmonas arcens emplastrum. 2°. de comp. med. per gen. 5ª. 226. D
ad Phlegmonem arcendam. 2°. de compositione medicamentorum per genera. 227. F/6ª. 259. E/ 5ª. 261. G
in Phlegmone qñ facilis, & qñ difficilis curatio. 13°. met. m. 7ª. 81. A
Phlegmon omnis non potest curari. contra Iulianum. Ex. 69. D
Phlegmon quæ est cum periculo mortis. 10°. meth. med. 7ª. 63. H
Phlegmonem si habeat calidum & siccum corpus febricitans, morietur. 10°. meth. med. 7ª. 63. H
in Phlegmonis solutione sanioſæ prinæ. de cau. procath. 3ª. 98. C
Phlegmones iam factæ curatio. 13°. meth. med. 7ª. 81. H
à Phlegmone arcenda dura. 13°. meth. med. 7ª. 81. D
Phlegmones inter initia quandoque per adstringentia, & reprimentia desinunt. de opt. sect. Isa. 29. E
Phlegmone incipiente adstringentia admouenda. de opt. sect. Isa. 29. G/6°. *de simp. med. fac.* 5ª. 46. E
ad Phlegmonas incipientes frigidis, & adstringentibus potius vtendum, quam digerentibus. 12°. meth. med. 7ª. 82. C
in Phlegmone quæ adstringentia danda. 13°. meth. med. 7ª. 85. C
Phlegmonis, & phygethlis incipientibus glaſcētibus, & emollibus ētnam, ac velut feruentibus atriplex, & malua hortensis sint commodiores quam sylvestres, vigentibus autem, ac declinantibus, ac indurescentibus contra. 6°. de simp. med. fac. 5ª. 44. C
ad Phlegmonas incipientes, & crescentes non nulli medici fructu roboris vtuntur. 6°. de simp. med. fac. 5ª. 46. E
in Phlegmone primo reprimēntia, post cataplasmata, et resoluentia adhibemus. de opt. sect. Isa. 22. D
Phlegmones incipientes potissimum in partibus nervosis debent reperiri, postea digeri. 9°. de simp. med. fac. 5ª. 67. A
in Phlegmonis principio cur repercutiētib. vtimur. 13°. m. m. 7ª. 84. D
in Phlegmonarum principio influxionē reperuntere possint mala auferra. 7°. de simp. med. fac. 5ª. 55. H
in Phlegmōis vigore cur repercutiētib. non vtamur. 13°. m. m. 7ª. 84. E
in Phlegmone quantum refrigerandum. 13°. meth. med. 7ª. 82. F
q̄ Phlegmone amplius refrigerādā est erysipelas. 14°. me. m. 7ª. 87. D
in Phlegmone euacuationis indicatio vincit refrigerationis indicationem. 13°. meth. med. 7ª. 82. E
à Phlegmone simpta indicatio quæ. 13°. meth. med. 7ª. 84. E
Phlegmonis corporis cōis indicatio est euacuatio. 13°. me. m. 7ª. 81. G
in Phlegmone curationis principiū est ab euacuatione. de cur. ratione per sang. miss. 6ª. 18. A
Phlegmone non est in principio euacuanda. de dyn. Sp. 20. D
in Phlegmone prius oportet euacuare, quam vti euaporante aliquo. 13°. meth. med. 7ª. 86. C
in Phlegmone vacuatio duplex. 13°. meth. med. 7ª. 82. F
Phlegmoni non est contraria euacuatio. de apt. sect. Isa. 25. F
in Phlegmonis initio aut propter ictum, aut propter dolorē, aut partiū debilitatē, venæ sectio conuenit. de cu. ra. per sang. miss. 6ª. 17. G
Phlegmone affectas partes scarificamus. de cucurb. scarif. 6ª. 3. F
Phlegmonem mimant cucurbitulæ. de Hirud. remif. cucur. & scarif. 2. F/de cucurb. scar. 6ª. 3. F
in Phlegmones principio cucurbitula non debet apponi. 13°. methodi medendi. 7ª. 85. A
in Phlegmone quando digerendum. 12°. metho. med. 7ª. 82. C
Phlegmonis fernor vbi mitigatus est transeundum ad digerentia. 13°. methodi medendi. 7ª. 81. C
in Phlegmone quando est pus quid agendum. 13°. meth. med. 7ª. 81. D
in Phlegmone qūo pus cessū dicat. de vi. ra. in mor. ac. c. 2°. 7ª. 122. H
Phlegmone laborans mēbrū oē nisi cutim sibi circundatam habeat spissam, tenuis sanies aliquid dimittit, ac laxat. 13°. meth. me. 7ª. 84. H
Phlegmones medicamenta sunt diuersa ab euellentibus funiculos. 1°. de natura facul. 1ª. 295. A
Phlegmone afflictis partibus semper iucundiora, & gratiora sunt mitiora remedia. 9°. de simp. med. fac. 5ª. 68. D
Phlegmone superficialis, & profunda qūo curet. de constit. ar. Isa. 41. E
Phlegmones paruæ qūo curandæ. 2°. de cō. me. per gen. 5ª. 221. H
Phlegmone in superficie, & profunda, qūo curet. 13°. me. m. 7ª. 85. A
Phlegmoni superficiali cucurbitula insensa est. de constit. ar. Isa. 41. E
in Phlegmōe ī transeco qb. vti debemus medicamētis. 13°. m. m. 7ª. 85. C
Phlegmone in supernis partibus qūo curetur. 13°. meth. me. 7ª. 82. A
in Phlegmone incisa ordo medendi. 13°. meth. me. 7ª. 81. F
Phlegmonis familiarissimus est adeps suillus, gallinaceus, & anserinus. 5°. de simp. med. fac. 5ª. 34. B
in Phlegmone cum magno dolore conueniunt Adeps, et oleum recentia. 1°. de comp. me. per ge. 5ª. 210. H
Phlegmoni contumaci prosunt adeps, & oleum vetera. 1°. de compsi. med. per gene. 5ª. 210. H
Phlegmonas cōcoquentibus medicamentis miscetur adeps taurinus. 11°. de simp. med. fac. 5ª. 79. B
in Phlegmone liberat Ageratum. 6°. de simp. med. fac. 5ª. 41. E
in Phlegmonis declinatione Aloes bona. 13°. meth. me. 7ª. 85. C
Phlegmone quando est irritata mitiga fomēto ex spongia, & aqua dulci. 13°. meth. med. 7ª. 81. D
Phlegmonē aqua pfundunt calida, et humor euacuatur. 2°. d tē. 1ª. 21. c
in Phlegmone Artemeli pro cataplasmate. 11°. met. med. 7ª. 73. C
Phlegmonas induratas sanat Aucna. 6°. de simp. med. fac. 5ª. 41. F
ad Phlegmonas feruentes competit Auricula muris. 6°. de simp. medicam. facul. 5ª. 42. D
Phlegmoni aduersa est Beta. 8°. de simp. med. fa. 5ª. 62. A
Phlegmonas iam induratas, & ægre solubiles sanat Brassica. 7°. d simpli. med. fac. 5ª. 52. G
in Phlegmone vsus Castorei. 11°. meth. me. 7ª. 73. F
Phlegmoni omni conuenit Ceratum humidū. 1°. de sim. med. fa. 5ª. 3. C
Phlegmonas erysipelatodes, & erysipelata phlegmonode curat Cotyledon. 7°. de simp. med. fac. 5ª. 52. F
Phlegmonas calidas mediocriter refrigerat Cucurbita. 7°. de simplicium medicamen. facul. 5ª. 52. A
aduersus Phlegmones igneas Cyperi foliorum decocto vtuntur. 7°. de simp. med. fac. 5ª. 53. H
Phlegmonas oēs in initio et augo sanat Elxine. 6°. de si. me. f. 5ª. 47. C
Phlegmone ex ictu occupatis imponitur farina fabacea cum polenta. 7°. de simp. med. fac. 5ª. 53. E
in Phlegmone quando vti debes Fœnugræco. 11°. met. me. 7ª. 73. C
ad Phlegmonas valet Glaucium. 14°. met. med. 7ª. 88. G
ad Phlegmonas calidas accōmoda est Lactuca. 6°. de sim. m. f. 5ª. 48. E
Phlegmoni, qd aphlegmaton vocatur, aduersus est Lichen. 7°. de simpli. med. fac. 5ª. 54. B
Phlegmonū nō malū medicamē est Leucoion. 7°. de sim. me. f. 5ª. 54. D
Phlegmones induratæ curātur radicib. leucoi. 7°. de sim. m. f. 5ª. 54. d
Phlegmonis cōuenit Masticbe. 8°. de simp. med. fac. 5ª. 59. F
pro Phlegmone coquēdo Mel, & farina hordei non triticea. 13°. met. medendi. 7ª. 81. C
Phlegmones gratia Oleum datur bibendum. 2°. de sim. me. fa. 5ª. 12. A
ad Phlegmonas Pinguedo suis. 11°. de simp. me. fa. 5ª. 78. H
Phlegmonas calidas sanat Polygonon. 8°. de simp. me. fa. 5ª. 58. H
in Phlegmone quando Salis vsus. 13°. meth. me. 7ª. 81. B
ad Phlegmonas à fluxione natas accommodatur Semperuiuum. 6°. de simp. med. facul. 5ª. 41. F
Phlegmonas sedat, & glutinat Sideritis. 8°. de sim. med. fac. 5ª. 60. D
Phlegmone obsessis partibus rusticorum Stercus bubulum impositū. 10°. de simp. med. fac. 5ª. 76. G
ad Phlegmonas calidas vtilis est Terra samia. 9°. de si. m. f. 5ª. 65. H
Phlegmonas vetres adiuuat lutū ægyptiæ terræ. 9°. d si. m. f. 5ª. 65. F
Phlegmone cruda obsessas partes illitu extrinsecus adiuuant Tussilaginis folia virentia. 6°. de simp. med. fac. 5ª. 44. H
Phlegmonas calidas mitigant violæ folia. 6°. de sim. me. fa. 5ª. 48. F
Phlegmonem extinguentibus cataplasmatis miscentur Vitella ouorū. 11°. de simp. me. fa. 5ª. 81. E
Phlegmones diuersarum partium diuersa indigent curatione. de partibus art. medi. Sp. 17. C
Phlegmone in particulis circa artus qūo curāda. 13°. me. me. 7ª. 83. C
Phlegmone in glandulis qūo curetur. 13°. meth. med. 7ª. 83. D
in Phlegmone glandularum, vel artuum cibus. 13°. me. med. 7ª. 83. C
Phlegmone cum distētæ sunt glandulæ, aut aliqua alia pars, debet corpus euacuari, & locus scarificari. 13°. meth. med. 7ª. 81. C
Phlegmone quæ cœpit vrgeri adeni, est apponenda lana ex oleo calente. 13°. meth. med. 7ª. 81. B
p Phlegmone in adenibus macedonicū medicamētū. 13°. m. m. 7ª. 81. B
ad Phlegmonas tendonum. 7°. de comp. me. per ge. 5ª. 269. D
cū Phlegmone induratis musculis malagma conueniens. 7°. de compositio. med. per gene. 5ª. 267. C
Phlegmonem in cerebro, & eius inuolucris facit phrenitis. 2°. de symptomatum causis. 3ª. 24. C
Phlegmone laborante cerebro, aut eius mēbranis, aut alia particula cucurbitulis in principijs vtinon debemus. de cucur. & sca. 6ª. 3. B

PHLEGMONE affectus oculorum.fin.med. Ifa.48.D
Phlegmone in oculo quid.fin.med. Ifa.48.D
Phlegmonis initiũ eſt oculi pturbatio.ĩ 6m.de mor.vul.c.15°.3ª.189.A
Phlegmones oculorũ ſiccæ quæ.de vic.ra.in mor.ac.com.1°.7ª.112.F
in Phlegmone oculi,& oris oleũ nõ eſt adhibẽdũ.13°.met.m.7ª.83.C
Phlegmonas oculorum mitigat ſuccus centaureæ.de vir.cen.Sp.93.C
in Phlegmone oculorum fœni græci decoctum optimum, & quo modo fiat.13°.meth.med. 7ª.86.C
Phlegmon corneæ.1°.de ſym.cau. 3ª.15.E
ad Phlegmonas pal pebrarum,aurium, & mammarũ valet ouum totum crudum.11°.de ſimp.med.fac. 5ª.81.E
de Phlegmone oculorum caſus.de cur.ra.per ſang.miſſ. 6ª.20.B
Phlegmone laborãtes aures mitigat ſuccus cẽtaureę.d vir.cẽ.Sp.93.c
Phlegmonas quæ fiunt in poro auditus mitigat ſuccus centaureæ. de virtute centaureæ. Sp.93.C
Phlegmone in naribus orto p os ĩſpirare cogimur.11°.de v.p.1ª.188.F
in Phlegmone circa fauces euitanda ſunt quæ pituitam per os euocãt. 13°.meth.med. 7ª.83.A
in Phlegmone circa linguam,& palatum,& os euitanda ſunt quæ pituitam per os euocant.13°.meth.me. 7ª.83.A
in Phlegmone oris deriuandum ad nares.13°.meth.med. 7ª.83.B
Phlegmonas ĩ ore,naribº,et oculis aloe ſanat.6°.de ſim.m.f. 5ª.42.C
Phlegmonas oris ſanat butyrũ.10°.de ſimp. med.fac. 5ª.74.C
ad Phlegmonas oris,& ſedis vtuntur lycio.7°.de ſi.med.ſa. 5ª.54.G
Phlegmone laborantibus gingiuis prodeſt ſuccus centaureæ.de virtute centaureæ. Sp.93.D
Phlegmoni in columella quæ conueniant.7°.de ſim.me.fac. 5ª.51.H
Phlegmone affectã vuluã curat ſuccus cẽtaureæ.de vir.cen.Sp.93.d
Phlegmonas pariſthmiorũ tollit crurũ ſcariſicatio.de cucu.ſca.6ª.4.B
Phlegmone conflictantibus pariſthmijs conſert ſuccus centaureæ. de virtute centaureæ. Sp.93.D
Phlegmoni in tonſillis quæ conueniant.7°.de ſimp.med.fac. 5ª.51.H
ad Phlegmonas tonſillarũ. 5°.de comp.med.per ge. 5ª.251.C
ad Phlegmonas gutturis valet ſtercus humanũ.10°.de ſi.m.f.5ª.76.b
Phlegmonas vberum, & teſtium ſanat oſtracites lapis. 9°.de ſimplicũ medica.facul. 5ª.67.D
ad Phlegmonas mammillarum remedium eſt ſordes in palæſtris facta. de ſimp.med.fac. 5ª.59.H
in Phlegmonis vberum ſole exercitatorum ſordes impoſitæ efficaciori ſunt remedio.10°.de ſimp.med.fac. 5ª.75.C
in Phlegmone pectoris,ventriculi,colli, & capitis artus vinciuntur. 13°.meth.med. 7ª.83.B
Phlegmonẽ in partibus ſupra ſeptum ſignificat ſpiritus creber. in 6m. de morb.vul.com.2°. 3ª.162.D
Phlegmon muſculorũ præcordiorũ ab ignaris exiſtimatur iecoris, & ita relaxantia adhibent.11°.meth.med. 7ª.72.F
ad Phlegmonas ſpecordiorũ,œſypi ceratũ.14°.meth.me. 7ª.88.G
in Phlegmone ventriculi,& iecoris vna ſalus eſt virium robur.10°. methodi medendi. 7ª.63.H
Phlegmonẽ hãtiũ ptiũ oĩum robur nõ ẽ cõſiderãdũ. 13°.m.m.7ª.84.E
Phlegmone ſi laboret ventriculus quid agendum.2°.met.me.7ª.11.H
in Phlegmone ventriculi victus qui.13°.meth.med. 7ª.83.D
in Phlegmone ventriculi non purgandum.13°.meth.med. 7ª.83.A
in Phlegmone pulmonis non vtendũ adſtringẽtibus.11°.me.m. 7ª.73.D
Phlegmones hepatis,& hypochondriorum ſunt hæmorrhagicæ.in 1m. prorrh.com.3°. 4ª.186.D
Phlegmones ĩ palpitatiõe ñ sũt hæmorrhagicæ.ĩ 1m.pr.c.3°.4ª.186.E
Phlegmone gibbi iocinoris facit tuſſim.2°.de ſym.cau. 3ª.21.G
Phlegmone ĩ iecoris cauo afficit meſeraicas venas.13°.m.m.7ª.83.F
Phlegmone iecoris qũo curetur.13°.meth.med.82.G/ 7ª.83.C/D
in Phlegmone iecoris ſi eũo cõueniat q̃ cõſiderãda.13°.m.m.7ª.82.H
in Phlegmone iecoris vena interna cubiti ſecanda.13°.m.m. 7ª.82.H
Phlegmone iecoris caui quibus euacuanda.13°.meth.med. 7ª.84.A
Phlegmone iecoris vna die p purgationẽ leuata.13°.me.me.7ª.83.A
ĩ Phlegmõe cauæ ptis iecoris clyſter ex mulſa,et ſale.13°.m.m.7ª.84.a
in Phlegmone iecoris qui victus conueniat.13°.met.med. 7ª.83.D
in Phlegmone iecoris remedia.11°.meth.med. 7ª.73.A
Phlegmoni iocinoris non conueniunt adſtringentia quia bilis meatum arctant.13°.meth.med. 7ª.83.E
in Phlegmone iecoris q̃n adſtringẽtia sũt ĩaugẽda.11°.m.m.7ª.73.A
in Phlegmone iecoris gibbæ quæ admiſcenda.13°.meth.m. 7ª.83.H
in Phlegmone iecoris q̃ extrinſecus applicanda.13°.me.me. 7ª.84.D
pro Phlegmone iecoris cataplaſma.13°.meth.med. 7ª.83.G
in Phlegmone iecoris abſinthij comæ.13°.meth.med. 7ª.83.G
pro Phlegmone iecoris ſilicula.13°.meth.me. 7ª.84.A
ĩ Phlegmõe iecoris hyſſopũ atticũ miſce ĩ ceratis.13°.m.m.7ª.83.G/H
Phlegmoni iecoris,ſtomachi, ac ventris prodeſt ſchinoſlos. 8°.de ſimpli.med.fac. 5ª.61.H
pro Phlegmone iecoris veratri nigri cortex in ptiſſana coctus.13°.methodi medendi. 7ª.84.A
in Phlegmone iecoris medici ægri caſus.11°.meth.med. 7ª.73.A
ĩ Phlegmõe iecoris caſº Theagenis philoſop. cynici.13°.m.m.7ª.83.F
in Phlegmone iecoris ſcyrrhoſa quæ miſcenda in declinatione. 13°. methodi medendi. 7ª.84.A
Phlegmone lienis quomodo curetur.13°.meth.med. 7ª.84.F
Phlegmonẽ ĩ viſcerib.ĩchoatẽ augẽt cibi dulces.d bo.et vi.ſu. 2ª.36.E
Phlegmon q̃n eſt in viſcerib.aloe nõ cõuenit & cur.13°.m.m.7ª.85.C
in Phlegmone inteſtinorum non purgandum.13°.meth.me. 7ª.83.A
in Phlegmone in veſica cole, & renibus non ſunt danda quæ vrinam prouocant.13°.meth.med.82.A/ 7ª.83.A
Phlegmone correpto vtero calidiſſimæ ſiunt febres. in 6m. de morb. vul.commen.5°. 3ª.191.H
Phlegmone vteri non contingit multum diſtentio,& conuulſio. in 6m. de morb.vul.com.1°. 3ª.153.B
in Phlegmone os vteri conniuet.3°.de nat.fac. 1ª.303.A
in Phlegmõe vteri,et pudẽdi mẽſes ñ sũt puocãdi.13°.m.m.7ª.82.A
Phlegmone vteri menſes non ſunt prouocandi.13°.met.med. 7ª.83.A
ad Phlegmonas vteri valet calamus odoratus.7°.de ſi.me.f. 5ª.48.E
Phlegmone laborantem matricem,& oriſicium eius iuuat ſuccus centaureæ.de vir.cent. Sp.94.B
Phlegmonas vteri ſanat decoctũ leucoÿ.7°.de ſimp.me.fac. 5ª.54.D
ad Phlegmonem vteri.7°.de comp.med.per gen. 5ª.27¾.G
in Phlegmone pudendorũ vomitus conuenit.13°.met.me. 7ª.83.A
ad Phlegmonas pudẽdorum circa initia valet inſrigidãs Galeni.10°. methodi medendi. 7ª.65.A
in Phlegmone circa ſedem non eſt purgãdũ.13°.meth.med. 7ª.82.A
Phlegmonas ani,& pudendorũ iuuat aloe.6°.de ſi.me.fac. 5ª.42.C
Phlegmonas ani mitigat ſuccus centaureæ.de vir.cen. Sp.93.E
Phlegmonarum ſedis non inſtrenuum remedium eſt galla cocta.7°.de ſimp.med.fac. 5ª.51.B
Phlegmonas ppetitia ſedis vlcera mitigat lac.10°.de ſi.m.f.5ª.73.H
ad Phlegmonas in ſede cũ vlcere, aut rugis, & ad eas quæ in pudendis teſtibusq;, & vberibus conſiſtunt,vtilis eſt plumbi ſuccus. 9°. de ſimpli.med.fac. 5ª.70.F
in Phlegmone crurum quid agendum.13°.meth.med. 7ª.82.A
cum Phlegmone vlcera caua qũo curanda.11°.meth.me. 7ª.70.G
Phlegmonem,& ædematum cataplaſma.4°.meth.me. 7ª.27.E
a Phlegmone ſecura vulnera recte glutinat diachylon Damocratis ex Menecrate.7°.de comp.med.per ge. 5ª.268.B
Phlegmonas ſine vlceribus facilas tuuans medicamen. 6°.de compoſitione medicamentorum per gen.258.G/ 5ª.260.C
cum Phlegmone vulneris ſymptomata.7°.de com.me.p ge. 5ª.268.B
ad Phlegmonas nõdũ vehemẽter dolẽtes.7°.de c.me.p gen. 5ª.268.A
ad Phlegmonas eriſipelatodes.1°.de com.me.per ge. 5ª.211.G
ad Phlegmonas curandas.1°.de com.me.per gene.210.H/211.C/2°. 225.B/5°.247.F/6°.5°.262.B/de med.fac.par. 7ª.171.H
Phlegmone, vide inflammatio.
PHLEGMONODES tumorum ſpecies.de bon.& vit.ſuc. 2ª.34.A
Phlegmonodes durities hẽt duplicẽ ſcopũ.7°.de c.me.p gen. 5ª.263.G
Phlegmonodes eryſipelas quid.14°.meth.me. 7ª.87.C
PHLEGMONODES laſſitudo cur ita vocata.4°.de ſa.tu. 2ª.87.E
Phlegmonoſa laſſitudo quæ.in 1m.prorrh.com.2°. 4ª.169.B
Phlegmonodes laſſitudo qualis,& vnde fiat.3°.de ſa.tu. 2ª.79.A
Phlegmonodes laſſitudo ex quo ſit.4°.de ſanitate tuenda. 2ª.82.F
Phlegmonodes laſſitudo non ſit ab abundantia.4°.de ſan.tu. 2ª.82.F
Phlegmonodes laſſitudo quibus contingat.3°.de ſa.tu. 2ª.79.D
Phlegmonodes laſſitudo facit corpus,quam pro natura amplius.3°.de ſanitate tuenda. 2ª.79.A
Phlegmonodes laſſitudo ſola attollit muſculos ſupra naturalem habitum.3°.de ſanitate tuenda. 2ª.79.D
Phlegmonodes laſſitudini, curatio. 3°.de ſa.tu.79.D/4°. 2ª.87.F
in Phlegmonode laſſitudine cibi glutinoſi ſunt prohibendi. 3°.de ſanitate tuenda. 2ª.79.G
in Phlegmonode laſſitudine non debemus vti aquis medij tẽperamẽti. 3°.de

3°.de san. tuenda. 2ª.79.E
in Phlegmone lassitudine venam incide si vires constant. de cu.ratio. per sang.miss. 6ª.17.E
à Phlegmonode lassitudine liberant sanguis à naribus, & sudor effusus.4° de san.tu. 2ª.87.F
PHLIÆ ad quid in organis.de machi. 7ª.309.H
Phlia media.de machin. 7ª.309.H
Φλιαὶ ligna sunt in Hippocratis scamno.de machin. 7ª.318.H
PHLISTION, Diascorides, & Euriphon de substitutis medicinis scripsere.de constitutis med. 5ª.84.B
PHLISTONICVS antiquus medicus.de na.hu.com.2°. 7ª.183.E
PHLOGINVS lapis quid.de simp.med. Sp.86.H
Phloginus lapis illinitus senium facere dicitur.de simp.med. Sp.86.H
Phloginum medicamentum.4°.de comp.med.sec.loc. 5ª.153.E
PHLOGOSIS quid.2°.de diff.resp.65.H/de mor.temp. 3ª.86.A
Phlogosis quid sit apud antiquos.13°.meth.med. 7ª.80.D
Phlogosis apud antiquos phlegmone.3°.de diff.resp. 3ª.71.D
PHLOMI id est verba scientiæ duæ species, & quales.8°.de simplicium medicamentorum fac. 5ª.63.C
Phlomi albæ & nigræ folia digerendi vim hãt.8°.de si.me.fa. 5ª.63.C
Phlomi albæ & nigræ radix fluxionis affectibus prodest, ad dentium dolores colluitur. 8°.de simp. med.fac. 5ª.63.C
PHLONITIS quid sit.8°.de simp.med.fac. 5ª.57.C
PHLYCTÆNA in oculo quid introd. Isa.58.H
Φλυκταίναι. de vic.rat.in mor.acu.com.4°. 7ª.142.E
PHLYCTIDES quid.sim.med. Isa.46.C
Phlyctides affectus totius corporis.introd. Isa.59.D
PHLYCTIS vlceratio oculorum.sim.med. Isa.48.D
Phlyctis affectus iridis oculorum.intro. Isa.58.D
Φλυζάκια quid vocent. de vic.ra.in mor.acu.com.4°. 7ª.142.E
PHOCÆ inter cetacea numerantur.3°.de ali.fac. 2ª.32.E
Phoca pulmonẽ hẽt, et plus caloris quã reliq pisces.d vti.ref.Sp.64.C
Phocæ quo modo parantur.3°.de alim.fac. 2ª.31.F
Phocæ coagulũ vires habet castorei.10°.de simp.med.fac. 5ª.74.C
PHOENICEVS color an à palma dictus sit.in prog.com.2°.4ª.201.G
Phœnicei coloris quõsque euadant partes spongijs fouendæ sunt, & ita deinceps scarificandæ.de cucur.scar. 6ª.3.C
PHOENICINVM emplastrum vnde dictum, & quale sit. 1°.de compo. med.per gen. 5ª.210.H
Phœnicinum optimũ contra rheumatica.1°.de cõ.me.per ge. 5ª.215.C
PHOENICITES lapis.de med.par. fac. 7ª.168.H
PHOENICOBALANORVM Thebaicorum fit mentio. 8°.de compositio. med.sec.loc. 5ª.189.F
ex Phœnicobalanis adstringens moderatum pro gargarismis.6°.de cõpo.med.sec.loc. 5ª.172.F
in PHOENICA vina tenuia reperit Galenus.de vic.rat. in morbis acu. commen.3°. 7ª.127.C
PHOENICES amatores affici ita perhibentur vt cibari nolint. 6°.de locis affectis. 4ª.40.F
Phœnix, id est palma.8°.de simp.med.fac. 5ª.63.C
PHOENIX collyrium Hieracium.4°.de comp.med sec.loc. 5ª.156.B
Φοινιγμὸς rubrificationem significat.7°.meth.med. 7ª.44.A
PHONASCI ἀναφωνήσεις appellant vociferationes. 5°. de sanitate tuenda. 2ª.93.A
ad Phonascos ante, & post certamen.7°.de cõ.me.se.lo. 5ª.181.C/D
ad Phonascos.7°.de comp.med.sec.loc.177.A/ 5ª.180.A
in Φωνῆς genere est λόγος. in 1ᵐ.prorrh.com.2°. 4ª.177.A
IHORBIVM tenuium est partium atrahit, & digerit.8°.de simp.medic.facul. 5ª.63.D
Thorbij semen ad leucomata & albugines applicatur; & spicula attrahere creditur.8°.de simp.med.fac. 5ª.63.D
IHORIMON alumen vilis pretij, & parabile.6°.de compositione medicamentorum sec.loc. 5ª.168.G
PHORONEVS, & Deucalion primi boües fuere.3°.me.me. 7ª.20.H
PHORTES, seu Frontinus curatus à Galeno. 7°.de composi.medicamen.per gen. 5ª.273.B
Φωτὶ quid significet.de mach. 7ª.311.E
Φοξοὶ acuti capite dicuntur.in 6ᵐ.de mor.vul.cõ.1°. 3ª.154.F
Φρένες, νοῦς, & διάνοια idem.in 1ᵐ. prorrh.com.1°. 4ª.163.A
Phrenes quæ secundum Platonem. 5°.de ana.admi. 1ª.86.H
Phrenes quid.8°.de decre.Hippo. 1ª.278.G
Phrenes, vel septũ trãsuersum dicere nihil refert.6°.d ana.ad. 1ª.91.B
Phrenes cur dictum septum transuersum. 5°.de lo.aff. 4ª.31.E/H
Phrenes cur non oriantur in sũmis costis nothis.7°.de vsu p. 1ª.163.H
ĩ Phrenũ subsidiũ cõstructi sũt musculi ĩtercostales.5°.d v.p.1ª.147.C
Phrenes instrumenta animæ.2°.de motu musc. 1ª.316.A
à Phrenibus fit respiratio.2°.de motu musc. 2ª.314.H
Phrenes quo agant.2°.de motu musc. 1ª.316.A
PHRENITICI obscuri qui.in 1ᵐ.prorrh.Hippo.com.1°. 4ª.168.A
Phreniticorum differentiæ.4°.de loc.aff. 4ª.22.D
Phreniticorum proprium est vigilia παραχώδης. i.turbulenta. in 1ᵐ. prorrhe.com.1°. 4ª.163.H
Phrenitici non sunt comate laborantes.de comate. 3ª.49.A
Phrenitici similes lethargicis.de comate. 3ª.50.A
in Phreniticis rõne depravata aliqd ĩ vite emittit.2°.de m.m.1ª.314.F
Phrenitici ex acutis faucium morbis.in 1ᵐ.prorr.cõ.1°. 4ª.164.F
Phreniticus fieri põt quis corde affecto.13°.meth.med. 7ª.85.D
Phrenitici inditiũ.in 1ᵐ.de mor.vul.c.3°.3ª.121.G/5°.de l.af.4ª.31.F
Phreniticum signum.in 1ᵐ.prorrh.com.2°. 4ª.169.A
in Phreniticis futuris somnia fiunt.in 1ᵐ.prorrh.com.1°. 4ª.163.G
Phreniticorum aspectus qui.in 1ᵐ.prorrh.com.1°. 4ª.166.A
Phrenitici symptomata.de comate. 3ª.49.B
Phreniticorũ symptomata. de vic.ra.in mor.acu.com.4°. 7ª.139.F
Phrenitici multum loquuntur.in 3ᵐ.de mor.vul.com.3°. 3ª.151.F
in Phreniticis cur visa sint varia.4°.de loc.aff. 4ª.22.F
Phreniticorum, & melancholicorum propriũ cooperiri.in 3ᵐ.de mor. vulg.com.3°. 3ª.151.F
Phreniticis fiunt conuulsiones.in 1ᵐ.de mor.vul.com.2°. 3ª.112.H
Phrenitica signa non in vrinis, neque in sputis, neque in sudoribus, neque in vomitibus.in 1ᵐ.prorrh.com.1°. 4ª.162.G
Phrenitici cur nõ hãt sitim, et sint timidi.in 1ᵐ.prorrh.c.1°. 4ª.165.G
Phrenitici oculi pulueruleuti.in 1ᵐ.prorrh.com.1°. 4ª.165.H
Phreniticorum febris qualis.in 6ᵐ.de mor.vul.com.1°. 3ª.159.E
Phreniticorũ pulsus qualis.de pul.ad Tyr.4ª.45.G/cõp.pul.Sp.65.G
Phreniticorum pulsus rarissime est vndosus. 4°.de cau.pul. 4ª.102.B
Phreniticorum spiratio qualis. 5°.de loc.aff. 4ª.31.H
Phreniticæ sunt linguæ densæ, & aridæ.in 1ᵐ.prorrh.c.1°. 4ª.162.C
Phrenitici habent vomitũ fastidiosum.in 1ᵐ.prorrh.cõ.1°. 4ª.165.H
Phrenitici quæ vomunt.in 1ᵐ.de mor.vul.com.2°. 3ª.112.H
in Phreniticis qñ vomitus niger.in 1ᵐ.prorrh.Hipp.c.1°. 4ª.167.E
Phrenitici, & peripneumonici si qui non sint, an possint contingere sputa subrubra, in 3ᵐ.de mor.vul.com.1°. 3ª.127.G
Phreniticis apparentes vrinæ albæ perspicuæ improba.de vrinæ significatione ex Hip. Sp.78.G
Phrenitica vrina alba aut subliuida significat mortem.de dy.Sp.35.D
Phreniticum nullum seruatum vidit Galenus, in quo vrina aquosa, alba.s. & perspicua apparuisset.com.4°.apho.72°. Ex.35.E
in Phreniticis alba deiectio, mala.in 1ᵐ.prorrh.com.1°. 4ª.165.A
Phreniticis damus cholagoga.de dyna. Sp.20.G
Phreniticis datur lapis armenus.de dyna. Sp.21.C
Phreniticis capiti remedia applicantur.3°.de loc.af. 4ª.17.B
Phreniticorum capiti imponunt serpillum, Castoreum, & cucurbitã. 13°.meth.med. 7ª.85.D
Phreniticorũ capitis fomẽtationib.adhibet ꝑpillus.de sim.m. Sp.84.B
Phreniticorũ capiti oxyrhodinũ applicatur.13°.meth.me. 7ª.85.D
Phreniticis cur valeat acetum.2°.de com.med.sec.loc. 5ª.134.B
in Phreniticis mentis alienationem generose sedauit Theriaca somnũ inducens.de ther.ad Piso. 5ª.96.A
Phreniticis somnum suauiter præstat triphera magna.de dy. Sp.26.D
Phrenitico, qui loquelam amisit, quid prosit.de dyn. Sp.24.D
Phrenitici casus qui habebat læsam cogitationem, & sensus.4°.de locis affectis. 4ª.22.D
Phrenitici casus.in 3ᵐ.de mor.vul.com.3°. 3ª.149.C
de PHRENITIDE varia Hippocratis dicta.de comate. 3ª.50.C
Phrenitis a parte patiente nomen habuit.1°.de arte cu.ad Gl.7ª.95.F
Phrenitis, & pipneumonia quid noĩe.in 1ᵐ.de mor.vul.c.3°.3ª.118.H
Phrenitis quæ vocetur.in 1ᵐ.prorrh.com.1°. 4ª.163.A
Phrenitis quid.sim.med.47.A/intro.Isa.55.F/de ocul. 7ª.187.D
Phrenitis quid in epidemijs.in 1ᵐ.prorrh.com.1°. 4ª.161.A
Phrenitides sunt ægritudines capitis.de virt.nost.corp.disp. Sp.60.B
Phrenitis est ex causa calida & facit phlegmonem in cerebro, & inuolucris.2°.de sym.cau. 3ª.24.C
Phrenitides sunt deliria cum febre.2°.de sym.cau. 3ª.24.C
ex Phrenitide, & melãcholia deliriũ.in 3ᵐ.de mor.vul.c.3°.3ª.151.E

in Phrenitide à cerebro,& septo transuerso delirium perpetuum.5°. de locis affectis. 4ª.31.G
Phrenitis fit in septo transuerso.intro. Isa.55.F
à Phrenitide quo differat deliriũ septi transuersi.5°.de lo.af. 4ª.31.H
Phreneſis,& inſania ſolũ febre differũt.in 3m.& mor.v.c.3°. 3ª.144.F
Phrenitis eſt cum febre.3°.de loc.aff. 4ª.17.A
Phrenitis,peripneumonia vt plurimum habent febres tertianas. commentario 1°.aph.12°. Ex.5.D
Phrenitis affectio hectica.in1m.prorrh.com.1°. 4ª.168.C
Phrenitis eſt morbus acutus.fin.med.45.F/introd.Isa.55.E/de victu.in morb.acu.com.1°. 7ª.108.G
Phrenitis,& lathargus ſunt morbi acuti,& periculoſi.in 1m.de morbis vulg.com.3°. 3ª.117.C
Phrenitidis cauſa.intro.Iſa.55.F/1°.de ſymp.cau. 3ª.19.C
Phrenitis quo fiat.in 1m.de mor.vul. com.2°. 109.G/ 3ª.114.G/H
Phrenitis accidit cerebro affecto,aut per ſe,aut per cõſenſum. 17°.de de vſu partium. 1ª.222.F
in Phrenitide mens primo læſa eſt.2°.de loc.aff. 4ª.13.F
Phrenitides à quibus fiant.in 6m.de mor.vul.com.2° 3ª.167.F
Phrenitis poteſt fieri ab intemperie.3°.de lo.aff. 4ª.20.B
Phrenitis exquiſita ex quo humore fiat.in 1m.prorrh.c.1°. 4ª.161.D
Phrenitidem,& ardentem febrem idẽ facit humor.in 1m.de mor. vul. commen.2°. 3ª.114.G
Phrenitides,& cauſi ab eadem cauſa.de comate. 3ª.49.F
Phrenitis à flaua bile.in 1m.prorrh.cõ.1°.4ª.162.C/de ſper. Sp.38.B
Phrenitis a bile fit,& vnde.4°.de cauſ.pulſ. 4ª.102.B
Phrenitis a flaua bile in corde.2°.de lo.aff. 4ª.13.H
Phrenitim facit ſanguis, & flaua bilis.de vti.reſp. 1ª.226.B
Phrenitides inducunt calidi,& bilioſi morbi.3°.de lo.aff. 4ª.16.F
Phrenitis fit à vaporibus.de vtil.reſp. 1ª.226.C
Phrenitim facit pulmonis inflammatio a calido humore vapore multos mittens ad cerebrum.com.1°.aph.12°. Ex.5.D
Phrenitidum genus catochi.fin.med. Isa.47.B
Phrenitidis, & lethargus quando mixta.de comate. 3ª.50.A
inter Phrenitidem, & lethargum morbi deſcriptio §hunc nos mazuchi morbum appellamus.§ 4°.de cauſ.pul. 4ª.102.C/D
Phrenitidis affectus per ſe ardens febris, per accidens ſopor.in 3m.de morb.vulg.com.3°. 3ª.145.F
Phrenitis calida,& ſicca in actionibus practicis maximum habet robur.3°.de ſymp.cauſ. 3ª.29.C
Phrenitidis ex ſiccitate dolor letalis eſt.12°.meth.med. 7ª.80.B
in Phrenitide vehemẽti cõuulſioni cõtrariũ euenire ſolet.d pal. 3ª.56.C
in Phreniſi quid conuulſionẽ ſignificet.in 1m.prorrh.c.1°. 4ª.167.A
in Phrenitidibus quæ egimus cur in poſterum non recordamur. 2°. de motu muſculorum. 1ª.315.B
Phrenitis a pulmonis inflammatione malum.cõ.7°.aph.12°. Ex.54.G
Phrenitis quæ mitior, & quæ vehementior.3°.de lo.aff. 4ª.18.B
Phrenitis quo lunæ aſpectu fiat.d decu.pg.ex mat.ſciẽtia. Sp.12.G/H
Phrenitis qũo fieri cognoſcatur in 3m.de mor.vul.com.3°. 3ª.151.G/ *in 1m.prorrh.com.1°.* 4ª.161.A
Phrenitides cur iuuenibus potius quam conſiſtentibus accidant commentario 3°.apho.30°. Ex.26.E
Phrenitidis ſigna.intro. Isa.55.F
Phrenitidis proprium.in3m.de mor.vul.com.3°. 3ª.144.G
Phrenitidis propria, & præcipua nota.5°.de lo.aff. 4ª.31.F
Phrenitidis ſigna inſeparabilia quæ.in1m.prorrh.com.1°. 4ª.163.E
Phrenitim q̃ vrinæ ſignificent.in 1m.prorrh.com.1°.162.E/ 4ª.163.F
Phrenitim oſtẽdi ab vrinis aquoſis, vt q̃ ſigñent nõ ſolũ magnã cruditatẽ,ſed flauã bilẽ totã ad caput rapi collige.c.4°.ap.72°. Ex.35.F
Phrenitim,& paracopem,& dementiam,ſiue cardiacã ſignificat vrina tenuis maxime ſi dolor capitis,& ſcapularũ,& inſomnia affuerint.de dynam. Sp.34.E
Phrenitim oſtendit vrina nigra,tenuis cum nebulis.de dyn. Sp.34.B
Phrenitim ſignificat vrina roſea,et obſcura i febribus.de dy. Sp.35.F
Phrenitis in cauſoni de qua vrina ſignificatur.de vrinis. 4ª.123.C
in Phrenitim incedit homo de ſynocho.de dyna. Sp.35.E
Phrenitim,aut paracopem venturam oſtendit in ſynocha, vrina quæ veluti florem vini ſupernatantẽ habuerit.de dyn. Sp.34.F
Phrenitim futuram in ſynocha denuntiat vrina colore liuida,& tenuis conſtitutione.de dyn. Sp.34.C
Phrenitim, aut mortem, aut ſpaſmum in ſynocha ſignificat vrina tenuis cum nebulis non bonis.de dyn. Sp.34.C
Phrenitim futuram denuntiat in ſynocha vrina rubra, & ſpiſſa ſi fuerit egeſta frequentius,& ſi dolor capitis, & ſcapularum affuerit, & auditum patiens obtuſum habuerit, & hypochondriorum dolorem ſenſerit.de dyn. Sp.34.D
Phrenitim purgat in ſynocha vrina alba,& aquoſa,& nebulam bonã habens,& cum odore bono egeſta.de dyna. Sp.44.D
Phrenitim vẽturã oſtẽdit ĩ ſynocha vrina valde lucida.de dy. Sp.34.F
Phrenitim futurã nunciat vrina tenuis, & ſanioſa in pleuriticis ſi in initio ægritudinis venerit.de dyna. Sp.34.H
Phrenitim cum morte ſignificat vrina nigra per varios colores frequẽter mutata cum nebulis non bonis, & veluti conciſis, & ſeparatis,& frequenter in nigrum colorem conuerſa.de dyn. Sp.34.E
in Phrenitide aurium tinnitus,& caligato cur fiat.in 1m.prorrhe.commen.1°. 4ª.166.A
Phrenitim in veternũ verti malum. in 6m.de mor.vul.c.6°. 3ª.197.E
Phrenitis veternũ tollit.in 6m.de mor.vul.com.6°. 3ª.197.E
in Phrenitibus apparet aĩam affici malis corporis.& an.mo. 1ª.319.A
Phrenitide capti quarto decimo finiunt.2°.de die.decre. 4ª.156.F
Phrenitidis acutiſſimæ exemplum qua omnes infra ſeptimam diẽ mortui ſunt.in 3m.de mor.vul.com.3°. 3ª.149.D
Phrenitidis admirandæ meminit.in 3m.de mor.vul.com.3°. 3ª.149.d
in Phrenitide qũo deprehẽdaĩ ſyncope futuræ.de pul.ad Ty. 4ª.45.G
Phrenitis poteſt prohiberi.4°.de loc.aff. 4ª.22.E
Phrenitides in capite ſanantur.1°.de ſym.cau. 3ª.19.B
Phrenitim ſudoribus ſoluit criticus rigor.in 1m.prorr.c.1°. 4ª.165.C
PHRENITIDIS *curatio.intro.Iſa.55.F/de dyn.* Sp.24.D
in Phrenitide ſtatim ab initio vena ſecanda eſt.13°.met.med. 7ª.75.E
in Phrenitide poplitem ſecari oportet,& in talis venas.præſag. exp. confir. Sp.78.C
in Phrenitide,& lethargo, cucurbitæ.13°.met.med. 7ª.85.F
in Phrenitide caput radebant.13°.meth.med. 7ª.85.D
Phrenitidis cauſæ debet applicari oxyrhodinum.2°.de l.aff. 4ª.13.H
in Phreneſis principio oxyrhodinum.3°.de ſimp.med.fac. 5ª.18.E
in Phrenitide imponebat capiti ſpondylium.13°.meth.med. 7ª.85.D
Phrenitim opium curat.de ther.ad Piſ. 5ª.94.B
Phrenitim infantium ſanat emplaſtrum diachryſu. de dyn. Sp.32.B
ſi Phrenitis loquẽdi impotẽtiã induxerit qđ remediũ.de dy. Sp.35.H
ad Phrenitim.de dyn.52.E/ſecre. Sp.97.C
Φρενιτίζειν quid ſit.in 1m. prorrh.com.1°. 4ª.161.A
Φρικώδης febrem horridam appellat.de morb.temp. 3ª.87.E
Φρυκτὴ reſina quæ.4°.de ſan.tuen. 2ª.87.C
Phryctæ, & colophonia melior terebinthina.1°.de compoſitione medicamentorum per genera. 5ª.215.D
PHRIGIÆ *Aſiatice vltimum oppidum Doryle.1°.de ali.fa.* 2ª.12.E
PHRYGIVM *canere.5°.de decre.Hipp.* 1ª.257.H
Phrygium canebat tibicina temulentis,& inſanis quæ iuſſu Damonis muſici mutauit in Dorium, ac ceſſarunt tumulenti ab illa inſania. 5°.de decr.Hippo. 1ª.257.H
PHRYGIVS *lapis quid.de ſim.med.* Sp.86.G
Phrygius lapis nimiũ ſtringit,& exulcerare ſolet.de ſi. me. Sp.86.G
Phrygio lapide vſle ſemp vſus eſt Galenus.9°.de ſim.me.fa. 6ª.67.G
ex Phrygio lapide collyriũ ſiccũ,& eius vſus.6°.de fa.tu. 2ª.100.B
PHRYGES *omnes ex igne nondum genito calamitates acceperunt. an animal ſit.* 1ª.328.F
Phrygum multa nomina cur collegit Galenus.ad Thra. 2ª.107.A
Phryges ſerui.1°.meth.med. 7ª.2.E
Phrygum more panis dicitur βέκος. 2°.de diff.pul. 4ª.54.G
PHRYNÆ *iuſſu cum facies lauiſſent fucate mulieres.in oratione ſuaſoria.* Isa.4.E
PHTHARTICAS facultates phthoropœas,& deleterias dicere nihil intereſt.5°.de ſimp.med.fac. 5ª.36.H
Φθεῖρες vnde nomen habuere. de ther.ad Piſ. 5ª.97.E
PHTHIRIASIS *quid.introd.* Isa.58.G
Phthiriaſis vbi ſit.1°.de comp.med.ſec.loc. 5ª.128.F
Phthiriaſis oculi, & genarum quid.fin.med. Isa.48.F
Phthiriaſis affectus partium exteriorum palpebrarum.intro. Is.58.D
Phthiriaſis affectus circa genas,& angulos oculorũ.fi. med. Isa.48.F
PHTHIROPHAGI. *6°.de com.me.per gen.* 5ª.259.D
PHTHISICA *puella naturaliter vnde ſit.de ſper.* Sp.38.C
Phthiſicis ſit fluxꝰ capillorũ,et deiectiões humidæ.c.7°.a.16°. Ex.55.B
Phthiſicis prõfluuium capillorum fit propter ſiccitatem,fluxus autem ꝑ potentiæ imbecillitatem.com.7°.aph.16°. Ex.55.B

Phthiſicorum pulſus

Phthisicorũ pulsus qualis.de pulsi.ad Ty.45.E/4°.de cau.p. 4ª.101.F
Phthisico non dandũ cnelæum.de med.fac.par. 7ª.171.D
Phthisicum quid iuuet.de cathar. Sp.95.C
ad Phthisicos brassica.de med.par.fac. 7ª.172.C
Phthisicis dandum lac mulieris.5°.meth.med. 7ª.35.A
Phthisicis lac sugendum è mamma.de marc. 3ª.48.D
pro Phthisicis Tabiæ locus Neapoli.5°.meth.med. 7ª.34.G
Phthisicis prodest raphanus.de simp.me. Sp.89.F
Phthisicis subuenit diapenidion magnum.de dy. Sp.26.D
Phthisicis prodest electarium diantu.de dyn. Sp.26.D
ad Phthisicos in principio.5°.de comp.med.per ge. 5ª.251.B
ad Phthisicos suppuratos.8°.de comp.med.sec.loc. 5ª.191.E
ad Phthisicos.7°.de com.med.sec.loc.182.F/183.D/184.E/F/185.D/F/5ª.186.A/B/de med.par.fac.165.G/ 7ª.178.C/G
Phthisici casus.4°.de lo.aff. 4ª.28.C
Phthisicus lege Tabidus.
PHTHISIS *græce tabes latine.com.4°.aph.8°.* Ex.28.E
Phthisicis in oculo quid.intro.Isa.59.B/10°.de vsu par. 1ª.179.F
Phthisis affectus pupillæ.intro. Isa.58.D
Phthises tres.de vic.ra.in mor.acu.com.1°. 7ª.108.H
Phthisis est morbus longus.com.1°.aph 12°. Ex.5.D
Phthisis vnde oriatur.fin.med. Isa.47.E
Phthisi afficitur pulmo.3°.de præsag.ex puls. 4ª.116.C
Phthisis pulmonis vlcera insanabilia consequitur, & totius corporis cũ parua febre inflammationes.com.7°.aph.16°. Ex.55.A
Phthisis ex bile in stomacho quo fiat.de sper. Sp.36.H
ad Phthisim inclinati qui in 1ᵐ.de mor.vul.com.1°. 3ª.105.G
in Phthisim sunt inclinati qui habent pectus angustũ.commentario 2°. aphorismo 34°. Ex.11.D
Phthisis habet febrem quotidianã,et magis noctu.c.1°.a.12°. Ex.5.D
cum Phthisi sunt febres acutæ præter naturam. in 6ᵐ. de morbis vul. commentario 1°. 3ª.105.H
Phthisis a puris sputo,qui sputum retineatur,moriuntur.commentario 7°.aphorismo 16°. Ex.55.A
in Phthisi vrina rubra prædicit futuram mortem.de dy. Sp.35.D
ad Phthisim valet Theriaca.de the.ad Piso. 5ª.91.G
ad Phthisim valens antidotus.2°.de antid. 5ª.111.E
ad Phthisim.de med fac.par. 7ª.165.G
Phthisim incipientem.7°.de comp.med.sec.loc. 5ª.183.B
Phthisis,Lege Tabes.
PHTHOE *quid.fin.med.Isa.47.E/in 1ᵐ.de mor.vul.com.1°.* 3ª.105.F
Phthoen Athenienses ducunt,quã phthisim Hippocrates nominat. cõmen.7°.apho.16°. Ex.55.A
Phthoe laborantes iuuat armenica terra.9°.de sim.me.fa. 5ª.66.H
pro Phthoe lac mulieris optimum.7°.meth.me. 7ª.44.G
PHTHOROPEAS *facultates phtharticas,& deleterias dicere nihil interest.5°.de simp.med.fac.* 5ª.36.H
Phthoropius dinames.i.facultates corruptionẽ inducentes attrahere potest cucurbitula de cucur.sic. 6ª.3.F
PHV quid, & eius vires.de simp.med. Sp.84.D
Phu calidum est,& acre,vrinam ciens.5°.de sim.med.fac. 5ª.35.D
Phu vires habet excalfactorias,et diureticas.de simp.me. Sp.84.D
Phu nardo similis viribus.8°.de simp.med.fac. 5ª.63.D
Phu vrinas mouet plus quam indica,aut syriaca nardus.8°.de simplicium med.fac. 5ª.63.D
Phu ponticum Theriacam ingreditur.de ther.ad Pis. 5ª.92.F
Phu ponticum quale sit.9°.de compo.med.sec.lo. 5ª.202.A
Phu ponti.um accipi iubet.8°.de com.med.sec.loc.195.A/9°.198.E/200.H/ 5ª.202.A/C/H
Phu valet in phlegmone gibbæ partis iecoris.13°.met.med. 7ª.83.H
Phu radix ad neruos vulneratos.3°.de com.med.per ge. 5ª.234.B
pro Phu Carpesium.1°.de antid. 5ª.106.E
PHYCOS id est alga.8°.de simp.med.fac. 5ª.63.D
Phycos ex ceruſa quo.9°.de simp.med.fac. 5ª.71.F
Phycos.9°.de simp.med.fac. 5ª.71.B
PHYCVM *medicamẽtũ paratũ ex metalis.9°.de sim.me.fa.* 5ª.68.E
PHYGETLON *quid.fin.med.Isag.49.B/1°.de arte curatiua ad Glauconem.* 7ª.101.A
Phygethlon & bubo quid.de tum.præt.natu. 3ª.84.F
Phygethlon morbus euidens.de diff.morb. 3ª.3.D
Phygethlon adenarum passio.2°.de arte cur.ad Glau. 7ª.101.D
Phygethla sunt inflammationes.2°.de arte cu.ad Glau. 7ª.100.C/H
Phygethla calida sunt.1°.de simp.med.fac. 5ª.5.H
Phygethla calefaciunt corpus.de cau.morb. 3ª.6.F
Phygethla excitant febrem.de cau.morb. 3ª.6.E
Phygethlon affectus totius corporis.intro. Isa.59.D
Phygethla ex commixtis humoribus.de cau.mor. 3ª.8.B
Phygethlæ curatio qualis.2°.de arte cur.ad Glau. 7ª.102.B
ad Phygethla spissa,& parua,& rubicunda capitis valet succus centaureæ.de vir.cent. Sp.93.B
Phygethlis incipientibus cataplasmatis ritu illinitur elxine.6°.de si. med.fac. 5ª.47.C
Phygethlis,& phlegmonis incipientibus gliscentibus,& emollibus ẽt num,ac veluti feruentibus atriplex,& malua hortensis sunt commodiores quam sylvestres.6°.de simp.med.fac. 5ª.44.C
Phygethlis conuenit ceratum humidum.1°.de simp.med.fac. 5ª.3.C
ad Phygethla.5°.de composiiio.medicam.per genera 5ª.247.F
PHYLACI *fit mentio.5°.de com.med.per ge.* 5ª.249.C
PHYLLITIS *est qualitas acerba.8°.de simp.med.fac.* 5ª.63.E
Phyllitis diarrhæas,siue profluuia,& dysenterias iuuat.8°.de simplicium med.fac. 5ª.63.E
PHYLLON *malabathru.8°.de simp.med.fac.* 5ª.63.E
PHYMA *vnde habuit nouem 2°.meth.med.* 7ª.9.F
Phymata & tubercula vnde dicta,et quid proprie sint.in 6ᵐ. de mor. vul.commen.1°. 3ª.157.C
Phyma quid sit.2°.de arte cu.ad Glau. 7ª.101.D
Phymata sunt inflammationes.2°.de arte cur.ad Glau. 7ª.101.C
Phymata morbus euidens.de diff.mor. 3ª.3.D
Phyma affectus totius corporis.intro. Isa.59.D
Phyma adenarum passio.2°.de arte cur.ad Glau. 7ª.101.D
Phymata affectus partium exteriorum palpebrarũ.introd. Isa.58.D
Phymatum differentiæ.1°.de compo.medicam.per ge. 5ª.216.B
Phymata purulenta affectus inguinum.introd. Isa.59.D
Phymata quo modo fiunt.13°.meth.med. 7ª.81.C
Phymatum curatio qualis.2°.de arte cur.ad Glau. 7ª.102.B
Phymata in alis exciduntur.introd. Isa.59.H
Phymatibus conueniunt acria.de atten.vic. 2ª.43.G
Phymata digerit Abrotonon tritum, ac coctum cum farina hordeacea.6°.de simp.med.fac. 5ª.40.D
in Phymatum augumento,& statu,folia Ephemeri congruunt.6°.de simp.med.facul. 5ª.47.G
Phymata digerit Hypotami cutis.de ther.ad Piso. 5ª.93.F
Phymata iuuat Lupinorum farina.6°.de simp.me.fac. 5ª.48.D
Phymata digerunt folia Onobrychis.8°.de simp.me.fac. 5ª.57.C
Phimata curant Paliuri folia.8°.de simp.med.fac. 5ª.57.G
ad Phymata valet Panacis Asclepij flores.8°.de sim.me.fa. 5ª.57.H
Phymata discutiunt Pyrnocami folia.8°.de simp.med.fac. 5ª.59.D
Phymata digerit Sordes circa statuas existẽs.8°.de si.me.fa. 5ª.59.H
Phymata sanat Vrtica.6°.de simp.med.fac. 5ª.41.C
Phymata discutiens.5°.de com.med.per gen. 5ª.250.B
ad Phymata auferenda.5°.de comp.med.per ge. 5ª.215.G
ad Phymata.1°.de compo.me.p ge.211.C/2°.223.A/226.C/5ª.246.E/247.D/F/6°. 5ª.256.H
PHYMI *differentiæ.fin.med.* Isa.49.C
PHYSEMA *quid proprie.2°.de compo.med.per ge.* 5ª.223.C
Physema pityinon.i.germinatio picea.3°.de com.me.p ge. 5ª.230.C
Physema Pityinon quale.2°.de comp.me.per gen. 5ª.219.E
Physema quo modo lauandum.1°.de comp.me.per ge. 5ª.213.H
PHYSICAM *Hippocratis adducit author libro de spermate,quã Hippo.nunquam scripsit.de sper.* Sp.40.D
PHYSICVS *qui solus,& veræ habendus.11°.de vsu par.* 1ª.191.B
Physicam speculationem scire oportet.de sect. Isa.18.F
Physica problemata qualia.15°.de vsu par. 1ª.210.G
Physica problemata intricata 1°.de simp.med.fac. 5ª.6.E
PHYSIOGNOMIA *quid.de decub.progn.ex math.scientia.* Sp.12.D
Physiognomica euidentia vnde.5°.de decr.Hipp. 1ª.257.B
Κατὰ φυσιν quid significet.14°.meth.med. 7ª.91.B
φυταλία hyemis pars.in 1ᵐ.de mor.vul.com.1°. 3ª.102.A
PHYTICOS. *i.nutrix animæ pars.de sper.* Sp.37.H

PIAE *matris nomina.9°.de an.adm.* 1ª.103.H
Pia mater est sub dura matre.de ana.par. Sp.43.D
PICA est appetitus pessimus in grauidis,qui fit læso ore ventriculi. com.5°.apho.61°. Ex.43.E

Pica quo modo

Pica quo modo fiat prægnantibus. fin. med. *Isa. 49. H*
Pica ex ore ventriculi. 5°. de loc. aff. *4ª. 32. H*
Pica quo modo viris accidat. 1°. de symp. caus. *3ª. 18. D*
PICATIO *citta. 1°. de sym. cau.* *3ª. 18. C*
Picatio fit toti corpori. 1°. de com. med. sec. loc. *5ª. 127. G*
non PIGATVM *vas fictile. 10°. de compo. med. sec. lo.* *5ª 209. A*
Picata dolia vina syncera diutius seruãt. ĩ 6ᵐ. d̃ mor. v. c. 4°. *3ª. 183. A*
Picata medicamenta. de ijs, quæ in med. fiunt. com. 3°. *7ª. 215. D*
Picatum ceratum quod. de fract. com. 1°. *7ª. 222. D*
Picatũ ceratũ. de frac. c. 3°. 241. C/245. B/de art. com. 2°. *7ª. 267. E*
PICEÆ *cortex qualis. 8°. de simp. med. fac.* *5ª. 58. F*
Piceæ cortex intertrigenes sanat, ventrem sistit, ambusta cicatrice includit. 8°. de simp. med. fac. *5ª. 58. F*
Piceæ germinatio. 3°. de comp. med. per gc. *5ª. 230. D*
Piceæ & tedæ folia vlcerum gluinatoria. 8°. de simp. me. fa. *5ª. 58. F*
Piceæ fructus Pityides. 8°. de simp. med. fac. *5ª. 58. F*
Piceæ fructus thoracis ac pulmonis expuitionibus confert. 8°. de simplicium medica. fac. *5ª. 58. F*
Picea resina qualis. 8°. de simp. med. fac. *5ª. 59. F*
Piceæ fuligo qualis. 8°. de simp. med. fac. *5ª. 58. F*
Piceæ fuligo accõmoda est ad pilos superciliorũ ad angulos oculorum erosos lippientes, & lachrymantes. 8°. de sim. med. fac. *5ª. 58. F*
PICEVM *quod vocatur in Cilicia capnelæo. in 6ᵐ. de morbis vulgari. commentario. 6°.* *3ª. 196. C*
PICINVM *oleum refrigeratos calefacit. 2°. de simplicium medicamentorum facul.* *5ª. 15. A*
Picra Romæ dicitur Hiera. 8°. de com. med. sec. loc. *5ª. 188. D*
Picræ compositio q̃ Romæ præparant. 6°. de san. tu. *2ª. 99. C*
Picræ aliæ duæ compositiones, & quales. 6°. de san. tu. *2ª. 99. C*
Picra quæ. de dyn. *Sp. 18. H*
Picra vocata cur inuenta. 6°. de san. tu. *2ª. 99. C*
Picra vocata quas habeat vires. 6°. de sa. tu. *2ª. 99. C*
PICRA *cum scammonio bilis euacuatur. 2°. de composi. medicamentorum secundum locos.* *5ª. 136. H*
Picra antidoto bilis euacuatur. 2°. de comp. med. sec. loc. *5ª. 136. H*
Picra ex aloe purgandus cui biliosus humor in ventre colligitur. 6°. de sanitate tuenda. *2ª. 99. A*
Picra dialoes modice purgat. 6°. de san. tu. *2ª. 98. A*
Picra ex aloe quantum purgat. 6°. de san. tuen. *2ª. 99. A*
Picra assidue vti non debemus. 6°. de san. tuen. *2ª. 99. C*
Picræ meminit. de dyna. *Sp. 32. F*
PICROCHOLÆ *naturæ quæ sm Hippocratem. de vict. ratio. in morb. acu. com. 3°* *7ª. 130. H*
Picrocholi qui sint. 8°. meth. med. 50. G/de vic. rat. in mor. ac. com. 3°. 126. C/de fract. com. 3°. *7ª. 248. D*
Picrocholi parte superiori q̃ sint. de vict. ra. in mor. ac. c. 2°. *7ª. 120. D*
Picrocholis toto habitu q̃ cõtingũt. de vi. ra. in mor. ac. c. 2°. *7ª. 120. D*
Picrocholus sanguis, est sanguis cum amara bile mixtus. 10°. de simplicium med. fac. *5ª. 72. F*
Picrocholi qui non prandent, quæ incidant. de victus ratione in morbis acutis, com. 2°. *7ª. 120. A*
Picrocholis non dandum vinum dulce. de vic. ra. in mor. acu. commenta. 3°. 7ª. 125. F/de vinis. *Sp. 76. E*
in Picrocholis melicratum, & mulsa non sunt idonea. de vi. ra. in mor. acu. com. 3°. *7ª. 127. C*
Picrocholis prodest aceti acredo. de vic. ra. in mor. acu. c. 3°. 7ª. 130. G
PICTORES *sunt in secunda sede prope Deum Mercurium. in oratione suasoria.* *Isa. 2. F*
Pictores faciunt quæ pulcherrima in specie medium aspicientes. 1°. de temperamentis. *1ª. 15. A*
ad Pictorẽ dicebat Quintus pertinere nosse vrinas. 3°. de sa. t. *2ª. 81. H*
PICTVRA *ars nobilis. in oratione sua.* *Isa. 5. G*
Pictura in medicis necessaria. 1°. meth. med. *7ª. 6. H*
Picturæ floriditas. de caus. procatar. *3ª. 96. E*
PIESMA myrobolani pro iecoris Phlegmone. 11°. methodi medendi. 73. A/13°. *7ª. 83. G*
PIETAS *sequitur ad dominium pituitæ. de ana. viuo.* *Sp. 45. E*
PIGMENTO nardino lanæ manipulum inunctum apponendum ori ventriculi q̃n non est facta coctio. de præ. ad Posth. *4ª. 219. A*
PIGROS *quid faciat. quod animi mor.* *1ª. 320. C*
PIGRITIES *fit a causa frigida. 2°. de lo. aff.* *4ª. 14. B*
Pigritia in motu sequitur ad dominium phlegmatis. de ana. vi. *Sp. 45. e*
Pigrities mentis, profunditas somni, pustulæ significant pituitam. commentario 4°. aph. 2°. *Ex. 27. F*
Pigritia cur fiat ab austro. com. 3°. aph. 5°. *Ex. 20. C*
Pigritiam ad actiones vel pectoris dolores non est necessarium sequi si quis male concoxit. 3°. de sym. cau. *3ª. 30. B*
Pigritiem qui sentiunt tamen sani. de cu. ra. per sang. miss. *6ª. 16. E*
PILA quid sit. de ar. com. 1°. *7ª. 255. C*
Pila vel parua, vel magna satigare corpus est exercitatio. 2°. de sanitate tuenda. *2ª. 73. G*
Pila qui exercere instituit σφαιριστικὸν *vocant. 2°. de san. tu.* *2ª. 75. E*
Pilæ paruæ optimus lusor Epigenes. de par. pil. exer. *2ª. 48. G*
Pilæ paruæ exercitatio omnes alias antecedit. d̃ par. pil. exer. *2ª. 48. f*
Pilæ paruæ lusus indiget apparatu. de par. pil. exerc. *2ª. 48. H*
Pilæ paruæ exercitatio tutissima. de par. pil. exerc. *2ª. 49. G*
p Pilã exercitatio fit celeriter, & p̃ter robur. 2°. de sa. tu. *2ª. 74. F*
Pilæ paruæ exercitatio mouet totũ corpus. de par. pil. exer. *2ª. 49. A*
Pilæ paruæ exercitatio supernæ partes potius exercentur. 6°. de sanitate tuenda. *2ª. 100. F*
in Pilæ paruæ ludo q̃o exerceatur, caput, ceruix, latera, thorax, & venter. de par. pil. exerc. *2ª. 49. A*
in Pilæ paruæ lusu, q̃o exerceantur crura. de par. pil. exerc. *2ª. 49. A*
in Pilæ paruæ lusu exercitatio brachiorũ q̃. de par. pi. exer. *2ª. 49. B*
in Pilæ paruæ lusu q̃o oculi exercentur. de par. pil. exerc. *2ª. 49. B*
Pila qui exercetur quos motus sciat, & quos ignoret. 2°. de sanitate tuenda. *2ª. 75. E*
post Pilæ paruæ lusum frictionibus ex oleo, & balneis calidis vtebantur. de par. pil. exerc. *2ª. 49. E*
PILOSELLA, *& melangia cuius vsus. de dyna.* *Sp. 35. F*
Piloscella pro vlcere. de dyn. *Sp. 35. E*
Piloscellæ meminit. de dyn. *Sp. 31. F*
PILOSI *cur euadant plurimi melancholicorum. de melancholia ex Galeno, Rufo, & Poss.* *Sp. 109. E*
ad Pilosa supercilia. de med. fac. par. *7ª. 163. C*
Pilosa cutis vnde habet nernos pro sensu. 9°. de vsu par. *1ª. 176. D*
Pilosa pars minus prõpte secatur quã depilis. 3°. de an. adm. *1ª. 73. A*
PILVLÆ *ex Aloe, colocynthide, & scammonio exceptæ succo brassicæ. 1°. de com. med. sec. loc.* *5ª. 131. E*
Pilulæ Galeni, ex aloe, scãmoneo, et colocynthide. 14°. me. m. *7ª. 89. C*
Pilulæ ad Alopeciam, & ophiasim. de remed. par. fac. *7ª. 154. G*
Pilulæ ad Dysenteriam probatę. de dyna. *Sp. 28. A*
Pilulæ Galeni ad purgandas multas materias. 5°. met. med. *7ª. 35. G*
Pilulæ ad Hemicraniam. de dyna. *Sp. 23. G*
Pilulæ ad Hydropem secretorum. *Sp. 101. C*
Pilulæ Laxatiuæ. de dyna. *Sp. 27. E*
Pilulæ Marrubij. 7°. de comp. med. sec. loc. *5ª. 185. H*
Pilulæ ad Ophiasin. de remed. par. fac. *7ª. 154. G*
Pilulæ purgantes Pituitam. de med. fac. par. *7ª. 173. F*
Pilulæ Platani deficcant. 8°. de simp. med. fac. *5ª. 58. G*
Pilulæ ad Tussim probatæ. de dyn. *Sp. 26. C/F*
Pilulæ ad omnem Ventris solutionem. de dyn. *Sp. 27. G*
Pilulas nouem, & viginti dat. de med. fac. par. *7ª. 173. F*
PILVS *quid. fin. med.* *Isa. 44. D*
Pili animaliũ sunt ex his, quæ familiaria sunt animalibus. 11°. de sim. med. fac. *5ª. 81. C*
Pilus siccus est. 1°. de temp. *1ª. 12. G*
Pilus siccissimus est. 2°. de temp. *1ª. 18. A*
Pilus siccissimus, & frigidissimus est. 1°. de temp. *1ª. 15. C*
Pilos, & capillos generare naturæ opus est. 14°. meth. med. *7ª. 93. C*
Pili cur à natura multiplicentur. de ana. viuo. *Sp. 45. C*
Pilorum generatio comparatur terræ nascentibus, & quo modo. 1°. de com. med. sec. loc. *5ª. 121. C*
Pili quibus comparentur herbis. 5°. de com. med. sec. loc. *5ª. 121. C*
Pili senũ vt herbæ quæ nascuntur vere, & in æstate perseuerant. 2°. de temperamentis. *1ª. 21. A*
Pili comparantur arboribus valentes radices habentibus. 2°. de temperamentis. *1ª. 21. B*
Pili quo modo generantur. 2°. de temp. *1ª. 19. E*
Pili ex quo fiant, & crescant. 14°. meth. med. *7ª. 93. C*
Pili vnde originem habeant. 1°. de san. tuen. *2ª. 67. H*
Pilorum origo duplex, & a prouidentia Dei: a loci natura. 11°. de vsu partium. *1ª. 190. A*
Pili indicant raritatem cutis. com. 5°. aph. 69°. *Ex. 45. D*

Pili fiunt

Pili fiunt ab humiditate.7°.de simp.me.fac. 5ª.51.E
*Pili ex fumis q ex capite,& ex toto corpore ascẽdũt.2°.de tẽ.*1ª.19.D
Pilos faciens excrementum quale.2°.de temp. 1ª.21.E
Pilorũ gñatio vbi necessaria,& vbi nõ debet eẽ.17°.de v. p. 1ª.222.B
Pili magis nascuntur in siccis,& calidis.2°.de temp. 1ª.18.G
Pili in quibus non oriantur.2°.de temp. 1ª.18.G
Pilos non facit cutis nimis humida,& nimis sicca.in 6ᵐ.de morbis vulgaribus,commen.3°. 3ª.170.A
Pilis nuda temperamenta frigida.2°.de temp. 1ª.18.G
Pilus niger quo modo fiat.2°.de temp. 1ª.19.E
Pilus flauus quo modo fiat.2°.de tempe. 1ª.19.E
Pilus albus quo modo fiat.2°.de temp. 1ª.19.E
Pilus rufus quo modo fiat.2°.de temp. 1ª.19.E
Pili crispi propter quid fiant.2°.de temp. 1ª.19.E
Pili quales sunt in radice,tales sunt per totũ.2°.de temp. 1ª.19.C
Pili æthiopum quo modo se habeant.2°.de temp. 1ª.19.C
Pili arabum quo modo se habeant.2°.de temp. 1ª.19.C
Pili indorum quo modo se habeant.2°.de temp. 1ª.19.C
Pili eorum qui calidam,& siccam habitant regionẽ quo modo se habeãt.2°.de temperamentis. 1ª.19.C
Pili habitantium inter calidas, & frigidas regiones quales sint.2°.de temperamentis. 1ª.19.C
Pili ſm naturam,& ætatis temperamentum.2°.de temp. 1ª.19.D
Pili in naturis comparantur ætati,& regionis.2°.de temp. 1ª.19.D
Pili quare sint subrufi.2°.de temp. 1ª.19.D
Pili cur subrufi,boni crementi,& modice crassi.2°.de temp. 1ª.19.D
*Pilos qui imbecillos habent,& canos propter quid.2°.de tem.*1ª.19.E
Pili frequentes,& nigri bonam temperaturam in cerebro significant.2°. de temperamentis. 1ª.20.F
Pili cur densantur in vigentibus,& non in pueris.fin.med. Isa.44.E
Pili plures sunt in calidis.11°.de vsu par. 1ª.190.B
Pili nulli,aut pauci in frigidis.11°.de vsu par. 1ª.190.B
Pilosus in iuuenta non est melancholicus,nec in senio sed in declinante ætate.2°.de temperamentis. 1ª.21.B
*Pili aliquibus permanent vsq; in senũ,aliquibus non.2°.de tẽ.*1ª.21.b
Pili mutant colores arte, & fiunt longi, & crispi. 1°.de compositione medicamentorum sec.loc. 5ª.126.B
Pili cedunt sed non sunt molles.5°.de simp.me.fac. 5ª.32.G
Pili non dolent, quia non sentiunt.de const.art. Isa.38.C
Pili non sentiunt acum.1°.de elem. 1ª.2.H
Pili qui innascuntur nobis.2°.de temp. 1ª.19.D
Pilorum in corpore iuuamentum.de ana.viuo. Sp.53.D
Pili sunt plurimi incrementi in capite,axillis,& pudendis.11°.de vsu partium. 1ª.190.A
Pili sunt in capite pro ornamento.fin.med. Isa.44.D
Pili capitis,& maxillarum cur crescant.11°.de vsu par. 1ª.189.F
Pili angentur in longum.1°.de vsu par. 1ª.115.H
Pili cur in supercilijs.11°.de vsu par. 1ª.189.A
Pili in genis,& supercilijs ad vtilitatem.fin.med. Isa.44.D
Pili superciliorum vtilitatem magnam animalibus pariunt.1°.de compos.med.sec.loc. 5ª.121.D
in Pilorum superciliorum creatione quæ intentio.de ana.viu. Sp.45.C
Pili capitis,ciliorum,& superciliorũ non vt herbæ,sed vt stirpes nascuntur.2°.de temp. 1ª.19.D
Pili cur circa oculos.introd. Isa.53.A
Pilis qui in oculis nascuntur prodest lentiscus.de sim.me. Sp.86.B
Pili palpebrarum sunt in omnibus calidis, humidis,frigidis, et siccis.11°.de vsu partium. 1ª.190.B
Pili palpebrarum vtilitatem magnam pariunt animalibus.1°.de compo.med.sec.loc. 5ª.121.D
Pili palpebrarum faciunt ad sanitatem.1°.de cõ.me.se.lo. 5ª.126.B
Pili palpebrarum cur semper æquales.11°.de vsu par. 1ª.189.F
Pili palpebrarũ difficilius defluũt,q̃ capilli.11°.de vsu p. 1ª.190.B
Pili superciliorum,aut palpebrarum non defluunt nisi in magnis ægritudinibus.11°.de vsu par. 1ª.190.B
absq; Pilis supercilia esse indecorum est. 1°.de compositione medicamentorum secundum locos. 5ª.126.B
Pili ex cilijs quomodo restaurantur.14°.meth.med. 7ª.93.E
ad Pilorum in supercilijs incrementum valet armeniacum.9°.de simpli.med.sec.loc. 5ª.68.F
Pili in palpebra quandoque cadunt.de ocul. 7ª.186.H
ad Pilos palpebrarum deciduos in principio.1°.de compositione medicamentorum secundum locos. 5ª.123.E
ad Pilos cadentes palpebrarum.de ocul. 7ª.190.E
Pili palpebrarũ adglutinãtur albumine oui.11°.de sim.me.f. 5ª.81.F
Pilorum in supercilijs præter naturã glutẽ est munus cochlearũ.11°. de simp.med.fac. 5ª.78.G
Pilorum agglutinatoria.4°.de comp.med.sec.loc. 5ª.153.C
ad Pilos pungentes in palpebris enascentes.4°.de compositione medicamentorum sec.loc.153.B/C/ 5ª.158.B
Pili in palpebra inuersi.de ocul. 7ª.186.H
ad Pilos palpebrarum.4°.de comp.med.sec.loc. 5ª.158.A
de Pilorum ablatione ab oculis.de ocul. 7ª.190.E
ad Pilos palpebris innatos oculum infestantes.de re.par.fa. 7ª.156.G
Pilos non sinere renasci in palpebris lac caninum est falsum.10°.de si. med.fac. 5ª.74.A
Pili ad malas quid agant.11°.de vsu par. 1ª.189.D
Pili cur non in naso, & malis.11°.de vsu par. 1ª.189.D
Pili cur non in fronte.11°.de vsu par. 1ª.189.E
Pili menti parum habent vtilitatis.1°.de comp.med.sec.lo. 5ª.121.D
ad Pilorum menti casum.de med.fac.par. 7ª.173.E
Pili agranones qui sint.de sper. Sp.36.E
Pili cur circa pudenda.11°.de vsu par. 1ª.190.C
Pili pudendorũ parum habent vtilitatis.1°.de com.me.se.lo. 5ª.121.D
Pilorum in pudendis exortum reprimere lac caninũ est falsum.10°. de simp.med.fac. 5ª.74.A
*Pilis nudum pedis vestigium qui musculus faciat.de mus.dis.*1ª.52.A
Pilos conseruans medicamentum.1°.de com.med.sec.loc. 5ª.126.D
PILORVM *affectus nouem.fin.med.* Isa.48.B
Pilorũ affectus qui.introd.Isa.59.E/1°.de cõ.me.se.lo. 5ª.121.D
Pili quomodo corrumpantur.14°.met.med. 7ª.93.C
Pili ob quas causas corrumpantur.1°.de comp.me.se.l. 5ª.121.E
Pilos corrumpentia pharmaca.1°.de comp.med.sec.loc. 5ª.127.E
Pilos tollit auripigmentum.de simp.med. Sp.80.B
Pilorum Psilothra.1°.de comp.med.sec.loc. 5ª.127.E
Pilos aufert Psilothrum.de dyna. Sp.23.G
Pilis glabram cutem efficit filicula.6°.de simp.med.fac. 5ª.46.D
Pilos tollit succus tithymalli inunctus.8°.de simp.med.fac. 5ª.62.D
Pilos tollit tithymallum quasi phsilothrum.de simp.med. Sp.91.E
Pilis nudat Hederæ lachryma.7°.de simp.med.fac. 5ª.51.F
Pilos sub alis euulsos crescere non sinere adipem viperarum, & etiã suffusionum initia sanare falsum est.11°.de simp.med.fac. 5ª.79.D
*Pilos non prohibet sanguis ranarũ viridiũ.10°.de sim.me.fa.*5ª.73.d
Pilos quæ dispergant.1°.de com.med.sec.loc. 5ª.128.A
Pili ablati vt nunquam renascantur.de dyn. Sp.23.G
Pilos ne pueri faciant in pube.7°.de simp.me.fa. 5ª.53.E
*Pilos nasci prohibent tellinæ salsæ vstæ.11°.de simp.med.fac.*5ª.82.D
Pili quibus non oriuntur, quibus medicamentis vsus sit Galenus. in 6ᵐ.de mor.vul.com.2°. 3ª.160.H
Pilorum attenuatio quibus conueniat.1°.de comp.med.se.lo. 5ª.127.F
Pilorum attenuatoria.1°.de com.med.sec.lo.127.E/ 5ª.128.B
Pilos attenuantibus medicus vti potest.1°.de com.me.se.lo. 5ª.128.B
Pilos attenuant exterioria.1°.de comp.med.sec.loc. 5ª.128.B
Pilos extirpantia.1°.de comp.med.sec.lo. 5ª.127.E
ad Pilos nasci faciendos. secretorum. Sp.97.A
Pili vt nascantur vbi volueris præsidia.de dyn. Sp.23.F
Pili vt mirifice renascantur.de theria.ad Piso. 5ª.93.F
Pilos defluentes cohibet lotus arbor.7°.de simp.med.fac. 5ª.55.A
Pilos defluere prohibentia sunt sicca,& adstringentia quodammodo.7°.de simp.med.fac. 5ª.55.A
ad Pilis denudatam partem quamuis valet auripigmentum.9°.de simpli.med.facul. 5ª.68.H
Pili quomodo nascantur in Alopecia.1°.de comp.me.se.lo. 5ª.124.C
Pilos restituit Alcyonium.7°.de simp.med.fac. 5ª.53.D
Pilos restituit cæpa.7°.de simp.me.fac. 5ª.53.D
Pili quibus cadebat.in 3ᵐ.de mor.vul.com.3°. 3ª.142.E
PILI *circa vlcus incidant prauos humores confluere, qui vlcus erodunt.com.6°.aph.4°.* Ex.46.G
Pilis vulnera vacantia praua sunt.com.6°.aph.4°. Ex.46.G
Pilus impedit partes vniendas.ars med.Isa.69.H/4°.metho.med.7ª.23.C/com.6°.aph.4°. Ex.46.G
Pilos radit in vulneribus capitis.2°.de comp.me.se.lo. 5ª.138.E
Pili auferendi à parte incidenda.4°.de ana.admi. 1ª.80.C
*Pili facile accenduntur,tamen non calefaciunt.1°.de sim.m.fa.*5ª.4.E

Pilos quale

Pilos quale alcyonium vrere potest.11°.de simp.me.fa. 5ª.83.C
PILI *vsti quales.11°.de simp.me.fac.* 5ª.81.C
Pili vsti excitant strangulatus vteri olfactu.9°.de compo. medicam. secun.locos. 5ª.205.G
Pili caprarum,& vrsorum.1°.de comp.me.sec.lo. 5ª.124.F
ex Pilis leporum molliusculis medicamentum ad sanguinem sistendum.de cura.rat.per sang.mis. 6ª.21.F
Pilis leporis excepta thuris pars vna,& aloes partis vnius semissæ cum oui candido mista,medicamentum optimum ad sanguinẽ supprimendum.5°.metho.med. 7ª.36.H
Pili ad quid viles.1°.de comp.me.sec.loc. 5ª.124H
Pilum Suillum in fistulam ponebat.1°.de com.med.per ge. 5ª.213.B
ex Pilis,vel setis pannus compositus.3°.de com.me.se.l. 5ª.149.A
PILIS *similia in vrina.6°.de loc.aff.* 4ª.37.E
Pili qui exeunt per vrinas in venis oriuntur.6°.de lo.aff. 4ª.37.D
Pilorum instar minutæ caruncuiæ vrinis crassis aduenientes,a renib. excernuntur.de vrinæ sign.ex Hipp. Sp.78.H
Pili quo modo nascantur in vrina,& quo modo curetur illa affectio. 6°.de locis affectis. 4ª.37.E
Pilis similia in abscessibus inueniũtur.de tum.præter naturã. 3ª.83.G/14°.*methodi medendi.* 7ª.92.D
PINDEMONTIS *meminit.de dyn.* Sp.35.F
PINÆ *animalia qualia.de fæt.for.* 1ª.323.F
PINEA *nux qualis.7°.de comp.me.sec.loc.* 5ª.179.A
Pinea nux videtur dura sed eliva est mollis.de bo.& vit.su. 2ª.19.D
Pinea nux difficulter coquitur.2°.de alim.fac. 3ª.19.D
Pinea nux non est mali succi,sed crassi.de bon.& vit.suc. 2ª.35.F
Pinea nux boni ac crassi succi est,& multum nutrix.2°.de alimentorum facultatibus. 2ª.19.D
Pineæ nuces ad stomachi ardorem cum syncope.8°.de compo. medicam.secun.locos. 5ª.191.H
Pineæ nuces in inflammationum arterię principijs lenissimę.7°.de cõpositio.medicam.sec.loc. 5ª.177.H
Pineæ nuces tostæ.6°.de comp.me.sec.lo.171.C/ 5ª.182.B
Pineam syncomistem quam vocet Galenus.3°.de compositio.medic. per genera. 5ª.233.D
Pinea nucleus,& galbanũ ex melle attico pro eclegmate in pleuritide.de vict.ra.in morb.acut.com.4°. 7ª.144.C
Pineæ cor assimilatur. de anat.viu. Sp.46.C
Pinea resina qualis.8°.de simp.me.fac. 5ª.59.F
Pinea resina humida pro terebinthina.6°.met.me. 7ª.47.G
Pinea colophonia,& sricta resina pro eodem accipiuntur.7°.de comp.med.per gene. 5ª.264.B
Pinea resina.4°.de san.tuen.2ª.87.B/2°.de sim.me.fac. 5ª.15.A
Pinea spatula.7°.de compo.me.per gener. 5ª.268.E
PINEALIS *glandulæ suppositæ cerebro inuamentum. de anatomia viuorum.* Sp.44.D
PINGVEDO *quid.fin.med.* Isa.44.D
Pinguedo,& adeps differunt.2°.de sim.me.fac. 5ª.12.C
Pinguedo,& adeps quomodo differant.10°.de sim.me.fa. 5ª.78.H
Pinguedo,& adeps confunduntur.11°.de sim.me.fac. 5ª.78.H
Pinguedo terrestris dicitur sepum.de vtil.resp. 5ª.78.H
in Pinguedine,& sepo abundans animal omne, abundat & in medulla.de anat.viuo. Sp.44.E
Pinguedo cuius sit temperiei.2°.de simp.med.fac. 5ª.14.D
Pinguedo calida,quia ea vice olei vtimur.4°.de vsu par. 1ª.137.D
Pinguedo oleosa.3°.de alim.fac. 2ª.27.D
Pinguedo humida quædam res oleo longa vetustate incrassato similes.3°.de alim.fac. 2ª.27.D
Pinguedo sensu caret.de mult.3ª.77.G/de vtil.resp. Sp.62.H
de Pinguedinis genere sunt glandulæ.de vtil.resp. Sp.62.H
Pinguedinem quę faciant.2°.de temp. 1ª.18.B
Pinguedo in his est,qui bene nutriuntur.11°.de sim.me.fac. 5ª.78.G
Pinguedine abundant ociosi.6°.de anat.admi. 1°.92.B
Pinguedo quas partes obducere soleat.4°.de anat.adm. 1ª.80.D
Pinguedo cur in neruosis partibus sit magis.6°.de ana.adm. 1ª.92.B
Pinguedo super omnia neruos occultat.4°.de ana.adm. 1ª.80.D
Pinguedo quandoq; vasa conscendit.6°.de ana.adm. 1ª.92.B
Pinguedines propter quid in corpore sint.de vtil.resp. Sp.62.H
Pinguedo cur in oculis circunfusa.10°.de vsu par. 1ª.181.H
Pinguedo musculorum in oculis cur sit.de anat.ocul. Sp.57.G
Pinguedine supra ventriculum ablata ventriculus redditus est frigidus.de vtil.respi. Sp.62.H
Pinguedo quid agat in omento.4°.de vsu par. 1ª.137.D
Pinguedo omẽti nõ sinit mulieres pingues concipe.c.5°.ap.46°. Ex.41.H
Pinguedo causa cur semen non contineatur.de aere,aqu.& lo.2ª.5.g
Pinguedo renum.de anat.viuo. Sp.44.D
Pinguedo non habet robustas vires.de cur.rat.per san.miss. 6ª.17.H
Pinguedine obundantes nimis non sunt purgandi.de dyn. Sp.20.F
Pinguedo est pauci nutrimenti.3°.de alim.fac. 2ª.27.D
cur Pinguedo parum nutriat.de diff.cont. Sp.73.F
Pinguedo qualibet carne sui generis est deterior.de victus ra.in morbis acutis,com.4°. 7ª.147.C
Pinguedinis paucę leuis carnis saliti pisces sunt sibi salsi dissoluẽtes, ac attenuantes.de diff.cont. Sp.72.F
Pinguedinem multam non habentes pisces parui tenerique sunt boni chymi,& subtilis.de diff.cont. Sp.73.H
Pinguedo est potius carnium condimentum, quam alimentum.3°.de alimento.facultatibus. 2ª.27.D
cum Pinguedine,vel oleo dat panes calidos in Hydrope. de vict.ra. morb.acu.com.4°. 7ª.152.E
Pinguedo omnis calfacit,& humectat.11°.de sim.me.fac. 5ª.79.A
Pinguedinis sũ caliditas talis est,qualis est in nobis.11°.de simplic. medicamentor.facul. 5ª.79.B
Pinguedo suum largius humectat,sed non calfacit vt oleum.11°.de simpl.medi.facul. 5ª.79.B
Pinguedo suum omnium humidissima propinqua oleo.11°.de simpli. medicam.facul. 5ª.72.H
Pinguedinem multam cur habet sus.11°.de simp.me.fa. 5ª.78.H
Pinguedo mitigans est.2°.de simp.med.fac. 5ª.12.H
Pinguedo suis ad phlegmonas.11°.de simp.med.fac. 5ª.78.H
Pinguedo anseris,& gallinacci calidior,& siccior est,q̃ suum,& tenuior,& minimum terrestris.9°.de sim.me.fac. 5ª.25.E
ex Pinguedine anseris,& oleo sabino clyster ad morsus.8°.methodi medendi. 7ª.53.F
pro Pinguedine anseris pinguedo gallinacea.8°.methodi medendi. 53.F/12°. 7ª.79.F
pro Pinguedine gallinacea pinguedo caprina.8°.met.me. 7ª.53.E
Pinguedines nondum vllam nactę sunt acrimoniam,emplasticam,& illinendi poros facultatem obtinent.4°.de sim.me.fac. 5ª.25.E
Pinguedo collinit,& mitigat acres mordicationes.10°.de simp.med. facultatibus. 5ª.73.F
Pinguedo tauri,& hirci acrimoniam,& multam,& igneã possidet. 4°.de sim.med.facul. 5ª.25.E
Pinguedines diuersorum animalium quo modo digerunt,& emolliũt. 7°.de comp.me per genera. 5ª.264.A
Pinguedo cur adhibenda in frictionib°,& copiose.2°.de sa.t.2ª.77.a
Pinguedo a calore liquescit.6°.de ana.adm. 1ª.92.B
Pinguedo quo modo liquefiat calore.in 3ᵐ.de mo.vu.c.3°.3ª.147.H
Pinguedo cur celeriter in igne liquescit.11°.de simp.me.f. 5ª.78.H
Pinguedo a frigiditate conseruatur.6°.de anat.adm. 1ª.92.B
Pinguedinem oleaceam.i. ἐλαιώδη *vrina habẽs mortem minatur.de tot.morb.temp.* 3ª.88.G
Pinguedines superne vrinis innatantes araneosas licebit improbare. de vrinę significatione ex Hippo. Sp.78.G
Pinguedinosa,& alba vrina peripneumoniã significat.de dy. Sp.35.e
Pinguedinosa urina,alba,vel iumentina significat dolorem renum, & vesicę,& capitis aliquantum.de dyn. Sp.35.E
Pinguedo qũo fiat in fructibus.4°.de simp.me.facul. 5ª.26.F
Pinguedo quibus mala.com.3°.aph.44°. Ex.18.F
PINGVEFACIT *exercitatio tarda. in 6ᵐ.de morbis vulgaribus,commentario.3°.* 3ª.170.E
PINGVESCIT *in matrice viri semen muliebri associatum cum spiritu quodam in ea receptum.de sperm.* Sp.36.C
PINGVE, *& oleosum idem.1°.de sim.me.fa.* 5ª.8.H
Pingue significat etiã dulce.in 6ᵐ.de mor.vul.c.5°.191.G/ 3ª.196.G
Pingue dulce est.4°.de simp.med.fac. 5ª.26.H
Pinguia quę sint.4°.de simp.me fac. 5ª.26.H
quę Pinguia efficiantur vetustate.4°.de simp.me.fac. 5ª.26.G
Pingue abdomen habentia corpora non rubescunt. ob frictionem. de cucurbitulis & scarificatione. 6ª.3.C
Pingue ob crassitiem dicitur adeps.4°.de sim.me.fac. 5ª.25.E
Pingue agninum.7°.de comp.med.per gen. 5ª.272.D
Pingui nõ tm nutriti flãma,sed ẽt ab aere vicino.de vti.res. Sp.62.D

ex Pinguibus rebus exit suligo. 8°. de dec. Hip. 1ª.275.H
Pingue Suillum quale. 7°. de comp.me.per gen. 5ª.269.F
Pingue Taurinum oĩum maxime siccat. 4°. de cõ.me.per g. 5ª.241.D
Pingue Vituli marini. 7°. de comp.me.per ge. 5ª.270.H
℞ Pingui vituli marini medulla Cerui vetustiss.ma. 7°. de compositi. medicam. per gen. 5ª.270.H
Pinguium, & iuuenum Anium axillæ facilius digeruntur quam axillæ macrarum, & antiquarum. de diff.cont. Sp.73.C
Pinguibus cibis dulcibus, & nulla vehementi qualitate præditis delectanĩ, qui naturaliter se habent. in 6ᵐ. de mor.vul.c. 5°. 3ª.191.G
Pingue nihil ad gustum attinet. 1°. de sim.me.fac. 5ª.8.H
Pinguia gratissima gustui, et cõueniẽtia naturæ. 1°. de sym.ca. 3ª.17.d
Pinguia quid agant in linguam. 1°. de sim.me.fa. 5ª.9.A
Pinguia quid faciant. 1°. de symp.cau. 3ª.17.D
Pinguia non roborant stomachum. 1°. de alim.fac. 2ª.15.D
Pinguia si offerantur ante reliqua edulia tollunt famem caninam. cõmenta. 2°. aphorism. 21°. Ex.14.H
ex Pingui alimẽto bilis pcreatur. in 6ᵐ. de mor.vul.c. 5°. 3ª.191.G
Pinguia & dulcia supra modum calefacta in amaram bilem vertuntur. 1°. de crisibus. 4ª.130.A
Pinguia mouent tussim. 2°. de sim.me.fa. 5ª.13.D
Pinguia quomodo tussim excitant. 2°. de sim.me.fac. 5ª.13.F
Pinguia leniunt. 1°. de sym.cau. 3ª.17.D
Pingues cur deiectiones. in 3ᵐ. de mor.vul.com. 3°. 3ª.146.G
Pinguia quædam in difficultatibus inteſtinorum exeunt primo. com. 4°. aphorismo 26ᶜ. Ex.30.C
Pinguæ Excrementum quid significet. 1°. de cris. 4ª.129.E
Pinguia qui excreant phlegmagogis sunt purgandi. de dyn. Sp.21.C
PINGVE humorum species in animalibus, plantis, & in terra. 1°. de nat.hæma.com. 1°. 1ª.31.H
Pingue omne inuehitur humoribus. in 3ᵐ. de mor.vul.c. 3°. 3ª.147.g
Pinguia omnia, & viscosa educit lapis armenus. de dyn. Sp.21.C
Pinguia phlegmata multum, & frequenter pinguentibus dãda phlegmagoga. de dyn. Sp.21.C
Pinguis pituitæ oculorum præsidium. de dyna. Sp.24.H
Pingues homines qui. 2°. de sim.med.fac. 5ª.14.E
Pingues homines fiunt locis frigidis, graciles vero calidis. 2°. de sim. med.facult. 5ª.14.E
Pingues natura, qũo distinguanĩ a pinguib⁹ occasione. 2°. de tẽ. 1ª.18.c
Pinguis habitus cum venarum angustia. 2°. de temp. 1ª.18.C
Pinguium cutis qualis. in 6ᵐ. de mor.vul.com. 3°. 3ª.176.E
ad Pinguem hominem attenuandum. de dyna. Sp.30.B
Pingues homines extenuans medicamen. de med.exper. Sp.104.H
Pingues multi redditi graciles. 2°. de temp. 1ª.18.B
Pinguẽ qũo Galenus breui duxerit ad mediocritatẽ. 6°. d̃ s.t. 2ª.98.B
Pingues mulieres nõ habẽt purgationes lunares vt est necesse. de ae. aquis & locis. 2ª.5.G
pro Pinguibus vina qualia esse debent. 14°. met.me. 7ª.91.F
Pingues non concipiunt. de aere, aquis, & locis. 2ª.5.G
Pingues. lege crassi.
Pinguia sint an lenta vel leuia non sunt consideranda quæ celefacere, refrigerare, exiccare, vel humectare corpus humanum debẽt. 1°. de simplic.med.facul. 5ª.2.E
PINGVIVS vocatur a recentibus Medicamentũ emollientius, quod & humidius quoq; est. 7°. de comp.me.per ge. 5ª.264.C
Pinguia sunt materia apta ad emplastra, & qualia. 6°. de compositio. medica.per gen. 5ª.255.C
Pinguia pharmaca vitamus in capitis, & aliarum partium ossibus denudatis, siccis solis vtimur. 5°. de comp.me.per ge. 5ª.253.D
Pinguis galli compositio. 9°. de comp.me.sec.loc. 5ª.204.C
Pinguis cõpositio ad achoras, et ad pforas. 9°. de cõ.m.s.l. 5ª.204.H
Pinguia quæ refrigeratos calefaciunt. 2°. de sim.me fac. 5ª.15.A
Pĩguia mẽbra nõ distẽdunt, nec cõtrahũt. ĩ 6ᵐ. d̃ m.mul.c. 1°. 3ª.153.b
non Pinguibus locis propinquis affectis applicandę hirudines. de cucurbitulis scarificatione. 6ª.4.D
ad Pingui Mucore obsessa. 10°. de comp.me.sec.lo. 5ª.207.G
Pingui re, et oleo vtiẽ in capitis fractura. 6°. de c.m.p g. 5ª.255.G
Pinguis Regio q̃ a veteribus appellata. in 6ᵐ. de mo.vu.c. 5°. 3ª.191.G
Pinguis Sanguine, & vnctuoso nutritur calor vitalis, qui est in corde. de vtil.resp. Sp.62.D
Pinguis sapor, & vnctuosus a Theophrasto additus. 1°. de simplici. medic.facul. 5ª.8.G
Pinguis, & dulcis terra aquam bonam facit. de bon.aquæ. Sp.76.B
Pinguis Vrina significat consumptionem. in progn.com. 2°. 4ª.201.C
Pinguis vrina, vel alui excrementũ fit ex colliquatione adipis. com. 7°. aphorismo. 35°. Ex.6.F
Pingue insidens significat vitium renum acutũ. c. 7°. ap. 35°. Ex.56.E
Pinguis hypostasis, & accumulata quid significet. de vrinæ significatione ex Hippocrate. Sp.78.H
Pinguis vrina sine febre senib⁹ eueniẽs apoplexiã facit. d̃ dy. S.34.B
Pinguis vrina sine febre senibus eueniẽs soluta apoplexia, caliginem oculorũ cito trãseũtẽ, & delectationẽ cibi ostẽdit. de dy. Sp.34.B
Pinguis vrina, & rufa in pleuriticis mortem futuram ostendit. de dynamidys. Sp.34.H
Pinguis vrina in causo mortem significat. de dy. Sp.34.B
PINGVITVDO est qualitas gustus. de nat.hu.com. 1°. 1ª.28.H
PINNÆ sunt crassi admodum succi. de bon. & vit.succo. 2ª.35.E
Pinnarum succus ducit aluum nõ secus ac lactis serum. de bonita. & vitio succorum. 2ª.35.E
PINNÆ narium a lato musculo mouentur. 4°. de loc.aff. 4ª.23.D
Pinnæ narium cur contrahantur in inspiratione 4°. de l.af. 4ª.26.H
Pinnæ naris quo conuellantur. de vic.rat. in mor.acu.c. 4°. 7ª.141.G
Pinnæ narium cur dilatentur in spiratione. 4°. de loc.aff. 4ª.25.A
PINNAE commodæ ad verrucas tollendas. 14°. met.me. 7ª.93.A
super PINNACVLI apicem incedens timet, & pedes eius tremunt. de mot.man. & obsc. Sp.69.D
PINNVLA quid. fin.med.48.G/ intro. Isa.53.A
Pinnula oculorum vlceratio. fin.med. Is.48.D
PINI grana cibus crassus, & cur. de diff.conti. Sp.72.H
pro Pini fructu Pityides quandoq;. 8°. de sim.me.fac. 5ª.58.F
Pini cortex qualis. 5°. met.me. 7ª.36.E
Pini cortex vnum ex medicamentis missionem contrariorum non habentibus. 1°. de comp.me.sec.loc. 5ª.129.E
Pini cortex adstringens leue. 5ᶜ. met.me. 7ª.31.G
Pini cortex arefacta. 9°. de com.me.sec.loc. 5ª.203.D
Pini cortex vlceribus humectioribus conuenit. 9°. de compo.medica. secun.locos. 5ª.205.D
Pini corticis decoctum reprimit. de remed.par.fac. 7ª.157.G
Pini resini humida. 4°. de san.tu. 2ª.87.C
pro Pini resina terebinthina 4°. de san.tu. 2ª.86.H
Pini resina fricta. 9°. de compo.me.sec.loc. 5ª.109.A
PIPER quid, & eius species. 8°. de simp.med.facul. 5ª. 58.A/ de simpl.med. Sp.88.F
Piperum trium differentiæ colliguntur. 4°. de san.tu. 2ª.85.A
vt Piper tenuium partium est zingiber. 6°. de sim.me.fa. 5ª.47.H
PIPERIS Albi, piperis nigri, & zingiberis differentia. 6°. de simplic. medicamento.facul. 5ª.47.H
Piper album est fructus omphax. 8°. de simp.me.fac. 5ª.58.B
Piper album calidum est, quamuis album. 1°. de sim.me.fa. 5ª.7.C
Piper album pulucrizatum in potibus, & cibis assumat senex, qui cibis obstruentibus sit vsus. 5°. de san.tu. 2ª.91.D
Piper pulueriz atum attrahitur ab arterijs simul cũ aere. 1°. de simp. med.facul. 5ª.4.D
Piper album in roborando ventre alia excedit. 4°. de san.tu. 2ª.85.a
Piper album melius est, & aptius stomacho. 6°. de san.tu. 2ª.99.B
Piper album commodius stomacho, & acrius est quam nigrum. 9°. de compo.med.sec.loc. 2ª.201.D
ex Pipere albo, melle, succo cydoniorum zingibere, & aceto medicamentum ad appetentiam deiectam. 2°. de alim.fac. 2ª.20.D
Piper album digerit. 1°. de comp.me.per gen. 5ª.214.B
ex Pipere album emplastrum. 1°. de comp.me.per gen. 5ª.214.B
PIPER Longum est fructus immaturus piperis. 8°. de simplicium medicamento.faculta. 5ª.58.B
Piper longum est maturo humidius. 8°. de sim.me.fac. 5ª.58.B
Piper longum quo modo probetur. 4°. de san.tu. 2ª.85.C/D
Piper longum facile perforari solet. 4°. de san.tu. 2ª.85.C
Piper longum cur perforatur. 6°. de sim.me.fac. 5ª.47.H
Piper longum dupliciter alteratur. 4°. de san.tu. 2ª.85.C
Piper longum quo modo adulteratur. 1°. de antid. 105.A/ de theriaca ad Pisonem. 5ª.94.H
Piper longum adulteratum quo modo cognoscatur. 4ª. de sanita.tuenda. 2ª.85.D/ 1°. de anti. 5ª.105.A
Piper longũ gustum vi. ide mordet, & calefacit. de sim.m. Sp.88.F
Piper longũ dandũ eruditatũ copiã habentibus. 4°. de san.tu. 2ª.85.A

Piper longum quid agat.4°.de san.tu. 2ª.85.A
PIPER *Nigrum quo modo probetur.4°.de san.tu.85.D/* 2ª.86.D
Piper nigrum optimum quale.4°.de san.tu. 2ª.85.A
Piper nigrum purgat nares.de cathar. Sp.95.B
Piper graue, quale. 1°.de anti. 5ª.106.G
Piper rotundum. 3°.de com.me.sec.loc. 5ª.145.A
Piper frictum.4°.de compo. me.sec.loc. 5ª.152.D
Piperis radix cosło similis.8°.de simp.me.fac. 5ª.58.F
Piper quale.6°.de comp.me.sec.loc. 5ª.170.E
Piper acre.de vic.rat.in mor.acu.com.4°. 7ª.135.C
Piper acre est.9°.de simpl.me.facul. 5ª.64.C
a Pipere experimentum sumendum de acredine. 4°.de simplicium medicamentorum facul. 5ª.26.B
Piper proportione respondet aeri calidiori.2°.de sim.me.fac. 5ª.15.G
Piper omne syncere stringit,& excalfacit,& totum corpus vehemẽter commouet.de sim.me. Sp.88.F
Piper tam cibus, quam medicamẽtum calidum. 3°.de tem. 1ª.24.D
Piper calefaciendo iuuat.de opt.sect. Isa.23.H
Piper valenter calefacit.3°.de temp. 1ª.24.F
Piper magis in nrm corpus quã patiatur ab illo.3°.de tem. 1ª.23.H
Piper quo modo applicatum extra calefacit. 1°.de sim.me.f. 5ª.4.E
Piper integrum nullam caliditatem præstat, sed in puluerem redactũ manum etiam calefacit.1°.de simp.me.fac. 5ª.4.A
Piper cõminutũ in minimas partes calefacit.1°.de sim.m.f. 5ª.4.C
Piper fortiter dum gustatur excalefacit.4°.de sim.me.fa. 5ª.29.D
Piper adiectum temperamento calido facit febrem. præsagium experientia confirmatum. Sp.77.D
cũ Pipere ficus ante cibum quando conueniant.2°.de ali.fa.2ª.17.F
Piper miscendum in piscium præparatione.de atten.vic. 2ª.45.E
qui Piperis, alteriusq; perinde calidi medicamenti multum, & semel liberaliter sumpserunt, deinde super id calidam potionem biberunt singultum incidunt.3°.de symp.cau. 3ª.25.F
Piper si quis deglutiuerit cum melle,& bibat vinum mixtum aqua calida, singultit.com.6°.aph.39°. Ex.50.H
Piper ad subtilissimam puluerem redactum facit maiorem singultũ. 3°.de symptoma.caus. 3ª.25.F
ex Pipere nimium ingesto singultus contingebat Galeno.3°.de loc. affectis. 4ª.20.A
Pipere,& vino singultiebat Galenus.8°.de com.me.se.lo. 5ª.190.E
Piper ponitur in theriaca.de theria.ad Piso. 5ª.92.E
Piper quibus conuenit.4°.de san.tu. 2ª.84.F
Piper confert medio temperamento ventrẽ hñti.6°.de sa.tu.2ª.101.C
Piper ventriculo auxiliatur.3°.de ali.fa. 2ª.29.G
Piper prodest illis, qui frigiditatem in ventriculo sentiũt. 1°.de arte curat.ad Glauconem. 7ª.99.C
Piper insperſum vinum dandum his, qui non concoxere.de præcognitione ad Posth. 4ª.219.A
Piper communiter concoquere facit.4°.de san.tu. 2ª.85.A
Piper pro ventriculo in quo pituita frigida sit aceruata.1°.de ar. curatiua ad Glauco. 7ª.99.D
Piper mundificat,& subtiliat.de diff.cont. Sp.74.H
Piper attennuat humores.de atten.vic. 2ª.44.G
Piper quidam dixere adstringere.9°.de simp.me.fac. 5ª.64.C
Piper iuxta Herodotum adstringebat.1°.de sim.me.fac. 5ª.7.H
Piper cur ptissanæ quandoq; miscetur.de atten.vic. 2ª.44.G
cũ Pipere ptissanæ succus datur in Tertiana non legitima.1°.de arte curatiua ad Glauco. 7ª.97.E
cũ Piperis polline ptissana.5°.de san.tu. 2ª.92.D
Piper aqua mistum quibus bibere liceat.6°.de san.tu. 2ª.99.B
Piper cum aqua pro potu in quartana.1°.de ar.cur.ad Gla.7ª.97.F
Piper purgat caput.de cathar. Sp.95.B
Piper,& niger elleborus in pleuritide.de victus ratione in mor.acu. commen.4°. 7ª.144.C
Piper purgat pulmonem,& thoracem.de cathart. Sp.95.B
cũ Pipere mel per sedẽ impositũ in coli dolore.11°.me.me.7ª.78.G
cũ Pipere cremor cocti fœnugraci in coli dolore.12°.m.m.7ª.79.G
Piper prouocat menstrua.de cathar. Sp.95.D
Piper vlceribus non conuenit.4°.de com.me.per ge. 5ª.236.H
ex Piperibus duobus ad Tussim.7°.de com.me.sec.loc. 5ª.182.E
Piperum diatrium duplex compositio.4°.de san.tu. 2ª.85.B
Pipereon diatrium simplex compositio qualis natura sit. 4°.de sanitate tuenda. 2ª.85.B
Pipereon diatrion compositioni quæ miscenda.4°.de san.tu. 2ª.87.D
Pipereon diatrion potest esse in continuo vsu.6°.de sa.tu. 2ª.99.C
ex Piperibus tribus medicamentum quibus conueniat.4°.de sanita. tuenda. 2ª.85.B
Pipereon diatrion simplex assumant qui egent concoctione. 4°.de sa. tuenda.86.F/6°. 2ª.97.H
Pipereon diatrion dat̃ cruditatibus in primis venis. 4°.de sanitate tuenda. 2ª.87.D
Pipereon diatrion eget pituita in ventrem defluẽs.6°.de sa.t. 2ª.99.D
Pipereon diatrion nõ perfertur per totũ corpus.4°.de sa.tu. 2ª.85.E
Pipereon diatrion iecoris obstructiones expedit.6°.de sa.tu. 2ª.97.H
Pipereon diatrion assumat senex qui cibis obstruentibus sit vsus. 5°. de sanitate tuenda. 2ª.91.D
ex Piperibus tribus medicamẽtum ex aqua vel vino accipitur. 1°. de locis asse. 4ª.5.F
PISCATIO est vitæ ratio, siue genus, vt cætera q̃ corpore exercentur.3°.de sym.cau. 3ª.35.B
Piscatio est exercitatio.2°.de san. 2ª.73.G
PISCATORES *duri,& aridi.6°.de comp.me.se.lo.* 5ª.176.F
Piscatores ignorant vires motuum quos exercent.2°.de sa.t. 2ª.75.E
Piscatores cur stupescunt ex torpedine.de vtil.resp. 1ª.225.D
Piscatorum vicera sicca, ac si forent salita § loquitur de piscatoribus maris. § 1°.de simp.me.facul. 5ª.3.D
Piscatoris emplastrum.5°.de comp.me.per ge. 5ª.247.E
PISCES *secuit Galenus. 6°.de anatomia admin.89.G/8°.de decretis Hippocratis.* 1ª.274.A
in Piscibus squamarum iuuamentum.de ana.viu. Sp.53.D
Piscibus non crimtur pili.2°.de temp. 1ª.19.G
Pisces habent caput, non collum.8°.de vsu par. 1ª.164.H
Pisces cur non habent collum, neq; crura.11°.de vsu par. 1ª.87.D
Pisces cur non habent collum vel breue ex duabus vertebris. 8°. de vsu partium. 1ª.165.B
in Piscibus albugo est valde dura.de vtil.resp. Sp.63.D
Piscium oculi non discernunt inter medios colores.de an.ui. Sp.49.B
Pisces habent multiplicem ordinem dentiũ, sed eiusdẽ generis. de anatomia viuorum. Sp.49.D
Pisces cor habent in thorace.6°.de vsu par. 1ª.148.A
Pisces vel carẽt sanguine, vel parũ sanguinis hñt.6°.de vs.p.1ª.150.b
Pisces nõ habẽt dextrũ cordis ventriculũ.8°.de dec.Hip. 1ª.274.A
Pisces sunt natura frigidiores, ideo eorum cor non eget magna refrigeratione.6°.de vsu par. 1ª.150.H
ad Piscium cor aer peruenit,& non aqua.de vti.resp. Sp.63.B
Pisces habet branchias p̃ refrigeratione cordis.7°.de vs.p.1ª.158.a
Pisces respirant vaporem per branchias.de ana.vi. Sp.48.C
Piscibus respirantibus satis est paucus vapor.de ana.viu. Sp.48.C
Pisces non habent pulmonem.8°.de dec.Hip. 1ª.274.A
Pisces habent branchias vice pulmonis.6°.de vsu partium. 1ª.150.H/*de ana.viuo.* Sp.48.C
ad Pisces vt brachia se habẽt ita pulmo se habet ad terrestria.de anatomia viuorum. Sp.53.B
Piscium pori in branchijs sunt adeo tenues, vt non recipiant nisi aerẽ. de vtilitate respirationis. Sp.64.C
Pisces sine voce quia pulmone carent.6°.de vsu par. 1ª.148.A
Piscibus cur nulla vocis vtilitas.6°.de vsu par. 1ª.150.G
Pisces qui habent pulmonem.de vtil.resp.63.B/ Sp.64.C
Pisces pulmonẽ habẽtes multo plus habẽt caloris quã cæteri pisces, vt delphini,& phoca,& canis, et cete omnia.de vti.res.Sp.64.C
Pisces maiores spirare aerem extra aquã constat.de vt.res. Sp.63.B
cur Pisces aliqui spirant extra aquam.de vtil.resp. Sp.64.C
in Piscibus quibusdam stomachus peruenit vsque ad os.de mot. manifestis,& obscuris. Sp.71.B
in Piscibus duplex hepar vnde.de ana.viuo. Sp.48.B
ex Piscibus,& auibus cognoscitur quod magnitudine vasorum spermaticorum in mare natura prouiderit.14°.de vsu par. 1ª.208.G
in Piscibus cur vasa spermatica sunt iuncta diaphragmati. 14°. de vsu partium. 1ª.208.G
in Piscibus vasa spermatica longa.14°.de vsu par. 1ª.208.G
Pisces aliqui cur gignunt oua sine mare.2°.de sem. 1ª.338.D
Pisces multũ differunt humiditate,& siccitate.3°. de compo. medicamentorum per gen. 5ª.230.C
Pisces non pauci qui sunt ficciore temperatura oua gignere sine maris concubitu solent.2°.de sem. 1ª.338.D

Piſces omnes etiam ignoti quo modo probentur an ſint boni ſucci. de bonita. & vitio ſuccor. 2ª.34.H
de Piſcibus ignotis quæ conſideranda.3°.de ali.fac. 2ª.31.C
Piſces vbi ſint capti quærendum eſt.de bon.& vitio ſuc. 2ª.37.H
Piſces meliores qui ad Boream.3°.de ali.fac. 2ª.30.C
in Piſcibus cũctisq; animalibꝰ bonum ſuccum facit exercitatio. 3°. de alimẽ.facultatibus. 2ª.30.C
Piſces ſunt tanto peiores, quanto minus exercitantur, & ſunt in mari quieto.3°.de ali.fac. 2ª.30.A
Piſces ſecundum alimenta ſunt peiores, & meliores.3°.de ali.fa.30. B/de bon.& vitio.ſucc. 2ª.37.H
Piſces ex paſtu probantur odore, & guſtu.de bo.& vit.ſuc.2ª.37.b
Piſces experiendi, & guſtu, & olfactu.de bon.& vitio ſuc. 2ª.37.H
Piſces malarum aquarum quales.de bon.& vitio ſuc. 2ª.37.H
Piſces, qui ſunt de ſordidis aquis thermarum ſunt multarum ſuperfluitatum.de diſſo.cont. Sp.73.E
Piſces mali qui.de diſſol.cont. Sp.73.H
Piſces in fluminibus vrbium quales.3°.de ali.fac. 2ª.30.B
Piſces praui, qui in fluminibꝰ ſunt vbi vrbiũ ſordes quæcũq; defluũt. de bonitate, & vitio ſuccorum. 2ª.37.G
Piſces degentes in immundis, ac turbidis fluminibus ſunt mali ſucci.de bonitate, & vitio ſucco. 2ª.37.G
Piſces peſſimi gignũtur in oſtijs fluuiorum, qui latrinas purgant, aut culinas, aut balnea aut ſordes.3°.de ali.fac. 2ª.31.B
Piſces pauci fluuiales ingrediuntur mare.3°.de ali.fac. 2ª.30.D
Piſces in fluuijs, & ſtagnis ingredientes mare habent plures paruas ſpinas.3°.de ali.fac. 2ª.30.D
Piſces tyberini, quales.3°.de ali.fac. 2ª.31.B
Piſcium in ſtagnis degentium natura.3°.de ali.fac. 2ª.30.C
Piſces quo modo in ſtagnis capiantur.8°.de ſimp.me.fac. 5ª.62.E
Piſces marini non habent paruas ſpinas.3°.de ali.fac. 3ª.30.D
Piſcium marinorum differentia a fluuialibus, & ſtagnantibus in numero ſpinarum.3°.de ali.fac. 2ª.30.D
Piſces omnes marini gaudent fluuijs.3°.de ali.fac. 2ª.30.D
Piſces qui viuunt aqua ſalſa, & dulci.de bon.& vitio.ſucc.2ª.37.H
Piſces qui viuunt in mari, & fluminibus inter congeneres ſunt differentes, & quo modo.3°.de alim.fac. 2ª.31.A
Piſces in mari mortuo moriuntur.4°.de ſimp.me.fac. 5ª.30.F
Piſces ex puro mari quales.de bon.& vitio ſucc. 2ª.37.H
Piſces bonos, & malos facit mare purum.3°.de alim.fa. 2ª.30.G
Piſcis omnis deterior eſt, qui prope lacum, qui mari coniungitur, aut magni fluminis oſtium paſcit.8°.met.me. 7ª.51.B
Piſces qui meliores ex aquis.de bon.& vitio ſuc. 2ª.37.G
Piſces marini præſtantiſſimi quales.3°.de alimentorum fac. 2ª.30.B
Piſces marini non imminiſcentes ſe aquæ dulci ſunt innoxij.de bonitat. & vitio ſuccorum. 2ª.37.G
Piſces ponti quales.3°.de ali.fac. 2ª.30.C
Piſces pelagij qui dicantur.3°.de ali.fac. 2ª.30.E
Piſces pelagij inter congeneres nullum habent diſcrimen.3°.de alimentorum facult. 2ª.30.H
Piſces pelagij neq; craſſi, neq; tenues ſunt.de bon.& vi.ſuc.2ª.34.H
Piſces pelagij ſunt propingui pani bene præparato, & perdici.3°. de alimentorum facul. 2ª.30.E
ex Piſcibus pelagijs fit ſanguis laudatiſſimus.3°.de ali.fa. 2ª.30.E
Piſces littorales neq; craſſi, neq; tenues ſunt.de bo.& vi.ſuc.2ª.34.H
Piſces ſaxatiles qui, & vnde dicantur.3°.de al.fa.30.G/de attẽ.vic. 2ª.45.D/8°.*met.me.50.B/de ren.aff.dig.& med.* 7ª.195.F
Piſces ſaxatiles inter congeneres nullum habent diſcrimen.3°.de alimentorum faculta. 2ª.30.H
Piſces ſaxatiles ſemper optimi.3°.de ali.fac. 2ª.31.B
Piſces ſaxatiles vbi praui.8°.met.me. 7ª.51.B
Piſces ſaxatiles facillimæ coctiõis.2°.de tẽ.1ª.20.F/1°.de al.f.2ª.8.g
Piſces ſaxatiles cur aliqui difficilius concoquant, quam bubulam carnem.1°.de alimento.faculta. 2ª.78.G
Piſces ſaxatiles cur difficilius digerantur, quam bouinæ carnes aliquibus.de conſue. 2ª.60.H
Piſces ſaxatiles neq; craſſi, neq; tenues ſunt.de bo.& vi.ſu. 2ª.34.H
Piſces ſaxatiles quos humores faciant.com.2°.aph.18°. Ex.14.B
ex Piſcibus ſaxatilibus ſanguis habet mediam conſiſtentiam. 3°.de aliment.facul. 2ª.30.H
ex Piſcibus ſaxatilibus alimentum ſaluberrimũ, & quale.3°.de alimentorum facul. 2ª.30.H
Piſces ſaxatiles ſunt boni ſucci, & non glutinoſi.4°.de ſan.tu. 2ª.86.C
Piſces ſaxatiles deterguunt.4°.de ſan.tu. 2ª.84.F
Piſces ſaxatiles pũt guſtari in victu attenuante.de atten.vi.2ª.45.D
Piſces ſaxatiles vtiles in calidis, & ſiccis.8°.met.me. 7ª.51.B
Piſces ſaxatiles in ſiccitate dantur.7°.met.me. 7ª.45.C
Piſces ſaxatiles pro nimia humiditate.de præcog.ad Poſt.4ª.217.H
Piſces petroſi pro cibo in cancro.2°.de art.cur.ad Gla. 7ª.107.E
Piſces petroſi dandi his, quibus dolet caput.2°.de compoſitione me. ſec.locos. 5ª.133.E
Piſces ſaxatiles dat in febre, ſi petat carnem.4°.de ſan.tu. 2ª.87.G
Piſces ſaxatiles dãdi pro cibo in tertiana.1°.de ar.cu.ad Gl.7ª.97.C
Piſces ſaxatiles conueniunt ſiccitati præter renum noxam. 6°.de ſanitate tuenda. 2ª.99.G
Piſces ſaxatiles valent in renũ affectu.de ren.af.dig.& me.7ª.195.F
Piſces fere omnes boni ſucci cenſentur.de bon.& vit.ſucc. 1ª.37.G
Piſces dant alimentum humens.de ptiſſ. 2ª.48.B
ex Piſcibus alimentum tenuius eſt, quam ex pedeſtribus animalibꝰ. 3°.de alimento.facul. 2ª.30.E
Piſcium quorum frequens vſus tutiſſimus.de bo.& vit.ſuc. 2ª.37.G
Piſces qui facilius cæteris conficiantur.3°.de ali.fac. 2ª.31.A
Piſces molles carne qui.3°.de ali.fac. 2ª.31.A
Piſces mollem teſtam habentes.de ren.aff.dig.& med. 7ª.195.F
Piſces molles acommodati ociosis ſenibus, imbecillis, & ægrotis. 3°. de alimen.facul. 2ª.31.E
Piſces parui, quibus non eſt pinguedo multa, & ſunt teneri, ſunt boni chymi, & ſubtilis.de diſſ.cont. Sp.73.H
Piſcium paruorum caro eſt cibus ſubtilians.de diſſ.cont. Sp.72.D
Piſces omnes non duræ carnis, nec multæ viſcoſitatis ſunt temperati. de diſſolutione continua. Sp.73.A
Piſces non cum duritiæ, nec multæ viſcoſitatis generant humorẽ bonum inter tenuem, & craſſum.de diſſ.contin. Sp.73.H
Piſces duræ carnis qui ſint.3°.de ali.fac. 2ª.31.E
Piſces duri, & viſcoſi ſunt craſſi, & cur.de diſſ.cont. Sp.72.H
Piſces duræ carnis ægrius coquũtur q̃ mollis carnis.3°.ꝺ al.f.2ª.31.G
Piſces duræ carnis ægre conficiuntur, & pariunt ſuccos craſſos, & ſalſos.3°.de alim.facul. 2ª.31.F
Piſces craſſæ, & viſcoſæ carnis nutriunt eum qui digerit illos nutrimento multo craſſo.de diſſ.cont. Sp.73.E
Piſces duri, quibus dominatur viſcoſitas generant phlema.de diſſol. continua. Sp.74.B
Piſces duræ carnis ſuccum craſſum generant.3°.de ali.fa. 2ª.31.H
Piſces qui ꝑdurãt magis a putredine illæſi.de bo.& vi.ſuc. 2ª.37.H
Piſces ſeruat nix.de bo.& vitio ſucc. 2ª.37.H
Piſces duri quo modo fiant friabiliores.de bo.& vit.ſucc. 2ª.37.H
Piſcium viſcoſitatem remouet furfur hordei.de diſſ.cont. Sp.73.H
Piſcium viſcoſitatem ſal remouet.de diſſ.cont. Sp.73.H
Piſces crudi ſunt inutiles, cocti vtiles ſunt, & nutrimenta.de theriac. ad Piſonem. 5ª.97.D
Piſces molles quo meliori modo coquantur.3°.de ali.fac. 2ª.31.E
Piſces parantur aut beta trita, aut iure albo, vel porro, vel pipere. de attenuan.vic. 2ª.45.E
in Piſcium intinctus garus frequẽtiſſime adhibeꝫ.3°.de al.f. 2ª.31.E
Piſcibus magnis acre condimentum adhiberi debet, & quale. de attenuante vic. 2ª.46.B
Piſces qui indigent aceto, aut ſinapi, aut origano, & qui nõ.3°.de alimentorum facul. 2ª.31.D
Piſces cur oleo inũgantur anteq̃ aſſentur.2°.de ſim.me.fa. 5ª.11.A
Piſcibus mollibus carne quidam frixis in ſartagine veſcũtur, alij aſſant aut in patinis condiunt.3°.de alim.fac. 2ª.31.D
Piſces frixi quid expetant ſimul.3°.de alim.fac. 2ª.31.D
Piſcium quædam frixio ex vino, & garo.3°.de ali.fac. 2ª.31.E
Piſces frixos poſſunt edere ſani.3°.de ali.fac. 2ª.31.D
Piſces in craticula ſecundo loco poſſunt edere ſani.3°.de al.f.2ª.31.d
Piſces nutriunt multum.de ven.ſect.aduer.Eraſ. 6ª.14.C
Piſces faciunt victum plenum.com.1°.apho.4°. Ex.4.C
Piſces parum nutriunt, & cur.de diſſ.cont. Sp.73.F
Piſcium caudæ cur magis nutriant.de theria.ad Piſo. 5ª.93.D
Piſces apti, & inepti ad ſaliendum qui.3°.de ali.fac. 2ª.33.C
Piſces mollis carnis ad ſaliendum non ſunt accommodi.3°.de alimentorum facultati. 2ª.33.C
Piſces quãdo ſunt ſaliti leuis carnis, & paucæ pinguedinis ſunt cibi ſalſi diſſoluentes, ac attenuantes.de diſſ.cont. Sp.72.F

Pisces solsi faciunt melancholicum humorem.3°.de locis affe.4ª.18.
E/de dissolutione continua. Sp.74.B
Piscium salsorum salsugo accommodatur ad putredines. 11°.de sim. medicam.facul. 5ª.83.H
Pisces secundo loco comedebat Protas rethor.2°.de ali.fa. 2ª.20.A
Pisces post ptissanam.12°.met.me. 7ª.78.H
Pisces ex iure albo dandi in ptissanæ fastidio,de vict. ratione in mor. acutis,commen.1°. 7ª.113.C
Pisces languentibus dari consueuerunt.de victus rati. in morb.acut. commen.1°. 7ª.113.C
Pisces qui eligendi pro attenuante victu.de atten.vic. 2ª.46.B
Pisces aridi,atque exucci humores crassos,ac lentos vehementer attenuant.de attenuante vic. 2ª.46.B
Pisces qui conueniunt ex balneis redeunti.de bon.& vi.suc.2ª.39.C
Pisces dat in catharro & sputo sanguinis.5°.met.me. 7ª.35.F
Pisces qui molli carne sunt pro obsonio in cubiti fractura.de fracturis comment.1°. 7ª.230.G
Pisces qui cõueniãt epilepticis.de pue.epil.7ª.180.G/de dy.Sp.24.a
Pisces elixos dat febrientibus,non febrientibus assos.de victus ratio. in morb.acu.com.4°. 7ª.149.B
Pisces dat in febre ex obstructione.8°.met.me. 7ª.50.B
Pisces quartanariorum,quales.1°.de art.cur.ad Glau. 7ª.97.F
Pisces coctos dat in pleuritide.de vic.rat.in mor.acu.c.4°.7ª.138.D
Pisces qui valent in renum affectu.de ren.aff.dig.& med. 7ª.195.F
Pisces conuenientes stomachicis.8°.de comp.me.sec.lo. 4ª.192.C
Pisces retibus, & hamo captans ars inter acquisitiuas numeratur. ad Thrasybulum. 2ª.106.D
Piscium diuersæ qualitates.de vtil.resp. 1ª.225.D/E
Pisces qui soporem inferunt.de vtil.resp. 1ª.225.E
Piscis callionymus.4°.de comp.me.sec.loc. 5ª.151.H
Piscis pagri fel.4°.de comp.me.sec.loc. 5ª.153.C
Piscium adeps ad suffusiones.11°.de sim.me.fa. 5ª.79.E
ad Piscium sanorum ictus.3°.de cõ.me.per ge.235.B/5°.5ª.248.H
PISCIS, *scorpio,cancer,aquatici sunt,frigidi,humidi septẽtrionales. de spermate. Sp.38.H*
Piscium natura,quæ.de decub.progn.ex mat.scien. Sp.15.G
PISISTRATVS *nondũ natus,& erat tyrannus.an ãial sit. 1ª.328.F*
PISA *vrbs.9° de compo.me.sec. 5ª.201.E*
Pisa id est pix.8°.de sim.me.fac. 5ª.58.E
PISSANTHOS *quid sit.1°.de com.me.sec.loc. 5ª.126.G*
Πίσσανθος *picis flos dicitur.2°.de simp.me.fac. 5ª.15.A*
PISSAELEVM *quid sit.8°.de simp.me.fac.58.E/1°.de comp. medic. sec.locos.126.G/2°. 5ª.135.F*
PISTACIA *inter nuces numerantur.3°.de comp.me.per g. 5ª.228.F*
Pistacia vberiora in Berrhœa vrbe Syriæ.2°.de ali.fac. 2ª.21.C
Pistacia non sunt improbanda.de atten.vic. 2ª.45.H
Pistacium tenuis substantiæ.8°.de simp.me.fac. 5ª.58.F
Pistacia parum nutriunt.2°.de ali.fac. 2ª.21.C
Pistacia qualitem habent aromaticam sub amaram,& sub adstringẽtem.2°.de ali.fac. 2ª.21.C
Pistacium sub amarum odoratum.8°.de simp.me.fac. 5ª.58.F
Pistacia ad hepar roborandum,& succos in ipsius vijs infarctos purgandos vtilia sunt.2°.de ali.fac. 2ª.21.C
Pistacium obstructiones iecoris,thoracis,& Pulmonis liberat.8°.de simpl.me.facul. 5ª.58.F
Pistacia neq; prosunt,neq; obsunt ventriculo.2°.de ali.fac. 2ª.21.C
Pistacia neq; aluum deijciunt,neq; sistunt.2°.de ali.fac. 2ª.21.C
PISTILLVM *lignum.6°.de comp.me.per ge. 5ª.262.A*
Pistillo vel mortario plumbeo vtitur.1°.de com.m.se.lo. 5ª.130.C
Pistillus cyprino inungitur.7°.de com.me.per ge. 5ª.265.B
PISTORES *publici lolium tritico miscent in penuria.1°.de alimentorum facultati. 2ª.15.H*
Pistor dulciarius comparatur naturæ.1°.de sem. 1ª.330.B
PISVM *inter cerealia semina numeratur .de victus ratione in morbis acutis,commen.1°. 7ª.111.B*
Pisum habet siliquas.1°.de ali.fac. 2ª.15.A
Pisa quomodo expertus est Galeni pater.de bon.& vit.suc.2ª.36.G
Pisa sumuntur vt fabæ.& parum differunt in substantia.1°.de alimẽ. facultatibus. 2ª.14.A
Pisa præstantiora fabis in omnibus.de atten.vic. 2ª.45.A
Pisa minus flatulenta,quam fabæ.1°.de ali.fac. 2ª.14.A
Pisum inflatione caret.de bon.& vitio succo. 2ª.37.D
Pisis satius est vesci quam fabis.de atten.vic. 2ª.45.A
Pisum exterendi vim non habet vt faba.de bon.& vit.suc.2ª.37.D
Pisa non detergunt.1°.de ali.fac. 2ª.14.A
Pisa tarde excernuntur.1°.de ali.fac. 2ª.14.A
Pisa deteriores ochri,& dolichi.de bon.& vit.suc. 2ª.37.D
Pisum conuenit epilepticis.de puero epil. 7ª.180.H
Πιθηκοειδῆ *quæ.6°.de anat.adm. 1ª.90.F*
Πίσυγες. *4°.de diff.puls. 4ª.65.G*
PITHIONIS *emplastrũ ad fracturas.2°.de cõ.me.per ge. 5ª.225.D*
Pithionis casus.in 3ᵐ.de mor.vul.com.1°. 3ª.127.C
PITHIVS *dedit leges Lacedemonijs.an animal sit. 1ª.328.E*
PITVITA *quid sit.in prognost.Hipp. 4ª.192.G*
Pituita,& atra bilis quid sint, & quos pariãt morbos secundũ Platonem.contra Iulianum. Ex.67.E
Pituitæ genus crudus humor.de mul. 3ª.81.F
Pituita,& succi crudi idem.4°.de san.tu. 2ª.84.B
Pituita cur est succus crudus,frigidus,& non crassus. 1°.de alimento.facultatibus. 2ª.10.C
Pituita differt succo crudo.3°.de ali.fac. 2ª.32.C
Pituitæ omnimoda cruditas qũo intelligenda.2°.de na.fa. 1ª.302.B
Pituitæ species.de mul.3ª.81.F/3°.de loc.affe. 4ª.18.A
Pituitæ innumeræ fere species.4°.de san.tu. 2ª.84.C
Pituitarum differentiæ.1°.de ali.fac. 2ª.8.A
Pituitæ tres differentiæ.fin.me.Isa.44.C/de victus ratione in morbis acutis,com.4°. 7ª.136.E
Pituitæ tres numero dãæ,acida,dulcis,& salsa.de atra bile.1ª.34.E/2°.de dif.feb.3ª.37.G/de victus ratione in morbis acutis,com.4°.7ª.136.F/contra Iulianum. Ex.67.D
Pituita mõ dulcis,modo acida,modo salsa.4°.de sim.me.fa. 4ª.29.A
Pituita acida,salsa,dulcis insipida,vnde generentur. de na.hu. com. 1°.1ª.31.H/aphoris.12°.com.3°. Ex.21.F
Pituitæ acidæ,& salsæ.quod animi mor. 1ª.319.A
Pituita acida,salsa,praua. 2°.de nat.fac. 1ª.302.B/in 6ᵐ. de morb. vulg.comment.2°. 3ª.167.G
Pituita acida qualis.2°.de diff.feb. 3ª.37.F
Pituita acida est maxime frigida.com.4°.apho.12°. Ex.28.E
ex Pituitæ gñe est salsus humor.de vic.ra.in mor.ac.c.4°.7ª.136.A
Pituita salsa qualis,& vnde fiat.2°.de diff.feb. 3ª.37.F
Pituitã salsam morbosum humorẽ esse pspicuũ est.de atra bi.1ª.34.E
Pituitæ species est dulce quod in lingua.1°.de symp.cau. 3ª.17.D
ex quo Pituitæ genere si sit saliua,quæ neq; fluida admodũ est, neq; aquosa.3°.de loc.aff. 4ª.18.A
Pituita dulcis quæ non est frigida exquisite 2°.de diff.fe. 3ª.37.F
Pituita dulcis salutaris,& naturalis.2°.de nat.fac. 1ª.302.B
Pituita vitrea.3°.de loc.aff. 4ª.18.A
Pituita vitrea forte acidum participat.2°.de diff.feb. 3ª.37.G
Pituita alba.de nat.hum.com.1°. 1ª.28.E
Pituita alba leucophlegmatia a Grecis dr. com.7°.ap.76°.Ex.60.G
Pituitæ natura.fin.me. Isa.44.B
Pituitæ qualitas.fin.me. Isa.44.B
Pituita qualis.2°.de diff.feb. 3ª.39.C
Pituitæ humor cur albus.8°.de decre.Hipp. 1ª.277.C
Pituita qualitatis expers.de atra bile. 1ª.34.E
Pituita vt aqua in sapore.de atra bile. 1ª.34.E
Pituita frigida.de inæq.tem. 3ª.43.H
Pituita tangentibus frigida sentitur in quacunq; sit corporis parte. 3°.de temperamentis. 1ª.23.G
Pituita frigida,& humida.de natura humana,com.1°.32.D/8°.de de. Hip.1ª.275.D/de diff.mor.5.G/ 3ª.8.B
Pituita frigida,humidaq; potestate.2°.de nat.fac. 1ª.301.C
Pituita humidissima est,& frigidissima.1°.de temp.15.C/2°.1ª.18.B
Pituita frigidissima.de nat.hum.com.1°. 1ª.31.H
Pituita õium,q̃ i corpe sunt,frigidissima.8°.de dec.Hip. 1ª.276.D/E
Pituita frigida,& humida est,ac veluti ex dimidio coctum nutrimentum.2°.de naturalibus facul. 1ª.302.A
post Pituitam atra bilis frigida.de inæq.intemp. 3ª.47.H
Pituitæ atra bilis affinis.de sperm. Sp.38.B
Pituita humida.1°.de temp. 1ª.12.G
Pituitæ genus minus humidum,q̃ pituita.4°.de san.tu. 2ª.84.B
Pituita quo modo frigida,& humida,tamen habet in se etiam ignem. de natura hum.com.1°. 1ª.33.A
ad Pituitã reducit humor frigidus,& humidus.2°.de dif.f.3ª.37.E

Pituita eſt, & ex pituitæ genere id, quod in corpore frigidum eſt, et humidum, etiam ſi ſit valde craſſum frigidumq;. de cau.mor. 3ª.8.C
Pituita correſpondet aquæ.8°.de dec.Hipp. 1ª.275.D
Pituitæ proprium non gelaſcere.de atra bile. 1ª.34.E
Pituita omnium tenaciſſima,8°.de dec.Hip. 1ª.276.E
Pituitæ ſerum, quale.in 6ᵐ.de mor.vul.com.2°. 3ª.167.F
Pituitæ ſerum quid faciat.in 6ᵐ.de mor.vul.com.2°. 3ª.167.G
Pituita quando generetur.in 1ᵐ.de mor.vul.com.2°. 3ª.110.A
Pituita qua tempeſtate plurimum generetur.cõ,3°.apho.12°.Ex.21. G/de natura, & ord.cuiuſ.corp. Sp.41.D
Pituita, & phlegma fiunt in temporibus pluuioſis.commentario.3°. aphoriſmo.7°. Ex.20.F
*Pituita frigidiſſimus humor hyeme frigidiſſima tempeſtate abundat. 8°.de decr.Hipp.*1ª.276.D/*in 1ᵐ.de mor.vul.com.1°.*100.H/3ª. 104.E/*commenta.3°.aph.20°.* Ex.24.B
*Pituitæ plus hyeme medicamentis euacuatur.1°.de na.fa.*1ª.294.C
Pituita cur maior hyeme.de nat.hu.com.1°. 1ª.22.C/D
Pituita imbecilliſſima in æſtate.de natura humana,cõ.1°.32 C/ 8°.de decr.Hippocr. 1ª.276.E
Pituita in quibus redundat ſin.med. Ifa.44.D
Pituita eſt in ſenibus plurima, tamen non facit febrem, & cur.com. 3°.aphoriſmo.30°. Ex.26.F
Pituitæ plus ſeni medicamentis euacuatur.1°.de nat.fac. 1ª.294.C
Pituita quibus horis dominetur.de nat.& ord.cuiuſ.corp. Sp.41.E
Pituita ex quibus fiat.3°.de ſimp.me.fac. 5ª.17.D
Pituita fit ex cibis non ex corpore.2°.de temp. 1ª.21.C
*Pituita in prima mutatione ciborũ gñatur.de nat.hu.com,1°.*1ª.33.C
*Pituita ex pituitoſis cibis ſit ī prĩa coctiõe vẽtriculi.d atr.bi.*1ª.37.a
Pituitæ generatio in cibis pituitoſi, antecedit cibum.de victus ratio. in morbis acutis.com.2°. 7ª.120.F
Pituitam cibi generantes.de nat.hum.com.1°. 1ª.32.E
Pituitam facit caro pecudis.de diff.cont. Sp.74.A
Pituitam facile generat vinum nouum.de na.hu.com.1°. 1ª.32.E
Pituita ex ſanguine nondum cocto.4°.de ſan.tu. 2ª.84.B
in Pituitam qui cibi primo tranſeunt, poſtea in ſanguinem. de vict. rat.in mor.acut.com.2°. 7ª.120.F
Pituita temporis proceſſu coquitur, & ſanguis efficitur.de vict.ra.in morb.acut com.2°. 7ª.120.F
*Pituita cocta corpus nutrire pŏt.de vic.rat.ī mor.ac.c.2°.*7ª.122.H
Pituita in ſanguinem vertitur.5°.de ſim.me.fa. 5ª.37.E
in Pituitæ & ſanguinis medio eſt lac.5°.de ſim.me.fa. 5ª.37.F
Pituitam aggregant aliqui, quocũque genere victus vtantur.de atra bile. 1ª.35.H
in Pituitam deſciſcunt amara cum ab aceto in ſublime attolluntur. de vict.rat.in mor.acu.com.3°. 7ª.130.G
Pituita adiuuat cibos ſibi ſimiles ad excernendũ.1°.de ali.f.2ª.8.A
*Pituita alba abũdantes ſunt frigidi.in 3ᵐ.de mor.vul.c.3°.*3ª.146.D
*in Pituita, & ſanguine ſuba caloris naturalis.8°.de de.H.*1ª.277.F
Pituita nullum inſtrumentũ habet quo purgeť.2°.de na.f. 1ª.302.A
Pituita quomodo cognoſcatur prænalere.6°.de compo.me.ſec.lo. 5ª. 176.E/*com.4°.apho.2°.* Ex.27.F
*Pituita ſuperante homines fiunt albiores.4°.de ſan.tuend.*2ª.84.A/ *de multitudine.* 3ª.81.E
Pituitam ſignificat tumor ſubalbidus laxus.14°.me.me. 7ª.89.D
Pituitam ſignificat de niue, glacie, & grandine ſomnium. de præc.ex inſo. 4ª.213.C
Pituita alba quid quandoque ſignificet,com.7°.aph.29°. Ex.56.A
Pituita quos faciat mores.de nat.& ord.cuiuſ.corp. Sp.41.E
Pituitæ natura nihil facit ad parandos mores & cur.de natura hum. commentario 1°. 1ª.33.C
*Pituitæ pulſus qui.de mul.*3ª.82.A/4°.*de præſa.ex pul.*4ª.121.A/ *de natura, & ord.cuiuslibet corp.* Sp.41.F
Pituitam qui motus ſequantur.de ana.viu. Sp.45.E
de Pituitæ morbis ſecundum Platonem.8°.de dec.Hip. 1ª.276.A
Pituitæ morbi.8°.de decr.Hipp. 1ª.275.F
ex Pituita morbi frigidi.2ᶜ.de nat.fac. 1ª.300.D
Pituita morbos longos parit.intro.Iſa.55.E/cõ.2°.ap.19°.Ex.14.C
Pituita craſſa, & lenta quos morbos faciat.cõ.7°.aph.42°.Ex.57.E
Pituita vitiligines procreat, cuius ſpecies ſunt leuce, & alphi.contra Iulianum. Ex.67 E
e Pituita procreatur tumor laxus.de diff.morb. 3ª.5.F
*ex Pituita edema quo modo curetur.2°.de art.cur.ad Gl.*7ª.103.F
Pituitæ ebullitio qualis.2°.de diff.feb. 3ª.40 D
Pituita non facit febrem niſi putreſcat.2°.de diff.feb. 3ª.37.D
*Pituita quandoque puris imaginem refert.de nat.hu.cõ.1°.*1ª.30.H
Pituita putrefactio in humorem bilioſum conuertitur.commenta.7°. aphoriſ.42°. Ex.57.E
ex Pituita quo modo febris exquiſita.2°.de diff.feb. 3ª.37.A
ex Pituitæ putredine quotidiana febris fit.2°.de diff.feb. 3ª.36.E
*Pituita redũdat in quotidiana febre laborãtibus.2°.de criſ.*4ª.134 G
ex Pituita ſalſa febris qualis.2°.de diff.feb. 3ª.37.F
a Pituita ſalſa quando fit quartana.de ſperma. Sp.40.A
Pituitam ſalſam quando mixtam habeat ſynocha.de ſper. Sp.40.A
Pituita abũdãtibus fiũt febres ardẽtes, ſi æſtas pluuioſa ſit, et auſtro multũ ꝓflet & autumnus ſimilis ſequatur.de ae.aq.& lo. 2ª.4.C
ex Pituita ſalſa febris ardens non petit balneum. de victus ratione in mor.acut.com.3°. 7ª.133.E
*Pituita acida, & vitrea quales faciant febres.2°.de diff.fe.*3ª.37.G
a Pituita vitrea fit rigor.de palp. 3ª.55.F
Pituita dulcis quo modo faciat febrem.2°.de diff.feb. 3ª.37.G
ex Pituitæ, & bilis cõmiſtione febris qualis.2°.de diff.feb 3ª.37.H
ex Pituita febres per abſceſſus magis quam per excretiones ſoluuntur.de vic.rat.in morb.acut.com.4°. 7ª.136.C
ex Pituitæ putredine quæ fiat febris.2°.de diff.feb. 3ª.37.A
ex Pituita dulci ſomnolẽti, ex acida famelici, ex ſalſa ſiticuloſi, ex cruda minime appetens.demult. 3ª.31.G
*Pituita acida, ſalſa & dulcis vomitũ ꝓparat.3°.de ſymp.ca.*3ª.27.B
Pituita exuberat in capite.intro. Iſa.55.B
Pituita in qua parte cerebri dominetur.de ana.viuo. Sp.45.E
Pituita a cerebro maxime generatur.com.3ᶜ.apho.12.° Ex.21.G
Pituita in capite dominatur.de nat.& ord.cuiuſ.corp. Sp.41.D
*Pituita qũo cognoſcitur in capite corrumpi.de rem.pa.fa.*7ª.154.F
Pituita a cerebro non eſt pituita.2°.de nat.fac. 1ª.302.A/B
*Pituita a capite deſcendens ructum acidum facit.2°.de tem.*1ª.20.E
Pituita acida facit ructus acidos.com.6°.aph.1°. Ex.46.A
Pituita fons diſtillationis.8°.de dec.Hipp. 1ª.276.A
Pituitæ deſtillationibus prodeſt ſtyrax.8°.de ſim.me.fac. 5ª.61.E
Pituita a capite in ventriculum ſæpe confluit.2°.de temp. 1ª.20.C
Pituita ex capite defluit quibus in fluxibus excremẽta ſpumoſa ſunt. com.7°.apho.30°. Ex.56.A
Pituita a capite ad ventrem fluens facit fluxũ.c.3°.ap.12°. Ex 21.F
Pituita ſalſa eſt ea potiſſime quæ facit fluxũ.cõ.3°.ap.12°. Ex.21.F
*Pituita facit comitialem morbũ, & quo modo.3°.de loc.aff.*4ª.18.B/ C/*commen.3°.aph.16°.* Ex.23.A
Pituita plenus ſi exerceatur periculum imminet morbi comitialis, aut apoplexiæ, aut morbi alicuius inſanabilis ob vas in pulmone ruptũ.commen.3°.apho.20°. Ex.24.C
Pituita facit apoplexiam, conuulſionem, cæcitates oculorum, et etiã fiunt a melancholico humore.com.6°.apho.56°. Ex.53.D
a Pituita fit lethargus.4°.de cau.pulſ. 4ª.102.B
a Pituita frigida cur ad lethargũ trahamur neſciuit Galenus. quod animi mores. 1ª.318.A
Pituitam a capite purgat hiera ex colocynthide.1°.de compoſitione medicamen.ſec.loc. 5ª.121.F
non Pituita tantum, ſed & alij humores purgãtur hiera ex colocynthide.1°.de comp.me.ſec.loc. 5ª.121.F
Pituitam, & bilem a toto corpore, & a capite educunt catapocia ex aloe, ſcamonia, & colocynthide.1°.de comp.me.ſec.lo. 5ª.121.F
Pituita quo mõ ex capite detrahatur mãducatu.de m.f.p. 7ª.170.F
Pituitam a capite extrahens medicamentum per manducationem.de med.facile paran. 7ª.171.F
*Pituitam per os euocantia in quibus ſit euitanda.13°.m.m.*7ª.83.A
Pituita oculorum quid, & vnde.in progn.com.1°. 4ª.192.G
Pituitam pinguem oculorum quid tollat.de dyn. Sp.24.H
Pituita exiccata ob magnum calorem facit lentores circa dentes.cõ. 4°.apho.53°. Ex.33.D
Pituita quæ facit dentes torpeſcere.3°.de loc.aff. 4ª.18.H
Pituita & ſputo miſcentur cibi.3°.de nat.fac. 1ª.304.B
*Pituita & ſputum in ore lichenum eſt remediũ.3°.de nat.f.*1ª.304.B
Pituita ſuperabundantes raro a morbo laterali offendũtur, præſertim ſi ſit ſalſa, aut acida.com.6°.aph.33°. Ex.50.A
Pituita facit ſputa ſpumoſa.com.6°.aph.33°. Ex.50.A
Pituita ſi abundet ſputum eſt ſpumoſum, & candicans.5°.de locis affectis. 4ª.29.H

Pituitæ proprium

Pituitæ proprium vas est pulmo.de ana.viu. Sp. 52.G
Pituita abundat in pulmone ex accidenti descendens quasi pluuia a capite ad eum.de anat.viuo. Sp.52.H
ex Pituitæ superfluitate fit asthma.de sperm. Sp.37.C
ex Pituita destillãte arteriæ laborãtis remedia.de med.f.p. 7ª.171.F
Pituita potest causare strangulationem sine dolore,& quo modo.cõmentario.4°.aph.34°. Ex.21.E
Pituita in fundo ventriculi magis colligatur. 2°.de compo.medicam. secun.loc. 5ª.135.D
Pituita in ventriculo,& inteſtinis qualis.2°.de nat.fa 1ª.302.B
Pituitæ in ventriculo proprietas.de ana.viu. Sp.44.E
*Pituita plenus vẽtriculus q̃ symptomata faciat.5°.de vſ. p.*1ª.143.A
Pituita multa vbi in ventriculo fuerit aceruata,quid agẽdum. 1°.de art.curat.ad Glauc. 7ª.99.D
Pituita quando hyeme in ventre generatur vomitibus expurganda. de ſalubri dieta. 2ª.41.E
ad Pituitæ vomitum citandum.de med.fac.par. 7ª.173.B
Pituita in ſtomacho calido quid faciat,et quibus mundificetur.de diſſolutione continua. Sp.74.F
Pituita plenus ventriculus quo modo abſtergatur.in 6ᵐ.de mor.vul. comment.2°. 3ª.160.H
Pituitam cibi incidentes mundificant ſtomachum,& qui ſint.de diſſ. continua. Sp.74.D
Pituitæ pleno ſtomacho victus ratio quæ.de med.fac.par. 7ª.175.H
a Pituita aceruata in ore ventriculi,ſinapi,porrum, & beta liberarunt quendam.1°.de ali.fac. 2ª.8.G
Pituitam in ventriculo detergit poſt ſuccum ptiſſanæ vomitus.1°. de alimen.facult. 2ª.12.B
Pituitam diſſecat,& detergit oximeli.6°.de ſan.tu. 2ª.99.D
Pituitæ vitio oxymeli bibunt,& edunt cremorem ptiſſanæ. de vict. rat.in mor.acut.com.4°. 7ª.136.E
pro Pituita lenta diſſecanda ſyrupos.dat.7°.met.me. 7ª.48.D
Pituita in ventrem defluens diatrion pipereõ, diacalaminthe,& diaſpolitico medicamento eget.6°.de ſan.tu. 2ª.99.D
*ad Pituitã extenuãdã diaſpoliticon medicamentũ.6°.de ſ.t.*2ª.99.D
Pituita attenuata nunquam adeo tenuis eſt vt attenuata bilis. 2°.de ſymptomatum cauſis. 3ª.23.C
Pituita tenuis in ventriculo quando fuerit, abſinthium in mulſa coctum conuenit.7°.met.me. 7ª.48.D
Pituita pleno ventri frigido non conducit aloc.6°.de ſan.tu. 2ª.99.C
Pituitam in ventre exiſtentẽ capparis ſubducit.2°.de ali.fa. 2ª.21.F
Pituita quando plenus eſt ſtomachus quæ ponenda extra.8°.de com. me.ſec.loc. 5ª.192.A
Pituitam cur nunquam recipiat ſeptum tranſuerſum. 4°. de præſagitione ex pulſibus. 4ª.120.C
Pituita inter ventriculũ,& ſeptũ tranſuerſum poſita faciens dolorẽ quomodo tranſeat per venas ad veſicam,& ſoluat morbum. cõ. 7°.apho.54°. Ex.58.F
a Pituita alba aqua inter cutem ſuperuenit.cõ.7°.ap.70°.Ex.60.G
Pituita alba quandoque in vaſis,& in toto corporis habitu.commẽ. 7°.aphoriſmo.70°. Ex.60.G
*Pituita collecta facit ileũ,liẽteriã,& teneſmõ.5°.de vſu p.*1ª.143.B
*ex Pituita frigida,& acri teneſmus.ĩ 3ᵐ.de mo.vu.c.3°.*3ª.146.H
Pituita frigida facit leuitatem inteſtinorum.com.3°.aph.30°. 26.ſ/ comment.4°.apho.12°. Ex.28.E
Pituita in ventriculo,aut inteſtinis,leuitatem inteſtinorum facit.cõ. 6°.aphoriſmo.1°. Ex.46.A
Pituita cur facit difficultatem inteſtinorum,& cholera non ita.com. 3ª.aphoriſmo.12°. Ex.21.G
Pituita alba qui detinentur ſortis ſi ventris fluxus fiat, liberantur. commen.7°.apho.29°. Ex.55.H
Pituita liuida.com.7°.aph.29°. Ex.56.A
Pituita ſyncera quid ſignificet.in progn.com.2°. 4ª.201.F
Pituita vitrea facit tormina.2°.de diff.ſeb. 3ª.37.F
Pituita facit menſes decolores.com.5°.aph.36°. Ex.40.G
Pituita ſi ſit multa in acetabulis vteri menſtrua ſunt pauca.commẽ. 5°.aphoriſ.45°. Ex.41.G
Pituita aquoſa deſcendit cum vero ſpermate.de ſper. Sp.36.F
Pituita per nares deſcendit.2°.de ſem. 1ª.340.C
Pituita nonnunquam cum melancholico humore influit dum varices generantur.4°.de compo.me.per gen. 5ª.237.B
Pituita quando euacuanda,& quando bilis in podagra, et in arthritide.quos purg.opor.quib.med.& quo temp. 5ª.88.D
ex Pituita lapides quales.de ren.affec.dig.& med. 7ª.192.E
cũ Pituita bilis erit,ſi bilioſus fuerit color vrinæ,hypoſtaſis autem alba.de vrinæ ſignificatione ex Hipp. Sp.79.D
*Pituita,& bilis q̃n mixta quid faciant.in 1ᵐ.pror.com.1°.*4ª.161.D
Pituita purganda cum vincit.4°.met.me. 7ª.28.E
Pituita ſalſa purganda.de conſt.ar. Iſa.42.F
Pituita acida alteranda eſt.de conſt.ar. Iſa.42.F
Pituita dulcis facilius concoquitur.de conſt.ar. Iſa.42.F
Pituita non debet euacuari,ſed coqui.2°.de nat.fac. 1ª.302.A
Pituita non eſt euacuanda niſi cocta.quos purgare oportet quibus medicamentis,& quo tempore. 5ª.88.G
Pituita in venis non debet euacuari.2°.de nat.fac. 1ª.302.B
Pituita quibus educi debeat per multas partes. quos purgare oportet quibus medicamentis,& quo tempore. 5ª.88.E
Pituita quando per ſuperiora debeat purgari.quos purgare oportet quibus medicamentis,& quo tempore. 5ª.88.E
*Pituitam eluentia ſunt apophlegmatiſmata.6°.de ſan.tu.*2ª.100.B
Pituita p̃ ĩferiora excernit.quos pur.opor.q̃b.med.et quo tẽ. 5ª.88.E
Pituita cur p̃ inteſtina facilius euacuet.2°.de cõp.me.ſe.lo. 5ª.135.D
Pituita mordet ĩteſtino,et irritata ad deiectionẽ.c.6°.ap.33°.Ex.50.B
Pituitam educentia quæ.de cathar. Sp.94.F
Pituitam aquoſam quæ educant.de dyna. Sp.22.B
Pituita pinguis quo modo detrahatur.de med.fac.par. 7ª.171.H
Pituitam,& aquoſos humores educit Aeris ſquãma.de dy.Sp.22.A
Pituitam Allium educit.de dyna. Sp.21.H
*Pituita tentatos gallinaceos ſanant allia,& cæpe.2°.me.me.*7ª.12.D
Pituitam euacat cõmanſa Anemone.6°.de ſimp.me.fa. 4ª.43.B
Pituitam,& cholcram purgat Ariſtolochia rotunda.de dy.Sp.21.G
Pituitam educit Bdelium.de dyn. Sp.22.A
Pituitam purgat Chamælea.de dyn. Sp.22.B
Pituitam educit Chamepitys.de dyna. Sp.22.A
Pituitam mediocriter purgat Cnicus.de dyn. Sp.21.G
Pituitæ ſimile Cnicum ſed efficacius.3°.de ſimp.me.fa. 5ª.23.D
Pituitam educit Cnidium granũ,& cnicum.3°.de ſim.m.f. 5ª.23.C
*Pituitam,& aquoſos humores ducit Coccus cnidius.de theria.ad Piſonem.*5ª.90.F/*de dyn.* Sp.21.F
Pituitam non trahunt cnicus,coccus cnidius,& hippophaes, ſecundum Aſclepiadem ſed augent.1°.de nat.fac. 1ª.294.B
Pituitam educit Cucumerus agreſtis,& qua doſi.de dyn. Sp.21.G
Pituitam,& bilem purgat Ciclamen.de dyn. Sp.21.H
Pituitam & bilem purgat Elaterium.de dyn. Sp.21.F
Pituitam & bilem educit empetron.6°.de ſimp.me.fac. 5ª.47.D
Pituitam maxime aquoſam educit Euphorbium.de dyn. Sp.22.B
Pituitam purgant Gallæ grana quadraginta excoriata ſi comedãtur. de dynam. Sp.22.A
Pituitam purgat Hiera ſola.1°.de com.me.ſec.loc. 5ª.121.E
Pituitam magis purgat Lathiris q̃ Cnicus.de dyn. Sp.21.G
Pituitam purgant Oliuæ radices.de dyn. Sp.22.A
*Pituitam expurgat Papauer herculeum.7°.de ſimp.me.fa.*5ª.55.H
Pituitam educit Peplium.de dyn. Sp.21.A
Pituitam purgant Pyrethri radices.de dyn. Sp.22.A
Pituitam educit Styrax cum terebinthina.de dyna. Sp.21.H
Pituitam & bilem purgat Thymus.de dyn. Sp.21.H
Pituitam educit Tithymalum.de dyn. Sp.21.E
Pituitam Purgat Yſion.de dyn. Sp.21.E
Pituitam detrahentia Aeneæ.2°.de comp.me.ſec.loc. 5ª.139.E
Pituitam purgantes pilulæ.de med.fac.par. 7ª.173.F
Pituita in quibus morbis euacuanda.com.6°.aph.47°. Ex.52.B
in Pituitã quibus reſoluũtur ſolidæ corporis partes,ijs pituita p̃ multas partes educi dẽt.quos pur.opor.q̃b.med.& quo.tẽp. 3ª.88.E
Pituitæ euacuationẽ exigũt morbus comitialis,attonitus,& difficultas anhelitus.quos purg.opor.quib.med.& quo tem. 5ª.88.C
Pituitam educente medicamento purgantur comitiales morbi. quos purgare oportet quibus med.& quo tẽp. 5ª.88.F
Pituitam medicamentum educẽs quo ordine trahat alios humores.2°. de elementis. 1ª.9.E
*Pituitã trahẽs medicᵐ ẽ pituitoſum,nõ pituita.3°.de ſim.m.f.*5ª.23.E
Pituitã trahẽs medicamẽtũ nõ iuuat arquatos.1°.de na.f. 1ª.294.B
Pituitam educens medicamẽtum ſi ictherico detur quid agat.1°.de naturalibus facultatibus. 1ª.294.A
Pituitam educẽs medicamentum non eſt dandũ iuueni gracili, calido

qui non vixit in ocio, nec in ciborum ſacietate tempore æſtatis, aliter multum lædet, ſed debet dari medicamentum bilem euacuans. 1°. de nat. facultat. 1ª.294.C

Pituita purgata non facit ſitim. com. 4°. aph. 19°. Ex.29.C

PITVITOSI cibi non facit mentionem ſed tantummodo melancholici, bilioſi, & aquoſi. 3°. de ſymp. cau. 3ª.26.B

Pituitoſam naturam habentes cibi febrem quotidianam generant. 2°. de differentijs febr. 3ª.36.D

Pituitoſa, & frigida eſt citri caro. 7°. de ſimp. me fac. 5ª.56.A

Pituitoſum vel aquoſum facit humorem alteratrix potentia frigida. 3°. de ſympt. cauſ. 3ª.62.C

Pituitoſum humorem generant humida. 3°. de ali. fa. 2ª.27.A

Pituitoſum humorem generantur humidis temporibus, & longi morbi. comment. 3°. aph. 16°. Ex.22.H

Pituitoſi humores qui proprie. 3°. de loc. aff. 4ª.17.H

Pituitoſum ſuccum gignunt ocioſi. 4°. de ſan. tu. 2ª.83.G

Pituitoſus humor qnq; uiſit ſupernatãs ſanguini. de atra bil. 1ª.34.d

Pituitoſi ſucci omnes albi, & crudi. 4°. de ſan. tu. 2ª.84.B

Pituitoſus humor viſcoſus cur in epiglottide generetur. de voce, & anhelitu. Sp.61.C

Pituitoſi humores craſſi in capitibus muſculorum, & tendinum. 5°. de ſimpl. medica. fac. 5ª.35.H

Pituitoſus humor quæ faciat. de vict. rat. in mor. acu. c. 4°. 7ª.136.E

Pituitoſa materia facit comitiales morbos. com. 5°. aph. 7°. Ex.38.A

ex Pituitoſo humore vbi fit lethargus. 4°. de cauſ. pul. 4ª.101.H

Pituitoſus, & bilioſus humor cum abundauerit fit vigilans ſopor. 3°. de loc. affect. 4ª.16.H

Pituitoſus humor facit ventoſitatem. com. 5°. aph. 72°. Ex.45.F

Pituitoſi humores in neruis faciũt cõuulſionẽ. c. 5°. aph. 70°. Ex.45.e

Pituitoſus humor ſæpe in articulis acernatur. c. 6°. aph. 59°. Ex.53.G

Pituitoſi humoris in thorace inditia. 4°. de loc. aff. 4ª.27.G

Pituitoſus humor cur in pleuritide qualis. de conſt. ar. Iſa.40.H

Pituitoſi ſucci in ventrem calidiorem decidens difficulter curantur. 6°. de ſanitate tuend. 2ª.99.B

Pituitoſi humores ſi diu ĩ vẽtre maneãt corrũpunt. 6°. de ſ. t. 2ª. 99.b

Pituitoſi humores ĩ uẽtre corrupti quid mali agãt. 6°. de ſa. t. 2ª. 99.b

Pituitoſus humor a capite in ventrem frigidum decidens remouetur ex diatrion pipereon. 6°. de ſan. tu. 2ª.99.B

Pituitoſus humor nunquam facit furorem. com. 6°. ap. 56°. Ex.53.E

Pituitoſum humorem quæ mulieres aggregent in vtero. comment. 5°. aphoriſm. 62°. Ex.43.G

Pituitoſum ſuccum abundare indicat corpus ſolito albius effectum. 4°. de ſan. tuend. 2ª.84.B

Pituitoſi humoris purgationem fieri debere indicat color cutis albidior quam pro naturæ habitu. 14°. met. me. 7ª.93.D

Pituitoſorum humorum duplex ſanatio. com. 5°. aph. 70°. Ex.45.F

Pituitoſi humores calefiunt, & extenuantur, & reſoluuntur a febre. commen. 6°. aph. 51°. Ex.52.H

Pituitoſus humor non euacuatur per cutim vt bilioſus. de vict. rat. in mor. acu. com. 3°. 7ª.133.F

Pituitoſa ſubſtantia aggregata a venis per renes expurgatur. cõm. 4°. aphoriſ. 76°. Ex.36.D

Pituitoſus humor inteſtinis adhærens nunquam debet per ſuperiora purgari. com. 4°. aph. 12°. Ex.28.E

Pituitoſi ſucci debent detergi. 4°. de ſan. tu. 2ª.84.E

Pituitoſum ſuccum habentibus quod medicamentum dandum. 4°. de ſanitate tuenda. 2ª.85.B

per Pituitoſa materia reſoluenda fomentum ex aqua, & aceto. 14°. methodi medend. 7ª.87.F

Pituitoſus ſanguis eſt ſanguis cum pituita miſtus. 10°. de ſimplicium medicamento. facul. 5ª.72.F

Pituitoſus ſanguis ex deſidia. de mul. 3ª.78.H

Pituitoſus ſanguis facit pituitoſam carnem. 3°. de ſym. cau. 3ª.29.C

ex Pituitoſo ſanguine nutritur cutis. in progno. com. 2°. 4ª.198.B

Pituitoſo ſanguine aliqua membra indigent. 1°. de ſem. 1ª.332.E

Pituitoſus ſanguis quod ſputum faciat. 2°. de loc. aff. 4ª.13.B

Pituitoſus ſanguis tardius corrumpitur. 2°. de diff. feb. 3ª.42.B

Pituitoſus ſanguis eſt per totum corpus in anaſarca, & leucophlegmatia. 5°. de loc. affe. 4ª.33.H

Pituitoſum ſanguinem habentibus cibi calidi & ſicci exhibendi ſunt. de bonitate, & vitio ſucco. 2ª.38.A

Pituitoſa caro non idem eſt quod caro. 3°. de ſymp. cau. 3ª.26.D

Pituitoſa caro qualis ſit. 3°. de ſymp. cauſ. 3ª.26.H

Pituitoſi muci hyeme. 8°. de decr. Hip. 1ª.276.E

Pituitoſum excrementum in ſenibus colligitur. 5°. de ſa. tu. 2ª.92.E

Pituitoſum excrementũ in uentriculo generatur. 5°. de uſu p. 1ª.143.a

Pituitoſum magis eſt ſputum in peripneumonia. 2°. de lo. aff. 4ª.17.B

Pituitoſæ fluxiones et ſanguineæ modeſtæ, bilioſæ uero difficiles. in prognoſt. com. 2°. 4ª.202.D

Pituitoſi, & frigidi morbi q̃ ſymptomata faciãt. 3°. de loc. aff. 4ª.16.F

Pituitoſis morbis mel amicum. 2°. de nat. fac. 5ª.30.H

ad Pituitoſos morbos qñ ualeat uenus. ĩ 6ᵐ. d̃ mor. uul. c. 5°. 3ª.192.F

Pituitoſa febris quæ ſequatur. 2°. de diff. fe. 3ª.37.B

Pituitoſa febris quibus accidat. 1°. de arte cur. ad Gla. 7ª.96.C

Pituitoſa exquiſita intermittens qño incipiat. 2°. de diff. feb. 3ª.37.A

Pituitoſæ miſta tertiana, quæ facilis cognitu, & quæ difficilis. 2°. de diff. feb. 3ª.37.H

Pituitoſa continua, & tertiana continua ſimul miſtæ quando ſint. 2°. de diff. feb. 3ª.39.d

Pituitoſæ febris pulſus qualis. 2°. de diff. feb. 3ª.37.A

in Pituitoſa febre intermiſſio percipitur. 2°. de diff. fe. 3ª.37.B

Pituitoſæ febris calor qualis. 2°. de diff. feb. 37.B/ 3ª.40.C

in Pituitoſis febribus fumoſa eſt caliditatis ſubſtantia. de uict. rat. in mor. acu. com. 4°. 7ª.136.B

Pituitoſa febris quo modo accenditur. 2°. de diff. feb. 3°.40.C

in Pituitoſa febre minus euacuatur, q̃ in quartana. 2°. d̃ dif. fe. 3ª.37.c

Pituitoſam ſuperante tertiana quid contingat. 2°. de diff. feb. 3ª.39.C

Pituitoſę febres quo modo ſanentur. 3°. de criſi. 4ª.139.E

PITVITOSI *vnde quidam ſint, quidam bilioſi, quidam ſanguinei, quidam melancholici. de ſper.* Sp.37.B

Pituitoſus infans quibus horis efficiatur. de ſper. Sp.38.A

Pituitoſum frigidumq; qui motus efficiant. 1°. de ſant. tu. 2ª.65.F

Pituitoſorum indicia. 2°. de temp. 1ª.20.C

Pituitoſi molles. 4°. de comp. me. per ge. 5ª.236.F

Pituitoſus qui bilem euomebat. ars med. Iſ.66.H

Pituitoſus qui habebat multã bilẽ in uentriculo. 2°. de temp. 1ª.20.C

Pituitoſi quidã bilioſi exiſtimãtur pp uomitũ bilis. 2°. de tẽp. 1ª.20.C

Pituitoſarũ carniũ mulieres p uterũ purgantur. 6°. de lo. affe. 4ª.41.d

Pituitoſi inediam facilius ferũt. de ui. ra. in morb. acu. c. 2°. 7ª.120.E

Pituitoſi cur facilius inediam ferunt bilioſis. de uict. rat. in morb. acu. commen. 2°. 7ª.120.F

Pituitoſi melius ſe habent æſtate. com. 3°. aph. 18°. Ex.23.H

Pituitoſi qua difficultate inteſtinorũ capiãtur. c. 3°. aph. 12°. Ex.21.F

Pituitoſis quando magis ſuperueniunt febres. c. 3°. aph. 11°. Ex.21.A

ſi Pituitoſi cauſum, et ſynochã incidant quid agẽdũ. de ſper. Sp.39.G

Pituitoſos humores his euacuare conuenit qui pituitoſas ægritudines incidere conſueuerunt. com. 6°. aph. 47°. Ex.51.B

Pituitoſis qui cibi conueniant. de diß. cont. Sp.71.E

Pituitoſis acria conueniunt. 2°. de ali. fac. 2ª.25.E

Pituitoſis, excrementoſisq; ſtomachis apta ſunt auſtera humida. 7°. de ſimp. med. fac. 5ª.50.H

Pituitoſo uentriculo agnum dat. de med. fac. par. 7ª.176.A

Pituitoſo mel ſalubre. 2°. de nat. fac. 1ª.300.H/1°. *de alim. fa.* 8.F/9.H

de bonitate, & uitio ſuccorum. 2ª.39.A

Pituitoſis quod uinum conueniat. de bo. & ui. ſuc. 2ª.38.E

Pituitoſo morbo non eſt facies Hippocratica. in prog. c. 1°. 4ª.191.E

PITYIDES *fructus picearum. 8°. de ſimp. med. fac.* 5ª.58.F

Πιτυίδων *meminit. de rem. par. fa.* 7ª.157.H

PITYINON *phyſena, id eſt picea germinatio. 3°. de comp. medica. per genera.* 5ª.230.C

Pityinon phyſema quale. 2°. de comp. med. per. ge. 5ª.219.E

PITYLAE *non fiunt ab eodẽ opifice quo modo. de fæt. for.* 1ª.326.B

Πιτυλίζειν *quid ſit. 2°. de ſan. tu.* 2ª.74.F

PITYOCAMPAE *quales. 11°. de ſimp. med. fac.* 5ª.82.F

Pityocampes minimum ſi ſumatur lædit. 2°. de ſimp. med. fa. 5ª.37.C

Pityocampe genere non quantitate obeſt. 5°. de ſimp. me. fa. 5ª.37.C

Pityocampis ueſcuntur uipere. de ther. ad Piſ. 5ª.95.D

Pityocampe ſcepticum medicamentum. 5°. de ſimp. med. fac. 5ª.36.B

Pityocampe ualet ad depilationem. 11°. de ſimp. me. fa. 5ª.82.F

Πιτυρίαι *qui panes ſint. 1°. de ali. fac.* 2ª.9.F

PISYROIDES *ideſt furfurea farina quid ſignificet. de uri.* 4ª.124.E

Pitys, id eſt picea. 8°. de ſimp. med. fa. 5ª.58.F

PITYVSA *ſpecies tithymalli putatur, quoniam lac habet, & purgat. 8°. de ſimp. med. fac.* 5ª.58.G

PIX qualis.4°. de comp.med.per gen. 5ª.240.F
Pix potestate calida.3°.de temp.21.G/ 1ª.23.D
Pix sicca qualis.8°.de sim.med.fac. 5ª.58.E
Pix vt calidior,ita acrior cera.de frac.com.3°. 7ª.244.B
Pix,& resina paulum excedunt ceram.5°.de sim.med.fac. 5ª.34.C
Pix,& resina calefaciunt applicata parti.2°.de diff.feb. 3ª.41.A
Pice mediocriter calida fit calefactio mẽbrorũ.2°.de diff.feb. 3ª.41.F
Pix cito ignem accipit.3°.de temp. 1ª.22.F
Pix humida.com.1°.aph.14°. Ex.7.F
Pix à calore extrinseco in spiritum soluitur.cõ.4°.aph.70°. Ex.35.B
Pix congelatur.1°.de simp.med.fac. 5ª.5.B
Pix optima quæ.3°.de com.med.per gen. 5ª.233.C
Pix Arida qualis.4°.de comp.me.per ge. 5ª.240.H
Pix arida glutinandis vulneribus magis congruit.8°.de simpli.medicamen.facul. 5ª.58.E
Picis aridæ meminit.2°.de comp.med.per ge. 5ª.226.E
Pix Brutia qualis.7°.de comp.med.per ge. 5ª.264.B
Pix brutia pellucida sicca.5°.de compositione med.sec.loc. 5ª.162.B
Pix brutia arida.9°.de comp med.sec.lo. 5ª.199.A
Pix brutia liquida.5°.de compositione medica. secundum locos. 161. *E/7°.185.F/10°.* 5ª.208.F
Picis brutiæ meminit.3°.de com.me.se.loc.147. D/8°.192.H/9°.199. E/200.C/10°.207.F/2°.de compositione medicamentorum per genera.225.E/227.D/4°.243.E/244.G/7°. 5ª.266.C
Picem crudam accipit.3°.de comp.med.sec.lo.149.A/5°. 5ª.161.D
Picis Flos Πισσανθος vocatur.2°.de sim.med.fac. 5ª.15.A
Pix Humida minus siccat.8°.de simp.me.fac. 5ª.58.E
Pix humida asthmaticos, & purulentos adiuuat.8°.de simpliciũ medicamentorum facul. 5ª.58.E
Pix humida sanat vulnera ouium.7°.de simp.med.fac. 5ª.50.F
Pici Liquide similis sanguis.in 6ᵐ.de morb.vulg.com.3°. 3ª.176.D
Pix liquida calida,& viscosa.2°.de simp.med.fac. 5ª.14.D
Pix liquida calefacit,& exiccat.2°.de simp.med.fac. 5ª.16.D
Pix liquida quo loco reponatur inter calida, quæ conueniũt alopecijs. 1°.de com.med.sec.loc. 5ª.122.D
Pix liquida pro capillis illiniendis.1°.de comp.med.sec.loc. 5ª126.G
Pix liquida cum fermento pro vulnere neruorum.3°.de compositione medicamentorum per genera. 5ª.229.H
Pix liquida loco laurini oleo.1°.de comp.med.sec.lo. 5ª.122.D
Picis liquidæ mentionem facit.in 6ᵐ.de morb. vul.com.6°. 3ª.196.C/ *6°.meth.med.* 7ª.38.G
Pix non potest per angusta transire,nisi liquida.in 6ᵐ.de morbis vulgaribus,com.3°. 3ª.173.D
Picis liquidæ fuligo qualis.7°.de simp.me.fa. 5ª.54.F
Pix nigrum medicamentum.2°.de comp.med.per ge. 5ª.221.E
ex Pice nigra oleum quale.6°.de simp.med.fac. 5ª.46.H
vt Pix,& bitumen nigra & splendens est atra bilis.de tumoribus præter naturam. 3ª.83.H
Pix Nitida.7°.de com.med.per gen. 5ª.267.D
Pix Pinguis vnde apportetur.3°.de comp.me.per ge. 5ª.233.G
Picis Serum.3°.de com.med.sec.loc. 5ª.144.H
Pix Sicca,& non sicca.2°.de sim.me.fac. 5ª.15.A
Pix sicca glutinatoria est in corporibus admodum duris, quæ vulnus habent aut sinum.6°.de simp.med.fac. 5ª.42.E
Pix Vinaria vnde accipiatur.2°.de comp.med.per ge. 5ª.225.H
Pix vinaria.2°.de comp.me.per ge. 5ª.225.H
ex Pice fricatio.de præcogn.ad Posth. 4ª.217.G
Pix emollit.7°.de com.me.per ge. 5ª.268.A
Pice delinendi sunt macilenti.14°.meth.med. 7ª.91.F
Pice totum corpus illinitur pro gracilitate.6°.de san.tu. 2ª.98.B
Pici nullum remedium potest æquari pro gracilitate.6°.de sanitate tuenda. 2ª.98.B
Pices leprosos vngues eximunt,lichenas detergunt,duros,& crudos tumores concoquunt,8°.de sim.med.fac. 5ª.58.E
Pix commoda est pro ceratis, & malagmatibus.9°.de compositione medicamentorum sec.loc. 5ª.188.D
Pix cerati consistentiam seruat.3°.de com.me.per ge. 5ª.233.C
Pix non potest ostendi in tetrapharmaco,tamen propter hoc nõ est dicendum,quod non insit.de nat.hum.com.1°. 1ª.27.B
Pix valet in medicamentis quæ pus mouẽt.4°.de c.me.pg. 5ª.240.F
Pix quo modo mouet pus.5°.de simp.med.fac. 5ª.34.C
Pix maturat.de ocul. 7ª.188.E

Pix ad carnem restaurandam optima.14°.meth.med. 7ª.91.F
ex Pice,resina fricta, cera, & euphorbio emplastrum Galeni p̃ neruis vulneratis.6°.meth.med. 7ª.37.F
Pix fugienda in vlceribus.3°.meth.med. 7ª.21.C
Pice quæ plus exiccent.4°.de comp.me.per ge. 5ª.240.H
Pix, & oleum mista qualia.6°.de com.me.se.lo. 5ª.173.H
ex Pice,resina,terebinthina,& adipe leonino,atque taurino medicamentum.2°.de arte cur. ad Glau. 7ª.104.H
Pix, resina & oleum lauantur, & dealbantur.2°.de simpli.medic. facul. 5ª.12.H
Pix quo modo lauanda.1°.de comp.me.per ge. 5ª.213.H
Pice, vel gypso obturãda vasa vinaria,ne vinũ acescat.d vi.Sp.77.b
pro Pice resina fricta.10°.de composi.med.sec.loc. 5ª.207.F

PLACENTARVM

ars.9°.de decre. Hipp. 1ª.280.G
Placentæ azimæ ex melle.1°.de alim.fac. 2ª.10.E
Placentæ ex butyro, & similagine sunt pessimi cibi,nisi mel recipiãt. 5°.de sanitate tuenda. 2ª.91.F
Placenta ex lacte,& caseo crassi succi est.de bon.& vit.suc. 2ª.35.D
Placenta ex lacte,& caseo iecoris meatus obstruit.de bonitate,& vitio succorum. 2ª.35.D
Placenta dicta maza modice nutrit.in 6ᵐ.de mor.vul.c.3°. 3ª.170.F
Placentæ ex solo oleo quo conficiuntur.1°.de ali.fac. 2ª.10.D
Placenta ex oleo crassi succi ventrem cohibet,& crudos succos gignit 1°.de alimentorum facul. 2ª.10.D
Placenta ex oleo,& itrijs facile corrumpitur.1°.de loc.aff. 4ª.5.C
Placentis, & panibus miscent papaueris semen.de atte.vi. 2ª.44.E
Placentis, & edulijs lætantur palatum explere cupientes. de cognoscendis curandisq; animi morbis. 2ª.53.D
Placenta in omnium conspectu non est auidius deuoranda. de cognoscendis curandisq; animi morbis. 2ª.53.C
PLACENTVLA *ad tussientes.7°.de comp.med.sec.loc.* 5ª.182.B
PLACINI *diuitis maxillæ hiando luxatæ casus.de articulis,commẽtario 2°.* 7ª.263.G
PLACIPIS *cadmia quæ.9°.de simp.me.fac.* 5ª.69.E
PLACITORVM *librum fecit Alexander Philalethes.4°.de differentijs pulsuum.* 4ª.66.F
Placitorum diuersitas.3°.de loc.aff. 4ª.16.D
Placita sua omnes volunt defendere.1°.de diff.pul. 4ª.52.B
Placitis nostris non debemus fauere.in 6ᵐ.de mor.vul.c.3°. 3ª.177.D
PLADAROTES *quid.introd.* Isa.58.E
Pladarotes affectus partium interiorum qui introd. Isa.58.D
Πλαδον *quid significet.de vict.ratio.in morb.acu.commenta.2°.121. D/commenta.3°.* 7ª.130.C
Πλάδον *nimia humiditas vnde.in 1ᵐ.de morb.vul.com.2°.* 3ª.109.C
PLAGÆ *sunt, quæ fiunt ab alto in terram ruptiones.3°.de symptomatum causis.* 3ª.26.H
Plagarum diuersitas.de vir.cent. Sp.93.F
ex Plaga inflammatio fit.2°.de com.med.sec.loc. 5ª.133.G
Plagæ curandæ intentiones.2°.de com.med.sec.loc. 5ª.133.G
Plagarum curatio.de med.fac.par. 7ª.173.A
in Plaga sanguis mittendus.4°.meth.med. 7ª.27.H
Plaga numeratur inter causas extrinsecas doloris capitis.2°.de compo.med.sec.loc. 5ª.131.H
ad Plagam capitis remedia.de dynam. Sp.31.G
ad Plagam sanguinantem remedium.de dynam. Sp.31.E
ad Plagas superficiales.de vir.cent. Sp.93.F
ad Plagas profundas.de virt.cen. Sp.93.F
ad Plagam profundam ex lancea.de dyna. Sp.31.H
ad Plagas internarum partium.8°.de simp.med.fac. 5ª.188.G
ad Plagam in partu factam.de pass.mul. Sp.96.B
ad Plagas succus centaureæ. de virt.cent. Sp.93.F
Plagas veteres,& fistulas cõsolidat emplastrũ barbarũ.d dy.Sp.35.F
ad Plagam compositio.de dynam. Sp.35.F
ad Plagam sanandam emplastrum.de dyna. Sp.32.A
ad Plagam sanandam potio.de dyna.31.G/ Sp.32.A
ad Plagam omnem Tractum.de dyna. Sp.32.C
ad Plagas vnguenta.de dyna. Sp.31.F
ad Plagam remedium.de dynam. Sp.31.F
ad Plagas qualescunq;.1°.de comp.med.per ge. 5ª.211.F
ad Plagas reptilium omnium.8°.de comp. med.sec.loc. 5ª.191.E
ad Plagas ferarum.8°.de composi.me.se.lo. 5ª.195.B

PLAGELA. de dyna. Sp.33.E
Πλαγιον quid nominat Galenus. 2°.de san.tu. 2ª.70.B
ILAGVLÆ quæ sint.de ijs, quæ in med.fi.com.3°. 7ª.214.C
Plagulæ & splenia idem.de frac.com.1°. 7ª.228.D
Plagulæ quanta esse debent.de frac.com.3°. 7ª.244.F
Plagulæ quo asciatim ligandæ.de ijs, quæ in med.fi.com.2°.7ª.208.G
Plagulæ vino madefactæ. de fract.com.3°. 7ª.241.C
PLANCI qui sint.de art.com.3°. 7ª.278.H
PLANETÆ quibus facti.de hist.philo. Sp.4.E
Planetas cæteros superat luna vicinitate non potentia. 3°. de diebus decretorijs. 4ª.157.B
Sm Planetarum rationẽ sunt septem mundi climata.de sper. Sp.39.D
de Planetarum errantium septem climatum qualitate, & efficacia.de spermate. Sp.40.B
Planetis, & signis elementa reguntur.de sperm. Sp.40.B
in Planetis, et in signis quatuor quæ elementorum noxibus iuncta est, & ligata omnis substantia corporea animata teste Hippocrate.de spermate. Sp.38.H
Sm Planetas homo mutatur.de sperm. Sp.37.D
Sm Planetas bruta non mutantur.de sperma. Sp.37.D
Sm Planetarum,& Lunæ stationes homines bene,& male se habẽt.3°. de diebus decretorijs. 4ª.157.H
Sm Planetam, diem, & horam ægritudinis cognitio.de sper. Sp.40.B
de Planetarum ætate in embrione.de comp. mem b. siue de natu. humana. Sp.59.F
Planetæ septem quo modo in embrione dominentur.de compagine mẽbrorum,siue de nat.hum. Sp.59.E
Planetæ septem quid faciant singulatim in formatione. de compagine membrorum,siue de na.hum. Sp.59.F
Planetis cõparantur septẽ mẽbra regalia,et famosa.ã an.vi. Sp.56.A
Sm Planetarum motus Rex quidã cũ uxore cõcubuit.de sper.Sp.38.G
PLANTA est corpus vegetabile.1°.de sem. 1ª.331.G
Plantæ, semina,& animalia tantũ viuere dicuntur.de marc. 2ª.45.B
Plantarum, & animalium differentia.4°.de vsu par. 1ª.136.E
in Plantis, & in animalibus diuerso modo facit opera Aristoteles.1°. de sem. 1ª.331.B
Plantæ ex quatuor elementis componuntur.1°.de elem.5.F/ 1ª.7.F
Plantas, et aãlia fingens facultas nunquã sistit.de fæt.for.1ª.334.F
Plantas,& animalia fingẽs facultas omnes partes simul fingit. de fœtuum formatione. 1ª.324.F
a Plãtis ad aãal cũ incedit natura habet gradus.2°.de se. 1ª.339.G
de Plantis, & herbis quantum loquutus est Galenus.10°.de simplicium medicamentorum facul. 5ª.72.A
Plantæ semen terra indiget.1°.de semi. 1ª.331.G
Plantis terra est vt mater.2°.de sem. 1ª.338.E
Plantarum semina si producere debeant indigent externo humore,et calore moderato.de nat.hum.com.1°. 1ª.29.C
Plantæ in terra humida crescunt altissimæ.11°.de vsu par. 1ª.190.A
Plantæ in terra petrosa paruæ sunt ac duræ.11°.de vsu par.1ª.190.A
Plantæ cur in terra dura & arida habent generationem difficilem, & interitum difficilem.11°.de vsu par. 1ª.190.B
Plantæ semen quando seminatur quomodo germinet.6°.de decre.Hippocratis. 1ª.262.A
Plantæ semen radices facit.1°.de sem. 1ª.331.G
in Plantis radices officium.6°.de decr.Hippo. 1ª.262.B
quod Plantis in inferiori parte radicatio est,id est in fœtu arteriarum, & venarum chorij,vuluæ inherentia.1°.de sem. 1ª.331.F
Plantarum,& arteriarum comparatio.8°.de decre.Hipp. 1ª.273.G
Plantæ habent quatuor virtutes attractricem,retentricem,alteratricem,& excretricem.4°.de vsu partium. 1ª.136.E
Plantæ quo modo nutriantur.4°.de vsu partium. 1ª.136.E
Plantæ terræ succum nutriunt.2°.de semine. 1ª.338.E
Plantæ trahunt a terra humorem sibi amicum.de na.hu.c.1°.1ª.31.G
Plantæ trahunt nutrimentum ex terra.3°.de simp.med.fac. 5ª.17.G
Plantæ,& animalia habent simile alimentũ.6°.de dec. Hip.1ª.264.G
Plantæ a natura reguntur.contra Iulianum. Ex.68.A
Planta perfecta quæ.de mar. 3ª.46.B
Plantæ sunt numerosissimæ.6°.de simp.med.fac. 5ª.39.F
a Plantis alimenta sumuntur.2°.de alim.fac. 2ª.16.A
Plantæ cibi omnium animalium.1°.de elem. 1ª.7.F
Plantæ integræ comeduntur.2°.de alim.fac. 2ª.22.B
Plantæ prius probandæ gustu,& olfactu quam comedantur.2°.de aliment.facul. 2ª.24.E
de Plantæ tẽperamẽto indicãt odor,& sapor.2°.de ali.fac. 2ª.24.E
de Plantæ temperamento indicant succus,& consistentia.2°.de alimẽtorum facultatibus. 2ª.24.E
Plantarum succi gustandi.2°.de alim.fac. 2ª.24.E
Plantarum singulæ partes examinandæ sunt.2°.de alim.fac. 2ª.24.E
Plantæ aliæ habent vim in caulæ, ac stipite, aliæ in radicæ.2°.de alimen.facul. 2ª.24.D
Plantæ agrestes quæ.2°.de alim.fac. 2ª.21.H
Plantæ agrestes sunt praui succi.2°.de alim.fac. 2ª.22.C
Plantæ spinosæ quæ.2°.de alim.fac. 2ª.22.C
Plantæ domesticæ sunt longa experientia à nobis comprobatæ. 2°.de alimentorum facul. 2ª.22.C
a Plãtis postq̃ fuerint collectæ ac repositę primo defluit qcquid aquosum est,ac tenue,post ẽt aliquid humidi naturalis.1°.d ali.fa. 2ª.11.F
Plantarum succi habent duplex excrementum tenue,aereum,crassũ, & terrestre.2°.de simpli.med.fac. 5ª.13.F
in Plantis,& metallis sunt recrementa.4°.de simp.me.fac. 5ª.24.H
Plantæ in muriam vel acetum seruatæ prouocant appetentiam. 2°.de alimen.facul. 2ª.22.C
Plantarum fructus sunt ab arboribus.2°.de alim.fac. 2ª.16.D
in Plantarum foliis mel oritur.3°.de alim.fac. 2ª.32.F
Plantæ mannæ,& melli dant aliquid.3°.de alim.fac. 2ª.32.F
Plantæ medicamentosæ habent radices foliis præstantiores. 2°.de alimentorum facul. 2ª.24.D
Plantæ viridis corona ob æstum.de caus.procatar. 3ª.96.A
in Plantis quo modo vermes.an animal sit. 1ª.328.B
PLANTA quæ.introd. Isa.53.E
Planta in pede quid sit.de ossibus. 1ª.43.G
Planta ex quibus composita.de ossibus. 1ª.43.G
Plantæ pars prima dicitur tarsus.de musc.diss. 1ª.52.B
Plantæ pedum cutis est iuncta musculis.11°.de vsu partiũ. 1ª.190.D
ad Plantam spica.de fascijs. 7ª.306.B
PLANTAGO quid & eius vires.de simp.med. Sp.89.A
Plantago ex quibus composita.3°.de comp.med.sec.lo. 5ª.146.H
Plantago est frigida, & sicca in secũdo ordine.6°.de si.me.fa. 5ª.43.G
Plantago excedit omnia medicamenta refrigerantia, & adstringẽtia. 6°.de sim.med.fac. 5ª.43.G
Plantaginis succus refrigeratorius est.8°.de com.me.se.lo. 5ª.189.A
Plantaginis succus pro dolore capitis calido.de re.par.fac. 7ª.153.E
Plantago ad constringendum.de dyna. Sp.35.F
Plantago adstringens leue.5°.meth.med. 7ª.31.G
Plantaginis succus sistit sanguinẽ introd.Isa.56.F/5°.met.me.7ª.31.G
Plantaginis succus sãguinẽ excreãtib. vtiliter dat.de sim.m. Sp.89.A
Plantaginis folia contrita cum pane imposita stringunt, & siccant.de simp.med. Sp.89.A
ex Plantagine cataplasma reprimit,& simul digerit carbũculos.14°. meth.med. 7ª.90.B
Plantago discutit.de remed.par.fac. 7ª.155.E
Plantagini simile in viribus sedum.de simp.med. Sp.91.A
PLANICIES in homine quæ.introd. Isa.53.F
PLANI pedes qui sint.de art.com.3°. 7ª.278.H
PLANA est intrinsecus figura cordis qñ dilataã.de ana.viuo. Sp.56.C
Plani ossa qualia.3°.de vsu partium. 1ª.130.C
PLANA organa quæ sint.de machi. 7ª.309.D
cur Plana collocantur organa.de mach. 7ª.310.E
Plana scala quo modo collocanda.de machin. 7ª.313.G
in Plana scala ad humeri caput restituendum quando in alam excedit.de machina. 7ª.313.G
PLASTÆ in secundo ordine prope Mercurium iuxta veterem picturã. in orat.suaso. Isa.2.F
Plastæ faciũt quæ pulcherrima in spẽ mediũ aspiciẽtes.1°.de tẽ 1ª.15.A
PLASTICE ars nobilis.in ora suas. Isa.5.G
Πλατανιστιον malum vocatum,& cur.2°.de alim.fac. 2ª.19.H
PLATANVS arbor frigida p capite.2°.de comp.me.sec.loc. 5ª.132.H
Platanus humida,& frigida parum recedit à mediocritate.8°.de sim.med.fac. 2ª.19.H
Platani folia habent gustum pomi.2°.de alim.fac. 5ª.58.G
Platani foliorum puluis arteriam offendit,& omnes sensus.8°.de simpli.med.fac 5ª.58.G
Platani cortex vlcera vetera,& sordida sanat.8°.de si.me.f. 5ª.58.G
Platani cortex ad dentiũ dolores adhibetur.8°.de sim.me.fa. 5ª.58.G

Platani cortex

Platani cortex ambustus lepras sanat.8°.de sim.me.fa. 5ª.58.G
Platani pilulæ ad vlcera ambusta adhibentur.8°.de simp.medicamen. facul. 5ª.58.G
PLATO *fuit post Homerum.6°.de decre.Hipp.* 1ª.267.D
Plato philosophorum eminentissimus.3°.de decre.Hipp. 1ª.244.B
Plato Socraticus.de hist.philos. Sp.2.E
Plato confirmauit dogma stoicum.4°.de decre.Hippo. 1ª.253.H
Plato,& Hippocrates dedere exempla ad artes,& vitæ actiones.9°. de decretis Hippocratis. 1ª.280.C
Plato imitatur Hippocratis.1°.de vsu partium. 1ª.114.E
Plato aduersatur Hippocrati.8°.de decre.Hipp. 1ª.278.B
*Plato,& Hippocrates ponunt tria principia.6°.de dec.Hip.*1ª.260.E
Plato nusq̃ recedit ab Hippocratis placitis.contra Iulianũ. Ex.67.D
Plato habet diuersam familiam cum Hippocrate.3°.d vsu p. 1ª.133.C
Plato multa docuit non scripta.de nat.hum.com.1°. 1ª.30.H
Plato cur Timæo Timæum applicauit,& Parmenidem Parmenidi,et Zenoni,& non Socrati.9°.de decret.Hipp. 1ª.284.D
Plato senex Timæum scripsit.8°.de decr.Hipp. 1ª.277.A
Plato,& Hippocrates primi omnium de anima recte senserunt.5°.de decretis Hippocratis. 1ª.258.D
Plato inuenire vult naturam animæ,vt Hippocrates inuenit naturam corporis.1°.meth.me. 7ª.3.D
Platonis testimonium librum de natura humana esse Hippocratis.de natura humana,com.1°. 1ª.33.G
Platonis opinio de animæ partibus.5°.de decret.Hippo. 1ª.258.E
Plato tres animæ partes posuit.de hist.philos. Sp.5.A
Plato,& Aristoteles de partibus animæ non multum differunt.7°.de decretis Hippocratis. 1ª.268.C
sm Platonem animæ pars appetitrix, & concupiscibilis vbi sit sita. 6° de decretis Hippocratis. 1ª.267.A
sm Platonem pulchritudo animæ quæ.5°.de decret.Hipp. 1ª.256.A
sm Platonem morbus animi qui.5°.de decre.Hipp. 1ª.256.A
Plato pertractauit quæ pertinerent ad remedia perturbationum animi.de cog.cur.animi mor. 2ª.50.D
sm Platonem ars, τριβὴ, id est exercitatio, experientia in quo consistãt.aduers.emp.med. Isa.35.E
Plato quid sentiat de bile,& quos gignat morbos.cõtra Iul. Sp.67.F
Plato vtitur calido, frigido,humido,sicco aliis veluti agentibus,aliis veluti patientibus.2°.de nat.fac. 1ª.299.G
Plato vocat calorem ignem.8°.de decre.Hipp. 1ª.277.E
Platonis collustratio quid sit.de hist.philos. Sp.9.D
Platonis libri de definitione.4°.de diff.puls. 4ª.67.D
Platonis diuisiua via.1°.de arte cur.ad Glauco. 7ª.94.E
Platone climatius egit d̃ duro,et molli Aristoteles.3°.d̃ dif.p. 4ª.63.e
Plato dicebat expirationem, & receptionem aeris per insensibiles meatus fieri per duos semicirculos,Erasistratus per circulum. in timeo Plato. 1ª.290.A
Plato idem cum Hippocrate sentiret & poneret attractionem, & non circumpulsionem.in tim.Plat. 1ª.290.C
Platonis errores in febribus,et humorib⁹.8°.de decr.Hipp. 1ª.277.B
Plato gymnasticam non salubrem, sed exercitatoriam vocat. ad Thrasy. 2ª.107.D
*Plato magis pædotribã, quã gymnastam appellabat.ad Thr.*2ª.107.B
Plato solus ideas introduxit.de hist.philo. Sp.3.G
Platonis error de inspiratione.8°.de decre.Hipp. 1ª.278.D
*Platonis logicam adducit author libri de spermate.de sperm.*Sp.40.d
Plato posuit recti motus genera sex.de hist.philo. Sp.8.F
Plato de nominibus non esse habendam curam cui multarum ac magnarũ rerũ inuestigatio præponitur dicit.2°.de diff.feb. 3ª.38.C
Plato passionem nominat omnem ab altero in alterum. de symptoma. diff. 3ª.10.D
Plato de perspiratione,non de respiratione egit.8°.de dec. 1ª.278.A
Plato quid sentiat de pituita,& atra bile, & quos pariant morbos. contra Iulianum. Ex.67.E
sm Platonem potus fertur ad pulmonẽ.8°.de decre.Hipp. 1ª.278.H
Plato egit de cura victus prægnantis.5°.de decr.Hipp. 1ª.257.D
Plato egit de puerorum in vtero formatione,& de cura cum orti sunt Plato egit.5°.de decret.Hippo. 1ª.257.D
*Plato optime tractauit de simili,& dissimili.9°.de dec.Hip.*1ª.280.F
Plato,& Hippocrates inuentores ascensus, & descensus similium, & dissimilium ab vniuersali & generalissimo ad singulare.9°.de decre. 1ª.283.G/H
Plato Aristoteles,& Chrysippus de virtutum differentia discrepãt, sed conueniunt in conclusione.5°.de decr.Hip. 1ª.258.F
Plato dicit vngues esse munimentum.1°.de vsu partium. 1ª.114.F
Plato mire'errat in vngium vtilitate.1°.de vsu par. 1ª.114.E
Plato nominat voluptatem passionem.de sym diff. 3ª.10.D
Plato quo modo laudetur a Galeno.3°.de decr.Hipp. 1ª.244.B
Plato in quibus negligens.8°.de decr.Hipp. 1ª.277.A
Platonis error.8°.de decre.Hippo. 1ª.277.G
Platonis catapotium.7°.de comp.me.sec.loc. 5ª.182.C
Platonis catapotium ex Marrubio.7°.de comp.med.sec.lo. 5ª.182.C
PLATYCORIASIS *affectus pupillæ.introd.* Isa.58.D
Πλατὺ *os id est latũ,pars spinæ.12°.de vsu par.196.G/13°.*1ª.201.E
PLATYSMA *quid.2°.de compositione medicamen. per gene.226.C/4°.237.G/* 5ª.245.B
*Platysma emplastrum a latitudine.4°.de com.med.per g.*5ª.237.G
PLAVSTRVM *quot lignis parandum.9°.de decr.* 1ª.274.F
PLEBEIORVM, *& doctum inter se ipsos pugna.3°.de sanitate tuenda.* 2ª.79.G
Plebeius secundum naturam se habens opiniones habet quouis sophista meliores.8°.meth.med. 7ª.54.A
Plebei quæ non intelligunt admirantur.de victus ratione in morb is acutis, commentario 4°. 7ª.142.A
Πλέγμα δικτυοειδὲς, *hoc est plexus retiformis.4°.de vsu p.* 1ª.139.E
Πλειάδα,& πλειάδας *in vtroque numero Vergilias græci appellãt. in* 1ᵐ.*de mor.vul.com.1°.*101.H/*com.2°.* 3ª.107.G
Pleiadum ortus quando.de dynamidijs. Sp.20.C
Pleiadum ortus est principium æstatis.com.3°.aph.14°. Ex.22.F
Pleiadum occasus quando. de dynamidijs. Sp.20.C
Pleiadum occasus est principium hyemis.com.3°.aph.14°. Ex.22.F
Pleiadum occasus considerandus ad morborum crises.de aere, aq. & locis. 2ª.4.D
cum PLENILVNIO *principium mensis habet proportionem æstatis ad hyemem.3°.de diebus decr.* 4ª.158.B
Plenilunij breues mutationes.3°.de dieb.decre. 4ª.157.C
PLENITVDO, *& multitudo nomina cognita apud medicos,& ignorata.de mult.* 3ª.76.B
de Plenitudine liber ante librum de curandi ratione per sanguinis missionem legendus.de curandi rat.per sang.miss. 6ª.16.D
de Plenitudine Galeni opinio.de mult. 3ª.76.H
Plenitudo continens causas morborum secundum Iulianum. contra Iulia. Ex.68.D
Plenitudo morborum continens causas secundum Thessalum. contra Iul. Ex.68.E
Plenitudo causa antecedens.contra Iulianum. Ex.68.G
Plenitudo secundum Asclepiadem nunquam est causa continens. contra Iulianum. Ex.68.H
Plenitudini contraria est euacuatio.de opt.sect. Isa.25.F
Plenitudo duplex.de curan.rat.per sang.miss. 6ª.16.E
*Plenitudo duplex quo ad vires,& quo ad cauitatem vasorum.de natura humana,com.2°.7ª.*181.F/*contra Iulianum.* Ex.69.A
Plenitudinis qualitas vnde cognoscatur.de cur.ra.p san.mis. 6ª.17.C
*Plenitudinis ventris sensus non est idem apud omnes.de mul.*3ª.76.F
Plenitudo quo ad vasa quomodo aucta cognoscatur.de cur.ratio. per sang.miss. 6ª.17.C
Plenitudo quo ad vasa statim euacuanda,& quas facere possit ægritudines.de curan.rat.per sang.miss. 6ª.17.B
*Plenitudo quoad vires quomodo aucta cognoscatur.de cur.ra.*6ª.17.c
Plenitudine vasa robustiora non fiunt.de mult. 3ª.78.D
Plenitudo quo ad vires facile in putredinem vertitur.de curandi ratione per sang.miss. 6ª.17.A
Plenitudo quo ad vires inanitione non dissoluitur.contra Iu. Ex.69.F
Plenitudo in quo sit.de mult. 3ª.81.G
Plenitudo quibus magis aggregatur,et qñ,& vbi.de mul. 3ª.82.D
ob Plenitudinem sanguinis solum venæ rumpuntur.5°.de locis affectis. 4ª.32.D
Plenitudo aliorum humorum a sanguine quæ sit.2°.de compositio.medicam.secun.loc. 5ª.132.D
Plenitudo humorũ crudorũ qualis.de curan.ra.per san.miss. 6ª.18.F
Plenitudo ad ἔγχυμα *id est infusionem.de mult.* 3ª.78.D
Plenitudinem boni habitus senes non possunt suscipere.2°.de locis affectis. 4°.11.F
Plenitudo a morbis quid faciat.3°.de sym.cau. 3ª.25.C

Plenitudo varios parit morbos.com.6°.apho.47°. Ex.52.B
à Plenitudine grauitas,& distentio vasorum est de opt.sect. Is.23.B
Plenitudine distendi ac rupi,ipsorũ continentiũ vasorũ est affectus, nõ aũt cuiusuis ex quatuor particularũ ptiũ facultatib°.de mul. 3ª.77.E
in Plenitudine Thorax vehementer dilatatur.4°.de loc.aff. 4ª.27.A
Plenitudinem antecedere grauitatem,& plenitudinem sequi grauitatem differunt.de mult. 3ª.77.H
à Plenitudine virtutem velut onere aggrauante & ad officia inualidam efficiente fit tremor.de trem. palp. 3ª.52.H
in Plenitudine suffusioni similia symptomata.4°.de loc.affe. 4ª.22.D
ex Plenitudine morbus quo modo in iecore.5°.de loc.affe. 4ª.33.H
à Plenitudine dolores quales.3°.de loc.affect. 4ª.20.F
ob Plenitudinẽ vesicæ vrina q̃doq; supprimitur.6°.de lo.af. 4ª.38.H
ex Plenitudine laborantium cura.introd. Isa.55.E
Plenitudo quibus exhauriatur.de curan.ra.per sang.miß. 6ª.18.E
in Plenitudine vtraq; opus est euacuatione.de cur.ra.p san.m. 6ª.16.E
in Plenitudine cur purgatio non facienda ante venæ sectionem. de rc. affect.dign.& med. 7ª.193.E
Plenitudo venæ sectione euacuatur.de ven.sect.aduer.Eraſ. 6ª.15.A/ *commentario 6°.apho.47°.* Ex.52.B
pro Plenitudine sola demenda in vere quæ vena secanda.de curan.ra. per sang.miß. 6ª.21.A
Pleni udo crudorum humorum nunquam est tanta, vt venæ sectionem prohibere possit.de curan.ra.per sang.miss. 6ª.19.D
PLENIVS *pro fortius.com.4°.aph.9°.* Ex.28.B
pro PLENO τὸ νασὸν. *4°.de dignoſ.pulſ.* 4ª.84.A
de Pleno.3°.de diff.pul. 4ª.62.B
Plenum, & vacuũ quæ sint vocabula.4°.de dignoſ.pul. 4ª.85.C
Plenum contrarium laxo.4°.de dign.pul. 4ª.85.C
Plenum quid significet.4°.de digno.pulſ. 4ª.84.F
Plenum quid sit.3°.de diff.pulſ. 4ª.62.B
Plena loca quæ dicantur.3°.de diff.pul. 4ª.62.B
Plena, & vacua loca quæ.4°.de dign.pul. 4ª.85.B
Plenum vinum quod dicatur.3°.de diff.pul. 4ª.62.C
Plena & vacua vina quæ.4°.de dign.pul. 4ª.85.B
Pleni homines quomodo intelligantur.3°.de diff.pul. 4ª.62.C
Pleni magis pauperibus sunt diuites.11°.meth.med. 7ª.72.B
Pleni videntur quibus nascitur morbus in vesica.de dyn. Sp.19.H
Plenæ,& graues sunt venæ tempori edito hoi,si conceptũ fuerit ſperma a muliere in tribus horis ſanguinis.de ſpermate. Sp.37.B
Plenas venas habet conceptus in horis bilis.de ſpermate. Sp.37.C
in Plenorum vrinis est subsidentia multa.1°.de crisibus. 4ª.130.C
Plena vrina, & subnigra superius,& inferius claritatem habens inferius dolorem renum,& superius grauitatem capitis significat ob ſerationemq; aurium,& narium.de dynamidijs. Sp.35.D
de Pleno pulsu secundum Galenũ.4°.de digno.pulſ. 4ª.85.D
Plenus,& vacuus pulsus qui.3°.de diff.pul.62.D/4°.de digno.pulſ. 4ª.84.E/*com.pulſ.* Sp.65.H
Plenus, & humidus pulsus à sanguine fit.de dynamidijs. Sp.19.F
Plenus pulsus,honestus,& æqualis à phlegmate fit.de dyna. Sp.19.F
Pleni quæ appetant.4°.de ſimp.med.fac. 5ª.26.H
Plenum corpus quid expetat.de ſim.me.fac. 5ª.32.H
Pleno corpori cur nõ debent applicari digerentia.13°.met.m. 7ª.86.C
Plenis crudis humoribus adeo vt robur virium absit non esi secanda vena.de curan.ra.per ſang.miſſ. 6ª.18.C
Pleni qui sunt debent venæ sectione purgari,non pharmaco.commentario 6°.aphoriſmo 47°. Ex.52.B
Pleni in pestilentia purgandi.1°.de diff.feb. 3ª.32.E
Plenũ corpus carne carens quomodo ab aquæ calidæ mediocri perfusione tractetur.de ijs, quæ in medica.fiunt.commen.3°. 7ª.215.H
non Plenum corpus carne carens quo modo ab aquæ calidæ mediocri perfuſione tractetur.de ijs,quæ in med.fi.commenta.3°. 7ª.215.H
PLEONASMO *figura vſum eſſe Hippocratem iudicat Galenus. commentario 4°.apho.48°.* Ex.33.D
PLETHORA *quid significet ſm Eraſiſtratæos. 2°.de com.medica.ſec. locos.* 5ª.132.D
Plethora ab Eraſiſtrato dr multitudo in venis.de cauſ.proca. 3ª.99.D
Plethora quo modo ab empiricis intelligatur.de mult. 3ª.79.H
Plethora quid.3°.de ſanitate tuenda.81.A/6°.2ª.100.D/4°.methodi medendi.25.B/13°. 7ª.81.H
Plethora propria quæ.contra Iulianum. Ex.69.G
Plethora est sanguinis abundantia.13°.meth.med. 7ª.80.H
Plethoræ meminit.11°.meth.med.73.E/13°.80.H/ 7ª.81.H
Plethora qui affectus sit.de mult. 3ª.78.D
Plethora & cacochymia differunt.de mult. 3ª.81.E
Plethora ex recẽtibus cruditatibus.1°.de arte cur.ad Glau. 7ª.98.A
Plethoram cito incurrunt aliqui ex carnibus ſuillis,& panibus,et ex caſeo.1°.de alim.facul. 2ª.10.B
Plethoris quæ laſſitudo ſuperuenit.4°.de ſan.tuen. 2ª.82.F
ĩ Plethora cur iſiãmatiões,Eriſipelata,et herpetes 2°.de di.f. 3ª.40.G
à Plethora qñq; fit febris.6°.de vſu p.1ª.155.B/1°.de dif.fe. 3ª.31.C
Plethoram qui vult cognoſcere quid agere debet. de mul. 3ª.78.C
Plethoræ inditia.in 3ᵐ.de morb.vulg.com.3°. 3ª.151.A
Plethora quibus curetur.13°.meth.med. 7ª.81.H
in Plethora quomodo procedendum.de conſt.ar. Isa.42.E
in Plethora primo totũ euacuandũ, quã pars laxetur.de ſect. Is.18.D
in Plethora cucurbitularum vſus non conuenit.de cuc.ſca. 6ª.3.B
in Plethora sãguis mittiẽ p venã,et p ſcarificationẽ.13°.m.m. 7ª.81.B
in Plethora vena secanda eſt.de remed.par.fac. 7ª.160.C
Plethora non exiſtente venam secat Hippocrates in coſtarum ictu. de artic.commentario 3°. 7ª.275.G
Plethora non exiſtente vena quandoq; ſecãda.de art.c.3°. 7ª.275.G
Plethora etiam abſque ſanguinis miſſione ſanatur. de victus ratione in morbis acutis,com.4°. 7ª.136.H
Plethora vel cachochimia quando non adſunt ſtatim deueniendũ ad lo calia remedia.6°.de com.med.ſec.loc. 5ª.166.H
Plethoram, & cruditatem habentes non ſunt in balneo inungendi.2°. de ſimp.med.fac. 5ª.15.H
PLETORICVM *corpus quid ſit.7°.meth.med.* 7ª.48.A
Plethoricum quod corpus breui fiet.de cauſ.morb. 3ª.7.F
Plethorici ignaui, & pigri ad motum ſunt.2°.de ſan.tu. 2ª.73.E
Plethorica diſpoſitio quando fiat.1°.de diff.feb. 3ª.31.F
Plethorici facile ex morſu phlegmonem recipiunt.4°.de compoſitione medic.per genera. 5ª.236.F
Plethoricos morbos facit incidere vacuatio ſanguinis retenta. in 1ᵐ. prorrhe.commen.3°. 4ª.185.D
Plethoricus morbus vt ſit phlegmone quid exit.contra Iul. Ex.69.D
Plethoricum corpus multi cibi calefaciunt.de victus ratione in morbis acuis, commen.4°. 7ª.145.D
Plethoricis diſpoſitionibus ſomni caput implẽtes aggrauant cerebrũ. commen.4°.apho.67°. Ex.34.F
Plethoricum.com.6°.aph.31°.com.4°.apho.73°.35.H/ Ex.49.F
in Plethorico morbo non eſt facies ab Hippocrate in prognoſticis deſcripta.in prognoſt.commen.1°. 4ª.191.F
Plethorici caſus ſunt tubercula,et dolores articulorum. commentario 4°.aphoriſmo 45°. Ex.32.G
Plethorico an vena ſecanda.de ſubſig.emp. Isa.32.E
Plethoricũ, vel cacochimũ qñ fuerit corpus ſtatim vtimur venæ ſectione,purgationibus,clyſteribus,ac inedia.6°.de c.me.ſe.l. 5ª.166.H
Plethoricis morbis qui corripiuntur æſtate,illis vere vena ſecanda.de curandi ratio.per ſang.miß. 6ª.17.E
ex Plethorica vocata ſyndrome ſanguinis mittendi quãtitas ſumitur. de curan.ratio.per ſan.miß. 6ª.18.D
abſque Plethorica ſyndrome quando ſanguis detrahitur. de victus ratione in morbis acutis,com.4°. 7ª.136.H
Plethoricus febricitãs qbus curãdus,& quibus nõ.13°.m.m. 7ª.82.A
Plethoricis non ſunt tuta medicamenta nihil repulſoriæ facultatis habentia.1°.de compoſitio.medicam.per genera. 5ª.215.H
ad Plethoricos.1°.de comp.med.per gen. 5ª.214.B
PLETHOS *eſt cum inter ſe ſucci æqualiter ſunt adaucti.13°.methodi medendi.* 7ª.81.H
PLETHRVM *quid ſit.2°.de ſan.tuen.* 2ª.74.F
Plethrum dicitur ſexta ſtadij pars.2°.de ſan.tuen. 2ª.73.F
PLEVRITICI, *peripneumonici dicuntur qui laborant pleuritide,et peripneumonia,& licet habeant febrem,non dicuntur febricntes. cõmen.4°.apho.73°.* Ex.35.H
Pleuritici quibuſdam cur dotet iugulum.2°.de loc.affect. 4ª.11.C
Pleuriticorum dolor cur quandoq; ad præcordia.2°.de lo.aff. 4ª.11.C
Pleuritica febris.in 6ᵐ.de morb.vulga.com.1°. 3ª.159.D
Pleuriticorum ſpiritus qualis.3°.de diff.reſp. 3ª.72.B
Pleuriticorum pulſus qualis.de pulſ.ad Tyr.45.A/B/4°.de cauſ.pul. 4ª.100.F/*de dyna.34.H/comp.pulſ.* Sp.65.G
Pleuriticorũ proprius eſt pulſus ſerrans.de pulſ.ad Tyro. 4ª.45.C
Pleuritici cur pulſum duriorẽ habeant peripneumonicis.4°.de præſagitione

gitione ex pulsibus. 4ª.120.B
Pleuriticorũ vrina pinguis,et rusa mortẽ futurã oñdit.ꝺ dy.Sp.34.h
Pleuriticorũ vrina alba,& subluuida mortẽ demõstrat.de dy.Sp.34.H
Pleuriticorũ vrina tenuis habens veluti limum liuidum indigestionẽ aut mortem nunciat.de dyn. Sp.34.H
Pleuriticorũ vrina tenuis,& sanioſa ſi in initio ægritudinis venerit et p multos dies manſerit phrenitim futuram nũciat.de dy. Sp.34.H
in Pleuriticis vrina alba aut ſubluuida ſignificat mortẽ.de dy.Sp.35.D
Pleuriticorũ ſputa qualia & quid ſignificent.2°.de criſibus. 4ª.137.F
Pleuriticis vna ſalus eſt virium robur.10°.me.meth. 7ª.63.H
Pleuriticum ſi quid fuerit quid fieri debeat.præſag.ex per. confir. 78. E/de catharticis. Sp.95.C
Pleuriticorũ tm̃ cibus eſt chõdrus.de vic.ra.in mor.ac. c.1°.7ª.115.d
Pleuriticorum tantum medicamentum eſt oxymeli.de victus ratione in morbis acutis,commen.1°. 7ª.115.D
Pleuriticis damus cholagoga.de dyna. Sp.20.G
Pleuritico medicm purgans.de vict.ra.in mor.acu.com.4°. 7ª.144.C
Pleuriticæ facultates.5°.de ſimp.med.fac. 5ª.32.B
Πλευριτικὰ medicamenta quæ dicantur.introd. Iſa.55.G
Pleuritica cur dicta medicamenta.5°.de ſimp.med.fac. 5ª.38.E
Pleuritico puero & ſeni non eſt ſecanda vena.de ſubfig.emp.Iſa.32.E
Pleuritici ſenes valde non phlebotomandi.de ſect. Iſa.18.B
in Pleuriticis,& peripneumonicis affectibus expuitionibus ex pulmone confert butyrum.16°.de ſimp.med.fac. 5ª.74.D
Pleuriticis prodeſt diapenidion magnum.de dynamidijs. Sp.26.D
Pleuriticis datur Theriaca Euclidis Palatiani.2°.de antid.5ª.116.B
ad Pleuriticos.7°.de cõ.med.ſec.lo.181.F/185.B/8°.195.B/9°.202. D/203.C/5°.de comp.med.per ge.249.B/7°. 5ª.265.G
Pleuritici natura ſicci,& pleuritici natura humidi,caſus. de vict.rat. in morbis acutis,commen.1°. 7ª.115.A
de PLEVRITIDE potiſſimum agit Galenus.de vict.ratio.in morbis acutis,commen.3°. 7ª.133.C
Pleuritis vnde nomen ſortita.2°.meth.med. 7ª.9.D
Pleuritis a parte patiente nominatur.1°.de arte cur.ad Glau.7ª.95.F
Pleuritis quid.fin.med.47.C/intro.Iſa.55.G/4°.de cau.pul. 4ª.100. G/2°.de arte cur.ad Glau. 7ª.101.D
Pleuritis,& peripneumonia quo modo differant. de vict.ratione in morbis acutis,commentario 3°. 7ª.133.A
Pleuritidis,peripneumoniæ,& anginæ concurſus quomodo differãt. 4°.de locis affectis. 4ª.24.D
Pleuritidi,& peripneumoniæ communia.de ſubfig.emp. Iſa.32.E
Pleuritis eſt morbus acutus.introd.Iſa.55.E/de vict.rat.in mor.acu. com.1°.7ª.108.G/com.1°.aph.12°. Ex.5.D
Pleuritis eſt inflãmatio.ꝺ ar.cur.ad Gl.7ª.100.C/c.1°.a.12°.Ex.6.C
Pleuritidis cauſa introd. Iſa.55.G
Pleuritis ex ſanguine.4°.de cauſ.pul.4ª.100.H/ de ſper. Sp.38.B
Pleuritim faciens humor vbi colligatur.de ana.par. Sp.43.A
Pleuritis affectio quæ,& qualis caſus.2°.de loc.affect. 4ª.14.G
Pleuritides faciunt aquæ paludoſæ hyeme.de bon.aquæ. Sp.75.D
Pleuritis non addiſcitur in Dione pleuritico nec artes addiſcuntur in particulari.2°.de diff.pulſ. 4ª.57.B
Pleuritis quo modo fiat.de vict.ra.in mor.acu.com.1°. 7ª.113.H
Pleuritis habet notas perfectas.12°.me.me. 7ª.79.A
Pleuritidem quatuor perficiunt.2°.de diff.reſp. 3ª.66.E
Pleuritidis ſigna propria.2°.de dif.reſp.3ª.66.C/1°.de cri.4ª.126.H
in Pleuritide ſymptomata neceſſaria.de conſt.ar. Iſa.40.E
Pleuritis exquiſita vbi fiat.5°.de loc.affe. 4ª.29.G
Pleuritis cur non facta in cõſtitutione frigida,& humida.in 1m.de morbis vulgaribus,commentario 2°. 3ª.108.H
in Pleuritide diuerſi decubitus.de conſt.ar. Iſa.40.E
in Pleuritide cur dolor.de conſt.ar. Iſa.40.D
Pleuritidẽ non ſtatim ſignificat dolor in coſtarum notharum loco, & quando eſt iudicandus pleuriticus.2°.de loc.aff. 4ª.13.D
in Pleuritide q̃ pars patiat̃,& qd̃ genus doloris.2°.de criſ. 4ª.137.E
in Pleuritide membrana cingens coſtas eroſa.5°.de loc.affẽ. 4ª.29.H
à Pleuritide diuerſi ſunt dolores laterum.5°.de loc.aff. 4ª.31.D
quæ Pleuritis afficiat partes inferiores,& quæ ſuperiores. de vic.ra. in morb.acu.com.2°. 7ª.117.C
Pleuritis mittit dolorẽ ad iugulũ,vel præcordia.5°.de lo.aff. 4ª.31.D
Pleuritis quæ ad iugulum,& quæ ad præcordia.5°.de lo.aff. 4ª.29.G
in Pleuritide cur dolor quandoque ad hypocondrium, quandoque ad clauiculam.de conſt.ar. Iſa.40.F
Pleuritis ad clauiculam.2°.de diff.pul. 4ª.57.B
Pleuritis ad præcordia.2°.de diffe.pul. 4ª.57.B
Pleuritidis dolores q̃n deſinunt.de vic.ra.in mor.ac.com.1°. 7ª.113.B
Pleuritis habet febrem acutam.de cauſ.pul. 4ª.100.G
in Pleuritide cur febris.de conſt.ar. Iſa.40.D
Pleuritides diuerſas hũt febres.de vic.ra.in mor.ac.c.2°. 7ª.121.F
Pleuritis,& phrenitis vt plurimum habent tertianas febres.commẽtario 1°.aphoriſmo 12°. Ex.5.D
in Pleuritide quando febris vehemens,et cur.5°.de loc.aff. 4ª.29.G
in Pleuritide cur pulſus alteratur.de conſt.ar. Iſa.40.E
Pleuritidis pulſus qualis,& quid ſignificet.2°.de criſi. 4ª.137.G
in Pleuritide ſemper caput læditur.4°.de cauſ.pul. 4ª.100.H
ex Pleuritide fiunt deliria.5°.de loc.aff. 4ª.31.F
in Pleuritide cur fiant deliria.2°.de diff.reſp. 3ª.66.G
in Pleuritide cur ſpiratio ægra.de conſt.ar. Iſa.40.D
in Pleuritide ſpiritus paruus ac creber.de conſt.ar. Iſa.40.E
in Pleuritide, & peripneumonijs denſus, & magnus fit ſpiritus.3°. de difficultate reſpirationis. 3ª.71.C
Pleuritis pernitioſa qualẽ habet reſpirationẽ.1°.de diff.reſp.3ª.60.H
Pleuritis quando præceſſit humores in pulmone.4°.de loc.aff.4ª.27.F
Pleuritis quando dicitur incipere.1°.de criſi. 4ª.127.F
in Pleuritide ſecũda acceſſio vt plurimũ ſit tertia die.1°.ꝺ cri.4ª.127.g
in Pleuritide principium quantum duret.1°.de criſibus. 4ª.132.D
in Pleuritide, & Peripneumonia ſputum tenue ſignificat principium de tot.morb.temp. 3ª.88.G
in Pleuritide augumentum quando.1°.de criſibus. 4ª.132.D
in Pleuritide ſtatus quando.1°.de criſi. 4ª.132.E
in Pleuritide inclinatio quando.1°.de criſi. 4ª.132.E
Pleuritis magna quæ,& quæ parua.1°.de criſibus. 4ª.126.A
Pleuritidis magnæ omnia ſymptomata habet ſeptum tranſuerſum affectum.4°.de præſag.expul. 4ª.120.C
in Pleuritide quando dolet ſeptum tranſuerſum.2°.de lo.aff. 4ª.11.C
in Pleuritide qũo dolor augetur.de vic.ra.in mor.acut.c.2°.7ª.116.C
in Pleuritide grauitas qũo fiat.de vic.rat.in mor.acu.c.2°.7ª.117.C
Pleuritis quot diebus habeat indicationem.com.1°.aph.12°. Ex.6.B
Pleuritis magna,& brevis quo modo iudicetur.2°.de criſi.4ª.137.G
in Pleuritide quando citius,et quando tardius fiat iudicatio.de victus rat.in morb.acut.com.1°. 7ª.112.G
in Pleuritide qui obeũt ſeptimo die.de vic.ra.in mor.a.c.1°.7ª.114.A
Pleuritis quæ ſigna habeat concoctionis.com.1°.aph.12°. Ex.6.B
Pleuritis quo modo finiat.3°.de cri. 4ª.139.E
Pleuritis facit tuſſim.2°.de ſym.cau. 3ª.21.G
in Pleuritide cur ſtatim tuſsis adeſt nõ tñ ſtatĩ ſputa.2°.ꝺ cri.4ª.137.F
in Pleuritide cur multũ aliq expuunt,alij parũ.de conſt.ar. Iſ.40.G
in Pleuritide primo ſputa,deinde vrinæ conſiderandæ, quia pleuritis eſt cum febre.1°.de criſi. 4ª.128.D
in Pleuritide, & pulmonis paſsionibus ſputa comparantur vrinæ ſubſidentijs.1°.de criſi. 4ª.132.D
in Pleuritide cur ſputũ ſanguinolẽtũ,et bilioſum.de cõſt.ar.Iſa.40.G
in Pleuritide cur ſputum cruentum.de conſt.ar. Iſa.40.G
in Pleuritide humor ſanguineus cur æquiſſimus.de conſt.ar.Iſa.40.H
in Pleuritide cur ſputum flauum.de conſt.ar. Iſa.40.G
in Pleuritide ſputum magis bilioſum.2°.de loc.aff. 4ª.13.B
in Pleuritide cur humor bilioſus,& pituitoſus medij ſint inter bonos, & prauos.de conſt.ar. Iſa.40.H
in Pleuritide cur ſputum ſpumoſum.de conſt.ar. Iſa.40.G
in Pleuritide cur ſputum nigrum.de conſt.ar. Iſa.40.G
in Pleuritide cur pnitioſiſſimus humor melãcholicus.ꝺ cõſt.ar.Iſ.40.H
in Pleuritide cur ſputa varia.2°.de diff.feb. 3ª.40.B
in Pleuritide ſputa varia quid ſignificent.2°.de diff.feb. 3ª.40.C
Pleuritidis moroſæ ſignum eſt ſputum glutinoſum.de vict.ra.in morb. acutis,commentario 1°. 7ª.113.H
in Pleuritide ſputa lætalia quæ.de tot.morb.temp. 3ª.89.G
in Pleuritide ſputa mitiora,& exitialia.2°.de criſi. 4ª.137.G
Pleuritide exitialis ſignum.4°.de præſag.expul. 4ª.120.C
in Pleuritide nihil expuere exitiale eſt.de conſt.ar. Iſa.40.H
in Pleuritide facile expuere,& ſine dolore optimum, & potiſſimum ſi coctum ſit ſputum.de conſt.ar. Iſa.40.H
Pleuritis ſicca q̃. 2°.de cri.4ª.137.F/de vic.ra.in mor.a.c.1°.7ª.112.F
Pleuritis ſine ſputo quæ.5°.de loc.aff. 4ª.31.D
Pleuritides,et peripneumoniæ grauiſſimæ ſunt in quibus nihil expuitur.in 3m.de mor.vul.commen.1°. 3ª.128.A

in Pleuritide cruditas extrema est nihil expuere, & est vt in vrinis aquosum.1°.de crisibus. 4ª.132.D
Pleuritides incertæ quæ.5°.de locis affectis. 4ª.31.D
Pleuritis quo modo finiat quandoque.1°.de crisibus. 4ª.139.E
ex Pleuritid iuuenes raro moriunt.senes aũt raro euadũt.d dy.Sp.35.e
in Pleuritide quid agendũ.de vict.ra.in mor.acu.com.4°. 7ª.137.A
Pleuritidis curatio.introductio. Isa.55.G
in Pleuritide q̃ consideranda.de vict.rat.in mor acu.c.4°. 7ª.143.F
in Pleuritide curanda Medicorum diuersitas.9°.de decre. 1ª.282.F
in Pleuritide antiquorum differentia in victu instituendo.9°.de decretis Hippocratis. 1ª.283.A
in Pleuritide quidam cibum non mutant.9°.de decre.Hipp. 1ª.282.F
in Pleuritide cibandi ordo.de vict.ra.in morb.acu com.1°. 7ª.115.H
in Pleuritide quo modo cibandũ post septimam.de victus ra.in mor. acutis,commen.4°. 7ª.143.H
in Pleuritide oxymeli valet.de vict.ra.in mor.acu.cõ.3°. 7ª.129.D
in Pleuritide dat oxymeli in potu.de vict.ra.in mor.ac.c.4°. 7ª.138.d
in Pleuritide si vires constent vsque ad vigorẽ oxymeli & aqua mulsa danda.de victus ra.in mor.acut.com.1°. 7ª.115.D
in Pleuritide dat pisces coctos.de vict.ra.in mor. acu.c.4°. 7ª.138.D
in Pleuritide vinum aliquibus dandum, aliquibus non.9°.de decretis Hippocratis. 1ª.282.G
in Pleuritide quando dandum vinum dulce.de victus ratione in mor. acutis,commenta.3°. 7ª.126.B
in Pleuritide dat vinum.de victus rat.in mor.acu.com.4°. 7ª.138.D
in Pleuritide quando obsunt vinum,mulsa, & oxymeli accepta ante euacuationem.de vict.ra.in morb.acu.com.1°. 7ª.114.B
in Pleuritide quando abstinendum à sorbitione.de victus ra.in morbis acutis,commentario 1°. 7ª.114.E
Pleuritis,& sputum sanguinis quo modo curentur,cum sint morbi contrarii.commen.1°.aph.16°. Ex.9.A
in Pleuritidis principio fomentis calidis experiũdũ.9°.d dec.1ª.282.G
in Pleuritide tentandum est resoluere in principio fomentis.de vict. ra.in morbis acutis,commentario 2°. 7ª.116.B
in Pleuritide hyssopus ex aqua mulsa datur.5°.de lo.aff. 4ª.34.H
in Pleuritide quandoque balnea.9°.de decre.Hippo. 1ª.282.G
in Pleuritide sedatio doloris per sanguinis missionem,vel per medicamentum non est curatio symptomatis.12°.meth.me. 7ª.74.G
*in Pleuritidibus sanguinẽ mittẽdũ ꝓbauit Gal.de cu.ra.ꝑ san.*6ª.18.E
in Pleuritide quando vena secanda.de victus rat.in morbis acutis, cõmentario 2°.117.C/de med.fac.par. 7ª.165.H
in Pleuritide vena secanda viribus,anni tempore,& ætate non probibentibus.in 6ᵐ.de morb.vulg.com.3°. 3ª.179.B
in Pleuritide quando vena brachij interna secanda.de victus ratione in morbis acutis,commen.4°. 7ª.143.G
in Pleuritide sanguis ab eodem latere mittendus.de curã.ra.per san. miss.6ª.26.A/de vict.rat.in mor.acu.com.4°.7ª.143.G/Sp.78.B
in Pleuritide sanguinis mittendi quantitas. de vict.ra.in mor. acutis, commen.2°.117.C/com.4°. 7ª.143.G
in Pleuritide Hippocrates secuit octaua die venam in cubito. commentario 1°.aphorismo 12°. Ex.6.A
in Pleuritidem qui prompte incidunt illis vere vena secanda. de cur. rat.per sanguinis miss. 6ª.17.E
in Pleuritide an medicamentum dandum sit in principio. de vict. rat. in morbis acutis,commen.4°. 7ª.144.A
Pleuritici qũ sint purgandi.de vict.ra.in mor.acu.com.4°. 7ª.143.H
in Pleuritide quãdo dandũ medicamentũ.de med.fac.par. 7ª.165.H
in Pleuritide quomodo subducendus venter.de victus ra.in mor.acutis,commentario 2°. 7ª.117.H
in Pleuritide hiera ex colocynthide quæ habet elleborum,& non scamonium.de vict.ra.in mor.acu.com.2°. 7ª.118.C
in Pleuritide dat Hippocrates veratrum nigrum,& peplium.de victus rat.in morbis acutis,commentario 2°. 7ª.117.H
de Pleuritidis medicamento Hippocratem reprehẽdit Galenus. de victus rat.in morb.acu.commen.2°. 7ª.118.B
ad Pleuritidem valet Theriaca.de ther.ad Piso. 5ª.91.G
*cõtra Pleuritim lenticula ex aceto.de vic.ra.in mor.ac.c.1°.*7ª.113.C
pro Pleuritide tenericula.de dynamidys. Sp.35.F
in Pleuritide vtitur ceromate.de vict.ra.in mor.ac.c.4°. 7ª.144.B
in Pleuritide electarium.de med.fac.par. 7ª.166.A
in Pleuritide vnguentum bonum.de med.fac.par. 7ª.166.A
in Pleuritide vnctiones.de victus rat.in mor. acu.com.4°. 7ª.144.B
ad Pleuritidas.7°.de comp.med.sec.lo.184.H/9°.5ª.201.A/ de me. fac.par.7ª.165 G/de dyna. Sp.33.E
Pleuritis vide lateralis morbus.
PLICATVRAE *fœtus naturales.de anatom.viuo.* Sp.52.D
Πλιχάδα *quid appellet Hippocrates.de fract.com.2°.241.B/ com.3°. 247.D/de artic.com.4°.* 7ª.289.E
Πλίνθα *quid significet.de fract.com.3°.* 7ª.247.D
Πλήμνην *quid appellent Iones.de frac.com.2°.* 7ª.237.A
Πλημμυρὶς *significat humidi cuiuspiam copiam. de victus ratione in morbis acutis,commentario 3°.* 7ª.131.D
PLINTHII *laquei ratio qui dicitur etiam quadruplex circulus. de laqueis.* 7ª.308.C
Plinthium Nilei ad quid factũ,& quo factum.de machin. 7ª.311.A
PLISTONICVS *medicus grauissimus.8°.de decretis.* 1ª.276.B
Plistonicus de medicamentis scripsit.6°.de simp.med.fa. 5ª.39.H
Πλῆθος *quid significet.4°.de dign.puls.* 4ª.86.B
PLORANTES *pueri inspirant inspiratione interrupta,et quare. com.6°.aphorismo 54°.* Ex.53.C
PLORATVS *quomodo sedatur.4°.de decre.Hip.* 1ª.253.D
non PLORANT *philosophi.13°.meth.med.* 7ª.84.B
PLVMA *vtitur ad illinendum.de remed.par.fac.* 7ª.158.B
PLVMBAGO *per coclearã fit melior.6°.de comp.med.sec.loc.* 5ª.168.E
Plumbago litharguri vires habet.9°.de simp.med.fac. 5ª.70.D
per PLVMBEVM *canalem derivata aqua fit dysenteria.7°.de compo. med.sec loc.* 5ª.180.H
per Plumbeum canalem derivata aqua fugienda§& ideo aquæ à lambico fugiendæ.§7°.de comp.med.sec.loc. 5ª.180.H
Plumbea galea ꝓ remedio in melancholicis.de mel.ex G.R. Sp.109.C
Plumbeum mortarium cum pistillo plũbeo reddit res frigidiores. 9°. de simp.med.fac. 5ª.70.E
Plumbeo mortario & pistillo vtitur.1°.de comp.me.sec.loc. 5ª.130.C
Plumbeo mortario vtitur.1°.de c.me.se.lo.125.B/127.H/9°.5ª.205.E
Plũbea pixis cuius vsus.1°.de com.med.sec.loc.126.E/3°.148.C/2°. de compo.med.per gene. 5ª.224.F
Plumbeum vas quod non respiret.7°.de comp.me.per ge. 5ª.271.C
Plumbeum vas.3°.de comp.med.sec.loc. 5ª.148.C
Plumbea statuarum vincula crescunt.9°.de simp.me.fac. 5ª.70.E
PLVMBVM *est substantia aerea.9°.de simp.me.fac.* 5ª.70.E
*Plumbum quale.9°.de sim.me.fac.*5ª.70.E/*de ocul.* 7ª.188.H
Plumbum frigidum est,& humidum.9°.de simp. med.fa. 5ª.70.E
Plumbi colorem aliqui habent.4°.de san.tuen. 2ª.84.B
Plumbum cur celeriter fundatur.9°.de sim.med.fac. 5ª.70.E
Plumbum quo modo coalescit cum alio.3°.de sym.cau. 3ª.29.A
Plumbo adulteratur stamnum.1°.de antid. 5ª.104.D
Plumbum rumpit adamantem.de incant.adiur.& susp. 7ª.182.D
Plumbum oculis conuenit.de ocul. 7ª.188.G
*Plumbi bractea ganglio illigata ipsum dissipat.9°.de si.me.fa.*5ª.70.F
Plumbi lamina supra lumbos refrigerat.9°.de sim.med.fac. 5ª.70.F
Plumbi lamina super renes nocturnas imagines inhibet,et quibus. 6°. de san.tu.2ª.100.G/9°.de simp.med.fac. 5ª.70.F
Plumbum vstum,& cera tyrrhenica ex eadem materia sunt.4°.de cõpo.med.per gen. 5ª.240.E
Plumbum vstum quale sit post vstionem,& lotionem.4°.de compositione med.sec.loc. 5ª.150.A
Plumbum vstum bonum est ad vlcera rebellia.9°.de simp. me.fac.70. G/4°.de comp.med.per gen. 5ª.236.F
Plumbum vstum lotum.3°.de comp.med.sec.lo.148.C/D/4°.152.F/ 154.E/9°. 5ª.204.H
Plumbum incensum.de ocul. 7ª.191.D
Plumbum lotum optimum est medicamen ad vlcerũ impletionem, & ad eadem cicatrice obducenda.chironeis vlceribus,cancrosis somnibus,& putredinosis conuenit.9°.de simp.med.fac. 5ª.70.G
in Plumbo pinsum oleum fit nigrum.1°.de com.med.sec.lo. 5ª.130.C
Plumbi succus ad phlegmonas in sede cũ vlcere,aut rugis,et ad eas,q̃ in pudendis,testibusq̃,& vberibus cõsistunt,similiter aduersus omnes fluxiones incipientes,quæ in inguina,aut pedes decumbunt, & vlceribus rebellibus vtilis est.9°.de simplicium med.fac. 5ª.70.F
*Plumbum liquefactum quo adhibeatur.5°.de com.me.sec.lo.*5ª.160.B
Plũbi recremẽtũ quo fiat leuissimũ.3°.de com.me.sec.loc. 5ª.148.C
Plumbi recrementũ ad vlcera maligna.4°.de c.me.per g. 5ª.236.F
Plumbũ contundendo alteratur,at eius species non mutatur, vt mutãtur in ventre cibi alterantes.3°.de sim.med.fac. 5ª.17.D

Plumbo non

Plumbo non sunt imponenda antidota.1°.de antid. 5ª.104.D
PLVRIMA *signa non sunt semper paucioribus potentiora.1°.de crisibus.* 4ª.130.G
PLVS *ad aliquid.com.2°.apho.17°.* Ex.13.A
Plus, & minus quo modo vsurpentur,& recte.c.1°.ap.14°. Ex.7.C
PLVVIA *quid.de hist.philos.* Sp.7.H
Pluuia congelata fit grando.de vtil.resp. Sp.62.E
Pluuia quando ex luna cognoscatur. de dieb.decre. 4ª.157.F
Pluuiæ fiunt oriente arcturo.in 1ᵐ.de morb.vulg.com 1°. 3ª.103.B
Pluuiæ Austro flante fiunt,& quales.in 1ᵐ.de mor.vul.c.1°.3ª.101.b
cum Pluuijs magnis aquilo.in 1ᵐ.de morb.vul.com.2°. 3ª.113.E
Pluuia sub caniculæ ortu non ita speratur, vt hyemali solstitio. 6°.de composi.me.perge. 5ª.257.B
Pluuiæ quo modo dicantur multæ.in 1ᵐ.de mor.vul.c.2°. 3ª.107.H
Pluuiæ multæ tribus modis fiunt.in 1ᵐ.de mor.vul.com.1°.3ª.103.G
Pluuiæ multæ vbi.de aer.aqu.& loc. 2ª.6.B
Pluuiæ multæ,continentes,lenes.in 1ᵐ.de mor.vul.com.1°.3ª.101.H
Pluuiæ largæ quæ.in 1ᵐ.de mor.vul.com.2°. 3ª.107.H
Pluuiæ mutationes sentiuntur in fœtu & in gnatione.& ae.aq.& lo.2ª.6.b
in Pluuijs aquæ quales.de bon.aquæ. Sp.75.G
Pluuia infrigiditati casus.4°.de loc.affe. 4ª.25.D
Pluuiæ. lege.tmbres.
PLVVIALIVM *aquarum melior est tonitrualis quam procellaris.de boni.aquæ.* Sp.75.G
Pluuialis aqua non probatur à Galeno.4°.de san.tuen. 2ª.85.G
Pluuiales aquas cur summe laudat.de bon.aquæ. Sp.75.F
Pluuialis aquæ incommoda quæ.de bon.aquæ. Sp.75.F
Pluuialis aqua cur putrescat citissime omnium.de bo.aquæ.Sp.75.F
Pluuialis aqua quæ bona,& quæ nõ.in 6ᵐ.de mor.vul.c.4°. 3ª.184.E
Pluuialis aqua medicamentis oculorum adhibetur. in 6ᵐ. de morbis vulgaribus,commentario 4°. 3ª.184.F
ex Pluuiali aqua fit medicamentum aqueum.in 6ᵐ.de morbis vulgaribus,commentario 4°. 3ª.184.F
Pluuialis aqua aliquo modo adstringit.7°.de com.me.se.lo. 5ª.178.D
Pluuiali aqua cur vtatur auctor.7°.de com.med.sec.loc. 5ª.178.D
Pluuiali aqua vtitur.de med.fac.par. 7ª.170.E
PLVVIVS *annus austrinus sine ventis.in 3ᵐ.de morbis vulgaribus cõmentario 3°.* 3ª.140.F
Pluuiosum id est austrinum.com.3°.aph.11°. Ex.21.A
Pluuiosa tempora sunt insalubriora siccis.com.3°.aph.11°.Ex.21.A
in Pluuiosis temporibus fiunt plures morbi,& magis mortiferi quàm in siccis.commen.3°.apho.7°. Ex.20.F
Pluuiosa tempora faciunt morbos longos.com.3°.aph.7°. Ex.20.F
Pluuiosis temporibus fiunt humores pituitosi,& longi morbi. commẽtario 3°.aphorismo 16°. Ex.22.H
in Pluuiosis temporibus fiunt longæ febres,& alui fluxus, & putredines.com.3°.aph.11°. Ex.21.A
Pluuiosa tempora. lege tempora pluuiosa, & humida tempora.

PNEVMATICA *id est spirabilia de cuiusque animi pecca. no. atque med.* 2ª.57.B
Pneumaticus canalis qui.de nat.& ord.cuiusl.corp. Sp.41.H
Pneumaticus canalis colli quem spiritualem latini vocant.de compagine memb.siue de nat.hum. Sp.58.F
PNEVMATICA *secta. 3°.de diff.pul.* 4ª.60.A
de Pneumatica secta qui erit censendus.3°.de diff.pul. 4ª.63.C
Pneumatici qui.introd.Isa.52.G/3°.de diff.puls. 4ª.62.D
Pneumatici qui fuerint.4°.de diff.puls. 4ª.68.E
Pneumaticæ sectæ Athenæus.2°.de sympto.caus. 3ª.21.H
Pneumatici quid sentiant de pulsu.4°.de diff.pul. 4ª.65.E
Pneumaticorum descriptiones complectitur Architectonica. de cuiusque animi pec.not.atque med. 2ª.57.B
PNEVMATODES *qui.3°.de diff.resp.3ª.75.A/de vict.ratione in morbis acutis commen.4°.* 7ª.151.A
PNEVMATONMPHILI *qui dicantur.introd.* Isa.60.A
Πνευματωθέντες *qui.de vict.ra.in morbis acutis,com.4°.* 7ª.142.C
Πνευματουμένους *quos vocet.in 1ᵐ.prorrh.com.3°.* 4ª.188.D
PNEVMOMPHALON *est dilatatio vmbilici.fin.med.* Isa.49.B

POCVLVM *ex thamarisco pro splencticis.de dynamidijs.* Sp.26.G
Pocula aquosiora qualia de victus ratio.in morb.acu.c 4°.7ª.145.B
Pocula meraciora quid faciant. de vict.rat.in mor.ac.c.4°. 7ª.145.B
Pocula multa nocuis,& cerebro obsunt.i 3ᵐ.d mor.vul.c.3°.3ª.151.g
Poculum balneum,quomodo necant.4°.de simp.med.fac. 5ª.24.E
PODAGRA vnde nomen habuit.2°.meth.med. 7ª.9.D
Podagra quid fin.med.47.H/introd. Isa.57.F
Podagra affectus summæ partis pedis.introd. Isa.59.D
Podagra ex genere arthritidis.10°.de comp.med.sec.lo. 5ª.206.G
Podagra quomodo differat ab articulorum doloribus quomodo cum his conueniat.introd. Isa.57.F
Podagra quo modo differat à coxarum doloribus, & quo modo cum his conueniat.introductio. Isa.57.F
Podagra morbus longus intrinsecus.introd. Isa.56.B
Podagra morbus hæreditarius cur.com.6°.apho.28°. Ex.49.B
Podagræ morbus senum.5°.de san.tu. 2ª.92.B
Podagra senes ad mortem comitatur.com.2°.aph.40°. Ex.18.A
Podagra per totam vitam durat.6°.de san.tuen. 2ª.98.A
Podagras non vidit in pueris Galenus sed plenitudinis morbos. commentario 6°.aphorismo 30°. Ex.49.C
Podagra non laborabant eunuchi tempore Hippocratis.commentario 6°.aphorismo 28°. Ex.48.H
Podagra laborabãt mulieres añ mẽstrua qñq;.c.6°.ap. 29°. Ex.49.B
Podagram qui debent pati,bi pedibus debent esse natura imbecilliores.commen.6°.apho.28°. Ex.49.A
ad Podagras non sufficit debilitas pedum, sed requiruntur humores defluentes.comment.6°.aph.28°. Ex.49.A
Podagra turpe est virum robustum ægrotare.5°.de san.tu. 2ª.88.H
Podagræ causa.introd. Isa.57.F
Podagra vnde fit,à quo modo,in qua parte,& ex quo humore. commentario 6°.aphorismo 49°. Ex.52.D
ad Podagram dispositis quæ noceant, & quæ podagram facere possint,& quod vna causa intensa sit satis.com.6°.aph.28°. Ex.49.A
Podagræ vnde proueniant.de bo.& vitio suc. 2ª 39 D
Podagra quibus fiat humoribus.10°.de comp.med.sec.loc. 5ª.206.H
Podagra propter otium immodicum propter victum intemperatum. commenta.6°.aphorismo 28°. Ex.48.H
Podagræ erãt ppe modũ infinitæ tpe Galeni.c.6°.aph.28°. Ex.49.A
Podagra ꝑcedit vt plurimũ morbũ articularẽ.c.6°.aph.28°.&x.49.B
in Podagris quo modo cognoscantur humores peccantes.10°.de compo.med.sec.loc. 5ª.206.H
Podagra quandoque incipit ab vno articulo, & tendit in omnes.10°. de comp.med.sec.loc. 5ª.206.G
in Podagra quando humores transmittuntur ad membrum nobile sequitur mors.de natu.hum.com.2°. 7ª.183.B
in Podagra quando humores transmittuntur ad membrum nobile spes salutis est reuocare humores ad pedes.de na.hum.com.2°. 7ª.183.B
PODAGRÆ *curatio.introductio* Isa.57.F
Podagræ calidæ quibus curentur.in 6ᵐ.de morb.vul.cõ.6°. 3ª.196.B
Podagræ suspitio qbus inest quæ vina bibere debent.5°.de sa.t.2ª.91.c
Podagram quo modo quis vitare poterit.com.6°.apho.28°.Ex.49.A
Podagræ quibus sanentur,& fiant.10°.de compo.me.se.lo.5ª.208.H
in Podagra principiũ curationis ab eũone.10°.de t.me.se.lo.5ª.207.a
in Podagra quando bilis, quando pituita euacuãda.quos purg.oport. quibus med.& quo temp. 5ª.88.C
à Podagra multos sanauit Galenus eos ineunte vere euacuãs. quos pur.opor.quibus med. 5ª.88.B
Podagram incipientem per multos annos qũo prohibuit Galenus.commentario 6°.aphorismo 47°. Ex.52.B
in Podagræ dolore multum prodest sectio ischiadicæ.de an.vi. Sp.55.b
Podagras tollunt varices.in 6ᵐ.de morb.vulg.com.6°. 3ª.197.F
Podagra a coitu leditur.in 6ᵐ.de mor.vul.com.5°. 3ª.193.B
Podagræ generationem prohibet quis si venere non vtatur. commentario 6°.apho.30°. Ex.49.C
Podagra si quis laboret catharticis vtimur.de dynamidijs. Sp.20.E
Podagris facit cucumer erraticus.de simp.med. Sp.83.A
à Podagra penitus liberauit theriaca.de theria.ad Piso. 5ª.96.C
Podagræ,et arthritidi cur pfricãt oleũ cũ sale.2°.de si.me.fa.5ª.13.H
ad Podagræ exacerbationem.de reme.par.sac. 7ª.160.E
pro Podagræ dolore remedium.de dynamidijs. Sp.30.B
ad Podagram calidam remedium.de dynamidijs. Sp.30.B
Podagram frigidæ causæ quid dissoluat.secretorum. Sp.101.F
ad Podagra toto corpore distortos.7°.de comp.med.per ge. 5ª.271.D
ad Podagram malagma Nicostrati.7°.de com.me.per ge. 5ª.267.A
Podagræ præsidiũ suspensum.de incant.adiur.susp. 7ª.182.C

ad Podagras.1°.de comp. me.per ge.211.C/2°.226.C/227.G/6°.5ª. 261.B/G/de med.fac.par.7ª.178.B/D/secretorum.102.H/de medicinis expertis.107.G/ Sp.108.E

PODAGRICORVM *morborum est quasi genus morbus articularis. cõmentario 6°.apho.55°. Ex.53.D*

Podagrici dolores vere,& autumno magna ex parte mouentur.commentario 6°.aphorismo 55°. Ex.53.D

Podagrici habent pedes imbecillissimos.de nat.hum.com.2°.7ª.182.G

Podagricæ non sunt mulieres ratione menstruorum euacuationis.commentario 6°.apho.29°. Ex.49.B

Podagrici patres filios gñant podagricos.com.6°.apho.28°.Ex.49.B

Podagricum pati conuulsionẽ nũq̃ visum est.com.6°.ap.49°.Ex.52.E

Podagricorum dolor vnde sit.10°.de com.med.sec.lo. 5ª.206.G

Podagrici quibus neglectis fiant.de dynamidijs. Sp.19.H

Podagrici morbi sedata inflammatione in quadraginta diebus finiuntur.commentario 6°.apho.49°. Ex.52.D

Podagrici purgari debẽt in principio veris.quos pur.op.quib.5ª.88.d

Podagrici in principio veris euacuandi vel sectione venæ,vel medicamento.de curan.rat.per sang.miss. 6ª.17.F

Podagricis vnde secanda vena.de curan.ra.per sang.miss. 6ª.20.H

Podagricis sanguinẽ mittendũ psuasit Galenus.de cur.ra.per. 6ª.18.E

PODAGRICÆ *facultates.5°.de simp.med.fa. 5ª.32.B*

Podagrica antidota à Nephreticis differũt,et qũo.6°.de sa.t.2ª.99.H

Podagricos iuuat Antidotus Mithridatis Eupatoris Diascinci nominata.2°.de antidotis. 5ª.115.C

Podagricos iuuans Antidotus.2°.de antidotis. 5ª.116.D

Podagricis idonea est Aristolochia rotunda,si cum aqua bibatur.6°.de sim.med.fac. 5ª.43.E

Podagricis sunt commoda Balnea propter febrẽ.11°.met.me.7ª.74.A

Podagrico dolore non molestabitur qui vretur puluere Cirico.de dynamidijs. Sp.30.B

Podagrico conferens Collinitio.7°.de comp.me.per ge. 5ª.270.G

ad Podagricos Epithema.10°.de comp.med.sec.loc. 5ª.208.H

Podagricis remedium ex Faba.7°.de simp.med.fac. 5ª.53.D

Podagricos in accessionibus mitigat fimus omnis.de si.me. Sp.84.E

ad Podagricas arthritides fimus colũbinus.10°.de sim.m.fa. 5ª.76.H

Podagricis lenticula prodest cum polline mista.de simp.me. Sp.86.B

ad Podagricos Malagma.10°.de comp.me.sec.loc. 5ª.209.C/D

Podagricis quolibet tempore conferens Medicamentum.1°.de comp. med.per gene. 5ª.211.D

Podagricorum medicamenta,quæ prohibent humores ferri ad pedes, ipsos faciunt ire ad pulmonem,et suffocant.de the.ad Piso. 5ª.96.C

Podagrici medicamenti laudator.1°.de simp.med.fac. 5ª.7.B

ad Podagricorum medicamẽtũ vinũ vtilius.4°.de sa.tu. 2ª.87.A

Podagricis medicamentis ebibitis carnosi,crassi,& pingues nullũ sentiunt incommodum.6°.de san.tuen. 2ª.99.G

Podagricis auxiliatur Milui caput.de theria.ad Piso. 5ª.93.E

Podagricos mitigans Helleſpantia Heræ.6°.de cõ.me.per g.5ª.259.F

contra Podagricos cinis Mustelæ.11°.de simp.med.fac. 5ª.82.D

ad Podagricos Pastillus.10°.de com.med.sec.loc. 5ª.209.B

Podagricos Psyllium remediat.de simp.med. Sp.89.A

Podagricis optimum fomentum est Rapa.de simp.me. Sp.89.F

Podagricos adiuuat Theriaca.de theria ad Piso. 5ª.96.C

Podagricis cur alia medicamenta obsint præter Theriacam.de theriaca ad Pisonem. 5ª.96.C

ad Podagricas fluxiones valet Terra samia.9°.de sim.m.fa.5ª.65.H

ad Podagricos.8°.de comp.med.sec.lo.191.F/2°.de compo.medica. per gene.225.H/5°.248.E/6°.255.A/256.A/262.B/7°.268.D/ 269.H/270.H/271.D/5ª.273.G/de cura lap. Sp.112.G

Podagrici casus.1°.de simp.med.fac. 5ª.7.B

Podagrici Historia 1°.de simp.med.fac. 5ª.7.B

PODANITÆ *ad Dispnœam.7°.de comp.med.sec.loc. 5ª.187.A*

PODARCE. *7°.de com.med.per gen. 5ª.270.H*

ad PODICIS *inflammationes.8°.de comp.med.sec.loc. 5ª.188.G*

ad Podicis vlcera.1°.de comp.med.per gen. 5ª.211.E

ad Podicem prolabentem.9°.de comp.med.sec.loc. 5ª.205.A/C

POETA *per excellentiam Homerus intelligitur. quòd animi mores.1ª.317.E/1°.de dieb.decr. 4ª.149.B*

Poetæ volunt reddere auditores attonitos mira narrantes.3ª.de vsu partium. 1ª.127.G

Poetæ volunt delectare,non docere.3°.de vsu partium. 1ª.127.G

Poetis quæ metaphoræ non conueniant.3°.de diff.pul. 4ª.63.A

Poetæ cognoscunt venam maximam.de nat.hum.com.2°. 7ª.183.G

ex Poetis Chrysippus probabat argumenta.2°.de decr. 1ª.234.E

Poetæ non possunt probare.2°.de decre.Hippo. 1ª.234.E

Poetæ quid parum probant.2°.de decre.Hipp. 1ª.234.E

Poetæ non aduertendi.3°.de decre.Hippo. 1ª.247.G

Poetæ non sunt adducendi in testimonium.6ª.de decre.Hipp.1ª.267. C/.in 6ª.de mor.vul.com.2°. 3ª.166.D

à Poetis argumenta sunt propinqua captiosis.2°.de decr. 1ª.235.H

POETICA *musa miraculo indiget vt mirum quid ac inauditum canens delectet.3°.de vsu par. 1ª.127.G*

POETRIA *per excellentiam Sappho intelligitur.q̃ ani.mo. 1ª.317.E*

POLEMONIVM *deficcans tenuium partium. 8°.de simplicium medicamen.facul. 5ª.59.A*

Polemonij radix ad Ischiadicos,dysenteriam lienemq̃ induratum exhibetur.8°.de simp.med.fac. 5ª.59.A

POLENTA *quomodo fiat.de dynamidijs. Sp.23.A*

Polentæ magnitudo qualis sit.4°.de comp.med.sec.loc. 5ª.152.D

Polenta ex hordeo.de vict.ra.in mor.acut.commen.4°. 7ª.149.D

Polenta ex hordeo frixo. de atten.vic. 2ª.44.H

Polenta ex hordeo frixo exiccat.1°.de alim.fac. 2ª.11.D

Polenta ex hordeo optimo,ac recenti habente aristam non admodum siccam insuaue elentissima est.1°.de alim.fac. 2ª.11.G

Polenta ex alijs etiam præter hordeum fit.1°.de alim.fa. 2ª.11.G

Polenta qualis ratione panum.de atten.vic. 2ª.44.H

Polenta magis sicca quàm panis ex hordeo.de atten.vic. 2ª.44.H

Polenta plus desiccat hordeo.7°.de simp.me.fac. 5ª.53.A

Polenta ex tritico.de vict.ra.in mor.acu.com.4°. 7ª.149.D

Polenta non habet lentorem.1°.de alim.fac. 2ª.12.B

Polenta ποταλνιαι, *quæ.de vic.rat.in mor.acu.com.2°. 7ª.121.C*

Polentæ recentes quid agant.de vic.ra.in mor.acu.com.2°. 7ª.121.B

Polenta tenuis.de remed.par.fac. 7ª.156.C

Polentæ quæ misceantur.1°.de alim.fac. 2ª.11.H

Polenta cum vino austero ventrem desiccat.1°.de ali.fa. 2ª.11.H

Polenta cum vino.8°.de compo.med.sec.loc. 5ª.192.A

Polentæ nutrimentum quale,& quibus.1°.de alim.fac. 2ª.11.H

Polenta nutrit Crimnon.7°.de simp.med.fac. 5ª.53.A

Polenta pro pane vtuntur rustici Cyprij.1°.de alim.fac. 2ª.11.H

Polenta dabatur militibus.1°.de alim.fac. 2ª.11.H

Polentam damnant Romani.1°.de ali.fac. 2ª.11.H

ex Polenta frixa fiunt mazæ.1°.de alim.fac. 2ª.11.H

Polenta exiccat humores.2°.de alim.fac. 2ª.20.E

Polenta quomodo paranda in diaria cũ profluuio.8° met.me.7ª.53.D

Polentã coctã dat in cõuulsione.de vic.ra.in mor.ac.com.4°.7ª.144.E

cum Polenta coriandrum pro erysipelate.14°.met.med. 7ª.87.E

cum Polenta rosarum succus frigidus.10°.meth.med. 7ª.65.B

Polenta punici succo aspera cardialgiã sanauit.2°.de ali.fa. 2ª.20.E

Polenta triticea mista hordeacea ad tormina sine febre.de victus ratione in morbis acutis,com.4°. 7ª.149.C

Polentæ farina.4°.de comp.med.sec.loc.153.E/9°. 5ª.204.A

Polentæ farinæ flos.4°.de comp.med.sec.loc. 5ª.157 D

Polentæ tenuiore puluere vsus est Galenus in neruorum vulneribus. 3°.de compo.med.per genera. 5ª.229.H

Polentæ meminit.1°.de alim.fac.2ª.10.G/10°.meth.med. 7ª.65.A

POLITICÆ *assimilantur particulæ perfectæ.an om.ani. 1ª.326.F*

POLIVM *quid.de simp.med. Sp.89.A*

Polium non adulteratur.1°.de antid. 5ª.107.A

Polium in Italia nascitur,& quando esũ optimũ.1°.de anti.5ª.105.D

Polium Romæ inuenit Galenus.1°.de antid. 5ª.102.B

Polium amarum.3°.de alimentorum facultatibus. 2ª.32.A

Polium amarum est,& modice acre.8°.de simp.me.fa. 5ª.59.A

Polium medicamentorum est & calidum facultate.9°.de compositione medicamentorum secundum locos. 5ª.197.F

Polium numeratur inter ea quæ minus sunt calida cum hoc quod incidere valeant.5°.de simp.med.fac. 5ª.35.E

Polium minus calidum est in secundo ordine siccũ in tertio.8°.de sim. med.facul. 5ª.59.A

Polij minoris vsus ad antidotos.8°.de simp.med.fac. 5ª.59.A

Polium ingreditur Theriacam.de ther.ad Piso. 5ª.92.F

Polium omnem viperam fugat,& venenosa extinguit, laxat stomachum.caput purgat,vrinam & ventrem mouet.de si.me. Sp.89.A

Polium lac purgat,& multiplicat.5°.de simp.med.fac. 5ª.37.G

Polĩ obstructione liberat viscera omnia,vrinam,menses q̃ cict.8°.de simp.

simp.med.fac. 5ª.59.A
Polium vrinam ciet. 14°.*me.me.* 7ª.91.D
Polium vrinam bene prouocat. 5°.*de simp.me.fa.* 5ª.35.E
Polij radix tenuiũ partiũ est absq; morsu,& lapidẽ atterit ĩ renibus, & auriũ meatus obturatione liberat. 3°.*de cõp.me.se.l.* 5ª.141.B
Polium digerit. 14°.*me.me.* 7ª.91.E
Polium viride magna vlcera glutinat. 8°.*de simp.me.fa.* 5ª.59.A
Polium aridum vlcera rebellia sanat. 8°.*de simp.me.fa.* 5ª.59.A
Polium vlcera exiccat. 4°.*de comp.me.per ge.* 5ª.236.G
Polium numeratur inter herbas quibus vlcera maligna curari debẽt. 5°.*de comp.me.per ge.* 5ª.246.A
Polium ad neruos vulneratos valet. 3°.*de comp.me.per ge.* 5ª.234.b
POLLICEM *Hipp.* Μὲγαν *nominat.* 1°.*de vsu par.* 1ª.120.A
Pollex cur vocatur ἀντίχειρα. 1°.*de vsu par.* 1ª.120.A
Pollex qui.intro. Is.53.C
Pollice manus cur maior pedis pollex. 3°.*de vsu par.* 1ª.130.C
Pollex quo modo annexus post brachiali.de ossi. 1ª.43.C
Pollex quot habet ossa.de ossib. 1ª.43.C
a Pollice multũ distare debebat index. 1°.*de vsu pa.* 1ª.117.G
Pollex cur in latere extrinseco connexus. 1°.*de vsu par.* 1ª.116.G
Pollex conuenienter aliis digitis oppositus. 1°.*de vsu par.* 5ª.115.B
Pollex cur nõ est positus ĩ ordine aliorũ digitorũ. 2°.*d vs.p.* 1ª.124.a
Pollex quomodo moueatur. 1°.*de ana.adm.* 1ª.65.F
Pollex cur versus indicem,& non versus auricularem digitũ positus est. 2°.*de vsu par.* 1ª.124.A
Pollicẽ,indicẽ,& mediũ digitũ mouentes musculi.de mus.dis. 1ª.48.E
Pollicẽ,indicẽ,& mediũ vnus musculus mouet. 1°.*de ana.ad.* 1ª.65.C
Pollicem obliq; mouens musculus. de musc. diss. 1ª.48.D
Pollex ad nullam aliam actionem flectendus est,nisi quando aliis curuatis illum super inijcimus. 1°.*de vsu par.* 1ª.117.F
Pollicis articulatio qualis. 2°.*de vsu par.* 1ª.124.B
Pollicis duo articuli superiores quando agunt. 1°.*de vsu par.* 1ª.117.F
de Pollicis tendonibus. 1°.*de vsu par.* 1ª.117.F
Pollicem mouentis tendonis caput cur in media cauitate manus. 1°.*d vsu par.* 1ª.118.A
Pollicis tendo it modo persimili iugorũ habenis. 1°.*de vsu p.* 1ª.118.A
Pollicis tendo cur super alio. 1°.*de vsu par.* 1ª.118.A
Pollex in constrictione manus duo agit,& a quibus tendonibus fiant. 1°.*de vsu par.* 1ª.119.H
Pollice perdito quæ actiones perduntur. 1°.*de vsu par.* 1ª.120.C
inter Pollicem & indicem vena secta vetustum dolorem sanat. p̃sag. *exper.confir.* Sp.78.C
inter Pollicem & indicem arteria secatur. de ana. vi. Sp.55.H
in POLLINEM *tenuissimum sunt redigenda lapidosa & testacea.* 11°. *de sim.me.fa.* 5ª.80.G
ex Polline pharmacum quale. 3°.*de comp.me.se.lo.* 5ª.146.F
ex Polline emplastica pro sanguine sistendo. 5°.*me.me.* 7ª.30.G
POLLVX *& Castor quæstellæ. de hist.phil.* Sp.6.F
POLLYAEMA *vulnera.de simp.med.* Sp.83.F
POLYARCHION *malagma ad quid valeat.* 8°.*de comp.med.se.lo.* 5ª.196.D/ *de cura ictieri.* Sp.111.C
ex Polyarchi epistola malagma ad omnia interna. 8°.*de cõp.me.se.l.* 193.D/7°.*de cõmp.me.per ge.* 5ª.266.D
Polyarchi pharmacum. 8°.*de com.me.se.lo.* 3ª.193.C
POLYBVS *discipulus Hipp. de fœt. for.* 1ª.322.C
Polybus non discedit ab Hipp.via.de na. hu. c. 1°. 1ª.26.F
Polybi liber de valentium victu fuit simul positus cum libro de natura humana Hipp.de nat.hu.c. 2°. 7ª.181.D
Polybi non est liber de venarum sectione. 6°.*de dec.Hip.* 1ª.262.E
Polybi liber. de sal.diæta. 2ª.39.G
Polybus nunq̃ dixit ὄυρημα, sed οὖρα. de na.hu.c. 2°. 7ª.180.G
POLYCLETVS *bonus artifex.* 15°.*de vsu par.* 1ª.213.B
Polycletus naturæ imitator. 17°.*de vsu par.* 1ª.221.F
Polycletus librum fecit de corporis cõgruitate, & fecit statuam. 5°. *de dec.Hipp.* 1ª.255.H
Polycleti statua canon appellata. 1°.*de temp.* 1ª.15.A
Polycleti statua regula appellata. 17°.*de vsu par.* 1ª.221.F
Polycleti liber, & statua vocata norma. 5°.*de dec.Hip.* 1ª.255.H
vt Polycleti regula est pulsus naturalis. 2°.*de caus.pul.* 4ª.94.B
POLYCNEMON *calidum est & siccum in secundo ordine.* 8°.*de sim. med.fac.* 5ª.59.A
Polycnemon vlcera glutinat. 8°.*de simp.me.fa.* 5ª.59.D
POLYCHRESTOTATA *medicamenta quæ sint.* 1°.*de composi.medic. per ge.* 5ª.210.G
Polychresta quæ sint medicamenta. 8°.*de comp.me.se.lo.* 5ª.188.G/5°. *de comp.me.per ge.* 5ª.245.E
Polychrestũ medicamentũ. 2°.*de cõp.me.per g.* 221.H/5°. 5ª.252.b
Πολυχρόνιος *morbus.* 3°.*de dieb. dec.* 4ª.160.C
POLYDAMAS *erat Milone maior.* 2°.*de dignos. pul.* 4ª.76.F
Polydamas iracundiæ dominabatur. 3°.*de dec.Hip.* 1ª.242.G
POLYGALVM *lac generat,& est calidum & humidum.* 8°.*de simpl. med.fac.* 5ª.58.H
POLYGONATON. 7°.*de simp.me.fa.* 5ª.54.C
Polygonatum habet amaritatem fastidiosam. 8°.*de sim.me.f.* 5ª.58.b
Polygonatum vulneribus illinitur. 8°.*de simp. me.fa.* 5ª.58.H
Polygonatum nævos in facie ilico detergit. 8°.*de simp.me.f.* 5ª.58.H
POLYGONOIDES 7°.*de simp. me.fa.* 5ª.51.G
POLYGONIVM *læuigatum ex lactis crema pro dolore capitis.de reme.par. fa.* 7ª.154.B
Polygonij, id est sanguinariæ succus pro dolore capitis calido. de reme.paratu facilibus. 7ª.153.E
Polygonium quibus doloribus capitis conueniat. 2°.*de compo.medic. sec.locos.* 5ª.138.C
Polygonon refrigerans. 2°.*de comp.me.se.lo.* 5ª.132.H
Polygonon in secundo ordine refrigerat. 8°.*de simp.me.fa.* 5ª.58.G
vt Polygonon adstringit,& refrigerat Potamogitum. 8°.*de simplic. med.fa.* 5ª.59.A
Polygonum est minus frigidum Portulaca. 2°.*de compo. medicamẽ. sec.loc.* 5ª.136.C
Polygoni succus frigidus est. 6°.*de sa.tu.* 2ª.100.G
Polygoni succus oleo rosaceo addẽdus. 2°.*de cõp.me.se.lo.* 5ª.132.F
Polygonõ pdest ijs qb⁹ stomachus æstu feruet,erysipelata, ac calidas phlegmonas iuuat,& fluxiões repcutit. 8°.*de sim.me.fa.* 5ª.58.H
Polygonon herpetum & vlcerum bonum est remedium & efficacissimum est in inflãmatis partibus,& est cruentorum vulnerum glutinatorium,aurium vlceribus prodest,profluuium mulieb re,dysenteriam,& sanguinis ejectiones sistit,vrinam prouocat, exhibitũ stillicidio, & stranguria affectis. 8°.*de simp.me.fa.* 5ª.58.H
Polygonũ vitãdũ in herpete exedẽte. 2°.*de ar.cu.ad Glau.* 7ª.102.B
Polygoni duo ramuli cur esse debent in capitis dolore. 2°.*de comp. med. sec.loc.* 5ª.138.C
POLYIDE *medicamentum vlceribus protractis in longũ tempus conuenit.* 2°.*de ar. cu.ad Glau.* 7ª.102.C
Polyidæ pastillo vlcera in naris meatibus a Galeno curata. 3°.*de cõp. med.se.lo.* 5ª.148.G
Polyidæ pastillorum vsus est ad vlcera contumacia. 9°.*de simpliciũ med.fac.* 5ª.65.F
Polyidæ pastillis vtendum in sanguinis profluuio ex erosione. 5°.*met. med.* 7ª.31.H
Polyidæ pastillus ad neruos. 3°.*de comp.me.per ge.* 5ª.229.D
Polyidæ pastillus. 3°.*de compo.med.secun.lo.* 5ª.141.F/ 6°.*methodi medendi.* 7ª.38.C/E
Polyidæ sphragis. 5°.*de comp.me.per ge.* 251.C/ 5ª.252.B
Polyidæ ad putrescentia trocisci. 2°.*de ar.cu.ad Glau.* 7ª.107.A
Πολύμορφον *quid.intro.* Isa.54.G
Polymorphi vnum os. introd. Is.54.F/G
POLYPHARMACVS *quid.* 1°.*de comp.me.per ge.* 5ª.210.A
POLYPODIVM *quid.de simp.me.* Sp.89.C
Polypodium desiccat citra morsum. 8°.*de simp.me.fac.* 5ª.59.B
Polypodij radix gustu styptica est,ventrem soluit,bilem distrahit.de simp.med. Sp.89.C
Polypodium purgat hepatis simam. de cathar. Sp.95.C
*Polypodium educit atram bilem.de dyn.*21.B/*de cathar.* Sp.94.F
Polypodium purgat splenem.de cathar. Sp.95.C
Polypodij dosis, & quibus miscendum. de dyn. Sp.21.B
Polypodes pisces. de vti. resp. Sp.63.B
POLYPI *inter aquatilia mollia numerantur.de bo.& vi.suc.* 2ª.35.E
Polypi molles. 3°.*de ali. fa.* 2ª.32.D
Polypi mouentur sine ossibus. 1° *de vsu par.* 1ª.115.H
Polypodis caro qualis. 3°.*de symp.caus.* 3ª.26.D
Polypodes cibi multi seminis. 5°.*de simp.me.fac.* 5ª.38.C
Polypi acetabula corripiunt quicquid attigerint. 1°.*de sem.* 1ª.331.b
POLYPVS *morbus vnde dictus.* 2°.*me.me.* 7ª.9.E
Polypus quid. tum præter naturam. 3ª.38.H

Polypus qui,& quomodo curetur.3°.de comp.me.se.lo. 5ª.147.H
Polypodes qui in naribus. 3°.de comp.me.se.lo. 5ª.147.F
Polypus quomodo differat a sarcomate. fin.me. Isa.48.G
Polypus obstruens nares vocem impedit.4°.de lo.aff. 4ª.26.F
de Polypo.de med.fa. par. 7ª.163.D
Polypi qui in naribus nascitur curatio. intro. Is.59.H
Polypi & Ozenæ curatio communis.3°.de comp.me.se.lo. 5ª.147.F
in Polypo tunica in naso exciditur.14°.me.me. 7ª.90.G
in Polypi Gal.probatissima cõpositio. 3°.de cõp.me.se.lo. 5ª.148.E
in Polypis,& ozænis sternutatoria.3°.de comp.me.se.lo. 5ª.148.B
ad Polypos, Antipatri.3°.de comp. me.se.lo. 5ª.148.C
Polypodas,& cancros eliquare creditus est Dracunculi fructus. 6°. de simpl. med.fa. 5ª.46.D
ad Polypum, & carnem in naribus excrescentem.3°.de compo.me. sec.lo. 5ª.148.D
ad Polipodas.3°.de compo.med.sec.loc. 148.*A*|*B*|*de rem. par. fac.* 155.*F*| 7ª.163.G
ad Polypos,& ozænas.3°.de comp.me.se.lo. 5ª.147.H
in Polypo casus eunuchi,qui nihil poterat ferre, & rosis sanatus est. 3°.de comp.me.se.lo. 5ª.148.F
POLYSPASTON *machinamentum ita appellant,quoniam multis orbi culorum circuitionibus facilitatẽ præstet. de machi.* 7ª.310.G
POLYSTOMI *medicamen.6°.de comp.me.per ge.* 5ª.261.F
POLYSTRICHON *lapidẽ cõminuit.de ren.aff. dig.* 7ª.194.C
Polytrichi meminit. de rem. par.fac. 7ª.179.D
POLYXENA *cum decoro cadere studuit. de the.ad Pis.* 5ª.93.B
POMORVM differentia.aduersus Lycum. Ex.63.G
Poma quæ in arbore non matureſcunt ab ijs, quæ matureſcunt multũ differunt.de puero epil. 7ª.180.D
Poma debent in arbore matureſcere.2°.de ali.fa. 2ª.19.H
Poma immatura quid habeant incommodi.2°.de ali.fa. 2ª.19.H
Poma possunt conseruari. de puero epil. 7ª.180.D
Poma matura seruantur in hyemem,& ver.2°.de ali.fa. 2ª.19.H
Poma omnia habere recrementitiã, frigidam humiditatem probat. 7°.de simp. me.fa. 5ª.55.H
Pomorum succi non possunt durare. 7°.de simp.me. fa. 5ª.55.H
Pomorum succi omnes acescunt ob humiditatẽ. 2°.de ali.fa. 2ª.20.C
Pomorum succus seruet vt mustum.4°.de simp.me. fa. 4ª.28.*A*
Poma sunt humida. 2°.de ali.fa. 2ª.17.D
Poma sunt frigida. de diss.cont. Sp.74.D
Poma non faciunt ad sanitatem. de atten. vic. 2ª.45.H
Poma in morbis multum iuuant.2°.de ali.fac. 2ª.19.H
Poma in aquæ bullientis vaporibus coquuntur.2°.de ali.fa. 2ª.19.H
Poma post cibum dari debent. 2°.de ali.fa. 2ª.19.H
Poma cum pane iuuant quibus appetentia deiecta est & vomitu diarrhœa & dysenteria infestatur. 2°.de ali.fa. 2ª.19.H
Poma acerba valẽt ad vomitũ diarrhœam,& dysenteriam.2°.de ali men.fac. 2ª.19.H
Poma acetosa si inueniunt in stomacho humorem malum, & crassum incidunt,& expellunt,& leniunt ventrem,sin mundum inueniunt stringunt.de diss. cont. Sp.75.C
Poma pontica tarde descendunt. de dis.cont. Sp.74.H
Poma adstringentia. 13°.me.me. 7ª.83.G
Pomũ adstringens sanat symptomata scãmonij.2°.de ali.fa. 2ª.20.C
Poma adstringentia quibus subducunt ventrem. 2°.de ali.f. 2ª.20.a
Poma austera cocta amittunt adstrictionem.2°.de ali.fa. 2ª.19.H
Poma austera subducebant. 2°.de ali.fa. 2ª.20.*A*
Poma austera cocta idem valent quod aquea.2°.de ali.fa. 2ª.19.H
Poma cestiana quomodo coquenda.2°.de comp.me.se.lo. 5ª.133.D
Poma cestiana adstringunt. 6°.de comp.me.se.lo. 5ª.176.F
Pomum coctum ad ventriculum subuersum.de rem.par.fa. 5ª.153.H
Poma cur parum nutriunt. de diss.cont. Sp.73.F
*Poma si comedant matura generãt chymũ frigidũ.de dis.cõt. S.*74.*b*
Poma gnant viscosos,crassos,et frigidos humores.d pue.ep. 7ª.180.D
Poma non danda epilepticis nisi raro.de pue.epi. 7ª.180.D
Poma pro syncopa mediocri. 1°.de ar.cu.ad Glau. 7ª.99.E
Pomi folia sternenda ad refrigerandum. de rem.par.fa. 7ª.153.E
Pomi gustum habent platani folia. 2°.de ali.fa. 2ª.19.H
Pomorum succo excipiunt simplicia medicamenta pilularum ad alopeciam,& ophiasim.de rem.par.fa. 7ª.154.G
cũ Pomis candẽ hãt facultatẽ pira, & punica.2°.de ali.fa. 2ª.20.D
Pomorum vsui similis pirorum vsus.2°.de ali.fa. 2ª.20.E
Pomorum vsui similis punicorum vsus,& in quo discrepat.2°.de ali men.fa. 2ª.20.E
POMPEVS *Sabinus. 7°.de comp.me.per ge.* 5ª.271.D
Pompei prætiosa.7°.de comp.me.per ge. 5ª.270.H
POMPHOLYX *masculino,& fœminino genere dicitur.3°.de composi. med.per ge.* 5ª.234.F
Pompholix quid.de simp.med. Sp.88.G
Pompholix quo modo fiat.9°.de simp.me.fa. 5ª.70.H
Pompholyx adulteratur.9°.de simp.me.fa. 5ª.69.C
Pompholygem ex cypro asportauit Gal.1°.de anti. 5ª.100.C
Pompholyx qualis. 5°.me.me. 7ª.36.E
*Põpholyx qualis sit.4°.de cõ.me.se.lo.*5ª.149.F|*3°.me.me.* 7ª.18.*A*
*Pompholyx tenuiũ partiũ citra calorẽ.3°.de cõ.me.per ge.*5ª.228.*f*
Pompholyx medicamentum præstantissimum omniũ siccans sine mor su elota.9°.de simp.me.fa. 5ª.70.H
Pompholyx adstringens siccum. 5°.me.me. 7ª.32.E
Pompholyx acoribus conuenit. 1°.de comp.me.se.lo. 5ª.128.H
Pompholyx carnem producit. 3°.me.me.18.A| 2°.de arte curatiua ad Glau. 7ª.107.E
Pompholyx in extrinsecis vlceribus vsui est, in intrinsecis sumi non debet.4°.me.me. 7ª.28.H
*Pompholyx ad vlcera cãcrosa idonea est, & ad alia omnia maligna, inditur collyrijs,quæ ad oculorũ ĩponunt fluxiones,& ad pudendo rũ,ac sedis vlcera optimũ est medicamẽ.9°.de sim.me.f.*5ª.70.H
Pompholyx cruda.4°.de comp. me.se.lo. 5ª.155.F
Põpholyx lota mordicitas expers,& lenis.4°.de cõ.m.se.l. 5ª.149.F
Pompholyx lota deobstruit.4°.de comp.me.se.lo. 5ª.150.*A*
Pompholyx vsta,& lota.4°.de comp. me.se.lo. 5ª.154.B
Pompholyx post vstionem, & lotionem qualis.4°.de compo.medic. sec.lo. 5ª.150.*A*
*Põpholyx elota emplasticũ est medicamẽtũ.4°.de sim.me.f.*5ª.25.D
Pompholyx elota medicamen.11°.de simp.me.fa. 5ª.81.E
Pompholyx elota pro neruo nudato. 5°.me.me. 7ª.38.C
ex Pompholyge in rosaceo medicamentum pro neruo detecto.6°.me. med. 7ª.38.B
*Pompholyx omniũ maxime dolorẽ sedat.9°.de cõp.m.se.l.*5ª.205.D
*ex Pompholyge anodyna medicamenta.10°.de simp.me.fa.*5ª.73.H
Pompholyge fit album emplastrum.1°.de cõp.me.per ge. 5ª.217.C
Pompholygem cum haberet Gal. nunq̃ vsus est antispodio.9°.de sim. med.fa. 5ª.70.H
POMPHOLYX quid hic significet.de vict.ra.in mor.acu.c.2°. 7ª.124.B
PONDERALIS *libra quid sit apud Romanos. 1°.de composi. med.per ge.* 5ª.214.C
PONDEROSIVS *tanto est vinũ quanto fortius.de vti. resp.* Sp.64.F
ad PONDVS *collatio virtutis.in prog.c.2°.* 4ª.198.E
Ponderis comparatio ad hominẽ.de cu.ra.per sang.miss. 6ª.16.E
ob Pondus aliqua ægre mouentur.2°.de san.tu. 2ª.72.F
Ponderis sensus quando incidit. in prog.c.2°. 4ª.204.C
ob Pondus tremor.2°.de sym.cau. 3ª.20.D
ex Pondere vas ruptũ in pulmone. 5°.me.me. 7ª.30.C
Pondus abortus causa.3°.de na.fa. 5ª.305.H
ad Pondus ani remedium. de dyna. Sp.28.*A*
PONDVS *quomodo iudicatur. de pond.& mens.* 5ª.275.B
Pondere q̃ iudicari debẽt,per lancẽ iudicent.c.5°.aph.26°. Ex.39.H
Pondera sunt in varijs regionibus diuersa.de põd.& mens. 5ª.275.B
Ponderũ æquiuocatio apud Romanos.1°.de cõ.me.per ge. 5ª.214.C|F
Ponderat Romanorum more. 1°.de comp.me.per ge. 5ª.214.*A*
Pondera in duodecim diuidunt.de cuiusq; animi pec.not.atq;. 2ª.58.*d*
Pondera non equaliter respondent mensuris propter materiæ differẽ tiam.de pond.& mens. 5ª.275.H
*Pondere,gustu,statione,& virtute differunt aquæ.de aer.aq.*2ª.2.C
Pondus in aqua vnde accipiatur. c.5°.aph.26°. Ex.39.H
Ponderis eiusdẽ est acetũ,& aqua pluuialis.de põd.et mẽs. 5ª.277.C
*de Pondere mellis.de pond.& mens.*275.F| 5ª.277.D
Ponderum notæ. de pond.& mens. 5ª.277.F
non Ponderum notis,sed integris vocabulis esse scribenda medicamẽ ta voluit Menecrates.1°.de antid. 5ª.102.C
Pondera medicinarum syncerius seruantur si carmine scribantur.2°. de antidotis. 5ª.118.G
Ponderis victorialis fit mentio. de dyn. Sp.32.D
PONITIVM *quomodo fiat & eius vires.de simp.me.* Sp.88.F
Πόνος *quid hic significet.de vict.ra.in mor.acu.c.2°.* 7ª.124.B
PONTICITAS *quibus cibis adsit.de diss.cont.* Sp.75.B

cum Ponticitate

rũ Ponticitate,& stypticitate vẽtrẽ stringẽtia quæ.de dif.cõ.Sp.75.B
Põticus,& acetosus sapor qũo cõueniãt,et qũo differãt.ꝺ oc.7ª.188.b
Ponticus sapor qualis sit. de ocul. 7ª.188.A
Pontici qualitates,& operationes de ocu. 7ª.188.A
Pontica sunt,& constrictiua multum terrestria.de ocul. 7ª.188.A
Ponticum linguam constringit, & exiccat. de occu. 7ª.188.B
Pontica victui attenuanti contraria. de atten. vict. 2ª.45.H
Põtica vẽtriculo ibecilli,et vẽtris fluxui cõueniũt.ꝺ attẽ.vi. 2ª.45.b
Ponticum Absinthium vesicam purgat.de cathar. Sp.95.D
Ponticum Absinthium.6°.de simp.me.fa. 5ª.40.F
Põticas Auellanas qũo expert° est Gal.pater.ꝺ bo.& vi su.2ª.36.g
Pontica cera alba vel attica.10°.me.me. 7ª.65.A
Pontici fructus ĩ principio quo modo post dulcescũt. de oc.7ª.188.d
Pontici fructus quomodo dulcescũt,quomodo pontici restent,qũo fiãt acetosi,& qũo fiant vnctuosi.de ocu. 7ª.188.B
Pontici fructus ac duri omnes praui.de atten.vi. 2ª.46.A
Pontica Granata sunt frigida. de diff.cont. Sp.74.D
Pontici Homines pingues.2°.de simp.me.fa. 5ª.14.E
Ponticum Medicamentum Arrhabiani.7°.de com.me.se.lo. 5ª.184.c
Ponticæ Nuces quales. de atten.vic. 2ª.45.H
Pontica nux Dosis nomen.9°.de comp.me.se.lo. 5ª.202.D
Põticũ Oleũ rectificat stomachũ mollẽ,& debilẽ.de dif.cõt. Sp.74.D
Põticæ oliuæ si cũ aceto post cibũ edantur qd faciãt.de dif. cõ. Sp.75.A
Pontica Pira, & poma tarde descendunt. de dif.cont. Sp.74.H
Pontica pira parum nutriunt,& cur.de diff.cont. Sp.73.F
Pontica Punica mala ventriculum iuuant.de atten.vi. 2ª.46.A
Ponticum Vinum vbi copiose proueniat. de atten. vic. 2ª.46.E
Ponticum vinum solemne, & quale.de atten.vic. 2ª.46.E
Ponticum vinum euidenter nutrit.de atten. vic. 2ª.46.E
Ponticum vinum quando non inflet. de diff. cont. Sp.74.F
Ponticum vinum albũ est minus calidũ vino albo.de diff.con.S.74.d
Ponticum vinum subtilis odoris rectificat stomachum debilẽ,& mollem.de diff.cont. Sp.74.E
Ponticum vinum mundificat stomachum.de diff.cont. Sp.74.E
Ponticum vinum,nouum,nigrum,crassum velociter acescit in stomacho & incensionem facit. de diff.cont. Sp.74.E
Ponticũ vinũ,dulce,crassum,nouũ,tarde descendit. de diff.cõ.S.74.b
Ponticum vinum stringit ventrem cum stypticitate, & ponticitate. de diff.cont. Sp.75.B
Ponticum vinum nimis est abominabile. de dif.cont. Sp.73.B
Ponticæ Vuę cur parum nutriunt.de diff.cont. Sp.73.F
PONTIFICIVM sex mensium in Pergamo Gal.patria. 3°.de compo. me.per ge. 5ª.231.C
Pontificium inscriptum malagma.8°.de comp.me.se.lo. 5ª.193.B
PONTVS regio frigida & humida, præterquam in locis maritimis. com. 3°.aph.14°. Ex.22.E
de Ponto radices odoriferæ expurgãt ĩ icteris.de cur.icteri.S.111.b
PONTI pisces quales.3°.de ali.fa. 2ª.30.C
ex Ponto myli præstantissimi adferuntur.3°.de ali.fac. 2ª.31.G
ex Ponto plurimæ pelamides aduehuntur.3°.de ali. fac. 2ª.31.G
POPLES quid significet apud antiquos.de frac.c.2°. 7ª.240.D
Poples quid proprie significet.de frac.c.2°. 7ª.240.C
Poplites qui.introd. Isa.53.E
Poplitis flexura leuis & infirma.2°.de ana.adm. 1ª.70.E
a Poplite presuram qui nerui incedant. 16°.de vsu par. 1ª.218.B
Poplitem secari oportet in prhenitide. præs.exper.conf. Sp.78.C
circa Poplitem,aut talos venæ secantur in ischia.10°.de compo.med. sec.loc. 5ª.207.A
Poplitis vena potius incidenda, quam malleoli in ischia. de curandi ratio.per sang.miss. 6ª.20.F
a Poplite sectio venæ in vtero.de trem.palp. 3ª.53.A
Poplitis venæ maxime prouocãt mẽses.de cur.ra.p san.mis. 6ª.301.d
Poples quomodo ligetur.de ijs, quæ in med.fi.c.2°. 7ª.208.H
Poples, et cubiti gibbus dissimili mõ ĩplent.de frac.cõ.2°. 7ª.240.B
Poples,et cubiti gibbus diuerso mõ flectũtur.de fra.c.2°. 7ª.240.C
Poplitis morbi qui. intro. Isa.59.D
POPVLI folia qualia.2°.de comp.me.se.lo. 5ª.136.F
Populi albæ fructus qualis.2°.de comp.me.se.lo. 5ª.136.F
Populus alba abstergit. 7°.de simp. me.fa. 5ª.54.D
Populus nigra pro sampsuco.7°.de comp.me. per ge. 5ª.271.D
ex Populi floribus medicamentum.4°.de san.tu. 2ª.86.H
ex Populo medicamentum. 7°.de comp. me.per ge. 5ª.270.H
ex Populi flore oleum.3°.de comp.me.per ge. 5ª.235.A
Populus arbor nocet capiti.de subfig.cmp. Is.32.C
ex Populo nõ debẽt fieri lecti nec fores, nec vasa.de subf.cm.Is.32.C
PORCELLORVM carnes quales.de vic.ratio.in morbis acut. com.4°. 7ª.147.B
Porcellorũ paruulorũ caro excremẽtis scatet.ꝺ bo.& vi.su.2ª.37.C
Porcelli habent carnem magis excrementosam suibus, & magis humidam.3°.de ali.fa. 2ª.25.H
Porcelli minus nutriunt suibus.3°.de ali.fa. 2ª.25.H
Porcelli caro æstate debet esse occisa eadem die.7°.me.me. 7ª.46.A
Porcelli absq; cute edendi sunt.de vic.ra.in mor.acu.c.4°. 7ª.147.C
Porcellorum pedes in ptissana meliores. 3°.de ali.fac. 2ª.26.E
ex Porcellorum pedibus ptissana fit melior. 3°.de ali.fac. 2ª.26.E
Porcellus inuentus sine liene inuentus est ex potu triduano cuiusdam medicamenti. 9°.de comp.me.se.lo. 5ª.198.H
PORCINVS adeps mollissimus tempore acrimoniam acquirit. 3°.de comp.med.per ge. 5ª.233.H
Porcinus adeps emplasticam vim habet. 5°.de simp.me.fa. 5ª.34.D
Porcinus pulmo interrigines a calciamentis sanat. 11°.de simpliciũ medicamento.fac. 5ª.79.H
Porcina vulua qualis.de dissect.vul. 1ª.108.C
PORCOS dissecuit Galenus pro instrumentis vocis. de prægn.ad Postum. 4ª.216.B
Porci domestici castrati similem habent temperaturam cũ homine. 10°.de simp.me.fa. 5ª.75.D
Porcorum gena inferior maximo. 11°.de vsu par. 1ª.185.A
Porcorũ musculº maxĩus,sed nõ æq; neruosus.11°.de vsu p. 1ª.184.f
Porcorum caro in quartana euitanda.1°.de arte cu.ad Glau.7ª.97.f
Porcorum extrema mandenda. de atten.vic. 2ª.45.F
Porci extremæ partes boni succi. sunt.de rem.par.fa. 7ª.159.C
Porci ne ægrotent quid fieri debet. de rem.par.fa. 7ª.173.A
Porci castrati sel.3°.de comp.me.se.lo. 5ª.143.D
Porci virginis axungia. de pass.mul. Sp.95.G
Porcorum adipes præsertim in vlceribus vitandi.4°.de compo.med. per ge. 5ª.236.H
Porci adeps in capite vlcerato. de rem.par.fa. 7ª.154.H
Porcinum seuum maturat.de ocul. 7ª.188.E
PORIASIS affectus partium interiorum palpebrarũ.intr. Is.58.D
POROCELE affectus scroti. introd. Isa.59.D
Porocele tumor scroti. fin.med.49.C/introd. Isa.60.B
Porocele laborantium curatio. intro. Isa.60.B
POROMPHALON quid.fin.med. Is.49.B
POROPOEIA quid.4°.met.me. 7ª.26.D
POROSIS articulorum affectus. introd. Isa.59.E
Porosa substantia in aure. 1°.de sym.caus. 3ª.15.F
PORPHYRIANORVM philosophorum scrutatio. de sper. Sp.37.E
PORPHYRII opinio de cõiunctione aĩæ cũ corpore. de sper. Sp.37.F
Porphyrij Isagogarum intentio. de sper. Sp.37.F
PORRVM an dictũ a colore, vel e cõtrario.in pgn.c.2°. 4ª.201.G
Porri,& ampeloprasis differentia.2°.de ali. fac. 2ª.25.E
Porrum calidum est, & acre.de caus.morb. 3ª.6.G
Porrum nunquam erit frigidum,sed plus,minus ve calidum.de bonitate & vitio succorum. 2ª.38.H
Porri cibus calidus est. de diff.cont. Sp.74.D
Porra calefaciunt.2°.de ali.fa. 2ª.25.E
Porrum immoderate sumptum, vt et reliqua acria febrem facit. de causis morborum. 3ª.6.G
Porrum acre est.2°.de ali.fa.25.E/3°.32.A/de atten.vic.2ª.43.H/ 9°.de simp. me.fa. 5ª.64.C
Porrum hẽt radicẽ caule, & folijs acriorẽ.2°.de ali.fa. 2ª.24.D
Porra quomodo deponant acritudinem. 2°.de ali.fac. 2ª.25.E
Porrum est cibus acutus incidens,& aperiens. de diff.cont. Sp.72.E
Porrum aperitiuũ est. & facit excernere.c.2°.aph.20°. Ex.14.D
Porra tenuant crassos humores,& lentos incidunt. 2°.de alim.facul. 2ª.25.E/de diff.cont. Sp.74.G
Porrum attenuat.de atten.vic. 2ª.43.H
Porrum exiccat.3°.de ali.fa. 2ª.26.D
Porra parum alunt.2°.de ali.fac. 2ª.25.E
Porri cibus prauus est.1°.de diff.feb. 3ª.31.G
Porra quando comeduntur cruda non bene nutriunt,sed quãdo coquũtur in cibis nutriunt nutrimento pauco bono.de diff.cont. Sp.73.G
Porra non nutriunt, nisi coquantur.2°.de ali.fa. 2ª.19.D

Porri radices malum succum gignunt. de bon.& vi.succ. 2ª.37.G
Porra si bis elixentur succi prauitatem deponũt.2°.de ali.fa.2ª.25.e
Porrum bis coctum quale. 2°.de ali.fa. 2ª.23.A
Porrum inter obsonia connumeratur.2°.de ali.fa. 2ª.23.F
Porrũ potius ꝑ obsonio comediꝫ,q̃ ꝑ alimento.2°.de ali.fac.2ª.22.H
Porrum miscendum in piscium preparatione.de atten. vic. 2ª.45.E
Porrum addendum farri.4°.de san.tu. 7ª.78.A
cum Porro,& anetho ius album.12°.me.me. 2ª.84.E
Porrum expetit ptissana.1°.de ali.fac. 2ª.13.F
Porri succus post adustionem.2°.de arte.cu.ad Glau. 7ª.107.A
Porrum conuenit epilepticis. de puero epil. 7ª.180.C
Porrum,& brassicam dat in arteriæ affectione.7°.de composi.medic. secun.locos. 5ª.178.A
Porri coma in sanguinis profluuio.de opt.sect. Isa.23.H
Porrum,sinapi,& beta quendam liberarunt,qui de ore ventriculi q̃rebatur ob aceruatam pituitam.1°.de ali.fa. 2ª.8.G
Porrum pruritum mouet.de cathar. Sp.95.D
Porri capita purgant thoracem, & pulmonem.de cathar. Sp.95.C
Porri capitati succus sanguinẽ purgat.de dy.22.C/de cath.Sp.94.G
PORTA nomẽ accepit a viro quodam antiquo perito. 4° de vsu partium. 1ª.135.H
Porta stomachi quæ,& vbi.de compag.memb. Sp.58.H
PORTA vena propter quid dicta ab antiquis. de ven.art. 1ª.56.B
Portæ vena quo modo ducit materiam a capite ad inteſtina.cõme.7°. apho.30°. Ex.56.B
PORTANS dẽt esse firmius,& fortius portato.3°.de vs.p. 1ª.135.C
PORTENTA a non nullis contemnebantur.1°.de nat.fa. 1ª.293.A
PORTONARIVM quod,& quo nomine dicatur.5°.de vs.p.1ª.142.E
Portonarium inteſtinum vbi sit. de ana.parua. Sp.43.A
Portonarium inteſtinum siue duodenum primũ est.de an.vi. Sp.50.B
Portonarium cur in dextris. 5°.de vsu par. 1ª.142.F
PORTVLACA quid,& eius vires.de simp.med. Sp.81.A
Portulaca aquea austera parum. 6°.de simp. me.fa. 5ª.43.A
Portulaca frigida est aquosæ substantiæ.2°.de comp.me.s.l.5ª.136.c
Portulacæ sunt frigidæ. de dis.cont. Sp.74.D
Portulaca frigida est in tertio ordine,sicca in secundo. 6°.de simplic. med.fac. 5ª.43.A
Portulaca,& psyllium sunt indurãtia frigida,& humida.5°. de sim. med.fac. 5ª.34.G
Portulaca minus frigidum est Polygonõ.2°.de com.me.se.l.5ª.136.c
Portulacæ succus frigidus.6°.de sa.tu. 2ª.100.G
Portulaca facile in succum non soluitur. 9°.de simp.me.fac. 5ª.70.F
Portulaca quomodo succum remittat. 6°.de san.tu. 2ª.100.G
Portulaca refrigerat.5°.de sim.me.f.5ª.32.A/14°.me.me.7ª.87.D
Portulacę succus refrigerat,& adstringit.1°.de ar.cu.ad Gl.7ª.99.c
Portulacæ succus pro ore ventriculi ſuper calefacto.1°.de arte cur. ad Glau. 7ª.99.C
Portulaca infrigidat inflammationes.6°.de com.me.se.loc. 5ª.176.F
Portulaca euitãda in Herpete exedẽte.2°.de arte cu.ad Gl.7ª.102.B
Portulacæ succus pro dolore capitis calido.de rem.par.fac.7ª.153.e
Portulacæ succus oleo rosaceo adhibẽdus.2°.& cõ.me.se.lo.5ª.132.F
Portulacę succus cur solus non debet accipi, & quo modo debet accipi.1°.de comp.me.per ge. 5ª.211.G
Portulaca condensat.5°.de simp. me.fa. 5ª.35.G
Portulaca indurat.de ocul. 7ª.188.E
Portulaca viscide stringit. de simp.me. Sp.81.A
Portulaca adstringit, & reprimit.de rem.par.fa. 7ª.156.D
Portulaca fluxiones repellit, æstuantes adiuuat tum ventris osculo imposita,tum totis hypocondriis,maxime in febribus hecticis, & dentium stupores sanat. 6°.de simp. me. fa. 5ª.43.A
Portulaca vtiliter datur dysentericis,& profluuio muliebri,& sanguinis reiectionibus.6°.de simp.me.fa. 5ª.43.B
Portulaca masticata sanat dentium offensam, quæ ab immaturis fit. de simplicibus medicaminibus. Sp.81.A
Portulaca medetur stupori dentium.de sect. Is.16.H
Portulacam stuporem dentium soluere.de opt.sect. 21.E/ Isa.22.E
Portulacam soluere stuporem dentium obseruatum est sine cognitione causæ.de opt.sect. Isa.22.E
Portulaca suo lentore morsus experte sanat stuporem.2°. de aliment. facultа. 2ª.23.C
Portulaca non sanat stuporem dentium a vomitu,distillatione,& obsonitum ferræ secanis. de opt.sect. Isa.22.H
Portulaca est de cibarijs mediis. de diss.cont. Sp.74.D
Portulaca vt cibus parum nutrit. 2°.de ali. fa. 2ª.23.C
Portulaca media in bonis,& malis succis.de bon.& vi.suc.2ª.37.f
Portulaca cur parum nutrit.de diss.cont. Sp.73.G
Portulacæ alimentum frigidum & lentum.2°.de ali. fac. 2ª.23.C
Portulaca infrigidat, postea concocta calefacit. 3°.de temp. 1ª.24.C
Portulaca calefaciendi vim non habet.de bon.& vit.suc. 2ª.38.H
Portulacæ admistus cremor succi ex vuis immaturis qualis.3ª.48.B
Portulacæ meminit.10°.me.me. 7ª.65.A
PORTVM latine dicas λιμένα.ad Thras. 2ª.107.A
PORI quid sint.de vti.resp. Sp.64.D
Porri quod sint venę subtilissimæ vnde pateat.de vti.resp. Sp.62.F
Pori sunt venæ subtilissimę per quas effluit calor.de vtil.resp. S.62.f
Poris plenum est totum corpus & tota cutis. 1°.de sa.tu. 2ª.67.G
ꝑ Poros carnis inspirationẽ ẽt fieri probatur.de vtili. resp. Sp.63.B
ꝑ Poros corporis quam ob causam exeat sudor.de vti.resp. Sp.64.D
Poros qui habent occlusos. in 1ᵐ.de mor.vul.c.2°. 3ª.115.E
Pori obstructi faciunt calorem augeri.de vti.resp. Sp.62.F
Poros purgans medicamentũ quale esse debet. 5°.de sim.m.f.5ª.34.b
Poros purgantia nitrosa,& amara sunt. 5°.de simp.me.fa. 5ª.35.A
Porus ab Herophilo vocatur neruus a cerebro ad oculũ. de symptomatum differentiis. 3ª.14.D
Pori cur dicti oculorum meatus. 10°.de vsu par. 1ª.182.A
Pori oculorum cur variant suas productiones.10°.de vsu p.1ª.182.a
Pori oculorum cur non eunt directi.10°.de vsu par. 1ª.182.A/B
Pororum oculorum mutua coitio quid faciat.10°.de vsu p.1ª.183.D
Pororum conniuentia vnde. 3°.de sym.cau. 3ª.28.G
Pori cordis imꝑceptibiles sunt ob sui paruitatẽ.de vtil.resp.Sp.64.D
Pori propter quid sint in vesica bilem recipiẽte.4°.de vsu p.1ª.138.f
Pori qui sunt in branchiis piscium sunt adeo tenues,vt nõ recipiãt nisi aerem. de vti. resp. Sp.64.C
ꝑ Poros cineris influens aer ignitur ad restaurationem euaporationis ignis.de vtilitate respirationis. Sp.64.A
Poros metallorum non intrat aer,sed ignis.de vti.resp. Sp.64.A
ꝑ Poros ventosæ exit ignis.de vti.resp. Sp.64.D
POROS tophos appellant. 6°.de sa.tu. 2ª.99.F
Pori sunt toto genere præter naturam.de dif.mor. 3ª.4.F
Poros quando maxime fit in osse. 6°.me.me. 7ª.41.D
Pori, id est calli.14°.me.me. 7ª.93.C
Πῶρος, id est tophus qũo in renibus gignatur.1°.de ali.fac. 2ª.10.G
Πῶροι, id est topki in arthritide.1°.de ali.fac. 2ª.10.G
Pori subsidens tubercula fieri ad crassam venam significant. de natura humana, com.2°. 7ª.180.F
POSCA quo modo fiat.de dyna. Sp.23.B
Posca quando potui danda.5°.me.me. 7ª.32.H
Posca fouet oculos.de rem.par.fa. 7ª.155.H
Posca sistit sanguinẽ.introd. Isa.56.F
Posca lauandum vlcus humidum.4°.me.me. 7ª.23.E
POSITIO necessario est accidens. 1°.de vsu pa. 1ª.115.E
Positio mẽbrorũ quot modis accipiat.de iis q̃ in me.fi.c.3°.7ª.216.A
Positio situalis membri qualis sit.de ocul. 7ª.189.E
Positio mollis,equalis,& sursum versa semper est bona. de ijs,quæ in med.fi.c.3°. 7ª.216.A
Positio inęqualis cur mala.de ijs,quæ in med.fi.c.3°. 7ª.216.A
Positio obliquæ partis duplex. 2°.de vsu pa. 1ª.125.B
Positionem obliquam habentes quid agant.16°.de vsu pa.1ª.216.H
Positio infantis in vtero. de na.& ord.cuius.cor. Sp.42.C
a Positione cordis quæ argumenta ducant. 2°.de dec.Hipp. 1ª.236.A
POSITVRA est in organis.2°.me.me. 7ª.13.D
ex Positura loci indicatio sumitur.4°.me.me. 7ª.29.B
ex Positura indicatio quarta in ventriculo.7°.me.me. 7ª.49.A
à Posituræ partis vicinitate argumentum quod ducatur. 2°.de decr. Hipp. 1ª.240.C
a POSITV, & figura indicatio.4°.me.me. 7ª.28.G
a Positu indicatio qualis.2°.de arte.cu.ad Gla. 7ª.102.F
Positus significat partem affectam. 1°.de loc.aff. 4ª.6.B
in Positu ęgritudines quę euariant compositurã secundũ naturam. de differentiis morborum. 3ª.5.C
ex Positu ac formatione desumitur partium,quæ phlegmone laborãt sanatio. de const.ar. Is.41.D
POSSESSIO hominum qualis esse debet. 7°.me.me. 7ª.43.B
POSSIDONIVS ab ineunte ætate in Geometria versatus. 4°.de decretis

decretis Hippocratis. 1ª.250.F
Posſidonius eruditiſſimus,& in geometria exercitatus.8°.de decretis Hippocratis. 1ª.273.D
Posſidonius erubuit de contradictionibus quas dicebat. 4°.de decretis Hippocratis. 1ª.250.F
Posſidonius appellat animæ facultates, quas Plato partes, & ſpecies.6°.de decre.Hippoc. 1ª.261.D
Posſidonius quid ſentiat de ratiocinatrice parte iraſcibili,& concupiſcibili.5°.de dec.Hippo. 1ª.259.F
Posſidonius librum fecit de affectibus. 5°.de dec.Hipp. 1ª.257.F
Posſidonius iubet,ſi eductiõe ſanguinis ĩ melãcholia qs ĩdigeat,primo secãdã venã poſtea euacuãdũ.de mel.ex Ga.Ru.& Po.Sp.109.H
POST curflecti nõ poſſumus,& añ poßumus.12°.de vſu p.1ª.197.c
POST brachialis cum brachiali motus latens eſt,& obſcurus.de muſculorum diſſectione. 1ª.49.D
POSTERIORES debent eſſe acutioris ingenij & priorũ ſcripta examinare. 2°.de comp.me.ſe.lo. 5ª.135.A
Poſteriores medici prioribus addere debent.2°.de compo.medicam. ſecun.loc. 5ª.135.C
Poſteriorum & priorum libros vnum eſſe librum in duas partes diſtinctum collige. 4°.de diff.pul. 4ª.69.H
Poſteriorũ libri ſecunda reſolutoria dicuntur.2°.de de.Hip. 1ª.235.d
in Poſteriori parte cur cerebrum ſit durius.de ana.vi. Sp.53.H
Poſterioris partis capitis grauitati confert ſectio venæ frontis. de anat.viuo. Sp.55.A
ĩ Poſteriorum partiũ capitis vlceribus fit venarum ſectio poſt aures de ana.viuorum. Sp.55.A
in Poſteriora trahens fœmur & exacte extendens muſculus. de muſculorum diſſectione. 1ª.50.H
Poſteriora neruoſa ſunt.c.5ª.aph.65°. Ex.45.A
in Poſteriore parte corporis cur fiãt rigores. cõ.5°.ap.69°.Ex.45.D
in Poſterioribus partibus neruoſis cur fiunt conuulſiones, & diſtẽtiones.c.5°.aph.65°. Ex.45.A
Poſteriora dolentia anteriora inciſa curant.c.5°.aph.68°.Ex.45.D
Poſteriora diuertunt ab anterioribus.c.5°.aph.68°. Ex.45.D
in Poſteriora reuellendæ ſunt fluxiones quæ inclinant in priora. de cucurbitulis ſcarificationibus. 6ª.4.G
Poſteriora cominus ſolum trahunt alimentũ.3°.de nat.fa.1ª.308.A
POSTES quid.de arti.c.4°. 7ª.290.B/F
POSTHIA quid.introduct. Iſa.58.F
Poſthia coronæ affectus.intro. Is.58.D
Poſthiæ, & crithæ ſunt hi abſceſſus,qui vulgo dicuntur horzaroli. 4°.de comp.me.ſe.lo. 5ª.153.C
ad Poſthias.4°.de comp.me.ſe.lo. 5ª.158.D
POSTPOSITIO multa ſignificat declinationẽ.1°.de criſi. 4ª.126.A
POSTVLATA quæ ſint.de vict.ra.in mor.acu.c.2°. 7ª.119.B
POTABILES aquæ carnes corrumpunt, & putrefaciunt.2°.de naturalibus facul. 1ª.301.C
POTAMOGETVM adſtringit & refrigerat vt Polygonon.8°.de ſimp. med.facul. 5ª.59.A
Potamogeton habet quid refrigeratiuũ.2°.de com.me.ſe.l.5ª.132.G
POTANT celeriter & crebro ſitientes.1°.de cauſ.pul. 4ª.87.D
ad POTATIONEM aquarum metalla nocua ſunt.de bonitate aquæ. Sp.75.E
Potatione debemus intelligere nõ aquæ,ſed vini potionem.comm.7°. aphoriſ.7°. Ex.54.D
Potationes implent caput plurimo ſanguine, & ſpiritu calido. com. 7°.aph.7°. Ex.54.D
à Potatione multa rigor,& deſipiẽtia,malũ.c.7°.aph.7°. Ex.54.D
ob Potationem vini meri dolori capitis confert ſuccus centaureæ. de virtute centaureæ. Sp.93.B
POTATVRIS alliũ eſt optimũ.de vic.ra. in mor.acu.c.4°. 7ª.145.C
POTENTES quomodo ſint animæ brutorum. de mot.man. Sp.67.E
POTENTIA & facultas idem.9°.de decr.Hipp. 1ª.286.C
de Potentijs nemo ante Gal.exacte egit. 3°.de nat.fa. 1ª.305.D
Potentia eſt vna genere. plures ſpecie.c.2°.aph.16°. Ex.12.H
Potentias quatuor habet quælibet animalis pars.de cau.mor. 3ª.8.D
Potentia res facit. 9°.de dec. Hipp. 1ª.286.C
Potentia,& habitus adſunt in anima irrationali.7°.de de. 1ª.286.C
Potentia,qua animalia reguntur, quæ ſit.c.2°.aph.17°. Ex.13.A
Potentia noſtrum regens corpus de quibus dicatur.c.2°.aph.17°.13: B/apho.31°. Ex.16.H
Potentia animalis regitiua ſemper ſeruãda eſt.c.2°.aph.16°. Ex.12.b
Potentiæ vitalis eſſentia eſt naturalis calor.in 6ᵐ.de mor. vulgarib. com.3°. 3ª.174.B
Potẽtia sãguifica eſt illa,q̃ digerit ĩ vẽtriculo.c.2°.ap.17°.Ex.13.A
Potentia retentiua inteſtini,aut ventriculi,leuitatem inteſtinorũ facit c.6°.apb.1°. Ex.46.C
Potẽtia excretiua vna eſt ex potentijs corpis. c.6°.ap.55°.Ex.53.D
Potẽtia primo eſt actionis,deinde opis ex accidẽti.1°.d̃ na.f.1ª.291.d
Potentia propria ratione iuuat, & obeſt.de vic.rat.in morb. acutis, commen.3°. 7ª.125.F
Potẽtię robur minus diuturnas facit acceßiones.2°.de dif.fe.3ª.42.a
Potentiæ imbecillitas in longius tempus producit acceſſiones. 2°.de differentiis febrium. 3ª.42.A
ſm Potentiam quid ſit. ars med. Is.69.D
Potentia tale quot modis diſtinguatur.3°.de ſimp.me.fa. 5ª.17.B
Potentia quandoq̃ aliquid debere ſubintelligi in dictis Hippo.collige. c.7°.aph.11°.54.G/18°. Ex.55.C
POTENTIA ciuilis querebatur tempore Gal.1°.me.me. 7ª.2.C
POTENTILLA. de dyna. Sp.31.B
POTENTIORA non ſunt ſemper paucioribus ſignis plurima. 1°.de criſibus. 4ª.130.G
POTERIVM deſiccat abſq̃ morſu.8°.de ſimp.me.fac. 5ª.56.H
Poteriũ neruos inciſos glutinare creditur.8°.de ſim me.fac. 5ª.57.A
Poterij radicis decoctum iis adhibetur, quibus affecti ſunt nerui. 8°. de ſimp.med.fa. 5ª.57.A
POTESTATE quod eſt debet conſiderari ab eo,quod eſt per ſe, & nõ per accidens.3°.de temp. 1ª.23.D
Poteſtate quod dicitur eſt ad aliquid. 3°.de temp. 1ª.25.D
Poteſtate tale eſſe quid.3°.de temp. 1ª.21.F/G
Poteſtate quod eſt imperfectũ eſt tũ habile pfici.3°.de tẽp. 1ª.21.F
Poteſtates ſunt materiæ,quæ debẽt tranſire in aliud.3°.de tẽp.1ª.21.g
Poteſtates nos regentium dignitates.in 6ᵐ.de mor.vu.c.4°.3ª.188.E
Ποτὶ Hippocrates quandoq̃ vtitur pro præcipue, & maxime.de articulis,com.3°. 7ª.268.H
POTIONES tempore differunt.in 1ᵐ.de mor.vul.com.3°. 3ª.138.C
Potiones ſint frigidæ æſtate.12°.me.me. 7ª.76.C
Potiones ſint calidæ hyeme.12°.me.me. 7ª.76.E
Potiones calidæ. quæ.de dyna. Sp.32.F
Potio ſit mediocris.2°.de ſan.tu. 2ª.69.D
Potio temperata.1°.de ſan.tu. 2ª.64.B
pp Potionis immodicam copiam coctio ab extrinſeco impeditur. 3°. de ſymptomatum cauſis. 3ª.24.H
Potiones pariunt morbos.de na.hu.c.2°. 7ª.182.B
pp Potionis qualitatem alienam incongruũ ordinẽ & intempeſtiuitatem coctio ab extrinſeco impeditur.3°.de ſymp. cauſ. 3ª.24.H
a Potionis penuria ſiccitas inducta qũo corrigatur.3°.de ſa.t.2ª.81.G
Potiones quæ abominandę.10°.de ſimp.med.fa. 5ª.72.B
Potiones medicamenti quę proprie ſint apud Hippocratem. commẽ: 7°.aph.25°. Ex.55.G
Potio eadem quater in anno data oſtẽdit diuerſos euomi humores.8°. de decretis Hippo. 1ª.276.F
Potiones ſanant vulnera intrinſeca.c.6°.aph.18°. Ex.48.B
Potiones pro morbis acutis.de vic.ra.in morb.acut.c.3°. 7ª.131.G
Potio antipatri.7°. de comp.me.ſec.lo. 5ª.182.G
Potio Cletij abaſcanti.7°.de comp.me.ſec.lo. 5ª.183.C
Potio ad eas quę non Concipiunt,& quibus menſtrua non apparent. de dynamidys. Sp.29.G
Potio Dauit ad Iliacos.de dyn. Sp.28.D
Potio ad Epilepſiam.de dyna. Sp.24.B
Potio probata ad Frigiditatem & febrem. de dyna. Sp.32.D
Potio ictericorum. de cura icteri. Sp.111.A/B
Potio probata ad Ilij dolorẽ,& ad lapidem frangendũ.de dy.S.28.B
Potio probatiſſima ad Ilij dolorem, ad petram rumpendam ad eos q. meiunt difficulter.de dyn. Sp.28.D
Potio ad matricis ſuffocationem.de paſſ.mul. Sp.95.G
Potio Opopyri.de dyna. Sp.31.C
Potio ſancti Pauli paralyticis, arthriticis ſuccurit.de dyn.Sp.31.C
potio ad Paralyſim Ioannis filij Ligoris medici.de dyn. Sp.31.C
potio ad petram frangendam probata mirabiliter de dyn. Sp.28.D
potio ad Plagam ſanandam. de dyna. Sp.32.A
Potio ad Plagatos.de dyna. Sp.31.G
Potio rubra.de dyna. Sp.32.D/F

non POTANT aues quędam,& cur.de ana.viu. Sp.47.F
POTVS eſt cibo oppoſitus.3°.de ali.fa. 2ª.33.A
Potus vnus ex ſex rebus non naturalibus.ars med. Iſa.68.B
Potus,& cibus ſignificantur p viuēdi rōnē.de nat.hu,c.2°.7ª.182.D
Potus neceſſario noſtro corpori occurrit. ad Thraſ. 2ª.104.D
Potus,& cibus quare ſint neceßarij.de mo.man.& obſ. Sp.71.C
Potu quid reſarciamus in nobis.1°.de ſan.tu. 2ª.62.G
Potus,& cibus ſupplēt locū eius quod diſſoluitur.de mo.mā.Sp.71.c
Potus gignunt humores.1°.de elem. 1ª.7.E
Potus maxime nutrit,& qui potus.c.2°.aph.11°. Ex.12.D
Potibus cōueniētibus vires roborātur.de re.aff.dig.& me. 7ª.199.f
Potus valet ad animi virtutem,& animi mor. 1ª.317.C
Potus materia rei medicæ.ad Thra. 2ª.106.A
Potus,& cibus quomodo ſint medicinalia.2°.de ſan.tu. 2ª.68.B
Potus natura debet ſciri ſecundum rationales.de ſect. Iſa.16.D
Potuum ratio habenda.6°.de ſan.tu. 2ª.101.A
Potus quomodo deſideratur.6°.de loc.aff. 4ª.38.A
Potus defectum percipit vēiriculus per neruū.9°.de vſu p. 1ª.174.g
Potum,& cibum appetens ventriculi cupiditas animale officium eſt. 6°.de loc.affectis, 4ª.37.H
Potus appetitus habet tot ſpecies quot fames.1°.de ſym.ca. 3ª.18.d
Potus paucioris appetitus oſtēdit futurā ægritudinē.ars me. Iſ.67.F
Potus pluris appetitus oſtēdit futurā ægritudinē.ars med. Iſa.67.F
Potus quando magis deſideratur.1°.de ſymp.cau. 3ª.18.B
Potū cur appetāt plurimū melācholici.d mel.ex G.R.& P.S.109.D
Potus inappetentia quę. 1°.de ſymp.cau. 3ª.18.D
Potus diminuta appetentia quę. 1°.de ſymp.cau. 3ª.18.D
Potus vitioſa appetentia quę.1°.de ſymp.cau. 3ª.18.D
Potus facultatis fatiſcentis.de pulſ.ad Tyro, 4ª.44.F
Potum,aut cibum non petunt animo vacillātes.1°.de dif.reſp.3ª.60.a
de Potu ſomnium quid ſignificet.de præſag.ex inſom.ſum. 4ª.213.D
Potus,& cibꝰ trahātur a vēiriculo villis rectis.4°.de vſu p. 1ª.137.a
Potus ſeruari poteſt longo tempore in vēiriculo.6°.de lo.af.4ª.38.A
Potus diutius q̄ par eſt in ventriculo manere poteſt ſiti infeſtatis, 6°. de locis affectis, 4ª.38.B
Potus qui & cur facit remorari excremēta ī vētre.1°.de ſ.t.2ª.68.a
Potus,et cibꝰ expellūt a vēiriculo villis trāſuerſis.4°.d vſ.1ª.137.a/B
Potus,& cibus per fauces deſcendit.2°.de ſem. 1ª.340.C
Potus it per collum.11°.de vſu par. 1ª.186.B
Potus ſi ingreditur guttur ſtrāgulatiōes,et tuſſes excitātur.itr.Iſ.54.C
Potus qui ſumitur quomodo non eat in thoracē.4°.de vſu p.1ª.137.B
Potus ad pulmonem fertur ſm Platonē. 8°.de dec.Hipp. 1ª.278.H
Potus aliqua portio exudat ad pulmonem.8°.de dec. Hip.1ª.278.H
Potus ſemper percolatur per aſperam arteriam ad pulmonem vel parū vel multum.2°.de ſimp.me.fac. 5ª.13.E
Potus affatim influens tuſſire facit.2°.de ſimp.me.fac. 5ª.13.E
Potus cur venit in nares.in 3ᵐ.de mor.vul.c.2°. 3ª.136.C
Potus exit per inteſtina.6°.de loc,aff. 4ª.37.G
añ Potū,& cibū clara eſt vox poſt minus clara.de vo.& anh.S.61.G
ob Potum fit vox rauca.de voc.& anhel. Sp.61.G
Potus modus.ars med. Iſ.68.F
Potibus incongrua menſura vtendum.de aſſuetud. 2ª.61.G
Potus hyemis quantus,& qualis.de ren.affe.dig.& med. 7ª.195.B
Potus veris.de ren.aff. dig.& med. 7ª.195.C
Potus ęſtatis.de ren.affect.dig.& med. 7ª.195.C
Potus multus dandus eſt his,qui habent aluum ſiccam,è contra his q̄ humidam.c.4°.aph.83°. Ex.37.B
Potus an debeat dari ſitientibus,& qñ & qūo.c.5°.ap.27°. Ex.40.a
Potum accipiat corpus exiccatum. ad Thraſ. 2ª.104.F
Potus modus in ſiccis qualis.7°.me.me. 7ª.45.G
Potus quomodo alteret corpus. fin med. Iſa.68.C
à Potu quomodo abſtinendum temperato.2°.de ſa.tu. 2ª.73.F
à Potu per quindecim dies abſtinuerunt quidam Galeni vſu. in 6ᵐ.de mor.vul.c.4°. 3ª.180.G
Potu multo ſe explentes quid incurrāt.8°.de comp.me.ſe.l.5ª.191.d
Potu qui ſe repleuerunt illis caſeus eſt deterrimus.de vict.ra.in mor. acutis,c.4°. 7ª.145.D
Potus validus qui.in 6ᵐ.de mor.vul.c.5°. 3ª.192.G
Potus ſm naturam vtentium dare debet.de bon.& vi.ſuc. 2ª.38.H
Potus diuerſi in diuerſis hominibus.7°.me.me. 7ª.46.C
Potus conſuetus minus moleſtat inconſueto. c.2°.aph.50°. Ex.19.B
Potus conſueti etiā praui facile feruntur.de vict.rat.in morb.acutis, commentario 2°. 7ª.121.A
Potus inconſueti etiam boni difficūlter feruntur.de victus rat.in mor. acu.c.2°. 7ª.121.A
Potus naturam aduentitiā efficit in ſtomacho.c.2°.aph.50°.Ex.19.B
Potus aquę pulſus qui.de pul.ad Tyro. 4ª.44.E
Potum frigidum qui cauere debent.1°.de arte cu.ad Glau. 7ª.99.A
Potum frigidum qui ſumere debent.1°.de arte cu. ad Glau. 7ª.99.A
Potus lactucarum ſomnum conciliat. 2°.de loc.aff. 4ª.14.A
Potus calidarum aquarum ſomnum conciliat. 2°.de loc.aff.4ª.14.A
Potus habentium calidum ventrem inferiorem cū acribus deiectionibus.de vic.rat.in mor.acu.c.4°. 7ª.149.C
Potus minor copia datur aluum ſupra modum humidum habentibus ī quibus vero ſiccior eſt contra.c. 4°.aph.83°. Ex.37.B
Potus vini pulſus qui.de pulſ.ad Tyro. 4ª.44.E
Potus vini intempeſtiuus quos pulſus faciat.1°.de dign.pul.4ª.73.C
in Potu ſtomachicis vinum prodeſt quod vnuſquiſq; libenter bibit. 8°.de comp.me.ſe.lo. 5ª.192.D
Potus lactis equini.de aer. aqu. & loc. 2ª.5.D
in Potibus piper album puluerizatū aſſumat ſenex qui cibis obſtruētibus ſit vſus.5°.de ſan.tu. 2ª.91.D
Potus qui non conueniant a balneo. de ren.aff.dig.& med.7ª.196.C
Potus crudos reddit vigilia fortis.de vi.ra.in mor.ac.c.2°.7ª.125.B
a Potu & a cibo morbi quales. in 1ᵐ.de morb.vul.c.1°. 3ª.101.D
ex Potibus,aere,& cibis quid habeat iecur. 10°.me.me. 7ª.64.F
Potus dulces obſunt iecori,& lieni inflāmatis.2°.de ali.ſa. 2ª.17.F
Potus poteſt facere profluuium alui.c.6°.aph. 16°. Ex.47.G
Potus quam leuitatem inteſtinorum ſanet.c.6°.aph.1°. Ex.46.A
Potus recenter aſſumptus corrigitur ab euacuatione.ars med.Iſ.70.d
Potus habent vim emplaſticam.5°.me.me. 7ª.31.E
Potus ſolus qñ datur in acutis.de vic.ra.in mor.acu.c.3°. 7ª.133.D
Potus tenuiſſimi victus apud Hippocratē qui.de frac.c.2°. 7ª.235.H
Potus ſalubris ad ſanitatem perpetuam. de dyna. Sp.20.B
Potui quæ narcotica ſunt non ſunt danda.5°.de ſimp.me.ſa. 5ª.37.C
Potibus venenoſis reſiſtit agaricum. de ſimp.me. Sp.80.E
pro Potu ſyrupus de melle.ſecretorum. Sp.102.E
ex Potu aliquid tendit cum ſanguine,quod & per vrinas,& per ſudorem,& per inſenſibilem trāſpirationē meat.de atra bile. 1ª.34.D
Potus qualis ad vrinam ciendam. 5°.de ſan.tu. 2ª.91.C
Potui quandoq; ſimilis eſt vrina.in 6ᵐ.de mor.vul.cō.5°. 3ª.192.A

PRAECEDENTES cauſæ quæ.introduct. Iſa.52.B/4°.de ſanitate tuenda. 2ª.82.E

PRÆCEPTOR qualis eſſe debet. de cuiuſq; animi pec. not. 2ª.57.C
ex Præceptoribus addiſcere melius,quā ex libris.3°.de lo.aff.4ª.15.a
ſub Præceptoribus malis tempus perditur.8°.me.me. 7ª.52.B
in Præceptores peßimos incidentium infelicitas dolenda. de bonitate & vitio ſuccorum. 2ª.34.B
a Præceptoribus quę dantur diſcipulis ſunt examinandę. de cuiuſque animi pecc.not. atque med. 2ª.57.C
Præceptorē in re medica habere oportet expertū.2°.de criſ.4ª.133.G
Præceptor Gal.Pelops.de muſ.diſſe. 1ª.46.E
Præceptores Galeni Quintus & Satyrus.in 3ᵐ. de mor.vulgaribus, commen.1°. 3ª.134.D
Præceptorem interrogauit Gal.adoleſcens.de mult. 3ª.80.B
Præceptores multos contēpſit Gal.adoleſcens. de cuiuſq;. 2ª.57.C
Præceptorem in quibus arguit Gal. de mul. 3ª.80.B

PRÆCEPTA in quibus conſiſtunt. de opt. ſect. Iſa.20.B
Præcepta ad prīcipia referunt vt ſubditi ad principē.d opt.ſe.Iſ.19.G
Præcepta vīa ſi ſint vera,multa paucis docēt.2°.de ali.fac. 2ª.24.C
Præcepta vīa ſi ſint falſa multū ſunt pnitioſa. 2°.de ali.fac.2ª.24.C
Præcepta medica omnia debent eſſe vera,vtilia,cōſentanea prīcipiis. de opt.ſect. Iſa.19.F/G
Præceptum vtile quo modo cognoſcatur. de opt.ſect. Iſa.20.A
Præceptorū oīum ſalutariū ſemita eſt Hipp.7°.me.me. 7ª.43.C
Præcepta illa vera eſſe aſſerunt empirici,quę conſtituūtur ab experiētia.Gal.vero adeo numeroſa præcepta inuenta eſſe rōne videntur, quorum tamen de veritate iudicium facimus, pro vt ſtabiliuntur ab experimentis,& fidē accipiunt.in 1ᵐ.de mor.vulc.1°. 3ª.101.G
Præcepta eadem in iiſdem rebus intelligenda eſſe colligitur. in progn. commentario 2°. 4ª.198.E

PRAECINCTVS quidam, & acribus vſus priapiſmo laborauit. 6°.de locis affectis. 4ª.42.F

PRÆCISIO *ſpecies diuiſionis chirurgiæ. introd.* *Iſ.59.E*
Præciſio in quibus fiat locis. introd. *Iſa.59.E*
ad PRAECLVSIONEM *veſicæ probatiſſima antidotus. de dynamidijs.* *Sp.29.A*
PRAECONES *indigent vehementi iſpiratione. 2°. de mo.mu.* *1ª.316.C*
Præcones præparant materiam voci. 8°. de ana.adm. *1ª.101.F*
Præcones cur multis vtant balneis, & cibos lenes, & laxantes edãt. 7°. de comp.me.ſec.loc. *5ª.177.E*
PRAECOGNITIO *an ſit. de conſt.ar.* *Iſa.41.G*
Præcognitio futurorum in quibus. de conſt.ar. *Iſa.41.H*
Præcognitio duplex ex ſignis iudicatorijs. c. 1°. aph. 12°. *Ex.6.D*
ad Præcognitionem capita magna. cõ. 4°. aph. 71°. *Ex.35.C*
Præcognitiones fiunt diligẽtiores ſi medicus ſeparet quod ab extrinſeca cauſa fit, & non ratione morbi. com. 3°. aph. 5°. *Ex.20.C*
ad Præcognitionem eorum quę circa ægrum futura ſunt, quid exigat. com. 6°. aph. 5°. *Ex.46.G*
Præcognitio, & curatio exterioribus rumpitur. c. 1°. aph. 1°. *Ex.3.b*
Præcognitiones cur non ſunt certæ. com. 2°. aph. 19°. *Ex.14.C*
Præcognitio certa nõ fit a caſibus extrinſecis. c. 4°. ap. 41°. *Ex.32.D*
Præcognitiones in acutis non omnino ſunt certæ, ſed bene ĩ lõgis morbis. c. 2°. aph. 19°. *Ex.14.C*
PRAECOGNOSCENS *bonus medicus raro aberrat. commentario. 2°. aphoriſ. 19°.* *Ex.14.C*
PRÆCORDIA, *& ſeptum tranſuerſum idem appellauerunt antiqui in progn.com. 1°. 4ª. 194.H/de na. & ord. cu.* *Sp.42.A*
Præcordia quæ. 3°. de dec.Hip. 241.G/6°. 266.H/7°. 267.A/8°. 1ª. 278.C/1°. de diff.feb. *3ª.34.G*
Præcordia ꝑprie, & ĩproprie quæ. in 3ᵐ. de mor. vul. c. 2°. *3ª.128.E*
Præcordia vbi ſita. 6°. de dec. Hipp. 263.F/8°. *1ª.278.G*
inter Præcordia & vmbilicũ pars qualis cẽſenda. 6°. de de. *1ª.261.d*
Præcordiorum muſculi mouentur ad motum reſpiratoriorum organorũ. 1°. de diff.reſp. *3ª.59.H*
Præcordiorum Abſceſſus. 6°. de compoſitio. medic. per gen. *5ª.262.F*
in Præcordijs exiſtentem multam aquam nequeunt curare malagmata. 8°. de comp.me.ſec.lo. *5ª.197.B*
Præcordia celerius pertanſiens aqua optima eſt. 1°. de ſa.tu. *2ª.67.A*
Præcordiorum Conſenſus vnde. in 3ᵐ. de mor. vul. c. 2°. *3ª.135.D*
Præcordia trahũt ĩ cõſenſũ cerebrũ. de mel. ex G.R. et Po. *Sp.109.B*
Præcordiorũ ſubmollis Cõtentio quo modo intelligatur. in 1ᵐ. de mor. vulg. com. 3°. *3ª.121.G*
Præcordiorũ cõtentio ſubmollis qd. in 3ᵐ. de mor. vul. c. 1°. *3ª.130.D*
ad Præcordiorũ diſtentiones. 7°. de comp.me.ſe.loc. 185.H/8°. 193.A/9°. 199.A/E/10°. *5ª.207.F*
ad Præcordia, vel iugulũ mittit dolorẽ pleuritis. 5°. de l.aff. *4ª.31.D*
ad Præcordia pleuritis. 2°. de diff.pulſ. *4ª.57.B*
ad Præcordia cur qñq; attingit dolor pleuriticorũ. 2°. de lo.af. *4ª.11.C*
Præcordia cum dolore extenſa quid ſignificent. 3°. de criſi. *4ª.144.F*
ſupra Præcordia dolores indicant purgationes per ſuperiora fieri debere, infra per inferiora. c. 4°. aph. 18°. *Ex.29.B*
ad Præcordiorum dolores. 7°. de com.me.ſe.lo. 182.G/7°. de cõp.me. per gen. *5ª.266.G*
ad Præcordia ĩdurata viſceris ĩflãmatiõe. 6°. de cõ.m. ꝑge. *5ª.263.B*
Præcordiorũ duritiem tollens. 6°. de comp.me. per ge. *5ª.263.B*
Præcordia quo modo eleuantur in cruditatibus cibos poſtridie eructantibus. de ſal die. *2ª.43.A*
ex Præcordijs febres malę. in 3ᵐ. de mor. vul. com. 2°. *3ª.135.A*
in Præcordijs vbi eſt Grauitas, cappares ex oxymelite conueniunt. 14°. met. med. *7ª.91.H*
in Præcordiorum dextera parte reſpirãdi grauitas quid ſignificet. 2°. de locis affectis. *4ª.12.H*
Præcordia Inflãmata quid faciant. in 1ᵐ. de mor. vul. c. 3°. *3ª.121.G*
Præcordiorum muſculorum phlegmõ ab ignaris exiſtimatur iecoris, & ita relaxantia adhibent. 11°. met. me. *7ª.72.F*
Præcordiorum muſculi inflammati non poſſunt in ferre mortem. in progn. com. 1°. *4ª.196.B*
circa Præcordia pellicula aliqua, aut muſculus, quibus inflammatus eſt, his paruus, & denſus fit ſpiritus. 2°. de diff.feb. *3ª.65.H*
Præcordia quomodo ſe habent in inflãmatione ſepti tranſuerſi. in 1ᵐ. de mor. vul. com. 3°. *3ª.121.G*
in Præcordijs inflãmatio qũo curetur. 2°. de com.me.ſe.lo. *5ª.137.G*
ad Præcordiorũ phlegmonas æſypi ceratum. 14°. met. me. *7ª.88.G*
ſub Præcordiis inflãmationes quomodo finiant. 3°. de criſi. *4ª.139.E*
ad Præcordia inflammata. 8°. de comp. me. ſe. lo. *5ª.193.B*
Præcordiorũ ĩflatione vexatis epithymũ dabis. de ſim. me. *Sp.84.A*
Præcordia Intenduntur cerebro affecto. 5°. de loc. aff. *4ª.31.H*
in Præcordijs ædema quo modo curetur. 13°. met. me. *7ª.88.D*
in Præcordijs Palpitationes ſunt motus nõ naturales. de ijs, quę ĩ me. ſi. com. 3°. *7ª.222.E*
Præcordiorũ palpitatio ſignũ delirij. in 1ᵐ. de mor. vul. c. 3°. *3ª.121.g*
Præcordia Retracta indicationis ſignũ. 1°. de art. cu. ad Gl. *7ª.100.D*
Præcordiorum Sudores a partu. de med. fac. par. *7ª.169.B*
ad Præcordiorum Tenſiones. 7°. de comp. me. per ge. *5ª.265.B*
Præcordiorum dextrę partis Tumor ſignificat iecinoris affectum, ſiniſtrę vero lienis. 5°. de lo. aff. *4ª.6.B*
ex Præcordiis morituri quibus cognoſcantur. de dyn. *Sp.26.C*
ĩ Præcordijs cucurbita ſiſti ſãguinẽ nariũ. 5°. m.m. 30.E/15°. *7ª.85.B*
Præcordiorũ muſculis nõ sũt admouẽda adſtrigẽtia. 11°. m.m. *7ª.73.B*
Præcordijs ſemper calida applicanda. intro. *Iſa.53.F*
Præcordia calefacere quibus tutũ, & qbus nõ. 11°. met. me. *7ª.72.A*
circa Præcordia calefactio iuuat in tertianis. 1°. de arte curatiua ad Glauco. *7ª.97.E*
Præcordiis impoſitum refrigerans facit difficultatem reſpirandi. 10°. meth. me. *7ª.65.C*
Præcordia ſiccat panis ex melle. 10°. me. me. *7ª.64.B*
ad Præcordia epithema in febre ſynocha. de dyn. *Sp.33.c*
Præcordiorum vnctio in febre ſynocha. de dyna. *Sp.33.C*
Præcordia vnguento nardino confricauit Gale. de præcognitione ad Poſthumium. *4ª.217.F*
Præcordiorum cura in melancholicis. de mel. ex G.R. & Po. S. *110.B*
ꝑ Præcordiis fomenta in melancholicis. de mel. ex G.R. & P.S. *110.B*
ad Præcordia. 8°. de comp.me.ſe.lo. *5ª.196.D*
ad Præcordiorum paſſiones remedia. de dyna. *Sp.26.C*
PRAECOCIA *armemacis præſtantiora. 2°. de ali.fa.* *2ª.19.E*
Præcocia humida, & aquoſa. 1°. de ali.fa. *2ª.8.C*
Præcocia non poſſunt ſiccari. de bon. & vi.ſuc. *2ª.36.H*
Præcocia refrigerata exhibentur. de bo. & vitio ſuc. *2ª.39.B*
Præcocia non faciunt ad ſanitatem. de atten. vic. *2ª.45.H*
Præcocia conueniunt epilepticis. de puero epilep. *7ª.180.C*
PRAECVSTODIA *dicta curatio eſt quodam mõ. 1°. de diſ.ſe.* *3ª.32.F*
PRAEDICAMENTA *diuidere eſt logicę initiũ. 2°. met. me.* *7ª.15.E*
in Prędicamẽtis hõ ſit exercitatus ꝑ pulſibus. 2°. de dif. pul. *4ª.57.H*
ĩ Prędicamentis q̃ ſint, & quo mõ differant. 2°. de diff. pul. *4ª.58.G*
Prædicamentum qualitatis quibus cõmune. 2°. de diff. pulſ. *4ª.58.A*
Prædicamento ad aliquid q̃ attribuant ĩ pul. 2°. de dif. p. *4ª.58.A*
PRAEDICIMVS *illa q̃ ſunt in anima. in 1ᵐ. pror. c. 1°.* *4ª.160.G*
Prædicere glorioſum & ſplendidũ eſt. de art. com. 3°. *7ª.281.D*
Prædicere debet medicus, & tũc eſt ĩmunis à culpa. 17°. m.m. *7ª.75.h*
Prædicere quo modo debeat Medicus. de conſt.ar. *Iſa.41.H*
Prædicenda non ſunt quæ iterum dici debent. com. 1°. ap. 12°. *Ex.6.F*
q̃ Prædicendi anſam medico ꝑſtent. de na. & ord. cuiusl. *Sp.42.E*
Prædicere quomodo faciunt oblata. in 1ᵐ. de mor. vul. c. 3°. *3ª.117.C*
Prædicebat Gal. diuidandi arte, non medicinæ ſcientia. 2°. de differentijs febrium. *3ª.38.B*
in Prædicendo ſemper debemus eſſe compotes voti. in 1ᵐ. pror. commen. 2°. *4ª.169.D*
PRAEDICTIO *quid. fin. me. Iſ.46.A/in 1ᵐ. pror. c. 1°.* *4ª.160.G*
Prædictio quid proprie ſit. in 1ᵐ. prorrh. com. 1°. *4ª.160.G*
Prædictiones cur vtiles. in 6ᵐ. de mor. vul. c. 4°. *3ª.180.G*
Prædictionis vſus qui ſit. in prog. c. 3°. *4ª.208.A*
de Prædicationibus liber non eſt Hippoc. de ꝑco. ad Poſth. *4ª.215.E*
Prædictionum liber, & ꝑdictiones coacæ ſcatent erroribus. in 3ᵐ. de mor. vul. com. 2°. *3ª.134.G*
in Prædictionum libro quid agat Hippo. 3°. de dif. feb. *3ª.73.F*
Prædictio oſtendit Medicum vacare culpa. de conſt. ar. *Iſ.41.A*
Prædictio debet eſſe aut ſemper vera, aut mentiri raro. in 6ᵐ. de mor. vul. com. 1°. *3ª.157.H*
Prædictiones verę ſuntt eclipſium, horologiorum, clepſidarum. de lib. *Iſa.13.F*
Prædictio abſceſſus ab vrinis quando. de vri. ſign. ex Hipp. *Sp.78.H*
PRAEDICTIVA *pars honoratiſſima. 1°. de dign. pul.* *4ª.70.C*
PRAEFACTIONIBVS *non vtitur Hippocrates. in prognoſt. commentario. 1°.* *4ª.189.C*
PRAEFERRENT *cur cœnã prandio antiqui. de diſ.cont.* *Sp.72.B*
PRAEFOCATIO *matricis quomodo fiat. de vti. reſp.* *Sp.63.B*

Præfocatio fit magis a semine retento q̃ à mẽstruis.6°.de l.af.4ª.39.g
Præfocationis symptomata qualia, & cur.6°.de loc.aff. 4ª.41.B
Præfocationis pulsus qualis.de puls.ad Tyro. 4ª.46.C
Præfocationis vteri curatio.de pass.mul. Sp.95.F
PRÆFOCATÆ *infrigidãtur vniuersim. 6°.de loc.aff.* 4ª.39.F
ĩ Præfocatis mulieribus cur corpus refrigeret.6°.d l.a.34.F/4ª.40.d
in Præfocatis cur spiratio impediatur.6°.de lo.aff. 4ª.41.A
Præfocatæ an spirent vt deprehendatur lanæ flocculi ponuntur ante os,& poculum ponunt super ventriculum.6°.de loc.aff.4ª.39.E
PRÆFOCANTVR *viduæ potissimũ.6°.de loc.aff.* 4ª.39.F
Præfocentur cur viduæ.6°.de lo.aff. 4ª.39.F
PRAEGNANTES *quæ mulieres possint fieri, & quæ non.commentar. 5°.aph.62°.* Ex.43.E
in Prægnantibus an restet semen.1°.de sem. 1ª.328.H
Prægnans mulier quo modo cognoscatur.com.5°.aph.61°. Ex.43.D
Prægnantis notç.6°.de loc. aff. 4ª.41.B
Prægnantem fœminam aliquantum significat vrina alba sine febrib. de dynamidys. Sp.35.D
Prægnantium pulsus qui.de puls.ad Tyr.44.C/3°.de caus.p.4ª.97.d
Prægnantium spiratio quæ.6°.de loc.aff. 4ª.40.E
Prægnans habet os vteri compressum.com.5°.aph.54°. Ex. 42.F
in Prægnantibus quo modo compressio vteri differt ab inflammatione.com.5°.aph.54°. Ex.42.F
Prçgnantes in principio conceptus sentiũt vterum in se ipsum cõcurrere.3°.de nat.fac. 1ª.302.H
Prægnans habet tumorem,qui extenditur vsq; ad ilia, tamen non hẽt ileon.com.6°.aph.44°. Ex.51.D
in Prçgnante tumor vteri quandoq; intestina gracilia potest comprimere atq; angustare.com.6°.aph.44°. Ex.51.D
Prægnantis matricis collum ne specilli quidem acumen ingreditur.15°. de vsu par. 1ª.213.A
in Prægnante nec styli mucro os vteri ingrederet.2°.de sym.c.3ª. 21.B
ĩ Prægnãtibus qũo se habent musculi epigastrij.2°.de mo.m.1ª.316.f
Prægnans in marem gerat,bene colorata est,è contra si fœminam cõmen.5°.aph.42°. Ex.41.D
in Prægnantibus nunquã est sanguis ille purus sed alijs humoribus mistus.de nat.hum.com.1°. 1ª.31.D
a Prægnantis venis alimentũ auget ipsum fœtũ.2°.de sem. 1ª.338.G
de Prægnante sanguis optimus cur tendit ad fœtum,& non ad lac.1° de san.tuen. 2ª.66.B
in Prçgnantibus lac quo modo.14°.de vsu par. 1ª.207.C
Prægnantes quales mammas habere debent.c.5°.aph.52°. Ex.42.B
Prægnantes quæ nondum fuerunt mulieres cur mammę illis cõtractę. 6°.de locis affectis. 4ª.42.H
in Prægnantibus cur mãmæ q̃q; implentur.14°.de vsu p. 1ª.207.C
in Prægnantibus cur mãmæ q̃q; gracilescãt.14°.de vsu p.1ª.207.C
Prægnante nutrice nihil deterius.1°.de san.tu. 2ª.66.B
Prçgnantes quæ appetant.4°.de simpl.med. fac. 5ª.26.H
Prægnantes cur extranea appetant.1°.de symp.caus. 3ª.18.C
Prægnantes edunt cibos præter naturam. 6°.de lo.aff. 4ª.41.B
in Prægnantibus quomodo fiat pica. fin.med. Is.49.H
Prægnantes quanto tempore habent cittam.1°.de sym.caus.3ª.18.C
Prçgnantes cur prauis humoribus implentur.in 3ᵐ.de morbis vulg. com.3°. 3ª.148.D
de Prçgnantis victu egit Plato.5°.de dec. Hipp. 1ª.257.D
Prægnantes ęgræ quomodo cibandæ.in 1ᵐ.de mor.vul.c.3°.3ª.126.F
Prçgnäs ob plures causas põt aborsum pati.c.7°.aph.27°. Ex.55.H
Prægnans solo tonitruo, & horribili spectaculo viso infantem eiecit. de theria. ad Pisonem. 5ª.94.D
Prægnantes tenues præter naturam abortiunt priusquam crassescãt. com.5°.aph.44°. Ex.41.F
Prægnans misso sanguine ex vena abortit, præsertim si fœtus sit maior.c.5°.aph.31°. Ex.40.D
Prægnans habet periculum aborsus si aluus plurimum profluat. cõ. 5°.aph. 34°. Ex.40.E
Prægnans si habeat mammas gracilcs,repente abortit. commen.5°. aphor.37°. Ex.40.H
Prægnans quæ geminos gerat si mamma dextra gracilis fiat abortit marem,si sinistra, fœminam.c.5°.aph.38°. Ex.41.A
Prægnantes quæ corruptura sunt fœtus ijs mãmæ extenuantur si vero rursus durę fiant, dolor aut mãmas,aut coxas,aut oculos, aut genua infestabit,& non corrumpent.c.5°.aph.53°. Ex.42.C

Prægnanti si tentio supuenerit,facit aborsum.c.7°.aph.27°.Ex.55.e
Prægnantes qua tempestate maxime patiuntur aborsum. comme.3°. aph.12°. Ex.21.F
Prægnans quæ secũdo,tertio,aut quarto mense abortit propter quid abortiat.6°.de loc.aff. 4ª.41.E
Prægnantes quæ abortiunt sine occasione manifesta, habent in aceta bulis vteri muccorem.c.5°.aph.45°. Ex.41.G
Prægnantes quæcunq; a febribus corripiuntur & fortiter calefiunt sine occasione manifesta, difficulter pariunt, & cum periculo aut abortum facientes periclitantur.c.5°.aph.55°. Ex.42.G
Prægnãtẽ capi ab aliquo acuto morbo letale est.c.5°.a.30°.Ex.40.c
si Prægnãtis in vtero sit erysipelas letale est. c.5°.ap.41°. Ex.41.E
Prægnantis quæ non est aborsa,cum multis symptomatibus vexareẽ casus.in 1ᵐ. de mor.vul.com.3°. 3ª.126.E
Prçgnantes cur quandoq; sanguinem excernãt.6°.de loc.aff.4ª.41.D
Prægnans si multum purgetur, impossibile est fœtum esse sanum. cõ. 5°.aph.60°. Ex.43.D
Prægnantes quare, & quando sint purgandæ. c.4°.aph.1°. Ex.27.A
Prægnantes purgare turgente materia a quarto mẽse vsq; ad septimũ minus vero has,recentiores autem, & seniores vereri oportet.c. 5°.aph.29°. Ex.40.C
Prægnantibus medici nõ possunt aliquod validum auxiliũ adhibere, aut exquisita victus ratione in ipsis vti.co.5°.aph. 55°. Ex.42.G
Prægnantis casus.in 1ᵐ.de mor. vul.com.3°. 3ª.122.F
Prægnans, lege Grauida.
ad PRAEGNATIONEM *optimum fomentum est rapa. de simplic. medicam.* Sp.89.F
PRAEIMMORARI *quid significet.4°.de dec.Hip.* 1ª.253.B
PRAEINCIPIENS, *siue procatarctica causa quæ. 1°.de differentiis febrium.* 3ª.33.D
PRAEIVDICANTVR *difficulter morbi longi. in prognostica. cõmentario 3°.* 4ª.207.E
Præiudicantur facile acuti morbi.in progn.com.3°. 4ª.207.E
Præiudicari possunt quartanæ,vt tertianæ.in prog.com.3°.4ª.207.f
PRAEMIGENES *primus peripateticus.5°.de san.tu.* 2ª.93.F
Præmigenes Mitylenæus nisi latuisset,febricitabat.5°.de sa.t.2ª.93.E
PRAEMISSAE *debent semper probari. 2°.de decr.* 1ª.238.F
PRAENOSCERE *sanguinem fluxurum quibus non est difficile. 1°.de arte cu.ad Glauc.* 7ª.100.E
Prænoscendæ sunt affectiones futuræ.in prog.com. 1°. 4ª.189.D
Prænoscendæ sunt causæ procatarcticæ,& accidentia euidentia.in pgnostica.com.1°. 4ª.189.D
Prænoscendus quo modo sit sudor criticus.ꝑsag.exper.conf.Sp.77.F
PRAENOTIONIS *diuisio ſm Hipp.bre.dcn. dogm.* 1ª.231.D
Prænotionis optimum principium.1°.de cris. 4ª.125.G
Prænotionis verba propria sunt expectare, sperare,timere.3°.de differentiis respirationibus. 3ª.73.E
Prænotiones non sunt ex numero eorum,quæ raro fiunt,sed quæ semp vel plurimũ.de vic.rat.in mor.acut.c.4°. 7ª.141.F
Prænotionis vsus potissimum in his quæ mouentur per tertiũ. ad eos qui de typ. scripsi. 3ª.92.B
Prænotio ad curationẽ necessaria est.de vic.rat.in mor.acu.commentario 1°. 7ª.108.D
Prænotio est propter curationem.de vic.rat.in morb.acut. commentario 1°. 7ª.108.D
Prænotionẽ,& dignotionẽ curatio consequitur.10°.met.me. 7ª.64.B
Prænotio vel dignotio non est finis artis, sed curatio. de victus rõne in mor.acu.c.1°. 7ª.108.E
ad Prænotionem nihil facit scire qui & quot musculi moueãt linguã. 17°.de vsu par. 1ª.221.E
Prænotionum liber est Hipp.3ª.de dif. resp. 3ª.69.E
Prænotionum liber quibus careat.3°.de diff.resp. 3ª.73.C
PRAEPARANDA *est materia, potissimum si elleborum dederis, & quomodo. quos purg.opor. quib.med.& quo temp.* 5ª.88.D
Præparandum primo corpus venæ sectione,medicamẽto,vel vtroq;. 4°.de comp.me.per gen. 5ª.236.C
Præparanda quomodo sit pars scarificanda.de cucur. scar. 6ª.3.F
Præparãdus qũo sit locus cui applicãdæ hirudines.de cuc.sca.6ª.4.c
PRÆPARATIONVM *differentia.3°.de ali.fac.* 2ª.26.C
Præparatio quæ facit subslãtiã tenuem.6°.de cõ. me.pge. 5ª.256.F
Prçparatio ante purgationem qualis fieri debet in crassis humorib. de dynamidys. Sp.20.D

Præparatio ſumpturi elleborum.quos purg.opor.quãb.med. 5ª.88.D
Præparatio fieri nõ põt materia vrgẽte.quos pur.op.qui.me. 5ª.88.H
Præparatio,& rectificatio ſpiritus antequã cor ingrediatur fit in pul mone.de ana.viuo. Sp.47.C
PRÆPARATORIÆ *exercitationis continui,& vehemẽtes motus sũt proprij.3°.de ſan.tuen.* 2ª.77.E
Præparatoria exercitatio corpus cogit.3°.de ſa.tu. 2ª.81.E
Præparatoria exercitatio ſola raritati medetur.3°.de ſan.tu. 2ª.81.E
PRÆPARATA *materia non exiſtente ſi quis purget quæ mala ſequuntur.quos purg.opor.* 5ª.88.D
Præparata male nõ coquuntur probe in corpore.4°.de ſa.tu. 2ª.88.B
Præparat medicamẽtũ ſub canicula.4°.de com.med.per ge. 5ª.241.D
PRÆPONENDI *ſunt in fundo ſtomachi cibi duræ, & tardæ digeſtionis. de diff.cont.* Sp.71.H
PRÆPVTIVM *quod.introd.* Iſa.53.D
Præputiũ mariũ in fœminis muliebrẽ cunnũ efficit.2°.de ſe. 1ª.339.D
Præputium cur circa pudenda.11°.de vſu par. 1ª.190.C
Præputium occluſum quibus aperiatur.5°.de ſimp.med.fa. 5ª.35.G
Præputiũ quot cauſis ſit breuius.14°.meth.med. 7ª.92.A
Præputium quando deeſt quid agendum.14°.meth.med. 7ª.91.H
in Præputio quæ ſunt inueterata ea probe cicatrice includit anethum. 6°.de ſimp.me.fac. 5ª.43.B
þ Præputij fulcimẽto charta vtebaꝫ Galenus.14°.me.me. 7ª.96.A
Præputijs pudendorũ accidentibus vlceribus conuenit cucurbita vſta ſicca.6°.de ſimp.med.fac. 5ª.40.H
Præputium nõ poteſt conſolidari.3°.meth.med. 7ª.16.F
Præputium quando incidendum.introd. Iſa.60.A
Præputium quandoque aufertur. de diff.mor. 3ª.4.G
PRÆSAGIRE *vnde poterimus.1°.de loc.aff.* 4ª.5.C
Præſagiſſæ de quibus Galenus ſe iactat.3°.de diff.pul. 4ª.60.G
de Præſagiendo ſcripſit Hippocrates.5°.de ſan.tu. 2ª.93.C
Præſagienda quo ſint præſentia,præterita,& futura.in 1ᵐ.de morbis vulg.commen.2°. 3ª.112.E
ad Præſagiẽdũ multũ facit loci forma.in 1ᵐ.đ mor.vul.c.3°. 3ª.117.E
ad Præſagiẽdum facit conſuetudo.in 1ᵐ.de mor.vul.com.3°. 3ª.117.F
in Præſagiendo,& curãdo ſemper Galenus ſe exercuit.in 6ᵐ.de mor. vulg.com.2°. 3ª.167.A
Præſagitionis ſumma in morituris, et conualituris quæ. in prog.commentario 2°. 4ª.198.D
ad Præſagiẽdũ valet diſtẽtio princeps pars pulſus.2°.đ dig.p. 4ª.75.a
PRÆSAGIA *putabãt diuinationem medici qdam.de cau.pro.* 3ª.95.E
Præſagia liber proprius Hippocratis.in 3ᵐ.de morb. vulg. commentario 1°. 3ª.131.C
de Præſagijs liber Hippocratis exactum opus.in 6ᵐ.de morb. vulga. commen.2°. 3ª.169.B
de Præſagijs ex pulſibus liber præcedit librum prognoſticorũ.in prognoſt.com.1°. 4ª.191.H
poſt Præſagiorum librum liber de diebus decretorijs ſequitur. in prognoſtica com.1°. 4ª.196.C
Præſagium de ægrotante.de med.fac.par. 7ª.174.H
Præſagia vera quas habeant conditiones.de conſt.ar. Iſa.41.H
Præſagia ex aeris temperamento.in 1ᵐ.de mor.vul.cõ.3°. 3ª.117.D
Præſagia ex victus ratione ſumũtur.in 1ᵐ.de mor.vul.cõ.3°. 3ª.117.F
Præſagia dant vitæ inſtituta.in 1ᵐ.de mor.vul.com.3°. 3ª.117.F
Præſagia faciunt ſomnia,vigiliæ,& inſomnia.in 1ᵐ.de morbis vulgari.commen.3°. 3ª.117.H
Præſagium in febricitantibus.de med.fac.par. 7ª.172.D
Præſagia ex pulſibus vnde.2°.de dignoſ.pul. 4ª.77.F
PRÆRVBRVM *à ſubrubro differt.in 1ᵐ.prorrh.com.1°.* 4ª.167.F
PRAESCIENDA *quæ de futuris.4°.de præſ.ex pulſ.* 4ª.121.F
ad Præſcienda futura qui peritiſſimus.4°.de præſ.ex pul. 4ª.121.H
PRÆSCIENTIA *eſt de præſentibus, & futuris.1°.de præſag. ex pulſibus.* 4ª.104.B
PRÆSCIRE *& prædicere quæ futura ſunt debet qui remedio magno vti vult.10°.meth.med.* 7ª.64.B/C
de PRÆSENTIBVS, *præteritis,& futuris,eſt præſcientia,& prognoſticatio.1°.de præſ.ex pul.* 4ª.104.B
de Præſentibus eſt dinotatio.in progn.com.1°. 4ª.190.H
Præſentia,præterita,& futura quo modo præſagienda.in 1ᵐ.de mor. vulg.com.2°. 3ª.112.E
tanquam Præſentia vates dicit præterita.in prog.com.1°. 4ª.189.H
Præſentia præſentium ſigna.fin.med. Iſa.46.B
Præſentia præteritorum ſigna.fin.med. Iſa.46.B
Præſentia futurorum ſigna.fin.med. Iſa.46.B
Præſentium cognitio eſt affectuũ inuẽtio.4°.de præſ.ex pul. 4ª.121.F
Præſentis rei eſt curatio.4°.meth.med. 7ª.24.B
Præſentium eſt hiſtoria.de opt.ſect. Iſa.23.A
PRÆSENTIRE *vnde dicatur. in prog.com.1°.* 4ª.189.F
Præſenſio quid.in 1ᵐ.pror.com.1°.160.G/in progn.com.1°. 4ª.189.C
Præſenſio quid apud medicos.in progn.com.1°. 4ª.190.B
Præſenſio eſt prouidentia,& vnde dicatur.in prog.com.1°. 4ª.189.F
Præſenſio duplex.in progn.com.1°. 4ª.190.A
Præſenſio maxime ex tribus.de conſt.ar. Iſa.42.B
in Præſenſione continetur ſenſio.in progn.com.1°. 4ª.190.A
PRÆSEPIOLA. *quid ſin.med.* Iſa.44.D
PRÆSERVATIO *quid proprie ſit,ex quibus conueniat. commenta. 2°. apho.22°.* Ex.15.C
Præſeruationi,& curationi non habemus nomen commune. commentario 2°.apho.22°. Ex.15.C
in Præſeruatione venæ ſectio fiat vere.præſag.exper.conſ. Sp.78.D
Præſeruatiua pars medicinæ ſalubris.de ſubſ.emp. Iſa.32.A
Præſeruatiua cauſa triplex.ars med. Iſa.71.D
Præſeruatiua euacuatio quæ vocetur.de aßuet. 2ª.62.A
Præſeruatrix quæ.introd. Iſ.51.C
Præſeruare quid ſit.4°.meth.med. 7ª.24.E
Præſeruauit Galenus plures,qui ſingulis annis ægrotabant,vere eos euacuans.com.6°.aph.47°. Ex.52.B
in PRÆSIDIORVM *materiæ viribus conſiſtit omnis affectionis prouidẽtia.5°.de ſan.tu.* 2ª.91.H
Præſidijs morbi ſunt præoccupandi.de cur.ra.per ſang.miſſ. 6ª.18.B
Præſidiorum materiam oportet inuenire primo ſcopo curationis inuẽto.de marc. 3ª.47.C
Præſidiorũ indicatio vnde ſumeretur ab antiquis.2°.met.me. 7ª.11.C
Præſidiorũ quantitas artificioſa coniectura eget.de victus ratione in morb.acu.com.2°. 7ª.122.A
ad Præſidia tempus conducit.de tot.morb.temp. 3ª.88.E
Præſidia non ſunt infamanda apud vulgus.11°.meth.med. 7ª.70.B
Præſidia non facienda morituris.11°.meth.med. 7ª.70.B
Præſidiũ vnũ mitigãs,curatiuũ,& prognoſticũ.6°.de lo.aff. 4ª.36.G
Præſidia contra capitis dolorem,& calorem.de dyna. Sp.23.C
PRÆSSIONIS *prauæ pulſus.4°.de cauſ.pul.* 4ª.103.H
PRÆSSE *partes difficulter euacuantur.ars med.* Iſa.70.H
PRÆSVCCVM *gaziricũ conuenit ictericis.de cura ict.* Sp.111.C
PRAESTIGIATORES *per erectum lignum repunt & tenuem funiculũ ingrediuntur.9°.de decre.Hippo.* 1ª.280.C
PRAESTIGIA *vocat loqui de nominibus.3°.de dif.pul.* 4ª.59.C
Præſtigia. de med.fac.par. 7ª.176.F
PRAETER *naturã cõtrarium ei qđ eſt ſm naturã.11°.me.m.* 7ª.71.B
Præter naturã quæ ſunt in duplici differentia ſunt.11°.me.m. 7ª.70.H
Præter naturam dupliciter dicitur.com.5°.aph.44°. Ex.41.F
Præter naturam quæ ſint.3°.de præſ.ex pulſ. 4ª.114.F
Præter naturam quæ ſunt in animali ſunt aut morbus, aut cauſa, aut ſymptoma.1°.meth.med. 7ª.8.G
Præter naturam quatuor ſunt,morbus,actio læſa,cauſa morbi,et ſymptoma.2°.meth.med. 7ª.12.E
a Præter naturã quæ ſunt indicationes ſumũtur.11°.met.me. 7ª.71.E
Præter rationem quomodo dicatur.in 1ᵐ.prorrh.com.2°. 4ª.172.F
PRAETEREA *quid ſignificet.de artic.com.3°.* 7ª.268.H
PRAETERFVSIO. *8°.de comp.med.ſec.lo.* 5ª.194.A
PRAETERITORVM *eſt hiſtoria.de opt.ſect.* Iſa.23.A
de Præteritis, præſentibus, & futuris eſt præſcientia,& prognoſticatio.4°.de præſ.ex pul. 4ª.104.B
Præterita dicit vates tanquam præſentia .in prog.com.1°. 4ª.189.H
Præterita,præſentia,& futura quomodo præſagienda. in 1ᵐ.de mor. vulg.commen.2°. 3ª.112.E
Præteritorum prognoſticatio cui vtilis.in progn.com.1°. 4ª.189.H
Præteritorũ cognitio eſt inuẽtio cauſarũ affectus.4°.de præſ. 4ª.121.F
Præterita præteritorum ſigna.fin.med. Iſa.46.B
Præterita præſentium ſigna.fin.med. Iſa.46.B
Præterita futurorum ſigna.fin.med. Iſa.46.C
PRAETERMITERE *nihil multi volunt,& pauca addiſcere.2°.de criſi.* 4ª.136.B
Prætermittere qd iuuatiuũ pp guſtũ ingñoſum eſt.đ cur.ict. Sp.111.A
PRAETEXTAE *quæ ſint.de ijs quæ in med.fi.com.2°.* 7ª.211.F

PRANDENT *panem,& cenam carnes luctatores.de victus ratio.in mor.acu.com.1°.* 7ª.111.H
de Prãdere cõsuetis q nõ prãdẽt.de vict.ra.in mor.acu.c.4°. 7ª.145.B
Prandere qui non consueti,et prandẽt,quæ incidãt discrimina. de vic. ratio.in mor.acu.com,2°. 7ª.119.C/*de diß.cont.* Sp.72.C
nõ Prãdentes picrocholi quæ incidãt.de vic.ra.in m.a.c.2°. 7ª.120.A
cur PRANDIO *præferretur cæna ab antiquis.de diß.cont.* Sp.72.B
Prandium simile quomodo esse debet.5°.de san.tu. 2ª.90.G
ante Prandium bis balneum adhibet.8°.meth.med. 7ª.50.D
post Prandium difficulter inspirant,& expirant rotundum stomachũ habentes.de ana.viuo. Sp.49.G
post Prandium pulsus varior.de vsu puls. 1ª.227.G
PRAMNIVM *vinum.6°.de com.med.sec.loc.* 5ª.171.D
PRASINAE, *id est porri colorem præseferentis choleræ meminit Galenus.com.7°.apho.6°.* Ex.54.D
Prasini,& Veneti studiosi sectatores,e quorum stercora,quò intelligãt quemadmodum alimenta concoxerint,odorantur,tanquã ex eo omnem eorum bonam habitudinẽ cogniturі.7°.meth.med. 7ª.45.A
PRASIONIS *pastillorum vsus valet ad vlcera contumacia. 9°.de simpli.medic.fac.* 5ª.65.F
PRASSIVVM. *8°.de simplicium medicamentorum facul.* 5ª.59.B
Prassij succus educit atram bilem.de cathar. Sp.94.G
Prassium purgat thoracem,& pulmonem.de cathar. Sp.95.B
PRASII *morsibus confert centaurea.de vir.cent.* Sp.93.G
PRATENSIA *loca caua habitantes quales.& animi mor.* 1ª.320.A
PRAVITAS *omnis est extra naturam.de sperm.* Sp.40.D
Prauitas tãta est in rebus,quãtũ recedũt à natura.c.7°.a.63°. Ex.60.a
PRAVE *imbuti duobus indigent laboribus.7°.meth.med.* 7ª.43.H
PRAVVM *& non prauum ad aliquid.1°.de com.me.per ge.* 5ª.216.H
Praui dupliciter praui fiunt præter voluntatẽ & animi mor. 1ª.321.A
Prauum non omne est pernitiosum.in 1ᵐ.prorrh.com.2°. 4ª.171.D
Praua aqua quo modo bona efficiatur.de bon.aquæ. Sp.76.A
Praua aqua quando est cocta bibenda est calida.de bo.aquæ. Sp.76.A
PRAXAGORAS *cous princeps sectæ rationalis.intro.* Isa.51.D
Praxagoras ab Æsculapio originem traxit.1°.meth.med. 7ª.4.F
Praxagoræ discipulus Herophilus.4°.de diff.pul. 4ª.66.D
Praxagoræ laus.de palp. 3ª.51.C
Praxagoras medicus grauissimus.8°.de decre.Hipp. 1ª.276.B
Praxagoras callebat totã artem corpori præsidẽ.ad Thra. 2ª.109.E
Praxagoras interpretatus est Hippocratem,& Platonem. 2°.de naturalibus facul. 1ª.300.H
Praxagoras antiquus scriptor anatomiæ.de nat.hu.com.1°.1ª.36.H
Praxagoras ignorauit vasorum seminalium coniunctionem in muliere.de dissol.vul. 1ª.109.C
Praxagoras auctor legitimæ gymnasticę.ad Thras. 2ª.108.A
Praxagoras librũ scripsit de vsu inediæ.de ve.sec.aduer.Era.6ª.8.C
Praxagoras librum fecit de assidentibus.com.6°.apho.1°. Ex.46.C
Praxagoras de medicamentis scripsit.6°.de sim.med.fac. 5ª.39.H
Praxagoras fecit librum de naturalibus.com.5°.apho.45°. Ex.41.G
Praxagoras librum fecit de supernenientibus.com.6°.aph.35°.50.C/commen.7°.aph.15°. Ex.55.A
sm Praxagoram respiratio est corroboratio.de vtil.resp. 1ª.223.C
Praxagoras vtitur calido,frigido,humido,sicco alijs veluti agẽtibus, alijs veluti patientibus.2°.de nat.fac. 1ª.299.G
Praxagoras putauit arterias trãsmutari in neruos.1°.de decretis Hippocratis. 1ª.232.C
Praxagoras negat humores esse in arterijs.4°.de dign.pul. 4ª.84.H
sm Praxagoram salsus succus fit ex his,quæ supra modum coquũtur. 3°.de alim.fac. 2ª.31.H
Praxagoras salsum humorem ex diuturniori coctione fieri arbitrabatur.3°.de alim.fac. 2ª.31.H
Praxagoras quem succũ vitreũ appellabat.4°.de san.tu. 2ª.84.B/2°.*de diff.feb.3ª.37.E/3°.de locis affect.18°.A/1°.de præsag.ex pul.107.F/in 1ᵐ.prorrh.com.1°.* 4ª.168.F
PRAXITELIS, *Phidiæ, & naturæ differentia in condendis rebus. 2°.de nat.facul.* 1ª.297.D
PRAYNTICÆ *facultates.i.lenientes.5°.de simp.med.fac.* 5ª.37.A
PRETIOSVM *valde est in antidotis cinnamũ.de si.me.* Sp.83.A
Pretiosum pharmachum.7°.de comp.med.per ge. 5ª.271.D
PRIAMVS *obstrictus.Dyonisiusq; corinthi prouerbiũ.in or.su.* Is.2.F
PRIAPISCI *pars organorum.de machin.* 7ª.309.E
Priapiscus quid,& ad quid in organis.de machin. 7ª.310.E
Priapisci in organis immobiles sunt.de machin. 7ª.310.F
PRIAPISMVS *vnde dicat.6°.de loc.aff.4ª.41.F/2°.me.med.* 7ª.9.E
Priapismus quid sit.6°.de loc.aff. 4ª.41.F
Priapismus est de genere inflationum.14°.meth.med. 7ª.88.H
Priapismus quid sit & quo modo fiat.9°.de com.med.sec.lo.5ª.205.E
Priapismus quo modo fiat, & cur.6°.de loc.aff. 4ª.42.E
Priapismus cuius loci est affectus.6°.de loc.aff. 4ª.41.H
Priapismus est naturalis pudendorum distentio non desistens, de tumoribus præter naturam. 3ª.84.E
Priapismus quibus contingat maxime.14°.meth.med. 7ª.89.B
in Priapismo fiunt augumenta.de diff.mor. 3ª.5.B
Priapismus vnde sit.3°.de sym.cau. 3ª.29.H
Priapismo aliqui vexati ob abstinentiam à coitu.6°.de lo.aff.4ª.42.F
in Priapismo quæ danda.14°.meth.med. 7ª.89.B
in Priapismo vomitorijs vtaris.14°.meth.med. 7ª.89.C
pro Priapismo medicamentum ex chamæmelo.14°.meth.me. 7ª.89.B
PRIAPVS *ex quibus componatur.de ana.viuo.* Sp.52.E
Priapus habet omnes bonas conditiones.14°.de vsu par. 1ª.204.E
in Priapo sunt duo meatus.de ana.viuo. Sp.52.E
Priapo comparatur collum matricis.de ana.viuo. Sp.51.D
in Priapo idem contingit quod in collo matricis.de ana.viuo. Sp.52.E
Priapi diuersitas.de ana.viuo. Sp.51.F
in Priapo arteriæ magnæ.6°.de loc.aff. 4ª.41.H
Priapi, & linguæ arteriæ sunt maiores quã in reliquis mẽbris. de mo tibus manifestis, & obsc. Sp.67.H
in Priapo duo paria musculorum.de ana.viuo. Sp.52.E
Priapus per quas partes augeatur.de mot.man.& obsc. Sp.68.B
Priapus cur maxime crescat.de mot.man.& obsc. Sp.69.E
Priapus longitudo quanta esse debet.de ana.viuo. Sp.52.E
Priapi motus difficilis est.de mot.man.& obs. Sp.67.D
Priapi erectio est voluntaria.de mot.man.& obs. Sp.67.H
Priapus quo modo erigatur.de mot.man.& obsc. Sp.67.F
Priapi extensionis causa.6°.de loc.aff. 4ª.42.A
Priapus cur erigitur.14°.meth.me.7ª.89.A/d mo.ma.et obs.Sp.67.H
Priapum qui musculis faciant erigere.de ana.viuo. Sp.52.E
Priapus quo modo erigatur in amantibus.de compagine membrorum siue de nat.huma. Sp.59.C
in Priapo extenditur neruus fistulosus.6°.de loc.aff. 4ª.42.D
Priapi musculorum qui nerui.de ana.viuo. Sp.54.D
Priapus fistulosus præter glandem.6°.de loc.aff. 4ª.41.H
Priapũ exrẽdere cur faciat decubitus supinus.6°.de loc.aff.4ª.42.A
Priapus à spiritu in tumorem attollitur.6°.de loc.aff. 4ª.41.H
in Priapo ẽt magnificato glans semp est æqualis.6°.de lo.af. 4ª.41.H
Priapi per nimium coitum exiccati curatio.14°.de vsu par.1ª.208.D
PRIMARIOS *affectus ipse vocat proprios.1°.de loc.aff.* 4ª.6.D
PRIMATIBVS, *& exercituum ducibus conuenit theriaca.de theriaca ad Pisonem.* 5ª.91.D
ex PRIMIONIS *collectaneis medicamentum ad desperata.4°.de composi.med.per gen.* 5ª.239.D
PRIMITIVAE *causæ quæ.1°.meth.med.* 7ª.7.H
Primitiuo audacter vti poterit qui derivatiũ inuenerit.in 3ᵐ. de mor. vul.com.2°. 3ª.138.F
PRIMOGENITA *quæ vocat Plato, Aristoteles vocat similaria.quod animi mor.* 1ª.317.F
PRIMVM, *simplex,& elementum idem sunt.3°.meth.med.* 7ª.22.F
Primum,per se,& nullo medio, idem.3°.de temp. 1ª.25.C
Prima causa vocis est epiglottis.de ana.viuo. Sp.49.E
Primus dies quo modo decernat in morbis.1°.de die.decr. 4ª.148.H
Primo die partim,& partim secundo diariæ febres soluũtur.1°.de diebus decretorijs. 4ª.149.A
Prima figura est figura cordis.de ana.viuo. Sp.47.B
Primum & vniuersale instrumentum omnium sensuum est cor.de vtilitate respirationis. Sp.62.F
Primum instrumentum formationis vocis est canna pulmonis.de anatomia viuorum. Sp.53.D
Prima iudicia mittendi sanguinis.præsag.exper.conf. Sp.77.H
Primum membrum quod in vtero generatur.de hist.phil. Sp.11.B
Prima membra post cor.de ana.viuo. Sp.47.B
Primus motus est cordis.de ana.viuo. Sp.47.B
Primum quod mouetur motu voluntario est cerebrum. de motibus manifestis,& obscuris. Sp.66.G
Primæ,& maximæ partes medicinæ.de par.art.med. Sp.17.E

Primæ,proprię,& maximæ medicatiuæ partes.d par.ar.me.Sp.17.H
Primus,& melior thesaurus naturæ.de ana.viuo. Sp.45.A
PRINCIPES cur creati.ad Thraſ. 2ª.104.C
Principes habeant ſemper ſuſpectos omnes qui ſecum loquuntur ne ſint adulatores.de cogn.cur.animi mor. 2ª.51.D
Principes & diuites cauſæ malorum.de præcog.ad Poſth. 4ª.214.B
Principum mores diuites imitantur vel imitari videri volunt. 1°.de antidotis. 5ª.101.F
PRINCIPALE membrum eſt vnum ſecundum Ariſtotelem.ſ.cor.de ana to.viuo. Sp.56.B
Principalia membra ſunt duo ſecundum aliquos,cerebrũ, et cor.de anatomia viuorum. Sp.56.A
Principalia mẽbra non etiã principaliſſima tria.de ana.viuo.Sp.45.D
Principalia membra ſunt quatuor ſecundum aliquos, cerebrum, cor, hepar,& ſtomachus.de ana.viuo. Sp.56.A
minus Principalia membra ſunt renes, veſica,teſticuli.de anatomia. viuo. Sp.56.A
Principalia membra nouem ſphæris comparat Galenus. de anatomia viuo. Sp.45.C
Principale inſtrumentum reſpirationis eſt ſolum diaphragma. de vtilitate reſpirationis. Sp.64.A
Principali parte inflammata febris accidit.com.6°.aph.50°.Ex.52.F
Principalia membra ſecum trahit ad compaſſionem os ventris, & quæ ſymptomata faciat.de vic.ra.in mor.acu.com.2°. 7ª.123.H
à Principali parte ad minus principalem fieri diuerſionem bonum eſt, contra vero malum.com.6°.apho.25°. Ex.48.F
à Principalibus partibus ad cutem paſſiones transferri conſert.com. 6°.aphoriſ.37°. Ex.50.D
ex Principalibus partibus quæ vena velociſſime & plurimum euacuat.de vic.rat.in mor.acu.com.4°. 7ª.137.F
PRINCIPALISSIMA membra quatuor.de ana.viuo. Sp.45.D
Principaliſſimum ſpiritualium membrorum eſt cor.de compagine mẽ. ſiue de nat.hum. Sp.58.G
PRINCIPATVS appetitus eſt animi affectus.de cognoſcendis curandiſq; animi mor. 2ª.53.G
Principatus animæ in cerebro.commen.7°.apho. 14°.& commen.6°. apho.50°.52.F/ Ex.54.H
de PRINCIPIIS longus ſermo habendus.1°.de ſimp.med.fac. 5ª.6.B
Principium quid ſit.6°.de decre.Hipp. 1ª.264.F
Principium,& cauſa quo modo differunt.de hiſt.phil. Sp.4.A
Principij, & elementi differentia. 1°.de elem.6.G/de natu. huma.cõmentario 1°. 1ª.28.B
Principium, et elementum quomodo differunt.de hiſt.philo. Sp.4.B
Principium in animantium corporibus aer.in 3ᵐ.de morbis vulgaribus,commen.1°. 3ª.129.C
Principia generationis vnde ſint.de ana.viuo. Sp.47.D
Principia generationis quo ad materiam quæ ſint. de curandi ratione per ſanguinis miſſ. 6ª.16.D
Principia duo exiguntur vt animal fiat.1°.de ſem. 1ª.331.H
Principium hominis eſt ex ſanguine,& ſpermate.ſecre. Sp.96.G
a Principijs tribus diſpenſatio conſiſtens generatio eſt. de virtutibus noſtrum corpus diſpenſ. Sp.60.C
PRINCIPIA vniuerſi corporis quæ ſint.2°.de arte cur. 7ª.103.B
Principia tria,cerebrum,cor,& iecur,& quarum ſint operationum. in 1ᵐ.prorrh.com.2°. 4ª.169.F
Principia tria,& alia membra quo tempore in fœtu videantur.1°.de ſemine. 1ª.331.E
Principiorum triũ progerminationes in fœtibus ſunt qualis truncus in plantis.1°.de ſemine. 1ª.331.F
Principia regalia,quæ.de ana.viuo. Sp.45.G
ad Principium vnum reducendæ ſunt vitales virtutes operationes naturales.de ana.viuo. Sp.45.G
Principium regale eſt vnum ſolum cor.ſ.de ana.viuo. Sp.45.G
Principium vniuerſale ad omnia membra eſt cor.de ana.vi. Sp.56.H
Principia debẽt ſe obſequi,& inter ſe cõmunicare. 6°.de v.p. 1ª.155.G
Principio vno affecto afficiuntur alia.de vict.ratio.in morb. acu.commentario 2°. 7ª.123.H
Principium vtrumque afficit os vẽtriculi.1°.de ſym.cau. 3ª.18.B
Principium læſum oſtẽdit colli dolor,& manus tremulæ.in 1ᵐ.prorrhetici.com.3°. 4ª.178.H
Principium a leſæ actionis inſtrumento.1°.de loc.aff. 4ª.4.A
Principia quæ ablata,alia auferũt.in 1ᵐ.prorrh.com.2°. 4ª.169.F
Principiũ neruorũ nõ eſſe cor contra Ariſt.1°.de dec. Hipp. 1ª.232.C
Principium neruorum cor ponens Ariſtoteles quo modo errauerit.1°. de decre.Hippo.233.H/ 1ª.234.A
Principium neruorũ quod vocet Galenus.in 6ᵐ.de morbis vulgarib⁹, commentario 1°. 3ª.153.B
Principium neruorum eſt caput.com.5°.aph.69°. Ex.45.D
Principium neruorum eſſe cerebrũ collige.c.6°.aph.26°. Ex.48.F
Principium neruorum & ſpinalis medullæ cerebrum eſſe dicendũ eſt. de neruo.diſſect. 1ª.53.B
Principium caliditatis eſſe ijs,quæ ſecũdum partem particulis,& arterijs motionis pulſatilis eſt, dependet a corde.de virtutibus noſtrum corpus diſpenſantibus. Sp.60.D
Principiũ aliorũ calorũ eſt calor naturalis cordis.de ana.vi.Sp.45.G
Principium motus cordis eſt virtus motiua.de ana.viuo. Sp.56.D
Principium motus, & ſenſus ſecundum Ariſtotelem eſt a corde.de vtilitate reſpirationis. Sp.63.D
Principium ſenſus,& motus eſt cerebrum.de ana.viuo. Sp.45.H
Principium ſenſus, & motus non eſſe cor probat Galenus.de ana.viuorum. Sp.45.H
Principium ſenſus & motus eſſe cor probatur contra Galenum. de anatomia viuorum. Sp.45.H
Principium primum ſanguinis mediatum eſt cor, hepar immediatum. de anatomia viuo. Sp.50.G
Principium ſanguinis eſt cor ſecundum Ariſtotelem, & cur.de ana. viuorum. Sp.50.F
Principium venarum non eſſe hepar,ſuadetur.de ana.viuo. Sp.56.F
Principium venarum,& arteriarum eſſe cor tribus rationibus probatur ſecundum Ariſtotelem.de ana.viuo. Sp.56.E
Principium venarum non eſſe cor probatur.de ana.viuo. Sp.56.E
Principium nutricationis ſecundum Galenum eſt hepar.de anatomia viuorum. Sp.45.H
Principiũ digeſtionis quomodo ſit hepar,& cor.de ana.viu.Sp.56.H
Principium vocis cur ſit vuula.de vtil.reſp. Sp.63.F
PRINCIPIVM quid ſignificet.1°.de criſ.127.D/in 1ᵐ.prorrheti.com. 1°.161.D/in prognoſt com.1°. 4ª.192.D
Principium quod habet ſignificata.1°.de criſ. 4ª.128.D
Principium in morbis tripliciter dicitur.1°.de criſibus.4ª.133.A/cõmenta.1°.apho.12°. Ex.5.B
Principium an determinatum.1°.de criſ. 4ª.128.B
Principiũ ſecundũ latitudinem,& ſine artificio.1°.de criſ. 4ª.128.D
Principium ad quartum vſque diem extenditur.in 1ᵐ.prorrh.commentario 1°. 4ª.161.D
Principium morbi quid ſit.1°.de criſi.4ª.126.D/de vict.ra.in morb. acu.commen.2°. 7ª.123.D
Principium, & augumentum non videntur quandoque diſtingui poſſe.de totius morbi temporibus. 3ª.89.D
Principium dari in morbis probat.de morb.temp. 3ª.85.F
Principium quando apud Hippocratem. de mor.temp. 3ª.86.E
Principium morbi vnde ſumendũ.1°.de dieb.dec.147.E/2°.4ª.151.G
Principium decubitus qualis.1°.de dieb. decr. 4ª.147.E
Principium morbi quale intelligendum.1°.de dieb.decr. 4ª.147.F
Principium,augumentum,ſtatum, & declinationem quandoque morbi habent.de tot.morb.temp. 3ª.89.D
Principium febris non eſt vbi capite doluit,ſed vbi febricitans cogitur decumbere.1°.de dieb.decr. 4ª.147.F
Principium tertianæ quid.de mor.temp. 3ª.86.B
Principium febris quando.2°.de diff.feb. 3ª.42.D
in Principio febris quid conſiderandum.11°/meth.med. 7ª.74.D
Principium febris cum horrore obſtruit.10°.meth.med. 7ª.61.G
Principij,& remiſſionis frigus multum differunt. in 1ᵐ.de morb. vul. commenta.3°. 3ª.118.B
in Principijs morborum accidentia ſunt debiliora. commenta. 2°.aphoriſmo 29°. Ex.16.G
Principium acceſſionis qũo fiat.de vic.ra.in mor.acu.c.1°. 7ª.115.G
ſine Principij inditijs millies fit inſultus.de mor. temp. 3ª.87.B
Principium quo modo cognoſcatur.1°.de criſ. 4ª.132.A
Principium ægritudinis ſcire eſt præcipuum.de victus rat. in morb. acut.commen.4°. 7ª.141.D
Principiorum cognitio.1°.de criſ. 4ª.132.B
Principium vnde cognoſcitur.1°.de criſ. 4ª.132.C
Principij cognitionem oſtendit in longis morbis quodam exemplo.1°. de criſibus. 4ª.132.C

Principij ũ quo modo ex coctione præcognoſcatur. 1°.*de cr.* 4ª.133.*B*
Principiũ eſt morbi crudítas.de tot.morb.temp. 3ª.88.*E*/ 1°.*de criſib.* 4ª.128.*G*/*com.* 4°.*apho.* 22°. *Ex.*29.*G*
Principij finem quæ vrina ſignificat.de vrin. 4ª.132.*D*
Principium determinatur ſignis coctionis. 1°.*de criſi.* 4ª.128.*D*
Principium eſſe perfectam coctione cognoſcitur. 1°.*de criſi.* 4ª.133.*B*
Principiũ exquiſite nõ cognoſcũt añ ſigna coctionis. 1°.*de cr.* 4ª.128.*E*
in Principio nihil dẽt indicari de vic.ra.in mor.ac.com. 2°.7ª.123.*E*
*in Principio colliquefactionis vrina qualis.quæſ.in Hipp. Sp.*113.*C*
*Principiũ melãcholiæ qd ex crudítate.de mel.ex G.R.& P. Sp.*109.*C*
Principij acceſſionis pulſus q 3°.*de præſag.ex pul.* 118.*A*/*G*/*de præcogni.ad Poſth.* 4ª.219.*C*
in Principio ſi quid excernitur,nihil tũc excernitur naturæ rẽne, ſed ſunt caſuæ pter naturalẽ diſpõnem corporis.cõ. 4°.*a.* 22°. *Ex.*29.*G*
Principio quæ apparẽt numq̃ p criſim decernũt. 1°.*de criſi.* 4ª.128.*C*
in Principio non ſit criſis. 3°.*de criſ.* 4ª.143.*D*
in Principio ſudare exitioſum ſymptoma in ardẽtibus.in 1ᵐ. *d morb. vulg.com.* 2°. 3ª.115.*A*
in Principijs vomitus, & ſanguis naſiũ quandoque fiunt. quos purgare opor.quib.med.& q̃o temp. 5ª.88.*G*
in Principio deiectiones nigræ ſunt malæ com. 4°.*apho.* 21°. *Ex.*29.*E*
in Principio morbi ſi atra bilis vel ſupra vel infra exierit letale eſt. commen. 4°.*apho.* 22°. *Ex.*29.*F*
in Principio quo modo moriantur ægri. 3°.*de criſi.* 4ª.142.*G*
in Principio,ſtatu,& augumento mors ſit. 3°.*de criſi.* 4ª.142.*F*
in Principio aliud agendũ,aliud in augumento.de opt.ſect. Iſa. 22.*C*
in Principijs acceſſionum cur interiora calent,& exteriora frigent.cõment. 4°.*apho.* 48°.*& aph.* 22°.29.*G*/ *Ex.*33.*B*
in Principijs acceſſionum cerebrum refrigeratur. 2°.*de lo.af.* 4ª.14.*C*
in Principijs acceſsionum ſomni cur,& q̃o fiant. 2°.*de lo.aff.* 4ª.14.*C*
in Prĩcipijs morborũ vel acceſsionũ cur vigilãdũ.c. 2°.*ap.* 1°. *Fx.*11.*A*
*in Principio cuiuſq; morbi ſubtrahendũ eſt ſecundum methodicos. de optima ſecta. Iſa.*28.*G*
in Principio nihil porrigendũ.de vic.rat.in mor.acu.com. 4°.7ª.139.*F*
Principijs acceſsionum nihil dandum,nec ante principia ſtatim. commentario 1°.*apho.* 19°. *Ex.*9.*F*
in Principijs cibi obſunt. de vict.rat.in mor. acu.com. 1°. 7ª.115.*G*
in Principijs diuerſorum morborum victus ratio inuenienda eſt. 1°.*de criſibus.* 4ª.131.*F*
*in Principio acceſsionis quidam ſunt cibandi.*10°.*meth.med.* 7ª.62.*G*
*in Principio ſebrium qui debent cibari.*10°.*meth.med.* 7ª.63.*H*
in Principio horroris cibauit Galenus. 10°.*meth.med.* 7ª.63.*B*
in Principio cibandum potius,quàm ante indicationem.de vict.ratio. in mor.acu.com. 2°. 7ª.118.*F*
in Prĩcipio error minº grauis q̃ in vigore.d̃ vi.ra.ĩ mor.a.c. 2°.7ª.122.*C*
in Prĩcipio morbi q̃ humores euacuãdi,et q nõ.cõ. 1°.*a.* 22°. *Fx.*10.*B*
in Principio q̃n humores ſunt purgandi.com. 4°.*apho.* 1°. *Ex.*27.*B*
*a Principio nebuloſas vel craſſas vrinas habentes ſunt purgandi. de vrinis ſignificatione ex Hip. Sp.*79.*A*
a Principio ſoluendum in morbis acutis,ſi humores ſint cõcitati. quos purg.opor.quib.med.& quo temp. 5ª.88.*H*
Principio,id eſt,primo die in acutis eſt euacuandum, vel non poſt ſecũdum.com. 1°.*apho.* 24°. *Ex.*10.*G*
in Principio in acutis ſolum datur occaſio purgãdi.in 1ᵐ.*prorrhetici. commentario* 2°. 4ª.174.*D*
in Principio morbi nulla facta coctione euacuari debent tenues, & aquoſi humores.quos pur.opor.quib.med.& quo temp. 5ª.88.*F*
in Principio clyſtere utimur,& purgamus,ſi opus ſit,& ſecamus venam.de tot.morb.temp. 3ª.88.*E*
*a Principio ſi tenues fuerint vrinæ medicamentum ne præbeto. de vrinæ ſignificatione ex Hipp. Sp.*79.*A*
*nec̃ Principio,nec in augumẽto cur balneũ fiat.*10°.*meth.me.* 7ª.65.*E*
*in Principio,& augumento mittitur ſanguis.de opt.ſecta. Iſa.*27 *G*
PRINCIPIVM *inflammationis inquiri fingit. de totius morbi temporibus.* 3ª.88.*E*
Principium non videtur habere inflammatio.de mor.temp. 3ª.85.*D*
Principium in pleuritide quantum. 1°.*de criſi.* 4ª.132.*D*
Principium in pleuritide & peripneumonia ſputum tenue ſignificat.de totius morbi temp. 3ª.88.*G*
in Principijs quibus vti debemus. 1°.*de cõpoſitio.med.ſec.loc.* 130.*B*/ 5°.159.*C*/6°. 5ª.167.*A*
*in Principijs fluxionũ ſemper repercutiẽtibus vti nõ debem° in omni loco.*10°.*de compoſitione med.ſec.loc.* 5ª.207.*A*
in Principio repellentibus vtendum eſt.de cucur.& ſcar. 6ª.3.*B*
*in Principio phlegmõis cur repercutiẽtib.vtimur.*13°.*me.m.* 7ª.84.*D*
in Principio adſtringẽtibus,& repercuſſorijs vti oportet. 4°. *de cõp. med.ſec.loc.* 5ª.157.*D*
*in Prĩcipijs cur idonea adſtringẽtia,et reprimẽtia.*11°.*me.m.* 7ª.72.*D*
in Principijs repellẽdum,refrigerandum potius,quam calefaciendum, vel laxandum. 3°.*de ſimp.med.fa.* 5ª.18.*F*
*in Principio ſale vti non debemus ad columellam inflammatam.*6°.*de comp.med.ſec.loc.* 5ª.174.*D*
*in Prĩcipio q̃o Diamoro vterẽ Galenus.*6°.*de cõ.me.ſe.l.* 5ᵉ.167.*D*
*in Prĩcipio affectũ capitis vſus aceti,& roſacei.*11°.*me.me.* 7ª.73.*E*
in Principijs acetum nõ ſit valde acre. 5°.*de comp.me.ſe.l.* 5ª.159.*C*
poſt Principium capiti dolẽti apponit repercutientia. 2°. *de compoſi. med.ſec.loc.* 5ª.133.*C*
*Principijs relaxantia non ſunt adhibenda.*11°.*meth.med.* 7ª.72.*D*
in Prĩcipijs reuulſio & euacuatio fiat.de cur.ra.per ſan.miſ. 6ª.20.*F*
*in Prĩcipio phlegmones cucurbitula nõ dẽt apponi.*13°.*m.m.* 7ª.85.*A*
in Prĩcipio cucurbitulis vti non debemus vbi cerebrum,& eius mẽbranæ phlegmone laborãt,nec in vlla alia parte phlegmone laborãte.de cucur.& ſcar. 6ª.3.*B*
PRINCIPIVM *dimidium totius.*9°.*de decre.Hippoc.* 279.*C*/1°. *de ſemine.* 1ᵉ.330.*D*
Principium bonum quo modo dimidiũ totius. 5°.*de anat.adm.* 1ª.87.*F*
Principium totum eſt poteſtate. 1°.*de ſem.* 1ª.330.*D*
*Prĩcipijs male poſitis nõ põt qs rectè ratiocinari.*6°.*de vſu p.* 1ª.153.*C*
*Principium quomodo debet inuenire.*9°.*de decre.Hipp.* 1ª. 279.*C*
Principia inuẽtionis,& demõſtrationis quæ. 1°.*de ſim.me.fa.* 5ª. 8.*E*
Principijs ſuis multum attribuit Ariſtoteles. 1°.*de ſem.* 1ª.330.*D*
Principia Aſclepiadis quæ.in 3ᵐ.*de mor.vul.com.* 1°. 3ª.129.*B*
*Prĩcipiũ ſemp noſcẽdũ de quo ppoſita eſt quæſtio.*1°.*meth.me.* 7ª. 4.*E*
Principium optimum dicendorum eſt notitia rei,quæ inquiritur.in 1°. *Prorrhetici,com.* 1°. 4ª.163.*A*
circa Principia primo in dialectica exercitãdũ. 2°.*de diff.pul.* 4ª. 5ª.*B*
Prĩcipiorũ demõſtrationis varia nomina. 1°.*de ſimp.med.fa.* 5ª.4.*C*
Principia demõſtrationis,& omnium rerum quæ. 1°.*meth.me.* 7ª.5.*F*
Principia demonſtrationũ a ſenſibus. 2°.*de ſimp.med.fac.* 5ª.9.*G*
Principia demonſtrationum certiora ſunt his,quæ demõſtrantur. 2°.*de ſimplicium med.facultatibus.* 5ª.9.*H*
Principia demõſtrationum ex ſe noſcũtur. 2°.*de ſimp.med.fa.* 5ª.9.*H*
Principiũ unum pravorum dogmatum quod. 2°.*de temp.* 1ª.17.*A*
*Principia artis vulgo ignota.de opt.ſec. Iſa.*20.*B*
Priorum,poſteriorumq̃ analyticorũ libri ſunt vnus liber in duas partes diſtinctus collige. 4°.*de diff.pul.* 65.*A*/ 4ª.69.*H*
*Priora ſunt componentia compoſito.de ana.uiuo. Sp.*50.*F*
Priora nõ probantur ex poſterioribus. 2°.*de temp.* 1ª.17.*C*
Priora poſſunt trahere eminus alimẽtũ poſteriora cominus dũtaxat. 3°.*de nat.fac.* 1ª.308.*A*
Priores muſculi tibiæ tres ſecundum antiquos,tamen Galenus ſeptem eſſe ponit.de muſ.diß. 1ª.52.*C*
in Priora revellẽdæ ſunt fluxiones, quæ retro inclinãt. de cucurbitulis ſcarificatione. 6ª.4.*G*
in Priora ſi inclinãt,fluxiones,in poſteriorẽ regionẽ abducendæ ſunt. de cucur.ſcar. 6ª.4.*G*
Prioribus poſteriores addere debent. 2°.*de com.me.ſe.lo.* 5ª.133.*C*
per PRIVATIONEM *& per negationẽ eſt idẽ.*4°.*de ſim.m.fa.* 5ª.28.*E*
p Priuationẽ,& negationẽ aliq̃d dici multũ differt. 1°.*de lo.aff.* 4ª.5.*B*
Priuatio defectus,et amißio actionis in omnium ſymptomatũ genere. 3°.de ſymp.cau. 3ª.25.*A*
PRIVATVR *particula ſenſu,ac motu ſtatim, ſi neruus inciſus fuerit.de ner.diſſ.* 1ª.53.*B*
PROAVIS quandoq; ſimiles ſunt filij,non ſolum parentibus.de theriaca ad Piſonem. 5ª.94.*E*
Proavus ſectæ Archigenis Chryſippus. 2°.*de diff.pul.* 4ª.58.*F*
Προῤῥητα quæ.de art.com. 1°. 7ª.256.*F*
PROBABILIA *lẽmata apud Ariſtotelẽ q̃ ſint.* 2°.*de diff.pul.* 4ª.54.*D*
PROBABILITATIS *cauſa quibus deficit illa non ſunt tollenda.* 2°.*de ſemine.* 1ª.338.*A*
pro Probabilitate æquitas.de frac.com. 3°. 7ª.246.*D*
PROBATIO *propria melior,quam illa,quæ ab extremo.* 3°.*de temperamentis.* 1ª.25.*D*
PROBLEMATVM *differẽtia ſm Ariſtotelẽ.*8°.*de vſu p.* 1ª.165.*C*

Problema dialecticum

Problema dialecticum nihil facit ad rem.1°.de loc.aff. 4ª.7.B
Problemata hypothetica.de marc. 3ª.46.E
Problemata physica qualia.15°.de vsu par. 1ª.210.G
Problemata physica intricata.1°.de simp.med.fac. 5ª.6.E
PROBOSCIS *elephanti ad quid.17°.de vsu par.* 1ª.221.D
per Proboscidem respirat elephas.17°.de vsu par. 1ª.221.D
Proboscidis meatus quò tendat.17°.de vsu par. 1ª.221.D
Proboscide elephas accipit numisma.17°.de vsu par. 1ª.221.D
PROBI *Deo noti & amici.de præcog.ad Posth.* 4ª.214.B
Probus qui vult fieri quid agere debet.de cog.cur.animi mor. 2ª.50.F
Probi viri quid agere debent.de præcog.ad Posth. 4ª.214.B
Probus esse non potest insatiabilitatem in animo habens.de cognoscendis curandisq; animi morbis. 2ª.55.F
Proborum collegium suadet que probentur scripta recentiorum. contra Iulianum. Ex.66.C
PROCATARCTICA *causa externa,non tamen primaria ac per se.1°.de symp.cau.* 3ª.17.F
Procatarcticæ causæ,id est initiatrices.6°.de loc.aff. 4ª.38.G
Procatarctica siue præcipiens causa quæ.1°.de diff.feb. 3ª.33.D
Procatarcticæ causæ quæ.intro.Isa.52.B/4°.de san.tuen. 2ª.82.E
Procatarctica causa est extrinseca.2°.de comp.med.sec.lo. 5ª.131.H
Procatarcticæ causæ sunt prænoscendæ.in prognost.com.1°. 4ª.189.D
Procatarcticæ causæ multum faciunt ad cognitionem morbi.2°.de cõpositione medicament.sec.loc. 5ª.132.A
Procatarcticæ causæ doloris capitis quæ.2°. de compositione medic. secundum locos. 5ª.131.H
PROCACIS *hominis quid est.8°.de decre.Hipp.* 1ª.278.F
PROCEDERE *idem quod oriri.4°.de ana.adm.* 1ª.83.G
PROCELLA *quid in 1ᵐ.de mor.vulg.com.2°.* 3ª.108.A
Procellari aqua melior est tonitrualis.de bon.aquæ. Sp.75.G
PROCELLOSA *aqua quæ horæa,id est temporaria dicitur.in 6ᵐ. de mor.vulg.com.4°.* 3ª.184.E
PROCESSVS *musculorum trahentium scapulas ad caput.de musculorum dissect.* 1ª.45.A
Processus musculi,qui scapularum basem e directo capitis attollit. de musculorum dissect. 1ª.45.A
Processus musculi a prima vertebra . de musc.diss. 1ª.45.B
Processus musculorũ qui retro abducũt scapulã.de musc.diss. 1ª.45.C
Processus musculorũ q dãt capiti propriũ motũ.de musc.diss. 1ª.45.D
Processus musculorum qui ligant os hyoides maxillę inferiori.de musculorum dissect. 1ª.46.D
Processus musculorũ qui faciunt obliquum linguæ motum.de musculorum dissect. 1ª.46.F
Processus musculorum mouentium linguam.de musc.diss. 1ª.46.G
PROCIDENTIA *in oculo quid.fin.med.* Isa.48.E
Procidentia vlceratio oculorum.fin.med. Isa.48.E
Procidentia pertinet ad ragoidem.de diff.mor. 3ª.5.H
Procidentia affectus communis toti palpebræ.introd. Isa.58.D
Procidentia in oculo totum oculum exercet.introd. Isa.58.D
Procidere oculi cuidam cui caput fuerat vario vinculo deligatum.de fascijs. 7ª.293.D
PROCIDENTIA *vulvæ affectus.introd.* Isa.59.D
Procidentia sedis affectus . introd. Isa.59.D
ad Procidentias sedis,& vulvæ idoneus est lentiscus.8°.de sim.med. facult. 5ª.61.H
Procidentiarum sedis nõ instrenuum cataplasma est galla cocta.7°.de simp.med fac. 5ª.51.B
PROCLVS *methodicæ sectæ auctor.introd.* Isa.51.F
PROCREENT *quæ mulieres,& qui viri, & qui quandoque.com. 5°.aphorismo 62°.* Ex.43.F
PRODENDA *potius ciuitas,quam opinio iuxta sectam Archigenicã.2°.de diff.pul.* 4ª.58.F
PRODICVS *solus curiosus in nominibus.de art.com.4°.* 7ª.284.G
Prodicus in libro de natura hominis.2°.de diff.feb. 3ª.37.F
Prodici meminit.8°.de decr.Hipp.277.C/2°.de nat.fac. 1ª.301.C/D
Προδιηθεν *quid significet.in 1ᵐ.prorrh.com.2°.* 4ª.178.A
PRODROMI, *& Etesiæ differunt.in 3ᵐ.de morbis vulgaribus cõmentario 3°.* 3ª.141.D
PRODVCI *quid significet.in 6ᵐ.de mor.vul.com.5°.* 3ª.189.F
PROETI *filiæ a Melãpode helleboro purgatæ.de atrab.* 1ª.36.E
per quos PROFECERIMVS *fatendum.2°.de diff.resp.* 3ª.63.H
Proficere minime corpus est corporis affect°.cõ.2°.aph.31°. Ex.16.H
PROFITENTVR *omnia intrepide sectam sequentes.4°.de locis affectis.* 4ª.25.E
PROFLVENTIA *omnia adstringunt acerba multum. 6°. de simp. med.fac.* 5ª.48.E
PROFLVVIVM *quid sit secundum methodicos . de secta.* Isa.18.G
Profluuium & adstrictionem in eodem esse foramine qui temere dicant.de secta. Isa.18.H
Profluuium a varijs partibus potest oriri.de secta. Isa.18.F
ad Profluuium capillorum.1°.de comp.med.sec.loc. 5ª.123.E
Profluuium & vomitum facit cibus supra modum sumptus.2°. de differentijs febrium. 3ª.40.G
Profluuij hepatici,& dysenteriæ differentia.6°.de loc.aff. 4ª.36.E
Profluuijs frequenter surgere febrem auget.8°.meth.med. 7ª.53.B
Profluuium alui phlegmonem oculorum sanat.in 6ᵐ.de morb.vulgari.commen.6°. 3ª.197.E
Profluuio longo laborantes hectica capti.1°.de diff.feb. 3ª.35.F
Profluuium ab atra bile lætale.de atra bile. 1ª.35.F
Profluuium ab flaua bile difficile.de atra bile. 1ª.35.F
Profluuium alui & vomitum faciunt excrementa tenuia, quæ in ventre defluunt in animæ defectu.de art.com.2°. 7ª.264.H
Profluuiorũ validorũ vẽtris pulsus qualis.de pul.ad Tyro. 4ª.44.H
Profluuiorũ vẽtris diuersæ cãæ variãt curationẽ.de me.ex.Sp.103.H
ex Profluuio alui animi defectus quo modo curetur.1°. de arte curatiua ad Glauconem. 7ª.98.G
cum Profluuio ventris febris non eget euacuatione,aliter obest.1°. de arte cur.ad Glauc. 7ª.98.B
ad Profluuium ventris immoderatum adstringentium vsus cõuenit. de victus ratio.in mor.acu.com.1°. 7ª.111.G
Profluuium ventris sanat Adiantum.6°.de simp.med.fac. 5ª.41.E
Profluuio ventris prodest Amylum.de simp.med. Sp.80.A
Profluuium sanant folia Anchusæ onoclex pota cum vino. 6°.de sim. med.fac. 5ª.41.D
ad Profluuia ventris, vteriq; vsi sunt Balaustio omnes medici. 6°. de simp.med.facul. 5ª.44.F
Profluuia ventris iuuat Bromus.6°.de simp.med.fac. 5ª.45.D
Profluuio vẽtris humoris,& sanguinis Chalcitis vtilissima est.de sim. medicaminibus. Sp.81.G
Profluuijs Clematis daphnoides prodest.7°.de simp.me.fa. 5ª.51.G
Profluuio omni vtilissimum habetur coagulum.de sim.med. Sp.83.C
Profluuio vtilissimum est Cornu ceruinum.de sim.med. Sp.83.C
in Profluuijs alui Ferrũ cãdẽs dẽt poni in lac.10°.de sim.m.f. 5ª.73.G
Profluuium ventris reprimit Hypocisthis.de simp.med. Sp.92.E
Profluuium omne Myrta stringit.de simp.med. Sp.87.E
Profluuium omne confestim tenet Omphax.de simp.med. Sp.88.B
Profluuia iuuat Phyllitis.8°.de simplicium med.facul. 5ª.63.E
ad Profluuium vẽtris idonea remedia sunt Rubi fructus,& flos. 6°. de simp.med.fac. 5ª.44.G
Profluuiũ oẽ idonee strĩgũt flos,folia,& mora rubi.de sim.m. Sp.89.E
ad Profluuia vẽtris cõpetit armenica Terra.9°.de sim.m.fa. 5ª.66.G
Profluuio omni fortiter prodest terra samia.de simp.med. Sp.84.H
Profluuiũ alui qdã habuere, qdã euomuere i pestilẽt.5°.m.m. 7ª.35.B
ad Profluuiũ alui supprimendũ.de med.fac.par. 7ª.170.A
Profluuium alui,lege Alui profluuium .
Profluuium seminis vtero non affecto.6°.de loc.aff. 4ª.41.D
Profluuium genituræ cohibet lactuca.6°.de simp. med. fac. 5ª.48.E
PROFLVVIORVM *mensium pulsus qualis de pul.ad Tyr.* 4ª.44.H
in Profluuijs mensiũ immodicis fiunt pulsus vermiculantes.2°.de præsagitione ex pul. 4ª.113.A
in Profluuijs sanguinis ab vtero fiunt pulsus vermiculantes.2°.de præsagitione ex pul. 4ª.113.A
ex Profluuijs muliebribus fit defectus animi.1°.de arte cur. 7ª.98.E
Profluuium muliebre aquæ intercutem causa.5°.de loc.aff. 4ª.33.H
ad Profluuia sanguinis ex vtero valent Aer samius, & terra lemnia. 9°.de simplicium medicamen.facult. 5ª.65.H
ad Profluuium muliebre Caprinum stercus.10°.de simplicium medicamentorum fac. 5ª.76.F
ad Profluuium muliebre,potissimum rubrum, optimum remedium est Cauda equina.6°.de simplic.med.fac. 5ª.48.F
Profluuium mulierum curat Idea radix.6°.de simplicium medicamẽtorum fac. 5ª.48.E
Profluuium muliebre desiccat Iuncus læuis.8°.de simplicium medicamentorum facul. 5ª.62.A

ad Profluuium muliebre siſtentes facultates adhibentur Lapides. 9°. *de ſim.med.fac.* 5ª.67.G
*Profluuium muliebre iuuat Lemonij fructus.*7°.*de ſim.me.fa.*5ª.54.B
*Profluuio muliebri Lens vtiliſſima.*1°.*de alim.fac.* 2ª.13.E
Profluuio muliebri accomodantur Loti lignorum aſſulæ deraſæ. 7°.*de ſimp.med.fa.* 5ª.55.A
*Profluuium muliebre ſanare dicitur coagulum Leporis.*10°.*de ſim.me dicam.fac.* 5ª.74.D
*Profluuio muliebri adhibetur Lycium.*7°.*de ſim.med.fa.* 5ª.54.H
*Profluuium muliebre ſanat Lyſimachios.*7°.*de ſim.med.fa.* 5ª.54.H
*Profluuium muliebre cohibet Medion.*7°.*de ſim.med.fa.* 5ª.55.F
Profluuio muliebri medetur Nymphea, quæ cãdidam radicem habet. 8°.*de ſim.med.fa.* 5ª.57.A
Profluuium muliebre ſiſtit Poligonon 8°.*de ſim.med.fac.* 5ª.58.H
*in Profluuio muliebri vtiliter editi Portulaca.*6°.*de ſim.m.fa.*5ª.43.B
*ad Profluuium muliebre commoda eſt membrana, quæ ſub cortice Roboris eſt,& ſub glande eius.*6°.*de ſimp.med.fa.* 5ª.46.E
ad Profluuium muliebre congruit Sideritis achilleis. 8°. *de ſimpliciũ med.fac.* 5ª.60.D
Profluuium muliebre iuuat radix Spinæ ægyptiæ. 6°. *de ſimplicium med.fac.* 5ª.41.H
*ad Profluuium muliebre exhibetur Symphytum petræum.*8°. *de ſimplicium med.fac.* 5ª.61.G
*ad Profluuium muliebre.de med.fac.par.*169.C/ 7ª.176.D
ad Profluuium ſanguinis poſt partum.de paſſ.mul. Sp.96.B
*Profluuium in partu dictũ ab antiquis purgatio.de atra bile.*1ª.36.H
Profluuij menſtruorum caſus.de præcog.ad Poſt. 4ª.216.D
PROFLVVIVM *ſanguinis ſimpliciter intelligitur de naribus,ĩ alijs partibus additur nomen partis.in* 6ᵐ.*de mor.vul.cõ.*3°. 3ª.175.F
*Profluuij ſanguinis ſigna.*3°.*de criſ.* 4ª.144.E
*ex Profluuio ſanguinis narium iudicatio futura quo modo cognoſcatur ex pulſu.*4°.*de præſag.ex pul.* 4ª.122.F
*Profluuium ſanguinis narium aut abſceſſum qui capitis dolor ſignificet.in progn.com.*3°. 4ª.208.F
Profluuium ſanguinis narium ſignificant lachrimæ ſpontaneæ.in 1ᵐ.*de mor.vulg.com.*2°. 3ª.116.A
Profluuium ſanguinis eſt ardentium febrium familiare.in 1ᵐ. *de morbis vulg.com* 2°. 3ª.115.C
*Profluuia ſanguinis quando in principio apparent nunquam per criſim decernunt.*1°.*de criſibus.* 4ª.128.E
*ad Profluuia ſanguinis ex naribus.*5°.*de comp.med.per ge.*5ª.254.E
*Profluuium ſanguinis quibus fiat modis.*5°.*meth.med.* 7ª.30.B
*Profluuiũ ſanguinis quando bonũ,& qñ non bonũ.*1°.*de criſ.*4ª.128.B
Profluuium ſanguinis,& phlegmonas incitat ſuper omnia dolor. 5°. *meth.medendi.* 7ª.31.A
*Profluuium ſanguinis malum.com.*1°.*aph.*21°. Ex.10.A
Profluuiorum ſanguinis pulſus qualis.de pul.ad Tyr. 4ª.44.H
*ĩ Profluuijs sãguinis fiũt pulſus vermiculãtes.*2°.*d pſ.ex pul.*4ª.113.A
Profluuium ſanguinis cur ſit bilis faciat ardentem febrẽ.in 1ᵐ. *de mor.vulg.com.*2°. 3ª.114.C
*ex Profluuio sãguinis,et euacuatiõe ſuffocatio.*1°.*de die.de.* 4ª.146.F
*Profluuia ſanguinis,qũo ſiſtantur.*1°.*de arte cur.ad Glau.* 7ª.98.H
*Profluuiũ ſanguinis ex eroſione quibus curãdũ.*5°.*meth.med.*7ª.31.H
in Profluuio ſanguinis vena ſecanda.in 1ᵐ.*prorrh.com.*3°. 4ª.186.E
*in Profluuio ſanguinis narium vena ſecanda ab eodem latere.*5°.*methodi med.* 7ª.30.E
*in Profluuio ſanguinis ligatura qũo facienda.*5°.*meth.med.* 7ª.31.A
*in Profluuio ſanguinis particula ſit ſupina.*5°.*meth.med.* 7ª.31.A
*ad Profluuia ſanguinis conueniunt medicamenta,quæ cum eo,quod refrigerant,vna adſtringunt.*6°.*de ſim.me.fa.* 5ª.43.E
*Profluuium ſanguinis ex cerebri inuolucris ſupprimentibus medicamentis miſcetur albumen oui.*11°.*de ſimp.med.fac.* 5ª.81.D
*in Profluuio ſanguinis cruſtæ non ſunt temere remouendæ.*5°. *methodi medendi.* 7ª.31.D
*Profluuio ſanguinis prorumpenti è naribus prodeſt caudæ equinæ ſuccus.*6°.*de ſimp.med.fac.* 5ª.48.F
*Profluuijs ſanguinis cõpetere videt flos gallij.*6°.*de ſim.m.f.* 5ª.45.D
*Profluuia ſanguinis curat Idæa radix.*6°.*de ſimp.med fac.* 5ª.48.E
Profluuio laborantibus partibus vtiliter illinitur Iſatis. 6°. *de ſimpl. med.facul.* 5ª.48.G
in Profluuio ſanguinis porri coma.de opt.ſec. Iſa.23.H
ad Profluuium ſanguinis thus quale eſſe debet. 5°.*meth.med.* 7ª.31.A
*ad Profluuium ſanguinis.*2°.*de antid.*113.H/5°.*de comp.med.per ge.* 5ª.254.H/*de dynam.* Sp.29.F
*Profluuia ſanat ſemẽ lapathi,oxylapathi,& Hippolapathi.*7°.*de ſim. med.facul.* 5ª.54.B
Profluuium ſanguinis.lege Sanguinis fluxus.
*Profluuium vrinæ peſſimum quod.*1°.*de criſi.* 4ª.129.H
PROFVNDATIO *ſudoris quæ dicatur.de ana.viu.* Sp.52.C
PROFVNDITAS *non eſt magnitudo.*2°.*de diff.pul.* 4ª.56.F
*Profunditas in corpore eſt ante,& retro.com.*5°.*apho.*65°.Ex.44.H
*Profunditatem ſuperat longitudo.*2°.*de cau.pul.* 4ª.94.A
*Profunditas ſuperat latitudinem.*2°.*de cau.pul.* 4ª.94.B
*Profunditas ſomni,pigrities mentis,& puſtulæ ſignificant pituitam.com.*4°.*aph.*2°. Ex.27.F
PROFVNDI *fontes cur hyeme calidiſſimi ſint,æſtate frigidiſſimi.de bon.aquæ.* Sp.75.H
*a Profundis partibus ad extra fieri motum bonum, è contra malum.commen.*6°.*aph.*25°. Ex.48.F
*in Profundis medicamẽta fortiora ſunt applicãda.*4°.*met.m.*7ª.29.C
*a Profundis trahũt ppolis, ſagapenũ,& oponax.*6°.*meth.me.*7ª.37.D
*in Profundo reſidentia cęteris reſinis magis attrahit Terebinthina.*8°. *de ſimplicium med.fac.* 5ª.59.F
*a Profundo ſine morſu trahunt terebinthina,et euphorbium.*6°.*meth. medendi.* 7ª.37.D
*a Profundo quæ ſaniem trahere poſſunt.*6°.*meth.med.* 7ª.37.D
quæ in Profundo ſunt ad ſuperficiem transferre poteſt cucurbitula.de cucur.ſcar. 6ª.3.F
ad Profundas plagas.de virt.cent. Sp.93.F
PROFVSIO *quod vitium ſit.de cogn.cur.animi mor.* 2ª.54.G
*ad Profuſiones ſanguinis thuris cortice vtitur.*13°.*meth.med.*7ª.81.F
Προγάστορες *id eſt ventre prominulo.*1°.*de alim.fac.* 2ª.8.D
PROGNOSTICA,*& prorrhetica ars differunt.in* 1ᵐ.*prorrhet.cõment.*2°. 4ª.177.D
PROGNOSTICANDI *artem tradidit Hippocrates.de præcognit. ad Poſth.* 4ª.213.H
*Prognoſticanda quæ ſint a doctis.*3°.*de diff.reſp.* 3ª.73.B
*Prognoſticari debet medicus.in progn.com.*1°. 4ª.189.C
*Prognoſticaturus quid agere debet.in progn.com.*3°. 4ª.211.D
PROGNOSTICATIO *qũo fieri debeat.in* 1ᵐ.*pror.com.*1°. 4ª.161.G
Prognoſticatio portentũ eſſe videtur aliquibus qui eam negant.de prę cognitione ad Poſth. 4ª.213.H
*Prognoſticatio eſt de præſentibus,præteritis,& futuris. de præſagit. ex pulſ.*104.B/*in progn.com.*1°. 4ª.190.H
*Prognoſticatio præteritorum cui vtilis.in progn.com.*1°. 4ª.189.H
*Prognoſticatio quid boni faciat.in progn.com.*1°. 4ª.189.C
*Prognoſticationes quo modo ratæ ſint.in progn.com.*3°. 4ª.212.H
ex Prognoſtico quæ ægrotatio grauis,& quæ non.in 1ᵐ.*de morb. vul. comment.*3°. 3ª.117.C
Prognoſtica morborũ ex lumine,& lunæ curſu.de decub.pg. Sp.12.E
*Prognoſticatio ex ſudore.in progn.com.*1°. 4ª.195.C
quæ Prognoſticant vrinam.de diſſ.cont. Sp.75.B
in Prognoſticis in qb. oportet eẽ exercitatũ.in 1ᵐ.*pror.c.*1°. 4ª.162.H
*Prognoſticorum librum præcedere debet liber de diebus decretorijs. in progn.com.*1°.190.E/2°.203.E/3°.206.D/H/ 4ª.210.D
*Prognoſticorũ librũ præcedit liber de iudicationibus, & de præſagijs ex pulſibus.in progn.com.*1°. 4ª.191.H
*Prognoſticorum librum præcedit liber de curandi ratione.in prognoſt. com.*1° 4ª.190.H
*añ Prognoſticos libri epidemici ſcripti ſunt.*2°.*de die.decr.* 4ª.154.C
*poſt Prognoſticorum librũ ſequitur liber de morbis vulgarib°. in prognoſt.com.*1°.190.G/3°. 4ª.212.B
in Prognoſticis doctrina ab Hippocrate tradita optima eſt. in 3ᵐ. *de mor.vul.com.*1°. 4ª.128.H
*Prognoſtica Hippocratis relegenda ſunt.*1°.*de dieb.decr.* 4ª.149.F
*Prognoſticorum libri intentio.in prog.com.*3°. 4ª.213.A
*in Prognoſticis quid agat Hippocrates.*2°.*de dieb.decr.* 4ª.154.A
*in Prognoſticis qũo intelligendus Hippocrates.*1°.*de cri.* 4°.129.E
*Prognoſticorum liber de ſolis morbis acutis.*1°.*de criſ.* 4ª.128.A,B
*in Prognoſticis loquitur Hippocrates de acutis,& longis,qui ex acutis dependent.*2°.*de dieb.decre.* 4ª.155.H
*in Prognoſticis cur ſexageſimus inter acutos numeratus.*2°. *de diebus decretorijs.* 4ª.156.A
Prognoſticorum libri ſigna ſunt vera in Libya,in Delo, in Scythia. in prognoſt.

progn.c.3°. 4ª.212.G
Prognoſticorum librũ expoſuit Gal.ante librũ de ratione victus acutus.de vict.ra.in mor.acu.c.2°. 7ª.123.E
Prognoſtica ſigna.de ſubſ.emp.32.D/ fin.med. Iſa.46.A
Prognoſticum Gal.de præcog.ad Poſth. 4ª.218.D
Prognoſticum,mitigans,& curatiuũ præſidiũ.6°.de loc.aff. 4ª.36.G
PROHIBENDVM *quo modo ſit ne hirudines amplius trahant. de cuc. ſcarifi.* 6ª.4.C
Prohibentia lapidis generationẽ.de cura lap. Sp.112.B
Prohibitio vocis quo modo fiat. de voce & anhel. Sp.61.B
Προηγούμενα. i.antegredientia.de vic.ra.in mor.ac.c.4°. 7ª.134.G
PROLAPSIO *quid in oſſibus. de frac.c.3°.* 7ª.248.E
Prolapſiones oſſium in genu benigniores.de frac.c.3°. 7ª.248.E
ad Prolapſus oculorum.4°.de comp.me.ſe.lo.154.F/ 5ª.155.C/D/F
PROLATIONIS *vocum quæ cauſa ſit.de vti.reſp.* Sp.63.E
ad Prolationem ſpiritus. 7°.de compo.med.ſe.lo. 5ª.182.B
Prolatu difficiles voces ſphynx,& ſtrox.i 6ᵐ.d mo.vu.c.5°.3ª.188.g
PROLEM *aliquam volentes conſeruare ſi aliquis coniugatorũ erat ſterilis,faciebant diuortium. c.5°.aph.59°.* Ex.43.C
de PROLIXITATE *ſe excuſat Gal.in 1ᵐ.pror.c.1°.* 4ª.165.E
Prolixitatem reprehendit Gal. 3°.de dec.Hipp. 1ª.243.E
cur PROLIXVS *ſit Lyci liber de muſculorum diſſectionibus.de muſc. diſſect.* 1ª.44.C
Prolixis febribus affligentibus catharticis vtimur.de dy. Sp.20.E
PROLOQVIA *quæ ſint.de vict.ra.in mor.acu.c.2°.* 7ª.119.B
PROLVVIES *ventris quid ſit.in 1ᵐ.prorrh.c.1°.* 4ª.162.B
Proluuies biliosa quæ. in 1ᵐ.prorrh.c.1°. 4ª.162.B
Proluuies ventris rubra cur mala. in 3ᵐ.de mor.vul.c.2°. 3ª.139.H
Proluuies rubra quid ſignificet. in 1ᵐ.prorrh.c.1°. 4ª.162.A
Proluuiem rubidam excernentis adoleſcentis caſus. in 1ᵐ. prorrh. com.2°. 4ª.171.F
PROMINENTES *oculos cur habent melancholici. de melanchol. ex Gal.Ru.& Poſſ.* Sp.109.E
ad Prominentias ani internas. de med.par.ſa. 7ª.178.H
ad Prominentias ani interiores,& exteriores.de me.ſa.p. 7ª.179.A
PROMPTE *quid ſignificet.in prog.c.2°.* 4ª.201.A
Prõpte injiciẽdũ eſt vinculũ vt vbiq; ſit ĩ prõptu.de faſciis.7ª.294.B
PROMPTITVDO *ad ablata bonum ſignum.c.2°.aph.33°.* Ex.17.B
PROMPTI *magis ſumus ad laudem benefactorũ, quam ad vituperationem peccatorũ. 1°.de vſu par.* 1ª.119.H
Promptus ſpiritus pro ſublimi. in 1ᵐ.prorrh.c.1°. 4ª.166.E
PRONERVATIONES, *id eſt muſculorum neruoſæ partes τένοντες vocant.de frac.c.3°.* 7ª.249.C
Proneruationes.i. ἀπονευρώσεις quas vocent.de ar.c.2°. 7ª.263.B
Proneruatio neruoſa,& carnoſa quæ.de art.c.2°. 7ª.263.B
PRONIORES *in venerem euadunt plerique melancholici.de melancholia ex Gal. Ru. & Poſſ.* Sp.109.C
PRONVBA *ars quæ ſit.c.5°.aph.59°.* Ex.43.D
PRONVS *nemo quicquam molitur. 3°.de vſu par.* 1ª.128.A
in Pronam radium circumagere quorum muſculorum eſt officium.de muſc.diſſ. 1ª.48.F
in Pronum cum declinatione qui muſculus flectat brachiale.de muſc. diſſect. 1ª.48.G
tanq; in Pronũ radiis os qui muſculus circumagat.de muſ.diſ.1ª.49.A
in Pronum flectens brachiale apud magnũ digitum muſculus. de muſcul.diſſect. 1ª.49.A
ad PROPAGATIONEM *generis generantur ab aliquibus partibus animalis aliqui humores.c.5°.aph.39°.* Ex.41.B
PROPE *quæ ſunt largius vñr.de cõp.memb.ſiue de nat.hu.* Sp.58.C
PROPENSIVS *quid ſignificet. in prog.c.3°.* 4ª.207.H
PROPHANIS *imperabantur in ſermonibus myſticis,vt aures obturarent.12°.de vſu par.* 1ª.194.C
Προφάσεις cauſas quas vocet Hippo.in 1ᵐ.de mor.vul.c. 1°.3ª.104.H/*de vic.rat.in mor.acu.c.1°.114.A/ c.4°.141.C/* 7ª.150.G
PROPHYLACTICE, *id eſt præſeruatoria medicinæ pars. ad Thraſy.* 2ª.106.F/11°.*me.me.* 7ª.68.D
Prophylactice quæ pars artis.11°.me.me. 7ª.68.D
Prophylactice prima pars artis.de cõſ.ar.42.C/4°.me.m. 7ª.24.E/F
Prophylactice medicinæ pars quid agat.6°.de ſa.tu. 2ª.100.A
PROPINABANT *inuicem tempore Gal.1°.met.me.* 7ª.2.D
vt in PROPINQVAS *ita in remotas partes agit calor. de anatom. viuo.* Sp.49.H
in Propinquas tantum partes agit tactus.de ana.viu. Sp.49.H
PROPOLIS *quid.de ſimp.med.* Sp.88.H
Propolis quando eſt in melle eſt malum. 7°.me.me. 7ª.44.H
Propolis Attica. 5°.de comp.med.per ge. 5ª.250.H
Propolis qualis ſit.3°.de comp.me.per ge.230.F/5°. 5ª.246.C
Propolis calida eſt in ſecundo ordine cõpleto.8°.de ſim.me. f. 5ª.59.B
Propoleos eſſentia attrahens ſponte natum.5°.de ſimp.me.fa. 5ª.36.E
Propolis trahit a profundis.6°.me.me. 7ª.37.D
Propolis pinguis omnẽ reſinã excedit.3°.de com.me.per ge. 5ª.230.E
Propolis vetuſta quo modo fiat noua.3°.de cõp.me.per ge. 5ª.229.H
Propolis liqueſcit igne.3°.de comp.med. per ge. 5ª.233.F
Propolis in neruorũ vulneribus vſui eſt.3°.de com.me.p g. 5ª.229.G
cum Propoli eandem vim habet gutta ammoniaci.7°.de comp.med. per ge. 5ª.264.C
PROPORTIO *communis quid. 3° de dec. Hipp.* 1ª.241.E
Proportio multiplex in pulſu. 1°.de pul.diff. 4ª.48.G
Proportio a q̃bus ẽt ex tpe colligit.in 1ᵐ.de mor. vul.c.1°. 3ª.103.C
PROPOSITIONVM *demonſtrationis varia nomina. 1°.de ſimpl.medic. facul.* 5ª.4.C
Propoſitiones æquipollentes quæ.de ſubſ.emp. Iſa.33.A
ad Propoſitiones indemonſtrabiles in medicina perueniendũ. 1°.met. med. 7ª.5.B
Propoſitiões medicorũ magna ex parte verę ſunt.c.4°.a.44°. E.32.f
de Propoſitis librum vocat librum problematum. in 6ᵐ.de mor.vul. com.3°. 3ª.172.A
Propoſitum,& finis quo modo differant.ad Thraſyb. 2ª.103.E
Propoſiti conſecutio eſt finis. ad Thraſyb. 2ª.103.E
Propoſitum quælibet ars appetit. ad Thraſ. 2ª.103.E
in PROPRIE,*& in improprie diſtinctio. 1°.de diff.pul.* 4ª.47.A
PROPRIETAS *naturæ eſt inconuertibilis.de ſper.* Sp.37.B
Proprietates quatuor a tota ſubſtãtia.i 6ᵐ.de mor.vu.c.6°.3ª.196.b
a Proprietate ſubſtantiæ auentiũ librum promittit Gale.ſe facturum. 11°.de ſimp.med.fa. 5ª.82.A/G
a Proprietate ſubſtantiæ quæ agunt experientia iudicantur. 1°.de cõ. med.per ge. 5ª.216.A
a Proprietate agentibus nõ magna fiducia adhibenda. de renum affe. dign.& med. 7ª.194.H
a Proprietate ſubſtantiæ agit ſtercus bubulum.10°.de ſimpl. medica. facul. 5ª.76.G
a Proprietate ſubſtantiæ cancri agunt cõtra canis rabidi morſum. 11°. de ſimp.med.fa. 5ª.82.A
ſm Proprietatem temperamenti particula agit. 5°.de lo.aff. 4ª.35.F
Proprietates rerũ particulares vnde certæ.4°.de ſim.me.fa. 5ª.28.D
Proprietates bonarum aquarum. de bon.aquæ. Sp 75.H
Proprietates ſanguinis.de ana.viu. Sp.45.D
Proprietas eſſentiæ eſt inditium partis affectæ.6°.de loc.affe. 4ª.39.B
PROPRIA *ratione,& per conſenſum eadem pars poteſt laborare. 1°. de loc.affe.* 4ª.4.H
Propria nunquã,aliena ſemper ſpectamus.de cog.cur.aĩ mor.2ª. 50.F
Proprium omne eſt inſeparabile.2°.de diff. reſp. 3ª.64.E
ex Propriorum a communibus diſtinctione ars oritur.de vict. rati.in mor.acu.c.1°. 7ª.109.G
Propria ſunt in primo vſu, cõmunia in ſecundo.1°.de art.cu. 7ª.94.C
Proprio ignorato ad cõmune confugiẽdum. 1°.de art.cura. ad Glauconem. 7ª.94.D
Proprio ſermone explicari nõ poſſunt. 1°.de arte cur.ad Gla. 7ª.94.C
Propria homini quæ inſunt ſoli ſpeciei,& non omni. 2°.de diffe.reſpi. 3ª.64.E
Proprium ratione eſt.2°.de diff.reſp. 3ª.64.E
Proprios affectus vocat primarios. 1°.de lo.aff. 4ª.6.D
Propria figura linguæ.de ana. viu. Sp.49.C
PROPTOMA *affectus iridis oculorum.intro.* Iſa.58.D
PTOPTOSIS *quid.introd.* Iſa.58.E
PROPVLTRIX *facultas quieſcit cum retentrix agit.3°.de naturalib. facul.* 1ª.302.G
PRORITATIO *quid ſignificet.de vic.ra.in mor.acu.c.2°.* 7ª.124.H
PROROGATIONIS *febriũ triplex cauſa. in prog.c.3°.* 4ª.209.F
PRORRHETICA, *& prognoſtica ars differunt.in 1ᵐ.prorrhetici, com.2°.* 4ª.177.D
Prorrheticæ doctrinæ proprium quid.in 1ᵐ prorr.c.3°. 4ª.186.E
Prorrhetica non ſunt, quæ raro fiunt.in 1ᵐ.prorrh.c.3°. 4ª.180.H
Prorrheticus liber non eſt Hippocratis. in 1ᵐ.prorrheti. cõ.1°.162.E 165.G/c.3°.

165.G/com.3°. 4ª.180.H
Prorrhetici liber cuius sit authoris. in 1ᵐ.pror. c.2°. 4ª.171.G
Prorrhetici liber ex particulari obseruatione factus. in 1ᵐ.prorrheti ci com.1°. 4ª.165.G
Prorrhetici doctrina non habet vniuersale. in 1ᵐ. prorrh. commentario 3°. 4ª.179.G
in Prorrhetici libro sunt inusitatæ dictiones. in 1ᵐ.prorrh. commentario 3°. 4ª.179.E
Prorrhetici libri tota fere intentio. in 1ᵐ.pror.c.3°. 4ª.182.F
Prorrhetici libri interpretes.i 1ᵐ.pr.c.3°.180.F/H/184.D/ 4ª.188.f
PRORVMPERE quid significet apud Hippocratem. contra Iulianum. Ex.66.F
Prorsus vocabuli expositio. de nat.hu.c.1°. 1ª.27.B
ἐκ Προσαγωγῆς, id est sensim. de vict.rat.in mor.ac.c.1°. 7ª.112.D
PROSARTESIS, id est appensio quid.fin.med. Isa.48.H
Προσεχῆ grace dicuntur particulæ alijs proximę.de inæ.itẽp.3ª.43.C
Πρόσφυσις quid.3°.de na.fa. 1ª.307.B
Prosphysis affectus angulorũ oculi. introd. Isa.58.D
Prosphysis cibi assumpti fit virtute proueniente ex hepate.de virtutibus nostrum corp.dispens. Sp.60.B
Πρόσθεσις quid.3°.de nat.fa. 1ª.307.B
PROSTATORIA ars vocabulum nuper inuentum a Gale. ad Thrasybulum. 2ª.109.A
PROTAE Pelusiote medicamentum.10°.de cõ.me.se.lo. 5ª.207.D
Protæ rhetoris casus.2°.de ali.fa. 2ª.20.A
PROTAGORAS primus oratoriam facultatem philosophiæ coniunxit.de hist.philo. Sp.2.G
Προταρτιχεύσαντες. i.exiccãtes.de vic.ra.in mor.ac.c.2°. 7ª.122.G
PROTEVS incõparabile collyrium.4°.de comp.me.se.lo. 5ª.157.A
Proteus dictum excoriatorium. 5°.de comp.me.se.lo. 5ª.162.B
PROTEI transformationes.an quali. incorp.sint. Isa.10.A
PROTORRHYTOS resina quæ.3°.de cõp.me.per ge. 5ª.233.D
PROTOTOMI meminit.10°.de comp.med. sec.lo. 5ª.206.G
PROTRAHI cur possint vox absq; interpollatione.de vti.re. Sp.64.B
PROTROPVM passum.3°.de comp.med.se.lo. 5ª.143.G
Protropũ vinũ.de atten.vi.2ª.46.E/7°.de comp.me.se.lo. 5ª.184.E
PROVECTI qui.de art.c.4°. 7ª.283.D
PROVERBIVM de Asini vmbra.3°.de diff.pu. 4ª.59.D
Prouerbium dulce bellum inexperto. de diff.pul. 4ª.69.G
Prouerbium ex libro gubernare.3°.de comp.me.per ge. 5ª.231.F
Prouerbium Moysi, & Christi schola.2°.de pul.diff. 4ª.54.D
Prouerbium in puteo opprimi.2°.de diff.pul. 4ª.58.F
Prouerbium secare glaciem. 4°.de dign.pul. 4ª.85.E
Prouerbium in puncto temporis mutata pelle.2°.de diff.pul. 4ª.53.f
Prouerbiũ cũ aqua suffocet qd inclamabimus.2°.de dif.pul. 4ª.54.C
PROVIDENTIAE nomen quid significet. in prog.c.1°. 4ª.189.F
Prouidentia quid. in prog.c.1°. 4ª.189.C
Prouidentia est ipsa præsentio,& vnde dicatur.in pg.c.1°.4ª.189.F
Prouidentia de quibus sit.8°.me.me. 7ª.51.D
Prouidentia est rei futuræ. 4°.me.me. 7ª.24.B
Prouidẽtia & arte quod fit contrariũ est ei, quod casu & fortuito fit. 11°.de vsu par. 1ª.186.E
Prouidentiæ contraponitur fortuna, vel casus.in pro.c.1°.4ª.189.G
Prouidentia Dei erga nos. 9°.de decr.Hipp. 1ª.284.E
Prouidentia vniuersi non est malorum. in prog.c.1°. 4ª.189.H
Prouidentia indagare confert. 9°.de decr.Hipp. 1ª.284.C
PROVISIO quomodo sit mista cum medendo. 12°.me.me. 7ª.74.G
PROVOCANTIA menstrua quæ. de cathar. Sp.95.D
Prouocant menstrua drachmę duæ assari.de med.exper. Sp.106.E
Prouocat menstrua decoctio iuniperi.de med. exper. Sp.106.F
Prouocant menstrua drachmæ tres maioranæ cum duabus drachmis rubię.de med.expe. Sp.106.E
Prouocans menstrua confectio.secret. Sp.99.C
Prouocans menstrua decoctio. de med.expe. 105.D/ Sp.107.C
Prouocat menstrua electarium laccæ. de med. exper. Sp.107.A
Prouocans menstrua,& vrinam electarium.de med.expe. Sp.107.d
ad Prouocationem menstruorum valens medicina. de medicinis exper.104.H/106.H/ Sp.107.H
ad Prouocandos menses.de pass.mul.96.B/ de medicinis exper.108. A/de cura lapidis. Sp.112.H
Prouocantia sudorem quę.de cathar.95.D/de melancholia, ex Gale. Rufo, & Poss. Sp.110.B
Prouocantia sudorem per os, quæ. de cathar. Sp.95.D
Prouocantia sudorem per suffumigationem,quæ.de cathar. Sp.95.D
PROVOCATVR ad mingendum, egerendum, ad pandiculationes videns talia agentem.de mot. man. & obs. Sp.69.D
PROVOCAT lotium decoctio Absinthij. de melancholia ex Galeno Rufo,& Poss. Sp.110.A
Prouocat vrinam Chamæmelum puluerizatum, & malaxatum cum melle.de med.exper. Sp.106.D
Prouocant vrinã Dactyli ad sanguinem vsq;.de cura icteri.Sp.111.D
Prouocat vrinam Galbanum.de med.exper. Sp.106.F
Prouocat vrinam decoctio squinanti. de med.expe. Sp.107.A
Prouocans vrinam electarium.de med.expe.107.A/G/ Sp.108.B
Prouocans vrinam compositio.secre. Sp.101.H
Prouocans vrinam decoctio.de med.exper. Sp.107.C
Prouocans vrinã medicina.de med. exper.104.A/E/F/H/105.B/C/ D/106.F/107.G/ Sp.108.F
Prouocat vrinã,& mẽstrua fortiter decoctio asari.de m. ex.S.104.d
Prouocat vrinã,& menstrua fortiter decoctio carui, & seminis apij. de med.exper. Sp.104.D
Prouocat vrinã,& mẽstrua electariũ iridis.de med.exper. Sp.105.E
Prouocãs vrinã fortiter,& mẽstrua electariũ.de me.expe.Sp.105.f
Prouocans vrinã,& menstrua medicamen.de med.expe. Sp.106.B
PROXENI confectio quæ fuit in vsu Antonij musæ.7°.de compositio. med.se.lo. 5ª.182.D
PROXIMO succurrendum esse.de mot.man. & obsc. Sp.69.B
PROXIMAM fore mortem qũ prædicendum. quæs.in Hip. Sp.113.C
PRVDENTES qũo sint brutorum animæ.de mot.man.Sp.67.E
Prudentem vocat Archigenem.3°.de diff. puls. 4ª.59.F
Prudens quo modo effectus Chrysippus.quod animi mor. 1ª.318.F
ad Prudentem virum spectat diuidere in minima, & paruos excessus obseruare.2°.de diff.pul. 4ª.57.F
Prudentes homines non parum lucrantur si incidãt in libros nõ obscure conscriptos.5°.de comp.med. sec.loc. 5ª.166.G
Prudentes quæ didicerunt sciunt referre, vel scribere.de cuiusq; animi pecc.not.atque med. 2ª.56.G
Prudentibus vera dicẽda in morbis.in 6ᵐ.de mo.vul.c.2°.3ª.168.F
Prudentibus pauca dicenda. 2°.de sym.cau. 3ª.21.A
Prudens, & modestus audacter respondens iudicandus amens. in 6ᵐ. de mor.vul.c.2°. 3ª.168.G
PRVDENTIA quid.fi.med. Isa.45.D
Prudentia virtus animi. fin.med. Isa.45.D
Prudẽtia sola esset,si esset sola aãa rõnalis.7°.de dec.Hip. 1ª.267.G
ad Prudẽtiã iunãtur aliqui ex tẽperatione locorũ.qđ aĩ mo.1ª.320.d
ad Prudentiam agitur animus a siccitate. quod animi mor. 1ª.318.D
Prudentię in tantum minus nocumentum afferunt vina dulcia inquantũ deficiunt a vehementi caliditate. de vinis. Sp.76.E
Prudentiæ nocent vina vehementer calida. de vinis. Sp.76.E
ad Prudentiã,& acrimoniã aĩ valet theriaca.de theri.ad Pi.5ª.96.b
Προῦμνον appellant prunũ sylvestrem. 2°.de ali.fa. 2ª.21.H
Prumnum quæ planta dicatur in Asia.7°.de simp.me.fa. 5ª.51.H
PRVNA, & flamma ignis genera.4°.de simp.me.fa. 5ª.24.G
Pruna, & flamma quo modo differant. 3°.de temp. 1ª.21.H
Pruna fit terra accensa.4°.de simp.med.fac. 5ª.24.G
Pruna non fit nec flamma ipsa aqua, quamuis vehementem accipiat caliditatem.4°.de simp.med.fa. 5ª.24.G
Prunarum ignis sine fumo est. 11°.de simp.me.fa. 5ª.81.E
Supra Prunas coquere quid sit.7°.de comp.me.se.lo. 5ª.179.C
ad Prunas ardentes medicamenta non sunt facienda.7°.de composit. med.sec.loc. 5ª.179.C
Prunarum ignis lentus. 4°.de san.tu. 2ª.86.H
Pruna non nimis acri coquitur Argenti spuma. 6°.de composit. med. per ge. 5ª.257.A
a Prunis extinctis fœtore cur suffocamur. de vti.resp. 1ª.225.D
PRVNELLAE fit mentio.de dyn. Sp.27.G
PRVNVS sylvestris planta agrestis.2°.de ali.fa. 2ª.21.H
Prunus qualis.7°.de simp.med. 5ª.51.H
Pruna habẽt acorem,acerbitatem,& amarorem ante maturitatem. 2°.de ali.fa. 2ª.21.C
Pruna raro acida, vel austera, vel insuauia post maturitatem. 2°.de ali.fac. 2ª.21.C
Pruna agrestica adstringunt. 7°.de simp.me.fa. 5ª.51.H
Pruna optima magna, laxa,mediocriter adstrigẽtia.2°.d al.f.2ª.21.B

Pruna praua exigua, dura, & acerba. 2°. *de alim. fac.* 2ª.21.D
Pruna quando idonea. de bon. & vit. succ. 2ª.39.B
de Prunis seruandis. de bon. & vit suc. 2ª.36.H
Pruna quæ vocantur damascena pñt cõseruari. de pue. epi. 7ª.180.D
Pruna parũ nutriũt. 2°. *de ali. fa.* 2ª.21.C/*de diff. cont.* Sp.73.F
Pruna fm locũ habent inter fructus minus noxios. de att. vic. 2ª.45.H
Pruna elixa minus obsunt. de atten. vic. 2ª.44.A
Pruna sunt frigida. 4°. *de simp. me. fac.* 5ª.26.D/*de diff. cont.* Sp.74.D
Pruna sunt humida, frigida, & pituitosa, potissimũ si cruda, & elixa mandantur. de atten. vic. 2ª.44.A
Pruna humectant, & refrigerant ventrem. 2°. *de ali. fa.* 2ª.21.C
Pruna minus siccant q̃ amygdalæ et terebithi semẽ. 5°. *de s. t.* 2ª.92.C
Pruna subducũt vẽtrẽ humiditate, & lẽtore. 2°. *de ali. fa.* 2ª.21.D
Pruna humida & sicca quando infunduntur in aqua mellis leniunt vẽtrem. de disso. conti. Sp.75.A
Pruna ventrem subducunt. 7°. *de simp. me. fa.* 5ª.61.H
Pruna damascena omnium præstantissima. 2°. *de ali. fa.* 2ª.21.D
Pruna damascena subducunt. 7°. *de simp. me. fa.* 5ª.51.H
Pruna damascena, & Iberica præmanduntur hydromeliti incocta subducendi gratia. de atten. vic. 2ª.45.B
Prunis æstate soluenda aluus in senibus. 5°. *de san. tu.* 2ª.92.E
in Prunis Damascenis Galenus reprehendit Dioscoridem. 7°. *de sim. medicam. fac.* 5ª.51.H
Pruna hispanica qualia. 2°. *de alim. fa.* 2ª.21.D
Pruna iberica, idest catalonica subducunt magis. 7°. *de simpliciũ medicam. fac.* 5ª.51.H
Pruna hispanica maxime deijcere faciunt. 1°. *de ali. fa.* 2ª.21.D
Pruna hispana ad deijciendam aluum meliora damascenis. 5°. *de sani. tuenda.* 2ª.92.E
Pruna cocta in melicrato deijcere faciunt. 2°. *de ali. fac.* 2ª.21.D
post Pruna vinum dulce deijcere faciunt. 2°. *de ali. fa.* 2ª.21.D
Pruna siccata habent vsum ficus. 2°. *de ali. fa.* 2ª.21.D
PRVNORVM *gummi lapides confringit.* 7°. *de simp. me. fa.* 5ª.51.H
Prunorum gummi puerorum lichenas sanat. 7°. *de sim. me. f.* 5ª.51.H
PRVRIENTIVM *succus qualis.* 2°. *de simp. cau.* 3ª.23.H
Prurientes aures curat myrta. de sim. med. Sp.87.E
PRVRIGINOSI *sunt humores si modice mordeant. de mul.* 3ª.79.E
Pruriginosus sensus in superficie est, & qũo. 2°. *de loc. aff.* 4ª.11.H
Pruriginosus sensus quo humore fiat. 2°. *de loc. aff.* 4ª.11.H
Pruriginosos curat ciricus puluis. de dy. Sp.30.B
ad Pruriginosos, & circum rosos oculorum angulos & visum obtusum. 4°. *de compo. me. sec. loc.* 5ª.152.G
PRVRIGINIS *sensus quando fiat, & quo modo procedat, & sequatur vlceratum sensum.* 2°. *de loc. aff.* 4ª.11.G
Pruriginem intolerabilem facit scylla. de simp. me. Sp.90.H
Prurigini valent putrefactiua. de ocul. 7ª.189.C
ad Pruriginem ceratum picatum. de fract. com. 3°. 7ª.243.G
Prurigini matricis quid prosit. de pass. mul. Sp.96.A
PRVRIVNT *calida moderare. in* 6ᵐ. *de mor. vul. com.* 2°. 5ª.165.G
nõ Pruriũt multũ pustulæ latæ. in 6ᵐ. *de morb. vul. com.* 2°. 3ª.165.F
PRVRITVS *ex quo genere symptomatum sit. de symp. diff.* 3ª.11.E
Pruritus est sensus pituit osorũ excremẽtorũ. 2°. *de symp. ca.* 3ª.23.G
Pruritum mouentia quæ sint. de cathar. Sp.95.D
Pruritum concitat bilis. de dyn. Sp.19.D
Pruritũ faciunt salsa, & nitrosa, & amara, vrtica, muria, scilla, mare. 2°. *de sympto. cau.* 3ª.23.H
Pruritu exercentur illoti, sordidi, cruditate laborantes, & edentes nutrimenta mali succi. 2°. *de sym. cau.* 3ª.23.H
Pruritu cur excitentur scabiosi, & leprosi, & non iuuentur etiam si excorientur. 2°. *de symp. cau.* 3ª.23.H
Pruritus perfricationem concitat. de dyn. Sp.19.D
Pruritu crebro an sit affectus lassitudine laborans percunctandum est. 4°. *de san. tuend.* 2ª.83.B
ex Pruritu vlcus cacoethes factum. 4°. *met. me.* 7ª.25.F
Pruritum oculorũ & pituitam pinguem quid curet. de dyn. Sp.24.H
ad Pruritus oculorum valet succus centaureæ. de vir. cent. Sp.93.B
ad Pruritus oculorum. de ocul. 190.D/ 7ª.191.E
ad Pruritus intensos oculorum. 4°. *de compositione medicamentorũ secundum locos.* 156.H/ 5ª.157.A/B
ad Pruritum faciei. 5°. *de comp. medi. sec. loc.* 5ª.160.E
ad Pruritum testiculorum. secret. Sp.100.B
ad Pruritum ani. 9°. *de comp. med. sec. loc.* 204.F/ 5ª.205.C
Pruritus quomodo fiat in vlceribus. de fract. com. 1°. 7ª.230.B
Pruritus cur fiat in primis diebus fracturæ maior, post minor. de fracturis. comment. 1°. 7ª.230.B
Pruritus non debet creari sub ligatura ossis. 6°. *me. me.* 7ª.41.D
ad Pruritus quæ faciant. de ocul. 7ª.179.C
Pruritum sanat aphronitrum. 9°. *de sim. me. fac.* 5ª.68.H
ad Pruritũ cõueniunt balani recremẽta. 6°. *de simp. me. fa.* 5ª.44.D
Pruritus quæ balnea cessare faciant. de cura icteri. Sp.111.C
Pruritus prohibet herbum. de simp. me. Sp.85.B
ad Pruritum. de med. fac. par. 172.C/ 6ª.175.F
ad Pruritum vnguentum. de dyna. 30.C/*secre.* Sp.97.G

PSALTRIAE *quæ conceperat, casus.* 1°. *de semine.* 1ª.330.A
PSELLIZESTHAE, idest balbutire, est vitium prolationis, vocis. com. 6°. *aph* 32°. Ex.49.G
Ψεφαι *tenebræ. in* 1ᵐ. *pror. com.* 3°. 4ª.182.H
PSEVDOBVNIVM *adsimilis caliditatis est Bunio.* 6°. *de simplicium medica. faculta.* 5ª.45.B
Pseudobunij fit mentio. 8°. *de comp. me. se. lo.* 5ª.196.C
PSEVDOCASIA *qũo distinguatur a casia. de ther. ad Pis.* 5ª.94.H
PSEVDOCINNAMOMVM. 7°. *de sim. medi. fac.* 5ª.51.C
PSEVDODIALECTICVS. 2°. *de diff. pul.* 4ª.57.H
PSEVDODICTAMNVM *habet vim dictami imbecillam.* 8°. *de simplic. med. facul.* 5ª.64.A
PSILOTHRVM qd. 6°. *de sim. m. f.* 5ª.42.F/*de sim. me.* Sp.80.B
Psilothra quæ vocentur. 1°. *de comp. me. sec. loc.* 5ª.127.F
Psilothrum valet ad auferendos pilos. de dyn. Sp.23.G
Psilothra pilorum. 1° *de comp. me. sec. loc.* 5ª.127.E
Psilothra quomodo adhibenda. 1°. *de com. me. sec. lo.* 5ª.128.A
Psilothra Critonis. 1°. *de comp. me. sec. lo.* 5ª.128.A
Psilothra Heraclidæ. 1°. *de com. me. sec. loc.* 5ª.127.H
Psilothrum Paridis saltatoris. 1°. *de comp. me. se. loc.* 5ª.127.H
Psilothrum bibentibus quid vtile sit. 2°. *de anti.* 5ª.114.D
PSIMYTIVM, *idest cerussa.* 9°. *de simp. me. fac.* 5ª.71.F
Psimythium præparatur arte. 9°. *de sim. me. fac.* 5ª.71.B
PSITTACES *medicamentum.* 4°. *de comp. me. sec. loc.* 5ª.155.F
Psittacinum Scribonij Largi. 4°. *de comp. me. sec. loc.* 5ª.155.B
PSOAE nominati musculi. de musc. dissect. 1ª.49. G/*de articulis. commentario.* 3°. 7ª.272.D/H
Psoæ lumbus haud exiguus musculus est, & vnde oriatur ac desinat. de musculorum dissec. 1ª.50.G
PSORA *affectus cutis. introd.* Isa.59.D
Psora morbus contagiosus. 4°. *de diff. pul.* 4ª.74.D
Psora quæ affectiones sint leuiores. 6°. *de simp. me. fa.* 5ª.44.E
Psoræ a quibus fiant humoribus. 11°. *de simp. me. fa.* 5ª.78.E
in Psoram facile transeunt lichenes. 5°. *de comp. me. se. lo.* 5ª.160.C
Psora quomodo curetur. 5°. *de comp. me. sec. lo.* 5ª.160.C/H
Psoras quæ Alcyoniæ species sanent. 11°. *de simp. me. fac.* 5ª.83.C
Psoras extergit Amarutas. 6°. *de simp. me. fac.* 5ª.47.E
ad Psoram conueniunt Balani recremẽta. 6°. *de simp. me. fa.* 5ª.44.D
Psoras excoriant caulis, & folia virentia Batrachy. 6°. *de simplicium medicament. facul.* 5ª.44.G
Psoris congruentibus facultatibus miscentur Cantharides. 11°. *de simpli. medic. facul.* 5ª.82.E
ad Psoras Caprinum stercus. 10°. *de simp. me. fac.* 5ª.76.E
Psoras detergit Cardamomum. 7°. *de simp. me. fac.* 5ª.50.A
ad Psoras adhibetur Chameleontis radix. 8°. *de sim. me. fa.* 5ª.63.F
Psoras extergit Cicerum genus orobiæum appellatum 6°. *de simplic. medic. facul.* 5ª.47.E
ad Psoras accõmodi sunt vtriq; Ellebori. 6°. *de sim. me. fac.* 5ª.47.C
Psora extergitur Liliorũ radice cũ melle. 7°. *de simp. med. fa.* 5ª.53.B
Psoras iuuat Lupinus. 6°. *de simp. med. fa.* 5ª.48.D
ad Psoras valet Sepiarum testa. 11°. *de simp. me. fac.* 5ª.81.A
ad Psoras valet Sulphur. 9°. *de sim. med. facul.* 5ª.69.D
Psoras sanat Terebinthina. 8°. *de simp. me. fac.* 5ª.59.F
Psoras detergunt Tithymalli. 8°. *de sim. med. fac.* 5ª.62.D
Psoram sanat Vitis alba. 6°. *de simp. me. fac.* 5ª.42.F
Psoras detergit Vrina humana. 10°. *de simp. me. fac.* 5ª.75.D
ad Psoras accommoda est Vua agrestis. 6°. *de sim. me. fa.* 5ª.44.B
ad Psoras curãdas citra exulcerationẽ. 10°. *de cõ. me. se. l.* 5ª.208.A
Psoras. 5°. *de comp. me. sec. loc.* 162.D/9°. 5ª.204.C
PSORIASIS *quid. fin. med.* Isa.49.D

Psoriasis coronæ affectus.intro. Isa.58.D
PSORICVM *quid sit.4°.de compo.me.se.lo.* 5ª.251.G
Psoricum præparatur arte.9°.de simp.me.facul. 5ª.71.B
Psoricum quomodo fiat.9°.de simp.me.fac. 5ª.71.G
Psorici essentia est attrahens natum ex putrefactione. 5°.de simplicium medicamentorum facul. 5ª.36.E
Psoricis facultatibus miscetur salamandræ cinis. 11°.de simplicium medicam.facul. 5ª.82.F
Psoricum medicamentum.intro. Isa.60.D
Psoricum medicamentum paratũ ex metallis.9°.de sim.m.f. 5ª.68.E
Psoricum est tenuium partium citra calorem manifestum.3°.de comp. med.per gener. 5ª.228.F
ad Psoricos affectus.1°.de comp me.per ge. 5ª.217.A
PSORODEIS *vngues sanant cantharides. 11°.de simplicium medica. facultat.* 5ª.82.E
PSOROPHTALMIA *scabiei palpebrarum species.de ocu.* 7ª.186.H
Psorophtalmia totum oculum exercet.intro. Isa.58.D
ad Psorophtalmiam.de remed.par.fac. 7ª.156.F
PSYCHROPHOBVS quid significet.9°.met.me. 7ª.58.B
Psychrotrophum quid.7°.de simp.me.fac. 5ª.51.A
PSYCTICA *quæ.de dyn.* Sp.18.H
de PSYDRACIIS. *de med.fac.par.* 7ª.161.G
Psydracion quid.intro. Isa.58.H
Psydracion affectus albi oculorum.intro. Isa.58.D
Psydraces,myrmeciæ, acrochordones,epigmytides notę sunt.de tum. præter naturam. 3ª.84.B
ad Psydracas.1°.de compositione medicamen.sec.loc.131.F/131.E/F/5°.251.F/6°. 5ª.256.A
PSYLLIVM *quid.de simp.med.* Sp.89.A
Psyllium dicitur herba pulicaris.de sim.med. Sp.89.A
Psyllium quale.8°.de comp.me.sec.loc. 5ª.190.B
Psyllium frigidus est in secundo ordine,& temperatum in passiuis qualitatibus.8°.de simp.me.fac. 5ª.64.A
Psyllij succus frigidus.6°.de san.tu. 2ª.100.G
Psyllij succus frigidus,& viscosus.2°.de simp.me.fa. 5ª.14.D
Psyllium refrigerat.14°.met.me. 7ª.87.D
Psyllium refrigerat efficaciter,& stringit,oculis lachrymantibus cito prodest,dysentericis,& podagris remedium est,capitis dolorẽ sedat.de simp.medic. Sp.89.A
Psyllium,& portulaca sunt indurantia frigida,& humida. 5°.*de sim. medic.facul.* 5ª.34.G
Psyllium indurat.de ocul. 7ª.188.E
Psyllij succus oleo rosacco adhibendus.2°.de com.me.se.l. 5ª.132.F
Psyllium euitandũ in Herpete exedẽte.2°.de ar.cur.ad Gl. 7ª.102.B
Psyllij muccilago quomodo fiat.7°.de comp.me.sec.lo. 5ª.184.F
Psyllium pro solano.1°.de comp.med.per ge. 5ª.211.G
PSYLLI *quæ gens.2°.de antid.* 5ª.119.A
PTARMICE *a sternutamento dicta.* 8°. *de simp. medica.facul.* 5ª.59.C
Ptarmice calida est,& sicca in secundo,& in tertio ordine.8°.de sim. medica.facul. 5ª.59.C
PTELEA *quid.8°.de simp.me.fac.* 5ª.59.C
Ptarmice sugillata,& ecchymoses sanat.8°.de simp.me.fa. 5ª.59.C
Ptarmici meminit.de dyna. Sp.24.F
de PTERYGIIS. de med.fac.par. 7ª.162.H
Pterygia quid sint.4°.de compositio.medic.secun.locos.5ª.151.H/de med.fac.par. 7ª.162.H
Pterygion vocant græci vnguem in oculo.de diff.morb. 3ª.4.F
Pterygion affectus angulorum oculi.introd. Isa.58.D
Pterygia in qua fiant tunica.de ana.ocul. Sp.57.C
Pterygion affectus alibi oculorum.introd. Is.58.D
Pterygia prima ratione pupillam obtenebrant.1°.de sym.ca.3ª.15.E
Pterygia in oculis sunt vlcera specie ambigua.14°.me.me. 7ª.90.G
Pterygium a sanitatis habitu alienum est.14°.met.me. 7ª.93.F
Pterygia quæ sanent.4°.de com.me.sec.lo. 5ª.151.B/H
Pterygiorum,seu vnguium oculorum idoneum remediũ illitu est Glycyrizæ radix sicca.6°.de simp.me.fac. 5ª.45.G
Pterygia attenuare potest Thyites lapis.6°.de simplic.medicamento. facultа. 5ª.67.F
Pterygia auferunt tithymalli.8°.de simp.medi.fac. 5ª.62.D
ad Pterygia oculorum.4°.de comp.me.sec.lo. 5ª.158.D
ad Pterygia.5°.de comp.med.per ge.251.B/252.E/F/G/5ª.254.F/de remed.par.faci. 7ª.156.H
Πτερυγοειδεῖς *habent scapulas modum alarum.in 3ᵐ.de morb.vulgar. commenta.3°.* 3ª.146.G
Πτερυγοειδῆ *ossa, idest alaria.de art.com.2°.* 7ª.263.D
PTERYGOMATA *affectus aurium.intro.* Isa.59.C
PTERIGOEIDEIS *explanationes in modum alarum.de ossib.* 1ª.40.D
PTERIS. *i.Filix.8°.de simp.me.fac.* 5ª.59.C
Πτέρνι *calcaneum.3°.de vsu par.* 1ª.129.D
ad PTILEA *vocata vruntur fuligine acriori.7°.de simplicium medicamentorum facul.* 5ª.54.F
Πτίλοι *qui nominetur.14°.met.med.* 7ª.93.E
PTILOSIS *qui morbus sit,& quo modo differat ab aphiasi, alopecia, myrmecia,leuce,vitiligine,sphacelo,clephante,scabie,et lepra.4°. methodi medendi.* 7ª.92.G
Ptilosis quid.fin.med.48.G/intro.Isa.58.G/med.fac.pa. 7ª.136.B
Ptilosis coronæ affectus.intro. Isa.58.D
in Ptilosi amittitur particula vtilis.14°.met.me. 7ª.93.C
de PTISSANA *inscriptus liber.de victus ratio.in morbis acut. commentario.1°.* 7ª.109.H
de Ptissana Hippocrates obscurius loquutus est.de ptiss. 2ª.47.H
Ptissana,ptissana cocta,& hordeacea ptissana,idem significat.de vic. rat.in morb.acut.comment.1°. 7ª.113.B
de Ptissana quæ consideranda.de ptiss. 2ª.46.H
Ptissanæ confectio.1°.de ali.fac. 2ª.11.D
Ptissanæ confectio apud quosdam est alica.1°.de ali.fa. 2ª.10.H
Ptissanæ alicæ cibus ægrorum secundum aliquos.1°.de al.fa.2ª.10.H
Ptissana triticea est alica secundum Dioclem,& Philotimum. 1°.de alimentorum facultati. 2ª.10.H
Ptissana a coquis cur male paretur.1°.de alim.fac. 2ª.11.D
Ptissanã nõ coquunt coqui diuitũ.de vi.ra.in mor.acut.c.1°.7ª.112.A
Ptissana quo modo fiat.de dyn. Sp.22.H
Ptissana quo modo præparanda.5°.de san.tu. 2ª.92.D
Ptissanæ præstantissima præparatio qualis.de ptiss. 2ª.47.D
Ptissana optima qũo cõficienda.de vic.rat.in mor.acu.c.1°.7ª.113.D
Ptissana quæ probatissima,& quæ non.de bon.& vit.suc. 2ª.36.G
Ptissana pessima quæ.1°.de alim.fac. 2ª.11.E
Ptissana non bona quo modo probetur.de bon.& vit.succ. 2ª.37.D
ad Ptissanam conficiendam aqua qualis.de atten.vic. 2ª.46.H
ꝑ Ptissana cõficienda hordeũ integrũ sumi debet.de atte.vi.2ª.47.C
ad Ptissanam cõficiendã quidã conterunt hordeum.de ptis. 2ª.47.D
Ptissanæ quidã addũt amylũ,ciminũ,mel,& sapam.de ptis. 2ª.47.D
Ptissanæ aliqua miscet Galenus.1°.de ali.fac. 2ª.11.D
Ptissana cum amylo flatulenta.1°.de ali.fac. 2ª.11.D
Ptissana expetit porrum,& anethum.1°.de ali.fac. 2ª.13.F
Ptissanæ quandoque miscetur piper.de atten.vic. 2ª.44.G
Ptissanæ mel non miscendum nisi in thorace,& pulmone contenta expectorare velimus.de atten.vic. 2ª.44.G
Ptissana fit melior ex pedibus porcellorum.3°.de ali.fac. 2ª.26.E
Ptissana petit suillam carnem recentem.1°.de ali.fac. 2ª.12.F
Ptissana debet esse valde cocta.de vic.rat.in mor.ac.c.1°.7ª.112.A
Ptissanæ laus.8°.meth.med. 51.A/de victus ratione in morbis acut. com.1°.109.H/ 7ª.113.E
Ptissana quibus præferatur.de vict.rat.in morb.acu.c.1°. 7ª.111.B
Ptissana habet vim cibi,& med.de vict.ra.in mor.acu.cõ.1°.7ª.115.D
Ptissana omnia excedit,quæ vel tanquam alimentum,vel medicamẽtum dantur.de ptiss. 2ª.48.B
Ptissana cur videatur lenta.de ptiss. 2ª.47.E
Ptissana lenis quo modo.de ptiss. 2ª.47.E/F
Ptissana perfecte cocta humectat.1°.de ali.fac. 2ª.11.D
Ptissana non diligenter cocta vẽtosa est.de puero epil. 7ª.180.H
Ptissana detergit.1°.de alim.fac.13.H/4°.de san.tuen.2ª.84.F/8°.methodi medendi. 7ª.52.G
Ptissana quæ magis detergit.1°.de ali.fac. 2ª.11.E
Ptissana detergit sine acrimonia.7°.de comp.medic.sec.loc.5ª.177.F/13°.methodi medendi. 7ª.83.D
Ptissana quomodo magis abstersiua.de ptiss. 2ª.48.D
Ptissanæ succus sordes eluit,quæ in cute sunt.1°.de ali.fa. 2ª.12.B
Ptissana per se abstergit sine hyssopo.de atten.vic. 2ª.44.G
Ptissanæ de hordeo relaxare possunt.de simp.med. Sp.90.A
Ptissana cur humida,& flaccida.de ptis. 2ª.47.F
Ptissana cur sitim reprimit.de ptis. 2ª.47.F
Ptissana plus quam aqua sitim reprimit.de ptis. 2ª.67.F

Ptiſſana cur blandi ſaporis.de ptiſ. 2ª.47.F
Ptiſſana dulcis blanda ægrotantibus.de ptiſ. 2ª.47.F
Ptiſſana magis coctu facilis,q̃ typha,& auena.de atten.vic. 2ª.44.H
Ptiſsana in imbecillum ventriculum demiſſa ab eo non ſuperatur. 3°. de temperamentis. 1ª.23.G
Ptiſſana cibis omnibus omni noxa vacat immo prodeſt. de bonitate, & vitio ſuccorum. 2ª.37.D
Ptiſſana magis patiť a nr̃o corpore,q̃ agatur in illud.3°.de tẽ.1ª.23.H
Ptiſſanæ ſuccus cibus eſt qui nulla indiget contritione.7°.de compoſi. medicamen.ſecun.loc. 5ª.187.H
Ptiſſana boni ſucci.2°.de ſimp.me.fac.12.F/H/2°.de compo.medica. ſecundum locos. 5ª.133.D
Ptiſſana eſt boni ſucci,& non glutinoſi.4°.de ſan.tu. 2ª.85.C
Ptiſſana boni ſucci,& non calefacit.de reme.par.fa. 7ª.153.G
Ptiſſana probè coctus cibus optimus.de bon.& vit.ſuc. 2ª.37.D
Ptiſſana etiam quotidie ſumpta non impedit boni ſucci generationẽ. de bon.& vic.ſucc. 2ª.37.D
ex Ptiſſana,panæ,& lente ſit ſanguis, pituita, bilis tum flaua, tum atra,& ſpecies vna in aliam per alterationem calidi,frigidi,humidi ſicci.3°.de ſim.me.fac. 5ª.17.D
ex Ptiſſana,& faba quæ caro generatur.1°.de ali.fac. 2ª.13.G
cũ Ptiſſana faba pro gladiatoribus.1°.de ali.fac. 2ª.13.G
Ptiſſana minus nutrit,quam panis.de bon.& vit.ſucc. 2ª.37.D
Ptiſſana minus efficax pane.de ptiſſ. 2ª.47.F
Ptiſſana in robur,et alimẽtũ corporis maxime cõfert.de ptiſ.2ª.48.C
Ptiſſanæ ſucco,& oleribus ſi vtatur ſe exercens cito labefactatur.1°. de alim.fac. 2ª.10.B
Ptiſſana reuocat lac in mamillis.de cathar. Sp.95.B
vt Ptiſſana humectat,& ſecat aqua mulſa,non tamen roborat. de victus rat.in morb.acu com.1°. 7ª.113.C
Ptiſſana non minus q̃ mulſa valet ad vomitum.8°.met.me. 7ª.51.A
Ptiſſana mulſa poſterius exhibẽda.de vic.ra.ĩ mo.ac.c.4°. 7ª.140.C
Ptiſſanæ cremor,& aqua mulſa detergunt humorem in ventre infarctum.de vic.rat.in morb.acu.com.1°. 7ª.111.E
Ptiſſanæ cremor in pituitæ vitio pro alimento.de victus rat.in morb. acutis.com.4°. 7ª.136.E
Ptiſſanæ,& aquæ mulſæ comparatio.8°.met.me. 7ª.51.B
Ptiſſana cum cremore complicata.de ptiſ. 2ª.46.H
Ptiſſanæ cremor quæ ſorbitio ſit.de vic.rat.in mor.ac.c.3°. 7ª.130.F
Ptiſſanæ cremor quomodo conficiatur.10°.met.me. 7ª.67.A
Ptiſſanæ cremor quális.de ptiſ. 2ª.48.C
Ptiſſanæ cremor qualis in ventriculo.4°.de ſan.tu. 2ª.84.E
Ptiſſanæ ſuccus cur apparet lentus.1°.de ali.fac. 2ª.12.B
Ptiſſanæ cremor frigidus,& humidus.10°.met.me. 7ª.67.A
Ptiſſanæ cremore condita alica cibus eſt frigidus,& humidus. 10°. methodi medendi. 7ª.67.A
Ptiſſanæ cremor calefacit,& euacuat.11°.met.me. 7ª.69.G
Ptiſſanæ cremor morſu caret.12°.met.me. 7ª.80.A
Ptiſſanæ cremor eluit.in 6ᵐ.de mor.vul.com.6°. 3ª.196.C
Ptiſſanæ ſuccus nihil habet glutinoſum,neq; emplaſticum,ſed contra deterſorium,& inciſorium.1°.de alim.fac. 2ª.12.B
poſt Ptiſſanæ ſuccum acceptum,ſi quis euomat, pituita detergebitur quæ in ventriculo eſt.1°.de alim.fac. 2ª.12.B
Ptiſſanæ ſuccus nutrit cito,ſed non multum.c.2°.aph.18°. Ex.13.H
Ptiſſanæ ſuccus in quo genere victus ſit.com.1°.aph.4°. Ex.4.B
de Ptiſſanæ vſu quæſtiones vnde ortæ.9°.de dec.Hipp. 1ª.283.H
Ptiſſanæ cremor cui dandus.4°.de ſan.tu. 2ª.84.E/de victus ratione in morb.acut.com.1°. 7ª.112.B
Ptiſſana cocta qui vti debet.de vict.rat.in mor.acu.com.1°.7ª.112.B
Ptiſſana cocta qui vti debet.de vict.rat.in morb.acu.com.1°.7ª.111.E
Ptiſſanam qui debet accipere.de vict.rat.in mor.acu.c.1°. 7ª.113.B
Ptiſſana cibandi ſunt craſſos,& multos humores in primis venis habentes.4°.de ſan.tu. 2ª.84.H
Ptiſſanæ ſuccus exhibendus in febre continua quibus non aceſcit in ventriculo.1°.de art.curati.ad Glau. 7ª.98.A
Ptiſſana in quibuſdam facile aceſcit.7°.met.me. 7ª.46.D
Ptiſſanæ ſuccus æſtate citius aceſcit quã hyeme.4°.de ſim.m.f.5ª.28.C
Ptiſſanæ ſuccus ſeruatur in locis frigidis.4°.de ſim.me.fac. 5ª.28.C
a Ptiſſanæ cremore vomitus.7°.me.me. 7ª.48.D
Ptiſſana etiam tempore Galeni nauſeã faciebat.7°.me.m. 7ª.46.D
in Ptiſſanæ faſtidio piſces dandi ex iure albo.de victus rat.in morbis acutis.com.1°. 7ª.113.C
poſt Ptiſſanam piſces.12°.met.me. 7ª.78.H
ex Ptiſſanæ ſucco ſtomachus vni mordetur,alteri non.2°.de ſimplic. medicam.facul. 5ª.12.E
Ptiſſanæ ſuccus epiceraſticus.2°.de ſim.me.fac. 5ª.12.F
Ptiſſanæ cremor frigidus,& humidus in febribus conuenientiſſimus. 8°.methodi meden. 7ª.51.A
Ptiſſanæ cremor conuenit ſiccitati p̃ter renũ noxã.6°.de ſa.t. 2ª.99.G
Ptiſſanæ cremore quando vtendum.11°.met.me. 7ª.71.F
Ptiſſanæ ſucci exhibendi ordo.de ptiſ. 2ª.48.C
Ptiſſanæ cremorem quando tranſeundum.de victus ratione in morbis acutis.com.2°. 7ª.124.H
Ptiſſanæ cremorem dat per horam poſt cibum.9°.met.me. 7ª.56.H
Ptiſſanam dat frigidam.7°.met.me. 7ª.44.B
Ptiſſanæ quantitas danda.de ptiſ. 2ª.47.H
Ptiſſanæ quantum in principiis dandum.de victus ratio.in morbis acutis.commenta.1°. 7ª.112.D
Ptiſſanæ cremoris dandi quãtitas.de vic.ra.in mo.ac.c.1°.7ª.112.D
Ptiſſanæ cremor prohibet ægro pro quãtitate.2°.de dig.pu. 4ª.76.G
Ptiſſana tota quibus porrigatur.de vic.ra.in mor.acu.c.3°.7ª.133.C
Ptiſſana pro ſemel tantum in die comedentibus. de victus ratione in morbis acutis.com.4°. 7ª.145.B
Ptiſſana in ſiccitate.7°.met.me. 7ª.45.C
Ptiſſanæ cremor ſatis fuit Galeno æſtus,& calores perpeſſo. de bonitate,& vitio ſuccorum. 2ª.39.C
poſt Ptiſſanam alica in calidis,& ſiccis.8°.met.me. 7ª.51.B
cur poſt Ptiſſanæ ſorbitionem non eſt ſumenda mulſa,ſed ante.de victus ration.in morbis acutis.com.3°. 7ª.129.C
Ptiſſana in febre danda eſt.4°.de ſan.tu. 2ª.87.G
Ptiſſana melior eſt mulſa in febribus.de vi.ra.ĩ mo.ac.c.1°.7ª.111.E
Ptiſſanæ cremore vtemur in colliquationibus.de victus ratio.in mor. acutis.com 1°. 7ª.128.E
Ptiſſana fermentaceis præferenda in acutis.de victus ratione in mor. acutis com.1°. 7ª.109.H
Ptiſſana nõ eſt dãda in acutis morbis ſine diſtinctione.de ptiſ.2ª.47.H
Ptiſſanam non colatam quidam in acutis dant.de vict.ratione in mor. acutis.comment.1°. 7ª.109.D
Ptiſſanæ ſuccus dandus p cibo in tertiana.de art.cur.ad Gl. 7ª.97.C
Ptiſſanæ ſuccus cũ pipere ĩ tertiana notha.de ar.cu.ad Gl. 7ª.97.E
Ptiſſana cur febribus ardentiſſimus accommodata.de ptiſ. 2ª.47.F
Ptiſſanæ cremor quando pro aqua mulſa.12°.met.me. 7ª.75.H
Ptiſſanæ cremor in ſyncopa pro mulſa,vel alica.12°.me.me. 7ª.76.A
Ptiſſanæ cremore nutriendi,qui ſyncope ex tenuibus humoribus correpti ſunt.12°.met.me. 7ª.78.A
Ptiſſanæ cremore quos cibanit Galenus vſq; ad ſeptimum diem. 10°. methodi medendi. 7ª.63.H
Ptiſſana conuenit in epilepſia.de puero epil. 7ª.180.H
Ptiſſana quando non eſt danda in lateris dolore.de vic.ratione in mor. acutis.comment.1°. 7ª.113.H
Ptiſſana thoraci conuenit.de ptiſ. 2ª.47.F
Ptiſſanæ miſceri debent medicamẽta thoracis,& pulmonis. 5°.de ſim. medicam.facul. 5ª.35.C
Ptiſſanæ cremor eſt inter mediocria,quæ pus educunt e thorace. 13°. methodi medendi. 7ª.84.H
Ptiſſana facit expuere.de vic.rat.in mor.acut.c.3°. 7ª.126.B
Ptiſſana q̃o in thoracis morbo danda,& augenda.de ptiſ. 2ª.48.B
Ptiſſana,& lac,& chondrus cibi tabidorum.de marc. 3ª.48.E
Ptiſſana,lac,& chõdrus aſperitati medẽtur.2°.de ſim.m.fa.5ª.12.G
Ptiſſana,& chondrus cur acetum recipere debent.de marc. 3ª.48.E
vt Ptiſſana præparata alica in diaria,ſiſtẽte fluxu.8°.met.me.7ª.53.E
Ptiſſana in phlegmone glandularum,& artuum.13°.met.me.7ª.83.D
in Ptiſſana coctus veratri nigri cortex in iecoris phlegmone.13°.methodi medendi. 7ª.84.A
ĩ Ptiſſana coctæ amygdalæ amaræ expurgãt ictericos.d cu.ic.Sp.111.b
Ptiſſana cur poſt medicᵐ detur.de vic.ra.in mor.acu.c.2°.7ª.118.D
Ptiſſanæ ſuccus pro cibo in cancro.2°.de art.cur.ad Gl. 7ª.107.E
Ptiſſana quibus non danda.de ptiſ. 2ª.47.H
Ptiſſana in aridioribus morbis non danda.de ptiſ. 2ª.47.H
Ptiſſana quando interficit hominem.de ptiſ. 2ª.48.C
Ptiſſanæ ſuccus ex aqua decoctus p aluũ purgat.de ar.c.2°.7ª.267.H
Ptiſſana,lac,& chõdrus per ſedẽ iniciũtur.2°.de ſim.me.f. 5ª.12.G
in Ptiſſana cnicum ſoluit aluũ in ſenibus.5°.de ſa.tu. 2ª.92.F
in Ptiſsana modicũ ſcãmoneũ parciſſime ducit.1°.de ali.fac. 2ª.8.D

inter PTOLEMAEVM *& Attalum regem fuit certamen de libris comparandis.de nat.hum.com.2°.* 7ª.181.D
Ptolemæi Euergetis liber epidemiorum.i 3ᵐ.de mor.v.c.2°. 3ª.136.F
Ptolemæi medicamentum.5°.de comp.me.per ge. 5ª.253.G
Ptolemæi familiaris medicamentum.7°.de comp.me.se.lo. 5ª.185.G
Ptolemæi celebris medicamentum ad vlcera curatu difficilia.5°.de compo.medica.per ge. 5ª.253.G
PTYAS *aspis qualis.de theria.ad Pis.* 5ª.93.A
Πτυελίζειν quid significet.in 1ᵐ.pror.com.1°. 4ª.167.E
PTYELON *siue sielon.i.saliua.10°.de simp.me.fac.* 5ª.75.F
.i. peluis.9°.de vsu par. 1ª.172.A
PVBERES *incipiunt minus augeri.commentario.3°. apho.9°.* Ex.26.B
Puberes cur minus,& rarius inspirant.de vtil.resp. 1ª.225.F
Puberes quos pilos faciunt.2°.de temp. 1ª.19.D
Puberes incipiunt superabundare sanguine.com.3°.ap.27°.Ex.25.H
Puberibus sanguis mitti potest.13°.met.me. 7ª.82.H
Puberes quos morbos incidant.com.3°.apb.28°. Ex.26.A
PVBERTAS *quando incipiat.com.3°.apho.26°.25.D/ commento.5°. aphorismo.7°.* Ex.38.A
Pubertatis non est vnus omnium terminus.com.3°.aph.27°.Ex.25.H
in Pubertate magna fiunt mutationes corporis, præsertim in mulieribus quibus erumpunt menses.com.3°.aph.28°. Ex.26.A
in Pubertate vox acuta fit grauior.in 6ᵐ.de mor.vu.c.4°.3ª.186.H
ante Pubertatem cur moriuntur qui gibbi ex asthmate, & tussi fiut. com.6°.aph.46°. Ex.51.G
PVBES *quid proprie significet.in 1ᵐ.pror com.2°.* 4ª.174.C
Pubes quæ.intro. Isa.53.D
Pubem tarde faciunt gibbi circa lumbos.de ar.com.3°. 7ª.269.H
in PVBE *quo fornix osseus magnus.14°.de vsu par.* 1ª.208.H
Pubis ossa quæ.intro. Isa.54.H
Pubis ossis cur magnum foramen.16°.de vsu par. 1ª.218.D
per Pubis ossis foramen venæ.de venæ.ar.dissect. 1ª.58.E
Pubis ossa quæ incidēda p videdis sedis musculis.6°.de an.ad. 1ª.93.F.
Pubis ossium musculi nervis indigent.16°.de vsu par. 1ª.218.D
ad Pubis ossa a Thorace musculi medij quo tendant.in 1ᵐ.pror.commentario.3°. 4ª.186.D
a Pubis ossibus corpus nervosum cauum,et omni humore vacuum venit quale pudendo conuenit.15°.de vsu par. 1ª.210.E
in Pubis osse ē corpus nervosū cauū,& vacuū.15°.de vs.p. 1ª.210.E
Pubis ossi multa caro supersest.6°.de ana.adm. 1ª.93.G
supra Pubem cur nō debeat esse pudendum.15°.de vsu pa. 1ª.210.C
in Pube ne pueri faciant pilos.7°.de simp.me.fa. 5ª.53.E
in Pube cucurbitula quando menses prouocare volumus.13°.meth. medendi. 7ª.85.B
Pubes,& pudēda leuissime putrescūt.in 3ᵐ.de mor.vu.c.3°.3ª.142.F
in Pube si tumor sit,& non emittatur vrina quid significat.1°.de locis affectis. 4ª.2.G
Pubes parum dolentes purgandi nō sunt.in 1ᵐ.pror.cō.2°. 4ª.174.B
PVBESCERE *quando incipiunt pueri.com.3°.aph.27°.* Ex.25.H
Pubescere incipiunt aliqui vbi quartū decimum annum explcuerunt. 6°.de san.tuen. 2ª.95.F/G
Pubescunt facile calidi,frigidi difficulter.com.3°.aph.27°. Ex.25.H
PVBLICE *quibus dicere permittitur.1°.met.me.* 7ª.3.A
Publici morbi qui græce ἐνδημοι. in 1ᵐ.de mor.vul·c.1°.3ª.101.E/G
PVBLI *præceptoris medicamentū.5°.de com.me.per ge.* 5ª.254.A
vt Publius in putiolo & Apollonio Colica.9°.de comp.medicamen. secuu.loc. 5ª.202.D
Publij emplastrum ex vino.2°.de comp.med.per ge. 5ª.225.B
Publij ad nomas.5°.de comp.me.per ge. 5ª.253.A
PVDENDVM *inest mulieri vt viro.14°.de vsu par.* 1ª.205.F
Pudendum viri quo modo vocetur.14°.de vsu par. 1ª.208.E
Pudenda in mulieribus quæ sint,& q̄ distinguantur ab vtero. commē. 5°.aphorismo 46°. Ex.41.H
in Pudendum mulieris desit collū matricis.14°.de vsu pa. 1ª.204.F
Pudenda viri vertendo fiunt fœminæ pudenda, & quomodo.14°.de vsu partium. 1ª.205.F
Pudendi fabrica admirabilis est.15°.de vsu par. 1ª.210.A
Pudendum habet oēs bonas conductiones.14°.de vsu par. 1ª.204.E
Pudendum cur viris factum.14°.de vsu par. 1ª.207.H
Pudendæ partes ad generis instaurationem.14°.de vsu par. 1ª.204.C
Pudenda viri,& mulieres in loco sunt cōmodissimo,& nō possunt etiā minimum transponi.15°.de vsu par. 1ª.210.B
Pudendum cur non in dextra parte,vel sinistra,potius quam in medio est situm.5°.de vsu partium. 1ª.210.G
Pudendum quod nō habeat esse supra pubem,vel ad hypogastriū.15°. de vsu partium. 1ª.210.C
Pudendi virilis corpus propriū durū,& cauū.15°.de vsu p. 1ª.210.F
Pudendi virilis corpus ex osse emergit,vt alia ligamenta.15°.de vsu partium. 1ª.210.F
Pudendum virile cur emergit ab osse.15°.de vsu par. 1ª.210.F
Pudendorum ossium compositio mirabilis.14°.de vsu par. 1ª.208.H
ad Pudendi virilis confectionē,neq; caro,neq; glandula,neq; os,neque carthilago vtilis.15°.de vsu par. 1ª.210.D
Pudendum non debuit venosum.15°.de vsu par. 1ª.210.C
Pudēdū an ex ullo neruorū gñe fieri potuerit.15°.de vsu p. 1ª.210.D
in Pudendo vbi sit neruus.15°.de vsu par. 1ª.210.H
in Pudendis nerui mediocres.14°.de vsu par. 1ª.209.B
ad Pudendum nerui vtilitas.14°.de vsu par. 1ª.209.D
Pudendi musculi duo obliqui quales,& vbi sint.de mus.diss. 1ª.50.D
in Pudendo duo musculi vbi.15°.de vsu par. 1ª.210.H
ad Pudēdū musculus qui deducit vrinā a vesica.5°.de vs.p. 1ª.147.G
in Pudendis cur venæ,& arteriæ maximæ,& duplices, & quorsum eant.14°.de vsu par. 1ª.209.B
Pudendi arteriæ cur ampliores.6°.de loc.aff. 4ª.42.E
Pudendæ partes mulierum,& virorum quibus vasis nutriuntur.14°. de vsu partium. 1ª.209.B
Pudendi extremi cutis qualis.11°.de vsu par. 1ª.189.C
circa Pudendum cur præputium.11°.de vsu par. 1ª.190.C
in Pudendi finibus epiphyses cutis cur in mulieribus,& viribus.15°. de usu partium. 1ª.211.A
Pudendo germina adnascūtur vt in aure naribus sede cæterisq; extrinsecus.3°.de symp.cau. 3ª.28.D
in Pudendo cur glandulæ.14°.de vsu par. 1ª.208.C
in Pudēdorū glāduloſis ptib⁹ humor qd agat.14°.de vsu p. 1ª.208.B
Pudēdi virilis glāduloſos meat⁹ Herophilus appellabat παρασάτας. 14°.de vsu par. 1ª.208.C
in Pudēdi partib⁹ inferiorib⁹ meatus seminis.15°.de vsu p. 1ª.210.H
Pudendum viri cur longum,tale.14°.de vsu par. 1ª.206.B
Pudendum viri quod non debeat semper esse oblongum,& intensum. 15°.de vsu par. 1ª.210.B/C
circa Pudenda cur pili.11°.de vsu par. 1ª.190.C
in Pudendis pili sunt plurimi incrementi.11°.de vsu par. 1ª.190.A
Pudendorum pili parum habent vtilitatis.1°.de compositione medicamentorum secundum locos. 5ª.121.D
in Pudendis pilorum exortum reprimere lac caninum est falsum.10°. de simp.me.fac. 5ª.74.A
Pudendum quo modo erigatur scire spectat ad speculationem naturalem.15°.de vsu par. 1ª.210.H
Pudendum cur intenditur nobis volentibus.15°.de vsu pa. 1ª.210.G
Pudendum cur absq; nostra volūtate intendit.15°.de vsu pa. 1ª.210.G
ad Pudendi tensionem fortis,& neruosa substantia requiritur.15°. de vsu partium. 1ª.210.C
Pudendū intēditur ex spiritu īplēte cauū neruū.15°.de vs.p. 1ª.210.G
Pudendo qui musculi dant rigiditatem.de musc.diss. 1ª.50.E
Pudendum cur tensum esse oportet in coitu.15°.de vsu par. 1ª.210.H
Pudenda habent maiorem sensum,quam cutis,ppterea, & delectatio maior est ī coitu,q̄ ī pruritu scalpēdo.14°.de vsu par. 1ª.207.E
Pudendi per nimium coitū exiccati curatio.14°.de vsu pa. 1ª.208.D
Pudenda in embryo non generantur statim.14°.de vsu par. 1°.206.E
Pudendorum satyrismus.de tum.præter naturam. 3ª.84.E
cū Pudendi tensione gonorrhea cur sit.3°.de symp.cau. 3ª.29.H
Pudendorū nexus īmodici in quo gñe ægritudinis.de diff.mor. 3ª.5.C
Pudenda intendit cicer.de vict.rat.in morb.acut.cō.4°. 7ª.146.F
ad Pudēdi erectionē vtit pudēdi ceruini scobe.de m.fa.p. 7ª.169.E
Pudenda intendūt renes scincorum.11°.de sim.me.fac. 5ª.80.D
Pudenda laxat semen lactucæ.11°.de sim.m.fac. 5ª.80.D
Pudenda laxat lenticulæ decoctū cū melle.11°.de sim.me.fa. 5ª.80.D
Pudenda elixa,& rugosa senes habent,qui venere non vtuntur.6°.de loc.affect. 4ª.42.G
cur Pudēdū retractū ē fœtui frigidiori,et hūidiori.2°.de sem. 1ª.339.C
PVDENDA, *& pubes leuissime putrescunt.in 3ᵐ.de morb.vulgarib⁹. commen.3°.* 3ª.142.F
Pudenda cur leui de causa putrescant.5°.met.me. 7ª.31.D

Pudenda sunt

Pudenda sunt calida, & humida. 9°. de simp. me. fac. 5ª. 69. B
Pudenda facit multum humida Galenus. 5°. met. med. 7ª. 31. D
Pudendis putredine affectis infunditur vrina humana. 10°. de simpli. medicamen. facul. 5ª. 75. E
Pudendis calidum amicum frigidum inimicum. c. 5°. ap. 22°. Ex. 39. D
Pudenda habēt eandē indicationē cū vrinæ vasis. 13°. me. me. 7ª. 83. A
ad Pudendorum affectus centaureæ succus. de vir. cen. Sp. 93. D
Pudendum vbi affectum est quæ vena secanda. 13°. me. me. 7ª. 83. B
ad Pudendi dolores. 9°. de comp. me. sec. loc. 5ª. 205. D
ad Pudendum intumescens. 9°. de comp. med. sec. loc. 5ª. 205. D
ad Pudendorum tubercula. 9°. de comp. me. sec. loc. 5ª. 205. D
Pudendorū, & ani phlegmonas iuuat aloe. 6°. de sim. me. fa. 5ª. 42. C
ad Pudendorum phlegmonas circa initia valet infrigidans Galeni. 10°. methodi med. 7ª. 65. A
ad Pudendorum phlegmonas vtilis est plumbi succus. 9°. de simpli. medicam. facul. 5ª. 70. F
in Pudendorum phlegmone vomitus conuenit. 13°. met. me. 7ª. 83. A
ad Pudendorum inflammationes. 9°. de com. me. sec. lo. 5ª. 205. E
in Pudendi phlegmone mēses nō sunt puocandi. 12°. me. m. 7ª. 82. A
Pudendi exulcerati cognitio. 9°. de comp. me. sec. loc. 5ª. 205. C
Pudendi exulcerationes qūo cognoscantur, & quibus distinguantur. 9°. de comp. me. sec. loc. 5ª. 205. D
Pudendarum partium vlcera quo indigeant. 5°. met. med. 7ª. 36. D
Pudendorum vlcera requirunt suauissima medicamenta. 11°. de sim. medic. facul. 5ª. 81. E
Pudendorum, & oris vlcera gaudent similibus medicamentis. 9°. de simpl. medicam. facul. 5ª. 69. B
Pudendorum vlcera sanat aloe. 6°. de simp. me. fac. 5ª. 42. C
ad Pudendorum vlcera omnia valet dyphriges post cadmiā repert°. 9°. de sim. me. fa. 5ª. 69. A
ad Pudendorum vlcera valet lac. 10°. de simp. me. fa. 5ª. 73. H
ad Pudēdorum, ac sedis vlcera optimum est medicamē Pompholyx. 9°. de simp. me. fac. 5ª. 70. H
ad Pudendi vlcera. 7°. de comp. me. sec. loc. 5ª. 180. A
ad Pudendi rimas. 9°. de comp. me. sec. loc. 5ª. 205. C
ad Pudendorum fissuras, & rimas. 9°. de compositione medicam. secundum locos. 5ª. 205. E
Pudendis sectis tutius est vrere. 2°. de art. cur. ad Gla. 7ª. 107. A
PVDICVM circulum vocat anum. de comp. memb. Sp. 59. G
Pudicus circulus quomodo formetur. de comp. memb. Sp. 59. E
PVELLAE in vmbra degunt. ars med. If. 65. F
Puellis virginibus māmæ increscunt. in 6ᵐ. de mor. vul. c. 4°. 3ª. 186. b
Puellæ, cui cum menses primo prouenerunt iudicata est, casus. in 3ᵐ. de morb. vul. com. 3°. 3ª. 150. H
Puella si sit concepta in horis sanguinis, & parentes in horis phlegmatis quid sequetur. de sperm. Sp. 38. D
Puella si concepta sit in horis phlegmatis, parentes in horis sanguinis quid sequatur. de sperm. Sp. 38. D
Puella naturaliter phlegmatica, debilis, quotidianaria liēterica, phthisica, cephalalgica, dolens in omni membro, in renibus, in matrice vnde fit. de spermat. Sp. 38. C
Puella naturaliter, melancholica, paralytica, splenitica, quartanaria, epileptica, stulta, & iners vnde. de sper. Sp. 38. B
a PVELLVLIS quomodo indicetur dolor. 1°. de san. tu. 2ª. 65. H
PVELLI admoti ventriculo faciunt perfectam concoctionem. 5°. de simpl. med. facul. 5ª. 33. D
PVERORVM diuersæ appellationes. de cog. cur. aī morb. 2ª. 54. A
Pueros appellat Galenus infantes vsque ad pubertatem, & infra. cō. 3°. aphorismo. 24°. Ex. 25. A
Pueri quando transeunt in adolescentiam. in 6ᵐ. de morbis vulgarib. commentario. 4°. 3ª. 186. H
de Puerorum in vtero formatione, & de cura cū orti sunt, Plato egit 5°. de decre. Hipp. 1ª. 257. D
Pueri camisia quæ. de ana. viuo. Sp. 52. C
Puerum stellæ alterant in conceptu. de sper. Sp. 38. G
Pueri concepti in horis sanguinis natura. de sper. Sp. 37. B
Pueri concepti in horis bilis natura. de sperm. Sp. 37. C
Puer in dextra parte si sit conceptus in horis phlegmatis omnium, qd euenit. de sperm. Sp. 38. C
Puer conceptus si fuerit in horis phlegmatis in sinistra matricis parte parentes in horis sanguinis, quid sequatur. de sperm. Sp. 38. D
Puer si sit conceptus in horis choleræ nigræ, pater in horis choleræ rubræ mater in horis sanguinis, quid sequatur. de sperm. Sp. 38. D
Puer si conceptus sit in horis sanguinis, vel phlegmatis, & parentes i horis bilis, quid sequatur. de sperm. Sp. 38. D
Puer in partu conuertit se in caput. de ana. viu. Sp. 52. D
Pueri nati in leone figura. de sperm. Sp. 38. G
Puer aui figuram retinet quando habet principium ab horis sanguinis si sicut auus eius. de sper. Sp. 38. F
Pueri parui cur non habent pilos. 2°. de temp. 1ª. 19. D
Pueri cur in fascijs retineantur. 2°. de motu musc. 1ª. 315. F
Puerorum natiuus calor qualis. de sal. dieta. 2ª. 40. E
Puerorum calor qualis. 2°. de temp. 1ª. 17. D
Pueri calor salubris est. com. 1°. aph. 14°. Ex. 7. B
Puerorum calor halituosior est. 3°. de symp. cau. 3ª. 29. C
a Pueri calore iuuatur ventriculus. 7°. met. me. 7ª. 47. B
Pueri admoti ventriculo calor superat omnem calorem fomentorum. 5°. de simp. me. fac. 5ª. 33. D
Pueri an calidiores iuuenibus. 2°. de temp. 1ª. 16. D
Puerorum calor differt qualitate a calore iuuenum. 2°. de tem. 1ª. 17. C
Puer plus habet caloris insiti, quam iuuenis. 2°. de tem. 1ª. 17. F
Pueri calidiores adolescentibus. de vti. resp. 1ª. 225. F
Puer quomodo iuuene calidior, & e contrario. in 6ᵐ. de mor. vul. com. 1°. 154. H/com. 3°. 3ª. 173. A
Pueri minus sunt calidi adolescentib° ſm aliquos. de vti. res. 1ª. 225. F
Pueri calor in quo sit inæqualis cum iuuenili. 2°. de tem. 1ª. 17. F
de Puerorum, & iuuenum caloribus exemplum. 2°. de tem. 1ª. 17. D
Pueri quibus excedant iuniores, & quibus excedantur. in progn. commentario. 3°. 4ª. 211. B
Pueri quando quo ad qualitates simul comparantur debent similes similibus comparari. 2°. de temp. 1ª. 17. A
Pueri habent plurimum sanguinis. in progn. com. 3°. 4ª. 210. C
in Pueris dominatur phlegma ab ineunte ætate vsque ad quatuordecim annos. de nat. & ord. cuiuslibet corp. Sp. 41. E
Puerorum ætas temperata. 1°. de temp. 1ª. 11. C
Pueri nuper nati maxime habēt corp° humidū. c. 3°. ap. 24°. Ex. 25. B
Pueri humidi. 9°. de sim. me. fac. 5ª. 69. F
Pueri cur humidi. de sal. dieta 2ª. 40°. E
Pueri quo modo humidi. 1°. de sim. me. fac. 5ª. 3. G
Pueri molles. 4°. de comp. me. per gen. 5ª. 236. F
Pueri humidi, & molles. 6°. de comp. med. se. loc. 5ª. 176. F
de Pueris quæ dicuntur possunt transferri ad eunuchos, mulieres, humidos, & molles. de ijs, quæ in me. fi. com. 3°. 7ª. 218. B
Pueri, eunuchi, & mulieres similem habent cuticulam mollem. 1°. de compositione medicam. sec. loc. 5ª. 123. B
Puerorum ossa potius cerea quam lapidea videntur commentario. 3°. aphorismo 24. Ex. 25. B
Pueri tolerant nimiam extensionē. de ijs, quæ in med. fi. c. 3°. 7ª. 218. a
Puerorum substantia omnium humidissima. 9°. met. me. 7ª. 60. H
Puerorum ætas calida est, & humida. 1°. de temp. 11. C/1ª. 12. D/1°. de san. tuen. 2ª. 66. G
Pueri calidi, & humidi cur. de ren. aff. dig. & med. 7ª. 195. D
Puerorum temperies calida, & humida facile absumitur. de cur. rat. per sang. miss. 6ª. 19. F
Puerorum substantia omnium facillime digeritur. 9°. met. me. 7°. 60. b
in Pueris, vt causa resolutionis est substantia mollis, ita in regionib°, & anni tēporib° res hēt. de vict. rat. in mor. acu. cō. 1°. 7ª. 115. F
Pueri sunt propensi ad succos corporis exhalandos, et digerendos. 9°. methodi meden. 7ª. 57. H
Pueri raritas naturalis est. de opt. secta. Isa. 26. B
in Pueris densitas est præter naturam. de opt. sect. Isa. 26. B
in Pueris capitis cutis humida est. in 6ᵐ. de mor. vul. c. 3°. 3ª. 170. A
Pueri quamuis humidi, cur tamen non siccandi. de sal. dieta. 2ª. 40. F
Pueri in nimia humiditate sunt siccandi. 1°. de san. tu. 2ª. 65. C
Pueri humidi, & tenelli paucis frictionibus molliscunt. 2°. de sanitate tuenda. 2ª. 73. D
Pueris natis membra non crescunt supra naturalem quantitatē nisi raro, sed frequentius minuuntur. de diff. morb. 3ª. 5. B
Pueri trahendi vim vigentibus habent imbecilliorē, sed tamen ad vsū suum sufficientem. 3°. de symp. cau. 3ª. 29. B
Pueri habent retentricem, & expultricem vim debiliorem quam ætate vigentes. 3°. de symp. cau. 3ª. 29. B
Puerorum alteratrix facultas est fortior quam ætate vigentium. 3°. de symptomatum causis. 3ª. 29. B

Pueri propter incremẽtũ vehementer cõcoquũt. de vsu pul. 1ª.229.E
Puerorum coctio in humilis, & mollibus rebus est vt vigentium, in duris vero deterior. 3°. *de symp. cau.* 3ª.29.C
Pueri diductionis, siue digestionis instrumenta habent imbecillia, sed sufficientia. 3°. *de sym. cau.* 3ª.29.A
in Pueris cur actiones naturales adauctæ. 5°. *de sim. me. fac.* 5ª.33.H
Pueri actionibus corporalibus magis vigent, animalibus vero proxima deinde ætas. 6°. *de sa. tu.* 2ª.95.F
Pueri cur plurimo egeant nutrimento. com. 1°. *aph.* 13°. *Ex.*6.H
Pueris cur cibos multos concedit Galenus. de puero epil. 7ª.180.F
Pueris natura consuluit lac dando. 1°. *de san. tu.* 2ª.65.C/D
Pueri lac matris exugentes consueto, & proprio vtuntur alimento. 1°. *de sanitat. tuend.* 2ª.65.C
Pueris quæ edulia competunt. 3°. *de symp. cau.* 3ª.29.C
Pueri nates mango breui crassas reddidit. 14°. *met. me.* 7ª.91.G
Pueri quando primũ per se moueri debent. 1°. *de san. tu.* 2ª.65.E
Pueri cur non sunt cogendi immature moueri. 1°. *de san. tu.* 2ª.65.E
Pueri cur sæpius vomunt, atque deijciunt quam ætate florentes. 3°. *de sympt. caus.* 3ª.29.C
Puero, viro, seni, mulieri, æstate, hyeme in loco calido, in loco frigido non æque conueniunt capilli. 11°. *de vsu par.* 1ª.189.F
Puerorum ætas verè & æstatis principio maxime viget. commẽta. 3°. *aphoris.* 18°. *Ex.*23.G
Pueris febres fiunt æstate, si hyems borealis, & sicca fuerit, & ver austrinum. de aere aqu. & loc. 2ª.4.C
Pueri cur plus & frequentius inspirant. de vtil. resp. 1ª.225.F
Pueri in respiratione cur excellant. de vsu pul. 1ª.229.E
Pueri cur vocem habent acutam. in 1ᵐ. *prõr. com.* 2°. 4ª.170.E
Pueri pulsus qualis. 3°. *de caus. pul.* 4ª.96.D
Pueris sunt pulsus parui. 2°. *de dign. pul.* 4ª.77.E
ẽ Pueris pulsus intermittẽtes nõ periculosi. 1°. *de pũsag. ex pul.* 4ª.110.F
Pueri dormiũt maiori parte temporis. c. 3°. *aph.* 24°. *Ex.*25.A
Pueri cur apparent idola a somno. de sym. cau. 3ª.15.A
Pueri dentiẽtes plorant. 1°. *de san. tu.* 2ª.65.H
Pueri plorãtis desiderium perspexit Galenus. 1°. *de san tu.* 2ª.66.A
Pueri plorãtes cur inspirãt ĩspiratione iterrupta. c. 6°. *ap.* 54°. *Ex.*53.C
Pueri cur balbutiunt, & cur nequeant crura firmiter stabilire. com. 6°. *aphoris.* 32°. *Ex.*49.H
Pueri cur singultiant maxime. 8°. *de comp. me. se. loc.* 5ª.190.F
Pueri nuper nati quos morbos patiuntur. c. 3°. *aph.* 24°. *Ex.*25.A
Pueri quot mala patiantur. com. 3°. *aph.* 26°. *Ex.*25.E
Pueri sunt ad sẽciendũ admodũ habiles. 4°. *de cõ. mr. p ge.* 5ª.236.B
Puerorum partes molles, nec tactum, nec lac, præsertim more sustinet maxime si lac habeat multum ferum. com. 3°. *aph.* 24°. *Ex.*25.A
ad Puerorum crustas in faucibus. de med. fac. par. 7ª.165.D
Pueri multos habent catharros. com. 3°. *aph.* 26°. *Ex.*25.E
Pueri neruos habent infirmos. in 1ᵐ. *de mor. vul. com.* 2°. 3ª.110.B
Pueri propter infirmitatem simul ac neruosi generis mollitiem sunt conuulsionibus opportunissimi. in 1ᵐ. *de mor. vul. com* 2° 3ª.113.C
Pueris cõuulsio quando & cur acidat. in progn. com. 3°. 4ª.211.B/C
Puerorum comitiales morbi vnde. in 6ᵐ. *de mor. vul. c.* 1°. 3ª.154.G
Puerorum comitialis cur finiat in pubescentia. in 6ᵐ. *de morbis vulga. comment.* 1°. 3ª.154.G
ad Puerorum epilepsiam. de incant. adiur. & susp. 7ª.182.C
Pueri a crure comitialẽ morbũ patientis casus. 3°. *de loc.* 4ª.19.E
Puerorum dolores a quibus causis fiant. 1°. *de san. tu.* 2ª.65.H
ĩ Pueris sinciput dolẽtibus quid agendũ. 2°. *de cõp. me. se. l.* 5ª.134.D
Puerorum furunculi pane masticato non tritico sanãtur. 10°. *de simp. medic. facul.* 5ª.75.A
Puerorum lichenæ saliua sanantur. 10°. *de simp. me. fac.* 5ª.75.F
Pueri gibbi cur nõ crescũt in spina. de art. com. 3°. 7ª.269.C
Pueris gibbis supra septum non crescunt costæ in latitudinem. de art. commentario. 3°. 7ª.269.C
Pueri thoracem quomodo Galenus deduxit per artem ad symmetriã. 5°. *de sanitate tuend.* 2ª.92.H
Pueri prius moriuntur quam patiuntur tonsillas, & luxationem vertebræ. com. 3°. *aph.* 26°. *Ex.*25.D
Puerorum morbus est lithiasis vesicæ. de ren. aff. dig. & med. 7ª.192.F/*com.* 3°. *aph.* 26°. *Ex.*25.F
Pueris creatur in vesica lapillus sed haud ita multos, vt facer morbus inuadit. in 6ᵐ. *de mor. vul. com.* 5°. 3ª.193.B
Pueris cur lapis in vesica fiat. in 6ᵐ. *de mor. vul. com.* 3°. 3ª.173.B/*de ren. aff dig. & med.* 7ª.192.E
Pueri cur patiuntur lapidem vesicæ non renum. in 6ᵐ. *de mor. vulga. commenta.* 3°. 3ª.173.D
Pueris cur calculi nascũtur. de natur. huma. c. 2°. 7ª.184.H/*in progn. commen.* 2°. 4ª.205.C
in Pueris causa efficiens calculi. de nat. hu. com. 2°. 7ª.180.B
Puerorum vrinæ crassæ. de ren. aff. dig. & med. 7ª.192.F
Pueris vrinæ crassissimæ fiunt. in 6ᵐ. *de mor. vul. com.* 3°. 3ª.173.B
in Puerorum vrinis est subsidentia multa. 1°. *de cri.* 4ª.130.C
Puerorum vrinæ cur crassæ. in 6ᵐ. *de mor. vul. com.* 3°. 3ª.173.D
in Pueris vrinæ pessimæ. quæ. 1°. *de crisi.* 4ª.130.F
in Pueris vrina aquosa deterrima. in progn. com. 2°. 4ª.201.B
Puerorum vrina optima quæ sit. de urinis. 4ª.125.B
Pueri venerem expertis vrina cuius vsus. 9°. *de compo. me. secũ. loc.* 5ª.200.F/*de med. fac. par.* 7ª.170.E
in Pueris cur cruditates. in progn. com. 3°. 4ª.210.C
Pueri cur crudos aceruant humores. in prog. com. 2°. 4ª.206.C
Pueri quia voraces crudum humorem colligunt. de natu. hum. c. 2°. 7ª. 180.B/*com.* 3°. *apho.* 26°. *Ex.*25.F
Pueri sunt voraciores. 1°. *de crisi.* 4ª.130.C
Pueri vt bruta saturitati vacant. 5°. *de dec. Hipp.* 1ª.258.G
Pueri cur nutrimenta sæpe corrũpũt. in 3ᵐ. *de mor. c.* 3°. 3ª.145.B
Pueris increscũt testes. in 6ᵐ. *de mor. vul. com.* 4°. 3ª.186.H
Puerorũ testiculi impuberes seruantur. 1°. *de cõp. me. se. lo.* 5ª.127.E
Pueri impuberes seruãtur hyacintho. 8°. *de sim. me. fac.* 5ª.62.H
Pueri ne faciant pilos in pube. 7°. *de simp. me. fac.* 5ª.53.E
Pueris quando aduenit hircire. in 6ᵐ. *de mor. vul. com.* 3°. 3ª.175.F
Puerorum, & amantium satyriasis quæ. de mot. ma. & obs. *Sp.*67.D
Pueri qui inuitus excernebat musculo derepente circa sedem resolutus casus. 1°. *de locis affect.* 4ª.7.H
Pueri quibus temporibus habeãt iudicia morborum lõgorum. co. 3°. *aphoris.* 28°. *Ex.*26.A
Puerorũ dispositiones facile alterantur, tũ propter corporis humiditatẽ tũ pp imbecillitatem naturalis potentiæ. c. 3°. *aph.* 26°. *Ex.*25.F
Pueris cito morbi coquuntur. in 1ᵐ. *de mor. vul. com.* 2°. 3ª.116.G
Pueri qua tẽpestate maxime moriantur. c. 3°. *ap.* 11°./12°. *Ex.*21.D/F
Pueri nutriendi statim inuadente morbo. intro. *Isa.*55.E
Pueri nõ sunt purgandi. de dyn. *Sp.*20.F
pro Pueris quo modo lac purgatorium reddatur. in 6ᵐ. *de morb. vul. commẽ.* 5°. 3ª.193.C
Pueri parui non sunt phlebotomandi. de secta. Isa. 16.E/*de vict. rat. in morb. acut. commen.* 4°. 7ª.137.H
Pueri cur sanguis non mittendus vsque ad annum quartum decimum præsag. exper. confir. *Sp.*77.H
in Puero quatuordecim annorum sanguis non est mittendus, & cur. 11°. *methodi med.* 7ª.71.F
Puero quando sanguis mittendus. de cur. rat. per sang. miss. 6ª.19.D/*præsag. exper. conf.* *Sp.*77.H
Pueri valde non sunt phlebotomandi. de sectis. *Isa.*18.B
Puero cotyla sanguinis primo auferẽda. de cur. rat. p san. mis. 6ª.19.D
Pueris quæ cõueniant ĩ vlceribus. 4°. *de comp. me. per ge.* 5ª.236.B
Pueri quæ medicamenta requirant. 1°. *de comp. me. per ge.* 5ª.212.C
Pueris quæ adstringentia cõueniant. 6°. *de com. me. sec. loc.* 5ª.176.F
Pueris satis est butyrum ad parotidas. 3°. *de comp. m. se. l.* 5ª.146.H
Pueris cadmia confert. 9°. *de simp. me. fac.* 5ª.69.F
in Pueris vehemens infrigidatio non est inducenda. 2°. *de composit. medicamen. secun. loc.* 5ª.132.E
PVERORVM *natura. de cog. cur. animi morb.* 2ª.53.H
ĩ Pueris natura ad vitã pficiẽdã plurimũ põt. de cog. cur. aĩ. 2ª.53.H
Puerorum vt etiam virorum ingenia plurimum distant. de cogn. cur. animi morbis. 2ª.53.H
Pueri sunt senes. 1°. *de diff. feb.* 3ª.34.F
Pueri differunt substantijs animarum. quod animi mor. 1ª.317.C
Pueri duo eiusdem ætatis quantum differant. 1°. *de sa. tu.* 2ª.64.D
in Puerorum diuersorum comparationibus eiusdem ætatis quot sunt considerandæ. 2°. *de temp.* 1ª.17.B
de Puerorum animorum dispensatione. 5°. *de dec. Hipp.* 1ª.256.G
Pueri ratione minimum vtuntur. 3°. *de dec. Hipp.* 5ª.245.G
Pueri ratione carent. 5°. *de dec. Hip.* 1ª.260.C
Pueri habent rationem, quæ ab ira vincitur. 3°. *de de. Hip.* 1ª.242.F
Pueri cupiditatibus, & iræ, quasi bestiæ seruiunt. 3°. *de dec. Hippoc.* 245.G/5°. 1ª.260.B

Pueri timent.

Pueri timent in tenebris, & ex adultis non consueti. de melancholia ex Galeno, Rufo, & Poss. Sp.109.D
Pueros blandos, moderatos, formosos efficit sanguis. de dy. Sp.19.E
Pueros acutos, ingeniosos, & leues, macilentos, comedentes multum facit cholera rubra. de dyn. Sp.19.E
Pueri optimis moribus instituendi. de cog.cur.animi morb. 2ª.54.B
Puerorum natura diuersa. de cogno. curan. animi morb. 2ª.54.B
Pueri quæ attenderint imitantur. de cog.cur.animi.mor. 2ª.54.C
Pueri fugiunt quę cũ molestia inspexerint. de cog.cur. aĩ mor. 2ª.54.C
in Pueris duplex malorum causa. 5°. de dec. Hipp. 1ª.257.A
Pueri cur non habent odio vitia. 5°. de dec. Hip. 1ª.257.A
Pueri qua necessitate illiciuntur a voluptate, tanquam a bono aliquo. 5°. de dec. Hipp. 1ª.257.A
Pueri cur lætentur honoribus, & laudibus. 5°. de dec. Hip. 1ª.257.A
Pueri debent doceri artem, ad quam natura sunt propensi. 9°. de decr. Hippocratis. 1ª.284.D
Puerorum discendi ordo qualis. de assuet. 2ª.61.E
Pueris conuenit paruæ pilę lusus. de paruę pil. exer. 2ª.49.E
Pueri exercentur in palestra, vt per funem manibus ascendant ad robur. 2°. de san. tu. 2ª.74.D
Pueri non debent exerceri in labore. 1°. de san. tu. 2ª.66.G
Pueri cur a pædotribis oleo inungantur, & ante, & post exercitia. 2°. de simp. me. fa. 5ª.11.B
Pueris vinum alienissimum. 5°. de san. tu. 2ª.90.H
Pueri non gustent vinum nisi post decimum octauum annum. quod animi mores. 1ª.320.G
Pueris cur non dandum vinum. 1°. de sa. tu. 2ª.66.G
Pueri grãmatici casus, q ob vinũ incidit in vigilias. 2°. ḋ l. af. 4ª.14.a
Puer bibere non debet post cibum, quando balneum excipiet illum. 1°. de san. tu. 2ª.66.E
Pueri non prohibendi a frigida potione. 1°. de san. tu. 2ª.66.H
Puerorũ ad diuersa loca missorũ exẽplũ. 3°. de dign. pul. 4ª.79.G
Puerilem ætatem calidiorẽ iuuenili dicẽtes falsa dicũt. 2°. ḋ tẽ. 1ª.17.c
in Puerili ætate febres quotidianæ fiunt. 2°. de diff. feb. 3ª.36.D
Puerilis ætas cur morbis extenuetur. com. 2°. aph. 28°. Ex.16.D
Puerilis caloris æqualitas, & differentia cũ iuuenili. 2°. de tẽ. 1ª.17.f
Puerilis morbus qui sit, & vnde ortus. c. 3°. aph. 29°. Ex.26.B
Puerilis affectus dictus sacer morbus. i 6ᵐ. de mo. vul. c. 5°. 3ª.193.A
Puerilis morbꝰ cur dictus comitialis. in 6ᵐ. de mo. vul. c. 6°. 3ª.197.C
ad Puerilia corpora aptatur palestricus modus reponendi luxata. de machinamentis. 7ª.309.C
PVERITIA *quæ, & ꝙ pueri minus possunt tolerare famem. com. 1°. aphor. 13°.* Ex.6.G
Pueritia propter humorem somnolenta est. 3°. de loc. aff. 4ª.16.F
in Pueritia cur dentes renascantur. de ana. viu. Sp.44.G
in Pueritia renum morbus non fit. in 6ᵐ. de mor. vul. c. 1°. 3ª.155.C
in Pueritia lapis vesicæ. in 6ᵐ. de mor. vul. com. 1°. 3ª.155.C
in Pueritia quantum valeat exercitatio. 2°. de ana. adm. 1ª.68.F
a Pueritia disciplinas didicisse, & ingeniosum esse multum præstat ad artes addiscendas. 2°. de comp. me. se. lo. 5ª.134.H
in Pueritia ars numerorũ addiscenda. ad eos, qui de typ. scri. 3ª.93.F
PVERPERARVM *vrinæ quales. in 3ᵐ. de mor. vul. c. 3°.* 3ª.148.E
in Puerperis nõ incipit a febre dierũ numeratio. in pg. c. 3°. 4ª.208.F
a PVERPERIO *sanguis vt plurimum est melancholicus. in 3ᵐ. de mo. vul. com. 3°.* 3ª.148.E
PVERVLIS *qũo possunt obesse obstetrices. de cau. mor.* 3ª.8.F
Puerulus cum audit panis vocem mirum quomodo illud exprimat. de fœ. fo. 1ª.325.D
Puerulus binus cognoscit panẽ nominatim. in 6ᵐ. de mor. vulgaribus com. 5°. 3ª.188.F
Pueruli maiores quomodo regendi. 1°. de san. tu. 2ª.65.F
Pueruli qui incipiunt parere monitis quo tempore debent fricari, & lauari. 1°. de sa. tu. 2ª.66.D
Pueruli temperati ne gustent vinum. 1°. de sa. tu. 2ª.66.G
in Puerulis, & mollibus ossa vniuntur. 6°. me. me. 7ª.40.D
Pueruli possunt coalescere. ars med. Isa.69.H
PVGILES. *1°. de alim. fac.* 2ª.10.B
Pugil strenuus Epeus. ad Thras. 2ª.107.C
PVGILATVS *genus exercitij. 2°. de sa. tu.* 2ª.33.G
PVGNARE *aduersus euidentia est maxima vituperatio. aduersus empi. med.* Isa.35.C
PVLCHRVM *qũo improprie accipiatur. de frac. c. 3°.* 7ª.248.E
Pulchrum omne ordinatum, & artificiosum ex Deo, & cælo est. 2°. de dieb. decr. 4ª.151.H
Pulchrum nihil fit casu. de hist. philo. Sp.4.G
Pulchrũ esse ĩterficere se qdã existimãt, ḋ mel. ex G. R. et P. Sp.109.e
Pulchri qui fin. med. Isa.45.C
PVLCHRITVDO *qui fin. med.* Isa.45.C
Pulchritudo virtus corporis. fin. med. Isa.45.C
Pulchritudo, robur, & sanitas sunt bona corporis. ad Thra. 2ª.103.F
Pulchritudo corporum in quo consistat. 5°. de decr. Hipp. 1ª.255.H
Pulchritudo quibus integretur. ad Thra. 2ª.103.F
Pulchritudo quantum laudanda. in oratione suas. Isa.3.E
Pulchritudo vera quæ. 1°. de vsu par. 1ª.115.C
Pulchritudo vera quibus iudicatur. 1°. de vsu par. 1ª.115.C
Pulchritudo vera ad vtilitatis successum, ac bonitatem refertur. 11°. de vsu par. 1ª.189.C
Pulchritudo naturalis quæ. 1°. de comp. med. se. lo. 5ª.126.B
Pulchritudo adulterina quæ. 1°. de vsu par. 1ª.115.C
Pulchritudo acquisititia. 1°. de comp. me. se. lo. 5ª.126.B
Pulchritudo actio, & sanitas qũo sẽ habẽt inuicẽ. ad Thra. 2ª.104.A
circa Pulchritudinẽ, & actionẽ secundo versat ars. ad Thr. 2ª.104.b
Pulchritudo animæ quæ ꝑm Platonem. 5°. de dec. Hip. 1ª.256.A
PVLEGIVM *amat edita, & sicca loca. 4°. de sa. tu.* 2ª.86.D
Pulegium potissimum ex Creta. 4°. de san. tu. 2ª.86.D
Pulegij semen fuluum. 4°. de comp. me. se. lo. 5ª.157.F
Pulegium semen non gerens. 7°. de comp. me. se. lo. 5ª.186.E
Pulegiũ potius ꝑ obsonio comedit q̃ pro alimento. 2°. de ali. f. 2ª.22.H
Pulegium tã cibus, quam medicamentum calidũ. 3°. de temp. 1ª.24.d
Pulegium obsonium est sponte proueniens. 2°. de ali. fa. 2ª.25.D
Pulegium expetit lens. 1°. de ali. fac. 2ª.13.F
cũ Pulegio ficus ante cibum quando. 2°. de ali. fa. 2ª.17.F
Pulegium acre. de atten. vic. 2ª.43.H/9°. *de simp. me. fa.* 5ª.64.C/13°. *met. me.* 7ª.84.H
Pulegium acre, & subamarum est. 6°. de simp. me. fa. 5ª.45.F
Pulegium cum aliqua acrimonia calefacit, diureticum est, menstrua prouocat, partum expellit, tussientibus prodest, odore nauseam prohibet. de simp. med. Sp.88.H
Pulegium incidit. de curan. rat. per san. miss. 6ª.19.A
Pulegium attenuat. de atten. vic. 2ª.43.H/c.1°. *aph.* 24°. Ex.10.G
Pulegium exiccat. 3°. de ali. fa. 2ª.26.D
Pulegium siccum. 5°. de comp. me. se. lo. 5ª.165.H
Pulegium excreatu facilia facit crassa, & lenta, quæ sunt in thorace, & pulmone menses q3 mouet. 6°. de simp. me. fa. 5ª.45.F
Pulegium menses prouocat. 5°. de simp. me. fa. 5ª.38.A/ *de curan. ra. per sang. miss.* 6ª.20.F
Pulegium vrinas prouocat. 5°. de simp. me fa. 5ª.38.A
Pulegium vesicam purgat. de cathar. Sp.95.D
ex Pulegio oxymel pro animi ḋfectu ex obstructione. 1°. de arte cur. ad Glau. 7ª.99.F
Pulegiũ i aceto coctũ naribus applicãdũ i lethargo. 13°. me. me. 7ª.85.f
Pulegium coctum in melicrato pro potu in animi defectu ex multitudine. 1°. de arte cur. ad Glau. 7ª.99.B
Pulegium, & acetum odorãda, ne animi deliquiũ sequatur in balneis. 9°. de comp. me. sec. lo. 5ª.199.B/F
Pulegij decoctum in aqua mulsa est discussorium parabile moderatum 6°. de comp. me. se. lo. 5ª.169.G
cũ Pulegio castoreũ ꝑ suffumigationẽ ꝓuocat sudorẽ. de cathar. Sp.95.d
Pulegium per os prouocat sudorem. de cathar. Sp.95.D
Pulegium illitum rubrificat. 6°. de simp. me. fa. 5ª.45.F
cum Pulegio sal gleboſus medicamentum apophlegmaticũ. de remediis paratu facilibus. 7ª.154.F
ex Pulegij coma oleũ euacuat, et dissoluit. 1°. ḋ art. cur. ad Gl. 7ª.100.b
Pulegium educit atram bilem. de dyn. Sp.21.C
Pulegij dosis. de dyn. Sp.21.C
Pulegium pro origano. 6°. de comp. me. se. lo. 5ª.168.F
PVLICES *non dissecuit Gal. 6°. de ana. adm.* 1ª.89.G
Pulicis crus præstantius omni sculptura. 17°. de vsu par. 1ª.222.E
Pulices fugat myricæ succus. de simp. med. Sp.87.G
ad Pulices fugandos. de med. fa. par. 7ª.174.C
ad Pulices, & vermiculos in aurib. 3°. de cõp. me se. lo. 5ª.145.H
PVLICARIS *herba, & psyllium idem. de simp. med.* Sp.89.A
PVLLORVM *caro est cibus subtilians. de diss. cont.* Sp.72.D
Pullorũ carnes cur aliqui nõ digerãt sed bouinas. de diss. cont. S.72.C

Pullorum hepata sunt temperata. de diff. cont. Sp. 73. A
Pullorum axillæ sunt temperatæ. de diff. cont. Sp. 73. A
Pullorum anserum caro est multarum superfluitatum præter axillas. de diff. cont. Sp. 73. B/E
Pulli anserum sunt tardæ digestionis. de diff. cont. Sp. 73. D
Pullorum anserum hepata, & earum axillæ sunt velocis digestionis. de dissolutione continua. Sp. 73. C
Pulli columborum sunt boni chymi, & subtiliis. de diff. cont. Sp. 73. H
Pullorum columbarum caro generat sanguinem calidiorẽ, & crassiorem sanguinem temperato. de diff. cont. Sp. 73. A
Pulli colũbarũ dãdi his q̃bus dolet caput. 2°. de cõp. me. se. l. 5ª. 133. e
Pullorum pennarũ succus expressus supra oculos iuuat. 10°. de simp. med. fac. 5ª. 72. H
PVLMENTA ictericorum. de cura icteri. Sp. 111. C
PVLMO non habet nomẽ propriũ substantiæ. 8°. de vsu par. 1ª. 166. D
Pulmo quid. fin. med. Isa. 43. H
Pulmo quid, & qualis. de ana. viu. Sp. 53. A
Pulmo inter instrumentales partes numeratur. de diff. mor. 3ª. 2. E
Pulmo, hepar, cerebrum, stomachus, prima membra post cor. de ana. viuorum. Sp. 47. B
Pulmonẽ hãt animalia ambulabilia, & sanguinea. de ana. viu. S. 48. b
Pulmo se habet ad animalia ambulantia, vt brãchæ piscium ad ipsos pisces. de ana. viu. Sp. 53. B
Pulmonẽ magnũ necessariũ fuit habere omne animal habens calorem magnum. de ana. viu. Sp. 47. F
Pulmonẽ paruũ hãt aures cũ sint frigidioris naturę. de ana. vi. S. 47. f
Pulmonẽ nõ hãt aquatica & ex aere nõ respirant. 6°. de dec. 1ª. 263. f
Pulmonem non habent pisces. 8°. de dec. Hipp. 1ª. 274. A
Pulmone carent pisces propterea sunt sine voce. 6°. de vsu p. 1ª. 148. a
Pulmonis vice pisces habent branchias. 6°. de vsu par. 1ª. 150. H/ de anato. viu. Sp. 48. C
Pulmonis loco sunt canales in ãalibus quibusdam. de ana. vi. S. 48. c
Pulmonem habent quidam pisces. de vti. resp. Sp. 63. B
Pulmonem habentes pisces. de vti. resp. Sp. 64. C
Pulmonem habentes pisces multo plaus habent caloris quam exteri pisces. de vtil. resp. Sp. 64. C
sine Pulmone, & corde cur viuant ãalia quædã. de vti. resp. Sp. 63. B
Pulmonem non habentia non habent collum. 8°. de vsu par. 1ª. 164. b
PVLMO potest videri extra animal. 4°. de ana. adm. 1ª. 81. H
de Pulmonis anatomia. de ana. viu. Sp. 53. A
Pulmonis descriptio. de ana. viu. Sp. 47. G
Pulmo figuram vnguis bubulæ. habet intro. Is. 54. A
Pulmo est in ventre superiori. com. 7°. aph. 38°. Ex. 57. A
Pulmo est in dextera parte. de ana. parua. Sp. 42. H
Pulmonis gibbositas est a parte dorsi. de ana. viu. Sp. 48. A
Pulmonis concauitas respicit anteriora magis. de ana. viu. Sp. 48. A
Pulmo, & cor quilibet in sua capsula continẽ. de ana. parua. S. 42. H
in Pulmonis capsula colligitur materia, quæ facit peripneumoniam. de anatomia parua. Sp. 42. H
Pulmoni coniungitur gula. de nat. & ord. cuius l. corp. Sp. 41. H
Pulmo cur ruber in his, qui geruntur vtero, postea subalbus. 15°. de vsu par. 1ª. 212. F
Pulmo cur albus. de ana. viu. Sp. 47. H
Pulmonis magnitudo quanta. 13°. de vsu par. 1ª. 201. D
Pulmo collapsus, & exiguus apparet post mortẽ. 7°. de an. ad. 1ª. 97. b
Pulmonis magnitudinẽ sequi thoracis magnitudo. 13°. ¢ vs. p. 1ª. 201. D
Pulmonẽ, & cor thorax ambit. 6°. de de vsu par. 1ª. 148. D
Pulmo implet cauitatem thoracis. 7°. de vsu p. 159. E/13°. 1ª. 201. d
Pulmo circundatur a thorace. 6°. de vsu par. 1ª. 149. H
Pulmo an thoraci iunctus, vel disiunctus. 8°. de ana. ad. 1ª. 103. B
Pulmo qua sectione videtur iunctus thoraci. 8°. de ana. adm. 1ª. 103. c
Pulmo in omni morte vi seiunctus a septo. 8°. de de ana. ad. 1ª. 103. d
Pulmo tribus vasis contexitur. 7°. de vsu par. 1ª. 159. E
Pulmonis caro iter primas partes quæ generant. 1°. de na. f. 1ª. 291. g
Pulmonis caro quomodo vocetur. 10°. me. me. 7ª. 67. D
Pulmonis caro qualis. 7°. ¢ vs. p. 1ª. 159. E/2°. de ar. cu. ad G. 7ª. 102. f
Pulmonis substãtia talis, vt i nullo alio talis reperiat. 6°. ¢ dec. 1ª. 266. b
Pulmonis carnis vtilitas. de ana. viu. Sp. 47. H
Pulmo cur nõ hẽt carnẽ similẽ alus viscerib. 15°. de vsu p. 1ª. 212. G
in Pulmone est caro rufa, seu rosea. de ana. viu. Sp. 44. D
Pulmonis caro flammeola est. de ana. viu. Sp. 55. H
Pulmo quomodo deprehenditur coloratus. 8°. de dec. Hip. 1ª. 278. H
Pulmonis caro quam habeat naturam. 2°. de temp. 1ª. 17. H
Pulmonis caro mollis est. de ana. viu. Sp. 55. H
Pulmo cur mollis. de ana. viu. Sp. 47. H
Pulmonis corpus leue, & rarum est. 6°. de vsu par. 1ª. 151. D
Pulmo cur leuis & rarus. 15°. de vsu pa. 1ª. 212. F/de ana. viuo. 47. H/de vtil. resp. Sp. 63. H
Pulmo omni in parte est rarus & laxus. c. 6°. aph. 33°. Ex. 50. A
Pulmo mollis, & laxus. 2°. de motu musc. 1ª. 316. F
Pulmonis caro laxissima. 4°. de vsu par. 1ª. 140. C
Pulmo mollissimus, & leuissimus oium viscerũ. 2°. de mo. mu. 1ª. 316. d
Pulmo est cauernosus. de ana. parua. Sp. 43. A
Pulmonum caro minus humida est, quã adeps. 1°. de temp. 1ª. 15. D
Pulmo humidus est proprie adipem. 2°. de temp. 1ª. 17. G
Pulmonis corpus, vt spuma sanguinis. 6°. de vsu par. 1ª. 151. D
Pulmoni spongiam comparat. de ana. vi. Sp. 47. H
Pulmo comparatur cineri. de vti. resp. Sp. 63. H
Pulmonis caro cur ita. 7°. de vsu par. 1ª. 158. G
Pulmonis caro dat qualitatem spiritui. 7°. de vsu par. 1ª. 159. A
Pulmonũ structura eadẽ aialiũ trahentiũ aerẽ. 7°. de ana. ad. 1ª. 96. H
Pulmonis distinctiones quæ, & quot. de ana. viu. Sp. 53. B
Pulmonis diuisionis in duas partes vtilitas. de ana. viu. Sp. 47. H
in Pulmone diuiditur in duos canales spiritualis canalis. de cõp. mẽb. siue de natura humana. Sp. 58. F
Pulmo vasis plurimis est contextus, vt hepar. 7°. de vsu par. 1ª. 157. b
Pulmonis vasa tria. 7°. de vsu par. 1ª. 157. B
in Pulmone vas exiguum quod. 15°. de vsu par. 1ª. 212. G
Pulmonis vas occæcatur in natis. 15°. de vsu par. 1ª. 212. F
Pulmonis lobi quales. 7°. de vsu par. 1ª. 157. B
Pulmo cur in lobos distinctus. 7°. de vsu par. 1ª. 159. H
Pulmonis quintus lobus propter quid factus. 6°. de vsu par. 1ª. 148. H
Pulmo ambit cor suis lobis veluti digitis. 6°. de vsu par. 1ª. 149. H
Pulmonis diuisiones tanquam digiti. de ana. viu. Sp. 48. A
Pulmonis lobi in omni animali sunt plures in dextera parte, quam in sinistra. de vsu par. 1ª. 149. A
Pulmonis quinq; distinctiones quæ. de ana. viu. Sp. 53. B
Pulmonis partes quæ. de ana. viu. Sp. 47. G
Pulmoni dextera parte cur aliquid adiectũ sit. de ana. viu. Sp. 48. A
Pulmo quo loco sit crassior, & spissior, & pp quid. de ana. vi. S. 48. B
Pulmonis fibræ in oĩ animante æquales numero. 7°. de ana. ad. 1ª. 97. A
Pulmonis quintæ fibræ locus. 7°. de ana. adm. 1ª. 97. A
Pulmonem cingens mẽbrana dura, & neruosa. 5°. de lo. aff. 4ª. 30. H
ad Pulmonis vas mẽbrana instar operculi. 15°. de vsu par. 1ª. 212. G
ĩ Pulmone mẽbrana, q̃ mirabiliter coalescit. 15°. de vsu par. 1ª. 212. G
Pulmonis mẽbrana coalescit tempore. 15°. de vsu par. 1ª. 212. H
Pulmonis membranæ quo loco suspendantur. 4°. de lo. aff. 4ª. 27. E
Pulmo requirit operimentum, sed tenue. 6°. de vsu par. 1ª. 148 F
Pulmonis cooperimentum quale, & cur. de ana. viu. Sp. 48. A
Pulmonibus quod septum circundatum. 6°. de vsu par. 1ª. 148. D
Pulmo quibus alligatur. 6°. de vsu par. 1ª. 148. F
PVLMO quomodo nutriatur. 4°. de vsu par. 1ª. 140. C
Pulmoni nutriẽdi rõ cõtraria ẽ ac oĩb⁹ ptibus aialis. 6°. ¢ us. p. 1ª. 151. e
Pulmonis alimenta quæ. 4°. de usu par. 1ª. 140. D
Pulmo nutriĩ tenui, leui, & vaporoso alimento. 6°. de usu par. 1ª. 151. d
Pulmo purissimo, & tenuissimo sanguine nutriĩ. 15°. de usu p. 1ª. 212. F
Pulmo nutritur calido, & sicco sanguine. de ana. uiu. Sp. 52. G
e Pulmone sanguis exiens spumosus est. 4°. de lo. aff. 4ª. 25. G
in Pulmone est spumosus humor quo nutritur. c. 5°. aph. 39°. Fx. 41. C
in Pulmone sanguis cur spumosus. 15°. de usu par. 1ª. 212. F
Pulmo uaporoso sanguine indiguit. 6°. de usu par. 1ª. 155. E
in Pulmonem nulla uena transit a uena magna quæ spinæ incumbit. 5°. de locis affe. 4ª. 30. G
pro Pulmonis nutrimento tria alimenta. 6°. de usu par. 1ª. 151. E
Pulmo ab arterijs nutritur. 6°. de usu par. 1ª. 155. C
Pulmonis propria particula arteria est. 7°. de usu par. 1ª. 158. A
Pulmonis generatio sequitur arteriam. 13°. de usu par. 1ª. 201. D
ad Pulmones duæ arteriæ quales. de art. diff. 1ª. 58. H
Pulmonis arterię quomodo se habent. 7°. de ana. adm. 1ª. 94. F
in Pulmone arteriæ radici arboris comparantur. 6°. de dec. 1ª. 262. B
ad Pulmones sparsæ arteriæ sunt ueluti radices. de uen. art. dis. 1ª. 55. g
in Pulmones arteria magna cur deriuetur. de uen. ar. diff. 1ª. 58. H
ad Pulmonem latæ uenæ magnã arteriam nectẽs uas semper tenuius efficitur. 15°. de usu par. 1ª. 212. H

in Pulmonẽ arteria venosa,& vena arteriaca.6°.de vſu p. 1ª.151.*A*
ad Pulmonem tendẽs arteria minor eſt illa,quæ eſt in corde.6°.de vſu partium. 1ª.155.*D*
*in Pulmonẽ quædã arteria venit a magna arteria.5°.de lo.a.*4ª.30.*G*
in Pulmone arteria tenuis.6°.de vſu par. 1ª.151.*A*
Pulmonis arteriæ vnde oriantur.2°.de decr.Hipp. 1ª.236.*A*
Pulmonis arteriæ factæ ſunt à natura ex venoſis cordis partibus.6°. de vſu par. 1ª.133.*B*
in Pulmone arteriarum tunica cur tenuis.7°.de vſu par. 1ª.159.*D*
in Pulmonis arterias quomodo deueniat ſanguis.6°.de v.p. 1ª.151.*H*
in Pulmone vena eſt craſſa.6°.de vſu par. 1ª.151.*A*
Pulmonis venæ factæ ſunt à natura ex arterioſis cordis partibus.6°. de vſu partium. 1ª.153.*B*
Pulmo nutritur à corde.6°.de vſu par.150.H/ 1ª.152.*C*
Pulmoni præparat alimentum cor.6°.de vſu par. 1ª.155.*E*
ad Pulmonẽ cor tranſmittit per venã arterialẽ.2°.de na.f. 1ª.296.*H*
Pulmoni ſubminiſtratur ſanguis ex corde per venam magnam.de natura humana.com.2°. 7ª.184.*A*
Pulmo habet venam magnam.16°.de vſu par. 1ª.220.*G*
in Pulmone venæ,& arteriæ ſe contingunt.9°.de vſu par. 1ª.172.*H*
Pulmonis cannæ quæ compoſitio.de ana.viuo. *Sp.53.C*
circa Pulmonem pelles duas plenas venis,& arterijs faciunt vena,et arteria quæ veniunt a corde. de vtil.reſp. *Sp.64.C*
ad Pulmonem a corde vena minor eſt,q̃ illa quæ cordi inſeritur.6°.de vſu partium. 1ª.155.*D*
Pulmo ſanguinem recipit a dextro cordis ventriculo per vnum os.5°. de loc.aff. 4ª.30.*G*
Pulmonis gratia factus dexter cordis ventriculus.6°. de vſu partiũ.105.F/G/ 1ª.152.*D*
cũ Pulmone generari,& interire dextrum cordis ventriculum certũ eſt.6°.de decr.Hip. 1ª.263.*F*
cum Pulmone cur oriatur,& intereat ſiniſter cordis ventriculus.8°. de decr.Hipp. 1ª.274.*A*
Pulmo cor ambit.6°.de vſu par. 1ª.148.*D*
Pulmo cur circa cor.1°.de ſymp.cau. 3ª.19.*B*
Pulmo ſubſternitur cordi ſicut culcitra ſuſtentãs,& leniens ipſum.de ana.viuo. *Sp.48.A*
verſus Pulmonem poſitus eſt ſiniſter ventriculus cordis attrahẽs ab eo.de anat.viuo. *Sp.56.C*
Pulmonem non habentia animalia non habent duos ventriculos in corde.6°.de vſu par. 1ª.152.*D*
Pulmonem nutriens vena cur a natura ducitur a corde, & non a ieore.6°.de decr.Hipp. 1ª.263.*D*
Pulmonẽ ambiẽtes mẽbranæ vnde nutriãtur.6°.de dec.Hip. 1ª.263.*B*
Pulmonem & cor qui neruus intret.de voce & anhel. *Sp.61.H*
Pulmoni diſtribuuntur nerui a cerebro.16°.de vſu par. 1ª.215.*E*
Pulmo,ac cor a ſexta coniugatione quandam neruorum portionem in collo ſuſcipiunt.de ner.diſſ. 1ª.54.*D*
in Pulmonẽ nerui duo tenues ſunt a ſexta coniugatione deducti ſuperficiarij,vnde pulmo non ſentit.4°.de loc.aff. 4ª.25.*G*
Pulmo cur habet aliquos paruos neruos.6°.de vſu par. 1ª.155.*G*
Pulmoni melius fuit habere neruos minimos.7°.de vſu par. 1ª.159.*H*
*p Pulmonis totũ corpus nullus neruus diſperſus eſt.2°.de lo.a.*4ª.9.*B*
in Pulmone non eſt pulſatio,quia non habet neruum diſperſum per totum.2°.de loc.aff. 4ª.9.*A*
PVLMO *calidus eſt,& ſiccus.de ana.viuo.* *Sp.52.G*
Pulmo ex accidenti eſt frigidus,& humidus.de ana.viuo. *Sp.52.G*
Pulmo cur a Deo genitus frigidum membrum.de ana.viuo. *Sp.45.E*
Pulmo frigidus vel calidus facit appetentes calidum vel frigidum.ars medicinalis. *Iſa.66.D*
Pulmo calidus facit ſitibundos. ars med. *Iſa.66.D*
Pulmonis frigidi ſigna.ars med. *Iſa.66.E*
Pulmo frigidus facit minime ſitientes.ars med. *Iſa.66.D*
Pulmo,& totus thorax frigidus,& ventriculus calidus ſunt morbis obnoxij.3°.de alim.fac. 2ª.28.*F*
Pulmonis ſicci ſigna.ars med. *Iſa.66.E*
Pulmonis ſicci pulſus qui.4°.de præſ.ex pul. *Iſa.119.H*
Pulmonis humidi pulſus.4°.de præſ.ex pul. 4ª.119.*H*
PVLMONIS *miniſterium neceſſarium eſt.7°.meth.med.* 7ª.49.*B*
Pulmo pars propria ad vitam ſin.med. *Iſa.45.E*
Pulmo propter quid factus.6°.de vſu par. 1ª.150.*G*
Pulmo cur ſit factus.de ana.vi.47.F/ *Sp.53.A*
Pulmonis officium quod.de vtil.reſp. *Sp.63.H*
Pulmo exigitur propter aerem.de ana.viuo. *Sp.47.D*
Pulmo inſtrumentum eſt.de nat.hum.com.1°. 1ª.26.*C*
Pulmo inſtrumentum ſpiritus.7°.de ana.adm. 1ª.94.*B*
Pulmo cur dicitur receptaculum ſpiritus.de vtil.reſp. *Sp.64.B*
Pulmo vocis,ac reſpirationis inſtrumentum.6°.de vſu par. 1ª.148.*A*
*Pulmo reſpirationis inſtrumentum.3°.de vſu par.*1ª.202.*E/*4°.*de præſag.ex pul.* 4ª.119.*F*
Pulmonẽ habẽt animalia reſpirantia per os,nares,& pharyngam.6°. de vſu partium. 1ª.150.*F*
Pulmo recipit aerem.an omnes animalis par. 1ª.326.*E*
*p Pulmonẽ mediũ aerẽ immitti fuit neceſſariũ.6°.de vſu pa.*1ª.148.*C*
*Pulmonis actiones non valde manifeſtæ ſunt.1°.de vſu par.*1ª.114.*G*
Pulmonis actio perpendenda quæ ſpiritum attrahit,& humores expellit.5°.de loc.aff. 4ª.30.*F*
Pulmo eſt inſenſibilis in ſe.de ana.viuo. *Sp.48.A*
Pulmo eſt immobilis ſm ſeipſum,& inſenſibilis.de vti.reſp. *Sp.63.G*
Pulmo ſenſum non habet.2°.de loc.af. 4ª.9.*A*
Pulmo non ſentit vel difficulter.in prog.Hip.com.3°. 4ª.210.*F*
Pulmo ferè eſt ſenſus expers.1°.de diff.reſp. 3ª.59.*G*
Pulmonis caro eſt inſenſibilis.de vtil.reſp. *Sp.62.H*
Pulmo,& iecur quo ſentiant.de mul. 3ª.77.*G*
Pulmonis paniculus eſt ſenſificans.de ana.viuo. *Sp.55.F*
Pulmo habet ſenſum in ſuperficie.de ana.viuo. *Sp.44.C*
PVLMO *exſeſe expers motus.6°.de vſu par.* 1ª.151.*C/de anatomia viuorum.48.A/* *Sp.53.B*
Pulmo motu perpetuo agitur.6°.de vſu par. 1ª.148.*G*
Pulmonis quatuor motus.de hiſt.phil. *Sp.10.B*
Pulmo nullum motum proprium habet.5°.de loc.aff. 4ª.31.*C*
Pulmo cur ex ſe non mouetur.de ana.viuo. *Sp.53.F*
*Pulmonis motus a thorace.6°.de vſu par.148.A/151.C/155.E/ de vtil.reſp.226.B/2°.de decr.*1ª.236.*G/6°.de diff.reſp.* 3ª.61.*B*
Pulmonem mouent thoracis muſculi.de cau.reſp. 1ª.226.*H*
*Pulmo mouetur ad motum thoracis.7°.de vſu pa.*1ª.159.*F/*1°.*de diſ. reſp.*3ª.57.*D/de ana.viuo.* *Sp.47.H*
Pulmo mouci ad dilatationẽ,et cõſtrictionẽ thoracis.d an.vi. *S.47.H*
Pulmo qũo dilatetur,& conſtringatur.5°.de loc.aff. 4ª.31.*C*
in Pulmonis dilatatione,quæ.1°.ingrediantur, & quæ poſtea.7°.de vſu par. 1ª.159.*F*
è Pulmone aliquid ſpiritus in amplam thoracis capacitatem pertrãſit.8°.de ana.adm. 1ª.103.*E/G*
Pulmones in ſpiritu recipiendo dilatantur.de vſu pul. 1ª.228.*F*
Pulmo dilatatur cum pectore.de inſtr.odor. 1ª.111.*F*
Pulmonem dilatat,& contrahit pectus.2°.de ſymp.cau. 3ª.21.*G*
Pulmo qũo mouetur cum diaphragmate.de vtil.reſp. *Sp.63.G*
Pulmo non mouetur in vtero collige.15°.de vſu par. 1ª.212.*F*
Pulmo quid agat in reſpiratione.de cauſ.reſp. 1ª.226.*H*
ad Pulmonem aeris attractio eſt per cannam magnam,& per canales naſi.de ana.viuo. *Sp.47.C*
Pulmo poſitus eſt in protectione,& cuſtodia cordis; vt folium in cuſtodia,& protectione fructus.de ana.viuo. *Sp.48.B*
Pulmo cui aſſimilatur in reſpiratione.de vtil.reſp. 1ª.224.*H*
Pulmo comparatur ad ſolles fabri Ferrarij.de na.& or.cu. *Sp.42.A*
Pulmo ſimilis folli in actionibus.intro. *Iſa.54.A*
in Pulmonem attrahendi ſpiritus ratio primaria, & ſecundaria quæ. de vo. 1ª.106.*F*
Pulmo requirit plus cæteris aerem refrigerantem.10°. methodi medendi. 7ª.64.*G*
Pulmo indiget vehemenți refrigeratione; vt ſplen purgatione.4°. de vſu par. 1ª.140.*D*
*Pulmo refrigeratus cauſa necis in aliquibus.11°.de vſu p.*1ª.188.*D*
Pulmo parat ſpiritum cordi.6°.de vſu par. 1ª.148.*D*
in Pulmone fit præparatio,& rectificatio ſpiritus, antequam cor ingrediatur.de ana.viuo. *Sp.47.C*
p Pulmonẽ frigidũ peruenit ad cor.nõ per cutim.10°.me.me. 7ª.64.*E*
Pulmo dat ſpiritum cordi.fin.med. *Iſa.50.C*
a Pulmone attrahit cor.de vtil.reſp. 1ª.226.*E*
*ex Pulmonis omni parte cor trahit ſpiritum.6°.de vſu par.*1ª.148.*D*
a Pulmone cor trahit ſpiritum, & in ipſum immittit.6°.de vſu partium. 1ª.148.*C*
a Pulmone cor attrahit ſpiritum.de vtil.reſp. 1ª.64.*D*
a Pulmone cor trahit vbi diſtenditur.de vtil.reſp. 1ª.224.*B*

in Pulmonem à corde,non a pulmone in cor transit ſpiritus in embrione.6°.de vſu par. 1ª.156.A
a Pulmone,& a capite vno impulſu ſpũs emittit.2°.de ſymp. 3ª.21.F
Pulmo celerrimã,ex maxima noxã dat cordi.4°.d ꝑſ.ex pul. 4ª.119.F
ob Pulmonẽ refrigerati cordis pulſus.4°.de præſ.ex pul. 4ª.119.G
in Pulmonis carne primo cõficitur ſpiritus tractus ab aſperis arterijs.7°.de vſu par. 1ª.159.B
in Pulmone per quàm arteriam trahunt ſpiritum animalia cuncta. 8°. de vſu par. 1ª.165.A
in Pulmone & collo aſperæ arteriæ.8°.de vſu pa. 1ª.164.H
Pulmonis motui ſeruiunt aſperæ arteriæ.7°.de vſu par. 1ª.159.G
Pulmo quæ agat per aſperam arteriam.7°.de vſu par. 1ª.158.G
Pulmõis caro qñ,& quo loco tegat aſperã arteriã.13°.d vſu. 1ª.201.d
i Pulmõe cur venæ nõ dilatãtur,nec cõprimãt.7°.de vſu p. 1ª.159.D
ad Pulmonẽ fertur potus ſm Platonem.8°.de decr.Hip. 1ª.278.H
in Pulmonem quomodo tendat potus.8°.de decre.Hipp. 1ª.278.F
in Pulmonẽ potus aliqua portio exudat.8°.de decr.Hipp. 1ª.278.H
ad Pulmonem ſi debeant deferri medicamenta quæ exigant.7°.de cõpoſit.medi.ſec.loc. 5ª.184.B
ad Pulmonem tendens medicamentũ per quot partes träſeat.2°. de arte cur.ad Glau. 7ª.103.A
Pulmonis exercitationes quæ.2°.de ſan.tuen. 2ª.74.H
de PVLMONIS *affectibus & potiſſimum de pleuritide agit Galenus.de vitĩ.rat.in mor.acu.com.3°.* 7ª.133.C
Pulmo qbus affectibus vitiat,et quẽ pulsũ hẽt.3°.de ꝑſ.ex p. 4ª.116.C
Pulmo quo modo afficiatur.3°.de loc.aff. 4ª.14.H
Pulmonis affectus ex ſola intemperie æquali,& non æquali,quomodo cognoſcatur.4°.de loc.af. 4ª.27.H
in Pulmonis morbis quæ ſigna conſideranda.3°.de criſibus. 4ª.139.D
ex Pulmonis morbo lingua fit atra.4°.de præſag.ex pul. 4ª.119.G
Pulmonis paſſiones cur fiant hyeme.com.3°.apho.23°. Ex.24.H
Pulmo,& thorax frigore laborãt.in 1ᵐ.de mor.vul.com.1°. 3ª.104.B
ad Pulmonem a capite deſtillat humor quaſi pluuia, & ideo ex accidẽti in illo abundat pituita.de ana.viuo. Sp.52.G
Pulmo ſedes propria phlegmatis.de ſper.36.H/de ana.viu. Sp.52.G
Pulmo eſt propria ſedes aquæ.de ana.viuo. Sp.47.H
in Pulmonis canalibus quid agat phlegma.de ana.viuo. Sp.45.E
Pulmo patiĩ ex materia deſcendẽte a cerebro.cõ.6°.aph.2°. Ex.46.F
in Pulmonẽ a capite deſtillatio tripliciter cõtingit.5°.me.me. 7ª.35.G
ad Pulmonis arterias quo modo materiæ tranſeant, quæ a capite deſcendunt.com.7°.aph.30°. Ex.63.B
Pulmo promptæ ſuſcipit omne humores.com.6°.aph.33°. Ex.56.B
Pulmo prõptiſsimꝰ eſt ad recipiẽdas fluxiones.de cu.ra.p ſan.6ª.18.A
Pulmo & membrana ſubcingens nõ æque,ſunt apta ſuſcipere humores.com.6°.aph.33°. Ex.50.A
ad Pulmonem ſi potæ humiditatis pauxillũ per aſperã arteriã dilaberetur pulmo quo ad hoc non ægrotaret.com.2°.aph.17°. Ex.13.B
Pulmo effundit a deſtillatiõe,q̃ fit pp frigus.cõ.5°.aph.24°. Ex.39.G
ad Pulmonem,& Pariſthmia,& Palatum cur a capite materia trãſmittatur.2°.de diff.feb. 3ª.40.H
in Pulmonem fluxio quo modo cognoſcatur.4°.de loc.aff. 4ª.27.F
in Pulmone humores craſſi quomodo cognoſcãtur.4°.de lo.a. 4ª.27.F
in Pulmonis bronchijs qñ ſunt humores craſſi.4°.de lo.af. 4ª.27.F
in Pulmone deſtillationis pulſus.4°.de præſ.ex pulſ. 4ª.119.H
in Pulmonem fluxionum omnium cõmunis eſt pulſus inæqualitas.4°. de præſag.ex pul. 4ª.119.H
in Pulmonem a capite deſtillationes quę malignæ.in 6ᵐ.de morbis vulgaribus,com.3°. 3ª.174.B
ad Pulmonem per quàm viam mittantur excrementa fuliginoſa.6°. de vſu par. 1ª.154.D
ad Pulmonem faciunt ire humores medicamenta quæ prohibent humores ferri ad pedes.de ther. ad Piſo. 5ª.96.C
in Pulmonem ex Thorace materiæ deducuntur.5°.de lo.aff. 4ª.30.A
in Pulmone humores qñ præceſſit pleuritis.4°.de loc.aff. 4ª.27.F
a Pulmone in quibus ad teſticulos puenit materia.in 1ᵐ.de mor.vul. com.1°. 3ª.105.C
Pulmo cum ex capite ægrotat qũo curandus.6°.de ſan.tu. 2ª.100.A
Pulmo recipit abheate.com.6°.aph.12°. Ex.47.E
PVLMONIS *tenſione vexatis pecoribus præſtat lixiuium lauri.de ſimplic.med.* Sp.85.H
in Pulmone grauitatis ſenſus fit.de mult. 3ª.77.G
Pulmo vñ ſentiat grauitatẽ ex tumoribꝰ ꝑter naturã.2°.de l.a. 4ª.9.B
Pulmonẽ degrauãtia purgat Myrrhis.7°.de ſimp.medic.fac. 5ª.56.E
PVLMONIS *dolores quales.4°.de loc.aff.25.G/* 4ª.27.E
circa Pulmonem,& Thoracem dolor qui non deſerit quid ſignificet.in progn.com.2°. 4ª.203.D
Pulmonis dolor.ſecr. Sp.100.H
Pulmone dolente vena cubiti ſecanda.de cur.ra.per ſan.miſ.6ª.20.A
ad Pulmonis dolorem.7°.de comp.med.ſec.loc. 5ª.182.G
ex Pulmonis affectu deliria.in progn.Hipp.com.2°. 4ª.205.G
PVLMONIS *inflammationem patientes peripneumonici dicuntur.com. 4°.aph.73°.* Ex.35.H
Pulmonis inflammatio fit ex calido humore in aliquo loco cum febre continua.com.2°.aph.19°. Ex.14.B
Pulmonis inflammatiõ a calido humore vapores multos mittit ad cerebrum,phrenitimq; facit.com.1°.aph.12°. Ex.5.D
Pulmonis inflãmatio qũo fiat ex morbo laterali.cõ.7°.ap.11°. Ex.54.F
Pulmonis inflamatio quibus inditijs deprehẽdatur.4°.de l.a. 4ª.27.H
Pulmonis inflammatione quo modo,& cur plus capiuntur conſiſtẽtes, quam iuuenes.com.3°.aph.30°. Ex.26.E
Pulmonis inflammatio quid faciat.de pul.ad Tyro. 4ª.45.B
Pulmone inflammato quid ſequatur.in preg.Hip.com.2°. 4ª.203.A
ad Pulmonis inflãmationẽ ſequitur orthopnæa.2°.de loc.af. 4ª.13.A
Pulmonis inflãmatione laborãs qũo deprehẽdatur.2°.de l.a. 4ª.13.A
Pulmonis inflammationes,pulmonis paſſiones,partium ſeruientiũ inſpirationi paſſio faciũt ſpirãdi difficultatẽ.cõ.4°.aph.50°. Ex.33.C
a Pulmonis inflammationẽ phrenitis malũ.com.7°.aph.12°. Ex.54.G
Pulmonis inflãmationẽ habentes rarius expuũt ſpumoſum, & quare. com.7°.aph.30°. Ex.56.B
in Pulmonibus,& laterum inflammationibus in acceſsionũ principijs tumores increſcunt,in declinationibus autem euaporant ac ſubmittuntur.2°.de diff.feb. 3ª.40.F
Pulmonis inflammatio habet breue tempus.1°.de cri. 4ª.126.F
Pulmonis phlegmone eſt cum periculo mortis.i 6ᵐ.de mor.vul.cõ.2°. 3ª.162.H/10°.meth.med. 7ª.63.H
in Pulmonis inflammatione cur in principio interdicatur cibus.de optima ſect. Iſa.28.G
in Pulmonis phlegmone nõ vtendũ adſtringentib.11°.me.m. 7ª.73.D
in Pulmonis inflammatione cucurbitula.11°.meth.med. 7ª.73.E
in Pulmonis inflammatione extrinſece fortiora applicari debẽt.2°.de arte cur.ad Glauc. 7ª.102.B
ad Pulmonum inflammationes.de med.fac.par. 7ª.176.C
Pulmonis Eryſipelas quib.inditijs deprehendat.4°.de lo.af. 4ª.27.H
Pulmonem refrigerat vua radicitus adempta.de diff.mor. 3ª.4.H
PVLMONIS *ſputum purulentum malignum exiſtit.commen.7°.apho riſmo15°.* Ex.55.A
ex Pulmone quæ exeunt probantur igne ex odore.in 6ᵐ.de mor. vul. com.5°. 3ª.191.D
inter Pulmonem, & thoracem pus effunditur in morbo laterali.cõ. 5°.aph.8°. Ex.38.C
inter Pulmonis, & thoracis ſpatium pus ſuppuratorum continetur. com.5°.aph.15°. Ex.38.F
per Pulmonem pus in empyis tranſit.5°.meth.med. 7ª.32.F
in Pulmonẽ & latera qũo pus facile demittatur.5°.de lo.af. 4ª.30.F
in Pulmonem qũo pus recipiatur qñ eſt in thorace.5°.de lo.a. 4ª.31.B
Pulmo exediĩ ex pure i pceſſu tpis putreſcẽte.cõ.5°.ap.15°. Ex.38.G
in Pulmonis putredine a nimia humiditate fiunt pulſus vermiculãtes. 2°.de præſag.ex pul. 4ª.113.A
inter Pulmonẽ,& thoracem concreſcit ſanguis.de atra bile. 1ª.34.D
inter Pulmonem,& pectus ſanguis collectus facit tabem.8°.de decr. Hippocratis. 1ª.275.F
in Pulmone concreſcit ſanguis.de atrab. 1ª.34.D
ad Pulmonis reiectiones ſanguinis.2°.de antid. 5ª.113.C
PVLMONIS *vlcus quomodo differat ab vlceribus aſperæ arteriæ.4°. de loc.aff.* 4ª.28.B
Pulmonis vlcera ſine dolore.4°.de lo.aff. 4ª.28.B
Pulmonis vlcus facit tabem,cui prodeſt.lac.cõ.5°.aph.64°. Ex.44.G
in Pulmone vlcus habentibus lac conuenit.3°.de alim.fac. 2ª.28.H
Pulmonis vlcera ſolum lac ſanat.de bon.& vitio ſucc. 2ª.36.A
Pulmõis vlcera hũtes lac muliebre ſugere dẽt.d bo.& vi.ſu. 2ª.36.A
Pulmonis vlcera curantur per ea,quæ comeduntur,& bibuntur. 5°. meth.med. 7ª.34.D
Pulmoni omni lac vtile.3°.de alim.fac. 2ª.27.E
Pulmonis vlceroſas diſpoſitiones tabes nominãt.c.5°.a.11°. Ex.38.D

Pulmo facit

Pulmo facit quandoq; hecticam.10°.meth.med. 7ª.64.F
Pulmõe,iecore,& vẽtriculo affectis febres ardẽtes.5°.d l.a. 4ª.33.D
Pulmo causum quarto loco facit.de vic.ra.in mor.ac.cõ.4°.7ª.134.E
in Pulmõe sedẽ habẽtes causi quales.de vi.ra.in mor.a. 7ª.136.C
Pulmonẽ exulcerat lepus marinus.de theriaca ad Pisonẽ. 91.A/1°. *de comp.med.per ge.* 5ª.209.H
a Pulmone febres malæ.in 3ᵐ.de mor.vul.com.2°. 3ª.135.A
Pulmonis ulcus cũ habet phlegmonẽ difficulter curat.5°.m.m. 7ª.33.B
Pulmonis vlcera cur difficilia.5°.me.me. 7ª.34.E
*in Pulmone vlcera an sanẽtur.4°.de lo.af.*4ª.25.H/5°.*me.m.*7ª.32.E
Pulmõis vlcus cur non possit curari.5°.meth.med. 7ª.33.A/F
Pulmonis vlcera insanabilia consequitur totius corporis cũ parua febre inflammatio.com.7°.aph.16°. Ex.55.A
in Pulmone cur vlceratio sine animalis morte.1°.de loc.aff. 4ª.2.C
ad Pulmonis vlcera medicamenta qualia.5°.meth.med. 7ª.34.D
ad Pulmonis vlcera.7°.de comp.med.sec.loc.179.D/ 5ª.181.E
Pulmonis fluxus inclinat ad tabem.com.3°.aph.13°. Ex.22.B
Pulmo,& pectus angustum notant naturam inclinatam ad tabem.cõ. 4°.aph.8°. Ex.28.B
ad Pulmonem in quibus angina conuersa est in septem diebus pereũt, & si hos effugerint,suppurantur.com.5°.aph.10°. Ex.38.D
in Pulmone pustulæ ex bile in stomacho quomodo.de sperm. Sp.36.H
in PVLMONE *venarũ ora qũo aperiantur.4°.de loc.aff.* 4ª.28.A
in Pulmone venarũ erosio quo modo fiat.4°.de loc.aff. 4ª.28.B
*in Pulmone venæ ruptionis causæ præcedentes.4°.de loc.af.*4ª.27.H
Pulmonis vas propter exercitium in pleno potest rumpi.commen.3°. aphorismo 20°. Ex.24.C
in Pulmone vas ruptum ex clamore,ex pondere,ex cursu,& ex saltu.5°.meth.med. 7ª.30.C
in Pulmone venæ ruptio quomodo cognoscatur.4°.de lo.aff. 4ª.27.H
ex Pulmone non indicatur sanguinem fluere ex multitudine,vel paucitate.com.5°.aph.13°. Ex.38.E
ex Pulmonis vase quomodo cognoscatur fluere sanguis.comment.5°. aph.13°. Ex.38.E
Pulmone oĩno nõ expuit spumosum sanguinẽ.cõ.7°.aph.30°. Ex.56.B
Pulmone nihil patiente quandoque est sputum sanguinis ex sola costarũ affectione.de artic.com.3°. 7ª.275.D
in Pulmone vas ruptũ est lætale nocumentũ.de ve.sec.ad. Er.6ª.9.E
in Pulmone rupto aliquo vase fiũt morbi insanabiles.commẽtario 3°. aph.20°. Ex.24.C
in Pulmone vas ruptum qũ curauit Galenus.5°.meth.med. 7ª.36.B
e Pulmone exiens sanguis sanatus.5°.meth.med. 7ª.32.G
è Pulmone sanguis dolorem non facit.4°.de loc.aff. 4ª.25.G
ex Pulmone sanguinem tussientibus adstringentia aduersantur.de cõstitutione art. Isa.41.F
Pulmonis affectus incurabilis qui.4°.de loc.aff. 4ª.28.C
Pulmonis suppuratio rupta qũo cognoscatur.cõ.7°.aph.8°. Ex.54.E
inter Pulmonem atq; thoracem media regio plena causat angustiã anhelitus.com.4°.aph.34°. Ex.31.B
inter Pulmon,& thoracem spatium plenum strangulat hominem, sed longo tempore.com.4°.aph.34°. Ex.31.C
in Pulmonis cauernis inflammatio causat angustiam anhelitus.cõ.4°. aphor.34°. Ex.31.B
Pulmo quo modo suffocat.de vtil.resp. 1ª.224.H
Pulmonis abscessus diuturna est strangulatio.com.4°.a.34°. Ex.31.D
Pulmonis abscessus fit in bile abundantibus.de aere,aq.& lo. 2ª.4.C
Pulmo non potest pati abscessum,1°.de loc.aff. 4ª.6.D
in Pulmonis apostemate secantur iugulares.de ana.viuo. Sp.55.A
in Pulmone tuberculum quem spiritum facit.4°.de loc.aff. 4ª.27.A
in Pulmone tuberculi crudi indicia.4°.de loc.af. 4ª.27.F
Pulmo propter quid quãdoq; coarctatus non potest multum aerem sumere.1°.de dif.resp. 3ª.59.F
Pulmonis affectus quibus impeditur spiratio.4°.de loc.aff. 4ª.27.F
circa Pulmonem strangulosa vexatus angustia quo modo sit curatus. de cucur.scar. 6ª.4.A
per Pulmonis viam expurgatur pectus.13°.meth.med. 7ª.84.H
Pulmonis pericula vbi insideant puero sanguis detrahendus. præsagium exper.conf. Sp.78.A
è Pulmone sanguinis curatio.5°.meth.med. 7ª.32.H
*Pulmonis excrementa deorsum trahi debent.3°.de san.tuen.*2ª.77.B
Pulmonis excrementa non ita facile exeunt, vt excrementa ventris, 3°.de sanitate tuenda. 2ª.77.B

*Pulmo hẽt oĩa quæ ptinẽt ad celerẽ vacuationẽ.16°.de vsu.*1ª.220.G.
*in Pulmone existẽs materia quomodo euacuetur.10°.de simp.medic. fac.*5ª.76.C/2°.*de arte cur.ad Glauc.* 7ª.102.H.
Pulmo per asperam arteriam,& fauces purgatur.7°.methodi medẽdi 49.D/11°. 7ª.73.F
Pulmo per aluum,& renes purgatur raro.6°.de loc.aff. 4ª.39.C
à Pulmone ad aluum via.6°.de loc.af 4ª.39.C
à Pulmone per renes pus quandoque exit.6°.de loc.af. 4ª.39.C
ex Pulmone in renes via.6°.de loc.aff. 4ª.39.C
Pulmonis pus cur sæpe nõ it per vrinam.6°.de loc.af. 4ª.39.C
in Pulmone contenta per tussim educuntur.ars med. Isa.70.A
Pulmo,& pectus purgantur per tussim.com.4°.aph.2°. Ex.27.D
in Pulmone materia per tussim euacuatur.de const.ar.41.D/Is.42.B/ com.7°.aph.37°. Ex.56.H
Pulmo per tussim expurgare à crassis & glutinosis humoribus.de vic. rat.in mor.acu.com.3°. 7ª.126.A
per Pulmonem cur non expurgentur humores tenues.de vi.r.in mor. acu.com.3°. 7ª.126.A
Pulmo per tussim solam expurgatur.5°.meth.med. 7ª.33.A
in Pulmone cõtẽta indicãt tusses.in 1ᵐ.de mor.vul.com.2°.3ª.112.A
*ĩ Pulmõis affectib.sputa cõparãtur vrinæ subsidẽtijs.1°.de c.*4ª.132.D
in Pulmone ac pectore cum tussitur talis est actio, qualis expultricis facultatis in ventre cum euomitur.2°.de symp.cau. 3ª.21.D
per Pulmonem quæ sputa eiciantur.4°.de loc.aff. 4ª.25.G
in Pulmonis morbo quid significet screatio flaua cum pauco sanguine. in progn.com.2°. 4ª.203.A
inter Pulmonem,& thoracem humor existens in suppuratis per tussim exit.com.7°.aph.54°. Ex.58.G
*Pulmonis pars quandoque expuitur.4°.de locis aff.*4ª.28.B/3°.*de pf. ex pul.* 4ª.116.C
Pulmonis particulæ eiectæ cum sanguine.4°.de loc.aff. 4ª.25.G
*de Pulmone quod expuitur,bronchion appellant.1°.de lo.aff.*4ª.2.C
per Pulmonem quæ medicamenta trahant crassos humores.de vi.rat. in mor.acu.com.3°. 7ª.126.A
in Pulmone contẽta ab attenuãtibus educũtur.ars med. Isa.70.D
ex Pulmõe expuitionibus in pleuriticis,& peripneumonicis affectib. confert butyrum.10°.de simp.med.fac. 5ª.74.D
Pulmonis medicamenta quibus paranda.5°.de sim.me.fa. 5ª.35.C
Pulmo non indiget adstrictione.11°.meth.med. 7ª.73.B
PVLMONEM, *& thoracem purgantia quæ.de cathar.* Sp.95.B
Pulmonẽ,& pectus expurgãt Amara.8°.de simp.med.fa. 5ª.59.B
ex Pulmõe succos crassos,& lentos educunt Amigdalæ amaræ.2°.de alim.fac.21.E/6°.de simp.me.fac. 5ª.42.G
ex Pulmõe humiditates vt aliquis sputa adiuuant amygdalæ propriæ amaræ.de diff.cont. Sp.74.G
Pulmõi benigna erit Aqua bona,si modicũ vino permiscueris.de bonitate aquę. Sp.75.F
Pulmoni aquæ autumnales.& astiuæ nõ bonæ.de bon.aquæ. Sp.75.F
Pulmonẽ expurgat Betonica.7°.de simp.med.fac. 5ª.51.A
Pulmõ vbi affectus est ponũtur Calida tenuiũ partiũ, cum tamẽ sint infestissima sanguinis reiectioni.7°.de comp.me.se.lo. 5ª.183.E
Pulmonum vitia mũdant Caricæ.de simp.med. Sp.84.C
*Pulmõis affectus iuuat Castorei suffitus.11°.de simp.me.fa.*5ª.80.D
Pulmõis canales mũdificat decoctio corticis Fistici.d me.ex. S.104.D
Pulmonem expurgat Marrubium.8°.de simp.med.fa. 5ª.59.B
in Pulmonis, & thoracis medicamẽtis Mel misceri debet.4°.methodi medendi. 7ª.29.A
in Pulmone contẽta si expectorare velimus mel ptissanæ addendum. de atten.vic. 2ª.44.G
Pulmoni & interioribus omnibus per totum mel leniẽdo medetur.de simp.med. Sp.87.A
Pulmonẽ mollit Mulsa.de victus ratione in morbis acutis,commen.3°. 127.E/ 7ª.128.A
Pulmõis humores crassos expurgat Probus.1°.de alim.fac. 2ª.15.D
Pulmo cum habet humores crassos da Oxymeli meracius. de victus rat.in mor.acu.com.4°. 7ª.140.G
Pulmonis pectorisq; excretionibus auxiliatur Paliuri fructus.8°.de simpl.med.fa. 5ª.57.G
e Pulmone tussi confert Papauer.1°.de alim.fac. 2ª.15.E
Pulmonis, thoracisq; morbis ex crassitudine viscositateque humorum proueniẽtibus conuenit Peucedanum.8°.de simp.me.fa. 5ª.58.D
*Pulmõis expuitionib.cõfert Picearũ fructus.8°.de sim.me.f.*5ª.58.F.

Pulmonis obstru-

Pulmonis obſtructiones liberat Piſtachiũ. 8°. de ſimp. med. fa. 5ª.58.F
Pulmonem mundificat Secaniabin. de diſſ. cont. Sp.74.F
Pulmõis pus expurgat Symphitũ petræũ. 8°. de ſimp. me. fac. 5ª.61.F
ex Pulmõe thoraceq; educẽdis cõfert Thymũ. 6°. de ſim. m. f. 5ª.48.E
Pulmonis affectibus conducũt Uuæ paſſæ. de atten. vic. 2ª.46.A
Pulmo à Vinis craſſi nõ læditur. de vic. ra. in mor. ac. cõ. 3°. 7ª.126.A
ex Pulmone humiditatem vt aliquis ſpuat adiuuat vinũ ſubtile aquoſum. de diſſ. cont. Sp.74.G
in Pulmonis affectibus vina craſſa, & dulcia iuuant, ſi cum medicamẽtis attenuantibus adhibeantur. de atten. vic. 2ª.46.D
Pulmonem non lædunt lagana cum melle. 1°. de alim. fac. 2ª.10.F
Pulmonis ſiccitati proprie confert butyrum. de ſim. med. Sp.81.D
Pulmo fortibus indiget pharmacis. 7°. de comp. med. ſec. loc. 5ª.178.E
ꝑ Pulmõe exiccãdo medicm. hedychroum vtile. 4°. de lo. aff. 4ª.28.E
Pulmonis vitio laborãtib. ſubueniẽs antidotus. 2°. de antid. 5ª.116.D
à Pulmone ſuperflua mundificãs electarium. de med. exper. Sp.107.G
ad Pulmonis vitium electarium. de dyna. Sp.26.C
ad Pulmonis affectus longos ſine febre. de atten. vic. 2ª.26.D
ad Pulmonis inueteratas affectiones. 7°. de comp. me. ſe. loc. 5ª.179.C
in Pulmones incidentes calli, quos poros necant eſt morbus, qui ante non fuit. 14°. meth. med. 7ª.93.C
in Pulmone quomodo vulnus eſſe cognoſcatur. 5°. meth. med. 7ª.32.G
Pulmonis fibra ſi exeat Thorax eſt vulneratus. 1°. de loc. affec. 4ª.2.F
Pulmonis fibra ſæpius exit in vulneribus pectoris. de ca. mor. 3ª.9.E
Pulmonis fibra per magna vulnera procidit. 5°. de loc. aff. 4ª.31.C
ad Pulmonẽ vulnus hũtem valet Cyphi antidotus. 2°. de ant. 5ª.111.E
in Pulmone affectus rari caſus. 4°. de loc. aff. 4°.28.D
Pulmone affecto quæ vena ſecanda. de conſt. ar. Iſa. 41.E/13°. me. me. 7ª.83.B/*præſag. exper. conf.* Sp.78.B
à Pulmone non extrahuntur tela. 4°. de anat. adm. 1ª.79.F
PVLMO *facilius coquitur iecore, & liene. 3°. de alim. fac.* 2ª.27.E
Pulmo parum nutrit & cur. de diſſ. cont. Sp.73.F
Pulmo minus nutrit iecore. 3°. de alim. fac. 2ª.27.E
Pulmo habet pituitoſum alimentum. 3°. de alim. fac. 2ª.27.E
Pulmo Agninus intertrigenes a calciamentis factas ſanat. 11°. de ſim. med. fac. 5ª.79.H
Pulmo Caprinus vſus. 5°. de comp. me. ſec. loc. 5ª.159.G
Pulmonis Ouilli pars ſupra nares. de artic. com. 2°. 7ª.267.G
Pulmõ porcin° intertrigenes a calciamẽtis ſcãs ſanat. 11°. d ſim. 5ª.79.H
Pulmo Vulpinus ſi bibatur reſiccatus aſthmaticos iuuat. 11°. de ſimp. med. fac. 5ª.79.H
in PVLMONIAM *conuerti varices malum. in 6m. de mor. vulgarib. comment. 6°.* 3ª.179.E
Pulmoniam ſanat lateris phlegmone. in 6m. de mor. v. cõ. 6°. 3ª.197.E
Pulmonia morbus ſiccus. de ptiſſ. 2ª.48.A
in Pulmonia maxilla fit rubicunda. in progn. com. 1°. 4ª.189.D
in Pulmonia ſanguis qualis. in progn. com. 2°. 4ª.203.A
in Pulmonia in vtraq; parte pus colligitur. in progn. cõ. 2°. 4ª.204.D
ex Pulmonia abſceſſus quomodo erupturi cognoſcuntur. in prognoſtica. com. 2°. 4ª.205.A
in Pulmonia abſceſſus quando bonus, & quando malus. in prognoſtica. com. 2°. 4ª.205.D
ex Pulmonia qui abſceſſus infeſtant. quandoq; ad aures, quãdoq; deorſum eunt. in prog. com. 2°. 4ª.205.H
a Pulmõia habito alui pfluuiũ adueniẽs malũ. c. 6°. aph. 16°. Ex.47.F
ex Pulmonia qui puruleti ſunt, ſi maiores natu fuerint, potius ĩtereũt per alias vero ſuppurationes minores natu potius moriuntur. in prog. com. 2°. 4ª.205.G
PVLMONICI *& peripneumatici affectus quam reſpirationem faciant. 1°. de dif. reſp.* 3ª.59.D
PVLS *non fit ex ciceribus. 1°. de alim. fac.* 2ª.72.H
Pultes cur ſint craſſi cibi. de diſſ. cont. Sp.72.H
vt Puls fabacea ſedimen in vrinis. de mul. 3ª.81.F
PVLSANDI *eandem rationem habent cor, & arteriæ. de pulſibus ad Tyrones.* 4ª.43.B
Pulſandi facultas a corde in arterias. 1°. de ſemine. 1ª.335.B
PVLSANS *viſcus dicitur cor. 7°. de ana. adm.* 1ª.94.F
Pulſantia vaſa ſunt arteriæ. 7ª. de anat. admi. 1ª.94.F
Pulſans omne eſt arteria. 7°. de ana. admi. 1ª.94.G
PVLSATILIS *virtus a corde. 1°. de vſu par.* 1ª.117.B
Pulſatilis motionis arteriarũ principiũ qd. de vir. no. cor. diſ. Sp.60.D
Pulſatilis vena, & vena quieta ſunt coniunctę. de ana. viuo. Sp.56.E
Pulſatilis vena in mẽbris interioribus ſuperpoſita eſt venæ quietæ, in exterioribus ſuppoſita eſt. de ana. viuo. Sp.56.E
Pulſatiles aliæ ſunt venæ capitis quæ phlebotomãtur, aliæ quietæ. de anat. viu. Sp.55.A
a Pulſatili inflammatione dolor non ſanatur a calidis. 3°. de comp. medicam. ſec. loc. 5ª.141.C
non Pulſatiles inflammationes moderatæ quibus curentur. 3°. de cõp. med. ſec. loc. 5ª.141.C
PVLSATILITATES *malæ dependent a corde. de vir. noſtrum corpus diſpenſ.* Sp.60.B
PVLSATIO *cordis quid. de ana. viuo.* Sp.46.H
Pulſatio non eſt in Hepate, renibus, & pulmone, quia non habent nervum diſperſum per totum. 2°. de loc. af. 4ª.9.B
Pulſationem non habent mẽbranæ cutis, & adenes. 2°. de lo. af. 4ª.9.B
Pulationem habet phlegmone. 14°. meth. med. 7ª.87.A
Pulſatio vbi vehemens, ibi particula ſuppuratur. 2°. de lo. af. 4ª.9.A
PVLSATIVUS *dolor a quo fiat. 2°. de loc. aff.* 4ª.9.A
Pulſatiuus dolor eſt in inflammatione. 2°. de loc. aff. 4ª.9.H
Pulſatiui dolores quid ſignificent. 2°. de comp. med. ſec. lo. 5ª.137.C
PVLSENT *quomodo arteriæ. 4°. de diff. pulſ.* 4ª.64.F
Pulſant citra dolorem arteriæ ſolæ. 4°. de loc. af 4ª.8.G
Pulſent qui cordis ventriculi. 4°. de dif. pul. 4.64.F
Pulſant tempora à potu meri, & in ardente febre, & in capitis doloribus. 4°. de dif. pul. 4ª.64.C
cur Pulſent tpum venæ in capitis dolore. in 1m. pro. cõ. 3°. 4ª.180.D
Pulſant quandoq; venæ iugulares. in 1m. prpri. com. 3°. 4ª.180.E
PVLSUS *Hippocrates primus nominauit. 1°. de pul. dif.* 4ª.47.A
Pulſus nomen quid ſignificet. 1°. de pul. dif. 4ª.47.A
Pulſus quid ſignificent. 6°. de decre. Hip. 1ª.260.G/*de vic. ra. in mor. acu. com. 4°.* 7ª.138.A
Pulſum homonymum eſſe quis putarit. 4°. de dif. pul. 4ª.68.G
Pulſus ſignificat dolorem quendam. 2°. de loc. af 4ª.8.H
Pulſus quid ſit ſecundum antiquos. 4°. de dif. pul. 4ª.64.D
Pulſus quid apud veteres, & apud recentes. 2°. de lo. af. 4ª.8.H
Pulſum qui attribuant cerebro. 4°. de dif. pul. 4ª.64.E
Pulſus nõ põt dari definitio eſſentialis, ut eſt lõga. 4°. de di. p. 4ª.65.B
Pulſus deſcriptiones. 4°. de dif. pul. 4ª.65.C
Pulſus definitiones Agathini. 4°. de dif. pul. 4ª.68.F
Pulſus definitiones Alexandri philalethis. 4°. de dif. pul. 4ª.66.F
Pulſus definitio Aſcelepiadis et diſcipulorum. 4°. de dif. pul. 4ª.69.C
Pulſus definitio Archigenis. 4°. de dif. pul. 4ª.68.H
Pulſus definitio Ariſtoxeni. 4°. de dif. pul. 4ª.67.C
Pulſus definitio Athenæi. 4°. de dif. pul. 4ª.69.B
Pulſus definitio Bacchij. 4°. de diff. pul. 4ª.67.B
Pulſus definitio Chryſermi. 4°. de dif. pul. 4ª.67.H
Pulſus definitiones Demoſthenis philalethis. 4°. de dif. pul. 4ª.66.G
Pulſus definitio diſcipulorum Eraſiſtrati. 4°. de dif. pul. 4ª.69.D
Pulſus definitio Heraclidis erythrei. 4°. de dif. pul. 4ª.68.A
Pulſus definitio Heraclidis Tarentini. 4°. de dif. pul. 4ª.66.B
Pulſus quid apud Herophilum. 4°. de dif. pul. 4ª.65.H
Pulſus definitio Magni. 4°. de dif. pul. 4ª.69.B
Pulſus definitio Moſchionis correctoris. 4°. de dif. pul, 4ª.69.D
de Pulſu quid ſentiant Pneumatici. 4°. de dif. pul. 4ª.65.E
Pulſus definitio Zenonis. 4°. de dif. pul. 4ª.67.E
Pulſus quid. fin. med. Iſa. 44°H/de vſu pulſuũ. 1ª.228.F/*de tumore præter naturam.* 3ª.84.A/*comp. pulſ.* Sp.65.B/C
Pulſus ineſt animali quando eſt in ventre. de fœt. for. 1ª.323.F
Pulſus dum fit eſt. de dif. pul 4ª.67.H
de Pulſibus quot ſcripſere. 4°. de dign. pul. 4ª.86.A
de Pulſuum qua parte philoſophi tractarunt. 1°. de dign. pul. 4ª.70.C
de Pulſu, & palpitatione ſcripſit Aegimius. 4°. de dif. pul. 4ª.68.G
de Pulſu, & reſpiratione ſcripſit Aſclepias. 4°. de dif. pul. 4ª.69.C
de Pulſibus liber Archigenis. 2°. de locis af. 9.H/12.H/2°. *de differ. pulſ.* 54.B/55.F/4°.68.H/4°. *de dignoſ. pulſ.* 85.C/*de pręcogn. ad Poſt.* 4ª.219.B/8°. *meth. med.* 7ª.52.A
de Pulſibus ſcripſit Athenæus. 3° de dif. pul. 4ª.62.D
de Pulſibus librum ſcripſit Galenus. 2°. de dign. pul. 4ª.75.D
Pulſuum libri Galeni. 1°. de dif. feb. 3ª.34.B
de Pulſibus libri in quot partes diuidantur. 3°. de dif. pul. 4ª.59.D
de Pulſibus librorum ordo. 1°. de præf. ex pul. 4ª.104.C
de Pulſibus quas notiones tradat Galenus. 3°. de dif. pul. 4ª.63.C
de Pulſibus librum fecit Heraclides contra Herophilum. 4°. de differẽtijs pulſuum.

tijs pulſuum. 4ª.66.F
de Pulſibus ſcripſit Herophilus.2°.de diff.pul. 4ª.55.E
de Pulſibus nihil dicit Hippocrates.1°.de pul.diff.47.A/ de præcogni.ad Poſth. 4ª.219.E
de Pulſibus ſcripſit Magnus. 3°.de diff.pul. 4ª.59.D
Pulſuum ſcientiam qui vult addiſcere quid agere debet. 1°. de cau. pul. 4ª.86.H
Pulſuum difficultates. 2°.de dign.pul. 4ª.77.G
Pulſum optimum conſiderandi methodus.2°.de dign.pul. 4ª.77.H
de Pulſibus dignoſcendis digni nihil ſcripſere antiqui. 4°.de dignotione pulſuum. 4ª.83.H
ante Pulſuum cognitionem quæ prius ediſcenda.de pulſ.ad Tyrones. 44.A/2°.de dign. pul. 4ª.78.A
in Pulſibus dignoſcendis quo procedẽdũ.1°.de præſ.ex pul.4ª.107.B
de Pulſibus liber ſciendus. 1°.de diff.feb. 3ª.34.B
de Pulſibus liber.de præcogn.ad Poſth. 4ª.218.C
Pulſus ignorantia quid faciat.de mor.temp. 3ª.87.C
ad Pulſuũ cognitionẽ requirit tota humana vita.1°.de dig.p.4ª.70.E
pro Pulſibus homo ſit exercitatus in prædicamentis. 2°. de differentijs pulſuum. 4ª.57.H
in Pulſu quæ attribuãtur p̃dicamẽto ad aliqd. 2°.de diff.p. 4ª.58.A
pro Pulſibus opus eſt tactu exercitato.1°.de dig.p.70.D/2°.4ª.75.b
Pulſus frequenter tangendus in ſanitate,& in quiete tum animi, tum corporis.de pul. 4ª.44.A
Pulſus quo modo debent tangi.1°.de dign. pul. 4ª.73.C
Pulſus bis tangendus cur.1°.de præſ. ex pul. 4ª.107.H
Pulſus qui ſint leniter tangendi.3°.de dign.pul. 4ª.81.H
Pulſus qui in brachio tãgitur cuius ſit arteriæ.3°.de ana.adm.1ª.77.f
Pulſus in quibus ſentiatur,& non ſentiatur à medicis. 1°.de dignoſcẽdis pulſuum. 4ª.73.E
pro Pulſu ſentiendo experimentum.1°.de dign. pul. 4ª.73.G
Pulſus per experientiam quo cognoſcatur.2°.de dign.pul. 4ª.77.B
Pulſus qui vario modo didicerint adoleſcentium duorum caſus. 4°.de differentijs pul. 4ª.69.F
Pulſus vnde conſtet.comp.pul. Sp.65.C/H
Pulſus partes.fin.med. Iſa.44.H
Pulſus quatuor partes,& quo modo.3°.de dign. pul. 4ª.82.B
Pulſus ſimiliter gñatur cũ aĩali,& moritur cũ eo.cõp.pul. Sp.65.C
Pulſus quo modo fiat.comp.pul. Sp.65.C
Pulſus quomodo fiat,& nutriatur.de nat.& ord.cuiusl. Sp.42.A
Pulſus à vitali fit.4°.de præſ.ex pul. 4ª.122.C
per Pulſus quid excernat vis vitalis.4°.de præſ. ex pul. 4ª.122.C
Pulſus fit circa arterias ſolum,& cor.comp.pul. Sp.65.C
Pulſuum organum arteria.1°.de diff. reſp. 3ª.58.G
Pulſus fit arterijs repletis corde euacuato.comp.pul. Sp.65.D
Pulſus,& arteriarum origo.de marc. 3ª.46.G
Pulſus origo cor.de vſu pul. 1ª.228.F
Pulſum habemus in ipſo corde,& omnibus arteriis virtute proueniẽte ex corde.de vir.noſt.corp.diſp. Sp. 60.B
Pulſus proprius motus cordis.6°.de decr. Hip. 1ª.260.G
in Pulſibus cordis motus eſt operatio.6°.de decr.Hip. 1ª.260.G
Pulſus à corde & arterijs.8°.de decr.Hip. 1ª.278.B
Pulſum nõ facit cor p̃ alio mẽbro ſed p̃ ſe.de mot.m.& ob. Sp.68.A
ad Pulſus motum cor non indiget cerebro. 2°.de decr. Hip.1ª.239.C
Pulſus vis vitalis quæ à corde emanat eſt effectrix reſpirationis animalis quæ a cerebro procedit.de vſu pul. 1ª.229.B
Pulſus mutãt nõ ſolũ cor,ſed et vicina cordi.3°.de p̃ſ.ex p. 4ª.117.B
in Pulſibus apparet elementum aereũ in homine.8°.de decr. 1ª.275.d
Pulſuum cũ reſpiratione põt ſeruari ſimlitudo.de vſu pul. 1ª.229.D
Pulſus ac reſpirationis vnus vſus,& finis. de vſu pul. 1ª.228.D
Pulſus id dat oĩbus partibꝰ qđ reſpiratio dat cordi.de v.p. 1ª.228.D
Pulſui quæ reſpiratio æqualis.4°.de præſ.ex pul. 4ª.119.H
Pulſus,& reſpiratio quæ habeãt communia.1°.de diff. reſp. 3ª.57.H
a Pulſu quomodo differt reſpiratio.4°.de diff. pul. 4ª.66.H
Pulſus cui actioni comparentur expiratio, & reſpiratio. 1°.de differentijs reſpirat. 3ª.57.H
in Pulſu, & reſpiratione caliditas acuta quid faciat. 1°. de differentijs reſpirationis. 3ª.56.E
Pulſui non adequatur inſpiratio, aliter multæ perirent operationes. de ana.vino. Sp.48.B
ex Pulſu,& reſpiratione nutritur ſpũs animalis.de vſu pul. 1ª.228.D
Pulſus,& reſpiratio mutantur ijsdem cauſis. de vſu pul. 1ª.227.G
Pulſus,& reſpiratio nõ poſſunt in totum perire donec ſuperfuerit animal.1°.de diff.reſp. 3ª.58.E
Pulſus,& palpitatio hñt aliqd cõe.in 3ᵐ.de mor.vul.c.2°.3ª.129.H
Pulſus differt a palpitatione.6°.de decre.Hip. 1ª.265.D
Pulſum arterijs attribuit Praxagoras palpitationẽ,tremorem,& cõuulſionem arteriarum affectus putat.de palp.trem. 3ª.52.E
pro Pulſu comparatio iter agentium.1°.de cau. pul. 4ª.89.B
ad Pulſus virgarum tenellarum comparatio. 2°.de cau.pul.4ª.93.D
Pulſus comparatur ſpondeo.comp. pul. Sp.65.E
in Pulſu multiplex proportio.1°.de pul. diff. 4ª.48.G
ex Pulſuum functionibus cognoſcũtur vires debiles,vel robuſtæ in arterijs,vel corde.de cur.rat.per ſang. miſſ. 6ª.17.D
Pulſus quod ſignificet vires robuſtas.de curã.rat.p ſang. miſ.6ª.19.E
a Pulſu non Parua ſigna futurorũ ſumũtur.4°.de diff. pul. 4ª.67.A
de PVLSVVM nominibus. comp.pul. Sp.65.H
Pulſuum varia nomina.3°.de differentijs pulſuum.61.F/4°.66.E/4° de dign.pul. 4ª.84.H
Pulſus abſurda nomina quæ.3°.de diff. pul. 4ª.61.D
Pulſus quomodo conſiderandus. de ſper. Sp.39.F
de Pulſibus tractatio quo modo ordinanda.3°.de diffe. pul.61.H/4°. 63.B./1°.de dign.pul.70.C/ 4ª.86.D
Pulſus Abolitio differt a pulſu deficiente.2°.de cau. pul. 4ª.92.A
quos Pulſus faciat Abſceſſus.2°.de cau.pul.4ª.91.F/de dy. Sp.35.c
de Pulſus æqualitatibus,& inæqualitatibus.1°.de pul. diff. 4ª.49.D
Pulſus æqualitas quid.fin.med. Iſa.46.F
Pulſus æquales qui.de pul. ad Tyr. 4ª.43.H
Pulſus æqualis,& inæqualis nõ bẽt mediũ.de pul.ad Tyro. 4ª.43.H
Pulſus æqualitas,& inæqualitas in quo conſiſtãt.de pulſibus ad Tyr. 43.F/1°.de pul.diff. 4ª.48.H
Pulſus æqualitas,et inæqualitas quot fiãt modis.1°.de pu.di.4ª.48.H
Pulſum ſuum habet quælibet Aetas.1°. de pul.diff. 4ª.48.G
Pulſus diuerſarum ætatum qualis.de pul.ad Tyr. 4ª.77.E
Pulſuum ſecundum ætates diuerſorum cauſæ.3°.de cau.pul.4ª.96.D
Pulſus dicitur Albus,& niger,ſicuti vox dicitur alba, et nigra. 3°. de differen.pul. 4ª.62.H
Pulſus a quibus Alterantur.de vſu pul. 1ª.229.E
Pulſus alterare valent,non efficere humorum craſſitudo,abũdantia, & lentor, & acredo, item balneum frigidum, balneum calidum, hyems,& æſtas.1°.de cau.pul. 4ª.86.G
Pulſus Altus qui.2°.de diff.pul.56.A/1°.de dign.pul. 4ª.71.A
Pulſus altus anguſtusq; quomodo fiat.3°.de dign.pul. 4ª.81.C
Pulſus alti cauſæ.2°.de cau.pul. 4ª.93.H
Pulſus cur altus & celer in contractione promittat decretorias excretiones.4°.de præſ.exp. 4ª.122.B
Pulſus altus quid ſignificet.1°.de præſag.ex pul.106.F/4°.4ª.122.D
Pulſus altus quid ſignificet in criſi.3°. de criſi. 4ª.144.D
Pulſus altus,& latuus quid ſignificet.1°.de præſag.ex pul.4ª.196.F
Pulſus qui alti tantum,& qui ſimul magni.2°.de cau. pul. 4ª.94.C
Pulſus altiſſimi,et maximi quibus affectibus fiãt.de vſu pu.1ª.229.C
Pulſus Amarus dici non poteſt.3°.de præſ. ex pul. 4ª.117.G
Pulſus Amoris nullus proprius.in prog.com.1°. 4ª.192.B
Pulſus Amantis.de præcogn.ad Poſth. 4ª.216.F/G
Pulſus Anaſarcæ qualis.4°.de cau.p.103.E/2°.de p̃ſ.ex pu.4ª.112.b
Pulſus Anginæ qualis.de pul.ad Tyr.46.B/4°.de cau. pul. 4ª.102.H
Pulſus morientium in angina qualis.4°.de cau. pul. 4ª.102.H
Pulſus Anguſtus qui.de pul.ad Tyr. 4ª.43.D
Pulſus anguſtus latitudine.1°.de præſ.ex pul. 4ª.106.H
Pulſus anguſti cauſæ.2°.de cau.pul. 4ª.93.H
Pulſus anguſtus,altus quid ſignificet.1°.de præſ. ex pul. 4ª.106.H
Pulſus in Animo ꝑturbato immutatur.de præcog.ad Poſth. 4ª.216.G
Pulſus potus Aquæ qui.de pul.ad Tyr. 4ª.44.E
Pulſus Arachnoides qui.fin. med. Iſa.46.H
Pulſus Arteriarum compoſitus motus.2°.de ſymp.cau. 3ª.20.C
in Pulſu quantum dilatatur arteria.2°.de dign.pul. 4ª.79.D
Pulſum quem faciat arteria dura,& frigida.1°.de cau.pul. 4ª.89.D
Pulſus quales facit arteria calida,& mollis.1°.de cau. pul. 4ª.89.E
Pulſus quales facit arteria calida,& dura.1°.de cau. pul. 4ª.89.E
Pulſus quales facit arteria mollis,& frigida.1°.de cau.pul. 4ª.89.F
Pulſus quales facit arteria mollis cum imbecillitate facultatis. 1°. de cauſis pulſuum. 4ª.89.H
Pulſus quales facit arteria mollis cum facultate imbecilli.1°. de cauſis pulſuum. 4ª.89.H

Pulſus quales facit arteria dura cum facultate imbecilli. 1°.*de cau.* 4ª.89.*H*
pulſuum.
Pulſus durę arteriæ qualis. 1°.*de præſag.ex pul.* 4ª.107.*C*
in Pulſu a ſede arteriæ inæqualitas quæ. 1°.*de diff.pul.* 4ª.51.*G*
Pulſus arteriarum ſentitur cum dolore in inflammatione Eryſipelate, & abſceſſu. 2°.*de loc.aff.* 4ª.8.*H*
Pulſus maiores partium arterioſarum, & venoſarum. 4°.*de præſagitione ex pulſibus.* 4ª.121.*E*
Pulſus arteriæ in dorſo quando ſentitur. 1°.*de dign.pul.* 4ª.73.*G*
Pulſus Arhythmi quomodo intelligantur. 1°.*de pul.diff.* 4ª.48.*G*
Pulſus arhythmus qui. 1°.*de pul.diff.* 4ª.48.*G*
Pulſus arhythmi tres differentiæ, & quæ. 1°.*de pul. diff.* 4ª.48.*G*
Pulſus Aſcitis qualis. 4°.*de cau. pul.* 4ª.103.*E*
Pulſus Aſperitas cum tenſione, & dolor lateris pungitiuus pleuritẽ indicat.de ſubſi.emp. *Iſa.*32.*E*
Pulſus Atræ bilis.de mult. 3ª.81.*H/de nat. & or.cuiuſ.cor.Sp.*41.*F*
Pulſus Attonitorum quales.de pul. ad Tyro. 4ª.46.*B*
Pulſus Balnearum frigidarum qualis.de pulſibus ad Tyrones. 44.*F/* 3°.*de cau.pul.* 4ª.98.*G*
Pulſus balnearum calidarum quales.de pul. ad Tyr. 4ª.44.*D*
Pulſuum mutatio ex balneis calidis. 3°.*de cau.pul.* 4ª.98.*F*
Pulſus qui a balneis. 3°.*de diff.pul.* 4ª.61.*F*
Pulſus Bilis flauæ.de mul. 3ª.81.*H/de natura, & ord.cuiusl.Sp.*41.*e*
Pulſus qui non boni ſunt ſimpliciter. 1°.*de præſag.ex pul.* 4ª.111.*D*
Pulſus bis Feriens eſt vnus. 1°.*de pul.diff.* 4ª.50.*G*
Pulſus bis feriens cuius ſymptoma ſit. 3°.*de præſ.ex pul.* 4ª.116.*A*
Pulſus bis feriẽtis, et dicroti dſria quæ. 3°.*de præ. ex pul.* 4ª.116.*A*
Pulſus bis feriens vnde. 1°.*de præſ.ex pul.* 4ª.112.*E*
Pulſus bis pulſantis differentiæ. 1°.*de pul.diff.* 4ª.50.*H*
*Pulſus breuis quis.de pul.ad Tyro.*43.*D/* 3°.*de dig. pul.* 4ª.80.*E*
Pulſus breues habent corpulenti. 1°.*de præſag. ex pul.* 4ª.106.*B*
Pulſus breuis cauſæ. 2°.*de cau.pul.*93.*H/* 4ª.94.*H*
Pulſus breuis quid ſignificet. 1°.*de præſag. ex pul.* 4ª.106.*H*
Pulſus breuis latus, & altus quid ſignificet. 1°.*de præ.ex p.* 4ª.106.*h*
Pulſus breuis latus, & humilis quid ſignificet. 1°. *de præſag. ex pulſibus.* 4ª.106.*H*
Pulſus breuis, & altus quid ſignificet. 1°.*de præſ.ex pul.* 4ª.106.*H*
Pulſus breuis, anguſtus, et humilis quid ſignificet. 1°.*de præ.* 4ª.107.*a*
de Pulſu Cachectici.de dynam. *Sp.*35.*A*
Pulſus proprij in Cacochimys.de mul. 3ª.81.*H*
*Pulſus Calidiorũ natura.de pul.ad Ty.*44.*A/* 3°.*de cau.pu.* 4ª.96.*A*
Pulſus eius qui calefit. 1°.*de præſ. ex pul.* 4ª.105.*G*
Pulſus a calore facti qui. 1°.*de cau.pul.* 4ª.87.*C*
Pulſus quos faciat.calor. 1°.*de cau.pul.* 4ª.88.*E*
Pulſus caliditatis creſcentis, & facultatis. 1°.*de cau.pul.* 4ª.89.*A*
Pulſus defectus natiui caloris quales. 1°.*de cau.pul.* 4ª.87.*F*
Pulſus caloris diuerſi a natiuo. 3°.*de præſag.ex pul.* 4ª.115.*B*
Pulſus intemperici caloris quales. 3°.*de præſ.ex pul.* 4ª.114.*G*
*Pulſus Caninæ famis qualis.de pul.ad Ty.*46.*D/* 4°.*de ca.p.* 4ª.103.*c*
de Pulſu Caprizante. 1°.*de diff.pul.* 4ª.52.*D*
*Pulſus caprizans.fin.med Iſa.*46.*H/de pul.ad Tyr.* 4ª.43.*G*
Pulſus caprizantis cauſæ. 2°.*de cau. pu.* 4ª.93.*B*
Pulſu caprizante deterior qui nomine caret. 2°.*de cau. pu.* 4ª.93.*B*
Pulſus caprizans quid ſignificet. 1°.*de præſ.ex pul.* 4ª. 112.*C/ de victus rat.in mor.acu.com.* 4°. 7ª.140.*A*
Pulſus caprizans pñtem mortẽ denũtiat. 1°.*de præſ.ex pul.* 4ª.111.*g*
quibus Pulſatus Capitis, febrium vertigines & vrina tenuis a principio ſunt, eis expectanda eſt ad criſes febris acumine augeri. de vri.ſign.ex Hippoc. *Sp.*78.*H*
cum Pulſu dolor capitis, ſignificat inflammationem. 1°. *de arte curatiua ad Glauconem.* 7ª.99.*H*
*Pulſus Cardiacorum.de dyna.*34.*H/comp.pul.* *Sp.*65.*G*
*Pulſus Cathocorum qualis.de pulſibus ad Tyrones.*45.*H/* 4°*de cau. pulſuum.* 4ª.102.*D*
Pulſus catoryctus id eſt defoſſus vel deciduus. de dyna. *Sp.*34.*G*
in Pulſuum Cauſis vſus exercitationis. 1ª.*de cau.pul.* 4ª.90.*G*
Pulſum variantes cauſæ quæ ſint. 1°.*de cau.pul.* 4ª.86.*G*
Pulſus cauſa efficiens quæ. 4°. *de dif.pul.* 4ª.65.*F*
Pulſus cauſæ materiales quæ. 4°.*de diff.pu.* 4ª.65.*F*
Pulſuum cauſæ naturales. 3°.*de cau.pu.* 4ª.95.*C*
Pulſuum cauſæ præter naturam. 3°.*de cau.pu.* 4ª.95.*C*
Pulſuum cauſæ non naturales. 3°.*de cau.pu.* 4ª.95.*C*
Pulſuum cauſæ primæ, et continentes quæ. 3°.*de præ.ex pu.* 4ª.119.*d*
Pulſuum cauſa continens. 1°.*de cau.pu.* 4ª.86.*G*
Pulſuum generationis tres continentes cauſæ. 2°.*de cau. pu.* 4ª.91.*B*
Pulſus cauſa continens ex inſtrumentis. 1°.*de cau.pu.* 4ª.87.*B*
in Pulſibus cauſarum continentiũ cõprehexiones. 1°.*de ca.pu.* 4ª.89.*H*
Pulſuum faciens cauſa ignota. 1°.*de cau. pul.* 4ª.87.*A*
*Pulſus Celer qui.fin.med.Iſag.*46.*F.de pulſi.ad Tyro.*43.*H/* 2°.*de dignoſ.pul.*75.*B./* 3°. 4ª.79.*G*
Pulſus celeres qui & vnde. 1°.*de cau. pul.* 4ª.88.*E*
Pulſus celeritas vnde. 1°.*de cau.pu.*87.*C/* 4ª.88.*D*
Pulſus celerimi a quibus fiant. 1°.*de cau. pu.* 4ª.87.*E*
Pulſus celerrimi creberrimiq; vnde. 1°.*de cau.pu.* 4ª.89.*F*
Pulſus celeritas ad quæ pertinet.de pul. ad Tyro. 4ª.43.*D*
Pulſus vt celeriter fiat vel magnus qd exigat. 1°.*de cau.pu.* 4ª.87.*D*
Pulſus celeritas facultati validæ peculiaris eſt. 3°.*de ca.pu.* 4ª.99.*C*
ad Pulſus celeritatem iter facientis comparatio. 1°.*de ca.pu.* 4ª.88.*G*
Pulſuũ cõtinuorũ, ſed diſparis celeritatis cauſæ. 2°.*de ca.pu.* 4ª.92.*F*
Pulſus ratio reſpirationis celeris eadem. 1°.*de cau.pu.* 4ª.88.*G*
Pulſus celer, & tardus quid ſignificet. 1°. *de præſagitione ex pulſib.* 108.*D/* 2°. 4ª.109.*E*
Pulſus celerior calidius tẽperamẽtũ declarat. 1°.*de p.ex p.* 4ª.108.*d*
Pulſum celeriorem frequentiorem, & maiorem qui habeant. de vſu pulſuum. 1ª.227.*F*
Pulſus celeris caſus. 1ª.*de cau.pul.* 4ª.90.*G*
Pulſus caliditatis Cerebri. 4°.*de præſ.ex pu.* 4ª. 120.*G*
Pulſus cerebri calidi, & ſicci. 4°.*de præ.ex pu.* 4ª.120.*G*
Pulſus in membranis cerebri eſt motus naturalis.de ijs qui in me.ſũt. commen. 3°. 7ª.222.*D*
Pulſus quando menynges ſunt affectæ qui. 4°.*de præ.ex pu.* 4ª.121.*b*
Pulſus Cerantis de aliqua re.de præcog.ad Poſth. 4ª.216.*F*
Pulſus Cholerę qualis.de pul.ad Tyr. 4ª.44.*H*
Pulſus mutationis Cibi qualis. 3°.*de cau.pu.* 4ª.98.*H*
Pulſus cibi largi.qui.de pu.ad Tyro. 4ª.44.*E*
Pulſus cibi modici.qui de pu.ad Tyro. 4ª.44.*E*
Pulſus cibi modiciſſimi qui.de pu.ad Tyro. 4ª.44.*E*
Pulſus Circumuentes in quo ſint genere. 1°.*de diff. pu.* 4ª.51.*E*
Pulſus circumuentes qui.de pu.ad Tyr. 4ª.45.*D*
Pulſuum circũuentium cauſæ. 2°.*de cau.pu.* 4ª.93.*F*
in Pulſu quid ſit Collectiua. 1°.*de pul.diff.* 4ª.48.*H*
in Pulſu collectiuæ inæqualitatis differentiæ. 1°.*de pul.diff.* 4ª.49.*D*
Pulſus Coli inflammati qualis.de pu.ad Tyro. 4ª.45.*A*
Pulſus Comatoſi hominis qui. 4°.*de præſ.ex pu.* 4ª.121.*A*
Pulſus deſipientium cum comate qualis.in 1ᵐ.*prorr.com.* 1°.4ª.168.*b*
Pulſus Comitialium quales.de pu.ad Tyr. 4ª.46.*B*
Pulſus Comitialium, & attonitorum qualis. 4°.*de cau.pu.* 4ª.102.*G*
Pulſus Contentus qui. 3°.*de diff.pu.* 4ª.61.*H*
Pulſus Contractio quid. 1°.*de præſ.ex pu.* 4ª.109.*F*
in Pulſu Contractio interuallumue quid ſit. 1°.*de pu.dif.* 4ª.48.*C*
Pulſus contractionis finis non ſentitur. 1°.*de dign.pu.*73.*E/* 4ª.74.*H*
Pulſus contractio quo modo inuenta a Galeno. 1°.*de dign.pu.* 4ª.72.*B*
Pulſus contractio declaratur per alia vaſa. 1°.*de dign. pu.* 4ª.72.*C*
Pulſus contractio in languido non ſentitur. 1°.*de dign.pu.* 4ª.72.*G*
Pulſus habentes contractionem manifeſtam. 1°.*de dign. pu.* 4ª.72.*H*
ad Pulſus contractionem percipiendam dubities aliquid facit. 1°. *de dignoſc.pul.* 4ª.73.*B*
Pulſus contractio excernit. 2°.*de cau.pu.* 4ª.95.*B*
Pulſus contractio quibus eueniat.præſ.exper.conſ. *Sp.*78.*E*
de Pulſu Conuulſio. 1°.*de diff.pu.* 4ª.52.*C*
*Pulſus cõuulſorũ qualis.de pu.ad Tyr.*45.*H/*4°.*de ca.pu.* 4ª.102.*F*
in Pulſu conuulſio quo percipiatur diſtentio. 1°.*de dign. pu.* 4ª.71.*C*
Pulſu conuulſiui cur violenter tactum feriunt. 4°.*de dig.pu.* 4ª.83.*C*
Pulſus conuulſiui cauſæ. 2°.*de cau.pu.* 4ª.93.*G*
Pulſus cordis motꝰ diuerſus eſt a motu uoluntario. 2°.*de de.* 1ª.240.*D*
Pulſum quem facit cordis corpus qualitate extranea affectum. 1°.*de præſag.ex pu.* 4ª.107.*D*
Pulſus frigidę intemperiei cordis qualis. 3°.*de præſ.ex pu.* 4ª.115.*F*
Pulſus cordis ob pulmonem refrigerati. 4°.*de præſ. ex pu.* 4ª.119.*G*
Pulſus cordis calidi, & arteriarũ frigidarũ. 3°.*de pręſ. ex p.*4.115.*C*
Pulſus mutatio ex ſiccitate, & humiditate cordis, & arteriarum. 3°. *de præſag.ex pu.* 4ª.119.*B*
Pulſus Craſſus, turgidus. 2°.*de cau.pu.* 4.94.*H*
Pulſus Creber qui. de pul.ad Tyro. 4.43.*E/H*

Pulſus creber eſt pulſus paruus. 1°.*de præſ. ex pul.* 4ª.109.*C*
Pulſus creberrimi a quibus fiant. 1°.*de cau. pu.* 4ª.87.*E*
Pulſus crebritas peculiaris ĩbecillæ facultati. 3°.*de cau.pu.* 4ª.99.*C*
Pulſus creberrimi, celerrimiq; vnde. 1°.*de cau. pu.* 4ª.89.*F*
Pulſus crebri, tardi, & parui vnde. 1°.*de cau.pul.* 4ª.89.*H*
Pulſus crebritas, & raritas qd ſignificẽt. 1°.*de præſ.ex pu.* 4ª.109.*b*
Pulſus crebri quid ſignificent. 1°.*de præſ.ex pul.* 4ª.111.*A*
Pulſum crebrum habent febres ardentes. 1°.*de præſ.ex pu.* 4ª.111.*B*
Pulſus crebri ſunt in ſyncopa. 1°.*de præſ. ex pu.* 4ª.111.*B*
Pulſus Creſcentium qualis.comp.pu. *Sp.*65.*E*
Pulſus ſemper debilis eſt periculoſior quandoq; debili, & quandoq, non debili.de vrinis. 4ª.123.*H*
Pulſus qui in Decretorijs expulſionibus. 2°.*de cau.pu.* 4ª.94.*C*
Pulſus Decurtati in quo ſint genere. 1°.*de pul. diff.* 4ª.51.*E*
Pulſus decurtati reciproci qui vocentur. 2°.*de cau.pul.* 4ª.91.*H*
Pulſus decurtati vnde. 2°.*de cau pul.*91.*H*/ 4ª.93.*E*
Pulſus decurtati quid ſignificent. 2°.*de præſ.ex pul.* 4ª.113.*B*
*Pulſus deficiens qui.fin.med.Iſa.*46.*H*/2°.*de cau.pul.* 4ª.92.*A*
Pulſus deficientes decurtati qui. 1°.*de pul:dif.* 4ª.49.*D*
a Pulſu deficiente differt abolitio pulſus. 2°.*de cau.pu.* 4ª.92.*A*
*Pulſus dicrotus qui.fin.med.Iſa.*46.*H*/*de pul.ad Ty.*43.*G*/ 1°.*de pu. diff.*4ª.50.*G*/*comp.pul.* *Sp.*66.*A*
Pulſus dicroti differentia 1°.*de pul. diff.* 4ª.50.*H*
Pulſus dicrotus vibratus qui. 2°.*de cau.pul.* 4ª.93.*A*
Pulſus quidam dicrotus vibratus. 1°.*de præſ.ex pul.* 4ª.112.*D*
Pulſus dicroti, & collectiuæ inæqualitatis differentia. 1°.*de pulſuum differ.* 4ª.51.*A*
Pulſus dicrotus quando facile oritur. 3°.*de præſ. ex pul.* 4ª.116.*A*
Pulſuum dicrotorum cauſæ. 2°.*de cau.pu.* 4ª.92.*G*
Pulſus dicroti cauſæ continentes. 3°.*de præſ. ex pul.* 4ª.116.*B*
Pulſus dicrotus quid ſignificet. 1°.*de præſ.ex pu.* 4ª.112.*C*
de Pulſuum Differentijs libri Titulus. 2°.*de diff pu.* 4ª.58.*H*
Pulſus differentia quæ. 4°.*de diff.pul.* 4ª.65.*F*
Pulſuum primæ differentiæ tot, quot cauſarum. 1°.*de cau. pu.*4ª.87.*B*
in Pulſuum differentijs oportet medicum eſſe exercitatum. 2°.*de criſibus.* 4ª.133.*G*
Pulſuum differentiæ difficulter cognoſcuntur.de mor.temp. 3ª.86.*A*
Pulſus differentiæ in arteriæ corpore. 1°.*de pul. diff.* 4ª.48.*B*
Pulſus differentiæ ab infuſione arteriæ. 1°.*de pul.diff.* 4ª.48.*B*
Pulſuum differentiæ collectiuæ duæ. 1°.*de pulſ.diff.* 4ª.47.*D*
Pulſus differentiæ in contentione. 1°.*de pulſ. diff.* 4ª.48.*B*
Pulſus differentiæ à dimenſionibus. 1°.*de pul. diff.* 4ª.47.*E*
Pulſus differentiæ in tribus dimenſionibus ſunt viginti ſeptem. 1°.*de pul.diff.* 4ª.47.*E*
Pulſuum dimenſionum propriæ quæ. 3°.*de dign.pul.* 4ª.80.*F*
de Pulſuum differentijs in diſtentione. 1°.*de præſ.ex pul.* 4ª.108.*H*
Pulſus differentia ex infuſione. 4°.*de dign. pul.* 4ª.84.*G*
Pulſus differentiæ a motu. 1°. *de pulſ. diff.* 4ª.47.*D*
Pulſus differentiæ in tempore quietis. 1°.*de pul. diff.* 4ª.48.*C*
Pulſus Diſtentio quid. 1°.*de præſ.ex pul.* 4ª.109.*F*
Pulſus diſtentionis initium non ſentitur. 1°.*de dign.pul.* 4ª.73.*E*
Pulſus diſtentionis principium non ſentitur. 1°.*de dign.pul.* 4ª.74.*H*
Pulſus diſtentio eſt pars maxime princeps, & plurimam habet cognitionis varietatem, plurimum etiam ad præſagiendum ex ſe præſtat vſum. 2°.*de dign.pul.* 4ª.75.*A*
Pulſus diſtentio intro trahit. 2°.*de cau. pul.* 4ª.95.*A*
Pulſus diſtentionis dimenſiones non ſemper tantæ apparent, quantæ ſunt. 1°.*de præſag.ex pul.* 4ª.106.*A*
in Pulſu quanta diſtentionis, & contractionis pars non ſentiatur. 1°.*de dign.pul.* 4ª.74.*E*
Pulſus, qui vna diſtentione habent duos ictus, quid ſignificent. 1°.*de præſag.ex pul.* 4ª.111.*G*
Pulſus Diuturnus, & tardus differunt. 1°.*de cau.pul.* 4ª.88.*C*
Pulſus Doloris.de pul.ad Tyr. 4ª.44.*H*
Pulſum qui dolor variet.de pul. ad Tyro. 4ª.44.*H*
Pulſus ex dolore qualis. 4°.*de cau.pul.* 4ª.100.*A*
Pulſus dolorum in parte prædita ſenſu.de pul. ad Tyr. 4ª.45.*B*
Pulſus cum dolore factus quid ſequatur. 2°.*de loc. affect.* 4ª.8.*H*
Pulſus Dorcadizon qui.comp.pul. *Sp.*66.*A*
Pulſus Dormientium quo modo differat a pulſu vigilantiũ. 3°.*de cau. pul.* 4ª.97.*H*
Pulſus Dulcis, & amarus. 3°.*de diff.pul.* 4ª.62.*H*

Pulſus Duplus quo modo apparet.de vtil. reſp. 1ª.224.*A*
*Pulſus Durus qui. fin.med.*46.*F*/1°.*de dign.pul.* 4ª.71.*A*
Pulſus durities in quo conſiſtat.de pul.ad Tyr. 4ª.43.*D*
Pulſus durus qualis non putridis. 1°.*de diff.feb.* 3ª.34.*C*
Pulſum durum quæ faciant. 1°.*de diff.feb.* 3ª.34.*B*/1°. *de cau.pu.*87.*B*/1°.*de præſ.ex pul.* 4ª.107.*F*
Pulſus duri cauſa continens. 1°.*de præſag. ex pul.* 4ª.109.*A*
cum Pulſibus duris crebritas. 1°.*de cau. pul.* 4ª.89.*D*
Pulſus durus cuius proprium. 1°.*de dif.feb.* 3ª.34.*C*
Pulſus durities unde in hecticis. 2°.*de diff.feb.* 3ª.35.*E*
Pulſus durities nulla apparet in peripneumonia. 5°.*de lo.af.*4ª.29.*H*
Pulſum duriorem peripneumonicis cur habeant pleuritici. 4°.*de præſag.ex pul.* 4ª.120.*B*
Pulſus duriſſimus maxime eſſe non poteſt. 1°.*de dig.pul.* 4ª.72.*F*
Pulſuum ſolium duo genera violenter tactum feriunt duri, & vehementes. 4°.*de dign pul.* 4ª.83.*C*
Pulſus durus vomitum futurum ſignificat. 3°.*de criſi.* 4ª.144.*D*
Pulſus Dyſentericorum, & iliacorum.de dyna. *Sp.*35.*A*
Pulſus quos habent Dyſpneæ. 4°.*de præſ. ex pul.* 4ª.120.*A*
Pulſus Ecrhythmus qui. 1°.*de pul.diff.* 4ª.48.*G*
*Pulſus Elephãtiaſis qualis.de pul.ad Ty.*46.*D*/4°.*de ca.p.*4ª.103.*f*
Pulſus magis Eleuati in humili quàm in ſuperbo quo caſu eſſent. de anato. viu. *Sp.*47.*B*
Pulſus Epilepticorum qui.comp.pul. *Sp.*65.*H*
Pulſus Erythoides inflammatæ qui. 4°.*de præſag.ex pul.* 4ª.121.*E*
*Pulſus Eterorhythmus qui.fin.med.*46.*G*/ 1°.*de pul. diff.* 4ª.48.*G*
Pulſus Eurhythmus qui. 1°.*de pul.diff.*4ª.48.*G*/*comp.pul.Sp.*65.*H*
Pulſus quos habeant Excretiones peſſimæ. 4°.*de præſ.ex p.* 4ª.122.*e*
Pulſus Exercitantium ſe.de pul.ad Tyr. 4ª.44.*D*
Pulſus ab exercitationibus qui. 3°.*de diff. pul.* 4ª.61.*F*
Pulſus mutatio pro exercitationibus. 3°.*de cau.pul.* 4ª.98.*E*
Pulſus quales eorum qui Expergiſcantur.de pulſibus ad Tyr. 44.*C*/ 3°.*de cau.pul.* 4ª.98.*B*
Pulſus Facultatis imbecillæ qualis. 1°.*de præſag.ex pul.* 4ª.107.*C*
Pulſus a debili facultate, & caliditate. 1°. *de cau.pul.* 4ª.88.*G*
Pulſus ab imbecilli facultate, & refrigeratione. 1°.*de ca.pu.*4ª.88.*b*
Pulſus infirmæ facultatis, & maioris vſus. 1°.*de cau.pul.* 4ª.90.*E*
Pulſum quem faciat facultas granata. 4°.*de cau.pul.* 4ª.103.*D*
Pulſus facultatis depreſſæ.de pul.ad Tyr. 4ª.44.*F*
Pulſus facultatis diſſolutæ à penuria.de pul. ad Tyr. 4ª.44.*G*
Pulſus ex facultate robuſta, & deficiente calore. 1°.*de ca.pu.*4ª.89.*a*
Pulſus facultatis concitatæ qualis. 4°.*de cau.pul.* 4ª.103.*H*
Pulſus facultatis ruentis qualis. 4°.*de cau. pul.* 4ª.103.*H*
Pulſus Febris eſt iudex.de dy. *Sp.*34.*A*
ex Pulſibus, & urinis febricitantium maxima ſigna ſumuntur. 1°.*de arte cur.ad Glauc.* 7ª.94.*H*
per Pulſus quo modo febres dignoſcantur. 3°.*de præſ.ex pul.*4ª.117.*H*/*præſag.ex per.conſ.* *Sp.*77.*E*
Pulſus qui eſt febris nota qui.de marc. 3ª.46.*H*
Pulſus febrium quid cõmune habent. 1°.*de arte cur.ad Glau.*7ª.96.*B*
in Pulſu febris quælibet habet celeritatẽ. 3°.*de præſ.ex pu.*4ª.115.*E*
Pulſus febricitantium ſecundum tẽpus febris qui.cõp.pul. *Sp.*65.*F*
Pulſus principij acceſſionis qui. 3°.*de præſ.ex pu.* 4ª.118.*A*/*G*
Pulſus principij qualis.de præcogn.ad Poſth. 4ª.219.*C*
Pulſus declinationis optimæ qualis. 3°.*de criſi.* 4ª.142.*E*
Pulſus declinationis mortalis qualis. 3°.*de cri.* 4ª.142.*E*
ex Pulſu quo cognoſcatẽ febris prima die. 3°.*de præſ.ex pu.* 4ª.118.*D*
Pulſus ephemeræ qualis. 1°.*de diff.feb.*3ª.33.*D*/ 3°. *de præſ.ex pulſ.* 4ª.117.*H*/1°.*de arte cur.ad Glauc.*7ª.94.*H*/*de dy.* *Sp.*33.*H*
Pulſus ephemeræ ex triſtitia, & cupiditate.de dy. *Sp.*33.*H*
Pulſus ephemeræ ex iracundia.de dy. *Sp.*33.*H*
Pulſus in quibus ephemeris ſint minores. 1°.*de ar. cur.ad Gl.*7ª.95.*D*
Pulſus durus in ephemeris quando. 1°.*de diff.feb.* 3ª.34.*C*
Pulſus in ſola ephemera ad naturalem reuertuntur. 1°. *de ar. cu. ad Glauc.* 7ª.95.*A*
Pulſus febriũ leniũ, vt ex bubonibus, quales. 2°.*de cau. pul.* 4ª.91.*B*
Pulſus in febre ex inguinum dolore quis.de dy. *Sp.*34.*A*
Pulſus febrium ex aduſtione quales. 2°.*de cau.pu.* 4ª.91.*B*
Pulſus ex frigore qualis.de marc. 3ª.46.*H*
Pulſus febrium ex frigore quales. 2°.*de cau.pul.* 4ª.91.*B*
in Pulſu quando non eſt putredinis ſenſus cruditatis, nec in urinis in febre ex obſtructione. 8°.*meth. med.* 7ª.52.*E*

Pulsus febrium putridarum. 1°.*de differ.feb.* 3ª.34.*A*/3°.*de præsa. ex pul.* 4ª.117.*H*
Pulsus durus in putridis quando. 1°.*de diff.feb.* 3ª.34.*C*
Pulsus febrium vrentium.de vsu pu. 1ª.227.*F*
Pulsus febrium acutarum,exitialiũ,& syncopalium.de pul. 4ª.44.*G*
Pulsus qui in febrium magnarum initijs. 2°.*de præs.ex pul.* 4ª.114.*a*
Pulsus,& symptoma tertianæ.de typ. 3ª.90.*F*
Pulsus syncerarum tertianarum quales. 2°.*de caus.pul.* 4ª.91.*B*
Pulsus tertianarum.de dyn. *Sp.*34.*F*
Pulsus principij tertianæ.de mor. temp. 3ª.85.*G*
Pulsus tertianarum in principio,& in progressu. 2°.*de crisi.* 4ª.134.*G*
Pulsus augumenti in tertiana.de mor. temp. 3ª.85.*H*
Pulsus intermissionis febris qualis in tertiana. 2°.*de diff.feb.* 3ª.36.*H*
Pulsus in integritate naturali.de mor. temp. 3ª.85.*H*
Pulsus tertianæ,quartanæ,& quotidianæ differentiæ.de typis. 3ª.91. *A*/*de dyn.* *Sp.*34.*F*
Pulsus synochi qualis. 9°.*meth. med.* 7ª.56.*D*
Pulsum habent synochæ cõsimilẽ causus,et synochus.de dy. *Sp.*34.*b*
Pulsus post quartanam qualis. 1°.*de arte cur.ad Glau.* 7ª.96.*B*
Pulsus quartanæ febris. de dyn. *Sp.*34.*F*
Pulsus quartanarum in principio,& in processu. 2°.*de crisi.* 4ª.134.*g*
Pulsus quartanæ est inæqualis.de præcogn. ad Posth. 4ª.214.*D*
Pulsus quotidianæ.de dyn. *Sp.*34.*G*
Pulsus pituitosæ febris qualis. 2°.*de dif.feb.* 3ª.37.*A*
Pulsus qui febris hecticæ. 2°. *de præs.ex puls.* 113.*A*/3°. 115.*E*/ 117.*H*/ 4ª.118.*F*
Pulsus qui in febribus cum cor calidus sit quam vicina frigida. 3°.*de præsagitio.ex pul.* 4ª.117.*B*
Pulsus cum cor frigidius & vicina calidiora. 2°.*de ῥs.ex pu.* 4ª.117.*b*
*Pulsus Formicans qui fin.med.Isa.*47.*A*/*de puls.ad Ty.* 4ª.43.*G*/2°. *de dig.pul.* 4ª.76.*A*
*Pulsus formicans vnde sit.de pul.ad Ty.*44.*G*/1°.*de dif.pu.* 4ª.52.*B*
Pulsus formicans quibus constet fm Galenum. 2°.*de dign.pu.* 4ª.75.*C*
Pulsus formicantis pueri,respectu pulsus iuuenis valentis. 2°.*de dig. pul.* 4ª.75.*H*
Pulsus formicantes quando prodibunt. 3°.*de cau.pul.* 4ª.98.*G*
Pulsus formicantes quæ sequuntur. 3°.*de cau.pul.* 4ª.99.*D*
Pulsus formicans exigit tactum exercitatum. 2°.*de dign.pul.* 4ª.75.*C*
Pulsus formicinus non facit sentire quietem. 2°.*de symp.cau.* 3ª.20.*C*
Pulsui formicino similis tremor. 2°.*de symp.cau.* 3ª.20.*C*
a Pulsu Forti in vlceribus,sanguinis & fluuiũ.cõ. 7°.*aph.* 21°.*Ex.* 55.*d*
Pulsus quos faciat Frigus. 1°.*de cau.pul.* 4ª.88.*F*
Pulsus quos faciant frigidi affectus. 4°.*de præsag.ex pul.* 4ª.121.*D*
Pulsus frigefactorum ex itinere. 1°.*de præs.ex pul.* 4ª.107.*E*
Pulsuum Genera,species,qualitates,& differentiæ idem. 1°. *de puls. differ.* 4ª.47.*B*
Pulsuum genera,& differentias dici negabant quidam. 2°. *de differ. puls.* 4ª.55.*B*
Pulsus genus quid. 4°.*de dif.pu.* 4ª.65.*F*
in Pulsibus genera quæ. 2°.*de diff.pul.* 4ª.55.*C*/*comp.pul.* *Sp.*65.*H*
Pulsuum genera uniuersalia. 1°.*de pul.diff.* 4ª.47.*C*
in Pulsu quid Πονίωσις.2°.*de præs.ex pul.* 4ª.114.*A*
in Pulsu quid faciat Gracilitas. 2°.*de præs.ex pul.* 4ª.113.*F*
*Pulsus graciliorum natura.de pu.ad Ty.*44.*A*/3°.*de cau.pu.* 4ª.96.*C*
Pulsus gracilium corpore cum irascuntur. 2°.*de cau. pul.* 4ª.94.*F*
Pulsus gracies qui quadratus euaserit. 3°.*de cau.pu.* 4ª.98.*D*
Pulsus Grauis non datur. 3°.*de diff.pul.* 4ª.60.*H*
*Pulsus Habitudinum ascititiarum quales. de pul.ad Tyr.*44.*D*/3°.*de cau.pul.* 4ª.98.*D*
Pulsus pro temperamentis ascititijs. 3°.*de cau.pul.* 4ª.98.*D*
Pulsus Hecticus vnde dicatur. 4°.*de cau.pu.* 4ª.101.*F*
*Pulsus hecticus qui.de pul.ad Ty.*43.*G*/ 4ª.45.*D*
Pulsus hecticus qualis,& quorum. 4°.*de cau.pul.* 4ª.101.*B*
Pulsus hectici. 1°.*de diff.feb.* 3ª.35.*E*
Pulsus hectici tabidi. 1°.*de diff.feb.* 3ª.34.*G*
Pulsus debilitas unde in hecticis. 1°.*de dif.feb.* 3ª.35.*E*
Pulsus Humidus qui.fin.med. *Isa.*46.*F*
Pulsus Humilis qui.de pul.ad Ty. 4ª.43.*D*
Pulsus humilis causæ. 2°.*de cau.pu.* 4ª.93.*H*
Pulsus humilis quid significet. 1°.*de præs.ex pul.* 4ª.106.*G*
Pulsus Humorum quales.de dyna. *Sp.*19.*F*
Pulsus habentiũ humores crudos.de curan.rat.per sang.miss. 6ª.18.*F*

Pulsus Hydropicorum in omni specie qualis.de pu. ad Ty. 4ª.46.*E*
*Pulsus Ictericorũ qualis.de pul.ad Ty.*46.*D*/4°.*de cau.pul.* 4ª.103.*f*
*Pulsus Ictus quid.de pul.ad Ty.*43.*E*/ 4ª.48.*C*
Pulsus ictuum interuallum, quies,& contructio idem sunt.de pulsib. ad Tyr. 4ª.43.*E*
in Pulsu quo modo cognoscatur ictus. 4°.*de dig.pul.* 4ª.82.*H*
in Pulsu ictus,& distentio a tactu sentitur. 1°.*de dign. pul.* 4ª.71.*D*
in Pulsu robur ictus in quo consistat. 3°.*de diff.pu.* 4ª.60.*A*
in Pulsibus multis cur ictus violẽtus,et in quib⁹. 4°.*de dig.p.* 4ª.82.*b*
Pulsus qui sequuntur Iecur affectum. 4°.*de præs. ex pu.* 4ª.120.*B*
Pulsus Iecoris inflammati qualis.de pul. ad Ty. 4ª.45.*A*
Pulsus Iliacorum.de dyn. *Sp.*35.*A*/*B*
in Pulsu Iliorum cur fiat delirium.in progn.com. 1°. 4ª.195.*G*/*H*
Pulsus in Ilijs quid significent.in progn.Hipp.com. 1°. 4ª.195.*H*
Pulsus Imbecillus tactu amittitur. 3°.*de dif.pu.* 4ª.62.*A*
Pulsus Impares non sunt inæquales. 2°.*de cau.pul.* 4ª.91.*C*
Pulsus Inæqualitas quid.fin.med. *Isa.*46.*F*
in Pulsu inæqualitas collectiua quæ. 2°.*de cau.pul.* 4ª.91.*B*
*Pulsus inæqualis qui.fin.med.*46.*F*/*de pu.ad Ty.* 4ª.43.*H*
Pulsus inæqualis et æqualis nõ habet mediũ.de pu.ad Tyr. 4ª.43.*H*
de Pulsu inæquali in crebritate,& raritate rhythmi in diuersis pulsi bus. 1°.*de dif.pu.* 4ª.52.*D*
de Pulsu inæquali in crebritate,& raritate rhythmi in vno pulsu. 1°. *de dif.pu.* 4ª.52.*E*
Pulsus inæquales celeritate, & tarditate oriuntur ex qualitate motus. 3°.*de dign.pul.* 4ª.80.*C*
Pulsus inæqualis raro ordinatus.de pul.ad Ty. 4ª.45.*F*
Pulsuũ inæqualiũ quot dꝛiæ sũt tot respirationũ. 1°.*d dif.re.* 3ª.60.*G*
in Pulsu inæqualitatis vitalis cõtentionis dꝛia. 1°. *de dif.pul.* 4ª.51.*E*
Pulsuum inæqualitatis motus tres differentiæ. 1°.*de pul.diff.* 4ª.49.*G*
Pulsus,& respirationis inæqualitates vnde. 1°.*de diff. resp.* 3ª.60.*H*
de Pulsuum inæqualium causis. 2°.*de cau.pul.* 4ª.91.*B*
Pulsus inæquales quo modo faciant instrumẽta. 2°.*de cau.pu.* 4ª.91.*E*
de Pulsus unius inæqualitatis causis. 2°.*de cau.pu.* 4ª.92.*B*
de Pulsus vnius inæquatitatis differentijs. 1°.*de pu. dif.* 4ª.49.*F*
Pulsus vnius inæqualitatis causa duplex cur lateat. 2°. *de ῥs.* 4ª.113.*f*
in Pulsu omnigena inæqualitas cur. 4°.*de lo.af.* 4ª.28.*F*
Pulsus inæqualitas ex situ arteriæ. 2°.*de cau.pu.* 4ª.93.*G*
Pulsus inæquales ob facultatis offensionem. 2°.*de cau.pu.* 4ª.91.*H*
Pulsus fiũt inæquales stomacho grauato,ac morso. 3°.*de cri.* 4ª.144.*E*
Pulsus inæquales diuersarũ partiũ in vna distẽsione. 1°.*de pu.* 4ª.51.*c*
Pulsus unius inæqualitas in quo consistat.de pu.ad Ty. 4ª.43.*F*
in Pulsu quæ inæqualium inæqualitatũ differentiæ. 1°.*de pu.* 4ª.49.*E*
Pulsuũ cõpositæ inæqualitates ĩ quibus cõsistãt.de pu.ad Ty. 4ª.43.*G*
Pulsuum inæqualitatum inæqualium in vna parte differentię. 1°.*de pul.dif.* 4ª.50.*B*
Pulsuũ in una parte inequaliũ tertia differẽtia. 1°.*de diff.p.* 4ª. 50.*G*
Pulsus inæquales deficientes qui. 1°.*de pul.diff.* 4ª.49.*E*
Puls⁹ inæqualitas est cõis oĩum fluxionũ in pulmone.de prę. 4ª.119.*b*
in Pulsu inæqualitatis oẽ genus quid significet. 4°.*de loc.af.* 4ª.28.*F*
Pulsus inæqualis quid significet,& vnde sit. 1°.*de præsag.* 4ª. 110.*C*
Pulsus inæqualis quid significet in crisi. 3°.*de crisi.* 4ª.144.*D*
inter Pulsus inæquales cur pessimus pulsus intermittens. 1°.*de præsa. ex pul.* 4ª.110.*E*
Pulsus Inanis.qui.fin.med. *Isa.*46.*F*
Pulsus Incorporeus qui.comp.pul. *Sp.*65.*G*
Pulsus infantis qualis. 3°.*de cau.pu.* 4.96.*D*
Pulsus in Inflammatis partibus motus non naturalis est.de ijs quæ in medic.fi.com. 3°. 7ª.222.*D*
*Pulsus inflãmatiõis.de pul.ad Ty.*45.*A*/2°.*de cau.pu.* 4°. 4ª.100.*B*
Pulsus partium inflammatarum. 1°.*de differ.resp.* 3ª.58.*F*/ 4°.*de ca. puls.* 4ª.100.*D*
Pulsus inflãmationis diuersarũ partiũ. 4°.*de præs.ex pul.* 4ª.121.*C*
Pulsus in toto corpore,et in partibus inflãmatis. 4°. *de diff.p.* 4ª.64.*c*
a Pulsu hꝛ inditiũ firmum,& solidũ in inflammationibus iecoris,membranæ tegentis costas,& talium partium. 2°.*de loc. aff.* 4ª.13.*E*
Pulsus diuersus in inflammatione Iecoris, & membranę costas succingentis. 2°.*de loc.aff.* 4ª.13.*D*
Pulsus inflammationis marcidæ.de puls.ad Ty. 4ª.45.*E*
Pulsus est in magnis inflammationibus.in progn.com. 1°. 4ª.195.*G*
Pulsus in vlceribus inflãmatis quid sit,et cur.cõ. 7°.*a.*21°. *Ex.*55.*D*
Pulsus inflammationum omnium cum fcbre.de pul.ad Tyr. 4ª.45.*A*

Pulſus Inguinum & alarum affectarum. 4°. *de præſ. ex pul.* 4ª. 120. *f*
in Pulſibus Initiatis quid agendum. 3°. *de cau. pulſ.* 4ª. 95. *D*
Pulſus Innaturales qui. 6°. *de dec. Hipp.* 1ª. 260. *G*
Pulſus Inneuntes in quo ſint genere. 1°. *de diff. pul.* 4ª. 51. *E*
Pulſus inneuntes qui. de pul. ad Tyro. 4ª. 45. *D*
Pulſuum innuentium cauſæ. 2°. *de cau. pul.* 4ª. 93. *F*
Pulſus Inordinatus qui. de pulſ. ad Tyro. 4ª. 43. *F*
Pulſus inordinat°, et ordinatus non hẽt mediũ. de pul. ad Ty. 4ª. 43. *H*
Pulſus inordinati cauſa. 2°. *de cauſ. pul.* 4ª. 94. *H*
Pulſus mollitiei Inſtrumenti qualis. 1°. *de cau. pul.* 4ª. 89. *C*
Pulſus duritiei inſtrumenti qualis. 1°. *de cau. pul.* 4ª. 89. *C*
Pulſus Intercidens qui. fin. med. Iſ. 46. *H/ comp. pulſ.* *Sp.* 66. *A*
Pulſus Intercurrens qui. 1°. *de pul. diff.* 4ª. 49. *E*
Pulſus intercurrens in quo fiat. 1°. *de præſ. ex pul.* 4ª. 111. *B*
Pulſus intercurrentes quid ſignificent. 1°. *de præſa. ex pul.* 4ª. 111. *A*
Pulſus Intermittentes qui. fi. med. Iſ. 46. *H/* 1°. *de pul. diff.* 4ª. 49. *E*
Pulſuum intermittentium differentiæ. 2°. *de cau. pul.* 4ª. 92. *A*
Pulſus intermittens cui proprius. 4°. *de cau. pul.* 4ª. 102. *A*
Pulſus intermittens in vno quid ſignificet. 1°. *de p̃ſ. ex pul.* 4ª. 111. *E*
Pulſus intermittentes in pueris nõ periculoſi. 1°. *d̃ præſ. ex p.* 4ª. 110. *f*
Pulſus intermittentes ĩ iuuenibus piculoſi. 1°. *de p̃ſ. ex pul.* 4ª. 110. *F*
Pulſus intermittentes in ſenio nõ pernitioſi. 1°. *de præſ. ex p.* 4ª. 110. *f*
Pulſus intermittentes pernitioſiſſimi. 1°. *de præſag. ex pul.* 4ª. 111. *a*
Pulſus ĩtermittẽs cur inter ĩ æquales peſſimus. 1°. *de præ. ex.* 4ª. 110. *f*
ad Pulſum intermittentẽ qũo ſequat̃ mors. 1°. *de p̃ſ. ex p.* 4ª. 110. *H*
Pulſus interrupti motus differentiæ. 1°. *de pul. diff.* 4ª. 51. *D*
Pulſus interuallum quid. de pul. ad Tyr. 4ª. 43. *E*
Pulſus motus comparatio ad Iram. 6°. *de dec. Hip.* 1ª. 260. *H*
Pulſus iratorum qui. 2°. *de ſymptoma. cau.* 3ª. 23. *D/ de pul. ad Tyro.* 44. *H/* 3°. *de diff. pul.* 61. *F/* 2°. *de cau. pul.* 91. *D/* 64. *C/* 4°. 4ª. 99. *F*
Pulſus iratorum altus. 2°. *de cau. pul.* 4ª. 94. *D*
Pulſus q̃ſequantur in ira, & exercitationib. 1°. *de cau. pul.* 4ª. 87. *H*
Pulſus reprimentis iram. 1°. *de præſag. ex pulſ.* 4ª. 105. *A*
ex Pulſibus ſigna Iudicationis non poſuit Hip. 3°. *de cri.* 4ª. 144. *E*
quo Pulſu iudicetur iudicatio optima. 4°. *de præſag. ex pul.* 4ª. 122. *B*
ex Pulſu quomodo cognoſcatur iudicatio ex profluuio ſanguinis nariũ. 4°. *de præſ. ex pul.* 4ª. 122. *F*
ex Pulſu iudicatio futura per abſceſſum quo modo cognoſcatur. 4°. *d̃ præſa. ex pul.* 4ª. 122. *E*
Pulſus iuuenum qualis. 3°. *de cau. pul.* 4ª. 96. *D*
Pulſus iuuenis valentis reſpectu formicãtis pueri. 2°. *de dig.* 4ª. 75. *b*
Pulſus iuuenis currentis qualis. 1°. *de præſa. ex pul.* 4ª. 111. *D*
Pulſus eorum qui ex Labore ſudantes deficiũt, & frigeſcũt, qui. de dynamidijs. *Sp.* 34. *H*
Pulſum habet maiorem, & laſſiorem qui nimia fãtigatione fuerĩt laſſi. de dyna. *Sp.* 34. *A*
Pulſus letitiæ. qui. de pul. ad Tyr. 34. *H/* 4°. *de cauſ. pul.* 4ª. 99. *G*
Pulſus Languidus qui. 3°. *de diff. pul.* 4ª. 62. *A*
Pulſus languidus nunquam altus. 4°. *de præſ. ex pul.* 4ª. 122. *A*
Pulſus languidus vnde. 1°. *de cau. pul.* 4ª. 88. *H*
Pulſus languidi cauſa continens. 1°. *de præſag. ex pul.* 4ª. 109. *A*
Pulſus languidi cauſa continẽs eſt cã infirma. 1°. *de cauſ. pul.* 4ª. 88. *C*
Pulſus languidis immotus vr̃ premendo. 1°. *de dig. pul.* 4ª. 71. *A*
Pulſus languidi ſenſum fugiunt cum premuntur. 1°. *de dign. p.* 4ª. 72. *e*
Pulſus Latus qui. de pulſ. ad Tyr. 43. *D/H/* 2°. *de diff. pul.* 55. *H/* 3°. *d̃ digno. pul.* 4ª. 80. *E*
Pulſus latus quomodo fiat. 3°. *de dig. pul.* 4ª. 81. *C*
Pulſus lati cauſæ. 2°. *de cau. pul.* 93. *H/* 4ª. 94. *F*
Pulſus latus humilis quid ſignificet. 1°. *de præſ. ex pul.* 4ª. 106. *F*
Pulſus latior in carpo quid ſignificet. 2°. *de præſ. ex pul.* 4ª. 113. *G*
Pulſus Lethargicorum qualis. de pul. ad Tyr. 45. *F/* 1°. *de digno. pulſ.* 71. *A/* 3°. 80. *D/* 4°. *de cau. pul.* 101. *H/* 4°. *de præſag. ex p.* 4ª. 121. *A/ comp. pul.* *Sp.* 65. *G*
Pulſus Lienis inflammati qualis. de pul. ad Tyr. 4ª. 45. *A*
Pulſus Longus qui. de pul. ad Tyr. 4ª. 43. *D/H/* 2°. *de diff. pul.* 55. *H/* 3°. *de digno. pul.* 4ª. 80. *E*
Pulſus longos habent gracilcs. 1°. *de pr̃ſ. ex pul.* 4ª. 106. *B*
Pulſus longitudo optima quæ. 3°. *de dign. pul.* 4ª. 80. *G*
Pulſus longi cauſæ. 2°. *de cau. pul.* 93. *H/* 4ª. 94. *G*
Pulſus longus quid ſignificet. 1°. *de pr̃ſ. ex pul.* 4ª. 106. *D*
Pulſus longus, & latus quid ſignificet. 1°. *de præſ. ex pul.* 4ª. 106. *B*
Pulſus longior effectus, & latior q̃d ſigñet. 1°. *de p̃ſ. ex pul.* 4ª. 106. *B*
Pulſus longus, & altus quid ſignificet. 1°. *de præſ. ex pul.* 4ª. 106. *D*
Pulſus longus, & humilis quid ſignificet. 1°. *de p̃ſ. ex pul.* 4ª. 106. *C*
Pulſus longus, anguſtus, & altus quid ſigñet. 1°. *de p̃ſ. ex p.* 4ª. 106. *E*
Pulſus longus, & anguſtus q̃d ſignificet. 1°. *de præſ. ex pul.* 4ª. 106. *E*
Pulſus lõgus, anguſtus, & humilis q̃d ſigñet. 1°. *de p̃ſ. ex p.* 4ª. 106. *F*
Pulſus lõgus, anguſtus, humilis ĩ lõgis morb. 1°. *de præſ. ex.* 4ª. 107. *E*
Pulſus Magni nomen ab omnibus probatur. 1°. *de pulſ. diff.* 4ª. 47. *H*
Pulſus magnus quot dicitur modis. 1°. *de præſag. ex pul.* 4ª. 105. *D*
Pulſus magnus qui ſi. med. Iſa. 46. *F/ de pul. ad Tyro.* 43. *D/G/* 1°. *de dign. pul.* 71. *A/* 2°. *de cau. pul.* 94. *D/* 1°. *de præſagitione ex pulſib.* 4ª. 106. *D/ comp. pul.* *Sp.* 65. *H*
Pulſus magnus a quibus cauſis fiat. 1°. *de cau. pul.* 88. *D/* 1°. *de præſagitione ex pulſib.* 4ª. 104. *F*
Pulſus magni ſunt proprij validarum virium. 3°. *de cau. pul.* 4ª. 95. *g*
Pulſus magni, celerisq, cauſa. 4°. *de pr̃ſa. ex pul.* 4ª. 122. *C*
Pulſus magnos, & celeres facit vſus. 1°. *de cau. pul.* 4ª. 90. *H*
Pulſus magnus ob inſtrumentum vnde. 1°. *de cau. pul.* 4ª. 89. *C*
Pulſus magnus quomodo ob iram. 1°. *de præſ. ex pul.* 4ª. 104. *H*
Pulſum habet magnum inflammatio. de tum. præt. nat. 3ª. 84. *A*
Pulſus magnus ex multo ĩteruallo, patiẽte cerebro. c. 4°. *a.* 50°. *E.* 33. *c*
Pulſus magnus quo modo cognoſcitur. 4°. *de dig. pul.* 4ª. 83. *B*
Pulſus magnus lãguidus quo modo cognoſcatur. 3°. *de di. pul.* 4ª. 81. *b*
Pulſus magnus quid ſignificet in criſi. 3°. *de criſi.* 4ª. 144. *D*
Pulſus maiores, celeriores, & crebriores vnde. 2°. *de cau. pul.* 4ª. 91. *c*
Pulſum iuſtũ maiorẽ habentis ægri caſus. 1°. *de pr̃ſ. ex pul.* 4ª. 105. *E*
Pulſus varij ſi Manus ſit prona vel ſupina. 1°. *de dig. pul.* 4ª. 74. *B*
Pulſus Marſcentiũ qualis. de pul. ad Tyro. 45. *D/* 4°. *de cauſ.* 4ª. 101. *c*
Pulſus Maximi a quibus fiant. 1°. *de cau. pul.* 4ª. 87. *E*
Pulſus affectus ex phrenitide, & lethargo quem nos vocamus malũ Mazuchi. 4°. *de cau. pul.* 4ª. 102. *C*
Pulſus mazuchi morbi deprehenditur. de pul. ad Tyr. 4ª. 45. *H*
Pulſus auctus a Medicamento quomodo cognoſcitur, & quomodo differat ab acceſſione. 1°. *de præſag. ex pul.* 4ª. 105. *B*
Pulſus Medius qui. fin. med. *Iſ.* 46. *E/F*
Pulſus medi° iter vehemẽtẽ, et lãguidũ ẽ naturalis. 1°. *d̃ ca. p.* 4ª. 87. *G*
Pulſus Minimi vnde. 1°. *de cau. pul.* 4ª. 90. *B*
Pulſus minimus intermittens, & deficiens vnde. 1°. *de cau. p.* 4ª. 88. *b*
Pulſus minor ſolito vnde. 1°. *de præſag. ex pul.* 4ª. 105. *F*
Pulſus minor a quibus fiat cauſis. 1°. *de præſag. ex pul.* 4ª. 107. *C*
Pulſus Moderatus eſt prior immoderato intelligentia, & cognitione. 3°. *de dig. pul.* 4ª. 79. *F*
Pulſus moderatæ naturæ qualis. 2°. *de dig. pul.* 4ª. 78. *B*
Pulſus moderatus ſolus naturalis eſt. 1°. *de pr̃ſ. ex pul.* 4ª. 109. *A*
Pulſus moderatos habent quadrati. 1°. *de præſa. ex pul.* 4ª. 106. *B*
Pulſus moderatus ſimpliciter q̃d ſignificet. 1°. *de pr̃ſ. ex p.* 4ª. 106. *g*
Pulſus Mollis qui. fi. med. Iſ. 46. *F/ de pul. ad Tyr.* 4ª. 43. *H*
Pulſus mollitudo in quo conſiſtat. de pul. ad Tyr. 4ª. 43. *D*
Pulſus mollis vnde. 1°. *de cau. pul.* 4ª. 87. *B*
Pulſus molles vnde ob ædemata. 4°. *de præſ. ex pul.* 4ª. 120. *A*
Pulſum cur emolliant ædemata. 4°. *de præſ. ex pul.* 4ª. 120. *A*
cũ Pulſibus mollibus raritas. 1°. *de cau. pul.* 4ª. 89. *D*
Pulſus mollis cauſa continens. 1°. *de pr̃ſ. ex pul.* 4ª. 109. *A*
Pulſus mollis cauſæ p̃cedẽtes, & externę. 1°. *de præſ. ex p.* 4ª. 109. *D*
Pulſus mollis nũquam fit ex Thoracis, vel Iocinoris tumore. 4°. *de p̃ſagitione ex pulſibus.* 4ª. 120. *B*
Pulſus mollis, & vndoſus ſudorem ſignificat. 3°. *de criſ.* 4ª. 144. *D*
Pulſus molliſsimus periculoſus perinde vt duriſſimus. 1°. *de præſagitione ex pulſibus.* 4ª. 111. *D*
de Pulſus Motu ſentit Gale. cum Athenæo. 4°. *de dif. pu.* 4ª. 69. *A*
Pulſus motus videtur voluntarius. fin. med. *Iſ.* 44. *H*
Pulſus a quo moueatur. 1°. *de cau. pul.* 4ª. 86. *H*
Pulſus ex contrarijs partibus conſtitutus geminum motum habet sẽper. 1°. *de pul. diffe.* 4ª. 47. *C*
Pulſus Mulierum qualis. 3°. *de cauſ. pul.* 4ª. 95. *D*
Pulſus Muris modo qui comp. pul. *Sp.* 66. *A*
Pulſum minus intẽdũt, & indurãt Muſculi affecti. 5°. *d̃ l. af.* 4ª. 29. *H*
Pulſus triplex Mutatio. de pul. ad Tyro. 4ª. 43. *H*
Pulſus per quot cauſas mutetur. de ſan. tu. 2ª. 75. *A*
ad Pulſus mutantes cauſas tria conſideranda inſtrumeatum, vſus, & facultas. 3°. *de præſag. ex pul.* 4ª. 118. *A*
Pulſum mutat animi perturbatio. in progn. com. 1°. 4ª. 192. *B*
Pulſus mutatio quę eſt diuturna, quæ non. 1°. *de pr̃ſ. ex pul.* 4ª. 104. *b*

Pulſus quo modo mutet colore acuto, & diminuto. 2°. de ſ.t. 2ª.75.A
Pulſus mutatio per accidens quæ. 2°. de dign. pul. 4ª.77.C
Pulſus mutati euacuationis terminū obtinēt. d ven. ſe. adu. Er. 6ª.7.h
Pulſus Myrmechizon qui. de comp. pul. Sp. 66.B
Pulſus Myurus qui. fin. med. If. 46.H/1°. de pul. diff. 4ª.49.D
Pulſus Naturales qui. 1°. de cau. pul. 4ª.87.F
Pulſus naturales ſunt medij inter exceſſus. 1°. de cau. pul. 4ª.89.G
Pulſus naturalis eſt ſolus moderatus. 1°. de præſ. ex pul. 4ª.109.A
Pulſus proprius naturæ conſiderandus nō quem ſciamus. 2°. de dignotione pulſuum. 4ª.77.A
Pulſus natiui cognitio neceſſaria eſt ad pulſus noſcendos. 2°. de p̄ſag. ex pul. 4ª.113.H
Pulſus naturalis eſt regula Polycleti. 2°. de cau. pul. 4ª.94.B
Pulſus naturaliter qūo debeat comparari. 1°. de cau. pul. 4ª.87.H
Pulſus naturalis nota. 2°. de cau. pul. 4ª.94.A
Pulſus quando natura aggreditur eijcere id q̄ corpus lædit. de præcognitione ad Poſth. 4ª.215.D
Pulſus Nephriticorum. de dyn. Sp. 35.C
Pulſus Neruoſarum partium. de pul. ad Tyro. 4ª.45.A
Pulſus aut paruos, aut nullos faciunt partes neruoſæ. 4°. de p̄ſ. 4ª.121.f
Pulſus Obliquatus qui. fi. med. Iſa. 46.G
Pulſus Obſcurus qui. fin. med. If. 46.F
ex Pulſu quomodo cognoſcatur Obſtructio membri p̄cipalis. 1°. de arte cura. ad Glau. 7ª.99.F
Pulſus Oedematis qui. 4°. de præſag. ex pul. 4ª.121.B
Pulſus œdematum diuerſarum partium. 4°. de præſ. ex pul. 4ª.121.c
Pulſus Opiſthotonicorum, & emproſthotonicorum. de dy. Sp. 35.D
Pulſus ex Oppletione qui. de frac. com. 3°. 7ª.243.D
Pulſuum Opera quomodo diſtinguenda. 3°. de diff. pul. 4ª.61.A
Pulſus Ordo qui. fin. med. If. 46.F
Pulſus ordinatus qui. de pulſ. ad Tyro. 4ª.43.H
Pulſus ordinatus, et ī ordinat⁹ nō hēt mediū. de pul. ad Ty. 4ª.43.H
Pulſus ordinati cauſa. 2°. de cau. pul. 4ª.94.H
Pulſus ordo & perturbatio. de pul ad Tyro. 4ª.43.F
Pulſus ordo & p̄turbatio ordinis quot fiāt modis. 1°. de diff. p. 4ª.48.b
Pulſus ordo, & perturbatio quid ſignificent. 2°. de præſ. 4ª.114.C
Pulſus perturbatio ordinis. de pul. ad Tyro. 4ª.45.F
Pulſus ordinis priuatio. fin. med. Iſa. 46.F
Pulſus ordine carens. fin. med. Iſa. 46.F
Pulſus Orthopneæ qualis. de pul. ad Tyr. 46.B/4°. de ca. p. 4ª.103.A
Pulſum tenet mitiorem Paracmaſticus in ſecundo vel tertio die cum declinatione quā homotonus, & acmaſticus, quamuis in principio vehemens fuerit. de dyn. Sp. 34.C
Pulſus Paralyticorū qualis. de pul. ad Ty. 46.A/4°. de cau. 4ª.102.G
Pulſus Pararrhythmus qui. 1°. de pul. dif. 4ª.48.G/cōp. pul. S. 65.H
Pulſus Parui nomen ab omnibus probatur. 1°. de pul. diff. 4ª.47.B
Pulſus paruus qui. fi. med. If. 46.E/ de pul. ad Tyro. 4ª.43.D
de Pulſuum commutatione in paruitate. 1°. de præſ. ex pul. 4ª.105.F
Pulſus paruos habent mulieres, iñ habent arterias molles. 3°. de cauſis pulſuum. 4ª.95.H
Pulſus paruitas vnde proueniat. 1°. de ſymp. cau. 3ª.18.F
Pulſus paruus ob inſtrumentum vnde. 1°. de cau. pul. 4ª.89.C
Pulſus paruus eſt creber. 1°. de præſag. ex pul. 4ª.109.C
Pulſus parui ſunt pueris. 2°. de digno. pul. 4ª.77.E
Pulſus parui tardi, & crebri vnde. 1°. de cau. pul. 4ª.88.G/H
Pulſus nullus paruus pōt in partes duas diſſecari. 2°. de ca. p. 4ª.92.c
Pulſus parui, & imbecilli qūo debeant tangi. 3°. de dign. pul. 4ª.80.b
Pulſum parum cur habent craſſi. 1°. de dig. pul. 4ª.74.A
Pulſus Peripneumaticus raro dicrotus. 4°. de cau. pul. 4ª.102.B
Pulſus Peripneumonicorū. de pul. ad Tyr. 45.A/ F/4°. de cauſis pul. 100.H/4ª.101.F/de dyn. Sp. 35.A
Pulſus in Pede vnde ſit. 3°. de ana. adm. 1ª.79.D
Pulſus Peßimi qui, & eorū inter ſe ordo. 1°. de præſ. ex pul. 4ª.111.D
Pulſuum peſſimus primo eſt languidiſſimus, tardiſſimus, rariſſimus, & inde minimus, molliſſimus, duriſſimus, Tertio creberrimus. 2°. de præſag. ex pul. 4ª.111.D
Pulſus Peſtilentiæ maximæ tempore Gal. 3°. de præſ. ex p. 4ª.115.d
Pulſus Phreniticorū qualis de pul. ad Tyr. 4ª.45.G/cōp. pul. S. 65.g
Pulſus phreniticorū rariſime vndoſus. 4°. de cau. pul. 4ª.102.B
Pulſus Phtiſicorum qualis. de pul. ad Ty. 45.E/4°. de cau. p. 4ª.101.c
Pulſus Pituitæ. de mul. 3ª.82.A/de nat. & ord. cuiusl. corp. Sp. 41.F
Pulſus abundantis pituitæ qui. 4°. de præſag. ex pul. 4ª.121.A
de Pulſu Pleno, & vacuo. 4°. de dign. pulſ. 4ª.83.F
de Pulſu pleno ſecundum Gal. 4°. de dign. pul. 4ª.85.D
Pulſus plenus qui fi. med. If. 46.E/ 1°. de pul. diff. 48.B/ 4°. de digno. pul. 84.E/comp. pul. 4ª.65.H
Pulſus plenus, & humidus a ſanguine fit. de dy. Sp. 19.F
Pulſus cur alteretur in Pleuritide. de conſt. ar. Iſa. 40.E
Pulſus Pleuriticorum qualis. de pul. ad Tyr. 45.A/B/4°. de cau. pul. 4ª.100.F/de dyn. 34.H/de comp. pul. Sp. 65.G
Pulſus poſt prandium rarior. de vſu pul. 1ª.227.G
Pulſus præfocationis qualis. de pul. ad Tyro. 4ª.46.C
Pulſus Prægnantium qui. de pul. ad Ty. 44.C/3°. de cau. pul. 4ª.97.d
ex Pulſibus Præſagia vnde. 2°. de dign. pul. 1ª.77.F
ex Pulſu quo modo maxime præſagimus. de vſu pul. 1ª.227.E
ex Pulſu p̄dī, vt ex curuis, et nigris vnguibus mors. d vſ. p. 1ª.227.e
ex Pulſibus præſagiorum liber præcedit librū prognoſticorū. in prognoſt. com. 1°. 4ª.191.H
de Pulſus præſagitione cum librum fecit Gal. peſtilentia adhuc vigebat. 3°. de præſag. ex pul. 4ª.116.H
Pulſus Preſſionis prauæ. 4°. de cau. pul. 4ª.103.H
Pulſus Priuatio quid. 1°. de præſag. ex pul. 4ª.106.A
Pulſus priuatio vnde proueniat. 1°. de ſym. cau. 3ª.18.F
Pulſu quomodo priuabis crura, & brachia. de vſu pul. 1ª.227.D
Pulſu adempto non adimitur motus, & ſenſus. de vſu pul. 1ª.227.D
Pulſus Profluuiorum ſanguinis qualis. de pul. ad Tyro. 4ª.44.H
Pulſus Profluuiorum menſium qualis. de pul. ad Tyr. 4ª.44.H
Pulſus profluuiorū validorū vētris qualis. de pul. ad Tyr. 4ª.44.H
Pulſus Profundus qui. de pul. ad Tyro. 4ª.43.D/H
Pulſus puerorum nuper genitorum qualis. comp. pul. Sp. 65.D
Pulſus pueri qualis. 3°. de cau. pul. 4ª.96.D
Pulſus cum pulmo calefacit cor. 4°. de præſag. ex pulſ. 4ª.119.G
Pulſus pulmonis ſicci qui. 4°. de præſag. ex pul. 4ª.119.H
Pulſus humidi pulmonis. 4°. de præſag. ex pul. 4ª.119.H
Pulſum quē habet pulmo in diuerſis morb. 3°. de præſ. ex p. 4ª.116.C
Pulſus deſtillationis in pulmone. 4°. de præſag. ex pul. 4ª.119.H
ex Pulſu, vrina, & calore cognoſcitur Putredo an ſit in ſuccis. 10°. met. med. 7ª.63.D
Pulſus Quies quid. de pulſ. ad Tyro. 4ª.43.E
Pulſus quies ictuum interuallū, & contractio idē ſunt. de pu. 4ª.43.e
in Pulſu duplex quies, & quo modo. 1°. de pul. diff. 4ª.47.C
in Pulſu quiete ſunt partes per accidens. 1°. de dig. pul. 4ª.74.F
in Pulſu, quiete tres differentiæ ſunt rarus, creber, & medius. 1°. de differ. pulſuum ad Tyrones. 4ª.48.F
in Pulſu quies ſentitur. 2°. de ſymp. cau. 3ª.20.C
Pulſus quies ſupra tactu percipitur. 1°. de pul. diff. 4ª.48.F
Pulſus quies infera non ſentitur. 1°. de pul. diff. 4ª.48.F
Pulſus quies externa quomodo ſentiatur. 1°. de dign. pul. 4ª.74.F
Pulſus quies interna qūo cognoſcatur. 1°. de dign. pul. 4ª.74.F
Pulſuum quies quę longa, & quę breuis. 1°. de præſ. ex pul. 4ª.110.G
Pulſus rarus qui. de pul. ad Tyro. 4ª.43.E
Pulſum rarum, & tardum efficit triſtitia. de ana. viu. Sp. 47.A
Pulſum rariorē, tardiorē, ac minorē habēt algētes. de vſu pu. 1ª.227.f
Pulſus rari pernitioſi qui. 1°. de præſag. ex pul. 4ª.111.A
Pulſus raritas, & crebritas quid ſignificent. 1°. de p̄ſ. ex p. 4ª.109.H
Pulſus raritas quibus grauis. 1°. de præſag. ex pul. 4ª.110.G
Pulſus raritas nunquam vacat periculo. 1°. de præſ. ex pul. 4ª.111.C
Pulſus Reciproci decurtati qui. 1°. de pulſ. diff. 4ª.49.D
Pulſus reciproci deficientes qui. 1°. de pul. diff. 4ª.49.F
Pulſus Recurrens qui. fin. med. Iſa. 46.H
Pulſus eius qui Refrigeratur qūo mutetur. 1°. de præſ. ex pul. 4ª.105.b
Pulſus varij diuerſarum Regionum. de pul. ad Tyr. 4ª.44.C
Pulſuum mutatio ex regionibus, & ſtatibus. 3°. de cau. pul. 4ª.97.D
Pulſus Remiſsio in quo conſiſtat. de pul. ad Tyr. 4ª.43.D
Pulſus eorum qui Renibus patiuntur. de dyn. Sp. 35.B
Pulſus renum inflammatorum qualis. de pul. ad Tyr. 4ª.45.A
Pulſus Repletionis immodicæ. de vſu pulſuum. 1ª.227.F
Pulſus retracti ac inordinati quo lunæ aſpectu fiant. de decu. prog. ex math. ſcien. Sp. 12.G
Pulſus retracti fiunt Luna in coniunctione ſolis, Saturno in tetragono de decub. prog. ex math. ſcien. Sp. 13.A
in Pulſibus Rhythmi quid ſignificent. 1°. de præſag. ex pul. 4ª.110.B
in Pulſu quid ſit rhythmus. 1°. de pulſ. diff. 4ª.48.D
de Pulſuum rhythmis egit abūde Herophilus. 1°. de præſ. ex. 4ª.110.B

in Pulſu rhythmorum differentiæ. 1°.*de pul.diff.* 4ª.48.G
in Pulſibus ſolis vehemẽtiſſimis rhythmi noſcunt. 3°.*d di.p.* 4ª.82.*a*
in Pulſibus rhythmorum mutatorum cauſæ. 2°.*de cauſ.pul.* 4ª.95.*A*
Pulſus ſanguinis.de mult. 3ª.82.*A*/*de nat.& ord.cuiusl.cor.S.*41.E
Pulſus ſanguis.de mul. 3ª.82.*A*/*de nat.& ord.cuiusl. corp. S.*41.E
Pulſum quem faciat ſanguinis copia. 2°.*de cau.pu.* 4ª.91.G
Pulſum quem faciat ſanguis in arterijs quãdoque craſſus, & lentus. 2°.*de cauſis pulſuum.* 4ª.91.G
*Pulſus tangendus dum ſanguis mittitur.de cur.ratione per ſang. miſſionem.*6ª.19.*B*/*præſ.exper. conſ.* *Sp.*77.H
Pulſus quos faciat Scyrrhus. 2°.*de cau.pul.* 4ª.91.F
Pulſus ſcirrhorum diuerſarum partium. 4°.*de præſ.ex pul.* 4ª.121.*c*
Pulſus Senioris qualis. 3°.*de cau. pul.* 4ª.96.D
Pulſus ſenum quibus conſtet temporibus.comp. pulſ. *Sp.*65.E
Pulſus Septi tranſuerſi affecti. 4°.*de præſ. ex pul.* 4ª.120.B
Pulſus ſerrans.de pulſ. ad Tyro. 4ª.45.*A*
Pulſus ſerrantis proprius pleuriticorum.de pul. ad Tyro. 4ª.45.C
Pulſus Siccus qui. ſin. med. *Iſa.*46.F
in Pulſibus Siſtole quid. de vſu pul. 1ª.229.D
Pulſuum mutatio ex Somno. 3°.*de cau.pul.* 4ª.97.H
Pulſus in ſomnis.in prog.Hipp. com. 1°. 4ª.192.*A*
Pulſus ſoporum profundorum qualis.de pul.ad Tyro. 4ª.45.F
Pulſus ſoporis ex imbecillitate.in 3ᵐ.*de mor. vul.c.* 1°. 3ª.131.H
Pulſus cum Spaſmo qui.comp.pul. *Sp.*65.H
*Pulſus ſpiſſus eſt qui continue per eundẽ locũ deuenit.cõ. pul.S.*65.*b*
Pulſus Status quales. 1°.*de diff. reſp.* 3ª.58.D
*Pulſus ſtomachi affecti qualis.de pul.ad Ty.*46.C/4°.*de ca.* 4ª.103.*c*
Pulſus ſtomachicorum affectuum. 2°.*de digno.pul.* 4ª.76.*A*
Pulſus Stupidus ſignificat diſpoſitionem eſſe in neruis muſculi,& ad paralyſim tendit. 2°.*de locis affect.* 4ª.8.H
Pulſus Sudoris qui.præſ.exper.conſ. *Sp.*77.F
Pulſus Suppuratorum qualis.de pulſibus ad Tyrones. 45.D/4°.*de cauſis pulſuum.* 4ª.101.*A*
Pulſuum ſymptomata manifeſtant morbos. de conſ.ar. *Iſa.*40.H
de Pulſu Synanchicorum. de dyn. *Sp.*34.G
ex Pulſu quo modo cognoſcatur Syncopa. 4°.*de cau. pul.* 4ª.102.C
*Pulſum quem habet ſyncope.*4°.*de cau.pul.* 4ª.100.H
Pulſus habentium Syncopem cum cruditate. 12°.*me.me.* 7ª.35.E
Pulſus ſyncopis cardiacæ.de pul.ad Tyro. 4ª.44.H
Pulſus ſyncopis ex corde, vel ſtomacho. de pul.ad Tyro. 4ª.45.E
ex Pulſu quo cognoſcatur ſyncopis periculum. 4°.*de præſ.* 4ª.122.E
Pulſus Tardus quid ſit. 2°.*de dig.pul.*75.*B*/3°. 4ª.79.G
Pulſus tardi qui, & vnde. 1°.*de cau. pul.* 4ª.88.E
Pulſus tardus,& diuturnus differunt. 1°.*de cau.pul.* 4ª.88.C
Pulſus tarditas ad quæ pertinet. de pul.ad Tyro. 4ª.43.D
Pulſus tardi,parui,& crebri, vnde. 1°.*de cau.pul.* 4ª.89.H
Pulſus tarditas quid ſignificet. 1°.*de preſ.ex pul.* 4ª.109.E
*Pulſus tardior frigidus tpamẽtũ declarat.*1°.*de pſ.ex pul.* 4ª.108.D
Pulſus tardus, & ſegnis fit a cholera nigra. de dy. *Sp.*19.F
Pulſus tardiſſimi,lãguidiſſimi,et minimi vnde. 1°.*de pſ.ex.*4ª.110.H
Pulſu tardo ſecurior eſt pulſus velox. 1°.*de præſag.ex pul.*4ª.111.*d*
in Pulſu quid faciat Tempus. 2°.*de dig. pul.* 4ª.75.*A*
Pulſus temporum anni quo modo varient.de pul.ad Tyro. 4ª.44.B
Pulſus diuerſarum partium anni. 2°.*de digno.pulſ.* 4ª.78.E
Pulſus oẽs non afficiuntur ab anni temporibus. 2°.*de dig.pul.* 4ª.78.*f*
Pulſuum mutatio pro temporibus anni. 3°.*de cau. pul.* 4ª.97.*A*
*Pulſus in temporum arterijs cum dolore maximo eſt motus non naturalis.de ijs quæ in med.ſi.com.*7°. 7ª.222.D
in Pulſibus Temporum vnum euitandũ. 2°.*de arte cu.ad Gl.* 7ª.95.*f*
*Pulſus Tenuior aſper percutiens a cholera rubra fit.de dy. S.*19.F
*Pulſus Teſtium affectorum.*4°.*de præſag.ex pul.* 4ª.121.E
Pulſus affectus Thoracis qui. 4°.*de præſag.ex pul.* 4ª.120.B
Pulſus Timentium qui. 2°.*de ſym.cau.*3ª.23.D/*de pul. ad Tyro.*44.H/2°.*de cau.pul.*91.D/4°. 4ª.99.H
Pulſus Tremulus quando appareat. 2°.*de præſag.ex pul.* 4ª.114.B
Pulſus tremulus quid ſignificet. 2°.*de præſ. ex pul.* 4ª.114.B
*Pulſus Triſtitiæ qualis.*4°.*de cau.pul.* 4ª.99.H
Pulſus turgidus qui. 1°.*de dign.pul.* 4ª.71.*A*
*Pulſus Tympanitis qualis.*4°.*de cau.pul.* 4ª.103.E
*Pulſus Vacuus qui.*1°.*de pul.diff.*48.*B*/4°.*de dign.pul.* 4ª.84.E
*Pulſus vacuus, & plenus qui.*3°.*de diff.pul.* 4ª.62.D
*de Pulſu vehementi, & languido.*4°.*de dign. pul.* 4ª.84.F
Pulſus vehementiæ nomina antiquorum. 3°.*de diff. pul.* 4ª.59.G
Pulſus vehemens qui dicatur a variis. de pul. diffe. 4ª.46.D
*Pulſus vehemens qui.fi.med. If.*46.F/*de pulſ. ad Tyro.*43.*H*/1°.*de digno.pul.*71.*A*/3°.*de diff.pul.* 4ª.61.H
Pulſus vehementia in quo conſiſtat.de pul.ad Tyro. 4ª.43.D
*in Pulſibus vehementibus percipiemus motus initium, ſed non quãtitatem.*3°.*de digno. pul.* 4ª.81.G
*Pulſus vehementis cauſa ſm antiquos quę.*3°.*de diff.pul.* 4ª.59.H
Pulſus vehementiſſimi,& maximi vnde. 1°.*de cau. pul.* 4ª.89.*A*
Pulſus vehementis cauſa continens. 1°.*de præſ. ex pul.* 4ª.109.*A*
*Pulſus vehementis cã continens eſt facultas valens.*1°.*de ca.*4ª.88.*c*
*Pulſus vehemens quo modo cognoſcitur.*3°.*de diſ.pul.*60.*E*/4ª.62.*a*
Pulſus vehemens cognoſcitur præmendo. 1°.*de dig.pul.* 4ª.70.H
Pulſus vehementes ſoli premi.debent. 3°.*de dig.pul.* 4ª.81.*B*
*Pulſus vehementes violenter tactum feriunt.*4°.*de dig.pul.* 4ª.83.C
*ĩ Pulſu vehemẽtia requiritur vt tactũ repellat.*4°.*d dig.pul.* 4ª.83.C
Pulſus vehementes habent cõtractionẽ ſenſibilẽ. 1°.*de dig.p.* 4ª.72.*e*
*Pulſum vehementem,& magnum qui habent.*1°.*de dig.pu.* 4ª.73.*A*
Pulſum vehementem,& inſignem habent graciles. 1°.*de dig.*4ª.74.B
*Pulſus p bonas iudicationes fiunt vehementes.*4°.*de cau.pu.*4ª.99.G
*Pulſus vehemens cum humiditate quomodo fiat.*3°.*de diſ.pu.*4ª.61.*e*
*Pulſus Velox eſt qui in paruo tpe longitudinẽ expleat.cõp.pul. S.*65.*b*
ĩ Pulſu velocitatis, & ſpiſſitudinis differentia.comp. pul. *Sp.*65.H
Pulſus velox vnde fiat. 1°.*de diff.reſp.* 3ª.57.E
Pulſus velox Securior tardo. 1°.*de præſag.ex pul.* 4ª.113.C
Pulſus ventriculi inflammati qualis. de pul. ad Tyro. 4ª.45.*A*
Pulſus ventriculi affecti. 4°.*de præſ.ex pul.* 4ª.120.D
Pulſus affectorum locorum nutritionis dempto ventriculo. 4°.*de præſagitione ex pulſi.* 4ª.120.E
*Pulſus eorum qui veratrum ſumpſerunt.de pulſibus ad Tyro.*46.*D*/4°.*de cauſis pulſuum.* 4ª.103.G
de Pulſu Vermiculante. 1°.*de diff.pul.* 4ª.51.H
*Pulſus vermiculans qui.de pul.ad Tyro.*4ª.43.G/*cõp.pul. Sp.*66.*B*
Pulſus vermiculans qui, & vnde ſit. de pul. ad Tyro. 4ª.44.H
Pulſus vermiculãtis,& vndoſi differentia,& cauſæ. 2°.*de ca.*4ª.93.*c*
*Pulſus vermiculans cæteris tardior.*2°.*de dign.pul.* 4ª.76.*A*
Pulſus vermiculans quomodo fiat. de pul.ad Tyro. 4ª.46.D
Pulſus vermiculantes vnde. 2°.*de præſ. ex pul.* 4ª.113.*A*
Pulſus vermiculantes quæ ſequuntur. 3°.*de cau.p.*99.D/4°.4ª.103.*d*
Pulſus vermiculans quid ſignificet. 2°.*de præſ.ex pul.* 4ª.112.G
Pulſus Veſicæ inflammatæ qualis. de pul.ad Tyro. 4ª.45.*A*
de Pulſu vibrato. 1°.*de diff.pul.* 4ª.52.C
*Pulſus vibratus cur violenter feriat.*4°.*de dig.pul.* 4ª.83.C
Pulſuum vibratorum cauſæ. 2°.*de cau.pul.* 4ª.92.G
*Pulſus vibratus dicrotus vnde.*3°.*de præſag. ex pul.* 4ª.116.*A*
Pulſus vibratus quid ſignificet. 1°.*de præſag.ex pul.* 4ª.108.*A*
Pulſus carens vibratione quid ſignificet. 1°.*de pſag.ex pul.*4ª.108.*A*
Pulſus dura vibratione longior,anguſtior,& humilior quid ſignificet. 1°.*de preſag.ex pul.* 4ª.108.*A*
Pulſum Vigentem,& ſordidum ſine intermiſſione habet Acmaſtic⁹. de dyna. *Sp.*34.C
a Pulſu Vigilantium quo modo differat pulſus dormientium. 3°.*de cauſis pulſuum.*4ª.97.H/*de ana. viu.* *Sp.*45.H
*Pulſus quales faciat Vindictæ cupiditas.*2°.*de cau.pul.* 4ª.91.D
Pulſus potus Vini qui. de pul.ad Tyro. 4ª.44.E
Pulſus qui ſequatur vino potato. 1°.*de cau. pul.* 4ª.87.H
Pulſuum mutatio ex vino qualis. 3°.*de cauſ. pul.* 4ª.99.C
Pulſus quos faciat vini intempeſtiuus potus. 1°.*de dig. pul.* 4ª.73.C
Pulſum quem facit a vino noxa. 1°.*de preſag.ex pul.* 4ª.107.G
Pulſus virorum qualis. 3°.*de cauſ.pulſ.* 4ª.95.D
Pulſus virorum reſpectu mulierum. de pul.ad Tyro. 4ª.44.*A*
de Pulſu vndoſo. 1°. *de diff.pul.* 4ª.51.H
Pulſus vndoſus qui. de pul. ad Tyro. 4ª.43.G
*Pulſus vndoſi,& vermiculãtis differẽtia,et cã.*2°.*de ca.pul.*4ª.93.*c*
*Pulſum vndoſum q morbi habeant.*2°.*de præſ. ex pulſ.* 4ª.112.G
Pulſus vndoſi vnde. 2°.*de preſag. ex pulſ.* 4ª.113.*A*
Pulſus vndoſus quid ſignificet. 2°.*de præſag.ex pulſ.* 4ª.112.G
*Pulſus vndoſus,& mollis ſudorem ſignificat.*3°.*de criſib.* 4ª.144.D
*Pulſuum vſus q.de vſu pul.*229.G/4°.*de diffe.pul.*65.*E*/*F*/1°.*de ꝑſagitione ex pulſibus.* 4ª.104.E
Pulſuum,& reſpirationis vſum eundem eſſe putant omnes medici,& philoſophi. de vſu pul. 1ª.227.D

Pulſus,& reſpirationis quod non idem vſus. de vſu pul. 1ª.227.D
Pulſus Vteri ſuffocati qualis.4°.de cau.pulſ. 4ª.103.B
Pulſum ὑγροφανῆ quem vocent Græci. 3°.de diff.pul. 4ª.62.D
PVLTICVLA *Athera dicitur.14°.me.me.* 7ª.90.F
PVLVERIZARI *debent adſtringentia cur, & quo modo. 2°.de com. me.per ge.* 5ª.225.C
Pulueriz atam,& malaxatam cum melle chamæmelũ quis dabat ad dolorẽ vẽtris,& rerũ ꝓp humores frigidos.de me.exp. Sp.106.D
PVLVERVLENTA *vrina,& maxime ſi frigus, & lippitudo oculorũ fuerit,& caligo,& ſuperiores partes in ſudorem veniant vẽturũ ſpaſmum denuntiat. de dy.* Sp.34.D
in Puluillum redigi quid ſit.4°.de comp.me.ſe.lo. 5ª.152.D
PVLVINO *magis quã canali tibia collocanda. de fra.c.2°.* 7ª.239.B
PVLVERE *alto vtebantur in palæſtra.2°.de ſan.tu.* 2ª.74.E
Puluere quando vtendum temperato.2°.de ſan. tu. 2ª.76.B
Puluere qui vtuntur lauari debent.2°.de ſan.tu. 2ª.76.B
Puluere Athletæ ſuffocati.11°.de vſu par. 1ª.188.E
Pulueris quo antiquitus vtebantur differentiæ. 5°.de ſa.tu.2ª.90.D
Puluis habet vim emplaſticam,refrigeratoriam, & repercuſſoriam. 8°.de ſimp. me.fa. 5ª.60.A
ex Puluere contingunt aſperitates. de cauſ.mor. 3ª.9.C
Puluis ab aliquo animali edi non poteſt.4°.de comp.me.ſa. 5ª.30.C
Puluis ad cancrum. de dyn.30.G/ Sp.31.A
Puluis Ciricus vtilis eſt ad pingues hoĩes attenuãdos,curat leproſos hernioſos,pruriginoſos,ſcabioſos,hoc ſi quis vſus fuerit podagrico vel arthritico,vel alio dolore non moleſtabitur. de dy. Sp.30.B
Puluis Gariophilorũ confert debilitati virtutis digeſtiuæ.de medicinis expertis. Sp.106.E
Puluis Ireos cum mulſa vomitum facit. de cathar. Sp.91.C
Puluis pro Menſibus ciendis debet eſſe tenuiſſimus. de curandi rõne per ſang.miſſ. 6ª.20.F
Puluis Nitroſus extenuat. 5°.de ſan.tu. 2ª.90.D
Puluis Pinguis qui. 5°.de ſan.tu. 2ª.90.D
Puluis ſupra folia Platani arteriam offendit,& omnes ſenſus. 8°.de ſimp.me. fac. 5ª.58.G
Puluis Punicoſus extenuat. 5°.de ſan.tu. 2ª.90.D
Puluis Triconizatus.de dyn. Sp.32.B
Puluis ad ſtringendam Vuluam.de dyn. Sp.29.C
Pulueres melli quando miſcendi.2°.de arte cur. ad Glau. 7ª.106.H
Pulueres per linteolum concernit. 6°.de comp.me.ſe.lo. 5ª.175.D
Puluis per arundinem in nares inſufflatus. 2°.de compoſi.medicam. ſec.loc. 5ª.139.B
Pulueres ſeruandi ne tranſpirent.8°.de comp.me.ſe.lo. 5ª.191.A
Pulueremexpuunt, & emungunt qui ambulant per puluerem. 11°. de vſu par. 1ª.188.E
PVMEX quid.de ſimp.med. Sp.88.H
Pumex in quo ſit genere.9°.de ſimp.me.fa. 5ª.68.F/G
Pumex qualis.9°.de ſimp.me.fa. 5ª.67.C
Pumex cur leuis.1°.de ſimp.me.fa. 5ª.4.G
Pumex διάνευν fiſtulis plena,non κενή id eſt vacua.3°.de dif. 4ª.62.C
in Pumice non eſt vacuum. in 6m.de mor.vul.com.4°. 3ª.182.H
Pumex ad dentifricia facit,& ſcriptoribus vſui eſt ad calamos tẽpe rãdos,in malagmata ponitur.abradit,& ſua aſperitudine leuigat. de ſimp.medicaminibus. Sp.88.H
Pumex dentes extergit, & ſplendorem conciliat. 9°.de ſimp. medic. facu.69.G/11°. 5ª.81.A
Pumex ſarcotica eſt.9°.de ſimp.me.fa. 5ª.69.G
Pumex vſtus qualis. 9°.de ſimp.me.fa. 5ª.67.C
Pumex vſtus. 5°.de comp.me.ſe.lo. 5ª.164.A
Pumex torrefactus vino reſtrictus. 5°.de comp.me.per ge. 5ª.253.G
Pumex pro vlceratis tuberculis. in 6m.de mor.vul.c.1°. 3ª.161.A
ex Pumice collyrium.4°.de comp.me.ſe.lo. 5ª.150.E
PVMICOSVS *puluis extenuat. 5°.de ſan.tu.* 2ª.90.D
in PVMILIVM *fructibus aquea eſſentia.4°.de ſimp.me.fac.* 5ª.28.G
PVNCTIO quid ſit. de ocul. 7ª.187.H
Punctiones ſunt qñ hydropici pforãtur.c. 6°.aph.27°. Ex.48.G
PVNCTIO in capite quid ſignificet.2°.de cõp.me.ſe.l. 5ª.135.H
Punctio a quo fiat. 2°.de ſymp.cau. 3ª.22.C
Punctionis calor.de ſimp.med. Sp.80.H
Punctioni ſimilis dolor mẽbranarũ,et qualis. d cu.ra.p ſã.m.6ª.21.F
Punctiones in acceſsionibus diſcutit thlaſpi.de ſimp. med. Sp.91.G
ad Punctionem inſtomacho. ſecre. Sp.102.F
ad PVNCTIONVM *ſuffuſionum artem quæ requirantur . de par. art. med.* Sp.18.D
Punctorius dolor qui ſit, & vnde ſit.2°.de loc. affect. 4ª.11.H
Punctorius dolor qualis.2°.de lo.aff. 4ª.9.G
Punctorius dolor eſt in morbo laterali.2°.de lo.aff. 4ª.9.H
PVNCTVRA *quid. de conſt. ar.* Iſ.37.D
in Puncturis neruorum vtaris acrioribus, quæ vulnus ſeruent apertum.3°.de comp.me.per ge. 5ª.234.F
in Punctura nerui initio ſine phlegmone quæ conueniant. 3°.de com. me.per ge. 5ª.235.A
in Puncturis neruorum quæ ſint digerẽtia.3°.de cõ.me.ꝓg. 5ª.235.a
ad Puncturas neruorum.2°.de comp.me.per ge. 5ª.226.D
in Punctura nerui caſus. 6°.me.me. 7ª.37.B
ad Punctura ſub vbere remedium.de dy. Sp.27.G
ad Punctura ventris. ſecretorum. Sp.99.G
Puncturis mortiferis valens electarium de med.exper. Sp.107.A
Puncturis mortiferis omnibus valẽs electarium.de med.ex. S.107.B
ad Puncturas ſcorpionis.de med.exper. Sp.104.F
contra Punctura tyri electarium.de med.expe. Sp.107.A
PVNCTVM *quid.de conſt.ar.Iſa.37.D/de hiſt.philo.* Sp.4.C
Punctum cum ſuperficie q̃ figura egregie coniugat.de an.vi. Sp.52.F
Puncto ſignum accipitur. de ſept. par. 1ª.341.C
PVNCTI *in brachio pueri emplaſtico curati qui perijt caſus. 3°.de comp.med.per ge.* 5ª.231.G
Puncto capite nerui ſit conuulſio,quæ vt ſanetur debet fieri alter morbus.3°.me.me. 7ª.21.H
Punctorum neruorum curatio. 6°.me.me. 7ª.37.C
Puncto neruo metalla non conueniunt,niſi preparata. 3°.de compoſi. me.per ge. 5ª.235.A
in Punctis neruis mitigatoria.3°.de comp.me.per ge. 5ª.235.A
Puncti acu in cute caſus. 6°.met.me. 7ª.36.H
Punctorum,& granatorum duorum hominum caſus.de mul. 3ª.79.d
ex PVNCTV, *& morſu animalis dolor quomodo curetur.* 12°.*meth. med.* 7ª.82.C
ad Punctus neruorum.3°.de comp.me.per ge. 5ª.235.E
ad Punctus omnes.5°.de comp.me. per ge.147.C/234.H/246.E/6°. 256.H/258.H/7°.5ª.269.C/de reme.par.fa. 7ª.163.F
PVNGENS *aut mordens moleſtum dicimus. de mult.* 3ª.79.E
Pungentia quo modo faciant dolorem. 1°.de ſymp.cauſ. 3ª.16.G
ad Pungendam cutim quo modo colligandæ ſunt acus.1°.de compoſit. med.ſe.locos. 5ª.124.D
Pungentes cibi qui.de diſſ.cont. Sp.74.H
Pungentes, & lenientes cibi dari debent ſi ſuperfluã ciborum tarde deſcendant.de diſſ.cont. Sp.74.H
Pungit ſtomachum mel in copia,& facit inciſionẽ.de diſſ.cõt. S.74.F
PVNICORVM *multiplex genus. 2°.de ali. fa.* 2ª.19.F
Punicorum malorum differentiæ.3°.de comp.medicam.ſec.lo.5ª.148. E/aduerſus Lycum. Fx.63.G
Punicorum malorum tres differentiæ.6°.de cõp. me.ſe.lo. 5ª.168.H
Punicorum tria genera quæ quandoq; Gale.miſcuit ſimul, & cur.6°. de comp. me.ſe.lo. 5ª.171.F
Punicorum differentiæ ex ſaporibus. 2°.de ali.fa. 2ª.20.D
Punica ſatiua. de reme.par.fa. 7ª.156.E
Punica aquea ideſt qualitatis expertia carent vi roborandi.2°.de ali. facult. 2ª.20.E
Punica ſunt humida. 2°.de ali.fa. 2ª.17.D
Punica mala frigida. 4°.de ſimp.me.fa. 5ª.26.D
Punicum malum adſtringit. 13°.me.me. 7ª.83.E
Punicũ adſtringens ſanat ſymptomata ſcãmonij.2°.de ali.fa. 2ª.20.C
Punica auſtera magis adſtringunt. 6°.de comp.me.ſe.lo. 5ª.168.H
Punici mali grana auſtera.2°.de loc.affe. 4ª.12.D
Punicum auſterum.12°.me.me. 7ª.79.A
Punica dulcia ſuauiora. 6°.de comp.me.ſe. lo. 5ª.168.H
Punica acida fortiora.6°.de comp.me.ſe.lo. 5ª.168.H
Punica acida pro duris,& pro mollibus auſtera.3°.de comp.medica. ſecun.locos. 5ª.148.E
Punica eandem facultatem habent cum pomis. 2°.de ali.fa. 2ª.20.D
Punicorum vſus pomorum vſui ſimilis, & in quo diſcrepat.2°.de ali men.fac. 2ª.20.E
Punica parciſsime alunt.2°.de ali.fa. 2ª.20.E
Punicis vtimur vt medicamento non vt alimento.2°.de ali.f.2ª.20.e
Punicis vtimur vt medicamentis. de bon.& vitio ſucc. 2ª.37.F

Punicis vtimur ad stomachi ventrisq; firmitatem, ac robur. de bonita te & vitio succorum. 2ª.37.F
Punica mala pontica ventriculum iuuant. de atten. vic. 2ª.46.A
Punica roborant stomachum. 6°. de san. tu. 2ª.99.E
Punicum malum optimus cibus bilioso stomacho. 10°. me. me. 7ª.62.e
Punicum malum ad ventriculum subuersum. de rem. par. fa. 7ª.153.b
Punici mali nucleo carentis grana conuenientia stomachicis in cibo. 8°. de comp. me. se. lo. 5ª.192.C
Punicum malum carens nucleo accipi iubet. 3°. de comp. me. secundũ locos. 145.H/ 5ª.148.D
Punicum nucleum non habens. 8°. de comp. me. sec. lo. 5ª.191.H
Punica sumenda post olera ex oleo & garo. 3°. de symp. cau. 3ª.24.b
cũ Punici granis alica. 12°. me. me. 7ª.79.A
Punica mala pro syncope mediocri. 1°. de arte cur. ad Glau. 7ª.99.E
Punicũ malũ in phlegmone glandularũ, & artuũ. 13°. m. me. 7ª.83.d
Punica mala vitanda sunt in siccitate. 7°. me. me. 7ª.44.C
Punica succum copiosiorem habẽt, piris, & pomis, & gustu suauiorẽ. 2°. de ali. fac. 2ª.20.E
Punica mala quomodo exprimenda. 6°. de comp. me. se. lo. 5ª.169.A
Punicorum succus in vase æneo ponitur. 3°. de com. me. se. l. 5ª.147.g
Punici mali succum seruat in vase stanneo. 3°. de cõ. me. s. l. 5ª.148.e
Punicũ malũ semp in vsu æreum ponit. 3°. de cõp. me. se. lo. 5ª.148.d
Punici succus ventriculum roborat. 2°. de ali. fa. 2ª.20.E
Punici mali succus ad stomachi ardorem cum syncope. 8°. de compo. med. se. lo. 5ª.191.H
Punici succo polenta aspersa cardialgiã sanauit. 2°. de ali. fa. 2ª.20.E
Punicorum cortices quando seruandi. 6°. de comp. me. se. lo. 5ª.168.b
Punicorũ cortices adstringũt sufficiẽter. 6°. de com. me. se. l. 5ª.168.H
Punica cum corticibus tundit, vt magis adstringant. 6°. de comp. me. sec. lo. 170.C/ 5ª.171.F
ex Punicis malis medicamentum. 6°. de comp. me. se. lo. 5ª.168.H
ex Punicis medicamẽtũ quibus cõueniat. 6°. de cõp. me. se. l. 5ª.169.E
ex Punicis stomatichũ Andromachi. 6°. de comp. me. se. lo. 5ª.170.a
ex Punicis stomatichum Critonis. 6°. de comp. me. se. lo. 5ª.170.B
Punicorum cytini internis vlceribus opitulantur. 4°. me. me. 7ª.28.b
Punicorum acidorum acerborũ cytini. 6°. de comp. me. s. l. 5ª.168.H
Punicorum malorũ putamina vlcera glutinare non possunt. 1°. de simpli. med. fa. 5ª.7.H
PVNIVNTVR *per membra quæ peccarunt. 6°. de dec.* 1ª.267.D
PVPILLA quæ sit apud quosdam. de fract. com. 2°. 7ª.238.C
Pupilla quę. introd. *Isa. 53.A*
vt Pupilla se hẽt ad oculũ, ita foramẽ auris ad aurẽ. de an. vi. S.48.b
ad Pupillã tunicę foramen quale. 11°. de vsu. par. 1ª.179.B/C
a Pupilla distare corneam apparet ex acu in suffusionibus imposita. 10°. de vsu par. 1ª.179.C
in Pupilla crassus humor quid faciat. 1°. de loc. aff. 4ª.4.A
Pupilla continet spiritum. 10°. de vsu par. 1ª.179.D
ante Pupillam cornea quid faciat ad visionem. 1°. de sym. cau. 3ª.15.c
Pupilla nihil videtur nisi directum. 10°. de vsu par. 1ª.180.E
Pupillam non ingreditur magnitudo rei visæ. 7°. de de. Hip. 1ª.172.B
Pupilla vna compressa aut sursum aut deorsum adducta duplicia apparent quæ simplicia videbantur. 10°. de vsu par. 1ª.182.E
Pupilla deorsum tracta facit videre rem deorsum, & e contra. 10°. de vsu par. 1ª.183.A
cũ Pupillam ad maiorem aut minorem angulum adducimus, facimus vt quod cernitur sinistrum aut dextrum. 10°. de vsu par. 1ª.183.B
Pupillæ quo nigræ reddantur. 4°. de comp. me. se. lo. 5ª.153.B
PVPILLAE *affectiones introd.* *Is. 58.D*
Pupillæ affectus nonnulli. 10°. de vsu par. 1ª.179.F
Pupillę quatuor modis offendit. de sym. dif. 3ª. 14.D/de ocu. 7ª.186.b
Pupillæ angustia quæ. de ocul. 7ª.186.B
Pupillæ angustia quando bona. de ocul. 7ª.186.C
Pupilla arcta cur quando proficit. de symp. diff. 3ª.14.F
Pupillæ paruitas naturalis bona. de symp. diff. 3ª.14.G
Pupilla diminuta ab ortu acutissimũ visum facit. de sy. dif. 3ª. 14.E/d
Pupilla parua præter naturam est mala. de sym. diff. 3ª.14.G
Pupilla ob morbum minor cum minus videat. de symp. cau. 3ª.14.E
Pupillam minorem quid sequatur. 1°. de symp. cau. 3ª.15.D
Pupillæ largitas quę. de ocul. 7ª.186.B
Pupillæ laxitas semper mala. de symp. dif. 3ª. 14.G/de ocu. 7ª.186.c
Pupilla lata cur semper noxia. de symp. diff. 3ª.14.D
in Pupilla laxitas minus mala paruitate. de symp. diff. 3ª.14.G

Pupillę nimia dilatione quã mydriasin appellant, afficiuntur qui opio vtuntur. 3°. me. me. 7ª.17.E
Pupillæ corrugatione, quam rhetidosin appellant, afficiuntur qui opio vtuntur. 3°. me. me. 7ª.17.E
Pupillæ mutatio ad locum qualis. de ocul. 7ª.186.C
Pupillam prima ratione obtenebrãt chymoses, & pterigia. 1°. de symptomatum causis. 3ª.15.E
Pupillam obtenebrat vnguis. de diff. morb. 3ª.4.F
Pupillam offuscãtia absq; phlegmone purgat, & abstergit Thyites. 9° de simp. me. fa. 5ª.67.F
Pupillas offuscãtia extergere credit ebenus. 6°. de simp. m. f. 5ª.46.f
Pupillas expurgat Geodes lapis. 9°. de simp. me. fa. 5ª.67.D
ad Pupillas offuscantia vtuntur succo salicis dum floret. 6°. de simp. med. fa. 5ª.48.H
Pupilla potest pati conuulsionem. de diff. morb. 3ª.5.H
iuxta Pupillam panniculorum morbi. de ocul. 7ª.186.C
Pupillæ suppuratio quid. introductio. *Isa. 59.B*
Pupillæ abruptio quid. introd. *Is. 59.B*
Pupillæ coincidentia quid. introductio. *Isa. 59.B*
in Pupillæ prætensa cornea vulnus ĩtrorsum descẽdens magna ex parte occæcat. 1°. de symp. cau. 3ª.15.D
in Pupilla puncti pueri qui tamen conualuit casus rarus. 1°. de symptomatum causis. 3ª.15.D
Pupilla læsa manifestã apparet, sed causa latet. 4°. de loc. aff. 4ª.22.f
PVPILLARIS *sedes. de artic. com. 4°.* 7ª.292.A
PVRGANDVM *non est & simul vena secanda. de ren. affect. digno. & med.* 7ª.193.E
Purgandum æstate per superius, hyeme per inferius magis. commen. 4°. apho. 4°. *Ex.27.H*
Purgandum in principio acutorum morborum. de dyna. *Sp. 20.D*
Purgandũ prima die in pacutis si materia turget. c. 4°. a. 10°. *E.28.c*
Purgandum si vrinæ sint nebulosæ, & crassę. de vic. ra. in mor. acutis commen. 4°. 7ª.140.B
Purgandum non est in principio si vrina sit tenuis. de victus rat. in mor. acu. com. 4°. 7ª.140.B
Purgandũ est totum corpus ante quemcunque particularem affectũ. 6°. de comp. me. se. lo. 5ª.166.H
Purgandum est totum antequam pars remedij subiiciatur. 4°. metho. med. 26.F/de reme. par. fac. 7ª.154.F
Purgandum est primo totum corpus deinde caput, pro curandis oculis. 14°. me. me. 7ª.92.B
ad Purgãdũ pectus drachmæ duæ lilij cælestis. de med. ex. Sp. 106.D
Purgãdũ nõ ẽ i vẽtriculi, & itestinorũ phlegmone. 13°. m. m. 7ª.83.a
Purgandum non est in phlegmone circa sedem. 13°. me. me. 7ª.82.A
Purgandum quo modo si causus superuenerit liquidam aluum habẽti de vict. ra. in mor. acu. com. 4°. 7ª.139.E
Purgãda est bilis, atra bilis, & pituita cũ vincũt. 4°. me. me. 7ª.28.E
Purgandum in quibus vlceribus. 4°. me. me. 7ª.28.B
Purgandum in osse fracto. 6°. me. me. 7ª.41.E
Purgandi qui non sint. in 1m. pror. com. 2°. 4ª.174.B/E
Purganda non sunt sana corpora, & cur. de dyna. *Sp. 20.D*
Purgãdi nõ sunt nimis pingues, neq; nimis graciles, neq; multo sanguine abundãtes, neq; frequẽter deficientes, neq; vix curabiles, neq; p qualibet occasione cito mouentes, neq; pueri, neq; senes, neq; mulieres q̃ habẽt fortiter mẽses, neq; valde purũ corpus habẽtes, neq; q̃ bene se rexerint, neq; quibus valde restringit venter p̃m naturã, neq; dysenterici, neq; qui colica leuiter capiuntur. de dy. Sp. 20.F
Purgandi non sunt imbecilli. in 1m. pror. com. 2°. 4ª.174.E
Purgandi non sunt exoluti. in 1m. pror. com. 2°. 4ª.174.E
Purgandi sunt qui ægrotaturi sunt incunte vere. quos purg. op. quib. med. & quo temp. 5ª 88.B
Purgandi sursum sunt graciles, & facile vomentes, vitandos hyemẽ. de cathar. *Sp.94.C*
Purgandi sunt deorsum difficile vomentes, & mediocriter crassi æstatẽ vitando. de cathar. *Sp.94.C*
Purgandi humores in ictero. de cura icteri. *Sp.111.F*
Purgandi qñ sint pleurituci. de vict. rat. in mor. ac. cõ. 4°. 7ª.143.H
Purgandi sunt a principio qui habent vrinas nebulosas, vel crassas de vri. sign. ex Hipp. *Sp.79.A*
Purgandi occasio datur solum in principio in acutis. in 1m. pror. commentario 2°. 4ª.174.D
Purgãdi qui sint veratro, & in quo casu. ĩ 6m. de mo. vu. c. 1°. 3ª.1,6.E

Purgandi tempus, ver, & autumnus. de dyna. Sp.20.G
Purgandi esse homines vere collige, & quod ità multos Galenus seruauerit. c.6°. aph.47°. Ex.52.B
Purganda est mulier quæ habet menses decolores, nec solito tempore venientes. c.5°. aph.36°. Ex.40.G
Purganda per renes gibba iecoris pars. 13°. me. me. 7ª.84.F
Purgandum per aluum caua iecoris pars. 13°. met. me. 7ª.84.F
Purganda materia quot sint considerանda. de cathar. Sp.94.H
Purgandi vim habet aloe. quod animi mor. 1ª.317.D
ad Purgandas multas materias pilulæ Gal. 5°. me. me. 7ª.35.G
ad Purgandum, Tractum. de dyn. Sp.31.F
Purgãdi, & glutinãdi quo sint situs. de ijs quę in me. fi. c. 2°. 7ª.211.H
PVRGANTI *contrarium est adstringens. 3°. de simp. me. fa.* 5ª.20.E
Purgans medicamentum quid sit. de fract. c. 3°. 7ª.247.D
Purgantia medicamenta sunt inter venena. in 6ᵐ. de morbis vulgar. com. 6°. 3ª.196.G
Purgantia medicamenta, & deleteria quomodo differant. in 6ᵐ. de morb. vul. c. 6°. 3ª.196.G
Purgantia omnia latentem caloris excitandi potestatem habẽt. quos purg. op. quibus med. 5ª.58.G
Purgantia medicamenta quæ intro. 57.H/Is. 58.A/de sal. die. 2ª.41.e
Purgantium quæ non purgant alia nutriunt, alia noceut. 3°. de simpl. med. fac. 5ª.23.F
nõ Purgantia medicamenta in venenum mutantur. quos purg. oport. quibus med. & quo temp. 5ª.89.B
Purgantia medicamenta quædam purgant, aliqua offendunt, aliqua venenant. 3°. de simp. me. fa. 5ª.23.C
de Purgantium medicamentorum facultatibus librum fecit Galenus. 13°. met. me. 7ª.82.B
Purgantis medicamenti facultas est pars, vel species vis attrahẽtis. de purgan. med. fac. 5ª.87.H
Purgantia trahendi vim habent omnia. 5°. de simp. me. fa. 5ª.37.E
Purgantia medicamenta quo attrahant. 5°. de simp. me. fa. 5ª.36.F
Purgantia proprias sibi qualitates attrahunt. 1°. de nat. fa. 1ª.295.A
Purgantia medicamenta quos humores per ordinẽ trahunt. 3°. de simpli. med. fa. 5ª.23.G
Purgantia medicamenta sunt familiaria humoribus, quos purgant. 3° de simp. me. fa. 5ª.23.D
Purgantia medicamenta sunt efficaciora humoribus, quos purgant, vt magnes ferro. 2°. de sim. me fa. 5ª.23.D
Purgantia nõ possunt ante experientiã cognosci. de atten. vi. 2ª.44.d
de Purgantibus medicamentis caput vniuersum nõ sine modestia enertit Erasistratus. de purgand. med. 5ª.86.C
Purgantia medicamẽta cur ventriculũ lædũt, & potissimũ os eius. quos purg. op. quib. med. 5ª.89.C/*de vic. ra. ĩ mor. ac. c. 2°.* 7ª.118.a
Purgãtia medicamẽta sunt cacostomachica prẽter aloẽ. de dy. S.20.b
Purgantibus medicamentis cur olẽtia admisceãtur, & qualia olẽtia. quos purg. opor. quibus med. 5ª.89.C
Purgantibus medicamentis quæ sint miscenda odorata aromata. 8°. de comp. me. se. lo. 5ª.190.B
Purgantia medicamenta coctionibus aduersantur. de vict. ra. in mor. acut. com. 4°. 7ª.140.E
Purgãtia medicamẽta acria et calida. ꝺ vi. ra. ĩ mor. ac. c. 4°. 7ª.135.c
Purgantium medicamentorum acritudinem non fert natura exusta tẽpore æstatis. c. 4°. aph. 5°. Ex.28.A
Purgantibus medicinis aliqui magis propensi sunt quam venæ sectioni. de purgan. med. fa. 5ª.86.D
Purgantia per vomitum medicamenta q̃, & qualia. de cath. Sp.94.F
Purgans per vrinam medicamentum. 9°. de comp. me. se. lo. 5ª.200.g
Purgantia per secessum medicamenta quæ, & qualia. de cath. S.94.f
Purgans Phlegma viscosum electarium. de med. exper. Sp.107.D
Purgantia bilem fluam quę. de cathar. Sp.94.F
Purgans choleram rubeam pharmacum primo dandum in erysipelate, post phlebotomia fienda si opus est. de ocul. 7ª.189.G
Purgans choleram medicamen. de med. exper. Sp.105.A
Purgantia crudos humores. de cathar. Sp.95.C
ĩter Purgantia mitius est lac asinæ. de vic. ra. in mor. ac. c. 4°. 7ª.148.f
Purgans aniceton. 6°. de comp. me. per ge. 5ª.256.D
Purgantia caput quæ. de cathar. Sp.95.B
Purgantia pulmonem, & thoracem quæ. de cathar. Sp.95.B
Purgantia ventrem superiorem quæ. de cathar. Sp.95.C
Purgantia intestina tenuia quæ. de cathar. Sp.95.C
Purgantia simam hepatis partem quæ. de cathar. Sp.95.C
Purgantia splenem quæ. de cathar. Sp.95.C
Purgantia ventrem quæ. de cathar. Sp.95.D
Purgantia renes quæ. de cathar. Sp.95.C
Purgantia vesicam quæ. de cathar. Sp.95.D
Purgans vrinam electarium. de med. exper. Sp.105.B
Purgantia matricem quæ. de cathar. Sp.95.C
Purgans matrices mulierum decoctio. de med. exper. 105.D/Sp.107.b
Purgans matrices electarium. de med. exper. Sp.107.D
ob Purgantia medicamenta subinspici in oculis dormiẽtium quoddã album, collige. c. 6°. aph. 52°. Ex.53.A
Purgantia medicamenta siccãt totũ corpus. c. 6°. aph. 52°. Ex.53.A
Purgans medicamentum quando dandum. 6°. met. me. 7ª.37.C
Purgãs medicamentũ pleuritico. de vict. ra. in mor. ac. c. 4°. 7ª.144.C
Purgans medicamentum ponit supra vlcus. de frac. c. 2°. 7ª.244.B
PVRGATIO *qui secundum antiquos. de purgan. med. fa.* 5ª.86.D
Purgatio dictum ab antiquis profluuiũ in partu. de atra bile. 1ª.36.H
Purgatio dicta ab Erasistrato mẽsium excretio. de atra bile. 1ª.36.H
Purgatio est λοχία. in 1ᵐ. pror. c. 2°. 4ª.175.D
Purgatio, & euacuatio est menstruũ. in 3ᵐ. de mo. vul. c. 3°. 3ª.148.E
Purgationis tempore per vrinam menstrua nigra. de atrab. 1ª.37.A
Purgationes quæ sint in mulieribus habentibus vteros frigidos. c. 5°. apho. 62°. Ex.43.G
Purgationes menstruæ minores, & intempestiuæ causa sunt non continendi semen. de aere, aquis, & locis. 2ª.5.H
ĩ Purgationibꝰ mẽstruis cur refrigerẽt mulieres. 14°. de vs. p. 1ª.204.b
ad Purgationes nõ habẽtes a partu. 7°. de comp. me. sec. lo. 5ª.185.F
ex Purgatione a partu retẽta mortua. in 1ᵐ. de mo. vul. c. 3°. 3ª.122.d
PVRGATIO *quid apud Hippocratem. c. 2°. aph. 17°.* Ex.13.D
Purgatio quid significet apud Hippocratem, & Thucydidem. in 6ᵐ. de mor. vul. cõ. 4°. 3ª.138.C
Purgatio quid. c. 1°. apho. 2°. Ex.3.E
Purgationes in plurali quid significent. c. 5°. aph. 60°. Ex.43.D
Purgatio vnũ ex auxiliis morbi. de vic. rat. in mor. acu. c. 1°. 7ª.115.C
Purgatio quomodo sit secundum genus, & non secundum speciem. cõ. 6°. aph. 47°. Ex.52.B
Purgationes quæ faciunt, sunt contraria his, quæ sistunt. commen. 4°. apho. 15°. Ex.28.H
Purgationes sunt contrariæ coctioni humorum. de victus ratio. ĩ mor. acutis, com. 4°. 7ª.140.E
Purgatio est euacuatio. 14°. me. me. 7ª.89.A
Purgationes sunt euacuationes communes. ars med. Isa.71.E
Purgatio, & euacuatio quomodo differant. in 1ᵐ. pror. c. 3°. 4ª.182. *A/c. 2°. aph. 17°. & aph. 16°. 12.H/* Ex.13.D
Purgatio, & medicatio quo modo differunt. c. 2°. aph. 37°. Ex.17.G
Purgationem aliquam esse cum medicamento, aliquando non collige. c. 6°. aph. 47°. Ex.52.B
Purgationem distinguit contra vomitum. c. 2°. aph. 9°. Ex.12.B
Purgatio quomodo fiat a simili, & a contrario. de cathar. Sp.94.D
ad Purgationem quo modo se habent anni tempora, ætates, & regiones quos purg. opor. quibus med. 5ª.88.E
Purgatio vna vere aliquibus satis est. 6°. de san. tu. 2ª.100.E
Purgationes duas aliqui expetunt, vnã scilicet vere, alteram vero autumno. 6°. de sau. tu. 2ª.100.E
Purgationẽ debere fieri in principiis ex his Gal. verbis Vt coctiones citius eueniãt melius est ĩ principijs euacuare, quo minorẽ iam factã materiã facilius natura possit cõcoquere. c. 2°. a. 29°. E.16.F/G
Purgationes raro sunt in vsu in acutis morbis. c. 1°. aph. 24. Ex.10.f
Purgatio per superius est contraria ei, quæ per inferius. commen. 4°. aphor. 9°. Ex.28.B
Purgatio p supiora quæ, & quando agenda. c. 4°. aph. 17°. Ex.29.A
Purgationibus per superiora obsistit hyems. c. 4°. aph. 6°. Ex.28.A
Purgatio qũo fieri dẽt p supiora. de vict. ra. in mor. ac. c. 4°. 7ª.151.A
Purgationes in tabidis superiores malæ. c. 4°. aph. 8°. Ex.28.B
Purgatio quando per inferiora fieri debeat colligi potest. c. 4°. aphorismo. 2°. Ex.29.C
ĩ Purgationibus p inferiora cauẽda est æstas. c. 4°. aph. 7°. Ex.28.B
Purgatiões sunt difficiles sub cane, et ante canẽ. c. 4°. aph. 5°. Ex.28.A
Purgationes æstate dissoluunt corpora, faciunt febres, & trahunt humores in contrarium caloris ambientis. c. 4°. aph. 5°. Ex.28.A
Purgatio male toleratur, si partes corporis sunt tenues, bene si crassæ. com. 2°. aph. 35°. Ex.17.E

ad Purgationem inepti.quos purg.opor.quibus med. 5ª.88.H
ad Purgationes inepti signa.c.1°.aph.24°. Ex.10.G
in Purgationibus vt qs sit aptus,tria requnt.c.1°.aph.24°.Ex.10.g
Purgatione non indiget morbus, qui non est a cacochimya.de vict.ra. in morb.acu.c.4°. 7ª.150.H
solũ Purgatione indigentes debent purgari.c.4°.aph.18°. Ex.29.B
Purgationẽ cur ægri desiderant.4°.me.me. 7ª.28.A
Purgationem qui affectus desiderant.de cur.rat.per sang.mi.6ª.16.f
Purgationes sunt vtiles corporibus in multa humorum copia. in 6ᵐ. de mor.vul.c.2°. 3ª.165.G
Purgatione vtimur statim cum corpus fuerit plethoricum, vel cacochymum.5°.de comp.me.se.lo. 5ª.166.H
Purgatio euacuat biliosa in venis. de const. ar. Isa.42.E
Purgationibꝰ qñq; vti dẽt humidũ tẽperamẽtũ.6°.de sa.tu. 2ª.96.G
de Purgatione,& sãguis missiõe ĩdicat morbi vis.4°.me.m.7ª.28.D
Purgatio per spiritus detentionem qualis.3°.de diff. resp. 3ª.74.B
Purgatio per aluũ fiat capite vitiato.in 6ᵐ.de mor.vu.c.2°.3ª.162.c
Purgationes per aluum quibus fiant. de artic.c.2°. 7ª.267.H
ĩ Purgationibus quæ præexigantur.c.1°.aph.24°. Ex.10.G
post Purgationẽ vniuersalem facienda est particularis per os ex apo phlegmatismis.1°.de comp.me.se.lo. 5ª.121.F
Purgatio prius mollienda q̃ ad cutẽ te conferas.14°.me.me.7ª.93.D
Purgatio si fiat sine digestione,quæ accidentia sequantur.commẽ.2°. aphor.9°. Ex.12.B
Purgatio nũquàm fieri debet nisi sit factum fluidum corpus.com.2°. apho.9°. Ex.12.B
Purgationem præcedit venæ sectio.10°.de comp.me.se.lo.5ª.207.A
Purgatio tantum sanat quæ corrupta sunt, & non venæ sectio.cõ.6°. aph.47°. Ex.52.B
Purgatio,& venæ sectio vtraq; agẽdæ.10°.de cõp.me.se.l. 5ª.207.A
ante Purgationem vena secanda.de ren.affect.dig.& med.7ª.193.E
ad Purgationem a missione sanguinis quantum tempus interponẽdũ. de ren.affe.dig.& med. 7ª.193.F
ante Purgationem fomenta capiti. 4°.de loc.aff. 4ª.22.E
Purgatio cur non facienda ante venæ sectionem in plenitudine de ren affect.dig.& med. 7ª.193.E
Purgationes aluum subducentes sunt remedia lippitudinum.com.6°. apho.17°. Ex.47.H
Purgatio totius corporis quas dispõnes sanat.c.5°.aph.36°.Ex.40.g
Purgatio affectum adimit nõ symptoma.12°.me.me. 7ª.75.D
Purgatione sanauit Gal.oculorum dolores. 3°.me.me. 7ª.17.D
Purgatione sola qui morbi sint sanati. de purgan.med.fa. 5ª.87.G
Purgatione sola defluuiũ capillorũ sanauit Gal.de purg.med.5ª.87.g
Purgatione sola curata alopecia. 1°.de cõp.me.sc.lo. 5ª.121.G
qñ Purgatione indiget morbus lateralis,& non phlebotomia. cõ.6°. apho.5°. Ex.46.G
Purgatio medicamentum morbi lateralis.9°.de dec.Hipp. 1ª.282.F
Purgatio necessaria est ad icteri curam.de cura icteri. Sp.110.G
Purgatio ad icteri curam est magis necessaria quando bilis peccat.& cura icteri. Sp.110.H
Purgatio ventris rheumatismos stringit. de dy. Sp.20.E
Purgatio quando fienda calculosis.de ren.affect.dig.& me.7ª.194.F
Purgatio nisi facta fuisset cuidam melancholiam patiebatur singulis annis.quos purg.opor.quibus med. 5ª.88.C
Purgatione quomodo prohibuit Galenus cancrum in mamilla aduentantem.quos purg.opor.quib. med. 5ª.88.C
Purgationibus vnde proueniat vasorum imbecillitas,& mordicatio, & apertio vasorum.3°.de simp.me.fa. 5ª.23.H
ĩ Purgationis initio ob veratrum est periculum ne homo strãguletur. com.5°.aph.1°. Ex.37.C
ĩ Purgationibꝰ validis fiũt pulsus vermiculãtes.2°.de ps. 4ª.113.A
Purgationes superfluę ostendunt medicamenta trahere proprium humorem.2°.de ali.fa. 1ª.9.E
in Purgatione cur sanguis sit semp vltimus q exeat.2°.de ele. 1ª.9.G
ex Purgationibus superfluis nullus mortuus ex vno solo humore purgato.1°.de elem. 1ª.4.D
ex Purgationibus aĩ defectus qũo curãdus.1°.d ar.cu.ad Gl.7ª.99.f
Purgatio diminuta qũo sit adiuuanda. præfag.exper. Sp.78.D
Purgatiõis adstrictiões ĩ tabidis sequit mors.c.7°.aph.74°.Ex.60.H
Purgationem quæ prohibeant.quos purg.opor.quib. med. 5ª.89.B
Purgatione indigenti ptissana non danda. de ptiss. 2ª.47.H
Purgatio dũ fit nihil dãdũ.de vi.ra.ĩ m.ac.c.2°.118.e/c.4°.7ª.143.b
Purgatio cũ incipit nihil edendum.quos purg.opor.quib.me. 5ª.89.B
Purgatio cum est facta minus dandũ quã consuetum sit.de vict.ratio. in morb.acut.c.2°. 7ª.118.E
post Purgationem tantum balneo, & relaxantibus vtitur Galenus ĩ febre putrida.11°.me.me. 7ª.73.D
Purgatio.lege Medicatio, Euacuatio.
PVRGATORIA facultas duo significat. 5°.de simp.me.fa. 5ª.37.D
Purgatoria pharmaca fziunt speciem euacuationis manifeste differẽ tem.c.4°.aph.2°. Ex.27.D
Purgatoriũ oẽ medicamẽtũ attrahit aliquẽ humorẽ.1°.de ele. 1ª.9.E
Purgatoria medicamenta quibus partibus danda.de cathar.Sp.94.g
Purgatoriũ qũo reddat lac pro pueris.ĩ 6ᵐ.de mo.vul.c.5°.3ª.193.G
Purgatoria est humoris phlegmatici lactẽrida. de cathar. Sp.95.B
Purgatorias vires habet lapis magnes. de simp.med. Sp.86.G
Purgatorium valentissimum est veratrum. in 6ᵐ.de morb.vul.c.5°. 3ª.193.B/de simp.med. Sp.91.H
Purgatorijs miscetur apium. de simp.me. Sp.80.D
ĩ Purgatorijs,& in antidotis mittitur careum.de simp.med. Sp.82.C
Purgatorijs miscetur silphis radix.de sim.med. Sp.90.D
Purgatoriũ medicamẽtũ qũ dari põt,& debet.c.2°.aph.8°.Ex.12.A
Purgatorium medicamentum ictericorum. de cura icteri. Sp.110.H
Purgatoriũ alui medicamẽtũ ano imittendũ.de med.fa.pa. 7ª.167.E
PVRGATI sani quæ incidant mala.quos purg.opor.quib.m. 5ª.88.B
Purgati supra modum sunt sistendi. præf.exper.conf. Sp.78.C
Purgati non quiescunt priusquam sitiant.c.4°.aph.19°. Ex.29.C
Purgati nimiũ ex quocũq; pharmaco cur cõuellũt.c.5°.a.4°.Ex.37.f
Purgato supra modũ singultus supueniẽs,malũ.c.7°.aph.43°.E.57.c
Purgatis nimis qualis clyster conueniat.præfag.exper.consi. Sp.78.d
Purgatis oua,& alicam,& sorbitiones & vinum dulce tuto exhibere expedit. præfag.exper. conf. Sp.78.D
Purgatis solũ debẽt apponi cucurbitulæ. de Hirud. reuul.cuc.6ª.2.g
nõ Purgatũ si aliquid steterit in continuis febribus, malum. com.7°. apho.65°. Ex.60.E
p PVRGARI quid intelligat Hipp.c.5°.aph.8°. Ex.38.B
Purgatur quo modo corpus.3°.de san.tu. 2ª.77.F
per q̃ Purgantur oculi. de cathar. Sp.94.G
p quæ Purgatur os.de cathar. Sp.94.G
Purgantur mammillæ per lac.de cathar. Sp.94.G
Purgatur thorax per tussim, & sputum.de cathar. Sp.94.G
Purgatur per aluum Iecoris cauum. 13°.me.me. 7ª.83.H
Purgatur per vrinam iecoris gibba pars.13°.met.me. 7ª.83.H
Purgatur lien solum per aluum.13°.me.me. 7ª.84.G
Purgatur per intestina lien,& iecoris pars caua.13°.me.me.7ª.84.h
Purgantur partes aliquæ per hepar. 5°.de loc.affe. 4ª.35.D
Purgatur sanguis per hepar. de sper. Sp.37.G
Purgat totum corpus stranguria.in 1ᵐ.de mor.vul.c.2°. 3ª.111.F
Purgantur vt plurimum per vterum mulieres laxarum carnium,& pituitosarum.6°.de loc.aff. 4ª.41.D
Purgãtur per os superiores partes laborantes.13°.me.me. 7ª.84.G
Purgẽtur quę partes p ea,quæ per os sumuntur.13°.me.me. 7ª.84.G
Purgãtur per clysteres inferiores partes laborantes.13°.m.m.7ª.84.g
Purgari debent succi vitiosi. 13°.me.me. 7ª.81.B
Purgari ĩ principio estatis debẽt morbi flauę bilis.quos pur. 5ª.83.C
Purgari ĩ pricipio veris debẽt morbi ab humorũ crassitie,vt podagrici,arthritides,& melãcholici.quos purg.op.quibus med.5ª.88.D
Purgari hyeme malum eos,qui laborant lcuitate intestinorum. c.4°. apho.12°. Ex.28.E
Purgari q̃ debeãt p superiora,& q̃ p ĩferiora. quos purg. 5ª.88.E
Purgari per superiora debet humor acris & tenuis, sed non hyeme. c.4°.aph.7°. Ex.28.B/C
Purgatur deorsum humor melancholicus. de cathar. Sp.94.C
Purgentur cur feces deorsum.de voc.instr.diff. 1ª.106.F
Purgentur cur spiritus per superiora. de voc.instr.diff. 6ª.106.F
Purgare magis & minus faciunt humores tenues, & humores crassi & succi familiaritas. 3°.de simp.me.fa. 5ª.23.H
Purgaẽ si qs voluerit corpa,oportet fluida facere.c.7°.a.66°. E.60.e
Purgamus in principio si opus sit. de tot.morb.temp. 3ª.88.E
Purgare debemus qñ in dispositionibus oculorũ dolentiũ humores alij præter sanguinem infestant. c.6°.aph.31°. Ex.49.G
Purgari qui debẽt,his ante dari nõ debet ptissana nec cremor. de victus ratione in morb.acu.c.1°. 7ª.112.B
Purgari non debet æger cum inedia.c.2°.aph.16°. Ex.12.H

Purgari dẽt æger per aluũ i capitis affectibus. 13°.*me.me.* 7ª.83.*A*
*Purgaueris si minime aluũ, quãto plures dederis sorbitiones, tãto magis nocebis.c.*7°.*aph.*64°. *Ex.*60.*A*
*Purgaẽ si vis p vomitũ, siste aluũ, si ĩfra humecta.c.*7°.*a.* 66°.*E.*60.*e*
*Purgentẽ si.flãmata qd sequatur.de vict.ra. i mor.ac.c.*4°. 7ª.137.*E*
*si Purgentur qualia oportet, confert, & leuiter ferunt, cõtraria vero graniter.c.*4°.*aph.*3°. *Ex.*27.*H*
q nõ Purgantur mulieribus scarificatio prodest, & quantum sanguinis educendum sit. de cucur.scar. 6ª.4.*A*
*Purgãt a propinquiori medicamenta promptius.*4°.*me.me.* 7ª. 28.*C*
*Purgant quæ corpora Adstringentia.*3°.*de simp.me.fa.* 5ª.20.*C*
Purgat Aeris squama. 3°.*de simp.me.fa.* 5ª.20.*B*
*Purgat, & adstringit corpora squãma æris.*3°.*de sim.me.fa.* 5ª.20.*C*
*Purgat minus squamma aeris elota.*3°.*de simp.me.fa.* 5ª.20.*C*
*Purgat & adstringit corpora Aes vstum.*3°.*de simp.me.fa.* 5ª.20.*c*
Purgat minus æs vstum elotum. 3°.*de simp.me.fa.* 5ª.20.*C*
Purgat Aloe & adstringit corpora. 3°.*de simp.me.fa.* 5ª.20.*C*
Purgat minus Aloe elota. 3°.*de simp.me.fa.* 5ª.20.*C*
Purgat Centaurea ventrem.de simp.med. *Sp.*82.*A*
Purgat choleram cum melicrato succus centaureæ, & soluit crassos, & viscosos humores. de virt.cent. *Sp.*94.*A*
Purgat ventrem Chamælea.de simp.med. *Sp.*85.*F*
Purgat Clematis phlegma, & deorsum deducit.de simp.me. *S.*83.*B*
Purgat totum ventrem Cnicum. de simp.med. *Sp.*83.*B*
Purgat vehementer Coccum cnidium.de simp.med. *Sp.*82.*C*
cur Purget caput Colocynthis. de cathar. *Sp.*94.*F*
Purgat colocynthis caput, & phlegma.de cathar. *Sp.*95.*A*
Purgat ventrem colocynthis. de simp.med. *Sp.*89.*C*
Purgat caput Cyclaminos. de simp.med. *Sp.*82.*C*
Purgat Ficus arbor. 8°.*de simp.me.fa.* 5ª.61.*F*
Purgat vt Elleborus sesamoides. 8°.*de simp.me.fa.* 5ª.60.*D*
Purgauit totum corpus Hiera. 1°.*de comp.me.se.lo.* 5ª.121.*E*
*Purgat in causo lac asinæ.de vict.rat.in morb.acu.c.*4°. 7ª.135.*C*
Purgat maxime semen Lathiris. 7°.*de simp.me.fa.* 5ª.54.*A*
Purgat ventrem viscide lathyris. de simp.med. *Sp.*86.*E*
Purgat Pepli semen. 8°.*de simp.med.fa.* 5ª.58.*A*
Purgat peplos vt tithymallus. 8°.*de simp. me.fa.* 5ª.58.*A*
Purgat Pithyusa, & lac habet, vnde tithymalli species putatur. 8°. *de simp.med.fac.* 5ª.58.*G*
Purgat caput Polium. de simp.med. *Sp.*89.*A*
Purgat viscide ventrem scammonium.de simp. med. *Sp.*90.*D*
Purgat scammonia corpus superius & inferius, & caput, & phlegma cum cholera.de cathar. *Sp.*95.*A*
PVRGAT *vulnera erbum.de simp.med.* *Sp.*85.*B*
Purgat, & glutinat vulnera lenticula.de simp.me. *Sp.*86.*B*
PVRPVRAE *quales sint.*3°.*de comp.me.me.sec.loc.* 5ª.147.*B*
Purpurę hãt carnẽ durã. 3°.*de ali.fa.*32.*B/de bo.& vi.suc.* 2ª.35.*E*
Purpuræ sũt admodum crassi succi.de bo.& vitio succ. 2ª.35.*E*
Purpuræ sũt crassi succi, sed ñ glutinosi, et tenacis.d bo.et vi.s. 2ª.35.*f*
Purpuræ conueniunt stomachicis. 8°.*de comp.me.se.lo.* 5ª.192.*B*
Purpurarum opercula qualia. 11°.*de simp.me.fa.* 5ª.81.*B*
Purpurarum testa qualis. 11°.*de simp.me.fa.* 5ª.80.*G*
*Purpurarũ testæ vstæ p vlceribus exiccãdis.*4°.*d cõ.me.p g.* 5ª.236.*f*
Purpuræ concrematæ quales. 1°.*de comp.me.per ge.* 5ª.216.*E*
Purpuræ vstæ. 3°.*de comp.me.se.lo.* 5ª.146.*G*
Purpuris fit album Emplastrum. 1°.*de comp.me.per ge.* 5ª.217.*C*
*Purpuræ laconicæ tomenta.*4°.*de comp. me.se.lo.* 5ª.152.*E*
Purpura infecta lana vtitur. 3°.*de comp.me.se.lo.* 5ª.143.*E*
*Purpuræ lana.*3°.*de comp.me.se.loc.* 5ª.142.*F*
Purpuræ marinę meminit. 6°.*de simp.me.fa.* 5ª.45.*H*
ex Purpura marina panniculus. 8°.*me.me.* 7ª.53.*C*
*ex Purpura Tyria panniculus.*8° *me.me.* 7ª.53.*C*
*Purpura Tyria adstringit.*7°.*me.me.* 7ª.46.*H*
Purpura modicam adstringendi vim habet. 8°.*me.me.* 7ª.53.*C*
Purpura tyria. 9°.*de comp.me.per ge.* 5ª.259.*G*
Purpura excipit vnguentum. 7°.*me.me.* 7ª.46.*H*
*Purpuræ fit mentio.de ijs, quæ in med. fi.c.*2°. 7ª.211.*F*
PVRPVREAM *lanam accipiebant forte ob chermes. de præcogno.ad Posth.* 4ª.219.*A*
Purpureo panno vtitur. de dy. *Sp.*27.*H*
Purpurea est hepatis caro.de ana.viu. 44.*D/* *Sp.*55.*H*
Purpurea vena cuius sit ramus. de anat. viuor. *Sp.*54.*E*
Purpurea vena siue nigra vna est ex quinque venis, quæ in brachio secãtur.de ana.viu. *Sp.*54.*G*
Purpurea appellata vasa fictilia Alexandrotica. 1°.*de comp.medic. sec.lo.* 5ª.128.*B*
PVRPVRISSVM *quid. de simp.med.* *Sp.*88.*G*
Purpurissum vires habet aliquãtum stypticas.de simp.med. *S.*88.*G*
PVRVLENTI *qui sint.in prog.c.*2°. 4ª.204.*D*
*Purulenti quibus inditiis cognoscãtur. in prog.c.*2°. 4ª.204.*D*
*ĩ Purulentis cur pustulæ erumpant.in prog.c.*2°. 4ª.204.*F*
*Purulenti cur nõ expuant. in prog.c.*2°. 4ª.204.*E*
*ĩ Purulentis cur rubeant genæ.in prog.c.*2°. 4ª.204.*E*
*ĩ Purulentis cur vngues curuantur. in prog.c.*2°. 4ª.204.*E*
*Purulentorum pedes cur tumidi. in prog.c.*2°. 4ª.204.*E*
*Purulenti qui ex angina. in prog.c.*3°. 4ª.209.*D*
*Purulẽti ex pulmonia ſm ętates indicatio.in prog.c.*2°. 4ª.205.*G*
*Purulenti qui supersunt. in prog.c.*2°. 4ª.204.*G*
*Purulenti qui moriuntur. in prog.c.*2°. 4ª.204.*G*
*Purulentis quæ conueniant.de vict.ra.in mor.acu.c.*4°. 7ª.152.*F*
*Purulenta resiccat alumen sciſsile, & fortiter adstringit.*3°.*de comp. med.se.lo.* 5ª.143.*A*
Purulentis accomodus est coni fructus. 7°.*de simp.me.fa.* 5ª.54.*A*
Purulentos adiuuat pix humida. 8°.*de simp.me.fa.* 5ª.58.*E*
ad Purulenta sputa.de med.fac.par. 7ª.165.*G*
PVRI *qui intelligendi.*2°.*de diff.pul.* 4ª.54.*D*
Pura dẽt esse aqua, & nõ laxa secundum colorem, neq; malam habere hypostasim.de bonit.aquæ. *Sp.*75.*H*
Puriores aquæ sunt in summitatibus. de bon.aquæ. *Sp.*75.*E*
*nõ Pura corpora non sunt nutrienda. c.*1°.*aph.*10°. *Ex.*4.*H*
Purum valde corpus habentes nõ sunt purgandi. de dy. *Sp.*20.*F*
Purum sanguinem, mundum, & clarum nõ generãt cibi non temperati.de diſſ.cont. *Sp.*74.*A*
nõ Puri admodũ panes ad secessiones faciunt.de cura icteri. *Sp.*111.*C*
*PVS dicitur crudus humor vbi admiserit coctionem. de natura humana, com.*2°. 7ª.180.*C*
*Pus qũo differat a crudis humoribus.de nat.hu.c.*2°. 7ª.180.*D*
Pus qũo distinguat ĩ vrinis a crudo succo. 1°.*de ali.fa.* 2ª.10.*C*
*Pus dẽ ab Erasistrato subsidentia in vrinis.de na.hu.c.*2°. 7ª.180.*C*
Pus qñq; accipitur pro hypostasi alba. de vrin. 4ª.125.*C*
Pus quid sit, & quomodo cineri in adustione respondẽs. 3°.*de præsagitione ex pulsibus.* 4ª.119.*A*
Pus est toto genere prẽter naturam. de diff.mor. 3ª.4.*F*
*Pus aliquid habet prẽter naturam. in prog.c.*1°. 4ª.197.*C*
*ĩ Pus cõuersio est ex naturalibus opibus.*5°.*de simp.me.fa.* 5ª.34.*A*
Pus alteratio media facit. 5°.*de simp.me.fa.* 5ª.33.*C*
*Pus quo modo fiat.*4°.*me.me.*7ª.27.*C/c.*2°.*aph.*47°. *Ex.*18.*H*
Pus qũo fiat natura vicẽte. 1°.*de diff.fe.*33.*B/de tum.ṗter na.* 3ª.83.*e*
*Pus ex sanguine ortum habet. c.*2°.*aph.*47°. *Ex.*18.*H*
*Pus cum fit, cur dolores excitentur.c.*2°.*aph.*47°. *Ex.*18.*H*
*ĩ Pus generatione cur febres fiant. c.*2°.*aph.*47°. *Ex.*18.*H*
Pus quomodo expellitur.de tum.prẽter naturam. 3ª.83.*E*
Puris generatio ĩ inflãmatione ẽ terminus vigoris.de tot.m. 3ª.89.*b*
Pus quando est in phlegmone quid agendum. 13°.*me.me.* 7ª.81.*D*
Pus quando q3 fit ex absc essu disrupto bene expurgans partes. com. 4°.*aph.*47°. *Ex.*33.*A*
*Pus in phlegmone quomodo coctum dicatur.de vict.ra. in morb.acu. com.*2°. 7ª.122.*H*
Pus qũ emittimus in abscessu distento, & dolore pulsante, non est curatio symptomatis. 12°.*me.me.* 7ª.74.*G*
Pus in oculis quo modo digerẽdum. 14°.*me.me.* 7ª.93.*G*
Pus quomodo ab oculo euacuatur. 14°.*me.me.* 7ª.93.*G*
*Pus exiens per nares, aut os, aut aures dolẽti caput morbus soluitur. com.*6°.*aph.*17°. *Ex.*47.*C*
*Pus quibus in pectus influit suppurantur.de nat.hu.c.*2°. 7ª.184.*G*
*Puris multitudinis in thorace inditium.*4°.*de loc.affe.* 4ª.27.*G*
Puris ex Thorace expuitioni quæ contraria. 5°.*de simp.me.f.* 5ª.35.*d*
ad Pus educendum e thorace quæ sint mediocria. 13°.*m.m.* 7ª.84.*H*
ad Pus educendũ è thorace quæ valentiora. 13°.*me.me.* 7ª.84.*H*
*ad Pus educẽdũ è thorace medicamẽtũ valde ĩcidẽs.*13°.*m.m.*7ª.85.*a*
*Pus e thorace valde educit oxymeli ex marubio.*13°.*me.m.*7ª.85.*A*
*Pus thoracis ac pulmonis expurgat symphytum petræum.*8°.*de simplicium med.fa.* 5ª.61.*F*
*Pus qũo facile ĩter latera, & pulmonẽ demittat.*5°.*de lo.af.*4ª.30.*A*

Pus effunditur

Pus effunditur inter thoracem,& pulmonẽ,in morbo laterali.com. 5°. aphorismo.8°. Ex.38.B

ad Pus transmutatio fit in morbo laterali nisi in quatuordecim diebus sanentur.com. 5°.aph.8°. Ex.38.B

Pus habentes inter pectus,& thoracem,suppurati dicuntur.com. 6°. apho.27°.48.G/com.7°.aphor.45°. Ex.57.F

si Pus purum,& album ijs fluxerit quicunq,suppurati, aut vruntur, vel secantur euadunt,si vero subcruentum,& fœculentum,& fœtidum,pereunt.com.7°.apho.44°. Ex.57.F

si Pus aut aqua vniuersi effluxerit ijs qui suppurati, aut aquã inter cutẽ patiẽtes vrũt aut secani,oẽs moriunt.cõ.6°.aph.27°.Ex.48.G

Pus totũ cũ exit absc essum fit aĩ defectus. 1°.de art.cu.ad Gl.7ª.98.G

Pus qũo in pulmonẽ recipiatur qñ est in thorace. 5°.de lo af. 4ª.31.B

Pus e pulmone educunt amari sapores.4°.de simp.me.fac. 5ª.29.G

Pus quomodo eat a costis ad os.5°.de loc.aff. 4ª.30.G

Puris purgatio supra in sanguinis vomitu.com.7°.aph.74°.Ex.60.H

Puris sputum a sanguinis sputo.com.7°.apho.15°. Ex.55.A

Puris sputum in sputo sanguinis,cum sputum retinetur,moriuntur. cõ. 7°.apho.74°. Ex.60.H

Pus expuentes extra febrem spontaneis ægritudinibus affliguntur.de natura humana,com.2°. 7ª.184.G

Pus expuentes extra febrẽ qũo viuere dẽnt.de na.hu.cõ.2°.7ª.184.G

qui Puris plurimum habent quod nõ potest per sputiones excerni vstione indigent.com.6°.aphoris.27°. Ex.48.G

Pus in suppurationibus hepatis quale est his,qui moriuntur,& qui sanantur.com.7°.aphor.45°. Ex.57.F

Pus veluti amurca in suppuratione hepatis adusta,letale.cõmen.7°. aphorismo 45°. Ex.57.F

ad Puris & sanguinis reiectiones.7°.de comp.med.se.lo. 5ª.179.D

Pus mistã sanguini qũo secernat tacuit Erasistr.5°.de lo.af. 4ª.30.G

Puris mictio vnde sit,& per quæ loca.com.7°.apho.15°. Ex.55.A

Pus in vrina quid significet. 6°.de locis affectis. 4ª.37.E

Pus vel sanguinẽ si quis mingat qd signẽt.de vri.sig.ex Hip.Sp.78.H

Pus si quis mingat,est signum malæ affectionis instrumentorum deferuientium vrinæ.com.4°.aphor.81°. Ex.36.A/H

Pus e renibus purgatur per vesicam.com.5°.aphor.58°. Ex.43.B

Pus a qua parte cognoscatur fluere quando per renes purgatur. 6°.de locis affectis. 4ª.39.A

Pus pulmonis cur sepe non it per vrinam.6°.de lo.aff. 4ª.39.C

Pus exiguum cum sanguine excretum cur.3°.de symp.cauf. 3ª.28.B

Pus cum vrina excernitur quando q,,iecore aut renibus languentibus & subsidendo fallit minus acutum artificem.de vrinæ sig.Sp.79.C

Pus qũo,& cur exit cũ vrina,et sine vrina.cõ.4°.aph.75°.Ex.36.A

Puris cum vrinæ miscella consideratio.6°.de loc.affec. 4ª.39.B

Pus quibus in vrina citra dolorem subsidet,spontaneis agritudinibus affliguntur.de nat.hum.com.2°. 7ª.184.G

Puris est particeps grauiter olẽs vrina.de uri.sign.ex Hipp.Sp.79.C

ex Pure vrinę suppressio.6°.de loc.aff. 4ª.38.H

Pus quomodo cognoscatur obstruxisse meatũ vrinę.1°.de lo.af.4ª.3.B

Puris deiectiones faciunt intestina suppurata.cõ.7°.aph.8°. Ex.54.E

in Pus raro vertitur ædema sub vmbilico.in prog.com.1°. 4ª.196.F

Pus ex vtero & vesica sponte exit.5°.meth.med. 7ª.33.A

Pus quomodo cognoscatur fluere a superioribus excrementis,& quomodo ab inferioribus.6°.de loc.aff. 4ª.39.B

Puris crassitudo est causa cur non cognoscatur suppuratio aliqua in corpore.com.6°.aph.41°. Ex.51.A

pro Pure vel sanguine expellendo quinquefolia.de dynam. Sp.35.F

Pus vi exire possit emplastra.2°.de arte cur.ad Glauc. 7ª.106.D

Pus acre corrodit.in prognost.com.2°. 4ª.204.G

Puris acritudo ora quorundã uasorũ adapit.cõ.6°.aph.27°.Ex.48.H

Pus extrahens pyulcon græce dicitur.5°.meth.med. 7ª.32.G

Pus trahentia medicamenta.2°.de com.me.per ge. 5ª.221.G

Pus educens pastillus.5°.de com.me.per ge. 5ª.251.H

Pus educens medicamentum.5°.de com.me.per ge. 5ª.253.B

Pus educens celerrime medicamentũ.5°.de com.me.per ge. 5ª.246.E

Pus euacuans sine ruptura.6°.de comp.medic.per ge. 5ª.261.F

Pus quibus iam est in vaporem digerẽs.6°.de com.me.pg. 5ª.259.G

Pus an spirando,vel quiescendo attrahatur.5°.de loc.affe. 4ª.31.B

Pus quando expirat,& quando exit.de tum.præter naturã. 3ª.83.E

Pus in intermedys musculorum per halitum digerit pyrites lapis.9°. de simp.med.fac. 5ª.67.F

ad Pus discutiendum.6°.de compositione med.sec.loc. 5ª.261.D

Pus putrescit in processu temporis.com.5°.aph.15°. Ex.38.G

Puris gnatio sequitur ad corruptionẽ ossis.com.6°.aph.45°.Ex.41.G

Pus in vlcere est magnum securitatis signũ.cõ.5°.aph.22°.Ex.39.D

Pus optimũ quale.1°.de diff.feb.3ª.33.C/in prog.com.1°.4ª.197.A

Pus minime fœtidum esse debet.in prog.com.1°. 4ª.197.B

Pus cur candidum.in prog.com.1°. 4ª.197.D

in Pure color & odor vnde.in prog.com.1°. 4ª.197.C

Puris color debet esse semini similis.in progn.com.1°. 4ª.197.D

Puris color cineris est.de fract.com.2°. 7ª.236.D

Puris imperfecti diuersitas.1°.de diff.feb. 3ª.33.C

ad Pus medicamenta extrinsecus.introd. Isa.58.A

Pus mouẽs medicamentum dicitur esse emplasticum.5°.de sim.medic. facult. 5ª.33.G

à Pus mouentib. quo mõ differãt emollientia.5°.de sim.me.f. 5ª.33.F

Pus mouens medicamentũ quale esse debet.5°.de sim.me.fa.5ª.33.D

Pus mouentiũ natura qualis in genere.5°.de simp.med.fac. 5ª.34.C

in Pus quod verti debet ocyssime concoquunt medicamenta simillima hominis temperaturæ.5°.de simp.med.fac. 5ª.33.G

Pus mouens medicamentum singulatim hominis cuiusq; propriũ est. 5°.de simp.med.fa. 5ª.33.D

Pus mouens medicamentum in calido homine quale esse debet.5°.de simp.med.fac. 5ª.33.D

Pus mouetur ex ijs,quæ sunt crasse substantiæ.11°.meth.me.7ª.72.H

Pus mouentia sunt calida & humida.5°.de sim.me.fa.32.D/5ª.34.B

Pus mouentia medicamenta humorem per halitum digerũt.5°.de simplicium med.fac. 5ª.33.C

Pus mouentia medicamenta.4°.meth.med. 7ª.27.D

Pus quomodo breui tempore moueatur.de remed.par.fac. 7ª.155.F

Pus maturans.6°.de comp.me.per ge. 5ª.259.E

Pus mouent adeps vitulinus,& suillus.5°.de simp.me.fac. 5ª.34.B

ad Puris generationem aptissima est aqua temperata, aqua & oleum temperata.5°.de simp.med.fac. 5ª.34.A

Pus mouetur cera liquefacta ex oleis calidis.5°.de sim.me.f.5ª.34.C

Pus quando adest hordeacea farina.2°.de arte cur.ad Gla.7ª.101.H

Pus faciunt farina tritici & panis tritici.5°.de sim.me.fa. 5ª.34.A

ad Pus ducendum cataplasma,ex farina,oleo,et aqua.2°.de arte cur. ad Glauconem. 7ª.102.A

Pus mouet,concoquit,& carnem gignit Manna thuris.2°. de comp. med.per ge. 5ª.221.E

Pus mouet calidis oleis,si sit frigidus absc essus.5°.de sim.m.f.5ª.34.C

Pus mouẽs cũ pluri,& minori olei quid faciat.5°.de sim.m.f.5ª.34.B

in Pus mouentibus medicamẽtis pix valet.4°.de cõ.me.pg.5ª.240.F

Pus quomodo moueat pix.5°.de simp.med.fac. 5ª.34.C

Pus mouet thus.4°.de com.med.per gen. 5ª.239.G

Puris quantitas quanta visa a Galeno.5°.de loc.aff. 4ª.30.H

PVSILLANIMITAS *accidit per melancholiam.de anato.vi. Sp.45.F*

PVSILLANIMI *ac timido cor deesse dicunt.3°.de loc.af. 4ª.16.E*

PVSILLA *etiam non spernenda.in 6m.de mor.vulg.com.2°. 3ª.165.B*

PVSIONES, *& qui habent humidum & calidum corpus,concoquũt, apponunt,agglutinant,& nutriunt præ aliis optime.3°.de symptomatum cauf. 3ª.29.A*

PVSTVLARVM *ortus.14°.meth.med. 7ª.90.A*

Pustulæ fiũt à calido,humores humiles à frigido.c.6°.aph.9°.Ex.47.C

Pustulas instar scabiei,ac lepræ in corpore contraxerũt qui prauos cibos comederunt.1°.de diff.feb. 3ª.31.G

Pustulæ cur erumpant in purulentis.in prog.com.2°. 4ª.204.E

Pustularum aliquę sublimes,aliquę humiles.com.6°.aph.9°.Ex.47.C

Pustulas turgere qũo cognoscatur.in 6m.de mor.vul.cõ.2°.3ª.165.G

Pustulæ acutæ ex quo succo fiat.in 6m.de morb.vul.cõ.2°. 3ª.165.G

Pustulæ latæ ex quo succo.in 6m.de morb.vul.com.2°. 3ª.165.G

Pustulæ latæ cur Simoni sint factæ.in 6m.de mor.vul.cõ.2°.3ª.165.F

Pustulæ latæ non multum pruriũt.in 6m.de mor.vul.cõ.2°.3ª.165.F/ com.6°.aph.9°. Ex.47.C

Pustulæ vlcerosæ cur fiant vere.com.3°.aph.20°. Ex.24.A

ad Pustulas vlcerosas.1°.de composi.med.sec.loc. 5ª.131.F

ad Pustulas vlcerosas in toto corpore habentis casus.de purgantium medicam.fac. 5ª.87.F

Pustulæ biliosæ p totũ corpus notant cholerã.cõ.4°.aph.2°.Ex.27.F

Pustulæ nigræ fiunt ex atra bile,ideo atram bilem significant.com.4°. apho.2°. Ex.27.F

Pustulæ nigræ in pestilentia tempore Galeni, & veluti squamma decidebat.de atra bile. 1ª.35.B

Puſtulæ in peſtilentia per totum corpus nigræ,& ſanabantur. 5°.methodi med. 7ª.35.B
Puſtulæ nigræ.in 1ᵐ.de morb.vulg.com.3°. 3ª.124.G
Puſtulas humidas habentes in ſuperficie optime purgat colocynthis. de dynamidijs. Sp.21.D
Puſtulæ milliares ſenſibiliter exaſperantur & cur. in 6ᵐ. de morbis vulg.com.2°. 3ª.160.H
Puſtulæ crebræ an male habuerint laſſitudine laborantem percunctandum eſt.4°.de ſan.tuen. 2ª.83.C
Puſtulæ quæ terebinthus dicuntur,quare ita dicantur.in 6ᵐ.de morb. vulg.com.3°. 3ª.178.E
Puſtulæ,profunditas ſomni pigrities mentis ſignificant pituitam.comment.4°.aphor.2°. Ex.27.F
cum Puſtulis febres quæ.in 6ᵐ.de morb.vulg.com.1°. 3ª.159.D
in Puſtulis cancroſis cur adſit febris.14°.meth.med. 7ª.90.A
in Puſtula cruſtæ color.14°.meth.med. 7ª.90.A
ex Puſtula & pruritu factum vlcus.4°.meth.med. 7ª.25.F
Puſtulæ ad cutem enatæ,deinde intro regredientes.in 1ᵐ.prorrhet.cõmentario 1°. 4ª.161.F
Puſtulas quæ prohibent.de ocul. 7ª.189.C
Puſtulas quomodo curet Galenus.de fract.com.3°. 7ª.247.E
contra Puſtulas craſſas quæ faciant.de ocul. 7ª.189.C
in Puſtulis vena incidenda primo.14°.meth.med. 7ª.90.B
Puſtulas iuuat lupinus.6°.de ſimp med.fac. 5ª.48.D
ad Puſtulas vnguentum.de dynam. Sp.30.E
PVSTVLA *in oculo quid.fin.med. Iſa.48.D*
PVSTVLA *vlceratio oculorum.fin.med. Iſa.48.D*
Puſtulæ oculorum quibus indigeant medicamentis.4°. de compoſitione medicamentorum ſecundum locos. 5ª.151.B
contra Puſtulas oculorum quæ valeant.de ocul. 7ª.189.C
ad Puſtulas in cornea naſcentes.de ocul. 7ª.190.H
ad Puſtulas oculorum accommoda eſt ebenus miſta remedijs ocularibus.6°.de ſimp.med.fac. 5ª.46.F
ad Puſtularum oculorum eruptiones.4°.de comp.me.ſe.lo. 5ª.154.E
ad Puſtulas oculorum.4°.de compoſitione med.ſec.loc.154.F/H/5ª. 155.A/B/C/D/F/H/de ocul. 7ª.191.D/E
Puſtulis oris confert ſectio venarum labiorum.de ana.viuo.Sp.55.B
ad Puſtulas quas habet infans in manibus,& pedibus vltra modum. de dynamidijs. Sp.30.F
ad Puſtulas oris.6°.de comp.me.per ge. 5ª.260.B
Puſtulæ in pulmone ex bile in ſtomacho.de ſperm. Sp.36.H
Puſtulas in combuſtis fieri prohibet terra cimolia.de ſim.m. Sp.85.B
PVTAMINA nucum & conorum terrena ſunt. 9°. de ſimpliciũ med.fac. 5ª.64.H
Putaminis nucis ſucco cur fullones vtuntur.7°.de ſimp.me.fa.5ª.50.B
PVTEOLI *dicearchia eſt.1°.de comp.med.per ge. 5ª.214.C*
Puteoli habentur,ærugo,ceruſſa,æs vſtum,& æris ſquamma.1°. de antidotis. 5ª.100.D
Puteolis ceruſſa alba fiebat.1°.de comp.me.per ge. 5ª.214.C
PVTEORVM *aqua hyeme tepida videtur. 3°. de ſimplicium medic. facul. 5ª.19.D*
Puteorum aquæ quare hyeme calidæ.3°.de ſim.med.fac. 5ª.18.C
in Puteo aqua dupliciter refrigerat.in 6ᵐ.& mor.vul.c.4°.3ª.185.D
Putei in Pytho abundant aqua in æſtate,& non in hyeme.de bonitate aquæ. Sp.75.H
ex Puteis profundis videntur ſtellæ interdiu,modo nõ ſit meridies.10°. de vſu partium. 1ª.179.A
in PVTIOLIO, *& Apollonio Colica vt Publius.9°. de comp. medic. ſecundum locos. 5ª.202.D*
PVTO *verbum cur ab Hippocrate ponatur.in 6ᵐ. de morbis vulgaribus,com.3°. 3ª.171.F*
PVTREDINOSAS *facultates corrigit cinnamomum. 8°.de compoſitione med.ſec.loc. 5ª.194.E*
PVTREDO *affectus totius corporis.introd. Iſa.59.D*
Putredinis duplex genus.1°.de diff.feb. 3ª.33.B
Putredo non fit a frigido,& ſicco.1°.de temp. 1ª.12.B
Putredines non fiunt flante Borea.1°.de temp. 1ª.12.B
Putredines fiunt flante auſtro.1°.de temp. 1ª.12.B
Putredines inducunt auſtrinæ tempeſtates diuturnæ.in 1ᵐ. de morb. vulg.com.1°. 3ª.105.D
Putredinis materia quæ ſit.11°.meth.med. 7ª.70.A
Putredo ex materia humida fit.in 3ᵐ.de mor.vulg.com.3°.3ª.141.A
Putredines fiunt magis tẽporibus humidis.com.3°.aph.16°.Ex.23.A
Putredines fiunt in temporibus pluuioſis.com.3°.aph.11°. Ex.21.B
Putredini maxime dediti ſunt calidi,& humidi.8°.meth.me.7ª.54.B
ad Putredinem facit locus.in 1ᵐ.de morb.vul.com.1°. 3ª.103.F
Putredo ſola non eſt ad generandum ſufficiens, ſed indigemus magno calore.com.3°.aph.26°. Ex.25.F
Putredinis cauſa efficiens eſt calor extraneus.in 3ᵐ.de morb. vulgar. com.3°. 3ª.141.A
Putredo ab aliena caliditate oritur.2°.de differ.feb.40.A/5ª.41.C/ com.3°. 3ª.142.D
ex Putredine accenditur calor.de cauſ.mor. 3ª.6.D
Putredo humorum igneum calorem accendit.cõ.7°.aph.42°.Ex.57.D
ex Putredine quomodo fiat caliditas.de cauſ.morb. 3ª.6.D
in Putredine calor qualis.2°.de diff.feb.3ª.41.D/de cur.rat.per ſanguinis miſſionem. 6ª.16.H
Putredinis caliditas poteſt eſſe vehementiſſima,tamẽ naturalis erit, vel nulla,vel pauca com.4°.aph.37°. Ex.32.C
Putredo ĩ qua fit parte,pars calidior eſt.de cur.ra.p ſan.miſ. 6ª.16.H
Putredo humorum in vaſis qualis.1°.de diff.feb. 3ª.33.B
ob Putredinẽ cibi craſſi,& glutinoſi cauſæ febriũ.1°.& dif.fe.3ª.32.A
ex Putredine febris vnde.1°.de diff.feb. 3ª.31.H
ob Putredinem fit febris & quomodo præſag.exper.cõf. Sp.77.D/E
ex Putredine fumi tendunt ad cor.1°.de diff.feb.32.D/2°. 3ª.41.C
Putredinis humorum comes acuta febris.in 3ᵐ. de morbis vulgarib. com.1°. 3ª.127.D
a Putredine per totum corpus ſynochus.11°.meth.med. 7ª.69.G
Putredinis cauſam habet febris quæ continuat.10°.meth.me.7ª.61.B
Putredinem cauſam effectricem, & febrem inter ſe conferre difficile eſt.11°.meth.med. 7ª.70.A
ex Putredine febris quomodo differat ab his, quæ ſunt ex inguinum tumoribus.1°.de diff.feb. 3ª.32.G
per Putredinis excellentiam differt peſtilentis febris calor ab aliarum calore.in 6ᵐ.de morb.vulg.com.1°. 3ª.159.F
Putredinis principium in peſtilentia vnde.1°.de diff.feb. 3ª.32.B
ſine Putredine febris ex ſiccitate ſanatur frigidis,& humidis.10°.methodi med. 7ª.64.D
in Putredinem facile vertitur plenitudo quò ad vires.de curan. ra.p ſang.miſſ. 6ª.17.A
Putredo humorum eſt cauſa antecedens.11°.meth.med. 7ª.70.C
Putredo cauſa,& effectus ſimul.11°.meth.med. 7ª.71.C
Putredo maligna hũorũ facit morbos piculoſos.c.4°.aph.43°.Ex.32.F
Putredo humorum videtur corrũpere propinqua capitis terribiliter. in 3ᵐ.de morb.vulg.com.3°. 3ª.142.E
Putredo ab eryſipelate.com.7°.aph.20°. Ex.55.D
in Putredinem vel in gangrenam terminatur inflãmatio.de totius morbi temporibus. 3ª.89.H
Putredo circa vlcera quando ſignificetur in difficultatibus inteſtinorum.com.6°.aph.3°. Ex.46.F
Putredo poteſt eſſe abſque vlcere.com.6°.aph.45°. Ex.51.F
Putredo viridis χλωρὸ.in 1ᵐ.prorrh.com.3°. 4ª.180.A
Putredo an ſit in ſuccis cognoſcitur ex pulſu,vrina,& calore.10°.methodi med. 7ª.63.D
Putredinis inditium eſt graueolentia.in progn.com.1°. 4ª.197.B
a Putredine indicatio quæ,& vnde ſumatur.11°.meth.med.7ª.69.D
a Putredine indicationes duæ.11°.meth.med. 7ª.70.D
Putredo antequam incipiat vena incidenda.9°.meth.med. 7ª.56.G
Putredo non curatur per ſanguinis miſſionem.11°.meth.me.7ª.71.G
Putredini quid contrarietur.11°.meth.med. 7ª.71.E
ad Putredines conueniunt medicamenta,quæ cum eo quod refrigerãt vnà adſtringunt.6°.de ſim.med.fac. 5ª.43.E
Putredines ſanat ariſtolochia rotunda.6°.de ſimp.med.fac. 5ª.43.E
ad Putredines valet aſpalathos.6°.de ſimp.med.fac. 5ª.44.A
Putredines purgat diapenidion minus.de dynam. Sp.26.D
ad Putredines valet lycium.7°.de ſimpl.med.fac. 5ª.54.G
Putredines curat ſuccus mororum.de ſimp.med. Sp.87.G
Putredines curat raphanus.de ſimp.me. Sp.89.F
Putredinibus cõuenit ſabina,vt cupreſſus.6°.de ſimp.me.fa. 5ª.45.E
Putredo in quibus ſuſpecta eſt,in his valet ſalis vſus.11°. de ſimplic. med.facul. 5ª.83.D
ad putredines accõmodat ſalſugo piſciũ ſalſorũ.11°.& ſim.m.f.5ª.83.H
Putredinem purgans.5°.de comp.me.per ge. 5ª.246.E
Putredo in oculo totum oculum exercet.intro. Iſa.58.D

ad Putredines narium confert ſuccus centaureę.de vir.cent. Sp.93.C
Putredo cur cito fiat in ore.6°.de com.me.ſe.lo. 5ª.171.G
Putredinibus oris confert ſuccus centaureæ.de virt.cent. Sp.93.D
ad Putredines oris.6°.de com.me.ſe.loc.171.D/ 5ª.172.D
ad Putredines partium quarundam.5°.de comp.me.per g. 5ª.253.H
Putredines ani mitigat ſuccus centaureæ.de virt.cent. Sp.93.E
ad Putredines.6°.de com.med.ſe.loc.172.D/5°.de comp. me. per ge. 246.E/254.D/6°.255.C/256.D/257.A/ 5ª.259.B
ad Putredinem factum medicamẽtum extemplo in neruo vulnerato. 6°.meth.med. 7ª.37.F
PVTREFACIENDI *vim habent aliqua medicamina.de cauſis morborum.* 3ª.9.D
ad Putrefaciendum extra os,& ſedem aptum eſt aconitum pardalianches.6°.de ſimp.med.fac. 5ª.42.A
PVTREFACIENTIA *ſunt calida poteſtate.3°.de temp.* 1ª.23.F
Putrefacientes ſunt acres ſapores.4°.de ſimp.med.fac. 5ª.29.G
PVTREFACIT *cauſa præter naturam.in progn.com.1°.* 4ª.197.C
Putrefacit humores auſter,& qñ.in 1m.de morb.vul.com.2°.3ª.114.A
non Putrefacit calor abſq; humiditate.3°.de com.me.per ge. 5ª.228.D
Putrefaciunt citra dolorẽ carnem mollem calida in quarto ordine, quę ſunt tenuium partium.7°.de ſimp.med.fac. 5ª.50.D
Putrefaciunt mollia dolorẽ leuantia.3°.de comp.med.per g.5ª.331.G
Putrefacit carnẽ mollem cedrea ſine dolore.7°.de ſim.me.fa.5ª.50.D
Putrefacere non debet medicamentum applicandum vlceri in cãcro. com.6°.aph.38°. Ex.50.E
Putrefacit farina triticea cum oleo.6°.meth.med. 7ª.37.F
Putrefacit veſtes immobilitas.in 3m.de morb.vulg.com.3°.3ª.141.A
PVTREFACTIO *ex quibus fiat.4°.meth.med.* 7ª.27.D
Putrefactio alteratio præter naturam.5°.de ſimp.med.fa. 5ª.33.C
Putrefactio tarde fit in frigidis, breui autem fit in calidis hepatis temperaturis.8°.de comp.med.ſe.lo. 5ª.194.A
Putrefactionẽ nõ fieri ab aliquo hũido,collige.c.6°.aph.38°.Ex.50.E
Putrefactio ſequit obſtructionẽ.8°.de com.me.ſe.lo.193.H/5ª.194.G
Putrefactio cur fiat in inflammatione.2°.de criſ. 4ª.138.B
Putrefactio facit impedimentũ in motibus.1°.de mot.muſc. 1ª.308.G
a Putrefactione leuat farina erui cum lixiuio.6°.meth.med. 7ª.37.F
a Putrefactione leuat farina hordeacea cũ lixiuio.6°.me.me. 7ª.37.F
ex Putrefactione partium diminutio.de cau.mor. 3ª.9.D
in Putrefactione ſectionis ordo.5°.de anat.adm. 1ª.87.B
Putrefactiones corrigit Aſpalathus, & crocus. 8°. de compoſitione medic.ſec.loc. 5ª.194.F
ad Putrefactiones oris,& reliqui corporis.5°.de com.me.ſec.lo.165. H/6°.de comp.me.ſe.lo. 5ª.172.D
contra Putrefactionem valens medicamentum.de me.exp.Sp.104.H
PVTREFACTIVA *potentia eſt vna ex potentijs medicinarum oculi.de ocul.* 7ª.189.A
Putrefactiua qualia.de ocul. 7ª.188.F
Putrefactiua valent ſcabiei vetuſtę aſperitati, vngulæ vetuſtæ,& prurigini.de ocul. 7ª.189.C
Putrefactiua curatio quomodo incedat.contra Iulianum. Ex.68.G
in PVTREFACTO *ſanguine an febres contingant.2°. de differentijs febrium.* 3ª.40.A
PVTREFIVNT *promptiſſime calida & humida in locis calidis, niſi difflentur ac refrigerentur.1°.de diff.feb.* 3ª.31.H
Puti eſit dupliciter ſanguis.2°.de diff.feb. 3ª.41.D
ad PVTRESCENDVM *paratos humores ſi habeamus ægri tempore peſtilenti non ſunt nobis viſendi,ne & nos inficiamur, collige.* 1°.*de differentijs febrium.* 3ª.32.B
Putreſcentia nõ pñt dici cõcoqui.de vict.rat.ĩ mor.ac.c.5°.7ª.122.H
Putreſcentia quæ ſint.11°.de ſimp.med.fac. 5ª.83.D
Putreſcentia qualia eſſe debent.9°.meth.med. 7ª.56.D
Putreſcentia oĩa caliditatem acquirunt.4°.de ſimp.me.fac. 5ª.24.H
Putreſcentia vnde id patiantur.3°.de com.me.per ge. 5ª.228.C
Putreſcens ſanguis tranſit in alteram naturam,in bilẽ flauã, vel atrã. 2°.de diff.feb. 3ª.42.F
a Putreſcentibus ſol euitandus.de ijs,quæ in med.fi.cõ.1°. 7ª.202.A
Putreſcentium curatio.6°.de comp.med.per ge. 5ª.255.G
Putreſcentia curari debent ſiccantibus,& refrigerantibus.3°.de cõ. med.per ge. 5ª.228.D
Putreſcens pars cataplaſmate ex lixiuia ſtillatitia,& farina hordei fomenta in contuſionibus neruorum.3°.de comp.me.per g.5ª.229.A
ad Putreſcentes muſculos,& carthilagines in alto corpore. 5°.de cõpo.med.per ge. 5ª.250.G
ad Putreſcentia vtilia.2°.de arte cur.ad Glauc. 7ª.106.H
ad Putreſcentia.4°.de comp.med.ſec.loc. 5ª.152.D
PVTRESCIBILE *ſemper ad continua habet diſpartitam caliditatem. 1°.de diff.feb.* 3ª.32.H
PVTRESCERE *eſt corrumpere.2°.de diff.feb.* 3ª.40.A
Putreſcunt quæ.in prog.com.1°.4ª.197.C/5°.de ſim.me.fa. 5ª.36.B
Putreſcunt res quot modis.de inæqu.intemp. 3ª.44.D
Putreſcunt quæ facile.de tum.præter naturam. 3ª.83.C
Putreſcunt quæ corpora.11°.meth.med. 7ª.68.G
Putreſcunt omnia medicamenta putredine necantia non ſtatim in ventre ſed temporis ſpatio,at contrario modo ſe habent refrigerantia, temporis enim ſpatio debilitantur.3°.de ſimp.med.fac. 5ª.22.B
Putreſcunt promptiſſime calida,& humida niſi difflentur ac refrigerentur.1°.de diff.feb. 3ª.31.H
Putreſcunt omnia magis cum fuerit humidior locus,et calidior.3°.de ſimp.me.fa. 5ª.22.B
Putreſcunt facile calida humida in locis calidis.de curan.rat. per ſanguinis miſſionem. 6ª.16.G
cum Putreſcunt calida,fiũt calidiora.de cur.ra.per ſan.miſ. 6ª.16.H
Putreſcunt res & a quibus.de cau.mor. 3ª.9.C
ne Putreſcant veſtes cum tempus eſt humidum & calidum quatuntur.in 3m.de morb.vulg.com.3°. 3ª.141.A
Putreſcit cibus nõ ſupatus a naturali calore.d cu.ra.p ſan.mi. 6ª.16.H
Putreſcit neceſſario, ſcilicet peritoneum omentum ſi excidat.com.6°. aphor.58°. Ex.53.F
Putreſcũt leuiſſime pubes,& pudẽda.in 3m.de mor.vul.c.3°.3ª.42.F/ 5°.meth.med. 7ª.31.D
Putreſcãt qñ diſtillãtes humores.in 1m.de mor.vul.com.1°.3ª.105.F
Putreſcit humor non bene diffiatus.1°.de diff.feb. 3ª.32.A
Putreſcunt humores quandoque in toto corpore,quandoq; in ſolis vaſis com.4°.aph.37°. Ex.32.B
Putreſcit neceſſario quandoq; ſanguis.2°.de diff.feb. 3ª.40.A
cur Putreſcunt materię in inflammationibus.2°.de diff.feb. 3ª.41.C
Putreſcunt oſſa & quomodo.de fract.com.3°. 7ª.246.H
Putreſcere quæ non poſſunt.11°.de ſimp.med.fac. 5ª.83.D
Putreſcit nihil penitus ſiccum.in 3m.de morb.vul.com.3°.3ª.141.A
Putreſcunt tardius frigida.in 3m.de mor.vulg.com.3°. 3ª.141.A
Putreſcere corpus facientibus medicaminibus aduerſatur ſordiũ.1°. de antidotis. 5ª.105.F
cur Putreſcat aqua pluuialis citiſſime omnium.de bo.aquæ. Sp.75.F
PVTRIDORVM *ciborũ odores varij & cur.3°.de ſym.cau.* 3ª.25.D
Putridas ſuperfluitates generant ſiccæ ficus.de diff.cont. Sp.74.B
PVTRIDARVM *febrium differentiæ.11°.meth.med.* 7ª.69.D
Putridarum febrium ſex differentiæ.2°.de diff.feb. 3ª.39.F
in Putridarum genere ſunt febres ob inflãmationẽ.10°.me.m.7ª.64.C
Putridarum febrium tot differentiæ,quot formæ in vrinis apparẽt.1°. de diff.feb. 3ª.33.C
Putridæ ſunt lypiriæ,& hepialæ.1°.de diff.feb. 3ª.34.A
Putrida febris ardens.1°.de diff.feb. 3ª.34.A
a Putridis ephemeræ differentia quæ.1°.de diff.feb. 3ª.33.D
in Putridam poteſt tranſire diaria.9°.met.me. 7ª.53.G
in Putridã trãſit diaria ex obſtructione ſi ſequatur.9°.me.m. 5ª.58.B
in Putridam cur tranſeat diaria.10°.meth.med. 7ª.61.E
in Putridam febris ephemeræ conuerſa ſigna.1°.de diff.feb. 3ª.33.F
Putridarum febrium inditia.1°.de diff.feb. 3ª.33.F
Putridarum febrium caliditas qualis.1°.de diff.feb. 3ª.33.H
Putridum expirantium conſuetudo non ſecura.1°.de diff.feb. 3ª.31.C
Putridarum febrium pulſus.1°.de differentijs febrium.3ª.33.H/3°. de præſag.ex pulſ. 4ª.117.H
in Putridis pulſus durus quando.1°.de dif.feb. 3ª.34.C
Putridarum febrium vrinæ.1°.de diff.feb. 3ª.34.A
in Putrida febre indicatio.11°.meth.med. 7ª.69.D
in Putridis agẽdorũ indicatio a tribus ſumitur.10°.meth.me.7ª.61.E
Putridæ habent prouiſionẽ,quæ cauſam remouet.11°.me.m.7ª.68.D
in Putrida ſanguis mittendus conſtantibus viribus.11°.me.me.7ª.71.F
in Putrida febre non vtitur balneo,& relaxantibus Galenus, niſi poſt purgationem.11°.meth.med. 7ª.73.D
Putrida coniuncta hecticæ balneum prohibet.10°.meth.me.7ª.66.G
in Putrida febre exemplum medicationum.11°.meth.me. 7ª.68.G
Putridi humores in cinerem vertuntur.2°.de diff.feb. 3ª.41.D
Putridꝰ ſanguis eſt ſanguis cũ putredine miſſus.10°.d ſim.m.f.5ª.72.F

Putrides

Putredis morbis & carbunculis quæ vrbes sint obnoxiæ. in ǂ^m. de morbis vulg.com.1°. 3ª.103.F
Putrida pars debet incidi.13°.meth.med. 7ª.81.E
Putrida præcisa inurebant.in 3^m.de morb.vulg.com.3°. 3ª.142.F
Putrida vlcera quæ sint,& quid,& quo modo,& ex quo fiant.cō.6°. aph.45°. Ex.51.F
ad Putrida vlcera.3°.de comp.med.se.lo. 5ª.148.A
ad Putrida quæ conueniant.4°.de com.med.per ge. 5ª.242.F
Putrida adiuuat anagallides.6°.de simp.med.fac. 5ª.42.H
PVTRILAGO *in humidis nascitur corporibus.4°.de simplicium medicamentorum facul.* 5ª.30.C
PVTREM *parriculam habentis casus.6°.meth.med.* 7ª.37.F
PYCNOCOMI *vires quales.8°.de sim.med. facul.* 5ª.59.D
Pycnocomi folia phymata,& furunculos discutiunt,palos, & alia id genus infixa ad extimam cutem elicit.8°.de simp.med.fa. 5ª.59.D
Pycnocomi radix bilem flauam purgat.8°.de simp.med.fa. 5ª.59.D
Πυκνωτικὰ *medicamenta.i.condensantia.5°.de simp.me.fa.* 5ª.35.H
Πυκνοῦ,& ταχέως *vsus.de vict.rat.in morb.acut.com.3°.* 7ª.132.E
PYELI qui.7°.meth.med. 7ª.44.E
PYLIDES sedis affectus.introd. Isa.59.D
Πυλωρὸν *quid vocent græci.intro.* Isa.54.D
Pyloron imus terminus ventriculi.6°.de anat.adm. 1ª.91.F
Pyloron locus quo ventriculus cum intestino coniungitur. 3°.de naturalibus facultatibus. 1ª.303.E
Pyloron inferior terminus ventriculi situm habet prope iecur ad dexteram.de ven.art.diss. 1ª.55.H
Pyloron quid faciat ventriculo.8°.de vsu par. 1ª.170.D
Pyloros in ventriculo factus est,qui retardet descensum chyli. 4°. de vsu partium. 1ª.139.B
Pyloron aperit ventrem cum est satur,& superfluum transmittit. 4°. de sanita.tuen. 2ª.88.B
Pyloron clausum est,vt os vteri quando cibus est in ventriculo. 3°. de naturalibus fac. 1ª.303.E
ad Pyloron mittitur alimentum introd. Isa.54.E
ad Pyloron bilis meatus ex vesica.6°.de anat.adm. 1ª.93.C
PYOSIS affectus iridis oculorum.intro. Isa.58.D
PYRACINVM. 7°.de comp med.per ge. 5ª.273.C
PYRAMIDIS *forma ex quibus composita.8°.de decre.* 1ª.274.G
PYRENOIDES *vertebra.de ossi.* 1ª.41.H
PYRETHRVM *quid.de simp.med.* Sp.88.H
Pyrethrum cur vocet Nauplion euboicū.9°.de com.me.f.l. 5ª.201.C
Pyrethri asparagus est humidior,q̄ folia.2°.de alim.fac. 2ª.24.A
Pyrethrum obsonium sponte prouenies.2°.de alim.fac. 2ª.25.D
Pyrethrum manditur vt cibus.de atten.vic. 2ª.44.A
Pyrethrum fame comeditur.2°.de alim.fac. 2ª.22.C
Pyrethrū a rusticis in muria,vel aceto seruatur.2°.de ali.fa. 2ª.22.C
Pyrethrum parum nutrit.2°.de alim.fac. 2ª.22.C
Pyrethrum proportione rīdet aeri calidiori.2°.de sim.me.f. 5ª.15.G
Pyrethrum calidum.3°.de temp. 1ª.21.G
Pyrethrum nobis admotum videtur calidum.3°.de temp. 1ª.21.H
Pyrethrum vim habet calefaciendi.1°.de simp.med. fac. 5ª.2.C
Pyrethrum acre.de atten.vic.2ª.43.H/6°.de cō.me.per g. 5ª.256.F/ *de vict.rat.in morb.acut.com.4°.* 7ª.135.C
à Pyrethro experimētū sumēdū à acredine.4°.de sim.me.fa. 5ª.26.B
Pyrethrum ad quid vtile.de cucur.& scar. 6ª.4.F
Pyrethrū bēt facultatē īcidēdi vbi cōmaturuerit.de att.vi. 2ª.44.A
Pyrethrum attenuat.de atten.vic. 2ª.43.H
Pyrethrum fortiter calfacit dum gustatur.4°.de sim.med.fa. 5ª.29.D
Pyrethrum gustu excalfacit vehementer,salivā copiosam prouocat, efficaciter relaxat,& calefacit acriter.de simp.med. Sp.88.H
Pyrethrum excalfacit.5°.de simp.med.fac. 5ª.32.A
Pyrethrum exiccat.2°.de simp.med.fac. 5ª.16.C
Pyrethrum dētes refrigeratos mitigat,stupidos & resolutos adiuuat. 8°.de simp.med.fac. 5ª.59.D
Pyrethrum mordicat carnem.4°.de simp.med.fa. 5ª.29.D
Pyrethrum discutit nec sumptuosum est discussoriū pro pauperibus. 6°.de comp.med.sec.lo. 5ª.169.D
Pyrethrū,& piper palpitationis remedia.de trem.& palp. 3ª.52.G
Pyrethrum ad rigores cum oleo. 8°.de simp.med.fac. 5ª.59.D
Pyrethri radix caustica.8°.de simp.med.fac. 5ª.59.D
Pyrethrum vrere potest.5°.de simp.med.fac. 5ª.38.F
Pyrethri radices pituitam purgant.de dynam. Sp.22.A
Pyrethri dosis & quibus miscetur.de dynam. Sp.22.A
Pyrethrum purgat caput & nares.de cathart. Sp.95.B
Pyrethrum medicamentum apophlegmaticū.de rem.par.fa. 7ª.154.F
Πυρετὸς *quomodo fiat.de curan.rat.per sang.miss.* 6ª.17.A
PYRIASTEN *lac quod vocent.3°.de alim.fac.* 2ª.28.G
PYRICAVTON *dictum medicamentum.2°. de compositione medicamentorum per genera.* 5ª.224.D
Πυρηνοειδὴς *productio quæ.12°.de vsu par.* 1ª.194.E
Πυρῖνων. *i.nucleorum.de remed.par fac.* 7ª.158.D
Πυριφλεγῆ *quid significet.de vict.rat.in mor.acu.com.4°.* 7ª.142.E
Pyrion meminit.de remed.par.fac. 7ª.163.E
PYRITES *lapis quid,& eius vires.de simp.med.* Sp.86.F
Pyrites lapis acres vires habet confert proprie ad oculorum claritatem.de simp.med. Sp.86.F
Pyritis lapidis vsus & aptatio.2°.de arte cur.ad Glauc. 7ª.104.C
ex Pyrite lapide in fornacibus fit cadmia.9°.de simp me.fa. 5ª.69.E
Pyrites in Emplastro digerente ponitur.9°.de simp.med. fa. 5ª.67.F
Pyrites lapis pus & cōsistentia grumosa in spatijs intermedijs musculorum nata per halitum digerit.9°.de simp.med.fac. 5ª.67.F
Pyrites lapis extinctus in aceto pro magnis scirrhis.13°.m.m. 7ª.88.B
Pyrites lapis.2°.de arte cur.ad Glauc. 7ª.104.B
pro Pyrite lapis molaris.13°.meth.med. 7ª.88.B
PYRITIS *dicta nardus quæ.8°.de simp.med.fac.* 5ª.56.H
PYRRHO *auctor philosophiæ scepticæ.de hist.philos.* Sp.2.F
Pyrrhonis laus.de subst.empi. Isa.34.E
Pyrrhon totus integer.de subst.empi. Is.34.D
PYRRHONII *qui.de ijs,quæ in med.fi.com.1°.* 7ª.199.H
Pyrrhonij hæsitatores erant.2°.de nat.fac. 1ª.301.B
Pyrrhonis dubium quod sensus non percipiant propria sensibilia. 2°. de temperamentis. 1ª.16.H
Pyrrhonea dubitatio.1°.de dieb.decr. 1ª.146.A
Pyrrhonei negant haberi scientificā ostēsionē.de cuius.aī pec. 2ª.56.D
Pyrrhoni rudes.de præcogn.ad Post. 4ª.216.C
Pyrrhonica rusticitas tanquam assylum ad quod confugiunt ignari.an sang.in arte. 1ª.62.C
Pyros.i.triticum.8°.de simp.med.fac. 5ª.59.D
Pyri fructus pyrum dicitur.2°.de alim.fac. 2ª.16.C
Pyrorum multiplex genus.2°.de alim.fac. 2ª.19.F
Pyrorum differentiæ ex saporibus.2°.de alim.fac. 2ª.20.D
Pyra sunt frigida.de diss.cont. Sp.74.D
Pyra humida sunt.2°.de alim.fac. 2ª.17.D
Pyra sylvestria acerba sunt.1°.de simp.med.fac. 5ª.9.A
Pyri agrestis fructus acerbus,& dulcis est.4°.de sim.me.fa. 5ª.26.F
Pyra sylvestria acerba dulcedine participāt.4°.de sim.m.f. 5ª.26.H
Pyria sylvestria quo magis coques eo dulciora efficies, & decoctum sit acerbum.3°.de alim.fac. 2ª.32.A
Pyra acerba,& sicca sunt nuper enata, vbi maturuerint dulcia, & progressu temporis humidiora redduntur.4°.de sim.me.f. 5ª.25.F
Pyrorum acerborum decoctum adstringēs moderatū pro gargarismis. 6°.de comp.med.sec.loc. 5ª.172.F
Pyra pontica parum nutriunt.de diss.cont. Sp.73.F
Pyra pontica tarde descendunt.de diss.cont. Sp.74.H
Pyrum adstrictionis particeps.3°.de simp.med.fac. 5ª.21.E
Pyri adstrictio suauis est.3°.de simp.med.fac. 5ª.20.D
Pyra adstringentia quibus aluum subducunt.2°.de alim.fac. 2ª.19.H
Pyra austera subducebant.2°.de alim.fac. 2ª.20.A
Pyra austera comedebat Protas rhetor.2°.de alim.fac. 2ª.20.A
Pyri austeri meminit.12°.meth.med. 7ª.79.A
Pyra magna nutriunt.2°.de alim.fac. 2ª.20.F
Pyra si comedātur matura generāt chymū frigidū.de diss.cō. Sp.74.B
Pyra gñant viscosos,crassos,& frigidos hūores.de pue.epil. 7ª.180.D
Pyra matura dicuntur pepona.2°.de alim.fac. 2ª.17.A
Pyra aquea,terrea,inæqualia.6°.de simp.med.fac. 5ª.43.D
Pyra aquea.i.qualitatis exptia carēt vi roborādi.2°.de ali.f. 2ª.20.E
Pyra tarentina.9°.de comp.med.sec.lo. 5ª.203.A
Pyra eandem habent facultatem cum pomis.2°.de ali.fac. 2ª.20.D
Pyrorum vsus pomorum vsui similis.2°.de alim.fac. 2ª.20.E
Pyris vtimur vt medicamentis.de bon.& vit.suc. 2ª.37.F
Pyra elixa minus obsunt.de atten.vic. 2ª.44.A
Pyra quo modo seruentur exiccata,postea elixantur.2°. de aliment. facul. 2ª.20.E

Pyra ſitim prohibent, deſiccant, & modice refrigerant. 6°. de ſimplic. med. fac. 5ª.43.D
Pyra adſtringunt. 6°. de comp. me. ſe. lo. 5ª.176.F
Pyra quædam adſtringunt euidenter. 1°. de ſimp. me. fac. 5ª.7.H
Pyra ſylueſtria adſtringunt, & exiccant. 6°. de ſimp. me. fa. 5ª.43.D/ *de victꝰ rat. in morb. acut. com. 1°.* 7ª.111.D
Pyra ſtringunt vētrē cū ſlypticitate, & pōticitate. de diſ. cō. Sp. 75.B
Pyrum adſtringens ſanat ſymptomata ſcāmonij. 2°. de ali. fa. 2ª.20.C
Pyra ſtomacho grata. 6°. de ſim. med. fac. 5ª.43.D
Pyris vtimur ad ſtomachi uentriſq; firmitatem ac robur. de bonitate, & vitio ſuccorum. 2ª.37.F
Pyra roborant ſtomachum. 2°. de ſan. tuen. 2ª.99.E/2°. *de comp. med. ſec. loc.* 5ª.133.D
Pyrum ad ventriculum ſubuerſum. de remed. par. fac. 7ª.153.H
Pyrorum cremoris ſorbitio ad ſtomachi ardorem cum ſyncope. 8°. de compo. med. ſec. loc. 5ª.191.H
Pyra pro ſyncopi mediocri. 1°. de arte cur. ad Glauc. 7ª.99.E
Pyris vulnus glutinauit Galenus. 6°. de ſimp. med. fa. 5ª.43.D
Pyra ſylueſtria maiora vulnera glutinant, fluxuſq; repellunt. 6°. de ſimp. med. fac. 5ª.43.D
ex Pyrorū ſylueſtriū ſucco medicamentū. 6°. de cō. me. ſe. l. 5ª.169.A
Pyra non danda epilepticis niſi raro. de puero epile. 7ª.180.C
Pyrus planta agreſtis. 2°. de alim. fac. 2ª.21.H
Pyro ſylueſtri ſimilis oxyacanthos. 8°. de ſimp. med. fac. 5ª.191.H
Pyri folia auſtera. 6°. de ſimp. med. fac. 5ª.43.D
Pyri ſemina tria aut quatuor grana. 2°. de alim. fac. 2ª.16.C
PYSSELAEVM. 7°. de com. me. per ge. 5ª.272.D
PYTHAGORAS Italicæ philoſophiæ princeps. de hi. ph. Sp. 2.G
Pythagoras inſtituit dogma ſtoicum. 4°. de dec. Hipp. 1ª.253.H
Pythagoræ dogma ſcitur ex diſcipulorū ſcriptis. 5°. de dec. 1ª.258.D
Pythagoras nihil reliquit ſcriptum. de nat. humana. com. 6°. 30. H/6°. de decret. Hipp. 1ª.258.D
Pythagoras primus inuenit Zodiaci obliquitatem. de hiſt. phi. Sp. 6.C
Pythagoras haruſpicinam tantum improbat. de hiſto. philoſ. Sp. 10.C
PYTHIONIS *caſus. in 3ᵐ. de morb. vulg. com. 3°.* 3ª.148.G
PYTHICVM *inſcriptum librum fecit Damocrates. 5°. de comp. med. ſec. loc.* 5ª.165.B
Pythij ad dentes motos. 5°. de com. me. ſec. loc. 5ª.165.C
in PYTHO *putei ſunt abundantes aqua æſtate, & non hyeme. de bonitate aquæ.* Sp.75.H
PYTIA. *i. coagulum. 10°. de ſimpl. med. fac.* 5ª.74.D
τὸ Πυτιλίζειν *eſt exercitatio. 2°. de ſan. tuen.* 2ª.73.G
PIVLCON quaſi ſignificet. 5°. meth. med. 7ª.32.G
Pyulca. i. medicamenta trahentia pus. 2°. de com. me. per g. 5ª.221.G
Pyulcum inſtrumentum. 2°. de arte cur. ad Glauc. 7ª.105.H
PYXACANTHON. 7°. de ſim. me. fa. 5ª.54.G
PYXIDIS *arcæ meminit. 2°. de comp. med. ſec. loc. 139. B/4°. 152. H/ 153. A/* 5ª.158.C
Pyxis æris cyprij. 5°. de comp. me. ſe. loc. 5ª.161.F
Pyxis æris rubri. de med. fac. par. 7ª.162.G
Pyxidis argenteæ fit mentio. 7°. de comp. med. ſe. loc. 179. E/ 5ª.186.A
Pyxis cornea. 2°. de compoſitio. med. ſec. loc. 139. A/4°. 5ª.153.C
Pyxis ilicea. 4°. de com. med. ſec. loc. 5ª 152.H
Pyxis lignea ad quæ medicamenta ſeruāda. 6°. de cō. me. ſ. l. 5ª.172.C
Pyxis lignea. 4°. de com. med. per ge. 5ª.243.G
Pyxis lignea irino illita. 5°. de com. med. per ge. 5ª.250.E
Pyxis plumbea, ilicea, vel cyprina. 1°. de com. me. ſe. lo. 5ª.126.E
Pyxidis plumbeæ meminit. 3°. de comp. med. ſecundum lo. 148.C/2°. *de comp. medicamen. per ge.* 5ª.224.F
Pyxis rubra. 6°. de compoſi. me. per ge. 5ª.257.B
Pyxidis vitreæ fit mētio. 7°. de cōp. me. ſe. lo. 179. E/186. A/ 5ª.274.F
PYZARCATVM. de med. fac. par. 7ª.176.G

VADRAGENARIJ *caſus, qui in inteſtinis noxam contraxerat ex ſcammonea. 11°. meth. med.* 7ª.78.G
QVADRAGESIMVS *& octogeſimus dies ſūt decretorij. in 3ᵐ. de morb. vulgar. commentario 3°.* 3ª.123.A
a Quadrageſimo die infra ponit ordinem dierum iudicatoriorum. cō. 4°. a. 36°. Ex. 32. A
Quadrageſimus dies eſt initium morborum longorum, qui non indicantur per ſudorem com. 4°. aph. 36°. Ex. 32. B
poſt Quadrageſimos Hippocrates videtur deſpicere dies. 1°. de diebus decretorijs. 4ª.149.D
Quadrageſimus dies qualis ſit. 1°. de die. decr. 4ª.149.C
Quadrageſimo die qui morbi nō citius finiant. 1°. de dieb. de. 4ª.151.D
poſt Quadrageſimum diem quo modo morbi ſoluantur. 1°. de diebus decretorijs. 149.D/4ª.151.D
QVADRANS *vncias tres continet. 3°. de com. med. per ge.* 5ª.233.G
Quadrantis fit mentio. 3°. de compoſitione med. ſec. lo. 147.E/4°.153. D/7°.185.E/9°. 5ª.199.D
QVADRATVM *quibus conſtat. 8°. de decre. Hipp.* 1ª.274.G
QVADRATI *hōt pulſus moderatos. 1°. de præſag. ex pulſ.* 4ª.106.B
Quadratus factus gracilis, aſſimilis eſt gracilibus natura. 3°. de dign. pulſuum. 4ª.93.D
QVADRATI *acopon. 7°. de comp. me. per ge.* 5ª.272.A
QVADRATVS *lapis quid. de ſimp. med.* Sp.86.G
Quadratus lapis vires hēt viſcidas, & adſtringētes. de ſim. m. Sp. 8.G
QVADRATA *cochlea quæ. de machin.* 7ª.310.C
Quadrata cochlea qūo teſtudinem habeat. de machin. 7ª.310.C
QVADRIGA *dicitur ab aliquibus duplex ſpica. de faſ.* 7ª.301.D
QVADRVPEDIA *& volatilia dum ambulant habent eandē figuram, quam habent homines ſedentes. 3°. de vſu par.* 1ª.128.D
Quadrupedia, & volatilia nunq; ſtant recta. 1°. de vſu par. 1ª.128.D
Quadrupedum carnibus velocius digeruntur carnes auium de diſſolutione continua. Sp.73.C
Quadrupedum carnes vitent epileptici. de puero epilep. 7ª.180.G
Quadrupedum pedes & genua ſunt cibi ſuperfluitates non habentes. de diſſ. continua. Sp.73.E
ad Quadrupedum morſus. 6°. de comp. med. per ge. 259. G/ 5ª.260.C
ad Quadrupedum ictus & morſus. 5°. de comp. med. per g. 5ª.248.H
QVADRVPLEX *circulus dicitur laqueus Plinthy. d laqueis.* 7ª.308.C
QVAERENDVM *potius quomodo quæ fiunt, fiant, quam negare quod fiant. 3°. de loc. aff.* 4ª.31.B
QVAESITVM *inuenire docet logica. 1°. meth. med.* 7ª.4.F
Quæſita quomodo paulatim inueniuntur. 1°. de dign. pulſ. 4ª.70.G
Quæſitum quodlibet diſcutere ſciunt rationalem contemplationem diligenter tractantes. ad Thraſy. 2ª.102.A
QVAESTIONES *quæ logicæ & dialecticæ ſint, & quæ non. 3°. de locis affectis.* 4ª.14.E
Quæſtiones dialecticæ. 3°. de loc. aff. 4ª.14.E
Quæſtio q̄dā logica quæ ſit. de vict. rat. in morb. acut. cō. 1°. 7ª.109.D
Quæſtiōes logicas & obſcuras ſcribebat Archigēes. 1°. d lo. af. 4ª.3.C
Quæſtio de quo propoſita eſt cognoſcere id oportet. eſtq; vnū hoc principium optimum de re qualibet. 1°. meth. med. 7ª.4.E
ad Quæſtiones publicas reſpondere quotidie mos antiquus Romæ. de venæ ſect. aduer. Eraſ. 6ª.10.A
in Quæſtionib. improuiſis piculū fecit Galenꝰ ſepe. 4°. de pulſ. 4ª.69.G
Quæſtionis inuētio duplex. in 1ᵐ. de morb. vulg. com. 3°. 3ª.120.H
in Quæſtionem venientia, habent duo organa rationem, & experientiam. de curan. rat. per ſang. miſſ. 6ª.16.B
Quæſtionem quamlibet perperam pertractantes quibus vtātur rationibus. 2°. de decre. Hipp. 1ª.234.D
Quæſtionem ſatis ſolutam putabat Chryſippus, ſi cauſam ſe ignorare fateretur. 4°. de decr. Hipp. 1ª.253.D
Quæſtiones de anima quæ ſciendæ. de motu man. & obſ. Sp.67.G
Queſtione dignū eſt quod ab Hippocrate hoc loco ꝓponit, quāuis logicā ſpeculationē ſapere videat. de vi. ra. in mor. ac. cō. 1°. 7ª.109.D
Quæſtiones vanæ quæ. de vict. rat. in mor. acut. com. 1°. 7ª.110.G
QVALI *rei attribuitur quanti nomē à Medicis. 1°. de dif. feb.* 3ª.30.H
Quale, & qualia ſignificant qualitatem, & non quantitatem. com. 1°. aphoriſmo 2°. Ex.3.C
ad Qualia ſint, vel ad aliquid, magnum, & paruum diſputatur. 2°. de diff. pulſ. 4ª.52.E
ſi Qualia purgari oportet purgentur confert, & leuiter ferunt, contra grauiter. com. 4°. aph. 3°. Ex.27.H
Qualitatem & quantitatem ſimul confundunt antiqui medici. cō. 6°. aphoriſmo 5°. Ex.46.H
Qualitatis prædicamentum quibus ſi cōe. 2°. de diff. pulſ. 4ª.57.H
in Qualitate quantitates dicuntur. 3°. de com. med. per ge. 5ª.228.H
in Qualitatibus magnū, & paruū dīr. 3°. de cō. me. per ge. 5ª.228.H
Qualitates quo mō poſſint dici magnæ, uel paruæ. c. 1°. aph. 14°. Ex. 7. D

Qualitas eſt triangulare.2°.de pulſ. 4ª.58.H
Qualitas non ſumitur ſine ſubſtantia.1°.de elem. 1ª.7.B
Qualitate prius eſſentia rei requiritur.3°.de dignoſ.pulſ. 4ª.81.H
Qualitatē pro elemēto qñq; intelligit Hippocrates.1°.de elem. 1ª.7.C
Qualitates,& differentiæ elementorum.de ſpermate. Sp.40.H
Qualitates primæ elementorum quatuor ſunt.3°. de ſimplic. medic. facul. 5ª.17.D
Qualitates quæ.fin.med. Iſa.48.C
Qualitates primæ ſunt caliditas,frigiditas,humiditas, & ſiccitas.3°. de ſimp.med.fac. 5ª.17.C
Qualitates ſolas quandoque ſignificant calidum,frigidum,humidum, ſiccumq;, quandoque vero & ſubiecta quæ ſuſcipiunt qualitates. 1°.de temperamentis. 1ª.13.G
Qualitates elementorum vnde.de ſpermate. Sp.38.H
Qualitates ex atomis fiunt ſm Democritum.1°.de elem. 1ª.2.E
Qualitates an ſint corpora quod qualitates incorporeæ ſint. Iſa.8.H
ex Qualitatibus aliquibus aer bonus.1°.de ſan.tuen. 2ª.67.B
Qualitates ſunt contrariæ.1°.de elem. 1ª.7.B
in Qualitate,& in loco motus.2°.meth.med. 7ª.10.A
Qualitates quatuor elementorum vocat agentes Galenus.10°.de ſim. med.fac. 5ª.71.H
Qualitates effectrices ſunt caliditas,& frigiditas.2°.de ſe.1ª.339.A
Qualitates effectrices nominantur caliditas,frigiditas,humiditas,& ſiccitas.de curan.rat.per ſang.miſſ. 6ª.16.C
Qualitates actiuæ ſunt humiditas,& ſiccitas.3°.meth.med. 7ª.18.F
Qualitates qūo poſſint dici actiuæ,& paſſiuæ.1°.de nat.fa. 1ª.291.C
in Qualitatē contrariā nihil totū ſimul migrat.1°.de nat.fac.1ª.304.B
Qualitatum amicitia & pugnantia eſt in omni re.3°. de ſimp. medic. facul. 5ª.17.H
Qualitates quatuor quæ poſſunt in ſe inuicem agere,& pati.1°.de tē-peramentis. 1ª.10.H
Qualitates omnes in ſe agunt.3°.de ſim.me.fac. 5ª.22.A
Qualitates præter caliditatem,frigiditatem,humiditatem,& ſiccita-tem,non alterant tota.de conſt.ar. Iſa.38.E
Qualitates vt citius penetrēt facit raritas.3°.de ſimp.med.fa.5ª.21.B
Qualitatibus quatuor mutaī ſuba gñabilis.d mot.mā.et obſ.Sp.67.G
in Qualitatibus mutatur ſubſtantia generabilis.ſecretorum. Sp.96.F.
Qualitates ſolæ totā ſubſtantiā tranſmutantes quæ.1°.de elem.1ª.7.A
Qualitates quatuor eſſe a quibus omnia gignuntur, & pereunt, quæ generationi,corruptioniq; obnoxia ſunt,primus omnium Hippocra tes demonſtrare tentauit.1°.de nat.fac. 1ª.291.A
Qualitates quæ per ſe agunt quo modo cognoſcantur.1°.de ſimp.med. facul. 5ª.2.F
Qualitatibus duabus vel tantum vna, quædam agunt, & patiuntur i ſeſe mutuo,quædam vero a tota ſubſtantia.1°.de ſim.m.f. 5ª.2.G/ 11°.meth.med. 7ª.82.C
Qualitates contrariæ vel omnino multum differētes a nulla re recipiū tur,niſi per media prius iter fecerint.4°.de vſu part. 1ª.138.E
per Qualitatis vim res quædam ſolo tactu quæ eis vicina ſunt altera-re poſſunt.6°.de lo.aff. 4ª.40.A
Qualitates primas quatuor miſceri totas per totas primus inuenis Hippocrates.1°.de nat.fac. 1ª.291.A
Qualitates quatuor in omni parte dant certam quādam temperaturā. 1°.de vſu par. 1ª.115.D
Qualitates ſequentes complexionem quę.ſecr. Sp.96.F
Qualitates,ſeu naturæ corporum nouem ſunt, octo intemperatæ, vna temperata.de ſper. Sp.41.A
Qualitates quomodo ſint in miſtis.1°.meth.med. 7ª.3.F
Qualitatum quatuor miſtio eſt ſm naturæ ſubam.1°.d vſu p.1ª.115.D
Qualitatem intendere,& ſubſtantiam augere non idē ſunt.5°. de ſim. med.fac. 5ª.33.B
ex Qualitatibus miſtionem conſequuntur neceſſario odores.1°.de vſu partium. 1ª.115.D
ex Qualitatibus conſequunt miſtionū ſapores.1°.de vſu p.1ª.115.D
Qualitates quæ guſtu ſentiuntur.1°.de comp.me.per ge. 5ª.212.F
Qualitas guſtabilis quibus partibus præſtetur.de cōpa.mēb. Sp.58.D
Qualitatem guſtabilem ſentit lingua præ oīb°.de cōpa.mēb. Sp.58.D
Qualitas guſtabilis cur ſit frigida,& humida.de cōpa.mēb. Sp.58.D
Qualitatum guſtabilium medium eſt aqua.4°.de ſim.med.fa.5ª.25.D
Qualitate inſigni carēs eſt frigidum aqueum.5°.de ſim.me.f.5ª.38.H
Qualitatis expertia ἀπρόσα dicuntur.2°.de alim.fac. 2ª.16.F
Qualitate nulla in ſigna q̄ ſunt p̄dita varie cōdiunt.2°.de al.fa.2ª.25.B
Qualitates non dulces multæ.4°.de ſim.med.fac. 5ª.28.G
Qualitas amara ſiccat corpora.com.4°.apho.13°. Ex.28.G
Qualitates omnes exoluit aqua admiſta.4°.de ſimp.med.fac. 5ª.31.C
ex Qualitatibus miſtionem conſequūtur colores.1°.de vſu p.1ª.115.D
Qualitas viſibilis vnde adueniat oculis.de compag.memb. Sp.58.C
Qualitas viſibilis cur ſit calida,& ſicca.de comp.memb. Sp.58.C
ex Qualitatibus miſtionem conſequuntur durities,mollities.1°.de vſu partium. 1ª.115.D
Qualitas audibilis eſt calida,& humida.de compag.memb. Sp.58.B
Qualitatum tangibilium,guſtabilium,viſibilium,& audibilium habē mus nomina.2°.de locis affectis. 4ª.12.E
Qualitates quæ ſolæ tactiles.1°.de elem. 1ª.8.A
Qualitates tactiles impropriæ quę.1°.de elem. 1ª.8.A
Qualitas tactibilis toti corpori præſtatur.de compag.memb.Sp.58.E
Qualitatū oīum fermè media eſt natura tactilis.de cōp.mēb.Sp.58.E
Qualitates quę habent molliſſimas,& iucundiſſimas non adſtringunt. 1°.de ſimp.med.fac. 5ª.7.H
Qualitates ſecundas habent medicamenta à primis agentibus.10°.de ſimplicium med.fac. 5ª.71.H
Qualitates medicamentorū quatuor diſtictæ.1°.d cō.me.pg.5ª.210.C
Qualitatū medicamentorū ordines quatuor.7°.de ſim.med.fa.5ª.49.C
Qualitatum gradus vnde ſumendi.1°.de com.me.per ge. 5ª.210.E
Qualitatum gradus verbis exprimi nō poſſunt.1°.de antid.5ª.100.F
Qualitates multæ circa vnam eſſentiam vbi fuerint,ibi & proprieta-tē fieri contingit,vt in guſtatu patet,ineffabilis illa quidem,ſi unico nomine velis eam explicare,ſed tamen quæ per ſingulas qualita-tes diſcurrendo duci poſſit.2°.de loc.aff. 4ª.12.E
Qualitatum quantitas eſt ineffabilis,niſi per latitudinem explicetur. 2°.de locis aff. 4ª.12.E
Qualitas ſimplicium quibus probetur.de dynam. Sp.18.H
Qualitates,& facultates medicamentorum non ſunt quærendæ ex cō ſiſtentia,colore,odore,ſapore,grauitate,& leuitate.3°.de ſimplic. med.fac. 5ª.17.C
Qualitates in pharmacis qūo naſcendæ.1°.de com.me.ſe.l.5ª.122.C
Qualitates medicamentorum probandi experientia.1°.de ſimplicium med.fac.6.F/3°. 5ª.18.E
Qualitates æquales quo modo faciant miſta medicamenta.1°.de cōp. med.per ge. 5ª.210.E
Qualitates expertia medicamenta quæ.4°.de com.me.ſe.lo.5ª.150.B
Qualitates quæ inſunt cibis,non ac ſi ſint alimenta,ſed tanq; ſint medi camenta quales.1°.de alim.fac. 2ª.14.D
Qualitates ſunt lentitia,& craſſities.11°.meth.med. 7ª.71.D
Qualitas fortis quę ſit poteſt colligi.com.4°.aph.13°. Ex.28.G
Qualitates primas inuenire tractationis eſt tertij libri de ſimplicium medicamentorum fac.3°.de ſimp.med.fac. 5ª.17.C
Qualitates ſunt noſcendę ad minima,non in genere.1°.de ſimp. medic. facul. 5ª.6.G
in Qualitatibus rerum ordo noſcendus.3°.de ſimpl.med.fa. 5ª.19.G
Qualitates rerum inueniendi vna eſt ſola regula,& quæ.3°. de ſimpl. med.fac. 5ª.17.H
pro Qualitatibus dignoſcendis in omni generatione quærenda media. 1°.de temperamentis. 1ª.12.H
Qualitates ad mediam tēperiē referendæ.3°.de ſimp.med.fa. 5ª.19.F
in Qualitate materia ſuperflua.de cauſ.morb. 3ª.8.D
in Qualitate redundantia quæ.11°.meth.med. 7ª.71.C
Qualitates ex applicatione ad noſtrum corpus iudicantur.1°. de ſim. med.fac. 5ª.2.F
Qualitates non ſolum ſimplices nos attingentes,ſed & per totam ſub ſtantiam iuuamenta,& noxæ corporibus noſtris,adueniunt.in 6m. de morbis vulg.com.6°. 3ª.196.H
ob Qualitatū intēperiē inſtrorum fit imbecillitas.de diff.mor. 3ª.3.H
ex Qualitatum quatuor intemperie fit morbus primus in ſimilaribus partibus.2°.meth.med. 7ª.12.E
a Qualitatibus omnia membra patiuntur,etiam ſi illas nō ſentiāt.3°. de ſimp.med.fac. 5ª.21.B
Qualitatis acqſite primo occurſu corpus ſenſu afficit.3°.d tēp.1ª.24.G
ob Qualitatis alicuius penuriā ſuffocātur aīalia.de vti.reſp.1ª.224.D
Qualitatis alteratio qūo fiat in corpore cōtinuo.7°.de decre.1ª.270.G
ob Qualitatem malam fit dolor.6°.de decr.Hipp.1ª.271.H/de fract. com.3°. 7ª.246.E
Qualitas praua eſt ſolutio continui, ideo dici poterit omnem dolorem eſſe ſolutionem continui.de frac.com.3°. 7ª.246.E

Qualitates extraneæ virtutes dissoluere possunt. 2°. de arte curatiua ad Glauc. 7ª.103.C
Qualitas humorũ si peccet, videtur secũ afferre quantitatẽ, quia inqt Galenus, ꝙ enim dicitur qualia superabundantiã significat supfluitatũ sua qualitate infestantiũ ægrotantẽ. com.4°.apho.2°.Ex.27.E
ad Qualitates humorum cognoscendas conducunt insomnia. de digno. ex insomn. 4ª.213.D
Qualitates quomodo se habere ad curationem debeant. 3°. de simpliciũ med.fac. 5ª.19.B
per Qualitates curatio qũo facienda. 1°. de comp.me.per ge. 5ª.210.C
a Qualitatis vnicæ indicatione non sequitur curatio perfecta. de ren. af.dign.& med. 7ª.194.G
Qualitate simplici curatur intemperies simplex. 2°. de arte curatiua ad Glauc. 7ª.103.D
Qualitas cibi offerendi febricitantibus. com.1°.aph.16°. Ex.8.H
Qualitas mala, egestas, & copia humores occupant. de mul. 3ª.79.C
Qualitas euacuationis quæ, & quomodo. com. 1°. aph. 2°. Ex.3.C
Qualitas non ꝓdest vbi quãtitate labefactet. de par. pil. exer. 2ª.49.F
Qualitatem genitoris infans trahit. de sperm. Sp.37.A
Qualitatem trahit quandoq; infans ex lacte matris. de sper. Sp.37.A
Qualitas potius bonitatem, ac perfectionem intellectus parit, quã multitudo spiritus animalis. 4°. de vsu par. 1ª.170.D
Qualitas partium solidarũ ex quibus sit. 11°. meth. med. 7ª.68.B
Qualitas vuluæ, & organorum respirationis. de comp.mem. Sp.58.F
Qualitas cordis. de compag. memb. Sp.58.G
de Qualitate stomachi. de compag. memb. Sp.58.H
ex Qualitatibus contrarijs iusto modo natura temperauit collũ matricis ad contrarias vtilitates, & quomodo. 14°. de vsu par. 1ª.204.G
Qualitates, gña, spës, & differẽtię pulsuũ sunt. 1°. de puls. diff. 4ª.47.B
Qualitates duodecim signorum. de sperm. Sp.38.H
de Qualitate, & efficacia errantium planetarum septem climatum. de spermate. Sp.40.B
QVAMMINIMÈ quid significet. in prog. com. 1°. 4ª.197.D
in QVANDO genere est tardius, & maturius. 2°. de puls. diff. 4ª.55.F
QVANTITATEM, & qualitatem simul confundunt antiqui medici. com.6°.aph.5°. Ex.46.H
Quantitates in qualitate quomodo dicantur, quamuis nõ ita proprie. 3°. de comp.me.per ge. 5ª.228.H
Quantitatem significant magnum, & paruum, & sunt ad aliquid. 2°. de puls. diff. 4ª.55.G
Quantitas indefinita est magnum. 2°. de digno. puls. 4ª.76.E
Quantitatis alia continua, alia discreta. de diff. morb. 3ª.5.A
Quãtitas oĩs in multitudinẽ innumerabilẽ secari põt. ad Thr. 2ª.106.E
Quantitatem cur solus visus sentiat. de ocul. 7ª.185.A
in Quantitate cõtrarietas est, quæ oppositio ſm Aristotelẽ dicitur, nõ contrarietas, & quæ nam hæc sit. 11°. meth. med. 7ª.71.B
in Quantitate contrarietas est, & qualis. 11°. meth. med. 7ª.71.B
Quantitas partium solidarũ semper eadẽ manet. 11°. me. me. 7ª.68.B
Quantitas infantis vnde fiat. de spermate. Sp.36.D
Quantitate redundantie quæ. 11°. meth. med. 7ª.71.C
in Quantitate materia superflua. de cau. morb. 3ª.8.D
ex Quantitate alterum, alterum vero ex sui qualitate ex extraneum in omnibus entibus. 2°. de diff. feb 3ª.40.F
ad Quantitatis præparamentum pertinet passio ad numerum, & ad magnitudinem. de diff. morb. 3ª.5.A
Quantitatis partium errores. ars med. Isa.69.A
in Quantitate morbus in totis organis spectatur. 2°. meth. me. 7ª.13.D
Quantitas ciborũ nocet, & nõ qualitas, collige. c.2°. a.17°. Ex.13.B
Quantitas præsidiorum artificiosa coniectura eget. de vict. ra. in mor. acu. com. 1°. 7ª.122.A
Quantitate ptissanæ cremor ægro prohibetur quandoq;, quia supra mediocritatem. 2°. de dignos. pul. 4ª.76.G
Quantitas euacuationis, quæ, & quomodo. com. 1°. aph. 3°. Ex.3.G
Quantitas euacuationis respicit virtutẽ, & hũorẽ. c. 1°. ap. 3°. Ex.3.G
Quantitas sanguinis scarificatione educendi in mulieribus quę nõ purgantur. de cucur. scar. 6ª.4.A
Quantitas excretionis ab hirudinum excretione conspicitur. de cucurbitulis scarificatione. 6ª.4.E
Quantitas hieræ amaræ sumenda a melancholico. de melancholia ex Galeno, Rufo, & Poss. Sp.109.H
Quantitas hieræ, Rufi, Archigenis, Iusti. de melãcholia ex Galeno, Rufo, & Posidonio. 109.H/ Sp.110.A
Quantitas seri sumẽdi in melãcholicis. de mel. ex Ga. R. & P.S. 110.A
Quantitas solis. de hist. phil. Sp.6.F
Quantitas orbis lunæ. de hist. phil. Sp.7.A
QVANTI nomen rei quali attribuit, nõ tñ ꝓprie. 1°. de diff. fe. 3ª.30.A
Quanta esse debeat longitudo priapi. de anat. viuo. Sp.52.E
Quanta sit materia purganda considerandum est. de cathar. Sp.94.H
QVARTANA febris quæ. fin. med. 46.A/ introd. Isa.55.D
Quartanus, & quotidianus typus qui. de typ. 3ª.90.F
Quartanus typus qui. de typ. 90.F/ 3ª.91.C
Quartanæ tres circuitus quandoq; habent. 2°. de cris. 4ª.136.A
Quartana morbus est intermittens. fin. med. 45.F/ intro. Is. 55.D. 2°. de diff. feb. 3ª.36.E
Quartanæ veniunt ad integritatem. in 1ᵐ. de mor. vul. c. 3°. 3ª.118.D
Quartana exquisita intermittens quæ. 2°. de diff. feb. 3ª.37.C
Quartana exquisita. 2°. de cri.. 4ª.135.B
Quartana febris exquisita, quæ, & q̃ spuria. 1°. de ar. c. ad G. 7ª.96.H
Quartana exquisita longa est. 1°. de arte cur. ad Glauc. 7ª.96.H
Quartanæ continuæ raro fiunt. de diff. feb. 36.G/ de morb. temp. 87.A/ in 3ᵐ. de morb. vulg. com. 3°. 3ª.118.E
Quartana intermittens raro aduenit quin patiatur os ventriculi. 1°. de arte cur. ad Glau. 7ª.95.H
Quartana non inuadit a principio, sed alias sequitur. 1°. de arte curatiua ad Glau. 7ª.95.G
Quartana sequitur erraticas febres. 1°. de arte cur. ad Gla. 7ª.95.H
Quartanæ multis ab initio incipiunt. in 1ᵐ. de mor. vul. c. 2°. 3ª.110.A
ad Quartanam propius accedit quotidiana, & quo modo differat. 2°. de crisib. 4ª.134.D
Quartanæ causa. introd. Isa. 55.D/ de nat. hum. com. 2°. 7ª.180.H
Quartanæ quibus neglectis fiant. de dynam. Sp.19.H
Quartana febris melancholicus affectus est. 3°. de alim. fac. 2ª.25.G
Quartanæ febres ab humore melãcholico fiũt. de bo. et vi. su. 2ª.39.D
Quartana ex bile nigra fit. 2°. de diff. feb. 3ª.36.E/ com. 3°. aphor. 11°. com. 4°. aph. 2°. 21.D/ Ex.27.F
Quartana fit ab atra bile. de nat. hum. com. 2°. 7ª.181.A
in Quartana febre atra bilis redundat. 2°. de cris. 4ª.134.G
Quartana grauissime ex liene aliqui laborarunt, & collecta aqua intercutem tandem obierunt. in 1ᵐ. de morb. vulg. com. 3°. 3ª.118.H
Quartanæ quibus ætatibus contingant. in prog. com. 3°. 4ª.210.C
Quartana ex splene male affecto gñatur. 1°. de arte cu. ad Gl. 7ª.95.H
Quartana quo tẽpore, & qua ætate capimur. de na. hu. c. 2°. 7ª.181.A
Quartana febris contingit senioribus. in prog. com. 3°. 4ª.210.D
Quartanæ passiões cõtingũt cõceptis i hora melãcholiæ. ꝺ spe. S. 37.D
Quartana contingit conceptis in hora phlegmatis. de sperm. Sp.37.C
Quartanæ cur in autumno contingant. in prog. com. 3°. 4ª.210.B
Quartana ex terræ abundantia excitatur. de na. hu. com. 2°. 7ª.181.B
Quartana qũo deprehenditur esse ex bile adusta. de sperm. Sp.39.H
Quartana quando a salsa pituita. de sper. Sp.39.H
Quartana quomodo transit in tertianam. de spermate. Sp.39.H
Quartana propria, & firma, quæ non mutabitur. de sper. Sp.40.A
in Quartanam quando vertatur tertiana. de sperma. Sp.40.A
in Quartanam qũo descendit continua. in progn. com. 3°. 4ª.210.A
in quartanam quando transeat synocha. de sperm. Sp.40.A
in Quartanam desinunt abscessus. in 1ᵐ. de mor. vul. cõ. 2°. 3ª.110.A
Quartana si in horis sanguinis acuitur, qualis. de sperm. Sp.38.H
Quartanæ febris inditia quæ. 1°. de arte cur. ad Glau. 7ª.96.A/E
Quartanam febrem inuadentem qũo cognoueris. 2°. de crisi. 4ª.135.C
Quartanam primo die nouit Galenus. 1°. de cris. 4ª.133.E
Quartanam, & tertianam in prima accessione nouit Galenus. 1°. de diebus decretoriis. 4ª.150.H
Quartanæ calor qualis. 2°. de diff. feb. 3ª.37.C
in Quartanis, & tertianis cur fiat rigor de trem. & palp. 3ª.55.F
Quartanarũ rigor diuersus ẽ a rigore tertianarũ. 2°. de dif. fe. 3ª.36.E
Quartanæ, & tertianæ faciunt cum rigore accessionem, & quomodo differant. 1°. de arte cur. ad Glau. 7ª.95.G
Quartanæ rigor qualis. 2°. de diff. feb. 36.E/ 3ª.37.C/ 1°. de arte cur. ad Glauc. 7ª.95.H
Quartanarũ rigor mistus ẽ ex frigore, & calore. 2°. de sym. c. 3ª.23.C
Quartanæ rigor vehemens qualis. de trem. & palp. 5ª.56.A
Quartanæ rigor cui similis. de trem. & palp. 3ª.56.A
Quartana primo die nõ adest cum rigore vehemẽti, sed in processu. 2°. de crisib. 4ª.134.G
Quartanarum frigus quale. 2°. de cris. 4ª.134.G

post Quartanã pulsus qualis.1°.de ar.c.ad Gl.7ª.96.B/de dy. S.34.F
Quartanæ pulsus est inæqualis.de præcog.ad Posth. 4ª.214.F
Quartanæ, & quotidianæ, & tertianę pulsus differẽtię.ḋ typ.3ª.91.A
Quartanæ, quotidianæ, & tertianæ pulsuũ cõparatio.de dyn. Sp.34.F
Quartanarũ pulsus i principio, & in pcessu quales.2°.ḋ cr. 4ª.134.G
Quartanarũ vrinæ quales.2°.de crisi. 4ª. 135.D/1°. de arte curatiua ad Glauc.7ª.96.D/de dyn.34.F/quæsita in Hippo. Sp.113.C
Quartanam nunciat vrina nigra.de dynam. Sp.34.G
Quartanis vrina crassa alba fit.in 6ᵐ.de morb.vul.com.4°. 3ª.179.F
in Quartanis febribus quæ vrinæ obstructionem hepatis indicent. 1°. de vrinis. 4ª.123.B
Quartanarum declinantium vrina qualis.1°.de vrinis. 4ª.123.F
Quartana, & quotidiana laborantes, non vomunt bilem, nec sudant, nec habent vrinas biliosas, nec excrementa.2°.de diff.feb.3ª.36.D
Quartanæ febris accessio, temporis spacia similis est tertianæ nonnunquam & longior, & quare.2°.de diff.feb. 3ª.37.C
Quartana est diuturna.in 1ᵐ.de morb.vul.com.3°. 3ª.117.C
Quartana morbus omnium longissimus.com.2°.aph.25°. Ex.16.A
Quartani circuitus horarũ sunt septuaginta duorũ.de mor.tẽ.3ª.85.G
Quartanæ cur longæ.in 1ᵐ.de morb.vul.com.2°. 3ª.110.A
Quartanæ cur longiores aliquæ.2°.de diff.feb. 3ª.37.C
Quartana in quibus ætatibus, & quo anni tempore sit breuior. de natum.com.2°. 7ª.181.A
Quartana febris longior, sed non periculosa quantum in seipsa est. 1°. de arte cur.ad Glauc. 7ª.96.E
Quartanæ præiudicari possunt vt tertianæ.in prog.com.3°. 4ª.207.F
Quartana securissima.in 6ᵐ.de morb.vul.com.6°. 3ª.196.E
Quartana, & tertiana sunt sine periculo.in 1ᵐ.de mor.vul.cõ.3°.117.C/118.H/in 3ᵐ.com.3°. 3ª.147.B
in Quartana sæpe munia propria obimꝰ.in 1ᵐ.ḋ mor.v.c.3°.3ª.118.H
Quartana liberat ab alijs morbis.in 1ᵐ.de mor.vul.cõ.3°.3ª.118.H
Quartana superueniens liberat magnos morbos.in 6ᵐ.de morb. vulg. com.6°. 3ª.196.D
Quartana comitialem morbũ sanat.in 6ᵐ.de mor.vul.cõ.6°.3ª.196.E
Quartana comitialꝭ morbꝰ fuit expulsus.ĩ 1ᵐ.de mor.v.c.3°.3ª.118.H
Quartana multi periere, & quo tpe.ĩ 3ᵐ.de mor.vul.cõ.3°3ª.147.A
Quartanæ febres quomodo finiant.3°.de crisi. 4ª.139.G
Quartanæ non sanantur, nisi rigor cessauerit.in 6ᵐ.de morb. vulgari. com.1°. 3ª.156.F
Quartana qua tempestate in aqua intercutem terminatur.commẽ. 3°. aph.11°. Ex.21.D
Quartanæ curatio.intro.Isa.55.H/1°.de arte cur.ad Glauc. 7ª.97.E
Quartanæ auxilium.intro. Isa.56.G
in Quartanæ statu qũo procedendũ.1°.de arte cur.ad Glauc. 7ª.97.F
in Quartana victus qualis instituẽdus.1°.de arte cur.ad Gl. 7ª.97.F
in Quartana vinum quale.1°.de arte cur.ad Gl. 7ª.97.F
in Quartana male dat anseres, & anates auctor libri de dynamidijs. de dynamidijs. Sp.33.A
in Quartana euitanda caro porcorum, omniaq; edulia tenacia, & quæ refrigerant, & exiccant.1°.de arte cur.ad Glauc. 7ª.97.F
Quartanarij non sunt penitus prohibendi a frictionibus, ambulationibus, & balneis.1°.de arte cur.ad Glauc. 7ª.97.F
in Quartana pro potu piper cum aqua exhibendum.1°. de arte curatiua ad Glauc. 7ª.97.F
in Quartanis conueniunt dia trion pipereon, & dispoliticon. 1°.de arte cur.ad Glauc. 7ª.97.F
ad Quartanas dispositа est peristereon herba.de simp.me. Sp.89.C
in Quartana clysteres quales.1°.de arte cur.ad Glauc. 7ª.97.F
in Quartanis viscera vngenda, & emplastranda.1°. de arte curatiua ad Glauc. 7ª.97.G
ad Quartanam unguentum.de dynam. Sp.33.B
in Quartana sanguis in principio mittendus si abundet, & quantum sanguinis mittendum.1°.de arte cur.ad Glauc. 7ª.97.F
in Quartana quæ vena secanda.1°.de arte cur.ad Glau. 7ª.97.F
in Quartanis febribus vtimur catharthicis.de dynam. Sp.20.E
in Quartana nullum forte medicamentum exhibendum a principio.1°. de arte cur.ad Glauc. 7ª.97.F
in Quartana nunq̃ purgãdũ, nisi facta coctiõe.1°.ḋ ar.c.ad G. 7ª.97.G
in Quartana copiosius euacuatur, quã ĩ pituitosa.2°.ḋ dif.fe.3ª.37.C
in Quartana elleborus albus dandus, primo radicibus mistus, postea per se.1°.de arte cur.ad Glauc. 7ª.97.G
in Quartana vomitus post cibũ conuenit.1°.de ar.cu.ad Gla.7ª.97.G
iu Quartana succus cyrenaicus optimus.1°.de art.cu.ad Gl.7ª.97.G
ad Quartanã febrẽ pulchre cõuenit Theriaca.de ther.ad Pi.5ª.96.D
in Quartana Theriaca danda.1°.de arte cur.ad Glau. 7ª.97.G
Quartana quo die ventura erat dabant Theriacam. de præcogn. ad Posthu. 4ª.214.G
Quartanã duplicauit Theriaca, & cur.de præco.ad Post.4ª.214.F/G
in Quartana Theriaca ante statum hominem necauit.1°. de arte cur. ad Glauc. 7ª.97.H
in Quartanæ principio qui medicamenta calida dedere, quę discrimina fecerint.1°.de arte cur.ad Glau. 7ª.97.G
ad Quartanam vinum vetus trisaginem incoctam habẽs, ter potui datum confert.de med.fac.par. 7ª.177.E
ad Quartanam maxime facit hydropoton.de dynam. Sp.32.D
ad Quartanam febrem trocisci.secretorum. Sp.101.B
Quartanis summæ p̃sentaneum remediũ qd.de trem.& palp.3ª.55.H
ad Quartanam cum typo remedium.de dynam. Sp.33.A
ad Quartanam febrem.de med.fac.par.7ª.170.H/secretorũ.Sp.98.G
ad Quartanam duplicem remedium.de dynam. Sp.33.A
à Quartanis tribus non liberantur senes in hyeme profunda. de præc. ad Posthũ. 4ª.215.E
Quartanas tres habuit Eudemus.in 1ᵐ.de morb.vul.cõ.3°.3ª.120.F
Quartanam nunquam habuit Galenus.de trem.& palp. 3ª.56.A
QVARTANARII *ex atra bile.de sperma. Sp.38.B*
Quartanaria naturaliter puella vnde.de sperm. Sp.38.B
Quartanarium quendam primo nouit Galenus, de præcogn. ad Posthumum.214.F/ 4ª.215.H
Quartanarij nõ capiunt magno morbo.in 6ᵐ.de mor.v.c.6°.3ª.197.C
Quartanarijs aues, & pisces quales cõueniãt.1°.ḋ ar.c.ad G.7ª.97.F
ad Quartanarios antidotus Arpuli.2°.de antid. 5ª.116.F
ad Quartanarios valet Theriaca Euclidis Palatiani.2°.ḋ an.5ª.116.B
Quartanarijs qũo theriaca exhibenda.de ther.ad Pi. 5ª.96.D
Quartanarijs electarium conferens.de dynam. Sp.32.D
ad Quartanarios.7°.de com.med.se.loc.182.G/ 5ª.185.C
QVARTARIVS *habet vncias quatuor & semis. de ponderibus & mensuris. 5ª.277.D*
QVARTVS *instituit viperas arte capere.11°.de sim.me.fa. 5ª.78.A*
QVARTAE *tres sunt Denarij quindecim.5°.de compositione medi.per genera. 5ª.250.E*
ad QVARTAM *partem quid coquatur, & in quo casu.8°.de com.me. sec.loc. 5ª.196.B*
Quarto quoque die, vel quotidie fiunt accessiones in acutis.3°.de diebus decretorijs. 4ª.158.G
Quarto die omnis species morbi cognoscitur.2°.de crisi. 4ª.136.E
Quartæ diei potentia quę.in 1ᵐ.prorrh.com.1°. 4ª.161.E
Quartus dies quid agat.in prog.com.3°. 4ª.206.F
Quartus iudex est septimi sua natura.1°.de die.dec. 4ª.149.G
Quartus indicat de sexto, & de septimo.1°.dieb.decr. 4ª.147.B
Quartus dies non videtur ferè computari inter iudicatorios. com.4°. aphor.36°. Ex.32.A
in Quarto finiunt synochi per crisim.3°.de crisi. 4ª.140.D
Quarto die rarissime fit crisis.3°.de crisi. 4ª.140.D
Quarto die raro vidit Galenus iudicari peracutos morbos, sed vt plurimum in quinto per sudorem solui.com.4°.aph.36°. Ex.31.H
Quartus & tertius dies qñ habent grauia symptomata, breui expectandum iudicium.in 1ᵐ.de morb.vulg.com.3°. 3ª.121.B
Quartæ diei crisis cur transmutatur ad tertium, & ad quintum. 3°.de crisibus. 4ª.140.D
Quarto die qui sanatur, & qui moriatur.1°.de dieb.decr. 4ª.150.H
QVARTODECIMO, *& septimo proximi sunt dies hi; nonus, vndecimus, & vigesimus.1°.de dieb.decre. 4ª.147.B*
Quartus decimus imitatur naturam septimi.1°.de dieb.decr.4ª.147.B
Quartus decimus dies, & quartus quorum sunt indices, & iudicatiui. com.4°.aph.71°. Ex.35.E
Quartodecimo die, vel decimo septimo, quando fiet crisis.1°. de diebꝰ decretorijs. 4ª.151.B
Quartodecimo die iudicant phrenitide capti.2°.de die.dec.4ª.156.E
Quartus decimus dies bonus si sudores, vel alia appareant. com.4°. aph.36°. Ex.32.A
Quartidecimani sudores boni.præsag.exper.conf. Sp.77.G
QVASSANTIA *quo faciant dolorem.1°.de sympt.cau. 3ª.16.G*
QVASSATIO *quid.fin med. Isa.48.C*
Quassatio vnus est pilorum affectus.fin.med. Isa.48.E

Quassatio quid

Quaſſatio quid ſit in vertebris.de art.com.3°. 7ª.268.H
Quaſſationes aurium mitigat ſuccus centaureæ.de vir.cent.Sp.93.C
Quaſſationes ani mitigat ſuccus centaureæ.de vir.cen. *Sp.93.E*
QVATERNARIVM *conficitur duplicato binario.de cognoſcendis cu ran.animi mor.* 2ª.54.G
Quaternarius non eſt integrorum dierum.in prog.com.3°. 4ª.207.C
Quaternarij circuitus qui dicantur.de morb.temp. 3ª.85.G
Quaternarij bene conſiderandi in morbis.1°.de criſ. 4ª.133.C
Quaternarij ſinguli conſiderandi in morbis.1°.de criſ. 4ª.131.H
per Quaternarios numeratio ſubſequens eſt digeſtioni circuitionum per ſeptenarios.in progn.com.3°. 4ª.206.G
per Quaternarios quo primo iudicationes, poſtea per ſeptenarios, vigenarios,& menſes fiant.in progn.com.3°. 4ª.208.C
in QVATERNIONE *ſecundo qui morbus erit in ſtatu, & qui vltra. 1°.de dieb.decre.* 4ª.150.H
in Quaternionibus paruas fiunt mutationes.3°.de dieb.dec.4ª.158.b
QVATRITVNICALIS *cur videatur arteria.de partibus arti. medic.* *Sp.16.H*
QVATVOR *tutius,& fortius mouẽt quã duo.2°.de vſu p.* 1ª.126.C
Quatuordecim diebus ardentes febres quomodo iudicabantur.in 1ᵐ. de mor.vulg.com.2°. 3ª.116.G
Quatuordecim annis finiunt aliqui morbi.1°.de dieb.dec. 4ª.149.D
QVERCINVS cinis qualis.8°.de ſimp.me.fa. 5ª.62.C
QVERCVS *eſt planta agreſtis.2°.de alim.fa.* 2ª.21.H
Quercus ſicca,& tepida.6°.de ſimp.me.fac. 5ª.46.E
Quercus eſt acerba.8°.de ſimp.me.fac. 5ª.62.C
Quercus adſtringit.6°.de ſim.me.fac. 5ª.46.D
Quercus ſolij vulnus glutinauit Galenus,& quomodo.6°.de ſimpl. medicamen.facul. 5ª.46.E
Quercubus agnoſcitur viſcus.11°.de ſimp.me.fac. 5ª.81.C
QVERIMOMIIS *non vocat ſenũ ſanitas.6°.de ſan.tu.* 2ª.95.G
in QVERNIS *glandibus,acylis,& caſtaneis priuatum pro arborũ diuerſitate non multum ineſt diſcriminis in fructu.de bonitate, & vitio ſuccorum.* 2ª.36.D
Querna caries ad quid vtilis.de med.fac.par. 7ª.170.B
QVIES quid ſignificet.in 6ᵐ.de morb.vul.com.3°. 3ª.170.D
Quies eſt otiũ,& ab exercitatione vacatio.c.4°.aph.13°. *Ex.28.F*
Quies an contraria motui, vel priuatio.1°.de ſym.cau. 3ª.17.C
Quietem inter omnes duos motus contrarios interuenire neceſſe eſt. de anatomia viuo. *Sp.46.H*
Quies vnum eſt ex rebus ſex non naturalibus.ars med. *Iſa.68.B*
Quies neceſſario noſtro corpori occurrit.ad Thraſ. 2ª.104.D
Quies eſt laboris remedium.com.2°.aph.48°. *Ex.19.A*
Quies ſtatim laſſitudines auſert.com.2°.aph.48°. *Ex.19.A*
Quiete quomodo ſoluatur laſſitudo.3°.de ſan.tu. 2ª.79.H
Quies in eodem ſtatu conſeruat.com.4°.apho.14°. *Ex.28.G*
Quies quo modo alteret corpus.ars med. *Iſa.68.C*
Quies corpora humectat quos pur.opor.qb.med.et quo tẽp. 5ª.88.d
Quies humectat corpora per accidens.com.4°.aph.13°. *Ex.28.F*
Quies diuturnior moleſta eſt.1°.de ſan.tuen. 2ª.65.H
Quies maxime obeſt ſanitati.de bon.& vitio ſucco. 2ª.35.A
Quies reddit membra imbecilla.de ijs,quæ in med.fi.c.3. 7ª.220.B
Quiete membra omnia fiunt tenuia.de frac.com.2°. 7°.238.G
Quies immodica cauſa eſt frigidorum morborũ.de cauſ.mor. 3ª.7.B
Quies mors eſt ſubſtantiæ ſemper mobilis.de trem.palp. 3ª.54.G
Quies ſi ſiſtit vomitum,motus ipſum facit.com.4°.aph.15. *Ex.28.H*
Quies præter conſuetudinem non eſt repente mutanda. de victus ratione in morb.acut.com.2°. 7ª.124.C
in Quietem mutatio ex motu minus lædit, quam a contrario.de vic. ratione in morb.acut.com.2°. 7ª.124.G
Quies ſemicoctos humores perficit.4°.de ſan.tu. 2ª.83.E
per Quietem concoquuntur qua in ventriculo,& in iecore.in 6ᵐ.de morbis vulgaribus,com.5°. 3ª.194.A
Quies melãcholicæ naturæ cõdonãda ẽ.de mel.ex G.R.et T.Sp.110.e
Quiete indigent dolores aurium.3°.de comp.me.ſec.loc. 5ª.145.D
Quietes tres in brachio quo modo a diuerſis fiant, & ita in alijs mẽbris.2°.de ſymp.cau. 3ª.20.B
Quies quæ præcedit receptum ſpiritus,qualis.de vſu pul. 1ª.228.F
in Quiete reſpirationis leſiones quæ,& quare contingant,1°.de difficultate reſpirationis. 3ª.58.D
Quies duplex in reſpiratione.4°.de diff.pulſ. 4ª.66.H
QVIETES *in pulſu ſunt partes per accidens.1°.de dign.pul.* 4ª.74.F
Quies duplex in pulſu,& quo modo.1°.de pul.diff. 4ª.47.C
Quies in pulſu externa quomodo ſentiatur.1°.de dign.pul. 4ª.74.F
Quies pulſus interna quomodo cognoſcatur.1°.de dign.pul. 4ª.74.F
Quies pulſus quæ ſupera dr tactu percipitur.1°.de dif.pul. 4ª.48.F
Quies pulſus infera nõ ſentiẽ tactu,& quare.1°.de diff.pul. 4ª.48.F
Quies exigua eſt in motu cordis.4°.de vſu par. 1ª.150.E
Quies intertianis iuuat.1°.de arte cu.ad Glau. 7ª.97.E
Quies primo febrienti iniungenda.in 6ᵐ.de mor.vul.cõ.3°. 3ª178.A
Quicte indigent ſananda.3°.met.me. 7ª.32.B
QVIESCENTIVM *reſpiratio qualis.1°.de diff.reſp.* 3ª.58.D
in Quieſcentibus nonnullis nullus ſit grauitatis ſenſus, cum autẽ moueri voluerint,mẽbrũ vel corpus vniuerſũ grauãt.d mul. 3ª.78.B
Quieſcente maxilla mouetur tota cutis frontis.de muſc.diſ. 1ª.44.E
Quieſcens caro non velocis exercitij eſt multarum ſuperfluitatum. de diſſolutione continua. *Sp.73.E*
QVIESCERE *quid.1°.de nat.fac.1ª.290.G/de ſal.diæ.* 2ª.43.C
Quieſcere dupliciter intelligitur.in 6ᵐ.de mor.vul.com.3°. 3ª.165.C
Quieſcere naturaliter conuenit calido.de ſal.diæta. 2ª.43.C
Quieſcere eſt bonum ſignum in morbis.com.2°.apho.27°. *Ex.15.C*
Quieſcere,& eſſe plenum facit tormina.com.5°.aph.41°. *Ex.41.D*
Quieſcere opus eſt ſi quid ſanari debeat.com.6°.aph.6°. *Ex.47.B*
Quieſcant quæ partes.de ijs,quæ in med.fi.com.2°. 7ª.209.B
QVIETAE *aues ſunt peiores,& immundiores.de diff.cõt.* *Sp.73.A*
Quiete aliæ ſunt venæ capitis,quæ phlebotomantur,alia pulſatiles. de anatomia viuor. *Sp.54.H*
Quieta vena eſt vena frontis quæ inter duo exiſtit ſupercilia.de anatomia viuorum. *Sp.55.A*
Quieta vena,& pulſatilis ſunt coniunctæ.de ana.viuo. *Sp.56.D*
Quieta vena in membris interioribus pulſatili ſuppoſita eſt in exterioribus ſuperpoſita.de ana.viuo. *Sp.56.D*
QVINQVAGESIMVM *annum attingere menſes in mulieribus colligitur ex Galeno.2°.de arte cur.ad Glau.* 7ª.107.E
vt QVINQVE *calidum ponit.1°.de com.me.per gen.* 5ª.210.E
QVINQVEFOLIVM *ingreditur in theriacam. de theriaca ad Piſonem.* 5ª.92.F
Quinq; folia pro expellendo ſanguine vel pure.de dyna. *Sp.35.F*
QVINTANVS *typus qui.de typ.* 3ª.90.F
Quintana febris eſt intermittens.fin.med.45.F/introd. *Iſa.55.D*
Quintanarum coniugationes quæ.ad eos qui de typis ſcri. 3ª.94.A
de Quintanis,& ſeptimanis dicit Galenus Hippocratẽ in aphoriſmis nõ meminiſſe,tñ de ipſis ibi meminit.i 1ᵐ.de mo.v.c.3°.120.g
Quintanam non vidit Galenus.in 6ᵐ.de mor.vul.com.3°.3ª.120.A
Quintanam non vidit Galenus nec putat Hippocratem vidiſſe.in 3ᵐ. de morbis vulg.com.3°. 3ª.145.G
Quintanã vidit Galenus obſcurã.in 1ᵐ.de mor.vul.com.3°.3ª.118.e
Quintana peſſima omnium.in 1ᵐ.de mor.vul.com.3°. 3ª.120.A
QVINTANI *ſudores boni.præſag.exper.conf.* *Sp.77.G*
QVINTVS *ordo & receſſus a medio plane diſcernendus eſt, & cognoſcendus in ſimplicibus medicamẽtis.1°.de de ſim.m.f.* 5ª.6.G
Quintus dies qualis.2°.de dieb.decr. 4ª.154.F
Quinta die ſi quid terrificum videatur in febribus quid ſignificet. de victus rat.in mor.acut.com.4°. 7ª.141.H
Quintus dies eſt iudicatiuus,& non quartus in tardioribus morbis. commen.4°.aph.36°. *Ex.31.H*
Quintus dies quo modo decernat.3°.de dieb.decr. 4ª.158.D
Quintus cur decernat.3°.de dieb.decr. 4ª.158.H
Quinto die criſis plurimis contingit.11°.met.me. 7ª.72.C
in Quinto vt plurimum per ſudorem ſoluuntur peracuti morbi, ſed quartũ diẽ raro vidit Galenus iudicare.cõ.5°.aph.36°. *Ex.32.A*
ad Quintum,& ad tertium cur tranſmutãtur quartæ diei criſes.3°. de criſibus. 4ª.140.D
Quintus dies eſt prope nonum,vndecimum,& vigeſimum.1°.de diebus decretorijs. 4ª.147.B
poſt Quintũ,& decimũtertiũ ẽ quartus dies.1°.de die.de. 4ª.147.B
in Quinto quando homo moriat ex errore.1°.de die.dec. 4ª.150.C
QVINTVS *Galeni preceptor fuit.in 3ᵐ.de mor.vul.c.1°.* 3ª.134.D
Quintus interpres Hippocratis non plane illius ſententiam aſſequutus fuit.de ordine librorum ſuorum. *Iſa.15.C*
Quĩtus medicus Roma pulſus fuit,et quare.de ẽco.ad Poſt. 4ª.214.a
Quintus nullum reliquit ſcriptum.de nat.hu.com.1°. 1ª.30.H
Quintus vt diſſectionum nullum,ita nec vllum alium ſcripſit librum, de natura humana.com.2. 7ª.183.F

Quinti falsum responsum quod. 4°. de san. tu. 2ª. 81. H
Quintus dicebat ptinere ad pictorẽ nosse vrinas. 4°. de san. tu. 2ª. 81. b
fm Quintum balnearum nomina. 4°. de san. tu. 2ª. 81. H
QVID est quarendum post quæstionem si est secundum Aristotelem. in 6ᵐ. de mor. vul. com. 3°. 3ª. 153. F
Quid sit quod quæritur, primo noscendum. ad Thras. 2ª. 101. F
QVI fiunt in prima sede apud Deum Mercurium. in ora. suas. Is. 2. F
Qui sint in secunda sede ex iis qui in Mercurij choro cõtinetur. in ora tione suas. Isa. 2. F
Qui sint in tertia sede ex choro Mercurij. in ora. suas. Isa. 2. F
QVOMODO quid significet. de ijs, quæ in me. fi. c. 1°. 7ª. 200. G
Quomodo incedere debet causas inquirens. aduer. empir. med. Is. 35. c
Quomodo quæ fiunt fiant quarendum potius, quam negare quod fiat. 5°. de loc. affect. 4ª. 31. B
QVOTIDIANI circuitus qui. de mor. tẽp. 83. F/90. F/ 3ª. 91. C
Quotidianus, & quartanus typus. de typ. 3ª. 90. F
Quotidianis febribus tertianarum circuitus comparatus quãtus sit. de morb. temp. 3ª. 87. H
Quotidiani circuitus sunt horarũ vigintiquatuor. de mor. tẽ. 3ª. 85. F
Quotidiana Cathemerina a Iunioribus medicis proprio nomine appellatur. 2°. de diff. pul. 2ª. 38. E
Quotidianam quamcunque febrem non esse, quæ quotidie quolibet modo accessionem faciat, colligitur. ad eos qui de typis scri. 3ª. 91. G
Quotidiana febris quæ. fin. med. Isa. 46. D
Quotidiana febris morbus est intermittens. fin. med. 45. F/ introd. Isa. 55. D/ 2°. de differen. febr. 3ª. 36. F
Quotidiana febris intermittens longior est, sed nõ sine periculo. 1°. de arte curat. ad Glauc. 7ª. 96. E
Quotidiana febris exquisita quæ, & q̃ spu. 1°. de ar. cu. ad Gl. 7ª. 96. b
Quotidiana quæ longissima. 2°. de diff. feb. 3ª. 37. E
Quotidianæ cum tertiana distinctio. 2°. de cris. 4ª. 135. D
cũ Quotidianis tertianarũ duplex coniũctio. 2°. de diff. feb. 3ª. 37. H
Quotidiana proprius accedit ad quartanã, & quo modo differat. 2°. de crisibus. 4ª. 135. D
Quotidiana febris a quo homine fiat, & qũo. de nat. hu. c. 2°. 7ª. 95. H
Quotidiana febris ex pituitæ putredine fit. 2°. de diff. feb. 3ª. 36. F
Quotidianæ febres ex phlegmate fiunt. 8°. de decr. Hip. 1ª. 277. B
Quotidiana febris pituita abundat. 2°. de cris. 4ª. 134. G
Quotidianæ passiones contingunt conceptis in hora melancholiæ. de spermate. Sp. 37. D
Quotidiana inducit humiditatem. 1°. de arte cu. ad Gla. 7ª. 96. C
Quotidianæ febres ex aeris redundantia excitantur. 8°. de decretis Hippocrat. 1ª. 277. B
Quotidiana febris ex aeris abundantia excitatur secundum quosdã veteres. de nat. hu. com. 2°. 7ª. 181. B
Quotidianæ sub vesperam inuadunt. 2°. de cris. 3ª. 135. E
Quotidiana nocturna. in 3ᵐ. de mor. vul. com. 3°. 3ª. 145. G
Quotidianæ febres quo modo fiant. 2°. de diff. feb. 3ª. 36. D
Quotidianæ febris interminentis initia. 1°. de ar. cu. ad Gl. 7ª. 96. C
Quotidianam primo die nouit Galenus. 1°. de cri. 4ª. 133. E
Quotidianarum rigor quo modo fiat. 2°. de cris. 4ª. 134. G
Quotidiana, & quartana laborantes non vomunt bilem, nec sudant, nec habent vrinas biliosas, nec excrementa. 2°. de dif. fe. 3ª. 36. D
Quotidianarũ febriũ vrinæ, quales. 1°. de ar. cu. ad Glau. 7ª. 96. D
Quotidianæ quibus superueniant, & quæ habent symptomata. 2°. de crisibus. 4ª. 135. D
Quotidianæ symptomata quæ. de mor. temp. 3ª. 87. E
Quotidianæ febris rigor qualis. 1°. de art. cu. ad Glau. 7ª. 95. H
Quotidianę pulsus, & vrina. de dyna. Sp. 34. F
Quotidianæ, quartanæ, & tertianæ pulsuũ cõparatio. de dy. Sp. 34. F
in Quotidiana lien durescit. de typ. 3ª. 90. F
Quotidiana si acuitur, & mutatur in horis choleræ rubræ cito vertit in tertianam. de spermate. Sp. 39. H
in Quotidianam quando mutabatur synocha. de sper. Sp. 40. A
in Quotidianam mutabitur tertiana phlegmatica, quę acuitur in horis bilis, de quotidiana in quartanam. de sperm. Sp. 40. A
Quotidianæ febres quo modo finiant. 3°. de cris. 4ª. 139. G
Quotidianæ febris curatio. 1°. de art. cur. ad Glau. 7ª. 97. H
in Quotidianis febribus catharticis vtimur. de dyn. Sp. 20. E
in Quotidiana vomitus post cibum conuenit. 2°. de art. cur. 7ª. 97. H
in Quotidianæ febris declinatione decoctio. de med. exp. Sp. 105. D
in Quotidianæ sine valens electarium. de med. exper. Sp. 108. D
ad Quotidianam febrem facit hydropoton. de dyn. Sp. 32. D
ad Quotidianam febrem trocisci. secre. Sp. 101. A
ad Quotidianas acutas in æstate remedium. de dyn. Sp. 32. D
ad Quotidianam. de dyn. 32. D/ secret. Sp. 99. F
cũ Quotidiana tertianæ intermittentis casus. 2°. de diff. feb. 3ª. 37. H
in Quotidiana, & tertiana casus adolescẽtis. 2°. de dif. feb. 3ª. 38. C
QVOTIDIANARIA puella vnde. de sperm. Sp. 38. C
Quotidianarijs electarium conferens. de dyn. Sp. 32. D
QVOTIDIE creari animas stoici dicebant. de sperm. Sp. 38. A
Quotidiæ, vel quarto quoque die fiũt accessiones in acutis. 3ª. de diebus decretorijs. 4ª. 158. G

cũ P litera græca finientia emplastra recensere sibi propositum esse Galenus. 1°. de compo. me. per gen. 5ª. 213. E

RABIDI canis morsus periculosissimus est. 1°. de cõpositione medi. per gen. 5ª. 216. A
Rabidi canis morsus quo modo inficiat. in 3ᵐ. de mor. vul. com. 3°. 3ª. 149. D
a Rabido cane morsi post quatuor, vel sex mẽses, vel longius tempus pereunt. in 2ᵐ. prorrheti. com. 2°. 4ª. 171. E
a Rabido cane morsi quando non possunt curari. in 2ᵐ. prorrhe. comment. 2°. 4ª. 171. E
a Rabido cane vlcus illatũ quo modo tractandũ. de vir. cẽt. Sp. 93. H
ex Rabidi canis morsu vlcus cicatricem ducere non sinens medicamentum quod. 3°. de comp. me. per ge. 5ª. 233. G
Rabidi canis morsus sanatur a centaurea. de virt. cẽt. 92. G/ Sp. 93. H
ad Rabidos morsus album piper. 1°. de com. me. per ge. 5ª. 216. C
Rabidos morsus sanãs ex Asclepiade. 1°. de cõp. me. per ge. 5ª. 217. a
a Rabido cane morsorum medicamentum ex cancris a Galeno probatum, 6°. de compo. me. per gen. 5ª. 216. A
ad Rabidorum morsus candidum emplastrum. 1°. de compo. medica. per gen. 5ª. 215. F
ad Rabidi canis morsum electarium. de med. expe. Sp. 106. H
a Rabido cane morsui facto medicina conferens. secret. Sp. 97. A
ad Rabidi ex canis morsu aquam expauescentes. 1°. de compo. medicamen. per gen. 5ª. 215. F
ad Rabidi canis morsum. secret. Sp. 102. B
ad Rabidorum morsus. 1°. de comp. me. per ge. 5ª. 214. E
Rabidam profluuiem excernentes adolescentis casus. in 1ᵐ. prorrheti-ci, commenta. 2°. 4ª. 171. F
RABIENTIS canis morsum sanare dicitur terra lemnia in vino diluto epota. 9°. de simp. me. fac. 5ª. 65. E
RABIE afficitur solus canis, & quid sit rabies. 6°. de loc. aff. 4ª. 40. c
Rabiem excitare potest canis sputum. 6°. de loc. aff. 4ª. 40. C
ad Rabiei virus comparatio lignorum. in 2ᵐ. pror. c. 2°. 4ª. 171. E
Rabies post sex menses quandoque detergitur. 6°. de loc. aff. 4ª. 40. C
Ῥαχῖται musculi qui. 12°. de vsu par. 1ª. 195. C
RADICALI humido assimilantur duo vasa, in quorum vnũ defluat alterius humor. ad Thras. 2ª. 104. F
RADICATIO quid. 6°. de decr. Hippo. 1ª. 262. G
RADICVLA agrestis quid dicatur. 2°. de ali. fac. 2ª. 22. B
Radiculæ asparagus est humidior quã folia. 2°. de ali. fac. 2ª. 24. A
Radicula habet radicẽ caule, & foliis acriorẽ. 2°. de ali. fac. 2ª. 24. D
Radicula acris est. 2°. de alim. fac. 2ª. 25. D
Radiculæ caulis in aqua acrimoniam deponit. 2°. de ali. fac. 2ª. 25. A
Radicula cuius sit facultatis. 8°. de simp. me. fac. 5ª. 59. E
Radiculę caulis, & folia non nisi cum necessitate mãduntur. 2°. de alimentorum facul. 2ª. 25 D
Radicula nutrimur sed non vt carne. 1°. de na. fac. 1ª. 192. E
Radiculæ, & carnis differentia in nutriendo. 1°. de nat. facu. 1ª. 292. E
Radiculæ caulis vere magis nutrit, quã radicula. 2°. de al. fa. 2ª. 25. A
Radicula potius pro medicamento, quam pro cibo habenda. de attenuante victu. 2ª. 45. G
Radicula obsonium potius est quã alimentum. 2°. de ali. fac. 2ª. 25. D
Radicula pro obsonio rusticis. 2°. de alim. facul. 2ª. 25. D
Radicula tota paulo minus excrementosa est. 1°. de nat. fac. 1ª. 292. E
ex Radicula exiguus sanguis nec in totũ vtilis. 1°. de nat. f. 1ª. 292. e
Radicula inter cibos, qui prius assumebantur. 2°. de ali. fac. 2ª. 18. G
Radicula primo comedebatur ante alios cibos. 2°. de ali. fa. 2ª. 20. A
Radicula cruda cum garo, & aceto ante cibum sumpta facit deuerc. 2°. de alimen.

2°.de alimen.facul. 2ª.25.D
Radicula posſ cœnam ſumpta non adiuuat coctionem, vt multi putarunt.2°.de alim.facul. 2ª.25.D
Radiculæ radices concoctu difficiles ſunt,& turbant ventriculum. 2°. de alimento.facul. 2ª.24.C
Radicula in aliquibus non coquitur.1°.de loc.aff. 4ª.5.C
a Radicula poſt cœnã ſumpta multi ſunt læſi.2°.de ali.fac. 2ª.25.D
ex Radicula,& oxymeli vomitus prouocatur.5°.methodi medendi. 34.E/7°. 7ª.48.D
Radicula ex oxymelite glutinoſa detergit.8°.met.met. 7ª.51.B
Radicula calefacit,& attenuat.2°.de alim.fac. 2ª.25.D
RADIVS quod os ſit.de fract.com.1°. 7ª.227.B
Radius os eſt quod cubito ſubeſt.de oſſi. 1ª.43.A
Radius eſt os parvum in cubito.2°.de vſu par. 1ª.121.B
Radius os eſt parvum vlnæ.2°.de mot.muſc. 1ª.313.F
Radij oſſe longus eſt cubiti os.de frac.com.1°. 7ª.224.E
Radij conſtructio differt a conſtructione fibulæ.3°.de vſu p. 1ª.134.E
Radij conformatio qualis.2°.de vſu par. 1ª.125.A
Radij poſitio qualis.2°.de vſu par. 1ª.125.A
Radius cum vlnæ incumbit.2°.de vſu par. 1ª.125.B
in Radij medio partes cur tenuiores.2°.de vſu par. 1ª.125.B
Radij finis in carpo craſſior eſt.2°.de vſu par. 1ª.125.B
Radij officium quod.2°.de mot.muſ. 1ª.313.F
Radium mouentes ſunt obliqui muſculi.2°.de vſu par. 1ª.122.F
Radium in obliquum vertentes muſculi.qui.2°.de vſu par. 1ª.126.E
in Radio oſſe venæ rami duo figuram facere videntur ſimilem tertiæ græcorum literæ γ,& vbi.3°.de ana.adm. 1ª.76.F
Radium in pronam circumagere quorum muſculorum ſit officium.de muſculorum diſſectione. 1ª.48.F
inter Radium,& cubitum mediam regionem totam replentes muſculi.de muſculorum diſſectio. 1ª.48.H
Radiũ mouentiũ obliquorũ muſculorũ exortus.de muſc.diſ. 1ª.49.A
Radij os tãquã in pronũ circũagens muſculus.de muſ.diſ. 1ª.49.A
Radio inuiolato cubitus per ſe lædi poteſt.de machin. 7ª.320.D
Radius,& cubitus quo modo reſtaurentur.de machin. 7ª.313.D
RADIVS acris rubri ad medicamenta agitanda.3°.de comp.medi.secun.locos. 5ª.148.A
RADICIS officium in plantis quod.6°.de decr.Hip. 1ª.262.B
Radix,& truncus quo modo ex magnæ alicuius arboris ſemine fiãt proceſſu temporis.6°.de dec.Hip. 1ª.262.A
Radix in hyeme magna vere cum ſemen parat producere caulem pfert.2°.de alim.ſa. 2ª.24.D
Radicum exciſores inter miniſtros ignobiliores medicine numerantur in 6ᵐ.de morb.vul.com.5°. 3ª.188.D
Radices quo modo mundentur.7°.de compo.me.ſec.lo. 5ª.181.F
Radices quales eſſe debent.1°.de anti. 5ª.107.D
Radicibus facultates ineſſe alias a caulibus,quemadmodum foliis,et fructibus,& ſeminibus alias quo modo Mneſiticus oſtenderet.1°. de alimen.facul. 2ª.7.E
Radicis Acori ſuccus claritatẽ oculis mirifice facit.de ſi.m.Sp.81.A
Radices Aſphodeli combuſtæ,& in cinerem reductæ alopeciam emẽdant,& maculas albas.de ſim.me. Sp.81.B
Radix cucumeris agreſtis hydropicis vtiliſſima eſt.de dyn.Sp.23.A
Radices Dragontij purgant veſicam.de cathar. Sp.95.D
Radicis dulcis decoctum leniſſimum & commodum in inflammationum arteriæ principijs.7°.de compo.me.ſec.loc. 5ª.177.H
Radices Ellebori quo dentur,& quæ miſcenda illis.de dyn. Sp.21.A
Radix colchici ſeu Ephremeri,dicitur vicem fungi ſtrangulatoris facere & ferros præciſos ſanare linita.de ſimp.me. Sp.83.B
Radix Eringij vrinam mouet.de cura icteri. Sp.111.D
Radix Erythrodani ad quid valeat.de cura icteri. Sp.111.B
Radicis Glycyrhizæ ſuccus dulcis.6°.de ſim.me.fac. 5ª.45.F
Radices Glycyrhizæ ſitim ſedant,renum & veſicæ dolorem mitigãt prouocant vrinam & menſtrua,omnem tumorem placant.de ſim. medicaminibus. Sp.84.G
Radicum Lapathij decoctio prouocat menſtrua,frangit lapidem renũ, & veſicæ.de cathar. Sp.95.D
Radicis Lilij cœleſtis drachme tres ad purgandum pectus. de medici. expertis. Sp.106.D
Radicem diureticam habet Lonchitis.de ſim.me. Sp.86.D
Radix Lupinorum vrinam mouet.de ſim.me. Sp.86.C
Radices Meu excalefacientes ſunt.de ſimp.med. Sp.87.F
Radices Odoriferæ de põto expurgãt in icteris.de cura icte.Sp.111.b
Radix Palmæ eſt frigida & humida.de diſſ.cont. Sp.74.D
Radix Polypodij ſtiptica guſtu eſt.de ſimp.me. Sp.89.C
Radices Rapi concoctu difficiles & turbant.2°.de ali.fac. 2ª.24.C
Radix Rhodia eſt in ſecundo ordine calida,& digerentis eſt facultatis.8°.de ſimp.me.fac. 5ª.59.G
Radicis corticibus Rumicis hortenſis vtitur,quo modo,& in quo caſu.5°.de comp.me.ſec.loc. 5ª.161.A
Radicum Rumicis ſilueſtris corticibus vtitur.5°.de compoſi medica. ſecund.locos. 5ª.161.C
Radix Sacra ad quid vtilis.de reme.par.fac. 7ª.160.E
Radices molles Smyrnij expurgant in icteris.de cura icter.Sp.112.B
Radices Staphylini expurgant in icteris.de cura icteri. Sp.111.B
Radices quæ theriacam ingrediuntur.1°.de anti. 5ª.107.D
Radix Tithymalli cũ caricis ſiccata ĩ vmbra reponiẽ.de dyn.Sp.21.E
ex Radicibus oleum dicitur oleum abuſiue.3°.de ſan.tu. 2ª.79.B
Radices quæ efficaciter euaporent.4°.de ſan. 2ª.87.B
Radices quæ ſuſpectę eſſe debent.de atten.vic. 2ª.44.G
Radices quandoque manduntur ob neceſſitatẽ.2°.de alim.fa.2ª.22.B
Radices habent plurimum humoris crudi ſecundum Mneſitheum. 2°. de alimentorum facul. 2ª.24.D
Radices q̃ non habeant crudum humorem contra Mneſitheum. 2°.de alimento.faculta. 2ª.24.D
Radices quæ manduntur craſſos habent ſuccos, & ſunt difficilis coctionis.de puero epil. 7ª.180.D
Radices q̃ nõ generant craſſos humores quales.de puer.epil.7ª.180.d
Radices tarde digeruntur.de diſſo.cont. Sp.73.E
a Radicibus,quæ mandi ſolent,debet abſtinere epilepticus. de puero epileptico. 7ª.180.D
RADICES ſtirpium comparat cordi.de ana.viu. Sp.47.B
Radix,& baſis virtutum moralium eſt cor.de ana.viu. Sp.46.B
Radix vltima erectionis totius animalis eſt cor.de ana.vi. Sp.47.B
Radicibus ſtirpiũ cõparanĩ venæ ventriculi.1°.de ſymp.ca.3ª.16.H
p Radices vt arbor a terra,ita cibum per meſeraicas trahit Iecur a ventriculo.6°.de locis aff. 4ª.37.G
Radix venæ,vaſis,& arteriæ quæ.5°.met.me. 7ª.30.G
Radices pilorũ cõplectiũ cutis,vt gingiux dẽtes.ĩ Tim.Pla.1ª.286.H
Radicis vice fungitur Meſenterium.de vtil.reſp. Sp.64.D
Radices capillorum a vitioſis humoribus corrumpuntur.commẽ.6°. aphoriſmo.34°. Ex.50.B
Radices plures hñt dẽtes maiores,minores è cõtra.de an.vi.Sp.49.D
ad Radicem linguę confert ſuccus centaureæ.de vir.cent. Sp.93.D
in Radice canna non eſt ſonora,quia carnoſa & humida eſt. de voce & anhelitu. Sp.61.F
RADICES pars organum.de machi. 7ª.309.C
Radices aereæ,vel ferreæ comparantur.de machi. 7ª.309.D
Radices ad quid in organis.de machin. 7ª.309.G
Radices in organis ſemper immobiles manent.de machin. 7ª.310.F
Radices quas habeant cancri com.6°.apho.38°. Ex.50.F
RADEBANT qui caput in phrenitide.13°.met.me. 7ª.85.D
Radit pilos in vulneribus capitis Galenus.2°.de cõ.m.ſe.l.5ª.138.E
Radit,& ſecat capillos Galenus in inueteratis capitis doloribus, & affectionibº,& diuerſis vtitur in his.2°.de cõ.me.ſe.lo.5ª.133.A
Radi nouacula quidam timent.1°.de comp.me.ſec.loc. 5ª.127.G
ad RAGADES ani intumeſcentes mitigatoria.1°.de compoſiti. medic.ſec.loc. 5ª.130.C
Pʼαγοειδὴς tunica quę intr. Iſa.53.H
ad RACOIDEM pertinet procidentia.de diff.morb. 3ª.6.A
Ragoidis procidentia eſt morbus in oculo.de diff.morb. 3ª.6.A
RAIA ſunt dura,& concoctu difficilia.3°.de ali.fac. 2ª.32.E
Pʼαιβὸς, ideſt varus.de fract.com.3°. 7ª.240.G
RAMEX ſcroti eſt affectus.fin.med. Iſa.49.C
Ramices in inguine.de tum.pręter naturam. 3ª.8.G
Ramex teſticulorum.ſecre. Sp.10.B
Ramex,œdema,ſtruma,melliceris magna ſimilitudine conueniunt, tamen curam diſſimilem habent.de optima ſecta. Iſa.24.A
Ramex quo modo fiat.5°.de ana.adm. 1ª.87.C
Ramices quo fiat,& qui muſculi patiantur.de tum.pter.nat.3ª.84.G
Ramex quo modo curandus.14°.met.me. 7ª.92.C
ad Ramicem aquoſum.de reme.par.fac. 7ª.174.F
RAMENTA quædam fiunt in difficultatibus inteſtinorum poſt pinguia excrementa.com.4°.aph.26°. Ex.30.C

Ramẽtum in dyſenteria ſi excernatur ſignificat inteſtinum læſum.6°. de locis affect. 4ª.36.E
Ramenta etiam in vrina expelluntur.6°.de loc.aff. 4ª.37.D
Ramenta vrinarũ ex veſica excſa,vel reſoluta.c.4°.ap.76°. Ex.36.c
Ramentum eſt inditium vlceris.6°.de loc.aff. 4ª.39.B
Ramenta qñ miſcentur his,quæ expuuntur.4°.de loc.aff. 4ª.25.H
Ramenta facit oximeli parum acre,& inteſtini vnam partem humidã reddit,& quo modo.de vic.rat.in mor.acut.com.3°. 7ª.130.C
quæ Ramenta eluere ſolet affectio,quarum ſit partium vlceratio.de victus rat.in morb.acu.com.3°. 7ª.130.B
RAMIFICATIO *tibiæ pulmonis quomodo fiat.de ana.vi.* Sp.53.C
RAMIFICARI *quid apud Hippocratem.1°.de ſem.* 1ª.331.F
RAMVLI *extremi pariunt malos ſuccos.de bon.& vit.ſuc.* 2ª.33.G
RAMI *quomodo in priſtinum tendant locum.de diff.pul.* 4ª.51.A
Ramo qũo comparetur conuulſio particularis.3°.de loc.aff. 4ª.17.D
RANAE magnæ rubetæ.7°.de com.me.per gen. 5ª.271.B/E
℞ Ranis rubetis magnis paruæ ſumunt.7°.de cõ.me.per g. 5ª.271.B
Ranæ minimæ ad quid vtiles.1°.de comp.me ſec.loc. 5ª.123.D
Ranarum viridium ſanguis non prohibet pilos.10°.de ſimpl.medica. facult. 5ª.73.D
Ranarũ viridiũ ſanguis ad quid vtilis.4°.de cõ.me.ſec.lo. 5ª.158.B
Ranæ ſanguis cuius vſus.de reme.par.fac. 7ª.163.C
Rana habens longa crura.de reme.par.fac. 7ª.160.E
Ranæ vſtæ meminit.de reme.par.fac. 7ª.160.G
Ranarũ cinis ſanguinis erupti onem ſanat.11°.de ſim.me.fa. 5ª.82.D
Ranarum cinis alopecias ſanat.11°.de ſim.me.fa. 5ª.82.D
Ranæ.7°.de comp.me.per gen. 5ª.271.D
RANVNCVLI *parui.1°.de comp.me.ſec.loc.* 5ª.123.G
RAPAE oleraceum eſt quod terra extat,radix autem quæ terra continentur.2°.de alim.fac. 2ª.24.E
Rapæ quo modo ſeruentur in totum annum.2°.de ali.fa. 2ª.24.F
Rapæ habent radicem,quæ habet plus virium quam folia.2°. de ali. facultatibus. 2ª.24.D
Raparum folia,& caules abijciuntur & quandoq; in penuria comedũtur.2°.de alimen.facul. 2ª.22.B
Rapæ caulis quo modo comeditur.2°.de ali.fac. 2ª.25.D
Rapæ quales.de atten.vic. 2ª.45.G
Rapæ aſparagus eſt humidior q̃ folia.2°.de ali.fac. 2ª.24.A
Rapas videtur facere calidas,enumerans eas inter cibos calidos. de diſs.continua. Sp.74.C
Rapa ſatiua cibus eſt hyemis.de nat.hum.com.1°. 1ª.32.F
Rapa eſt cibus ſubtilians ſecundi generis.de diff.cont. Sp.72.E
Rapa cur cibus craſſus.de diff.cont. Sp.72.H
Rapæ ſunt mali chymi.de diff.cont. Sp.74.C
Rapæ ſunt cibi peſſimi.de puero epil. 7ª.180.D
Rapæ quando non valde coquũtur & ſunt malæ ſtomachus cur.de diſ ſolu.contin. Sp.74.E
Rapa dura eſt,niſi coquatur,& non eſculenda.2°.de ali.fac. 2ª.24.F
Rapa crudior difficulter coquitur.2°.de ali.fac. 2ª.24.F
Rapa longa indiget coctione.2°.de alim.fac. 2ª.24.F
Rapa minus nutrit alijs congeneribus.2°.de ali.fac. 2ª.24.F
Rapæ a ruſticis in aceto,vel muria ſeruantur.2°.de alim.facultatib⁹. 22.C/23.H/ 2ª.24.F
Rapa bis coquenda.2°.de ali.fac. 2ª.24.F
Rapæ tarde digeruntur.de diſſo.cont. Sp.73.E
Rapa facit crudum ſuccum.2°.de alim.fac. 2ª.24.F
Rapæ nutriunt eum qui digerit eas nutrimento multo,craſſo. de diſſo. continua. Sp.73.E
Rapa neq; deijcit aluum neq; ſiſtit.2°.de ali.fac. 2ª.24.F
Rapa flatulenta eſt,& ſtomacho noxia.2°.de ali.fac. 2ª.24.F
Rapa nonnunquam ventrem mordicat.2°.de ali.fac. 2ª.24.F
Rapa inflationes facit,& multum carnis eſt eius aqua podagricis, & ad prægnationem optimum fomentum eſt.de ſim.med. Sp.89.F
Rapa quomodo vulneroſos curet.de ſimp.med. Sp.89.F
Rapa ſanat perniones.de optima ſecta. Iſa.23.H
Rapa vrinam mouet.de cura icteri. Sp.111.D
RAPARA. *de med.fac.par.* 7ª.176.B
RAPVM *ſiue tuber terræ cuius facultatis.7°.de ſim.me.fa.* 5ª.53.E
RAPHANEDON *dicta ſciſſura in oſſe quæ.6°.met.me.* 7ª.40.C
RAPHANINVM *oleum vetuſtate fit calidius,& tenuius.11°. de ſim. med.facul.* 5ª.79.C
Raphaninum oleum calidum pro doloribus bonum . in 6ᵐ. de morbis vulgari.commentario.6°. 3ª.196.B
Raphaninum oleum in Aegypto habetur.3°.de ſan.tu. 2ª.81.C
Raphanini olei meminit.2°.de ſimp.me.fa. 5ª.11.F
RAPHANINVM *vnguẽtum habetur Alexandriæ copioſe.3°.de com. med.per gen.* 5ª.233.H
RAPHANIS *calida eſt in tertio ordine,ſicca in ſecundo.8°. de ſimpl. med.facul.* 5ª.59.E
Raphanis digerendi vim habet,ad ſugillata,& ad alia id genus liuida accommoda exiſtit.8°.de ſimp.me.fac. 5ª.59.E
Raphanis vrinam mouet.de cura icteri. Sp.111.D
ex Raphanidæ fit oleum.4°.de ſimp.me.fac. 5ª.26.G
Raphanides expurgant ictericos.de cura icteri. Sp.111.B
Ραφανον antiquitus vocant braſſicam.2°.de ali.fac. 2ª.23.B
Raphanus aeris eſt.de atten.vic. 2ª.43.H
Raphani vires quæ.de ſimpl.med. Sp.89.F
Raphanus eſt cibus calidus.de diff.cont. Sp.74.C
Raphanus eſt cibus ſubtilians ſecundi generis.de diff.cont. Sp.72.E
Raphanus incidit phlegma,& mũdificat ſtomachũ.de diſ.cõ. Sp.74.e
Raphanus incidit,& attenuat humores craſſos.de diff.cont. Sp.74.G
Raphanus attenuat.de atten.vict. 2ª.43.H
Raphanus cur parum nutrit.de diff.cont. Sp.73.G
Raphanus eſt mali chymi.de diſs.cont. Sp.74.C
Raphani non generant craſſos humores.de puero epil. 7ª.180.E
Raphanorum ſuccus per aluum purgat.de art.com.2°. 7ª.267.H
Raphanus,in quo veratri albi ſurculi fuerint,ſi poſtero die ſolus, aut ex aceto mulſo comedẽdus p̃beat,qd efficiat.de art.c.2°.7ª.267.H
ex Raphano vomitus qñ bonus.2°.de cõp.me.ſec.loc. 5ª.133.A
a Raphano vomitus conuenit in dolore capitis ex craſſis, & glutinoſis,humoribus in ſtomacho.2°.de comp.me.ſe.lo. 5ª.137.A
Raphanus pruritum mouet.de cathar. Sp.95.D
Raphano cur non ſanantur perniones.de opti.ſect. Iſa.23.H
Raphanus an conueniat ſugillatis.5°.de compo.me.ſec.lo. 5ª.158.H
Raphanus oblique conciſus qui faciat.1°.de com.me.ſec.lo. 5ª.123.G
Paφiν *quæ pars colis ſit.intro.* Iſa.53.D
Raphis marinus piſciculus.de me.fac.par. 7ª.179.B
RAREFACIENDVM non eſt corpus prius quam ſit euacuatum.11°.metho.meden. 7ª.69.G
Rarefaciendi non ſunt immodice ægri.11°.met.me. 7ª.77.E
Rarefaciendi vim habet anthemis.6°.de ſimp.me.fac. 5ª.43.C
RAREFACIENTIVM *natura qualis.5°.de ſimp.me.fa.* 5ª.35.F
Rarefacientia calefaciunt,et qualia eſſe debent.5°.de ſim.m.f. 5ª.36.a
Rarefacientia quæ ſint.5°.de ſim.me.fac.35.F/ 5ª.36.A
Rarefacientia,& diſcutientia olea quæ.6°.de com.me.ſe.l. 5ª.197.E
Rarefacientes vnctiones prohibet febris magnitudo, qualis eſt in continuis.11°.met.me. 7ª.69.H
Rarefacientia quid faciant.7°.met.me. 7ª.46.H
Rarefacientibus quando vti debemus.11°.met.me. 7ª.70.A
RAREFACERE, *& aperire denſata mediocriter calefaciendo oportet. in 6ᵐ.de morb.vulg.com.2°.* 3ª.160.F
RAREFACIANT *quæ.5°.de ſim.me.fac.* 5ª.35.F
Rarefaciunt quæ ſunt tenuium partium.6°.de ſim.me.fa. 5ª.40.H
Rarefacit onobrychis.8°.de ſimp.me.fac. 5ª.57.C
RAREEACTIO *qũo fiat.in 6ᵐ.de morb.vulg.com.5°.* 3ª.190.D
Rarefactio humorum in capite qũo faciat ſternutamentum.commen. 7°.apho.52°. Ex.58.C
Rarefactio eſt omni febri vtiliſſima.10°.met.med. 7ª.65.H
Rarefactio cauſa eſt morborum frigidorum.de cau.mor. 3ª.7.B
ad RARIBARBOS *bonum quid.de reme.par.fac.* 7ª.173.E
RARIORA *ſunt alia membra,alia denſiora,quæ indigent vario modo euacuationis.14°.met.med.* 7ª.88.A
RARITAS, *& denſitas ſunt nomina exceſſuum in paruis ſpiramentis.10°.met.me.* 7ª.71.A
iuxta Raritatem,& denſitatem vna ſola ſpirandi difficultas conſiſtit in ceſſationibus,& quare.1°.de diff.reſp. 3ª.60.F
ex Raritate ſpirituum ſubſtantia digeritur.11°.met.me. 7ª.77.E
Raritas cum mollibus pulſibus hæret.1°.de cau.pul. 4ª.89.D
Raritas corporis in calidioribus,& humidioribus prouenit temperaturis,quæ potiſſimum plurimo ſemine,& fœcundiſſimo abundant. commen.5°.apho.63°. Ex.44.C
Raritas pueri naturalis eſt,ſcnum violenta.de opt.ſec. Iſ.26.B
Raritas cutis vnde ſit.de ven.ſec.aduer.6ª.8.H/de ana.vi. Sp.45.C
Raritas cutis euacuat,non inedia.de venæ ſec.aduerſ.Eraſ. 6ª.8.H

Raritas pulmonis quare,& eius vtilitas.de ana. vi. Sp.47.H
Raritas membri qualis sit.de ocul. 7ª.189.C
Raritas facit vt qualitates citius penetrẽt.3°.de sim.me.fa. 5ª.21.B
Raritas affectus membranarum.introd. If.58.D
Raritati sola medetur exercitatio præparatoria.3°.de sa.tu.2°.81.E
RARO *ab Hippocrate notatur pro particula non valde. commentario 6°.aphor.32°.* Ex.49.H
Raro euenies pronunciat Hippocrates qñq;,& id, quod crebro euenit,despicit.2°.de dieb.decr. 4ª.156.E
Raro quæ fiunt non sunt prorrethica.in 1ᵐ.pror.com.3°. 4ª.180.H
Raro contingunt quidam morbi, & quidam frequenter. 3°. de loc. affect. 4ª.15.B
Raro euenientes dispositiones negligunt experimentatores. 3°. de loc. affect. 4ª.15.B
Raro euenientes affectus quo deprehendãtur.3°.de loc.aff. 4ª.15.B
Raro euenientium rationem habere nõ possunt experimentatores. 5°. de loc.affe. 4ª.35.E
RARVM *quid sit,& quid significet.2°.de sa.tu.2ª.72.F/1°. de simp. medic.fac.* 5ª.4.F
Rarum denso contrarium est.10°.met.me. 7ª.71.B
Rarum cum denso non habet societatem.11°.de vsu par. 1ª.191.F
Raram esse rem ostendit lenitas.1°.de simp.me.fa. 5ª.4.G
Rari duplex vsus.2°.de san.tu. 2ª.72.F
Rarum,& siccum prompte accenditur.3°.de temp. 1ª.22.E
Rarũ corpus facilius q̃ spissũ accẽdit,& cur.1°.de sim.me.fa. 5ª.4.F
Rara & crassa,quæ facile alterantur ab igne,a nostro calore non facile alterantur,nec recalefaciunt nos.1°.de sim.me.fa. 5ª.4.G
Rarum,& molle corpus facile patitur.de consue. 2ª.61.D
Raro & mollia quæ a frigore patiantur.4°.de sim.me.fa. 5ª.24.D
Raro habitu existentes propensi sunt ad digerendos succos corporis. 8°.meth.meden. 7ª.58.E
Rarum corpus habentes cum humorum tenuitate in febre extenuantur.com.2°.apho.28°. Ex.16.E
Rara cutis cognoscitur ex pillis.com.5°.aph.69°. Ex.45.D
Rara cutis facit sudores colligere inde.com.5°.aph.71°. Ex.45.F
Rari cur sint nerui.de ana.viu. Sp.53.G
Rarus cur sit pulmo.de vtil.resp. Sp.63.H
Rarũ est vnũ genus affectuũ in instralibus ptibus.2°.de sa.tu.2ª.72.G
Rarum corpus quibus sit nutriendum.de diss.cont. Sp.71.E
Raram habentia substantiam velocius digeruntur quam habentia spissam.de dissolutione continua. Sp.73.C
Rarus,celer,tardus,& creber pulsus quid sint, & vnde accipiãtur. de differ.puls. 4ª.48.D
Rarum pulsum efficit tristitia.de ana.viu. Sp.47.A
Rara sint,an densa medicamẽta cõsiderãda sunt.1°.de sim.m.f. 5ª.4.F
Rara non admirabilia vulgus admiratur.6°.de lo.aff. 4ª.42.C
Rara inutilia ad scientiã.de vict.rat.in mor.acu.com.4°. 7ª.142.H
ad RASA *4°.de comp.me.per ge.* 5ª.241.D
RASCETA quid.de mot.man.& obs. Sp.66.D
RASIO *species diuisionis chirurgiæ.intro.* Isa.59.E
Rasio vtilis in ossibus.intro. If.59.E
RASORIA *instrumẽta chirurgica.de ijs,quæ in medi.fi.c.1°.*7ª.200.H
RASVRA *facit statim capillos crescere.1°.de cõ.me.se.loc.*5ª.123.b
Rasuram quodammodo habens vrina,& arenam,& in nebulis quasi sanguinem colliquationem renum ostendit.de dyna. Sp.34.G
Rasura naualis ad quid vtilis.7°.de comp.me.per ge. 5ª.272.D
RATIO & anima non sunt idem.5°.de dec.Hip. 1ª.255.F
Ratio est iudicium naturale.9°.de dec.Hip. 1ª.279.D
Ratio q̃ iudicium sit.com.1°.aph.1°. Ex.2.C
a Ratione sola iudicium in rebus fit.de sect. If.17.F
Ratio duplex.de cog.cur.animi mor. 2ª.53.E
Ratio mens & intellectus communiter dicitur ab hominibus.de ijs, q̃ in med.fi.com.1°. 7ª.199.B
Ratio vltima gignitur,tamen omnibus imperat.de fœt.for.1ª.324.A
Ratio quando completur.de hist.philo. Sp.9.B
Ratio ex superioribus prouenit.de sperm. Sp.40.E
Ratio communis est hominibus & Dus.2°.de sim.me.fa. 5ª.9.G
Ratio quando fœlix,& infœlix.de fœt.for. 1ª.324.A
Ratione,& manibus oĩa aĩalia domat homo.11°.de vsu p. 1ª.184.H
Rationes vsum an habeant sensu prædita.de hist.phi. Sp.11.E
Rationis particeps est omne animal & quo modo hoc intelligendum. in orat.suaso. Isa.2.B
Ratio aliqua an insit brutis.in ora.suas. Isa.2.B
Ratio vbi sit.de ocul. 7ª.183.G
Rationem non esse in corde ratio probans.5°.de lo.aff. 4ª.29.E
Rationis propria sedes est caput.3°.de loc.aff. 4ª.16.E
Rationibus quibus efficias aliquid scire magnũ est,non quid fieri oporteat,si quidem omnibus hoc natura inest.9°.met.me. 7ª.37.A
Ratione læsa memoria simul læditur.3°.de lo.aff. 4ª.16.E
Rõ,& memoria lædũtur in morbo comitiali.3°.de lo aff. 4ª.17.G
*Rõ,& memoria amittunt in lethargo,& sopore.3°.de lo.aff.*4ª.16.E
Ratio,& memoria læduntur ob laborem in studijs, atq; vigilias. 3°. de loc.affe. 4ª.17.A
Rationem,& memoriam vitiatam habuit agricola ob laborem in colendis vitibus & ob tenuem victum.3°.de loc.aff. 4ª.17.A
Ratione deprauata in phreniticis aliquid superfluitatum inuite emittitur.2°.de motu musculorum. 1ª.314.F
Rationis expers in nobis animi vis duplex.de cog.cur.aĩ mor.2ª.53.a
Rationem absolutam quisq; se habere putat.3°.de san.tu. 2ª.79.H
Ratio præter sua negotia,& suos terminos amplius redundare nõ potest.4°.de dec.Hip. 1ª.249.F
Ratione minime vtuntur pueri.3°.de dec.Hipp. 1ª.245.G
Ratione qui plurimum vtuntur,minimum afficiuntur cupiditatibus, & ira.3°.de dec.Hip. 1ª.245.G
Ratio quando resistit affectui.4°.de dec.Hip. 1ª.249.D
a Rõne iracundiã differre per se notũ est.5°.de dec.Hip. 1ª.260.D
Ratio,& iracundia se habent vt eques,& equus,& vt venator, & canis.3°.de dec.Hipp. 1ª.242.F
Rationis,& iracundiæ certamen.3°.de dec.Hip. 1ª.242.G
Ratio potest cohibere iram.3°.de dec.Hip. 1ª.242.F
Ratio cur trahatur ab ira.3°.de dec.Hip. 1ª.142.F
Ratio quæ ab ira vincitur quibus insit.3°.de dec.Hipp. 1ª.242.F
Ratione vincitur ira a Græcis,& eruditus.3°.de dec.Hip. 1ª.243.B
Ratio in irascibilem partem quandoq; maxime imperat, sed hoc rarissimum est,& in quibus hoc euenat.3°.de dec.Hip. 1ª.243.B
Ratio sequitur concupiscibilem sponte.5°.de dec.Hip. 1ª.259.G
cũ Ratione irascibilis accedit.5°.de dec.Hipp. 1ª.259.G
Rõne vt opituletur iracundia data a natura.5°.de dec.Hi. 1ª.260.A
Rationi quando opitulatur iracundia.5°.de decre.Hipp. 1ª.260.A
Ratione homini prædito non est magno vsui habere densum tergus.1°. de san.tuen. 2ª.66.F
Ratione,& sensu comprehẽduntur omnia,quæ in cognitionem veniũt an sang.in art.natura cont. 1ª.61.F
Ratio dux est,& sensus sequitur.de theria.ad Piso. 5ª.93.E
Ratio cur est ars artium.1°.de vsu par. 1ª.113.G
Ratio instrumentum ad remedia capessenda.com.1°.aph.1°. Ex.2.C
Ratione inuenienda sunt, quæ possunt inueniri.de ther.ad Pis. 5ª.90.E
Rõ est instrumẽtũ ad inuentionẽ quorũdam plegorũ.1°.de ele. 1ª.2.H
Rationem aliquis satis esse volunt in re medica.de sect. If.15.H
Ratio quæ inuenire non potest,sensuum experientia iudicamus.de theriac.ad Pison. 5ª.90.E
Ratio,& experientia duo sunt instrumenta inuentionis. 1°. methodi medend.4.F/3°. 7ª.16.G
Ratio & experimentũ duo sunt instrumenta inueniendi quæ spectant ad artem in progn.com.2°.4ª.208.D/8°.de cõ.me.se.lo. 5ª.187.C
Ratio,& experientia vt duo crura sunt, quibus medicina innititur. 8°.de comp.me.sec.loc. 5ª.193.F
Ratio cum experientia sequenda.com.1°.aph.17°. Ex.9.C
Rationem sequitur experientia.6°.met.me. 7ª.37.E
Ratione multa sunt inuenta præcepta,experiẽtia aliqua.in 1ᵐ.de morbis vulgaribus,com.1°. 3ª.101.G
Ratione aliqua quando non mouetur Hippocrates, sed sola experientia.com.6°.aph.31°. Ex.49.C
Ratio quid magni faciat ad experientiam vel ornandam vel corrumpendam.2°.met.me. 7ª.13.B
Rõne,& experientia oĩa inueniẽda,sed distincte.3°.met.me.7ª.16.D
quæ per Rationem,& quæ per experientiam inuenta sunt,non confundenda simul,sed cum seorsum fuerint tractata,tunc postea iungẽda simul.2°.met.me. 7ª.13.C
Rationi q̃q; adstipulatur experientia.com.6°.aph.45°. Ex.51.F
per Rationem quæ inueniuntur quo modo inueniantur.de venę sectione aduer.Eras.6ª.16.D/1°.met.med. 7ª.4.H
Ratio ex quibus procedat.de ven.sect.aduer.Eras. 6ª.16.D
Rationis ordo.4°.de ana.adm. 1ª.79.G

Ratio inuestigat quod fama est fieri.in 6m.de mo.vul.c.3°. 3a.174.F
Ratio præcipit properare ad finem,& ab eo artes iudicare.ad Thrasybulum. 2a.106.B
in Rationibus similitudines decipiunt.de cuiusan.pec.not. 2a.56.F
per Rationem inuentum medicamentum præstat illi quod per experientiam est inuentum.6°.dc com.me.se.lo. 5a.166.G
Rationem naturarum negligunt empirici.de ther.ad Pis. 5a.90.E
Rationi nulli credendum,sed experientiæ secundum empiricos.1°. de nat.fac. 1a.294.B
Ratione inuenta conãtur empirici destruere.1°.de ali.fac. 2a.7.D
Ratione remota, ars constitui non potest obseruatione.2°.de dig.pulsuum. 4a.77.G
Ratione eorum quæ raro fiunt non possunt habere experimentatores. 5°.de lo.aff. 4a.35.E
Ratio rem humidam iudicat.1°.de temp. 1a.18.B
Rõ,& tactus iudices sunt corporis humidi & sicci.2°.de tẽp.1a.17.F
Ratio non est iudex rerum euidenter apparentium,sed experientia.in 6m.de mor.vulg.com.3°. 3a.164.F
Ratione non sensu motus cognoscitur.3°.de dign.pul. 4a.8.B
Ratione & sensu motus deprehenditur.4°.de diff.pul. 4a.66.B
Ratione non sensu cognoscuntur resolutio neruorum, conuulsio,& rigor.3°.de loc.affect. 4a.20.G
Ratio coniuncta sensui quid iudicet de occursu arteriæ in pluribus aut paucioribus partibus.3°.de dig.pul. 4a.81.B
Rationem præuertit sensus euidentia.4°.de simp.me.fac. 5a.29.D
Ratio nisi iusserit non excernimus.4°.de vsu par. 1a.141.E
Rõne debet vti medicus pter experientiam.5°.de dec.Hip. 1a.283.B
Ratio ostendit scopum curationis omnium affectionum.1°.de compo. me.se.lo. 5a.132.A
Ratio nominis quæ apud Antiquos.2°.met. me. 7a.15.G
Ratio vera breuis quæ euadat.8°.de decr.Hipp. 1a.273.F
sine Ratione authoritatibus non credendum.2°.met.me. 7a.12.B
Ratione volentes res probare quales esse debeant.1°.de ali.fa.2a.7.C
Ratio soretes dicta quomodo confecta.1°.de lo.aff. 4a.2.C
RATIOCINANDI *anima vbi sit.7°.de dec.Hip. 1a.267.F*
Ratiocinandi operationẽ hẽt ãa in cerebri corpe.3c.de lo.af.4a.17.G
RATIOCINATIO *quæ sit.de hist.phil. Sp.9.B*
Ratiocinatio est pars rectricis actionis.de sym.diff. 3a.11.D
Ratiocinatio inuenit quod quæritur.5°.de san.tu. 2a.93.G
Ratiocinatio mouetur a visu.8°.de vsu par. 1a.167.E
Ratiocinationem affectam phreneticus habet.de sym.diff. 3a.11.H
RATIOCINATIVÆ *ignaros damnat.aduers.Lycum. Ex.65.H*
RATIOCINATORES *inter rationales numerantur.de cuius.animi pe. not.atque med. 2a.58.B*
RATIOCINATORIA *indiget multa exercitatione.9°.de decre.Hippocratis. 1a.28.C*
Ratiocinatoriã vt prorsus non attingas in morali ciuiliq; contemplatione fieri non potest,& quare.9°.de dec.Hip. 1a.284.D
RATIOCINATRICEM *ãam quidam negarũt.1°.de na.fa.1a.293.A*
Ratiocinatrix anima quæ sit.quod animi mor. 1a.317.D
de Ratiocinatrice parte quid sentiant Aristoteles,& possidonius.5°. de decr.Hippo. 1a.259.E
Ratiocinatrix anima immortalis secundum Platonem. quod animi mor. 1a.317.F
Ratiocinatrix ãa mortalis fm Galenum. quod animi mor. 1a.317.G
Ratiocinatrix anima est quoddam cerebri temperamẽtum & est mortalis.quod animi mor. 1a.317.G
Ratiocinatrix ãa in cerebro est.9°.de vsu par.172.E/17°.1a.222.F
Ratiocinatrix ãa habet plures facultates.quod animi mor.1a.317.E
Ratiocinatricis functionis quæ veluti paralysis est anæa siue amẽtia dicitur.de sym. diff. 3a.11.G
Ratiocinatricis functionis læsio quæ veluti deficiens motus est,moria, morosis,siue fatuitas dicitur.de sym.diff. 3.11.G
Ratiocinatricis functionis læsio quæ veluti errans est paraphrosyne, siue delirium dicitur.de sym.diff. 3a.11.G
RATIOCINIA *dicunt cogitationes.in 6m.de mor.vul.c.5°.3a. 191.A*
Ratiocinium quibus fiat instrumentis.ad eos,qui de typ.scri.3a.91.H
RATIOCINARI *& loq; sunt cõuenictiores actiones homini.de mot. man.& obsc. Sp.67.F*
RATIOCINAMVR *virtute proueniente ex capite.de virtutibus nostrum corp.dispen. Sp.59.H*
RATIONABILE *est estimare vnum potius errare,quam omnes alios*
2°.de vsu partium. 1a.121.F
RATIONALIS *anima vna cum sit,habet multas facultates.9°.de dec.Hipp. 1a.286.D*
Rationale proprium hominis esse sumi posse videtur.de sop.Isa.8.A/ 2°.de diff.resp. 3a.64.E
Rationalis,& irrationalis animæ partes.5°.de dec.Hip. 1a.259.D
Rationalis sola in Dijs reperitur.6°.de decr.Hip. 1a.261.F
Rationalis anima si esset sola,sola prudentia esset.7°.de decret. Hippocra. 1a.267.G
in Rationali anima adest scientia.7°.de decr.Hip. 1a.268.C
Rationalem animam esse in corde argumentum commune antiquorũ probans.2°.de dec.Hippo. 1a.240.E
Rationalis vis in cerebro.3°.de loc.aff. 4a.16.D
Rationalis est secunda cerebri diuisio.de compag.memb. Sp.58.B
inter Rationalem & phantasiam panniculus habet carnem aliquã. de compagine memb. Sp.58.B
Rõnalis animæ actiones principales vocantur.3.de loc.aff. 4a.16.G
Rationalis anima quæ habet opera.8°.met.me. 7a.58.H
Rationalis anima mittit semen in cerebrum.12c.de vsu pa.1a.193.E
ex Rationali vi trahimur ad honestatem.5°.de dec.Hip. 1a.256.H
Rationalis,& irrationalis facultatis bellũ.5°.de dec.Hip.1a.258.H
Rationalem irascentem priorem esse nõ indiget multa probatione.5°. de dec.Hippocra. 1a.260.D
Rationalem animæ partem hebetem, & turbidam reddit vinum.1°. de san.tu. 2a.66.H
Rationali vi,& irrationali qũo vtantur currentes.4°. de decre. Hippocra. 1a.249.E
Rationales artes quæ.de cuius.animi pec.not.atque med. 2a.60.B
Rationales artes multi tractant, qui non intelligunt quid dicant.9°. de decre. 1a.284.D
Rationalem contemplationem diligenter tractantes quolibet quæsitũ discutere sciunt.ad Thras. 2a.102.A
Rationalis disciplina.i.logica nõ desticiẽda.an sang.in arte. 1a.62.D
Rationalis scientiæ ignorantia quid faciat.1°.de diff.feb. 3a.31.C
RATIONALIS *vna ex tribus sectis medicorum.intro. Isa.51.A*
Rationalis secta quæ.fin.med. Isa.43.E
Rõnales medij sunt inter Methodicos,& empiricos.de op.se.Ij.20.G
Rationales vnde.de sect. Isa.16.A
de Rationali secta Galeni dictum.de sal.diæta. 2a.42.A
Rationalis secta quatuor cognoscitur.introd. Isa.51.A
Rationalis quid complectatur.de sect. Isa.16.A
Rationalis sectæ principes qui.introd. Isa.51.D
Rationales quomodo differant ab empiricis.8°.de composi. medicam. se.loc. 5a.188.C
Rationales dissentiunt ab empiricis in ratione inueniendi methodos. de sect. Isa.16.E
Rationalis methodi munus quod.ad Thras. 2a.104.G
Rationalis methodus quantum valeat ad medicamentorum copiam parandam.6°.de comp.me.se.loc. 5a.166.G
Rationales vnde sumunt indicationem.de sect. Isa.16.F
Rationalis iudicatio ditior est nuda experientia citra methodum.2°. de com.me.per ge. 5a.229.G
Rationalis concursus accidentium indicat euacuationẽ.de sec.Is.16.F
Rationales dispositiones dicunt cõcursus.cõ.6°.aph.31°. Ex.49.C
Rationales vtuntur eadem medela cum empiricis.de sect. Isa.16.F
Rationales quid laudent.de sect. Isa.17.A
Rationalis quid dicat de medicamentis.2°.de simp.me.fac. 5a.11.F
Rationales qui venæ sectionem exercuere.de ven.sec.aduer. 6a.6.G
Rationalis medicus facilius cognoscit cõmunia & propria quam ille qui experientiæ tantum meminerit.de ijs, quæ in med.fi. commentario.1°. 7a.198.G
RAVCEDINE capiuntur fores.1°.de temp. 1a.16.D
Raucedines sunt morbus senum.5°.de san.tu. 2a.92.B
Raucedo cur senibus contingat.de voc.& anhel. Sp.61.G
Raucedines qũo non mutarentur in valde senibus, & q̃ sunt ægritudines conuenientes senibus.com.2°.apho.40°. Ex.17.H
Raucedo quando fiat.de voc.& anhel. Sp.61.E
Raucedines fiunt hyeme,quando æstas fuit sicca, & autumnus pluuiosus.commen.3°.apho.13°. Ex.21.H
Raucedines cur & quomodo hyeme fiant.com.3°.aph.23°. Ex.24.H
Raucedines cur fiãt vere cũ sint morbi hyemis.c.3°.ap.20°.Ex.24.b
Raucedines quæ tempestate fiant.de acre, aquis,& locis. 2a.4.C

Raucedo quo modo fiat de voce, & anhel. 60.G/ Sp.61.G
sine Raucedine quo modo fiat vox.de voce, & anhel. Sp.61.G
Raucedo accidit qñ musculi colli extenduntur, & inchordantur, vt extẽdunt in assumptione cibi,& potus.de voce, & anhe.Sp.60.F
Raucedo accidit qñ humescit epiglottis.de voce,& anhel. Sp.61.F
Raucedo vnde. in 1m.de mor.vul.com.1°. 3a.105.C
Raucedinis causa est iter.de vict.ra.in mor.acu. c.4°. 7a.144.H
Raucedinem facit vuula incisa, aut ablata.de ana.viu. Sp.49.E
Raucedinibus prodest styrax.8°.de simp.me.fac. 5a.61.E
ad Raucedinem remedium.de dyna. Sp.26.C
in Raucedine vocis minuuntur venæ iugulares.de ana.viu. Sp.55.A
RAVCITAS *quid. introd.* Is.56.E
Raucitas est morbus longus intrinsecus. introd. Isa.56.B
Raucitas causa.introd. Isa.56.E
post Raucitates,& grauedines febris aduenies illas concoquit.ĩ 6m. de mor.vul.com.3°. 3a.171.E
Raucitatis curatio.introd. Is.56.E
Raucitas,id est branchas quid.3°.de symp.cau. 3a.29.F
RAVCI *quo fiãt,& sanent.de vi.ra.in morb.acu.c.4°.* 7a.150.H
Raucæ voces quorum symptomata sint. de symp.diff. 3a.13.E
Raucæ voces vñ ĩ 1m.pr.c.1°.162.D/4a.166.B/de vo.& anhe.Sp.61.F
Rauca fit vox ob potum.de vo. & anhel. Sp.61.G
Raucam faciunt vocem destillationes.4°.de lo.aff. 4a.26.C
Raucã vocẽ hẽt hõ cõceptus ĩ tribꝰ horis sanguinis.de sper. Sp.37.B
Raucis nõ est medicamẽtũ exhibẽdũ.de vi.ra.ĩ mo.acu.c.4°.7a.150 F
Raucos emendat ouũ crudum potatum. de simp. med. Sp.88.E

si RECALESCANT *in sudoribus vigiles, malum. in 1m.prorrhetici,com.2°.* 4a.174.A

RECALEFACIENDA *& fouẽda est pars ab hirudinibus tracta,quia refrigerascit.de cucur.scar.* 6a.4.D

RECENTIORVM *qui scriptis examinatis quæ bona sunt in publicum exponant,mala vero quæcũq; fuerint perdant collegium proborũ doctorũq; hominũ apud nos oportuit esse.contra Iulianũ.Ex.66.C*
Recentia cicera sunt multarum superfluitatum.de diff. cont. Sp.73.E
Recẽtes dolores circa latera tollit scarificatio crurũ.de cu.sca.6a.4.b
in Recentium vulnerum profundo positus cinis sanguinẽ statuit à cur su.de simp.med. Sp.86.A
Recentia vulnera glutinat cytinus.de simp.med. Sp.87.C
ad Recentia vulnera oĩa facit emplastrũ Barbarũ. de dyn. Sp.35.F
ad Recentia vitia quibus vtendum.de remed.par.fa. 7a.154.H
Recẽs cũ est medicm eo vti nõ debemus.7°.de cõp.me.se.lo. 5a.183.C
Recentia magis emolliunt inueteratis.5°.de simp. me.fa. 5a.34.F
RECEPTACVLVM, *& locus quomodo differant.de hist. phi.* Sp.5.C
Receptacula sanguinis et spũs sunt vena,neruꝰ,pellis.de vti.Sp.63.C
Receptaculũ spiritus cur dicitur pulmo.de vti. resp. Sp.64.B
Receptaculũ amoris ẽ sãguis terrestris plurimũ calidꝰ.& vti.Sp.64.E
vt Receptaculum vocis est os. de voc.instr.diff. 1a.106.E
RECESSVS *& accessus maris quomodo fiant.de hist.phil.* Sp.8.G
RECIDIVAS *facere consueuerunt quæ relinquuntur in morbis post iudicium.com.2°.aph.12°.* Ex.12.D
Recidiuam faciunt quæ sine ratione leuant.in prog.c.2°. 4a.209.F
Recidiua in quibus morbis timenda.1°.de dieb.dec. 4a.145.B
ĩ Recidiuas deflectũt cruda & ĩcõcocta.ĩ 1m.d m.vul.c.3°.3a.123.E
Recidiuæ multæ fiunt in tẽporib.incõstantib.c.3°.aph.8°. Ex.20.G
Recidiua fit si sexta die iudicium fiat.c.3°.aph.8°. Ex.20.G
Recidiuæ symptomata quæ.in 3m.de mor.vul.c.1°. 3a.132.F
RECIDIVARE *solet febricitans,nisi diebus imparibus febris relinquit.com.4°.aph.61°.* Ex.34.A
Recidiuauit qñ febris.in prog.com.2°. 4a.209.F
Recidiuauit ĩ febrẽ sæpe Boethi filius et q casus.de pc.ad Po.4a.16.b
RECIPROCI *deficientes pulsus qui.de puls.diff.* 4a.49.F
RECLVDATVR *cur facile imbecillũ, molle, & tenue.3°.de symptomatum causis.* 3a.27.A
Recludat cur difficulter firmũ,crassũ,& durũ.3°.de sym.ca.3a.27.A
RECLVSIO *est morbus instrumentalium. de sym. diff.* 3a.13.E
Recluso quo modo fiat.de sym.diff. 3a.13.E
Recluso vasorum quibus fiat causis. 3°.de sym.cau. 3a.27.B
ad RECOLLIGENTES *se ægre ex morbo.8°.de compositione medica. sec.loc.* 5a.195.G
RCORDATIO *quid.fin.med.* Is.45.B
Recordationis fons, & radix est sensus.1°.de elem. 1a.3.H
Recordationes rerum sunt disciplinæ.de theria.ad Piso. 5a.89.H
RECORDANTVR, *& cognoscunt asini.2°.me.me.* 7a.14.B
RECREMENTORVM *natura in oleo eadem est tum in lacte tũ in alijs omnibus succis,multoq; magis in totis plantis, metallicisq; oĩbus. 4°.de simp.me.fa.* 5a.24.H
Recrementa suliginosa,sauillosa,ac fumosa, oĩa sunt terrea ac veluti semicocta cũ ĩnato calore,vt fumus cũ igne.1°.de diff.res.3a.62.a
Recrementa semper facit caliditas in animalis corpore, q̃ indiget euacuatione.in 6m.de mor.vul.c.6°. 3a.195.F
Recrementorum instrumenta quæ.6°.de ana.adm. 1a.90.C
RECRVDESCENTIA *vitia maligna appellantur.de fracturis commentario.2°.* 7a.235.G
RECRVDESCANT *quæ minimæ.de frac.c.2°.* 7a.236.A
RECTE *quid se habet.4°.me.me.* 7a.23.G
Recte intelligit iniectum,quod confert.de fascijs. 7a.293.E
Recte viuere, rectèq; meditari volentes debent cerebri temperiẽ seruare.de virt.nost. corp.dispens. Sp.60.C
RECTIFICATIO, *& præparatio spiritus antequam corĩgrediatur in pulmone fit.de ana.viu.* Sp.47.C.
RECTIFICAT *aquã ducere illã de loco ad locũ. de bo.aqu.* Sp.76.B
in RECTITVDINE, *duobus dicitur modis,& quibus.de ijs, quæ in med.fi.com.1°.* 7a.202.F
sm Rectitudinem partes sitæ, plus inter se cõmunicãt, ac fruuntur. 14°,de vsu par. 1a.206.G
Rectitudo sm Hippo. κατ' ἐξὴν *noĩat.in 6m.de mo.vul.c.1°.3a.152.H*
Rectitudinẽ non vult esse seruandã Gal.in affectibus, in quibus difficile aut nullo modo cognoscitur mẽbri languentis rectitudo, vultq; Hippocratẽ præcepisse rectitudinẽ considerandã in quibus ipsam dignoscere licet.in 6m.de mor.vul.c.2°. 3a.163.A
sm Rectitudinẽ distẽtiones vẽtris docẽt an in dextrã,vel sinistrã corporis partẽ absc essus morbi sit futurꝰ.ĩ 6m.d m.vu.c.2°. 3a.163.F
Rectitudo membri in absc essibus à superioribus ad inferiora an semp seruanda.in 6m.de mor.vul.c.2°. 3a.162.F/G
Rectitudinem loci patientis seruat in cucurbitulis Gal. de reme.para tu facilibus. 7a.163.D
de RECTRICE. *virtute dicitur natura.secret.* Sp.96.F
Rectrix actio in quot partes diuiditur. de symp.diff. 3a.11.D
Rectricis actionis symptomata quæ,& quot.2°.de symp.cau.3a.24.B
Rectricis actionis amissio cõsistit in stoliditate,& obliuione.2°.de symptomatum causis. 3a.24.B
RECTVM *in omnibus est medium. 4°.me.me.* 7a.23.G
Rectum est iudex sui & obliqui.de opt.doc.gen. Isa.31.A
Recti cur magis spina laboramus, q̃ sedentes,aut iacentes.2°.de motu musculorum. 1a.315.G
Rectum ad costas brachiũ extendens musculus. de mus.diff. 1a.47.G
Recta ceruix quo modo moueatur.de mus.diff. 1a.47.A
Rectam cubiti extensionem qui musculus faciat. de mus.diß. 1a.48.B
Rectum cur sit duodenum.de ana.viu. Sp.50.C
Rectum intestinum vẽ distingui ab intestinis.de fæt.for. 1a.322.H
Rectum intestinum vnde dicatur.1°.de san.tu. 2a.67.F
Rectum intestinum est sextum in ordine.5°.de vsu par. 1a.142.E
Rectum intestinum quomodo generatur.de fæt.for. 1a.322.H
Rectum intestinum cur habet villos rectos.4°.de vsu par. 1a.141.C
in Recto intestino qui musculi sunt.1°.de san.tu. 2a.67.F
Recti intestini os habet musculos in orbem.4°.de vsu par. 1a.141.E
Recto itinere sanguinem fluere cõmendandum. in pg.c.1°. 4a.196.C
Rectum cur sit longaon.de ana.viu. Sp.50.E
Recti motus genera sex sm Platonem.de hist.phil. Sp.8.F
*Recti musculi & obliqui adsunt vbi est vnũ os. 6°.de ana.ad.*1a.9.A
Rectus est motus capitis si musculi duo agant. de mus.diff. 1a.45.H
Recti musculi ex ijs,qui tõtam cernicem occupant rectum caput abnuendo mouent.de mus.diß. 1a.45.H
Rectus musculus quo modo eleuandus.5°.de ana.adm. 1a.88.A
Rectam attollendo tibiam qui musculus illam introrsum inuertat. de musc.diff. 1a.51.D
Rectus oculus ad alteram partem.de fasciis. 7a.297.G
à Recta via recedere non debemus.com.2°.aph.52°. Ex.19.D
RECVRVATIONES *comitantur senes ad mortem. commẽtario.2°. aphoris.40°.* Ex.18.A
REDARGVTIO, & methodus qd.in 6m.de mor.vul.c.3°.3a.174.H
REDOLENTIA *bene oĩa nõ sunt calida.2°.de simp.me.fa.5a.10.C*
REDVNDANS *quod est in corpore ad partes imbecillas semp descendit*

ſcendit.1°.de alim.fac. 2ª.10.H
Redundantem in corpore materiam minuere vbi volumus, ſcarifica tione vtimur.de cucur.ſcar. 6ª.3.F
REDVNDANTIA *in quantitate & qualitate quæ.10°.meth.meden-di.71.C/* 7ª.72.A
Redundantia ſanguinis eorũ eſt q̃ abſolute dñr.2°.met.me. 7ª.10.A
Redundantiæ morbis tentantur calidi,& ſicci.6°.de ſan.tu. 2ª.93.F
Redundantiæ vitijs ſi quid abundet, qd agẽdũ.6°.de ſan.tu. 2ª.97.D
Redundantiæ morbi vnde oriantur.6°.de ſan.tu. 2ª.97.D
Redundantiæ morbi quo modo curentur. 6°.de ſan.tu. 2ª.97.D
REDVNDANT *quæ.14°.met.me.* 7ª.93.B
REDVPLICATIO, *& repetitio quid. de morb. temp.* 3ª.87.E
REDVVIÆ *affectus digitorum.introd.* Iſa.59.C
RFFECTIO *quid. de marc.* 3ª.48.C
Refectione indiget non medela, qui a morbo graui cõualeſcit. ad Thra ſybulum. 2ª.102.D
Refectiones corporibus extenuatis quãtæ eſſe dñt.c.2°.a.7°.Ex.11.H
Refectiones cum extremæ fuerint, & euacuationes quæ ad extremũ deducunt periculoſæ ſint.com.1°.aph.2°. Ex.3.E
REFECTORIA *victus ratio qualis, & quibus conueniat.7°.methodi medendi.* 7ª.45.H
Refectoria victus rõ qũo in ſiccis eſt facienda.7°.met.me. 7ª.45.H
REFECTRIX *medicinæ pars, analeptice a nonnullis dicitur.ad Thra ſybulum.* 2ª.106.E
Refectrix ars quæ.de conſt.ar. Iſ.42.G
REFICIENDA *quæ ſint.14°.meth.me.* 7ª.91.C
Reficiendi quo modo extenuati.14°.me. me. 7ª.91.G
Reficiendi qũo ſint qb° venæ exinãnitæ.d vi.ra.ĩmo.ac.c.1°. 7ª.120.B
REFICIENS *pars artis ad quos pertinet.ars med.* Iſa.71.F
Reficientes corpus fortibus catharticis vtimur.de dyn. Sp.20.H
ad Reficientes ſe ex infirmitate potio inuãs.8°.de cõ.me.ſe.l.5ª.195.B
Reficiens male curata Cyzicenũ Hcræ.5°.de cõp.me.per g. 5ª.250.E
REFICIVNTVR *carneſa.14°.me.me.* 7ª.93.B
Reficiant qũo emaciata corpora mãgones.ĩ 6ᵐ.d m.vul.c.3°. 3ª.176.D
Reficit q̃ e corpore dilapſum eſt, ciborum aſſumptio. in 6ᵐ.de morb. vulg.com.5°. 3ª.190.F
Refici q̃ dñr, illis dẽt dari vinũ, niſi febricitẽt.7°.me. me. 7ª.45.E
Reficiuntur qui facile.8°.me. me. 7ª.54.F
Reficiunt cũ ægre mẽbra, Thapſia ex melle cõuenit.14°.m.m. 7ª.91.b
REFLEXIO *ad anteriora quare fiat in duris mediocriter extensis.cõ men.6°.aph.46°.* Ex.51.H
REFRICTIO *quid ſit.de ijs, quæ in med.ſi.com.3°.* 7ª.218.E
REFRIGERACIT *pars ab hirudinibus tracta ideo fouenda,& re-calfacienda eſt.de cucur.ſcar.* 6ª.4.C/D
REFRIGERANDI, *& humectandi materiæ ſex.10°.methodi medendi.* 7ª.64.D
ad Refrigerandum & humectandum cur ſolo aceto non vtimur.10°. meth.med. 7ª.64.H
Refrigerando repellitur. ars med. Iſa.70.G
Refrigerãdo,& adſtringẽdo repelli debẽt morbi ex influxu humorum. 1°.de comp.me.ſe.lo. 5ª.121.F
Refrigerandum & repellendum eſt in principijs, potius q̃ calefaciendum, vel laxandum.3° de ſimp.me.fa. 5ª.18.F
Refrigeranda eſt calida diſpoſitio.1°.de loc.aff. 4ª.5.E
Refrigerandum quantũ ſit in eryſipelate, & in phlegmone.13°.met. medendi. 7ª.82.E/F
Refrigerandi ſunt omni ratione hectici.10°.met.me. 7ª.66.E
ꝑ Refrigerãdo capite, mali punici acidi ſuccus pſtantior eſt q̃ alius ſuccus adſtringentium,& quare.2°.de comp.me.ſe. lo. 5ª.132.G
ꝑ Refrigerando capite, cucurbitæ ramentis ex ſuccatis qũo Ruri qñq; vſus fuerit Gale.2°.de comp. me.ſe.lo. 5ª.132.G
ad Refrigerandũ quæ folia debent ſterni.de reme.par.fac. 7ª.153.E
Refrigerando qñq; prodeſt coitus.in 6ᵐ.de mor.vul.c.5°. 3ª.193.B
REFRIGERANTES *cauſæ tot ſunt, quot calefacientes.1°.de præſag. ex pulſ.* 4ª.105.H
Refrigerantium diuerſitas quæ.11°.me.me. 7ª.70.C
Refrigerantia ſunt frigida poteſtate.3°.de temp. 1ª.23.F
Refrigerantia quæſim.14°.met.me. 7ª.87.D
Refrigerantia,& adſtringentia quæ.4°.de cõp.me.per ge. 5ª.237.A
Refrigerantes & adſtringentes ſucci.1°.de arte cur.ad Glau. 7ª.99.C
Refrigerãtia qũo cognoſcanĩ ꝑ adſtrictionẽ.4°.de ſim.me.fa. 5ª.26.B
Refrigerans cibus eſt melca.7°.me.me. 7ª.44.B
Refrigerãs tenuiũ ptiũ ẽ acetũ, iõ penetrat.2°.de cõ.me.p g. 5ª.228.d
Refrigerantes bene vires habet cuculus.de ſimp.me. Sp.83.C
Refrigerantes vires habet hyoſciamus.de ſimp.me. Sp.92.D
Refrigerantes vires habet mandragora.de ſimp.med. Sp.87.C
Refrigerantes vires habet œnanthe.de ſimp.me. Sp.85.E
Refrigerãtia, et adſtrigẽtia oĩa excedit plãtago.6°.d ſim.m.f. 5ª.43.g
Refrigerantes vires habet ſedum.de ſimp.med. Sp.91.A
Refrigerãtia ĩmoderate lædunt facile cerebrũ.de inſtr.odo.1ª.112.F
Refrigerãtia ſupramodũ natiuũ calorẽ extĩguũt.2°.de ar.cu. 7ª.103.c
Refrigerans multum medicamentum qũo ſit.9°.de ſim.me.f. 5ª.70.E
Refrigerans medicamentum qũo efficies.10°.me.me. 7ª.65.A
Refrigerantia ſine adſtrictione etiam repellunt.14°.met.me. 7ª.92.G
Refrigerantia caput calidius, ex arboribus & fructibus q̃ cõueniant. 2°.de comp.me.ſe.lo. 5ª.132.H
Refrigerantia quæ capiti adhibentur, non debẽt multum adſtringere. 2°.de comp.me.ſe.lo. 5ª.132.F
Refrigerantibus vti debemus ĩ vomitu ſanguinis.c.7°.a.37°.E.56.H
Refrigerãtib.et dẽſantibus vẽtris fluxus augeẽ.1°.d arte cur. 7ª.99.B
Refrigerãtibus & adſtrigẽtibus curãda diapedeſis.5°.me.m. 7ª.32.A
Refrigerantia, & vna adſtringentia medicamenta, ad vlcera rebellia oĩa ſunt, & ad fluxiones, & ad putredines conueniunt, ac proinde & ad dyſenterias.6°.de ſimp.me. fa. 5ª.43.G
Refrigerantibus, & ſiccantibus debent curari putreſcentia.2°.de cõ. med.per ge. 5ª.228.C
Refrigerantibus, quibus os ventriculi ſuper calefactũ curetur.1°.de arte curatiua ad Glau. 7ª.99.C
Refrigerantibus & vim corroborandi habentibus, exolutiones curã tur, quæ ex nimio calore accidunt.1°.de arte cur.ad Gla. 7ª.99.D
Refrigerans præcordiis impoſitum, facit difficultatẽ ſpirandi.10°.me. medendi. 7ª.65.C
Refrigerantia valde cauenda ſunt in orthopnœa, & aſthmate.7°.de cõp.me.ſe.loc. 5ª.186.G
Refrigerantẽ aerẽ plº cæteris requirit pulmo.10°.met me. 7ª.64.G
Refrigerantia humectantiaq; deſiderat febris.8°.me.me. 7ª.53.G
Refrigerãtia ſine vehementi adſtrictione in febre hectica cõueniunt. 10°.me.med. 7ª.64.G
Refrigerantia tenuis ſubſtantiæ citra adſtrictionem febri cõueniunt hectica.10°.me.me. 7ª.64.H
Refrigerantia, & exſiccãtia euitãda ĩ quartana.1°.d arte cur. 7ª.97.F
Refrigerationis cã putãt quidã aerẽ eſſe neceſſariã ad conſeruationem ignis, ſed falſo cum ſit nutrimenti cã.de vtil.reſp. Sp.64.A
Refrigeratione nõ indiget vitalis calor, ſed nutrimẽto.de vti.Sp.64.B
Refrigeratio cordis cõparaĩ refrigerationi ſtomachi.de an. Sp.47.G
Refrigeratio extremorũ quibus eueniat.præſa.exper.conf. Sp.78.E
ĩter Refrigerationẽ, & rigorẽ medius ẽ horror.2°.de diff. fe. 3ª.39.B
Refrigerationes ex rigore malæ.in 1ᵐ.pror.com.2°. 4ª.173.G
Refrigeratio cum duritie mala.in 1ᵐ.pro.com.2°. 4ª.175.B
Refrigeratio per humida qualis in 6ᵐ.de mor.vul.com.4°. 3ª.184.D
Refrigeratio inſignis eſt ſtupor.2°.de loc.aff. 4ª.8.E
Refrigeratio cõpleta, & ſenſum, & motũ tollit.2°.de loc.aff. 4ª.8.E
Refrigeratio ſoporem inducit.3°.de lo.aff. 4ª.16.F
ex Refrigeratiõe fatuitas, & obliuio q̃uenit.2°.de ſim.cau. 3ª.24.B
Refrigeratio cur parui tpis ſit, & periculoſa.10°.met.me. 7ª.64.D
Refrigeratione non egent itinerantes.10°.me.me. 7ª.66.C
Refrigeratio cui proprie adhibenda.in 6ᵐ.de mo.vul.cõ.6°. 3ª.196.B
Refrigeratio cur proprium ſit remediũ febriũ.10°.me.me. 7ª.65.D
Refrigerationẽ protinus ab initio vſtio deſiderat.8°.me.me. 7ª.51.E
Refrigerationis indicationem, vincit vacuationis indicatio in phlegmone & eryſipelate.13°.me.me. 7ª.82.E
Refrigeratio & repletio eſt cã fluxus ſanguinis in iuuenibus.com.3°. apho.29°. Ex.26.C
Refrigeratio capitis fieri non debet, ſanguine e naribus profluẽte.5°. met.me. 7ª.31.H
Refrigeratio ad Thoracem, & ad ventriculum in ſanguine profluẽte obeſt.5°.met.me. 7ª.31.H
Refrigeratio in ſanguinis profluuio qñ facienda.5°.me.me. 7ª.32.A
Refrigeratio optima capitis ex roſaceo.2°.de cõp.me.ſe.l. 5ª.132.E
Refrigeratio fit omotribæ.i.omphacino oleo.2°.d cõ.me.p g. 5ª.220.F
Refrigeratio extrinſeca vẽtrẽ ſiccat.in 6ᵐ.de mor.vul.c.5°. 3ª.193.C
Refrigeratio intrinſeca ventrẽ humectat, & lenit.in 6ᵐ.de mor.vul. com.5°. 3ª.193.C
Refrigeratio veſicæ quomodo fiat.in 1ᵐ.pro.com.2°. 4ª.171.C

Refrigeratione rara

Refrigeratione raro vtimur pro doloribus ſoluendis. in 6m. de morbis vulg.com.6°. 3a.196.A
Refrigeratio vehemens nõ eſt inducenda in fœminis, eunuchis, pueris, et mollibus carne, & albis colore. 2°.de comp.med.ſe.l. 5a.132.E
REFRIGERATORIA, *& emplaſtica eſt ceruſſa. 9°.de ſimpli.medic.facul.* 5a.71.G
Refrigeratorius eſt plãtaginis ſuccus. 8°.de comp.me.ſe.lo. 5a.189.A
Refrigeratoriam, repercuſſoriam, & emplaſticam vim habet puluis. 8°.de ſimp.med.fac. 5a.60.A
REFRIGERARE *& replere plurimum & repente cur nocuum ſit. com. 2°.apho. 51°.* Ex.19.C
Refrigerant quæ. 1°.de præſ.ex pul. 4a.105.H
Refrigerãt quædam dum concoquuntur. 3°.de temp. 1a.24.B
Refrigerare, calefacere, exiccare, et humectare corpus humanum, quæ debent non eſt conſiderandum an pinguia, vel lenta, vel leuia ſint. 1°.de ſimp.med.fac. 5a.2.E
Refrigerant & exiccant acerba. 7°.meth.med. 7a.46.H
Refrigerat, & calfacit Acetum. 1°.de ſimp.med.fac. 5a.6.B
Refrigerat valde acetum. 3°.de ſimp.med.fac. 5a.18.A
Refrigerãt vehementer Adſtringentia. 1°.de com.me.ſe.lo. 5a.125.E
Refrigerat Aer inſpiratus. de vtil.reſp. Sp.63.B
Refrigerat altercum potentia non actu. 1°.de ſimp.med. 5a.2.C
Refrigerat ſemper, & humectat aqua. 1°.de cõ.me.per gc. 5a.212.H
Refrigeret & calefaciat quomodo aqua calida. de ijs, quæ in medicat. fiunt.com.2°. 7a.215.H
Refrigerant ſtatim Balnea frigida. 3°.de cau.pul. 4a.98.G
Refrigerant potentia balnea calida. 1°.de arte cur.ad Glau. 7a.97.E
Refrigerat quomodo calidum. in 6m. de mor.vul.com.2°.161.F/com. 5°.3a.194.F/2°.de arte cur.ad Glau. 7a.103.D
Refrigerat Ceratum Chamæmelinum. 9°.de comp.me.ſe.lo. 5a.205.E
Refrigerat Coriandrum, & ſtringit viſci. de ſimp.med. Sp.82.E
Refrigerat Diphryges in modum ninis. de ſimp.med. Sp.83.D
Refrigerat Faba. 7°.de ſimp.med.fac. 5a.53.D
Refrigerat mediocriter faba ægyptia. de vic.ra.in m.a.c.4°. 7a.149.D
Refrigerat cutaneas ptes Frigidũ exterius. í 6m. de m.v.c.6°. 3a.195.g
Refrigerat Haſeg. de ſimp. med. Sp.85.C
Refrigerat, et exiccat in primo ordine Hordeũ. 7°.de ſi.me.f. 5a.53.A
Refrigerat leuiter, & repercutiendi vim habet Lac recens coagulatũ. 10°.de ſimp.med.fac. 5a.74.C
Refrigerat, & exiccat Lini ſemen. de vic.ra.in mor.ac.c.4°. 7a.149.d
Refrigerare corpa Luna iminuẽte piculoſum. de dec.pg.ex.m. Sp.16.F
Refrigerant ẽt extrinſece Medicamenta ſtupida. 2°.de lo.af. 4a.8.E
Refrigerat metus diuturnus. 1°.de præſag.ex pul. 4a.105.H
Refrigerat, & ſiccat Milũ. de vict.ra.in mor.acu.com.4°. 7a.149.D
Refrigerat omne Nutrimentũ influens id qd nutrit. de vtil.re. Sp.63.C
Refrigerat Opium circumlinitum. de ſimp.med. Sp.88.A
Refrigerãt & ſiccant ex Papaueris ſucco, et alterco medicamẽta. 11°. meth.med. 7a.79.C
non Refrigerant citra damnum papauer, & mandragora. 2°.de comp. med.ſecun.loc. 5a.132.C
Refrigerant modice Pira. 6°.de ſimp.med.fac. 5a.43.D
Refrigerat in ſecundo Polygonon. 8°.de ſimp.med.fac. 5a.58.C
Refrigerat, & adſtringit potamogitũ, vt polygono. 8°.de ſi.m. 5a.59.A
Refrigerat Tſyllium. de ſimp.med. Sp.89.A
Refrigerat & reparat febricitantes ſuccus Ptiſſanæ, ſi oleum roſaceũ admiſceas. de ſimp.med. Sp.90.A
Refrigerat Roſa ſuauiter. de ſimp.med. Sp.89.E
Refrigerare roſaceum elicitur. 11°.de ſimp.med.fac. 5a.80.D
Refrigerat, & adſtringit in tertio ordine Solanum hortenſe. 8°.de ſimplic.med.fac. 5a.62.G
Refrigeret quomodo Somnus. in 6m. de mor.vul.com.4°. 3a.184.A
Refrigerat aliquatenus Spuma argenti. de ſimp.med. Sp.90.F
Refrigerat Stibium. de ſimp.med. Sp.90.A
Refrigerant potius, quam calefaciant Sudores, qui noctu perfunduntur. 7°.meth.med. 7a.47.B
Refrigerat mediocriter Terra ſamia. 9°.de ſimp.med.fac. 5a.65.H
Refrigerat Triſtitia. 4°.de cau.pul. 4a.99.H
Refrigerat vniuerſum corpus Venæ ſectio frequenter eodem anno facta. de Hirud.reuulſ.cucur.& ſcarif. 6a.2.G
Refrigerat ex accidente ſanguinis miſſio. 10°.meth.med. 7a.65.E
Refrigeret cur Vigilia. in 6m. de mor. vul. com. 4°. 3a.183.H
REFRIGERARI *pro nudari accedit. de frac.com. 3°.* 7a.243.H
Refrigerari, & accendi ſunt contraria. de vtil.reſp. 1a.224.C

Refrigerari, et congelari quo modo differant. 1°.de ſim.me.fac. 5a.5.B
Refrigerat aqua in puteo dupliciter. in 6m. de mor.vul.c.4°. 3a.184.d
Refrigeratur quomodo aqua in Alexandria, & Aegypto. in 6m. de mor.vul.com.4°. 3a.182.B
Refrigeretur cur aqua calefacta. in 6m. de mor.vul.com. 4°. 3a.182.C
Refrigerari quo modo aliquid poſſit. 10°.meth.med. 7a.65.A
Refrigeratur cur corpus in præfocatis. 6°.de loc.aff. 4a.39.F
qñ Refrigerat corpus qũo pulſus eius mutet. de præſ.ex p. 4a.105.H
Refrigeratur quibus caput ruri. 2°.de comp.med.ſec.loc. 5a.132.G
Refrigerantur cur extrema in morbo maligno. de vict.rat.in mor.acu. commen.4°. 7a.136.B
Refrigerantur qui in principijs acceſſionũ, & aĩ defectum patiuntur ob inflãmationis magnitudinem, aut febris malignitatẽ quomodo tractandi. 1°.de art.cur.ad Glau. 7a.99.E
Refrigerari quantum debet eryſipelas. 14°.meth.med. 7a.87.D
REFRIGERATI *minus inſpiramus. de vtil.reſp.* 1a.224.E
Refrigeratis fiũt inæquales intẽperies ſine materia. de inæ.iiẽ. 3a.43.B
ad Refrigeratos quid conferat. de remed.par.fac. 7a.159.G
Refrigeratos calefaciunt pinguia. 2°.de ſimp.me.fac. 5a.15.A
in Refrigeratis oleo roſaceo vti liccat. 2°.de ſimp me.fa. 5a.10.A
Refrigeratos à papaueris ſucco ſanat vinũ. 3°.de ſimp.me.ſa. 5a.22.F
Refrigeratis purgatio ſiſtenda. de præſ.exper.conf. Sp.78.C
Refrigerati non rubeſcunt. de cucur.ſcarif. 6a.3.C
REGALIA *principia quæ ſint. de ana.viuo.* Sp.45.G
Regalia organa quæ. de ana.viuo. Sp.45.D
Regalia membra intrinſeca ſeptem. de ana.viuo. Sp.45.D
Regalia membra, & famoſa ſeptem planetis comparata ſunt cerebrũ, cor, hepar, ſtomachus, renes, veſica, teſticuli. de ana.viu. Sp.56.A
REGIBVM *opponitur gibbo, & quòd ſit ſpinæ paſsio. commenta. 6°.aphoriſmo 46°.* Ex.51.G
REGINA *compoſitio quam reparatricem dicimus qualis. 4°.de com. medic.ſec.loc.* 5a.153.A
Reginæ Cygnus inſcriptus ad maximos dolores, & affectiones. 4°.de com.med.ſec.loc. 5a.154.G
REGIO, *et tẽpus anni continent ſub aeris tẽperiæ. 8°.me.m.* 7a.58.A
Regionum diuerſitates per qualitates. com.3°.aph.14°. Ex.22.E
Regio temperatiſsima quæ. com.3°.aph.14°. Ex.22.E
Regio Galeni temperata. 2°.de temp. 1a.20.A
Regionis temperatæ deſcriptio. quòd animi mor. 1a.319.G
in Regione temperata debent intelligi qualitates omnes tempeſtatum de quibus loquitur Hippocrates. com.3°.aph.13°. Ex.22.B
Regiones bñ tempate qꝺ tps habeant cõueniẽs. c.3°.aph.18°. Ex.23.G
Regiones quas tempora exigant. com.3°.aph.18°. Ex.23.H
Regio æqualiſsima vbi. de aere, aquis, & locis. 2a.4.G
Regio media inter frigidũ, & calidũ fertiliſsima eſt. de aer.aq. 2a.4.E
Regiones irriguas faciunt imbres, & niues. de aere, aq. & lo. 2a.4.E
Regio agreſtis & maximæ inæqualis vbi. de aer.aq. & loc. 2a.4.F
Regionum aliquarum venti propri. de aere, aquis, & locis. 2a.2.E
Regionis naturã formæ, & homines ſequuntur animi mo. 1a.320.B
Regionum ſitus facit differentia in moribus & fœminis. breuis denotatio dogma. Hipp. 1a.231.C
Regionẽ altã leuẽ, ventoſam colentes quales ſint. qꝺ ani. morb. 1a.320. B/*de aere, aquis & loc.* 2a.6.D
Regionem nudam habitantes, niue oppreſſam, vel ſole exuſtam, quales. quod animi mores. 1a.320.C/*de aer.aq.& loc.* 2a.6.E
Regio temperata facit mores temperatos. quod ani.mor. 1a.319.H
Regionem temperatam incolẽtes ſunt corpore, animi moribus, ingenio, prudentia, præſtantiores alijs. quòd ani.mor. 1a.320.D
Regiones faciunt ad timiditatem, & audaciam. 5°.de decre. 1a.257.B
Regiones quæ ob inertiam bellicam, atque otium a pleriſque relinquãtur. de aere, aquis, & loc. 2a.5.B
Regionis naturæ compares ac ſimiles ferè ſemper ſunt hominum forma, & mores. de aere, aq. & loc. 2a.5.B
Regio in qua quis nutritur, & potiſsimum temporum varietates naturam permutant. de aer.aq.& loc. 2a.6.E
ſm Regionem in qua tã diu habitat habet medium proprium vnus homo. 3°.de alim.fac. 5a.33.D
Regio intemperata mutat cutem. ars med. Iſa.68.F
in Regione frigida, vt ſub vrſa ex cute non poteſt iudicari de temperatura. 2°.de temp. 1a.20.A
in Regione calida vt in meridie ex cute non poteſt iudicari de temperatura. 2°.de temp. 1a.20.B
in Regionibus intẽperatis nõ pñt gigni tẽperati. 2°.de ſa.tuen. 2a.73.B

ſm Regionem,

bm Regionem, & colorem differunt aquæ.de bon.aquæ. Sp.76.A
in Regionibus calidis gignuntur vina crassa, odora, & fortia.de victus rat.in mor.acu.com.3°. 7ª.127.B
ĩ Regiõib.nõ valde calidis palmæ nõ matureſcunt.2°.de ali.f.2ª.20.b
ad Regiones Boream verſus æſtate adeundũ de cau.proca. 3ª.93.F
Regio notat humorem peccantem.com.4°.aph.2°. Ex.27.E
Regiones calidiores ſunt bilioſæ.2°.de nat.fac. 1ª.300.D
Regiones frigidiores ſunt pituitoſæ.2°.de nat.fac. 1ª.300.D
Regio frigida facit pituitam.com.1°.aph.2°. Ex.3.D
in Regionibus calidioribus morbi calidi magis generãtur, et minus sũt periculoſi magis quæ ſanæ ſunt in frigidis regionibus ætates calidiores, & in alijs proportionaliter.com.3°.aph.3°. Ex.20.B
Regionibus calidis cõueniẽtiores ſunt morbi calidi, frigidis frigidi, ſiccis ſicci, humidis humidi.com.2°.aph.34°. Ex.17.C
Regiones quæ extenuant corpora.com.2°.aph.28°. Ex.16.D
Regionum caliditas eſt cauſa exolutionis virium.de victꝰ.ra. in morb. ac.com.1°. 7ª.115.F
Regio facit ad auxiliorum inuentionem.8°.meth.med. 7ª.58.G
Regio coindicat.13°.meth.med. 7ª.84.D
Regio conſideranda in omni cibo.1°.de alim.fac. 2ª.13.F
Regio oſtendit victus rationem.7°.meth.med. 7ª.46.D
Regio confert ad cognoſcendã euacuationẽ.cõ.4°.aph.2°. Ex.27.E
Regiones, anni tempora, & ætates, quo modo ſe habeant ad purgationes. quos purg.opor.quib.med. 5ª.88.E
Regio p ſanguine mittẽdo conſideranda eſt.de cur.ra.per ſan. 6ª.18.B
in Regione valde frigida, & valde calida etiam in febre acuta non eſt ſecanda vena.de ſect. Iſa.16.E
in Regionibus diuerſis febricitantium duorũ caſus.8°.me.m. 7ª.55.A
Regio mutat pulſus.de vſu pul. 1ª.229.E
in Regionibus varijs pulſus varij.de pul.ad Tyr. 4ª.44.C
ex Regionibus, et ſtatibus pulſuũ fit mutatio.3°.de cau.pul. 4ª.97.D
Regiones mutant reſpirationem. de vtil.reſp. 1ª.225.G
in Regione quadam vinũ ſuſpenſum ad ignem in vtribus indureſcit in modum ſalis euaporante aqua.de vtil.reſp. Sp.64.F
Regiões quot pagratus ſit Gal. collige.d vi.ra.in m.ac.c.3°.7ª.127.B
REGIONALES *morbi in quo differant a paſſim graſſantibus. in 1ᵐ.de mor.vul.com.1°. 3ª.100.G*
Regionales ægritudines docet Hippocrates libro de aquis, aere, & locis.de mor.vul.com.1°. 3ª.100.G
REGIIS *fœminis nihil negandũ.1°.de com.med.ſe.lo. 5ª.126.B/H*
REGIVS *morbus icteros dicitur.de ſym.diff. 3ª.12.A*
Regius morbus quid ſin.med. Iſa.47.D
Regius morbus eſt morbus acutus.introd. Iſa.55.C
Regij morbi quatuor gña ſm Cnidios.de vic.ra.in m.ac.c.1°.7ª.108.b
Regius morbus quando fit.2°.de arte cur.ad Glau. 7ª.101.A
Regius morbus quomodo generetur.com.4°.aph.64°. Ex.34.D
Regius morbus vnde.3°.de ſym.cau. 3ª.30.D
Regio morbo laborãtes id hẽnt à flaua bile.ꝺ ijs, q̃ i m.ſi.c.1°.7ª.197.E
Regius morbus accidit ex bile.com.4°.aph.2°. Ex.27.F
Regius morbus quando bilem amarã comitat.3°.de ſym.cau. 3ª.26.B
in Regio morbo laborantibus bilis augetur. 2°.de diff.feb. 3ª.36.C
Regius morbus fit quando ad cutem per totum corpus flaua bilis effertur iudicatione.com.4° aph.62°. Ex.34.B
Regius morbus in omnibus partibus corporis fit.3°.de lo.aff. 4ª.18.D
Regius morbus corporis colorem alterat.3°.de ſym.cau. 3ª.30.A
Regij morbi paſſionibus diuturnæ, & melancholicæ ſplenis ægritudines et fœdi in toto corpore colores reſpondent.2°.de dif.ſe.3ª.37.D
Regius morbus reſpondet cancris, et phagedenis.2°.de diff. 3ª.37.D
Regio morbo laborantes vident oĩa pallida & quare.1°.de ſy. 3ª.15.C
Regius morbus an ſemper à lecore fiat.5°.de loc.aff. 4ª.34.A
Regius morbus fit quandoq;, quando hepar male ſe habet, quod tripliciter contingit, vel propter tumorem durum, vel propter inflammationem vel propter obſtructionem.com.4°.aph.62°. Ex.34.B
Regius morbus fit vario modo per oppilationem, & per inflammationem, com.6°.aph.42°. Ex.51.A
Regius morbus ex duro tumore longus eſt morbus, vel ſequitur longum morbum.com.4°.aph.62°. Ex.34.C
Regius morbus ex inflammatione & obſtructione poteſt fieri repente, com.4°.aph.62°. Ex.34.B
Regius morbus ab atra bile caret nomine.3°.de ſym.cau. 3ª.30.H
Regij morbi alia ſpecies.5°.de loc.aff. 4ª.35.G
Regius morbus a liene niger eſt.2°.de nat.fac. 1ª.301.E
Regius morbus a liene procedens nigrior.6°.de loc.aff. 4ª.36.B
Regius morbus ſi ſit ante ſeptimum, fit aut ex obſtructione, vel inflamatione.com.4°.aph.62°. Ex.34.C
Regius morbus ante diẽ ſeptimũ ĩ febribus malũ.c.4°.a.62°. Ex.34.B
Regius morbus ẽt poſt ſeptimũ ꝑiculo nõ vacat.c.4°.ap.62°. Ex.34.C
Regio morbo aliqui afficiebantur ſexto die, & quibus iuuari illos contingeret.in 1ᵐ.de mor.vul.com.2°. 3ª.114.B
Regius morbus cum rigore, in febre bilioſa ante ſeptimum diem febrẽ ſoluit.de vic.ra.in mor.acu.com.4°. 7ª.143.D
Regius morbus qũo ſupueniat.de vic.ra.in mor.acu.com.4°.7ª.143.d
Regius morbus quibus in febribus nono, vndecimo, quartodecimo ſupueniet, bonũ, niſi dextrũ iliũ obduruerit.c.4°.apho.64°. Ex.34.D
Regio morbo q laborãt nõ multũ ſunt ventoſi.c.4°.aph.2°. Ex.27.E
Regio morbo cõtrarius eſt vẽtus qui fit ex pituita.c.4°.a.2°. Ex.27.F
Regio morbo laborantes habent quandoque partes imi ventri imbecilles.com.4°.aph.2°. Ex.27.E
Regio morbo laborãtib. ſi fiat hepar durũ, malũ.c.6°.ap.42°. Ex.51.A
in Regio morbo deiectiones albæ qũo fiunt.in 1ᵐ.pror.c.1°.4ª.165.A
in Regio morbo ꝑprietas excremẽtorũ cõſiderãda.5°.de lo.af. 4ª.35.G
Regio morbo laborantes habẽt ſudorẽ amarũ.4°.de ſa.tu. 2ª.83.G
Regius morbus indicat bonas excretiones.com.4°.aph.47°. Ex.33.A
Regio morbo affecti quando febricitant.2°.de diff.feb. 3ª.37.D
Regio morbo laborantes cum febre qui, & qui ſine febre.9°.de compoſi.med.ſe.lo. 5ª.197.F
ex Regio morbo fatuitas mala.in 1ᵐ.prorrh.com.1°. 4ª.167.F
Regius morbus ſine febre dextra præcordiorum parte grauata, quomodo curetur.5°.de loc.aff. 4ª.35.H
in Regio morbo qũo euacuãdũ ſit.quos pur.opor.quibus.med. 5ª.88.F
Regio morbo proſunt medicamẽta trabẽtia flauã bilẽ.de atrab.1ª.36.b
Regio morbo laboranti ſi medicamentum bilem educens dederis plurimum bilis educet.1°.de elem. 1ª.9.A
Regio morbo laborantibus non eſt medicamẽtum exhibendum niſi ſuperuicerint, & cur.de victꝰ.ra.in mor.acu.com.4°. 7ª.150.F
Regio morbo laboräs vna purgatione ſanatus.de pur.me.ſa.5ª.86.F
Regio morbo laborantes ſanat Agaricum.6°.de ſim.med.fa. 5ª.41.E
Regio morbo laborãtibus bonũ ẽ elaterũ.et qũo.8°.de ſi.m.f. 5ª.60.E
Regio morbo laborãtib.exhibeẽ Hyacinthus.8°.de ſim.me.f. 5ª.62.E
Regium morbum Nepita emendat.de ſim.med. Sp.87.H
in Regio morbo valet Roſmarinus.7°.de ſimp.med.fac. 5ª.54.E
Regio morbo laborantem liberabit Scorpius, & inteſtinum terræ, & quomodo.de ther.ad Piſ. 5ª.93.F
Regio morbo prodeſt Spondylium.de ſim.med. Sp.91.A
ad Regium morbũ valet Theriaca. de theriaca ad Piſo.91.F/de vſu Theria. ad Pamph. 5ª.98.G
ad Regiũ morbũ Vella cum melle optime facit.de ſimp.med. Sp.92.A
Regium morbum emendat Vrtica.de ſimp.med. Sp.92.A
ad Regium morbum.9°.de com.me.ſec.loc. 5ª.197.H/ de remedijs paratu facilibus.159.E/ 7ª.175.F/G
REGIVM *myracopon.7°.de com.me.per ge. 5ª.271.G*
REGIA *ſcopa quid, & eius vires.de ſimp.med. Sp.91.C*
REGIVM *eſt vinculum tantum.de faſcijs. 7ª.293.H*
Regium vinculum quale.de faſcijs. 7ª.296.A
REGITIVA *actio per ſe ſolum tribus modis eſt.de ocul. 7ª.183.G*
REGNI *maxima pars eſt cõmunis ſalus.de ther.ad Piſo. 5ª.90.C*
REGVLA *Polycleti quæ.2°.de cau.pul. 4ª.94.B*
vt Regula Polycleti eſt pulſus naturalis.2°.de cau.pul. 4ª.94.B
Regulæ quatuor ciborum præbendorum.de diſſ.con. Sp.71.G
REGVLÆ *pars organorum.de machin. 7ª.309.E*
REIECERE quid ſignificat.3°.de decr.Hipp. 1ª.244.G
ad Reiectantes viſcoſum, & glutinoſum echlegma Nicerati.7°.de cõpoſi.med.ſec.loc. 5ª.185.E
ad REIECTIONES *Cyphoides ex libris Galli.8°.de compoſitione medicamen.ſec.loc. 5ª.194.H*
ad REIICIENTES *cibum ex Mantiæ compoſitionibus Attalicæ.8°.de compo.med.ſec.loc. 5ª.191.C*
RELATIVA ad ſingulorũ naturã accõmodant.de bo.hab.1ª.39.C
Relatiua non ſentiuntur vt huiuſmodi ſed ipſa quæ ad aliquid referuntur, ſed ſenſibus conſpicua.de opt.ſect. Iſa.21.A
RELAXANDO, *& remittendo mitigans medendi ratio.4°.metho di medendi. 7ª.28.G*
Relaxantes vires habet Cardamomum.de ſimp.med. Sp.82.F
Relaxantes, & acres vires habet Chamædrys.de ſimp med. Sp.82.G
Relaxare acriter, et efficaciter poteſt Chiſien.de ſimp.med. Sp.82.H
Relaxantes acriter vires Cridrium habet.de ſimp.med. Sp.83.E

Relaxantes leniter vires habet Fœnum græcũ.de simp.med. Sp.84.G
Relaxantes vires habet Filix.de simp.med. Sp.84.D
Relaxantes vires habet Gentiana.de simp.med. Sp.84.G
Relaxantes vires Ladanum habet.de simp.med. Sp.86.D
Relaxantes vires habet Lapis batrachites.de simp.med. Sp.87.A
Relaxantes vires habet Laurus.de simp.med. Sp.85.H
Relaxantes efficaciter vires Marubium habet.de simp.med. Sp.87.D
Relaxantes vires habet Meu.de sim.med. Sp.87.F
Relaxantes vires Ocimum habet.de sim.me. Sp.88.E
Relaxãtes cũ aliqua acrimonia vires Oesipũ habet.de si.me. Sp.92.A
Relaxans est Oleum sabinum.7°.de com.me.per ge. 5ª.269.F
in Relaxantium oleorum aliquo quando remittere aliquid anethi conuenit,& quomodo eo vtamur postea.11°.meth.me. 7ª.75.F
Relaxantes vires habet Origanum.de simp.med. Sp.88.E
Relaxantes leniter vires habet Sertula.de simp.med. Sp.90.H
Relaxantes vires habet Stoechas.de simp.med. Sp.90.F
Relaxantes vires habet Thlapsi.de simp.med. Sp.91.G
Relaxans viribus est vella.de simp.med. Sp.92.A
RELAXANTIA *quæ vocẽtur medicamẽta.7°.de cõ.m.pge.* 5ª.267.F
Relaxantia medicamenta (quæ Chalastica græce dicũtur) quorum sint remedia.4°.meth.med. 7ª.29.C
Relaxantia hẽt cerati speciem.7°.de com.med.per gen. 5ª.268.A
Relaxans cataplasma quod.5°.meth.med. 7ª.36.D
Relaxans pastillus.5°.de compo.med.per ge. 5ª.251.H
Relaxantia quid proprie agant.7°.de comp.me.per gen. 5ª.267.F
Relaxantia quid mali faciant.11°.meth.med. 7ª.74.A
Relaxantia quod in præcordijs faciunt,id balneum in toto efficit corpore.10°.meth.med. 7ª.73.H
Relaxantibus aliqui putãt se curare phlegmonẽ Iecinoris, qui in agnitione falluntur,& quare.10°.meth.med. 7ª.72.F
Relaxantia in principijs non sunt adhibenda.10°.meth.med. 7ª.72.D
Relaxãtibus,& balneo non vtitur Galenus in febre putrida, nisi post purgationem.10°.meth.med. 7ª.73.D
Relaxantia non conueniunt oculis.4°.de com.med.sec.loc. 5ª.150.C
Relaxantibus solis curantur bubones.13°.meth.med. 7ª.83.F
RELAXATIO *est ita opposita tensioni, vt duritiei mollities.* 3°.*de sanitate tuen.* 2ª.79.C
Relaxatio est omni febri vtilissima.10°.meth.med. 7ª.65.H
Relaxatio palpebræ quomodo fiat.de ana.ocul. Sp.57.G
ad Relaxationem columellæ,& inflãmationẽ.de rem.par.f. 7ª.158.A
RELAXATVM, *& contentum contraria sunt.in 6ᵐ.de mor. vul.com mentario 1°.* 3ª.160.B
Relaxatum contrarium contracto.10°.meth.med. 7ª.71.B
Relaxatæ partes facile euacuantur.ars med. Isa.70.H
Relaxatam vuluam curat succus centaureæ.de viribus. Sp.93.D
RELAXARE *non solum,sed ex absynthio mediocriter perfundere,quãdo liceat,si febris non sit magna.11°.meth.med.* 7ª.76.A
Relaxat,aperit,& dilatat aqua temperata.7°.meth.med. 7ª.75.F
Relaxat Artemisia.de simp.med. Sp.80.F
Relaxat duritiem asparagus.de simp.med. Sp.80.G
Relaxat strictluras Edelium.de simp.med. Sp.81.C
Relaxat Git.de simp med. Sp.84.F
Relaxat & mollit duritiem & rigorem Ibiscus.de simp.me. Sp.85.E
Relaxat viscide Lapis asius.de simp.med. Sp.86.F
Relaxant acriter Lipsiani.de simp.med. Sp.86.C
Relaxat & durities, & tumores Medulla omnis.de sim.me. Sp.87.D
Relaxant penitus excalfactoriæ vires Olei.de simp.med. Sp.88.D
Relaxat strictluras leniendo oleum. de simp.med. Sp.88.D
Relaxat oleum sabinum.11°.meth.med. 7ª.75.F
Relaxat efficaciter Opobalsamum.de simp.med. Sp.88.C
Relaxant Ptissanæ de hordeo.de simp.med. Sp.90.A
Relaxat efficaciter Pyretrum.de sim.med. Sp.88.H
Relaxat ventrem Raphanus.de simp.med. Sp.89.F
Relaxat efficaciter omnis Resina.de sim.med. Sp.89.D
Relaxat Rosmarinus.de sim.med. Sp.89.E
Relaxat acriter Sapo.de simp.med. Sp.90.G
Relaxat viscidissime Staphysagria.de simp.med. Sp.90.C
Relaxat leniter Styrax.de simp.med. Sp.90.E
Relaxat viscide sulfur.de simp.med. Sp.90.C
Relaxat acriter Syrum.de simp.med. Sp.90.H
Relaxat Xilobalsamum.de simp.med. Sp.92.C
Relaxãtur q̃ repletione intẽta si euacuent.de ijs,q̃ in me.c.3°.7ª.215.g
Relaxantur,& molliuntur minus musculi cum extẽduntur.de vict.ra. in mor.acu.com.3°. 7ª.132.C
RELEVANTIBVS *non secundum rationem non habenda fides. in 3ᵐ.de mor.vul.com.1°.* 3ª.132.C
Remediũ qd nam dicatur.si.me.Isa.46.B/11°.meth.med. 7ª.68.A
Remedia quæ.de sect. Isa.15.H
Remediorum exteriorum vndecim species.introd. Isa.58.A
Remediorũ nãneccssaria ad cõstitutionẽ artis curatricis.de cõ.Is.40.B
de Remediorum inuentione primus Hippocrates recte dixit post eum Aristoteles recte interpretatus est.2°.de nat.fac. 1ª.297.H
in Remedijs morborũ inuestigandis duo cogitauit Galenus,an logica de mõstratiõe idigeret,an illis q̃ ab expiẽtia habent.3°.de l.af.4ª.14.H
Remedia per duo instrumenta inueniuntur per rationem, & experientiam.com.1°.aph.1°. Ex.2.C
Remediorum inuentio,quæ ex vera demonstratione procedit,experiẽtiæ præstat.3°.de loc.aff. 4ª.15.B
Remedijs experiẽtia nõ inuentis curati sunt morbi.3°.de l.aff.4ª.15.b
Remedia vnde inueniantur.3°.meth.med. 7ª.16.C
Remedia quæ inuenire docent.8°.meth.med. 7ª.39.G
Remedia omnium morborũ vnde inuenienda.4°.meth.me. 7ª.25.E
Remediorum indicatio vnde.5°.de sanitate tuenda.2ª.93.B/5°.meth. medendi.29.H/11°. 7ª.68.B
Remediorũ indicationes,et morborũ dñias vt medicus cognoscat, Rõnalẽ eũ cõtemplationẽ exercere oportet.si quis opt.med. Isa.6.G
Remediorum materiæ quæ.de const.ar. Is.40.A
Remediorum materia est morbi cognitio,non ipsorũ cognitio. 1°.*de alimentorum facul.* 2ª.9.D
Remedia a morbo sumuntur.1°.de alim.fac. 2ª.9.D
Remediorum indicatio nõ sumit à dñia morborum.1°.me.me. 7ª.3.H
Remedia applicantur morbo non læsæ actioni.2°.meth.med. 7ª.10.E
Remedia nota corporis intemperies.5°.de san.tuen. 2ª.93.B
ad Remediorum inuentionem multam indicationem faciunt loci affecti cum affectione.2°.de comp.med.sec.loc. 5ª.134.C
Remedia ex paratu facillimis composita pauperculis magis conueniũt quam sumptuosa.3°.de comp.me.per ge. 5ª.234.D
Remedium nullum inuenitur sine noxa.11°.meth.med. 7ª.70.G
Remedia non sunt infamanda apud vulgus.11°.meth.med. 7ª.70.B
Remediorum vsus sm Hippocratem qui.bre.denot.dogm. 1ª.231.D
Remedijs vtendi modi qui. in 6ᵐ.de mor.vul.com.6°. 3ª.196.D
Remedijs nõ põt vti quisq̃ vt Plato de nõibus.11°.met.me. 7ª.69.A
Remedia eẽ cõtraria cõtrariorũ cõis ẽ scop°.d ijs q̃ in m.c 2°. 7ª.213.g
Remedia varia sm varia fiunt tempora.introd. Isa.55.E
Remedia fiunt potissimũ in declinationibus.de opt.sect. Is.28.B
Remedia oĩa noctu,& quocũq; tpe fiũt.de cur.ra.per san.mis. 6ª.19.B
Remediorum vniuersalium tempora describi possunt, non autem particularium.de opt.sect. Isa.28.B
Remedia partialia quæ.1°.de comp.med.sec.loc. 5ª.128.H
Remedium locale quod.in 6ᵐ.de mor.vul.com.2°. 3ª.161.C
Remedia eadem non postulat idem affectus in diuersis locis. in 6ᵐ.de morbis vul.com.6°. 3°.196.D
Remedia cui parti applicanda scire valde consert ad curandi rationẽ. 2°.de locis aff. 4ª.13.G
Remedia cui parti corporis admouenda,conueniens est,& necessarium scire.de fæt.form. 1ª.324.B
Remedia cui parti adhibenda quando per consensum fit affectio. 2°.de locis affectis. 4ª.13.G
Remedia facile applicantur in laterali morbo,colica,Iecoris, splenis, & præcordiorum inflammatione.3°.de loc.aff. 4ª.16.B
Remedia qñ Iecori,& qñ mesenterio aptanda.5°.de loc.aff. 4ª.35.C
Remedia cui pti applicẽtur,in cõuulsione vniuersali.3°.d l.af.4ª.17.D
Remedium præsentaneum elephantiasis quod.intro. Isa.57.G
Remedia qualia esse debent.3°.de loc.aff. 4ª.15.C
à Remedijs maioribus inchoandum,vbi morbus est maximus.5°.me thodi medendi. 7ª.162.H
Remedijs valẽtioribus indiget hebetioris sẽsus pars.4°.m.m.7ª.28.F
Remedia qũo applicãda carne mollibus.de remed.par.fac. 7ª.154.E
Remedio magno qui vult vti debet præscire,& prædicere quæ futura sunt.10°.meth.med. 7ª.64.B
Remedia qd non debeãt eẽ penitus intẽsa.5°.de com.me.se.l. 5ª.162.H
Remedia duo ad impetum morborum.de dyn. Sp.20.A
REMIGANTIVM *naturalis habitus qui.ad Thrasy.* 2ª.102.H
Remigantibus præsto adsunt lassitudines,nisi apotherapia detinentur. 3°.de san.tuen.

3°.de san.tuen. 2ª.76.F
REMIGATIO est exercitatio & opus. 2°.de san.tu. 2ª.73.G
Remigatio mouet eruptionem sanguinis.introd. Isa.52.B
REMINISCENTIA opus animæ.2°.de loc.aff. 4ª.13.F
Reminiscentia actio est depẽdens à capite p se.de vir.nost.cor.Sp.60.C
ad Reminiscentiam fecit Hippocrates sextũ librum epidemiorum, non vt ederetur.in 6ᵐ.de mor.vul.com.4°. 3ª.184.E
REMITTENDO,& relaxando mitigans medendi ratio quibus turò adhibeatur.4°.meth.med. 7ª.28.G
Remittens,calefaciẽs,et emolliens cõfectio.7°.de cõ.me.p ge.5ª.272.g
REMITTI quid sit in febribus.in 1ᵐ.de mor.vul.com.2°. 3ª.110.F
Remitti de quibus dicatur.2°.de san.tuen. 2ª.72.F
Remissionis,& principij frigus multum differunt.in 1ᵐ.de mor.vulg. commentario 3°. 3ª.118.B
Remissio non datur in declinatione.de mor.tem. 3ª.86.G
REMOLLIT, & laxat durities cera omnis.de simp.med. Sp.82.B
Remollit veteres durities fimus omnis.de simp.med. Sp.84.E
Remollit leniter fœniculum.de simp.med. Sp.84.C
Remollit efficaciter omnis resina.de simp.med. Sp.89.D
REMOVERE potest cucurbitula animi defectiones.de cuc.sca. 6ª.3.F
REMOTIONEM sui penitus indicantia quæ.14°.meth.med. 7ª.90.F
in REMOTAS vt in propinquas partes agit calor.de an.vi.Sp.49.H
REMORVM extremitates in triremibus ad æqualitatem vnam perueniũt,cum omnes tamen ipsi non sint æquales.2°.de v.p. 1ª.120.E
RENASCVNTVR ex sanguine generata.de ana.viu. Sp.44.F
cur Renascuntur dentes in pueritia.de ana.viuo. Sp.44.G
RENALIS morbi signum.com.7°.aph.35°. Ex.56.E
Renalis morbus & longus significatur à bullis in vrinis insidentibus. com.7°.aph.34°. Ex.56.E
Renali morbo laborãtibus absessus exterius & interius futuros quo modo cognoscatur.com.7°.aph.36°. Ex.56.G
Renalis dolor factus ob clausas euacuationes hæmorrhoidarũ. de ren. sect.aduer.Eras. 6ª.7.E
Renalem dolorem esse dolorem in intestinis putauit Galenus.2°.de locis affectis. 4ª.9.E
Renales hñtes affectus,qũo curandi.de ven.sect.aduer.Eras. 6ª.14.E
Renales confectiones ab Andromacho conscriptæ.10°.de compo. med. secundum locos. 5ª.206.A
ad Renales affectiões Antidotus Biennitæ.10°.de c.me.s.lo. 5ª.206.F
RENES à quibusdã inter viscera numerantur. 3°.de ali.fac. 2ª.27.E
Renes,vesica,testiculi,sunt mẽbra minus principalia.de an.v.Sp.56.a
Renes sunt ex instrumentalibus partibus.de nat.hu.com.1°. 1ª.26.C
Renes inter glandulas ab aliquibus numerantur.3°.de ali.f.2ª.27.A/ de vtil.resp. Sp.63.A
Renum natura considerandæ intestinis exẽptis.6°.de an.ad. 1ª.192.B
Renes posunt videri extra animal.4°.de ana.adm. 1ª.81.H
RENVM sectio.6°.de an.admi. 1ª.93.C/de ana.viuo. Sp.51.B
Renes cur prima die secaret Galenus.5°.de ana.adm. 1ª.87.B
Renum consideratio.6°.de ana.adm. 1ª.93.C
Renum situs qui.de na.& or.cuius.cor.42.A/de ana.viuo. Sp.51.B
Renum situs cur talis.16°.de vsu par. 1ª.219.B
Renum situm,& meatus sciunt coqui.1°.de nat.fac. 1ª.293.B
Renes in dorso suspenduntur per panniculum.de ana.vi. Sp.55.F
Renes quomodo intestino lõgo iũgãt.in 6ᵐ.de mor.vul.c.1°. 3ª.155.E
Renes cur duo.1°.de vsu par.1ª.144.D/de ana.viuo. Sp.51.B
Renes duos nõ vnũ cur natura fecit.de ren.aff.dig.& med. 7ª.192.A
Renum figura quæ.de ren.aff.dig.7ª.191.H/de ana.viuo. Sp.51.D
Ren vnus cur altero altior.5°.de vsu partium.1ª.144.C/de ren. affe. dig.& med. 7ª.192.A
Ren dexter eminet in omnibus animantibus.6°.de ana.adm. 1ª.93.C
Ren dexter cur superior sinistro.5°.de vsu par. 1ª.144.A/D
Ren dexter adiacet ad dextram venæ cauæ,& qua parte. 14°.de vsu partium. 1ª.206.E
Ren sinister adiacet ad leuam venæ cauæ paulo infra quã dexter. 14°. de vsu par. 1ª.206.E
Ren sinister qñq; dextero ppinquior ẽ iecori.14°.de vsu par.1ª.206 E
in Renes vasa seminaria quomodo infigantur.14°.de vsu p. 1ª.206.F
Renum partes quales.6°.de loc.aff. 4ª.39.B
Renum caro quomodo vocetur.10°.meth.med. 7ª.67.D
Renũ caro est inter primas partes quæ gñantur. 1°.de na.f.1ª.291.G
Renum caro qualis sit.2°.de arte cur.ad Glau.102.F/ de renũ affectuũ digno.& med. 7ª.191.H
Renum substantia qualis, & cur.de ana.viuo. Sp.51.C
Renũ subta talis,vt in nullo alio talis reperiat.6°.de dec. 1ª.266.A
Renes carnosi sunt,& carne constant friabiliore.fin.med. Isa.44.A
Renum caro quàm habet naturam.2°.de temp. 1ª.17.H
Renum caro quomodo humida & calida sit.2°.de temp. 1ª.17.H
Renum caro cute est humidior. 1°.de temp. 1ª.15.D
in Renibus semen mutatur in frigidum & siccum.de sper. Sp.36.H
in Renibus cholera habet potestatem.de sper. Sp.36.G
Renum spissitudinis causæ.5°.de vsu par. 1ª.144.F
Renum pinguedo.de ana.viuo. Sp.44.D
Renes cur generati.de ana.viuo. Sp.51.B
Renum duo vasa vnde oriantur.5°.de vsu par. 1ª.144.H
Renes propter quid instrumenta concaua.4°.de vsu par. 1ª.136.D
Renum duplex os.de ana.viuo. Sp.51.C
ad Renes sunt meatus quidam non solum a vena hepatis, immo etiam ab arteria.de vtil.resp. Sp.64.G
Renum arteriæ omnium maximæ, quæ a magna arteria deducuntur.2°. de nat.fac. 1ª.298.B
Renis dextri arteria vnde.16°.de vsu par. 1ª.219.B
ad Renes arteriæ quæ deueniant cur, & quo modo.de renum affectũ, dign.& med. 7ª.192.A
in Renibus cur tam magnæ arteriæ.5°.de vsu par. 1ª.144.B
ad Renes arteria quæ peruenit vnde.16°.de vsu par. 1ª.219.A
in Renum arterijs sanguis continetur.5°.de vsu par. 1ª.144.C
Renum arteriarum ora quomodo aperiãtur.com.7°.ap.34°. Ex.56.E
in Renibus venæ,et arteriæ se contingunt.9°.de vsu par. 1ª.172.H
Renum venæ quæ & vnde oriantur.de ven.ar.diss. 1ª.58.C
Renum venæ cur latæ.16°.de vsu par. 1ª.22.H
ad Renes descendunt rami a vena concaua,& ab arteria magna. 6°.de locis affectis. 4ª.39.C
Renum venæ ampliss imæ quæ a caua propagantur.de ven.ar. 1ª.58.C
in Renes venæ cauæ dilatatio quid agat.6°.de loc.aff. 4ª.37.F
ad Renes venæ non mittunt sanguinem.1°.de nat.fac. 1ª.295.D
Renes ipsi trahunt,venæ non mittunt.1°.de nat.fac. 1ª.295.E
Renum venæ tanquam stomachi attrahentes.16°.de vsu p. 1ª.221.H
Renũ a caua vena attractio,primæ deglutiõi silis.6°.de lo.af.4ª.38.A
RENES sani quid agant.3°.de sym.cau. 3ª.28.E
Renum officium quale.1°.de sanitate tuenda.2ª.67.G/de renum affc. digno.& med. 7ª.192.B
Renes sunt instrumenta nutritionis.4°.de pres.ex pul. 4ª.119.F
Renes alio mẽbro non indigent pro sua functione.de fæt.for. 1ª.324.G
Renum opus,cum quibus partibus sit commune.7°.met.me. 7ª.49.B
Renum opus est indesinens.com.6°.aph.6°. Ex.47.B
Renum desiderium naturale est,& quod.6°.de loc.aff. 4ª.37.H
Renes expurgant substantiam quam venæ aggregant. commenta. 4°. apho.76°. Ex.36.C
ad Renes mittitur aquosus humor postquam suo officio functus est. 4°. de vsu partium. 1ª.136.D
ad Renes ã aquositate tẽdẽte opinio Lyci macedõis.1°.de na.f.1ª.295.d
Renes quid attrahant.in 6ᵐ.de mor.vul.com.1°. 3ª.155.G
Renes trahunt ad se sanguinis serum.5°.de loc.aff. 4ª.35.F
a Renibus purgatur serum sanguinis. 5°.de vsu par. 144.C/F/ 6°.de decretis Hippocratis. 1ª.263.C
Renes excipiunt quod aquosum est,& serosum.6°.de ana. administra. 1ª.90.C/3°.de symp.cau. 3ª.26.A
Renes secernunt vrinam a sanguine.1°.de nat.fac. 1ª.293.B
Renes habent qualitatem trahendi vrinam.1°.de na.fac. 1ª.295.D
Renes trahunt vrinam.4°.de vsu par. 1ª.139.A
Renes trahunt vrinam.1°.de sem. 1ª.335.B
Renes quo modo vrinam trahant.6°.de loc.aff. 4ª.37.G
ad Renes vrina per quas venas veniat.de ana.par. Sp.43.B
Renes trahũt pter aquã multũ bilis,et sanguinis.5°.de vsu p.1ª.144.G
Renes non sunt instrumenta coctionis vrinæ.de vri. 4ª.124.E
Renũ nutrimẽti exc rementũ vrinã eẽ dicẽtes errãt.5°.de v.p. 1ª.144.C
Renes expurgant hepar.com.1°.apho.21°. Ex.10.A
per Renes purganda est gibba iecoris pars.13°.meth.med. 7ª.84.F
per Renes euacuatur quandoque totũ corpus.6°.de loc.af. 4ª.41.D
per Renes,& per vesicam totum corpus repurgatur. in 1ᵐ.de morbis vulg.com.1°.109.B/com.2°. 3ª.111.F
Renes purgant totũ corpus a supfluitatibꝰ.c.4°.aph.69°. Ex.34.H
pp Renes,& vesicam vrina acris,fœtida,& biliosa redditur. in prog. commen.2°. 4ª.201.E

per Renes vis pertranſeunt vrinæ craßæ.com.4°.aph.69°. Ex.35.A
a Renibus fit, ſi vrina craſſa ſit, & veluti caruncula exeant, aut veluti capilli vnà exeant.com.4°.aph.76°. Ex.36.C
ex Renibus, & veſica ramenta cũ vrina eijciũtur.4°.de lo.af.4ª.25.H
à Renibus excernitur ſi vrina ſit craßa, et carũculæ paruæ in ipſa ſint. com.4°.apho.76°. Ex.36.C
Renum ſubſtantia ſunt caruncula paruæ.com.4°.aph.76°. Ex.36.C
à Renibus excernitur quibus in vrina craßa exiſtente minutæ caruncu læ tanquam pili adueniunt.de vrin.ſign.ex Hipp. Sp.78.H
Renes nõ poßunt diſſolui ĩ partes veluti capillos.c.4°.ap.76°.Ex.36.C
ex Renibus ægritudinem ſignificant bullæ in vrinis inſidentes.de vrin. ſign.ex Hipp. Sp.78.H
Renes ſentiũt in ſuperficie, nõ in cauitate.de ren.aff.dig.& m.7ª.193. A/de ana.viuo. Sp.44.C
Renum panniculus eſt ſenſificans.de ana.viuo. Sp.55.F
Renibus cur ſenſus paruus datus eſt.5°.de vſu par. 1ª.147.F
Renes vnde habent ſenſum.de ana.viuo. Sp.51.D
in Renibus an ſint nerui, dubitatur.de mul. 3ª.77.G
Renibus diſtribuũtur nerui propagines à cerebro.16°.de v.p. 1ª.215.E
ad Renes, ventrẽ, viſcera, iecur, lienem perueniunt nerui a cerebro a prima, tertia, & ſexta coniugatione de ner.diſſ. 1ª.54.D
Renes cur habent aliquos paruos neruos.6°.de v.p.155.F/7° 159.H/ 14°.1ª.209.D/in 6ᵐ.de mor.vul.com.1°. 3ª.155.D
in Renibus nerui qũo in mẽbrana diſpergantur.2°.de lo.aff. 4ª.9.B
in Renibus nerui qũo in mẽbrana diſpergãtur.2°.de lo.aff. 4ª.9.B
in Renibus non eſt pulſatio, quia non habent neruum diſperſum per to tum.2°.de loc.aff. 4ª.9.A
ad RENES & hepar dirigitur materia à corde, quæ his vitam defert. de anat.viuo. Sp.51.C
Renes quo nutriantur. de ren.aff.dign.& med. 7ª.192.A
Renes non egent multo alimento.16°.de vſu par. 1ª.220.H
Renum alimẽtũ eſt ſanguis attractus cũ vrina.5°.de vſu par.1ª.144.G
Renes non habent interius venas, ſed nutriuntur a ſanguine, quem attrahunt per canales cum aquoſa ſuperfluitate.de ana.viu.Sp.51.D
Renes ſanguinem rubrum quaſi ſimilem in colore, & natura magis ap petunt.de ana.viuo. Sp.44.D
Renes vnde expurgentur.2°.de loc.aff. 4ª.13.C
Renes expurgantur per vrinæ meatum.10°.meth.med. 7ª.74.F
in Renibus cõtenta p vrinas exeunt.de conſt.ar.42.B/ars me. If.71.E
Renes ſi multos habent ſuccos prauos per ſeceſſum euacuantur, ſi pau cos per vrinam.7°.meth.med. 7ª.49.D
è Renibus non trahit veſica.6°.de loc.aff. 4ª.37.G
ex Renibus quæ educantur.de cathar. Sp.94.G
per Renes quando pus expurgatur, a qua parte cognoſcatur fluere.6°. de locis affect. 4ª.39.A
Renibus aut iecore languentibus quandoq; pus cũ vrina excernitur, et ſubſidẽdo fallit ẽt minus acutũ artificẽ.de vri.ſig.ex Hi.Sp.79.c
per Renes quandoque pus ex pulmonibus expurgari poteſt. 6°.de locis affectis. 4ª.39.C
ad Renes via pulmonis.6°.de loc.aff. 4ª.39.C
Renũ partes ſuperiorũ exercitatione iuuãtur.5°.de ſan. tu. 2ª.90.B
Renibus ſi benigna erit aqua bona eã vino miſceas.de bo.aq. Sp.75.F
Renibus quæ aues non aduerſentur.6°.de ſa.tuen. 2ª.99.G
Renibus proſunt caricæ.de ſimp.med. Sp.84.C
ad Renes valet Solanum alicacabum.8°.de ſimp.med.fac. 5ª.62.G
Renes ſunt in medio eorum membrorum, quæ indigent adſtrictione, et eorum quæ minimæ.10°.meth.med. 7ª.73.B
RENES quomodo introrſum quandoque, quandoq; extroſum habeant abſceſſum.com.7°.aph.36°. Ex.56.G
Renum abſceßus quo modo cognoſcantur.6°.de lo.aff. 4ª.36.D
ex Renum abſceſſu vermes.de ſpermate. Sp.36.H
Renem Affectum quomodo ex teſticulo cognoſcamus.de ren.affe.dig. & med. 7ª.192.H
in Renum affectibus, vrina cruenta quando.in 6ᵐ.& mor.vulgaribus, commen.1°. 3ª.155.G
Renum affectorum curatio.intr. Iſa.57.A
Renũ affectibus vtilis eſt radix anchuſæ onocleæ.6°.de ſi.m.f. 5ª.41.C
in Renũ affectibus qđ vinũ conuenit.de ren.aff.dig.& med.7ª.195.G
in Renum affectu, quando vomitus prouocandus.de ren.aff. 7ª.193.D
in Renum affectu, qñ aluus prouocãdus.de re.aff.dig.& m.7ª.193.D
in Renum affectu cur ſanguis non eſt copioſe mittendus.de re.af. dig. & med. 7ª.193.D
in Renum affectu, quæ venæ ſecandæ.13°.methodi medendi. 7ª.83.B/ de ren.aff.dign.& med. 7ª.193.F
ad Renes affectos medicamenta.intr. If.57.H
ad Renũ affectiones ex Archigene.10°.de com.me.ſe.lo. 5ª.106.F
ad Renum affectus longos.8°.de comp.med.ſec.lo. 5ª.196.H
ad Renum affectus inflammationis participes potio.de remediis para tu facilibus. 7ª.160.B
ad Renum affectiones.10°.de comp.med.ſec.loc. 5ª.206.A
in Renum affectibus hectica ſequitur.1°.de diff.feb. 3ª.35.F
Renibus affectis quando fit hectica.10°.meth.me. 7ª.64.F
in Renibus quomodo fiant Arenulæ & lapides.in 6ᵐ.de mor. vulgari. commen.1°. 3ª.155.G
Renes Calefaciens electarium.de med.exper.107.H/ Sp.108.C
ad Renum Calloſas concretiones Oneſidemi compoſitio.10°.de comp. med.ſec.loc. 5ª.206.D
a Renibus fit Capillitiũ quo modo, & quid ſit, & a quibus fiat, & quo modo curetur.com.4°.aph.76°. Ex.36.D
Renũ capillitiũ patiẽtes vrinã habẽt craſſam.c.4°.aph.76°. Ex.36.D
Renum Colliquationem ſignificat vrina velut raſuram habens, & in nebulis quaſi ſanguinem.de dyn. Sp.34.G
Renum colliquatus adeps qũo cognoſcitur.com.7°.aph.35°. Ex.56.E
Renes affecti dolores magnos pariunt introd. Iſa.56.H
inter Renes, & veſicam dolor acutus, cum calculis tendit in veſicã.1°. de nat.fac. 1ª.293.C
in Renem dolor grauis, primus Hippo.dixit.2°.de lo.aff.9.B/4ª.12.C
in Renibus cur grauiſſimi dolores contingãt.de ren.aff.dig.7ª.191.H
in Renibus cur dolor vehementiſſimus fiat.de ren.aff.dign. 7ª.193.B
Renum dolores, & rigores non ſequuntur neceſſario male concoquen tem.3°.de ſymp.cau. 3ª.30.C
Renũ dolores qũo fiant.in 6ᵐ.de mor.vul.com.1°. 5ª.155.C/D
in Renibus dolens puella vnde naturaliter ſit.de ſper. Sp.38.C
Renum dolor quibus neglectis fiat.de dyn. Sp.20.A
Renum dolor contingit conceptis in horis melãcholiæ.de ſper. Sp.37.C
Renum duorum doloris meminit.ſecr. Sp.100.H
Renum dolor quo modo fiat.de ren.aff.dig.& med. 7ª.193.A
in Renibꝰ petra, ſi ma iuiſcatũ, dolor fit ex ſuperfluo bilis.de ſp.Sp.36.G
Renum dolores ſunt morbi longi.1°.de criſi. 4ª.126.F
Renum, & coli dolores deſipiunt medicos nec requirunt multa varia præſidia.6°.de loc.aff. 4ª.36.F
Renum, & coli comminucatio in ſymptomatibus.6°.de lo.aff.4ª.36.G
Renum ſymptomata, & differentiæ conſiderari debent, & quare.6°. de locis affectis. 4ª.36.F
Renum dolorem, & indignationem ſignificat in ſynocha vrina colore alba, & conſtitutione tenuis cum nebulis non bonis.de dy.Sp.34.C
Renum dolorem inferius, capitis grauitatem aurium, & narium obturationem ſuperius ſignificat vrinam inferius claritatem habens ſuperius ſubnigra, & plena.de dyn. Sp.35.D
Renum dolorem, & veſicæ, & capitis aliquantum ſignificat vrina alba pinguedinoſa, vel iumentina.de dyn. Sp.35.D
Renũ dolorẽ aliqñ ſignificat vrina alba ſine febribus.de dy. Sp.35.D
Renum dolorem ſignificat vrina, quæ ſuperius claritatem habuerit, inferius nebuloſa ſit, & ſubluuida.de dyna. Sp.35.D
Renum dolores ob craſſos viſcoſoſq; humores ſanant amygdalæ ama ræ.6°.de ſimp.med.fac. 5ª.42.G
pro Renum dolore cataplaſma.de ren.aff.dig.& med. 7ª.194.A
in Renum dolore balneum calidũ valet.de ren.aff.dig.et me. 7ª.196.D
ad Renum dolorem propter frigidos humores chamæmelum pulueriza tum, & malaxatum cum melle.de med.exper. Sp.106.D
in Renum dolore, clyſteres faciendi, & cur.de ren.aff.dig. 7ª.193.G
ad Renum dolorem.clyſter.de dyn. Sp.27.G
ad Renes dolentes fomentum.de med.fac.par. 7ª.179.D
Renum dolorem mitigant Glychyrhizæ radices.de ſimp.me. Sp.84.G
Renibus doxioſos emundant folia helenij.de ſim.me. Sp.83.H
in Renum dolore lotiones quales.de ren.aff.dig.& med. 7ª.194.B
in Renum dolore, quando ſtupefacientibus vti debemus. de renum affectuum dignotione, & med. 7ª.194.B
ad Renum dolores valet Theriaca.de Ther.ad Piſ. 5ª.91.G
ad Renum dolorem.de dyn.28.B/ſec.97.B/ Sp.99.E
in Renum parte ſæpe dolentis caſus, qui febre cum horrore correptus eſt.6°.de locis aff. 4ª.39.A
Renes Exaſperantur ſtercore.de ren.aff.dig.& med. 7ª.193.G
ad Renum Frigus.ſecre. Sp.101.E

Renum ægritudi-

Renũ ægritudines frigidæ quibus cognoſcãtur.c.7°.aph.34°. Ex.56.E
in Renibus grauitatis ſenſus fit.de mult. 3ª.77.F
Renes vũ ſentiãt grauitatẽ ex tumoribus p̃ter naturã. 2°.d̃ l.af. 4ª.9.B
in Renibus grauitatem vel dolorem non nunquam facit alicæ,& ſuillæ carnis vſus vberior.de bon.& vitio ſuc. 2ª.34.B
Renum Indignationẽ ſignificat vrina phlegmatica, ſi apparuerit ſicut ſol in limpidis coloribus.de dyn. Sp.34.G
Renum Inflammatio quid faciat.de pul.ad Tyr. 4ª.45.B
Renũ ĩflãmatiõis dolor qualis et ĩ qua p̃te acutus.c.6°.a.5°. Ex.46.H
Renibus inflammatis pulſus qualis.de pul.ad Tyr. 4ª.45.A
in Renũ inflãmatione nõ ſemp̃ dãda,q̃ vrinã puocãt.13°.m.m.7ª.82.A
in Renibus vbi eſt inflãmatio, medicamenta vrinam cientia non ſunt exhibenda.13°.meth.med. 7ª.83.B
ex Renibus Lapis dicitur non quia ſit ſubſtantia renum, ſed quia in ipſis conſiſtit: ita de capillitio.com.4°.aph.76°. Ex.36.C
in Renũ cauitate an ĩ carne lapides oriãt.ĩ 6ᵐ.de m.vul.c.1°. 3ª.155.C
in Renum lapides fit generatio ſubſtantiæ, quæ prius non fuerat.14°. meth.med. 7ª.93.C
in Renibus lapides q̃o gignãtur.de bon.& vit.ſucc.2ª.34.G/in 6ᵐ. de mor.vul.com.1°.3ª.155.F/7°.de com.me.per ge. 5ª.267.H
Renum lapides cur fiant.14°.meth.med. 7ª.87.H
Renum lapides quibus generentur.3°.de alim.fac. 2ª.28.F
Renes calorem igneum habentes faciunt tophum.1°.de ali.fa.2ª.10.G
Renũ lapides gignũt ſatietas,& cruditas.de ren.aff.dig. 7ª.194.A
Renum lapides q̃o et cur generent in ſenibus.c.3°.aph.31°. Ex.26.G
Renum lapidis quatuor cauſæ.de ren.aff.dign.& med. 7ª.192.B
in Renibus quo victu generantur lapides.14°.meth.med. 7ª.91.G
in Renibus lapis gñatur ex cõtinuo vſu ciborũ acutorũ.de diſ.Sp.72.F
Renũ lapides gignit caſeus.3°.de ali.fa.2ª.28.F/de diſſ.con. Sp.74.G
in Renibus lapides ex caſei ſucco fiunt.3°.de ali.fac. 2ª.28.H
in Renibus lapides gignunt itria ex ſimilagine.1°.de ali.fa. 2ª.10.E
in Renibus lapis fit ex vſu lactis.5°.de ſa.t.2ª.91.B/de diſ.cõ.Sp.75.B
Renum lapides gignit lac elixum.3°.de alim.fac. 2ª.28.B
in Renibus lapides gignunt edulia ex triticea farina, & lacte.11°.de alimentorum fac. 2ª.10.G
in Renibus lapidem facit vinum dulce.de diſſ.con. Sp.74.H
in Renibus vel veſica lapidẽ eſſe q̃o cognoſcit.1°.de loc. aff. 4ª.2.F
Renum lapidis ſignum propriũ.de ren.aff.dig.& med. 7ª.192.G
Renum lapis, vel veſicæ ſignificatur ſi quis mingat arenoſa. commen. 4°.aphoriſmo 29°. Ex.36.H
Renum lapides acuti, & aſperi exulcerationem ſignificant. commen. 4°.aphoriſmo 75°. Ex.36.B
in Renũ lapidibus cur ſanguis mingitur.in 6ᵐ.d̃ mor.vul.c.1°.3ª.155.G
Renũ lapis emittitur ante micturiũ.in 6ᵐ.de mor.vul.com.3°. 3ª.173.C
in Renũ lapide cur crura doleant.in 6ᵐ.de mor.vul.com.1°.3ª.155.H
in Renũ lapide q̃o fiat ſtupor in crure.de ren.affe.dig. 7ª.192.H
Renum lapides cur magna ex parte minores ſunt, æquales & molliores.de ren.aff.dig.& med. 7ª.193.B
à Renũ lapide præſeruatio qualis.de ren.aff.dig.& me. 7ª.194.D
in Renibus q̃o nõ generabitur lapis.in 6ᵐ.de mor.vul.cõ.1°. 3ª.156.H
Renũ lapides quid expetant.5°.de ſimp.me.fac. 5ª.38.B
Renũ lapidẽ qui habet exerceri debet.in 6ᵐ.d̃ mor.vul.c.1°. 3ª.155.H
d̃ Renũ lapide,& dolore quæ cõueniãt.de re.aff.dig.& me.7ª.193.H
in Renũ lapide cibi cõuenientes.de ren.affec.dig.& me. 7ª.194.B/C
in Renum lapide nihil æque conducit, quam ventrem leuem habere. de ren.aff.dig.& med. 7ª.195.E
in Renũ lapide quædã agunt a proprietate.de ren.aff.dig. 7ª.194.H
in Renũ lapide ſubito inuadente quid agendũ.de ren.af.dig. 7ª.196.C
Renibus q̃b.ĩeſt lapidis ſuſpitio,quo vino vti debeãt.5°.de ſa.t.2ª.91.C
Renũ calculo phaſiani adeps cõfert,et q̃o.de re.af.dig.et m.7ª.193.H
Renes degrauatos lapidibus expurgat carpeſiũ.7°.de ſi.m.f. 5ª.50.C
contra Renum lapidem datur caſtoreum.de med.exper. Sp.106.E
pro Renũ lapide panis furfuraceus conuenit.de ren. aff.dig. 7ª.195.E
pro Renũ lapide cucurbitulæ faciunt.de ren.aff.dig.& me.7ª.193.H
in Renũ lapide quæ decocta conueniant.de re.aff.dig.& me.7ª.196.D
pro Renum lapide fomenta conueniunt.de ren.aff.dig. 7ª.193.H
pro Renum lapide fomentum quale.de re.aff.diff.& med. 7ª.194.A
in Renũ lapide quando vena ſecanda.in 6ᵐ.de mor.vul.c.1°.3ª.156.A
Renes an ſint ſuperiores vel inferiores, & quæ vena pro ipſis ſecanda.de cur.rat.per ſang.miſſ. 6ª.302.G
Renũ lapidem quæ potenter frangunt.de re.aff.dig.& med. 7ª.196.D
Renum lapides confringit altheæ ſemen.6°.de ſim.med.fac. 5ª.46.F
Renum lapides frangere apparet bdellium arabicum, & vrinas ciere in potu ſumptum.6°.de ſimp.me.ſa. 5ª.44.H
in Renibus lapides rumpit Betonica.7°.de ſimp.me.fac. 5ª.51.A
Renibus prodeſt peculiariter Betonica.de ther.ad Piſo. 5ª.91.A
Renũ lapidẽ comminuunt cicera parua nigra.1°.de ali.fac. 2ª.14.D
in Renibus generatũ lapidem frangunt cicera nigra.de diß. Sp.74.G
Renum lapides confringit decoctũ ciceris.6°.de ſimp.me.fa. 5ª.47.F
in Renibus conſtitutos lapides comminuit Damaſonium aqua in qua decoctum fuerit epota.6°.de ſim.me.fac. 5ª.46.A
ad Renum lapides proficit lapis indicus.9°.de ſimp.me.fa. 5ª.67.F
in Renum lapide facit lapis iudaicus ſecr. Sp.102.D
Renum lapides rumpunt lapides in ſpongijs reperti.9°.de ſimp.medi. facultatibus. 5ª.67.C
Renibus lapide infeſtatis ſemẽ peponis cõuenit.2°.de ali.fa. 2ª.16.H
Renum lapides comminuit rubi radix.6°.de ſim.me.fac. 5ª.44.G
Renum lapides expurgat Theriaca.de ther.ad Piſo. 5ª.96.B
Renum & veſicæ lapidem quæ educunt.de cathar. Sp.95.D
è Renibus lapides extrahens Antonij Muſæ Panacea.7°.de compoſit. med.ſec.loc. 5ª.186.B
ad Renum, & veſicæ lapidem valens medicamen.de mc.exp.Sp.105.G
ad Renum lapidem ſecretorum.99°.H/de remed.exper. Sp.105.C
Renes quorum ſunt appoſiti gignẽdis lapidibus ij alicæ vſum vitare debent.1°.de alim.fac. 2ª.10.H
Renes lapidi obnoxij q̃bus aqs lędanť.in 6ᵐ.de mor.vul.c.4°3ª.182.D
Renibus aquæ autumnales,& æſtiuæ non bonæ.de bon.aquæ. Sp.75.F
Renes calculoſos offendit lac caſeoſum.3°.de ali.fac. 2ª.28.A
Renibus mali ſunt omnes cibi dulces.de diſſ.con. Sp.74.G
Renum, & inteſtinorum leuitatis differentia.6°.de loc.aff. 4ª.38.A
Renum quatuor morbi ſecundum Cnidos. de victus ratione in mor.ac. commentario 1°. 7ª.108.H
Renum morbus eſt diuturnus.fin.med. Iſa.45.F
Renum morbis non contingit in pueritia, ſed in declinante potius ætate.in 6ᵐ.de mor.vul.com.1°. 3ª.155.B
Renum morbi non nullis ſuperueniunt quibus gibber eſt infra ſeptum. de arti.commenta.3°. 7ª.269.G
Renum morbo vexatos antidotus Zopyria.2°.de antido. 5ª.115.B
in Renum morbis quæ vena ſecari debeat.præſag.exper.conſ.Sp.78.C
Renes facile obſtruuntur ſenibus,ſi craſſum humorem facientibus vtãtur.5°.de ſan.tuen. 2ª.91.B
Renes obſtruunt cibi craſſi ſucci.de bon.& vitio ſuc. 2ª.36.B
Renes obſtruunt alica,& ſuilla caro.de bon.& vitio ſuc. 2ª.34.E
in Renibus qui panis faciat obſtructiones.5°.de ſan.tu. 2ª.91.F
Renum obſtructionem quæ vrina ſignificet.de vrin. 4ª.123.B
ob Renum, aut iecoris appilationem mingitur vrina tenuis. quæſita in Hippocratis. Sp.113.C
ad Renum obſtructionem.de remed.par.fac. 7ª.160.H
Renum paſsio quæ Nephritis dicitur, comitatur ſenes ad mortem, & fit frigido humore.com.2°.aph.40°. Ex.18.A
Renũ qs nã patiť,oſtendit ſtupor cruris.de re.aff. dig.& me. 7ª.192.H
Renes patientes quid agant.3°.de ſym.cau. 3ª.28.E
ob Renes patientium qualis pulſus.de dy. Sp.35.B
Renes pati demonſtratur ab vrina.com.4°.apho.77°. Ex.36.E
Renum paſsiones oſtenduntur ab vrina mediocri ſi intus aliquid habeat.com.4°.aph.77°. Ex.36.E
Renũ paſſionibꝰ æmorrhoides ſupueniẽtes bonũ.c.6°.aph.11°.Ex.47.D
Renibꝰ,et veſicæ diu patiẽtibus vtiľ dať colocynthis.de dy. Sp.21.D
in Renibus generationem phlegmatis timenti conueniunt cibi ſubtilian tes. de diſſ.con. Sp.72.D
Renes purgantia quæ. de cathar. Sp.95.C
Renes,& iecur expurgant acria,et ſubamara.6°.de ſi.me.ſa. 5ª.45.H
Renes expurgat amaritas.6°.de ſimp.med.fac. 5ª.47.E
Renes in farctu liberat aſparagus.6°.de ſimp.me.fac. 5ª.44.A
Renes purgat cardui decoctum.de ren.aff.dig.& med. 7ª.194.F
Renes expurgant caricæ.2°.de ali.fac. 2ª.17.F
Renes mundificant cicera nigra.de diſſ.con. Sp.74.G
Renes expurgat cicerũ genus orobieũ appellatũ.6°.de ſi.m.f. 5ª.47.E
Renes mũdificãt,et abſtergũt ficus humidæ.& ſiccæ.de diſ.cõ.Sp.74.G
Renes purgat Iuniperi fructus.2°.de ali.fac. 2ª.19.C
Renes obſtructos expurgat pœniæ radix.6°.de ſimp.me.fac. 5ª.45.H
Renes Purulenti, & renum paſsiones ſunt cauſæ ſtillicidij vrinæ, & cur.com.5°.aph.58°. Ex.43.B
Renum Rigorem remollit meu.de ſimp.med. Sp.87.F

in Renibus

in Renibus Sanguis craſſus exuſtus facit ſedimina in modum orobi,& in quibus febribus.com.4°.aph.76°. Ex.36.E

Renes cum lateant,tactum effugiunt,facile tamen ſcirrhis illos deprehendi ratio docet.13°.meth.med. 7ª.84.C

Renum ſiccatio ex bilis ſuperfluo prouenit.de dyn. Sp.36.H

in Renibus quo modo cognoſcatur eſſe Suppuratio.6°.de lo.af.4ª.39.B

Renes quas habeant Venas quo modo diſtinguantur à venis veſicæ, & quomodo rumpi poſſint.com.4°.aph.78°. Ex.36.G

in Renibus venam rumpi ſignificatur ſi quis mingat ſanguinem ſponte. com.4°.aph.78°.Ex.36.F/de vrin.ſign.ex Hipp. Sp.78.H

Renum vena ſiſtenda,frigida non danda & quare.de ren. affect. dignotione & med. 7ª.192.H

Renum vitium Nephritis dicitur.com.7°.aph.35°. Ex.56.F

Renum vitia quæ.introd. Iſa.57.A

Renum vitia quibus vrinis ſignificentur.de vrin.ſign. Sp.78.H

in Renibus vitium, aut morbum articularem ſignificat carunculæ cum vrina craſſa in ſpeciem pilorum.de nat.hu.com.2°. 7ª.180.G

Renum vitium acutum ſignificatur his,quibus inſidens pingue, ac ſimul totum.com.7°.aph.35°. Ex.56.E

Renum vitia longa ſunt.com.6°.apho.6°. Ex.47.B

Renum vitia in valde ſenibus difficulter ſanantur.c.6°.a.6°.Ex.47.B

Renes ſi vitio careant vinum dulce aſſumat qui refici indiget.de bonitate & vitio ſucc. 2ª.38.D

in Renũ vitijs quæ ſunt miſcenda medicamẽtis 4°.meth.med.7ª.29.A

Renum vitio laborantibus ſubuenicns antidotus.2°.de anti.5ª.116.D

ad Renum vitia clyſter.de rem.par.fac. 7ª.173.B

Renum vitijs prodeſt Theriaca.de vſu ther.ad Pamph. 5ª.98.H

ad Renum vitia.de med.fac.par.7ª.175.G/de dyn. Sp.28.B

in Renibus exiſtentia Vlcera quomodo diſtinguantur ab vlceribus veſicæ.1°.de loc.aff. 4ª.2.D

Renum exulceratio quibus ſignificatur,& quo modo à veſicæ exulceratione diſtinguatur.com.4°.aph.75°. Ex.36.B

Renum vlceratarum vrina.de dyna. Sp.35.C

Renum,& veſicæ Vlceratio quam vrinam faciat.de vri.ſig.Sp.78.H

Renum exulceratio vel veſicæ ſignificatur ſi quis ſanguinem vel pus mingat.com.4°.apho.75°. Ex.36.A

inter Renes,& veſicam partes exulceratæ ſanguinem aut pus mittũt. com.4°.aph.75°. Ex.36.B

Renum magna exulceratio læditur ab extenuantibus,& incidentibus, & in victu humido.com.4°.aph.76°. Ex.36.C

Renes iuuans antidotus.2°.de anti. 5ª.111.F

ſupra Renes plumbi lamina inhibet nocturnas imagines. 6°.de ſanitate tuenda. 2ª.100.G

ſub Renibus roſæ pro imaginibus nocturnis ſubſternunt. 6°.de ſanitate tuenda. 2ª.100.G

RENES *ſunt mali chymi.de diſſ.cont. Sp.74.B*

Renes ſunt praui ſucci,& coctu.difficiles.3°.de alim.fac. 2ª.27.A

Renes ſunt craſſi ſucci.de bon.& vitio ſucc. 2ª.35.F

Renes ſapiunt neſcio quid vrinæ.2°.de ali.fac. 2ª.27.A

Renes gallinaccorum,præſertim altilium ſunt boni ſucci.de bonitate et vitio ſucorum. 2ª.35.F

Renes ſcincorum pudenda intendunt.11°.de ſim.me.fa. 5ª.80.D

ex Renibus aliquæ partes inferiores imbecilliores redduntur. 6°.de ſanitate tuenda. 2ª.100.B

in RENIBVS *ictus quid ſignificet.4°.de dign.pul. 4ª.85.G*

RENITENS *quid ſit.5°.de ſimp.me.fac. 5ª.32.G*

Renitens opponitur molli.com.5°.aph.67°. Ex.45.C

Renitẽtes diſpoſitiones corporũ difficulter lædũt. 1°.de diff.fe.3ª.32.d

ad RENVTRIENDVM *ligatura qualis.6°.meth.med. 7ª.41.B*

ad RENVTRITIONEM *nihil melius conducit quam ſanguinis per ſcarificationem exhauritio.de cucur.ſcar. 6ª.4.B*

RENVTRITORIA *victus ratio quo modo in ſiccis eſt facienda.7°.metho.med. 7ª.45.H*

REPANDITAS quid ſit.de art.com.3°.268.F/ 7ª.273.E

REPARATIONI *ſuæ intendit membrum oẽ.de mot.man. Sp.68.A*

REPELLENDI, *nec trahendi,nec tenẽdi vim habet, qđ ita eſt molle vt tũ humidum ſit,tũ fluxibile & nulli innitẽs.3°.de ſy.ca. 3ª.28.H*

Repellendum primo à parte poſt diſpergendum. ars med. Iſa.70.G

Repellendum,& refrigerandum in principijs,potius quàm calefacien dũ,vel laxandum.3°.de ſimp.me.fac. 5ª.18.F

REPELLENTIA *medicamenta in principio ſunt frigida.6°.de compoſi. med.ſec.loc. 5ª.167.A*

Repellentibus in principio vtendum eſt.de cucur.ſcar. 6ª.3.B

Repellentia adduntur abſtergentibus vt eorum facultatem in profundum ducant.2°.de com.me.per ge. 5ª.125.C

Repellentia acerba,adſtringentia non recte ſine diſcrimine iunguntur diſcuſſorijs.6°.de compo.med.ſec.loc. 5ª.176.A

cur Repellentia adduntur cephalicis.2°.de comp.me.per ge. 5ª.225.G

Repellẽtia in vlceribus qũ conueniunt.2°.de com.me.p ge. 5ª.220.B

Repellentia cur in principio exhibeantur vlceribus. 1°.de comp.med. per genera. 5ª.214.A

Repellens,& digerens emplaſtrũ qđ.2°.de com.me.per ge.5ª.221.A

REPELLI *debent refrigerando, & adſtringendo morbi ex influxu humorum.1°.de comp.med.ſec.loc. 5ª.121.F*

Repellant quæ.1°.de arte cur.ad Glauco. 7ª.100.A

Repellit acetum,& digerit.14°.meth.med. 7ª.88.G

Repellunt magis adſtringentia.6°.de compo.med.ſec.lo. 5ª.167.A

Repellit lens impoſita inflammationibus per modum cataplaſmatis. in 6ᵐ.de mor.vul.com.5°. 3ª.194.C

Repellunt,& refrigerant ſine adſtrictione quæ.14°.meth.me. 7ª.92.G

Repellit & concoquit roſaceum.2°.de comp.med.per ge. 5ª.220.G

Repellit vinum nigrum auſterum.14°.meth.med. 7ª.88.G

Repellant quæ in capitis doloribus.2°.de comp.med.ſec.lo. 5ª.137.D

Repentia vlcera herpetes ab antiquis quid ſint, quo modo ex quoque in qua parte.com.6°.apho.45°. Ex.51.F

REPENTINA *mutatio ad contraria maxime in autumno, iam magni fiunt morbi.com.3°.aph.22°. Ex.24.G*

Repentinæ mutationes acutorum ſunt.3°.de criſi. 4ª.139.F

REPERCVSSIO *ex oppletione oritur.de frac.com.3°. 7ª.243.D*

REPERCVSSORIVM *eſt gypſum vſtũ.9°.de ſimp. me.fac. 5ª.69.A*

Repercuſſorijs quando vti debemus.1°.de comp.med.ſec.lo. 5ª.130.B

Repercuſſorijs,& adſtringentibus in principio vti oportet.4°.de compo.med.ſec.loc. 5ª.157.D

REPERCVTIENDI *& leuiter refrigerandi vim habet lac recens coagulatum.10°.de ſimp.med.fac. 5ª.74.C*

Repercutiendum in principio fluxus.1°.de com.me.per ge. 5ª.212.D

Repercutiendum in principio doloris capitis.2°.de c.me.ſ.l. 3ª.132.D

REPERCVTIENTIBVS *ſolis,aut ſolis diſcuſſorijs raro indiget affectio. 6°.de ſim.med.fac. 5ª.173.C*

Repercutientia adduntur abſtergentibus, vt eorum facultatem in profundum ducant.2°.de comp.med.per ge. 5ª.225.C

Repercutientibus quòd in omni loco non ſemper vti debemus in principijs fluxionum.10°.de comp.med.ſec.loc. 5ª.207.A

Repcutiẽtib⁹ cur vtamur in phlegmonis principio.13°.m.m.7ª.84.D

Repercutientibus cur non vtamur in phlegmonis vigore.13°.methodi medendi. 7ª.84.E

Repercutientia Galenus capiti dolenti apponit etiam poſt principium. 2°.de comp.med.ſec.loc. 5ª.133.C

Repercutientibus non vtimur in oculis.13°.met.med. 7ª.86.C

Repercutientibus non eſt vtendum in iſchia,& quare. de remedijs paratu facilibus. 7ª.160.D

Repercutientibus vtimur in pedibus,& manibus,non autem in coxa, & cur.10°.de comp.med.ſec.loc. 5ª.207.A

Repercutientia quæ, & qualia ſint.5°.de ſimp.me.fac. 5ª.36.E

Repercutiẽtes,et adſtringentes herbæ quæ.4°.de c.me.ſe.lo.5ª.157.D

Repcutiẽtia,& digerẽtia optima medicamẽta q.9°.de ſi.m.fa.5ª.67.F

REPERCVTI *& digeri debent phlegmones incipientes,potiſſimum in neruoſis partibus.9°.de ſimp.med.fac. 5ª.67.A*

Repercutere vis eſt adſtringentium.5°.de comp.me. per ge.5ª.249.E

Repercutiunt adſtringentia.4°.de comp.me.per ge. 5ª.235.H

Repercutiunt quæ vehementius.5°.de ſimp.med.fac. 5ª.36.E

Repercutiunt frigida mediocriter.1°.de comp.med.per gen.5ª.213.A

Repercutit fluxiones galla.7°.de ſimp.med.fac. 5ª.51.B

Repercutit fluxiones Polygonon.8°.de ſimp.med.fac. 5ª.58.H

Repercutiunt plus, digerunt minus ſordes exercentium ſe in palæſtris ſine ſudore,& cũ ſudore multũ digerunt.10°.de ſim.m.f. 5ª.75.C

Repercutit,& elidit quod in loco eſt ſpongia aqua frigida humens.1°. de comp.med.per ge. 5ª.213.A

REPETENDA *quæ ſunt maxime neceſſaria vt Hippocrates fecit. 10°.meth.med. 7ª.63.E*

Repetẽda ſunt neceſſaria.7°.met.m.7ª.47.A/c.4°.aph.22°.Ex.28.F

Repetenda bis,& ter vtilia & cur.4°.de comp.me.perge. 5ª.237.D

REPETITIO *& Reduplicatio quid.de mor.temp. 3ª.87.E*

quæ Repetũtur ſemel,atq; iterum intelliguntur licet ſemel recta nõ per cipiantur.

elpiantur.de fract.com.1°. 7ª.227.B
Repetit sepe Galenus.10°.meth.med. 7ª.71.D
ad REPLENDVM *est os quod supra ſpõdylũ excreſcit.de an.* Sp.55.C
Replenda non ſunt intemperanter viſcera,& vaſa totius corporis, & quare.de cucur.ſcar. 6ª.3.H
REPLENTIBVS *quando vtendum.introd.* Iſa.58.B
REPLERI *denuo deſiderat, quod eſt inanitũ.de ve.ſec.ad. Er.* 6ª.9.A
Replere plurimum, atque repente nocuum eſt.c.2°.aph.51°. Ex.19.C
Replet thoracem ambiens corpus aer.in Tim.Pla. 1ª.289.F
Replet & mitigat in omnibus extrinſecis ſuccus centaureæ.de virtute centaureæ. Sp.94.A
REPLETIO *quid.com.2°.apho.17°.& com.1°.aph.3°.* Ex.3.H
Repletio quæ dicitur ab Hippocrate.3°.de loc.aff. 4ª.17.E
Repletionem parit otium.de nat.hum.com.2°. 7ª.181.H
Repletio non eſt morbus.de nat.hum.com.2°. 7ª.181.F
Repletio multa, & ſubita euitatur ab Hippocrate.de victus ratio.in mor.acu.com.1°. 7ª.112.E
Repletio,& euacuatio prater modum noxia eſt.in 6ᵐ.de morb. vulg. com.3°.3ª.170.H/com.1°.aph.3°. Ex.3.G
Repletio & indigentia pp quid ictericis male.de cura.icte. Sp.111.D
Repletio quò ad vaſa quæ habet ſymptomata.8°.meth.me. 7ª.57.C
à Repletione immodica reſpirationes cur minores, & pulſus maiores videantur.de vſu pul. 1ª.227.F
ob Repletionem aliqua ægre monentur.2°.de ſan.tuen. 2ª.72.F
Repletio tardũ reddit articulorũ motũ.i 6ᵐ.d mor.vul.c.5°.3ª.190.H
Repletio quo modo dolorẽ faciat.in 6ᵐ.de mor.vul.com.6°. 3ª.196.F
Repletio facit ſingultũ,& convulſionẽ.com.6°.aph.39°. Ex.50.G
Repletio facit genus ſpaſmi.com.4°.aph.57°. Ex.33.F
ex Repletione,& euacuatione fit cõvulſio.8°.de cõ.m.ſec.lo. 5ª.190.E
ex Repletione convulſio quomodo fiat.de palp. 3ª.56.D
ex Repletione convulſio curatur,& quo modo.de palp. 3ª.56.D
Repletio convulſionẽ facit ſanabilem,& qũo.com.5°.aph.1°.Ex.37.C
ex Repletionibus febres cur cito fiant.1°.de diff.feb. 3ª.31.H
ex Repletione,& otio febricitantes ſi ſanitati reſtitui debent, plurimũ ſubſideat in vrinis neceſſe eſt.1°.de criſ. 4ª.130.C
ex Repletione vt plurimum fiunt inflammationes quæ febres faciunt. de ven.ſect.aduer.Eraſ. 6ª.12.F
Repletionem multam ſignificat,ſi quis habeat febrem magnam, & nõ cantabeſcat.com.3°.apho.28°. Ex.26.C
Repletio,& refrigeratio eſt cauſa fluxus ſanguinis in iuuenibus. com. 3°.aphoriſmo.29°. Ex.26.C
Repletiones plus nocent conſiſtentibus quàm iuuenibus. comment. 3°. aphoriſmo 30°. Ex.26.D
Repletione deprauatur figura.de cau.mor. 3ª.8.H
Repletio immodica,immodica euacuatione ſanatur.ars med.Iſa.70.D
à Repletione dura quomodo curentur.5°.de ſimp.med.fac. 5ª.32.G
ex Repletione intẽta quæ euacuata relaxãtur.de ijs, quæ in medicatrina fiunt,commen.3°. 7ª.215.G
Repletio in vulneribus duplex.in 6ᵐ.de mor.vul.com.5°. 3ª.191.B
ad Repletionem.de med.exper. Sp.108.E
PERPLETVS *venter infrigidatur.de ana.viuo.* Sp.47.G
ſi Repleti fuerint cibo cõualeſcẽtes,rõnabile ẽ eos incidere in caſus plethoricos,in tubercula,et articulorũ dolores.c.4°.a.45°. Ex.32.G
Repleti cur non habeãt inſomnia.in 1ᵐ.prorrh.com.1°. 4ª.163.G
in Repletis particulis, & vbi eſt corrupta materia incidendæ ſunt cucurbitulæ.de cucur.& ſcar. 6ª.3.B
REPLICANDÆ *ſunt cucurbitulæ ſi non ſit ſatis euacuatum. de cucur. & ſcar.* 6ª.3.D
quò REPVNT *humores per opportuna loca,per ea euacuandum. com men.6°.apho.22°.* Ex.48.E
REPONI *inſuum locum quæ deſiderent.3°.meth.med.* 7ª.16.C
REPREHENDENS *ſedulo quæ nulla ſunt digna ſedulitate, ſe ipſum afficit contumelia.in 3ᵐ.de mor.vul.com.1°.* 3ª.130.D
in REPREHENSIONIBVS *quorum verba ſunt attendenda.de cur. animi mor.* 2ª.51.E
pro Reprehenſione apprehenſio ſumitur ab Hippocrate ſecundum Galenum.de artic.com.3°. 7ª.274.F
REPRESSIO *fit cum infrigidantibus, & adſtringentibus medicamentis.com.5°.aph.66°.* Ex.45.C
Reprimẽdi,et adſtringẽdi quæ vim habẽt.de re.par.ſa.155.D/7ª.157.G
REPRIMENTIA *medicamenta extrinſecus quæ.intro.* Iſa.58.A
Reprimentia infrigidant.com.6°.aph.31°. Ex.49.E
Reprimentibus quando vtendum.intro. Iſa.58.B
Reprimentia adhibentur in phlegmone incipiente.de opt.ſec.Iſa.22.D
per Reprimentia quandoque phlegmones incipientes deſinunt.de optima ſecta. Iſa.29.E
Reprimentia cur in principijs ſint idonea.10°.meth.med. 7ª.72.D
Reprimentia Galenus in principio habuit ſuſpecta in doloribus oculorum.com.6°.aph.31°. Ex.49.E
Reprimentia non poſſunt reprimere vehementes fluxiones in oculis.cõmen.6°.aph.31°. Ex.49.E
Reprimentia quæ ſimul digerunt carbunculos.14°.met.med. 7ª.90.B
REPRIMERE, *& reſilire verba vetera ſunt.de palp.* 3ª.54.H
Reprimit,& incidit,& diſcutit acetum.1°.de cõ.med.ſe.lo. 5ª.128.H
Reprimunt ſanguinem gallæ combuſtæ.7°.de ſimp.med.fac. 5ª.51.B
REPTILIA *valent ad confectionem.6°.de ana.adm.* 1ª.89.F
in Reptilibus vbi ſcindatur vena cana.6°.de decr.Hipp. 1ª.263.F
Reptilia quæ veris tempore gignuntur, & habent colorem herbarũ viridium.3°.de ſymp.cau. 3ª.26.D
ad Reptilium omnium ictus antidotus Dorothei.2°.de ant. 5ª.118.D
ad Reptilium morſus Antidotus Heraclidis.2°.de antid. 5ª.117.G
ad Reptilium quorumcunq; ictũ valens antidotus.2°.de an. 5ª.117.d
ad Reptilium ictus.2°.de ant. 5ª.117.G
ad Reptilium omnium ictus Emplaſtrum.2°.de antid. 5ª.117.H
ad Reptiliũ plagas Antonij Muſæ Panacea.7°.de c.m.ſ.lo. 5ª.186.B
ad Reptiliũ omniũ plagas.8°.de comp. med.ſec.loc. 5ª.191.E
ad Reptiliũ morſus valet antidotus Zopyria.2°.de anti. 5ª.115.A
ad Reptilium morſus.2°.de antid. 5ª.117.H
ob REPVLSAM *animi perturbatio.de cog.cur.animi mor.* 2ª.50.E
REPVLSORIA *exiccant.5°.de comp.med. per genera.* 5°.247.C
Repulſoria pharmacis parotidibus deſtinatis admiſceri non debẽt.3°. de comp.med.ſec.loc. 5ª.146.H
REPVLSVRA *tractura, & tentura aliquid eorum actionem cum loci mutatione neceſſe eſt fieri 3°.de ſym.cau.* 3ª.28.H
REPVRGANTIA *medicamenta extrinſecus.introd.* Iſa.58.A
de Repurgantibus,& extergentibus.4°.de com.me.ſe.lo. 5ª.149.G
Repurgantia,& extergentia non differunt.5°.de ſim.me.ſa. 5ª.35.A
Repurgantia,& extergentia quæ.1°.de com.me.ſec.lo. 5ª.129.H
Repurgans ſufficienter catapotium Scribonij largi.7°.de compo. medica.ſecundum locos. 5ª.185.F
Repurgantia collyria quæ.4°.de comp.med.ſec.loc. 5ª.151.A
Repurgans cyzicenum quale.5°.de comp.med.per ge. 5ª.250.B
Repurgantibus quando vtendum.intro. Iſa.58.B
REPVRGATIONEM *impediunt ſimplicia medicamenta craſſi ſucci. 7°.de comp.med.ſec.loc.* 5ª.179.A
REPVRGATVR *totum corpus per renes,& per veſicam.in 1ᵐ.de mor.vulg.com.2°.* 3ª.109.B
pro REQVIE multo tempore indiget cerebrum.1°.de ſymptomatum cauſis. 3ª.19.A
Requies memoriæ conuenit.de ocul. 7ª.183.H
pro Requie multo tempore non indiget.cor.de ſym.cau. 3ª.19.A
RES, *vox, & ſermo differunt.4°.de loc.aff.* 4ª.26.B
Res qd ſit,dici poteſt de notitia ſola,& de eſſentia.ad Thra. 2ª.101.F
Rerum omnium eſt cauſa affectrix quæ æſtimatur in collatione ad aliquid. quod animi mores. 1ª.317.D
Res ſenſui euidentes aliæ per ſe innoteſcunt,aliæ non per ſe.de optima ſecta. Iſa.19.G
Res ſenſum latentes aliæ intellectui perſpicue,aliæ per oſtenſionem cognoſcuntur.de opt.ſect. Iſa.19.G
à Rebus euidẽtibus iudiciũ qđ fit in rebus cõe eſt oĩbus.de ſect.Iſ.17.E
Res naturalis duobus eſt modis.de ocul. 7ª.185.D
Res naturales ſunt ſeptem.de ocul. 7ª.185.E
Res non naturales conſiderandæ ſunt.1°.de com.med.per ge. 5ª.210.D
Res naturales ſex ſunt,& quæ.ars med.Iſa.68. C/de ocul. 7ª.185.E
Res non naturales quando ſalubres & quando non.ars med. Iſa.68.C
Res extra naturam duplex eſt.de ocul. 7ª.185.E
Res extra naturam tres.de ocul. 7ª.185.E
Res adherentes eſſentiæ proprietatem obtinent.1°.de loc.aff. 4ª.2.E
Rerum, non nominum ſunt definitiones.2°.de pul.diff. 4ª.53.H
Res quot ſunt,tot ſunt diffinitiones.2°.de pul.diff. 4ª.54.H
Res poſitæ in generatione,ſi definiantur,definitio recipit cauſam efficientem.4°.de pul.diff. 4ª.67.H
Res nulla incerta natura habet demonſtrationem.de ſect. Iſa.17.E
propter Res nominibus vti neceſſe eſt.2°.meth.med. 7ª.9.D

Res difficilius

Res difficilius cõficitur, quã verbis explicat. 10°. *de vsu pa.* 1ª.210.*E*
Res cum particulares antiquis ignorarentur alias non nominarunt, alias non recte. de symp.diff. 3ª.12.*D*
ad Rei corruptionem nomen corrumpitur. de sophis. *Is.*7.*G*
a Re non a nomine doctrina scientifica prouenit. 14°. *met.m.* 7ª.89.*D*
Res, intelligendæ, & de nominibus non contendendum. 1°. *de loc.asse.* 4ª.6.*D*/10°. *metho. meden.* 7ª.71.*B*
ad Res properandum, & de nominibus semper conueniẽdum. de sym ptomatum disse. 3ª.10.*D*
in Rebus consistit opus, non in nominibus. de sym.diff. 3ª.10.*E*
Res maiori studio inquirenda est quã nomina. de opt.no.cor. 1ª.38.*A*
Res pertracta, & nomina contemne. 14°. *met.me.* 7ª.89.*E*
Res considerantes non considerant voces. de ijs quæ in medica. sunt. commentario 1°. 7ª.200.*E*
Res negligunt, & de nominibus contendunt sophistæ, & cõtumelijs di sputant. 2°. *de diff.pul.* 4ª.53.*D*
Rei natura indaganda est cuius artẽ inuenire volumus. 9°. *de decret. Hippocratis.* 1ª.283.*H*
in Rebus inueniẽdis qũo incedebat Hippocrates. de fœt.for. 1ª.322.*C*
Rerũ memoria assiduam requirit consuetudinẽ. 1°. *de an.ad.* 1ª.63.*H*
ex Rerum distincta & indistincta cognitione oritur dissidentia artis p experientiam iudicantis sua theoremata. de victus ratione in mor bis acutis, com. 1°. 7ª.110.*C*
Res nulla sensibilis cognoscitur exquisite, & subito, nisi sæpius visa. 3°. *de anatomicis administrationibus.* 1ª.77.*A*
de Re bis aut semel visa, non est dubitandum pronunciare secundum aliquos, quod tamen Galeno non placet. de fœt.for. 1ª.322.*C*
Rerum quæsitarum veritas qũo potest inueniri. 9°. *de dec.* 1ª.279.*B*
Rerũ quæsitarũ initium primo debet cognosci. 9°. *de dec.* 1ª.279.*B*
Rei initium si ignores, in multos incidis errores. 2°. *de decr.* 1ª.279.*C*
a Rei quæsitæ substãtia lẽmata sumi debẽt. 2°. *de dec. Hi.* 1ª.235.*A*
a Rei substantia quæ quæritur absunt captiosa, & cauillatoria argumenta. 2°. *de decr. Hippo.* 1ª.235.*D*
in Rebus quæ veniunt in controuersiam, vnde veniat decepcio. 9°. *de decre. Hippocratis.* 1ª.286.*C*
Res apud philosophos difficiles, apud medicos faciles sunt. 2°. *de simplicium medicament. facultat.* 5ª.11.*E*
de Reb⁹ medicinalib⁹ nihil fere ĩter medicos cõuenit. d op. se. *Is.*23.*D*
Res omnes habent multas vires. 2°. *de simp.me. fa.* 5ª.12.*E*
de Rebus experiẽtia nõ dẽt fieri citra limitationẽ. 1°. *de al.f.* 2ª.7.*E*
Res agit ex potentia quam habet. 9°. *de decr. Hip.* 1ª.180.*C*
Res patitur non ex potentia, sed ex imbecillitate potius. 9°. *de decre. Hippocratis.* 1ª.286.*C*
REIPVBLICÆ *gubernatoria ars est conseruatrix. ad Thrasybulum.* 2ª.104.*C*
in Republica administranda viris occupatis præcepta quæ seruanda. de bonitate, & vitio succo. 2ª.39.*C*
Respublica bñ instituta odit artẽ Athleticã, et luctã. ad Th. 2ª.109.*b*
RESARCIVNT *cor distemperatum, coralli, margaritæ, hyacinthi. de anato. viuorum.* *Sp.*56.*A*
RESICCANDI *& calefaciendi vim habet myrrha.* 2°. *de composit. medicam. secun. loc.* 5ª.134.*F*
RESICCANTIVM *natura, & diuisio.* 8°. *de compo. medicamentorũ secundum locos.* 5ª.188.*A*
Resiccantia adstringentia sine morsu quæ. 7°. *de cõ.m.se.lo.* 5ª.183.*E*
Resiccans emplastrũ Chalcidei quale. 5°. *de comp.me.per g.* 5ª.249.*A*
RESICCATORIA *confectio.* 7°. *de comp.me.sec.loc.* 5ª.185.*B*
Resiccatoria ad aures. 3°. *de com.me.sec.loc.* 5ª.144.*H*
RESICCAT *valde medicamentum ex charta.* 9°. *de composi.medica. secundum locos.* 5ª.205.*D*
Resiccat humores, & discutit citra adstrictionem mirrha. 4°. *de com. medic. secun. locos.* 5ª.151.*D*
RESIDENTIA *in vrinis diuersa in biliosis morbis, & in cruditatib. de tot.morb.temp.* 3ª.89.*G*
Resident ia, lege Hypostasis, Sedimen, Sublimamentum, Nubes.
RESILIRE *& reprimere sunt verba vetera. de palp.* 3ª.54.*H*
Resilentem hominem inspicere est Iudicationis signum. 1°. *de art. cura. ad Glauconem.* 7ª.100.*D*
RESIMANS *pedem musculus. de musc. diss.* 1ª.52.*E*
RESIMI *possunt esse ex vi formatrice, & nõ ex temperamento.* 2°. *de temperamen.* 1ª.20.*G*
Resimi humidi secundum aliquos, quod non placet Galeno, & quare. 2°. *de temperamentis.* 1ª.20.*G*
RESINA *quid. de sim.me.* *Sp.*89.*D*
Resinarum ordo in bonitate. de simp.med. *Sp.*89.*D*
de Resinis contra Dioscoridem quid sentiat Galenus. 3°. *de composit. medicam per gen.* 5ª.230.*D*
Resinarum differentiæ. 7°. *de comp.med.per gen.* 5ª.269.*F*
Resinarũ differentia in acri, & dulci. 3°. *de comp.me.per ge.* 5ª.232.*F*
Resinarũ differentia secundũ calorẽ. 3°. *de comp.me.per g.* 5ª.230.*D*
Resinarũ differentiæ in odore, & calore. 3°. *de cõ.me.per ge.* 5ª.233.*e*
Resinæ multũ differunt humiditate, & siccitate. 3°. *de compositio. medica. per genera.* 5ª.230.*C*
Resinarũ dũæ penes siccitatẽ quæ. 3°. *de compo.me.per ge.* 5ª.230.*C*
Resinarũ differentiæ in emolliendo. 7°. *de com.me.per ge.* 5ª.264.*B*
Resina quæ sponte sua emanat quæ. 2°. *de comp.me.sec.lo.* 5ª.135.*F*
Resina potestate calida est. 3°. *de temp.* 21.*G*/ 1ª.23.*E*
Resina calida, & viscosa est. 2°. *de sim.me.fac.* 5ª.14.*D*
Resinæ siccæ, & calidæ sunt. 8°. *de simp.me.fac.* 5ª.59.*F*
Resinæ non sunt oleosæ. 4°. *de comp.me.per gen.* 5ª.337.*F*
Resina Abietina qualis. 8°. *de simp.me.facul.* 59.*F*/2°. *de compositio. medica. per gen.* 5ª.219.*E*
Resina abietina pro terebinthina quando sumatur. 7°. *m.m.* 7ª.37.*G*
Resinæ abietinæ meminit. 4°. *de san.tu.* 2ª.87.*B*
Resina Arida ad quid vtilis. 2°. *de com.me.per ge.* 221.*D*/ 5ª.222.*F*
Resina græce vocatur αὐτόῤῥυτος *& quare.* 2°. *de sim.m.f.* 5ª.15.*A*
Resinæ authorrhytæ quæ. 3°. *de compo.me.per ge.* 5ª.233.*D*
Resina quomodo Coquatur. 7°. *de comp.me.sec.lo.* 5ª.181.*E*
Resinæ coctæ probatio. de dyna. *Sp.*23.*B*
Resina Colophonia quæ & qualis. 2°. *de comp.me per ge.* 5ª.219.*E*
Resina cupressi non nihil adstringit. 3°. *de com.me.per ge.* 5ª.230.*D*
Resina cyparissina qualis. 8°. *de simp.me.fac.* 5ª.59.*G*
Resina quæ habetur in Fictilibus. 4°. *de san.tu.* 2ª.87.*C*
Resina ὄφυστ᾽ *quæ dicatur.* 4°. *de san.tu.* 2ª.87.*C*
Resina fricta pinea, & colophonia pro eodem accipiuntur. 7°. *de com. medi.per gen.* 5ª.264.*B*
Resina fricta id est colophonia omnium resinarum siccissima est. 3°. *de comp.med.per gene.* 5ª.230.*C*
ex Resina fricta, euphorbio, cera, & pice emplastrum Galeni pro ner uis vulneratis. 6°. *met.me.* 7ª.37.*F*
Resina fricta ad fracturam conuenit quæ glutinari non potest & quo. de reme.par.fac. 7ª.154.*A*
Resinæ fictæ fit mentio. 5°. *de comp.me.sec.loc.* 161.*D*/8°. 193.*C*/*D*/ 9°. 200.*B*/ 10°. 207.*F*/209.*C*/2°. *de comp.me.per ge.* 200.*G*/ 221. *C*/224.*C*/225.*C*/ 5ª.227.*D*/*G*/*H*
Resina Frixa quomodo fiat. de dyna. *Sp.*23.*B*
ex Resina frixa emplastica. 5°. *mer.me.* 7ª.30.*G*
Resina Humida est. com. 1°. *apho.* 14°. *Ex.*7.*F*
Resina humida quæ in vasis fictilibus continentibus pineam resinam subsidet. 2°. *de comp.me.per gen.* 5ª.219.*F*
Resina aliqua humida non acris accipiatur, deficiente medulla vituli na. 4°. *de comp.me.per gen.* 5ª.240.*A*
Resina Laryx dicta duplex est. 2°. *de comp.me.per ge.* 5ª.219.*F*
Resina laricina humidissima oium est. 2°. *de comp.me.per ge.* 5ª.219.*F*
Resina laricina mitissima est. 1°. *de comp.me.per ge.* 5ª.213.*H*
Resina laricis est Terebinthinæ similis. 2°. *de cõp.me.per g.* 5ª.216.*A*
Resina laricis pro Terebinthina quando sumi possit. 1°. *de compo. medicamen. per gen.* 5ª.215.*D*
Resina quæ laryx vocatur valet ad vlcera maligna. 1°. *de compo.me dicamen. per gen.* 5ª.217.*D*
Resina quomodo Lauanda. 1°. *de comp.me.per ge.* 2ª.213.*H*
Resina, & oleũ qũo lauantur, & dealbantur. 2°. *de sim.m.fa.* 5ª.12.*H*
Resina Lentiscina mastiche est, & primas omnium obtinet. 8°. *de sim. medicamen. facul.* 5ª.59.*F*
Resina lentiscina stomachi, ventris, & iecoris ĩbecillitatibus, et phleg monis confert. 8°. *de simp.medi.fac.* 5ª.59.*F*
Resina cuius vsus. 6°. *de compo.me.per ge.* 5ª.262.*B*
Resina nõ pot p angusta trãsire nisi liquata. i 6m. d m.vu.c. 3°. 3ª.173.*d*
Resina Liquatur igne. 3°. *de comp.me.per ge.* 5ª.233.*F*
Resinis liquidis si vtaris, oleum potes dimittere. 2°. *de compositione medica. per gen.* 5ª.220.*F*
Resina liquida. 2°. *de comp.me.per gen.* 5ª.220.*H*
Resina liquida pro Thure qñ vsus Galenus. de art.com. 2°. 7ª.267.*A*
Resinæ Mitissimæ quæ. 1°. *de comp.me.per gen.* 5ª.213.*H*

Resina Millicina malthacodes græce dr.4°.de cõ.me.per g.5ª.238.C
Resina Pinea qualis.8°.de sim.med.fac. 5ª.59.F
Resina pinea humida est.4°.de san.tu. 2ª.87.B
Resina pinea humida pro terebinthina qñ sumatur,6°.met.m.7ª.37.G
Resina pinus fricta.9°.de com.me.sec.loc. 5ª.199.A
℔ Resina pini ponitur Terebinthina.4°.de san.tu. 2ª.86.H
Resina Pityina sicca.2°.de comp.me.per ge.222.D/ 5ª.223.A
Resinæ Protorrhytæ quæ.3°.de comp.me.per ge. 5ª.233.D
Resinæ siccæ pauco indigent oleo.3°.de comp.me.per ge. 5ª.230.C
Resina non debet esse sicca nec antiqua.2°.de cõ.me.per g. 5ª.219.B
Resinæ siccæ fit mentio.10°.de comp.me.sec.lo.207.G/H/2°.de com. me.per gen. 5ª.220.H
Resina Strobilina qualis.8°.de simp.med.fac. 5ª.59.F
Resina strobilina oĩum est calidissima.2°.de cõp.me.per ge. 5ª.219.E
Resina strobilina in duris tantũ corporibus cõuenit.6°.m.m. 7ª.37.G
Resina Terebinthina qualis & vnde.4°.de sani.tuen. 2ª.87.C/1°.de antidotis. 5ª.107.A
Resinarum optima Terebinthina quomodo intelligi debet.3°.de com posi.medi.per gene. 5ª.230.D
Resina terebinthina mitissima.1°.de composi.me.per ge. 5ª.213.H
Resina terebinthina magis digerit,quàm masliche & cur.8°.de simp. medicam.facul. 5ª.59.F
Resina terebinthina psoras sanat,& quæ in profundo sunt, ceteris q̃ resinis magis attrahit.8°.de simp.me.fac. 5ª.59.F
Resina terebinthina valet ad vlcera maligna.1°.de cõ.m.p g.5ª.217.d
Resina terebinthina fricta.3°.de comp.me.sec.lo. 5ª.149.B
cũ Resinæ vsu parum habente cerato rosaceo rosa sicca quando conferat stomacho.8°.de compo.medi.sec.loc. 5ª.192.H
Resinæ vsu fit mentio.8°.de com.me.sec.loc. 5ª.196.E
Resina congelatur.1°.de simp.me.fac. 5ª.5.B
Resina habet quid mordax.1°.de comp.me.per ge. 5ª.213.G
Resinæ omnes calefaciunt.1°.de comp.me.per ge. 5ª.210.C
Resina calefacit,& exiccat.2°.de simp.me.fac.16.D/de compo.medica.per gene. 5ª.219.E
Resina,& pix calefaciunt applicatæ parti.2°.de diff.feb. 3ª.41.A
Resina si perungas membrum aliquod calefit,& in tumorem attollitur,& quare.2°.de diff.feb. 3ª.41.A
Resina a calore extrinseco in spiritũ soluitur.cõ.5°.ap.70°.Ex.35.B
Resina omnis efficaciter relaxat,& remollit.de sim.me. Sp.89.D
Resinæ emolliunt.7°.de com.me.per gen. 5ª.268.A
Resina pro doloribus conuenit.in 6ᵐ.de mor.vul.com.6°. 3ª.196.B
Resina concoquit.intro.Isa.58.B/de oculis. 7ª.188.E
Resina quomodo mouet pus.5°.de sim.me.fac. 5ª.34.C
Resina propter quid ponitur in medicamentis ad vlcera.4°.de com. medica.per gene. 5ª.237.H
Resigna glutinatoria est in corporibus admodum siccis, quæ vulnus habent aut sinum.6°.de sim.me.facul. 5ª.42.E
Resinæ in vlceribus vitandæ.4°.de comp.med.per ge.5ª.236.E/3°. methodi medendi. 7ª.21.C
Resina,& pix paulum excedunt ceram.5°.de sim.me.fac. 5ª.34.C
Resinæ,& ceræ in quo emplastro non debet esse æqualis portio.1°.de comp.me.per gen. 5ª.215.D
ex Resina,æsypo,& cera cerata qualia.7°.de cõ.m.per g. 5ª.264.E
Resinæ cur ponantur in medicamenta.3°.de cõp.me.per ge.5ª.230.E
Resina cur adiũcta medicamẽto.3°.de c.m.per g.223.C/4°. 5ª.241.G
Resina cur ponitur medicamento,& cur liquida.1°.de compositione medica.per gene. 5ª.213.G
Resinæ omnes agglutinant medicamenta humiditate,& viscositate. 4°.de composi.med.per gene. 5ª.240.A
Resina cõmoda p ceratis & malagmatibus.9ᶜ.de cõ.m.s.l.5ª.198.D
Resina ad emplastropœiam facit.6°.de comp.me.per gen. 5ª.258.B
Resina ponitur pro forma emplastri in emplastris.de compositio.me. per genera. 5ª.246.B
Resinæ quæ debent poni in emplastris.1°.de comp.me.per g.5ª.213.H
Resina nõ est emplastica,& qualis sit.6°.de com.m.per g. 5ª.255.D
Resina quid faciat in vnguentis.4°.de san.tu. 2ª.87.B
Resinæ dosis in vnguentis.4°.de san.tu. 2ª.87.B
ex Resina,pice,& terebinthina,adipe leonino, atque taurino medicamentum.2°.de arte cura.ad Glau. 7ª.104.H
Resina non potest ostendi in tetrapharmaco,tamen propter hoc non est dicendum quod non insit.de nat.hu.com.1°. 1ª.27.B
ex Resina,& pice inunctio.de præcog.ad Post. 4ª.217.G
ex Resinis medicamentũ qd hẽt vim euaporandi.4°.de sa.t.2ª.87.C
Resina vinis immittitur,nec acescant.2°.de ali.fac. 2ª.18.E
Resinam omnem excedit propolis pinguis.3°.de compositione medi. per genera. 5ª.230.E
Resinę quæ in defectu aliarum sumuntur.4°.de san.tu. 2ª.87.C
℔ Resina melle quando vtendum.de arti.com.2°. 7ª.267.A
℔ RESOLVENDA materia quando caput dolet,quæ capitis facienda. 1°.de arte cura.ad Glau. 7ª.100.B
℔ Resoluenda materia pituitosa fomentum ex aqua & aceto conue nit.14°.meth.med. 7ª.87.F
ad Resoluendum.2°.de comp.me.per ge. 5ª.222.G
RESOLVENTIA adhibentur post reprimentia in phlegmone.de opt. sect. Isa.22.D
Resoluens compositio corruptas humiditates.secretorum. Sp.101.H
Resoluẽs phlegma a stomacho & iuncturis cõpositio.secr.Sp.101.H
RESOLVI de quibus dicatur.2°.de san.tu. 2ª.72.F
Resoluit althea.2°.de arte cura.ad Glau. 7ª.105.F
Resoluit fortiter draconij radix.2°.de art.cur.ad Glau. 7ª.105.F
Resoluit febris phlegma.com.6°.apho.51°. Ex.52.H
Resoluit plurimũ hordeacea farina.2°.de arte cu.ad Glau.7ª.105.F
RESOLVATVR adustione lentius humor si medicamentis non potest. de artit.com.3°. 7ª.276.C
qñ Resoluitur tumor,ne aliquid duri remaneat, quid agendum.2°.de arte cur.ad Glau. 7ª.105.F
Resoluuntur quibus vires.10°.met.me.62.B/11°.met.me. 7ª.77.D
Resoluantur qui ægri,nisi frequentius nutriantur.11°.me.m.7ª.77.F
Resoluuntur partes inferiores spinali medulla affecta in vertebra.1°. de loc.aff. 4ª.7.E
Resoluitur interdum totum crus.3°.de loc.aff. 4ª.20.H
Resoluuntur cum fracturæ a medicis aqua calida perfunduntur.de ijs, quæ in med.fiunt,com.3°. 7ª.213.F
RESOLVTIO quæ sit secundum quosdam philosophos.de cuiusq; animi pecinot.atque med. 2ª.58.A
Resolutione quæ inueniantur.de cuiusque ani.pec.no.atq; m. 2ª.58.C
ex Resolutione domus cognoscitur ab eo, qui illam vult accuratius cognoscere qualis nam sit.de const.ar. Isa.36.G
in Resolutione quod est vltimum,idest primum in curatione.10°.me thodi medendi. 7ª.70.D
de Resolutione librum fecit Erasistratus.in 1ᵐ.pror.cõ.2°.4ª.175.F
in RESOLVTIONE Tumoris quæ addenda.2°. de arte curatiua ad Glauconem. 7ª.105.E
in Resolutionibus duritierum q̃ mollientia semper miscenda.2°.de arte curatiua ad Glauconem. 7ª.105.F
Resolutio neruorum quæ propria.3°.de loc.aff. 4ª.21.C
Resolutio,palpitatio,& conuulsio noxæ sunt instrorũ.de pal.3ª.53.C
Resolutiones affectus sunt frigiditate vincente.de palp. 3ª.54.D
Resolutio neruorũ est volũtariæ potẽtiæ læsio.2°.de sym.cau.3ª.19 g
Resolutiones ex Apoplexia in partẽ aliquã decũbentes paraplexias vocat Hipp.sm Galenum.in 3ᵐ.de mor.vul.com.2°. 3ª.113.D
in Resolutionem membri paraplegia decumbit.in 1ᵐ.de mor.vulgaribus.com.2°. 3ª.112.G
inter Resolutionem & integram valetudinem media est stuporis dispositio.2°.de loc.aff. 4ª.8.H
Resolutionis cã vt in pueris est substãtia mollis,et humida ita ĩ regionibus & anni tẽporibº res se hẽt.de vic.ra.ĩ m.ac.c.1°. 7ª.115.F
Resolutio potest fieri ab intemperie.3°.de loc.aff. 4ª.20.B
in Resolutionibus cur tremor fiat.de pal. 3ª.51.F
Resolutio ẽ vna spẽs vlcerationis ĩ oculis sine pcussione.fi.m.Isa.48.D
Resolutione quomodo infestatur facies.3°.de lo.aff. 5ª.21.A
Resolutiones sepe curauit Theriaca.de theria.ad Piso. 5ª.96.D
ad Resolutionem neruorum prius tentatos Bassi pharmacum.7°.de composi.med.per gene. 5ª.270.E
Resolutionibus diutinis acopon bonum.10°.de com.me.se.l.5ª.215.C
ad Resolutionẽ neruorũ viride Acopõ.7°.de cõ.m.p ge. 5ª.272.B
ad Resolutiones.10°.de comp.me.sec.lo. 5ª.208.G
RESOLVTORIA via admirabilis est.de cuius.ani.pec. 2ª.58.F
Resolutoriæ facultatis præstantia.de cuiusq; aĩ pe.no.atq; m.2ª.58.G
Resolutoria speculatio distinguitur a Dialectica.1°.met.me. 7ª.4.G
Resolutoria secũda dicũtur libri posteriorũ.2°.de dc.134.E/1ª.235.D
Resolutoria nõ solus Arist.scripsit,sed multi alij.2°.de de.1ª.235.D
RESOLVTIS purgatio sistenda est.præs.exper.conf. Sp.78.C
Resoluta frigida sunt omnia.de palp. 3ª.53.D

Resolutæ particulæ tamen sentiunt. 1°. *de symp. caus.* 3ª. 16. E
qũ Resoluta est dimidia pars vniuersi corporis, remedia primis vertebris adhibenda. 3°. *de loc. aff.* 4ª. 17. C
Resoluti in omnibus partibus, præter quam in facie, & respiratione casus. 3°. *de loc. aff.* 4ª. 21. B
Resoluti in oĩbus partibus, dẽptis manibus, casus. 3°. *de l. af.* 4ª. 21. B
Resoluta in qua angina manus. 4°. *de loc. aff.* 4ª. 24. C
Resoluta crura sanata p medicamentum aptatum lumbis. 4°. *de loc. affect.* 4ª. 24. C
Resoluta non semper sunt crura ob spinam. 5°. *de lo. aff.* 4ª. 35. C
vt Resoluta manus, & crura iactare quid significet. de ijs, quæ in me dicat. fiunt, com. 1°. 7ª. 198. B
Resoluto ani musculo de repente circa sedem pueri innitus exercuit, casus. 1°. *de loc. aff.* 4ª. 7. H
in Resolutis valet costum. 7°. *de sim. me. fac.* 5ª. 52. F
Resolutos adiuuat Tyrethrum. 8°. *de simp. me. fac.* 5ª. 59. D
ad Resolutos paralysi Aster appellata confectio. 7°. *de compo. medi. secun. locos.* 5ª. 185. A
RESPIRANDI *primum instrumẽtum nasus.* 11°. *de vsu pa.* 1ª. 188. F
Respirandi secundum instrumentum os quando nasus est affectus. 11°. *de vsu partium.* 1ª. 188. F
Respirandi grauitas in dextra præcordiorum parte quid significet. 2°. *de locis affectis.* 4ª. 12. H
RESPIRANS *minusq; oportet non potest per minimam diei partem ui uere.* 1°. *de dif. resp.* 3ª. 60. B
Respirãtes si bñt dispositionẽ, qualẽ flẽtes, qd sit. c. 6°. *ap.* 54°. *Ex.* 53. d
Respirãtibus piscibus satis est paucus vapor. de ana. viuo. Sp. 48. C
RESPIRATIO *tota quandoque vocatur spiritus. de victus ratione in morbis acu. com.* 1°. 7ª. 113. G
p Respiratione spiritus sumitur ab Hippocrate. in 6ᵐ. *de morb. vulg. commentario.* 4°. 3ª. 79. H
Respiratio quid sit. fin. med. Isa. 44. G/8°. *de de. Hip.* 1ª. 278. C/*de sal. die.* 2ª. 40. B/6°. *de loc. af.* 4ª. 39. F
Respiratio est animæ gñatio sm Asclepiadem. de vti. resp. 1ª. 223. B
Respiratio est corroboratio quædã sm Praxagorã. de vt. re. 1ª. 223. c
Respiratio est innati caloris ventilatio secundum Philistionem et Dioclem. de vtilitate respirationis. 1ª. 223. C
Respiratio est nutritio, & refrigeratio sm Hippo. de vti. 1ª. 223. C
Respiratio naturale opus est, non animale. 8°. *de ana. adm.* 1ª. 99. F
Respiratio est motus voluntarius. 2°. *de mot. musc.* 1ª. 314. H
Respiratio est nostra actio semper seruiens voluntati animalis. 7°. *de vsu partium.* 1ª. 159. G
Respirationem nemo potest cohibere § ex quo elice non esse motũ voluntarium § com. 3°. *apho.* 23°. *Ex.* 24. H
Respirationẽ sponte cõtinẽs seruus mortuus est. 2°. *de mo. m.* 1ª. 315. D
Respiratio actio est composita. introd. *If.* 55. C
Respiratio a quibus fiat, & quomodo. 8°. *de decr. Hipp.* 1ª. 278. C
Respiratio quomodo fiat. de hist. philo. Sp. 10. A
Respiratio, & inspiratio quo modo fiant. de vtil. resp. Sp. 63. H
Respiratio, & diffiatio vnde. in 6ᵐ. *de mor. vul. com.* 5°. 3ª. 185. E
Respiratio per totum corpus propter quid effecta. in 6ᵐ. *de mor. vul. commentario.* 6°. 3ª. 195. E
Respiratio refertur ad vitam. de vtil. resp. 1ª. 223. B
Respiratione aereã igneãq; substantiam tuemur. 1°. *de sa. tu.* 2ª. 62. G
ex Respiratione, & pulsu nutricio fit spũs aĩalis. de vsu pu. 1ª. 228. D
Respiratio an nutriat spiritum animalem. de vtil. resp. 1ª. 225. G
in Respiratione qũo se habeant cor, & arteriæ. 8°. *de dec.* 1ª. 278. D
Respiratio fit propter cor, sed non ab illo. 2°. *de dec. Hip.* 1ª. 237. A
Respirationem a corde fieri demonstrantes quo modo errent. 2°. *de de. Hippocrat.* 1ª. 237. B
Respiratione quantum indiget cor. de vtil. resp. 1ª. 226. B
Respiratio quod dat cordi, id dat calori, qui ĩ toto est animali pulsus. de vsu pulsuum. 1ª. 228. D
Respiratio, & pulsus quæ habent communia. 1°. *de dif. resp.* 3ª. 57. H
Respiratio quo modo differt a pulsu. 4°. *de puls. dif.* 4ª. 67. A
in Respirationib⁹ apparet in hoĩe elemẽtũ aereũ. 8°. *de dec.* 1ª. 275. D
Respiratio, & pulsus non possunt in totũ perire. 1°. *de dif. res.* 3ª. 58. E
Respirationis actio, an spũs attractio, et redditio. de vsu pu. 1ª. 229. a
ex Respiratione vtilitatis capita. 7°. *de vsu par.* 1ª. 163. F
sine Respiratione animal viuere non potest. 4°. *de loc. af.* 4ª. 27. D
Respiratio qũo vrgeat nos operari sm ipsam. 2°. *de mo. mu.* 1ª. 315. E
Respiratio quo modo percipiatur in ægro. 3°. *de dif. resp.* 3ª. 74. D
Respirationes Aetatum quæ. 1°. *de dif. resp.* 3ª. 58 C
Respiratio in Angina quæ. in 3ᵐ. *de mor. vul. com.* 2°. 3ª. 136. C
Respiratio in aqua intercute qualis. 1°. *de dif. resp.* 3ª. 59. C
Respiratio ob Ardorem cordis qualis gñetur. 1°. *de dif. res.* 3ª. 59. A
Respiratio ex Balneis tũ calidis tũ frigidis qualis. 1°. *de dif.* 3ª. 58. D
Respiratio Bilis vbi sit. de anatomia. viuorum. Sp. 45. F
Respirationem qualẽ faciũt Calor, & frigus. 2°. *de dif. resp.* 3ª. 65. C
Respiratio quomodo se habet caliditate abundante, & frigiditate, 1°. *de difficulta. resp.* 3ª. 58. C
in Respiratione, & pulsu caliditas acuta qd faciat. 1°. *de di.* 3ª. 58. a
in Respiratione caliditas ĩminuta qd faciat. 1°. *de dif. resp.* 3ª. 58. B
Respirationem quã faciat fumosa caliditas. 1°. *de dif. resp.* 3ª. 62. A
Respirationis Causæ. 1°. *de dif. resp.* 3ª. 57. D
Respirationis causæ tres in genere. de cau. resp. 1ª. 226. H
Respirationis tria principalia sunt causarũ gña. 1°. *de dif. res.* 3ª. 62. g
Respirationis causam efficientem qui deprehendit, differentiã offensionis cognoscit, & curandi modum. de caus. resp. 1ª. 226. G
Respirationis causæ quæ priores. de caus. res. 1ª. 226. H
Respirationis celeris eadẽ ratio quæ in pulsu. 1°. *de cau. pul.* 4ª. 88. G.
Respirationem celeriorem, frequentiorem, & maiorem qui habeant. de vsu pulsuum. 1ª. 227. F
in Respiratione cessatio duplex. 1°. *de dif. resp.* 3ª. 63. A
Respiratio Deficiẽs suffocationẽ ĩdicat. ĩ 3ᵐ. *de mo. vu. c.* 2°. 3ª. 136. c
Respiratio Deliriorum qualis apud Hippocr. 2°. *de dif. resp.* 3ª. 64. H
Respiratio in delirijs qualis. 1°. *de dif. resp.* 3ª. 61. G
Respiratio propria in delirijs magna ac vara. 1°. *de dif. resp.* 3ª. 62. G
Respiratio Densa quid significet. 1°. *de dif. resp.* 3ª. 62. D
Respirationis Differentiæ quot sint. 3°. *de dif. resp.* 3ª. 70. B
Respirationum tot sunt differentiæ, quot pulsuum inæqualium. 1°. *de difficul. respirationum.* 3ª. 60. G
Respirationis difficultates sm Hippocrat. quæ. 3°. *de dif.* 3ª. 68. F
Respirationi læsio est respirandi difficultas. 1°. *de dif. resp.* 3ª. 56. F
Respirandi difficultas in quibus consistat. 1°. *de diffi. resp.* 3ª. 56. G
Respirationis difficultas simplex quæ. 1°. *de diffi. resp.* 3ª. 56. H
Respirationis difficultas composita quæ. 1°. *de dif. resp.* 3ª. 56. H
Respirationis difficultas ob ardorem qualem efficiat spiritum. 1°. *de difficultat. respira.* 3ª. 59. A
Respiratio difficilis ob dolorem, & ardorem. 1°. *de diffi. resp.* 3ª. 59. A
Respirationis difficultas ex frigore qualem spiritum efficiat. 1°. *de difficulta. respir.* 3ª. 59. A
Respirationis vna sola difficultas iuxta raritatem, & densitatem in Cessationibus. 1°. *de diffi. respir.* 3ª. 60. F
de Respirandi difficultatibus compositis, 1°. *de diff. resp.* 3ª. 60. F
Respiratio cur hominibus difficilis sit, præcipue gibbis ante pubertatem. com. 6°. *aph.* 46°. *Ex.* 51. H
Respiratio in affectibus cum Dolore qualis. 1°. *de dif. resp.* 3ª. 59. F
Respirationem qualem faciunt dolor, & delirium quando iungantur. 2°. *de diffi. resp.* 3ª. 65. E
Respiratio propria dolorum, parua, & densa. 1°. *de dif. resp.* 3ª. 62. G
Respirationem quam faciat in organis dolor. 1°. *de dif. resp.* 3ª. 61. G
Respiratio Exercitatorum quæ. 1°. *de dif. resp.* 3ª. 58. D
Respiratio cur ampla & vehemens fiat in exercitationibus. de vtilitate respirationis. 1ª. 225. E
Respiratio in febribus & morbis qualis. 1°. *de diff. resp.* 3ª. 58. E
Respiratio in febribus vrentibus qualis. de vsu pul. 1ª. 227. F
Respiratio cur ampla & frequens fiat in febribus æstuosis. de vtilit. respirationis. 1ª. 225. F
Respiratio offendens in febribus conuulsionem significat. commenta. 4°. *aphorismo.* 68°. *Ex.* 34. G
in Respiratione frequenti q̃ partes exsiccentur. de vict. rat. in morb. acutis. commen. 1°. 7ª. 113. G
Respiratio frequens quid significet. 4°. *de loc. aff.* 4ª. 27. C
Respirationem quam faciant hepatis, splenis, & coli tumores. 1°. *de difficulta. respira.* 3ª. 59. C
Respirationes propriæ Humorum. de nat. & ord. cuiusl. cor. Sp. 41. E
Respiratio Ignauorum qualis. 1°. *de dif. resp.* 3ª. 61. B
Respiratio simplr duplices hẽt Immoderãtias. 1°. *de diff. re.* 3ª. 56. G
Respiratio inæqualis quo modo fiat. 1°. *de diff. resp.* 3ª. 61. C
Respirationis, & pulsus inæqualitates vnde. 1°. *de dif. resp.* 3ª. 60. H
Respiratio eximium quiddam habet inæqualitatis generationem præter pulsuum rationem. 1°. *de dif. resp.* 3ª. 61. D
Respirationis inæqualitas ob deliria q̃ & qualis. 1°. *de dif. r.* 3ª. 61. D/E

Respirationis inæqualitas ex doloribus qualis. 1°. de dif. resp. 3ª. 61. E
Respiratio iratorum qualis. 3°. de diff. resp. 3ª. 74. B
Respiratio Laborioſorum qualis. 1°. de diff. resp. 3ª. 61. B
Respiratio qualis ſi ea effuerint propter quæ ſæpe tum in poſteriorẽ, tum anteriorem partem luxantur quæ circa ſpinam ſunt, et in obliquum etiam torquentur. 1°. de diff. resp. 3ª. 59. D
Respirationis magnitudo, & velocitas vnde. 1°. de diff. resp. 3ª. 58. A
Respirationis magnitudo per ſe quædam eſt reſpirandi difficultas, & quæ. 1°. de diff. resp. 3ª. 62. D
Respiratio magna, & frequens neceſſario ſequitur ad caloris multitudinem. de vtil. resp. 1ª. 225. F
Respiratio magna, & parua reſpiratio differunt iuxta quantitatem diſtinctionis organorum reſpirationis. 1°. de diff. resp. 3ª. 57. A
Respirationum magnarum differentia quæ 4°. de loc. aff. 4ª. 27. C
Respirationis magnæ duæ differentiæ. 4°. de loc. aff. 4ª. 27. B
Respiratio maior & denſior eſt in calidis. de vtil. resp. 1ª. 225. G
Repiratio in Mente captis qualis. 1°. de diff. resp. 60. B/ 3ª. 62. F
Respiratio Minor eſt crebrior. de vſu pulſ. 1ª. 227. F
Respiratio minor & frequentior, idẽ valet quod maior infrequentior. de vſu pulſuum. 1ª. 227. H
de Respirationis Motu qui notior viſus eſt veteribus. de motib. ma manifeſtis & obſcuris. Sp. 66. H
Respiratio habet duplicem motum, inſpirationem, quæ eſt tractio ſpiritus ad interiora, & expirationem, quæ eſt motus ſpiritum ad exteriora. com. 4°. aphoriſmo 68°. Ex. 34. G
p Respirationem motus ſuffiando accenditur. de vtil. resp. 3ª. 224. A
Respirationis in motu læſiones. 5°. de dif. resp. 3ª. 57. D
Respiratio Multa, aut modica ob ſpatiũ dicitur. 1°. de dif. reſ. 3ª. 57. A
Respiratio, & pulſus Mutantur eiſdem cauſis. de vſu pul. 1ª. 227. G
Respiratio a quibus mutatur. de vtil. resp. 1ª. 225. G
Respirare ſummis Naribus, quid. in 3ᵐ. de mor. vul. cõ. 2°. 3ª. 136. A
ad Respirationem multa Organa neceſſaria. de cau. pul. 1ª. 226. B
Respirationis organa cerebri, cordis, & totius corporis. de vtil. reſpirationis. 1ª. 226. C
in Respiratione quibus aſſimilentur cor, pulmones, & ſanguis. de vtilitate reſpirationis. 1ª. 224. H
Respirationis organum quod. 7°. de vſu par. 1ª. 158. A
Respirationis organorum qualitas. de compag. memb. Sp. 58. F
Respiratio per quas partes fit. 7°. de vſu par. 1ª. 158. H
ad Respirationem primum mouet vis animalis. 1°. de dif. reſ. 3ª. 61. b
in Respiratione quid agat voluntas. de cauſ. reſ. 1ª. 226. H
in Respiratione voluntas ſimilis eſt equiti. de cau. resp. 1ª. 227. B
Respirationi duæ ſunt ſeruientes partes. 4°. de præſag. exp. 4ª. 119. F
i- Respiratione quæ partes moueant. de vi. ra. in mor. ac. c. 1°. 7ª. 113. G
Respirationis proprium organum quod. 5°. de lo. aff. 4ª. 29. F
Respirationis organum principaliſſimum qđ. 2°. de diff. resp. 3ª. 67. G
Respirationis principale organum ſolum eſt diaphragma. de vtilitate reſpirationis. Sp. 64. A
Respirationis organum eſt ſeptum trãſuerſum. de cau. reſ. 1ª. 226. H/ de vtilitate reſpir. Sp. 63. F
Respiratio fit a phrenis, & thoracis muſculis. 2°. de mo. mu. 1ª. 314. b
Respirationis, & vocis organum pharynx. 8°. de uſu par. 1ª. 165. B
Respirationis organum eſt Thorax poſt partũ. 1°. de ſemi. 1ª. 331. D
Respiratorium organum eſt thorax. 1°. de diff. resp. 3ª. 58. G
Respiratio in Thoracis pulſibus motus naturalis eſt. de iis, quæ ĩme. ſi. commenta. 3°. 7ª. 222. D
Respirationis organum eſt thorax, vt pulmones qui in eo continentur. 13°. de vſu partium. 1ª. 202. C
Respirationem per thoracem efficit cerebrum. 4°. de loc. aff. 4ª. 27. E
Respirationis organum ſunt pulmones. 6°. de vſu par. 1ª. 147. A
in Respiratione quid agant pulmones. de cauſ. reſp. 1ª. 226. H
Respirationi muſculi ſubſeruientes viginti duo. de cauſ. reſp. 1ª. 226. b
Respirationis opifices ſunt muſculi. 5°. de anat. adm. 1ª. 86. C
in Respiratione muſculi ſimiles equis. de cauſ. reſp. 1ª. 227. B
Respirationem prohibentes muſculi. de voc. inſt. diſſ. 1ª. 107. F
de Respirationis neruis. de cauſ. reſp. 1ª. 227. B
in Respiratione nerui ſimiles habenis. de cauſ. reſp. 1ª. 227. F
Respirationem quam, & quomodo faciant organorum affectiones præter dolorem. 1°. de diff. reſpi. 3ª. 59. B
Respiratio ob organorum affectus qualis. 1°. de diff. reſp. 3ª. 59. C
Respiratio qualis ſit quando affectus principio propinquus eſt. 1°. de diff. reſpira. 3ª. 59. C
Respiratiõis organa a frigore, & hyeme ledũt. c. 3°. ap. 23°. Ex. 24. b
Respirationi ſeruientem partium paſſio, ſpirandi difficultatem facit. com. 4°. aph. 50°. Ex. 33. C
Respirationi ſeruientia organa intemperata faciunt ſiccam tuſſim. cõmen. 4°. apho. 54°. Ex. 33. E
Respirationis organa patiuntur patiente hepate, & econtra. commẽ. 6°. aphoriſmo 16°. Ex. 47. G
Respirationis organorum laborem cur ſpiritus frequens ſignificet. 4°. de loc. affectis. 4ª. 27. D
Respiratio in Orthopnea qualis. 1°. de diff. resp. 3ª. 59. D
Respirationis partes quatuor. de cau. resp. 1ª. 227. A
Respirationis partes quæ. 3°. de diff. resp. 3ª. 70. A
Respiratiõis duæ ſunt ptes inſpiratio, et expiratio. 1°. de dif. re. 3ª. 56. b
Respirationis Paruitas, velocitas, & denſitas quibus mutentur. de cauſis 1°. de diff. reſp. 3ª. 59. E
Respiratio parua cur. de victus rat. in morb. acutis, com. 4°. 7ª. 129. B
Respirationem paruam, tardam, ac raram creat frigida intẽperies nõ aliter, atq, pulſus. 4°. de præſag. ex pulſ. 4ª. 119. H
Respirationis paruitas quid ſignificet. 1°. de diff. resp. 3ª. 62. D
Respiratio parua, & frequens in quibus ſit. de vtil. resp. 1ª. 325. G
in Respirationibus paruis qũ nerue aĩal vtaĩ. 8°. de ana. ad. 1ª. 101. D
Respiratio in peripneumonia & ſuppuratione qualis. in 3ᵐ. de morb. vulgaribus, commen. 2°. 3ª. 136. A
Respirationem qualem habet Pleuritis pnitioſa. 1°. de dif. re. 3ª. 60. H
Respiratio cur minor, & rarior in puberibus. de vtil. resp. 1ª. 225. F
Respiratione Pueri cur excellant. de vſu pul. 1ª. 229. E
Respiratio cur ampla & frequens ſit in pueris. de vti. resp. 1ª. 225. F
Respirationem quam faciant affectus Pulmonici, et peripneumonici. 1°. de diff. reſpira. 3ª. 59. D
Respiratio Quieſcentium quæ. 1°. de diff. resp. 3ª. 58. D
in Respiratione quies duplex. 4°. de pul. diff. 4ª. 66. H
Respirationis in quiete læſiones. 1°. de diff. resp. 3ª. 57. D
Respirationem Rariorem, tardiorem, ac minorem habent algentes. de vſu pulſuum. 1ª. 337. F
Respirationis raritas, & dẽſitas in quo cõſiſtat. 1°. de dif. re. 3ª. 57. A
Respiratio rara crebra vnde appellentur. 4°. de dif. pulſ. 4ª. 66. H
Respiratio rara, quid ſignificet. 1°. de difficultate reſpirationis. 3ª. 62. D/ 4°. de loc. affe. 4ª. 27. C
Respiratio Repletionis immodicæ quæ. de vſu pulſ. 1ª. 227. F
in Respiratione Rythmus quid. 1°. de diff. resp. 3ª. 62. B
Respiratio in ſomnis conſideranda & quare. 1°. de diff. resp. 3ª. 38. D
Respiratio qualis, quando periculum imminet ne animal ſuffocetur. 1°. de difficul. reſpira. 3ª. 71. F
Respiratio Suppuratorum qualis. 1°. de dif. resp. 3ª. 59. E
Respirent quomodo ſuſpirioſi. in 3ᵐ. de morb. vul. com. 2°. 3ª. 136. C
Respirationis Tarditas, & parnitas vnde. 1°. de diff. resp. 3ª. 58. A
Respiratio tarda, & velox iuxta temporis quantitatem dicitur. 1°. de dif. resp. 3ª. 56. A
Respirationes Thoracis coarctati quales. 1°. de diff. resp. 3ª. 59. D
Respiratio Vtero geſtantium qualis. 1°. de dif. resp. 3ª. 59. C
Respirationis vtilitas maxima. de vti. resp. 1ª. 226. E
Respirationis vſus qui. 7°. de vſu partium. 159. D/ de vt. reſ. 1ª. 226. D/ 1°. de dif. resp. 3ª. 57. E
Respirationis, & pulſus eundem eſſe vſum medici omnes, & Philoſophi putant. de vſu pulſ. 1ª. 227. B
Respirationis & pulſus vnus vſus, & finis. de vſu pul. 1ª. 228. D
Respirationis, & pulſus q non eſt idem vſus. de vſu pul. 1ª. 227. C
Respiratio propter quid comparata a natura. in 6ᵐ. de morb. vulgar. comment. 5°. 3ª. 188. F
Respirationis vſus duplex. de vſu pul. 1ª. 227. G
Respirationis vtilitas ad ventilationem facit. 11°. met. me. 7ª. 68. G
Respiratio fit propter cor. 6°. de vſu par. 1ª. 148. B
Respiratione ſola ſeruatur cordis calor. de vſu pul. 1ª. 228. C
Respiratio eſt inſtituta vt cordis calor in quadam moderatione ſeruetur. de infirm. odor. 1ª. 112. E
Respiratio moderatur caliditatem ingenitam. in 6ᵐ. de morb. vulga. comment. 5°. 3ª. 190. B
Respiratio fit gratia frigerationis. de vtil. reſp. 1ª. 224. D
p Respirationem dupliciter frigeſcit cor. 8°. de vſu par. 1ª. 165. E
Respirationis vtilitas extremum eſt votum. de vtil. reſp. 1ª. 227. B
de Respirationis vſu duæ ſũt, quorum alia ad ſubſtãtiam aeris q inſpiratur, alia ad qualitatem reſpicit. de vtilita. reſp. 1ª. 223. D

circa Respirationem errores vnde procedant. 2°. de dif. resp. 3ª. 64. F
Respiratio læditur ex spinæ affectu, thorace nihil laborante. 5°. de loc. affectis. 4ª. 29. F
Respiratione quot modis priuatur cor. de fœt. for. 1ª. 324. H
Respirationē non priuat arteria secta sed obest voci. 1°. de l. af. 4ª. 7. A
Respiratio demitur ex vulnere facto in vtraque thoracis parte. 6°. de vsu partium. 1ª. 148. C
in Respirationis priuatione cur animal pereat. de victus rat. in morb. acutis, commen. 4°. 7ª. 139. C
Respiratio quo modo restituatur. 8°. de anat. adm. 1ª. 100. D
ad RESPIRATORIORVM organorum motum, quæ membra mouentur. 1°. de diff. resp. 3ª. 59. H
RESPIRATVS, & odoratus facultatem habet nasus. 1°. de symptomatum causis. 3ª. 15. H
Respiratum quid vocat Galenus. de symp. diff. 4ª. 13. C
Respiratæ substantiæ & cura habenda. 11°. met. me. 7ª. 77. E
RESPIRARE nusquam a quoquam discimus, sed statim a principio in nobis facultates habemus quæ hoc perficiūt. 1°. de san. tu. 2ª. 62. G
Respirāt propter quid animalia. de vtil. resp. 1ª. 225. A
an Respirant animalia, quæ degunt in cauernis. 4°. de lo. aff. 4ª. 27. D
Respirant vaporem per branchias delphinus, lepus marinus, & animalia, quæ sunt communia terræ, & mari quæ arabice cenalia dicuntur, & pisces. de ana. viuo. Sp. 48. C
Respirare, & trāsglutire nō siūt codē tēpore. 7°. de usu par. 1ª. 158. d
Respirant difficulter plures ægri, prope indicationē vt plurimum. cō. 4°. aphorismo 71°. Ex. 35. C
Respirent quo pacto qui suffocantur. in 1ᵐ. pror. com. 2°. 4ª. 176. C
RESPONDET qui modeste, & est ferox, in quem morbum speretur eū venturum esse. in 1ᵐ. pror. com. 2°. 4ª. 170. C
RESPONSIONIS velocitas sequitur ad dominium bilis. de anatomia viuorum. Sp. 45. F
Responsionis taciturnitas sequitur ad dominium phlegmatis. de anat. viuorum. Sp. 45. G
Responsio ferox in hoīe modesto malum. in 1ᵐ. pror. c. 2°. 4ª. 170. C
RESPVERE quid significat. 3°. de dec. Hipp. 1ª. 244. G
ad RESTAVRANDAM carnem, pix optima. 14°. met. me. 7ª. 91. F
RESTAVRATIO duplex. 1°. de elemen. 1ª. 7. B
Restauratio circumtendit cutim, postea laxat. in 6ᵐ. de morbis vulga. commment. 3°. 3ª. 177. A
RESTAVRATORES ossium ignari tempore Galeni. de articulis. commentario 1°. 7ª. 256. B
RESTAVRATIS cibo corpus sanguinosius redditur. in 6ᵐ. de morbis vulgaribus, comment. 3°. 3ª. 177. B
Restaurati est subruber color. in 6ᵐ. de morb. vul. com. 3°. 3ª. 177. B
Restaurari minime corpora etiā si bene cibētur. c. 2°. ap. 31°. Ex. 16. H
Restaurare ex additione quid sit. de fract. com. 1°. 7ª. 230. G
RESTITVI quæ non possunt. 14°. met. me. 7ª. 93. B
RESTITVTIO quid. fin. med. Isa. 50. C
RESTRINGENTIA fluxum quæ. de reme. par. fac. 7ª. 156. F
Restringentia non deleteria quæ. 7°. de sim. me. fac. 5ª. 56. G
RESTRINGIT dentes agitatos gagates lapis. de sim. me. Sp. 86. G
RESVMPTIVA pars est medicinæ salubris. de sub. emp. Isa. 32. A
Resumptiua, et geroco mica medicæ artis partes. de par. ar. m. S. 18. a
ex RESVPINANTIVM genere est vomitus. 8°. de compo. medicam. secun. locos. 5ª. 196. H
RESVPINATIO quid sit. de fracturis. com. 2°. 7ª. 235. B
RETARDATIONIS motum in lingua qui musculi faciant. de anatomia. viuorum. Sp. 49. C
RETIBIS & hamo pisces captās ars inter acquisititias numeratur. ad Thrasybulum. 2ª. 106. D
RETE quæ in oculo. de ocul. 7ª. 183. A
RETE mirabile non est simplex rete. 9°. de vsu par. 1ª. 172. C
Rete mirabile ex quo fit. de ve. ar. dif. 59. B/9°. de vsu par. 1ª. 172. C
Rete mirabile vnde nascatur. de ocul. 7ª. 183. G
Rete mirabile arteriam habet sine vena. de ven. art. diff. 1ª. 59. H
in Rete mirabili belle cōficitur spiritus, et qūo. 9°. de vsu p. 1ª. 172. g
RETENTIO est motus naturalis. de ana. viu. Sp. 44. G
Retentio, & attractio nodi gutturis vnde fit. de mot. mus. et ob. S. 70. f
in Retentione anhelitus clauditur cooperculum epiglotidis. de voc. & anhelitu. Sp. 61. C
Retentioni transpirabilium quid contrarietur. 10°. met. me. 7ª. 71. D
Retentio transpirabilis excremēti symptoma, simul & causa est. 10°. methodi medendi. 7ª. 72. A
Retentio quomodo fiat. 6°. de loc. aff. 4ª. 41. G
Retentionis causæ contrariam causam adhibe. 1°. de fa. tu. 2ª. 68. F
ad Retentionem vrinæ. secretorum. Sp. 98. D
Retentio mensium vnde, & quot fiat causis. 3°. de sym. cau. 3ª. 29. F
ad Retentionem mensium, & dolores. secretorum. Sp. 102. H
ad Retentionem menstruorum. secretorum. Sp. 99. B
RETENTIVA est potentia in omni particula corporis. commenta. 1°. aphorismo 22°. Ex. 10. C
Retentiua, & expulsiua quo mō, et in qbus fiāt. c. 2°. ap. 20°. Ex. 14. E
Retentiua vis oībus imbecillior est expultrice cur. de sym. ca. 3ª. 29. B
Retentiua virtus in iuuenibus fortis. com. 2°. aph. 20°. Ex. 14. F
Retentiua fit humiditate debilior, & fortior siccitate. commentario 2°. aphorismo. 20°. Ex. 14. F
Retentiua est imbecillis in frigidioribus, & humidioribus instrumentis. 3°. de symptomatum causis. 3ª. 29. D
Retentiua vis fortis calidioribus, & siccioribus instrumentis est validior. 3°. de symptomatum causis. 3°. 29. D
Retentiua potentia debilis & expulsiua fortis faciunt multa excernēre. com. 2°. aph. 20°. Ex. 14. E
Retentiua potentia debilis facit leuitatem intestinorum, & quo modo cognoscatur. com. 6°. aph. 1°. Ex. 46. A
Retentiuæ virtutis vesicæ imbecillitas causa stillicidij vrinæ. commē. 3°. aphorism. 16°. Ex. 33. D
Retentiuam virtutem confortans medicamen. de med. exp. Sp. 106. D
Retentiui villi sunt in monoculo. de ana. viuo. Sp. 44. H
RETENTRIX vis quæ. 3°. de nat. fac. 1ª. 302. F
Retentrix actio est naturalis. de nat. hum. com. 2°. 7ª. 182. F
Retentricem vim inueniendi methodus. 3°. de nat. fac. 1ª. 302. F
Retentrix vis est in ventriculo. 3°. de na. fac. 1ª. 203. B
Retentricis vis ventriculi symptomata. 3°. de symp. cau. 3ª. 25. D
Retētrix vis clarius vī ī vtero, q̄ in vētriculo. 3°. de na. fa. 1ª. 302. G
Retentricis virtutis vteri opus quod. 3°. de nat. fac. 1ª. 302. H
& Retentrix vis sit in intestinis colligitur. 6°. de loc. aff. 4ª. 37. A
Retentricem vim habet vesica. 1°. de crisi. 4ª. 129. H
Retentrix vis in omni cauitate. 3°. de nat. fac. 1ª. 303. F
Retentrix vis necessaria est. 3°. de nat. fac. 1ª. 302. F
Retentricis facultatis finis. 3°. de nat. fac. 1ª. 303. H
Retentrix vis, & expultrix, quo modo se habent. 5°. de loc. af. 4ª. 35. e
Retentrix vis cum agit quiescit propultrix. 3°. de nat. fac. 1ª. 302. G
Retentrici cedit expulsoria, & e contra, quando est opus. 3°. de nat. facultat. 1ª. 302. H
Retentricis officium quod. 5°. de loc. aff. 4ª. 35. B
Retentrix sibi trahit quod optimum est in cibis. 3°. de na. f. 1ª. 303. H
Retentrix vis diuturna est. 3°. de symp. cau. 3ª. 29. B
Retentrix, & expultrix fortiores in iuuenibus sunt, quam in pueris. 3°. de symp. cau. 3ª. 29. B
Retentrix vix imbecillior est in puero. 3°. de symp. cau. 3ª. 29. B
Retentricis imbecillitas quando fiat. de sym. diff. 3ª. 12. D
Retentricis imbecillitas quid faciat. 11°. met. me. 7ª. 77. H
Retentricis facultatis priuatio quando contingit. de sym. diff. 3ª. 12. D
Retentrix vis habet duo symptomata. de symp. diff. 3ª. 12. B
Retentricis virtutis, & expultricis morbi, & symptomata simul miscentur. 3°. de symp. cau. 3ª. 25. E
RETICVLARIS plexus vbi, & a quo fiat. 7°. de decr. 1ª. 269. D
Reticularis plexus cur in cerebro. 7°. de decr. Hipp. 1ª. 269. E
Reticularis plexus vtilitas. de vsu pul. 1ª. 227. H
RETICVLATAM carnem esse pelliculis valde subtilibus, quæ a crassis venis procedunt, & ab eis deportant subtilem sanguinem ad nutrimentum carnis. de vtil. resp. Sp. 63. D
RETIFORMIS plexus qui, & vbi. 9°. de vsu partium. 172. C/16°. 1ª. 220. C
Retiformis plexus cur in loco tutissimo. 16°. de vsu par. 1ª. 220. C
Retiformis plexus ex quibus generetur arteriis. 16°. de vsu par. 220. C/1°. de dec. Hipp. & Pla. 1ª. 233. A
in Retiformi plexu venæ, & arteriæ plicantur. 16°. de vs. p. 1ª. 219. C
Retiformis plexus etiam ex venis fit. 16°. de vsu par. 1ª. 220. C
Retiformis tunica quæ sit. de ana. ocul. Sp. 57. E
Retiformis tunica vnde. 8°. de vsu par. 1ª. 167. D
Retiformis propter quid in cerebro sit. de vir. nost. cor. disp. Sp. 60. C
RETINA tunica vnde sit dicta. de ana. ocul. Sp. 57. F
Retina quæ tunica sit, & vnde nascatur. de ana. viuo. Sp. 48. E

Retina eſt păniculus quidam oculi, qui vitreum humorem circundat quaſi rete. de ocul. 7ª.182.H
Retina partes habet innumerabiles. de ana. viuo. Sp.48.E
ad RETINENDAS *feces longa on habet quatuor lacertos. de anatomia viuorum.* Sp.50.C
RETINENTES *villi qui. de ana. viu.* Sp.44.H
RETINENT *villi tranſuerſales. de ana. viuo.* Sp.55.H
Retinet vis vitalis. 4°. de præſ. ex pul. 4ª.222.C
quæ Retinentur præter naturam in corpore, ſymptomata dicuntur. 2°. methodi meden. 7ª.9.H
quod Retinetur, non eſt affectus. 2°. met. me. 7ª.9.H
RETRACTIO *ab vtero quo fiat. 2°. de art. cur. ad Glau.* 7ª.102.F
RETRAHENTES *os lăbdoeides muſculi. de muſ. diſſ.* 1ª.46.E
Retrahĕs os hyoeides ſurſum ad maxillă muſculus q. de mu. di 1ª.46.f
RETRAHVNTVR *humores fluentes. 2°. de ar. cu. ad Glau.* 7ª.102.F
Retrahi qui quidam dolentes videntur. 2°. de loc. aff. 4ª.12.F
RETRO *partes ſunt neruoſæ, ideo conuulſiones, & diſtentiones in ipſis fiunt. com. 5°. aph. 65°.* Ex.44.H
Retroſi ſi inclinant fluxiones, in priora reuellĕdæ ſunt. de cuc. ſc. 6ª.4 g
Retro diuertunt ab anterioribus. com. 5°. aph. 68°. Ex.45.D
RETROCEDERE *in tumoribus quid ſit. in progn. c. 2°.* 4ª.205.F
RETRORSVM *dilatantes dearticulationem muſculi. de muſ.* 1ª.46.B
Retrorſum, et introrſum femur abducĕs muſculus. de muſ. diſ. 1ª.50.f
Retrorſum magis femur abducens muſculus ad alterum femur leniter abducens, & aliæ eius actiones. de muſc. diſſ. 1ª.50.H
Retrorſum parum per & introrſum ſimul femur agens muſculus. de muſculo. diſſect. 1ª.51.F
Retrorſum totũ pedĕ vna cũ oſſe abducĕs muſculus. de mu. di. 1ª.52.a
Retrorsũ, ſimulq; extrorſum pedĕ abducĕtes muſculi. de muſ. 1ª.52.B
REVELLENDVM qñ ſit. in 6m. de mor. vul. com. 2°. 3ª.165.e
Reuellenda quæ ſint. in 6m. de mor. vul. com. 2°. 3ª.165.E
Reuellendum ſemper ad contraria fluxione procedente & valenter irruente. 4°. met med. 7ª.28.C
Reuellĕdũ a parte ad quã fluit materia longiſſime. 13°. me. m. 7ª.83.A
Reuellĕdæ ſunt in priora fluxiones q̃ retro inclinăt. de cuc. ſc. 6ª.4.G
Reuellendæ ſunt in poſteriora fluxiones quæ vergunt in priora. de cucurbitulis ſcarificationis. 6ª.4.G
Reuellendæ ſunt per vrinas, ac ſudores inclinationes ad ſuperiorem vĕtrem, & ad inferiorem. de cucur. ſcar. 6ª.4.G
pro Reuellendo ab vtero concurbitula ſub mammis apponĕda. 5°. methodi medendi. 7ª.30.E
in Reuellendo venæ ſectio præſtatior, & efficacior alijs. de ven. ſect. aduerſ. Eraſ. 6ª.8.D
Reuellendo euacuatur inflammatio, incipiĕs ab inueterata ex affectis partibus, vel ſaltĕ ex vicinis. de cur. rat. per ſang. miſ. 6ª.20.G
REVELLVNT *vincula brachiorũ, & crurũ. de cucur. ſc.* 6ª.4.F
Reuellunt a capite, & viſceribus medicamĕta acria. de Hirud. reuul. cucurb. & ſcarifi. 2. E/de cucur. ſcar. 6ª.4.G
Reuellũt acres clyſteres quod per vomitũ exit. de cucu. ſcar. 6ª.4.F
Reuelles vrinas ad ſudores, & ad alui deiectiones. de cuc. ſca. 6ª.4.G
Reuellit immodicas per vterum irruptiones affigere cucurbitulas hypocondrijs. de cucur. ſcarifi. 6ª.4.G
REVERSIVÆ *febres quales. in 6m. de mor. vul. cõ. 2°.* 3ª.164.A
Reuerſiui nerui vnde oriantur. de voc. & anhel. Sp.61.B
Reuma quid vocant græci. 3°. de ſan. tu. 2ª.78.A
REVOCANTIA *lac in mammillis quæ ſint. de cathar.* Sp.95.B
REVOCARE *poteſt appetentiam cucurbitula. de cuc. ſcar.* 6ª.3.E
Reuocant ad contrarium frictio, & vinculo ſtricta. 5°. me. m. 7ª.30.F
REVOMENTES *nigra, purgandi non ſunt. in progn. c. 2°.* 4ª.174.B
de REVVLSIONE. *de Hirud. reuulſ. cucurb. ſcar.* 6ª.2.D
de Reuulſione, ex libris Galeni. de cucurb. ſcari. 6ª.4.F
Reuulſio quid ſit. in 6m. de mor. vul. com. 2°. 3ª.161.C
Reuulſio a quibus fiat partibus. de Hirud. reuul. cuc. ſcarifi. 6ª.2.E
Reuulſio per quæ loca fiat. 5°. met. me. 7ª.30.E
Reuulſio ad quas ptes fieri dĕt. de Hir. re. c. 6ª.2.D/5°. *me. m.* 7ª.30.f
Reuulſio dĕt eẽ ad mẽbra ignobilia. in 6m. de mor. vul. c. 2°. 3ª.169.b
Reuulſio ad exteriora fiat vbi introrſum vergũt ſucci. de cu. ſc. 6ª.4.G
Reuulſio ad interiora fiat, vbi extrorſum vergũt ſucci. de cu. ſ. 6ª.4.G
Reuulſio fiat i ſiniſtrã ſi dextrorſum inclinant ſucci. de cuc. ſc. 6ª.4.G
Reuulſio fiat ad dextrã, ſi ſiniſtrorſum vergãt ſucci. de cuc. ſc. 6ª.4.G
Reuulſio deorſum fiat vbi ſucci ad ſuperiora vergunt, ſurſum vbi ad inferiora, de cucurb. ſcarifi. 6ª.4.G
Reuulſio, et euacuatio in principijs fiãt. de cu. ra. per ſan. m. 6ª.20.C
Reuulſione cohibĕtur fluxiones vehemẽtes. de Hiru. reu. cuc. 6ª.2.D
Reuulſionis cauſa cucurbitula imponenda eſt. de cuc. & ſca. 6ª.3.B
Reuulſio p ſectionẽ venæ confeſtim cõfert. præſag. exp. cõſ. Sp.78.A
Reuulſio per ſanguinis miſſionem, quomodo reiteranda. de curã. rat. per ſang. miſſ. 6ª.21.C
Reuulſio a capite quibus fiat. 2°. de comp. me. ſec. loc. 5ª.137.D
Reuulſionem ſi vereamur facere, ſanguis deriuandus, & totum corpus inaniendum. in 6m. de mor. vul. com. 2°. 3ª.166.C
REVVLSIVA *venæ ſectio, non eſt euacuatiua. in 1m. prorrhetici. commentario. 3°.* 4ª.186.F
REVVLSORIA *præſidia quæ ſint. de cucur. ſcar.* 6ª.4.F
Reuulſoriũ pſidiũ eſt cucurbitula iuxta mãmas. de cuc. ſc. 6ª.4.F/G
Reuulſorijs cohibĕtur fluxus ſuccorũ vehemẽtiſſimi. de cuc. ſc. 6ª.4.B
Reulſorijs præſidijs qñ vti oportet. in 6m. de mor. vul. c. 2°. 3ª.161.D
REX poteſt alia ſcire extra artem regiam. in 6m. de morbis vulgaribus. commen. 5°. 3ª.187.D
Rex qui cum vxore concubuit ſm motus planetarũ. de ſper. Sp.38.g
ſub Regibus maxima Aſiæ pars. de aere aqu. & loc. 2ª.6.C
ſub Regum poteſtate hoĩes non ſunt ſolliciti qũo ſe ad bellũ apparent. ĩmo in id magis incũbunt vt bellicoſi non videantur. de ae. 2ª.5.b
Regi aſſimilatur ſeptimus dies, & quare. 1°. de dieb. dec. 4ª.146.G
RHA *miſtæ qualitatis eſt particeps. 7°. de ſim. medicamen. faculta.* 5ª.59.E
Rha conuulſis, ruptis, & orthopnoeæ prodeſt, liuentia, & lichenas ſanat ſanguinem expuentibus, cœliacis, & dyſentericis confert. 8°. de ſimplicium med. facul. 5ª.59.E
RHACOSIS *quid. ſin. med.* If.49.D
RHAGAS *quid. ſin. med.* If.49.C
ad Rhagadias digitorum emplaſtrum ex chamelæonte. 2°. de comp. medi. per gen. 5ª.223.D
ad Rhagadias in ore matricis. de paſſ. mul. Sp.96.C
ad Rhagadias ani. 4°. de comp. med. per ge. 5ª.241.B
ad Rhagadas, & nomas ani. 5°. de comp. me. per ge. 5ª.251.H
Rhagadas abſq; roſione quid perſanet. 6°. de com. me. per g. 5ª.260.B
ad Rhagadas paſtillus Gilui Hieracis Thebani. 5°. de compoſi. med. per genera. 5ª.251.F
ad Rhagadas Meneſthei Pharmacũ. 5°. de com. me. per g. 5ª.251.G
ad Rhagadas Menati ĕplaſtrũ coloris aurei. 2°. de c. m. p g. 5ª.223.a
ad Rhagadas Moſchionis catagmaticũ. 3°. de cõ. m. per g. 5ª.235.C
ad Rhagadas Moſchionis pharmacũ. 2°. de com. me. per g. 5ª.225.E
ad Rhagadas aliud Petronij paſtillus, qui virtus appellatur. 5°. de comp. med. per gene. 2ª.251.H
ad Rhagadas contumaces. 4°. de com. me. per ge. 4ª.243.C
ad Rhagadas. 1°. de comp. me. per ge. 5ª.215.G
ad Rhagadas. 2°. de comp. me. per ge. 225. B/5°. 251.F 5ª.251.H
RHAGOIDES *tunicæ pars, & particula eſt, non autem inſtrumentũ. 1°. methodi medendi.* 7ª.6.D
Rhagois ideſt vuea eſt parniculus oculi qui Albugineo coniungitur, eumque circundat. de ocul. 7ª.182.H
Rhagoidis tunica cur nigra, & cerulea. de ſym. cauſ. 3ª.14.G
Rhagoidis tunicæ affectus qui. de ſym. cau. 3ª.14.E
Rhagoidis foramen quatuor modis impeditur. de ſymp. cau. 3ª.14.D
Rhagoidis ampliatio ſemper incommodat. de ſymp. cauſ. 3ª.14.D
q Rhagoide procidente viſus non ſit impeditus. de ſimp. cau. 3ª.14.D
Rhagoidis tenſio dupliciter fit. de ſymp. cau. 3ª.14.G
Rhagoidis quo modo ex accidenti tendatur. de ſymp. cau. 3ª.14.G
in Rhagoide vnitatis diuiſio. de ſym. cau. 3ª.14.H
Rhagoide vulnerata, quid ſequatur. de ſym. cau. 3ª.14.H
Rhagoidis ruptura quid faciat. de ſymp. cau. 3ª.15.B
Rhagoidi auris comparatur. 1°. de ſymp. cau. 3ª.15.F
RHAMNVS *ſiccus eſt et digerens exceſſu ſecundo refrigerat in primo completo aut ſecundo incipiente. 8°. de ſim. me. fac.* 5ª.59.E
Rhamni ſemen quale. de reme. par. fac. 7ª.174.G
Rhamnus herpetes ſanat, & eryſipelata non magnopere calida. 8°. de ſimp. med. fac. 5ª.59.E
RAPHANINVM *olcum quomodo ſe habebat ad alia comparatũ. 6°. de ſimp. me. fac.* 5ª.46.H
Rhaphaninum oleum tenue eſt. 7°. de ſim. me. fac. 5ª.40.H
Rhaphaninum olcum rarefacit. 5°. de ſim. me. fac. 5ª.35.F
cũ Raphanino oleo abrotonõ ad alopecias valet. 6°. d ſim. m. f. 5ª.40.b
RHAZANI. *de med. fac. par.* 7ª.177.H

Rhegmata quæ

Rhegmata quæ græci vocent.4°.met.me. 7ª.29.B
Rhegma quid.fin.med. Isa.50.D
Rhegma idest ruptum.2°.met.me. 7ª.16.E
Rhegma quod genus morbi..4°.met.me. 7ª.23.B
Rhegma appellatur solutio continui in vase.4°.met.me. 7ª.23.B
RHETIDOSIS *corrugatio vocatur.3°.met.med.* 7ª.17.E
RHETHINE *cuius sint facultatis.8°.de simp.me.fac.* 5ª.59.F
RHETORES *inter rationales numerantur.de cuiusque animi pec.no. atque med.* 2ª.58.B
Rhethoris munus de nõibus disputare gũo.1°.de dieb.dec.4ª.146.H
Rhetori nõ conueniũi argumẽta p trãslationem.3°.de dec.1ª.244.H
RHETORICA *ars nobilis.in orat.suas.* Isa.5.G
Rhetorica ars est coniecturalis.introd. Isa.51.F
Rhetoricam tractaturus quid agere debet.9°.de dec.Hip. 1ª.280.A
Rhetorica indiget multa exercitatione.9°.de decr.Hip. 1ª.280.B
Rhetorica nõ debeĩ sola expiẽtia & exercitatione.9°.de de. 1ª.282.c
Rhetoricam quando quis erit executus.9°.de dec.Hip. 1ª.282.B
Rhetoricæ,dialecticæ,& grammaticæ nullam cognitionem habebant medici tempore Galeni.1°.de dieb.decr. 4ª.146.H
RHETORICI *qui dicantur.1°.de nat.fac.* 1ª.295.G
Rhetorica epicheiremata in dicto,& sententia.4°.de dig.p. 4ª.85.H
RHEVM *cuius sit tẽperaturæ,& facultatis.8°.de sim.m.f.* 5ª.59.E
Rheum adstringit.9°.de sim.me.fac. 5ª.64.C
Rheum vehementer adstringit.1°.de anti. 5ª.106.G
Rheum inter arida adstringentia fortiora ponitur.6°.de compositione medica.secun.locos. 5ª.172.G
Rheum ponitur in Theriaca.de theria.ad Piso. 5ª.92.E
Rheum elixant,vt succum faciant.1°.de antid. 5ª.106.G
Rheum adulteratum quo modo cognoscatur.1°.de anti. 5ª.106.G
Rheum vlcera exsiccat.4°.de comp.me.per ge. 5ª.236.G
RHEVMA *siccum per corpus sæpe currit homini concepto in bilis horis.de spermate.* Sp.37.C
ex Rheumate sicco nascitur hoĩ in bilis horis concepto gutta, passiones vẽtris,dolores,vt disenteria,trãsuersio vẽtris, liẽteria fiũt in somnis pauor,in frõte dolor,ambulatio acuta.de sper. Sp.37.C
Rheuma qũ frequẽter nocet auribus,vel naribus,vel oculis,vel stomacho,vel ori,vel oĩ superficiei vtimur catharticis.de dyn. Sp.20.E
ad Rheuma omne descendens a capite ad thoracem electarium expertum.de dyna. Sp.26.C
Rheumata vteri cur contingant.3°.de symp.caus. 3ª.29.G
Rheuma ex sanguine patiuntur concepti in tribus horis sanguinis.de spermate. Sp.37.B
RHEVMATICA *facta mulier.de pass.muli.* Sp.96.A
Rheumaticus affectus a fluxionibus appellat.2°.de diff.fe. 3ª.40.G
Rheumatici affectus vnde proueniant.de cur.rat.per san.mis.6ª.17.H
Rheumatici affectus qũo curentur.2°.de arte cur.ad Gla. 7ª.103.E
Rheumaticis affectibus q̃ medicamẽta cõueniãt.7°.de sim.m.f.5ª.50.g
Rheumaticis affectibus quæ medentur,ijs miscetur cẽtaurei minoris radix.7°.de simp.med.fac. 5ª.50.G
Rheumaticis affectionibus quo medicamine vsus fuerit Galenus, & quo modo.1°.de comp.me.per gen. 5ª.213.C
ad Rheumaticas affectiones plures quo medicamento sanauerit Galenus.1°.de compo.me.per ge. 5ª.212.B
cõtra Rheumatica phœnocinũ optimũ,et qũo.1°.de c.m.p g. 5ª.215.c
Rheumaticis vtilissima est Thriphera magna.de dyn. Sp.26.D
ad Rheumaticos affectus.1°.de comp.me.per ge. 5ª.211.C
ad Rheumatica.6°.de comp.me.per gen. 5ª.261.H
RHEVMATISMI *subtiles qui ad oculos descendunt,vt constringãtur quid fiat.de ana.viu.* Sp.55.B
ad Rheumatismum faucium suffumigium.de dyna. Sp.35.G
ad Rheumatismum stomachi,& intestinorum Malagma.7°.de com. medi.per genc. 5ª.266.E
Rheumatismi articulorum affectus.introd. Is.60.D
Rheumatismi affectus genu.intro. Is.59.D
Rheumatismos stringit ventris purgatio.de dyna. Sp.20.E
ad Reumatismum album,vel aquosum,vel rubrum,uel sanguineum, aut nigrum.de pass.mul. Sp.96.B
Rheumatismum vulnerum emendant caricæ.de simp.me. Sp.84.C
Rheumatismum vulnerum sanat myrta.de sim.me. Sp.87.E
RHEVMATIZANTIBVS *oculis bdeliũ proprium est.de dyn.Sp.22.A*
Rheumatizantibus mulieribus danda phlegmagoga.de dyn.Sp.21.C
Rheumatizantibus mulieribus dantur hydragoga.de dyn. Sp.22.A
Rheumatizãtibus venositatibus crassis vtile est omphacomeli.de dynamidys. Sp.21.C
RHEXIX *quid.introd.* Is.59.A
RHINEMA, hoc est lima inscriptum collyrium quo modo conficiatur.4°.de com.me.sec.loc. 5ª.156.C
Rhinion idest limula Phœdri.4°.de comp.me.sec.lo. 5ª.152.H
RHIPALI *potio quæ Menodorios,& Ambrosia appellatur.7°. de cõposi.med.sec.loc.* 5ª.182.F
RHIZA *rhodia cuius sit facultatis.8°.de sim.me.fac.* 5ª.59.G
RHODIA radix est in secundo ordine calida aut certe in tertio incipiente.8°.de simp.me.fac. 5ª.59.C
RHODIACVM *medicamentum secundum Asclepiadem.1°. de comp. medi.per genera.* 5ª.217.B
RHODODAPHNE *frutex venenosus,quare pernitiosus,si intro in corpore sumatur.8°.de sim.me.fac.* 5ª.57.A
Rhododaphne tota essentia sua est venenũ hominibus, & brutis quibusdam.8°.de simp.me.fac. 5ª.59.G
Rhododaphne calida ẽ in tertio,et sicca i primo.8°.de sim.m.f.5ª.59.g
Rhododaphnis terga dirũpuntur athletis.in orat.suas. Isa.4.G
RHODOS *cuius sit facultatis.8°.de simp.me.fac.* 5ª.59.G
RHODOSACARA *ad omnes acutas febres.de dyna.* Sp.32.H
in RHODOSCOMATE *guttatim impositum valet ad tumoris calidi dolorem.de ocul.* 7ª.191.F
in RHODO COO,*Cnido,& Italia certabant medici honesto certamine.1°.metho.med.* 7ª.2.F
RHOEA *cuius sit facultatis.8°.de simp.me.fac.* 5ª.59.G
Rhoeas fructus acidus tantum,frigidus est.4°.de sim.me.f. 5ª.25.B
Rhoeas papauer alterũ dicitur,& quare.9°.de sim.m.fa. 5ª.55.F
RHOEAS *quid.introd.* Isa.58.G
P'οιας *in oculo quid.10°.de vsu partium.* 1ª.181.G
RHOEAS *affectus est angulorum oculi.intro.* Isa.58.D
Rhoeada uocant diminutionẽ angulorum in oculo.de diff.mor.3ª.5.C
Rhoeadæ quæ uocent in maiore oculi angulo.14°.met.med. 7ª.92.B
Rhoeas in oculo ægritudo est.de diff.mor. 3ª.6.B
ad Rhoeadas hoc ẽ angulos antrosos oculorũ.4°.de c.m.f.l. 5ª.156.A
RHOGME *quid.introd.* Isa.48.C
Rhogme genus fracturæ capitis.introd. Isa.59.F
Rhogme est vna fractura caluariæ.intro. Is.59.C
RHOMBALE *interuallum quid.de art.com.2°.* 7ª.266.D
RHOMBO *adsimilis citharus.3°.de ali.fa.* 2ª.31.D
Rhombus in patinis coquitur.3°.de ali.fac. 2ª.31.D
RHOMBVS *deligationis species de ijs,quæ in me.fi.c.2°.* 7ª.205.E
Rhombus vinculi nomen.de fasc. 7ª.295.B
Rhombus simplex.de fasc. 7ª.302.E
Rhombus duplex ad idem.de fasc. 7ª.302.F
Rhombus ad medium membrum.de fasc. 7ª.305.D
Rhombus multipliciter ad vnicum membrum.de fasc. 7ª.305.E
Rhombus æqualium crurum.de fasc. 7ª.305.G
Rhombo vtimur in capite.de ijs,quæ in med.fi.com.2°. 7ª.206.B
RHOPALOSIS *quid.fin.med.* Isa.48.B
Rhopalosis pilorum est affectus,& qualis affectus,fi.med. Isa.48.B
Rhopopolæ qui a grecis vocentur.2°.de comp.me.per ge. 5ª.228.G
RHOPOPOLÆ *de primo loco in medicina certant.1°.me.me.* 7ª.2.E
RHV quid,& eius vires.de simp.me. Sp.89.E
Rhus masculino an fœminino genere vocetur nihil refert.6°. de cõpo. med.sec.loc. 5ª.169.C
Rhus duplex.6°.de comp.me.sec.loc. 5ª.169.C
Rhus qualis.6°.de com.me.sec.loc. 5ª.170.E
Rhus frigida in secundo ordine,sicca in tertio.8°.de sim.m.f.5ª.59.H
Rhus acerbum.2°.de loc.aff. 4ª.12.D
Rhus summe acerbum est.4°.de simp.me.fac. 5ª.27.H
in Rhu & galla deprehenditur adstrictio.4°.de simp.me.f. 5ª.25.C
Rhus adstringit.9°.de sim.me.fa. 5ª.64.C
in Rhu succo adstricto considerandа.4°.de sim.me.fac. 5ª.26.A
Rhus vires hẽt efficaciter adstringẽtes, iflationẽ siccat, vulnera glutinat,sãguinis abũdãtiã reprimit,mittit ĩ antidotis.d sim.m.S.89.E
Rhus adstringit vehementer.5°.de sim.me.fa. 5ª.39.B
Rhus esse adstringens vehemens indicat Galenus.5°.me.me.7ª.31.G
Rhus adstringens summum 3°.de simp.me.fac. 5ª.21.E
Rhus habet duersum effectum ab alys adstringentibus.3°.de sim.medicamen.fac. 5ª.20.D
Rhus fructuosa planta,desiccat,& adstringis.8°.de simp.m.f.5ª.59.H

ex Rhu,& melle medicamẽtũ adſtringit.de præc.ad Poſth.4ª.219.C
Rhu ſiccum,cum melle adſtringit,& abſtergit,ſiſtit, & euacuat.3°. de ſimp.me.fac. 5ª.20.A
Rhus adſtringens pro dyſenteria conuenit.11°.de ſim.me.f. 5ª.81.E
Rhus exſiccat non tñ ſumme,& non vrit.5°.de ſim.me.fa. 5ª.39.B
Rhus ευρσοδεψικὴ ideſt excoriaria vocat.8°.de ſim.m.f. 5ª.59.H
Rhus Coriariorũ,& rhus obſoniorũ differũt.de rem pa.f.7ª.158.A
Rhus Culinarius,& coriarius inter adſtringentia parabilia comume rantur.6°.de com.me.ſec.lo. 5ª.159.F
Rhois Culinarij,& coriarij decoctum inter adſtringentia fortiſſima p gargariſmis eſt generoſiſſimum.6°.de comp.me.ſec.l. 5ª.172.G
Rhus obſoniorum ſiue culinarius inter arida adſtringẽtia fortiora col locatur.6°.de comp.me.ſec.loc. 5ª.172.G
Rhus p medicamẽto potius q̃ cibo eſt in vſu.4°.de ſimp.m.f.5ª.27.H
Rhus pro cibis Erythros dicitur.11°.de ſim.me.fa. 5ª.81.E
Rhois eupatoricæ ſuccus.7°.de comp.me.ſec.loc. 5ª.180.F
Rhu Ponticum adſtringit.de ſubſ.emp. Iſa.33.D
Rhuponticum deiectionibus ſanguinis confert.de ſubſ.emp. Iſ.33.C
Rhupontica radix.8°.de comp.me.ſec.loc. 3ª.195.G
Rhois Ponticæ ſuccus.7°.de comp.me.ſe.lo. 5ª.180.F
Rhuponticum.7°.de comp med.ſec.loc.181.G/182.H/184.F/185. C/8°.191.C/9°. 5ª.203.B
de Rhu Rubum.3°.de comp me.ſec.loc. 5ª.48.B
Rhois Syriacæ,ac coriariæ cremor ad q̃ vtilis.6°.de c.m.ſ.l.5ª.173.g
Rhus ſyriacus cũ melle ad quid conferat.6°.de cõp.me.ſ.l. 5ª.172.B
Rhois ſyriacæ ſuccus.7°.de comp.me.ſec.lo. 5ª.184.E
Rhois ſyriacæ,& coriariæ mentio.9°.de com.me.ſe.loc.lo. 5ª.203.C
Rhus ſyriacus culinarius.8°.de com.me.ſec.loc.191.C/9°. 5ª.204.E
Rhois ſyriacæ fit mentio.8°.de com.me.ſec.lo. 189.E/9°.203.A/B/ C/G/204.A/B/C/D/ 5ª.205.A
Rhois ſuccus ad quid vtilis.5°.met.me. 7ª.34.B
Rhoicis ſuccus internis vlceribus opitulatur.4°.met.me. 7ª.29.B
Rhois cremor pro potu cui fuerit,datus a Galeno.11°.m.m.7ª.70.a
Rhois ſuccus euitandus eſt in ſiccitate.7°.met.med. 7ª.44.C
Rhus q̃o accipiatur in compoſitione.6°.de com.me.ſec.lo. 5ª.169.F
Rhu in emplaſtro apponendum in principio inflammationũ.2°.de arte cura.ad Glauco. 7ª.101.F
ex Rhu paſtillus.5°.de comp.me.per ge. 5ª.252.B
Rhois ſuccus pro omphacio q̃n ſumi poſſit.6°.de cõ.me.ſ.l.5ª.168.D
RHVEARBARVM ſert ad debilitatem hepatis de frigida cauſa.de medicinis expertis. Sp.106.B
Rhubarbari electarium.de med.exper. Sp.105.F
Rhubarbari electarium.de med.exper. Sp.108.A
Rhubarbari ſit mentio.de med.par.fac. 7ª.171.C
RHYAS oculi,& genarum affectus eſt.ſin.med. Iſa.48.F
Rhias oculorum eſt morbus.in 6ᵐ.de mor.vul.com.2°. 3ª.166.B
RHYEMATA tempore Galeni antiquis itria dicebantur.de bonitate & vitio ſuccorum. 2ª.35.D
Rhyemata ſunt itriorum ſpecies.1°.de ali.fac. 2ª.10.E
Ῥύηματα ſunt alimenta quæ hyeme aſſumuntur, & quanam ſic vocata alimenta.de nat.bu.com.1°. 1ª.32.F
Rhyemata ex tritico ſine fermentatione,ſiue caſeo ſunt craſſoris ſucci.de bonit.& vitio ſucco. 2ª.35.D
Rhyemata ſunt craſſi ſucci.2°.de ali.fac. 2ª.28.B
RHYPODE quæ græce appellata emplaſtra a ſimilitudine ſordium. 2°.de comp.me.per ge. 5ª.218.C
RHYPHOS. quam Vim obtineat.8°.de ſimplicium medicamentorum facultatibus.59.H/10°. 5ª.77.E
RHYPTICON græce,latinæ deterſiuum interpretatur.10°.metho.me dendi. 7ª.71.D
Rhyptica quæ ſint.5°.de ſimp.me.fac. 5ª.35.A
Rhyptica quæ ſint,& quod valeant ad cicatrices craſſas.4°.de compoſi.medica.ſecun.loc. 5ª.141.G
RHYTHMVS quid.ſin.med.Iſa.46.F/de pulſ.diffe. 48.F/3°.de dignoſc.pulſ. 4ª.82.B
Rhythmus in reſpiratione quid ſit.1°.de diff.reſp. 3ª.62.B
Rhythmi in pulſibus quid ſignificent.de pulſ.diff.48.D/2°.de præſagit.ex pulſ. 4ª.110.B
Rhythmus in quo conſiſtat.3°.de dignoſ.pulſ. 4ª.81.F
Rhythmorum in pulſu differentiæ de pulſ.diff. 4ª.48.G
de Rhythmi pulſus inæqualitate in crebritate,& raritate in diuerſis pulſibus.de diff.pul. 4ª.51.E
de Rhythmi pulſus inæqualitate in crebritate,& raritate,ĩ vno pulſu.2°.de pulſuum differen. 4ª.52.E
de Rhythmis dignoſcendis.3°.de dignoſ.pulſ. 4ª.81.E
Rhythmi ĩ ſolis vehemẽtiſſimis pulſibus noſcũtur.3°.de dig.p.4ª.8.a
Rhythmorum in pulſibus mutatorum cauſæ.2°.de cauſ.pul.4ª.95.A
de Rhythmis in pulſibus abunde Herophilus ſcripſit,& quo modo. de præſagitione ex pulſ. 4ª.110.B
de Rhythmis duæ ſectæ.3°.de cauſ.pulſ. 4ª.96.H
RHYTIDOSIS affectus pupillæ.intro. Iſa.58.D
RICINI fructus qualis.7°. de ſimplicium medicamento. facul. 5ª.51.C
Ricini facultatem valde non eſt expertus Galenus.2°.de compoſitio. medic.ſec.loc. 5ª.132.G
Ricinum non adulteratum.2°.de comp.me.per ge. 5ª.226.F
Ricininum vnguentum habetur Alexandriæ copioſe.3°.de compoſi. medic.per gene. 5ª.133.H
ex Ricino efficitur oleum.4°.de ſimp.me.fac. 5ª.26.G
Ricininum oleum quale.7°.de ſim.me.facul.51.C/2°.de comp.medi. ſecun.loc. 5ª.32.G
Ricininũ oleũ calidũ pro doloribus.in 6ᵐ.de mor.vul.c.6°. 3ª.196.B
Ricininum oleum emollit.6°.de comp.me.per gen. 5ª.258.G
Ricinino oleo vtendum,vbi durities in vlcere ſit. 4°.de comp.medic. per genera. 5ª.237.A
ex Ricinino oleo,& gutta ammoniaci medicamentum quale.6°. de compo.medica.per gen. 5ª.258.B
pro Ricinino oleo oleum vetus.6°.de comp.me.per gen. 5ª.256.H
Ricini a cane fœmina adempti ſanguis cuius ſit vſus.4°.de compoſit. medica.ſecun.locos. 5ª.158.B
ad Ricinos ouium cedrea valet.7°.de ſimp.me.fac. 5ª.50.F
RIDICVLVM eſſe,& falſum eſſe differunt.8°.de de. 1ª.278.E
RIGARI quid ſit.9°.de ſim.me.fa. 5ª.66.A
RIGENTES aliqui cur frigeant.2°.de ſymp.cau. 3ª.23.F
Rigentes ſi non calefiant,malum.de palp. 3ª.55.A
Rigentes cur ſudent.2°.de ſymp.cau. 3ª.22.F
Rigentium dolores quales.2°.de ſymp cau. 3ª.23.F
Rigentes cur tecti,non lædantur.de vtil.reſp. 1ª.225.C
Rigentes quo modo moneantur.2°.de ſymp.cauſ. 3ª.22.G
Rigentes prohibendi a motu.2°.de ſymp.cau. 3ª.22.D
RIGERE, horrere, & frigefieri, non ſunt idem in ægrotantibus.de palp. 3ª.53.G
Rigent qui.de palp.trem. 3ª.55.C
Rigent ambuſti,& execti ex vſtione,& inciſione.in 6ᵐ.de mor.vulgaribus.com.3°. 3ª.174.D
Rigere facit pharmacum acre,vlceri ſuppoſitum.in 6ᵐ.de morb.vulgaribus,com.3°. 3ª.174.D
Rigent ſtomachici,& cardiaci valde frigefacti.de palp. 3ª.53.D
Riguerit ſi quis vehemẽter huic cutis adſtringitur.de ca.mor. 3ª.6.F
RIGIDITATEM pudendo qui muſculi dent.de muſc.diſſ. 1ª.50.E
RIGOR quid ſit.4°.de ſan.tu.2ª.82.G/de palp.53.D/ 3ª.54.C
Rigor eſt motus,quo natura intendit ſuperflua expellere.commen.6°. aphoriſ.39°. Ex.50.H
Rigor excrementis motus fit.2°.de ſymp.cau. 3ª.22.H
Rigor expultricis virtutis eſt validus motus.2°.de ſym.ca. 3ª.23.G
Rigoris cõuulſionis,tremoris,palpitationis,horroris,ſingultus,tuſſis, ructus,ſternutationis,pandiculationis,oſcitationis,Tryſmu.i.dentium concuſſionis genus commune eſt motus illegitimus, & quomodo hæc in genere differant.2°.de ſym.cau. 3ª.19.H
Rigor conuulſio,& palpitatio q̃o fiant,& differant.in 1ᵐ. de morb.vul.commentario.3. 3ª.119.G
Rigor quomodo ſit motus miſtus.de palp. 3ª.54.G
Rigoris motus,vt in verecundia,& lauatione frigida,non vt in timore.2°.de ſymp.cauſ. 3ª.23.F
inter Rigorẽ,& refrigerationẽ medius ẽ horror.2°.de diff.3ª.39.B
Rigor maior eſt q̃ horror.2°.de ſym.ca.22.D/F/de mor.tẽp. 3ª.85.G
Rigor dicitur horror auctus.de mult. 3ª.79.F
Rigores pauciſſimos habet horror.in 1ᵐ.de mor.vul.cõ.2°.3ª.110.F
in Rigorem quando tranſeat horror.2°.de ſymp.cau. 3ª.23.H
Rigor ſymptoma eſt & ſignum.2°.de ſymp.cauſ. 3ª.22.E
Rigor quale ſymptoma ſit nullus añ Gal. dixit.1°.de ſym.ca. 3ª.19.d
Rigoris naturas quod antiqui non nouerunt,& quod nouerunt. 2°. de ſymp.cauſ. 3ª.22.C
Rigores quos non viderint antiqui,& quare.de palp. 3ª.55.H

Rigor naturalis caloris affectus est. de palp. 3ª.53.H
in Rigore quo fiat affectus dolorificus. de palp. 3ª.54.G
Rigorem, qui intempretati sunt tremorem esse cum perfrictione, aberrarunt. de palpitatione. 3ª.53.D
Rigor & tremor idem sunt apud Platonem, quamquam id non probatur a Galeno. de palp. 3ª.53.D
Rigores, passiones a corde proueniētes. de vir. nost. corp. disp. Sp. 60.B
Rigor cui comparetur. de palp. 3ª.54.F
Rigoris causa q̄. 1°. de sym. cau. 19.D *sin* 6ᵐ. *& mor. vul. c.* 5°. 3ª.193.H
Rigoris causa effectrix quæ. de palp. 3ª.55.B
Rigor fit sine voluntate mouendi partes. de palp. 3ª.53.E
Rigoris agitatio non potest contineri. de palp. 3ª.53.D
Rigor vibrat totum corpus. 2°. de symp. cau. 3ª.22.G
Rigor fit ab inæquali intemperie. de inæq. intemp. 3ª.44.D
Rigorem facit frigus, & calor mordax. 2°. de sym. cau. 3ª.22.E
Rigor est cum sensu frigoris. de palp. 3ª.53.F
Rigor quæ frigiditas sit. de palp. 3ª.54.D
Rigor non est frigidus simpliciter. de palp. 3ª.53.F
Rigor non est frigidus simpliciter. de palp. 3ª.53.D
in Rigore quæ partes refrigerent, & quare. 2°. de sym. cau. 3ª.23.C
in Rigoribus cur extremæ partes frigeant. 2°. de sym. cau. 3ª.23.F
Rigorē nō est necesse sequi si quis male concoxit. 3°. de sy. cau. 3ª.30.C
Rigor ab acri succo in multis fit. de palp. 3ª.55.B
Rigor ex mordentibus fit excrementis, & quo modo differat ab horrore. 2°. de sym. cau. 3ª.22.D
Rigorem, horrorem, & febrem faciunt excrementa subcalida & putrida. 4°. de san. tu. 2ª.82.H
Rigoris succus qualis. 2°. de sym. cau. 3ª.23.H
Rigor a bile quando que fit de palp. 3ª.55.B
Rigor à bile vehementer mota, fit. 3°. de cris. 4ª.144.C
Rigores fiunt ob flauam bilem velociter motam supra membra sentiētia. com. 4°. aph. 58°. Ex.33.G
Rigor quo modo fiat. in 1ᵐ. *de mor. vulg. com. 2°.* 3ª.116.H
Rigor quot modis fiat. 2°. de cris. 4ª.134.F
Rigores fiūt bile p̄ oēm corporis habitū mota. c. 4°. aph. 63°. Ex.34.C
Rigor est corporis vniuersi. de palp. 3ª.53.D
Rigor facit bilis vomitum. in progn. com. 2°. 4ª.210.G
Rigor ex vitreo humore fit. de inæq. intemp. 3ª.44.F
Rigor à pituita vitrea fit. de palp. 3ª.35.G
Rigor ĩcitatur frigida aqua infusa, nudo corpore, & balneo frigido. 2°. de sym. cau. 3ª.22.F
Rigor n̄ ex frigida solū, sed ex calida causa puenit. 2°. & sy. cau. 3ª.22.F
Rigor qui nunquam a succis fiat frigidis. 2°. de sym. cau. 3ª.23.B
Rigorem solum, qui nunquam à frigidis fit succis, qui ordine præcedūt motus in corpore. 2°. de sym. cau. 3ª.23.B
Rigorem facit causa calida. 4°. de sa. tu. 3ª.82.G
Rigor & calor qūo eodem tēpore sentiuntur. de inæq. intemp. 3ª.44.F
Rigorem fecere palmulæ recentes. de palp. 3ª.55.G
Rigores qui ægre calefiūt, inducunt palmæ imaturæ. 2°. de al. f. 2ª.20.B
Rigor qnq; sequitur timorem. 2°. de sym. cau. 3ª.23.D
Rigor & horror a spectaculis horridis. de palp. 3ª.55.B
Rigoris initium vnde incipiat. in 6ᵐ. *de mor. vul. com. 5°.* 3ª.193.H
Rigores qua parte incipiunt viris, & qua parte mulieribus. commen. 5°. apho. 69°. Ex.45.D
Rigores mulierib. à lūbis magis incipiūt. ī 6ᵐ. *de mor. v. c. 3°.* 3ª.174.D
Rigor, & horror quibus accidant. de palp. 3ª.55.F
Rigor quibus magis contingit. de palp. 3ª.55.A
Rigor mulieribus magis q̄ viris, & his qui degunt ociosius præcreabis, q̄ post cibos balneis vtunt, magis a cidere solet. de pal. 3ª.55.G
Rigor quibus ex desidia, hi non sunt mente constantes. in 1ᵐ. *prorrhet. commentario 1°.* 4ª.168.D
in Rigore casus mulieris in Asia. de palp. 3ª.55.H
Rigoris casus in iuuene. de palp. 3ª.55.G
Rigorem quæ fecerint, & horrorem in quodam adolosente in Alexandria. de palp. 3ª.55.G
Rigores Aestuosi pernitiosi. in 1ᵐ. *prorrh. com. 2°.* 4ª.173.H
Rigor Anacthermanton qui vocetur. in 6ᵐ. *de mor. vul. c. 1°.* 3ª.156.F
Rigor breuis, quanto maior. 2°. de sym. cau. 3ª.23.F
Rigorem Concutientem vocat cum venia. 2°. de sym. cau. 3ª.21.B
Rigor concutiens palpitationi assimilatur. 2°. de sym. cau. 3ª.21.A
Rigor concutiens est compositus ex re præter naturam, & virtute animali. 2°. de sym. cau. 3ª.21.A
de Rigore concutiente medicos reprehendit Athenæus. 2°. de sympto matum causis. 3ª.21.B
in Rigore, in morbis cōcussio qūo fiat. in 3ᵐ. *de mor. vul. c. 1°.* 3ª.129.G
Rigores concutientes etiam sine febre fiunt. 2°. de sym. cau. 3ª.23.B
Rigorem concutientem facit horroris affectus quādo vehementior est. 2°. de sym. cau. 3ª.22.D
Rigoris concutientis causæ quæ. 1°. de sym. cau. 3ª.19.D
Rigor Criticus qūo solui phrenisim. in 1ᵐ. *prorrh. com. 1°.* 4ª.165.C
Rigor criticus qūo cognoscatur. in 6ᵐ. *de mor. vul. com. 1°.* 3ª.156.G
Rigor Magnus in morbis est malum signū. com. 2°. aph. 27°. Ex.16.C
Rigoris Maximi, & minimi differentia cur. 2°. de sym. cau. 3ª.23.H
Rigor Morbidus qui de palp. 3ª.53.H
Rigores Spontanei, qui. in 1ᵐ. *de mor. vul. com. 3°.* 3ª.122.G
Rigores Valentes in quibus fiant. 2°. de sym cau. 3ª.23.B
Rigor Vehemens sudores facit. de palp. 3ª.54.H
Rigor ratione, non sensu cognoscitur. 5°. de lo. aff. 4ª.20.G
Rigor in sanis alio modo euenit, q̄ in ægrotantibus. de palp. 3ª.53.G
Rigor sine febre potest contingere. 2°. de diff. feb. 3ª.37.E
Rigor sine febre qūo. de inæq. intemp. 3ª.44.G
Rigorum sine febre causa. 2°. de sym. cau. 3ª.23.B
Rigor sine febre cur non fuit antiquitus. de inæq. intemp. 3ª.44.G
Rigores sine febre non incidebant antiqui, quia viuebant moderate. 2°, de sym. cau. 3ª.23.B
Rigor sine febre raro contingit. 2°. de inæq. intem. 3ª.44.G
Rigorē sine febre vidit Galenus & alij quoq; de inæq. intēp. 3ª.44.G
Rigorē sine febre q hoies incidāt, et pp quid. de inæq. intēp. 3ª.44.G
Rigoris hr̄midā causam comitatur febris. 2°. de sy. cau. 3ª.23.A
Rigori febrē supuenire cur medici antiq dixere. de inæq. imē. 3ª.44.G
Rigoris comes febris. in 1ᵐ. *de mor. vul. com. 3°.* 3ª.122.G
Rigori febris semper succeditur vt vetus est sermo, quod tamē non est omnino verum. 2°. de sym. cau. 3ª.23.A
Rigores, quos sequantur febres, quales. 2°. de sym. cau. 3ª.23.B
Rigor & febris a diuersis fiunt causis. 2°. de diff. feb. 3ª.37.G
Rigores febriles fiunt ex frigido. c. 5°. aph. 17°. 38.H *sap. 20°.* Ex.39.A
cum Rigore febris a quo humore fiat & qualis sit. in 1ᵐ. *de morb. vulg. commen. 3°.* 3ª.119.B
Rigores quales à diuersis humoribus. in 6ᵐ. *& mor. vul. c. 1°.* 3ª.156.F
Rigor quem non sequitur febris, ex quo humore fiat. in 1ᵐ. *de mor. vul. commen. 3°.* 3ª.122.G
Rigorem habent tertianæ. 2°. de sym. cau. 3ª.22.E
Rigor post horrorem in tertianæ principio fit. de mor. temp. 3ª.85.G
Rigor est nota in tertianis. de palp. 3ª.55.A
Rigor tertianarū ē diuersus a rigore quartanarū. 2°. de diff. fe. 3ª.36.E
Rigor tertianarū qualis. 2°. de diff. feb. 3ª.36.E/1°. *de crisi.* 4ª.134.G/1°. *de arte cur. ad Glau.* 7ª.95.H
Rigorē vehemētē cur habet tertiana ex flaua bile. 1°. & cris. 4ª.134.F
Rigor validus significat tertianam. 1°. de arte cur. ad Glau. 7ª.95.H
Rigor tertianæ cui similis. de palp. 3ª.56.A
Rigorem in causo quid de necessitate sequatur. de vic. ra. in morb. acu. commen. 3°. 7ª.135.F
Rigor statim a primo proprium malignitatis est in ardentibus, & quare. in 1ᵐ. *de mor. vul. com. 2°.* 3ª.115.A
Rigor iudicat in ardentibus. in 1ᵐ. *de mor. vul. com. 2°.* 3ª.115.A
Rigor non sanat ardentem febrem permutationem ad habitum contrarium, & cur. 2°. de sym. cau. 3ª.22.F
Rigores indicatorij, qūo fiant in ardentibus febribus. in 6ᵐ. *de morbis vul. com. 1°.* 3ª.157.A
Rigor in quartanis & tertianis cur fiat. de palp. 3ª.155.F
Rigor quartanarum qualis. 2°. de diff. feb. 36.E/3ª.37.C/1°. *de arte curatiua ad Glauconem.* 7ª.95.H
Rigor vehemens quartanæ qualis. de palp. 3ª.56.A
Rigor quartanarū mistus ē ex frigore & calore. 2°. de sy. cau. 3ª.23.C
Rigor quartanæ cui similis. de palp. 3ª.56.A
Rigoris agitatio in febre quartana excernit humores crassos. commen. 5°. aphor. 70°. Ex.45.E
Rigor nisi cessauerit, quartanæ nō sanāt. in 6ᵐ. *& mor. vul. c. 1°.* 3ª.156.F
Rigor paruus potest esse in continuis 1°. de arte cur. ad Glau. 7ª.95.H
Rigoris humidæ causæ sanatio, est euacuatio, & quandoque concoctio. 2°. de sym. cau. 3ª.23.A
Rigor in febre continua nec mortem nec bonum significat. commen. 4°. apho 46°. Ex.32.G
Rigor quotidianarum quando fiat. 1°. de cris. 4ª.134.G

Rigores quibus accidũt in febribus quotidie, quotidie etiam febres soluuntur.com.4°.aph.63°. Ex.34.C
Rigores superuenientes febri, eam soluunt.com.4°.aph.58°. Ex.33.G
Rigor si incidat febrilis non deficiente ægro iam debili, letale est. com. 4°.apho.46°. Ex.32.G
Rigor cur letalis in febre non intermittente.2°.de sym.cau. 3ª.23.C
Rigoris agitationẽ nõ põt ferre vis imbecillis.c.4°.aph.46°. Ex.32.H
Rigorem quando necessario sequitur mors.2°.de sym.cau. 3ª.23.G
Rigor si non sit nec febris in muliere, cui defuerint menstrua, & fastidium habeat, est prægnans.com.5°.aph.61°. Ex.43.D
Rigor fit suppurantibus vlceribus & abscessibus.in 6ᵐ.de morb. vulga.commen.3°. 3ª.174.D
Rigor quomodo fiat in suppuratione.in prog.com.2°. 4ª.204.A
Rigor cum est in febribus, non fiunt abscessus, & cur.in 6ᵐ.de mor. vulga.commentario 1°. 3ª.157.A
Rigor oritur in lassitudine vlcerosa.3°.de san.tu. 2ª.78.G
Rigor quando expectandus.præsag.exper.confir. Sp.77.F
in Rigoribus, & conuulsionibus qui articulus primum incipere conspiciatur, & significationem faciat.de art.com.2°. 7ª.263.F
Rigores qñ faciũt bonũ iudiciũ, & qñ non.com.4°.aph.29°. Ex.30.D
Rigores ĩ febrib⁹ sexto die difficile iudiciũ notãt.c.4°.a.29°. Ex.30.D
cum Rigore vrinæ retentio quid significet.in 1ᵐ.pror.com.3°. 4ª.181.b
ex Rigore quid sequatur.in 1ᵐ.pror.com.3°. 4ª.186.H
Rigorem solet sequi euacuatio, quod si non sequatur est signum debilitatis.com.4°.aph.46°. Ex.32.H
Rigores sequuntur alui solutiones, sudores, vomitus bilioſi. commen. 4°.apho.58°. Ex.33.G
Rigorem sudor comitatur.in 1ᵐ.de mor.vul.com.2°. 3ª.114.B
Rigor sine sudore malus.in 1ᵐ.pror.com.2°. 4ª.73.D
Rigorẽ sequuntur vomitus bilioſi, & deiectiones bilioſæ.in 1ᵐ.de mor. vul.com.2°. 3ª.114.B
cũ Rigore ignorantia & oblitio mala.in 1ᵐ.pror.com.2°. 4ª.173.F
ex Rigore refrigerationes malæ.in 1ᵐ.pror.com.2°. 4ª.173.G
Rigor ex multa potatione malum, & quare.c.7°.aph.7°. Ex.54.D
Rigores mitescunt prope flatum.in 6ᵐ.de mor.vul.com.1°. 3ª.156.E
ad Rigorem quid faciendum.de med.fac.par. 7ª.175.B
Rigoris ex frigore remedium quale.2°.de sym.cau. 3ª.23.A
Rigores per circuitum recurrentes ex craſſis aut viſcoſis humoribus natos sanat Agaricum.6°.de simp.me.fac. 5ª.41.E
contra Rigores per circuitum repetentes adhibetur Calamintha.7°.de simp.med.fac. 5ª.49.C
Rigores soluit Calor.com.5°.aph.22°. Ex.39.D
Rigores sanat Conyzæ oleum.7°.de simplicium med.fac. 5ª.52.B
Rigoribus finem imponere põt Cucurbitula.de cucur.scar. 6ª.3.F
Rigoribus vtilia sunt diatrion pipereon, Diachalaminthes iũ ex cyrenaico succo & ex caſtorco compoſitio.de palp. 3ª.55.H
Rigori omni prodest fœnum græcum.de simp.med. Sp.84.G
ad Rigores Gleucini confectio.7°.de comp.med.per ge. 5ª.272.G
Rigorem mollit & relaxat Ibiſcus.de simp.med. Sp.85.E
Rigorem vesicæ remollit Meu.de sim.med. Sp.87.F
ad Rigores cum oleo valet Pyretrum.8°.de simp.me.ſa. 5ª.59.D
ad Rigorem valde idonea est Sampſucus.de simp.med. Sp.90.G
ad Rigore per circuitum infeſtatos.7°.de comp.me.ſe.lo. 5ª.186.B
Ῥῖγος est inæqualis totius corporis concuſſio.10°.met.med. 7ª.63.A
Ῥῖγος cõcuſſio totius corporis à græcis noĩat.1°.de die.dec. 4ª.148.A
Ῥῖγη græce dicũt inæquales totius corpis cõcuſsiones, quas mordẽs halitus, ſuccuſq; facit, vbi p sẽſibilia corpa ferũ.10°.me.med. 7ª.62.H
Ῥῖγη. i.concuſsiones faciunt mordicantia.10°.met.med. 7ª.65.G
RIMAS ac fiſſuras ſedis.1°.de comp.me.ſec.loc. 5ª.130.C
RINGENS. i. σεσηρὸς de labijs oris dicit qd.de fr.c.3°. 7ª.247.D
à RIPHEIS montibus ſpirat boreas.de aere aq. & loc. 2ª.5.D
Ῥιπτάζονται. i.implacidi, & inquieti fiunt hoĩes in malignis, maleſiciſq; bilioſis deiectionibus.de vic.ra.in mor.acu.com.3°. 7ª.128.D
RISOR propter ſplenem a quo procedit riſus eſt conceptus in horis melancholiæ.de ſperm. Sp.37.C
RISVS *an ſit motus volũtarius, vel naturalis.de mo.m.et ob.* Sp.69.H
in Riſu quis motus clibani pectoris.de mot.man.& obſ. Sp.69.G
Riſus procedit a ſplene.de ſperm. Sp.37.C
Riſus proprietas est ſanguinem conſequens.de ana.viuo. Sp.45.D
cum Riſu quæ fiũt deſipientiæ ſecuriores ſunt.c.6°.aph.53°. Ex.53.A
RIVARE, græce ὀχετεύειν est per riuos ducere.de cuc.ſca. 6ª.4.F
in RIVIS *quæ herbæ naſcantur.de bon.aquæ.* Sp.75.E
a Riuis ad latera deductio est deriuatio. de cucur.ſcar. 6ª.4.F
Riuis in hortis cõparat venas & nutrimẽtũ aquæ.in Ti.Pla.1ª.287.f
Riui qui ſint.de art.com.3°. 7ª.275.E

ROBORANTIA *ſtomachum & corrugãtia quæ.de diſſolutione continua.* Sp.74.D/E

ROBORATIO *corporis in fluxionib. fieri debet non euacuatio.de ven. ſect.aduer. Eraſ.* 6ª.300.D
Roboratio eſſe debet.de ijs, quæ in med.ſi.com.3°. 7ª.220.C
ROBORARE *imbecillitatem quid ſit.2°.meth.me.* 7ª.11.D
Roborare in quibus volumus vehementibus cucurbitulis vtendũ est. de cucur.& ſcar. 6ª.3.C
Roborare ſtomachum imbecillum, & exolutum poteſt cucurbitula.de cucur.ſcar. 6ª.3.F
Roborant mẽbrũ affectũ adſtringentia.1°.de comp.me.ſe.lo. 5ª.128.D
Roborant ventriculũ vina auſtera.de vinis. Sp.76.G
Roborat oĩa membra abſinthium.1°.de arte cur.ad Glau. 7ª.99.D
Roborant panis, & chondrus, non tamen humectant, nec ſecant. de victus rat.in mor.acu.com.1°. 7ª.113.C
Roborare viſcera oĩa, & totũ corpus põt ſtœchas.8°.de ſi.m.f. 5ª.61.D
Roborat motus.in 6ᵐ.de mor.vul.com.3°. 3ª.170.D
quæ Roborent cor diſſolutum.de ana.viuo. Sp.46.D
ROBORIS *fructus acerbus, & dulcis.4°.de ſim.med.fa.* 5ª.26.F
Roboris partes omnes adſtringentes ſunt, quãq; aliquæ magis alijs.6°. de ſimp.med.fac. 5ª.46.D
ſub Roboris cortice mẽbrana valde adſtringit.6°.de ſi.me.f. 5ª.46.D
Robore vehementius adſtringit Fagus.6°.de ſim.me.fac. 5ª.46.E
Robore vehementius adſtringit Ilex.6°.de ſim.med.facul. 5ª.46.E
an Roboris genera ſint fagus, & Ilex vel toto genere ab illo differant, non determinat Galenus.6°.de ſimp.med.fac. 5ª.46.E
ROBVR *quid. ad Thraſ.* 2ª.103.G
Robur virtus est corporis.ſin.med. Iſa.45.D
Robur est bonum corporis.ad Thraſy. 2ª.103.F
Robur qui actionum perfectionem nominant, deſectiue enuntiãt & quare.ad Thraſy. 2ª.103.H
ex Robore virium actionum firmitas ſequitur, non ex corporis incremento.de mul. 3ª.78.H
Robur ad quid referatur.de vic.rat.in mor.acu.com.4°. 7ª.137.G
Robur quibus comparetur.ad Thraſ. 2ª.103.G
Robur membrorum cauſa quæ ſm Ariſtotelem.1°.de ſem. 1ª.334.G
Robur, & perpetuitatem dant teſtes.1°.de ſem. 1ª.334.B
Robur partium qũo exercetur, & firmatur.2°.de ſa.tuen. 2ª.74.D
Robur a qb.cauſis augeaĩ, & opprimaĩ.1°.de pſag.ex pul. 4ª.109.C
Robur creſcit ſanguine cum viribus creſcente.de mul. 3ª.78.H
Robur ſignificat ſanguinis copia.de victꝰ.ra.in mor.ac.c.4°. 7ª.137.G
Robur auget exercitium.de conſuet. 2ª.61.E
Robur qũo augeatur luctantibus.2°.de ſan.tuen. 2ª.74.E
ad Robur, & nixum facit ſiccitas.2°.de ſym.cau. 3ª.29.E
Robur firmum exigunt actiones firmæ.de mult. 3ª.7.G
Robur virilũ quæ lotio facit.de vic.rat.in mor.acu.com.3°. 7ª.132.D
Robur & firmitatẽ dant adſtringentia.2°.de com.me.ſe.lo. 5ª.139.H
Robur addunt adſtringentia.8°.de compo.med.ſec.loc. 5ª.187.C
Robur p cibũ efficitur in ſanis, è cõtra in ægris.c.7°.aph.62°. Ex.59.G
Robur q̃to augẽt cibi, tãto actiões ĩpediũt.1°.d̃ arte cu.ad Gl. 7ª.97.d
Robur additur corpori ab Aquilone.commen.3°.aph.14°. Ex.22.D
Robur a Leone tenuit Alexander.de ſper. Sp.38.G
Robur, & infirmitates eluceſcũt in oculis.ĩ 6ᵐ.d̃ mor.v.c.4°. 3ª.187.A
Robur ſolui in ventriculo, & iecore est piculoſum.10°.met.m. 7ª.73.B
Robur vteri põt eſſe cã paucorũ menſtruorũ.com.5°.aph.57°. Ex.43.A
Robur potẽtiæ maius, diuturnas facit acceſsiones.2°.d̃ dif.f. 3ª.42.A
Robur virium exoluit emollitio, & laxatio immoderata. de renum affectuum dignotione & med. 7ª.193.H
Robur corpis exoluit vinũ dilutũ.de vic.ra.in mor.acu.c.1°. 7ª.120.C
Robur quarum partium phlegmonem habentium non ſit conſiderandũ. 13°.meth.med. 7ª.84.E
Robur membri ſemper ſeruandum.4°.meth.med. 7ª.28.G
ad Robur ſeruandum, quid agendum.11°.met.med. 7ª.79.C
quò ad Robur, & ad vaſa multitudo cum ſpectetur, erunt multitudinis duæ differentiæ.de mult.76.H/ 3ª.77.A
ad Robur deperditum idonea remedia ſunt rubi flos, & fructus.6°.de ſimp.med.fac. 5ª.44.G
Robur medicamẽto fit ab oleo veteri.3°.de com.me.per ge. 5ª.230.F

ROBVSTE, & valenter dicere nihil refert. 2°. de san. tu. 2ª. 74. C
ROBVSTIVS, & valentius idem. de mul. 3ª. 78. F
ROBVSTA esse debent instrumenta motura membra animalis. 1°. de de cre. Hippo. 1ª. 234. A
Robustam facultatem plus & celerius attollere arterias. infirmam autem parum, & tardius probabile est. 1°. de cau. pul. 4ª. 88. A
Robustorũ oculi quales. in 6ᵐ. de mor. vul. com. 4°. 3ª. 187. B
Robustis quid accidat si aqua frigida lauentur. com. 1°. ap. 15°. Ex. 8. B
Robustos calefacit coitus. in 6ᵐ. de mor. vul. com. 5°. 3ª. 192. F
Robustis concumbentibus corpora rarescunt. 3°. de sa. tu. 2ª. 81. E
Robusti concumbentes qũo corrigantur. 3°. de sanitate tu. 2ª. 81. E
Robustũ vinũ quibus morbis turpe est ægrotare. 5°. de sa. tu. 2ª. 88. H
Robusti q sani viuũt, piclitãtur in morbis. 2° de ẽsag. ex pul. 4ª. 110. E
Robusti, quibus multum sudor calidus, vel frigidus, debent per superius euacuari. com. 7°. aph. 62°. Ex. 59. G
Robustis virtute prabenda cathartica. de dyna. Sp. 20. F
Robustum stomachum habentibus cathartica damnus. de dyn. Sp. 20. F
Robustum inscriptum medicamẽtũ. 5°. de comp. med. perge. 5ª. 253. H
RODENS quid sit. 2°. de simp. med. fac. 5ª. 12. H
Rodentia sunt calida potestate. 3°. de temp. 1ª. 23. F
Ῥοικοειδὴς τρόπος qui. de art. com. 3°. 272. C/ 7ª. 275. E
ROMAM compendium, & breuiarium orbis terrarum appellauit Polemo orator. de art. com. 1°. 7ª. 256. A
Roma, et Alexãdria alit multitudinẽ hoĩum. de par. art. me. Sp. 16. G
Romæ boni non fiunt mali, sed mali qui prius fuerant materiam male agendi Romæ nanciscuntur. de præcog. ad Posth. 4ª. 215. E
Romæ vicus sutorum erat. de præcog. ad Posth. 4ª. 215. E
Romæ sontiũ elegãtia admirabilis. in 6ᵐ. de mor. vul. com. 4°. 3ª. 182. F
Romæ aquæ tyburtinæ crudiusculæ. in 6ᵐ. de mor. vul. c. 4°. 3ª. 182. F
Romæ frigidi fontes multi. 2°. de com. me. sec. loc. 5ª. 132. F
Romæ præparabant aquam frigidam nive. 7°. met. med. 7ª. 44. B
Romæ niuis vbertas, & in pergamo. 2°. de com. me. se. lo. 5ª. 132. F
Romæ Caseus præstantissimus, & qũo appellet. 3°. de ali. fac. 2ª. 29. A
Romæ maximi dies, ac noctes paulo maiores quindecim æquinoctialibus horis, sunt: cõtra minimi paulo intra nouẽ. 6°. de sa. tu. 2ª. 97. B
Romæ simplicia optima habentur. 1°. de antid. 5ª. 101. F
Romæ quas herbas inuenit Galenus. 1°. de antid. 5ª. 102. B
Romam è creta singulis annis mittuntur vasa herbarum plena. 1°. d antidotis. 5ª. 10. D
Romæ melior, quam in Creta est chamepitys, & chamedrys. 1°. de antidotis. 5ª. 107. A
Romæ habetur litharg yrium. 1°. de antid. 5ª. 100. D
Romæ vnguentarij cognoscunt succorũ fraudes. 1°. de antid. 5ª. 100. D
Romæ crematus est liber de Catharticis. de cathar. Sp. 94. D
Romæ romano more viuendum. 6°. meth. med. 7ª. 42. H
Romã bis profectus est Galenus primo naui, postea pedestri itinere. 9°. de simp. med fac. 5ª. 65. B
Romæ præceptores habuit Galenus. de vsu Ther. ad Pamph. 5ª. 98. H
Romæ semitertiana frequentissima & familiarissima. in 1ᵐ. de mor. vulga. commen. 2°. 3ª. 110. E
Romæ semitertianæ peculiares. de mor. temp. 3ª. 87. F
contra ROMANOS belli historia cum nouo telorum genere. de theriaca ad Pisonem. 5ª. 91. C
Romanorum annus est duodecim mensium. in 1ᵐ. de morbis vulgaribus commen. 1°. 3ª. 102. D
Romani in duodecim partes hereditates distribuũt. de cuius. animi pec. notitia atque medela. 2ª. 58. D
Romanus cibus est aphrogala. 7°. meth. med. 7ª. 44. B
Romani damnarunt polentam. 1°. de alim. fac. 2ª. 11. H
Romanorum more ponderat. 1°. de comp. med. per gen. 5ª. 214. A
Romani salis. secr. Sp. 98. G
ROMANI irinis experimentum. de med. exper. Sp. 104. F
Ῥοώδεις affectus quos vocent græci. 8°. de simp. med. fac. 5ª. 57. D
ROPVS. de remed. par. fac. 7ª. 173. C
ROS est nebula decidens. in 1ᵐ. de mor. vul. com. 1°. 3ª. 104. C
Ros quidam est humiditas in omni ãali parte. 7°. met. me. 7ª. 44. D
ex Roris specie est intemperatum quoddam quod intemperiem efficit, & quomodo. 2°. de sym. cau. 3ª. 22. A
Roris meminit. de dyna. Sp. 28. B
ROSA quid. de simp. med. Sp. 89. F
Rosæ babilonicæ. de dyn. Sp. 26. E
Rosæ quales. 6°. de comp. me. sec. loc. 170. H/7°. 183. H/8°. 5ª. 190. F/ de ocul. 7ª. 188. H
Rosæ quales, & quæ colligendæ. 1°. de antid. 5ª. 105. D
Rosa est dissimilaris substantiæ, & de eius partibus. 4°. de simplicium medic. fac. 5ª. 31. B
Rosa mistæ facultatis, & qualis. 4°. de comp. med. sec. loc. 5ª. 151. F
Rosa partium temperata partim paulum recedit à media tẽperie. 3°. de simp. med. fac. 5ª. 19. B
Rosa frigida est. 3°. de simp. me. fac. 5ª. 17. G
Rosæ frigidæ sunt in primo ordine, & tepidæ caliditatis. 6°. de simplic. med. fac. 5ª. 44. C
Rosa oleo est frigidior. 3°. de simp. med. fac. 5ª. 19. D
Rosa qũo probetur frigida. 3°. de sim. med. fac. 5ª. 18. E
Rosas qũo quidam probabãt calidas. 3°. de sim. me. fac. 5ª. 17. G
Rosæ quod non calidæ, quoniam rubræ. 2°. de simp. med. fac. 5ª. 10. B
Rosa non calida quoniam rubra. de theria. ad Piso. 5ª. 90. E
in Rosæ natura aliud gustantibus acerbum est, quod terrenũ, crassum, frigidumq; sit necesse est, aliud vero amarũ quod tenue est, & calidum. 4°. de simp. med. fac. 5ª. 31. C
Rosa dulcis & amara. 3°. de simp. med. fac. 5ª. 20. F
Rosa mordicat ferè. 3°. de sim. med. fac. 5ª. 20. G
Rosæ odor suauissimus est. 4°. de simp. med. fac. 5ª. 30. H
Rosarum odor sanat laborantes exustione solis. de instr. odor. 1ª. 112. E
Rosa cur odorata, & cur celerrime exiccatur. 4°. de simplicium medicamentorum facul. 5ª. 31. C
Rosæ cum exiccantur minores fiunt, quia exhalat ex eorum substantia pars humidior. de instr. odor. 1ª. 110. F
ex Rosis coronæ in conuiuiis fiebant. de cau. procatar. 3ª. 96. A
ex Rosis corona refrigerat. 3°. de sim. med. fac. 5ª. 18. E
ex Rosis corona pro capitis dolore. de rem. par. fac. 7ª. 154. B
Rosa mansa adstringit. 3°. de simp. med. fac. 5ª. 20. F
Rosa adstrictionis est particeps. 3°. de simp. me. fac. 5ª. 21. E
in Rosa minimum est quod adstringit. 3°. de simp. me. fac. 5ª. 21. E
Rosæ parum adstringunt. 4°. de comp. med. sec. loc. 5ª. 151. C
Rosarum folia, flores, & succus mediocriter adstringunt. 4°. de compos. med. sec. loc. 5ª. 149. G
Rosarum decoctum adstringens moderatum pro gargarismis. 6°. de cõpos. med. sec. loc. 5ª. 172. F
Rosæ inter adstringentia parabilia numerantur. 6°. de cõpositione medicamen. sec. loc. 5ª. 169. F
Rosæ inter adstringentia moderatæ arida numerantur. 6°. de com. med. sec. loc. 5ª. 172. G
Rosa suauiter stringit & refrigerat. de simp. med. Sp. 89. E
Rosæ exigue adstringunt, & discutiunt. 5°. de com. me. sec. loc. 5ª. 59. B
Rosarum flos adstringit magis, quàm rosa, & exiccat. 8°. de simplicũ med. facul. 5ª. 59. G
Rosa inflammationibus hypocondriorum conueniret, nisi adstringeret. 3°. de sim. me. fac. 5ª. 18. H
Rosa medela est inflammationum in principio & augmento. 3°. de simpli. med. fac. 5ª. 21. E
Rosa stomachum confirmat. de med. fac. par. 7ª. 175. H
Rosæ oculis conueniunt. de ocul. 7ª. 188. G
Rosæ flos, frondes folium aut lignũ oculis conuenit. de ocul. 7ª. 188. G
Rosa prohibet humorẽ fluẽtẽ, pustulas, et vulnera. de ocul. 7ª. 189. C
Rosis consternebant pauimenta, cum herbis frigidis indigebant. 1°. de arte cur. ad Glau. 7ª. 99. B
Rosæ plurimæ sternẽdæ in cubiculo febricitantiũ. 10°. me. me. 7ª. 64. E
Rosæ sub renibus p imaginibus nocturnis coueniũt. 6°. de sa. t. 2ª. 100. g
Rosas accipit vel siccas vel virides sine discrimine in quo casu. 4°. de composi. med. sec. loc. 5ª. 135. D
Rosarum viridium aut siccarum non facit differentiam. 2°. de compo. med. sec. loc. 5ª. 138. G
Rosarum viridium resecat extremitates in quo casu. 4°. de composi. medic. sec. loc. 5ª. 153. H
Rosis viridibus vngues resecat & in quo casu. 4°. de comp. med. sec. lo. 153. D/8°. 5ª. 189. F
Rosarum comæ. 5°. de comp. med. sec. loc. 5ª. 166. B
Rosæ siccæ odoratas reddunt compositiones. 1°. de cõ. me. s. l. 5ª. 128. C
Rosæ siccæ folia ponuntur in theriaca. de ther. ad Piso. 5ª. 92. D
Rosa sicca cum rosaceo cerato parum resinæ vsta habente ad quid valeat. 8°. de comp. med. sec. loc. 5ª. 192. B
Rosis aridis qũo sanatus Eunuchus in Polypo, qui nullum poterat ferre medicamentum. 3°. de compo. me. sec. loc. 5ª. 148. F

pro Rosarum

pro Rosarum folijs, flore rosarum vsus est quandoque Galenus, & in quo casu. 4°. de comp. med. sec. lo. 5ª. 155. D
Rosæ succus tres habet partes ímo quatuor. 3°. de si. me. fa. 5ª. 120. F
Rosarum succi tria excrementa. 4°. de simp. med. fac. 5ª. 31. C
Rosæ succus quo modo seruetur. 3°. de simp. me. fac. 20. F/ 4°. de simp. med. fac. 5ª. 31. C
Rosarũ succus tenuis subæ, & exquisitæ. 3°. de simp. med. fac. 5ª. 18. G
Rosarum succus frigidus est in secundo. 3°. de sim. med. fac. 5ª. 19. F
Rosarum succus omnes odores obscurat cur. 3°. de simp. me. fa. 5ª. 18. G
Rosarũ succus frigidus vna cũ polẽta ad qd cõferat. 10°. m. m. 7ª. 65. B
cũ Rosarũ succo refrigerat opobalsamũ. 3°. de simp. med. fac. 5ª. 18. E
Rosarum succus internis vlceribus opitulatur. 4°. meth. me. 7ª. 28. H
Rosarum electarium. de med. exper. Sp. 108. D
℞ Rosis pastillorum confectio. 2°. de antid. 5ª. 113. D
Rosæ comparatur os matricis. de ana. viuo. Sp. 51. E
ROSACEVM ceratum, cui aliquid calcis immixtum, non est Erysipelatis medela priusquam mutatum ab eo quod fuerat, contrariũ cuadat. 14°. meth. med. 7ª. 87. E
Rosaceum ceratum valet in dysentericorum deiectionibus, vbi vehementer rodunt. 11°. meth. med. 7ª. 74. H
ex Rosaceo simplici ceratum fit pro priapismo. 14°. me. me. 7ª. 89. B
Rosaceæ coronæ iuuant ad capitis dolorem ex ardore. 2°. de compositio. med. sec. loc. 5ª. 138. C
ROSACEVM oleum, & rosaceum vnguentum in quo differant. 4°. de cõpo. med. per ge. 5ª. 239. H
Rosaceum oleum vbi cum aromatibus præparatur, vnguentum efficitur. 6°. de simp. med. fac. 5ª. 138. C
Rosaceum oleum ex rosis sine frondibus. 6°. de sa. tuen. 2ª. 98. H
Rosaceũ oleum quod optimum. 2°. de com. med. sec. loc. 5ª. 132. E
Rosaceũ oleũ pfectũ quale, & qũo fiat. 2°. de com. me. per g. 5ª. 220. A
Rosaceum oleum bonũ, quale esse debet. 2°. de com. me. se. lo. 5ª. 141. A
Rosaceum oleum debet esse recens. 2°. de com. me. se. loc. 5ª. 132. E
Rosaceum oleum quo modo odoratum per multum tẽpus maneat. 2°. de com. med. sec. loc. 5ª. 141. A
Rosaceum quale esse debet, & quo modo fiet magis frigidum. 8°. meth. medendi. 7ª. 51. F
Rosaceum omphacinum citra salem confectum, in quo casu conueniat. 10°. meth. med. 7ª. 65. A
Rosaceum cur terræ Samiæ, & lemniæ misceatur. 9°. de simp. medicamentorum facul. 5ª. 65 H
Rosaceum simplex quid sit. 10°. meth. med. 7ª. 65. B
Rosaceum oleum quale sit. 2°. de com. med. sec. loc. 5ª. 136. C
Rosaceum vt in medio eorum consistit, ex quibus est confectũ, ita vtilitatem præbet in medio tempore. 3°. de sim. med. fac. 5ª. 21. E
Rosaceum & acetum quo modo neutra. 1°. de sim. med. fac. 5ª. 6. B
Rosaceum oleum tenuis est substantiæ, & tepidæ. 3°. de simplicium medicamen. fac. 5ª. 21. G
Rosaceum an calefaciat, vel refrigeret, ambiguũ. 5°. de simplicium medicamen. fac. 5ª. 32. A
Rosaceum frigidum est in primo ordine. 3°. de sim. med. fa. 5ª. 19. F
Rosaceum refrigerare elicitur. 11°. de simp. med. fac. 5ª. 80. D
Rosaceum refrigerat, & calefacit. 1°. de sim. med. fac. 5ª. 6. B
Rosaceum oleũ qũo calefacit, & refrigerat. 3°. de sim. med. fa. 5ª. 19. B
Rosaceo, proximum oleum chamæmelinum, quando vehementem frigiditatem inducere nolumus. 2°. de compositione me. se. lo. 5ª. 132. E
Rosaceum in quibus præfertur chamæmelo. 3°. de sim. me. fa. 5ª. 18. H
Rosaceum in quo excellit myrteum. 2°. de comp. med. per ge. 5ª. 224. A
Rosaceum oleum purum adstringit. 3°. de simp. med. fac. 5ª. 21. F
Rosacei adstrictio quo modo penetrare faciat. 3°. de sim. m. fa. 5ª. 21. G
Rosaceum frigidũ sensit Galenus in se ipso penetrare. 13°. methodi medendi. 7ª. 85. H
Rosaceum penetrat, & humectat magis, quam oleum. 3°. de simpli. medicamen. fac. 5ª. 21. F
Rosaceum oleum humectat. 9°. de simp. med. fac. 5ª. 65. H
Rosaceo teruntur prædensæ coriaceæ tunicæ, quas neque oleum, neque hydrelæum mollire potuere. 3°. de simp. med. fac. 5ª. 21. F
Rosaceũ quando est potius oleo. 6°. de cõ. med. per ge. 5ª. 255. E
Rosaceũ concoquit, & repellit. 2°. de comp. med. per ge. 5ª. 220. G
Rosaceum repellit. 1°. de arte cur. ad Glau. 7ª. 100. A
Rosaceũ repellit in capitis doloribus. 2°. de com. med. sec. lo. 5ª. 137. D
ex Rosaceo oleo, & passo, ac pauca cera, quæ in vtroque sit liquefacta conficiuntur quæ dolorem mitigant, & quo modo hæc excipiantur. 2°. de arte cur. ad Glau. 7ª. 101. G
ex Rosaceo oleo, pane, & arnogloſſo cataplasma dolorem mitigãs. 2°. de arte cur. ad Glau. 7ª. 101. G
Rosaceo vtitur in capitis dolore ex plaga. 2°. de com. me. se. l. 5ª. 133. F
Rosaceum oleum immaturum quando sumi debet in capitis dolore conuenit. de remed. par. fac. 7ª. 153. E
Rosaceũ oleũ, in principio in dolore capitis calido conuenit, & in qua parte ponendum. 2°. de com. med. sec. loc. 5ª. 132. D
Rosaceo optima capitis refrigeratio. 2°. de com. me. sec. lo. 5ª. 132. E
Rosacei olei mensura in refrigerando caput, vnde sumenda. 2°. de compositione med. sec. lo. 5ª. 132. F
Rosaceo admisceri non debet succus mali punici, mali, mespili, & solani qũ caput refrigerare volumus, & quare. 2°. de c. me. sl. 5ª. 132. g
Rosaceum oleum quo modo refrigerandum in affectu calido. 2°. de cõ. po. med. sec. loc. 5ª. 132. F
Rosaceum oleum quo modo refrigerat in calidis locis. 2°. de compositione med. sec. loc. 5ª. 132. F
Rosaceo oleo quæ frigida adhibeantur in regionibus calidis. 2°. de cõpo. med. sec. loc. 5ª. 132. F
Rosaceum cum aceto inflammationibus incipientibus conuenit. 2°. de composi. med. sec. loc. 5ª. 134. C
Rosacei, & aceti vsus in principijs affectuum capitis conuenit. 10°. me thodi medendi. 7ª. 73. E
Rosaceum infundit supra caput in febre ex obstructione, ante declinationem. 8°. meth. med. 7ª. 51. F
Rosaceum in inflammationum augmentis optimum est remedium. 3°. de simp. med. fac. 5ª. 21. E
Rosaceum solum in vigore valet. 2°. de comp. med. sec. loc. 5ª. 134. C
Rosaceo, & aceto vtimur in lethargicis, & phreniticis. 2°. de compositio. med. sec. loc. 5ª. 134. A
cum Rosaceo acetum conuenit auri. 13°. meth. med. 7ª. 83. C
Rosaceum oleum purgat aures. de cathar. Sp. 95. B
Rosaceum pro capite vlcerato conuenit. de remed. par. fac. 7ª. 154. H
Rosaceũ, et aceũ in capite vulnerato cõuenit. 2°. de c. m. s. l. 5ª. 134. A
Rosaceum oleum supra craſſam membranam nudam ponitur leniter tepefactum, & in quo casu. 2°. de comp. me. per ge. 5ª. 134. B
Rosaceum conuenit in fractura cranei super meningam, vt colũbæ sanguis. 9°. de simp. med. fac. 5ª. 72. H
Rosaceo oleo cũ aceto vtimur qñ salua existẽte caluaria, volumus rosaceũ ad mẽbranã cerebri peruenire. 2°. de cõ. med. se. lo. 5ª. 134. B
Rosaceo oleo nihil melius in fractura cranei, si sit optimũ rosaceũ. 10°. de simp. med. fac. 5ª. 72. H
ex Rosaceo cũ melino caro procreatur. 2° de com. med. p ge. 5ª. 222. C
Rosaceum ex chalcitide ad fluxiones valet. 2°. de arte cur. 7ª. 101. H
Rosaceum oleosum. 2°. de comp. me. per ge. 5ª. 220. F
Rosaceũ oleosum mitigat medicamenta. 2°. de com. m. per g. 5ª. 220. D
Rosaceum acredinem remouet. 7°. de simp. med. fac. 5ª. 51. F
Rosaceo contemperanda sunt medicamenta æstate. 6°. me. me. 7ª. 38. E
Rosaceũ vinũ infrigidat vrinã pcurat & vẽtrẽ. de simp. me. Sp. 92. C
Rosaceum vinum album. 2°. de anti. 5ª. 116. F
Rosaceum vinum. 2°. de antid. 5ª. 120. F
Rosaceum vnguentum. 3°. de comp. med. sec. loc. 5ª. 145. C
Rosaceo vnguento pectus æstate vngendum. 5°. met. med. 7ª. 32. H
ROSEVM saccharum. de med. fac. par. 7ª. 175. H
Rosea caro in pulmone. de ana. viuo. Sp. 44. D
Rosea vrina, & obscura in febribus phrenitim signãt. de dy. Sp. 35. E
ROSIO in ventriculo auget febrem. 8°. meth. med. 7ª. 53. B
ad Rosiones stomachi facit sium. de sim. med. Sp. 91. D
contra Rosionem in dysenteria quæ valeant. 11°. meth. me. 7ª. 74. H
Rosionis curatio in dysenteria, non est curatio symptomatis. 11°. meth. medendi. 7ª. 74. G
ROSMARINVS quid. de simp. med. Sp. 89. D
Rosmarinus quid differat a cachry. de sim. med. Sp. 89. D
Rosmarinum montanum. 10°. de comp. med. sec. lo. 5ª. 206. F
Rosmarinus ad quid valeat. de cura icteri. Sp. 111. B
Rosmarinus efficaciter stringit & relaxat, vrinã mouet, antidotis contra maligna admiscetur. de sim. med. Sp. 89. E
Rosmarinus valet in regio morbo. 7°. de sim. med. fac. 5ª. 54. E
Rosmarina herba est oleo coquenda. 4°. de san. tu. 2ª. 87. B
pro Rosmarino quæ accipi possunt. 4°. de san. tu. 2ª. 87. B
ROSTRVM magnum cur inest gruibus, & ciconijs. 11°. de vsu partium. 1ª. 187. D

Roſtra ſiccißima ſunt.2°.de temp. 1ª.18.A
Roſtra quo modo mandantur.3° de alim.fac. 2ª.26.E
Roſtrorum variæ condituræ.3°.de alim.fac. 2ª.26.C
Roſtra ponit pro bono nutrimento inter carnes conuenientes ſtomachi cis.8°.de comp.med.ſec.lo. 5ª.192.C
Roſtris ſuillis licet veſci, ei, qui ſe exerceat.de atten.vic. 2ª.45.D
à ROTIS deraſa axungia & manu emollita ad quid iuuet, & quomodo.1°.de com.med.ſec.loc. 5ª.124.G
ROTVLA *ſupra genu quid ſit & cur.3°.de vſu par.* 1ª.134.F
Rotula a genu euulſa ſuit in quodam adoleſcente, & quo modo. 3°.de vſu partium. 1ª.134.F
Rotulæ.de dyna. Sp.29.F
ROTVNDITAS *cito pati non poteſt.de ocul.* 7ª.182.G
ROTVNDA *figura impatibilis eſt & capacisſima.7°.de vſu partium.* 1ª.158.A
Rotundum eſt remotisſimum ab iniurijs.11°.de vſu par. 1ª.189.B
Rotunda facies, & inflata magis apparere deberet in triſtitia, quam in ira ſecundum aliquos.de ana.viuo. Sp.47.A
Rotundus cur ſit ſtomachus.de ana.viuo. Sp.49.G
Rotundum ſtomachum habentes poſt prandium difficulter inſpirant et expirant.de ana.viuo. Sp.49.G
Rotunda ariſtolochia aſthmatico data.de med.exper. Sp.104.C
Rotundi lumbrici de ſtomacho educuntur.de cathar. Sp.94.G
Rotundos lumbricos quid excludat.de cathar. Sp.95.C
RVBEDO *eſt viſus qualitas.de natura humana cõmentario 1°.* 1ª.28.H
ad Rubedinem & dulcedinem declinans vinum eſt magis nutritiuũ.de diſſol.cont. Sp.73.F
in Rubedinem tendunt capilli ſi conceptus homo ſit in tribus horis ſanguinis.de ſperm. Sp.37.B
Rubedo faciei in longo morbo.ſignificat futurum abſceſſum. in 6ᵐ.de mor.vul.com.2°. 3ª.163.F
Rubedo in vrinis quid ſignificet, & cur.com.4°.aph.71°. Ex.35.C
Rubedo nebularum quid ſignificat, & quo modo ſe habeat.comment. 4°.aphoriſmo 71°. Ex.35.C
RVBENS *color calidum temperamentum ſignificat.in 3ᵐ.de morbis vulg.com.3°.* 3ª.146.D
Rubens eſt conceptus in horis bilis.de ſperm. Sp.37.C
Rubens color nocet ſanguinem expuentibus.de ſubſ.emp. Iſa.32.B
Rubens ſanguis exiens per os, malus, per inferiora, bonus. cõmen.4°. aphoriſmo 25°. Ex.30.A
Rubẽs deiectio mala in omnibus morbis.in 1ᵐ.prorr.com.1°. 4ª.161.F
a RVBRO *in albiorem quantum color flauus recedit, tantum a flauo pallidus.de vic.ra.in mor.acu.com.1°.* 7ª.119.E
Rubrũ fit flauũ vna ſimplici alteratione.1°.de nat.fac. 1ª.292.D
Rubrũ valde procliue ad melancholiam.in 1ᵐ.prorrh.c.2°. 4ª.170.H
Rubrum omnem eſt calidum.1°.de ſimp.med.ſa.2.E/2°. 5ª.10.B
Rubrum ex partibus corporis, vel humoribus nihil eſt præter ſanguinẽ, & carnem.de tum.præter nat. 3ª.82.H
Rubra eſt caro communis.de ana.viuo. Sp.55.H
Rubra caro eſt vt in pluribus membris.de ana.viuo. Sp.44.D
Rubrũ, peculiaris ſanguinis Color eſt.in 1ᵐ.de mor.vul.c.3°.3ª.121.C
Ruber color a quo gignatur in ſanguine ſecundum Platonem. 8°.de de cretis Hipp. 1ª.277.H
Ruber color cur vere fiat.de nat.hum.com.1°. 1ª.32.B
Ruber eſt color lotis.1°.meth.med. 7ª.7.G
Ruber color familiaris in febribus.in 6ᵐ.de mor.vul.com.1°. 3ª.159.g
Rubra qui videre ſe putent.1°.de ſym.cau. 3ª.15.C
Rubræ vt res appareant, faciunt venæ ex plaga ruptæ in prima tunica.1°.de ſym.cau. 3ª.15.C
Rubra facies ẽ hominis cõcepti ĩ tribus horis ſanguinis.d ſper. Sp.37.B
Ruber eſt editus homo ſi conceptũ ſperma fuerit a muliere in tribus horis ſanguinis.de ſper. Sp.37.B
a Rubro colore faciei, ſignificatur ſanguis e naribus, & abſceſſus poſt aures.in 1ᵐ.prorr.com.2°. 4ª.171.A
Rubræ & impetiginoſæ faciei remedium.de dyna. Sp.25.E
ad Rubras Maculas præſidium.de dyna. Sp.25.E
Rubra Mẽbra rubificant materiã quã cõuertũt.de ana.viuo. Sp.44.D
Rubra Potio.de dyna. Sp.32.D/F
ad Rubrum Rheumatiſmum.de paſſ.mul. Sp.96.B
Rubrum Sanguinem magis appetunt ſplen & renes quaſi ſimilem in colore, & natura.de ana.viuo. Sp.44.D

Rubri ſanguinis ſtilla nunquã viſa eſt in exitiali morbo ſed atri.in 1ᵐ. de morb.vul.com.3°. 3ª.121.C
Rubrum eſt Sputum, ſi ſanguis abundat.5°.de loc.aff. 4ª.29.H
Rubra ſputa ex ſanguine fiunt.com.6°.aph.33°. Ex.50.A
Ruber Tumor ſignificat ſanguinem.14°.meth.med. 7ª.89.D
Rubra Vina ſunt craſſiora flauis & rutilis.de bon.& vi.ſuc. 2ª.38.D
inter Rubra vina ſunt craſſiora, quæ ad nigrum vergunt. de bonitate, & vitio ſuccorum. 2ª.38.D
Rubrũ vinũ craßum dulce magis eſt nutritiuũ.de diß.cont. Sp.73.F
Rubrũ vinũ craßum aſperum in nutriendo quale.de diſſ.cont. Sp.73.F
Rubra, & ſubrubra Vrina differunt.in 1ᵐ.prorrh.com.2°. 4ª.173.A
Rubram & obſcuram vrinam habet hepatis vitium.de dy. Sp.35.E
Rubra vrina mala, quæ.in 1ᵐ.prorrh.com.2°. 4ª.172.H
Rubra vrina in quibus affectibus prædicat futurã mortẽ.d dy.Sp.35.d
Rubra vrina, & ſpißa cum ſudore in ſebrium ſynocharum augumento mortem ſignificat.de dyn. Sp.34.C
Rubra vrina mortẽ ſignificat in Phthiſi, Hidrope, Apoplexia, Epilepſia, Peripleumonia, Paralyſi, Cholica, Dyſenteria.de dyn.Sp.35.D
Rubra vrina & ſpißa frequentius egeſta in ſynocha phrenitim denunciat.de dyna. Sp.34.D
RVBESCAT, *& tumeſcat prius pars cui apponenda cucurbitula eſt. de cucur.ſcar.* 6ª.3.C
quæ non Rubeſcant corpora ex ſrictione.de cucur.ſca. 6ª.3.C
Rubeſcunt multi ante abſceſſus, præſertim poſt aures.in 6ᵐ.de morbis vulg.com.2°. 3ª.163.F
RVBETÆ *ranæ magnæ.7°.de cõ.med.per ge.* 5ª.271.D/E
contra Rubetas valet theriaca.de ther.ad Piſo. 5ª.91.F
ex Rubetis ranis acopon.7°.de comp.med.per ge. 5ª.271.B
RVBIA *tinctorũ acerba eſt & amara.6°.de ſim.med.fac.* 5ª.47.F
Rubiæ radix lienem, & iecur expurgat, vrinas craſſas multasq; et nõ nunquam, ſanguinolentas mouet, menſes et vitiligines albas iuuat, & Iſchiadicis exhibetur.6°.de ſimp.med.fac. 5ª.47.F
Rubia vrinam craßam ducit.de ren.aff.dig.& med. 7ª.196.D
Rubiæ drachmæ duæ, & maiorane drachmæ tres prouocant menſtrua. de med.exper. Sp.106.E
Rubia valet ad dyſenteriam.de vict.ra.in mor.acu.com.4°. 7ª.152.F
RVBICVNDIVS *ſolito corpus effectum ſanguinis abundantiam indicat.4°.de ſan.tuen.* 2ª.84.B
Rubicundior ſanguis qualis.1°.de cri. 4ª.130.B
RVBICVNDA *caro eſt in corde.de ana.viuo.* Sp.44.D
Rubicunda eſt caro cordis.de ana.viuo. Sp.55.H
Rubicũdi, molles, et corpulẽti quo victu nutriendi.de ſal.diæ. 2ª.40.D
Rubicũdi, molles & corpulenti vnde habẽt hoc.de ſal.diæta. 2ª.40.D
Rubicundos oculos curat ſuccus centaureæ.de vir.cen. Sp.93.B
ad Rubicunda, parua, & ſpiſſa phygethla capitis valet ſuccus centaureæ de vir.cen. Sp.93.B
ad Rubicunda, parua, & ſpiſſa vlcuſcula capitis valet ſuccus centaureæ.de vir.cent. Sp.93.B
RVBIDVS *color eſt indicium conuulſionis, & quid ſignificet.in prognoſt.com.2°.* 4ª.211.C
RVBIEN *& eſt ſepia.ſecret.* Sp.97.F
RVBIGINOSVS *humor qũo fiat.in prog.com.2°.* 4ª.202.E
Rubiginoſa bilis.in prog.com.2°. 4ª.199.F
Rubiginẽ cito cõtrahũt vaſa ex nõ puro argento.1°.de anti. 5ª.104.D
a Rubigine quo modo ferrum præſeruetur.de machin. 7ª.309.E
RVBIFICANTIA *in melancholicis qñ.de mel.ex Gal.Ru.* Sp.110.C
Rubificãs ſinapiſmus qbus conficiatur.de mel.ex G.R.& P.Sp.110.b
Rubificat ſanguinem hepar.de ana.viuo. Sp.44.D
Rubificat pulegium illitum.6°.de ſim.med.fac. 5ª.45.F
RVBOR *corporis quid ſignificet.de mul.* 3ª.81.C
Rubor quid ſignificet in membro.de frac.com.2°. 7ª.235.G
Ruborem præfert ſanguinis copiam.de mul. 3ª.81.E
Rubor ex multo calore exoritur.de frac.com.3°. 7ª.243.D
Rubor floridus exit in frictione.2°.de ſan.tuen. 2ª.69.H
Ruborem facit acetum.1°.de ſimp.med.fac. 5ª.6.E
Rubores aurium mitigat ſuccus centaureæ.de vir.cen. Sp.93.C
Rubor oculorum a vomitu malum.com.7°.aph.3°. Ex.54.B
Robur malarum in mulicre fuit quæ cum antea febre acuta oppreſſa fuiſſet ſexto die ſopore premebatur, faſtidioſa horrens, & quare. in 1ᵐ.de mor.vul.com.3°. 3ª.126.H
Rubores faciei quibus eueniant.præſ.exper.conſ. Sp.78.E
Rubor in pectore veniẽs ab angina habito, bonũ.c.7°.a.49°. Ex.58.A

Rubor eſt in parte phlegmonis. 13°.meth.me. 7ª.80.E
RVBREFACIENDO *quæ curari debent. 4°.meth.med.* 7ª.25.E
RVBRICA *lemnia quid. 9° de ſimp.med.fac.* 5ª.65.A
Rubrica lemnia quo modo differat a terra lemnia. 9°.& ſimplicium medicamẽtorum facul. 5ª.65.B
Rubrica lemnia qualis & vnde. 1°.de antid. 5ª.107.B
Rubrica ſinopis. 5°.de comp.med.ſec.loc. 5ª.160.G
Rubrica lẽnia, ſinopica qñ vti poſſimus. 7°.de com.med.ſe.lo. 5ª.183.F
RVBRIFICANTIA *trahunt, vt cucurbitula a toto corpore. 4°.methodi medendi.* 7ª.25.E
RVBRIFICATIO *eſt commune remedium ventriculi imbecillitati. 7°.meth.med.* 7ª.44.A
Rubrificatio quibus fiat. 7°.meth.med. 7ª.44.B
RVBVS *quid.de ſim.me.* Sp.89.E
Rubus frutex eſt ſylueſtris. 2°.de alim.fac. 2ª.21.H
Rubum fruticem in colle Tabiano reperiri ſupponit vt indicet lac a paſcuis alterari. 5°.meth.med. 7ª.35.A
Rubus pro lẽticula in quibus ſumãt. 9°.de com.me.ſe.loc. 5ª.204.A
Rubus nunquam foret vnam. de cog.cur.animi mor. 2ª.54.B
Rubus qualis. 6°.de compoſitione med.ſec.loc. 5ª.176.D
Rubum vnum ex medicamentis miſtionem contrariorum non habentibus. 1°.de comp.med.ſec.loc. 5ª.129.E
Rubi folia ſubſtantiæ aqueæ ſunt, & adſtringunt parum. 6°.de ſimpli. med.facul. 5ª.44.F
Rubi folia, & germina recens nata aphthas, & alia oris vlcera ſanant ſi mõdãtur, ac alia vulnera glutinare valẽt. 6°.de ſim.m.f. 5ª.44.F
Rubi canini folia ĩ Herpete exedẽte adhibẽda. 2°.de arte cur. 7ª.102.b
Rubi folia flos, & mora ad vuulã & fauces euidẽter faciunt omne profluuium idonee ſtringunt. de ſimp.med. Sp.89.E
Rubi folia ſternenda ad refrigerandum. de remed.par.fac. 7ª.153.E
Ruborum ſamitates ſternendæ in cubiculo febricitantium. 10°.methodi medendi. 7ª.64.E
Rubi germina muria, vel oxyhalme condita ſanguinem melancholicũ gignunt. 3°.de loc.aff. 4ª.18.F
Rubi germina inter oĩum praſtãtiſſima numerãtur. 2°.de ali.f. 2ª.24.C
Rubi tenera germina quibus incoquẽda, & quare. 13°.me.me. 7ª.83.G
Rubi germinorũ decoctum eſt adſtringens leue. 5°.meth.med. 7ª.31.G
Rubi ſummorum decoctum adſtringit. 4°.meth.med. 7ª.28.H
Rubi aſparagi auſteri & adſtringentes. de atten.vic. 2ª.44.D
Rubi ramuli conuenientes ſunt ſtomachicis in cibo. 8°.de compoſitione med.ſec.loc. 5ª.192.C
Rubi ramuli pro ſpatula. 9°.de comp.med.ſec.loc. 5ª.204.A
Rubi fructus quo modo appelletur. 6°.de comp.med.ſec.lo. 5ª.167.F
Ruborum fructum βάτους appellant. 2°.de alim.fac. 2ª.19.B
Rubi fructus immaturus acerbus eſt, & valde exiccat. 6°.de ſimpliciũ medic.facul. 5ª.44.G
Rubi fructus maturus eſt calidus temperatus. 6°.de ſi.me.f. 5ª.44.G
Rubi fructus exiguum habet alimentum. 2°.de alim.fac. 2ª.22.A
Rubi fructus eſt praui ſucci. 2°.de alim.fac. 2ª.22.B
Rubi canini fuluo fructu comeſto, probe iuuantur qui in febribus incidunt in morbum regium. 9°.de com.me.ſe.lo. 5ª.198.A
ex Rubi fructu medicamentum quod. 5°.meth.med. 7ª.34.C
Rubi mora innoxia ſi edantur. 6°.de com.med.ſec.loc. 5ª.169.A
Rubi mororum ſuccus habet aliquid quo roborat ſtomachum. 6°.de cõpo.med.ſec.loc. 5ª.169.A
Rubi mororum ſuccus qualis. 6°.de comp.med.ſec.loc. 5ª.171.F
Rubi acinus acidus tantum, frigidus eſt, quicquid enim eſt acidum tantum, id plane & frigidum. 4°.de ſim.med.fac. 5ª.25.B
Rubus caninus adſtringit. 1°.de comp.med.ſec.loc. 5ª.130.B
Rubus multum adſtringit. 6°.de ſimp.med.fac. 5ª.44.F
Rubus inter adſtringentia parabilia numeratur. 6°.de cõpoſitione medicamen.ſec.loc. 5ª.169.F
Rubi canini decoctum adſtringens moderatum pro gargariſmis. 6°.de compoſi.med.ſec.loc. 5ª.127.F
Rubi radices incidentes ſunt minus calidæ. 5°.de ſim.med.fac. 5ª.35.E
Rubi radix lapides renum comminuit. 6°.de ſimp.med.fac. 5ª.44.G
Rubis ſpinis ac hamis Galen⁹ ſophiſmata cõparat. & cau.pca. 3ª.95.b
RVCTANTES *bilioſa, non ſunt lauandi. de vict.rat.in mor. ac. commen. 3°.* 7ª.133.A
Ructantes acidum ventriculi vitio iuuat antidotus Zopyria. 2°.de antidotis. 5ª.115.A
Ructantibus acidum, auxilio eſt betonica. 7°.de ſimp.med.fa. 5ª.51.A
RVCTVOSIS *prodeſt lentiſcus. de ſimp.me.* Sp.86.B
RVCTVS, *rigoris, conuulſionis, tremoris, palpitationis, horroris, ſingultus, tuſſis ructus, ſternutationis, pãdiculationis, oſcitationis, dẽtium concuſſionis (triſmon graci vocant) genus commune eſt motus illegitimus, & qũo hæc in genere differãt. 2°.de ſy.cau.* 3ª.19.E
Ructus eſt in genere ſpirituum. in 1ᵐ.de mor.vul.com. 3°. 3ª.118.C
Ructus ſymptoma dici poteſt. 2°.de ſymp. cau. 3ª.21.E
Ructus vnde creatur. 3°.de ſym.cau. 3ª.27.F
Ructus excernit ventum flatuoſum. com. 5°.aph.72°. Ex.45.F
per Ructus exit flatus inutilis. 4°.de vſu par. 1ª.138.A
in Ructibus, & deiectionibus naturæ prouidentia conſpicitur. in 6ᵐ.de mor.vul.com. 5°. 3ª.189.D/E
Ructus Acidi quo modo fiant. 4°.de ſim.med.fa. 5ª.28.B
Ructus acidus qũo fiat, & ex qua materia. com.6°.aph.1°. Ex.45.H
Ructus acidi quo modo ex frigore. 3°.de ſym.cau. 3ª.25.D
Ructus acidi propter quid fiant. de vict.ra.in mor.acu.cõ. 1°. 7ª.119.E
Ructus acidi quid ſignificent. 2°.de temp. 1ª.20.B
Ructus acidus ſignificat pituitam. com.4°.apho.2°. Ex.27.F
Ructus acidus in longis leuitatibus inteſtinorum, bonum. commen. 6°.aphoriſmo 1°. Ex.45.G
Ructum acidum habentes non valde morbo laterali corripiuntur. commen. 6°.aphoriſmo 33°. Ex.50.A
ex Ructu acido cruditates nunquam conſequitur febris diaria. 8°.methodi medendi. 7ª.53.G
ad Ructũ acidũ, & ſalſum valet acetũ ſcillitũ. de me.fa. par. 7ª.178.C
ad Ructibus acidis ægrotantem ſtomachũ Aſter inexuperabilis pharmacum accommodatum. 8°.de com.med.ſec.loc. 5ª.191.E
Ructũ acidũ habẽtes coriãdro ſanãtur. 8°.de com.med.ſe.lo. 5ª.191.G
Ructus Fœtidos facit raphanus. de ſim.med. Sp.89.F
in Ructu fœtoris ſymptoma adeſt quando. de ſym.diff. 3ª.13.D
Ructus fœtentes non ſentiunt ructantes. 3°.de loc.aff. 4ª.20.G
Ructus Fumoſus vnde proueniat. 1°.de loc.aff. 4ª.5.D
Ructus Fumoſi & acidi in diuerſis fiunt. 1°.de loc.aff. 4ª.5.F
Ructus fumoſus ſigñat igneũ calorẽ eſſe in vẽtriculo. 1°.& lo.af. 4ª.5.d
Ructum fumoſum ſi quis ſenſit vt ab oris frictis, indicatur no bene eſſe concoctos cibos. 1°.de loc.aff. 4ª.5.G
Ructui malo ab ardore ſtomachi electarium vtile. de dyn. Sp.26.C
Ructus nidoroſi quibus contingat. 2°.de alim.fac. 2ª.17.C
Ructus nidoroſi & fumoſi quid ſignificent. 2°.de temp. 1ª.20.B
Ructus docet bonitatem caſei. 3°.de alim.fac. 2ª.29.B
Ructus plures oſtendant futuram ægritudinem. ars med. Iſa.67.F
Ructus mouendi inflatum habentibus ventrem. in 6ᵐ.de mor. vulgar. commen. 2°. 3ª.166.C
Ructus qũo mouet ex vaſculo anguſti oris. in 6ᵐ.de m.v.c. 2°. 3ª.166.d
RVDES *idem & formoſi deſpiciendi, & quare. in or.ſuaſ.* Iſa.3.F
Rude Læde. de remed.par.fac. 7ª.157.E
RVDICVLA *pharmaca ſupra prunas poſita in olla agitantur. 5°.de cõpo.med.ſec.loc.* 5ª.165.H
quod Rudiculã eſſe palmæ ramũ laudat. 4°.de c.me.per ge. 5ª.239.G
RVFVS *color qui ſit. 1°.de cri.* 4ª.130.B
Rufum colorem habet ſandaraca. in 6ᵐ.de mor.vul.com. 1°. 3ª.155.F
Rufum nõ ſignificat cinereũ colorẽ. in 6ᵐ.de mor.vul.c. 1°. 3ª.155.G
Rufum & flauũ eſſe diſtincta, poteſt colligi. com.4°.aph.2°. Ex.27.E
Rufum eſt albius flauo. 1°.de criſ. 4ª.130.B
Rufis ſunt colore finitimo flaui. de ſal.diæta. 2ª.40.E
Rufi non ſunt temperamento ſicco. de ſal.diæta. 2ª.40.E
Rufi ſemper ferè vti debent victu humidiori. de ſal.diæta. 2ª.40.D
Rufa aliquando ſit bilis amara, & qũo. 1°.de criſ. 4ª.130.B
Rufa caro in pulmone. de ana.viuo. Sp.44.D
Rufus color in toto corpore, vt regius morbus notat choleram peccare. com.4°.aph.2°. Ex.27.E
de Rufis & gallorum criſtis inſomnium, quid ſignificet. in 1ᵐ. de mor. vul.com. 3°. 3ª.117.H
Rufum Excrementum quid ſignificet. 1°.de cri. 4ª.129.D
Rufa Sputa fiunt ex bilioſis humoribus in morbo laterali. commenta. 6°.apho.33°. Ex.50.A
Rufum Vinum auſterum quale. 9°.de decr.Hipp. 1ª.283.F
Rufa Vrina in quibus inueniatur. de dyn. Sp.34.B
Rufa magis fit vrina, quando ſine cibo manemus. 1°.de criſ. 4ª.130.A
Rufum non poteſt eſſe cum vrina tenui. de vrin. 4ª.124.G
Rufa vrina quid ſignificet. quæſ.in Hipp. Sp.113.E
Rufa nebula in vrina ſignum coctionis. com.4°.aph.71°. Ex.35.D

Rufa vrina,& craſſa cũ hypoſtaſi rufa quid ſignificet.quæſita in Hippocratem. Sp.113.B
Rufa ſi fuerit hypoſtaſis color autem vrinæ albicans quid fieri debeat. de vri.ſign.ex Hippo. Sp.79.D
Rufa vrina ſubalbida,& ſpumoſa in ſynocha mortem ſignificat.de dynamidijs. Sp.34.C
Rufa vrina dolentibus caput ſi ſanguis de naribus fluxerit huius doloris fiet ſolutio.de dyn. Sp.34.G
Rufa,& pinguis vrina in pleuriticis mortem futuram oſtendit.de dynamidijs. Sp.34.H
Rufa quæ ſint medicamenta.2°.de comp.med.per ge. 5ª.221.E
Rufum, cicatricem ducens.5°.de comp.med.per gen. 5ª.253.G
RVFVS *interpres Hippocratis.ord.lib.ſuo.* Iſa.15.C
Ruſus Epheſius diligentiſſime fuit verſatus in Hippocratis libris. in 6ᵐ.de morb.vulg.com.1°. 3ª.156.G
Rufus epheſius ſcriptor ſimplicium fuit.1°.de antid. 5ª.100.B
Rufus quid de herbis verſibus ſcripſerit.6°.de ſimp.med.fa. 5ª.39.H
Rufus Epheſius optime ſcripſit.de atra bile. 1ª.34.C
Ruſi hieræ melancholicis exhibendæ quantitas.de melancholia.ex Galeno,Rufo,& Poſſ. Sp.109.H
Ruſi potio ſedans dolorem.7°.de comp.med.ſec.loc. 5ª.185.B
Ruſi hiera ſcabioſis,& leproſis vtiliſſima eſt.de dyna. Sp.30.D
ad RVGAS de facie tollendas.de dynam. Sp.25.G
RVGOSITAS *arteriæ,auget numerum corporum impoſitorum rugis cutem conduplicans.1°.de præſag.ex pul.* 4ª.106.D
Rugoſum corpus qđ dr a græcis.in 6ᵐ.de morb.vul.c.3°. 3ª.177.A
Rugoſa cutis quæ dicitur a græcis.in 6ᵐ.de mor.vul.c.3°. 3ª.177.A
Rugoſi cur ſenum oculi.in 6ᵐ.de mor. vul.com.1°. 3ª.158.D
Rugoſa eſt figura cordis intrinſecus.qñ conſtringit. de ana.vi. Sp.56.C
ad RVGITVS *ventris valens antidotus.2°.de antid.* 5ª.111.H
ad Rugitum ſtomachi remedium.de dyn. Sp.26.H
ob RVINAS laceſſiti quid dicant.3°.de decre.Hipp. 1ª.244.F
RVMEX medius in bonis et malis ſuccis.de bon.& vi.ſuc.2ª.37.F
Rumex ex oleribus conuenit illis,qui ſemel tantum in die comedũt. de victus rat.in morb.acu.com.4°. 7ª.145.B
RVMINANTIA *animalia habent tantum dentes inferiores. de articulis,commen.1°.* 7ª.256.G
Ruminantia animalia an habeant quatuor ventriculos ſenſus iudicat. de natura humana.com.2°. 7ª.183.D
Ruminantia habent ſextum locũ inter animalia pro diſſectione facienda.6°.de ana.admi. 1ª.90.D
RVMINATIO *in ruminante animali cuius ſit actio.de motibus manifeſtis,& obſc.* Sp.68.F
RVMINANT *cur animalia.6°.de ana.adm.* 1ª.90.D
Ruminant hœdi.6°.de loc.af. 4ª.42.B
ad RVMPENDVM *apoſtema præſidium.de dyna.* Sp.30.E
Rumpentia qualia ſint.5°.meth.med. 7ª.30.B
Rumpens emplaſtrum Aniceton dictũ.6°.de cõ.me.per ge. 5ª.256.D
Rumpens Helleſpontia Heræ.6°..de com.med.per ge. 5ª.259.E
cur RVMPATVR *facile tenue.3°.de ſymp.cau.* 3ª.77.A
Rumpitur æs conflatile facilius ductili.de machi. 7ª.309.E
Rumpi venam facit vox vehemens.4°. de lo.aff. 4ª.27.H
Rumpantur cur partes quædam luctatoribus.4°.de loc.aff. 4ª.28.A
RVPTIO Rhegma dicitur.3°.meth.med. 7ª.16.E
Ruptio quid ſit.de cau.mor.3ª.9.F/3°.meth.med. 7ª.16.E
Ruptio eſt morbus partium ſimilarium.de ſym.diff. 3ª.13.E
Ruptio eſt ſolutio continuitatis in partibus carnoſis.de diffe.mor.5.D/ de cauſ morb. 3ª.9.H
Ruptio & vlcus ſunt in muſculis.6°.meth.med. 7ª.36.G
Ruptio appellatur ſolutio continui in oſſe.4°.meth.med. 7ª.23.B
cu Ruptione & cõtuſione plurimũ fit Ecchymoſis.4°.me.m. 7ª.23.B
Ruptio vnde proueniat.11°.meth.med. 7ª.78.F
Ruptiones in thorace ſuſcitat aqua dura,& frigida.de bo.aq. Sp.75.G
Ruptionis venæ cauſa.4°.de loc.aff. 4ª.28.A
Ruptio venæ in Pulmonibus qũo cognoſcatur.4°.de loc.aff. 4ª.27.H
Ruptio intus ſuppurationis quo modo ſecundum varias partes diſtinguatur.com.7°.aph.8°. Ex.54.D
Ruptione ſanguis videtur in loco collectus,qui per diſceſſionem ſanatur.com.6°.aph.22°. Ex.48.D
Ruptione intus è tuberculi exolutio,vomitio, aut animi defectio fit. commen.7°.aph.8°. Ex.54.D
ad Ruptiones confert ſuccus centaureæ.de vir.cent. Sp.94.A
RVPTVRA *quid ſit.de cau.mor.* 3ª.9.F
Ruptura eſt affectus iridis oculorum ac membranarũ.intro. Iſa.58.D
Ruptoris inflammatio qũo fiat,& cur.de fract.com.3°. 7ª.249.G
Ruptura cauſat dolorem.com.2°.aph.6°. Ex.11.G
Rupturæ quibus dolorem afferant.in 3ᵐ.de mor.vul.com.3°.3ª.149.f
Rupturæ quibus ligantur ligamentis.1°.de comp.med.p ge. 5ª.211.F
Rupturas perſanare apparet bdelliũ arabicũ.6°.de ſi med.f. 5ª.44.H
RVPTVM *quid & quo modo.com.6°.aph.22°.* Ex.48.D
Ruptũ in muſculoſis partibus quid vocetur.de conſt.ar. Iſ.37.D
Ruptum eſt in parte carnoſa muſculi.com.6°.aph.22°. Ex.48.D
in Ruptis ſunt plures indicationes.4°.meth.med. 7ª.29.B
ad Rupta Aelij Galli theriaca bona.2°.de antid. 5ª.116.A
ad Rupta Antidotus.2°.de antid. 5ª.116.C
ad Rupta Antidotus Ariſtarchi.7°..de com.me.ſe.loc. 5ª.186.A
ad Rupta Antonij muſæ Panacea.7°.de comp.med.ſec.loc. 5ª.186.B
Ruptis idonea eſt Ariſtolochia rotunda.6°.de ſim.med.fac. 5ª.43.E
Rupta curat Betonica.7°.de ſimp.med.fac. 5ª.51.A
Ruptis auxiliatur Capparis cortex.7°.de ſim.med.fac. 5ª.41.G
Ruptis conuenit Centaurium maius.7°.de ſimp.med.fac. 5ª.50.F
ad Rupta reſiccatoria Confectio.7°.de comp.med.ſec.lo. 5ª.185.B
ad Rupta congruit Coſtus.7°.de ſimp.med.fac. 5ª.52.F
ad Rupta Emplaſtrum.2°.de com.me.per ge. 5ª.226.E
Ruptis prodeſt Helenium.de ſimp.med. Sp.83.H
ad Rupta potui exhibeatur Oloſtium.8°.de ſimp.med.fa. 5ª.57.C
Ruptis prodeſt Rha.8°.de ſimp.med.fac. 5ª.59.E
Rupta ſanat Scordion.8°.de ſimp.med.fac. 5ª.60.H
ad Rupta cum oxymelite bibitur Symphtum petræum.8°.de ſimplic. medic.facul. 5ª.65.G
Rupta quæcunque ex dorſo ad cubitum deſcendunt,venæ ſectio ſoluit. commen.6°.aph.22°. Ex.48.D
Ruptum deſcendere eſt impoſſibile.com.6°.aph.22°. Ex.48.D
ad Rupta.8°.de cõ.me.ſe.lo.188.G/7°.de comp.me.per ge. 5ª.271.G
RVRSVS duo ſignificat.com.aph.53°. Ex.42.E
RVRI faba comeditur cum ouilla,& caprina carne.1°.de alimentorum facul. 2ª.14.A
Ruri tempore æſtiuo manens aliquis quos humores coaceruet. in 1ᵐ. de mor.vul.com.3°. 3ª.117.F
Ruri quibus caput refrigeretur.2°.de com.med.ſec.loc. 5ª.132.G
Ruri qũo curauit ſe Eraſiſtratus.6°.de com.me.ſe.lo. 5ª 167.E
Ruri quid agebat hyeme Galenus.2°.de ſan.tu. 2ª.73.H
RVSTICANVS *quidam cibus apothermus.1°.de alim.fac.* 2ª.12.H
RVSTICIS *cutis ſpiſſeſcit ex ratione vitæ.de opt.ſec.* Iſa.26.B
Ruſtici ſemper peiora comedunt.1°.de alim.fac. 2ª.12.G
apud Ruſticos cibi fiunt ex farina milij & panici lacti incocta. 1°.*de alimentorum facul.* 2ª.13.C
Ruſtici tritico elixo offenduntur.1°.de alim.fac. 2ª.11.B
Ruſtici Cyprij polenta pro pane vtuntur.1°.de alim.fac. 2ª.11.H
Ruſtici lini ſemine qũo vtantur.1°.de alim.fac. 2ª.13.E
Ruſtici caſus in coli dolore.11°.meth.med. 7ª.79.E
Ruſtici ſortiſſima medicamenta petũt.2°.de arte cur.ad Gl. 7ª.107.A
RVSTICVS *Iſidori familiaris fuit.2°.de comp.med.per ge.* 5ª.222.F
Ruſtici medici antidotus ad morſus viperæ.2°.de antid. 5ª.118.B
a Ruſtico ſedis medicamentum quo vtitur Galenus.9°.de compoſitione med.ſec.loc. 5ª.204.G
RVTA gerens ſemen.8°.de com.med.ſec. loc. 5ª.189.B
Ruta viridis,& arida multũ differũt.2°.de com.me.ſe.lo. 5ª.136.D
Ruta viridis qualis.10°.de com.med.ſec.loc. 5ª.207.C
Ruta cur debeat eſſe parum ſicca.4°.de ſan.tu. 2ª.85.A
Rutæ folia viridia ad quid vtilia.7°.de comp.me.per ge. 5ª.272.D
Ruta humida ſubamara eſt.6°.de ſimp.med.fac. 5ª.41.A
Ruta ſicca exacte amara,& acris eſt.6°.de ſimp.med.fac. 5ª.41.A
Rutæ ſemen amarum.4°.de ſimp.med.fac. 5ª.26.E
Rutam præfefert cinnamomum manſum.de theria.ad Piſo. 5ª.94.H
*Ruta eſt tam cibus,quam medicamentum calidum.3°.de tem.*1ª.24.D
Ruta eſt cibus calidus.de diß.cont. Sp.74.C
Ruta eſt cibus acutus,incidens,aperiens.de diff.cont. Sp.72.F
Ruta anethum, & cæpa inter ea, quæ eduntur, differunt caliditate. 1°.de comp.med.per ge. 5ª.210.C
cũ Ruta,caricæ,& nuces ſi edantur ante cibum,valent contra medicamenta lætalia.2°.de alim.fac. 2ª.21.A
Rutæ,& centauræ decoctio datur contra morſum rutulæ.de medicinis expertis. Sp.106.F

Ruta calida est cũ subtili substantia. 2°. de arte cur. ad Glau. 7ª.104.G
Rutæ vires. de simp. med. Sy. 89.D/*de remed. par. fac.* 7ª.174.G
Rutæ semen exiccat. 5°. de simp. med. fac. 5ª.38.C
Ruta calefacit, incidit, & attenuat. de atten. vic. 2ª.44.B
Rutæ præsertim syluestris semẽ incidit corpulẽtiũ. 14°. m. m. 7ª.91 D
Ruta stomachũ erigit, tussientibus prodest, colli dolorẽ sedat, vrinã & mẽstrua prouocat, partũ si plus sumat expellit. de sim. m. Sp. 89.D
Ruta vrinas mouet, flatus extinguit, & ad inflationes competit. 8°. de sim. med. fac. 5ª.58.D
Ruta inflationem sedat. 14°. meth. med. 7ª.88.F
Ruta minuit inflationem. de diß. cont. Sp.74.G
Ruta digerit inflationem. de ren. aff. dig. & med. 7ª.194.B
Ruta excitat strangulatus vteri, olfactu. 9°. de c. me. sec. lo. 5ª.205.G
Ruta pro doloribus internis ex frigore facit quia medetur frigori. 2°. de simp. med. fac. 5ª.12.C
Ruta valet in frigida diſpõne dolentis partis. 2°. de arte cur. 7ª.104.G
Rutæ frondes sternendæ pro his qui nocturnas habẽt veneris imagines. 6°. de san. tuen. 2ª.100.G
Rutæ semen pro priapismo. 14°. meth. med. 7ª.89.B
Rutæ succus est oculorum cenoticus. de cathar. Sp.95.B
Ruta in oleo coquitur, atque eo pro clysteri vtitur Galenus in dolore ex flatu, & humore. 11°. meth. med. 7ª.80.A
ex Ruta compositio qualis, & ad quẽ vsum. 9°. de c. me. s. l. 5ª.204.H
Ruta facit dolere caput. de diß. con. Sp.74.E
Ruta pruritum mouet. de cathar. Sp.95.D
IVTA *syluestris est moly, & Besanũ. 8°. de sim. med. fac.* 5ª.58.E
Ruta syluestris cuius sit virtutis. 7°. de simpli. med. fa. 5ª.56.F
Rutæ syluestris semen calidissimũ. 10°. de cõ. med. sec. lo. 5ª.207.C
Rutæ semen fortissimum vt medicamentum. de atten. vic. 2ª.44.E
Rutæ syluestris semine vtitur. 7°. de com. me. se. l. 185.C/ 5ª.186.G/H
Rutæ ramulo vtitur pro spatula. 7°. de compositione medicamen. secũ. loc. 180.A/182.A/9°. 5ª.202.E
RVTAEVLVM *ferreũ quare delinendum. 1°. de antid.* 5ª.107.G
RVTACEVM *oleum flatus sanat. 8°. meth. med.* 7ª.53.F
Rutaceum oleum pro capitis dolore ex frigore bonum. de remediis paratu facilibus. 7ª.153.H
Rutaceo oleo in quo dolore vtatur Galenus. 2°. de loc. aff. 4ª.9.D
Rutaceum oleum facit ad dolores coli. 11°. meth. med. 7ª.79.A
Rutaceum per sedem impositum in coli dolore quid effecerit. 11°. met. medendi. 7ª.78.H
contra RVTELÆ *morsum datur decoctio rutæ, & centaureæ. de medicinis exper.* Sp.106.F
RVTILA *vina flaua sunt mediocriter dulcia. de bonitate, & vitio succorum.* 2ª.38.C
Rutila, & tenuis vrina quid significet. de vri. sign. ex Hip. Sp.78.G
PYMMATOΣ. 8°. *de simplicium medicamentorum facultatibus.* 5ª.60.F

SABANIS *balnei fit mentio. de dyn.* Sp.29.D/G
SAPERNIO *valenti composita podagræ cui titulus est Pompei pretiosa. 7°. de compositio. med. per gen.* 5ª.270.H
SABINA *calida & sicca est tertio ordine. 6°. de simp. med. fac.* 5ª.45.C
Sabina aromatica est. 6°. de simp. medicam. facul. 5ª.45.C
Sabina fortiter exiccat vt cupressus. 6°. de simp. med. fac. 5ª.45.A
q̃ Sabina magis adstringit cupressus. 6°. de simp. med. fac. 5ª.45.C
Sabina cõuenit putredinibus vt cupressus. 6°. de sim. me. fac. 5ª.45.C
Sabina carbunculos soluit, menses prouocat, & sanguinem per vrinas mouet, fœtum etiam viuentem interficit, & mortuum educit. 6°. de simpli. med. fac. 5ª.45.C
Sabina menses, & vrinas prouocat. 5°. de simp. med. fac. 5ª.38.A
Sabina matricem purgat. de cathar. Sp.95.C
Sabina gleucino vnguento inditur. 6°. de simp. med. fac. 5ª.45.C
Sabina cur ingrediat in multas antidotos. 6°. de simp. me. fa. 5ª.45.C
Sabinæ duplum pro cinnamomo quidam subijciunt. 6°. de simplicium medicamentorum facul. 5ª.45.C
Sabinæ herbæ meminit. de remed. par. fac. 7ª.156.E
SABINVM *oleum optimum vbi. 2°. de comp. med. sec. loc.* 5ª.133.B
Sabinum oleum tenue est. 6°. de simp. med. fac. 5ª.40.H
Sabinum oleum tenuium partium est. 1°. de compositione medicamentorum secundum locos. 122.A/3°. 5ª.140.F/10°. methodi med. 6°. A/11°. 72.G/14°. 7ª.88.B
Sabinum oleum tenuissimum est omnium. 6°. meth. med. 7ª.37.D
Sabinum oleum non adstringit. 3°. de san. tuen. 2ª.79.B
Sabinum oleum dilatans est. 8°. meth. med. 7ª.51.D
Sabinum oleum habet vim relaxandi. 4°. de san. tuen. 2ª.86.H
Sabinum oleum in Italia relaxat. 3°. de san. tu. 2ª.81.B
Sabinum oleum vetus melius est. 3°. de san. tuen. 2ª.81.C
Sabinum oleum pro vetere. 10°. de composi. medica. sec. loc. 5ª.209.C
Sabino oleo contemperanda medicamenta hyeme. 6°. me. m. 7ª.38.E
cũ Sabino oleo abrotonum ad alopecias conuenit. 6°. de simpliciũ medicamen. facul. 5ª..40.H
Sabini olei meminit. 1°. de comp. med. sec. loc. 5ª.131.A/B
Sabino oleo quod simile. 4°. de san. tu. 2ª.86.H
SABINVM *vinum nobile appellat. 7°. met. med.* 7ª.45.F
Sabinum vinũ quale. 4°. de sa. tu. 85.G/5°. 2ª.90.H/1°. de antidotis. 5ª. 100.H/12°. meth. med. 76.D/2°. de arte cur. ad Glau. 7ª.102.E
Sabinum vinum austerum & dulce est. 4°. de sim. med. fa. 5ª.26.F
Sabinum vinum pauciferum. de vinis. Sp.76.D
Sabinum vinum imbecillum in Italia. de vinis. Sp.76.D
Sabinũ vinum in Italia aquosum est. 2°. de com. med. sec. lo. 5ª.133.D
Sabinum vinum aquosum facile fit acidũ, et amarũ. de vinis. Sp.77.A
Sabinũ vinũ in Italia pro siccis bonũ est, & quale sit. 7°. m. m. 4ª.45.E
ex Sabinis vinis non nulla tutò bibuntur. de bon. & vit. suc. 2ª.38.F
ex Sabinis vinis nõ nulla sunt oĩno exinanita. de bo. & vit. su. 2ª.38.F
Sabinũ vinũ est aptissimum cõpositioni mellis. 5°. de sa. tu. 2ª.91.C
Sabino vino similia sunt Tiracazenũ, & Ariusiũ. 2°. de sa. t. 2ª.90.H
SABINVS *interpres fuit Hippocratis. de or. lib. suo.* Isa.15.C
Sabinus, & Metrodorus Hippocratis interpretes, & quales. in 3m. de mor. vul. com. 1°. 3ª.129.D
Sabinus in Hippocratis libris diligẽtissime versatus fuit. in 6m. de mor. vulg. com. 1°. 5ª.156.G
Sabini Põpei pretiosum qđ inscribitur. 7°. de com. me. p ge. 5ª.271.D
Sabini pannus. secre. Sp.97.E
SACCHAR vnde vehatur. 7°. de simp. med. fac. 5ª.55.E
Sacchar minus dulce melle est. 7°. de simp. med. fac. 5ª.55.E
Sacchar non est inimicum stomacho, nec facit sitim vt mel facit. 7°. de simp. med. fac. 5ª.55.E
Sacchar um est inter detergentia. 8°. meth. med. 7ª.52.G
de Saccharo meminit. de ren. aff. dign. & med. 7ª.196.D
Sacchar tritum. de med. fac. par. 7ª.174.A
de Saccharo syrupus. de cura lap. Sp.112.B
Saccharum cautium. de med. fac. par. 7ª.175.C
Saccharum roseum. de med. fac. par. 7ª.175.H
SACCVLI *à medicis vocati. 9°. de decr. Hip.* 1ª.282.F
Sacculi pleni milio calido cuius sint vsus. de ijs, q̃ in m. fi. c. 3°. 7ª.222.E
per SACCVM *colat. 9°. de com. med. sec. loc.* 5ª.202.E
SACCVS *intestinum ubi sit. de ana. parua.* Sp.43.A
SACRA *herba aceto sula. de cura icteri.* Sp.111.B
SACER *ignis a qua materia fiat in 3m. de mor. vul. com. 3°.* 3ª.141.F
Sacrum ignem facit fluxio. in prog. com. 2°. 4ª.202.D
Sacro igni proprie facit coriandrum. de simp. med. Sp.82.E
Sacrum ignem curant folia myrtæ. de simp. med. Sp.87.F
ad Sacrum ignem illinitur terra cimolia. de simp. med. Sp.85.B
ad Sacrum ignem remedium. de dyna. Sp.30.D
ad Sacrum ignem, vel calorem membrorum remedium. de dy. Sp.30.E
SACRVM *medicamentum ex dictamno virtute mirandum. 5°. de compositio. med. per ge.* 5ª.249.A
Sacrum ex dictamno vocatum. 2°. de com. me. per ge. 5ª.223.F
Sacrum ex vulcani templo in Memphi. 5°. de com. me. per ge. 5ª.246.H
SACER *morbus cur dictus morbus comitialis. in 6m. de morb. vulgar. commen. 6°.* 3ª.197.D
de Sacro morbo liber est Hippocratis. in prog. com. 1°. 4ª.190.D
SACRVM *os coccygem græci appellant. 2°. de ana. admi.* 1ª.71.A
Sacrum os quod etiam latum dicitur. 6°. de ana. adm. 1ª.93.G
Sacrum os quale. de ossi. 1ª.42.D
Sacrum os est spinæ pars. 12°. de vsu par. 1ª.196.G
Sacri os sis spina similis alijs. de oss. 1ª.42.D
Sacrum os quibus compositum. de oss. 1ª.42.D
Sacrum os ex quatuor spondylis, vel ossibus est constitutum. 12°. de vsu partium. 1ª.196.G

Sacrum os vnde oriatur. 13°. de vsu par. 1ª.201.E
Sacri ossis ligamentum quale. 13°. de vsu par. 1ª.201.G
Sacri ossis cum alijs iunctio. 14°. de vsu par. 1ª.208.H
Sacri ossis dearticulatio, & epiphysis vbi est. 13°. de vsu p. 1ª.201.F
Sacri ossis vtilitates quot sint. 13°. de vsu par. 1ª.201.E
Sacrum os cur maximum, & infernum. 12°. de vsu pa. 1ª.197.H
SACRIFICIORVM *mos. 2°. de dec. Hipp.* 1ª.236.H
Sacrificiis quæ sint meliora scire, & edocere. 3°. de vsu pa. 1ª.133.C
Sacrificiorum cibis curabãt medici altarium. de med. exp. Sp. 104.A
Sacrificiorũ cibis curãtes medicos altariũ nõ dãnat. d me. ex. S. 104.a
SACRILEGIS *in admiratione est Salmoneus. 1°. me. me.* 7ª.3.G
SADIB .i. folia nucellæ. de dyn. Sp.24.B
SEPENVMERO quid significet apud Galenum. 5°. de simpli. medic. fac. 5ª.36.D
SAGADINVM opobalsamum cur dictum. 1°. de anti. 5ª.101.f
SAGAPENI *quid. de simp. me.* Sp.90.B
Sagapenum quomodo adulteratur. de simp. med. Sp.90.B
Sagapenum chalbano adulteratur, & quomodo cognoscitur adulteratum, & quid sit sagapenum. 1°. de anti. 5ª.105.A
in Sagapenum transit chalbani pars quædam quæ spumosa, & leuis est. 1°. de antidotis. 5ª.105.A
ſm Sagapenum, cinnamomum, & opocalpasum, quædam prouenunt, quæ neq; chalbanum, neq; myrrha, neq; casia sunt, tñ non sunt perfecte sagapenum, opocalpasum, aut cinnamomũ. 1°. de an. 5ª.105.B
Sagapenum e chalbano quomodo cognoscatur, & in quo differt a vero sagapeno. de antidotis. 5ª.105.C
inter Sagapenum, & chalbanum quid intersit. 1°. de anti. 5ª.105.C
Sagapeni essentia attrahens est, & sponte nata. 5°. de sim. m. f. 5ª.36.E
Sagapenum attrahit. de ocul. 7ª.188.F
Sagapenum trahit a profundo. 6°. me. me. 7ª.37.D
Sagapenum quale. 8°. de simp. me. fac. 5ª.60.A/*de ocul.* 7ª.188.G
Sagapenum pro succo cyrenaico sumitur, & est tenuium partium, & calidum. 3°. de comp. me. per ge. 5ª.228.E
Sagapeni liquor acris est. 4°. de comp. me. se. loc. 5ª.149.F
Sagapenum cum acrimonia viscide laxat. de simp. med. Sp.90.B
Sagapeni succus ad quid vtilis. in 6m. de mor. vul. c. 6°. 3ª.196.B
Sagapenum oculis conuenit. de ocul. 7ª.188.G
Sagapenũ oculorũ cicatrices expurgat, & extenuat, suffusionibus & hebetudinib⁹ ob humorũ crassitiẽ remediũ ẽ. 8°. d sim. m. f. 5ª.60.a
Sagapenum maturat. de ocul. 7ª.189.C
Sagapenum ingreditur theriacam. de theri. ad Pis. 5ª.92.F
Sagapenum liquatur aqua, aceto, & vino. 3°. de composi. medicamẽ. per gene. 5ª.233.F
SAGAX *vir qua vna distinctione reddetur peritus demonstrandi. 9°. de dec. Hipp.* 1ª.285.G
in SAGINATIS *bene cutis est distenta. in 6m. de morbis vulgaribus commen. 3°.* 3ª.176.E
SAGINAT *boues erbum. de simp. med.* Sp.85.B
ex SAGITTIS *ad plagas quid prosit. de virt. cent.* Sp.93.G
pro Sagittis eximendis opus est noscere partium vtilitatem. 17°. de vsu par. 1ª.222.G
SAGITTANDI *arti præsunt Apollo & Aesculapius. in oratio. suasoria.* Isa.2.C
Sagittandi ars coniecturalis est intro. Isa.51.F
Sagittandi artis ad medicinam comparatio. 2°. de crisi. 4ª.134.A
SAGITTARIVS, *aries, leo sunt planetæ orientales calidi, ignei, & sicci. de sper.* Sp.39.A
Sagittarius calidus est in primo gradu, siccus ĩ secũdo. de spe. S. 38.H
Sagittarij natura circa ægritudines. de dec. prog. ex math. sci. S. 15.B/c
SAL est genus terræ. de vtil. resp. Sp.64.F
Sal est terra incensa. de vti. resp. Sp.64.F
Sal quomodo fiat ex incensis calamis. de vti. resp. Sp.64.F
Salis in modum indurescit vinum suspensum ad ignem in vtribus euaporante aqua in quadam regione. de vtil. resp. Sp.64.F
in Sale calor egit. de vtil. resp. Sp.64.F
a Sale qũo differãt nitri spuma, & laxũ aphronitrũ. 3°. d al. f. 2ª.33.c
inter Salem, & aphronitrum est aphrolitrum. 9°. de simplicium med. facul. 5ª.68.G/H
in Salis, & aphrolitri medio est nitrum. 11°. de simp. med. fa. 5ª.83.E
Salis differentiæ quæ. 4°. de simp. me. fa. 30.G/9°. 5ª.68.F
Salis Albi meminit. 6°. de comp. me. per ge. 5ª.262.G
Salem Amarum habet mare mortuum. 4°. de simp. me. fac. 5ª.30.C
Sal Ammoniacum quale sit. de ocul. 7ª.188.H
Sal ammoniacus acris est. 6°. de comp. me. per ge. 5ª.256.F
Sal ammoniacum extrahit, & digerit. 2°. de com. me. per g. 5ª.221.B
Sal ammoniacus qualis ad vicera. 6°. de comp. me. per ge. 5ª.255.C
Sal ammoniacum oculis conuenit. de ocul. 7ª.188.G
Sal ammoniacum valet cõtra vngulas, scabies palpebrarũ, pruritus & crassas pustulas. de ocul. 7ª.189.C
Salis Armoniaci fit mentio. de simp. med. Sp.90.A
Sal Assatum. 5°. de comp. me. sec. loc. 5ª.160.E
Salis flos, & spuma qualis. 11°. de simp. me. fa. 5ª.83.E
Salis flos qualis. 2°. de art. cur ad Glau. 7ª.104.D
Salis flos aquæ marinæ mistus pro corpulentis, & hydropicis idoneus est. 14°. me. me. 7ª.91.E
Salis flos sanat splenes duros. 2°. de arte cura. ad Glau. 7ª.104.D
Salis flos cuius vsus. 3°. de cõp. me. se. lo. 143.D/8°. 193.A/7°. de cõp. me. per ge. 275.H/5ª.266.C/6°. met. me. 7ª.37.G
Sal Fossitius vel fossilis. 6°. de composi. medica. per gene. 261.E/H/ 262.A/D/ 5ª.271.A/D/F/H
Sal fossilis inter metalla numeratur. 9°. de simp. me. fac. 5ª.68.F
Sal fossilis qui. de simp. med. Sp.89.H
Sal fossilis qualis. 4°. de simp. me. fac. 5ª.30.F
Sal quisque siue fossilis sit, siue e Mari oriundus adsimilẽ habet vim. 9°. de simp. me. fac. 5ª.68.F
Salis fossilis meminit. 3°. de comp. me. se. lo. 5ª.148.B
Sal fossitius. 7°. de comp. me. per ge. 5ª.267.B
Sal Glebosus cum pulegio quo modo medicamentum est apophlegmaticum. de reme. par. fac. 7ª.154.F
Sale Hispano vtitur. 9°. de comp. me. se. lo. 200.C/ 5°. de comp. medic. per gene. 251.E/6°. 5ª.261.F
Salis inquinatis meminit. 7°. de comp. me. per ge. 5ª.270.G/H
Sale Loto vtitur. 5°. de comp. me. se. lo. 5ª.166.A
Salis Marini, & fossilis differentiæ. 11°. de simp. me. fa. 5ª.83.C
Sal marinus qualis. 4°. de simp. me. fa. 5ª.30.F
Salis Romani. secret. Sp.98.G
Salem Sodomenum qualem esse dicat. 4°. de simp. me. fa. 5ª.30.F
Sal ex stagnis qui nascitur eiusdem speciei est cum marino. 11°. de sim. med. fac. 5ª.83.C
Sal, & anethum miscenda in coctione viperæ pro Theriaca. de theriaca ad Piso. 5ª.95.F
Sal qñ ponendum in viperarum coctione, & qñ nõ. 1°. de ant. 5ª.104.b
Sal theriacæ cur imponitur. 11°. de simp. me. fa. 5ª.78.D
Sal aufert venenum viperæ. de theria. ad Pi. 5ª.94.A
Sal venenis aduersatur, & qũo. in 6m. de mor. vul. c. 6°. 3ª.196.G
Sal theriacum quo modo conficiatur. de subsi. empi. Isa. 34.B/ 11°. de simp. med. fa. 5ª.78.D
Sales theriaci quomodo conficiuntur, & quando eorum coctura perfecta. de ther. ad Pis. 5ª.97.F
Sales theriaci quales. de Ther. ad Pis. 5ª.97.D
Sales theriaci ad quæ conferant. de ther. ad Pis. 5ª.97.D
Sal ex viperis potenter extenuat. 14°. me. me. 7ª.91.E
Sal theriacum sanat elephantiasim. de subsi. empi. Is.34.B
Sale Torrefacto vtitur. 5°. de comp. me. se. lo. 5ª.164.A
Sal Tragasius qualis. 11°. de simp. med. fa. 5ª.83.C
Sal Vstus qualis. 11°. de simp. me. fac. 5ª.83.E
Sal Vstus in his conuenit in quibus putredo suspecta. 11°. de simp. me dic. facul. 5ª.83.D
Salis vsti meminit. de med. fac. par. 7ª.174.A
SAL *quale sit. de ocul.* 7ª.188.H
Salis facultas quæ. 3°. de ali. fa. 2ª.33.C/ de simp. med. Sp.89.H
Sal non excedit fines tuendæ sanitatis. 1°. de san. tu. 2ª.68.H
Sal, & omphacium contraria. 6°. de comp. me. se. lo. 5ª.174.D
Sal calefacit valde & adstringit parum. 6°. de cõ. me. per ge. 5ª.256.b
Sali omni inest vis quædã adstringendi obscura. 4°. de si. m. f. 5ª.30.f
Sal adstringit. 9°. de simp. me. fa. 5ª.68.G
Sal adstringit potius q̃ purget. 2°. de comp. me. per ge. 5ª.222.A
vt Sal siccant, & non habent vim adstringendi Asiæ petræ flos, nitrũ, & aphronitrum. 2°. de comp. me. per ge. 5ª.222.A
Sal orexim facit fastidiũ, auertit, nauseã prohibet. de simp. m. S. 89.H
Sal omnibus cibis admistus conuenit. de simp. med. Sp.89.H
Salis loco medicamentum ad obsonia. 4°. de san. tu. 2ª.86.E
cum Sale sunt comedenda cerebra. de dis. cont. Sp.74.F
cũ Sale coctum ouum, habet partibus facultates diuersas. de victus

ratione in morbis acutis, com.1°. 7ª.111.H
Sal ī qbus cibis posit ū est, si dissoluāt, ac attenuāt. de diff. cōt. S.72.F
Sal mistum cum attenuantibus, auget illis vim. de atten. vic. 2ª.44.C
Sale gustato q̄ gustato salsa vidētur. in 6m. de mo. vul. c. 5°.3ª.192.c
Salis minimū i aqua dulcissima si bulliat fit salsior. 3°. *de al. f.* 2ª.32.b
Salis & anethi parum habet alica. 8°. *me. me.* 7ª.51.B
cū Sale tenuato, aceto, & garo præparatis ficubus vulgo vescuntur, & quare. 2°. *de ali. fac.* 2ª.17.F
Sal quando debet poni in iusculis. 2°. *de comp. me. se. lo.* 5ª.133.E
Sal debet addi in pane. de bon. & vitio. succ. 2ª.34.E
Salem debet recipere panis lenum. 5°. *de san. tu.* 2ª.91.E
Salem pani addebant. 8°. *de simp. me. fa.* 5ª.59.D
Salis modus in pane qui. 1°. *de ali. fa.* 2ª.10.G
de Sale in pane quomodo iudicet gustus. 1°. *de ali. fac.* 2ª.10.G
Salem in pane ponit etiam in siccitate. 7°. *me. me.* 7ª.45.C
cum Sale panis sumendus ante balneum. 6°. *de san. tu.* 2ª.96.G
Sal non est balneis inspergendū, & quare. 1°. *de arte cu. ad Gl.* 7ª.97.b
Sale cur inspergendus infantulus. 1°. *de san. tu.* 2ª.65.A
ex Salium esu pediculi exeunt. de ther. ad Pi. 5ª.97.E
Sal cur carnes seruet. 4°. *de simp. me. fac.* 5ª.30.F
ob Salem temperaturam mutat caro. 11°. *de simp. me. fa.* 5ª.78.E
Sal remouet viscositatem piscium. de diff. cont. Sp.73.H
Sal lacti admistetur, ne fiat caseus in ventriculo. 3°. *de ali. f.* 2ª.27.G
Sal facit ne lac coaguletur in ventriculo. 10°. *me. me.* 7ª.67.B
Salis aliquid & mellis miscendum lacte asinæ. de victus rat. in morb. acut. comme. 4°. 7ª.138.E
cum Sale lac ad aluum citius descendit. 5°. *me. me.* 7ª.35.A
*Sal, & mel qñ maxime admiscent caseo lenit vētrē. de dif. cō. S.*75.a
Sale, & melle conditum serum lactis citat aluū, & valet suspēsis ilijs com. 5°. *apho.* 64°. *Ex.* 44.F
Sal & mel simul, qualia sint. 6°. *de comp. me. se. loc.* 5ª.174.D
Sal, mel, & aloe ventrem purgant. de cathar. Sp.95.D
ex Sale vel nitro vel aphronitro cum mulsa fit clyster p phlegmone cauę partis iecoris inter ini io. 13°. *me. me.* 4ª.84.A
Sal euacuat scybala. de cathar. Sp.95.D
ex Sale emplastrum digerens. 6°. *de comp. me. per ge.* 5ª.258.G
ex Sale emplastrum ad extrahendū. 6°. *de comp. me. per g.* 5ª.261.c
Sal digerit. intro. Isa.58.B
Sal discutit cum pauca adstrictione. 6°. *de comp. me. se. lo.* 5ª.173.E
ex Sale discussoria Damocratis. 6°. *de comp. me. per ge.* 5ª.262.G
Sal medicamentum fortissimum est ad achoras. 1°. *de composi. medic. sec. locos.* 5ª.129.D
ex Sale fotus quales. de vict. ra. in mor. acu. com. 2°. 7ª.116.F
ex Salibus fomenta cur nō bona ī capite. 2°. *de cō. me. f. l.* 5ª.137.F g
Sal capiti imponendum pro resoluenda materia, quando dolet: 1°. *de art. cur. ad Glau.* 7ª.100.B
ex Sale, & milio fomentum. 5°. *de comp. me. se. lo.* 5ª.163.F
ex Sale, & milio fomentū quale. de vic. ra. ī mor. acu. c. 2°. 7ª.117.a
ex Sale frictо fomenta ad dentium dolorem. de rem. par. fa. 7ª.157.d
ex Sale calefacto fomenta fiunt in dolore mediocri. 2°. *de arte cur. ad Glau.* 7ª.104 G
citra Salem debet esse confectum oleum. 10°. *me. me.* 7ª.65.A
ex Sale oleum dicitur oleum abusiue. 3°. *de san. tu.* 2ª.79.B
Salem ponunt aliqui in oleum rosatum. 6°. *de san. tu.* 2ª.98.H
cum Sale oleum pro œdemate facit, si his perfricentur crura & ī quo genere œdematis. 14°. *me. me.* 7ª.87.F
cū Salē habēte oxyrhodino confert pfricare crura in œdemate quod multitudinis ē, q̄ hoīem premit, symptoma. 14°. *met. me.* 7ª.87.F
ex Sale iniecto oxyrhodino, œdema in prauis affectibus curatur. 2°. *de ar. cur. ad Glau.* 7ª.103.F
ex Sale, & oleo frictо œdema in prauis affectibus curat. 2°. *de ar. cu. ad Glauc.* 7ª.103.F
Sal ad gangrenas quomodo confert. 2°. *de arte cur. ad Gla.* 7ª.107.a
Salem adde si phlegmon sit scirrhosior. 12°. *me. me.* 7ª.81.D
Salis vsus quando in phlegmone conueniens. 13°. *me. me.* 7ª.81.B
Sale in principio vti non debemus in quo casu. 6°. *de composi. medic. sec. loc.* 5ª.174.D
Sales quomodo iuuent ad exiccandum vehementius tumorem. 2°. *de art. cur. ad Glau.* 7ª.105.E
SALAMANDRA *animal est frigidum, & frigida iudicatur ab omnib.* 3°. *de simp. me. fa.* 5ª.17.H
Salamandra est frigida. 3°. *de temp.* 1ª.21.G
Salamandra ad certum tempus non vritur ab igne, postea vritur si longiori tempore igni admoueatur. 3°. *de. temp.* 1ª.23.H
Salamandræ cinis quibus valeat. 11°. *de sim. me. fac.* 5ª.82.F
Σαλεύω *quid significet. de art. com.* 3°. 7ª.279.B
SALIENTIBVS *viscera præcipue agitantur.* 2°. *de san tu.* 2ª.75.C
SALINAE *halæ a græcis dicuntur.* 9°. *de simp. me fa.* 5ª.68.F
*Saliti casei aqua est cibus salsus dissoluēs, ac attenuās. & dif. cō. S.*72.f
Salitæ carnes potius siccant q̄ recentes 5°. *de san. tu.* 2ª.92.D
Salitæ carnes sunt tarde & paulatim nutriētes. c. 2°. *ap.* 18°. *E.* 13.G
Saliti pisces leuis carnis, & paucæ pinguedinis sunt cibi salsi dissoluentes ac attenuantes. de diff. cont. Sp.72.F
Saliti pisces & antiqui generant melancholiam. de diff. cōt. Sp.74.B
Salita omnia recentibus meliora sunt pro senibus. 5°. *de sa. tu.* 2ª.91.d
a Salitis abstinendū in tertiana. 1°. *de ar. cur. ad Glau.* 7ª.97.D
Salita plura comedunt Alexandrini. 2°. *de ar. cu. ad Glau.* 7ª.107.E
SALIVA *est pituita & quot genera pituitæ.* 3°. *de loc. aff.* 4ª.18.A
Saliua excernitur in corpore humano. intro. Isa.55.B
Saliuæ generatio numeratur inter ea, quæ prouide a natura fiūt. in 6m. de mor. vul. c. 5°. 3ª.189.B
Saliua vnde feratur. 2°. *de semi.* 1ª.340.C
Saliuam in os cur mittant glandulæ. 2°. *de sem.* 1ª.340.D
Saliuę hauritorium dicitur glandula quæ posita est in radice linguæ. de ana. viu. Sp.55.H
Saliuam generantes glandulæ sunt magno vsui. 14°. *me. me.* 7ª.90.C
Saliuæ qualitas circa linguam mutatur. de symp. diff. 3ª.13.C
Saliua est in lingua, & ipsam sibi assimilat. com. 5°. *aph.* 39°. *Ex.* 41.c
Saliuam copiosam prouocat Pyrethrum. de sim. p. med. Sp.88.H
Saliuam expuere facit glacies. 8°. *de comp. me. se. lo.* 5ª.192.H
per Saliuam purgatur os. de cathar. Sp.94.G
Saliuæ copia ostendit temperamentum cerebri. 2°. *de temp.* 1ª.20.F
Saliua quas vires det rebus masticatis. 5°. *de comp. me. se. l.* 5ª.159.c
Saliuæ differentiæ. 10°. *de simp. me. fa.* 5ª.75.F
Saliua quando imbecilla, quando valida. 10°. *de simp. me. fa.* 5ª.75.F
Saliua q̄ iuuet, probatur. 10°. *de simp. me. fa.* 5ª.75.G
Saliua sanantur lichenæ puerorum. 10°. *de simp. me. fa.* 5ª.75.F
Saliua multa in aphthis quid significet. 6°. *de comp. me. se. l.* 5ª.175.F
Saliua aduersa est tota substantia venenosis bestijs. 10°. *de simpl. med. facul.* 5ª.75.G
Saliua hominis viperam necat. de inæq. intemp. 3ª.44.C
Saliua esurientium cito necat scorpionem. 10°. *de simp. me. fa.* 5ª.75.G
Saliua quando est amara. de pass. mul. Sp.95.F
Saliuam salsam habēt ieiunantes, amaram plus ieiunantes. 4°. *de sim. med. fac.* 5ª.29.A
Saliua matutina vtitur, & ad quid faciendum. 4°. *de composi. medic. sec. loc.* 5ª.158.B
Saliuæ venenatorum animalium minimum si sumatur, lædit. 5°. *de simpl. med. fac.* 5ª.37.C
Saliua venenatorum animalium, genere, non quantitate obest. 5°. *de simp. med. fa.* 5ª.37.C
Saliua vtitur ad medicamentum humectandum, & coniungendum. 5°. *de comp. me. per ge.* 5ª.253.H
Saliuam multam qui in stomacho aggregant, quomodo curandi. 8°. *de comp. med. se. loc.* 5ª.192.A
ad Saliuam nimiam ex ventriculo. de rem. par. fac. 7ª.159.B
SALIVNCAE *fit mentio. de dy.* Sp.31.D
SALIX *sicca sine morsu est.* 6°. *de simp. me. fa.* 5ª.48.H
Salicis folus ad vulneris cruenti glutinationem vti possumus. 6°. *de simp. med. fac.* 5ª.48.H
ex Salice medicamentum quale. 5°. *me. me.* 7ª.34.B
ex Salice medicamentum exiccatorium. 6°. *de simp. me. fa.* 5ª.48.H
Salicis succus dū floret, ad ea quæ pupillas offuscāt valet. 6°. *de simp. med. fac.* 5ª.48.H
Salicis succus dum floret, qualis. 6°. *de simp. me. fa.* 5ª.48.H
Salicis corticis cinere vtuntur aliqui ad clauos, quos vocant callos, & myrmecias tollendas. 6°. *de simp. me. fa.* 5ª.48.H
ex Salicibus emplastrum. 5°. *de comp. me. per ge.* 5ª.248.F
ex Salicibus lite, vt Herodotus. 5°. *de comp. me. per ge.* 5ª.248.G
SALMONEVS *Iouem est imitatus.* 1°. *me. me.* 7ª.3.G
Salmoneus in admiratione est sacrilegis. 1°. *me. me.* 7ª.3.G
SALOME *melinum.* 2°. *de comp. me. per ge.* 5ª.222.E
SALSAMENTA *sardica omnium præstantissima sunt.* 3°. *de alimentorum facul.* 2ª.33.D

cum Salsamentis

cũ Salſamentis ex ponticis illis quæ μύλα appellãtur apparata cucurbita fit cibus ſuauiſſimus. 2°.de ali.fa. 2ª.16.G
Salſamentum ventrem mollit. de puero epil. 7ª.180.C
Salſamenta omnia pruritum mouent. de cathar. Sp.95.D
Salſamentũ citra panẽ edat ſpleniticus. 9°.de cõ.me.ſe.l.5ª.199.B/F
SALSEDO vna quædam qualitas eſt. fin.med. Iſa.50.B
Salſedo eſt qualitas guſtus. de nat. hum.c.1°. 1ª.28.H
Salſedo maris quomodo fiat. de hiſt.philo. Sp.8.F
ob Salſedinẽ nimiam in mari mortuo nihil viuit. de atra bile. 1ª.34.G
in Salſedine nimia nullum animal viuit. de atra bile. 1ª.34.G
Salſedo in cibis quid faciat. de diſſ.cont. Sp.75.A
SALSILAGINOSA & ſalſa differunt. aduerſus Lycum. Ex.63.G
Salſilaginoſi & ſalſi ſapores. aduerſus Lycum. Ex.63.G
SALSITATES differentiam faciunt in diſſimilaribus partibus. 3°.de ſimpl. med.fa. 5ª.20.G
SALSIVS decoctum, non mutata aqua fit amarum. 3°.de alimentorũ facul. 2ª.31.H
SALSVGINOSVM, & ſalſum pro diuerſis accipit. 2°.de præſagitio. ex pulſ. 4ª.117.E
Salſuginoſæ febres quæ. in 6ᵐ.de mor.vul.c.1°. 3ª.159.A
SALSVGO moderata ad ſaliendũ eſt, quando in ea videtur ouum ſupernatare. 4°.de ſimp.me.fa. 5ª.30.D
Salſugo piſcium ſalſorum garo ſimilis eſt. 11°.de ſim.me.fa. 5ª.83.H
Salſugine ſalſorum ſilurorum, & mænidum maxime vtebantur anti qui. 11°.de ſimp.me.fa. 5ª.83.H
Salſugo piſcium ſalſorum ad quæ valeat. 11°.de ſimp.me.fa. 5ª.83.H
Salſugo ſilurorum, & mænidũ ad quę valeat. 11°.de ſim.m.f. 5ª.83.h
Salſugo, & ſerũ lactis, mordicationes qũq; ſanãt, & ſalſuginoſa sũt. 2°.de ſimp.me.fa. 5ª.12.B
SALSA aqua medicamẽtoſa eſt. de vict.ra.in mo.acu.c.3°.3ª.131.B
Salſa vnde cognoſcantur. de vict.rat.in mor.acu.c.4°. 7ª.135.C
Salſæ Aquæ rectificant ſtõm debilem, & mollem. de diſſ.cõt.S.74.D
Salſæ aquæ, præter mare palpitationis remedia. de trem.pal.3ª.52.G
Salſæ aquæ balneum non debet fieri febrienti. 11°.met.me. 7ª.69.H
Salſæ aquæ balnea ducunt plus bilis, ſed multo minus proſunt quãpotabilis. 1°.de arte cura.ad Glau. 7ª.97.B
Salſam Carnem ſiillam expetit lens. 1°.de ali. fac. 2ª.13.F
Salſæ carnes gñant ſanguinẽ craſſum melancholicũ. 1°.d ali.f.2ª.13.f
Salſæ carnes & piſces faciunt melancholiam. 3°.de lo. aff. 4ª.18.F
Salſa carne quibus vtendum, & quibus non. 1°.de ali. fa. 2ª.13.F
Salſi cibi diſſoluunt ac attenuant, & qui ſint. de diſſ.cont. Sp.72.F
Salſi cibi mundificant ſtomachum & inteſtina & leniunt naturam. de diſſ.continua. Sp.72.F
Salſus cibus exiccat.c.4° aph.13°. Ex.28.G
Salſa amara exiccant abſterguntq;.7°.de ſimp. me.fa. 5ª.52.H
Salſa magis ſiccant acribus. de vict.rat.in mor.acu.c.4°. 7ª.135.C
Salſa cur grata. 1°.de ſimp.me.fa. 5ª.8.E
Salſa ſtomacho inimica. 6°.de ſimp.me.fa. 5ª.40.G
Salſa vellicant gulam. 3°.de loc.aff. 4ª.32.D
Salſa ad coquẽdũ difficillima, quæ & q̃ facilia. 3°.de ali.f.2ª.33.C/d
cũ Salſo cucurbita ſalſos ſuccos generat. 2°.de ali.fa. 2ª.16.G
Salſis debent miſceri aquea. 2°.de ali.fa. 2ª.16.H
Salſa faciunt pruritum. 2°.de ſymp.cauſ. 3ª.23.G
Salſa lac prohibent. de med.fac.par. 7ª.166.B
ex Salſorũ vſu immoderato cauſus factus eſt. de vic. rat.in mor.acut. com.4°. 7ª.134.F
Salſis cibis vtendum in quartana. 1°.de art.cur.ad Glau. 7ª.97.F
Salſum Emplaſtrum ad multa. 6°.de comp.me. per ge. 5ª.261.A
Salſæ febres quæ.in 6ᵐ.de mor.vul.c.1°. 3ª.159.E
Salſus Humor ex gñe pituitę eſt. de vic.ra.in mor.acu.c.4°.7ª.136.a
Salſum humorem, nitroſum appellant Philotimus, & Praxagoras. 3°.de ali.fa. 2ª.31.H
Salſum humorem cur generant cibi duri ſecundum Philotimum & Praxagoram. 3°.de ali.fa. 2ª.31.H
Salſa Medicamenta non conueniunt oculis. 4°.de compoſi. medicam. ſecun.loc. 5ª.150.C
Salſus Odor non dicitur. 4°.de ſimp.me.fa. 5ª.31.A
Salſa exacte non habent odorem. 4°.de ſimp.me.fa. 5ª.31.B
Salſę, & ſalſilaginoſæ pituitæ meminit. contra Iulianum. Ex.67.D
Salſa pituita ſpecies pituitæ eſt. 2°.de diff.feb. 3ª.37.F
Salſum eſt aliquod phlegma. de nat. & ord.cuiuſ.corp. Sp.41.D
Salſa pituita qualis, & vnde fiat. 2°.de diff.feb. 3ª.37.F
Salſa pituita eſt vitioſa. in 6ᵐ.de mor.vul.c.2°. 3ª.167.G
Salſum phlegma vertitur in bilem aduſtam, quæ vertitur in melancholiam. de ſper. Sp.40.A
Salſa pituita ſuperante, ſiticuloſi fiunt. de mult. 3ª.81.F
Salſa pituita quomodo vomitum prouocat. 3°.de ſymp.cau. 3ª.27.B
a Salſa pituita quando fit quartana. de ſper. Sp.40.A
ex Salſa pituita febris ardens non petit balneum. de vic.rat. in morb. acutis, com.3°. 7ª.133.E
Salſam pituitam miſtam quando habeat ſynocha. de ſper. Sp.40.A
Salſa pituita non eſt cauſa lateralis morbi.c.6°.aph.33°. Ex.50.A
Salſæ pituitæ meminit. q̃ animi mor. 1ª.318.H
Salſa pituita deſcendens a capite, difficultates inteſtinorum facit. cõ. 6°.apho.2°. Ex.46.E
Salſa Qualitas dicitur fortis.c. 4°.aph.13°. Ex.28.G
Salſa qualitas digerit, & contrahit. 11°.de ſimp.me.fa. 5ª.83.D
ad Salſum Ructum valet acetum ſcillinum. de me.fac.par. 7ª.178.C
Salſus Sapor qualis ſit, & vnde oriatur. de ocul. 7ᵐ.188.A
Salſus ſapor fit ex miſcella calidi, frigidi, humidi, & ſicci. 1°.de alim. facul. 2ª.9.A
Salſum quid faciat. 5°.de ſimp.me.fac. 5ª.39.A
Salſum, terreſtre, calidum nondũ tñ igneum eſt. 5°.de ſim.m.f. 5ª.38.b
Salſa calida & ſicca ſunt, & quomodo. de ocul. 7ª.188.C
Salſus ſapor eſt propinquus amaro ſi quidem calidi & terreni ambo differunt tamen. 4°.de ſimp.me.fa. 5ª.30.G
Salſum ſuper calefactum amarũ redditur. 4°.de ſimp.me.fa. 5ª.30.e
Salſus ſapor aut nitroſo imbecillior eſt, aut adſtrictionis quoq; aſſumẽs aliquid. 1°.de ſimp.me.fa. 5ª.8.G
Salſus habet aliquid adſtrictionis. 1°.de ſimp.me.fa. 5ª.8.G
Salſus adſtringentibus oppoſitus eſt. 1°.de ſimp.me.fa. 5ª.8.G
Salſi ſaporis operationes de ocul. 7ª.188.B
Salſum ſaporem habentia incidunt. de atten.vic. 2ª.44.B
Salſum ſaporem habentia plurima aluũ deijciũt. de atte.vi. 2ª.44.B
Salſa quomodo adſtringunt & euacuant. 3°.de ſimp.me.fa. 5ª.20.A
SALSVM frigidum calidumq; non dant, vt aliquod alium aut vrinã moueat. 1°.de ali.fa. 2ª.7.D
Salſus Succus ex quibus fit ſecundũ Philotimum, & Praxagoram. 3°.de ali.fac. 2ª.31.H
Salſo ſucco & bilioſo ventrem mordente potus magis deſideratur quã cibus. 1°.de ſymp.cau. 3ª.18.B
Salſus ſuccus facit ſitim, ſi in ventris venis ſit. de ſym.cau. 3ª.18.D
Salſos, & bilioſos ſuccos abſtergit, & abluit acerba qualitas amaritudini miſta. 6°.de ſimp.me.fa. 5ª.41.B
SALTANTIBVS erumpit ſanguis. 3°.de ſym.cau. 3ª.26.H
Saltantium ruptiones tenſione fiunt. 3°.de ſymp.cau. 3ª.26.H
SALTATOR qui eſt in ſaltu exercitatus. 2°.de ſan.tu. 2ª.75.G
Saltatores ignorant vires motuum, quos exercent. 2°.de ſa.t. 2ª.75.E
Saltatoribus facile flectitur crus. 2°.de motu. 1ª.315.F
SALTARE eſt vehemens exercitatio. 2°.de ſan.tu. 2ª.74.G
Saltare eſt cauſa fluxus ſanguinis in inuenib. c.3°.aph.29°. Ex.26.C
Saltare eſt cauſa abortus.c.4°.aph.1°.27.A/c.5°.apho.45°.41.G/apho.53°. Ex.42.D
SALTVS, ſpaſmus, tremor pulſui ſimilia, & eorum differẽtia. comp. pul. Sp.65.B
Saltus eſt exercitatio. 2°.de ſan.tu. 2ª.73.G
Saltus, tremor, ſpaſmus, palmos, circa quas fiat particulas. cõpendiũ pulſuum. Sp.65.B
Saltus fit circa muſculos & neruos. comp.pulſ. Sp.65.C
Saltus quid mali fecerint. de par.pi.exer. 2ª.49.G
Saltus vehemens facit mictum ſanguinis.c.4°.aph.78°. Ex.36.G
ex Saltu vas ruptum in pulmone, ad actionis violentiam refertur. 5°. met.med. 7ª.30.C
in Saltibus loci affecti nullum adeſt ſignum. 3°.de loc.aff. 4ª.16.B
SALVATELLA vena cuius ſit ramus. de ana.viu. Sp.54.F
Saluatella in quibus affectibus ſecatur. de ana.viu. Sp.54.H
ex Saluatellæ ſectione lieniuuatur. præſ.exper. conſ. Sp.78.A
SALVBERRIMI qui maximẽ ægrotarunt. 5°.de ſa. tu. 2ª.88.H
SALVBER vocatur, & profeſſor artis. ad Thra. 2ª.108.B
Salubre a ſubiecta materia nominatum eſt. ad Thaſ. 2ª.108.F
Salubria, quæ. de ſect. Iſa.15.H
Salubre dicitur de corpore, de cauſa, de ſigno. ars me. If.62.A
Salubre ſimpliciter corpus, quid. ars med. Iſa.62.C
Salubre nunc corpus, quid. ars med. If.62.C

Salubre simpliciter semper, quid ars med. If.62.C
Salubre simpliciter vt multum, quid ars med. Isa.62.C
ī Salubri, & morbida natura distantia magna. de diff. mor. 3ª.2.H
Salubri salutare obsonium ars culinaria cōcinnat. ad Thras. 2ª.109.b
Salubribus quod ad sanitatem bonum est luctatoria adipiscitur. ad Thrasybulum. 2ª.109.B
Salubria signa quæ. ars med. 62.F/ If.67.H
Salubris habitus totus quomodo sit. de sal. diæ. 2ª.42.H
Salubris status habet latitudinem. 6°. *de san. tu.* 2ª.97.A
Salubris pars vt potior ei quæ medetur præponit. intro. Isa.52.C
Salubre quomodo salubrius. in prog. c. 2°. 4ª.199.H
SALVBRE *an pars medicinæ. ad Thras.* 2ª.102.F
Salubris est vna pars totius artis. ad Thras. 2ª.108.C
Salubris dicitur ars sanus consulens. ad Thras. 2ª.108.C
Salubris medicinę pars inter Euectticem, & Analepticem collocatur ad Thrasy. 2ª.106.F
Salubris pars minus parua castigat q̄ euectlice. ad Thrasy. 2ª.106.E
Salubris est pars medicinæ ex vna diffinitione, ex altera non. ad Thrasybulum. 2ª.102.A
Salubris pars medicinæ, ī quot partes diuidatur. de subsi. em. Is.37.A
Salubris pars an ad medicum, an ad gymnasticum pertineat. ad Thrasybulum. 2ª.106.G
de Salubri diæta liber fere caret vitio. de sal. diæta. 2ª.39.G
Salubris victus caput quod. in 6ᵐ. *de mor. vul. c.* 4°. 3ª.185.G
Salubris victus duplex scopus est & reficere quod est exhaustum, et excrementa expellere. 1°. *de san. tu.* 2ª.63.A
ī Salubri victu duo precipue obseruanda, ne cibus sit mali succi, & ne faciat obstructiones. de bo. & vitio succ. 2ª.37.D
Salubris cibus cui curæ est, quid agere debet. de atten. vic. 2ª.45.G
Salubrium ciborum exacta cura non habetur, nisi corporum naturæ cognoscantur. de bon. & vit. succ. 2ª.38.A
Salubrem viuendi rationem ignorantes, citius pereunt q̄ pro naturæ ratione. 6°. *de san. tu.* 2ª.95.B
Salubria medicamina tenuādi potestatē hūt. de bo. & vit. suc. 2ª.39.a
cū Salubribus noxia non sunt miscenda. 5°. *de san. tu.* 2ª.91.E
SALVBRITATEM *sed longitudinem significat vrina subrubra, & sedimentum subrubrum. in prog. c.* 2°. 4ª.200.E
SALVIA *agrestis, & Eupatoriū pro eodē ponunt. de dy.* Sp.28.E
Saluia sanguinem purgat. de dy. Sp.22.C
Saluia colorem expurgat, & sudorem mouet. de cura icteri. Sp.111.c
Saluia pro paralysi. de dyna. Sp.35.E
SALVICVLA *quid, & eius vires. de simp. med.* Sp.89.H
SALVS *communis, regni maxima pars est. de ther. ad Pi.* 5ª.90.C
Salus dubia debet potius accipi, quam dimitti. 10°. *me. me.* 7ª.66.D
de Salute, & morte vnde coniectandum. 3ᶜ. *de crisi.* 4ª.140.C
ad Salutem magnā vim obtinet modus loquēdi Hippocratis in signis salutaribus. in prog. c. 2°. 4ª.203.F
Salutem significant coctionis signa non tamen per crisim necessario. 1°. *de crisibus.* 4ª.128.C
Salutem promittit vrinæ bonus color. in 1ᵐ. *de mor. vul. c.* 3°. 3ª.125.a
Salutis spes, ex quibus sputis habeatur in morbo laterali. commen. 6°. *apho.* 33°. Ex.50.A
Salutis omnia signa habentis ęgri, exemplum. 3°. *de crisi.* 4ª.140.D
Salutem consequutus est puer denudato corde. 1°. *de de. Hip.* 1ª.231.f
SALVTARIVM *omnium præceptorum semita est Hippocrates.* 7°. *methodi med.* 7ª.43.C
Salutaris admodū est modus loquendi Hippocratis, & q̄n ea vtatur in prog. c. 2°. 4ª.203.F
de Salutarib⁹ librū fecit Erasistratus. de venæ sect. aduer. Era. 6ª.8.e
Salutaris est color ruber in vrina. c. 4°. *apb.* 71°. Ex.35.D
SALVTATIONIBVS *simul omnes occupati erant mane Galeni tempore.* 1°. *me. me.* 7ª.2.D
SALVTATORIVS *digitus. de med. fac. par.* 7ª.166.C
SALVTANTES *mane medici tempore Galeni vesperi ebrij erant.* 1°. *met. med.* 7ª.8.H
SAMBVCATVM vinum ventrem procurat, choleram rubrā temperat. de simp. med. Sp.92.C
SAMBVCELAEON *mundificat. de ocul.* 7ª.188.E
SAMBVCVS *siccus conglutinatiuus & digerens est.* 6°. *de simplicium med. fac.* 5ª.42.A
Sambucus educit aquas. de dyna. Sp.22.C
Sambuci dosis. de dyna. Sp.22.C

SAMITHRE *medicamentum ad multa commodum.* 9°. *de composit. med. se. lo.* 5ª.204.G
SAMIVS *after deobstruit, & est magis tenuium partium, q̄ samia terra.* 4°. *de comp. me. se. lo.* 5ª.150.A
Samius after emplasticum est elotum. 4°. *de simp. me. fa.* 5ª.25.D
Samius after leuissimus est in principijs inflammationum in arteria. 7°. *de comp. me. se. lo.* 5ª.177.G
Samius after. 7°. *de comp. me. se. lo.* 5ª.183.E
Samius after tenax & viscosus est. 9°. *de simp. me. fac.* 5ª.66.A
SAMIA *terra quid, & eius vires. de simp. med.* Sp.84.H
Samia terra non debet lauari. 9°. *de simp. me. fa.* 5ª.65.H
Samia terra mediocriter refrigerat. 9°. *de simp. me. fa.* 5ª.65.H
Samia terra internis vlceribus opitulatur. 4°. *met. me.* 7ª.28.H
SAMIVS *circulator qua antidoto vtebatur.* 2°. *de anti.* 5ª.117.H
SAMPSYCHINVM *vnguentum ad quid valet, & quo anni tempore commodum.* 4°. *de san. tu.* 2ª.87.B
SAMPSVCVS *quid. de simp. med.* Sp.90.G
ex Sampsuco acopon. 7°. *de comp. med. per ge.* 5ª.272.A
Sampsucus viribus acris est, & excalfactoria, ad omnem duritiē, vel rigorem valde idonea. de simp. med. Sp.90.G
Sampsucus adstringens & repercutiēs est. 4°. *de cō. me. se. l.* 5ª.157.d
ex Sampsuco malagma ad multa. 7°. *de com. me. per ge.* 5ª.266.B
Sampsucus pro populo nigra qñ sumat. 7°. *de com. me. per g.* 5ª.271.c
pro Sampsuco populus nigra. 7°. *de comp. me. per ge.* 5ª.271.D
SAMPSYCHON *habet vim adstringendi & reprimendi. de remedijs paratu facilibus.* 7ª.156.D
Sampsychon desiccat & calefacit ordine. 3°. *de simp. me. fa.* 5ª.60.A
SAMVS *insula est in mari ægæo, quæ vnam solam habet ciuitatem ex nomine insulę.* 9°. *de sim. me. fa.* 5ª.65.C
ad SANABILIA vix, Cephalicum melanchlœron. i. ex nigro viride. 4°. *de comp. me. per ge.* 5ª.243.H
SANATIO *quid sit.* 9°. *me. me.* 7ª.60.C
Sanatio quomodo fiat. 4°. *de san. tu.* 2ª.82.H
Sanationes e quibus consistant. de dyna. Sp.18.H
Sanatio de quibus sit. 8°. *me. med.* 7ª.51.D
Sanatio celeriter facta est cum delectatione. 1°. *de symp. cau.* 3ª.17.F
Sanatio paulatim facta insensibiliter fit. 1°. *de symp. cau.* 3ª.17.F
Sanatio per epicrasim quæ. 12°. *me. me.* 7ª.79.C
SANATI *nulli subito sine crisi, sed bñ mortui.* 3°. *de crisi.* 4ª.142.F
Sananda quę sunt, quiete indigent. 5°. *me. me.* 7ª.32.E
ad Sanandum hædera terrestris. de dyna. Sp.35.E
SANCTI *Pauli potio paralyticis, arthriticis succurrit. de dy.* S.31.C
Sancti Petri electarij confectio, & ad quæ valeat. de dyn. Sp.26.F
SANDALOS *non cognouit Galenus, ideo liber de dynamidijs non est Galeni. de dyna.* Sp.23.D
SANDALVS *dictus laqueus qūo injiciatur. de laqueis.* 7ª.307.C
SANDARACHA *quid, & eius vires. de simp. med.* Sp.90.A
Sandaracha flaua est & rufa. 2°. *de comp. me. per ge.* 5ª.221.E
Sandaracæ color, est rufus color. in 6ᵐ. *de mor. vul. c.* 1°. 3ª.155.F
Sandaracha qualis. 9°. *de simplicium med. fa.* 70.H/ 4°. *de comp. me. per genera.* 5ª.242.D
Sandaracha vehemēter calefacit, & exiccat. 2°. *de sim. me. f.* 5ª.16.D
Sandaracha septicum medicamentum est. 5°. *de simp. me. fa.* 5ª.36.B
Sandaracha adurit. intro. Isa. 58.B/ 1°. *de compo. me. se. loc.* 5ª.127.F/ 2°. *de art. cur. ad Glau.* 7ª.102.D
Sandaracha erodit. 4°. *de comp. me. se. lo.* 5ª.149.G
Sandaracha fortiter stringit. de simp. me. Sp.90.A
Sandaracha in vulneribus neruorū valet. 3°. *de cō. me. per g.* 5ª.230.g
Sandaracæ similes hypostases quid significent. de vrinis. 4ª.124.F
SANDIX *est medicamentum paratum ex metallis.* 5°. *de simplicium med. fac.* 5ª.68.E
in Sandicem transit ceruſſa adusta. 9°. *de simp. me. fa.* 5ª.71.G
Sandix qua sit facultate prædita, vbi dicturus Galenus. 9°. *de simpl. med. fac.* 5ª.71.A
Sandix valet ad formæ decorem, quod elegantię potius artis, q̄ medicinæ proprium videtur. intro. If.58.C
ex Sandice collyrium. 5°. *de comp. me. se. lo.* 5ª.158.G
ex Sandice medicamento ī herpete vsus est Gal. 14°. *me. me.* 7ª.92.F
SANGVIFICATIO *quid sit.* 2°. *de nat. fa.* 1ª.298.A
Sanguificatio est mutatio alimenti in sanguinem. fin. med. Isa.44.F
de Sanguificatione, Asclepiadis opinio. 1°. *de nat. fa.* 1ª.293.H
ī Sāguificatione quot sint humorū ārię et succorū. 4°. *de sa. tu.* 2ª.84.C

Sanguificatio cibi assumpti fit virtute proueniente ex hepate. de virtutibus nostrum corp. disp. Sp.60.B
Sanguificatio fit bona, si partes corporis sint crassæ, mala si tenues c. 2°. aph. 35°. Ex.17.E
Sãguificationi prodest calor mediocris in motibus remissioribus. de salubri dieta. 2ª.41.A
Sanguificatio vitiatur, iecore viliato. 5°. de loc. aff. 4ª.33.F
Sanguificatio vitiata est in senibus. 2°. de temp. 1ª.16.D
SANGVIFICA *facultas quæ vocetur. 5°. de loc. aff.* 4ª.34.D
Sanguifica facultas in venis est. 1°. de nat. fa. 1ª.291.D
Sanguifica virtus est ea quæ concoquit, & in sanguinis naturam trãsmutat alimentum. c. 2°. aph. 17°. Ex.13.A
Sanguifica vis propter quid data. in 6m. de mor. vul. c. 5°. 3ª.188.E
de SANGVINALI *herba corona pro capitis dolore ex ebrietate, vel solis æstu valet. de reme. par. fa.* 7ª.154.B
Sanguinariæ succus pro dolore capitis calido valet, & quo modo. de reme. par. fa. 7ª.153.E
ad SANGVINANTEM *plagam remedium. de dyn.* Sp.31.F
Sanguinantis ficus remedium. de dyna. Sp.28.H
SANGVINARIA *emplastra. 2°. de comp. me. per ge.* 5ª.226.H
Sanguinarium medicamentum enamon a græcis dicitur. 3°. de comp. med. per ge. 5ª.228.C
SANGVINEA *Aegritudo mutationi temporum concordare solet. de spermate.* Sp.39.F
Sanguineæ ægritudines & fluxiones modestæ habentur. in prog. commen. 2°. 4ª.202.D
Sanguineorũ Aĩalium propriũ elementorũ genus qđ. 2°. de ele. 1ª.8.f
Sãguineis omnibus animantibus cõmunia quæ. 6° de an. ad. 1ª.92.g
Sanguinea omnia animalia pedestria quæ homini similia habent quatuor pedes. 3°. de vsu par. 1ª.128.C
Sanguinea, & ambulabilia aĩalia pulmonem hãt. de ana. viu. S.48.C
Sanguineę Carnosæ partes longius tempus requirunt ad generationẽ de fœtuum formatione. 1ª.322.G
Sanguineæ Dysenteriæ quibus contingant. 3°. de symp. cau. 3ª.27.H
Sanguineæ Gingiuæ sunt si conceptum sperma sit a muliere in tribus horis sanguinis. de sper. Sp.37.B
Sanguinei vnde quidam homines sint, quidam melancholici, quidam pituitosi, quidam bilioſi. de sper. Sp.37.B
Sanguineus naturaliter est iracundus, tñ iram deponit a corde procedentẽ naturaliter, aliqua occasione superueniente. de spe. Sp.37.B
Sanguineo qui cibi conueniant. de diss. cont. Sp.71.E
Sanguineo & cholerico causus & synochus in ætate sunt infirmitates naturaliter. de sper. Sp.39.G
Sanguineus infans quibus horis efficiatur. de sper. Sp.38.A
Sanguineus Humor cur equissimus in pleuritide. de const. ar. Is.40.H
Sanguinei Oculi sunt si sperma conceptum a muliere fuerit ĩ tribus sãguinis horis. de sper. Sp.37.B
ĩ Sanguinea Paralysi quid agendum. de cura lap. Sp.112.F
ad Sanguineum Rheumatismum. de pass. mul. Sp.96.B
Sãguineas Sputiones suscitat aqua dura & frigida. de bo. aq̃. S.75.g
ad Sanguinea sputa. de med. fa. par. 165.G/171.D/G/ 7ª.173.H
abſq; Sãguinea Substãtia nullũ mẽbrũ fieri põt. de fœt. for. 1ª.322.F
Sanguineus Sudor quomodo fiat. de vti. resp. Sp.64.D
Sãguinea Vrina cur contingat. de ana. viu. Sp.51.B
ad Sanguineum lotium. de med. fac. par. 7ª.178.F
Sanguinea vrina cum dolore capitis & hypochondrij dextræ partis statim subitaneam mortem significat. de dy. Sp.34.B
Sanguineam quasi nebulam habens vrina, quæ velut rasuram, & arenã habuerit renum ostendit colliquationem. de dy. Sp.34.F
Sanguinea vrina synochon causon significat. de dy. Sp.35.E
SANGVINOLENTI *oculi præsidium. de dy.* Sp.24.G
Sanguinolentis gingiuis prodest succus centaureæ. de vir. cen. Sp.93.D
Sãguinolẽta excretio ĩ quadruplici differẽtia ẽ. 3°. de sym. ca. 3ª.28.b
Sanguinolẽta excrementa quid significent apud antiquos. comm. 6°. aph. 1°. Ex.46.C
Sanguinosos oculos curat succus centaureæ. de vir. cent. Sp.93.B
SANGVIS *& humor pro eodem sumuntur a Galeno. de mult.* 78.E/ 3ª.80.H
Sanguis nomine quid sit intelligendum. 10°. de sim. me. fa. 5ª.72.F
Sanguis complectitur omnes humores. 1°. de elem. 1ª.9.A
Sanguis significat oẽs humores ĩ vasis. in 6m. de mo. vul. c. 4°. 3ª.187.c
Sanguis nũquam est exquisitus in venis. de mult. 3ª.80.H
Sanguis melancholicus, picrocholus, pituitosus, serosus, & putridus, est sanguis cum his mistus. 10°. de simp. me. fa. 5ª.72.F
Sanguis participat pituitam, & vtranq; libem. 1°. de elem. 1ª.8.G
Sãguinẽ solũ in nobis esse quidam putarunt. de nat. hu. c. 1°. 1ª.27.H
Sanguinẽ quidã putarũt solũ esse in hoie. 8°. de dec. Hip. 1ª.276.D
Sanguinem esse vnum humorem tantum potest colligi. c. 4°. apho. 25°. 30. A/aph. 64°. Ex.34.D
Sanguis distinctus est ab alijs humoribus. 8°. de dec. Hip. 1ª.276.B/C
Sanguinem nõ esse humorem distinctum ab alijs tribus simul mistis videtur colligi. c. 4°. aph. 2°. Ex.27.D
Sanguis dr duobus modis. in 6m. de mor. vul. c. 2°. 3ª.167.F
Sanguinis differentię. de inæq. intemp. 3ª.44.H
Sanguis duplex exiens venas & mistus alijs humoribus & purus distinctusq; ab alijs humoribus. de nat. hu. c. 1°. 1ª.31.D
Sanguis vocatur qui ex venis effunditur. de atra bile. 1ª.34.D
Sanguis vocatur qui ex arterijs exit. de atra bile. 1ª.34.D
Sanguis primum gignitur in venis. 2°. de decr. Hipp. 1ª.240.F
Sanguis ex venis, qui. de atra bile. 1ª.34.D
Sanguis ex arterijs. de atra bile. 1ª.34.D
Sanguis multus, ac spissus est in vena. de vti. resp. Sp.64.E
Sanguinis differentia in venis. 2°. de na fac. 1ª.299.F
Sanguis venę non potest coagulari in ceruo, & lepore, quia tenuius ẽ. de vtil. resp. Sp.64.F
Sanguis cur apparet solus in venis. 8°. de decr. Hip. 1ª.275.A
Sanguinis receptaculum est vena. de venæ sect. aduer. Eraſ. 6ª.5.G
Sanguinis, et spũs receptacula sunt vena neruꝰ pellis. de vti. re. S.63.c
Sanguis in arterijs continetur. de vſu pul. 1ª.228.G
Sanguis naturaliter continetur ĩ arterijs. 4°. de vſu par. 1ª.141.H
Sanguine vacuã arteriã magnã eẽ dicẽtes errãt. 7°. de ana. ad. 1ª.98.d
Sãguinẽ esse ĩ arterijs qũo ostẽdit p sectionẽ. 7°. de ana. adm. 1ª.98.H
Sanguinẽ esse in arterijs, experimento deprehenditur. an san. in ar. nat. sint. 1ª.61.H
Sanguinẽ esse ĩ arteriis, qũo deprehẽditur. an. san. in ar. na. cõt. 1ª.61.b
Sanguis in arteriis paucior est q̃ in venis. fin. med. Is.44.B
Sanguis in arteriis qualis. de vſu pul. 1ª.278.A/ *de inæq. intemp.* 3ª. 43.G/5°. *me. me.* 7ª.32.C
Sãguis arteriarũ est calidior illo venarũ. de tum. præt. nat. 3ª.84.D
Sanguis arteriarum est calidior & subtilior venarum sanguine est. de semine. 1ª.331.C
Sãguis arteriarum subtilior est, & vaporosior, quàm venarum. 4°. de vſu par. 1ª.140.B
Sanguis arteriæ liquidior est quam venæ. de vti. resp. Sp.64.E
Sãguinẽ tenuissimũ, & calidissimũ hñt arteriæ. 6°. de dec. 1ª.266.D
Sanguis tenuis propter quid in arterijs. 6°. de vſu par. 1ª.155.C
Sanguis arteriarũ est fomentum spiritus. 6°. de vſu par. 1ª.155.C
Sanguini mistus est aer ĩ arterijs. 1°. de diff. feb. 3ª.31.A
Sanguis cõtinetur in arterijs renum. 5°. de vſu par. 1ª.144.C
Sanguis in arterias ex venis fertur. 3°. de nat. fa. 1ª.307.G
Sanguis ĩ arterias transfertur. de venæ sect. aduer. Era. 6ª.5.G
Sanguis qũo intret arteriam. de vti. resp. Sp.64.F
Sanguis arteriarũ vbiq; similis est ẽt i corde. 6°. de dec. 1ª.263.C
Sanguis qualis qui in arteria venali defertur. de ana. viu. Sp.47.E
Sanguine prędita sunt animalia calidiora. 2°. de nat. fa. 1ª.300.C
SANGVINIS *natura quæ. fi. med.* Isa.44.B
Sanguis ex oĩbus elemẽtis procreatus est. 8°. de dec. Hipp. 1ª.277.H
ĩ Sanguine plus aqueę substãtiæ & terreæ. 1°. de sa. tu. 2ª.63.E
Sãguis qualis ſm Hipp. bre. den. dogm. Hipp. 1ª.231.B
Sãguis qualis sit. 10°. de simp. me. fa. 5ª.73.E
Sanguis calidus & humidus ẽ. 2°. de tẽp. 16. A/de na. hu. c. 1°. 32. D/bre. denot. dogm. Hip. 1ª.231.B/de diff. morb. 3ª. 5.G/de dy. Sp.19.e
Sanguis calidus & humidus potestate est. 2°. de nat. fa. 1ª.301.C
Sanguis nõ est calidus & humidus, sed temperatus, si ver sit temperatum. de nat. hu. c. 1°. 1ª.32.D/E
Sanguis post bilem calidus maxime est. de inęq. intemp. 3ª.43.H
Sanguis calidissimus est nõ tñ humidus vt pituita. 1°. de tẽp. 1ª.15.C
Sanguis debet esse calidus, sed nõ nimis. de vti. resp. 1ª.226.B
Sanguis quẽ habet calorẽ. 5°. de simp. me. fa. 5ª.37.F
Sanguis humidus est. 1°. de temp. 1ª.12.G
Sanguis est feruens humidus, et dulcis. de na. et or. cuius. cor. Sp.41.D
Sanguis cur humidus dicatur. 1°. de san. tu. 2ª.62.E
Sanguis humidus & ruber est. 6°. de dec. Hipp. 1ª.226.C
Sanguinis color peculiaris rubor est. in 6m. de mor. vul. c. 3°. 3ª.121.C

Sanguis naturalis ruber eſt. in 3^m,de mor. vul.c.1°. 3^a.133.G
Sanguinis humor cur ruber. 8°.de dec.Hipp. 1^a.275.H
præter Sanguinem & carnem nihil rubrum ex partibus corporis. de tum. præter naturam. 3^a.82.H
Sãguis ruber & purus vt ignis ĩ humido vĩ.4°.de vſu p. 1^a.136.C
Sãguis ĩ qua vena ſit plen° humore aquoſo et tenui.4°.d vſ.p. 1^a.136.c
Sanguis qui proprie dĩ non poteſt habere alium colorem, q̃ rubrum. in 6^m.de mor. vul.c.4°. 3^a.187.C
Sanguis non ſemper ruber,& qualis.in 6^m.de mor.vul.c.1°. 3^a.155.b
in Sanguine color ruber a quo gignatur.8°.de dec. Hipp. 1^a.277.H
Sanguis rubicundior, qualis.1°.de criſ. 4^a.130.B
Sanguis flauior, qualis. 1°.de criſ. 4^a.130.B
Sanguis ſiccior eſt flauior. 6°.de dec. Hipp. 1^a.266.C
Sanguis humidus ruber eſt. 6°.de dec.Hipp. 1^a.266.C
Sanguis antiquus non habet colorẽ floridum.c.5°.aph.23°. Ex.39.G
Sanguis idem non põt eſſe ruber, & niger.c.4°.aph.21°. Ex.29.E
Sanguis eſt carne mollior, & callidior. 2°.de elem. 1^a.8.G
Sanguis eſt bonus humor.com.5°.aph.64°. Ex.44.G
Sanguis optimus eſt ſuccus.1°.de temp. 1^a.18.A
Sanguis dulcis eſt.de nat.hum.com.1°. 1^a.28.E
Sanguis in totum dulcis videtur. de atra bile. 1^a.34.E
Sanguis dulciſſimus eſt cum eſt naturalis.4°.de ſimp.me.ſa. 5^a.29.A
Sanguis temperatiſſimus qui.de nat.hu.c.1°. 1^a.33.B
Sanguis quomodo in medio aliorum humorum.4°.de ſan.tu. 2^a.84.B
Sanguis attenuatus & abſolutus eſt gradu tertio tenuiſſimum & leuiſſimum eorum quæ in corpore ſunt. 3°.de nat.ſa. 1^a.307.F
Sanguis bonus quando.in 6^m.de mor.vul c.4°. 3^a.186.D
Sanguis optimus qui. de atra bile. 1^a.34.D
Sanguis optimus vnde naſcatur. 1°.de ſa. tu. 2^a.66.B
Sanguis exquiſitus quomodo gignatur.8°.de dec.Hip. 1^a.275.E
Sãguis cum ſit optimus inter omnes humores, vbi eſt frigefactus, cur multa pathemata inferat,conſiderandum.de bo.& vi.ſu. 2^a.35.C
Sanguis laudatiſſimus ſm conſiſtentiam,qualis.3°.de ali.ſa. 2^a.30.e
Sanguis medius in conſiſtentia, qui.3°.de ali.ſa. 2^a.30.H
Sanguinẽ quæ gignãt moderatæ cõſiſtẽtiæ.de bo.& vit.ſuc. 2^a.36.E
SANGVIS *ex quibus fiat.3°.de ſimp.me.ſa.* 5^a.17.D
Sanguis bonus gñatur ex cibarijs rectè cõfectis.cõtra Iulianũ.E.69.f
Sanguinis cõplexioni vicina non indigent magna cõuerſione ſanguinis ad ſui nutritionem contra quę remota ſunt.de ana.viu. Sp.44.G
Sanguinis conuerſione multa indigent ad ſui nutritionem ſpermata a ſanguinis conuerſione remota. de ana.viu. Sp.44.G
Sanguinem bonum ſed viſcoſum generant alica, & bouinæ carnes. de puero epil. 7^a.180.H
Sanguis fit panis. 1°.de nat.ſa. 1^a.291.B
Sanguis laudatiſſimus ex pane optime preparato & animalibus volucribus.3°.de ali.ſa. 2^a.30.E
Sanguis quomodo fit ex pane. 1°.de nat.ſa. 1^a.292.D
Sanguis facile fit ex carne.1°.de nat.ſa. 1^a.292.D
Sanguis laudatiſſimus fit ex perdica.3°.de ali.ſa. 2^a.30.E
Sanguis laudatiſſimus fit ex piſcibus pelagijs.3°.de ali.fac. 2^a.30.E
Sanguis ex piſcibus ſaxatilibus generatus habet medium conſiſtentiam.2°.de ali.ſa. 2^a.30.H
ad Sanguinem creandũ prodeſt vinũ.in 6^m.de mor.vul.c.4°. 3^a.185.c
Sanguinem nutrit vinum nigrum dulce. de ſim.med. Sp.92.C
Sãguinẽ augẽt vina pallida,vel flaua pĩguis ſubæ.5°.de ſa.tu. 2^a.91.B
Sanguinem plurimum gignit vinum nigrum ſed ſuperfluum,& melãcholicum.de vict.ra.in mor.acu.c.4°. 7^a.149.A
Sanguine craſſo venas implent vina craſſa,nigra,& dulcia.de atten. vic. 2^a.46.C
Sanguis craſſus qui. in prog.c.2°. 4^a.202.E
Sanguinem purum,mundum,& clarum non generant cibi non temperati.de diſſ.cont. Sp.74.A
Sanguinem calefaciunt calefactione nimia cibi acuti, & redit plurimũ eius cholera citrina. de diſſ.cont. Sp.72.F
Sanguinem non admodum pbũ gignunt caricæ.2°. de ali.ſa. 2^a.17.E
Sanguinem calidiorem & craſſiorem temperato generat caro pullorũ columbarum,& paruarum auium. de diſſ. cont. Sp.73.A
Sanguis ciborum inopia arefit,& denſior ſeipſo redditur. de venæ ſectione aduer. Eraſ. 6^a.11.A
Sanguis purus excrementoſo eſt calidior.14°.de vſu par. 1^a.206.F
Sanguinem craſſum,& nigrum generantia quæ.de atra bile. 1^a.35.A
Sanguinem craſſum cum bono ſucco quæ faciant carnes.in 6^m.de mo. vulg.com.3°. 3^a.175.C
Sanguinem craſſum generãt milium,& panicum. de diſ.cõ. Sp.74.B
ĩ Sanguinẽ vertit mel a natura,et ſtate frigida.2°.de na.ſa. 1^a.300.g
SANGVINIS *generandi cauſa.2°.de nat.fac.* 1^a.301.C
Sanguis non fit in ieiuno.intro. Iſa.54.D
Sanguinẽ gñare venarũ tunicas dicentes,errãt.6°.de dec. 1^a.265.G
Sanguis non poteſt generari in veſica fellis.4°.de vſu par. 1^a.138.D
Sãguinis principium eſt hepar ſm Galenum. de ana. viu. Sp.50.F
Sanguinem a iecore non fieri cõtra Gal.de ana.viu. Sp.46.B
Sanguinis poteſtas in hepate.de ſper. Sp.36.G
Sanguinis propria ſedes eſt hepar.de ſper. Sp.36.H
Sãguinis alentis principium iecur eſt.6°.de dec.Hip. 1^a.264.C
Sãguinis gñandi primũ inſtrumentum ĩ iecore eſt.4°.de vſ.p. 1^a.138.d
Sãguinis generatio eſt actio hepatis.de virt.noſt.corp.diſp. Sp.60.D
Sanguinem generare proprium iecoris eſt.5°.de loc.aff. 4^a.34.D
Sanguinis prima generatio in iecore fit.ſt.med. Iſ.43.H
Sãguis in iecore perficitur. intro. Iſa.54.D
Sanguis in iecore,& venis coquitur.in 6^m.de mor.vul.c.5°. 3^a.188.B
Sanguis ex mora in vaſis coquitur. 1°.de ſemi. 1^a.333.F
Sãguinis generãdi inſtrm eſt iecoris caro. 4°.de vſu par. 1^a.138.E
Sãguinis generandi primũ inſtrm eſt caro hepatis.4°.de uſ.p. 1^a.138.e
ad Sanguinis generationẽ caro iecoris cõueniens eſt. 6°.de decr. Hippocr.265.H/ 1^a.266.C
ĩ Sanguinem cibus mutatur a carne hepatis.7°.de vſu par. 1^a.159.A
Sãguis craſſus videtur caro iecoris.4°.de vſu par. 138.E/ *6°.de decre.Hipp.* 1^a.265.H
Sanguinem rubrificat hepar.de ana.viu. Sp.44.D
ob Sanguinem exigitur hepar. de ana.uiu. Sp.47.C
Sãguis,& bilis ĩ iecore dñantur.de nat.& ord.cuiuſ.corp. Sp.41.D
ĩ Sãguinem alteratio, actio naturæ eſt. intro. Iſa.55.B
Sãguinis mutatio in iecoris ſubſtantiam eſt naturæ operatio.6°.de dec. Hipp. 1^a.266.C
Sanguinis cõcoctio,generatio,diſtributio,adiectio,agglutinatio, aſſimilatio,ſemper fiunt a natura.c.1°.aph.2°. Ex.3.D
Sãguis qui perficitur in iecore,præparatur in venis meſeriacis. 4°.de vſu par. 1^a.135.H
Sanguis in uenis generatur. 1°.de uſu par. 1^a.117.B
Sãguis ĩ omnibus uenis etiam coquitur. 4°.de uſu par. 1^a.140.F
ĩ Sanguinem cibos uertũt uenæ.de ther.ad Piſ. 5^a.96.H
Sanguinẽ p totũ corpus trãſmitti facit theriaca.de the.ad Pi. 5^a.96.b
Sanguis pertinet ad primã generationem & non ad ſecundam.8°.de decr.Hipp. 1^a.275.G
Sãguinẽ nõ facit iecur propter oĩa mẽbra.de mo.man.et obſ.S.68.A
Sanguinem vtiliorem iecur ſibi ſeruat ad nutrimẽtum.de comp.mẽb. ſiue de nat.huma. Sp.58.H
Sanguinis eius vtilioris,quẽ ad ſui nutrimentum ſeruat hepar, quod tenuis eſt cordi miniſtrat. de comp.memb. Sp.59.B
Sãguis eſt nutrimentũ hepatis,& in ipſo eſt. cõ.5°.aph.39°.Ex.41.C
Sanguis iecoris nõ eſt ſpirituoſus. 6°.de dec.Hipp. 1^a.266.D
an Sanguis perfectus recurrat per illas venas, per quas fertur nutrimentum ad hepar. 4°.de vſu par. 1^a.141.F
Sanguinem in hepate generari collige.c.6°.aph.16°. Ex.47.G
Sãguinis maior copia gñatur,q̃ aliorũ humorũ.8°.de dec. 1^a.275.A
Sãguinis generatio eſt magis neceſſaria animali,q̃ vẽtriculo operatio. 6°.de dec. Hipp. 1^a.264.F
Sanguinis generatione ablata, aufertur vita. 6°.de dec. 1^a.264.F
Sanguis quot modis fruſtretur. 3°.de ſymp.cau. 3^a.25.C
in Sanguinis generatione quæ ſymptomata fiãt.3°.de ſym.dif. 3^a.12.a
Sãguis a cauo iecoris, ad gibbũ aſcendit.4°.de vſu par. 1^a.136.C
Sanguinem ſuperaſſantis iecoris ſignum q̃. 5°.de loc.aff. 4^a.34.E
Sãguinis gñatio ſi non fiat,aqua intercus fit.c.6°.aph.12°. Ex.47.E
Sanguinem bonum nõ gigni, vel nutrimentum in ventre probe in chylũ verti,non eſt paris momenti. 2°.de nat.fac. 1^a.299.E
Sanguinis praui generationis ordo quidam. 5°.de loc.aff. 4^a.34.E
Sãguis non eſt vnum quid eſt exquiſite. 2°.de elem. 1^a.9.A
Sãguis, & bilis contrarijs generantur. 2°.de nat.ſa. 1^a.300.H
ĩ Sãguinẽ vertit hepar phlegma virtute fellis, & qũo de ſper. S.36.B
ĩ Sãguinẽ trãſit pituita ĩ media cibi.de vic.ra.ĩ mor.ac.c.2°.7^a.120.f
Sãguinis efficit pituita tpis ꝓceſſu.de vic. ra.ĩ mor.ac.c.2°.7^a.120.F
ĩ Sãguinẽ cur nulla bilis trãſire põt.de vic.ra.ĩ mor.ac.c.2°.7^a.120.f
ex Sãguine plus calefacto bilis flaua generatur. de vict.rat.in morb. acutis,com.2°. 7^a.120.F

ex Sanguine

ex Sanguine assato crasso,& adusto fit atra bilis.de victus rat.ĩ mor. acutis, c.2°. 7ª.120.F
Sanguinem antecedit pituitæ generatio in cibis pituitosis.de vict.rat. in mor.acut.c.2°. 7ª.120.F
in Sanguine pars quæ est liquor sanguinis qualis.2°.de elem. 1ª.8.H
Sanguis purgatur per hepar.de sper. Sp.37.G
a Sanguine bilem segregat iecur. de ther.ad Pis. 7ª.96.H
Sanguis qua bile indigeat. 2°.de nat.fa. 1ª.302.A
Sanguinem cholericum falso vocat illum,qui in vesica fellis continẽ, auctor libri.de anatomia viuorum.de ana.vi. Sp.50.G
Sanguis bilios⁹ qualis.10°.de comp.me.se.lo. 5ª.206.H
a Sanguine tres superfluitates exeunt,& quæ. de ana.viu. Sp.50.H
SANGVIS omnium quæ in corpore sunt maxime familiaris est nobis. 6°.de loc.aff. 4ª.38.H
Sanguis est nobis amicus. c.5°.aph.64°. Ex.44.G
Sanguis est melior thesaurus naturæ.de anat.viu. Sp.46.B
de Sanguine sollicita est natura. de ana.viu. Sp.46.C
Sanguis quo calore fiat. 2ª.de cris. 4ª.138.D
Sanguis est corpus calidum innatum. aduer.Lycum. Ex.65.D
Sanguis generatur a calore naturali,quia calore deficiente non fiet sãguis.c.6°.aph.12°. Ex.47.E
Sanguinem gignit calor natiuus temperatus. in 3ᵐ.de mor.vulgari. com.3°. 3ª.142.D
Sanguis a mediocri calore fit. 2°.de na.fa. 1ª.300.C
Sanguis & spiritus sunt materia in qua habitat calor naturalis, colligе.c.2°.aph.1°.3.D/c.3°.aph.2°. Ex.11.B
ex Sanguine & pituita substantia caloris naturalis consistit.8°.de de cretis Hipp. 1ª.277.E
Sanguis anima est secundum aliquos.2°.de dec.Hipp. 1ª.240.H
Sanguis cur anima existimatus.8°.de dec.Hipp. 1ª.276.D
Sanguine alitur anima secundum aliquos.2°.de dec.Hipp. 1ª.240.H
Sanguis regit animam. de dynam. Sp.19.D
Sanguis quos faciat mores.de nat.& ord. cuius.corp. Sp.41.E
Sanguis facit pueros moderatos,blandos,& formosos.de dy.Sp.19.E
Sanguine vitiatur animus. de dynam. Sp.19.D
a Sanguine proficiscuntur simplicitas & stoliditas animi de natura humana, c.1°. 1ª.33.B
Sanguine quomodo fiat desipientia.in 1ᵐ.prob.c.3°. 4ª.184.C
Sanguine plurimo,& spiritu calido pleno capite desipientiæ fiunt. com.7°.aph.7°. Ex.54.D
SANGVIS ad quid vtilis.de cucur.scar. 6ª.3.G
Sanguis quid faciat in animali.de cur.ra.per sang.miss. 6ª.16.G
Sanguinis vires quæ. de simp.med. Sp.90.B
Sanguis vltimum alimentum est.& animi mor. 1ª.312.F
ex Sanguine fit nutritio. 2°.de dec.Hip. 1ª.240.H
Sanguis bonus nutrit corpus.c.2°.aph.47°. Ex.18.H
Sanguis qui defertur pro alimento, non est similis vsquequaq;. 2°.de dis.fcb. 3ª.41.H
Sanguis diuersus in diuersorũ mẽbrorũ nutritione.8°.de de. 1ª.275.g
Sanguinis nutrientis diuersitas.3°.de nat. fac. 1ª.307.H
Sanguis tenuis facilius trahentem sequitur. 3°.de nat.fa. 1ª.308.D
ſm Sãguinẽ nutrientẽ particularũ diuersitas oritur.de consue.2ª.61.b
Sanguinis vas si esset vnum, omnes partes simili alimento nutrirent. 6°.de vsu par. 1ª.155.B
Sanguinem puriorem exigunt aliqua membra. 1°.de semi. 1ª.332.F
Sanguinem serosiorem exigunt aliqua membra.1°.de sem. 1ª.332.F
Sanguis in perfectis animalibus accipitur ex sanguineis instrumentis 6°.de vsu par. 1ª.156.E
Sãguis in imperfectis animalibus & fœtibus accipitur ex spirituosis instrumentis.6°.de vsu par. 1ª.156.E
Sanguis confectus in venis datur arterijs. 6°.de vsu par. 1ª.155.C
Sanguis optimus nullo inquinatus humore,quem vaporem faciat.3°. de caus.mor. 3ª.7.F
Sanguis bonus ob calorẽ fumosos vapores emittit.de vti.re. 1ª.226.c
Sanguinis euaporatione ad nutritionem spiritus aĩalis indiget.de vti. resp. 1ª.226.B
Sanguinis benigni exhalatio est spiritus animalis.6°.de vsu p.1ª.155.c
Sanguis optimus venit ad nutriendum ventriculum in longis ieiunijs. de atra bile. 1ª.36.G
Sanguinem cur attrahunt partes. 13°.me. me. 7ª.80.F
Sanguinem sibi familiarem trahunt omnes corporis partes.9°.de cõp. med.sec.lo. 5ª.198.C
ex Sanguine debet nutriri caro. de ana.viu. Sp.49.H
Sanguinem caro trahit,vt magnes ferrũ.3°.de simp.me.fa. 5ª.23.E
Sanguinis potestate caro est.3°.de temp. 1ª.21.F
Sanguis attrahit p tunicã vasorũ ĩ nutritione.6°.de vsu pa. 1ª.151.D
SANGVINEM in cerebro non contineri experimentum. 1°.de decretis Hipp.& Plat. 1ª.231.F
Sãguinẽ ĩ cerebri sinibus qũo inuenies. 1°.de dec.Hip.& Pl.1ª.231.f
Sanguis non potest venas meningum subintrare, nisi fuerit plurimum digestus.de vtil.res. Sp.63.A
Sanguinis principium est cor ſm Aristotelem, & cur. de anatom. viuo. Sp.50.F
Sanguinis primum principium mediate est cor.de ana. viu. Sp.50.G
Sanguinis alentis principium non est cor.6°.de dec.Hip. 1ª.264.C
Sanguinis alicuius cor est initium,& cuius.6°.de dec.Hip.1ª.264.c
cuius Sanguinis sit initium cor. 3°.de dec.Hip.241.F/6°. 1ª.266.D
Sanguinis cuiusdã.i.arteriarũ principiũ est cor.6°.de dec. 1ª.266.D
Sanguis in corde,non dissimilis est ab illo iecoris.6°.de dec. 1ª.263.C
Sanguis cordis,flauior est Sanguine iecoris.6°.de dec.Hipp.1ª.266.c
Sanguis cordis spirituosus est.6°.de dec. Hipp. 1ª.266.D
Sanguis perfectus fit in corde.de ana.viu. Sp.46.B
Sanguinis virtus est circa cor. de dynam. 1ª.19.E
Sanguis a corde suum accipit calorem.1°. de temp. 1ª.15.C
Sãguis gñatur ĩ ventriculis cordis ſm Aristotelẽ.de vti.resp.Sp.62.F
Sanguis exuberat in corde.intro. Isa.55.B
Sanguine nihil vtilius cordi ad nutritionẽ.6°.de vsu par. 1ª.154.A
Sanguine attracto,& spiritu cibatur cor.de anat.viu. Sp.56.D
Sanguis flauior in sinistro cordis vẽtriculo gignit.6°.de dec. 1ª.266.c
Sanguinem flauiorem hẽt viscus calidius.6°.de dec. Hipp. 1ª.266.C
Sanguis sinistri ventriculi cordis semp calidior est.6°.de de.1ª.263.c
Sanguis sinistri cordis vẽtriculi qñq; tenuior & flauior,qñq; crassior, nigriorq; est.6°.de dec. Hipp. 1ª.263.C
Sãguis semp ĩ sinistro cordis sinu adest aĩali mortuo.1°.& de. 1ª.231.F
Sanguine plenum est cor ĩ vtrisq; sinib⁹ dũ aĩal viuit.1°.& de. 1ª.231.f
Sanguine plenum esse sinistrum cordis ventriculum probat. 1°.de decr. 1ª.231.G
Sanguine pleno sinistro cordis ventriculo, animal moritur. an san.in ar.nat.cont. 1ª.61.B
Sanguis est copiosior in dextro cordis ventriculo.6°.& vs.p.1ª.154.b.
Sanguinem habent in aliquo ventriculo boues vulnerati in dorsi medullæ exortu.1°.de decre.Hip. 1ª.231.G
Sanguinem attrahit cor ab hepate.de vti.resp. Sp.64.D
a Sanguine venæ cauæ nutritur cor. 6°.de vsu pãr. 1ª.155.C
Sanguine pingui,& vactuoso nutritur calor vitalis qui est in corde. de vtil.resp. Sp.62.C
Sanguis est humidus quo alitur vita.de dyna. Sp.19.D
ex Sanguine,& inspirado nutrit spũs uitalis. 12°.me.me. 7ª.77.C
Sanguinis uitalis & nutrimentalis differentia.de ana.uiu. Sp.53.A
in Sanguinẽ habentibus est vis uitalis.4°.de ſſag. ex pul. 4ª.122.C
ex Sanguinis penuria cor refrigerat.in 6ᵐ.de mor.uul.c.4°. 3ª.186.F
Sanguinem præparatum ministrat cerebro cor.de compa. memb.sine de natura humana. Sp.59.B
Sanguis vnde deducatur per totum corpus. intro. Is.54.E
Sanguis unde eat a corde ad superiores partes. intro. Isa.54.D
Sanguis habet potestatem eundi per totum corpus.de sper. Sp.37.A
Sanguis subministratur pulmoni ex corde per uenam magnam.de natu.humana, c.2°. 7ª.184.A
Sanguine calido, & sicco nutritur pulmo.de ana.uiu. Sp.52.G
Sanguis qũo deueniat in arterias pulmonis.6°.de usu par. 1ª.151.D
Sanguine purissimo,& tenuissimo nutritur pulmo.15°.de us.p.1ª.212.f
Sanguis cur spumosus in pulmone. 15°.de usu par. 1ª.212.F
Sanguinẽ ire ad mẽbra,q̃ indicia.de iis,quæ in med.si.c.3°. 7ª.216.C
Sanguinem in totum corpus una uena ruat,ex qua multæ educantur uenæ. de nat.hum.c.2°. 7ª.184.B
Sanguis qui per totum corpus eat. 2°.de nat.fa. 1ª.302.A
Sanguis ea ratione fertur per omnes animalis partes, qua per renes vrina in vesicam.2°.de nat.fa. 1ª.296.G
Sanguis crassior ad quas partes deferatur.5°.de loc. affe. 4ª.33.H
Sanguis non est in neruis,tñ nutriuntur,& qũo.2°.de na.fa.1ª.298.e
Sanguinis fece nutritur lien,& ex ea sit atra bilis. 9°.de compositio. med.se.lo. 5ª.198.C
Sanguinem rubrum magis appetunt renes, & splen quasi similem in colore & natura. de anat.viu. Sp.44.D

Sanguine nutriuntur rẽnes. de ana. viu. Sp. 51. C
Sanguis per quandã decoctionẽ in mamillis vertit̃ lac. de sp. S. 36. E
in Sanguinis medio & pituitæ est lac. 5°. de simp. med. fa. 5ª. 37. F
Sanguis dealbatus ad nutrimẽtum cerebri defertur ad testes. de ana. viuo. Sp. 51. G
Sanguis acris serosus debet ire ad testiculos. 14°. de vsu p. 1ª. 209. B
Sanguis albescit in venis, & arterijs testium. 1°. de semi. 1ª. 332. G
Sanguis quomodo fiat albus. 14°. de vsu par. 1ª. 207. G
Sanguis cur in solis testibus fiat albus. 14°. de vsu par. 1ª. 207. G
ex Sanguine principaliter fit sperma, secundario ex alijs humoribus. de sper. Sp. 36. F
Sanguis vbi fit sperma, & quomodo. de sper. Sp. 36. E
ex Sanguinis subtilitate fit sperma. de sper. Sp. 37. A
ex Sanguine exacte cocto gñantur semẽ, & lac. 16°. de vs. p. 1ª. 219. C
Sanguis & spiritus ad spermatis generationẽ vbi præparãtur, & eius vsus. 9°. de vsu par. 1ª. 172. A
Sanguis est semen viri. de nat. & ord. cuius. corp. Sp. 42. C
Sanguis cũ sit sperma ipsum, cur albũ. de nat. & ord. cuius. cor. Sp. 42. C
Sanguis terrestris plurimũ calidus est pro eo, quod est receptaculum amoris. de vtil. resp. Sp. 64. E
Sanguine pituitoso nutritur cutis. in prog. c. 2°. 4ª. 198. B
SANGVINIS *parum habent frigida. 6°. de vsu par.* 1ª. 150. H
Sanguinis paruitas signat frigiditatẽ tẽperaturæ. 6°. de vs. p. 1ª. 150. H
Sanguine carent pisces, vel parum habent. 6°. de vsu p. 1ª. 150. H
Sanguis qbus differẽtijs diuersus sit ã alijs. 5°. de de. Hip. 1ª. 257. b
Sãguinẽ frigidũ & aquosum hũtia alia timida sunt. de vt. re. S. 64. e
Sãguis qui nimiũ dilutus est, facit alia timidiora. q animo. 1ª. 319. d
Sanguinis liquidioris homines sunt timidi, & boni sensus, quia molles carne de vtil. resp. Sp. 64. F
Sanguis dilutior est frigidior. q animi mor. 1ª. 319. C
in Sanguine liquido nulli inueniuntur neruuli. de vti. resp. Sp. 64. F
Sanguis qui terrenus est, nimirum coit, cum humor euaporatur. q animi mores. 1ª. 319. C
in Sanguine spisso inueniuntur neruuli. de vti. resp. Sp. 64. F
Sanguis aliquis habet fibras, aliquis non. q animi mor. 1ª. 319. C
in Sanguine fibræ sunt terræ opificium. q animi mor. 1ª. 319. D
cũ Sanguine tenui alia sunt sapientiora. q animi mor. 1ª. 319. D
Sanguinẽ tenuẽ habẽt mulieres albę. de cur. ra. per sang. mis. 6ª. 18. G
Sanguinẽ non habentia animalia quædam prudentiora sunt aliquibus sanguinẽ habentibus. q animi mor. 1ª. 319. D
Sanguinem melancholicum dari. c. 6°. aph. 38°. Ex. 50. F
inter Sanguinẽ melancholicum, & atram bilem ponit differentiam. 5°. de locis affectis. 4ª. 34. E
Sanguinẽ melancholicũ quem appellet Gal. 3°. de loc. aff. 4ª. 18. A
Sanguinẽ melancholicum magis admistum cum bile pallida habent vi rides, & nigri. in 6ᵐ. de mor. vul. c. 3°. 3ª. 175. A
Sanguis cholericus est alia superfluitas sanguinis quæ continetur in cisti fellis. de ana. viu. Sp. 50. F
Sanguis in longis vigilijs efficitur bilioſior. c. 7°. aph. 18°. Ex. 55. C
Sanguinem humorem copioſiorem habẽt rubri & virides. in 6ᵐ. de mor. vul. c. 3°. 7ª. 175. A
Sanguis crassus & niger in siccorum calidorumq; corporum naturis conspicitur. de atra bile. 1ª. 35. A
Sanguinẽ melãcholicũ hũtibus q cibi exhibẽdi. de bo. et vi. su. 2ª. 38. a
Sanguinẽ plus iusto melancholicum habentes alimentis egent calidis & humidis. de bon. & vit. suc. 2ª. 38. A
Sanguinẽ biliosũ hũtibus qui cibi exhibendi. de bo. et vi. su. 2ª. 38. A
Sanguis pituitosus ex desidia generatur. de mult. 3ª. 78. H
Sanguis pituitosus carnem facit pituitosam. 3°. de sym. cau. 3ª. 26. C
Sãguinẽ pituitosum hũtibus q cibi exhibẽdi. de bo. & vi. su. 2ª. 38. A
Sanguinem Ichoroidea quẽ appellet Hippo. in 6ᵐ. de mor. vulgarib. com. 2°. 3ª. 167. E
Sanguis aquosus quã carnẽ gignat. in 6ᵐ. de mor. vul c. 1°. 3ª. 156. D
Sanguine prõbato abundantes quo modo nutriendi. de bonitate, & vitio succorum. 2ª. 38. B
in Sanguine redundante congruus cibus qui. de art. c. 4°. 7ª. 288. E
Sanguinis locus qui. de ana. viu. Sp. 45. D
Sãguinis proprietates. de ana. viu. Sp. 45. D
Sanguis quot modis mutatur. de sper. Sp. 39. H
SANGVINIS *horæ quæ. de sper.* Sp. 38. A
Sanguis quibus horis dominetur. de nat. & ord. cuius. cor. Sp. 41. D
Sanguis dominatur ab hora noctis nona vsq; in horam diei tertiã. de dynam. Sp. 19. E
in Sanguinis horis concepti pueri natura. de sper. Sp. 37. B
in Sanguinis horis tribus cõceptũ sperma quid efficiat. de spe. S. 37. B
in Sanguinis naturã mutatur, & informatur a muliere cõceptũ sperma in tribus horis sanguinis. de sper. Sp. 37. B
in Sanguinis horis si in sinistra parte matricis cõceptus maneat, quid sequatur. de sper. Sp. 38. A
in Sanguinis horis in dextra matricis parte si sit infans cõceptus, qd sequatur. de sper. Sp. 38. B
in Sanguinis horis si sit concepta puella, parẽtes vero in horis phlegmatis quid eueniat. de sper. Sp. 38. C
in Sanguinis vel phlegmatis horis si puer sit conceptus, parentes ĩ horis bilis, quid sequatur. de sper. Sp. 38. D
in Sanguinis horis si sit cõceptio omniũ, quid sequatur. de sp. Sp. 38. D
Sanguinis infantis hora si pater & auus infans vel puer concepti sũt quid contingat. de sper. Sp. 38. E
Sanguinis horis si pater semen fuderit mater vero concepta sit in eisdẽ horis quid sequatur. de sper. Sp. 38. F
a Sanguinis horis quando principium habet puer sicut auus eius, retinet ab eo figuram. de sper. Sp. 38. F
in Sanguinis horis synocha quæ acuitur qualis sit. de sper. Sp. 39. H
in Sanguinis horis quartana quæ acuitur qualis. de sper. Sp. 39. H
Sanguinis incrementum duplex. de mult. 3ª. 81. B
Sanguinis commoditas ex qualitate & quantitate exacte secundum naturam existit. de mult. 3ª. 80. F
Sanguis quantus esse debeat. 2°. de temp. 1ª. 19. E
ex Sanguinis copia, carnis abundantia vel corpulentia nascitur. 2°. de temperamentis. 1ª. 18. D
Sanguinis abundantia nutrimenti copiæ soboles est. intro. Is. 52. C
Sãguis qui vtilis ad implendum carnem. 4°. me. me. 7ª. 23. D
Sanguinem tuentur carne implentia. 1°. de comp. med. per g. 5ª. 227. a
Sanguine cum viribus crescente, robur crescit. de mul. 3ª. 78. H
Sanguinis copiã significat robur. de vi. ra. in mor. ac. c. 4°. 7ª. 137. H
Sanguis bonus facit vt calorẽ & frigus facile feramus. de dy. S. 19. d
Sanguis crassior, & calidior efficacior ad robur est ex Aristotele. q animi mores. 1ª. 319. C
Sanguis tenuior, & frigidior hẽt pleniorem vim sentiẽdi, & intelligẽdi. q animi mores. 1ª. 319. C
inter Sanguinem habentia ingenioſiora suis contrarijs sunt, quæ habẽt sanguinẽ tenuiorem & frigidiorem. q animi mores. 1ª. 319. C
SANGVIS *dupliciter fit inutilis. 9°. me. me.* 7ª. 59. D
Sanguinis si sit redundantia absolute dicitur. 2°. me. me. 7ª. 10. A
Sanguis dr̃ abundare cũ humores oẽs æque abũdãt. de cu. rat. 6ª. 17. F
Sanguis ex quibus abundat & corrumpitur. de dy. Sp. 19. D
Sanguis quo tempore crescat. de nat. & ord. cuiusl. corp. Sp. 41. D
Sanguis temperatissimus humorum, vere quidem, in temperatissima cõstitutione abundat. in 1ᵐ. de mor. vul. c. 1°. 3ª. 100. H
Sanguis vere redundat. 8°. de dec. Hipp. 1ª. 276. D
Sanguis cur in vere abundat. 8°. de dec. Hip. 1ª. 276. E *| in 1ᵐ. de mor. vul. c. 1°.* 3ª. 101. C
Sanguis etiam in æstate abundat. 8°. de dec. Hip. 1ª. 276. E
Sanguine, & flaua bile æstate perustis atra bilis abundat autumno. in 1ᵐ. de mor. vul. c. 1°. 3ª. 100. H
Sanguis habet partem humidam, & aquosam, quæ in æstate absumitur. c. 3°. aph. 14°. Ex. 22. D
Sanguis cur paucus in autumno fiat. de nat. hum. c. 1°. 1ª. 32. B
Sanguini contrarius autumnus. de nat. hu. c. 1°. 1ª. 32. B
Sanguis & spiritus quibus abundat. c. 2°. aph. 44°. Ex. 18. F
Sanguis in quibus redundat. fin. med. Is. 44. G
Sanguis plurimus qua ætate abundet. in prog. c. 1°. 4ª. 196. C
Sanguinis plurimum quæ ætas gignit. in prog. c. 3°. 4ª. 210. C
Sanguinis plurimum habent pueri. in prog. c. 3°. 4ª. 210. C
Sanguis quibus adolescentibus. in prog. c. 3°. 4ª. 210. C
Sãguis ĩcipit supabũdare ĩ ætate pubertatis. c. 3°. ap. 27°. Ex. 25. H
Sanguine non abundant consistentes. c. 3°. aph. 30°. Ex. 26. D
Sanguinis magna pars dominatur ab anno trigesimo vel quadragesimo vsq; in suam ætatem cum nigra colera. de dyn. Sp. 19. E
Sanguinis maxima pars cũ choleris nigris dñatur ab anno vigesimo quinto vsq; in annos quadragesimũ ſm. de nat. & ord. Sp. 41. E
Sanguine plenior est mas fœmina. in 6ᵐ. de mor. vul. c. 2°. 3ª. 169. F
Sãguine aliqui graciliſſimi abundant. in 6ᵐ. de mor. vul. c. 3°. 3ª. 176. c
Sanguine carent aliqui crassi. in 6ᵐ. de mor. vul. 3°. 3ª. 176. C

Sanguis gymna-

Sanguis gymnasticorum qui.de atrab. 1ª.35.C
Sanguis athletarum qui de atrab. 1ª.35.C
Sanguinis plenæ venæ quibus videntur. 1°.*de diff. feb.* 3ª.36.A
Sanguis si prævaleat, quales ex eo pulsus. de mult. 3ª.82.A
Sanguinis copia quem pulsum faciat. 2°.*de caus.pul.* 4ª.90.G
Sanguinis pulsus qui.de nat.& ord.cuiusl.corp. Sp.41.E
Sanguis facit pulsum plenum, & humidũ. de dy. Sp.19.F
Sanguis in arteriis quandoq; crassus,& lentus, quem faciat pulsum. 2°.*de causis pulsuum.* 4ª.90.G
Sanguis cui assimilatur in respiratione. de vti.resp. 1ª.225.A
Sanguinis fuligo euacuatur per expirationem. de vtil.res. 1ª.225.A
Sanguis quo modo cognoscatur prævalere. 6°.*de composi. medicam. sec.lo.* 5ª.176.E
Sanguinem homini abundare quando iudicandum secundum Galenũ. de multitudine. 3ª.82.B
Sanguinis abundantia ruborem præsefert. de mult. 3ª.81.E
Sanguinis abundantiam significat corpus ad rubicundius, q̃ pro natura est,mutatum. 4°.*de san.tu.* 2ª.84.B
Sanguis in facie abundans satis euidenter non apparet in nigrioribus natura.in 6ᵐ.*de mor. vul.c.*2°. 3ª.163.F
*Sanguis abundantia est plethora.*13°.*me.me.* 7ª.80.H
*Sanguinis solius plethora est.*2ᵒ.*de comp.med.se.lo.* 5ª.132.D
Sanguinis euacuatio retenta, facit incidere in morbos plethoricos.in 1ᵐ.*pror.c.*3°. 4ª.185.D
Sanguis in plethoricis dispositionibus quid potest, quod aly humores non possint. de mult. 3ª.81.H
Sanguis abundans valetudinem vitiat.de dyn. Sp.19.D
Sanguinis multitudo præcipua est causa morborum.de ve.sect.aduersus Erasistratum. 6ª.9.H
ex Sanguinis superfluo qui affectus fiant. de sper. Sp.36.G
a Sanguine fiunt morbi acuti fere & a flaua bile.intro. Is.55.E
Sanguis sæpe conuulsione causa est. de opt.sect. Isa.24.C
Sanguis quo põt esse causa lætaliũ morborũ. 8°.*de dec.* 1ª.275.E
Sanguis facit nouos dolores plerũq;.in 6ᵐ.*de mor.vu.c.*1°. 3ª.156.e
*Sanguinis multitudo, & spiritus flatuosus faciunt capitis dolorem. com.*6°.*aph.*16°. Ex.47.D
Sanguis probus in loco collectus dolorem parit vehementem. 2°.*de art.cur.ad Glau.* 7ª.100.H
Sanguis quando faciat morbos. de dynamidijs. Sp.19.D
Sanguine abundantes, si corpus exerceant, incidunt in apoplexiam, morbum comitialem,vel vasis alicuius in pulmone fractionem.cõ. 3°.*apho.*20°. Ex.24.C
*Sanguinis abundantia non potest rumpere venã vesicę sicut renum. com.*4°.*aph.*73°. Ex.35.G
Sanguis pituitosus per totum corpus est in anasarca, & leucophlegmatia. 5°.*de locis affect.* 4ª.33.H
*Sanguinis redundantia vbi sit,quid agendum.*4°.*de san. tu.* 2ª.87.E
Sanguine exuberante,quomodo procedendum.de const.ar. Isa.42.E
ex Sanguinis abundantia factus dolor quomodo sanetur. 12°.*meth. med.* 7ª.79.B
Sanguine multo abundantes non sunt purgandi. de dyn. Sp.20.F
*Sanguis si abundet, mittendus est sanguis.*6°.*de sa.tu.* 2ª.100.E
Sanguis abundans minuendus est.de cucurb.scar. 6ª.3.G
Sanguis corruptus alterandus est. de cucurb.scar. 6ª.3.G
Sanguinis culpa si fuerit ægritudo, da ei frigida & sicca & amara.& dynamidys. Sp.19.F
Sanguinis abundantiam reprimit hypocystbis.de simp.me. Sp.92.E
Sanguinis abundantiam valde stringit menta. de simp.med. Sp.87.D
Sanguinis abundantiam reprimit Rhu.de simp.med. Sp.89.E
Sanguine plenæ particulæ casus.ars med. Isa.70.E
ex Sanguinis penuria siccitas quæ. 7°.*me.me.* 7ª.44.D
Sãguinẽ deficere signãt febres liuidæ.in 6ᵐ.*de mo.vu.c.*1°.3ª.159.g
Sanguinem multum calidum habentes, melãcholici facile fiũt. ĩ 3ᵐ. *de mor.vul.c.*3°. 3ª.146.G
Sanguinis multum habentibus,& pituitosis cibi parcitas lassitudinẽ tollit,& sitim extinguit. in 6ᵐ.*de mor.vul.c.*3°. 3ª.176.A
Sanguinis defectu laborantibus,& bilioſis cibi parcitas neq; lassitudinẽ tollit,& neq; sitim extinguit.in 6ᵐ.*de mo.vu.c.*3°.3ª.176.a
*Sanguis quos tumores faciat ſm suam diuersitatem.de ocu.*7ª.189.E
SANGVINEM *significat tumor rubeus.* 4°.*me.me.* 7ª.89.D
a Sanguine fit inflammatio.de differentiis morborum. 5.G/ 1°.*de diff. feb.*3ª.32.A/13°.*me.me.* 7ª.81.E
*à Sanguine proprie fit inflammatio.*2°.*de crisi.* 4ª.138.C
Sanguinem in inflammatione esse probat. de tum. præt.nat. 3ª.83.B
*ex Sanguine bono fit inguinis inflammatio.*2°.*de crisi.* 4ª.138.C
*ex Sanguine, & flaua bile inflammatio.*6°.*de cõ.me.se.lo.* 5ª.176.E
ex Sanguine phlegmones quo modo fiant. 13°.*me.me.* 7ª.80.E
*Sanguis quo modo influat in locum phlegmonis.*13°.*me.me.* 7ª.80.F
*Sanguis trahitur ad locum patientem. com.*4°.*aph.*48°. Ex.33.B
Sanguinem ad se trahit dolor,& facit inflammationem sine plenitudine.de cur.rat. per sang.miss. 6ª.17.G
*Sanguis,& spiritus illuc tendunt quo natura expellit violenter,vnde ibi fiunt inflammationes.c.*5°.*aph.*53°. Ex.42.D
*Sanguis,& spiritus sunt duo instrumẽta,quibus natura vtitur,& expellit per vim ea quæ infestant.c.*5°.*aph.*63°. Ex.44.C
Sanguis,& spiritus cõcurrũt ĩ omni naturali motione.de ren.affectuũ dignotione, & medela. 7ª.192.H
*Sãguinis infirm diuersum est ab instrumẽto spũs.*6°.*de vsu p.*1ª.154.b
*Sanguis in inflammationibus dispartitur per minimas partes ad cauitates quę sunt in musculis.c.*6°.*aph.*20°. Ex.48.C
Sanguis crudior antea rubrior,& flauior efficitur in Phlegmone. de curan.ratio.per sang.miss. 6ª.19.E
*Sanguinis inhibitio fit prius q̃ euacuatio in phlegmone, quæ fit,& ad hoc est in generatione.*12°.*me.me.* 7ª.81.G
SANGVIS *quomodo alteratur duplici.de causa.*2°.*de dif.*2ª.42.B/c
*Sanguis quomodo inhibeatur.*12°.*me.me.* 7ª.81.G
Sanguinis alteratio fit per similitudinem ad vinum quod accessit. cõ. 2°.*aph.* 22°. Ex.15.C
Sanguis quomodo humidior seipso redditur.de mult. 3ª.82.A
Sanguis quomodo calidior efficitur. de mult. 3ª.82.A
Sanguis quomodo frigidior fit. de mult. 3ª.82.A
Sanguis quomodo siccior redditur. de mult. 3ª.82.A
Sanguis est flatulentus aliquando. de mult. 3ª.81.A
*Sanguinem habet caliditas materiã vnde accẽdit.d vti.res.*1ª.224.H
Sanguinem calefacit bedarus calefactione forti. de diff.cõt. Sp.74.C
Sanguis arteriarum cur primo calefiat.de inæq. intempe. 3ª.43.G
Sanguine maxime sinistri sinus in corde inflammato efficitur inæqualis corporis intemperies. 1°.*de ineq.intemp.* 3ª.44.A
Sanguis necessario quandoq; putrescit. 2°.*de diff.feb.* 3ª.40.A
Sanguis dupliciter putrefit. 2°.*de diff.feb.* 3ª.41.D
*Sanguis duplicem ob causam corrumpitur in inguinum tumoribus, & inflammationibus.*2°.*de diff.feb.* 3ª.40.B
*Sanguinem opprimit calor extrinsecus qũo.*2°.*de diff.feb.* 3ª.40.A
*Sanguis corrumpitur aceruatus aliqua in parte, & quot modis, & qũo.*2°.*de diff.feb.* 3ª.40.B
SANGVINE *putrefacto an febres cõtingant.*2°.*de dif.feb.* 3ª.40.A
Sanguis corrumpitur, & facit febrem. 2°.*de dif. feb.* 3ª.42.B
Sanguis pituitosus tardius corrumpitur. 2°.*de dif. feb.* 3ª.42.B
*Sanguinis coagulatio extra,est via ad putredinẽ.*6°.*de de.* 1ª.266.B
Sanguis incidens in arterias inter alas & inguina,febrẽ facit.an san. in ar.nat.cont. 1ª.61.B
*Sãguis in febribus quo mõ calefiat,& vsquequo.de inæq. itẽ.*3ª.44.A
*ex Sanguine putrescente qua fit febris bilioſa quodammodo est.*2°.*de crisibus.* 4ª.138.D
*ex Sanguine febres simpliciores fiunt quam ex aliis humoribus.*2°.*& differentijs feb.* 3ª.40.B
*ex Sanguinis transmutatione consequũtur febres quæ calorem habẽt mitiorem, & simpliciores ipsæ sunt.*2°.*de diff.feb.* 3ª.40.C
*in Sanguinis febre calor mitis est qualitatis.*2°.*de diff.feb.* 3ª.40.C
*ex Sanguine calor febris,est vt calor balnei.*2°.*de diff.feb.* 3ª.40.C
*Sanguis quomodo comparetur lignis humidis.*2°.*de diff.feb.* 3ª.42.C
ex Sanguine febres sunt valde rubentes.in 6ᵐ.*de morb.vulgaribus, com.*1°. 3ª.159.G
*ex Sanguine febres,& aliorum humorum,solum differunt bonitate,et malitia.*2°.*de diff.feb.* 3ª.40.C
Sanguinis febres similes sunt tertianæ. 2°.*de diff.feb.* 3ª.40.B
ex Sãguine putrido synochus accẽdit.in 6ᵐ.*de mor.vu.c.*1°. 3ª.153.d
*ex Sanguinis abundantia synochus.*9°.*me.me.* 7ª.56.F
*Sãguinis vi excitatarũ febriũ cõtinuarũ vrinæ.quæs.ĩ Hip.Sp.*113.B
ex Sanguine putrido febris fit complicata,& ex superfluitate putrida,& quo modo. 2°.*de diff.feb.* 3ª.42.C
Sanguis cum putrescit trãsit in alterã naturam, vel in bilem flauam, vel in atram. 2°.*de dif.feb.* 3ª.42.F
*Sãguis quo modo in bilem, & atrã bilẽ transeat.*2°.*de cris.*4ª.138.d

ex Sanguine supra modum cocto bilis fit. 4°.de sa.tu. 2ª.84.C
cum Sanguis assatur tenuis vertitur in flauam bilem, crassus vero in atram. 2°.de diff.sch. 3ª.40.C
à Sanguine nascitur bilis acida, & amara quæ dicitur mater morborum. de dynamidijs. Sp.19.D
Sãguis quõ purgaĩ bilescit,& ĩ qb.de vic.ra.ĩ mor.ac.c.2°.7ª.123.b
Sanguis fit bilis ferarum morsu. 5°.de loc. affe. 4ª.34.A
Sanguis humanº quẽ attigerũt virulẽtæ bestiæ,recat.ã th.ad P.5ª.93.g
Sãguinẽ nisi attigerint venena spiculorũ nõ necãt.ã th.ad P. 5ª.93.g
Sanguini atra bilis contraria est.de nat.hum.c.1°. 1ª.32.C
Sanguis qui facillime bilis nigra efficitur. 13°.me.me. 7ª.84.C
Sanguis, & bilis transeunt in melancholiam. de sper. Sp.40.G
in Sanguinem non transit melancholia. de sper. Sp.40.G
ex Sanguine quomodo atra bilis fiat. 3°.de sym.cau. 3ª.28.B
ex Sanguine crasso sit atra bilis.in primum prorrh.c.1°. 4ª.164.D
Sanguis crassus facit humorẽ melancholicum.c.3°.aph.22°. Ex.24.f
Sanguis melancholicus crassus est. de cur.rat.per sang.miss.6ª.18.E
Sanguis quomodo crassior,& nigrior redditur.2°.de nat.fa.1ª.301.f
Sanguinis veluti sedimentum,ac fex est atra bilis.2°.de tẽp.1ª.18.a
Sanguinis fex est humor melancholicus.c.4°.aphor.77°. Ex.36.F/c.
6°.aph. 53°. Ex.53.B
Sanguinis veluti fex vt in vinis nigris crassis cõsistẽtibus fex, est imago atræ bilis.c.4°.aph. 21°. Ex.29.D
in Sanguine pars quæ est veluti lutum & fex, caseo proportione respondet.2°.de elemen. 1ª.8.H
in Sanguine est quædam pars veluti lutum.2°.de elem. 1ª.8.H
Sanguis quandoq, liquidæ pici similis est.de atrab. 1ª.34.D
Sanguis niger liquidæ pici similis.in 6ᵐ.de mor.vul.c.4°. 3ª.186.E
Sanguis liquidæ pici similis visus fuit Gal.largiter euacuãdus in quadam muliere.in 6ᵐ.de mor.vul.c.3°. 3ª.176.D
Sanguinis fex omnis non est atra bilis. de tum. præter nat. 3ª.84.C
Sanguis niger, & splendens vnde. 3°.de sym.cau. 3ª.28.A
Sanguine splendidior quo modo fit nigra biliis. 3°.de sym.ca. 3ª.28.a
ex Sanguinis adustione melãcholica fiũt tẽperamẽta.2°.de tẽ.1ª.21.b
Sanguis mistus nigræ bili qualis. 3°.de sym.cau. 3ª.28.A
Sanguis niger quo mõ differat ab atra bile.c.4°.aph.23°. Ex.29.H
Sanguis fit niger cum calorem amittit. 6°.de decr. Hipp. 1ª.266.B
Sanguis niger feci vini assimilatur.14°.me.me. 7ª.89.D
Sanguis decolor qualis.in 3ᵐ.de mor.vul.c.1°. 3ª.133.G
Sanguis merus frequentius solet appellari niger. in 3ᵐ.de mor. vulg. com.3°. 3ª.133.G
Sanguis crassas ater, quos morbos faciat. de atrab. 1ª.35.C
Sanguis melancholiæ facit atram bilem.de vti.resp. 1ª.226.C
Sanguis flauæ bilis facit phrenitim. de vti.resp. 1ª.226.C
ex Sanguine calido ad atræ bilis naturam conuerso carbunculi fiunt. 1°.de diffe.febrium. 3ª.32.A
ex Sanguine nondum cocto pituita fit. 4°.de san.tu. 2ª.84.C
Sanguine nascitur pituita quæ nauseam facit. de dyn. Sp.19.D
ex Sanguine supra modum effervescente,& ad atram bilem transmutato, fiunt carbunculi.2°.de diff.feb. 3ª.40.C
ad Sãguinis eductionẽ vt Herophilus 7°.de cõp.me.se.lo. 5ª.183.H
Sanguis crassus qñ est materia apostematis cũ vulnere.ã oc.7ª.189.E
Sanguis extreme prauus sm consistentiam qualis.3°.de ali.f.2ª.30.E
Sanguis prauus vt plurimum niger. de atrab. 1ª.36.H
Sanguis prauus quomodo fiat.in 6ᵐ.de mor.vul.c.4°. 3ª.186.D
Sanguis quo modo fit vitiosus. 3°.de symp. caus. 3ª.27.A
Sanguis quo modo fit vitiosus a vitiosis cibis.c.2°.aph.36°.Ex.17.F
Sanguis malus vbi sit in corpore. 4°.de san.tu. 2ª.83.G
Sãguinẽ prauũ non trahũt venæ cuius cõtrarium habeturĩ prĩcipio quarti de victu acutorũ. in 6ᵐ.de mor.vul.c.4°. 3ª.186.E
Sanguis qualis in pestilenti tempore.de bon.& vitio suc. 2ª.33.H
a Sanguine crasso apostema, quomodo curetur. de ocu. 7ª.189.G
Sanguinis crassi auxilia quæ sint. c.2°.aph.9°. Ex.12.C
Sanguis qui in cerebro dupliciter alteratur. 3°.de lo.affe. 4ª.18.E
Sanguis qui in cerebro cõtentus est qñq; solus alteratur reliqui corporis sanguine prorsus innocuo existente.3°.de loc.aff. 4ª.18.E
Sanguis melancholicus si in vniuerso corpore sit, curatio debet incipere a sectione venæ,si in cerebro solum,non est opus quatenus spectat ad talem dispositionem.3°.de loc.aff. 4ª.18.E
Sanguis melancholicus an sit in toto corpore,vel i cerebro, quomodo cognoscatur.3°.de loc.affe. 4ª.18.E
Sanguis permistus quos faciat morbos.2°.de crisi. 4ª.138.C
Sanguis,& bilis æqualiter mista quid faciãt.de tum.præt.na.3ª.84.b
Sanguini an mixti humores quomodo noscendum. de mult. 3ª.82.B
Sanguinem esse causam morbi cognoscimus a grauitate quæ symptoma est subsequens. de opt.sect. Isa.22.F
Sanguinis ægritudo quo modo curanda.de nat.& ord.cu.corp. S.41.e
Sanguinis diapedesis quid. 3°.de symp.cau. 3ª.27.B
SANGVIS *in somno refugit ad interiora.in 6ᵐ.de morb. vulgaribus, com.5°. 3ª.193.H*
Sãguis ad viscera se recipiens reddit aliquas partes præsertim extremas frigidas. c.7°.aph.1°. Ex.54.B
Sanguis quando & quo modo reliquit extremas corporis partes,et in se contrahitur.c.7°.aph.26°. Ex.55.G
SANGVIS *extra venas sentitur a lingua,vt extrinseca quæ admouẽtur.1°.de symp. cau. 3ª.17.D*
Sãguis extra sedẽ,nõ põt ad pristinã remeaĩ naturã.ĩ pg.c.1°.4ª.197.c
Sanguis extra propria vasa durescit. de atrab. 1ª.34.E
Sanguis extra vasa concrescit. de atrab. 1ª.34.D
Sanguis extra venas est concretus. 1°.de semine. 1ª.329.F
Sanguis in quibus locis etiam intra concrescit. de atrab. 1ª.34.D
Sanguis concrescit in regionibus ventriculi. de atrab. 1ª.34.D
Sanguis concrescit in pulmone. de atrab. 1ª.34.D
Sanguis concrescit in aspera arteria. de atrab. 1ª.34.D
Sanguis concrescit inter thoracem & pulmonem. de atrab. 1ª.34.D
Sanguis concrescit in regionibus intestinorũ. de atrab. 1ª.34.D
Sanguis concrescit in vteris in mulieribus. de atrab. 1ª.34.D
Sanguis quandoque concretus in abscessibus invenitur.2°.de art.cur. ad Glau. 7ª.105.B
Sanguinis grumus ostendit particulam affectã.1°.de loc.affe. 4ª.2.F
Sanguis coactus difficulter discutitur.5°.de comp.me.se.lo. 5ª.158.f
Sãguinẽ cõgelatũ in stõ,& vesica qd dissoluat.de cura lap.Sp.112.H
Sãguinẽ ĩ vẽtre cõcretũ dissoluit coagulũ leporis.10°.ã fim.m.5ª.74.d
Sanguinis grumos liquare ac soluere creditur amaranthũ. 6°.de sim. med.fac. 5ª.42.C
ad Sanguinis solutionem.secretorum. Sp.99.B
ad Sanguinis concretiones . de med.fac.par. 7ª.174.D
Sanguis ob oleum non exhalabit, & quare.6°.de san.tu. 2ª.98.C
Sanguinis multũ digerit calor febrilis.de cur.ra.per san.mi.6ª.19.F
SANGVIS *melancholicus in cerebro quandoque fit, quando recipit ab alia parte.de mel.ex Gal. Ruf.& Poss. Sp.109.B*
Sanguine plenæ oculorum venæ,& squalidi oculi, si doleant, vini potatione sanantur.c.6°.aph.31°. Ex.49.D
Sanguinem,& vulnus oculorum quid tollat. de dynami. Sp.24.E
Sanguinis, & doloris oculorum præsidium. de dyn. Sp.24.G
Sanguinis, & pani oculorum remedium.de dyna. Sp.24.H
Sanguinẽ,& caliginẽ, & tumorẽ oculorũ qd tollat.de dyn. Sp.24.H
ad Sãguinis ex auribus eruptiones ex Heraclida Tarentino remedia de comp.med.se.lo. 5ª.144.B
SANGVINIS *lationem per venas Plato aquæductum vocauit. in Timæum Platonis. 1ª.288.C*
Sanguis venæ cauæ comparatur fluuio. de nat.hum.c.2°. 7ª.184.B
Sanguis qui ex vena caua fluit in membra,comparatur canali. de natura,humana,c.2°. 7ª.184.B
ad Sanguinis ad interiora defluxum. de med.fac.par. 7ª.165.G
SANGVINIS *emissio species est euacuationis.ars med. Is.69.E*
Sanguis vitiosum vnde expellatur a natura. de atrab. 1ª.35.C
Sanguis potest per multa loca euacuari.c.5°.aph.33°. Ex.40.E
Sanguis per tres locos educitur. introd. Isa.56.E
Sanguis exit aliquibus per varias partes. 7°.me.me. 7ª.48.A
Sãguis p q̃ signa cognoscaĩ e variis ptibus exire.4°.ã loc.af. 4ª.25.F
Sãguis qñ a variis locis exit,qño prouidendũ.de med.fa.pa.7ª.165.g
Sanguis cur exeat quandoq; per sudorem. de vti. resp. Sp.62.F
Sanguis qui exit ex affectu corporis,vnde.3°.de sympto.cau.3ª.26.b
Sanguis qui exit ex affectu corporis,est a toto genere præter naturã. 3°.de symp.diff. 3ª.26.H
SANGVINIS *profluuium,opponitur alimento quod accipitur in tertia significatione. 1°.de sa.tu. 2ª.69.A*
Sanguinis profluuia omnia sunt præter naturam, præterquam menstruũ profluuium.3°.de symp.cau. 3ª.26.H
Sanguinis pfusio est a toto gñe præter naturã.de symp.dif.3ª.13.E/H
Sanguinis eruptio morbus longus intrinsecus est. introd. Isa.56.B
Sanguinis profluuium ponitur inter morbos vere apparentes.5°.de simplic.te. 2ª.94.B

Sanguinis profluuia cur fiant in vere. c.3°.aph.20°. Ex.24.A
Sãguinis profluuia cur vere & æstate cõtingãt.de nat.hu.c.1°.1ª.32.a
Sãguinis insultus quo aspectu fiant Martis cum luna. de decub.prog. ex mathema.scientia. Sp.12.H
Sanguis qua ætate fluat. in prog.Hipp.c.1°. 4ª.196.C
Sanguinis fluxus cur in pubertate fiant. c.3°.aph.27°. Ex.25.H
Sanguinis fluxus cur fiant iuuenibus, & per quas causas.commẽta. 3°.apho.29°. Ex.26.B
Sanguinis profluuium vnde proueniat. 3°.de sympt.cau. 3ª.26.H
Sanguinis profluuium quibus fiat modis. 5°.me.me. 7ª.30.B
Sanguis duobus modis erumpit. fin.med. Isa.50.A
Sanguis p eroſionẽ qñq; erumpit.de cur.rat.p san.miſſ. 6ª.20.H
Sanguinis vase erupto,incidit sanguinis effusi.de symp.diff. 3ª.13.E
Sanguinis effusio vnde proueniat.de sympt.diff. 3ª.13.E
Sanguis fluit vasis diruptis ex frigore.c.5°.aph.24°. Ex.39.G
Sãguinis ruptionem promouet remigatio. intro. Isa.52.B
Sanguis saltãtibus erumpit.3°.de sympt.cau. 3ª.26.H
Sanguis repente significat apertionem vasis.de art.c.4°. 7ª.288.D
Sanguis ex raptione in loco collectus discussione sanatur. commẽtar. 6°.apho.22°. Ex.48.D
Sãguinis fluxus fit ex calore,ad quã sequitur mors.c.5°.a.16°. E.38.g
Sanguis qbus fluit,aut fluxurus est calidum nocet.c.5°.a.19°. E.39.A
Sanguinis pfluuiũ,et phlegmonas icitat sup oĩa dolor.5°.m.m.7ª.31.a
Sãguis sine alijs hũoribus fluẽs qualis nã sit.2°.d ar.c.ad Gl.7ª.103.e
Sanguinis eruptio qũo significetur.in 1ᵐ.pr.c.3°.185.F/ 4ª.186.F
Sãguinis profluuij signa.3°.de crisi. 4ª.144.E
Sãguis qũo possit cognosci fluxurus multus.de præco.ad Po.4ª.219.F
Sanguinis pfluuiũ vbi futurus est aut vomitus, apparent symptomata interdum suffusioni similia.1°.de loc.affe. 4ª.3.H
Sanguinis fluxum imminere ostendit vrina nigra,tenuis,cũ auriũ ob tusione, & insomnia.de dynamidiis. Sp.34.B
Sanguis pm directum debet fluere. 3°.de crisib. 4ª.144.F
Sanguinem fluere recto itinere cõmendãdum.in prog.c.1°. 4ª.196.C
Sanguinis profluuia tritica ex qua vi fiant.c.7ª.aph.21°. Ex.55.E
p Sãguis fluorẽ vel sudorẽ,acutis qñq; fit declinatio.de tot.m.t.3ª.89.e
Sanguis ater erumpit in morbis ardentibus.de atrab. 1ª.36.A
p Sanguinis profluuium, & sudorem, iudicatus qui fuerit die quito. in 1ᵐ.de mor.vul.c.3°. 3ª.123.D
Sanguinis pfluuia i prĩcipio nunq̃ p crisin discernũt.1°.de cri.4ª.128.e
Sanguinis pfluuiũ supueniens,liberat hoĩem habẽtem vasa d sienta, & oppressa grauitate,ab instante noxa.de opt.sect. Isa.23.B
Sanguinis eruptiones quæ bonæ,quæue malæ.ĩ 1ᵐ.prr.c.3°. 4ª.185.E
Sanguis ex vasis suis effusus, quorũ malorũ sit cã.de tum.p. 3ª.38.H
Sanguinis profluuia mala.c.1°.aph.21°. Ex.10.A
Sanguinis fluxus & sudor plurimus faciunt corpora extenuata.com. 2°.aph.28°. Ex.16.E
Sanguinis pfluuiũ si aliquẽ debilitet nõ pot cõcoquere cibos, nec sanguificare,nec distribuere,vñ fiunt alui humidæ.c.4°.a.27°.E.30.C
Sanguinis eruptio vires euertit.de vict.ra.in mor.ac.c.3°. 7ª.128.E
i Sanguinis profluuijs fiunt pulsus vermiculãtes.2°.de præs.4ª.113.A
ex Sanguinis superfluo fluxu color mutatus.secretorũ. Sp.98.G
ex Sanguinis copioso fluxu tremor fit. de trem. palp.conuul 3ª.52.G
a Sangui nis pfluuio desipiẽtia,ac cõuulsio,malũ.c.7°.a.9°.Ex.54.E
Sanguis plurimus vbi flux erit,singultus aut cõuulsio superueniens, malum.c.5°.aph.3°. Ex.37.F
Sanguinis fluxus abortum facit.c.5°.aph.45°. Ex.41.G
ex Sanguinis profluuio largo, & euacuatione immoderata, cõtingit suffocatio.1°.de dieb.decr. 4ª.146.F
ex Sanguinis rheumate passiones cõtingunt homini,si in tribus horis sanguinis conceptum sperma fuerit a muliere.de sper. Sp.37.B
Sanguis quibus locis exiens difficulter sistatur.fi.med. Is.50.A
Sanguis quibus ætatibus difficulter reprimatur. fi.med. Isa.50.A
Sanguis quibus habitibus difficulter compescatur.fi.med. Isa.50.A
Sanguis quo anni tempore difficulter compescatur.fi med. Is.50.B
Sanguinis profluuiũ ex eroſione quibus cui andũ.5°.me.me. 7ª.31.H
SANGVINEM sistentia quæ.intro.Is.56.F/de vict.rat.in morb.acutis c.4°.152.F/ de med.fac.par. 7ª.163.F
Sanguinis profluuia quo modo sistãtur.1°.de arte cur.ad Gl.7ª.98.b
Sanguis intrinsecus quibus sistatur. 5°.me.me. 7ª.31.E
Sanguis sistitur ex apposito contrario. 5°.me.me. 7ª.30.H
Sãguinis eruptiones prohibet cucurbitula.de Hirud.reuulſ.cucur.& scar.2.F/de cucurb.scar. 6ª.3.F
ĩ Sanguinis pfluuio capiti cucurbitulam apponit.de me.fa.p.7ª.163.F
ĩ Sanguinis eruptione, vena secanda. in 1ᵐ.prorr.c.3°. 4ª.186.b/E
Sanguinis immodicæ profusioni prodest venæ sectio. in 6ᵐ.de morb. vul.com.3°. 3ª.175.A
ĩ Sanguinis profluuio frontis venam secat.de med.fa.par. 7ª.163.F
Sanguinem obturat vinculũ iniectũ vasis pfluentib.5°.me.m.7ª.30 f
Sanguinis vasorũ deligatio est de genere obturantium, & claudentiũ remediorum.5°.me.me. 7ª.30.F
ĩ Sanguinis profluuio ligatura quomodo facienda.5°.me.me.7ª.31.a
ad Sanguinẽ sundẽtia venarũ capita vinciẽda laqueus.de la.7ª.307.g
ĩ Sanguinis pfluuio particula sit supina.5°.me.me. 7ª.31.A
Sanguinem sistit digiti compressio sine dolore. 5°.me.me. 7ª.30.G
Sanguinis impetus irrationabiles sæpius ligatis coxis retinemus. de catharticis. Sp.94.G
ĩ Sãguinis pfluuio pẽnis extremũ papyro ligandũ.de med.fa.7ª.163.F
pro Sanguine sistendo emplastica faciunt.5°.me.me. 7ª.30.G
Sanguis potius sistendus emplasticis, quam crustam facientibus, & quare. 5°.me.me. 7ª.30.H
ĩ Sanguinis profluuio crustæ non sunt temere remouendæ. 5°.metho. medendi. 7ª.31.D
Sanguinis suppressio multis fieri non potuit crusta ablata.5°.methodi med. 7ª.31.C
Sanguinem reuocãt plerunq; sternutamenta.de med.fa.par.7ª.163.f
Sanguis subcruentus iuuatur a frigido.c.5°.aph.23°. Ix.39.G
ĩ Sãguine profluente obsunt refrigerantia ad thoracem,& ventriculũ applicata.5°.me.me. 7ª.31.H
Sanguinem comprimens facultas.5°.de comp.me. per ge. 5ª.252.E
Sanguinis profluuia sistunt medicamenta quæ cum eo quod refrigerat vna adstringunt.6°.de simp.med.fa. 5ª.43.G
Sanguinis fluxum prohibet Acetum adstringens.1°.de sim.m.f.5°.5.F
pro Sanguinis eruptione aqua pluuialis frigida conuenit.3°.de comp. med.sec.lo. 5ª.148.H
Sanguinis humoris, & ventris profluuio Chalcitis vtilissima est. de simp. med. Sp.81.G
Sãguinis profluuiũs vr cõpetere flos Galliĩ.6°.de simp.me.fa.5ª.45.D
ad Sanguinem sistẽdum qũo paretur Galla.7°.de simp.me.f.5ª.51.A
ad Sanguinis eruptionem valet Gypsum.9°.de simpl.medicam.facu. 5ª.69.A/de simp.med. Sp.84.H
ad Sãguinis eruptiones congruit Hideritis achilleis.8°.de simplicium medic.fac. 5ª.60.D
Sanguinis profluuia curat Idæa radix.6°.de simp.med.fa. 5ª.48.E
ad Sanguinem sistẽtes facultates Lapides adhibentur,& quo modo 9°.de simp.medi.fac. 5ª.67.G
Sanguinis eruptionem supprimit cinis Lignorum acerborum.8°.de simp.med.fac. 5ª.62.B
Sanguinis eruptiones sistit Lisimachios.7°.de simp.med.fa. 5ª.54.H
ad Sanguinis fluorem valent Mysis & squama. intro. Isa.58.B
Sanguinis eruptione affectis partibus imponitur Persea.8°.de simp. med.fac. 5ª.58.B
ĩ Sanguinis profluuio Porri coma vtũtur Empirici.de op.sec.Is.23.H
Sanguinis eruptionẽ sanat Ranarum cinis.11°.de simp.me.fa.5ª.85.d
ad Sãguinis eruptiones spongia valet,& quo modo.11°.de simpl.medica.fac. 5ª.83.G
Sanguinem inhibent spongiæ combustæ cinis.de ther.ad Pis. 5ª.97.E
Sanguinẽ erumpentem supprimit Stœbe.8°.de simp.med.fa.5ª.61.D
ad Sanguinis eruptiones valet Stratiotes.8°.de simp.med.fa.5ª.61.d
Sanguinem cohibet Taurini cornu rasura.de ther.ad Pis. 5ª.93.E
Sanguinem,& aluũ cohibent tauri femora vsta.de the.ad Pi.5ª.93.E
Sanguinem quando multum sistit terra lemnia.5°.me.me. 7ª.32.D
ĩ Sanguinis profluuio Thus quale esse debet. 5°.me.me. 7ª.31.B
ad Sanguinis profusiones thuris cortice vtitur.12°.met.me. 7ª.81.F
ad Sanguinis eruptiones Andromachi medicamentum.4°.de compo. med.sec.loc. 5ª.149.B
Sãguinẽ cohibent Aphrodæ medicamẽtũ.5°.de cõ.me. pge.5ª.252.F
Sãguinẽ sistens Asclepiadis Lucy præceptoris medicamentum.5°.de comp.med.per ge. 5ª.254.E
Sãguinem quo modo suppresserit Gal.de præcog.ad Post. 4ª.219.F
ad Sanguinẽ erumpentem cohibendum conuenit Nigrum emplastrũ. 2°.de comp.me.per ge. 5ª.227.E/F
Sãguinem supprimens magna.5°.de com.me.per ge. 5ª.252.F
ad Sanguinẽ sistendum medicamenta apta.de cur.ra.per san. 6ª.21.F
ad Sanguinẽ supprimendũ medicamẽtũ optimũ.5°.me.me. 7ª.30.H

ad Sanguinem sistendũ medicamentũ supra omnia. 5°.me.me.7ª. 31.B
pro Sanguine sistendo, ad sanguinis fluxum, & ad sanguinẽ mingẽtes. 7°.de comp.med.sec.loc. 5ª.183.G
contra Sanguinis ruptiones lauacrum.de ven.sec.aduer.Eras. 6ª.8.F
ad Sanguinem cohibendum. 5°.de com.me.per gen. 5ª.247.F/de med. fac.par. 7ª.174.H
ad Sanguinem stringendum remedium.de dynamidȳs.27.B/ Sp.29.E
ad Sanguinem stringendum vndecunque exeat.de dynam. Sp.30.D
ad Sanguinis profluuiũ.2°.de anti.5ª.113.H/de dynamidȳs.Sp.29.F
ad Sanguinis eruptiones Antidotus.2°.de antid. 5ª.113.A
ad Sanguinis eruptionem.5°.de comp.me.per ge. 5ª.245.H
ad Sanguinis, & puris reiectiones.7°.de comp.medic.se.lo. 5ª.178.F
ad Sanguinis eruptiones, & sanguinem sistens, medicamentum. 5°.de comp.med.per ge. 5ª.254.E
ad Sanguinis violentas eruptiones.de med.fac.par. 7ª.172.H
ad Sanguinis omnẽ fluxum.8°.de compositione medicament. sec. loc. 5ª.191.E/de med.fac.par. 7ª.165.G
ad Sanguinis omnem eruptionem.7°.de com.med.sec.lo. 5ª.182.G
ad Sanguinis ex qua vis parte eruptionem.de med.fa.par.7ª.174.A
Sanguinis emanantis prohibitio quocunq; vase disrupto.8°.de anatomicis administrationibus. 1ª.101.G
in Sanguinis fluxu cauteria candentia applicantur, & quare.1°.de simpli.med.facul. 5ª.5.E
Sãguinis fluxui quo mõ adhibeãtur ferramẽta cãdẽtia.intr. Isa.59.F
in Sãguinis fluxibus, vinũ quale cõueniat.1°.de ar.cu.ad Gl.7ª.99.A
Sanguinis eruptio meningũ periculosa est.10°.de simp.me.fa.5ª.73.B
Sanguinis profluuiũ ex cerebri involucris, supprimentibus medicamẽtis miscetur vitelius ouι.11°.de simp.med.fac. 5ª.81.C
Sãguinẽ supra exire, qcũq, sit ille sãguis vel spumosus, vel rubeus, uel flauº, uel niger, uel aquosus, uᵗ crassus, malũ ẽ.c.4°.a.25°.Ex.30.A
Sãguis p nares respirationẽ bẽt.de dyn.19.E/de nat.& ord. Sp.41.E
per SANGVINIS profluuium simpliciter intelligit Hippocrates profluuium ex naribus.in 1ᵐ.de morb.vul.com.1°. 3ª.104.G
Sanguinis profluuium simpliciter intelligitur de naribus.in alijs partibus additur nomẽ partis.in 6ᵐ.de morbis vulg.com.3°.3ª.175.F
Sanguinẽ profundi, intelligitur è naribus.in 1ᵐ.prorr.cõ.3°.4ª.185.G
Sanguis sine noxa euacuatur per nares.com.5°.aph.33°. Ex.40.E
Sanguis quibus facile e naribus fluat.1°.de art.cur.ad Gl.7ª.100.E
Sanguis sæpe fluit à naribus si sperma sit conceptum è muliere in tribus horis sanguinis.de sperm ate. Sp.37.B
Sanguis è naribus fluit adolescentibus.com.3°.aph.29°. Ex.26.B
Sanguis è naribus adolescẽtibus cur profluat, ex ratione patet. in 1ᵐ. de morb.vulg.com.2°. 3ª.114.C
Sanguis è naribus multis stillat per accessiones.quos purg.op.5ª.88.G
Sanguis a naribus aliquibus quidem defluit per quasdam periodos, hoc tamen illis non confert ex consuetudine.de consue. 2ª.61.H
Sanguinis profluuium è naribus non multũ habet homo albus. in 6ᵐ. de morb.vul.commentario 3°. 3ª.175.A
Sanguinis ex naribus defluuia homines vere, & æstate patiuntur. 8°. de decretis Hippocratis. 1ª.276.E
Sanguinem per nares euocantia quæ.de med.fac.par. 7ª.163.E
Sanguinem trahit per nares crocodilij radix.7°.de simp.me.f.5ª.53.C
ad Sanguinem extrahendum de naribus.de med.fac.par. 7ª.163.D
Sanguis è naso quibus neglectis erumpat.de dynamidȳs, Sp.19.H
Sanguis è naribus cur effluat in febribus acutis. de victus ratione in morbis acutis.com.4°. 7ª.135.D
Sanguinis repentina destillatio in acutis quid significet in æstate, & in autumno.de vict.rat.in morb.acut.com.4°. 7ª.142.H
Sanguinis profluuium è naribus, peculiare est febrium vehementiũ ardentium.in 1ᵐ.de morb.vul.com.1°.204.E/com.2°. 3ª.115.C
Sanguinis per nares profluuij indicari, ardentium febrium peculiare est.in 1ᵐ.de morbis vulg.com.2°. 3ª.114.A
Sanguis è naribus in ardentibus febribus quando profluit. in 1ᵐ. de morbis vulgaribus, com.1°. 3ª.113.A
Sanguis è naribus cur in ardentibus febribus exeat. in 1ᵐ. de morbis vulg.com.2°.109.G/ 3ª.113.B
Sanguinis profluuium non est in ardentibus mitibus febribus. in 1ᵐ. de morbis vulg.com.1°. 3ª.104.G
Sanguinis profluuium febres ardentes lenes habẽt.in 3ᵐ.de mor.vulgaribus, com.3°. 3ª.144.A
Sanguis profluuium cur fit, si bilis faciat ardentem febrem. in 1ᵐ. de morbis vulg.com.2°. 3ª.114.C
per Sanguinis eruptionem fit febrium ardentium indicatio. in 1ᵐ. de morbis vulg.com.1°. 3ª.104.F
p Sãguinis narium fluxũ soluitur cusus.de vi.ra.i m.ac.c.4°.7°.135.D
Sanguinis narium fluxu sanatus quidam fuit a delirio sed non recordabatur præteritorum.2°.de motu musc. 1ª.315.C
in Sãguinis profluuiũ abscessus fiebãt Antiphontis Critobuli filio circiter quartum, & vigesimũ diẽ.in 1ᵐ.de mor.vul.cõ.2°.3ª.114.D
Sanguis merus affatim profluxit è dextra nare Metoni die quinto. in 1ᵐ.de morbis vulgaribus, com.3°. 3ª.123.D
Sanguis è naribus Philisco quinto die effluxit, & qualis.i 1ᵐ.de mor. vulg.com.3°. 3ª.121.A
Sanguinis quatuor libræ & semis exiere è naribus cuiusdam. de præcogn.ad Posih. 4ª.219.F
Sanguis quo modo è naribus profluet si in febribus crura sint tuberculis affecta.de vict.rat.in morb.acut.com.4°. 7ª.142.C
Sanguis è naribus fluens liberat a lassitudine phlegmonodes.4°.de sanitate tuenda. 2ª.87.F
Sanguis è naribus fluens quando aures obsorduerunt soluit morbum. com.4°.aph.6°. Ex.34.C
Sanguinis profluuium è naribus quando bonum, & quando non bonũ. 1°.de crisib. 4ª.128.B
Sanguinis stillatio è naribus semper malum signum cur.in 1ᵐ. prorrh. commen.1°. 4ª.161.F
Sanguinis è naribus stillationes semper malæ.de vict.rat.in morbis acutis, com.4°. 7ª.142.H
Sãguis è naribus exiẽs instar fluoris letale.in 1ᵐ.prorr.cõ.3°.4ª.186.A
pro Sanguine è naribus fluẽte aures obturandæ, & extrema cõstringenda.de rem.par.fac. 7ª.155.G
Sãguis è nariᵇ fluxurᵘ ex quo gñe symptomatũ sit.3°.d sym.c.3ª.15.B
Sanguinis per nares profusio ex toto genere præter naturã est. de symptomatum differ ent. 3ª.13.G
SANGVIS a qua nare fluxurus sit, prænoscendum. 1°. de arte curati. ad Glauconem. 7ª.110.E
Sãguinẽ fluxurũ è naribus quæ indicẽt.1°.de ar.cu.ad Gla.7ª.100.D
Sanguinis fluxus dolor capitis est inditium inseparabile.1°.de arte curatiua ad Glauconem. 7ª.100.B
Sanguinis narium profluuium, aut abscessum, qui capitis dolor significet.in prog.Hipp.com.3°. 4ª.208.F
Sanguinem de naribus fluxurum, qui dolor capitis significet. in prog. comment.3°. 4ª.211.A
Sanguinis fluxũ, & vomitum significans dolor capitis, quomodo curãdus.1°.de arte cur.ad Glauconem. 7ª.100.B
Sanguis è naribus fluxurus significatur a colore rubro faciei. in 1ᵐ. prorrhet.com.2°. 4ª.171.A
Sãguinis narium profluuium significãt spontaneæ lachrymæ. in 1ᵐ. de morbis vulgaribus, com.2°.3ª.116.A/in prog.com.3°. 4ª.211.A
Sãguis è narib. fluet, si manus tremulæ.de vi.ra.in m.a.c.4°.7ª.141.F
Sãguinem exeuntem per nares necesse malum colligi potest. commẽt. 4°.aphorismo 30°. Ex.30.A
Sãguis è naribᵘ liberat ab articulorũ abscessu.c.4°.aph.74°.Ex.35.H
Sanguis fluẽs per nares, aut os, aut aures sanat dolorem capitis, com. 6°.aphorismo 10°. Ex.47.C
Sanguis si è naribus fluxerit caput dolentibus, vrina rufa, huius doloris fiet solutio.de dynamidȳs. Sp.34.G
Sãguis ex naribus fluẽs mẽstruis deficientibus bonum.comment.5°.aphorismo 33°. Ex.40.E
SANGVIS narium quo sistatur.1°.de arte cur.ad Glauc. 7ª.99.A
in Sãguine è naribus fluẽte duplex auersio.5°.meth.med. 7ª.32.A
in Sãguine è naribus profluẽte, cucurbita super ceruicem confert. 5°. meth.med. 7ª.32.A
a Sãguine nariũ reuellit cucurbitula apposita hypochondrijs.de hirud. reuulf.cucurb.& scarifi.6ª.2.E/5°.meth.med.30.E/13°.7ª.85.B
Sãguinis ad nares impetum potenter reuellunt cucurbitulæ quæ hypochõdrijs affigũtur, quemadmodum etiam immodicas per vterum eruptiones.de cucur.scar. 6ª.4.G
Sãguis fluẽs ex liene, & ex iecore sanatur per cucurbitulas supra locum positas.1°.de arte cur.ad Glauc. 7ª.100.F
in Sãguinis narium profluuio vena secãda est ab eodem latere.5°.methodi medendi. 7ª.30.E
Sãguinis pfluuiũ è naribus sanatũ venę sectiõe.de cu.r.per san.6ª.18.G
Sãguinis profluuium irrestinguibile vena secta est sedatũ.de venę sectione aduersus Erasistratum. 6ª.8.H

in Sanguinis profluuio quando refrigeratio faciẽda. 5°.mc.m.7ª.32.A
Sanguine è naribus exeunte,capitis refrigeratio fieri non debet. 5°. meth.med. 7ª.31.H
in Sanguine narium infirma sunt medicamenta, quæ in frontem, & in nares ponuntur.de curan.rat.per sang.miss. 6ª.18.G
Sanguis è naribus quibus profluit,ij non sunt lauandi. de vict.ra. in morbis acutis,com.3°. 7ª.133.A
in Sanguinis fluxu balnea obsunt.1°.de arte cur.ad Glauc. 7ª.99.A
Sanguis è naribus quibus fluit non est medicamentum exhibẽdum. de vic.ratione in morbis acutis,com.4°. 7ª.150.F
Sanguinis profluuio è naribus prodest succus caudæ equinę.6°.de simplicium med.fac. 5ª.48.F
Sanguinis narium fluxum sistit succus centaureæ.de vir.cen.Sp.93.C
Sanguinem ex naribus profluentem emplastri modo illita reprimit lysimachios.7°.de simp.med.fac. 5ª.54.H
ad Sanguinis eruptiones è naribus Asclepiadæ pharmaca. 3°. de cõp. med.sec.loc.148.G/ 5ª.149.A
Sanguinis profluuia comprimens medicamentum & ad sanguinis ex naribus profluuia valens.5°.de comp.me.per ge. 5ª.254.E
ad Sanguinis fluxum è naribus . de med.fac.par.163.D/E/172.C/H/ 7ª.155.G/de dynamidijs.25.B/secretorum. Sp.98.B
ad Sanguinis eruptiones è naribus quæ supprimi nequeunt. de medic. facil.paratu. 7ª.163.E
SANGVIS cur plerumq; exeat in palato,naribus.de ana. ad. Sp.44.C
Sanguine incenditur hominis os.de dynamidijs. Sp.19.D
Sanguine fœtet os hominis.de dynamidijs. Sp.19.D
Sanguine guttur impeditur si in tribus horis sanguinis conceptum fuerit sperma à muliere.de spermate. Sp.37.B
Sanguis per os dulcis salsus amarus aliquibus videtur.de symptomatum differentijs. 3ª.13.C
Sanguis morbidus amarus,aut salsus est.4°.de simp.me.fa. 5ª.29.A
Sanguis quandoq; salsus est.de atrab. 1ª.34.E
Sanguis salsus est morbosus humor.de atrab. 1ª.34.E
Sanguis qui ex ore exit,distinguẽdus ab eo quenit ex vẽtre.in.If.61.B
Sanguis qui ex ore fluit distinguendus ab eo qui venit ex vẽtriculo . introductio . Isa.61.B
Sanguis qui ex ore exit,distinguendus ab eo qui venit ex partibus spiritualibus.introductio. Isa.61.B
Sanguis è faucibus qualis.in prog.Hipp.com.2°. 4ª.203.A
ad Sanguinis ex ore profusionem.de med.fac.par. 7ª.165.F
Sanguis quot modis per tussim expuatur.4°.de loc.affect. 4ª.27.H
SANGVINIS sputum cur fiat iuuenibus.com.3°.aph.29°. Ex.26.B
Sanguis non omnino à pulmone expuitur.com.7°.aph.30°. Ex.56.B
Sanguis quo modo diuersus in sputis.2°.de loc.af. 4ª.13.B
Sanguis si abundat,sputum est rubrum.5°.de loc.affect. 4ª.29.H
Sanguis biliosus quem sputum faciat.2°.de loc.aff. 4ª.13.B
Sanguis pituitosus quem sputum faciat.2°.de loc.aff. 4ª.13.B
Sanguis melancholicus quem sputum faciat.2°.de loc.aff. 4ª.3.B
Sanguis purus quem sputum faciat.2°.de loc.aff. 4ª.13.B
Sanguinis sputum quandoq; est ex sola costarum affectione pulmone nihil patiente.de artic.com.3°. 7ª.275.D
Sanguinem plurimum bene coloratum vidit Galenus expui cũ tussi quandoq;,& cur.com.5°.aphor.13°. Ex.38.E
Sanguinem floridum expuentis casus.5°.met.med. 7ª.35.A
Sanguis quomodo liuidus efficiatur.quæsita in Hipp. Sp.113.E
Sanguinis in terrã effusi colores cur fiãt varij.de frac.cõ.2°.7ª.236.C
in Sanguine varij aspiciuntur colores,& quare.2°.de elem. 1ª.8.H
Sanguis sępe in cadẽtibus,calcitratis,in palestra percussis visus est Galeno cum tussi expui.com.5°.aph.13°. Ex.38.F
Sanguinis instrumentorum ruptio vnde.3°.de sym.cau. 3ª.26.H
ob Sanguinis solam plenitudinẽ venæ rũpuntur.5°.de lo.af. 4ª.32.E
Sanguinem fundentibus ex ruptura venæ remediũ.de dyna. Sp.27.C
Sanguis propria cauitate in aliã quamcũq; cauitatem peruenerit non remanet sanguis.com.6°.aph.20°. Ex.48.C
Sanguis extra venas,vel suppuratur,vel liuescit, vel in grumos vertitur.com.6°.aph.22°. Ex.48.D
i Sanguine vnius mutatiõis nomẽ ẽ suppurari.c.6°.aph.20°.Ex.48.C
Sanguine in grumos concreto,si is vel in vulnus defluat,vel uentrem, aut intestinorũ aliquod exoluuntur homines, & refrigescunt, pulsusq;,tum parui,tum mali euadunt.de bon.& vit.suc. 2ª.35.C
Sanguis disruptus in magna copia & non paulatim exit.comment.4°. aphorismo 25°. Ex.30.B
Sãguinis electio per erosionẽ fit dolore precedẽte. 5°.de lo.af.4ª.32.E
Sãguinis plures heminæ electæ sunt ab aliquibus per sputum cũ tussi. 5°.meth.med. 7ª.32.F
Sanguinis duas cotylas tussiendo quidã eiecit,& quo modo sanatus. de ven.sect.adu.Eras. 6ª.13.C
Sanguinis sputum sequitur tabes.commen.3°.aph.29°. Ex.26.B
in Sanguinis sputo,puris sputum,& fluxus,cum vero sputũ retinetur, moriuntur.com.7°.aph.74°. Ex.60.H
Sãguis a cerebro,et gurguliõe qñq; expellit tussiẽdo.5°.d l.a.4ª.25.F
Sanguis tussiendo quo modo ejiciatur.4°.de loc. aff. 4ª.25.F
Sãguinẽ frequẽter expuẽtis inter tussiẽdũ,casus.4°.de lo.af. 4ª.25.F
Sãguis nõ expuitur mẽsibus erũpẽtibus.de ven.sect.adu.Eras.6ª.11.B
Sanguinis sputum in retentione menstruorum.secre. Sp.99.A
in Sanguinis sputo qui nunquã sanantur.5°.meth.med. 7ª.35.F
Sanguinis sputũ q timet,quæ debet euitare.de ve.sec.ad.Eras. 6ª.9.A
in Sanguinis sputo multũ refert a principio curare.5°.m.m. 7ª.33.A
Sãguinis spuitiones incipiẽtes quomodo prohibuit Galenus. commentario 6°.aph.47°. Ex.52.B
Sanguinẽ expuentes quid maxime facere debent.5°.met.me.7ª.35.G
in Sãguinis sputo venã secuit Galenus,& pluries.5°.met.m. 7ª.35.E
in Sãguinis sputo pisces dat in catharro,faciles tamen coctu.5°.meth. med. 7ª.35.F
in Sãguinis spuitiõe q̃ medicamẽta mollib⁹ sint satis.5°.m.m.7ª.33.A
in Sanguinis sputo valens antidotus.2°.de antidotis. 5ª.111.F
Sanguinẽ expuentibus Amara sunt cõtraria.4°.de sim.me.f.5ª.29.G
ad Sãguinẽ spuẽtes Aromatica Mithridatis.7°.d cõ.m.f.l. 5ª.181.D/E
Sanguinem expuentibus,nocet color rubeus.de subf.empi. Isa.32.B
Sanguinem excreantibus mirè proficit Corallus.de sim.me. Sp.83.C
Sanguinem expuentibus Electarium vtile.de dyna. Sp.26.C
Sanguinẽ spuẽtibus cõuenit Ferulæ medulla.8°.de sim.me.f.5ª.56.H
Sãguinis expuitioni competit Hæmatites.9°.de simp.med.fa.5ª.68.C
Sãguinẽ spuẽtib⁹ exhibetur Lemonij fructus.7°.de sim.me.f.5ª.54.B
ad Sanguinis expuitiones valet Lentiscus.8°.de simp.me.fa.5ª.61.H
Sanguinem excreantibus Myrtha remedium est.de simp.me.Sp.87.E
Sãguinẽ spuẽtib⁹ nõ est aduersum Phasiolũ.6°.de sim.me fa.5ª.48.H
Sãguinẽ excrentibus vtiliter daẽ vlãtaginis succus.d sim.m.Sp.89.A
ad Sanguinis expuitiones commoda est membrana quæ est sub cortice Robonis & sub glande eius.6°.de simpl.medic.fac. 5ª.46.E
ad Sanguinis expuitionẽ idonea remedia sunt Rubi flos,& fructus. 6°. de simp.med.fac. 5ª.44.G
Sanguinem excreantibus ad restringendum Symphytũ datur.de sim. medicamin. Sp.90.F
ad Sãguinis expuitiões cõpetit terra Armenica.9°.d sim.m.f.5ª.66.H
ad Sanguinis expuitiones valẽt aster Iamius,& terra lemnia, & ad sanguinis ex vtero profluuia.9°.de simp.med.fac. 5ª.65.H
ad Sanguinẽ spuentes.8°.de compositione medic.sec.loc. 5ª. 191. D/de med.fac.par.7ª.165.H/secre.99.A/B/ Sp.100.H
ad Sanguinis screatum.de med.fac.par. 7ª.171.D
cum Sanguinis sputo tussis ortæ ex frigore,casus.5°.met.me. 7ª.35.E
SANGVIS extra propria vasa,& inter pectus, & pulmonem collectus,tabem facit.8°.de decr.Hipp. 1ª.275.E/F
Sanguis a capite in os delatum per palati foramina videtur a pulmone quandoq; procedere.introductio. Isa.56.E
Sanguis ex pulmone aliqui extussierunt.de mult. 3ª.76.H
Sanguis qui è longinquo venit qualis.5°.meth.med. 7ª.32.F
Sanguis qui non procul venit qualis.5°.meth.med. 7ª.32.F
Sanguis ex Thorace quomodo in arteriam asperam transmittatur. 5°. meth.med. 7ª.32.G
Sanguinis in pectus,& pulmonem declinantis exemplũ.in 6m.de morbis vulgaribus,com.3°. 3ª.179.A
Sanguinem ex thorace tussientes,quales.4°.de loc.affec. 4ª.25.G
Sanguis in pulmonia eueniens qualis.in progn.Hipp.cõ.2°.4ª.203.A
Sanguis ex pulmone exiens est spumosus.4°.de loc.aff. 4ª.25.G
Sanguis a pulmone cur sit spumosus.de vtil.resp. Sp.64.C
Sãguis qui ex pulmone educit similis visceri.cõ.2°.aph.43°.Ex.18.D
Sanguis spumosus quo modo fit.com.7°.aph.30°. Ex.56.B
Sãguis spumosus potest esse multus et paucus.cõ.5°.aph.13°.Ex.38.E
Sanguis vel multus vel paucus non attestatur supra pulmonem.com. 5°.aphorismo 13°. Ex.38.E
Sanguis è pulmone erumpens dolorem non facit.4°.de lo.af.4ª.25.G
cum Sanguine pulmonis particulæ electæ fuere ab aliquibus.4°.de locis affectis. 4ª.25.E

Sanguis cur exeat ex deſtillatione in thoracẽ acri et ſalſa.intr. Iſ. 56.E
Sanguinem qui a pectore reiecerunt debent phlebotomari. de curandi ratione per ſang.miſſ. 6ª.17.E
Sanguis cũ ex locis circa ſtomachũ educitur nõ indiget calidus tenuiũ partium.7°.de comp.med.ſec.loc. 5ª.183.F
Sanguinis è ſtomacho eductio quomodo curetur.introd. Iſa.57.C
Sãguis ne profluat,qũo incidendũ in pectore.7°.de anat.ad. 1ª.97.D
Sanguinis profluuiũ perturbat ſectionem.7°.de anat.admini. 1ª.97.C
Sanguinis è pulmone exeuntis curatio.5°.meth.med. 7ª.32.H
Sanguinem qui expuiſſent,illis perſuaſit Galenus ſanguinem mittendum.de cur.rat.per ſang.miſſ. 6ª.18.E
Sanguinem ex pulmone tuſſientibus adſtringentia aduerſantur,et qua re.de conſt.art. Iſa.41.F
Sanguinem è pectore,& pulmone reiicientibus conuenit theriaca.de vſu theriacæ ad Pamphil. 5ª.98.G
Sanguis è pulmone exiens ſanatus.5°.meth.med. 7ª.32.F
de SANGVINIS reiectione librum fecit Eraſiſtratus,& de febribus. de ven.ſect.aduerſ.Eraſ. 6ª.8.A
de Sanguinis reiectatione,& quot modis reiectatur.7°.de comp.med. ſec.loc. 5ª.183.D
Sanguinem reiectantes ex fractura,apertione,aut eroſione,ſi etiam habeant ſinguli eandem tuſſim,& ſanguinis copiam æqualem,tamen curatio eſt diuerſa. de opt.ſect. Iſa.24.B
Sanguinis eruptiones quæ cæperunt,& protinus deſierunt,peſſimæ. in 1ᵐ.prorrhe.com.1°. 4ª.161.F
Sanguinem reiicientes per tria ſeruantur.5°.meth.med. 7ª.35.H
Sanguinem ex catharro reiecentes quomodo curãdi.5°.m.m. 7ª.35.C
Sanguinem ex catharro reiecentis caſus.5°.meth.med. 7ª.35.C
Sanguinis reiectione affectis ſectio venæ cõuenit.de curandi rõne per ſanguinis miſsionem. 6ª.17.G
Sãguinis reiectiones cohibet Acantha leuce.6°.de ſimp.me.f.5ª.41.H
in Sanguinis reiectationibus vtitur Aqua pluuia.7°.de compoſ.med. ſec.loc. 5ª.183.F
ad Sanguinem reiicientes vſi ſunt Balauſtio omnes medici.6°.de ſimp. med.fac. 5ª.44.F
ad Sãguinis reiectationẽ valet Cauda equina.6°.de ſim.m.f. 5ª.48.F
Sanguinem reiicientibus prodeſt Centaurium.7°.de ſim.me.f.5ª.50.F
ad Sanguinis reiectiones efficax remedium eſt Hypociſtis.7°. de ſimp. med.fac. 5ª.51.D
Sanguinem reiicientibus prodeſt Lentiſcus.de ſimp.med. Sp.86.B
Sanguinis ex thorace reiectiones Leporinum coagulum ſupprimere prodiderunt.10°.de ſimp.med.fac. 5ª.74.D
Sanguinis reiectiones ſanat Lyſimachios pota.7°.de ſim.m.f.5ª.54.H
Sanguinis recentes reiectiones reprimit Menta ſua acerbitate. 6°. de ſimp.med.fa. 5ª.48.B
Sanguinem reiicientibus offertur Myrta.de ſimp.med. Sp.87.E
Sanguinis eiectiones ſiſtit Polygonon.8°.de ſimp.med.fac. 5ª.58.H
in Sanguinis reiectionibus vtiliter editur Portulaca,quamq; efficacior ſuccus eius.6°.de ſim.med.fac. 5ª.43.B
Sanguinem expuentibus confert Rha(ſic enim Rhæum quidam nuncupant.) 8°.de ſim.me.fac. 5ª.59.E
Sanguinem reiicientibus exhibetur Schini flos.8°.de ſim.m.f.5ª.61.H
in Sanguinem è pectore,vel pulmone reiiccentibus quidã Romæ eo vtitur remedium.quod è ſubere cõſtat.de vſu ther.ad Pamp.5ª.98.H
Sanguinis reiectatio offendit Sulfure uiuo,euphorbio, et baccis lauri. 7°.de comp.med.ſe.lo. 5ª.183.C
Sãguinis eiectionibus auxiliat Symphytũ petræũ.de ſim.m.f.5ª.61.F
ad Sanguinem reiicientes vt Acacios.7°.de com.med.ſe.l. 5ª.184.A
ad Sanguinis reiectationem quæ ab Andromacho ſcripta.7°.de comp. med.ſec.loc. 5ª.183.F
ad Sanguinem reiicientem valens antidotus.2°.de antid. 5ª.116.C
Sanguinem reiicientibus auxiliatur antidotus Athanaſia mithridatis. 2°.de antidotis. 5ª.114.H
Sãguinẽ reiicientes iuuat antidotus Zopyria.2°.de antid. 5ª.115.A
Sãguinẽ reiectãtibus cõmodæ cõfectiones.7°.de com.m.ſe.l.5ª.184.G
ad Sanguinis reiectationẽ eclegma Amarãthi.7°.de c.m.ſ.l. 5ª.184.D
Sanguinem reiicientes admodũ iuuat theriaca.de the.ad Pi.5ª.96.A
Sãguinẽ reiicientib. dat theriaca Euclidis palatiani.2°.de an.5ª.116.B
ad Sanguinis reiectationẽ,eductionem,& eruptionem.7°.de com.me dic.ſec.locos.183.H/185.D/F/186.A/ 5ª.190.F
ad Sanguinis reiectionem,expuitionemq; de remed.par.fac.7ª.158.D
ad Sanguinem reiicientes è ventre,gutture,pectore,& pulmone quid conferat.2°.de antidotis. 5ª.113.C
in Sanguinis reiectionem.7°.de com.med.ſec.lo.182.E/184.D/E/8°. 5ª.188.G/de med.fac.par. 7ª.171.C
Sanguini miſtum pus quo modo ſecernatur.5°.de loc.affe. 4ª.30.G
pro Sanguine vel pure expellendo quinquefolia.de ſper. Sp.35.F
Sanguis in aſpera arteria facit tuſſim,& eiectionẽ ſanguinis p os.7°. de vſu partium. 1ª.159.A
SANGVIS in vẽtriculũ effuſus vomitũ facit.3°.de ſymp.cau.3ª.27.C
Sanguis ater,& craſſus quandoq; euomitur,quandoque cõcreſcit,& eſt acidus & acerbus.de atrab. 1ª.34.E
Sanguinis vomitus vnde fiat.com.7°.aph.37°. Ex.56.H
Sanguinis vomitus,& ſputum contingit ob clauſas euacuationes hæmorrhoidarum.de ven.ſect.aduerſ.Eraſ. 6ª.7.E
Sanguinis ex ventriculo vomitus qualis.5°.de locis affect. 4ª.33.B
Sanguinẽ quicũq; euomũt ſi ſine febre quidẽ, ſalutare,ſi vero cũ febre malũ,curatur vero acerbis,& refrigerãtib.c.7°.ap.37°. Ex.56.H
à Sãguinis vomitu tabes & puris purgat.ſupra.c.7°.a.74°.Ex.60.H
Sanguinem euomenti mulieri menſtrua erumpentia ſoluunt. com. 5°. aph.32°. Ex.40.D
Sanguinis vomitus quibus curetur.com.7°.aph.37°. Ex.56.H
Sanguinem vomentibus vtile ſclirofmon.de dynamidijs. Sp.28.C
ad Sanguinem vomentes.de med.fac.par. 7ª.173.F
ad Sanguinis vomitum & ſputum.9°.de com.med.ſe.loc. 5ª.201.A
Sanguinem craſſum,& pituitam cur nunquam recipiat ſeptum tranſuerſum.4°.de præſag.ex pulſ. 4ª.120.C
Sanguis emanat a iecore,ergo ab eo gigniũ.6°.de decr.Hip. 1ª.262.H
SANGVINE qui eſt in hepate,& bile translata ex eius venis ad meatus bilẽ recipiẽtes ſi obſtructio fuerit in locis,ad quæ transfertur, ſiue inflãmatio aliqua,vel durus tumor,neceſſariũ oĩno eſt nõ expurgari ſanguinẽ,& vnà cũ ipſo bilem per totum corpus deferri, hincque morbum regium generari.com.4°.aph.64°. Ex.34.D
Sanguis in hepatidis cur exeernitur.8°.de comp.me.ſec.lo. 5ª.194.B
a Sanguine quale initium habent plurimæ hepaticæ affectiones. 8°.de compo.med.ſec.loc. 5ª.194.C
Sanguis a iecore exiens qũo cognoſcatur.de art.com.4°. 7ª.288.D
Sanguinem nigrum qñq; excernũt hepatici.14°.meth.med. 7ª.89.D
Sanguis multus emanat in vulneribus hepatis,ideo prius moriuntur quam ſanantur.com.6°.aph.18°. Ex.48.A
SANGVINIS eruptio diuerſa liene tumefacto mala eſt.in 1ᵐ.prorrhet. com.2°. 4ª.184.E
Sanguis fæculentus de ſplene educitur.de cathar. Sp.94.G
Sanguinis ſuperfluitas eſt ſanguis melancholicus,qui cõtinetur in ſplene.de anatomia viuorum. Sp.50.F
Sanguinis fæces ad ſe trahit ſplen.5°.de loc.af. 4ª.35.F/ commentario 4°.aph.21°. Ex.29.D
Sanguinem melancholicum trahere lieris officiũ eſt.6°.de l.a.4ª.36.A
Sanguis purgatur atra bile a liene.2°.de nat.fac. 1ª.301.E
Sanguine melancholico nutritur lien.6°.de loc.affec. 4ª.36.B
Sanguinem melancholicum continet ſplen.de anat.viuo. Sp.50.A
Sanguis melancholicus,quo mõ faciat appetitũ.de ana.viu.Sp.50.A
Sãguinis fex inferius reſidet,q̃ melãcholia appellatur.de an. Sp.50.H
Sãguinẽ ſemp tentat natura deſecare,& expurgare.de atrab.1ª.35.C
Sanguinem expurgãt renes,& veſica fellis.6°.de dec.Hip.1ª.263.C
Sanguis cur impurus nõnunq̃ fiat ex veſica fellis.5°.de lo.af. 4ª.35.F
SANGVINIS ſuperfluitas de renibus educitur.de cathar. Sp.94.G
Sanguinis ſerũ purgatur a renibus.5°.de vſu partiũ.1ª.144. C/F/5°. de loc.aff. 4ª.35.F
Sanguinis multum trahunt renes.5°.de vſu partium. 1ª.144.G
Sãguis attractus cũ vrina,eſt alimentũ renũ.5°.de vſu par.1ª.144.G
Sanguis cur mingit in renũ lapidib⁹.in 6ᵐ.de mor.vul.c.1°.3ª.155.H
Sanguinem per renes purgant vina alba tenuia.de atten.vic.2ª.46.C
cum Sanguine aliquid tendit ex potu,quod & per vrinas & per ſudorem,& per inſenſibilẽ tranſpirationem meat.de atrab. 1ª.34.D
Sanguinis vna ſuperfluitas eſt vrina,quæ continetur in veſica.de anatomia viuorum. Sp.50.F
Sanguinis triplex ſeparatio ab aquoſitate.de anat.viuo. Sp.51.B
Sãguinis ſeroſa ſuperfluitas tingit vrinas rubras.1°.de criſ.4ª.130.F
Sãguis q̃ in vaſis cõtinetur qualis ſit vrina oſtẽdit.4°.de ſa.t.2ª.83.H
Sanguinis ſerum quale.in 6ᵐ.de morb.vulg.com.2°. 3ª.167.F
Sanguinis ſeroſos humores exugens epithema.10°.de compoſitione medic.ſec.loc. 5ª.209.B
Sanguis ſi bilioſus,eius ſerum eſt bilioſum.4°.de ſa.tuen. 2ª.83.H

Sanguis ſi pitui-

Sanguis ſi pituitoſus, eius ſerũ eſt pituitoſum. 4°. de ſan. tuen. 2ª. 83. H
Sanguis ſi atrabilarius, eiº ſerũ eſt atrabilariũ. 4°. de ſan. tuẽ. 2ª. 83. H
Sanguis dum coquitur, qualis debet eſſe vrina. 1°. de criſi. 4ª. 130. B
Sanguine cocto, qualis debet eſſe vrina. 1°. de criſi. 4ª. 130. B
Sanguis ſi ſit coctus, qualis nubecula appareat in vrina. 4°. de ſanita te tuenda. 2ª. 83. H
Sanguis vbi concoctus quæ in vrina apparent. 4°. de ſa. tuen. 2ª. 83. H
Sãguis ſi ſit crudus, vrina apparet tenuis, et aquoſa ſine hypoſtaſi. 4°. de ſan. tuen. 2ª. 83. H
Sanguinem abũdare crudiorem, & ſeroſiorem ſignificat vrina rubra. in 3ᵐ. de morbis vulg. com. 3°. 3ª. 131. C
Sanguinem incoctum vocat cruorem. de vrin. 4ª. 124. B
in Sanguinis vaſis cruditas accidit, & quæ eius exempla. 3°. de ſymptomatum cauſis. 3ª. 24. H
Sãguinẽ p vrinas q purgare voluerit, qbº vti dẽt. de att. vi. 2ª. 44. E
ad Sanguinem vſq; urinam prouocant dactili. de cura icteri. Sp. 111. D
Sanguinem educit per vrinam erbum. de ſim. med. Sp. 85. B
Sanguinem per vrinas euocat eruum. 8°. de ſim. med. fac. 5ª. 57. E
Sanguinem per vrinas mouet Sabina. 6°. de ſimp. med. fac. 5ª. 45. C
Sanguinem ſuper vrinam inducit ſauina. de ſimp. med. Sp. 85. C
SANGVIS *ob quas cauſas mingatur. 6°. de loc. affect. 4ª. 37. D*
Sanguinis mictio poſt quod medicaᵐ ſequat. 9°. de cõ. m. ſ. l. 5ª. 199. C
Sanguinis mictio vnde, & quid importet. com. 4°. aph. 75°. Ex. 36. B
Sanguis quando vniuerſim exit per vrinam, & quãdo guttatim, quid ſignificet, com. 4°. aph. 73°. Ex. 35. G
Sãguinis tenuis ſanies qũ mingit, quis affectus ſit. 6°. de lo. af. 4ª. 37. F
Sanguinem vel pus ſi quis mingat quid ſignificet. de vri. ſig. Sp. 78. H
Sanguinem aut pus ſi quis mingat renum, aut veſicæ exulcerationem ſignificat. com. 4°. aph. 75°. Ex. 36. A
Sanguinis mictus & ſtillicidium vrinæ, ſignificant laborem aliquorũ inſtrumentorũ vrinæ, vel vlcus veſicæ. com. 4°. aph. 80°. Ex. 36. H
Sanguinem ſi quis minxerit in grumos, & ſtillicidio laboret, & dolor inciderit in femur, & imum ventrem pectinemq;, quæ circa veſicã male ſe habere ſignificatur. com. 7°. aphor. 39°. Ex. 57. A| de vrinæ ſign. ex Hipp. Sp. 78. H
Sanguis quibus ſponte mingentibus exit, eis venulæ à renibus fractura ſignificatur. de vrin. ſign. ex Hipp. Sp. 78. H
Sanguis, & pus in quibus exeant cum vrinis, & in quibus non. com. 4°. aphoriſmo 75°. Ex. 36. B
Sanguis craſſus exuſtus in renibus, aut hepate facit carunculas in vrina, & ſedimina ſimilia orobo. com. 4°. aphoriſmo 77°. Ex. 36. F
Sanguis cõtentus in ueſica exuſtus ardẽti febre facit furfura in vrina. com. 4°. aphoriſmo 77°. Ex. 36. F
Sanguinem mingentis ex caſu, caſus. 6°. de loc. affect. 4ª. 38. H
ad Sanguinis profluuia ex veſica. 10°. de comp. med. ſe. lo. 5ª. 206. A
ad Sanguinis mictum. de med. fac. par. 7ª. 178. E
SANGVINIS *craſſioris obſtructio facit vrinæ difficultatem, & quomodo ſanetur. com. 7°. aph. 48°. Ex. 58. A*
Sanguinis grumus vrinam ſupprimit. 6°. de loc. affec. 4ª. 38. H
Sanguis concretus thrombus græce dicitur. 3°. de ſymp. cau. 3ª. 28. B
Sanguis concretus in grumos ſi in vulnus defluxerit facit vt proximæ partes celeriter putreſcant. de bon. & vitio ſucc. 2ª. 35. C
ad Sanguinem coagulatum in veſica. de cura lap. Sp. 112. F
SANGVIS *cur non eſt in ventre, & inteſtinis. 1°. de ſemine. 1ª. 333. C*
Sanguis præter naturam, ſi in ventrem infunditur neceſſe eſt ſuppurari. com. 6°. aphor. 20°. Ex. 48. C
Sanguis in ventre, & inteſtinis inflationem facit. 5°. de comp. med. ſe. locos. 5ª. 149. A
Sanguis ex ventre, qualis. com. 2°. aph. 43°. Ex. 18. D
Sanguis concretus in ventre quid faciat. 8°. de decre. Hip. 1ª. 275. F
Sanguinis excretio differt a reiectione ſanguinis. introd. Iſ. 56. E
Sanguinis euacuatio quandoq; fit per inteſtinum abſque exulceratione. com. 5°. aph. 65°. Ex. 45. A
Sanguis per inteſtina certis periodis vacuatur. 3°. de na. fa. 1ª. 306. E
Sanguinis deiectio eſt ex toto genere præter naturã. de ſymp. 3ª. 13. G
Sanguis exiens per inteſtina quo modo differat ab hęmorrhoidibus. de artic. com. 4°. 7ª. 288. A
Sanguis fluens ad aliquod inteſtinum, quando paucus minus eſt malus quam quando multus. com. 4°. aph. 25°. Ex. 30. B
Sanguis exiens tarde denigratur. com. 4°. aph. 25°. Ex. 30. B
cum Sanguine excrementa quid faciant. 3°. de ſymp. cauſ. 3ª. 26. C
Sanguinis guttas habens ſtercus cur quandoque excernitur. 3°. de ſymptomatum cauſis. 3ª. 28. C
Sanguinis excretio qualis, & quanta fiat in quarta ſanguinolentæ excretionis ſpecie, & q; non raro etiam exiguum quid puris excernitur. 3°. de ſympt. cauſ. 3ª. 28. B
cum Sanguine quandoq; cruſtæ vlcerum excernũtur in quarta ſanguinolentæ excretionis ſpecie. 3°. de ſymp. cauſ. 3ª. 28. B
Sãguis exiẽs p inferiora bonº. i. nõ ita malus. c. 4°. aph. 25°. Ex. 30. A
Sanguinis excretiones in febribus non intermittentibus malæ, cum vero bene excernuntur, per ventrem, & per veſicam bonæ. commen. 7°. aph. 65°. Ex. 60. E
Sanguis niger deſubter exiens extenuatis eſt ſignum mortis. com. 4°. aph. 23°. Ex. 29. H
Sanguis cum merus dicitur, ſemper eſt prauus. in 1ᵐ. de morbis vulg. com. 3°. 3ª. 121. C
præter Sanguinem quilibet humor ſyncerus, eſt malus. in prognoſtica. com. 2°. 4ª. 202. E
Sanguis ſyncerus a quibus mulieribus deiiciatur. 5°. de lo. af. 4ª. 35. D
Sanguinem ſi deiecerint aliqui in acutis ex nigris deiectionibus, pernitioſum. in 1ᵐ. prorrhe. com. 3°. 4ª. 185. B
poſt Sãguinis vehemẽtes ꝓfuſiones cur tormina fiãt. đ ar. c. 4°. 7ª. 288. c
Sanguinis excretionẽ ſanat cornu ceruinũ. 11°. de ſim. me. fac. 5ª. 79. H
Sanguinis deiectionibus, rhaponticũ confert. de ſubf. emp. Iſa. 33. D
Sãguinis excretiões ĩmoderatas cohibet theriaca. đ ib. ad Pi. 5ª. 96. B
Sanguinis multæ deiectioni nocet lac. com. 5°. aph. 64°. Ex. 44. D
SANGVIS *redundans cur in partes genitales mulierum feratur. 2°. de ſemine. 1ª. 339. G*
Sanguis menſtruus quo modo ſit præter naturam, & quo modo nõ. 3°. de ſympt. cau. 3ª. 27. A
ex Sãguine menſtruo oẽ mẽbrũ fit ſm Ariſtotelẽ. 1°. de ſem. 1ª. 325. G
Sanguis mẽſtruus materiale principiũ ãialis eſt. 2°. de na. f. 1ª. 297. F
Sanguis menſtruus non eſt prima neq; propria materia gignendi ãal. 14°. de vſu par. 1ª. 204. F
ex Sãguine, & ſemine prima conſtitutio ãialis fit. 2°. de temp. 1ª. 16. A
Sanguis menſtruus, & ſemen principium ex quo generatio. aduerſus Lycum. Ex. 65. B|ſecretorum. Sp. 96. G
ex Sãguine & genitura fœtus fit in prima ſui formatione. intr. Iſ. 52. E
Sãguis, & ſemẽ gũonis nr̃æ primordia ſunt, & qũo. 1°. đ ſa. tu. 2ª. 62. E
ex Sanguine menſtruo, & ſpermate homo animal immortale. 3°. de vſu partium. 1ª. 153. D
Sãguis qui eſt generationis hominis materia, eſt ex quatuor humoribus, ſed à prædominio dicitur ſanguis. 8°. de decre. Hipp. 1ª. 275. A
ex Sãguine qui ex quatuor humoribus conſtat, ortum habentes, principio lacte educamur. 8°. de decre. Hipp. 1ª. 275. B
ex Sanguine vteri conſtat ſanguini noſtro generatio ſm Ariſtotelem. q; animi mor. 1ª. 319. C
Sãguis per quæ coquatur in mulieris vtero, & vbi ſit. 14°. de vſu partium. 1ª. 207. G
Sanguine puro matrices nutriuntur. 14°. de vſu partium. 1ª. 209. E
Sanguis prouenit ad vterum, ſed non poteſt ad interna ipſius ingredi. 6°. de locis affectis. 4ª. 40. G
Sanguis qui a matre confluit ad Maris ſemen quo modo ſe habeat. 2°. de naturalibus fac. 5ª. 297. D
Sanguis per orificia attrahitur à ſemine & quomodo. de ſe. 1ª. 330. G
in Sanguinem vertitur ſperma per matricis calorem. de ſper. Sp. 36. B
Sanguis qui trahitur a ſemine, qualis eſſe debet. 2°. de nat. fa. 1ª. 297. F
Sãguis grauidæ deterior fit rationabiliter, et quare. 1°. đ ſa. t. 2ª. 66. B
Sanguis ſolus purus nunq̃ eſt in prægnãtibus. de natu. hu. cõ. 1°. 1ª. 31. D
Sanguinem optimũ vis formatrix in vtero trahit. de atrab. 1ª. 36. H
Sanguis optimus in prægnante cur tendit ad fœtum, & non ad lac. 1°. de ſanitate tuenda. 2ª. 66. B
Sanguine nutrimur in vtero. 1°. de ſan. tuen. 2ª. 65. C
Sanguis ad fœtum nutriendum vnde veniat. de anatom. viuo. Sp. 52. C
Sanguis ex toto corpore manat ad vterum pro nutriendo fœtu. commẽtario 5°. aphor. 60°. Ex. 43. D
Sanguis per quas partes tendat ad fœtum. introd. Iſa. 54. E
Sanguis motus quando eſt ad vterum, mammæ fiunt graciles. com. 5°. aphoriſmo 53°. Ex. 42. D
Sãguinis defectus ſignificat ꝑ mãmas tenues. c. 5°. aph. 52°. Ex. 42. B
Sanguine vteri nutritur conceptus. de ven. ſect. aduerſ. 6ª. 6. H
Sãguis deputatus eſt ad alimẽtum cõceptus. cõ. 5°. aph. 44°. Ex. 41. F
Sanguinis quod dulciſſimum eſt trahit infans. cõ. 5°. aph. 37°. Ex. 41. A
Sanguis vnde trahatur a fœtu. 1°. de ſemine. 1ª. 331. C

Sanguis ex

Sanguis ex venis attrahitur a fœtu dũ augetur. 3°. de semi. 1ª. 330. h
Sanguinis vasa sunt primæ partes quæ formantur. 2°. de tẽp. 1ª. 16. A
Sanguine matris, omnes animalium sanguineæ partes sunt genitæ. 2°. de elementis. 1ª. 8. G
Sanguine sola caro fit. de nat. hum. c. 1°. 1ª. 31. D
Sanguine generantur & nutriuntur carnea mẽbra. 1°. de se. 1ª. 335. d
ex Sanguinis parte membra. de anat. viu. Sp. 45. D
è Sanguine non fiunt vena, neruus, & arteria. 1°. de semi. 1ª. 330. C
è Sanguine venarum & arteriarum corpus primam generationẽ habet. de fœt. forma. 1ª. 322. G
ex Sanguine menstruo tunica gñata est & qũo. 1°. de nat. fa. 1ª. 291. G
Sanguinem purgat grauior illa pars sanguinis ex qua fiunt ossa. de spermate. Sp. 36. C
ex Sanguinis natura grauiore principaliter, & quatuor humoribus ossa fiunt. de sper. Sp. 36. C
ex Sanguine quomodo fiat os. 1°. de nat fa. 1ª. 292. D
Sanguis si debet fieri os indiget multo tpe & labore. 1°. d na. 1ª. 292. d
ex Sanguine facta pñt renasci. 1°. de se. 1ª. 335. E/de ana. viu. S. 44 f
Sanguinis ichores educuntur ex matrice. de cathar. Sp. 94. G
Sanguinis aggrauatum corpus propter malum habitum si ad venas vteri mittat, causat fluxum menstruorũ. c. 5°. aph. 57°. Ex. 43. A
Sãguinẽ retrahũt a parte superiori mẽstrua. c. 5°. aph. 32°. Ex. 40. D
Sãguis mẽstruus qũo supfluus, & qbus de causis. 3°. de sy. ca. 3ª. 27. a
Sanguis e vulua quandoque periculosus est. 5°. me. me. 7ª. 31. G
in Sanguinis ab vtero profluuijs fiunt pulsus vermiculantes. 2°. de p̃ sagitione ex puls. 4ª. 113. A
Sanguis multus ex vtero mulieris, vel ex venis, aut ex vlcere, aut ex hæmorrhoidib⁹ exiẽs multas lædit opatiões. c. 2°. a. 22°. E. 15. B
Sanguinem vuluæ sistit plantaginis succus. 5°. met. me. 7ª. 31. G
pro Sanguine vteri superfluo, cucurbitula ad mãmillas posita cõfert. 13°. me. me. 7ª. 85. B/de cathar. Sp. 94. G
ad Sãguinis ex vtero eruptiões valet lẽtiscus. 8°. de sim. m. f. 5ª. 51. b
ad Sanguinis profluuiũ muliebre. de med. fac. par. 7ª. 176. D
ad Sanguinis matricis effusionem. de pass. mul. Sp. 96. B
in Sanguinis fluxu in mulieribus pupillæ mammarum deligandæ. papyro. de med. fa. par. 7ª. 163. F
Sanguis ad mammas veniens, & qui sanguis significat furorem. c. 5°. aphor. 40°. Ex. 41. C
SANGVINIS *crassitudo est causa retentionis menstruorum. commẽ. 5°. apho. 28°. Ex. 40. B*
Sanguinis crassitudo vel frigiditas facit paruitatem menstruorum. com. 5°. aph. 57°. Ex. 43. A
Sanguinẽ extenuare est intẽtio ĩ citãdis mẽstruis. c. 5°. a. 36°. E. 40. G
Sanguis quibus extenuetur ac secernatur. 5°. de sim. med. fa. 5ª. 35. D
SANGVIS *exit in partu ruptis cotylidonibus. de ana. viu. Sp. 52. D*
ad Sanguinis profluuium post partum. de pass. mul. Sp. 96. B
Sanguis melancholicus est vt plurimum qui a puerperio euacuatur in mulieribus. in 3ᵐ. de mor. vul. c. 3°. 3ª. 148. E
SANGVIS *hæmorrhoidarum qualis. de atra bile. 1ª. 35. C*
Sanguis crassus euacuatur per hæmorrhoidas mistus humori melancholico. com. 6°. aph. 12°. Ex. 47. D
Sanguinem per hæmorrhoidas futurum significãt lumbi dolentes. in 1ᵐ. pror. com. 3°. 4ª. 185. B
Sanguinis effusio per hæmorrhoidas, ostendit futuram ægritudinem. ars medicinalis. Isa. 68. F
Sanguis exiens per hæmorrhoidas bonus. c. 4°. aph. 25°. Ex. 30. B
Sãguis p hęmorrhoidas seruat hoĩem sanũ. de ven. sect. adu. Er. 6ª. 7. b
Sanguis ex hęmorrhoidibus est potissimum remedium melancholiæ, imo eam prohibet futuram. com. 4°. aph. 25°. Ex. 30. B
Sanguis ex hæmorrhoidibus neq; in totum sistendus, neq; supra modũ euacuandus. com. 4°. aph. 25°. Ex. 30. B
ad Sanguinem per hæmorrhoidas fluentem. de dyn. Sp. 28. F
SANGVIS *qui exit per anũ qũo distinguatur. de art. c. 4°. 7ª. 288. D*
ad Sanguinẽ reprimendũ si anus procidat cũ sanguine. de dy. S. 27. H
Sanguinem e sede persundentibus non est medicamentum exhibendũ. de victus ratione in mor. acu. c. 4°. 7ª. 150. F
Sanguinem cur mittunt partes. 13°. me. me. 7ª. 80. F
Sanguis qui emittitur, quo modo ab humoribus nominetur. in 6ᵐ. de mor. vul. com. 2°. 3ª. 167. F
de SANGVINIS *detractione ex venis. præs. exper. consi. Sp. 77. G*
de Sanguinis misione loquentes, quid agere debent. de cur. ra. 6ª. 15. g
de Sanguinis euacuatione librũ fecit Erasistratus. 5°. de l. af. 4ª. 30. a
de Sanguinis eductione Erasistratus scripsit. de lib. prop. Is. 11. B
Sanguinem nolebat extrahi Erasistratus. 4°. de san. tu. 2ª. 87. E
Sanguinis missio quomodo nomen mutat. 11°. me. me. 7ª. 68. A
Sanguinis missio euacuatio est. 14°. me. me. 7ª. 89. A
Sanguinis detractio emittit succos e vasis. 4°. de san. tu. 2ª. 87. H
Sanguinis missio quæcunq;, & quouis modo est euacuatio æqualiter, totum corpus euacuans. com. 4°. aph. 2°. Ex. 27. C
Sanguinis missio excellentior e medicamento cur. de curã. ra. 6ª. 18. H
Sanguinẽ potest medicus sistere qñ vult. de ve. sect. aduer. Er. 6ª. 7. G
Sanguinẽ a venis quibus mittere conferat, his secare opus vere venam com. 7°. apho. 58°. Ex. 58. E
Sanguis quando minuendus, & quomodo, & q̃ non debeamus ita facile venam secare. com. 2°. aph. 8°. Ex. 12. A
Sanguis multum mittit vena ligata. de ven. sect. aduer. Eras. 6ª. 5. C
Sanguinis mittendi scopi. de cur. ra. per sang. miss. 6ª. 21. B/9°. me. me. 60. H/de vict. ra. in mor. acu. com. 4°. 136. E/ 7ª. 143. G
Sanguinis mittendi primi scopi. de cur. rat. per sang. miss. 6ª. 19. C
Sanguinis mittendi prima iudicia. præs. exper. conf. Sp. 77. H
Sanguinis mittendi rationes. 4°. me. me. 7ª. 27. H
Sanguinis mittendi primi scopi, vis & morbi magnitudo. de curandi ratione per sang. miss. 6ª. 18. B
in Sanguinis missione cum magnus sit morbus consyderantur ab Hippocrate ætas, & ægri vires. in 3ᵐ. de mor. vul. com. 1°. 3ª. 127. E
p Sanguine detrahendo ad vires respiciendũ. 9°. me. me. 7ª. 59. D
pro Sanguine trahendo temperies naturalis considerandæ. de curandi ratione per sanguinis missionem. 6ª. 19. D
p Sanguine mittendo regio consideranda. de cur. ra. per san. 6ª. 18. B
Sanguinis missionẽ, et purgationẽ indicat morbi vis. 4°. me. me. 7ª. 28. C
Sanguinis missionem indicat magnus morbus. de cur. ra. p san. 6ª. 18. E
Saguinis detractio fit ĩ magnis morbis. de vi. ra. in mo. a. c. 4°. 7ª. 136. f
Sanguis detrahendus est sanguine redundante. de trem. palp. cõuulsione. 3ª. 53. A/4°. met. me. 7ª. 28. E/com. 6°. aph. 31°. Ex. 49. F
Sanguinis missio præstans est remedium in obstructione ea, quam copia facit. 10°. me. me. 7ª. 62. A
Sãguis mittẽdus est in multitudinis morbo. quos purg. op. qui. 5ª. 38. B
Sãguis mittit ĩ plethora p venã, vel p scarificationẽ. 13°. me. m. 7ª. 81. b
Sanguinis missione plethora curatur. 12°. me. me. 7ª. 81. H
absq; Sanguinis missione plethora etiam sanatur. de victus ra. in mor. acu. commen. 4°. 7ª. 136. H
Sanguis non semper mittendus, sed per alias vias euacuatur, cum sãguis abundat. 4°. me. me. 7ª. 27. H
Sanguis quando detrahitur absq; syndrome plethorica. de victus ratione in mor. acut. com. 4°. 7ª. 36. H
Sanguis vbi feruet, venam seca. de cur. rat. per sang. miss. 6ª. 19. B
Sanguinem mittendum vrina suadens. de dyn. Sp. 32. D
Sãguinem mitte si color vrinæ albicans fuerit, hypostasis rufa. de vri. sign. ex Hippoc. Sp. 79. D
in Sanguinis cisterna se somniabat palestrita ob copiã sanguinis. de pr̃ sag. ex insom. sum. 4ª. 213. D
qui Sanguis debeat euacuari. com. 1°. aph. 2°. Ex. 3. D
Sanguinis missione multum iuuantur Parij secundum aliquos. in 3ᵐ. de mor. vul. com. 3°. 3ª. 147. F
Sanguinis missionem cur non nominauit Hippocrates in tot ægris, inuestigandum est. in 3ᵐ. de mor. vul. com. 3°. 3ª. 147. F
Sanguis debebat detrahi ab Hippo. in Pythionis morbo, nisi aliquid obstaret. in 3ᵐ. de mor. vul. com. 1°. 3ª. 127. E
Sanguinis missionem prohibet magna copia crudorum humorum, & quomodo. de curan. rat. per sang. miss. 6ª. 18. D
Sanguinis detractione malo prius occurrendũ est. 4°. de sa. tu. 2ª. 87. F
Sanguis propter quid detrahitur. fin. med. Is. 48. H
Sanguinis missione qui morbi indigent, et in quibus si prius euacuabis errabis. de vict. ra. in mor. acut. com. 4°. 7ª. 137. A
Sanguinem ex vena detrahito per acutos morbos. p̃s. ex. cõf. Sp. 78. E
Sanguinis detractione egent quidam morbi longi. de vict. rat. in morb. acutis, com. 4°. 7ª. 136. G
Sanguinis detractio conuenit in Affectionibus inueteratis. 2°. de com. medic. sec loc. 5ª. 137. H
Sanguis qũ mittendus Calculosis. de ren. aff. dig. & med. 7ª. 194. F
Sanguis mittendus in Cancris. 2°. de arte cur. ad Glau. 7ª. 107. E
Sanguis mittendus in Casu ab alto, & in plaga. 4°. me. me. 7ª. 27. H
Sanguis quibus habentibus Destillationem mittendus, & quibus non. 5°. met. me. 7ª. 35. H

Sanguis mittendus

Sāguis mittendus ī Dolore ex ſanguinis abūdātia. 12°.m.m. 7ª.79.b
Sanguinis miſſione oculorū grauiſſimos dolores ſanauit Galenus. 3°. met.me. 7ª.17.D
Sanguis miſſus in parte oppoſita ſanat oppoſite dolorem.commen. 5°. aphor.68°. Ex.45.D
Sāguis detrahēdus in īflāmatione, vel dolore mitigato.pſ.ex.S.77.H
a Sanguinis miſſione qñ primū cepiſſe conuenit. 11°.me.me. 7ª.69.A
Sanguinis miſſio primo longinquo fit, poſt ab ipſa parte exulcerata ſa cienda.4°.met.me. 7ª.28.E
Sanguis mittendus in Elephante ante purgationem.2°.de arte cur.ad Glauco. 7ª.107.E
Sanguinis opportuna miſſione interdum egent, qui ante cibum exerce ri nō poſſunt, nec cibū aptis tpibus ſumere.de bo.et vi.ſuc.2ª.34.e
Sanguine miſſo Febris ex obſtructione nunquam tranſit in putridam. 9°.met.med. 7ª.57.B
Sanguis in putrida febre mittendus eſt conſtantibus viribus. 11°.me. med. 7ª.71.F
Sanguis mittendus in quartana a principio, ſi abundet.1°.de arte cu ra.ad Glau. 7ª.97.F
Sanguis cum apparet flauus vel tenuis nō amplius mittendus ī quar tana febre.1°.de arte cur.ad Glau. 7ª.97.F
Sanguinem ſi detrahis febricitantibus aduertas vigorem acceſſionis ceſſantem.præſag.exper.conf.66.G/ Sp.77.H
Sāguinē auferto Hæmorrhoidibus ſuppreſſis.de cu.ra. pſan. 6ª.18.F
Sāguinē detrahere in Hydrope potius obeſt q̄ proſit.de atrab.1ª.37.e
Sāguinis miſſione quæ Hydrops curari poteſt.de victus ratione ī mor. acut.com.4°. 7ª.148.D
Sanguis quando mittendus Laſſatis.4°.de ſan.tu. 2ª.83.E
Sanguis mittendus nō eſt viribus exiſtentibus imbecillibus. 4°.de ſa nita.tue. 2ª.83.E
cū Sāgūis copia ſi vitioſus humor laſſitudinē creans cōſiſtat, aut vena ĩcidenda, aut aliq̄ p̄ tātundē valet agendū.4°.de ſa.tu. 2ª.83.F
Sanguis in laſſitudine quando euacuandus temperatis, & quando nō. 4°.de ſa.tu. 2ª.84.D
Sanguis niſi trahatur in laſſitudine phlegmonodes, accēdit febrē.4°. de ſa.tu. 2ª.87.E
Sāguinis detractio cur iteranda in laſsitudine phlegmonodes.4°.de ſa nita.tuen. 2ª.87.H
Sanguis etiam tertio mittendus in laſſitudine phlegmonodes. 4°.de ſa. tuenda. 2ª.87.H
Sāguis vnde trahendus Liene patiente.de curā. per ſa.miſſ. 6ª.19.H
Sāguinis libra demenda lienoſis.de cur.rat.per ſang. miſſ. 6ª.20.A
Sanguis conſuetus reſtrictus facit Melācholiā.3°.de loc.aff. 4ª.18.F
Sanguis qñ mittendus ī melancholia.de mel. ex Gal.R. Sp.109.F/H
Sanguinis miſſione ſoluuntur ſpirituum interceptiones in melancholi cis.de victus ra.in mor.acu.com.4°. 7ª.144.D
Sāguis mittendus cum humor melancholicus abundat, aut utendum medicamento atram bilē euacuante.de cur.rat.per ſa.miſſ.6ª.18.e
Sanguine melancholico abundāte, cubiti venam mediam ſecato. 3°.de locis affe. 4ª.18.G
in Sanguine melancholico ſi ſanguis qui exit non videatur melancho licus, ſiſtendus eſt.3°.de loc.affe. 4ª.18.G
per Sanguinis miſſionem non curatur Obſtructio, neq; putredo.11°. met.me. 7ª.71.G
Sanguinis miſſio Palpitantium præſidium eſt. 5°.de loc.aff. 4ª.29.E
Sāguinis miſſio medicamētū pleuritidis ē ſm aliquos.9°.d̄ de. 1ª.282.f
Sanguis ab eodem latere mittendus in pleuritide. de cur.ra. 6ª.20.C
Sanguinis miſſio in pleuritide quando debeat fieri, & quando purga tio.cō. 6°.aph.5°. Ex.46.G
Sanguis quando in pleuritide mittendus.de med.fa.par. 7ª.165.H
Sāguinis detrahendi quantitas in pleuritide.de victus ratione in mor. acut.c.2°.117.C/com.4°. 7ª.143.G/H
per Sanguinis miſſionem, vel per medicamentū ſedatio doloris ī pleu ritide, nō eſt curatio ſymptomatis. 12°.me.me. 7ª.74.G
Sanguinis miſſio in Priapiſmo quibus ſalutaris. 14°.me.me. 7ª.89.B
Sāguis cur non copioſe mittendus in Renum affectu. de ren. affect.di gnot.& med. 7ª.193.D
Sāguinis euacuatione curatur Spaſmus.de ven.ſect.aduer. Er.6ª.7.B
Sāguinis multum non eſt mittendum in neruorum diſtentione, cum in digent miſſione Sāguinis, & quare.1°.de ar.cu. ad Gla. 7ª.98.B
Sāguis mittendus ī Synanche & pipneumonia. d̄ ve.ſe.ad.Er.6ª.7.D
Sāguinis miſſione indiget Tetanus lumborū. de victus ratione in mor. acut.com.4°. 7ª.144.D
Sanguinem mitte vbi thorax prauam habet ſtructuram. de curandi ratione per ſang. miſſ. 6ª.158.F
Sāguinis copia ſi in thorace, vena incidēda eſt.de ve.ſe.ad.Er. 6ª.8.H
Sāguis nō mittendus in tremore, hydrope, in frigido affectu & quare. de ven.ſect.aduerſ.Eraſi. 6ª.6.F
Sanguis mittendus ī omni Vlcere. 4°.me.me. 7ª.28.D
Sanguinis miſsio qñ facienda in ulcere. 4°.me.me. 7ª.27.F
Sāguis per venam mitti debet qñ mulier vomit ſanguinem, quia ita naturam imitamur, recte agentem.c.5°.aph.32°. Ex.40.D
Sanguinis miſſio ex vena abortum facit.c.5°.aph.31°. Ex.40.D
Sāguinem detraxit mulierculæ macilentæ, cui octo menſibus mēſes defecerunt.ī 6ᵐ.de mor.vul.com.3°. 3ª.176.C
Sāguis matutino tempore eſt detrahendus.præſ.expe. cōf. Sp.77.H
Sanguis detrahendus cū hō vigilauerit p̄ horā.pſ.exp.cōf. Sp.77.H
Sāguis e vena detrahēdus poſt aliqua cōſueta exercitia.pſ. Sp.77.H
Sāguis mittendus ſi in vētre nō ſit cibus crudus ī acutis.ī 3ᵐ.de mor. vul.com.1°. 3ª.127.D
Sanguis poteſt detrahi in omni hora qñ oportet.præſ. Sp.77.G
Sanguis eſt noctu mittendus qñq̄.de cur.rat.p ſa.miſſ. 6ª.19.B
Sanguinem qua hora quidam mittebāt.de cur.rat.per ſa.miſſ.6ª.19.b
ī Sanguinis miſſiōe dierum numerus nō attendēdus.de curandi ratiōe per ſa.miſſ. 6ª.21.A
Sanguis, & quīto & ſexto die trahendus, imo & vigeſimo vbi ade rūt ſcopi.de cur.rat.per ſa.miſſ. 6ª.21.B
Sanguis mittitur octauo die, ſed prius eſt commodius. in 3ᵐ.de mor. vulg.com.1°. 3ª.127.E
Sanguis mittitur ī principio, & augumēto morbi.de opt.ſec. Iſ.27.G
Sanguis qñ ſit mittendus ſanis.de cur.rat.per ſa.miſſ. 6ª.18.B
Sanguis qñ mittendus, & qñ non.4°.de ſa.tu.2ª.84.C/ 6°.methodi me dendi. 7ª.37.C
Sanguis qbus mittēdus, & qbus nō.ī 6ᵐ.de mor.vul.c.3°. 3ª.179.A
Sanguis quibus eſt mittendus.9°.me.me.58.A/11°. 7ª.71.G/F
Sanguis quibus copioſius, & quibus parcius trahendus. de curandi ratione per ſa.miſſ. 6ª.19.D/F
Sanguinis parum cui detrahendum. 11°.me.me. 7ª.71.G
Sanguinis parū habētibus ī euacuatione parcēdū eſt. p̄ſ.ex. Sp.77.H
Sanguinis miſsionem nō admittunt diuites. 11°.me.me. 7ª.72.B
Sanguinem qui nolūt ſibi mitti, qūo euacuandi.4°.de ſa.tu. 2ª.84.C
Sanguinem mittere quæ prohibeant.de præcog.ad Poſth. 4ª.219.E
Sanguis quibus nō detrahendus.9°.me.me.57.H/58/A/12°.7ª.75.e
Sanguinis miſsiōe īdigenti nō danda ptiſſana eſt. de ptiſſ. 2ª.47.H
Sāguis nō eſt mittendus frigidis, & quibus modis euacuanī.de curan. rat. per ſa.miſſ. 6ª.17.D
Sanguinis detractio faciēda eſt in ætatibus ſupra quartumdecimum annum, ſicuti infra annos ſexaginta.præſ.exper.conf. Sp.78.D
Sāguis nō detrahēdus puero, cur.de vict.ra.ī mor.acu.c.4°.7ª.136.F
Sāguis puero nō mittēdus, nec ante quatuordecimum annum.de curā. ratio. per ſa.miſſ. 6ª.19.D
Sāguis cur nō mittēdus pueris, & ſenibus. de vict. rat.ī mor. acutis, commē.4°. 7ª.137.H
Sāguis cur pueris nō ſit mittēdus vſq̄ ad quartumdecimum annum. præſ.exper.cōf. Sp.77.H
Sāguis nō mittendus etiam in ſynocho in puero qui quartumdecimū annum nōdum attigit, & quare. 11°.me.me. 7ª.71.G
Sāguis qñ, & qūo puero detrahēdus ſit. præſ.exp.cōf. Sp.78.A
Sāguinis cotyla primo puero auferēda.de cur.rat.per ſa. 6ª.19.D
Sāguinis mediocris detractio eſt triū heminarū.de ve.ſe.ad.Er.6ª.8.a
Sāguis nō eſt extrahēdus extenuatis.2°.de elem. 1ª.90.C
Sāguinis ſenibus cur minor copia detrahēda.de cur.ra.per ſa.6ª.19.d
Sāguis quo tpe, & qua regione nō mittēdus.11°.me.me. 7ª.71.G
Sāguis mittēdus nō eſt ſi locus ſit ſupra modū calidus, & tēpus cōſen tiat, q̄d ſi vnū ſolū ſit tale, parū mittēdū.1°.d̄ ar.cu.ad G.7ª.98.c
Sāguis mittēdus nō eſt ī locis ſupra modum calidis aut frigidis. 1°.de arte cura.ad Glau. 7ª.98.C
Sāguis tempore calido, & ſicco nō mittendus. de victus rat.in morb. acut.com.4°. 7ª.136.H
Sāguis cur nō demittatur ī æſtate, vel parum detrahatur, rationem collige.9°.me.me. 7ª.60.H
Sāguis ex ſecta vena, ī diebus canicularibus cauſa mortis fuit. 1°.de arte cur. ad Glau. 7ª.98.C
Sāguinis copia ī frigore nō ē educēda cur.de præſ.expr.cōf. Sp.78 A

Sanguis, si natura vult eum transmittere, non est arte mittendus. de præcog.ad Posth. 4ª.219.F
Sanguinem mittendi vsus verno tempore. 5°.me.me. 7ª.32.C
Sanguis quo modo trahendus vere, & quare. 5°.de sa.tu. 2ª.94.D
*Sanguis nõ est trahẽdus aluo fluẽte. de vi.ra.in mor.ac.c.*4°.7ª.151.c
Sanguis puberibus mitti potest. 12°.me.me. 7ª.82.H
Sanguinis missio quibus vtilis. 9°.me.me. 7ª.59.D
Sanguinẽ mittendũ qbus psuaserit Gal. de cur.ra. p sang. 6ª.18.D
*Sanguis quando debet ex superioribus venis duci, & qñ ex inferioribus com.*6°.*aph.* 36°. Ex.50.D
Sanguinis mittendi tres loci ex cubito.de cur.ra.p sang.miss. 6ª.20.a
Sanguinis parum mittunt venæ angulorum magnorũ oculi. de cur.ra. per sang.miss. 6ª.19.G
Sanguinis parũ mittunt venæ sub lingua.de cur.rat.per san. 6ª.19.G
Sanguis quando detrahendus est ex vena interiori brachij dextri.præ sag.ex per.conf. Sp.78.E
ad Sanguinẽ mittendum vena cõmodissima in pede.de ven.ar. 1ª.58.G
*Sanguinis quãtũ trahendũ per venæ sectionẽ.de ven.se.ad.Er.*6ª.12.e
Sanguinis quantitas educẽdi quãta sit.de cur.ra.per san.mi. 6ª.18.G
*Sanguinis euacuandi copia, quanta esse debet.*8°.*me.me.*52.G/*de vi. rat.in mor.acut.com.*4°. 7ª.137.G
in Sanguine trahendo mensura facilius deprehenditur, q̃ in alijs quibuslibet auxilijs.de ven.sect.aduers. Eras. 7ª.7.G
Sanguinis euacuandi quãtitas coniecturalis est cur.de cur.ra. 6ª.19.f
*Sanguinis mittendi quantitas vnde sumatur.de cu.ra.per san.*6ª.18.d
*Sanguis debet mutari in venæ sectione sed non quia acutus, & quare de vic. ra.in mor.acu.com.*4°. 7ª.143.G
in Sanguine qũo intelligitur coloris mutatio.de vẽ.sec.ad. Er. 6ª.7.G
*Sanguis quando ad mutationem trahendus. de curã.ra.per sang.missionem.*6ª.19.E/*de vict.ra.in mor.acu.com.*2°. 7ª.117.H
Sanguinis mutatio vbi expectanda est, & vbi non.de curan. rat. per sang.missio. 6ª.19.F
*Sanguis liuidus in ea quæ a rubido fit ad nigrum transmutatione mediũ obtinet.de vict.ra.in mor.acu.com.*2°. 7ª.117.H
Sanguinis fluẽtis vigor labescens vacuationis terminũ obtinet.de vẽ. sect.aduers.Eras. 6ª.7.G
*Sanguis vsq; ad viriũ imbecillitatẽ qñ mittendus.*9°.*me.me.* 7ª.57.C
*Sanguis, qñ ad animi defectum educi debet.*4°.*de sa.tu.*2ª.87.F/*de vi. rat.in mor. acu.com.*4°. 7ª.143.H
Sanguis ad animi deliquium mittẽdus in febre acutissima. de cura.ra. per sang.miss. 6ª.19.A
Sãguinẽ ducere vsq; ad animi defectũ est p̃sidiũ, quo maius nullũ est in maximis ĩflãmationibus, et ĩ maximis dolorib. præs.ex. Sp.77.H
Sãguinis detracti quãtitas corylæ sex in quodam.de curã.ra. 6ª.19.A
Sanguinis primo tres libras exhausit Galenus postea vnam.de curan di ratione per san. miss. 6ª.20.C
*Sanguis detractus fuit quando q; vsq; ad sex libras.de cur.ra.*6ª.19.g
Sanguinis sex libris eductis quo casu æger confestim sanatus est. præ sa.exper.conf. Sp.78.A
Sanguinis euacuatio vsq; ad animi deliquium, quid boni fecerit. de cur.rat.per sang.miss. 6ª.19.B
Sanguis non mittendus vsq; ad animi deliquium nisi in magna necessitate de curandi rat. per sang.miss. 6ª.19.B
Sanguis per plures vices cur trahendus.de cur.ra.per san. 6ª.19.B
Sanguis qñ est iterandus, quo tẽpore fieri debet.de cur.ra. 6ª.21.C
per Sanguinis missionẽ reuulsio qñ reiterãda.de cu.ra.p san. 6ª.21.C
*Sanguis bis die mittendus quando.*4°.*de san.tu.* 2ª.87.F
Sanguis vbi detractus non est, prouidentia eorum quæ in medio sunt corpore maximi plane mali est causa. 11°.*me.me.* 7ª.72.D
in Sanguinis detractione quæ cautio adhibenda. præs.expe. Sp.78.D
*Sanguis nõ est mittendus ægris simul cũ inedia.cõ.*2°.*aph.*22°. E.15.B
*Sanguis longissime ab arteria detrahendus.*3°.*de ana.adm.* 1ª.77.C
*Sanguis longissime mittendus a loco in quo didicisti fieri posse dolorẽ & colligi sanguinem. de nat.hu.com.*2°. 7ª.184.F
*Sanguis dum mittitur, pulsus tangẽdus.de curandi ratio. per sanguinis missionẽ.*6ª.19.B/*præs.exper.conf.* Sp.77.H
*Sanguinis missio affectum adimit, nõ symptoma.*12°.*me.me.*7ª.75.d
a Sanguinis euacuatione refrigeratur corpus. q animi mor. 1ª.317.b
*Sanguinis missio ex accidente refrigerat.*10°.*me.me.* 7ª.65.E
*Sanguinis missio quando necat.*9°.*me.me.* 7ª.59.A
*Sãguinis lõga euacuatio cur necat, si aĩa ẽ ĩmortalis. q ani.m.*1ª.317.b
Sãguis ex secta vena habet tenuem humiditatem quę supernatat. de atrabile. 1ª.34.b
*Sanguini qñq; videtur supernatãs pituitosus humor.de atra.*1ª.34.d
*a Sanguinis missione clyster exhibendus quod fm Gal. accipiendum videtur cũ additione. si non probe, & sponte deijciat aluus.de vict. rat.in mor.acu.com.*4°. 7ª.143.H
a Sanguinis missione ad purgationem quantum temporis interponendũ de ren.affect. dig. & med. 7ª.193.F
*Sanguinem mittebat Gal. postea dabat medicamentum, expectata coctione.*11°.*de simp.me.fa.* 5ª.78.A
*post Sanguinis missionem homo reficiendus. de victus ratione in mor. acutis, com.*4°. 7ª.138.E
cũ Sanguinis missione, quæ valeant tantundem. 4°.*de sa.tu.* 2ª.83.F
Sãguinem exhaurire possunt clysteri, inedia, frictio, & sudor.de venæ sectione aduers.Eras. 6ª.8.A
*Sanguinis missio, quæcunque rupta ex dorso ad cubitum descendunt soluit.com.*6°.*aph.*22°. Ex.48.E
SANGVINIS *quantum educendũ scarificatione sit in mulieribus quæ non purgentur.de cucur.scar.* 6ª.4.A
SANGVINIS *vacuationẽ in quibus cucurbitulis considerare est opus vitreæ fiant. de cucurb.scar.* 6ª.3.C
SANGVIS *dandus est pro nutrimento hirudinibus nuper captis, ita enim earum virulentia respirabit. de cutur scar.* 6ª.3.C
*Sanguinem vbi gustarũt hirudines illũ auidius trahũt.de cu.sc.*6ª.4.E
Sanguinem quem trahãt hirudines.de hir.reuul.cuc. & scar. 6ª.2.D
Sanguinem quo modo trahunt hirudines. de cucurb.sca. 6ª.4.D
Sanguis ex hirudinibus non debet quãtumlibet effluere permitti. de hiru.reuul.cucur. scar. 6ª.2.D
Sanguis cum nimis effluat ex hirudinibus, quo modo sistendus. de hirud.reuuls.cucurb. & scar. 6ª.2.C
Sanguis quibus sistendus in hirudinibus.de cucur. scar. 6ª.4.C
Sanguis ab hirudinibus tractus, non est frigidis sistendus quãdo nimis fluit, sed adstringentibus, & emplastricis.de cuc.scar. 6ª.4.D
Sanguis fluens ab hirudinibus, digito sistitur. de cuc.scar. 6ª.4.E
℔ SANGVIS *trahatur a pharmaco qñ non adsunt alij humores potest colligi, nota ℔ sanguis vẽ esse fm Gale. vnus humor distinctus ab alijs, contra illos qui dicunt esse tantũ tres humores, & sanguinẽ nihil aliud cẽ q̃ illos humores in vnũ mistos.c.*2°.*a.*35°. Ex.17.F,G
Sanguinem & carnes colliquant medicamenta, quando non adest humor euacuandus.quos purg.op.quib. med. 5ª.88.B
*Sanguis vi medicaminis alteratus transit in biles. de atrab.*1ª.37.D
Sãguinis corruptiua educuntur a scamonio. de dy. Sp.21.A
*Sanguis in superpurgationibus postremus effunditur.*3°.*de sim.medic.fac.* 5ª.23.G
*Sanguis semper vltimus exit in purgationibus, quia naturę familiarissimus.de natura humana. com.*1°. 1ª.31.F
Sanguinem educit aliquod medicamentum, sed eo vti nõ debemus, venenum nanque est. de purg.med.fa. 5ª.87.C
de Sanguinem trahẽte herba, & homine qui multos necarat historia. de pur.med.fac. 5ª.87.D
*Sãguinẽ trahentia medicamenta sunt reticenda.de pur.med.f.*5ª.87.d
Sanguinem quæ educunt. de cathar. Sp.94.G
Sanguinem trahit serpens hæmorrhus. de opt.sect. Is.21.F
Sanguinem purgat succus porri capitati. de dy. Sp.22.C
Sãguinem purgat mercurialis, albæ violæ, agrestis maluæ, & saluia. de dynam. Sp.22.C
Sãguis bonus quo modo fiat a theriaca.de usu the.ad Pãph. 5ª.98.D
Sãguinem mundificãs medicamentum.secr. Sp.101.G
SANGVINIS *profluuium potissimum ex arterijs prouenit.*7°.*de anatomicis admin.* 1ª.97.C
*Sãguis per arterias vacuatur, si uulnerentur.*6°.*de usu pa.* 1ª.155.a
Sãguis exit, arteria quæcũq; uulnerata.an.sa. ĩ ar.nat.cõ. 1ª.60.B
Sãguinem totum emittũt arteriæ uulneratæ.de usu pul. 1ª.228.G
Sãguis totus incisa arteria illuc currit, nisi supprimatur.an sa. 1ª.61.a
Sãguis arteriarum quo modo exit.de tum. præt.nat. 3ª.84.D
*Sãguis qũo cognoscatur exire ab arteria.*1°.*de loc.aff.* 4ª.2.E
Sãguinem eiaculatur arteria perforata tenuissima acu.an sagui.ĩ arter.nat.cõ. 1ª.60.E
Sãguine repletur arteria uulnerata tenuissima acu. fm Erasistratum. an.san.in ar.nat.cõ. 1ª.60.H
*Sãguis ĩmodicus ex arteria, & ex uena qũo curetur.*3°.*me.m.*7ª.21.b
Sãguinis profluuium quod sedari nõ potest fit, cum medici ignari mãgnas arterias secãt. 3°.*de ana.aam.* 1ª.73.F

Sãguis quando

Sanguis qñ effunditur, & quando nõ effunditur in animali iugulato vel mortuo in vasorum sectionibus.de ana.adm. 1ª.91.G
Sãguis qui exeat primo iugulatis & q deinceps.de na.h.c. 1°.1ª.31.F
Sanguis exit ab vlcere.8°.de dec.Hip. 1ª.276.C
de SANGVINIS *fluxu è vulnere.de rem.par.fac.* 7ª.160.G
Sanguinem mittunt vulnera recentia.de tum.præt.nat. 3ª.83.A
Sanguinis profluuiũ a forti in vulneribus pulsu.c.7°.ap.21°.Ex.55.d
Sanguine manãtia vulnera,quo medicamento curentur.2°.de arte curat.ad Glaucon. 7ª.106.F
Sanguis quomodo comprimitur in vlceribus.de tum.præt.na. 3ª.83.a
Sanguis qñ retinetur, & sanies exit in vulneribus.de tum.p. 3ª.83.B
Sanguinem statuit a cursu cinis in profundum vulnerum recentium positus.de sim.med. Sp.86.A
Sanguine manãtia loca sinapis exsiccat,& extringit.de sim. Sp.90.G
Sãguine sanies nascitur quæ in vulneribus.de dyn. Sp.19.D
Sãguine tenuior & spiritu crassior est sanies.de tum.præt.nat. 3ª.83.A
Sãguis crassus in fracti ossis callo effunditur.5°.met.me. 7ª.32.G
Sanguis in quibus locis non indiget calidis tenuium partium.7°.de cõpositio.medica.sec.loc. 5ª.183.F
SANGVIS *omnium animalium cur vitandus.de atte.vict.* 2ª.45.F
Sãguis oĩs ad coquendum difficilis est.3°.de alim.fac.30.A/2ª.29.B
Sãguis crassus melãcholicus difficulter coquitur.3°.de ali.f. 2ª.29.B
Sãguis oĩs excremẽtitius est quocũq; mõ pareẽ.3°.de ali.fa. 2ª.30.A
Sãguis foris illinitus ẽliptic° ẽuenit,et oculis pdest d̃ sim.me. Sp.90.B
SANGVINEM *Agnorum epilepsiæ conuenire Galenus negat.* 10°.*de simpl.med.fac.* 5ª.73.B
Sanguis agninus non incidit.10°.de simp.me.fac. 5ª.73.C
Sanguis Anatis aduersatur omnibus venenosis,& mortiferis.de medicinis fac.para. 7ª.169.F
Sanguis Eubulus crassus,& melancholicus.3°.de ali.fac. 2ª.29.B
Sãguis Caprarũ in cibo iucũdus est apud Homerũ.3°.de al.f.2ª.29.C
Sãguis caprarum aqua intercutem laborãtibus exhibetur.10°.de simpli.medicam.facul. 5ª.73.B
Sãguis caprarum tostus ad dysenteriam et ventris fluxum, vt medicamen.conuenit.10°.de simp.me.fa. 5ª.73.B
Sanguis Cimicum quid faciat.4°.de comp.me.sec.loc. 5ª.158.B
Sanguis cimicis ad pilos palpebris ĩnatos oculos infestantes.de remed. paratu facilibus. 7ª.156.G
Sãguis Columbinus qualis.2°.de comp.me.per ge. 5ª.223.C
Sãguis Columbæ,an Columbi, vel pulli, vel adultę debeat poni supra duram meningam,controuersia fuit.10°.de sim.me.fa. 5ª.72.H
Sanguis columbæ supra duram membranam in fractura cranei effundi solet.10°.de sim.me.fac. 5ª.72.H
Sanguis columbæ ex pennis teneris in cruentis oculis instillandus.4°. de comp.med.sec.loc. 5ª.157.G
Sanguine columbæ ad hyposphagmata in oculis existentia quidam vtũtur,& quomodo.10°.de simp.me.fa. 5ª.72.H
*Sanguis columbæ instillatus ad noctylopas valet.de re.pa.f.*7ª.156.H
cũ Sanguine columbino fœnugræci succus ad ophthalmias oculorũ. 10°.de simp.me.fac. 5ª.72.H
Sanguinis columbæ ad peripiam oculi valet.de ocul. 7ª.190.D
Sanguine conchilij vtitur.3°.de comp.me.sec.loc. 5ª.143.E
*Sãguis Crocodili terrestris nõ acuit visũ,vt ferũt.10°.d̃ si.m.f.*5ª.73.D
Sanguis Equi admissarij non facit crustam,nec septicus est, vt quidã dicunt.10°.de sim.me.fac. 5ª.73.D
Sanguis fulicæ ad quid vtilis.de med.fac.par. 7ª.179.C
Sanguinem Galli & gallinæ ad hæmorrhagiam meningum non probat Galenus.10.de simp.me.fa. 5ª.73.B
Sanguis Hircinus purgat renes.de cathar. Sp.95.C
Sanguis hircorum frãgit lapidem renum,& vesicæ.de cath. Sp.95.D
Sanguis hircinus a tota substãtia agit in renum calculum.de ren. affe. dign.& med. 7ª.194.H
*Sãguis Hædorũ quo modo pfit hæmoptoicis.10°.de sim.m.f.*5ª.73.C
Sãguinem Leporinum comedebant.in 1ᵐ.pror.com.1°. 4ª.165.A
*Sanguis leporinus cũ iecore,et alijs viscerib.elixat.3°.de al.f.*2ª.29.b
Sanguis leporinus vi suauissimus celebratur.3°.de alim.fa. 2ª.29.B
Sanguis Murium domesticorum fertur verrucas decidere facere.10°. de simp.me.fac. 5ª.73.D
*Sanguis Mustellæ curiosum remediũ est.3°.de com.me.se.lo.*5ª.147.C
Sanguis Noctuæ ad difficulter spirantes, quo modo aliquibus in vsu fuerit.10°.de simp.me.fac. 5ª.73.A
Sanguis Palumbi supra duram membranam in fractura cranei conuenit.10°.de sim.me.fac. 5ª.72.G
Sanguis Pauonis ad petiam oculi confert.de ocul. 7ª.199.D
Sanguis Pediculi canini ad pilos palpebris innatos,oculos infestantes. de reme.par.fac. 7ª.156.G
Sãguine Ranarum viridium ad quid vteretur Papias Laodicensis Medicus.4°.de comp.me.sec.loc. 5ª.158.B
Sanguis viridiũ ranarum nõ prohibet pilos.10°.de sim.me.f. 5ª.73.D
Sanguis ranæ.de med.fac.par. 7ª.163.B
Sanguis Ricini a cane fœmina adempti ad quid valeat.4°.de composi. medi.secundum loc. 5ª.158.B
Sanguis suum humidus,nimis calidus,& humano similis.10°.de sim. medicam.facul. 5ª.72.G
Sanguis suum iuniorũ,& seniorũ castratorũ edit.3°.de al.f. 2ª.29.C
Sanguis suillus pro humano accipiendus.10°.de sim.me.fa. 5ª.72.G
Sanguis Tauri venenosus est.de vtil.resp. Sp.64.E
Sanguini taurino quid sit remedium.2°.de ant. 5ª.114.D
Sanguis Testudinis qualis.1°.de comp.me.sec.loc. 5ª.129.G
Sanguis testudinis terrestris.7°.de comp.me.per ge. 5ª.271.B
Sanguis testudinum plurium.7°.de comp.me.per ge. 5ª.271.D
Sanguis testudinum decem.7°.de comp.me.per ge. 5ª.261.D
*Sanguis decẽ testudinũ terrestrium.7°.de cõp.me.per ge.*5ª.271.D/E
Sanguis testudinum quindecim.7°.de comp.me.per ge. 5ª.271.D
Sanguis Turturis supra duram membranam,qñ caluaria est fracta,pfundi solet in tota ferè Asia.10°.de simp.me.fac. 5ª.72.G
Sanguis Vespertilionis ad quid bonus,& quomodo.4°.de compo.med. secundum locos.153.C/ 5ª.158.B
Sanguis vrsorum absscessus concoquit.10°.de simp.me.fac. 5ª.73.D
*ex Sãguinibus antidotus cæteris melior ad venena.2°.de ant.*5ª.112.c
SANGVISVGA *quandoq; nares ingreditur.4°.de lo.af.* 4ª.26.A
Sanguisugam in naso quidam habebat.4°.de loc.aff. 4ª.26.A
Sanguisugam quidam ebibit.4°.de loc.aff. 4ª.26.A
*Sanguisuga epota,ex ventriculo cruor euomitur.4°.de lo.af.*4ª.26.A
SANICENA *idest herba sanctæ mariæ.de dyna.* Sp.26.E
SANIES *in corpore fit ex aqueo & igneo elemento inter se commixtis & quomodo.8°.de decr.Hipp.* 1ª.275.F
*Sanies sanguine tenuior ẽ,& spiritu crassior.de tum.præt.na.*3ª.83.A
Sanies fit ex omni humore.8°.de dec.Hipp. 1ª.276.B
Saniei differentia ex humoribus.5°.de loc.aff. 4ª.29.H
Sanies quæ in vulneribus ex sanguine nascitur.de dyn. Sp.19.D
Sanies aquosa tenuis apparet loco circumcruento apparente in inflãmationibus cum vlceribus.de tum.præt.nat. 3ª.83.A
Saniem a profundo quæ possint trahere.6°.met.me. 7ª.37.D
*ad Sanie acri infestata vlcera optimũ est serũ.10°.de si.me.f.*5ª.73.G
Sanies in cancris saltem abluenda est.com.6°.aph.38°. Ex.50.E
Sanies quibus abluenda in caucris.com.6°.aph.38°. Ex.50.E
Sanies decidens a capite:quid faciat.6°.de sa.tu. 2ª.98.F
Sanies corneæ propria passio est.de cul. 7ª.187.A
Sanie manantibus auri b° confert succus cẽtaureæ.de vir.cẽ. S.93.C
ad Saniem aurium.de ocul. 7ª.191.D
Sanies vitiosa ex splene in ventriculum tendit in flatu ex hypocõdria co.5°.de locis affectis. 4ª.32.H
Saniei sputum in retentione menstruorum.secr. Sp.99.A
Saniẽ absq; mordicatiõe extenuat myrrha ĩ collyrijs.1°.d̃ an. 5ª.105.c
Sanies in thorace quo modo expuatur.5°.de loc.affe. 4ª.29.H
*Sanies sanguinis tenuis qñ mingit,quis affectus sit.6°.de lo.af.*4ª.37.f
Sanies cruoris tenuis similis ablutioni carnium euidentissimum est affecti Iecinoris indicium.5°.de locis affect. 4ª.34.G
*in Saniem prauã trãsit caro colliquescẽs.4°.de cõ.me.per ge.*5ª.237.C
in Saniem serosam solutis succis qui in venis habentur,serum Renes a venis expurgant.3°.de symp.cau. 3ª.28.E
*Sanies,& pus ex vtero.& vesica sponte exeunt.5°.me.me.*7ª.33.A
ꝑ Saniẽ et sordẽ an medicamẽtũ bñ siccauit probat.3°.m.m. 7ª.18.E
ad SANIOSA *vulnera de ocul.* 7ª.191.D
ad Saniosam labem pectoris valet Theriaca.d̃ Ther.ad Pi. 5ª.91.H
*Saniosæ vrinæ in solutione phlegmonis quales.de cau.procat.*3ª.98.c
Saniosæ vrinæ in solutione phlegmonis non sunt similes ijs,quæ solutis febribus excernuntur,& quales sint.de caus.procat. 3ª.98.C
Saniosa vrina,et plurimũ egesta,et velut coagulata aut aliquã eruptionẽ ĩ renib° aut calculi initiũ ĩ ꝓxio vẽturũ ostẽdit.de dy. Sp.35.C
SANITATEM *significat.y.in 3ᵐ.de mor.vulg.com.1°.130.G/ commentario.2°.* 3ª.136.E
Sanitas,& morbus contraria sunt & quæ sint,& quod circa idẽ.1°.

methodi medendi. 7ª.6.G
Sanitas quo modo distinguitur a morbo.de symp.diff. 3ª.10.E
Sanitatem quam vocamus.1°.de sa.tu. 2ª.63.G
Sanitas quid.fin.med.Isa.45.C/1°.de sa.tu.63.C/2ª.64.A/ de symp. diff.3ª.10.F/1°.met.me.5.G/7ª.8.D/secret. Sp.96.G
Sanitas quid secundum Chrysippum.5°.de dec.Hip. 5ª.255.B
Sanitas,& morbus quid secundum Olympicum.1°.met.m. 7ª.7.A
inter Sanitatem,& ægritudinem esse medium dicentem Olympicum quare Galenus derideret.1°.met.me. 7ª.7.B
Sanitas non est absolute elementorum ex quibus constamus medium temperamentum,aut debita conuenientia.1°.de sa.tu. 2ª.63.C
Sanitas non est absolute medium temperamentum elementorum.1°.de sanitate tuenda. 2ª.63.C
Sanitas non est absolute debita conuenientia elementorum ex quibus constamus.1°.de sa.tu. 2ª.63.C
Sanitate potimur ex commoda temperie elementorum. de natura humana.commentario.1°. 1ª.30.D
Sanitas quid sit proprie.in 1ᵐ.de mor.vul.com.1°. 3ª.112.D
Sanitas est corporum symmetria.in 1ᵐ.de mor.vul.c.1°. 3ª.100.H
Sanitas est symmetria quædam.1°.de sa.tu. 2ª.63.D
Sanitas est symmetria quædam sm omnes sectas.1°.de sa.t. 2ª.63.E
Sanitatis symmetria duplex est.1°.de sa.tu. 2ª.63.D
Sanitas est quædam moderatio,& quorum sit.de diff.morb. 3ª.2.D
Sanitas est in quadam moderatione. ad Thrasybulum. 2ª. 107.G/in 1ᵐ.de morb.vulg.com.1°.3ª.101.A/com.2°.aph.4°. Ex.11.F
Sanitas est temperies naturalis.com.4°.aph.39°. Ex.32.D
Sanitas est corpori naturalis modus.ad Thrasy. 2ª.105.F
Sanitas est corporis.fin.med. Isa.45.D
Sanitas est virtus corporis.fin.med. 2ª.103.F
Sanitas est vnum bonum corporis.ad Thrasy. 2ª.103.F
Sanitas siue appelletur naturalis omnium partium corporis constitutio,siue operationum causa,idem dicitur.de dif.mor. 3ª.2.C
Sanitas morbum præcedit dignitate & tempore.1°.de san.tu.2ª.62.d
Sanitas quo modo sit antiquior agritudine.secre. Sp.96.F
Sanitas secundum naturam est.fin.med. Isa.45.D
Sanitas est ex genere permanentium.2°.met.me. 7ª.10.B
Sanitati quæ acidunt.fin.med. Isa.45.F
Sanitas,mors,& morbus,vt differunt,ita naturalis motus immobilitas,& prauus motus.2°.de præsa.ex pul. 4ª.111.B
Sanitas vnum medicinæ propositum est.de opt.sect. Isa.20.E
Sanitas primo a medico discenda quid sit.secretorum. Sp.96.G
circa Sanitatem primo versatur ars.ad Thra. 2ª.103.B
Sanitas ipsa medicinę finis ẽ q̃ q̃ sine medico demõstrat.ad Th.2ª.105.H
Sanitas siue sanũ artis medicę finis.de ijs,quæ in med.fi.c.1°.7ª.197.F
Sanitatis consequutio est vnius finis medicinę,huius verò consequutionis plures sunt modi.de opt.sect. Isa.20.E
Sanitas vna est simplex optima.1°.de sa.tu. 2ª.63.C
Sanitas optima,est bona habitudo.de bon.hab. 1ª.39.C
Sanitas q̃uo differat a bono habitu.fin.me.Isa.45.C/ad Thr.2ª.103.C
Sanitas quomodo perfecta.ad Thrasy. 2ª.102.E
Sanitas alia est deficiens.1°.de sa.tu. 2ª.63.C
Sanitas sm habitum & sm affectionem,quæ.ad Thr. 2ª.102.E
Sanitas in affectione producit actiones debiles.ad Thrasy. 2ª.102.E
Sanitas in habitu nondum quidem firmas, non amplius autem debiles actiones producit.ad Thra. 2ª.102.E
Sanitas deficiens habet latitudinem.1°.de sa.tu. 2ª.63.C
Sanitas habet latitudinem.2°.de temp.19.E/de opt.nos.corp.conf.1ª. 38.E/6°.de san.tu. 2ª.97.A
Sanitas amplam habet latitudinem.de bon.hab.39.B/ 1ª.64.A
Sanitatis latitudo ampla est.1°.de san.tu. 2ª.95.G
Sanitatis latitudo quantum habeat interuallum.2°.de temp. 1ª.18.F
Sanitatis latitudo in tres partes diuiditur.ars med. Isa.62.H
Sanitas habet latitudinem adeo vt in illa sint multæ pro magis, & minus differentiæ.de const.ar. Isa.38.H
Sanitatẽ habere magis & minus probatum ætate.1°.de sa.t.2ª.63.d
inter Sanitatem exactam & morbum sensibilem consistunt intemperatæ naturæ.5°.de sa.tu. 2ª.93.D
Sanitatẽ habere magis & minus secanda probatio.1°.de sa.t.2ª.63.e
inter Sanitatem exactum,& quæ iam ægrotant corpora,quæ media. 6°.de sanit.tuenda. 2ª.99.H
Sanitatem latã facere satius est, quam oẽs homines perpetuo morbis premi.1°.de sani.tuen. 2ª.63.G
Sanitas est vna est secũdũ aliquos,nec hẽt latitudinẽ.1°.de s.t.2ª.63.D
Sanitas dubia quæ.8°.meth.med. 7ª.51.H
Sanitas inæqualis in quibus.ars med. Isa.64.B
Sanitas culpata, non est morbus vbi non est illustris offensio actionis. de natura humana.com.1°. 1ª.30.E
Sanitas primorum corporum quæ.in 1ᵐ.de mor.vul.com.1°.3ª.101.C
Sanitas similiarium partium in quo consistat.1°.de sam. tu. 2ª.62.D/ 3°.methodi medendi. 7ª.17.G
Sanitas instrumentalium in quo consistat.1°.de sa.tu. 2ª.63.C
Sanitas in quibus consistat.5°.de dec.Hipp.255.H/9°. 1ª.284.A/1°. de san.tu.2ª.64.C/de symp.diff.10.E/in 1ᵐ.de morbis vulgaribus. com.2°.3ª.108.E/contra Iulia. Ex.67.B
Sanitas in duobus consistit.de diff.mor. 3ª.2.C
Sanitas consistit in temperamenti qualitate.1°.de sa.tu. 2ª.93.D
Sanitas quæ est finis,in quibus consistit.ad Thras. 2ª.106.B
Sanitas ex quibus efficitur.8°.de dec.Hipp. 1ª.274.G
Sanitatis causæ quæ dicantur.11°.met.me. 7ª.68.A
Sanitatis causæ quo modo sint ars,& fortuna.11°.met.me. 7ª.68.A
Sanitatis causa quomodo sunt ars,& artifex.11°.met.me. 7ª.68.A
Sanitatis causa est medicus.de caus procathar. 3ª.96.B
Sanitatem quæ causæ poterunt corrumpere.de const.ar. Isa.42.G
Sanitas,& morbus quibus fiant.de hist.philo. Sp.12.B
Sanitatis & morborum authores sunt quatuor humores.in 3ᵐ.de morbis vulgaribus, com.1°. 3ª.129.C
Sanitatem cur requiramus.1°.de san.tu. 2ª.63.G
Sanitatem mutilam nemo cupit.ad Thras. 2ª.103.B
Sanitate egemus propter actionem naturalem.2°.me.me. 7ª.10.D
Sanitas nihil refert an ponatur in genere constitutionẽ vel functionũ. 1°.de sanitate tuenda. 2ª.64.D
Sanitas discernitur per functiones.1°.de sa.tu. 2ª.63.C
Sanitatem qui nolunt esse affectum corporis, vnde actio proficiscatur. sed ipsas actiones,doctrinam de actionum lesione debent tradere, in morborum doctrina.de sym.dif. 3ª.11.C
Sanitas est cõmunis apud omnes scopus,cuius causa fiunt omnes actiones.ad Thrasybulum. 2ª.105.B
Sanitatis actionis cõis noẽa idem significantia,quæ.ad Thras.2ª.105.b
Sanitas non operatione sed potentia diffinienda.de diff.morb. 3ª.2.C
ad Sanitatis diuturnitatem,prior est securitas,posterior actio.12°.de vsu partium. 1ª.196.C
Sanitas actionis causa est.de symp.diff. 3ª.13.A
Sanitas,actio,& pulchritudo q̃uo se habẽt ad inuicẽ.ad Th.2ª.104.A
Sanitatis actio quibus nominibus significetur.ad Thra. 2ª.105.H
in Sanitate sensus debet esse iudex,non rerũ natura.ars med.Is.63.A
Sanitatis operationes cognoscere,est principium inueniendi quæ nocẽt virtutibus.3°.de symp.caus. 3ª.24.F
Sanitatem inueniendi maxima pars sumitur ab assuetudinibus.de cõsuetudine. 2ª.60.C
Sanitatis tuendæ omnia habent prouidentiam.6°.de sa.tu. 2ª.95.B
Sanitatem cur homo procurare debet.6°.de sa.tu. 2ª.95.B
Sanitas omnibus præponenda est.de sal.diæ. 2ª.42.G
Sanitati corporis,& animæ,honor,gloria,diuitiæ,& authoritas, alia quæ huiusmodi post ponenda videntur.2°.de ali.fa. 2ª.17.F
Sanitatum corporis simul & animi Attici sermonis affectatores pro nihilo ducunt.2°.de alim.fac. 2ª.18.F
Sanitatis tuendæ ratio est medicinæ pars.intro. Isa.51.H
Sanitatis tuendæ pars medicum spectat.ad Thra. 2ª.109.E
Sanitatem medicina intendit.de sect. Isa.15.H
Sanitas quo modo medicinæ finis.ad Trasy. 2ª.102.G
Sanitas est finis septem artium,quæ sunt circa corpus humanum. ad Thrasybulum. 2ª.103.A
de Sanitate tuenda librum fecit Erasistratus.ad Thrasy. 2ª.108.A
de Sanitate tuenda qui scripserunt,errarunt nullo facto naturę discrimine.5°.de san.tu. 2ª.93.D
de Sanitate tuenda in libris finis qui.9°.met.me. 7ª.59.A
de Sanitate seruanda cur primo tractandum.1°.de san.tu. 2ª.62.D
Sanitatis tuendæ ars,an spectet ad rem medicam, an ad exercitatoriã pars q̃ illius sit.ad Thras. 2ª.101.G
de Sanitate tuenda medicorum,& gymnastarum differentiæ.3°.de sanitate tuenda. 2ª.76.D
Sanitatem qui tuetur neq; medicus neq; gymnastes dici debet.2°. de sanitate tuenda. 2ª.73.H
Sanitatẽ tuẽdã qui profitetur ὑγιεινὸς appellãdus.2°.de sa.tu.2ª.73.H
Sanitatis tuẽdę perfectus artifex qualis esse debet.ad Thr. 2ª.104.E

pro Sanitate tuenda quod sit vitam tuetur. 9°.me.me. 7ª.59.A
Sanitati tuendæ quæ ars præsidet, sanitatem cõstaturam promittit ijs qui sibi paruerint. 6°.de sa.tu. 2ª.98.A
Sanitatis tuendæ præceptis cur aliqui vti nolint.6°.de sa.tu. 2ª.98.A
Sanitatis tuendæ non est postrema pars intemperiem corrigere. aduersus Lycum. Ex.62.B
Sanitatis tuendæ scopus qui. 1°.de sa. tu. 2ª.64.C
Sanitatis custos optimus qui.1°.de san.tu. 2ª.62.E
Sanitatis tuendæ artis quo modo peritus fuerit.5°.de sa.tu. 2ª.89.E
Sanitatis tuendæ studium,in quibus consistat.1°.de sa.tu. 2ª.68.G
ad Sanitatis tuendæ partem aspectent symptomata morbosa. 4°.de san.tuen. 2ª.82.D
ad Sanitatis tuendæ artificem non pertinent extrinsecus occurrentia. 1°.de sa. tu. 2ª.65.E
ad Sanitatis tuendæ artem quid faciat. 1°.de sa.tu. 2ª.63.A
Sanitas duobus custodienda.de moti.manif.& obsc. Sp.71.D
in Sanitate tuenda quo modo valent signa, corpora, & causæ. 1°.de san.tu. 2ª.68.H
Sanitatis tutela per similia perficitur.de inæq.intemp. 3ª.44.C
Sanitas causa quæ. com.2°.aph.3°.& 4°. Ex.11.E/F
Sanitas a contraria viuendi ratione quo modo conseruetur. in 1ᵐ.de mor.vul.com.1°. 3ª.101.A
ad Sanitatem quæ faciunt, sunt hominibus necessaria. de bon.& vit. succ. 2ª.36.D
Sanitati studentes quid agere debent. de bon.& vit.suc. 2ª.35.A
Sanitas quibus custodiatur.de ocu. 7ª.185.D
Sanitati conueniens victus ratio cur ab omnibus seruari non potest. de bonit.& vit.suc. 2ª.36.D
ad Sanitatem cibi accommodatissimi qui.de bon.& vit.suc. 2ª.36.E
*ad Sanitatem conferunt cibi molles,& friabiles.3°.de ali.fa.*2ª.31.E
Sanitatem custodire potest vinum si cum modica aqua bibatur. de simp.med. Sp.92.B
Sanitatis tuẽdę gratia,acetũ mulsum vtilissimũ.d bo.et vi.s. 2ª.39.A
*ad Sanitatẽ corporis cõseruãdã valet acetosus syrupus.sec. S.*103.D
Sanitatis magnum adiumentum est raphani radix a ieiunio comesta. de simp. med. Sp.89.F
Sanitatis tuendæ ratio in senibus, conatur senum sanitatem seruare. 6°.de sa.tu. 2ª.95.G
in Sanitatis conseruatione senex non indiget alio, si vtatur remedio. secretorum. Sp.101.F
Sanitatis tuẽdæ fines medicamẽta nõ excedẽtia q. 1°.d sa.tu. 2ª.68.H
ad Sanitatis tuendæ artem,qui motus spectãt. 2°.de sa.tu. 2ª.75.E
ad Sanitatis tuendæ rõnẽ quæ actiones cõueniũt.7°.me.me. 7ª.48.E
ad Sanitatem confert exercitatio,quamuis multi negarint. 1°.de sanitate tuenda. 2ª.65.E
*ad Sanitatẽ multũ facit exercitiũ moderatũ.de bo.& vi suc.*2ª.35.A
Sanitati ante cibum exercitatio maximum affert commodum.de bonitate,& vitio succorum. 2ª.35.A
Sanitatis tuẽdæ artis magna portio ẽ exercitatio.4°. de sa.t. 2ª.82.d
Sanitatis tuendæ artis magna portio est lasitudines præcauere.4°.de san.tu. 2ª.82.D
*Sanitati maxime obsunt quies,& otium.de bon.& vitio.suc.*2ª.35.a
*Sanitatẽ quidã tuentur in perpetua quiete degẽtes. 5°.de s.tu.*2ª.93.e
*Sanitatis sumpto cibo qualicũq; motus obnoxi⁹.d bo.et vi.s.*2ª.35.A
ad Sanitatem calicem idoneum strũere admonetur ab arte corporis gubernatrice. ad Thras. 2ª.109.B
circa Sanitatem medicus,& exercitator versantur, tamen nõ habent commune nomen.ad Thra. 2ª.107.E
circa Sanitatem quid faciat gymnastica. ad Thra. 2ª.107.G
Sanitatem quæ ars per accidens seruet. ad Thra. 2ª.104.C
*ad Sanitatẽ qd bonũ ẽ salubribus luctatoria adipiscit.ad Th.*2ª.109.b
Sanitatem suam in carcere tuentes pereunt ex prohibitione vnctionis & lotionis. 5°.de sa.tu. 2ª.94.A
in Sanitate quos Gal.seruaßet.5°.de sa.tu. 2ª.94.A
ad Sanitatis conseruationem tum ad eiusdem recuperationem optimũ præsidium est scarificatio in cruribus.de cucur.scar. 6ª.3.H
ad Sanitatem oculi conseruandam alchohol.secr. Sp.97.F
Sanitas quo modo ægris timidis prædicenda.in 6ᵐ.de mor.vulg.commentario 2°. 3ª.168.F
*Sanitatis signa causæ dici possunt dies iudicatorij. 1°.de die.*4ª.147.c
Sanitas quo modo cognoscatur futura.4°.de præs.ex pul. 4ª.121.G
Sanitatem significat vrina alba, & spissa. de dy. Sp.33.H
Sanitatem futuram ostendentia,ostendunt præsentem ægritudinẽ, quæ re salubria & egra dicentur & quomodo.ars med. Isa.67.D
Sanitatẽ certã pmittũt cõcoctiones.i 1ᵐ.de mor.vul.c.3°. 3ª.124.E
Sanitas quo modo maxime sequitur. 2°.de diff.feb. 3ª.42.E
Sanitatis tempus quando.4°.de præs.ex pul. 4ª.121.G
Sanitas quando sit.de ana.viu. Sp.46.H
Sanitate optima quando fruemur.de sal.diæ. 2ª.40.H
Sanitatem morbo pulso inducere,est actio sanitatis.ad Thr. 2ª.105.b
ad Sanitatẽ ab ægritudine progressio quomodo, & qualis sit.ad Thra sybulum. 2ª.102.E
Sanitas quando inducetur.de decub.prog.ex math.scien. Sp.12.F
Sanitas quomodo infirmo redditur. de ocu. 7ª.185.D
Sanitas reducitur per contraria.3°.me.me. 7ª.18.B
Sanitas perpetua quomodo habenda. de dy. Sp.20.A
Sanitatem stabilem facit theriaca.de vsu theri.ad Pi. 5ª.98.C
in Sanitate vtendum theriaca.de ther. ad Pi. 5ª.96.H
Sanitatem quo mõ qñq; inducit calor febrilis.c.6°.ap.40°. Ex.51.A
Sanitas vbi induci non põt, vita proroganda est.5°.me.me. 7ª.35.F
Sanitas nõnullis noĩata panacea here.5°.de comp.me.per ge. 5ª.245.b
Sanitas inscriptum emplastrum. 6°.de comp.me.per ge. 5ª.261.F
SANARE, *sanitatem facere,sanitatis effectionem ac sanationem dicere,idem significant. ad Thra.* 2ª.105.H
Sanare potest medicus magnus.9°.me.me. 7ª.59.C
Sanari non possunt ægri omnes. in prog.com.1°. 4ª.189.D
Sanantur plures q moriantur,preter in pestilenti morbo. commen.2°. aphor.13°. Ex.12.E
Sanari quando possunt ægri,& qñ non. c.2°.aph.16°. Ex.12.H
*Sanantur facile imbecilli qsæpe egrotãt.2°.de præs.ex pul.*4ª.110.e
Sanantur sua sponte qui.de nat.hum.c.2°. 7ª.180.D
Sanantur quæ ex morbis mortiferis.i 6ᵐ.de mor.vul.c.2°. 3ª.169.G
Sanetur qui quarto die,& qui moriatur.1°.de dieb.dec. 4ª.150.H
*Sanare recte morbos vnde habeaĩ.de victꝰ.ra.in mor.ac.c.1°.*7ª.109.d
Sanentur quo modo ægri.1°.me.me. 7ª.5.H
Sanari qui debent in morbis longis, habent appetitum vehementem. com.7°.aph.6°. Ex.54 D
Sanari quod debet quiete indiget. c.6°.aph.6°. Ex.47.B
Sanari non dicuntur morbi qui alterum faciunt morbum. commen.6°. aphor.26°. Ex.48.G
*Sanare marasmum habentes non est tentandum.10°.me.me.*7ª.66.e
Sanatur a centaurea morsus canis rabidi.de vir. cent. Sp.92.H
SANSVGIVM *quomodo fiat. de anat.p.* Sp.42.H
SANTONICVM *& abrotonõ differunt.6°.de simp.me.fa.* 5ª.40.F
Santonicum absynthium vna est Absynthij species. 6°.de simp.medicamen.fac. 5ª.40.F
SANTONICI *qui de nat. & ord.cuiusl.corp.* Sp.41.G
SANI *qui dicantur. 6°.de san. tu.* 2ª.97.A
Sanus homo qui sit. introductio. Isa.15.C
Sanum est moderatum,ægrum vero ĩmoderatum.de const.ar. Is.39.C
Sanum per excellentiam commoderatum est. de const.ar. Is.39.B
Sani secundum naturam se habent.contra Iulia. Ex.68.B
Sanis omnia sunt pm naturam.ars med. Isa.67.D
Sanis addenda verba pm naturam. 1°.de sa.tu. 2ª.64.A
*Sanum ægrotanti dissimile.9°.de dec.1ª.281.B/c.7°.ap.64°.*Ex.59.H
Sanũ & egrũ mediũ habere, potest colligi.c.2°.aph.4°. Ex.11.F
Sanos cognoscere debet medicus quos ægros curaturus est.de ijs,quæ in med.fi.com.1°. 7ª.198.A
Sanos oculos cognoscere debet q illos est curaturus.de an.ocu. S.57.B
ex Sanis argumentum sumitur ægrorum. de victus ratione in morbis acut.com.2°. 7ª.119.A
Sanum propter quod existit organum,per id ipsum læditur ægrum.1°. de differ.resp. 3ª.61.C
Sanorum scientia quando habetur.de const.ar. Isa.39.B
Sanum quomodo sit animal. de diff.morb. 3ª.2.H
Sanũ qñ est animal.de atra.1ª.35.E/de trem.palp. cõuul. 3ª.54.C
Sanus quando quis degat. de natura.hu.com.1°. 1ª.28.G
Sanũ est aĩal,cum densum,& rarum moderate est op.sec. Isa.26.B
Sanus habet integras operationes. de consti.ar. Isa.38.H
Sanos esse qui omnes operationes necessarias exercere possunt, est prĩcipium ab omnibus approbatum. de diff.mor. 3ª.2.C
Sanum corpus non est vnum tantum. ars med. Isa.68.A
Sanum habet magis,& minus, vt album.1°.de san.tu. 2ª.63.D
Sanum, & ægrum corpus vnde sit. de sper. Sp.40.C

Sanus nemo penitus eſt. de ſan.tu. 2ª.97.A
Sanus erit nullus, ſi conſideremus ſanitatem ex qualitate, & non ex ſenſibili læſione. ars med. Iſa.69.C
Sanis quandoq; fortioret ſunt ægri cur.3°.de dieb.decr. 4ª.158.F
ſi Sanus nullus noſtrum eſt, quid futurum.1°.de ſan.tu. 2ª.63.E
Sanum corpus quid agat. 2°.de ſan.tu. 2ª.73.G
Sani ſanos generant, de aere, aquis, & locis. 2ª.4.G
in Sanis duplex finis.8°.me.me. 7ª.154.G
Sanis conſulens ars ſalubris dicitur. ad Thra. 2ª.108.C
Sanis, & ægris vnus cibandi ſcopus, & qui nam ſit.de victus ratione in mor.acu.com. 1°. 7ª.115.C
Sani quo modo debeant cibari.com. 1°.aph.17°. Ex.9.D
in Sanis integre debemus probare quæ nutriunt cito, & quæ velociter ex quo elice ex ſanis eſſe probanda quæ pertinent ad victum cõmen.2°.aph.18°. Ex.13.F
Sanis conuenit habere iccoris meatus apertos. 2°.de ali.fa. 2ª.17.F
Sanis iuuantur caricis quomodo. 2°.de ali.fa. 2ª.17.F
Sanis, & ægris hordeum dandum.1°.de ali.fa. 2ª.9.A
Sano cibus robur eſt.com.7°.aph.62°. Ex.59.G
Sani cum diu a cibo abſtinuerint præſertim cholerici, quæ mala incurrunt.com.6°.aph.51°. Ex.52.A
Sanis ſi repentinæ ciborum mutationes læſionẽ afferũt, ergo & ægris. de vic.rat.in mor.acu.com.2°. 7ª.119.A
in Sano non eſt neceſſe fieri mucum. 8°.de vſu par. 1ª.168.C
Sanis ſanæ, ægris malæ ſunt lunæ ſtationes. 3°.de die.decr. 4ª.158.A
Sanis, & ægris poteſt pronunciare dies quales futuri ſint, luna. 3°.de diebus decretoriis. 4ª.157.H
Sani καθ' ἑ͂ξιν ne a vehemẽti quidẽ cã alterantur. 5°.de ſa.tu. 2ª.90.F
Sani qui viuunt robuſti periclitanť in morbis.2°.de præſ.ex. 4ª.110.E
Sani hominis vrina qualis.de dy. Sp.19.G
Sanorum vrina optima qualis. de vrin.ſign.ex Hipp. Sp.79.A
in Sanorum vrinis ſucci crudi conſpiciuntur.1°.de ali.fa. 2ª.10.C
in Sanis vrina oleoſa, & in morbi fine.in 3ᵐ.de morb. vulgaribus, cõmentario 3°. 3ª.147.G
Sanis ſimilia ſi ſint quæ per veſicam excernuntur, minime ſunt morboſa, quæ vera diſſimilia, morboſa.c.7°.aph.63°. Ex.59.H
Sanis ſimilia in toto corpe bona, diſſimilia mala.c.7°.ap.93°.E.59.b
Sanorum excrementa cur ſint bile infecta. 5°.de vſu par. 1ª.143.G
Sana corpora ſiue ἀτονίαν ſiue ἀνωδυνίαν ſiue ἀοχλησίαν proprium habent perpetuum.in 1ᵐ.de mor. vul.c.1°. 3ª.112.C
Sani indigent ea arte quæ docet ſeruare ſanitatem.de victuus ratio.in morb.acut.com.1°. 7ª.110.E
circa Sana corpora actionibus accommodatis omnibus cõmunis conſeruatio eſt ad Thra. 2ª.108.F
Sanum moderate corpus non debet mutari. ad Thra. 2ª.104.E
Sani exquiſite nõ ſunt moleſtandi re aliqua.6°.de ſa.tu. 2ª.100.A
Sanus & longæuus quibus erit homo. 1°.de ſa.tu. 2ª.63.A
Sani qui ſemper erunt.de bon.& vitio ſucc. 2ª.34.G
Sanũ hoĩem ſuat sãguis p hæmorrhoidas exiẽs.de ve.ſe.ad.Er. 6ª.7.b
Sanus homo exercitiis conſuetis eſt conſeruandus. intro. Iſa.55.C
Sanorum gymnaſtica eſt.ad Thra. 2ª.108.A
Sanis non ſunt præcipienda exercitia ſimul cum inedia.commentario. 2°.apho.16°. Ex.12.H
a Sano moderate corpus deficiens ſm defectũ mutari debet.ad Thraſybulum. 2ª.104.E
Sanorum intemperies quo modo curandæ. 5°.de ſa.tu. 2ª.93.C
Sani habentes corpus exhauſtũ, oleo inungendi.2°.de ſim.m.f. 5ª.15.b
ĩ Sanis vocanť accidẽtia, q̃ ſymptomata in ægris.1°.me.me. 7ª.8.D
in Sanis qñq; fit palpitatio cordis, & qũo ſanetur.5°.de l.af. 4ª.29.E
in Sanis rigor qui. de trem. palp.conuul. 3ª.53.F
Sani quicunq; dolore capitis repente capiuntur, & ſtatim muti fiũt, & ſtertunt, in ſeptem diebus pereunt niſi febris apprehenderit.cõmen.6°.aph.51°. Ex.52.G
Sana corpora non ſunt purganda, & cur.de dy. Sp.20.D
Sanis helleborus periculoſus eſt, quia conuulſiones facit. commen.4°. aphor.16°. Ex.28.H
cur Sani exoluunt in euacuationibus.com.2°.aph.16°. Ex.12.H
Sani ſi purgentur quæ incidant mala.quos purg.op.quib.me. 5ª.88.b
Sanus ſi purgetur quæ accidentia incurrat.c.2°.aph.16°. Ex.12.H
Sani qui debent fieri ægri, ſi indigent purgatione, vel ſectione venæ debent purgari, vel vena incidi.c.6° aph.47°. Ex.52.B
à Sano viro aquoſa exhibunt, ſi hydragoga ſumet. de atrab. 1ª.37.D
in Sano corpore nonnulli putarunt non generari atram bilem, ſed ſolũ in corpore male affecto. de atrab. 1ª.37.D
Sanis quando ſit mittendus ſanguis.de cur.per ſan.miſſ. 6ª.18.B
Sano quomodo prodeſt theriaca.de thari.ad Piſ. 5ª.96.C
Sanæ ſunt aquę paludoſæ Aegypti, & cur.de bon.aquæ. Sp.75.D
in Sano & luxato, ala brachij quomodo ſe habeat.9°.de dec. 1ª.281.B
SAPA quid. de atten. vic. 2ª.46.B
Sapa hepſema dicitur, vel ſyreum.3°.de comp.me.per ge. 5ª.229.D
Sapa vinum ſireon dicitur. de atten.vic. 2ª.46.B
Sapa qualis ſit. 7°.de comp.me.ſe.lo. 5ª.177.F
Sapa qualis, & quo modo fiat.de vict.ra.in mor.ac.c.3°. 7ª.125.G
de dyna. Sp.22.F
Sapa ex poſtremo fluore fiat, & ad quàm coctura coquenda. 3°.de comp.med.per ge. 5ª.232.D
Sapa, loco quorum vinorum ponenda.14°. me.me. 7ª.90.B
Sapa ſedat dolorem magis, quã dulcia vina.3°.de cõp.me.ſ.l. 5ª.140.b
Sapa, & ſi mel æquet dulcedine, tñ nõ vellicat ſenſũ.1°.d an. 5ª.100.e
vt Sapa craſſa vina quę. 12°.me.me. 7ª.76.F
Sapa incraſſat. 1°.de ali.fac. 2ª.13.F
Sapa conuenit in deſtillatione tenui.7°.de comp.me.ſe.lo. 5ª.181.A
Sapa liquor eſt quo liquantur papaueris ſuccus & caſtoreum. 12°. meth.med. 7ª.79.G
Sapa lenit.3°.de comp.med.ſec.lo. 5ª.145.H
Sapam qñ addit diamoro, eſt in declinatione.6°.de compoſi.medicam. ſec.locos. 5ª.167.E
Sapam quidam addunt ptiſſanę. de ptiſ. 2ª.47.C
Sapæ mixta lens, cur peſsima.& quid mali agat.1°.de ali.f. 2ª.13.F
Sapam & lentem corrigit mel. 1°.de ali.fa. 2ª.13.F
ex Sapa & origano confectum medicamentum.de cucur.ſcar. 6ª.4.E
in Sapa origanum ferue faciendum iubet, & ſtomachico pharmaco addendum.6°.de comp.me.ſe.lo. 5ª.168.F
Sapa in neruorũ vulneribus valet.3°.de comp.me.per ge. 5ª.232.C
Sapa detergenda ſunt vulnera neruorum. 6°.me.me. 7ª.38.D
Sapa ad inflationes muſculorum qũo vtendum. 14°.me.me. 7ª.88.F
SAPHENA *cuius venę ſit ramus.de ana.viu.* Sp.54.G
Saphenæ ramus eſt vena ſupra calcaneum. de ana.viu. Sp.54.H
Saphema quando ſecanda ſit. de ana.viu. Sp.54.H
SAPHIRI *roborant cor diſſolutum. de ana.viu.* Sp.46.D
Saphyrus potus ictos a ſcorpio iuuat. 9°.de ſim.me.fa. 5ª.67.E
SAPIDVS *ſapor qualis ſit, & vnde oriatur.de ocu.* 7ª.188.A
Sapido propinqui ſunt fructus a terra ſublimes.de ocu. 7ª.188.A
Sapidi cibi, dulces, ſubtiles, abſtergunt, & qui ſint.de diſcon. Sp.72.E
SAPIENTES *non ſunt homines. de co.cu.ani.mor.* 2ª.51.B
Sapiens ſimilis Deo eſt. de cog. cur.animi mor. 2ª.51.E
Sapiens eſt ſine peccato.de cog.cur.animi mor. 2ª.51.G
Sapientes non habent perturbationem.5°.de dec.Hipp. 1ª.254.D
Sapientes abundant atrabile.2°.de nat.fa. 1ª.301.D
Sapientis liber ſi mẽdaciũ habeat potius debemus noſtræ intellectioni attribuere, & autorẽ excuſare, q̃ ipſi derogare.c.6°.a.34°.Ex.50.b
SAPIENTIAM *artificis non ſolum homo, ſed omne animal clare oſtendit, & quanto ipſum minus fuerit, tanto maiorem admirationẽ excitare ſolet. 17°.de vſu par.* 1ª.222.D
Sapientia ſumma quæ. de vſu par. 1ª.133.D
Sapientiam perfectam non admittit ſubſtantia, qua fiũt animalia.14°. de vſu par. 1ª.204.D
Sapientia vera, ac prima eſt diuinarum humanarumq; rerum ſcientia. 1°.met.me. 7ª.2.C
Sapientiæ inanis cauſa qui bona aut mala conſtituunt maxime peccãt de cu.animi pecc.not.atq; med. 2ª.56.F
Sapientiæ amor aufert contentionem.3°.de diff.pul. 4ª.59.B
Sapientiæ ſtudium qui quærebat tempore Galeni, inſanus putabatur. 1°.met.me. 7ª.2.C
SAPIENTISSIMVS *ſolus ſeipſum perfecte cognoſcit.de cog.cur.animi mor.* 2ª.50.E
SAPERE *eſt in capite.de vict.ra.in morb.acut.c.3°.* 7ª.131.F
Sapis tu, ille vero eſt ignarus, quo modo vno carmine ab homero exprimatur 2°.de diff.pul. 4ª.56.D
quæ SAPIVNT, *& appetuntur ſunt velocioris coctionis. de diſſolutione continua.* Sp.73.B
SAPO *quo modo fiat, & eius vires.de ſimp. med.* Sp.90.G
Sapo omnis acriter relaxat, omnẽ ſordẽ de corpore abſtergit vel depãnis, et exſiccat, mitiit & in cauſtica. de ſimp.med. Sp.90.G

Sapo maxime

Sapo maxime detergit. 8°.*me.me.* 7ª.52.*H*
Sapo pro abstergendis variis facici conuenit.de reme.pa.fa. 7ª.157.*B*
Sapo gallicus. 5°.*de comp.me.se.lo.* 5ª.160.*E/F/de med.fa.par.* 7ª.167.*E/de dyn.* *Sp.*28.*H*
Sapo sanctus. de med.fac. par. 7ª.173.*C*
Saponē spatarēticū accipi iubet p hæmorrhoidibus.de dyn. *Sp.*28.*G*
Sapo spatulanus.de dyna. *Sp.*31.*C*
ex Sapone balanus in quo casu.de med.fa.par. 7ª.167.*E*
Sapone vtitur,et in quo casu,ac qūo. 2°.*de comp.me.se.lo.* 5ª.139.*D*
Saponis mistra forte ex lixiū quoddā. 3°.*de comp.me.per g.* 5ª.228.*f*
Saponarij prima gutta est mistra saponis. de dyn. *Sp.*23.*A*
Saponis ius primum ad quid vtile. de med.fac. pa. 7ª.70.*G*
SAPOR *sentitur quid sit.de ocu.* 7ª.183.*F*
Sapor ab antiquis dictus est chymus. de ocu. 7ª.183.*F*
Sapores consequūtur mixtionem ex qualitatib. 1°.*de vsu p.*1ª.115.*d*
Saporum species enumerantur & inueniuntur.de ocu. 7ª.188.*A*
Saporum nouem species. de comp.memb. *Sp.*58.*D*
Sapores qui dulces,qui non. 4°.*de simp.me.fa.* 5ª.31.*A*
Sapor ponticus qualis. de ocu. 7ª.188.*A*
Sapores salsi,& salsilaginosi.aduersus Lycum. *Ex.*63.*G*
Sapores non sunt alienæ qualitatis expertes. 3°.*de sim.me.fa.* 5ª.32.*b*
Sapor medius inter sapores qualitatis expers dici potest,& quare. 2°. *de alim.fac.* 2ª.16.*F*
in Saporum medio est aqua. 2°.*de ali.fac.* 2ª.19.*G*
Sapores omnes redundit aquea humiditas. 4°.*de simp.me.f.* 5ª.26.*F*
Sapores sunt sciendi a Medico. 1°.*de ali.fac.* 2ª.9.*A*
in Saporibus cognoscendis quid agendum. 4°.*de simp.me.fa.* 5ª.25.*C*
Sapores vt gustatu,ita febres tactu deprehenduntur. in 6ᵐ.*de morb. vulg.com.* 1°. 3ª.159.*E*
Sapores cur lingua percipit. 2°.*me.me.* 7ª.10.*F*
Saporum nunciæ venulæ tenduntur a lingua ad cor secundum Plato. 1°.*de simp.me.fa.* 5ª.8.*D*
Sapores discernunt dentes cum lingua,non aliter quam aliæ oris ptes. 19°.*de vsu par.* 1ª.215.*A*
Sapores quomodo lingua vitiose sentiat. 1°.*de sym.cau.* 3ª.15.*G*
Sapores qui continuitatem diuidant. 1°.*de symp.cau.* 3ª.16.*H*
Sapores varios habent vinum,& liquores alij ex terra sibi admixta. de vtilitate respirationis. *Sp.*64.*F*
Sapores diuersi sunt ī varijs alicuius fructº ptib.de att. vic. 2ª.46.*A*
ex Saporibus malorum species habentur. 2°.*de ali.fac.* 2ª.19.*F*
Sapores diuersarum aquarum.de bon.aquæ. *Sp.*75.*E*
Sapores non sunt quærendę qualitates rerum. 3°.*de sim.me.f.* 5ª.17.*c*
Sapore eodē,odore,calore q;,aut huiusmodi alio prædita oīa q existi mant vires easdem obtinere,fallūtur,& quare. 1°.*de ali.f.* 2ª.7.*D*
Sapor indicat de temperamento plantæ. 1°.*de ali.fa.* 2ª.24.*E*
sine Saporibus medicamentorum vires cognoscuntur. 4°. *de simp.me dic.fac.* 5ª.26.*C*
Sapor innuit virtutem medicinæ.de ocul. 7ª.187.*G*
Saporibus maxime ostenduntur vires medicinæ,de ocu. 7ª.187.*G*
pp Saporē malū quæ miscenda medicamentis. 3°.*de sim.me.f.* 5ª.20.*c*
*Saporis boni,& dulcia cur misceanī medicinis.de med.exp.Sp.*108.*G*
*Saporem abominabilē habentia,tarde digeruntur.de diff.cōt.S.*73.*D*
de Sapore communi coitus.de compag.memb. *Sp.*59.*D*
SAPROTES *xylon, id est caries lignorū, q particeps est adstrictionis & absterſionis,ad quid valeat.* 8°.*de simp.me.fa.* 5ª.60.*A*
Σάφανον *quid appellant Attici.* 1°.*de ali.fac.* 2ª.15.*G*
SARACENI *gummi.de dyna.* *Sp.*27.*B*
Σαπράζω *quid significt. de arti.com.* 1°. 7ª.256.*G*
SARCEVTHITAE *emplastrum ad extrahendum.* 6°.*de compo. medic. secun.loc.* 5ª.261.*B*
SARCOCELE *quid. de tum.prēt.nat.* 3ª.84.*F*
Sarcocele eiusdem est generis cum scirrhis. 14°.*me.me.* 7ª.92.*C*
Sarcocele affectus scroti.introd. 59.*D/* *Isa.*60.*B*
SARCOCELICORVM *curatio. introd.* *If.*60.*B*
SARCOCOLLA *quid. de simp.med.* *Sp.*89.*G*
Sarcocolla quibus adulteretur.de simp. med. *Sp.*89.*G*
Sarcocolla qualis. 4°.*de comp.me.se.lo.* 5ª.151.*D/ de ocu.* 7ª.188.*H*
Sarcocolla emplastica & amara est. 8°.*de simp.me.fa.* 5ª.60.*B*
Sarcocolla medicamentum mite est. 4°.*de comp.me.per ge.* 5ª.238.*G*
Sarcocolla citra morsum siccat. 8°.*de simp. me.fa.* 5ª.60.*B*
Sarcocolla oculis conuenit.de ocul. 7ª.188.*G*
Sarcocolla stringit lachrymā,hilarē visum facit.de sim.me. *Sp.*89.*G*
Sarcocolla glutinare vlcera valet. 8°.*de simp.me.fa.* 5ª.60.*B*
Sarcocolla ad vlcera maligna valet. 4°.*de comp.me.per ge.* 5ª.236.*f*
Sarcocolla maturat. de ocu. 7ª.189.*D*
SARCOEPIPLOCELE *est tumor scroti compositus. intr.* *If.*60.*B*
SARCOMA *quid.fin.med.* *Isa.*48.*G*
Sarcoma quomodo differt a polypo.fin.med. *Isa.*48.*G*
SARCOMPHALON *quid. fin. med.* *If.*49.*B*
SARCOPHAGON *appellant lapidem asium. de simp.med.* *Sp.*86.*F*
Sarcophagi Theudæ emplastrum. 6°.*de comp.me.per ge.* 5ª.261.*A*
SARCOSIS *quid fin.med.* *If.*50.*A*
Sarcosis est affectus partiū interiorum palpebrarum.intro. *Isa.*58.*D*
SARCOTICAE *facultates quæ.* 5°.*de simp.me.fa.* 5ª.32.*C*
Sarcotica quæ sint. 3°.*me.me.* 7ª.16.*G*
ī Sarcotica medicamēta pumex ponitur. 9°.*de simp.me.fa.* 5ª.69.*G*
SARDA *terra qua tinctores vtunt.* 4°.*de comp.me.per ge.* 5ª.242.*H*
SARDAE *ad saliendum oppositę sunt.* 3°.*de ali. fa.* 2ª.33.*C*
circa SARDES *aer pestilens sæpenumero hīt.* 1°.*de san. tu.* 2ª.67.*A*
Sardis copiosæ oriuntur castaneæ vnde & sardianæ dictæ. de bonitate & vitio succorum. 2ª.36.*C*
SARDENAE *ad saliendum appositæ sunt.* 3°.*de ali.fac.* 2ª.33.*C*
SARDICA *salsamēta oīum sunt præstantissima.* 3°.*de ali.fa.* 2ª.33.*D*
ex SARDINIA *plurimæ palamides adferuntur.* 3°.*de ali.f.* 2ª.31.*G*
SARDONIVS *lapis.de med.fac. par.* 7ª.168.*G*
Sardonyches nō rectē tāto studio appetūt.de co.cu.an.an.mo. 2ª.54.*b*
Sardous lapis quarum sit virium.de incant.adiu.susp. 7ª.182.*A*
SARMENTORVM *olivæ cinis qualis. de simp.med.* *Sp.*86.*A*
Σαρκά *id est marcida.de fract.com.* 3°. 7ª.247.*G*
ī SARTAGINE *parata considerandum an qualitatis vehementiam deponant.* 2°.*de ali.fac.* 2ª.24.*H*
in Sartagine frixa sunt sicciora. 3°.*de ali.fa.* 2ª.29.*D*
in Sartagine frixa quale nutrimentum dant. 3°.*de ali.fac.* 2ª.26.*C*
SARXIPHAGON *vocant cestrum herbam.* 5°.*de san. tu.* 2ª.91.*C*
SATIETAS ad quid pertinet.de mul. 3ª.77.*F*
Satietas quæritur in omni particula in libro de multitudine a Gale. de multitudine. 3ª.77.*F*
Satietatis arteriarum scientifica indicia vbi a Galeno tradita.de multitudine. 3ª.77.*F*
Satietatis quæ ad venas refertur,signum nullum inuenit Galenus. de multitudine. 3ª.77.*F*
Satietas nimia naturales operationes impedit. de cauſ.mor. 3ª.8.*F*
Satietas calculos renum gignit.de ren.aff.dig.& med. 7ª.194.*D*
SATIS *vnum faciunt modica multa.in* 6ᵐ.*de morbis vulgaribus cō mentario* 2°. 3ª.165.*A*
SATVRI *cito sentiuntur quibus nascitur morbus in vesica. de dynamidijs.* *Sp.*19.*H*
SATVREIA *quid,& eius vires. de simp.med.* *Sp.*91.*A*
supra Satureiam superfluum quod nascitur purgat,vt epithymum,licet debilius. de dy. *Sp.*21.*B*
Satureia exsiccat. 3°.*de ali. fac.* 2ª.26.*D*
Satureia attenuat. de atte.vic. 2ª.43.*H*
Satureia obsoniū est sponte proueniens. 2°.*de ali.fa.* 2ª.25.*D*
cū Satureia ficus ante cibum quando conueniant. 2°.*de ali.f.* 2ª.17.*F*
Satureiam aut pulegium postulat Edulium quod phacoptissana vocatur. 1°.*de ali.fac.* 2ª.13.*F*
SATVRELI, *id est aceti acetosi fit mentio.secret.* *Sp.*98.*F*
SATVRITATI *vacant pueri, vt bruta.* 5°.*de dec.* 1ª.258.*H*
ad Saturitatem non vtendum sericis nec sorbis. de atten.vic. 2ª.45.*d*
SATVRNVS *frigidus est,& siccus.de comp. memb.* *Sp.*59.*F*
sub Saturni potestate est terra illa quę est frigida & sicca in quarto gradu. de sper. *Sp.*40.*C*
*Saturnus quæ appetere faciat.de decub.prog.ex math scient. S.*13.*A*
Saturni quo aspectu æger est in vitæ discrimine.de decub. prog.ex mathema.scientia. *Sp.*12.*F*
Saturnum efficere affectiones frigidas,et rheumaticas. de decub.pgn. ex mathem.scien. *Sp.*12.*H*
SATYRIASIS *quid.fin.med.* *Isa.*47.*H*
Satyriasis ex quo genere sit. de cauſ.morb. 3ª.8.*B*
Satyriasis puerorū & amantiū quæ.de moti.man.& obscu. *Sp.*67.*D*
Satyriasi laborantibus cathartica adhibemus. de dyn. *Sp.*20.*E*
ad Satyriasim.secretorum. *Sp.*100.*A*
SATYRICVM *medicamentū multi seminis est.* 5°.*de sim.me.f.* 5ª.38.*c*
SATYRISMVS *quæ affectio,& vnde dicta. de tum. pr.* 3ª.84.*E*

Satyriſmi à ſimilitudine nominantur. 2°.*me.me.* 7ª.9.*E*
Satyriſmus pudẽdorũ qd ad aliqbus voceť.de tum.prət.nat. 3ª.84.*E*
SATYRIVM *quid & eius vires. de ſimp.med.* *Sp.*91.*B*
*Satyriũ humidũ,& calidũ tẽperatura eſt.*8°.*de ſimp.me.fa.* 5ª.60.*B*
Satyriũ potata venerea prouocat,lippitudincs optime curat.de ſimplicibus medicaminibus. *Sp.*91.*B*
Satyrium erythraicum.de ſimp.med. *Sp.*91.*B*
SATYRI *quomodo pinguntur & iudicantur.in* 6ᵐ.*de mor. vul.com mentario.*3°. 3ª.172.*G*
SATYRVS *nouus ſcriptor anatomiæ.de nat.hu.c.*2°. 7ª.183.*F*
*Satyrus ſumendus pro anatomia.*6°.*de ana.adm.* 1ª.89.*F*
*Satyrus præceptor fuit Gal.de ordi.li.ſuo.Iſ.*15.*D/ de ana.* 1ª.63.*D/ in* 3ᵐ.*de mor.vul.c.*1°.3ª.134.*D/in* 1ᵐ.*pr.Hipp.c.*1°. 4ª.163.*F*
Satyrus magiſter Gal. & quid diceret eſſe ex facetijs Quinti. 1°.*de antidotis.* 5ª.106.*C*
*ſub Satyro quo tempore ſtuderet Gale.*1°.*de ana. adm.* 1ª.64.*A*
SAVICH ſicca eſt cibus ſiccus. de diſſ.cont. *Sp.*74.*D*
Sauich ordei ſtringit ventrem cum ſiccitate.de diſſ. cont. *Sp.*75.*B*
SAVINA *quid.de ſimp.med.* *Sp.*85.*C*
Sauina acres vires habet, & excalfactorias, partum expellit ſuper vrinam ſanguinem inducit.de ſimp. med. *Sp.*85.*C*
Sauina menſes valenter ciet.de cur.rat.per ſang.miſſ. 6ª.20.*F*
SAVRA *chalcidica ſuũ ipſius ictũ ſanat.*11°.*de ſimp.me.fa.* 5ª.82.*G*
*Saurarũ caput palos,& ſpicula extrahit.*11°.*de ſimp.me.f.* 5ª.79.*G*
*Saurarum caput myrmecias,acrochordonas & clauos extrahit.*11°. *de ſimp.me.fa.* 5ª.79.*G*
SAVROMATAE *fœminæ æquites ſunt. de aer.aq. & lo.* 2ª.5.*C*
in Sauromatibus eſt locus ſuper quem neq; auis volare poteſt. de bonitate aquæ. *Sp.*76.*A*
*SAXATILES piſces qui,& vnde vincãtur.*3°.*de al.f.* 2ª.30.*h*
*Saxatiles piſces ĩter cõgeneres nullũ hñt diſcrimẽ.*3°.*d ali.f.* 2ª.30.*h*
inter Saxatiles ſcarus præſtantior eſt. 3°.*de ali.fa.* 2ª.31.*A*
Saxatiles piſces ſemper optimi. 3°.*de ali.fa.* 3ª.31.*C*
Saxatiles piſces cur perpetuo optimi. 3°.*de ali.fa.* 2ª.31.*B*
*Saxatiles piſces cæteris præſtantiores ſunt.de boni.& vi.ſu.*2ª.37.*g*
*Saxatiles piſces optimi ſunt ad detergendum.*4°.*de ſa.tu.* 2ª.84.*F*
*Saxatiles piſces ſunt boni ſucci & non glutinoſi.*4°.*de ſa.tu.* 2ª.86.*B*
Saxatiles piſces non ſunt craſſi neq; tenues.de bon.& vit.ſu. 2ª.34.*h*
*Saxatiles piſces non ſunt ad ſaliendũ accõmodi.*3°.*de ali.f.* 2ª.33.*C*
ex Saxatilibus piſcibus alimentum ſaluberrimum, & quale. 3°.*de alim.fac.* 2ª.30.*H*
*Saxatiles piſces quos humores generant.c.*2°.*aph.* 18°. *Ex.*14.*B*
*ex Saxatilibus piſcibus ſanguis generatus habet mediam conſiſtentiã.*3°.*de ali.fa.* 2ª.30.*H*
Saxatiles piſces coctu faciles ſunt. 1°.*de ali.fac.* 2ª.8.*G*
Saxatiles piſces quidam difficilius concoquunt quam carnem bubulã. 1°.*de ali.fa.7.G/* 2ª.8.*G*
*Saxatiles piſces cur difficilius cõcoquãt q̃ bubulã.*1°.*de ali.fa.* 2ª.7.*G*
Saxatiles piſces in albo iure bene elixos dat in febre, ſi carnẽ petãt. 4°.*de ſa.tu.* 2ª.87.*G*
*Saxatiles piſces conueniunt ſiccitati præter renum noxam.*6°.*de ſan. tuenda.* 2ª.99.*G*
*ex Saxatilibus piſcibus obſonium pro ſiccis conueniens eſt.*7°.*meth. medendi.* 7ª.45.*C*
SAXATINA *adſaliendum appoſita ſunt.*3°.*de ali.fa.* 2ª.33.*c*
SAXIFRAGIA *lienem iuuat peculiariter. de the.ad Pi.* 5ª.91.*A*
Saxifragia lapidem renum frangit. 7ª.192.*C*
Saxifragia frangit lapidem renum,& veſicæ.de cathar. *Sp.*95.*D*
SAXA *habent plurimum terræ.*9°.*de ſim.me.fa.* 5ª.64.*G*
*Saxa a mõtibus deuoluta cur nõ ſiſtãt niſi ĩ plano.*4°.*de de.* 1ª.249.*c*
Saxum candens e cœlo decidit.de hiſt.phil. *Sp.*6.*D*

SCARBAE *affectiones oculorum quibus ſanentur.* 4°. *de comp.me.ſe.lo.* 5ª.151.*B*
SCABIES *quid.introductio.* *Iſa.*57.*G*
Scabies eſt morbus euidens. de diff.morb. 3ª.3.*D*
*Scabies fit in ſuperiori cute,& etiam in veſica,& venis, & quomodo ab inuicem diſtinguantur.c.*4°.*aph.*77°. *Ex.*36.*F*
Scabies,Myrmecia,Leuce,vitiligo,Sphacellõ,Elaphas, et Lepra ex mutatione ſolidarum partium conſiſtunt. 14°.*me. me.* 7ª.92.*C*
in Scabie lepra, atq; lichenibus cutis ſuperficies tenue quiddã remittit,quale eſt q̃ſerpentũ ſenectã nominam°.*c.*4°.*ap.*77°. *Ex.*36.*F*
Scabies eſt affectus melancholicus. 3°.*de ali.fac.* 2ª.25.*G*
*Scabies numerať inter paſſiones melãcholicas.c.*7°.*ap.*40°. *Ex.*57.*B*
*Scabies,lepra,& elephas melancholici affectus ſunt.de tum.*3ª.84.*c*
Scabies vnde proueniat. introductio. *Iſa.*57.*G*
Scabies ab humore melancholico fit.de bon. & vitio.ſuc. 2ª.39.*D*
*ĩ Scabiẽ facile trãſeunt lichenoſi tumores.*5°.*de cõ.me.ſe.lo.* 5ª.160.*C*
*Scabies non eſt quæ fit ex impetigine.*1°.*de cõp.me.ſe.lo.* 5ª.121.*F*
Scabiem incidebant qui malos cibos ob annonam ederant. de boni.& vitio ſuccorum. 2ª.33.*G*
*Scabies qũo fiat propter exercitium.com.*3°.*aph.*20°. *Ex.*24.*C*
Scabies ſæpe affectus eorum eſt qui facile malum ſuccũ congerunt. 4°.*de ſan.tu.* 2ª.83.*B*
Scabiei inſtar,ac lepræ, puſtulas in corpore cõtraxerunt aliqui, qui prauos cibos comederunt. 1°.*de diff. feb.* 3ª.31.*G*
Scabiẽ habere medicũ eſt turpiſſimũ.ĩ 6ᵐ.*de mo.vul.c.*4°. 3ª.181.*H*
vt Scabies,& lippitudo peſtilentia contagioſa eſt. 1°.*de di.fe.*3ª.31.*B*
Scabiei curatio. introd. *Iſ.*57.*H*
Scabie laborantibus cathartica adhibemus.de dyn. *Sp.*20.*E*
Scabiei vetuſtæ putrefactiua valent. de ocul. 7ª.189.*C*
Scabiei prodeſt fomentatio aquæ in qua decocti ſint lupini. de ſimpl. medicament. *Sp.*86.*C*
ad Scabiem oleum frumenti.de dyn. *Sp.*30.*D*
*ad Scabiẽ ſmegma,& ad ſcabiẽ cutis.*1°.*de cõp.me.ſe.lo.*5ª.131.*A/B*
ad Scabiem cur optimum ſulphur. 9°.*de ſimp.me.fac.* 5ª.69.*D*
*ad Scabiẽ ſanandam.*2°.*de compo.me.per ge.*5ª.224.*E/de med.fac. par.*172.*E/*7ª.179.*B/de dyn.* *Sp.*30.*E/H*
ad Scabiem equorum.de med.fac.par. 7ª.173.*B*
SCABIES *morbus eſt palpebræ ſuperioris. de ocul.* 7ª.186.*H*
Scabies palpebrę quotuplex.de ocul. 7ª.186.*H*
contra Scabiem palpebrarum quæ valeant. de ocu. 7ª.189.*C*
ad Scabiem palpebrarum collyrium. de ocul. 7ª.191.*D*
SCABIES *effectus eſt circa genas & angulos oculorũ. ſi.me. Iſ.*48.*F*
Scabies oculi,& genarum quid.ſin.med. *Iſ.*48.*F*
ad Scabiem pruriginoſam oculorum a Sole, & puluere ortam.de remedijs paratu facilibus. 7ª.156.*F*
ad Scabies duras oculorum. de ocul. 7ª.190.*H*
ad Scabiem oculorum.de ocul. 7ª.191.*E*
ad SCABIEM *vnguium. de med.fac.par.* 7ª.176.*G*
SCABIES *eſt affectus ſcroti. ſin.med.* *Iſ.*49.*C*
SCABIES *veſicæ quomodo fiat.de dy.* *Sp.*29.*A*
*Scabies veſicæ qua vrina ſignificetur.de dyn.*35.*C/ de vrinæ ſign.ex Hipp.* *Sp.*78.*H*
SCABIOSIS *cur pruritus excitetur, & non iuuantur etiam ſi excorientur.* 2°.*de ſymp. cau.* 3ª.23.*H*
*Scabioſorum ſuccus qualis.*2°.*de ſymp. cau.* 3ª.23.*H*
Scabioſis vtiliſſima eſt hiera ruffina. de dyn. *Sp.*30.*D*
Scabioſos curat puluis ciricus. de dyn. *Sp.*30.*C*
ad Scabioſos affectus, candidum q̃ magnum dicitur, accommodatum eſt medicamentum. 2°.*de comp.me.per ge.* 5ª.224.*D*
ad Scabioſos affectus. 5°.*de comp.me.per ge.* 5ª.251.*H*
SCALÆ *compoſitio ad humerum reſtituendum in alam prolapſum. de machinam.* 7ª.311.*F*
ſupra Scalas qũo æger ſit ligandus.de machin. 7ª.311.*F*
Scala plana quomodo collocanda.de machin. 7ª.313.*G*
*ĩ Scala plana ad hũeri caput reſtituẽdũ,qñ ĩ alã excidit.d̃m.*7ª.313.*h*
*q̃ Scalam humeri repoſitio.de artic.com.*1°. 7ª.254.*G*
*Scalis vtitur ad vertebras aptandas. de artic.com.*3°. 7ª.270.*E*
SCALMVS *quid,& ad quid in organis. de machi.* 7ª.310.*E*
SCALPELLVS *inſtrumenti nomen.*6°.*de ana.adm.* 1ª.92.*H*
Scalpellus qualis eſſe debet. 8°.*de ana.adm.* 1ª.101.*A*
Scalpelli forma. 6°.*me.me.* 7ª.39.*D*
Scalpelli mirtei forma ad neruos intercoſtales inuiolato ſeruandos. 8°.*de ana. admi.* 1ª.101.*A*
Scalpello quę abſoluuntur. ad Thraſ. 2ª.104.*H*
*Scalpelli quales in fractura ſimplici ad cerebri membranas perueniẽte.*6°.*me.me.* 7ª.42.*B*
Scalpellis anguſtis indigẽt ſimplices fracturæ, quæ ad ſecundam vſq; laminam perueniunt. 6°.*me.me.* 7ª.42.*A*
Scalpello magno & valenti qñ opus eſt. 7°.*de ana.adm.* 1ª.95.*D*
Scalpello celerius aperuit locum abſceſſus emplaſtrum. de theriaca ad Piſo. 5ª.90.*D*
Scalpello id eſt ſmilio quandoq; euacuandum.de cucur.ſcar. 6ª.4.*A*
Scalpello in quibus non indigemus. ad Thraſ. 2ª.104.*H*

Scalpello in quibus vti non licet. 5°. de comp. med. per ge. 5ª.250.B
SCALPRVM *est instrumentum chirurgicum. de ijs, quæ in medicatrina fiunt, com. 1°.* 7ª.202.H
Scalprum habet lenticulæ speciem. 6°. meth. med. 7ª.42.D
Scalprum ad Myrtacei folij speciem formatum. 14°. met. me. 7ª.92.H
Scalpra excisoria caua Cyclisçus græce vocant. 6°. meth. me. 7ª.42.A
SCALPTVRA *per acutum cœlum quo tempore assidue fiat, & in quo casu. 1°. de comp. med. sec. loc.* 5ª.124.C
SCALPTVS *quid sit. in 6m. de morb. vul. com. 5°.* 3ª.189.E
SCAMMONIVM *quid. de simp. med.* Sp.90.D
Scammonium quo modo adulteretur. de simp. med. Sp.90.D
Scammonium multi possunt gustare & intueri, tamen vtilitates, & mala quæ ex illo eueniunt, ignorant. 1°. de elem. 1ª.5.H
Scammonium aut mulsam bibere nulla societate participant. ad Thrasybulum. 2ª.105.A
Scămonio purgare, inter primas actiones numerat. ad Thra. 2ª.108.F
Scammoniũ est leuissimũ & facile ad corpus attrahit. de dy. Sp.20.H
Scămonij operationẽ plerũq; febrilis impedit calor. de dyna. Sp.20.H
Scammonium plerunq; purgat ventrem. de subfi. emp. Isa.32.D
Scammonium subducit ventrem, quia medicamẽtosum est. 1°. de alim. facul. 2ª.8.D
Scămoniũ in ptissana parcissime positũ aluũ subducit. 1°. d ali. f. 2ª.8.D
ex Scammonio lac solutiuum fit. 5°. de san. tuen. 2ª.91.H
Scammonium in sero clam posuit Galenus, vt inuitam purgaret mulierẽ. 14°. meth. med. 7ª.92.F
Scammoniũ purgat corpus superius, & inferius, & caput, & phlegma cum cholera. de cathar. Sp.95.A
Scammonium bilem flauam educit. de ther. ad Pis. 90.F/2°. de comp. med. sec. loc. 5ª.136.H/*de dyn. 20.H/de cathar.* Sp.94.F
ex Scammonio hiera flaua bilẽ purgat. 1°. de comp. me. se. l. 5ª.121.E
Scămoniũ dãdũ vbi bilis peccat. de vict. rat. in mor. ac. cõ. 4°. 7ª.142.F
Scămonia bilẽ non attrahit ex arquatorũ corpore sm Asclepiadẽ, & bonũ sanguinẽ vertit in bilẽ, colliquãdo corp°. 1°. de na. f. 1ª.294.B
Scammonium educit sanguinis corruptiua. de dynamidijs. Sp.21.A
Scammonium quibus dandum. de dyna. Sp.20.H
Scammonio addito elleborus niger fit fortior. de dynam. Sp.21.A
Scămonij, & veratri cõparatio cũ pane & carnib. 2°. de dif. 4ª.53.C
Scammonij dosis quanta debeat esse. de dyn. Sp.21.A
Scammonium insuaue est, & grauiter olens. de dyna. Sp.20.H
Scămoniũ præ omnibus catharticis est cacostomachũ. de dyn. Sp.20.H
Scammonium stomacho maxime dolorem infert. de dyn. Sp.20.H
Scămoniũ stomachũ euertit, vẽtrẽ viscide purgat. de sim. me. Sp.90.D
Scammonium effugiant qui habent stomachũ debilẽ. de dyn. Sp.20.H
Scammonio quæ miscenda. de dyna. Sp.21.A
Scămoniũ in malo cydonio quo modo præparetur. 1°. de alim. f. 2ª.9.B
Scămoniũ propter quid non datur sed cydonium. 1°. de alim. f. 2ª.9.B
Scammonium in cydonio non obest stomacho. 1°. de alim. fa. 2ª.9.B
Scammonium non dabant antiqui, sed malum cui inditum esset Scămonium. 3°. de simplicium med. fac. 5ª.20.C
Scammonium valde sitim facit. de dyn. Sp.20.H
ex Scammonio noxam in intestinis habentis quadragenarij casus. 12°. meth. med. 7ª.78.G
Scammonij succus quid fecerit. 2°. de alim. fac. 2ª.20.B
Scammonij symptomata, pira, poma punica austera astringentia sanant. 2°. de alim. fac. 2ª.20.F
ex Scammonio affectui facto theriaca conuenit. 12°. met. me. 7ª.79.A
ex Scammonio, aloe, & colocynthide pilulæ succo brassicæ exceptæ quo casu conueniant. 1°. de comp. me. se. loc. 5ª.131.F
ex Scammonio aloe, & colocynthide pilulæ Galeni, & quomodo illis vsus sit in prætumida lingua. 14°. meth. med. 7ª.89.C
ex Scammonio, aloe, & colocynthide æqualiter cõtritis & succo brassicæ exceptis catapotia Galeni sunt, & ꝙ valeant ad Achoras. de remed. par. fac. 7ª.154.D
Scammonij & aloes partes duæ medullæ colocynthidos pars vna, & succi absinthij pars vna succo pomorum excepta pilulas faciũt ad alopeciam, & opliasin. de remed. par. fac. 7ª.154.G
SCAMNVM *Hippocraticum quid medici posteriores vocant. de articulis comment. 1°.* 7ª.251.D
Scamni figura & compositio qualis. de machin. 7ª.311.E
Scamnum Hippocratis quo modo confectum. de machin. 7ª.318.H
ir Scamno Hippocratis ligna quæ dicuntur φλιαὶ. de mach. 7ª.318.H
Scamnum Hippocratis ad articulos reponendos per se satis est. de machinamentis. 7ª.310.G
per Scamnum Hippocratis repositio humeri capitis in alam prolapsi. de machinamentis. 7ª.319.D
SCANDIX *olus in genere agrestium est. 8°. de simp. me. fac.* 5ª.60.G
Scandix calida & sicca est in secundo, aut in tertio ordine incipiente. 8°. de simp. med. fac. 5ª.60.G
Scandix vrinam valenter ciet, & viscera obstructione liberat. 8°. de simp. med. fac. 5ª.60.G
Scandix vrinam mouet. de cura icteri. Sp.111.D
Scandix est vitiosissimi succi. de bon. & vitio suc. 2ª.37.G
Scandicen comedunt homines fame adacti. 2°. de alim. fac. 2ª.22.B
SCAPHA *est vinculum tantum. de fascijs.* 7ª.293.H
Scapha, seu tholus, diocleus quo modo fiant. de fascijs. 7ª.295.F
Scapha, vel tholus vinculum ad caluariam. de fascijs. 7ª.295.C
Σκαφία *rustica instrumenta appellat Hippocrates Ligones. de fract. com. 2°.* 7ª.232.C
Σκαφοειδὲς *quid vocetur. de fract. com. 2°. 233.B/* 7ª.234.C
Scaphoeidis figura quæ. introd. Isa.55.A
Scaphoeides os quod. de ossibus. 1ª.43.F
SCAPVLAS *Græci* ὠμοπλάτας *nominant. 13°. de vsu par.* 1ª.202.D
Scapulæ quæ. de ossibus. 1ª.42.G
Scapulæ quibus componantur. de ossibus. 1ª.42.G
de Scapularũ ptibus, & cur ita necessario dispos. 13°. de vsu. 1ª.202.E
in Scapulis cur spõdyli multi, et dispositi vt sunt. 13°. d vsu. 1ª.202.F
Scapulæ ceruix quid. de ossibus. 1ª.42.G
in Scapularum & humerorum extremitatibus chartilagines quædam positę sunt; ut in hora pcussionis minor fiat lesio. de ana. vi. Sp.55.D
Scapulæ os paruum chartilaginosum neq; in simijs, neq; in alijs quibusdam reperitur, & cur sit in homine. 13°. de vsu par. 1ª.203.B
Scapularũ latũ os iuxta iugulũ quo vĩculos sit deligãdũ. d f. 7ª.301.E
Scapulæ cauitas cur superficiaria, et supina. 15°. de vsu par. 1ª.203.C
Scapularũ diuisio à thorace quare à Galeno fiat. 5°. d an. adm. 1ª.84.F
Scapulas in modum alarũ habent πτερυλώδεις *in 3m. de morbis vulg. com. 3°.* 3ª.146.G
Scapulæ in morẽ alarũ tabidis fiũt. in 3m. de mor. vul. cõ. 3°. 3ª.146.C
Scapularum vtilitates quales. 13°. de vsu par. 1ª.202.E
Scapulæ quibus venis nutriantur. de vi. r. in mor. ac. cõ. 2°. 7ª.117.E
de Scapulæ motu. 13°. de vsu par. 1ª.204.A
Scapula magnis motibus agitur. 4°. de ana. adm. 1ª.82.D
de Scapulæ musculo. 13°. de vsu par. 1ª.204.A
Scapularum gratia musculus qui natura formatus. 4°. de an. 1ª.82.D
Scapularum musculi qui. 4°. de ana. admin. 1ª.83.H
Scapularum musculi lati sunt. 16°. de vsu par. 1ª.216.A/G
Scapularum musculi quo modo secandi. 8°. de ana. adm. 1ª.101.E
Scapulas qui musculi mouent. de musc. dif. 46.E/4°. de ana. 1ª.84.D
Scapulam vtranque mouentes musculi sunt septem, & qui nam sint. de musc. dissect. 1ª.45.B
Scapulis sex musculi sunt peculiares, & qui. 4°. de ana. adm. 1ª.84.D
Scapulas ad caput trahentes musculi vnde oriantur & procedant, et quales sint. de mus. diff. 1ª.45.A
Scapulam in priorem regionem ceruicis versus propriũ principiũ ad ducens musculus qui. de mus. diff. 1ª.45.C
Scapulam totam ex inferiori, & priori parte deorsum, ac in priora ad seipsum trahens musculus. de mus. diff. 1ª.45.C
Scapulam retro abducentes musculi vbi, & eorum processus ac exortus. de mus. diff. 1ª.45.C
circa Scapulas actio musculorum quomodo haberi, & cognosci possit. 1°. de dif. resp. 3ª.62.H
Scapulæ attolluntur in inspirationibus. 2°. de decr. Hipp. 1ª.236.E
Scapularũ dolorẽ in masculis significat Asterica vrina. de dy. S.35.D
ad Scapularũ dolores inueteratos Stercus columbinum confert. 10°. de sim. me. fa. 5ª.77.A
ad Scapularum dolores. 6°. de comp. me. per ge. 5ª.256.A
SCARABEI *non habent collum neque caput. 8°. de vsu par.* 1ª.164.H
Scarabei vbi habent oculos. 1°. de vsu par. 1ª.166.F
Scarabeorum cutis insensibilis est. 3°. de vsu par. 1ª.134.A
Scarabeus aurium dolores finit. de ther. ad Piso. 5ª.93.F
Scarabeus potui datus. de dyna. Sp.28.E
SCARIFICANDI *sunt loci aliqui vbi hirudines applicandæ, quæ vbi sanguinem gustarint, illum auidius trahunt. de cucur. scar.* 6ª.4.E
Scarificandum & incidendum animal in fame, & siti est affligẽdum. de motibus manifestis, & obsc. Sp.70.D

Scarificandum quando

Scarificandum quando sit.2°.de arte curat.ad Glauc. 7ª.102.G
Scarificanda pars, quomodo sit præparanda.de cucur.scar. 6ª.3.F
Scarificandi qui sint tumores.14°.meth.med. 7ª.90.C
Scarificanda crura vbi hemorrhoides desunt.de hir.reuul.cuc. 6ª.2.F
SCARIFICANTES *ministri sunt medicorum.in 6m.de morbis vulgar. com.5°.* 3ª.188.D
de SCARIFICATIONE *seu cutis incisione & quæ scarificandæ corporis partes.de hirud.re.cucur.& scar.* 6ª.2.F
de Scarificatione ex Autyllo.de cucurb.scar. 6ª.3.F
de Scarificatione ex libris Apollonij.de cucur.scar. 6ª.3.G
Scarificatio non κατὰ πληγὴν ideſt per percuſsionẽ ſed κατὰ συρμὸν. ideſt per tractum eſt facienda.de cucurb.ſcar. 6ª.3.G
Scarificatione nihil melius cõducit ad renutritionẽ.de cuc.ſca. 6ª.4.B
ꝑ Scarificationẽ, vel ꝑ venã sãguis mittit ĩ plethora.13°.m.m. 7ª.81.B
Scarificatio in quibus faciẽda partibus,& qñ.de hir.re.cucu. 6ª.2.F
Scarificatio quanta esse debet.2°.de arte cur.ad Glau. 7ª.105.C
Scarificationum sectionibus dissoluimus vetustiores dolores capitis, & faucium inflammationes.præfag.exper.conf. Sp.78.C
Scarificatione in quibus vtamur affectibus.de cucur.ſcar. 6ª.3.F
Scarificatio in cruribus ad quid sit vtilis.de cucur.ſcar. 6ª.3.H
Scarificatione crurum qui affectus sanentur.de cucur.ſcar. 6ª.4.B
Scarificatio crurum à pestilentia liberat.de cucur.ſcar. 6ª.4.B
Scarificatio crurum quibus mulieribus conuenit.de cur.ra.p. 6ª.18.G
Scarificatio mulieribus quæ non purgantur,prodest, & quantum sanguinis educendum sit.de cucur.ſcar. 6ª.4.A
Scarificatio tali prouocat menses.de cur.rat.per ſang.miſſ. 6ª.20.F
Scarificatio Ischiadicis nihil prodeſt.de cur.rat.per ſang.miſſ. 6ª.20.F
Scarificatio fit in gangrenis.2°.de art.cu.ad Glauc. 7ª.106.H
Scarificatio venæ sup vlcus qñ cõmoda.4°.de cõp.me.per g. 5ª.237.B
Scarificatio adhibenda in alopecia.1°.de composi.med.ſ.l. 5ª.123.D
Scarificatio quando facienda in vlcere.4°.meth.med. 7ª.27.F
Scarificatio in vlcere quandoq; satis eſt.4°.de cõp.me.per g. 5ª.236.C
ĩ Scarificatione quomodo cibandum.de cucur.ſcar. 6ª.4.B
SCARIFICATA *crura capiti prosunt.de hirud.re.cuc.* 6ª.2.F
SCARIFICAMVS *partes affectas phlegmone, vel ſcirrho.de cucurb. ſcarific.* 6ª.3.F
Scarificari,& euacuari debet locus quando glandulæ sunt phlegmone distentæ, aut aliqua alia pars.13°.meth.med. 7ª.81.C
Scarificetur tẽsio cutis inflãmata parte.2°.de arte cu.ad Gl. 7ª.105.C
Scarificamus crura capite affecto.de cucur.ſcar. 6ª.3.F
Scarifica crura manu laborante.13°.meth.med. 7ª.81.B
Scarifica alium locum crure laborante.13°.meth.med. 7ª.81.B
Scarificamus crura suppreſsis hæmorrhoidibus.de cucur.ſcar. 6ª.3.F
Scarificari quando possunt malleoli in menstruis suppreſsis. de curan. rat.per ſang.miſſ. 6ª.18.F
SCARVS *piscis ſaxatilis eſt.3°.de ali.fa.30.H/31.F/de att.* 2ª.45.D
Scarus ſuauiſſimus inter ſaxatiles piſces eſt.3°.de alim.fac. 2ª.30.H
Scarus inter molles carne,& inter ſaxatiles præstantior eſt.3°.de alimentorum fac. 2ª.31.A
Scari piſces duræ carnis sunt.3°.de alim.fac. 2ª.31.E
SCATARIGINOSAE *aquæ quales,& quæ.bon.aqu.* Sp.75.D
SCELESTOS cur occidimus.quod animi mor. 1ª.321.C
Σκέλετος quid ſignificet.de artic.com.3°. 7ª.268.F
Sceletos dicitur omnium ossium compago.de oſsib.39.H/ 1ª.43.G
SCELOTYRBE *quid.fin.med.* Iſa.47.H
SCELERA *maxima cur antiqui legislatores multa reliquere.de purgand.med.* 5ª.86.B
Σκέπαρνος quæ deligatio.de artic.com.2°. 7ª.266.D
Σκεπάστρα vocaĩ operculũ ex faſcia lata triũ capitũ.de fa. 7ª.294.H
SCEPTICI *philoſophi vnde dicti.de ſubſt.empir.* Iſa.31.C
Sceptici qui fuere.de hiſt.phi. Sp.3.B
Scepticæ philoſopiæ author fuit Pyrrho.de hiſt.philoſ. Sp.2.F
Scepticus Pyrrhon qualis in omnibus vitæ muneribus, ſcepticus talis fuit in Medicina empyricus.de ſubſ.emp. Iſa.34.D
Sceptici nolunt poſse cognoſci facultatis eſſentiam. 1°.de ſimplicium med.fac. 5ª.2.D
Σκηθρὸν exquiſitum ab Ionibus dicitur.de fract.com.1°. 7ª.230.E
Σκασπίαι quæ dicantur.de laqueis. 7ª.307.G
Σκασπία quaſi decuſſorum dicitur inſtrumentum vt prætentus funis in curriculis, quo carceres ſtatuunt.de arti.com.2°. 7ª.263.H
Σκᾶτα quid ſignificet.de artic.com.2°. 7ª.263.H
Σχεδίαν quid appellet Hippocrates.de machin. 7ª.318.H
SCHEMATA *lunæ in Geminis.de decub.progn.ex mat.ſcien.* Sp.13.D
SCHEROMA *quid.fin.med.* Iſa.48.E
SCHESIS *qui affectus.8°.meth.med.* 7ª.51.H
ἐν Σχέσει græce vocantur affectus qui facile diſcutiuntur.8°.methodi medendi. 7ª.49.G
SCHIDACEDON *quæ ſciſſura in oſse.6°.meth.med.* 7ª.40.B
SCHISTON *lac à quibuſdam dicitur.10°.de ſimp.med.fac.* 5ª.76.A
Schiſton lac, quod ſchiſton non eſt.10°.de ſimp.medic.fac. 5ª.76.A
Schiſtos qualis.9°.de ſimp.me.fa. 5ª.68.D
SCHISTVS *lapis quid.de ſimp.med.* Sp.86.F
Schiſtus lapis qualis.4°.de comp.med.ſe.lo. 5ª.151.D
Schiſtus lapis viſcide ſtringit.de ſimp.med. Sp.86.F
SCHOLAE *tres medicorum certantium.1°.meth.med.* 7ª.2.F
Scholæ Coæ fortuna optimos dedit diſcipulos.1°.meth.med. 7ª.2.F
SCIAE dolori mire confert ſectio venæ Iſchiadicæ.de an. Sp.54.H
SCIAMACHIAE *ſunt brachiorum & manuum propriæ exercitationes.2°.de ſan.tuen.* 2ª.74.H
Σκιαρὰ id eſt vmbroſa quæ à græcis appellẽtur.in 3m.de morbis vul. com.3°. 3ª.141.C
SCIENDA *eſt diuerſitas ciborum & naturarum. de motibus manifeſtis & obſc.* Sp.71.D
Sciendæ quæſtiones de anima, quæ.de mot.man.& obſc. Sp.67.G
cum SCIENTE *& diſcere volente vno potius agendum eſt quàm cum mille opoſitis.1°.de dign.pul.* 4ª.70.G
SCIENTIA, *notio, notitia, theorema idem.de par.art.me.* Sp.17.B
Scientiæ nomen accipitur communiter propriæ.ars med. Iſa.62.A
Scientia quid.fin.med. Iſa.43.D
Scientia eſt principalis animi facultas.de hiſt.phi. Sp.3.D
Scientia eſt actio dependens a capite per ſe.de virt.noſt.corp. Sp.60.C
Scientia eſt virtus.7°.de decr.Hipp. 1ª.268.C
Scientia eſt virtus in anima rationali.7°.de decr.Hip. 1ª.268.B
Scientia in anima rationali eſt hæc ſiquidem ſola animæ pars eſt scientiæ capax.7°.de decr.Hipp. 1ª.268.C
Scientia vna virtus ſola animæ ſecũdum Ariſtonem,& quo modo.7°. de decr.Hipp. 1ª.268.D
Scientia quæ prudentia ab Ariſtone nominetur.7°.de decr. 1ª.268.D
Scientia vna eſt virtus.7°.de decr.Hipp. 1ª.268.E
Scientia in anima conſiſtit,& quomodo deliria fiant in morbis thoracis.2°.de loc.af. 4ª.13.E
Scientia diuinarum humanarumq; rerum eſt ſapientia vera ac prima. 1°.meth.med. 7ª.2.C
Scientiarum quatuor genera ſunt,& quomodo ordinanda.2°.de decr. Hippocratis. 1ª.240.A
in Scientia omni,& arte eſt ordo.2°.de diff.pul. 4ª.58.B
in Scientijs quo ordine debẽt poni argumẽtationes.2°.de dec. 1ª.235.B
Scientiam facientia lemmata, differũt a dialecticis, oratorijs, & captioſis.2°.de decr.Hip. 1ª.235.F
ad Scientiam rara ſunt inutilia & quare.de vict.ratio.in morbis acu. com.4°. 7ª.142.H
in Scientia quod a natura principium conſtitutũ eſt, id a ſe fieri doctrinam etiam cogit.6°.de decr.Hip. 1ª.264.A
Scientiæ & ignorãtiæ cauſę ſunt ſimilitudo & diſſimilitudo.9°.de decretis Hipp. 1ª.286.C
Scientiæ effectrices paucę.2°.de decr.Hip. 1ª.240.A
Sciẽtię effectrix ẽ demõſtro, ex natura rei ꝓgrediẽs.7°.ꝺ dec. 1ª.268.B
Sciẽtię affectrix vna ſola rõ a ſubſtãtia rei q̃ſitę.8°.de dec. 1ª.273.B
Scientiæ vaticinatorię.de præcog.ad Poſth. 4ª.215.B
Scientię quo modo ſe habent circa tempus.4°.de decr.Hip. 1ª.253.H
Scientiæ incumbendum neglectis nominibus.6°.de ana.admi. 1ª.93.D
in Scientijs non curat atticã locutionẽ Galenus.de ord.lib.ſuo. Iſ.15.F
Scientia oĩbus cõicanda, ne nobiſcum pereat.2°.de ana.adm. 1ª.68.G
Scientiæ reguntur bene cognoſcentes,& agentes.6°.de dec. 1ª.268.D
SCILLA *quid.de ſimp.med.* Sp.90.H
Scillæ quo tempore colligendæ ſunt.de vſu ther.ad Pamph. 5ª.99.D
Scilla quo modo eſt colligẽda,& qñ eſt ſatis aſſa.1°.de antid. 5ª.104.E
Scilla quanto albior eſt tanto minus calida.4°.de ſimp.me.fa. 5ª.31.D
Scillæ radices præſtantiores foliis ſunt,& plus virium habent.2°.de aliment.fac. 2ª.24.D
Scilla vires acerrimas,& excalfacientes habet tuſsiẽtibus, & hydropicis vtiliter dat, pruriginẽ intolerabilẽ facit.de ſim.me. Sp.90.H
Scilla ĩ ſcdo ordine calida eſt & multũ incidẽs.8°.de ſim.m.f. 5ª.60.H
Scilla purgat pulmonem & thoracem.de cathar. Sp.95.B

Scilla mire conuenit orthopnoicis & asthmaticis.7°.de composi.med. secundum locos. 5ª.186.E
Scillæ orbiculi dissecti quomodo faciunt pro purulentis. de victus rõe in mor.acu.com.4°. 7ª.152.F
Scillæ medicamento epilepsia sanatur in quadraginta diebus.de puero epileptico. 7ª.180.H
Scilla pruritum facit.2°.de symp.cau. 3ª.23.H
Scillæ morsus oleum sanat.2°.de simp.medic.fac.11.A| 5ª.12.E
Scillæ qualitas difficillime educitur.2°.de alim.fac. 2ª.24.H
Scilla cruda.3°.de comp.me.se.lo. 5ª.186.E
Scilla quo modo paranda. de vict.rat.in mor.ac.com.4°. 7ª.152.F
Scilla quæ in pastillis theriacæ ponitur quomodo coquenda.de theriaca ad Pisonem. 5ª.92.C
Scilla sumi debet assa aut elixa,& quare 8°.de simp.me.fa. 5ª.60.H
Scilla quomodo assetur.9°.de comp.me.sec.loc. 5ª.198.H
Scilla assata purgata vtiur.9°.de comp.med.sec.loc. 5ª.198.H
Scillæ assatæ meminit.9°.de com.me.se.lo. 5ª.198.F
ex Scilla cõfectũ acetũ incidẽs ẽ,et min° calidũ.5°.de sim.m.f. 5ª.35.E
ex Scilla cõfectũ acetũ bene vrinã prouocat.5°.de sim.me.fa. 5ª.35.E
pro Scilla pancratium ab aliquibus sumitur,quando non adest,quamq̃ longe imbecillius operatur quam illa.8°.de simp.me.fa. 5ª.57.G
Scillæ simile est symphytum.8°.de simp.med.fac. 5ª.61.G
Scillæ succus quo modo conficiendus.de puero epilep. 7ª.181.B
Scillæ electarium.de med.exper. Sp.108.D
Scillacium medicamentum cuestigio soluens Inflammationes.4°.de cõ. med.sec.lo. 5ª.154.D
SCILLITICI *aceti confectio.de dyna.* Sp.26.G
Scilliticum mel qua quantitate dandum.de puero epilep. 7ª.181.C
Scillitici pastilli qũo fiant,& scylla qũo paretur.de the.ad Pi. 5ª.95.C
Scilliticorum pastillorum compositio qualis. de vsu theria. ad Pisonẽ. 99.B|1°.de antid. 5ª.104.C
Scillitici pastilli quo loco seruandi.1°.de antid. 5ª.104.E
SCINCVS *quid.de simp.med.* Sp.91.A
Scincus medicamentum multi feminis est.5°.de simp.me.fac. 5ª.38.C
Scincus ad venerea facit.de simp.med. Sp.91.A
Scincorum renes pudenda intendunt.11°.de simp.med.fac. 5ª.80.D
SCIENDI *appetitus est communis omnium studiosorum.3°.de differ. respirationis.* 3ª.69.C
absq; SCIENTIA *non est credendum experimentatoribus. de medicinis exper.* Sp.103.H
Scientiam ostendunt medicorum conuenientiæ.de vict.rat.in morb.ac. com.1°. 7ª.109.H
Scia curatiua minimas debet habere particulas.de par.ar.me. S.18.D
Scientia constitutionum conueniens vulneribus illatis et partibus mulierum.de decub.progn.ex math.scien. Sp.16.B
in Scientia mala eruditi,discere erubescunt.8°.meth.me. 7ª.52.B
SCIENTIFICA *doctrina est à re & non à nomine.14°.m.m.* 7ª.89.D
ad Scietificas demõstrones,inductiões nõ sũt adhibẽdę.ad Th. 2ª.102.C
SCHINANTVM *quid.1°.de antid.* 5ª.106.F
SCHINVS *quid.de simp.med.* Sp.87.D
Schinos ex qua essentia composita,& cuius temperaturæ.8°.de sim. med.fac. 5ª.61.H
Schini florem cur recipiant hæmoptoica medicamẽta.8°. de simpliciũ med.fac. 5ª.61.H
Schini flos vrinam mouet,mẽses ciet,iecoris stomachi ac vẽtris phlegmonis prodest,hæmoptoicisq; siue sanguinem reijcientibus medicinis commiscetur.8°.de simp.med.fac. 5ª.61.H
Schinos leia duplex est,& qua temperie vtraque cõstet,& ad quid valeat.8°.de simp.med.fac. 5ª.62.A
Schœnos qualis,& vnde.1°.de antid. 5ª.106.F
SCINDAPSON *frigidum natura,ac humidum humorem permittit appellari Galenus,adeo parua est illi nominũ cura.2°.de dif.* 3ª.37.F
Σκινδαψὸς nihil significat.3°.de differen.pul.61.D|2°. de præsag. ex pulsibus. 4ª.117.G
SCINDENS *humores crassos de coctio.de med.exper.* Sp.107.B
Scindens humores crassos medicina.de med.exper. Sp.106.G
Scindens phlegma viscosum electarium.de med.exper. Sp.107.D
SCINTILLAE *ignis in sanum infusæ faciunt horrores.2°. de symptomatum cau.* 3ª.22.E
SCIRE *debet medicꝰ tẽperiẽ causas,& accidẽtia.de me.ex.* Sp.103.H
Sciat & si multa Galenus,quid tamen seruet.8°.met.me. 7ª.52.A|E
Scire tunc omnia animus præsefert,quũ vsus postulat.de the. 5ª.90.A
Scimus disciplinas quando illis vtimur.de ther.ad Piso. 5ª.90.A
Σκιώδι quid apud græcos,qui Asiam incolũt,significet.in 3ᵐ.de mor. vulg.com.3°. 3ª.141.C
τὸ Σκιομαχεῖν est exercitatio.2°.de san.tuen. 2ª.73.G
SCIRRHOMA *suræ affectus est.introd.* Is.59.D
SCIRRHOSIS *quid.introd.* Isa.58.D
Scirrhosis affectus est totum oculum exercens.intro. Isa.58.D
SCIRRHOSI *humores qui.14°.meth.med.* 7ª.89.E
Scirrhosi humores,aut pituitosæ aut atrabilariæ substãtiæ sunt.5°.de simp.med.fac. 5ª.34.D
Scirrhosus phlegmon,scirrhus phlegmonosus,& scyrrhus quid significent.7°.de comp.med.per gen. 5ª.263.F
Scirrhosa inflammatio quæ.de tum.præt.nat. 3ª.84.B
Scirrhosa quando est phlegmon Iecoris,quæ miscenda in declinatione. 13°.meth med. 7ª.84.A
Scirrhosior si sit phlegmon adde salem.12°.meth.med. 7ª.81.D
Scirrhosum erysipelas quod 14°.meth.med. 7ª.87.E
Scirrhosa vitia proritant cibi dulces,& crassi succi.de bonitate,& vitio succorum. 2ª.36.E
Scirrhosis pathos frigidum est,& quomodo curetur.5°. de simplicium med.fac. 5ª.33.E
Scirrhosis omnib. aptissimus est leonis adeps.11°.de sim.m.f. 5ª.79.B
Scirrhosis medentibus medicamentis miscetur taurinus adeps.11°. de sim.med.fac. 5ª.79.B
Scirrhosi tendones quibus indigeant,& quo modo vsus aceti illis conuenit.14°.met.med. 7ª.88.A
Scirrhosa particula oleo perfundenda quando,& quali oleo.14°.met. medendi. 7ª.88.B
Scirrhosa corpora emollit medulla.11°.de simp.med.fac. 5ª.79.F
ad Scirrhosos omnes tumores stercus bubulum à quo adhiberetur.10°. de simpl.med.fac. 5ª.76.H
ad Scirrhosos viscerum affectus.7°.de comp.med.per gen. 5ª.271.G
Scirrhus qui vocetur.14°.meth.med. 7ª.88.D
Scirrhus quid.fin.med.48.B|Isa.49.A|1°.de san.tuen. 2ª.68.C
Scirrhi qui.14°.meth.med.88.E| 7ª.89.E
Scirrhi qui proprie sint.in 6ᵐ.de mor.vul.com.1° 3ª.152.H
Scirrhus est morbus.1°.de san.tuen. 2ª.68.H
Scirrhus morbus est instrumentalium partiũ.1°.de symp.ca. 3ª.14.G
Scirrhus morbus instrumentalis est.3°.de symp.cau. 3ª.24.G
Scirrhus quo modo futurum sit vt nõ dicatur morbus.1°.m.m. 7ª.7.D
Scirrhus species tumoris est.de bon.& vitio succ. 2ª.34.A
Scirrhus qui thumor sit.de vict.rat.in mor.acu.com.4°. 7ª.137.C
Scirrhon,durum tumorem appellant.de diff.mor. 3ª.5.B
Scirrhos græci vocãt tumorẽ absq; dolore durũ.cõ.4°.a.34°.Ex.31.C
Scirrhus & œdema quid habent commune.de tum.præt.nat. 3ª.84.C
Scirrhus exquisitus qui sit,& qui nõ exquisitus.2°. de arte curatiua ad Glauc. 7ª.103.H
Scirrho propinqua sunt quæ effusa vocantur, & nigriores senibus maxime contingentes collisis venis.de tum.præt.nat. 3ª.84.C
Scirrhus quomodo oriatur.5°.de simp med.fac. 5ª.33.E|*de cu. ratio. per sang.miss.* 6ª.17.A
Scirrhum facit fluxio.in progn.com.2°. 4ª.202.D
Scirrhi quando ex phlegmone fiunt,& quando non.7°.de comp. med. per genera. 5ª.267.H
Scirrhi ex phlegmone.7°.de comp.med.per.gen. 5ª.267.H
Scirrhus inflammatorius qui.de tum.præt.nat. 3ª.84.B
in Scirrhum versæ phlegmones molliuntur.in 6ᵐ.de morbis vulgarib. com.2°. 3ª.161.A
Scirrhus,& phlegmon in multis persimiles sunt,tamen curam habent diuersam.de opt.sec. Isa.24.A
Scirrhi ex erysipelatis immodice refrigeratis sæpe oriuntur,curantiũ insciti a.7°.de comp.med.per ge. 5ª.267.H
Scirrhus ex quibus fiat.1°.de symp.ca. 3ª.14.G|14°.*me.m.* 7ª.87.H
Scirrhus,erysipelas,inflãmatio,et œdema a quo fiãt humore.de tum. præter naturam. 3ª.84.B|C
Scirrhorum genus alterum efficit pituita crassa, & glutinosa.de tumore præter naturam. 3ª.84.C
Scirrhi vt efficiũtur quomodo causa est cutis dura.in 6ᵐ.de mor.vul. com.3°. 3ª.172.H
Scirrhus eorum est morborum,qui nec locum affectũ nec causam efficientem nomine representant.2°.meth.med. 7ª.9.E
propter Scirrhos vasorum angustia.1°.de san.tuen. 2ª.68.C|D

Scirrhus facit

Scirrhus facit impedimentum in moribus.1°.de motu muſ. 1ª.308.G
ob Scirrhum aliqua ægre mouentur.2°.de ſan.tuen. 2ª.72.F
Scirrho ĩnato ĩ muſculo,aut tẽdone ĩterno mẽbri pars flexa nõ extẽdit ăplius,è cõtrario res ſe hẽt,ſi fuerit in externo.1°.de mo. 1ª.310.G
Scirrhus fit tanquam ligamentum muſculo.1°.de motu muſ. 1ª.310.G
in Scirrhis arteriarum motus non faciũt dolorem.2°.de lo.aff. 4ª.8.H
Scirrhus quos pulſus faciat.2°.de cau.pul. 4ª.90.F
Scirrhus a græcis dictus,id eſt durus tumor & ſiccitas durũ efficiunt pulſum.1°.de diff.feb. 3ª.34.B
Scirrhorum diuerſarum partium pulſus.4°.de præſ.ex pul. 4ª.121.C
ob Scirrhum non fit febris.de vict.rat.in mor.acu.com.3°. 7ª.128.A
SCIRRHO *in naribus orto,per os inſpirare coguntur animalia.11°.de vſu par.* 1ª.188.F
SCIRRHVS *in ſubcingente membrana non facit febrem. de conſtitutione ar.* Iſa.40.D
SCIRRHIS *apta eſt iecinoris ſubſtantia.13°.meth.med.* 7ª.84.C
Scirrhus iecinoris facile deprehenditur.5°.de loc.aff. 4ª.33.F
Scirrhus iecoris quo modo deprehenditur.de tot.morb.temp. 3ª.89.D
Scirrhum iecoris aqua intercutem ſequitur.5°.de loc.af. 4ª.33.F
ad Scirrhũ iecinoris ſequit neceſſario hydrops.4°.de pſ.ex. 4ª.121.E
ad Scirrhum iecoris,& lienis,ſequitur aqua inter cutem.2°. de arte cur.ad Glau. 7ª.104.D
Scyrrhus iecoris an poſſit ſanari.2°.de arte cur.ad Glauc. 7ª.104.D
Scirrhum hepatis quæ ſanant.2°.de arte cur.ad Glau. 7ª.104.D
SCIRRHOS *patitur lienis ſubſtantia,quæ tamen eſt rarior iecore.13°. meth.med.* 7ª.84.C
Scirrhus lienis qui.fin.med. Iſa.47.E
ad Scirrhum lienis magnum,non ſemper conſequitur hydrops.4°. de præſ.ex pul. 4ª.121.E
ad Scirrhum lienis quæ opportuniſſima.13°.meth.med. 7ª.84.A
Scirrhus lienis quo modo curatur.13°.meth.med. 7ª.84.F
Scirrho lienes induratos ſoluit theriaca.de ther.ad Piſ. 5ª.96.A
SCIRRHIS *tentantur renes.13°.meth.med.* 7ª.84.C
Scirrhos in cruribus ab initio ſine inflãmatione vidit Galenus tribus & quatuor annis paulatim augeſcentes abſq; manifeſto neceſſariarum cruris actionum impedimento.de tot.mor.temp. 3ª.89.C
Scirrhus ex iecoris humore in crure.de tot morb.temp. 3ª.89.D
Scirrhi tendonum quibus curentur.2°.de arte cur.ad Glauc. 7ª.104.B
Scirrhi qui curantur,& qui non.7°.de comp.me.per gen. 5ª.267.G
Scirrho ſumme indurata,ſumme inſanabilia ſunt.7°.de compoſi.med. per genera. 5ª.267.G
Scirrhus penitus ſine ſenſu inſanabilis eſt.14°.meth.med.88.D/2°. de arte cur.ad Glauc. 7ª.103.H
Scirrhi quibus curandi.14°.meth.med. 7ª.87.H
Scirrhi quibus vere curandi.2°.de arte cur.ad Glauc. 7ª.103.H
in Scirrho euacuatione indigemus.5°.de ſimp.med.fac. 5ª.33.E
Scirrho affectæ partes ſcarificamus.de cucur.ſcar. 6ª.3.F
Scirrho quæ conueniant in principio.7°.de comp.me.per g. 5ª.267.G
ad Scirrhum medicamenta mollificantia conferunt. 2°. de arte curatiua ad Glauconem. 7ª.103.H
Scirrhis quæ conueniant molliendo digerentia.14°.meth.me. 7ª.87.H
in Scirrho Aceto vtaris.11°.meth.med.73.C/14°. 7ª.88.B
in Scirrhis quando vti debemus cataplaſmate ex Altea.14°.methodi medendi. 7ª.88.C
Scirrhis quando Armoniacum confert.14°.meth.med. 7ª.88.C
Scirrhi in morem induratis tumoribus,aptiſſimus eſt adeps leonis.11°. de ſimp.med fac. 5ª.79.B
Scirrhus quòd non debet ſolis Calidis curari,ſed humidis, & mollib. 14°.meth.med. 7ª.87.H
in Scirrho cur non valeãt calefacientia valida.5°.de ſim.m.f. 5ª.33.E
Scirrhus non debet vehemẽter Diſſolutiuis curari,aliter fit lapis. 2°. de arte cur.ad Glauc. 7ª.103.H
Scirrhum Emollientia quæ ſint.5°.de ſimp.me.fac. 5ª.33.F
in Scyrrho cur non valeãt Exiccantia fortiter.5°.de ſim.m.f. 5ª.33.E
Scirrhos non ſanat Glaucium.14°.meth.med. 7ª.87.G/H
ad Scyrrhum maluæ ſylueſtris folia qũo cõferũt.14°.me.me. 7ª.88.C
Scirrho obſeſſis nocent quæ cũ melle parantur.1°.de alim.fac. 2ª.10.F
pro Scirrhis quæ incoquenda oleo.14°.meth.med. 7ª.88.B
Scirrhis Tendonum,& Ligamentorum conuenit Pyrithes lapis extinctus in aceto.14°.meth.me. 7ª.88.B
SCISSILE *ſimpliciter ſignificat alumen.4°.de cõp.me.pge.* 5ª.239.G
Sciſſilis aluminis fit mentio.5°.de comp.med.per ge. 5ª.249.E/F

SCISSIONES *hyeme faciunt aquæ paludoſæ.de bo.aq.* Sp.75.D
SCISSVRA, *qua ſanguis è vaſis profluit,quibus modis claudatur. 5°. meth.med.* 7ª.31.E
Sciſſurarum oſſium varia nomina ſunt.6°.meth.med. 7ª.40.B
Sciſſura in oſſe cauledon dicta,quę.6°.meth.med. 7ª.40.B
Sciſſura in oſſe ſchidacedon vocata,quæ.6°.meth.med. 7ª.40.B
Sciſſura in oſſe rhaphanedon dicta,quæ.6°.meth.med. 7ª.40.C
SCISSVRAE *labiorũ cõfert ſuccus centaureæ.de vir. cent.* Sp.93.D
Sciſſuris gingiuarũ confert ſectio venarũ labiorũ.de ana.viu. Sp.55.B
ad Sciſſuras in ſede.de med.fac.par. 7ª.170.B
ad Sciſſuras pedum.de med.fac.par. 7ª.178.A
ad Sciſſuras altiores.de med.fac.par. 7ª.164.A
SCISSAE *faſciæ ſunt quæ ex vno linteo extremis partibus, vel alibi ſciſſo conficiuntur.de faſcijs.* 7ª.293.F
Sciſſum linteum ad ſummum caput,& ei proximam regionem quo modo fieri debeat.de faſcijs. 7ª.294.D
Sciſſum linteũ ad frontem,& partes quæ iuxta ſunt.de faſc. 7ª.294.E
Sciſſum linteum ad totum caput.de faſcijs. 7ª.294.F
Sciſſum operculum in partes octo ad caput.de faſcijs. 7ª.294.G
Sciſſum linteum ad naſum.de faſcijs. 7ª.298.A
Sciſſum linteum in quatuor partes ad aures.de faſcijs. 7ª.299.E
Sciſſum linteum in partes ſex ad regionẽ iuxta aurẽ.de faſc. 7ª.299.G
Sciſſa funda in partes quatuor ad labrũ inferius.de faſcijs. 7ª.300.A/ *eadem ad labrum ſuperius.B*
Sciſſa funda in partes quatuor ad occipitium.de faſcijs. 7ª.300.E
Sciſſum vinculum ad ſcrotum.de faſcijs. 7ª.304.F
SCITALIS *quid.de oſſibus.* 1ª.43.C
Σκιθάλιον *quid ſit.de machin.* 7ª.310.A
Σκιθάλιον & καλάθον *communiter parata ſunt, vt epipigma ferant. de machinamentis.* 7ª.310.A
SCITV *difficile quid ſit.11°.meth.med.* 7ª.69.H
SCIVRI *adeps inſtrigili tepefactus inſtillatus quibus conueniat. 3°. de comp.me.ſec.loc.* 5ª.142.G
SCLERIASIS quid.intro. Iſa.58.F
SCLIROS *panniculus oculi eſt.de ocul.* 7ª.182.H
SCLIROSMON *faciens nephriticis,dyſentericis,ſanguinem vomẽtibus ad dolorem ſtomachi,arthriticis,& iſchiadicis.de dyna.* Sp.28.C
SCLEROPHTALMIA *eſt affectus totum oculum exercens. introductio.* Iſa.58.D/E
Sclerotica,quæ tunica ſit,& vnde oriatur.de ana.viuo. Sp.48.F
SCRIPAE ſunt vermes in vitibus.9°.de ſimp.me.fac. 5ª.66.E
SCOBES ebeni collyrijs miſcentur,& ad vulnera polyema. de ſimp. medicaminibus. Sp.83.F
Σκοληκοειδὸς *quid.8°.de vſu par.* 1ª.170.E
Σκολίωσις *quid apud græcos.de artic.com.3°.* 7ª.268.C
Σκολιώσις *pro omni ſpinæ diſtortione ſumitur.de ar.c.3°.* 7ª.273.E
Σκολιότης *quid ſignificet.de vic.rat.in mor.acu.com.4°.* 7ª.141.E
SCOLOPENDRA *corpore prælongo eſt,ob multitudinem crurum quam habet.1°.de vſu par.* 1ª.128.C
Scolopendræ morſibus confert centaurea.de vir.cent. Sp.93.H
SCOLOPENDRIVM & *hemionitis dicitur aſplenum.9°.de compoſt. medic.ſec.loc.* 5ª.198.E/H
Scolopendria quid.de ſimp.med. Sp.91.C
Scolopendria ſplenem curat,calculos expellit, vires habet diureticas. de ſimpl.med. Sp.91.C
Scolopendrium quale lieni eſt medicamentũ, tale eupatorium iecori. 13°.meth.med. 7ª.84.F
Scolopendrium ad ſplenem iure cõuenit.2°.de arte c.ad Gl. 7ª.104.C
Scolopendriũ lienis obſtructiones fortes curat.5°.de ſim.m.f. 5ª.35.C
Scolopendrium purgat ſplenem.de cathar. Sp.95.C
Scolopendriæ dictum electarium.de med.exper. Sp.108.C
SCOLOPENDRVS *marinus ad aurium dolores valet. 11°. de ſimplic. med.fac.* 5ª.82.G
SCOLOPOMACHAERIVM *quale inſtrumẽtum.8°.de anatomicis adminiſt.* 1ª.101.G
Scolopomachærion ferramentum.14°.meth.med. 7ª.92.H
SCOLIMOS *ſpinoſa planta.2°.de alim.fac.22.C/* 2ª.23.D
Scolimi radix calida eſt in ſecundo aut tertio incipiente,& ſicca in ſecundo.8°.de ſimplicium med.fac. 5ª.60.H
Scolimi ſuccus purgat.8°.de ſimp.med.fac. 5ª.60.H
Scolimus vrinam graue olentem,elicit,& graue olentiam ſanat,tum alarum,tum totius corporis.8°.de ſimp.med.fac. 5ª.60.H

SCOPA *regia quid & eius vires. de simp. med.* Sp. 91. C
Scopa regia vires habet acres, & diureticas. de simp. med. Sp. 91. C
Scopus quo modo differt a fine. introd. Isa. 51. G
Scopi quo modo inueniantur. 6°. de comp. medi. per gen. 5ª. 255. H
Scopi tres primi in construēdis partibus aīalis. 14°. de vsu p. 1ª. 204. C
Scopi in partibus similaribus qui. de const. ar. Isa. 39. H
Scopi in his quæ ad numerum spectant, qui. de const. ar. Isa. 39. H
Scopi in his quæ formationis sunt, qui de const. ar. Isa. 39. H
Scopus in compositionis morbo, qui. de const. ar. Isa. 40. A
Scopus in solutione continui, qui. de const. ar. Isa. 40. A
Scopus artis medicæ, qui. de vict. rat. in mor. acu. com. 1°. 7ª. 108. C
Scopū in oībus docuit Hippocr. de vi. ra. in mor. ac. com. 1°. 7ª. 115. C
Scopi primo curationis inueniendi, postea materiam præsidiorum inuenire oportet. de marc. 3ª. 47. C
Scopus cōis totius curationis qui. de ijs, quæ in me. fi. c. 1°. 7ª. 197. G
Scopum simplicem habet inflammatio, duplicem phlegmonodes duricies. 7°. de comp. med. per gen. 5ª. 263. G
Scopus omniū insanabilium. 6°. de compo. medic. per genera. 5ª. 255. D
SCORDIVM *vnde dictum. 8°. de simplicium medic. fac.* 5ª. 60. H
Scordium in Creta est optimum. 1°. de antid. 5ª. 105. E
Scordiū hēt varios sapores & facultates. 8°. de sim. med. fac. 5ª. 60. H
Scordium simile allio est in acrimonia. 8°. de simp. med. fac. 5ª. 60. H
supra Scordiū existētia cadauera non cōputruere. 1°. de ant. 5ª. 105. F
Scordium quibus aduersetur. 1°. de antid. 5ª. 105. F
Scordiū prædicabaī cōtra ictus venenosorū. 9°. de sim. me. f. 5ª. 65. C
Scordium ponitur in theriaca. de theria. ad Piso. 5ª. 92. E
Scordiū expurgat et excalfacit viscera, mēses, vrināq; pronouocat, pterea cōuulsa rupta & laterū dolores ab obstructione & frigore natos sanat, magna vulnera conglutinat, viride sordida purgat, & contumacia aridum. 8°. de simplic. medic. fac. 5ª. 60. H
SCORIA *argenti helcysma dicitur. 9°. de simp. med. fac.* 5ª. 71. A
Scoria ferri qualis. 9°. de simplicium med. fac. 5ª. 71. A
Scoria ferri ad aures quæ longo tempore pure fluxerunt, valet. 9°. de simplicium medicamentorum facul. 5ª. 71. A
Scoria ferri quibus a Galeno adhibita, & quomodo. 5°. m. m. 7ª. 34. B
SCORODI *vires. de simp. med.* Sp. 90. H
Scorodon vires habet acres, diureticas, ad viperas facientes. de simp. medicaminibus. Sp. 90. H
Scorodō exiccat, et calefacit quarto excessu. 8°. de sim. m. fa. 5ª. 60. H
SCORODOPPRASSON *quale. 8°. de simplicium medic. facul.* 5ª. 61. A
SCORPIOIDES *calida in tertio ordine, sicca in secundo. 8°. de simplicium medi. fac.* 5ª. 61. A
SCORPIONES *nō fiūt ab eodē opifice quo homo. de fet. for.* 1ª. 326. B
Scorpiones non mansuescunt. de cog. cur. animi mor. 2ª. 54. C
Scorpionis venenum est frigidum. 4°. meth. med. 7ª. 24. B
Scorpij ictus totum corpus quomodo afficit. 3°. de loc. aff. 4ª. 19. F
Scorpionis ictus maxima facit symptomata, et q̄. 6°. de lo. aff. 4ª. 40. D
a Scorpione ictus quibus symptomatib⁹ vexabaī. 3°. de lo. af. 4ª. 19. F
Scorpiones cur necamus. quòd animi mores. 1ª. 321. C
Scorpij ictus quo modo curandi. 3°. de loc. aff. 4ª. 19. G
a Scorpione ictus sanat Ascalabota. 11°. de simp. med. fa. 5ª. 82. G
contra Scorpionis morsum Assa fetida. de med. exper. Sp. 106. D
a Scorpione pcussis asiracus arefactus exhibeī. 11°. de si. m. f. 5ª. 82. G
Scorpionis morsibus confert Centaurea. de vir. cent. Sp. 93. H
Scorpionum morsus curant Laureolæ drachmæ quatuor cum aceto. de med. exper. Sp. 106. E
Scorpionum morsibus prodest Myrta, si imponatur, aut potui detur. de simp. med. Sp. 87. E
Scorpij ictum sanant Mures domestici. 11°. de simp. med. fac. 5ª. 82. G
a Scorpione ictus Saphyrus potus iuuat. 9°. de simp. med. fac. 5ª. 67. E
Scorpij ictum sanat Scorpius, & qūo. 11°. de simp. med. fac. 5ª. 82. G
Scorpius sanat a vipera morsos. 11°. de simp. med. fac. 5ª. 82. G
Scorpius contra vesicæ calculos qūo valeat. de ther. ad Pi. 5ª. 93. F
Scorpius regio morbo laborantem liberat, & podagricorum inflammationibus medetur. de ther. ad Pis. 5ª. 93. F
Scorpionē cito necat Saliua esurientium. 10°. de simp. me. fa. 5ª. 75. G
Scorpios necat sputum. 3°. de nat. fac. 1ª. 304. B
Scorpionem interficientem incantationē quidā Galeno pollicitus est, quā dicebat esse ter in scorpionem expuēs. 10°. de vsu par. 5ª. 75. G
Scorpio immobilis redditur, & perimitur a Stellione, si ipsum videat. de theria. ad Pis. 5ª. 93. F
ad Scorpionis morsum quæ suspēsa valeāt. de inc. adi. et susp. 7ª. 182. C
contra Scorpium valet Theriaca. de theriaca. ad Piso. 5ª. 91. E
ad Scorpionis ictus Aelij Galli Theriaca optima. 2°. de ant. 5ª. 116. A
a Scorpione percussis quæ extra ponenda. 2°. de antid. 5ª. 117. F
ad Scorpionum ictus antidotus, etiam quādo in periculum deuenere. 2°. de antidotis. 5ª. 117. C
cōtra Scorpiōes Scorpiaca ātidot°, et scorpiaca herba. 2°. ♃ an. 5ª. 117. e
pro Scorpionis punctura antidotus Zoili. 2°. de antid. 5. 117. E
ad Scorpionum ictus antidotus. 2°. de ant. 117. G.| 5ª. 118. E
ad Scorpionis morsum, electarium, de med. exper. Sp. 106. G
Scorpij venenum trahens medicamentum est a non nullis Isis. 5°. de cō posi. me. per ge. 5ª. 246. E
ad Scorpionis ictus Thebani medicamentum. 2. de antid. 5ª. 117. F
contra Scorpionem. 2°. de antid. 5ª. 118. C
Scorpij punctura sanans medicina. 2°. de antid. 5ª. 118. G
ad Scorpionis percussiōes. 7°. de comp. med. se. loc. 183. A|de cō. me. p ge. 5ª. 246. H|*de me. fa. par.* 7ª. 176. F|*de me. ex. 104. F.|Sp. 110. b*
ad Scorpionis morsū valēs medicamē. de med. ex. 106. B|C|Sp. 108. D
a Scorpione morsi casus. 3°. de loc. aff. 4ª. 19. F
SCORPII *pisces duræ carnis sunt. 3°. de alim. fac.* 2ª. 31. E
Scorpius cum sinapi manditur. de atten. vic. 2ª. 45. E
Scorpij marini inferior est bilis hyænarū. 10°. de sim. med. fac. 5ª. 74. b
Scorpij marini fel ad oculos valet. 10°. de simp. med. fa. 5ª. 74. H
SCORPIO, *cancer, pisces, aquatici sunt frigidi humidi septentrionales. de sper.* Sp. 39. A
Scorpio humidus est ī primo gradu, calidus ī secūdo. de sper. Sp. 38. b
Σκοτώδινος, *i. tenebricosa vertigo. de vi. ra. in mo. a. c. 4°.* 7ª. 139. b
Scotidinos ex quibus fiat. de vict. rat. in mor. acu. com. 4°. 7ª. 139. D
SCOTOMATA *vertigines Græci vocant. 5°. de sanitate tuenda. 90. A|6°.* 2ª. 100. A
ad Scotomata inueterata stercus columbinū valet. 10°. de simp. med. facultatibus. 5ª. 77. A
SCOTOMATICI *qui. fin. med.* Isa. 47. D
Scotomaticis atram bilem educimus. de dyna. Sp. 21. B
SCOTOMIA *quæsit, & quo modo fiat. 3°. de loc. aff.* 4ª. 20. C
Scotomiæ letalis signa. de dyna. Sp. 23. H
Scotomiæ curatio. de dyna. Sp. 23. H
in Scotomia cum quis vexatur, vtimur catharticis. de dyna. Sp. 20. E
Scotomiæ valens electarium. de med. exper. Sp. 107. D
SCOTOSIM *infert vinum nigrum dulce. de simp. med.* Sp. 92. B
ad SCREANDVM quæ vtilia. de ocul. 7ª. 188. G
SCREANTIBVS *ægre datur theriaca Euclidis palatiani. 2°. de antidotis.* 5ª. 116. B
SCREATIO *qualis esse debet in doloribus costarum. in prognosti. commenta. 2°.* 4ª. 202. C
Screatio debet habere permistam flauā bilē. in prog. com. 2°. 4ª. 202. c
Screatio crocea rubea cum minori periculo est, & quādo in prognost. commen. 2°. 4ª. 203. C
Screatio flaua syncera praua est. in 1ᵐ. prorrh. com. 1°. 4ª. 202. D
Screatio flaua cum pauco sanguine in morbo pulmonis, quid significet in progn. com. 2°. 4ª. 203. A
Screatio cādida glutinosa rotūda inutilis est. in prog. cō. 2°. 4ª. 202. D
Screatio viscosa quid significet. in prog. com. 2°. 4ª. 202. A
Screatio viridis spumosa, mala. in prog. com. 2°. 4ª. 202. D
Screatio spumans quomodo fiat. in progn. com. 2°. 4ª. 202. E
Screatio syncera nigra pessima est. in progn. com. 2°. 4ª. 202. G
Screatio mala quæ non sedat dolorem. in progn. com. 2°. 4ª. 203. B
SCREATVS *flauus rufus multo post ab initio doloris malum. in prognost. com. 2°.* 4ª. 202. C
Screatus frequens vnde. in 1ᵐ. prorrh. com. 1°. 4ª. 164. H
Screatus qui significet cogitationē læsam in progn. com. 2°. 4ª. 163. H
in Screatu bilioso q̄ suppurani q̄d significent. in pg. com. 2°. 4ª. 203. D
Screatus sangui expellitur ex faucibus & gurgulione. 4°. de locis affectis. 4ª. 25. F
ad Screatum sanguinis. de med. fac. par. 7ª. 171. D
SCRIBAE *Hermionis sacri medicamentum vocatum. 5°. de composit. me. per gen.* 5ª. 246. F
SCRIBENTES *necessario in multis peccant. 2°. de composi. medicamen. sec. loc.* 5ª. 135. A
Scribentes vera qui secūdū aliquos Empiricorum. de op. sec. Isa. 23. c
Scribentium bene, & viam a rubis, & spinis emundantium comparatio. de cau. procatar. 3ª. 95. H
a Scribente quæ medicamēta cōsiderāda. 6°. de cō. me. p g. 5ª. 175. F

Scribere paſsim omnibus licet.contra Iulianum. Ex.66.C
Scribere pro arbitrio in obſcuris vnicuique licitum eſt,cum nulla lex ſit tranſcribentibus poſita.com.7°.aph.64°. Ex.60.D
Scribere facillimum quicquid libeat.in prog.com.1°. 4ª.190.C
Scribere facillimum quicquã videre,et è cõtrario,q̃ ſepius cõſpexere,nũ quã videri aiũt qui ſectæ alicui addicti.4°.de loc. aff. 4ª.25.F
Seribere multa non autem docere multa,quid ſit.8°.me.me.7ª.52.A
Scripſit cur Galenus.in 3ᵐ.de mor.vul.com. 2°. 3ª.136.G
ex SCRIBONIO *Largo,Aſclepios machaonis,ad veteres affectiones, & oculos ſuppuratos.4°.de com.me.ſe.loc.* 5ª.155.H
Scribonij Largi catapotium.6°.de comp.med.ſecũdũ locos. 5ª.185.F
vt Scribonius colica.9°.de compoſitio.med.ſec.loc. 5ª.202.B
Scribonij Largi compoſitio.4°.de comp.me.ſe. lo. 5ª.158.B
Scribonius ad digerendum.6°.de comp.me.per ge. 5ª.261.E
vt Scribonius ad digerendum.6°.de comp.me.per ge. 5ª.185.F
Scribonij largi eclegma.7°.de com.me.ſec.lo. 5ª.185.F
Scribonij largi ad extuberantia omnia pharmacum.3°. de comp.medic.ſecundum locos. 5ª.148.B
Scribonij largi hypogloſſis conferens ad vocem interceptam.7°. de cõ. me.ſec.loc. 5ª.181.E
Scribonij largi pſittacinum inſcriptum pharmacum.4°. de comp.medic.ſecun.loc. 5ª.155.B
Scribonij largi confectio ex ſalice.9°.de com.med.ſec. lo. 5ª.202.E
Scribonij pharmacum ad tuſſim.7°.de com.med.ſec.loc. 5ª.182.H
SCRIPTORES *calamos ſibi pumice temperantes bene ſcribunt. de ſimp.med.* Sp.88.H
Scriptores celeres erant antiquitus.de præcog.ad Poſth. 4ª.216.E
à Scriptoribus omittuntur innumera.in prog. com.2°. 4ª.202.H
Scriptores debent eſſe modeſti.in prog.com.1°. 4ª.190.A
Scriptores ex ſe ipſis debere declarari,collige.4°.de dig.pul. 4ª.85.b
Scriptores omnes mordentur.2°.de criſi. 4ª.136.C
SCRIPTORIVM *ſpecillum.de med.fac.par.* 7ª.163.F
SCRIPTVRAS *veteres ſemper elegit Galenus & ſi difficilius explanentur.in 6ᵐ.de mor.vul.com.3°.* 3ª.177.H
Scripturas veteres Rectores pro arbitratu mutabant in obſcuris libris.in 1ᵐ.prorrh.com.3°. 4ª.182.D
Scripturarum paruarum cauſæ.de cau.procatar. 3ª.96.F
SCRIPTIS *q̃ mala tradẽda non ſint.10°.de ſimp.me.fac.* 5ª.72.E
Scripta proborum virorum,modo non multũ diſcrepẽt, ab optima doctrina non ſunt reprehendenda.1°.de ana.admin. 1ª.65.D
SCROPHVLAE. *de virt.cent.* Sp.93.G
Scrophulas abſq; plaga curare docet.de dyn. Sp.35.F
ad Scrophulas radices acetoſæ,& arnoglоſſæ ſuſpenſæ valent. de incant.adiur.& ſuſpenſ. 7ª.182.B
Scrophulas emollit lenticula.de ſimp.med. Sp.86.B
ad Scrophulas lotio.de dyna. Sp.25.G
Scrophulas accidit lupinus in modũ cataplaſmatis impoſitus.de ſimpl.medicam. Sp.86.C
Scrophulas diſſoluit marubiaſtrum.de ſimp.med. Sp.87.G
Scrophulas diſſoluens medicamen.de med. exper. Sp.104.D
ad Scrophulas.de med.fac.par. 7ª.162.G
ad Scrophulas remedium.de dyn.25.G/de med.exper. Sp.105.D
SCROTVM *quod.introd.* Iſa.53.D
Scrotum cum intus ſubſideat factum eſt matricum ſubſtantia, & inſtrumentum aptũ ſemini recipiendo,ac retinendo de v.p. 1ª.206.B
Scroti morbi qui.introd. Iſa.59.D
circa Scrotum tres fiunt affectus.fin.med. Iſa.49.C
Scroti tumores qui fin.med. Iſa.49.C
Scroti tumores ſeptem.introd. Iſa.60.B
ad Scroti dolores.9°.de comp.med.ſec.lo. 5ª.205.D
in Scroto vlcera à ſudoribus facta,quomodo curanda.9°.de compoſi. med.ſec.loc. 5ª.205.D
in Scrotum facile deſcendit cæcum inteſtinum ſolutum.in 6ᵐ.de morbis vulg.com.4°. 3ª.179.G
in Scrotum quod iam decidit inteſtinum reponi in ſuum locum deſiderat.3°.meth.med. 7ª.16.C
in Scroto luxatio quo modo curanda.ars med. Iſa.71.C
in Scroto inteſtinum quo modo curandum.ars med. Iſa.71.D
ad Scrotum vinculum ſciſſum.de faſcijs. 7ª.304.F
ad Scrotum iunctura ex tribus capitibus.de faſcijs. 7ª.304.G
SCRVPVLVS *quid & quomodo figuretur. de ponderibus & menſuris.275.C/E/276.A/D/* 5ª.277.B
Scrupuli tres doſis.7°.de comp.me.ſec.loc. 5ª.187.A
SCVLPTORES ſunt in ſecunda ſede apud Deum Mercurium. in oratione ſuaſoria. Iſa.2.F
SCVLPTVRAE *in annulis an ſignificent aliquid,& proſint.9°.de ſimplic.med.fac.* 5ª.67.D
Scutiformẽ chartilaginem qui muſculi cõiungant.de muſ.diſſ.1ª.46.b
Σκύβαλα *excrementa quæ græci vocent.de victus rat.in morb. acut. commen.4°.* 7ª.136.D
Scybala, & lumbrici lati educuntur ex maioribus inteſtinis . de ca. Sp.94.G
SCYBELITES *vinum quale.5°.de ſa.tuen.* 2ª.91.B
Scybelites vinum nigrum eſt.de bo.& vitio ſuc. 2ª.38.C
Scybelites vinũ craſſum eſt,& valde nutriẽs.de bo. & vit.ſ. 2ª.38.c
Scybelites vinũ non valde craſſum eſt nec valde dulce.de vi.Sp.76.b
Scybelites vinum dulce ſolum eſt.4°.de ſimp.med.fac. 5ª.26.F
Scybelites vinum abſolutæ dulcedinis eſt.de bo.& vitio ſucc.2ª.38.c
Scybelites vinum adſtringit mire.1°.de dign. pul. 4ª.70.H
SCYPHORVM *menſura.de med.fac.par.* 7ª.173.E
Scyphi cærei ad quem vſum eſſent præparati, & a quibus, & quòd ſinguli erant ſexta pars heminæ.de opt.ſect. Iſa.23.B
SCVTHÆ *intenſo frigore opprimuntur.de aer.aq.et loc.* 2ª.5.c
Scythis hyems ferè perè perpetua eſt.de aerᵉ,aquis,& loc. 2ª.5.E
Scythis pauciſſimis diebus æſtas.de aer.aq.& loc. 2ª.5.E
Scythis idem victus, & amyctus hyems, & æſtate. de aer.aq. & lo. 2ª.5.E
Scythæ bibũt aquam reſolutã a niuibus & glacie.de ae.aq. et l.2ª.5.E
Scythæ non exercentur,& quare.de aere,aq.& loc. 2ª.5.F
apud Scythas nec per ſomnium quidem inuenies temperatum . 2°. de ſanitate tuenda. 2ª.73.B
Scythæ ſunt humidi temperamento non tamen frigidi.in 3ᵐ.de morbis vulg.com.3°. 3ª.146.F
Scythæ mulieres formis ſunt corporum ad mirandum vſque fluxis.de aere,aquis & loc. 2ª.5.F
Scytharum corpora cur lata & fluida.2°.de aere,aq.& loc. 2ª.5.F
Scytharum cutis qualis.de temp. 1ª.20.A
Scytharum color rufus.1°.de ſan.tuen. 2ª.64.A
Scythæ fului propter frigus ingens,ſunt.de aer.aq. & loc. 2ª.5.F
Scythæ oĩum hoĩm minime valẽtes ad coitũ ſũt.de aere aq.et l.2ª.6.a
Scythæ plurimi eunuchi.2°.de aer.aq. & loc. 2ª.5.G
Scythæ nihil prius ſibi aliud faciendum putant, q̃ vt euirati fiant. de aer.aquis,& loc. 2ª.6.B
Scythæ feri ſunt.1°.de ſan.tuen. 2ª.66.F
Scytæ habent rationẽ quæ ab ira vincitur.1°.de decre.Hip. 1ª.242.F
Scythæ iracundi,audaces ſunt,& præcipitis cõſilij.2°.de tẽp. 1ª.20.a
apud Scythas vnus tantum vir philoſophus extitit poſt hominum memoriam.quod animi mores. 1ª.321.H
SCYTHIÆ *ſitus.de aere aq.& loc.* 2ª.5.D
Scythia frigida eſt.in progn.Hip.com.3°. 4ª.212.H
ad Scythiam quantum accedat ſol.de aere aq.& loc. 2ª.5.E
Scythiæ montes cur inhabitabiles.de aer.aq. & lo. 2ª.5.E
in Scythia non ſpirat venti calidi.de aere aq.& loc. 2ª.5.E
in Scythia perpetuo vẽti frigidi ab vrſis ꝓcedũt.d̃ aer. aq.et lo.2ª.5.e
Scythia non eſt fęcunda regio.de aer.aq. & lo. 2ª.5.D
Scythia non parit feras magnas.de aer.aq. & loc. 2ª.5.D/E
Scythiæ habitatores quales.de incant.adiur.& ſuſpen. 7ª.181.F
in Scythia non ſit Elephas morbus.2°.de arte cur.ad Glau. 7ª.107.e
in Scythia vera ſunt ſigna libri ꝓgnoſticorũ.in progn.cõ.3°. 4ª.212.g
Scythicum genus hominum in Europa circa paludem Meotim habitat.de aere aq.& loc. 2ª.5.C
Scythica planities qualis.de aer.aq.& loc. 2ª.5.C
SEIPSVM *omnium maxime quiſque diligit . de cogn. cur.animi mor.* 2ª.50.F
Seipſum cognoſcere vel ætatis maturę viris difficile eſt, ne dum pueris.de cog.cur.animi mor. 2ª.54.C
Seipſum indicans & coronans,ab aliorum iudicum omnibus ſuffragys condemnabitur.de cur.animi.pec.not.atq;med. 2°.60.B
Seipſum perfecte cognoſcit ſapientiſſimus.de cog.cur.ani.mo.2ª.50.c
in Seipſis eſſe quid.4°.de decr.Hip. 1ª.252.F
apud Seipſos eſſe quid,4°.de decr.Hipp. 1ª.252.F
per Se idem quod primum ſignificat.de ſymp.diff. 3ª.10.G
per Se cur diſtinguendum a per accidens.de ſymp.diff. 3ª.10.F
SECANDA *ſimia,& excorianda debet in aqua ſuffocari. de muſculorum diſſectione.* 1ª.44.D

Secandi tres modi in animali viuo.7°.de anato.adm. 1ª.97.G
Secandi modus secundus sine sanguine.7°.de ana.adm. 1ª.97.D
Secandi modus tertius sine sanguine.7°.de ana.admin. 1ª.97.E
Secando alteratur. 3°.de simp.med.fac. 5ª.17.D
Secandæ venæ in brachio tres. præs.exper.conf. Sp.78.B
quando Secandæ venæ post aures.de ana.viuo. Sp.55.A
quando Secandæ sunt arteriæ post aures.de ana viuo. Sp.55.B
Secandæ non sunt temerè arteriæ post aures.de ana.viuo. Sp.55.B
quando Secandæ iugulares venæ.de ana.viuo. Sp.55.A
Secandæ quando sint venæ labiorum.de ana.viuo. Sp.55.A
Secanda quando sit vena sub lingua.de ana.viuo. Sp.55.B
Secanda quando sit vena inter mentum,& labium.de an.vi. Sp.55.B
Secanda quando sit vena surculæ.de ana.viuo. Sp.55.B
Secanda quando est saphena.de ana.viuo. Sp.55.H
Secãdæ in quibus affectibus sint venæ pedũ.præs.exper.cõf. Sp.78.D
Secandæ qñ sunt venæ pedum obliquæ.præsag.exper.conf. Sp.78.D
Secandæ venæ secundum varias ægritudines.secret. Sp.97.D
Secanda vena in melãcholicis,& quæ.de mel.ex G.Ruf. Sp.109.G/H
Secandam esse venam primo,postea euacuandum iubet Posidonius in melancholicis.de mel.ex Gal.Ru.& Poss. Sp.109.H
Secãda est vena in oculorũ doloribus,& quæ.præs.exper.cõf. S.78.B
Secanda est vena in mulieribus atrabilariis quibus menses defecerũt. de mel.ex G.R.& Poss. Sp.109.H
Secanda quæ vena sit in morbis vesicæ, vulvæ, & renum. præsagium experientia confir. Sp.78.C
SECANIABIN *incidit & attenuat.de diff.cont.* Sp.72.F
Secaniabin tenuat,& incidit humiditatẽ crassã, & aperit oppilationẽ hepatis,et splenis,mũdificat pectus & pulmonẽ.de dif.cõ. Sp.74.H
Secaniabin facit quandoque tineſmon in inteſtinis.de diff.cõt. Sp.75.B
a SECANTIBVS *& digerentibus crassi & lenti humores euacuantur, & qualia esse debeant.7°.de simp.med.fac.* 5ª.52.E
ad SECESSIONES *faciũt panes non multũ puri.de cu.icte.* Sp.111.C
per SECESSVM *vel per vrinam euacuandum esse notat vrina magis biliosa.de vri.sign.ex Hipp.* Sp.79.D
per Secessum purgantia medicamẽta quæ,& qualia.de cath. Sp.94.F
per Secessum,renes, vesica,& Iecinoris gibba pars si multos habent prauos succos,euacuantur.7°.meth.med. 7ª.49.D
per Secessum euacuãda est iecoris caua pars.2°.de arte cu. 7ª.102.G
per Secessum qui nã exeũt humores.in 6m.de mor.vul.cõ.4°. 3ª.187.E
per Secessum educenda est bilis,si deorsum repat.1°. de arte curativa ad Glauc. 7ª.97.B
per Secessum deorsum vergentia,euacuantur.2°.de alim.fac. 2ª.19.E
nec per Secessum,nec per vomitũ euacuãdi sunt humores qui p cutim euacuandi.in 6m.de mor.vul.com.2°. 3ª.165.G
per Secessum & vomitum iudicata quo modo fuerit Epicratis vxor. in 1m.de morb.vul.com.3°. 3ª.122.G
SECANTVR *in brachio venæ quinq,,nigra siue purpurea basilica, iunis brachij,& axillarijs,sceilem,& cephalica.de an.vi.* Sp.54.G
Secare basilicam cur periculosum est.de ana.viuo. Sp.54.G
cum Secas basilicam tende versus branchium.de ana.viuo. Sp.54.G
Secari debet super iuncturam vena basilica,axillaris, & cephalica. de ana.viu. Sp.54.G
Secetur in quibus affectibus basilica.de ana.viuo. Sp.54.H
Secetur in quibus affectibus cephalica.de ana.viuo. Sp.54.G
Secetur in quibus affectibus nigra vena.de ana.viuo. Sp.54.H
Secetur in quibus affectibus vena funis brachij.de ana.viuo. Sp.54.H
Secetur in quibus affectibus saluatella.de ana.viuo. Sp.54.H
Secetur saluatella in dextra in doloribus hepatis,& quæ in sinistra in doloribus splenis.de ana.viuo. Sp.54.H
Secantur etiam venæ duæ super ventrem,vna supra iecur, alia super lienem.de ana.viuo. Sp.55.B
quando Secantur venæ duæ supra ventrem.de ana.viuo. Sp.55.C
quando Secantur arteriæ temporum.de ana.viuo. Sp.55.B
Secat arteria manus quæ est inter pollicẽ,& indicẽ.de an.vi. Sp.54.H
Secare opus est uere venam his,quibus sanguinem a uenis mittere cõfert.com.7°.aph.3°. Ex.58.E
Secare venam oportet homine accumbente,ne fiat defectus animi cõ. 1°.aph.23°. Ex.10.E
Secare venas sæpius eodem anno non est idoneum.de cuc.scar.6ª.3.H
Secare oportet poplitem,& in talis venas in phrenitide. præsagium experientia conf. Sp.78.C
Secantur quandoque suppurati.com.6°.aph.27°. Ex.48.G
Secuere quidam tumorem in quo nihil inuenere,nisi spiritum qui per tũ carnem erat disseminatus.de uic.ra.in mor.ac.com.4°. 7ª.137.C
Secant,& extergunt amara cum manifesta caliditate.4°.de compos. med.sec.loc. 5ª.205.H
SECAT *& humectat aqua mulsa,ut ptissana, non tamen roborat. de uict.rat.in mor.acu.com.1°.* 7ª.113.C
in SECORDIA *& ocio quid degerant,quando moriebantur. in 1m.de mor.uulg.com.2°.* 3ª.115.D
SECORDES *dicunt ἀκαρδίους .3°.de decre.Hip.* 1ª.243.D
Secors quid significet.3°.de decr.Hip. 1ª.245.B
Secors qui.3°.de decr.Hip. 1ª.243.D
SECRETIO *ex genere diuidentium est.1°.de symp.cau.* 3ª.16.H
Secretio quo modo fiat.6°.de loc.aff. 4ª.41.G
SECRETORIA *uis quid reijciat.1°.de nat.fac.* 1ª.293.B
SECTA *quid sin.med.Isa.43.E/de hist.phi.* Sp.3.A
Sectarum differentiæ quæ.de opt.sect. Isa.20.G
Sectæ philosophorum distinctæ,quatuor.de ordine librorũ suorũ. 14. F/fin.med. If.43.E
Sectæ quatuor generales.de hist.phi. Sp.3.A
Sectarum dissidia unde orta.in 6m.de mor.uul.com.2°. 3ª.165.B
Sectæ stoicæ author Zeno Citieus.de hist.phil. Sp.2.E
Secta Cyrenaica unde.de hist.phil. Sp.2.E
Sectæ tres in re medica.contra Iulianum. Ex.68.C
Sectarum trium nomina.de propr.lib. Isa.11.A
Sectæ tres celebres in medicina(rationalis,empirica,methodica.) de optima secta. Isa.20.F
Sectarum trium authores,& principes qui.introd. Isa.51.D
Secta rationalis quæ fin.med. Isa.43.E
Sectæ rationalis principes qui.intr. Isa.51.D
de Secta rationali Galeni dictum.de sal.diæ. 2ª.42.A
Sectæ empiricæ.quæ fin.med. If.43.E
Sectæ empiricæ principes quid.intro. If.51.D
Secta empirica quibus instituatur.de opt.sect. Isa.24.E
Secta methodicorum definitio quæ.de sect. Isa.17.D
Secta methodica quæ.fin.med. Isa.43.E
Secta pneumatica quæ.3°.de diff.pul. 4ª.60.A
de Secta pneumatica qui erit.3°.de diff.pul. 4ª.63.C
Sectæ omnes in quibus consentiant.de opt.sect. Isa.20.G
Secta optima quid faciat.de cu.animi pec.not.atque med. 2ª.57.G
de Secta aliqua qũo quis possit iudicare an uera sit.8°.me.m. 7ª.52.C
Sectam nouam erigere uolentes,labefactant antiquam.2°.de decretis Hippocratis. 1ª.234.D
Sectarum ambitio malum indelebile.est.1°.de nat.fac. 1ª.293.D
Sectarum ambitio quauis scabie ad sanandum rebellionem.1°.de naturalibus facul. 1ª.293.D
Sectæ alicuius principatum sibi arrogantes quædam scribunt quæ nunquam uiderunt ac si uidissent & è contrario.4°.de loc.af. 4ª.25.F
Sectæ alicuius principatum sibi arroganter usurpantes omnia intrepi de profitentur.4°.de loc.af. 4ª.25.F
Sectarum sectatores non adhibent mentem etiam si falsa dicant p sua sententia contra aliam.9°.de decr.Hipp. 1ª.284.B
Sectæ unum addicti cur mentiantur.3°.de loc.af. 4ª.15.A
Sectis addicti nolunt a falsitate sectę dimoueri.3°.de dif.pul. 4ª.60.H
Sectę alicui qui se addixere,difficulter reuocantur.8°.de compo.med: secundum locos. 5ª.187.C
Sectam nullam sequebatur Galenus,& omnes optime callebat. 3°.de locis affectis. 4ª.15.A
in Sectarum omnium scientia nemini se post habendum esse ostendit Galenus.3°.de loc.af. 4ª.15.A
SECTA *uena iuuat difficultatẽ urinæ,secare autem interiores.com.6°. aph.36°.* Ex.50.D
Secta uena ad duas libras pestilentiam minuit.præs.expe.cõ. Sp.78.C
Secta uena inter pollicem,& indicem uetustum dolorem sanat.præsag. exper.confir. Sp.78.C
Sectarum in cruribus uenarum adiumento non parum leuantur inflãmationes in uuluis.præs.exper.conf. Sp.78.C
Secta parte emortua,et putrida tutius erit adurere id,qd uelut radix sanę pti est adiumẽtũ,ut in pudẽdis fit.2°.de ar.cu.ad Gl. 7ª.107.A
SECTIONVM *librum scripsit Erasistratus.com.6°.aph.50°.* Ex.52.G
SECTIO *per serram est species divisionis chirurgiæ.intro.* Isa.59.E
Sectio uñ incipiẽda,& quo ingenio peragenda.4°.de an.adm. 1ª.80.C
Sectio mediocris quæ.3°.de ana.adm. 1ª.74.B

Sectionem nihil

Sectionem nihil magis perturbat quàm sanguinis profluuium. 7°. *de anat.adminiſt.* 1ª.97.C
*Sectio viui animantis qualis fieri debet.*7°.*de ana.admi.* 1ª.97.D
*ad Sectionem animalium differentiæ.*6°.*de ana.admi.* 1ª.90.G
*ad Sectiones omnes quas adminiſtrare neceſſarium, citra neruorum lę ſionem, quæ totum thoracem efficit immobilem vnum animal ſuffi cit.*8°.*de ana.admi.* 1ª.102.F
*Sectio quanta fieri debet ne mẽbrum reſtet turpe.*12°.*me.m.*7ª.81.E
*Sectionis ordo pro putrefactione.*5°.*de ana.admi.* 1ª.87.B
*per Sectionem quo modo oſtenditur ſanguinem eſſe in arterijs.*7°.*de an. adminiſt.* 1ª.98.H
Sectionibus ſcarificationum diſſoluimus vetuſtiores dolores capitis, et faucium inflammationes.præſ.exper.conf. Sp.78.C
SECTIO *venæ creditur euacuare totum corpus æqualiter. commenta rio* 4°.*aph.*2°. Ex.27.D
*Sectio venæ præſtantiſsimum eſt remediũ.de uen.ſect.adu.Eraſ.*6ª.5.C
a Sectione fit partium diminutio.de cau.mor. 3ª.9.D
Sectio partis abundantis quomodo exercenda.ars med. Iſa.71.B
in Sectione venæ vires imbecillæ penitus obſeruandæ ſunt.præſag.exp. confirmatum. Sp.78.D
a Sectione venæ famẽ qui diutius tolerare debet, periculum eſt ne diſ ſoluatur.de venæ ſect.aduer.Eraſ. 6ª.5.D
*in Sectione venæ aliqui deficiunt animo.com.*1°.*aph.*23°. Ex.10.D
*Sectio venæ vſq; ad animi defectũ q̃bus cõueniat.*14°.*met.m.*7ª.90.B
*Sectio venæ propter quid facit membrũ ſtupidũ.*3°.*de an.ad.*1ª.78.A
Sectio venæ facit abortum.de ſper. Sp.36.D
*pro Sectione venæ quæ agantur.*5°.*meth.med.* 7ª.35.C
Sectio venæ a communibus ſemper facienda.de trem.palp. 3ª.53.B
Sectio venæ non prodeſt ſed obeſt, ſi fiat in venis quæ nullam habẽt cõ munitatem cum parte affecta.de trem.palp.conuulſ. 5ª.53.B
*per Sectionẽ venæ reuulſio confeſtim cõfert.præſ.exp.conf.*Sp.78.A
Sectio reuulſiua non euacuatiua quæ.in 1ᵐ.*prorrh.com.*3°. 4ª.186.F
ante Sectionem venæ fiat clyſter.præſ.exper.conf. Sp.78.D
poſt Sectionẽ venæ, cibus illico dandus ſi inediam non ferat ægrotans. de optima ſecta. Iſa.28.B
*Sectionem venæ quidam in omni morbo faciebant.de atra bi.*1ª.36.C
Sectio quando fieri debet.in 6ᵐ.*de morbis vulgaribus, comment.* 6°. 3ª.196.*A/ſecret.* Sp.97.D
Sectio venæ fit in declinatione, & quare.de opt.ſec. Iſa.28.B
*Sectio venę in initio a recẽtibus vſq; ad tertiũ diẽ ſtatuiẽ.intr.*Iſ.55.E
Sectio venæ a veteribus poſt tertiũ diem ſtatuitur ſi vires adſint, & morbus poſtulet introd. Iſa.55.E
*Sectio venę quibus decet, fiat, & p̃ſertim in uere.c.*6°.*a.*47°.Ex.52.C
Sectio venæ in præſeruationc fiat vere.preſ.exper.conf. Sp.78.D
Sectio venæ quo vis tempore fiat.præſ.exper.conf. Sp.78.D
Sectio venæ quo tempore prohibenda.preſ.exper.conf. Sp.78.D
Sectio venæ non eſt facienda in regione valde frigida, vel valde cali da.de ſecta. Iſa.16.E
Sectio venæ non debet fieri in anni tempore multum calido, & multũ frigido, etiam in febre acuta.introd. Iſa.16.H
Sectio venæ non debet fieri pro ſene, & puero pleuritico. de ſubfigura tione empirica. Iſa.32.F
*Sectio venæ bis, terue quando facienda.*5°.*meth.med.* 7ª.32.H
*Sectio q̃n fieri debet, & quando non in Cãcris.cõ.*6°.*ap.*38°. Ex.50.E
Sectio cuius venę in capite affecto bona.de conſt.ar. Iſa.41.E
Sectio cuius venæ in Collo affecto fieri debet.de conſt.ar. Iſ.41.E
Sectio venę ſanat Dolores oculorum.commentario 6°.*aphor.*31°49.C/ *com.*7°.*aph.*46°. Ex.57.G
*Sectione venæ ſanauit Galenus Elephantem incipientem.commen.*6°. *aph.*44°. Ex.52.C
*Sectione venæ quandoq; Flatuoſus ſpiritus, & craſſi humores ſanan tur, & euacuantur.com.*6°.*aph.*22°. Ex.48.D
Sectio venæ in fronte inuenta a fortuna.contra Iulianum. Ex.66.E
Sectio venæ frontis cui conuenit.de ana.viuo. Sp.55.A
Sectio cuius venę conueniat in Iſchia.de conſt.ar. Iſa.41.E
ex Sectione ſaluatellæ Lien iuuatur.præſag.exper.conf. Sp.78.A
Sectio venæ in Melancholia vſq; ad animi deliquium. de melanch. ex Galeno Rufo, & Poſſ. Sp.110.F
*Sectio venæ debet fieri quando ſubijciuntur Plenitudinis paſſionibus. com.*6°.*aph.*47°. Ex.52.B
*Sectio venæ eſt commune auxilium his quæ fiunt ex plenitudine paſ ſionibus.com.*6°.*aph.*47°. Ex.52.C

*Sectio venæ in Pleuritide fiat ab eodem latere.præſ.exp.conf.*S.78.B
*Sectio venæ in pleuritide quando debeat fieri, et quando purgatio.cõ ment.*6°.*aph.*5°. Ex.46.G
Sectio cuius venæ in Thorace, & pulmone affecto facienda. de conſti tutione artis med. Iſa.41.E
Sectio cuius venę in Vteri affectiõe fieri debeat.de cõſt.ar. Iſa.41.E
*Sectio venę a pede fieri dẽt qñ vterus eſt male affect°.de tre.*3ª.53.A
Sectio venæ pedum quo modo fieri debeat.de ana viuo. Sp.55.H
*Sectio venæ pedis magis debilitat quã venę brachij de an.v.*S.55.A
Sectio venę in poplite aut circa Talum fieri debet Vtero affecto.de tre more palp.conuulſ. 3ª.53.A
SECVNDAE *ſunt idem quod choria, quæ & loci, & uteri dicũtur.com.* 5°.*aph.*35°. Ex.40.F
Secũdæ ſunt purgamẽta.de vc ſect.aduer.Eraſ. 6ª.6 G
Secũdæ ex quibus cõſtent.fin.med. Iſ.49.H
*Secũdæ ſunt cauitates ampliſſimę iter ptes aĩalis.*3°.*de na.fa.*3ª.302.F
*Secũdæ ſunt ex multis arterijs, & venis propinquis, & præterea mẽ brana tenui media iter has, ſpacia cõtexẽte.*8°.*de vſu p.* 1ª.168.G
*Secũdæ vñ pẽdeãt.com.*5°.*aphor.*49°.42.*A/aph.*60°. Ex.43.D
Secũdarum fit mẽtio.de trem.palp.conuul. 3ª.53.A
*ad Secũdas ab vtero nullus neruus peruenit.*6°.*de decr.* 1ª.265.A
*in Secũdis nullus neruus apparet.*6°.*de decre.Hip.* 1ª.265.A
*circa Secũdas quæ ſunt, habẽt originem a vena ieeoris.*6°. *de decretis Hippocratis.* 1ª.265.A
*Secũdas eijcit ſtachys.*8°.*de ſimp.med.fac.* 5ª.61.C
*Secũdæ per ſternuationem emittuntur.com.*5°. *aph.* 35°.40.*F/ aphoriſmo* 49°. Ex.42.A
*Secũdas eijciẽs antidotus.*2°.*de antid.* 5ª.116.D
*Secũdas reteẽas trahit antidotus Mitridatis Eupatoris Diaſcinci no minata.*2°.*de antid.* 5ª.115.C
*Secũdas trahit antidotus Zopyria.*2°.*de antid.* 5ª.115.B
*ad Secũdas deducẽdas.*7°.*de compoſi.med.ſec. loc.* 5ª.185.*E/H/de med.fac.par.* 7ª.169.A
SECVNDINA *quæ.de ana.par.* Sp.43.C
Secũdina pãniculus eſt oculi.de ocul. 7ª.182.H
SECVNDA *vocis cãna eſt vuula.de ana.viuo.* Sp.49.E
Secundę digeſtionis vas veſica eſt.de ana.viuo. Sp.51.D
*Secũdus dies, & primus qũo decernãt ĩ morbis.*1°.*de die.de.*4ª.148.H
*Secũdo die partim, & partim primo, diariç febres ſoluũtur.*1°.*de die bus decretorijs.* 4ª.149.A
*de Secũdo loco enumerato prius agat, et de priori poſterius.de ijs, quę in med.ſi com.*1°. 7ª.201.C
SECVNDI *athletæ caſus, ex imbecillitate ſepti tranſuerſi.* 4°. *de locis affectis.* 4ª.25.A
SECVRIDACAE *ſemen proijcitur.*1°.*de alim.fac.* 2ª.14H
SECVRINVM *in lente naſcitur.*1°.*de alim.fac.* 2ª.15.H
SECVRITATIS *gratia neruorum miſtiones natura mollita eſt.* 16°. *de vſu par.* 1ª.217.H
*Securitas ẽ prior actiõe ad ſanitatis diuturnitatẽ.*12°.*d vſ.p.*1ª.196.C
Securitatis magnũ eſt indicium calidum in omni vlcere. comment. 5°. *aph.*22°. Ex.39.D
Securitatem ſalubrem, celeritatemq; indicij protendunt concoctiones. in 1ᵐ.*de mor.vul.com.*1°. 3ª.112.B
*SEDENTES quo modo dormiant.*2°.*de motu muſ.* 1ª.314.D
Sedentium ſomnus hedræon dicitur.in 6ᵐ.*de mor.vul.cõ.*4°.3ª.183.H
SEDERE *facit ad vires recreandas.*8°.*meth.med.* 7ª.50.B
*Sedere ſi velint ægri, malum.in progn.com.*1°. 4ª.194.A
SEDES *aquę pulmo.de ana.viuo.* Sp.47.G
Sedes melancholiæ in ſplene.de ana.viuo. Sp.45.F
Sedes virtutis concupiſcibilis eſt iecur.in tim.Plat. 1ª.287.C
*Sedes quæ afficiatur vel alteri conſentiat conſiderandum, primo actio ne vitiata conſiderata.*3°.*de loc.aff.* 4ª.15.D
*Sedem affectam qui ſcire vult in quibus libris debet exercitari.*1°.*de locis affectis.* 4ª.7.G
*Sedes affecta vnde dignoſcatur.*3°.*de loc.aff.*13.*C/* 4ª.15.D
*Sedes affecta quomodo facile inueniatur.*4°.*de loc.aff.* 4ª.25.D
*Sedem affectam quo modo maxime oſtendunt oculi, & lingua.*2°.*de lo cis affectis.* 4ª.13.C
*ad Sedem affectam inueniendam non ſolum ſymptomata præſentia cõ ſiderãda, ſed etiam præterita.*6°.*de loc.aff.* 4ª.39.A
*Sedes affecta a rebus contẽtis deprehẽditur.*1°.*de loc.aff.* 4ª.2.E
*Sedes affecta ab excremẽtorũ natura cognoſcitur eſſe dupliciter.*1°.*de locis affectis.*

locis affectis. 4ª.4.G
Sedis affectę nota accipitur ex illis ĕt quæ adnaſcũtur.1°.de l.a.4ª.2.F
Sedes ſi coaluerint præter naturam ad quam ægritudinis differẽtiam attinent.de diff.morb. 3ª.5.D
Sedes occluſa quibus aperiatur. 5°.de ſim.me.fa. 5ª.35.D
SEDEM appellat Hippocrates abſcedenti corpori ſubiectam partem. de ijs quæ in med.ſi.com.2°. 7ª.212.A
SEDES eſt pars neruoſa.com.5°.aph.22°. Ex.39.E
Sedes ſiccior carne eſt.5°.met.me. 7ª.36.D
in Sede muſculorum conſideratio.6°.de ana.adm. 1ª.93.G
in Sede muſculorum ſectio.6°.de ana.adm. 1ª.93.G
pro Sedis muſculis videndis,quomodo diſſecãda ſunt pubis oſſa.6°. de anato.admini. 1ª.93.G
Sedis muſculi circularis diſſectio.6°.de ana.adm. 1ª.93.H
in Sede muſculus eſt vnus vel plures vniti.1°.de mot.muſ.1ª.309.F
in Sede qũo duo muſculi obliqui,& quid agãt.5°.de vſu p. 1ª.146.E
Sedis muſculus dici poteſt cuticuloſus muſculus vel carnoſa cutis.de muſculor.diſſect. 1ª.50.E
Sedis muſculi quomodo mouentur.1°.de mot.muſ. 1ª.309.F
Sedem qui muſculi ſurſum attoliunt.de muſc.diſſ. 1ª.50.E
Sedem qui circulariter ambit muſculus,quomodo quandoq; cauſa ſit, vt excrementũ reuertatur.de vict.ra.in mor.acu.c.3°. 7ª.130.D
Sedis muſculo ſubito reſoluto pueri qui inuitus excernebat,caſus.1°. de locis affectis. 4ª.7.H
Sedis venarum purgatio & ſulphurata balnea euacuant æqualiter totum corpus.com.4°.aph.67°.& com.7°.aph.46°.35.A/Ex.57.G
Sedis venæ fluor in mulieribus deriuandus eſt ad venas vteri.de cuc. ſcarification. 6ª.4.F
Sedi calidum amicum,frigidum inimicum.c.5°.aph.22°. Ex.39.G
p Sedẽ frigidũ,& calidũ aſcẽdunt in ventrẽ.c.5°.aph.22°.Ex.39.E
per Sedem,vel vterum tranſmittenda,quæ per vrinas fluunt. 5°.me. medendi. 7ª.30.E
per Sedem digito in rectum inteſtinum immiſſo qnomodo deprehenda tur lapidem eſſe in veſica.introd. Iſa.57.B
de SEDIS affectibus,& cur difficillime curentur.9°.de compoſitione medic.ſec.loc. 5ª.204.E
Sedis morbi qui.introd. Iſa.59.D
in Sede vel in ſinu mulieris exiſtens Cancer non venit ad cicatricem. com.6°.aph.38°. Ex.50.E
ad Sedes Depaſtas.5°.de com.me.ſec.lo. 5ª.251.F
ad Sedis Dolores erodentes,pruritus,& rimas.9°.de compoſiti.me. ſecun.loc. 5ª.205.C
ad Sedis Eminẽtias internas ſciſſuras et ficos ĩ ſede.de m.f. 7ª.170.B
Sedem Euerſam coercere torpedinem eſt proditum.11°.de ſimp.med. facultatibus. 5ª.82.F
ad Sedis fiſſuras capitibus Menidum ſale inueteratas vſtis quidam vtebatur.11°.de ſimp.med.fa. 5ª.79.F
Sede,& veſica frigefacta in quodam,excrementum retinere non poterat.4°.de locis affect. 4ª.25.C
per Sedem Fluxibilitas quomodo fiat.11°.me.me. 7ª.73.F
in Sede Germina adnaſcuntur.3°.de ſymp.cau. 3ª.28.D
Sedis Hæmorrhoidas aperit Theriaca.de ther.ad Piſ. 5ª.96.B
ad Sedem Inflãmatam ac prolapſam.9°.de comp.med.ſe.lo.5ª.205.C
in Sede inflatis prodeſt achanta ægyptia.6°.de ſim.me.fa. 5ª.42.A
ad Sedis Obturatiões et ad alia vitia,cõpõ.9°.de c.m.ſ.l. 5ª.204.B
in Sedis phlegmone non eſt purgandũ per aluum.12°.m.m.7ª.82.A
Sedis phlegmonarum,& procidẽtiarum non ſtrenuum cataplaſma eſt galla cocta.7°.de ſim.med.fac. 5ª.51.B
ad Sedis phlegmonas valet lycium.7°.de comp.me.ſe.lo. 5ª.54.G
ad Sedis vuluæq; procidentias dandus eſt lentiſcus.8°.de ſimplicium medicem.facul- 5ª.61.H
ad Sedem procidentem.9°.de comp.me.ſe.lo. 5ª.205.A
ad Sedem procidentem infantium.de med.fac.par. 7ª.174.F
ad Sedis Rimas,fiſſuras,vlcera dolentia,& vitia.1°.de com.medica. ſecun.loc. 5ª.130.C/F
per Sedem Sanguinem fluentem non eſſe malum ex Caleno colligi põt, com.5°.aph.33°. Ex.40.E
a Sede ſanguinem perfundentibus non eſt medicamentum exhibendũ. de vict.ra.in mor.acu.com.4°. 7ª.150.F
ad Sedis tumores phlegmonodes.1°.de comp.me.per ge. 5ª.211.E
Sedis Vlcera requirũt ſuauiſſima medicamẽta.11°.de ſim.m.f.5ª.81.D
Sedis vlcera nullum cataplaſma deſiderant.5°.me.me. 7ª.36.D
Sedis vlcera Phlegmonas aut ſtolidas propetientia mitigantur lacte. 11°.de ſim.me.fac. 5ª.73.H
ad Sedis vlcere optimũ eſt medicamen,pompholyx.9°.de ſimplicium medicamen.facul. 5ª.71.A
ad Sedis Vitia.2°.de com.me.per ge.224.D/5°. 5ª.251.C
ad Sedis Vlcera ſtomaticum Critonis ex Muſto.6°.de comp.medica. ſecun.loc. 5ª.170.C
Sedis medicamenta ab Andromacho conſcripta.9°.de compo.medica. ſecun.loc. 5ª.204.F
Sedis medicamentum ex cerebellis,& a ruſtico medicamẽtum aliud. 9°.de comp.me.ſe.lo. 5ª.204.G
Sedi conueniens emplaſtrum.2°.de com.me.per ge. 5ª.224.D/E
Sedes,Lege Anus.
SEDILIA pars organorum.de machin. 7ª.309.E
Sedile in organis immobile eſt.de machin. 7ª.310.F
Sedilia in organis ſemper immobilia manent.de machi. 7ª.310.F
Sedile quid in Fabri organa.de machi. 7ª.317.A
Sedile Theſſalicum.de arti.com.1°. 7ª.255.E
SEDIMEN p ſignificet hypoſtaſim,collige.c.4ᵉ.aph.69°. Ex.33.A
Sedimen non eſt bonum ſignum in aliquibus vrinis,ſcilicet in principio morbi.com.4°.aph.69°. Ex.35.A
Sedimen non habentes vrinæ,ſi virtus conſtet;longus eſt morbus, ſin minus,mortale.com.4°.aph.69°. Ex.35.A
Sedimina biliosa ſupra tenuia acutum morbum ſignificant.commenta. 8°.aphoriſmo.32°. Ex.56.D
Sedimen bilioſum,& ſuperfluitans aquoſum nũquam vidit Galenus. com.7°.apho.32°. Ex.56.D
Sedimen craſſum habentes vrinæ,ſolutum iri morbum ſignificat.com. 4°.apho.69°. Ex.35.A
Sedimina in vrinis febricitantium veluti farina craſſior longam ęgritudinem fore ſignificant.com.7°aph.31°. Ex.56.C
Sedimen fabaceæ pulticulæ ſimilæ in quibus vrinis.de mult. 3ª.81.F
Sedimina ſimilia orobis viſa ſunt a Galeno ĩ aliquibus febrib⁹, & quo modo fiant.com.4°.aph.71°.& 76°.35.D/ Ex.36.E
Sedimen ſubrubrum,& leue,& vrina ſubrubra notant longum morbum ſed valde ſalubrem.com.4°.aph.71°. Ex.35.D
SEDIMENTVM primo conſiderandum in vrinis.in prognoſtica.commentario 2°. 4ª.200.C
Sedimenti forma eſt maximum momentum in vrina.in 1ᵐ.de mo.vul. commen.3°. 3ª.123.C
Sedimenta docent modum & menſuram coctionis.de vri. 4ª.124.A
Sedimenti concocti proprium quod.in prog.com.2°. 4ª.200.F
Sedimento quo indicetur virtutis debilitas.de vrin. 4ª.123.G
in Sedimento quatuor conſideranda.de vrin. 4ª.124.B
de Sedimenti colore.de vrin. 4ª.124.B
Sedimentũ Albũ,craſſum in vrina quid ſignificet.de vrin. 4ª.124.H
Sedimentum album,ſupremũ,planum,& inæquale,quid ſignificet.de vrinis. 4ª.123.G
Sedimentum album non planum quid ſignificet.de vrin. 4ª.123.G
Sedimentum Arenoſum quando fit.de ren.aff.dig.& med. 7ª.192.D
Sedimentũ Candidũ tenue quid ſignificet.in prog.c.2°. 4ª.200.E
Sedimentum cur candidum in vrina.in prog.com.1°. 4ª.197.D
Sedimentum quando Copioſum,& qñ non.in prog.c.2°. 4ª.200.D
Sedimentũ Craſſum,& nigrũ in vrina quid ſigñet.de vri. 4ª.124.H
Sedimentum craßum vt farina quid ſigñet.in prog.c.2°. 4ª.200.E
Sedimentum furfureum quid ſignificet.in prog.com.2°. 4ª.200.E
Sedimentum Liuidum quid ſignificet.de vrin. 4ª.124.C
Sedimentum Nigrum quid ſignificet.de vrin. 4ª.124.C
Sedimentum Optimum quod.1°.de diff.feb. 3ª.33.C
Sedimentum Peſſimum quod.1°.de diff.feb. 3ª.33.C
Sedimentum non planum æquale quid ſignificet.de vrin. 4ª.123.H
Sedimentum non planum inæquale quid ſignificet.de vrin.4ª.123.H
Sedimentum Rubrum quid ſignificet.de vrin. 4ª.124.B
Sedimentũ rubrũ groſſum in vrina quid ſignificet.de vrin. 4ª.124.H
Sedimentũ inſtar ſquämularũ quid ſigñet.in prog.c.2°. 4ª.200.E
Sedimentũ ſubrubrum,& vrina ſubrubra ſignificant ſalubritatem, ſed longitudinem.in prog.com.2°. 4ª.200.E
Sedimẽtũ ſuſpenſum,albũ,æquale,& planũ qd ſigñet.de vri.4ª.123.b
Sedimentum ſecundum Victum in prog.com.2°. 4ª.200.D
SEDITIO morbus animæ eſt. 5°.de decr.Hip. 1ª.256.C
Seditionibus ægrotant ciuitates. 5°.de dec.Hip. 1ª.255.C
SEDITIOSOS efficit cholera nigra.de dy. Sp.19.F

SEDARE, *subsistere est, & esse in quiete. de dif. pul.* 4ª.47.C
Sedandi doloris vim habentia quæ. 11°. de sim. me. fa. 5ª.83.A
Sedant lassitudinem balnea. de mel. ex Gal. Ruf. & Pos. Sp.110.D
Sedat capitis dolorem menta. de sim. med. Sp.87.D
Sedat stœchas vitia toracis. de simp. med. Sp.90.G
SEDVM *quid. de simp. med.* Sp.91.A
Sedum stringentes vires, & refrigerantes habet, similis est plantagini. de simplic. medi. Sp.91.A
Sedi, & sereos succus cuti illitus quid faciat. de mar. 3ª.48.B
SEGETVM differentiæ per suã substãtiã, quę. 1°. de ali. f. 2ª.13.A
SEGNIS, *& tardus pulsus fit a cholera nigra. de dy.* Sp.19.F
SEGNITIES *fit ex frigore. 13°. met. me.* 7ª.85.E
Segnitiem parit similitudo perpetua. de aere, aquis, & loc. 2ª.6.C
Segnities quibus multa. de aere, aq. & loc. 2ª.6.F
SEGREGATIO *actio naturæ est. introd.* Isa.55.B
Σεληνός *siue lunaticus. in 3ᵐ. de mor. vul. com. 1°.* 3ª.128.G
Σειριος *est canicula stella. in 1ᵐ. de mor. vul. com. 1°.* 3ª.102.A
Σελάχια *id est cartilaginea, in epilepsia vitanda. de pue.* 7ª.180.H
SELEVCIDES *aues edunt locustas, & per anum celeriter emittunt. 6°. de locis affectis.* 4ª.34.H
SELIBRA *vncias sex continet. 1°. de com. me. per g. 211.C/* 5ª.217.B
Σελίγνις *non est nomen Græcum. 1°. de ali. fa.* 2ª.9.G
SELINON *adeo est calidum, vrinam & menses cieat. 7°. de simpliciũ medica. facul.* 5ª.60.B
SELINVSIA *terra quid & eius vires. de simp. med.* Sp.85.A
Selinusia terra qualis, & quod ad ambusta vlcerum remedia pulcherrima est. 9°. de simp. me. fa. 5ª.66.A
Selinusiæ terræ fit mentio. 1°. de com. me. sec. lo. 5ª.127.A/H
cum SEMINE *creatore vniuersi insita est anima vt corpus gubernet. an animal sit.* 1ª.327.F
SEMEN *quo nomine dicitur a græcis. 6°. de loc. aff.* 4ª.41.G
Semen quid fin. med. 44.E/Isa. 49.E/de hist. philo. Sp.10.D
Seminis diffinitio per suam vim. fin. med. Isa.44.E
Semen differt a genitura fin. med. Isa.49.E
Semen an corpus sit. de hist. phil. Sp.10.D
Semen est sanguis exquisite confectus. 2°. de sem. 1ª.337.E
Semen viri sanguis est. de nat. & ord. cuiusl. corp. Sp.42.C
Semen est spiritus excretio. in 6ᵐ. de mor. vul. com. 3°. 3ª.172.A
Semen constat ex serosa humiditate, & spiritu. aduersus Ly. Ex.65.D
in Semine spiritus qualis. 1°. de se. 1ª.331.D
in Semine spiritus est, vt motus principiũ. 14°. de vsu par. 1ª.204.F
ĩ Semine humor est materia ad gnationẽ fœtus. 14°. de vs. p. 1ª.204.F
Semen spumosum, & spirituosum est. 14°. de vsu par. 1ª.207.F
Semen spumæ comparatur, & quomodo. 1°. de sem. 1ª.330.E
Semen plenum est spiritu vitali. 1°. de sem. 1ª.330.E
in Semine plus est igneæ substantiæ, & aereæ. 1°. de sa. tu. 2ª.62.E
Semen sanguine siccius, tñ & ipsum est humidũ. 1°. de sa. tu. 2ª.62.E
Semen habet paucam terrenam substantiam. com. 1°. aph. 14°. Ex.7.D
Semen qui spiritus conuertit in carnem. de sperm. Sp.36.B
Semen nihil habet præter naturum permistũ. in prog. cõ. 1°. 4ª.197.D
Semen est facultas & materia. 2°. de sem. 1ª.337.D
Semẽ fm Hippocratẽ hẽt vim materialẽ et effectiuã. 1°. de se. 1ª.328.H
Semen fm Aristotelem habet solum vim effectiuã. 1°. de se. 1ª.328.H
Semen quomodo fiat a natura. 7°. de dec. Hipp. 1ª.269.E
Semẽ fit ex materia, & ex vi qua concoquitur. c. 5°. ap. 63°. Ex.44.C
Seminis procreatrix facultas quid. de hist. phil. Sp.9.H
Semen generatur ex sanguine exacte coctio. 16°. de vsu pa. 1ª.219.C
Semẽ cur extra fit minus, et facile exsiccatur. 14°. de vsu p. 1ª.207.F
Semen cito & multum efficiunt testes. 1°. de se. 1ª.335.A
Semen paucũ & tarde efficiunt venæ & arteriæ. 1°. de se. 1ª.335.A
Seminis venæ quatuor vbi sint. de spermate. Sp.36.G
Seminis meatus in partibꝰ pudẽdis iferioribꝰ ẽ. 14°. de vsu p. 1ª.210.H
Semen inferius exit. 17°. de vsu par. 1ª.222.B
Semen quomodo a cerebro deducatur. de comp. memb. Sp.59.C
Semen a dorsali medulla descendere ad maris pudẽdũ arbitratur Hippocrates. in Tim. Hip. 1ª.287.H
Semen ab omnibus corporis mẽbris procedit. de aer. aq. & lo. 2ª.4.G
Semen quomodo a toto decidatur. de sper. Sp.36.G
Semen vbi coquitur & accipit formã seminis. de comp. mem. Sp.59.C
Semen genitale gnantes glãdulæ, magno vsui sunt. 14°. me. m. 7ª.90.C
Semen in testibus solum fit secundum aliquos. 1°. de sem. 1ª.333.C
Semen cur fiat album & quomodo. 12°. de vsu par. 1ª.207.G
Semen album vbi fiat. 9°. de vsu par. 1ª.172.E
Semen est in testiculis, & eo nutriuntur. c. 5°. aph. 39°. Ex.41.C
ad Seminis generationem nihil faciunt testes secundum Aristotelem. 1°. de semine. 1ª.332.G
ad Seminis generationem non multum faciunt testes secundum Herophilum. 1°. de semi. 1ª.333.E
Semen cur candidum. in progn. Hipp. com. 1°. 4ª.197.D
Semini similis esse debet puris color. in progn. com. 1°. 4ª.197.C
vt Semen genitale, cito mutatur lac. 7°. me. me. 7ª.44.F
Semen albificat oua. de dyn. Sp.44.D
Semen calidum & humidum. 2°. de temp. 1ª.16.A
Seminis vasa refert a semine in quibus inueniantur, & in quibus mini me. 1°. de semi. 1ª.335.C
Seminis vena vna ppria q̃ ab alijs quatuor recipit semẽ. de sp. S. 36.G
Semen genitale ad quid sit vtile. bre. den. dogm. Hip. 1ª.231.C
Semen ex calfactione viri & mulieris emittitur. de sper. Sp.36.C
Semen vt excernatur bruta coeunt. sicut etiam mingũt & caccãt suapte natura mota. 6°. de loc. affect. 4ª.39.H
Semen recipiunt aliquæ partes sicut aliquæ sunt ad illud excernendũ accommodatæ. 14°. de vsu par. 1ª.210.B
Semen quod in coitibus excernitur. 1°. de semi. 1ª.335.B
Semen mas debet foras eiaculari. 14°. de vsu par. 1ª.207.H
Semen eiaculatur. 1°. de semine. 1ª.333.G
Semen longinque eiaculatur in coitu. 15°. de vsu par. 1ª.210.H
Semen vnde extra eiaculatur. com. 5°. aph. 63°. Ex.44.D
in Seminis emissione fit vehementissima contentio. 1°. de se. 1ª.335.F
Semen quod primo exit viribus spiritu, & calore lõge præcellit, quod vero secũda tertia aut quarta emissione profunditur cõtrarijs qualitatibus est præditum. 2°. de se. 1ª.338.F
Semẽ emittitur in comitiali morbo, & in cõuulsione. 6°. de l. a. 4ª.41.G
Semen cur emittatur in epilepsijs vehemẽtibꝰ. 14°. de vs. p. 1ª.208.A
Semen retardãt venæ, & arteriæ quæ multipliciter ante testiculos inuoluuntur. 4°. de vsu par. 1ª.139.H
Semine emisso nõ semper fit impregnatio. de na. & or. cuiusl. Sp.42.C
Semen non emissum ad os, & spissitudo humoris sunt causa in viris sterilitatis, lege Galenum improbantem. com. 5°. aph. 63°. Ex.44.C
Semen per eandem viam recipitur ab vtero, qua fœtus expellitur. 3°. de nat. facul. 1ª.306.B
Semen repente sumi debet in sinus matricis. 14°. de vsu par. 1ª.204.G
Semen vnde accipitur in mulieribus. 1°. de sem. 1ª.335.H
Semen succus est familiarissimus matrici. 14°. de vsu par. 1ª.208.D
Semẽ trahũt cõplectũtur, et cõtinent, vulua, et vteri. 1°. de se. 1ª.329.b
ad Semen cum tendit vterus quo eat. 1°. de semi. 1ª.329.H
Semen complecti mirifice appetunt vuluæ partes. 1°. de sem. 1ª.331.A
Semen cur non possit totam vuluam aspergere. 1°. de se. 1ª.330.H
Semen maris vipera per os accepit. de theria. ad Pis. 5ª.93.C
Semen cũ est ĩ vtero, vterus claudit spatiũ et os. c. 5°. ap. 51°. Ex.42.B
Semen an restet in fœminis prægnantibus. 1°. de se. 1ª.329.A
Semen an in brutis retineatur, Galeni obseruatio. 1°. de se. 1ª.329.A
Semen maris debet manere ĩ matricibus si mulier debet cõcipere. 14°. de vsu partium. 1ª.208.B
Semen continens animal degrauidum est. 1°. de se. 1ª.329.H
Semen exercens animal, nullum concipit. 1°. de se. 1ª.329.A
Semen cur non contineatur causæ sunt pinguedo & humiditas. de aer. aquis, & loc. 2ª.5.G
Semen suscipere non potest os ventriculi præ pinguedine clausum. de aere, aquis, & locis. 2ª.5.G
Semen non continendi causa sunt purgationes menstrua quæ non eueniũt vt est necesse, sed minus & intempestiue. de ae. aq. & l. 2ª.5.G
Semen in quod primo firmetur. 2°. de na. fac. 1ª.277.G
Seminis species adhuc apparet in primo tempore in fabrica fœtus. 1°. de semin. 1ª.331.D
Semen post tres aut quatuor dies excidit membrana circumuolutũ mulieri. 1°. de sem. 1ª.330.A
Semen propter quid excidit. 1°. de sem. 1ª.330.B
Semen propter quod non excidat. de sem. 1ª.330.C
Semen continere faciunt exercitium, & carnis gracillitas, de aer. aq. & locis. 2ª.5.G
Semen vbi conceperint mulieres, quid sentiant. 1°. de sem. 1ª.329.B
Semen nisi extendatur ad vteri cauitatem, mulier non concipit. cõmen. 5°. apho. 62°. Ex.44.A
Seminis hũiditas qũo agglutinet tunicis matricũ. 14°. de vs. 1ª.204.F

Seminis humiditas craßa viſcoſa eſt,& ſpiritu vitali plena.14°.de vſu partium. 1ª.207.F
in Semine idem motus maris & fœminæ.14°.de vſu par. 1ª.206.C
Semen maris quomodo ſe habet in generatione.2°.de na.fa. 1ª.297.D
Semen maris habet facultates naturæ quibus format,auget, & nutrit animal.2°.de nat.facult. 1ª.298.H
Semen viri ſolum ingredi vterum vt menſtruo det principium motionis poſtea excerni,putarũt quidam peripatetici.1°.de ſe. 1ª.329.C
Semen maris motus principium eſt.14°.de vſu par. 1ª.206.D
Seminis motus vbi ſint.1°.de na.fac. 1ª.293.F
Semẽ i vuluis diſſolui et in ſpũm ire vult.Ariſt.1°.de ſe. 1ª.329.D/E
Semen viri eſt principium effectiuũ animalis.14°.de vſu pa. 1ª.206.B
Semen principium eſt animalis efficiens.2°.de nat.fa. 1ª.297.F
Semen habet rationem opificis.de fœt.form. 1ª.324.E
Semen maris eſt principium membranarum ac vaſorum omnium.14°. de vſu partium. 1ª.207.B
Seminis pars quæ attingit vterũ,fit membrana.1°.de ſem. 1ª.330.G
SEMEN *an depromatur è fœmina vt a mare.ſin.med.* Sp.49.E
Semen an aſſerat fœmina.de hiſt.phil. Sp.10.D
Semen a fœmina non emitti quidam putarunt.2°.de ſem. 1ª.337.A
Semen a fœmina emitti quidã putarũt,ſed infœcũdũ.2°.de ſe. 1ª.337.A
Semen habere fœminam ſenſibus credendum eſt.2°.de ſemi. 1ª.338.B
Semen cur conſeruatur in fœmina.2°.de ſem. 1ª.338.B
Semen excernunt mulieres in ſomnis,vt viri.2°.de ſemi. 1ª.136.D
i Seminis effuſiõe i ſomnis quo tẽdat ſemẽ muliebre.2°.de ſe. 1ª.337.C
Semen tenet fœmina in ſeipſa.14°.de vſu par. 1ª.207.H
Semine ſolo in ſeipſum emiſſo mulier nõ gignit.14°.de vſ.p. 1ª.206.C
Semen mulieris humidius,& frigidius eſt.14°.de vſu par. 1ª.206.B
Semen mulieris eſt tenuius et frigidius ſemine viri.1°.de ſe. 1ª331.A/ *6°.de loc.affectis.* 4ª.39.G
Semen fœminæ non eſt exiſtimandum fœcundius ſemine maris.2°. de ſemine. 1ª.337.B
Semen mulieris cur minus coctum.14°.de vſu par. 1ª.207.G
Semen in teſtibus mulierum,& humor in glãdoſis partibus,ſunt ſimil lima,& cur.14°.de vſu par. 1ª.208.B
Semen muliebre vnde effundatur.2°.de ſemine. 1ª.336.C
Semen fœminę aliquid confert ad generationẽ.14°.de vſu p. 1ª.206.E
Semen fœminæ ad quid vtile.14°.de vſu par. 1ª.208.A
Seminis fœminei vſus in fœtu qui.2°.de ſemi. 1ª.338.C
ex Semine mulieris fit tunica ἀλλαντοειδής. 14°. de vſ.p. 1ª.208.B
Semen mulieris facit inteſtinale inuolucrũ.2°.de ſe.336.D/ 1ª.338.C/E
a Semine primo quæ mẽbra fit cur perforata.1°.de ſe. 1ª.330.H
Semen fœminæ quid confert ad generationẽ.14°.de vſu par. 1ª.208.B
Semen fœmineum propria ſua progreſſione membranulas efficit,et ad quem vſum & quando.1°.de ſem. 1ª.331.A
ex Semine ſolo cerebrum ortum eſt.de ſemi. 1ª.331.C
Seminum membra veterũ animaliũ ſunt ſicciſſima.2°.de tẽ. 1ª.16.A
e Semine fiunt vena,nervus,& arteria.1°.de ſemi. 1ª.330.C
in Seminis ſubſtantia inueniuntur omnia quæ ſunt neceſſaria ad generationẽ nervorum,venarum,& arteriarum.1°.de ſem. 1ª.330.E
Semen accommodatum alendæ arteriæ & venæ.1°.de ſem. 1ª.325.G
ex Semine facta non poſſunt renaſci,niſi ſit vena,quod eſt raro.1°.de ſemine. 1ª.335.E
ex Semine fiunt multæ particulæ tanquam ex materia, quæ denuo fieri non poſſunt.de conſt.ar. Iſa.39.F
ex Semine q̃ fecit natura,non põt iterum illa facere.de cõ.ar.Iſ.39.G
Semen fœmininum maſculo confert.14°.de vſu par. 1ª.209.H
Seminis nutrimentum quod & quale.2°.de na.fac. 1ª.297.G
Semen mulieris eſt nutrimẽtũ ſeminis viri.2°.de ſe.326.D/ 1ª.338.C
Semen maris nutritur ſemine fœminæ,tanquã re magis familiari, quã ſanguis ſit.14°.de vſu par. 1ª.207.B
Semen mulieris cur alimentum ſeminis viri.1°.de ſem. 1ª.331.A
Seminis primas facultas eſt trahere ſanguinem ſibi proprium. 2°. de natura.facul. 1ª.297.F
Semen,quod continetur,habet vires attrahendi,accommodandi, continendi,& parandi ſibi cibum.1°.de ſemi. 1ª.330.G
ad Semen maris confluit ſanguis a matre,& quomodo ſe habeat.2°.de natu.facul. 1ª.297.D
Semen habet facultatem trahendi ſanguinem,vt magnes ferrũ. 2°. de natu.facul. 1ª.297.F
a Semine ſanguis qui trahitur,qualis eſſe debet.2°.de n.f. 1ª.297.F
Semen mulierum commiſcetur cum virili.1°.de ſem. 1ª.331.A
de Seminum miſcella Empedoclis opinio.2°.de ſe. 1ª.337.F
ex Seminum vtrorumq; commixtione fit fœtus.2°.de ſe. 1ª.337.H
Semen maris,& fœmine ſimul mixta requiruntur ad generationẽ.14°. de vſu partium. 1ª.206.C
ex Semine viri & mulieris fit ſemen perfectum.2°.de ſe. 1ª.336.D
Semen viri perfectum eſt.14°.de vſu par. 1ª.207.H
Semen mulieris imperfectum eſt.14°.de vſu par. 1ª.207.H
Semen viri,& ſemen fœminæ eodem modo mouentur ad generationẽ. 14°.de vſu par. 1ª.206.B
ex Seminis motione forma habetur.2°.de ſe. 1ª.339.H
Semini muliebri abſque virili comparat ouа ſine galli ſemine. 14°.de vſu partium. 1ª.206.D
ex Semine,& ſanguine prima conſtitutio animalis fit.2°.de tẽ. 1ª.16. *A/1°.de ſanita.tu.2ª.62.E/aduerſus Lyc.* Ex.65.B
Semine,& ſanguine mẽſtruo nobis eſt calidũ inatũ.adu.Lyc Ex.61.H
Semen eſt,ſed nutritur a ſanguine,& ampliatur, propterea dici põt, omnes partes a ſanguine fieri.de na.hum.com.1°. 1ª.31.D
Semen genitale aliqui calidũ,& copioſum hũt.6°.de ſa.tu. 2ª.100.E
Semen copioſum vnde.com.5°.apho.63°. Ex.44.C
Seminis multi quæ medicamenta,qui cibi,& cibi ſimul,& medicamẽta.5°.de ſimp.med.fac. 5ª.38.B
Semen generant quæ ſpiritum flatuoſum prouocant.6°.de ſimplicium medicamento.facul. 5ª.46.A
Seminis plurimum quæ pariunt alimenta,excitant ad libidinem.6°.de locis affectis. 4ª.42.F
Semen ſanguinẽ,& ſpiritũ p orificia trahit,& qũo.1°.de ſe. 1ª.330.G
Semen prouocantia habent quandam affinitatem cum ijs quæ prouocãt ſedantq̃,menſes,& lac.5°.de ſim.me.fa. 5ª.37.F
Semen quæ generent,& quæ extinguant.5°.de ſim.me.fa. 5ª.38.B
Semen augent bulbi.2°.de alim.fa. 2ª.25.A
Semen auget cicer.de bon.& vitio ſucco. 2ª.37.D
ad Semẽ generãdũ aptũ eſt cicer legumen.6°.de ſim.me.fa. 5ª.47.E
Semen generat eruca & ad coeundum excitat.2°.de ali.fa. 2ª.23.G
Semen quibus prouocetur.5°.de ſim.me.fac. 5ª.37.F
Semen elicit cedrea pudendo circumlita.7°.de ſim.me.fa. 5ª.50.E
Semen copioſiſſimũ & craſſiſſimũ in quibus reperiat.1°.de ſe. 1ª.335.C
Seminis copia non parua conſpicitur in ijs quæ conceperũt iam diu. 2°. de ſemi. 1ª.335.H
Semen fœcundiſſimum ſit in calidioribus & humidioribus temperatu ris.com.5°.apho.63°. Ex.44.C
Semẽ quale eẽ dẽt,ſi debet eſſe fœcũdũ.1°.de ſe.325.D/2°. 1ª.338.E
Semine quod animal eſt plenum.1°.de ſe. 1ª.335.C
Semen quæ ſupprimunt,tñ nõ corrũpunt.5°.de ſim.me.fa. 5ª.38.C
Semen quæ exſiccent.5°.de ſim.me.fa. 5ª.38.C
Semẽ quod facit marem,et fœminã ſm Stratonicũ.2°.de ſe. 1ª.338.H
ex Semine viri & partim a matre cauſam habet quod cõceptum eſt vt mas vel fœmina fiat.14°.de vſu par. 1ª.206.E
Semẽ maris quod requirat ad gñationẽ fœmine.14°.de vſ. p. 1ª.206.C
Semẽ viri frigidũ concipere facit fœminas.cõ.5°.aph.42°. Ex.41.E
Seminis caloris vi ſubacta p fœmina maſculus fit fœtus ſed raro.14°. de vſu partium. 1ª.207.A
Semen genitale calidum,& copioſum proritat ad ſui expulſionẽ.6°. de ſanitate tu. 2ª.100.E
Semẽ mordax & calidum quomodo corrigitur.6°.de ſa.tu. 2ª.100.E
Semen mordax,et calidum cuiuſdam:quomodo a mulieribus ſentiretur.6°.de ſa.tu. 2ª.100.F
Semen torretur & aſſatur propter calorem.com.5°.ap 63°. Ex.44.D
Semen ſiccius qui habeant.com.6°.aph.2°. Ex.46.E
Semen ſiccum, & humidum quomodo cognoſcatur per maiorem & minorem eiaculationem.com.5°.aph.62°. Ex.43.G
Semen aduritur ſiccitate.com.5°.aph.62°. Ex.43.G
Semen extinguitur in humiditate.com.5°.aph.62°. Ex.43.H
Semen qui habent humidum ſunt minus ſani.com.6°.aph.2°. Ex.46.E
in Semine ſentiuntur mutationes ætatis,hyemis,pluuiæ,& ſiccitatis. de aere,aq.& loc. 2ª.6.B
in Seminis genitalis mixturam lac compactionem,tẽpora ſimilia non faciunt corruptiones neq; malignitates.de aer.aq.& loc. 2ª.5.E
a Semine radix eſſentiæ prouenit in fœtu.an animal ſit. 1ª.328.D
Semina parentũ ſi æqualia ſint,& ſana,quid ſequatur.de ſper.S.38.E
Semen ſi fuderit pater in horis ſanguinis,quid ſequat.de ſper. S.38.F
a Semine ſi ſit formatio,ſemp fœtus erit ſimilis patri.2°.de ſe. 1ª.336.B
Semen ſalubre a ſalubribus prouenit.an animal ſit. 1ª.327.B

Semen morbosum a morbosis exit. an animal sit. 1ª.327.B
Semina iacta vitiosam habentia quantitatem, & qualitatem fœtus tales faciunt. an animal sit. 2ª.328.C
Semen vitiatum in patre & auo generat malas dispositiones in filijs. commen. 6°. apho. 28°. — Ex.49.B
Semen ebriorum est vitiosum. 11°. de vsu par. 1ª.188.E
Semen mutant morbi. de aere, aq. & lo. 2ª.5.F
ex Semine retento viri etiam læduntur. 6°. de lo. aff. 4ª.39.H
Seminis retentio quid faciat diuersis hominibus. 6°. de lo. aff. 4ª.39.G
Seminis retenti symptomata. 6°. de loc. aff. 4ª.41.A
a Semine retẽto fit magis præfocatio, q̃ a mẽstruis. 6°. de l. a. 4ª.39.G
Semen retentum valde infestat, tamen hæc infestatio non potest comparari delectationi eiectionis. 1°. de sym. cau. 3ª.17.G
ob Semen retentum mulieris affectæ casus. 6°. de lo. aff. 4ª.40.A
Semine retento casus duo. 6°. de loc. affe. 4ª.39.G
Semen exiens facit voluptatem etiam sine viro, cum sponte exit. 2°. de semine. 1ª.336.C
Semen quale, & quomodo effluxerit in muliere, quæ vteralibus vexabatur morbis, & conuulsa videbatur. 2°. de semine. 1ª.336.C
Semẽ siue per insomnia; siue alio pacto immodice pfluẽs retinet nymphæ semen. 8°. de simp. me. fac. 5ª.57.A
SEMINA *omnia ex quatuor sunt elementis, de nat. hu. cõ. 1°.* 1ª.30.B
Semina plantæ & animalia tantum viuere dicuntur. de marc. 3ª.45.B
pp Semina viuunt fructus. de marc. 3ª.45.C
Semina, stirpes, arbores prius fuere agrestia, quæ nunc sunt domestica, in Timæum Plato. 1ª.286.H
Semina eligendo agricolæ seminant & homines non considerant sua semina. 11°. de vsu par. 1ª.188.C
Semen seminatum quid agat. 1°. de nat. fac. 2ª.91.E
Semina pleraq; non mense sed anno etiam supprimuntur. de natur. humana. comment. 1°. 1ª.29.C
ex Seminum putredine calor generatur. de cau. morb. 3ª.6.D
Semina sunt similia facultate suæ plantæ. de atten. vic. 2ª.44.D
Semina facultate in quo differant planta. de atten. vic. 2ª.44.D
Semina, radices, caules, fructus, folia habẽt diuersas facultates in vno, 1°. de alim. facul. 2ª.7.E
a Semine differt fructus. 2°. de alim. fac. 2ª.16.C
Semen durum, & arbor tenella cur. de marc. 3ª.46.C
Seminum differentiæ per suam substantiã, quæ. 1°. de ali. fac. 2ª.13.A
Semina q̃ intumescũt fructuq; si qdẽ pristinã duritiẽ, & siccitatẽ cito exuãt, ac mollitiẽ et hãiditatẽ acqrãt, meliora oĩa hũr. de b. 2ª.36.F
ex Seminibus quæ minime tument, & pristinam duritiẽ retinent, sunt deteriora. de bon. & vitio succo. 2ª.36.F
Semina parua mole, quę multam habent substantiam, crassam, viscidã, sunt optimi succi, ac multi alimenti, tamen cito non descendunt, contraria contrario modo se habent. 3°. de ali. fac. 2ª.13.A
Semina manduntur quarundam herbarum quorum herbæ non mandũtur. de atten. vic. 2ª.44.E
Semina comeduntur vrgente necessitate. 2°. de ali. fa. 2ª.22.B
Semina oĩa, quibus vescnnĩ homines, sua natura adsiccius, & calidi⁹ magis quam herbę ipsæ, semper sunt propẽsa. de atte. vic. 2ª.44.E
Semina non coquebat Galenus, sed macerabat. 4°. de sa. tu. 2ª.87.B
Semina qualia esse debent. 1°. de anti. 5ª.107.D
Semiũ omniũ inditium cõe bonitatis quod. 1°. de alim. fa. 2ª.11.F
a Seminibus postq̃ fuerint collecta ac reposita primo destruit qcqd est aquosum, ac tenue, post aliqd ẽt humidi naturalis. 1°. de ali. f. 2ª.11.F
Semina diutissime reposita vires habẽt imbecilliores. 1°. de a. f. 2ª.11.F
Semina corrumpuntur quia non difflantur. 2°. de dif. feb. 3ª.40.B
Semen Almaru secretorum. Sp.102.A
Semina Amara quæ. 4°. de simp. me. fa. 5ª.26.E
Semen Apij renes purgat. de cathar. Sp.95.C
Seminis apij, & carui decoctio prouocat vrinam et menstrua fortiter, subtiliat humores crassos. de med. exper. Sp.104.D
Semen Balsami per suffumigationẽ prouocat sudorẽ. de cath. Sp.95.D
Semen balsami purgat vesicam. de cathar. Sp.95.D
Semen Bauciæ. de dynamidijs. Sp.27.A
Semina Cerealia quæ. de atten. vic. 2ª.44.F/*de victus ratio. in morbis acutis, comnenta. 1°.* 7ª.111.B
Semen Feniculi reuocat lac in mamillis. de cathar. Sp.95.B
Semen fœniculi purgat renes. de cathar. Sp.95.C
a Seminibus Frigidis, & humidis cauendum est in diæta attenuante. de atten. vict. 2ª.44.E
quæ Semina Frumentaria tenuium partium, & calida parum sint. 3°. de comp. me. per ge. 5ª.228.F
Semen Hippomarathri vrinam mouet. de mel. ex Gal. Ruf. Sp.110.B
Semen Lini calorem temperatum habet. 11°. met. me. 7ª.73.C
Semen lini purgat pulmonem, & thoracem. de cathar. Sp.95.B
Semen lini frangit lapidem renum, & vesicæ. de cathar. Sp.95.D
Semen Liquiritiæ purgat vesicam. de cathar. Sp.95.D
Semen Maluæ quid faciat. de mel. ex Gal. Ruf. & Pos. Sp.110.A
Semina Odorata tenuium partium vrinam cientia, quæ. 9°. de composi. med. sec. loc. 5ª.200.H
Semen Oleris atri frangit lapidem renum, & vesicæ. de cath. Sp.95.D
Semen Tithymalli purgat indigestibiles succos, & lumbricos rotũdos excludit. de cathar. Sp.95.C
Semen Vrticæ, & lini, tostum. 7°. de comp. me. sec. lo. 5ª.182.A/G
ex Seminibus confectio sedans dolorem. 7°. de com. m. se. l. 5ª.184.H
ex Seminibus malagma. 7°. de comp. me. per gen. 5ª.266.A
de Seminibus pastillus ad tussientes. de med. sa. pa. 7ª.173.D
ex Seminibus tussiculares compositiones. 9°. de cõ. me. se. l. 5ª.200.H
SEMENTEM, *anni partem Galenus vocat. in 1ᵐ. de mor. vulgaribus, cõmentario. 1°.* 3ª.102.A
vt SEMIASIANVS *& semideus nomen tale sortiuntur, ita & Hemititiæus. 2°. de diff. feb.* 3ª.38.E
per SEMICIRCVLOS *duos dicebat Plato fieri expirationem, & receptionem aeris per insensibiles meatus. in tim. Plat.* 1ª.290.A
SEMIGONGIVS *libras quinq; habet. de pond. & mens.* 5ª.277.C
SEMICOTYLE *mensura est. 10°. de simp. me. fac.* 5ª.73.C
Σεμίδαλις *Græcum nomen, & antiquum est. 1°. de ali. fa.* 2ª.9.G
Semidalis quid vocetur. de med. fac. par. 7ª.163.H
Semidalis primo in pituitam post in sanguinem trãsit. de victus ratio. in morbis acutis. com. 2°. 7ª.120.F
Σεμιδαλίτης *panis similaceus dicitur. 1°. de ali. fac.* 2ª.9.G
SEMIDEI *vocis meminit. 2°. de dif. feb.* 3ª.38.E
SEMIMEDIMNVS *quid. de pond. & mens.* 5ª.272.F
SEMINALIS *in secundo est ordine medicaminum refrigerantium, aut etiam quodammodo in initio tertij. 8°. de simp. me. fac.* 5ª.58.G
in SEMINALIBVS *membris mulierum, non est adhibenda fides Athæneo. 2°. de semine.* 1ª.336.C
Seminale vas seminis vas est, 1°. de semi. 1ª.335.C
Seminalibus meatibus testes quomodo iungantur. 1°. de sem. 1ª.335.F
Seminaliũ meatuũ radix & origo est supergeminalis. 1°. de se. 1ª.335.F
Seminalis meatus in accensis in Venerẽ, est plenus semine, & vacuus post coitum. 2°. de semine. 1ª.335.H
SEMINARIA *vasa sunt ea, quæ semen emittũt. commentario 5°. aphorismo 63°.* Ex.44.D
Seminaria vasa antecedentia, & consequẽtia, quæ. de ana. vi. Sp.51.G
Seminarijs vasis non motis, possunt eximi testes. 1°. de sem. 1ª.333.H
Seminaria vasa dependent a testiculis. ars med. Ija.63.B
Seminaria vasa quomodo infigantur in renes, & vnde oriantur. 1°. de vsu partium. 1ª.206.E
Seminariorum vasorum licet minus spacium habeat aues, tñ quia sunt in loco calidiori celerẽ semini gñationẽ præstãt. 1°. de se. 1ª.333.H
Seminaria vasa qualia in viris, & mulieribus, & cur. de ana. Sp.51.G
Seminaria vasa sunt in vuluæ cornibus. 1°. de semi. 1ª.331.A
Seminarium vas cur inuolutum, & magnum. 1°. de semi. 1ª.333.E
Seminaria vasa sunt plena, cum animal non vtiẽ venere, & vnde hoc habent. 1°. de semine. 1ª.335.E
Seminaria uasa in fœminis non tantum reperiuntur plena semine, sed testes earum. 2°. de semi. 1ª.236.D
in Seminarijs meatibus omnes fœminæ habẽt semẽ. 2°. de se. 1ª.336.D
Seminaria membra cur non renascantur. 1°. de semine. 1ª.333.A
SEMIOBOLVS *habet pondere siliquã & semis. de ponderibus & mẽsuris. 276.A/D* 5ª.277.B
Semiobolus Atticus. de pond. & mens. 5ª.276.D
SEMIRHOMBVS *deligatio q̃. de ijs, quæ in med. fi. com. 2°.* 7ª.205.F
Semirhombus vinculum. de fas. 7ª.295.C
Semirhombus, nauicula, lepus sine auribus idem genus vinculi. de fascijs. 7ª.296.G
SEMISEXTVM *habet choas 2 chęninas 4. de pond.* 5ª.276.B
SEMISSE. *3°. de comp. med. sec. locos. 147.E/ 9°. 198.H/de ponderib. & mensuris.* 5ª.275.H
SEMITERTIANA *uocabulum Galeni est. de mor. temp.* 3ª.87.F
Semitertiana vnde dicta. de ty. 90.H/in 1ᵐ. de mor. vul. c. 3°. 3ª.119.F

de Semitertianis Agathinus scribens primum consumpsit librum in declarando vocabulũ semitertiana quid significaret. in 1m.de mor. vulgaribus,com.2°. 3a.110.D
Semitertianæ quæ vocentur ab ignaris.2°.de crisi. 4e.137.B
Semitertianæ natura.in 1m.de mor.vul.com.3°. 3a.118.E
Semitertiana non est in intermittentibus numeranda. in 1m.de morbis vul.comment.3°. 3a.119.D
Semitertiana modo continua,modo intermittens est.introd. Isa.55.D
Semitertiani typi quales.de typi. 3a.90.G/H
Semitertiana febris q̃.fi.me. Isa.46.E/in 1m.de mor.vul.c.3°.3a.119.D
Semitertiana nõ est sine discrimine.in 6m.de mor.vul.c.2°. 2a.164.D
Semitertianæ differentiæ.de typ. 3a.90.H
Semitertiana quo cognoscatur,& qũo mista.2°.de crisi. 4a.136.E
Semitertianæ complicatio qualis.2°.de crisi. 4a.136.E
Semitertiana cũ horrore venit & qũo.in 1m.de mor.vul.c.2°.3a.110.E
Semitertianæ horror qualis,et cur horrida a Galeno dicta.de morbor. temporibus. 3a.88.E
Semitertianus modus quando erat,& qualis.in 3m.de morbis vulga. commenta.1°. 3a.106.B
Semitertiana ex quibus fiat.de morb.temp. 3a.87.E
Semitertiana ex quo humore cõsistit.in 1m.de mor.vul.c.1°.3a.106.B
Semitertianæ,& aliæ febres iunguntur.de morb.tem. 3a.87.E
Semitertiana quos inuadat,& quo tempore.de typ. 3a.90.H
Semitertianæ Romæ plurimæ fiunt.de morb.temp. 3a.87.F
Semitertiana Romæ frequentissima,& familiarissima est.in 1m.de mor bis vulgaribus,com.2°. 3a.110.E
Semitertianæ periculum quod.de typ. 3a.90.G
Semitertiana quando lætalis.in 1m.de morb.vul.com.3°. 3a.118.H
Semitertianæ febris meminit.in 6m.de mor.vul.com.1°. 3a.160.A
Semitertianæ quomodo finiant.3°.de crisi. 4a.39.F
ad Semitertiana,casus.2°.de crisi. 4a.136.F
SEMIVNCIA est denarij quatuor.2°.de comp.me.per ge. 5a.223.D
SEMPERVIVVM non facit multũ succum.1°.de cõ.me.per g. 5a.211.G
Semperuiui succus frigidus est. 6°.de sa.tu. 2a.100.F
Semperuiuum refrigerat.14°.me.me. 7a.87.D
Semperuiuũ est indurans frigidũ,& humidũ.5°.de sim.me.fa.5a.34.G
Sẽperuiuũ desiccat tenuiter,mediocriterque adstringit, et in eo aquea essentia abundat,& tertio ordine refrigerat.6°.de sim.m.f.5a.41.F
Semperuiuum condensat.5°.de simp.me.fac. 5a.35.G
Semperuiui succus qũo debet accipi.1°.de com.me.per ge. 5a.211.G
Semperuiuum quale ad achoras.1°.de comp.me.sec.loc. 5a.129.G
Semperuiuum in emplastro apponendum in principio inflammationũ. 2°.de arte cur.ad Glau. 7a.101.F
Semperuiuum euitandum in Herpete exedente. 2°.de arte curatiu.ad Glauconem. 7a.102.B
Semperuiui fit mentio.10°.met.me. 7a.65.A
SEMPITERNAE quatuor res præter Deum,atomi infinitum, vacuũ si militudines.de hist.philo. Sp.4.G
SENECIO N vbi nascatur.8°.de comp.me.se.lo. 5a.196.B
SENECTA anguis ad quid valeat & quomodo.3°.de compositio.me. secun.locos. 5a.142.F
Senecta serpentis dentiũ doloribus medetur.11°.de sim.m.f. 5a.80.E
in SENECTA affectiones animæ & corporis sedari dicentes, absurda afferunt.in 6m.de morb.vul.com.5°. 3a.190.D
de Senectæ admirabili euitatione secundum editionem philosophus quidem fecit.de marc. 3a.45.F
SENECTVS ætas est in qua diminuitur animal,ac deficit:& quare.fin. med. Isa.44.D
Senectus non est,vt augeri,ac nutriri,secundum naturam,& quare.de marc. 3a.45.E
Senectus duplex,& qui senes possint tolerare ieiunium. comment.1°. aphorismo.13°. Ex.6.H
Senectutis ætas prima,quæ.5°.de sa.tu. 2a.94.G
Senectutis ætas media quæ.5°.de sa.tu. 2a.94.G
Senectutis ætas tertia quæ.5°.de sa.tu. 2a.94.G
Senectus quomodo fiat.de hist.philo. Sp.12.B
Senectus non accideret homini,si nihil defluere t,vacuareturque.16°. de vsu partium. 1a.220.F
Senectº ne matureẽ difficile ẽ mediocritatẽ seruare.6°.de s.t. 2a.96.F
Senectutem qualẽ nonnulli esse putauerunt.com.3°.aph.31°. Ex.26.G
Senectus frigida,& humida quomodo fit,& intelligi debeat. commen. 3°.aphorismo.31°. Ex.26.H
Senectus sit arida.de marc. 3a.45.G
Senectus arbori siccæ comparata est.1°.de diff.feb. 3a.34.F
in Senectute abundat pituita secundũ Hippocaatem. bre.deno.dogm. Hipp.1a.231.B/com.1°.aph.2°. Ex.3.D
Senectus extrema minimum sanguinis obtinet aduersus Ly.Ex.65.C
Senectus neq; certa est ægritudo,neque integra sanitas.de partib. art. medicæ. Sp.17.E
Senectus ipsa morbus est.1°.de sa.tu. 2a.63.H
Senectus aliquibus visa est morbus.2°.de sa.tu. 2a.95.F
Senectus ineuitabilis est,et qui in ea Marcor cõtingit.de mar. 3a.45.d
Senectus quę ægritudo secundum Philippum.11°.de diff.feb. 3a.34.F
Senectus quæ proprie sit.5°.de sa.tu. 2a.92.G
Senectus propria est vigilia.com.3°.aph.31°. Ex.26.H
Senectus plena curarum.com.3°.aph.31°. Ex.26.H
Senectus ex morbo febrili quandoq; accidit.5°.de sa.tu. 2a.96.H
Senectuti obliuiosæ cõmẽtarios sibi fecit Galenus.3°.de dif.p.4e.60.H
in Senectute qui non calueſcant.1°.de temp. 1a.19.H
in Senectutẽ ex ægritudine pueri quoq; incidunt.1°.de dif.f.3a.34.F
ad Senectutis ethicam.secreto. Sp.101.H
SENESCENTIA corrumpuntur.de marc. 3a.46.B
Senescentibus cur testes laxi reddantur.1°.de se. 1a.334.E
SENESCERE cur sit necesse.6°.de sa.tu. 2a.96.F
Senescimus calido innato,& senescentia corrũpuntur.de mar.3a.46.B
Senescunt celeriter frigidi,& sicci.5°.de sa.tu. 2a.94.D
Senescit cito,qui cito peruenit ad incrementum summum.6°.de sanita. tuenda. 2a.96.E
Senescerent cur nunquam homines.10°.me.me. 7a.66.E
Senesceret animal nunquam, quomodo.de marc. 3a.46.C
SENEX pro Hippocrate sumitur a Galeno.3°.de dif.res. 3a.71.G/11°. methodi medendi. 7a.71.C
SENEX non est,qui vires habet integras.11°.met.me. 7a.70.A
Senum natura quæ.fin.med. Isa.44.G
Senum inter se nõ parua differentia est,& qualis.5°.de sa.tu. 2a.93.B
Senes a senioribus ab aliquibus distinguuntur sed Galenus eos reprehẽ dit.com.3°.apho.31°. Ex.26.G
Senis vt senex est,quid proprium.5°.de sa.tu. 2a.92.G
Senes quales sint,& cur.de ven.affe.dig.& mede. 7a.191.D
Senes habent frigida corpora.com.1°.aph.2°. Ex.3.D
Senes frigidi,& sicci sunt.3°.de symp.cau. 3a.29.D
Senum proprium temperamentum frigidum,& siccum est acquisititiũ vero humidum.de sal.die. 2a.40.G
Senum temperamento similium est siccum,& frigidum temperamentum.5°.de sanitate tuenda. 2a.94.D
in Senibus siccitas,& frigiditas nimis abundãt.1°.de sa.tu. 2a.64.D
Senes frigidiores multo sunt tum pueris,tum etiam adolescentibus.de vtilitate respirationis. 1a.225.G
Senes quomodo possint dici frigidi,& humidi,cum non sint.6°.de sani. tuenda. 2a.96.E
Senes non sunt humidi.de marc. 3a.45.G
Senes cur humidi videantur.5°.de sa.tu. 2a.92.D
Senes quomodo sint humidi,& quomodo sicci.de sal.dict. 2a.40.F
Senes humidi,molles,frigidiq; sunt.de sal.dict. 2a.40.E
in Senibus pituitosum,& serosum excrementum colligitur.5°.de san. tuenda. 2a.92.E
Seni plus pituitæ medicamentis ijsdem trahitur,iuueni autem plus bi lis secundum Asclepiadem.1°.de nat.facul. 1a.294.C
Senes cur semp aceruãt humiditates.in 3m.de mor.vul.c.3°.3a.142.D
Senes aquoso excremento abundant.5°.de sa.tu. 2a.91.B
Senex quomodo humidus.2°.de tem.1a.16.C/1°.de sim.me.f. 5a.3.G
Senes quomodo sicci,& humidi,& vbi.5°.de san.tu. 2a.92.C
Senes quomodo siccus.2°.de temp. 1a.16.C
Senes sunt sicci,non quia non abundant humiditate, sed quia membra seminum sicca sunt.2°.de temp. 1a.16.C
Senum corpus,duris pellibus similiter rigens est.5°.de sa.tu.2a.92.G
Senex his partibº est siccus,in qbus puer est humidº.2°.de tẽ.1a.16.C
Senes non habent adustos humores.6°.de sa.tu. 2a.96.F
in Senibus densitas naturalis est,& innata.de opt.sec. Isa.26.E
Senum raritas violenta est non naturalis.de opt.sect. Isa.26.B
Senes habent minimum carnis.aduersus Lycum. Ex.65.D
Senum caro quibus rationibus praua.3°.de ali.fac. 2a.29.D
Senibus cuncta exanguia,aduersus Lycum. Ex.65.D
Senes nõ possunt boni habitus plenitudinẽ suscipere.2°.de l.af.4a.11.F

in Senibus & nuper natis, euidentius conſpiciũtur nerui & fibrę. 4°. de ana.admi. 1ª.80.D
in Senibus fœminis quomodo ſint vuluæ.de diſ.vul. 1ª.109.B
Senex vitijs affectus, nõ debet deterreri quin poſſit fieri probus.de cogni.cur.ani.morb. 2ª.51.E
Senex conſulendus de moribus, & vitijs.de cog.cur.ani.mor.2ª.53.G
Senes ad æſtatem melius ſe habent.com.3°.aph.3°. Ex.20.B
in Senibus cerebrum ſicceſcens diſtat a caluaria.in 6m.de mor.¦vulg. commentar.3°. 3ª.170.A
Senes habent aluos humidas, ſi iuuentute ſint ſiccæ, & e cõtra.cõmẽ. 2°.aphoriſ.53°. Ex.19.E
Senum pulſus quibus conſtet temporibus.comp.pulſ. Sp.19.E
Senum ætas habet ſiſtolem tardam, & minorem.de vſu pu. 1ª.229.E
in Sene pulſus intermittẽtes nõ ſunt pnitioſi.2°.de præſ.ex. 4ª 110.E
Senes minus, & raro reſpirant.de vtil.reſp. 1ª.225.G
SEN-I qui medicus conueniat.5°.de ſa.tu. 2ª.92.H
Senes quomodo regendi.5°.de ſa.tu. 2ª.89.B
Senes vt conualeſcentes debent in victu curari.5°.de ſa.tu. 2ª.90.F
ad Senes pertinet pars artis reficiens, & inſtaurans.ars me. Iſa.71.F
Senibus ſanitatis tuendæ ratio conatur ſenum ſanitatem ſeruare. 6°. de ſanitate tu. 2ª.95.G
Senes quomodo ſeruandi.de marc. 3ª.47.A
Seni viro, puero, mulieri, æſtate, hyeme, in loco calido, in loco frigido, non æque conueniunt capilli.de vſu par. 1ª.189.F
Senes diætandi duplex indicatio.de ſal.diæt. 2ª.40.F
Senes an exſiccandi vel humectandi, & vbi.5°.de ſa.tu. 2ª.92.C
Senes qui calefaciendi & humectandi.5°.de ſa.tu. 2ª.93.B
Senũ cibus & potus humidus & calidus eſſe debet.de ſal.diæ.2ª.42.G
Senibus potiora ſunt quæ humectent.5°.de ſa.tu. 2ª.92.D
Senibus, ſi humectatione nõ indigẽt, quæ nõ pſint.5°.de ſa.tu.2ª.92.D
Senes ſiccior victus plerunq; decet, & quare.de ſal.diæt. 2ª.40.E
Senibus quidã dãt cibos qui potius exiccent.5°.de ſa.tu. 2ª.92.C
Senibus qui cibi dandi vt exſiccent ſm aliquos.5°.de ſa.tu. 2ª.92.C
Seni qui panis commodus.1°.de alim.fac. 2ª.10.A
Senum panis qualis eſſe debet.5°.de ſa.tu.91.E/ 2ª.92.D
Senibus obſtructiones in iocinore liene & renibus facit panis ſuas dotes non habens.5°.de ſa.tu. 2ª.91.F
Seni quæ aues commodæ.5°.de ſa.tu. 2ª.91.D
Senex a quibus carnibus abſtinere debet.5°.met.me. 2ª.90.D
Senibus piſces molles accommodati.3°.de ali.fac. 2ª.31.E
Senex ab his quæ teſta teguntur abſtineat.5°.de ſa.tu. 2ª.91.D
Senibus vinum bibendum vt iuueneſcãt.quòd animi mores. 1ª.320.G
cõtra Senum auſteritatem vinũ medicina eſt.quod aĩ mo. 1ª.320.G
Senes cur auſteri, tedij pleni, & duri, quod animi mor. 1ª.320.G
pro Senibus vinum quomodo eligendum.5°.de ſa.tu. 2ª.91.A
Senibus aptiſſimum vinum eſt.5°.de ſa.tu. 2ª.90.H
Seni vina calidiora, & vrinas mouẽtia, cõmoda.5°.de ſa.tu. 2ª.91.B
Senes cur vinis vrinas cientibus indigeant.5°.de ſa.tu. 2ª.91.B
Seni apta non ſunt vina quæ in ventre morantur.5°.de ſa.tu. 2ª.91.B
Seni ægrotanti vinum aquoſum quotidie quomodo exhiberet Galenus. de vict.ra.in morb.acu.com.3°. 7ª.131.D
Senibus conueniunt vina dulcia pallida.5°.de ſa.tu. 2ª.91.C
Seni quod vinum dulce optimum.5°.de ſa.tu. 2ª.91.C
Senibus vinum quæ bona faciat.5°.de ſa.tu. 2ª.91.B
Senes caput valentius nõ habentes, quæ vina bibere poſſunt.5°.de ſa. tuenda. 2ª.90.H
Senex quãdo vinum album bibere debet a balneo.5°.de ſa.tu.2ª.91.C
Senibus inutilia ſunt vina nigra.5°.de ſa.tu. 2ª.91.B
Senes vina nigra craſſa bibentes, incidũt in aquam intercutem vel calculum.5°.de ſa.tu. 2ª.91.B
Senes vinis melle conditis quando potiſſimum vti poßunt.5°.de ſanit. tuenda. 2ª.91.C
Seni mel ſalubre.2°.de nat.fa. 1ª.300.H
Senes comedant mel.1°.de alim.fac. 2ª.8.F
Senibus mel accommodum eſt.3°.de alim.fac.32.H/ de bo.& vitio ſuccorum. 2ª.39.A
in Senibus mel vertitur in ſanguinem.2°.de na.fa. 1ª.300.B
Seni quando dandum far cum melle & aceto.5°.de ſa.tu. 2ª.92.D
Senibus præ ceteris autumnalibus fructibus fici maturi eligendi.5°.de ſanitate tu. 2ª.92.D
Senibus hyeme caricæ eligendæ.5°.de ſa.tu. 2ª.92.D
pro Senibus omnia ſalita meliora recentibus.5°.de ſa.tu. 2ª.91.D
Senes debent moueri vt iuuenes.5°.de ſa.tu. 2ª.89.F
Senes nec debent quieſcere, nec moueri nimium.5°.de ſa.tu. 2ª.89.F
Senis motus qualis eſſe debet.5°.de ſa.tu. 2ª.89.G
Senes indigent moderato motu.5°.de ſa.tu. 2ª.92.D
Senum exercitium quale.5°.de ſa.tu. 2ª.89.H
Senibus exercitium quale.5°.de ſa.tu. 2ª.89.H
Senibus quod genus exercitationis vtiliſſimũ.de par.pi.exer. 2ª.49.E
in Senibus conſuetudo multum facit ad exercitationis ſpeciem eligendam.5°.de ſa.tu. 2ª.89.H
Senes conſueto opere exercitari debent, etiam ſi modice noxium ſit. 5°.de ſa.tu. 2ª.93.A
Senum exercitatio vnde ſumatur.5°.de ſa.tu. 2ª.89.H
Senes nõ debẽt attingere illa, quæ indigent arte.5°.de ſa.tu. 2ª.89.H
Senes omnes conſuetis laboribus exercendi, ſed eorum vehementia remiſſa.5°.de ſa.tu. 2ª.90.A
Senes non exerceant partes imbecilles.5°.de ſa.tu. 2ª.90.A
Senum partes imbecillæ non ſunt roborandæ, ſed feriari illas permittere vtilius videtur.5°.de ſa.tu. 2ª.93.A
Seni an exercenda frictio.5°.de ſa.tu. 2ª.90.F
Senum exercitatio vna eſt frictio cum oleo.5°.de ſa.tu. 2ª.29.G
Senis corpus vbi nudatur, qualis debet eſſe locus.5°.de ſa.tu. 2ª.90.F
Senes indigent ſomno.5°.de ſa.tu. 2ª.92.D
Senes ob ariditatem vigilant.3°.de loc.aff. 4ª.16.G
Senes magis vigilant quãdo ſunt ſani.com.3°.apho.31°. Ex.26.H
Seni a cibis obſtruentibus cauendum.5°.de ſa.tu. 2ª.91.F
Senibus facile obſtruuntur iecur, lien, & renes, ſi craſſum humorem facientibus vtantur.5°.de ſa.tu. 2ª.91.B
Senex ſi cibis obſtruentibus ſit vſus, quibus vti debet protinus.5°.de ſanitate tu. 2ª.91.D
Senex centenarius quo victu ſit vſus.5°.de ſa.tu. 2ª.91.F
Senex octogenarius nullã artẽ diſcere debet, et quare.5°.de ſa.2ª.93.B
Senex cur non debet mutare conſuetudinem.5°.de ſa.tu. 2ª.93.B
Senex quid vti debeat vt nõ indigeat alio ad cõſeruationem ſanitatis. ſecretorum. Sp.101.F
Senes & ſi habeant multam pituitam, cur non facit febrem.commen. 3°.aphoriſmo 30°. Ex.26.E
in Senibus ſi propter pituitã opus eſt aliquid incidẽs & diſſeccãs pe tere, ad humectãtem victũ reuertẽdũ ſtatim eſt.6°.de ſa.t. 2ª.92.D
Senes ſunt ſani ſanitate ſenili.5°.de ſa.tu. 2ª.95.F
SENVM corpus ad omnem fermè actionem male comparatum eſt.3°. de ſymp.cauſ. 3ª.29.C
in Senibus quæ actiones vitiatæ.2°.de temp. 1ª.16.D
Senes habent ſenſus vitiatos.2°.de temp. 1ª.16.D
Senes nulli habent robur.de cur.ra.per ſang.miſſ. 6ª.18.C
Senes inepti ad actiones voluntarias ſunt.1°.de ſa.tu. 2ª.64.D
Senes habent appetentiam vitiatam.2°.de temp. 1ª.16.D
Senes pp quid nõ habeant appetitum.com.2°.aphor.20°. Ex.14.E/F
Senibus deficiunt humores cholerici.com.2°.aph.20°. Ex.14.E/F
in Senibus concoctio vitiata eſt.2°.de temp. 1ª.16.D
Senes cur non concoquunt.3°.de ſymp.cau. 3ª.29.C
Senes habent ſanguificationem, appoſitionem, & nutritionem vitiatã. 2°.de tempera. 1ª.16.D
Senes cur non nutriuntur commode.3°.de ſymp.cau. 3ª.29.C
Senum totum corpus frigidum eſt, nec potens alimentum trahere, nec conficere nec nutriri.5°.de ſa.tu. 2ª.89.F
Senum digeſtio qualis.3°.de ſymp.cau. 3ª.29.C
Senes multos habẽt crudos humores propter debilitatem virtutis digeſtiuæ.com.3°.aph.76°. Ex.25.F
Senes habent contẽtiuã virtutẽ imbecillẽ.com.3°.aph.30°. Ex.26.E
Senum vis expultrix qualis.3°.de ſymp.cau. 3ª.29.G
Senes cõſueta melius tolerãt iuuenibus inſuctis.c.2°.ap.49°.Ex.19.B
ad Senem iuuenis comparatio in motu.1°.de cau.pul. 4ª.88.A
Senes nõ ſunt comparandi adoleſcentibus.3°.de alim.fac. 2ª.26.B
cur Senes iuuenibus plurimũ minus ægrotant.cõ.2°.ap.39°.Ex.17.H
Senes poſſunt dici neutri.5°.de ſa.tu. 2ª.95.G
Senum ſanitas non abſolute ſanitas eſt.5°.de ſa.tu. 2ª.95.G
Senum ſanitas quærimonijs non vacat.5°.de ſa.tu. 2ª.95.G
Senes faciles morbos incurrunt.5°.de ſa.tu. 2ª.90.F
Senes minima cauſa mouet.5°.de ſa.tu. 2ª.90.F
Senes a cibis facile lædũtur.5°.de ſa.tu. 2ª.90.F
Seni imbecillo ter dandum in die exiguum cibi.5°.de ſa.tu. 2ª.90.F
Senes magni afficiuntur gibbi, & qui.com.2°.aph.54°. Ex.19.E

Senibus morbi longi qui accidant magna ex parte eos ad mortẽ comitantur.com.2°.aph.39°. Ex.17.H
Senes quibus morbis comitentur ad mortẽ.com.2°.ap.40°. Ex.18.A
Senes quos morbos difficulter concoquant.com.2°.aph.40°. Ex.17.H
Senes crudi qui.in prog.com.2°. 4ª.205.G
Senes quos morbos incidant.5°.de san.tu. 2ª.92.C
Senes quibus morbis frigidis capiantur.2°.de tem. 1ª.16.D
Senes capiũtur apoplexia.2°.de tẽp. 1ª.16.D/c.6°.aph.57°.Ex.53.E
Senibꝰ eueniẽs vrina pĩguis sine febre apoplexiã facit.de dy.Sp.34.B
Senes capiuntur apoplexia,neruorum resolutione, stupore, tremore, conuulsione,destillatione,raucedine.2°.de temp. 1ª.16.D
Senes cur tremuli.de trem.palp.conuul. 3ª.51.E
Senes cur tremunt sub ponderibus.2°.de symp.cau. 3ª.20.D
Senes habent raucedines & grauedines peculiares. commentario.2°. apho.34°.& 40°. Ex.16.H
Senibus cur contingat raucedo.de vo.& anhe. Sp.61.G
Seniores qua tempestate distillationes incidant subito perimentes. cõ. 3°.aphor.12°. Ex.21.H
Senibus frigidæ fluxiones non concoquuntur com.3°.ap.12°.Ex.21.b
Senes non faciunt lapides,quia non habent calorem magnum.com.3°. aphorismo.26°. Ex.25.F
Senum oculi cur rugosi.in 6ᵐ.de mor.vul.com.1°. 3ª.158.D
Senibus cur cornea corrugata.10°.de vsu par. 1ª.180.F
Senes cur cæci nonnunquã fiant.in 1ᵐ.de mor.vul.com.1°. 3ª.113.D
Senes vltimi quare non videant.1°.de sym.cau. 3ª.15.D
Senibus quod Marcoris genus proprium.de pul.ad Tyro.45.E/4°.de cauſ.pulſ. 4ª.101.E
Senes quomodo marasmo afficiantur.de mar. 3ª.45.C
Senibus quibus iam ætate declinante inflari magis ventrem contingat venere vtuntur,& coitum assidue appetere. in 6ᵐ.de morb.vulga. commenta.3°. 3ª.171.G
Senibus contingunt effusa & nigriores collisis Venis.de tumorib.præt. naturam. 3ª.84.C
in Senis habitu potius viuendũ,quã illico mori.10°.me.me. 7ª.66.F
Senex & ægrotus debet sperare valetudinem. de cogni. curandi animi morbis. 2ª.51.F
in Senibus quotidie vrinæ mouendæ,& quibus.5°.de sa.tu. 2ª.92.E
in Senibus quotidie soluenda alui,& quibus.5°.de san.tu. 2ª.92.E
Senes non sunt purgandi.de dyn. Sp.20.F
Senes si alternis diebus egerant nihil medicamentosum illis dandum. 5°.de sanitate tuend. 2ª.92.F
Senes quibus solui debeant.5°.de san.tu. 2ª.92.F
Seni non danda aloes.5°.de san.tu. 2ª.92.E
Senioribus supra modum purgatis singultus si superuenerit,non bonũ. com.7°.aph.41°. Ex.57.C
Senes in senium longe prouecti,nõ sunt phlebotomandi.de sec.Is. 16.E
Senibus non est secanda vena.1°.de art.cu.ad Gl. 7ª.98.D
cur Seni sanguis non detrahendus. de victus ratio. in morb.acut.com mentario.4°.136.F/ 7ª.37.H
Seni pleuritico non est secanda vena.de subsig.emp. Isa.32.F
Senes valde pleuritici existẽtes nõ sunt phlebotomãdi.de sec. Is.18.B
Senibus qĩ vena secat Galenus.de curan.ra.per sang.mis. 6ª.19.D
Senibus cur in minori copia quam iuuenibus etiam in eadem affectione sanguis detrahendus.de cur.rat.per sang.miss. 6ª.19.D
Senes raro euadunt e pleuritide.de dy. Sp.35.E
Senes in hyeme profunda non liberantur a tribus quartanis.de præco. ad Posth. 4ª.217.B
Senis inuitus excernentis casus.1°.de lo.aff. 4ª.7.H
ad Senum vlcera.1°.de comp.me.per ge.214.C/D/ 5ª.222.A
Senibus conueniens medicamen.de med.exper. Sp.108.A
Senum calorem naturalem cõfortãs medicamẽ.de me.exp. Sp.108.A
Senis medicamen.de med.exper. Sp.104.D
in SENILEM *siccitatem sicci natura cito prouenient. 6°. de sanitate tuenda.* 2ª.96.E
Senili ætati familiarissimus morbus est apoplexia.commen.3°.apho. rismo.31°. Ex.26.H
in Senili ætate febres quotidianæ fiunt.2°.de diff.feb. 3ª.36.E
i Senili ætate partes extremas frigescere nõ malũ.c.7°.a.1°.Ex.54.A
SENIORA *animalia carnes modicas & aridas habẽt,& reliquas partes.4°.de ana.admi.* 1ª.80.D
Seniorum animalium partes duræ siccæ,& concoctu difficiles sunt. de bo.& vitio su.co. 2ª.35.H
Seniorum complexio imperfecta,& quare.de incantatione adiuratio. & suspensione. 7ª.181.F
Senioris infra dignitatem est disputare cum adolescente.de ven.sec.ad uersus Erasi. 6ª.10.A
Senioris pulsus qualis.3°.de cau.pul. 4ª.96.D
Senioribus contingentes morbi qui.in prog.com.3°.4ª.210.D/commẽ. 3°.aphorismo.31°. Ex.26.G
q Seniores assidue coitum appetant.in 6ᵐ.de mor.vul.c.3°. 3ª.171.G
Senioribus omnia mala sunt peiora propter ætatis debilitatem. com. 7°.aphorismo.41°. Ex.57.C
Seniores difficulter sanantur a vesicæ & renum vitijs,et longum morbis.com.6°.aph.6°. Ex.47.B
Senium qñ serpentes deponunt,et quale sit.de ther.ad Pis. 5ª.95.D
Senium instirpibus quid sit.1°.de san.tuen. 2ª.62.F
Senium in animalibus quid sit.1°.de sa.tu. 2ª.62.F
Senium in ætatibus quid.de marc. 3ª.46.F
Senium quid.de marc. 3ª.46.F
Senium quid sit proprie.5°.de san.tu. 2ª.89.A
Senium quid existimetur a diuersis.de marc. 3ª.46.E
Senium indubitatio frigidum est.5°.de san.tu. 2ª.92.B
Senium non indubitatio siccum, quia aliqui dixere humidum esse. 5°. de sanitate tuenda. 2ª.92.C
Senium humidum est secundum aliquos antiquos celebres, & cur. 2°. de temperamentis. 1ª.16.B
Seniũ quidã humidũ,& frigidum esse arbitrati sunt.de marc. 3ª.46.D
Senium frigidum & siccum.5°.de sa.tu. 2ª.89.E
Senium est intemperies quędam ad frigidius,& siccius conuersa.2°.de symptomatum cau. 3ª.20.E
Seniũ quod est in sanis,sicca intẽperies est in ægris.7°.me.m.7ª.44.D
Senium non est corporis intemperies,ad quam primum omne remedio rum consilium dirigitur.5°.de san.tu. 2ª.93.B
Senium ætas frigidissima est.2°.de temp. 1ª.16.D
Senium quomodo secundum naturam sit.de marc. 3ª.45.E
Senium an morbus vel sanitas vel medium vocetur,parum refert.5°. de sanitate tuen. 2ª.90.E
Senium quidam esse morbum volunt.de marc. 3ª.46.E
Senio carens quo nã modo quis perpetuo permanere possit,philosophꝰ quidam tempore Galeni in libro quem conscripsit.ostendit quod ta men ipse euitare non potuit.de mar. 4ª.45.E
in Senio caro impense sicca est.6°.de san.tu. 2ª.96.D
Senium est via ad interitum.2°.de tem. 1ª.16.D
Senium est veluti quædam tabes mortis.2°.de temp. 2ª.16.D
Senium facere dicitur lapis phloginus illinitus.de simp.me. Sp.86.H
Senium cur considerarur.5°.de san.tu. 2ª.93.B
Senium quicquid sit nihil refert.5°.de san.tu. 2ª.90.E
Senium quomodo possit euitari.de marc. 3ª.46.F
Senium corrigi non potest.7°.met.me. 7ª.45.H
Senium marcescenti stypi assimilatur ab Aristotele.2°.de tem. 1ª.16.C
in Senio facies ab Hippocrate in acutis descripta, non est exitiosa. in progno.commen.1°. 4ª.191.E
in Senio quid fiat.1°.de de san.tu. 2ª.63.F
Senium facit obliuionem.2°.de symp.cau. 3ª.24.B
Seniũ noxæ sunt excrementa humida.de marc. 3ª.46.E
Senium qui melius tolerent,& qui facilius ad ipsum perueniant.com. 2°.aphorismo.49°. Ex.19.B
ad Senium cur cito veniunt animalia.6°.de san.tu. 2ª.96.F
Senium ex morbo,quid.1°.de præs.ex pul. 4ª.107.F
Seniũ corrigitur per calefaciẽtia & humectãtia.5°.de sa.tu. 2ª.89.E
Seniũ ex morbo q Marcor a Philippo dicat.4°.de ca.expul. 4ª.101.C
Seniũ vel marasmus siccitatẽ præcessisse debet.3°.de sym.ca. 3ª.25.D
Senio simili affectu detenti,marasmo afficiuntur.de mar. 3ª.45.C
Senio similis marasmus frigidus quibus fiat.de marc. 3ª.47.C
Senium ex morbo,est altera marasmi species.10°.met.me. 7ª.66.F
Seniũ marasmus potest prolongari,non euitari.de marc. 3ª.46.E
SENSIBILIORES *sunt nerui molles.de ocul.* 7ª.183.E/F
Sensibiliora corpora magis do res sentiunt.in 6ᵐ.de morbis vulgarib. commenta.1°. 3ª.153.E
Sensibile quod.fin.med. Isa.45.A
Sensibilia quæ sint.de ijs,quæ in med.fin.com.1°. 7ª.199.B
Sensibilia improprie quæ.de ijs,quæ in med.fi.com.1°. 7ª.199.B
Sensibiles res q non fiant temere.17°.de vsu par. 1ª.221.E
Sensibilium cognitio in quot sit differentijs.3°.de dig.pul. 4ª.80.G

Sensibilium cognitio sedula inspectione confirmatur.3°.de compositio. med.per genera. 5ª.228.E
Sensibilis animæ actio in quinq; sensus diuiditur.de diff.sym. 3ª.11.D
Sensibilia diuersa immutat sensus.8°.de vsu par. 1ª.167.D
Sensibile nihil est de corpore præter venas,& arterias,pelliculas,& neruos.de vtil.resp. Sp.62.G
non Sensibile,sed sensum organum a natura factum est cerebrum . de vir.nostr.corp.disp. Sp.60.C
Sensibilis facultas per ueruos ad instrumenta propria defertur. 7°.de dec.Hippocr. 1ª.270.F
Sensibilis quidem meatus intus aperte solis oculorum neruis adest.de neruorum dissectione. 1ª.53.D
Sensibile est maxime os stomachi.de ana.viu. Sp.49.G
Sensibiles partes hepatis & splenis.de vtil.resp. Sp.62 H
Sensibiles motus in sanis animantium corporibus duplices ex arbitrio & impetu,& qui vitales dicuntur.de tremo.pal.conuul. 3ª.51.D
in Sensibilibus partibus est dolor. 12°.met.me. 7ª.78.C
a Sensibilibus magnis dolent gustus,& tactus.de sym.dif. 3ª.11.E
Sensibilib⁹ quale dēt exhiberi medicamentū.3°.de cō.me.p g. 5ª.232.G
SENSIBILITATEM *auri præstans panniculus vbi sit . de anatomia viuorum.* Sp.48.H
SENSIFICANS *est panniculus quidam,vt pulmonis hepatis,splenis renum.de ana.viuo.* Sp.55.F
SENSIFICI *nerui quales & qui.3°.de dec.Hip.* 1ª.270.F
SENSIO *continetur in Præsensione.in prog.com.1°.* 4ª.190.A
SENSITIVVM *primo in somno deprehenditur.commentario. 2°.aphorismo.3°.* Ex.11.E
SENSORIVM *quod.fin.med.* Isa.45.A
Sensorium primum,& sensus cōis idem.7°.de dec.Hipp. 1ª.272.F
Sensoria omnia poscunt neruum mollem.8°.de vsu par. 1ª.166.G
Sensoria omnia cur prope cerebrum.8°.de vsu par. 1ª.167.A
Sensoria oīa pp cerebrū in capite posita sunt.8°.de vsu par. 1ª.167.A
ad Sensoria instrumenta differentiæ processuum neruorum.8°.de vsu partium. 1ª.167.D
Sensoria tactus quæ,& quæ visus,& quæ gustus. 1°.de simp.medica. facultatibus. 5ª.8.C
Sēsoriū quod dēt colores recipere,quale eē debeat.7°.de vs.p. 1ª.167.E
Sensorium visus,quale esse debeat.8°.de vsu par. 1ª.167.E
Sensoriū qūo trāsmittitur ad visum a cerebro.8°.de vsu par. 1ª.167.E
Sensorium olfactus habet vaporosum spiritum.8°.de vsu p. 1ª.168.A
Sensorij olfactus natura quæ.8°.de vsu par. 1ª.168.A
Sensoria oblectātia debēt dari ægris.in 6ᵐ.de mor.vu.c.4°. 3ª.181.A
SENSVAIE *fieri corpus contingit in multis particularibus alterationibus elementorum,suppositis his vim sensualem non habere,sed posse inuicem agere,& pati multiformiter.1°.de elem.* 1ª.3.D
SENSVS *quid.fin.med.Isa.45.A/de hist.phil.* Sp.9.A
Sensus est aliud a coloribus,saporibus,et vaporibus. 1°.de ele. 1ª.3.F
de Sensibus animalibus.de comp.mem siue de nat.hu. Sp.59.B
Sensus communis est hominibus & animantibus rationis expertibus. 2°.de simp.medic.faculta. 5ª.9 G
Sensus genus diuersum est plantis quam in animalibus, & quale. de substantia facult.natural. 1ª.330.G
Sensus proprij ālium sunt & opera animæ.1°.de fac.nat. 1ª.291.G
Sensus,& affectus in qua sint animæ parte.de hist.philo. Sp.10.B
Sensus pauciores Dei habent quā bruta.de hist.philo. Sp.9.B
Sensu prædita an rationis habeant vsum.de hist.philo. Sp.11.E
Sensus quot sint.de hist.philo. Sp.9.A
Sēsus sunt quinq; & q nā singuli.fi.med.Isa.45.B/adu.Ꝛyc. Ex.63.H
Sensus cur quinq;, et elementa solum quatuor.7°.de dec. 1ª.271.C
Sensu vno quæ sentiuntur;non sentiuntur alio.7°.de dec. 1ª.271.C
Sensuum partes ſm Chrysippum.3°.de dec.Hip. 5ª.241.F
Sensus quomodo fiat.7°.de decr.Hip. 1ª.272.F
Sensus quomodo excitetur.in 6ᵐ.de morb.vul.com.2°. 3ª.161.A
Sensus est in patiendo.16°.de vsu par. 1ª.215.A
Sensuum alterationes pathemata siue passiones appellantur. de symp. differentijs. 3ª.10.D
Sensus est alterationis dignotio,non alteratio ipsa,vt quidam putant. 7°.de dec.Hippo. 1ª.271.H
Sensus in patiēdo,motus vero in faciēdo aliquid fit.1°.de l.af. 4ª.7.D
Sensus per medium veluti per baculum fit.de cau.procatar. 3ª.100.C
Sensus qūo sentiant quæ in se ipsis sunt.1°.de sym.cau. 3ª.17.D
Sensuum ordo secundum perfectionem.de ocul. 7ª.183.F
Sensus primus est visus,& qualis sit.de ocul. 7ª.183.F
Sēsus alij rē sentiēdā ad se expectāt,visus ad illa accedit.d oc. 7ª.185.A
Sensus immutat sensibilia diuersa.8°.de vsu par. 1ª.167.D
Sensibus alijs crassior est tactus.de ocul. 7ª.183.F
Sensu tactus qui sint excellentiores sensus.16°.de vsu par. 1ª.215.A
Sensum tactus habent nerui omnes.de ocul. 7ª.183.F
Sensum vnum duntaxat habēt ostrea,tactū scilicet.de ana.vi. Sp.45.G
Sensus oēs particulares ad cōem sensum reducunt.de an.vi. Sp.45.G
Sensum communem ponit Galenus.de symp.diff. 3ª.11.F
Sensus cōis,& primum sensorium,idem.7°.de dec.Hipp. 1ª.272.F
Sensus communis cur in cerebro.7°.de dec.Hip. 1ª.272.E
Sensus vnde habeatur in animalibus.7°.de dec.Hipp. 1ª.169.F
Sensus & motus origo vnde ex volūtate existit,is principatus est animæ.8°.de decr.Hipp. 1ª.273.B
Sensus principiū est cerebrū.3°.de vsu par.133.C/7°.de de. 1ª.272.F
Sensuum quinque principium est in cerebro.in Tim.Pla. 1ª.287.D
Sensus & motus vniuersis corporis partibus a cerebro suppeditātur. 5°.de loc.affect. 4ª.28.H
Sensus & motus principium est cerebrum.de ana.viuo.45.H/de vir. nostr.corp.disp. Sp.60.C
Sensus,et voluntarij motus principium est cerebrū.i 6ᵐ.de mor.vul. com.5°.3ª.189.G/de voce,& anhel. Sp.61.G
ad Sensum faciendum in animali cerebrū non indiget corde.2°.de de. Hippocra. 1ª.239.C
Sensum & motum spina accipit a cerebro.3°.de loc.aff. 4ª.20.H
Sensui meatus patens,in spinalis medullæ ortu, sicut etiam in visorijs neruis est.7°.de dec.Hip. 1ª.270.C
Sensus,& motus principium est cor contra Galenū.de ana.vi. S.45.H
Sensus,& motus principium est a corde.de vtil.resp. Sp.63.D
Sensuū oīum primū et vniuersale instrumētū est cor.de vt.resp. Sp.72.F
Sensus & motus principium non esse cor probat.de ana.viu. Sp.45.H
Sensuum instrumenta cur duo.10°.de vsu par. 1ª.177.E
Sensuū instrumētis cur natura facit cooperimētū.11°.de vs p. 1ª.188.H
Sensus non debet habere tegmentum,vt aures, nares, & quare,quāq; oculis operimenta data,quia mollis odor.de instr.odor. 1ª.112.A
Sensus instrumenta quomodo sentiant.1°.de symp.cau. 3ª.18.H
Sensuum instrumenta neruis indigent.16°.de vsu par. 1ª.215.A
Sensus & motus instrumenta nerui sunt.3°.de dec.Hip. 1ª.245.D
Sensum ac motum omnes nerui habent.16°.de vsu par. 1ª.214.H
Sensum accipit corpus a neruis post motum.12°.de vsu pa. 1ª.193.D
Sensus per neruos mittitur ad oēs particulas.1°.de sym.ca. 3ª.18.H
Sensus in nulla est animantis parte sine neruo.de ner.diss. 1ª.53.B
Sensus non fit,nisi neruus afficiatur.3°.de dec.Hipp. 1ª.270.F
Sensus & motus omnis,influens influit per neruū.de ana.vi. Sp.48.A
Sensum ac motum exhibens nominatur neruus aut tendo. 1°.de decr. Hippocratis & Platonis. 1ª.233.G
Sensum,et nō motū hāt partes q recipiūt neruos.16°.de vs.p. 1ª.214.H
ad Sensum nerui molles apti.3°.de ana.adm. 1ª.96.D
pro Sensu nerui molles dati.16°.de vsu par. 1ª.215.A
Sensus quinq; faciunt nerui molles.de ocu.183.F/ 7ª.184.H
Sensus oēs habent neruos magnos & molles.16°.de vsu par. 1ª.215.D
pp Sēsum partes q̄dā corporis hāt magnos neruos.5°.de vs.p. 1ª.145.C
Sensuum nerui quanti.de instr.odor. 1ª.110.G
ad Sensum tantū idonei sunt nerui molles.de de.Hip.& Pl. 1ª.233.G
Sensus neruus cur mollior.7°.de dec.Hipp. 1ª.270.F
ad Sensum non conuenit durum.12°.de vsu par. 1ª.193.A
p Sensu,& motu nerui duri,& molles effecti.16°.de vsu p. 1ª.115.A
circa Sēsus qūo se hāt mēbra durorū neruorū.1°.de sym.ca. 3ª.16.E
Sensum,& motū partiū qui musculi faciant.1°.de loc.aff. 4ª.7.E
Sensum & motū q dent musculi,semp indigēt neruis.1°.de l.af. 4ª.8.B
Sēsus inest particulis q̄ sentiūt,ēt sine musculis.1°.de mo.m. 1ª.309.C
Sensus diuersus particulis datus est.de mul. 3ª.77.F
Sensum dantes panniculi qui.de ana.viu. Sp.55.F
Sensum exactiorē quibus partib⁹ dat natura.16°.de vsu p. 1ª.215.A
Sensum acerrimū habet oculus.13°.met.me.86.A/de ocul.7ª.189.C
Sensum exactiorem debent habere nasus,palatum, & dētes. 16°. de vsu par. 1ª.215.D
Sensum gingiuis,& cuti faciei qui musculi præstent.de ner.di. 1ª.53.F
Sensum habentia membra in superficie quæ.de ana.vi. Sp.44.C
Sensum vnde habeat cutis.de ana.viuo. Sp.45.C
per Sensus tantū gratia cutis pilosa propagines paucas tenues raras, & ægre conspicuas instar filorū cuiusdā araneæ ex subiectis omnibus

bus partibus recipit.9°.de vſu par. 1ª.176.D
Senſum vnde habeat pellis caput ambiens.4°.de loc.aff. 4ª.25.D
Senſus cutis imbecillitas vnde.de ana.viuo. Sp.45.C
Senſum dant nerui per cutem manus diſperſi.3°.de loc.aff. 4ª.21.C
Senſum exactiſſimum habet os uentris.1°.de ſymp.cau. 3ª.17.G
Senſum potiorem omnibus partibus propter quid habet os ventriculi.3°.de loc.aff.4ª.18.C/de vo.& anhel. Sp.61.H
citra Senſum noſtrum non eſt uentriculi cupiditas, qua cibum & potũ appetit.6°.de loc.aff. 4ª.37.G
Senſum & motum diaphragmati qui neruus det.de ana. vi. Sp.53.F
Senſum magnum unde habeat matrix.de ana.viuo. Sp.51.F
Senſuum diſtributio in fœtum.an animal ſit. 1ª.327.F
Senſus cur paruus in renibus,in ueſica urinæ,& ueſica fellis. 5°.*de v. partium.* 1ª.145.F
Senſum unde habent renes.de ana.uiuo. Sp.51.C
Senſu caret particula,ad quam neruus non peruenit.de mult. 3ª.77.G
Senſu carent oſſa,pinguedo,adenes,& medullæ.de mult. 3ª.77.G
Senſu caret os capitis.13°.met.med. 7ª.86.A
Senſus cur non ineſt glandulis.15°.de vſu par. 1ª.214.H
Senſu uacat copula.de decr.Hipp.& Pla. 1ª.233.H
Senſu priuatum membrum omne congelatum terreſtre ex melãcholia eſt.de ana.viuo. Sp.45.F
Senſus eſt ferè expers pulmo.1°.de diff.reſp. 3ª.59.G
Senſum non habet pulmo, quia duo tantum nerui tenues in ipſo ſunt, & ſuperficiarij.4°.de loc.aff. 4ª.25.G
Senſu caret caro circa gibbam iecoris partem.de mul. 3ª.77.G
Senſus inteſtinorum obtuſus cuius ſit.in 6ᵐ.de mor.v.c.5°. 3ª.193.F
Senſum non habet pulſus.2°.de loc.aff. 4ª.9.A
a Sẽſibus qũo differãt pedes,& ſuminæ manus.16°.de v.p. 1ª.215.E
Senſus duas ſpecies tãtum habent animales actiones.de ocul.7ª.186.A
Senſui ratio coniuncta eſt.3°.de dign.pul. 4ª.80.B
Senſus ſequitur,ratio dux eſt.de ther.ad Piſ. 5ª.90.F
Senſus aduerſus cogitationem loqui quo modo finxit Democritus.aduerſus empir.med. Iſa.35.C
Senſus boni ſunt homines liquidioris ſanguinis,eo quod molles carne. de vtil.reſp. Sp.64.F
SENSVS *quidam negabat poſſe experiri de rebus.1°.de ſimplicium med.fac.* 5ª.7.C
Senſus qui dicunt non percipere propria ſenſibilia, in Pyrronis dubiũ turpiter incidunt.2°.de temp. 1ª.16.H
Senſus iudex ad omnia uitæ munia eſt nobis.1°.de ſan.tuen. 2ª.64.B
in Senſibus conſiſtunt iudicia naturalia.9°.de decr.Hip. 1ª.279.D
Senſus iudicium naturale eſt.9°.de decr.Hip. 1ª.279.D
Senſus iudicium rerũ eſt,quæ ſenſu ſubijciuntur.9°.de decr. 1ª.279.d
Senſui euidentium & nõ per ſe cognitorũ iudex obſeruatio eſt. dé optima ſecta. Iſa.19.H
Sẽſui res euidẽtes aliæ per ſe innoteſcũt,aliæ nõ per ſe.de opt.ſ. Iſ.19.g
Senſum res latentes aliæ intellectui perſpicuę & ſunt, & dicũtur,aliæ per oſtenſionem cognoſcuntur.de opt.ſect. Iſa.19.G
Senſui nota eſſe vſui,cõceſſum eſt ab oĩbus medicis.de op.ſe. Iſa.20.H
Senſui nota,ſunt principium inuẽtionis præceptorũ, ſed non artis principium ſunt.de opt,ſec. Iſa.20.B
Senſus euidentia præuenit rationis fidem.8°.de ſimp.med.fac. 5ª.29.d
de Senſui euidentibus rebus qui demonſtratione aliqua ſententiam ferre conantur deridendi,& quare.de opt.ſec. Iſa.19.H
Senſibus nõ eſt habẽda fides ſm Aſclepiadem.1°.de nat.fac. 1ª.294.B
Senſui qui non credit,explodendus eſt.9°.de decr.Hip. 1ª.279.E
Senſibus quæ fides habenda ſit probatur.2°.de ſimp.med.fac. 5ª.9.G
de Senſuum certitudine.2°.de ſimp.me.ſa. 5ª.9.H
Senſuum & imaginationum veritas.de hiſt.philo. Sp.9.A
Senſu partim,& partim demonſtratione,ſoluuntur artium controuerſiæ.de nat.hum.com.2°. 7ª.183.C
Sẽſu vñr quæ ſpectãt ad medicos.de vict.ra.in mor.ac.c.1°. 7ª.109.E
Senſibus ſubiecta non tractat Galenus in libris de locis affectis.5°.de loc.aff. 4ª.29.G
Senſum quæ effugiunt,non indigent breui methodo.de ſec. Iſa.18.F
Senſibus aliqua ſi non percipiantur,non creduntur,quæ tamen tentata certificant.de incant.adiut.& ſuſp. 7ª.182.D
Senſu opus eſt ad iudicãdũ,non demõſtratione.de na.h.c.2°. 7ª.183.d
Senſu non uidentur minimum.1°.de elem. 1ª.2.C
Senſus non eſt iudex uerorum elementorum.1°.de elemen. 1ª.2.C
Senſu quæ iudicantur.de op.ſec. Iſa.19.H
Senſum experientia iudicamus quæ ratio non poteſt inuenire,de ther ad Piſon. 5ª.90.E
Senſus iudicat pugnantia.1°.de ſimp.me.ſa. 5ª.2.F
Senſu cognoſcimus durum,& molle.4°.de dig.pul. 4ª.83.D
Senſus iudicat ſimplicẽ,& compoſitã particulã.de diff.morb. 3ª.3.B
non Senſu,ſed rõne qui motus deprehendatur.4°.de diff.pul. 4ª.66.C
Senſu non cognoſcitur motus,ſed ratione.3°.de dig.pul. 4ª.80.B
Senſus iudicant, an animalia ruminantia habeant quatuor uentriculos.de nat.hum.com.2°. 7ª.183.C
Senſus iudicat,an animalia utrinque dentata habeant unum uentriculum.de nat.hum.com.2°. 7ª.183.C
ex Senſu iudicium certum,exactumq́ fieri poteſt de medicamẽtis, quæ adhibentur.3°.de temp. 1ª.24.F
ex Senſu iudicium ſi nõ fiat,omnia externa ſunt conferẽda quæ ab ipſa quæſitæ rei ſubſtantia ſint deſumpta & ex ipſis iudicandum.3°. de temperamentis. 1ª.24.F
Senſibus quid attendendum.1°.de ſimp.med.fac. 5ª.8.C
Senſu probantur medicamenta ſimplicia.de ther.ad Piſ. 5ª.90.F
ſine Sẽſu nõ ſecure probatur medicamẽti uis.1°.de ſim.me.ſa. 5ª.7.F
Sẽſus manifeſti motus dñr motus liqdi.de mot.ma.& obſc. Sp.66.D
Senſu iudicatur eucraſia,& diſcraſia.1°.de ſan.tuen. 2ª.64.B
Senſus debet eſſe Iudex in ſanitate,& ægritudine,non rerum natura. introd. Iſa.63.A
a Senſu ut facilius dignoſcatur affectio facit imbecillitas. 4°. de locis affectis. 4ª.25.E
Senſibus omnibus contingunt delectatio & dolor.1°.de ſym.c. 1ª.16.f
Senſus radix & fons doloris eſt.1°.de elem. 1ª.3.H
Senſum exigit dolor.1°.de elem. 1ª.3.A
Senſus radix & fons eſt recordationis, phantaſiæ, voluptatis & memoriæ.1°.de elem. 1ª.3.H
cur Senſus oẽs vigẽt in tẽpeſtate aquilonia.com.3°.aph.17°. Ex.23.F
Senſus ut in ſuis actionibus detineantur, natura ſemper intenta.de inſtrumento odoratus. 1ª.112.B
Senſus oriantur in ſomno.com.4°.aph.15°. Ex.28.H
Senſus non bene ſentiunt in ſomno.de inſtr.odor. 1ª.112.C
Senſus ſemper ſentiunt ſi vigilamus, & habent ſenſibilia propria. de inſtrumento odor. 1ª.112.C
Senſu inſtrumentum cum eſt male affectum, eſt ſymptoma in ſentiendi actione.1°.de ſymp.cau. 3ª.14.B
Senſus noxæ quæ.de ſymp.diff. 3ª.11.D
Senſus uitioſus eſt ex communibus omnium ſentiendi actionum noxis, & qui ſit.de ſymp.diff. 3ª.11.D
Senſus uitiati ſunt in ſenibus.2°.de temp. 1ª 16.D
in Senſu quolibet duplex uitium eſt.de ſymp.diff. 3ª.11.E
Senſus facilitas,& difficultas quid faciat.2°.de ar cu.ad G. 7ª.103.C
Senſus difficultas diſæſthęſia dicitur.de ſym.diff. 3ª.11.B
Senſus hebetatio poteſt fieri ab intemperie.3°.de lo.aff. 4ª.20.D
Senſum difficilem inuehit frigefactio.de diff.mor. 3ª.4.E
Senſus torpeſcere faciunt infrigidantia.com.6°.aph.31°. Ex.49.E
Senſus hebetantur ex frigido,& ita ex torpore dolor non ſentitur. cõ. 5°.aph.25°. Ex.39.H
Senſus ſimilitudine aqua frigida uocatur mordax, & ex quo elice per ſimilitudinem aliquas qualitates attribui uni, quæ tamen non ſunt ipſi propriæ. & com.5°.aph.20°. Ex.39.B
Senſum auferentia,ſunt frigida poteſtate.3°.de temp. 1ª.23.F
Senſum,& motum tollit refrigeratio completa.2°.de loc.af. 4ª.8.E
Senſum quæ amiſerunt, & ſentientia male frigida ſunt omnia.de tre. palp.conuul. 3ª.53.D
a Senſus hebetudine & acuitate indicatio quæ.7°.meth.med. 7ª.49.D
Senſum difficilem habentia ferunt acria medicamenta.2°.de arte cur. ad Glauc. 7ª.103.D
Senſus noſtros purgãtia ac mordicãtia,acria ſunt.de att.vic. 2ª.43.G
Senſus hebetioris pas,valẽtioribus indiget remedijs.4°.m.m. 7ª.28.F
Senſus nimius quid faciat.3°.de ſymp.cau. 3ª.27.E
Senſus acuti pars,ſine dolore curanda eſt.4°.meth.med. 7ª.28.F
Sẽſus acuti qđ ẽ,et ĩbecillũ,leniſſima ex cã dolet.2°.de ſy.c. 3ª.22.D
Senſus facilis quod non eſt & ualentiſſimum fuerit, magnam cauſam requirit ad hoc vt doleat.2°.de ſym.cau. 3ª.22.D
Senſus facilius,particularũ robur,atq; ĩbecillitas,et cruditatis magnitudo,et dr̃ia,diuerſa gignunt ſymptomata.3°.de ſym.cau. 3ª.30.C
Senſui euidens dolor eſt.1°.de elem. 1ª.3.H
Senſui tactus contingunt maximi dolores.de ſymp.diff. 3ª.11.E

Sensus alij habent dolorem præter tactum, sed est ab externis illis incidens. de symp diff. 3ª.11.E
Sensus tonodes qui. de mul. 3ª.77.G
Sensus grauis, tristis, & dolorificus idem. 1°. *de symp cau.* 3ª.16.G
Sensus tristis ex quot causis fiat. com. 7°. *aph.* 21°. *Ex.* 55.D
Sensus ponderis quando incidit. in prog. com. 2°. 4ª.204.B
Sensus grauitatis circa pulmonem & sinistrũ latus fit, Luna in coniunctione Solis permanens, Saturnus autẽ in tetragono. de decub. pg. ex math. scien. Sp.13.A
Sensus pruriginis quo modo fiat, & quo modo præcedat, & sequatur vlceratum sensum. 2°. *de loc. aff.* 4ª.11.H
Sensus pruriginosus in superficie est, & quomodo. 2°. *de lo. aff.* 4ª.11.G
Sensus vlcerosus ad intima etiam extenditur. 2°. *de loc. aff.* 4ª.11.G
Sensus ulcerosus qui. de mul. 3ª.79.F
Sensus tantum propemodum nõ motus uidetur quem inæqualitas ciet motus. 2°. *de symp. cau.* 3ª.23.G
Sensum non motum habet lassitudo ulcerosa. 2°. *de sym. cau.* 3ª.23.G
Sensus omnes quo modo offendit puluis supra folia platani existens. 8°. *de simp. me. fa.* 5ª.58.G
Sensus auditus affectiones quæ rationali inuestigatione non indigent. 4°. *de loc. aff.* 4ª 23.B
de Sensu odorandi læso, casus. de instr. odor. 1ª.107.A
Sensus non adimitur membris pulsu adempto. de vsu pul. 1ª.227.D
Sensus & motus defectus ex ebrietate quo fiat. de cau. mor. 3ª.7.D
Sensus amissio quæ. 3°. *de loc. aff.* 4ª.21.C
Sensus & motus cur sm antiquos deperdantur. 4°. *de loc. aff.* 4ª.25.D
absq; Sensu omni, & motu fit homo compressis quibusdam uenis colli. de util. resp. Sp.63.G
Sensus & motus priuationẽ facit cerebrũ. 3°. *de decr. Hip.* 1ª.245.D
Sensus amittitur si cerebrum detractis ossibus aperueris, & aliquem ex eius uentriculis compresseris. 2°. *de decr. Hipp.* 1ª.236.H
Sensus totus quo amittitur per compressionem supra cerebrum factã. 2°. *de loc. aff.* 4ª.13.F
Sensus & mot⁹ amittitur uẽtriculo cerebri cõpresso. 1°. *d dec.* 1ª.232.A
Sẽsus amittit ex uulnere uẽtriculorũ spũs cerebri. de vti. res. 1ª.225.G
Sensus non amittitur si incidas cerebrum nisi uulnus penetret ad aliquem uentriculum cerebri. 7°. *de decre. Hip.* 1ª.269.C
Sensu motuq; priuantur partes infernæ spina incisa ex transuerso, si tota fuerit defecta. 3°. *de loc. aff.* 4ª.20.H
Sensum, & motum non amisit is, cui compressum forcipe fuit cor, tñ arteriæ non mouebantur. 1°. *de decr. Hip.* 1ª.232.B
Sensus quibus affectibus demit neruo affecto. 1°. *de mo. mu.* 1ª.309.a
Sensum & motũ tollunt nerui funiculo religati. de vsu pul. 1ª.227.D
Sensu ac motu statim priuatur particula, si neruus incisus fuerit. de neruor. dissect. 1ª.53.B
Sensus qui iuuãt nerui, ijdẽ uitiati offenduntur. 1°. *de sym. ca.* 3ª.16.E
Sensu pereunte cur qñq; motus nõ pereat rationes uanæ ab aliquibus afferuntur. 4°. *de loc. aff.* 4ª.25.E
Sensus trium digitorum amißi seruato motu, casus, & curatio. 1°. *de locis affect.* 4ª.7.B
Sensum minimorũ digitorum sinistræ manus amiserat Pausanias, casum considera. 3°. *de loc. aff.* 4ª.21.C
Sensum digitis auferunt nerui primi à septima uertebera inflammati. 1°. *de loc. aff.* 4ª.7.C
Sensum, & motum brachiorum perdere facit quinta uertebera uitiata in spina. 1°. *de symp. cau.* 3ª.16.D
Sensus quomodo pereat seruato motu. 1°. *de lo. aff.* 4ª.7.D
Sensus, & motus in partibus faciei qñ amittitur. 4°. *de lo. aff.* 4ª.22.b
Sensus cernendi quibus causis amittitur. 4°. *de loc. aff.* 4ª.21.G
Sensus & cogitationẽ læsam phrenitici aliqui hñt. 4°. *de lo. af.* 4ª.22.d
Sensus, intellectus, & memoria perduntur in epilepsia. de comp. mẽb. siue de nat. hum. Sp.58.E
Sensu priuatis oleum ualet. 2°. *de simp me. fac.* 5ª.11.E
Sensum difficilem aut deperditum, oleum nec iuuat nec lædit. 2°. *de simp. me. fac.* 5ª.15.C
Sensus uegetes facit theriaca. de vsu ther. ad Pamphi. 5ª.98.C
SENTENTIA *quid significet. de ijs, quæ in med. fi. com.* 1°. 7ª.199.F
Sententia in pectore secundum Poetam. 3°. *de dẽre. Hip.* 1ª.242.E
Sententiæ Cnidiæ Euriphonti attributæ. in 6ᵐ. *de mor. v. c.* 1°. 3ª.159.f
Sententias Cnidias qui conscripserunt, quæ tradiderint, & omiserint in re medica. de uict. rat. in mor. acu. com. 1°. 7ª.108.C
Sententiæ, non verba, sunt considerandæ. de vtil. resp. 1ª.223.C
Sententiam mutabat Galenus pro melioribus. 1°. *de antid.* 5ª.104.C
Sententiam mutabat sæpe Iulianus in suis scriptis. 1°. *met. me.* 7ª.6.H
Sententiam aliquã esse alicuius auctoris vel non, potest ex re ipsa & modo loquendi probari. com. 7°. *aph.* 64°. *Ex.* 60.D
SENTIENDI *operationem habet anima in corpora cerebri.* 3°. *de lo. affect.* 4ª.17.H
Sẽtiendi facultas a cerebro in neruos diffunditur. 1°. *de sem.* 1ª.335.b
ad Sentiendum admodum habiles qui 4°. *de com. me. per ge.* 5ª.236.C
ad Sentiendum insigniter habilia corpora facile morsum recipiũt. 4°. *de comp. me. per ge.* 5ª 236.F
in Sentiendi pleniorem uim habet sanguis tenuior & frigidior. & animi mores. 1ª.319.C
ex Sentiendi acrimonia; & hebetudine indicatio. 7°. *met. me.* 7ª.49.A
Sentiendi & mouendi uim solis habentibus partibus interdum hoc accidit, ut ipsis non affectis, eorum pereat actio. 1°. *de loc. affe.* 4ª.8.B
Sentiendi facultas cum est male affecta, est symptoma in sentiẽdi actione. 1°. *de symp. cau.* 3ª.14.B
Sentiendi instrumento subseruiẽtium cum aliquid male habet, est symptoma in sentiendi actione. 1°. *de symp. cau.* 3ª.14.B
in Sentiendi actione triplex symptoma contingit. de symp. cau. 3ª.14.b
Sentiendi uis digitis non influit, spina læsa. 3°. *de loc. aff.* 4ª.14.F
non SENTIENS *in tota uita sua quod crebro omnes inuadit, malum, fortunatus est. de multitudine.* 3ª.77.G
ex Sentientibus & patientibus uel sensu carentibus sed trãsmutabilibus fiunt corpora. 1°. *de elem.* 1ª.3.F
Sẽtiẽtia facile acria medicamẽta nõ ferunt. 2°. *de ar. c. ad G.* 7ª.103.c
Sentientia male, & sensum quæ amiserunt, frigida sunt omnia. de trẽ. palp. conuul. 3ª.53.E
Sentientibus ægre oleum ualet. 2°. *de sim. me. fa.* 5ª.11.E
Sentientia membra susceipientia flauam bilem faciunt rigorem. com. 4°. *aph.* 58°. *Ex.* 33.G
SENTINAM *quare nauis opifex moliatur. an animal sit.* 1ª.327.E
Sentit mens sm Hippoc de ijs, quæ in med. fi. com. 1°. 7ª.199.E
Sentiẽs facultas à cerebro per neruũ mittitur. 1°. *de symp. cau.* 3ª.14.B
Sentiunt partes quæ mouentur per neruum. 1°. *de symp. cau.* 3ª.16.E
Sentire quæ possunt sentit cerebrum. 1°. *de sym. cau.* 3ª.18.H
Sentimus uirtute proueniente ex capite. de uir. nostr. cor. disp. Sp.60.B
Sentiuntur quæ per accidens. 7°. *de decr. Hipp.* 1ª.271.G
Sentiunt maxime tactum manus. de comp. mẽb. siue de nat. hu. Sp.58.e
Sentit maxime omnium tactum uola manus. de comp. memb. Sp.58.E
Sentiunt aliquæ cutes magis, aliquæ minus. 4°. *de compo. medicament. per ge.* 5ª.237.F
Sentit lingua præ omnibus gustabilem qualitatem. de comp. membrorum. Sp.52.H
Sentiunt muti. com. 6°. *aph.* 51°. *Ex.* 52.H
Sẽtiũt diuerso mõ uẽtriculus, uena, arteria, & neruus. de mul. 3ª.77.F
Sẽtiat cur ualẽter os uẽtriculi. 1°. *de sy. c.* 3ª.17.H *sin pg. c.* 3°. 4ª.210.f
Sentiunt in Superficie non in cauitate cor, iecur, & renes, & quare. de ren. aff. dig. & med. 7ª.192.H
non Sentit pulmo, vel difficulter. in prog. com. 3°. 4ª.210.F
Sentiat quomodo pulmo, & iecur. de mul. 3ª.77.G
Sentiens facile pedis uestigium qui musculus facit. de musc. di. 1ª.52.a
non Sentiunt ligamenta. 6°. *meth. med.* 7ª.38.G
Sentiũ grauitas sola in peripneumonia, et nõ dolor. de uti. res. Sp.63.g
Sentiunt cur aliqui rigentes. 2°. *de symp. cau.* 3ª.23.F
Sentit quomodo stupidum membrum. 2°. *de lo. aff.* 4ª.8.F
Sentiant tantum cur partes resolutæ. 1°. *de sym. cau.* 3ª.16.E
Sentit musculus qui mouetur, §nota.§ 11°. *de sym. cau.* 3ª.16.F
Sentire non potest quod constat ex impatibilibus & insensibilibus elementis, 1°. *de elem.* 1ª.3.B
Sentire nihil, gustus symptoma est. 1°. *de symp. cau.* 3ª.15.G
non Sentire legitimæ, gustus symptoma est. 1°. *de symp. cau.* 3ª.15.G
Sentire non legitimæ, dupliciter contingit. 1°. *de symp. cau.* 3ª.15.G
cur Sẽtiantẽ dolores magis in nocte q̃ in die. de mot. ma. & ob. Sp.69.F
SEORSVM *excrementum a proprijs medicamentis euacuatur. de cur. rat. per sang. miss.* 6ª.18.H
SEPARATIO *sanguinis triplex ab aquositate. de an. v.* Sp.51.B
Separationis excremẽtorũ a sanguine frustratio quid agat. 3°. *de symptom. cau.* 3ª.30.D
Separantia multum & non multum qualia sint. de ocul. 7ª.187.H
Separationis iũcturæ causa triplex & quomodo fiat. de ocu. 7ª.185.H
SEPARATVR *anima a corpore sine corruptione. de sper.* Sp.37.H

Separentur

Separentur qũo composita ex materijs diuersæ naturæ. in 6^m. de mor. uulg. com. 4°. 3ª.182.E
SEPIA *quid. de simp. med.* Sp.90.C
Sepiæ inter aquatilia mollia numerantur. de bon. & uit. suc. 2ª.35.E
Sepiæ molles sunt. 3°. de alim. fac. 2ª.32.D
Sepiæ pisces cõueniẽtes sunt stomachicis. 8°. de cõ. me. sec. lo. 5ª.192.C
Sepiæ atramentum. 1°. de comp. me. sec. lo. 5ª.124.F
Sepiarum testa qualis. 11°. de simp. med. fac. 5ª.81.A
Sepiarum testa usta ad vitiligines, ephelin, lentes, psoras, vtimur & fossili sali mista oculorum ungues eliquat, dentibus splendorem affert, vlceraq; desiccat, & ad ingentes oculorum asperitates, quas sycoses vocant, valet. 11°. de sim. med. fac. 5ª.81.A
Sepiæ testæ pro tuberculis ulceratis conueniunt. in 6^m. de mor. uulg. comm. 2°. 3ª.161.A
Sepia collyrijs admiscetur, dentifriciũ est optimũ. de sim. me. Sp.90.C
ex Sepiæ parte ossea fit albũ emplastrum. 1°. de cõ. me. per g. 5ª.217.C
per SEPTEM *dies quibus cibum non dedit Galenus, tamen dedit mul sam. 10°. meth. med.* 7ª.63.G
in Septem mensibus aliqui morbi finiunt. 1°. de dieb. decre. 4ª.149.D
in Septem annis aliqui morbi finiunt. 1°. de die. decr. 4ª.149.D
Septem receptacula spermatis in matrice. de sperm. Sp.36.D
SEPTENARIVS *non est integrorũ dierũ. in prog. commẽ. 3°.* 4ª.207.C
per Septenarios, vigenarios, et menses, et primo per quaternarios qũo iudicationes & solutiones morborũ fiant. in prog. com. 3°. 4ª.208.C
Septenarius est ualidior circuitus decretoriorum dierum. in prognost. comm. 3°. 4ª.206.F
extra Septenarium primum qui nequit extendi, morbus nisi præcognoscat à medico secũdo saltẽ die, p multũ ẽ erratur°. 1°. de cr. 4ª.131.F
Septenarij tertij finis uigesimus est dies. in prog. com. 3°. 4ª.206.G
SEPTENES *quo motu debent moueri. 1°. de sa. tuen.* 2ª.65.E
ad SEPTENTRIONEM *montes sunt auersi à sole. 5°. met. me.* 7ª.34.H
Septentrionem uersus fluentes aquæ dulces quidẽ sunt, in frigiditate autem excedunt. de bon. aquæ. Sp.75.E
ad Septentrionem sitæ urbes, & ad austerum differunt, & ad orientem & occidentem. de aere aq. & loc. 2ª.2.C
sub Septentrione viuentes, oppositi sunt viuentibus sub Zoa torrida. & animi mores. 1ª.320.D
ad Septentrionẽ degẽtes, agrestes mores habẽt. & animi mo. 1ª.319.H
Septentrionis incolæ, non patiuntur phlebotomiam. de sect. Isa.18.B
SEPTENTRIONALES *sunt cancer, scorpio, pisces. de sper.* Sp.39.A
SEPTICA *medicamenta quæ uocentur. 7°. de simp. med. fac.* 5ª.50.D
Septica medicamenta quæ sint. 1°. de com. me. per ge. 5ª.210.C
Septica medicamenta quæ proprie sint, & quæ improprie. 5°. de sim. med. fac. 5ª.36.B
Septica medicamenta qualia sint. 5°. de simp. me. fac. 5ª.36.B
Septicis facultatibus miscentur cantharides. 11°. de sim. me. f. 5ª.82.E
Septicam uim habet filicula. 6°. de sim. me. fa. 5ª.46.D
Septicis miscetur lixiuium. 9°. de simp. me. fa. 5ª.69.G
Septicis facultatibus misceẽ salamãdræ cinis. 11°. de sim. m. f. 5ª.82.F
Septicus non est ut quidam dicunt sanguis æqui admissarij. 10° de sim. med. facul. 5ª.73.D
de SEPTIMANIS *librum fecit Diocles. com. 2°. aph. 34°.* Ex.17.C
de Septimanis liber nõ est Hippocratis. in 6^m. de m. vul. c. 5°.3ª.189.g
Septimana integris septẽ diebus non constat. 3°. de dieb. dec. 4ª.159.d
in Septimanis magnæ fiunt mutationes. 3°. de dieb. decr. 4ª.158.H
per Septimanas luna mutatur. 3°. de die. decr. 4ª.157.D
per Septimanas a luna mutatur mensis. 3°. de dieb. dec. 4ª.157.E
Septimanæ quomodo numerentur. in prog. com. 3°. 4ª.206.F
p Septimanas tres singulas, dies decretorij qui. in prog. c. 3°. 4ª.206.G
Septimana prima cur a secundæ separata, & secunda tertiæ iuncta. 3°. de dieb. decre. 4ª.160.B
Septimanæ dant indicium septimanarum, & mensis mensium, & anni annorum. com. 3°. aph. 28°. Ex.26.A
Septimana in acutis comparatur mutationi temporum anni in cronicis & diuturnis morbis. 3°. de die. decre. 4ª.158.B
Septimana qũo numeretur in morbis, & qũo principium unius ad alteram se habeat. com. 2°. aph. 23°. Ex.15.F/G
per Septimanas criticorum dierum ordo. 1°. de die. decr. 4ª.154.G
Septimani sunt, & lunæ modo incedentes circuitus qui numero quodã dierum constant. 3°. de dieb. decre. 4ª.158.A
SEPTIMANVS *typus qui. de typ.* 3ª.90.F
SEPTIMANI *sudores boni. præsag. exper. conf.* Sp.77.G
SEPTIMANA *febris intermittens est introd.* Isa.55.D
de Septimanis, & quintanis dicit Galenus Hippocratẽ in aphorismis non meminisse, tũ de ipsis meminit. in 1^m. de mor. v. c. 3°. 3ª.120.F
Septimanam, & nonanam nunquàm uidit Galenus. in 1^m. de morbis vul com. 3°. 3ª.118.E
Septimanam, & nonanam esse non indicat Galenus. in 1^m. de morbis vul. com. 3°. 3ª.120.A
de SEPTIMESTRI *partu. de septim. par.* 1ª.340.H
Septimestris fœtus editionis primus terminus est tempus anni dimidij. de septim. par. 1ª.340.H
Septimestres quot diebus pariant. de septim par. 1ª.341.A
Septimestris infans posset oriri in minori tẽpore q̃ dimidio anni. de septim. par. 1ª.341.D
Septimestris fœtus quo tempore perfectus. de septim. par. 1ª.341.D
Septimestres partus cur viuant de b st. phil. Sp.11.C
SEPTIMVS, *& septimus decimus dies iudicant. commentar. 4°. apho rismo 36°.* Ex.31.G
Septimus dies primus est dierum iudicatoriorũ, numero, ordine potentia, & dignitate. 1°. de dieb. decr. 4ª.146.E
Septimi naturam quartus decimus imitatur. 1°. de dieb. dec. 4ª.147.b
prope Septimum, & quartum decimum sunt nonus, vndecimus, & vigesimus. 1°. de dieb. decret. 4ª.147.B
Septimus dies quomodo indicet. 1°. de dieb. decr. 4ª.147.B
Septimus dies facile ad crisim paratur. 1°. de ar. cu. ad Gl. 7ª.100.C
Septimi quartus ẽ index sua natura. 1°. de die. dec. 149.G/2°. 4ª.154.F
Septimo die fit crisis si quarta habuerit urinam habẽtem nubeculam rubram. com. 4°. aph. 71°. Ex.35.D
Septimo die si appareant exeuntia rubra, quartodecimo sunt iudicati. com. 4°. aph. 71°. Ex.35.E
Septimus dies, quando urina est rubra, non potest esse iudicatiuus vndecimi. com. 4°. aph. 71°. Ex.35.E
Septimus dies semper bene iudicat. 1°. de die. decr. 4ª.145.F
Septimo die crisim esse tutam, simul ac perfectam quo argumento probet. 2°. de dieb. decre. 4ª.151.H
Septimus dies quibus iudicijs præcognoscitur futura boni iudicij. cõ. 4°. aph. 71°. Ex.35.C
Septimus dies est fortissimus decretoriorum. 2°. de die. dec. 4ª.154.F
Septimus dies regi assimilatur. 1°. de dieb. decr. 4ª.146.G
Septimum unde antiqui laudabant. 3°. de dieb. decr. 4ª.160.A
in Septimo die quidam moriuntur. 1°. de die. decr. 4ª.146.E
Septimo die q in pleuritide obcũt. de uict. rat. in mor. ac. c. 1°. 7ª.114.A
in Septimo si adhuc adsit cruditas, non potest morbus finire vigesimo die. 1°. de dieb. decr. 4ª.151.C
ante Septimum diem qui in statu sunt, quomodo cibandi. 1°. de art. cu. ad Glauc. 7ª.97.H
ad Septimũ usq; diem quãdo abstinẽdũ a cibo. 1°. de dieb. de. 4ª.155.E
ad Septimum usq; diem absq; cibo æger continendus, si virtus non debet deficere, & quando. 11°. meth. med. 7ª.74.C
ad Septimũ usq; diem solo cremore ptissanæ quos traxit Galenus. 10°. meth. med. 7ª.63.G
post Septimum vel nonum diem cibus dandus. de uict. rat. in mor. acu. comm. 1°. 7ª.114.H
post Septimũ diẽ q̃ī statu sunt qũo cibãdi. 1°. de ar. cu. ad Gl. 7ª.97.H
post Septimum quomodo cibandum in pleuritide. de uict. rat. in morbis acu. com. 4°. 7ª.143.H
Septimo die iudicati cuiusdam casus. de præcog. ad Post. 4ª.219.H
in Septimo casus crisis. 1°. de die. decr. 4ª.148.F
Septimodecimo die iudicãtur alij, alij sexto. 2°. de die. decr. 4ª.152.C
in Septimodecimo qũ fit crisis, et qũ in 4° decimo. 1°. de die. de. 4ª.151.B
Septimo mense qui nascantur. de comp. memb. Sp.59.E
Septimo mense cur viuere possit infans. de comp. memb. Sp.59.G
SEPTISTELLA *vrsa. 3°. de dieb. decr.* 4ª.159.H
SEPTVAGENARIIS *quando uenam secat Galenus. de cur. rat. per sang. miss.* 6ª.19.D
de SEPTO *transuerso. 5°. de ana. admi.* 1ª.88.D
Septũ trãsuersum uel phrenas dicere nihil refert. 6°. de an. ad. 1ª.91.b
Septum transuersum cur dictum phrenum. 5°. de loc. aff. 4ª.31.E/H
Septum a Platone diaphragma uocari incœpit. 5°. de loc. aff. 4ª.31.E
Septum transuersum ab Aristotele dr succintura. 5°. de lo. af. 4ª.31.E
Septũ et præcordia idem appellauerũt maiores. in prog. c. 1°. 4ª.194.H
Septum transuersum uocatur uiscus. 3°. de nat. fac. 1ª.304.B
Septum trãsuersum est neruosum, separans uiscera, quæ in thorace ab ijs, quæ

ijs, quæ sub thorace.fñ med. Isa 43.H
Sep i transuersi f ma,& substantia quæ.de cau.resp. 1a.226.H
Septũ transuersum est musculus substãtia & usu.8°.de an.ad. 1a.99.f
Septi transuersi substantia,est musculus.7°.de usu par. 1a.163.H
Septi sectio quomodo administranda.5°.de ana.adm. 1a.88.D
Septi transuersi origo.introd Isag.53.G/8°.de ana.adm i. 1a.99 E
Septum transuersum unde incipiat.in 1m.prorrh.com.2°. 4a.170.D
Septum transuersum finis thoracis demissior omni animantium generi.8°.de ana.admi. 1a.99.C
Septi transuersi duæ sunt tunicæ.7°.de usu par. 1a.163.H
Septi duo foramina.5°.de ana.adm. 1a.88.D
infra Septũ trãsuersum mẽbra sunt supra dimidiũ.6°.de de. 1a.263 B
Sep i transuersi nerui unde oriantur.4°.de loc.aff. 4a.23.H
supra Septum partibus arteria longissime super uertebras exporrigitur.in tim.Plato. 1a.287.H
Septum transuersum a caua uena nutritur.6°.de decr. Hip. 1a.263.B
sub Septo omnia instrumenta nestiuntur aliqua tunica, habente initiũ à peritonæo.4°.de usu par. 1a.141.C
sub Septo uiscera quibus concutiantur.2°.de san.tuen. 2a.75.C
sub Septo uiscera,quõ expurgentur.3°.de san.tuen. 2a.77.B
Septũ posuit natura,ne qd in uẽtriculũ ascẽderet.5°.de v. p.1a.147.c
Septũ ob saxa quæ sub mari latitant effectum an animal sit. 1a.327.F
Septum transuersum est organum respirationis.de cau.resp. 1a.226.b
Septum transuersum spirationis instrumentũ est.5°.de loc. aff. 4a.31.F
Septum transuersum solum facit spirationem.4°.de loc. affe. 4a.23.H
Septum motu perpetuo agitur.6°.de usu par. 1a.148.G
Septi transuersi motus,& quõ possit uideri.1°.de mo.mus. 1a.309.H
in Septo transuerso adest palpitatio.2°.de symp.ca. 3a.20.F
Septũ trãsuersum una cũ musculis thoracẽ dilatat.de mus.diss.1a.49.f
Septũ transuersum qñ indiget alijs musculis.4°.de loc.af. 4a.26.G
Septum transuersum habet partem neruosam, quæ potest affici.4°.de præsag.ex pul. 4a.120.C
Septum transuersum ualde aridum est in tẽperie.6°.de lo.af. 4a.40.f
ex Septi trãsuersi ẽbecillitate secũdi athletæ casus.4°.de l.a.4a.25.A
Septo trãsuerso grauitas sæpenumero percipitur.de cur.rat.per sang. missionem. 6a.16.F
Septi transuersi affecti signa.10°.met.me. 7a.64.F
Septi transuersi affecti pulsus qualis.4°.de præsag.ex pul. 4a.120.C
Septum transuersum quando in pleuritide dolet.2°.de lo.aff. 4a.11.C
circa Septum transuersum dolorem habent non nulli, in quibus pus a renibus expurgatur.6°.de loc.aff. 4a.39.A
circa Septum transuersum si dolor extet, spiritus densus, & paruus fit.3°.de diff.resp. 3a.71.C/D
supra Septum dolorem & inflammationem significat spiritus frequẽs. in 3m.de mor.vul.com.3°. 3a.148.H
Septo transuerso,in qua parte cõmittitur iecur,dolor infixus, quõ extinctus.de cur.rat.per sang.miss. 6a.21.F
Septo superiores dolores sanguinis missione prius indigent quam euacuatione.de uict.ra.in mor.acu.com.4°. 7a.137.B
Septo transuerso languẽte q̃ uena secãda sit.de p̃sa.exp.cõf.Sp.78.B/F
Septo trãsuerso dolẽte,vena cubiti secãda.de cu.ra.p san.mi. 6a.20.A
Septi transuersi dolore affectis prodest panax ex uino & melle. de vi. rat.in mor.acu.com.4°. 7a.144.C
Septum transuersum deorsum trahit,quando aliquis hydrops fuerit in totum euacuatus.com.6°.aph.27°. Ex.48.H
Septũ trãsuersum quot modis tẽditur.in 3m.de mor.uul.c.2°. 3a.135.d
Septi transuersi intensio sanguinis missione prius indiget,q̃ euacuatione.de uict.rat.in mor.acu.com.4°. 7a.137.B
Septo uicinarũ partiũ cõuulsio qd faciat.ẽ 3m.de m.v.c.2°. 3a.135.D
in Septi transuersi inflammatione quo modo se habẽt præcordia.in 1m. de mor.vul.com.3°. 3a.121.G
Septi transuersi inflammatio,quid faciat.de pul.ad Ty. 4a.45.B
supra Septum phlegmonẽ esse significat spiritus creber. in 6m.de mor. uulg.com.2°. 3a.162.D
Septum transuersum inflãmatum stomachusue aut uenter inducũt difficilem respirationem.2°.de diff.resp. 3a.65.H
Septo transuerso consentit cerebrum.in prog.com.1°. 4a.196.A
Septum transuersum indicat bonas ac malas cerebri constitutiones.c. 2°.aph.33°. Ex.17.B
Septo transuerso affecto fiunt spirandi difficultas,& delirium.10°.me tho.med. 7a.64.G
a Septi transuersi uitio deliria qualia fiant.5°.de lo.af. 4a.31.G
a Septi transuersi uitio deliriũ parũ distat a cõmuno. 5°.de l.a.4a.31.H
a Septi transuersi uitio delirium factum quo modo differat a phrenitide.5°.de loc aff. 4a.31.H
a Septo delirium ubi oritur.spiratio qualis.5°.de lo.aff. 4a.31.H
ad Septi transuersi regiones infernas abscessum expectare debent, quibus urinæ tenues. & crudæ mirguntur diuturnæ, si alia signa tanquam cuasuris affuerim.de urina sig.ex Hipp. Sp.78.G
inter Septum,& uentriculũ pituita reposita,causans dolorem,quo modo sanetur.com.7°.aph.54°. Ex.58.F
inter Septum,& uentrem secundum Marinum Hippocratis interpretem non uidetur pituitam posse firmari.com.7°.aph.54°. Ex.58.F
Septum transuersum cur nunq̃ recipiat sanguinem crassum, & pituitam.4°.de præsag.ex pul. 4a.120.C
in Septo transuerso marasmum non uidit Galenus,uidit tamẽ hecticã. 10°.meth.me. 7a.64.F
Septi transuersi uulnera quæ curatu facilia sint, & quę curari non possint.5°.meth.med. 7a.33.B
Septum transuersum si discissum sit,letale.com.6°.aph.18°. Ex.47.b
Septi neruosa pars non potest sanarì.com.6°.aph.18°. Ex.47.H
Septum transuersum non potest consolidari.3°.meth.med. 7a.16.E
Septum non sanatur ex iugi motu.com.6°.aph.18°. Ex.48.A
Septo transuerso deperdito,an aliud gignatur.de const.ar. Isa.39.G
a Septo in omni morte pulmo seiunctus uidetur.8°.de an.ad.1a.103.D
SEPVLCHRI sancti,Petræ meminit § propterea collige non esse Galeni librum de dynamidijs.§ de dyn. Sp.24.B
SEPI vires quæ.de simp.med. Sp.90.B
Sepum dicitur pinguedo terrestris.de util.resp. Sp.64.F
Sepi diuersitates adipi communes.de sim.med. Sp.90.B
Sepum mollit durities omnes.de simp.med. Sp.90.B
Sepo & pinguedine abundans animal omne, abundat & in medulla. de ana.viuo. Sp.44.D
Sepum cur mutat colorem.in prog.com.2°. 4a.199.G
SEQVENS ab aliquo tanq̃ a causa,est signũ.5°.de lo.af. 4a.35.C
Sequentia necessario alia omittit Hippoc.in prog.comm.1°.4a.195.D
SEQVITVR in quo sensu accipiendum.de ijs, quæ in med.fiunt.commenta.2°. 7a.211.B
SERAPIACVM phanion medicamentum inscriptum quod.4°. de comp.me.sec.lo. 5a.154.E
SERAPIO vnus fuit ex primis empiricis.de subsi.empi. Isa.31.C
Serapio empiricus.10°.de comp.me.se.lo. 5a.207.G
Serapion temerarius qui contra Hippocratem medicæ artis exornatorem impudenter ausus est oblatrare.de subsi.empi. Isa.34.F
Serapionis emplastrum.6°.de compo.me.per ge. 5a.256.G
Serapionis melinum ad uulnera & ad resoluendum.2°.de com.medic. per gen. 5a.222.H
SERAPIS herba.2°.de com.med.per ge. 5a.221.A
Serapis.5°.de com.me.per ge. 5a.253.E
SEREMBLEGI meminit.sccr. Sp.103.B
SERENITATEM, & frigus facit Boreas.3°.de sym.ca. 3a.27.F
SERENVM vr significare perturbationem.com.3°.aph.8°. Ex.20.G
Serenum cum pluuioso componit Hippocr.& cum australi.comm.3°. aph.12°. Ex.21.E
Serena tempestas quæ.in 3m.de mor.vul.com.3°. 3a.140.H
SERICA fructus infantium effrenatorum epulium est & mulierum. 2°.de alim.fac. 2a.21.D
Serica exigui alimenti est,& concoctu difficilis.2°.de alimentorum facultatibus. 2a.21.D
Serica non iuuat stomachum.2°.de alim.fac. 2a.21.D
Sericis non utendum est in uictu extenuante.de atte.vic. 2a.45.H
SERICA materia indigent ex longis regionibus importata. de cognoscendis curandisq; animi morbis. 2a.54.H
Sericum filum pro arteria deliganda bonum.13°.meth.me. 7a.86.F
SERIPHVM absynthio simile est tum specie,tum gustu, attamen discrepat.8°.de sim.med.fa. 5a.60.C
Seriphum calidum est in secundo ordine,& siccum in tertio.8°.de simplic.med.fa. 5a.60.C
Seriphum absinthium stomacho inimicum est,& quare.6°.de simplic. med.fac. 5a.40.D/G
Seriphum cum cibo,potuq̃,sumptum, meatus purgat. 5°.de sim.med. facult. 5a.35.C
Seriphum lumbricos necat.8°.de sim.me.fa. 5a.60.C
SERIS Cichorium aliqui vocant,cuius sit temperaturæ. 8°.de simpli. med.fac.

med.fac. 5ª.60.C
Seris a quibuſdam chondrila dicitur.8°.de ſimp. me.fa. 5ª.63.H
Seris in cibis editur, & qualis ſit.8°.de comp.me.ſe.lo. 5ª.195.B
Seris eſt vitioſiſſimi ſucci.de bon.& vi.ſuc. 2ª.37.G
Sereos,& ſedi ſuccus cuti illitus quid faciat. de marc. 3ª.48.B
Sereos ſuccus refrigerat,& adſtringit.1°.de arte cur.ad Gl. 7ª.99.c
Seridis ſucco caput refrigerari poteſt ruri.2°.de com.m.ſ.l. 5ª.132.g
Seris vnum eſt ex oleribus crudis, quæ ſtomachicis conueniunt.8°.de comp.med.ſec.loc. 5ª.192.C
Sereos ſuccus bonus eſt pro ore ventriculi ſuper caleſacto.1°.de arte cur.ad Glau. 7ª.99.C
Seri qua parte iuuetur iecur.8°.de comp.med.ſe.loc. 5ª.195.C
Seris quo iecoris frigidas affectiones non magnopere lædat.8°.de cõp. me.ſe.lo. 5ª.195.C
Seris iecori præbet robur. 8°.de comp.me.ſe.lo. 5ª.195.C
Seris infrigidat inflammationes.6°.de comp.med.ſe.lo. 5ª.176.F
*Seris cuitanda eſt in Herpete exedente.2°.de arte cur.ad Gl.*7ª.102.b
SERMO *quid apud antiquos.in 3ᵐ.de mor.vul.com.3°.* 3ª.149.B
Sermo habet eſſe in fieri.2°.met.med. 7ª.10.A
Sermo, vox,& res differunt.4°.de loc.aff. 4ª.26.B
Sermo ex voce fit.de voce & anhel. Sp.61.A
Sermonibus neceſsario eſt omiſſio longæ vocis. de ana.viu. Sp.48.B
Sermo vt diutinus eſſet abſq; continua inſpiratione, quid effectum.7°. de vſu par. 1ª.159.E
ad Sermonem muſculus conferens & maſticationem,anatomicis ignotus fuit. 11°.de vſu par. 1ª.190.H
Sermone mens explicanda eſt.2°.de pul. dif. 4ª.53.D
*Sermone expreſſa doctrina eſt prĩcipiũ expiẽtię.de pu.ad Ty.*4ª.45.c
in Sermonibus optimum eſt quod ſeruat mediocritatem. commen.7°. aphor.22°. Ex.55.E
Sermone qui optime vtantur. 2°.de diff.pul. 4ª.53.D
Sermo in omni re eſt de optimo in ſuo genere. 3°.de ali.fac. 2ª.28.A
Sermo iuſtus, æquusq;.de vict.rat.in mor.acu. com.4°. 7ª.135.F
*Sermonum apparatus,oportet eſſe opiparus.2°.de diff.reſp.*3ª.168.E
*Sermo cõis de cõmuni ſemel faciẽdus.in 6ᵐ.de mo.vul.c.1°.*3ª.152.f
in Sermonibus myſticis,imperabant prophanis vt aures obturarent. 12°.de vſu par. 1ª.194.C
Sermones longi quo adducendi.com.6°.aph.25°.& 26°. Ex.48.F
in Sermone diligentia exquiſita, quæ.de frac.com.2°. 7ª.240.D
Sermonis dictiones conſiderandæ ſunt.com.1°.aph. 14°. Ex.7.C
Sermones quoſdam vniuerſales ponit Hippocrates tanq; exempla, & e contra.com.6°.aph.25°.& 26°. Ex.48.F
in Sermonibus oĩbus quid ſubaudire opus eſt.c.7°.aph.22°. Ex.55.E
Sermones obſcuri quid faciant. com.7°.aph.64°. Ex.60.C
Sermo falſus vacuus dicitur,& quomodo.3°.de diff.pul. 4ª.61.D
Sermonis falſitas,& non obſcuritas cogit addere prius inuentis.com. 7°.apho.64°. Ex.60.C
*Sermo acephalus.i.ſine capite rei.de vic.ra.in mor.ac.c.4°.*7ª.145.A
Sermo improuiſus caret diligentia. & quali. in corp.ſint. If.8.G
*ex Sermone ingeniũ ægri cognoſcimus.in 6ᵐ.de mo.vul.c.2°.*3ª.169.g
Sermones medicorum cum ægrotantibus quales debeant eſſe. in 6ᵐ.de mor.vul.com.4°. 3ª.181.F
SERMOCINANDI *artem vocat Logicam.2°.de diff.reſp.* 3ª.64.F
SEROSITAS, *amara bilis,& atra, ſunt excrementa in concoctione venarum.3°.de ſymp.cau.* 3ª.26.A
SEROSA *humiditas in lacte quo inſit.in 6ᵐ.de mor.vul.c.2°.*3ª.167.f
Seroſum lac nihil habet periculi.3°.de alim.fac. 2ª.28.A
Seroſus ac tenuis liquor eſt in omni humore, & differt.vt differũt humores. in 6ᵐ.de mor.vul.com.2°. 3ª.167.F
Seroſi humoris ſubſtantiam ſm Ariſtotelẽ gignunt arteria, & vena. 1°.de ſemine. 1ª.332.G
Seroſus ſanguis eſt ſanguis cũ ſero miſtus.10°.de ſim.me.fa. 5ª.72.g
Seroſum excremẽtũ colligitur in ſenibus.5°.de ſan. tu. 2ª.92.E
Seroſa ſupfluitas ſemp ẽ miſta choleræ in vomitu.c.6°.a.50°.E.52.F
Seroſa excrementa quid agant. 3°.de ſymp.cau. 3ª.26.C
Seroſa ſuperfluitas in venis eſt.com.5°.aph.58°. Ex.43.B
Seroſa ſuperfluitas eſt gratia diſtributionis.com.3°.ap.15°. Ex.22.b
Seroſum excrementum renes purgant.3°.de ſym.cau. 3ª.26.B
Seroſa ſupfluitas ſanguinis p vrinas purgat.c.4°.a.2°.& 3°. E.27.D
*Seroſa ſanguinis ſupfluitas tingit vrinas ſubrubras.1°.de cr.*4ª.130.f
Seroſi humoris in thorace indicia. 4°.de loc.aff. 4ª.27.G
Seroſum humorem trahunt teſtes. 1°.de ſem. 1ª.335.B
Seroſa ſunt quæ ſunt in ſiniſtro teſticulo.com.5°.aph.48°. Ex.42.A
a Seroſo humore nutriuntur teſtea.1°.de ſem. 1ª.335.A
*ex Seroſo humore q̃ nutriũtur,ex eodẽ ſunt genita.1°.de ſe.*1ª.333.A
Seroſi humores nullã relinquũt ſuperfluitatem.2°.de diff.feb. 3ª.41.E
Seroſa ſuperfluitas debet euacuari,ſi homo cõſuetus eſt ægrotare. cõ. 6°.aph.47°. Ex.52.B
Seroſi humores in quibus difficulter remouentur cuti admodum inſidentes.1°.de comp.me.ſe.lo. 5ª.121.H
Seroſos humores ſanguinis exugens epithema quo pro cucurbitis, & hirudinibus utimur.10°.de comp.me.ſe.lo. 5ª.209.B
Seroſi humores & albi ſunt in fracturis.de fract.com.1°. 7ª.229.G
Seroſi & albi humores indigent diſſlatione,& perſpiratione. de fract. comm.1°. 7ª.229.G
ex Seroſa humiditate callus non gignitur,ſed ex craſſa, & quali. 6°. meth.med. 7ª.41.F
*Seroſo humore omnes animàlis partes q̃n priuãtur.1°.de ſe.*1ª.335.D
Seroſa ſanies.3°.de ſymp.cau. 3ª.28.E
de SERPENTIBVS *librum fecit Heraclides.2°.de antid.* 5ª.118.D
Serpentes ſunt proniſſimi.3°.de uſu par. 1ª.128.F
Serpentibus non oriuntur pili.2°.de temp. 1ª.18.H
Serpentes cur linguam habent diuiſam.11°.de uſu par. 1ª.187.H
Serpens paucum cor habet,& tamẽ eſt audax, quia calidum cor habet. de ana.uiuo. Sp.53.A
de Serpentis ouis exemplum,quo declaratur naturas animaliũ a nullo doceri.1°.de uſu par. 1ª.113.F
Serpentes oculos fricant marathro.de ther.ad Piſ. 5ª.92.A
Serpentum ſenectus quid.com.4°.aph.77°. Ex.36.F
*Serpentis ſenecta dentiũ doloribus medetur.11°.de ſim.me.ſ.*5ª.80.E
Serpentis ſenium.de med.fac.par. 7ª.167.H
Serpẽtẽ quis cõſpectũ uidens,tremens reddit.2°.de ſym.ca. 3ª.20.D
Serpentẽ vidẽs ſubito homo fit pallidus.de mot.man.& ob. Sp.69.D
Serpentes in Ægypto comeduntur.3°.de ali.fac. 2ª.26.D
Serpens ſub cane furiunt.2°.de loc.aff. 4ª.14.B
Serpens hęmorrhus ſi quempiã mordeat, ſanguinẽ facit largius effluẽre.de op.ſec. Iſa.21.F
Serpentum uenena,aliqua educunt eo modo, quo magnes ferrum trahit.1°.de nat.fac. 1ª.295.A
Serpentem de cauernis ſpiritu ſuo trahit cornus.de cathar. Sp.94.H
Serpens ſpiritu ſuo mures ad ſe trahit.de cathar. Sp.94.H
Serpentibus quæ aduerſantur,amara ſunt.1°.de antid. 5ª.102.B
Serpentis morſui facit lilium.de ſimp me. Sp.86.D
Serpentes fugant conizæ folia.de ſim.me. Sp.83.A
Serpentes fugat cornu ceruinum.de ſim.med. Sp.83.C
Serpentem omnem fugat gentiana de ſimp me. Sp.84.G
Serpentum acceſſum fugat opopanax.de ſimp.me. Sp.88.B
Serpentes fugat origanum.de ſimp.med. Sp.88.E
Serpentes fugat Peucedanum.de ſimp.med. Sp.89.B
ad Serpentes abigendos.de med.fac.par. 7ª.174.B
Serpentes occidit dictamnum.de ſim.med. Sp.83.D
a Serpentibus aut ferro uenenato uulneratorum communis curatio. 2°.de antid. 5ª.122.B
ad Serpẽtiũ noxas remedia ab Aſclepiade ſcripta.2°.de ant. 5ª.116.F
cõtra Serpẽtiũ ictus antidotus Cæſari à Gallo data.2°.de ant. 5ª.118.f
Serpentum morſum curat dictamus.de dy. Sp.35.F
Serpentum morſibus utile eſt marubiaſtrum.de ſim.med. Sp.87.G
ad Serpentum morſus ſmyrnium facit.de ſim.med. Sp.91.B
à Serpente uulneratis efficax remedium theriaca eſt. de uſu theriacæ ad Pamphilianum. 5ª.98.E
*a Serpẽtibus pcuſſis daẽ theriaca Euclidis Platiani.2°.de an.*5ª.116.b
Serpentium ictus ſanans antidotus.2°.de antid. 5ª.116.E
ad Serpentium percuſſiones.2°.de antid. 5ª.113.E
ad Serpentis cuiuslibet ictum.4°.de comp.me.per ge. 5ª.243.D
ad Serpentium morſus.6°.de compo.medicam.per gene. 5ª.260.C/*de med.fac.par.* 7ª.174.B/D
ad SERPENTES. *i.uermes in uentre.ſecr.* Sp.97.B
in SERPENTIBVS *vlcerum naturales colores mutantur. de ſympto. diff.* 3ª.13.B
ad Serpẽtia ulcera Threpti paſtillus.5°.de com.me.per ge. 5ª.251.E
ad Serpentia vlcera.3°.de com.me.ſe.lo.148.A/5°.de compo. medic. per gen. 5ª.251.E/F
SERPIGINES *a flaua bile fiunt.8°.de decr.Hip.* 1ª.275.F
ad Serpiginem remedium.de dyn. Sp.25.G

ad Serpiginem

ad Serpiginem unguentum.de dyna. Sp.30.G
SERPILLVM *quid.de simp.med.* Sp.84.B
Serpillum uiride,& aridum multum differunt.2°.de composi.medic. sec.loc. 5ª.136.E
Serpillum obsonium sponte proueniens est.2°.de alim.fac. 2ª.25.D
Serpillum quale sit.2°.de comp.me.se.lo. 5ª.136.E
Serpillum multum acre est,menses q3 & urinas mouet.6°.de simplic. med.fac. 5ª.47.F
Serpillum urinam,& menstrua prouocat.de simp.med. Sp.84.B
Serpillũ adstringens & repercutiens est.4°.de com.me.se.lo. 5ª.157. *D/de remed.par.fac.* 7ª.156.D
Serpillum detergit.8°.meth.med. 7ª.52.G
Serpillum ad quid ualeat.de cura icteri. Sp.111.B
Serpillis quis sit usus in affectibus capitis.11°.meth.med. 7ª.73.E
Serpillum capiti phreniticorum imponunt.13°.meth.me. 7ª.85.D/*de simp.med.* Sp.84.B
Serpillum si in oleo incoxeris & dissolues, & quod crassius etiam est euacuabis.1°.de ar.cu.ad Gla. 7ª.100.A
SERRÆ *usus utilis in ossibus.intro.* Is.59.F
ob Serræ sonitum secantis stuporem dentium factum portulaca non sa nat.de opt.sec. Isa.22.H
SERRANS *pulsus in quibus.de pul.ad Tyr.* 4ª.45.A
Serrantes pulsus proprium sunt signum in primis pleuriticorũ.de pul. ad Tyro. 4ª.45.C
SERRATA *cur commissura est.9°.de usu par.* 1ª.171.F
Serratos dẽtes hũtia ãalia magnas hũt uertebras.de ner.dis. 1ª.54.E
SERTORIVS *clemens curatus quo emplastro.6°.de composi.medica. per genera.* 5ª.261.B
SERTVLA *quid,& eius uires.de simp.med.* Sp.90.H
Sertula uires habet acriter relaxantes,oculorũ tumorẽ sedat, neruosis & delicatis partibus confert.de simp.med. Sp.90.H
in SERVANDIS *quibus folia lauri sicca ponenda & cur.11°.de sim. med.fac.* 5ª.79.F
Seruandæ quæ in ædibus siccis, ac æditis, & planè humoris expertibus.11°.de simp.me.fa. 5ª.79.F
SERVILIA *mẽbra q extrinseca,& intrinseca.de ana.uiuo.* Sp.45.D
SERVIANT *qui.2°.de san.tuen.* 2ª.69.C
SERVITVTES *quæ solæ existimantur.2°.de san.tuen.* 2ª.69.C
Seruitute animi oppressi non libenter pro alijs se periculis exponunt. de are aq.& loc. 2ª.6.C
SERVAVIT *multos Galenus, qui longo ante tempore singulis annis ægrotabant.com.6°.aph.47°.* Ex.52.B
SERVM *quid sit.1°.de nat.fac.* 1ª.295.D
Serum qũo a lacte separetur.de uict.ra.in mor.acu.com.4°. 7ª.135.C
Serum frigidum & humidum est.4°.de sim.me.fac. 5ª.29.C
Serum est humidum.3°.de alim.fac. 2ª.27.G
Seri humiditatem non fugiunt Medici sed acrimoniam cum sero consumpto rursus aquam infundunt.3°.de alim.fa. 2ª.27.G
Serum est humiditas extergens.10°.de sim.me.fa. 5ª.73.F
Serum extergit.4°.de com.me.se.lo. 5ª.150.D
Serum habet uim abstergendi.com.3°.aph.24°. Ex.25.A
Serũ p clysteres extergit et abluit sine morsu.10°.de si.m.f. 5ª.73.G
Serum multum in lacte facit aphtas pueris.cõ.3°.aph.24°. Ex.25.A
Serũ lactis & salsugo,mordicatiões qñq; sanãt.2°.de si.me.f. 5ª.12.B
Serũ optimũ est ad ulcera q̃ acri sanie infestani.10°.de si.m.f. 5ª.73.g
Sero præstat diluere medicamenta quæ digerere solent ecchymomata & atra.10°.de simp.med.fac. 5ª.73.G
Serũ ad fugillata & hypospbagmata qũo cõfert.10°.de si.m.f. 5ª.73.G
Serum lactis pro cibo in cancris abundanter exhibendum.2°.de arte cu.ad Glauc. 7ª.107.E
Sero uti poteris in causo.de uict.rat.in mor.acu.com.4°. 7ª.135.C
cum Sero lac minus nutrit.3°.de alim.fa. 2ª.228.G
Serum tenues succos gignit, & aluum ducit.3°.de alim.fac. 2ª.28.B
cũ Sero qui lac comedũt, subducitur ijs aluus magis, vel minus proportione quantitatis seroſi humoris.3°.de alim.fac. 2ª.28.G
Serum euacuat.3°.de simp.me.fa.20.A/ de ther.ad Pis. 5ª.90.H/ *de mel.ex G.R.& Toss.* Sp.110.A
Serum aluum mouet egregie.de bon.& uit.suc. 2ª.35.D
a Sero habet lac quod deijciat.3°.de alim.fac. 2ª.27.G/H
Sero usi sunt antiqui ad deijciendum.3°.de alim.fac. 2ª.27.H
Sero utebãtur Cnidij in nõ acutis.de uict.rat.in mor.a.c.1°. 7ª.108.F
Seri magnã copiã offerebãt antiqui pro purgatione.de sal.diæ. 2ª.41.g
in Sero lactis epithymo melancholicus humor quo modo euacuetur. 14°.meth.med. 7ª.89.A
Serũ qd nã i melãcholicis magis cõueniẽs.d mel.ex G.R.et P.Sp.110.a
Serũ qũo fieri debet p melãcholicis.de mel.ex G.R.& P. Sp.110.A
Serũ sumẽdi quãtitas in melãcholicis.de mel.ex G.R.& P.Sp.110.A
Serum lactis,& melle conditum citat aluum,& ualet suspensis.comm. 5°.aph.64°. Ex.44.F
in Sero quantum mellis ponendũ ut deiciatur.3°.de alim.fa. 2ª.27.H
in Sero quantum salis miscendum.3°.de alim.fac. 2ª.27.H
Serum quomodo multum educet.3°.de alim.fac. 2ª.27.H
in Sero Scãmoniũ p purgãda muliere posuit.14°.meth.med. 7ª.92.F
qñ SERVM *picis infundendum in auribus.3°.de compo.medicamen. secundum loc.* 5ª.144.H
SERI *gña sunt diuersa,sm diuersitatẽ humorũ.2°.de nat.fa.* 1ª.301.H
Seri gña quæ sunt in corpore,sunt excrementa, & ab ipsis debet liberari animalis corpus.2°.de nat.fac. 1ª.301.H
Serum atræ bilis quale.in 6m.de mor.uul.com.2°. 3ª.167.F
Serum bilis quale.in 6m.de mor.vul.com.2°. 3ª.167.F
Serum pituitæ quale.in 6m.de mor.vul.com.2°. 3ª.167.F
Serum pituitæ quid faciat.in 6m.de mor.uul.com.2°. 3ª.167.F
Serum sanguinis quale.in 6m.de mor.vul.com.2°. 3ª.167.F
Serum sanguinis purgatur a renibus.5°.de vsu par. 1ª.144.C/F
Serum sanguinis ad se trahunt renes.5°.de loc.aff. 4ª.35.F
Serum sanguinolentum quo modo mingatnr ex renum, & iecoris imbecillitate.3°.de symp.cau. 3ª.27.B
Serum humorum in venis contentorum est urina. in 3m.de morb.uulg. comm.1°. 3ª.131.D
Serũ aquosum aliter euacuaĩ,q̃ flaua et atræ bilis.de const. ar.Is.42.E
SERVI *è quibus prouincijs emebantur.1°.meth.med.* 7ª.2.E
Seruorum uersutorum exemplum, quo declarantur uersutia Asclepiadis,& impudentia.1°.de nat.fac. 1ª.296.B
Seruorum Menandri exemplum.1°.de nat.fac. 1ª.296.B
Serui qui ter fallunt herum,aliter nihil agunt.1°.de nat.fac. 1ª.296.B
Serui fugitiui quomodo deprehendantur.1°.de dig.pul. 4ª.70.H
Seruorũ fugitiuorũ crura adurebãt,et lacerabãt.6°.de dec. 1ª.267.D
Serui si puniãtur ab heris qñ irascãtur,& qñ nõ.5°.de dec.1ª.260.A
Seruorum tuorum quenq̃ peccantẽ nunq̃ tuis manibus corriges.de cog. cur.animi mor. 2ª.52.B
Seruũ nũq̃ uerberauit Galenus,nec eius pater.de co.cu.aĩ mo. 2ª.51.G
Seruo oculũ eruit Adrianus Impator suo stylo.de co.cu.aĩ mo.2ª.51.H
Seruus si interiret dño præsente, debebat esse illi pena imposita.de cogn.cur.animi mor. 2ª.52.A
Serui nunquam bibant uinum.& animi mor. 1ª.320.H
Serui habentis statum corporis inculpatũ in latitudine, qui ad extremũ diem sit liber victus ratio.6°.de san.tuen. 2ª.97.B
Seruus mortuus est respirationẽ spõte cõtinẽs.2°.de mo.musc. 1ª.315.d
Seruo librorũ quo modo fiunt aliqui.in 6m.de mor.vul.cõ.2°. 3ª.165.a
SESAMINA ossa quæ.de ana.viuo. Sp.49.C
SESAMINVM *oleum quale.8°.de sim.me.fa.* 5ª.60.D
Sesaminum oleum acopon.7°.de com.me.per ge. 5ª.269.E
Sesaminum oleum.6°.de simp. me.facul. 5ª.46.H
Sesaminum dulce uinum in Lydia.1°.de dig.pul. 4ª.70.H
Σεσαμοειδῆ *ossa quæ,& unde dicta.2°.de usu par.* 1ª.124.H
SESAMOIDES *anticyricos elleborus appellatur,& quare.8°.de sim. med.fac.* 5ª.60.D
Sesamoidis albi semen quale.8°.de simp.me.fa. 5ª.60.D
Sesamoides miscetur ueratris.de uict.ra.in mor.ac.com.4°. 7ª.152.F
Sesamoides purgat ut elleborus.8°.de sim.me.fac. 5ª.60.D
Sesamoides uentrem superiorem purgat.de vict.rat.in morbis acutis. com.4°. 7ª.152.F
SESAME *minuta species leguminis.2°.de usu par.* 1ª.124.H
SESAMVS *pinguis est,& eius usus.1°.de ali.fa.* 2ª.15.D
Sesamum est unctuosum multum.de diss.cont. Sp.73.C
Sesamus calidus est.1°.de alim.fac. 2ª.15.D
Sesamum est cibus calidus.de diss.cont. Sp.74.C
Sesamum cibus crassus,& cur.de diss.cont. Sp.72.H
Sesamo quomodo uescantur homines.1°.de alim.fac. 2ª.15.D
Sesamum cur stomacho malum. de diss.con. Sp.74.E
Sesamum tarde digeritur.de diss.cont. Sp.73.D
Sesamum tarde descendit.de diss.cont. Sp.74.H
Sesama immutata deiecta ostendunt nullam esse cruditatẽ, sicut dixit Erasistratus.1°.de lo.aff. 4ª.5.E

Sesamus sitim

Sesamus sitim excitat,& quare. 1°. *de alim.fac.* 2ª.15.*D*
Sesamum urinam mouet.de cura icteri. *Sp.*111.*D*
Sesama alba quo conuenientia pro purulentis.de uict.rat. in morb.ac. comm. 4°. 7ª.152.*F*
Sesamon emplasticum & emolliens est. 8°. *de sim.me.fa.* 5ª.60.*D*
Sesama in inflammationum arteriæ principijs leuissima. 7°. *de compo. med.sec.loc.* 5ª.177.*H*
ex Sesamo fit oleum. 4°. *de simp.me.fac.* 5ª.26.*G*
SESELI *quid.de simp.med.* *Sp.*90.*D*
Seseli massilienſe probatissimum est. 4°. *de san.tuen.* 2ª.86.*D*
Seseli massilienſe. 8°. *de com.me.se.lo.* 191.*F*/9°. 5ª.202.*D*
Seseli fructus qualis. 8°. *de sim.me.fa.* 5ª.60.*C*
Seseli semen odoratum tenuium partium est, urinam ciens. 7°. *de com. med.sec.lo.* 5ª.200.*H*
Seselos semẽ calidũ ẽ cũ subtili substãtia. 2°. *de ar.c. ad Gl.* 7ª.104.*G*
Seseli calidum & acre est, urinã ciens, sanguinem extenuat, & secernit. 5°. *de sim.me.fac.* 5ª.35.*D*
Seseli diureticum est, tñ plurima antidota mittitur proprie ad colicũ dolorem facit.de simp.med. *Sp.*90.*D*
Seseli menstrua prouocat.de ocul. 7ª.188.*G*
Seseli ingreditur theriacam.de ther.ad Pis. 5ª.92.*F*
Seseli si sit crudum, longo tẽpore in uentre durat. 4°. *de sa.tu.* 2ª.85.*B*
Seseli miscetur medicamẽtis purgãtibus. 8°. *de cõ.me.se.lo.* 5ª.190.*B*
Σεσηρός. *i.ringens.de fract.com.* 3°. 7ª.247.*D*
SESQVICYATHVS. 3°. *de comp.med.sec.lo.* 143.*D*/9°. 5ª.205.*A*
SESQVIHEMINA. 1°. *de com.me.se.lo.* 5ª.131.*A*
SESQVIOBOLVS. 3°. *de comp.me.se.loc.* 5ª.143.*D*
SESQVISEXTARIVM. 3°. *de comp.me.se.loc.* 5ª.144.*A*
SESQVIVNCIA *drachmas xij.facit.* 4°. *de comp.me.se.lo.* 5ª.152.*C*
SESSIO *quid sit.de fract.com.* 2°. 7ª.240.*A*
Sessio in homine quomodo fiat. 3°. *de usu par.* 1ª.128.*E*
ex SETIS *& pilis cõpositus pannus.* 3°. *de cõp.med.se.loc.* 5ª.149.*A*
SETACEVS *pannus.de med.fac.par.* 7ª.175.*E*
SETEFVSIÆ *meminit.secre.* *Sp.*97.*A*
SEVERI, qui se ipsum mutato nomine Antoninum uocauit tempore, Galenus erat Romæ.ad eos qui de typ.scrip. 3ª.91.*H*
Seuerus in imperij cõionẽ Luciũ accepit.ad eos q de typ.scrip. 3ª.91.*H*
Seuero Imperatori theriacam fecit Galenus. 1°. *de antid.* 5ª.105.*H*
SEVVM *malthacodes.i.mollicinum dicitur.* 4°. *de compositione medic. per gen.* 5ª.238.*E*
Seuum liquanur igne. 3°. *de compo.medi.per gen.* 5ª.233.*F*
Seuum non potest per angusta transire, nisi liquidum. in 6ᵐ. *de morb. vulg.com.* 3°. 3ª.173.*D*
Seuo, & oleo delibuta & aqua madefacta coria laxa fiunt.in 6ᵐ. *de mor.vulg.com.* 3°. 3ª.177.*A*
Seuo utitur. 14°. *meth.med.* 7.90.*E*
Seuũ iniectũ ĩ deiectionibus alui, dolorẽ mitigat. 13°. *met.me.* 7ª.86.*A*
Seuum qñ ponendum ad ulcera. 4°. *de comp.med.per gen.* 5ª.242.*A*
Seuũ Anseris est tenuiũ partiũ, et altius descẽdit. 14°. *me.me.* 7ª.93.*E*
Seuũ anseris in clysteri incoli dolore ponitur. 12°. *met.med.* 7ª.79.*F*
Seuum anserinum. 7°. *de compo.med.per gen.* 5ª.270.*D*
Seuum Camelinum maturat.de ocul. 7ª.188.*E*
Seuum Caprinum vel vitulinum indifferenter accipitur. 5°. *de comp. med.per gc.* 5ª.249.*E*
Seuũ Galli est tenuiũ partiũ, & altius descẽdit. 14°. *me.med.* 7ª.93.*E*
Seuũ Gallinaceũ pro anserino qñ sumitur. 14°. *met.me.* 7ª.88.*C*
Seuum Hircinum molliendo digerit. 14°. *met.med.* 7ª.87.*H*
Seuum hircinum valet in dysentericorum deiectionibus, ubi vehementer rodunt. 12°. *met.med.* 7ª.74.*H*
Seuum Leoninum molliendo digerit. 14°. *met.med.* 7ª.87.*H*
Seuum Suillum maturat.de ocul. 7.188.*E*
Seuum suillum pro Gallinaceo. 14°. *met med.* 7ª.88.*C*
Seuum Taurinum molliendo digerit. 14°. *met.med.* 7ª.87.*H*
Seuum taurinũ odoramẽtis conditũ. 7°. *de cõp.med.per ge.* 5ª.272.*E*
Seuum Vitulinũ mollit et concoquit. 2°. *de com.med.per ge.* 5ª.221.*D*
Seuum vitulinum curatum. 4°. *de comp.me.per ge.* 5ª.243.*H*
Seuo vitulino utitur. 2°. *de comp.me.per ge.* 5ª.225.*G*
SEVO *qd simile inuenitur in ipsis steatomatis.de tum.pt.nat.* 3ª.83.*G*
Seuũ pingue quasi existens apostema qũo generetur.de ocul. 7ª.189.*G*
SEXAGENARIVS qui sit denso pilo, non est calidus & siccus nunc, sed fuit ante. 2°. *de tem.* 1ª.21.*A*
Sexagenario, qui denso sit pilo, eo modo cõsistunt prius geniti pili, quo herbæ, quę nascũtur vere, et in æstate perseuerãt. 2°. *de tẽp.* 1ª.21.*A*
SEXAGESIMVS *dies cur inter decretorios numeratur in prognosticis.* 1°. *de dieb.dec.* 4ª.156.*A*
Sexagesimum diem terminum quandoque sint acuti ex decidentia. 1°. *de dieb decre.* 4ª.156.*D*
Sexagesimum diem ex uigesimo sępius aucto fieri contingit. 1°. *de diebus decret.* 4ª.154.*H*
SEXTANS *Pendet uncias duas.* 4°. *de com.med.per ge.* 5ª.244.*H*
Sextans. 3°. *de comp.me.se.lo.* 5ª.147.*E*
SEXTARIVS *nomen Romanum.* 1°. *de comp.med.per ge.* 5ª.215.*D*
Sextarium Romanum § Athenienses hoc non habebant.§ 1°. *de comp. med.per gen.* 5ª.215.*H*
Sextarios sex Romanos significat Cõgius. 6°. *de com.me.s.l.* 5ª.170.*a*
Sextarius Romanus. 6°. *de sa.tuen.* 2ª.101.*B*/3°. *de composit.medica. per gen.* 5ª.233.*G*
Sextarius habet uncias octo. 9°. *de com.me.se.lo.* 5ª.198.*H*
Sextarium pendet uncias tres. 6°. *de comp.me.per gen.* 5ª.262.*B*
Sextarij Italici meminit. 11°. *de si.m.fa.* 82.*H*/*de pod.et mẽ.* 5ª.275.*E*
Sextariorum diuersitas. 1°. *de comp.me.per ge.* 5ª.216.*A*
Sextarij meminit. 2°. *de antid.* 117.*A*/1°. *de comp.med.sec.loc.* 130.*F*/3°. 144.*A*/9°. 200.*D*/2°. *de com.med.per gene.* 224.*G*/*de pond.& mens.* 275.*E*/*F*/276.*B*/*H*/ 5ª.277.*C*
SEXTVS *empiricam sectam exacte corroborauit. introd.* *Isa.*51.*D*
Sexti casus, qui incidit in morbum acutum, & quo prædixerit Galenꝰ nõ posse morbũ ptẽdi ultra sẽptimũ diẽ.de pco.ad Posth. 4ª.218.*C*
SEXTO *die quidam, alij decimoseptimo iudicantur.* 2°. *de diebus decretorijs.* 4ª.152.*C*
Sextus dies quomodo iudicet. 1°. *de dieb.dec.* 4ª.147.*B*
Sexti naturã nullus aliorũ dierũ exacte imitat. 1°. *de die.dec.* 4ª.147.*B*
Sextæ diei crisis qualis. 1°. *de dieb.decr.* 145.*F*/146.*G*/4°. 154.*G*/1°. *de ar.cu.ad Glauc.* 7ª.100.*C*
Sexto die iudicium malum, & casus difficiles.c. 4°. *aph.* 29°. *Ex.* 30.*D*
Sextus dies Tyranno assimilatur. 1°. *de dieb.decr.* 4ª.146.*G*
Sextus cur male iudicat.in progn.Hip.com. 3°. 4ª.206.*G*
Sextus dies quãdoq; necat, etiam si sit facta accessio in diebus impari bus propter morbi celeritatem. 1°. *de dieb.decr.* 4ª.149.*F*
Sexto die qui moriebantur.in 1ᵐ. *de mor.vul.com.* 2°. 3ª.115.*A*
in Sexto pauci iudicãtur, & peruerse, & qũo. 1°. *de die.dec.* 4ª.146.*e*
Sextus dies iudicauit fideliter morbum in virgine quadam. in 3ᵐ. *de morb.vul.com.* 3°. 3ª.150.*H*
de Sexto iudicat quartus dies. 1°. *de dieb.dec.* 4ª.147.*B*
in SEXTODECIMO *morbi nõ soluuntur.* 1°. *de die.dec.* 4ª.147.*B*
in Sextodecimo neminem uidit iudicatum Galenus. 1°. *de diebus decretorijs.* 145.*F*/ 4ª.146.*G*
in Sextodecimo iudicati casum supponit, ut uim decretoriorum dierũ ostendit. 1°. *de dieb.decr.* 4ª.148.*E*
SEXVNX *est mensura.* 1°. *de comp.me.se.lo.* 5ª.131.*E*
ΣΙΑΛΟΧΟΟΥΣ *glandulas quas uocent. in* 1ᵐ. *prorrh.com.* 1°. 4ª.162.*C*
SICCANDO quæ lædunt, aut corrumpunt sanitatem non omnibus nota. 1°. *de sa.tuen.* 2ª.63.*B*
Siccandi uehementer uim habens medicamentum. 1°. *de compo. medi. per gene.* 5ª.273.*B*
Siccandum esse unde sumatur. 5°. *meth.med.* 7ª.34.*D*
Siccandum caput spongia.de uict.rat.in mor.ac.com. 3°. 7ª.132.*F*
SICCANTIA *quæ propriè sint, & quæ per accidens.* 1°. *de composi. me.per ge.* 5ª.213.*A*
Siccantia sine morsu quæ. 9°. *de simp.me.fac.* 5ª.64.*E*/*de art. commentario* 2°. 7ª.268.*A*
Siccans sine morsu præstantissimum omnium medicamentum est pompholyx elota. 9°. *de sim.me.fac.* 5ª.70.*H*
Siccans modice in primo ordine, & detergens medicamẽtum est, quod carnem producit. 3°. *meth.med.* 7ª.18.*A*
Siccantia modice quæ. 4°. *de comp.me.per gen.* 5ª.236.*D*/3°. *met.meden.* 20.*A*/5°. 7ª.34.*C*
Siccans mediocriter medicamentum. 1°. *de com.me.per ge.* 5ª.213.*A*
Siccantia tertio ordine uehementer quidem, maxime tamen non exiccant. 5°. *de simp.me.fa.* 5ª.39.*B*
Siccantia quarto ordine urunt. 5°. *de sim.me.fa.* 5ª.39.*B*
Siccantia euidenter quæ. 4°. *de com.me.per ge.* 5ª.249.*H*
Siccantia strenue quæ. 5°. *meth.med.* 7ª.34.*C*
Siccantia uehementius medicamenta quæ. 3°. *meth.me.* 7ª.20.*A*

Siccans uehementissi-

Siccans vehementiſſime medicamentum q. 5°.met.me. 7ª.34.A/B
Siccantia calefacientia quomodo exiccent. 1°.*de ſa tu.* 2ª.68.C
Siccantibus quando vti debemus. 3°.*de comp.med.per ge.* 5ª.220.D
Siccantia medicamenta in longis fracturis oſſium conueniunt. 6°.*met. medendi.* 7ª.41.G
Siccantibus, & refrigerantibus debent curari putreſcentia. 3°.*de cõ. med.per ge.* 5ª.228.C
Siccãtia detergentia mundificãt vlcera. 4°.*de com.me. per g.* 5ª.237.c
Siccãtia nõ debẽt poni inter molliẽtia. 7°.*de cõp.me.per ge.* 5ª.264.B
SICCATIO *corporum quo modo fiat citra congelationem.* 5°.*de ſimp. med.fa.* 5ª.32.G
Siccatio renum proueni't ex bilis ſuperfluo. de ſper. Sp.36.H
SICCATVM *humectantia poſcit remedia.* 5°.*de ſim.me.f.* 5ª.32.H
SICCESSIMVS *omnes in ætatis ſucceſſione.* 6°.*de ſa.tu.* 2ª.96.E
Sicceſcentibus frictio pinguiter fit. 7°.*met.med.* 7ª.45.A
SICCIOR, *& calidior eſt bilis omni humore ꝙ vbi dubitãdum de atra bile, quę eſt ſiccior.* § 1°.*de art.cur. ad Glau.* 7ª.97.B
Siccior eſt calor vigentium. 3°.*de ſymp.cau.* 3ª.29.C
Siccius temperamentum reddit calor multus, dum calorem abſumit. 6°.*de ſan.tu.* 2ª.95.H
Sicciora redduntur corpora animalium per ſqualores. in 1ᵐ.*de morb. vul.com.* 1°. 3ª.104.B
Sicciores temperaturæ ſunt ſalubriores.com. 3°.*aph.* 11°. Ex.21.B
Sicciora quæ membra corporis ſint. 13°.*me.me.* 7ª.21.E
Siccioꝝ carne ſunt penis, & ſedes. 5°.*me.med.* 7ª.36.D
Sicciora quanto ſunt nerui, tendones, muſculi, & ligamenta, tanto sũt valentiora. 3°.*de ſymp.cau.* 3ª.29.D
Sicciora fiunt attrita vaſa & veſtes.in 6ᵐ.*de mor.vul.c.* 3°.3ª.170.b
Sicciora mẽbra facilius patiũtur a cauſis ſiccis.d̃ na.hu.c. 2°.7ª.182.b
Siccior dulci oleo vngendus, & quo fricandus. 3°.*de ſa.tu.* 2ª.82.A
Siccioribus naturis conuenientiores morbi ſunt ſicciores. comme. 2°. *aphoriſ.* 34°. Ex.17.C
Siccior morbus quo noſcatur.de victꝝ.rat.in mor.acu. com. 1°. 7ª.112.f
in Siccioribus vlcera magis ſiccentur. 3°.*me.me.* 7ª.18.B
Sicciora vulneribus nõ cõueniũt, & quare. 6°.*de ſimp.me.fa.* 5ª.46.d
Sicciora poſtulant ij, quibus ſiccius eſt corpus. 3°.*de ſym.cau.* 3ª.29.c
Siccius quanto aliquod eſt membrũ, tanto magis exiccantem poſtulat curationem.de art.com. 2°. 7ª.267.G
Siccius, & frigidius tritico amylum eſt. 8°.*de ſimp.me.fa.* 5ª.59.D
Siccior, & calidior anſeris pinguedo eſt ã ſuũ. 4°.*de ſimp. me.f.* 5ª.5.F
SICCSSIME, *& frigidiſſime arbores.* 4°.*de ſimp.med.fa.* 5ª.26.F
Siccimus, & calidus ſtatus non fit niſi æſtate. 10°.*met.me.* 7ª.63.E
Siccioſimis medicamentis indiget auris ſicciſſima. 5°.*me.me.* 7ª.34.B
SICCITAS, *humiditas, caliditas, & frigiditas ſunt qualitates primæ.* 3°.*de ſimp.med.fac.* 5ª.17.C
Siccitas, & humiditas magis materiales ſunt qualitates, quam caliditas, & frigiditas. 7°.*met. me.* 7ª.44.D
Siccitas eſt qualitas agens.de nat.hu.com. 1°. 1ª.28.H/*de cur.ra. per ſang.miſs.* 6ª.16.C/ 3°.*met.me.* 7ª.18.G
Siccitas quo loco reponatur inter efficaciſsimas qualitates.de conſtitutione artis. If.38.E
Siccitas quid faciat. 1°.*de ſym.cau.* 3ª.19.C
Siccitas alterat totam admotam ſubſtantiam, ſed non pari cum aliis effectionis qualitatibus celeritate. de conſt.ar. If.38.E
Siccitas alterat totum per totum. 1°.*de elem.* 1ª.7.H
Siccitas eſt differentia terræ. de ſper. Sp.41.B
Siccitas diutina apud hominum genus in Europa, diſsimile a Scythis. de aere, aquis, & loc. 2ª.6.B
cũ Siccitate frigiditatem eſſe non poſſe, non nulli putabant, & quare. 1°.*de tempe.* 1ª.10.D
Siccitas, & humiditas mouent temperiem ſimplicium. 8°.*de ſimplic. med.fac.* 5ª.59.C
Siccitas cõſequitur extergẽtia, & glutinãtia. de ſimp.me.f. 5ª.45.A
cum Siccitate ventrem ſtringentia quæ. de diff.cont. Sp.75.B
Siccitates differentiam faciunt in diſsimilaribus partibus. 3°.*de ſim. med.fac.* 5ª.20.G
ſm Siccitatis gradus animalia cõparantur. 11°.*de ſim.me.fa.* 5ª.78.e
Siccitatem in ſummo nullum animal habet. 1°.*de temp.* 1ª.10.C
Siccitas ad robur, & nixum facit. 3°.*de ſymp.cau.* 3ª.29.E
ob Siccitatem, & frigiditatem ſubiectum eſt conſtãs, & ſtabile. 9°.*me tho.med.* 7ª.60.H
Siccitas facit virtutem retentiuam fortem.com. 2°.*aph.* 20°. Ex.14.c
Siccitas agit animum ad prudẽtiam ſm Platonẽ.q. ani.mor. 1ª.318.D
Siccitas ſoluit morbum comitialem.com. 5°.*aph.* 7°. Ex.38.A
Siccitas perducit vlcera ad cicatricem.com. 6°.*aph.* 8°. Ex.47 C
SICCITAS *corporum quadruplex eſt.* 7°.*meth.me.* 7ª.44.D
Siccitatem quæ faciant. 1°.*de ſa.tuen.* 2ª.68.C
Siccitas unde fiat. 1°.*de diff.feb.* 3ª.34.D
Siccitatẽ & colorẽ cõſequitur corpus ex bilis dominio.de a.v. Sp.45.F
Siccitas fit ob defectũ, vel ſequitur ad ipſum.c. 5°.*aph.* 57°. Ex.42.H
Siccitas ex ſanguinis penuria, quæ. 7°.*meth.med.* 7ª.44.D
ex Siccitate aſperitas oritur.in 1ᵐ.*de mor.uul.com.* 2°. 3ª.115.F
Siccitate, & caliditate oſſa citius concreſcunt. 2°.*de ſem.* 1ª.339.A
Siccitas mire obeſt auctioni.de ren.aff.dign. & med. 7ª.191.D
Siccitatis indicium non eſt ſimpliciter paruitas, & quare. de optima noſtris corp.conſt. 1ª.38.H
in Siccitate generantur pauciores humores.com. 3°.*aph.* 7°. Ex.20.F
Siccitatem inducit tertiana. 1°.*de arte cu.ad Gl.* 7ª.96.C
Siccitas habitus quid indicet. 5°.*de ſa.tnen.* 2ª.89.D
Siccitas nimis abundat in ſenibus. 1°.*de ſa.tuen.* 2ª.64.D
ad Siccitatem progreſſum effugere non licet. 6°.*de ſan.tuen.* 2ª.96.F
Siccitatẽ debet uel ſeniũ, uel maraſmus p̃ceſſiſſe. 3°.*de ſy.ca.* 3ª.25.D
a Siccitate quæ ſunt corrupta, a maraſmo, & tabe arripi dicuntur. de marc. 3ª.45.C
Siccitatem quam habeant tabidi.in 1ᵐ.*pror.com.* 1°. 4ª.167.H
in Siccitatibus multus uapor emanat è corpore noſtro, in humiditatibus paucus.in 1ᵐ.*de mor.vuul.com.* 1°. 3ª.104.C
Siccitas, et frigiditas nõ facile p halitũ digeruñ.adu.Lyũ. Ex.65.D
Siccitas quarta ægritudo ſimplex ex ptiũ ſimilariũ.de diff.mo. 3ª.2.b
Siccitatis magna mutatio morbos facit.com. 3°.*aph.* 1°. Ex.19.H
Siccitas cauſat acutos morbos.c. 3°.*aph.* 7°. 20.F/*aph.* 16°. Ex.22.H
Siccitas generat choleram.com. 3°.*aph.* 16°. Ex.22.H
Siccitates generant tabitudines, lippitudines, articulorum dolores, ſtillicidia uriñæ, & difficultates inteſtinorum.c. 3°.*a.* 16°. Ex.23.A
Siccitas ĩ febribus uehemẽtibus cõuulſionẽ facit.c. 4°.*a.* 66°.Ex.34.E
ex Siccitate febris ſiue putredine ſanatur frigidis, & humidis. 10°. *meth.med.* 7ª.64.D
Siccitates pluuijs ſunt ſalubriores.c. 3°.*ap.* 11°.21.B/*a.* 15°. Ex.22.G
ĩ Siccitatibus aues bñ habẽt & quare.in 6ᵐ.*de mo.vul.c.* 4°. 3ª.186.H
Siccitas facit profluuiũ capillorum.com. 7°.*aph.* 16°. Ex.55.B
Siccitatem eſſe cauſam caluitij ꝙ collige ꝙ quia humiditas eſt cauſa oppoſiti.com. 6°.*aph.* 28°. Ex.48.H
Siccitas nimia nocet palpebris. 10°.*de vſu par.* 1ª.181.G
à Siccitate fiunt vigiliæ. de victꝝ.rat.in mor.acu.com. 4°. 7ª.134.G
Siccitas fit propter vigilias, quæ deinde faciunt deſipientiam ac cõuulſionem.com. 7°.*aph.* 18°. Ex.55.C
Siccitas cauſa vigiliæ, & repreſentationis ſomniorum eſt.in 1ᵐ.*pror. commen.* 1°. 4ª.163.F
ob Siccitatem melancholicis videntur phantaſmata in ſomnis. in 1ᵐ. *pror.com.* 1°. 4ª.163.G
Siccitas eſt cauſa catalepſis, id eſt deprehenſionis.c. 2°.*aph.* 3°.Ex.11.e
Siccitas quo modo viſui obeſt. de ocul. 7ª.186.E
Siccitas linguæ magna cauſat balbutiem.com. 6°.*aph.* 32°. Ex.49.b
ex Siccitate linguæ cognoſcuntur morbi ſicci venarum, & arteriarũ. de victꝝ.rat.in mor.acu. com. 1°. 7ª.112.F
à Siccitate fit vox ſonora, & acuta.in 3ᵐ.*de mor.vul.c.* 3°. 3ª.143.e
pp Siccitatem ſuperfluam muſculorũ gutturis intrinſecorũ ſupra modum extenti impoſsibile non eſt meatum reddi anguſtiorem. cõ. 4°. *aphor.* 34°. Ex.31.E
Siccitas vnde fiat in arteria. 1°.*de præſ.ex pul.* 4ª.107.F
ob Siccitatem pulſus fit durus in ephemeris. 1°.*de diff. feb.* 3ª.34.D
ob Siccitatem durities aduenit arterijs. 1°.*de diff. feb.* 3ª.34.D
ſine Siccitate hecticæ ſæpius conſiſtunt, cum non tranſmutantur ad tabem. 1°.*de dif.feb.* 3ª.35.C
Siccitatis non frigoris ratiõe durities fit.in 6ᵐ.*de mo.vul.c.* 5°.3ª.193.f
Siccitas, & durus tumor § à græcis ſchyrrhus dictus § durũ efficiunt pulſum. 1°.*de dif.feb.* 3ª.34.B
Siccitas qũo differat a phlegmone.de victꝝ.ra.in mo.ac.c. 2°. 7ª.125.a
ob Siccitatem aliqua ægre mouentur. 2°.*de ſa.tu.* 2ª.72.F
Siccitate durum quomodo curetur. 5°.*de ſim.me.fa.* 5ª.32.G
a Siccitate & frigore quæ induruere, quibus curanda. 5°.*de ſimpliciũ med.fac.* 5ª.32.H
ob Siccitatem intenta qũo laxãtur.de ijs, quæ in me.fi.c. 3°. 7ª.215.G
Siccitas neruorũ facit conuulſionẽ, & diſtẽtionẽ.c. 7°.*ap.* 13°.*Ex.* 54.H

ex Siccitate

ex Siccitate conuulsio quomodo fiat.de trem.pal.& conuulſ.3ª.56.C
Siccitas facit ſpaſmũ,q difficulter remouetur.c.2°.aph.26°. Ex.16.B
ex Siccitate conuulsio lætalis eſt.de trem.pal. & cõuul.3ª.56.D/12°. me.me.7ª.80.B/com.4°.aph.57°.33.F/cõ.5°.aph.1°. Ex.37.D
pp Siccitatem tremor inſanabilis eſt.in prog.com.1°. 4ª.192.H
Siccitas partium ſolidarum corrigi non poteſt. 7°.metho.med.45.H/ 10°.66.E/12°. 7ª.80.B
Siccitatibus ſolidorũ,ſi pdurẽt,ſuccedũt frigiditates.7°.m.m.7ª.46.F
Siccitas non poteſt ſola permanere.7°.met.me. 7ª.46.F
cũ Siccitate vel humiditate frigus facit torporẽ.3°.de ſym.c.3ª.29.D
Siccitas conſummata inſanabilis eſt,& quæ non ſit.7°.me.m.7ª.44.D
Siccitas magna cur difficulter curatur.7°.met.me. 7ª.46.F
Siccitas difficulter remouetur.com.2°.aph.26°. Ex.16.B
Siccitatis curatio longi temporis eſt,& minus periculo expoſita, quã refrigeratio.10°.meth.med. 7ª.64.D
ex Siccitate dolor curatu difficilis eſt,vel etiam omnino curari nõ poteſt,ſi febris occaſione eſt contractus.12°.met.me. 7ª.80.B
ex Siccitate doloris curatio quæ.12°.met.me. 7ª.80.B
ex Siccitate qui dolor phrenitidi lætali ſuccedit.12°.me.m. 7ª.80.B
Siccitas quæ ſanatu facillima ſit.7°.me.me. 7ª.46.E
Siccitas ſuccedit calori.2°.de temp. 1ª.21.D
Siccitas caliditati paucæ coniunctæ,qũo curetur.7°.me.me. 7ª.47.C
cũ Siccitate caloris curatio quæ.7°.me.me. 7ª.47.F
Siccitatis,& caliditatis affectus febri proportione reſpondet. 7°.met. medendi. 7ª.47.C
Siccitas,& frigiditas quomodo curentur.7°.me.me. 7ª.46.F
in Siccitate,& humiditate non poſſunt ventriculi adeo intemperãtes eſſe,vt breui actionem amittant.3°.de ſymp.cauſ. 3ª.25.E
Siccitatis curatio in ventriculo,quæ.7°.me.me. 7ª.44.E
Siccitati pulmonis proprie conferi butyrum.de ſim.med. Sp.81.D
Siccitas immodica prohibet prandium integrum,et cœnam differt.3°. de ſanitate tuenda. 2ª.82.B
Siccitas quibus male habet,veſpertina frictio vtilis ẽ.3°.d ſ.t. 2ª.82.B
Siccitates omnes quæ balnea deſiderant.de marc. 3ª.47.H
Siccitates omnes calidas & frigidas iuuant balnea.de marc.3ª.47.H
Siccitas cutis eſt cauſa cur non ſudemus.com.5°.aph.71°. Ex.45.F
ex Siccitate animi defectus,qũo curãdus.1°.de art.cu.ad Gl.7ª.99.E
Siccitas & ſpiſſitudo vteri ſunt cauſæ ne mulier concipiat.commen.5°. aphoriſmo.62°. Ex.43.E
Siccitas adurit ſemen.com.5°.aph.62°. Ex.43.E
Siccitatis mutationes ſentiuntur in ſemine.de aere,aq.& lo. 2ª.6.C
Siccitas nimia quo modo cauſa eſt conniuentiæ, per quam clauditur collum veſicæ.3°.de ſymp.cau. 3ª.28.D
Siccitas inducta ab ira,& a penuria potionis, quo modo corrigatur. 3°.de ſanitate tuend. 2ª.81.G
Siccitas præter renum noxam,qua victus ratione poſſit corrigi. 6°.de ſanitate tuenda. 2ª.99.F
Siccitati medetur humidum nutrimentum.3°.de ſan.tu. 2ª.80.A
in Siccitate dabat lac aſininum ab vbere.7°.me.me. 7ª.44.F
in Siccitate ptiſſana,et alica præparata vt ptiſſana conueniũt.7°.me thodi meden. 7ª.45.C
in Siccitate qualis panis dandus.7°.me.me. 7ª.45.C
in Siccitate etiam ponit ſalem in pane. 7°.me.me. 7ª.45.C
in Siccitatibus alas,& teſtes gallinaceorum lacte altorũ dat.7°.met. medendi. 7ª.45.D
Siccitatem nimiam habentes cibi parum nutriunt.de diſ.cõt. Sp.73.F
in Siccitate quæ aſtringentia vitanda.7°.me.me. 7ª.44.B
Siccitatibus ſunt contraria auſtera 7°.me.me. 7ª.44.D
SICCAMVR *ſemper. de marc. 3ª.46.D*
Siccatur tabidis cor,& cur.de marc. 3ª.45.D
quæ Siccantur & quæ refrigerantur concreſcunt.de victꝰ ra. in mor. acut.commen.4°. 7ª.138.C
Siccat corpora quæ contingit acetum,licet ad imaginationem ſit humi dum.10°.me.med. 7ª.64.H
Siccant violenter adſtringentia.7°.met.me. 7ª.46.H
Siccant magis amara magis.8°.de ſim.me.fa. 5ª.63.G
Siccant vt ſal & non habent vim adſtringendi,Aſiæ petræ flos,nitrũ, & aphronitrum.2°.de comp.me.per gen. 5ª.222.A
Siccant continuo ſi contactæ ſubſtantiæ quippiam digerant Calfaciẽtia niſi quid naturæ fuerit humidum,vt oleum,& aqua.11°.de ſimpl. medic.facul. 5ª.80.B
Siccat valde medicm ex Cartha papyracea vſta.5°.me.me. 7ª.36.D
Siccat valde medicamentum ex Cucurbita ſicca vſta.5°.m.m.7ª.36.D
Siccent quæ plus Emplaſtra.2°.de comp.me.per ge. 5ª.223.F
Siccat corpora fames.com.2°.aph.16°. Ex.12.G
Siccat digerit & attrahit Gladiolus.8°.de ſim.me.fa. 5ª.57.B
Siccat Haſeg.de ſim.med. Sp.85.C
vt Siccent ſine mordicatione Metalla oĩa,ſint elota.6°.m.m.7ª.38.C
Siccat & refrigerat Miliũ.de vic.ra.in mor.acu.com.4°. 7ª.149.D
Siccat genas proprietate Minium.de ſimp.med. Sp.81.C
Siccantur præcordia ex Pane & melle.10°.met.me. 7ª.64.A
Siccant & refrigerant medicamenta ex Papaueris ſucco & alterce. 12°.methodi meden. 7ª.79.C
Siccant minus Pix humida.8°.de ſim.me.fa. 5ª.58.E
Siccant & ſtringunt Plantaginis folia contrita cũ pane impoſita. de ſimpl.med. Sp.89.A
Siccat vẽtrẽ Refrigeratio extrinſeca.in 6m.de mor.vul.c.5°.3ª.193.C
Siccat inflationem Rhu.de ſim.me. Sp.89.E
Siccant Salſa magis quã acria.de vi.ra.in mor.acu.c.4°. 7ª.135.C
Siccat citra morſum Sarcocolla.8°.de ſim.me.fa. 5ª.60.B
Siccat Sori vulnera,quæ luxuriantur.de ſimp.med. Sp.90.F
Siccat omnium maxime Taurinum pingue.4°.de compoſitione medic. per genera. 5ª.242.A
Siccat totum corpus Vigilia.7°.me.me.46.D/de victꝰ ra.in mor.vulg. commenta.2°. 7ª.125.B
Siccant immodice Vina amara.7°.met.me. 7ª.47.B
Siccat adeo viperarum caro,vt ſitim ĩducat.11°.de ſim.me.f.5ª.78.B
Siccat digerit & attrahit xyiris.8°.de ſimp me.fa. 5ª.57.B
SICCANT *quæ ad plenũ vlcera ſanant.4°.de com.m.p g. 5ª.249.H*
Siccare opus eſt omnia vlcera,& qui ſit terminus exiccationis. com. 6°.aph.45°. Ex.51.G
Siccare præſertim opus,vbi os vitiatum eſt.com.6°.aph.45°.Ex.51.G
Siccentur magis vlcera in ſiccioribus.3°.met.me. 7ª.18.B
Siccentur minus vlcera in humidioribus.3°.met.me. 7ª.18.B
SICCAVIT *an bene medicamentum per ſordem,& ſaniem,probatur. 3°.meth.med. 7ª.18.E*
Siccat in ſole.8°.de compoſi.med.ſe.lo. 5ª.196.B
Siccat ĩ vmbra.8°.de cõ.me.ſe.l.192.G/4°.de cõ.me.per g.5ª.243.H
SICCVM *nomen a qualitatibus eſt.1°.de ſan.tu. 2ª.62.E*
Siccum quot modis dicatur.3°.de ſim.me.fac. 5ª.17.A
Sicci duo ſignificata, quæ.1°.de temp. 1ª.12.G
Siccum a natura duplex,a terra,& ab igne.de marc. 3ª.46.C
de Sicco,humido,calido,& frigido quo modo tractent philoſophi, ac medici.3°.de ſimp.me.fa. 5ª.17.E
Siccum,humidum,calidum,& frigidum elementa vocat Hippocrates ab effectricibus qualitatibus.8°.de decr.Hipp. 1ª.275.D
Siccum, humidum,calidum,frigiduinq; cauſas ponit Hippocrates. in 3m.de morb.vulg.com.1°. 3ª.129.C
Siccum,humidum,calidum,et frigidum primus Hippocrates innexit. 1°.metho.medendi. 7ª.3.E
Siccum,humidum,calidum,frigidum quę agant & patiantur inter ſe. 2°.de nat.fac. 1ª.297.H
Sicco,humido,frigido,calido,aliis veluti agẽtibus, aliis veluti patien tibꝰ q ĩ corpore aĩalis ſunt oĩa gubernari dicãt.2°.de n.f. 1ª.299.G
Sicco,humido,calido,& frigido conſtant animalium corpora, non tamen æqualiter.1°.de temp. 1ª.10.B
ex Sicci,humidi,calidi,& frigidi miſcella fiunt ſalſum,dulce,amarũ, auſterum,acerbum,& acre.1°.de alim.fac. 2ª.9.A
Siccum in elementis ſyncerum eſt, in reliquis rebus in medio cõſiſtit cõtrariorũ, vel eſt ad alterum magis propenſum.1°.de tẽ.1ª.14.A
Sicco opponitur liquidum.de ijs,quæ in med.fi.com.3°. 7ª.215.E
Sicci,& duri differentia.5°.de ſimp.me.fa. 5ª.34.G
Siccũ,et durũ quod eſt,nihil in ſe ingredi ſinit, priusq; ipſum ex aliqua parte diuiſum ſit,ac veluti exulceratum.3°.de ſym.ca. 3ª.29.A
Sicca parum liquida videntur humida.3°.de temp. 1ª.23.D
Sicca quæ ſint.in 3m.de morb.vul.c.3°.3ª.141.A/8°.me.me.7ª.51.A
Siccum energia vel actu quomodo intelligatur.3°.de tem. 1ª.21.G
Siccum actu ac tactu diſcerni poteſt.2°.de temp. 1ª.16.H
Sicci corporis iudices ſunt tactus,& ratio.2°.de temp. 1ª.17.F
Sicci iudicium vnde ſumatur.3°.de temp. 1ª.24.F
Siccum facit pathemata in tactu.de ſymp.diff. 3ª.10.D
Sicca melius ſonant quàm madida.7°.de vſu par. 1ª.58.F
Sicca moderate,melius ſonant,q; ſicciſſime.7°.de vſu par. 1ª.158.F
Sicca ſunt clarioris vocis quam humida.de voce & anhel. Sp.61.G

Sicca res si talẽ sensum faciat, qualẽ præbet aqua ois qualitatis exps, qũo se habeat in qualitatibus primis. 4°. de sim. me. fa. 5ª. 25. D
Sicca natura sunt stiptica. 1°. de san. tu. 2ª. 68. A
Sicca natura remoratur cibum in ventre. 1°. de sa. tu. 2ª. 68. A
Sicci cibi quibus conueniant, & qui sint. de diss. cont. Sp. 74. D
Siccis & melancholicis cibis abstinendũ in autũno. 1°. de al. fa. 2ª. 13. G
Siccis & melancholicis cibis vtendum hyeme. 1°. de ali. fa. 2ª. 13. G
Sicca immodice, cur non salienda. 3°. de ali. fa. 2ª. 33. D
Sicca corpora salita qualia. 3°. de ali. fa. 2ª. 33. D
Sicco tarde digeruntur. de diss. cont. Sp. 73. D
Sicca dura tarde descendunt. 1°. de ali. fa. 2ª. 14. D
Siccæ res si coquuntur firmius alunt q̃ humidæ. 2°. de ali. fa. 2ª. 24. B
ex Siccis animalibus omne quod est paruum, velocius digeritur quã magnum. de diss. cont. Sp. 73. C
Siccos cibos digerunt humidi. de dis. cont. Sp. 73. C
Sicca est atra bilis. de nat. & ord. cuius. corp. Sp. 41. D
Siccum præualet in partibus durioribus cute. 1°. de temp. 1ª. 14. G
Sicca nimis cutis non facit pilos. in 6m. de mor. vul. c. 3°. 3ª. 170. A
Sicca sunt ossa substinent laborem. de dyna. Sp. 19. D
Siccum cur sit. de comp. memb. Sp. 58. B
Sicca & solida est caro cordis. de ana. viuo. Sp. 46. C
Siccum instrumentum nõ debet habere siccum nutrimentũ. 3°. de sym. causis. 3ª. 29. D
Sicca si sit pticula, & morb° sit humidus, qd agẽdũ. 3°. me. m. 7ª. 21. F
Siccum durum magis offenditur q̃ molle. de vsu puls. 1ª. 229. G
Siccum durum habet habitum valentiorẽ, quam mollius & humidius. de vsu puls. 1ª. 229. G
ad Siccum semper tendunt temperati. 1°. de san. tu. 2ª. 64. F
Siccum fit in ætatis vigore, calidum corpus quod temperatum in passionis. 6°. de sa. tuen. 2ª. 96. E
Siccos oculos habet conceptus in horis melancholiæ. de sper. Sp. 37. C
Sicca & amara semper hẽt conceptus in horis bilis guttur, os, & sputum. de sperm. Sp. 37. C
Sicci sunt quibus crura sunt macra, si totius corporis temperies pari ratione se habeat. 2°. de temp. 1ª. 20. H
Sicci natura sunt graciles. de art. com. 1°. 7ª. 256. E
Sicca aluus in iuuentute, efficitur in senectute humida, & e contra. cõmen. 2°. aph. 53°. Ex. 19. E
Sicca aluus vnde fit. com. 2°. aph. 20°. Ex. 14. C
Sicca temperies semper facit animal calidius in augmẽto, in decremẽto siccum & frigidum. 6°. de san. tu. 2ª. 95. E
Siccæ temperaturæ nihil per nares emittunt. com. 6°. aph. 2°. Ex. 46. E
Sicca intemperies cũm pessima est in simplicibus. 6°. me. me. 7ª. 47. H
Sicca temperatura cur pessima. 6°. de san. tu. 2ª. 96. G
Sicci natura, cito in senilẽ siccitatem perueniunt. 6°. de sa. tu. 2ª. 96. E
Sicca ĩtẽperies est ĩ ægris, quod senium est in sanis. 7°. me. m. 7ª. 44. D
Siccis & carne oppletis maior superuenit inflammatio, q̃ humidis & macilentis. de ar. com. 1°. 7ª. 256. G
Sicca corpora siccis nutriuntur. intro. Isa. 68. G
Sicci, & temperati in actiuis qualitatibus, quarto loco sunt ad febrem proni. 8°. meth. med. 7ª. 54. E
Siccum si sit corpus, quid considerandum. 5°. de sa. tu. 2ª. 89. D
ex Sicco alteratio difficulter curatur. 7°. met. med. 7ª. 44. D
Sicca intẽperies cur indiget lõgo tpe procuratione. 7°. me. m. 7ª. 44. D
Sicca ventriculi intemperies solida parte nunquam sanabitur. 7°. met. medendi. 7ª. 46. D
in Siccis affectibus commode nunquam finitur accessio, nisi lauacro, aut humido victu humectatio accesserit. 10°. me. me. 7ª. 63. E
Siccis sicca sunt apta. 6°. de san. tu. 2ª. 96. C
Sicca siccis citius assimilantur. 6°. de san. tu. 2ª. 96. C
Sicca præter naturam corpora curantur, humiditate admota. de natu. humana, com. 1°. 1ª. 28. H
Sicca humiditate corrigi debẽt, & corriguntur. 4°. de sim. me. f. 5ª. 28. H
Siccæ naturæ humidis sanantur. com. 3°. aph. 3°. Ex. 20. B
Sicca intemperies carnis aqua corrigitur. 4°. met. me. 7ª. 23. E
Siccis conueniunt balnea natatoria. 7°. me. me. 7ª. 44. E
Siccis lauatio quam frequenter fieri debet. 7°. me. me. 7ª. 45. B
in Siccis non desiderat balnei aerem Galenus. 7°. me. me. 7ª. 44. F
in Siccis quomodo facienda sit ratio victus renutritoria, & refectoria. 7°. meth. med. 7ª. 45. H
in Siccis qualis modus ciborum. 7°. me. me. 7ª. 45. G
Siccis cibus quomodo dandus. 7°. met. me. 7ª. 45. G
Sicci sæpe & parum cibandi. 7°. me. me. 7ª. 46. A
Siccorum obsonia quæ conuenientia. 7°. met. me. 7ª. 45. D
Sicci digerunt cibos humidos. de diss. cont. Sp. 73. C
Siccis cur non detur suilla caro. 7°. me. me. 7ª. 45. D
Siccis quando dandæ suillæ carnes. 7°. met. me. 7ª. 45. H
Siccis, qui sanantur, dantur suum pedes, & crura. 7°. me. me. 7ª. 45. H
℞ *Siccis hominibus aues quæ conueniant in cibo. 7°. me. me.* 7ª. 45. D
Siccis quæ aues sint accommodæ, & renibus non aduersentur. 6°. de sanitate tuenda. 2ª. 99. G
in Siccis qualis modus potus. 7°. met. med. 7ª. 45. F
℞ *Siccis vina quæ conueniant. 7°. met. med.* 7ª. 45. E
Sicci natura quæ vitare debent. 6°. de san. tu. 2ª. 96. E
Siccis mel insalubre est. 1°. de alim. fa. 2ª. 10. A
Siccis temperamentis venus inimicissima est. 6°. de san. tu. 2ª. 96. E/H
Siccorum domus qualis esse debet. 7°. met. me. 7ª. 46. C
ex Sicca ventriculi intemperie gracilem quo modo Galenus curauerit. 7°. meth. medendi. 7ª. 44. E
Siccam pellem cur quis se habere putaret. de melancholia ex Galen. Ruf. & Posidonio. Sp. 109. D
Sicci natura hõis pleuritici casus. de vict. ra. in mor. ac. c. 1°. 7ª. 115. A
Sicca corpora, ita in pestilentia seruanda. 1°. de dif. feb. 3ª. 32. E
in Sicco abunde flauæ vrinæ fiebant & mordentes. 8°. me. m. 7ª. 50. C
Siccæ materiæ quomodo cognosci possint. com. 6°. aph. 2°. Ex. 46. E
Sicca loca quales homines gignant. 2°. de sa. tu. 2ª. 73. B
in Siccis locis pascua habens caro velocioris est coctionis, quam caro cuius pascua sunt in locis humidis. de diss. cont. Sp. 73. C
in Siccis & disertis locis pascua habentia animalia, cibi sunt sufficuitates non habentes. de diss. cont. Sp. 73. E
Siccum. i. australe. com. 3°. aph. 11°. Ex. 21. A
Siccũ, qualidũ, inaquosum idem significant. c. 3°. aph. 14°. Ex. 22. C
Siccæ constitutiones corpora neruosa violentius exiccant, ideo fit conuulsio. com. 6°. aph. 39°. Ex. 50. G
a Sicco corruptiones oẽs metaphorice marasmi sunt. de marc. 3ª. 45. G
Siccum exiccat. 1°. de temp. 1ª. 10. D
Siccum nihil penitus putrescit. 1°. de temp. 1ª. 12. B *sin* 3m. *de mor. vul. commentario. 3°.* 3ª. 141. A
Siccum exuperans, est morbus. 1°. de temp. 1ª. 11. B
Siccum multum exuperans, est mors. 1°. de temp. 1ª. 11. B
Sicci morbi in partibus corporis qui vocentur. de vic. ra. in morb. acu. commenta. 1°. 7ª. 112. F
Sicci morbi venarum, & arteriarum cognoscuntur siccitate linguæ, et ariditate corporis. de vict. ra. in mor. acu. com. 1°. 7ª. 112. F
Siccus affectus facit durum habitum. 5°. de san. tu. 2ª. 89. D
Siccæ ægritudines sine materia aliquæ sunt. de diff. morb. 3ª. 3. G
Siccæ febres quæ. aduersus Lycum. Ex. 62. A
a Sicco dolor prouenit, et quomodo, quamq̃ siccatione etiam aliqui sedant dolores. de nat. hu. com. 1°. 1ª. 28. G
Siccum rheuma per corpus sæpe currit concepto in bilis horis. de sperm ate. Sp. 37. C
ex Sicco rheumate nascitur gutte homini concepto in horis bilis, passiones vẽtris, dolores vt dysenteria, trãsuersatio vẽtris liẽteriæ fiũt in somnis pauor in fronte dolor, ambulatio acuta. de sper. Sp. 37. C
ad Siccam tussim. secret. Sp. 97. C
Sicca peripneumonia quæ. de vic. rat. in mor. ac. c. 1°. 7ª. 112. F
Sicca pleuritis quæ. de vic. ra. in mor. acu. com. 1°. 7ª. 112. F
Sicco indiget natura humida. 3°. met. me. 7ª. 17. B
Siccorum caliditas qualis. 6°. de sim. me. fac. 5ª. 47. H
Siccorum, & calidorum ciborum paucitate assueta vita tertianas incurrit. 2°. de diff. feb. 3ª. 36. D
Sicca, & calida cibaria prætermittamus, licet conueniant in reliquo corpore, qñ caput est calidũ, suscipiens vapores. de dis. cõt. Sp. 71. G
Siccum & calidum sunt ex genere bilis. de cau. mor. 3ª. 8. C
Siccus & calidus humor bilis pallida æstate gignitur. in 1m. *de morb. vul. commen. 1°.* 3ª. 104. C
Sicci, & calidi qui sint appellandi. 10°. met. me. 7ª. 63. D
Sicci, & calidi homines quales. 8°. met. me. 7ª. 50. F
Siccum, & calidum est cor. de comp. memb. Sp. 58. G
Siccum, & calidum est cor fm Galenum. de ana. viuo. 46. D/ Sp. 56. B
Siccus, & calidus est pulmo. de anato. viuo. Sp. 52. G
Sicco, & calido sanguine nutritur pulmo. de ana. viuo. Sp. 52. G
Siccum, & calidum temperamẽtũ quæ faciant. 14°. me. me. 7ª. 91. C
Sicca, & calida intemperies facile cognoscitur. 10°. me. me. 7ª. 63. D

Siccus, &

Siccus,& calidus erit cito pilosus,& quare.2°.de temp. 1ª.21.C
in Siccis,& calidis vrinæ biliosæ fiunt.8°.met.me. 7ª.50.F
Sicca,& calida temperatura,a siccis & calidis nunq̃ ducetur in bonã temperaturam.ars med. If.68.G
Sicci & calidi quibus tenentur in pueritia.6°.de sa.tu. 2ª.96.F
Siccis & calidis inimicissima inedia est.10°.met.me. 7ª.63.D
in Siccis,& calidis qui cibi vtiles.8°.met.me. 7ª.51.B
Siccæ,& calidæ naturæ ad hyemem melius,ad æstatem peius, se habent.com.3°.aph.2°. Ex.20.A
Sicci,& calidi temperamenti quomodo quies fiet.8°.met.me. 7ª.54.H
Sicci,& calidi ad febres opportunissimi sunt.8°.me.me. 7ª.54.E
Sicco,& calido temperamento iuuenis casus,qui correptus est febre. 10°.*methodi meden.* 7ª.62.C
Sicci,& calidi, qui febre corripiuntur,ex siccitate,& caliditate possunt in principio accessionis cibari.10°.me.me. 7ª.69.G
Siccum,& calidum corpus febricitans,non potest esse viribus valentibus.10°.meth.med. 7ª.63.H
Siccum,et calidum corpus febricitans,si phlegmone laboret,morietur. 10°.*meth.meden.* 7ª.63.H
in Sicca,& calida intemperie quæ Galenus adhibeat.2°.de composi. medi.se.lo. 5ª.138.A
in Siccis,& calidis ex volatilibus quæ cõueniunt.8°.me.me. 7ª.51.B
Siccis,& calidis fructus debent dari refrigerati æstate.de bonitate et vitio succorum. 2ª.39.B
Siccis,& calidis æstate danda lactis spuma.de bo.& vit.suc. 2ª.39.B
Siccis,et calidis æstate,cibaria ex lacte exhibẽda.ḋ b.& v.s. 2ª.39.B
Siccis,& calidis æstate,ficus,& cucurbitæ frigidæ exhibendæ.de bo.& vitio succorum. 2ª.39.B
Sicci,& calidi ab euacuationibus plenis offenduntur.1°.de art.cura. ad Glauconem. 7ª.98.C
Siccus,& calidus vehementer ventriculus,nõ potest sanari.7°.meth. medendi. 7ª.47.F
Siccus,& calidus ventriculus,non debet tenere refrigerari.7°.metho. medendi. 7ª.47.G
Sicci,& calidi ventriculi casus.7°.met.me. 7ª.47.C/E
Siccæ,& calidæ naturæ sunt animalia omnia, quæ pectinatim inserũt dentes.de atra bile. 1ª.36.A
Siccorum,& calidorumq̃ animalium lien niger est,& vix potest comedi.de atra bile. 1ª.36.E
Siccum,& calidum est tempus æstiuum,quocunque tempore sit.de virat.in morb.acut.com.3°. 7ª.134.B
Sicca,calidaq̃ vltra modum est æstas.in 1ᵐ.de morb.vulgaribus.cõmentario.1°. 3ª.101.C
Sicca,& calida vnde sit æstas.de sperm. Sp.30.B
in Sicco,& calido aere sectio venæ non debet fieri.1°.de ar.cura.ad Gl.98.C/de vict.ra.in mor.acu.c.4°. 7ª.136.H
Siccus,& calidus est Mars.de comp.memb. Sp.59.F
Siccus,& calidus minus Marte est Sol.de comp.memb. Sp.59.G
Siccus est Aries in tertio gradu,calidus in secundo.de sper. Sp.38.H
Siccus est,calidus Leo in quarto gradu.de sperm. Sp.38.H
Siccus est in secundo gradu Sagittarius,calidus i prĩo.de spe. S.38.H
Sicca,& calida est qualitas visibilis,& cur.de comp.mem. Sp.58.C
Siccæ,& calidę regiones.com.2°.aph.26°. Ex.16.B
SICCVS, *ac frigidus victus febrem quartanam generat.2°.de differe. febrium.* 3ª.36.E
Sicca,& frigida sunt ossa.de ana.viuo. Sp.44.E
Sicca,& frigida est cerebri meninx.de comp.membr. Sp.58.B
Siccum,& frigidum os auri supponitur.de comp.memb. Sp.58.B
Siccæ,& frigidæ sunt tunicæ narium.de comp.memb. Sp.58.C
Siccus,& frigidus est œsophagus.de comp.memb. Sp.58.H
Siccus,& frigidus est splen.de ana.viuo. Sp.50.A
Sicci,& frigidi senes sunt.3°.de symp.cau. 3ª.29.D
Siccum & frigidum temperamentum, senum temperamento simillimum est.5°.de san.tu. 2ª.94.D
Sicci & frigidi celeriter senescunt.5°.de san.tu. 2ª.94.D
Siccum minime est maxime diuturnum.6°.de san.tu. 2ª.96.G
Siccus,& frigidus ab initio non est melancholicus, sed pituitosus ab excremento.2°.de temp. 1ª.21.C
Siccus,& frigidus ex habitu melancholicus est.2°.de temp. 1ª.21.C
Sicca,& frigida intemperantia pessima est.6°.de sa.tu. 2ª.95.D
Sicca,& frigida intemperies omnium pessima est in compositis.7°.methodi medendi. 7ª.47.H
Sicca,frigidaq̃ corpora pessime nutriuntur.3°.de sym.cau. 3ª.29.A
Sicci,& frigidi,quarto loco difficulter febriunt.8°.met.me. 7ª.54.E
Siccis,& frigidis venus aduersissima est.6°.de sa.tu. 2ª.96.H
Sicci,& frigidi,tarde ad temperiem veniunt.8°.met.me. 7ª.54.F
Siccæ,& frigidæ naturæ ęgre ꝓhalitũ digeruntur.9°.me.me. 7ª.60.H
Sicci,& frigidi quomodo curentur.6°.de san.tu. 2ª.96.G
Sicci,& multum frigidi,quomodo curandi.7°.me.me. 7ª.47.A
Sicci,& parũ frigidi victus ratio qualis esse debet.7°.me.m. 7ª.46.G
Siccos,& frigidos opobalsamo perungit.7°.met.me. 7ª.46.H
Siccus,& frigidus qñ est vẽter,nardino inungẽdus.7°.me.m. 7ª.46.G
pro Siccis,et frigidis multum conuenit vnguentum nardinum.7°.me, thodi medendi. 7ª.47.A
Siccis,& frigidis cur obsint calida fomenta.7°.me.me. 7ª.47.B
Siccus,& frigidus venter qũo pice illinendus.7°.met.me. 7ª.47.B
Siccus,& frigidus est autumnus.bre.denot.dom.Hipp. 1ª.231.B
Siccum,& frigidum in autumno dominantur,licet inæqualis sit.in 1ᵐ. de morb.vul.com.1°. 3ª.101.C
Siccus & frigidus vnde sit autumnus.de sper. Sp.39.B
Siccus,& frigidus status,& partim inęqualis proponitur ab Hippocrate.in 1ᵐ.de mor.vul.com.2°. 3ª.113.E
Sicca,& frigida terra in quarto gradu est sub potentia Saturni.de sper mate. Sp.40.C
Siccus,& frigidus est Saturnus.de comp.memb. Sp.59.F
Siccus est Taurus in secũdo gradu,frigidus in tertio.de sper. Sp.38.H
Siccus est Capricornus i tertio gradu,frigidus i secũdo.de spe. Sp.38.H
Sicca est Virgo in tertio gradu,frigida in secundo.de sper. Sp.38.H
Sicci & frigidi sunt,Taurus,Virgo,Capricornus,de sper. Sp.39.A
SICCO *in quo præpolleat humidum.1°.de san.tuen.* 2ª.62.E
Siccum & humidum contingunt corpus sine violentia,si absint calefactio & frigefactio.1°.de symp.caus. 3ª.16.G
cũ Sicco & hũido stat concoctio,mõ hẽat calorẽ.3°.de sym.c. 3ª.29.D
Siccum & humidum an possit fieri corpus.de caus.mor. 3ª.8.C
Siccum & humidum non possunt esse in eodem.1°.de temp. 1ª.10.G
Siccus,humidus,frigidus & calidus ęque est Mercurius.de comp.mẽ. siue de natura humana. Sp.59.G
Siccũ & humidũ passiua ab aliqb⁹ dicũtur.1°.de nat.fac. 1ª.291.C
Sicca & humida intemperies secundam facultatẽ sibi vẽdicat quatenus pertinet ad vigilias soporesq̃ morbos.3°.de loc.aff. 4ª.16.G
in Sicco & humido qui modice se habent,& calidius temperamentũ sortiti sunt,quales.6°.de san.tu. 2ª.95.H
Siccis & humidis nutrimẽtis nutritur natura.an animal sit. 1ª.328.D
a Sicco,& humido tenduntur chordę,& qũo.2°.de lo.aff. 4ª.11.A
in Sicco,& humido temperati,& frigidi qũo curent & qũo se hẽant ad corporis robur & sanitatem.6°.de san.tu. 2ª.96.H
SICCAS *non virides herbas cognoscunt vnguentarij.1°.de antidotis.* 5ª.102.B
Sicca & viridia quã qualitatẽ mutẽt.8°.de sim.me.fa.60.G/ 5ª.62.A
Siccum omne viridi valentius est.de atten.vi. 2ª.43.H
Sicca herba accipitur,qñ recẽs nõ habetur.1°.de com.me.pg. 5ª.211.F
Siccum primi ordinis quod:quod secundi,quod tertij,& quod quarti. 5°.*de simp.me.fac.* 5ª.39.B
Siccum & frigidum Acetum est.1°.de sim.me.fac. 5ª.6.F
Sicca & adstringentia sunt quodammodo pilos defluere prohibentia. 7°.*de simp.med.fac.* 5ª.55.A
Sicca & frigida est in secundo ordine Alga.8°.de sim.me.fa. 5ª.63.D
Siccũ & calidum in quarto ordine Allium est.8°.de sim.m.f. 5ª.60.H
Siccis corporibus ineße Amarum saporem vnde colligitur.4°.de sim. med.facul. 5ª.30.C
Sicca sunt omnia amara.4°.de simp.me.fac. 5ª.30.C
Sicca quo modo sit Aqua marina, cum maiorem partem humidi hẽat. 3°.*de simp.me.fac.* 5ª.17.E
Sicca aqua marina qũo est quò ad hoiem.3°.de sim.me.fa. 5ª.17.E
Sicca quomodo probetur aqua marina per fomenta.3°.de simplicium medica.facul. 5ª.17.F
Sicca,et calida est in tertio ordine Chamędris.8°.de sim.me.f. 5ª.63.E
Sicca in secundo ordine temperata in actiuis qualitatibus est auricula muris.7°.de sim.me.fa. 5ª.56.D
Siccum & calidũ est Bitumen in mari mortuo.11°.de sim.m.f. 5ª.83.E
Sicca est Cadmia,& temperata in actiuis qualitatibus.9°.de simplic. medicamento.facul. 5ª.69.E
Sicca in primo ordine,& calida in tertio est Chamęleuce.8°.de simpl. medica.facul. 5ª.63.F

Sicca in tertio ordine, & calida in secũdo est Chamæleontis radix. 8°. de simpl. med. fac. 5ª.63.F
Sicca in tertio ordine, & calida in secundo est Chamætitys. 8°. de sim. medica. facul. 5ª.63.F
Siccum & calidum est in tertio ordine Chelidonium maius. 8°. de sim. medi. fa. 5ª.63.G
Siccũ in secũdo ordine, & frigidũ Cichoriũ est. 8°. de sim. me. f. 5ª.60.C
Siccum & frigidũ Citrij semen est. 7°. de simpl. med. fa. 5ª.56.A
Siccus in secũdo ordine est Citrij cortex in actiuis qualitatibus temperatus. 7°. de sim. me. fa. 5ª.56.B
Sicca & calida est Colocynthis in tertio ordine. de cathar. Sp.94.E
Siccum & calidum est Crocodilij semen. 7°. de sim. me. fa. 5ª.53.C
Siccus in primo ordine, & calidus in secundo est Crocus. 7°. de simpli. medicamento. fa. 5ª.53.C
Sicca & calida Cyperi radix est. 7°. de sim. me. fac. 5ª.53.H
Sicca, & calida sunt Epithymum & elleborus, atram bilem educẽtia. de catharticis. Sp.94.E
Sicca, & frigida ĩ primo ordine est Eruangina. 8°. de sim. me. f. 5ª.57.E
Siccũ ĩ secũdo ordine, calidũ in primo Eruũ est. 8°. de sim m. f. 5ª.57.E
Siccę Ficus sũt cibi dulces, sapidi, subtiles, abstergẽtes. ꝺ dif. cõ. S. 72.E
Siccæ, & humidæ ficus maturæ sunt cibaria media. de diff. cõ. Sp. 74.C
Siccæ ficus non inflant. de diff. cont. Sp.74.F
Siccæ ficus generant pediculos. de diff. cont. Sp.74.B
Siccæ ficus generant putridas superfluitates. de diff. cont. Sp.74.F
Siccę, & humidæ ficus renes mũdificãt, & abstergũt. de dif. c. S. 74.G
Siccũ ĩ secũdo ordine, & calidũ ĩ tertio Galbanũ ẽ. 8°. ꝺ si. m. f. 5ª.63.E
Siccũ ĩ prĩo ordine et calidũ ĩ tertio Fœniculũ ẽ. 7°. de sim. m. f. 5ª.55.B
Siccum multum non est fœniculum, quoniam lac procreat. 7°. de simpl. medicamen. facul. 5ª.55.B
Siccum in primo ordine, & calidum in secundo fœnugręcum est. 8°. de sim. med. fac. 5ª.62.D
Siccum, & calidum multum est Garus. 11°. de sim. me. fa. 5ª.83.G
Siccus in primo ordine, & frigidus in secundo Hyacinthus est. 8°. de simplicium medi. fa. 5ª.62.H
Siccum & calidum est Hypericum. 8°. de sim. me. fac. 5ª.63.A
Siccũ & calidũ in tertio ordine Hyssopum est. 8°. de sim. me. f. 5ª.63.B
Siccæ in secundo ordine temperatæ in actiuis qualitatibus sunt Lẽtes. 8°. de simp. me. fac. 5ª.63.B
Sicca est Lens. in 6ᵐ. de mor. vul. com. 5°. 3ª.194.C
Siccæ natura sunt lenticulæ. de diff. cont. Sp.73.B
Succus in secundo ordine & temperatus in actiuis qualitatibus Lentiscus est. 8°. de simpl. me. fa. 5ª.61.H
Sicca, & calida in tertio ordine Leucas est. 7°. de sim. me. fa. 5ª.54.C
Sicca & calida in secundo ordine Lychnis coronaria est. 7°. de simpl. medicamen. facul. 5ª.54.H
Siccum in secundo ordine et temperatum in actiuis qualitatibus Lycij est. 7°. de simp. me. fa. 5ª.54.G
Siccum in tertio ordine in actiuis qualitatibus temperatum Macer est cortex quidam qui ex India vehitur. 7°. de sim. me. fa. 5ª.55.A
Sicca in tertio ordine & calida est Maiorana. 8°. de sim. m. f. 5ª.60.A
Siccum in tertio ordine & calidum in secundo est Marrubium. 8°. de sim. med. facul. 5ª.56.B
Sicca & calida in secundo ordine Mastiche est. 7°. de sim. m. f. 5ª.55.C
Siccum & calidũ in secũdo ordine Mel est. 7°. de sim. me. fa. 5ª.55.D
Siccum in secundo ordine & calidum in tertio est Meum. 7°. de simpl. medicamen. facul. 5ª.56.B
Siccum ex primo ordine Mastũ est, vt calidũ. 8°. de sim. me. f. 5ª.57.B
Sicca, & calida in secundo ordine est Myrrha. 8°. de sim. m. f. 5ª.61.A
Siccum, & calidũ in quarto ordine Napy est. 8°. de sim. m. f. 5ª.56.H
Sicca & calida in tertio ordine Nigella est. 7°. de sim. me. fa. 5ª.55.C
Siccæ Nuces, qñ mollificant in aqua, leniunt ventrẽ. de dif. cõ. S. 75.A
Siccum in secũdo ordine & calidum in tertio est Opopanax. 8°. de sim. medicam. facul. 5ª.57.G
Sicca in secundo ordine Orchis serapias est. 8°. de sim. me. f. 5ª.57.F
Siccus calidus extenuãs & incidens Origanus est. de sim. m. f. 5ª.57.E
Sicca in tertio ordine & calida substãtiæq; tonuis paronychia est, ita ab effectu nominata. 8°. de simp. me. fa. 5ª.58.A
Sicca ex tertio ordine minimũ habẽs euidẽtis caliditatis est Pẽtaphylli radix. 8°. de simp. me. fac. 5ª.58.A
Siccũ & calidũ in tertio ordine Petroselinon ẽ. 8°. de sim. m f. 5ª.58.C
Sicca in tertio ordine & calida in secundo Peucedani radix est. 8°. de simpli. medi. facult. 5ª.58.D
Sicca & calida in secũdo ordine Pix sicca est. 8°. de sim. m. f. 5ª.58.E
Siccũ ĩ tertio, et calm in scꝺo ordie ẽ Poliũ minº. 8°. de si. m. f. 5ª.59.A
Siccũ & calm in scꝺo ordine est Polycnemõ. 8°. de sim. m. f. 5ª.59.A
Sicca Pruna qñ ĩfundunt ĩ aqua mellis, leniũt vẽtrẽ. de dif. c. Sp. 75.A
Sicca & calida in secundo, & tertio ordine Ptarmice est. 8°. de simp. medicam. fa. 5ª.59.C
Siccus digerens in secundo ordine Rhamnus est, & frigidus in primo. 8°. de simpl. me. fa. 5ª.59.E
Sicca ĩ scꝺo ordine, et calꝺa ĩ tertio Raphanus ẽ. 8°. de sim. m. f. 5ª.59.E
Siccæ & calidæ Resinæ omnes sunt. 8°. de simp. med. fa. 5ª.59.F
Sicca ĩ prĩo ordine, et calꝺa ĩ tertio Rhododaphne ẽ. 8°. ꝺ si. m. f. 5ª.59.G
Sicca adstringens Rhus planta est. 8°. de sim. me. fac. 5ª.59.H
Siccum in tertio ordine, & frigidum in secundo medicamentum ex fructu, vel succo plantæ quæ Rhus dicitur. 8°. de simp. me. fa. 5ª.59.H
Siccum rhu cum melle si mixtum fuerit quod ex ambobº cõficitur quã facultatem habet. 3°. de sim. me. fa. 5ª.20.A
Sicca & calida in quarto ordine ruta agrestis ẽ. 8°. de sim. m. f. 5ª.58.d
Sicca Sauich est cibus siccus. de diff. cont. Sp.74.D
Sicca & calida in secundo ordine Sandix est aut in tertio incipiẽte. 8°. de simpl. me. fac. 5ª.60.G
Sicca & calida quomodo sunt Salsa. de ocul. 7ª.188.C
Siccus et calidus in secũdo ordine Solymos est. 8°. de sim. m. f. 5ª.60.H
Sicca ĩ secũdo ordine calꝺa ĩ tertio Scorpiodes ẽ. 8°. ꝺ sim. m. f. 5ª.61.A
Siccum in tertio ordine & calidum in secundo Seriphũ est. 8°. de sim. medicamen. facul. 5ª.60.C
Siccum in tertio ordine et calidum est Sisymbrium quando est siccum, in secundo autem quando viride. 8°. de sim. me. fa. 5ª.60.G
Siccũ & calidũ ĩ tertio ordine Smyrniũ est. 3°. de sim. me. fa. 5ª.61.B
Siccum in tertio ordine & frigidum in secundo Solanum manicum est. 8°. de sim. me. fa. 5ª.63.H
Siccus et viridis Sonchº varias habet facultates. 8°. de si. m. f. 5ª.61.B
Sicca in secũdo ordine calꝺa in prĩo ẽ ſpica nardi. 8°. de sim. m. f. 5ª.56.G
Siccum est Stercus bubulum. 10°. de sim. me. fac. 5ª.76.G
Siccũ bouis stercus pro melãcholicis, et qñ. ꝺ me. ex G. R. et P. S. 110.C
Siccum in tertio ordine Stœbe est. 8°. de simp. me. fa. 5ª.61.D
Siccũ & calm ĩ quarto ordine Struthion est. 8°. de sim. me. fa. 5ª.61.D
Siccũ & calm in secundo ordine Telephiũ est. 8°. de sim. me. f. 5ª.62.C
Siccus & calꝺs ĩ in secũdo ordine Terebithus ẽ. 8°. de sim. m. f. 5ª.62.A
Siccum & frigidũ extreme corpus est Terra. 9°. de sim. m. f. 5ª.64.G
Sicca est citra morsum cimolia terra. 9°. de sim. me. fac. 5ª.66.E
Siccum in tertio ordine & calidum in secundo est Teucrium. 8°. de sim. medicamen. facul. 5ª.62.B
Siccũ in primo ordine est Thus, calidũ in secũdo. 7°. de sim. m. f. 5ª.54.D
Siccus in secundo ordine thuris cortex est. 7°. de simp. me. fac. 5ª.54.D
Siccus et calidus ĩ tertio ordine ẽ thuris ramus. 7°. de sim. m. f. 5ª.54.E
Siccus multũ & parũ frigidus est Tribolus. 8°. de sim. me. fa. 5ª.62.F
SICCA *simplicia ceræ mixta in mortario contundantur bene. 4°. de compo. med. per gen.* 5ª.244.H
ad Sicca liquenda quæ oleosa valeant. 7°. de com. m. per g. 5ª.264.B
Siccum medicᵐ quod natura dicat. 4°. de comp. me. per ge. 5ª.240.F
Sicca potẽtia quę meꝺicamẽta dicantur. 2°. de art. cu. ad Gl. 7ª.106.F
Sicca Andromachi medicamenta quæ. 4°. de com. me. per g. 5ª.242.C
Siccum medicamentũ fit ex charta. 2°. de comp. me. per ge. 5ª.221.H
Sicca, & calida sunt digerentia per halitum. 14°. met. me. 7ª.89.A
Sicca & calida emollientia. 5°. de sim. med. fac. 5ª.34.F
Siccum & temperatum in actiuis medicamentum neruorum est. 3°. de comp. med. per genera. 5ª.228.C
Sicca magis exhibenda sunt duris corporibus. 2°. de compositio. medi. per genera. 5ª.220.D
Sicca multum vulnera glutinantia. 7°. de simp. med. fac. 5ª.56.D
Sicca minus flatum generant. 7°. de sim. me. fac. 5ª.53.D
Sicca, frigida, & amara sunt danda, si culpa sanguinis fuerit ægritudo. de dynam. Sp.19.F
Sicca, & calida Venerem cohibent. 8°. de simp. me. fac. 5ª.57.F
a Siccis, & calidis lassitudo non soluitur. 2°. de sim. me. fa. 5ª.16.D
Sicco indiget vlcus humidum. 3°. met. me. 7ª.18.B
Sicca pars magis siccanda est. 5°. met. me. 7ª.29.H
Siccis solis vtimur in ossibus capitis, et aliarum partium, pinguia vero pharmaca euitamus. 5°. de comp. me. per ge. 5ª.253.D
in SICILIA *natus Chrysippus non habebat græcam linguam, & legem græcis de nominibus dare voluit. 2°. de diff. pul.* 4ª.58.G
SICLIVM *. i. sicilicus est vnciæ dimidium. de pon. & mens.* 5ª.276.H

SICLA *eſt cibus ſalſus diſſoluens,ac attenuans.de diſ.cont.* Sp.72.F
Sicla cur eſt mala ſtomacho.de diſſ.cont. Sp.74.E
Sicla cur parum nutrit.de diſſ.cont. Sp.73.G
Sicla lenit ventrem.de diſſ.cont. Sp.75.A
Sicla aperit opilationem hepatis.de diſſ.cont. Sp.74.G
Siclum ad abolendum colorem è facie icterici.de cura icteri. Sp.111.F
Siclum vrinam mouet.de cura icteri. Sp.111.D
SICVLA *in ſcripta colica.9°.de com.me.ſec.lo.* 5ª.202.G
SICYONIVM *oleum prouocat ſudorem.de cathar.* Sp.95.D
Sicyonium oleum digerens in puncturis neruorum conuenit.3°.de cõpoſi.medica.per gene. 5ª.235.A
cũ Sycionio oleo abrotonũ ad alopecias cõuenit.6°.de ſi.m.f. 5ª.40.H
Sicyonium oleum tenue eſt.6°.de ſim.me.fac. 5ª.46.H
SICYOS *quam facultatem habet.8°.de ſimp.me.fac.* 5ª.60.E
Sicyos agrios ad quid conferat,& quam vim obtineat.8°.de ſimplic. medicam.facultatibus. 5ª.60.E
SIDERATIO *quid ſit.de fra.c.2°.235.A/de ar.c.4°.7ª.284.H*
Sideratio quomodo de naribus etiam dicitur.de ar.com.2°.7ª.267.C
Sideratio carnis.de art.com.4°. 7ª.286.C
Sideratio oſſium.de art.com.3°. 7ª.275.A
Siderationes oſſis fiunt a carne mucoſa.de art.com.3°. 7ª.276.A
Sideratio coſtarum.de art.com.3°. 7ª.275.E
in Sideratione calcis quæ febres fiant.de fract.com.2°. 7ª.235.B
SIDERATI *qui ſint.de vict.rat.in mor.acu.com.1°.* 7ª.114.B
Sideratum os quo dicatur.de art.com.3°.276.C/com.4°. 7ª.292.E
Sideratum fémur.de ar.com.3°. 7ª.279.B
SIDERITIS *qualis ſit.8°.de ſim.me.fa.* 5ª.260.D
Sideritis quam vim habet.6°.de ſimp.me.fac. 5ª.47.C
Sideritis achilleis qualis.8°.de ſimp.me.fac. 5ª.60.D
Sideritis phlegmonem ſedat & glutinat.8°.de ſimp.me.fa. 5ª.60.D
Sideritis achilleis ad ſanguinis eruptiones,dyſenterias,et muliebre pfluuium congruit.8°.de ſimp.me.fa. 5ª.60.D
Sideritis herba quomodo proſit capiti dolenti,quando aliqua adeſt fractura.de reme d.par.fac. 7ª.154.A
Sideritis terra quæ.9°.de ſim.me.fa. 5ª.66.D
SIDERARI *quid ſit.de art.com.1°.* 7ª.260.F
Siderentur quomodo oſſa.de frac.com.2°. 7ª.235.A
Sideratur os calcis.de fract.com.2°. 7ª.235.A
SIDIA *vel malicorium quid.de ſimp.med.* Sp.87.C
Sidia ſunt putamina granatorum.7°.de ſimp.me.fac. 5ª.59.H
Sidia,hoc eſt mali granati putamina adſtringunt dyſenteriam.11°.de ſimpl.med.fac. 5ª.81.E
a Sidere percuſſorum curatio.de reme.par.fac. 7ª.162.C
SIEF *ad ophthalmiam.ſecret.* Sp.97.E
ad SIGILLVM *vt comparatur cera,ita inſtrumẽtum generationis mulieris ad virum.de ana.viu.* Sp.51.D
SIGILLVM *lemnium.9°.de ſimp.me.fac.* 5ª.65.A
Sigillum Dianæ habebat terra lemnia.9°.de ſimp.me.fa. 5ª.65.A
Sigillum lemnium adſtringens leue eſt.5°.met.me. 7ª.31.G
Sigillum lemnium internis vlceribus opitulatur.4°.me.me. 7ª.28.H
SIGIAE *græce memimt.de dyna.* Sp.31.A
Sigia emollit & in quo gradu ſit.de ocul. 7ª.188.D
Σιγμοειδεῖς *cartilagines q̃,& quare ſic vocatæ.7°.de vſ.p.1ª.157.D*
Sigmois cartilago vbi ſit.4°.de loc.affe. 4ª.26.D
Σιγμοειδεῖς *membranæ intus foras ſpectantes iu vena arterioſa quę pulmonem alit cur appellatæ.6°.de vſu par.* 1ª.153.F
SIGNATIVA *medicinæ artis pars.de part.art.med.* Sp.17.G
SIGNIFICATIO *quid ſit apud Hippocratem, & quomodo fiat.de ijs, quæ in med.ſi.com.1°.* 7ª.198.H
de Significatione ſudorum.præfa.exper.confir. Sp.77.F
SIGNIFICATIVA *quæ ſint apud recentes.de ijs,quæ in med.ſi.commẽtario.1°.* 7ª.197.G
Significatiua medicinæ pars.de part.art.med. Sp.16.F
Significatiuæ partes.de part.art.med. Sp.18.A
SIGNINVM *vinum quale.5°.de ſani.tu.90.H/2ª.91.B/1°.de antid.* 5ª.100.H/12°.*met.met.* 7ª.76.D
Signinum vinum in Italia quale.4°.de comp.me.per ge. 5ª.236.D
Signinũ vinũ in Italia plurimo tempore inueteraſcit.de vin. Sp.77.A
SIGNVM *quid ſit.de hiſt.philo.* Sp.3.C
Signum quod.ſin.med.Iſa.46.A/5°.de loc.aff. 4ª.35.C
Signum accipitur pro puncto.de ſeptim.par. 1ª.341.C
Signorum obſeruatio eſt medicinæ pars.intro. Iſa.51.H
Signa propter quid neceſſaria ſint.intro. Iſa.51.H
inter Signa Hippocrates vtitur vocibus cauſarum,& corporum. de vict.rat.in mor.acut.com.3°. 7ª.128.D
Signorum differentiæ.in 1ᵐ.pror.com.1°. 4ª.163.E
Signorum diuerſitas.de ren.aff.dig.& med. 7ª.192.G
Signa ſalubria quæ.ars med. Iſa.62.F
Signa inſalubria quæ.ars med. Iſa.62.F
Signa neutra quæ.ars med. Iſa.62.F
Signa prænunciatiua quæ.ars med. Iſa.62.F
Signa prænunciatiua,& idicatiua in magno vſu ſunt.ars me. Iſa.62.F
Signa eadem oſtendunt ſanum,neutrum,& ægrum.ars med. Iſa.67.E
Signa quomodo in tuenda ſanitate valent.1°.de ſan.tu. 2ª.68.G
Signa indicant.de vict.ra.in morb.acu.com.3°. 7ª.128.D
a Signo indicium certum τεκμηριον *græci dicunt,differt. in prognoſ. commentario.3°.* 4ª.212.C
Signum & indicium quo accipiantur.in progn.Hip.com.3°. 4ª.212.C
Signum de quibus dicatur,de quibus tamen non dicitur inditiũ.in progno.Hipp.commen.3°. 4ª.212.D/F
Signa ſimul,& indicia quæ.in progn.Hipp.com.3°. 4ª.212.F
Signum indicatiuum quod.ſin.med. Iſa.46.B
a Signo nullo fideliter indicantur tempora.1°.de criſi. 4ª.130.G
Signũ vnũ forte qñq; multis debilib° fideli° exiſtit.1°.de criſ. 4ª.130.g
Signa eiuſdem ſpeciei quæ.in 1ᵐ.pror.com 1°. 4ª.161.G
Signorũ diuerſarũ ſpẽrũ commiſtio inutilis eſt.ī 1ᵐ.pror.c.1°.4ª.161.H
Signa quibus medicus fidere non debet,quæ a Galeno dicuntur infida. com.2°.aph.27°. Ex.16.C
Signorum genus quod nec decretorium eſt,neque fidum, neq; infidum. 1°.de criſibus. 4ª.131.D
Signa aſſidentia quæ.in 3ᵐ.de mor.vulgarib.com.3°.3ª.143.H/com. 1°.aphoriſmo.12°. Ex.6.F
Signa paſſionis quæ.com.1°.aph.12°. Ex.6.F
Signa patognomonica quæ.in 1ᵐ.pror.com.1°. 4ª.163.D
Signis patognomonicis remotis an effectus poſſit ſeruare ſpeciẽ ſuam. in 3ᵐ.de morb.vul.com.3°. 3ª.143.H
Signum ſuggerens memoriæ quod ſm empiricos.ſin.med. Iſa.46.B
Signa p̃ſentia præſentium ſunt affectuũ indicatiua oĩa.ſin.me. Iſa.46.B
Signa præſentia præteritorum quæ.ſin.med. Iſa.46.B
Signa præſentia futurorum quæ.ſin.med. Iſa.46.B
Signa ſuperuenientia præſentium quæ.ſin.med. Iſa.46.B
Signa præterita præteritorum quæ.ſin.med. Iſa.46.B
Signa præterita præſentium quæ.ſin.med. Iſa.46.B
Signa mox apparentia quæ.com.1°.aph.12°. Ex.6.G
Signa auxiliaria quæ.ſin.med. Iſa.46.B
Signa & caſus idem.com.1°.aph.12°. Ex.5.G
vt Signũ et vt cauſa ſymptoma quod prauũ.in 1ᵐ.pror.c.3°.4ª.183.B
Signum & ſymptoma eſt rigor.2°.de ſymp.cau. 3ª.22.E
Signa decretoria ſunt in genere accidentium.in prog.cõ.3°. 4ª.212.G
Signa iudicatoria quæ & quot,et q̃ nõ ſemp bona.c.1°.ap.12°.Ex.6.D
Signorum triplex genus.1°.de criſi. 4ª.131.A
Signa triplicia in quibus cognoſci debeant.1°.de criſi. 4ª.131.B
Signum aliquod modo eſt criticum,modo prauum.1°.de criſi.4ª.131.B
Signa decretoria nunq̃ male apparent.1°.de criſi. 4ª.128.D
Signa indicatiua criſis non ſtatim apparent in primo morbi tempore. 1°.de criſi. 4ª.128.E
Signa decretoria in ſtatibus apparent.1°.de criſi. 4ª.128.D
Signa ſanitatis dies ſunt iudicatorij.1°.de die.decr. 4ª.147.C
Signa iudicatoria duplicẽ præcognitionẽ faciũt.c.1°.aph.12°.Ex.6.D
de Signis quæ ſæpe conſideranda.1°.de criſi. 4ª.130.H
Signa diagnoſtica,& prognoſtica quæ.de ſubſi.empi. Iſa.32.D
Signa libri prognoſticorum vera ſunt in Libya,in Delo, & in Scythia. in progn.Hippo.com.3°. 4ª.212.G
Signa multa in numero impari potius q̃ pari fiunt. de vict.rat.in mor. acutis,com.4°. 7ª.142.D
abſq; Signis ſolutorijs nõ ſanat morbus magnus.1°.de di.de.4ª.145.C
Signa morborum.com.1°.aph.12°. Ex.5.D
Signum morbi epidemici.de nat.hu.com.2°. 7ª.182.C
Signum q̃ morbus ſit ab aere.de nat.hu.com.2°. 7ª.182.C
Signa morborum ex plenitudine quæ.introd. Iſa.55.D
Signa morborum ex indigentia quæ.intro. Iſa.55.D
Signa Bona in morbis,et mala quo ſint ītelligẽda.c.2°.ap.35°.Ex.17.E
Signa bona in quouis morbo quæ.com.2°.aph.35°. Ex.17.B
Signa omnia ſalutis habentis ægri,exemplum.3°.de criſi. 4ª.140.D

de Signis salutaribus, qui Hippocratis loquendi modus. in prognosti. commentario. 2°. 4ª.205.D
Signũ nullum affecti loci in quibus morbus non sit. 3°. de l. af. 4ª.16.B
Signa Colliquefactionis in vrina quæ. de vrin. sign. ex Hip. Sp.78.G
Signa Coctionis semper bona sunt. com. 1°. aph. 12°. Ex.5.H
Signa coctionis nunq̃ male apparent. 1°. de crisi. 4ª.128.D
Signa inter debilis & pfectæ coctionis indicia, quæ. 1°. de cris. 4ª.132.C
Signa cruditatis longum morbum significant. com. 1°. ap. 12°. Ex.5.H
Signa cruditatis in principio. com. 1°. aph. 12°. Ex.5.F
Signa digestionis nunquã in principio apparent, sed in augmento vniuersali. com. 1°. aph. 12°. Ex.5.C
de Signis Febris librum scripsit Archigenes. 3°. de diff. pul. 4ª.64.A
Signa febricitantium secundum varia tempora, quæ. intr. Isa.55.D
Signa febris futuræ. præs. exper. conf. Sp.77.E
Signa futurorũ nõ parua, ex pulsu deprehenduñt. 4°. de dif. pu. 4ª.67.A
Signa non bona imminere significat vrina nigra cum sudore in synocha. de dynam. Sp.34.D
Signum non bonũ est vrina alba spumosa, & nebulosa. de dy. Sp.34.D
Signum non bonum in synocha est vrina lactea si in initio ægritudinis iuuenibus euenerit. de dyn. Sp.34.D
Signum non bonum significat in synocha vrina sine nebula turbulenta. de dynam. Sp.34.E
Signa mortẽ significãtia cito oñdũt qd fieri debeat. c. 1°. ap. 12°. Ex.5.H
Signa aliqua sunt vtroq; modo parua, tum quia signa, tum quia causæ. in progn. comm. 2°. 4ª.202.G
Signa mortifera, si per cutem vapor calidus exeat, cum prius per expirationem anhelitus fuerit redditus frigidus. in 6ᵐ. de mor. vulg. commentario. 4°. 3ª.187.G
Signum pessimum est, si nares vnguibus rescissæ sanguinem non effundunt. in 6ᵐ. de morb. vulga. com. 6°. 3ª.197.B
Signum mortis in cephalea. de dyna. Sp.23.C
Signa letalis epilepsiæ. de dyna. Sp.23.H
Signa letalia hemicraniæ. de dyn. Sp.23.G
Signa Hepaticorum. de dyna. Sp.27.D
Signa flatus hypochondriaci. de mel. ex Gal. Ruf. & Poss. Sp.109.B
Signa communia melancholiæ. de mel. ex Gal. Ru. & Poss. Sp.109.D
Signa letalis scotomiæ. de dyna. Sp.23.H
Signa letalia in splenetica passione. de dyn. Sp.27.D
Signa stomachi inflammationis. introd. Isa.57.C
Signa exulcerationis stomachi. introd. Isa.57.C
Signum maniæ est calor cordis superexcellens. de anat. viu. Sp.53.A
Signum audaciæ est calor excellens cordis. de ana. viu. Sp.53.A
Signa ventositatis matricis. de pass. mul. Sp.96.A
Signa matricis plenæ humoribus. de pass. mul. Sp.96.B
Signa hydropicæ matricis. de pass. mul. Sp.96.A
Signa cancri matricis. de pass. mul. Sp.96.A
Signa arenalis mictus. de dyna. Sp.28.H
Signa mingentis furfures. de dyna. Sp.29.A
Signa lapidem maiorem habentis in vesica. de dyna. Sp.29.A
Signa inflammationis vesicæ quæ. intro. Isa.57.A
Signa exulcerationis vesicæ quæ. intro. Isa.57.B
Signa languoris vesicæ quæ. intro. Isa.57.B
SIGNORVM *duodecim qualitates. de sperma.* Sp.38.H
de Signorum alteratione. de sperm. Sp.39.D
a Signis, & planetis elementa reguntur. de sperm. Sp.40.B
in Signis & planetis & quatuor elementorum nexib° iũcta est, & ligata, teste Hippocrate substantia oĩs corporea aĩata. de sp. Sp.38.G
SIGONIS *colica. 9°. de comp. me. se. loc.* 5ª.202.F
SILENTIVM simile quid est in auditu, vt in visu tenebra. 1°. de sympt. caus. 3ª.17.C
Silentium an vocis contrarium vel priuatio in quæstionem venit. 1°. de symptomat. cau. 3ª.17.C
SILENI *casus febris ardentis. in 1ᵐ. de morb. vulg. com. 3°.* 3ª.121.E
in SILICE *ignis est, quamuis non vrat. an animal sit.* 1ª.327.D
Silices coquit in lacte. 8°. de com. me. sec. lo. 5ª.192.B
SILIGINEVS *panis purissimus est. 1°. de alim. fac.* 2ª.9.G
Σιλιγνίτης *panis purissimus. i. siligineus. 1°. de ali. fac.* 2ª.9.G
SILIGOTRICI *ventrem stringit, & ardorẽ, & corruptionem. de sim. medicam.* Sp.90.A
Siligo pro amylo. 7°. de comp. me. se. loc. 5ª.177.H
SILIQVA *quid sit, & quorum. 1°. de alim. fac.* 2ª.14.H
Siliquæ dulces ceratiæ dictæ. de rem. par. fac. 7ª.159.H
Siliquæ quæ semina continent, vbi exaruerint, sunt inutiles hominibus. 2°. de alimento. faculta. 2ª.16.C
Siliqua sola lobi est esculenta. 2°. de alim. fa. 2ª.16.C
Siliqua totus dolichi fructus appellañ, et qua. de cã. 1°. de al. f. 2ª.15.A
Siliquæ hãt eandem facultatem cum dolichis. 1°. de alim. fa. 2ª.15.B
Siliquarum decoctum adstringens moderatum pro gargarismis. 6°. de comp. med. sec. loc. 5ª.172.F
SILIQVA *nomen ponderis. de pond. & mens.* 5ª.276.D
Siliqua & chalcus idem. de pond. & mensu. 5ª.277.B
Siliqua habet atticos æreos duos, & duas tertias partes alterius erci. de pond. & mensuris. 5ª.276.A/D
Siliquæ meminit. 1°. de compo. me. per ge. 5ª.215.F
Siliquæ, & siliquæ magnæ. 9°. de comp. me. sec. loc. 5ª.203.A
SILIQVATA *apud Theophrastum elloba quæ vocentur. 2°. de alim. facultatibus.* 1ª.16.C
Silo quod commendaret emplastrum. 6°. de com. me. per ge. 5ª.261.C
SILPHIVM *quid. de simp. med.* Sp.90.D
Silphij succus acer est. in 6ᵐ. de morb. vulg. com. 5°. 3ª.192.G
Silphiũ calidissimũ medicᵐ est. 10°. de comp. me. se. loc. 5ª.207.C
Silphij liquor calidissimus est. 8°. de sim. me. fac. 5ª.60.F
Silphium habet magnam incidendi facultatem, vbi commaturuerit. de atten. vic. rat. 2ª.44.A
Silphiũ fortem habet facultatẽ. de vict. rat. in mor. acu. c. 2°. 7ª.121.C
Silphij radix virosæ & acriter excalfacit & vesicam ledit, antidotis & purgatorijs admiscetur, & sale condita suauiter facit. de simpl. medicaminibus. Sp.90.C
Silphium manditur vt cibus. de atten. vic. 2ª.44.A
Silphium ventriculum offendit. de vict. ra. in mor. acu. c. 2°. 7ª.121.B
Silphium ad quid valeat. de cura icteri. Sp.111.B
Silphium ad aurium dolores valet. 11°. de simpl. me. fac. 5ª.82.G
ex Silphio malagma Ischiadicis valde commodum. 10°. de composi. med. secun. loc. 5ª.208.B
SILVRORVM *salsorum et mænidum salsugine maxime vtebantur antiqui, & ad quæ. 11°. de simp. me. fac.* 5ª.83.H
SIMIAE habent primum locum inter animalia pro dissectione. 6°. de ana. adm. 1ª.90.D
Simijs similia hãt secũdũ locũ pro dissectione. 6°. de ana. adm. 1ª.90.D
in Simia anatomiam facere cur Galenus elegerit. de muscu. dis. 46.F/ *de ana. adm.* 1ª.63.G
Simiæ quæ eligendæ pro anatomia. 1°. de ana. adm. 1ª.63.H
in Simijs dissectes hominum anatomen. 3°. de com. me. per ge. 5ª.231.F
in Simia exerceri iubet Galenus. 3°. de ana. adm. 1ª.77.A/*3°. de cõp. med. per genera.* 5ª.232.A
in Simia exercet anatomiam Galenus. 5°. de ana. adm. 1ª.87.B
in Simijs exercitati. 6°. de ana. adm. 1ª.90.F
in Simijs exercitati prompte singulas partes detegent in sectione humani corporis. 3°. de ana. admi. 1ª.77.B
Simiam dissecuit Galenus. de ar. com. 3°. 7ª.269.H
Simia quando non adest, alia animalia accipienda sunt pro anatomen. 1°. de ana. adm. 1ª.64.B
Simiarũ, et aliorum aĩaliũ anatomen fecit Galenus. 5°. de l. af. 4ª.33.E
Simijs pro hominibus vtitur. de art. com. 3°. 7ª.268.F
Simia figura propinquæ homini sunt accipiendæ pro anatomia faciendæ. 1°. de ana. adm. 63. G/6°. 1ª.89.A
Simiæ figura propinquæ homini quæ sint. 1°. de ana. adm. 63. G/11°. de vsu partium. 1ª.174.G
Simias cynocephalas laudat p anatomia. de motu ma. & ob. Sp.70.E
Simia in oĩbus silĩs hoĩ est, qa, et ossa sunt similia. 1°. de an. ad. 1ª.63.E
Simijs cum hominibus exacta est similitudo. de ven. art. diss. 1ª.57.G
in Simijs videntur omnia quæ in homine. de ven. art. diß. 1ª.56.B
Simia homini similis est extrinsece. de ana. par. Sp.42.G
Simia binis cruribus incedit. 1°. de ana. adm. 1ª.63.E/G
Simia incedit manibus, & pedibus. 15°. de vsu par. 1ª.213.D
Simia vtitur prioribus artubus pro manibus. 1°. de ana. adm. 1ª.63.E
Simia quomodo vtatur cruribus. 3°. de vsu par. 1ª.135.F
Simia cur apprehendat manibus. 15°. de vsu par. 1ª.213.D
Simiæ manum sæpe diligenterq; incidi debere consulit Galenus, et quare. 3°. de ana. adm. 1ª.78.A
Simiarum, & hominis differentia quæ. 1°. de ana. adm. 1ª.63.G/H
Simiæ in quo diuersæ. de ven. ar. diss. 1ª.55.H
in Simia tota manus non est penitus similis ei, quæ in homine. 15°. de vsu partium. 1ª.213.D

Simia pedis & humani differentia. 2°. de ana. adm. 1ª. 72. A
Simiæ pes cur multum differt ab humano. 3°. de vsu par. 1ª. 130. H
Simiæ pedum digiti cur diducti. 15°. de vsu par. 1ª. 213. D
Simia non potest bene sedere, stare, & currere. 3°. de vsu p. 1ª. 130. H
Simia currens a longe, similis homini videbitur. 6°. de ana. ad. 1ª. 89. D
Simia cur velocissime manibus apprehendit. 3°. de vsu pa. 1ª. 130. H
Simia cur sublima conscendat. 2°. de ana. adm. 1ª. 72. A
Simia cur vt mures, ascendit. 3°. de vsu par. 1ª. 131. A
Simia cur ambulet, vt infantes faciunt. 15°. de vsu par. 1ª. 213. D
Simiæ articulus coxæ ex prope cõsimilis articulo hominis. 15°. de vsu partium. 1ª. 213. D
Simia est ridicula hominis simulatio. 4°. de ana. adm. 79. F/11°. de vsu par. 185. A/15°. 1ª. 213. D
Simia cur ridicula hoïs imitatio in plerisq; est. 13°. de vs. p. 1ª. 202. H
Simiæ natura dedit corpus ridiculum, vt anima est ridicula. 1°. de vsu partium. 1ª. 120. A
Simia humanos omnes actus imitari satagit. 1°. de vsu par. 1ª. 120. B
Simia spectaculum est odiosum. 8°. de ana. adm. 1ª. 102. E
Simia apud pueros pulchra est. 1°. de vsu par. 1ª. 20. A
Simia quomodo formosa. de bona hab. 1ª. 39. C
de Simia sectio. 1°. de ana. adm. 166. B/2°. 1ª. 169. H
Simiæ sectio qualis fieri debet. 4°. de ana. adm. 1ª. 80. B
Simiam secuit Galenus. de ven. art. diss. 1ª. 55. F
de Simia incisa meminit Galenus. de ner. diss. 1ª. 54. A
Simia debet in aqua suffocari in qua fieri debet sectio & excoriari. de musc. diss. 44. D/1°. de ana. adm. 1ª. 64. G
Simias suffocat Galenus in aqua, ne aliquod colli instrumentum offendatur. 4°. de ana. adm. 1ª. 80. B
Simiam secandi ordo. 1°. de ana. adm. 1ª. 64. G
Simiam excoriare cuilibet non est concedendum ne musculos lacerẽt, de musc. diss. 1ª. 44. D
in Simia & hoïe ossiũ natura primo spectãda est. 1°. de an. ad. 1ª. 64. B
Simiarum ossa pro humanis ostendit Galenus. de ar. com. 2°. 7ª. 262. H
Simia excepto homine, ex omni animantium genere breuissimam bẽt maxillã pro corporis portione, deinde lynces, et Satyri ita se habẽt, postea & cynocephali, gradiuntur hæc omnia binis innixa pedib⁹. 4°. de anat. adm. 1ª. 80. G
Simiæ habent genam inferiorem minimam. 11°. de vsu par. 1ª. 185. A
in Simijs oïbus nõ est euidens maxillæ cõmissura. 4°. de ana. ad. 1ª. 81. F
Simiæ homini simillimæ sunt in collo. de ner. diss. 1ª. 54. E
Simiæ differentia & aliorum animalium, quæ longiora colla obtinent. 4°. de ana. adm. 1ª. 80. F
in Simijs respicit rectitudinem ceruicis. de ar. com. 3°. 7ª. 273. B
in Simijs os paruũ scapulæ est, nõ cartilaginosũ. 13°. de v. p. 1ª. 203. A
Simiæ collum ex septem spondylis est. 13°. de vsu par. 1ª. 201. A
Simiæ habent vertebras paruas. de ner. diss. 1ª. 54. E
in Simijs lumbus longior est q̃ in alijs aĩalibus. de ar. com. 3°. 7ª. 273. B
Simia pectus maius alijs aĩalib⁹ hẽt, excepto hoïe. d art. c. 3°. 7ª. 282. C
in Simia non sunt videndi oculi, sed in maioribus animalibus. 4°. de anatomicis administratio. 1ª. 81. H
Simiæ linguam dissecuit Galenus pelops bubulam. de musc diss. 1ª. 46. B
Simia est in animalia parua voce prædita. de voce instr. disse. 107. A/7°. de vsu par. 1ª. 160. D
in Simia musculorum dissectionem exercet. de musc. dis. 1ª. 44. D
Simia hẽt musculos tẽporales debiles & exiles. 11°. de vs. p. 1ª. 184. F
Simiæ hominibus similes: habent musculos tẽporales hominibus similes, dissimiles vero, dissimile. 11°. de vsu par. 1ª. 184. G
in Simijs & hoïbus musculus tpalis exiguus est. 16°. de vs. p. 1ª. 217. a
in Simijs & hominibus aurium substantia fere immobilis est. 16°. de vsu partium. 1ª. 217. A
Simiæ hñt in cubito alios musculos q̃ alia animalia. de mu. di. 1ª. 48. B
Simiæ musculi mouentes articulationem coxæ cur multum descendũt. 15°. de vsu par. 1ª. 213. D
in Simiarum dissectione octo musculi ignorabantur ab antiquis. 1°. de anatom. admin. 1ª. 64. E
Simiarum anatomia in quibus musculis fecerit errare. de motib. mani. & obscuris. Sp. 70. E
in Simia, ablata membrana, non videntur venæ vel nerui ob tenuitatem. 3°. de anat. adm. 1ª. 74. D
Simiæ multo sanguine abundantis venæ cuti subiacentes omnibus apparent. 3°. de ana. adm. 1ª. 74. D
in Simijs vena quomodo sit. de ven. art. diss. 1ª. 56. C
in Simijs omnibus partim cõe quidam nactæ sunt venæ, quæ ad testes deferunt, partim in singulis proprium. de ven. art. diss. 1ª. 58. C
in Simia nerui duo, qui in sue tres 8°. de ana. adm. 1ª. 102. F
in Simia digitus magnus mutilus est. 4°. de ana. adm. 2ª. 79. F
Simia non habet pollicẽ nisi vanũ & ridiculũ. 1°. de vsu p. 1ª. 120. A
Simia sola & homo tentantur hernia. 6°. de ana. adm. 1ª. 91. D
Simiæ exemplum. de ven. art. diss. 1ª. 57. E
Simiæ casus quæ quotidie emaciabatur ob tumorem in tunica cordis, 5°. de locis affectis. 4ª. 29. D
de Simia meminit. 3°. de ana. adm. 74. H/ 1ª. 77. A
SIMILAE panis multum nutrit. de diss. cont. Sp. 73. F
Similæ panis bñ paratus ex arte ẽ boni succi, ac subtilis. de dis. S. 73. g
Simile panis bene paratus, & ex arte coctus, generat chymum bonũ, & crassum. de dissol. cont. Sp. 74. A
Simila est crassi succi, & boni, & humorum acrimoniã infrenat. de vi. ra. in mor. acut. com. 4°. 7ª. 149. D
Simila dat ad tormina sine febre. de vict. rat. in mor. ac. c. 4°. 7ª. 149. C
SIMILACEVS panis σεμιδαλίτης dicitur. 1°. de ali. fa. 2ª. 9. G
SIMILAGO multum alit. de atten. vic. 2ª. 44. F
Similago cibus est crassi succi. 3°. de ali. fac. 2ª. 28. B
Similago cibus est hyemis. de nat. hu. com. 1°. 1ª. 32. F
Similago nihil detergit. 1°. de alim. fa. 2ª. 13. H
ex Similagine & lacte placenta, aut vbi lagani, vel rhematis quicquam admistum, est cibus crassus, & qui meatus Iecoris infarciat. de bon. & vitio succo. 2ª. 35. D
ex Similagine, & butyro placentæ sunt pessimi cibi, nisi mel recipiat. 5°. de san. tuen. 2ª. 91. E
ex Similagine itria qualia. 1°. de alim. fac. 2ª. 10. E
Similagine, & carnibus concussis intestina implebant coqui. de fractu. commen. 3°. 7ª. 245. H
SIMILARIA vocat Aristoteles, quę Plato vocat primogenita. quod animi morb. 1ª. 317. G
Similares res quo modo esse dicantur. 1°. de loc. aff. 4ª. 4. D
Similares partes quæ. 8°. de dec. Hipp. 1ª. 275. B
Similaria membra quæ. de nat. hu. com. 1°. 1ª. 26. C
Similares partes quæ sit. de inæq. intẽp. 3ª. 43. D/1°. met. me. 7ª. 6. D
Similares partes primæ, & simplicissimæ quantum ad sensum, quæ. 1°. de elementis. 1ª. 6. E
Similares partes quæ vocantur, sunt propriæ & minime particulæ hominis. 2°. de elementis. 1ª. 8. F
in Similaribus est prima compositio. de diff. mor. 3ª. 2. E
Similares partes sunt per anatomen discendæ. 1°. de nat. fa. 1ª. 291. F
Similare membrum primum, est os. de an. i. viuo. Sp. 43. G
Similare membrum secundum, est chartilago. de ana. viu. Sp. 43. G
Similarium corporum tria genera in animalibus sunt quę exanguia, et sinu carentia vident. ar. in 6ᵐ. de mor. vul. com. 1°. 3ª. 153. A
Similarium membrorum materia. quæ. de ana. viuo. Sp. 44. F
Similariũ partiũ substãtia nulla fere inuenitur. 4°. de sim. m. f. 5ª. 24. H
Similares partes ex humoribus factæ sunt. 1°. de elem. 1ª. 7. E
Similaria ex tumoribus & meatibus constructa esse volentes, falsa supponunt. de caus. morb. 3ª. 9. B
in Similaribus partus q̃ qualitates dr̃iam faciãt. 3°. de sim. m. 5ª. 20. G
in Similaribus solis partibus qnod differt, non efi species. 6°. de decr. Hippocratis. 1ª. 261. C
ex Similaribus partibus fit instrumẽtum primum, ac simplicissimum efficitur. 1°. de elemen. 1ª. 7. F
Similaris corporis forma est. quod animi mores. 1ª. 318. G
a Similaribus corporibus perueniunt actiones. 2°. me. me. 7ª. 13. D
in Similaribus functionum causæ quæ. 1°. de san. tu. 2ª. 64. D
Similaribus vsum præstant instrumenta. 2°. met. me. 7ª. 13. D
a Similaribus corpibus actiões primę pueniũt. de cu. ra. p. s. m. 6ª. 16. e
Similarium partium sanitas in quo consistit. 1°. de san. tu. 2ª. 62. D
in Similaribus sanitas in quibus consistat. 3°. met. me. 7ª. 17. G
Similares partes quando habent suum robur. de diff. mor. 3ª. 2. G
ex Similaribus indicatio quę sit. 12°. met. me. 7ª. 82. E
in Similaribus, & in instrarijs sunt diuersi morbi. 2°. met. me. 7ª. 12. G
Similarium partium morbi quomodo considerentur. de diff. mor. 3ª. 2. F
in Similaribus partibus duæ ægritudines reperiuntur, & quæ. 3°. de differentijs morb. 3ª. 3. C
in Similaribus morbus primus fit ex intemperie quatuor qualitatũ. 2°. meth. med. 7ª. 12. F
in Similaribus sunt intemperantiæ. 2°. met. me. 13. D/9°. 7ª. 61. B

Similaris partis itẽperies quorũ ſymptomatũ ſit cã.de ſym.c. 3ª.13.*D*
Similariũ, et inſtrumentaliũ ſymptoma quod. 3°.*de ſym.cau.* 3ª.25.*B*
Similarium intemperies paruæ,paruam noxam actioni afferunt. 1°.*de ſymptoma.cau.* 3ª.15.*B*
Similares partes ſiccatas difficilius eſt humectare, quam humectatas ſiccare. 1°.*de ſymp.cau.* 3ª.14.*G*
*Similariũ partiũ morbi sũt vulneratio,ruptio,et eroſio.de ſym.*3ª.13.*E*
Similarium partium ægritudines nunq̃ poſſunt curari,niſi fuerit primorum elementorum animaduerſio adiuncta.de diff.morb. 3ª.3.*H*
Similaria corpora non poſſunt curari,niſi cognoſcas,an ſint ſimplicia, vel compoſita.de nat.hum.com. 1°. 1ª.26.*C*
*Similaribus,& inſtrarijs cõis eſt vnitatis ſolutio.*2°.*me.me.* 7ª.13.*D*
SIMILATIO *cibi fit ſpatio temporis.in progn.com.* 1°. 4ª.197.*B*
SIMILIA *quæ apud Græcos.*9°.*de dec.Hip.* 1ª.281.*H*
*Similiũ,et diſſimiliũ iuẽtores Plato et Hippocrates.*9°.*de de.*1ª.283.*G*
*de Simili & diſſimili Plato & Hip.recte tractarũt.*9°.*de de.*1ª.281.*f*
*Simile,& idem differunt.*3°.*de ſim.me.fa.* 5ª.23.*E*
*Simile duob⁹ modis dr̃ ſm aliquos.de ijs,quæ in med.fi.c.*1°.7ª.200.*C*
*Similia ſpecie quæ.*4°.*de ana.adm.* 1ª.81.*A*
*Similia genere quæ.*4°.*de ana.adm.* 1ª.81.*A*
Similia,& diſſimilia primo in medicina ſunt inſpicienda.de ijs, quæ in med.fi.commen. 1°. 7ª.197.*F*
*Similium geminorum exemplum.*3°.*de comp.me.per ge.* 5ª.228.*F*
*Similes duo ab inſuetis non cognoſcuntur,ſed a ſuetis. quare hinc apret q̃ facile viſa ſæpius cognoſcantur.*3°.*de ana.adm.* 1ª.77.*A*
Similis cum non eſt infans parentibus.de ſpermate. *Sp.*38.*G*
Similis hoĩ eſt ſimia extrinſecꝰ,ſus intrinſecꝰ.de ana.par. *Sp.*42.*G*
Simile erit ſibi quod prorſus æquale eſt.de faſc. 7ª.293.*E*
*Simile ad ſibi ſimile natura fertur.*2°.*de ſemi.* 1ª.337.*H*
Simile ad ſuum ſimile tendit naturaliter.de vtil.reſp. *Sp.*64.*A*
Simile eſt congruum,& amicum.de inæqu.intemp. 3ª.44.*C*
*Simile ſimili motum ac familiare.*8°.*de vſu par.* 1ª.167.*E*
Similia ſimilibus Deus adiungit.de Theria.ad Piſ. 5ª.90.*G*
Similia ſimilibus natura in nobis adiungit.de theria.ad Piſ. 5ª.90.*G*
*a Similibus etiam quod eſt,conſeruatur.com.*3°.*aph.*18°. *Ex.*23.*G*
*Similia ſeruantur ſimilibus.*3°.*met.me.* 7ª.21.*D*
*Similibus ſeruatur quod temperatum eſt ſecundum naturam.*3°.*de ali men.fac.*2ª.33.*D*/8°.*met.me.* 7ª.54.*G*
*Similibus res ſeruatur.*1°.*de ſan.tu.*2ª.65.*B*/3°.*met.me.* 7ª.18.*B*
*a Similibus augeẽ q̃dq;,ac nutriĩ.de inæq.*3ª.44.*C*/*c.*1°.*aph.*17°.*Ex.*8 *b*
Simile fit oẽ nutrimẽtum ei,cuius eſt nutrimẽtũ.de vtil.reſ. *Sp.*63.*H*
Similium adunatio quomodo fiat in nutrimento.de vti.reſp. *Sp.*64.*A*
Similia aggregat calor.de vtil.reſp. *Sp.*64.*A*
*Similia ſubſtantia facile inter ſe mutantur.*3°.*de na.fa.* 1ª.308.*C*
*Similia poſſunt efficere ſimilia.*10°.*de ſim.me.fa.* 5ª.72.*G*
*Similia corpa nõ accipiũt mutationẽ a ſeipſis.*2°.*de ſim.me.f.*5ª.15.*G*
*Similes naturæ,& ætates,et tẽpora ad ſimilia male ſe habẽt,præterq̃ ſi ætas tẽperata et victui, & regioni,& loco temperato cõparetur, hoc.n.ſolo mõ ſimiles a ſimilib⁹ bñ afficiuntur.c.*3°.*ap.*3°.*Ex.*20.*B*
*Similia faciũt morbos,ſanãt diſſimilia ſm Dioclẽ.c.*2°.*ap.*34°.*E.*17.*C*
*Similes morbi ſiunt naturis ſimilibus.com.*2°.*aph.*39°. *Ex.*17.*H*
*Similium indicatio ſumitur ſemper a conſuetudine, quoad ægrotent homines.*8°.*meth.med.* 7ª.55.*B*
p Similia ſit indicatio præſidiorum a tota natura, & a partibus. 4°. *de comp.med.per gc.* 5ª.240.*G*
*Similium exhibitionem indicat cuſtodia.*11°.*met.me.* 7ª.69.*E*
*ad Simile tranſitione vtunt empirici.*2°.*de comp.me.ſe.lo.*5ª.134.*E*
*ad Simile tranſitus quot modis fiat ſm Empiricos.de opt.ſec.*If.23.*G*
*Similia gñe cur in cõpõnibus miſceant empirici.*3°.*de cõ.m.*5ª.230.*G*
e Simili,& a contrario purgatio quomodo fiat.de cathar. *Sp.*94.*D*
Similia pulſus ſunt ſpaſmus,ſaltus,tremor.comp.pul. *Sp.*65.*B*
SIMILITVDO *quid.*9°.*de decr.Hipp.* 1ª.283.*G*
*Similitudines,et aſſimilitudines enunciatorũ in exercitatis,et impræmeditatis errorem exhibent.*9°.*de decr.Hip.* 1ª.286.*C*
Similitudo & æqualitas ꝓpetua parit ſegnitiem.de ae.aq.et l. 2ª.6.*C*
*Similitudines i philoſophis difficultatẽ pariũt.de cu.aĩ pec.no.*2ª.56.*F*
Similitudines in rationibus quos decipiunt.de cui.ani.pec.no. 2ª.56.*F*
*ex Similitudinibus fiunt errores.*9°.*de decr.Hip.* 1ª.279.*H*
*in Similitudinibus rerũ diſcernẽdis hõ exercẽdus.*9°.*de de.* 1ª.280.*B*
Similitudines qui exacte noſcunt.de cu.ani.pec.not.atq; me. 2ª.57.*D*
*Similitudines bonos etiam medicos in errores ducunt.de cui.ani.pecc. not.atq; med.*2ª.56.*F*/*com.*4°.*aph.*2°. *Ex.*27.*E*

Similitudo filiorum parentibus vnde.de hiſt.philo. *Sp.*10.*G*
Similitudo natorum ex ſpecie totius ſubſtantiæ magis prouenit a matre,q̃ a patre.de ſemine. 1ª.338.*D*
*Similitudo cur q̃ñq; ad matrẽ,q̃ñq; ad patrẽ ſpectet.*2°.*de ſe.*1ª.337.*b*
qũo Similitudinẽ facit diſſimilitudo.in 6ᵐ.*de mor.vul.c.*3°.3ª.174.*G*
SIMITAS *in quibus proprie,& per translationem.de ijs, quæ in medica.fi.commen.*2°. 7ª.205.*H*
Simitas quæ,& quomodo fiat.in 6ᵐ.*de mor.vul.com.*1°. 3ª.154.*G*
*Simitas in naſo quæ.de ijs,quæ in med.fi.com.*2°. 7ª.205.*H*
SIMONIS *caſus.in* 6ᵐ.*de mor.vul.com.*2°. 3ª.165.*E*
Simoni cur puſtulæ latæ ſint factę.in 6ᵐ.*de mor.vul.com.*2°.3ª.165.*F*
SIMPLEX *primum,& elementum ſunt idem.*3°.*me.me.* 7ª.22.*E*
*Simplex quid ſignificet.in progn.com.*3°. 4ª.207.*A*
*Simplicibus compoſita ſemper poſteriora ſunt.*1°.*de diff.reſp.* 3ª.56.*H*
*Simplex omne prius compoſitio eſt.*4°.*de ſan.tu.* 2ª.86.*B*
*Simplex prius eſt quã compoſitũ.de ijs,quæ in med.fi.cõ.*1°.7ª.203.*E*
Simplicia conſtant ex primis elementis.de diff.mor. 3ª.2.*F*
*Simplex pure,nullum corpus eſt.*9°.*de ſimp.me.fac.* 5ª.66.*C*
Simplex corpus neq; intenditur,neq; minuitur.de diff.morb. 3ª.2.*D*
*Simplices partes quæ.*7°.*de decr.Hipp.* 1ª.275.*B*
*Simplicem & compoſitam particulã iudicat ſenſus.de dif.mor.*3ª.3.*B*
Simplicia vocata membra,cum tñ ſint completa.de ana.vi. *Sp.*44.*G*
Simplicia membra quæ.de anato.viuo. *Sp.*43.*F*
Simplicium membrorum diuerſitas.de anato.viuo. *Sp.*55.*G*
Simplicium,ideſt conſimilium membrorum cauſa materialis eſt ſperma præterq̃ carnis,& adipis.de ana.viu. *Sp.*55.*G*
*Simplices partes habent particulas fibroſas,membranoſas,& carnoſas.*10°.*met.met.* 7ª.67.*D*
*Simplices partes quomodo conſiderandæ.*5°.*met.me.* 7ª.29.*F*
Simplicia inſtrumenta corporalia quæ ſint.de ana.viu. *Sp.*55.*B*
*Simplex,& inculpatum eſt regula culpati,& non ſimplicis.*2°.*de ſanitate tuenda.* 2ª.69.*C*
*Simplex & inculpatum quid ſit in corporibus.*2°.*de ſan.tu.* 2ª.69.*C*
*Simplex,& inculpatũ quid in generibus vitæ.*2°.*de ſa.tu.* 2ª.66.*C*
Simplicis particulæ ægritudines quæ.de diff.mor. 3ª.3.*B*
*Simpliciũ corporũ primæ ægritudines,duplices,et q̃.de dif.mo.*3ª.2.*F*
in Simpliciũ partiũ numero quæ ægritudines fiãt.de dif.mor. 3ª.4.*E*
Simplicibus,et compoſitis particulis ſimul nulla egritudo propria eſt. de different.morb. 3ª.4.*B*
*in Simplicibus ſicca intẽperies omniũ peſſima eſt.*7°.*me.m.* 7ª.47.*H*
SIMPLICIA *medicamẽta a græcis hapla dicuntur.de cath.* *Sp.*95.*A*
Simplicia qũo dicuntur medicamenta.in 6ᵐ.*de mor.vu.c.*5°.3ª.194.*C*
Simplicia quæ videntur eſſe medicamenta,compoſita ſunt. 3°.*de ſim. medic.fac.*19.*H*/ 5ª.21.*D*
*Simplicia medicamenta cur dicantur,cum ſint compoſita.*5°.*de ſimpl. medica.fac.* 5ª.31.*G*
*Simplicia debet noſcere,qui compoſita facturus eſt.*7°.*de compoſitio. medica.ſecun.loc.*177.*G*/ 5ª.178.*C*
*ſine Simpliciũ notitia,medicamẽtũ cõponi nõ põt.*1°.*de ſi.m.f.*5ª.6.*E*
*Simplicia q̃ nouit,hẽt vbiq; medicamẽta.*6°.*de cõ.me.ſe.lo.* 5ª.167.*E*
*Simplicia qui nouit,ſolus recte vtitur compoſitis.*7°.*de comp. medic. ſecundum locos.* 5ª.178.*B*
*ex Simplicibus vis eſt cõpoſitorũ medicamẽtorũ.*1°.*de ant.* 5ª.102.*C*
*p Simplicium variationem fit medicamentorum differentia.*7°.*de cõpoſitione medic.per gen.* 5ª.264.*F*
*ex Simplicib⁹ qũo cognoſcaĩ vis medicamẽti.*6°.*de cõ.m.p g.*5ª.257.*F*
Simplicia ſcienda ſunt. 8°.*de comp.me.ſec.lo.*188.*A*/1°.*de cõp.me.p gen.*210.*A*/2°.5ª.220.*A*/4°.*met.me.* 7ª.24.*B*
*Simplicia non ſunt noſcenda calida,uel frigida,ſed quantum calida uel frigida.*1°.*de com.me.per gen.* 5ª.210.*B*
*Simplicia debent ſæpe tractari.*1°.*de anti.*105.*E*/3°.*de com.medica. per genera.* 5ª.228.*E*
*Simplicia quæ ſcienda.*2°.*de comp.me.per gen.* 5ª.219.*E*
Simplicia diſcere a præceptoribus facile fit, a libris difficulter. 1°. *de antidotis.* 5ª.100.*B*
*ad Simplicium loca accedendum,& inde aſportandum quantum ſatis eſt in vita.*1°.*de antido.* 5ª.100.*B*
*ob Simplicium medicamentorum cognitionem,ad varia loca nauigauit Galenus.*1°.*de antido.* 5ª.100.*C*
Simplicia ad Galenum ſingulis annis ferebantur ex omni natione. 3°. *de comp.me.per genera.* 5ª.228.*G*
*Simplici è quibus locis habuerit Galenus.*1°.*de anti.* 5ª.100.*C*

Simplicium opti-

Simplicium optimorum loca veriſſime ſcripſit Dioſcorides. 1°.*de antidotis.* 5ª.100.*C*
Simplicia optima aliqua quæ in regionibus ſint. 1°.*de ant.* 5ª.105.*E*
de Simplicibus egit ſecundum genus,et non exquiſite Dioſcorides. 2°. *de comp.mc.per ge.* 5ª.218.*F*
Simplicia non cognoſcenda ut Dioſcorides ſcripſit,ſed ut Galenus. 2°. *de comp.me.per ge.* 5ª.218.*F*
Simplicium optima quæ ſint in vno quoq; genere. 1°.*de ant.* 5ª.105.*D*
Simplicia quo ad quantitatem quæ meliora. 1°.*de anti.* 5ª.105.*F*
Simplicia ſemper odoratoria ſumenda. 1°.*de ant.* 5ª.105.*D*
contra Simpliciũ mercatores & herbarios. 3°.*de c.m.per g.* 5ª.228.*G*
Simplicium adulteratores qui. 3°.*de comp.med.per ge.* 5ª.228.*G*
Simplicia medicamẽta a uẽditoribus adulterãtur. 1°.*de ant.* 5ª.100.*B*
Simplicium facultates non ignorandæ. 3°.*de com.me.per g.* 5ª.230.*C*
Simplicium facultates quæ primæ,quæ ſecundæ,quæ tertiæ. 6°.*de ſim. med.fac.* 5ª.258.*B*
de Simplicium medicamentorum facultate libri quot ſint. 1°.*de comp. med.per gen.* 5ª.210.*A*
de Simplicium medicamentorum facultate libri ſunt vndecim. 6°.*de comp.med.per ge.* 5ª.257.*B*
de Simplicium medicamentorum facultatibus liber, cur accurate legendus,& ad quid valeat eius doctrina. 1°.*de ſymp.cau.* 3ª.17.*D*
in Simplicium libris quid egerit Galenus. 6°.*de cõ.m.per g.* 5ª.254.*H*
Simplicium medicamentorum primi quinque libri diſci debent. 10°. *de ſimp.med.fac.* 5ª.71.*H*
in Simplicium libro ſexto,ſeptimo, & octauo quid agat Galenus. 7°. *de comp.me.ſec.loc.* 5ª.178.*H*
de Simpliciũ medicamentorũ facultate liber præcedit methodũ medẽdi. 3°.*de c.m.ſ.l.* 141.*H*/8°.5ª.188.*A*/3°.*me.m.* 20.*A*/4°.7ª.24.*C*
de Simplicibus liber primo legendus eſt, poſt methodum medẽdi, tertio libro de compoſitione medicamentorũ. 8°.*de com.m.ſ.l.* 5ª.193.*f*
Simplicium liber ponendus ante librum de compoſitione medicamentorum per gen. 2°.*de comp.me.per ge.* 5ª.218.*G*
de Simplicibus medicamentis librum ſecit Crito. 6°.*de comp.medica. per gen.* 5ª.255.*A*
Simplicium ſcriptores qui. 1°.*de ant.* 5ª.100.*B*
Simplicium qualitas quibus probatur. de dy. *Sp.*18.*H*
de Simplicibus experientia quomodo ſumẽda. 2°.*de ſim.m.f.* 5ª.11.*H*
Simplex guſtu & olfactu medicamentum, excellens eſt, & validius aliis ſui generis. 1°.*de antid.* 5ª.100.*E*
Simplex optimum quo ad guſtum. 1°.*de antid.* 5ª.105.*E*
Simplicia quo modo probanda circa morbos. 7°.*de ſim.me.f.* 5ª.52.*D*
ex Simplicibus paucioribus,& paratu facillimis eligenda medicamẽta. 2°.*de com.me.per ge.* 5ª.220.*D*
ex Simplicibus quæ habentur medicamenta componenda. 4°.*de comp. med.per ge.* 5ª.239.*H*
Simplicia quæ multis in locis reperiantur. 1°.*de ant.* 5ª.102.*B*
Simplici quædam non dant uim medicamentis, ſed commoditatem. 1°. *de com.med.per ge.* 5ª.212.*E*
Simplicia ſicca in mortario cõtũdãtur bene. 4°.*de cõ.m.p g.* 5ª.244.*H*
Simplicia ex ſuccis & liquoribus quæ facile leuigentur. 4°.*de comp. me.per ge.* 5ª.237.*H*
Simplicia minutiſſima,quæ ingrediũtur compoſitionem, prouocãt vi nam. 4°.*de ſan.tuen.* 2ª.86.*D*
Simplicia craſſi ſuccĩ ĩpediũt repurgationẽ. 7°.*de com.m.ſ.l.* 5ª.179.*A*
Simplici alicui quandoque apponuntur obtundentia, quandoq; ſuauiora reddentia. 1°.*de com.me.per ge.* 5ª.210.*B*
Simplicia illigat linteolo, & facit ebullire ſoranus. 7°.*de comp.med. ſec.loc.* 5ª.180.*G*
Simplicis vnius medicamenti uitiũ oĩa corrũpit.de the.ad Pi. 5ª.95.*a*
ex Simplicibus commiſtis tritis, nullum integrum ſeruatur in compoſitione. 1°.*de elementis.* 1ª.5.*C*
Simplicia in compoſitione ſecundum aliquos corrumpuntur poteſtate. 1°.*de comp.me.per ge.* 5ª.210.*A*
Simplicia in miſto virtualiter ſunt.de ther.ad Piſo. 5ª.94.*C*
in Simplicium cõmiſtis ſpecibus non ſeruatur actio ſuæ cuiuſq; ſubſtãtiæ. 3°.*meth.med.* 7ª.16.*H*
Simplicium uis exoluitur,quando debet penetrare in profundum. 2°. *de comp.me.ſec.loc.* 5ª.134.*A*
Simplicia quo cõpoſitiones ingredi debeãt. 7°.*de cõ. med.ſ.l.* 5ª.179.*C*
Simplicium ordo in cõpoſitionibus. 1°.*de com.m.p g.* 214.*C*/2°.222.*H*/223.*H*/225.*E*/226.*E*/3°.233.*G*/4°.243.*D*/245.*C*/*H*/5°.246*H*/248.*F*/6°.255.*C*/256.*H*/260.*E*/262.*E*/7°.265.*F*/271.*B*/*E*/273.*E*/ 5ª.274.*D*
Simplex cũ non habemus,cõpoſito vtimur. 2°.*de cõ.me.p g.* 5ª.218.*G*
Simplicium diuerſitas ad achoras. 1°.*de com.me.ſe.lo.* 5ª.129.*E*
Simplicia quæ valẽt in neruorũ uulneribus. 3°.*de cõ.m.p g.* 5ª.230.*H*
SIMPLEX *ſpecies uinculi debet eſſe orbicularis.de faſc.* 7ª.293.*E*
Simplex oculus,uel tenue uinculum ocularium.de faſc. 7ª.297.*D*/ *idem ab inferiori parte ſurſum ibidem.*
Simplex rhombus uinculi genus.de faſc. 7ª.295.*B*
Simplex rhombus.de faſcijs. 7ª.302.*E*
Simplex uinculum ad ceruicem.de faſc. 7ª.302.*D*
Simplex nodus dictus laqueus qua rõne adhibeat.de laqu. 7ª.307.*F*
Simplex charcheſius qua uia implicetur.de laqueis. 7ª.307.*C*
ex Simplici charcheſio quo modo fiat duplex.de laqu. 7ª.308.*A*
Simplex cochlea quæ.de machinam. 7ª.310.*D*
SIMPLICITAS *animi proficiſcitur à ſanguine.de natura humana,cõment.* 1°. 1ª.33.*B*
SIMPLICITER *quid.in prog.Hipp.comm.* 3°. 4ª.207.*A*
Simpliciter dicere & ſuplatiue dicere nõ idẽ ſunt. 1°.*de criſ.* 4ª.131.*g*
Simpliciter quod dicitur,& ſine addito,de medijs corporibus intelligitur. 1°.*de ſimp.med.fac.* 5ª.74.*C*
vt SIMVLACHRA *funiculis mouentur, ita Tendones omnes qui ad carpum apparent a cubiti muſculis ad digitos natura extẽdens inſeruit in ſingulos articulos,& quomodo.* 1°.*de vſu par.* 1ª.117.*D*
Σιμὸν *quid appellat Galenus.* 2°.*de ſa.tuen.* 2ª.70.*B*
ex Simo hepatis humores per uentrem educendi ſunt.de cat. *Sp.*94.*G*
Simæ hepatis parti danda cathartica.de cathart. *Sp.*94.*G*
Simam hepatis purgantia quæ.de cathart. *Sp.*95.*C*
Sima eſt aſcia.de faſc. 7ª.293.*E*
Σιμότερα *ſæpe numero appellauit Hippocr.nocua more ionico.de vi. rat.in morb.acu.com.* 3°. 7ª.128.*C*
SINAPI *Alexandrinum.* 9°.*de com.me.ſe.lo.* 5ª.199.*B*/*E*
Sinapi aſparagus eſt humidior quam folia. 2°.*de alim.fac.* 2ª.24.*A*
Sinapis eſt ſicca.de diſſ.cont. *Sp.*74.*D*
Sinapi quo loco reponatur inter calida,quæ cõueniunt alopetus. 1°.*de comp.me.ſec.lo.* 5ª.122.*D*
Sinapi acre eſt. 6°.*de comp.me.per ge.* 5ª.256.*F*/*de vict.rat.in morb. acu.com.* 4°. 7ª.135.*C*
Sinapi vires habet acriter & viſcide diſtinguentes, uitia lõginqua eliminat,loca ſanguine manantia exiccat,& extringit,& corroborat ſimul ſtomachum.de ſimp.med. *Sp.*90.*G*
Sinapi manditur ut cibus.de atten.vic. 2ª.44.*A*
Sinapi caulis cum oleo,aceto,& garo mãditur. 2°.*de alim.fa.* 2ª.25.*d*
Sinapis eſt cibus calidior.de diſſ.cont. *Sp.*74.*C*
Sinapis eſt cibus acutus incidens & aperiens.de diſſ.cont. *Sp.*72.*E*
Sinapi bẽt magnã ĩcidẽdi facultatẽ, vbi cõmaturuerit.de at. 2ª.44.*A*
Sinapi incidit phlegma, & mundificat ſtomachum.de diſ.con. *Sp.*74.*E*
Sinapi contritum quomodo eſt medicamentum apophlegmaticum. de remed.par.fac. 7ª.154.*F*
cum Sinapi,betam, & porum ſumens quidã liberatus eſt, qui de ore uentriculi quærebatur ab aceruatam pituitam. 1°.*de ali.fa.* 2ª.8.*G*
Sinapi & beta non leuarunt hominem poſt mordicationem in uentriculo ob cibos acres. 1°.*de alim.fac.* 2ª.8.*G*
Sinapi diſcutit. 6°.*de com.me.ſe.lo.* 5ª.169.*D*
Sinapi attenuat.de atten.vict. 2ª.43.*H*
cũ Sinapi cucurbitæ ſuccus fiet acris cũ caliditate. 2°.*de ali.f.* 2ª.16.*G*
Sinapis caliditate vlcus facit. 6°.*de comp.me.per ge.* 5ª.256.*B*
Sinapi vulceribus non conuenit. 4°.*de com.me.per ge.* 5ª.236.*H*
Sinapi quo modo refrigerabit. 1°.*de com.me.per ge.* 5ª.209.*H*
cum Sinapi manditur ſcorpius.de atte.uic. 2ª.45.*E*
cum Sinapi ſunt comedenda cerebra.de diſſ.cont. *Sp.*74.*F*
Sinapi cur parum nutrit.de diſſ.cont. *Sp.*73.*G*
Sinapi ſemen conuenit in diæta attenuante.de atten.vic. 2ª.44.*E*
Sinapi qui uentriculi oris ſenſus non ferat. 3°.*de loc.aff.* 4ª.20.*G*
Sinapi cum mulſa uomitum facit.de cathar. *Sp.*95.*C*
Sinapi adiectum temperamento calido facit febrẽ.præſ.exp. *Sp.*77.*D*
a Sinapi aſtinendum in tertiana. 1°.*de art.cur.ad Gl.* 7ª.97.*D*
Sinapi non eſt balneo inſpergẽdũ,& quare. 1°.*de ar.cu.ad Gl.* 7ª.97.*B*
Sinapi utendum in quartana. 1°.*de ar.cu.ad Gl.* 7ª.97.*F*
Sinapi uetuſtum in quo caſu conueniat,& quomodo. 4°.*de comp.medi. ſec.loc.* 5ª.157.*H*
Sinapi facit dolere caput.de diß.cont. *Sp.*74.*F*

Sinapi caput

Sinapi caput replet & inflammat.de puero epilep. 7ª.180.B
Sinapi purgat caput.de cathar. Sp.95.B
Sinapi oculorum cenoticum est.de cathart. Sp.95.B
Sinapi uti nõ debemus ĩ fluxionibus acrib⁹ oculorũ.13°.m.m. 7ª.86.d
Sinapi purgat nares.de cathar. Sp.95.B
Sinapi germen urinam mouet.de cura icteri. Sp.111.D
Sinapi capiti imponendum est pro resoluenda materia, quando caput dolet.1°.de ar.cur.ad Glauc. 7ª.100.B
Sinapi in lethargo quando usus bonus.13°.meth.med. 7ª.85.F
ex Sinapi medicamentũ pro comitiali quo cõuenit.3°.de l.af. 4ª.19.H
Sinapi cur dimittendum in epilepsia.de puero epilep. 7ª.180.E
Sinapi fit rubrificatio.7°.meth.me. 7ª.44.A
ex Sinapi & aceto expimẽtũ fit an ulcus sit in gula. 5°.m.m. 7ª.34.F
ex Sinapi constans medicamentum.de cucur.scar. 6ª.4.E
ex Sinapi menicamẽto qdã utũtur ad oĩa capitis uitia.3°.de s. 2ª.98.g
Sinapi duplum pro cardamomo quando accipiendum, & in quo casu. 7°.de comp.me.se.lo. 5ª.182.B
SINAPINVM *oleum.6°.de simp.me.fa.* 5ª.46.H
Sinapinum olcum ocopum.7°.de com.me.per ge. 5ª.269.E
Sinapinũ oleũ pro doloribus cõuenit.in 6ᵐ.de mor.vul.c.6°. 3ª.196.b
SINAPISMVS *rubificãs quibus cõficiatur.de mel.ex G.R.Sp.*110.C
Sinapismus vehementissimum medicamentum est.3°.de lo.aff. 4ª.15.b
Sinapismi vice lepidium, & iberis.10°.de com.me.se.lo. 5ª.208.A
SINCIPVT *quod. introd.* Isa.52.H
Sinciput describitur.in 6ᵐ.de morb.vul.com.3°. 3ª.169.H
Sinciput siccissimum est omnium partium capitis.2°.de temp. 1ª.19.E
in Sincipite futuræ latissimæ.in 6ᵐ.de morb.vulg.com.1°. 3ª.153.E
in Sincipite caluaria est subtilissima, plures habens meatus. in 6ᵐ.de morb.uul.com.1°. 3ª.153.E
per Sinciput halituosa cerebri excrementa difflantur. in 6ᵐ.de morb. vulg.com.1°. 3ª.153.E
Sinciput iuxta coronalem futuram facile recipit alterationes.2°.de cõposi.med.sec.loc. 5ª.132.E
Sinciput pars infirmissima est.in 6ᵐ.de morb.vul.com.1°. 3ª.153.A
in Sincipite plurima pars cerebri.in 6ᵐ.de morb.vul.com.1°. 3ª.153.a
Sinciput cur magis doleat.in 6ᵐ.de morb.uul.com.1°. 3ª.152.H
Sinciput cur maxime dolet in abortientibus.in 6ᵐ.de morb.uulg. comment.1°. 3ª.153.E
in Sinciput dolentibus pueris quid agendũ.2°.de com.m.s.l. 5ª.134.d
Sincipitis ossis fracti casus.6°.meth.med. 7ª.42.G
SINCOPEM *faciens materia colligitur in capsula cordis. de anatomia parua.* Sp.42.H
SINDONIBVS *siccis caput perfricãdum pro resoluenda materia quando dolet.1°.de ar.cur.ad Glau.* 7ª.100.B
SINE *cibo quæ animalia perdurent.com.1°.aph.15°.* Ex.8.B
Sine sanguine optimo, corpus nutriri non ualeret. in 6ᵐ. de morb.uul. comm.3°. 3ª.177.C
Sine pari uena ubi sit, & quomodo per Thoracem extendatur.de vict. rat.in morb.acu.com.2°. 7ª.117.D
Sine pari uena nutriũtur octo costæ inferiores.de uict.rat.in morb.acu. com.2°. 7ª.117.D
Σἰνεα *quid apud Hipp.de uict.rat.in mor.acu.com.3°.* 7ª.128.C
Σἰνεων *quid apud Iones.de uict.rat.in morb.acu.com.3°.* 7ª.128.C
ex SINGVLARIBVS *vniuersalia fieri.in 6ᵐ.de morb.uulgaribus, cõment.3°.* 3ª.174.G
Singularia conducunt ad uniuersalium cognitionem. in 1ᵐ. de morbis uul.comm.3°. 3ª.120.H
ad Singulare ab uniuersali & generalissimo descensus fuere inuentores Plato & Hippoc.9°.de decre.Hipp. 1ª.283.H
Singularia, & vniuersalia colligenda in Hippocratis libris. in 1ᵐ. de morb.vulg.comm.3°. 3ª.120.H
in Singularibus semper exercenda est medica ars.in 1ᵐ.de mor.vulg. comm.1°. 3ª.101.G
Sĩgularibus exẽplis pbãda ẽ medicina.ĩ 1ᵐ.de mor.v.c.1°. 3ª.101.G
ex Singnlaribus experientiam fieri uolebant empirici, aduersus quos argumentatur Galenus.adu.emp.med. Isa.35.E
SINGVLTIENS *venter qũo cibos complectatur.3°.de symp.* 3ª.25.F
Singultientibus, & vomentibus non idem motus est quia neque idem affectus.3°.de symp.cau. 3ª.25.E
Singultientibus quæ conueniant.8°.de com.me.se.lo. 5ª.192.E
Singultientibus idonea est aristolochia rotunda. 6°.de si.m.f. 5ª.43.F
Singultientibus exhibetur sisymbrium.8°.de sim.me.fac. 5ª.60.G
ad Singultientes.de med.fac.par. 7ª.159.D
cur SINGVLTIVNT *pueri crebro.com.6°.aph.13°.* Ex.47.E
Singultiebat Galenus ex pipere, & vino.8°.de com.me.se.l. 5ª.190.e
Singultiunt cur quandoq; frigidã aquam potantes.de consue. 2ª.60.E
Singultiũt atq; stercus ascendit qui hñt ileum.c.7°.aph.10°. Ex.54.F
SINGVLTVOSÆ *febres de fract.com.3°.* 7ª.248.A
SINGVLTVOSAE febris curatio.de uict. ratione in mor.acu. comm.4°. 7ª.143.C
Singultuosa febre acetum formidandum.de uict.ratione in morb. acu. comm.4°. 7ª.143.E
SINGVLTVS *vocatur eructatio secundum aliquos.in 6ᵐ.de mor.uul. comm.2°.* 3ª.166.D
Singultus qui sint, & qũo fiant.de vic.rat.in mor.acu.cõ.4°. 7ª.143.C
Singultus quid.3°.de sympt.cau. 3ª.25.F
Singultus motus non naturalis est.de ĩs, quæ in med.fi.c.3°. 7ª.322.d
Singultus, conuulsionis, tremoris, palpitationis, rigoris, horroris, tussis, ructus, sternutationis, pandiculationis, oscitationis, tryſmu, i.dẽtium concussionis genus commune est, motus illegitimus, & quomodo hæc in genere differant.2°.de symp.cau. 3ª.19.E
Singultus est facultatis opus.2°.de symp.caus. 3ª.19.F
Singultus expultricis virtutis ualidus motus est.2°.de sym.c. 3ª.23.G
Singultum tussis similitudine quadam imitatur, cum sit naturale accidens.5°.de lo.aff. 4ª.31.C
Singultus est motus quidam magnus cum generibus vomitus. comm. 6°.aph.39°. Ex.50.G
Singultus oritur ex gula affecta.de fract.com.2°. 7ª.235.C
Singultus in uentriculo, & gula fieri contingit.2°.de sym.ca. 3ª.24.A
Singultus sunt affectus oris uentriculi.5°.de loc.aff. 4ª.32.H
Singultus est cõuulsio stõi, vel põt ita appellari.c.6°.a.39°. Ex.50.G
Singultus talis stomacho est qualis cõuulsio neruis.c.7°.a.3°. Ex.54.B
Singultus est conuulsio stomachi.com.5°.aph.4°. Ex.37.F
Singultus quomodo conuulsio sit.3°.de sympt.caus. 3ª.25.E
Singultus frequenter fit affecto stomacho.3°.de loc.aff. 4ª.20.H
Singultus cur fiat in ore ventriculi.com.5°.aph.1°. Ex.37.D
Singultus aliquibus uidetur prouenire ex conuulsione musculorum, qui inspiratum faciunt.2°.de symp.cau. 3ª.19.H
de Singultus speciebus.de rem.par.fac. 7ª.159.A
Singultus unde fiunt.2°.de symp.cau. 3ª.24.A
Singultus quot fiat de causis.3°.de symp.cau. 3ª.25.F
Singultus quibus fiat causis.de uict.rat.in mor.acu.com.4°. 7ª143.C
Singultus quot modis fiat, & curetur.de med.fac.par. 7ª.176.H
Singultus quibus fiat causis, & an fiat ob nimiam euacuationem, & cur maxime pueri singultiant.8°.de comp.me.se.lo. 5ª.190.E
Singultus cur fiat.in 6ᵐ.de morb.uulg.com.5°. 3ª.189.B
Singultus ex quibus fiat.11°.de simplicium medicam.fac.80.C/8°.de comp.me.sec.loc. 5ª.189.H
Singultus quo modo possit excitari.com.6°.aph.39°. Ex.50.H
Singultus quomodo fiant.in 1ᵐ.prorrh.com.1°.166.E/2°. 4ª.177.G
Singultus quomodo fiat.com.7°.aph.17°. Ex.55.B
Singultus ob inanitionem incurabilis. de vict.ratione in morb.acutis, comm.4°. 7ª.143.C
Singultus ex plenitudine, & inanitione fit, sed magna ex parte ex repletione.com.6°.aph.13°. Ex.47.E
cur Singultus contingebat Galeno ob piperis immodicam qualitatem sumptam.3°.de loc.aff. 4ª.20.A
Singultum & conuulsionem per totum corpus efficere potest acris humor.3°.de loc.aff. 4ª.20.A
Singultus non potest cognosci futurus.in 1ᵐ.prorrh.com.2°. 4ª.178.a
cum Singultu aphoniæ pessimæ.in 1ᵐ.prorrh.com.1°. 4ª.166.E
in Singultu, & uomitu quæ deiciantur.3°.de sym.cau. 3ª.25.F
Singultus ex hepate inflammato superuenit propter neruorum communitatem.com.5°.aph.58°. Ex.43.C
Singultus fit hepate patiente per compassionem stomachi.commen.6°. aph.16°. Ex.47.G
Singultus quomodo fiat per compasionem.com.7°.aph.17°. Ex.55.B
Singultus in hepatis inflammatione malum.com.7°.aph.17°. Ex.55.B
Singultus ex superflua purgatione malus.com.5°.aph.4°. Ex.37.F
Singultus cur non sit bonus omnibus supra modum purgatis. comm. 7°.aph.41°. Ex.57.C
Singultus in senioribus supra modum purgatis, si superuenerit, non bonum.com.7°.aph.41°. Ex.57.C
Singultus a uomitu, et oculorũ rubor, malũ.com.7°.aph.3°. Ex.54.B

Singultus ab ileo malum.com.7°.aph.10°. Ex.54.F
Singultus malus eſt poſt plurimũ fluxũ ſanguinis.c.5°.a.3°. Ex.37.F
Singultus ſanatur longa detentione ſpiritus.3°.de diff.reſp. 3ª.74.A
Singultum ſanat ſpiritus retentio.de med.fac.par. 7ª.178.A
Singultus ſedare ſternutamento tẽpore facto.de med.fac.par. 7ª.159. A/com.5°.aph.35°. Ex.40.F
Singultui cui conueniat ſternutatio.de med.fac.par. 7ª.178.A
Singultus qui ſanetur ex ſternutatione.com.6°.aph.13°. Ex.47.E
Singultus remediũ quo ſit ſternutatio ex accidẽti.2°.de ſym.c.3ª.24.a
Singultui cui remedio ſit uomitus.de med.fac.par. 7ª.177.H
Singultus ceßat ex uomitu.de med.fac.par. 7ª.159.A
Singultns terrore ſanatur.de med.fac.par. 7ª.166.D
Singultus aceto ſanatur.de med.fac.par. 7ª.159.A
Singultus ex repletione ſanatur caſtoreo.11°.de ſim.me.fa. 5ª.80.C
Singultus ex uentre flatu diſtento adiuuat caſtoreum.11°.de ſimp.me. facul. 5ª.80 D
Singultus reprimit menta.de ſimp.me. Sp.87.D
ad Singultum pharmacum ab Aſclepiade ſcriptum.8°.de comp.med. ſec.loc. 5ª.189.H
ad Singultum.9°.de comp.med.ſe.lo. 5ª.201.A/*de med.fac.pa.*159. A/166.C/7ª.167.D/*de dyn.27.C/ſecretorum.* Sp.100.F
ad Singultus intenſos.8°.de comp.me.ſe.lo. 5ª.190.D/H
Σίνη nocumenta,& læſiones uocat.de fract.com.2°. 7ª.234.B
SINIGMATA *quæ.de ſimp.med.* Sp.79.F
SINIMPHA. *de dyn.* Sp.31.E
SINISTRIS, *dextra contraria ſunt.in 6ᵐ.de morb.uulgaribus, com ment.3°.* 3ª.174.E
Siniſtra ps corpis diſſidet cũ dextra eiuſdẽ corpis.q̃ ani.mor. 1ª.319.C
Siniſtra,& dextra mundi pars.de hiſt.philoſ. Sp.6.B
Siniſtri,vel dextri cerebri partes non ſunt cõſiderandæ in furore.in 6ᵐ. de morb.vul.com.2°. 3ª.162.H
in Siniſtra parte cor.de anat.par. Sp.42.H
ad Siniſtrã partẽ magis eſt declinatio cordis.de an.vi.48.A/ Sp.56.C
Siniſtram partem uerſus,cur ſit cor.de anat.viuo. Sp.52.G
a Siniſtris cur poniẽ cor ab aliquibus.in 6ᵐ.de mor.vul.c.2°. 3ª.169.c
Siniſter uentriculus cordis eſt minor dextro, et ſuperior uerſus pulmo nem poſitus,attrahens ab eo.de anat.viuo. Sp.56.B
in Siniſtro cordis ſinu ſemper adeſt ſanguis animali mortuo.1°.de de cretis Hipp.& Plato. 1ª.231.F
*Siniſtrũ cordis uẽtriculũ eſſe ſanguine plenũ,pbat.1°.de decr.*1ª.231.G
in Siniſtro cordis latere quæ ſint.de anat.viuo. Sp.46.E
è Siniſtro cordis ſinu oritur maxima arteria.1°.de dec.Hip. 1ª.232.D
in Siniſtro cordis ventriculo eſt arteria magna, à qua omnes arteriæ oriuntur.1°.de decr.Hipp. 1ª.233.C
in Siniſtra parte cordis ſunt arteriæ.de ana.viu. Sp.46.F
Siniſtri uentris cordis calor à quo nutriatur.de vtilita.reſp. Sp.63.A
Siniſtrum hepar eſt lien ſecundum Ariſtotelem.de vtil.reſp. Sp.64.G
Siniſter ſi addatur lieni eſt,ac ſi lacti addetur album. in 6ᵐ.de morb. vulg.com.6°. 3ª.197.C
Siniſtra pars an calidior ſit dextera.in 6ᵐ.de mor.vulg.c.2°. 3ª.169.c
Siniſtra pars ẽ magis frigida dextera,et quare.cõ.5°.a 48°. Ex.41.H
Siniſtra pars qũo dextera frigidior.14°.de uſu partium. 1ª.206.F
in Siniſtra parte fiunt fœminæ.com.5°.aph.48°. Ex.41.H/*de ſperma te.36.E/de nat,& ord.cuiusl.corp.* Sp.42.D
in Siniſtris uteri cur concipitur fœmina. in 6ᵐ. de morb.vulgar.com ment.2°. 3ª.169.B
in Siniſtra ꝑte uteri fœminæ gñanť,iõ ſiniſtra mãma gracilis oſtẽdit fœ minæ abortũ,ſi mulier geminos vtero gerat.c.5°.a.38°. Ex.41.A
Siniſtræ ptis ꝑcordiorũ tumor,ſigñat lienis affectũ.de lo.aff. 4ª.6.B
in Siniſtra parte matricis in horis ſanguinis ſi conceptus maneat, quid ſequatur.de ſpermate. Sp.38.A
in Siniſtra parte matricis ſi ſit puella,quid ſequatur.de ſper. Sp.38.C
in Siaiſtra matricis parte ſi ſit conceptus puer horis phlegmatis, parẽ tes horis ſanguinis,quid ſequatur.de ſpermate. Sp.38.D
Siniſtra manu uti vult,& ad quid faciẽdũ.3°.de c.me.ſe.l. 5ª.142.G
de Siniſtra manu herba colligẽda ſuperſtitio.9°.de cõ.me.ſ.l. 5ª.198.G
Siniſtra diuertunt à dextris.com.5°.aph.68°. Ex.45.D
SINISTRORSVM *ſi vergant ſuccireuulſio ad dextram facienda eſt. de cucur.ſcar.* 6ª.4.G
SINONIS *ſemen calidum eſt cum ſubtili ſubſtantia. 2°.de art.cura. ad Glauc.* 7ª.104.G
Sinonis ſemen flatus ſanat.8°.meth.med. 7ª.53.F
Sinon Hiſpanum.9°.de comp.me.ſe.lo. 5ª.202.G
Sion Syriacum.9°.de comp. me.ſe.lo. 5ª.202.D/F
Sinon.7°.de com.me.ſe.lo.185.G/9°. 5ª.202.B
SINOPICA *prolemnia rubrica.7°.de com.me.ſe.lo.* 5ª.183.G
SINOPIS *quid.de ſimp.med.* Sp.91.D
Sinopis uires habet efficaciser ſtringentes.de ſimp.med. Sp.91.D
Sinopis.6ª.meth.med. 3ª.37.F
SINVS *cum format natura quid agat.2°.de ſemi.* 1ª.339.F
Sinu carentium corporum ſimilariũ quot genera in animabus. in 6ᵐ. de morb.vulg.com.1°. 3ª.153.A
in Sinibus cerebri quo mõ ſanguinẽ inuenies.1°.de dec.Hip. 1ª.231.E
in Sinu cordis ſiniſtro ſemper adeſt ſanguis animali mortuo.1°.de dec. Hippoc. 1ª.231.F
in Sinibus utriſq; cor ſanguine plenum eſt dum animal uiuit.1°.de dec. Hippoc. 1ª.231.F
è Sinu cordis ſiniſtro oritur maxima arteria.1°.de dec.Hip. 1ª.232.D
Sinus duos habet uterus.in 6ᵐ.de morb.vulg.com.2°. 3ª.169.C
in Sinu mulieris exiſtens cancer,non uenit ad cicatricem. commen.6°. aph.38°. Ex.50.E
SINVS *quid ſit.de tum.præter nat.*3ª.83.F/2°.*de loc.aff.* 4ª.11.H
*Sinus,& abſceſſus differentia.de ijs,quæ in med.fi.com.2°.*7ª.212.A
Sinus non eſt diuiſio ſimplex.2°.de art.cur.ad Glau. 7ª.106.B
Sinus rectius qui.de ijs,quæ in medicatrina fiunt,com.2°. 7ª.212.B
Sinus obliquus qui.de ijs,quæ in med.fi.com.2°. 7ª.212.B
Sinus callũ cõtrahit niſi quis celeriter eũ curet.de tu.præt.na. 3ª.83.f
Sinus quid ſit,& eius curatio.2°.de ar.cu.ad Gl. 7ª.105.H
Sinum diuerſa curatio.de ijs,quæ in med.fiunt,com.2°. 7ª.212.H
Sinus integri quibus medicamentis curandi. in 6ᵐ.de morb.uulg.com ment.2°. 3ª.160.H
Sinus qui ſunt deligandi.de ijs,quæ in med.fi.com.2°. 7ª.212.B
*in Sinibus quomodo debet fieri ligatura.2°.de com.me.per g.*5ª.223. H/*de ijs,quæ in med.fi.com.2°.* 7ª.213.B
*Sinus cubiti quomodo ſanatus.de ijs,quæ in med.fi.com.2°.*7ª.212.C.
*Sinus in femore quo modo ſanatus.de ijs,quæ in me.fi.cõ.2°.*7ª.212.C
Sinus in poſteriore carnoſa tibiæ parte quomodo ſanatus.de ijs,quæ in med.fiunt,com.2°. 7ª.212.C
in Sinum quidam lixiuium imponunt.2°.de ar.cu.ad Gl. 7ª.106.C
*Sinus qũo purgandi,et cõglutinãdi.de ijs, quæ in me.fi.c.2°.*7ª.211.H
Sinibus apponenda ſunt puluinaria, vt expurgentur melius. 2°.de ar. cur.ad Glauc. 7ª.106.C
*Sinus profundos expurgat melicratum.2°.de art.cur.ad Gl.*7ª.106.c
*Sinus indigẽt liquidioribus medicamẽtis.2°.de com.m.per g.*5ª.221 b
Sinus exiccans eſt Telamonis pharmacũ.2°.de cõ.m.per g. 5ª.224.E
Sinus contrahens medicamentum.9°.de ſimp.med.fac. 5ª.68.A
Sinus quomodo carne implentur,& quomodo opplendi. 2°.de comp. med.per ge. 5ª.221.B
ad Sinus glutinandos quæ ualeant.2°.de ar.cu.ad Gla. 7ª.106.G
Sinus glutinant medicamẽta quæ cum eo quod refrigerant,una adſtrin gunt.6°.de ſim.med.fac. 5ª.43.G
Sinus glutinat aloe.6°.de ſim.me.fac. 5ª.42.C
ad Sinus glutinandos ualet medicamentum quod Pamphilion dicitur. 2°.de com.med.per ge. 5ª.224.E
Sinus conglutinans quid.2°.de com.me.per ge. 5ª.223.H
*ad Sinus conglutinandos.5°.de comp.me.per ge.*248.C/ 5ª.249.A
in Sinum qũo inijciat emplaſtica medicamẽta cũ ueſica ſuilla, & fiſtu la directum foramen habente.2°.de art.cu.ad Gla. 7ª.105.H
Sinus iungens emplaſtrum.6°.de comp.me.per ge. 5ª.262.A/B
Sinus iungit Andreæ emplaſtrum.4°.de com.me.per ge. 5ª.243.A
Sinus iungens Fuſcum medicamentum.6°.de comp. medicamentorum per gen. 5ª.259.B
ad Sinus iungendos.2°.de com.me.per ge. 5ª.221.A
ad Sinus.5°.de com.me.per ge. 5ª.246.E
Sinus profunda pars,an bene conglutinata ſint inditia. 2°.de art.cur. ad Glauc. 7ª.106.D
ad Sinus ueteres.2°.de com.me.per ge. 5ª.223.A
*ad Sinus diuturnos.2°.de com.me.per ge.*223.C/231.C/ 5ª.234.D
ad Sinus callo undique circundatos.5°.de com.me.per ge. 5ª.248.E
SION lauer à Latinis dicitur.9°.de compoſi.medicamentorum.ſe cun.loc. 5ª.200.F
*Sion habet caulem inutilem poſt ſemen effuſum.2°.de ali.fac.*2ª.24.B
Sion numeratur inter obſonia.2°.de alim.fac. 2ª.23.F
Sion quale.8°.de ſimp.med.fac. 5ª.60.F

Sion digerit,

Sion digerit, vrinam mouet, calculos renũ frangit, & menſes euocat. 8°.*de ſim.med.fac.* 5ª.60.F
Sion mouet vrinas, ſed minus in vſu eſt q̃ Apiũ. 2°.*de ali.fa.* 2ª.23.E
Sion inſuaue ſtomacho eſt. 2°.*de alim.fac.* 2ª.23.E
Sion coctum manditur, & quare. 2°.*de alim.fac.* 2ª.23.F
Sion comedunt homines fame adacti. 2°.*de ali.fac.* 2ª.22.B
Sion lac purgat, & multiplicat. 5°.*de ſimp.med.fac.* 5ª.37.G
Σιπεδαπὰδη *medicamenta quæ uocata.* 3°.*de ſim.med.fac.* 5ª.22.H
SIPHAC *& giribus panniculi epatis.de anat.par.* Sp.43.B
Siphac ſubtilis panniculus ſuper hepas.de anat.par. Sp.43.B
SIPHONE *immiſſo in hydrocele humor euacuatur.* 14°.*methodi medendi.* 7ª.90.G
SIPHTERIVM *arundinis cortex ſuperior ab Aegyptijs appellatur.* 1°.*de com.me.ſec.loc.* 5ª.123.G
SIRÆVM *hepſema dicitur in Aſia Galeni.in* 6ᵐ.*de morb.vulg.comment.*6°. 3ª.195.G
Siræon qui.de atten.vic. 2ª.49.B/3°*de comp.med.per ge.* 5ª.232.C
Siræon uinum ſapa dicitur.de atten.uict. 2ª.46.B
Siræum dicitur pingue.in 6ᵐ.*de morb.vulg.com.*6°. 3ª.195.G
in Siræo & melle deprehenditur dulcedo. 4°.*de ſim.me.fac.* 5ª.25.C
Σιραμίδας *quid uocent.* 1°.*de ali.fac.* 2ª.15.D
SISAMI *ſemen ſuccum craſſum & lentum gignit.de atten.* 2ª.44.E
SISARI *radix eſt calida in ſecundo.* 8°.*de ſimp.me.fa.* 5ª.60.G
Siſarij uires quæ.de ſimp.med. Sp.91.C
Siſarium uires habet diuꝛeticas.de ſim.me. Sp.91.C
Siſari radix cocta grata ſtomacho eſt. 8°.*de ſimp.me.fa.* 5ª.60.F
Siſarum ſtomachum gratum, & unum ex oleribus eſt quæ cocta ſtomachicis conueniunt. 8°.*de com. me.ſe.lo.* 5ª.192.C
SISON *qualis & ad quid conferens.* 8°.*de ſim.me.fa.* 5ª.60.F
Siſon urinam mouet, menſes prouocat, & omnes uiſcerum obſtructiones deijcit. 8°.*de ſim.me.facul.* 5ª.60.F
SISTENDI *ſunt purgati ſupra modum, refrigerati, reſoluti, conuulſi. præſag.exper.confir.* Sp.78.C
Siſtendus nõ eſt ſanguis tractus ab hirudinibus ſi nimis fluat frigidis, ſed adſtringentibus, & emplaſticis.de cucur.ſcar. 6ª.4.D
Siſtendus quibus ſit ſanguis in hirudinibus.de cucurb.ſcar. 6ª.4.C
SISTATVR *quomodo enacuatio.præſag.exper.conf.* Sp.78.C
Siſtitur digito ſanguis fluens ab hirudinibus. de cucurb.ſcar. 6ª.4.E
Siſtit uiſcide orobum.de ſim.med. Sp.88.F
SISYMBRIVM *quid.de ſimp.med.* Sp.91.B
Siſymbrium calidum et ſiccũ eſt in tertio ordine. 8°.*de ſi.m.f.* 5ª.60.G
Siſymbrium cardaminẽ uocant aliqui calidum, & ſiccum in tertio ordine cũ ſiccum eſt, viride autem in ſecundo. 8°.*de ſim.m.f.* 5ª.60.G
Siſymbrium ſingultientibus, & tormina patientibus exhibetur. 8°.*de ſimp.med.fac.* 5ª.60.G
Siſymbrium excalfactoriũ eſt, & diuꝛeticũ, & ad apicularum & ſimiliũ animalculorũ punctũrã confert præſidium.de ſim.me. Sp.91.B
Siſymbrium per os prouocat ſudorem.de cathart. Sp.95.D
Siſymbrium attenuat.de atten.vic. 2ª.43.H
Siſymbrij comam ſi in oleo incoxeris non diſſolues modo, ſed quod etiã craſſius eſt, euacuabis. 1°.*de ar.cu.ad Gl.* 7ª.100.A
ex Siſymbrio parata repellunt. 1°.*de art.cu.ad Gl.* 7ª.100.A
SITANIVM nomẽ rarũ eſt apud Antiquos. 1°.*de ali.f.* 2ª.10.H
Σιτάνιον *quid appelletur.de artic.com.*2°. 2ª.267.B
Sitanium communi nomine triticum uocatur. 1°.*de alim.fa.* 2ª.10.H
SITIBVNDI *cur cito fiant aliqui, aliqui uero tarde. commentar.* 4°. *aph.*19°. Ex.29.C
Sitibundi admodum non ſunt ij, quos in ardentibus febribus tuſſes aridæ parum irritant.in 6ᵐ.*de morb.vul.com.* 2°. 3ª.164.E
Sitibũdus nõ admodum in ardenti febre fuit Hermocrates. in 3ᵐ.*de mor.uul.com.* 1°. 3ª.130.H
Sitibundi dolentis caſus. 12°.*meth.med.* 7ª.79.A
SITICVLOSI *fiunt, ſi ſalſa pituita ſuperauerit.de mul.* 3ª.81.F
*Siticuloſus, ſi biberit uinum habens aquam marinam, eius corpus incenditur.de uic.ra.in morb acu.com.*4°. 7ª.134.D
Siticuloſis nocet lac.commen. 5°.*aph.*64°. Ex.44.D/F
*Siticuloſis non eſt medicamentum exhibendum.de vict. rat. in mor.ac. comm.*4°. 7ª.150.F
SITIENTES *& non ſitientes aliqui cur eſſent. in* 3ᵐ. *de morb.uulg. comm.*3°. 3ª.141.H
Sitientes primum in acutis, propter quid poſtea non ſitiunt. in 1ᵐ.*de mor.uul.com.*2°. 3ª.115.B
*Sitientibus ualde potus eſt dandus, & quando aqua dari debeat, & quando uinum.com.*5°.*aph.*27°. Ex.40.A
Sitientibus remedium eſt aqua dulcis. 1°.*de ſimp.me.fa.* 5ª.3.E
a Sitientibus hominibus aqua ſentitur attrahi, quando balnea ingrediuntur.in 6ᵐ.*de mor.uul.com.*6°. 3ª.194.E
Sitientes celeriter ac crebro potant. 1°.*de cauſ.pul.* 4ª.87.D
*Stientibus admodum qui noctu bibere appetunt, ſi perdormierint bonum.com.*5°.*aph.*27°. Ex.40.A
Sitientibus propter choleræ abundãtiam aloẽ damus de dy. Sp.20.H
ad Sitientes. 9°.*de com.me.ſe.lo.* 5ª.198.B
non Sitientes, & non appetentes in febre propter quid aliqui ſint. in 3ᵐ.*de mor.uul.com.* 1°. 3ª.133.A
Sitientibus minime q̃ q̃nq; ſit dãdus potus.com. 2°.*aph.*21°. Ex.14.H
SITIRE *perpetuo ardentium proprium, & inſigne eſt.in* 3ᵐ.*de morb. vul.com.*3°. 3ª.143.G
Sitiant quo modo a uiperis morſi. 11°.*de ſimp.me.fac.* 5ª.78.B
Σιτίον *quid.* 1°.*de alim.fac.* 2ª.8.B
SITIS *eſt caſus.com.* 2°.*aph.*30°. Ex.16.H
Sitis ſuperficialis quæ.in 6ᵐ.*de morb.vul.com.*4°. 3ª.185.G
Sitis rara ex humiditate, & caliditate prouenit. 1°.*de ſimpl.medica. facul.* 5ª.7.E
Sitis ex quot cauſis fieri poſſit, & quod ſit etiam ex potu uini. com. 5°. *aph.*27°. Ex.40.A
Sitis duplici de cauſa prouenit. 1°.*de ſim.med.fac.* 5ª.7.E
*Sitis ingentis cauſa quæ.*6°.*de loc.aff.* 4ª.38.B
Sitim eidem aliquando infert Acetum, aliquando ſedat. 1°.*de ſimpl. med.fac.* 5ª.7.E
Sitim Acria facere debẽt, aliter malũ.in 1ᵐ.*de mor.v.c.*1°. 3ª.106.F
Sitim augent aquæ non dulces. 1°.*de ſim.me.fa.* 5ª.3.E
Suis quæ in aquæ intercutem effuſionibus nonnunquam contingit. 1°. *de ſimp.med fa.* 5ª.7.E
Siti carentes ſitiunt a Balneo. de marc. 3ª.48.A
Sitim continuam facit Bilis in uentriculo. 2°.*de nat.fac.* 1ª.300.H
Sitim & vigilias faciunt Bilioſa.in 1ᵐ.*de morb.uul.com.*3°.3ª.123.B
*Sitis eſt unũ ſignũ oſtẽdens bilioſum humorem.cõ.*4°.*aph.*2°. Ex.27.E
Sitim maiorem excitat Capa, quàm allium. 12°.*meth.med.* 7ª.79.E
Sitim operantur Caricæ.de ſim.med.fac. Sp.84.C
Siti qui uexentur ex cibis Calefactis. 3°.*de ſym.cau.* 3ª.25.C
Sitis oritur, ubi Deſiccamur.de nat.hum.com. 1°. 1ª.28.H
Sitim ualidam infert Euphorbium.de dy. 22.B/*de ſim.me.* Sp.83.F
Sitis in quibus Febribus fiat. 1°.*de art.cu.ad Gl.* 7ª.96.C
Sitis, & ardor propriũ ardẽtis febris.in 1ᵐ.*de m.vul.cõ.*2°. 3ª.115.A
Sitis quando fuerit in Philiſco, & febris acuta una cum ſudore inuadens.in 1ᵐ.*de mor.uul.com.*3°. 3ª.121.A
*Sitis ſi adſit habenti febrem continuam, cui partes interiores urãtur, & exteriores frigeſcant, eſt letale.com.*4°.*aph.*48°. Ex.33.A
Sitis mala in morbis malignis.in 1ᵐ.*prorrh.com.*2°. 4ª.170.B
Sui carens febris ardens cur praua.in 1ᵐ.*de mor.vul.c.*1°. 3ª.106.F
Sitis quæ ſoluitur in acutis præter rõnẽ, mala.in 1ᵐ.*pr.c.*2°. 4ª.172.B
Sitis permutatio in contraria celeriter facta, mala. in 1ᵐ.*prorrh.comment.*2°. 4ª.170.F
Sitis cur abſit in ardente cum lingua exuſta ſit. in 3ᵐ.*de morb.uulgar. comm.*1°. 3ª.131.B
Sitim qui non habent, lingua arida exiſtente, moriuntur & quomodo. in 3ᵐ.*de morb.uulg.com.*1°. 3ª.132.H
ſine Siti lingua arida in quo fuerit.in 1ᵐ.*de morb.vul.com.*3°.125.D/ *com.*1°. 3ª.132.G
*Siti non moleſtantur qui in febribus ardentibus ſiccas tuſſes habent. com.*4°.*aph.*58°. Ex.33.G
Sitim non facit ut mel, ſaccar, nec eſt inimicum ſtomacho. 7°.*de ſimpl. med.fac.* 5ª.55.E
Siti qui caruit in ardente.in 1ᵐ.*de mor.vul.com.*3°. 3ª.123.A
Sitis, & dolor lateris in Melancholia quo curetur.de dyn. Sp.24.E
Sitis ex Pituita ſalſa, quæ. 1°.*de ſim.me.fac.* 5ª.7.E
Sitim facit Salſus & bilioſus ſuccus, ſi in uentris uenis ſit. 1°.*de ſympto.cauſis.* 3ª.18.D
Sitim magnam excitat Scammonium.de dyn. Sp.20.H
Sitim excitant Seſamus, & eryſimum. 1°.*de alim.fac.* 2ª.15.D
Sitim creſcere facit Dinum, ſi acetum & uinum ſeorſum ſumantur, & per ſe. 1°.*de ſimp.me.fac.* 5ª.7.E
Sitim facit uinum meracius epotum & quomodo. in 6ᵐ.*de morb.uul. comment.*4°. 3ª.185.H

Sitis Galeno acuta fuit ex potu uini veteris meracioris. de victus rat. in morb.acu.com.4°. 7ª.134.D
Sitim facit ad ebrietatem uinum uetus hauſtum.1°.de ſym.c. 3ª.18.E
Sitim facit uinum dulce.de uict.rat.in morb.acu.com.3°. 7ª.125.G
Sitim cur faciãt uina dulcia.de uict.rat.in mor.ac.com.3°. 7ª.126.B
Sitim inducit uiperarum caro,adeo ſiccat.11°.de ſimp.me.fa.5ª.78.B
Siti uehemẽti cruciatus fuit qui uiperã comederat.1°.de ſym.c. 3ª.18.d
Sitis a quibus non fiat.com.4°.aph.19°. Ex.29.C
Sitis inæ plebilis in quibus fuerit.1°.de ſymp.cau. 3ª.18.D
Siti infeſtati põt quatuor ſymptomata incurrere.6°.de lo.aff. 4ª.38.A
Sitis dolorem facit.de nat.huma.com.1°. 1ª.28.H
Siti immodica infeſtati,habent linguam tardam ad motus.11°.de uſu partium. 1ª.188.A
Siti,labore,& fame qũo mutetur urina.10°.de ſim.me.fa. 5ª.74.G
Siti,& fame eſt affligendum animal incidendum, & ſcarificandum.de motib.manif.& obſ. Sp.70.H
Sitim q uoluit pertinaciter ferre,multũ paſſus eſt.1°.de ſy.c. 3ª.18.E
quæ Sitim pati,potius moriendum quidam ſibi propoſuerat.7°.meth. medendi. 7ª.47.D
Sitim non pati finis eorum quæ poſſidentur.de cog.cur.ani.mo.2ª.54.f
propter Siti inſtar ſorbientium totum calicem exhaurire non decet. de cog.cur.animi mor. 2ª.53.C
ſine Siti vt quis diu ſeruetur.de med.fac.par. 7ª.170.A
Sitis extinguenda in febre.in 6m.de morb.uulg.com.3°. 3ª.178.A
SITIS *quomodo extinguatur.in 6m.de morb.vul.com.3°.* 3ª.178.B
Siti moleſtati cibos & labores minuant.de ſal.diæt. 2ª.43.B
Siti moleſtati vinum dilutum et frigidiſſimũ bibãt.de ſal.diet.2ª.43.c
Sitim quam ſanet acetum,& quam non.1°.de ſimp.med.fa. 5ª.7.E
Sitis febrium ardentium aqua et aceto auſertur.1°.de ſim.m.f.5ª.7.e
Sitim extinguit Aloe § an uerum ſit ambigo § de ſim.med. Sp.80.A
Sitim leuant Balnea.de marc. 3ª.48.A
Sitim ex ardore extinguentia Catapotia.de reme.par.fac.7ª.159.A
Sitim extinguit,& laſſitudinẽ tollit cibi parcitas pituitoſis, & ſanguinis multum habentibus.in 6m.de morb.vulg.com.3°. 3ª.176.A
Sitim non extinguit,neq; laſſitudinẽ ſedat cibi parcitas, ſanguinis inopia laborantibus,& bilioſis.in 6m.de mor.vul.com.3°. 3ª.176.A
cõtra Sitim Cucurbitula ualet,eam.n.propellit.7°.de ſim.m.f.5ª.52.a
Sitim prohibent Ficus nimium comeſtæ.de ſim.med. Sp.84.C
Sitim ſedant Glycyrhizæ radices.6°.de ſim.me.fac. 5ª.45.G/*de ſim. medicam.* Sp.84.G
contra Sitim eſt Lactuca.6°.de ſimp.med.fac. 5ª.48.E
p Siti ĩ pleuritide Melicrato,et aqua utẽdũ.de v.r.ĩ m.a.c.1°. 7ª.114.F
Sitim prohibet Ouum ſi crudum bibatur.de ſim.me. Sp.88.E
Sitim ſedat Oxymeli non ualde dulce.de puero epilep. 7ª.180.F
Sitim prohibent Pira 6°.de ſimp.med.fac. 5ª.43.D
Sitis mehela eſt Somnus.in 6m.de mor.vul.com.4°. 3ª.185.G
Sitis à sõno ſedatur,& a uigilia,et qũo.in 6m.de m.v.c.4°. 3ª.185.G
Siti liberantur æſtate qui per tres horas ante balneũ bibunt ſola aqua Polentam conſperſam.1°.de ali.fac. 2ª.11.H
Sitim extinguit Symphytum petreum.8°.de ſim.me.fac. 3ª.61.G
Sitim magnopere ſedat Theriaca.de uſu ther.ad Pamp. 5ª.98.G
Sitim intolerabilem temperant Triaſandali.de dyn. Sp.26.E
ad Sitim ſedandam ſolum ſumendum eſt Vinum.de diff.cont. Sp.72.A
ad Sitim extinguendam.8°.de com.me.ſe.lo. 5ª.189.G/*ſecr.* Sp.98.E
Σίτον græce quid ſignificet.de uict.ra.in morb.ac.com.1°. 7ª.111.B
SITVANDÆ *qũo ſint partes,quibus ponẽdæ cucurbitulæ.de c.* 6ª.3.D
SITVS *terræ.de hiſt.philoſ.* Sp.8.C
Situs regionũ facit diſcrimẽ in viris,& mulieribº.pre.dẽ.do. 1ª.231.c
Situs adipis.de ana.uiuo. Sp.55.G
Situs tunicæ ſecundinæ.de ana.viuo. Sp.48.E
Situs humoris albuginei.de ana.viuo. Sp.48.E
Situs labrorum muſculi qui.de muſc.diß. 1ª.44.E
Situs muſculorum ad uocem.de voc.& anhel. Sp.61.A
Situs fibrarum thoracem contrahentium.de muſc.diff. 1ª.49.E/F
Situs cordis.de ana.viuo. Sp.46.E
Situs ſtomachi.de ana.viuo. Sp.49.H
Situs Meſaraicarum.de vtil.reſp. Sp.64.D
Situs renum.de ana.uiuo. Sp.51.B
Situs ueſicæ fellis.de ana.uiuo. Sp.50.H
Situs matricis.de ana.par.43.C/de anat.viu. Sp.51.F
Situs fœtus ſimplicaturas naturales qualis ſit.de ana.uiuo. Sp.52.D
Situs vuluæ.de anat.par. Sp.43.C
ad Sitim ſpectantia inſtrumentorum ſigna.ars med. Iſa.66.B
Situs quatuordecim muſculorum tibiæ.de muſc.diſſ. 1ª.51.H
in Situ partium errores qui.ars med. Iſa.69.A
in Situ errores quo modo corrigendi.ars med. Iſa 69.B
Situs non nihil indicat ad euacuationem.7°.meth.med. 7ª.49.D
a Situ indicatio quæ Indicatio præbeatur.7°.meth.med. 7ª.49.D
a Situ loci indicatio,inuenit remedium ſalubre.ars med. Iſa.69.G
a Situ & formatione ſimul,inuenitur remedium.ars med. Iſa.69.G
ad Situs ac figuræ variationẽ ptinebit qñ fibra cuiuſpiã uiſceris exciderit ob uehementiores caſus aut afflictationes.de cau.mor.3ª.9.E
Situs ſuis anatomizandi.de anat.uar. Sp.42.G
Situs vuulnerati in abdomine qualis eſſe debet.6°.meth.med.7ª.39.d
Situs chirurgici qualis eſſe debet.de us,quæ in med.fi.c.1°.7ª.202.F
SIVM in riuis plurimum naſcitur.de boni.aquæ. Sp.75.F
Sium aquas iuuat.de bon.aquæ. Sp.75.F
SIVM *quid,& eius uires.de ſimp.med.* Sp.91.D
Sium uiſcide excalfactorium ad inflationes,& roſiones ſtomachi, & choleræ propriæ facit.de ſimp.med. Sp.91.D
Sium attenuat.de atten.vic. 2ª.43.H

SMARAGDINAE *oliuæ. de dynamidis.* Sp.24.B

SMARAGDVS *defendit ab epilepſia,collo ſuſpenſus,vel in digito habitus.de incant.adiur.& ſuſp.* 7ª.182.A
pro SMEGMATE terra nigra aliqui utentes ſe confricant. 3°. de com.me.ſec.loc. 5ª.146.B
Smegma ad decorem.5°.de com.me.ſe.lo. 5ª.164.H
Smegma gingiuis contrahendis.5°.de com.me.ſe.lo. 5ª.165.C
Smegmate qũo fiãt albi dẽtes,et odorati.6°.de com.me.ſ.l. 5ª.166.B
Smegma dentiũ quomodo efficacius reddatur.11°.de ſim.m.f.5ª.81.A
Smegma taxitatem mollitiemq; gingiuarum deſiccans & ulcera putreſcentia,quomodo adiuuet.11°.de ſimp.me.fa. 5ª.81.A
Smegma ad uaros.5°.de com.me.ſe.loc. 5ª.160.F
Smegma.1°.de comp.me.ſe.loc. 5ª.131.C
Σμηκτικὸν ſũ deducitur.de vic.rat.in m.ac.com.3°. 7ª.127.E
Σμηκτικὴ quæ facultas dicitur.de uic.ra in mor.a.com.3°. 7ª.127.E
SMILAX *venenoſa eſt.8°.de ſimp.med.fac.* 5ª.61.A
Smilacis decoctum eſt inter adſtringẽtia moderata pro gargariſmis. 6°.de com.me ſe.lo. 5ª.172.G
SMILE *ſutorius culter eſt.de fet.for.* 1ª.325.G
SMILINVS *Apollonij Archiſtratoris paſtillus. 5°.de comp.med.per genera.* 5ª.252.D
SMILIVM *appellatum pharmacum quale. 3°.de comp.medicament. ſec.loc.* 5ª.146.F
SMILIO *quandoque euacuandum eſt.de cucur.ſcar.* 6ª.4.A
SMIRIS *lapis quid.de ſimp.med.* Sp.87.A
Smiris lapis uiſcide ſtringit,in cauſtica mittitur.de ſim.me. Sp.87.A
Smiris qualis,& gingiuas laxas & mollities fluxidas curantibus additur.9°.de ſimp.med.fac. 5ª.67.C
Smiris miſcetur cauſticis,& deſiccantibus medicamentis.9°.de ſimp. med.fac. 5ª.67.C
Smiris qualis,& quod dentes puros efficit.9°.de ſim.med.fa.5ª.68.B
Smiris ſplendorem inducit.9°.de ſim.med.fac. 5ª.69.G
SMIRNA *ampla vrbs.de art.com.1°.* 7ª.255.H
Smirnæ in ionia ſpectaculũ mirabile et incredibile.8°.de v.p.1ª.169.D
Smyrnæ ioniæ uidit Galenus cerebro uulneratum ſanare.comment.6°. aph.18°. Ex.48.A
SMYRNA *quam uim habeant.8°.de ſimp.me.fa.* 5ª.61.A
Smyrnidis meminit.de dyn. Sp.28.C
SMYRNIVM *Romæ olus atrum dicitur.2°.de ali.fa.* 2ª.23.F
Smyrnium quid.de ſimp.med. Sp.91.B
Smyrnium non eſt inuſtatum.2°.de alim.fac. 2ª.23.F
Smyrnium numeratur inter obſonia.2°.de alim.fac. 2ª.23.F
Smyrnij caulis uere manditur.2°.de alim.fa. 2ª.23.F
Smyrnium comedendi modus.2°.de alim.fac. 2ª.23.F
Smyrniũ in eodem genere cum apio & petroſelino,& menſes mouet. 8°.de ſimp.med fac. 5ª.61.B
Smyrnium acre.de atten.vic.2ª.43.H/9°.de ſimp.me.fa. 5ª.64.C
Smyrnium eſt acrius apio & calidius.2°.de alim.fac. 2ª.23.F
Smyrnium calidum & ſiccum eſt in tertio ordine. 8°.de ſimp.medic. facult. 5ª.61.B
Smyrnium non multum differt a petroſelini viribus.8°.de ſimpl.med. facult. 5ª.58.C

Smyrnium vires

Smyrnium vires habet acres, sudorem suscitantes, tussientibus suspiriosis, hydropicis, coxiosis prodest, ad serpentum morsum facit. de simp.med. Sp.91.B

Smyrnij semen, calidum, & acre vrinam ciens, sanguinem extenuat, & cernit. 5°. de simp.med.fac. 5ª.35.D

Smyrniũ mouet urinas. 2°. de ali.fac. 2ª.23.F/de cura icter. Sp.111.d

Smyrnium urinas mouet, & indurata digerere potest, et eius semẽ ad asthma siue anhelationes ualet. 8°. de simp.me.fac. 5ª.61.B

Smyrnium mouet menses. 2°. de alim.fac. 2ª.23.F

Smyrnium lac purgat, & multiplicat. 5°. de simp.med.fac. 5ª.37.G

Smyrnium ordine secundo attenuat. de atten.uic.rat. 2ª.43.H

Smyrnium epilepticis conuenit. de puero epilep. 7ª.180.C

Smyrnium pro phlegmone gibbæ partis iecoris quando conueniens, 13°. meth.med. 7ª.83.H

Smyrnium caput replet & inflammat. de puero epilep. 7ª.180.C

SOBOLIS *dilectio. 1°. de naturalibus facultatibus.* 1ª.293.A

SOBRIVS, *cogitabundus, pernigil, & natura loquax, si tardus, & torpens in loquutione, & responsione appareat mentem læsam esse significat. in 6ᵐ. de morb.vul.com.2°.* 3ª.168.G

SOCCVS *genus est calciamenti. de artic.com.4°.* 7ª.284.C

Socci lutigradi qui. de artic.com.4°. 7ª.284.C

Socci luticalci qui. de artic.com.4°. 7ª.284.C

SOCIETATEM *quam cum proximis habet particula, debet cognoscere medicus ex anatome. 1°. de loc.aff.* 4ª.3.E

à Societate cum uicinis partibus indicatio quæ. 13°. meth.me. 7ª.84.f

SOCIONIS *medicina. de med.exper.* Sp.105.C

SOCRATIS *descriptio. 2°. met.med.* 7ª.15.B

Socrates moralis inuentor. de hist.philos. Sp.2.C

Socrates inuentor Dialecticæ. de hist.philos. Sp.2.C

Socrates semper immiscebat seria iocis. 1°. de vsu par. 1ª.115.D

Socrates nihil reliquit scriptum. de nat.hum.com. 1°. 1ª.30.H

Socratem lacerat Aristophanes in nebulis. in 6ᵐ. de morb. vulg. comment. 5°. 3ª.191.A

SODAE generatæ ex humoribus frigidis. secr. Sp.101.E

SODALIVM *incontinentium consuetudo uitanda. de bonitate & vit. succorum.* 2ª.34.C

SODOMA *quæ. 4°. de simp.med.fac.* 5ª.30.F

Sodominæ aquæ quales. 11°. de simp.med.fac. 5ª.83.D

Σοεδῆς *quæ uocabat Hcrophilus. 14°. de usu par.* 1ª.208.C

SOLEM esse, nõ põt cõprehẽdi ſm Fauorinũ. de opt.dog.ge. If.31.b

Sol & Luna veluti oculi mundi sunt. an animal sit. 1ª.327.B

Sol primo admirandus est. 17° de vsu par. 1ª.222.C

Solem putat Galenus meliorẽ anima & mente. 17°. de v.p. 1ª.222.C

Sole nihil præstantius est. 3°. de usu par. 1ª.133.F

Sol quid sit & eius quantitas. de hist.philos. Sp.6.F

Sol cur de medio est stellarum errantium. 3°. de vsu par. 1ª.133.F

Solis magnitudo quæ. de hist.philos. Sp.6.G

ad Solis magnitudinem cognitionem peruenit demonstratio geometrarum. de cur.rat.per sang.miss. 6ª.16.C

Solis figura quæ. de hist.philos. Sp.6.H

Sol diuersus à forma humana est. in 3ᵐ. de mor.vu.com.3°. 3ª.149.B

Soles duo cur quandoq; apparcant. de hist.phil. Sp.8.A

Solis distantia ad nos. de hist.philos. Sp.7.D

Sol, & ignis actu sunt calida. 3°. de temper. 1ª.22.A

Sol minus marte calidus est, & siccus, & animam, & cor, & hepar creat, & cerebrum. de compag.memb. Sp.59.G

Solis conuersio. de hist.philos. Sp.6.H

Sol nullo indiget astro. 3°. de dieb.decr. 4ª.157.A

Solis opera maiora sunt operibus lunæ. 3°. de dieb.decr. 4ª.157.A

Sole indiget luna. 3°. de dieb.decr. 4ª.157.A

cum Sole quando accidit luna. 3°. de dieb.decr. 4ª.157.C

Sol author est quatuor temporum anni. 3°. de dieb. decr. 4ª.156.H/*de spermate.* Sp.40.E

ad Solẽ referuntur circuitus mẽsibus cõstantes. 3°. de die.de. 4ª.158.A

Solis non lunæ rõne cõputãdi menses. in 1ᵐ. de mor.vul.c. 1°. 3ª.102.d

Sol facit horas anni, nõ curans Diagoræ, Anaxagoræ, neq; Epicuri calumnias. 12°. de vsu par. 1ª.194.D

Sol omnibus rebus quas illuminat splendorẽ affert. 1°. de lo.af. 4ª.8.B

Solis fulgor sensitiuus est. 7°. de decret.Hipp. 1ª.272.E

Solis lumen aerem mutat in instanti. de ocul. 7ª.185.C

a Sole aer sumit lucem & uim. 17°. de vsu par. 1ª.222.D

Solis splendor in aqua, et aere quo impeditur. 1°. de sym.caus. 3ª.16.C

vt Solis radij per aquam uel aerem, ita virtus transit per neruos metus non habentes. 1°. de sympt.cau. 3ª.16.C

SOLIS *defectus reponitur inter ea, quæ manifesto apparent. de cur.animi pecc.not.atque med.* 2ª.57.B

Solis defectus. de hist philos. Sp.7.A

Solis deliquium non potest præcognosci, nisi sciueris numeros, & lineas. de const.ar. Isa.38.F

in Solis eclypsi cur stellæ apparent. 10°. de vsu par. 1ª.178.H

in Solis defectibus obcæcati sunt multi, & quo. 10°. de v.p. 1ª.179.A

Sol visui inimicus est. 1°. de symp.cau. 3ª.17.A

Sol cur visum offendat. 1°. de symp.cau. 3ª.17.B

Solem nictando intuentibus quod contingat. 1°. de symp.caus. 3ª.14.F

Solis aspectus cur excitat sternutamenta. de instr.odor. 1ª.112.E

a SOLIS *ortu ad auroram Asiæ situs est. de aere, aq. & loc.* 2ª.4.E

a Solis ortu ad auroram omnia habentur magna, & benigna. de aere, aquis, & locis. 2ª.4.E

a Solis ortu æqualitas per omnia viget. de aere, aq. & loc. 2ª.4.E

ad Solis ortus hyberni dextram habitantes usque ad Mæotidem paludem, quales. de aere, aq. & loc. 2ª.4.F

Sol quantum accedat ad Scythiam. de aere, aq. & loc. 2ª.5.E

a Sole sunt auersi montes ad septentrionem. 5°. meth.med. 7ª.34.H

Solis ardoribus extinguuntur flammæ. de util.resp. 1ª.224.F

Sole exustam regionem habitantes, quales. quod animi mor. 1ª.320.C

sub Sole cur uelociter ambulandum. de sal.diæt. 2ª.40.H

SOL *quomodo in nos agat. de consue.* 2ª.61.C

Soli oppositum corpus quid patiatur. 7°. de decr.Hipp. 1ª.270.E

Soli expositus permutat indicia quæ ex colore, & molitie, ac duritie sumuntur. ars med. Isa.65.F

sub Sole per pluuerem iter longum dispositionem squalidam efficit. 1°. de differ.feb. 3ª.34.F

Solẽ qui debet perferre quid agere debet. 2°. de com.me.s.l. 5ª.132.H

sub Sole facturus iter quid agere debet. de med.fac.par. 7ª.164.A

ad Solis exustionem impediendam. de med.fac.par. 7ª.164.A

Sol lora & neruosa corpora exiccat. com.6°. aph.39°. Ex.50.G.

Sole usti quid patiantur. 1°. de diffe.se. 3ª.36.A

in Sole æstiuo cur nigri fiant homines. in prog.com. 2°. 4ª.200.H

ex Sole nigritia non est morbus. 1°. de san.tuen. 2ª.64.A

Sole utebantur ad dealbandum. 1°. de composit.med.per ge. 5ª.214.D

ad Sole maculatam faciem. de med.fac.par. 7ª.163.H

ad Solis maculas. de med.fac.par. 7ª.163.G

Solis adustio in qua morborum dria collocanda. 3°. de diff.mor. 3ª.3.D

in Solis deustionibus calor extrinsecus sanguinem opprimit. 2°. de differen.febr. 3ª.40.A

sub Sole mora generat bilem. in 6ᵐ. de mor.vulg.com. 1°. 3ª.157.A

Soli æstiuo caput exponere quid faciat. de cau.procathar. 3ª.96.B

Sol nitãdus est in capitis dolore ab ardore. 2°. de com.me.s.l. 5ª.132.C

in Sole qui fuit, & in capitis dolorẽ incidit, cuiusdã casus. de c. 3ª.98.A

ex Solis æstu capitis dolor quomodo curetur. de rem.par.fac. 7ª.152.E

ex Solis æstu capitis dolor quomodo tollatur amuletis dictis remedijs secundum Archigenem. de remed.fac.par. 7ª.154.A

ob Solis adustionem multam capitis dolori confert succus centaureæ. de virtute centaureæ. Sp.93.B

a Sole vsti, quomodo tractandi. de marc. 3ª.47.D

p Solẽ qui iter fecerit nisi lauerit se, quid sequatur. 10°. m.m. 7ª.66.A

Soli feruenti expositus qũo balneo iuuatus sit. 10°. meth.me. 7ª.66.A

a Sole calefacti balneo frigescunt. de marc. 5ª.47.H

Solem ingressi qui horruere. 2°. de symp.cau. 3ª.22.D

Solis exustione laborantes, sanat rosarum. de instr.odor. 1ª.112.E

Sole exustis nec falernũ nec tmolites suluũ, et dulce, nec ariusiũ, nec lesbiũ illud qđ odorũ ac suluũ æq, ac p̃dicta, ẽ, cõuenit. de vi. Sp.76.G

in Sole uersari inimicum est ijs, quibus mordax calor natura est. 5°. de san.tuen. 2ª.94.C

in Sole mora quõmodo calefaciet. de caus.morb. 3ª.6.F

ex Solis ardoribus aliqui febricitant. 1°. de diff.feb. 3ª.31.B

in Sole si moratus quis fuerit quomodo fiat febris. de caus.mo. 3ª.6.F

ex Sole ephemeræ quo modo fiant. 1°. de diff feb. 3ª.32.G

ex Solis calore ephemeræ inditia. 1°. de diff.feb. 3ª.36.A

ob Solis nimium feruorem fit pulsus durus in ephemeris. 1°. de differen.febrium. 3ª.34.C

in Solis incendijs uita assueta faciliter tertianas incurrit. 2°. de different.febrib. 3ª.36.D

in Sole nudari tentandum in longa icteritia. de cura icteri. Sp.111.E
Sol, & exercitia valida efficiunt validiora corpora calida, & robusta. 4°. de simp. med. fac. 5ª.28.A
Sol euitandus in putrescentibus. de ijs, quæ in med. fi. com. 1°. 7ª.202.A
Sol educit, & rapit quod est subtilissimum. de bon. aquæ. Sp.75.F
Soli æstiuo se exponentes post uehementes motus quicquid uitiatũ est, in habitum corporis recipiunt. 1°. de diff. feb. 3ª.31.H
Sol excrementa quieta calefaciendo, attenuando, & in spiritum uertẽdo, excitat ad motum. 2°. de sym. cau. 3ª.22.D
ad SOLEM *exiccat. 5°. de comp. me. se. lo. 166. A/8°.* 5ª.196.B
absq; Sole siccantur herbæ. 5°. de comp. med. se. lo. 5ª.165.G
Sol pro medicamentis concinnandis, & emolliẽdis, uel ignis cũ sol abest, conueniens est. 4°. de com. me. per ge. 5ª.237.D
in Sole æstiuo, vel aere calido fieri iubet medicamentum. 9°. de comp. med. per ge. 5ª.245.B
in Sole sub cane conficit medicamentum. 4°. de composit. medicamen. per gen. 5ª.244.A
Sole præparantur metalla melius quàm igne. 4°. de compos. medicam. per gen. 5ª.241.D
in Sole metalla præparanda. 3°. de comp. med. per ge. 5ª.232.B/C
in Sole quæ leuigentur. 6°. de comp. med. per ge. 5ª.255.B
SOLIS *sponsa. de dyn. 27. H/* Sp.29.E
SOLANO *vtimur ut medicamento non vt alimento. 2°. de alimentorũ facult.* 2ª.23.D
Solanum est exigui alimenti. 2°. de alim. fac. 2ª.23.D
Solani succus frigidus est. 6°. de san. tuen. 2ª.100.F
Solanum refrigerat. 5°. de simplicium medicamentorum faculta. 5ª.31. *H/14°. meth. med.* 7ª.87.D
Solanum est indurans frigidum & humidum. 5°. de sim. me. fa. 5ª.34.g
Solanum indurat. de ocul. 7ª.188.E
Solanum habet vim mediam inter siccum, & humidum. 5°. de simpl. med. fac. 5ª.34.G
Solanum hortense refrigerat, & adstringit in tertio. 8°. de simpl. med. facult. 5ª.62.G
Solanum adstringit & infrigidat. 2°. de alim. fac. 2ª.23.D/*1°. de arte cur. ad Glauc.* 7ª.99.C
in Solano adstrictio consideranda est. 4°. de simp. med. fac. 5ª.26.A
Solanum tantum habet crassæ, & terræ substãtiæ, quãtum adstringit. 2°. de comp. med. sec. lo. 5ª.136.C
Solanum adstringit supra omnia olera. 2°. de alim. fac. 2ª.23.D
Solanum adstringens leue est. 5°. meth. med. 31.G/10°. 7ª.65.B
Solanũ habet uim adstringendi & reprimendi. de rem. pa. f. 7ª.156.D
Solanum exiccat mediocriter. 2°. de arte cur. ad Gl. 7ª.102.B
Solani succus ad cancrum ualet. 2°. de arte cu. ad Gl. 7ª.107.E
Solanum infrigidat inflammationes. 6°. de comp. med. se. loc. 5ª.176.F
Solani succi aut nihil penitus, aut paululum quandoq; rosaceo adhibẽdum, quando caput refrigerare uolumus, & quare. 2°. de compo. med. sec. loc. 5ª.132.F
Solani succus pro ore uentriculi supercalefacto conuenit. 1°. de arte curatiua ad Gl. 7ª.99.C/D
Solani succus quid faciat parti inflammatæ. 3°. de simp. me. fa. 5ª.21.B
cum Solano chamemçlum quid faciant in inflammatione. 3°. de simpl. med. fac. 5ª.21.C
Solano chamemælum contrarium est. 3°. de simp. med. fac. 5ª.21.C
Solani succus herpeti superficiario conuenit. 2°. de arte curatiua ad Glauc. 7ª.102.D
Solanum euitandum in herpete exedente. 2°. de arte curatiua ad Glauconem. 7ª.102.B
Solanum hypnoticum quale & vũ dictum. 8°. de sim. med. fa. 5ª.62.G
Solani hypnotici semen urinæ ciendæ potestatem habet. 8°. de simplic. med. fac. 5ª.62.G
Solanum halicacabum in foliorum facultate hortensi solano simile est, & quo modo ciendæ urinæ est idoneum, ad iecur quam uesicam, & renes ualens. 8°. de simp. med. fac. 5ª.62.G
Solani succus expurgat in icteris. de cura icteri. Sp.111.B
Solanum manicum quale. 8°. de simp. med. fac. 5ª.62.G
à Solano qũo fiat demẽtia, & in qua quãtitate. 8°. de si. me. f. 5ª.62.G
Solanum manicum siccum est in tertio ordine, & frigidum in secundo. 8°. de simp. me. fac. 5ª.62.H
Solanum manicum genere non quantitate obest. 5°. de sim. m. f. 5ª.37.C
Solani manici minimum si sumatur, lædit. 5°. de sim. me. fac. 5ª.37.C
Solani manici quatuor drachmæ mortẽ inferũt. 8°. de sim. m. f. 5ª.62.H
Solanum manicum vlceræ cacoethe, & nomode sine pascentia curat. 8°. de sim. med. fa. 5ª.62.H
Solani succorum vtitur. 4°. de com. me. se. lo. 5ª.158.D
pro Solano psyllium sumitur. 1°. de comp. me. per ge. 5ª.211.G
a SOLARI *calore prouenit fructibus maturatio. 4°. de simpl. medic. facult.* 5ª.27.D
Solaria horologia qualia. de cui. ani. pec. not. atque med. 2ª.58.C
Solaria horologia aqua probanť. de cui. ani. pec. not. atq; med. 2ª.58.C
SOLEA *inter pisces molles. 3°. de alim. fac.* 2ª.31.D
Solea, & passer sunt similia, sed diuersæ speciei. 3°. de alim. fa. 2ª.31.d
Solea suauior, & præstantior passere est. 3°. de alim. fac. 2ª.31.D
Solea utilis in calidis & siccis pro cibo. 8°. meth. med. 7ª.51.B
SOLENAS *græci uocant instrumenta, quæ cruribus supponitur. 6°. metho. med.* 7ª.41.G
Solena mechanicum. 6°. met. med. 7ª.41.H
SOLENARIVM *quid. 14°. meth. med.* 7ª.92.A
SOLERTES *ad artes qui homines. de aere aq. & loc.* 2ª.6.F
Solertes omnes nõ sunt, vt ex uniuersalibus solis præceptis possint singularia inuenire, nisi ducantur. 5°. de sa. tuen. 2ª.92.C
Solertes soli obseruãt q̃ longo usu cognoscũtur. 2°. de ali. fac. 2ª.18.H
SOLERTIA *sequitur ad dominium bilis. de ana. uiuo.* Sp.45.F
Solertiam naturalem debet habere homo. 9°. de dec. Hipp. 1ª.284.D
SOLICITVDINES *faciunt melancholiam. 3°. de loc. aff.* 4ª.18.E
Solicitudines maximæ uitent sicci natura. 6°. de sa. tuen. 2ª.96.E
a Solicitudine fit conuulsio ex siccitate. 3°. de loc. aff. 4ª.17.F
Solicitudo naturæ duplex. de anat. uiuo. Sp.47.C
SOLICITA *est natura de sanguine. de ana. uiuo.* Sp.46.C
Solicita est natura de membro nobili. de ana. uiuo. Sp.45.C
SOLIDATIO *vlcerum quomodo fiat, & quando. in 6ᵐ. de morb. vulg. comm. 2°.* 3ª.161.A
SOLIDATIVVM, *constrictiuum, & confortatiuum est uinum mixtũ cum lico, & nitro. de ocul.* 7ª.189.G
sine SOLIDITATE *nihil tactile est. 7°. de decr. Hipp.* 1ª.271.H
circa SOLIDA *etiã uersantes Geometræ dicuntur. ad Thr.* 2ª.109.D
Solida quæ fin. med. Isa.43.G
Solidum nihil sine terra. 7°. de decr. Hipp. 1ª.271.H
Solidum, & terreum multum nutrit. 2°. de alim. fac. 2ª.16.E
Solidum corpus cur sistit aluum. 1°. de alim. fac. 2ª.7.G
Solidi corporis sensus est tactus. 1°. de symp. cau. 3ª.17.C
Solidæ partes quomodo ab Hippoc. uocentur. de trem. pal. 3ª.52.D
Solidæ partes solæ rectæ partes uocantur. de sal. diæt. 2ª.40.G
Solidæ corporis particulæ quæ uocantur. 1°. de nat. fac. 1ª.292.A
Solida membra è semine generantur, & nutriũtur. 1°. de sem. 1ª.335.D
Solidæ partes in prima formatione fœtus ex quatuor humoribus ortũ habent. de nat. huma. com. 1°. 1ª.30.C
Solida, & sicca est caro cordis. de ana. niuo. Sp.46.C
Solidum pedis uestigium qui musculus faciat. de musc. diff. 1ª.52.A
Solidorum corporum substantia crassissima est. 1°. de diff. feb. 3ª.31.B
Solidarum partium qualitas ex quibus sit. 11°. meth. med. 7ª.68.B
Solida corpora habent certam quantitatem. 12°. meth. med. 7ª.77.C
Solidarum partium quantitas semper eadẽ manet. 11°. me. m. 7ª.68.B
per Solida corpora natura est protensa, quæ est illorum uirtus. in 1ᵐ. de morb. uul. com. 1°. 3ª.112.C
ex Solidis corporis partibus operationes animalis sunt. comment. 4°. aph. 13°. Ex.28.G
Solidorum corporum natura est uirtus. in 1ᵐ. de morbis uulgaribus, comm. 1°. 3ª.112.C
a Solidis corporibus sanis fit concoctio. in 1ᵐ. de morb. vulgarib. comment. 1°. 3ª.112.C
Solidæ partes quomodo custodiantur. 11°. meth. me. 7ª.68.E
Solida corpora pro uiribus quo modo seruanda. 12°, me. me. 7ª.77.F
Solida corpora in morbis quomodo custodienda. 12°. met. me. 7ª.77.A
Solida corpora cum ægrotant, morbus est in habitu. in 1ᵐ. de morbis uulg. comm. 1°. 3ª.112.D
Solidæ corporis particulę quibus resoluuntur in pituitam, ijs pituita p̃ omnes partes educi debet. quos purg. opor. quib. med. 5ª.88.E
Solidarum partium siccitas non potest sanari. 10°. meth. me. 7ª.66.E
Solidorum corporum siccitas est insanabilis. 12°. meth. med. 7ª.80.B
Solidorum corporum ariditas quibus reparetur. de marc. 3ª.48.D
Solidæ partes animalis quomodo humectentur per se, & qũo per accidens. com. 4°. aph. 13°. Ex.28.G
Solidæ rei uapores quales. com. 1°. aph. 14°. Ex.7.D/E

Solidis partibus

Solidis partibus conuenit fusio æqualis. 10°.*meth.med.* 7ª.65.*H*
de Solidis membris dicitur mollire.in 6ᵐ.*de mor.vul.cõ.* 1°. 3ª.156.*b*
SOLIPEDA *sunt ambidentata.de artic.com.* 1°. 7ª.256.*H*
Solipeda habent quintũ locũ pro dissectione. 6°.*de anat.adm.* 1ª.90.*D*
SOLITVDO *sequitur ad dominium melancholiæ.de ana.* *Sp.*45.*F*
SOLOECISMVS *in voce committitur.* 2°.*de decr.Hipp.* 1ª.38.*C*
Solœcismus ab Hippocrate committi uidetur. in 3ᵐ.*de morb.vulgar. comm.* 3°. 3ª.127.*C*
Solœcismus.in 1ᵐ.*prorrh.com.* 3°. 4ª.179.*C*
SOLOECOPHANES *quæ figura sit.com.* 7°.*aph.* 56°.59°. *Ex.*59.*A*
Solœcophanes.in 1ᵐ.*prorrh.com.* 1°. 4ª.162.*E*
SOLOECI *figuræ in dictione in prorrhetic.lib. vsus est frequens, adeo vt aliqui ob id suspicati sint non esse hunc Hippocratis librum. in* 1ᵐ.*prorrh.com.* 1°. 4ª.162.*E*
Solœcum non habẽt aphorismi,& si breues.ĩ 1ᵐ.*pror.cõ.* 1°. 4ª.162.*E*
Solœce figuræ.in 1ᵐ.*prorrh.com.* 3°. 4ª.178.*E*
SOLSTITIA *& æquinoctia cur eadem in varijs regionibus, & ortus syderum varius.in* 1ᵐ.*de morb.vulg.com.* 1°. 3ª.101.*H*
a Solstitio hyemali secundus mensis est februarius, & ita uide qũo sol stitium erat in fine decembris, beneq; considera, qm cum Christus natus est vigesimo secũdo die decembris,erat solstitiũ. in 1ᵐ.*de morbis vulg.com.* 1°. 3ª.102.*D*
SOLVENDVM *a principio in morbis acutis, si humores sint concitati. quos purg.op.quib.med.* 5ª.88.*G*
SOLVI MORBIA *medicamenta & febrifugia secundum Asclepiadem.* 2°.*de antid.* 5ª.113.*H*
non SOLVVNTVR *morbi in duodecimo in sextodecimo, in decimonono,in octauo,& in decimo die.* 1°.*de dieb.decr.* 4ª.147.*B*
Soluuntur qui morbi sine crisi. 3°.*de crisi.* 4ª.141.*F*
Soluere circuitus potest cucurbitula.de cucurb.scarif. 6ª.3.*F*
Soluere dolorem potest cucurbitula.de cucur.scar. 6ª.3.*F*
Soluunt aluum catapotia ex castoreo.de uen.sect.aduer.Era. 6ª.11.*C*
ad Soluendum uentrem catapotia Galeni.de dy. *Sp.*27.*F*
Soluit uentrem polypodium.de simp.med. *Sp.*89.*C*
Soluit uentrem spondylium acrimonia sua.de simp.med. *Sp.*91.*B*
Soluit uentrem decoctio squinanthi.de med.exper. *Sp.*107.*B*
ad Soluendum uentrem pannus.de dy. *Sp.*27.*F*
ad Soluendum uentrem aliud remedium.de dy. *Sp.*27.*F*
Soluit crassos & viscosos humores succus centaureæ cum melicrato. de virt.centaureæ. *Sp.*94.*A*
Soluens uentositates medicamen.de med.exper. *Sp.*105.*F*
Soluit uirtutem dolor etiam imbecillus.de cura lap. *Sp.*111.*G*
Soluant quæ continuum. 12°.*meth.med.* 7ª.78.*E*
SOLVTIO *naturalis contingit conceptus in hora phlegmatis.de dynamidijs.* *Sp.*37.*C*
Solutio ventris superflua signum infrigidati,& humectati corporis.Secretorum. *Sp.*98.*G*
ad Solutionem omnem uentris pillulæ.de dy. *Sp.*27.*G*
ad Solutionem nimiam uentris clyster utile.de dy. *Sp.*27.*G*
*ad Solutionem uentris.Secretorum.*98.*D|* *Sp.*99.*B*
ad Solutionem sanguinis.secr. *Sp.*99.*B|F*
ad Solutionem omnem antidotum vtile.de dy. *Sp.*27.*G*
ad Solutionis virium imbecillitatem.de ther.ad Pis. 5ª.94.*H*
SOLVTIO *in morbo quid significet.* 1°.*de dieb.decre.* 4ª.149.*A*
Solutio morbi simpliciter,quid. 3°.*de cris.* 4ª.141.*F*
Solutio simplex quæ crisis dici non debet. 3°.*de cris.* 4ª.139.*B*
Solutio qualis in octauo & decimo die fiat. 1°.*de dieb.decr.* 4ª.147.*B*
Solutionis modus qui.in 6ᵐ.*de morb.vulg.com.* 5°. 3ª.190.*D*
Solutionis morbi primus modus. 3°.*de crisibus.* 4ª.141.*F*
Solutionis morbi secundus modus. 3°.*de cris.* 4ª.141.*F*
Solutiones morborum subitæ,excretionem euidentem requirũt, vel ab sceßum. 1°.*de dieb.decr.* 4ª.147.*A*
Solutionẽ ægritudinis in synocha signat urina alba spumosa, & nebulosa,si in critico die,aut post criticũ diẽ supereuenerit.de dy. *Sp.*34.*d*
Solutio est ægritudo partis in qua est.de diff.morb. 3ª.3.*C*
SOLVTIONEM *continui morbũ similaribus, & instrumentalibus cõem primus appellauit Galenus.* 9°.*meth.me.*61.*A|*13°. 7ª.80.*D*
*Solutio continui est morbus communis partibus similaribus et instrumentarijs.ars med.Isa.*69°.*C|* 2°.*meth.med.* 7ª.13.*D*
Solutio unitatis & solutio continuitatis idem sunt, & in quibus sint partibus. 5°.*meth.med.* 7ª.29.*H*
Solutio cõtinuitatis est quintum genus ægritudinis.de diff.mor. 3ª.5.*D*
Solutio continui in omni parte animalis contingit,tamen non est vnum nomen in omnibus. 4°.*meth.med.* 7ª.23.*B*
Solutio continui quo modo fiat.de uict.ra.in mor.ac.com. 2°.7ª.116.*C*
Solutio continui in osse catagma dicitur, & est omnibus ferè qui græce loqui norunt uocabulum tritum. 6°.*meth.med.* 7ª.40.*B*
Solutionis continui in osse proprium nomen apagma est apud medicos, plebi uero inusitatum, & quæ nam sic ab illis solutio appellatur. 6°.*meth.med.* 7ª.40.*B*
Solutio nnitatis in osse quid sit. 3°.*meth.med.* 7ª.16.*D*
Solutio unitatis in carne quid sit. 3°.*meth.med.* 7ª.16.*E*
Solutio continui dolores facit.de const.ar. Isag. 38.*C|* 12°.*meth.med.* 78.*E|de fract.com.* 3°. 7ª.246.*E*
Solutio cõtinuitatis,& intemperies sunt causę generales dolorum. 3°. *de com.me.sec.loc.* 5ª.141.*G*
Solutio cõtinui,et alteratio duæ spẽs doloris sunt. 2°.*de lo.aff.* 4ª.9.*C*
p Solutionẽ continui et alterationẽ simul,dolor fit. 2°.*de loc.af.* 4ª.9.*C*
Solutionem continui efficit qualitas,& repentina mutatio in temperatura,ideo dici poterit omnem dolorem esse solutionem continui. de fractu.com. 3°. 7ª.246.*E*
in Solutione continui scopus.de const.ar. *Isa.*40.*A*
in Solutione continui quid agendum.ar.med. *Isa.*69.*G*
Solutio vnitatis vnitionem postulat. 3°.*meth.med.* 7ª.16.*D*
SOLVTIOR *excretio quæ.in prog.Hipp.com.* 2°. 4ª.205.*B*
absq; SOLVTORIIS *signis non sanatur morbus magnus.* 1°.*de diebus decret.* 4ª.145.*C*
ad SOLVTOS 7°.*de composit.medicamentorum per genera.* 269.*H|* 270.*D|F|* 5ª.271.*A|F|G|*
SOMNIANTIBVS *venerea plumbi lamina prodest.* 9°.*de simpl.medi. facult.* 5ª.70.*F*
SOMNICVLOSVM *genus Catochi est.fin.med.* *Isa.*47.*B*
SOMNIFERA *creditur mandragora.de simp.med.* *Sp.*87.*C*
Somnifera medicamenta qualia,& quos faciant morbos. 1°.*de sympt. causis.* 3ª.19.*B*
*Somnifera dãda melancholicis.de mel.ex Gal.Ruff.et Poss.Sp.*110.*f*
Somnifera dantur hæmoptoicis. 7°.*de comp.me.sec.loc.* 5ª.191.*E*
SOMNIABAT *quidam se lauare,instante crisi per sudorem. de dign. ex insom.* 4ª.213.*D*
Somniabat palæstrita se esse in cisterna sanguinis, ob copiã sanguinis. de dign.ex insom. 4ª.213.*D*
Somniare se uolare quid significet.de dign.ex insom. 4ª.213.*D*
Somniare se currere quid significet.de dign.ex insom. 4ª.213.*D*
Sõniare esse in cœno in stercore,quid significet.de dign.ex in. 4ª.213.*D*
ne Somniet noctu homo,remedium.de med.fac.par. 7ª.173.*B*
SOMNIA *præsagia faciunt.in* 1ᵐ.*de mor.uul.com.* 3°. 3ª.117.*H*
Sõnia cõducunt ad cognoscẽdas humorũ qualitates. de dign. 4ª.213.*E*
Somnia quæ incerta.de dignos.ex insom. 4ª.213.*D*
Somnium incendij significat bilẽ abũdare.de dign. ex insom. 4ª.213.*C*
Somnium sumi significat atram bilem uexare.de dig.ex ins. 4ª.213.*C*
Sõniũ caliginis,et tenebrarum,signat atrã bilẽ.de dig.ex ins. 4ª.213.*c*
Somnia imbrium significant humiditatem.de dig.ex ins. 4ª.213.*C*
in Sõnio nix,glacies,ut grãdo signant pituitã.de dig.ex ins. 4ª.213.*C*
Somnium rerum bene olentium quid significet.de dig.ex ins. 4ª.213.*E*
Somnium de potu,de esu,aut de uenere,quid significet.de dignos. ex insom. 4ª.213.*D*
in Somnio quidam uidebat crus sibi lapideum, qui paralyticus fiebat. de dign.ex insom. 4ª.213.*D*
Somnia fiunt in phreniticis futuris.in 1ᵐ.*pror.com.* 1°. 4ª.163.*H*
Somnia morborum quid significent. de dign.ex insom. 4ª.213.*C*
Sõnijs libidinosis qui uexant,lactuca exhibetur. 6°.*de si.m.f.* 5ª.48.*E*
Somnium Galeni.de anat.viuo. *Sp.*55.*H*
per Somnium admonitus fuit pater Galeni ut illi iniungeret medicinã addiscere.de præcogn.ad Poslh. 4ª.214.*E*
SOMNOLENTIA *quibus multa.de aere,aq.& loc.* 2ª.6.*E*
Somnolentia quomodo fit in senibus.com. 3°.*aph.* 31°. *Ex.*26.*H*
Somnolentia est nuntius febris.præs.exper.conf. *Sp.*77.*E*
SOMNOLENTÆ *dispositiones sunt somnus longus secũdum prædictos. com.* 2°.*aph,* 3°. *Ex.*11.*E*
Somnolenta est pueritia propter humorem. 3°.*de loc.aff.* 4ª.16.*G*
Somnolenti fiunt ex dulci pituita.de mult. 3ª.81.*G*
Somnolenti ægroti quo lunæ aspectu fiant.de decu.prog. ex mathematica scientia. *Sp.*12.*G*
de SOMNO *& vigilia,& qñ fieri debeant.in prog.com.* 2°.4ª.198.*H*

Somnus quid.fin.med. *If.45.C*
Somnus eſt vnũ ex ſex rebus non naturalibus.ars med.68.C/If.69.d
Somnus neceſſario noſtro corpori occurrit.ad Thraſ. *2ª.104.D*
Somnus quomodo alterat corpus.ars med. *Ifa.68.C*
Somnus ſub quarta medicinæ parte continetur.ad Thraſ. *2ª.108.D*
Somnũ quandã eſſe epilepſiam dicit Ariſtoteles. de vti.reſp.Sp.63.F
Somno alto comparatur epilepſiã.1°.de ſym.cau. *3ª.19.C*
Sõnus,& epilepſia in eodẽ loco,& ſimili cauſa.de vtil.reſp. Sp.63.f
in Somno fit ephialtes quæ eſt epilepſia quædam.de vtil.reſp.Sp.63.f
in de Sõno ſermone quo claudicauerit Ariſtot.1°.de ſy.cau.3ª.19.A
Somnus quomodo fiat.de vtil.reſp. *Sp.63.E*
Somnus,& mors quomodo fiant.de hiſt.philoſ. *Sp.11.G*
Somnus quomodo mortis frater dicatur.3°.de cau.pul. *4ª.97.E*
Somnus ex oppilatione fit. de vtil.reſp. *Sp.63.E*
Somnus vnde fiat.1ᵐ.pror.com.2°. *4ª.173.F*
Somnus & vigilia vnde accipiantur.com.2°.aph.1°. *Ex.11.C*
Somnus ad quod genus cauſæ ducendus.1°.de ſan.tu. *2ª68.H*
Sõnus fit è frigore primo,ab humiditate ſecũdario.3°.de l.af.4ª.16.G
Somni fiunt a cauſa frigida.2°.de loc.affe. *4ª.14.A*
Somnos longiores inducunt ſucci frigidi.4°.de ſa.tuen. *2ª.84.E*
Somnum non faciunt frigida ſed coma & carum.1°.de ſy.c. *3ª.19.B*
Somnum ſignificat coma.de com. *3ª.48.H*
Somnus obſtupidus coma interpretatur in prog.com.1°. *4ª.192.A*
Sõnus altus,& coma propria humiditatis cerebri ſymptomata ſunt. 4°.de præſag.ex pulſ. *4ª.120.G*
Somnus profundus,& caros differũt.in 1ᵐ.prog.Hip.c.2°.4ª.173.e
Somnum ex pulmonis humoribus potius fieri dicendũ, quàm ut dixit Ariſtoteles.1°.de ſymp. cau. *3ª.19.B*
Somnum naturalem inducit cerebrum,vt quieſcat.1°.de ſy. *3ª.19.B*
ad Somnum requiritur humor.1°.de ſym.cau. *3ª.19.B*
Somnum vehementiorem faciunt humida.1°.de ſymp.cau. *3ª.19.A*
Sõnus pfundus ob humiditatẽ.de vic.rat.in mor.ac.cõ.4°. *7ª.134.G*
Somnos profundos longos facit humiditas abũdans uel ſola uel cum materia.3°.de loc.aff. *4ª.16.G*
Somni profundi ſunt vnũ ſignum pituitæ.com.4°.aph.2°. *Ex.27.F*
Somnus an naturale opus,vel affectio ſit, iudicare difficile eſt.de inſtrumento odoratus. *1ª.112.C*
Somni quomodo ſint præter naturam.de pul.ad Tyro. *4ª.44.F*
Somnum in qua figura corporis capimus.2°.de motu.muſc. *1ª.314.C*
Somnus ſedentium hedreon dicitur, & vnde.in 6ᵐ.de morb.vulgar. com.4°. *3ª.183.H*
Somnum capiat in frigido cubili qui calidæ eſt naturæ in calido tempore.in 6ᵐ.de mor.vul.com.4°. *3ª.185.E*
Somnus ineſt pueris pro maiori parte.com.3°.aph.24°. *Ex.25.A*
Somno indigent ſenes.5°.de ſa.tuen. *2ª.92.D*
ex Somno & vigiliis capiuntur indicia ſucci redundantis.4°.de ſan. tuenda. *2ª.84.E*
Sõnus cauſa & ſignũ ſperatæ utilitatis quando ſit.4°.de ſan. *2ª.84.E*
in Somno animalis uis quieſcit,& maxime uiget naturalis.1°.de ſymptom.cau. *3ª.18.H*
in Somno ſenſus non bene ſentiunt.de inſtr.odor. *1ª.112.C*
in Sõno cur ſeruatur motus muſculorũ thoracis.5°.de loc.af. *4ª.29.B*
in Somnis cur non recordamur.2°.de mot.muſ. *1ª.315.B*
in Somno calor naturalis eſt maior.com.2°.aph.1°. *Ex.11.C*
in Sõno naturalis calor intro ferẽ potius quã extra.de v.p. *1ª.229.E*
in Sõno calor extra eſt,in vigilia intus.ẽ 6ᵐ.de mor.v.c.5°. *3ª.191.a*
in Sõno ſanguis refulgit ad interiora.in 6ᵐ.de mor.v.cõ.5°. *3ª.193.G*
Somnus ſemper nocet,quia trahit magis ad intra,ſed plus adfert utilitatis ad concoctionem materiæ.com.4°.aph.67°. *Ex.34.G*
Somnus quid faciat in uiſceribus.in 6ᵐ.de mor.vul.com.5°.3ª.190.b
in Somnis uiſcera exercitantur.in 6ᵐ.de morb.vul.c.5°. *3ª.190.H*
Somnus potius facit indolentiam,quàm dolorem. in 6ᵐ.de mor.vul. comm.5°. *3ª.190.H*
Somnus confert aa naturæ opera.com.1°.aph.15°. *Ex.8.A*
Somni coctionem faciunt utilem.com.4°.aph.67°. *Ex.34.G*
Somnus concoquit.12°.met.me.7ª.75.G/cõ.5°.aph.27°. *Ex.40.B*
Somnus quomodo concoquit.in 6ᵐ.de mor.vul.com.4°. *3ª.185.B*
Somni profundi faciunt ad coctionem.1°.de alim.fac. *2ª.10.B*
Somnus a balneo ſupra omnia concoquit, quæ concoqui poſſunt,et malos ſuccos per halitum digerit.4°.de ſan.tu. *2ª.84.D*
in Somno cur coctiones meliores fiunt.3°.de cau.pul. *4ª.97.E*
Somnus ſemicoctos humores perficit.4°.de ſan.tu. *2ª.83.E*
pp Somnũ exiguũ coctio ab extrinſeco impeditur.3°.de ſy. *3ª.24.H*
Somnus in quibus non ſinat digeri ſuccos crudos, & viſcera grauiora reddat.12°.met.me. *7ª.75.G*
Somnus humectat,ſpiritum, & effluuia cohibet. de uic.rat.in morb. acu.com.2°. *7ª.125.B*
Somnus ſemper humectat non tamen calefacit uel refrigerat. in 6ᵐ.de morb.uul.com.4°. *3ª.184.A*
Somnus quomodo refrigeret,& calfaciat.in 6ᵐ.de morb. vulg.comment.4°. *3ª.184.B*
Somnus eſt medela ſitis.in 6ᵐ.de mor.vul.com.4°. *3ª.185.G*
a Somno,& a uigilia ſedatur ſitis.in 6ᵐ.de mor.vul.com.4°.3ª.185. G/com.5°.aph.27°. *Ex.40.B*
in Somnis reſpiratio qualis.1°.de diff.reſp. *3ª.58.D*
ex Somno pulſuum mutatio fit.3°.de cau.pul. *4ª.97.E*
in Somnis mulieres excernunt ſemen ut viri.2°.de ſemine. *1ª.336.D*
in Somnis ſemen muliebre quo tendat.2°.de ſem. *1ª.336.C*
poſt Somnum cur maxime fiat pandiculatio.2°.de ſym.cau. *3ª.22.B*
a Somno fricari omnes non deſiderant.5°.de ſan.tu. *2ª.89.F*
Somnus conſuetus magis toleratur incõſueto.cõ.7°.aph.67°.Ex.34.f
Somnus nõ cõſueto tpe oſtendit futurã ægritudinẽ.ars med. *If.67.E*
Somnus ſit mediocris.2°.de ſan.tu. *2ª.69.D*
Somni mediocritas quæ.ars med. *If.68.D*
Sõnus moderari oportet ad vii ĩu modũ reſpiciẽdo.de ſal.diæ. *2ª.40.a*
Somnus mediocris adhibendus eſt temperato.2°.de ſan.tu. *2ª.75.H*
Somnus,& uigilia,utraque modum excedentia, morbus, comm.7°. aph.67°. *Ex.60.F*
Somnus apud aliquos antiquos excedens ſemper eſt bonus ut ſignum. & ut cauſa.com.2°.aph.3°. *Ex.11.E*
Somnus dupliciter excedit modum,& quomodo.cõ.2°:a.3°. *Ex.11.E*
Somnus longus eſt qui excedit modũ naturæ,ſed non habet difficilem expergefactionem. com.2°.aph.3°. *Ex.11.E*
Somnus grauis eſt qui difficilem habet expergefactionem. comm.2°. aph.3°. *Ex.11.E*
Somnos graues infert uinum nigrum dulce.de ſimp.med. *Sp.92.B*
Somnus grauis quaſi macri corporis inditium.de dyna. *Sp.19.H*
Sõni multitudo eſt proprietas ſanguinẽ cõſequens.de ana.vi.Sp.45.d
Somni multi quid faciant.9°.met.me. *7ª.60.D*
Somnus an lædat.in 1ᵐ.pror.com.3°. *4ª.181.H*
Somni multi inter cauſas numerantur quæ mollem pulſum & arteriã efficiunt.1°.de præſag.ex pulſ. *4ª.109.D*
Somnus altior bene exercitatos præmit.1°.de ſym.cau. *3ª.19.A*
Somnus a quibus nutrimentis fiat intenſior.1°.de ſym.cau. *3ª.19.A*
Somnus poſt cibum quid faciat.de diſſ.cont. *Sp.72.A*
ad Sõnũ conuerſis poſt cibũ caput impletur.c.4°.aph.67°. *Ex.34.F*
Somni multi poſt cibum digerunt,& nutriũt corpus nutrimẽto plurimũ adhærẽte,et cõfortãt cõformatione plurima.de diſſ.cõ.Sp.72.g
in Somnum propenſio quid.in 3ᵐ.de mor.vul.com.1°. *3ª.131.G*
in Sõnũ ab inclinatione excitare põt cucurbitula.de cuc.ſcar. *6ª.3.F*
Somnus fortis corpus diſſoluit,& capitis grauitatem facit.de vic.ra. in mor.acu.com.2°. *7ª.125.A*
Somno noxio grauato quomodo exhibendum medicamentum. 2°.de antidotis. *5ª.116.C*
Somnos turbatos & imaginibus inquietos efficiunt ſucci calidi & mordaces.4°.de ſan.tuen. *2ª.84.E*
in Somnis pauor fit conceptis in bilis horis.de ſperm. *Sp.37.C*
per Somnum imaginationes terribiles fiunt pueris, & his qui habent os ueniriculi plenum multis,& uitioſis humoribus,qui mordicant. com.3°.aph.24°. *Ex.25.B*
in Somno cur pueris idola apparent.1°.de ſymp.cau. *3ª.15.A*
Somni tumultuoſi fiunt propter humorem uitioſum coacceruatum in ore ueniriculi.5°.de loc.aff. *4ª.32.H*
in Sõnis repreſentationis cauſa ſunt vigiliæ.in 1ᵐ.pror.c.1°. *4ª.163.G*
in Somnis phantaſmata videntur melancholicis ob ſiccitatem. in 1ᵐ. pror.comm.1°. *4ª.163.G*
in Somnis phantaſmata uidentur cibatis parce,et ieiunis. in 1ᵐ.pror. comm.1°. *4ª.163.G*
Somnos multum turbulentos inducit ſtyrax multus potatus. 2°.de cõ po.me.ſec.loc. *5ª.137.B*
Somni imaginationibus abundantes,oſtendunt futuram ægritudinem. ars med. *Ifa.67.F*
Somni implexas imaginationes theriaca.de ther.ad Piſ. *5ª.96.A*
in Somno terribilia quis non uidebit.de incan.adiur. et ſuſp.7ª.182.A

Somni varietates quomodo malæ.com.2°.aph.1°. Ex.11.C
ad Somnum fractum vocis arteriaca Charixenis. 7°. de comp.medic, sec.loc. 5ª.181.C/D
in Somno turbulentæ excitationes quid significent.3°.de cõp. 5ª.182.a
Somni graues signa sunt indicatiua crisis.1°.de crisi. 4ª.182.E
Somni graues quando boni,& quando non boni.1°.de crisi. 4ª.128,B
Somni parui tenues qũo fiant.in 3ᵐ.de morb.vulg.com.3°. 3ª.145.F
Sõnus qñ est paucus & leuis,subtilibus nutriañ.de diff.con.Sp.71.G
Somnum impediri à curis collige.com.3°.aph.31°. Ex.26.H
Somnus quomodo inducatur.10°.met.me. 64.E/12°. 7ª.75.G
Somnus infantulis tribus conciliatur.1°.de san.tu. 2ª.65.D
Somnum prouocantia & deficcantia inferna qualia. 8°.de sim.medi, facul. 5ª.62.A
Somnum conciliat Anethum.6°.de simp.me.fac. 5ª.43.B
Somnos conciliare potest Cucurbitula.de cucurb.scarif. 6ª.3.F
ad Sõnũ conciliandũ ualet Diacodiõ.7°.de cõposi.me.sec.lo. 5ª.181.A
Somnum facit Hydropoton.de dy. Sp.32.D
Somnum facit imbecillitas.de aere,aq.& loc. 2ª.5.H
Somnum affert Iuncus leuis.8°.de sim.me.fac. 5ª.62.A
Somnum conciliant Lactucæ,potus ipsarum calidarum aquarum,& uinum modice dilutum.2°.de simp.me.fa. 5ª.14.A
Somnum grauem inducit lactuca.3°.de lo.aff. 4ª.16.F
p Somno inducendo Odoramentum 4°.de comp.me.se.lo. 5ª.157.F
Somnum facit Opium.de simp.me. Sp.88.B
Somnum conciliat Papaueris satiui semen.7°.de simp.me.fa. 5ª.55.f
Somnum profundum inducit papaueris semen.1° de alim.fa. 2ª.15.E
Somnum è uestigio inducens pharmacũ.4°.de com.me.se.lo.5ª.153.g
Somnum inducens pharmacum.7°.de comp.me.se.lo. 5ª.182.B
ad Somnum inducendum pharmacum accommodatum. 8°.de compo. me.sec.loc. 5ª.191.E
Somnum accersit Solanum hypnoticum.8°.de simp.me.fac. 5ª.62.G
Somnum inducit Theriaca.de theria. ad Pis. 5ª.96.A
Somnum suauiter prastat Triphera magna,phreniticis,& mulieribꝰ quæ ex melancholia de matrice insomnia patiunt. de dy. Sp.26.E
Somnum faciunt Venæ post aures incisæ.de aere,aq.& lo. 2ª.5.H
Somnum conciliat Vinum.4°.de sa.tuen. 2ª.83.E
Somnum conciliat uinum liberalius sumptum,& balneum calidũ capitis.1°.de symp.cau. 3ª.19.A
ad Somnum conciliandum in acuta febre remediũ.de dyn. Sp.32.G
ad Somnum conciliandum.8°,de comp.me.se.lo.5ª.188.H/ de me.fac. par.169.F/173.B/7ª.175.E/de dy.23.D/ Sp.24.E
ex Somno medicamentum inuenit quidam.11°.de sim.me.fa. 5ª.78.B
SOMNVS *lædens agrotantem mortalis est.cõ.4°.aph.67°. Ex.34.F*
Somni cur,& qũo in principijs accessionum.2°.de lo.aff. 4ª.14.C
Somnum in principio accessionum lædit, & quantum lædat. com.2°. aph.1°. Ex.11.A
Somnus in principijs accessionum nõ lædit,sed facit carẽtiã utilitatis. com.2°.aph.1°. Ex.11.B
Somnus in principio accessionum facit crescere inflammationes circa uiscera,nec humores tunc coquuntur qui ad ventrem fluunt, & febris magis prorogatur.com.2°.aph.1°. Ex.11.C
Somnus in causa est, vt febres ad consistentiam nõ perueniãt,vel vix. com.2°.aph.1°. Ex.11.D
Somnus utilis est in declinatione.com.2°.aph.1°. Ex.11.c
Sõnus utilis ẽ in ultima parte augmẽti,et inflatu.c.2°.a.1°. Ex.11.c
Somni qui sint lædẽtes magis,& pernitiosi.com.2°.aph.1°. Ex.11.c
Somnus quas lasiones faciat.com.2°.aph.1°. Ex.11.c
Somnus in morbis exitialibus labores, timores, & conuulsiones quandoq; facit.com.4°.aph.67°. Ex.34.F
ex Somnis in febribus uehementibus conuulsiones uel timores malũ. com.4°.aph.67°. Ex.34.E
Somnus quomodo timores,quomodo labores, quomodo conuulsiones faciat.com.4°.aph.67°. Ex.34.F
in Somnis cum humor infestius peruenit ad cerebrum, tunc magis intra quam extra natura mota.com.4°.aph.67°. Ex.34.F
in Somnis magis euaporant humores, ideo tunc os uentriculi patitur. com.4°.aph.67°. Ex.34.G
ex Sono factus sudor multus absq; cã manifesta corpus uti plurimo cibo significat,si uero non accipienti cibum hoc accidat,scire oportet p enacuatione indiget.c.4°.a.41°.Ex.32.D/ præf.exp. Sp.77.G
Somnus sedans delirium bonus.com.4°.aph.67°. Ex.34.F
Sõnus aliquis est qui nõ sedat deliriũ,sed facit.c.4°.a.67°. Ex.34.F
in Somno si oculorum candidum apparet, quid significet.in prognost. comm.1°. 4ª.193.B
SONCHVS editur ut olera,et qualis sit.8°.de sim.me.fa.5ª.61.B
SONITVS *quomodo Tymbauli uocati utuntur,qualis.3°. de sympt. causis. 3ª.27.G*
Sonitus quorum sit symptoma.de sympt.diff. 3ª.13.E
Sonitus quot modis fieri potest in auribus,et qualis in febribus.3°.de comp.me.sec.lo. 5ª.144.D
Sonitus qũo in auribus fiat,qñ nihil extra sonet.1°.de sym.c.3ª.15.H
ad Sonitus aurium confert succus centaureæ.de vir.cent. Sp.93.c
ad Sonitus auriũ intra se ipsas et acres dolores.de re.par.f.7ª.162.d
ad Sonitus ex profundo in auribus.de med.fac.par. 7ª.162.E
Sonitus aurium diuturni præsidium.de dina. Sp.25.A
Sonitus inteslinorum unde.3°.de symp.cau. 3ª.27.F
Sonitus fluctuantis humoris, est symptoma ventris imbecillis. 3°.de natural.facul. 1ª.303.B
Sonitus obstatus in ijs qui circa Ieiunum sunt locis maxime consistũt. 3°.de symp.cau. 3ª.27.F
ex Sonitu præditorum differentia.3°.de symp.cau. 3ª.27.G
Sonitus quod nam genus sit borborygmon.3°.de sym.cau. 3ª.27.G
Sonitus qui tryssmos dicitur,qualis, & ex quali spiritu cõficiatur.3°. de sym.cau. 3ª.27.G
SONORAM *habentes vocem quando moriebantur.in 1ᵐ.de mor.uul. comm.2°. 3ª.115.D*
nõ Sonora ẽ cãna ĩ radice qa carnosa,& humida.de vo.et an.Sp.61.f
Sonoræ fluctuationes in ventre fieri absq; potu non possunt.3°.de sym. cau. 3ª.25.E
SONVS *aerẽ pcussus,siue aeris quædã pcussio.8°.de v.par. 1ª.167.G*
Sonus diuersus quomodo accidat.3°.de sym.cau. 3ª.27.F
Sonorũ dignotiores sunt operationes auris.5°.de dec.Hip. 1ª.255.F
ex Sono magno aures dolent.de sym.diff. 3ª.11.E
Sonum edit exiguum sed nec prorsus acutum, nec tenuẽ spiritus flatuosior reddit.ius.3°.de sym.cau. 3ª.27.F
Sonum acutum,& tenuem reddit spiritus per uacuum,& prorsus angustum intestinum delatus.3°.de sym.cau. 3ª.27.F
Sonorum symptomata a quo morbo pendeant.de sym.diff. 3ª.13.D
SOPHISMATVM sex modi in dictione.de sophis. Isa.7.B
Sophismata quid faciant,& qualia sint.de cui.ani.pec.not. 2ª.57.D
Sophismata cõparat Galenꝰ veprib⁹,spinis,et hamis.de ca.p.3ª.95.b
Sophismata succedũt omnibus q̃ uel in artibus cũtis, vel in uitæ actionibus perperam geruntur.1°.de temp. 1ª.12.D
Sophismata odio habere iustum est.de caus.procat. 3ª.95.E
Sophismate aliquis a se ipso capitur.de sectis. Isa.18.F
Sophismata facile soluuntur.de cau.procatar. 3ª.97.E
Sophismata nescientes dissoluere,putant præceptores deos. de causis procatarcticis. 3ª.90.D
SOPHISTÆ *differunt a philosophis,oratoribus, demonstratoribus, & dialecticis.3°.de decr.Hipp. 1ª.241.H*
Sophistæ,& loquaces qui.4°.de dign.pul. 4ª.83.H
Sophistarum quid.in progn.com.3°. 4ª.208.E
Sophistarum duplex genus.de cau.procatar. 3ª.97.C
Sophistarum mores.1°.de nat.fac. 1ª.293.E
Sophistæ nihil norũt recti,nec dignãtur discere.1°.de na.fa.1ª.293.E
Sophistæ quid tractent.3°.de lo.affe. 4ª.15.H
Sophistæ quid faciant.2°.de diff.resp.63.G/in 1ᵐ.de mor.uul.com.3°. 3ª.119.c/1°.de dieb.decret. 4ª.147.c
Sophistarum importunitate meminit.1°.de puls. 4ª.47.A
Sophistæ habent curam gloriæ non ueritatis. 10°.de usu pa. 1ª.181.a
Sophistæ barbam nutriebant, & tetrici erant, quod habebatur pro grauitate.2°.de diff.puls. 4ª.53.G
Sophistæ miseri.2°.de diff.pul. 4ª.53.E
Sophistæ despiciunt inuenire rerum differentiam.ars med. Isa.71.F
Sophistæ in nominibus conterunt tempus.ars med. Isa.71.F
Sophistæ de nominibus contendunt,neglectis rebus, & contumelijs disputant.2°.de pul.dif. 4ª.53.D
Sophistis quæ dant occasionem garriendi.com.8°.aph.65°. Ex.60.c
Sophistæ de ijs contendunt, quæ neq; per somnium quidem uiderũt ac si sexcenties uidissent.de dif.resp. 3ª.60.c
Sophistæ artis optima conspurcant.1°.de dieb.decre. 4ª.148.E
Sophistæ nihil possunt facere in re medic.2°.de ana.adm. 1ª.73.D
Sophista disputans contra Galenũ quid dicebat.1°.de nat.fa. 1ª.293.E
Sophistæ interrogati indignantur.de mul. 3ª.77.D

Sophista fuit probans esse aues, & non esse aues struthocamelos. 3°. *de alim.fac.* 2ª.29.E
Sophistarum cauillationes dimittendæ. 4°.*de sa.tu.* 2ª.82.C
SOPHISTICA *quæ sint. in* 1ᵐ.*pror.com.* 1°. 4ª.168.C
*ad Sophisticã ptinet disciplinã, vel definire oĩa.*4°.*de dif.pu.* 4ª.69.g
*Sophistica,& logica disputatio quæ.*9°.*met.me.* 7ª.58.C
Sophisticæ apparentiæ ab ipsis quoq; dialecticis nõ facile soluuntur. de subfig. empir. If.34.D
Sophistica ars in Alexandria docetur.in 6ᵐ.*de mo.vul.c.*1°. 3ª.153.c
Sophisticam artem sequebantur Galeni tempore medici.in 6ᵐ.*de mor. vul.com.*3°. 3ª.176.C
Sophisticã artẽ odio habuit Gal.in 6ᵐ.*de morb.vul.c.*2°. 3ª.167.A
Sophistica demittenda,& artis opera perquirenda.in 6ᵐ.*de mo.vul. commen.*5°. 3ª.191.F
Σοφιζόμενοι *qui dicantur. de fract.c.*1°. 7ª.225.B
SOPHOCLIS *libri quantum pignorati. in* 3ᵐ.*de morbis vulgaribus, commen.*2°. 3ª.137.A
SOPITI *& dementes vnde fiant.in* 3ᵐ.*de mor. vul.c.*3°. 3ª.144.F
SOPOR *est res difficilis scitu. in* 3ᵐ.*de mor.vul.c.*1°. 3ª.131.G
Sopor circa primum sensorium, quod commune est omnibus, consistit. de symp.differen. 3ª.11.F
*Sopor quando,& quomodo fiat.*4°.*de loc.affect.* 4ª.22.H
Soporis causæ.in 3ᵐ.*de mor. vul. com.*1°. 3ª.131.H
*Sopor fit si medius cerebri ventriculus sit contusus, osse terebra perforato.*4°.*de lo.asse.* 4ª.23.A
*Soporem facit maxime ventriculus medius cerebri cõpressus ab osse Caluariæ vehementer attrito.*4°.*de loc.asse.* 4ª.23.A
Sopor fit a causa frigida. 2°.*de loc.asse.* 14.*A*/3°. 4ª.16.F
Sopor fit ob solum frigus. in 3ᵐ.*de mor.vul.com.*1°. 3ª.131.H
Soporem efficiunt pituitosi & frigidi morbi. 3°.*de lo asse.* 4ª.16.F
*Soporem sluporem q; faciunt, frigiditas,& humiditas intensa.*3°.*de lo affectis.* 4ª.16.G
Sopor nonnullis ebrijs cur eueniat.in 3ᵐ.*de mor.vul.c.*1°. 3ª.131.H
Soporis aliæ causæ. in 3ᵐ.*de mor.vul.com.*1°. 3ª.132.A
Sopor ob imbecillitatem virium fit.in 3ᵐ.*de mo.vul.c.*1°. 3ª.131.H
*Soporis pulsus ex imbecillitate quales.in*3ᵐ.*de mo.vul.c.*1°.3ª.131.H
Sopor potissimũ fit læsis musculis temporalibus. 11°.*de vs.p.*1ª.185.b
Sopores fiunt ob oris ventriculi affectum. 5°.*de lo. aff.* 4ª.32.E
Sopor vigilans quid. in 3ᵐ.*de mor.vul.com.* 3°. 3ª.144.C
*Sopor coniunctus cum vigilijs & delirijs vnde prouenit.*4°.*de præsa. ex puls.* 4ª. 120.G
Sopor vigilans fit,cum pituitosus,& biliosus humor abũdauerint. 3°. *de loc.asse.* 4ª.16.H
Saporis vigilantis,cathochi catapleſis,cari,apoplexiæ,et comitialis morbi differentiæ. 4°.*de loc.aff.* 4ª.23.A
Sopor vigilans lædit vocem. 4°.*de lo. aff.* 4ª.26.D
Sopor lædit vocem. 4°.*de loc.asse.* 4ª.26.D
Sopor phrenitidis per se, ardentis febris per accidẽs, est affectus.in 3ᵐ.*de morb.vul. com.*3°. 3ª.145.F
Sopor cur fit quandoq; in acutis, post sequitur vigilia.in 3ᵐ.*de morb. vul.com.*3°. 3ª.143.G
Sopor vigilijs vacans a qua materia fiat. in 3ᵐ.*de morb. vulga.commentario* 3°. 3ª.142.A
Sopori non confusæ vigiliæ a qua materia fiant. in 3ᵐ.*de mor.vulgar. commen.*3°. 3ª.142.A
Sopores alti qui. 13°.*met.med.* 7ª.85.F
Sopor grauis qui.in 3ᵐ.*de mor.vul. com.*3°. 3ª.145.F
Sopores graues facit vltima stipatio.de cau.mor. 3ª.7.D
Sopor stupidus qui. 2°.*de loc.asse.* 4ª.14.A
*Sopor stupidus ex percussione forti sequi videtur.*2°.*de lo.af.* 4ª.13.g
Sopor quid significet. in 3ᵐ.*de mor.vul.com.*1°. 3ª.131.G
Sopor quid faciat. de arti.com. 2°. 7ª.264.G
*in Sopore ratio & memoria amittuntur.*3°.*de lo.aff.* 4ª.16.F
*in Sopore quomodo spiritus habeatur.*4°.*de loc.aff.* 4ª.27.E
in Soporibus profundis pulsus qui. de pul.ad Tyro. 4ª.45.F
in Sopore nullum adest affecti loci signum. 3°.*de loc. aff.* 4ª.16.B
SOPORANS *torpor quid significet. in* 1ᵐ.*de morb. vulgaribus, commentario* 2°. 3ª.117.G
SOPORARIAE *arteriæ falso dictæ vbi,& quorsum tendant.* 1°.*de decre.Hipp.& Plat.* 1ª.232.H
SOPORATIVA *quæ.de ocul.* 7ª.189.D
Soporifera sunt balnea qĩn caput madefaciunt. 3°.*de lo.aff.* 4ª.16.G
Soporifera lactuca est.de atten.vic. 2ª.44.E
Soporifera est mandragora. 7°.*de simp. me.fa.* 5ª.55.B
*Soporiferum est opium etiam partibus extrinsecis applicatum.*9°.*de comp.med.se.lo.* 5ª.201.G
Soporiferum papauer est.de atten.vic. 2ª.44.E
Soporifera sunt vini moderata potio,& cibi humectantes. 3°.*de loc. affect.* 4ª.16.G
Soporifera medicina quid faciat. de ocul. 7ª.189.D
Soporifera visum minuunt.de ocul. 7ª.189.D
*Soporifera exigit destillatio tenuis.*7°.*de comp.me. se.loc.* 5ª.182.D
Soporiferi morbi in cerebro fiunt. 3°.*de loc. asse.* 4ª.20.C
SORANVS *ephesius in methodica secta princeps fuit.intr.*If.51.e
*Soranus scripsit de medicamentis.*3°.*de comp.me.per ge.* 5ª.234.H
*Soranus ad achoras pharmaca quædã tradidit & eius liber quomodo inscriptus.*1°.*de comp.me.se.lo.* 5ª.131.D
Sorani medicamenta ad alopecias. 1°.*de comp.me.se.lo.* 5ª.124.D
Sorani ad anginam. 6°.*de comp.me.se.lo.* 5ª.172.C
Sorani ad columbellas pharmacum. 6°.*de comp.me.se.lo.* 5ª.175.A
Sorani diacodion. 7°.*de comp.me.se. lo.* 5ª.180.F
ex Sorano iunctura ad mentum. de fascijs. 7ª.300.G
SORBENDVM *vel bibendum non est confestim a balneo. de vict.rati. in morb. acu. com.*3°. 7ª.132.G
SORBITIO *ex alica est cibus qui nulla indiget contritione.* 8°.*de com posi.med.sec.lo.* 5ª.187.H
*Sorbitio ex alica est cibus boni succi.*2°.*de comp.me.se.lo.*5ª.133.D
*Sorbitionem facit ex amygdalis.*7°.*de comp.me.se. lo.* 5ª.177.H
*Sorbitio est ptissanæ cremor & q̃.de vic.rat.in mor.acu.c.*3°.7ª.130.f
*Sorbitiones concoqui facile iuuant in tertianis.*1°.*de arte curatiua ad Glauco.* 7ª.97.C
*Sorbitiones quo tpe febris dãdæ. de vic.rat.in mor.acu.c.*4°.7ª.139.E
*Sorbitio quando danda. de vic.rat.in mor.acu.c.*1°. 7ª.115.F
*a Sorbitione quando temperandũ in pleuritide.de victus ratio.in mor. acu.com.*1°. 7ª.114.E
Sorbitiones purgatis tuto exhibentur.præs.exper. conf. Sp.78.C
*Sorbitiones aluo non purgata quanto plures dederis, tanto magis lædes. com.*7°.*aph.*65°. Ex.60.A
*Sorbitiones ad stomachi ardorẽ cũ syncope.*8°.*de cõ.me.se.l.*5ª.191.b
*Sorbitiones aliquando acescunt,& innatant.*10°.*me. me.* 7ª.62.E
SORBITIVM *ad ilij dolorem, & ad frangendum lapidem. de dynamidijs.* Sp.28.C
SORBA *quomodo antiquitus nominabantur.* 2°.*de ali.fa.* 2ª.20.F
*Sorba ephesina.*9°.*de comp.me.se.lo.* 5ª.203.A
Sorba suauiora mespilis sunt. 2°.*de ali. fa.* 2ª.20.F
*Sorbis parce vescendum, & quare.*2°.*de ali.fac.* 2ª.20.F
Sorbis non vtendum ad saturitatem. de atten. vic. 2ª.45.H
*Sorbis non vtendum est ad victum attenuantem.de atte.vic.*2ª.45.H
*Sorbis indigemus vt medicamẽto, nõ vt alimẽto.*2°.*de ali.f.* 2ª.20.F
*Sorborũ succus acerbus sine vlla acerbitate est.*2°.*de ali.fa.* 2ª.20.F
*Sorba adstringunt.*2°.*de ali.fa.*2ª.20.F/6°.*de cõp.me.se.lo.*5ª.176.F
Sorba adstringunt euidenter. 1°.*de simp. me.fa.* 5ª.7.H
Sorbus minus stringit quã mespilus. 8°.*de simp.me.fa.* 5ª.57.B
*Sorborũ decoctum adstringens moderatũ pro gargarismis.*6°.*de com posi.med.sec. lo.* 5ª.172.F
*ex Sorbis aqua quibus danda.de vict.rat.in mor.acu.c.*4°. 7ª.149.B
SORDES *est ex symptomatum genere.* 3°.*me.me.* 7ª.22.E
Sordes hominum qualis. 10°.*de simp. me.fa.* 5ª.77.E
Sordes in summo corpore collecta est crassius excrementum. 3°.*met. medendi.* 7ª.17.H
Sordes cutis expelluntur superflua. de compag.mem. Sp.59.B
Sordes omnes de corpore abstergit aphronitrũ.de simp.med. Sp.80.C
Sordẽ oẽm de corpore abluit,& abstergit sel omne.de sim.m. S.84.e
Sordem omnem de corpore, vel de pannis abstergit sapo,& exsiccat. de simp.medic. Sp.90.G
Sordes aurium qui habent quales.in 6°.*de mor.vul.c.*1°. 3ª.154.F
ad Sordes omnes cutis. 1°.*de comp.me.se.lo.* 5ª.131.B
Sordes aurium obstruunt meatum. 1°.*de symp.cau.* 3ª.15.F
*Sordes aurium paronychijs conferunt.*10°.*de simp.me.fa.* 5ª.77.E
*ad Sordes aurium.*3°.*de comp.me.se.lo.* 5ª.145.H
Sordem thoracis purgant caricæ. de simp.med. Sp.84.C
*Sordes in vlceribus quid, & quid agant.*3°.*me.med.* 7ª.17.H
*cum Sorde vlcus quomodo tractandum.*5°.*met.me.* 7ª.29.G
Sordẽ vulnerũ mel adhibitũ comedit adiũcto sale.de si.m. S.87.A/B

Sordes vlceris quando expurgare volumus quid addendum medicamento. 4°.*de comp.me. per ge.* 5ª.237.*F*

Sordi balnei ſimile quid videtur in abſceſſibus. 2°.*de arte curati. ad Glauco.* 7ª.105.*A*

Sordes glutinationem prohibet. 4°.*met.med.* 7ª.23.*C*

Sordē & ſaniē an medicamētū bene ſiccauit ꝓbat. 3°.*me.me.* 7ª.18.*E*

Sordes balneorū excernuntur aphronitro. 9°.*de ſimp.me.fa.* 5ª.68.*H*

ex Sorde balnei & calce medicamentū. 2°.*de ar.cur.ad Gla.* 7ª.105.*a*

Sordes circa ſtatuas gymnaſiorum quā vim obtinet. 8°.*de ſimpl.medica.fac.* 5ª.59.*H*

Sordes in paleſtris qualis. 8°.*de ſimp. med.fa.* 5ª.59.*H*

Sordes digerit. 8°.*de ſimp.med.fac.* 5ª.60.*A*

Sordes paleſtritarum ſine ſudore plus repercutiunt minus digerunt, cū ſudore autem multum digerunt. 10°.*de ſimp.me. fa.* 5ª.75.*C*

Sordes lanarum ouium qualis. 10°.*de ſimp.me.fa.* 5ª.77.*E*

Sordes lanarum concoquunt, vt butyrum. 10°.*de ſimp.me.fa.* 5ª.77.*e*

Sordes barbæ hircinæ in quibus affectionibus conueniunt. 1°.*de cōp. med.ſe.lo.* 5ª.125.*C*

Sordes ſolæ phlegmonis vberum efficaciori ſunt remedio. 10°.*de ſim. med.fac.* 5ª.75.*C*

Sordes ad bubonem quomodo vſui ſunt. 10°.*de ſimp. me.fa.* 5ª.75.*C*

a Sordiū ſilitudine rhypode dicta ēplaſtra q̄. 2°.*de cō.me. p g.* 5ª.218.*c*

ad Sordium craſſitudinem confici iubet medicamētum. 1°.*de cōp.me. per g.* 215.*G*/2°.223.*G*/224.*F*/3°.232.*C*/6°.255.*B*/5ª.262.*C*/*E*/5°.*me.me.* 34.*B*/6°.37.*G*/8°.53.*C*/14°.90.*B*/*de reme.pa.f.* 7ª.154.*B*/*C*/167.*D*/169.*A*/170.*F*/171.*D*/

SORDIDAE *veſtes vrina expurgantur.* 10°.*de ſimp. me.fa.* 5ª.75.*D*

Sordidi pāniculi ꝓbe calefacti pro fomento. 5°.*de cō.me.ſe.l.* 5ª.163.*f*

Sordidi pruritu excitantur. 2°.*de ſymp.cau.* 3ª.23.*H*

Sordidi panes qui. 1°.*de ali.fac.* 2ª.9.*H*

Sordidum quibus fieri poteſt vlcus, & quomodo cognoſcendum. 4°. *de comp.me. per ge.* 5ª.237.*C*

Sordidum vlcus facit cæra. 2°.*de comp.me.per ge.* 5ª.218.*G*

Sordida vlcera quibus curentur. 2°.*de comp.me.per ge.* 5ª.218.*F*

Sordida vlcera deſiccans euidenter purgansq; medicamentum requiritur. 2°.*de comp.me.per ge.* 5ª.220.*C*

Sordida vlcera Anemone purgat. 6°.*de ſimp.me.fa.* 5ª.43.*B*

Sordida vlcera repurgat ariſtolochia rotūda. 6°.*de ſimp.me.f.* 5ª.43.*f*

Sordida vulnera expurgat cadmia, & ad cicatricem perducit.de ſimpli.medica. *Sp.*81.*F*

Sordida poſſunt purgari carne naturalem ſtatum non ſeruante, & quare. 3°.*met.me.* 7ª.21.*B*

Sordida vulnera lauanda ſunt acriore lixiuia.de ſimp.me. *Sp.*85.*H*

Sordida longo tempore vulnera ad ſanitatem perducit lixiuiū.de ſim. medicami. *Sp.*86.*A*

Sordida vulnera purgat ſcordiū aridū illitū. 8°.*de ſim. me.f.* 5ª.60.*b*

Sordida purgans medicamentū ex ſilphio. 5°.*de cōp.me.p g.* 5ª.253.*d*

Sordida purgans citra eroſionem medicamentum Arei. 5°.*de comp. med.per ge.* 5ª.254.*A*

ad Sordida vlcera. 3°.*de comp.me. ſe.lo.* 5ª.148.*A*

Sordidū pulſum, ſpiſſum, & grauem habet homotonus.de dy. *Sp.*34.*c*

Sordidum pulſum ſine intermiſſione, & vigentem habet acmaſtichus. de dynam. *Sp.*34.*C*

SORETICA *ratio, ambigua quæ fuerit a quibuſdam vocatur.de ſubfig.emp.* *Iſa.*31.*F*

Soretica ratio quomodo confecta. 1°.*de loc.aff.* 4ª.4.*D*

Soretica dubitatio qualis. 2°.*de diffe.feb.* 3ª.39.*G*

Soreticalis. de marc. 3ª.46.*D*

Sorctica dubitatio. 1°.*de diebus decret.* 146.*B*/156.*D*/*in prognoſtica. commen.* 3°. 4ª.208.*C*

SORI *quid, & eius vires.de ſimp.med.* *Sp.*90.*F*

Sori quale ſit, & quomodo funditur. 1°.*de comp.me.per ge.* 5ª.212.*f*

Sori, miſy, & chalcitis ſponte naſcuntur. 9°.*de ſimp.me.fa.* 5ª.71.*E*

Sori chalcitidi genere cognatum eſt. 4°.*de comp.me.per ge.* 5ª.236.*E*

Sori, chalcitis & miſy quomodo in vno ſint loco. 9°.*de ſimplic. medi. facul.* 5ª.70.*B*

Sori, chalcitis, & miſy, earundem ſunt virium, differunt tenuitate, & craſſitudine. 9°.*de ſimp.me.fa.* 5ª.70.*B*

Sori ex Cypro Galenus aſportauit. 1°.*de antid.* 5ª.100.*C*

Sori ægyptium. 3°.*de comp.me.ſe.lo.* 147.*H*/5°. 5ª.163.*D*

Sori calidum eſt. 3°.*de ſimp.me.fa.* 5ª.22.*G*

Sori adurit, & eſcharas efficit. 9°.*de ſimp.me.fac.* 5ª.70.*D*

Sori guſtu ſtipticum eſt, odore nauſeoſum eſt, vomitum quibuſdā mouet, vires valde ſtipticas habet, & acres, alienationes continet, et vulnera quæ luxuriantur exſiccat. de ſimp. med. *Sp.*90.*F*

Sori adſtringit, & mordicat. 4°.*de ſimp.me.fac.* 5ª.26.*A*

Sori adſtringens eximium eſt. 4°.*de comp.me.per ge.* 5ª.259.*F*

Sori adſtringens, noxium eſt deuoratum. 13°.*me.med.* 7ª.85.*C*

Sori per eroſionem interimit. 4°.*de ſimp.me.fa.* 5ª.30.*B*

Sori extergit & repurgat. 4°.*de comp.me.ſe.lo.* 5ª.149.*G*

Sori vt argenti ſpuma lauatur. 1°.*de comp.me. per ge.* 5ª.213.*E*

Sori combuſtum ad vlcera maligna confert. 4°.*de compoſitione med. per ge.* 5ª.236.*F*

SORTES *vitæ alterant pulſus. de vſu pul.* 1ª.229.*E*

SOSICRATIS ad orthopnœam. 7°.*de comp.me.ſe.lo.* 5ª.187.*A*

SOSTRATI καραύνιος *. de faſcijs.* 7ª.302.*G*

Soſtrati parua ara.de faſcijs. 7ª.302.*H*

Soſiſtrati paruum templum. de faſcijs. 7ª.302.*H*

SOTIRA dictū medicamentū aſthmaticis auxiliaī.de dy. *Sp.*26.*f*

SPADONES *cur vocem habent acutam.in* 1ᵐ.*prorhe.com.* 2°. 4ª.170.*E*

Spadonibus qui nam humor exiens voluptatem afferat in coitu. 14°. *de vſu par.* 1ª.208.*C*

ad SPANOPOGONAS *ideſt raribarbos.de med.fa.par.* 7ª.173.*E*

SPANTHAEI *fit mentio. de med.fa.par.* 7ª.173.*F*

SPANTOS *ad roborandum ſtomachum accipi iubet. de medicinis facile paran.* 7ª.177.*G*

SPARGANIVM *exſiccat.* 8°.*de ſimp.me.fa.* 5ª.61.*C*

ad SPARSAM *ictericiam.ſecre.* *Sp.*101.*C*

ex SPARTO *nectuntur iumentis ſoleæ.* 1°.*de ali.fa.* 2ª.11.*D*

Sparti fructus cuius ſit facultatis. 8°.*de ſimp.me.fa.* 5ª.61.*C*

SPASMA *ideſt conuulſum.* 2°.*met.me.* 7ª.9.*F*

Spaſma conuulſio dicitur, & quod ad neruoſas partes ſpectat. 3°.*me. med.* 16.*E*/6°. 7ª.36 *G*

SPASMOSVS *ex balneo qui effectus fuerit.de cau.proca.* 3ª.97.*F*

Spaſmoſa vlcera vbi fiant. 4°.*me.me.* 7ª.28.*B*

Σπασμοτρομῶδες *quid ſignificet. in* 1ᵐ.*pror.c.* 3°. 4ª.188.*B*

Spaſmus ideſt conuulſio nomen eſt ægritudinis a ſymptomate. 2°.*me. medendi.* 7ª.9.*D*

Spaſm°, ſaltus, tremor palmos circa quas fiāt ꝓticulas.cō.p. *Sp.*65.*B*

Spaſmus fit circa muſculos, & neruos.comp.pulſ. *Sp.*65.*C*

Spaſmos, aut tetanos generant neruoſæ partes. 4°.*de lo.aff.* 4ª.121.*F*

Spaſmum facit neruus inflammatus. 1°.*de motu muſ.* 1ª.309.*A*

Spaſmum, neruorum diſtentionem vocant Græci.de diff.mor. 3ª.3.*E*

Spaſmus muſculorum paſsio quæ. de ocu. 7ª.187.*F*

Spaſmus caninus cuius muſculi affectio ſit. de muſ.diſſ. 1ª.44.*E*

Spaſmus eſt morbus peracutus.com. 1°.*aph.* 12°. *Ex.*5.*F*

Spaſmus oculorum quotuplex ſit, & quomodo fiat.de ocu. 7ª.187.*e*

Spaſmi in oculo cauſa quæ.de ana. ocu. *Sp.*57.*G*

Spaſmus naſcitur ex ſuperfluitate ſanguinis. de ſper. 36.*G*/ *Sp.*38.*B*

Spaſmum inducit frigida ebibita.de conſue. 2ª.60.*E*

Spaſmos ſuſcitat aqua dura, & frigida.de bon. aquæ. *Sp.*75.*G*

Spaſmus quomodo ex periptoſi oculo adueniat.de anat.ocu. *Sp.*57.*g*

Spaſmus cauſa eſt laſsitudinis. com. 2°.*aph.* 5°. *Ex.*11.*G*

Spaſmus ſaltus tremor pulſui ſimilia, & eorū differētia.cō.p. *Sp.*65.*b*

Spaſmo corripiēdus muſculus latus primo intēdit.de muſ.di. 1ª.44.*d*

cū Spaſmo pulſus qui.comp.pul. *Sp.*65.*H*

in Spaſmis loci affecti nullum adeſt ſignum. 3°.*de loc.aff.* 4ª.16.*B*

Spaſmum ſignificat vrina ęruginoſum habens colorem.de dy. *S.*34.*b*

Spaſmum, phrenitim, aut mortem in ſynocha ſignifitat vrina tenuis cū nebulis non bonis. de dy. *Sp.*34.*C*

Spaſmum venturum denuntiat in ſynocha vrina puluerulenta, & maxime ſi frigus, & lippitudo oculorum fuerit, & caligo, & ſuperiores partes in ſudorem veniant. de dy. *Sp.*34.*E*

Spaſmum aut mortem ſignificat vrina non bonum colorem habens, et ſi non fuerit digeſta, vel conſtitutionem vrinę animalis ſimilē habuerit, & miſſa in calice cito reſederit & amēs patiens fuerit, & inſomniam ſenſerit. de dy. *Sp.*34.*E*

Spaſmus ſanguinis euacuatione curatur.de ven.ſec.adu.Eraſ. 6ª.7.*B*

in Spaſmo debet incidi neruus. 1°.*de motu. mu.* 1ª.309.*A*

cōtra Spaſmum ex ſiccitate datur oleū viride.de med.expe. *Sp.*106.*e*

Spaſmo conferens ſyrupus de calaminthe.ſecr. *Sp.*103.*E*

ad Spaſmum faciei.ſecret. *Sp.*102.*D*

ad Spaſmum & torturam oris odoramentum. ſecre. *Sp.*103.*D*

ad Spaſmum tendonum valet theriaca.de theria.ad Piſ. 5ª.91.G
Spaſmo valens medicamen.de med.exper. Sp.104.E
Spaſmus, Lege Conuulſio.
SPATANA *ideſt acorus.de med.exper.* Sp.104.E
Spatana quid valeat in medicamentis.de med.exper. Sp.104.B
Spatanæ meminit.de med.exper. Sp.104.A
SPATARENTICVM *ad quid vtile.de dyna.* Sp.28.G
SPATHA *ad quid in organis.de machin.* 7ª.309.F
Spatha proprie adhibetur ad cubitum reſtituendum.de mac. 7ª.318.G
Spatha ferrea.1°.de com.me.per ge. 5ª.216.D
Spatha vnguentaria bene detergenda,& quare.7°.de compo. medic. per genera. 5ª.273.A
Spatha vtitur.7°.de compo.me.per ge. 5ª.272.E/G
SPATHOMELE *inſtrumenti nomen.6°.de ana.adm.* 1ª.92.H
Spathomela inſtrumentum.1°.de com.me.per ge. 5ª.211.H
Spathomela ferramentum introd. Iſa.59.G
SPATHA *quid ſit,& ℔ & ipſa debeat habere vim adiuuandi medicamenta.1°.de comp.me.per gene.* 5ª.211.B
SPATHVLA *quod inſtrumentũ.5°.de com.me.ſe.lo.* 5ª.161.F
Spatula debet habere vim adiuuandi medicamenta.1°.de comp.med. per genera. 5ª.211.C
Spathula parua.7°.de comp.med.per ge. 5ª.273.F
℔ *Spathula radix arundinis viridis.4°.de comp.me.per g.* 5ª.243.D
℔ *Spathula croci faſciculus ſumitur.9°.de com.me.ſe.lo.* 5ª.202.F
Spathula lignea.6°.de com.me.per gen. 5ª.257.A
Spathula ex palma.1°.de comp.me.per ge. 5ª.211.B
Spathula pinea.7°.de comp.me.per ge. 5ª.268.E
℔ *Spathula rubi ramuli.9°.de comp.me.ſe.lo.* 5ª.204.A
pro Spathula,rutæ ramulo vtitur.7°.de compoſit. medicamentorum ſecun. locos.180.A/9°. 5ª.202.E
Spathula ex tæda.5°.de com.me.ſec.loc.163.D/F/5°.de com.medica. per genera. 5ª.247.C
Spathula.de artic.com.2°. 7ª.267.D
Σπατίλη *ideſt alui leuitas.de victu.in mor.acu.com.2°.* 7ª.119.E
SPATHVLANVS *ſapo ad quid vtilis.de dyna.* Sp.31.C
SPATIOSITATES *quæ formationes habent intus, & quæ non.2°.de arte cura.ad Glauco.* 7ª.102.E
SPATIVM, *& tempus a motu locali ſunt inſeparabilia.1°.de differentijs reſpira.* 3ª.57.A
Spatia complura ſunt inter particulas tam ſimilares tum inſtrumentales.de inæqu.intemp. 3ª.43.D
Spatia oſtendunt particulæ duræ & ſiccæ.de inæq.intem. 3ª.43.D
Spatia ſua non oſtendunt molles particulæ,et quare.de inæq. 3ª.43.D
Spatia ſua oſtendunt oſſa.de inæqu.intem. 3ª.43.D
ob Spatium quomodo denſa vel rara redditur Reſpiratio.1°.de differentijs reſpir. 3ª.57.B
in Spatio alieno quæ continentur, notitiam faciunt affectæ particulę.1°.de locis affect. 4ª.2.G
SPECARIVM *℔ implet carnem quid nominetur.11°.de ſimpli. medicam.facul.* 5ª.80.H
SPECIALIA *in generalibus continentur. de victus ratione in morbis acutis,commen.2°.* 7ª.124.G
a Specialiſſimis deſcendimus ad generaliſſima.9°.de dec. Hippocrat. & Platon. 1ª.282.A
SPECIEM, *formam,& differentiam quòd dicas,nihil refert, nam ſem per idem eſt.in 1ᵐ.de mor.vul.com.3°.* 3ª.117.G
Species,genus,forma,& natura pro eodẽ ſumũtur.ad eos qui de typ. ſcripſ. 3ª.93.B
Species nomẽ generis qñq; accipiunt.2°.de art.cu.ad Glau. 7ª.101.A
Species genera,qualitates,an differentias pulſuũ dicas,nihil refert.1°. de different.pulſ. 4ª.47.B
Spẽs vel differẽtias phrenitidis dicas,nihil refert.4°.de lo.a. 4ª.22.d
Speciem,genus vel differẽtiam quis dicat quomodo,nihil refert.3°.de locis affectis. 4ª.19.E/9°.*de ſimp.me.fac.* 5ª.64.H/*de ijs,quæ in medica.ſi.commen.2°.* 7ª.206.F
Species,genus,differentia,idem ſignificant in quoddam caſu.6°.de cõ. medicamen.ſec.loc. 5ª.169.A
Species,differentia,modus,& facies idem ſunt.de vic.ra.in mor.acu. com.4°.141.B/.de ijs,quæ in med.ſi.com.1°. 7ª.201.E
Specie,genere,& numero idem dicitur.2°.me.me. 7ª.14.C/H
Species & pars idem in anima ſm Platonem.9°.de dec.Hip. 1ª.286.C
Species animarum vocat Plato facultates animæ.in tim.Pl. 1ª.287.D
Specierum ſunt,& non individuorum idæ.2°.met.me. 7ª.13.H
Speciebus nomina imponuntur.2°.me.me. 7ª.14.A
Specierum differentia detur a ſubſtantia.1°.me.me. 7ª.4.B
ad Speciem non conducit omnis differentia generi addita, & quæ cõducat.1°.me.me. 7ª.4.C
Species enumerandæ cum quæritur de animali.1°.me.me. 7ª.4.A
Speciei ſoli & non omni quæ inſunt propria homini dicuntur, non tamen inſeparabilia.2°.de diff.reſp. 3ª.64.E
Species animalis cur ad matrem magis ſpectat.2°.de ſe. 1ª.337.B
Speciei prouenit forma ex mare.2°.de ſe. 1ª.337.D
Specie manente vbi eſt auctio ibi duarum ſignificationum præceptio non eſt.de mul. 3ª.78.F
Species non dicitur in ſimilaribus partibus id quod differt, ſiue ſit carnis,ſeu venæ pars.6°.de decr.Hip. 1ª.261.A
Species quælibet eſt pars non e conuerſo.6°.de dec.Hip. 1ª.261.C
Species dentium tres.de ana.viu. Sp.49.D
Specie ſimilia quæ.4°.de ana.adm. 1ª.81.A
in Speciebus & generibus poſitæ ſunt artes.2°.de diff.pul. 4ª.57.B
Species omnes et genera morborum cognoſcere debet verus medicus. ſi quis opt.med. Iſa.6.F
pro Speciebus non ſunt adducendæ.de diff.mor.1°.me.me. 7ª.4.B
Species vna eſt cataphoræ,quæ ſeruat nomen generis.de com. 3ª.50.C
de Specie in ſpeciem mutatio qualis.3°.de ſim.me.fa. 5ª.17.D
SPECIES *diſſoluentes ventoſitatem.de diff.cont.* Sp.74.G
SPECIFICAE *quædam ſunt differentiæ,quædam genericæ:quædam magis ſpecificæ,& quædam magis genericæ.2°.de diff.p.* 4ª.58.C
a Specificis differentijs per genera deſcenditur.2°.de pul.di. 4ª.56.C
de SPECIOSITATE *fœminarum formanda librum fecit Cleopatra.de incant.adiur.& ſuſp.* 7ª.181.H
Specilla inſtrumenti nomen.6°.de ana.adm. 1ª.92.H
Specillum inſtrumentum.3°.me.me. 7ª.20.C
Specillum inſtrumentum tenue eſt.6°.de ana.adm. 1ª.93.D
Specilla fabricantes,in re medica,ſunt inter miniſtros ignobiliores. in 6ᵐ.de morb.vulga.com.5°. 3ª.188.D
Specillorum differentiæ.de artic.com.1°. 7ª.257.B
Specilla leuiter vtrinq; acuminata dicũtur dipyrena.2°.de ſe. 1ª.135.b
Specillum auricularium.3°.de com.me.ſec.lo.142.B/ 5ª.145.G
Specilla aurifuſoria.3°.de comp.me.ſe.lo. 5ª.140.H
Specillum concauum.4°.de com.me.ſe.lo. 5ª.150.E
Specillum linitorium.de artic.com.1°. 7ª.259.A
Specillum latum.de arti.com.1°. 7ª.259.A
Specillum oricularium eſt Syringa.de opt.ſect. Iſa.25.B
Specillum ſcriptorium.de med.fac.par. 7ª.163.F
Specilla ad formam ſpathæ in vacuum ponuntur.2°.de ſe. 1ª.336.A
Specilli extremum dicitur nucleus.3°.de com.me.ſec.lo. 5ª.148.C
Specillũ duos nucleos habẽs, vel cuſpides.3°.de cõ.me.ſe.lo. 5ª.148.F
Specilli nucleus.4°.de com.me.ſe.lo. 5ª.153.B
Specilli cuſpis.de cur.rat.per ſang.miſſ. 6ª.20.C
Specilli mucro non ingreditur os vteri dum eſt prægnans mulier.3°. de natu.faculta. 1ª.302.H
Specilli latus mucro.12°.me.me. 7ª.81.G
Specilli mucro.12°.me.me.81.F/de reme.fac.pa. 7ª.156.B
Specillo concretus in naribus ſanguis quomodo abſtergendus.de rem. par.faracil. 7ª.154.G
Specilli meminit.3°.de compo.medic.ſecun.loc. 5ª.145.H/*de articul. commentar.2°.* 7ª.267.D
SPECIOSVM *vinculum.de faſc.* 7ª.295.H
SPECTACVLO *horribili viſo a ſolo tonitruo prægnans infantem eiecit.de theria.ad Piſo.* 5ª.94.H
SPECVLARES *lapides oſtijs antiquitus apponebantur.9°.de anatom. adminiſtr.* 1ª.105.A
SPECVLATIO *quid poſſit in artibus.8°.de comp.me.ſe.lo.* 5ª.193.F
Speculationis profeſſores quid agant.de fæt.for. 1ª.324.C
Speculatio vulneraria.3°.de comp.me.per ge. 5ª.232.A
SPECVLATIVA *pars philoſophiæ.9°.de dec.Hip.* 1ª.285.E
ad Speculatiuã philoſophiam quæ pertineant.9°.de dec.Hi. 1ª.285.C
in EPECVLIS *viſio quomodo fiat.7°.de dec.Hip.* 1ª.272.B
in Speculo cur videtur figura.de ocul. 7ª.185.A
in Speculis cur nos,& alios videmus.7°.de dec.Hip. 1ª.272.B
Speculorum imagines quomodo fiant.de hiſt.philo. Sp.9.D
in Speculis ſolus color reflectitur,ſed forma & magnitudo non.7°.de dec.Hippocratis. 1ª.272.B

Speculo facile discernitur eclipsis.de hist.phi. Sp.7.A
Speculis vrentibus tremes combustæ fuere ab Archimede.3°.de tem peramentis. 1ª.22.E
in SPECVLIS *graueolentibus cur suffocamur.de vti.re.* 1ª.225.D
Σπήρεν *quid significet.in 1ᵐ.de mor.vul.com.1°.* 3ª.100.G
Sperma ex omni corporis humore deciditur.de sper. Sp.36.A
Sperma fit ex subtiliori natura quatuor humorum.de sper. Sp.36.B
Sperma principaliter fit ex sanguine,secundario ex alijs humorib⁹.de spermate. Sp.36.B
Sperma vbi fiat ex sanguine,& quomodo.de spe. Sp.36.E
Sperma fit ex sanguinis subtilitate.de spe. Sp.37.A
ad Spermatis generationem spiritus,& sanguis vbi, & quæ eius generatio.9°.de vsu partium. 1ª 175.F
Sperma cur album cum sit sanguis.de na.& ord.cuius.cor. Sp.42.C
Sperma,& lac,quæ generent.de ocul. 7ª.188.G
Spermatis organa sunt arteriæ,& venæ.de sperma. Sp.36.E
Sperma habet neruos,& venas proprias,quæ trahunt a toto corpore ad testiculos.de spe. Sp.36.B
Spermatis nerui,& venæ diuersi sunt a neruis,& venis vrinæ.de spermate. Sp.36.B
Sperma ducentes venæ,quales.de nat.& ord.cuiusl.cor. Sp.42.B
Sperma purgant & attrahunt adenes duo testiculorũ.de sp. Sp.36.F
Spermatis vasorum orificia habent formam alarum.de com. Sp.59.C
Spermatis pars pp qd transeat ad glãdes oschei.de anat.vi. Sp.56.A
Sperma deducitur ex cerebro.de na.& or.cuiusl.corp. Sp.42.B
Spermatis iter.de sperma. Sp.36.E
Sperma cum descendit a capite,quid fiat.de spe. Sp.36.H
cũ Spermate vero descendit aquosa pituita.de spe. Sp.36.F
Sperma quot mutationes faciat in diuersis morbis.de sper. Sp.36.H
Sperma a capite obturat nares,& aures.de sper. Sp.36.F
Sperma intrat per viam,per quam exit vrina.de anat.viu. Sp.51.H
Sperma habet potestatẽ exeundi absq; hoĩs voluntate.de sp. Sp.37.A
Sperma animatum emittitur.de spe. Sp.36.B
Sperma quando animatum venit in vterum.de spe. Sp.36.A
Sperma viri comparatur coagulo.de ana.vi. Sp.55.H
Sperma mulieris comparatur lacti.de ana.viu. Sp.55.H
Sperma quo sit causa ſm Aristotelem & Galenum.de an.vi. Sp.55.H
Sperma viri fortius est & calidius muliebri.de spe. Sp.36.B
Sperma mulieris humidus est,& frigidius.1°.de vsu pa. 1ª.26.A
Sperma quid efficiat in homine.secret. Sp.96.G
de Spermatis coniunctione.de comp.memb. Sp.9.E
Sperma viri associatur spermati mulieris.de sper. Sp.36.B
Sperma viri muliebri associatum recipitur cum quodam spiritu in matrice,& ibi pingescit calore matricis.de sper. Sp.36.B
in Sperma mulieris quid faciat sperma viri.de ana.viuo. Sp.51.H
Sperma muliebre nutrimẽtũ est spermatis virilis.de spe.36.B/ S.37.a
Sperma viri est principiũ effectiuũ animalis.14°.de vsu p. 1ª.206.B
Sperma viri quid faciat in sperma mulieris.de ana.viu. Sp.51.H
Spermatis intentio quæ.de ana.viu. Sp.44.F
Sperma maris naturaliter intendit imprimere formam eius,a quo deciditur.de ana.viuo. Sp.51.H
Sperma mulieris intendit suscipere formam. de ana.vi. Sp.51.H
Spermata quæ concipiantur.de comp.memb. Sp.59.E
Sperma hominis cur non recipitur ab aqua.7°.de vsu pa. 1ª.127.G
Sperma asini recipitur ab equa.3°.de vsu pa. 1ª.127.G
Sperma equi recipitur ab asina.3°.de vsu pa. Sp.27.G
Sperma canis recipitur a lupa.3°.de vsu par. Sp.127.G
Sperma lupi recipitur a cane.3°.de vsu pa. 1ª.127.G
Sperma vulpis recipitur a cane.3°.de vsu p. 1ª.127.G
Sperma canis recipitur a vulpe.3°.de vsu par. 1ª.127.G
Sperma cerui ad quid vtile.de dyna. Sp 28.C
Spermatis receptacula septem in matrice.de spe. Sp.36.D
Sperma quomodo in vtero disponatur.de comp.memb. Sp.56.E
Sperma viri sicut potestatem habet in toto corpore, ita natura potestatem habet in matrice.de spe. Sp.37.A
Sperma vertitur in sanguinem per matricis calorem.de spe. Sp.36.B
Sperma quomodo,& per quot dies in embrione terminatur. de compagine memb. Sp.59.E
in Sperumate generantur vesicæ tres.de ana.viu. Sp.51.H
ex Spermate & sanguine menstruo animal immortale constitui posse videtur.3°.de vsu pa. 1ª.33.D
ex Spermate,& sanguine est principium hominis.secre. Sp.97.G
ex Spermate mulieri & virili fit fœtus.de ana.pa. Sp.43.C
Sperma est causa materialis membrorum cõsimilium præter quã carnis & adipis.de ana.viuo. Sp.55.G
Sperma cõceptũ in tribus horis sanguinis quid efficiat.de sp. Sp.37.B
Sperma si abundet & sanum sit,quid infanti cõtingat.de sp. Sp.38.E
Sperma patris si superabundet,infans plus figurã habet patre,si sperma matris abundat,plus a matre.de sp. Sp.38.E
Sperma quod facit marem, quodq; fœminam.de spe. Sp.36.E
Sperma retentum id agit quod venenum.de spe. Sp.36.F
Sperma inuiscatum & dolor in renibus generatur ex superfluo bilis. de spe. Sp.36.H
SPERMATICA *vasa quæ dicantur, licet vere non sint.* 14°.*de vsu partium.* 1ª.208.C
Spermaticorum vasorum situs in maribus.14°.de vsu p. 1ª.209.A
Spermaticum vas quale in viro.14°.de vsu pa. 1ª.207.H
Spermaticum vas quale in muliere.14°.de vsu pa. 1ª.207.H
de Spermaticorum vasorum magnitudine,& de incessu, cur ita longe eant.14°.de vsu pa. 1ª.208.H
Spermatici meatus in maribus maiores sunt.14°.de vsu pa.1ª.208.E
Spmatica vasa in mare qũo maiora q̃ in fœmina.14°.de vsu p.1ª.208.E
Spermatica vasa magna in mare,ex piscibus,& auibus cognoscũtur. 14°.de vsu pa. 1ª.208.G
Spermatica vasa in piscibus & auibus cur iuncta diaphragmati.14°. de vsu par. 1ª.208.G
Spermatica vasa in piscibus,& auibus lõga.14°.de vsu p. 1ª.208.G
Spermatica vasa breuiora in homine quam in quocũq; alio animali. 14°.de vsu pa. 1ª.208.G
Spermaticum vas cur varicosum.14°.de vsu par. 1ª.208.A
Spermaticũ vas cur nõ i testes locauit natura.24°.de vsu p.1ª.209.G
Spermatica vasa virorum,sunt duriora vasorum spermaticorum mulierum.14°.de vsu pa. 1ª.209.H
Spermatica vasa sola afficiuntur gonorrhoea.14°.de vsu p. 1ª.208.A
Spermatici spiritus tres virtutes.de spe. Sp.37.F
Spermatica a sanguinis conplexione remota indigent multis cõuersionibus sanguinis ad sui nutritionem.de ana.vi. Sp.44.G
SPERARE, *timere,& expectare verba sunt prænotionis propria.* 3°. *de diffe.respi.* 3ª.73.E
SPHACELATVM cerebrum,idest corruptũ quibus est i trib⁹ diebus pereunt.si vero hi euaserint,sani fiunt.c.7°.a.56°. Ex.58.B
SPHACELARE *quid significet apud Hip.c.7°.aph.50°.* Ex.58.B
SPHACELOS *quid significet.2°.de locis affect.* 4ª.10.D
Sphacelum etiam antiqui gangrenã noĩabant.c.7°.aph.50°. Ex.58.B
Σφάκελον *quid.7°.de ana.adm.1ª.97.F/6°.me.me.41.A/de frac. cõ. 2°.7ª.235.A/com.7°.aph.50°.* Ex.58.B
Sphacelus ossium affectus est.intro. Isa.59.D
Sphacelus qui morbus sit, et qũo differat ab ophiasi,alopecia,ptilosi, mirmecia,leuce,vitiligine,elephãte,& lepra.14°.me.me.7ª.92.C
ob Sphacelũ(idest cariẽ)excisa costa est aliquãdo.5°.de l.af.4ª.29.H
SHAERA *quid.fin med.Isa.49.G/de frac.com.2°.* 7ª.245.E
Sphæra maxima est omnium figurarũ solidarum, habentium æqualem mensuram.4°.de vsu par. 1ª.136.G
Sphæræ animalia sunt.de hist.phil. Sp.4.G
Sphæræ duæ.de fract.com.3°. 7ª.245.E
Σφαιριστικὸν *vocant,qui pila exercere instituit.2°.de sa.tu.* 2ª.75.E
SPHAERITIS *& quod genus cupressi sit,& ad quid valeant illius folia,& quomodo.1°.de comp.me.sec.lo.* 5ª.124.F
Σφαιρώματα, *quæ introdu.* Isa.53.E
Σφαγιτίδες *iugulares venæ a græcis nominantur.introd.* Isa.54.D
SPHAGNVM *cuius vsus.7°.de com.me.per ge.* 5ª.172.F/G
SPHENDAMNVM *ad quid vtile.8°.de com.me.se.lo.* 5ª.195.D
SPHENOIS *os quoddam est,quod a nonnullis inter capitis, ab alijs inter maxillæ superioris ossa numeratur,& quare.de ossib.* 1ª.40.F
SPHINCTER *musculus ani est.3°.de symp.cau.* 3ª.25.H
Sphĩcter(.i.cõstrictorius)ẽ ad finẽ recti Intestini.9°.de di.vul.1ª.108.C
SPHINCTERI *nerui priapi vesicæ,matricis.de ana.viu.* Sp.54.D
Σφιγκτῆρα *quid appellent.de arti.com.3°.* 7ª.272.G
SPHINX *& strax voces difficiles prolatu. in 6ᵐ.de mor.vulga.commentario.5°.* 3ª.188.G
SPHRAGIS *appellata est terra lẽnia.7°.de cõp.me.se.lo.* 5ª.83.E
Sphragis lemnia quid a quibusdam appellet.9°.de sim.me.fa. 5ª.65.A
Sphragis lemnia adulteratur.9°.de sim.me.fac. 5ª.69.B
Sphragis lemnia siccat modice.4°.de comp.me.per ge. 5ª.236.D

Sphragis quod medicamentum ab aliquibus vocatum.4°.de composi. med.secvn.loc. 5ª.154.A/B
SPHRAGIS *dicta compositio ad quæ conferat.7°.de compo.medicam. secun.loc.* 5ª.185.A
Sphragis inscribitur pastillus ex Mandragora.7°.de compo.medicam. secundum locos. 5ª.185.G
Sphragis Polydæ.5°.de comp.me.per ge.251.C/ 5ª.252.B
SPICAE *quid sint,& quorum.1°.de ali.fa.* 2ª.15.A
Spica Iatri.de ocul. 7ª.191.D
SPICA *nardi quæ nominanda.9°.de comp.me.sec.lo.* 5ª.201.D
Spica nardi quid.de sim.med. Sp.89.G
Spica nardi cur nominetur.1°.de antid. 5ª.106.F
a *Spica nardi distingui nardum celticam & collige.* § *7°.de compo.me. secundum loc.* 5ª.182.H
Spica celtica vtitur.8°.de com.me.sec.lo. 5ª.195.E
Spica indica qualis.8°.de simp.me.fa. 5ª.56.H
Spica nardi inter aromata ponitur.7°.me.me. 7ª.44.A
Spica nardi quid agat in medicamentis.de med.exper. Sp.104.B
Spica nardi,celtica,indica,& montana odoratas reddit cõpositiones. 1°.de com.me.sec.lo. 5ª.128.C
Spica nardi a quo medicamento non demenda.4°.de sa.tu. 2ª.85.B
Spica nardi qualis.8°.de com.me.se.loc.5ª.190.F/de ocu. 7ª.88.H
Spica nardi sicca est in secundo ordine,calida in primo.8°.de sim.me. facultatibus. 5ª.56.G
Spica nardi vires habet suauiter stypticas,et leniter ex calfactorias. de sim.medicam. Sp.89.G
Spica nardi adstrictionis particeps est.3°.de com.me.per ge.5ª.234.F
Spica nardi mediocriter adstringit. 4°.de com.me.se.loc. 5ª.149.H
Spica nardi oculis conuenit.de ocul. 7ª.188.G
Spica nardi ad iecur,et ad stomachũ rõnabil'r cõuenit,vrinã ciet, morsus stomachi sanat,in ventre ac intestinis cõsistẽtes fluxiones desiccat,et ẽt eas quæ in capite sunt,et in thorace.8°.de sim.m.f.5ª.56.G
ex *Spica nardi vnguentum iecori inflammato apponitur.2°.de ar.cu. ad Glauconem.* 7ª.104.D
Spica nardi vim habet ciendi vrinam.1°.de ar.cur.ad Glau. 7ª.99.B
Spicæ nardi aliqd injicit vino p calculosis ab aliqb°. 5°.*de sa.2ª.91.C*
Spica maturat.de ocul. 7ª.189.C
Spicę nardi simillimũ ẽ malabathrũ quo ad facultatẽ.7°.de si. 5ª.55.A
Spicæ electarium.de med.exper. Sp.107.F
SPICA *Glauci vnde dicta.de fasc.* 7ª.300.G
Spica Glauci media primum iniecta.de fas.7ª.300.H/ eadẽ in vtrãq; partem ducta.301.A
Spica duplex quæ.de fasc. 7ª.301.D
Spica duplex ab aliquibus dicitur quadriga.de fasc. 7ª.301.D
Spica ad plantam.de fasc. 7ª.306.B
SPICATVM *oleum valet in defluuio capillorum.1°. de com.medica. secundum locos.* 5ª.125.F
SPICATVM *vinum.9°.de comp.me.sec.lo.* 5ª.125.F
SPICATVM *vnguentũ quod Romæ.3°.de com.me.per ge.* 5ª.234.E
Spicata vnguẽta Romę a diuitib° mulierib° fiebãt.6°.de sa. 2ª.100.C
Spicata pretiosa mulierũ vnguẽta qd faciãt.3°.de cõ.me.s.l. 5ª.141.A
Spicata vnguenta pretiosa.4°.de lo.aff. 4ª.28.D
Spicatum vnguentum nardino prestantius est.6°.de sa.tu. 2ª.99.A
Spicato vnguento solum diuites vti possunt. 6°.de sa.tu. 2ª.99.A
Spicatum vnguentum calidum est.2°.de com.me.se.lo. 5ª.133.A
Spicatum vnguentum quas habeat vires.6°.de sa.tu. 2ª.99.A
Spicatũ apud Romanos vocatũ,quibus prosit.3°.de cõ.me.s.l.5ª.140.F
Spicata vnguenta roborant aures.6°.de sa.tu. 2ª.100.C
Spicata vnguẽta valẽt ad ventriculi os imbecillius.8°.me.m.7ª.53.D
Spicati vnguenti fit mentio.8°.de com.me.sec.loc. 5ª.187.D
SPICVLORVM *venena non necant,nisi sanguinem attigerint.de theria. ad Pisonem.* 5ª.93.H
a *Spiculis venenatis cerui trucidantur,tamen caro ipsorum non est venenata.de theriaca ad Piso.* 5ª.93.H
Spicula defigentium animalium virus sunt toto genere præter naturã. de constitutione artis. Isa.42.E
ob *Spicula infixa cognoscere oportet neruorum omnium musculorũ. 3°.de anatomicis admi.* 1ª.77.H
Spicula extrahit aristolochia rotunda.6°.de sim.me.fac. 5ª.43.E
Spicula extrahit cancer.de the.ad Piso. 5ª.93.F
Spicula educere aiũt hælurorũ salitorũ carnẽ.11°.de sim.me.f. 5ª.78.F
Spicula extrahit phorbium.8°.de simp.me.fac. 5ª.63.D
Spicula & palos extrahit saurarum caput.11°.de sim.me.f. 5ª.79.G
SPINAE *ægyptiæ fructus siccus,& terrestris est.4°. de com.medica. per genera.* 5ª.237.H
Spinæ Aegyptiæ fructus adstringens leue est.5°.met.med. 7ª.31.G
Spinæ ægyptiæ fructus est ex adstringẽtibus parabilibus.6°.de com. medica.secun.loc. 5ª.169.F
Spinæ ægyptiæ decoctũ ẽ inter adstringentia.6°.de cõ.me.s.l.5ª.172.G
Spinæ ægyptiæ fructus est inter arida adstringentia fortiora.6°.de cõ. medi.secun.locos. 5ª.172.G
Spina ægyptia adstringit,& exsiccat.6°.de sim.me.fa. 5ª.41.H
Spinæ ægyptiæ fructus modice siccat.3°.me.me. 7ª.20.A
Spinæ ægyptiæ fructus vlcera exsiccat.4°.de com.m.per ge.5ª.236.G
Spinæ ægyptiæ fructus cicatrici inducẽdę sunt medicamina.5°.de sim. med.facul. 5ª.36.C
Spinæ ægyptiæ fructus adhibetur vuæ inflammatæ.de sec. Isa.18.C
Spina ægyptia columellæ prodest,& in sede inflatis, tum vlcera ad cicatricem ducit.6°.de sim.me.fac. 5ª.42.A
Spinæ ægyptiæ radix pfluuiũ muliebre iuuat.6°.de sim.me.f.5ª.42.A
Spinæ ægyptiæ semine quædam mulier seruata fuit, quæ seruari debebat lysimachia.11°.de substi.me. 5ª.84.B
SPINA *alba spinosa planta.2°.de ali.fa.22.C/* 2ª.23.D
Spinæ albæ radix desiccatoria,et adstringẽs est.6°.de sim.m.f.5ª.41.b
Spinæ albæ semen tenuis essentiæ,& calidũ est.6°.de sim.m.f.5ª.41.b
Spinæ albæ fructus stringunt ventrem cum stypticitate,& ponticitate.de dissol.contin. Sp.75.B
Spina alba iuuat cœliacos,et dysentericos, sanguinis deiectiones cohibet ædemata illitu contrahit,dentes dolentes iuuat,& illis qui conuelluntur conuenit.6°.de sim.me.fa. 5ª.41.H
SPINA *arabica cuius sit facultatis.6°.de sim.me.fa.* 5ª.41.H
SPINAE *cæruleæ lachryma ingredit theriacã.de ther.ad Pi.* 5ª.92.F
SPINA *vulgaris quã facultatẽ obtinet.6°.de sim.me.fac.* 5ª.41.H
Spinæ teneræ manduntur cum aceto,& garo.2°.de alim.fa. 2ª.22.B
Spinis teneris coctis,& crudis vtuntur aliqui.2°.de ali.fa. 2ª.22.C
Spinæ asparagus aluum deijcit.de atten.vic. 2ª.44.D
Spinæ adstringunt.5°.de com.me.per ge. 5ª.237.C
Spinarum cinis.5°.de com.me.per gen. 5ª.253.B
Spinis rubis,ac hamis comparat sophismata Galenus.de cau. 3ª.95.H
in Spinis est virus.de ther.ad Pis. 5ª.95.C
Spinas de corpore extrahit gladiolum.de sim.med. Sp.84.D
ad Spinam de gutture extrahendam.secre. Sp.97.H
SPINA *quid significet in vertebris.de arti.com.3°.* 7ª.271.D
Spina quæ sit.introdu. Isa.53.G
Spina proprie quæ sit.12°.de vsu par.1ª.197.F/ 3°.de lo.aff.4ª.20.H
Spinæ os fundamentum est.de anat.viu. Sp.55.C
Spinæ forma quæ.12°.de vsu par. 1ª.197.G
Spinam comparat fornici Galenus,& quare.12°.de vsu pa.1ª.197.G
Spina est veluti carina in homine.12°.de vsu par.128.D/ 1ª.196.A
Spina in brutis facit angulum rectum. 3°.de vsu par. 1ª.128.D
Spina in hominibus est linea recta.3°.de vsu par. 1ª.128.D
Spina cũ fœmore facit angulũ rectũ dũ sedemus.3°.de vs.pa.1ª.128.D
pp Spinam recti ambulamus.12°.de vsu par. 1ª.196.A
in Spina qđ ppius est flexioni,est doloris expers.2°.de mo.m.1ª.315.F
Spinæ medium non rectum est,sed aliquantum curuum, & quare.2°. de motu musculi. 1ª.315.G
Spina cur magis laboramus recti,quam sedentes, aut iacentes.2°.de motu musculorum. 1ª.315.G
Spina quomodo,& ex quo fiat.1°.de semi. 1ª.331.D
Spina harmoniam habet.com.7°.aph.59°. Ex.59.C
Spina cur longior in dorso.12°.de vsu par. 1ª.197.H
Spina cur brevior in alijs partibus quã in dorso.12°.de vsu.1ª.197.H
Spinæ quatuor partes sunt,& quæ.12°.de vsu par.196.G/1ª.197.H
Spinæ partes cur nõ habẽt æqualiter spõdylis.12°.de vs.p.1ª.198.A
Spina est æqualiter diuisa a natura,quæ considerauit spõdylorum, molem,non numerum.13°.de vsu par. 1ª.199.A
Spinæ vertebræ quomodo intelligantur.de art.com.3°. 7ª.268.F
Spinæ pars est vertebra in ceruice.in progn.com.1°. 4ª.193.E
Spina vertebra quæ,vnde pars dẽtiformis procedit.4°.de l.a.1ª.23.G
Spina quot habeat vertebras.de ossibus. 1ª.41.G
Spinæ vertebrę vigintiquatuor.12°.de vsu par. 1ª.194.A
in Spina præter os latum quatuor & viginti ossa sunt in hominibus. 12°.de vsu par. 1ª.196.E
Spinę quinque spondyli quomodo facti.13°.de vsu par. 1ª.201.E

Spina ossis sacri similis aliis.de ossibus. 1ª.42.D
Spinæ os vltimum cur maximum.12°.de vsu par. 1ª 197.B
Spinæ fibræ quæ,& quomodo.12°.de vsu par. 1ª.197.A
Spinæ chartilago qualis.12°.de vsu par. 1ª.197.F
Spinæ ligamentum quale.12°.de vsu par. 1ª.197.F
Spinæ cur non est vnum os continuum.12°.de vsu par. 1ª.196.B
Spinæ cur non duæ.8°.de vsu par. 1ª.169.E
Spinæ quatuor sunt vtilitates & quæ.12°.de vsu par. 1ª.196.F
ex Spinæ lateribus oriuntur nerui.13°.de vsu par. 1ª.202.D
Spina accipit a cerebro sensum & motum.3°.de loc.aff. 4ª.20.H
in Spina loca vnde exeunt nerui,qualia.12°.de vsu par. 1ª.197.E
a Spina suggeruntur nerui partibus sub facie exceptę intestinis,viscęribus,& vocis instrumentis.16°.de vsu par. 1ª.215.E
a Spina neruorũ cõiugationes pdeũtes,quales.13°.de vsu p. 1ª.199.H
ex Spinæ primis vertebris ad caput ascendunt nerui quatuor.4°. de locis affectis. 4ª.23.D
Spinæ musculi quid efficiant.12°.de vsu par. 1ª.197.A
Spina quomodo incurvetur,& extendatur.de mus.dis. 1ª.49.G
Spinæ superior pars quibus musculis flectatur.5°.de ana.ad. 1ª.89.A
Spinam flectentes musculi vbi oriantur ac desinant.de mus.di. 1ª.49 G
Spinam musculi flectentes.6°.de ana.adm. 1ª.89.A
ad Spinã qũo feratur vena caua cũ arteria.16°.de vsu p. 1ª.219.E
inter Spinam & cor breuissimũ quod est interuallũ,arteria occupat. 6°.de vsu partium. 1ª.149.F
Spinæ inhærens arteria,veluti truncus est.an sang.in art. 1ª.61.E
p Spinam quot arteriam coniugationes.16°.de vsu par. 1ª.219.D
Spina propinquior stomacho est q̃ pectorale os.16°.de vs.p. 1ª.218.G
Spinæ incumbit gula.5°.de lo.aff. 4ª.32.D
Spina est propugnaculum ventriculi.4°.de vsu par. 1ª.137.C
Spinæ superponitur cataplasma pro gula.13°.met.me. 7ª.84.G
Spinæ partium transuersarum exercitatio quæ.2°.de sa.tu. 2ª.74.H
SPINAE *imbecillitas vnde.4°.de loc.aff.* 4ª.24.G
Spina habet proprias passiones,gibbum,regibbum,caum,concauum, obliquum,concussum.com.6°.aph.46°. Ex.51.G
in Spina cur non crescant pueri gibbi.de arti.com.3°. 7ª.269.B
Spina vnde fiat gibba.com.6°.aph.46°. Ex.51.H
Spina sinuata fuit cuidam ob casum.6°.de lo.aff. 4ª.38.G
Spina gibba ex ictu quomodo restituatur.de mac. 7ª.314.H
in Spina excauatio lordosis dicitur.4°.de loc.aff. 4ª.23.H
pro Spinæ oĩ distortione Σκολιώσις *sumitur.de arti.c.3°.* 7ª.273.E
Spina distorquetur,& quomodo.2°.de cau.pul. 4ª.93.G
Spinæ distortio in anteriorem partem fit ex panis,et tuberculis immaturis in spina exortis.de artic.com.3°. 7ª.268.F
Spinæ peruersio sanari non potest.introd. Isa.60.G
Spinæ curuitas sanari non potest.introd. Isa.60.G
Spinæ inclinatio sanari non potest.introd. Isa.60.G
Spinæ tortuositas sanari non potest.intro. Isa.60.G
Spinæ luxatio anguloſa quæ,& quid ex ea incommodi sequatur.4°.de locis affectis. 4ª.24.B
Spina luxata quomodo restituatur.de mach. 7ª.320.H
Spinæ vertebræ q̃n concussionem recipiant.cõ.7°.aph.58°. Ex.59.C
Spinę euersiones fiunt tuberculis cruãis intra ipsam constitutis.com. 4°.aphorismo.35°. Ex.31.F
Spinæ tubercula quot modis,& quomodo ab inuicem differant.com. 6°.aphorismo.46°. Ex.51.H
Spinæ,& læsionis neruorum differentiæ.1°.de loc.aff. 4ª.7.F
a Spina orti nerui nõ possunt aliquam imbecillitatem vesicæ inferre, vt vrina propterea supprimatur.6°.de loc.aff. 4ª.38.D
Spinæ musculi dolẽtes in morbo renali quãdo indicãt futurum abscessum intus,& quando extra.com.7°.aph.36°. Ex.56.H
Spinæ affectus non posunt aliquam imbecillitatem vesicæ inferræ.6°. de locis affectis. 4ª.38.D
circa Spinã æstus signãt menses erupturos.in 1ᵐ.prot.c.3°. 4ª.186.B
pp Spinæ inflammationem crurũ resolutio,aliud symptoma facit quam meatus a cerebro descendens obstructus.1°.de loc.aff. 4ª.6.G
Spina læsa difficile est cognoscere exquisite i qua vertebra sit affecta, & quare.1°.de lo.aff. 4ª.7.E
in Spinæ principio q̃o cognoscatur esse affectio.3°.de lo.aff. 4ª.21.B
Spina in quinta vertebra vitiata, facit perdere sensum & motu brachiorum.1°.de symp.cau. 3ª.16.D
Spina in sexta vertebra lesa,quid sequatur.1°.de symp.cau. 3ª.16.D
Spina in septima vertebra vitiata quid sequatur.1°.de sym.c. 3ª.16.D
Spina in octaua vertebra læsa,quid sequatur.1°.de sym.ca. 3ª.16.D
ex Spiæ affectu respiratio lædit̃,thorace nihil laborãte.5°.d l. 4ª.29.f
Spina in collo vitiata aufert vocem.1°.de sym.cau. 3ª.16.D
Spina tota q̃omodo lædatur.5°.de sa.tu. 2ª.82.H
Spina quomodo inciſa in causa sit,vt infernæ partes sensu motuq; priventur.3°.de loc.affect. 4ª.20.H
ob Spinam non semper resoluta sunt crura.5°.de lo.aff. 4ª.35.C
Spina læsa vis sentiendi digitis non influitur.3°.de lo.aff. 4ª.14.F
ex Spina medulla etiam accipitur,& qualis.11°.de sim.m.f. 5ª.79.F
SPINALIS *medulla* νωτιαῖον μυελὸν *nominatur, & est principalissima omnium quæ in spina partium.12°.de vsu par.* 1ª.196.D
Spinalis medulla cur ita dicta.3°.de alim.fa. 2ª.27.C
Spinalis medulla quomodo appellata ob proprium substantiæ nomen. 5°.de locis affect. 4ª.31.E
Spinalis medulla an sit medulla,& eius inuamẽtũ.de an.vi. Sp.44.E
Spinalis medulla quæ propria sit.3°.de loc.aff. 4ª.20.H
Spinalis medullæ principium vnde.ars med. Isa.63.D
Spinalis medulla cerebro continua est.3°.de alim.fac. 2ª.27.C
Spinalis medulla diuersa est a medulla aliorũ ossiũ.8°.de v.p. 1ª.166.d
Spinalis medulla est eiusdem naturæ cũ cerebro.1°.de temp. 1ª.17.H
Spinalis medulla eiusdẽ generis est cum cerebro.3°.de ali.fa. 2ª.27.C
Spinalis medulla similis est cerebro cõpacto.2°.de mot.mus. 1ª.308.H
Spinalis medullæ superabũdantia nõ est cerebrũ.8°.de vsu p. 1ª.170.B
Spinalis medulla cute humidior est,& frigidior.1°.de temp. 1ª.15.C
Spinallis medulla dependet a cerebro.ars me.Isa.63.B/de oc. 7ª.183.E
Spinalis medullæ,& neruorum principium esse cerebrum credendum est.de neruo.disse. 1ª.53.B
Spinalis medullę principium est cerebrum.1°.de vsu par. 1ª.117.B
Spinalis medulla a cerebro producitur.15°.de vsu par. 1ª.214.F
Spinalis medulla est tanquam aliud cerebrum sub collo & capite.12°. de vsu partium.196.F/ 1ª.197.F
Spinalis medulla colli principium est.16°.de vsu par. 1ª.217.C
a Spinali medulla nõ vũr differre nerui molles.1°.de m.m. 1ª.308.H
ad Spinalem medullam vbi coniungitur cerebrum fit durius, cũ inciatur molle in partibus anterioribus.9°.de vsu par. 1ª.174.F
Spinalis medullæ dissectio.8°.de ana.adm. 1ª.101.G
Spinallis medulla ẽ cõueniẽtior i loco i quo ẽ q̃ alibi.12°.d vs. 1ª.196.E
Spinalis medulla tutior ẽ i loco i quo est,q̃ alibi.12°.de vs.p. 1ª.196.D
Spinalis medulla munitur a spondilis.8°.de vsu par. 1ª.165.B
Spinalis medulla ne contunderetur quid egit natura in secunda vertebra.12°.de vsu par. 1ª.194.E
Spinalium totorũ processus q̃o considerandus.5°.de ana.ad. 1ª.89.B
Spinalis medullæ ossa habent motus vehemẽtes.13°.de vs.p. 1ª.201.b
Spinalis medulla nec maior nec minor fieri debuit.12°.de v. 1ª.197.e
Spinalis medulla est veluti truncus.1°.de vsu par. 1ª.193.D
Spinali medullæ quæ tunica est circundata.13°.de vsu par. 1ª.201.H
Spinalis medulla tegitur pelle duplici,vt cerebrum.de vt.re. S 62.G
Spinalis medullæ duplex pellis quando insletur.de vtil.resp. Sp.63.D
Spinalis medullæ mẽbranæ quã habent qualitatem.2°.de tẽ. 1ª.17.H
Spinalis medulla cur habet membranas.7°.de dec.Hip. 1ª.272.G
Spinalis medulla cur facta.12°.de vsu par. 1ª.197.D
in Spinalis medullæ ortũ meatus patens sensui est.7°.de de. 1ª.270.C
Spinalis medulla superne deorsum fertur.8°.de vsu par. 1ª.165.A
Spinalis medulla quanto magis descendit,tanto magis durescit. 9°. de vsu partium. 1ª.174.G
Spinalis medulla tm̃ durescit quãtũ a cerebro discedit.3°.d a. 2ª.27.c
Spinalis medulla paulatim fit durior.9°.de vsu par. 1ª.175.D
Spinalis medulla,cerebrũ,& musculi cõicant.1°.de mot.m. 1ª.308.H
Spinalis medulla in quibusdam habet quædam cõmunia cum cerebro, & quædam propria.13°.de vsu par. 1ª.201.G
Spinali medullæ & cerebro communia quæ.13°.de vsu par. 1ª.201.H
Spinalis medulla,& cerebrum sensum obtinent.de mul. 3ª.77.G
Spinali medullæ propria quæ.13°.de vsu par. 1ª.201.H
Spinalis medulla non pulsat.13°.de vsu par. 1ª.201.H
Spinalis medulla partes gulæ per neruos & ligamenta habet quandã societatem,& ad membranas ambientes, & ad ossa vertebrarum. com.4°.aphorismo.35°. Ex.31.F
a Spinali medulla & cerebro pprie nerui prodeũt.15°.de vs. 1ª.210.D
a Spinali medulla neruos alios oriri,alios ex cerebro ipso, dicendum est.de neruo.disse. 1ª.53.B
a Spinali medulla quidã nerui oriunt̃,qdã a cerebro.de m.m. S.66.F
Spinalis medulla est principium neruorum.1°.de vsu partium.117.B/ de ner.

de ner. diff. 1ª. 53. B/C/3°. de com. me. per ge. 5ª. 231. E
Spinalis medulla eſt principiũ neruorũ duriorũ. 9°. de vſu p. 1ª. 176. a
a Spinali medulla nerni duri plus procedunt. de ocul. 7ª. 183. G
Spinalis medullæ & cerebri medium, ubi ſcilicet ambo coniunguntur, ẽ principium neruorum mediorum. 9°. de uſu par. 1ª. 176. A
a Spinali medulla orientium neruorũ anatomia. de ana. uiuo. Sp. 53. H
a Spinali medulla nullus neruus oritur nõ cõiugatur. de ner. di. 1ª. 53. e
a Spinali medulla nerui iuſtiſſime diſtributi ſunt. 16°. de uſu. 1ª. 217. A
Spinalis medulla diuidit ĩ ꝙnquagĩta octo neruos. 12°. ꝺ v. p. 1ª. 197. e
a Spinali medulla triginta paria neruorũ ꝓcedũt, & q̃. de an. Sp. 53. H
a Spinali medulla præter triginta paria neruorum, oritur unus neruus ſine pari. de ana. viuo. Sp. 53. H
a Spinali medulla, quæ in collo eſt, orientium neruorum prima coniugatio quomodo procedat. de ner. diſſ. 1ª. 54. D
a Spinali medulla nerui quib⁹ partibus ſuggeranť. 16°. de v. 1ª. 215. E
Spinalis medulla dat neruos oĩbus ptib⁹ ſub capite. 15°. de v. 1ª. 214. F
a Spinali medulla aut cerebro peruenit neruus ad vnũquenq; muſculum. de uoce & anhelitu. Sp. 60. F
a Spinali medulla ſolum ueniunt nerui ad muſculos, qui ſunt inter coſtas. de uoce & anhel. Sp. 62. A
ex Spinali medulla non eſt natum ligamentum. 1°. de uſu p. 1ª. 117. B
Spinalis medulla & ſeptum tranſuerſum indicant bonas, & malas cerebri conſtitutiones. com. 2°. aph. 33°. Ex. 17. B
Spinalium muſculorum genus duplex. com. 7°. aph. 36°. Ex. 56. G
Spinalium muſculorum fibræ cur obliquæ. 12°. de vſu p. 1ª. 196. A
Spinales muſculi incipiũt à ſecunda ceruicis uertebra, et quod ſint. de muſ. diß. 1ª. 49. F
Spinalibus muſculis uentriculus calefit. 4°. de v. par. 1ª. 137. C
in Spinalem medullam arteriæ prorũpẽtes quæ. 16°. de v. p. 1ª. 219. D
a Spinali medulla ſumuntur robur ac uires in infernis partibus. 6°. de uſu par. 1ª. 216. F
de Spinalis medullæ affectibus. 4°. de loc. aff. 4ª. 23. E
Spinalis medullæ ſymptomata. 4°. de lo. aff. 4ª. 24. A
Spinalis medulla quando laborauerit. com. 7°. aph. 58°. Ex. 59. C
Spinalis medullæ frigidum inimicum. com. 5°. aph. 18°. Ex. 39. A
Spinalis medulla frigida eſt. com. 5°. aph. 69°. Ex. 45. D
Spinali medulla læſa quid ſequatur. 1°. de ſym. cau. 3ª. 16. D
ad Spinalis medullæ, & cerebri læſionem anginæ cõparatio. 1°. de ſympto. cau. 3ª. 16. D
Spinali medulla læſa quot partes lædantur. 1°. de ſymp. ca. 3ª. 16. D
in Spinali medulla an ſit affectus uertebræ ut ſciatur, in quibus oporteat exerceri. 1°. de loc. aff. 4ª. 7. F
Spinali medulla abſciſſa uſq; ad tertium ſpondylum quid ſequatur. de voce, & anhelitu. Sp. 62. B
Spinali medulla læſa pro parte quid ſequatur. 1°. de loc. aff. 4ª. 7. F
Spinali medulla inciſa, qđ inferius eſt amittit uires. 1°. de mot. 1ª. 309. a
Spinali medulla tota affecta in uertebra aliqua, inferiores partes omnes reſoluuntur. 1°. de loc. aff. 4ª. 7. F
Spinalis medulla qd agat, ſi ſpõdylus exciderit. 12°. de v. p. 1ª. 196. H
Spinali medulla læſa quando omnino lædetur vox, et exufflatio. de uoce, & anhelitu. Sp. 62. A
ex Spinali medulla uox animalis impedita. de mo. ma. & ob. Sp. 67. C
Spinali medulla fracta in coſtis nõ amittitur anhelitus, neq; uox. de uoce & anhelitu. Sp. 60. F
SPINALI medulla fracta curare non licet medico quomodo uertebram dirigat. de artic. com. 3°. 7ª. 273. C
Spinalis medulla ſeorſum reponenda. 11°. de ſimp. me. fa. 5ª. 79. F
Spinalis medulla non eſt pinguis. 3°. de ali. fac. 2ª. 27. C
Spinalis medulla nauſeã non prouocat, & quare. 3°. de æli. f. 2ª. 27. C
Spinalis medulla ſi probe conficiatur, non exiguum dat corpori alimẽtum. 3°. de alim. fa. 2ª. 27. C
Spinalis medulla qualis circa generationem humorum. de bon. & vit. ſuccor. 2ª. 35. H
SPINOSÆ plantæ quæ ſint. 2°. de alim. fa. 22. C/ 2ª. 23. D
Spinoſæ plantæ quæ in muria, vel acceto à ruſticis ſeruantur. 2°. de ali. facult. 2ª. 22. C
Spinoſæ plantæ parum nutriunt, & prauum gignũt ſuccum. 2°. de ali. facult. 2ª. 22. C
Spinoſarũ plantarũ tenellarũ uſus in cibo qualis. 2°. de ali. fa. 2ª. 23. D
Spinoſæ olera ſtomachum mediocriter iuuant. 2°. de alim. fac. 2ª. 23. D
SPIRAMENTORVM tenuium ſymmetriã in affectibus intelligens ex utraq; parte duo immodica, quæ inter ſe ſint cõtraria inueniet. 11°. meth. med. 7ª. 71. A
SPIRANDI facilitas magnam habet uim ad ſalutem in omnibus morbis acu. com. 2°. aph. 23°. Ex. 15. E
Spirandi difficultas, quæ aſthma dicitur ab Hippocrate, qualis ſit. cõ. 6°. aph. 46°. Ex. 51. H
Spirandi difficultas a cerebro qualis ſit. & qũo. c. 4°. a. 50°. Ex. 33. C
Spirandi difficultas nulla oritur a corde. 5°. de loc. aff. 4ª. 29. F
Spirandi difficultas, & delirium fiunt ſepto tranſuerſo affecto. 10°. methodi medendi. 7ª. 64. G
Spirandi difficultas a partibus reſpirationi ſeruientibus qualis. comm. 4°. aph. 50°. Ex. 33. C
Spirandi difficultas in febre cõtinua lætalis. c. 4° aph. 50°. Ex. 33. C
Spirandi difficultate, vel ingenti dolore ægrum occupãte, ſi nihil expuit, letale ſignum eſt. de tot. morb. tem. 3ª. 89. G
Spirandi difficultas eſt ſignum indicatiũ criſis. 1°. de criſi. 4ª. 128. E
Spirandi difficultatem facit refrigerans medicamẽtum præcordijs impoſitum. 10°. meth. med. 7ª. 65. C
Spirandi difficultas uictu attenuante ſanata eſt. de atten. vic. 2ª. 43. G
Spirãdi ptes; ſi ex capite ægrotẽt, qũo curandæ. 6°. de ſa. tu. 2ª. 100. A
in Spirandi difficultate ſecantur iugulares. de ana. viuo. Sp. 55. A
Spirandi difficultati cõuenit centauriũ maius. 7°. de ſim. m. fa. 5ª. 50. f
ad Spirandum aerem ꝓ conferat thorax. 5° de loc. aff. 4ª. 29. A
inter Spirandũ thoracẽ totũ mouere, qd ſignet. 4°. de loc. aff. 4ª. 24. G
SPIRANS difficulter, quomodo examinandus, & quæ in eo conſideranda. 4°. de loc. aff. 4ª. 26. G
ad Spirantes ægre. 7°. de comp. me. ſe. lo. 182. C/G/ 5ª. 187. A
Spirantes difficulter lienoſos iuuant fructus & folia uolucri maioris. 8°. de ſimp. med. fa. 5ª. 58. H
ad Spirantes difficulter ſanguis noctuæ. 10°. de ſimp. med fa. 5ª. 73. A
Spirãtib⁹ ægre, et difficulter ꝓdeſt theriaca. de vſu ther. ad P. 5ª. 98. H
Spirantis difficulter ex calcitro equi caſus. 4°. de loc. aff. 4ª. 25. B
ad Spirantes recta cervice. de med. fac. par. 7ª. 165. F
SPIRATIO a uita, & uita a ſpiratione ſeparari non poſſunt. 6°. de lo. affectis. 4ª. 39. E
ſine Spiratione animal uiuere non poteſt. 4°. de lo. aff. 4ª. 27. D
abſq; Spiratione cur aliquis perduret. de util. reſp. Sp. 64. B
Spiratio poteſt effingere ſenſum, ſed non abeſſe. 6°. de loc. aff. 4ª. 39. F
Spirationis maximus uſus qui. 6°. de loc. aff. 4ª. 39. F
Spiratione ſeruata, & in facie non reſolutus, in alijs uero partibus reſolutus uiſus quidam fuit a Galeno. 3°. de loc. aff. 4ª. 21. B
Spiratio non eſt a corde. 2°. de decr. Hipp. 1ª. 237. B
Spirationis Ablatio ob uterum qui nã affectus ab aliquibus uocetur. 6°. de loc. affect. 4ª. 39. D
Spiratio quo modo aboletur. 8°. de an. admi. 1ª. 100. D
Spirationem qua uertebra læſa. amittat animal. 8°. de an. a. 1ª. 103. A
Spiratio non amittitur corde detecto, & compreſsio. 2°. de dec. Hippocrat. 1ª. 236. H
Spiratio Brevis iuxta actionẽ, & quietẽ brevis eſt. 2°. de diff. 3ª. 64. D
Spiratio Crebra quid ſignificet. in prog. com. 1°. 4ª. 194. H
Spiratio Delirij ex ſepto qualis. 5°. de lo. aff. 4ª. 31. H
Spiratio Denſa quo modo fiat a corde. 5°. de lo. aff. 4ª. 29. F
Spiratio Difficilis accidit thorace etiã nõ affecto. 3°. de lo. aff. 4ª. 13. E
Spiratio difficilis ſequitur ad hepar inflammatum, & ad ſplenem inflãmatum, & ad peritonæum. 2°. de diff. reſp. 3ª. 65. G
Spirationem habent difficilem ægri propter iudicationem. comm. 4°. aph. 70°. Ex. 35. B
Spiratio difficilis malum eſt ſignum. com. 2°. aph. 27°. Ex. 16. C
Spiratio Exigua quomodo fiat a corde. 5°. de lo. aff. 4ª. 29. F
Spiratio Facilis quid ſignificet. in prog. com. 1°. 4ª. 194. H
Spiratio frigida quid ſignificet. in progn. com. 1°. 4ª. 194. H
Spiratio ob virĩ ĩbecillitatẽ qũo differat a magna. 4°. de l. af. 4ª. 27. B
Spiratio impedita ſignificat læſionem in cerebro. 3°. de loc. af. 4ª. 20. B
Spiratio quæ contingat quando calor & anguſtia eſt in ſpiritalibus inſtrumentis. 4°. de lo. aff. 4ª. 26. H
Spirationis inſtrumentum ſeptum tranſuerſum eſt. 5°. de lo. a. 4ª. 31. F
Spirationẽ ſolum facit ſeptum tranſuerſum. 4°. de loc. affe. 4ª. 23. H
in Spiratione ſi omnes muſculi mouentur, quid ſequatur. 4°. de loc. affectis. 4ª. 26. G
Spirationis Interceptio unde. 4°. de lo. aff. 4ª. 27. D
Spirationẽ quæ partes affectæ lædant. in prog. Hipp. com. 1°. 4ª. 195. a
Spiratione Longa ſanatur oſcitatio continua. 3°. de diff. reſp. 3ª. 74. A
Spiratio magna & tarda quid ſignificet. in prog. Hip. cõ. 1°. 4ª. 194. H

Spiratio magna quo modo fiat a corde. 5°.*de loc.aff.* 4ª.29.F
Spiratio Naturalis, ideſt facilis.in prog.Hip.com. 1°. 4ª.195.A
ex Spirationis Noxa quo modo cognoſcitur magnitudo affectionis in Apoplexia. 3°.*de loc.aff.* 4ª.21.A
Spiratio parua & rara non eſt alia a frigida. 3°.*de diff.reſp.* 3ª.72.b
Spiratio quæ in Peripneumonia. 4°.*de lo.af.* 4ª.26.H
Spiratio Peßima quæ. 3°.*de lo.af.* 4ª.21.B
Spiratio Phreniticorum qualis. 5°.*de loc.af.* 4ª.31.H
Spiratio ægra cur in Pleuritide fiat.de conſt.ar. Ifa.40.E
Spiratio Prægnantium quæ. 6°.*de lo.aff.* 4ª.40.E
Spiratio cur impediatur in Præfocatis. 6°.*de loc.af.* 4ª.41.A
Spiratione cur priuatur animal in præfocatione. 6°.*de lo.af.* 4ª.40 D
Spiratioue non Priuaretur animal corde detecto & manu apprehenſo. 2°.*de decr.Hipp.* 1ª.236.H
Spiratio quibus Pulmonis affectibus impediatur. 4°.*de loc.a.* 4ª.27.f
Spiratio Rara quomodo fiat à corde. 5°.*de lo.af.* 4ª.29.F
Spiratio in Sano a quo fiat, & in ægro. 4°.*de lo.af.* 4ª.24.H
Spiratio Sublimis quæ uocetur a Galeno. 4°.*de lo.aff.* 4ª.27.B
Spiratione Vehementiſſima quando indigemus, quid concurrat. 4°.*de lo.af.* 4ª.23.H
Spiratio quæ fiat pleno ventriculo. 6°.*de lo.af.* 4ª.40.E
Spiratione cur pinnæ narium dilatantur. 4°.*de lo.af.* 4ª.25.A
SPIRITALES *quid.introd.* Ifa.54.A
SPIRITVALI *aere & terreſtri grauitate admiſta medicamenta purgant uentrem ſuperiorem & inferiorem.de cathar.* Sp.94.F
Spiritualis ſpiritus quando fiat, & ad quem finem.de an.ui. Sp.52.A
Spiritualis ſpũs intendit ad generationem cerebri.de an.uiu. Sp.52.D
Spirituales uenæ cerebri.de nat.& ord.cuiusl.corp. Sp.41.G
in Spiritualem uitam mutatur ſpiritus a corde.de ſper. Sp.37.F
Spiritualis canalis, & pneumaticus idem.de comp.mem. Sp.58.F
Spiritualis canalis qui, & qualis, & quo ſe habet.de cõp.mẽ. Sp.58.f
Spũalis canalis in pulmone in duos diuiditur canales. de cõ.m. Sp.58.f
Spiritualẽ canalem aperit lingua quãdo loquimur, claudit quando mãducamus.de nat.& ord.cuiusl.cor. Sp.41.H
Spiritualis ſubſtantia, quam habent arteriæ, facit ad animalem ſpiritũ generandum. 4°.*de diff.pul.* 4ª.65.E
in Spiritualibus inſtrumentis quando calor & anguſtia, quæ ſymptomata contingant, & quæ ſpiratio. 4°.*de loc.af.* 4ª.26.H
Spũaliũ inſtrumẽtorũ anguſtia quo deprehẽdat. 4°.*de lo.af.* 4ª.26.H
ex Spiritualium inæquali intẽperie, cur tuſſis fiat. 2°.*de ſy.c.* 3ª.21.H
Spiritualium inſtrumentorum ulcerationum oſtendit ephelcis tuſſiẽdo eiecta. 1°.*de lo.af.* 4ª.2.F
ex Spiritualibus partibus tuſſi eijcitur ſanguis. 4°.*de lo.af.* 4ª.25.F
ſupra Spiritualia ſignificant ſputa. 1°.*de criſi.* 4ª.128.A
ex Spiritualibus nihil ſine tuſſi expuitur. 4°.*de lo.af.* 4ª.25.H
Spiritualium membrorũ principaliſſimũ eſt cor.de cõp.mẽb. Sp.58.G
a Spiritualibus diuidit nutritiua diaphragma.de ana.uiuo. Sp.55.F
SPIRITVOSI *qui ſint.de uict.ra.in mor.ac.com.* 4°. 7ª.151.A
Spirituoſi qui moriuntur.de uict.ra.in mor.ac.com. 4°. 7ª.141.H
Spirituoſis non eſt medicamentum exhibendum.de uict.rat.in mor.ac.com. 4°. 7ª.150.F
Spirituoſus humor facit excrementa ſpumoſa, & quomodo. comm. 7°. *aph.* 30°. Ex.56.A
ex Spirituoſis inſtrumentis accipitur ſanguis in imperfectis animalibus, & fœtibus. 8°.*de uſu par.* 1ª.156.E
SPIRITVS *eſt quid leuiſſimũ & tenuißimum omniũ quæ ſunt in corpore humano.* 3°.*de nat.fac.* 1ª.307.F
Spiritus quid ſignificet.in 1ᵐ.*de morbis uulgaribus, com.* 3°. 3ª.118.C/*in progn.comm.* 1°.4ª.194.H/*de uict.rat.in morbis acutis, comment.* 4°. 7ª.139.B
Spiritus quid quandoq; ſignificet. 3°.*de diff.reſp.* 3ª.75.F
Spiritus quid ſint.de uti.reſp. Sp.63.D
Spũs primus ĩ mũdo ẽ, qui multis noĩbus uocatur.an aẽal ſit. 1ª.327.A
Spiritus toti mundo infuſus Deus eſt.de hiſt.phil. Sp.4.G
Spiritus eſt aer.de dy. Sp.19.D
Spiritus uocaẽ aer in nobis, & eſt uocis materia.de uoc.inſtr. 1ª.106.d
Spiritus, & aer idem. 1°.*de dif.feb.* 3ª.31.B
Spiritui quædam aeris qualitas eſt familiaris & amica quædam contraria. 7°.*de uſu par.* 1ª.159.B
Spiritus qui.fin.med. Ifa.43.G
Spũ craßior; & ſanguine tenuior ſanies eſt.de tum.præt.nat. 3ª.83.A
Spiritus ubi eſt, alter ſpiritus ingredi nõ poteſt.de inſt.odor. 1ª.111.B
Spiritus principia quæ. 2°.*de decr.Hip.* 1ª.240.F
Spiritus elemẽta ſunt calidũ, & frigidum. 5°.*de decr.Hipp.* 1ª.255.b
Spiritus habet duo elementa. 5°.*de decr.Hipp.* 1ª.255.H
Spiritus elementa ſunt aer, & ignis. 5°.*de decr.Hip.* 1ª.255.H
Spiritus tres quando fiant, & ad quem finem.de ana.uiuo. Sp.51.H
Spirituum minera ubi ſit.de ana.uiuo. Sp.52.G
Spiritus duplex.intr. Ifa.55.B
Spiritus duo, animalis, & naturalis.intr. Ifa.52.F
Spirituum ſitus.introd. Ifa.55.B
SPIRITVS *animalis nomenclatura & potentia ubi diſcenda.* 3°.*de locis affect.* 4ª.17.H
Spũs animalis qui.de util.reſp. 1ª.225.G/1°.*de præſ.ex pul.* 4ª.104.e
Spũs animalis eſt exhalatio ſanguinis benigni. 6°.*de uſu p.* 1ª.155.C
Spũs animalis multũ diſcrepat ab alijs ſpiritibus. 16°.*de v.p.* 1ª.219.c
Spiritꝰ animalis ubi oriatur. 2°.*de dec.Hip.* 1ª.240.F/*de oc.* 7ª.183.g
Spiritus in cerebro eſt animalis. 7°.*de decr.Hippo.* 1ª.269.D/*de uir.noſt.corp.diſpenſ.* Sp.50.B
Spiritus animalis fons, eſt cerebrum. 12°.*meth.med.* 7ª.77.B
Spiritus animalis quomodo conficiatur. 8°.*de uſu par.* 1ª.168.D
Spiritus animalis, ex qua materia fiat. 7°.*de decr.Hip.* 1ª.269.E
Spiritus animalis generatio habet ſpiritum uitalem propriã materiã. 9°.*de uſu par.* 1ª.172.E
Spũs aĩalis ex uitali elaborato habet generationẽ.de uir.cor. Sp.60.c
Spũs aĩalis a qbus uenis & arterijs nutriatur. 6°.*de v.p.* 1ª.219.C
Spũs animalis fit ex aere & arterijs attracto. 8°.*de dec.Hip.* 1ª.278.c
Spiritus animalis qualitatis proprietatem ex ſui ipſius coctione adipiſcitur. 9°.*de uſu par.* 1ª.172.F
Spiritus tractus in aſperas arterias primo in carne pulmonis conficitur, deinde in corde & arterijs, poſtea in rete mirabili, demum in uentriculis cerebri. 7°.*de uſu par.* 1ª.159.C
Spũs belle conficitur in rete mirabili, & quo. 9°.*de uſu par.* 1ª.172.G
Spiritus in capite retinẽtur a plexu arteriarũ retiformi, qui adeſt ſubdura meninge. 4°.*de uſu par.* 1ª.139.C
Spiritus præparatio & rectificatio, antequam cor ingrediatur, fit in pulmone.de ana.uiuo. Sp.47.C
ex Spiritu elaborato quicquid maxime neceſſarium eſt, ad ſiniſtrũ cordis uentriculum defertur.introd. Ifa.54.B
Spiritus receptaculum cur pulmo dicatur.de util.reſp. Sp.64.B
Spiritus per quã arteriã attrahitur in pulmonẽ. 8°.*de v.p.* 1ª.165.A
Spiritus animalis unde oritur & nutritur. 12°.*meth.med.* 7ª.77.B
Spũs animalis per totum cerebrum continetur. 1°.*de uſu pa.* 1ª.170.C
Spiritus in cerebri uentriculis oritur. 7°.*de dec.Hip.* 1ª.269.D
Spiritu animali pleni ſunt uentriculi cerebri.de uſu pul. 1ª.227.H
Spiritus fit exacte animalis in uẽtriculis cerebri. 7°.*de uſu p.* 1ª.159.c
Spiritus eſt in cerebro qui omnes operationes facit. 3°.*de l.a.* 4ª.17.b
Spiritus eſt principalis facultas.de hiſt.phil. Sp.3.D
Spiritus animalis eſt primũ animæ inſtrumẽtum. 7°.*de dec.* 1ª.269.E/4°.*de loc.aff.* 4ª.23.A
Spiritus eſt primum inſtrumentum animæ. in 6ᵐ.*de morb.uulgar.commen.* 5°. 3ª.189 G
Spiritus qui in cerebri uentriculis eſt primum animæ domicilĩũ, ſi aĩa eſt incorporea, uideri poſſet, nõ eſt tñ, et quare. 7°.*de dec.* 1ª.269.C
Spiritus qui in uentriculis cerebri eſt uel animæ ſubſtantia, uel primũ organum.de util.reſp. 1ª.226.D
Spiritus ſubſtantia eſt aĩæ ſecundum aliquos. 2°.*de dec.Hip.* 1ª.240.H
Spiritus dicitur anima a quibuſdam.de mot.man.& obſc. Sp.97.G
Spiritus idem quod anima.de ſper. Sp.37.G
Spũm eẽ aĩam & naturã uolũt ſtoici, & quomodo.q ani.mo. 1ª.318.E
Spiritus ipſe vr eſſe aĩa, ſi aĩa corporea ſit. 7°.*de decr.Hip.* 1ª.269.C
Spiritus animalis multitudini non uidetur potius tribuenda bonitas, et perfectio intellectus quam quantitati, & bonæ temperiei. 8°. *de uſu par.* 1ª.170.C
Spiritus eſt corporeus ſecundum plures.de ſper. Sp.37.G
Spiritus tranſit per omnia organa animæ.de util.reſp. 1ª.226.A
Spiritus nuritur anima.an animal ſit. 1ª.327.D
Spiritus animalis quomodo ſit in omni parte. 5°.*de ſim.m.f.* 5ª.34.A
Spiritus animalis qũo penetret ad membra.de ocul. 7ª.184.F
Spiritus it per collum. 11°.*de uſu par.* 1ª.186.B
Spiritus eſt per ſe mobile animalis principium. 1°.*de ſem.* 1ª.331.D
Spiritus inſtrumenta quæ. 5°.*de ana.admi.* 1ª.94.A
Spũs inſtrumẽtũ eſt diuerſũ ab inſtrumẽto ſanguinis. 6°.*& v.* 1ª.154.H
Spiritus nutrimentum quid nam.de ſper. Sp.37.F

Spiritus animalis nutritur,& ex quo nutriatur, & per quem locum. de util.resp. 1ª.225.G
Spiritus animalis alimentum,quod.de vsu pul. 1ª.228.A
ad Spiritus nutrimentum est aer.de ana.viuo. Sp.47.F
Spiritus animalis an nutriatur a respiratione.de vtil.resp. 1ª.225.G
Spiritus aãalis nutritur ex inspiratione per nares.de uti.re. 1ª.226.A
Spũs p os,& nares foriores emittũt uiri q̃ fœminæ. de sper. Sp.36.D
Spiritus superius per nares ingeditur i corpus.17°.de v.p. 1ª.222.B
Spiritus per nares ad cerebrum attrahitur.de vsu pul. 1ª.227.G
Spiritus per nares,& os,partim ad cerebrum, partim ad cor accedit. de cau.resp. 1ª.226.H
Spũs aãalis nutritio,est ex pulsu,& respiratione.de v.pul. 1ª.228.D
Spũs aãalis nutritio est secũda vtilitas respirationis.de vti. 1ª.226.E
Spũs aãalis ĩdiget sãguinis euaporatiõe ad nutritionẽ.de uti. 1ª.226.B
Spiritus animalis imbecillitates cerebri ingentem intemperiem comitantur.4°.de præs.ex pul. 4ª.121.G
Spiritus animalis consumitur in motu uoluntario.de v.p. 1ª.227.H
a Spiritu neruus mouetur,a neruo autem musculus, & a musculo tibia.de multitudine. 3ª.78.A
Spiritus animalis si euacuetur,qd sequatur.7°.de dec.Hip. 1ª.269.E
Spũs animalis qualis in oculo,& qualis esse debet.1°.de sy.c. 3ª.15.C
Spũs multus aãalis in oculo ætbercus quid faciat.1°.de sym.c. 3ª.15.C
Spiritus paucus purus quid faciat.1°.de sym.cau. 3ª.15.C
Spũs humidus multus in oculo quẽ faciat uisum.1°.de sy.ca. 3ª.15.C
Spiritus lucidus per neruos oculorũ trãsmeat.7°.de de.Hip. 1ª.269.H
Spiritus oculorum fulgidus est.7°.de dec.Hip. 1ª.272.E
Spiritum splendidam a cerebro defluentem habet uisus instrumentũ. 16°.de vsu par. 1ª.215.D
Spiritus animalis luminosus a cerebro ad oculum proficiscitur. in 6m. de mor.vul.com.4°. 3ª.187.B
Spiritus quo modo à cerebro ad oculum eant.1°.de sym.cau. 3ª.14.D
Spiritus animalis copia in oculo maior cõtinetur, quàm in alio instrumento.7°.de decr.Hipp. 1ª.270.H
Spiritus quid faciant in oculo.10°.de usu par. 1ª.180.F
Spiritus quidam adest in neruis.7°.de decr.Hip. 1ª.269.G
Spiritum capientes uenulas habet neruus.de vtil.resp. Sp.63.C
Spiritus,& sanguinis receptacula sunt vena,neruus,& pellis. de vtilitate respir. Sp.63.C
Spiritus receptaculum est arteria.de ven sect.adu.Eras. 6ª.5.G
Spũs,auditus & visus sunt partes oculi & auriũ.5°.de dec. 1ª.255.G
Spiritus visorius: ut possit splẽdẽs,sibi medium assimilat crystalloeidis, & pupillæ humorem tenuem,ac mundũ.in prog.com.1°. 4ª.194.E
Spiritus uisuus unde nascatur.de ocul. 7ª.184.E
Spiritus substantialiter transeunt per oculos.de ocul. 7ª.184.F
Spiritus uisui iunguntur oculo.de ocul. 7ª.184.G
Spiritus uisuus per quas partes tendat.de ana.ocul. Sp.57.D
Spiritus qui ad oculos fertur cum aere ambiente imitur primo incursu.7°.de dec.Hip. 1ª.70.C
Spiritus uisibilis lumen aerem mutat in instanti.de ocul. 7ª.185.C
Spiritus uisuus gaudet colore cyaneo.de ana.ocul. Sp.57.E
Spiritum cominet pupilla.10°.de vsu par. 1ª.179.D
Spiritus uisui accidentia.de ocul. 7ª.186.E
Spũs animalis præstat auribus uirtutẽ audiẽdi.de com.mem. Sp.58.B
Spiritus odorabilis unde feratur.de comp.memb. Sp.58.C
SPIRITVS *duplex natiuus uel uitalis, & aereus, uel materialis. 4°.de dig.pul.* 4ª.84.E
Spiritus cordis uitalis dicitur.de virt.nost.corp.dispen. Sp.60.B
Spiritus uitalis ubi oriatur.2°.de dec.Hip. 1ª.240.F
Spiritus uitalis ubi sit.de ocul.7ª.183.H/de ana.uiuo. Sp.56.C
Spiritus uitalis ex qua materia fiat.7°.de decr.Hip. 1ª.269.E
Spiritus uitalis intendit ad generationem cordis.de ana.uiu. Sp.52.A
ad Spũm,et calorẽ cõparat cor,ut ad ignẽ fornax.de ana.vi. Sp.46.D
Spiritus in arteriis uitalis est.7°.de decr.Hip. 1ª.269.D
Spiritus uitalis in corde,& in arteriis gignitur.7°.de decr. 1ª.269.D
Spiritus uitalis in corde & arteriis.12°.meth.med. 7ª.77.C
Spiritus uitalis in arteriis,& corde generatur, & habet materiã gnationis inspiratione,& humorũ uapore.de uir.nos.corp.disp. Sp.60.C
Spiritus in qua parte cordis generetur.de ana.uiuo. Sp.52.G
Spũs copiosior est in sinistro cordis uentriculo. 9°.de usu pa. 1ª.154.B
Spiritus euacuato sinistro cordis uentriculo animal moritur. an sang. in art. 1ª.61.B
Spiritus qui contineatur in arteriis.4°.de dign.pul. 4ª.84.G
Spũs nõ sunt solũ in arterijs,ut Erasistratei putarũt.6°.de l.a. 4ª.39.C
Spũm arteriarũ altera introducit,altera educit. 6°.de dec. 1ª.263.D
Spiritus in arteriis quo modo clarificetur.de sper. Sp.37.G
Spiritus alimentum est sanguis arteriarum.6°.de v.par. 1ª.155.C
Spiritus a quibus arteriis effluat,et a quibus nõ.9°.de v.p. 1ª.172.G
Spiritus a corde mutatur in calorem naturalem, & in spiritualem uitam.de sperm. Sp.37.E
Spiritus duo quo modo a cordis amantis exeãt.de cõp.memb. Sp.59.C
a Spiritu in tumorem attollitur priapus.6°.de lo.aff. 4ª.41.H
Spiritu uitali semen plenum est.1°.de sem. 1ª.330.E
Spiritus & sanguis ad spermatis generationem ubi, & eius usus. 9°. de vsu par. 1ª.172.F
Spiritus miscetur cum semine.com.5°.aph.63°. Ex.44.C
Spiritus in semine qualis.1°.de sem. 1ª.331.D
Spiritus excretio est semen.in 6m.de mor.uul.com.3°. 3ª.172.A
Spiritus qui conuertit semen in carnem.de sper. Sp.36.B
Spiritus duplex in matrice,& unde de sper. Sp.36.B
Spiritus exterior matricis non sinit interiorem exire.de sper. Sp.36.B
Spiritus per orificia attrahitur a semine,& qũ.1°.de sem. 1ª.330.G
Spũs p quæ coquatur in muliere i utero,et ubi sit.12°.de v.p. 1ª.207.G
in Spũm abire semẽ in uuluis affirmat Aristoteles.1°.de se. 1ª.329.F
in Spũm si genitura difflatur,cur uter⁹ nõ ĩtumescit.1°.de se. 1ª.329.F
cum Spiritu quodam recipitur in matrice uiri semen muliebri associatum.de sper. Sp.36.B
Spiritus in semine est: vt motus principium.14°.de vsu p. 1ª.204.F
Spiritus raritas,& spissitudo humoris sunt causæ in uiris sterilitatis, (lege Galenum improbantem.) com.5°.aph.63°. Ex.44.D
Spiritus spermatici tres uirtutes.de sper. Sp.37.F
Spiritus ex arterij attrahitur a fœtu,dum augetur.1°.de se. 1ª.330.H
Spiritus unde trahatur a fœtu.1°.de sem. 1ª.331.C
Spiritus qui oritur a corde quorsum tendat.de sper. Sp.37.F
Spiritus per quas uias a corde in totum transmittatur corpus. de cõ. memb. Sp.58.G
Spiritu & sanguine attracto cibatur cor.de ana.viuo. Sp.56.D
Spũ nihil familiarius ad cordis refrigerationẽ. 6°.de vsu p. 1ª.154.A
Spiritum attrahit cor a pulmone.de vtil.resp. Sp.64.D
Spiritus attractus ubi excoquatur.de comp.memb. Sp.58.F
Spũm et humores attrahit ac expellit actio pulmõis.5°.de l.a. 4ª.30.F
Spiritus aliquid ex pulmone in thoracẽ pmeat.8°.de ana.ad. 1ª.103.E
Spiritus aliquid è pulmone in amplam thoracis capacitatem pertranfit.8°.de ana.admi. 1ª.103.F
Spũs p vulnus exiẽs signãt thoracẽ esse uulneratũ.1°.de lo.a. 4ª.2.E
Spiritu arteriæ non implentur a corde.an san.in ar.nat.cont. 1ª.62.D
Spũs trahitur in arterias & a corde & vñquaq;.an sang.in ar. 1ª.62.F
Spiritus nõ fertur per arterias tanq̃ per canales lapideos. an sang. in ar.nat.cont. 1ª.62.F
Spiritu a corde allato,non eget cerebrum.de util.resp. 1ª.226.A
Spiritus uitalis nutritur in spirãdo,et ex sanguine.12°.me.m. 7ª.77.C
Spũs naturalis intendit ad gnationem hepatis.de ana.viuo. Sp.52.A
Spiritus naturalis si est in iecore,& in uenis est.12°.met.me. 7ª.77.C
Spiritus adsunt in uenis.fin.med. Isa.43.G
Spiritus natiuus est calor innatus.5°.de sim.me.fa. 5ª.33.H
Spiritus innatus primum instrumentum animæ est, si non est animæ essentia.5°.de sim.me.fa. 5ª.34.A
Spũs intus seruãdus,qñ aliqd cõcoquẽdus.5°.de sim.me.fac. 5ª.34.A
Spiritus innatus secundum Aristotelem causa roboris membrorũ est. 1°.de sem. 1ª.335.G
Spiritus,& sanguis concurrunt in omni naturali motione. de ren. affec.dign.& med. 7ª.192.H
in Spũ et sanguine habitare calorẽ naturalẽ(collige a Galeno) ubi inqt spũs & sanguis atq; caloris qui in eis.com.2°.aph.1°. Ex.11.B
Spiritus,& sanguis sunt duo instrumẽta,quibus natura utitur cum expellit ea,quæ infestant.com.5°.aph.53°. Ex.42.D
Spiritus & sanguis illuc tendunt quo natura expellit uiolenter, vnde fiunt inflammationes.com.5°.aph.53°. Ex.42.E
Spiritus multi exeunt tum excrementis puris, vnde periclitãtur qui uniuersim euacuantur.com.6°.aph.27°. Ex.48.H
Spiritus ob duo patitur.de util.resp. 1ª.226.D
Spiritus substantia extenuata quid faciat.12°meth.med. 7ª.77.D
Spirituum substantia ex raritate digeritur.12°.meth.med. 7ª.77.E
Spiritus substantia uariatur.11°.meth.med. 7ª.68.B
Spiritus uitalis excretus facit exolutionem, & animi defectionem. cõment.7°.

ment.7°.aph.8°. Ex.54.E
Spiritu omni emisso,animalia nõ possunt uiuere.an.sang.in ar. 1ª.60.f
Spiritu uitali omnes animalis partes qñ priuantur.1°.de se. 1ª.335.D
ob Spiritus læsos cur mors sequatur.de util.resp. 1ª.226.D
Spiritus substantia in morbis qũo custodienda.12°.mett.me. 7ª.77.B
Spiritus quo modo custodiatur.11°.meth.med. 7ª.69.E
Spiritus difflationes per omne corpus uocantur secundum aliquos eru ctationes.in 6m.de mor.vul.com.2°. 3ª.166.D
SPIRITVS pro respiratione sumitur ab Hippocrate. in 6m. de morb. vul.com.4°. 3ª.179.H
Spiritus uocatur quandoque tota respiratio. de uict.rat.in mor. acu. com.1°. 7ª.113.G
Spiritus attractio,an respirationis actio sit.de usu pul. 1ª.229.B
Spiritu suo mures ad se trahit serpens.de cathar. Sp.94.H
Spiritus protensi qui sunt.de uict.ra.in mor.ac.com.4°. 7ª.137.D
Spiritus organa sunt musculi pectoris.de sper. Sp.36.G
in Spiritu trahendo dilatantur os, & nares secundum aliquos. de vsu pul. 1ª.228.D
in Spũ trahẽdo dilatãtur fauces pulmones et pectus.de v.p.1ª.228.d
Spiritum receptum quæ præcedit quies,qualis. de vsu p. 1ª.228.F
ad Spiritus prolationẽ & Tussim.7°.de compo.med.sec.loc.5ª.182.B
Spiritum quomodo non recipiat guttur.3°.de loc.aff. 4ª.14.G
Spiritꝰ uiæ obserãtur,si tabidus nõ possit expuere.c.7°.a.16°.Ex.55.b
Spũm acutũ q̃ exercitia & gymnasia reddãt.9°.de c.m.s.l. 5ª.199.C
Spiritum acutum splenicis quæ exercitia gymnasia faciunt. 9°.de com po.med.se.lo. 5ª.199.F
Spiritus per utranq; narem æqualis, significat conuulsionem. de uict. ra.in mor.acu.com.4°. 7ª.141.G
in Spiritu Alteratio quomodo fiat.12°.meth.med. 7ª.77.C
Spiritus est promptus ad alterandum,& cur.de inæq.intemp.3ª.43.b
Spiritus in Angina qualis.4°.de lo.aff. 4ª.25.A
Spiritus in angina qui.3°.de diff.resp. 3ª.72.E
Spiritus quo modo habeatur in apoplexia in sopore,comitiali,& cata lepsi.4°.de loc.aff. 4ª.27.E
Spiritum quomodo habent Asthmatici,& orthopnęici. in 3m. de mor. uulg.com.2°. 3ª.136.C
Spiritus Breuis qui.in 3m.de morb.vul.com.3°. 3ª.148.H
Spiritus calidus quando sit.4°.de loc.aff. 4ª.26.H
Spiritus calidior quid faciat.de util.resp. 1ª.226.A
Spiritus Catalepsis,id est cohibitio quomodo fiat.q̃ ani.mor.1ª.316.D
Spũs Cohibitio,nõ exigua portio est apotherapiæ.3°.de sa.tu. 2ª.77.B
Spiritus cohibitio ad apotherapiam idonea.3°.de sa.tuen. 2ª.77.D
Spiritus cohibitio quo modo fiat.3°.de sa.tuen. 2ª.77.B
Spiritus cohibitio quãdo fiat & quot modis.de uoc.instr.dif.1ª.107.g
Spiritus quo modo cohibetur.7°.de usu par. 1ª.160.H
Spiritus cohibet,facta tensione musculorum costis insidentium,& ab domini.3°.de sa.tuen. 2ª.77.C
Spiritus cohibitionem interponunt inter ipsam exercitationem optimi gymnastæ.3°.de sa.tuen. 2ª.77.E
Spiritus cohibitio,exercitatio est musculorum in abdomine,& thora ce.2°.de sa.tuen. 2ª.75.C
Spiritus cohibetur fascicula circa collũ.2°.de com.me.se.l. 5ª.138.A
Spiritus cohibitio ad quid ualet.3°.de sa.tuen. 2ª.77.E
Spiritus cohibitionem caput opplere ex dictis Galeni reprehendi põt ut dixit Asclepiades.3°.de sa.tuen. 2ª.77.G
Spiritus cohibitio quomodo auget calorem in spiritualibus, & tussim sedat.2°.de symp.cau. 3ª.21.H
Spiritum & effluuiam cohibet somnus,& humectat. de uict.in morb. ac.com.2°. 7ª.125.B
Spiritus Corruptio quo modo fiat.12°.meth.med. 7ª.77.C
Spiritus in Cerebro corruptus,mortem inducit. in 6m.de morb.uulg. comm.5°. 3ª.189.H
Spiritus Crassus in quibus partibus contineri possit. 2°.de art.cur.ad Glauconem. 7ª.104.F
Spiritus Creber phlegmonem in partibus supra septum significat. in 6m.de mor.uul.com.2°. 3ª.162.D
Spiritus crudi flatuosiq; copia,dolorem facit.4°.de lo.af. 4ª.27.D
a Spirituum crudorum crassitie dolores curat aristolochia rotunda. 6°.de sim.me.fac. 5ª.43.E
Spiritus Currentium qualis.in 6m.de morb.uul.com.2°. 3ª.136.B
Spiritus hoïs Delirantis,& nondũ delirãtis,qualis.5°.de lo.a.4ª.31.F
Spiritus proprij delirij non tũ inseparabiles,quales.2°.de diff.3ª.64.e.
Spũs Densus,& frequẽs qui sit.de uic.rat.in mor.ac.cõ.1°.7ª.214.D
Spiritus densus,& paruus quibus sit.3°.de diff.resp. 3ª.71.C
Spiritus densus & paruus sit his,quibus uenter inflammatus est, et ma gis si os,& stomachus eius,& quibus pellicula aliqua, aut muscu lus circa præcordia,aut ipsum,septum transuersum, & intestinũ aliquod gracile.2°.de diff.feb. 3ª.65.H
Spiritus densus cur fiat.1°.de diff.resp. 3ª.59.B
Spiritus longa Detentione sanatur singultus.3°.de diff.feb. 3ª.74.A
per Spiritus dentionem purgatio.3°.de diff.resp. 3ª.74.B
Spiritus difficultatem q̃ partes possint facere.de op.sect. Isa.22.F
ad Spiritus difficultatem a stomacho.de med.fac.par. 7ª.171.G
ad Spiritus Difficultatem.de med.fac.par.165.F 7ª.173.G/H
Spiritus in Diphnea qualis.4°.de lo.af. 4ª.25.A
Spiritus Doloris inflammationis quid.in prog.Hip.com.1°. 4ª.194.H
Spiritus Erumpens prohibet alui humiditatem his,si quibus ilia suspẽ sa obmurmurãtia sunt lũborũ dolor supueniat.c.4°.a.70°.Ex.35.b
Spiritus uelox forax expulso propria est in totius simul spiritus efflatu.3°.de sa.tuen. 2ª.77.C/D
Spiritus citatiorem motũ perficit Exercitatio.2°.de sa.tuen. 2ª.69.F
Spiritus ut facile ducãt,facit aceũ scillinum.de me.fa.par. 7ª.178.C
Spũm facilem reddit balneum,de uict.ra.in mor.ac.com.3°.7ª.132.b
Spũs Flatuosus,qualis sit,& cui cõparatus.2°.de a.c.ad G. 7ª.104.E
Spiritus flatuosi cũ flatibus cõueniunt.in 1m.de m.uul.c.3°. 3ª.118.C
Spiritus flatuosus quo modo gignatur.8°.de dec.Hip. 1ª.275.F
Spiritus flatuosus a qua materia oriatur.in 1m.pror.com.1°. 4ª.168.F
Spiritum flatuosum quæ uocãt,semẽ gñant.6°.de sim.me.f. 5ª.46.A
in Spiritum statim uertitur quicquid concretum, crassum, & modice frigidum fuerit in humoribus.5°.de sa.tuen. 2ª.94.D
Spiritum flatuosum non necessarium est sequi, si male quis concoxit: 3°.de symp.cau. 3ª.30.B
Spiritus flatuosus est causa cõtẽtiua pituitæ.cõ.7°.aph.30°. Ex.56.A
Spiritus flatuosus quomodo facit bullas.com.7°.aph.34°. Ex.56.E
cum Spiritu flatuoso dolores grauissimi ex crassis,& glutinosis succis fiunt.12°.met.med. 7ª.79.C
Spiritu flatuosus ad caput fertur una cum calore, & facit rẽ capitis, com.4°.aph.70°. Ex.35.B
Spũs flatuosus gñatus i capite facit dolorẽ capitis.c.4°.a.70°.Ex.35.b
Spiritus flatuosus facit capitis dolorem.com.6°.apho.10°. Ex.47.D
Spũs flatuosus facit dolorem capitis in sanis.cõ.6°.aph.51°.Ex.52.b
Spiritus flatuosus qui non possit egredi in inflammatione hepatis, do lorem auget.com.6°.aph.5°. Ex.46.H
Spiritus flatuosus facit tormina.com.4°.aph.11°. Ex.28.D
Spiritus flatuosus,qui non habet facilem exitum, facit tormina.com. 5°.aph.41°. Ex.41.D
Spũs flatuosus facit suspẽsionẽ iliũ dupl'r,& qũo.c.4°.a.73°. Ex.35.g
ex Spiritu flatuoso dolor quo modo curetur.12°.meth.med. 7ª.79.B
ex Spiritu flatulento dolor quomodo curetur. 12°.meth.me.7ª.82.B
ex Spiritu flatuoso dolor curatur cucurbitula cum flamma copiosa. 12°meth.med. 7ª.79.H
Spiritus flatuosior redditus somnum edit exiguũ,sed nec prorsus acu tum nec tenuem.3°.de sympto.cau. 3ª.27.F
Spũs si acutũ,& tenue sonat per uacuum,& prorsus,angustũ intestĩ na delatus,estq; tum purior tum magis aereus.3°.de sy.ca. 3ª.27.F
Spiritus sonus cum nec magnus,nec multus est dicitur murmur. com. 4°.aph.73°. Ex.35.G
Spiritus flatuosus cum urinis excretis significat frigidam renum ægri tudinem.com.7°.aph.34°. Ex.56.E
Spũs flatuosus facit urinæ difficultatem.com.7°.aph.48°. Ex.58.A
in Spũm flatuosum soluũtur urinæ iumentorũ.c.4°.aph.70°.Ex.35.B
Spiritus transit uesicam simul cum humore.com.4°.aph.73°.Ex.35.g
Spiritus flatuosus,& crassi humores per sectionem uenæ quandoq,sa nantur,& euacuantur.com.6°.aph.22°. Ex.48.D
Spiritus flatuosi in carnosis partibus quo modo curentur, & quibus. 2°.de arte cur.ad Glauc. 7ª.104.H
Spũs flatuosus dupliciter discutitur.in 6m.de mor.vul.c.6°. 5ª.196.d
Spiritus flatuosus resoluitur a calore febrili.c.6°.aph.51°. Ex.52.H
ex Spũ flatuoso tumor qũo curetur.2°.de arte cur.ad Gla. 7ª.104.F
Spiritu tumorem quidam secuerunt. de uict.rat.in morbis acut. com ment.4°. 7ª.137.C
ob Spũs copiam uenæ rũpuntur.in 1m.de mor.vulg.com.1°. 3ª.104.G
ob Spiritus copiam dolia,& utres in mustis rumpuntur.in 1m.de mor. vulg.com.1°. 3ª.104.G

Spiritus quo modo habeatur in Febribus. de vti. resp. 3ª.226.B
Spiritus in ardentibus febribus qualis. 4°.de lo.aff. 4ª.25.A
ad Spiritus Fœtorem. 7°.de comp.med.se.lo. 5ª.181.D
Spiritus Frequens, vel magnus offendens in ea quæ sursum fit Aeris latione quibus con ingat de vict.rat.in mor.acu. c.2°. 7ª.122.F
Spiritum frequentem facit sputum retentum,& e contra. de vict. rat. in mor.acu.com.1°. 7ª.114.C
Spiritus frequens significat dolorem & inflammationem supra septũ. in 3ᵐ.de mor.uul.com.3°. 3ª.148.H
Spiritus frequens,cur laborem instrumentorum respirationis significet.4°.de loc.aff. 4ª.27.D
Spũs frequens quid mali faciat.de vict rat.in mor.acu.c.1°. 7ª.113.C
Spirituũ Halituosorũ generatio vnde fiat. 3°.de symp.cau. 3ª.27.E
Spũs halituosus fit a crassis glutinosis cũ calefiũt.12°.me.me. 7ª.79.d
Spiritus halituosi cur exire non possint. 12°.me.me. 7ª.79.D
Spiritus halituosi per ossa colatoria emittũtur. 2°.de sym.cau. 3ª.21.g
Spiritus halituosus quandoq; in iecore cõcluditur.5°.de lo.af. 4ª.33.c
Spiritus noster ex motu ignescit. de trem.palp.conuul. 3ª.54.H
Spiritus faciliter ab humoribus accenditur,non e contrario. 1°.de differentijs respirat. 3ª.31.A
Spiritus in pectus quid boni faciat. 2°.de san. tu. 2ª.69.F
Spiritus non videtur in inflãmatis partibus,vt in alijs tumoribus multis.de tum.præt.nat. 3ª.82.H
Spiritus inflantes sunt causa tensionis nerui. de vti. resp. Sp.63.D
Spiritu inflante neruum cauũ,pudendũ intendit.15°.de vs.p.1ª.210.g
Spiritus Interceptio quæ fit.de vict.rat.in mor. acu.c.4°. 7ª.144.D
Spirituũ interceptiones in melancholicis sanguinis missione soluũtur. de vict.rat.in mor.acu.com.4°. 7ª.144.D
Spiritus Magnus cur fit cũ spiritus retinetur.1°.de diff.resp. 3ª.60.B
Spiritus est magnus,& ex multo interuallo,idest magnus,& rarus, si cerebrum patiatur. com.4°.aph.50°. Ex.33.C
Spiritus magnus longo interuallo factus,significat delirium.in 6ᵐ.de mor.uul.com.2°. 3ª.162.D
Spiritus magnus delirium significat.4°.de lo.aff. 4ª.27.B
Spiritus ex longis interuallis qui.in 1ᵐ.pror. com.1°. 4ª.163.C
Spiritus magnus & densus in quibus fiat morb.3° de dif.res. 3ª.71.c
Spiritus magnus,& densus quando.1°.de diff.resp. 3ª.63.A
Spiritum quem facit Mentis affectio.in 1ᵐ.de mo.vul.c.3°. 3ª.121.d
Spiritus.nostri quomodo Nebulosi. in1ᵐ.de mor.uul.c.1°. 3ª.104.C
Spiritus qñ similis nebulæ & caligini.in 1ᵐ.de mor.vul.c.1°.3ª.104.c
Spiritus Obscurus qui. 3°.de diff.resp. 3ª.75.G
Spiritus Offendens qui. de vict.rat.in mor.acu. com.4°. 7ª.137.D
Spiritus offendens apud Hippo.quid. 2°.de symp. cau. 3ª.19.H
Spiritus offendens quomodo fiat.de uic. ra.in mor.ac.c.2°. 7ª.123.C
Spiritus offendens,id est interruptus exittẽs sine in motu ad intus uel ad extra,vel ad utraq;. com.4°.aph.68°. Ex.34.G
Spiritus offendẽs in febribus malum,cõuulsionẽ enim significat.c.4°. aphor. 68°. Ex.34.G
Spiritus Paruus & densus qui. 1°.de diff.resp. 3ª.59.H
Spiritus paruus cur.1°.de diff. resp. 3ª.59.B
Spiritus paruus ac creber in pleuritide fit. de const.ar. Isa.40.E
Spiritus paruus rarus quid significet.in 3ᵐ.de mo.vul.c.3°.3ª.148.b
Spiritus paruus,& densus quid significet.1°.de diff.resp. 3ª.59.H
Spiritus paruus,& densus in quibus fiat.2°.de diff.re.67.G/ 3ª.71.C
Spiritus quibus paucus,& quibus multus.c.2°.aph.44°. Ex.18.F
Spiritus Peripneumoniæ qualis. 4°.de loc.aff. 4ª.25.A
Spiritus promptus dicitur ab Hippocrate,qui alias sublimis,& elatus est vocatus. in 1ᵐ.pror.c.1°. 4ª.166.E
Spirituum Protensiones sanguinis missione prius indigẽt quã euacuatione.de vict. rat.in mor.acu. c.4°. 7ª.137.B
Spiritus Rarus qui.in 1ᵐ.de mor.uul.c.3°.121.D/in 3ᵐ.c.3°.3ª.151.f
Spiritus rarus, & paruus vnde. 3°.de diff.resp. 3ª.72.H
Spiritus rarus & magnus iuxta actionem, & quietem longus est. 2°. de diff.resp. 3ª.64.D
Spũm rarũ & magnũ delirãtes habẽt.in 1ᵐ.de mor.vul.c.3°.3ª.121.g
Spiritus Philisco fuit perpetuo quasi renocanti,rarus magnus. in 1ᵐ. de mor. vul.com.3°. 3ª.121.B
Spiritus rarus propriũ & inseparabile desipiẽtiæ signũ est.in 1ᵐ.pror. commen.1°. 4ª.163.C
Spiritus rarus quid significet.4°.de loc.aff. 4ª.27.D
Spiritus Redditio, an respirationis actio sit. de usu pul. 1ª.227.B
Spiritus cum Retinetur, cur magnus efficitur. 1°.de diff. 3ª.60.B
ĩ Spũs retẽtione,attollunt iecur,liẽ,& vẽtriculus.3°.de sa.t. 2ª.77.b
in Spiritu retẽtione, leuiter contrahuntur musculi abdominis. 3°.de sani.tuen. 2ª.77.B
Spiritus retentio singultum sanat. de med. fac.par. 7ª.178.A
Spiritus Reuocans qui.in 1ᵐ.de mor.uul. com.3°. 3ª.121.D
in Spirituũ genere Ructus quoq,sunt.in 1ᵐ.de mor.uul.c.3°. 3ª.118.c
Spiritus quomodo habeat in Stupore attonito.de util.resp. 1ª.226.B
Spiritus sublimis qui apud Hippoc.4°.de loc.aff. 4ª.27.C
Spũs sublimis qui,& cur.in 3ᵐ.de mor.uul.com.2°. 3ª.136.A
Spũs sublimior in exercentibus est.9°.de com.me.se.lo. 5ª.198.C
Spirituum Tarde recipientes iuuant caricæ.de simp.med. Sp.84.C
Spiritum non Trahunt excernere uolentes. 5°.de usu par. 1ª.147.C
Spiritum quem faciat Tuberculum in pulmone.4°.de lo.af. 4ª.27.A
Spiritus Turbidus qui.in 1ᵐ.pror.com.2°. 4ª.169.E
Spiritus turbidus quid significat. in 1ᵐ.pror.com.2°. 4ª.177.F
Spiritus Validus qui. in 1ᵐ.pror.com.2°. 4ª.169.D
Spũm Vertiginosũ parit cerebri inæquali intẽpies.3°.de l.af. 4ª.20.d
non SPIRARE uiuentem,& spirantem non uiuere,est impossibile.6°. de loc.affe. 4ª.39.E
Spirare quia non possunt apopletici,moriuntur.3°.de lo.aff. 4ª.21.B
Spirãt dormiẽtes,quãuis nihil aliud agãt a consilio.3°.de l.af.4ª.20.b
Spirare non uidentur animalia occlusa latebris.6°.de lo.aff. 4ª.39.F
Spirare aerem extra aquam pisces maiores conflat.de util.resp.S.63.b
Spirent cur pisces aliqui extra aquam. de util. resp. Sp.64.B
Spirctur quomndo asperis arteriis plenis. 4°.de lo.aff. 4ª 26.H
Spirent quomodo suppurati.4°.de lo.aff. 4ª.26.H
an Spirent præfocatæ ut deprehẽdatur,lanæ flocculi ponũtur añ os,& poculum quæ ponunt supra uentriculum.6°.de lo.aff. 4ª.39.E
Spirare bene facit acetum scilliticum.de med.fac.par. 7ª.178.C
SPISSAMENTA uocantur stymmata. 2°.de compo. medica. per gen. 5ª.220.D
ad Spissamentum malorum. 9°.de compo.med.se.loc. 5ª.203.E
Spissandis capillis remedium.de dyn. Sp.23.E
SPISSIOR & crassior quo loco sit pulmo,& pp quid.de an. Sp.48.b
SPISSITVDO arteriacæ. 9°.de comp.med.se.lo. 5ª.202.F
Spissitudinis & uelocitatis in pulsu differentia. comp.pul. Sp.65.H
ad Spissitudinẽ cerati.5°.de comp.med.se.lo.160.E/ 9°.199.F/ 3°.de compo.me.perge. 5ª.232.H
Spissitudo cerati humidi.3°.de com.me.perge.230.A/ 7°. 5ª.271.C
Spissitudo liqdi cerati qualis,et qualis ẽplastri.3°.de c.m.p g.5ª.230.c
Spissitudo cerati liquidi. 4°.de com.me.perge. 5ª.244.E
Spissitudo emplastri unde sumatur.7°.de com.me. perge. 5ª.264.G
Spissitudo emplastri.1°.de com.med.perge.212.F/7°. 5ª.268.E
Spissitudo emplastri liquidi. 9°.de com.me.se.lo. 5ª.199.B
ad Spissitudinẽ nõ inquinantem coctura.1°.de com.me.perge.5ª.211.C
ad Spissitudinẽ sordidũ.2°.de com.med.perge.224. F/3°.232.C/ 6°. 5ª.262.E/6°.me.med.37.G/de reme.par. fa. 7ª.154.C
ad Spissitudinem sordium balnei. de med.fac.par. 7ª.173.D
ad Spissitudinem stigmentitiã. 5°.de com.me. se.lo.161.B/ 9°.200.F/ 4°.de compo.med.per ge.245.C/7°. 5ª.273.C
SPISSA qui habẽt Corpora, lõgiorẽ uitã uiuunt. de hist.phi. Sp.12.B
Spisso rarũ facilius accenditur,& cur.1°.de sim.med.fa. 5ª.4.F
Spissum corpus cum humoribus crassis nõ sinunt extenuari febricitãtẽ com.2°.aph.28°. Ex.16.F
Spissa tarde digeruntur.de diff. cont. Sp.73.D
Spissa Cutis unde.de ana. uino. Sp.45.C
ad Spissa,parua,& rubicunda Phygethla capitis ualet succus cẽtaureæ.de uir.centau. Sp.93.B
Spissum Pulsum grauẽ,& sordidũ habet homotonus.de dy. Sp.34.C
Spissus pulsus est,qui cõtinue p eundẽ locũ deuenit.cõp.pul.Sp.65.H
Spissus sanguis ac multus est in uena.de util.resp. Sp.64.E
in Spisso sanguine inueniuntur neruuli. de util.resp. Sp.64.F
Spissam Substantiam habentibus uelocius digeruntur raram habẽtia substantiam.de diff.cont. Sp.73.C
Spissa quæ debeant esse Vasa. de ana.uino. Sp.45.A
ad Spissa,parua,& rubicunda Vlcuscula capitis ualet succus cẽtaureæ. de uir.cent. Sp.93.B
Spissa urinà & alba bonam significat sanitatem. de dy. Sp.33.H
Spissa urina,& rubra cum sudore in febrium augumento mortem cito futuram significat. de dy. Sp.34.D
Spissa urina,& rubra si fuerit egesta frequentius futurã phrenitim denunciat.de dy. Sp.34.D

Spissa vrina crocea in synocha laborẽ, grauitatẽ, dolorẽ, siue mortem ostendit. de dy. Sp.34.E
Spissa vrina & cholerica in synocha, si fuerit in augumẽto febris, mortem significat. de dy. Sp.34.E
Spissa vrina in cardiacis, si spissitudo velut scissa apparet, paralysim significat. de dy. Sp.34.E
Spissum, Lege, Densum.
SPLACHNVM musculũ *interpretatur.* 7°. *de cõ. me. p ge.* 5ª.272.*b*
Splanchnon quà vim obtinet, ac facultatẽ. 6°. *de sim. me. fa.* 5ª.45.*D*
SPLEN *inter partes instrumentales numeratur. de diff. mor.* 3ª.2.*F*
Splenis figura. de nat. & ord. cuiusl. cor. 42.*A*/*de ana. uiuo.* Sp.51.*a*
Splen est membrũ oblongũ in sinistro latere positum. de ana. par. S.43.*b*
Splen est eleuatus orbiculari gibbositate. 2°. *de diff. resp.* 3ª.67.*F*
Splen est hepar sinistrum secundum Aristotelem. de vti. resp. Sp.64.*G*
Splen propter quid in sinistra parte est. 4°. *de usu par.* 1ª.136.*B*
Splen cur inferius sit iecore. 4°. *de vsu par.* 1ª.136.*G*
Splen cur est inter duo membra calida. de ana. viuo. Sp.51.*A*
de Splenis, & vesicæ fellis anatomia. de ana. viuo. Sp.50.*H*
Splenis corpus quale. 4°. *de usu par.* 1ª.140.*D*
Splenis corpus παρεγχυμα, *id est affusio, nominatur a non nullis.* 4°. *de vsu par.* 1ª.140.*B*
in Splene caro subnigra seu nigra est. de ana. viuo. Sp.44.*D*
Splenis caro nigra est. de ana. viu. Sp.55.*H*
Splen est melancholicæ complexionis. de ana. viuo. Sp.51.*A*
Splen est frigidus, & siccus. de ana. viuo. Sp.50.*A*
Splenis caro laxa est. 4°. *de vsu par.* 1ª.140.*C*
Splenis caro rarior, & leuior est carne iecoris. 4°. *de vsu p.* 1ª.140.*c*
Splen cur laxus & rarus. 5°. *de vsu par.* 1ª.144.*G*
Splen minime doloroſum viscus est. 2°. *de diff. resp.* 3ª.67.*F*
Splen non premit diaphragma. 2°. *de diff. resp.* 3ª.67.*F*
Splenis compositio ex quibus, & cur. de ana. viuo. Sp.51.*A*
Splen duos habet meatus, & qui, & cur. de ana. viu. Sp.51.*A*
in Splene nulla est arteria ſm Aristotelem. de vtil. resp. Sp.64.*G*
ĩ Splenis curuatura inueniunt tã arteriæ quã venæ. de vti. resp. Sp.64.*g*
Splen cur habet magnas arterias. 4°. *de vsu par.* 1ª.140.*A*
in Splene non sunt simul vena & arteria. de vti. resp. Sp.64.*G*
in Splenis gibbo nec vena est, nec arteria. de vti. resp. Sp.64.*H*
ad Splenem vena quæ fertur, vnde nascatur. 4°. *de vsu par.* 1ª.141.*G*
ad Splenem protenditur vena a corde, quemadmodũ ad hepar, p quã cor attrahit sibi succum cibi a splene. de vti. resp. Sp.64.*G*
Spleni distribuuntur nerui propagines a cerebro. 16°. *de us. p.* 1ª.215.*e*
Splen habet sensum in superficie. de ana. viuo. Sp.44.*C*
in Splene insensibili quæ sint sensibilia. de vti. resp. Sp.62.*H*
Splenis panniculus est sensificans. de ana. viuo. Sp.55.*F*
Splen, & stomachus mouentur ad motum respiratoriorum organorũ. 1°. *de diff. resp.* 3ª.59.*H*
Splenis vtilitates, quæ. de ana. viuo. Sp.50.*H*
Splẽ, & iecur cõsiderãda, qñ de coctione sermo fit. 1°. *de lo. af.* 4ª.5.*e*
Splenis officium quod. 4°. *de vsu par.* 1ª.140.*A*
Splen in omni parte suam faceret actionem. 6°. *de lo. aff.* 4ª.42.*D*
Splen habet quatuor facultates. 3°. *de nat. fa.* 1ª.305.*C*
Splen trahit ad se sanguinis fecem. 5°. *de loc. aff.* 4ª.35.*F*
Splen trahit humorem melancholicum, qui est quasi fex sanguinis. c. 4°. *aphor.* 21°. *Ex.*29.*D*
Splen attrahit crassum & limosum. 4°. *de usu par.* 1ª.136.*B*
Splen expurgat hepar. com. 4°. *aph.* 21°. *Ex.*29.*D*
ob Splenem contingit error secundæ coctionis. de ana. viuo. Sp.51.*A*
Splen si non bene expurget limum sanguinis, & hepar, viscera magis debilitantur. com. 4°. *aph.* 21°. *Ex.*29.*D*
ad Splenem ab hepate qũo procedat melancholia. de ana. pa. Sp.43.*b*
ex Splene vitiosa sanies in vẽtriculum irruit in flatu hypochõdriaco. 5°. *de lo. aff.* 4ª.32.*H*
Splenis alimenta, quæ. 4°. *de usu par.* 1ª.140.*D*/*C*
Spleni alimentũ efficitur quod fuerit in succum sibi cõuenientẽ trãslatum, q̃ vero inutile fuerit, ad ventriculum mittitur, & per quam viam. 4°. *de usu par.* 1ª.140.*A*
Splen appetit sanguinem rubrum quasi sibi similem in colore, & natura. de ana. viu. Sp.44.*D*
Splen atra bile nutritur. 2°. *de arte cura. ad Glau.* 7ª.107.*C*/ *com.* 4°. *aphor.* 21°. *Ex.*29.*D*
in Splene dominatur atra bilis. de nat. & ord. cuiusl. cor. Sp.41.*D*
Splen propria sedes choleræ nigræ. de sper. 36.*H*/*de ana. uiu.* Sp.45.*F*
Splen est proprium uas melancholiæ. de ana. uiuo. Sp.51.*A*
Splen continet unam corporis superfluitatem, fecem, siue sanguinem melancholicum. de ana. uiuo. Sp.50.*A*
in Splene continetur sanguis melancholicus, qui est alia sanguinis superfluitas. de ana. uiuo. Sp.50.*F*
in Splene manet atra bilis quò ad deijciatur. de ana. uiu. Sp.51.*A*
Splen expellit totam superfluitatẽ, postquã nutritus est, ad intestina. com. 4°. *aph.* 21°. *Ex.*29.*D*
Splen trahit succum cibi ab intestinis. de util. resp. Sp.64.*G*
Splen immutat humores, quos habet. 4°. *de usu par.* 1ª.140.*A*
Splen humores attractos in uentriculũ trãsmittit. 4°. *de usu p.* 1ª.140.*a*
ex Splene quæ educantur. de cathar. Sp.94.*G*
a Splene procedit risus. de sper. Sp.37.*C*
SPLEN *habet morbos longos. com.* 2°. *aph.* 40°. *Ex.*18.*A*
in Splenis passione cur patitur stomachus. de ana. uiuo. Sp.51.*A*
Splenis aut hepatis affectus sæpe febrem attulit. 2°. *de diff. se.* 3ª.37.*f*
Splene male affecto quartana generatur. 1°. *de art. cur. ad Gl.* 7ª.95.*b*
Splenis uitio Aqua intercutẽ qñq; euenire cõsueuit. 6°. *de lo. a.* 4ª.36.*c*
in Splene affectus cognoscitur colorum uitijs. 3°. *de loc. aff.* 4ª.18.*E*
Splenis uitio fiunt colores nigriores. 5°. *de lo. aff.* 4ª.34.*B*
Splenis ægritudines cancris & phagedenis rñdent. 2°. *de diff.* 3ª.37.*D*
ad Splenis affectus aquosos. 6°. *de com. me. per ge.* 5ª.263.*A*
Splenis Crassities auget lac, si solum comedatur. de diß. con. Sp.74.*H*
Splenem crassum reddit uinum dulce. de diff. con. Sp.74.*H*
Splen, & iecur a dulcibus uinis læduntur. de uinis. Sp.76.*D*
Splenem aut hepar, aut aliud quoddã ex prædictis membris dolore uexatum habentes difficulter spirant. 1°. *de diff. resp.* 3ª.59.*H*
circa Splenis caput, aut septum trãsuersum, si dolor extet, spiritus dẽsus, & paruus fit. 3°. *de diff. resp.* 3ª.71.*C*
Splenis doloribus cõfert sectio saluatellæ in sinistra. de ana. ui. S.54.*b*
ad Splenis dolorem. secr. 98.*E*/ Sp.100.*H*
Splenis Durities ex flatu qũo cognoscitur, & curatur. 2°. *de art. cura. ad Glau.* 7ª.104.*D*
Splenis indurati curatio. 2°. *de arte cur. ad Glau.* 7ª.104.*C*
pro Splene duro quæ coquenda in aceto, & oximelite, ut fiat potio. 2°. *de arte cur. ad Glau.* 7ª.104.*C*
Splenes duros sanat salis flos. 2°. *de arte cur. ad Glau.* 7ª.104.*D*
ad Splenis duritiem electarium. de med. exper. Sp.108.*B*
ad Splenis duritiem emplastrum. secr. Sp.99.*E*
ad Splenis duritiẽ remediũ. de dy. 26.*G*/*secr.* 99.*E*/*de me. ex.* S.105.*D*
Splenem durum curans medicamen. de med. exper. Sp.104.*D*
Splenis durities medicamen bonum. de med. exper. Sp.106.*B*
ad Splenis duritiem, & oppilationem. de med. exper. Sp.108.*B*
ad Splenis induratas affectiones. 9°. *de comp. med. se. lo.* 5ª.199.*B*
ad Splenis affectiones inueteratas & induratas. 9°. *de composi. med. sec. lo.* 5ª.199.*E*
ad Splenem quibus it fluxio, qũo curandi. de ven. sec. ad. Eras. 6ª.14.*e*
ad Splenem ceratum in Ictero. de cura icteri. Sp.111.*A*
Splenis & iecinoris imbecillitas. 3°. *de symp. cau.* 3ª.30.*A*
Splenis, & iecoris inflammationes vnde. 2°. *de diff. seb.* 3ª.40.*H*
in Splenis inflammationibus, respiratio qualis. de util. resp. 1ª.225.*G*
ad Splenem inflãmatiũ sequitur spiratio difficilis. 2°. *de dif. res.* 3ª.65.*b*
Splenis aut hepatis partes infernæ quomodo densum ac paruũ efficiũt spiritum. 3°. *de diff. resp.* 3ª.71.*D*
ad Splenis recentes inflãmationes, epithemata, & emplastra. 9°. *de cõpo. med. sec. lo.* 5ª.198.*H*
Splene inflammato, seca venam interiorem sinistræ manus. 2°. *de art. cur. ad Glau.* 7ª.102.*G*
Splenis inflãmationibus facile applicãtur remedia. 3°. *de l. af.* 4ª.16.*b*
ex Splenis Oppilatione accedit fastidium. de ana. viuo. Sp.51.*A*
Splenis, & iecoris obstructio deprehenditur ex dolore loci. quæsita in Hippocra. Sp.113.*C*
*Splenis oppilationes aperiũt amygdalæ proprie amaræ. de dis. S.*74.*g*
*Splenis oppilationẽ timẽti, cõueniũt cibi subtiliates. de dis. cõt. S.*72.*d*
Splenis oppilationibus valens electarium. de med. exper. Sp.107.*B*
Splenis oppilationem aperit lac, si edatur cum mentastro syluestri, origano, & pipere. de diß. cont. Sp.74.*H*
Splenis oppilationem aperit secaniabin. de diß. cont. Sp.74.*H*
Splenis, hepatis, & coli Tumores quam respirationem faciant. 1°. *de diffe. resp.* 3ª.59.*C*
pro Splene affecto flatuoso tumore, quo modo alumen conueniat. 2°. *de arte cur, ad Glau.* 7ª.104.*D*

Splenis tumorem

Splenis tumorem eliquans pastillus.9°.de com.me.se.lo. 5ª.198.G
ad Splenem eliquandum Malagma ex Cedria.9°.de composi.medica. secun.loc. 5ª.199.D
Splenem tumentem eliquans & consumens medicamentum. 9°.*de cõ. med.se.lo.* 5ª.198.H
ad Splenis tumorem eliquandum. 9°.*de comp.me.se.lo.* 5ª.199.C
ad Splenem quæ iure conueniant.2°.de arte cur. ad Glau. 7ª.104.C
Spleni pdest modicũ bonæ aquæ si vino miscueris.de bo.aquæ.Sp.75.f
ad Splenem cõuertuntur aquæ paludosæ hyeme.de bo.aquæ.Sp.75.D
Splenem lædunt stagnantes & olentes aquæ.de aere aq.& loc. 2ª.6.d
ad Splenem pharmaca potabilia ab Asclepiade conscripta. 9°.*de cõ. med.se.lo.* 5ª.198.G
Splenem videtur consumere acori semen potum.de simp.me.Sp.81.a
Splenis in vitio prodest peplium.de dy. Sp.21.A
Splenem minuit raphanus.de simp.med. Sp.89.F
Splenem curat scolopendria.de simp. med. Sp.91.C
ad Splenem Philonis antidotus. 9°.*de comp.me. se.lo.* 5ª.201.A
ad Splenem antidotus.de dy.26.F/de med.exper. Sp.105.C
ad Splenem medicamen experimentatoris.de med.exper. Sp.104.D
Splenis ægritudinibus oĩbus conferens medicamẽtum.secr. Sp.101.g
ad Splenem probatum remedium.de dy.27.E/secr. Sp.97.B
ad Splenis omnem affectionem.9°.de comp.me.se. lo. 5ª.198.F
i Splenis ægritudinibus secantur iugulares venæ.de ana.viu.Sp.55.a
in Splenis ægritudinibus secatur vena supra ventrem in sinistra. de anat.viu. Sp.55.B
Spleni quando apponendæ cucurbitulæ.9°.de cõ.me.se.lo. 5°.200.A/ 2°.*de art.cur.ad Glau.* 7ª.102.G
Spleni danda cathartica.de cathar. Sp.94.G
Splen indiget vehementi purgatione. 4°.*de usu par.* 1ª.140.D
vt Splẽ,fortia medicamẽta nõ fert Iecur.2°.de ar.cu.ad Gl. 7ª.104.D
Splenem purgantia quæ.de cathar. Sp.95.C
Splen non potest euacuari per ventosam. de cura icteri. Sp.111.A
Splen asininus. 1°.*de simp.med.fac.* 5ª.124.H
Splen, Lege Lien.
SPLENDENS *album visui inimicum est.* 1°.*de sym.cau.* 3ª.17.A
Splendidissimo minus obest visui nigerrimum, & quare. 1°.*de sympt. causis.* 3ª.17.A
Splendidissima multa frigidissima sunt.2°.de simp.med.fa. 5ª.9.F
Splẽdidũ,et albũ corp° oppõit cito,et uelociter colorib.de oc. 7ª.182.g
Splendidum λαμπῶδες dicitur.in 1m.prorr.com.2°. 4ª.178.B
Splendidum tenuium est partium.1°.de symp.cau. 3ª.17.A
Splendidum visus instrumentum est. 1°.*de symp.cau.* 3ª.17.A
Splendidus color nocet lippientibus. de subst.emp. If.32.B
Splendidi vbi viuant hoĩes,& incolumes.de aere,aq.& loc. 2ª.6.D
Splendidũ corpus reddunt cucumis & pepon.8°.de sim.me.f. 5ª.60.E
Splendidam cutem facit ichthiocolla.de simp med. Sp.85.E
Splendidam cutem facit terra chia. de simp.med. Sp.85.A
SPLENDOR *siccus animus sapientissimus sm Heraclitum.q animi mo res.* 1ª.318.G
Splendorem affert Sol rebus quas illuminat. 1°.*de loc. aff.* 4ª.8.B
Splendorem quantum aer est crassior,tantum aere est crassior halitus. 1°.*de symp.cau.* 3ª.17.D
*Splendoris sensus visus est.*1°.*de sym.cau.* 3ª.17.C
*a Splendore magno corrumpitur visus.*1°.*de symp.cau.* 3ª.16.H
Splendorem videre siquis immaginetur,sanguinem e naribus fluxurũ est signum. 1°.*de arte cur.ad Glau.* 7ª.100.D
Splẽdores Lucis incerti qũo fiant.de vic.ra.in mo.ac.c.2°. 7ª.123.A
Splendores lucis incerti, & discurrentes quorum oculis obĩciantur. de vic.ra.in mor.acu.com.2°. 7ª.122.F
Splendorem conciliat pumex.9°.de simp.med.fa. 5ª.69.G
Splendorem inducit smiris,& testa.9°.de simp.me.fa. 5ª.69.G
SPLENIA *vnde dicta.de ijs,quæ in med.fiunt.com.3°.* 7ª.214.C
Splenia, & plagulæ idem.de fract.com.1°. 7ª.228.D
SPLENICAE *a Liene facultates.* 5°.*de simpl.med.fac.* 5ª.32.B
Splenica cur dicta sint medicamenta. 5°.*de simp.me.fa.* 5ª.38.E
ad Splenicum epithema.de rem.pa.fa. 7ª.159.F
Splenicus pastillus.9°.de comp.me.se.lo. 5ª.198.G
Splenici qui. 2°.*de comp.med.se. loc.* 5ª.135.C
Splenici qui proprie sint,& pro eis medicamenta potabilia ab Andromacho.9°.de comp.med.se.lo. 5ª.198.E/F/G
Splenici ex flatu hypochondriaco plures sunt. 5°.*de loc.aff.* 4ª.32.H
Splenicis quæ exercitia & gymnasia faciunt spiritum acutum. 9°.*de comp. med.sec.lo.* 5ª.199.F
Splenicus bibat vinum mari mistũ.9°.de comp.me.se.lo. 5ª.199.C/F
pro Splenicis lien asini,aut equi sylvestris conuenit, & quo modo.9°. de comp.me.se.lo. 5ª.198.G
ad Splenicos stercus caprinum valet. 10°.*de simp.me.sa.* 5ª.76.E
pro Splenicis vulpis hepar qũo conuenit.9°.de cõ.me.se.l. 5ª.199.H
ad Splenicos catapotium.9°.de comp.me.se.lo. 5ª.198.G
ad Splenicos emplastrum.9°.de comp.me.se.lo. 5ª.200.C
ad Splenicos malagma.9°.de com.med.se.lo. 5ª.199.C
ad Splenicos Antonij Musæ Panacea.7°.de comp.me.se.lo. 5ª.186.A
ad Splenicos pharmacum insperfile.9°.de com.me.se.lo. 5ª.198.G
ad Splenicos per vnam diem sanans.9°.de com.me se.lo. 5ª.199.B
ad Splenicos.7°.de compo.med.se.lo.181.F/9°.198.H/199.B/ D/G/ 200.B/10°.207.E/F/ 5ª.208.G
ad Splenicos inueteratos. 9°.*de comp.med.se.lo.* 5ª.202.F
Splenicus, Lege Lienosus.
SPLENIVM *quid.4°.de com.med.se.lo.* 5ª.157.G
Splenium. 1°.*de comp.med.se.lo.* 5ª.124.G/H
Splenij forma trita faba in vino macerata donec dissoluatur in quo cas su conueniat.5°.de comp.med.se.lo. 5ª.159.B
Splenium attrahens pus. 6°.*de comp.me.per ge.* 5ª.259.E
SPLENITICI *ab atra bile.de sper.* Sp.38.B
Splenitica puella quomodo naturaliter sit.de spe. Sp.38.B
Splenitice passionis signa letalia.de dy. Sp.27.D
Splenitici vrina qualis.de dy. Sp.35.B
Splenitici damus cholagoga.de dy. Sp.20.G
Splenitico dantur drachmæ tres ammoniaci.de med.exper.Sp.106.d
Splenitici prodest aqua, vbi cocti fuerint lupini.de sim.me.Sp.86.C
Splenitici prodest centaurium minus. de dy. Sp.21.C
Splenitico curat succus centaureæ.de vir.cent. Sp.94.A
Splenitici prodest raphanus. de simp. med. Sp.89.F
Splenicus edat salsamentũ citra panẽ 9°.de cõp.me.se.lo. 5ª.199.B/F
pro Splenitici poculum ex tamarisco.de dy. Sp.26.G
Splenitici mire curat emplastrum diachrysu. de dy. Sp.32.B
ad Splenitico Malagma Nilo inscriptũ.8°.de cõ.me.se.lo. 5ª.193.A
ad Splenitico.8°. de comp med.se.lo. 5ª.195.G
SPODIVM quid.de simp.med. Sp.88.G
Spodium quid,& quomodo fiat. 9°.de simp.me.sa. 5ª.70.G
Spodium fit per fornaces. 9°.de simp.me. sa. 5ª.71.E
Spodium ex cypro asportauit Galenus. 1°.*de ant.* 5ª.100.B
Spodium cyprinum. 4°.*de composi.med. se.lo.*152.D/ 153.H/154.B/ 155./B/E/F/H/156.A/5°. 5ª.164.A
Spodium quale sit. 4°.*de comp.med.se.lo.* 5ª.149.F
Spodium quale post vstionem & lotionẽ. 4°.*de cõ.me.se.lo.* 5ª.150.a
Spodium tenuium partiũ est citra calorẽ.3°.de cõ.me.per ge. 5ª.228.e
Spodiũ stypticas vires habet,& quæ siccare possunt.de sim. Sp.88.G
SPODOS *quid sit.9°.de simplicium medicamentorum fac.* 5ª.70.H
SPONDEO *comparatus pulsus qui.comp. pul.* Sp.65.E
SPONDYLIVM *quid, & eius vires.de simp.me.* Sp.91.A
Spondylij semen calidum est cum subtili substantia.2°.de arte curat. ad Glau. 7ª.104.G
Spondylij semina amara.4°.de simp.me.fa. 5ª.26.E
Spondyly fructus qualis sit, & q ad asthma, comitialẽque morbum aptũ est,aurigini prodest,callos tollit,& ad diuturniora aurium vlcera conuenit.8°.de simplicium med.fa. 5ª.61.G
Spondylium bilem detrahit,ventrem solvit acrimonia sua,regio morbo,tussi,suspiros videtur prodesse. de simp.med. Sp.91.A
Spondylium capiti imponebat in phrenitide.13°.met.me. 7ª.85.D
*Spondylij vsus cũ aceto & rosaceo qũ conuenit.11° met.me.*7ª.73.E
Spondylion si in oleo incoxeris,etiam quod crassum sit, euacuabis.1°. de arte cur.ad Glau. 7ª.100.A
SPONDYLI *cur distincti,& quare non est vnum os continuum spinæ.* 12°.*de vsu par.* 1ª.196.B
*Spondylos cur non æqualiter hãt spinæ partes.12°.de vsu pa.*1ª.198.a
Spondyli cur perforati.13°.de vsu par. 1ª.199.E
Spondyli omnes cur intus excauati. 12°.de vsu par. 1ª.196.A
Spondylorũ locus posterior in tres partes diuiditur,& quales & quo modo.13°.de vsu par. 1ª.198.E
Spondylorum productionum varietates. 12°.de vsu par. 1ª.198.B
Spondylorũ oĩum pductiones p ordinẽ.13°.de vsu pa.198.H/1ª.199.a
Spondyli aliqui cur habent productiones longas,& duplices. alij breues & simplices. 13°.de vsu par. 1ª.198.F

Spondylorum aliæ productiones quo se habeãt. 13°.de vſ.p.1ª.198.g
Spondylus medius totius ſpinæ, qualem productionem habeat poſterio rem. 13°.de vſu par. 1ª.199.A
Spondyli cur parui. 12°.de vſu par. 1ª.197.B
Spondyli inferiores cur maiores effecti. 12°.de vſu par. 1ª.197.B
Spondyli quo modo ſimul iungantur. 12°.de vſu par. 1ª.198.D
Spondylorum primorum oſſa valde ſuperãtur ab oſſe capitis. 12°.de vſu par. 1ª.195.H
Spondyli primi cur parui. 12°.de vſu par. 1ª.197.B
Spõdyli primi cur ītus lati, et corpis mole tenues. 12°.d vſ.p.1ª.197.d
Spondyli primi cauitas cur duplex. 12°.de vſu par. 1ª.194.E
in Spondylis cur duo foramina. 16°.de vſu par. 1ª.219.D
Spondylo primo ſoli effecta ſunt foramina obliqua, per quæ nerui a ſpinali Medulla excidunt, & quare. 13°.de vſu par. 1ª.199.E
Spondyli ſeptem ſunt in collo. 12°.de vſu par. 196.G/13°. 1ª.201.F
ex Spõdylis ſeptẽ cur collũ multis aĩalibꝰ factũ. 13°.de vſ.p.1ª.201.c.
ad Spondylum ſupremum colli procedunt magna vena & arteria a duobus ventriculis cordis. de vtil. reſp. Sp.62.G
Spõdyli cur ĩ ſcapulis multi, & diſpoſiti, vt ſunt. 13°.de vſ.p.1ª.202.f
Spondyli cur inter caput, & thoracem. 8°.de vſu pa. 1ª.165.B
poſt Spondylum ſeptimum oritur thorax. 13°.de vſu par. 1ª.201.A
Spondyli duodecim in dorſo. 12°.de vſu par. 1ª.196.G
ex Spondylis duodecim thorax conſtat. 13°.de vſu par. 1ª.201.F
Spondyli duodecim cur requirũtur in thorace. 13°.de vſu p.1ª.201.e
Spondylorum thoracis vtilitas. 12°.de vſu par. 1ª.198.B
Spondyli quinq; in lumbo. 12°.de vſu par. 196.G/13°. 1ª.201.F
Spondyli in lumbis quales. 13°.de vſu par. 1ª.199.G
Spondylorum lumborum conſideratio. 13°.de vſu par. 1ª.200.A
ex Spondylis quatuor eſt ſacrum os. 12°.de vſu par. 1ª.196.G
Spondyli quinq; ſpinæ quomodo facti. 13°.de vſu par. 1ª.201.E
ad Spondylum quintũ pertinet arteria magna. 6°.de vſu pa. 1ª.149.e
Spondyli decimi dorſi & ſequentium natura. 13°.de vſu pa.1ª.199.e
Spondyli quid agãt dũ erigimur, & flectimur. 13°.de vſ. p. 1ª.199.A
in Spondyli primo cur neruum tutum non eſſet producere neq; ex ſuperioribus neq; ex īferioribus partibus neque ex lateralibus. 13°. de vſu par. 1ª.200.D
a Spondylis nerui qui deducantur. 16°.de vſu par. 1ª.217.D
Spondylorum ligamenta qualia. 13°.de vſu par. 1ª.200.C
ad Spondylum duodecimum pectoris ꝓcedit gula. de ana. vi. Sp.49.F
in Spondyli duodecimo eſt os ſtomachi. de ana. viuo. Sp.49.F
per Spondylos ſtomachi inceſſus qui. 6°.de vſu par. 1ª.149.G
Spondylis inuectus ſtomachus ab initio per totum collum fertur. 16°. de vſu par. 1ª.218.G
in Spondylis oſſa ſunt facta propter motum. 11°.de vſu par.1ª.191.c
Spondyli muniunt ſpinalem medullam. 8°.de vſu par. 1ª.165.B
Spondyli paulatim augentur. 13°.de vſu par. 1ª.201.E
Spondylos tunicæ colligãti ineſt humor viſcoſus. 13°.de vſ.p. 1ª.201.b
ĩ Spõdylorũ articulis humiditas craſſa & viſcoſa ẽ. 13°.de vſ.1ª.201.g
prope Spondylos inter coſtas læſis neruis deſtruetur vox, & anheli tus. de voce, & anhel. Sp.60.F
ad Spondylũ tertiũ vſq;, ſi ſpinalis medulla ſit abſciſſa, quid ſequaĩ. de voce, & anhel. Sp.62.B
SPONGIA *διάκενα ideſt fiſtulis inanibus cauernoſa eſt, non κενά id eſt vacua. 3°.de diff.pul.* 4ª.62.C
Spongiæ comparatio ad pulmonem. de ana. viu. Sp.47.G
in Spongia exemplum, quo declaratur Raritatem foraminũ non eſſe vnicam cauſam educendæ materiæ. de ſect. Iſa.19.A
de Spongia exemplum. de ſect. Iſa.19.D
Spongia plena melle aut pice nihil effundit, & quare. de ſect. Iſ.19.D
Spongia cruda pice imbuta, & ſpongia Africana. 4°.de cõpo. medica. ſecun. loc. 5ª.149.A
Spongiæ conſtringuntur, cum humor omnis fuerit expreſſus vinculis circundatis. 3°.de alim.fac. 2ª.26.H
Spongia qualis. 11°.de ſimp.med.fa. 5ª.83.F
Spongia ſicca cur leuis. 1°.de ſimplicium med.fa. 5ª.4.G
Spõgia cõbuſta ad muliebre ꝓfluuiũ qũo cõferat. de me.f.pa. 7ª.169.c
Spongiæ combuſtæ cinis ſanguinem inhibet. de ther. ad Piſ. 5ª.97.E
in Spongijs reperti lapides quales. 9°.de ſimp.med.fac. 5ª.67.C
Spongiæ lapis. 10°.de com.me.ſe.lo. 5ª.206.E
Spongia non eſt vt lana ad accipiendos humores irrigandos, ſed & ip ſa deſiccat. 11°.de ſimp.me.fa. 5ª.83.G
Spongia aqua frigida humẽs repercutit, & elidit ad vicina ꝓ in loco eſt. 1°.de com.med.per ge. 5ª.213.A
Spongia ſiccandum caput. de vict.ra.in mor.acu. com. 3°. 7ª.132.F
Spongijs ꝓ ſtrigili vtaris in balneis. de vi.ra.in mor.ac.c. 3°. 7ª.132.e
Spongijs vtebantur ad detergendũ ĩ balneo. 10°.me.med. 7ª.67.A
per Spongias fomenta. 3°.de compo.med. ſe.lo. 5ª.145.D
ex Spongia fomentum. de vic.ra.in mor.acu. com. 2°. 7ª.116.G
Spõgia qñ faciebat Gal. fomẽta oculis dolẽtib. c. 6°. ap. 31°. Ex.49.F
ꝓ Spongiã mollem non per ſacculos, & cataplaſma oculis fomenta adhibenda ſunt, & quæ. in 6ᵐ. de mor. vul. c. 6°. 3ª.196.A
Spongia ocularis Melle cocto, atque adhuc calido imbuta, quibus auxilietur. 3°.de compo.med. ſe.lo. 5ª.142.E
Spõgia quæ in nares ponitur filo ligetur. 3°.de com.me.ſe.l. 5ª.148.H
Spongiæ filum lineum vertit, ne nimis aſcẽdat per nares. de remedijs paratu facilibus. 7ª.155.G
Spõgiis faciẽda fomẽtatio ĩ lateris dolore ſm aliquos. 9°.d d. 1ª.282.f
ex Spongia, & aqua dulci fomento mitiga, phlegmonẽ, quando irrita ta eſt. 13°.me.med. 7ª.81.D
Spongia in aqua, quæ parum aceti habeat, curat œdema ex pituita in loco. 2°.de arte cur. ad Glau. 7ª.103.F
Spongia ſupra inflammationem ponenda in aqua & vino acerbo, cũ modico aceti intincta. 2°.de ar. cur. ad Glau. 7ª.101.G
Spongia quomodo deliganda ſupra œdema. 14°.me.med. 7ª.87.F
Spongia noua pro fomento in œdemate. 14°.me. med. 7ª.87.G
Spongia noua pro fomento vtitur. 14°.me.med. 88.F/2°.de arte cura. ad Glau. 7ª.106.C
Spongia noua, & candida in quo caſu vtitur. de me.fa.par. 7ª.171.G
Spongiæ nouæ etiam veteris vſus. 11°.de ſimp.med. fa. 5ª.83.G
Spongia pro fomento ſit noua, quod ſi noua non adſit, quid agendũ. 2°. de art. cur. ad Glau. 7ª.103.F
Spongiæ nouæ defectu, vtaris nitro, aphronitro, vel lixiuio ad detergendum. 14°.me. me. 7ª.87.G
Spongia noua ſi non adſit, melius eſt elychnium accipere quod ſit molle, quale eſt Tarſicum, ſiquidem hoc etiam vtilius videtur ad curã dum œdema, quam ſit ſpongia. 14°.me.med. 7ª.87.G
Spongiam vlceri applicat madidam vino aut aqua, ſultq; ſpongiã per manere frigidam. 14°.de com.me.per ge. 5ª.236.H
Spongijs partes fouẽdæ ſunt, quouſq; coloris euadãt punicei, & ita de inceps ſcarificandæ. de cucur. ſcar. 7ª.3.C
Spõgiis fouẽdus eſt locus, vbi hirudo fuerit aut cucurbitula, ut uirus extrahat, admouenda eſt. de cucur. ſcar. 6ª.4.C
Spongia abſtergendus eſt mucor hirudinum. de cucur. ſcar. 6ª.4.C
Spongiæ medicamentum quo modo ad auditum obtuſum conferat. 3°. de com.me.ſe.lo. 5ª.145.D
SPONGIOSVS, *& calidus cum ſit pulmo, uim habet attractiuam. de utilit. reſp.* Sp.64.D
Spongioſa carne plenæ pelliculæ ſunt intra nares, in quibus fit olfactus de util. reſp. Sp.63.D
Spõgioſæ carũculæ duæ iacẽt in oſſis naſi cõcauitate. de an. ui. S.49.a
Spongioſum & molle Stœbe comparat Gal. 7°.de uſu par. 1ª.158.G
SPONGOEIDVM *oſſium uſus qui. 8°.de uſu par.* 1ᵉ.168.E
SPONGOS *cuius ſit facultatis. 11°.de ſimpl.med.fa.* 5ª.83.F
Sponſæ ſolis. de dyn. 27.H/ Sp.29.E
SPONTANEVM *quid. com. 6°.aph. 14°.* Ex.47.F
Spontaneum, & naturale. 4°.de diff.pul. 4ª.67.B
Spontaneæ euacuationes quæ, & quare. c. 4°.aph. 2°. Ex.27.C
Spontanei labores qui ſint, & quid cauſent. c. 6°.aph. 28°. Ex.49.A
Spontaneæ laſſitudines tres, & quæ. c. 2°.aph. 5°. Ex.11.G
SPONTE *quandoque ſignificat ſine cauſa exteriori, quando repente. com. 1°.aph. 78°.* Ex.37.F
Σποραδικὰς ægritudines quas uocet Hippocrates. in 1ᵐ. de morbis uul. com. 1°. 3ª.100.G
Sporades morbi qui ſint. de uic.rat. in mor.acu. c. 1°. 7ª.109.B
Sporadici morbi ſunt frequẽtes. de uic.rat. in mor.acu. c. 1°. 7ª.109.B
SPORTVLAE *quomodo fabricentur. ad Thra.* 2ª.105.F
Sportulis fit expreſſio. 7°.de com.me.per ge. 5ª.273.A
ad SPVENDVM *iuuat mel. de diff.cont.* Sp.74.G
ad Spuendum humiditatem ex pectore, & pulmone, adiuuant amygdalæ proprie amaræ. de diff.cont. Sp.74.G
ad Spuendũ humiditatem ex pulmone adiuuat uinum ſubtile aquoſũ. de diff.cont. Sp.74.H
SPVENTIBVS *ſanguinem conuenit ferulæ medulla. 8°.de ſimplicium med. fac.* 5ª.56.H

Spuentibus ſanguinem exhibetur lemonij fructus. 7°.de ſimpl.medic. facultatib. 5ª.54.B
ad Spuentes ſanguinem.7°.de comp.me.ſe.lo.181.D/E/8°. 5ª.191.D
SPVITIONES ſanguis ſunt morbus longus.c.6°.ap.47°. Ex.52.B
Spuitiones ſanguineas ſuſcitat aqua dura,& frigida.de bo.aq.S.75.g
Spuitiones ſanguinis incipiẽtes phibuit Gale. c.6°.aph.47°. Ex.52.B
in Spuitione ſanguinis quæ medicamẽta ſint ſatis mollibus corporib. 5°.met.med. 7ª.33.A
SPVMA quid. de vtil.reſp. Sp.63.F
Spuma habet plurimum aerem. de vtil.reſp. Sp.62.E
Spumæ generatio vnde ſit. com.2°.aph.43°. Ex.18.C
Spuma quot fiat modis.de vict.rat.in mor.acut.com.3°. 7ª.128.A
Spumæ duplex generatio. com.2°.aph.43°. Ex.18.C
Spuma fit propter frigiditatem,& caliditatẽ.in 1ᵐ.pr.c.1°.4ª.166.d
Spuma qũo fiat in his quæ elixãtur,& ĩ mari.cõ.7°.aph.30°.E.56.B
Spuma quomodo fiat. in prog.com.2°. 4ª.202.E
Spuma quomodo fiat in mari.com.2°.aph.43°. Ex.18.D
Spuma in mari,cur celeriter ſoluaẽ.in prog.Hipp.cõ.2°. 4ª.202.E
Spumam albam facit vinum nigrum cõmotũ.de nat. & ord. Sp.42.C
Spumam albam facit mare viride.de nat.& ord.cuiusl.corp.Sp.42.C
ex Spumarum generatione color albus.8°.de dec. Hipp. 1ª.277.D
ex Spuma Venus orta eſt. 1°.de ſemine. 1ª.330.F
Spuma quomodo fiat in lebetibus.com.2°.aph. 43°. Ex.18.D
Spumam cur accipiat bilis.de vic.ra.in mor.acut.cõ.3°. 7ª.127.H
Spumæ comparatur ſemen. 1°.de ſemine. 1ª.330.E
Spuma quomodo fiat in epilepſiis.cõ.2°.aph.43°. Ex.18.D
Spuma circa os cur in epilepſia.de vtil.reſp. Sp.63.E
Spuma e pulmone quomodo diſtinguatur.com.2°.aph.43°. Ex.18.D
Spuma oris quando ſignum mortis. com.2°.aph.43°. Ex.18.D
SPVMA argenti quid.de ſimp.med. Sp.90.F
Spuma argenti quomodo ſunditur. 1°.de comp.me.per ge. 5ª.212.F
Spuma argenti qũo cito liqueſcat. 1°.de comp.me. per ge. 5ª.217.E
Spuma argenti ſi cum oxelæo coquatur citius liquæſcit. 1°.de compo. med.per gen. 5ª.212.F
Spuma argenti chryſitis. 1°.de comp.me.per ge.215.G/2°. 5ª.223.a
Spuma argenti qualis. 1°.de comp.me.per ge.212.E/4°.240.H/5°. 5ª.247.D/5°.me.med. 7ª.36.D
Spuma argenti qualis,& eius vſus duplex in emplaſtris.6°.de comp. med.per ge. 5ª.257.F
Spuma argenti venenum eſt. in 6ᵐ.de mor.vul.cõ.6°. 3ª.197.A
Spumam argenti haurientibus, quid proſit.2°.de anti. 5ª.114.D
Spuma argenti ſtringit aliquatenus, & refrigerat.de ſimp. Sp.90.F
Spuma argenti cruda quid agat, quomodo roſione carebit,& qũo lauanda ſit. 1°.de comp.me.per ge. 5ª.213.D
ex Spuma argenti cruda & oleo, acopũ.7°.de cõp.me.p g. 5ª.264.H
Spuma argenti per coctura fit melior.6°.de com.me.ſe.lo. 5ª.168.e
Spuma argenti fit nigrior coctione.6°.de comp.me.per ge. 5ª.257.H
Spuma argenti torrefacta vtitur. 5°.de comp.me.ſe.lo. 5ª.162.B
Spumæ argenti,& ceruſſæ comparatur molybdæna.1°.de comp.med. per gene. 5ª.215.A
Spuma argenti, & molybdæna ad eoſdem vſus adhibentur, & qũo differant. 1°.de comp.me. per ge. 5ª.213.F
Spuma argenti ad diſcutiendum melior quam Molybdæna.1°.de cõp. med. per ge. 5ª.213.G
ex Spuma argenti & ceruſſa emplaſtra alba fiunt. 1°.de compoſitione med.per ge. 5ª.213.G
cũ Spuma argenti quando eſt ceruſſa qũo ponenda in emplaſtrũ. 1°.de comp.me.per ge. 5ª.215.G
ex Spuma argenti, & œnelæo emplaſtrum præparatur. 1°.de compo. med.per ge. 5ª.213.C
ex Spuma argẽti,& oleo emplaſtrũ.1°.de comp.me.per g.5ª.213.A
vt Spuma argenti quæ lauentur. 1°.de comp.me.per ge. 5ª.213.E
Spuma argenti acoribus conuenit & mordacitatem aufert ex charta. 1°.de comp.me.ſe.loc. 5ª.128.D
pro Spuma argenti ceruſſa vti abſurdum eſt.1°.de cõp.me.ſ.l.5ª.130.b
SPVMA nitri,nitrum,& aphrolitrum diuerſa ſunt.3°.de compo.med. ſecun.loc. 5ª.141.B
Spuma nitri media eſt inter aphronitrũ & ſalẽ.9°.de ſim.m.f.5ª.68.g
Spuma nitri tenuem habet ſubſtantiã.3°.de comp.me.per ge.5ª.228.E
Spuma nitri quo loco reponatur inter calida,quæ valent alopecijs.1°. de comp.me.ſe.lo. 5ª.122.D
Spuma nitri diſcuſſoriũ parabile fortius eſt.6°.de cõp.me.ſ.l.5ª.169.g
Spuma nitri cum cibo potuq; ſumpta meatus purgat. 5°.de ſimplicium med.facul. 5ª.35.C
Spuma nitri adhuc magis detergit. 8°.met.me. 7ª.52.H
Spuma nitri in articularia medicamenta miſcetur. 3°.de comp.med. ſecun.loc. 5ª.141.B
Spuma nitri. 6°.de comp.me.ſe.lo.168.E/10°. 5ª.207.C
Spuma Salis qualis. 11°.de ſimp.me.fa. 5ª.83.E
SPVMANS ſcreatio quomodo fiat. in prog.com.2°. 4ª.202.E
Spumans ſputum quid ſignificet. de tot.morb.temp. 3ª.89.G
Spumans,& viridis ſcreatio mala eſt.in prog.com.2°. 4ª.202.D
SPVMEVS humor eſt in carne pulmonis, & eo nutritur. commen.5°. aphor.39°. Ex.41.C
SPVMOSVS ſanguis eſt ſpẽs ſanguinis.cõ.4°.aph. 25°. Ex.30.A
Spumoſa ſuperfluitas ſanguinis ſuperius calida & ſicca, cholera appellatur.de ana.viuo. Sp.50.H
Spumoſus ſanguis quomodo ſit.com.7°.aph.30°. Ex.56.B
Spumoſus ſanguis poteſt eſſe multus,& paucus.c.5°.ap.13°.E.38.E
Spumoſus ſanguis e pulmone exit.4°.de loc.aff.4ª.25.G/commen.5°. aphor.13°. Ex.38.E
Spumoſus ſanguis nõ oĩno ex pulmone expuiĩ.c.7°.aph.30°.Ex.56.b
Spumoſus cur ſit ſanguis a pulmone.de vtil.reſp. Sp.64.C
Spumoſum raro expuitur in morbo laterali.com.7°.aph.30°.Ex.56.b
Spumoſum,& cãdicãs eſt ſputũ,ſi pituita abũdat.5°.de l.af. 4ª.29.H
Spumoſæ tenues,& nigræ deiectiones in quo fuerint tertio die. in 3ᵐ. de mor.vulg.com.1°. 3ª.133.H
Spumoſa excrementa vnde ſint,& qũo fiant.c.7°.aph.30°.Ex.56.a
Spumoſa deiectio quæ. in 1ᵐ.pror. com.3°. 4ª.178.E
Spumoſa deiectio ad quid ſequatur. cõ.6°.aph.1°. Ex.46.C
Spumoſæ & ſynceræ deiectiones prauæ ſunt.in 1ᵐ.pr.c.2°. 4ª.171.B
Spumoſæ albicantes deiectiones malæ.in 1ᵐ.pror.c.2°. 4ª.171.G
Spumoſa deiectio naturis eſt omnibus mala.in 1ᵐ.pror.c.2°.4ª.171.b
Spumoſæ deiectiones damnandæ.de vi.ra.in mor.acu.c.3°. 7ª.128.C
Spumoſæ deiectiones puræ biliоſæ habent graues offenſas.de victꝰ.rat. in mor.acu.com.3°. 7ª.128.C
Spumoſa deiectio quid ſignificet.in prog.com. 2°. 4ª.199.G
Spumoſa excrementa quibus in alui profluuijs ſunt, his ex capite pituita defluit.com.7°.aph.30°. Ex.56.A
Spumoſa vrina alba nebuloſa in ſynocha nõ bonũ ſignat.de dy.S.34.d
Spumoſa vrina,ſubalbida,aut ruſſa mortem ſignificat in ſynocha. de dynamidijs. Sp.34.D
Spumoſa vrina,alba,nebuloſa ſi critico die,aut poſt criticum diem ſuperuenerit,ſolutionem ægritudinis oſtendit. de dy. Sp.34.D
Spumoſa vrina ſuperius ſignificat ſtomachi ventoſitatem,& aliqñ veneris deſiderium,& tuſſim & frigiditatem. de dy. Sp.35.E
SPVERE concoctionis inditium eſt in pectoris aut pulmonis morbis. in 6ᵐ.de mor.vulg.com.2°. 3ª.163.E
in SPVTATIONE elleborus dandus.de victus ratione in morb. acutis, commen.4°. 7ª.144.G
SPVTVM proprie quid. 1°.de criſi. 4ª.126.H
Sputa vnde fiant. in 1ᵐ.pror.com.1°. 4ª.163.H
p Sputa expelluntur ſuperflua.de com.memb. Sp.59.B
Sputa ſupra quid ſignificent.in 1ᵐ.pror. Hip.com.1°. 4ª.161.G
Sputa ſupra ſpiritualia mẽbra quid ſignificent.1°.de criſi. 4ª.128.A
Sputa in pleuritide,& pulmonis paſſionibus, comparantur vrinarum ſubſidentiis. 1°.de criſi. 4ª.132.B
Sputa primo,deinde vrinæ conſiderandæ in pleuritide, quia pleuritis eſt cum febre. 1°.de criſi. 4ª.128.C
Sputa cur non ſtatim adſunt in pleuritide,& tamen tuſſis adeſt ſtatim. 2°.de criſi. 4ª.137.F
p Sputa euacuatio fit in morbo laterali. cõ. 5°.aph.8°. Ex.38.B
Sputo expurgaĩ humor noxius in laterali morbo, ſtrangulat vero ægrũ in pnitioſis,antequã coſtę patiãtur.cõ.7°.aph.11°. Ex.54.G
Sputum oſtendit cauſam morbi lateralis. cõ.6°.aph.8°. Ex.50.A
Sputum oſtendit terminũ morbi lateralis.cõ.1°.aph.12°. Ex.6.A
Sputa pleuriticorum qualia,& quid ſignificent.2°.de criſi. 4ª.137.F
inter Sputa quæ mitiora, & quæ exitialia.2°.de criſi. 4ª.137.G
Sputa ſemper ſignificant iudicationes,ſed nõ ſemper bonas. comm.4°. aphor.71°. Ex.35.D
ex Sputis ſumuntur concoctiones.de tot.mor. temp. 3ª.88.G
quod Sputum indicat bonam coctionem.com.1°.aph.12°. Ex.6.B
Sputum debilis coctionis quod. com.1°.aph.12°. Ex.6.B
Sputa qualia,equanĩ cruditatẽ.de vic.ra.in mor.acu.cõ.2°. 7ª.123.B

Staphylinus vrinam & menſes ciet.6°.de ſim.me.fa. 5ª.46.A
STAPHILOMA *a ſimilitudine nominatur.2°.met.me.* 7ª.9.E
Staphyloma quid.ſi.me.48.E|intr.Iſ.56.A|de tu.præt.na. 3ª.84.H
Staphyloma oculi & genarum affectus eſt.fin.med. Iſa.48.F
Staphyloma eſt affectus iridis oculorum.intro. Iſa.58.D
Stamphyloma eſt vlceratio quædam oculorum.ſi.med. Iſa.48.D
Staphylomata oculorum affectus manu indigens.introd. Iſa.59.G
Staphylomata præciduntur.introd. Iſa.59.G
Staphylomata ad ipſas radices per medium tranſiuit.introd. Iſa.59.G
ad Staphylomata oculorum. 4°.de compo.medi.ſecundum loc. 154. *H|155.D|G* 5ª.158.C
ad Staphylomata.4°.de comp.med.per ge. 5ª.243.C
STAPHISAGRIA *quid,& eius vires.de ſim.med.* Sp.90.C
Staphiſagria ad quid vtilis.de cucurb.ſcar. 6ª.4.F
Staphiſagria viſcidiſſime relaxat pediculos ex oleo leuigata,et corpori illinita occidit.de ſimp.med. Sp.90.C
Staphiſagria detergens,& concoquens eſt.6°.de compoſit.medica.per genera. 5ª.256.F
Staphiſagria carnẽ colliquare poteſt.4°.de ſimp.me.fa. 5ª.29.F
Staphiſagria purgat caput.de cathar. Sp.95.B
Staphiſagria per os prouocat ſudorem.de cathar. Sp.95.D
Staphilini radices expurgant in icteris.de cura icteri. Sp.111.B
STARNAE *caro eſt cibus ſubtilians.de diſſol.cont.* Sp.72.D
Starnæ ſunt velocis digeſtionis.de diſſol. Sp.73.C
STATER *pendit drachmas quatuor vnde Tetradrachmon dicitur.de pond.& menſ.* 5ª.276.D
Σθατμία *pondera quæ.de frac.com.2°.* 7ª.232.E
STATIM *quid ſignificet.1°.de criſ.* 4ª.228.B
ſm STATIONES *lunæ, & planetarum,homines bene & male ſe habent.3°.de dieb.decret.* 4ª.157.H
Stationes lunæ tetragonæ,& diametrę i principijs bonis,bonas faciũt alterationes,in malis malas.3°.de dieb.decre. 4ª.158.A
STATIO *crurum actio eſt.15°.de vſu par.* 1ª.213.F
Statio quomodo fiat.15°.de vſu par. 1ª.213.E
STATVA *Polycleti regula appellata eſt.17°.de vſu par.* 1ª.121.E
STATVARII *æqualitatem difficulter aſſequuntur,etiam multis inſtrumentis.17°.de vſu par.* 1ª.121.F
Statuarij ad Eraſiſtratum comparatio.5°.met me. 7ª.36.C
STATVS *quid ſit ſm Hippocratẽ.in 3ᵐ.de mor.vul.cõ.3°.* 3ª.140.E
Status quilibet anni habet naturale temperamentum.in 3ᵐ.de morbis vulgaribus,com.3°. 3ª.140.F
ſub Statu cœli comprehendit aeris temperiem. 9°. methodi medendi 57.H|10°. 7ª.63.D
Status temperati ſunt temperatis corporibus ſalubres. in 1ᵐ.de mor. vulgaribus,com.2°. 3ª.108.E
Status auſtrinus,& tranquillus.in 3ᵐ.de morb.vul.com.3°. 3ª.140.G
Status humidi, & calidi temperamenta calida & humida offendunt. in 1ᵐ.de morb.vulg.com.2°. 3ª.108.F
Status calidus,& ſicciſſimus non fit niſi æſtate.10°.met.me. 7ª.63.E
Status frigidus,& humidus nõ fit niſi hyeme.10°.met.me. 7ª.63.E
Status humidi & frigidi maxime lædunt corpora humida, & frigida. in 1ᵐ.de morb.vulgar.com.2°. 3ª.408.F
Status frigidus,& ſiccus partium,& inæqualis deſcribitur. in 1ᵐ.de morb.vulga.com.2°. 3ª.113.E
Status cœli facit ad auxiliorum inuentionem.9°.met.me. 7ª.58.G
Statũ morboſum auferunt ætheſiæ.in 3ᵐ.de mor.vul.cõ.3°. 3ª.147.C
in Statu omni ætas & natura conſideranda. in 1ᵐ. de morbis vulgaribus,com.2°. 3ª.108.E
Status leuis corporis comparatur maris tranquillitati.in 3ᵐ.de mor. vulgaribus,com.3°. 3ª.177.B
Statũ vitioſum in melius mutãdi facultatẽ hẽmus.2°.de na.f. 1ª.300.B
STATVS *quid ſit.com.1°.aph.7°.* Ex.4.E
Status vehementiſſima pars morbi eſt.1°.de criſi. 4ª.128.D
Statum inclinationem,principium , & augmentum quicunque morbi habent.de tot.morb.tempe. 3ª.89.E
Status morbi extrema appellat Hippocrates ſecundum Galenum.1°. de diebus decret. 4ª.151.A
Status partes quatuor ſunt.de morb.temp. 3ª.86.F
Status ſemper eodem modo aliquãdiu permanẽt.de mor.tem. 3ª.87.B
Status inæquales.trifariam fiunt.6°.de ſa.tu. 2ª.98.D
Statu ſimili opus non eſt ad alterandi actionem,atq; ad negociorũ functionem.3°.de ſymp.cauſ. 3ª.28.G

Status poteſt præcognoſci.1°.de criſi. 4ª.131.F
Statum futurũ cognoſcere eſt officiũ medici gnoſi.1°.de criſ. 4ª.126.D
ante Statum augmentum non cognoſcitur.1°.de criſi. 4ª.128.E
Status ſemper primo cognoſcendus.1°.de criſi. 4ª.128.E
Status morbi cur præcognoſcendus.3°.de criſi. 4ª.141.A
Status quomodo cognoſcantur.com.1°.aph.12°. Ex.5.D
Status tempore fit coctio exquiſita.3°.de criſi. 4ª.141.A
in Statu ſomnus bonus.com.2°.aph.1°. Ex.11.B
in Statu ſemper fit criſis.3°.de criſi. 4ª.141.B
Statum quando criſis expectabit.3°.de criſi. 4ª.141.E
ad Statum niſi reſpiciat,quid mali ſequatur.1°.de criſi. 4ª.131.A
Statu ignorato,quæ ignorantur.3°.de criſi. 4ª.141.D
ſine Status præcognitione, victus ratio inſtitui recte non poteſt.1°.de diebus decret. 4ª.150.C
Statu ignorato, cognoſci non poteſt an æger debeat mori vel ſuperuiuere.3°.de criſi. 4ª.141.C
in Statu in principio & in augmento mors contingit.3°.de criſibus. 141.E| 4ª.142.E
in Statu,& augmento moriuntur ægri.de tot.morb.temp. 3ª.88.C
in Statu mori ægros collige.com.4°.aph.34°. Ex.31.D
in Statu deiectiones nigræ non præſe ferunt mortem.cõmentario. 4°. aphoriſmo 21°. Ex.21.D
in Statu eorum qui debent ſanari,non ſunt magis ſæua accidentia.cõmentario.2°.apho.29°. Ex.16.G
in Statu etiam accidentia, & morbus ipſe ſunt fortiora. commenta. 2°.aphoriſmo 29°. Ex.16.G
Statu elapſo nullum eſt mortis periculum.3°.de criſi. 4ª.141.B
Status quandoq; momẽtaneus eſt,vt nõ cognoſcat.1°.de cri. 4ª.126.C
Status quomodo ex acceſſionibus accipiatur.com.1°.aph.12°.Ex.5.E
Status acceſſionis quo fiat.de vict.rat.in mor.acu.com.1°. 7ª.115.G
Status in acutis raro habet tres acceſſiones.1°.de criſi. 4ª.128.H
Status in longis habet multas acceſſiones.1°.de criſi. 4ª.128.H
Status finitur per maximas acceſſiones,& qñ.de tot.mor.tẽ. 3ª.89.G
prope Statũ miteſcũt rigores validi.in 6ᵐ.de morb.vul.c.1°. 4ª.156.E
in Statu qui morbus erit in ſecundo quaternione,& qui vltra. 1°.de diebus decretor. 4ª.151.A
Statum longum habet ſynochus febris.3°.de criſ. 4ª.140.C
Status in qua febre per quatuor horas.2°.de criſi. 4ª.136.G
Status inflammationis qualis.de tot.mor.temp. 3ª.88.F
Status in pleuritide quando.1°.de criſi. 4ª.132.D
Status qui fuerit,& quantus in caſu Anaxionis.1°.de criſi. 4ª.132.F
ex Statibus & regionibus pulſuum mutatio fit.3°.de ca.pu. 4ª.97.D
ſm Statum quales pulſus.1°.de diff.reſp. 3ª.58.D
in Statu colliquefactionis vrina qualis.quæſ.in Hip. Sp.113.C
a Statu victus ratio tota ſumitur.1°.de criſi. 4ª.126.D
in Statu nihil poteſt dari,nec euacuare,nec ſecare venam. comment. 2°.aphoriſmo.29. Ex.16.G
in Statu quando cibandum.11°.met.me. 7ª.74.D
in Statu quandoq; nutrimus.com.1°.aph.9°. Ex.4.H
in Statu quibus vti debemus.6°.de comp.me.ſec.lo. 5ª.167.C
in Statu tenuiſſimo victu vtaris.1°.de arte cur.ad Glauconẽ.97. H| com.1°.aphor.7°. Ex.4.F
in Statu qui ſunt ante ſeptimã quo cibãdi.1°.de ar.cu.ad Gl.7ª.97.H
in Statu q ſunt poſt ſeptimã quo cibãdi.1°.de art.cur.ad Gl.7ª.97.H
Status, lege, Conſiſtentia, Vigor.
STEATOCELE *affectus ſcroti.intro.* Iſa.59.D
Steatocele tumor ſcroti.introd. Iſa.60.B
Steatocele laborantium curatio.introductio. Iſa.60.B
STEATOMA *nomen eſt ægritudinis ſumptum a ſimilitudine ad aliqd extra poſitum.2°.met.me.* 7ª.9.E
Steatoma quid.fin.med. Iſa.48.H
Steatoma eſt affectus iuncturarum cubiti.introductio. Iſa.59.C
Steatomata quid,& vnde.14°.met.me. 7ª.90.E
Steatomata ſunt ceruicis affectus.intro. Iſa.59.C
Steatomata quid.de tum.præt.nat. 3ª.83.G
Steomata affectus ſunt poplitis.introd. Iſa.69.D
Steatomata ſunt a toto genere præter naturam.de diff.mor. 3ª.4.F
Steatomata enumerantur inter morbos qui oriuntur cum prius non eſſent.14°.methodi med. 7ª.92.C
in Steatomate morbo ſubſtantiæ fit generatio quæ non fuit.14°. methodi medendi. 7ª.93.C
Steatomata ex fluxionibus humorum fiunt.de cauſ.morb. 3ª.8.B

Steatomata diuerſo modo tãgunt, q̃ reliqui tumores. ad Thra. 2ª.105.A
Steatomata indicant ſui ablationem. 3°.*met.me.* 7ª.16.C
in Steatomatibus inutile abijcitur a natura. de cauſ.morb. 3ª.9.D
Steatomata ſola manus opera curatur, nec putreſcit nec digerit. 14°. *methodi meden.* 7ª.90.E
Steatomatum in ceruice curatio. introd. Iſa.59.H
Στεγνὸν *quid ſit.* 5°.*de ſimp.me.fac.* 5ª.35.H
Στέγνωσιν *quid appellat Galenus.* 3°.*de ſa.tu.* 2ª.80.F
Stegnoſis quid ſit, & quomodo fiat. 3°.*de ſan.tu.* 2ª.81.B
STEGNOTICA *quæ ſint.* 5°.*de ſimp.me.fac.* 5ª.35.H
STELACHIEA *quæ vena.* 6°.*de anatomicis adminiſt.* 1ª.92.H/6°.*de locis affectis.* 4ª.39.C
STELLA *quid ſignificet. in* 1ᵐ.*de morb.vulg.com.* 1°. 3°.101.H
Stellæ ac cœlũ aĩal immortale, & ratione p̃ditũ. de hiſt.phil. Sp.11.E
Stellæ cœleſtes Deus. de hiſt.phil. Sp.4.F
Stellæ quibus conſtent. de hiſt.phil. Sp.6.D
Stella cuius rei deſiderio tenetur, eadem reficitur. de decub.progno. ex mathematica ſcientia. Sp.13.A
Stellarum figura quæ. de hiſt.philo. Sp.6.D
Stellarum ordo qui. de hiſt.philo. Sp.6.E
Stellãrum motus qui. de hiſt.philo. Sp.6.E
Stellarum lux vnde. de hiſt.phil. Sp.6.E
circa Stellas fixas & errantes quicquid apparet, reponitur inter ea quæ manifeſto apparent. de cui.ani.pecc.not.atq; med. 2ª.57.
Stellæ videntur interdiu, modo non ſit meridies, ex putcis profundis. 10°.*de vſu par.* 1ª.179.A
Stellæ cur apparent in ſolis eclypſi 10°.*de vſu par.* 1ª.178.H
Stellæ diſcurrentes quid. de hiſt.phi. Sp.7.F
Stellæ, aut luna, ſi vno oculo videantur, in alio videntur de loco ad locum tranſilire. 10°.*de vſu par.* 1ª.183.A
Stellæ fulgentes ſiccæ, & prudentes Subſtantia animæ pro certa quãdã Aeris, ac ignis tẽpatura ſit ex Stoicorũ ſciẽtia. q̃ aĩ mor. 1ª.318.f
Stella σειριος *eſt canicula. in* 1ᵐ.*de morb.vulg.com.* 1°. 3ª.102.A
Stellarum ſignificatio qualis. de hiſt.philo. Sp.6.F
Stellæ alterant puerum in conceptu. de ſperma. Sp.38.G
STELLA *de faſcijs.* 7ª.302.A
Stella a poſteriori parte ſe oſtendens. de faſcijs. 7ª.302.B
STELLIONES *ſemper ſunt proni, & omnia quæcunque ſunt bræuium crurum.* 3°.*de vſu par.* 1ª.128.F
Stellio a ſcorpionibus viſus ipſos ſubſtringit, & ita perimit. de theria. ad Piſonem. 5ª.93.G
Stellionis caput. 3°.*de comp.me.ſec.loc.* 5ª.144.G
Στεμφυλίτις *lora appellatur ab Atticis.* 2°.*de alim.fa.* 2ª.18.C
Στεμφυλα *oliuarum partes ſolidas Attici vocant cum oleum fuerit expreſſum.* 2°.*de alim.fac.* 2ª.18.C
Στεμφίλος *quid.* 2°.*de alim.fa.* 2ª.18.A
Στενυγροχωρία *quid ſignificet. de arti.com.* 1°. 7ª.261.B
STENYGRON *dicitur anguſtum â Ionibus. in* 6ᵐ. *de morbis vulgaribus commentario.* 2°. 3ª.160.F
Στεφαναια *quid. introductio.* Iſa.54.F
Στεφανιαῖα *tertia ſutura, quæ, & vbi, & cur.* 9°.*de vſu par.* 1ª.173.e
Στεφανιαῖος *genus vinculi, & quod. de faſcijs.* 7ª.295.A
STEPHANON *quem locũ in oculo aliqui vocent.* 14°.*me.me.* 7ª.93.G
STERCVS *quid. fin.med.* Iſa.44.A
Stercus an fiat in tenui inteſtino. 3°.*de na.fa.* 1ª.306.A
Stercus in tenuibus inteſtinis creatur. 3°.*de na.fa.* 1ª.134.C
Stercus excernitur in corpore humano. introd. Iſa.55.B
Stercoris, vrinæ, & genituræ euacuatio naturalis eſt. in 6ᵐ.*de morbis vulgaribus, com.* 3°. 3ª.173.H
Stercoris magna copia cur ex furfure fiat. 1°.*de alim.fa.* 2ª.12.A
Stercus quando emittitur. 1°.*de ſan.tu.* 2ª.67.F
Stercus exire qui muſculi adiuuant. 1°.*de ſan.tu.* 2ª.67.F
Stercus a voluntate per ſedem emittitur. 2°.*de decr.Hip.* 1ª.237.F
Stercus exiens ex panno ſuper Inguina ſuppurato ac inciſo, ſignificat abſceſſum in colo veſica. 1°.*de loc.affect.* 4ª.2.E
Stercus quomodo præter voluntatem excernatur. in 6ᵐ. *de morbis vulgaribus. com.* 3°.3ª.173.H/6°.*de lo.aff.* 4ª.38.F
Stercus effluit inuitis nobis ani muſculo exciſo. 2ª.*de mo.mu.* 1ª.315.b
Stercus in recto inteſtino collectum, facit dolorem. de mul. 3ª.76.F
Stercora quorum ſint notæ. 6°.*de loc.aff.* 4ª.41.E
Stercus exiẽs p vulnus ſignãt inteſtinũ vulneratũ. 1°.*de lo.af.* 4ª.2.E
Stercora vnde fiant in ſtomacho. de ana. viuo. Sp.50.E
Stercus in quibus doloribus euomatur. 6°.*de lo.aff.* 4ª.37.A
Stercus euomitur in voluulo. in 1ᵐ.*pror.com.* 3°. 4ª.187.F
Stercus reuoluitur in voluulo. 8°.*de comp.me.ſec.loc.* 5ª.190.B
Stercus per os emitti faciunt inteſtina tenuia affecta. in 6ᵐ.*de morbis vulgaribus, com.* 2°. 3ª.139.A
Stercus cũ euomitur ileũ dicitur, ideſt voluulus. 6°.*de lo.af.* 4ª.37.A
Stercus ſiccum facit ileum. com. 6°.*aph.* 44°. Ex.51.G
Stercus aſcendit, atq; ſingultiunt, qui hñt ileũ. cõ. 7°.*ap.* 10°. Ex.54.F
Stercus euomitur in ileo com. 6°.*aph.* 44°. Ex.51.C
Stercus cur euomatur in ileo. 3°.*de natu.facul.* 1ª.306.F/3°.*de ſymptoma.cauſ.* 3ª.25.H
ex Stercus euomentibus vix vnquam aliquis potuit ſanari. 6°. *de locis affectis.* 4ª.37.A
ad Stercus ſurſum euomentes. 9°.*de comp.me.ſe.lo.* 5ª.202.B
ad Stercus vomentes. de med.fa.par. 7ª.166.E
Stercora dura nõ bona, & quid cõſiderãdũ indicẽt. 7°.*me.m.* 7ª.45.A
Stercus durum quid faciat. 3°.*de ſymp.cau.* 3ª.25.H
Stercus retentum ſubito ſuffocat. 3°.*de ſymp.cau.* 3ª.28.E
a Stercore duro obſtructio, quomodo emendatur. ars me. Iſa.70.C
Stercora duriſſima ſubducens vnguentũ p vngẽdo ano. de dy. Sp.27.G
Stercora tãtũ mouentia medicamẽta cuprotica dñr. de cath. Sp.95.A
Stercorum eductiua pharmaca. 7°.*de comp.me.ſe.lo.* 5ª.178.F
Stercus expellit linozoſtis ideſt mercurialis. de dy. Sp.21.H
Stercora humida olentia, & plena flatus, oſtendunt malam coctionem. 7°.*metho.med.* 7ª.44.A
Stercus nigrum malum eſt propter colorẽ. in 3ᵐ. *de morbis vulgaribus commen.* 1°. 3ª.134.C
Stercus quandoque excernitur habens guttas ſanguinis, & cur. 3°.*de ſymptomatum cauſis.* 3ª.28.C
Stercus quod ſupernatat. 6°.*de loc.affe.* 4ª.36.G
in Stercore eſſe ſomniare quid ſignificet. de præſ.ex inſom. 4ª.213.E
Stercorum conſideratio quo ad attractionẽ. 5°.*de ſimp.me.fa.* 5ª.36.F
STERCORA *laudat. de theria. ad Piſo.* 5ª.93.F
Stercora per os dabat Aſclepias. 10°.*de ſimp.me.fa.* 5ª.75.H
Stercus nõ comedẽdũ quãuis valeat in angina. 10°.*de ſim.m.f.* 5ª.72.C
Stercus edere nunquam patitur Galenus. 10°.*de ſimp.me.fa.* 5ª.72.C
Stercoribus vti non debemus, cum alia multa habeãtur. 10°. *de ſimp. medica.fa.* 5ª.76.F
Stercus nullum refrigerat & humectat. 10°.*de ſimp.me.fa.* 5ª.76.F
Stercus maxime digerit. 10°.*de ſimp.me.fa.* 5ª.75.G
Stercore renes exaſperantur. de ren.aff.dig. & med. 7ª.193.G
Stercora omnia qualia. 6°.*de comp.me.ſe.lo.* 5ª.170.G
Stercus Anſerinum, accipitrinum, & aquilarum, ob nimiam acrimoniam inutile. 10°.*de ſimp.me.fa.* 5ª.77.B
Stercus Aſini recens. 4°.*de com.me.ſe.lo.* 5ª.158.D
Stercus Bubulum ſiccum, & á proprietate ſubſtantiæ agit. 10°.*de ſimplicium med.fa.* 5ª.75.G
Stercore bubulo quomodo aqua inter cutem ſanetur. 10°. *de ſimplicium med.fa.* 76.G/*de theria. ad Piſo.* 5ª.93.F
Stercus bouis armentariæ in hydrope, & caprinum quomodo conueniunt. 9°.*de comp.me.ſe.lo.* 5ª.200.F
Stercus armentariæ bouis aridum vino coctum quibus conueniat. 8°. *de comp.me.ſe.lo.* 5ª.192.C
Stercus Bubulum ad choeradas, & tumores omnes ſcyrrhoſos à quo adhiberetur. 10°.*de ſimp.med.fa.* 5ª.76.H
Stercus bouis ſiccum pro melancholicis, & quomodo. de melancholia ex Gal.Ruf. & Poſſ. Sp.110.C
Stercus bubulum, aptũ, veſparumq; morſus iuuat, vt hinc cognoſcas attractoriã ipſum vim habere. 10°.*de ſimp.me.fa.* 5ª.76.G
Stercus bubulum partibus ruſticorum phlegmone obſeſſis aptari debet. 10°.*de ſimp.me.fa.* 5ª.76.G
Stercore canino Muſa primus vſus eſt. 6°.*de cõp.me.ſe.lo.* 5ª.172.B
Stercore canino vtitur, & vſum laudat. 6°.*de cop.me.ſe.lo.* 5ª.172.B
Stercus caninum quomodo paretur, quomodo ad anginam, & quomodo ad diſenteriam. 10°.*de ſimp.me.fa.* 5ª.76.A
Stercus caninum album dat. 9°.*de comp me.ſe.lo.* 5ª.198.B
Stercus caninum quomodo in vlceribus malignis medicamentum ſit mirabile. 10°.*de ſimp.me.fa.* 5ª.76.A
Stercus Caprinũ bibere qui homines digni. 10°.*de ſim.me.fa.* 5ª.76.F
Stercus caprinum quale. 10°.*de ſimp.me.fa.* 5ª.76.D
Stercus caprinum vſtum ad alopecias, lepras, pſoras, & lichenas confert. 10°.*de ſimp.me.fac.* 5ª.76.E

Stercus caprinum ad aquam intercutem,& ad splenicos valet.10°.de simplicium medi facul. 5ª.76.E
Stercore caprino ad genu tumorem habens inueteratum vsus est Galenus,& quomodo.10°.de simp.me.fac. 5ª.76.E
Stercus caprinum ad parotidas, & bubones, ad viperarum morsus ad aurigine,& profluuiu muliebre valet.10°.de sim.m.f. 5ª.76.F
cu Stercore caprino quale sit acetum.7°.de com.me.per g. 5ª.265.F
Stercus Ciconiarum epilepsia mederi quidam falso dicunt.10°.de simplic.medicam.facul. 5ª.77.B
Stercus Columbarum non est fœtidum,maxime arefactu.10°. de sim. medica.facul. 5ª.77.A
Stercus Columbinum probatur esse calidu.3°.de simp.me.fa. 5ª.22.G
Stercus agrestium columbarum accenditur, & plurimo tempore durat.6°.de simp.me.fac. 5ª.48.A
ex Stercoris putredine calor generatur.de cauf.morb. 3ª.6.D
Stercus columbinum acre est.6°.de comp.me.se.lo. 5ª.256.F
Stercus columbinum ad pilorum ablatione ab oculis quomodo valet. de oculis. 7ª.190.E
ex Stercore columbaru medicamentu,& quale sit stercus colubaru, & q est minus subtile euphorbio.3°.de com.me.per ge. 5ª.234.A
Stercus columbaru ad rubrificandu valet.1°.de simp.me.fa. 5ª.76.H
Stercus columbaru ad coxendicem,hemicraniam,scotomata, vertigines,cephaleam inueteratam,ad dolores inueteratos laterum,scapularum ceruicis & lumboru,ad hac,ad nephridides,affectus cæliacos,& podagricis,arthritides valet.10°.de simp.me.fa. 5ª.77.A
Stercus columbinum quale sumi debet.2°.de comp.me.se.lo. 5ª.139.F
Stercus columbarum domesticarum imbecillius est stercore montanarum.10°.de simp me.fac. 5ª.77.B
Stercore columbarum vtitur.3°.de comp.me.per ge. 5ª.231.A
Stercus Crocodilorum terrestrium facit cutem tensam,& splendente. 10°.de simp.me.fac. 5ª.77.D
Stercus crocodilorum terrestrium a facie ephelen tollit,vitiliginem, & lichenas.10°.de simp.me.f. 5ª.77.D
ex Stercore odorato equorum quidam intelligebant quomodo alimenta concoxerant,vt agnoscerent bonam habitudinem eorum.7°. methodi medendi. 7ª.45.D
Stercus Felis quomodo valet ad Alopecias.1°.de co.me.f.l 5ª.124.E
Stercus Gallinarum conclusarum minus efficax est stercore no conclusarum.10°.de simp.me.fac. 5ª.77.B
Stercus gallinaceum pro his qui a fungis suffocantur bonum.10°. de simpl.medic.facul. 5ª.77.A
Stercus citrinum Gallinæ.de med.fac.pa. 7ª.162.G
Stercus Leporinum quomodo Columellæ vitijs,& spiritus difficultati opitulatur.de med.fac.par. 7ª.171.B
Stercus humanum cur habeat plures differentias alijs.10°.de simpli. medica.fac. 5ª.76.G
Stercus humanum abominandu.6°.de comp.me.sec.lo. 5ª.172.B
Stercus humanu ob fœtorem abominandu.10°.de sim.me.fa. 5ª.75.H
Stercus hominum canibus suauissimum.3°.de nat.fa. 5ª.305.D
Stercus humanu potui dare us qui ppe suffocant.d me.fa.p. 7ª.165.C
Stercus humanu ad gutturis phlegmone quomodo co ferat.10°.de simplicium medi.fac. 5ª.76.A
Stercore vtitur humano,& in quo casu.6°.de com.me.sec.lo. 5ª.172.B
Stercus Lacerte tollit Albugines.4°.de comp.med.sec.loc. 5ª.158.C
Stercora Luporum ossa comedentium quam vim habeant. de incanta. adiur.& sasp. 7ª.182.A
Stercus lupinum in colicis mirabile, & quale esse debeat.10°.de sim. medicam.facul. 5ª.76.C
Stercus lupinu quo loco apponeretur inguinib p colica.10°. de sim. medicamen.fac. 5ª.76.D
Stercus Murium quo loco reponatur inter calida que valet alopecijs. 1°.de comp.me.se.loc. 5ª.122.D
Stercus murium ad alopecias valet.10°.de simp.me.fa. 5ª.77.D
Stercus murium cum aceto tritu alopecias sanat.de th.ad Pi. 5ª.93.F
Stercus muriu cotritu ex aceto ad quid valeat.d rem.pa.f. 7ª.154.H
Stercore muriu pro balano quida est vsus.10°.de sim.me.f. 5ª.77.D
Stercora quæ non grauiter olent.10°.de simp.me.fa. 5ª.75.H
Stercus Onillum ad quæ valet.10°.de simp.me.fac. 5ª.76.H
ex Stercore Palumbium medicamento supra caput matronæ habentis catharrum vsus est Galenus.nonnullis tame prius peractis.5°. methodi medendi. 7ª.35.C
Stercore passerum vtitur.8°.de comp.me.sec. 5ª.192.B
Stercus Palumbi.6°.de comp.me.per gen. 5ª.261.G
Stercus Sturnorum comedentium orizam,pro mulierum cute tendenda & splendida reddenda,bonum.10°.de simp.me.fa. 5ª.77.D
STERILIS *mulier quæ sit.com.5°.aph.59°.* Ex.43.C
Steriles quæ mulieres,& quæ non,& quæ semper generabant,& quę non,& ita de viris.com.5°.aph.62°. Ex.43.G
Steriles ob humiditatem & pinguedinem sunt mulieres Scythæ.de aere aquis & locis. 2ª.5.G
Sterilis si facta ę quę prius fœcunda fuerat qd agędu.de pa.m Sp.96.C
Sterilis an sit mas,vel fœmina,quo dignosce edum.de me.fa.p.7ª.175.B
Steriles lege Infœcundi.
STERILITAS *mularum vnde proueniat.de his.phil.* Sp.11.A
Sterilitatem facit epimedium potum.6°.de simp.me.fa. 5ª.47.D
Sterilitate bibetib affert seme volucri maioris.8°.de sim.m.f. 5ª.58.B
Sterilitate pariunt venæ post aures sectæ.de aere,aq.& loc. 2ª.5.H
STERNENDA *quæ sint in cubiculo febricitantium.10°.metho. medendi.* 7ª.64.E
STERNVTAMENTVM *Tussis cum sit naturale accidens similitudine quadam imitatur,nam & sternutamentum videtur esse naturale accidens.5°.de locis affect.* 4ª.31.C
Sternutamētu motus no naturalis est,de ijs quæ im.fi.c.3°.7ª.222.D
Sternutamentum ex quot causis fieri potest.com.7°.aph.53°.Ex.58.C
Sternutamenta ex quo humore fiant.com.7°.aph.52°. Ex.58.D
Sternutamentum quomodo fiat.com.7°.aph.52°. Ex.58.C
Sternutamenta cur excitant p aspectu in Sole.de instr.odo. 1ª.112.E
Sternutamentum sequitur grauedines.in progn.com.2°. 4ª.202.H
Sternutamentum expurgat narium meatus.c.7°.aph.52°. Ex.58.C
Sternutamenta faciunt exire muccum crassum, & glutinosum ex cerebro.de instru.odor. 1ª.112.E
Sternutamētu leues caput quod,& qđ no leuas.co.7°.ap.52°.Ex.58.D
Sternutamenta qnando bona,& qn mala.in prog.com.2°. 4ª.202.G
Sternutamēta plura ostendunt futuram ægritudine.ars med.Isa.68.F
Sternutamēta quomodo grauedini capitis medeni.de inst.od. 1ª.112.D
Sternutamenta prouocanda in caro & lethargo.de instr.odo.1ª.112.D
a Sternutamentis quæ medicamentis mouentur,non minimum curationis recipit carus.de instru.odor. 1ª.112.D
a Sternutamentis quæ medicamentis mouentur curatur lethargus.de instru.odor. 1ª.112.D
Sternutamēto tēpore facto singultus sedatur.d med.fac.pa.7ª.159.A
Sternutamenta plerūq; sanguinem reuocant.de med.fa.pa.7ª.163.E
a Sternutamento dicta ptarmice.8°.de sim.me.fa. 5ª.59.C
STERNVTATIO *appellatur eructatio secundu aliquos.in 6m.de mor. vulgaribus,com.2°.* 3ª.166.D
Sternutatio qui motus sit.2°.de sympt.caus. 3ª.22.H
Sternutationis,singultus conulsionis,tremoris,palpitationis,rigoris, horroris,tussis,ructus,pandiculationis, oscitationis, trymi, idest dentium concussionis genus commune est motus illegitimus,et quo modo hæc in genere differant.2°.de symp.caus. 3ª.19.F
Sternutatio cuius motus,& ad quid instituta.2°.de sym.cau. 3ª.21.D
Sternutatio est facultatis opus.2°.de symp.cau. 3ª.19.F
Sternutatio an motus naturalis vel voluntarius.de mot.man.Sp.69.H
Sternutatio symptoma facultatis voluntariæ est.2°.de sym.ca. 3ª.21.G
Sternutatio opus naturæ,& symptomata,quod est præter naturam,& quare.2°.de symp.cau. 3ª.21.D
Sternutatio non similiter vt tussis apparet præter naturam.2°.de symptomatum causis. 3ª.21.E
Sternutatio est motus,quo natura conatur motu violentiore expellere.com.6°.aph.39°. Ex.50.H
Sternutatio expultricis virtutis validus motus est.2°.de sym. 3ª.23.G
Sternutatio habet maiorē vim spiritus,quā tussis.2°.de sym. 3ª.21.F
Sternutatio opus naturæ est,sed ab affectibus morbosis prouenit.i 6m. de morb.vulg.com.5°. 3ª.189.A
in Sternutatione qui motus clibani pectoris.de mo.m.& ob.S.69.G
Sternutatio cuius symptoma sit in symptomatum causis differitur.de symptoma.different. 3ª.11.G
Sternutationes vnde fiant.2°.de symp.cau. 3ª.24.A
Sternutatio fit naribus lacessitis.2°.de symp.cau. 3ª.22.H
Sternutatio mouet a vehemēter desiccatib.6°.de sim.m.fa. 5ª.44.H
Sternutationē prouocat radix arefacta batrachij.6°.de sim.m.f. 5ª.44.G
Sternutationem prouocant struthium,& calida omnia gustu acria.8°. de simpl.med.fac. 5ª.61.E
Sternutatio propter quid a natura tributa.2°.de simp.me.fa. 5ª.13.E

Sternutatio bonum ſignum, cauſa, & remedium. commentario 5°. aphoriſ. 35°. Ex.40.F
Sternutatio ſignificat naturam ad opus accingi, & inde mortuum reuiuiſcere.com. 5°.aph.35°. Ex.40.F
Sternutationis iuuamentum.com.5°.aph.35°. Ex.40.F
Sternutatio expurgat vias, & tibiæ expurgantur, & fiſtulæ ab opificibus.2°.de ſym.cau. 3ª.21.D
Sternutatio humores in arteria adhærentes magis expellit, quam tuſſis.2°.de ſymp.cau. 3ª.21.F
Sternutatio quomodo capitis dolorem leuat.in 6ᵐ.de morb.vulgarib. commenta.6°. 3ª.196.G
Sternutationis ſi ex catharro non fiunt, ſunt remedium maximum halitu repleti capitis.2°.de ſymp.cauſ. 3ª.21.F
Sternutatione ſingultus ſanatur.commẽtar. 5°.aphoriſmo.35°.40.G/com.6°.apho.13°. Ex.47.E
† *Sternutatio cui ſingultui conueniat.de med.fac.par.7°.178.A/commem.6°.apho.13°.* Ex.47.E
Sternutatio qũo ex accidẽti ſingultus remetiũ.2°.de ſym.ca. 3ª.24.A
Sternutationem mouerunt quidam, vt materias a thorace educeret. 2°.de ſym.cau. 3ª.22.H
Sternutatio ex accidenti eſt remedium humorum in pulmone exiſtentium.2°.de ſymp.cauſ. 3ª.24.A
Sternutatio ſuperueniens mulieri, quæ vterinis moleſtatur, aut difficulter parit, bonum.com.5°.aph.35°. Ex.40.F
Sternutatio non prodeſt vteri exulcerationibᵒ inflammationibus eryſipelatis neq; abſceſſibus.com.5°.apho.35°. Ex.40.F
Sternutatio pro vteri ſuffocatione.de paſſ.mul. Sp.95.G
Sternutatio ad tormina, & omnia interna vitia proficit. de med.facile parandis. 7ª.167.D
STERNVTATORIA *qualia ſint.de remed.fac.par.* 7ª.156.B
de Sternutatorijs caput purgantibus.2°.de cõp.me.ſe.lo. 5ª.139.B
Sternutatoria in capitis dolore cõueniunt.2°.de cõ.me.ſe.lo. 5ª.157.H
Sternutatoria Ptolemæi ad veterem capitis dolorem. 2°.de compoſi. medicam.ſecun.loc. 5ª.139.B
Sternutatorijs vtendum in lethargo.13°.me.med. 7ª.85.F
Sternutatoria in ozænis & polypis.3°.de comp.me.ſe.loc. 5ª.148.B
Sternutatorium.2°.de com.me.ſe.loc. 5ª.139.F
STERNVTARE *copioſe facit ſyrici radix tunſa, & cribrata, & in naribus impoſita.de ſimp.med.* Sp.90.C
Στέρνον *quod. introdu.* Iſa.53.C
Στέρνον *quid improprie ſit.de arti.com.1°.* 7ª.261.B
STEREOMETRA *nullus Galeni tpe dicebatur.ad Th.* 2ª.109.D
ad STERTENTES. *de med.fac.par.* 7ª.163.F
STERTERE *vnde fiat.de voce & anhel.* Sp.60.H
Stertunt qui dormiunt in bronchum.de art.com.3°. 7ª.269.E
Stertant cur dormientes & apoplectici.com.6°.aph.51°. Ex.52.H
Stertere eſt indicium fortis apoplexiæ.com.6°.aph.51°. Ex.52.H
Stertere ſignũ exolutionis ebrietatis & ignauiæ eſt.2°.d mo. 1ª.314.D
Stertit ſæpe conceptus in hora phlegmatis.de ſperma. Sp.37.C
Stertit Delphinus.de ana.viuo. Sp.48.C
STERTOR *propter quid fiat.2°.de mo.muſc.* 1ª.314.D
STERTOROSI *qui fiant, & difficulter ſpirantes. 3°.de differentijs reſpirationum.* 3ª.72.D
STESIANI *caſus habentis in profundis muſculis abſceſſum. 5°. de locis affectis.* 4ª.34.B
STIBIVM *quid.de ſim.me.* Sp.90.A
Stibium vires habet ſtypticas refrigerare, & ſtringere, & lachrymas veluti oppilare poteſt.de ſimp.med. Sp.90.A
Stibium extergit & repurgat 4°.de comp.me.ſec.lo. 5ª.149.G
Stibiũ magis adſtringit, & ſiccat q̃ ſori.4°.de.cõ.me.per g. 5ª.236.E
Stibio mulieres antiquæ oculis gratiã cõciliabãt.6°.de ſa.tu. 2ª.100.B
Stibium vſtum & lotum.3°.de compo.medic.ſecun.locos. 148.D/4°. 154.C/5°. 5ª.157.B
Stibium lotum, & non lotum quale.4°.de com.me.ſe.lo. 5ª.151.D
Stibium combuſtum ad vlcera maligna conducit.4°.de compo.medi. per genera. 5ª.136.F
Stibium vſtum.4°.de com.medi.ſec.loc. 5ª.152.F
STICVS *medicamentum quod ab aliquibus inſcribatur.7°.de compo. medicam.ſecun.loc.* 5ª.182.C
STILISCVS *quid, & ad quid in organis.de machi.* 7ª.310.E
de STILLIS *quæ per imbres cadunt qui futura prædicunt dictas eſſe pemphygas aiunt.in 6ᵐ.de morb.vulg.com.1°.* 3ª.159.C
Stilla de naribus prauũ eſt ſignũ.in 3ᵐ.de morb.vulg.c.3°. 3ª.144.A
STILLATIO *è naribus comatoſis quibus pernitioſa eſt, & quando. in 1ᵐ.pror.com.1°.* 4ª.160.H
Stillatio ſanguinis è naribus cur ſemper malum ſignum ſit.in 1ᵐ.pror. commen.1°. 4ª.161.F
STILLICIDIO *aquæ aſſiduo lapis excauatur.3°.de ſimplicium medica. facul.* 5ª.22.A
Stillicidium ab alto ſupra caput magis imprimit.13°.me.me. 7ª.85.H
Stillicidium ſupra oculos fieri non debet.13°.met.me. 7ª.86.A
STILLICIDIVM *vrinæ qd ſit, & vnde ſit.cõ.5°.aph.58°.* Ex.43.B
Stillicidiũ vrinę p quot cauſas & qd ſignificet, c.7°.aph.48°. Ex.57.b
Stillicidium quot fiat modis.6°.de loc.affe. 4ª.38.C
Stillicidiũ quando eſt accidens veſicæ.6°.de loc.affe. 4ª.38.C
Stillicidium vrinæ ſignificat laborem aliquorum inſtrumentorũ vrinę vel vlcus veſicæ.com.4°.aph.8°. Ex.36.H
ex Stillicidio vrinæ quibus ileos ſuperuenerit in ſeptem diebus pereunt, niſi febre ſuperueniente, ſatis vrina fluxerit.commenta. 6°. aphor.44°. Ex.51.C
Stillicidio affectis vrinam prouocat polygonon.8°.de ſimplicium medicam.facul. 5ª.58.H
ad Stillicidium veſicæ Catapocia Heraclidæ Tarentini cõferunt.10°. de comp.me.ſec.loc. 5ª.206.E
Stillicidium vrinæ.de med.fac.par.178.F/ 7ª.179.A/B
STIMMI *quale.9°.de ſim.me.fac.* 5ª.71.A
Stimmi ocularibus medicinis miſcetur. & collyrijs ſiccis.9°. de ſimp. medicam.facul. 5ª.71.A
STIMVLANS *dolor aliquis eſt.com.6°.aph.5°.* Ex.47.A
Stimulans dolor eſt ſpecies doloris.com.6°.aph.5°. Ex.47.A
Stimulans dolor ſm Archigenem, vbi.2°.de loc.affe. 4ª.11.H
STIMVLVS *infixus carni minus ſtimulat quam dentes quando fiunt. com.3°.aph.25°.* Ex.25.C
STIPATIO *quot modis fiat.9°.met.me.* 7ª.56.H
Stipatio meatum prohibet tranſpirationem.9°.me.me. 7ª.58.A
ex Stipatis augetur caliditas.de cauſ.morb. 3ª.6.D/E
Stipatio ſola meatuum poteſt febrem accendere.8°.met.me.7°.50.A
Stipatio vltima quid faciat.de cauſ.morb. 3ª.7.D
Stipatio ſæpius eſt refrigerationis cauſa.de cauſ.morb. 3ª.7.G
Stipatio cauſa eſt frigidæ ægritudinis.de cau.morb. 3ª.7.B
STIPATA *cute ſtatim febricitant calidi, & humidi. 8°. methodi medendi.* 7ª.54.C
STIPES *in arboribus perpetuo manet & cui proportioni reſpondeat. 2°.de alim.facul.* 2ª.24.C
Stipiti comparatur matrix in conceptione fœtus.de ana.vi. Sp.51.E
Stipites ſmyrnij vrinam mouent.de cura.icteri. Sp.111.D
Stipites & hærẽtia corporibus extrahit tragiõ.8°.de ſim.m.f. 5ª.62.E
STIPENT *quæ cutem.8°.met.me.* 7ª.51.C
Stipant offendentia.7°.met.me. 7ª.44.F
STIRPS *quid ſignificet.in 6ᵐ.de morb.vulg.com.6°.* 3ª.196.C
Stirpis genus eſt ſupra animal.1°.de temp. 1ª.13.C
Stirpium natura qualis.bre.denot.dogm.Hipp. 1ª.231.A
Stirpes an animalia.de hiſt.philo. Sp.11.H
Stirpes cur vocata animalia.in Timæum Plat. 1ª.287.B
Stirpes quid habeant minus animalibus.de ſub.fac.nat. 1ª.230.C
in Stirpibus ſola concupiſcibilis anima reperitur ex Platone. 6°. de decr.Hippocr. 1ª.261.F
cũ Stirpibus nobis cõis anima eſt ea, quæ ad nutriendum animal neceſſaria, neq; refert aĩam hanc an facultatem voces.9°.m.m.7ª.58.H
Stirpes non habent vim vitalem.4°.de præſ.ex pul. 4ª.122.C
Stirpes a ſola natura reguntur.1°.de nat.fac. 1ª.291.G
Stirpes quatuor habent naturales vires, quibus gubernantur. 2°. de different.febr. 3ª.40.F
Stirpes qui dixerint moueri.4°.de diff.pulſ. 4ª.66.B
Stirpes quomodo augeatur.de hiſt.philo. Sp.11.H
Stirpibus cur ſit ſemper appetentia.1°.de ſa.tu. 2ª.62.G
Stirpibus vt terra, ita venter animalibus eſt tanquã penul. 1°.de ſymptoma.cauſ. 3ª.18.A
Stirpium radicibus cõparantur venæ vẽtriculi.1°.de ſym.ca. 3ª.18.A
Stirpium radices comparat cordi.de ana.viuo. Sp.47.B
Stirpes, & herbæ tranſportatæ alterantur.3°.de ſym.cau. 3ª.26.E
Stirpium mollium & durarum exemplum.de vſu pul. 1ª.229.F
Stirps quando bene ſe habere dicitur.1°.de temp. 1ª.13.D
Stirpes duplici de cauſa corrumpuntur.14°.met.me. 7ª.93.C

Stirpes quomodo pereant penuria alimenti. 1°.de symp.cau. 3ª.18.A
in Stirpibus marasmus quidam conspicitur. 5°.de sa.tu. 2ª.92.H
in Stirpibus senium quid sit. 1°.de san.tu. 2ª.62.F
Stirpium omnium peritia habeat medicus. 1°.de antid. 5ª.102.B
Stirpes quæ è terra statim prodeunt peritis tantum rusticis notæ. 14°. methodi medendi. 7ª.89.G
Stirpium succi sunt pro medicina dolorũ. in 6m. de morbis vulgarib. commentario. 6°. 3ª.196.B
ex Stirpibus pastillus inscriptus. 5°.de comp.me.per ge. 5ª.251.D
STOEBE *herba qualis. 1°.de antid. 5ª.101.B*
Stœbe antiquitus implebant,& obturabant.de fœt.for. 1ª.323.D
Stœbe herba cur lagœnas vino plenas tum multa tum calida contexit pater Galeni. 1°.de antid. 5ª.101.A
Stœbe adstringit sine morsu, est siccum in tertio, dysentericis,& auribus pure fluẽtibus injicitur, vulnera magna conglutinat, erũpentẽ sanguinem supprimit,& oculorum ex ictu suffusiones iuuat. 8°.de simpl.medic.facul. 5ª.61.D
Stœbes semine in vino cocto, in quo casu vtamur. 3°.de com.med.secũdum locos. 5ª.144.H
Stœbe herbæ succus. 1°.de com.me.sec.lo. 5ª.124.F
Stœbe comparat Galenus molle,& spongiosum. 7°.de vs. pa. 1ª.158.G
Stœbe.de med.fac.par. 7ª.167.G
SVOECHAS *quid,& eius vires.de simp.med. Sp.90.G*
Stœchas qualis,& quo loco sumenda. 1°.de anti. 5ª.106.G
Stœchas qualis. 8°.de sim.me.fa. 61.D/9°.de com.me.se.l. 5ª.202.A
Stœchas citrinus.de med.fa.par. 7ª.161.D
Stœchas vires habet relaxantes, menstrua prouocat, uitia thoracis sedat in antidotis miscetur.de simp.med. Sp.90.G
Stœchas obstructione liberare,& roborare viscera,& totum corpus potest. 8°.de sim.me.fac. 5ª.91.D
Stœchas ingreditur theriacam.de theria.ad Pis. 5ª.92.E
STIPTERIA *oculorum cenotica.de cathar. Sp.95.B*
STOICAE *sectæ author Zeno citieus.de hist.philo. Sp.2.E*
Stoicorum pater Zeno. 2°.de decr.Hipp. 1ª.237.E
Stoicum dogma a Pythagora institutum,& a Platone cõfirmatũ fuit. 3°.de decr.Hipp. 1ª.253.H
Stoici exercitati in inutilibus & in vtilibus inexercitatissimi. 2°. de decr.Hipp. 1ª.235.F
Stoici contentiosi sunt. 4°.de decre.Hipp. 1ª.254.D
ex Stoicis aer frigidus est, ob ignẽ fit tẽperatus. q animi m. 1ª.318.E
Stoicorum commentitia gutta quæ cum toto mari commiscetur. 7°.de decretis Hippo. 1ª.270.D
Stoicus nihil vacui in mundo ponebat, sed extra mundum vacuum esse asserebat.de cuiusq; animi pcc.not.atq; med. 2ª.60.A
Stoici dicebant omne corpus nouum,& temporaliter creatũ esse mortale.de sperma. Sp.38.A
Stoici dicebant animas quotidie creari.de sperm. Sp.38.A
Stoici volunt animam esse spiritum quendam,& naturam,& quomodo.quòd animi mores. 1ª.318.E
fm Stoicos animæ peculiaris materia, quæ.q ani.mor. 1ª.318.E
Stoici quatuor animæ partes posuere.de hist.phil. Sp.5.B
a Stoicis contentrix facultas inuenta est.de mul. 3ª.77.C
STOLIDITAS *animi proficiscitur a sanguine. 1°.de natura humana, cõmentario 1°. 1ª.33.B*
in Stoliditate,& obliuione consistit amissio rectricis actionis. 2°. de sympt.causis. 3ª.24.B
STOLIDAS *aut phlegmonas perpetientia sedis vlcera præsaniei acrimonia mitigat lac. 10°.de simp.me.fa. 5ª.73.H*
STOLONES *manduntur vt cibus.de atten.vict. 2ª.44.A*
Stolones habent magnam incidendi facultatem, vbi commaturuerint. de atten.vict. 2ª.44.A
STOMACHICI *qui vocentur,& qnod habeant significata. 8°.de compo.med.secun.locos. 5ª.188.C*
ex Stomachicis dispositionibus quomodo plures incidunt in melãcholiam.de const.art. Isa.41.B
Stomachici dicunt appetitũ caninũ hũtes. 8°.de com.me.se.l. 5ª.188.C
Stomachici,& cardiaci valide quidem algent, non tamen rigorem patiuntur.de trem.palp.conuulf. 3ª.53.D
Stomachica affectio in quo. 8°.de com.me.se.lo. 5ª.193.G
in Stomachicis affectibus pulsus qualis. 2°.de dig.pul. 4ª.76.A
Stomachici affectus prosternũt vim vitalẽ. 4° de præs.ex p. 4ª.121.g
Stomachici,& cardiaci defectus robur vitale dissoluunt.de tremo.palpe.conuulf. 3ª.52.H
in Stomachicis affectionibus suffusionis imaginatio oculis incidit. 1°. de sympt.caus. 3ª.15.H
Stomachicũ affectũ vocãt eũ, qui syncopin inducit.de præs. 4ª.109.C
Stomachica syncope quæ. 5°.de locis affectis. 4ª.41.B
Stomachica animi deliquia quæ,& qui Stomachici. 2°.de com.medic. secundum locos. 5ª.135.C
Stomachicæ syncopæ ad quæ sequantur. 5°.de loc.affe. 4ª.29.C
Stomachica syncope in quibus periculum sit ne succedat.de victus ratione in morb.acu.com. 3°. 7ª.133.B
Stomachicæ syncopes cuius sint. 1°.de symp.caus. 3ª.17.H
Stomachicæ syncope quid faciant. 1°.de mor.musc. 1ª.313.A
Stomathicæ syncopæ, qd signẽnt.de vict.rat.in mor.ac.c. 2°. 7ª.123.B
Stomachice anima linqui quid significet. 13°.met.me. 7ª.84.G
Stomachicis quæ in cibo conueniant. 8°.de comp.me.se.lo. 5ª.192.C
Stomachicorũ panis qualis esse debet,& quæ olera cruda eis conueniant, quæ cocta, quæ carnes, qui disces, quæ testacea. 8°.de compo. medicam.secun.loc. 5ª.192.C
Stomachicæ,& cœliacæ affectioni comparatur hepatica affectio. 8°.de compo.med.secun.lo. 4ª.194.C
ad Stomachicis dolorem eximendum. 8°.de comp.me.se.lo. 5ª.192.D
Stomachicis bibendus lapis alabastites. 9°.de sim.me.fac. 5ª.68.B
Stomachicis prodest succus centaureæ. de vir.cent. Sp.94.A
Stomachicis gallinæ ventris tunicam iuuare vanum est. 11°.de simpl. medicam.facul. 5ª.80.A
ad Stomachicos qua hiera usus Andromachus. 8°.de c.m.s.l. 5ª.188.B
ad Stomachicos hiera Antipatri. 8°.de com.me.se.lo. 5ª.189.A
Stomachicis conueniens quid. 6°.de com.me.sec.lo. 5ª.170.H
Stomachicos quid iuuet.de cathar. Sp.95.C
ad Stomachicos ex Mantiæ compositionibus Attalica. 8°.de compo. medica.secundum locos. 5ª.191.C
ad Stomachicos pastillus amarus. 8°.de compo.me.se.lo. 5ª.188.H
ad Stomachicos. 7°.de compo.medi.secun.loc. 185.D/8°.193.A/B/C/195.B/9°. 5ª.202.B
ad Stomachicos ardorem sentientes. 8°.de com.me.sec.loc. 5ª.190.H
Stomachica cur dicta sint medicamenta. 5°.de simp.me.fac. 5ª.38.E
Stomachica medicamẽta qua crassitudine pparari solẽt. ad Th. 2ª.101.B
in Stomachicis medicamentis qualitas adstrictoria prædominatur. 8°. de comp.me.sec.loc. 5ª.193.A
Stomachicus aster quomodo præparetur,& quibus conueniat. 8°. de comp.med.sec.loc. 5ª.191.D
Stomachicis epithematis cõmiscei hypocistbis. 7°.de sim.m.f. 5ª.51.D
ad Stomachica medicamenta mororum succus est vtilis. 6°.de simp. medicam.fac. 5ª.56.C
Stomachicis facultatibus miscetur palmæ decoctum. 8°. de simpliciũ medicam.facul. 5ª.63.D
Stomachicis valet in thuris cortex. 7°.de simp.me.fac. 5ª.54.E
ad Stomachica Galli.de comp.me.sec.loc. 5ª.189.B
Stomachica vt Nicostratus. 8°.de comp.me.se.loc. 5ª.189.B
Stomachicum optimum medicamentum.de me.par.fa. 7ª.157.H
STOMACHVS *quid significet. 1°.de sym.cau. 3ª.17.G/13°.met.med. 84.G/de victus rat.in mor.acu.com. 1°. 7ª.111.F*
Stomachus quid sit,& quæ affectiones in eo fiant. 8°.de compo. medi. secun.locos. 5ª.187.B
Stomachus quid quandoq; dicatur. 2°.de loc.affect. 4ª.12.H
Stomachus os ventriculi a medicis vocatur. 2°.de alim.fa. 2ª.20.G
Stomachus ventris os dicitur non modo a medicis, sed ab alijs hominibus etiam. 6°.de san.tu. 2ª.100.E/3°.de loc.affect. 4ª.20.A
Stomachus os ventris. 2°.de ali.fac. 2ª.20.B/12°.me.me. 7ª.80.A
Stomachum vulgus os ventriculi vocauit. 4°.de cau.pul. 4ª.103.C
Stomachum dicitur os ventriculi per abusum.de cur.rat.per san. mis. 6ª.15.G/com.7°.aph.56°. Ex.59.A
Stomachus vocabatur tpe Galeni os ventriculi. 5°.de lo.aff. 4ª.32.F
Stomachus quando dicitur ventriculi os. 6°.de locis affectis. 4ª.41.B/de ven.sect.aduers.Erasist. 6ª.14.G
Stomachus est os ventriculi.de puls.ad Tyr. 4ª.46.C/2°.de cõp.medi. sec.loc. 5ª.135.C/de vict.rat.in morb.acu.com. 4°. 7ª.141.G
Stomachus qui,& eius locus.intro. Isa.54.C
Stomachus, hepar, cor, cerebrum sunt membra quatuor magis principalia.de ana.viuo. Sp.56.A
Stomachus, hepar, pulmo cerebrum sunt prima membra post cor. de anatomia viuorum. Sp.47.B

Stomachus non eſt particula abiecta.6°.de vſu par. 1ª.149.F
de Stomachi anatomia.de ana.viuo. Sp.49.G
de Stomachi qualitate.de comp.memb. Sp.58.H
Stomachi ſitus.de ana.viuo. Sp.49.H
Stomachus ſuperne deorſum fertur.8°.de vſu.p. 1ª.165.A
Stomachus ſuper hepar cur fit,& ad quid.de ana. viuo. Sp.47.D
Stomachus cur non iunctus pectori. 6°. de vſu par. 1ª.218.G
ante Stomachi os chartilago poſita eſt ad defenſaculum nocumenti ex trinſecus aduenientis.de ana.viuo. Sp.55.D
Stomachi os vbi incipit.de ana.par. Sp.43.D
Stomacho ſpina ppinquior eſt pectorali oſſe.16°.de vſu par. 1ª.218.G
Stomachus ab initio per totum collum ſpondylis inuectus fertur. 16°. de vſu par. 1ª.217.G
Stomachi inceſſus per ſpondylos.6°.de vſu par. 1ª.149.G
Stomachi os in duodecimo ſpondylo eſt.de ana.viuo. Sp.49.F
Stomachus in quibuſdam piſcibus peruenit vſque ad os. de mot.manifeſtis & obſcuris. Sp.71.A
Stomachus diaphragma non penetrat. 16°.de vſu par. 1ª.218.H
Stomachus ventri coniunctus eſt.de nat.& ord.cuius.l.corp. Sp.42.a
Stomachus eſt principium ventris,& inteſtinorum.introd. Iſa.57.C
Stomachus quale,& cur ita.de ana.viuo. Sp.49.G
Stomachus cur rotundus.de ana.viu. Sp.49.G
Stomachum rotundum habentes, poſt prandiam difficulter inſpirant, & expirant.de ana.viuo. Sp.49.G
Stomachus cur concauus & oblongus.de ana. viuo. Sp.49.G
Stomachus quibus conſtet.de comp. memb. Sp.58.H
Stomachus componitur ex duobus panniculis,& qui nam ſint.de anatomia viuo. Sp.49.G
Stomachi panniculus exterior componitur ex filis latitudinalibus.de anat.viu. Sp.49.H
Stomachi panniculus interior componitur ex quibusdam filis longitudinalibus,& ex quibuſdam tranſuerſis.de ana.viu. Sp.49.G
Stomachus habet magis de villis tranſuerſalibus, & latitudinalibus, quam de alijs.de ana. viuo. Sp.55.H
Stomachi panniculus quibus,& quo nutriatur.de ana.viu. Sp.49.H
Stomachi ſubſtantia cur talis.de ana.viuo. Sp.45.B
Stomachus,os,vẽtriculusq; vna tunica iũgũtur.7°.de v.p. 1ª.157.D
Stomachus habet tunicas duas.de ana.viu. Sp.56.A
Stomachi tunicæ quales.5°.de vſu par. 1ª.145.H
in Stomacho tunicarum ordinis ratio.de ana. viuo. Sp.45.B
Stomachi cur vna tunica interna continua.4°.de v.p. 1ª.137.B
Stomachi partes internæ cur duriores, & denſiores partibus inteſtinorum.4°.de vſu par. 1ª.137.B
Stomachi duplex os,& eorum natura.de ana. vi. Sp.49.G
Stomachus cur magis neruoſus ĩterius,q̃ exterius.de an.v. Sp.49.H
Stomachus habet ſenſum excellentem.8°.de compoſitione medic.ſec. locos. 5ª.189.H
Stomachi os præcipuum habet ſenſum.com.3°.aph.24°. Ex.25.A
Stomachi os cur ſit maioris ſenſus,q̃ mẽbra alia.de vo.et anh. Sp.61.b
Stomachi os qd ſentiat,et qd ſenſibile maxime.de ana.viu. Sp.49.G
Stomachus neruoſus eſt,& arterioſus, & cuius ſit inſtrumentum.finitiones medicæ. Iſa.44.A
Stomachi os eſt magis neruoſum gula.de ana.viuo. Sp.49.G
Stomachi nerui vnde deducuntur.in 3m.de mor.vul.com.1°. 3ª.130.C
Stomacho diſtribuũtur nerui ppagines à cerebro.16°.de v.p. 1ª.215.E
Stomachum qui neruus intret.de voce & anhel. Sp.61.H
ad Stomachum eſt alter ex duobus meatibus,ſuperior ſcilicet. 5°.de vſu par. 1ª.147.A
Stomachi meatus quantus. 11°.de vſu par. 1ª.188.G
Stomachi porta quæ,& vbi.de compag.memb. Sp.58.H
Stomacho quanto principalior arteria eſt ad vitam, tanto ſedem tutiorem obtinuit.6°.de vſu par. 1ª.218.H
Stomachus et arteria aſpera cõparantur tibiæ.in tim.Plat. 1ª.288.F
ad Stomachum ita ſe habent hepatis additamenta, vt digiti ad manũ. de ana.viuo. Sp.50.G
vt Stomachus ad hepar ita ſe habet ad Cryſtallinum humorem humor vitreus.de ana.viu. Sp.48.D
ad Stomachũ paucæ uel nullæ veniunt meſaraicæ.de ana.vi. Sp.50.D
ad Stomachum & inteſtina meſaraicas euntes ab Hepate recipiunt glandulæ quædam.de ana.viu. Sp.44.D
vt Stomachus quæ venæ attrahunt.16°.de v.p. 1ª.220.H
ad Stomachũ ita ſe hẽt monoculũ,vt veſica ad hepar.de an. Sp.50.f

Stomachi motus qui.introd. Iſa.54.C
Stomachus & ſplen mouentur ad motum reſpiratoriorũ organorum, 1°.de diff.reſp. 3ª.59.H
Stomachi orificium inferius dilatando,& conſtringendo mouetur,horis tamen determinatis.de ana.viu. Sp.56.E
Stomachi quæ pars calidior.de ana. viuo. Sp.50.A
Stomachi officia quæ.intr. Iſa.54.B
Stomachi oris actio eſt deſiderium.de mot.man. & obſ. Sp.70.H
Stomachum inſatiabiliter cibum appetentem propter lumbricos inteſtina occupantes liberat Theriaca.de ther.ad Piſo. 5ª.96.A
Stomachº et œſophagus obediũt volũtati.de mot.ma.et obſ. Sp.68.E
Stomachi,& inteſtinorum virtus naturalis.de mot. man. Sp.69.C
Stomachus naturaliter deducit in ventriculum.15°.de v.p. 1ª.213.b
Stomachus vas eſt nutrimenti. intr. Iſa.54.B
Stomachus habet triplex nutrimentum.de ana. viuo. Sp.50.A
Stomachus unde alatur.com.2°.aph.17°. Ex.13.A
in Stomacho uertitur cibus in lacteum ſuccum.de comp.mẽ. Sp.58.H
Stomachº nõ digerit ut nutriat oĩa mẽbra.de mo.m.& obſ. Sp.68.A
in Stomachi fundo ſunt præponendi cibi duræ & tardæ digeſtionis. de diff.cont. Sp.71.H
Stomachus amplectitur cibos qui illi placent,& melius digerit, vnde ex malis fiunt boni quandoq;.com.2°.apho.38°. Ex.17.G
in Stomacho natans cibus non digeritur.de diff.cont. Sp.71.H
in Stomacho ſi cibus natet,quibus cibandum.de diff. cont. Sp.71.E
in Stomacho qui cibi velociter corrumpantur de dif. cont. Sp.74.H
in Stomacho qui cibi corrumpantur vti venenũ.de diff.con. Sp.75.A
in Stomacho ciborum qui uelociter non corrumpuntur, qui meliores. de diſſol.cont. Sp.75.A
de Stomacho ſi cibº cãn digeſtionẽ deſcẽdat,qd agẽdũ. de dif. Sp.75.A
Stomachus quando ante coctionem facit deſcendere cibum,quid agẽdum.de diff cont. Sp.71.F
de Stomacho et ĩteſtinis qũ difficulter deſcẽdit ſuperfluitas cibi,indigemus his q̃ deſcẽdere faciãt, et uẽtrẽ mollificẽt.de diff. cõ. Sp.71.G
de Stomacho cibum facit deſcendere uinum.de diff. cont. Sp.72.A
Stomachi uis expulſiua naturalis ẽ,nõ uolũtaria.de mot. Sp.68.G
p Stomachũ deteriº excremẽta q̃ p anũ trãſmittunt.5°.de v. 1ª.147.A
ad Stomachũ octo muſculi ita compreſſione ſua pellunt,ſicuti ad anũ. 5°.de vſu par. 1ª.147.A
Stomachus per quas partes expurgat.2°.de arte cur. ad Gl. 7ª.102.H
de Stomacho quæ educantur. de cathar. Sp.94.G
STOMACHVS *cur patiatur maxima ſymptomata. 1°.de ſym.* 3ª.18.E
in Stomacho uelociter Aceſcunt, & incenſionem faciunt medullæ, & uinum nouum craſſum nigrum ponticum. de diff.cont. Sp.74.F
Stomachi acetoſitati,& punctioni quid conferat.ſecr. Sp.102.E
Stomachi Aduſtioni quid proſit.ſecr. Sp.98.E
Stomacho Aeſtuoſo quid agendum.8°.de com.me.ſe.lo. 5ª.192.A
Stomacho ĩjs,q exuruntur quid cõmodũ.8°.de comp. med. 5ª.189.G
Stomachi æſtu feruẽtibus prodeſt Polygonũ.8°.de ſim.me.fa. 5ª.58.H
ad Stomachum æſtuantem ualet theriaca.de ther.ad Piſon. 5ª.91.F
Stomachi Affectiones uariæ,quales.de pul.ad Tyr. 4ª.46.D
Stomachi affecti pulſus qualis.de pulſibus ad Tyrones. 46.D/ 4°.de cau.pul. 4ª.103.C
ad Stomachi affectus hectica ſequitur.1°. de diff.feb. 3ª.35.F
in Stomachi affectibus,& cęliacis cur datur opium.8°.de comp.med. ſec.loc. 5ª.190.B
ad Stomachi affectus longos.8°.de compoſ.med.ſec.loc. 5ª.196.H
Stomachi Ardore æſtuantis admodum utile epiplaſma eſt cotyledõ. 7°.de ſim.med.fac. 5ª.52.F
ad Stomachi ardorẽ oriza cum butyro conuenit.8°.de compoſi. medicament.ſec loc. 5ª.192.A
ad Stomachi ardorẽ cũ ſyncope,ſorbitiões.8°.de cõ.me ſe.l. 5ª.191.H
ad Stomachi ardorẽ Adipſon catapotiũ ſitim extinguẽs. 8°. de cõp. med.ſec.loc. 5ª.189.G
ad Stomachi ardorem.8°.de comp.medic.ſec.lo. 5ª.189.G
Stomachi ardore ructui malo electarium utile. de dyn. Sp.26.C
Stomachus unde fiat Aſper.de cau.mor. 3ª.9.C
Stomachi aſperitatibus medetur ouũ.11°.de ſimplic.med.fac. 5ª.82.g
in Stomacho Bilis quid faciat.de ſper.36.H/de ana. uiu. Sp.45.F
in Stomacho quando generatur bilis uelociter multa conueniunt, quæ extinguunt acuitatem choleræ, aut quod prætermittantur res generantes ipſam.de diff.cont. Sp.71.F
Stomacho bilioſo malũ punicũ eſt optimº cibus.10°.met.me. 7ª.62.E

ad Stomachi Calidã,et humidã affectionẽ.8°.de cõp.me.ſe.l. 5ª.189.g
ad Stomachũ calidiorẽ affectionẽ habẽtẽ.8°.de cõp.me.ſe.lo.5ª.189.a
in Stomacho calido pituita quid faciat,& quibus mũdificetur. de diſ. continua. Sp.74.E
Stomacho et reliquo corpe calido cõueniũt cibi acetoſi.de diſ.Sp.72.f
in Stomacho Carnoſa naſcuntur,q̃ impediũt viã.3°. de ſym. 3ª.25.G
Stomachum Cõburunt ficus nimium comeſtæ.de ſimp.med. Sp.84.C
Stomachi combuſtioni quid conferat.ſec. Sp.98.D
Stomachi vitium facit Comitialem morbũ carum, comã, cataleplim, delirium,& melancholiam.1°.de ſympt.cau. 3ª.18.F
Stomacus ad hepar qũo quandoq; cõpatitur.cõ.7°.aph.17°. Ex.55.D
Stomachus cõpatiẽ patiẽte hepate et è cõtra.cõ.6°.aph.16°.Ex.47.F
Stomachus cur patiatur in paſſione ſplenis.de ana.viu. Sp.51.A
ad Stomachi Compreſſionem.de med.fac. par. 7ª.176.D
Stomachum Corrumpit vomitus frequens.de dyn. Sp.19.H
Stomacho laborãtibꝰ abſtinẽdũ à vomitu 10° quoq; die.de dy.Sp.19.b
Stomachus intẽdẽs expellere q̃ſunt in fundo expellit per vomitũ, quę aũt ĩ ore pſingultum,& iſta ſunt penitiora. cõ.6°.a.39°.Ex.50 G
Stomachi Conuulſio eſt ſingultus.com.6°.aph.4°. Ex.37.F
circa Stomachum Cruditates faciunt.multos affectus. 8°. de compo. medic.ſec.loc. 5ª.191.G
Stomachi Debilitas ſignũ humectati et ĩfrigidati corporis.ſe.Sp.98.G
Stomachus debilis quibus ſit nutriendus. de diſſ.cont. Sp.71.F
Stomachũ debilẽ & mollẽ rectificãt cibaria ſtyptica. de diſſ.Sp.74.D
Stomachum debilem confortans electariũ.de med. exper.Sp. 108.A
Stomachum debilem confortans medicina.de med.exper. Sp.105.A
ad Stomachi debilitatem,& ventoſitatem. de dyna. Sp.27.C
ad Stomachi debilitatem.8°.de com.me.ſec.lo. 5ª.189.G/ de med.fac. par.7ª.166.D/ſecret. Sp.98.D
Stomachus cibos nõ Digerẽtibus ualet diatriõpipereũ.de dy.Sp.26.b
in Stomachi Diſtẽtione venæ ſectio conuenit.8°.de comp.medi.ſecun. loc. 5ª.192.D
in Stomachi diſtentione aluum ſoluit glande per ſuppoſitum. 8°.de cõ po.me.ſe.loc. 5ª.192.D
Stomacho Dolorem maxime infert ſcammonium.de dyna. Sp.20 H
Stomachum quibus doloroſa affectio infeſtat, illis paruus & denſus ſpiritus eſt.1°.de diff.reſp. 3ª.59.H
circa Stomachum aut ſplenis caput, aut ſeptũ trãſuerſum,ſi dolor extet,ſpiritus denſus & paruus fit.3°.de diff.reſp. 3ª.71.C
Stomachi dolorẽ multũ i fœmina ſignat vrina acterica.de dy.Sp.35.D
Stomachi dolorẽ ſupi°,et gen°,et coxę,et renũ ſignat vria ſi ſupi° claritatẽ habuerit,et ĩferi° nebuloſa,et ſubluida fuerit.de dy.Sp.35.d
Stomachi dolores ſignificant lũbi dolentes.in 1m.pror.cõ.3°.4ª.185.b
Stomachi oris dolores quãdo boni,& q̃n nõ boni.1°.de criſ.4ª.128.B
Stomachi dolores quibus leniuntur.8°.de comp.med.ſe.lo. 5ª.192.A
Stomachi dolores mitigatorium.de med.fac.par. 7ª.159.C
ad Stomachi dolorem maſtiche.de med.exper. Sp.106.D
Stomachi,& capitis dolorem tollens electarium.de dy. Sp.23.D
ad Stomachi dolorẽ ex frigiditate facit triphera magna.d dy.Sp.26.d
Stomachi doloris,& rugitus,remedia.de dy. Sp.26.H
ad Stomachi dolorẽ et cõcuſſionẽ cũ vẽtris dolore,rem.de dy.Sp.27.a
ad Stomachũ dolentes.8°.de comp.me.ſe.lo. 5ª.188.G
ad Stomachi dolores,& diſplicentias ſedandas bonũ quid ſit. 8°. de comp.me.ſe.lo. 5ª.192.B
ad Stomachi dolores.7°.de com.me.ſe.lo.182. G/ 7°.de cõp.me.pge. 5ª.266.G/de med.fa.par.166.D/7ª.176.C/ſecr.98.E/Sp.99.E/g
ad Stomachi dolorem faciens ſcliroſmon.de dyn. Sp.28.C
ad Stomachi & hepatis dolorem,remedium.ſecr. Sp.97.B
Stomacho laborantibus caput dolere ſolet,cum ſurgunt è lecto.de re. par.fac. 7ª.153.G
ex Stomacho dolor capitis qũo fiat.2°.de cõ.me.ſec.loc. 5ª.135.A
ex Stomacho capitis doloris curatio.2°.de com.me.ſe.lo. 5ª.136.H
Stomachus ſi ex capite ægrotet,qũo curãdus.6°.de ſa.tuẽ. 2ª.100.A
ad Stomachũ cur a capite materia trãſmittaĩ.2°.de diff.feb. 3ª.40.H
Stomacho inanito fit Epilepſia.de ven.ſect.aduerſ. Eraſ. 6ª.14.F
pp Stomachi vitiũ q vexãtur epilepſia.d ve.ſect.aduer.Eraſ.6ª.14.g
Stomacho Exoluto,& nauſeabundo facto quid conueniat. 8°.de com po.med.ſe.loc. 5ª.192.B
Stomacho qui exoluuntur cum exolutione,aut animi deliquio,aut appetentia perdita, quid exhibendum.8°.de cõp.me.ſe.lo.5ª.191.H
Stomachum exolutum,& languidũ roborare poſſunt mala auſtera, & acida.7°.de ſimpl. medic.facult. 5ª.55.H
Stomachi Exulcerationis ſigna. intro. Iſa.57.C
Stomachi exulcerationis curatio.intro. Iſa.57.C
Stomachus Faſtidiũ patitur,ſi venæ,hepar,meſaraicæ, inteſtina oppilationem patiuntur.de ana.viuo. Sp.49.G
Stomachi faſtidia creat,non nutrire.4°.de ſan.tuen. 2ª.84.E
Stomachi faſtidia ἀσσαι Græci vocant.4°.de ſan.tuen. 2ª.84.E
Stomachi faſtidio & debilitate vtile eſt omphacomeli.de dy.Sp.22.C
Stomachum faſtidientem habuit Galenus.2°. de loc. aff. 4ª.12.G
in Stomacho Flãmã habentibus medicina cõferens.de me. Sp.104.H
ex Stomacho Flatuoſo ad capitis dolores.2°.de cõp.med.ſe.l.5ª.135.c
Stomachi fluxibilitati valens electarium.de med. exper. Sp.108.B
ad Stomachi fluxionem.7°.de compoſiti.med.ſec.loc. 5ª.185.A
Stomachi fluxus reſiccat graminis herbæ ſemen, quæ in Parnaſo naſcitur.6°.de ſim.me.fac. 5ª.41.C
Stomacho fracto,& cibos faſtidienti conuenit medicamentum ex prunis.6°.de compoſitione medic.ſecundum loc. 5ª.169.A
ex Stomacho qũo Frigeſcãt cerebrum,& cor. 1°.de ſymp. 3ª.18.G
Stomachus,et hepar q̃n sũt frigidi,q̃ cibi ſummẽdi.de diſſ. cõ.Sp.71.F
Stomacho frigido valens medicamen.de med.exper. Sp.104.E
ad Stomachi frigidi infirmitatem valẽs medicamẽ.de med. Sp.105.H
ad Stomachi frigidos affectus.8°.de comp.med.ſec. loc. 5ª.189.D
ad Stomachi frigiditatem,& humiditatem.de med. exper.Sp.107.E
ad Stomachi frigus,& eius corruptionem.ſecre. Sp.98.G
Stomachi fumum quãdo caput recipit,fit ſectio venarum poſt aures. de ana. viuo. Sp.55.A
à Stomacho aſcẽdẽte fumo craſſo,fit q̃nq; epilepſia.de vtil.re.Sp.63.f
Stomacho Gruato ac morſo,pulſus fiũt ĩæquales.3°.de criſ.4ª.144.E
Stomachum grauant cibi multi nutrimenti.de diſſ.cont. Sp.73.E
Stomachi Humiditatis curatio.introd. Iſa.37.C
pro Stomacho ob multam humiditatẽ & exoluto pharmacum conueniens.8°.de comp.med.ſec.lo. 5ª.191.D
ad Stomachi humiditatem,medicamen.de med.exper. Sp.108.A
in Stomachum imbecillum habentibus fit vt venter deĩciat cũ poſtremis epulis adſtringẽtiũ quidpiã ſumpſerint.2°.de alim.fac.2ª.20.c
Stomacho imbecilli abſynthium conuenit.de opt.ſec. Iſa.23.H
Stomachum imbecillum & exolutum roborare poteſt cucurbitula.de cucurbi.ſcarif. 6ª.3.F
circa Stomachum cucurbitulæ ſtomachicos iuuant in dolore.8°.de cõ po.med.ſec.loc. 5ª.192.D
ad Stomachi imbecillitatẽ oẽm ualet diatriõ pipereõ.de dy. Sp.26.H
Stomachi imbecillitatibus conuenit reſina lentiſcina.8°.de ſimpl.med. facult. 5ª.59.F
ad Stomachi imbecillitates.de med.fac.par. 7ª.166.C
in Stomacho Inciſionem facit batheca.de diſſ.cont. Sp.74.F
ad Stomachum Infirmum,Antidotus.2°.de antid. 5ª.113.D
Stomachi Inflammationis ſigna.intro. Iſa.57.C
Stomachus aut venter inflammatus aut ſeptum tranſuerſum inducũt difficilem ſpirationem.2°.de diff.reſp. 3ª.65.H
Stomachi inflammationis magnitudine qui febricitãt, ĩjs in principijs acceſſionũ aduertit animi defectus.1°.de arte cur.ad Glau.7ª.98.F
ex Stomachi inflammatione exit aliquid.13°.meth.med. 7ª.84.H
Stomachi,& iecoris inflammatio indurata,quibus curetur.8°.de cõp. med.ſec.loc. 5ª.187.E
Stomacho inflammato cum humectatione,quid faciendum.8°.de cõp. med.ſe.lo. 5ª.192.B
Stomachi inflãmationibus cõpetit maſtiche.7°.de ſim.med.fac.5ª.55.C
Stomachis phlegmonis prodeſt Schini flos.8°.de ſimp.med.fa.5ª.61.b
Stomachi inflationis curatio.intr. Iſa.57.C
Stomacho inflatis,& diſtentis quæ conueniant. 8°.de compoſi.medic. ſec.loc. 5ª.192.C
Stomacho inflato ob bilem atram quid conueniat. 8°. de comp. medic. ſec.loc. 5ª.192.B
Stomachi inflatiões,et tẽſiões petroſelinũ remediat.de ſim.m.Sp.89.c
Stomachi Languorem vinum abſynthio medicatum epotum abſtulit. de theria.ad Piſonem. 1ª.90.D
in Stomacho quid faciat Melancholia.de ana.viu. Sp.45.F
Stomachum valde mordicat cedri fructus.2°.de alim.fac. 2ª.19.C
Stomachum Mordet iuniperi fructus.2°.de alim.fac. 2ª.19.C
Stomachi morſum,nauſeam,& uomitum bilioſum faciũt fracturæ capitis.3°.loc.aff. 4ª.18.C
Stomachus uni mordetur,alteri nõ ex ſucco ptiſſanæ, pane loto,& chondro.2°.de ſimp.med.fac. 5ª.12.E

Stomachi mordicationi symptoma succedens verbũ παρδιώσατεν significat. 2°. de alim. fac. 2ª.20.E
Stomachi morsus signũ est futuri vomitus. in 1ᵐ. pror. cõ. 1°. 4ª.168.e
Stomachus mordens oleo dulcissimo est sanatus. 2°. de simpl. medic. facult. 5ª.12.E
Stomachi morsus sanat spica nardi. 8°. de sim. med. fac. 5ª.56.G
ad Stomachi morsum sentientes. 8°. de com. me. se. lo. 5ª.191.G
Stomachi oris mordicatiõibus cõfert sectio furculæ. de an. v. Sp.55.B
Stomachum Mundum si inueniunt poma, & granata acetosa stringũt ventrem. de diff. cont. Sp.75.B
Stomachum quæ aliquando mundificant. de diff. cont. Sp.75.B
Stomachus quo abstergatur, & mundificetur. de diff. cont. Sp.74.G
Stomachũ mũdificãt cibi ĩcidẽtes pituitã, et q sint. de dif. cõt. Sp.74.E
Stomachum mundificant cibi salsi. de diff. cont. Sp.72.F
Stomachi Paralysis qđ nã symptoma vocaĩ. 3°. de symp. cau. 3ª.25.g
ad Stomachi Passionem valet lapis coralli suspensus super stomachũ. de incant. adiur. & suspen. 7ª.182.C
in Stomacho quando generatur Phlegma, oportet ipsum lauare, et abstergere. de diff. cont. Sp.71.F
in Stomacho, ac reliquo corpore cũ phlegma generatur ex crassitie ciborum assumptorum, aut ex multitudine eorum, conueniunt cibi acetosi. de diff. cont. Sp.72.G
in Stomacho pituitæ pleno, victus ratio. de med. fac. par. 7ª.175.H
Stomachis pituitosis excrementosisq; austera acida sunt apta. 7°. de simpl. me. fac. 5ª.50.H
Stomachus quibus phlegmate abundat, ijs phlegmagoga danda sunt. de dyn. Sp.21.C
in Stomacho quod ex phlegmate ĩcrassatur, qđ resoluat. secr. Sp.101.f
in Stomacho phlegma resoluens compositio. secr. Sp.101.H
Stomachi pituitã detrahẽs medicamẽtũ lauatũ. de me. fa. par. 7ª.178.e
Stomachum pituitæ plenum, & capiti dolorem inferentem roborantia, quæ. de med. fac. par. 7ª.175.H
Stomacho quæ ponuntur extra, quando est plenus pituitæ. 8°. de composi. medic. sec. loc. 5ª.192.A
Stomachũ Pungit mel in copia, & facit incisionẽ. de diff. con. Sp.74.F
Stomachum purgans, vnguentum. de dy. Sp.23.D
Stomachi Refrigeratiõi cõparatur refrigeratio cordis. de an. Sp.47.F
ad Stomachũ refrigerãdũ, et corroborãdũ. 8°. de cõ. me. se. l. 5ª.189.G
in Stomacho fit Relaxatio. de mul. 3ª.78.G
Stomachum relaxat polium. de simp. med. Sp.89.A
Stomacho Rheuma nocet. de dy. Sp.20.E
ad Stomachi rheumatismũ malagma. 7°. de com. me. per g. 5ª.266.E
Stomachus Robustus per quæ cognoscatur. de const. ar. Isa.42.B
Stomachum robustum habentibus cathartica damus. de dy. Sp 20.F
ad Stomachi Rosionem sium facit. de sim. med. Sp.91.D
in Stomacho Saliuam multam qui aggregant, quomodo curandi. 8°. de comp. me. se. loc. 5ª.192.A
in Stomacho sanguinem cõgelatũ, quid dissoluat. de cur. lap. Sp.112.b
Stomacho affecto, Singultus frequenter fit. 3°. de loc. af. 4ª.20.A
Stomacho singultus talis ĕ, qualis cõuulsio neruis. cõ. 7°. a. 3°. Ex.54.B
Stomacho Spiritus difficultatis remedia. de med. fac. par. 7ª.171.G
in Stomacho vnde fiant Stercora. de ana. viuo. Sp.50.D
Stomachũ Stringi ab omnibus dicitur, & quid sit. 2°. de lo. af. 4ª.12.G
ad Stomachi Subuersiones, & quid sit Stomachi subuersio. 8°. de com po. me. se. lo. 189.E/F/G/ 5ª.190.H
Stomachi subuersio fit aut propter calorem, aut propter anxietatẽ, siue propter aliquam infirmitatem. de dy. Sp.20.H
Stomachum supinant languentibus aqua, melicratum, clondrus, & oua. de vict. rat. in mor. acu. com. 1°. 7ª.111.E
Stomachum non euertit agrestis cucumerus. de dy. Sp.21.H
Stomachum subuertit fœnu græcum. 1°. de alim. fac. 2ª.14.E
Stomachũ subuertunt graueolentia. 8°. de comp. med. sec. loc. 5ª.190.B
Stomachum subuertunt iniocunda. 6°. de com. me. se. lo. 5ª.168.C
Stomachum subuertunt, resupinant, & vomitum cient insuauia. 2°. de alim. fac. 2ª.19.E
Stomachum euertit scammonium. de simp. med. Sp.90.D
Stomachi supinitates quibus curentur. 8°. de comp. medicamentorum sec. locos. 5ª.189.H
Stomachus quando subuertitur ex aquæ potu, de malum punicum. 2°. de com. med. sec. loc. 5ª.133.D
Stomachi subuersio quibus fit, aloem damus. de dyna. Sp.20.H
ad Stomachi subuersiones Origeniæ catapotia bona. 8°. de comp. me. sec. locos. 5ª.189.F
ad Stomachi subuersionem. 7°. de comp. medic. sec. locos. 186.A/8°. 192.G/9°. 5ª.203.A
ad Stomachi subuersiones, doloresq;, & inflammationes. 8°. de comp. med. sec. loc. 5ª.192.G
ad Stomachi subuersiones voluuulosas. 8°. de cõp. me. s. l. 5ª.190.A/D
ex Stomacho affecto oculi infestantur affectibus similibus suffusioni. 3°. de loc. aff. 4ª.14.E
ex Stomacho fiunt symptomata suffusorum. 2°. de comp. medicamen. sec. loc. 5ª.135.A
Stomachi suffusio quomodo cognoscatur. de ocul. 7ª.187.D
Stomachus Supinus quid, & quo modo fiat, & quo modo. 8°. de cõpo. med. sec. loc. 5ª.189.D
Stomachi vitio Syncope qualis. 5°. de loc. aff. 4ª.32.H
ex Stomacho vel corde affecto ĩ Syncopis pulsus, q. de pul. ad. 4ª.45.E
ex Stomachi syncopa licet manus sint imbecilles, tamen non habent affectum. 5°. de loc. aff. 4ª.35.C
Stomachi vitio Syncope facta qũo mori cõtingat. 5°. de loc. af. 4ª.29.B
in Stomacho afflicto Syncope qũo curetur. 11°. meth. med. 7ª.70.F
Stomachus loco facit sitim. de victus rat. in mor. acu. cõ. 4°. 7ª.134.E
ad Stomachi tensionem, remedium. de dyn. Sp.27.H
Stomacho Turbationẽ infert vinũ nigrũ dulce. de simp. med. Sp.92.B
in Stomacho Ventositatem generat lac et mel, quando non coquuntur. de diff. cont. Sp.74.G
Stomachi ventositatem significat vrina superius. de dy. Sp.35.E
ad Stomachi ventositatem, & dolorem, remedium. de dy. Sp.26.H
Stomachi vitia, quæ. introd. Isa.57.C
ad Stomachi vitia valet antidotus Archiuij quæ Ambrosia, & sacra dicitur. 2°. de antid. 5ª.115.H
Stomachi vitijs mederi solet theria. de ther. ad Piso. 5ª.96.A
Stomachi vitijs thymus aptissimus. de simp. med. Sp.91.G
ad Stomacho laborantes. 7°. de comp. me. per gene. 5ª.256.A/de me. fa. par. 166.C/172.E/173.F/G/175.G/7ª.176.D/de dy. Sp.26.b
ad Stomachi p̃cordiorũq; vitio laborãtes. de med. fac. par. 7ª.166.C
ad Stomachi voluuulosas affectiones. 8°. de com. med. sec. lo. 5ª.190.H
ad Stomachum. de med. fac. par. 7ª.175.D/E
Stomacho quæ inimica. 6°. de simplic. med. fac. 5ª.40.D
Stomachi oris sensus qui nõ fert Acetũ, & sinapi. 3°. de lo. af. 4ª.20.g
Stomacho infesta est Amaranthum. 6°. de simpl. med. fac. 5ª.42.E
Stomacho nocet Ampelopr̃asum. 6°. de simp. med. fac. 5ª.42.E
Stomachum inimicum est Aphronitrum. 9°. de simp. med. fa. 5ª.70.A
Stomachum non iuuat succus Aqueus, & qualitatis expers in omnibus fructibus. 2°. de alim. fac. 2ª.19.G
Stomacho insensus est Arbutus. 7°. de simp. med. fac. 5ª.52.A
Stomacho noxiũ est Atramẽtũ sutoriũ. 6°. de cõp. me. se. lo. 5ª.169.A
Stomacho valde obest atramentum sutorium, & est contrarium humanę naturæ. 8°. de comp. medic. sec. loc. 5ª.190.A
Stomacho cur malum est Cathaf. de diff. cont. Sp.74.E
Stomacho mala sunt Cerebra oĩa, et cũ qb⁹ edẽda. de diff. cõ. Sp.74.F
Stomacho minus grata sunt Dulcia, & quæ sunt inteſtinis magis subducunt. 7°. de simp. med. fac. 5ª.50.H
Stomacho ingratus Epimelis fructus, & capitis dolorem facit. 6°. de simpl. me. fac. 5ª.47.D
cur Stomacho malum est Fœnum græcum. de diff. cont. Sp.74.E
Stomachum afficiunt fungi, bupreſtes, cerussa, gypsum, & lac coagulatum. 1°. de symp. cau. 3ª.18.G
Stomacho Lac est malum propter uelocitatem immutationis eius naturę. de diff. cont. Sp.74.E
in Stomacho ne caseetur lac, quid agendum. de diff. con. Sp.73.H
Stomachum lædit, non Nutrire. 4°. de san. tuen. 2ª.84.E
Stomacho cur malum est Olus Iamenum. de diff. cont. Sp.74.E
Stomachus ubi male affectus, uitandum est Opium & castoreum. 7°. de comp. med. sec. lo. 5ª.178.E
Stomacho cur Rapæ sunt male, qñ nõ ualde coquunt. de di. cõ. Sp.74.e
Stomacho non est inimicũ Sacchar, nec facit sitim vt mel. 7°. de simp. med. fac. 5ª.55.E
Stomacho non obest Scammonium in cydonio. 1°. de alim. fac. 2ª.9.B
Stomacho Sesamum cur est malum. de diff. cont. Sp.74.E
Stomacho Sicla cur est mala. de diff. cont. Sp.74.E
Stomachum labefactat Venus. in 3ᵐ. de mor. vul. com. 1°. 3ª.130.C
in Stomacho, et corde semẽ mutat in calidũ et siccũ. de sper. Sp.36.H
Stomacho quæ qualitates conueniant. 8°. de sim. me. fa. 5ª.56.H

Stomachũ iuuantia sunt mediocris facultatis. de atten. vict. 2ª.44.D
Stomachum quæ roborent. 6°. *de san. tuen.* 2ª.99.D/8°. *de com. med. se cundum locos.* 5ª.191.G
Stomachum roborantia, & corrugantia. de diff. cont. Sp.74.E
pro Stomachi ore quæ faciant. 8°. *de comp. med. sec. loc.* 5ª.187.D
Stomachi summum remedium est Absinthium ex melicrato, vbi infe stauerit bilis. 1°. *de arte cur. ad Glauc.* 7ª.97.B
Stomacho grata sunt Adstringentia. 3°. *de simp. medic. fac.* 20.C/6°. 42.F/ 5ª.45.E
Stomacho grata sunt adstringentia amara. 8ª. *de sim. me. fa.* 5ª. 60.G
Stomachum roborandi vires habet Aloe. & ani. mor. 1ª.317.D/8°. *de com. me. se. lo.* 5ª.188.F/*de cathar.* Sp.94.E
Stomachi os confortant drachmæ duæ aloes. de med. exper. Sp.106.E
Stomacho grata sunt Amara et subacerba. 6°. *de simp. me. fa.* 5ª.48.B
Stomachum iuuans antidotus. 2°. *de antid.* 5ª.111.F
Stomacho gratus est succus Austerus. 2°. *de alim. fac.* 2ª. 20.G
Stomachum magis iuuant Autumnales fructus melopeponibus. 2°. *de aliment. fac.* 2ª.17.B
Stomacho Caricæ vtiles sunt. de simp. med. Sp.84.C
Stomachũ quo cortex Citri alleuiat, & aggrauat. de dis. cont. Sp.74.e
Stomacho quæ Crassa sint apta. 7°. *de simp. med. fa.* 5ª.50.H
Stomachum confortans Electarium. de med. exper. 107.B/Sp.108.C
Stomachũ cõfortat decoctio corticis Fistici. de med. exper. Sp.104.D
Stomachus quomodo roboratur Fumoterræ. 7°. *de sim. me. fa.* 5ª.49.g
Stomacho amicum Gingidium est. 6°. *de simp. med. fac.* 5ª.45.E
Stomachum adhæsum adiuuat Iaspis viridis. 9°. *de sim. me. f.* 5ª.67.D
Stomachum corroborat Lens bis cocta. 1°. *de alim. fac.* 2ª.13.E
Stomacho optimum Lentiscum. de simp. med. Sp.86.A
Stomacho vtile est Libisticum. de simp. med. Sp.85.H
ad Stomachi firmitatem, & robur, utimur Malis, Piris, Mespilis, & Punicis, vt medicamentis. de bon. & vitio succ. 2ª.37.F
Stomacho valent mala cestiana cocta, cruda enim sunt austera. 2°. *de comp. me. sec. lo.* 5ª.133.D
Stomachum erigit Malum granatum. de simp. med. Sp.87.C
Stomacho commoda Mastiche est. 8°. *de comp. me. sec. loc.* 5ª.189.A
Stomachũ debilẽ cõfortat decoctio mastiches. de me. exper. Sp.104.d
Stomachum calefacit mastiche. de med. fac. par. 7ª.175.H
Stomachum confortans Medicamen. de med. exper. Sp.105.G
Stomacho Menta valde apta est. de simp. med. Sp.87.D
Stomacho conueniens est Myrta. de simp. med. Sp.87.E
Stomachũ roborãt Mororũ rubi succ°. 6°. *de com. me. se. lo.* 5ª.169.A
Stomachũ non roborat mororũ succus. 6°. *de com. me. se. lo.* 5ª.169.A
pro Stomacho medicamentũ ex Nucibus. 7°. *de simp. me. fac.* 5ª. 50.B
Stomachum corroborant Odorata. de comp. me. se. lo. 5ª.190.B
Stomacho conferentes vires habet Oenanthe. de simp. me. Sp.85.E
Stomachũ mediocriter iuuant Olera spinosa. 2°. *de alimen. fa.* 2ª.23.D
Stomachum roborant Oliuæ cum oleo repositæ, & appetentiam excitant. 2°. *de alim. fac.* 2ª.20.H
Stomacho virtutem præstat Ouũ semicoctum. de simp. med. Sp.88.E
Stomacho gratum est Pelecini semen. 6°. *de simp. medic. fa.* 5ª.48.B
Stomacho melius & aptius est album Piper, & ad quem vsum. 2°. *de san. tuen.* 2ª.99.B
Stomacho cõmodius, & acrius piper album quàm nigrum. 9°. *de cõ posit. med. sec. loc.* 5ª.201.D
Stomacho grata sunt Pira. 6°. *de simp. med. fac.* 5ª.43.D
Stomacho gratum Protrupum est. 8°. *de comp. me. se. lo.* 5ª.190.C
Stomachum confirmat Rosa. de med. fac. par. 7ª.175.H
Stomachum erigit Ruta. de simp. med. Sp.89.D
Stomachum corroborat Sinapis. de simp. med. Sp.90.G
Stomacho gratum Sisarum est. 8°. *de compos. me. se. lo.* 5ª.192.C
Stomacho Sisari radix cocta grata est. 8°. *de simp. me. fa.* 5ª.60.G
ad Stomachũ rõnabiliter cõuenit Spica nardi. 8°. *de sim. m. f.* 5ª.56.G
Stomacho omnia Suauia grata. 2°. *de alim. fa.* 2ª.19.E
Stomachum corroborat uinum uiolaceum. de simp. med. Sp.92.B
Stomachum corroborat vinum cum pipere. de simp. med. Sp.92.C
Stomachũ roborat Vuæ passæ, & pira. 2°. *de com. me. se. lo.* 5ª.133.D
Stomachum confirmat, & corroborat zingiber. de simp. med. Sp.90.E
ad Stomachum roborandum. de med. fac. par. 7ª.176.G
Stomachum cuiusdam qũo roborauit Galenus. 6°. *de sa. tu.* 2ª.100.H
Stomachus quomodo roboratus fuerit habenti assidue comitialẽ spasmum. 6°. *de san. tuen.* 2ª.100.H
ad Stomachũ facile descendũt medicamẽta. 7°. *de cõ. me. s. l.* 5ª.184.b
ad Stomachum electarium. de dy. Sp.27.C
Stomacho quo tempore apponenda malagmata, & inunctiones. 8°. *de comp. me. se. lo.* 5ª.196.H
Stomacho commodum pharmacum. 9°. *de comp. me. se. lo.* 5ª.198.F
Stomachi vnctiones sint modice adstringentes, & quæ. 6°. *de sanitate tuenda.* 2ª.99.A
Stnmachus sui domestici epilepticis conuenit. de puero epil. 7ª.180.g
Stomachus vide Ventriculus. introd. Isa.57.H
STOMATICA *medicamenta quæ.* 5°. *me. me.* 34. C/12°. 7ª.83.G
Stomatica quæ proprie appellentur. 6°. *de comp. me. sec. lo.* 5ª.169.G
Stomatica cur dicuntur medicamenta ad os spectantia. 6°. *de compo. medic. sec. lo.* 5ª.166.H
Stomatica per ordinem enumerat. 6°. *de com. me. se. lo.* 5ª.167.F
Stomatica cõponẽdi ratio ex succis. 6°. *de comp. me. sec. lo.* 5ª.169.B
pro Stomaticis mansuetissima sunt crocus, myrrha, & alumen. 6°. *de simpl. med. fac.* 5ª.171.E
Stomaticum efficit medicamentum Rhus vterque musto incoctus. 6°. *de comp. med. sec. loc.* 5ª.169.C
Stomatica illitio ad Anginas ex Besasa. 6°. *de com. me. se. l.* 5ª.170.F
in Stomaticis medicamentis in quibus hoc & illud ponitur, considerare oportet quid redundat. 6°. *de comp. me. se. lo.* 5ª.170.D
Stomatica medicamenta fiunt ex cornis, & brabylis, ac prunis. 6°. *de comp. med. se. lo.* 5ª.169.B
vt Stomaticum adstringens vehementissimum faciat, punica cum corticibus tundit. 6°. *de com. me. sec. loc.* 5ª.171.F
Stomaticum Aristoclis. de comp. me. se. lo. 5ª.170.D
Stomaticum Andromachi ex punicis. 6°. *de com. me. se. lo.* 5ª.170.A
Stomaticũ Andromachi ex musto. 6°. *de comp. me. se. loc.* 5ª.170.B
Stomaticum Andromachi. 6°. *de comp. me. sec. lo.* 5ª.171.B
Stomaticum Asclepiadæ ex hirundinibus. 6°. *de com. me. s. l.* 5ª.171.A
Stomaticæ illitiones Asclepiadæ. 6°. *de simp. me. fa.* 5ª.171.D
Stomaticum Critonis ex musto. 6°. *de comp. me. se. lo.* 5ª.170.C
Stomaticum Critonis ex punicis. 6°. *de comp. me. se. loc.* 5ª.170.B
Stomaticum medicamentum id est ori gratum quod dicitur. 2°. *de alim. fac.* 2ª.18.G
Stomaticum medicamẽtum efficacissimum. 6°. *de simp. me. fa.* 5ª.45.D
Stomatica Galeni pro delicatis. 6°. *de simp. med. fa.* 5ª.171.E
Stomatichum Harpocratis ex hirundinibus. 6°. *de comp. medicamentorum sec. loc.* 5ª.171.B
Stomaticum Meliti. 6°. *de sim. med. fa.* 5ª.171.D
Stomaticum Menecratis. 6°. *de simp. med. fa.* 5ª.171.D
Stomaticum nullum conuenit oculis. 12°. *meth. med.* 7ª.83.C
Stomatica quæ mulieres et q viri nõ ferãt. 6°. *de sim. me. fac.* 5ª.171.E
STOMOMA *quale.* 6°. *de comp. medic. per genera.* 5ª.258.C
Stomoma ferri vlcera vix sanabilia curat. 2°. *de cõ. me. p ge.* 5ª.220.b
Stomomatis squama qualis. 9°. *de simpl. medicam. facul.* 69. H/4°. *de com. me. se. loc.* 5ª.151.E
Stomomatis squama ad vlcera maligna confer. 4°. *de comp. med. per genera.* 5ª.236.F
Stomomatis purgatæ squamæ. 4°. *de com. me. se. loc.* 5ª.155.B
STORAX *est odorata res & calida. com.* 5°. *aph.* 59°. Ex.43.C
STRABILISMI sunt eorum, qui in oculis habentur, musculorum conuulsiones. 2°. *de symp. cau.* 3ª.19.H
STRABISMVS *quid. fin. med.* Isa.48.E
Strabismus oculorum vlceratio quædam. fin. med. Isa.48.D
Strabismus est affectus totum oculum exercens. intro. Isa.58.D
Strabismi in oculo quæ causa sit. de anat. ocul. Sp.57.G
Strabismus in generatione quo modo fiat. de ana. ocul. Sp.57.G
STRANGVLANS *minus proprie laqueus quomodo fiat. d la.* 7ª.308.f
Strangulantis laquei propria ratio. de laqueis. 7ª.308.G
STRANGVLATIO *quid sit, & vnde, & quomodo fiat. commentario* 4°. *apho.* 34°. Ex.31.B
Strangulationis angustia vnde sit, & qũo. com. 4°. *aph.* 34°. Ex.31.B
Strangulatio ceruicis est affectus. introd. Isa.59.C
Strangulatio superueniens repente febricitanti, tumore non existente in faucibus, letale. com. 4°. *aph.* 34°. Ex.31.B
Strangulatio repente cum magna febre semper interficit. commen. 4°. *aphor.* 34°. Ex.31.B
Strangulatio repente fit solum in gutture. com. 4°. *aph.* 34°. Ex.31.B
Strangulatio quando fiat tarde. com. 4°. *aph.* 34°. Ex.31.D
Strangulatio sine dolore quomodo fieri possit. commentario 4°. *aphorismo* 34°. Ex.31.C

Strangulatio fit,

Strangulatio fit, si tussis fiat in hydrope, & tussis superueniat. com. 6°. aph. 31°. & com. 5°. aph. 35°. Ex. 40. F
Strangulatio quo modo fiat æstate, si hyems aquilonia, & autumnus australis fuerit. com. 3°. aph. 11°. Ex. 21. A
Strangulationes excitantur, si cibus & potus guttur ingrediuntur. introductio. Isa. 54. C
ad Strangulationem ex fungis secretorum. Sp. 102. C
ad Strãgulationẽ à fungis deuoratis factam de rem. par. fa. 7ª. 160. H
STRANGVLATIO *uterina quæ. com. 5°. apho. 35°.* Ex. 40. F
Strangulatio vuluæ quomodo cognoscatur. de uictus rat. in mor. acutis, comm. 4°. 7ª. 152. G
in Strangulatu uteri quæ excitent olphatũ. 9°. de cõ. me. s. l. 5ª. 205. G
ad Strangulationes uteri amidotus Apollodori. 2°. de ant. 5ª. 117. G
ad Strangulationes vuluæ Colica Sigonis valet. 9°. de comp. medicam. sec. loc. 5ª. 202. G
ad Strangulationes uteri. 7°. de comp. med. sec. loc. 6ª. 182. G/*med. fac. par.* 169. B/ 7ª. 174. H
STRANGVLATORIS *fungi vicem facere dicitur radix ephemeri. de simp. med.* Sp. 83. B
STRANGVLATI *quibus spuma circa os fuerit non referuntur. com. 2°. aph. 43°.* Ex. 18. C
Strangulati moriuntur, quibus de angina ad pulmonem materia transit. com. 5°. aph. 10°. Ex. 38. D
Strangulati paucam habent inspirationem. com. 4°. aph. 34°. Ex. 31. B
STRANGVLAT *multitudo humorum, ideo extremas partes frigidas reddit. com. 7°. aph. 26°.* Ex. 55. G
Strangulat sæpius suppuratio pulmonis. com. 7°. aph. 8°. Ex. 54. E
Strangulatur tabidi qui non possunt expuere. c. 7°. aph. 16°. Ex. 55. B
Strangulat quandoq; veratrum album. de fract. com. 2°. 7ª. 235. F
a STRANGVLOSA *circa pulmonem angustia vexatus, crurum scarificatione sanatus est. de cucur. scar.* 6ª. 4. A
STRANGVRIA *quid, & vnde dictu. fin. med.* Isa. 44. B
Stranguria quid. fin. med. Isa. 47. G
Stranguria quæ. 6°. de loc. aff. 4ª. 38. C
Stranguria symptoma est. 2°. de symp. cau. 3ª. 21. E
Stranguria in quo genere symptomatum sit. de symp. diff. 3ª. 13. F
Stranguriæ quatuor morbi secundum Cnidios medicos. de victus ratione in mor. acu. com. 1°. 7ª. 108. H
Stranguria quibus neglectis fiat. de dy. Sp. 20. A
Stranguria vnde fiat. 3°. de symp. cau. 3ª. 28. E
Stranguriæ causa. intr. Isa. 57. B
Stranguria ab acribus fit excremẽtis. in 3m. de mor. vul. c. 1°. 3ª. 128. d
in Strãguria vesica qũo det urinã in 3m. de mor. vu. com. 1°. 3ª. 128. D
Stranguriam significat urina æruginosa. de dyna. Sp. 34. B
Straguria si affligat, sanguinẽ miat et grumos, dolorq; ad pinæũ ac epigastriũ incidat, signat circa vesicã agritudinẽ esse. de ur. Sp. 78. H
Stranguria repurgat totum corpus. in 1m. de mor. uul. cõ. 1°. 3ª. 111. G
Stranguria in morbo pestilenti bonum. in 1m. de mor. uu. c. 1°. 3ª. 111. f
Stranguria affectis urinã prouocat polygonon. 8°. de sim. me. fa. 5ª. 58. H
Stranguriam curat dracma vna asari. de med. exper. Sp. 106. D
Strangurias sanant folia onobrychis. 8°. de simp. med. fac. 5ª. 57. C
ad Strãguriam, quæ ex phlegmate fit, electariũ vtile. de dy. Sp. 26. C
ad Stranguriam remedium. de dyna. Sp. 28. C
STRANGVRIOSVS, *& nephriticus differunt. in 3m. de morbis uulg. commen. 1°.* 3ª. 128. D
STRATIOTES *qualis. 8°. de sim. me. fac.* 5ª. 61. D
Stratiotes aquaticus frigida & humida qualitate est. 8°. de simpl. med. facult. 5ª. 61. D
Stratiotes niliacus quiddam refrigeratiuum habet. 2°. de compo. med. sec. loc. 5ª. 132. G
Stratiotes terrestris ulcera glutinare potest, ad sanguinis eruptiones, & fistulas ualet. 8°. de simp. med. fac. 5ª. 61. D
Stratiotẽ diftũ librũ fecit Heraclides. 4°. de cõ. me. per ge. 5ª. 242. A
STRATONICVS *præceptor Galeni. de atra bil.* 1ª. 35. D
fm Stratonicum fœmina ex fœmina, mas ex maris semine inualescente procreatur. 2°. de sem. 1ª. 338. H
Στρεβλὸς *id est tortus. de fract. com. 2°.* 7ª. 240. G
STRENVVM *quodpiam & audax animal non destituit nudum natura. 1°. de vsu par.* 1ª. 113. C
STREPITVS *quid significet. in 6m. de mor. vul. com. 3°.* 3ª. 172. B
STRICTOR *qui. introd.* Isa. 53. B
STRICTVRAS *relaxat bidelium. de simp. med.* Sp. 81. C
Strictura olcum relaxat leniendo. de simp. med. Sp. 88. D
Strictura mollit opopanax. de simp. med. Sp. 88. B
ad Strictura anhelitus. secretorum. 98. E/ de cura lap. Sp. 112. B
STRICTI *loci maris. in 3m. de mor. uul. com. 3°.* 3ª. 140. H
Stricta vinculo reuocant ad contrarium. 5°. meth. med. 7ª. 30. E
STRIDERE *dentibus ex natura cui affectui simile. in prognost. commentario 1°.* 4ª. 194. C
Stridere dentibus ex natura accidens esse nouit Galenus. in prognost. comment. 3°. 4ª. 211. G
STRIDOR *nomen poeticum est, non ciuile, neque uulgare. 3°. de differ. nt. pul.* 4ª. 60. B
Stridores quorum sint symptomata. de symp. diff. 3ª. 13. E
Stridor dentium quo modo fiat. in progn. com. 1°. 4ª. 194. B
Stridores dentium quibus eueniant. præs. exper. conf. Sp. 78. E
Stridor dentium malus, quibus non est sanitatis tempore assuetus. in 1m. prorrh. com. 2°. 4ª. 170. G
Stridor dentium infaniam significat. in prog. com. 1°. 4ª. 194. B
STRIGILE *quod instrumentum sit. de med. fac. par.* 7ª. 165. C
Strigile habebat concauitatem. 5°. de loc. aff. 4ª. 35. G
Strigilis forma qualis esse debeat. 10. de simp. med. fac. 5ª. 75. C
per Strigilem veratrum album cum rosaceo tritum tepidum auribus instillat. 3°. de comp. med. sec. lo. 5ª. 142. E/ G
Strigili lauabantur Galeno tempore. 4°. de san. tuen. 2ª. 83. G
Strigili sudor auferabatur. 5°. de loc. aff. 4ª. 35. G
Strigili detergebant sudorem in balneis. 13°. meth. med. 7ª. 87. A
Strigilis utebantur. 1°. de comp. med. se. lo. 5ª. 128. A
Strigili spõgijs vtaris in balneis. de vict. ra. in mor. acu. c. 3°. 7ª. 132. E
STRIGMENTOSA *fordes rhypode dictæ. 2°. de composit. medicamen. per genera.* 5ª. 218. C
Strigmentosum. 1°. de comp. me. per ge. 5ª. 131. D
Strigmentosum emplastrum. 5°. de comp. me. per genera. 5ª. 249. C
STRIGMENTA *quibus subsistunt in deiectionibus, si pauca, paucus est morbus, si multa, multus, his confert alui purgatio, quòd si dederis sorbitiones aluo non purgata, quanto plures dederis tanto magis lædes. com. 7°. aph. 64°.* Ex. 60. A
Strigmentum purum. 2°. de comp. me. per ge. 5ª. 224. H
Strigmentum purissimum. 6°. de com. me. per ge. 5ª. 262. A
Strigmenta balneorum emolliunt. 6°. de simp. med. fa. 6ª. 45. F
Strigmenta balneorũ ad sicca liquanda. 7°. de cõp. me. p ge. 5ª. 264. B
Strigmenti crassitudo. 1°. de com. me. se. lo. 124. B/ 126. C/ 127. A/ 131. F/ *2°.* 133. B/ 139. C/ E/ 3ª. 146. B/ 148. C/ 4°. 157. G/ 5°. 161. B/ E/ F/ 6°. 168. E/ 169. G/ 172. A/ 7°. 181. G/ 9°. 200. F/ 203. F/ 205. E/ 4°. *de cõpo. me. per ge.* 245. C/ 7°. 5ª. 273. C
ad STRINGENDAM *nauseam uel fluxum. de dyn.* Sp. 27. H
ad Stringendum uomitum remedium. de dy. 27. H/ Sp. 35. F
ad STRINGENDVM *uentrem ex quacunque causa antidotum. de dynamidus.* Sp. 27. G
ad STRINGENDAM *uuluam pulueis. de dy.* Sp. 29. C
ad Stringendam uuluam quasi uirgo sit. de dy. Sp. 29. C
ad Stringendam uuluam confectio. de dy. Sp. 29. C
ad STRINGENDVM *sanguinem undecunque exeat. de dy.* Sp. 30. D
ad Stringendum sanguinem excreantibus datur symphytum. de simp. medicam. Sp. 90. F
ad Stringendum sanguinem remedium. de dy. 27. E/ Sp. 29. E
STRINGENDÆ *fistulæ remedium. de dy.* Sp. 27. B
STRINGENS *uocabulum generale est. 2°. de loc. aff.* 4ª. 12. D
Stringentia uentrem ob crassitiem, quæ. de diff. cont. Sp. 75. B
Stringentia uentrem cum siccitate, quæ. de diff. cont. Sp. 75. B
Stringẽtia uẽtrẽ cũ stypticitate, et põticitate, q̃. de diff. cont. Sp. 75. B
Stringentes uiribus sunt radiculæ Anagallidis. de simp. med. Sp. 80. g
Stringentes acriter uires, & quodammodo causticas Canum habet. de simp. med. Sp. 83. C
Stringentes uires & acriter calfacientes habet Casia fistula omnis. de simp. med. Sp. 82. H
Stringentes acriter uires habet Chrysocolla. de simp. med. Sp. 82. E
Stringentes uires habet Cornu ceruinum. de simp med. Sp. 83. C
Stringentes acriter uires habet omne Costum. de simp. med. Sp. 82. G
Stringentes & bñ refrigerantes uires habet Cucul°. de sim. m. Sp. 83. c
Stringentes aliquatenus uires habet Cyperus. de simp. med. Sp. 82. C
Stringentes leuiter uires Dictamum habet. de simp. med. Sp. 83. D
Stringentes ualde uires habet Hustolex. de simp. med. Sp. 85. C
Stringentes uires habet Hyoscyamus. de sim. med. Sp. 92. D

Stringentes vires habet Mandragora.de ſimpl.med. Sp.87.C
Stringentes vires habet lapis Quadratus.de ſimp.med. Sp.86.G
Stringentes vires habet Sedum.de ſimp.med. Sp.91.A
Stringentes efficaciter uires habet Sinopis.de ſimp. med. Sp.91.D
Stringentes ualde uires habet terra erethria.de ſimp. med. Sp.85.A
STRINGI *ſtomachum ab oĩbus dicitur,& qd ſit.2°.de lo.aff.* 4ª.12.G
Stringit Argenti ſpuma.de ſimp.med. Sp.90.F
Stringunt uentrem Caricæ.de ſimp.med. Sp.84.C
Stringit uiſcide Calcanthum optimum.de ſimp.med. Sp.81.H
Stringit uehementer ſine mora Chalcitis.de ſimp.med. Sp.81.G
Stringere poteſt Coagulum.de ſimp. med. Sp.83.C
Stringit Coriandrum,& refrigerat viſcide.de ſimp.me. Sp.82.E
Stringit Cryſtallus lapis.de ſimp.med. Sp.86.H
Stringit efficaciſsime Cytinus.de ſimp.med. Sp.87.C
Stringere viſcidiſsime poteſt Diphriges.de ſimp.med. Sp.83.D
Stringere acriter poteſt Eleliſphacos.de ſim.me. Sp.84.A
Stringit lachrymam oculorum Erythrodanum.de ſimp.med. Sp.84.B
Stringit uehementer Galla omnis.de ſimp.med. Sp.84.F
Stringit Glauciũ impetũ lippitudinis,& lachrymas.de ſim. Sp.84.E
Stringit fluxum ſanguinis Gypſum.de ſimp.med. Sp.84.H
Stringit viſcide lapis Hematites.de ſimp.med. Sp.86.F
Stringit uentrem ſuccus Hordei immaturi.de ſimp.med. Sp.90.A
Stringentes acriter vires habet Hypericon.de ſimp.med. Sp.92.E
Stringit uehementiſsime hypociſthis.de ſimp.med. Sp.92.E
Stringit uentrem Hypericon.de ſimp.med. Sp.92.E
Stringere poteſt Ichthiocolla.de ſimp. med. Sp.85.E
Stringit uentrem Lenticula.de ſimp. med. Sp.86.B
Stringit uiſcide Lepis.de ſim.me. Sp.85.F
Stringit uentrem Malum granatum.de ſimp med. Sp.87.C
Stringit Menta ualde ſanguinis abundantiam.de ſimp.med. Sp.87.D
Stringit efficaciter lapis Morochthus.de ſimp.med. Sp.86.H
Stringunt fortiter Mora ſyluatica.de ſimp. med. Sp.87.H
Stringit uentrem apte ſuccus mororũ ſyluaticorũ.de ſimp.m. Sp.87.b
Stringit omne profluuium Myrta.de ſim.med. Sp.87.E
Stringit potenter Omphax.de ſimp. med. Sp.88.B
Stringit lachrymam collyriis admiſtum Opium.de ſimp.me. Sp.88.B
Stringere uiſcide põt cũ aliqua acrimonia Pelecin°.de ſim.m. Sp.89.b
Stringit alienationes Periſtereon.de ſimp.me. Sp.89.C
Stringit nimium lapis Phrygius.de ſimp.med. Sp.86.H
Stringit ſyncere Piper omne.de ſimp.med. Sp.88.F
Stringunt,& ſiccant Plantaginis folia contrita cum pane impoſita, de ſimp.med. Sp.89.A
Stringunt uentrem Poma,& granata acetoſa,ſi inueniunt ſtomachum malis,& craſſis humoribus mundum.de diff.cont. Sp.75.B
Stringit viſcide Portulaca. de ſimp.med. Sp.81.A
Stringit Pſyllium.de ſimp.med. Sp.89.A
Stringit efficaciter Rhu.de ſimp. med. Sp.89.E
Stringit Roſa ſuauiter.de ſimp.med. Sp.89.E
Stringit efficaciter Roſmarinus.de ſimp.med. Sp.89.D
Stringũt profluuiũ omne flos folia,et mora Rubi.de ſimp.me. Sp.89.E
Stringit fortiter Sandaracha.de ſimp. med. Sp.90.A
Stringit lachrymam Sarcocolla.de ſimp.med. Sp.89.G
Stringit uiſcide Schiſtus lapis.de ſim med. Sp.86.F
Stringit uiſcide Smiris.de ſimp.med. Sp.87.A
Stringit minus Sorbus quàm meſpilus.8°.de ſimp.med.fac. 5ª.57.B
Stringit Stibium.de ſimp.med. Sp.90.A
Stringit uiſcide Symphytum.de ſimp.med. Sp.90.F
Stringit efficaciter Terra chia.de ſimp.med. Sp.85.A
Stringit inſtantius Terra ſamia.de ſimp.med. Sp.84.H
Stringit fortiter Thus.de ocul. 7ª.179.C
Stringentes uires Thymus habet.de ſim.me. Sp.91.G
Stringit magis Tragacantha quàm ſarcocolla.de ſim.me. Sp.91.D
Stringit ventrem Tritici ſiligo.de ſim.me. Sp.90.A
Stringit ſanguinem ex utero uentoſa in mammis.de cathar. Sp.94.G
Stringit uentrem botrus uuæ immaturæ.de ſimp.med. Sp.92.B
STROBILINA *reſina qualis.8°.de ſimp.med.fa.* 5ª.59.F
Strobilina reſina omniũ calidiſsima eſt.2°.de com.me.per g. 5ª.219.E
Strobilina reſina in duris tantum corporibus cõuenit. 6°.me. 7ª.37.G
Στρόβιλος *quid ſignificet apud recentiores medicos. de victus rat. in morb.acu.com.4°.* 7ª.143.D
Στρόβιλον *quid græci vocent.2°.de alim.fac.* 2ª.19.D
Strobilon nucem pincam Græci vocarunt.de bon.& vitio ſucc. 2ª.35.f
Strobilon coni fructus quibus qualitatibus præditus.7°.de ſimp. med. facult. 5ª.53.H
Strobili in inflammationum arteriæ principijs leuiſsimi.7°.de com.me. ſec.loc. 5ª.177.H
STRONGYLÆ. *9°.de ſim.me.fac.* 5ª.71.A
Στροφὴ *quid.17°.de uſu par.* 1ª.222.H
Στροφώματα *quæ dicantur.de mach.* 7ª.309.G
STROPHOS *& fortes tortiones inferuntur ob colocynthim. de dynamidijs.* Sp.21.D
STROX *& ſphinx uoces difficiles prolatu. in 6ᵐ. de morbis uulgarib. comm.5°.* 3ª.188.G
STVRINÆ *ideſt ſcrophulæ.de ſimp.med.* Sp.87.G
ex STRVCTVRA *faſciarum differentia.de faſcijs.* 7ª.293.G
STRVMA *quid.fin.med.* Iſa.49.B
Struma,& choleras quid.de tum.præter.nat. 3ª.84.F
Strumæ ſunt morbus euidens.de diff.mor. 3ª.3.D
Strumæ ceruicis affectus.intro. Iſa.59.C
Struma non dicitur primarius morbus,& quare.1°. de loc.aff. 4ª.4.H
Strumæ quomodo fiant,& ex qua materia, & propter quid pueris.cõment.3°.aph.26°. Ex.25.G
de Strumis,& quomodo curentur.14°.met.med. 7ª.90.C
Struma quæ fit in adenibus.13°.meth.med. 7ª.81.A
Struma quantum creſcat.de diff.mor. 3ª.5.C
Struma, œdema, ramex,& melliceris magna ſimilitudine inter ſe conueniunt, in curatione uerò maxime differunt.de opt.ſect. Iſa.24.A
Strumarum curatio.2°.de arte cur.ad Glau. 7ª.107.F
Strumæ quomodo ſanentur.3°.de comp.med.ſec.loc. 5ª.147.C
Strumarum in ceruice curatio.intro. Iſa.59.H
Strumæ in alis exciduntur.introd. Iſa.59.H
Strumas quidam incidens,læſit neruos recurrentes,& mutum reliquit hominem.1°.de loc.aff. 4ª.7.A
ob Strumas inciſas vocis amiſsionis caſus.1°.de loc.aff. 4ª.7.A
Strumas cũ eregmo ſiue lamẽto diſcutit coriãdrũ.7°.de ſim.m.f. 5ª.52.e
Strumæ à refrigerantibus medicamentis non poſſunt diſcuti,ſed a calidis.7°.de ſimp.med.ſa. 5ª.52.E
Strumas digerentibus commiſcetur ſuccus cyclaminis.7°.de ſimplic. med.fac. 5ª.53.E
Strumas digerit adiantum.6°.de ſim.me.fa. 5ª.41.E
ad Strumas muſtella ualet.de med.par.fac. 7ª.162.B
ad Strumas quæ ab Hera conſcripta.2°.de compoſitione medicamen. per gen. 5ª.223.A
Strumas diſcutiens uiride Alcimonis, uel Nicomachi.5°.de compoſi. me.per ge. 5ª.249.D
ad Strumas contumaces.6°.de com.me.per ge. 5ª.262.H
ad Strumas non ueteres.6°.de com.med.per ge. 5ª.262.D
ad Strumas, Minutiani.6°.de compoſi.me.per ge. 5ª.261.E
ad Strumas.4°.de com.me.per ge.242.H/5°.246.E/G/6°.255.A/C/256.A/259.E/261.A/B/G/H/ 5ª.262.B
ad Strumas diſſipandas.5°.de comp.med.per ge. 5ª.250.B
STRVTHION *medicamentarium & calidum facultate eſt.9°.de compo.me.ſe.loc.* 5ª.197.F
Struthion calidum eſt.2°.de temp. 1ª.21.G
Struthium calidum & ſiccum eſt in quarto,& ſternutationem prouocat.8°.de ſimp.med.fac. 5ª.61.E
a Struthio experimentum ſumendum de acredine.4°.de ſimplic. med. facult. 5ª.26.B
Struthion exiccat.2°.de ſimp.med.fac. 5ª.16.C
Struthiũ in auricularia medicamẽta miſcetur.3°.de c. me.ſ.l. 5ª.141.B
Struthium purgat nares.de cathar. Sp.95.B
Struthion per nares attractum, quomodo iuuet in capitis dolore ex uaporibus.de remed.par.fac. 7ª.153.F
Struthion ad quid ualeat.de cura icteri. Sp.111.B
Struthij germina urinam mouent.de cura icteri. Sp.111.D
è Struthio ad digerendum.6°.de com.me.per ge. 5ª.261.E
STRVTHIA *in Aſia quæ mala uocentur. 6°.de ſan.tuen.* 2ª.101.B
Struthia mala adſtringunt.13°.meth.med. 7ª.83.G
Struthia mala inter adſtringentia optima.6°.de com.me.ſ.l. 5ª.167.f
Struthiorũ ſuccus cũ melle coctus cur durat.7°.de ſim.me.fa. 5ª.55.b
STRVTHIOMELORVM *ſuccus diu ſeruatur cum melle coctus. 2°.de alim.fac.* 2ª.20.D
Struthiomelorum ſuccus inuentus poſt ſeptennium optimus.2°.de alimentorum facul. 5ª.20.D

Struthiomelorũ et cydoniorũ succorũ differẽtia.2°.de ali.fa. 2ª.20.D
Struthiomela adstringunt mire.2°.de alim.fac. 2ª.20.C
ex Struthiomelorum succo medicamentum.2°.de alim.fac. 2ª.20.D
Στρουθοκαμήλου *est nomen insolens.3°.de alim.fac.* 2ª.29.D
Struthocamelos esse aues & non esse aues sophista quidam probabat. 3°.de alim.fac. 2ª.29.E
Struthocameli quales.de bon. & vitio suc. 2ª.37.B
Struthocamelorum oua deteriora sunt phasianarum, et gallinarũ ouis. 3°.de alim.fac. 2ª.29.G
Struthocameli caro excrementia est, & coctu difficilis.3°.de aliment. facul. 2ª.29.E
Struthocamelorum alæ non sunt cæterorum alis deteriores.3°.de ali. facul. 2ª.29.E
Struthocamcli uentriculus falso laudatur ceu medicamentum quod iuuat coctionem.3°.de alim.fac. 2ª.29.G
Struthocameli ventriculus epotus ad quid conferat, & quomodo.de med.fac.par. 7ª.167.G
STRYCHNON *quid, & eius vires.de simp.med.* Sp.83.C
Strychnon quidam vocant Trychnon, in hortis nascit, & ad cõia eo uti mur q̃ refrigerari, adstringiq; postulãt.8°.de sim.me.fac. 5ª.62.G
Στρίχνα *vocant græci quæ ualenter adstringunt.8°.met.me.* 7ª.51.A
Stryphnon quid sit.4°.meth.med.28.H/7°. 7ª.46.H
STVDENTIVM mores.2°.de crisi. 4ª.136.C
STVDIOSI *sequuntur demonstrationes.de nat.hu.com.1°.* 1ª.29.A
Studiosorum omniũ cõmune est appetere scire.3°.de diff.resp. 3ª.69.C
STVDIA *diuersa sequuntur homines & quæ.1°.meth.med.* 7ª.2.D
Studia artium non sunt contemnenda propter genus gloriam aut formam.in orat.suasoria. Isa.3.G
Studia quæ nam sint artes.in oratione suasoria. Isa.4.A
Studia abolent vitia, & pariunt virtutem.quòd animi mor. 1ª.321.A
Studium durum per metaphoram dicitur.3°.de diff.pul. 4ª.63.F
de Studijs bonis actum esse dicit Galenus suo tempore, nisi fiat humanarum rerum mutatio.2° meth.med. 7ª.12.D
Studijs humanis imbutos esse quanti referat.2°.de pul.diff. 4ª.56.C
Studijs deditus in quæ incurrat.5°.de san.tuen. 2ª.93.F
ob Studiorũ laborẽ atq; vigilias memoria et rõ lædit.3°.de l. 4ª.17.A
Studia vitæ indicant quid conducat.de sect. Isa.16.E
STVLTITIA *quæ sit, & quæ nominetur.3°.de lo.aff.* 4ª.16.E
Stultitia est intellectus amissio.3°.de loc.aff. 4ª.16.H
Stultitia potest fieri ab intemperie.3°.de loc.aff. 4ª.20.B
Stultitiam inducit frigiditas sine humore, & nocet memoriæ.3°.de loc. affect. 4ª.16.G
Stultitia ab atra bile.de sper. Sp.38.B
Stultitia cur fiat cicuta epota nesciuit Galenus.quòd ani.mor. 1ª.321.A
Stultitia ab abscessu in morbis facto non raro accidit.2°.de symptom. causis. 3ª.24.B
STVLTI *ad cribrum quid.1°.meth.med.* 7ª.8.B
Stulti propter quid effecti filij Hippocratis comici sm Stoicos. q animi mores. 1ª.318.F
Stulta naturaliter puella quo modo fiat.de spermate. Sp.38.B
Sultorũ animus qualis in perturbationibus.5°.de decre.Hip. 1ª.254.E
STVPÆ *cito ignem accipiunt.3°.de temp.* 1ª.22.E
STVPEFACIENTIA *enumerantur, & cur eis vtimur in colicis.7°.de comp.med.se.loc.* 5ª.184.H
Stupefacientium diuersitas.12°.met.med. 7ª.75.C
inter Stupefacientia uidetur styracem numerare.in 6ᵐ.de morb. vul. comm.5°. 3ª.191.E
Stupefacientia quædam.in 6ᵐ.de mor.uul.com.6°. 3ª.196.E
Stupefacientia tres scopos habere debẽt.9°.de cõp.me.se.lo. 5ª.201.F
Stupefacientia sunt propria eorum, qui contra symptoma purgãt.12°. meth.med. 7ª.75.D
Stupefacientibus in quibus utamur.3°.de comp.med.se.lo. 5ª.140.G
Stupefacientia infestissima cur dentur hæmoptoicis.7°.de comp. med. sec.loc. 5ª.183.F
Stupefacientibus in quo dolore vti debeamus.12°.meth.med. 7ª.79.C
Stupefacientibus quando vti debemus in renum dolore. de renum affec.dignot.& med. 7ª.194.B
Stupefacientibus in quibus vti non debemus.12°.meth.me. 7ª.79.D
Stupefacientia euitãda sunt in oculis quantũ fieri potest.secr. Sp.97.B
Stupefacientia dolores impatibiles faciunt, præsertim in oculis. com. 6° aphor.31°. Ex.49.E
Stupefacientia quæ demunt dolorẽ, vim visoriam offendunt. com.6°. aphorismo 31°. Ex.49.E
Stupefacientia quæ medicamenta in coli dolore obsint.in 6ᵐ.de mor b. uul.com.5°. 3ª.191.E
Stupefacientium vsus quid faciat.12°.meth.med. 7ª.79.D
Stupefacientia quid mali faciant.in 6ᵐ.de mor.uul.com.2°. 3ª.161.B
Stupefacientia habitum lædunt.12°.meth.med. 7ª.75.B
à Stupefacientium usu abhorret Galenus.12°.meth.med. 7ª.75.C
Stupefacientia quando dat Galenus.12°.meth.med. 7ª.75.C
Stupefacientibus quando utendum, & cur.12°.meth.med. 7ª.79.G
Stupefacientium quando usus erit.12°.meth.med. 7ª.75.B
Stupefacientiũ tẽpus quo illis uti debemus.2°.de arte cur. 7ª.104.H
Stupefacien ia composita post annum dentur.12°.meth.med. 7ª.75.C
cum Stupefacientibus cur ponantur calida.8°.de cõ. me.sl. 5ª.190.G
STVPEFACIVNT *omnia medicamenta ex papaueris succo.3°.de cõpo.me.sec.lo.* 5ª.142.B
Stupefacere quando cerebrum oportet.13°.meth.med. 7ª.85.F
STVPEFACTIO *quibus fiat, & quando.in 6ᵐ.de mor.uul.commentario 2°.* 3ª.161.B
STVPEFACTORIIS *medicamentis quomodo uti debemus. in 6ᵐ.de mor.uul.com.6°.* 3ª.196.E
in STVPEO *sæculo crocum bullit.7°.de comp.me.se.lo.* 5ª.181.C
STVPIDA, *& sensum quæ amiserint, & sentientia male, frigida sunt omnia.de trem.palp.conuul.* 3ª.53.D
Stupidi sunt quorũ vena in cubito nõ pulsat.quòd animi mor. 1ª.320.C
Stupidus sopor ex percussione forti sequitur.2°.de loc.aff. 4ª.13.G
Stupidus sopor qui.2°.de loc.aff. 4ª.14.A
Stupidus tactus qui.de ocul. 7ª.185.H
Stupidus pulsus in quibus significat dispositionem esse in neruis musculi, atque ita ut ad paralysim tendant.2°.de loc.aff. 4ª.8.H
Stupidus dolor unde.2°.de loc.aff. 4ª.8.E
Stupidum membrum quomodo sentit.2°.de loc.aff. 4ª.8.F
Stupida quæcunque facta sunt pro vetustate, lixiuij uirtute auferuntur.de simp.med. Sp.86.A
Stupidis aliqua parte ualet oleum calidum.2°.de sim.me.fa. 5ª.11.E
Stupidus adiuuat pyrethron.8°.de simp.me.fa. 5ª.59.D
Stupidos animos excitant exempla.2°.meth.med. 7ª.10.G
STVPOR *quid sit, & quomodo fiat in crure, & in renum lapide.de renum affect.dign.& med.* 7ª.192.H
Stupor græce ἔκληξις *quid sit.com.7°.aph.14°.* Ex.54.H
Stupor est refrigeratio insignis.2°.de loc.aff. 4ª.8.E
Stupor proprie est totius corporis insensibilitas, & immobilitas repẽtina.com.5°.aph.5°. Ex.37.G
Stuporis dispositio inter resolutione & integram ualetudinem est media.2°.de lo.aff. 4ª.8.H
Stupor fieri potest in omni parte, & in quibuus solum appareat.2°.de loc.aff. 4ª.8.G
Stupor quomodo fiat.com.5°.aph.5°. Ex.37.G
Stupor quomodo corpus mutet.de incant.adiur.& susp. 7ª.181.G
Stupor mentis contingit (õceptis in horis melãcholiæ.de sper. Sp.37.D
Stupore si aliqua pars corporis elãguit, tale est melãcholicum. cõ.7°. apho.40°. Ex.57.B
Stupor alicuius partis non antecedit melancholiam. comm.7°.aphorismo 40°. Ex.57.B
Stuporem corporis significant in morbis melancholicis periculosi decubitus.com.6°.aph.56°. Ex.53.D
Stupor fit a re frigida, & in quibus partibus.2°.de loc.aff. 4ª.8.D
Stuporem, & soporem inducunt frigiditas, & humiditas intensæ.3°. de loc.aff. 4ª.16.G
Stupor à torpedine animali etiam prouenit, & qũo.2°.de lo.af. 4ª.8.F
Stupore capiuntur senes.2°.de tem. 1ª.16.D
Stupor fit in animo ex his quæ audiuntur.4°.de san.tuen. 2ª.86.A
Stupor est dispositionis indicium, non loci affecti.2°.de loc.aff. 4ª.8.F
Stupor totius corporis inditium morbi a uesica.de dy. Sp.19.H
Stupor cruris ostendit renẽ qui patitur.de re.aff.dig.& me. 7ª.192.H
in Stupore attonito spiritus quomodo habeatur.de util.resp. 1ª.226.B
Stupor in ictu capitis malum.com.7°.aph.14°. Ex.54.H
Stupor moderatus dolorem soluit.in 6ᵐ.de mor.uul.com.2°. 3ª.161.B
Stupor mediocris dolorem soluit.6°.de com.me.per ge. 5ª.255.C
ad Stuporem quid faciat.secre. Sp.96.H
STVPOR *dentium symptoma tactus est.1°.de symp.cau.* 3ª.16.B
Stuporem dentium quæ faciant.2°.de loc.aff. 4ª.9.H
Stupor dentium quomodo fiat.6°.de simp.med.fac. 5ª.43.A

Stuporis dentium non habet aliquid simile dolor membranarum.2°.de loc.aff. 4ª.9.H
Stuporem dentium faciunt acida & acerba.de optima secta. Isa.22. H/1°.de symp.cau. 3ª.16.B
Stupori dentium medetur portulaca.de sect.16.H/de op.sec. Isa.21 E/6°.de simp.med.fac. 5ª.43.A
Stuporem dentium portulacam soluere obseruatum est sine cognitione causæ.de op.sec. Isa.22.E
Stuporem dentium à vomitu aut à destillatione vel ob stridorem serræ secantis factum portulaca non sanat.de opt.sect. Isa.22.H
STVRNI *sunt calidi.3°.de simp.me.fa.* 5ª.17.H
Sturnum non refrigerat statim cicuta,1°.de simp.me.fa. 5ª.2.D
Sturnos cur cicuta non necat.3°.de sim.me.fac. 5ª.22.C
Sturni vescuntur cicuta.2°.de alim.fac. 2ª.17.C
Sturnos nutrit,& calefacit cicuta.3°.de simp.me.fa. 5ª.17.H
Sturnum nutrit cicuta,non etiam nutrit hominē.1°.de sim.m.f. 5ª.2.D
Sturnos nutrit cicuta,& homines necat.de theria.ad Pis. 5ª.91.A
Sturni sunt accommodi siccis.6°.de san.tuen. 2ª.99.G
Sturni non aduersantur renibus.6°.de san.tuen. 2ª.99.G
Sturnorū comedentium orizam stercus pro mulierum cute tendenda, & splendida reddenda, vtile.10°.de simp.me.fa. 5ª.77.D
STYLOEIS os quod.de ossibus. 1ª.40.H
Styloeideis processus quid.de ossibus.43.A/de musc.diss. 1ª.46.D
Στύλον quid significet.1°.de alim.fa. 2ª.15.B
Stylo humili se scripsisse librum de venæ sectione aduersus Erasistrateos conqueritur Galenus.de ven.sect.aduer.Eras. 6ª.10.B
STYLVS. *de remed.par.fac.* 7ª.155.G
Stylos quinq; vidit Galenus à magnete depēdere.1°.de na.f. 1ª.294.0
STYMMATA *seu spissamenta ponuntur odoris gratia, vel vt confecta diutius seruentur.2°.de comp.med.per ge.* 5ª.220.D
STYMMI *vt argenti spuma lauatur.1°.de com.me.per ge.* 5ª.213.E
STYPHNON *quid sit.4°.meth.me.* 7ª.28.H
Στύφον nomen est commune acerbi,& austeri.1°.de alim.fa.2ª.9.A
Στύφον austerum nominat Plato.1°.de simp.med.fa. 5ª.8.F
Στύφον adstringens à nobis dicitur.1°.de simp.me.fa. 5ª.8.E
STYPTERIA, *schiste,strongyle,& hygra.9°. de simp. medicament. facul.* 5ª.71.A
STIPTICITAS *quibus cibis adsit.de diss.cont.* Sp.75.B
cū Stypticitate,& ponticitate ventrem stringētia q.de diss. Sp.75.B
Stypticus sapor qualis sit,& vnde oriatur.de ocul. 7ª.188.A
Styptica quæ.de dyna. Sp.18.G
Styptici cibi qui sint.de diss.cont.74.D/ Sp.75.B
Sptyptica cibaria rectificāt stomachū debilē,et mollē.& dis.c. Sp.74.d
ante Stypticum leniens cibus,& è contrario,quid agant. de dissolutione continua. Sp.71.G
Styptica prouocant appetitum.de ana.uino. Sp.50.A
Styptica est omnis Cadmia,& vehementer stringere potest. de simpl. medic. Sp.81.F
Stypticis uiribus est Calamus aromaticus.de simp.med. Sp.82.G
Styptica vires habet Cerusa.de simp.med. Sp.81.F
Styptica res,& acris est Cinis.de simp.med. Sp.86.A
Stypticas leniter vires habet Crocum omne.de sim.med. Sp.81.E
Styptica est vehementissime Cytinus.de simp.med. Sp.87.C
Stypticas aliquatenus vires Ebenum habet.de simp.med. Sp.83.F
Styptica est valde Hyacinthus.de simp.med. Sp.92.E
Stypticas vires habet Lentiscus.de simp.med. Sp.86.B
Stypticas,& acres vires habet Lixiuia.de simp.med. Sp.86.A
Styptico gustu Omphax est.de simp.med. Sp.88.B
Styptica est omnis Myrrha.de simp.med. Sp.87.B
Styptica sunt myrrha,castoreū,et Thus masculinū.de ocul. 7ª.190.C
Stypticas ualde vires habet Myrta.de simp.me. Sp.87.E
Styptică virtutē affert Oleū semini lentisci mistū.de sim.me. Sp.88.D
Sprypticū inuenitur oleū,vbi cydonia maduerint.de sim.me. Sp.88.D
Stypticus inuenit vitellus Oui extrinsecus illinitus.de sim.m. Sp.88.e
Stypticus a Terentio inscriptus Pastillus. 5°.de compositio. medica. per gen. 5ª.251.D
Stypticum tyrsulum habet Peristereon.de sim.me. Sp.89.C
Styptica gustu est radix Polypodij.de sim.me. Sp.89.C
Stypticas aliquantum uires habet Purpurissum.de sim.me. Sp.88.G
Stypticus est Sanguis foras illinitus.de sim.me. Sp.90.B
Stypticum est Sori gustu.de simp.me. Sp.90.F
Stypticas ualde uires habet sori.de simp.med. Sp.90.F
Stypticas suauiter vires habet Spica nardi.de simp.me. Sp.89.G
Stypticas vires habet Spodium.de simp.med. Sp.88.G
Stypticas vires habet Stibium.de simp.med. Sp.90.A
Styptica aperitiua extra posita non aperiunt, sed potata uiscerū aperiunt obstructionem.de ocul. 7ª.189.E
Styptica medicamenta extrinsece etiam refrigerāt.2°.de l.af. 4ª.8.D
Styptica oculis apposita quid agant.de ocul. 7ª.189.B
STYRACINVM *oleum.7°.de com.med per ge.* 5ª.270.F/H
Styracinum fit in Cyzico.2°.de comp.me.sec.lo. 5ª.135.E
Styracinum primum.7°.de com.me.per ge. 5ª.271.G
STYRAX *quid.de simp.med.* Sp.90.E
Styrax valenter emollit,& vbi nascatur,& de eius colore, & de specie perfectiori.7°.de com.me.per ge. 5ª.264.A/C
Styrax qualis accipiendus.1°.de antid. 5ª.107.B
Styracis adulteratio quo modo fiat.de simp.med. Sp.90.E
Styrax inter aromata numeratur.7°.meth.med. 7ª.44.A
Styracis odor capitis dolorem facit.3°.de loc.aff. 4ª.20.G
Styracem uidetur inter stupefacientia numerare. in 6ᵐ. de morb.vul. comm.5°. 3ª.191.E
Styrax inter anodyna numeratur,in quibus errant medici. 12°.meth. med. 7ª.75.B
Styrax paucus potatus tristitiam uultus discutit, multus uero somnos multum turbulentos inducit.2°.de com.me.sec.lo. 5ª.137.B
Styrax si largius bibatur, aut dementat,aut mortem infert.5°.de sim pl.med.fa. 5ª.37.C
Styrax alexiteriās antidotus ingredi potest.5°.de sim.me.fa. 5ª.37.C
Styrax debet prius macerari quàm ponatur in antidoto.7°.de comp. med.sec.lo. 5ª.179.E
Styrax qualis,& quòd tussibus,catarrhis,pituitæ destillationibus,& raucedinibus prodest,& menses prolicit,& eius suligo similis fuligini thuris est.8°.de simp.med.fa. 5ª.61.E
Styrax leniter relaxat,calefacit,& lenit durities,& mollit. de simpl. medic. Sp.90.E
Styrax emollit.5°.de simp.med.fac. 5ª.34.B
Styrax molliendo digerit.14°.meth.med. 7ª.88.A
Styrax emollit scirrhum.5°.de simp.med.fac. 5ª.33.F
Styrax malacticus ulceribus nō cōuenit.4°.de cō.me.per g. 5ª.236.b
Styrax quare ulcera oculorum expurgat.7°.de simp.me.fa. 5ª.54.E
Styrax cum terebinthina educit pituitam.de dyn. Sp.21.H
Styracis dosis.de dyn. Sp.21.H
Styrax ingreditur theriacam.de ther.ad Pison. 5ª.92.F
Styracis suligo qualis.7°.de simp.med.fa. 5ª.54.E
Styracis malum ad quid utile.de dyn. Sp.24.B
SVADEANT *qui aliis facilius. in 6ᵐ. de mor. vul.com.4°.* 3ª.180.G
SVAVE *quid sit.1°.de sim.me.fac.* 5ª.8.E
Suauia omnia grata stomacho sunt.2°.de alim.fac. 2ª.19.E
Suauis quod est facilius coquitur,æque salubri,q̄ sit insuauius. 2°.de alim.fac. 2ª.20.H
Suauiora reddentia quandoq;,et quādoq; obtundētia uiriū alicuⁱ⁹ simplicis uehemētiā adyciūtur medicamēto.1°.de cō.m.p g. 5ª.210.F
Suauissime urinam mouentia olera.de cura icteri. Sp.111.D
SVAVITER, *& perfecte educere.de dynam.* Sp.20.H
SVBALBIDA urina,& spumosa aut rufa,& si ex cholerico humore ipsa ægritudinata fuerit,mortem significat.de dyn. Sp.34.D
SVBAMARVM *pistacium & odoratum fructum habet. 8°.de simplic. med.fac.* 5ª.58.E
Subamara,& acria expurgant iecur,& renes.6°.de sim.m.f. 5ª.45.G
Subamara & subsalsa uentrem deijciunt.7°.de sim.me.fac. 5ª.52.H
SVBBILIOSVS *color est extenuati.in 6ᵐ.de morbis uulgaribus,commentario 3°.* 3ª.177.C
SVBCHARTILAGIA *appellat Hypochondria.introd.* Isa.53.D
SVBCRVENTVM *sanguinem iuuat frigidum, uel aqua frigida. com. 5°.aph.23°.* Ex.39.F
SVBDISIVNCTIVA *coniunctio,non disiunctiua in quibus sit sermonibus.de mult.* 3ª.78.C
SVBDITVM *pro balano,& pro pesso accipitur. in 1ᵐ. de morbis uulga.comm.3°.* 3ª.122.H
SVBDOLOS *facit cholera nigra.de dyn.* Sp.19.F
SVBDVCIT *gallorum ius.11°.de simp.med.fac.* 5ª.82.C
SVBDVCTIO *& excretio euacuatio differāt.cō.2°.aph.18°.* Ex.14.B
Subductio fit solum per secessum.com.2°.aph.18°. Ex.14.B

SVBER *ex dolo vini falerni vſtum.9°.de com.me.ſec.loc.* 5ª.203.*H*
Suber vſtum cuius vſus.9°.de comp.me.ſe.loc.203.G/5°.de compoſi. med.per gene. 5ª.254.*F*
Suberis meminit.1°.de com.med.ſec.loc. 5ª.127.*A*
SVBFASCIATIO *quid ſignet.de ijs,quæ in me.ſi.com.2°.* 7ª.211.*C*
SVBHVMERATIO *quid.de artic.com.1°.* 7ª.254.*C*
SVBIECTVM *quod fuerit in qõne,vnũ a Platone dicitur, ſiue habeat ſubſtantiam,ſiue proprium accidens.9°.de decret.* 1ª.286.*C*
SVBINTELLIGENDA *ſunt in authoribus aliqua,licet ab ipſis non dicã tur.com.4°.aph.41°.* Ex.32.*D*
SVBINTRANTES *febres quomodo fiant.2°.de criſi.* 4ª.137.*B*
SVBITANEAM *mortem ſignificat vrina ſanguinea cum dolore capitis,& hipochondrij dextræ partis.de dyna.* Sp.34.*B*
SVBIVGALIA *naturaliter veniunt ad herbas,paleas,fenum,& hordeum.de conſue.* 2ª.59.*G*
SVBLATIO *indicat exhibionem cõtrariorum.11°.met.me.* 7ª.69.*E*
Sublatio in vrina modo fiat.de vrin.ſign.ex Hipp. Sp.79.*D*
Sublatio,& nebula vel ſubnebula ſi atra ſint minus malum quam hypoſtaſis.quæſita in Hippocratis. Sp.113.*E*
SVBLATA *quibus ſunt hypochondria murmurantia, ilium dolore accedente,ijs alui humectantur,niſi flatus erumpant,vel vrinę proueniat copia.de vrin.ſign.ex Hip.* Sp.78.*H*
SVBLIGAMEN *quid ſignificet.de ijs,quæ in med.fiunt.cõ.2°.* 7ª.211.*C*
Subligamina duo lientorum.de ijs,quæ in med.ſi.com.3°. 7ª.214.*E*
Subligamina faſciæ dicuntur ab Hippocrate.de ijs, quæ in medicatrin. fiunt,com.3°. 7ª.214.*E*
SVBLIGATIO *quid ſignificet.de ijs,quæ in me.ſi.com.2°.* 7ª.211.*C*
Subligatio quorum ſit cauſa.de ijs,quæ in med.ſi.com.2°. 7ª.211.*C*
SVBLIMAMENTVM *quid ſit in progn.com.2°.* 4ª.200.*D*
Sublimamentum in vrina eſt nubecula apud Hippocratem.in progno. com.2°.200.G/ 4ª.201.*D*
Sublimamentum ſimile genituræ quod vocat Hippocrates.in prognoſ. commentario.2°. 4ª.201.*D*
Sublimamentũ bene conſiderandũ in vrinis.2°.de præſ.ex p. 4ª.116.*G*
Sublimamentum album æquale atq; conſiſtens ſignificat bonum iudicium futurum,& cito.com.4°.aph.71°. Ex.35.*D*
SVBLIME *in vrinis,occultato dolore coxæ,ſignificat delirium. in 1ᵐ. pror.commen.2°.* 4ª.268.*G*
Sublimes dolores qui ſint,& qui non ſublimes.c.6°.aph.7°. Ex.47.*B*
Sublimes puſtulæ quæ,& vnde.com.6°.aph.9°. Ex.47.*C*
pro Sublimi ſpiritus promptus ſumitur ab Hippocrate.in 1ᵐ.prorrh. commentario.1°. 4ª.168.*E*
Sublime quod fertur excrementũ,quale.2°.de præſa.ex p. 4ª.118.*H*
Sublimia in vrinis quid ſignificent.in 1ᵐ.pror.com.1°. 4ª.167.*G*
SVBLIMITAS *in vrina quomodo fiat.de vrin.ſig.* Sp.79.*B*
SVBLINITORIVM *quid ſignificet.de arti.com.2°.* 7ª.267.*D*
SVBLIVENS *deiectio ventris mala.in 1ᵐ.pror.com.3°.* 4ª.181.*F*
SVBLIVIDA *vrina aut alba in quibus affectibus mortem ſignificet. de dynam.* Sp.35.*D*
Subliuida,& alba vrina ĩ pleuriticis mortẽ demõſtrat.de dy.S.34.H
Subliuida,& nebuloſa inferius vrina,ſi ſuperius claritatẽ habuerit, ſignificat dolorem,renum,coxę,& genu.de dyna. Sp.55.*D*
SVBLAXATIO *cur non fit in humero, & coxa.de articul. commentario.4°.* 7ª.283.*B*
SVBMORDENS *guſtus eſt vella.de ſim.med.* Sp.92.*A*
SVBNEBVLA *in vrina quomodo fiat.de vrinæ ſign.* Sp.79.*C*
SVBNIGRA *ſeu nigra eſt caro in ſplene,& in vua.de ana.* Sp.44.*D*
Subnigra vrina ſuperius,& plena,& inferius claritatem habẽs,inferius dolorem renum ſignificat,& ſuperius grauitatem capitis,obturationem aurium,& narium.de dynam. Sp.35.*D*
SVBORTVS *eſt trichiaſis diffcrentia quædam.ſin.med.* Iſa.48.*F*
SVBPALLIDA *vrina quid ſignificet.1°.de criſi.* 4ª.130.*A*
SVBRVBRVM *non perinde quidem ac album frigidum denotat temperamentum,non tamen etiam calidum ſignificæt.in 3ᵐ.de morb.vulgaribus,com.3°.* 3ª.146.*D*
Subruber color eſt reſtaurati.in 6ᵐ.de morb.vul.com.3°. 3ª.177.*C*
a Subrubro differt prærubrum.in 1ᵐ.pror.com.1°. 4ª.168.*F*
Subrubra,& rubra vrina differunt.in 1ᵐ.pror.com.2°. 4ª.173.*A*
Subrubra vrina,& hypoſtaſis ſubrubra,& leuis quid ſignificent. de vrin.ſign.ex Hippocr. Sp.78.*F*
Subrubra vrina notat longum morbum,ſed valde ſalubrem.commen. 4°.aphoriſmo.71°. Ex.35.*D*
SVBRVFA *vrina quid ſignificet.1°.de cri.* 4ª.130.*A*
Subrufa deiectio ſit;nec graue olens.in progn.com.2°. 4ª.199.*E*
SVBSALSA *& ſubamara ventrem deijciunt.7°.de ſimp. medicamen. facultatibus.* 5ª.52.*H*
SVBSELLIVM. *de machinamentis.* 7ª.311.*H*
SVBSICCANEA *membra quæ vocentur.de ijs, quæ in medicatrina fi. commenta.3°.* 7ª.214.*D*
SVBSIDENS, *& inſidens qũo differant.com.7°.vpho.35°.* Ex.56.*F*
Subſidens in vrina farinæ craßiori ſimile fuit die decimo in Sileno. in 1ᵐ.de morbis vulgaribus,com.3°. 3ª.121.*F*
SVBSIDENTIA *vrinæ quid ſit.in progn.com.1°.* 4ª.197.*D*
Subſidentia quomodo conſideranda.1°.de criſi. 4ª.130.*E*
Subſidentiarum vrinarum colores varij vnde.in 6ᵐ.de morb.vulgari. commen.1°. 3ª.155.*F*
ad Subſidentias arenoſas Paſtillus Chariclis.10°.de compo. medica. ſecun.loc. 5ª.206.*E*
Subſidentia veluti farina hordei quid ſignificet.1°.de criſi. 4ª.130.*D*
Subſidentia fœtida quid ſignificet.1°.de criſi. 4ª.130.*D*
Subſidentia veluti furfur quid ſignificet.1°.de criſi. 4ª.130.*D*
Subſidentia liuida quid ſignificet.1°.de criſi. 4ª.130.*D*
Subſidentia multa eſt in vrinis puerorum,otioſorum virorum,& plenorum.1°.de criſi. 4ª.130.*C*
Subſidentia nigra quid ſignificet.1°.de criſi. 4ª.130.*D*
Subſidẽtię oroboides in vrinis quales.in 6ᵐ.de mor.vul.c.1°. 3ª.155.*F*
Subſidentiæ Sandaracodes in vrinis,quæ ab aliquibus appellentur. in 6ᵐ.de morb.vul.com.1°. 3ª.155.*F*
Subſidentiæ ſquamis ſimiles quid ſignificent.1°.de criſ. 4ª.130.*C*
Subſidentia ſubrubens quid ſignificet.1°.de criſi. 4ª.130.*F*
cum Subſidenria ſanantur febricitantes ex otio,& repletione. 1°. de criſibus. 4ª.130.*C*
Subſidentia viridis quid ſignificet.1°.de criſi. 4ª.130.*D*
Subſidentijs vrinarum comparantur ſputa in pleuritide, & pulmonis paſſionibus.1°.de criſi. 4ª.132.*D*
SVBSIDENTIA *quid ſit.de morb.temp.3ª.86.D/de ijs,quæ in med.ſi. commentario.1°.* 7ª.203.*F*
Subſidentia aboletur cauitas.de cauſ.morb. 3ª.9.*A*
SVBSIDERE *quid ſit.de ijs,quæ in med.ſi.com.1°.* 7ª.203.*F*
SVBSIDIVM *quid ſignificet.de cur.an.mor.* 2ª.50.*C*
SVBSOLANVS *ventus ab ortu flat.5°.met.med.* 7ª.34.*H*
SVBSTANTIA *multis modis dicitur.2°.de ſem.* 1ª.337.*C*
Subſtantia communis ſumpta quid ſignificat.4°.de decr. 1ª.268.*B*
Subſtantiæ,& naturæ nomen quando ſignificet.q; ani.mor. 1ª.317.*C*
Subſtantia,nomine,forma,& materia,& vtraque ſimul dicuntur. q; animi mores. 1ª.318.*E*
Subſtantia & materia idem ſunt.2°.de ſem. 1ª.337.*C*
Subſtantia quid ſit.9°.de decr.Hippo. 1ª.286.*D*
Subſtantiæ diuiſio in genera,& ſpecies.1°.de temp. 1ª.13.*F*
Subſtantia prima non genita & perpetua,eſt ſubiectaq; omnibus corporibus generabilibus & corruptibilibus.de na.hu.c.1°. 1ª.25.*G*
de Subſtãtia corruptibili et incorruptibili duę ſectę.1°.de na. 1ª.292.*b*
Subſtantia omnis corporea animata ex elementis eſt.de ſper. Sp.39.*A*
Subſtantia oĩs corporea animata,teſte Hippocrate,iniuncta eſt,& ligata ĩ planetis et ſignis quatuorq; elẽtorũ noxibus.de ſpe. Sp.38.*G*
Subſtantia veris humiditas.de ſper. Sp.41.*B*
Subſtantia terræ humiditas.de ſperm. Sp.41.*C*
Subſtantia aeris tenuiſſima eſt.1°.de diff.feb. 3ª.31.*B*
ad Subſtantiam Aeris qui inſpiratur reſpicit vna ſententia de vſu reſpirationis.de vtil.reſp. 1ª.223.*C*
ad Subſtantiam via eſt generatio abſolute.2°.met.med. 7ª.10.*B*
Subſtantia ſubiecta generationi,& corruptioni,quæ.de mul. 3ª.77.*B*
Subſtantia alteratur in generatione.1°.de nat.fac. 1ª.291.*E*
Subſtãtia gñabilis quatuor qualitatibus mutatur.de mot.ma. Sp.67.*H*
Subſtantia generabilis mutætur in qualitatibus.ſecret. Sp.96.*F*
ex Subſtãtia vnde genitũ eſt aĩal,fit animalis ſpẽs.2°.de ſe. 1ª.337.*C*
ex Subſtantia habetur animalis genus.2°.de ſem. 1ª.339.*H*
Subſtantia habetur animalia,non admittit perfectam ſapiẽtiam. 14°. de vſu partium. 1ª.204.*D*
Subſtantia ea qua primo genitum eſt unumquodque,ea etiam,ali perpetuo conſueuit.1°.de ſemi. 1ª.335.*E*
Subſtantia incorporea quomdo corporeæ copuletur.de ſper. Sp.37.*E*
Subſtantia incorporea non nutritur a corpore,nec e contrario. de ſpermate. Sp.40.*G*

Subſtãtia caloris nõ cõtrariaĩ rõne molis corpis.adu.Lycũ. Ex.65.A
Subſtantia quæ ex mole iudicari debet,& quæ nõ.adue.Ly.Ex.65.D
Subſtantia ſpiritus variatur.11°.met.me. 7ª.68.B
Subſtantia virtutis animæ an plures vel vna,perſcrutandum.7°.de decret.Hippocr. 1ª.268.B
Subſtantia vna eſt humanæ animæ facultates tres,ſcilicet rationalis, iraſcibilis,& concupiſcibilis.in tim.Plat. 1ª.287.C
Subſtantiam totam penetrat natura incorporea.de ſperm. Sp.40.F
Subſtantia fere nulla inuenitur ad amuſſim ſimilarium partium.4°.de ſimpl.med.facul. 5ª.24.H
Subſtantia humorum media eſt.1°.de diff.feb. 3ª.31.B
Subſtantia ſolidorum corporum craſſiſſima eſt.1°.de dif.feb. 3ª.31.B
Subſtantia dura quid habeat.16°.de vſu par. 1ª.220.G
Subſtantia mollis humida quid habeat.16°.de vſu par. 1ª.220.G
Subſtantia carnis magnitudo variatur.11°.met.me. 7ª.68.B
Subſtantia muſculoſa,vel muſculoſa natura potest dici muſculus latus ſub cute in collo.de muſ.diſſec. 1ª.44.D
Subſtantia muſculi lati ſub colli cute,quæ.de muſc.diſſe. 1ª.44.D
Subſtantia chordarum qualis.de ana.viuo. Sp.43.H
Subſtantia ſola craſſeſcunt nerui & quali.16°.de vſu par. 1ª.216.F
Subſtantia ſimilis neruis vbi,& qualis.16°.de vſu par. 1ª.216.F
Subſtantia cerebri vt conſeruetur,indiget corde & hepate.de motibꝰ manifeſtis & obſcuris. Sp.66.G
Subſtantia aurium cordis.de ana.viuo. Sp.44.E
Subſtantia ſtomachi cur talis.de anato.vi. Sp.45.B
Subſtantia rerum qualis,& cur.de anat.viu. Sp.51.B
Subſtãtię portio quotidie defluit ob calorẽ naturalẽ.1°.de ſa.t.2ª.62.H
Subſtantia defluens,quomodo ſeruetur.1°.de ſa.tu. 2ª.62.H
Subſtantiæ aſſiduo fluore homo tendit ad interitũ.1°.de ſa.t.2ª.63.A
Subſtantia familiarẽ agnoſcẽdi principiũ eſt in iecore.in tim.1ª.287.d
per Subſtantiæ defluxum in locũ,qui morbi fiant.de diff.mor.3ª.3.D
in Subſtantia facultatis noxæ,quæ.3°.de ſym.cau. 3ª.24.G
Subſtantia tenuis promptius alterat,quam craſſa.1°.de dif.ſe.3ª.31.B
Subſtãtia tenuiũ partium tranſpirationes facit.de victus rat.in morbis acutis,com.3°. 7ª.131.B
Subſtantiæ rõne conſideratur cibus vt nutrit.de vtil.reſp. 1ª.323.D
Subſtantia rarum habentia digeruntur velocius, quam habentia ſpiſſam.de diſſol.cont. Sp.73.C
per Subſtantiam totam,non ſolum per ſimplices qualitates nos attingentium iuuamenta,& noxæ corporibus noſtris adueniunt.in 6ᵐ. de morb.vulg.com.6°. 3ª.196.H
ex Subſtantia tota proprietates progenitæ,aut corporibus noſtris cõgruentes,aut alienæ quatuor materijs continẽtur,& quę ſint.in 6ᵐ. de morbis vulgari.com.6°. 3ª.196.H
Subſtantijs totis quædam contraria ſunt, quædam ſolis qualitatibus. 12°.metho.meden. 7ª.82.C
Subſtãtia tota cõtraria per experientiã ſunt inuẽta.12°.m.m.7ª.82.C
a Subſtantiæ proprietate quæ agunt,experientia indicantur.1°.de cõpoſi.med.per gene. 5ª.216.A
a Subſtantia tota,quædam agunt,quædam ab vna, vel duabus qualitatibus.1°.de ſimp.me.ſac. 5ª.2.G
Subſtantia tota aliqua agunt:ad quæ deſcendunt, & quando.de ren. affect.dignot.& med. 7ª.194.H
Subſtantijs contrarijs cibi quo turbent ventrem.1°.de ali.fa. 2ª.8.A
Subſtantia ſua tota quæ medicamenta educant.de the.ad Piſ.5ª.90.E
a Subſtantia tota agentia medicamenta non ſecundum qualitatẽ vnã aut alteram.8°.de comp.med.ſecun.lo. 5ª.195.E
Subſtantia ſimilia facile inter ſe mutantur.3°.de na.fa. 1ª.308.C
Subſtantiam augere,& qualitatem intendere,nõ idem ſunt.5°.de ſimpli.med.facul. 5ª.33.B
Subſtantiam frigidam,& terreſtrem habent epithymum,et elleborus. de catharticis. Sp.94.F
Subſtantia lenticularum ſtringit ventrem cum ſtypticitate, & pontici tate.de diſſol.cont. Sp.75.B
a Subſtantia rei exordiri debent,aliquid demonſtrare volentes.3°. de ſymptomatum cauſis. 3ª.21.H
a Subſtantia rei quæſita debent ſumi lemmata ad rem accõmodata. 2°.de decre.Hippoc. 1ª.235.A
a Subſtantia rei quæ quæritur,abſunt cauillatoria,& captioſa argumenta.2°.de decre.Hipp. 1ª.235.D
a Subſtantia rei ſolum tres indicationes.9°.me.me. 7ª.59.D
Subſtantiam vrinæ quam vocet auctor de vrinæ ſignificatione ex Hippocrate.de vri.ſig.ex Hip. Sp.78.F
Subſtantiarum craſſarũ in vrinis tres differentię,quæſ.in Hip.S.113.E
Subſtantiæ defectus in vrinis eſt alijs deterior.de vri. 4ª.123.H
SVBSTANTIALES *ſunt infirmitates quibuſdam.de ſper. Sp.39.H*
de SVBSTITVTIS *medicinis ſcripſere Dioſcorides,Philiſtion,& Euriphon.de ſubſt.de ſubſt.me. 5ª.84.B*
Subſtitutæ medicinæ quæ,& earum vtilitas.de ſubſt.med. 5ª.84.B
SVBTERRANEAE *domus quæ quærendæ.de ſubſt.med. 5ª.64.D*
SVBTILIANDI *humores quæ vim habeant.com.1°.aph.24°.Ex.10.G*
ad Subtiliandum apoſtema.de dynam. Sp.30.E
SVBTILIANTIVM *ciborum tria genera, & quæ.de diſſolutione continua. Sp.72.D*
cũ Subtiliantibus,& mũdificãtibꝰ qd faciat lac.de diſ.cõt. Sp.74.H
Subtilians humores medicamentum.de med.exper.104.G/Sp.108.E
Subtilians phlegma medicamentum.ſecretorum. Sp.101.G
SVBTILIATIVA, *& aquoſa,vel craſſa, & terreſtria ſint conſtringentia.de ocul. 7ª.188.A*
SVBTILIAT *caſeus.de diſſo.cont. Sp.64.G*
Subtiliat humores craſſos decoctio carui,& ſeminis apij.de medicinis expertis. Sp.104.D
Subtiliora craſſioribus præcellunt.4°.de com.me.per ge. 5ª.235.G
SVBTILIVS *eſt lac aſinæ lacte camelle.de diſſo.cont. Sp.73.F*
SVBTILIVM *partium quæ ſint.3°.de comp.me.per gen. 5ª.228.E*
Subtilium partiũ aliquid eſſe qũo probetur.6°.de ſim.me.ſa. 5ª.47.H
Subtilium partium quæ ſunt æqualia intemperatura plus valent, quã quæ craſſorum.11° de ſimp.me.fac. 5ª.80.A
Subtilia,& ignea ſunt Acuta.de ocul. 7ª.188.A
Subtilium partium amara necant fœtum,quãdo ſunt calida.8°.de ſimplic.medica.facul. 5ª.60.E
Subtilis Ariſtolochia ad quid valeat.de cura icteri. Sp.111.B
Subtilia Cibaria,& media de ſe ſunt velocis digeſtionis.de diſ. S.73.C
Subtiles cibi ſunt pauci nutrimenti.de diſſol.cont. Sp.73.F
Subtiles cibi ſapidi dulces abſtergunt,& qui ſint.de diſſ.cõt.Sp.72.E
Subtilibus eſt nutriendum,quando ſomnus eſt paucus,& leuis.de diſ. continua. Sp.71.G
Subtilium Humorum non meminit in ſermone de digeſtione.comment. 2°.aphoriſmo 9°. Ex.12.B
Subtilia primo euacua,poſt euacua parum,deinde mediocriter,deinde fortius.de med.exper. Sp.108.H
Subtile Lac,& multæ aquoſitatis lenit ventrem.de diß.cont.Sp.75.A
Subtile vinum in nutriendo,quale.de diſſ.con. Sp.73.F
Subtile album vinum minus eſt nutritiuum.de diſſ.cont. Sp.73.F
Subtile vinum aquoſum adiuuat ad ſpuendum humiditatem ex pulmone.de diſſo.cont. Sp.74.H
Subtilia,& aquoſa vrina cum vrina ciunt,pauciſſimum nutrimentum præbent corpori.de vinis. Sp.76.D
Subtilia vina craſſũ humorẽ hñtibus ĩ venis,vtilia.de vin. Sp.76.G
Subtilia vina alba ſubſtyptica non valde antiqua optima ictericis. de cura icteri. Sp.111.D
Subtilem vocem,non altam habet conceptus in horis melancholiæ. de ſpermate. Sp.37.C
SVBTILISSIMVS *omnium terreſtrium eſt Aſiæ petreſtos.3°.de comp. med.per gener. 5ª.228.E*
SVBTILITAS *ſequitur ad dominium bilis.de anat.viu. Sp.45.E*
SVBTVSILLAE *fit mentio.de dyna. Sp.30.F*
SVBVENTANEA *& Zephyria oua quæ.2°.de ſemi. 1ª.337.F*
SVBVERSIO *quia ſit.8°.de comp.me.ſe.lo. 5ª.187.F*
Subuerſio ſtomachi fit aut propter calorem, aut propter anxietatem, vel propter aliquam infirmitatem.de dyna. Sp.20.H
ad Subuerſiones ſtomachi,& quid ſit ſtomachi ſubuerſio.8°.de com. med.ſec.loc.189.C/E/F/G/ 5ª.190.H
Subuerſiones voluuloſæ quæ.8°.de comp.me.ſec.lo. 5ª.190.A
ad Subuerſiones ſtomachi voluuloſas.8°.de comp.me.ſe.lo.5ª.190.A
ad Subuerſiones ſtomachi,Aſclepiadæ remedium.8°.de comp.medic. ſecund.locos. 5ª.192.H
ad Subuerſiones ſtomachi Origeniæ.8°.de comp.me.ſec.lo. 5ª.189.F
SVBVERTO *quid ſignificet.in progn.com.3°. 4ª.210.F*
Subuertit oleum appetentiam birudinum.de cucur.ſcarif. 6ª.4.D
SVBVIRIDIA *quomodo fiant.de fract.com.2°. 7ª.236.A*
SVCCENSA febris.in 6ᵐ.de mor.vul.com.1°. 3ª.160.A
Succẽſiuæ aut hemitriteæ febres quos hñt caſus.1°.de dif.ſe.3ª.34.A
in SVCCESSIONIBVS *quid faciat melancholia.de ana.viu. Sp.45.F*

in Succeſſione ad id quod vacuatur prius ſequitur id quo leuis eſt.3°. de natu.fa. 1ª.307.F
SVCCIDA *eſt lana non lota.14°.met.me.* 7ª.88.F
Succida lana tenera vtitur.5°.de compo.me.ſe.lo. 5ª.165.C
SVCCINGENS *pellicula eſt peritonæo ſimilis.7°.de anatomicis adminiſtrationibus.* 1ª.94.B
Succingens mẽbranę & peritonæi differentia.7°.de ana.ad. 1ª.94.C
Succingens membranam obducitur omnibus intro thoracem inſtrumẽtis.7°.de anato.adm. 1ª.94.C
Succingentis membranæ ſectio.7°.de ana.adm. 1ª.94.C
Succingente membrana inflamata, quid ſequatur.2°.de lo.af.4ª.13.B
in Succingentis membranæ inflammatione, febris vnde oritur. 2°. de locis affectis. 4ª.13.B
Succingens membrana, patitur ſi in lateribus magnus ſit dolor : com. 6°.apho.5°. Ex.46.G
Succingens membrana habet dolorem paucum, nec periculoſum.com. 6°.apho.5°. Ex.46.G
SVCCINTE *ideſt expedite.de ijs, quæ in med.ſi.com.1°.* 7ª.202.F
SVCCINTVRA *ab Ariſtotele dicitur ſeptum tranſuerſum. 5°.de locis affectis.* 4ª.31.E
SVCCINVM *quomodo trahat feſtucas ſecundum epicurum. 1°.de naturalibus fa.* 1ª.294.D
Succinum frangit lapidem renum, & veſicæ.de cathar. Sp.95.D
ex Succino paſtillus in quibus cõueniat.7°.de com.me.ſe.l. 5ª.184.E
SVCCVRRENDVM *eſſe proximo collige.de mot.man.* Sp.69.B
SVCCVS *quid ſimpliciter ſignificet.6°.de comp.me.ſe.lo.* 5ª.173.D
Succus apud Galenum quid ſignificet.2°.de ali.fac. 2ª.24.G
Succus quid ſit.8°.de ſimp.me.fa. 5ª.57.E
Succus, & liquor ſub humore comprehenduntur.in 6ᵐ.de morbis vulgaribus, commen.6°. 3ª.196.C
Succus ater, & atra bilis quomodo differant.2°.de nat.fa. 1ª.301.G
Succus eſt proprium ſenſibile guſtus.7°.de decr.Hip. 1ª.271.A
Succi boni & dulcis quæ ſunt, Græci vocant ἐνχυμα γλυκύχυμα. 2°. de ſimp.me.fa. 5ª.12.G
Succus bonus, ideſt ſanguis.com.5°.aph.64°. Ex.44.G
Succi boni quæ ſint.2°.de ſim.me.fa. 5ª.12.G
Succos bonos faciunt quæ probe cocta ſunt.2°.de ſim.me.fa. 5ª.12.E
Succi boni quæ ſunt, eandẽ detergunt, nec ſunt glutinoſa; nec craſſũ ſuccum efficiunt, nec valenter nutriunt.4°.de ſa.tu 2ª.83.F
Succus crudus ex quibus cibis fiat.de bon.& vit.ſuc. 2ª.36.G
Succos crudos gignit placẽta ex oleo craſſi ſucci.1°.de ali.fa. 2ª.10.C
Succus crudus qui proprie ſit.1°.de ali.fa. 2ª.10.C
Succus crudus qui.3°.de alim.fa. 2ª.28.E
in Succum lacteum vertitur cibus in ſtomacho. de compagine mẽbrorum, ſiue de natura huma. Sp.58.H
ad SVCCORVM *generationem plurimum valet calidum. 2°. de natu. facultatibus.* 1ª.299.G
Succorum generatio ſi a calido innato.2°.de nat.fa. 1ª.298.A
Succos auget tempeſtas vnaquæq; pro ratione ſuæ temperaturę, ac nõ propter rumen.in 1ᵐ.de mor.vulg.com.1°. 3ª.100.H
Succorũ abundantiam parit humida victus ratio.6°.de ſa.tu. 2ª.96.G
Succos proprios trahunt membra, quæ aluntur.4°.de ſa.tu. 2ª.87.H
Succum ſibi accõmodatũ a venis accipiunt mẽbra.1°.de ſe. 1ª.335.B
Succo quam ſimillimo nutriuntur membra.6°.de decr.Hip. 1ª.266.C
Succum cibi attrahit cor ab inteſtinis, aliunde, quam per hepar ideſt per mediam arteriam.de vtili.reſp. Sp.64.D
Succum cibi attrahit cor a ſplene per venam quæ protenditur a corde ad ſplenem.de vtil.reſp. Sp.64.H
Succum cibi trahit hepar ab inteſtinis.de vtil.reſp. Sp.64.D
Succum cibi non omnino tranſmittit ad venam hepatis, immo etiã partim ad arteriam.de vtili.reſp. Sp.64.G
Succum, qui in gibbo iecoris fit ſanguis, coquunt meſaraicæ. de cõpa. membrorum ſiue de nat.hum. Sp.59.A
Succorum differentiæ quot ſint in ſanguificatione.4°.de ſa.tu. 2ª.84.C
Succum cibi trahit ſplen ab inteſtinis.de vtil.reſp. Sp.64.G
Succus ſi alium, & alium mutet locum, non fit agglutinatio, & aſſimilatio.3°.de nat.fa. 1ª.302.E
Succi cum omnino ſunt crudi, actionis priuatio in venis eſt.3°.de ſymptoma.cauſis. 3ª.25.A
Succi cũ ſunt ſemicocti, actio deficiẽs in venis eſt.3°.de ſym.c. 3ª.25.A
Succi cum ſunt vitioſi, actio praua ĩ venis eſt.3°.de ſym.ca. 3ª.25.E
Succi malum adauget, non nutrire.4°.de ſa.tu. 2ª.84.E
Succi ſemicocti coquuntur, & vtiles redduntur.4°.de ſan.tu. 2ª.83.E
Succi crudi debent coqui.4°.de ſan.tu. 2ª.84.D
a Succis prouenit color.4°.de ſan.tu. 2ª.84.A
Succorum notitiam quando dat color.4°.de ſan.tu. 2ª.84.A
Succi crudi in vrinis ſanorũ etiã cõſpiciuntur.1°.de ali.fa. 2ª.10.C
Succus crudus in vrints videtur pus, quo ad craſſitiem & calorem.1°. de alimento facul. 2ª.10.C
Succus crudus qũo diſtinguatur a pure in vrinis.1°.de ali.fa. 2ª.10.C
Succi mali corrupti, qui concoqui non poſſunt, per ſudorem, & vrinã expelluntur.4.de ſan.tu. 2ª.83.E
Succus qualis in corpore, tale eſt eius ſerum.4°.de ſan.tu. 2ª.83.G
Succorum, qui in vaſis continentur, nota eſt vrina.4°.de ſa.t. 2ª.83.H
Succorum totius corporis motus eſt ſudor.4°.de ſan.tu. 2ª.83.G
Succi redundantis inditia ex ſomno, & vigilijs capiuntur.4°.de ſanit. tuenda. 2ª.84.E
Succorum abundantiam minuit exercitatio.in 6ᵐ.de morbis vulgari. commenta.3°. 3ª.170.C
Succos detrahit velox curſus, & exercitatio.in 6ᵐ.de morb. vulgari. commentario 3°. 3ª.170.E
Succos e vaſis emittit venæ ſectio.4°.de ſan.tu. 2ª.87.H
Succus exiguus in vna parte contẽtus, maxima facit ſymptomata. 6°. de lo.affectis. 4ª.40.A
Succi pituitoſi omnes albi ſunt, & crudi.4°.de ſan.tu. 2ª.84.B
Succi crudi ſunt de genere pituitæ, minus tamen humiditatis habent, quam quæ publice dicitur pituita.4°.de ſan.tu. 2ª.84.B
SVCCIS *malis pleni horreſcunt, cum caleſiunt.in 6ᵐ.de morb. vulga. commen.3°.* 3ª.175.G
Succo vitioſo laborantes facile ex morſu phlegmonem recipiũt. 4°.de comp.me.per gene. 5ª.236.F
Succi frigidi marcorem, & ſomuos longiores inducunt. 4°.de ſanitate tuenda. 2ª.84.E
Succi frigidi qui.6°.de ſa.tu. 2ª.100.F
Succi frigidi quo modo cogno ſcantur habere aliquam caliditatem.2°. de alimen.facul. 2ª.25.B
Succi calidi & mordaces inducunt vigilias.4°.de ſan.tu. 2ª.84.E
Succi calidi, & mordaces, quando dormitur, efficiunt ſomnos imaginibus inquietos & turbatos.4°.de ſan.tu. 2ª.84.E
a Succo vitioſo intrinſece fit eroſio.4°.met.me. 7ª.23.B
Succi qui continuitatem diuidant.1°.de ſymp.cau. 3ª.16.H
Succi excalfacti vehementius, in omnem corporis partem feruntur. 4°.de ſanitate tuenda. 2ª.83.H
Succi quomodo nec intus, nec ad cutem tendunt.4°.de ſa.tu. 2ª.84.A
Succi craſſi & glutinoſi tremorem faciunt.2°.de ſym.cau. 3ª.20.E
Succi craſſi & glutinoſi debent detergi.4°.de ſan.tu. 2ª.89.F
Succos craſſos ac lentos diſſecat: & detergit cinnamomum.6°.de ſanitate tuenda. 2ª.99.C
Succi vitium ſi ſit, quid agendum.6°.de ſa.tu. 2ª.97.D
Succi vitioſi debent purgari.13°.met.me. 7ª.81.C
Succi acres, & mordaces ſunt educendi.4°.de ſa.tu. 2ª.84.D
Succi vitioſi non æque educuntur ex vna parte, vt ex alia.4°.de ſan. tuenda. 2ª.83.A
Succi familiaritas facit magis & minus purgare.3°.de ſim. medicamento.ſa. 5ª.23.H
Succos prauos habentium commune auxilium eſt alui deiectio. 6°.de ſanita.tuenda. 2ª.96.E
Succorum qui accipiuntur quantitati reſpondet quantitas excrementorum.2°.de cauſ.pul. 4ª.95.B
Succos crudos multos intus habentes, & foris laſſitudinis ſenſus, quomodo curandi.4°.de ſa.tuen. 2ª.86.B
Succi ſi ſtant ad oculos, vel aures, deriuandum per nares, & os, & quibus.de cucurb.ſcarif. 6ª.4.E
Succorum influxus vehementiſſimi reuulſorijs cohibentur.de cucurb. ſcarificationibus. 6ª.4.F
Succi vbi ad ſuperiora vergunt, deorſum fiat reuulſio, vbi ad inferiora, ſurſum.de cucurb.ſcarifi. 6ª.4.G
Succos ad caput & viſcera vrgentes reuellunt acria medicamẽta manibus, & pedibus impoſita.de cucurb.ſca. 6ª.4.G
Succi vbi introrſum vergunt, ad exteriora facienda eſt reuulſio vbi extrorſum, ad interiora.de cucurb.ſcar. 6ª.4.G
Succi ſi dextrorſum inclinãt, in ſiniſtram, et ſi ſiniſtrorſum, ad dextrã reuulſio facienda eſt.de cucurb.ſcar. 6ª.4.G
Succi crudi non ſunt foras trahendi.4°.de ſan.tu. 2ª.85.H

Succi mordace cauendum ne intro reuocetur.4°.de san.tu. 2ª.85.H
Succi non semper est vtilis fusio.10°.met.me. 7ª.65.H
Succorum fusorum symptoma.de sympt.cau. 3ª.18.B
Succi tripliciter esse possunt in ventriculo.7°.met.me. 7ª.48.E
Succi praui qui a toto corde defluunt,si confluunt in superiorem partem ventriculi,per vomitum vacuantur, qui autem tendunt in partem inferiorẽ,pariunt diarhœam.2°.de ali.fac. 2ª.19.E
Succum frigidum in ventre habentes,sunt segnes ad motum.2°.de san. tuenda. 2ª.73.D
Succus frigidus in toto corporis habitu,facit segnes ad motum. 2°. de sanitate tuenda. 2ª.73.E
Succi mordaces cum sint in intestinis, quid agendum. in 6ᵐ. de morbis vulgaribus,com.6°. 3ª.196.C
Succi vitiosi in vlceribus,signum.4°.met.me. 7ª.24.D
Succo mellito,& mucosa similia in absce ssibus inueniuntur.de tumor. præter naturam. 3ª.83.G
SVCCVS *indicat de temperamento plantæ.2°.de ali.fac.* 2ª.24.E
Succi vires quæ.de simp.med. Sp.90.A
Succorum differentiæ quo ad ad sapores.2°.de ali.fac. 2ª.24.E
Succus aqueus & qualitatis expers in omnibus fructibus stomachum non iuuat.2°.de alim.fac. 2ª.19.G
Succum aqueum & tenuem habentia,sunt pauci alimenti.2°.de alim. facul. 2ª.16.G
Succus frigidus postulat acria,non acida.2°.de alim.fac. 2ª.19.G
Succus dulcis si acrimoniam,& crassitiem habuerit, citius subducit. 2°.de alimen.fa. 2ª.19.G
Succus dulcis celerius distribuitur,cum est sine acrimonia, & crassitiæ.2°.de alim.fa. 2ª.19.G
Succus radicis Acori claritatẽ oculis mirifice facit.d sim.m. Sp.81.A
Succus Absinthij marrubio miscẽi,cũ adulterãi.1°.de anti. 5ª.100.H
Succus Absinthij in aqua infusus cum nardo quibus conueniat. de cur. icteri. Sp.111.A
Succus Agiolæ ad quid vtilis.de dyna. Sp.24.H
Succus Alicæ quid operetur.de sim.med. Sp.90.A
Succus Anagallidis ad claritatẽ oculorum facit.de sim.me. Sp.80.G
Succus Betæ purgat aures,& nares.de cathar. Sp.95.B
Succus Cæpe est oculorum cenoticus.de cathar. Sp.95.B
Succus cæpe cũ adipe plurimo,purgat aures & nares.de cat. Sp.95.B
Succus Cantabri.de dyna. Sp.33.C/D
Succus Carpasi.5°.de comp.me.sec.loc. 5ª.164.C
Succus Caulis expurgat in icteris.de cura icteri. Sp.111.B
Succus Centaureæ qũo extrahatur,et conseruetur.de vir.cẽ. Sp.93.A
Succi centaureæ vis,quæ.de virt.cent. Sp.93.A
Succus cẽtaureæ ad multos affectus capitis valet.de vir.cẽ. Sp.93.B
Succus centaureæ valet ad aurium affectus.de vir.cent. Sp.93.B
Succus centaureæ valet ad affectus oris,& partium eius.de virtu.cẽtaureæ. Sp.93.C
Succus centaureæ valet ad narium passiones.de vir.cent. Sp.93.C
Succus centaureæ valet ad hypopia,idest liuiditates oculorum.de vir. centaureæ. Sp.93.D
Succus centaureæ valet ad pudendorum affectus.de vir.cẽt. Sp.93.D
Succus centaureę valet ad ani affectus.de vir.cent. Sp.93.E
Succus centaureæ valet ad vngues conquassatas,& apostemat as. de virtute centaureæ. Sp.93.E
Succus centaureæ valet ad combustos.de vir.cent. Sp.93.F
Succus centaureæ valet ad vlcera antiqua.de vir.cen. Sp.93.F
Succus centaureæ valet ad plagas.de vir.cent. Sp.93.F
Succus centaureæ ad apostemata incisa parua.de vir.cent. Sp.93.H
Succus centaureæ valet ad feras venenosas.de vir.cent. Sp.93.H
Succus centaureæ œdemati conuenit.de vir.cent. Sp.94.A
Succus Chelidonię est oculorum cenoticus.de cathar. Sp.95.B
Succus chelidoniæ bibitur in icteritijs citrinis,& nigris.de simplicib. medicaminibus. Sp.82.F
Succº Cyclamini ad abolẽdũ colorẽ e facie icterici.de cur.ict. Sp.111.F
Succus Cyrenaicus quo modo augetur aqua. 3°.de compo. medicamẽ. per genera. 5ª.232.H
Succorum cyrenaici,& medici essentia numeratur inter attrahentia, sponte nata.5°.de simpl.med.fa. 5ª.36.E
Succus cyrenaicus tenuissimę substãtiæ calidę est,& pro eo succus medicus,& sagapenum sumuntur quandoq; ob inopiam. 3°.de comp. medi.per gene. 5ª.228.E
Succus cyrenaicus discutit generose indurat as inflammationes. 6°.de compositi.medi.se.lo. 5ª.169.D
Succus cyrenaicus per halitũ maxime digerit,calidusq;, & tenuis est. 8°.de simp.me.fa. 5ª.58.D
Succus cyrenaicus ĩ vrinã statim mittit suã qualitatẽ.1°.de se.1ª.335.A
Succi cyrenaici fit mẽtio.4°.de c.m.s.l.156.F/5°.164.C/7°.5ª.186.B
Succus Fœniculi conuenit oculo inflammato.de opt.sect. Isa.21.G
Succus Glycirizæ pro ipsa radice ex creta portabatur. 7°.de com.me. secun.locos. 5ª.181.A
Succus herbæ heliotropij purgat choleram.de cathar. Sp.94.F
Succus hordei imaturi vẽtrẽ stringit,& infrigidat.de sim.m. Sp.90.A
inter Succos Laurinus simul cum eo quod calefacit valide tenuis est. 3°.de compo.med.per ge. 5ª.228.F
Succus Lybicus.10°.de comp.me.se.lo. 5ª.206.E
Succus Medicus in vrinã statim mittit suã qualitatẽ.1°.de se.1ª.335.A
Succo medico vtitur.4°.de comp.me.sec.lo. 5ª.155.F
Succus Mororum debilis est.6°.de comp.me.se.lo. 5ª.171.F
Succus mororum curat synanche laborantes.de simp.me. Sp.87.G
Succus mororũ sylueſtriũ apte ventrem stringit. de sim.me. Sp.87.H
Succus mororũ vulnera attritiões vel putredies curat.de si.m.S.87.G
Succus Myricæ pediculos occidit,culices, & pulices fugat. de simpli. medica. Sp.87.G
Succus ex corticibus nucum,quamuis non sit in gustu acerbus,nullo minus est fortis.6°.de compo.med.se.lo. 5ª.171.F
Succus Orizæ quid operetur.de simp.me. Sp.90.A
Succus Plãtaginis sanguinẽ excreantibº vtiliter dat.de sim. Sp.89.A
Succi Pomorum non possunt durare.7°.de sim.me.fa. 5ª.55.H
Succus Parri capitati sanguinem purgat.de dyn. Sp.22.C
Succus porri educit sanguinem.de cathar. Sp.94.G
Succus Prassij educit atram bilem.de cathar. Sp.94.G
Succus Ptissanę de hordeo,si oleum rosaceum admisceas, febricitates refrigerat,& reparat.de simp.me. Sp.90.A
Succus rubi mororum fortior est.6°.de comp.me.se.lo. 5ª.171.F
Succus Rutæ est oculorum cenoticus.de cathar. Sp.95.B
Succus solatri expurgat in icteris.de cura icteri. Sp.111.B
Succus qui ex Syria affertur,est ex adstringentibus parabilib. 6°. de comp.me.sec.loc. 5ª.169.F
Succus Syriacus.5°.de c.m.s.l.164.C/7°.5ª.186.B/de m.f.p.7ª.174.D
Succus Tithymali vlcerat linguam.de dyna. Sp.21.E
Succus tithymali cum caricis.de dyna. Sp.21.E
Succus tithymali virginalis antidotum in cephalea.de dyn. Sp.23.C
Succus iari contra maculam oculorum.de med.exper. Sp.106.D
Succos exprimit per linteum.3°.de comp.me.se.loc. 5ª.145.B
in Succis,oleo,& in lacte recrementa sunt.4°.de sim.me.fa. 5ª.24.H
Succi plantarum duplex excrementum habent.2°.de sim.me.f. 5ª.13.F
Succi quales esse debeant.1°.de anti. 5ª.107.D
Succorum fraudes Romę cognoscunt vnguẽtarij.1°.de anti. 5ª.100.H
Succi cur vino macerentur.1°.de anti. 5ª.107.E
ex Succis,& liquoribus simplicia quæ facile leuigentur. 4°.*de com. medica.per genera.* 5ª.273.H
Succi debent ebulliri,si seruandi sint. 3°.de sim.me.fa. 5ª.20.F
Succi corrumpuntur sine melle.6°.de comp.me.se.lo. 5ª.172.H
Succus ad mel quintuplus multitudine in quo pharmaco esse debet p seruanda symetria.6°.de comp.me.se.lo. 5ª.168.C
Succi nimis cocti exiccantur.6°.de comp.med.se.lo. 5ª.172.H
Succi ad solem siccati quales.6°.de comp.med.se.lo. 5ª.172.H
Succi qui tempore durescunt.6°.de comp.med.se.lo. 5ª.172.H
Succus qũo accipiatur in os p arundinẽ.6°.de com.me.se.lo. 5ª.174.B
Succi stirpiũ p medicina dolorũ faciũt.ĩ 6ᵐ.de mor.vul.c.6°. 3ª.196.B
ex Succis appellatũ medicᵐ.7°.de cõ.me.per gen.268.A/ 5ª.269.B
SVCTVS *ventris tertium symptoma est oris ventriculi pro fame inducenda.1°.de symptom.cau.* 3ª.18.A
Suctus uentris sensus,quartum symptoma est oris ventriculi pro fame inducenda.1°.de symp.caus. 3ª.18.A
SVCCVLAM, *& axem significat asellus.de arti.com.3°.* 7ª.270.H
Succulæ quæ instrumenta sint.de fract.com.3°. 7ª.247.B
Sudamina genº pustularũ qd sint,et qũo fiãt.c.3°.ap.21°.Ex.24.D/E
SVDANTES *refrigerant potius,quã calefaciunt.7°.me.me.* 7ª.48.B
Sudantis ratione accidentis,casus.in progn.com.1°. 4ª.189.E
Sudãs qs frigidior efficiẽ postea recalescit,mal.ĩᵐ.pror.c.2°.4ª.173.G
SVDOR *quid sit.1°.de sa.tu.67.D/de trem.palp.conuulsio.* 3ª.54.H/ *de vtil.respi.62.F/* Sp.64.D,G
Sudor an naturę lege incidat.de sym.diff. 3ª.13.H

Sudorem non esse naturalem voluit Diocles.de symp.diff. 3ª.13.H
Sudores excernuntur in corpore humano.introd. Isa.55.B
Sudores,& lachrymæ ex quibus constent.de hist.philo. Sp.11.F
Sudor ex aquosa,& serosa humiditate prouenit.de atrabi. 1ª.34.F
de Sudoribꝰ nihil,aut supuacua scripsere medici.10°.de si.m.f.5ª.75.C
Sudores sunt euacuationes communes.ars med. Isa.71.E
Sudores ex cute euacuantur.c.4°.aph.37°.Ex.32.B/de cat Sp.94.G
Sudor quam ob causam exeat per poros corporis.de vtil.resp.S.64.C
℔ *Sudorem quæ euacuentur.ars med.* Isa.71.E
℔ *Sudores totius corporis excrementa cognoscunt.de cõst.ar.Is.92.B*
℔ *Sudorem aliquid,& per vrinas,& per insensibilem transpiratiõe meat,quod cum sanguine ex potu tendit.de atra bile.* 1ª.34.D
Sudor habet eandem materiam cum vrina.10°.de sim.m.fa.5ª.75.A
Sudores purgant tenuia in toto habitu.de const.art. Isa.42.E
℔ *Sudores mittuntur superflua tenuis substantiæ.de atrab.* 1ª.35.C
Sudor potest sanguinem exhaurire.de ven.sect.aduer.Eras. 6ª.8.A
℔ *Sudorem cur exeat quandoq; sanguis.de vtil.resp.* Sp.62.F
Sudor sanguineus quomodo fiat.de vti.resp. Sp.64.D
℔ *Sudorem qui nam humores a natura expellantur. in 6ᵐ.de morbis vulgaribus;com.4°.* 3ª.187.E
℔ *Sudorem,& vrinam expelluntur mali succi corrupti,qui concoqui non possunt.4°.de san.tu.* 2ª.83.F
Sudor mittit ab oĩbꝰ venis,& arterijs corporis.de vti.re. Sp.64.G
Sudores,& iectiones interdum vt superfluitatis humorum in corpore malorum symptomata,excerni,interdum expurgante natura. i 3ᵐ.de morb.vulg.com.3°. 3ª.144.D
Sudoris qualitas quomodo cognoscatur ex colore.4°.de sa.t.2ª.83.G
Sudorum differentiæ.10°.de simp.me.fa. 5ª.75.B
Sudor salsus gustu percipitur quomodo,& nolentibus. 1°.*de simplic. medicamen.facul.* 5ª.75.B
Sudor quandoq; amarus.1°.de simpl.med.fac. 5ª.75.B
Sudorem amarum habẽt regio morbo laborantes.4°.de sa.tu. 2ª.83.G
Sudor modice pallidus.10°.de sim.me.fac. 5ª.75.B
Sudor habet aliquid bilios misti.10°.de simp.me.fac. 5ª.75.A
cum Sudore exit bilis aquosa.13°.met.me. 7ª.87.A
Sudor in balneis est coloris vrinæ.13°.met.me. 7ª.87.A
Sudores excremento quod euacuatur odorem coloremq; similem habent.3°.de symp.cau. 3ª.28.F
Sudor quandoq; gustatur.de sympto.dif. 3ª.13.C
Sudorem sũ gustare ægrotantẽ iubet medicus.4°.de sa.tu. 2ª.83.H
Sudor propriam qualitatem indicat in os descendens ægrotãtis.de ijs, quæ in med.fi.com.1°. 7ª.199.D
Sudor est nota succorum totius corporis.4°.de san.tu. 2ª.83.G
Sudores fœtent in calidis,& humidis.8°.met.me. 7ª.54.B
Sudoris profundatio quæ dicatur.de ana.viuo. Sp.52.C
Sudor exercitationũ signum est.in 6ᵐ.de mor.vul.com.3°. 3ª.171.B
Sudores exercitiorum mediocrium balneorum,& caloris æstiui quales.3°.de sympt.cau. 3ª.28.F
Sudor ex magno exercitio aliquid trahit boni.3°.de sym.cau.3ª.38.F
de SVDORVM *significatione.præsag.exper.conf.* Sp.77.F
Sudor omnis quid significat.in 1ᵐ.pror.com.3°. 4ª.148.F
Sudor tanquã symptoma quid significet.in 1ᵐ.pror.com.3°. 4ª.179.D
Sudoris prognostica tio quomodo sumenda.in progn.com.1°.4ª.195.C
Sudores vbi sunt,ibi morbum esse significatur.com.4°.aphoris.38°.Ex 32.C/præs.exper.conf. Sp.77.G
Sudor significat affectus per totũ aĩalis habitum.4°.de sa.tu.2ª.84.A
Sudores non iudicant morbos longos.com.4°.aph.36°. Ex.31.H
per Sudores raro inuenietmus iudicare trigesimum primum,& trigesimũ quartũ,& añ ipsos vigesimũ septimũ.c.4°.aph.36°.Ex.32.B
Sudore iudicantur morbi acuti plurimi tertia,& quinta die magisquã quarta.com.6°.aph.36°. Ex.32.A
Sudores critici ex qua vi fiant.com.7°.aph.21°. Ex.55.D
℔ *Sudorem vel sanguinis fluorem in acutis morbis quandoq; fit declinatio.de tot.morb.temp.* 3ª.89.E
Sudor criticus quando expectandus.præsag.exper.conf. Sp.77.F
Sudorem statim venturũ demonstrat vrina tenuis in critico die si aspera facta fuerit.de dyna. Sp.34.E
Sudoris pulsus qui.præsag.exper.conf. Sp.77.F
Sudorem significat pulsus vndosus,& mollis.3°.de crisi. 4ª.144.D
per Sudorem instante crisi,quidam somniabat se lauare.de præsa.ex insom.sum. 4ª.213.D
Sudor criticus quid significet.3°.de symp.cau, 3ª.28.F
Sudores quando boni & quando non boni.1°.de crisi. 4ª.128.B
Sudores quarto die cum ratione apparentes bonum iudicium in septimo ostendunt secũdum antiquos.com.4°.aph.71°. Ex.35.C
Sudores proprij febribus omnibus sunt,& præcipue incendentibus. 3°.de crisibus. 4ª.139.F
cũ Sudore,& sine sudore febres qñ fiãt.in pg.Hip.com.3°. 4ª.212.B
Sudor cur in tertiana fiat.2°.de sym.cau. 3ª.22.E
Sudores soluunt febrem tertianam.com.4°.aph 59°. Ex.33.H
per Sudorẽ & vomitum cur tertianæ finiantur.2°.de crisi. 4ª.134.E
Sudor quomodo in tertianis nuntiatur.2°.de crisi. 4ª.134.H
per Sudores iudicatorios soluitur causus. de victus ratione in morb. acutis,cum.4°. 7ª.135.D
per Sudorem quomodo cognoscatur febrem debere solui. præsag. exper.conf. Sp.77.F
Sudor quando prædicendus in febre.10°.met.me. 7ª.63.C
Sudores febricitanti si inceperint in quibus diebus sint boni,& in quibus significent laborem,& longitudinem morbi,& recidiuam.com mentario.4°.aph.36°. Ex.31.G
Sudores in principio nunquam critici.1°.de crisi. 4ª.128.E
si a Sudoribus febricitãtibus fuerit initiũ boni,& tertiani,& quintani,& septimani,et nonani,& vndecimani,& quartecimani,& vigesimi septimani,& trigesimi quartani.præs.exper.conf. Sp.77.G
Sudor superueniens febricitãti,si nõ soluat morbũ, longitudinẽ morbi significat.c.4°.aph.36°.Ex.33.F/præsag.exper.conf. Sp.77.G
Sudores quas febres iuuat.com.7°.apho.42°. Ex.57.D
per Sudores sanatæ.de victus ratione in morb.acutis,c.4°.7ª.135.E
Sudor effusus liberat a lassitudine phlegmonodes.4°.de san.tu.2ª.87.F
Sudorem in quibus facerent febres cum horrore.in 1ᵐ.de morbis vul. commen.1°. 3ª.106.H
Sudores facit rigor vehemens.de trem.palp.conuul. 3ª.54.H
Sudor rigorem comitatur.in 1ᵐ.de mor.vulg.com.2°. 3ª.114.B
Sudoribus phreniticorum morbum soluit criticus rigor.in 1ᵐ. prorr. commen.1°. 4ª.165.C
sine Sudore rigor,malus.in 1ᵐ.pror.com.1°. 4ª.173.C
neq; in Sudoribus,neq; in sputis,neq; in vrinis,neq; in vomitibus,signa phrenitica sunt in 1ᵐ.pror.com.1°. 4ª.162.H
Sudores multi qñ expectãdi sunt in febribus.com.3°.aph.6°.Ex.20.E
Sudor multus quando consequatur.præs.exper.conf. Sp.77.F
Sudor in quibus maximus fit,& quando.2°.de dif.feb. 3ª.42.D
Sudor amplus quandoq; valentibus incidit.de sym.dif. 3ª.13.G
Sudor tam copiosus a Galeno in aliquibus visus fuit, vt plumas made faceret,tamen non erat sedandus,& quare.de opt.sect. Isa.18.E
Sudores plures ostendunt futuram ægritudinem.ars med. Isa.67.F
Sudores pauciores ostendunt futuram ægritudinem.ars med. Is.67.F
Sudoris copia vnde proueniat.3°.de symp.cau. 3ª.28.F
Sudor minor aut frigidior notat corpus exhauriri,refrigerari,& siccari.2°.de san.tu. 2ª.76.A
Sudoris inopia vnde.3°.de symp.caus. 3ª.28.G
Sudoris tum retentio, tum expulsio incidit ex imbecillitate virtutis in carne.3°.de symp.caus. 3ª.28.G
per Sudorem qui iudicatus,& per sanguinis profluuium potissimũ. in 1ᵐ.de morbis vulgaribus,com.3°. 3ª.123.D
Sudore qdã fuit sanatus fluxu sanguinis p nares copioso præcedente, sed nõ meminerat earũ,quæ sibi acciderant.2°.de mo. mu. 1ª.315.C
per Sudorem iudicatus est Herophon die nono. in 1ᵐ.de morb.vulg. commen.3°. 3ª.122.B
Sudore iudicatus qui octogesimo die.in 1ᵐ.de mor.vul.c.4°.3ª.123.E
℔ *Sudorem iudicatus qui fuerit,& qñ.in 3ᵐ.de mo.vul.c.1°.3ª.114.D*
℔ *Sudorẽ iudicatio in quo fuerit facta.in 3ᵐ.de mor.vul.c.2°.3ª.135.E*
℔ *Sudorem iudicata quæ fuerit.in 1ᵐ.de morb.vul.com.3°.3ª.126.E*
℔ *Sudorem iudicata est Melidia,& quando. in 1ᵐ.de morbis vulgaribus,commen.3°.* 3ª.126.H
Sudores fiunt quandoque sine iudicatione,com.4°.aph.42°. Ex.32.E
Sudor per totum morbum sine iudicio,malum.in 1ᵐ.de morb.vulgari. commenta.3°. 3ª.124.F
SVDORES *mali qui sint.de vict.ra.in mor.acu.com.4°.* 7°.143.B
Sudores circa collum praui.de vict.rat.in mor.acu.com.2°.7ª.122.F
Sudor malus existit, qui morbum non soluit.com.4°.ap.56°.Ex.33.F
Sudore qui non soluuntur in febribus ad hypocondria dolores sine voce,& mali.in 1ᵐ.pror.com.2°. 4ª.176.H
Sudores non boni,qui non remouent caliditatem hypocondriorũ.in 1ᵐ. pror.com.1°. 4ª.164.B

Sudores qui ceperunt & protinus defuerunt peſſimi.in 1^m.pror.commentario 1°. 4ª.161.F
in Sudoribus prauis fiunt pulſus ventriculãtes.2°.de præſ. 4ª.113.A
Sudores morbis crudis non proſunt,nec ſunt bonum ſignum. in 1^m.de morb.vulgaribus,com.1°. 3ª.110.G
cũ Sudore facies flammans,mala.in 1^m.pror.com.2°. 4ª.173.H
in Sudoribus qui recaleſcunt,malum.in 1^m.pror.com.2°. 4ª.174.A
Sudor multus ex ſomno factus abſq; cauſa manifeſta corpus vti pluri cibo ſignificat,ſi vero non accipiente cibũ hoc accidat,ſcire oportet q̃ euacuatione indiget.com.4°.aph.41°. Ex.32.D
Sudor in ſomno ſine cauſa ſumpſiſſe plurimum cibum ſignificat. præſagium exper.conf. Sp.77.G
Sudor multus fit vel propter ciborum tunc ſumptorum immoderantiã,vel propter eos qui antea.com.4°.apho.41°. Ex.32.E
Sudores imodici vel retenti cuius ſymptomata ſint.de ſym.di. 3ª.13.F
Sudor ſuperfluens quid ſignificet.com.7°.aph.69°. Ex.59.F
Sudor ſuperfluus noxius eſt.in 6^m.de morb.vul.com.2°. 3ª.166.F
Sudor immodicus vires euertit.de vic.rat.in mor.acu.c.3°. 7ª.128.E
ex Sudoribus immoderatis in robuſtiori corpore fit animi defectus. 1°.de arte cur.ad Glauc. 7ª.98.F
ob Sudoris multitudinem animi defectui balnea obſunt. 1°.de ar.curati.ad Glaucon. 7ª.99.A
Sudor reſoluto corporis habitu proueniens,paſſionem inducit,quæ dicitur ſyncope.3°.de ſymp.cau. 3ª.28.F
Sudor plurimus facit corpora extenuata.com.2°.aph.28°. Ex.16.B
Sudor multus in acutis,malus.in 3^m.pror.com.2°. 4ª.172.G
cum Sudore multo qui obeunt,ij craſſius excrementum faciunt.4°.de ſanitate tuenda. 2ª.83.G
ſine Sudore qui pereunt magis tenue excrementum faciunt. 4°.de ſanitate tuenda. 2ª.83.G
Sudor multus non fit propter virium imbecillitatem,vel propter corporis raritatem.com.4°.aph.41°. Ex.32.E
Sudor multus frigidus vel calidus, frigidus magis calidus minus ſignificat morbum.com.4°.aph.42°. Ex.32.E
Sudor multus calidus vel frigidus ſuperfluens humorem abduci robuſto quidem ſupra,debili vero infra ſignificat.c.7°.ap.61°. Ex.59.F
Sudores frigidi quomodo fiant, & an in ea parte,in qua febris. com. 4°.aphoriſ.37°. Ex.32.B
Sudores frigidi in acutis febribus cur letales.c.4°.ap.37°. Ex.32.B
Sudores frigidi cum acuta febre mortem,cum ardore morbi longitudinem ſignificãt ⁊ corruptus eſt textus ⁊ præſ.exper.conf. Sp.77.F
Sudores frigidi quomodo poſſint fieri in acuta febre,quæ eſt calidiſſima.com.4°.aph.37°. Ex.32.B
Sudores frigidi ſi eſſent in partibus calidiſſimis, eſſent calefacti. com. 4°.aphor.37°. Ex.32.B
Sudores frigidi in mitioribus febribus longitudinem morbi ſignificãt. com.4°.aph.37°. Ex.32.E
Sudor frigidus in Philiſco qñ fuerit.ĩ 1^m.de mor.vul.com.3°. 3ª.121.B
Sudores ꝑpetuo frigidi in Philiſco.in 1^m.de mor.vul.cõ.3°. 3ª.121.B
Sudores in carnis colliquatione quomodo ſuperueniãt. 3°.de ſympto. cauſis. 3ª.28.F
Sudor quando prouocetur.de melanch.ex Gal.Ruf.& Poſ. Sp.110.B
Sudorem quæ moueant.de cura icteri. Sp.111.C
Sudores ciendi vim habẽt acria tenuis eẽtiæ.4°.de ſim.m.f. 5ª.29.G
Sudores graue olentes prouocant acria.de atten.vict. 2ª.43.G
ad Sudores faciunt balnea aquæ calidæ.de cura icteri. Sp.111.C
Sudoris vias aperit balneum,tamen nõ calefacit. 11°.me.m. 7ª.70.E
Sudor ex balneo frigidæ quando fiat.10°.met.me. 7ª.66.B/C
Sudores ciet calamintha.7°.de ſimp.me.fac. 5ª.49.C
ad Sudores valet ſuccus centaureæ.de vir.cent. Sp.93.E
Sudorem prouocat chamæmelus.de ſim.med. Sp.82.G
Sudore maxime cyclamen educit bilem & pituitam.de dyn. Sp.21.H
Sudorem prouocant ficus nimium comeſtæ.de ſim.med. Sp.84.C
Sudorem prouocat hydropoton.de dyn. Sp.32.D
Sudores elicit cum oleo iuncta onobrythis.8°.de ſim.me.fa. 5ª.57.C
Sudorem ſuſcitat ſmyrnium.de ſimp.med. Sp.91.B
per Sudores euacuat vinum.1°.de ſan.tu. 2ª.66.G
Sudorem promouet vinum.4°.de ſa.tu. 2ª.83.E
ad Sudorem citandum.de med.fac.pa.172.A/ 7ª.178.G
vt Sudor febris exeat,epirhema.de dyn. Sp.32.D
Sudorem mouens antidotus.8°.de comp.me.ſec.lo. 5ª.194.H
Sudores excitans.6°.de comp.me.per gen. 5ª.263.B
ad Sudores fœtidos.de med.fac.par. 7ª.166.C
ad Sudores capitis confert centaureæ ſuccus permiſtus cum vino.de virtute centaureæ. Sp.93.B
ad Sudorem & deiectionem alui reuocatur vrinæ fluxus. de hir.reuul.cucur.ſcar.2.D/de cucur.ſcar. 6ª.4.F
ad Sudorem & vrinã reuocandæ fluxiones,quib⁹ vrgentur ſuperior atq; vna iferior vẽter.de hir.re.cuc.& ſcar.2.D/de cuc.ſc. 6ª.4.F
ꝑ Sudorẽ,& vrinã diuertenda eſt bilis.1°.de art.cu.ad Gl. 7ª.97.B
Sudor ſtrigili auferebatur.5°.de lo.aff. 4ª.35.G
Sudorem in balneis detergebant ſtrigili.13°.me.med. 7ª.87.A
ſine Sudore plus repercutiunt,& minus digerunt ſordes palæſtritarũ,cum ſudore multum digerunt.10°.de ſimp.me.fac. 4ª.75.C
Sudor ſordibus in palæſtris,Coniſalon Attice dicitur a quibuſdã. 10°. de ſimpl.med.fac. 5ª.75.C
Sudor digerit.8°.de ſim.me.fa.60.A/10°. 5ª.75.C
Sudor cum ſordibus in paleſtris tumores præter naturam in halitum digerit.10°.de ſimp.me.fac. 7ª.75.C
a Sudore factam maculam lapathium tollit.de ſimp.me. Sp.86.C
SVDENT *qui ſecũdum naturam.in 1^m.pror.com.3°.* 4ª.182.E
Sudent cur rigentes,2°.de ſymp.cau. 3ª.22.F
Sudare non ſemp cõuenit a balneo.de vict.ra.in mor.ac.c.2°. 7ª.152.E
nõ Sudant quotidiana,& quartana laborantes.2°.de dif.ſc. 3ª.36.D
Sudare in principio exitioſum ſymptoma eſt in ardentibus. in 1^m.de morb.vulga.com.2°. 3ª.115.A
Sudauit primo die Philiſcus febrem habens acutam.in 1^m.de morbis acut.com.3°. 3ª.121.A
Sudare,ſed non toto corpore,& extremitates multum frigidas habere,ſymptomata ſunt malignarũ febriũ.i 1^m.de mor.v.c.1°. 3ª.106.C
Sudare caput incipit,ſi morbus ſit a thorace.de dyn. Sp.19.H
Sudare nares pernitioſum eſt in ardentibus febribus. in 1^m.de morb. vul.comment.2°. 3ª.115.C
Sudant quidam iudicatorie per totum diem, & non ſuffocantur, & quomodo ſuffocantur.de vtil.reſp. 1ª.225.C
SVENDI *modus antiquorum.3°.de comp.me.per ge.* 5ª.231.D
Suendi abdominis ratio.6°.met.me. 7ª.39.F
SVFFITVS *quid proprie ſignificet.com.5°.aph.59°.* Ex.43.C
Suffitus aromatum caput grauat.com.5°.aph.28°. Ex.40.B
Suffitus aromatum valet in omni diſpoſitione frigida & humida, niſi grauaret caput.com.5°.aph.28°. Ex.40.B
Suffitus aromatum muliebria educit,& quæ cõ.5°.aph.28°. Ex.40.B
Suffitus ad ægre parientes.de med.fa.pa. 7ª.163.G
Suffitus ad Tuſſim.de med.fa.par. 7ª.165.E
SVFFOCANDO *lucernæ flamma tollitur.de vtil.reſp.* 1ª.224.H
SVFFOCATIO *qũo ſequatur ſm Eraſiſtratũ.de vtil.reſp.* 1ª.223.E
Suffocationis periculũ in lucta.de vict.ra.in morb.acu.c.4°. 7ª.137.B
Suffocationis periculũ nullũ excipit ſola intẽperies.4°.de ꝑſ. 4ª.120.A
Suffocationis cauſa fortis.de vict.rat.in mor.acu.com.4°. 7ª.137.G
Suffocatio ex largo ſanguinis profluuio, & euacuatione immoderata contingit.1°.de dieb.decre. 4ª.146.F
Suffocationis iditiũ ẽ reſpiratio deficiẽs.in 3^m.de mor.vu.c.2°. 3ª.136.C
SVFFOCATIO *vteri quid.6°.de loc.aff.* 4ª.39.D
Suffocatio matricis.de vtil.reſp. Sp.63.B
Suffocationis vteri differetiæ.9°.de comp.me.ſec.lo. 5ª.205.F
Suffocationis vteri ſymptomata,quæ.6°.de loc.aff. 4ª.39.D
in Suffocatione matricis quæ accidentia fiant.de paſ.mul. Sp.95.F
in Suffocatione vteri quæ contingant.9°.de comp.me.ſe.lo. 5ª.205.F
Suffocationis vteri pulſus qualis.4°.de cau.pul. 4ª.103.B
Suffocatione vteri periclitantes,iuuant purpurarũ opercula. 11°.de ſimpl.medic.fac. 5ª.81.B
ad Suffocationem matricis ſuffumigium.de paſſ.mul. Sp.95.F
ad Suffocationem matricis potio.de paſſ.mul. Sp.95.G
ꝑ Suffocatione vteri ſternutamentum.de paſſ.mul. Sp.95.G
ꝑ Suffocatione vteri peſſarium.de paſſ.mul. Sp.95.G
ob Suffocationẽ matricis aphoniæ quid ſuccurrat.de pa.mu. Sp.95.G
ad Suffocationes vteri.8°.de com.me.ſec.loc. 5ª.191.F
Suffocationis medela eſt expirare.de vtil.reſp. 1ª.324.A
contra Suffocationem viperæ ſuffocatæ collũ quo modo valet. de incant.adiur.& ſuſp. 7ª.182.B
ad Suffocationes cõfectio Aſter appellata.7°.de cõ.m.ſ.l. 5ª.185.A
ad Suffocationem.de med.fac.par. 7ª.165.C
SVFFOCATIS *ſuſpendio hominibus, cor priuatur reſpiratione. de fœt. for.* 1ª.324.H

Suffocatum aĩal aqua, non habet mẽbra maculata. 1°.*de dec.* 1ª.231.*G*
Suffocatis venæ sectio & clysteres conueniunt mire. 6°.*de compositio. mẽdicam. sec. loc.* 5ª.174.*C*
SVFFOCARI *extreme molestum est.* 2°.*de motu mus.* 1ª.315.*E*
Suffocatur quomodo animal fm Erasistratum.de vtil.resp. 1ª.223.*G*
Suffocamur magis cum plus inspiramus.de vtil.nesp. 1ª.224.*A*
qñ Suffocat animal respiratio. 1°.*de diff.resp.* 3ª.61.*F*
Suffocantur animalia, non quia desit substãtia aeris, sed ob aliud quip piam.de vtil.resp. 1ª.224.*A*
Suffocantur aĩalia ob penuriã alicuius qualitatis.de vt.res. 1ª.224.*D*
Suffocantur quomodo homines fm Galenum.de vtil.resp. 1ª.224.*H*
Suffocantur aliqui ob immoderatam caliditatem.de vti.re. 1ª.226.*D*
Suffocetur a quibus affectib⁹ vis vitalis. 4°.*de præs.ex pul.* 4ª.121.*G*
Suffocant primo die anginæ.in 3ᵐ.*de morb.vul.com.* 2°. 3ª.137.*B*
Suffocantur qui a peripneumonia, ab angina, & suppuratione pennas narium mouent.in 3ᵐ.*de morb.vulg.com.* 2°. 3ª.136.*A*
Suffocentur cur suppurati. 4°.*de loc.aff.* 4ª.27.*A*
Suffocatur vere, qui hyeme multum edit.de venæ sec.ad.Era. 6ª.9.*F*
Suffocat subito retentum stercus. 3°.*de sym.cau.* 3ª.28.*E*
Suffocari in aqua debet simia, in qua fieri debet sectio, & excoriari.de musc.dissec. 1ª.44.*D*
qui Suffocantur, quo pacto respirent.in 1ᵐ.*pror.com.* 2°. 4ª.174.*C*
SVFFVF *ad lapidem.de cura lap.* *Sp.*112.*D*
de SVFFVMIGIIS *& vnguentis documenta sunt extra medicinam.* 1°. *de comp.me.sec.loc.* 5ª.127.*E*
Suffumigium quomodo factum ad dissoluendum Scyrrum. 2°.*de arte cur.ad Glau.* 7ª.104.*B*
Suffumigium ad vuulæ destillationem.de dyna. *Sp.*35.*G*
Suffumigium ad rheumatismum faucium.de dyn. *Sp.*55.*G*
Suffumigium ad lienteriam.de dyna. *Sp.*28.*B*
Suffumigium ad suffocationem matricis.de pass.mul. *Sp.*95.*F*
de SVFFVSIONIBVS *humorum.* 4°.*de comp.me.sec.loc.* 5ª.158.*C*
Suffusio quid secundum aliquos.de ijs, quæ in med.fi.com. 1°.7ª.203.*E*
Suffusio quid.fin.med. 48.*G/introd.* *Isa.*59.*A*
Suffusio est affectus pupillæ.introd. *Isa.*58.*D*
Suffusio oculorum est vlceratio quædam.fin.med. *Isa.*48.*D*
Suffusio quomodo a glaucomate differt.fin.med. *Isa.*48.*G*
Suffusione tempore affecti fuere, qui opio vsi sunt. 3°.*me.me.* 7ª.17.*E*
Suffusio est a toto genere præter naturam.de diff.morb. 3ª.4.*F*
Suffusio ægritudo quomodo est totius instrumenti.de diff.mor. 3ª.6.*A*
Suffusiones vbi sint. 10°.*de vsu par.* 1ª.177.*F*
Suffusio in oculo.de dif.morb. 3ª.5.*H*
Suffusione laborant oculi soli. 4ª.6.*C*
Suffusionis initium in oculo esse potest alijs etiam malis vna oculũ infestantibus.de dif.mor. 3ª.5.*H*
Suffusio quib⁹ obstructionib⁹ pportione respõdeat. 7°.*de de.* 1ª.271.*G*
in Suffusionem, si oculi consentiunt, qui nam incidant, & qua de causa.de const.ar. *Isa.*41.*B*
Suffusio quo modo fiat.in prognost.com. 1°. 4ª.194.*E*
Suffusio quot modis fiat, & quomodo, & quid sit, & quomodo prædicenda.de ocul. 7ª.187.*C*
i Suffusionibus humor tenuis est effectus crassus.de sym.ca. 3ª.14.*H*
in Suffusionibus qui humor coaguletur.de ana.ocul. *Sp.*57.*F*
Suffusionum accidentia quomodo appareant. 4°.*de loc.aff.* 4ª.22.*B*
in Suffusionem incidere solent qui lucem noctu vident in somnis, patefactis subito palbebris. 7°.*de dec.Hip.* 1ª.270.*B*
in Suffusione quo nam signo deprehendatur, an salua sit videndi facultas, aut non. 7°.*de dec.Hip.* 1ª.270.*A*
Suffusio cerebri quomodo cognoscatur.de ocul. 7ª.187.*D*
ante Suffusionem apparent cimices & flammæ.de ocul. 7ª.187.*C*
per Suffusiones accidentia qualia oculis contingãt, & quomodo etiã ab ore ventriculi induci possint. 5°.*de loc.aff.* 4ª.32.*E*
Suffusorũ symptomata ex vapore ichorũ oriũtur. 6°.*de sa.t.* 2ª.98.*H*
Suffusioni similibus affectibus oculi infestantur stomacho affecto. 3°. *de loc.aff.* 14.*E/* 4ª.18.*B*
Suffusionis speciem faciũt stomaticæ affectiones. 1°.*de sym.ca.* 3ª.15.*H*
Suffusio stomachi quomodo cognoscatur.de ocul. 7ª.187.*D*
Suffusiones imaginariæ in oculis vnde proueniant. 3°.*de compositiõn. medicam.secun.loc.* 5ª.144.*D*
Suffusiones cur fiant in senibus.com. 3°.*aph.* 31°. *Ex.*26.*H*
Suffusionis speciem habent glaucedines.com. 3°.*aph.* 31°. *Ex.*26.*H*
Suffusioni similia quædam videntur in ore ventriculi collecto tenui excremento, & quibus hoc contingat. 1°.*de lo.aff.* 4ª.3.*F/H*
Suffusioni similia symptomata apparent, vbi sanguinis profluuium futurum est, aut vomitus. 1°.*de loc.aff.* 4ª.3.*H*
Suffusioni similia visa quomodo fiant.in progn.com. 1°. 4ª.194.*F*
vt in Suffusionib⁹ visa tenebricosa vnde pueniãt.ĩ pg.c. 3°. 4ª.210.*F*
Suffusiones curabiles & incurabiles quæ.de ocul. 7ª.187.*D*
Suffusionum curatio. 4°.*de com.me.sec.loc.* 5ª.158.*C*
Suffusio requirit curationẽ lõgiorẽ.de ijs, quę in me. fi.c. 1°. 7ª.201.*A*
Suffusionis curatio quibus indigeat.de part.art.med. *Sp.*17.*B*
Suffusionis intentio. 14°.*met.me.* 7ª.90.*F*
ad Suffusionem quæ agenda.de ocul. 7ª.191.*A*
ad Suffusiones piscium adeps laudat. 11°.*de sim.me.fa.* 5ª.79.*E*
Suffusionum principia adiuuant caules chamæsyces. 8°. *de simpliciũ medicamento.facultat.* 5ª.63.*G*
*Suffusiones dissipat cyclaminos sup oculos inũctus.de sim.m.Sp.*82.*D*
ad Suffusiones valet hirundinis cerebrum.de ther.ad Pis. 5ª.93.*E*
Suffusiones discutit fel hyenæ quomodo.de ther.ad Pis. 5ª.93.*F*
Suffusiones oculorum adhuc tenues aufert myrrha, in collyriis. 1°.*de antidot.* 5ª.105.*C*
Suffusionibus ob humorum crassitiem remedium est sagapenum. 8°.*de simp.med.facul.* 5ª.60.*A*
Suffusiones oculorum ex ictu iuuat stœbe. 8°.*de simp.me.fa.* 5ª.61.*D*
Suffusionum vitia sanare adipem viperarum est falsum. 11°.*de simpl. medicam.facul.* 5ª.79.*D*
ad Suffusiones Collyrium Rhinema, hoc est lima inscriptum. 4°.*de cõposi.medi.sec.loc.* 5ª.156.*C/E*
in Suffusionẽ principio quæ conueniant. 4°.*de cõp.me.se.lo.* 5ª.151.*C*
ad Suffusionem incipientem Hermophili Collyrium Thalasserum. 4°. *de comp.me.sec.loc.* 5ª.156.*E*
ad Suffusionem incipientem collyrium. 4°.*de composi.medicamento. sec.loc.* 156.*E/* 5ª.157.*A*
Suffusiones inueteratcentes.de med.fac.par. 7ª.170.*E*
ad Suffusiones Aelij galli compositio. 4°.*de comp.me.sec.lo.* 5ª.153.*A*
ad Suffusiones.de med.fac.par. 7ª.163.*C*
ad Suffusionem, mirabile.de med.fa.par. 7ª.170.*B*
Suffusiones qua actione detrahimus.ad Thras. 2ª.104.*E*
Suffusiones sunt oculorum morbus, & manu indigent.intro. *Isa.*59.*G*
Suffusionum punctionis arti quæ requirantur.de part.ar.me. *Sp.*18.*C*
in Suffusione appungere vnde inuentum.introd. *Isa.*50.*G*
Suffusiones vbi & quomodo pungantur. 10°.*de vsu par.* 1ª.179.*C*
in Suffusionibus ex acu imposita apparet corneam distare multum a pupilla. 10°.*de vsu par.* 1ª.179.*C*
ob Suffusionem musculi inciduntur.de ana.adm. 1ª.64.*D*
in SVFFVSIS *visiua vis foris se iudicat videre ea quæ in ipsis insunt.* 1°.*de symptomatum causis.* 3ª.15.*H*
Suffusis cur appareãt muscæ, culices, & idola. 1°.*de sym.cau.* 3ª.15.*A*
Suffusorum visa quædam aliter apparent solo vapore per oculos transeunte; aliter caput dolet eleuatis ad ipsum humoribus in ventriculo contentis. 1°.*de loc.aff.* 4ª.6.*G*
Suffusi aliqui videntur, cum visum perfectissimum habeant, & quare. 1°.*de symp.caus.* 3ª.15.*B*
Suffusi aliqui videntur cũ nõ sunt ob vẽtriculũ. 1°.*de sym.ca.* 3ª.15.*B*
Suffusis similia symptomata quomodo a ventriculo contingant. 3°.*de loc.affectis.* 4ª.19.*B*
Suffusorũ symptomata fiunt ex stomacho. 2°.*de cõp.me.se.l.* 5ª.135.*B*
Suffusis similia symptomata pp quas causas fiãt. 4°.*de lo.af.* 4ª.22.*A*
Suffusi qũo cognoscantur an debeat sanari. 1°.*de symp.cau.* 3ª.14.*D*
pro Suffusis pharmacum quod erat in precio tempore Galeni. 4°.*de composi.med.sec.loc.* 5ª.151.*H*
Suffusis prodest cæpæ succus. 7°.*de sim.me.fa.* 5ª.53.*D*
Suffusis cum melle illius competit cyclaminis succus. 7°.*de simpliciũ medi.facul.* 5ª.53.*E*
Suffusis auxiliatur fœniculum. 7°.*de simp.med.fac.* 5ª.55.*B*
SVGGERERE mensium circuitus potest cucurbitula.de cucurb. scarificatione. 6ª.3.*F*
SVGILLATIO *quid sit & quo modo curetur.* 5°.*de compositione med. secund.loc.* 5ª.158.*F*
Sugillationibus quibus muria fugienda. 5°.*de com.me.se.l.* 5ª.159.*A*
SVGILLATA *qualia esse debent.de fract.com.* 2°. 7ª.235.*C*
Sugillata digerit Calamintha. 7°.*de fract.com.* 2°. 4ª.49.*D*
Sugillata digerit Hydropiper. 8°.*de simp.me.fac.* 5ª.62.*H*
ad Sugillata valet Lycium. 7°.*de simp.me.fac.* 5ª.54.*G*

Sugillatis quo valet Nux antiqua oleosa. 5°.*de cõ.me.se.l.* 5ª.159.*H*
Sugillata digerit Ptarmicæ. 8°.*de simp.me.fac.* 5ª.59.*C*
ad Sugillata accõmoda existit Raphanus. 8°.*de sim.me.fa.* 5ª.59.*E*
ad Sugillata Archigenis pharmaca, & an sugillatis conueniat raphanus. 5° *de comp.me sec.loc.* 5ª.158.*H*
ad Sugillata Serum valet. 10°.*de simp.me.fac.* 5ª.73.*G*
ad Sugillata recentia liuida pharmaca ab Apollonio cõscripta. 5°.*de comp.me.sec.loc.* 158.*H*/ 5ª.159.*E*
ad Sugillata inueterata. 5°.*de comp.me.sec.loc.* 5ª.159.*E*
ad Sugillata cum tumore, cum inflammatione & pertusione. 5°.*de comp.me.sec.loc.* 5ª.159.*E*
ad Sugillationes profundas & liuores. 5°.*de comp.me.se.l.* 5ª.159.*F*
ad Sugillata Heræ medicamentum. 5°.*de com.me.sec.loc.* 5ª.159.*H*
ad Sugillata digerenda. 10°.*de sim.me.fac.* 5ª.75.*G*
ad Sugillatos. 4°.*de com.me.secun.loc.* 5ª.157.*G*
ad Sugillata. 1°.*de comp.me.per gen.* 215.*F*/2°. 5ª.224.*E*
SVILLVS sanguis pro humano accipiẽdus. 10°.*de simplicium medicamentorum facultatibus.* 5ª.72.*G*
Suillarũ maxillarũ ossa vsta ad qd valeant. 1°.*de cõp.me.se.l.* 5ª.123.*F*
Suilla cutis qualis.de bon.& vit.succ. 2ª.35.*H*
Suilla caro est in magno vsu. 2°.*de ali.fac.* 2ª.16.*B*
Suilla caro qualis.de vi.ra.in mo.ac.c. 4°.145.*A*/*d re.aff.dig.* 7ª.195.*F*
Suillæ carnis cum humana est magna similitudo. 3°.*de ali.fa.* 2ª.25.*H*
Suilla caro densa est,& constricta. 1°.*de ali.fac.* 2ª.13.*G*
Suilla caro est probatissimus cibus.de bon.& vit.succ. 2ª.37.*C*
Suillæ carnes sunt cibus hyemis.de nat.hu.com. 1°. 1ª.32.*F*
Suilla caro laudatur,& in quo casu.de ren.aff.dig.& med. 7ª.195.*F*
Suillarum carnium optima montana est. 8°.*met.me.* 7ª.51.*B*
Suillam carnem salsam expetit lens. 1°.*de alim.fac.* 2ª.13.*F*
Suillam carnem recentem, expetit ptissana. 1°.*de alim.fa.* 2ª.13.*F*
Suillæ carnes validæ & agre coctiles sunt.in 6ᵐ.*de morbis vulgarib. commenta.* 2°. 3ª.180.*C*
Suilla caro multum nutrit.in 6ᵐ.*de morb.vulg.com.* 3°.3ª.170.*F*/8°. *de comp.me.sec.lo.* 5ª.192.*E*
Suilla caro maxime nutrit,sed coctu nõ est facilis, & generat succum crassum & glutinosum. 7°.*met.me.* 7ª.45.*D*
Suilla caro difficulter cõcoquit,respectu carnis auiũ. 3°.*de tẽ.* 1ª.22.*C*
Suilla caro duræ coctionis est. 2°.*de temp.* 1ª.20.*E*
Suilla caro facilius concoquitur, quam pisces saxatiles ab aliquib. 2°. *de temperamentis.* 1ª.20.*E*
Suilla caro, si a ventriculo coquatur,& a iecore in sanguinem vertatur probatissimos humores gignit, sed parum glutinosos. de bonita. & vitio succorum. 2ª.34.*F*
Suilla caro est cibus crassi succi.de bon.& vit.succ. 2ª.34.*F*
Suilla caro quos faciat humores.com. 2°.*aph.* 18°. *Ex.*13.*F*
Suillæ carnes gñant sanguinẽ bonũ, sed viscosum.de pue.epi. 7ª.180.*H*
Suillæ carnes faciũt sanguinẽ crassum.in 6ᵐ.*de mo.vul c.* 3°.3ª.175.*A*
Suilla caro generat carnẽ compactam,& firmã. 2°.*de ali.fac.* 2ª.17.*E*
Suilla caro magis lenta est bubula. 3°.*de ali.fac.* 2ª.25.*H*
Suilla caro obstruit iecur,& renes quia viscidi nescio quid retinet. de bonitate & vitio succorum. 2ª.34.*F*
Suillam carnem in quo ordine ciborum comederet Protas rethor. 2°. *de alim.facul.* 2ª.20.*A*
Suilla carne vtuntur athletæ. 3°.*de san.tu.* 2ª.77.*G*
Suillis carnibus cur soli athletæ vescantur. 1°.*de ali.fa.* 2ª.10.*B*
Suilla carne nutriti copiam plurimam aceruant. 6°.*de sa.tu.* 2ª.96.*E*
Suillis carnibus & pane ex caseo vescentes incidunt plectoram, & quare. 1°.*de ali.fac.* 2ª.10.*B*
Suillæ carne nutriti quibus indigeant. 6°.*de san.tu.* 2ª.96.*E*
Suilla caro a quibus demenda. 6°.*de san.tu.* 2ª.96.*E*
a Suillæ carnis multo esu abstineat senex. 5°.*de sa.tu.* 2ª.91 *D*
Suilla carnæ qũo vescendum in victu attenuante.de atte.vi. 2ª.46.*B*
Suille carnes in febre a quo darentur,& quomodo ægrum ad vomitũ compellerent.de opt.sect. *Isa.*23.*A*
Suilla caro cur non detur siccis. 7°.*met.me.* 7ª.45.*D*
Suillæ carnes siccis quando dandæ. 7°.*met.me.* 7ª.45.*H*
Suillos pedes sumat a balneo rediens.de bon.& vitio suc. 2ª.39.*A*
Suilla caro tosta cur danda, cum nimis detractum est.in 6ᵐ.*de morbis vulgaribus, commen.* 3°. 3ª.171.*A*
Suillæ carnis ius et lac calidũ sorbeat, Bupreslin qui ebiberit, postquã passum multum hauserit,& euomuerit. 2°.*de antidotis.* 5ª.114.*D*
SVILLAE *glandulæ lacte plenæ a gulosis maxime expetuntur.* 5°.*de alimentorum facultatibus.* 2ª.26.*H*
SVILLVM *iecur quando caricis nutritur, est boni succi. de bonitate & vitio succorum.* 2ª.35.*F*
Suillus lien minus obest.de boni.& vitio succo. 2ª.35.*G*
SVILLVS *adeps qualis.* 7°.*de com.me.per ge.* 5ª.253.*F*
Suillus adeps in quo ordine inter acopa ponendus. 7°.*de comp. medi. per genera.* 5ª.269.*F*
in Suilli & anserini adipis medio est adeps gallorum & gallinarum. 11°.*de simp.med.fac.* 5ª.79.*A*
Suillo adipe calidior est anserinus. 11°.*de simpl.me.fa.* 5ª.79.*A*
Suillus adeps p anserino, et gallinaceo sumit. 2°.*de ar.c.ad G.* 7ª.105.*e*
Suillus adeps pro gallinaceo sumitur, nisi habeatur. 1°.*de compositio. medicamen.per gene.* 5ª.215.*A*
iter Suillũ et leoninũ adipẽ medius est taurinus. 11°.*de si.m.f.* 5ª.79.*B*
Suillo adipe calidior,& siccior ẽ adeps taurorũ. 11°.*de si.m.f.* 5ª.79.*B*
Suillus adeps antiquus pro vitulino quando sumatur. 4°.*de composit. medicamen.per gener.* 5ª.239 *E*
Suillo adipe cur potius imponatur adeps caprinus in tinesmis, & dysenterijs. 11°.*de simp.me.fac.* 5ª.78.*H*
Suillus adeps antiquus. 10°.*de comp.me.sec.lo.* 5ª.208.*A*
Suillus adeps quæ iuuet,& quibus obsit. 11°.*de simp.me.fa.* 5ª.79.*B*
Suillus adeps laxat. 7°.*de comp.me.per gen.* 5ª.264.*E*
Suillus adeps mouet pus, & est familiarissimus phlegmonibus. 5°. *de simplicium medicam.fac.* 5ª.34.*B*
SVILLVM *seuum pro Gallinaceo.* 14°.*met.me.* 7ª.88.*C*
SVILLO *acrius est fel ouium.* 10°.*de sim.me.fac.* 5ª.74.*H*
Suillum fel. 1°.*de comp.me.sec.loc.* 5ª.124.*G*
SVILLVM *stercus vincitur a columbino in attrahendo.* 5°. *de simplic. medicam.facul.* 5ª.36.*F*
in SVITIONE *vlcerum quale esse debet filum.* 6°.*met.me.* 7ª.39.*F*
SVLPHVR quale. 9°.*de simp.me.fac.*69.*C*/10°. 5ª.207.*C*
Sulphur calidum tenuium partium est. 3°.*de com.me.per g.* 5ª.228.*E*
Sulphur calidum est. 1°.*de simp.me.fac.* 5ª.6.*G*
Sulphur quo loco reponatur inter calida, quæ conueniunt alopecijs. 1°. *de comp.me.sec.loc.* 5ª.122.*D*
Sulphur caliditate vlcus facit. 6°.*de com.me.per ge.* 5ª.256.*B*
Sulphur viuum quale. 7°.*de comp.me.per ge.* 5ª.165.*G*
Sulphur viuũ discussoriũ parabile fortissimũ ẽ. 6°.*de c.m.s.l.* 5ª.169.*G*
ex Sulphure viuo pharmacũ ad dispnoicos. 7°.*de cõ.me.s.l.* 5ª.186.*F*
Sulphure viuo offendit sanguinis reiectatio. 7°.*de cõ.me.se.l.* 5ª.193.*C*
Sulphuris viui meminit 5°.*de com.me.sec.loc.* 5ª.168.*E*
Sulphuris vires quæ.de simp.med. *Sp.*90.*C*
Sulphur viscide relaxat.de sim.med. *Sp.*90.*C*
Sulphur purgat pulmonem,& thoracem.de cathar. *Sp.*95.*B*
Sulphur cum ouo sorptum expurgat in icteris.de cura icteri. *S.*111.*B*
ex Sulphure & alumine constans medicamentum splenis duritiei ex statu conuenit. 2°.*de arte cu.ad Glau.* 7ª.104.*C*
Sulphur aduersus turturem marinum & draconem valet, & ad multa venenatorum animalium resistit, psoras, lichenas,& lepras sanat. 9°.*de sim.medic.* 5ª.69.*C*
Sulphur cur optimum ad scabiem. 9°.*de simp.me.fac.* 5ª.69.*D*
Sulphur valet ad neruorum vulnera. 3°.*de compo.med.per gene.* 5ª. 230.*F*/6°.*methodi meden.* 7ª.37.*E*
Sulphuris aqua non est frigida. 1°.*de sim.me.fac.* 5ª.2.*H*
SVLPHVREA *aqua & aluminosa causarum est præcedentium, quæ arterias indurant.* 2°.*de præsag.ex pul.* 4ª.119.*C*
Sulphureæ & nitrosæ aquæ quę ex terra calidæ prosiliunt, & marinæ calefactæ sunt palpitationis remedia.de trem.palp.cõuul. 3ª.52.*G*
Sulphureum balneum fieri non debet febrienti. 11°.*me.me.* 7ª.69.*H*
Sulphurea balnea euacuãt æqualiter totũ corpº.c. 4°.*ap.* 2°.*Ex.*27.*D*
Sulphureę aquæ balnea ducũt plus bilis, sed multo minus prosunt quã potabiles. 5°.*de arte cura.ad Glau.* 7ª.97.*B*
Sulphureæ aquæ exiccant. 1°.*de san.tu.* 2ª.65.*C*
Sulphureæ aquæ praue sunt.de ptiss. 2ª.47.*B*
SVLPHVROSA *aqua est mista.* 1°.*de simp.me.fac.* 5ª.3.*A*
Sulphurosa aqua ex pugnantibus qualitatibus composita est. 1°. *de simplic.medi.facul.* 5ª.6.*F*
Sulphurosa aqua, ab aqua ad calidius recessit. 1°.*de sim.m.fa.* 5ª.5.*C*
Sulphurosa aqua medicamentosa est. 7°.*de com.me.per ge.* 5ª.264.*D*
Sulphurosa aqua, aut bituminosa, aut marina, aut muria si Erysipelas perfundas, adures partem. 1°.*de simpl.me.fac.* 5ª.3.*A*
Sulphurosæ aquæ quibus malæ. 6°.*de sa.tu.* 2ª.98.*G*

SVLPHVRVLENTA *balnea fortius reſiccant. 7°.de compoſitio. med. ſec.loc.* 5ª.177.E

SVMEN ubi ſit.de anat.par. Sp.43.B

in SVMMITATIBVS *ſunt aquæ meliores, & aquæ puriores. de bonitate aquæ.* Sp.75.E

in SVMMAM *colligit frequenter Hippocrates, in 1ᵐ.de morb.vulgari bus,comm.1°.* 3ª.107.D

ad Summum caput & ei proximam religionem linteum ſciſſum. de fa. 7ª.294.D

SVMPTIONES *quæ ſint.de vict.rat.in mor.acu.com.2°.* 7ª.119.B

Sumptionum quatuor genera.2°.de decr.Hippoc. 1ª.237.E

Sumptionum quatuor differentiæ.3°.de decr.Hip. 1ª.241.B

Sumptiones veræ à quibus ſumantur.2°.de decr.Hip. 1ª.238.A

SVBEANT inciſas partes.2°.de com.me.per ge. 5ª.226.H

Suuntur aut ligantur ulcera magna.4°.meth.med. 7ª.28.B

in SVPERBO minus eleuati pulſus quàm in humili ſecundum quos eſſe deberent.de ana.uiuo. Sp.47.A

SVPERCALEFACTIO *totius corporis inordinata.de decub.progn.ex math.ſcientia.* Sp.13.A

SVPERCILIA *quæ.introd.* Iſa.52.H

Supercilia propter quid facta.10°.de vſu partium.1ª.180.A/ de natura & ord.cuiusl.corp. Sp.41.G

in Supercilijs pilorum generatio ẽ neceſſaria.17°.d vſu par. 1ª.222.B

in Supercilijs cur pili effecti.11°.de uſu par. 1ª.189.A

Superciliorum pili propter quid facti.10°.de v.p.1ª.180.D/ de anatomia uiuorum. Sp.45.C

Superciliorum pili magnam utilitatem animalibus pariunt.1°.de cõpo.med.ſec.lo. 5ª.121.C

Superciliorum pilis ſi quid addideris,aut abſtuleris, illorum utilitatem corrumpes.11°.de vſu par. 1ª.189.G

Supercilia cur ſtent recta,& æqualia.11°.de uſu par. 1ª.189.G

Supcilia non debent eſſe multũ denſa, vel longa.11°.de v.p. 1ª.189.G

à Superciliorum ſitu quæ indicia ſumantur.quòd animi mor. 1ª.319.F

Supercilia ſi in rectum porriguntur,mollem animum ſignificant. quòd animi mores. 1ª.319.F

Supercilia iuxta naſum inflexa,auſterum et acerbum notant. quòd animi mores. 1ª.319.F

Supercilia iuxta tempora irflexa deriſorem, & diſſimulatorem notant.quòd animi mores. 1ª.319.F

Supercilia in totum demiſſa notam inuidiæ habent. quod animi mores. 1ª.319.F

Supercilia grauia habet homo,ſi ſperma cõceptum ſit à muliere in tribus horis ſanguinis.de ſpermate. Sp.37.B

Superciliorum pili cadunt,& quid conueniat.in 6ᵐ.de morb. vulgar. comm.2°. 3ª.160.H

Superciliorum pili non defluunt, niſi in magnis ægritudinibus.11°.de vſu par. 1ª.190.B

Supercilia quibus amplificentur.de vict.ra.in mor.acu.c.2°.7ª.122.f

in Supercilijs pilorum præter naturam gluten eſt mucus cochlearum. 11°.de ſimp.me.fac. 5ª.78.G

ad Supercilia piloſa.de med.fac.par. 7ª.163.B

Superciliorum magnas aſperitates extergunt auferuntq; collyria facta ex flore æris.9°.de ſimp.med.fa. 5ª.71.F

Supercilijs exaſperatis conuenit hæmatites.9°.de ſim.me.fa.5ª.68.C

inter Supercilia duo eſt vena frontis.de ana.viuo. Sp.55.A

Supercilia,& quæ circa ipſa ſunt, vnde accipiant neruos.9°.de vſu part. 1ª.176.C

in Supercilijs ſit palpitatio.de trem.palp.conuulſ. 3ª.52.B

Superciliorum palpitatio vnde eueniat,& in quibus fiat.2°.de ſymp. cauſis. 3ª.20.F

Supercilium ſi peruertatur in febre continua,homine debilitato, lætale.com.4°.aph.49°.33.B/com.7°.aph.66°. Ex.60.F

Supercilium cur ſupertendatur,& quod malum.in 6ᵐ.de morb.vulg. comm.1°. 3ª.158.C

inter Supercilia,vel medium naſum ubi deligare opus ſit uinculum.de faſcijs. 7ª.299.B

SVPERCOMPOSITIVA *quarta ſecta medicinæ quam inueniſſe uidetur Agathinus Lacedæmonius,eſt nominata.fin.med.* Iſa.43.E

SVPERCRESCENTIA *poſſunt minui ſine naturæ ope,& quare.3°.met. med.* 7ª.21.B

SVPERFICIALES *fontes mutantur in horas.de bo.aq.* Sp.75.H

cum SVPERFICIE *punctum quæ figura egregie coniungat. de anatomia viuorum.* Sp.52.F

Superficies plana quid.10°.de vſu.par. 1ª.182.C

ad Superficiem transferre quæ in profundo ſunt poteſt cucurbitula. de cucur.ſcar. 6ª.3.F

SVPERFLVITATES *rei originẽ illius circũſtãt de an.viu.* Sp.50.F

Superfluitatem multam habentia.de diſſ.cont. Sp.73.D/E

Superfluitatum plurium eſt caro pullorum anſeris.de diſ.con.Sp.73.c

Superfluitates multas generant paluſtria.de puero epil. 7ª.180.H

Superfluitates putridas generant ſiccæ ficus.de diſſ.cont. Sp.74.B

Superfluitatem multam hũtes cibi,facile nutriunt.de diſſ.con. Sp.73.F

Superfluitatibus carentes cibi,qui.de diſſ.cont. Sp.73.E

ex Supfluitatibus natura uuamentũ accipit,et qũo.de ana.v. Sp.53.d

Supfluitates tres à ſanguine exeuntes,et quæ ſint.de ana. vi. Sp.50.H

Superfluitas ſanguinis eſt vrina quæ continetur in ueſica. de anatomia viuo. Sp.50.F

Superfluitas ſanguinis de renibus educitur.de cathar. Sp.94.G

Superfluitas alia ſanguinis eſt ſanguis cholericus, qui continetur in ciſti fellis.de ana.uiuo. Sp.50.F

Superfluitas ſpumoſa ſanguinis ſuperius calida & ſicca cholera appellatur.de ana.viu. Sp.50.H

Superfluitas alia ſanguinis eſt ſanguis melancholicus qui continetur in ſplene.de ana.uiuo. Sp.50.F

Superfluitas ſanguinis aquoſa quæ admiſta ſanguini, phlegma appellatur.de ana.viu. Sp.50.H

Superfluitas humoris cryſtallini eſt albugineus.de ana.viuo.Sp.48.e

Superfluitatem paucã habent humores craſſi.2°.de diff.feb. 3ª.41.E

Superfluitatẽ nullã relinquũt humores ſeroſi. 2°.de diff feb. 3ª.41.E

Superfluitatibus uacat homo,qui bene concoquit, & mediocre facit exercitium.com.6°.aph.28°. Ex.49.A

Superfluitates corporis ab aquilone conſumuntur. comment.3°.apho riſmo.17°. Ex.23.E

Superfluitas acris,& mordax unde.1°.de diffe.feb. 3ª.31.F

Superfluitatibus phlegmaticis abundantibus mulieribus optimũ medicamen.de med exper. Sp.108.F

Superfluitates partium propinquarum mittuntur ad loca læſa.comm. 6°.aph.50°. Ex.52.F

Superfluitates contentæ in uno loco,intentio eſt ablatio uel trãſpoſitio. ars medicinalis. Iſa.71.C

Superfluitates eo q uergant ducendæ per conuenientem regionem.cõ. 4°.aph.2°. Ex.27.G

Superfluitates cur emittuntur quandoque inter dormiendum. 2°. de motu muſc. 2ª.314.F

Superfluitas cibi quando eſt difficilis deſcenſus de ſtomacho, & inteſtinis,indigemus his quæ deſcendere faciunt,et uentrem mollificẽt. de diſſ.cont. Sp.71.F

Superfluitates educere ubi neceſſe eſt, & clyſtere pro aliqua occaſione intromittatur,aloe utimur.de dyn. Sp.20.H

SVPERFLVVM *quid ſit.1°.de dig.pulſ.* 4ª.71.F

Superfluum eſſe melius eſt,quam diminutum.de atra bile. 1ª.39.B

a Superfluo facile eſt demere. de atra bile. 1ª.39.B

Superflua derelinquuntur a potentia naturali alteratiua.commẽt.5°. aph.39°. Ex.41.B

Superfluus humor duplicem habet ſpeciem in craſſitie, & tenuitate.in 3ᵐ.de morb.vulg.com.3°. 3ª.144.G

Superfluum in quibus locis faciat dolorem.de mult. 3ª.76.F

Superfluorum receptacula quæ & qualia.5°.de uſu par. 1ª.146.C

Superflua recipiunt adenes & glandulæ.13°.meth.med. 7ª.80.H

Superfluum quod eſt membro,excernitur.1°.de ſem. 1ª.335.E

Supfluũ omne euacuare conuenit,diſtinctione adhibita, an ut quantũ, an vt quale,an vt utrunq; ſit ſuperfluum.de conſt.ar. Iſa.42.E

Superfluum omnes partes expellere conantur. 3°.de nat.fac. 1ª.306.F

Superflua quomodo expellantur.3°.de nat.fac. 1ª.306.E

Superflua per quas vias excernantur.de comp.memb. Sp.59.B

Superfluorum viæ quæ & quales.5°.de uſu par. 1ª.146.C

Superflua expirando expellimus.8°.de vſu par. 1ª.168.F

ad Superfluorum emiſſionem proprij meatus debent fieri fluxibiles. 11°.meth.med. 7ª.73.F

Superflua ciborum,ſi tarde deſcendant, dari debent cibi lenientes, & pungentes.de diſſ.cont. Sp.74.H

Superflua exeunt inuito homine reſolutis ani muſculis. 4°.de vſu partium. 1ª.141.E

Superfluum euacuatum alleuiat animal.com.4°.aph.2°. Ex.27.C

Superflua a pulmone, et pectore mundificans electarium. de me. ex. Sp.107.G

SVPERGEMINALIS *quid sit.1°.de sem.* 1ª.333.E

Supergeminalis radix & origo meatuum seminalium est. 1°. de semi. 1ª.335.F

Supgeminalis exhaurit in se semẽ ex toto testiculo. 1°.de se. 1ª.335.F

Supergeminalis cur pars addita.1°.de sem. 1ª.335.F

Supergeminalis semine plena in quibus sit propria.1°.de se. 1ª.335.C

PVPERGEMINALE *quid uocetur.de fract.com.3°.* 7ª.249.G

SVPERHVMERALE *quid sit.de art.com.1°.* 7ª.252.C

Superhumerales musculi tres sunt.de art.com.1°. 7ª.252.H

a SVPERIORIEVS *originem capiunt inferiora. 3°.de diebus decretorijs.* 4ª.157.H

a Superioribus gubernantur inferiora.de sperm. Sp.40.B

Superiora gubernantur virtute Dei.de sperma. Sp.40.B

a Superioribus ratio & quid faciat.de sperm. Sp.40.D

Superius & inferius sunt relatiua.in 6ᵐ.de morb.vulgarib.commentario 2°. 3ª.162.G

Superiora & inferiora quæ dicantur.in 6ᵐ.de morbis vulg. commentario 2°. 3ª.162.G

Superius & inferius in genere vbi sunt.2°.de puls.diff. 4ª.55.F

Supiores partes q̃ dicãtur,et quæ inferiores.3°.de dig.puls. 4ª.81.A

Supior pars corporis dissidet cum inferiore.quod animi mor. 1ª.319.C

Superius labrum quo sursum trahatur,quo ad latus, & quo deorsum. de muscu.disse. 1ª.44.E

Superior venter est domus cordis.de anat.viuo. Sp.47.C

Superiora frigida,& inferiora calida habent, lienem decliuem habentes.in 6ᵐ.de morb.vulg.com.2°. 3ª.167.H

Superiorum partium exercitatio q̃n maior.de par.pi.exer. 2ª.49.F

per Superiora quæ educenda,& quæ per inferiora. quos purg.op.qb. me.& quo temp. 5ª.88.E

per Superiora cur spiritus purgantur.de voce instr.diss. 1ª.106.F

Superiora tria intestina cur gracilia.de ana.vi. Sp.50.B

Superiori uentri danda cathartica.de cathar. Sp.94.G

Superioribus intestinis danda cathartica.de cathar. Sp.94.G

Superiores partes laborantes per os purgãtur.13°.meth.me. 7ª.84.G

Superiora æstate purganda,hyeme inferiora.cõ.4°.aph.4°. Ex.27.H

Superiora purganda gracilibus cholericis ad vomendum facilibus,cauentes hyemem.com.4°.aph.6°. Ex.28.A

Superiores purgationes tabidis conueniunt.com.3°.aph.8°. Ex.28.B

Superius,& inferius corpus purgat scammonia. de cath. Sp.95.A

Superiorem uentrem purgantia quæ.de cathar. Sp.95.C

ad Superiorem & ad inferiorem uentrem inclinationes per vrinas ac sudores sunt reuellendæ.de cucur.scar. 6ª.4.F

ad Superiora vbi uergunt succi,fiat reuulsio deorsũ.d cuc.sca. 6ª.4.G

per Superius euacuatio est contraria ei, quæ per inferius. comment.4°. aph.9°. Ex.28.B

in Superioribus absessus sunt difficiliores.in 6ᵐ.de mor. vulgaribus, comm.2°. 3ª.162.H

SVPERLATIVE *dicere,& simpliciter dicere,non idem sunt.1°.de crisibus.* 4ª.131.G

SVPERNATANTIA *per uomitum eiciuntur.2°.de ali.fac.* 2ª.19.E

SVPERNATAT *oleũ in vino quãto est fortius.de vtil.resp.* Sp.64.F

SVPERNE *quæ feruntur deorsum.8°.de vsu par.* 1ª.165.A

SVPERPVRGATIO *quando sit.3°.de simp.med.fac.* 5ª.23.F

in Superpurgationibus sanguis posti emus.3°.de sim.me.fa. 5ª.23.F

SVPERSTITIO *ad dentis molaris dolorem.de medicinis facile parandis.* 7ª.164.D

Superstitio ad mulieris libidinem excitandam.de dy. Sp.30.A

Superstitio est coquere cancros in aqua in qua nati sunt.9°.de comp. med.sec.lo. 5ª.200.F

Superstitio ex luna.de med.par.fac. 7ª.162.B

Superstitio de herba colligenda sinistra manu ante Solis ortum.9°.de comp.med.sec.loc. 5ª.198.G

Superstitio est habere acũ in manu de qua re fit mentio. de dy.Sp.27.E

Superstitio ad excutiendam è gutture rem deuoratam & strangulantem.de med.fac.par. 7ª.165.D

Superstitio de venæ sectione in aure sinistra.9°.de cõ.m.s.l. 5ª.200.A

Superstitionem nota.10°.de cõ.me.s.l. 5ª.206.C/*de med.par.fa.*162.A/163.B/F/165.C/D/166.D/167.A/B/H/168/A/B/E/G/H/169 D/F/171.B/E/172.B/D/173.A/D/175.B/D/176.F/178.B/F/*de in cant.adiut.& susp.* 7ª.172.B

SVPERVACVVM *duplex est, quantitate, & qualitate.de symptomatũ differen.* 3ª.12.G

Superuacuum nihil sit a ui formatrice.1°.de nat.fac. 1ª.291.H

Superuacuum cur dictum quod superfluit.1°.de sa.tuen. 2ª.63.A

Superuacua mittunt partes ualentiores ad imbecilliores.13°.metho. meden. 7ª.80.H

Superuacua quibus causis excernuntur.3°.de symp.cau. 3ª.27.H

de SVPERVENIENTIBVS *librum fecit Praxagoras.commentar.6°. aph.35°.* Ex.50.C

Superuenientia signa quæ.fin.med. Isa.46.C

Supueniẽs verbũ cur ab Hippocrate ponatur.c.7°.aph.52°.Ex.58.E

SVPERVENIRE *passiones passionibus quid antiqui medici intelligant. com.6°.aph.35°.* Ex.50.C

SVPERVIVERE *an debeat æger,non potest cognosci, statu ignorato. 3°.de crisi.* 4ª.141.C

SVPINE *cubare quam noxam faciat pectori.in prog.cõ.1°.* 4ª.194.A

SVPINITAS *Stomachi quo fiat.8°.de com.me.sec.lo.* 5ª.189.D

Supinitates stomachi quibus curentur.8°.de com.me.se.lo. 5ª.189.H

SVPINENT *quæ uentriculum.de uict.rat.in mor.acu.c.1°.* 7ª.111.F

*Supinat os uẽtriculi chondri sorbitio.de uic.ra.in mor.ac.c.1°.*7ª.111.F

SVPINVM *respicere sm Platonem quid.3°.de usu par.* 1ª.128.G

Supinus aut pronus nemo quicquam molitur.3°.de vsu par. 1ª.128.F

Supini non possunt transglutire.5°.de loc.aff. 4ª.32.B

ad Supinũ cũ declinatione brachiale q musculo flectat.de musc.dis. 1ª.48.g

in Supinum circumagens manum musculus.1°.de mus.diss. 1ª.49.A

*Supinum iacere quid significet.de ijs,quæ in med.fi.com.1°.*7ª.198.B

Supinum iacere est signum resolutionis.2°.de motu mus. 1ª.314.D

Supinum cubare non bonum.in prog.com.1°. 4ª.195.E

Supinum iacere damnat Hippoc.2°.de mot.mus. 1ª.214.D

Supinum iacere signum exolutionis,ebrietatis,& ignauiæ est. 2°.de motu musc. 1ª.214.D

Supinus decubitus cur faciat extendere priapum.6°.de l.aff. 4ª.42.A

de SVPPASCENTIA *5°.de com.me.perge.* 5ª.246.H

SVPPELLEX *duplex satis est.de cog.cu.animi mor.* 2ª.54.H

SVPPLICIVM *patitur membrum peccans.3°.de dec.* 1ª.246.C

cõtra SVPPOSITIONES *dialecticas arguũt empirici.de se.* Is.17.B

SVPPOSITORIA *acria,& acria clysteria mouent intestina. de dynamidijs.* Sp.28.E

in SVPPRESSIONE *vrinæ,si a calculo proueniat talis suppressio, calculosum incidimus.de op. sec.* Isa.21.D

in Suppressione urinæ,si ab urinæ copia proueniat, fistulam demittimus.de opt.sec. Isa.21.D

in Suppressione urinæ, si a phlegmone procedat, cataplasma addimus.de opt.sec. Isa.21.D

Suppressis hæmorrhoidibus scarificamus crura.de cuc.scar. 6ª.3.F

non SVPPVRABILIS *dolor qui sit,& quod a frigido fiat. comm.5°. aph.20°.* Ex.39.B

non Suppurabilia ulcera quæ sint.com.5°.aph.22°. Ex.39.D

SVPPVRANTIS *inflammationis indicium est rigor inuadens vna cum febre.1°.de lo.aff.* 4ª.6.D

Suppurantibus ulceribus,& absessibus rigor fit. in 6ᵐ.de morb.uul. comm.3°. 3ª.174.D

Suppurans pharmacum ex fermento & ex pollione. 3°.de composit. me.se.lo. 5ª.146.F

SVPPVRATIO *quid apud Hippocratem.in prognost.Hip.commentario 1°.* 4ª.196.H

Suppurationes quæ sunt consuetæ nominari apud Hippocratem.com. 7°.aph.44°. Ex.57.F

Suppurationem appellat tuberculum Galenus.c.7°.aph.8°. Ex.54.D

Suppuratio quid.5°.de sim.me.fac. 5ª.32.H

Suppuratio quid sit,& quomodo fiat.com.5°.aph.8°. Ex.38.B

Suppuratio quomodo fiat.de uict.rat.in mor.acu.com.2°. 7ª.117.B

Suppurationibus humiditas alteratur.5°.de sim.me.fa. 5ª.33.C

Suppuratio sequitur ingentes inflammationes.2°.de loc.aff. 4ª.9.A

Suppurationis terminus apud Hippoc.in prog.com.3°. 4ª.208.D

Suppuratio in oculo quid.fin.med. Isa.48.E

Suppuratio est dãria quædam ulcerationis oculorum.fin.me. Is.48.D

Suppuratio corneæ usum impedit.1°.de symp.cau. 3ª.15.E

citra Suppurationem parotidas curatas esse per inferiora rarissimum est.in 1ᵐ.de mor.vul.com.2°. 3ª.116.F

Suppuratio fit si septima die non pereant quibus ab angina materia transiuit in pulmonem.com.5°.aph.10°. Ex.38.D

Suppuratio in thorace eſt morbus longus intrinſecus.intro. Iſa.56.B
Suppuratio morbus chronicus.com.1°.aph.12°. Ex.5.D
ad Suppurationem venit morbus lateralis.com.5°.aph.8°. Ex.38.E
Suppuratio quo ſigno cognoſcatur eſſe in vno latere,vel altero. in progno.comm.2°. 4ª.204.B
Suppuratio pulmonem afficit.2°.de præſag.ex pulſ. 4ª.116.C
Suppuratio in thorace qualẽ habeat reſpirationẽ. de diff.reſp.3ª.60.H
à Suppuratione qui ſuffocantur pinnas narium mouent. in 3ᵐ.de mor. vulg.com.2°. 3ª.136.A
Suppurationes habent acceſſiones quotidie. com.1°.aph.12°.Ex.5.D
Suppuratio a uentris dolore diuturno.com.7°.aph.22°. Ex.55.E
Suppuratio brevis & longa quid.in prog.com.2°. 4ª.204.C
Suppuratio quæ optima,& quæ non.in prog.com.1°. 4ª.196.H
Suppuratio introrumpens bona,quæ.in prog.com.1°. 4ª.197.A
Suppuratio interior quomodo cognoſcatur.com.7°.aph.8°. Ex.54.E
Suppuratio in pectore,pulmone,ſtomacho,inteſtinis, quomodo cognoſcatur,& quomodo differant.com.7°.aph.8°. Ex.54.E
Suppuratio non innoteſcit, vel propter craſſitudinem puris, vel loci. comment.6°.aph.41°. Ex.51.A
Suppurationes quando rumpuntur.in prog.com.2°. 4ª.203.H
Suppurationum cur aliquæ citius,aliquæ tardius rumpuntur.in prog. comm.2°. 4ª.204.A
Suppuratio quæ facilius rumpitur, quibus ſignis noſcatur.in progno. comm.2°. 4ª.204.C
Suppuratio ſi ſit difficilis,notat humores compactos, craſſos,glutinoſos.2°.de arte cur.ad Glauc. 7ª.105.D
Suppurationis initia qũo conſideranda.in prog.com.2°. 4ª.204.A
in Suppuratione quomodo fiat rigor.in prog.com.2°. 4ª.204.A
Suppuratio infra vmbilicũ non fit.in 6ᵐ.de mor.uulg.c.2°. 3ª.168.A
Suppurationem eſſe in veſica qñ cognoſcatur.6°.de loc.aff. 4ª.39.B
Suppurationem qñ in renibus eſſe cognoſcatur.6°.de loc.aff. 4ª.39.B
Suppurationem habentis in nate caſus.8°. de loc.af. 4ª.25.B
Suppurationes in febribus qũo fiunt.in 1ᵐ.de mor.vul.c.1°. 3ª.104 h
ad Suppurationẽ pducit vlcera natiuus calor.c.5°.aph.20°. Ex.39.B
Suppuratio fit ſi tumores in vlceribus repente euaneſcant. comm.5°. aph.65°. Ex.44.H
Suppuratio dolor et febris in tumore cũ abſunt, pars putreſcit adeo, vt cogamur qñq; ſolidã pcidere.in 3ᵐ.de mor.vul.cõ.1°. 3ª.132.D
Suppurationem ponit narciſſi bulbus.de ſimp.med. Sp.87.H
ad Suppurationem citius perducit cataplaſma ex aqua, oleo, & farina,quam ex pane.2°.de arte cur.ad Glauc. 7ª.105.C
Snpporationẽ ꝓhibet hordeacea farina.2°.de arte cur.ad Gl. 7ª.105.C
Suppuratio cũ tarde fit cataplaſma ex caricis in aqua decoctis connenit.2°.de arte cur.ad Glauc. 7ª.105.D
ad Suppurationem perducẽs emplaſtrũ.6°.de com.me.per g.5ª.255.a
Suppuratio fieret celerrime, ſi manus ſuperimpoſitas aſſidue ſeruare poſſemus.5°.de ſim.me.fac. 5ª.53.G
Suppuratio ab Eryſipelate.com.7°.aph.20°. Ex.55.D
Suppurationẽ facta & eruptione ijs ſoluitur dolor qbus in urinario mea tu tubercula fiunt.com.7°.aph.57°. Ex.59.B
SVPPVRATORIA *mirè eſt frumenti farina cũ caricarum decocto et oleo.3°.de comp.me.ſe.lo. 5ª.146.F*
Suppuratoriam uim habet lens.in 6ᵐ.de mor.vul.com.5°. 3ª.194.C
SVPPVRATI *qui appellentur ab Hippocr.c.6°.apho.27°.48.G/com. 7°.aph.44°. Ex.57.F*
Suppurati qui,& quomodo fiant.4°.de cau.pul. 4ª.101.A
Suppurati cum tuſſi expuũt materiam inter thoracem & pulmonem. comm.7°.aph.55°. Ex.58.H
Suppurati quomodo pus paulatim mittant.com.7°.aph.55°.Ex.58.H
Suppurati in quadraginta diebus iudicãtur.com.5°.aph.15°.Ex.38.g
Suppurati qui uruntur,vel ſecantur,ſi pus purũ fluxerit,et albũ euadunt,ſi uero ſubcruentũ,& fœtidũ,pereũt.c.7°.aph.44°. Ex.57.F
Suppurati qui ageant vſtiõe,et q inciſione com.6°.aph.27°. Ex.48.G
Suppuratorum reſpiratio qualis.1°.de diff.reſp.59.E/in 3ᵐ.de morbis vul.com.2°.3ª.136.C/4°.de loc.aff. 4ª.26.H
Suppuratis cur anhelitus difficilis fit.7°.de com.me.ſec.lo. 5ª.186.C
Suppurati cur ſuffocentur.4°.de loc.aff. 4ª.27.A
Suppuratorũ pulſus qualis.d pul.ad Ty.45.D/4°.de ca.p. 4ª.101.A
Suppurati ſi urantur,aut ſecentur,& pus totum exeat, omnes moriũtur,& quare.com.6°.aph.27°. Ex.48.H
Suppurata membra facile urantur.6°.de loc.aff. 4ª.41.C
ad Suppuratas aures.5°.de com.med.perge. 5ª.251.E
ad Suppuratos in profundo.7°.de com.me.ſec.loc.182.A/184.F/185 E/G/186 A/B/179.C/8°.191.E/10°. 5ª.207.G
de Suppuratis tumoribus.2°.de arte cur.ad Glau. 7ª.105.G
pro Suppurato tumore medicamentum ex fermento, & oſtreis. 2°.de arte cur.ad Glauc. 7ª.105.G
SVPPVRARI *nomen eſt vnius mutationis in ſanguine. comment.6°. aph.20°. Ex.48.C*
Suppuratur ibi particula,vbi uehemens pulſatio.2°.de loc.af.4ª.9.A
Suppurantur qui ex laterali morbo ad tabem tranſeunt, ſi in quadraginta diebus non purgantur,com.5°.aph.15°. Ex.38.F
Suppurãtur q̃ in ſcreatu bilioſo,quid ſignẽt.in prog.c.2°. 4ª.203.D
Suppurari neceſſe eſt,ſi ſanguis præter naturam in uentrem effundatur.com.6°.aph.20°. Ex.48.C
Suppurantur qñ aliqui propter abſceſſum uel phleborrhagiam uel incontinentiam uel aliam quampiam fortem cauſam, illis elleborus non eſt dandus.de uict.rat.in mor.acu com.4°. 7ª.144.G
Suppurantur gibbi ex tuſſi & aſthmate,ideo cito moriuntur. com.6°. aph.46°.51.H/ Ex.52.A
Suppuretur facile cur œdema ſub vmbilico. in prog.com.1°. 4ª.196.f
cum Suppurantur abſceſſus bonum eſt manere humorem intus,& quare.de ijs,quæ in med.ſi.com.2°. 7ª.212.G
Suppurare eſt maximum ſignum in vlceribus ad ſecuritatem. comm. 5°.aph.22°. Ex.39.D
Suppurat vlcera,& prohibet qñq; color. com.5°.aph.22°. Ex.39.D
Suppurare faciunt & concoquunt dolores mitigantia.3°.de compoſit. me.ſec.loc. 5ª.146.C
Suppurari qui citiſſime debent,ijs ualet farina hordei & aqua. 3°.de com.me.ſe.loc. 5ª.147.D
Suppurat multum farina triticea.2°.de arte cur. ad Glau. 7ª.105.G
Suppurat plurimum triticea farina.2°.de arte cur.ad Glau. 7ª.106.E
in SVPPVRATIONE *methodus qualis. de cui.animi pec.not.atq; e medela. 2ª.57.B*
in Suppuratione cognoſcunt uulgares homines ſe nullã ſuppurandi peritiam habere, & tamen demonſtrationis vſum ſibi temerè arrogãt,de qua re miratur maxime Galenus.2°.de decr.Hip.1ª.235.E
SVPPVTATOR *quid agat.2°.de decr.Hip. 1ª.235.D*
SVPRA *exire ſanguinem,id eſt,per os.com.4°.aph.25°. Ex.30.A*
Supra,infra qũo intelligatur,de ijs,quæ in med.ſi.com.3°. 7ª.222.D
Supra aduerbium quomodo accipiatur.com.7°.aph.22°. Ex.56.D
Supra ſi uis purgare,ſiſte aluum.com.7°.aph.66°. Ex.60 E
SVRA quid.intro.Iſa.53.E/de oſſi.1ª.43.D/de artic.com.4°.283. F/de fract.com.2°. 7ª.236.E
Suræ os vocat oſſa tibiæ.de art.com.4°. 7ª.285.F
Sura qualis.de oſſ. 1ª.43.E
per Suram a poplite qui nerui incedant.16°.de vſu par. 1ª.218.C
Suram muſculus efficiens non eſt unus.1°.de ana.adm. 1ª.65.B
Surarum muſculi frequenter conuelluntur patientibus cholerã.com. 5°.aph.1°. Ex.37.D
Suræ morbi qui.introd. Iſa.59.D
Suræ quomodo iungantur.de fract.com.2°. 7ª.236.F
SVRCVLI *manduntur qñq; ob neceſſitatem.2°.de ali.fac. 2ª.22.B*
Surculos aliqua educunt.1°.de nat.fac. 1ª.295.B
Surculum euulſum fuiſſe è pede iuuenis medicamento teſtatur Galenus.1°.de nat.fac. 1ª.295.A
Surculos euellẽtia ꝓprias ſibi qualitates attrahũt.1°.de.na.fa.1ª.295.a
Surculos,et ſpinas de corpore extrahit gladiolũ.de ſim.me. Sp.84.H
SVRDASTRI *quo modo fiant,& quare purgandi.3°.de compoſi.med. ſec.loc. 5ª.145.B*
Surdaſtri indigent motu uehementi, et contrarijs præſidijs his qui doloribus aurium uexantur.3°.de com.me.ſec.loc. 5ª.145.D
SVRDITAS *eſt affectus aurium.intro. Iſa.59.C*
Surditas unde fiat.1°.de ſymp.cau. 3ª.15.F
Surditas aliqua ex habitu eſt,com.4°.aph.28°. Ex.30.D
Surditas quomodo fiat.in 1ᵐ.prorr.com.1°. 4ª.167.H
Surditas à quibus fiat ſuccis.in 1ᵐ.prorh.com,3°. 4ª.188.G
Surditas fit ſi bilioſa excrementa detineantur, et ad caput tranſeant, comm.4°.aph,60°. Ex.34.A
Surditas in febribus recurrente cholera ad meatus auditorios quandoque fit.com.4°.aph.28°. Ex.30.D
Surditas in acutis mala.in 1ᵐ.prorrh.com.1°. 4ª.167.H
Surditas ſi adſit in febre continua,uirtute debili,letale. comment.4°. aph.49°. Ex.33.C

Surditas superueniens deijcienti bilem, deiectio bilis cessat, & cur. cō. 4°. aph. 28°. Ex. 30. D
Surditas facit cessare biliosas deiectiones. com. 4°. aph. 2°. Ex. 27. H
Surditas q̄ à deiectionibus soluatur, et è contra. c. 5°. a. 28°. Ex. 30. D
Surditas soluitur aduenientibus biliosis excrementis, & fluxu sanguinis narium. com. 4°. aph. 60°. Ex. 34. A
Surditas. 1°. de symp. cau. 3ª. 16. B
ad Surditatem quæ Archigenes scripsit, & quomodo ex capitis dolore proueniens sanetur. 3°. de comp. med. sec. lo. 5ª. 145. F
Surditas aurium remedium. de dy. Sp. 25. A
ad Surditatem naturalem. de remed. par. fac. 7ª. 162. E
ad Surditatem de med. fac. par. 7ª. 170. A
SVRDVS *vetustissimus quomodo emendetur. de dy.* Sp. 25. B
SVRRENTINVM *vinum contendit cum falerno, & quale sit. 1°. de antidotis.* 5ª. 100. H
Surrentinum vinum quale. 4°. de sanitate tuen. 8 5. G/5°. 2ª. 90. H/12°. meth. med. 7ª. 76. D
Surrentinum vinum austerũ, & dulce est. 4°. de sim. me. fac. 5ª. 26. F
Surrentini vini ætas. 1°. de antid. 5ª. 100. H
Surrentinum vinum ualde calefacit. 7°. meth. med. 7ª. 44. B
Surrentino vino similes vires habet vinũ mysiũ. 5°. de sa. tu. 2ª. 90. H
SVRGERE *frequenter in profluuijs febrẽ auget. 8°. met. med.* 7ª. 53. B
SVRRECTIONES *bene se habentes in quarta, bonũ iudicium faciũt in septima secundum antiquos. com. 4°. aph. 71°.* Ex. 35. C
SVRSVM *quo musculo trahatur superius labrũ. de musc. diss.* 1ª. 44. E
Sursũ ad maxillas retrahẽs os hyoides musculus q. de mus. di. 1ª. 46. f
Sursum oblique introrsumq; digitos mouentes musculi quinq;. de musculorum dissect. 1ª. 49. A
Sursum trahentes primas costas fibræ. de mus. diss. 1ª. 49. E
Sursum attollentes testem musculi. de musc. diss. 1ª. 50. D
Sursum attollentes sedem musculi. de mus. diss. 1ª. 50. E
Sursum simul, & extrorsum femoris caput trahens musculus. de mus. dissectione. 1ª. 51. B
Sursum tollens caput femoris, & unà ad interiora inuertens musculus. de musc. diss. 1ª. 51. B
Sursum tibiam altam quo quomodo attollens musculus, & illam ad interiora simul flectens. de musc. diss. 1ª. 51. D
Sursum oblique leniter trahens magnum digitum, musculus. de musc. dissectione. 1ª. 52. D
Sursum tendens totum pedem musculus. de mus. diss. 1ª. 52. D
Sursum ferri & eleuari non idem. de trem. palp. conuul. 3ª. 52. C
Sursum calida materia decũbit. in 1ᵐ. de mor. vul. com. 1°. 3ª. 105. A
Sursum fiat reuulsio, vbi succi ad inferiora vergũt. de cuc. sca. 6ª. 4. G
inter SVEM et vrsum aĩal mediũ in Lucania. 3°. de ali. fa. 2ª. 26. C
Sues syali qui. de vict. rat. in mor. acut. com. 4°. 7ª. 147. B
Suis Arcadicæ fabula. 9°. de comp. me. se. lo. 5ª. 201. B
Sues hñt quartum locum pro dissectione. 6°. de anat. adm. 1ª. 90. D
in Sue magno ꝓpter qd vult exerceri anatomẽ. 8°. de an. ad. 1ª. 100. C
Sus anatomizandus quo modo debet situari. de ana. par. Sp. 42. F
ĩ Suibus sectis q̄ spectarit Galen⁹ poti⁹ q̄ ĩ Simia. 8°. de an. ad. 1ª. 102. E
Sues habent ossium substantiam minus duram ac densam canibus, lupis, & pardialis. 11°. de vsu par. 1ª. 191. D
Sus homini similis intrinsece. de anat. par. Sp. 42. G
Sues a natura hoĩs non longe alienæ in fœtu sunt. de fœt. for. 1ª. 322. E
in Suibus vuluarũ dria à vuluis mulierũ. 9°. de diss. vul. 1ª. 108. E
Sues habent testes adstrictos ad uentrem. 1°. de sem. 1ª. 334. F
Suibus cur testes eximantur. 3°. de ali. fac. 2ª. 27. A
Sues castratæ non amplius appetunt coitum. 2°. de semi. 1ª. 338. C
Sues castrant in Asia. 1°. de semi. 1ª. 333. C
Sues habent musculum temporalẽ maximũ. 11°. de v. p. 1ª. 184. G
ĩ Sue tres nerui sunt, qui ĩ simia duo, et qnã hi sint. 8°. de an. ad. 1ª. 102. f
Suum vesicæ quomodo a pueris extendantur. 1°. de nat. fac. 1ª. 292. A
Suum natura qualis. in 6ᵐ. de morb. vul. com. 4°. 3ª. 186. H
Sues frigidi & pingues sunt. 2°. de simp. me. fac. 5ª. 14. E
Sues natura humidi sunt. de bon. & vit. suc. 2ª. 36. A/8°. m. m. 7ª. 51. B
Sus inferior est omnibus in caliditate & siccitate. 11°. de simp. medic. facult. 5ª. 79. A
Sus siccior est ouis. 11°. de sim. me. fa. 5ª. 78. E
Suibus quæ animalia sint magis terrena, & calidiora. 4°. de simp. me. facult. 5ª. 25. E
Suum sanguis humidus minus calidus est, & humano similis. 10°. de simp. me. fac. 5ª. 72. G
Suum iuniorũ sanguis, et seniorũ castratorũ edit. 3°. de ali. fa. 2ª. 29. C
Suum caro hominibus conuenit. de bonitate & uitio succorũ. 2ª. 37. C
10°. de simpl. med. fac. 5ª. 72. G
pro Suum carnibus qui hospites, & coqui carnes humanas vendidere. 10°. de simp. med. fac. 5ª. 72. G
Sues habet carnem boni succi. 3°. de alim. fac. 2ª. 25. H
Suum quorum caro sit optima, & quorum deterrima. de victus ratione in morbis acu. com. 4°. 7ª. 147. C
Sues qui apti ad saliendum, & qui non. 3°. de ali. fac. 2ª. 33. C
Suum domesticorum carnes supra prunas colliquatur, sed non syluestrium. 10°. meth. med. 7ª. 67. E
Sues comedere Rustici initio hyemis, & postea cibum suum, glãdes. s. in penuria. 2°. de alim. fac. 2ª. 22. B
Sues sylueſtres quibus fructibus ueſcantur. 2°. de alim. fac. 2ª. 22. B
Suibus erant pabulum glandes. 2°. de ali. fac. 2ª. 22. A
Sus sylueſter siccior domestico est. 11°. de sim. med. fac. 5ª. 78. E
Suum domesticorum caro omnium aliorum ciborum firmissime nutrit. de atte. vict. 2ª. 45. D
Suum caro potentissime nutrit. 3°. de alim. fac. 2ª. 25. H
Suum carne ueſcebantur athletæ. 3°. de alim. fac. 2ª. 25. H
Suis domestici extremitates & stomachus epilepticis conueniunt. de puero epileptico. 7ª. 180. G
Suum castratorum caro suauior. 3°. de ali. fac. 2ª. 27. A
Suum caro ut aliꝭ præstantior, ita & suum testes sunt alij præstatiores. 3°. de alim. fac. 2ª. 27. A
Suum caro qualis secundum ætates. de bon. & vi. suc. 2ª. 37. C
Suũ iuniorũ et ætate florẽtiũ carnes qb⁹ cõueniãt. 3°. de ali. f. 2ª. 25. H
Sues senes quandoque habent carnem siccam. 3°. de ali. fac. 2ª. 26. A
Suum pedes & crura dentur siccis qui sanantur. 7°. met. me. 7ª. 45. H
Suum pedes dandi pro cibo in tertiana. 1°. de arte cur. ad Gl. 7ª. 97. C
Suum pedes meliores sunt rostro. 3°. de alim. fac. 2ª. 26. F
Suum cerebrũ dãdũ pro cibo in tertiana. 1°. de arte cu. ad Gl. 7ª. 97. C
Suis cerebrum diligenter assum in syncope ex tenuibus succis conuenit. 12°. met. med. 7ª. 78. A
Suũ paruorũ caro liquefacta in tertiana cõuenit. 1°. de ar. cur. 7ª. 97. C
Suis sylueſtris carnib⁹ vniuersis ueſci pōt epileptic⁹. de p. e. 7ª. 180. g
Suũ viscera suauiora aliorũ aĩaliũ visceribꝰ sunt. 3°. de ali. fa. 2ª. 27. d
SVVM *viscera caricas comedentium meliora. 3°. de alim. fa.* 2ª. 27. d
Suis alii ficubus iecur ficatum dicitur. de boni. & vit. suc. 2ª. 35. F
Suum hepar ex caricarum pastu præparatũ suaue. 3°. de al. fa. 2ª. 29. f
Suum lien in cibo non ineptus. de atra bi. 1ª. 36. E
Suum lien non ualde niger. de atra bile. 1ª. 36. A
Sus habet lienem albicantem. 6°. de ana. adm. 1ª. 92. G
Sus habet intestinum equo simillimum. 6°. de ana. adm. 1ª. 92. F
post Sues hædi quibus præbeantur à Galeno. 8°. meth. med. 7ª. 51. B
SVS *cur multam habeat pinguedinem. 10°. de sim. me. fac.* 5ª. 78. H
Suum pinguedo omnium humidissima est, & propinqua oleo. 11°. de simp. me. fac. 5ª. 78. H
Suum pinguedinis caliditas talis est, qualis in nobis. 11°. de simplic. med. fac. 5ª. 79. B
Suis adeps cataplasmatis commiscetur, quæ accommodãtur ad phlegmonas. 11°. de sim. med. fa. 5ª. 78. H
Suis pinguedo oleo magis tũ emollit; tũ cõcoqt. 11°. de si. m f. 5ª. 78. H
Suum pinguedo largius humectat, sed non calefacit ut oleum. 11°. de simp. me. fac. 5ª. 79. A
SVIS *fel omnium moderatissimum. 1°. de comp. me. se. loc.* 5ª. 129. D
Suis fel imbecillum. 10°. de simp. me. fa. 5ª. 74. H
Suis quæ non peperit fel pari melle attico admixtum conuenit in dolore aurium. 3°. de comp. me. sec. lo. 5ª. 143. F
Suum biles ad ulcera aurium. 10°. de simp. me. fa. 5ª. 74. H
SVIS *feræ masculæ urina. 3°. de com. me. sec. lo.* 5ª. 148. A
SVVM *domesticorum castratorum urina omnium est imbecillissima. 10°. de simp. me. fac.* 5ª. 75. D
Suis talus inflatos & tormina sanat. 11°. de simp. me. fa. 5ª. 80. E
Susceptiuum quot modis diuidatur, et subdiuidatur. ars med. Isa. 62. B
SVSINVM *oleum acopum est. 7°. de comp. med. per ge.* 5ª. 269. F
Susinum oleum laxat. 7°. de comp. me. per ge. 5ª. 264. E
Susinum unguentum optimum est. 3°. de sa. tuen. 2ª. 81. C
Susinum unguentum est calidius, & magis quam gleucinum relaxãs. 3°. de san tuen. 2ª. 81. C
Susinum unguentum. 3°. de comp. med. se. lo. 142. B/5°. 5ª. 164. G
SVSIS *est aqua, quam si quis biberit moritur. de bon. aquæ. Sp. 76. A*

SVSPECTIO *quid,& vnde.in progn.com.1°.* 4ª.193.B
SVSPENDENS *vinculum sex habens capita.de fascijs.* 7ª.303.E
Suspẽdens vinculũ seu pectẽ ad colẽ.de fasc. 7ª.303.H/*aliter.*304.A
SVSPENDICVLVM *quid sit.2°.de semine.* 1ª.339.D
SVSPENDIO *suffocatis hominibus, cor respiratione priuatur.de fœtuũ formatione.* 1ª.324.H
SVSPENDVNTVR *renes in dorso per panniculũ.de ana.vi.* Sp.55.F
Suspenditur nubecula propter flatus.de vrinas. 4ª.124.A
Suspenduntur quæ collo quo vocentur.de remed.para.fac. 7ª.154.A
SVSPENSE *agitari est exercitationis genus.de bo.& vi.suc.* 2ª.35.A
SVSPENSIO *ilium quæ,quo.com.4°.aph.73°.* Ex.35.F
SVSPENSIONES *dispersæ in vrinis non subsidentibus in Clazomenio quando fuerint.in 1ᵐ.de morb.vulg.com.3°.* 3ª.125.A
Suspensiones nubilosas continebat vrina tenuis, et decolor. in 3ᵐ.de morb.vulg.com.1°. 3ª.127.F
Suspensiones nubilosæ in vrinis quæ ab Hippocrate appellentur.in 3ᵐ. de morb.vul.com.1°. 3ª.128.C
Suspẽsio in vrinis tenuibus pellucidis genituræ similis in Philista fuit. in 3ᵐ.de mor.vul.com.2°. 3ª.135.C
*Suspensiones vrinarũ deliriũ significãt.in 3ᵐ.de mor.v.c.3°.*3ª.151.B
Suspensiones an prodesse possint se ostensurum pollicetur Galenus. de incan.adiur.& sespens. 7ª.181.F
SVSPENSORES *musculi qui.de musc.diss.* 1ª.50.D
Suspensoria aliorum corporum.de anat.viuo. Sp.44.C
vt Suspensorium carnium inferiorum positæ sunt chartilagines quædam.de anat.viu. Sp.55.D
SVSPENSI *qui dicantur hoïes.de vic.ra.in mor. acu.cõ.4°.* 7ª.151.C
*Suspẽsa cur sint vuula palato.de cõp.memb.siue de natu.hum.*Sp.58.f
*Suspensarũ nebularũ in vrinis significatio.de vrin.sin.ex Hip.*Sp.78.g
Suspensa collo quomodo adiuuant.de incant.adiur.& susp. 7ª.182.H
Suspensæ operant substantiæ.non verba,& voces barbaræ,vt præstigiatores faciunt.10°.de simp.me.fac. 5ª.76.D
Suspensi lapides an iuuent.9°.de sim.me.fa. 5ª.67.E
SVSPIRIOSI *quomodo euadant.de art.com.3°.* 7ª.269.D
Suspirioſi quomodo respirent.in 3ᵐ.de morb.vul.com.2°. 3ª.136.E
Suspirioſis facit centaurea.de sim.med. Sp.82.A
Suspirioſis prodest hyssopum.de simp.me. Sp.92.E
Suspirioſis prodest marubiastrum.de simp.me. Sp.87.G
Suspirioſis prodest origanum.de sim.me. Sp.88.E
Suspirioſis prodest smyrnium.de simp.med. Sp.91.B
Suspirioſis prodest spondilium.de simp.med. Sp.91.A
Suspirioſos iuuat theriaca.de ther.ad Piso. 5ª.96.A
SVSPIRIA *luctuosa in acutis passionibus quæ cum febre, malũ.com. 6°.aph.54°.* Ex.53.B
Suspirium si qui patiuntur,his da epithymum.de simp.me. Sp.84.A
Suspirium distillationem sanat.in 6ᵐ.de morb.vul.com.6°. 3ª.197.E
SVSPIRENT *quo hoïes ob mœrorẽ,et luctũ. 2°.de diff.resp.* 3ª.65.A
SVSTENTAMENTVM *sensus & motus sunt ossa pedum, tibiarum, & crurum.de anat.viu.* Sp.55.C
SVTORES & fabri medicinam exercent. 1°.meth.med. 7ª.2.E
Sutores ignorant vires motuum,quos exercent.2°.de sa.tue. 2ª.75.E
Sutorum lapis quo vtuntur ad calciamenta muliebria expolienda.6°. de comp.med sec.loc. 5ª.172.G
SVTORIVS *vicus Romæ.de præcog.ad posth.* 4ª.215.E
Sutorium atramentum adstringit.1°.de alim.fac. 2ª.9.B
SVTVRÆ *cur ita dictæ. 9°. de vsu partium.* 1ª.171.F/*de ijs quæ in medicatrina fiunt,com.3°.* 7ª.222.F
Sutura quid significet.de ossibus. 1ª.141.A
Sutura quid sit.de ossibus. 1ª.40.B
Sutura speccies est stabilitatis.introd. Isa.54.F
Suturarum capitis diuisio.in 6ᵐ.de morb.vulg.com.3°. 3ª.169.H
Suturarum modi & constitutiones & figuræ.de ossibus. 1ª.40.E
Suturæ capitis tres.de ossibus. 1ª.40.D
*Suturæ capitis in masculis quinq;.de nat. & ord.cuius.corp.*Sp.41.G
Suturam vnam rectam,& duas per transuersum in capite esse rectũ fuit.9°.de vsu par. 1ª.176.H
Sutura labdois ad quid facta.9°.de vsu par. 1ª.173.B
Sutura à uertice ad frontem cur à natura addita.9°.de v. p. 1ª.173.E
Sutura coronalis stephaniæa a græcis dicitur.6°.de ana.adm. 1ª.89.E
Sutura coronaria.in 6ᵐ.de mor.vul.com.3°. 3ª.169.H
*in Sutura coronali craniũ tenuissimũ et rarissimum.13°.m.m.*7ª.85.H
Suturæ latissimæ in sincipite sunt.in 6ᵐ.de mor.vul.com.1°.3ª.153.E
*Suturarum numerũ et positura uariat figura capitis. de ossi.*1ª.40.D
Suturarum capitis diuersitas in hominibus.13°.met.me. 7ª.85.H
Suturæ capitis rotundi quam figuram hãt.9°.de vsu par. 1ª.177.A
*Suturæ capitis nõ hãtes eminẽtiã i occipitio quales.9°.de v.*1ª.177.A
per Suturas quid euacuetur.9°.de vsu par. 1ª.171.F
Suturæ capiti nisi essent medicamenta extrinsecus applicata nihil proficerent.13°.meth.med. 7ª.85.G
Sutura potissimum coronaria intromittit qualitates, & substantiam,si tenuis sit,suppositi medicamenti.13°.meth.med. 7ª.85.G
*Suturæ coronali capitis medici apponunt infusiones.13°.m.m.*7ª.85.H
*supra Suturã coronalem quo ponẽda medicamẽta.3°.me.me.*7ª.85.H
per Suturas linamentũ qñ imponendum.2°.de com.me.se.lo. 5ª.138.E
Suturæ lapidoeides vel cõglutinatiões à squãmæ similitudine,a non nullis sunt appellatæ,nõ aũt simplr suturæ,& quare.de oss. 1ª.40.E
Suturæ nasi quot.de ossibus. 1ª.41.C
p Suturas multa corpa sẽsibilia euadũt.in 6ᵐ.de mo.v.c.1°. 3ª.153.E
*Suturarũ distentio inter quos capitis affectus numeretur.int.Isa.*59.C
ad Suturas ubi debiscunt vinculum.de fascijs. 7ª.295.B
SVTVRA *abdominis quæ.6°.de anato.admini.* 1ª.40.H
*Suturæ abdominis seu vẽtris vocãtur gastrorhaphię.de musc.dis.*1ª.50.c
SVTVRÆ *vtiles ad vnionem, & applicationem partium distantium sunt.ars medicinalis.* Isa.69.G
Sutura qñ fieri debet in vulneribus.3°.de com.me.per g. 5ª.231.E
Suturis in quibus ulceribus utendum.7°.meth.me. 7ª.22.G
Sutura non indigent ulcera per longitudinem musculorum facta.3°.me thodi med. 7ª.22.G
sine Suturis inæqualibus cur debeant esse fasciæ.de fascijs. 7ª.293 G
Suturæ q altæ fieri debent,& q tendones non suuntur sine periculo.3°. de comp med.per ge. 5ª.231.E
Suturarum interuallum quantum esse debeat.6°.meth.med. 7ª.39.F
Suturarum quando vsus.2°.de art.cur.ad Gl. 7ª.106.B

SYALI *Sues qui apud veteres.de vict.rat. in morb.ac. comm.4°.* 7ª.147.B

SYBARIS fluuius viros infecundos facit.de bonit.aquæ. Sp.76.A
SYBATES *vinum in Cilicia quale.5°.de san.tuen.* 2ª.91.B
SYCA cuius facultatis.8°.de sim.med.fa. 5ª.91.E
SYCAMINA *& mora eodem nomine appellãtur.2°.de ali.fa.*2ª.19.B
Sycamina celerrime petranseunt,& alijs cibis præeunt,si in ventriculum purum inciderint.2°.de alimen.fac. 2ª.18.H
*Sycamina post alios cibos sũpta,celerrĩe corrũpunt.2°.de al.f.*2ª.18.b
Sycaminum.i.mororum succus est aptus ad refrigerãdum caput. 2°. de comp.me.sec.loc. 5ª.132.G
SYCE *cuius temperaturæ.8°.de sim.me.fa.* 5ª.61.F
SYCOMORVS *dicitur, quia medius inter ficum, & morum est.2°.de alim.fac.* 2ª.21.F
Sycomorus nascitur è ramis & stipitibus.2°.de alim.fa. 2ª.21.F
Sycomorus humidior & frigidior est moro. 2°.de alim.fac. 2ª.21.F
Sycomorus vnum est ex medicamentis mistionem contrariorum nõ habentibus.1°.de com.me.se.lo. 5ª.129.E
Sycomorus fructũ habet paruæ ficui albæ adsimilem.2°.de ali.f. 2ª.21.f
*Sycomor9 nõ hẽt acrimoniã,tñ est pua dulcedinis.2°.de ali.f.*2ª.21.F
ex Sycomoro medicamen.14°.met.med. 7ª.88.H
SYCOSIS *à similitudine nomen habet.2°.meth.med.* 7ª.9.E
Sycosis quid.introductio. Isa.58.F
*Sycosis est affectus partium interiorum palpebrarum. intro.Isa.*58.d
*Sycoseas vocant magnas asperitates superciliorũ. 9°.de si.m.f.*5ª.71.F
Sycoseas ingentes oculorum asperitates appellari consueuerunt.11°.de simp.me.fac. 5ª.81.B
Sycosis scabiei palpebræ species est.de oculis. 7ª.186.H
*Sycosis q̃ sint,et quibus sanẽtur in oculis.4°.de cõ.m.f.l.*5ª.151.a/b/b
*in Sycosi oculorum quæ conueniant.4°.de cõp.me.sec.lo.*5ª.151.B/E
ad Sycoseas quæ adstringentia ualeant.4°.de com.mo.se.loc. 5ª.151.F
*ad Sycoseas oculorum confert succus centaureæ.de virt.cent.*Sp.93.B
ad Sycosim.4°.de comp.me.se.lo. 5ª.152.D
SYCOTON *iecur suis alti ficubus dr.de bon.& vit.succ.* 2ª.35.F
Συκωτόν *iecur pstãtissimũ,& quo nã tale dicat.3°.de ali.f.* 2ª.27.D
Συκωτὰ. *i.ficata ex caricarum esu propter quod sunt suauissima. de vict.rat.in morb.acu.com.3°.* 7ª.127.H
Συκυοπέπων *pepon cucumeralis uocatur secundum quosdam medicos. 2°.de alim.facul.* 2ª.17.A
SYDERATIO quid uocetur apud Galenũ. de tum.præ.na. 3ª.84.D
Syderationum species quædam est gangrena.de tum.præ.nat. 3ª.84.D

SYDVS *quid sit.in* 1^m.*de morb.vulg.com.* 1°. 3ª.101.*H*
Sydera diuersa à forma humana.in 3^m.*de morb.vul.com.* 3°.3ª.149.*b*
Sydera non constant eadem substantia,qua & nos. 3°.*de v.p.*1ª.143.*C*
Sydera illustria.in 1^m.*de morb.vul.com* 1°. 3ª.102.*F*
Sydera tertio loco admiranda. 17°.*de vsu par.* 1ª.222.*C*
Sydera putat meliora anima & mente. 17°.*de vsu par.* 1ª.222.*C*
Syderũ ortus,& occasus scire medicus debet in omni regione. in 1^m. *de mor.vul.comm.*1°. 3ª.99.*B*
Syderum ortus cur varius in regionibus variis,& cur solstitia,& æq noctia eadem.in 1^m.*de morb.vul.comm.* 1°. 3ª.101.*H*
Syderum ortus & occasus quibus cões.in 1^m.*de m.vul. c.*1°.3ª.101.*b*
Sydus canis quid sit.in 1^m.*de morb.vulg.comm.* 1°. 3ª.102.*A*
de SYLLABIS *et nõibus argumẽtant recẽtes.* 1°.*de pul.dif.* 4ª.46.*G*
ad Syllabas grammaticas comparatio pulsus comp.puls. *Sp.*65.*E*
SYLLOGISMVS *quid.fin.med.Isa.*43.*F/de histo.philo.* *Sp.*3.*C*
Syllogismorum diuisio de historia philosophica. *Sp.*3.*E*
*Syllogismorum variæ species.*2°.*de decr.Hippocr.* 1ª.235.*E*
*Syllogismi q cõstãt ex tribus ppõnibus de mõ.*2°.*de dec.Hip.*1ª.235.*e*
*Syllogismi ex quarta positione.*2°.*de decr.Hipp.* 1ª.235.*E*
Syllogismorum conditionalium species septem. de histo.philo. *Sp.*3.*E*
*Syllogismorum complexio quid.*2°.*de decr.Hipp.* 1ª.235.*E*
SYLLOGISTICA *quomodo sit coniunctio hæc,igitur. de comp.*3ª.50.*F*
SYLVANÆ *barbæ meminit.de dy.*24.*C/* *Sp.*29.*G*
SYLVESTRIA *domesticis efficaciora sunt.*7°.*de sim.me.fa.* 5ª.52.*H*
Syluestrium plantarum fructus mali sunt.de bonit.et vit.suc. 2ª.37.*F*
Syluestre mentastrum mundificat & subtiliat.de dissol.cont. *Sp.*74.*H*
*cum Syluestri mentastro comedenda sunt cerebra.de diff.con.Sp.*74.*f*
Syluestres carnes domesticis meliores.de cura icteri. *Sp.*111.*D*
Syluestres carnes elixæ magis q̃ assæ edẽdæ sunt.de cu. ict. *Sp.*111.*d*
Syluestris birci caro mala.de diff.cont. *Sp.*74.*B*
Syluestris,lege Agrestis.
SYMMETRIAM corporum, quæ sanitas est, aer nos continens, si immoderatius calefiat vel frigescat,humescat, vel frigescat,confundit,interturbat,& corrũpit.in 1^m.*de morb.vul.c.*1°. 3ª.100.*H*
Symmetria quibus perficiatur. 1°.*de san.tuen.* 2ª.63.*D*
*Symmetriã egressũ tẽperamẽtũ est morbo ppinquũ.*8°.*me.m.* 7ª.51.*H*
SYMPATHIA. 5°.*meth.med.* 7ª.29.*H*
*per Sympathiam patitur principium neruis & tẽdonibus affectis.*3°. *de com.me.per ge.* 5ª.231.*E*
ad Sympathiam omnem neruorum Diasmyrnon apolophonion. 7°.*de comp.med.per ge.* 5ª.265.*B*
Συμπεπτικὸν δα *hoc est concoquens.*7°.*de simp.med.fac.* 5ª.51.*E*
SYMPHONOS *& lexopyretos appellatur confectio quædam Proxeni.* 7°.*de comp.me.sec.lo.* 5ª.182.*D*
Σύμφυσις *quid vocent.de fract.com.*3°. 7ª.250.*D*
SYMPHYSYS *naturalis unio ossium.de ossibus.* 1ª.40.*H*
Symphysis duplex.de ossibus. 1ª.40.*C*
SYMPHYTVM *quid.de simp.med.* *Sp.*90.*F*
*Symphyti petrei vires quales.*8°.*de simp.me.fa.* 5ª.61.*F*
*Symphytum petræum pus in thorace pulmoneq̃ expurgat, eiectionibus sanguinis auxiliatur,sitim extinguit,& arteriæ asperitates sanat.*8°.*de sim.med.fa.* 5ª.61.*F*
*Symphytum petræum enterocælijs imponitur,ad conuulsa et rupta cũ oxymelite bibitur,ad muliebre profluuiũ exhibetur,& ad nephritim.*8°.*de sim.me.fa.* 5ª.61.*G*
Symphytum ad restringendum sanguinem execrantibus datur, viscide stringit & glutinat.de simp.med. *Sp.*90.*F*
*Symphytum utile ad sinus glutinandos.*2°.*de ar.cu.ad Gl.* 7ª.106.*G*
Symphyton inter illas herbas est,quibus uel solis possunt ulcera maligna curari. 5°.*de comp.me.per ge.* 5ª.246.*A*
*Symphytum magnum quale.*8°.*de simp.me.fa.* 5ª.61.*G*
*Symphytum est simile scillæ.*8°.*de simp.me.fa.* 5ª.61.*G*
in SYMPOSIIS *lyra & cithara solebant pulsari.* 1°.*met.me.* 7ª.2.*D*
*in Symposiis qui sermones habendi.*1°.*meth.med.* 7ª.2.*D*
SYMPTOMA *etiam epigennema dicitur.de symp.diff.* 3ª.10.*C*
*Symptoma quid.de subfig.emp.*32.*C/sh.med.Isag.*46.*B/ de symp.dif.* 3ª.11.*B/H/*1°.*meth.med.*8.*E/*11°. 7ª.71.*D*
*Symptoma quid sit,per exempla ostendit.*2°.*meth.med.* 7ª.9.*H*
Symptomata quæ uocet.de symp.diff. 3ª.11.*A*
*Symptoma quid secundum Thessalum.*1°.*meth.med.* 7ª.8.*F*
*Symptoma quid secundum Olympicum.*1°.*meth.med.* 7ª.8.*F*
*Symptomata quæ ab aliquibus dicantur.*12°.*meth.med.* 7ª.74.*F*
*Symptomata uocãtur in ægris,quæ accidẽtia in sanis.*1°.*m.m.* 7ª.8.*D*
per Symptoma cõmuniter quid intelligendum.de symp.diff. 3ª.11.*C*
Symptoma proprie quid.de symp.diff. 3ª.11.*C*
*Symptomata quæ sint.*1°.*meth.me.*7.*H/*2°. 7ª.10.*C*
Symptomata quæ proprie.de symp.diff. 3ª.11.*H*
*Symptomata quæ uere sint.*2°.*meth.med.* 7ª.9.*D*
Symptomatis propria diffinitio.de sympt.diff. 3ª.11.*A*
*Symptoma est vnũ ex tribus gñibus præter naturã.de const.ar.Is.*40.*c*
Symptoma est unum ex gñibus præter naturam.de const.ar. *Is.*42.*C*
*Symptoma unũ est ex illis q̃ sunt p̃ter naturã in ãali.*1°.*me.m.* 7ª.8.*G*
*Symptoma est eorum quæ corporibus nostris à naturæ suæ modo egressis accidunt.*2°.*meth.med.* 7ª.9.*B*
Symptomata sunt actionum læsiones.de sympt.differ. 3ª.13.*A/H/*1° *meth.med.* 7ª.7.*H*
*Symptoma pessimum læsæ actionis.*3°.*de sympt.caus.* 3ª.26.*H*
*Symptoma proprium cuiuscunq; partis est noxa propriæ actionis qualiscunque sit speciei.*2°.*de loc.aff.* 4ª.10.*H*
*Symptomata sunt actionis amissio,actionis læsio,& actionis in aliam speciem mutatio.*2°.*de symp.cau.* 3ª.24.*B*
in Symptomatibus qđ docetur de actionũ læsione, in morborum doctrina illi tradere debent,qui nolunt sanitatem esse affectũ corporis, uñ actio proficiscatur,sed ipsas actiones.de symp.diff. 3ª.11.*C*
Symptomatiũ noĩa ignorãtes dicũt se habere fastidiũ.de mult. 3ª.76.*F*
*Symptomata cõmuni nomine sunt, quæ excernũtur immodice,quę præter naturam retinentur,& uitia functionum.*2°.*meth.me.* 7ª.9.*H*
*Symptoma est ex genere permanentium.*2°.*met.med.* 7ª.10.*B*
Symptoma a symptomate, quatenus symptoma,non differt.aduersus Lycum. *Ex.*62.*G*
*Symptomatum distinctio.*1°.*meth.med.* 7ª.7.*H*
*Symptoma duplex.*1°.*meth.med.* 7ª.8.*G*
Symptomatum triplex differentia.de symp.diff. 3ª.11.*B*
*Symptomatum tria gña.de const.ar.Is.*40.*C./*1°.*de symp.ca.* 3ª.14.*B*
*Symptomatum tres differentiæ.*12°.*meth.me.* 7ª.74.*F*
*de Symptomatum & morborum differentijs liber, ante librum methodi legendus est.*2°.*meth.me.* 7ª.9.*G*
*Symptomatum omnium natura morbos præcedit.de symp.dif.*3ª.13.*F*
*Symptomatum quandoq; sibi inuicem succedunt.de sym. diff.*3ª.13.*F*
Symptomata ab operibus debent bene distingui de symp. dif. 3ª.13.*g*
Symptoma & opus sunt inter se similia.de symp.diff. 3ª.13.*G*
Symptoma & passio quandoq; sunt eædem res.de symp.diff. 3ª.11.*A*
Symptomatis & passionis differentia.de symp.diff. 3ª.11.*B*
Symptomatis & morbi differentia.de symp.diff. 3ª.11.*B*
Symptomatis proprium quid sit.de sym.diff. 3ª.11.*A*
*Symptomata ppria morbi,simul cũ morbo ĩcipiũt.*1°.*de cris.*4ª.126.*g*
*Symptomata a mox apparentia quæ.*1°.*de crisi.* 4ª.126.*G*
*Symptoma põt habere unam causam,& plures.de symp. diff.*3ª.13.*F*
*sub Symptomate quomodo sint morbi & causa.de symp.diff.*3ª.11.*B*
*Symptomatis causæ,& morbi proprium quod,& quod commune.*2°. *meth.med.* 7ª.10.*C*
*Symptoma quandoq; habet locum causæ.*12°.*meth.med.* 7ª.74.*G*
*Symptoma simul & causa quid sint.*11°.*meth.med.* 7ª.71.*C*
Symptoma quod non tantum, vt signum, sed etiam ut causa prauũ est. in 1^m.*prorrh.comm.*3°. 4ª.183.*B*
*de Symptomatum causis libri institutum est indicare methodum per generales sermones.*1°.*de sympt.cau.* 3ª.15.*E*
*de Symptomatum causis liber non est legendus ab hebetioribus.*2°.*de sympt.cau.* 3ª.22.*A*
*de Symptomatum causis librum præcedit liber de uirtutibus naturalibus.*2°.*de symp.cau.* 3ª.21.*B*
in de Symptomatum causis libro nullam opinionem refellit Galenus. 2°.*de symp.cau.* 3ª.21.*B*
*in de Symptomatum causis primo,secundo,& tertio libro quid faciat Galenus.*2°.*de sympt.cau.* 3ª.24.*B*
*de Symptomatum & morborum causis & differentijs liber, debet librum methodi præcedere.*2°.*meth.med.* 7ª.12.*H*
*Symptomata sunt dolor & sordes.*3°.*meth.med.* 7ª.22.*E*
*Symptomata omnia unde proueniant.*3°.*de symp.cau.* 3ª.29.*E*
Symptomatum aliqua causas,alia locos passos, alia facultates, alia ægrotantes sequuntur.de opt.sec. *Isa.*24.*B/D*
Symptomatum omnium causa sunt morbi.de sympt.diff. 3ª.13.*A*
q̃ Symptomata morbus præcedat ex rerum essentia colligitur.de symptom.differ. 3ª.13.*A*

Symptomata diuersa

Symptomata diuersa gignuntur pro cruditatis magnitudine ac differentia, naturaq; hominis facili, aut difficili sensu, ac singularũ corporis particularũ robore, aut imbecillitate. 3°. de sym.cau. 3ª.30.C
ad Symptomata facit natura hominis. 1°. de sym.cau. 3ª.30.C
Symptoma ex natura esse quo cognoscatur. in prog.com. 3°. 4ª.211.H
ad Symptomatum diuersitatem faciunt male concoctorum differentię. 3°. de symp cau. 3ª.30.C
Symptomatum cognitio vtilis est. introd. Isa.52.B
Symptomata morborum necessario sciri debent. de cõstit.ar. Is.40.G
circa Symptomata medicus quæ scire debeat. 3°. de sym. cau. 3ª.25.B
Symptomata inutilia ab inutilib. distinguere oportet. de op.se. Is.24.C
in Symptomatibus inueniẽdis exercitari debemus. 3°. de sy.c. 3ª.24.F
Symptomata quæ magis & clarius videantur, & quæ nõ. 2°. de sym ptomatum causis. 3ª.21.E
Symptomata pulsuum manifestant morbos. de const.ar. Isa.40.H
Symptomata in membris quomodo cõsideranda. 11°. me.me. 7ª.73.C
Symptomata præsentia & præterita in quocunq; debet medicus considerare, & quomodo. 1°. de lo.aff. 4ª.2.G
Symptomata non solũ præsentia, sed & præterita considerandasunt, ad sedem affectam inueniendam. 6°. de lo.aff. 4ª.39.A
Symptomata superuenientia quæ. de vic.ra. in mor.ac.cõ. 4°. 7ª.142.B
Symptomata pathognomonica quæ. de const.ar. Isa.40.D
a Symptomatibus morbus cognoscitur. de const.ar. Isa.40.C
Symptomata rara habent habitus rari. 6°. de lo.af. 4ª.39.D
Symptomata multa. 2°. de symp.cau. 3ª.21.E
Symptomata sunt magna ob magnitudinem passionis & morbi. 2°. de symp.cau. 3ª.15.B
Symptomata oĩa quẽ modũ seruẽt. in 1ᵐ. de mor.vul.cõ. 3°. 3ª.120.B
Symptoma quo fit modus deducitur ad genus causæ effectricis 3°. de symptoma.caus. 3ª.25.B
Symptoma vnum aliud sequitur. de symp.diff. 3ª.12.E
in Symptomatibus aliquibus cur concursus variant, & in aliquibus nõ. de optima secta. Isa.24.B
Symptoma symptomatis causa est. de sym.diff. 3ª.12.G
Symptomata cognata, & quæ affinia. de subs.emp. Isa.32.D
Symptomata quomodo a morbis dependeant. de const.ar. Is.40.C
Symptoma ab ægritudine distingui debet a medico. de sub.em. Is.32.C
Symptomatum quorum morbi sunt causę. de sym.diff. 3ª.13.A
Symptomata quæ in corporis consistunt affectibus, quot distinguãtur differentijs. de sym.diff. 3ª.13.B
Symptomatum vitæ ratio causa est. 3°. de sym.cau. 3ª.25.B
Symptoma instrumentaliũ & similariũ partiũ. 3°. de sym.ca. 3ª.25.B
a Symptomatibus morbi nominati sunt aliqui. 2°. met.me. 7ª.9.D
Symptomata ex influẽte humore morbos quoq; suæ generationis causam habent. de sympt.diff. 3ª.13.D
cum Symptomatibus febres quid sint. 12°. met.me. 7ª.74.F
Symptomata & pulsus tertianæ. de typis. 3ª.90.F
Symptomata exitiosa in ardentibus. in 1ᵐ. de mor.vul.cõ. 2°. 3ª.115.A
Symptomata causum indicantia parognomonica dicta. de victus ratione in morb.acu.com. 4°. 7ª.134.H
Symptomata quotidianæ. de typis. 3ª.90.F
Symptomata marasmi syncoposi, quæ. de mar. 3ª.48.F
Symptomata morbosa an ad artem medicam vel ad sanitatis tuendæ partem, vel ad artem aliam spectent. 4°. de sa.tuen. 2ª.82.D
Symptomata quæ cerebrum & oculos afficiunt, sequuntur vaporationẽ vitiosorũ humorũ. 5°. de lo.aff. 4ª.32.H
Symptoma proprium desipientiæ, quod. 2°. de diff.resp. 3ª.63.H
Symptomata phrenitici quæ. de comate. 3ª.49.A
Symptoma non morbus est cataptosis. de tot.mor.temp. 3ª.89.C
Symptomata naturalium functionum, & animalium inueniendi eadẽ ratio. 3°. de symp.cau. 3ª.24.F
Symptomata maxima patitur stomachus, & cur. 1°. de sy.ca. 3ª.18.E
Symptomata ventriculi qñ vehementiora. 1°. de sym.cau. 3ª.18.F
Symptomata tria habet vẽtris tractrix facultas. 3°. de sy.ca. 3ª.25.G
Symptomata retentricis ventriculi facultatis. 3°. de sy.cau. 3ª.25.D
Symptomata rectricis facultatis q̃, & quot gña. 2°. de sy.ca. 3ª.24.B
Symptomata & morbi expultricis virtutis, & retentricis simul miscentur. 3°. de sym.cau. 3ª.25.E
quodnam Symptoma accidat ijs, quibus uentriculus est perfrigeratus. 3°. de symp.cau. 3ª.25.F
Symptoma in nutriendi actione. 3°. de sym.cau. 3ª.25.B
Symptomata particularum trahentium cibum. 3°. de sym.ca. 3ª.26.A
Symptomata suffusioni similia oculos infestant, cum in ore uentriculi excrementa fuerint collecta. 1°. de loc.aff. 4ª.3.F
Symptomata suffusioni similia interdum apparent, vbi sanguinis profluuium futurum est, aut vomitus. 1°. de loc.aff. 4ª.3.H
Symptomata coloris unde inducantur. 3°. de symp.cau. 3ª.30.D
Symptoma coctiõis ẽ uẽtriculi frustratio ĩ alterãdo. 3°. de sy.c. 3ª.24.f
Symptoma nullum cruditatem necessario sequitur. 3°. de sy.c. 3ª.30.D
Symptomata maiora & plura facit magna cruditas, parua autem cõtra. 3°. de sym.cau. 3ª.30.C
Symptoma qd ex cibis oriẽ, ex facili corrigitur. 3°. de sym.c. 3ª.25.C
Symptoma succorum fusorum. 1°. de symp.cau. 3ª.18.B
Symptomata maxima succus atq; humor exiguus in vna parte contẽtus inferre potest. 6°. de loc.aff. 4ª.40.A
Symptoma & signum est rigor. 2°. de symp.cau. 3ª.22.E
Symptomata necessaria in pleuritide. de const.ar. Isa.40.E
Symptomata quomodo sint motus intestinorum, uteri, & vesicæ. 2°. de symp.cau. 3ª.21.E
Symptoma in lienteria. 3°. de sym.cau. 3ª.25.F
Symptoma in venis quod. 3°. de sym.cau. 3ª.25.A
Symptomatum omnium genere, actionis amissio, defectus, & priuatio eiusdem reperiuntur. 3°. de sympt.cau. 3ª.25.A
Symptomata facit scorpionis ictus, & quæ. 6°. de loc.aff. 4ª.40.A
Symptomata sunt diuersa in partibus aĩalibus ratione qua sunt animata, & ratione qua sunt naturalia. 1°. de loc.aff. 4ª.8.B
Symptomata cur crescant, & minuantur. de opt.sec. Isa.25.B
Symptomati non debetur curatio, sed affectui ipsum creanti. in 6ᵐ. de morb.vulg.com. 2°. 3ª.161.F
Symptoma vt Symptoma nõ indicat curationẽ. 12°. met.m. 7ª.74.G
Symptomata in totum sunt inutilia ad curationem secundũ methodicos, quod negat Galenus, & quare. de opt.sec. Isa.24.G
Symptomati non est attendendum, sed morbo cum uires constent. 12°. meth.med. 7ª.74.H
Symptoma ĩ cõtrariũ ducitur, cũ affectus sanatur. 11°. m.m. 7ª.70.H
Symptomata quandoq; grauia sunt, & affectio mitior. de victus rat. in morb.acu.com. 3°. 7ª.133.E
Symptomata pessima, & vrina optima signant hoiem euasurũ, sed acute ægrotaturũ, si urina praua breui iudicaturum, si mediocris, lõgiori tpe superstitẽ eandẽ moriturũ. in 6ᵐ. de mor.v.cõ. 6°. 3ª.197.B
Symptomata quæ neq; bonũ neq; malũ portẽdunt. 1°. de crisi. 4ª.131.C
Symptomata mala in die iudicatorio peiora. de victus ratione in mor. acu.comm. 4°. 7ª.142.G
Symptomata docent morbum curandum, locum affectum, & diss ositionem. 1°. de lo.aff. 4ª.7.G
Symptomata duo si contingant contraria fortius cõsiderandum est. 1°. de ar.curat. ad Glauc. 7ª.98.E
Symptomati maximo primo occurrendum. 11°. meth.med. 7ª.69.H
Symptoma magis urgens quid sit, & quid considerandum semper. 7°. de comp.me.se.lo. 5ª.181.B
Symptomata quæ trahunt ad se curationem. 12°. meth.me. 7ª.74.F
Symptoma trahens ad se curationem, quando incidit, necesse est curationis finis serius aduenial, & quare. 11°. met.med. 7ª.70.E
Symptoma quod nullã seorsum curationẽ exigit. 12°. met.me. 7ª.74.f
cõtra Symptoma q pugnãt, hñt stupefaciẽtia ppria. 12°. m.m. 7ª.75.d
Symptomatis curatio nõ est, sedatio doloris per missionem sanguinis, vel per medicamentum in pleuritide. 12°. meth.med. 7ª.74.G
Symptoma non adimentia, sed affectum quæ. 12°. met.med. 7ª.75.D
SYMPTOMASIS *quid. introductio. Isa.59.B*
SYMPTOSIS *est affectus meatuum pupillæ. introd. Isa.58.E*
SYNANCHE *quid sit. de uict.rat. in morb.acu.com. 4°. 7ª.137.A*
Synanche quid sit secundum Erasistratum. de ven.sect. 6ª.11.B
Synanches duas species. de uict.rat. in morb.ac.com. 4°. 7ª.138.F
Synanchon, siue Cynanchon, aut Synanchẽ, vel Cynãchem dicas parui refert, mõ scias duas eẽ synãches rões. d ui ra. ĩ m.a.c. 4°. 7ª.138.f
Synanche, non cynãche secũdum aliquos, quamq; parũ referre uidetur apud Hippoc. quouis modo dicas. in prog.com. 3°. 4ª.209.C
Synanche iuxta synãche quid sit, quomodo fiat, quomodo appelletur ab alijs. comm. 4°. aph. 34°. Ex.31.D
Ε Συγάυχη species anginæ est, & qualis. introd. Isa.55.G
Synanche ceruicis est affectus. introd. Isa.59.C
Synanche est inflãmatio faucium. 2°. de art.cur. ad Glau. 7ª.101.D
Synanche morbus acutus est. introd. Isa.55.E
Syuanche morbus est peracutus. finitiones medicæ. Isa.45.F

Synanche ponitur inter morbos uere apparentes, & qui ex plenitudine oriuntur. 5°. de san. tuen. 2ª.94.D
in Synanche sanguis mittendus. de ven. sec. adu. erf. Eraſ. 6ª.7.D
in Synanche. i. angina quæ venæ secandæ. 12°. meth. med. 7ª.83.B
in Synãche seca venã extrinsecã è directo. 2°. de ar. c. ad Gl. 7ª.102.g
in Synãche vena sub lingua cur incidẽda. 2°. de ar. cu. ad G. 7ª.102.g
Synanche si quis laboret catharticis utimur. de dy. Sp.20.E
ad Synanchen ustæ hirundines quomodo conferant. 11°. de simp. me. facul. 5ª.82.B
Synanchen siue anginam mitigat lac. 10°. de simp. me. fac. 5ª.73.H
Synanchen cum tumore venientem emendat succus mororum. de simplic. me. Sp.87.G
Synanchen curat raphanus. de simp. med. Sp.89.F
ad Synanchen quæ in faucem rumpit electariũ vtile. de dy. Sp.26.C
ad Synanchen. 2°. de comp. me. per ge. 5ª.22.E
ad Synanchas, & reliquas in ore affectiones stomatichum Aristotelis. 6°. de comp. me. se. lo. 5ª.170.D
Synanches meminit. 6°. de com. me. se. lo. 5ª.174.B
SYNANCHICORVM *pulsus. de dyn.* Sp.34.G
Synanchicis robur uirium est una salus. 10°. met. med. 7ª.63.H
Synanchici mortui quia uena non secta. de ue. sect. adu. Era. 6ª.9.F
Synanchicis cur arteria ulceratur. de vic. ra. in mor. ac. c. 4°. 7ª.139.C
Synanchicis damus cholagoga. de dy. Sp.20.G
Synanchico iuuat succus centaureæ. de vir. centau. Sp.93.D
Synanchicos melius curant mora syluestria aliis. de simp. me. Sp.87.H
ad Synanchicos Pastillus Asclepiadis. 5°. de com. me. per g. 5ª.251.B
Synanchici casus. de ven. sect. aduer. Era. 6ª.9.H
SYNAPI *tam cibus quam medicamentum calidũ est. 3°. de tẽp.* 1ª.24.d
Synapi nobis admotum calefacere aptum est. 3°. de temp. 1ª.21.H
Synapi impositum cuti exulcerat & erodit. 3°. de temp. 1ª.22.G
Synapi mistum cum re dulci extra non exulcerat. 3°. de temp. 1ª.22.H
in Synapi quando ut nutrimentum sumitur, quod superuacuum & acre est, excernitur per aluũ, urinas, & sudores. 3°. de tẽp. 1ª.22.b
Synapi solũ molestiã adferre uentriculo, comestũ. 3°. de temp. 1ª.22.H
Συνάρθρωσις *qd apud græcos significet. intr. Isa. 54.F/ de oss.* 1ª.40.A
Synarthroseos triplex species. de ossib. 1ª.40.B
SYNCERVM *quid significet. in prog. Hip. com. 2°.* 4ª.201.F
Syncerus quilibet humor præter sanguinem est malus. in prog. Hipp. com. 2°. 4ª.202.E
Synceræ uomitiones atque implacidæ, malæ. in 1ᵐ. pro. Hippocr. comment. 2°. 4ª.173.D
Syncera screatio nigra pessima est. in prog. Hip. com. 2°. 4ª.202.G
Syncera deiectio quæ. in 1ᵐ. prorrh. com. 2°. 171.C/ 4ª.205.B/ comm. 7°. aph. 6°. Ex.54.D
Syncera deiectio quæ, & quid agat. com. 7°. aph. 23°. Ex.55.E
ex Syncera deiectione difficultas intestinorum. c. 7°. aphor. 23°. 55.E/ aph. 71°. Ex.60.G
Synceræ & spumosæ deiectiões pravæ sunt ĩ 1ᵐ. pr. Hip. c. 2°. 4ª.171.b
Syncera omnia mala. in 1ᵐ. pror. com. 2°. 4ª.173.D
SYNCRIMATA *vocãtur cõpositiones ex elemẽtis. de dif. mor.* 3ª.3.C
Συγχρίσματα *inunctiones Asclepiades uocat. 2°. de ant.* 5ª.113.H
SYNCHYSIS *affectus pupillæ. introd.* Isa.58.D
SYNCHRYSMA *7°. de comp. me. per gen.* 5ª.278.G
Συγκομισούς *appellabant antiqui panes medios inter puros, & sordidos. 1°. de alim. fac.* 2ª.9.G
SVNCOMISTE *pinea qualis. 5°. de com. me. per ge.* 5ª.233.D
SYNCONDROSIS *quid. de ossi.* 1ª.40.C
inter SYNCOPEM, *& animi deliquiũ differẽtia. 12°. me. me.* 7ª.77.F
Syncope fit ob oris uentriculi affectum. 5°. de loc. aff. 4ª.32.E
Syncopas & symptomata non parua incurrit os uentriculi ob sensum exquisitum. 12°. meth. med. 7ª.77.F
Syncope vitio stomachi qualis. 5°. de loc. aff. 4ª.32.H
Syncope qui detinentur ore uentriculi uexato. 11°. meth. me. 7ª.74.D
Syncopes cum sudore in uentriculo affecto. 7°. meth. me. 7ª.48.G
Syncope affectus nominatur, quando sudores proueniunt resoluto corporis habitu. 3°. de symp. cau. 3ª.28.F
Syncope stomachica. de vict. rat. in morb. acu. com. 4°. 7ª.133.B
Syncopim iducẽtẽ affectũ, stomachicũ uocãt. 1°. de pẽs. ex pu. 4ª.109.c
Syncope stomachica quæ. 6°. de loc. aff. 4ª.41.B
Syncopæ stomachicæ cuius sint. 1°. de symp. cau. 3ª.17.H
Syncopæ stomachicæ quæ sequantur. 6°. de loc. aff. 4ª.29.C
Syncopæ stomachice qd significẽt. de vic. ra. in m. ac. cõ. 2°. 7ª.123.B
in Syncopæ uitio stomachi qũo mori contingat. 5°. de lo. affe. 4ª.29.B
Syncopæ cardiacæ vnde oriantur. de vic. rat. in mo. acu. c. 4°. 7ª.137.E
Syncope sunt passiones a corde prouenientes. de virt. nost. Sp.60.B
Syncope cardiaca quæ sequatur. 5°. de loc. affect. 4ª.29.C
in Syncopi quæ est passio cordis imaginãtur quidã. de uti. resp. Sp.63.f
in Syncopa cordis uel stomachi licet manus sint imbecilles, tamen non habet affectum. 5°. de lo. aff. 4ª.35.C
Syncope dardiaca quomodo animal moriatur. 5°. de lo. aff. 4ª.29.D
Syncopis ex corde uel stomacho affecto pulsus. de pul. ad Ty. 4ª.45.E
ad Syncopem cuitandam quid agendum. 12°. meth. med. 7ª.77.F
in Syncopis cardiacis pulsus. de puls. ad Ty. 4ª.44.H
Syncopes alij modi. 12°. meth. med. 7ª.78.B
de Syncope ex tenuibus humoribus ocyssime exhalantibus. 12°. met. med. 7ª.77.G
in Syncope ex tenuibus succis, si adsit phlegmon intrinseca, moriũtur. 12°. meth. med. 7ª.77.H
in Syncope quando periculum extremum. 12°. meth. me. 7ª.75.G
Syncope prosternit uim uitalem. 4°. de præs. expu. 4ª.121.G
Syncopa intercepti cito obeunt. 5°. de loc. aff. 4ª.29.E
Syncope arrepti de repente moriuntur. com. 2°. aph. 41°. Ex.18.A
Syncopa correpti moriuntur frigidi. 1°. de præsag. ex pul. 4ª.107.H
Syncopa quomodo cognoscatur ex pulsu. 4°. de cau. pul. 4ª.100.H
in Syncopis quas concitant exitiales, & acutæ febres pulsus qualis: de puls. ad Tyr. 4ª.44.G
in Syncopa crebri sunt pulsus. 2°. de præsag. expul. 4ª.111.F
Syncopẽ futurã in phreneſi qũo deprehẽdatur. de pul. ad Ty. 4ª.45.G
Syncopem cũ cruditate habentium pulsus, qualis. 12°. me. m. 7ª.76.B
in Syncopa qui frigidos habent succos, pulsum parum tardum & rarũ habent. 12°. meth. med. 7ª.76.B
in Syncope quando desperatus æger. 12°. meth. med. 75.H/ 7ª.76.A
in Syncope quando spes salutis. 12° meth. med. 7ª.75.H
Syncope quibus fiat. 12°. meth. med. 7ª.77.F
Syncope cardiaca quando incidit. 1°. de sympt. cau. 3ª.18.F
SYNCOPA *præsens ipsa est curanda. 12°. meth. me.* 7ª.78.A
Syncopes actu curatio. 12°. meth. med. 7ª.76.C
Syncope quæ ab alimento sanatur, & quomodo. 12°. me. me. 7ª.75.D
Syncope in stomacho afflicto quomodo curetur. 11°. met. me. 7ª.70.F
Syncopem cum affert stomachus ex ardenti febre offensus quibus utẽdum uinis. 13°. meth. me. 7ª.76.E
Syncope ex flaua bile circa os uentriculi quomodo curanda. 12°. met. medendi. 7ª.76.C
Syncope ex cruditatibus quæ contraria. 12°. meth. me. 7ª.76.B
Syncope ex dolore quomodo curetur. 12°. met. me. 7ª.78.C
in Syncope actu calida danda, & quando. 12°. meth. me. 7ª.76.C
in Syncope mediocri quæ danda. 1°. de art. cur. ad Glau. 7ª.99.E
in Syncope quando danda alica. 12°. met. me. 7ª.75.H
cum Syncope febri conuenit mulsa cum hyssopo. 12°. me. me. 7ª.75.G
in Syncope usque ad septimam aqua mulsa cum hyssopo quando sufficiat 12°. meth. med. 7ª.76.A
Syncopim patiẽtibus corporibus prodest omphacomeli. de dy. Sp.22.c
Syncope ex tenuibus humoribus correpti, quibus nutriendi. 12°. met. meden. 7ª.77.G
in Syncope ex tenuibus succis ouorum uitellos esse dandos. 12°. meth. medendi. 7ª.78.A
in Syncope ex tenuibus succis cum febre oua dedit ante quartum diẽ, post quartum uero carnem. 12°. meth. me. 7ª.78.A
in Syncope ex succis tenuibus carnẽ dat post oua. 12°. me. m. 7ª.78.A
in Syncope oxymeli quando conueniat. 12°. met. me. 7ª.76.A
in Syncope dandus panis ex uino diluto. 12°. met. me. 7ª.75.H
in Syncope panis ex uino dandus, eo q̃ celerem in corpus digestionẽ adiuuet. 12°. meth. med. 7ª.76.C
in Syncopa ptisanæ cremor pro mulsa uel alica quando conueniat. 12°. meth. med. 7ª.76.A
in Syncope ex tenuibus succis testes gallorum lacte altorum, et cerebrum suis diligenter assum conueniunt. 12°. meth. med. 7ª.78.A
cum Syncope ad stomachi ardorem sorbitiones. 8°. de composi. medic. sec. loc. 5ª.191.H
in Syncope ex tenuibus succis laborantibus uinum aquosum cõuenit. 12°. meth. med. 7ª.78.A
in Syncope ex humoribus crudis uina qualia esse debent. 12°. metho. medendi. 7ª.76.E
Syncope ex bile circa os nẽtriculi cõueniẽtia uina, q̃. 12°. m. m. 7ª.76.d

in Syncope vina qualia esse debent. 12°.me.me. 7ª.76.D
in Syncope fugienda vina austera,& aqua. 12°.me.me. 7ª.76.H
in Syncope vina fulua tenuia faciunt. 12°.me.me. 7ª.76.H
in Syncope omni cur vinum conueniat. 12°.me. me. 7ª.76.D
in Syncope dat vinum. 11°.me.me. 7ª.70.F
in Syncope vina fugienda quæ.12°.me.me. 7ª.76.H
in Syncope amara vina non sumenda. 12°.me.me. 7ª.76.D
in Syncope relaxantia ex absinthio mediocriter perfundere quando conuenit. 12°.me.med. 7ª.76.A
Syncopam facile patienti,non est secanda vena.de subst.emp.If.32.F
SYNCOPOSI *marasmi qui.de marc.* 3ª.47.A
Syncoposi marasmi, symptomata quæ. de marc. 3ª.48.F
Συγκρίνεσθαι τὰ σώματα καὶ διακρίνεσθαι, quid significèt verba hæc. 4°.me.me. 7ª.26.B
de Syncriticis librum fecit Thessalus. 1°.me.me. 7ª.2.G
Σύνδεσμος quid. 1°.de motu muscu. 1ª.308.H
Syndesmi dolorem non possunt pati cor & pulmo.1°.de lo.aff.4ª.6.D
cũ SYNDONE *faciebant frictiones.de pue.epilep.* 7ª.180.B
SYNDROME *q̃d sit.de mul.76.D/in 1ᵐ.de mor.vul.c.1°.* 3ª.102.F
Συνδρομὴν concursum vocant empirici. 5°.de san.tu. 2ª.93.B
Syndrome empiricorum quid sit. 2°.me.me. 7ª.11.C
Syndrome empiricorum sunt in paucissimis. 5°.de san.tu. 2ª.93.E
Syndromẽ empiricorũ reꝑhendit.de vi.ra.in mor.acu.c.2°. 7ª.121.G
a Syndrome qui loquuntur deridendi. 3°.de san.tu. 2ª.81.A
absq; Syndrome plectorica quando sanguis detrahitur. de victus rõne in mor.acu.c.4°. 7ª.136.H
ex Syndrome plectorica sanguinis mittendi quantitas sumitur.de curandi ratione per sang. miss. 6ª.18.D
Syndrome pathognomonica symptomatum morbum indicantiũ cõcursus a græcis dicitur.de vict.ra.in mor.acut.c.4°. 7ª.142.A
Syndromes in peripneumonia,& laterũ cõpunctione inueniuntur. 5°. de san.tu. 2ª.93.E
Συνεδρεύονται.i. considerent.de vict.rat.in mor.acu.c.4°. 7ª.134.H
Συνεδρεύοντα .i.considẽtia.de vict.ra.in mor.acu.c.4°. 7ª.134.G
Syneruosis quid. de ossi. 1ª.40.C
SYNOCHA *vnde dicatur. 2°.de diff.feb.* 3ª.36.F
Synocha febris continuæ biliosæ species est.2°.de diff.feb. 3ª.36.F
Synochæ non habent circuitus. 3°. de crisi. 4ª.139.H
Synochæ febris distinctio.in 6ᵐ.de mor.vul.c.1°. 3ª.160.A
Synocharum tres differentiæ. 9°.me.me. 7ª.56.B
Synocharũ triplices differentiæ sunt,homotonæ.s.vel acmasticę,epacmasticæ,vel anabaticæ,& paracmatice hoc est decrescentes.2°.de diff.febr. 3ª.36.F
Synochæ quæ vna accessione finiunt. 2°.de diff.feb. 3ª.42.G/H
Synocharum febrium causam facilius est inuenire, quã earũ quæ per circuitus accessiones faciunt.2°.de diffe.feb. 3ª.40.E
Synochæ in duobus cõicant cum diarijs febribus. 11°.me.me.7ª.69.B
Synocha quę acuitur in horis sanguinis, qualis sit.de sperm.Sp.39.H
Synocha si magis acuitur in horis choleræ rubræ non est propria synoca.de sper. Sp.39.G
Synocha quando habet mistam pituitam salsam. de sper. Sp.40.A
de Synocharum pulsu & vrina.de dyna. Sp.34.B
Synochæ cõsimilem pulsum habẽt causus & synochus.de dy. S.34.B
Synocharum febrium vrinę quales. de vrinis. 4ª.124.H
in Synocha vrina alba aut subluuida morte significat.de dy. Sp.35.D
Synocha q̃n mutabitur in quotidianã,vel tertianam.de sper.Sp.40.A
Synocha quando transit in quartanam. de sper. Sp.40.A
Synocha & causus phlegmatico si cõtingãt,quid agẽdũ.de dy.S.39.g
in Synocha febre epithema ad præcordia.de dyn. Sp.33.C
in Synocha febre vnctio præcordiorũ. de dyn. Sp.33.D
ad Synocham febrem. de dyna. Sp.33.C
SYNOCHVS *quę febris dicitur.2°.de crisi.* 4ª.135.G
Synochi, quæ febres dicerentur apud iuniores medicos tempore Gal. in 1ᵐ.de mor.vul.c.3°. 3ª.118.D
Synochi febres quæ sint.9°.met. mc.56.A/11°. 7ª.68.G
Synochus est febris ardens.2°.de crisi. 4ª.135.G
Synochi non habent circuitus. de mor.temp. 3ª.87.D
Synocho hectică cõparat in cõtinuatione Gal.1°.de diff.feb. 3ª.35.C
Synochus febris habet longum statum.3°.de crisi. 4ª.140.C
Synochus quanto tempore ad vigorem peruenit, & q̃ postea æqualis sibi permanẽs continue ad iudiciũ ꝓperat.de tot.mor.tẽp. 3ª.89.B
Synochus proprie est continua. 1°.de diffe.feb. 3ª.35.C
Synochi non habent declinationem.de mor.temp. 3ª.86.D
Synochi tres differentiæ, quæ.2°.de crisi. 4ª.135.G
Synochorum tres differentiæ.9°.me.me. 7ª.57.A
Synochi genus q̃ habet cũ diarijs eandẽ naturã. 9°.me.me. 7ª.56.C
Iter Synochos numeranẽ febres liuidæ.ĩ 6ᵐ.de mo.vul.c.1°.3ª.159.G
Synochi,& hectice differentię.1°.de diff.feb. 3ª.35.C
Synochi secundum genus. 9°.me.me. 7ª.56.C
Synochi causa.2°.de diff.feb. 3ª.42.G/H
Synochus a putredine per totum corpus. 11°.me.me. 7ª.69.G
Synochus ex sanguinis putredine fit.in 6ᵐ.de mor.vu.c.1°.3ª.153.D
Synochus passio ex sanguine.de sper. Sp.38.B
Synochus ex sanguinis abundantia. 9°.me.me. 7ª.56.E
Synochus passio ex bile.de sper. Sp.38.B
Synochus,& causus fiunt ex acuitate bilis.de sper. Sp.39.H
Synochus q̃o ab vtero põt peruenire.in 6ᵐ.& mo.vul.c.1°.3ª.153.d
Synochus in quibus non fiat. 9°.me.me. 7ª.56.H
Synochus & causus sanguineo,& cholerico sunt ĩfirmitates naturales plegmatico vero accidentales.de sperm. Sp.39.G
Synochus in quibus fiat. 9°.me.me. 7ª.56.C
Synochus, & alia ex sanguine procedentia contingunt edito homini si cõceptũ sperma sit a muliere i tribº horis sanguinis.de sp. S.37.c
Synochus cuius ętatis, & corporis propria.11°.me.me. 7ª.71.F
Synochi pulsus qualis. 9°.me.me. 7ª.56.D
Synochus,& causus habẽt pulsum synochæ cõsimilẽ.de dy. Sp.34.A
Synochum,& causum significat vrina sanguinea. de dy. Sp.35.E
ĩ Synochis sunt morbi acutissimi. in 1ᵐ.de mor.vul.c.3°. 3ª.118.G
Synochus breui finit. 11°.me.me. 7ª.74.D
Synochi finiunt in quarto per crisim. 3°.de crisi. 4ª.140.D
Synochus & causus quando letales. de dy. Sp.34.A
de Synocho incidit homo in phrenitim. de dy. Sp.35.E
Synocharũ febrium duo maxima præsidia sunt, venæ sectio,& potio frigida. 9°.meth.med. 7ª.57.H
in Synochis quocũq; tempore fit venæ sectio. 9°.me.me. 7ª.57.H
in Synocho si venæ sectio ꝓtereat,quid sequi põt.9°.me.me. 7ª.57.C
in Synocho non est mittendus sanguis in puero, qui annos, adhuc non attigit quatuordecim,& cur. 11°.me.me. 7ª.71.F
in Synocho duorum casus.9°.me.me. 7ª.56.D
in Synocho & putredine casus.9°.me.me. 7ª.56.H
in Synocho vsq; ad animi defectum venam secuit.9°.me.me.7ª.56.H
SYNODONTI *venter in ore rapitur.3°.de na.fa.* 1ª.304.H
SYNTATICA *quæ vocant medicamenta. 4°.me.me.* 7ª.29.C
SYNTAXIS *constructio & ordinatio.dr.in 1ᵐ.pror.c.3°.* 4ª.178.F
SYNTESIS *.i.compositio.in 1ᵐ.pror.c.3°.* 4ª.170.F
SYNTESIM *.i.colliquationem renum denunciat vrina, quæ velut rasurã habuerit,& arenã,et in nebulis quasi sãguinẽ. de dy.* Sp.34.f
Syntexis.i.colliquatio proprium symptoma est pestilentis febris.ĩ 1ᵐ. de mor.vul.c.3°. 3ª.145.D
Συνουλωτικὰ medicamenta & epulωtica quæ græce vocẽtur.12°.me. med. 7ª.81.F
Synulotica emplastra quæ.2°.de comp.me.per ge. 5ª.223.H
Συπεδονώδεις .i.putredinosos græci vocant.8°.me.me. 7ª.54.C
SYPHON *rectus in quibus desideretur. 5°.me.me.* 7ª.32.D
Syphones recti quibus in vesicam aliquid infunditur catheteras dicũt. 5°.me.med. 7ª.34.D
SYRACI roris meminit. de dy. Sp.28.B
SYRAEVM quid.7°.de comp.me.se.lo. 5ª.177.F
Syræum sapa dicitur vel hepsema.3°.de comp.me.per ge. 5ª.229.D
Syręum quale & quo fiat.de vict.ra.in mor. acu.c.3°. 7ª.125.G
Syræum vinum solum dulce.4°.de simp.me.fa. 5ª.26.F
SYRIAM *cauam,& in Cyprum nauigauit Galenus discendi gratia. 9°.de simp.me.fac.* 5ª.65.B
in Syria caua nascitur bitumen. 9°.de simp.me.fa. 5ª.65.B
SYRIACVS *succus est adstringentibus parabilibus. 6°.de comp.me. sec.loc.* 5ª.169.F
Syriaco succo vtitur.5°.de comp.med.sec.loc.164.C/7°.5ª.186.B/ de med.fac.par. 7ª.174.D
Syriacum crocinum.7°.de comp.me.per ge. 5ª.272.E
Syriacum vnguentum.2°.de comp.me.se.lo. 5ª.135.E/F
Syriacum malum. de dyna. Sp.33.B/C
SYRIA *mala.de dynami.* Sp.24.D
SYRICIVM *quid.de simp.med.* Sp.90.C
Syricium vrinam & calculũ ꝓuocat,& sternutare copiose facit tũsa

& cribrata & in naribus impoſita. de ſimp.med. Sp.90.C
SYRICVM *quomodo fiat, & eius vires. de ſimp.med.* Sp.89.H
SYRINGOTOMA, *quæ a græcis appellentur.* 6°.*me.me.* 7ª.39.D
SYRINX *quid.ſin.med.* Iſ.49.A
Syringa eſt ſpecillum oricularium. de op.ſec. Iſa.25.B
Syringa cathetera nominatur. de op. ſec. Iſa.25.B
Syringa catheterem græci vocant, nunc argenteo, tempore Gal. erat æneo. 1°. de loc.affe. 4ª.3.A
ex Syringa quo cognoſcatur vicus, quando fuerit. 1°. de lo.af. 4ª.3.B
Syringę apponebant lanam & quare. introd. Iſa.60.B
Συρμαισμοί *.i. tractus qui appellarẽt a græcis. de art.c.2°.* 7ª.267.H
κατὰ Συρμόν *.i. per tractum non* κοτὰ ϖλαγίν *ſcarificatio facienda eſt. de cucur.ſcar.* 6ª.3.G
SYRVPVS *acetoſus ad corporis ſanitatẽ conſeruandã. ſecr.* Sp.103.D
Syrupus de calamintha ſpaſmo conferens. ſecre. Sp.103.E
Syrupus de fructibus. ſecre. Sp.98.D
Syrupi Galenus facit mentionem ſimpliciter. de dyn. Sp.26.E
Syrupus mellis quomodo fiat. de medi.exper. Sp.104.B
Syrupus de melle pro potu. ſecr. Sp.102.E
Syrupus de ſachar. de cura lap. Sp.112.B
Syrupus dat pro pituita lenta diſſecanda. 7°.*me.me.* 7ª.48.D
Syrupi quibus vti debemus in lapide. de cura lap. Sp.111.H
per Syrupos aufert dolorem lapidis. de cura lap. Sp.111.H
SYRVM *vires habet acriter relaxantes, veſicam petit, vrinam prouocat, in antidota aduerſus venena mittitur. de ſimp.me.* Sp.90.H
SYSSARCOSIS *quid. de oſſi.* 1ª.40.C
SYSTASIS *emmoton quid ſit.* 2°.*de comp.me.per ge.* 5ª.221.H
Σύσημα *quid ſignificet.* 2°.*de præſag. ex pulſ.* 4ª.110.C
Συσηματική *quid ſignificet.* 2°.*de præſag. ex pul.* 4ª.110.C
Syſtematice dicitur a græcis inæqualitas. 12°.*me.me.* 7ª.75.E
Syſtematica quæ. de diff.reſp. 3ª.61.A
SYSTOLE *quid. fin.med.* Iſa.46.G
Syſtole an arteriarum actio ſit. de vſu pul. 1ª.229.A
Syſtole in pulſibus quid. de vſu pul. 1ª.229.D
Syſtole quibus fiat. 6°.*de vſu par.* 1ª.150.E
per Syſtolem quid ſequatur. de vſu pulſ. 1ª.228.E
Syſtole quid agat. 4°.*de vſu par.* 1ª.140.D
Syſtole dormiẽtiũ qui ample comederint, qualis. de vſu pul. 1ª.229.E
Συσροφαί *quæ dicantur. de victꝰ rat. in mor.acu.com.* 4°. 7ª.137.D
Συσροφαί *ſanguinis miſſiõe iuuant. de vic.ra. in mor.ac.c.* 4°.7ª.137.D

T r, non poteſt lingua aliquorũ exquiſite de articulare, vt in voce traulus, trepidus, tremit tradit, trochus, triſtis & quęcũq; alię tales, hæ ſiquidem omnes exigunt linguã ſe ampliantem, ac prioribus dẽtibus innitẽtẽ. com. 6°.*aph.* 33°. Ex.49.G

T & r, ſonum articulare non potens lĩgua imbecilla ad t, & l pronunciandum labi tur.c. 6°.*aph.* 32°. Ex.49.H

TABES *quid.fin.med.* 47.E/ *introd.* Iſa.56.F
Tabes ſeu maraſmus non eſt idem morbus ac paſsio cum febre maraſmode, id eſt tabida. 1°.*de diff.feb.* 3ª.34.E
Tabes numeratur inter motus. 4°.*de pulſ. dif.* 4ª.67.D
Tabes morbus eſt diuturnus. fin.me. Iſ.45.F/*c.* 1°.*aph.* 12°. Ex.5.D
Tabes eſt morbus longus intrinſecus. intro. Iſa.56.B
Tabes Hippocrates appellat vlceroſas diſpoſitiones in pulmone. c. 5°. *apho.* 11°. Ex.38.D
Tabes pulmonũ, aut thoracis, vel fauciũ eſt vlceratio. ſi.me. Iſ.47.E
Tabes eſt fruſtratio in nutriendi actione. de ſym.diff. 3ª.12.A
ad Tabem veram accedunt fame pereuntes. de mar. 3ª.46.H
in Tabe vera cor eſt debito frigidius. de marc. 3ª.46.H
Tabes quibus ętatibus maxime fiat. c. 5°.*aph.* 9°. Ex.38.C
Tabes an fiat iuuenibus, & cur. c. 3°.*aph.* 29°. Ex.26.C
Tabes quomodo fiat in ętate conſiſtentię. c. 3°.*aph.* 39°. Ex.26.C
Tabes ſine febre in decrepitis. 1°.*de diffe.feb.* 3ª.34.E
a Tabe, & maraſmo arripi dũr q̃ ſiccitas corruperit. de mar. 3ª.45.C
ad Tabem inclinati qui. in 1ᵐ.*de mor.vul.c.* 1°.3ª.105.F/*c.* 3°.*apho.* 13°.22.B/*c.* 5°.*aph.* 9°. Ex.38.C
ad Tabem producentibus febribus q̃ biliosa ſubducãtur. de victus ratione in morb.acut.c. 3°. 7ª.128.A
ad Tabẽ perducẽs febris quę. de vic.ra. in mor. acu.c. 3°. 7ª.128.A
TABES *in oculo quid. fin.med.* Iſa.48.E
TABES *ventriculi. de decub. prog. ex math. ſcien.* Sp.13.F
Tabem ſolo eriſipelate facit vemer. de marc. 3ª.47.G
Tabes renum νεφριτική *nominata eſt ab Hippocrate. intr.* Iſa.56.G
Tabes quomodo fiat. in 1ᵐ.*de mor.vul.cõ.* 1°.3ª.105.E/2°.*de præſa. ex pul.* 4ª.109.G
Tabes quomodo facta. in 3ᵐ.*de mor.vul.c.* 1°.127.H/*c.* 3°.3ª.146.A
Tabis duę differentiæ. in 1ᵐ.*de mor.vul.c.* 1°. 3ª.105.F
Tabis cauſa. in 1ᵐ.*de mor.vul.c.* 2°. 3ª.109.D
Tabes diſtillationem capitis ſequitur. in 3ᵐ.*de mo.vul.c.* 3°.3ª.143.B
Tabes fit a ſanguine collecto ĩter pectus, et pulmonẽ. 8°.*de de.* 1ª.275.F
Tabes fit ex ſuppreſſione menſium. de opt.ſect. Iſa.26.F
in Tabem tranſeunt ſuppurati a morbo laterali, ſi in quadraginta diebus non purgantur. c. 5°.*aph.* 15°. Ex.38.F
Tabes ſequitur ſanguinis ſputum. c. 3°.*aph.* 29°. Ex.26.B
Tabes in ſanguinis vomitu, & puris purgatio ſupra. commẽtario. 7°. *apho.* 74°. Ex.60.H
ad Tabem balnea quendam ducere. 1°.*de arte cur. ad Glau.* 7ª.97.B
Tabes quem ordinem habeat quando ſit. c. 7°.*aph.* 74°. Ex.60.H
Tabes incipiens quæ. 1°.*de diff.feb.* 3ª.34.G
Tabes cur & quomodo fiat autumno. c. 3°.*aph.* 22°. Ex.24.E
Tabes fiunt ſi æſtas ſicca auſtro perflante, & autumnus fuerit pluuioſus. de aere aquis, & locis. 2ª.2.F/*c.* 3°. *aph.* 13°. Ex.21.H
Tabes, tetanus, & tremor cur non facti fuerint in conſtitutione frigida & humida. in 1ᵐ.*de mor.vul.com.* 2°. 3ª.108.H
ad Tabem hectica quædam deducta ſunt medicorũ inſcitia. 1°.*de dif. febrium.* 3ª.34.E
i Tabẽ vergẽtis hectica ĩditia facile cognoſcũtur. 1°.*d̃ dif.feb.* 3ª.34.E
Tabes figuram naturalem immutat. de cauſ.mor. 3ª.8.H
Tabi quotidie & magis p̃ noctẽ acceſsiones fiunt. c. 1°.*ap.* 12°. Ex.5.D
Tabes non eſt cauſa anaſarcæ. 1°.*de nat. fac.* 1ª.292.F
Tabe quomodo iuuenes moriantur. c. 3°.*aph.* 30°. Ex.26.E
qui Tabe moleſtantur, ſi ſputũ quod extuſſiunt graue olet iniectum carbonibus, & capilli a capite defluunt letale. c. 5°.*ap.* 11°. Ex.38.D
Tabe quibuſcunq; laborantibus capilli a capite defluunt, iis alui pfluuio ſuperueniente, moriuntur. c. 5°.*aph.* 12°. Ex.38.D
ex Tabe profluuiũ eſt mala cã, & malũ ſignũ. c. 5°.*aph.* 12°. Ex.38.E
a Tabe habito pfluuiũ alui ſuperueniens, letale. c. 5°.*ap.* 14°. Ex.38.F
in Tabe qui ſint magis propinqui morti. c. 5°.*aph.* 14°. Ex.38.F
Tabis curatio. intro. Iſ.56.G
in Tabe lac aſininum adhuc calidum dandum. de mar. 3ª.48.D
ad Tabem. 7°.*de compoſi.med.ſec.locos.* 182.F/9°.5ª.201.A/*de reme.par.facilibus.* 7ª.165.G
Tabes lege Phthiſis.
ad TABESCENTES *Arteriace Blaſti valde bona.* 7°. *de compoſi. me. ſec.loc.* 5ª.178.D
Tabeſcentibus commodę confectiones. 7°.*de comp.me.ſe.lo.* 5ª.184.G
ad Tabeſcentes. 7°. *de cõp.me.ſe.lo.* 179.F/181.E/F/183.C/185.C/D/H/187.A/8°.5ª.191.D/*de med.fãc.par.* 7ª.171.C
TABIDI *qui vocent. in* 1ᵐ.*de mor.vul.c.* 1°.105.F/*c.* 2°. 3ª.109.D
Tabidi qui ſint. com.aph. 10°.20.H/*c.* 4°. *aph.* 8°. Ex.28.B
ſi qua Tabida diſpoſitio in dubio eſt, maxime autũno deprehenditur pp frigiditatem, ſiccitatem, & temporis inæqualitatem & humorum prauitatem. c. 3°.*aph.* 22°. Ex.24.F
Tabidis ſcapulæ ſunt in modũ alarũ. in 3ᵐ.*de mor.vul.c.* 3°.3ª.146.C
Tabidis cur cor ſiccatur. de marc. 3ª.45.D
Tabidi vnde fiant. in 3ᵐ.*de mor.vul.c.* 3°. 3ª.142.B
Tabida febris qualis. 1°.*de diff.feb.* 3ª.34.E
Tabida febris in affectibus præter naturã numeratur. de mar. 3ª.46.B
a Tabidis febribus differunt hecticę. 1°.*de diff.feb.* 3ª.34.E
Tabidam hecticam qui ingrediantur. 1°.*de diff.feb.* 3ª.35.D
Tabidi hectica laborant. in 1ᵐ.*de mor.vul.c.* 3°. 3ª.120.A
Tabidi fiunt vaſe aliquo pulmonis rupto. c. 6°.*aph.* 12°. Ex.47.E
Tabidi quæ habeant inditia. de cauſ.mor. 3ª.8.H
Tabidorum indicium vngues adunci. 1°.*de loc.aff.* 4ª.6.D
Tabidis cur corpus glabrum. in 3ᵐ.*de mor.vul.c.* 3°. 3ª.146.D
Tabidi hectici pulſus. 1°.*de diff.feb.* 3ª.34.G
Tabidi quã habeãt reſpirãdi neceſsitatẽ. in 1ᵐ.*pror.c.* 1°. 4ª.164.H
Tabidis ad frigidum conuerſiones infeſtiſſimę ſunt. in 3ᵐ.*de mor. vul. com.* 3°. 3ª.146.B
in Tabidis extremum malum eſt caſus capillorũ & fluxus. cõmen. 7°.*apho.*

7°.aphoriſ.16°. Ex.55.B
Tabidorum ſputum grauiter olet.c.5°.aph.11°. Ex.38.D
Tabidorum conſuetudo non eſt ſecura.1°.de diff.feb. 3ª.31.C
Tabidi non curantur.de marc. 3ª.47.D
Tabidi non debent purgari ſuperius. c.4°.aph.8°. Ex.28.B
Tabidis ex vlcere pulmonis prodeſt lac.c.5°.aph.46°. Ex.44.G
Tabidis conuenit lac.3°.de ali.fa. 2ª.28.H
Tabidorum cibi lac,ptiſſana,chondrus.de marc. 3ª.48.E
Tabidis lac quomodo,& quando conueniat.c.5°.aph.64°. Ex.44.E
Tabidis balnea conueniunt.de marc. 3ª.47.D
qbus Tabidis febribus balnea cõueniãt,et qbus nõ.de mar. 3ª.48.A
Tabidis prodeſt Aelij Galli antidotus.2°.de anti. 5ª.110.H
ad Tabidos.7°.de cõp.me.ſe.lo.5ª.179.C/ de rem.par.ſa. 7ª.158.E
Tabidis quomodo adhibeantur ferramenta candentia.intro. Iſ.59.F
Tabidi mortui ex triſtitia.6°.de comp.me.per ge. 5ª.254.H
Tabidi lege Phthiſici.
TABIAE locus Neapoli.5°.me.me. 7ª.34.H
Tabię vbi ſint. 5°.me.me. 7ª.34.H
in TABIANO colle quas herbas & quos frutices eſſe ſupponat, vt lac fiat præſtantiſſimum. 5°.me.me. 7ª.35.A
TABITVDINES vnde fiant,& quot modis,quibus membris,& quib. temporibus.c.3°.aph.16°. Ex.22.H
TACENT melancholici. in 3ᵐ.de mor. vul.c.3°. 3ª.151.G
Tacere debet qui curatur.de iis,quæ in med.fi.c.1°. 7ª.201.A
Tacere ſitim prohibet.in 6ᵐ.de mor.vul.c.3°. 3ª.178.A
Ταχὲος & πυκνοῦ nomina apud veteres confunduntur. de vict. rõ.in mor.acu.c.3°. 7ª.132.E
TACITVRNITAS accidit per melancholiam.de ana. viu. Sp.45.F
Taciturnitas reſpõſionis ſeqt ad dñiũ phlegmatis.de ana.vi. Sp.45.E
Taciturnitas,& loquacitas ꝑter naturã.i 1ᵐ.de mo.vul.c.3°. 3ª.117.g
TACTIBILIS qualitas toti corpori ꝑſtatur.de cõp.memb. Sp.58.E
TACTIVORVM nomina.3°.de pul.differ. 4ª.63.H
TACTILES qualitates quę ſolæ.1°.de elem. 1ª.8.A
Tactiles qualitates impropriæ,quę.1°.de elem. 1ª.8.A
Tactilis natura eſt ferme media oĩum qualitatũ.de cõp.mẽb. Sp.58.e
Tactile nihil eſt ſine ſoliditate.7°.de decr.Hipp. 1ª.271.H
TACTVS qui.fin.med. Iſa.45.B/de hiſt.philo. Sp.9.H
Tactum ſolum animalia habentia, quę.14°.de vſu par. 1ª.105.G
Tactum duntaxat habent oſtrea. de ana.viu. Sp.45.F
Tactus inſtrumentum eſt terreum.7°.de dec.Hipp. 1ª.271.A
Tactus cur dicatur terreus.de ocul. 7ª.185.B
Tactus craſſior eſt alijs ſenſibus.de ocul. 7ª.183.A/B
Tactus ſenſoria quę.1°.de ſimp.me.fa. 5ª.8.F
Tactus ſit in carne totius corporis ſm Ariſtotelẽ.de vtil.reſp.S.63.D
Tactus ſit nõ ĩ carne,ſed ĩ pelliculis carni cõmiſtis.de vti.re. Sp.73.D
Tactus noſter eſt medium quoddam. 5°.de ſimp.me.fa. 5ª.32.F
Tactum maxime ſentiunt manus.de compag.memb. Sp.58.E
Tactum maxime omnium ſentit vola manus.de compa.mẽb. S.58.E
Tactus ſenſum habent nerui omnes.de ocul. 7ª.183.B
Tactus qualitas quę.2°.de loc.affe. 4ª.9.H
Tactus qualitates,q̃ depẽdẽt a primis qualitatib.ꝺ na.hu.c.1°.1ª.28.b
Tactus pathemata,& paſſiones quę.de ſymp.diff. 3ª.10.C
Tactu,& guſtu euidentia ſunt delectatio,& dolor,poſtea in odoratu, poſtea in auditu.1°.de ſymp.cau. 3ª.16.F
in Tactu Titillatio quid.de ocul. 7ª.185.H
ad Tactum pertinet coitus.1°.de ſym.cau. 3ª.17.F
Tactu quę cognoſcamus. de ther.ad Piſo. 5ª.90.E
Tactu ſolum aut viſu quę cognoſcuntur, verbis accurate doceri non poſſunt.7°.de ana.adm. 1ª.95.G
Tactus crebro fallitur.3°.de ſimp.me.fa. 5ª.18.C
Tactꝰ,& viſus magis exprimũt rẽ q̃ aliqua oro.12°.ꝺ vſ.p.1ª.195.A
Tactus ſolus iudex eſt corporis calidi & frigidi.2°.de tẽp. 1ª.17.F
Tactus rem frigidam iudicat.2°.de temp. 1ª.18.B
Tactui alicuius quædã ſunt calida, quæ alterius tactui ſunt frigida. 3°.de ſimp.me.fac. 5ª.18.C
Tactus,& ratio iudices ſunt corporis humidi.2°.de tẽ.17.F/1ª.18.B
Tactus, & ratio iudices ſunt corporis ſicci. 2°.de temp. 1ª.17.F
Tactus eſt ſolidi corporis ſenſus.1°.de ſym.cauſ. 3ª.17.C
Tactus iudicat mollitiem,& duritiem. de ſympto.differen. 3ª.13.C/ 3°.de pul.diff. 4ª.63.D
Tactus magnitudinẽ,& formã percipit accidens.7°.de dec.1ª.271.a
Tactus qũo ſentiat corporis formã accidẽtaliter.de occul. 7ª.185.A
Tactus probat ſimplicia medicamenta.9°.de ſimp.me.fa. 5ª.6.C
Tactꝰ,et viſus ꝓbat de calce,et de roſa qualitates.ꝺ th.ad P.5ª.90.e
Tactum & guſtum dant linguæ nerui a tertia coniugatione. 4°.de loc. affectis. 4ª.22.G
Tactũ & guſtũ ſeruat lingua,tñ paralytica fit.4°.de loc.aff. 4ª.22.H
Tactu lędit lignum omne ſm Hippo.de machin. 7ª.319.E
in Tactu,& guſtu acerbum.3°.de pul.diff. 4ª.58.H
Tactus agit in propinquas partes tantum.de ana.viu. Sp.49.H
Tactus qui iudicare debet,expers eſſe debet omnis acquiſitiꝰ caloris 3°.de temperamentis. 1ª.25.D
in Tactu exercitato, opus eſt pro pulſibus noſcendis. 1°.de dignoſcẽ. pulſibus.70.C/ 4ª.75.C
Tactum exercitatũ exigit pulſus formicans.2°.de dign.pulſ. 4ª.75.C
ad Tactũ exercendũ multo tẽpore indigemus.1°.de dig.pul.4ª.70.D
a Tactu ſentiuntur diſtenſio,& ictus pulſus.1°.de dig.pul. 4ª.71.D
Tactus quid patiatur in diſtentione arterię.4°.de dig.pul. 4ª.84.C
Tactu ſolo quid agat torpedo marina.6°.de loc.aff. 4ª.40.A
in Tactu quæ ſunt ægritudines. de ſymp.diff. 3ª.11.E
ex Tactu ſigna futuræ ægritudinis quæ habeantur.ars med.Iſa.67.H
Tactu ſolo res quaſdã per qualitatis vim alterare poſſe vicina vĩ q- buſdam.6°.de loc.affe. 4ª.40.A
Tactus tria patitur. de ocul. 7ª.185.H
Tactus ſenſui contingunt maximi dolores.de ſymp.diff. 3ª.11.E
ad Tactum pertinent oculorum dolores,& dentium,& craſſi inteſtini de ſymp.diff. 3ª.11.E
Tactus habet dolores ab externis,& ab his quę ſunt ĩ corpore.ꝺ ſym ptomatum differentiis. 3ª.11.C
Tactus dolet a magnis ſenſibilibus. de ſymp.diff. 3ª.11.C
Tactus habet egregium ſymptoma.de ſym.diff. 3ª.11.E
ad Tactũ ptinẽt oris, ventrisq; ſymptomata.1°.de ſym.cau. 3ª.17.G
Tactus ſymptoma dentium.1°.de ſymp.cauſ. 3ª.16.C
Tactus corruptus quid.de ocu. 7ª.185.H
Tactus ſtupidus qui.de ocu. 7ª.185.H
TAFEA ex lepore.de cura lap. Sp.112.E
Ταγνῖται ſeu τιγανῖτα placentæ qũo conficiant. de ali.fa. 2ª.10.D
TALENTII Marci Aſclepiadis malagma.7°.de compo.medic. per gene. 5ª.265.F
Talentum argenti.in 3ᵐ.de mor.vul.c.2°. 3ª.137.A
TALPARVM oculi habent, vitreum, & chryſtallinum humorem, & tunicas, & tamen non ſunt aperti. 4°.de vſu par. 1ª.105.G
Talpæ cur habent oculos intus,& non foris.2°.de ſem. 1ª.339.G
Talpę ex cæcitate nihil habent commodi.2°.de ſemi. 1ª.339.G
ad TALPAS vocatas in capite.de med.fa.pa. 7ª.174.G/ 7ª.176.C
TALVS qui vulgo dicatur.de frac.c.2°. 7ª.234.G
Talus qui.intro. Iſa.53.F
Tali qui ſint.de iis quæ in med.fi.c.2°. 7ª.209.E
Talus vbi comprehendatur.de oſſi. 1ª.43.F
Talus ab imis tibiæ,ſuræq; proceſſibus cõprehendit.de oſſi. 1ª.45.F
Tali ſitus vbi.intro. Iſa.55.A
Talum in pede ponit.de frac.c.1°.232.B/ c.2°. 7ª.234.C
Tali pars quæ τέτρωρον dicitur ſurſum vergit. de oſſi.. 1ª.43.F
in Talo venæ quando ſecari debent.c.6°.aph.36°. Ex.50.D
de Tali vena ſecanda quid indicet.13°.me.me. 7ª.82.H
circa Talos,aut poplitẽ venæ ſecanĩ ĩ Iſchia.10°.ꝺ cõ.m.ſ.l.5ª.207.a
ĩ Talis venas ſecari oportet in phrenitide.præſa.exper.cõf. Sp.78.C
Tali ſcarificatio menſes prouocat.de cur.rat.per ſang.miſſ. 6ª.20.E
Tali Hydropicorum ſcarificandi ſunt.9°.de comp.me.ſe.lo.5ª.200.H
de Tali luxatione & repoſitione.de frac.c.3°. 7ª.292.D
Talus quot modis prolabatur,& qũo reſtituatur.de machi.7ª.315.c
Talus in quot partes procidat.de machin. 7ª.321.H
Talus qui prociderit,quomodo reſtituatur.de machi. 7ª.321.H
Talus difficulter vel nunquã reſtauratur,ſi magna ſit luxatio, & vio lenta.introductio. Iſa.60.H
ad Tali contorſionem.2°.de comp.me.per ge. 5ª.226.D
ad Talos.de faſciis. 7ª.306.B
ad Talos vinciendos, vinculum. de faſcijs. 7ª.306.B/D
ad Talum prolapſum vbi reponatur laqueus. de laqueis. 7ª.307.C
ad Talum ſuo loco motũ vbi recõdatur laqueus.de laqueis.7ª.307.E
Talus ſuis inflatos,& tormina ſanat.11°.de ſimp.me.fa. 5ª.80.C
Talus bouis rotundos lumbricos educit, lienem conſumit, & lenes tollit, & venereus eſt. de theria. ad Piſ. 5ª.95.C
Talus bouis dentes vacillantes confirmat. de ther.ad Piſo. 5ª.93.E

TAMARISCVS expurgat in icteris.de cura icteri. Sp.111.B
Tamarix abstergit,incidit,parum desiccat.7°.de sim.me.f.5ª.56.D
Tamarix liti indurato pdest,et dētiū dolores sanat.7°.d si.m.f.5ª.56.d
ex Tamarisco poculum pro spleneticis.de dyna. Sp.26.G
Tamarice vtaris,galla deficiente.7°.de simp.me.fa. 5ª.56.D
Tamarix gallæ omphacitidi similis est.7°.de simp.me.fa. 5ª.56.D
TANGENDI vis in homine est valde hebes,& distributa per totum corpus.de instru.odor. 1ª.110.E
Tangendi sensorium quale. 4°.de loc.affe. 4ª.22.G
Tangendi instrumentum quale.de instru.odor. 1ª.110.F
Tangendi instrumentum terreū est.3°.de dec. Hipp 1ª.271.H
Tangendi facultate sæpius lædit gustādi facultas.4°.de lo.af.4ª.22.g
à TANGENTIBVS rebus dolor.2°.de loc.affe. 4ª.9.C
TANGIBILIVM qualitatū ppria hēmus noīa.2°.de lo. af. 4ª.12.E
Tāgibiles qualitates post prīę sequūt,et q̄ deīde aliæ.1°.d na.f.1ª.291.f
Tangibiles qualitates, de quibus egit cōmodissime Aristoteles, quæ. 1°.de natu.facu. 1ª.291.F
Tangibilium qualitatum symptoma. de sym. diff. 3ª.13.C
Tangibilis actio nō fit absq; obuiatione rei tangēdæ.de an.vi.S.45.B
TANGIT, & gustat neruus idem in lingua.4°.de loc.affe. 4ª.22.G
Tangere quomodo debemus arteriam. 1°.de dign.puls. 4ª.74.H
TANITRI Asclepiadis meminit. 6°.de simp.me.fa. 5ª.39.H
Ταραχώδεις & παραφορωδεις in quo differāt.ī 1ᵐ.pr.c.1°. 4ª.162.F
TARATIT fit mentio.secreto. Sp.102.G
TARAXIS quid.intro. Isa.58.E
Taraxis affectus est,qui totum oculum exercet.intro. Is.58.D
TARDARVM caro media inter graues,& anseres.3°.de al.f.2ª.29.E
TARDE quæ digerantur, & cur.de diff.cont. Sp.73.D
Tarde quæ aues digerantur.de diff.cont. Sp.73.D
Tarde digeruntur ova dura.de diff.cont. Sp.73.D
Tarde descendentia quæ sint.de diff.cont. Sp.74.H
Tarde si descendant superfluitates ciborum,dari debent cibi leniētes, & pungentes.de diff.cont. Sp.74.H
TARDIVS, & tardus differunt.2°.de digno. puls. 4ª.76.B
Tardius & maturius est in genere quando. de puls.diff. 4ª.55.F
Tardiores quando sunt ad agendum,& intelligendum homines.in 6ᵐ. de mor.vul.c.4°. 3ª.186.F
Tardior qui motus sit, & qui celerior.2°.de dign.puls. 4ª.75.G
TARDITAS in motu sequitur ad dominium phlegmatis. de anatom. viuorum. Sp.45.E
Tarditas accidit per melancholiam.de ana.viu. Sp.45.F
Tarditas concoctionis vnde proueniat.2°.de symp.caus. 3ª.24.H
TARDAT canitiem quid.secret. Sp.101.F
si Tardauerit matrix,quid fieri oporteat.de pass.mul. Sp.96.A
TARDÆ digestionis sunt pulli anserum. de diff.cont. Sp.73.D
Tardæ,& duræ digestionis cibi sunt præponendi in fundo stomachi.de diff.cont. Sp.71.H
Tardus motus qui.3°.de dign.puls. 4ª.80.A
Tardus pulsus qui.3°.de dign.pul. 4ª.79.G
Tardus,celer,& rarus,& creber quid sint, & vnde accipiantur.1°. de puls.diffe. 4ª.48.E
Tardus pulsus & segnis fit a cholera nigra.de dyn. Sp.19.F
Tardum pulsum efficit tristitia.de ana.viu. Sp.47.A
Tardus & torpens si appareat sobrius cogitabundus,peruigil,& loquax mentem læsam significat.in 6ᵐ.de mor.vul.c.2°.3ª.168.G
Ταριχεύεσθαι quid significet. de vict.ra.in mor.acu. c.2°. 7ª.122.G
TARSENSIA elychnia.13°.me.me. 7ª.81.G
Tarsensis magni extractorium hæmorrhoidum. 9°.de compositione med.sec.lo. 5ª.205.B
TARSI quæ partes iuxta oculos appellentur.intro. Isa.53.A
Ταρσὸς quid a græcis vocatur intro. Isa.53.F
Tarsus quæ pars pedis.de ossibus.1ª.43.F/1°.de cōp.m.p g.5ª.216.d
Tarsus.i.prima pars plantæ.de musculorū dissectione.1ª.52.B/de fra. com.2°.233.A/ 7ª.234.H
Ταρσὸς pars est ante planum pedis.3°.de vsu par. 1ª.129.C
Tarsus in pede similis est carpo in manu.3°.de vsu pa. 1ª.129.F
Tarsus quibus constituatur.3°.de vsu par. 1ª.130.E
Tarsi ossa tria quomodo sita,& disposita.3°.de vsu par. 1ª.130.C
Tarsi quartum os est calcaneo iunctum.3°.de vsu par. 1ª.130.c
Tarsus vbi firmatur.3°.de vsu par. 1ª.130.C
Tarsus pedis an conueniat corpori. 3°.de vsu par. 1ª.130.E
per Tarsos pedū excurrentes arteriæ pulsant.de ven,art.dis. 1ª.59.D
TAVRINAE carnes generant sanguinem crassum,& nigrum.& atrabile. 1ª.35.A
Taurina caro facit humorem melancholicum.3°.de loc. aff. 4ª.18.F
TAVRINVS adeps qualis. 3°.de comp.me. per ge. 5ª.233.H
Taurino adipe minus est calidus vitulinus.11°.de sim.me.f.5ª.79.B
Taurinus adeps valentior adipe caprarum.3°.de simp.me.f.5ª.34.c
Taurinus adeps medius ē iter suillū,& leoninū.11°.de si.m.f.5ª.79.c
ex Taurino,& leonino adipe,& terebinthina,pice,& resina,medicamenta.2°.de arte cur.ad Glau. 7ª.105.A
Taurinū adipē sequitur pardi adeps.2°.de arte cur.ad Gl. 7ª.104.A
Taurinus adeps mollificat.2°.de arte cur.ad Glau. 7ª.104.A
TAVRINVM pingue omnium maxime siccat.4ᶜ.de compo.medica. per ge. 5ª.242.A
TAVRINVM seuum odoramentis coditum.7°.de composi.medica. per ge. 5ª.272.E
Taurinum seuum molliendo digerit.14°.me.me. 7ª.87.H
TAVRINVM sanguinem siquis biberit quid sit remedium.2°.de antidotis. 5ª.114.D
TAVRINVM Fel ad visus obscuritatē facit.de re.par.fac. 7ª.156.G
Taurinum fel lumbricos infantibus necat. de dyn. Sp.27.F
Taurinum fel aperit.5°.de simp.me.fa. 5ª.35.G
Taurino felle aperiunt hæmorrhoides.10°.de simp.me.fa. 5ª.74.g
TAVRINI cornu rasura sanguinē cohibet.de ther. ad Piso. 5ª.93.E
TAVRO calidior est Canis.11°.de simp.me.fa. 5ª.78.E
Taurus calidior est boue exacto.11°.de simp.me.fa. 5ª.78.E
Taurus quandoque vtitur ira. 3°.de vsu par. 1ª.128.B
Taurus quia vtitur ira,habet cornua. 3°.de vsu par. 1ª.128.B
Tauri cur iracūdi sunt,animosi,& furibondi.q animi mor. 1ª.319.D
Tauri non facile domantur ab hominibus.3°.de ali.fa. 2ª.27.B
Taurus terram findit ingenio simplici,& opere pio.de sper. Sp.38.g
TAVRI sanguis venenosus est de vtil.resp. Sp.64.E
Taurus habet sanguinem valde spissum ac terrestrem,qui coagulatur statim.de vtil.resp. Sp.64.E
Taurorum sanguis omnium celerrime coit. q animi mor. 1ª.319.D
TAVRORVM caro qualis.3°.de ali fa. 2ª.26.A
TAVRORVM testes insuaues, concoctu difficiles, & mali succi sunt. 3°.de ali fa. 2ª.27.A
TAVRORVM adeps qualis.3°.de comp.me.per ge. 5ª.265.E
Taurorum adeps calidior,& siccior suillo.11°.de sim.me.fa.5ª.79.A
Taurorū adeps minus est calidus quā leonū. 11°.de sim.m.f.5ª.79.B
Tauri adeps acrior.5°.de simp.me.fac. 5ª.34.B
Tauri vetustū adipem accipi iubet.3°.de comp.me.per ge. 5ª.233.H
TAVRI & hirci pinguedo acrimoniam multam, & igneā habet.4°. de simp.me.fa. 5ª.26.E
TAVRORVM medulla acris est. 11°.de simp.me.fa. 5ª.79.C
TAVRI bilem cæruleā vidit Gal.10°.de simp.me.fa. 5ª.74.F
Taurorū fel calidius est q̄ castratorū boū.9°.de simp.me.fac. 5ª.74.F
Taurorum fel valentior est felle caprarum, vrsorum, & boum. 10°. de simp.me.fac. 5ª.74.H
Taurorū fel inferior est bile hyænarum.10°.de simp.me.fa. 5ª.74.H
Tauri fel incidit.de ocul. 7ª.188.F
TAVRI femora vsta sanguinē cohibent,& aluum.de theriaca ad Pisonem. 5ª.93.E
TAVRO collæ meminit. 5°.de comp.me. per ge. 5ª.252.B
TAVRVS, virgo,capricornus sunt terrei, frigidi,& sicci meridionales,de sperma. Sp.38.H
Taurus frigidus est in tertio gradu,siccus in secundo.de spe. Sp.38.H
in Tauro conceptus vbi habebit mutationes.3°.de die.dec. 4ª.157.G
Taurus respicit caput.de decub.progn.ex math.scien. Sp.13.C
ex Tauro contraxit Alexander frontem cornutam.de sper. Sp.38.G
Taurus tempestates,& ventos concitat in mari, & in terra. de decu. progn.ex math.scien. Sp.13.C
Ταῦρος quid. intro. Isa.53.D
TAXIS est cosmos. in progn.c. 3°. 4ª.207.G
TEAPHEN adhibet in pulmonum inflammationibus.de med.fa.par. 7ª.176.C
Τέκμαρσις dicitur coniecturalis cognitio. de vict.ra.in morbis acut. com.1°. 7ª.108.C
Τεκμήριον quid sit.de vict.ra.in mor. acut.c.1°. 7ª.108.C
Τεκμήριον, signum, & inditium differunt.in progn.c.3°. 4ª.212.C
TECTVM aquilatum.de art.c.3°. 7ª.270.F
Tectum testudinatum quid.de art. com.3°. 7ª.270.F

TECTI *cur debẽt esse dormientes.in 6m.de mor. vul.c.4°. 3a.183.F*
TEDAE folia vlcerum glutinatoria.8°.de simp.me.fa. 5a.58.F
Tedæ piceę,& coni fuligo qualis.8°.de simp.me.fac. 5a.58.F
Tedæ cortex qualis.8°.de simp.me.fa. 5a.57.F
Tedæ cito ignem accipiunt. 3°.de temp. 1a.22.F
ex Teda spatulam laudat.5°.de comp.me.se.l.163.D/F/5°.de comp. me.per gen.247.B/G/5a.259.F/de reme.par.fac. 7a.157.E
TEDIVM *affert oleum.12°.me.me. 7a.75.F*
TEGENDVM corpus totum a balneo.de vict.rat.in mor.acutis, com.3°. 7a.132.G
TEGENDA, *& continenda lana alligabimus. de facijs. 7a.293.F*
TEGVLAM *esse siccam collige.in 3m.de mor.vul.com.3°.3a.141.A*
TEGVMENTA, *medicamenta,& alimenta habent calidam potestatem.2°.de simp. me. fac. 5a.15.D*
vt Tegumentum calefacit oleum. 2°.de simp.me.fa. 5a.15.F
Τείνειν quid significet.1°.de mot.musc. 1a.308.H
TELAS conficiendi ansas dedit aranea.de ther.ad Piso. 5a.94.B
Tela aranei a phlegmone tuetur vlcera cutis.11°.de sim.m.f.5a.80.F
Tela aranea panniculus oculi. de ocul. 7a.183.H
TELAMONIS *emplastrum.2°.de comp.me.per ge. 5a.224.E*
TELEPHANI *candidum.2°.de comp.me.per ge. 5a.225.A*
TELEPHIVM *calidũ et siccũ est in scdo ordine.8°.d sim.m.f.5a.62.C*
Telephium ad putrida vlcera conuenit,& vitiliginẽ vtrãq; sanat.8°. de simp.me.fa. 5a.62.D
TELEPHIVM *vlcus vnde dictum.2°.met.me. 7a.9.F*
Telephia & chironia vocare vlcera superuacuũ est, sat enim est oĩa cõiter cacoethæ.i.maligna appellare.de tum.pter naturã. 3a.84.E
Telephiũ nomẽ vlcerũ curiosũ appellat Gal.c.6°.aph.45°. Ex.51.F
Telephiũ est nomẽ quod nihil facit ad curationẽ. 14°.me.me.7a.92.e
Telephia vlcera a Galeno nominantur.com.5°.aph.22°. Ex.39.D
Telephia vlcera ex cacochimia nascuntur.3°. de temp. 1a.23.A
TELEPHVS *grammaticus centum annorum qua victus ratione vsus fuerit.5°.de san.tu. 2a.90.G*
Telephus grãmaticus bis terue in mẽse lauabatur.2°.de sa.t.2a.94.g
TELINVM *vnguentũ.i.ex fœnogræco.7°.de cõp.me.p ge.5a.267.A*
TELLINÆ *salsæ vstæ phibẽt renasci pilos.11°.de sim.me.f.5a.82.D*
TELOSIS *scabiei palpebrarum quarta species.de ocul. 7a.186.H*
Telis, id est fœnugræcum.8°.de simp.me.fac. 5a.62.D
TELVM *quoduis graue iaculari,est vehemens exercitatio.2°. de sanitate tuenda. 2a.74.G*
Tela nõ extrahunt a iecore,a corde et a pulmone.3°.d an.ad.1a.79.F
Tela quibus modis extrahenda.2°.de ana. adm. 1a.68.H
Telum quomodo eximatur.14°.me.me. 7a.93.A
Tela educens.5°.de comp.me.per ge.246.H/ 5a.250.B
Telorum cuspides euellentia proprias sibi qualitates attrahũt. 1°.de natu.fac. 1a.295.A
ad Telorum aculeos,& cuspides.5°.de comp.me.per ge. 5a.249.A
Telis venena illita aliqua educunt eo modo, quo magnes ferrum. 1°. de naturalibus facultatibus. 1a.295.A
ad Telorum Toxico malefactorum vulnera. 2°.de anti. 5a.119.G
ad Tela.5°.de comp.me.per ge. 5a.247.F
TEMERARIF desipientię sunt periculosæ.c.6°.ap.53°.Ex.53.B
Temeraria responsio mala semper.1°.de diff.resp 3a.61.A
Temerarij quomodo possunt respondere.1°.de diff.resp. 3a.61.A
TEMERE *quæ fiunt non ita vocantur ex veritate, sed ex nostra cognitione.4°.de dec.Hipp. 1a.250.H*
TEMERITAS, *atq; immanitas,si mentis delirio iungant, ab atrabile sunt.com.4°.aph.2°. Ex.27.F*
de TEMPERAMENTIS *tractatus præcedere debet tractatum de simpliciũ medic.facul.1°.de simp.me.fa. 5a.2.D*
Temperamentum quid, & quomodo dicatur.1°.de san. tu. 2a.64.B
de Tẽperamẽtis scitia necessaria est in multis reb.2°.d tẽp.1a.16.F
dc Temperamẽtis liber sequitur librum de elemẽtis.1°.de tẽp.1a.10°. C/de cur. rat.per sang.miss. 6a.290.G
Temperamentũ est animæ essentia, vel quatuor qualitatum,vel quatuor corporũ,calidi,humidi,frigidi,& sicci.q; aĩ mores. 1a.317.G
Temperamentorum differentiæ sunt nouem. 1°.de temp. 1a.14.D
Temperamentorum diuersitates tot sunt, quot functionum differẽtiæ. 1°.de san.tuen. 2a.63.E
in Temperamenti qualitate consistit sanitas. 1°.de san.tu. 2a.63.D
Temperamentum sanitatis symmetriã egressum est morbo propinquũ 8°.mct.me. 7a.51.H
ex Temperamenti mediocritate prouenit mediocritas in carne. 1°.de temperamentis. 1a.15.A
Temperamenta primo insunt corporibus.1°.de vsu par. 1a.115.D
Temperamenta complent propriam substantiam particularum. 1°. de vsu par. 1a.115.D
ſm Tẽperamenti proprietatem particula agit.5°.de loc. aff. 4a.35.F
Temperamẽtum est causa, vt facile vel difficile homo patiatur. in 1m. de morb.vul.com.2°. 3a.108.E
Temperamenta hominum considerantes, singulas partes considerare debent.2°.de temp. 1a.19.G
ex Tẽperamẽtis duobus imodicis vnũ fit modicũ.3°.me.me. 7a.17.B
Temperamentum calidũ nacto si fuerit adiectum piper,sinapi, alliũ, accenditur febris.præsag.exper.conf. Sp.77.D
Temperamenti frigidi tres differentiæ. 6°.de san.tu. 2a.96.G
Temperamentum calidum,& humidum optimum esse antiqui putabãt.1°.de temperamentis. 1a.11.D
Temperamẽtum calidũ, & humidũ pessimum est.1°.de tẽp. 1a.11.H
Temperamentũ calidũ,& humidum aeris, quale.1°.de tẽp.1a.12.D
Temperamentũ humidũ in principio deterius est.6°.de sa.tu.1a.96.g
Temperamenta anni temporum,non nomina ipsorum faciunt morbos. in 3m.de mor.vul.com.3°. 3a.147.C
Temperamenti sicci notæ ſm aliquos. 2°.de temp. 1a.20.G
Temperamentum quæ immutent.1°.de san. tu. 2a.64.F
pro Temperamentis ascitityș pulsus.3°.de cauſ.pul. 4a.98.C
Temperamentum quomodo seruetur. 6°.de san. tu. 2a.96.C
Temperamentum præsens solum considerandum.11°.me.me.7a.68.F
a Temperamento corporis sumuntur medicatoriæ indicationes.9°.me th.medendi. 7a.59.G
Temperamentum curationem indicat.1°.de comp.me.se.lo.5a.121.B
à Tẽperamẽto partis laborãtis indicatio sumitur.7°.me.m. 7a.49.A
Tẽperamẽtũ oẽ nõ restituit p contraria. de natu. hu.com.1c. 1a.35.E
Temperamentum inæquale habentes, vt iecur habeat aliam naturã, a ventriculo,his,diuersum est quod accipitur iocundum, ab eo qđ est particulæ idoneum.6°.de san.tu. 2a.96.C
Temperamenta pugnantia à diuersis membris habens, quo medicamento ex malorum succo vti debet. 6°.de san.tu. 2a.101.C
Tpamẽtũ egredientia corpora qbus cibis ĩdigeãt. de dif.cõt. Sp.73.G
Temperamento vicina medicamenta, quæ.de ocul. 7a.189.B
Temperamentum aquosum.4°.de cõp.me.se.lo. 5a.154.C/D
TEMPERANS *qui.4°.de decre. Hip. 1a.249.E*
TEMPERANTIA *non est,si tollatur facultas concupiscibilis.8°. de de cre.Hipp. 1a.257.B*
Temperantia medicamenta quomodo agant.2°.de sim.me.fa.5a.12.D
TEMPERATIO *corporis animæ functiones immutat, et seiungere potest ipsas a corpore.q; animi mor. 1a.318.B*
Temperatio moderata in aere,quę.2°.de simp.me. fa. 5a.15.F
ex Tpatione locorũ aliqui iuuãtur ad prudentiã.q; ani.mo. 1a.320.D
TEMPERATIVS *lac quod nam sit.de diff.cont. Sp.73.H*
TEMPERATISSIMVM *oĩum rerum hõ est.2°.de temp. 1a.15.G*
Temperatissima pars in homine quæ.2°.de teusp. 1a.15.G
Temperatissimus humorum sanguis in tẽperatissima cõstitutione abũ dat vere nimirum.in 1m.de mor.vul.c.1°. 3a.100.H
Temperatissimũ corpus quale.de opt.nost.cor. const. 1a.38.G
Temperatissima regio quæ sit,& vbi.c.3°.aph.14°. Ex.22.F
TEMPERATVRA *quomodo fiat in quatuor qualitatibus, & in duab9 solis.c.5°.aph.62°. Ex.43.F*
Tpaturas fieri qualitatibus peruadentibus se totas inuicem corporis substãtiis pbabilius est apud Gal.de subs.facul. na. 1a.230.F
Tpatura corporalis qũo fiat ſm Aristotelem.q; ani.mo. 1a.317.G
Temperaturam recipientia quomodo per totum temperentur,non est necesse sciri a medicis.1°.de elem. 1a.8.C
Temperaturæ quot modis diuisæ sint.3°.de simp.me.fa. 5a.19.F
Tẽperaturæ sunt nouẽ,vna optima,& octo vitiosæ, ĩter vitiosas sũt quatuor simplices,& quatuor cõpositæ.cõ.3°.aph.2°. Ex.20.A
Temperatura temperata vna est.1°.de temp. 1a.14.D
Temperatura optima quæ sit.2°.de puls.dig. 4a.78.B
Temperaturæ æqualitas in quibus consistat.1°.de temp. 1a.13.D
Tpatura pba fit ex quatuor elementis. 1°.de pſag.ex puls. 4a.107.E
Temperatura quatuor elementorũ dicitur natura.c.2°.apho.34°.17. C/com.3°.aph.2°. Ex.20.A
Tpatura significat natura. de vict.rat.in morb.acu.c.2°. 7a.124.A
Tpatura cõmoda primorũ sanitas ẽ.in 1m.de mor.vul.c.1°.3a.101.a

Temperatura mulieris,& maris differunt.bre.denot.dog. 1ª.231.C
*Tẽperaturæ intemperatæ octo sunt.*1°.*de temperamentis.*1ª.14.D/de *mult.* 3ª.82.A
*Tpaturæ simplices quatuor sunt.de cõ.ar.Is.*38.G/1°.*d tẽp.* 1ª.14.D
*Tpaturæ cõpositæ quatuor sunt.de cõ.ar.Is.*38.G/1°.*de tẽp.*1ª.14.D
*Temperatura temperatissima est omnium prima.de const.ar. Is.*38.G
*Temperaturam corrumpunt excessus,& defectus.*8°.*de decr.Hipp.* 271.A/ 1ª.274.E
Temperaturæ commodę quæ sint. 2°.*de temp.* 1ª.18.B
Temperaturæ moderatæ signa quæ secundum totum animalis habitũ. ars med. Isa,65.F
*Temperaturæ deterioris cognitio qũo habeatur.de const.ar.Is.*38.H
*Temperatura sicca cur pessima sit.*6°.*de san.tu.* 2ª.96.H
*Tẽperaturæ sicciores natura salubrius degũt humidioribus. com.*6°. *aphor.* 2°. Ex.46.E
*Tẽperaturæ magis,& minus possibilem faciunt naturam.cõmen.*3°. *aphor.* 11°. Ex.21.C
*Tẽperatura sicca quæ in homine est, & huiusmodi animalibus cur p ducit pilos.*2°.*de temp.* 1ª.18.G
ob Temperaturam calidam efficimur iracundi. q ani.mo. 1ª.322.G
Temperatura calida & sicca a calidis & siccis nunquã ducetur in bo nam temperaturam.ars med. Is.68.G
*Temperatura calida & sicca incidit tertianã.c.*4°. *ap.*59°.*Ex.*33.H
Temperatura hectica quæ.in 6ᵐ.*de mor.vul.c.*6°. 3ª.196.F
ad Temperaturæ æqualitatem quomodo perducat calor febrilis. cõ. 6°.*aph.*40°. Ex.51.A
Temperaturæ opportunissimæ ęgrotationibus ex partibus constant tẽ peratura contrarijs.fin.med. Isa.45.E
Temperaturę naturales appetunt similia.ars med. Isa.66.D
Temperaturę male appetunt contraria. ars med. Isa.66.D
Temperaturas corporis animæ facultates sequi,verũ est,& vtile vo lentibus suos animos excolere.q animi mo. 1ª.317.B
Temperaturis corporis anima ancillatur. q animi mo. 1ª.318.C
Tẽperatura est anima,aut vis tẽperaturę comes.q ani.mo. 1ª.318.D
Temperaturæ ratione consistens substantia animæ, fit à corpore natu rali.q animi mores. 1ª.318.G
Tẽperatura seruata nõ seiungit ãa corpore.de sub.fac.nat. 1ª.130.F
Temperaturã quoq; sequuntur artes. q animi mores. 1ª.320.B
Temperaturam eandem habent quandoq; membra omnia,vt ĩ cachexia,& elephanthiasi.de mel.ex Gal.& Ruf.& Poss. Sp.109.B
*a Temperatura indicatio qualis.*2°.*de arte cura. ad Gla.* 7ª.102.E
ſm Temperaturas & ętates, medicamentorum variatio. 7°.*de cõp. med.sec.locos.* 5ª.181.B
in Temperaturis conuenientibus nisi dentum medicamenta nõ valẽt. de medi.expertis. Sp.106.F
Temperaturam ad vnguem scire est difficile. 9°.*me.me.* 7ª.60.D
*in Temperaturis cognoscendis qui vult exercitari, vnde incipere de beat.*1°.*de temperamentis.* 1ª.14.D
*in Temperaturarum cognitione qũo deuenimus.*1°.*de temp.*1ª.14.E
*Temperaturæ quæ sint temporibus aptæ.com.*3°.*aph.*2°. Ex.20.A
*Tpatura mutat aer ambiens.de vict.ra. in mor.acu.c.*3°. 7ª.134.C
Temperatura anni,& temporum anni, causa est omnium bonorum in Asia.q animi mores. 1ª.219.H
*Temperaturæ aeris siccæ pluuiosis tẽporibus salubriores sunt,& mi nus mortifere.com.*3°.*aph.*11°. Ex.21.B
*Tẽperaturæ sunt causæ morborũ,nõ tẽpora.cõ.*3°.*aph.*4°. Ex.20.C
*ſm Temperaturas tẽporũ factas alterationes intelligit Galenus , dũ inquit Hippocrates,mutationes tẽporum.cõ.*3°.*aph.*1°. Ex.19.H
*Tẽperaturæ humanæ familiares est glycyrizæ succus.*6°.*de simpliciũ medicamen.facul.* 5ª.45.G
*Temperaturis medicamenta probanda.*3°.*de simp.me.fa.* 5ª19.F
*Tẽperatura medicamenti Crassior.*4°.*de comp.me.sec.loc.* 5ª.154.D
*Temperatura diluta.*4°.*de comp.me.sec.loc.* 5ª155.C
Temperatura aquosa. 4°.*de com.me.sec.loc.* 5ª156.A/D
TEMPERATVM *nihil est ſm quosdam.* 2°.*de simp.me.fac.* 5ª15.E
*Temperatus non manet momento temperatus.*1°.*de san.tu.* 2ª64.F
Temperata natura soli conuenit homini. de spermate. Sp.41.B
*Temperatum in omnibus quod est.*1°.*de temperamentis.* 1ª13.B
Temperata natura omnium prima est virtute, potentia,& ordine co gnitionis. 2°.*de temperamen.* 1ª.15.F
Temperatum simpliciter in natura quid. 2°.*de temp.* 1ª15.F
*Temperata in singulis generibus,quæ.*2°.*de temp.* 1ª.15.F
*Tẽperatum quid sit.*3°.*de simp.me.fac.* 5ª.19.D
*Temperata quę sint.*3°.*de simp.me.fa.* 5ª.19.A
Temperatum medicamentum quid sit. 5°.*de simp.me.fa.* 5ª.39.B
*ad Temperatum hominem referenda sunt medicamenta.*9°.*de simpl. medi,fac.* 5ª.69.F
Temperatus homo pro mensura, & regula accipitur. 5°.*de simpliciũ med.fac.* 5ª.33.E
*Temperatum,& tepidum media sunt inter calidum, & frigidum.*1°. *meth. meden.* 7ª.7.C
*Temperatum poculum,& balneum nonnunq; dicimus calidum appel lationis abusu.*4°.*de simp.me.fa.* 5ª.24.F
*Tẽperatorum quatuor ordines.*5°.*de sim.me.fac.* 5ª.39.B
*Temperatum quomodo cognoscatur.*3°.*de simp.me.fa.* 5ª.18.A
*Temperata non pariunt mordicationem.*4°.*de sim.me.fa.* 5ª.25.F
*Temperata res in actiuis qualitatibus sicca consistentia terrestris est, ac citra morsum desiccat.*4°.*de simp.me. fa.* 5ª.26.D
Tẽperata in actiuis qualitatibus est & sicca cadmia. 9°.*de simpliciũ med.fac.* 5ª.69.F
*Temperatus est Conus.*7°.*de simp.me.fa.* 5ª.54.A
*Temperatæ in actiuis qualitatibus,& siccæ in secũdo ordine sunt Lẽ tes.*8°.*de simp. me.fa.* 5ª.63.B
*Temperatus ĩ passiuis qualitatibꝰ est Lẽtiscus.*8°.*de sim.m.f.*5ª.61.H
Temperatus est Lithargyrus. 9°.*de sim.me.fa.* 5ª.70.A
*Tpatũ est in passiuis qualitatibus psilliũ.*8°.*de sim.me. fac.* 5ª.64.A
*Temperatus est calor natiuus.*3°.*de caus. puls.* 4ª.97.C
*Tpati non possunt gigni in regionibus intẽperatis.*2°.*de sa.t.* 2ª.73.B
Temperatũ ne per somniũ quidẽ inuenies apud Gallos, Scytas, Aegy ptios,& Arabes. 2°.*de san. tu.* 2ª.73.B
Temperati absolutissimi qui credantur. 1°.*de sa.tu.* 2ª.64.E
Temperata natura vna est.de spermate. Sp.41.B
*Temperatum omnino quid sit.*1°.*de temp.* 1ª.14.A
Temperatum corpus quæ habeat.de opt. nostri corp. con. 1ª.38.E
*Tẽperatus in altera oppositione,in altera vero intẽperatus, medius est inter omnino tẽperatũ,& penitus intẽperatũ.*1°.*de tẽp.*1ª.14.D
Temperatus in summo neutram habet oppositionẽ superãtem. 1°.*de temperamentis.* 1ª.14.D
*Temperatus homo quibus inditijs cognoscatur.*2°.*de temp.* 1ª.15.H
*Temperatus optime est pulcherrimus.*1°.*de san.tuen.* 2ª.64.G
Temperatus,prudens,alacer,humanus amicorum amans erit. 2°.*de semine.* 1ª.15.H
*Temperati omniũ mensuras manifestas obtinẽt.*2°.*de sa.tu.* 2ª.73.F
Temperatis calor similis inest vsq; ad summum incrementum. 1°.*de san.tu.* 2ª.67.B
*Temperatus,qui nulli negocio sit adstrictus, quomodo tractãdus, vt diu viuat & sanus.*1°.*de san.tu.* 2ª.67.D
*Temperatus debet seruari non alterari.*2°.*de sa.tu.*75.F/4°.2ª.87.E
*Temperata consimilibus conseruantur.de natu.hu.c.*1°. 1ª.35.E
*non Temperata corriguntur contrarijs. de natu. hu.c.*1°. 1ª.35.E
Temperatum ſm naturam similibus seruatur. 3°.*de ali. fa.* 2ª.33.D
male Temperatum a contrarijs ad proprium temperamentum redu citur. 3°.*de ali.fac.* 2ª.33.D
*Temperatum improprie corpus per contrariam reducitur ad tẽpera tum,& quomodo.*1°.*de ali.fac.* 2ª.8.F
*Temperato adhibenda sunt omnia mediocria.*2°.*de san. tu.* 2ª.75.G
Temperato homini qualis aer conueniat. 1°.*de san. tu.* 2ª.67.B
*Temperatus aer cui comparetur.*2°.*de simp.me.fa.* 5ª.15.F/G
*Temperata moderatio in aere,quę.*2°.*de simp.me.fa.* 5ª.15.F
Tẽperatis sanis sunt tẽperati status.in 1ᵐ.*de mor.vul.c.*2°.3ª.108.E
*Temperatus annus naturalem seruat temperiem.de victus ratione in morbis acutis,com.*4ᵉ. 7ª.134.C
*Temperato homini dandus est locus temperatus,mediũ veris, & me ridies quando debet exerceri.*2°.*de san.tu.* 2ª.73.C
Temperata regio facit mores temperatos.q animi mores. 1ª.319.H
Temperatę regionis descriptio. q animi mores. 1ª.319.H
*Temperata est Delus. in progn.com.*3°. 4ª.212.H
*Temperatas regiones incolentes,sunt corpore, animi moribus, inge nio,prudentia,quàm prudentiores aliis.q animi mores.*1ª.320.D
*Temperati nutritio a principio ortus incipiens.*1°.*de san.tu.* 2ª.66.G
*Temperatũ corpus cur seruatur alimentis tẽperatis.*1°.*d ali.f.*2ª.8.E
Temperata corpora quibus indigeant cibis in tempore nõ temperato. de dissol.continua. Sp.73.G
Temperatus qui nõ multum mouetur cibãdus est cibarijs mediꝰ ĩter subtilia

ſubtilia & craſſa.de diſ. cont. Sp.73.A
Temperati augendi ſunt potius quã ſiccandi.2°.de ſan.tu. 2ª.73.A
Temperati ſemper tendunt ad ſiccam. 1°.de ſan.tu. 2ª.64.F
Temperatorum ciborum diuerſitas in craſſum,ſubtile & medium.de diſſolutione continua. Sp.73.G
Temperatæ craſſitiei oua quæ.de diſſ.cont. Sp.73.A
Temperata ſunt hepata pullorum,& anſerũ,& axillæ ipſorũ.de diſſolutione continua. Sp.73.A
Temperato ſanguine calidiorem & craſſiorem generat caro pullorũ columbarum,& auium paruarum.de diſſol. cont. Sp.73.A
Temperati ſunt piſces omnes non duræ carnis,nec multæ viſcoſitatis. de diſſolutione continua. Sp.73.A
Temperatos cibos in ſubtilitate, & craſſitie dabimus quando motus eſt conueniens.de diſſol.cont. Sp.71.G
in Temperatis,cibi debent eſſe oppoſiti naturis.de diſſo.cõt. Sp.71.G
nõ Temperati cibi non generant ſanguinem purum,mundum,clarum. de diſſol.cont. Sp.73.H
Temperatis quanto iucundius fuerit quod comedunt, tanto vtilius fit magis nutriens.6°.de ſan.tu. 2ª.96.C
Temperatus vſque ad quartumdecimũ annũ quàm ſeruare debet vi ſtus rationem.1°.de ſan.tu. 2ª.67.C
Temperati quomodo regendi ſunt ab anno decimo quarto vſq; ad vigeſimum primum.1°.de ſan.tu. 2ª.67.C
Temperato qñ abſtinendum à cibo,& potu.2°.de ſan.tu. 2ª.73.F
Temperatum extrinſeca facile offendunt.2°.de ſan.tu. 2ª.75.G
Temperatis balnea pauca conueniunt. 3°.de ſan. tu. 2ª.78.B
Temperatus & mo lice humidus aer balnei quomodo fiet.10°.meth. medendi. 7ª.66.H
Temperatus quomodo eat ad frigida.3°.de ſan.tu. 2ª.78.B
Temperatus quando poteſt vti aqua frigida.3°.de ſan. tu. 2ª.78.B
Temperato qualis lotio conueniat.2°.de ſan. tu. 2ª.76.B
Temperati ad labores quomodo ſe habeant. 5°.de ſan. tu. 2ª.89.H
Temperati apotherapia vtantur.3°.de ſan. tu. 2ª.76.G
Tẽperatus quo gñe exercitationis ſit exercẽdus.2°.de ſa.tu. 2ª.75.E
Temperato quando vtendum puluere. 5°.de ſan.tu. 2ª.76.B
Temperati quando ad exercitiũ prodire debent.2°.de ſa.tu. 2ª.75.F
Temperatus non poteſt laborare plus iuſto,nec cibis impleri.2°.de ſanitate tuenda. 2ª.73.F
Temperatus liber raro laſſitudine tentatur.3°.de ſan.tu. 2ª.76.F
in Temperato quomodo laſſitudo curanda. 4°.de ſan. tu. 2ª.84.D
Temperatus quando ſanguis mittẽdus eſt in laſſitudine,& quando nõ. 4°.de ſan.tuen. 2ª.84.D
Tẽperati aliqui ob prauã victũ factli ĩtemperati.2°.de ſa.tu. 2ª.73.F
Tẽperati facti quidã ſunt,qui prius erãt itẽperati.2°.de ſa.t. 2ª.73.f
Temperati non debent abſtinere à venere vt ſicci.6°.de ſa.t. 2ª.97.F
Temperati quinto loco ſunt proni ad febrem.8°.met.me. 7ª.54.E
Temperatorum duorum hominum qui ſe contingant experientia. 2°. de ſimp.me.facul. 5ª.15.H
Temperati non indigent quę curari debent.3°.de ſim. me.fa. 5ª.19.B
TEMPERIEM, *cauſas, & accidentia ſcire debet medicus. de medicinis expertis.* Sp.103.G
Temperies ſm naturam cognoſcenda eſt,& quare.ars med. If.71.B
Temperies eſt vna.3°.de ſim.me. fac. 5ª.19.F
ad Tẽperiem mediã qualitates ſunt referẽdæ.3°.de ſim.me.f. 5ª.19.f
Temperie media eſt cutis. 5°.de ſimp.me.fa. 5ª.32.E
Temperies naturalis eſt ſanitas. com.4°.aph.39°. Ex.32.D
Temperie optima conſtans vnus,eſt ex ſalubribus habitibus. de cõſtitutione artis medicæ. Iſa.38.H
Temperiem optimã in adoleſcẽtia corpus obtinet.6°.de ſa.t. 2ª.95.F
Temperies proba vnde.quod animi mores. 1ª.317.C
Tẽperies bona ſm Ariſtotelẽ ẽ cã roboris mẽbrorũ.1°.de ſe. 1ª.334.g
Temperies bona corporis facit intellectum,non compoſitionis varietas.8°.de vſu par. 1ª.170.C
Temperies corporis actiões aĩæ variare poſſunt.3°.de lo.af. 4ª.19.C
à Temperie manant actiones.2°.de nat.fac. 1ª.300.F
Tẽperies ſm naturã ĩ ſingulis inſtris eſt cã actiõis.2°.d na. f. 1ª.301.a
Temperies cognoſcitur ex functionibus partium principalium,& nõ ex ſenſu. 2°.de temp. 1ª.20.A
Temperiem naturalem ſeruat annus temperatus.de victus ratione in morbis acutis,com.4°. 7ª.134.C
Temperiem naturalem inculpatam habẽtia animalia, debent ſimilibus nutriri. 1°.de alim.fac. 2ª.33.D
Temperiem cerebri ſeruare debent,qui recte viuere,& recte meditari volunt.de vir.noſtr.corp.diſpen. Sp.60.C
Temperiem optimam qui non habent. 1°.de ſan.tu. 2ª.64.E
Tẽperiẽ prauã aãlib⁹ hũtib⁹ cibi cõtrarij cõueniũt.3°.d al.f. 2ª.33.d
à Tẽperie deficiẽs corpus,p quorũ cauſas deficit.5°.de ſa. t. 1ª.89.E
Temperies partium quando eſt varia,ex vna earum non licet pronũciare de toto.2°.de temp. 1ª.19.H
Temperies alia calida actu eſt.1°.de temp. 1ª.14.E
Temperies alia calida poteſtate eſt, & quæ.1°.de tem. 1ª.14.E
Temperiei calidæ homo quibus ſit nutriendus.de diſſo.cont. Sp.72.B
Temperies calida,& humida,vt puerorum, facile abſumitur.de curan.ratione per ſanguinis miſſionem. 6ª.19.F
Temperies ſicca ſæpe facit animal calidius in augmento, in decremẽto ſit ſiccum,& frigidum 6°.de ſan.tu. 2ª.95.F
ad Temperiem corpora vt reducantur quomodo ſeruanda æqualitas in calido,& frigido. 1°.de alim fac. 2ª.8.F
ad Temperiem tarde veniunt frigidi, & ſicci.8°.me.me. 7ª.54.F
Temperies corporis facit ad inuentionẽ auxiliorũ.8°.me.me. 7ª.58.g
Temperies laborantis oſtendit indicationes menſuræ contrarietatis. 11°.met.me. 7ª.67.D
Temperiem aeris comprehendit ſub cœli ſtatu.8°.met.me. 7ª.57.H
Sub Tẽperie aeris cõtinetur anni tẽpus,& regio.8°.me.me. 7ª.58.A
à Temperie loci laborantis indicatio prima in ventriculo affecto.7°. met.med. 7ª.48.H
TEMPERARI *æqualiter quid ſit.6°.de ſan. tu.* 2ª.95.C
TEMPESTAS *valida quomodo ex luna cognoſcatur.3°.de diebus decretorijs.* 4ª.157.F
Tempeſtatem ſignificat luna rutila.3°.de dieb.decr. 4ª.157.F
Tẽpeſtates et vẽtos cõciat taurus in mari,& ĩ terra.de decu. Sp.13.c
Tempeſtas ſerena qualis.in 3ᵐ.de mor.vul.com.2°. 3ª.140.H
Tempeſtas auſtrina qualis.in 3ᵐ.de mor.vul.com.2°. 3ª.140.H
Tempeſtas aquilonia qualis.in 3ᵐ.de mor.vul.com.2°. 3ª.140.H
Tempeſtas vnaquæq; pro ratione ſuæ temperaturæ,ac non propter nomen,ſuccos auget.in 1ᵐ.de morb. vul. com.1°. 3ª.100.H
Tempeſtate vnaquaq; cur non omnes vno & eodem morbo capiũtur. in 1ᵐ.de morb.vul.com.1°. 3ª.101.A
TEMPLVM *paruum Soſtrati.de faſcijs.* 7ª.302.H
Templum paruum Apollonu Thirij.de faſciis. 7ª.302.H
TEMPORALES *muſculi qui.de muſcul. diſſectio.44.G/ 4°.de anato. admin.* 1ª.80.A
Temporales muſculi duo ſunt.11°.de vſu par. 1ª.185.D
Temporales muſculi quales.11°.de vſu par. 1ª.184.F
Tẽporalis muſculi caput quale in animalibus habẽtibus maxillã magnã,& in us ẽt quæ habent dentes ſerratos.16°.de vſu p. 1ª.217.A
Tẽporales muſculi tendũt in vnũ magnũ tẽdonẽ.11°.d vſu p. 1ª.185.b
Temporalis muſculus vbi. 11°.de vſu par. 1ª.184.G
Tpales muſculi ppĩquiores ſunt cerebro aliis.11°.de vſu p. 1ª.185.c
circa Temporales muſculos oſſa cur duraĩ orbem quaſi ſeptum quod dam circumiecit.11°.de vſu par. 1ª.185.B
Temporalium muſculorum tutamen. 11°.de vſu par. 1ª.185.C
Temporalis muſculus cur abditus ſolus omnium muſculorum in oſſibus capitis.11°.de vſu par. 1ª.185.B
Temporalis muſculus magnus quorſum a natura effectus in quibuſdã animalibus.16°.de vſu par. 1ª.217.B
Temporalis muſculi tendo ex medio oculo.11°.de vſu par. 1ª.185.H
Temporales muſculi in hominibus minimi,& minimum neruoſi ſunt. 11°.de vſu par. 1ª.184.F
Tpalis muſculus in hoĩbus & ſimijs exiguus ẽ.16°.de vſu p. 1ª.217.a
Temporalis muſculus cur paruulus hominibus.11°.d vſu p. 1ª.184.b
Tẽporalis muſculus cur minimus hominib.11°.de vſu p. 1ª.185.A/B
Temporales muſculi in quibus animalibus maximi ſint, & neruoſi. 11°.de vſu par. 1ª.184.F
Temporalis muſculus quibuſdam animantibus eſt maximus. 16°.de vſu par. 1ª.217.A
Temporales muſculi cur magni ĩ quibuſdã animalibus à natura facti. 11°.de vſu par. 1ª.184.G
Tpalis muſcul⁹ p plures neruos cõicat cerebro.11°.de vſu p. 1ª.185.c
Temporalium muſculorum officium.4°.de ana.adm.80.A/2°. de motu muſculorum. 1ª.314.E
Temporalibus muſculis læſis,qui morbi cõtingãt.11°.de vſu. 1ª.185.B
TEMPORARIA *aqua quæ.in 6ᵐ.de mor. vul.com.4°.* 3ª.184.F
TEMPVS *quid. de hiſt.philoſ.* Sp.5.C

Tempus non consumendum.3°.de loc.aff. 4ª.17.D
*Tempus nõ conterendũ in obscuris.in 6ᵐ.de morb.vul.c.3°.*3ª.179.C
Tempus perditur sub malis præceptoribus.8°.met.me. 7ª.52.B
Tempus habet omnes motus.2°.de dignos.pul. 4ª.75.B
*Tempus,& spatiũ inseparabilia ĩ motu diuisiuo.1°.de dif.r.*3ª.57.a
Tempus quid faciat in pulsu.2°.de dign.pul. 4ª.75.B
*Tẽpus maximã vim hẽt ad perturbationem motus.4°.de de.*1ª.153.b
Tempus formationis in tres partes diuiditur.de ana.viu. Sp.52.B
Tempus motus quando post formationem.de ana.viuo. Sp.52.B
Tempus partus quando post motum.de ana.viuo. Sp.52.B
Tempus partus diuersitas.de ana.viuo, Sp.52.B/C
Tempore vina fiunt flaua.de vinis. Sp.76.G
TEMPVS *anni & regio cõtinet sub tẽperie aeris.8°.me.m.* 7ª.58.A
Temporum quatuor anni sol est auctor.3°.de diebus decret. 4ª.156.
H/de spermate. Sp.40.E
Tempora anni quomodo mutentur in qualitatibus.de sper. Sp.39.E
Temporũ mutationes obseruãdæ,& quare.de aere,aq.& loc. 2ª.2.D
Temporũ magnæ mutatiões seruandæ.de aere,aqu.& lo. 2ª.2.G
circa Tẽporũ mutationes q̃ sint a medico cõsiderãda.de sp. Sp.39.F
Temporum mutationes vbi non sunt,omnes ferè sunt similes, de ae, aquis,& locis. 2ª.4.G
Tẽpora cũ sint inter se similia,nullas corruptiones, neq; malignantes iferũt ĩ seminis genitalis misturã ac cõpactionẽ.de a.aq.et l. 2ª.5.f
in Tempore mutationes magnæ,& frequentes faciunt magnã diuersitatem in hominibus.de aere,aquis,& locis. 2ª.4.F
Tempora formarum naturam variantia,sunt diuersa.de aere,aquis, & locis. 2ª.4.G
Temporum mutationes vbi fortes non fiunt, corpus, & animus non fiunt apta exercitationibus.de ae.aquis,& locis. 2ª.5.A
Temporum mutatio facit generosiores.de aere aq.& loc. 2ª.5.F
Temporis cõstitutionẽ qui poterit prædicere.de aere,aq.& l. 2ª.2.D
*Tempora quomodo a medicis distinguãtur.com.3°.ap.14°.Ex.*22.F
Temporum ordo qui fm medicos.com.3°.aph.14°. Ex.22.F
Tempora omnia,vt ætas,hyems,quod possint in plures partes secari,potest colligi.com.3°.aph.23°. Ex.24.H
Temporis mutationis an hominis natura concordet considerandũ est. de spermate. Sp.39.F
Temporis qualitates afficiunt corpus.de nat.hu.com.1°. 1ª.32.D
Temporum varietates naturam permutant.de ae.aq.& lo. 2ª.4.G
Temporibus anni non afficiuntur omnes ætates,nec omnes naturæ,nec omnes pulsus.2°.de dign.puls. 4°.78.F
quæ Tempora cui ætati cõueniant,& cui non.c.3°.ap.18°. Ex.23.G
Tempora optima,pessima,& media,quomodo inueniantur.commentario.3°.aph.18°. Ex.23.H
Tempora sicca sunt magis salubria pluuiosis.com.3°.apho.7°. 20.F/
aphorismo.11°. Ex.21.B
Tempora sicca generant paucos humores,sed bilios os.commenta.3°, aphorismo 7°. Ex.20.F
Tempore sicco fiunt febres acutæ,sed nõ multæ.c.3°.ap.7°. Ex.20.F
Tempus notat humores peccantes.com.4°.aph.2°. Ex.27.E
Temporũ mutationi concordare solet passio cholerica,& sanguinea, de spermate. Sp.39.H
Tempora cur humidiora.2°.de temper. 1ª.19.E
Tempora mutant respirationem.de vtil.resp. 1ª.225.G
Tempora extenuant corpora,& quæ tẽpora.c.2°.aph.28°. Ex.16.D
Tempora anni calida & regiones calidæ sunt causa exolutionis viriũ in euacuatione,vt in pueris substantia mollis,& humida.de vict. rat.in morbis acutis.com.1°. 7ª.115.F
Tempore quolibet possunt fieri omnes morbi, tamẽ aliqui magis quã alij.com.3°.aph.19°. Ex.24.A
*Temporum anni mutatio præter naturã in causa est vt morbis corripiamur.in 3ᵐ.de morb.vul.cõ.3°.*140.F/*cõ.3°.aph.4°.* Ex.20.C
Temporũ mutationes vt plurimũ morbũ pariũt.c.3°.ap.1°. Ex.19.G
Temporum mutationes,idest successiones faciunt,& soluunt morbos. comme.3°.aph.1°. Ex.19.G
Temporũ magnę permutationes vt frigoris,caloris,humidi,sicci morbos vt plurimum pariunt.com.3°.aph.1°. Ex.19.G
Temporum ratione morbi,qui.6°.de decr.Hip. 1ª.276.G
*Tẽpora ad quæ morbi bene vel male se habeãt.c.3°.aph.3°.*Ex.20.a
Tempora similia complexioni faciunt morbos,dissimilia soluunt, pter quam si ætas temperata,& victui,& regioni, & loco temperato comparetur,hoc enim solo modo similes a similibus bene afficiun tur.com.3°.aphoris.3°. Ex.20.B
*Tempus quantum valeat,de vic.rat.in mor.acut.com.1°.*7ª.115.E
a Tempore anni iudicatio oritur.de sectis. Isa.16.E
Tempore anni facit ad inuentionem auxiliorum.8°.met.me. 7ª.58.G
Tempora anni quomodo valent ad victus rationem instituendam. cõmentario 1°.apho.15°. Ex.8.A
Tempora anni,partes,& regiones quomodo se habeant ad purgationes quos pur.opor.quib.med. 5ª.88.D
Tempora purgandi sunt ver,& autumnus.de dy. Sp.20.G
Tempus præbendi pharmacum quod.de sperm. Sp.39.G
in Tẽpore debito nisi dẽtur medicamẽta nõ valẽt.de med.ex. S.106.f
*Tẽpore quouis fiat venæsectio,si vsus postulet.præs.exper.*Sp.77.D
Tempus acommodatius venæsectioni in febre cõtinua est matutinũ. præs.exper.conf. Sp.78.D
Tempore matutino sanguis detrahẽdus.præs.exper.cõf. Sp.77.H
Tempus quo venæsectio prohibẽda est.præs.exper.conf. Sp.78.D
in Tempore anni multum calido, & multum frigido non est secanda vena,& in febre acuta.de sect. Isa.161.E
Tempore calido,& sicco sanguis non est mittendus.de victus ratione in morbis acutis,com.3°. 7ª.136.H
a Tempore anni sumitur etiam inditium bonæ excretionis. commẽt. 4°.aphoris.47°. Ex.33.A
Temporum differẽtiæ duę apud medicos celebrãtur,si quidẽ aliqua dicũtur tempora morborũ, & aliqua auxiliorũ.de op.sec. Is.27.E
*Tempora auxiliorum & morborum diuerso sunt.de opt.sec.Is.*28.A
Tempora auxiliorum eodem instrumento non iudicantur,et iudicatoria instrumenta particalarium temporum ipsorum remediorũ scribi nequeunt.de opt.sect. Isa.27.H
Tempus in morbis est,vt ætas in animalibus.de morb.tem. 3ª.85.E
Tẽpora morborũ vnde fm aliquos distinguãtur.1°.de crisi. 4ª.125.G
Tempora morborum quatuor.1°.de crisi. 4ª.125.G
*Tempora quatuor morborum quomodo distinguũtur.de opt.Is.*28.A
*Tempora vtia qũo a particularibus distinguantur.de op.sec.Is.*27.b
Tempora morborum vniuersalia,quæ non distinguuntur dierum.numero.1°.de scri. 4ª.125.G
Tempora omnia in alia distinguuntur.de morb.tem. 3ª.86.E
quo ad Tẽpora morborũ differẽtiæ tres.in progn.cõ.1°. 4ª.193.B
Tempora sex morborum intermittentium.de mor.tem. 3ª.86.B
p Tempora febris incessus qũo se habeat.3°.de præs.exp. 4ª.119.A
Tempora tria simul in quibus sint febribus.de mor.tem. 3ª.87.B
Tempora quatuor habet hectica.1°.de diff.feb. 3ª.36.C
Tempora tria in continuis,& earum duisio.de morb.tem. 3ª.87.D
Tempora morborum sunt æqualia.1°.de crisi. 4ª.126.D
Tempora æqualia longo morbo habere non potest morbus breuis.1°. de crisibus. 4ª.125.G
*Tempora morborum habent latitudinem.de tot.morb.temp.*3ª.89.B
Tempus breue qui morbi habeant.1°.de crisi. 4ª.126.F
Tempora quomodo habet apoplexia.de tot.morb.tem. 3ª.89.C
Tempora habet comitialis morbus.de tot.mor.tem. 3ª.89.C
*Tẽpora quatuor habẽt apata,et quæ cõueniãt in illis.de ocu.*7ª.189.e
*Tempora quomodo habet scirrhus in cruribº.de tot.mor.tem,*3ª.89.C
Tempora quatuor habet ceruicis truncatio.de tot.mor.tem. 3ª.89.C
Tempora morbi in morituris.de tot.morb.tem. 3ª.89.F
Temporis inæqualitas inditium atræ bilis quæ dominatur.1°.de arte curatiua ad Glauconem. 7ª.96.B
Tempora mala cur dicantur.an qualitates incorporeæ sint. Isa.10.B
Temporibus certis natura ordinata semper agit,si materiam superet. 2°.de diebus decre. 4ª.151.H
circa Tempora oĩa versaĩ prognosticatio.in progn.c.1°. 4ª.190.H
Tempus præfinitum vnde cognoscatur a medico qua euadendum vel pereundum est homini.de constit.art. Isa.42.A
Tempora a nullo signo fideliter iudicantur.1°.de crisi. 4ª.130.G
Tempora morbi vtia qũo qs cognoscet anteq̃ sint.1°.de crisi. 4ª.131.F
Tempora morborum quantum debeant perdurare,quomodo coniectãdum,& vnde.1°.de crisi. 4ª.128.E
Tpe lõgo indigent fixi humores vt expellanĩ.c.4°.ap.30°. Ex.30.F
Temporis longitudo ab Hippocrate ostenditur per hæc verba capti, capiuntur.com.5°.apho.70°. Ex.45.E
a Tempore nulla est indicatio.4°.met.me. 7ª.27.E
a Tempore non est indicatio curandi sumenda,sed a morbo.4°.met. medendi. 7ª.24.H
Tempus ad præsidia conducit.de tot.morb.temp. 3ª.88.E

in Temporibus diuersis auxilia diuersa adhibenda sunt.de totius morbis temporibus. 3ª.89.A
Temporis occasio,& auxiliorum quantitas ad medendum conferunt. 1°.*de arte cur.ad Glau.* 7ª.94.C
*Tẽpus occasionis in medicina breue,& p̃ceps est.cõ.*1°.*aph.*1°. *Ex.*2.C
Temporis opportunitas multum facit.de pucro epilep. 7ª.180.B
Temporis occasio vnde habet ortum.ars med. *Isa.*68.D
*Tempus ostendit victus rationem.*7°.*meth.med.* 7ª.46.G
sine Temporum cognitione victus ratio institui non potest. de totius morbis temporibus. 3ª.90.A
pro Tempore victus ratio immutanda est.de sal.diæt. 2ª.40.H
circa Tempora varia quæ curatio adhibenda.de tot.mor.tẽp. 3ª.90.A
*per Tempora quatuor asperæ arteriæ lassitudinibus tensiuis quid agẽdum.*7°.*de composi.medica.sec.loc.* 5ª.177.G
Temporum in morbo laterali casus. 1°.*de crisi.* 4ª.132.E
TEMPORA *quæ partes corporis appellantur.intro.* *Isa.*52.H
Tempora subiacent vbi galea est.de nat.& ord.cuiusl.corp. *Sp.*41.H
Temporum duo sunt ossa.introd. *Isa.*54.F
Temporis ossis abscissio cõuulsionem facit in 1ᵐ.*pror.cõ.*3°. 4ª.183.H
Temporum musculus euidens si os ingale duntaxat excideris. 4°. *de natomicis administr.* 1ª.81.E
*circa Tẽpora musculorũ motus duo sunt.*1°.*de motu musc.* 1ª.309.G
Temporum venæ duæ flexuosæ incedunt.de ana.viuo. *Sp.*55.A
Temporum venæ graues & plenæ sunt edito homini si sperma conceptũ fuerit a muliere in tribus horis sanguinis.de sper. *Sp.*37.B
*Tempora pulsant a potomeri,& in ardentibus febribus,& in capitis doloribus.*4°.*de pul.diff.* 4ª.64.C
Tẽporũ venæ cur pulsent in capitis dolore.in 1ᵐ.*pror.c.*3°. 4ª.180.D
*Temporum venæ pulsantes indicationis sunt signum.*1°.*de arte curatiua ad Glauconem.* 7ª.100.D
*in Temporum pulsibus vinũ euitandũ est.*1°.*de arte cur.ad Gl.* 7ª.95.F
Temporũ venæ secantur,vel inciduntur,vel extrahuntur, vel aduruntur,vt rheumatismi subtiles qui ad oculos descendunt constringantur.de ana.ocul. *Sp.*55.B
Temporum arteriæ illustrem habent motum.de pul.ad Tyr. 4ª.43.C
*in Temporũ arterijs cum dolore vehementi pulsus non naturalis motus est.de ijs,quæ in med.fi.com.*3°. 7ª.222.D
Temporis arteria quandoque secatur,quandoque inciditur, quandoq; extrahitur,quandoque aduritur. de ana.viuo. *Sp.*55.B
Temporum arteriæ secantur propter oculos,& fluxum calidum,& spumosum.de cur.ra.per sang.miss. 6ª.303.F
*Tempora adstricta mala.in prog.com.*1°. 4ª.191.B
*Tempora quomodo adstringantur in acutis.in prog.com.*1°. 4ª.191.C
ad Tempora, & ad Thoracem a capite cur materia transmittatur, 2°.*de diff.febr.* 3ª.40.H
TEMVLENTI *cur nõ habeãt insomnia.in* 1ᵐ.*prorrhe.c.*1°. 4ª.163.G
*Temulenti calido quodam modo victo,& grauato humoris copia dormiunt.*2°.*de temp.* 1ª.16.F
*TENACITAS in medicamentis facit substantiam emplasticã.*9°. *de simp.med.fac.* 5ª.66.B
TENAX, *& viscosus est samius aster.*9°.*de sim.med.fac.* 5ª.66.A
*Tenacia omnia opplendo quippiã in transitu relinquũt.de ptis.*2ª.47.F
*Tenacis carnis animalia vitanda sunt in quartana.*1°.*de arte curat. ad Glauconem.* 7ª.97.F
*Tenax materia tarde dissoluitur.com.*6°.*apho.*49°. *Ex.*52.E
*Tenax humor bullas facit stabiles.com.*7°.*aph.*34°. *Ex.*56.E
TENDINES *qui.introd.* *Isa.*53.B
*Tendines sæpius videndi sunt.*3°.*de comp.med.per ge.* 5ª.231.F
*Tendines oriuntur ex musculis.*3°.*de com.me.per ge.* 5ª.231.E
*ad Tendines capiendos hamo,& scalpello hebetiore vtendũ,*1°.*de anatomicis administ.* 1ª.65.H
*Tendines quales sint in partibus diuersis.*3°.*de c.me.p ge.* 5ª.231.B
Tendines viscide immodicæ,& glutinosæ sunt vbi elixæ fuerint.de bonitate & vitio succ. 2ª.35.H
*Tendines non vacant periculo.*3°.*de cõ.med. per ge.* 5ª.231.D
*Tendines quid patiantur.*3°.*de compositione med.per gen.* 5ª.231.A
Tendinibus affectis per sympathiam patitur principium. 3°.*de com. med.per ge.* 5ª.231.E
*Tendines in anteriorem partem extensi,quo modo curentur.de vic. ratio.in mor.acu.com.*4°. 7ª.144.E
*Tendines qui dilatantur,& qui non.*3°.*de com.med.per ge.* 5ª.231.E
*in Tendinis capite punctura aliquando adeo angusta fit, vt piculum sit ne summis partibus conglutinatis profundiores adhuc non coaluerint.*1°.*de ana.adm.* 1ª.64.D
Tendines quando amputandi in vulneribus, vt simus tuti. 3°.*de compo.med.per ge.* 5ª.231.B
*Tendines non suuntur sine periculo.*3°.*de com.me.per ge.* 5ª.231.D
TENDENS *sursum totum pedem musculus.de mus.diss.* 1ª.52.D
*Tendentia quo modo faciant dolorem.*1°.*de sym.cau.* 3ª.16.H
*Tendens dolor est species doloris.com.*6°.*aph.*5°. *Ex.*47.A
TENDVNTVR *chordæ a sicco,& humido.*2°.*de loc.aff.* 4ª.11.A
*Tendi quidam dolentes videntur.*2°.*de loc.aff.* 4ª.12.F
TENDONES τένοντες *vocant græci.*5°.*de san.tu.* 2ª.90.A
*Tendones dñr aponeurosis quasi eneruationes.*1°.*de loc.aff.* 4ª.7.D
*Tendones etiam nerui nominantur ab aliquibus.*3°.*de compositio. medicam.per gen.* 5ª.229.B
*Tendones a quibus nerui dicantur.*2°.*de loc.aff.* 4ª.11.A
*Tendones ab ignaris nerui putantur.*6°.*meth.med.* 7ª.38.H
*Tendones qui vocentur.*3°.*de comp.med.per ge.* 5ª.229.B
*Tendo quid sit.*1°.*de vsu par.*117.C/1°.*de motu mus.* 1ª.308.G
*Tendo quid nam sit,& a quo fiat.*1°.*de decr.Hip.* 1ª.234.B
*Tendones qui.fi.med.Isa.*44.C/2°.*de arte cur.ad Glau.* 7ª.104.B
Tendones qui sint,& vnde oriantur.de ossibus. 1ª.40.D
*Tendones sunt partes neruosæ.com.*5°.*apho.*1°. *Ex.*37.D
*Tendones quo modo generentur.*2°.*de vsu par.* 1ª.122.G
*Tendones quomodo ex cerebro oriantur.*6°.*meth.med.* 7ª.38.H
*Tendo ex ligamentis, & neruis est.*1°.*de motu mus.* 1ª.309.C
*Tendo neq; insensilis neq; sensilis est,vt neruus.*1°.*d mot.mu.*1ª.309.C
*Tendones quidam sensus expertes sunt.*3°.*de alim.fac.* 2ª.26.F
*Tendo quantum excedat neruum.*1°.*de motu mus.* 1ª.309.C
*Tendo cur neruo maior.*1°.*de motu mus.* 1ª.309.D
*Tendo multo maior est neruo, qui in musculum descendit.*1°.*de motu musculorum.* 1ª.309.C
*Tendo nascitur ex fine musculi.*1°.*de motu muscu.*1ª.309.C/*de bonitate & vitio succorum.* 2ª.35.G
*in Tendonem desinunt omnes musculi.*11°.*de vsu par.* 1ª.185.G
*Tendo est in quod musculus desinit.*1°.*de decr.Hipp.* 1ª.333.G
*in Tendonem non desinit omnis musculus.*1°.*de motu mus.* 1ª.309.E
*Tẽdo nõ orit ex musculis mouẽtib. linguã.*1°.*de motu mus.* 1ª.309.E
*in Tendones desinunt musculi mouentes ossa.*1°.*de motu mus.*1ª.309.F
*Tendo quando circa ossa quomodo os disponat.*2°.*de vsu par.*1ª.123.C
Tendo vt plurimum in ossis terminum chartilagine illitum inseritur. 1°.*de motu musc.* 1ª.309.D
*Tendo musculum alligat ossibus subiectis in quæ inserit qua ratione nihil differt a ligamento.*1°.*de motu mus.* 1ª.309.D
*Tendo vnde finiat.*1°.*de motu mus.* 1ª.308.G
*ad Tẽdonẽ cõstituẽdũ musculus fuit cõparatus.*12°.*& vsu p.* 1ª.193.D
*in Tendones multos cum desinit vnus musculus,non amplius vnus esse videtur,sed quot sunt tendones.*1°.*de motu mus.* 1ª.308.F
*Tendo ex quibus affectus.*1°.*de sem.* 1ª.332.C
*Tendo ex neruo,& ligamento constat.*1°.*de motu mus.* 1ª.309.C
*Tendo ligamenti,& neruũ vsum habet.*1°.*de motu mus.* 1ª.309.D
*Tendo medius est inter ligamentũ,& neruũ.*1°.*d motu mu.*1ª.308.H
*Tendones quam qualitatem habeant.*2°.*de temp.* 1ª.18.A
Tendo idem quod chorda.de ana.viuo. *Sp.*55.E
Tendo,copula,neruus quo modo differant,& quid sint. 1°.*de decretis Hippocratis.* 1ª.233.F
Tendo,neruus,copula,alba sunt,exanguia,foraminibus carentia. 1°. *de decretis Hippocratis.* 1ª.233.H
*Tendo non omnis est teres neque copulæ.*1° *de decr.Hip.* 1ª.233.F
*Tendo minus siccus chartilagine est.*1°.*de tem.* 1ª.15.C
*Tendones sunt minus duri ligamentis,propterea sunt inutiles ad pudẽdorum constructionem.*14°.*de vsu par.* 1ª.210.D
*Tendones non habent cauitatem.*14°.*de vsu par.* 1ª.210.D
*Tendo primum instrumentum est motus,*12°.*de vsu par.* 1ª.193.D
*Tendones,nerui,musculi,& ligamenta quanto sunt sicciora,tanto sunt valentiora.*3°.*de symp.cau.* 3ª.29.D
*Tendones duos habet actio valida.*5°.*de vsu par.*119.F/2°. 1ª.123.D
*Tendones parui habent actiones imbecilles.*2°.*de vsu par.* 1ª.123.D
*Tendonum media constitutio quæ.*1°.*de vsu par.* 1ª.119.C
*Tendonum actiones voluntariæ sunt.*2°.*de san.tuen.* 2ª.75.A
*Tendonũ exercitatio fit p se ex motibus volũtarijs.*2°.*de sa.t.*2ª.75.A
*Tẽdo tpalis musculi cur ex medio oculo emergat.*11°.*de vsu p.*1ª.185.H
*in Tendonem magnũ tendũt musculi tẽporales.*11°.*de vsu p.*1ª.185.H.

Tendo tralris

Tendo trahit particulam ad suum caput. 1°. de vsu par. 1ª.117.H
Tendones manus à quibus musculis oriantur. 2°. de vsu p. 1ª.121.D
Tendo cauæ manus diligenter inspiciendus est in dissectione. 1°. de anatomicis administrationibus. 1ª.66.B
Tendo digitorum pars. de inæq. intemp. 3ª.43.D
Tendones digitorum vnde oriantur. 1°. de vsu par. 1ª.118.F
Tẽdones sũt nerui vocati ab antiqs digitos mouẽtes. 1°. d̃ vsu. 1ª.117.C
de Tendonibus mouentibus digitos. 1°. de vsu par. 1ª.118.C
Tendonum cuntium ad digitos vtilitas. 1°. de vsu par. 1ª.117.C
Tendones quatuor in vnumquenque digitum singulus producens musculos. de musc. diss. 1ª.48.C
Tendones producit vnum quodque caput digitis quos mouent numero æquales. de musc. diss. 1ª.48.C
Tendones digitos extẽdentes & incuruãtes q. 2°. de loc. aff. 4ª.11.A
a Tendone exteriori fit digitorum extensio. 1°. de vsu par. 1ª.117.D
a Tendone interiori fit digitorum flexio. 1°. de vsu par. 1ª.117.D
Tendones a quibus digiti flectũtur interni sunt. 1°. d̃ motu mu. 1ª.311.A
Tendo vnus sufficit ad extensionem digiti. 2°. de vsu par. 1ª.121.D
Tendo vnus non sufficit ad flexionem digiti. 2°. de vsu par. 1ª.121.D
Tendone externo absciso particula flectitur. 1°. de motu musc. 1ª.311.G
Tendoni flectenti aliquis non est omnino exquisite oppositus in magno digito. 1°. de vsu par. 1ª.117.G
Tendones qui in orbem circũuoluuntur quales. 1°. de vsu p. 1ª.214.C
de Tendonibus pollicis. 1°. de vsu par. 1ª.117.D
Tendonis mouẽtis pollicem cur caput sit in media cauitate manus. 1°. de vsu partium. 1ª.117.H
Tendo pollicis id modo simili iugorum habenis. 1°. de vsu p. 1ª.118.A
Tendo pollicis cur super alios. 1°. de vsu par. 1ª.118.B
de Tendonibus quatuor aliorum digitorum. 1°. de vsu par. 1ª.117.E
Tendones aliorum digitorum quomodo locati. 1°. de vsu par. 1ª.118.B
de Tendonibus indicis. 1°. de vsu par. 1ª.117.G
Tendones interni cur duplices in digitis. 1°. de vsu par. 1ª.117.F
Tendo vnusquisque a musculis vsque ad articulos exquisite est rotundus. 1°. de vsu par. 1ª.117.G
a quo Tẽdone flectat primus & tertius articulus. de mu. dis. 1ª.48.A
Tendo mouens primum articulum si patiatur, quid sequitur. 1°. de vsu partium. 1ª.118.D
Tendones ad laterales partes digitorũ vñ oriãtur. 1°. de vsu p. 1ª.118.e
Tendones cur in lateribus digitorum. 1°. de vsu par. 1ª.118.E
Tendones in manu summa male curati. 3°. compositione medicamentorum per genera. 5ª.228.C
Tẽdones ad carpũ tẽdentes q̃ officiũ habeãt. 2°. de vsu p. 1ª.117.D
Tendones mouentes digitos Pedum qui, et quibus motibus. 3°. de vsu partium. 1ª.133.G
Tendones digitorum pedum sunt multo minores quàm manuum. 3°. de vsu partium. 1ª.131.G
Tendonis germẽ in calcaneo disseminatum est ad omnes pedis particulas. 3°. de vsu par. 1ª.133.H
Tendo calcis cur robustus. 3°. de com. me. per ge. 5ª.231.E
Tendo non existens in pede humano, sed bene in simia, qui. 2°. de anatomicis admin. 1ª.72.A
Tendonibus patientibus eadem fiunt, quæ fiunt, patientibus musculis. 1°. de motu musc. 1ª.308.G
Tendo seipsum grauare non potest. de mul. 3ª.78.A
Tendones aliquibus ex leui qualibet causa dolent. 5°. de sa. t. 2ª.90.A
ex Tendonum doloribus animi defectus quo modo curetur. 1°. de arte curatiua ad Glauco. 7ª.99.G
ad Tendonum phlegmonas. 7°. de com. med. per ge. 5ª.269.D
Tendones scirrhosi quibus indigeant, & quo modo vsus aceti illis conueniat. 14°. meth. med. 7ª.88.A
in Tendone interno scirrho nato pars flexa non extenditur, è contrario in externo. 1°. de motu musc. 1ª.310.H
Tendonum scirrhi quibus curentur. 2°. de arte cur. ad Glau. 7ª.104.B
Tendonis punctura facit conuulsionem. ars med. Isa.70.A
Tendo punctus ex euphorbio sanatur. 3°. de com. me. per g. 5ª.233.B
Tendonũ vulnus qũo nominandum. 3°. de com. med. per ge. 5ª.229.B
in Tendonibus vlcera sunt dolorosa, & spasmosa, & delirium faciẽtia. 4°. meth. med. 7ª.28.B
ad Tendonum spasma valet Theriaca. de theria. ad Piso. 5ª.91.G
TENEBRÆ *Φέραι dicuntur a Pindaro. in 1m. pror. com. 3°.* 4ª.182.H
Tenebræ an videantur. de hist. phil. Sp.9.E
Tenebris oppositis quid faciat lux. de hist. philo. Sp.9.E
Tenebris altissimis circundatum nobis aerem ad tempus occupantibus, nobis extrinsecus fit, id melancholiæ vitio laborantibus ab interno & ipso corpore contingit. 2°. de sym. cau. 3ª.24.D
Tenebræ formidolosæ sunt. de mel. ex Gal. Ru. & Poss. Sp.109.D
Tenebræ inducunt timorem. 3°. de loc aff. 4ª.19.C
in Tenebris pueri timent, & ex adultis non consueti. de melancholia ex Gal. Ruf. & Poss. Sp.109.D
Tenebræ terrent nos in anima, ideo atra bilis tenebrosa est. 2°. de sym. causis. 3ª.24.D
Tenebræ animæ rationalis atra bilis. 2°. de sym. cau. 3ª.24.D
Tenebrarum somnium significat atrã bilẽ. de præs. ex insom. 4ª.213.C
Tenebris similem mentem reddens, atræ bilis color timorem efficit. 3°. de locis affectis. 4ª.19.C
Tenebræ veternum augent secundũ methodicos. de opt. sect. Isa. 25.A
Tenebræ obortæ oculis qũ bonæ, & qũ non bonæ. 1°. de crisi. 4ª.128.B
TENEBRICOSVM *quod circa oculos a quo fiat. in prognost. commentario 3°.* 4ª.210.E
TENEBROSA *visa vt in suffusionibus. in prog. com. 3°.* 4ª.210.F
TENENDI, *nec repellendi vim habet quod ita est molle vt tum humidum tum fluxile tum nulli innitens sit. 3°. de sym. cau.* 3ª.28.H
Tenere fortiter, trudere violenter, & trahere valenter quicquid voluerit potest, quod ita durum est, vt nec difficile ad flectendum sit, & firmiter imitatur. 3°. de sym. cau. 3ª.28.H
TENERA *& viridia participant substantiæ aquæ. 6°. de simpliciũ medicamentorum facul.* 5ª.45.A
Tenera crescentia sunt moderata. de atten. vic. 2ª.44.A
Teneri pisces, parui, quibus non est pinguedo multa, sunt boni chymi, & subtilis. de diß. cont. Sp.73.H
Tenera labia sunt homines in tribus horis sanguinis a muliere concepti. de spermate. Sp.37.B
Tenera carne prædita corpora facile morsum recipiunt. 4°. de compo. me. per genera. 5ª.236.F
Teneris qualis debet exibi medicamẽtũ. 3°. de comp. m. pg. 5ª.232.H
Teneris non est adhibenda calx viua, sed cocta. 1°. de composi. medica. per genera. 5ª.212.A
ad Teneros, & vlceribus magnis nimis grauiter conflictantes. 4°. de compo. med. per gen. 5ª.245.D
ad Tenerorum vlcera. 1°. de comp. med. per gen. 5ª.214.D
ad Teneros. 2°. de composi. me. per gen. 5ª.223.A
TENERICVLA *pro pleuritide. de dyna.* Sp.35.E
in TENERITVDINE *quid agendum. 5°. de san. tu.* 2ª.89.D
TENESMOSIS *valet adeps caprinus. 11°. de simp. me. fac.* 5ª.79.A
Tenesmosis, & dysenteriis cur imponatur adeps caprinus potius quã suillus. 11°. de simp. med. fac. 5ª.79.A
TENESMVS *vnde nomen habeat. 2°. meth. med.* 7ª.9.D
Tenesmus quid sin. med. Isa. 47. F/in 3m. de mor. vul. com. 3°. 3ª.145.B
Tenesmi qui sint. in 1m. de mor. vul. com. 1°. 3ª.111.C
Tenesmus symptoma est. 2°. de sym. cau. 3ª.21.E
Tenesmus morbus longus intrinsecus. intro. Isa.56.B
Tenesmus cuius sit partis morbus. introd. Is.57.E
Tenesmus dicitur intestini recti vlcus. 6°. de loc. aff 4ª.36.F
Tenesmus sedem habet cognitu facilem. 6°. de loc. aff. 4ª.36.D
Tenesmus pertinet ad dysenteriam, & habet vehemẽtiores nixus. 3°. de sym. cau. 3ª.28.C
Tenesmus peior est dysenteria, et distinctus ab illa. in 3m. de mor. vul. commentario 3°. 3ª.146.H
Tenesmi causa quæ. in 3m. de mor. vul. com. 3°. 3ª.145.B
Tenesmi fiunt ex defluxionibus ad partes imbecillas. in 1m. de morb. vul. commen. 2°. 3ª.109.A
Tenesmus fit à pituita copiosius collecta ex prauo aliquo corporis affecto. 5°. de vsu par. 1ª.143.C
Tenesmus ex acri, & putrida pituita. in 3m. d̃ mor. vul. c. 3°. 3ª.146.H
Tenesmon in intestinis facit quandoq; secania bin. de diff. con. Sp.75.A
Tenesmo quæ emittuntur. 6°. de loc. aff. 4ª.36.F
Tenesmi curatio. introd. Isa.57.E
ad Tenesmon. secr. Sp.99.F
Τέγγεσαι quid græci appellent. 9°. de simp. med. fac. 5ª.66.E
Τένοντα Tendones vocant græci. 5°. de san. tu. 2ª.90.A
Τένοτες pronerationes id est neruosæ musculorum partes vocantur. de fract. com. 3°. 7ª.249.C
TENORES *qui apud Hippocratem. de fract. com. 1°.* 7ª.258.E
Tenor aut neruus nominatur sensum ac motum exhibens. 1°. de decretis Hippocratis.

tis Hippocratis. 1ª.233.G
Tenores cur vocentur nerui sub alis.de fract.com.1°. 7ª.259.B
Tenores quo modo accepti.de artic.com.3°. 7ª.282.A
TENSIONI opposita est relaxatio. 3°.de san.tu. 2ª.79.C
Tensioni obstitit mollities.1 5°.de vsu par. 1ª.210.D
Tensiones quo modo fiant.de vict.ratio.in morbis acu.cõ.2°.3ª.117.C/5°.de simplicium medicamentorum facultatibus. 5ª.34.H
Tensio a quo fiat.1°.de diff.feb. 3ª.34.B
Tensio fit à multis causis.2°.de cau.pul. 4ª.93.G
Tensio à quibus musculis fiat.1°.de mot.mus. 1ª.310.E
in Tensione vehementi omnes musculorum prætenduntur.3°.de sanitate tuenda. 2ª.78.G
Tensionis nerui causę sunt spiritus inflantes.de vtil.resp. Sp.63.D
ex Tensione neruorum sunt vires corporis.de vtil.resp. Sp.63.D
ob Tensionem aliqua ægre mouentur.2°.de san.tuen. 2ª.72.F
Tensionis lassitudo quid prædicat.4°.de san.tuen. 2ª.87.E
Tensionis lassitudo quomodo curetur.4°.de san.tuen. 2ª.87.E
Tensio arteriarum vnde sit.1°.de pres.ex pul. 4ª.107.G
Tensio,& tumor durus à græcis schyrron dictus durũ pulsum faciũt.1°.de diff.feb. 3ª.34.B
Tensio neruorum,& tumor viscerum durus,pulsum durum in putridis faciunt.1°.de diff.feb. 3ª.34.C
Tensio cutis inflãmatæ scarificetur.2°.de arte cur.ad Glau. 7ª.105.C
Tensionũ colli,& stomachi petroselinũ remediũ est.de sim.m.Sp.98.C
ad Tensionem stomachi.de dyna. Sp.27.H
ad Tensiones præcordiorum.7°.de com.me.per ge. 5ª.265.A/B
Tensionem subito tollens malagma.7°.de com.med.per ge. 5ª.267.A
TENSIVVS motu.2°.de sym.cau. 3ª.20.B
Tensiua lassitudo ex quo fiat.4°.de sa.tu. 2ª.82.F
Tensiua lassitudo fit post celeres motus.3°.de san.tuen. 2ª.79.D
Tensiua lassitudo quo modo fiat.3°.de san.tu. 2ª.78.G
Tensiuæ lassitudinis curatio.3°.de san.tuen. 2ª.79.C
Tensiuæ lassitudinis victus ratio.3°.de san.tu. 2ª.79.G
in Tensiua lassitudine dandi cibi glutinosi.3°.de san.tuen. 2ª.79.G
Tensiui dolores ex nimijs exercitationibus.2°.de loc.aff. 4ª.11.E
Tensiui dolores quid significent.2°.de comp.med.sec.loc. 5ª.137.C
TENSVM pedis vestigium qui musculus faciat.de mus.diss. 1ª.52.A
ad Tensos musculos.7°.de com.me.per ge. 5ª.274.E
Tensa remittit chamęmalum.3°.de simp.med.fac. 5ª.18.H
TENTANDA sunt omnia.com.2°.apho.50°. Ex.19.C
TENTIO quę sit apud Erasistratum.com.6°.apho.1°. Ex.46.B
Tentio quid.fin.med. Isa.50.C
Tentio quid sit,& in quo fiat loco,& quare sic dicatur,& quas deiectiones habeat.com.7°.aph.27°. Ex.55.H
Tentio fit circa intestinum rectum.com.7°.aph.27°. Ex.55.H
Tẽtio si superuenerit prægnãti,facit aborsum.c.7°.aph.27°. Ex.55.H
Tentio oblonga pherea dicitur.in 6m.de mor.vulg.com.2°. 3ª.172.G
Tentio rotunda gongrona dicitur.in 6m.de mor.vul.com.2°. 3ª.172.G
Tentio causat lassitudinem.com.2°.aph.5°. Ex.11.G
Tentionis lassitudo quę.in 1m.prorr.com.2°. 4ª.169.B
TENTVRA & repulsura aguntur cum loci mutatione. 3°.de symptomatum causis. 3ª.28.H
TENVANTIA medicamenta habent vim calefaciendi.de bonitate,& vitio succo. 2ª.34.F
TENVATORIA victus ratio quibus apta.1°.de san.tu. 2ª.68.G
TENVIVS dupliciter dicitur.3°.de ali.fac. 2ª.30.E
Tenuiorum partium est aer.4°.de simp.med.fac. 5ª.24.F
Tenuiora acrasioribus fuisse propagata ex quo sumatur.de fœtũ formatione. 1ª.324.E
Tenuius nutrimentum quid sit simpliciter.3°.de alim.fac. 2ª.30.E
Tenuius omphacio est acetum.4°.de simp.med.fac. 5ª.27.E
Tenuiora,& calidiora oĩa fiunt vetustate {nescio an verum.} 11°.de simpli.med.fac. 5ª.79.C
Tenuior est anseris pinguedo quam suum,et minimum terrestris.4°.de simp.med.fac. 5ª.25.E
Tenuiora sunt promptiora ad patiendum.1°.de sim.me.fac. 5ª.5.B
Tenuiora habent parum limi.1°.de simplicium medicam.fa. 5ª.5.B
Tenuius inter illa quę sunt eiusdẽ generis minus est mordax.9°.de simpli.med.fac. 5ª.69.H
Tenuior pulsus a cholera rubra fit.de dyna. Sp.19.F
Tenuius videntur quę longe sunt.de comp.memb. Sp.58.D
TENVE aliquo pacto opponitur mediocri.c.4°.aph.76°. Ex.36.E
Tenuium partium quę sint.1°.de simp.med.fa.2.C/4.A/4°. 5ª.24.G
Tenuia quę sunt,ac continua quę facile accenduntur ab igne a nostro calore æque vt ab igne facile alterantur.1°.de sim.med.fa. 5ª.4.G
Tenue omne non est ignis nec è contrario.1°.de simp.med.fac. 5ª.6.C
Tenue omne & mordax non est calidum.1°.de simp.med.fac. 5ª.6.D
Tenuis essentię multa frigida.1°.de simp.med.fac. 5ª.6.F
Tenuium partium exacte frigidum inueniri non potest.9°.methodi medendi. 7ª.64.H
Tenuium partium quod est,magis est actiuum,quam quod est crassarum.1°.de symp.cau. 3ª.17.A
Tenuium quę sunt partium rarefaciunt.6°.de simp.me.fa. 5ª.40.H
Tenuium partium frigidum plurimum,& parum calidum Acetum.1°.de com.med.se.lo. 5ª.128.H
Tenuium partium,& frigiduu acetum habet aliquam caliditatem.9°.meth.med. 7ª.64.H
Tenue acetum.1°.de simp.med.fac. 5ª.6.D
Tenuium partium acetum album.6°.de comp.me.se.loc. 5ª.170.F
Tenuium partium,& refrigerans acetum,ideo penetrat.3°.de compositione med.per gen. 3ª.228.D
Tenuium partiũ est Acida frigiditas.4°.de simp.me.fa. 5ª.25.B/H
Tenuiũ partiũ est Adeps qui.3°.de com.me.pg.232.H/7°. 5ª.263.E
Tenuia quę habent parum Adstrictionis,humectant efficacissime.3°.de simp.med.fac. 5ª.21.G
in Tenuiũ partiũ substantia adstringendi vis multum proficit.6°.de cõpositione medicamentorum secundum locos. 5ª.167.H
Tenuium partium adstringentia pro capillis.1°.de compositione medicamentorum sec.loc. 5ª.126.G
Tenuis quomodo intelligatur esse aer.1°.de simp.med.fac. 5ª.6.C
Tenuis non calidus est aer borealis.1°.de simp.med.fac. 5ª.6.D
Tenuium partium sunt quę Alopeciam sanant,vt in profundum penetrent.1°.de comp.med.sec.loc. 5ª.122.D
Tenuium partium sunt amara omnia,& absque morsu aperiunt meatus.3°.de comp.med.sec.loc. 5ª.141.B
Tenuium partium sunt Aromata.7°.de composi.med.sec.lo. 5ª.186.F
Tenuium partium est balsamum,adeo vt odoratum sit.6°.de simplic.med.fac. 5ª.44.E
Tenuium partium Calefacientia.3°.de composi.me.per ge. 5ª.228.D
Tenuiũ partiũ calefacientia qualia sint.8°.de com.me.se.lo.5ª.196.A
Tenuia penitus,& calida digerunt,& discutiunt.3°.de simpliciũ me.facultatibus. 5ª.21.G
Tenuium partiũ calida sunt infestissima sanguinis reiectationi:tamen ponuntur vbi pulmo aut thorax aut arteria affecta est.7°.de com.med.sec.loc. 5ª.183.E
Tenuium partium calidis,quibus in locis indiget sanguis.7°.de composi.med.sec.loc. 5ª.183.E
Tenues,& boni nutrimenti Cibi,qui.de diff.cont. Sp.73.G
Tenuium partium cibi parum nutriunt.de mar. 3ª.48.D
Tenuium partium quodcunque parum alit.2°.de ali.fa. 2ª.21.E
quę Tenuis succi sunt parum nutriunt,& corpora reddunt gracilia,et imbecilla.de bon.& vitio suc. 2ª.36.E
Tenui & calida natura cõsistũt Epithymũ,et elleborus.d ca.Sp.94.A
Tenuium partium quę sunt,& excalfactoria dentes perforatos iuuãt.8°.de simp.med.fac. 5ª.58.D
Tenuium partium,& calidus Euphorbij liquor.2°.de composi.medicamen.per ge. 5ª.228.E
Tenues cur debeant esse Fascię.de fasciis. 7ª.293.G
Tenue vinculum ocularium,vel simplex oculus.de fascijs.7ª.297.D/idem ab inferiori parte sursum ibidem.
Tenuium partium Herbę,quæ.3°.de comp.med.per ge. 5ª.234.B
Tenuium partium Herbę valent ad neruos vulneratos.3°.de com.medic.per ge. 5ª.234.B
Tenues Homines non sunt pręter naturam.de tum.prę.nat. 3ª.82.G
Tenues pręter naturam prægnantes abortiunt priusquam crassescant.comment.5°.apho.44°. Ex.41.F
Tenues multum sunt albę.in 1m.de mor.vul.com.3°. 3ª.126.H
Tenues sunt pallidę.in 1m.de mor.vul.com.3°. 3ª.126.H
Tenues,& humidi sunt duo canales in memoria.de ana.ocul.Sp.58.B
Tenues,& musculosa tota cutis frontis.de nausc.diss. 1ª.44.F
Tenues mediocriter venas habentibus,& atras adeuacuandum minus parcendum est.pres.exper.conf. Sp.77.H
Tenuis tunica, vt asperę arterię non potest habere inflammationẽ quę strangulet.com.4°.aph.34°. Ex.31.D

Tenue inte-

Tenue inteſtinum tertium eſt in ordine. 5°.*de vſu par.* 1ª.142.*E*
Tenuia inteſtina purgantia quæ.de cathar. *Sp.*95.*C*
Tenue recluditur facile. 3°.*de ſym.cau.* 3ª.27.*A*
Tenue cur facile rumpatur. 3°.*de ſym.cau.* 3ª.27.*A*
Tenuia corpora non agglutinantur. 15°.*de vſu partiũ.* 1ª.211.*G*/*commentario* 6°.*ap.* 19°. *Ex.*48.*C*
Tenuia humida & tepida poſſunt penetrare. 3°.*de ſim.me.fa.* 5ª.21.*G*
*inter Tenues, & craſſos Humores qui cibi generẽtur.de diſſo.Sp.*73.*G*
Tenuis cum ſit ſanguis venæ in ceruo, & lepore non poteſt coagulari de vtil.reſp. *Sp.*64.*F*
Tenuium humorum ebullitio qualis. 2°.*de diff.feb.* 3ª.40.*C*
Tenues humores tubercula faciũt.in 6ᵐ.*de mor.vul.c.* 2°. 3ª.164.*F*
Tenuis, ac acidus humor exulcerationẽ facit.c. 4°.*aph.* 12°. *Ex.*28.*E*
Tenues quo modo cognoſcantur eſſe humores, & quo modo craſſi. in 3ᵐ.*de mor.vulg.com.* 3°. 3ª.145.*G*
Tenues & aquoſi humores euacuandi ſunt in principio morbi, nulla facta coctione. quos purg.opor.quibus med. 5ª.88.*F*
Tenues & calidi humores ſunt paratiſsimi ad excretionem. in progn. commentario 3°. 4ª.209.*F*
Tenuium materierum morbi finiunt per excretionem. in prognoſtica commen. 2°. 4ª.201.*C*
Tenuia exeunt hepaticis.in 1ᵐ.*prorr. com.* 2°. 4ª.175.*B*
Tenuis humor cur difficulter expuatur. 4°.*de loc.aff.* 4ª.27.*G*
Tenues humores cur non expurgentur per pulmonem. de victus ratione in mor.acu.com. 3°. 7ª.126.*B*
Tenuis materia diſſoluitur cito.com. 6°.*apho.* 49°. *Ex.*52.*E*
Tenuium partium quæ ſunt abſque morſu Lapidem affcrũt in renibus. 3°.*de com.med.ſec.loc.* 5ª.141.*B*
a Tenuium partium exiſtentibus & lapidem in renibus afferentibus, aures deobturantur. 3°.*de comp.med.ſec.loc.* 5ª.141.*B*
Tenuium partium quæ ſunt lapides frangunt, & Lienes liquant. 6°.*de ſimp.med.fac.* 5ª.44.*A*
Tenuium partium ſunt Liquores calidi. 8°.*de ſimpli. med.fa.* 5ª.70.*A*
Tenue eſt Lixiuium. 9°.*de ſimp. me.fac.* 5ª.69.*G*
Tenuis eſſentiæ Medicamenta non ſunt ſolum calida. 5°.*de ſimpliciũ medicamen.facul.* 5ª.38.*D*
Tenuium partium debet eſſe medicamentum pro cutis morbis. 1°.*de cõpoſi.med.ſec.loc.* 5ª.121.*H*
Tenuium partium calida, & parum adſtringentia Metalla. 3°.*de compoſitio.med.per gen.* 5ª.228.*E*
Tenuium partiũ metalla cita calorẽ. 3°.*de comp.me.per ge.* 5ª.228.*E*
Tenuium partium eſt Myrrha, propterea in altum penetrat. 6°.*de compoſi.med.ſec.loc.* 5ª.173.*D*
Tenuiũ partium eſt Nitrũ Bereniciũ. 6°.*de com.med.ſec.loc.* 5ª.167.*E*
Tenuium partium eſt Nucum ſuccus. 6°.*de com.me.ſe.lo.* 5ª.167.*G*
Tenuia ſicut, & calida Odorata. 4°.*de ſim.med.fac.* 5ª.31.*B*
Tenuium partium, & vrinam cientia odorata ſemina. 9°.*de compo. med.ſec.loc.* 5ª.200.*H*
Tenuium partium vetuſtas facit Oleum, & adipem. 4°.*de compoſitione medicamentorum ſecundum locos.* 5ª.211.*A*
Tenuium partium oleum ſabinum eſt. 1°.*de com.me.ſe.lo.* 122.*A*/2°. 5ª.140.*F*/9°.*meth.med.* 65.*A*/11°.73.*G*/14°. 7ª.88.*B*
Tenuium partium Opobalſamum eſt nõ multum calefaciens. 3°.*de cõpoſi.med.per ge.* 5ª.228.*E*
vt Tenue oui album eſt ſecundus oculi humor.de com.memb. *Sp.*58.*C*
Tenuium partium & calidi ſunt Panacis liquor, & tithymallorum. 3°.*de comp.me.per ge.* 5ª.228.*E*
Tenuium partium eſt Paronychia, & exiccat ſine morſu. 8°.*de ſimplicium med.fac.* 5ª.57.*H*
Tenuis ſubſtantiæ calida, & ſicca in tertio ordine eſt paronychia. 8°.*de ſimp.med.fac.* 5ª.58.*A*
Tenuis & calida eſt Phaleris. 8°.*de ſimp.med.fac.* 5ª.63.*C*
Tenuium partium eſt phorbium. 8°.*de ſimp.med.fac.* 5ª.63.*D*
Tenuis ſubſtantiæ eſt Piſtachium. 8°.*de ſimp.me.fac.* 5ª.57.*F*
Tenuiũ partiũ & deſiccãs eſt Polemoniũ. 8°.*de ſimp.me.fac.* 5ª.59.*A*
Tenue & aereũ qđ eſt in Rheo natura reluctat terreſtri frigido immo eo quod deducat, & in altum perducat valentioris effectus cauſa exiſtit. 8°.*de ſimplicium medicamentorum facultatibus.* 3ª.59.*E*
Tenuiũ partiũ, & calidũ eſt Sagapenum. 3°.*de com.me.p g.* 5ª.228.*E*
Tenuium partium eſt Seuum galli, & anſeris, & altius penetrat. 14°. *methodi medendi.* 7ª.93.*E*
Tenuium partium eſt ſplendidum. 1°.*de ſym.cau.* 3ª.17.*A*
Tenuis ſubſtãtiæ cogit languide ab eo quod craſſum. 1°.*de ſy.* 3ª.17.*A*
Tenuium partium ſubſtantia tranſpirationes facit.de victus ratione in mor.acu.com. 3°. 7ª.130.*B*
Tenuem ſubſtantiã faciens præparatio. 6°.*de com.me.p ge.* 5ª.256.*F*
Tenuium partium calidi ſucci qui. 3°.*de com.me.per ge.* 5ª.228.*E*
Tenuis, & calidus eſt ſuccus cyrenaicus. 8°.*de ſimp.me.fac.* 5ª.57.*D*
Tenuis Victus ratio tripliciter intelligit.de ven.ſec.ad.Eraſ. 6ª.8.*G*
Tenue Vinũ mũdificat venas ab humore craſſo.de diſs.con. *Sp.*74.*G*
Tenue vinum cõfert habenti humorẽ craſſum & frigidum in corpore. de diſſ.cont. *Sp.*74.*G*
Tenuis vrina quæ intelligatur.com. 7°.*apho.* 32°. *Ex.*56.*D*
Tenuis integre vrina eſt aquoſa.de vrin.ſig.ex Hipp. *Sp.*79.*A*
Tenuis vrina in quibus affectibus mingatur.quæſi.in Hip. *Sp.*113.*C*
Tenuis vrina, & fortis turbulenta quid ſignẽt.quæſ.in Hip. *Sp.*113.*B*
Tenuis vrina ita permanens vnde fiat.quæſ.in Hip. *Sp.*113.*B*
Tenuis vrina ꝑmanens tenuis, quid ſignificet.quæſ.in Hip. *Sp.*113.*B*
Tenues & albæ hypoſtaſes admodum malæ.de vri.ſig. *Sp.*78.*G*
Tenuis vrina & alba ob quid mingatur.quæſ.in Hip. *Sp.*113.*C*
Tenuis admodũ vrina cruditatẽ ꝑnitioſam ſignificat.quæſi. *Sp.*113.*B*
Tenuis, & rutila vrina ægritudinem ſignificat crudam, ac diuturnã, & ſine periculo eſſe non poteſt.de vrin.ſign.ex Hipp. *Sp.*78.*G*
Tenuis vrina & pallida quid ſignificet.quæſ.in Hipp. *Sp.*113.*A*
Tenue & fuluum in vrina quid ſignificet.quæſ.in Hip. *Sp.*113.*B*
Tenuia ſedimina ſupra & bilioſa, longum morbum ſignificant.com 7°. *aphoriſmo* 32°. *Ex.*56.*D*
Tenues vrinæ à quibus mingantur & crudæ diuturnæ. ſi alia ſigna tanquam euaſuris affuerint, hos abſceſſum ad ſepti tranſuerſi regionẽ expectare oportet.de vrinæ ſign.ex Hipp. *Sp.*78.*G*
Tenuis vrinæ copia adueniens illis, quibus non febricitantibus ſunt urinæ craſſæ, grumoſæ, paucæ, prodeſt.de vrin.ſign.ex Hip. *Sp.*78.*G*
Tenuis aut raro aut nunquam eſt atra vrina.quæſi.in Hip. *Sp.*113.*E*
Tenuis, & nigra vrina deterior eſt.de vrin.ſign.ex Hip. *Sp.*79.*A*
Tenuis vrina nigra cum nebulis phrenitim ſignificat.de dy. *Sp.*34.*B*
Tenuis vrinæ nigra cum aurium obtuſione ſanguinis fluxum imminere oſtendit.de dynam. *Sp.*34.*B*
Tenuis vrina cum nebulis non bonis phrenitim, ſiue mortem, aut ſpaſmum ſignificat.de dyna. *Sp.*34.*C*
Tenuis vrina nigra, & æſtuoſa in ſynocha, ſi æſtuatio fuerit cum faſtidio, & ſi turbatũ ſenſum patiens habuerit, & nõ rectè intelligat, et loquatur aut malefactio nõ defuerit, mortem oſtẽdit.đ dy. *Sp.*34.*E*
Tenuis vrina ſi dolor capitis, & ſcapularũ affuerit, & inſomnia, phrenitim, paracopẽ, demẽtiã ſiue cardiacã ſignificat. de dy. *Sp.*34.*E*
Tenuis vrina in ſynocha, ſi dolor capitis ſcapularum & inſomnia fuerit mulieribus mortem ſignificat.de dyn. *Sp.*34.*E*
Tenuis vrina in ſynocha, ſi aſpera critico die facta fuerit, ſtatim ſudorem venturum demonſtrat.de dyna. *Sp.*34.*E*
Tenuis vrina in ſynocha, ſi poſt criſim ſe mutauerit, eius febris fiet repetitio.de dyn. *Sp.*34.*E*
Tenuis vrina, ſi poſt criſim venerit, & longo tempore preſeruauerit, repetitio cuiuslibet egritudinis fiet, de dy. *Sp.*34.*G*
Tenuis vrina ſi malũ colorẽ ſe poſt criſim mutauerit, & ij qui patiuntur primæ ætate fuerint, cõtractionẽ corporis ſignat.đ dy. *Sp.*34.*G*
Tenuis vrina veluti limum liuidum habens in pleuriticis, indigeſtionẽ aut mortem nunciat.de dyn. *Sp.*34.*H*
Tenuis vrina, pulſatus capitis, febriũ vertigines quibꝰ à principio ſunt eis expectanda eſt ad criſes febris acumine augeri.de vri. *Sp.*78.*H*
Tenues ſi a principio fuerint vrinæ medᵐ ne ꝑbeto.de vrinæ. *Sp.*79.*A*
TENVISSIMVS, *& leuiſsimus in corpore humano eſt ſpiritus.* 3°. *de natu.facul.* 1ª.307.*F*
Tenuiſſimæ ſubſtãtiæ calidæ ſuccus cyrenaicus. 3°.*de c.me.* 5ª.228.*E*
Tenuiſſimarum partium eſt lixiuium. 14°.*meth.med.* 7ª.88.*F*
TENVITAS *vnde proueniat.* 3°.*de ſym.cau.* 3ª.27.*A*
Tenuitas ex tabe, et tumor aquæ intercutis præter naturã ſunt.đ tum. præter naturam. 3ª.82.*G*
Tenuitas quid ſignificet in vrinis.de vrinis. 4ª.124.*G*
quibus Tenuitates in vrinis ſuperna, & hypoſtaſes bilioſæ, celerem ægritudinem ſignificant.de vrin.ſign.ex Hipp. *Sp.*78.*H*
TENVARE *dicitur de humoribus.in* 6ᵐ.*de mor.vul.cõ.* 1°. 3ª.156.*B*
Tenuat vẽtrẽ, et expellit ĩflationẽ Acetũ miſtũ cũ melle.đ diſ. *Sp.*74.*g*
Tenuat, & detergit Amarum. 11°.*meth.med.* 7ª.73.*H*
Tenuant Amigdalæ propriæ amaræ.de diſſ.cont. *Sp.*74.*G*
Tenuat mel ſputum craſſum.de diſs.cont. *Sp.*74.*G*

Tenuat mel,

Tenuat mel,& mũdificat,& quod mel hoc agat.de diſſ.cõt. Sp.74.G
Tenuat,et incidit humiditatẽ craſſam Secaniabin.de diſſ.cõt. Sp.74.G
TENVS *inſula eſt in mari ægeo,quæ vnã ſolam habet ciuitatem ex nomine inſulæ.9°.de ſim.me.fac.* 5ª.65.C
TEPEFACIT med^m.in vaſe duplo.6°.de cõp.med.ſe.lo. 5ª.168.F
TEPIDVM *& temperatum media inter calidum,& frigidum. 1°. metho.med.* 7ª.7.C
Tepidum valde quid ſit.de vict.rat.in mor.acu.com.3°. 7ª.129.H
Tepidis exiſtentibus febribus,ſi ſudores frigidi adſint cõtingit ſaluari hominem concocta in proceſſu temporis multitudine humorum frigidorum atque euicta a natura.com.4°.aph.37°. Ex.32.C
Tepida humida,& tenuia poſſunt penetrare.3°. de ſimplicium medicamen.facult. 5ª.21.G
Tepida lapidẽ cõminuũt,& q̃ ſint.de ren.affe.dign.& med. 7ª.194.C
Tepida attractione ventrem purgat chamælea.de ſim.med. Sp.85.F
Tepidum oleum particulæ ne refrigeſcat infundemus,vbi omnes hirudines ineſerint.de cucur.ſcar. 6ª.4.C
Tepidum neruis non vtile.3°.de com.me.per ge. 5ª.229.E
TEREBELLI inſtrumenta chirurgica.de ijs,quæ in medicat.fiunt, comment.1°. 7ª.200.H
Terebella cur ſunt ſuſpecta in fracturis capitis,& quando illis utendũ. 6°.meth.med. 7ª.42.B
Terebellis contuſum debet remoueri.6°.meth.med. 7ª.42.B
Terebellæ quæ mergi non poſſunt.6°.meth.med. 7ª.42.C
TEREBINTHINA *liquida quandoq, larix dicitur.4°.de comp.me. per ge.* 5ª.244.G
Terebinthina reſina qualis.1°.de antid. 5ª.107.*A*/ *8°.de compoſitione me.ſe.l.194.G/5°.de cõp.me.p ge.246.C/247.C/6°.* 5ª.258.B
Terebinthina optima quæ.de ſimp.med. Sp.89.D
Terebinthinam optimam eſſe reſinarũ quomodo intelligi debet.3°. de comp.me.per gene. 5ª.230.D
Terebinthina qualis.2°.de ſimp.med.fac. 5ª.15.*A*
Terebinthina recẽs liquidior eſt veteri.3°.de cõ.me.per ge. 5ª.233.C
Terebinthina pellucida.7°.de comp.med.ſec.loc.179.A/ 2°.de comp. medicamentorum per genera.221.G/7°. 5ª.273.E
Terebinthina eſt odorata.3°.de comp.me.per ge. 5ª.235.E
Terebinthina melior colophonia,& phryctæ.1°.de compoſi. medicam. per genera. 5ª.215.D
Terebinthina fricta quæ.3°.de comp.med.per ge. 5ª.233.C
Terebinthina reſinæ mitiſſima eſt.1°.d cõp.me.p g.213.H/2°. 5ª.219.E
Terebinthina magis digerit quã maſtice.8°.de ſimp.med.fa. 5ª.59.F
Terebinthina reſina quibus,& quomodo,& propter quid danda.5°. de ſanitate tuenda. 2ª.92.F
Terebinthina valet omnibus viſceribus.5°.de ſan.tuen. 2ª.92.F
Terebinthina admiſcenda eſt omnibus medicamentis, quæ vlcera curant.2°.de compoſi.med.per ge. 5ª.219.F
Terebinthina reſina valet ad vlcera maligna.1°.de compoſi.med.per genera. 5ª.217.D
Terebinthina ad vlcera maligna minus idonea laricina.4°. de compo. med.per genera. 5ª.241.H
Terebinthina pſoras ſanat.8°.de ſimp.med.fac. 5ª.59.F
Terebinthina trahit a profundo ſine morſu.5°.meth.med. 7ª.37.E
Terebinthina elota pro neruis detectis.5°.meth.med. 7ª.38.C
Terebinthinæ fuligo qualis.7°.de ſimp.med.fac. 5ª.54.F
Terebinthina quibuſdam pharmacorum compoſitionibus materiæ locum obtinet,non ſecus ac cera.6°.de comp.med.per ge. 5ª.258.B
Terebinthina viribus eſt præſtãtior cera,etenim magis mollit quã illa item calfacit,& digerit,ex quibus cera ne alterum quidẽ facit. 6°. de comp.med.per ge. 5ª.258.B
Terebinthina ingreditur Theriacam.de ther.ad Piſ. 5ª.92.F
Terebinthina aloes inſuauitatem remittit.de dyna. Sp.20.H
Terebinthina ſtyraci additur.de dyna. Sp.21.H
*ex Terebinthina,pice,reſina,adipe leonino,atq; taurino, medicamẽto quas paſſiones ſanauerit Galen°.2°.de arte cur.ad Glau.*7ª.104.H
Terebinthina facit ne rigidum ſit pharmacum.1°. de comp. medicam. per genera. 5ª.215.E
Terebinthina fricta ingreditur compoſitionem dictã Iſchæmos Aphrodæ.3°.de comp.med.ſec.loc. 5ª.149.B
Terebinthinarum loco quid vendatur ingnaris.3°.de compoſi.medic. per genera. 5ª.232.G
Terebinthina ponitur pro reſina pini.4°.de ſan.tuen. 2ª.86.H
Terebinthina pro laricina.4°.de comp.med.per ge. 5ª.236.G
Terebinthinæ ſimilis eſt larinx reſina.2°.de com.me.per ge. 5ª.219.*A*
pro Terebinthina larix reſina.1°.de comp.med.per gene. 5ª.215.D
Terebinthinæ loco quando laricina ſit vſui in chironijs medicamentis. 4°.de comp.med.per ge. 5ª.244.G
pro Terebinthina reſina pinea humida,vel abietina.5°.m.m. 7ª.37.G
Terebinthina vera deficiente vtitur reſina fricta et colophonia.8°.de comp.med.ſec.loc. 5ª.193.D
TEREBINTHVS *terminthos dicitur.8°.de ſimp.med.fac.* 5ª.62.*A*
*Terebinthi germina omniũ ſunt præſtantiſſima.2°.de alim.fa.*2ª.24.C
*Terebinthi teneri ſurculi quomodo manduntur.2°.de alim.fa.*2ª.21.F
*Terebinthi germina in aceto vel in muria cõduntur.2°.de ali.*2ª.24.C
Terebinthi turiones ſeruantur in aceto,vel muria pro appetentia prouocanda.2°.de alim.fac. 2ª.22.C
Terebinthi germina,muria vel oxyalme condita,humorem faciũt melancholicum.3°.de loc.aff. 4ª.18.F
Terebinthi fructus exiguum habet alimentum.2°.de ali.fac. 2ª.22.B
Terebinthi fructus eſt praui ſucci.2°.de alim.fac. 2ª.22.B
Terebinthi fructus torrefacti ad qd utiles.5°.de cõ.me.ſe.l. 5ª.164.*A*
Terebinthi ſemen magis ſiccat quam cucurbita,cucumeres maturi,pruna,& mora.5°.de ſan.tuen. 2ª.92.C
TEREBINTHVS *nomen puſtularum unde dicta.in 6^m. de morbis vulgar.com.3°.* 3ª.178.E
TEREBRO *perforanti ſimiles ſunt aliqui dolores. 2°. de locis affectis.9.E/* 4ª.11.F
TEREDO *quid & vnde ſic nominata.fin.med. Iſa.49.A*
Teredo in oſſe quid appelletur.de conſt.ar. Iſa.37.D
ad Teredines.5°.de comp.med.per ge.251.B/6°. 5ª.261.*A*
TERENTIVM *collyrium.4°.de comp.med.ſec.loc.* 5ª.154.F
Terentij paſtillus.5°.de com.med.per ge. 5ª.251.D
TERES *non eſt omnis tendo neque copula.1°.de decr.Hip.*1ª.233.F
Teres eſt neruus omnis.1°.de decr.Hipp. 1ª.233.F
TEREVM *fama eſt cum philomelæ vocem adimere vellet,vocis inſtrumentum,linguam inquam abſcidiſſe.de voc.inſtr.diſſ.* 1ª.106.E
TERGVS *quid ſignificet.de artic.com.2°.* 7ª.265.D
Tergus denſum habere non eſt magno vſui homini ratione prædito.1°. de ſan.tuen. 2ª.66.F
Tergus denſum habere vtiliſſimum Aſino.1°.de ſan.tuen. 2ª.66.G
Tergus denſum quid boni,& quid mali agat.1°.de ſan.tuen. 2ª.66.F
a Tergo quando fiant conuulſiones,& diſtentiones,& in qua parte,& quando.com.5°.apho.65°. Ex.44.H
TERMINVS *gñalior initio.de ijs,quæ in med.fi.com.1°.* 7ª.207.H
Termini vocis qui ſint.de voce,& anhelitu. Sp.61.H
TERNARII *circuitus. de mor.temp.* 3ª.85.G
TERRA *nomen ab eſſentia.1°.de ſan.tuen.* 2ª.62.E
Terræ nomine duo dicuntur.9°.de ſimp.med.fac. 5ª.64.F
Terræ differentiæ.9°.de ſimp.med.fac. 5ª.64.G
*Terra quæ ſit ſecundũ communẽ ſententiam.9°.de ſim.me.fa.*5ª.64.G
Terræ differentiæ communes.9°.de ſim.med.fac. 5ª.64.H
Terra ſecundum Agricolas quæ ſit.9°.de ſim.med.fac. 5ª.64.G
Terra plantis eſt perinde ac mater animalibus.2°.de ſem. 1ª.338.E
Terræ ſucco plantæ nutriuntur.2°.de ſem. 1ª.338.E
Terra facile tranſit in triticũ & hordeũ.4°.de ſim.med.fac. 5ª.28.D
Terris ſiccis ac nudis quorundam conſtitutio ſimilis exiſtit. de aere, aquis,& locis. 2ª.4.G
*Terra vt ſtirpibus,ita venter animalib.tanq̃ penu.1°.de ſym.*3ª.17.H
Terra q̃ colitur qũo valeat ad medicationes.9°.de ſim.me.fa. 5ª.65.F
Terra ſecundũ philoſophos quæ.9°.de ſimp.med.fac. 5ª.64.G
Terra ſm philoſophos hẽt tres differẽtias.9°.de ſim.me.fac. 5ª.64.G
Terra apud latinos quæ.9°.de ſimp.med.fac. 5ª.64.H
Terræ natura quæ eſt elementum.1°.de elem. 5ª.5.D
Terra,& aqua ſunt materialia.in tim.Plat. 1ª.287.B
Terram elementum eſſe dicentes cui innituntur.1°.de ele. 1ª.4.E
ex Terra quo modo fiant alia elementa.1°.de elem. 1ª.4.E
Terram ſolam eſſe elementum nullus antiquus poſuit. de natura humana,comment.1°. 1ª.27.E
Terram ſolam elementum ponentes accuſandi ſunt.de natura humana comment.1°. 1ª.27.C
Terra ſyncera non poteſt oſtendi in mundo.1°.de elem. 1ª.5.D
Terra ſyncera non poteſt oſtendi in animali.1°.de elem. 1ª.5.D
Terra nuſquã i corpore ſola cõgregata videtur.8°.de decr. 1ª.275.F
Terræ differẽtia ex miſtione aliorũ corporũ.9°.de ſim. me.f. 5ª.65.*A*
*ex Terra et igne vniuerſi corpus cõſtat vt̃ q̃t Plato.7°.d de.*1ª.271.H

Terra ob pondus non miſcetur alijs elementis.de ſper. Sp.40.F
Terra quæ eſt in animali quomodo cognoſcatur.1°.de elem. 1ª.5.E
Terra eſt corpus extreme frigidũ,& ſiccũ.9°.de ſimp.me.fa. 5ª.64.G
Terra non eſt prorſus frigida,& ſicca.de nat.hum.com.1°. 1ª.32.H
in Terra frigida facies Hippoc.nõ eſt exitioſa.in pg.com.3°.4ª.191.E
Terræ ſubſtantia,humiditas eſt.de ſper. Sp.41.B
Terre differentia eſt ſiccitas.de ſper. Sp.41.B
Terra ſimpliciter ſicca eſt,et nõ cõparata ad aliud.1°.de tẽp. 1ª.12.F
Terra eſt pars vniuerſi ignobilior.17°.de vſu par. 1ª.222.B
Terram eſſe mediam mundi partem probatur ab Euclide.8°.de decretis Hipp. 1ª.273.E
Terra omnium mater, omnium nutrix,origo,& elementum eſt à cælo genita.de nat.hum.com.1°. 1ª.31.A
Terra ex quibus orta.de hiſt.phil. Sp.4.E
Terra immutabilis.de hiſt.phil. Sp.5.C
Terra an vna an plures.de hiſt.phil. Sp.8.C
Terræ figura quæ.de hiſt.phil. Sp.8.C
Terræ partes cubicæ ſunt ſm Platonẽ,& qũo.8.de decr. 1ª.274.G
Terræ ſitus.de hiſt.phil. Sp.8.C
Terram,& aquam contineri,ignem,& aerem continere dicũt.de multitudine. 3ª.77.D
inter Terrã,& ignẽ cur aqua & aer media.8°.de vſu par. 1ª.169.A
Terram extra duos circulos habitabilẽ primus Parmenides dixit. de hiſt.phil. Sp.8.C
Terræ inclinatio.de hiſt.philo. Sp.8.D
Terræ ſtabilitas.de hiſt.phil. Sp.8.D
Terræ diuiſio.de hiſt.phil. Sp.8.D
Terræ metiendæ ars eſt illuſtris.ad Thra. 2ª.105.E
Terræ concuſſio.de hiſt.phil. Sp.8.E
Terræ motus cauſæ.de hiſt.phil. Sp.8.E
Terrarum differentiæ.de aere,aq.& loc. 2ª.2.C
Terræ ſunt diuerſæ ſecundum quatuor mundi partes.de ſper. Sp.39.F
Terrarũ diuerſitates,et qđ ex ipſis hoĩes ſunt diuerſi.đ ſper. Sp.40.D
Terram conſiderare debet medicus.de ſper. Sp.39.F
Terræ paſſiones,in qua homines ſunt geniti, conſiderare debet medicus.de ſpermate. Sp.39.F
ex Terræ natura,& planetarum mutatione in rebus in diuerſis regionibus. de ſperm. Sp.40.C
Terra frigida & ſicca in quarto gradu eſt ſub potẽtia Saturni.de ſper mate. Sp.40.C
Terra calida in ſecundo gradu,humida in primo eſt ſub Martis ditione.de ſperm. Sp.40.C
Terra calida et ſicca ĩ quarto gradu,ẽ ſub ditiõe Solis.đ ſper. Sp.40.C
Terra calida et humida ĩ primo gradu,ẽ ſub Mercurio.đ ſpe. Sp.40.C
Terra humida in primo gradu,frigida in ſecundo,habẽs aliquantulum temperamenti calidi,ſubiacet Veneri.de ſper. Sp.40.C
Terra Lunæ ſuppoſita quæ.de ſper. Sp.39.E
Terra faciens homines bellicoſos,quæ.de ſper. Sp.40.D
Terra generat naturam corporis.de ſper. Sp.40.E
in Terram vertuntur corpora noſtra.de ſper. Sp.40.H
in Terram redire humores mortuo homine inquit.de ſper. Sp.40.E
in Terram cur omnia redigantur.de ſper. Sp.40.F
Terræ et mari communia animalia reſpirant vaporem per branchias. de ana.viuo. Sp.48.C
ſm Terræ naturam per quam tranſeunt aquæ,diuerſificantur.de bonitate aquæ. Sp.75.E
Terra craſſiorum eſt partium,aer tenuiorum,mediũ eorũ tenet aqua. 4°.de ſimp.med.fac. 5ª.24.G
Terra quo modo denſa.1°.de ſan.tuen. 2ª.72.F
ſine Terra nihil ſolidum.7°.de decr.Hip. 1ª.271.H
Terræ plurimum habent durum.9°.de ſim.me.fac. 5ª.64.G
Terra oleo probe non irrigatur.2°.de ſimp.med.fac. 5ª.14.G
Terra vino,aqua & aceto madeſcit.2°.de ſimp.med.fac. 5ª.14.G
Terra aquæ permiſta lutum efficit.1°.de elem. 1ª.5.E
Terra vt fiat caro impoſsibile eſt.4°.de ſimp.med.fac. 5ª.28.D
Terra guſtui inſipida.4°.de ſimp.med.fac. 5ª.28.F
Terra quot ſapores contineat.de nat.hum.com.1°. 1ª.31.G
ex Terra miſta vinũ et liquores,hãt ſapores varios.de vtil. Sp.64.G
Terra Accenſa fit pruna.4°.de ſim.med.fac. 5ª.24.F
Terra eſt carbo.1°.de ſimp.me.fac. 5ª.4.G
Terra incenſa eſt ſal.de vtil.reſp. Sp.64.F
Terræ proprium eſt vt non ſundatur.9°.de ſim.med.fac. 5ª.66.C
Terræ Aegyptiæ luto quomodo curenĩ aqua inter cutem laborantes, & lienoſi.9°.de ſim.me.fac. 5ª.65.F
Terra Ampelitis,quæ & vnde dicta.9°.de ſim.me.fac. 5ª.66.E
Terra Ampelitis quid.de ſim.med. Sp.85.A
Terra ampelitis qualis.5°.de com.me.per ge. 5°.246.C
Terra ampelitis nigra.2°.de antid. 5ª.119.G
Terra ampelitis nigrum medicamẽtũ.2°.de com.me.per ge. 5ª.220.F
Terra ampelitis capillos inficit & in calliblephara mittitur. de ſimp. medicaminibus. Sp.85.A
Terra ampelitis exiccat vlcera.4°.de compoſi.me.per ge. 5ª.236.G
Terra Arenoſa non gignit.11°.de vſu par. 1ª.190.B
Terra Arenoſa inutilis eſt ad multa.9°.de ſimp.med.fac. 5ª.64.G
Terra Argilloſa inutilis ad multa. 9°.de ſimp.med.fac. 5ª.64.G
Terra Argyritis quæ.9°.de ſim.med.fac.5°.66.C/de ſimp. Sp.85.C
Terra Armenia,ſiue bolus armenus,ſiue lapis armenus vocetur, nihil refert.9°.de ſimplicium medic.fac. 5ª.66.G
Terra armenia ad dyſenterias,& vẽtris profluuia,tũ ſanguinis expuitiones,& catarrhos,ad hæc ad putreſcẽtia oris vlcera in primis cõ petit,quin et eos magnifice iuuat quibus ex capite in thoracẽ fluxio decũbit,& eos etiã qui phthoe laborant.9°.de ſim.me.fa. 5ª.66.G
Terra armenia contra peſtem mira.9°.de ſim.me.fa. 5ª.66.G
Terra Aſter dicta.4°.de comp.med.ſec.loc. 5ª.154.H
Terra Atra pinguis,& viſcoſa eſt.9°.de ſimp.med.fa. 5ª.64.H
Terra chia qualis.9°.de ſimp.med.fac. 5ª.66.A
Terra chia ſtringit efficaciter,cutem purgat & extenuat,& ſplendidã facit.de ſimp.med. Sp.85.A
Terra Chryſites quæ.9°.de ſimp.medica fac. 5ª.66.C
Terra Cimolia quid.de ſimp.med. Sp.85.B
Terra cimolia duplex.9°.de ſimp.med.fa. 5ª.66.G
Terra cimolia qualis.9°.de ſimplicium med.fac. 5ª.66.B
Terra cimolia ſicca eſt citra morſum.9°.de ſim.me.fac. 5ª.66.F
Terra cimolia debet ſæpe lauari.9°.de ſimp.me.fac. 5ª.66.F
Terra cimolia acoribus conuenit.1°.de com.me.ſe.lo. 5ª.128.H
Terra cimolia ad ignem ſacrum & combuſta illinitur, puſtulas enim fieri prohibet.de ſimp.med. Sp.85.B
Terra cimolia appetitur a grauidis.1°.de ſymp.cau. 3ª.18.C
Terræ cimoliæ fit mentio.1°.de comp.med.ſec.loc. 5ª.126.A
Terra cretica qualis.9°.de ſimp.med.fac. 5ª.66.F
Terra cretica acoribus conuenit.1°.de comp.med.ſec.loc. 5ª.128.B
Terra cretenſis emplaſtlicum eſt elotum.4°.de ſimp.med.fac. 5ª.25.D
Terra Dulcis dicitur vbi aqua melior eſt.de bon.aquæ. Sp.75.E
Terra dulcis & pinguis aquam bonam facit.de bon.aquę. Sp.76.A
Terra Erethria quid.de ſimp.med. Sp.85.A
Terra erethria valde ſtringentes vires habet.de ſimp.med. Sp.85.A
Terra erethriẽſis qualis,& qđ dẽt ſæpe lauari.9°.de ſim.m.f. 5ª.66.F
Terra erethria exiccat vlcera.4°.de comp.med.per ge. 3ª.236.G
Terra erethria generalis ad vlcera.6°.de comp.med.per g. 5ª.255.C
Terra erethria odoratas reddit cõpoſitiones.1°.đ cõp.m.ſ.l. 5ª.128.C
Terra erethria vtitur.5°.de comp.med.ſec.loc. 5ª.161.E
Terra Figularis frigida,& ſicca eſt.2°.de nat.fac. 1ª.301.H
Terræ Francigenæ meminit.de dyn. Sp.30.H
Terra Friabilis nihil habet pinguedinis,talis eſt argilla quæ,& candida eſt.9°.de ſimp.med.fac. 5ª.64.H
Terra fullonum emplaſticum eſt elotum.4°.de ſim.me.fa. 5ª.26.D
in Terra Humida,& lacuſtri non admodum naſci poſſunt herbæ.2°.de temperamentis. 1ª.18.H
in Terra humida herbæ creſcunt altiſſimæ.11°.de vſu par. 1ª.190.A
Terram humidam exigunt triticum,hordeũ,& cerealia. 9°. de ſimp. med.fac. 5ª.64.F
Terra Lẽnia qũo pararet,& paretur.9°.de ſimp.med.fac. 5ª.65.A
Terra lẽnia quomodo habebat ſigillũ dianæ.9°.de ſim.me.fa. 5ª.65.A
Terra lẽnia qualis,& vnde.9°.de ſim.m.f.66.A/1°.de ant. 5ª.107.B
Terræ lẽniæ tres differentiæ.9°.de ſimpl.medic.fac. 5ª.65.B
a Terra lẽnia qũo differat rubrica lẽnia.9°.de ſim.med.fa. 5ª.65.A
Terra lẽnia ſemel ſolum debet lauari.9°.de ſimp.med.fac. 5ª.65.G
Terræ lemniæ vſus qualis.9°.de ſimplicium medicamen.fac. 5ª.65.D
Terra lemnia achoribus conuenit.1°.de com.me.ſe.lo. 5ª.128.H
Terra lẽnia ad ſanguinis expuitiones valet.9°.de ſim.me.fa. 5ª.65.H
Terra lemnia quando ſanguinem multum ſiſtat.5°.meth.med. 7ª.32.E
Terra lemnia ſanguinis ex vtero profluuia,& fluxũ muliebrẽ iuuat, exulcerationibus diſentericis q, prodeſt.9°.de ſimp.me.fa. 5ª.65.H
Terræ lemniæ in vlceribus prauis vſus.9°.de ſimp.med.fac. 5ª.65.E

Terræ lemniæ paſtillorum vſus ad vlcera cõtumacia valet.9°.de ſim. med.fac. 5ª.65.F
ex Terra lemnia medicamentum ad venena valet. 9°. de ſimplicium med.fac. 5ª.65.E
Terra lemnia rabientis canis morſum ſanare dicitur,in vino diluto epota,& vlceri ex aceto impenſæ acri impoſita, & aliarum ferarũ ictus ſanare.9°.de ſim.med.fac. 5ª.65.E
Terra lemnia quos offendat.9°.de ſimp.med.fac. 5ª.65.H
ad omni Terra Leui,& aceto vel oxicrato iuuantur ambuſta,& prohibentur bullæ.9°.de ſim.me.fa. 5ª.66.B
Terræ Lotio quomodo fieri debeat.9°.de ſim.me.fac. 5ª.65.G
Terra Medicamentoſa quæ ſit.9°.de ſimp.med.fa. 5ª.65.F
Terræ medicamentoſę probandi ratio.9°.de ſimp.med. 5ª.66.A
Terra Melina quid,& eius vires.de ſimp.med. Sp.85.A
in Terra Molli naſcitur corallus arbor duriſſima.de ana.vi. Sp.46.A
Terra nigra proſmegmate.3°.de comp.med.ſec.loc. 5ª.146.B
Terra nigra.3°.de comp.med.ſec.loc. 5ª.146.B
Terræ genus Ochra.in progn.com.2°. 4ª.201.G
Terra Paluſtris,harenoſa,argilloſa,calida valde, cur nõ faciunt herbas.com.5°.apho.62°. Ex.43.G
ex Terra Pelagia emplaſtrum.6°.de com.me.perge. 5ª.261.C
Terra petroſa non gignit.11°.de vſu par. 1ª.190.B
in Terra petroſa herbæ,& plantæ paruæ & duræ naſcuntur. 11°. de vſu partium. 7ª.190.A
Terram Pinguem,& mollem,& madidam habitantes, quales. quòd animi mores. 1ª.320.B
Terra Plana deterior eſt ad effluxiones aquarũ.de bo.aquæ. Sp.75.F
Terra Pnigites qualis.9°.de ſimp.med.fac. 5ª.66.G
Terra Samia quid. de ſimp.med. Sp.84.H
Terra ſamia mediocriter refrigerat.9°.de ſim.me.fac. 5ª.65.H
Terra ſamia ſtringit inſtantius, cœliacis, dyſentericis, & ad omne profluuiũ fortiter prodeſt. de ſimp.med. Sp.84.H
Terra ſamia ad phlegmonas calidas, & bubones vtilis eſt.9°.de ſim. med.fac. 5ª.65.H
Terra ſamia vtilis eſt ad podagricas ĩfluxiões.9°.de ſim.m.f. 5ª.66.A
Terra ſamia,& non lemnia quibus conueniat.9°.de ſimplicium medicamentorum fac. 5ª.65.H
Terræ ſamiæ,& lemniæ curroſatũ miſcetur.9°.de ſim.me.fa. 5ª.65.H
Terra ſamia internis vlceribus opitulatur.4°.meth.med. 7ª.28.H
ex Terra ſamia cygnus.4°.de comp.med.ſec.loc. 5ª.154.G
Terra ſamia non debet lauari.9°.de ſimp.med fac. 5ª.65.G
Terra Sarda dicta qua tinctores vtunt.4°.de cõp.me.per g. 5ª.242.H
Terra Selinuſia quid.de ſim.med. Sp.85.A
Terra ſelinuſia qualis.9°.de ſim.med.fac. 5ª.66.A
Terra ſelinuſia frigida eſt,quamuis alba.1°.de ſim.me.fac. 5ª.2.E
Terra ſelinuſia,& chia pulcherrima ſunt ad ambuſta vlcerum remedia.9°.de ſimp.med.fac. 5ª.66.A
Terræ ſelinuſiæ meminit.1°.de comp.med.ſec.loc. 5ª.127.A
Terre Sicca non producit herbas.2°.de temp. 1ª.18.H
Terram Sigillatam è lemno accepit.1°.de antid. 5ª.100.C
Terra ſigillata adulterata difficillime cognoſcitur.1°.de ant. 5ª.100.C
Terra ſimplex exiccat.9°.de ſimp.med.fac. 5ª.65.F
Terra q̃libet habet uim deſiccãdi ſine morſu.9°.de ſim.me.fa. 5ª.65.G
Terra ſimplex exiccat ſine morſu.9°.de ſim.me.fac. 5ª.66.C
Terra exiccat,ſed non ſicut ignis.1°.de ſan.tuen. 2ª.62.E
Terra ſanantur dolores fixi diutini.9°.de ſim.med.fa. 5ª.65.G
Terra Scriptoria.de rem.par.fac. 7ª.166.A
Terra Sideritis quæ.9°.de ſimp.med. 5ª.66.C
Terra Viſcoſa quæ.9°.de ſimp.med.fac. 5ª.64.H
Terra Vſta qualis.9°.de ſimp.med.fa. 5ª.66.F
Terra vſta vlceribus accommoda eſt,& ad ea quæ carnem ſibi reſtitui ægre patiunt,& ad ea quæ ad cicatricẽ difficulter proueniũt magis congruit.9°.de ſimp.med.fac. 5ª.66.G
TERRAE *inteſtina ſiue lumbrici.11°.de ſimp.med.fac.* 5ª.82.D
Terrę inteſtinũ appellatum animalculum coctum, & excolatum auribus inſtillat.3°.de comp.med.ſec.loc. 5ª.145.A
Terram abradit & fermentat atra bilis.com.4°.aph.23°. Ex.29.H
TERRENVS *magis ſapor eſt acerbus.4°.de ſimp.me.fa.* 5ª.25.G
Terrenum & frigidum eſſe probatur acerbum.4°.de ſimplicium med. facul. 5ª.25.G
Terrena magis,& calidiora ſuibus animalia quæ.4°.de ſimpl. medic. facultatibus. 5ª.25.E
Terrena ſunt ligna,fructuum partes,& animalium partes. 9°. de ſim. med.fac. 5ª.64.H
Terrena & frigida eſt mirtus,& multum deſiccat.7°.de ſimp. medic. facul. 5ª.56.E
Terrenum magis oleo albumen.4°.de ſimp.med.fac. 5ª.25.E
Terrenum corpus,& frigidum tripliciter ſoluit.4°.de ſimplicium medicamen.fac. 5ª.26.E
Terrenum diſiungit.4°.de ſim.med.fac. 5ª.25.H
TERRESTREM *plagam luna immutat.3°.de dieb.dec.* 4ª.160.B
Terreſtris eſſentia in palea ſuperat.4°.de ſim.med.fac. 5ª.28.G
Terreſtre frigus intus ducit tenuis ſubſtantia aerea.8°. de ſim. medic. facul. 5ª.59.E
Terreſtris medicina quid agat.de ocul. 7ª.189.A
Terreſtrem,& frigidam ſubſtantiam habẽt epithymum,& elleborus de catharticis. Sp.94.E
Terreſtri grauitate,& aere ſpirituali admiſta medicamina ſuperiorem purgant ventrem, & inferiorem. de cathar. Sp.94.F
Terreſtris ericius conuenit icterico.de cura icteri. Sp.111.C
Terreſtria craſſa,vel ſubtiliatiua, & aquoſa ſunt conſtringentia. de ocul. 7ª.188.A
*Terreſtria et craſſa ſunt cõſtrictiua,& pontica multũ de oc.*7ª.188.A
Terreſtrius tanto eſt vinum quanto fortius.de vtil.reſp. Sp.64.F
ad Terreſtria ita ſe hẽt pulmo,vt brãchiæ ad piſces.d an.viu. Sp 53.B
Terreſtris ſanguis plurimum calidus eſt pro eo quod eſt receptaculũ amoris.de vtil reſp. Sp.64.F
Terreſtrem ſanguinem valde ſpiſſum qui coagulatur ſtatim habẽt animalia quædam,vt taurus.de vtil.reſp. Sp.64.F
Terreſtris pinguedo ſepum dicitur.de vtil.reſp. Sp.64.E
*Terreſtre corpus in aĩali ſunt oſſa,& chartilagines.1°.de elem.*ª.5.D
Terreſtre membrum omne priuatum ſenſu congelatum ex melancholia eſt.de ana.viuo. Sp.45.F
Terreſtri ſubſtantia quæ conſtant ægre coquuntur, & a iecore ſanguificantur.de bon.& vitio ſucc. 2ª.36.F
Terreſtria dura cur plus dant alimenti.1°.de alim.fac. 2ª.14.D
TERREA, *& veluti ſemicocta cum innato calore ſint omnia velut ſuliginoſa ſamilloſa ac fumoſa recrementa.1°.de diff.reſp.* 3ª.62.A
Terream ſubſtantiam habent grauia.9°.de ſimp.med.fac. 5ª.66.C
Terreæ,& craſſæ ſubſtantiæ tantum eſt ſolatium,quantum adſtringit. 2°.de comp.med.ſec.loc. 5ª.136.C
*Terrea humiditate quæ ſunt,corrigi dẽnt.4°.de ſimp.me.ſa.*5ª.28.H
Terreum eſt inſtrumentum tactus.7°.de decr.Hip. 1ª.271.B/H
TERRIBILES *aſpectu qui.in 6ᵐ.de mor.vul.com.1°.* 3ª.159.F
TERRI *quæ debeat ſub canis æſtu.5°.de comp.me.per g.* 5ª.252.C
TERROR *vnde fiat.4°.de decr.Hip.* 1ª.249.H
Terror exturbat cor.6°.de decr.Hip. 1ª.261.G
Terrore ſanatur ſingultus.de remed.par.fac. 7ª.166.C
*ex Terrore animi defectus qũo curetur.1ª.de arte cur.ad Gl.*7ª.99.G
TERTIANA *febris,quæ.ſin.med.* Iſa.46.D
Tertianæ nomina.in 1ᵐ.de morbis vulgaribus,comment. 3°.119.D/ *in 6ᵐ.de mor.vul.com.2°.* 3ª.164.C
Tertiana febris morbus eſt intermittẽs.ſi.med.45.F/intro. Iſa.55.D/ *2°.de diff.feb.* 3ª.36.E
*Tertianæ veniunt ad integritatem.in 1ᵐ.de mor.vul.com.3°.*3ª.119.A
Tertiana febris ex intermittentibus breuiſſima,& mitiſſima eſt.1°.de arte cur.ad Glauc. 7ª.96.E
Tertiani typi qui.de typ. 3ª.90.E/F
Tertianis typus qualis.de typ. 3ª.1.C
Tertiani periodi proprium.2°.de cri. 4ª.136.E
Tertianarum febrium circuitus cum quotidianis cõparatus, quãtus. de mult. 3ª.87.H
Tertianum typum quæ comitentur.de typ. 3ª.90.F
*in Tertiana noctes ante febrem moleſtæ.de typ.*90.F/*in 6ᵐ.de morbis vulg.com.2°.* 3ª.164.B
Tertianæ diſtinctio.in 1ᵐ.de mor.vul.com.1°. 3ª.110.D
*Tertianarum febrium differentia.in 1ᵐ.de mor.vul.com.3°.*3ª119.A
*Tertianarũ qũo duo genera.de victꝰ rat.in mor.acu.com.4°.*7ª.135.H
*Tertianæ ſimplices quæ.2°.de diff.feb.*39.G/*in 1ᵐ.de morbis vulgar. comment.3°.* 3ª.119.D
Tertiana ſimpliciſſima quæ.2°.de criſi. 4ª.135.A
*Tertiana exquiſita quæ.2°.de dif.feb.*36.H/*in 1ᵐ.de morbis vulgarib. comment.3°.* 3ª.119.D
Tertiana exquiſita qualis.2°.de diff.feb. 3ª.39.G

Tertiana febris exqsita quot horis ꝑduret. 1°. d̄ ar.cu.ad Gl. 7ª.96.H
Tertiana exquisita durat minus etiam duodecim horis, & qua de cā. 2°. de diff. feb. 3ª.36.H
Tertiana in duodecim horis perficitur, & in minori ſpatio. in 6ᵐ. de mor. vul. c. 2°. 3ª.164.B
Tertiana non extēditur vltra duodecim horas. 2°. de criſi. 4ª.135.A
Tertiani circuitus horarum quadraginta octo. de mor. temp. 3ª.85.F
in Tertiana quæ conſideranda. 2°. de criſi. 4ª.134.B
Tertianę febres ex bile flaua fiunt. 8°. de dec. Hip. 1ª. 277.B/ 2°. de diff feren. febr. 3ª.36.E/ de ſper. Sp.38.B
Tertianæ omnium febrium bilioſæ maxime, & calidę ſunt. 2°. de ſym ptomatum cauſis. 3ª.22.E
Tertianæ veræ bilioſiſſimæ ſunt. in prog. c. 3°. 4ª.211.A
Tertiana ſi acuitur in horis bilis, vera tertiana eſt, & propria. de ſpermatc. Sp.39.H
Tertiana fit ex iecore laborante. 1°. de arte cur. ad Gla. 7ª.95.H
Tertianæ quo tempore, & qua regione fiant, & qua temperie, & quo victu. 2°. de criſi. 4ª.34.D
Tertianæ febres ex aquæ redūdantia, ex Platone. 8°. de dec. 1ª. 277.B
Tertianæ in quibus maximæ fiant. 2°. de diff. feb. 3ª.36.D
Tertianæ quibus neglectis fiant. de dyn. Sp.19.H
ad Tertianas & quartanas diſpoſita eſt periſtereon herba ſiue colūba ria. de ſimp. med. Sp.89.C
Tertianæ febres ſunt ex genere ardentium. 8°. de dec. Hip. 1ª. 277.C/ de trem. palp. conuulſ. 3ª. 55.A/ 2°. de criſ. 4ª.134.E
Tertiana, & ardens febris quomodo differant, & conueniant. in 1ᵐ. de mor. vul. c. 2°. 3ª.109.H
Tertianæ fiunt cum totius corporis carnes affluant bile flaua. in 1ᵐ. d̄ mor. vul. c. 2°. 3ª.109.H
in Tertianis, & ardentibus, bilis mouetur per carnes, & fit rigor. de tremore & palp. conuulſ. 3ᵉ.55.E
Tertianę, & cauſi differentiæ. 2°. de criſi. 2ª.134.E
Tertiana quæcunq; habet, habet & hemitritæus. de typ. 3ª.85.G
Tertianæ ſimiles ſunt ſanguinis febres. 2°. de diff. feb. 3ª.40.C
Tertiana notha exqſitę valde cōtraria eſt. 1°. de ar.cu.ad Gl. 7ª.96.g
Tertiana non exquiſita duodecim horis durat. in 6ᵐ. de morb. vulg. com. 2°. 3ª.164.B
Tertianæ extēſæ quæ. 2°. de diff. feb. 39.G/ in 1ᵐ. de mor. vul. c. 3°. 119. D/ in 6ᵐ. c. 2°. 3ª.164.C
Tertiana phlegmatica ſi acuitur bilis horis minus periculoſa eſt. de ſpermate. 39.H/ Sp.40.A
Tertiana febris nō exquiſita per ſex mēſes durauit i iuuene, cuius hiſtoria adducitur. 1°. de arte cur. ad Glau. 7ª.96.F/G
Tertianæ naturam quæ referant febres. in 1ᵐ. de morbis vulgar. c. 1°. 110.D/ c. 3°. 119.D/ in 6ᵐ. c. 2°. 3ª.164.B
Tertianæ naturā referantes febres, deteriores fiunt diebus decretorijs in 1ᵐ. de mor. vul. c. 1°. 3ª.110.F
Tertiana duplex quæ. 2°. de criſi. 4ª.136.H
Tertianæ tres ſimul complicatę. 2°. de criſi. 4ª.137.C
cum Tertiana quotidie diſtinctio. 2°. de criſi. 4ª.135.D
Tertianarum cū quotidianis duplex coniunctio. 2°. de dif. feb. 3ª.37.H
Tertianarum implexum vtiam eſſe quotidianam medici putātes. ad eos, qui de typ. ſcripſ. 3ª.92.F
quæ Tertiana pituitoſæ miſta difficilis cognitu ſit, & quæ facilis. 2°. d̄ diff. feb. 3ª.37.H
Tertiana ſuperante pituitoſam, quid contingat. 2°. de dif. feb. 3ª.39.B
ſi Tertiana vehemētior ſit quotidiana, qd cōtingat. 2°. de dif. 3ª.39.B
Tertianæ intermittentis cum quotidiana caſus. 2°. de dif. feb. 3ª.37.H
in Tertiana, & quotidiana caſus Adoleſcentis. 2°. de dif. feb. 3ª.38.C
Tertiana continua, & pituitoſa continua ſimul miſta quādo. 2°. de differ. feb. 3ª.39.D
in Tertianę modū febris ex pituita, & bile miſta. in 1ᵐ. de mor. vulg. com. 1°. 3ª.110.E
in Tertianam quando vertatur quotidiana. de ſper. Sp.39.H
in Tertianam quo modo tranſeat quartana, & e cōtra. d̄ ſpe. Sp.39.H
Tertianæ febris initia. 1°. de arte cur. ad Glau. 7ª.95.H
Tertianæ principium. 1°. cum horrore, poſtea cū rigore. de mo. 3ª.85.g
Tertianam ſignificat rigor validus. 1°. de arte cur. ad Glau. 7ª.95.H
Tertianarum nota eſt rigor. de trem. palp. conuulſ. 3ª.55.A
Tertiana ex bile flaua cur rigorē habeat vehemētē. ꝙ. d̄ cri. 4ª.134.f
Tertiana, & quartana faciunt cum rigore acceſſionē, & quomodo differant. 1°. de art. cu. ad Glau. 7ª.95.G
in Tertianis, & quartanis cur fiat rigor. de trem palp. conuul. 3°.55.f
Tertianarum rigor qualis. 2°. de diff. feb. 3ª.36.E/ 2°. de criſ. 4ª.134.f
Tertianarum rigor diuerſus eſt a rigore quartanarum. 2°. de differen. febrium. 3ª.36.E
Tertianæ habent rigorem. 2°. de ſymp. cau. 3ª.22.E
Tertianę rigor cui ſimilis. de trem. palp. conuul. 3ª.56.A
Tertianarū ꝓpriū eſt ſignū bilis vomitus. 1°. de ar. cu. ad Gla. 7ª.96.b
in Tertiana integre expurgatur materia. 2°. de dif. feb. 3ª.37.B
Tertiana cur per ſeipſam expurgetur. 2°. de criſi. 4ª.134.E
in Tertianis vomitus in quibus fiat. in prog. c. 3°. 4ª.211.A
Tertianæ cur per ſudorem, & vomitum finiant. 2°. de criſi. 4ª.134.E
in Tertianā cur fiat ſudor. 2°. de ſymp. cau. 3ª.22.F
in Tertianis ſudor quo nuncietur. 2°. de criſ. 4ª.134.H
Tertianis ſudores boni. præſ. exper. conſ. Sp.77.G
Tertianæ calor qualis. 2°. de diff. feb. 3ª.37.B
Tertianæ, quartanæ, & quotidianæ pulſus differentia. de typ. 3ª.91.A
Tertianæ, quartanæ, & quotidianę pulſuū cōparatio. de dyn. Sp.34.E
Tertianarū febriū ſyncerarū pulſus qualis. 2°. de cau. pul. 4ª.91.B
Tertianarū pulſus in principio, & in proceſſu, qui. 2°. de criſ. 4ª.134.g
Tertianę principij pulſus qui. de mor. temp. 3ª.85.G
Tertianæ principium quod. de mor. temp. 3ª.86.B
Tertianæ principium per duas horas. de mor. temp. 3ª.85.G
Tertianæ augumenti pulſus, qui. de mor. temp. 3ª.85.H
in Tertiana quod tempus inæqualitatis. de mor. temp. 3ª.86.B
Tertianæ febris intermiſſionis pulſus, qualis. 2°. de diff. feb. 3ª.36.H
Tertianæ ſymptomata, & pulſus. de typ. 3ª.90 F
Tertianarum pulſus, & vrina. de dyna. Sp.34.F
Tertianarum ſignificat vrina quaſi ignea. de dy. Sp.35.E
Tertianę vrinæ quæ. de typ. 3ª.90.G/ 1°. de art. cur. ad Glau. 7ª.96.D
in Tertianam conuertentur acutæ febres, ſi vrina turbulēta, & tarde reſidens fuerit; maxime ſi adſit ſanitas intraneorum, & per multos dies perſeuerauerit. de dyn. Sp.34.C
in Tertiana vrina alba, aut ſubliuida mortē ſignificat. de dy. Sp.35.d
Tertianam primo die nouit Gal. 1°. de criſi. 4ª.33.E
Tertianā & quartanam Gal. nouit in prima acceßione. 1°. de diebus decret. 4ª.150.H
vt Tertianæ prēiudicari poſſunt quartanæ. in prog. c. 3°. 4ª.207.F
Tertiana in quot periodis terminetur. 2°. de criſi. 4ª.135.G
Tertiana exqſita vltra quartū circuitū nō ꝓgredīt. 2°. de cri. 4ª.135.a
Tertiana febris exquiſita non tranſit ſeptimū circuitum. 1°. de art. cu rativa ad Glau. 7ª.86.F
Tertianæ purę vacant diſcrimine. in 6ᵐ. de mor. vul. c. 2°. 3ª.164.B
Tertiana exquiſita cito iudicatur nec eſt letalis. in 1ᵐ. de mor. vulga. com. 3°. 3ª.119 H
Tertiana, & quartana ſunt ſine periculo. in 1ᵐ. de morbis vulgarib. com. 2°. 3ª.117.C
Tertiana exquiſita ſubito iudicatur. in 1ᵐ. de mor. vul. c. 2°. 3ª.117.C
in Tertianis ſola nubecula indicat ſolutionem. de vrinis. 4ª.125.C
Tertiana febre laborās ſingulis æſtatibus, quomodo ſit ſeruatus à Galeno. quos purg. opor. quib. med. 5ª.88.C
Tertiana quibus ſanetur. 3°. de criſi. 4ª.139.D
Tertiana exquiſita refrigeranda, & humectanda eſt. 1°. de arte cura. ad Glau. 7ª.97.A
Tertiana ſiccitatem inducit. 1°. de art. cur. ad Glau. 7ª.96.C
in Tertiana facta coctione vtaris abſinthio. 1°. de ar. cu. ad Gl. 7ª.97.b
in Tertianis quies, & calefactio circa præcordia iuuāt, & ſorbitiones concoqui faciles, & clyſteres non admodū molles. 1°. de arte cur. ad Glau. 7ª.97.E
in Tertiana clyſteres molles. 1°. de arte cur. ad Glau. 7ª.97.B
in Tertiana quibus prouocatur vrina. 1°. de art. cu. ad Glau. 7ª.97.B
in Tertianis exquiſitis ſtatim balneandū, ſed in inexquiſitis nō ſtatim ſed apparentibus ſignis coctionis. 1°. de ar. cur. ad Glau. 7ª.97.E
in Tertiana quid faciat balneum. 1°. de arte cur. ad Glau. 7ª.97.B
in Tertiana oleum in aqua perfundendum in quo ægri natent quantū poſſunt. 1°. de arte cur. ad Glau. 7ª.97.C
ī Tertianis inutilia ſunt balnea ex aqua marina, ſalſa, nitroſa, atq; ſulphurea. 1°. de arte cur. ad Glau. 7ª.97.B
in Tertiana febre q cibi dādi, & quantū. 1°. de arte cu. ad Gl. 7ª.97.C
in Tertiana vinum non eſt dandum niſi poſt concoctionem. 1°. de ar. cu. ad Glauc. 7ª.97.C
Tertianā exquiſitioni patienti quando bibendū. 2°. de criſi. 4ª.134.H
in Tertiana abſtinēdū eſt a melle, ſinapi, ſalinis, acribus, viniſq; vetuſtis. 1°. de

ſtis.1°.de arte cura.ad Glau. 7ª.97.C
in Tertiana febre tẽpus ad exhibendum cibũ.2°.de dif.feb. 3ª.39.H
TERTIANÆ *nothæ curatio.1°.de arte cur.ad Glau.* 7ª.97.D
in Tertiana non exquiſita venæ ſectio.1°.de art.cu.ad Gla. 7ª.97.E
in Tertiana notha piſſanę ſuccus cũ pipere.1°.de ar.cu.ad Gl. 7ª.97.E
in Tertiana notha bibendum propina hyſſopũ,organum & nardum, aqua mulſa infundens,& concoquens.1°.de ar.cu.ad Gl. 7ª.97.E
in Tertiana notha abſinthij coma iugiter danda eſt poſt ſeptimã.1°. de arte cur.ad Glau. 7ª.97.E
in Tertiana notha ventrem molliter ſubducentia exhibenda.1°.de arte cur.ad Glauconem. 7ª.97.E
ad Tertianam febrem decoctio.ſecretorum. Sp.101.A
ad Tertianam facit hydropoton.de dynamid. Sp.32.D
ad Tertianam febrem trociſci.ſecr. Sp.98.E
ad Tertianas cum typo.de dyna. Sp.32.F
ad Tertianam miſtam quotidianæ.de dyn. Sp.32.F
ad Tertianas acutas.de dyn. Sp.32.G
ad Tertianas duplices.de dyn. Sp.32.G
*ad Tertianam febrem.de med.fac.par.*7ª.172.H/*de dyna.* Sp.32.D
TERTIANARIIS *damus cholagoga.de dyna.* Sp.20.G
TERTIAE *diei inediam ſeruabant, vt viderent quid tertio die ſequeretur.8°.methodi meden.* 7ª.50.C
Tertius dies qualis.2°.de diebus decre. 4ª.154.F
*Tertius dies principium determinatũ acutorũ.3°.de die.de.*4ª.158.D
Tertio quoq; die acceſſiones fiunt in acutis.3°.de die.de de. 4ª.158.G
per Tertium quæ mouentur in his potiſſimũ eſt prænotionis vſus. ad eos qui de typ.ſcri. 3ª.92.B
Tertius quomodo decernat.de dieb.decr. 4ª.158.D
Tertius cur decernat.3°.de dieb.decre. 4ª.158.G
Tertio die morbi peracuti iudicantur per ſudorem,magis quam quarto.com.4°.apho.36°. Ex.31.H
Tertius dies iudicat morbos breues ante quartũ.c.4°.ap.36°.Ex.31.H
Tertius,& quartus quando habent grauia ſymptomata, breui expectandum eſt iudicium.in 1ᵐ.de mor.vul.com.3°. 3ª.124.G
ad Tertium,& ad quintum cur tranſmutatur criſis quartæ diei.3°. de criſibus. 4ª.140.D
Tertius decimus eſt poſt nonum vndecimum,& vigeſimum.1°.de die bus decreto. 4ª.147.B
*poſt Tertium decimũ,& quintũ eſt quartus.1°.de dieb.dec.*4ª.147.B
Tertius decimus qualis.1°.de dieb.decr. 4ª.147.C
ad TERTIAS *coctura quomodo intelligenda.8°.de comp.medicamẽ. ſecun.locos.* 5ª.189.C
ad Tertias coctura.5°.de comp.me.ſec.lo.165.B/7°.184.C/7°.196. C/9°.200.F/202.E/F/204.F/2°.de comp.me.per ge.225.H/4°. 243.E/5°.5ª.248.G/de reme.par.facilibus.157.C/167.F/de medi.fac.par.170.B/176.D/ 7ª.179.A
TESTA proportione reſpondet cuti.3°.de ali.fac. 2ª.32.B
Teſta qualis.9°.de ſimp.me.fac. 5ª.70.G
Teſtã pro cute habentia habẽt ſuccũ qui ſubducit.3°.de al.f. 2ª.26.D
Teſta quæ teguntur euitet ſenex.5°.de ſan.tuen. 2ª.91.D
Teſta buccinorũ & purpurarum qualis.11°.de ſim.me.fa. 5ª.80.G
Teſtã callainã aßatã ac tritã dẽtibus affricat.5°.de c.m.ſ.l. 5ª.163.H
Teſta oſtrearũ qualis.11°.de ſim.me.fa. 5ª.80.H
Teſta ſepiarum qualis.11°.de ſimp.me.fac. 5ª.81.A
Teſta ſplendorem inducit.9°.de ſimp.me.fac. 5ª.69.G
TESTA *Attica.3°.de comp.me.ſec.loc.* 5ª.142.B
Teſta romana.3°.de comp.me.ſec.loc. 5ª.142.B
Teſta ærea.5°.de comp.me.ſec.loc. 5ª.176.E
Teſta clibani dentes ſplendidi fiunt.11°.de comp.me.ſe.lo. 5ª.81.A
Teſta figulina.5°.de comp.me.ſec.loc. 5ª.176.E
in Teſtis cocta oua generant ſanguinem craſſum,et corruptibilem.de diſſol.cont. Sp.75.A
in Teſtis panis cum oleo,& ſine oleo cibus craſſus,& cur. de diſſolu. continua. Sp.72.A
Teſtarum fragmentis ſimilia quandoq; in abſceſſibus inuenta ſunt.14°. met.me.90.E/2°.de arte cura.ad Gla. 7ª.105.B
TESTACEA *animalia quæ.3°.de ali.fac.* 2ª.32.B
Teſtacea duram carnem habentia,difficulter coquuntur,et difficulter corrumpuntur.3°.de ali.fac. 2ª.32.C
Teſtacea quæ conueniunt ſtomachicis.8°.de comp.me.ſe.l. 5ª.192.C
Teſtacea ſunt in polmen tenuißimum redigenda.11°. de ſimplicium medicament.facultat. 5ª.80.G
Teſtacea vaſa.7°.de comp.me.per ge. 5ª.273.A
TESTICVLI *ſunt earum partium in noſtro corpore, quæ principia quædam dicuntur ars med.* Iſa.63.B
Teſticuli,renes,ueſica ſunt mẽbra minus pricipia.d ana.vi. Sp.56.A
Teſticulorum officium.introd. Iſa.54.E
Teſticulos habent fœminæ.com.5°.apho.48°. Ex.41.H
Teſticulorum virorum,& mulierum differentia.de natura, & ordine cuiusl.corp.42.B/de ana.viuo. Sp.51.F
*Teſticuli maris maiores q̃ fœminę teſticuli.14°.de vſ.206.B/*1ª.208.E
Teſticuli mulierum minores, & imperfectiores ſunt teſticulis virorum.14°.de vſu par. 1ª.206.B
Teſticuli mulierum breuiores,& frigidiores.de nat.& ord. Sp.42.B
Teſticuli matricis vbi ſint.de anatomia parua.43.C/ Sp.51.F
Teſticuli mulierum q̃ in loco ſint opportuniſſimo.13°.de vſ. 1ª.208.G
Teſticuli mulierum duo ſunt,quorum vnus ſub dextro rene, alter ſub ſiniſtro tenetur.de compag.memb. Sp.59.D
in Teſticulis fœminarum cur ἐπιδιδυμίδες non ſunt manifeſtæ.14°. de vſu partium. 1ª.209.G
de Teſticulorum compoſitione.de ſperm.at. Sp.36.F
Teſticuli quatuor habent panniculos.de ſperm ate. Sp.36.F
Teſticulorum tunicæ quales.de nat.& ord.cuiusl.corp. Sp.45.B
Teſticuli cur glanduloſi.de vtil.reſp. Sp.63.A
Teſticulorum caro alba eſt.de ana.viuo. Sp.55.H
Teſticulus ſiniſter habet ſanguinem impurum excrementoſum, humidum,& ſeroſum.14°.de vſu par. 5ª.106.F
Teſticulus ſiniſter habet ea quæ continentur in ipſo ſeroſiora,& frigidiora.com.5°.aph.48°. Ex.42.A
in Teſticulos debet ire ſanguis ſeroſus acris.14°.de vſu p. 1ª.209.B
*Teſticulus ſiniſter cur i aliquo põt eẽ fortior.14°.de vſ.pa.*1ª.206.H
Teſticulus fortior quomodo cognoſcatur.14°.de vſu par. 1ª.206.H
Teſticulos nutrientia vaſa vnde.14°.de vſu par. 1ª.208.H
Teſticuli hñt ſemẽ quo nutriunt̃,& qđ alterãt.c.5°.aph.39°.Ex.41.C
ad Teſticulos a cerebro prodeunt venæ dicuntur vaſa ſeminaria antecedentia.de ana.viuo. Sp.51.G
a Teſticulis vaſa ſpermatica,quæ ex plãtantur, παρασάτας κιρσοειδεῖς *primus Herophilus nominauit.14°.de vſu par.* 1ª.208.B
Teſticulorum venas,& arterias a longinquis partibus ducit natura, & quare.16°.de vſu par. 1ª.219.C
ad Teſticulos arteriæ quæ feruntur eas ordine conſequuntur, quę ad renes accedunt.16°.de vſu par. 1ª.219.B
Teſticulorum arteriæ debebant aliquid impuri et ſeroſi recipere.16°. de vſu partium. 1ª.219.B
in Teſticulis plicanť venæ,& arterię quoq; ſicut venæ,ſed plurimum arteriæ inuoluuntur in retiformi plexu.16°.de vſu par. 1ª.219.C
prope Teſticulos cum acceſſerint arteriæ cur multiplici plexu inuoluantur.16°.de vſu par. 1ª.219.B/C
ante Teſticulos venæ,& arteriæ multipliciter inuoluuntur, quæ retardant ſemen.14°.de vſu par. 1ª.139.B
Teſticulus totus & vas ſeminale in quibus ſint ſemine repleta.1°.de ſemine. 1ª.335.D
ad Teſticulum ſunt muſculi parui.16°.de vſu par. 1ª.218.D
Teſticuli habent nernos duos pẽdẽtes,& deſcendentes a principali oſſe colli & fundamento corporis p dorſum et renes,q̃ nerui alios habent neruos coniunctos alijs oſſibus totius corporis.de ſpe.Sp.36.F
ad Teſticulos ab omni parte corporis trahunt nerui, & venę propriæ ſperma.de ſperma. Sp.36.A
Teſticulorum temperaturę ſimplices,quæ.ars med. Iſa.65.D
Teſticulorum temperaturæ calidæ,& ſiccæ,quæ.ars med. Iſa.65.D
Teſticulorum temperaturæ calidæ,& humidæ,quæ.ars med.Iſa.65.D
Teſticulorũ temperaturæ frigidæ,& humidæ ſigna.ars med. Iſ.65.D
Teſticulorum temperaturæ frigidæ,& ſiccæ ſigna.ars med. Iſa.65.D
Teſticuli puerorum quomodo impuberes ſeruantur.1°.de comp.medi. ſecun.locos. 5ª.117.E
Teſticulus alter quibuſdam,alijs vterque cum dolore inflammabatur, & cur.in 1ᵐ.de morb.vulg.com.1°. 3ª.105.C
*Teſticulos vlcere Aphtæ non abſimili apprehenſos ex terra cimolia cũ aqua oblinito,& exſiccari ſinito.9°.de comp.me.ſe.lo.*5ª.205.F
ad Teſticulorum Apoſtemata.ſecret. Sp.100.B
*Teſticulorũ Carnẽ excreſcentem cinis ſarmentitius cum nitro & aqua ſubactus ſanat cataplaſmatis vicẽ põſitus.10°.de c.m.ſ.l.*5ª.205.E
Teſticulorum Contuſiones.3°.de comp.me.per ge. 5ª.235.C
ad Teſticulorũ dolorẽ,& aṕa & vẽoſitatẽ in eis.ſecret. Sp.100.B

Teſticulorum Durities iuuat Eryſimum. 6°. de ſimp. me. fa. 5ª.47.F
ad Teſticulorum Pruritum. ſecret. Sp.100.B
Teſticulorum Ramex. ſecretorum. Sp.100.B
Teſticulorum Tumores κήλας ideſt hernias ſiue ramices vocant. de tum. præter naturam. 3ª.84.F
Teſticuli quibuſdam cur ſupra modum increuerunt. de dif. mor. 3ª.5.C
Teſticulus cum aliquando tumefit tuſſientibus, eſt indicium affinitatis cum pectore & mammis. in 6ᵐ. de morb. vul. com. 3°. 3ª.178.G
ex Teſticulo quomodo cognoſcamus renem affectum. de renū affect. dignotione & mede. 7ª.192.H
in Teſticulis Varices quandoq; exciduntur. 14°. met. me. 7ª.90.G
TESTICVLI *gallorum languentibus dari conſueuerunt. de victus rat. in morbis acutis, com. 1°.* 7ª.113.C
Teſticuli gallorum dandi ſunt his quibus dolet caput. 2°. de comp. medicamen. ſecun. loc. 5ª.133.E
Teſticuli gallorū dādi in tertiana pro cibo. 1°. de art. cu. ad Gl. 7ª.97.C
TESTICVLI *caſtoris conuulſionibus medent. de the. ad Pi.* 5ª.93.E
TESTIMONIVM *quid ſit. de fract. com. 2°.* 7ª.235.C
TESTES *honeſtius vocantur gemelli. 9°. de ana. adm.* 1ª.105.F
Teſtes vnū principium vniuerſi corporis. 2°. de ar. cu. ad Gl. 7ª.103.F
Teſtes ſunt partes ad generis inſtaurationem a natura conſtitutæ. 13°. de vſu partium. 1ª.204.C
Teſtes in maribus penduli ſunt. 1°. de vſu par. 1ª.209.H
Teſtes cur extra membranam abdominis ſunt. 1°. de ſemi. 1ª.333.F
Teſtes auium vbi ſint. 1°. de ſemine. 1ª.334.F
Teſtes intra membranam abdominis habent aues. 1°. de ſem. 1ª.333.G
Teſtes altiores ſunt in auibus quā vaſa ſeminaria. 1°. de ſe. 1ª.333.G
Teſtes ad ventrem adſtrictos habent ſues. 1°. de ſem. 1ª.334.F
a Teſtibus in totum corpus vis quædam diſpergitur, quæ quidem in maribus robuſti ac maſculi habitus, in fœminis ipſius fœmineæ naturæ in cauſa eſt. 1°. de ſemi. 1ª.335.B
Teſtium ſubſtantia qualis. 14°. de vſu par. 1ª.209.G
Teſtes carnoſi perfragileſq; ſunt. fin. med. Iſa.44.A
Teſtes ſunt ex genere glandularum. 3°. de alim. fac. 2ª.27.A
Teſtes cur glanduloſi, & molles. 1°. de ſem. 1ª.335.F
Teſtes partes ſunt in homine ex illis, quæ ſunt laxiores, & humidiores. 9°. de ſimp. me. fac. 5ª.65.H
Teſtes laxi, ac cauernoſi ſunt. 14°. de vſu par. 1ª.207.G
Teſtium anfractus cur natura ceparauit. 7°. de decr. Hip. 1ª.269.E
Teſtes non ſunt laxi inuenibus, & validis. 1°. de ſemin. 1ª.334.E
Teſtes cur laxi ſeneſcentibus, & imbecillis. 1°. de ſem. 1ª.334.E
Teſtes in muliere intrinſeci ſunt. 14°. de vſu par. 1ª.205.F
Teſtes quo iungantur ſeminalibus meatibus. 1°. de ſem. 1ª.335.F
Teſtes intus, & vuluam cur habeat fœtus frigidior, & humidior. 2°. de ſemine. 1ª.339.C
Teſtes extra cur habeat fœtus calidior, & ſiccior. 2°. de ſe. 1ª.339.C
Teſtes fœminæ quales. 9°. de diſſ. vul. 1ª.109.B
Teſtes fœminæ minores ſunt teſtibus maſculorū. de diſſ. vul. 1ª.109.B
Teſtes marium maiores, ac perfectiores teſtibus fœminæ. 14°. de vſu partium. 1ª.207.G
Teſtis fœmininus exiguus eſt. 14°. de vſu par. 1ª.209.B
Teſtes mulierū minores & dēſiores ſunt q̄ mariū. de ve. ar. diſ. 1ª.58.C
Teſtes mulierum cur parui, & vnde vincti. 14°. de vſu par. 1ª.208.F
Teſtes maiores habentes mulieres viragines appellantur. de natura, et ordine cuiusl. corp. Sp.42.B
Teſtes fœminæ imperfectiores teſtibus maris. 14°. de vſu pa. 1ª.207.G
Teſtium fœminæ forma qualis. de diſſ. vul. 1ª.109.B
Teſtes fœminæ vbi. de diſſ. vul. 1ª.109.B
Teſtes quomodo vuluis ſint annexi. 2°. de ſem. 1ª.335.G
Teſtes ianitores matricis. de ana. viuo. Sp.51.F
Teſtes mulierum continent ſemen, vt virorum teſtes in vaſis ſeminarijs. de diſſ. vul. 1ª.109.C
Teſtes mulierum reperiuntur pleni ſemine. 2°. de ſemine. 1ª.336.D
in Teſtibus mulierū ſemen quod continetur, & humor qui in glanduloſis virorū partib⁹, ſpecie ſunt ſimillima. 14°. de vſu pa. 1ª.208.B
in Teſtes cur nō locauit natura vas ſpermaticū. 13°. de vſ. p. 1ª.209.G
Teſtium venæ quæ. de ven. art. diſſo. 1ª.58.C
Teſtium venæ vnde ducantur. de ven. art. diſſ. 1ª.58.C
Teſtium arteriæ, & venæ inceſſus, qui. 1°. de ſemine. 1ª.333.F
Teſtiū vena et arteria operiunt abdominis mēbrana. 1°. de ſe. 1ª.333.E
ad Teſtem vtrunque vena & arteria cur deſcendunt, & non recto itinere. 1°. de ſemine. 1ª.332.F
i Teſtiū venis, & arterijs paulatim albeſcit ſanguis. 1°. de ſe. 1ª.332.F
Teſtes quibus alantur, & qualis in ipſis ſanguis appareat in prognoſt. comment. 1°. 3ª.197.B
ad Teſtes defertur ſanguis dealbatus ad nutrimētum cerebri. de ana. viuorum. Sp.51.G
Teſtes nutriuntur a ſeroſo humore. 1°. de ſem. 3ª.335.A
Teſtes trahunt ſeroſum humorem. 1°. de ſem. 1ª.335.C
Teſtes nutrientia vaſa vnde oriantur. 2°. de ſem. 1ª.339.D
in Teſtibus fit alia coctio. 14°. de vſu par. 1ª.207.G
Teſtes efficiunt ſemen cito, & multum & exquiſite confectum. 1°. de ſemine. 1ª.335.A
Teſtes ſm Ariſtotelē nihil faciūt ad gnationē ſeminis. 1°. de ſe. 1ª.332.G
Teſtes ſm Ariſtotelē quid faciant in generatione. 1°. de ſe. 1ª.333.D
de Teſtibus Ariſtotelis ignorantia. 1°. de ſemine. 1ª.333.B
Teſtes non multum faciunt ad ſeminis generationem ſecundū Herophilum. 1°. de ſemine. 1ª.333.E
in Teſtibus ſolum ſit ſemen ſm aliquos. 1°. de ſemine. 1ª.333.C
ex Teſtib⁹ qualis ſit dexter in ijs, qui procreāt mares. 2°. de ſe. 1ª.339.C
Teſtis dexter qualis in ijs qui procreant fœminæ. 2°. de ſem. 1ª.339.C
Teſtes duabus tunicis conteguntur. introd. Iſa.54.E
Teſtium burſæ comparatur cauitas matricis. de ana. viuo. Sp.51.E
ad Teſtes maximus meatus pertinēs vnde oriatur. 1°. de ſe. 1ª.333.E
Teſtes habent quatuor vaſa. de ſperma. Sp.36.E
ad Teſtes & mammas vaſa habent cōem vſum. 16°. de vſ. p. 1ª.220.G
ad Teſtes deſcendunt duo muſculi, & eorum ortus, ac finis. de muſc. diſſectione. 1ª.50.D
Teſtium muſculi vnde. 1°. de motu muſ. 1ª.306.F
ad Teſtes muſculus cur ab ilibus proueniat. 14°. de vſu p. 1ª.209.H
Teſtiū muſculi mouēt aliud quippiā, & nō os. 1°. de mot. m. 1ª.309.F
Teſtes cur habeāt neruos pauciſſimos 14°. de vſu par. 1ª.209.C
a Teſtibus dependentiam quæ habeant; & ortum. ars med. Iſa.63.B
Teſtes habent motum voluntarium. 14°. de vſu par. 1ª.209.G
Teſtes ſunt principium in bene viuendi. 1°. de ſemi. 1ª.334.C
Teſtes dant robur, & perpetuitatem. 1°. de ſem. 1ª.334.B
i Teſtib⁹ vniuerſarū viriū aīalis principiū apparet. 1°. de ſe. 1ª.334.C
Teſtes quomodo per totum corpus mittant ſuā vim. 1°. de ſe. 1ª.335.B
Teſtes nonnunquam auferuntur a corpore. de diff. morb. 3ª.4.G
Teſtes poſſunt eximi non motis vaſis ſeminarijs. 1°. de ſem. 1ª.333.H
Teſtes poſſunt videri extra animal. 4°. de ana. adm. 1ª.81.H
Teſtes cur eximantur ſuibus. 3°. de ali. fac. 2ª.27.B
Teſtes cur eximantur bobus. 3°. de ali. fac. 3ª.27.A
Teſtibus exectis, quid ſequatur. 1°. de ſemine. 1ª.333.H
Teſtium naturam totum corpus alterare Galenus primus inuenit. 2°. de ſemine. 1ª.340.E
Teſtibus exciſis fœmina fit ſimilis mari caſtrato. 1°. de ſem. 1ª.335.B
Teſtes amittentes cur frigeſcunt. 1°. de ſemine. 1ª.334.B
Teſtes amittentes depiles non modo mento, ſed toto etiam corpore euādunt 1°. de ſemine. 1ª.334.B
Teſtes amittētes habēt paruas venas vt mulieres. 1°. de ſe. 1ª.334.B
Teſtibus exectis, aīal amittit coeundi cupiditatē. 2°. de ſem. 1ª.340.A
Teſtes amittentes uon appetunt venerem. 1°. de ſem. 1ª.334.D
Teſtibus exectis vox exilis fit. 1°. de ſemine. 1ª.334.D
in Teſtes abſceſſus quandoq; incidunt diutius tuſſientes ſine dolore coſtarum. in 6ᵐ. de mor. vul. com. 2°. 3ª.162.H
Teſtium Affectorum pulſus. 4°. de præſ. ex pul. 4ª.121.E
ad Teſtium Contuſiones. 2°. de comp. me. per ge. 5ª.225.E
Teſtes conuulſi quid ſignificent. in progno. com. 2°. 4ª.198.G
in Teſtium Doloribus quæ vena ſecanda. de nat. hum. com. 1°. 1ª.36.F
Teſtes induratos diſcutit cicerum genus orobiæū appellatū. 6°. de ſim. medic. facul. 5ª.47.E
Teſtes inflati refrigerari moderate amant. 7°. de ſim. me. fa. 5ª.53.E
Teſtis intentio vnde fiat. de vict. rat. in mor. acu. com. 4°. 7ª.136.C
Teſtium phlegmonas ſanare oſtracitem lapidē dicūt aliqui. 9°. *de ſim plic. medic. facul.* 5ª.67.D
ad Teſtiū phlegmonas vtilis eſt plūbi ſuccus. 9°. de ſim. me. f. 5ª.70.E
Teſtes quomodo non tumeſcant. 9°. de ſimp. me. fac. 5ª.97.D
Teſtium tumores myrta curat. de ſimp. med. Sp.87.E
in Teſtibus & cruribus varix. 13°. met. med. 7ª.86.G
Teſtium aptū cataplaſma eſt fabæ farina. 7°. de ſim. me. fac. 5ª.53.E
TESTES *greſſilium ſunt difficiles coctu. 3°. de ali. fac.* 2ª.27.A
Teſtes gallinaceorum altilium ſuauiſſimi ſunt. 3°. de ali. fac. 2ª.27.A
Teſtes gallinaceorum altilium laudabile præbēt corpori alimētum. 3°. de alimen-

de alimentorum facul. 2ª.27.A
Testes gallorum gallinaceorum sunt præstantissimi & eorum maximæ qui saginati fuerint.3°.de alim.fac. 2ª.27.B
Testes gallinaceorum præsertim altilium sunt boni succi. de bonitate & vitio succorum. 2ª.35.F
Testes iuniorum animalium sunt boni succi.3°.de ali.fac. 2ª.27.A
Testes animalium adultiorum sunt mali succi.3°.de ali.fa. 2ª.27.A
Testes sunt crassi succi.de bon.& vitio succo. 2ª.35.F
Testes gallinaceorũ lacte altorũ dantur in siccitate.7°.me.me. 7ª.45.D
Testes gallorum altorum lacte dãtur in syncope ex tenuibus succis. 12°.met med. 7ª.78.A
TESTILIA *vasa quare ita dicantur. 1°.de anti.* 5ª.100.D
TESTVDINATVM *tectum quid.de arti.com.3°.* 7ª.270.F
Testudinem palustrem quidam amyda,hoc est lutariam vocant.2°.de cõpo.med.sec.loc. 5ª.138.D
Testudo lacustris pro capitis dolore. de reme.par.fac. 7ª.154.B
Testudo vbi debet iugulari pro sanguine colligendo.7°.de composi.medic.per ge. 5ª.271.A
Testudinis sanguis qualis.1°.de composi.med.sec.loc. 5ª.129.G
Testudinis terrestris sanguis ad quid vtilis. 7°.de compo. medicamẽt. per gene. 5ª.271.A/B/C/D/E
Testudinis marinæ sanguis.7°.de comp.me.per ge. 5ª.267.B
Testudinum plurium sanguis. 7°.de comp.me.per ge. 5ª.271.D
Testudinis marinæ felle inferior est bilis hyenarum.10°.de simpli. medic.fac. 5ª.74.H
Testudinis vnguis. de reme.par.fac. 7ª.164.E
TESTVDO *vinculi nomen. de fascijs.* 7ª.293.H
Testudo vinculum quale.de fascijs. 7ª.305.H
TESTVDINES *pars organorum. de machin.* 7ª.309.E
Testudines organorũ ex robustiori mã fieri debent.de mach. 7ª.309.d
Testudinum differentiæ. de machi. 7ª.310.B
Testudinis prima pars frons dicitur. de machin. 7ª.317.A
Testudines locum mutant in organis. de mach. 7ª.310.F
Testudines vsui sunt cum organa mouentur.de machi. 7ª.310.F
TETANICOS haud raro sanauit theriaca.de the.ad Pi. 5ª.96.d
TETANVS *quid.fin.med.47.A/introductio.Isa.56.B/* 1°.*de motu musculorum.* 1ª.311.G
Tetanus id est æqualis tentio,species conuulsionis quomodo fiat. commen.4°.aph.57°. Ex.33.F
Tetanus videtur totius corporis conuulsio. de sym.diff. 3ª.11.F
Tetanus habet omnes ceruicis neruos extentos.de musc. dis. 1ª.47.A
Tetanos,& spasmus fit in neruosis partibus.4°.de ps.exp. 4ª.121.F
Tetanus est perpetuus. 3°.de loc.affe. 4ª.17.F
Tetani tres morbi. de vict.ra.in mor.acu.com.1°. 7ª.108.H
Tetanus morbus est acutus.intro. Isa.55.E
Tetanus morbus est peracutus. fin.med. Isa.45.F
Tetani,et torpores affectus sunt frigiditate vincẽte.de trem.p. 3ª.54.d
Tetanus,tabes,& tremor cur non facti in constitutione frigida,& humida.in 1ᵐ.de mor.vul.com.2°. 3ª.108.H
Tetanos suscitat dura aquâ & frigida. de boni.aquæ. Sp.75.G
Tetani ex immodico vini potu fiunt.3°.de temp. 1ª.22.G
Tetanus frigida lauatione curatur.1°.de symp.cau. 3ª.17.F
ad Tetanum valet theriaca.de theria.ad Pi. 5ª.91.G
Tetanus lumborũ sanguinis missione soluitur. de victus ratione in morbis acut.com.4°. 7ª.143.H
TETHALASSOMENON *dicitur vinum, in quo aqua marina largior mista est.de vic.rat.in mor.acu.com.4°.* 7ª.134.D
TETRADRACHMON *quid.de pond.& mensu.* 5ª.276.D
TETRAMYRON *id est ex quatuor vnguentis confectum.7°.de compo. med.per gene.* 5ª.270.A
TETRAPHARMACVM *ex quibus componatur.1°.de elementis.* 1ª.5.C/*aduersus Lycum.* Ex.65.E
Tetrapharmacum ex quibus confectum, & ad quid valeat. 11°.de simpl.med.fac. 5ª.79.C
Tetrapharmacum ingredientia non possunt ostendi, tamen ob hoc non est dicendum q̃ non insit. de nat.hu.com.1°. 1ª.27.B
Tetrapharmacum est vnum quid distinctum a cera,Pice, adipe,& resina quæ in eo sunt. de nat.hu.com.1°. 1ª.28.C
Tetrapharmacum quale sit. 5°.me.me. 7ª.33.H
Tetrapharmaco quando vtendum. intro. Isa.58.B
Tetrapharmacum ex oleo pro dolore.13°.me.me. 7ª.81.A
Tetrapharmacũ ad crustas excidentes.2°.de arte cur.ad Gl. 7ª.107.b
Tetrapharmacũ non apponendũ vlceri.2°.de art.cur.ad Gl. 7ª.101.b
Tetrapharmacũ ad quid vtile.3°.de comp.me.secun.loc. 5ª.140.G/*de frac.com.3°.* 7ª.247.E
TETRICI *erant, & barbam nutriebant sophistæ.2°.de pulsuum differentiis.* 4ª.53.F
Tetricum esse,& barbam nutrire pro dignotione habebatur.2°.de differentijs pul. 4ª.53.G
Τέτρωρον *quæ pars sit tali. de ossibus.* 1ª.43.G
TEVCRIVM est in tertio ordine exsiccantium, secũdo vero calfacientium. 8°.de simp.me. fa. 5ª.62.B
Teucrium lienes sanat.8°.de simp.me.fa. 5ª.62.B
Τευτλοφακή *edulium est ex lente,& beta. 1°.de ali.fa.* 2ª.9.C
Teutlophace vocant edulium ex beta,& lente confectum. 1°.de alim. facul. 2ª.13.G
Teutlophace edulium est medium ex pugnantibus compositum. 1°. de alimen.facultat. 2ª.13.G
Teutlophacem dabat Heraclides Tarentinus ægrotantibus. 1°.de alimen.fac. 2ª.13.G
TEVTLON *id est Beta.8°.de simp.me.fac.* 5ª.62.A
TEXENDI *ars ad mulierem spectare videtur.9°.de decr.* 1ª.280.G
TEXTILES *nerui qui. de compag.memb.* Sp.58.H
TEXTORIA *ars cur inuenta.ad Thrasy.* 2ª.106.C
Textoriæ arti respondet natura effectrix.ad Thrasy. 2ª.105.B
TEXTRIX *ars quot artibus indigeat.in 6ᵐ.de morbis vulgaribus.cõmentario 5°.* 3ª.188.C
TEXTVRAS *particulares habent organa particularia. de anatomia viuorum.* Sp.43.F
Textura tenuis,& rara facit vt corpora cito euacuẽtur, crassa vero & spissa contrarium,com.2°.aph.28°. Ex.16.D/F
Θ. *significat mortem.in 3ᵐ.de morbis vulgaribus,cõ.2°.*130.H/133.D/*commen.2°.* 3ª.136.E
THAIS *Perigenis,vel Molpi vinculum.de fascijs.* 7ª.295.D
Thais vinculum alterum quale.de fasc. 7ª.295.E
Thais vinculum alterum.de fasc. 7ª.295.G
THALASSERVM *collyrium.4°.de comp.med.sec.loc.* 5ª.116.C
THALASSOCRAMBEN *marinam brassicam vocant.5°.de sanita. tuenda.* 2ª.92.F
Θαλερον *quid significet.in 1ᵐ.pror.com.2°.* 4ª.177.G
Thales Milesius primus philosophiæ inuentor apud Iones. de historia philosophica. Sp.4.E
de Thalete nihil inscriptis habetur.de nat.hu.com.1°. 1ª.31.A
THALIETRVM *exsiccat citra morsum.6°.de sim.me.fa.* 5ª.48.C
Thalietrum vlcera inueterata ad cicatricem perducit.6°.de simpliciũ medicamento.facul. 5ª.48.C
THALLI *id est oleæ furculi.2°.de com.me.per gen.* 5ª.220.A
THAMYNAE *infusum ad dysentericos.9°.de compo. medicamento. secundum locos.* 5ª.203.H
THAPSIA *quid.de simp.med.* Sp.91.F
Thapsia est calida,& humida.6°.de simp.me.fac. 5ª.48.C
Thapsia cur facile corrumpatur.6°.de simp.me.fac. 5ª.48.C
Thapsia quot annis duret.1°.de comp.me.sec.loc. 5ª.122.A
Thapsia quanto duret tempore.3°.de com.me.per gen. 5ª.230.H
Thapsiæ recentis a vetustiori differẽtia.1°.de cõp.me.sec.lo. 5ª.122.A
Thapsia vires habet acerrimas, & in modum ignis caustlicas, longinquis vitijs prodest.de simp.med. Sp.91.F
Thapsiam gustare non audeas,tamen eius gustum esse acrem ex ijs cognoscere licet,quę in toto agat corpore.4°.de simp.me.fac. 5ª.29.E
Thapsiam,aconitum erificiũ proprio gustu probare de vita.de simplicibus medicaminibus. Sp.83.H
Thapsiæ minimum si sumatur,lædit. 5°.de simp.me.fac. 5ª.37.C
Thapsia genere non quantitate obest. 5°.de simp.me.fac. 5ª.37.C
Thapsiã qui sumpserint,ijs exhibetur lac.9°.de simp.me.fac. 5ª.73.H
ad Thapsiam valet Theriaca.de theria.ad Piso. 5ª.91.E
Thapsiæ quæ aduersentur.in 6ᵐ.de morb.vulg.com.6°. 3ª.196.H
Thapsia quid faciat parti applicata.2°.de dif.feb. 3ª.41.A
Thapsia applicata parti excitat tumorem.introd. Isa.61.D
a Thapsia Tumor factus quomodo a Galeno per spaciũ horæ sanatus dolore omni ablato.introd. Isa.61.E
Thapsia ad calefaciendum tẽpus requirit.6°.de sim.me.fac. 5ª.48.F
Thapsia accẽditur & plurimo tẽpore durat.6°.de simp.me.fa. 5ª.48.C
Thapsia vrere potest.5°.de simp.me.fac. 5ª.38.F
Thapsia facit exulcerationes in arte.1°.de cõp.me.sec.loc. 5ª.122.A

Thapſi e ardor aceto reſtinctus. 1°.*de ſimp.me.fa.* 5ª.5.G
p Thapſiam fit rubrificatio 7°.*met.me.* 7ª.44.A
Thapſia numeratur inter attrahẽtia ſpõte nata. 5°.*de ſim.m.f.* 5ª.36.E
Thapſia quomodo vtendum. 1°.*de comp.me.ſe.loc.* 5ª.122.C
Thapſię admiſtionẽ regrẽtis pharmaci regula. 1°.*de cõ.m.ſ.l.* 5ª.122.c
ex Thapſia medicamentum pro comitiali morb. 3°.*de loc.aff.* 4ª.19.b
ex Thapſia medicamento quidam ad omnia capitis vitia vtuntur. 6°. *de ſan.tu.* 2ª.98.G
cur Thapſia optimum ſit medicamentum pro cute capitis. 1°.*de compoſi.med.ſe.lo.* 5ª.122.A
Thapſiam miſcuit ad alopeciã,& ponit curationẽ. 14°.*me.m.* 7ª.93.D
Thapſia quo loco reponatur inter calida quæ conueniunt alopecijs. 1°. *de comp.me.ſec.loc.* 5ª.122.D
Thapſiæ miſcẽt ceratũ cũ oleo,ne vlceret. 1°.*de cõp.me.ſ.l.* 5ª.122.A
Thapſia ſola in capite ob caliditatẽ nõ vtit. 1°.*de cõ.me.ſ.l.* 5ª.122.A
Thapſia vti non debemus in fluxionibus acribus oculorum. 13°.*methodi med.* 7ª.86.D
Thapſiæ ceratum ſupra pectus in catharro. 5°.*met. me.* 7ª.35.E
Thapſia ex melle pro membris,q̃ ægre reficiunt. 14°.*me.me.* 7ª.91.H
Thapſiæ meminit.in 6ᵐ.*de mor.vul.com.* 6°. 3ª.196.B
pro Thapſia naſturtium, aut eruca. 1°.*de comp.me.ſe.lo.* 5ª.122.E
Thapſiæ vice lepidium,& iberis. 10°.*de comp.me.ſe.lo.* 5ª.208.G
THARSEI *chirugi Indum.* 4°.*de comp.me.per ge.* 5ª.243.F
THASVS *quo loco ſita. in* 1ᵐ.*de mor.vul.com.* 1°. 3ª.103.F
THEAGENIS philoſophi cynici caſus in iecoris phlegmone. 13°.*met.med.* 7ª.83.F
THEATRIS *multitudo exiens, in exitu hæret.* 3°.*de ſanitate tuenda.* 2ª.77.F
THEBAICÆ *palmæ quales.* 2°.*de alim.fac.* 2ª.20.G
THEBAEI *emplaſtrum ad Achoras.* 1°.*de comp.me.ſe.lo.* 5ª.130.H
THEION *id eſt ſulphur.* 9°.*de ſimp.me.fa.* 5ª.69.C
THELYPTERIS *fœmina,filix.* 8°.*de ſimp.me.fa.* 5ª.59.C
THEMISON *laodiceus ſyrius methodicæ ſectæ auctor fuit. introductio.* Iſa.51.D
Themiſon inuentor cõitatum. 1°.*met.me.* 7ª.5.C/*contra Iul.* Ex.68.D
Themiſonis Hiera antidotus. 8°.*de comp.me.ſe.lo.* 5ª.190.H
Themiſonis hiera quomodo fiat.de mel.ex Ga.Ruf.& Poſſ. S.109.H
Themiſon quo acopo vteretur ad laſſitudinum moleſtias. 7°.*de comp. med.per ge.* 5ª.269.G
THEMISTOCLES *qualis fuerit. in* 6ᵐ.*de morb. vulgaribus, commentario* 5°. 3ª.188.H
THENAR græce quod latine vola manus dicitur.intro. Iſa.53.C/ 2°.*de vſu par.* 1ª.117.H
Θήναρα *quæ ſint.de frac.com.* 1°. 7ª.227.C
THEODORICVM *anacardinum ictericis medetur. de dyn.* Sp.26.F
Theodoricũ emperiſton magnũ antidotum in cephalea.de dy. Sp.23.C
Theodoricon emperiſton malecoloratis prodeſt. de dy. Sp.25.F
THEODOTIA *medicamẽta ad oculorum diſpoſitiones. intr.* Iſ.58.C
THEOLOGIA *præſtantior medicina eſt.* 17°.*de vſu par.* 1ª.222.D
Theologiæ verũ principiũ eſt liber de vſu par. 17°.*de vſu p.* 1ª.222.d
Θεομάντεις, *ideſt diuini vates.de vic.ra.in mor. acu.c.* 1°. 7ª.110.A
THEON *Alexandrinus belliſſime totam exercitationis materiam docuit.* 2°.*de ſan.tu.* 2ª.77.H
Theon vitioſe athletarum artem tractauit. ad Thraſ. 2ª.209.E
Theon,& tripho qũo exercitia nominabant. ad Thra. 2ª.109.E
Theon rectius ſenſit de frictione q̃ Hippo. 2°.*de ſan. tu.* 2ª.70.F
Theon Gymnaſtes fecit librum de Gymnaſticis. 2°.*de ſan.tu.* 2ª.70.F
THEOPHANI *antidotus.* 2°.*de anti.* 5ª.17.G
THEOPHILI *medici imaginatio parum proba. de ſymp.di.* 3ª.11.H
THEOPHRASTVS *auſcultationes fecit.de ſub.ſa.na.* 1ª.230.B
Theophraſti ſcripta ſunt ceu commentaria phiſiologiæ Hippocrat. 2°. *de naturalibus facul.* 1ª.297.H
Theophraſtus librum fecit de laſſitudine. 5° *de ſa.tu.* 2ª.78.E
Theophraſtus,& Ariſtoteles non ſunt legendi ſine methodo. 3°.*de ſimpli.med.fac.* 5ª.17.E
Theophraſtus omnes animæ facultates a corde oriri dicit. 6°.*de decr. Hippocr.* 1ª.260.E
THEOREMA *quid.fin.med.* Iſ.43.F
Theorema,notio,notitia,ſcientia idem.de par.art. med. Sp.17.B
Theorematum differentiæ quatuor. de ſubſt. emp. Iſ.31.E
THEORIA *demonſtratiua diſcenda. de lib.prop.* Iſa.13.E
THEOTROPI *fit mentio.* 2°.*de com.me. per ge.* 5ª.254.A
THERAEVM *vinum nigrum eſt.de bon.& vitio ſuc.* 2ª.38.C
Theræum vinum craſſum eſt. de boni.& vitio ſuc. 2ª.38.C
Theræum vinum ſolum dulce. 4°.*de ſimp. me.fa.* 5ª.26.F
Theræum vinum eſt dulce non acerbum. 3°.*de pulſ.diff.* 4ª.63.H
Theræum vinum eſt abſolutæ dulcedinis.de boni.& vitio ſuc. 2ª.38.c
Theræum vinum nimis craſſum,& dulce.de boni.& vitio ſu. 2ª.38.F
Theræum vinũ nõ valde craſſum eſt,& valde dulce.de vinis. S.76.H
Theræi vini fit mentio.de atten.vict. 2ª.46.E/ 7°.*de compo.medicam. ſecun.loc.* 5ª.177.F
THERIACAM *vocauit primus Crito. de vſu ther.* 5ª.99.C
Theriaca vnde dicta.de theria.ad Piſ. 5ª.91.D
Theriacæ nomina varia. de ther.ad Pi. 5ª.91.D
Theriaca cur vocata a Galeno. de theri.ad Pi. 5ª.95.H
Theriaca Aelij Galli quam dedit Cæſari. 2°.*de antidotis.* 5ª.116.A
Theriaca agreſtium, allium vocatur a Galeno. 12°.*me.me.* 7ª.79.F
Theriacæ deſcriptio ſecundũ Andromachũ.de ther. ad Pi. 5ª.95.A
Theriacę Andromachi cõpoſitione vti debemus.de th.ad Pi. 5ª.95.e
Theriaca Antiochi Philomitoris cõtra vipæ morſus. 2°.*de an.* 5ª.118.b
Theriaca nominata antidotus Antipatri. 2°.*de anti.* 5ª.115.H
Theriaca eſt medicamentum Claudij Apollonij contra canem rabidũ. 2°.*de antidotis.* 5ª.117.A
Theriaca Damocratis. 1°.*de antid.* 5ª.108.A
Theriacæ compoſitio Damocratis præſtantiſſimi medici quo differat ab Andromachi compoſitione. de Ther.ad Pi. 5ª.95.B
Theriacæ cõpoſitio Demetrij primarij medici quo differat ab Andromachi compoſitione.de ther.ad Pi. 5ª.95.B
Theriaca Euclidis palatiani ad dolores internos. 2°.*de anti.* 5ª.116.B
Theriaca Eupatorios. 6°.*de comp. me.per ge.* 5ª.259.B
Theriaca Galli. 2°.*de antidotis .* 5ª.116.A
Theriacæ compoſitio Magni quo differat ab Andromachi compoſitione. de ther.ad Pi. 5ª.95.B
Theriaca Marij imperatoris. 2°.*de antidotis.* 5ª.120.C
Theriaca Mithridatis. 2°.*de antidotis.* 5ª.115.D
Theriaca Neronis ſcripta.de ther. ad Piſ. 5ª.91.D
Theriaca Philonis ſimilis viribus,& guſtu. 1°.*de anti.* 5ª.100.A
Theriacæ compoſitio Xenocratis quo differt ab Andromachi compoſi. de ther.ad Piſ. 5ª.95.A
Theriaca Zenonis laodicei. 2°.*de anti.* 5ª.116.B
Theriaca bona ẽ antidotus Zenonis ad canes rabidos. 2°.*d ãti.* 5ª.116.b
Theriaca. 6°.*de comp.me. per ge.* 5ª.269.B
p Theriaca pabat a multis diuitib⁹ Rom tpe Antonini. 1°.*d ãti.* 5ª.101.f
Theriaca cõuenit primatibus,& exercituum ducibus.de the. 5ª.91.D
Theriacã Gale.fecit Antonino Imperatori. 1°. *de ant.* 99.H/ 5ª.105.H
Theriacã Antoninus accepit ante duos mẽſes factã. 1°.*de ant.* 5ª.105.b
Theriacã ſumebat quotidie Antoninus Imperator. 1°.*de ant.* 5ª.99.g
Theriacam quare ſumeret Antoninus. 1°.*de anti.* 5ª.90.H
Theriacam accepit Antoninus accepta Hiera picra,& quid ſequutũ ſit. de præco.ad Poſt. 4ª.218.H
Theriacam Cæſari confecit Gale. 1°.*de antidotis.* 5ª.101.G
Theriacam fecit Galenus Seuero Imperatori. 1°.*de ant.* 5ª.105.H
Theriaca eſt vſus M.Ant.Imper.de ther.ad Piſ. 5ª.90.B
Theriacã q pincipi cõpoſiturus eſt qualis eſſe dẽt. 1°.*de ant.* 5ª.101.G
Theriacæ compoſitio. 4°.*de loc.aff.* 4ª.28.D/ 1°.*de anti.* 107.D/1°.*de comp.me.per ge.* 5ª.209.G
Theriaca ex ſola librorũ lectione non eſt cõficienda. 1°.*de ant.* 5ª.100.F
Theriacam verſibus ſcribere ſummopere comendat Gale. 1°.*de antidotis.* 5ª.102.C
Theriacæ compoſitio pedeſtri oratione. 1°.*de anti.* 5ª.103.H
Theriacæ confectio quo fiat. de vſu ther. ad Phamp. 5ª.99.B
Theriacæ compoſitio exponitur. 1°.*de antidotis.* 5ª.104.H
Theriacæ conficiendi modus incipit. de theria. ad Pi. 5ª.94.F
Theriacam conficere docet.de ther.ad Piſ. 5ª.95.C
Theriacæ compoſitio diuerſa. de theria.ad Pi. 5ª.95.A
Theriaca cur ex varia fiat miſtura.de ther.ad Piſ. 5ª.91.C
Theriaca exacta ratione compoſita.de ther. ad Pi. 5ª.90.D
Theriacam qui fructus cum virgultis,quæ radices,& quæ ſemina ingrediantur. 1°.*de antidotis.* 5ª.107.D
Theriacam ingredientia ſimplicia quæ videtur Galenus difficulter haberi. 1°.*de antidotis.* 5ª.101.F
p Theriaca quo tempore herbæ ſint colligendæ. 1°.*de anti.* 5ª.102.B
Theriaca ex optimis præparata. de ther.ad Pi. 5ª.91.B
Theriaca debet fieri ex medicinis optimis. 1°.*de anti.* 5ª.101.F

Theriaca cur Acida fiat. 1°.*de anti.* 5ª.100.*G*
Theriaca recipit multa Amara. 1°.*de anti.* 5ª.102.*A*
Theriaca amara a petroselino. 1°.*de anti.* 5ª.106.*H*
Theriacæ Artisci quomodo conficiendi. 11°.*de sim.me.fa.* 5ª.78.*C*
in Theriacis artiscæ cur. caput,& caudæ viperæ sunt abijciendæ. 10°. *de simp.me.fac.* 5ª.78.*C*
Theriacam inficit Chalcitidis etiam minima pars. 1°.*de ant.* 5ª.107.*H*
Theriaca sine feris siebat,& qui primus ipsas in illa posuit.de theria. ad Pisonem. 5ª.91.*D*
Theriaca quomodo prosit etiã si recipiat feras.de the.ad Pi. 5ª.94.*A*
Theriacam cur ingrediatur Hypocistis. 7°.*de simp.me.fa.* 5ª.51.*D*
Theriacæ mel quale imponendum. 1°.*de anti.* 5ª.101.*C*
Theriacæ quantum mel debeat poni.de theria.ad Piso. 5ª.95.*G*
Theriaca quæ Myrrham sapiat. 1°.*de anti.* 5ª.100.*A*
in Theriacam quantum Panis poni debeat. 1°.*de anti.* 5ª.104.*B*
Theriacæ pastilli quomodo cõficiãtur.de vsu ther.ad Pãph. 5ª.99.*H*
Theriaci pastilli quo vase recondi debeant. 1°.*de anti.* 5ª.104.*D*
Theriaci pastilli quanto tempore durant. 1°.*de anti.* 5ª.104.*D*
a Theriacis pastillus puluisculus quidam qui ipsis obnasci consueuit mundis mantilibus interdum abstergatur. 1°.*de anti.* 5ª.104.*D*
Theriacæ Sal cur imponatur. 11°.*de sim.me.fac.* 5ª.78.*D*
Theriacum sal quomodo cõficiatur,& ad qd valeat.de subst. Isa. 34.*B*
Theriaci quomodo conficiantur.de theria.ad Pis. 5ª.97.*E*
Theriaci salis alia confectio.de ther.ad Piso. 5ª.97.*G*
Theriacorum saliũ quãdo perfecta est coctura.de the.ad Pi. 5ª.97.*F*
Theriaci sales quales sint.de ther.ad Piso. 5ª.97.*C*
Theriaci sales ad quæ vtiles.de theria.ad Pis. 5ª.97.*D*
Theriaco sale corpulentia curantur. 14.*me.med.* 7ª.91.*E*
*Theriacã quod vinũ ingrediat.de ther.ad Pis.*95.*F*/1°.*de an.* 5ª.100.*G*
ad Theriacã vinũ quale eẽ debeat,si falernũ careat. 1°.*de ant.* 5ª.101.*H*
pro Theriaca falernum quod eligendum. 1°.*de anti.* 5ª.101.*C*
Theriacam non debet ingredi falernum vetus. 1°.*de anti.* 5ª.101.*C*
Theriaca vnde vinum redoleat. 1°.*de anti.* 5ª.100.*F*
pro Theriaca quo condiuntur viperæ. 2°.*de arte cur.ad Gl.* 7ª.107.*F*
Theriaca in sole miscenda. 1°.*de anti.* 5ª.107.*G*
Theriaca debet fieri nigra. 1°.*de anti.* 5ª.107.*H*
Theriaca quo vase reponenda.de vsu ther.ad Pamph. 5ª.99.*D*
Theriaca in quibus vasis reponi debeat,& quomodo sit aperienda,et quomodo claudenda.de ther.ad Pis. 5ª.95.*G*
Theriaca concoquitur vt plurimum intra annos duodecim.de theriac. ad Pisonem. 5ª.95.*G*
Theriaca recens quæ.de vsu ther.ad Pamph. 5ª.98.*E*
Theriaca potens est vsq; ad triginta annos.de ther.ad Pis. 5ª.95.*G*
Theriaca veterascit sicut illa quæ ingrediuntur compositionem.de vsu theria.ad Pamph. 5ª.98.*E*
Theriaca quomodo deprehẽdatur antiqua.de vsu th.ad Pãp. 5ª.98.*F*
Theriaca quomodo possit probari an bona.de ther.ad Pis. 5ª.90.*B*
Theriacam in gallis expertus est Galenus.de ther.ad Piso. 5ª.90.*A*
*Theriacæ phatio optima.de ther.ad Pis.*95.*H*/*de vs.th.ad Pi.* 5ª.98.*E*
Theriaca prauã multa pecunia emitur.de ther.ad Pis. 5ª.90.*B*
Theriaca cur quandoq; inutilis,& praue facta.de the.ad Pi. 5ª.94.*G*
in Theriaca quot errores fiant. 1°.*de ant.* 5ª.100.*A*
Theriaca quomodo sumenda.de ther.ad Piso. 5ª.91.*H*
*Theriacæ quantum accipiendum.de theriaca ad Pisonem.*95.*H*/97.*E*/ *de vsu theria.ad Pamph.* 5ª.98.*D*/*F*
Theriaca ad fabæ græce magnitudinem. 5°.*met.me.* 7ª.35.*D*
Theriaca quo tempore sumenda.de ther.ad Pis. 5ª.97.*B*
Theriaca non sumenda æstate.de ther.ad Piso. 5ª.97.*B*
Theriaca quando æstate exhibenda.de the.ad Piso. 5ª.97.*B*
ex Theriaca puer dissolutus.de theria.ad Piso. 5ª.97.*B*
Theriaca optima est ĩ peregrinatione hyemis tpe.de th.ad Pi. 5ª.96.*H*
Theriaca in qua regione sumenda.de ther.ad Pis. 5ª.97.*C*
Theriaca quibus diebus sumenda.de vsu ther.ad Pamp. 5ª.98.*D*
Theriacæ vsus.de vsu ther.ad Pamph. 5ª.98.*F*
Theriacam laudat præ omnibus Galenus. 1°.*de anti.* 5ª.99.*E*
Theriacam quid debet præcedere. 5°.*de sa.tu.* 2ª.91.*E*
Theriaca ad quæ valeat.in 6ᵐ.*de mor.vul.com.* 6°.3ª.196.*H*/*de theriaca ad Piso.*91.*E*/*de vsu theria.ad Pamp.* 5ª.98.*F*
Theriacæ,& Mithridati operatio. 1°.*de anti.* 5ª.99.*G*
Theriaca ad Absscessus in v scribus. 14°.*met.me.* 7ª.90.*F*
Theriaca quas Aegritudines sanet post venena.de the.ad Pi. 5ª.95.*H*
Theriaca valet ad animi prudẽtiã,et acrimoniã.de th.ad Pi. 5ª.97.*A*
Theriaca auxiliatur animo affecto.de ther.ad Piso. 5ª.96.*D*
Theriaca Calefacit & exsiccat. 8°.*met.me.* 7ª.54.*D*
Theriaca quanti temporis vti debemus in morsis a Cane rabido, & a venenosis.de ther.ad Piso. 5ª.95.*G*
Theriacam dat in Catharro. 5°.*met.* 7ª.35.*D*
Theriaca in Coli dolore. 12°.*met.me.* 7ª.79.*F*
Theriaca Corpulentia curatur. 14°.*met.me.* 7ª.91.*E*
Theriaca exugit vt Cucurbita.de ther.ad Piso. 5ª.96.*G*
Theriaca in Desperatis valet.de vsu ther.ad Pamph. 5ª.98.*H*
Theriaca sanat Elephantiasim.de subfig.emp. *Isa.* 34.*B*
Theriaca quomodo Febrem tollat.de vsu ther.ad Pamph. 5ª.98.*F*
Theriaca ad quos Morbos valeat. 1°.*de anti.* 5ª.102.*D*
Theriaca curatus Nephriticus affectus.de ther.ad Piso. 5ª.90.*D*
Theriaca vtaĩ senex,qui cibis obstruentibꝰ sit vsus. 5°.*de s.t.* 2ª.91.*D*
Theriaca liberat a Peste,& ab aqs prauis.de vsu th.ad Pã. 5ª.98.*D*
Theriaca liberat a pestilentia.de vsu ther.ad Pamp. 5ª.98.*D*
Theriaca ad phalangiorum ictus. 2°.*de anti.* 5ª.120.*C*/*D*
Theriaca danda in Quartana. 1°.*de arte cu.ad Glau.* 7ª.97.*G*
Theriaca quomodo quartanarijs exhibenda.de ther.ad Pis. 5ª.96.*D*
Theriacã dabãt quo die quartana ventura erat.de præcogn. 4ª.214.*F*
Theriaca cur duplicauit quartanam.de præcog.ad Phsth. 4ª.214.*F*
Theriaca in quartana ante statum hominem necat. 1°.*de arte curatiu. ad Glauconem.* 7ª.97.*H*
a Theriaca quomodo fiat Sanguis bonus.de vsu the.ad Pãp. 5ª.98.*D*
Theriaca vtendum in Sanitate.de ther.ad Piso. 5ª.96.*H*
Theriaca quomodo prosit sano.de ther.ad Piso. 5ª.96.*C*
Theriaca sanis in vsu sit.de vsu ther.ad Pamph. 5ª.98.*C*
Theriacam dat in affectu ex Scammonio facto. 12°.*met.me.* 7ª.79.*A*
Theriaca Somnum inducit.de theria.ad Piso. 5ª.96.*A*
Theriaca facit hominem diu superuenire.de the. ad Pis. 5ª.97.*H*
Theriaca sani vtantur,qui timent Venenari.de ther. ad Pi. 5ª.90.*B*
Theriaca qui vtuntur,his venena nihil faciunt.de the.ad Pi. 5ª.97.*a*
Theriaca prodest ante,& post venenum. 1°.*de anti.* 5ª.99.*G*
Theriaca si solum valeret ad venena & morsum serpentum, esset nullius momenti.de vsu ther.ad Pamph. 5ª.98.*C*
*Theriaca contra quæ venena valeat.de vsu ther.ad Pamph.*98.*E*/1°. *de antidotis.* 5ª.102.*D*
℘ Theriaca valeat ad plura venena Mithridatum, sed minus viperę ictus sanat. 2°.*de anti.* 5ª.110.*C*
Theriaca sanatur viperæ morsus. 5°.*de loc.aff.* 4ª.34.*B*
Theriaca magis viperæ ictum sanat q̃ Mithridatum, Mithridatũ tamen ad plura venena valet. 2°.*de anti.* 5ª.110.*C*
Theriacam qstatim biberit,nullus mortuus est à feris venenosis morsus.de theria. ad Pis. 5ª.90.*A*
Theriacæ Vrinam cientes. 9°.*de comp.me.se.lo.* 5ª.200.*G*
Theriacæ easdem vires habens antidotus. 2°.*de anti.* 5ª.112.*H*
in Theriacæ temperie medicamentum. secretorum. *Sp.*101.*G*
Theriaca medicamentum melius. de med.exper. *Sp.*106.*C*
THERINVM *collyrium.i.æstiuum.* 4°.*de comp.me.se. lo.* 5ª.154.*H*
THERIOMA *quid. in* 6ᵐ.*de mor.vul. com.* 2°. 3ª.164.*F*
Therioma affectus est cuiuslibet partis corporis. intro. *Isa.* 59.*D*
THERMARVM *aquæ qbus ĩ locis apud græcus.* 6°.*de san.tu.* 2ª.98.*G*
Thermarum aquæ qũo conficiantur arte. 1°.*de simp. me.fa.* 5ª.3.*E*
Thermarum aquæ capiti obsunt. 6°.*de sa.tu.* 2ª.98.*G*
*e Thermarũ sordidis aqs pisces sunt multarũ supfluitatũ.de dis.S.*73.*e*
THERMANTICA *quæ.de dyn.* *Sp.*18.*H*
Thermanticum esse plusquã oportet oleum cum bacca lauri decoctum certum est. de simp.med. *Sp.*88.*D*
Thermãticam virtutem habet oleum in quo radix agrestis cucumeris admista & decocta fuerit. de simp.med. *Sp.*88.*D*
THERMINTES *affectus est,qui corporis quãcunq; partem infestat. introductio.* *Isa.* 59.*D*
THERMOS *agrios lupinus agrestis.* 6°.*de simp.me.fa.* 5ª.48.*D*
THERSITES *fuit paruus.* 11°.*de simp.me.fa.* 5ª.80.*H*
Thersites corpus deforme.de cogno.cur.animi.mor. 2ª.51.*F*
THESSALICORVM *nomina.* 5°.*de simp.me.fa.* 5ª.38.*F*
Thessalicum sedile. de artic.com. 3°. 7ª.255.*E*
a THESSALIIS *quomodo sanetur vlcus.* 4°.*me.me.* 7ª.25.*G*
THESSALVS *filius Hippocratis.de ijs,quæ in medicatrina fiunt, commentario* 1°. 7ª.200.*E*
Thessalus clarissimus Hippocratis filius. in 3ᵐ.*de morb.vulgaribus, commen.* 2°. 3ª.134.*G*

Theſſalus Hippocratis filius non diſcedit ab Hippocratica via. de natura humana.com.1°. 1ª.16.E
Theſſali fil ꝫ Hippocratis eſt ſextus epidemiorum.in 6ᵐ.de mor. vulgarib.comment.1°. 3ª.152.E
Theſſalus librum de chirurgia fecit.4°.met.me. 7ª.24.G
Theſſalus librum fecit de medicamentis.4°.met.me. 7ª.27.G
THESSALVS *Trallianus meth.ſectam abſoluit.introd.* *Iſ.51.D*
THESSALVS *contra Hippocratem contumelioſe ſcripſit.contra Iulianum.* *Ex.66.C*
contra Theſſalum Galenus conuitijs agit.2°.de criſibus.4ª.135.B/1°. methodi medendi. 7ª.2.H
Theſſalum reprehendit Galenus.1°.de com.me.per ge. 5ª.212.A
Theſſalus diatrion ideſt tridui inediã excogitauit.4°.met.m. 7ª.25.H
Theſſalus exiſtimauit plenitudinem cauſam morborum continentem. contra Iulianum. *Ex.68.F*
Theſſalus ſex menſibus artem medicam ſe docere profitebatur.1°.me methodi medendi. 7ª.2.E
Theſſalus librum fecit de communitatibus.1°.met.me. 7ª.2.G
Theſſalus librum fecit de ſyncriticis.1°.met.me. 7ª.2.G
Theſſalus epiſtolam ſcribit ad Neronem.1°.met.me. 7ª.2.G
THESAVRVS *ex theſauris medicinæ ſecretorum.* *Sp.99.F*
Theſaurus naturæ primus,& melior qui.de ana.viu. *Sp.45.B*
Theſaurus naturæ melior eſt ſanguis.de ana.viu. *Sp.46.B*
THESPESIANA *antidotus ad quid vtilis.7°.de cõ.m.ſ.l.* 5ª.186.A
Theſpeſiana confectio ſuppuratis faciens & ad abſceſſus occultos.7°. de comp.me.ſec.loc. 5ª.185.G
THESPIANA *Apollonij ad internos abſceſſus.8°.de compoſi.medi. ſecun.locos.* 5ª.182.H
THEVDAE *ſarcophagi emplaſtrũ.6°.de comp.m.per ge.* 5ª.261.A
THEVTAS *diuidit medicinã in tres partes,& qũo.de ſubſt.* *Iſ.31.H*
THEVTH *literas inuenit apud Aegyptios.9°.de dec.* 1ª.282.E
Θιρεοειδή *ideſt ſcutiformem quam chartilaginem appellẽt.7°.de vſu partium.160.A/16°.* 1ª.215.F
THYRII *Apollonij paruum templum.de faſcijs.* 7ª.302.H
Θλάσμα *appellatur ſolutio continui in muſculis.4°.met.me.* 7ª.23.B
Θλασμάτα *ideſt contuſio eſt fractura in capite.fin.med.* *Iſa.48.C*
Θλάσματα *ideſt contuſiones.de ijs,quæ in med.ſi.com.3°.* 7ª.219.C
THLAPSI *quid.de ſimp.med.* *Sp.91.G*
Thlapſi qñ i Italia æquale illi,qđ in Creta naſcit.1°.de anti. 5ª.105.D
Thlapſi in Romæ vidit Galenus.1°.de antid. 5ª.102.B
Thlapſi quale.1°.de antid. 5ª.107.C
Thlapſi vires habet acres,& relaxantes,& veluti mordẽtes, aſperitudines oculorũ et cicatrices extenuat,vẽtrẽ ſurſum ex deorsũ purgat pũctiones frigora,et horrores i acceſſiõe diſcutit.de ſi. *Sp.91.G*
Thlapſi ſemẽ potũ internos abſceſſus diſrũpit.6°.de ſim.m.f. 5ª.48.D
Thlapſi euacuat bilioſos humores.6°.de ſim.me.fac. 5ª.48.D
Thlapſi menſes cit,& fœtũ necat,& per ſe dẽ infuſum ſanguinolenta euacuans iſchiadibus prodeſt.6°.de ſimp.me.fac. 5ª.48.D
Thlapſi ingreditur Theriacam.de theria.ad Piſ. 5ª.92.F
Thlapſi quomodo contundenda.1°.de antid. 5ª.107.F
Θολερὸν. Πνεῦμα *quid ſignificet.in 1ᵐ.pror.com.2°.* 4ª.177.F
THOLVS *eſt vinculum ſecundum.de faſc.* 7ª.293.H
Tholus vinculum.de faſcijs. 7ª.295.C
Tholus vinculum ad caluariam.de faſc. 7ª.295.C
Tholus diocleus quomodo fiat.de faſc. 7ª.295.F
THORAX *quid.introd.Iſa.53.C/6°.de vſu par.* 1ª.147.H
Thorax quid proprie ſit.7°.de ana.adm. 1ª.99.C
Thorax qñq; vẽter ſupior dictus.de vic.rat.in mo.ac.c.4°. 7ª.149.C
Thoracis ſectionẽ aptũ ẽ aĩal habẽs ãpliſſimã vocẽ.8°.de an. 1ª.100.C
Thoracem ſecandi tertius modus.7°.de ana adm. 1ª.98.H
Thorax configitur ad eam ſpinæ partem,quæ metaphrenum ideſt dorſum dicitur,tanquam ad carinam nauis.ars med. *Iſa.64.E*
Thorax ſub ceruice eſt.4°.de loc.aff. 4ª.24.C
Thorax eſt poſt ſeptimum ſpondylum.13°.de vſu par. 1ª.201.B
Thoracis vertebræ quot.de oſſ. 1ª.42.B
Thorax ex duodecim ſpondylis conſtat.13°.de vſu par. 1ª.201.F
in Thorace cur requirant duodecim ſpõdyli.13°.de vſu pa. 1ª.204.E
Thoracis vertebræ cuius figuræ ſint.de oſſi. 1ª.42.B
Thoracis ſpondilorum vtilitates,quæ.13°.de vſu par. 1ª.198.B
Thoracis oſſa quot.de oſſi. 1ª.42.E
Thoracis oſſa ſeptem ſunt.de oſſibus. 1ª.42.E
Thoracis oſſa quæ.de oſſibus. 1ª.42.E
Thoracis oſſa quomodo glutinentur.de oſſibus. 1ª.42.E
Thorax quomodo fiat.1°.de ſem. 1ª.331.D
Thoraci quando ſuccinctorium ſubſternere opus ſit,& cum quibus eodem tempore fiat.1°.de ſem. 1ª.332.A
Thoracis elatior finis clauiculæ ſunt in ijs animalibus,quæ clauiculas obtinent.8°.de ana.admi. 1ª.99.C
a Thorace ſcapularum diuiſio.5°.de ana.adm. 1ª.84.F
Thoracis terminus in parte inferiori,qui.5°.de loc.aff. 4ª.31.E
Thoracis partes plerũq; a nutricibus deprauanť,et qũo.de ca. 3ª.8.F
Thorax eſt ex venis,& arterijs,& neruis,ad reſpirationem incitandã a natura conſtitutus.fin.med. *Iſa.43.H*
Thorax debet eſſe ꝓportionatus alijs partibus.13°.de vſ.p. 1ª.201.D
Thoracis latitudo quæ.ars med. *Iſa.64.F*
Thorax fit latus ob ſpiritum calidum.2°.de ſemine. 1ª.339.B
Thorax quã magnitudinem habere debeat.13°.de vſu par. 1ª.201.D
Thoracis magnitudo quæ.ars med. *Iſa.64.F*
Thoracis capacitas intrinſeca quanta.6°.de vſu par. 1ª.148.A
Thoracis magnitudo ſequit magnitudinẽ pulmõis.13°.de vſ. 1ª.201.D
Thorax quæ complectatur.8°.de ana.adm. 1ª.99.B
Thoracis cauitatem implet pulmo.7°.de vſu p.159.E/13°. 1ª.201.D
Thorax circundat pulmonem,& cor.6°.de vſu par. 1ª.149.H
Thoraci an iunctus vel diſiunctus ſit pulmo.8°.de an.adm. 1ª.103.B
Thoraci an iunctus pulmo qua ſectione videtur.8°.de ana. 1ª.103.C
a Thorace diſtare videtur pulmo.8°.de ana.adm. 1ª.103.F
Thorax cor ambit,& pulmonem.6°.de vſu par. 1ª.148.D
in Thoracis amplam capacitatem aliquid ſpiritus è pulmone pertranſit.8°.de anato.admi. 1ª.103.F
Thoracis capacitas ãplior apparet poſt curſũ.8°.de ana.a. 1ª.103.E
in Thoracis medio eſt cor.6°.de vſu partium.149.H/2°.de decretis Hippocratis. 1ª.240.B
in Thoracis medio penitus eſt cor.6°.de vſu pa. 1ª.148.D
in Thoracis medio cur eſt cor.6°.de vſu par. 1ª.148.D
in Thorace q piſces cor ſolũ hñt,pulmone carẽt.6°.de vſ.p. 1ª.148.A
in Thoracis leua cur duo ſunt pulmonis lobi,in dextera tres.6°.đ vſu partium. 1ª.148.H
Thoracis officia.13°.de vſu par. 1ª.201.D
Thoracis actiones non ſunt valde manifeſtæ.1°.de vſu par. 1ª.114.G
Thoracis opus cum quibus membris eſt cõmune.7°.me.me. 7ª.49.B
Thorax,& genitalia habẽt cõſortiũ.in 3ᵐ.de mor.vul.c.3°. 3ª.148.E
Thorax inſtrumentum ſpiritus eſt.6°.de ana.adm. 1ª.93.H
Thorax reſpirationis inſtrumentũ eſt ſicut pulmo,qui in eo continetur.13°.de vſu partium. 1ª.292.E
Thorax animalibus membrũ organũ reſpiratoriũ.1°.de di.re. 3ª.58.G
ꝓ Thoracem reſpirationem efficit cerebrum.4°.de loc.aff. 4ª.27.E
Thorax ſub tẽpore partus præcipuũ eſſe debebat reſpirationis inſtrumentum.1°.de ſemine. 1ª.331.D
Thorax reſpirationi deſeruit.4°.de præſag.ex pul. 4ª.119.F
in Thoracis pulſibus reſpiratio motus naturalis eſt.de ijs,quæ in me. fiunt,commenta.3°. 7ª.222.D
Thorax quid conferat ad ſpirandum acrem.5°.de lo.aff. 4ª.29.A
Thoracem replet aer corpus ambiens ſm Platonẽ.in ti.Pl. 1ª.289.F
Thorax diſtentus per aſperam arteriam neceſſario attrahit aerem exteriorem in os.5°.de decr.Hippo. 1ª.278.B
Thorax niſi permittat cor non attrahit quippiam aeris ſecundum Eraſiſtratum.de vtil.reſp. 1ª.223.E
Thorax mouetur vt patet,de mot.thor.& pul. 1ª.316.G
Thoracis motus ab anima fit.7°.de vſu par. 1ª.159.G
Thorax mouetur motu animali.1°.de diff.reſp. 3ª.58.G
Thorax motu perpetuo agitur.6°.de vſu par.148.G/ 1ª.153.E
Thoracis motus duplex cõtrarijs partibus cõſtãs.6°.de vſ.p. 1ª.148.B
Thoracis motui quæ ſubminiſtrent.8°.de ana.adm. 1ª.99.F
Thoracis motui quomodo gubernentur.8°.de ana.adm. 1ª.99.G
Thorax monet pulmonẽ.6°.de vſu par. 1ª.151.C/1°.de di.re. 3ª.61.B
a Thorace pulmonis motus initium eſt.6°.de vſu par. 1ª.148.A
a Thorace mouetur pulmo.6°.de vſu par.153.F/2°.de decre.Hipp. 236.G/de motu thor.& pul. 1ª.316.H
ad Thoracis motũ moueť pulmo.7°.de vſ. 1ª.159.E/1°.de di. 3ª.57.D
Thorace indiget pulmo vt moueatur.de vtil.reſp. 1ª.226.B
ob Thoracem mouetur pulmo.de ana.vi. *Sp.47.H*
a Thorace quomodo moueatur pulmo.de mot.thor.& pul. 1ª.316.H
ad Thoracis dilatationem & conſtrictionem mouetur pulmo.de ana. viuorum. *Sp.47.H*

in Thoracẽ aliquid ſpũs ex pulmone permeat. 8°. de ana. ad. 1ª. 103. E
Thoracis motus magni quomodo fiant. 8°. de ana. adm. 1ª. 99. F
Thoracẽ circũdare vẽtrẽ cur nõ fuit cõueniẽs. 7°. de vſu p. 1ª. 164. B
Thorax ſi circundaret ventrem fœmel ne poſſemus quidẽ ad ſaturitatem comedere. 7°. de vſu par. 1ª. 164. B
Thorax ſi circũdaret vẽtrẽ, fœmiq nõ cõciperẽt. 7°. de vſ. p. 1ª. 164. B
per Thoracem quomodo tranſit œſophagus, & tamen non lædit thoracem 6°. de vſu part. 1ª. 119. C
i Thoracis via ad os tẽdẽte Eraſiſtratus deceptus ẽ. de lo. af. 4ª. 30. B
iter Thoracem & caput cur ſpondyli. 8°. de vſu par. 1ª. 165. H
i Thorace aliqd capiti ſimile hũt ãalia nõ hũtia caput. 8°. d vſ. 1ª. 165. c
intra Thoracem omnibus inſtrumentis obducitur membrana ſuccingens. 6°. de ana. adm. 1ª. 94. C
Thoracẽ inter ſepiẽtes mẽbranæ qũo ſe habeãt. i prog. c. 1°. 4ª. 204. C
Thoracem circumiens mẽbrana vnde nutriat. 6°. de dec. Hi. 1ª. 263. B
Thoracis meubranarum vtilitates. 6°. de vſu par. 1ª. 148. D
ad Thoracis anteriorem partem venæ quæ feruntur quomodo conſtẽt. de ven. art. diſſect. 1ª. 57. B
p Thoracẽ qũo extẽdat vena ſine pari. 2°. de art. cur. ad Gl. 7ª. 117. D
Thoracem nutriẽs vena per ſpinã ſine arteria deſcendit. de vẽ. 1ª. 59. E
Thoracis partes inferiores alens vena ſub corde emergit. de vict. rat. in morbis acut. com. 2°. 7ª. 117. G
ex Thorace primũ par arteriarum quorſum tendat. 1°. de de. 1ª. 232. E
ex Thorace ſm par arteriarũ quorſum tẽdat. 1°. de dec. Hi. 1ª. 232. E
in Thorace muſculorum differentiæ. 5°. de loc. af. 4ª. 29. G
Thoracis, & ventris muſculi carnoſi ſunt. 4°. de præſ. ex p. 4ª. 121. D
ad Thoracẽ a ceruice muſculi ſex deſcendũt. 8°. de an. adm. 1ª. 102. F
Thoracis ſuperni muſculi ſex ſunt. 1°. de loc. affe. 4ª. 6. F
Thoracis muſculi intercoſtales ſunt vigintiduo. de muſc. diſſ. 1ª. 48. D
Thoracis et abdominis muſculi tardi ſunt trãſitus. 3°. de ſym. 3ª. 27. D
a Thorace ad oſſa pubis muſculi medij quo tẽdãt. i 1ᵐ. p. c. 2°. 4ª. 186. D
extra Thoracem muſculi, qui ſupra muſculos abdominis iacent, vnde alant. de ven. ar. diſſect. 1ª. 58. D
Thoracis omnes muſculi non ſunt propter motũ. 8°. de ana. ad. 1ª. 99. F
Thorax quibus muſculis moueatur. 5°. de ana. adm. 1ª. 86. B
Thoracis muſculi quomodo videantur moueri. 3°. de mo. mu. 1ª. 309. G
Thorax qũo mouetur parte inferiore, & ſupiore. de mo. mu. Sp. 67. A
Thoracis muſculi mouent pulmonem. de cauſ. reſp. 1ª. 227. A
Thoracis omnes muſculi propter quid ſint. 8°. de ana. adm. 1ª. 99. F
Thorax quibus dilatetur. de mot. man. & obſ. Sp. 67. A
Thoracẽ dilatãt ſeptũ tranuerſum vna cũ muſculis. de muſ. di. 1ª. 49. F
Thoracem qui muſculi dilatant. de muſ. diſſect. 1ª. 49. E
Thoracem dilatans muſculus. de muſ. diſſect. 1ª. 46. H
Thoracem magna dilatatione dilatans muſculus qualis, & vnde oriatur, ac deſignat. de muſculo. diſſect. 1ª. 47. A
Thorax quibus vehementer dilatetur. 4°. de loc. aff. 4ª. 27. A
Thoracis omnes partes dilatantur ob virium infirmitatem, & ob tenuius particulæ imbecillitatem, 4°. de loc. aff. 4ª. 25. A
Thoracis dilatatio magnam reſpirationem facit. 4°. de lo. aff. 4ª. 27. B
a Thoracis muſculis fit reſpiratio 2°. de mot. muſc. 1ª. 314. H
Thorax quibus contrahatur. de muſ. diſſ. 1ª. 49. F
Thoracis contractioni cõducũt muſculi abdominis. de mu. diſ. 1ª. 49. F
Thorax cur conſtringatur in egeſtione. 2°. de mot. muſ. 1ª. 316. B
in Thorace muſculi in locis inter oſſa medijs priuſquam agunt, habẽt figuram totis coſtis ſimilem, curui quidem extrinſecus, caui vero intrinſecus. 2°. de mot. muſc. 1ª. 316. E
Thoracis muſculorũ motus cur ſeruẽt in ſomno. 5°. de lo. aff. 4ª. 29. B
Thoracis muſculi dum agũt intro cõpelluntur. 2°. de mo. mu. 1ª. 316. F
Thoracẽ dilatantes fibræ quæ, & earum exortus. de muſ. diſ. 1ª. 49. D
Thoracem contrahentes fibræ vbi ſitæ. de muſc. diſſ. 1ª. 49. E
Thoracem mouentes nerui oriũtur a medulla dorſi. de fœt. f. 1ª. 324. H
ex Thoracis vertebris pdeũtiũ neruorũ cõiugatiões. de ne. di. 1ª. 54. H
Thorace elatior eſt diaphragmatis neruorũ origo. 8°. de an. 1ª. 101. C
p Thoracem quomodo ferantur nerui. 16°. de vſu par. 1ª. 217. F
Thoraci motũ nerui dantes vnde ducantur. 8°. de decr. Hip. 1ª. 278. B
Thoracem mouentes nerui vbi. 3°. de loc. aff. 4ª. 20. H
ex Thorace voces et gemitus non ex corde pdeũt. 3°. de de. 1ª. 246. F
Thorax per quas partes expurgatur. 2°. de arte cu. ad Gla. 7ª. 102. H
Thorax per ſputum & tuſſim purgatur. de cathar. Sp. 94. G
Thorax purgatur quandoq; per inteſtina. 6°. de loc. aff. 4ª. 39. C
Thorax per aluum purgatur raro. 6°. de lo. aff. 4ª. 39. C
Thoracis excrementa deorſum tendere debent. 3°. de ſan. tu. 2ª. 77. B
Thoracis excrementa non ita facile exeunt, ſicuti ventris excremẽta. 3°. de ſanitate tu. nd. 2ª. 77. B
Thoracis excrementa quomodo excernantur. 3°. de ſan. tu. 2ª. 77. B
Thoracis exercitationes quæ. 2°. de ſan. tu. 2ª. 74. H
in Thorace muſculorũ exercitatio eſt ſpũs cohibitio. 2°. de ſ. t. 2ª. 75. C
Thorax qũo exerceatur in paruæ pilæ ludo. de par. pil. exer. 2ª. 49. A
Thoracis partes exercitatione inferiorũ iuuãtur. 5°. de ſa. tu. 2ª. 90. A
THORACE, capite, ventre, & veſica origo infirmitatis vel ſanitatis oſtenditur. de dyn. Sp. 19. G
Thorax qualis, ſi tota temperies ſit æqualis. 2°. de temp. 1ª. 19. H
Thorax ſi habeat omnia contraria, & tẽperies totius ſit æqualis, qualis erit. 2°. de temper. 1ª. 19. H
Thorax non lædit ur a laganis cum melle. 1°. de alim. fa. 2ª. 9. C
Thoraci omne lac conuenit. 3°. de alim fac. 2ª. 28. A
Thoracis abſceſſus credita eſt rũpere tuſſilago. 6°. de ſi. m. f. 5ª. 45. A
Thoracis proprius affectus qui. 5°. de loc. aff. 4ª. 29. F
ad Thoracis affectibus agit Galenus & potiſſimum de pleuritide. de vict. rat. in morb. acut. com. 3°. 7ª. 133. C
in Thoracis affectibus aqua mulſa per vlcus impoſita exit per ſputa. 5°. de locis af. 4ª. 29. H
Thorax quando deprehenditur primo infeſtari. 4°. de lo. af. 4ª. 25. H
Thoracis affectus pulſus. 4°. de præſa. ex pul. 4ª. 120. B
Thorace affecto tuſſis increſcit. 2°. loc. aff. 4ª. 13. E
Thorax vbi affectus, calida tenuium partium ponũtur, tamen ſunt infeſtiſſima ſanguinis reiectioni. 7°. de comp. me. ſe. lo. 5ª. 183. E
in Thoracis affectibus conueniunt vina craſſa & dulcia, ſi cum attenuantibus medicamentis adhibeantur. de atten. vic. 2ª. 46. D
Thoracis affectibus conducunt vuæ paſſæ. de atten. vic. 2ª. 46. A
ſupra Thoracem ſi ſit affectiu æger reſideat. de victus ratione in morbis acut. com. 4°. 7ª. 151. D
Thoraci cathartica danda. de cathar. Sp. 94. G
Thoracem purgantia quæ. de cathar. Sp. 95. B
Thoracis longi affectus ſine febre quomodo fœnu græco curentur. 1°. de alim. facul. 2ª. 14. E
ad Thoracis affectiones. 7°. de comp. me. ſe. lo. 5ª. 182. B
ad Thoracis omnes inueteratas affectiones. 7°. de c. m. ſe. lo. 5ª. 179. C
ad Thoracis affectos, moleſtos, & inueteratos. 7°. de comp. medica. per genera. 5ª. 271. F
Thoracem anguſtũ habentes qũo a græcis vocenẽ. 2°. de tem. 1ª. 19. F
Thorax fit anguſtior propter gibbum. com. 6°. aph. 46°. Ex. 51. H
Thorax non creſcit gibbis ex tuſſi aut aſthmate ante pubertatem. co. 6°. aphoriſmo 46°. Ex. 51. H
Thoracem exiguum & admodum anguſtum habẽs, eſt ineptus ad pleraſq; exercitationes. 5°. de ſan. tu. 2ª. 89. H
i Thorace caliditatem parit alliũ. de vic. ra. in mor. ac. c. 4°. 7ª. 145. c
circa Thoracem caliditas præter naturam fuit congregata in morb. æſtuoſis. de vtil. reſp. 1ª. 124. D
in Thorace qũo caliditas deprehenditur. 4°. de loc. af. 4ª. 24. G
Thorax Coarctatus quam faciat reſpirationem. 1°. ae diff. reſ. 3ª. 59. D
Thoracis coacernata Collapſio quid agat. 1°. de dif. reſp. 3ª. 62. H
ad Thoracis Collectiones. 7°. de comp. me. ſe. lo. 5ª. 179. A
Thorax Confoſſus, & ſuccingens membrana confoſſa quomodo deprehendantur. 1°. de loc. af. 4ª. 2. E
Thoracem offendunt diſtillationes ex capite propter frigus. commenta. 5°. aphoriſ. 24°. Ex. 39. G
ad Thoracem a capite cur materia trãſmittat. 2°. de dif. fe. 3ª. 40. H
ex Thorace in pulmone materiæ deducuntur. 5°. de loc. af. 4ª. 30. A
ad Thoracem ſi debeant deferre medicamenta quæ exigant. 7°. de cõpoſitio. medi. ſecun. loc. 5ª. 184. B
in Thoracem quomodo nõ eat potus qui ſumitur. 1°. de v. p. 1ª. 137. B
Thorax ſi ex capite ægrotet qũo curandus. 6°. de ſa. tu. 2ª. 100. A
Thoracis Dolores cur intenſiores ſunt pulmonis remiſſiores. 4°. de loc. affectis. 4ª. 25. G
Thoracis dolores cur fiant ſpirante aquilone. com. 3°. ap. 5°. Ex. 20. E
Thoraci obeſt Aquilo vniuerſaliter. in 3ᵐ. de mor. v. c. 3°. 3ª. 146. B
Thorax quomodo vexatur a dolore. 1°. de dif. reſp. 3ª. 58. H
circa Thoracem & pulmonẽ dolor, qui non deſerit quid ſignificet. in prognoſt. commen. 2°. 4ª. 203. D
in Thoracis dolore cur pulſus paucus, & velox. 1°. de dif. re. 3ª. 59. A
in Thoracis dolore coarctatæ reſpirationes. 1°. de dif. reſp. 3ª. 59. D
ad Thoracis dolorem. 7°. de comp. me. per ge. 5ª. 266. G
in Thoracem cum fluxerit materia ex abſceſſibus erũpẽs ſit animi defectus.

fectus. 1°. de arte cura. ad Glau. 7ª.98.G
ex Thorace vt materias educerent quidam sternutationem moueriũt. 2°. de symptom. causis. 3ª.22.H
ex Thorace & pulmone educẽdis cõfert thymũ. 6°. de si. m. f. 5ª.48.E
Thoracem expurgat marubium. 8°. de simp. me. fa. 5ª.59.B
Thoracis expuitionibus conferunt pini, & pitijdes fructus. 8°. de sim pl. medic. facul. 5ª.57.F
ad Thoracis expuitionis medicᵐ. de vic. ra. in m. ac. c. 4°. 7ª.143.H
Thoracis vitiosæ figuræ vocem offendunt. 5°. de sa. tu. 2ª.89.H
Thoracẽ pueri qũo Gal. deduxit p artẽ ad symetriã. 5°. de sa. 2ª.92.H
in Thorace sæpe auditur fluctuatio. 4°. de loc. aff. 4ª.27.G
ĩ Thorace cõsistẽs fluxiões dsiccat spica nardi. 8°. de sim. m. f. 5ª.56.H
Thoracis fluxionibus ex capite prodest armenica terra. 9°. de sim. me dicam. facul. 5ª.66.G
circa Thoracem consistentes fluxionum simpliciter omniũ species qd iuuet. 7°. de comp. med. sec. loc. 5ª.180.D
in Thoracem fluxionum remedium. 7°. de compositio. medica. sec. loc. 179.D/182.H/ 5ª.185.E
Thorax totus frigidus, & ventriculus calidus sunt in corporibꝰ mor bis obnoxijs. 5°. de ali. fac. 2ª.28.F
Thoracis partibus sunt inimicissima frigida, vt glacies. commentar. 5°. aphorismo 24°. Ex.39.G
Thorax, & pulmo frigore laborant. in 1ᵐ. de mor. vul. c. 1°. 3ª.101.C
ad Thoracem applicata refrigerantia in sanguineo profluuio obsunt. 5°. methodi medendi. 7ª.31.H
Thorax & pulmones refrigerati nonnullis fuere causa necis. 11°. de vsu partium. 1ª.188.D
Thoracẽ & pulmonẽ grauamina purgat myrrhis. 7°. d si. m. f. 5ª.56.E
in Thorace Humoris serosi, & pituitosi inditia. 4°. de lo. aff. 4ª.27.G
ex Thorace succos crassos & lentos educunt amygdalæ amaræ. 2°. de alimen. facul. 2ª.21.B
Thoracis crassos humores expurgat orobus. 1°. de alim. fac. 2ª.15.C
in Thoracis inflãmationibus quæ sint danda fm varias partes. 2°. de arte cura. ad Glau. 7ª.102.H
Thoracẽ totũ Mouere inter spirãdũ qd significet. 4°. de loc. af. 4ª.24.G
Thoracem moventis potentiæ imbecillitas facit anhelitus carentiam. com. 4°. aphorismo. 34°. Ex.31.B
Thoracis causa morbus esse quomodo cognoscatur. de dyn. Sp.19.G
in Thoracis morbis quid considerandum. 3°. de crisi. 4ª.139.D
Thoracis morbis ex crassitudine viscositateq; humorum proueniẽtib. conuenire creditur peucedanum. 8°. de simp. me. fac. 5ª.48.D
in Thoracis morbis quomodo delyria fiant, & lædãtur cogitatio, scie .tia, & opinio, quæ in anima consistunt 2°. de loc. aff. 4ª.13.F
a Thorace, & capite attrahuntur biliosa & vigiliæ accidunt. de vict. ratione in morb. acu. com. 2°. 7ª.122.F
Thoracis morbi vomitu sanantur. de dyn. Sp.19.G
in Thoracis morbis ptissana qũo danda, & augenda. de ptis. 2ª.48.A
Thoraci conuenit ptisana. de ptiss. 2ª.47.G
Thoracis musculis affectis quomodo affectio inuestigãda sit. in 1ᵐ. pr rhet. comment. 1°. 4ª.163.C
Thoracem musculi ac nerui mouentes iam conuulsioni parati ostendũ tur a spiritu offendente. com. 4°. aph. 69°. Ex.34.G
Thoracis musculi frigore durescunt, & incidunt dispositionem similẽ conuulsioni. com. 6°. aph. 54°. Ex.53.C
Thoracis musculi quando omnes moueantur. 4°. de lo. aff. 4ª.20.G
Thoracis musculis inflãmatis febris fit. 4°. de præsa. ex pul. 4ª.121.D
Thoracis obstructiones liberat pistacium. 5°. de sim. me. fa. 5ª.57.F
in Thorace, & iecore cur nunquam œdema pituitosum nascatur. 4°. de præs. ex puls. 4ª.120.B
Thoracis patientis signa. ars med. Isa.67.C
Thoracis passiones difficultatẽ spirandi faciunt. c. 4°. aph. 50°. Ex.33.C
ex Thoracis perforatione qũo vox pereat. 1°. de loc. aff. 4ª.6.H
Thoracẽ a Phlegmate laborãtẽ raphanus emẽdat. de sim. m. Sp.89.F
inter Thoracẽ & pulmonẽ fit puris effusio. com. 5°. aph. 8°. Ex.38.C
inter Thoracis et pulmonis spacium continetur pus suppuratorum ex morbo laterali. com. 5°. aph. 15°. Ex.38.F
in Thorace pus contineri cognoscitur, 1°. de loc. aff. 4ª 2.F
in Thorace pus contineri cognoscitur. 1° de loc. aff. 4ª.27.G
inter Thoracem & pulmonem spacium plenum strangulat, sed non ci to. com. 4°. aph. 34°. Ex.31.B
inter Thoracem, & pulmonem inter media angustiam faciunt. com- mentar. 4°. aphor. 34°. Ex.31.B
Thoracis pus purgat symphytum petreum. 8°. de sim. me. fa. 5ª.61.F
è Thorace pus educentia mediocria. 13°. met. me. 7ª.84.H
è Thorace pus educentia valentiora. 13°. met. me. 7ª.84.H
è Thorace pus educit medicᵐ valde incidẽs. 13°. me. me. 7ª.85.A
è Thorace pus valde educit oxymely ex marrubio. 13°. m. m. 7ª.85.a
in Thorace Ruptiones susciiat, & spuitionis sanguineas, & empye- mata, aqua dura, & frigida. de bonita. aquæ. Sp.75.G
in Thorace si rumpi debeat vena, noli exercere corpus. de ven. sect. aduersus Erasistra. 6ª.8.F
inter Thoracẽ, & pulmonem concrescit Sanguis. de atra bi. 1ª.34.D
Thorax vbi prauã hẽt structurã, sanguinẽ mitte. de cu. ra. p sa. 6ª.18.F
ex Thorace sanguinem tussientes quales. 4°. de loc. aff. 4ª.25.G
ex Thorace sanguinis reiectionis leporinum coagulũ supprimere ali qui prodierunt. 10°. de simp. me. fac. 5ª.74.D
ex Thorace sanguis qũo in asperã arteriã transmittaẽ. 5°. me. 7ª.32.E
Thoracis Sorditiem purgant caricæ. de simp. me. Sp.84.C
ex Thoracis vel iecoris tumoꝛ cur pulsus nũq mollis fiat. d pꝛ. 4ª.120.b
ex Thorace tussi confert papaueris semen. 1°. de alim. fac. 2ª.15.E
in Thorace materia per tussim euacuatur de const. ar. Isa.41.D
in Thorace contenta per tussim excutiuntur. de const. ar. Isa.42.B
Thoratis vitijs oĩbꝰ magis noxia sunt acerba q austera. de at. 2ª.46.e
Thoracis virijs omnibus opponũtur vina austera. de atte. vi. 2ª.46.E
Thoracis ad vitia omnia facit casia. de simp. me. Sp.82.H
Thoracis vitijs omnibus daucum idonee facit. de simp. med. Sp.83.E
Thoracis vitia sedat stechas. de simp. me. Sp.90.G
Thoracis vitijs thymus aptissimus. de simp. med. Sp.91.G
ad Thoracis vitia. 8°. de cõp. m. s l. 5ª.104.E/de rem. pa. fa. 7ª.158.E
inter Thoracem Vlcera qualia. 4°. met. me. 7ª.28.B
in Thorace vlcera sanantur. 4°. de loc. aff. 4ª.25.H
ad Thoracis vlcera medicamenta qualia. 5°. met. me. 7ª.34.D
in Thoracis, & pulmonis vlceris medicamẽtis mel misceri debet. 4°. methodi medendi. 7ª.29.A
Thoracis Vstio ac veluti flãma quo lunæ aspectu fiat. de decu Sp.12.G
Thorace Vulnerato, spiritus efflatur per vulnus. 1°. de loc. af. 4ª.2.E
Thorace vulnerati aquã mulsam iniectã expuũt. 5°. de lo. af. 4ª.31.A
Thorax cõ vulnerat° si pulmõis fibra p vulnus exeat. 1°. de l. a. 4ª.2.F
in Thorace qñ est vulnus qũo recipiaẽ ĩ pulmone. 5°. de lo. a. 4ª.31.B
in Thoracis parte vulnus magnum penetrans dimidiam vocis partẽ demit. 6°. de vsu par. 1ª.148.E
Thoracis vulnera quomodo vocem impediant. 4°. de lo. aff. 4ª.26.D
in Thoracis vtraq; parte vulnus demit vocem, & respirationem. 6°. de vsu par. 1ª.148.E
Thoracis neruis precisis cor respiratione priuaẽ. de fet. for. 1ª.324.H
Thorace nihil laborãte ex sẽe affectu respiratio lædit. 5°. de lo. 4ª.29.F
Thorace etiam non affecto spiratio difficilis. 2°. de lo. aff. 4ª.13.F
in Thoracis cauitate vulnus tribus diebus conglutinatum. de ven. se- ctio. aduersus Erasistratum. 6ª.13.C
Thoracis medicamenta quibus paranda. 5°. de sim. me. fa. 5ª.35.C
THORAX Amintæ. de fascijs. 7ª.301.H
Thorax ad idem x literam repræsentans. de fascijs. 7ª.301.H
ad Thoracem vinciendum vinculum. de fascijs. 7ª.301.G
THOREXIS, ideſt, vini potio. com. 2°. aph. 21°. Ex.14.G
THRACIAE loca a mari distantia in frigiditate, & humiditate modum excedunt. com. 3°. aph. 14°. Ex.22.E
in Thracia est aqua, quam si quis biberit moritur. de bo. aq. Sp.76.A
ex Theriaca literæ Galeno afferebantur. 4°. de loc. aff. 4ª.22.C
THRACIAS lapis quid, & eius vires. de simp. med. Sp.86.G
Thracias lapis accẽditur aqua, extinguitur oleo. de sim. me. Sp.86.G
Thracias lapis qualis. 9°. de simp. me. fac. 5ª.68.A
THRACES incolunt frigidam regionem. 12°. met. me. 7ª.79.F
Thracibus cutis qualis. 2°. de temp. 1ª.20.A
Thraces sunt pingues. 2°. de simp. med. facul. 5ª.14.E
Thraces iracũdi, audaces, & cõsilij præcipitis sunt. 2°. de tẽp. 1ª.20.A
Thraces serui. 1°. met. me. 7ª.2.F
Thracum multa nomina cur colligit Galenus. ad Thras. 2ª.106.H
THREPTI pastillus ad serpẽtia vlcera. 5°. de cõp. me. per ge. 5ª.51.E
THRIDAX quid sit. 2°. de comp. me. sec. lo. 132.G/10°. 5ª.211.H
Thridax ideſt lactuca. 6°. de simp. me. fac. 5ª.48.E
Θρίδακα lactucã hortẽsem nõiare cõsueuerũt. 2°. de alim. fac. 2ª.22.F
Thridacinæ quid. 10°. de comp. me. per gen. 5ª.211.H
Θριδακίνη genus oris est instar lactucæ. 2°. de ali. fa. 2ª.22.E
THROMBOS sanguis dicitur concretus. 1°. de semine. 1ª.329.G/3°. de symp.

de sym.cau. 3ª.28.B/1°.*de loc.aff.* 4ª.2.F/5°.*meth.med.* 7ª.30.D
Θρύμβωσις *quid significet.de fract.com.* 2°. 7ª.234.C
THRYALIS *species verbasci.* 8°.*de sim.med.fac.* 5ª.63.C
Θρυπτικαλίθων *facultates quæ vocentur.* 5°.*de simp.me.fa.* 5ª.32.B
THVCIDIDIS locus citatur. 5°.*de decr.Hip.* 1ª.260.D
Thucidides quæ scribat. 2°.*de diff.resp.* 3ª.65.F
Thucididis consilium,agendũ aliqd vel periclitari. 9°.*me.m.* 7ª.66.D
a Thucidide pestis descripta qualis. 2°.*de disse.respira.* 65.G/*in* 6ᵐ.*de mor.vulg.com.* 4°. 3ª.183.C
Thucidides idiota. 2°.*de diff.resp.* 3ª.66.A
THVNNI *grandiores inter cetacea animalia numerantur.* 3°.*de alim. facult.* 2ª.32.E
Thunni sunt in genere cetaceorum.de bon.& vitio suc. 2ª.35.E
Thunnorum caro qualis. 3°.*de alim.fac.* 2ª.31.F
Thunni caro salsa facit humorem melancholicũ. 3°.*de lo.aff.* 4ª.18.F
THVS *quid.de simp.med.* *Sp.*91.D
Thus quibus adulteretur.de simp.med. *Sp.*91.D
Thus quale. 4°.*de com.me.se.lo.* 151.E/5°.*de compo.med.per ge.* 247.C/6°.5ª.258.B/*de ocul.* 7ª.188.H
Thus quale respectu hominis. 3°.*meth.med.* 7ª.18.B
Thus calidum est in secundo ordine,siccum in primo. 7°.*de simpl.me. facult.* 5ª.54.D
Thus vires habet leniter excalfacientes.de simp. med. *Sp.*91.E
Thus est imbecillum medicamentum. 4°.*de comp.me.p ge.* 5ª.240.G
Thus ex aceto quo loco reponatur inter calida quæ valent alopecijs. 1°.*de comp.med.sec.loc.* 5ª.122.D
Thus est odoratum,& calidum.com. 5°.*aph.* 59°. *Ex.*43.C
Thuris odor aliquibus dolorem capitis facit. 3°.*de loc.aff.* 4ª.20.G
Thus vitandus est in capitis doloribus à stomacho & ab alijs partibus. 2°.*de com.me.sec.lo.* 5ª.137.B
Thuris epitheton est nitor. 1°. *de antid.* 5ª.106.F
Thus masculum. 7°.*de composit. medicamentorum secundum loc.* 5ª.184.F/*de medi.facil.par.* 7ª.174.A
Thus integrum non sectum. 4°.*de comp.med.se.lo.* 159.G/7°.181.D/10°.206.F/209.C/1°.*de comp.med.per ge.* 5ª.215.G
Thus per se solum in mortario comminui iubet. 1°.*de antid.* 5ª.107.F
Thus habet easdem vires chalbano,sed imbecilliores. 4°.*de comp.me. per ge.* 5ª.246.C
Thure in vno præstantiora in alio inferiora,crocus,& myrrha. 4°.*de com.me.se.lo.* 5ª.151.D
Thus emplasticam vim habet. 5°.*de simp.med.fac.* 5ª.35.H
Thus adstringit,concoquit,& discutit. 4°.*de com.me.se.lo.* 5ª.150.H
Thus concoctoriũ est. 3°.*de com.me.se.lo.* 143.A/4°. 149.H/150.E/1°.*de comp.me.per ge.* 5ª.214.B
Thus concoquit sufficienter. 7°.*de comp.med.se.lo.* 5ª.178.G
Thus dolorem leuat,& concoquit. 2°.*de comp.me.per ge.* 5ª.219.G
Thus maturat.de ocul. 7ª.188.E
Thus pus mouet. 4°.*de composi.medic.per ge.* 5ª.239.G
Thus mundificatiuum,& collatiuum est.de ocul. 7ª.189.C
Thus emollit,& digerit. 7°.*de comp.me.per ge.* 5ª.264.C
Thus parum extergit,& quale sit. 4°.*de comp.med se.lo.* 5ª.151.C
Thus ad oculos valet. 5°.*de simp.me.fac.* 5ª.38.D/*de ocul.* 7ª.188.G
Thus sistit oculorum fluorem.introd. *Isa.*58.C
Thus fortiter stringit. de ocul. 7ª.189.D
Thus stypticum facit.de ocul. 7ª.190.C
Thus prohibet humorem fluentem.de ocul. 7ª.189.D
Thus ad pilos palpebrarum adglutinandos idoneum est. 11°. *de sim. med.facult.* 5ª.81.E
Thus ponitur in theriaca.de ther.ad Piso. 5ª.92.E
Thus debet ĩgredi oĩa medicamẽta metallica. 3°.*de cõ.m.pg.* 5ª.232.f
Thus vim fortiũ pharmacorũ exoluit. 1°.*de com.me.se.lo.* 5ª.122.E
Thus mitigat pharmaca. 4°.*de comp.med.per ge.* 5ª.240.C
Thus ponitur pro forma emplastri. 5°.*de comp.me.per ge.* 5ª.246.B
cum Thure, vel melle orobi farina crustas optime disrumpit. 2°. *de arte curatiua ad Glau.* 7ª.107.B
ex Thure medicamentum. 5°.*meth.med.* 7ª.34.B
Thus & ærugo quomodo simul commisceantur in medicamentis. 2°. *de comp.me. per ge.* 5ª.219.E
Thus quo medicamento miscendũ sit. 2°.*de com.me.per ge.* 5ª.219.G
Thus non fert coctionem. 2°.*de comp.med.per ge.* 5ª.222.H
Thus quale esse debeat in sanguinis profluuio. 5°.*meth.med.* 7ª.31.A
Thuris pars vna,& aloes partis vnius semissi cum oui candido mixto & excepta pilis leporis medicamentum optimum sunt ad sanguinem supprimendum. 5°.*meth.med.* 7ª.30.H
cũ Thure cochleæ mucositas siccat sine morsu.de art.cõ. 2°.7ª.268.a
Thus exiccat sine morsu.de art.com. 2°. 7ª.268.A
Thus sarcoticũ est. 1°.*de cõ.me.per ge.* 5ª.214.B/3°.*met.me.* 7ª.16.G
Thus carnem facit,& qualem. 13°.*met.med.* 7ª.18.A
ex Thure collyriũ vlcera caua explet. 4°.*de com.me.se.lo.* 5ª.150.e
Thus vlceri cauo conuenit. 2°.*de com.med.per ge.* 5ª.218.F
Thus coquit vlcera malefica. 1°.*de comp.med.per ge.* 5ª.217.C
Thus iungendum melli pro fistulis & lacerosis cutibus. 2°. *de arte cura.ad Glau.* 7ª.106.G
Thus subducit aluum. 9°.*de comp.me.se.lo.* 5ª.197.G
Thuris meminit. 1°.*de comp.med. per ge.* 5ª.268.A
pro Thure liquida resina.de art.com. 2°. 7ª.267.A
THVRIS *cortex qualis.* 4°.*de comp.med.sec.loc.* 5ª.151.E/13°.*met. med.* 7ª.81.F
Thuris cortex siccus est in secundo ordine. 7°.*de sim.me.fa.* 5ª.54.D
Thuris cortex oculis conuenit.de ocul. 7ª.188.G
Thuris cortex in hæmoptoicis,stomachicis, cęliacis, ac dysentericis multi est vsus. 7°.*de simpl.medi.fa.* 5ª.54.E
Thuris cortex maturat.de ocul. 7ª.189.D
Thuris corticem accipit. 4°.*de comp.med.se.lo.* 156.D/7°.184.C/5°. *de comp.med.per ge.* 251.H/252.B/7°. 5ª.272.F
Thuris cortice utitur ad profusiones sanguinis. 13°.*me.me.* 7ª.81.F
THVRIS *ramus calidus & siccus est in tertio ordine.* 7°.*de simpl.me. facult.* 5ª.54.E
Thuris ramus vlcera oculorum expurgat,& quare. 7°. *de sim.med. facult.* 5ª.54.E
THVRIS *manna qualis.* 5°.*de com.me.per ge.* 5ª.247.C
Thuris manna quomodo adulteratur.de sim.med. *Sp.*91.D
Thure qualis manna sit vtilior. 13°.*meth.med.* 7ª.81.B
a Thure quomodo differat manna. 4°.*de com.me.se.lo.* 5ª.151.E
Thus pinguius est manna.de artic.com. 2°. 7ª.267.A
Thus emplasticum magis est quam manna. 5°.*meth.med.* 7ª.31.A
Thus magis quam manna adstringit. 5°.*meth.med.* 7ª.31.A
Thuris plus qñ immiscendũ,& qñ plus mannæ. 5°.*meth.me.* 7ª.31.A
Thus pro manna.de artic.com. 2°. 7ª.267.A
THVRIS *fuligo ad quæ valeat.* 7°.*de simp.medi.fac.* 5ª.54.F
Thuris fuligni similis est fuligo storacis. 8°.*de simp.med.fa.* 5ª.61.E
THYITES lapis quid.de sim.med. *Sp.*86.H
Thyites lapis qualis sit. 9°.*de simp.med.fac.* 5ª.67.E
Thyites valet ad purgandum, & abstergendum quæ pupillam offuscant. 9°.*de sim.me.fa.* 5ª.67.F
Thyites lapis acriter mordet caliginem, & cicatrices oculorum extenuat.de simp.med. *Sp.*86.H
Thyites lapis cicatrices recentes attenuare potest, & etiam oculorũ vngues. 9°.*de simp.med.fa.* 5ª.67.F
THYLACITIS *dicitur nardus montana.* 7°.*de simp.me.fa.* 5ª.56.H
THYMBRA *tam cibus q̃ medicamentũ calidũ est.* 3°. *de temp.* 1ª.24.D
Thymbra pro origano. 6°.*de com.med.se.lo.* 5ª.168.F
THYMIAMA *ammoniacũ emollit scirrhũ.* 5°.*de simp.med.fa.* 5ª.33.F
Thymiama emollit. 5°.*de simp.med.fa.* 5ª.34.F
Thymiama molliendo digerit. 14°.*meth.me.* 7ª.88.A
Thymiama concoquit.introd. *Isa.*58.A
THYMVS *quid.de simp.med.* *Sp.*91.F
Thymus amat loca edita,& sicca. 4°.*de san.tuen.* 2ª.86.D
Thymi copia vbi proueniat. 1°.*de antid.* 5ª.10.E
Thymus in quibus locis melior sit. 4°.*de san.tuen.* 2ª.85.C
Thymus ex quibus prouincijs probatur. 4°.*de san.tuen.* 2ª.86.D
Thymus atticus optimus est. 4°.*de san.tuen.* 2ª.86.C
Thymum cretense.de remed.par.fa. 7ª.167.H
Thymus pro origano. 6°.*de comp.me.se.lo.* 5ª.168.F
Thymus tam cibus quam medicamẽtũ calidũ est. 3°.*de tem.* 1ª.24.D
Thymus potius p obsonio,q̃ pro alimẽto comedit. 2°.*de ali.f.* 2ª.22.H
Thymus est obsonium quod sponte nascitur. 2°.*de ali.fac.* 2ª.25.D
cũ Thymo ficus añ cibũ quãdo cõueniat exhibere. 2°.*de ali.fa.* 2ª.17.F
Thymus in tertio ordine calidus & siccus. 6°.*de simp.me.fa.* 5ª.48.E
Thymus acris de atten.vic. 2ª.43.H/9°.*de simp.med.fa.* 5ª.64.C
Thymus acres vires habet, excalfactorias,stringentes,stomachi & thoracis vitijs aptissimus.de simp.med. *Sp.*91.G
Thymus attenuat.de atten.vic. 2ª.43.H
Thymus habet vim subtiliandi.comm. 1°.*aph.* 24°. *Ex.*10.G

Thymus vrinam

Thymus vrinam & menſes prouocat, fœtum euellit, viſcera potum expurgat ex thorace, & pulmone educendis confert. 6°. de ſim. med.fac. 5ª.48.E
Thymus exiccat. 3°. de alim.fa. 2ª.26.D
Thymi decoctum in aqua mulſa diſcuſſorium eſt parabile moderatũ. 6°. de com.me.ſe.lo. 5ª.169.G
Thymus in melicrato ebulitus pro potu in animi defectu ex multitudine. 1°. de arte cur. ad Glauc. 7ª.99.B
Thymus in aceto coctus naribus applicandus eſt in lethargo. 13°. me. med. 7ª.85.F
Thymus purgat nares. de cathar. Sp.95.B
Thymus purgat pulmonem, & thoracem. de cathar. Sp.95.B
Thymi decoctio purgat cibos indigeſtibiles, & lumbricos rotundos. de catharticis. Sp.95.C
Thymus purgat pituitam, & bilem, & qua doſi, & cum quibus miſcetur. de dyn. Sp.21.H
THYMVM *vocant glandium ideſt glandulam vel adenem. de venarũ arteriarumq; diſſect.* 1ª.56.C
Thymum ideſt glandium maximum, & molliſſimum adena nominant. 6°. de vſu par. 1ª.148.G
Thymus propter quid factus. 6°. de vſu par. 148.H/ 1ª.149.B
THYMVS *quid. fin. med.* Iſa.49.B
Thymi epulides, & parulides quid. de tum. præter nat. 3ª.84.H
Thymi cutis affectus ſunt et partium totius corporis. introd. Iſa.59.D
Thymi curatio. introd. Iſa.60.D
Thymos eÿciunt groſſi crudi. 8°. de ſimp. me. ſa. 5ª.57.B
Thymos auferunt tithymalli. 8°. de ſimp. med. ſa. 5ª.62.D
Thymian ſede excidendi ſunt. 14°. meth. med. 7ª.91.G
ad Thymos valet ſtercus ouillum. 10°. de ſimp. me. ſa. 5ª.76.G
THYNNI *fel ad quid vtile. de remed. par. fac.* 7ª.161.E
Θύρεον *ſcutum non vndiq; rotundum ſed prælongum appellamus. 1°. de vſu partium.* 1ª.160.A
THYRAEVM *vinum quale. 5°. de ſan. tuen.* 2ª.91.C
THYRINVM *vinum. de atten. vic.* 2ª.46.E
Θυρεοειδῆ .*i. ſcuti formẽ chartilagine quã appellet. de voc.* 1ª.106.G
Θίτιον. *de victꝰ rat. in mor. acu. com. 1°.* 7ª.110.A

TIBERIAS. *de med. fac. par.* 7ª.178.H

TIBERII *Cæſaris ad Herpetas. 5°. de compo. med. per ge.* 5ª.252.D
TIBIA *quid. introd.* Iſa.53.E/ *de oſſibus.* 1ª.43.D
Tibia cruris pars. de inæqu. intemp. 3ª.43.C
Tibiæ oſſa quæ. introd. Iſa.54.H
in Tibia duo oſſa ſunt vt in vlna. 3°. de vſu. par. 1ª.131.A
Tibia ẽ vnũ ex oſſibus Tibiæ vocatũ à noĩe totius. 3°. de v. p. 1ª.131.A
Tibia os ſolum vocatur ab Hippocrate. de fract. com. 2°. 7ª.236.E
Tibiæ oſſa os ſuræ vocat. de fract. com. 3°. 7ª.284.F
Tibia & ſura quomodo iungantur. de fract. com. 2°. 7ª.236.E
Tibia quot oſſium ſit. de fract. com. 2°. 7ª.236.E
Tibia tota quid ſit. de fract. com. 2°. 7ª.236.E
Tibiæ os maius qũo uocatũ, et quæ eius vtilitas. 3°. de v.p. 1ª.134.A
Tibiæ paruũ os fibula dictũ ẽ, et q̃ eius vtilitas. 3°. de v. p. 1ª.134.H
Tibiarum oſſa ſunt ſuſtentamentũ ſenſus, & motus. de anato. Sp.55.C
Tibiæ os interius maiorẽ oneris partẽ fert. de fract. com. 2°. 7ª.239.G
in Tibiæ, & calcanei medio cur ſit aſtragalus. 3°. de v.p. 1ª.130.G
Tibiæ, & fibulæ cur calcanei os nõ ſuit articulatũ. 3°. de vſu. 1ª.130.g
Tibiæ quibus ligetur calcaneus. 3°. de vſu par. 1ª.130.G
Tibia cur caua. 11°. de vſu par. 1ª.191.D
Tibia qualis. de oſſibus. 1ª.43.D
Tibia in crure talis qualis cubitus in manu tota. 3°. de anatom. adminiſt. 1ª.74.A/ *de fact. com. 1°.* 7ª.232.H
Tibia cur minor femore. 3°. de vſu p... 1ª.134.D
Tibiam habere ſymetriam ad femur, & ad pedem quomodo probetur. 3°. de vſu par. 1ª.134.D
Tibia craſſior vitiat motum. 3°. de vſu par. 1ª.134.D
Tibia tenuior debilitat motum. 3°. de uſu par. 1ª.134.E
ex Tibia duo motus fiunt, & unde. 3°. de vſu par. 1ª.132.B
in Tibia motus compoſitus qui. 2°. de ana. admin. 1ª.70.A
Tibiæ ventrem gaſtronomiam appellant. de muſ. diſſ. 1ª.51.F
Tibiæ pars anterior ſine carne ocrea dicitur. de oſſib. 1ª.43.E
de Tibiæ muſculis. 2°. de ana. admi. 1ª.71.D
Tibiæ non habent in anterioribus muſculos in chordas validas deſinentes, com. 5°. aph. 65°. Ex.45.A
in Tibia ſunt tredecim capita tendonum. 3°. de vſu par. 1ª.152.D
Tibiæ priores muſculi tres ſecundum antiquos, tamen Galenus ſeptẽ eſſe ponit. de muſc. diſſect. 1ª.52.C
Tibiæ poſterioris muſculi ſex. 3°. de vſu par. 1ª.132.H
Tibiam mouentes muſculi octo ſunt. de muſ. diſſ. 1ª.50.F
Tibiam introrſum non nihil mouens muſculus. de muſc. diſſ. 1ª.50.F
Tibiam ad interiora ſimul flectens muſculus, & ſurſum ipſam quo quomodo attollens. de muſ. diſſ. 1ª.51.D
Tibiam introrſum inuertens muſculus, in rectum illum attollendo. de muſculorum diſſect. 1ª.51.D
Tibiam ad internas partes trahens muſculus. de muſ. diſſ. 1ª.51.E
Tibiam ad exteriora oblique inuertens muſculus, & ſimul flectens. de muſculorum diſſ. 1ª.51.E
Tibiam qui muſculus extrorſum vertat. de muſ. diſſ. 1ª.51.E
Tibiam ad exteriora flectens muſculus. de muſ. diſſ. 1ª.51.E
Tibiam ſenſim ad exteriora inclinantem qui muſculus faciat. de muſcu. diſſectione. 1ª.52.F
Tibiæ nerui. 3°. de ana. adm. 1ª.74.F
ad Tibiam anteriorem nullus neruus inuenitur. 16°. de v.p. 1ª.218.C
Tibiæ cur inſeruntur vaſa quædam tenuia. 13°. de vſu p. 1ª.202.B
de TIBIARVM *& genuum paſſionibus. de dy.* Sp.30.A
Tibiæ robur ſi phlegmonẽ habeat, nõ ẽ cõſiderãdũ. 13°. m. m. 7ª.84.E
Tibÿs inflãmatis cõuulſione corripitur æger. 4°. de p̃ſ. ex p. 4ª.121.D
in Tibiæ carnoſa parte ſinus quo modo ſanatus. de ÿs, quæ in medica. ſi. comm. 2°. 7ª.212.C
in Tibia vlcus quomodo ſanetur. de atra bile. 1ª.35.D
in Tibia vlcus mediocre ſi in quiete ſanetur, non debet repente moueri. de vict. rat. in mor. acu. com. 3°. 7ª.124.D
ad Tibiarum vlcerationem, cicatricem, vel maculam nigram, vel albam. de dyn. Sp.30.A
ad Tibiarum contumaces, & malignas nigritias. 4°. de comp. me. per genera. 5ª.242.G
ad Tibiarum vlcera. de dyn. Sp.30.A
ad Tibias fractas de phlegmate ſalſo remedium. de dyn. Sp.30.B
in Tibia quid ſit diſcriminatio. de fract. com. 2°. 7ª.236.F
Tibiæ prolapſus quo modo fiat. de fract. com. 2°. 7ª.236.H
de Tibiæ muſculo lato abrupto, caſus. 2°. de ana. admin. 1ª.70.B
Tibiæ oſſis portione abſciſſa quid agendum. 14°. me. med. 7ª.92.B
Tibia moleſtior in curatione eſt. de fract. com. 2°. 7ª.239.G
Tibiæ os in quadraginta diebus corroboratur. de fract. c. 2°. 7ª.239.G
Tibiæ oſſa fracta breuiora redduntur. de fract. com. 3°. 7ª.242.F
Tibiæ vt femoris deligatio qualis eſſe debeat. de fract. c. 2°. 7ª.238.G
in Tibia quæ aptantur, minus moleſtæ aptantur, quam quæ quæ in manu. de fracturis. com. 2°. 7ª.236.H
Tibiæ prolapſæ ligatio quando aptetur. de fract. com. 2°. 7ª.230.H
TIBIA *pulmonis quo modo ramificetur. de ana. viu.* Sp.53.C
TIBIÆ, *& citharæ ſonus non eſt à tibia, & a cithara, ſed a tibicine, & a citharedo. de trem. palp. conuul.* 3ª.35.C
Tibiam non debent attingere ſenes. 5°. de ſan. tuen. 2ª.89.H
Tibiam infantibus collum omne dilatatur, facies intumeſcit, & caput validiſſime impletur. 3°. de ſan. tuen. 2ª.77.C
Tibiam inflantes quo modo reſpirent. 3°. de ſan. tuen. 2ª.77.C
Tibiam inflantes quos muſculos moueant. 3°. de ſan. tuen. 2ª.77.C
ad Tibias flatus comparatio. 3°. de ſymp. cau. 3ª.27.G
Tibiæ comparantur ſtomachus, aſpera arteria in tim. Plat. 1ª.288.F
Tibia qui cecinerint, fiunt quandoq; balbi. com. 6°. aph. 32°. Ex.49.H
TIBICINES *indigent uehemẽti inſpiratione. 2°. de mot. ma.* 1ª.316.C
Tibicines putabat adeſſe qui non aderunt Theophylus medicus ægrotans. 1°. de ſymp. cau. 3ª.11.H
TIBINVM *uinum in Aſia imbecille. de vinis.* Sp.76.D
Tibinum vinum in Aſia cito redditur idoneum, vt bibatur. de bonitate, & vitio ſucc. 2ª.38.G/ de vinis. Sp.76.D
Tibinum vinum exolutione languet. de bon. & vitio ſuc. 2ª.38.G
Tibinum vinum quale. 1°. de antid. 5ª.100.H
TIBII *ſerui. 1°. meth. med.* 7ª.2.E
TIBVRTINÆ *aquæ deſcendunt per lapideas fiſtulas. in 6m. de mor. vul. com. 4°.* 3ª.182.E
Tiburtinæ aquæ Romæ crudiuſculæ. in 6m. de mor. vul. cõ. 4°. 3ª.182.E
TIBVRTINVM *vinum in Italia octo annorum ſ vel vt alij legunt viginti ſ digeſtũ eſt, pluribus uero durat nõ amareſcẽs. de ui.* Sp.77.A
Tiburtinum uinum duplex. 12°. meth. med. 7ª.76.D
Tiburtinũ uinũ quale. 5°. de ſan. tu. 90.H/ 2ª.91.B/ *1°. de ant.* 5ª.76.D

Tiburtinum uinum conuenit in ſyncope ex bile circa os ventriculi. 12°.meth.med. 7ª.76.D

TILIAE codicibus,& membranis libros ſcribebant. de iis quæ in me.fi.comm.1°. 7ª.197.E

Tilia confecti canales.de fract.com.2°. 7ª.239.E

Τίλματα,hoc eſt uellications.de iis,quæ in med.fi.com.3°. 7ª.219.C

TIMAEVS duodecim menſibus partum geſtari credidit. de hiſtoria philoſophica. Sp.11.C

TIMENTIBVS *pallidus color.1°.meth.me.* 7ª.7.H

Timentes facit cholera nigra. de dyna. Sp.19.F

TIMERE, *ſperare,& expectare ſunt uerba prænotionis propria. 3°. de diff.reſp.* 3ª.73.E

Timent pueri in tenebris,& ex adultis non conſueti. de mel.ex Galeno Ruſo,& Poſſ. Sp.109.D

Timet incedens ſuper apicem pinnaculi aut montis excelſi, & pedes eius tremunt.de mot.man.& obſc. Sp.69.D

TIMIDIORA *animalia qui ſanguis faciat.quod animi mor.* 1ª.319.D

TIMIDISSIMI *ſunt qui viuunt ſub Regibus.de aere,aq.et lo.* 2ª.5.B

TIMIDITAS *a quibus fiat.in 6m.de morb.vul.com. 2°.* 3ª.167.G

ad Timiditatem, & audaciam regiones faciunt. 5°.de decr. 1ª.267.b

Timiditatis cauſa non eſt paruitas cordis.de ana.viuo. Sp.53.A

TIMIDI *qui dicantur.de vict.rat.in mor.acu.com.2°.* 7ª.119.D

Timidus dicitur ſine corde. 3°.de decre.Hip. 1ª.243.F

Timidum,& puſillanimẽ ſine corde eſſe dicunt. 3°.de loc.aff. 4ª.16.E

Timidum propter quid ſit animal.de ana. viuo. Sp.56.E

Timidum non eſt cor paruum.de ana.viu. Sp.46.G

Timida animalia ſunt lepores,& cerui.de ana.viu. Sp.46.G

Timidi cum ſint lepus, & ceruus magnum cor habent ſecundum menſuralem ſibi proportionem.de ana.viuo. Sp.53.A

Timidi habent iecur magnum,& multifidũ.6°.de ana.adm. 1ª.92.D

Timidum aliquod animal non armauit natura.1°.de vſu par. 1ª.113.C

Timida aĩalia hñt vngues latos molles,et obtuſos.11°.d v.p. 1ª.187.g

Timida animalia non habent vngulam, neque cornua,ſed vngulas ſciſſas ſolum. 3°.de vſu par. 1ª.128.B

Timidis velocitas conuenit.1°.de vſu par. 1ª.113.C

Timida animalia ſunt eò quod habent frigidum ſanguinem, & aquoſum.de vtil.reſp. Sp.64.E

Timidi & boni ſenſus ſunt homines liquidioris ſanguinis, quia molles carne.de util.reſp. Sp.64.G

Timidis,et ſtultis ſolum illa dicenda,quibus meliori animo futuri ſint. in 6m.de morb.vul.com.2°. 3ª.168.F

Timidis ægris qũo prædicẽda ſanitas.i 6m.de mor.vu.cõ.2°. 3ª.168.f

Timidis ualens medicamen.de med.exper. Sp.106.B

TIMOCRATIS *dentifricium.5°.de comp.me.ſe.lo.* 5ª.165.H

TIMOR *animi affectus,& perturbatio eſt.de cogn.cur.* 2ª.50.H

Timoris motus qui.2°.de ſymp.cauſis. 3ª.23.D

Timoris,& verecundiæ differentia.2°.de ſymp.cau. 3ª.23.D

Timor ſubitus & vehemens eſt animi affectus.12°.meth.me. 7ª.77.d

Timorem inducunt tenebræ.3°.de loc.aff. 4ª.19.C

Timorem efficit atræ bilis color, mentem ſimilem tenebris reddens. 3°.de loc.aff. 4ª.19.C

Timor accidit per melancholiam.de ana.viu. Sp.45.F

Timor diuturnus ſignificat melancholiam.2°.de ſymp.cauſ. 3ª.24.C/ *com.6°.aph.23°.* Ex.48.E

Timor nunquàm deſerit melancholicos.3°.de loc.aff. 4ª.19.B

Timor melancholicorum.2°.de ſymp.cau.24.D/ in 6m.de morb.vulg. com.2°. 3ª.172.A

ex Timore attoniti quibus comparantur.com.7°.aph.14°. Ex.54.H

Timor in ardentibus quid ſignificet.in 1m.de morb.vul.c.1°. 3ª.115.a

Timor in febribus ex ſomnis,mali.com.4°.aph.67°. Ex.34.F

Timores ex ſomnis in morbis exitialibus quo modo fiant, & ex quo humore.com.4°.aph.67°. Ex.34.F

Timorem quandoque ſequitur rigor.2°.de ſymp. cau. 3ª.23.D

Timoris ſimilia ſymptomata facit dolor.2°.de ſymp.cau. 3ª.23.E

Timoribus cognatæ ſunt meſtitiæ.in 1m.de morb.vulg.c.1°. 3ª.115.A

Timor quomodo corpus mutet.de incant.adiur.& ſuſp. 7ª.181.G

Timoris color & pulſus qui.2°.de ſymp.cau. 5ª.23.E

Timoris pulſus q.de pul.ad Ty.44.H/2°.de ca.p.91.D/4°. 4ª.99.H

in Timoribus quæ facibus, cur in poſterum non recordamur amplius eorum.2°.de motu muſ. 1ª.315.B

Timor deiicit uirtutem.2°.de ſymp.cau. 3ª.20.D

Timor eneruat tonum virtutis.de trem.palp.conuulſ. 3ª.51.E

Timor facit animi deliquium.2°.de ſymp.cau. 3ª.22.E

ex Timore animi defectus quo modo curet.1°.de ar.cu.ad G. 7ª.99.g

pro Timore,& gaudio excrementorum exitus præter voluntatem.2°. de ſymp.cau. 3ª.23.F

Timor facit aborſum com.5°.aph.45°. Ex.41.G

Timor quandoque interimit.12°.meth.med. 7ª.77.D

ex Timore grani quo modo mori contingat.5°.de lo.aff. 4ª.29.B

ex Timore aliqui mortui.2°.de ſymp.cau. 3ª.23.E

Timores euitandi.ars med. Iſa.58.E

Timoris quæ voluptas oppoſita ſit.12°.met.me. 7ª.77.D

ad Timorem,& cogitationem ſec. Sp.103.C

Timor,lege Pauor.

Τιμωρῆσαι pro ζουβῆσαι de vict.rat.in mor.acu.com.1°. 7ª.113.F

Τιμωρεῖν de vict.rat.in mor.acu.com.1°. 7ª.114.C

Τιμωρούμενος ἑαυτὸν. de artic.com.1°. 7ª.258.H

TINCTORES *vtuntur ſucco nucũ.6°.de comp.med.ſec.loc.* 5ª.167.G

Tinctores qui cognoſcunt ex vrina colores.de cauſ.procatar. 3ª.98.C

TINCTVRA *nulla adeo ineluibiliter imbuitur, vt affectio ad uitioſa dogmata.2°.de diff.reſp.* 3ª.64.B

TINEAS *interficit cedra.7°.de ſimp.med.fac.* 5ª.50.E

Tineas expellit filix.de ſimp.med. Sp.84.D

Tineas expellit nepita.de ſimp.med. Sp.87.H

TINEÆ *velareæ quid aduerſetur.de dyn.* Sp.23.D

ad Tineam ſecre. Sp.97.G

TINGIT *capillos myrta.de ſimp.med.* Sp.87.E

TINNITVS *auriũ cur in phrenitidẽ.in 1m.prorrhet.com.1°.* 4ª.166.B

ad Tinnitus & ſonos repẽte exortos in auribº.de rem.pa.fa. 7ª.162.e

apud Tiſamenum exiſtentis mulieris hiſtoria.in 3m.de morb.vulgar. comm.2°. 3ª.138.H

TITACAZENVM vinum quale. 4°.de ſanit.tuen. 2ª.85.G/1°. *de antid.* 5ª.100.H

Titacazenum uinum in Aſia imbecille.de vinis. Sp.76.D

Titacazenum uinum in Aſia aquoſum.2°.de com.me.ſe.lo. 5ª.133.D

Titacazenum uinum aquoſum in acidam & amaram qualitatem facile permutatur.de vinis. Sp.77.A

Titacazenum uinum auſterum.7°.met.me. 7ª.45.F

Titacazenum uinum ſimile adriano,& ſabino. 5°.de ſan.tu. 2ª.90.H

Titacazenum vinum cito redditur idoneum vt bibatur. de bon.& vitio ſuc. 2ª.38.G/*de vinis.* Sp.76.D

TITANOS *ideſt calx.9°.de ſimp.med.fac.* 5ª.71.B

TITANE *elixa cum fœniculo abſorpta lac generat. de medicinis facile paran.* 7ª.174.F

TITHYMALLVM *quid.de ſimp.med.* Sp.91.E

Tithymallus characias dicitur.8°.de ſimp.medic.fac. 5ª.62.E

Tithymallus paralias ſiue marinus.8°.de ſimp.med fac. 5ª.62.E

Tithymallus myrſinites fœmina dicitur.8°.de ſimp.med.fac. 5ª.62.E

Tithymallus myrſinites ad quid utilis.5°.de comp.me.ſe.lo. 5ª.165.F

Tithymallus cypariſſias.8°.de ſim.med.fac. 5ª.62.E

Tithymallus helioſcopus.8°.de ſimp.me.fa. 5ª.62.E

Tithymalli ſpecies putatur Pityuſa,quoniam lac habet & purgat.5°. de ſimp.med.fac. 5ª.58.G

Tithymallus nõ eſt labyris,tñ habet lac.7°.de ſim.med.fac. 5ª.54.A

Tithymallorum ordo in ualore.8°.de ſim.medic.facult. 5ª.62.E

Tithymallus characia ualentior eſt cæteris tithymallis.8°.de ſimpli. med.fac. 5ª.62.E

Tithymallorum qualitates quales.8°.de ſimp.med.fac. 5ª.62.D

Tithymalli in quarto ordine calidi & aduretes ſunt. 8°.de ſimp.me. facult. 5ª.62.D

Tithymallum eſt quaſi pſilothrum pilos tollit, quaſi cauſticum vrit. de ſimp.med. Sp.91.E

Tithymalli ſuccus pilos tollit.8°.de ſimp.med.fac. 5ª.62.D

Tithymalli uerrucas,quas acrochordonas nominant, & myrmecias & pterygia,ſiue oculorum ungues, & thymos auferunt detergent que pſoras & lichenas.8°.de ſimp.me.fac. 5ª.62.D

Tithymalli radix dolores dentium ſanat.8°.de ſimp.med. 5ª.62.D

Tithymallorum ſuccus qualis.2°.de alim.fac. 2ª.22.F

Tithymallorum liquor tenuium partium eſt, & calidus. 3°.de compo. me.per ge. 5ª.228.E

Tithymalli ſuccus ulcerat linguam.de dyn. Sp.21.E

Tithymalli comæ ſiccæ debiliores ſunt.de dy. Sp.21.E

Tithymalli liqueres ad foramina dentium valent.8°.de ſimpl.med. facult. 5ª.165.A

Tithymalli semen & liquor eius purgat indigestibiles cibos, & lumbricos rotundos. de cath. Sp.95.C
Tithymallum educit pituitam & atram bilem. de dyn. Sp.21.E
Tithymalli infusionis dosis. de dyn. Sp.21.E
Tithymalli virginalis succus antidotum in cephalea. de dyn. Sp.23.C
ex Tithymalli lacte farina. de remed. par. fac. 7ª.164.G
Tithymalli succus pro vulnere neruorum. 3°. de composit. medicam. per gen. 5ª.229.G
Tithymalli ulcerum phagedænica, anthracode, & gangranode iuuat, & fistularum callos eximunt. 8°. de simp. med. fac. 5ª.62.E
Tithymallorum cinis qualis. 8°. de simp. med. fac. 5ª.62.C
ex Tithymallis combustis fit lixiuiũ. 3°. de com. me. per ge. 5ª.228.F
ex Tithymallis qui characias nuncupatur fit præstantissimum lixiuiũ. 3°. de comp. med. per ge. 5ª.228.F
vt Tithymallus peplium habet succum. 8°. de sim. med. fac. 5ª.58.A
vt Tithymallus purgat Peplos. 8°. de simp. med. fa. 5ª.58.A
TITILLATIO *in tactu quid. de ocul.* 7ª.185.H
TITVLVM *libri negligit Galenus. in 1ᵐ. pror. com. 1°.* 4ª.160.G
Titulus libri de differentijs pulsuum. 2°. de diff. pul. 4ª.58.G
Titulus libri Menecratis mirus. 7°. de com. med. per ge. 5ª.268.A
TITVS *Cæsar. 10°. de com. me. sec. loc.* 5ª.209.C
TYTII *Iecur ab aquila erosum dicunt. 3°. de loc aff.* 4ª.16.E
Tytij flagitium apud Homerum. 6°. de decre. Hip. 1ª.267.C

TMOLITES *vinum celebratissimum. de attenuante vic.* 2ª.46.D
Tmolites vinum quale. de atten. vic. 2ª.46.E
Tmolites vinum suluum, & odoratum. 4°. de com. me. se. lo. 5ª.152.B
Tmolites vinum austerum. de bon. & vitio suc. 2ª.38.B
Tmolites vinum rutilum, & dulce. de bon. & vitio suc. 2ª.38.D
Tmolites rutilum dulce non est idoneum biliosis vel natura, vel alia causa. de bon. & vitio suc. 2ª.38.E
Tmolites vinũ est eiusdẽ generis cũ falernò. de bo. et vitio suc. 2ª.38.d
Tmolites vinum simile falerno. 5°. de san. tuen. 2ª.90.H
Tmolites vinum idoneum est senibus, si caput sit valentius. 5°. de sanitate tuenda. 2ª.90.H

TOLERANTIAE *facilitas qd signat. cõ. 4°. aph. 2°.* Ex.27.F
Tolerantia bona notat bene excretum esse. com. 4°. aph. 47°. Ex.33.A
TOLLENS *sursum caput femoris, & vna ad interiora inuertens musculus. de mus. diss.* 1ª.51.B
TOLME *caraus meminit in quadam compositione ad sputum. de medicinis facile paran.* 7ª.177.H
Τομὰ quid significet, & vnde. 3°. de ana. admi. 1ª.74.B
Τομεῖς a Græcis qui dicantur dentes, & quare. introd. Isa.54.G
Τομεῖς dentes vnde dicti. de ossibus. 1ª.41.F
Τομεῖς dentes qui. de ossibus. 1ª.41.F
Τομεῖς dentes quot. de ossibus. 1ª.41.F
TONICVM *officiũ habere debẽt musculi. in prog. cõ. 1°.* 4ª.198.E
Tonicam dictam actionem habet oppositi musculi actio. 2°. de motu musculorum. 1ª.313.C
Tonici motus qui. 1°. de motu mus. 1ª.311.D
TONITRVALIS *aqua melior est procellari. de bon. aq.* Sp.75.G
Tonitrualis aqua cur approbetur ab Hippocrate. in 6ᵐ. de morb. vul. com. 4°. 3ª.184.H
TONITRVA *quid. de hist. philo.* Sp.7.G
Tonitrua duorum sunt modorum. in 6ᵐ. de morb. vulgaribus, commentario 4°. 3ª.184.H
Tonitrua qũo contingant. in 6ᵐ. de morb. vul. com. 4°. 3ª.184.H
Tonitruo solo, & horribili spectaculo viso pregnans infantem eiecit. de theriaca ad Pis. 5ª.94.D
TONOS *vnde dicatur. 1°. de mot. mus.* 1ª.308.H
Tonos quid apud Chrysippum. 4°. de decre. Hip. 1ª.251.A
Toni qui dicantur ab Hippocrate. 1°. de loc. aff. 4ª.7.E
Tonos quid, & quod officium habeat. in 6ᵐ. de mor. vul. c. 1°. 3ª.153.B
Τόνος vnde oriatur. 1°. de motu mus. 1ª.308.H
Toni quo modo accepti. de artic. com. 3°. 7ª.282.A
Tonus hexameter. 1°. meth. med. 7ª.3.C
TONSILÆ *quatuor cur genitæ. intro.* Isa.54.A
ad Tonsillas duo musculi quid agant. 16°. de vsu par. 1ª.216.H
Tonsillæ, paristhmia, & vuæ quid, et quo fiant loco. de tumoribus præter naturam. 3ª.84.H
Tonsillæ quid sint, & quo in loco sint. com. 3°. aph. 26°. Ex.25.D
Tonsillæ os infestant. intro. Isa.59.C
Tonsillas pueri non patiuntur, quia prius moriuntur. commentario 3°. apho. 26°. Ex.25.D
Tonsillæ quibus facile incidunt, exercitatio fieri non debet inclinato capite uel dorso. 5°. de sa. tuen. 2ª.90.A
ad Tonsillarum fluxiones. 7°. de comp. me. se. lo. 5ª.383.G
Tonsillis tumentibus optimum gargarismum caricæ cum hyssopo, & careno decoctæ. de simp. med. Sp.84.C
ad Tonsillarum tumores. de remed. par. fac. 7ª.165.B
in Tonsillarũ phlegmonis quæ conueniant. 7°. de simp. me. fa. 5ª.51.H
Tonsillarum ideſt paristhmiων phlegmonas tollit scarificatio crurũ. de cucur. scar. 6ª.4.B
Tonsillas phlegmone affectas mitigat lac. 9°. de sim. me. fa. 5ª.73.G
ad Tonsillas inflãmatas. 6°. de com. me. s. l. 170.H/171.E/7°. 181.D/C/8°. 191.E/5°. ḋ cõ. m. p. 5ª. 251.C/ḋ re. p. sa. 157.H/165.A/7ª.171.E
ad Tonsillarum abscessus. de rem. par. fac. 7ª.165.B
ad Tonsillarum uitia. de med. fac. par. 7ª.171.H
ad Tonsillas. 6°. de comp. med. sec. lo. 169.C/7°. 5ª.183.A
in Tõsillis et glãdib⁹ q suffocaĩ, quare curatus. 6°. de cõ. m. s. l. 5ª.167.F
Tonsillarum pharmacum. 6°. de com. med. sec. loc. 5ª.173.F
TONSORIS *appellatũ emplastrũ. 9°. de com me. se. lo.* 5ª.200.C
TONSI *oẽs ad cutĩ erãt tpe Antonini. ĩ 6ᵐ. de m. uul. c. 4°.* 3ª.181.G
Tonsos mimos vocabat Lucius. in 6ᵐ. de mor. uul. com. 4°. 3ª.181.G
ad TOPHOSAS concretiones. 8°. de com. me. se. lo. 5ª.206.E
TOPHVS *quid. fin. med. Isa. 49.A/de fract. com. 1°.* 7ª.230.A
Tophos gignens compositio inæqualis. 6°. de san. tuen. 2ª.99.F
Tophi in quibus gignantur. 6°. de san. tuen. 2ª.99.F
Tophi qui nascuntur in aquis quales. in 6ᵐ. de mor. vul. c. 1°. 3ª.155.F
Tophi in uasis ubi aqua calefit. in 6ᵐ. de mor. vulg. com. 1°. 3ª.155.F
Tophus affectus est albi oculorum. introd. Isa.58.D
Tophi in arthriticis generantur. 1°. de alim. fac. 2ª.10.G
Tophi in arthritide ex qua materia fiãt. in 6ᵐ. de m. uul. c. 1°. 3ª.155.F
pro Tophis in articulis medicamentum. 9°. de simp. med. fa. 5ª.74.B
pro Tophis sanandis caseus decoctus in iure cruris suilli salsi valet. 10°. de sim med. fac. 5ª.74.B
Tophi affectus genus. introd. Isa.59.D
Tophus quo modo gignatur in renibus. 1°. de alim fac. 2ª.10.G
Tophos faciunt renes habentes igneum calorẽ. 1°. de alim. fa. 2ª.10.G
Tophos uesicæ. 2°. de com. me. se. lo. 5ª.106.E
ad Tophos dissoluendos. 10°. de com. me. se. lo. 206.F/ 5ª.209.B
TORCVLAR *quid, & cur. 9°. de usu par.* 1ª.173.C
TORDYLI *semen amarum apparet gustantibus. 4°. de simplicium medicamen. facul.* 5ª.26.E
Tordylio vtitur. 5°. de comp me. se. loc. 159.G/9°. 5ª.203.E
TORMINA *vnde fiant. com. 4°. aph. 11°.* Ex.28.D
Tormina alui si fiant mulieri dormienti quæ biberit aquam mulsam; concepit, si non, non concepit. com. 5°. aph. 41°. Ex.41.D
Torminum causæ multæ adducuntur. com. 5°. aph. 41°. Ex.41.D
Tormina facit pituita vitrea. 2°. de diff. feb. 3ª.37.F
Tormina coli a pituita facta. 2°. de diff. feb. 3ª.37.F
Tormina, & vertigines fiũt si qs sanus purgetur. c. 4°. a. 2°. Ex.27.F
Tormina cur fiant post uehementes sanguinis profusiones. de articulis. comm. 3°. 7ª.288.C
Tormina faciunt animi defectus. 1°. de arte cur. ad Glau. 7ª.98.G
Tormina si accidant sine febre notant per inferiora purgationem fieri debere. com. 4°. aph. 20°. Ex.29.C
ad Tormina sine febre. de uict. rat. in mor. acu. com. 4°. 7ª.149.C
ad Tormina sternutatio proficit. de remed. par. fac. 7ª.167.D
Tormina ex uentre flatu distento adiuuat castoreum. 11°. de simp. me. facul. 5ª.80.D
Tormina, & inflatos sanat talus suis. 11°. de sim. me. fa. 5ª.80.E
Tormina uentris sedat Theriaca. de usu ther. ad Pamph. 5ª.98.F
ad Tormina intestinorum ualet theriaca. de ther. ad Pis. 5ª.91.F
ad Tormina uentris. de med. fac. par. 170.B/ 7ª.173.A
Torminibus intestinorum laborantes iuuat antidotus Zopyra. 2°. de antidotis. 5ª.115.B
ad Tormina intestinorũ. 2°. de ant. 5ª.115.H/de rem. p. sa. 7ª.167.D/E
ad Tormina uteri. de remed par. fac. 7ª.169.B
Tormina patientibus succurrit phalangites. 8°. de sim. me. fa. 5ª.63.B
Tormina patientibus exhibetur sisymbriũ. 8°. de sim. me. fac. 5ª.60.G
ad Tormina. 7°. de compo. me. sec. lo. 185.A/8°. 5ª.191.D/ *de remed. par. fac. 167.E/* 7ª.168.A

Tormina, lege

Tormina, lege Dolores.

TORMINOSI *quibus neglectis fiant. de dyna.* Sp.19.H

Torminosis prodest mespilum. de opt.sect. Isa.21.G

ad Torminosos potiones. de remed.par.fac. 7ª 167.F

ad Torminosorum dolores. de remed. par.fac. 7ª.167.H

ad Torminosos. de remed.par.fac. 7ª.167.F

TORPEDINIS *mediæ partes uidentur habere chartilaginem quandam tabidam.* 3°. *de alim.fac.* 2ª.32.E

Torpedo marina quid agat solo tactu. 6°. *de loc.aff.* 4ª.40.A

Torpedinis marinæ contactu fit torpor. 1°. *de symp.cau.* 3ª.16.B

ex Torpedine cur piscatores extorpescant. de util.resp. 1ª.225.D

Torpedo proxime asellos utilis est in calidis, & siccis. 8°. *m.m.* 7ª.51.b

Torpedo ex chartilagineis sola cõuenit epilepticis. de pu.ep. 7ª.180.b

Torpedo sanat capitis dolorem. 11°. *de sim.med.fac.* 5ª.82.F

Torpedinem sedem euersam coercere est proditum. 11°. *de simp.med. facul.* 5ª.82.F

Torpedo habet carnem mollem. 3°. *de alim.fac.* 2ª.32.E

Torpedines præcipue habent partes ad caudam corpulentiores his, quæ sunt in medio. 3°. *de alim.fac.* 2ª.32.E

TORPEDO *caput tenet correptis a morbo ex cerebro. de salubri deita.* 2ª.43.D

TORPENS *& tardus si appareat sobrius, cogitabundus, peruigil & loquax mentem significat læsam. in* 6ᵐ. *de morbis. vulgarib. comment.* 2°. 3ª.168.G

Torpentiũ motus est opus morbi et facultatis simul. 2°. *de sym.* 3ª.19.f

Torpentibus non est medicamentum exhibendum. de victus rat. in mor.acu.com. 4°. 7ª.150.F

TORPESCVNT *sensus per infrigidantia. cõ.* 6°. *apho.* 31°. Ex.49.E

TORPIDAS *animalis partes efficit frigida intemperies.* 3°. *de locis affectis.* 4ª.16.F

Torpidi cur digiti manus ex casu. 3°. *de loc.aff.* 4ª.14.F

TORPOR *quid significet. in* 6ᵐ. *de mor. vul.com.* 2°. 3ª.169.H

Torporem inducere quia sit. 3°. *de cau.pul.* 4ª.98.G

Torpor quid, & quomodo fiat. 1°. *de symp.cau.* 3ª.19.C

Torpor uoluntariæ potentiæ læsio est. 2°. *de symp.cau.* 3ª.19.G

Torpor ex morbo & facultate est symptoma. 2°. *de symp.cau.* 3ª.19.b

Torpor leuis quædam paralysis. 2°. *de symp.cau.* 3ª.19.H

Torporis & paralysis differentia. 1°. *de symp.cau.* 3ª.16.C

Torpor qua causa fiat. 2°. *de symp.cau.* 3ª.19.H

Torporis continens causa quæ. 1°. *de symp.cau.* 3ª.16.B

Torpor a quibus fiat. in 6ᵐ. *de mor. vul.com.* 2°. 3ª.167.G

Torpor a frigore fit 1°. *de sympt.cau.* 3ª.16.B

Torporem facientia sunt frigida potestate. 3°. *de temp.* 1ª.23.F

Torporẽ facit frigº cũ humiditate uel siccitate. 3°. *de sym.ca.* 3ª.29.D

Torpor notat pituitam peccare. com. 4°. *aph.* 2°. Ex.27.F

Torporis quædam causæ. 1°. *de sym.cau.* 3ª.16.B

Torpor mentis fit a calido. com. 5°. *aph.* 16°. Ex.38.H

a Torpore animali stupor etiam. 2°. *de loc.aff.* 4ª.8.D

Torpor ad motus ostendit futuram ægritudinem. ars med. Isa.67.F

Torpor est species doloris. com. 6°. *aph.* 5°. Ex.47.A

cũ Torpore lateris dolor firmatus, malus. in 1ᵐ. *pror.cõ.* 2°. 4ª.174.B

Torpor modicº soluit dolorẽ sensus hebetãdo. cò. 5°. *aph.* 25°. Ex.39.b

Torpor separans. in 1ᵐ. *de mor. vul.com.* 3°. 3ª.117.G

TORQVEM *ex Iaspide uiridi ori uentriculi applicuit Galenus, et profuit.* 9°. *de sim.med.fac.* 5ª.67.D

TORTIONES *fortes inferuntur ob colocynthim. de dyn.* Sp.21.D

Tortiones, et inflationes vẽtris sedat cardamomũ. de sym.me. Sp.82.f

Tortionibus, & inflationibus prodest cyminum. de simp.me. Sp.82.E

Tortionibus prodest erbum. de simp.med. Sp.85.B

ad Tortiones ventris. de remed.par.fac. 7ª.167.F

TORTIO *quid sit. de iis, quæ in med.fi.com.* 3°. 7ª.219.C

Tortio, & dissortio quo modo differant, & quid significent. de ijs, quæ in med.fi.com. 3°. 7ª.219.G

ad TORTVRAM *in facie. secr.* Sp.103.D

Torturæ oris quid ualeat. de cura lap. Sp.112.F/G

ad Torturam odoramentum. secr. Sp.103.D

TOSTA *caro creat carnem non humidam nec laxam. in* 6ᵐ. *de morb. uulg.com.* 2°. 3ª.171.A

TOTVM & uniuersum differunt. de hist.phil. Sp.5.F

Totum & integrum idem. 1°. *meth.med.* 7ª.6.A

Totum, & pars sunt ad aliquid. 1°. *meth.me.* 7ª.6.A

Totius cognitio quæ partes habeat. 4°. *de pul.diff.* 4ª.67.E

Totius principium est dimidiũ adagio dici solet. 9°. *de decr.* 1ª.279.C

Totius principium dimidium esse dicitur. 1°. *de sem.* 1ª.330.D

Totum primo euacuandũ q̃ pars laxetur in plethora. de sect. Isa. 18.D

Totius corporis curationem primo moliendam esse in morbis omnibus est commune præceptum. 3°. *de loc.aff.* 4ª.15.D

Totum purgandum est antequam pars remediis subijciatur. 4°. *meth. medendi.* 7ª.26.F

ante Totum sanari non potest pars. 4°. *meth.med.* 7ª.25.E

TOXICA quæ. de dyn. Sp.18.H

Toxicum bibentibus quid auxiliatur. 2°. *de antid.* 5ª.114.B

TRABECVLA *quid significet. de fract. comment.* 2°. 7ª.237.G

TRABES *quid. de hist.phil.* Sp.7.F

TRACHEA *quæ. de dyn.* Sp.18.H

Trachea arteria & œsophagus ubi sint. de anat.par. Sp.42.H

Trachea arteria facit pellem plenam fistulis, quæ recipiunt aerem solum, & non sanguinem. de util.resp. Sp.64.C

Trachea arteria, lingua, epiglottis sunt necessaria uoci & orationi. de uoce, & anhelitu. Sp.60.H

Tracheæ asperæ annuli nõ sunt rotũdi pp cibũ. 7°. *de vsu pa.* 1ª.158.D

ad Tracheas arterias solus aer ex pharynge penit. 7°. *de v.i.* 1ª.159.f

Tracheæ arteriæ motus videt in animali mortuo. 7°. *de v.p.* 1ª.157.F

TRACHOMATICA *medicamenta detergũt.* 14°. *meth.med.* 7ª.93.F

TRACHVRVS *habet carnem duram.* 3°. *de alim.fac.* 2ª.31.F

Trachurus ægre conficitur, & parit succos crassos, & salsos. 3°. *de alimento facul.* 2ª.31.E

TRACTATIO *iusta quæ. de fract.com.* 1°. 7ª.230.H

TRACTIONVM *duo genera sunt.* 3°. *de nat.fac.* 1ª.307.G

Tractionis ordo a membris. 1°. *de symp.cau.* 3ª.17.H

TRACTORIA *organa quæ. de machin.* 7ª.309.C

Tractoria organa imperfecta sunt. de machin. 7ª.311.E

Tractorij organi motus quo modo fiat. de machi. 7ª.311.E

Tractus, idest συρμάισμοὶ, mediocres purgationes siue per aluum siue p vomitũ fierẽt, a ueteribus uocabantur. de art.c. 4°. 7ª.267.H

TRACTVS *& expulsio per eundem sunt meatum in diuersis temporibus.* 3°. *de nat.fac.* 1ª.205.F

Tractus fit ex periptosi. de ana.ocul. Sp.57.G

Tractus cucurbitularum æneorum quemadmodum etiam vineariũ per ignem fit. de cucur.scar. 6ª.3.E

Tractus cornearum cucurbitularum sit sine igne. de cucu.scar. 6ª.3.E

Tracta ab hirudinibus pars refrigeratur, ideo fouenda est, & recalfacienda. de cucur.scar. 6ª.4.D

Tractus sanguis ab hirudinibus, qñ nimis fluit nõ est frigidis sistẽdus, sed adstringentibus, & emplasticis. de cucur.scar. 6ª.4.D

TRACTVM *ad aperiendum, purgandum, sanandum dolorem, carnẽ mortuam & carbunculum auferendum. de dyn.* Sp.31.F

Tractum ad omnem plagam. de dy. Sp.32.C

TRADVCERE *ubi uolumus materiam ex alijs partibus, in aliam utimur scarificatione. de cucur.scar.* 6ª.3.F

TRAGACANTHA *quid. de simp.med.* Sp.91.D

Tragacantha qualis. 7°. *de comp.med.sec.locos.* 179.A/5ª.184.B/*de ocu.* 7ª.188.H

Tragacanthum uiscosum, & humidum. de ocul. 7ª.189.B

Tragacanthæ liquor acrimoniæ expers. 4°. *de com.med.s.l.* 5ª.151.C

Tragacantha emplastra est. 8°. *de sim.me.sa.* 5ª.62.E

Tragacantha magis stringit quam sarcocolla plus, & lachrymam reprimit. de sim.me. Sp.91.D

Tragacanthum oculis conuenit. de ocul. 7ª.188.G

Tragacanthum ualet contra ungulas, scabies palpebrarum, pruritus, & crassas pustulas. de ocul. 7ª.189.C

Tragacantha exasperata mitigat. 7°. *de com.me.sec.loc.* 5ª.178.F

Tragacantha asperitudines leuigat. 7°. *de com.me.se.lo.* 5ª.182.E

Tragacantha medicamentis admiscenda, quando ulcus est in gula. 4°. *meth.med.* 7ª.29.A

Tragacantha arteriæ asperitates sanat. 7°. *de sim.me.sa.* 5ª.49.F

Tragacantha leniissima est in principijs inflammationum arteriæ. 7°. *de comp.med.sec.loc.* 5ª.177.G

Tragacantha primo debet lacte macerari, quam ponatur in antidoto. 7°. *de com.me.se.lo.* 5ª.179.E

TRAGASIÆ *aquæ quæ, & quales.* 11°. *de simp.med.fac.* 5ª.83.D

TRAGEMATA *quæ uocentur.* 1°. *de alim.fac.* 2ª.15.F

pro Tragematibus cicer elixum uel frixum in cœna sumitur. 1°. *de alimentorum*

mentorum facul. 2°.11.A
de Tragematibus frixa cicera sunt optima ictericis.de cura ic.Sp.111.d
TRAGICI id solum quod dicenti personæ conuenire videtur ornatu orationis adhibito explicare consueuerunt.5°.de decr.1ª.259.D
Tragici nihil probare uolunt.1°.de decr.Hipp. 1ª.259.D
TRAGION solum in creta nascitur.8°.de sim.med.fac. 5ª.62.F
Tragion calidum in tertio ordine.8°.de simp.med.fa. 5ª.62.E
Tragion stipites hærentia corporibus extrahit, & lapides frangit.8°. de simp.med.fac. 5ª.62.E
Tragion mentes mouet.8°.de sim.me.fa. 5ª.62.F
Tragion ad fluxionum affectus conuenit.8°.de simp.me.fa. 5ª.62.F
TRAGOEDIAM agentes cur multis utantur balneis, & cibos lenes, & laxantes edant.7°.de com.me.se.lo. 5ª.177.E
TRAGORICANVM quale.8°.de simp.me.fa.57.E/ 5ª.62.F
Tragoriganus habet uim subtiliandi.com.1°.aph.24°. Ex.10.G
Tragoriganum atram bilem educit.de dyn. Sp.21.C
TRAGI & olyre semen ab aliquibus idem genere putatur.1°.de ali. facul. 2ª.12.H
Tragus ex nobilissima olyra quo modo conficiatur, & quo modo eo plerique utantur.1°.de alim.fac. 2ª.12.H
Tragus est eiusdem naturæ cum alica, & quomodo differant.de bonita te & vitio suc. 2ª.34.G
Tragi semen alicæ simile est.1°.de alim.fac. 2ª.12.G
Tragus fit ex Zea.de vict.rat.in mor.acu.com.1°. 7ª.111.B
Tragi semen minus nutrit quam Zea.1°.de alim.fac. 2ª.12.G
Tragi semen aluum magis mollit quam Zea.1°.de alim.fac. 2ª.12.G
Tragi semen difficile coquitur.1°.de alim.fac. 2ª.12.G
Tragus habet multum aceris.1°.de alim.fac. 2ª.12.G
Tragus cibus est crassus.3°.de alim.fac. 2ª.28.B
Tragus est ex genere euchymorum.2°.de simp.me.fa. 5ª.12.H
Tragus nihil detergit.1°.de alim.fa. 2ª.13.H
Tragi succum non adhibemus oculis.in 6m.de mor.uul.c.5°.3ª.196.d
ex Trago probè cocto sorbitio lenissima in principijs inflammationum arteriæ.7°.de com.me.se.lo. 5ª.177.H
Tragus cibus est cõueniens stomachicis.8°.de com me.se.lo. 5ª.192.B
Tragi succus ualet in dysentericorum deiectionibus, vbi uehementer vrodunt.12°.meth.med. 7ª.74.G
TRAHENDI opus est naturale,non animale.1°.de symp. 3ª.17.H
Trahendi ad se conuenientia vim habent membra.de purg.m. 5ª.87.a
TRAHENTES deorsum maxillam musculi ubi sint. de musculorum dis sectione. 1ª.44.G
Trahentium scapulas ad caput musculorum ortus, & processus. de musc.diss. 1ª.45.A
Trahens musculus ex inferiori, & priori parte totam scapulam deor sum,ac in priora ad se.de musc.diss. 1ª.45.C
Trahentes sursum primas costas fibræ.de mus.diss. 1ª.49.E
Trahentes costam decimam & undecimam fibræ.de mus.dis. 1ª.49.E
Trahens femur in posteriora, & exacte extendens musculus. de musc. dissect. 1ª.50.H
Trahens caput femoris ad exteriorem regionem.de mus.dis. 1ª.51.A
Trahens caput femoris sursum simul & extrorsum musculus. de mu scul.diss. 1ª.51.A
Trahens tibiam ad internas partes musculus.de mus.diss. 1ª.51.F
Trahens oblique leniter sursum magnum digitum musculus. de musc. dissect. 1ª.52.D
Trahentium, & non trahentium constitutiones, & æqualiter, & mi- nus.2°.de motu mus. 1ª.311.E
Trahentia attractrice uirtute præpollẽt.6°.de cõ.me.per g. 5ª.260.H
Trahentium rerum comparatio ad medicamentũ. de cathar. Sp.94.H
Trahens medicamentum quo modo agat.de cathar. Sp.94.D
Trahentia ex alto humiditates cum acrimonia id efficiunt.4°.de com- po.med.per ge. 5ª.235.H
Trahentem facultatem possidet lasserpitij liquor.8°.de simpli.medic, facul. 5ª.60.F
Trahentia digerunt.4°.de com.me.per ge. 5ª.235.H
Trahentia discutiunt.6°.de com.me.per ge. 5ª.250.H
Trahens emplastrum.6°.de com.me.per ge. 5ª.261.D
TRAHI, effringere,emergere, & exilire uerba uetera ad extra mo- tum.de trem.palp.conuulf. 3ª.54.H
Trahis vis uitalis.4°.de præsag.ex pul. 4ª.122.G
Trahit quod est ualentius.3°.de nat.fac. 1ª.306.C
Trahatur quo musculo deorsum nasus.de mus.diss. 1ª.44.F
Trahatur quo musculo sursum labrum superius,quò ad latus, et quò deorsum.de musc.diss. 1ª.44.E
Trahit cor in dilatatione quod repleturum est id, quod ex eo vacuatũ fuit.in tim.Plat. 1ª.290.D
Trahant quo modo carnes ex uentre,& extrinsecus.in 6m.de morbis vul.com.5°. 3ª.194.H
Trahunt etiam carnes aerem.in 6m.de mor.vul.com.5°. 3ª.194.H
Trahunt ad se humores dolentia,& calentia.de ven.aff.dig. 7ª.193.G
Trahit plus calida pars quàm euaporet.de victus ratione in morb. ac. comm.2°. 7ª.116.C
Trahunt succum sibi conuenientem medicamenta quadam facultate.. de the.ad Pis. 5ª.90.G
Trahant quo modo humores medicamenta.de pur.med.fac. 5ª.86.H
Trahunt medicamenta ob familiaritatem.5°.de simp.me.fa. 5ª.37.E
Trahunt acria medicamenta.in 6m.de mor.vul.com.2°. 3ª.166.B
Trahunt discutientia.6°.de comp.me.per ge. 5ª.250.H
Trahunt cauterium,& escharam facientia.13°.meth.med. 7ª.82.D
Trahani quæ vehementius.5°.de simp.med.fac. 5ª.36.E
Trahit genista.8°.de sim.me.fac. 5ª.61.C
Trahere a profundo quæ possint.5°.meth.med. 7ª.37.D
Trahunt a pfundis propolis,sagapenũ,et opopanax.5°.m.m. 7ª.37.d
Trahunt a profundo sine morsu Terebinthina,& euphorbium.5°.met. med. 7ª.37.D
Trahũt a toto corpore rubrificãtia,vt cucurbitula.4°.me.me. 7ª.25.e
Trahunt citra calefactionem cucurbitulæ, et cornua caua.13°.meth. med. 7ª.82.D
Trahant quo modo sanguinem hirudines.de cucur.scar. 6ª.4.D
Trahũt sanguinẽ auidi hirudines,vbi illũ gustarint.de cuc scar.6ª.4.e
ne Trahant amplius hirudines qũo prohibendũ sit.de cuc.scar. 6ª.4.C
Trahit herculeus lapis ferrum ad se.de cathar. Sp.94.H
Trahit electrum fricatum paleas.de cathar. Sp.94.H
Trahit ceruus spiritu suo serpentem de cauernis.de cathar. Sp.94.H
Trahit serpens spiritu suo mures ad se.de cathar. Sp.94.H
TRAIANVS refecit uias Italiæ.8°.met.me. 7ª.58.G
TRALLIANIS a Philippo data antidotus.7°.de compo.medicamen. sec.loc. 5ª.186.B
TRAMIÆ meminit.de med.fac.par. 7ª.175.C
TRANQVILLVM & callidum,lenẽ vocat Hippocrates.in 3m.de mor. uul.comm.3°. 3ª.141.E
TRANSCRIBENTIBVS nulla est lex posita, ideo licet pro arbitrio vnicuique scribere in obscuris.com.7°.aph.64°. Ex.60.C
TRANSEANT in se quæ facile,& quæ difficulter.4°.de simpliciũ me- dic.facul. 5ª.28.D
Transire quæ non possunt per angusta nisi eliquata.in 6m.de morb.uul. comm.2°. 3ª.173.D
Transire medicamenta celeriter facit mel.4°.meth.me. 7ª.29.A
TRANSEERRE ad superficiem quæ in profundo sunt potest cucurbitu la.de cucurb.scar. 6ª.3.F
in TRANSGLVTIENDO quæ tunica œsophagi magis agat.de mot. man.& obsc. Sp.68.E
Trãsglutire,et respirare non fiunt eodem tẽpore.7°.de v.p. 1ª.158.D
Transglutire non possunt supini.5°.de loc.aff. 4ª.32.B
Transglutire si non poterit homo febriẽs, & collum peruertatur sine aliquo tumore,letale.com.4°.aph.35°. Ex.31.E
Transglutiendi difficultas ex frigidæ potu.7°.met.me. 7ª.47.D
TRANSITIVVS motus qui,& unde fin.med. Isa.45.B
TRANSITVS per œsophagum ineuitabile accidens est eleuatio nodi gutturis.de mot.man.& obsc. Sp.70.F
Transitus angustia à quibus fiat.1°.de san.tuen. 2ª.68.C
a TRANSLATITIIS nominibus translationes fieri non possunt.3°.de diff.pul. 4ª.63.D
TRANSLATIONES a nominibus proprijs fieri possunt, non a translatitijs.3°.de diff.pul. 4ª.63.D
per Translationem nomen dictum.com.5°.aph.16°. Ex.38.G
per Translationem Argumenta non conueniunt philosopho,neq; Rhe tori.3°.de decr.Hip. 1ª.249.G
Translatio semper ad meliora fieri debet.ars med. Isa.68.H
ex TRANSMVTABILIBVS & sensu carentibus vel ex sentientibus,& patientibus fiunt corpora.1°.de elem. 1ª.3.G
Transmutatiões multas & oĩmodas faciũt vẽti.de aer.aq.& l.2ª.6.b
Transmutatio corporis fit per motum.com.4°.aph.14°. Ex.28.H
Trãsmutatio in peregrinam qualitatẽ iuxta cruditatẽ peior est, quam si cibus

si cibus non mutatur.8°.de com.me.se.lo. 5ª.194.B
Transmutatio quæ dolorem facit,duplex est. de victus ratione in morbis acutis,comm.2°. 7ª.116.B
TRANSMVTARE *arterias in neruos putauit Praxagoras. 1°.de decretis Hipp.* 1ª.232.C
TRANSPIRABILE *& fluxile debet esse corpus. 8°.methodi medendi.* 7ª.51.F
Transpirabilis excrementi retentio causa simul & symptoma. 11°.methodi medendi. 7ª.71.C
Transpirabilium respiratio quid contrarietur. 11°.meth.med. 7ª.71.D
TRANSPIRANDI *defectus exercitio sarcitur. 2°.de sanitate tuenda.* 7ª.72.H
TRANSPIRATIO *quid. 1°.de san.tuen.* 2ª.67.D
Transpiratio quid sit,& à quo fiat.6°.de loc.aff. 4ª.39.F
Trãspiratio,pspiratio,perflatus sensum latẽs,idẽ. 1°.de sa.tu. 2ª.67.H
Transpiratio in nostro corpore duplex est qualis uapor, & qualis aer siccus.aduer.Lycum. Ex.72.E
Transpiratio fit à corde per arterias.4°.de loc.aff. 4ª.27.E
per Transpirationem insensibilem mittuntur superflua tenuis substantiæ.de atra bile. 1ª.35.B
Transpirationes facit tenuium partiũ substantia. de uictus rat.in mor. acu.com.3°. 7ª.130.B
Transpirationem prouocantia.8°.meth.med. 7ª.58.A
Transpirationem quæ prohibeant.8°.meth.med. 7ª.58.A
Transpirationis prohibitio quibus fiat modis,& curetur. 11°.methodi medendi. 7ª.69.F
Trãspirationis retẽtio symptoma est obstructionis. 11°.me.m. 7ª.70.C
TRANSPIRANT *per cutim exteriorem animalia omnia.de uenæ sec. aduers.Eras.* 6ª.8.H
Transpirat quibus aliquid acre a qbus debẽt abstineri.8°.m.m. 7ª.51.C
Transpirent ægre quæ.8°.met.med. 7ª.58.A
TRRNSPONVNTVR *quæ non possunt auferri.ars me.* If.71.C
TRANSVERSALES *musculi uulgo dicti, qui. 5°.de anatomicis administrationibus.* 1ª.87.D
Transuersales villi retinent.de ana.viuo. Sp.55.H
TRANSVERSARIA *pars organorum.de machin.* 7ª.309.E
Transuersaria quæ sint in organis. de machin. 7ª.309.F
Transuersaria organorum ex robustiori materia fieri debent. de machinamentis. 7ª.309.D
Transuersaria in organis semper immobilia manẽt.de machi. 7ª.310 e
TRANSVERSIO *ventris nascitur conceptis in bilis horis ob siccum rheuma per corpus currens.de sper.* Sp.37.C
TRANSVERSOS, *& latitudinales villos magis habet membrum quod dam,vt stomachus.de ana.viuo.* Sp.56.A
ex Transuersis quibusdam filis, & quibusdam lõgitudinalibus compo nitur pannicus stomachi interior.de ana.viuo. Sp.49.G
Transuersus musculus sedis ipsam claudens.de mus.diss. 1ª.50.E
Transuersi nerui uindicant sibi potestatem anelẽticem idest retentiuã. de comp.memb. Sp.58.H
Transuersum septum cur dictum phrenæ.5°.de loc.aff. 4ª.31.E
ad TRANSVMPTIONEM *oportet esse non solum quod trahit, sed & quod tribuit.de vtil.resp.* 1ª.223.E
TRAVLIZEIN, *idest balbutire est vitium linguæ,non vocis.com.6°. aph.32°.* Ex.49.G
in TREMENTIBVS qũo motº est mistus.de tre.palp. 3ª.54.G
Trementibus ex plenitudine utilissimum est castoreum. 11°.de simpl. med.fac. 5ª.80.B
ad Trementes.8°.de comp.med.sec.loc. 5ª.208.B
TREMITVS *ascendentes cur.2°.de symp.cau.* 3ª.20.D
TREMVNT *cur Iuuenes.2°.de symp.cau.* 3ª.20.E
Tremunt cur senes.2°.de symp.cau. 3ª.20.E
Tremunt cur senes sub ponderibus.2°.de symp.cau. 3ª.20.D
Tremunt qui in multorum conspectu loquuntur.2°.de symp. 3ª.20.D
Tremunt formidabilẽ magistratũ adeuntes.2°.de symp.cau. 3ª.20.D
Tremit serpentem uidens.2°.de symp.cau. 3ª.20 D
Tremunt pedes incedentes super apicem pinnaculi aut mõtis excelsi. de mot.man.& obsc. Sp.69.D
TREMOR *quid.de trem.palp.conuulsi.* 3ª.52.C
Tremoris,cõuulsionis,palpitationis,rigoris,horroris, singultus,tussis, ructus,sternutationis,pãdiculationis,oscitationis,Tryssmu idest dẽtium concussionis,genus commune est,motus illegitimus, & quomodo hæc in genere differant.2°.de symp.cau. 3ª.19.E
Tremor uoluntariæ potentiæ læsio est.2°.de symp.cau.19.G/ 3ª.20.C
Tremor non sine uoluntate.de trem.palp.conuulsi. 3ª.53.D
Tremor opus morbi & facultatis simul.2°.de sym.cau. 3ª.19.F
Tremor quo modo sit passio,& symptoma.de symp.diff. 3ª.11.A
Tremorum affectio.in 3ᵐ.de mor.uul.com.1°. 3ª.129.E
Tremor cuius symptoma sit nullus ante Galenum dixit. 1°.de sympt. causis. 3ª.19.D
Tremor,& palpitatio quid sint,& quo differãt.de trem.palp. 3ª.51.G
Tremoris,& palpitationis differentia.2°.de sympt.caus. 3ª.20.H/*de trem.palp.conuul.* 3ª.51.G
Tremor,palpitatio,& pulsus motus arteriarum secundum Praxagoram.de trem.palp.conuulsi. 3ª.52.E
Tremor,saltus,spasmus pulsui similia,et eorũ dria. de cõp. Sp.65.B
Tremor,& rigor idem apud Platonem.de trem.palp.conuulsi. 3ª.53.e
cum Tremore motus frigidus est rigor.de trem.palp.cõuulsi. 3ª.52.D
Tremor et cõuulsio differũt toto gẽe.in 3ᵐ.de m.vul.cõ.1°. 3ª.129.D
Tremores,conuulsiones,& cõcussiones musculorum propriæ affectiones sunt. 1°.de diff.resp. 3ª.61.C
Tremores quid faciat.de trem.palp.conuulsi. 3ª.51.E
Tremoris causæ.in 3ᵐ.de mor.vulg.com.1°. 3ª.129.E
Tremoris causæ tres.in 3ᵐ.de mor.vul.com.1°. 3ª.129.F
Tremor semp ex imbecillitate oritur.in 3ᵐ.de m.vul.cõ.1°. 3ª.129.E
Tremor habet causam continentem virtũ imbecillitatem.in 3ᵐ.de mo. vulg.com.1°. 3ª.127.D
Tremoris cã est infirmitas musculorũ.in 3ᵐ.de mo.vul.c.1°. 3ª.127.C
Tremores qũo fiant.2°.de sym.ca. 3ª.20.C/*in 1ᵐ.pror.cõ.1°.* 4ª.164.C
Tremor ex duobus motibus qũo constet.2°.de symp.cau. 3ª.20.B
Tremores fiunt quando materiæ in venis traducuntur ad neruos.com. 6°.aph.26°. Ex.48.F
Tremor non fit a frigore,& a quo fiat.de trem.palp.conuulsi. 3ª.52.G
Tremor,& tetanus,& tabes cur non facti in constitutione frigida, & humida.in 1ᵐ.de mor.vulg.com.2°. 3ª.108.H
Tremor ex aqua frigida.2°.de symp.cau. 3ª.20.E
Tremor in corpore sequitur ad dominium phlegmatis.de a.v.Sp.45.E
Tremorem faciunt crassi,& glutinosi succi.2°.de symp.cau. 3ª.20.E
Tremore capiuntur senes.2°.de temp. 1ª.16.D
Tremorem facit uenus immoderata.in 3ᵐ.de mor.uul.cõ.1°. 3ª.127.C
Tremoris causa in senibus,quæ.de trem.palp.conuulsi. 3ª.51.F
Tremor similis pulsui fornicanti.2°.de sym.cau. 3ª.20.C
Tremor,palmos,saltº,spasmº p quas fiãt particulas.cõp.p. Sp.65.B
de TREMORE *capitis.de remed.par.fac.* 7ª.161.H
Tremor linguæ vnde.in 1ᵐ.prorrh.com.1°. 4ª.166.B
Tremores manuum ac pedum ex defectu.com.7°.aph.9°. Ex.54.E
Tremor manuum.de vict.rat.in mor.acu.com.2°. 7ª.122.F
Tremor a manibus primo die,& febris acuta. in 3ᵐ.de morbis uulg. com.1°. 3ª.122.F
Tremor ob pondus.2°.de symp.cau. 3ª.20.D
Tremoris exemplum in homine onus gerente.de trem.palp. 3ª.51.E
in Tremore quæ passio sæpe accidat.de diff.morb. 3ª.3.F
in Tremore cum absunt dolor,suppuratio,& febris,pars putrescit, vt cogamur qñque solidã pcidere.in 3ᵐ.de morb.uul.com.1°. 3ª.132.d
Tremoris causa in morbo.de trem.palp.conuulsi. 3ª.51.F
Tremor in principio morbi,qui fit ob imbecillitatẽ,ob quæ fiat. in 3ᵐ. de mor.vulg.com.1°. 3ª.127.D
Tremoris causa in resolutionibus.de trem.palp.conuulsi. 3ª.51.F
Tremorem quo modo choleræ habent.de trem.palp conuulsi. 3ª.52.G
TREMOR *quandoq; calidis curatur,& qui.de trem. palp.* 3ª.52.H
Tremor qñque frigidis curatur,et qui.de trem.palp.conuul. 3ª.52.H
Tremor quo alimento curetur.de trem.palp.conuulsi. 3ª.52.H
ad Tremores febrium per interualla inuadentiũ, antidotus Mithridatis Eupatoris Diascinci nominata.2°.de antid. 5ª.115.C
Tremores qui in febribus ardentibus fiunt, delirio soluuntur. com.6°. aph.26°. Ex.48.F
ad Tremores febrium tollendos ualet theriaca.de usu th.ad P. 5ª.98.f
Tremores oleum neq; iuuat neq; lædit.2°.de simp.me.fac. 5ª.15.C
Tremorem habenti secuit uenã Hippocr.de ven.sec.ad Er. 6ª.6.F
Tremorem in febribus auferens medicamẽtũ.de med.expe. Sp.106.B
Tremori membrorum quid ualeat.de cura lap. Sp.112.F
ad Tremorem cordis ualens electarium.de med.exper. Sp.107.A
ad Tremorem cordis linimentum.sec. Sp.100.H
ad Tremorem cordis.secr. Sp.100.G
TREMVLA *& tumida frigida sunt omnia.de trem.palp.* 3ª.52.D

Tremulæ manus unde.in 3^m.de mor.vulg.com.1°. 3ª.127.G
Tremulis oleum calidum ualet.2°.de ſimp.med.fac. 5ª.11.E
ad Tremulos.7°.de cõ.me.per ge.269.H/270.D/5ª.271.A/D/F/G
TRIANGVLARE eſt qualitas.2°.de diff.pulſ. 4ª.58.H
Triangulare foramen habent duo oſſa naſi.de ana.viuo. Sp.49.A
TRIANGVLVS *æquilaterus ex quibus conſtet.8°.de decr.* 1ª.274.F
TRIASANDALI *confectio.de dyna.* Sp.26.E
Triaſandali confert ad dolorem hepatis ex calore ictericorum, colorẽ emẽdat potenter, omnem calorem intraneorum uſitatum extirpat, ſitim intolerabilem temperat.de dyn. Sp.26.E
TRIATETTARA *quid uocent græci.4°.de compoſit.medicamen.per genera.* 5ª.243.G
Τριβὴ *id eſt exercitatio, ars, experientia in quo conſiſtant ſm Platonem.aduer.emp.med.* Iſa.35.E
Τριβὴ *ideſt exercitatio.de ſubf.emp.* Iſa.11.G
Τριβικὴ *ideſt trita experientia quæ.de ſubf.emp.* Iſa.31.E
Τρίβων *quid uocent.de artic.com.1°.* 7ª.255.D
Τριβωνὰ *id eſt exercitatum.de ſubſig.emp.* Iſa.31.G
Tribones qui ſint.de ſubſig.emp. Iſa.33.H
TRIBOLVS *parum eſt frigidus, & multum ſiccus.8°.de ſimpl.med. facult.* 5ª.62.F
Tribulus refrigerat.2°.de comp.me.ſe.lo. 5ª.132.H
Tribuli ſuccus frigidus eſt.6°.de ſa.tuen. 2ª.100.G
Tribulus ad phlegmonarum generationes, & contra omnes influxus congruit.8°.de ſimp.med.fac. 5ª.62.F
Tribulus viridis condenſat.2°.de ſimp.med.fac. 5ª.34.G
Tribulus viridis.9°.meth.med. 7ª.65.A
Tribuli fructus lapides in renibus cõminuit.8°.de ſim.me.fac. 5ª.62.F
Tribuli meminit.4°.de com.me.ſe.lo.157.D/9°. 5ª.200.F
per TRICAM *quid intelligat.in Tim.Plat.* 1ª.288.H
TRICARDVMEAS *ad quid utilis.de rem.par.fac.* 7ª.166.F
TRICHIASIS *quid.ſin.med.* Iſa.48.F
Trichiaſis genus eſt fracturæ capitis ſecundũ nõ nullos.intr. Iſa.59.F
Trichiaſis affectus eſt, qui contrahitur circa genas, angulosq; oculorum.ſin med. Iſa.48.F
Trichiaſis eſt coronæ affectus.introd. Iſa.58.D
Trichiaſis oculorum morbus manu indiget.introd. Iſa.59.G
Trichiaſis tres differentiæ.ſin.med. Iſa.48.F
ad Trichiaſin.4°.de comp.me.ſe.loc. 5ª.158.B
Trichiaſis Antonij muſæ.4°.de comp.me.ſe.lo. 5ª.153.B
non TRICHOMANES *ſed callitrichum appellatur Adiantum.2°.de comp.me.ſec.lo.* 5ª.138.C
Trichomanes eadẽ præſtat quæ adiantum.8°.de ſimp.me.fa. 5ª.62.G
TRICONIZATVS *puluis.de dy.* Sp.32.A
TRICLOSIS *quo modo curetur per chirurgiam. de victus ratione in mor.acu.com.4°.* 7ª.152.F
TRICVSPIS *membrana quæ.6°.de decr.Hip.* 1ª.264.C
TRIENS *valet uncias quatuor 4°.de comp.med.per ge.* 5ª.245.A
Trientis fit mentio.4°.de comp.med.ſec.loc. 5ª.156.F
TRIERARCHAS *Triremium principes græci ueteres uocabãt.ad Thra ſybul.* 2ª.109.E
TRIFOLINVS *collis.1°.de antid.* 5ª.101.B
TRIFOLIVM *quid.de ſimp.med.* Sp.91.G
Trifolij herbæ uires diuerſæ, & quales.de ther.ad Piſ. 5ª.91.H
Trifolium odoratum quale.7°.de ſimp.me.fa. 5ª.55.F
Trifolij acidi meminit & quod uulgo dicitur alleluia & 8°.de comp.me. ſec.loc. 5ª.196.B
Trifolium bituminoſum.de med.fac.par. 7ª.169.G
Trifolij odorati radix fluxiones cohibet, & profluuium muliebre.7°. de ſimp.me.fac. 5ª.54.F
Trifolij odorati ſemen menſes cit.7°.de ſim.med.fa. 5ª.54.F
Trifolij folia uiperæ morſus remediant.de ſimp.med. Sp.91.G
Trifolij radix in antidota mittitur.de ſimp.med. Sp.91.G
Trifolium ad uenenoſorum ſerpentũ morſus facit.de ſim.me. Sp.91.G
TRIGEMINI, *& gemini quomodo fiant, & cur.de biſt.* Sp.10.G
a TRIGESIMO *anno ad trigeſimum quintum declinatio eſt in homine.in progn.com.3°.* 4ª.210.C
Trigeſimus primus dies qualis ſit.1°.de dieb.decr. 4ª.149.C
Trigeſimus quartus qualis ſit.1°.de dieb.decr. 4ª.149.C
Trigeſimus primus, & trigeſimus quartus ſunt dies boni iudicatorij, qui rarò per ſudores iudicant.com.4°.aph.36°. Ex.32.A
Trigeſimi quartani ſudores boni.præſag.exper.conf. Sp.77.G
Trigeſimus ſeptimus qualis ſit.1°.de dieb.decr. 4ª.149.C
TRIGLA *piſcis pelagicus eſt.3°.de alim.fac.* 2ª.30.F
Trigla celebrat tanq; alios piſces ſupet uoluptate.3°.de ali.fa. 2ª.30.ſ
Triglæ caro qualis.3°.de alim.fac. 2ª.30.F
Trigla ſuper omnes nutrit, ſi conficitur.3°.de alim.fac. 2ª.30.F
Triglæ caro cur iniucunda aliquibus.3°.de alim.fac. 2ª.30.F
Triglæ hepar propter voluptatem à guloſis ſummopere expetitur.3°. de alim.facul. 2ª.30.F
Triglæ iecur quomodo coquatur.3°.de alim.fac. 2ª.30.F
Trigla quo inſtinctu comedatur.3°.de alim.fac. 2ª.30.F
Triglæ Iecur non eſt viſum ſuaue Galeno.3°.de alim.fac. 2ª.30.F
Triglæ caput guloſi laudant.3°.de alim.fac. 2ª.30.F
Triglas magnas quidam emerat ingenti pecunia propter iecur, & caput.3°.de alim.fac. 2ª.30.G
Triglæ magnæ peiores ſunt paruis.3°.de alim.fac. 2ª.30.G
Triglæ prauæ ſunt quæ cancellos uorant.3°.de alim.fac. 2ª.30.G
Triglæ, quæ edunt cancellos, quæ cognoſcãtur.3°.de alim.fac. 2ª.30.G
TRIGLIA *ſanat morſum draconis.11°.de ſimp.med.fac.* 5ª.82.G
TRIGONOS *confectio.7°.de com.me ſe.lo.* 5ª.185.B
Trigona medicamenta.12°.meth.med. 7ª.75.C
Trigonus paſtillus.2°.de com.me.ſec.loc. 5ª.136.H
TRIMESTRES *cur abortiant ſine cauſa.5°.de vſu par.* 1ª.211.H
TRIOBOLVS. *de pond.& menſ.* 5ª.275.H
TRYPHERVM *ideſt delicatum.5°.de com.me.ſe.lo.162.A/* 5ª.184.F
Tripherum collyrium ideſt delicatum.4°.de com.me.ſe.lo. 5ª.154.F
Tripherum collyrium.4°.de com.med.ſec.loc. 5ª.154.F
Triphera quædam compoſitio.ſecr. Sp.102.F
Triphera alia compoſitio.ſecre. Sp.102.F
Triphera magna confectio.de dy. Sp.26.D
Triphera magna facit ad dolorem ſtomachi ex frigiditate.ſudorem puocat, phrenitis prodeſt, & mulieribus q̃ ex melancholia de matrice inſomnia patiũtur, ſuauiter ſomnum præſtat, rheumaticis, et qui faciunt uentrem cum ſanguine utiliſſima eſt, aſcaridas, & lũbricos educit, menſtrua prouocat. de dyna. Sp.26.D
TRIPHILENVM *vinum quale.5°.de ſa.tuen.* 2ª.90.H
TRIPHON *archæus.4°.de com.mẽ.per ge.* 5ª.243.H
Tripho, & theon quo modo exercitia nominabat.ad Thra. 2ª.109.E
Tripho uitioſam athletarum artem tractauit.ad Thraſ. 2ª.109.E
TRIPHILLON *hoc eſt trifolium nominant aliqui lotum domeſticam.7°.de ſimp.me.fa.* 5ª.54.H
Triphillon calidum, & humidum eſt.8°.de ſimp.med.fa. 5ª.60.B
Triphyllum calidum, & ſiccum eſt ut bitumen in tertio ordine.8°.de ſimp.med.fac. 5ª.62.F
Triphillum laterum dolores ab obſtructione natos liberat, & vrinas menſeſq; prouocat.8°.de ſimp.med.fac. 5ª.62.F
in TRIREMIBVS *remorũ extremitates ad æqualitatem unam perueniunt, cum tamen ipſi oẽs non ſint æquales.1°.de vſu pa.* 1ª.120.E
Triremium principes trierarchas græci uocabãt.ad Thraſ. 2ª.109.E
TRISPASTVM *quid appelletur.de machin.* 7ª.309.H
Triſpaſtum quod organum ſit appellatum, & cur.de machin. 7ª.316.F
Triſpaſtum quid ſit, & quo modo confectum.de machi. 7ª.316.C
Triſpaſtum Apellidis, ſeu Archimedis.de machin. 7ª.316.C
TRISTANS *quibus curetur.de med.exper.* Sp.104.D
TRISTICHIA *eſt coronæ affectus.introd.* Iſa.58.D
TRISTES *& amari qui fiant.de victus ratione in morbis acutis, comment.2°.* 7ª.122.F
Triſtes natura homines quales.de incant.adiur.& ſuſp. 7ª.181.H
Triſtes efficit cholera nigra.de dy. Sp.19.F
Triſtibus ualens medicamen.de med.exper. Sp.105.H
Triſtis ſenſus, grauis, & dolorificus idem.1°.de ſymp.cau. 3ª.16.H
Triſtia non ſunt ægro dicenda.in 6^m.de mor.uul.com.4°. 3ª.181.A
TRISTITIA *eſt animi affectus. de cogn.cur.anim.mor.* 2ª.53.G
Triſtitiæ motus qui.2°.de ſymp.cau. 3ª.23.E
Triſtitia unde.in progn.com.1°. 4ª.190.E
Triſtitiæ cauſa inſatiabilitas eſt.de cogn.cur.animi mor. 2ª.55.B
Triſtitiæ euitandæ ſunt.ars med. Iſa.58.E
Triſtitia introfert humores.4°.de ſan.tuen. 2ª.86.A
Triſtitia quo modo corpus mutet.de incant.adiur.& ſuſp. 7ª.181.G
Triſtitia refrigerat.4°.de cau.pul. 4ª.99.H
Triſtitia accendit febres.1°.de ſa.tuen. 2ª.65.F
ex Triſtitia quidam febricitant.1°.de diff.feb. 3ª.31.B
ex Triſtitia febris quomodo fiat,1°.de diff.feb. 3ª.31.F

ex Triſtitia ephemera quẽ habeat colorẽ, 1°.de art.cur.ad Gl.7ª.95.C
ex Triſtitia ephemera quomodo cognoſcatur.2°.de criſi. 4ª.138.F
a Triſtitia corpus fit gracile,& aridum.3°.de ſan.tu. 2ª.81.F
Triſtitia vires reſoluit.12°.meth.med. 7ª.77.D
ex Triſtitia tabidi mortui.6°.de comp.med.per gen. 5ª.254.H
in Triſtitia magis inflata,& rotunda ſecundum quos eſſe deberet. de anat.viu. Sp.47.A
Triſtitiæ pulſus qui.de pul.ad Tyron.44.H/4°.de cauſ.pul. 4ª.99.H
Triſtitia efficit pulſum rarum,& tardum.de anat.vi. Sp.47.A
ex Triſtitia & vigilijs & cogitationibus laborantes, vrinam habent croceam et igneam,& extra conſuetudinem cholericam cũ morſu veretri exientem.de dyn. Sp.34.A
Triſtitiæ nec frictionibus multis nec lauationibus indigent.8°.metho. medendi. 7ª.51.E
ex Triſtitia animi defectus qũo cureť.1°.de arte cur.ad Gla. 7ª.99.G
contra Triſtitiam dãtur drachmæ duæ aloes.de med.exper. Sp.106.E
Triſtitiam vultus diſcutit ſtyrax paucus potatus, multus vero ſomnos multũ turbulentos inducit.2°.de comp.med.ſec.loc. 5ª.137.B
Triſtitiam auferens electarium.de med.exper. Sp.107.A
ad Triſtitiam.ſecret. Sp.98.H
TRITAEOPHYES continuarum ſpecies. 2°.de diff.febr.36.F/in 1ᵐ.de mor.vul.com.2°. 3ª.110.C
TRITAPTA quæ.de ſimp.med. Sp.79.G
TRITARII medici errabant.de cauſ.procat. 3ª.95.F
TRITICEI acerui granum ſingulum elementum dicere potes.8°.de de cretis Hipp. 1ª.274.H
Triticeo ſyncomiſto quomodo panis ex laudatiſſima Typha in nutrien do pene par ſit.1°.de alim.fac. 2ª.12.H
Triticeus panis ſyncomiſtus.1°.de alim.facul. 2ª.12.H
Triticei panes magis nutriunt quàm hordacei ex bono hordeo. 1°.de alim.fac. 2ª.11.G
Triticea farina temperata eſt.3°.de ſimp.med.fac. 5ª.19.B
Triticea farina chondrus ſiccior eſt.5°.de ſimp.med.fac. 5ª.34.D
Triticea farina cum lacte decocta præſtat ſuccum craſſum. de bonitate & vitio ſuc. 2ª.35.D
ex Triticea farina,& lacte eduliũ intus obſtruit.1°.de ali.fa.2ª.10.G
ex Triticea farina & muſto placenta eſt craſſi ſucci.de bonit.& vitio ſuccorum. 2ª.35.D
Triticea farina fluxionibus aduerſatur.2°.de arte cur.ad Gl.7ª.101.g
Triticeæ farinæ cataplaſma,quale.5°.de ſimp.med.fac. 5ª.32.C
ex Triticea farina cataplaſma emplaſticam vim habet.5°.de ſimp.medic.fac. 5ª.34.D
Triticea farina adſtringit,& eſt emplaſtica.1°.de ſimp.m.fa. 5ª.8.D
ex Triticea farina aqua & oleo cataplaſma concoquens.2°.de ar.cur. ad Gla. 7ª.105.C
ex Triticea farina cataplaſma quomodo moueat pus.5°.de ſimp.med. facul. 5ª.33.B
Triticea farina plurimũ ſuppurat.2°.de ar.cur.ad Gla. 7ª.105.E/H
Triticea farina cum olco putrefacit.5°.meth.med. 7ª.37.F
ex Triticea farina cataplaſma.5°.de ſimp.med.fac. 5ª.34.B
Triticea polenta miſta hordeacca ad tormina ſine febre.de vic.rat.in mor.acut.com. 7ª.149.D
TRITICVM ſemen eſt frequentiſſimum,& vtiliſſimum.1°.de alim.fa cultatibus. 2ª.9.E/F
Triticum habet æſtiuam,& anniuerſariam generationem.2°.de alim. facult. 2ª.16.D
in Triticum terra facile tranſit.4°.de ſimp.fac. 5ª.28.D
in Tritico frequens ſæpe lolium inuenitur.1°.de alim.fa. 2ª.15.G
ex Tritico lolium generatur.1°.de alim.fac. 2ª.15.G
ex Tritici mutatione melampyron generatur.1°.de alim.fa.2ª.15.H
Triticorum differentiæ.de atten.vic. 2ª.44.F
Triticum hornotinum quod.de artic.com.2°. 7ª.266.F
Triticum hornotinum vnde.de artic.com.2°. 7ª.267.B
Triticum quale.de atten.vict. 2ª.44.F
Triticum flauum.de atten.vict. 2ª.45.A
Tritica flaua optima.1°.de alim.fac. 2ª.9.F
Triticum fuluum.flauum,& rubrum albo calidius.4°.de ſimp.medi. facult. 5ª.31.G
Tritica optima quæ.1°.de alim.fac. 2ª.9.F
Triticum generoſum quale.2°.de arte cur.ad Gla. 7ª.105.E
Tritica grauiora ſunt meliora.1°.de alim.fac. 2ª.9.F
Triticum quo ſit ponderoſum & in mole amplius.1°.de nat.1ª.295.C
Triticum trahit aquam per fictile.1°.de nat.fac. 2ª.295.C
Triticum ſuffurandi modus apud ruſticos.1°.de nat.fac. 1ª.295.B
Triticum præſtantius quod plus farinæ facit,deterius contra.de bon. & vitio ſuc. 2ª.36.G
Triticum debet probari aperiendo.1°.de alim.fac. 2ª.9.F
Tritica peſſima quæ.1°.de alim.fac. 2ª.9.F
Tritici differentia facit panes varios.1°.de alim.fac. 2ª.9.G
Triticum quando reponitur,non mutatur in contrariam naturam. 2°. de alim.fac. 2ª.16.D
Triticum primo qualitate caret, poſtea fit dulce.4°.de ſimpl.medica. facultatibus. 5ª.29.G
Tritici ſapor dulcis eſt.4°.de ſimp.med.fac. 5ª.26.C
Tritica quæ plus nutriunt,& quæ minus.1°.de alim.fac. 2ª.9.E/F
Triticum calidum eſt in primo ordine,temperatum in paſſiuis qualitatibus.8°.de ſimp.med.fac. 5ª.61.H
Triticum calefacit.1°.de alim.fac. 2ª.11.C
ſuper Tritici acerum manus frigida poſita calorem ſentit. 3°.de ſimpli.med.fac. 5ª.22.G
Tritici acerus cedit,ſed non eſt mollis.5°.de ſimp.med.fac. 5ª.32.G
Tritico frigidius & ſiccius eſt amylum.8°.de ſimp.med.fa. 5ª.59.D
ex Tritico fit amylum.1°.de alim.fac. 2ª.11.C
Tritico ſimillima ſunt duo hæc,typha & zeia.1°.de ali.fac. 2ª.12.F
Triticum exile typha dicitur.1°.de alim.fac. 2ª.12.B
Tritici & Typhæ differentia,& ꝙ a nonnullis inter tritica hæc cõnumeretur.1°.de alim.fac. 2ª.13.B
ex Tritico,& zeia crimnon fit.1°.de alim.fac. 2ª.12.F
inter Triticum,& hordeum media eſt zeia.6°.de ſimp.me.f. 5ª.47.H
inter Triticũ,& hordeũ media eſt olyra.8°.de ſimp.me.fa. 5ª.57.C
vt Triticũ,optimũ eſt nutrimentũ chondrus.8°.de ſimp.m.f. 5ª.63.H
Tritico plus nutrit chondrus.1°.de ſimp.med.fac. 5ª.63.H
Triticum bene mundandum.1°.de alim.fac. 2ª.15.H
ex Tritico non bene mundo noxæ quæ fiunt quotidie, denique erumpunt.2°.de alim.fac. 2ª.15.H
Tritico lolium miſcent in penuria piſtores publici.2°.de ali.fa. 2ª.15.H
Triticum eſt viſcoſum nimis.de diff.cont. Sp.73.B
Triticum lenitum,& abſtruens eſt.8°.de ſimp.med.fac. 5ª.59.D
è Tritico liquor quomodo exeat.5°.de comp.med.ſec.loc. 5ª.160.H/ de remed.par.fac. 7ª.157.B
Triticum adſtringebat Herodotum.1°.de ſimp.me.fa. 5ª.8.H
Triticum ab aliquibus ante ꝙ molletur rigatur, ab aliquibus lauatur. de art.com.7°. 7ª.266.F
Tritici ſiligo vẽtrẽ ſtringit,ardorẽ et corruptionẽ.de ſim.m.Sp.90.A
Tritici farina quot indigeat ſi bonũ nutrimentum facere debeat.1°.de alim.fac. 2ª.11.B
Tritici præparatio.de atten.vic. 2ª.44.F
Triticum generat humorem craſſum,& lentũ.1°.de alim.fac.2ª.11.D
ex Tritico bellaria omnia ſine fermento,quoties caſei ẽt aliquid adĳcitur,craſſi valde ſucci ſint.de bon.& vit.ſuc. 2ª.35.D
Triticum facile tranſit in carnem.4°.de ſimp.med.fac. 5ª.28.D
Triticum nerum ab equis ſine noxa non editur.1°.de alim.fac.2ª.13.B
Triticum videtur durum,ſed elixũ eſt molle.de bon.& vi.ſuc.2ª.36.F
Triticum in aqua elixum raro vidit Galenus.1°.de alim.fac.2ª.11.A
Tritico elixo in Aſia veſcuntur.de atten.vict. 2ª.44.F
Triticum elixum nutrit valenter,& calefacit ſi coquatur.1°.de alimen.fac. 2ª.11.C
Tritico elixo non eſt veſcendum.de atten.vict. 2ª.44.F
a Tritico elixo ruſtici offenduntur.1°.de alim.fac. 2ª.11.B
Triticum elixum pondus in ventriculo facit,ac ſi eſſet lutũ non coctũ flatus parit,capitis dolorem inducit,& oculorum caligationes.1°. de alim.fac. 2ª.11.B
ex Tritico polenta.de vic.rat.in mor.acu.com.4°. 7ª.149.C
ex Tritico panis quæ excremẽta faciat in 1ᵐ.prorr.com.3°.4ª.182.G
Tritici paſta optima dr,ſi accuratiſſime ſubacta fuerit.2°.de lo.4ª.12.b
Tritici farina facit pus.5°.de ſimp.med.fac. 5ª.34.B
Tritici panis facit pus.5°.de ſimp.med.fac. 5ª.34.B
Tritici cataplaſmate magis digerit cataplaſma ex pane.8°.de ſimpli. med.fac. 5ª.59.E
non Tritico,ſed pane maſticato ſanantur furunculi puerorum.10°.de ſimp.med.fac. 5ª.75.D
Triticum manſum,non tamen aqua pinſum,furunculos concoquit.3°. de nat.fac. 1ª.304.A
Tritici cliſſilia id eſt ſimila.ſecret. Sp.100.D

Tritici oleum.2°.de comp.med.per gen. 5ª.227.G
TRITVNICALIS, *& quatritunicalis cur videatur arteria. de partib. artis medic,* Sp.16.H
TRITVRA *multa cum crasso liquore facit, vt trita farina lenta appareat.1°.de alim.fac,* 2ª.12.B
TRIXAGO *vrinam mouet.de mel.ex Gal.Ruff.& Pos.* Sp.110.B
TROCHANTHERAE processus qui. de ossibus. 1ª.23.D
Trochantheris magni processum quod musculorum caput attingat. 2°.de anat.adm. 1ª.70.D
TROCHILIA *in instrumentis fractorũ crurium.6°.meth.me.* 7ª.41.H
TROCHISCI *vnde dicantur.5°.de comp.med.per gen.* 5ª.251.B
Trochiscis admiscetur bilis.10°.de simp.med.fac. 5ª.74.F
Trochisci de carabe.de remed.par.fac. 7ª.165.H
Trochisci de corallo.de remed.par.fac. 7ª.165.H
Trochisci ad febrem adustam.secret. Sp.98.G
Trochisci ad febrem tertianam.secret. Sp.98.E
Trochisci ad febrem quartanam.secret. Sp.101.B
Trochisci ad febrem quotidianam.secret. Sp.101.A
Trochisci ad morpheam albam vel nigram.de dyn. Sp.25.F
TROCLEÆ *ad quid in organis.de mach.* 7ª.309.D
TROMATA *quæ sint apud Hippocratem.in 6ᵐ.de mor.vul.commentario 5°.* 3ª.191.C
τρώματα *quæ læsiones sint.in 1ᵐ.pror.com.2°.* 4ª.185.A
τρῶματα, *i.vulnera, vocãt Iones oës læsiones.de art.c.2°.* 7ª.264.D
TROMOS *vnde habeat nomen.2°.meth.med.* 7ª.9.D
τρόπος *quid significet.in 6ᵐ.de mor.vul.com.3°.* 3ª.117.G
τροπος ῥοικοειδὴ *. de artic.com.3°.* 7ª.272.C
TRVNCVS, & radix semper eodem modo se habent.6°.de decr. Hippocratis, 1ª.252.A
Truncus arteriarum omnium est arteria maxima.1°.de decr. 1ª.232.D
TRYBLIa, & coclearia idem.de pond.& mens. 5ª.275.E
Tryblion quantum capiat.de pond.& mens. 5ª.275.E
Tryblion quod pondus sit apud Atticos.de pond.& mens. 5ª.276.B
Tryblion quomodo figuretur.de pond.& mens. 5ª.175.D
Tryblion.de pond.& mens.276.D/F/H/ 5ª.277.E
TRYCNON. *8°.de simp.med.fac.* 5ª.62.G
TRYPHON *Gortyniates,9°.de comp.med.sec.loc.* 5ª.199.B
Tryphonis cephalicum.5°.de comp.med.per gen, 5ª.253.E
TRYSMOS *quid.2°.de symp.causis.* 3ª.19.H
Trysmos sonitus qui.3°.de symp.caus. 3ª.27.G
Trysmu id est dentiũ concussionis, tussis, tremoris, conuulsionis, palpitationis, rigoris, horroris, singultus, ructus, sternutationis, pandiculationis, oscitationis genus commune est motus illegitimus, & quo modo hæc in genere differant.2°.de symp.cau. 3ª.19.E
Trysmos symptoma.2°.de symp.caus. 3ª.21.E
Trysmi quorum sunt symptomata.de symp.diff. 3ª.13.E
τρύξ, *id est vinaceus.2°.de alim.fac.* 2ª.18.D
τρύγα *vinaceorum dilutum vocitant.2°.de alim.fac.* 2ª.18.C
τρύγα, *id est fecem appellant.2°.de alim.fac.* 2ª.18.A/C
in τρυγα *ollas nouas vuis refertas cõdut, et quo.2°.de ali.f.* 2ª.19.A
TVIIPSIVS *semper te pudeat.de cognos.curand. animi morb.* 2ª.52.G
TVBA instrumentum quod appellatum.2°.de ana.adm. 1ª.104.F
Tubam non debet sonare senex.5°.de san.tu. 2ª.89.H
TVBER *terræ.7°.de simp.med.fac,* 5ª.53.E
Tubera terræ qualia sint.8°.de simp.med.fac. 5ª.62.H
Tubera radicibus vel bulbis numeranda.2°.de alim.fac. 2ª.25.B
Tuber cur habet mollem substantiam.1°.de vsu par. 1ª.115.H
Tubera nullam insignem facultatem habent.2°.de alim.fac. 2ª.25.B
Tubera sunt in vsu ad recipienda condimenta.2°.de alim.fac. 2ª.25.B
Tubera dant nutrimentum, nullam habentia insignem qualitatem.2°. de alim.fac. 2ª.25.B
ex Tuberibus alimentum crassum est.2°.de alim.fac. 2ª.25.C
Tuber hẽt succũ leniter crassum nõ mali succi.de bon.& vit.2ª.35.F
Tubera crassi sunt succi.1°.de comp.med.sec.loc. 5ª.128.D
TVBERA *cruda quæ ſm Hippocratem.4°.de loc.aff.* 4ª.24.D
TVBERCVLA *& phymata vnde dicta,& quid proprie sint. in 6ᵐ.de mor.vul.com.1°.* 3ª.157.C
Tuberculi noïe Hippocrates ĩtelligit suppurationẽ.c.7°.a.8°.Ex.54.D
Tuberculi noïe quid proprie intelligendũ sit.cõ.3°.aph.26°. Ex.25.G
Tubercula proprie fiunt vbi sunt adenes.com.3°.aph.26°. Ex.25.G
Tuberculorum aliqua tendunt in acutum, vel in sublime, aliqua extẽduntur & sunt humilia in latum.com.6°.aph 9°. Ex.47.C
Tubercula sublimia fiunt ab humore calido, humida verò a frigido.cõmen.6°.aph.9°. Ex.47.C
Tubercula acuta cur meliora latis.in 6ᵐ.de mor.vul.cõ.1°. 3ª.157.C
Tubercula decliuia meliora.in 6ᵐ.de mor.vul.com.1°. 3ª.157.D
Tubercula non bifida meliora.in 6ᵐ.de mor.vul.com.1°. 3ª.157.D
Tubercula circũ data peiora.in 6ᵐ.de mor.vul.com.1°. 3ª.157.D
Tubercula dura peiora.in 6ᵐ.de mor.vul.com.1°. 3ª.157.D
Tubercula calida & frigida vnde.in 6ᵐ.de mor.vul.cõ.2°. 3ª.164.E
Tubercula sunt acrochordones, & ẽt strumæ.cõ.3°.aph.26°.Ex.25.G
Tubercula in corpore vnde fiant.com.2°.aph.15°. Ex.12.D/F/G
Tubercula faciunt humores crassi & tenues.in 6ᵐ.de morb.vulgari. comment.2°. 3ª.164.F
Tubercula cur generentur in vere.com.3°.aph.20°. Ex.24.B
Tubercula post aures in ardentibus febribus.in 1ᵐ.de morb.vulgar. commen.1°. 3ª.101.G
Tubercula ſm aures.in 1ᵐ.de mor.vulg.com.2°. 3ª.116.E
Tubercula quæ euanescebant obscure, plena erant ſtatu.in 1ᵐ.de morbis vulg.com.1°. 3ª.101.G
Tubercula post aures quæ euanuerũt.in 1ᵐ.de mor.vul.c.1°. 3ª.114.D
Tubercula post aures quæ non suppurabant.in 1ᵐ.de morbis vulgar. commen.1°. 3ª.116.A
Tubercula quæ æqualiter suppurant cur meliora sunt.in 6ᵐ.de morb. vul.com.1°. 3ª.157.D
Tubercula palpebrarum prius exasperanda, deinde medicamentis oblinienda.in 6ᵐ.de mor.vul.com.2°. 3ª.161.A
ad Tubercula oculorum.4°.de comp.med.sec.loc. 5ª.154.E
Tubercula in articulis fiũt in febribus lõgis.c.4°.aph.44°. Ex.32.F
Tubercula his fiũt quibuscunq; febres longæ.cõ.7°.aph.61°. Ex.59.G
Tubercula diutina quibuscunq; ex febre decũbũt y cibo pleniora vtãtur.com.7°.aph.63°. Ex.59.G
Tubercula pessima indicia.in 1ᵐ.prorrh.com.1°. 4ª.161.F
Tuberculi crudi in pulmone indicia.4°.de loc.affect. 4ª.27.F
Tuberculum in pulmonem quẽſpũm faciat.4°.de loc.aff. 4ª.27.A
a Tuberculi intus ruptione, exholutio, vomitio, aut animi dejectio fit. com.7°.aph.8°. Ex.54.D
Tubercula spinæ quomodo differunt per locum & duritiem. commen. 6°.aph.46°. Ex.51.H
ex Tuberculis fit spinæ distortio in anteriorem partem. de fracturis, commen.3°. 7ª.268.F
Tubercula cruda intra spinam faciunt euersionem spinæ. commen.4°. aph.35°. Ex.31.F
Tubercula dura, & concoqui difficilia faciunt gibbum. comment.6°. aph.46°. Ex.51.H
Tubercula præter naturã in spina faciunt difficultatem anhelitus. cõ. 6°.aph.46°. Ex.51.H
Tubercula in fistula vrinaria phibẽt vrinã.cõ.4°.aph.82°. Ex.27.A
Tubercula quibus in vrinario meatu fiunt, his suppuratione facta, & eruptione soluitur morbus.com.7°.aph.57°. Ex.59.B
Tubercula in priapo ad suppurationem ducta soluuntur. commen.4°. aph.82°. Ex.27.A
Tuberculis si affecta sint crura in febribus quando sanguis è naribus profluet.de vic.rat.in mor.acu.com.4°. 7ª.138.C
Tuberculæ oĩa qũo sanant, vult dari exẽplũ vle.c.4°.ap.82°.Ex.27.A
Tuberculæ dura concoquunt ficus aridæ.8°.de simp.med.fa. 5ª.61.E
Tuberculorum vlceratorum medicamenta quæ. in 6ᵐ.de mor.vulga. commen.2°. 3ª.160.H
Tubercula prius scalpenda, & similia antequam medicamenta apponantur.in 6ᵐ.de morb.vul.com.2°. 3ª.161.A
Tuberculi quæ partes sint in brachio.de fract.com.1°. 7ª.226.E
TVBICINES *indigent vehementi inspiratione. 2°.de mo.m.* 1ª.316.C
TVCETA faciebant.de frac.com.3°. 7ª.245.H
ad TVENDVM est os cranij.de anat.viu. Sp.55.C
TVLLII Colica.9°.de comp.med.sec.loc. 5ª.202.A
TVMEFACTIO quid ſm methodicos.de opt.sect. Isa.26.F
TVMENTES *gingiuas impositum lentiscum emendat, & sanat. de simpli.med.* Sp.86.B
ad Tumentes fauces remedium.de dyn. Sp.25.E
ad Tumentes articulos.7°.de comp.med.per gen. 5ª.268.F
Tumentem aqua inter cutem carnem exsiccant arenæ fluuiales, et marinæ.9°.de simp.med.fac. 5ª.67.G
Tumentibus tumore frigido danda phlegmagoga.de dyn. Sp.21.C

Tumentia reprimunt anagyri folia.6°.de simp.med.fac. 5ª.42.H
TVMESCAT *prius,& rubescat pars cui apponenda cucurbitula sit. de cucurb.scarif.* 6ª.3.C
TVMIDVM *& aquosum corpus quomodo durius reddatur. in 6m.de morb.vul.com.2°.* 3ª.161.A
Tumidis gingiuis prodest succus centaureæ.de virt.cent. Sp.93.D
ad Tumidas maxillas remedium.de dyn. Sp.25.E
Tumidi ex hæmorrhoidarum nimia purgatione luto ægyptio sanati.9°. de simpl.med.fac. 5ª.65.F
TVMOR, *& ὄγκος quid sit.de tum.præter nat.* 7ª.82.F
Tumor corporis quid.de mult. 3ª.80.G
Tumor quid sm Chrysippum.4°.de decre.Hipp. 1ª.248.E
Tumorem omnem præter naturam significat œdema apud Hippocratem.in 6m.de mor.vul.com.1°.152.H/com.2°.3ª.172.B/com.5°. aphor.65°. Ex.44.H
Tumor,inflatio idem erant apud antiquos.com.4°.aph.34°. Ex.31.C
ex Tumore omni œdema.in 6m.de mor.vul.com.1°. 3ª.158.A
Tumores præter naturam quo nomine in Asia vocentur.de victus ratio.in mor.acut.com.4°. 7ª.137.E
Tumor est inæqualis intemperies in parte cum fluxione.de inæq.intem per.43.B/ 3ª.44.H
Tumores cur ægritudines compositæ.de diff.morb. 3ª.5.F
Tumor est in secunda morborum differentia.de dif.mor. 3ª.3.D
Tumor quando est morbus.de diff.mor. 3ª.5.F
Tumor quando accidens est,& non morbus.de diff.mor. 3ª.5.F
de Tumoribus intentio est in libro tertiodecimo methodi meden. 13°. meth.med. 7ª.80.D
*de Tumoribus præter naturam,libri intētio.de tum.præt.na.*3ª.82.G
Tumorum differentia triplex.com.4°.aph.34°. Ex.31.C
Tumor quadruplex.de ocul. 7ª.186.G
Tumorum aliqui tendūt in acutū,vel in sublime,aliqui extendūtur,et sunt humiles,in latum.com.6°.aph.9°. Ex.47.C
Tumorum varietas vnde nascatur.13°.meth.med. 7ª.80.G
Tumor cur fiat,& quomodo.de tum.præter nat. 3ª.82.G
Tumoris causa in vijs.3°.de symp.causis. 3ª.26.B
Tumores facit plenitudo quò ad vasa.de cur.ra.per san.mis. 6ª.18.A
a Tumore vel dolore infestetur particula affecta; tertio loco considerandum.2°.de loc.aff. 4ª.13.C
Tumores fiunt natura transmittente ad partes ignobiles materiam inutilem.de caus.morb. 3ª.8.C
Tumor in qbus afficit in corpore.de ijs,quæ in med.fi.com.2°.7ª.212.D
Tumor dicitur generari ex omnibus humoribus præter naturam.com. 5°.aph.66°. Ex.45.B
in Tumoribus humor vnus raro purus.de diff.mor. 3ª.5.F
Tumores quos facit sanguis sm suam diuersitatem.de ocul. 7ª.189.E
Tumores quos generat phlegma.de ocul. 7ª.189.E
Tumores quos generat melancholia.de ocul. 7ª.189.E
Tumor aquosus.de ocul. 7ª.189.E
Tumor frigidus quomodo cognoscatur.7°.de simp.med.fa. 5ª.52.D
Tumorem quæ vent osit.as generet.de ocul. 7ª.189.E
in Tumoribus apparet elemētū aereum in hoie.5°.de decr. 1ª.275.E
*Tumorē ex spiritu quidā secuere.de vic.rat.ī mor.acu.c.4°.*7ª.136.C
Tumores flatuosi quando magis.13°.meth.med. 7ª.80.G
Tumor indolēs,ac laxus œdema græce dr.3°.de symp.caus. 3ª.26.C
Tumor laxus quomodo fiat.de cur.rat.per sang.miss. 6ª.18.A
Tumor rubeus significat sanguinem.14°.meth.med. 7ª.89.D
Tumor pallidus significat bilem.14°.meth.med. 7ª.89.D
Tumor flauus significat bilem.14°.meth.med. 7ª.89.D
*Tumor subalbidus laxus significat pituitam.14°.meth.med.*7ª.89.D
Tumor laxus a pituita.de diff.morb. 3ª.5.F
Tumor laxus œdema apud recētes dr.in 6m.de mor.vul.c.2°.3ª.172.c
Tumores a pituita proueniunt.8°.de decre.Hip. 1ª.275.F
Tumores veluti inflati significant pituitam.com.6°.aph.2°.Ex.27.F
Tumor durus σκίρρωσις dicitur.com.6°.aph.42°. Ex.51.A
Tumores scirrhosi qui.14°.meth.med. 7ª.88.E
ex Tumoribus perfrigeratis fit scyrrhus.de tum.præt.nat. 3ª.74.C
Tumor durus,a græcis schyrron dictus,durum pulsum facit.1°.de diffe.febrium. 3ª.34.B
Tumores duri sunt morbus euidens.de diff.morb. 3ª.3.D
Tumoris quod genus Cyrtoma.in progn.com.2°. 4ª.200.A
ad TVMORES *ficosos capitis,& mentis.5°.de comp.medic.secundum locos.* 5ª.162.C
Tumores præter naturam raro incidunt capitis grauedinem habētes. in 6m.de mor.vul.com.2°. 3ª.168.D
Tumor cōiunctiuæ morbus.de ocul. 7ª.186.F
Tumores palpebrarum quid faciant.1°.de symp.cau. 3ª.15.E
Tumoribus oculorum prodest lenticula.de simp.med. Sp.86.B
Tumores oculorum myrta compescit.de simp.med. Sp.87.E
Tumorem oculorum sertula sedat.de simp.med. Sp.90.H
Tumoris oculorū caliginis & sanguinis præsidiū.de dyn. Sp.24.G
*ad Tumores circa oculos ex plaga.4°.de comp.med.sec.loc.*5ª.157.H
*Tumores iuxta aures quando fiebant.in 1m.de mor.vul.cō.1°.*3ª.111.D
Tumores post aures quādo boni,& qñ non boni.1°.de crisi. 4ª.128.B
Tumores post aures quando apparent in principio,nunquā per crisim discernunt.1°.de crisi. 4ª.128.E
Tumores præter naturam post aures sunt eparmata.in 6m.de mor.vulgar.com.4°. 3ª.179.D
Tumore post aures qui euanescunt faciunt recidiuam.in 6m.de morbis vul.com.4°. 3ª.179.E
Tumores vocem lædunt.4°.de loc.aff. 4ª.26.C
Tumor cum inflammatione in gula vnde.5°.de loc.aff. 4ª.32.C
Tumore non existente in faucibus a febre habito,si strangulatio repente superueniat,letale.com.4°.aph.34°. Ex.31.B
Tumore non existente in faucibus siquis febricitet,& repente stranguletur,letale.com.4°.aph.34°. Ex.31.C
Tumor si fiat in collo ab angina habito bonū.cō.6°.aph.37°. Ex.50.D
Tumor ab angina habito superueniens,bonū.c.7°.aph.49°. Ex.58.A
ad Tumores gutturis.3°.de comp.med.per gen. 5ª.235.C
Tumorem cancrosum in mammilla quomodo sanauit Galenus.com. 6°.aph.47°. Ex.52.C
ad Tumorem vberum.de pass.mul. Sp.96.D
Tumor quādoq; in partibus vicinis iecori,& quomodo cognoscatur. 2°.de loc.aff. 4ª.13.E
Tumori Iecinoris quid proprium.5°.de loc.affect. 4ª.33.F
Tumor dexteræ partis præcordiorum significat iecinoris affectum.1°. de loc.aff. 4ª.6.B
Tumor in sinistra parte præcordiorum significat lienis affectum.1°.de loc.affect. 4ª.6.B
ex Tumoribus præter naturam grauitatem vnde sentiāt hepar, renes & pulmo.2°.de loc.aff. 4ª.9.B
Tumor durus hepatis facit morbū regiū.com.4°.aph.62°. Ex.34.B
Tumor durus facit regium morbū diutinū.cō.4°.aph.62°. Ex.34.B
Tumores duri qūo faciant morbū regium.com.4°.aph.64°. Ex.34.D
*Tumores hepatis,splenis,& coli,q̄ respirationē faciāt.1°.& dif.*3ª.59.C
ad Tumorem hepatis epithema.de dyn. Sp.26.D
Tumoris lienis differentiæ.in 6m.de mor.vul.com.2°. 3ª.168.B
in Tumorem rotūdum lien allatus.in 1m.de mor.vul.com.3°. 3ª.121.B
Tumor viscerum durus,& tensio neruorum pulsum durū in putridis facium.1°.de diff.feb. 3ª.34.C
Tumorem ventris sedat vrtica.de simp.med. Sp.92.A
ad Tumorem ventris.2°.de antid. 5ª.119.A
Tumoribus ventris profundis conuenit peplium.de dyn. Sp.21.A
Tumor aquæ inter cutis,& tenuitas ex tabe præter naturam sunt.de tumor.præter naturam. 3ª.82.G
*Tumor inguinum bubon est ex gñe inflammationū.1°.de diff.*3ª.32.G
in Tumoribus inguinū & in inflammationibus ob duplicem causam sanguis corrumpitur.2°.de diff.feb. 3ª.40.B
ex Tumoribus inguinum febres quomodo differant ab his,quæ ex putredine.1°.de diff.feb. 3ª.32.H
ex Tumoribus inguinum ephemeræ,quæ.1°.de diff.feb. 3ª.32.H
Tumor vteri ingrauidis extendit vsq; ad ilia.c.6°.aph.44°.Ex.51.C
Tumor vteri pōt angustare intestina gracilia.cō.6°.aph.44°.Ex.51.D
Tumor durus præter naturam comprimens vterum quomodo differt a compressione conceptus.com.5°.aph.54°. Ex.42.F
Tumor durus qūo differat a duritie vteri.com.5°.aph.51°. Ex.42.B
Tumor durus vteri potest esse causa paucorum menstruorum.com.5°. aph.57°. Ex.43.A
*Tumorib9 & dolorib9 vulvæ pprie vtile ē butyrū.de sim.m.*Sp.81.D
ad Tumorem matricis.de dyn.29.H/de pass.mul. Sp.95.H
Tumor vesicæ solum potest premere intestinum rectum.commentar. 6°.aph.44°. Ex.51.D
Tumor cōtra naturā facit difficultatē vrinæ.cō.7°.aph.48°.Ex.58.A
Tumores scroti qui.fin.med. Isa.49.C
Tumores testium myrta curat.de simp.med. Sp.87.E

ad Tumores ani exterius prominentes.de med.fac.par. 7ª.177.E
in Tumoribus arthriticis articulorum deficcant cancri vsti.11°de sim pli.med.fac. 5ª.81.G
ad Tumorem inueteratum in genu stercus caprinum valet.10°.de sim pli.med.fac. 5ª.76.E
ad Tumores genuum diuturnos.9°.de simp.med.fac. 5ª.68.A
ad Tumorem genu remedium.de dyn. Sp.30 B
Tumorem in crure & in alijs partibus excitat thapsia.intro. Isa.61.D
Tumorem nihil adeo repente excitat vt thapsia.intro. Isa.6.D
TVMORES in vlceribꝰ si appareãt,& si euanescãt, quas dispõnes faciãt,& in parte anteriori,& posteriori.cõ.5°.aph.65°. Ex.44.H
Tumor si non appareat in vulneribus magnis & prauis,ingens malũ. com.5°.aph.66°. Ex.45.B
Tumores ex deligatione facti lanis succidis in vino et oleo intinctis curantur.de fract.com.3°. 7ª.241.C
Tumor primo curandus in vlcere tumorẽ habẽte.4°.met.me. 7ª.23.F
TVMORVM accidens commune est intendi.2°.de loc.aff. 4ª.10.G
in Tumoribus cedere diuersimode contingit, & quomodo. 2°.de arte cur.ad Glau. 7ª.105.B
Tumorem euanescere quid significet.in progn.com.1°. 4ª.205.F
Tumorem desistere quid significet.in progn.com.1°. 4ª.203.F
in Tumoribus retrocedere quid sit.in progn.com.1°. 4ª.205.F
Tumores non fiunt in morbis bonæ iudicationis.de cau.mor. 3ª.8.C
Tumorum morbi cur augentur.de cauf.morb. 3ª.8.E
Tumores molles sunt optimi.com.5°.aph.67°. Ex.45.C
Tumores renitentes,id est duros esse impossibile est bene concoquente membri natura.com.5°.aph.67°. Ex.45.C
Tumores duri figuram euariant.de cau.morb. 3ª.9.A
Tumores duri extẽsionẽ neruorũ faciũt.com.4°.aph.49°. Ex.33.C
Tumores duri sunt praui,quos dicit Hippocrates crudos. commen.5°. aph.67°. Ex.45.C
Tumores ex ictu nati difficile solubiles quomodo curentur.11°.de sim pli.med.fac. 5ª.81.G
Tumor magnꝰ si suppureẽ vniuersim,moriunt.c.6°.ap.27°. Ex.48.H
de Tumoribus suppuratis.2°.de arte cur.ad Gla. 7ª.105.F
Tumor durus potest adeo obturare partes,vt nihil ad ipsas possit trã sire.com.6°.aph.44°. Ex.51.G
ex Tumoribus,& meatibus similaria cõstructa esse volẽtes, falsa supponunt.de cauf.morb. 3ª.9.B
Tumore duro siquis doloris sensu carente,per triennium,aut quatrien niũ laborauerit,nunq̃ sanabit.de cuiusq; aĩ pec.no.atq; me.2ª.57.f
TVMORES quomodo curentur.in progn.com.1°. 4ª.196.B
Tumores quibus curentur.7°.de comp.med.sec.loc. 5ª.186.D
Tumor ex spiritu flatuoso qũo cureẽ.2°.de arte cur.ad Gla. 7ª.104.F
in Tumoribus indicationes quatuor.2°.de arte cur.ad Gla. 7ª.102.E
Tumores omnes indicant de euacuatione.14°.meth.med. 7ª.87.H
Tumorum prima indicatio est euacuatio.14°.meth.med. 7ª.88.A
in Tumoribus duplex vacuatio.14°.meth.med. 7ª.87.D
Tumores cur non sint fortiter adstringendi.1°.de comp.medicam.per genera. 5ª.212.D
in Tumoris resolutione quæ addenda.2°.de arte cur.ad Gla. 7ª.105.E
Tumor quando resoluitur ne aliquid duri remaneat, quid agendum, 2°.de arte cur.ad Gla. 7ª.105.E
Tumoribus inueteratis,& scirrhi in morem induratis aptissimus est Adeps leonis.11°.de simp.med.fac. 5ª.79.B
Tumori omni prodest Auena.de simp.med. Sp.81.A
quos Tumores sanet Butyrum.10°.de simp.med.fac. 5ª.74.C
Tumores duros digerit capparis radicis cortex.7°.de sim.m.f. 5ª.29.H
ad Tumorem corporis præter solitũ Elleborus est dandus.de vict.rat. in morb.acu.com.4°. 7ª.144.G
Tumorem efficacissime lenit fimus omnis.de simp.med. Sp.84.E
Tumores & vulnera delicate mũdat caninus fimꝰ.de sim.m. Sp.84.E
Tumori omni prodest fœnum græcum.de simp.med. Sp.84.G
Tumores & durities soluit Git.de simp.med. Sp.84.F
Tumorem omnem placant radices Glycyrrhizæ.de simp.me. Sp.84.G
Tumores discutiunt Grossi cocti.8°.de simp.med.fac. 5ª.57.B
Tumores induratos digerit Hydropiper.8°.de simp.med.fa. 5ª.62.H
Tumori duro & laxo Lac nocet.com.5°.aph.64°. Ex.44.F
Tumores mollit,& relaxat Medulla omnis.de simp.me. Sp.87.D
Tumores omnes duros & crudos concoquunt Pices.8°.de simp.med. facultatibus. 5ª.57.E
Tumores præter naturam per halitum digerunt Sordes palestritarum cum sudore.10°.de simp.med.fac. 5ª.71.G
ad Tumores scyrrhosos oẽs Stercus bubulũ.10°.de sim.m.fa. 5ª.76.G
contra Tumores duros, & inflammationes in melancholicis. de mel. ex Gal.Ruf.& Poss. Sp.110.E
ad Tumores omnes exteriores remedium.de dyn. Sp.30.E
ad Tumores pter naturã in molli corpore.1°.de cõp.me.p ge. 5ª.214.B
pro Tumore suppurato medicamentum ex fermento,& ostreis.2°.de ar.cur.ad Gla. 7ª.105.G
ad Tumores dissolutos.6°.de comp.med.per ge. 5ª.262.A
Tumorem omnem reprimens.6°.de comp.med.per ge. 5ª.263.A
ad Tumores.4°.de comp.med.sec.loc. 5ª.154.A
Tumores qui scarificandi.14°.meth.med. 7ª.90.G
TVNICA, & mẽbrana idẽ sunt apud Galenũ.4°.de vsu p. 1ª.137.H
in Tunicis apud aliquos nominũ differẽtia quæ.4°.de vsu p. 1ª.137.H
Tunicæ dicuntur vasorum corpora.6°.de anat.adm. 1ª.92.H
Tunicæ quæ sint.6°.de ana.adm.1ª.94.B/7°.de compo.medi.secũdum locos. 5ª.177.B
Tunicæ partes similares.1°.meth.med. 7ª.6.D
Tunicæ numerant inter primas partes q̃ formant. 2°.de tẽp. 1ª.16.A
Tunica ex mẽstruo matris sanguine est gnata.1°.de nat.fac. 1ª.291.G
penes Tunicas membrorum diuersitas.de anat.viu. Sp.56.A
Tunicam vnam habentia instrumẽta, habẽt vtrunq; genus fibrarum rectarum,& transuersarum.3°.de nat.fac. 1ª.305.E
Tunicas duas habentia instrumenta, habent tertium fibrarum genus. 3°.de nat.fac. 1ª.305.E
Tunicæ sunt elementa instrumentorum ex tunicis geminis constãtium, & dissimilibus simplicibus tamen.1°.de nat.fa. 1ª.291.G
Tunicæ vasorum trahunt sanguinem maxime sibi proprium. 3°.de natur.facul. 1ª.307.G
in Tunicis vis alteratrix est.1°.de nat.fac. 1ª.291.G
Tunicæ in multis instrumẽtis nõnullæ quidem tenuitate, omnes autem simul figura sunt similes araneis.5°.de vsu par. 1ª.145.H
Tunicarum crassities non est pro dignitate instrumenti,sed pro vsu cuiusq;.5°.de vsu par. 1ª.145.H
cur Tunicæ plures in membro aliquo.de anat.viu. Sp.45.C
Tunicæ sentiũt solũ,et nõ hũt motũ volũtariũ.16°.de vsu p. 1ª.214.H
Tunicæ molles faciliores sunt ad motum.de vsu pul. 1ª.229.F
Tunicæ duræ celerius reuertuntur q̃ molles cum amotæ permittuntur rursus ad statum proprium redire.de vsu pul. 1ª.229.F
Tunicæ neruosorum vasorum quot.de anat.viu. Sp.44.H
Tunicas duas hãt arteriæ,stomachus,& intestina.de ana. Sp.56.A
Tunicas duas cur habeant arteriæ.de ana.viu. Sp.46.F
Tunicas plures cur habeant arteriæ.de ana.viu. Sp.45.A
Tunicæ arteriæ ex quibus fibris sint.3°.de nat.fac. 1ª.305.F
Tunicæ arteriæ differentiæ quæ.1°.de cauf.pulf. 4ª.87.B
in Tunica venæ sunt fibræ multæ.10°.meth.med. 7ª.68.A
in Tunicis cerebrorum grandinis glacialis, & humorum suorum iuuamentum.de ana.viu. Sp.44.C
Tunicas quatuor habet oculus.de anat.ocul. Sp.57.B
Tunicæ oculorum quot.de nat.& ord.cuiusl.corp. Sp.41.H
Tunicæ oculorum sunt septem.de comp.memb. Sp.58.D
Tunica circumocularis quæ.de anat.ocul. Sp.57.B
Tunica coniunctiua quæ,& vbi.de anat.viu. Sp.48.F
Tunicæ secundinæ situs,& vsus,& vnde nascantur.de anat.viu.48.D/de anat.ocul. Sp.57.E
Tunica foraminalis quæ.de anat.ocul. Sp.45.C
Tunica vuea vnde sit dicta.de anat.ocul. Sp.57.E
Tunica retiformis quæ sit.de anat.ocul. Sp.57.E
Tunica retiformis vnde.8°.de vsu par. 1ª.167.D
Tunica retina cur dicta sit.de anat.ocul. Sp.57.F
Tunica retina quæ sit, & vnde nascatur.de anat.viu. Sp.48.E
Tunica retina partes habet innumerabiles.de anat.viu. Sp.48.E
Tunica tertia oculi ubi oriatur.de anat.ocul. Sp.57.E
Tunica arachnoides.1°.meth.med. 7ª.6.D
Tunica aranea quæ sit,& vnde nascatur.de anat.uiu. Sp.48.E
Tunica aranei formis quæ.de anat.ocul. Sp.57.F
Tunica quarta oculi quæ.de anat.ocul. Sp.57.F
Tunicam quartã oculi quomodo habeant leones.de ana.ocul. Sp.57.F
Tunica uuea q̃ sit,& unde nascaĩ,& eius color.de anat.uiu. Sp.48.F
Tunica uuea qualis sit.de anat.uiuo. Sp.48.F
Tunica rhagoeides.1°.meth.med. 7ª.6.D
Tunica amphiblistroides.1°.meth.med. 7ª.6.D

Tunica ſclerotica quæ ſit,& vnde oriatur.de ana.viu. Sp.48.F
Tunica cornea cornu aſſimilatur.de anat.viu. Sp.48.E
Tunica cornea vnde naſcatur.de ana.viu. Sp.48.E
Tunica cornea non eſt inſtrumentum.1°.meth.med. 7ª.6.D
*Tunica cornea appellata nõnunq̃ hẽt pfundus vlcus.de dif.mor.3ª.5.H
Tunica corniformis vlcerata,& extenſa quomodo curatur.* 4°.*de cõ po.med ſec.loc.* 5ª.150.C
in qua Tunica fiat heterocrania paſſio.de anat.ocul. Sp.57.C
Tunica quæ recipiat chemoſes.de ana.ocul. Sp.57.C
Tunica in qua fiant pterygia.de ana.ocul. Sp.57.C
in Tunica prima quibus venæ ruptæ faciunt vt res rubræ appareãt. 1°.*de ſympt.cauſ.* 3ª.15.C
*ad Tunicas oculorum indurantes.*4°.*de comp.med.ſec.loc.* 5ª.151.G
Tunicæ narium ſunt frigidæ,& ſiccæ.de compag.memb. Sp.38.D
*Tunicæ q̃ ſubnata eſt ex partibus gulæ, & gutturis interioribus cõio qñ puertiũ collũ cã ẽnõ poſſe deuorare,et qũo.c.*7°.*ap.*59°.*Ex.*59.E
*Tunica tenuis vt aſperæ arteriæ non poteſt habere inflammationẽ quæ ſtrangulet.com.*4°.*aph.*34°. *Ex.*31.D
*Tunica bronchi,arteriæ,& venæ qñq; expuitur.*4°.*de lo.af.*4ª.25.G
Tunica œſophagi q̃ magis agit in tranglutiendo.de mo.mu. Sp.68.F
*Tunicæ duæ ſunt in gula.*5°.*de loc.aff.* 4ª.32.A
*Tunica quæ os,ſtomachũ,& vẽtriculũ iũgit.*7°.*de vſu par.*1ª.157.D
*Tunica viſcoſa craſſa tuſsiendo emiſſa oſtendit ligulam vel epiglotidẽ eſſe affectam.*1°.*de loc.aff.* 4ª.2.D
*Tunicæ membranoſæ fruſtulũ ſi excernatur id vlcus eſſe alicubi oſtendit,verũ in qua ſit particula ex poſitu diſci põt.*1°.*de lo.af.*4ª.6.B
*in Tunica cor ambiente humor eſt.*5°.*de loc.aff.* 4ª.29.D
*in Tunica cordis exiſtẽte Tumore emaciabat ſimia.*5°.*de lo.*4ª.29.D
Tunicas duas habet vena arterialis.de ana.viu. Sp.46.F
*Tunicam vnam,& mollẽ cur habeat arteria venalis.de ana.*Sp.52.H
Tunicam venoſam habens arteria vbi & quorſum tendat,& qualis. 1°.*de decre.Hip.* 1ª.233.C
*Tunica communis ventriculo,Gulæ,linguæ,palato,& toti ori.in prognoſt.com.*3°. 4ª.210.G
Tunicarum in ſtomacho ordinis ratio.de ana.viu. Sp.45.B
*Tunicarum ventriculi inteſtinorum,& vteri ſubſtantiam altera virtꝰ effingit,alia vero compagen,& formam.*1°.*de nat.fac.* 1ª.291.H
*Tunicæ tertiæ ventriculi generatio vnde.*4°.*de vſu par.* 1ª.138.A
*in Tunicis ventris ſi ſint humores,affectio ſit peſſima.*2°.*de compo. med.ſec.loc.* 5ª.133.E
*Tunicæ inteſtinorum duplices ſunt.*12°.*meth.med.* 7ª.79.D
*Tunicæ inteſtinorum tenuium rara tenuique eſſentia conſtant.*6°.*de locis affe.* 4ª.36.H
*Tunica inteſtini eiecta lata, & craſſa,ſignificat dyſenteriam eſſe in magnis inteſtinis.*1°.*de loc.aff.* 4ª.2.D
*Tunicã vnã hñt vterus,ambæ veſicæ,& vena.*3°.*de na.fa.* 1ª.305.E
Tunicæ duæ matricis.de ana.viu. Sp.51.F
*Tunicæ vteri extenſæ prius qũo fœtus eijciãt.*2°.*de ſymp.ca.*3ª.21.E
Tunicam vnam habet veſica.de ana.viu. Sp.56.A
Tunica exterior veſicæ ex quibus conſtet.de ana.viu. Sp.51.D
*in Tunica exteriore veſicæ magis viget attractiua.de an.vi.*Sp.51.D
Tunica interior veſicæ quibus texatur.de ana.viu. Sp.51.D
Tunica veſicæ interior propter quid duplicata.de ana.viu. Sp.51.D
Tunicæ teſticulorum quales.de nat.& ord.cuiusl.corp. Sp.42.B
*Tunica ex quot modis diuidatur.*5°.*meth.med.* 7ª.30.H
*Tunica ſubiecta chartilaginib⁹ facilis ſanatu eſt.*7°.*de vſu p.*1ª.158.C
*Tunicas erodẽtia vlcera quibus curenť.*4°.*de cõp.me.ſe.lo.* 5ª.151.A
*Tunicæ difficillimum eſt vt fiat caro.*1°.*de ſem.* 1ª.332.E
*Tunica ſupra cubitos nõ geſtãda.de ijs,quæ in med.ſi.cõ.*1°.7°.200.H
*TVRBATIO fortis in corpore fit his,quibus vrinæ diſtantes sũt.com.*7°.*aph.*35°. *Ex.*56.F
TVRBIDVS *ſpiritus quid ſignificet.in* 1ᵐ.*pror.com.*2°. 4ª.177.F
TVRBITH *electarium.de med.exper.* Sp.108.C
TVRBO *quid.de hiſt.philoſ.* Sp.7.G
*Turbines ſtant,& mouentur.*9°.*de decr.Hipp.* 1ª.285.H
TVRBAT *fortiter euphorbium frigidos ventres non habentes.de dynamidijs.* Sp.22.B
*Turbantur corpora nauigatione.com.*4°.*aph.*14°. *Ex.*28.G
TVRBVLENTI *qui ſint homines.in* 1ᵐ.*pror.com.*1°. 4ª.162.F
Turbulenti,& leues homines deliri facile fiunt, contrarij difficulter. in 3ᵐ.*de morb.vulg.com.*3°. 3ª.151.G
Turbulenta vrina,& non varia criſim cum dolore aliquo venturam oſtendit.de dyn. Sp.34.B
Turbulẽta vrina,et tardi⁹ reſidẽs in ſynocha maxime ſi ſanitas intra neorũ fuerit,& per multos dies pſeuerauerit et nõ ſe mutauerit, p certo ſcias acutas febres in tertianam cõuerti.de dyn. Sp.34.C
Turbulenta,& crocca vrina cũ nebulis non bonis,aut longinquã ægritudinem,aut mortem futuram dicit.de dyn. Sp.34.C
Turbulenta vrina ſine nebula in ſynocha non bonum ſignificat. de dynamidijs. Sp.34.D
Turbulenta,& alba vrina in ſynocha,& non compoſita, dolorem cũ periculo nunciat.de dyn. Sp.34.E
*Turbulenta foris vrina,et tenuis quid ſignificet.q̃ſi.in Hip.*Sp.113.B
TVRDI *montani edendi.de atten.vict.* 2ª.45.C
*Turdorũ caro duriorẽ cõcoctu carne pdicis,et colũbi.*3°.*d al.f.*2ª.29.C
Turdi neq; craſſi,neq; ſucci ſunt.de bon.& vit.ſuc. 2ª.34.H
*Turdorum caro quibus accommoda.*6°.*de ſan.tuen.* 2ª.99.G
*Turdorum caro ſenibus non aduerſatur.*6°.*de ſan.tu.* 2ª.99.G
*Turdi conueniunt ſtomachicis.*8°.*de comp.med.ſec.loc.* 5ª.192.C
TVRDVS *piſcis inter ſaxatiles numeratur.*3°.*de alim.fac.* 2ª.30.H
Turdi piſces ſunt in ſecundo loco ſuauitatis inter ſaxatiles piſces. 5°. *de alim.fac.* 2ª.30.H
*Turdi piſces ſunt molles carne.*5°.*de alim.fac.* 2ª.30.A
Turdi inter piſces numerantur qui facilius cæteris conficiuntur. 5°.*de alim.fac.* 2ª.30.A
TVRGENTIS *materiæ motus,eſt motus humorum ſuperabundantiũ.* 1°.*de criſi.* 4ª.128.G
Turgente materia natura feſtinat ad excretionem humorum.in 6ᵐ.*de mor.vul.com.*2°. 3ª.167.F
Turgens materia quæ ſit,& cur educenda in principio. 8°.*de compo. med.ſec.loc.* 5ª.191.C
*Turgẽte mã ſi purgamus,debem⁹ ad aluũ ducere.c.*4°.*ap.*1°.*Ex.*27.B
Turgente materia præparatio fieri non poteſt.quos purgare oportet, quibus medic. 5ª.88.H
*Turgẽte materia qũo poſſit fieri cita cõcoctio.c.*1°.*aph.*24°. *Ex.*10.F
Turgẽte materia quæ dari poſſunt.quos purg.opor.quib.med. 5ª.88.H
*nõ Turgẽte materia cur nõ debeam⁹ euacuare.c.*1°.*aph.*22°.*Ex.*10.B
*Turgẽtib⁹ et diſiẽſis locis ĩpoſitũ haſeg cito emollit.de ſim.m.*Sp.85.C
TVRGERE *quid ſignificet, & vnde dicatur. com.*1°.*aph.*22°.10.B/ *com.*1°.*aph.*10°. *Ex.*28.C
*Turgere quid ſit,& vnde ſumptum,& q̃ humores turgentes debeant in principio purgari.com.*4°.*aph.*1°. *Ex.*27.B
TVRGENT *raro humores.com.*1°.*aph.*22°. *Ex.*10.C
Turgere puſtulas qũo cognoſcatur.in 6ᵐ.*de mor.vul.c.*2°. 3ª.164.G
TVRGIDI *humores q̃ intelligantur.quos pur.op.quib.med.* 5ª.88.H
Turgidi humores ſunt paratiſſimi ad exitum,& properant ad euacuationem.in 6ᵐ.*de mor.vul.com.*2°. 3ª.162.B
*Turgidi habitu ſũt q̃ a morbis ĩmodicè ſe ſatiãt.*3°.*de ſymp.ca.*3ª.26.b
Turgidæ partes quando doleant,& quando non.de mult. 3ª.81.B
TVRPILIANI *quod philoſophorum dicitur.*4°.*de comp.medicam.per genera.* 5ª.243.A
TVRPE *eſt in oĩ arte eſtẽta re et nihil efficere.de art.c.*3°.7ª.271.A
TVRPITVDO *quid.*5°.*de decr.Hipp.* 1ª.256.B
*Turpitudo animæ,quæ.*5°.*de decr.Hipp.* 1ª.256.C
TVRRITÆ *paſſeres ſunt aues laudabiles.de renum affectuum dignotione atq; med.* 7ª.195.F
TVRTVRIS *ſanguis ſupra duram membranam, quando caluaria infracta.*9°.*de ſimp.med.fa.* 5ª.72.G
Turturum caro qualis.de attenuante victu. 2ª.45.F
*Turturis caro durior eſt concoctu carne turdorum,et mærularum.*5°. *de alim.fac.* 2ª.29.C
*Turtures neq; craſſi,neq; tenuis ſucci ſunt. de bon.& vit.ſu.*2ª.34.H
Turtures non ſtatim mãdẽdæ cum ſunt mortuæ.de atten.vic. 2ª.45.F
TVRTVR *non mandenda recens mactata, ſed ſaltẽm per vnum diem ſuſpenſa ſit.de atten.vict.* 2ª.45.F
*Turtures non mandendæ homini ocioſe viuenti.de atten.vict.*2ª.45.F
*Turturæ conueniunt ſtomachicis.*8°.*de comp.me.ſec.loc.* 5ª.192.C
TVRTVRIS *marinæ venenum qũo afficiat.*5°.*de loc.aff.* 4ª.19.F
Turturis marinæ morſibus confert centaurea.de virt.cen. Sp.93.H
*Turturi marino aduerſatur ſulphur.*9°.*de ſimp.med.fa.* 5ª.69.C
*TVSCIA vina qualia.*5°.*de ſan.tu.* 2ª.90.H
Tuſca vina nonnulla tenuis ſubſtantiæ.de bon.& vit.ſuc. 2ª.38.G
TVSSICVLA *ſuabaſpera eſt nuntius febris.p̃ſag.exper.cõf.* Sp.77.E
*a Tuſſicula cũ ſputo frequẽti parotides tollunt.in pror.c.*2°.4ª.188.G

ad Tussiculam.de med.facile parandis. 7ª.171.D
TVSSICVLARES *compositiones ex feminibus.9°.de compo.med.secundum loc.* 5ª.200.H
TVSSICVLOSI *cur fiant homines.com.6°.aph.46°.* Ex.51.H
ad Tusiculosas affectiones.7°.de comp.med.sec.loc. 5ª.181.H
TVSSIENDO *quandoque expellitur sanguis a cerebro,& gurgulione. 4°.de loc.aff.* 4ª.25.F
Tussiendo quomodo sanguis eijciatur.4°.de loc.aff. 4ª.25.G
Tussiendo quidã eiecit duas cotylas sanguinis, & quomodo sanatus: de ven.sect.aduer.Eras. 6ª.13.C
inter Tussiẽdũ sanguinẽ frequẽter expuẽtis casus.4°.de lo.af. 4ª.25.F
Tussiendo iecta ephelcis instrumentorum spiritalium vlcerationem ostendit.1°.de loc.affect. 4ª.2.F
TVSSIENTES *sanguinem ex thorace,quales.4°.de loc.af.* 4ª.25.G
Tussientes sine dolore costarum incidunt abscessus quandoque in testes.in 6m.de morb.vul.com.2°. 3ª.162.H
Tusientes si habent testiculum tumefactum est inditium affinitatis cũ pectore & mammis.in 6m.de mor.vul.com.3°. 3ª.178.G
Tussientibus sanguinem ex pulmone adstringentia aduersantur. de cõstitutione artis. Isa.41.F
Tussientibus siccè,non est medicamentum exhibendum.de vict.ra.in morb.acu.com.4°. 7ª.150.F
Tussientibus ob gutturis asperitatem conuenit Buglossum coctum in melicrato.6°.de simp.med.fac. 5ª.45.B
Tussientibus facit centaurea.de simp.med. Sp.82.A
Tusientibus siccè,prodest Diapenidion magnum.de dyna. Sp.26.D
Tusientibus prodest Hyssopum.de simp.med. Sp.92.E
Tusientibus prodest Lentiscus in mulsa calida.de simp.me. Sp.86.B
Tusientibus medicamentum valens.de med.exper. Sp.104.C
Tusientibus prodest Origanum.de simp.med. Sp.88.E
ad Tusientes Pastillus de feminibus.de med.fac.par. 7ª.173.D
ad Tusientes Placentula.7°.de compo.med.sec.loc. 5ª.182.B
Tusientibus prodest Pulegium.de simp.med. Sp.88.H
Tusientibus prodest Ruta.de simp.med. Sp.89.D
Tusientibus datur Scylla.de simp.med. Sp.90.H
Tusientibus prodest Smyrnium.de simp.med. Sp.91.B
Tusientibus,& ægre screantibus datur theriaca Euclidis palatiani. 2°.de antid. 5ª.116.B
ad Tusientes assidue.de remed.fac.par. 7ª.165.E
ad Tusientes.7°.de comp.med.sec.loc.185.D/186.A/187.A/9°.5ª.203.C/de med.fac.par.171.C/ 7ª.173.G
Tusientis pueri casus.in 6m.de mor.vul.com.1°. 3ª.157.G
TVSSILAGO *credita est rumpere thoracis abscessus.6°.de simp.med. facult.* 5ª.45.A
Tusilaginis folia virentia partes cruda phlegmone obsessas illitu extrinsecus adiuuant.6°.de simp.med.fa. 5ª.45.A
Tusilaginis sicca folia phlegmoni non conueniunt.6°.de simp.medic. facultatibus. 5ª.45.A
Tusilago valet in deauriculatione.de arti.com.3°. 7ª.285.E
TVSSIRE *nullum animal docetur.2°.de symp.caus.* 3ª.21.D
Tussire quomodo faciat panis micula.2°.de simp.med.facul. 5ª.13.E
Tussire facit potus.2°.de simp.med.fac. 5ª.13.E
TVSSIS *quid.2°.de symp.cau.* 3ª.21.F
Tussis naturale accidens.5°.de loc.aff. 4ª.31.C
Tussis duplex.2°.de simp.med.fac. 5ª.13.E
Tussis,tremoris,conuulsionis,palpitationis,rigoris,horroris, singultus,ructus,sternutationis,pandiculationis,oscitationis,Trysmu.i. dentium concussionis genus cõmune est motus illegitimus,& quomodo hæc in genere differant.2°.de symp.caus. 3ª.19.E
Tussis motus qualis.2°.de symp.caus. 3ª.21.D
in Tussi qui motus clibani pectoris.de mot.man.& obs. Sp.69.G
Tussis motus non naturalis est.de ijs quæ in med.fi.com.3°. 7ª.222.D
Tussis facultatis opus.2°.de symp.cau. 3ª.19.F
Tussis ex pultricis facultatis validus motus est.2°.de sym.ca. 3ª.23.g
Tussis est motus quo natura intendit aliquid violenter expellere.com. 6°.aph.39°. Ex.50.H
Tussis talis vis in pectore & pulmone, qualis actio expultricis facultatis in ventriculo.2°.de symp.cau. 3ª.21.C
Tusi maiorem vim ſi iritus habet sternutatio.2°.de symp.ca. 3ª.21.F
Tussis symptoma facultatis voluntariæ.2°.de symp.cau. 3ª.21.G
Tussis symptoma clarum.2°.de symp.cau. 3ª.21.F
per Tussim solum expurgatur pulmo.5°.meth.med. 7ª.33.A
Tussim præcedit cerchnos.2°.de symp.caus. 3ª.21.G
Tussim quæ faciant.2°.de symp.cau.21.G/ 3ª.24.A
Tusses vehementes vnde.2°.de symp.caus. 3ª.21.F
Tusses cur.in 6m.de mor.vulg.com.5°. 3ª.189.B
Tussis vnde fiat,& quibus ex causis.in progn.com.2°. 4ª.202.A
Tusses fiunt ex materia descendente a cerebro.c.6°.aph.2°. Ex.46.E
Tussis ostendit temperamentum cerebri.2°.de temp. 1ª.20.E
Tussis fit quandoq; patiente hepate per compassionem partium obseruientium respirationi.com.6°.aph.16°. Ex.47.G
Tussis vehemens quomodo fiat.4°.de loc.aff. 4ª.27.G
Tussis vehemens cur parum expuat,4°.de loc.aff. 4ª.27.G
Tusses a varijs rebus fiunt.in 6m.de mor.vul.com.2°. 3ª.164.H
Tussis propter quid.2°.de simp.med.fac. 5ª.13.D
Tussis quibus excitetur.2°.de simp.med.fac. 5ª.13.D
Tussis quomodo excitetur.4°.meth.med. 7ª.29.A
Tusses excitant,si cibus & potus in arteriã ingrediunt.intr.Isa. 54.C
Tusses faciunt aquæ paludosæ hieme.de diff.cont. Sp.72.E
*Tussibus occupat qui biberit aquam pluuialem.de bon.aquę.Sp.*75.F
Tussis excitabitur quando largius incidunt medicamenta in asperam arteriam.4°.meth.med. 7ª.29.A
Tussim mouẽt mordacia & acria,nõ è contra.2°.de simp.m.f. 5ª.13.B
Tussim prouocans non est mordax.2°.de simp.med.fac. 5ª.13.C
Tussim mouent pinguia.2°.de simp.med.fac. 5ª.13.D
Tussim quomodo faciant mordacia oleosa & pinguia.2°.de simplic. med.fac. 5ª.13.F
Tussis ex intemperie instrumentum.2°.de symp.cau. 3ª.21.H
Tussis ex intẽperie spũalium mẽbrorũ quæ.2°.de symp.cau. 3ª.22.H
Tussis ex intemperie quomodo fiat.2°.de symp.cau. 3ª.21.H
Tussis ex inæquali intemperie spũaliũ cur fiat.2°.de symp.ca. 3ª.21.H
Tussis per quæ instrumenta fiat.2°.de symp.ca. 3ª.21.F
Tussim gignunt faucium asperitates.de diff.morb. 3ª.4.E
Tussim quomodo faciat asperitas arteriæ.2°.de simp.med.fa. 5ª.13.E
Tussim facit sanguis in aspera arteria.7°.de vsu par. 1ª.159.A
Tussim non facit potus,tamen semper tendit ad pulmonem.2°.de simpli.med.facul. 5ª.13.E
Tussim vehemẽtẽ aliqd hũoris qđ cõcitare posset linguã amouẽtes ĩ arteriã cur instillarẽt Cnidij medici,et ĩ quo casu.de opt.sec. Is.21.F
Tusses quomodo faciunt lumbrici.in 3m.de mor.vul.c.2°. 3ª.163.D
Tussis increscit thorace affecto.2°.de loc.aff. 4ª.13.E
Tusses fiunt propter frigus,vt nix,& glacies.c.5°.aph.24°. Ex.39.G
Tusses cur fiant spirante aquilone.com.3°.aph.5°. Ex.20.D
Tusses hyeme cur fiant,& quomodo.com.3°.aph.31°. Ex.26.G
Tusses fiunt tempore hyemis quando æstas præcesserit sicca,& autumnus pluuiosus,& quare.com.3°.aph.13°. Ex.22.A
Tusses cur vere fiant.com.3°.aph.20°. Ex.24.A
Tusses fiunt, si æstas sicca austro perflante, & autumnus pluuiosus sit.de aere,aq.& loc. 2ª.4.C
Tussis nimia adest conceptis in hora phlegmatis.de sper. Sp.37.C
Tussis phlegmatica.secre. Sp.101.F
Tussis cur data animalibus.5°.de loc.aff. 4ª.31.C
per Tussim & sputum purgatur thorax.de cathar. Sp.94.G
per Tussim excutiuntur quæ in thorace, & pulmone continentur. de constit.artis. Isa.41.B
per Tussim educuntur quæ in pectore contenta.ars med. Isa.70.D
Tussis expurgat pectus atq; palatum.com.4°.aph.2°. Ex.27.D
Tussis quomodo expurgetur.de ijs quæ in med.fi.com.3°. 7ª.221.C
Tussis necessario fit si sit ruptio suppurationis in thorace,vel pulmone.com.7°.aph.8°. Ex.54.E
per Tussim educuntur quæ in pulmone contenta.ars med. Isa.70.D
per Tusses expurgatur pulmo a crassis, & glutinosis humoribus. de vict.rat.in mor.acu.com.3°. 7ª.126.A
Tussis ea, quæ in pectore & pulmone continentur, indicat.in 1m.de morbis vul.com.1°. 3ª.112.A
Tussis cõis est pleuritidi & peripneumoniæ.de subst.emp. Isa.32.E
*Tussis cur statim in pleuritide adest.nõ tñ sputa.2°.de crisi.*4ª.137.F
sine Tussi nihil expuitur ex spiritalibus.4°.de loc.aff. 4ª.25.H
absq; Tussi valida humores lenti, & crassi exire non possunt.4°.de locis affectis. 4ª.27.G
Tussi quæ expellantur.2°.de symp.cau. 3ª.21.G
Tussi magis expellit humores arteriæ adherentes sternutatio.2°.de symp.caus. 3ª.21.F
per Tussim cui nõ possunt expelli aquose,et glutinosa.2°.de sympto-

matum

matum cauſis. 3ª.21.F
per Tuſſes cur non exeunt tenues & aquei humores.in 6ᵐ.de morbis vulg.com.2°. 3ª.174.C
in Tuſsi aer iuuat ad emittẽdos hũores.d̃ vi.ra.im.ac.c.3°.7ª.126.A
Tuſſis vehemens calefacit.in 6ᵐ.de mor.vul.com.2°. 3ª.164.F
Tuſſes cur nihil iuuant caput.2°.de ſymp.cau. 3ª.21.F
Tuſſibus vehementibus caput repletur. in 6ᵐ.de mor.vulg.commentario.2°. 3ª.174.C
Tuſſis cauſa fractionis aliquorum receptaculorum.in 6ᵐ.de mor.vul. commen.2°. 3ª.174.C
Tuſsi ex ſpiritalibus partibus ſanguis eijcitur.4°.de loc.aff. 4ª.25.F
per Tuſſim quot modis ſanguis expuatur.4°.de loc.aff. 4ª.27.H
Tuſſis oriæ ex frigore cum ſanguinis ſputo,caſus. 5°.meth.me.7ª.35.E
Tuſſi quidam expuit cruſtam. 5°.meth.med. 7ª.34.F
cum Tuſſi expuuntur partes ex aſpera arteria & pulmone . com.7°. aphor.37°. Ex.56.H
TVSSIS in retentione menſtruorum.ſecret. Sp.99.B
Tuſſim ſignificat eructatio.in 6ᵐ.de mor.vul.com.2°. 3ª.166.D
Tuſſim aliquando ſignificat vrina ſpumoſa ſuperius.de dyn. Sp.35.E
Tuſſes non malignæ,quæ.in 6ᵐ.de mor.vul.com.2°. 3ª.164.E
Tuſſes aridæ in ardentibus febribus ſitim extinguunt. in 6ᵐ.de morb. vul.com.2°. 3ª.164.E
Tuſſis arida quæ.in 6ᵐ.de mor.vul.com.2°. 3ª.163.D
Tuſſes ſiccæ quid,& quomodo fiant.com.4°.aph. 54°. Ex.33.E
Tuſſes aridæ quomodo fiant.in 1ᵐ.de morb.vul.com.1°. 3ª.105.B
Tuſſes ſiccæ ſi fiant in febribus ardentibus, non multa ſiti infeſtantur. com.4°.aph.54°. Ex.33.E
Tuſſim quã faciat ſubtilis diſtillatio.in 1ᵐ.de mor.vul.cõ.1°.3ª.105.B
Tuſſi arida qui infeſtabantur.in 1ᵐ.de mor.vul.com.1°. 3ª.105.B
Tuſſes ferinæ quæ.in 6ᵐ.de morb.vul.com.2°. 3ª.163.D
Tuſſis ſi peruenerit hydropico,malum.com.2°.aph.35°.50.C/com.7°. apho.47°. Ex.57.H
Tuſſe ſi q̃ gibbi fiũt ante pubertatẽ moriunt̃.c.6°.aph.46°. Ex.51.C/H
Tuſſes comitantur ſenes ad mortem.com. 2°.aph.40°. Ex.18.A
Tuſſes quomodo quis poſſit prohibere.8°.de decr.Hipp. 1ª.278.H
ad Tuſſim commoda eſt Apollonij confectio.7°.de compoſ.medicam. ſec.loc. 5ª.183.B
ad Tuſſim Aſclepiadæ.7°.de comp.med.ſec.loc. 5ª.182.H
Tuſſi veteri prodeſt Aſphodelus.de ſimp.med. Sp.81.B
Tuſſes antiquas ſanat antidotus Athanaſia Mithridatis . 2°.de antidotis. 5ª.114.H
Tuſſi veteri prodeſt Cardamomum.de ſimp.med. Sp.82.F
Tuſſibus antiquis proſunt Caricæ.de ſimp.med. Sp.84.C
ad Tuſſim Catapotium.7°.de comp.med.ſec.loc. 5ª.182.E
Tuſſi inueteratæ conuenit Centaurium maius.7°.de ſimp.medicamen. faculta. 5ª.50.F
Tuſſes mitigare vidi ſuccum centaureæ datum in fabæ magnitudine cum aqua.de vir.cent. Sp.94.A
Tuſſi veteri facit Chamedris.de ſimp.med. Sp.82.G
ad Tuſſim Concoctorium.7°.de comp.med.ſec.loc. 5ª.183.A
ad Tuſſim Criſpi liberti.7°.de comp.med.ſec.loc. 5ª.182.H
Tuſſi veteri facit Daucum.de ſimp.med. Sp.83.E
ad Tuſſes chronicas Decoctio.de med.exper. Sp.107.D
ad Tuſſim Eclegma.7°.de cõp.me.ſe.l.5ª.182.H/de rem.p.f.7ª.158.D
Tuſſi maxime prodeſt electarium Diapraſiu.de dyn. Sp.26.F
ad Tuſsim chronicam valet Electariũ Laccæ.de med.exp. Sp.107.A
Tuſſi valens electarium.de med.exper. Sp.107.A
Tuſſientibus prodeſt Helennium.de ſimp.med. Sp.83.H
Tuſsi veteri prodeſt Ladanum.de ſimp.med. Sp.86.D
Tuſſibus antiquis prodeſt Lentiſcus.de ſimp.med. Sp.86.B
Tuſſi prodeſt Marubium.de ſimp.med. Sp.87.D
Tuſſes mitigat Mulſa.de vic.rat.in mor.acu.com.3°. 7ª.127.D
Tuſsis veteris medicamentis indit Myrrha.8°.de ſimp.m.fa.5ª.61.A
Tuſſes incitat Oxymeli,& qũo.de vic.rat.in mor.acu.c.3°.7ª.127.E
ad Tuſſim Pilulæ.de dyn. Sp.26.F
ad Tuſsim pilulæ probatæ.de dyn. Sp.26.C
ad Tuſſim Potio.7°.de comp.med.ſec.loc. 5ª.182.G
ad Tuſſim ex Piperibus duobus.9°.de comp.med.ſec.loc. 5ª.182.E
ad Tuſsim Scriboñ.7°.de comp.med.ſec.loc. 5ª.182.H
Tuſsim quomodo ſedat Spiritus cohibitio in ſpiritualibus,& auget calorem.2°.de ſympto.cauſis. 3ª.21.H
Tuſſis parua cohibetur ſpiritus retentione.2°.de ſymp.cau. 3ª.21.H
Tuſsis violẽta nõ põt cohiberi ſpũs retẽtione. 2°.de ſymp.cau. 3ª.21.H
Tuſſi prodeſt Spondylium.de ſimp.med. Sp.91.A
in Tuſſi vehementi da Stupefacientia. 12°.meth.med. 7ª.75.B
Tuſſibus prodeſt Styrax.8°.de ſimp.med.fac. 5ª.61.E
ad Tuſſim Suffitus.de med.par.fac. 7ª.165.E
Tuſſim tã nouæ q̃ antiquæ auxiliat̃ Theriaca.de vſu the.ad Pã.5ª.98.f
ad Tuſsim veterem optime facit Vella.de ſimp.med. Sp.92.A
ad Tuſſis irritationem.7°.de comp.med.ſec.loc. 5ª.180.A
ad Tuſſim ſiccam.7°.de comp.med.ſec.loc.5ª.182.E/F/ de med.par. fac.158.D/7ª.171.H/ſecre. Sp.97.C
ad Tuſſes ſumendas.7°.de comp.med.ſe.loc.180.D/ 5ª.183.A/D/de med.par.fac. 7ª.165.E
ad Tuſſim recentem.7°.de comp.med.ſec.loc. 5ª.182.B
ad Tuſſes extremas,& inueteratas.7°.de comp.me.ſe.loc.5ª.182.A
ad Tuſſes inueteratas.7°.de cõp.med.ſe.lo.179.F/ 182.D/ 185.E/H/ 5ª.186.A/B/de med.fac.paran. 7ª.171.E
ad Tuſsim veterem,& recentem. 7°.de comp.med.ſec.loc.181.D/G/ 184.E/8°.5ª.191.E/de dyn. Sp.26.B
ad Tuſsim cum icteritia.ſecre. Sp.99.E
ad Tuſsim omnem.7°.de comp.med.ſec.loc.5ª.183.C/ de dyna.26.D/ de cathar. Sp.95.C
ad Tuſsim ſtatim auxilians.7°.de comp.med.ſec.loc. 5ª.183.C
ad Tuſsim.5°.de cõp.med.ſe.loc.164.C/7°.182.B/E/F/183.A/B/D/ 185.A/B/H/9°.5ª.201.A/de rem.pa.f.158.D/165.E/ de me.fa.par. 171.E/F/G/H/171.E/F/7ª.179.C/D/de dy.26.D/ſec.Sp.99.A/F
TVTIA qualis ſit.de ocul. 7ª.188.H
Tutia lota temperamento vicina.de ocul. 7ª.189.B
Tutia obſtruit.de ocul. 7ª.187.H

TYBERIAS de med.fac.parandis. 7ª.172.G
TYBERINI piſces quales. 3°.de alim.facul. 2ª.31.B
in Tiberim quanto ſpacio fluit Nar fluuius.3°.de ali.fac. 2ª.31.C
in Tyberi Romæ murena peſſima eſt.3°.de alim.fac. 2ª.31.B
TYLOSIS quid.introd. Iſa.58.F
Tyloſis affectus eſt partium internarum palpebrarum.intro.Iſ.58.D
TYMBAVLI ſonitus qui.3°.de ſymp.cau. 3ª.27.G
TYMBON hoc eſt ſepulchrum.11°.de ſimp.med.fac. 5ª.82.C
TYMPANIAS a tympani ſimilitudine dr̃.com.4°.aph.11°. Ex.88.D
Tympanias hydrops quid.fin.med. Iſa.47.G
cur Tympanias ab Hippocrate hydrops ſicca dr̃.c.4°.ap.11°.Ex.28.D
Tympanias a minori frigiditate generatur,q̃ aſcites, & propter quid. com.4°.aph.11°. Ex.28.D
in Tympania nihil cruentum ſecerni ſolet. 5°.de loc.aff. 4ª.33.H
in Tympaniã hidropa & lyẽteriã q̃d finiat.3°.de ſymp.cau. 3ª.25.C
Tympania ſanguinis miſſione non ſanatur. de vict.rat.in morbis acut. commen.4°. 7ª.149.A
τιμπανίτης eſt ſpecies hydropis.intro.Iſ.56.G/c.4°.aph.11°. Ex.28.D
Tympanitis pulſus qualis.4°.de cauſ.pul. 4ª.103.E
in TYMPANIS & Tympania per cutem extenſam aer percutitur. cõ. 4°.aph.11°. Ex.28.D
TYMPANA pars organorum.de machin. 7ª.309.E
Tympana vſui ſunt cum organa mouentur.de mach. 7ª.310.F/G
Tympana mouentur in eodem loco manentia.de machin. 7ª.310.F
Tympanum mouet cochlea ad imaginem lentis.de mach. 7ª.310.D
TYMPANORVM nullum vtile ſeni.5°.de ſan.tu. 2ª.91.D
TYPHA Βρίζα dr̃ in Thracia,& Macedonia.1°.de ali.fa. 2ª.12.E
Typha inter cerealia ſemina.de vic.ra.in mor.ac.com.1°. 7ª.111.B
Typha vbi plurima.1°.de alim.fac. 2ª.13.B
Typha in Aſia eſt frequens & potiſsimum in regione quæ ſupra Pergamum.1°.de alim.fac. 2ª.12.G
Typha qũo triticũ facultatibus ſequit̃ ex Diocle.1°.de ali.fa. 2ª.12.C
Typha ſimilis tritico eſt.1°.de alim.fac. 2ª.13.B
Typha triticum exile dicitur.1°.de alim.fac. 2ª.13.B
Typha flaua vt triticum.de atten.vic. 2ª.45.A
Typhæ color flauus eſt.1°.de alim.fac. 2ª.13.B
Typha ſequtur hordeum in bonitate.de bon.& vit ſuc. 2ª.37.D
Typha & olyra nõ ſunt diſtincta ſemina ſm Gale.1°.de ali.fa.2ª.12.C
Typha & olyra ſunt zea.de atten.vict. 2ª.44.H
Typha & zeia tritica ſimillima ſunt.1°.de alim.fac. 2ª.12.F
Typha licet vti in ptiſſana.de atten.vict. 2ª.44.H
ex Typha fit panis.de vict.rat.in mor.acu,com.4°. 7ª.146.E
Typhæ panis qualis.1°.de alim.fac. 2ª.12.E

ex Typha paris facit humorem melancholicũ. 3°. de loc. aff. 4ª. 18. F
Typhæ, & zeiæ panũ differentiæ ſm Mneſitheũ. 1°. de ali. fac. 2ª. 12. D
Typham dabat ſuis equis Hector, ex Homero. 1°. de alim. fa. 2ª. 13. B
Typha ab equis ſine noxa editur. 1°. de alim. fac. 2ª. 13. B
Typhini panes quales. 1°. de alim. fac. 2ª. 12. G
Typhini panes habent lentorem. 1°. de alim. fac. 2ª. 11. F
TYPHODES *eſt genus febris. com. 7°. aph. 42°. Ex. 57. D*
Typhodes febres ſumme humidæ ſunt. aduer. Lyc. Ex. 62. A
Typhodes febris morbus eſt continuus. ſm. med. Iſa. 45. F
TYPHOMANIA *quid. de ecm. 3ª. 50. A*
TYPHONIA *quid. ſm. med. Iſa. 47. B*
TYPICAM *ægritudinem venturam ſignificat vrina viridis, ſi ſe mutauerit in album aut aquoſum colorem. de dyn. Sp. 34. B*
TYPVS *quid. ſm. med. Iſa. 46. D/de typ. 3ª. 90. D*
Typus quid apud igna ros. ad eos qui de typ. ſcrip. 3ª. 92. G
de Typis, & notis febrium Archigenes ſcripſit. 2°. de criſi. 4ª. 136. D
de Typis librũ p̃cedit liber de differentijs febriũ. 2°. de dif. feb. 3ª. 39. F
de Typis liber quid tractet, & quid liber de differentijs febrium. 2°. de differ. feb. 3ª. 39. F
Typum maxime habent febres. de typ. 3ª. 90. D
Typorum differentiæ. de typ. 3ª. 90. D
Typi primi qui. de typ. 3ª. 90. D
Typi ſecundi qui. de typ. 3ª. 90. E
Typi conſiſtentes qui. de typ. 3ª. 90. E
Typi mobiles qui. de typ. 3ª. 90. E
Typi præoccupatorij qui. de typ. 3ª. 90. E
Typi ſimplices qui. de typ. 3ª. 90. E
Typorum ſimplicium differentiæ quæ. de typ. 3ª. 90. E
Typus quotidianus qui. de typ. 3ª. 90. E
Typus quotidianus qualis. de typ. 3ª. 91. C
Typum quotidianum quæ comitentur. de typ. 3ª. 90. F
Typus tertianus qui. de typ. 3ª. 90. F
Typus tertianus qualis. de typ. 3ª. 91. C
Typum tertianum quæ comitentur. de typ. 3ª. 90. F
Typi ſemitertianæ quales. de typ. 3ª. 85. H
Typus ſemitertianæ difficilis, & quantus. de typ. 3ª. 85. G
Typus ſemitertianus omnium minime infeſtat. de typ. 3ª. 90. F
Typus quartanus qui. de typ. 3ª. 90. F
Typi quartani, tertiãi, quotidiãi, et extẽſc ſemitertiani. de ty. 3ª. 90. E
Typus quartanus qualis. de typ. 3ª. 91. C
Typus quintanus qui. de typ. 3ª. 90. F
Typus ſeptimanus qui. de typ. 3ª. 90. F
Typi febrium inordinatarum quales. de typ. 3ª. 91. A
Typi compoſiti qui. de typ. 3ª. 90. E
Typorum compoſitorum differentiæ quæ. de typ. 3ª. 90. F
Typorum miſcella quales de typ. 3ª. 91. C
Typorum expories febres quales. de typ. 3ª. 91. C
Typum non habet atrophia. de typ. 3ª. 90. D
Typum in febribus chronicis remouet electarium ariſtolochiæ. de medic. exper. Sp. 105. F
Typum febrium auferens medicamen. de med. exper. Sp. 105. G
ad Typos. de ſimp. med. Sp. 80. A
TYRANNI *domini qui. de cognoſcẽ. curãdiſq; animi mo. 2ª. 55. E*
Tyranni cur odio habeantur. 2°. meth. me. 7ª. 11. F
Tyrãnorũ menſas ſequunt̃ mendaces. de cogn. cur. animi mor. 2ª. 50. H
Tyrannis dicta antidotus ab Antipatro compoſita. 2°. de ant. 5ª. 116. D
a Tyranno medicamentum. 9°. de comp. med. ſec. loc. 5ª. 204. G
Tyranno aſſimilatur ſextus dies. 1°. de die. decr. 4ª. 146. G
TYRIACA *habens viperas ad differentiam eius, quæ non habet. de melancho. ex Gal. Ruf. & Poſſi. Sp. 110. F*
Tyriaca ad capitis dolorem & vẽtoſitatem. de med. exper. Sp. 106. G
Tyriacæ eadẽ faciens emplaſtrum. 2°. de comp. med. per ge. 5ª. 223. D
TYRIVM *emplaſtrum. 6°. de comp. med. per gen. 5ª. 259. F*
TYRONIBVS *non ſunt proferendæ diffinitiones eſſentiales, & quibus ſunt proferendæ, & quales. 4°. de pulſ. differ. 4ª. 66. A*
TYRRHENICA *cera. 4°. de comp. med. per gen. 5ª. 240. D*
TYRVS *paruum cor habet, & tamen eſt audax, quia calidum habet. de anat. viu. Sp. 53. A*
contra TYRI *morſum acetũ ſorte calidum. de med. exper. Sp. 106. D*
ad Tyri punctura electarium. de med. exper. Sp. 107. A

TZIARIACAE *meminit. de medicinis facile parandis. 7ª. 175. C*

VACCAE *lac incraſſat. de diſ. cont. Sp. 73. F*
Vaccæ pedes non velociter corrumpuntur in ſtomacho. de diſ. cont. Sp. 75. A
VACCINA *caro numeratur inter cibaria media. de diſ. cont. Sp. 74. B*
Vaccina caro non velociter corrumpitur in ſtomacho. de diſ. cont. Sp. 75. A
Vaccina caro nutrit eum qui digerit eam nutrimento multo craſſo. de diſ. cont. Sp. 73. E
VACILLANTES *animo quid agant. de trem. palp. 3ª. 60. A*
VACILLATIO *mentis eſſe poteſt catochus. in 1ᵐ. pror. cõ. 2°. 4ª. 176. E*
Vacillatio oculorum quibus eueniat. præſag. exper. conſ. Sp. 78. E
VACVANDI *modus ſumitur a viribus. 11°. meth. med. 7ª. 69. A*
Vacuandum eſt audacter vbi vires conſtent. 11°. meth. med. 7ª. 69. A
VACVANTIVM *auxiliorum duplex genus. 13°. meth. med. 7ª. 82. F*
Vacuantia omnia lædunt vires. 9°. meth. med. 7ª. 59. C
VACVATIO *quæ ſit. 14°. meth. med. 7ª. 89. A*
Vacuationum genera quæ. ſm. med. Iſa. 48. H
Vacuatio eſt lactis gnatio in mammillis. de ven. ſect. adu. Era. 6ª. 6. H
Vacuatio menſtrua non ſolum vacuatio eſt, ſed etiam purgatio. in 3ᵐ. de mor. vul. com. 3°. 3ª. 148. E
Vacuatio excrementorũ duplex, & qualis. 6°. de loc. aff. 4ª. 41. G
Vacuatio excremẽtorũ omni febri vtiliſſima eſt. 10°. me. me. 7ª. 65. H
Vacuatio inſignis in morbis acutis quibus fiat. de vic. ra. in morb. acu. commen. 2°. 7ª. 116. C
Vacuatio propriæ materiæ quæ. in progn. com. 2°. 4ª. 199. C
Vacuatio quomodo fiat. 13°. meth. med. 7ª. 82. C
Vacuatio etiam adſtringentibus, & frigidis fit. 13°. met. med. 7ª. 82. C
Vacuationes omnes promouet lauacrum aquæ dulcis temperatum. 11°. meth. med. 7ª. 69. H
Vacuationes omnes promouet vinum aquoſum. 11°. met. me. 7ª. 69. H
Vacuationis conditiones conſiderandæ ſunt. 13°. meth. med. 7ª. 82. H
Vacuationis conditiones quæ. 13°. meth. med. 7ª. 81. C
Vacuationis alio modo indigent membra rariora, alio modo denſiora. 14°. meth. med. 7ª. 88. A
Vacuationis modi humorũ craſſorũ & glutinoſorũ. 14°. met. 7ª. 87. H
Vacuatio totius corporis non ſolum fit ob abundantiam humorũ, ſed etiam ob morbi magnitudinem. 13°. meth. med. 7ª. 81. C
Vacuatio quibus ſit vtilis. 9°. meth. med. 59. D/12°. 7ª. 75. F
Vacuatione validiore interdũ agẽt qnõ ſunt liberi, vt añ cibũ exerceri poſſint, & cibũ aptis tẽporibus ſumere. de bon. & vit. 2ª. 34. E
Vacuatio eſt medicamentũ vitioſorũ humorũ. 4°. de ſan. tu. 2ª. 83. A
Vacuatio prima eſt tumorũ curationis indicatio. 14°. met. m. 7ª. 88. A
Vacuatio duplex in tumoribus. 14°. met. med. 7ª. 87. D
Vacuatio eſt cõis indicatio phlegmonũ corporis. 13°. meth. 7ª. 81. G
Vacuationis indicatio vincit refrigerationis indicationem in phlegmone & eryſipelate. 12°. meth. med. 7ª. 82. E
Vacuatio duplex in phlegmone. 13°. met. med. 7ª. 82. F
Vacuatio vnum eſt conuulſionis caput. 2°. de ſymp. cau. 3ª. 20. A
Vacuatio in doloribus. in 3ᵐ. de mor. vul. com. 3°. 3ª. 149. F
ad Vacuationem celerem quæ exigantur. 16°. de vſu par. 1ª. 220. G
Vacuatio prompta & continua quæ. in progn. com. 2°. 4ª. 202. A
Vacuatio notabilis per cutim ex quibus fiat. 9°. meth. med. 7ª. 60. H
Vacuatio modica corporis vomitu fieri debet. de ſal. diæ. 2ª. 42. C
Vacuationis terminum obtinent in pluribꝰ affectibus ſanguinis fluentis vigor labaſcens, & pulſus mutati. de ven. ſect. adu. Era. 6ª. 7. G
Vacuatio quæ mala faciat. 9°. meth. med. 7ª. 59. B
in Vacuationibus largis fiũt pulſus vermiculãtes. 2°. đ p̃ſ. 4ª. 113. A
Vacuatio immodica lædit vires. 12°. meth. med. 7ª. 74. F
Vacuatio ſanguinis retenta facit incidere morbos plethoricos. in 1ᵐ. prorrh. com. 3°. 4ª. 185. D
Vacuationem ſanguineam vbi conſiderare oportet vitreæ ſint cucurbitulæ. de cucurb. ſcarif. 6ª. 3. D
Vacuatio ſi conueniat in leeoris phlegmone, quæ conſideranda. 13°. meth. med. 7ª. 82. H
Vacuatione prius facta debet apponi cucurbitula. 13°. met. m. 7ª. 85. B
Vacuatione facta quid agendum in cancro: 14°. met. med. 7ª. 89. G
VACVATVM *cum ante fuerit corpus, eduliorum multa ſiccant abunde. de vict. rat. in mor. ac. com. 4°. 7ª. 145. C*
cur Vacuato corpore balnea ſicri debent. de vic. ra. in morbis acutis, commen. 3°. 7ª. 133. E

Vacuati quidam ex vacuatione periere.9°.meth.med. 7ª.59.A
VACVITAS *quid.4°.de dign.pul.* 4ª.83.G
Vacuitatis ratione fit caloris augmentatio deficiente nutrimento. de vtil.resp. Sp.63.C
VACVARE *quando cupimus quid agendum.7°.meth.med.* 7ª.45.B
Vacuare potest materiam capitis cucurbitula.de cucur.scar. 6ª.3.F
Vacuatur quod est imbecillius.3°.de nat.fac. 1ª.306.C
VACVVM *& plenum quæ vocabula sint.4°.de dign.pul.* 4ª.85.B
Vacuum an sit,& quo modo.de hist.philo. Sp.5.C
Vacuum quid.1°.de elem.1ª.2.F/3°.de dif.pul. 4ª.62.B
Vacua loca quo modo dicantur.3°.de diff.pul. 4ª.62.C
Vacuũ q posuerũt,& qui nõ.in 6m.de mor.vul.com.4°. 3ª.182.G
Vacuum,& atomos vera putabat Democritus.aduer.empe.II.35.c
Vacuum infinitum magnitudine Epicurus dicebat. de cuiusq; animi pec.not.atque med. 2ª.60.A
de Vacuo philosophorum rationes rhethoricæ. de cuiusq; animi pec. not.aque med. 2ª.60.A
Vacuum nullum in mundo.3°.de diff.pul. 4ª.62.D
Vacui nihil in mundo asserebat stoicus,sed extra mundum.de cuiusq; animi pec.not.atque med. 2ª.60.A
in Vacuo an corpus possit manere.de cuius.aĩ pe.no.atq; me. 2ª.59.C
Vacuum nihil inuenitur in corpore.3°.de nat.fac. 1ª.303.E
de in Vacuo existenti corpore quid sensisset architectus. de cuiusque animi pec.not.atque med. 2ª.59.F
Vacuum ne detur cor non attrahit,qñ respiramus.de vtil. 1ª.223.D
Vacuum arguitur ex molli.in 3m.de mor.vul.com.1°. 3ª.131.B
Vacuum vinum quomodo dicatur.3°.de diff.pul. 4ª.62.C
Vacua vina & plena quæ dicantur.4°.de dig.pul. 4ª.85.B
Vacua,& plena lana quo modo dicatur.4°.de dig.pul. 4ª.85.B
Vacuus quomodo dicatur sermo falsus.3°.de dif.pul. 4ª.62.C
Vacua mens quo modo sit.3°.de diff.pul. 4ª.62.C
Vacui homines quomodo intelligantur.3°.de dif.pul. 4ª.62.C
Vacuus & plen° pulsus q.3°.de dif.pul.62.D/4°.de dig.pul.4ª.84.E
Vacuum in quibus totũ corpus est,quispiã maxime posset experiri, q cibi sint vniuersim,& velociter nutriẽtes.c.2°.aph.18°. Ex.14.A
in Vacuis quo modo se hãt musculi epigastrij.2°.de mot.mu.1ª.316.F
Vacuus venter calefit.de anat.viu. Sp.47.G
Vacuum cur sit ieiunum intestinum.de anat.viu. Sp.50.C
Vacua intestina omnia cur bilis non faciat.de ana.viu. Sp.50.C
Vacui cur debẽt esse anginosi.de vic.rat.in mor.acu.cõ.4°. 7ª.138.G
Vacuum si apprehenderit in ossis præcisione desipientiæ. com.7°.apho rismo.24°. Ex.55.F
VAGINALIS *tunica.2°.de sem.* 1ª.339.D
VALDE pro raro.com.6°.aph.33°. Ex.50.A
in Valde talibus,bonis,malis,optimis,& pessimis Hippocratis loquẽ di modi.1°.de cri. 4ª.131.D
VALENTIVS, *& robustius idem.de mult.* 3ª.78.F
Valentium bene proprium est exercitium.ad Thras. 2ª.106.C
VALENTIS *Terentij colica.9°.de comp.med.sec.loc.* 5ª.202.B
Valens qua colica vsus.9°.de comp.med.sec.loc. 5ª.202.F
Valentis ad dysentericos.9°.de comp.med.sec.loc. 5ª.203.C
Valentis pharmacum.7°.de comp.med.sec.loc. 5ª.187.A
VALERE *bene est secundum naturam operari.ad Thras.* 2ª.103.B
Valere bene est secundum naturam esse instructum.ad Thras.2ª.103.B
Valeat quando homo.8°.de decr.Hip. 1ª.275.C
VALERIVS *Paulinus.7°.de comp.med.per gen.* 5ª.271.C/D
in VALETVDINARIIS *non idem est rigere,horrere,& frigefieri. de trem.palp.* 3ª.53.G
VALETVDINI *quæ maxime pateãt corpora.6°.de san.tue.* 2ª.95.D
Valetudinis bonæ victus ratio cur ab omnibus seruari non potest. de bon.& vit.suc. 2ª.36.D
Valetudini bonæ maximum commodum affert ante cibum exercitatio.de bon.& vit.suc. 2ª.35.A
Valetudini bonæ sumpto cibo qualiscunque motus admodum noxius. de bon.& vit.suc. 2ª.35.A
Valetudini bonæ studentes quid agere dñt.de bo.& vit.suc. 2ª.35.A
Valetudinem vitiat sanguis abundans.de dyn. Sp.19.D
Valetudinem infirmam & valetudinis infirmitatem dicere nihil refert.2°.meth.med. 7ª.10.D
Valetudinẽ sperare debet senex ægrotus.de cog.cur.ani.mor. 2ª.51.E
ad Valetudinẽ bonã cibi accõmodatissimi.de bon.& vit.suc.2ª.36.E
VALIDVM *quid sit.de nat.huma.com.2°.* 7ª.182.F
Validum quomodo differat a duro.3°.de diff.pul. 4ª.63.D
Validis testes non sunt laxi.1°.de sem. 1ª.334.E
VALGI *qui sint.de art.com.3°.* 7ª.278.B
Valgi in genu luxatione quomodo fiat.de art.com.3°. 7ª.292.D
VALLVM, *seu coniunctum,seu disiunctum,nomen vinculi ab euentis sumptum de fascijs.* 7ª.293.H
Vallum Amintæ.de fascijs. 7ª.299.A
Vallum,seu phaleræ.de fascijs. 7ª.299.B
Vallũ Amintæ ad nasum in alterã partẽ declinatũ.de fasc. 7ª.299.D
VAPOR quid sit.1°.de simp.med. 1ª.3.F
Vapor tãto crassior est aere,q̃to aer crassior luce.8°.de vsu p.1ª.167.F
Vaporem esse crassum argumentum probans.8°.de vsu pa.1ª.167.F
Vapor,& fumus in aere ascendentes quid faciant.de sper. Sp.39.D
Vapor hũorũ et ispiratio ẽ materia spũs vitalis.d vir.nos.cor.Sp.60.C
Vapor paucus satis est piscibus respirantibus.de ana.viu. Sp.48.C
Vaporem respirant per branchias delphinus,lepus marinus,& animalia alia,quæ sunt communia terræ,& mari,quæ arabice dicuntur cenalia,& pisces.de ana.viu. Sp.48.C
Vaporem emanat semper a corpore,in siccitatibus quidem multus, in humiditatibus paucus.in 1m.de mor.vul.com.1°. 3ª.104.C
Vapor calidus supra petit.in 1m.de mor.vul.com.1°. 3ª.104.D
Vapor quomodo ascendat.in 1m.de mor.vul.com.1°. 3ª.104.D
Vapores dulcis aquæ quales.com.1°.aph.14°. Ex.7.D
Vapores rei solidæ quales.com.1°.aph.14°. Ex.7.E
Vapor humidus in quo nunq̃ sentiatur.8°.meth.med. 7ª.53.G
Vapore fuliginoso detento inæqualis intẽperies oriri solet in toto corpore.de inæqu.intemp. 3ª.44.D
Vapores acres faciunt asperitates.de cau.morb. 3ª.9.C
ex Vapore capitis dolor.de remed.par.fac. 7ª.153.F
Vapores suscipiens qñ est caput calidũ,ptermittam° cibaria calida & sicca,licet conueniant in reliquo corpore.de dis.cont. Sp.71.G
ex Vaporibus ad caput visa,& visa in suffusis sunt diuersa.1°.de locis affectis. 4ª.6.G
Vapores vti suffusiones hãt atrabilarij.d mel.ex G.R.et P.Sp.109.G
de Vapore melancholiam extrahens medicamentum.secr. Sp.101.G
Vapores resiccat brassica.2°.de comp.med.sec.loc. 5ª.133.D
Vapor qũo p lanam in aures eat.3°.de comp.med.sec.loc. 5ª.142.E
VAPORATIONEM *vitiosorum humorum sequuntur symptomata,quę cerebrum,& oculos afficiunt.5°.de loc.aff.* 4ª.32.H
VAPOROSVS *spiritus quomodo faciat pandiculationes,& oscitationes.com.7°.aph.56°.* Ex.59.A
Vaporosum est instrm olfactus.7°.de decr.Hipp.& Pla. 1ª.271.C
VARICIFORMIS flexus qui.9°.de vsu par. 1ª.172.E
Variciformis vasa spermatica q̃ a testiculis explantantur Herophilus nuncupauit παρασάτας κιρσοειδεῖς. 14°.de vsu par. 1ª.208.C
VARICOSVS *meatus cur factus.1°.de sem.* 1ª.333.F
Varicosum assistens dicitur meatus genitalis.1°.de sem. 1ª.333.E
Varicosus assistens vas seminis.1°.de sem. 1ª.335.C
ĩ Varicosis vasis aliquẽ plũ numerũ auferre cõtinget.d dif.mo.3ª.5.A
Varicosæ venæ cur in cruribus.1°.de elem. 1ª.9.A
Varicosæ venæ extrahuntur.de diff.mor. 3ª.4.G
VARIANT *curationem profluuiorum ventris causæ diuersæ. de medi. expertis.* Sp.103.H
VARIOLAS *generat sanguis calidissimus.de ocul.* 7ª.189.F
VARIVM *est vinculum geranium dictum.de fascijs.* 7ª.293.E
Varia vincula quidam negligunt.de fascijs. 7ª.293.D
Varia vincula non dãnauit Hippocrates.de fascijs. 7ª.293.D
Varijũ vinculũ aptaĩ solũ femori,humero,& cubito.de fasc.7ª.293.E
Vario vinculo cum caput cuidam fuerit deligatum, illi oculi procidere.de fascijs. 7ª.293.D
VARICES *& κιρσοί quid.de tum.prat.nat.* 3ª.84.G
Varices quid.2°.de loc.aff.4ª.10.F/13°meth med. 7ª.86.G
Varices quid sint,& vnde sint.com.6°.aph.21°. Ex.48.D
Varices tibiæ affectus.introd. Isa.59.D
Varix in cruribus,& in testibus fit.13°.meth.med. 7ª.86.G
Varices qũo fiãt,docuit Hippocrates.de ven.sec.aduer.Eras. 6ª.7.E
Varices qũo fiant,& in quibus venis.de art.com.3°. 7ª.269.B
Varices ex quo fiant sanguine.de art.com.3°. 7ª.269.B
Varices in cruribus ab atra bile fiunt.de atra bi. 1ª.35.D
per Varices descendit atra bilis.2°.de arte cura.ad Glau. 7ª.107.D
Varices nigræ ab humore melãcholico fiũt.de bo.& vit.suc.2ª.39.D
Varices denigratæ significant atram bilem.cõ.4°.aph.2°. Ex.27.F

Varices dum generantur, pituita influit cum melãcholico humore. 4°. de comp.med.per gen. 5ª.237.B
circa Varices actio.ad Thraſ. 2ª.104.H
Varices quos morbos ſanent.in 6m.de morb.vulg.com.6°. 3ª.197.F
Varices furorem curarunt.in 6m.de mor,vul.com.2°. 3ª.162.H
Varices ſi in inſanientibus ſuperuenerint,inſaniæ ſolutio.commen.6°. aphor.21°. Ex.48.D
ex Varicum ſublatione melancholici facti.de atra bile. 1ª.35.E
Varices magnæ ſupueniẽtes caluis,fiũt capillati.c.6°.ap.34°.Ex.50.b
Varices magnæ caluis nunquam aduenium,nec è contra.comment.6°. aph.34°. Ex.50.C
ad Varices.ſecret. Sp.103.A
in Varice multum iuuat ſectio iſchiadicæ.de ana.viu. Sp.54.H
Varices qñq; excidunt in cruribus,& teſticulis.4°.me.me. 7ª.90.G
Varix quando excidenda.4°.de comp.med.per gen. 5ª.237.A
Varices quomodo incidendæ.introd. Iſa.60.D
Varices ſupra vlceratũ locũ primo ſanandæ ſunt.4°.met.me. 7ª.23.H
VARVS *quid ſit.5°.de comp.med.ſec.loc.* 5ª.160.B
Varus quid ſit.de remed.par.fac. 7ª.157.B
a Varo qũo differat ficoſus tumor in mẽto.de remed.par.fa. 7ª.157.B
Vari faciei affectus.introd. Iſa.59.C
ad Varos in facie.de remed.par.fac. 7ª.157.B
pro Varis ſapo.de remed.par.fac. 7ª.157.B
ad Varos ſmegma.1°.de comp.med.ſec.loc.131.D/5°. 5ª.160.F
ad Varos ex Critone.5°.de comp.med.ſec.loc. 5ª.160.D
ad Varos calloſos.5°.de comp.med.ſec.loc. 5ª.160.E
ad Varos.1°.de comp.med.per gen. 5ª.214.G
Vari in genu luxatione quomodo fiat.de artic.com.3°. 7ª.292.D
VAS *quid ſignificet.in 6m.de mor.vul.com.2°.* 3ª.160.G
Vaſa maxima quæ ſint.11°.meth.med. 7ª.68.G
Vaſa pulſantia ſunt arteriæ.7°.de ana.adm. 7ª.94.F
Vaſa non poſſunt ſecari ignoratis muſculis.1°.de ana.adm. 1ª.69.E
Vaſorum corpora tunicæ dicuntur.6°.de anat.adm. 1ª.92.D
Vaſorum neruoſorum tunicæ quot.de ana.viu. Sp.44.H
ꝑ Vaſorũ tunicã ſanguis attrahit in nutritione.6°.de vſu p. 1ª.151.D
Vaſorũ tunicæ trahũt sãguinẽ maximè ſibi ꝑpriũ.3°.de na.fa. 1ª.307.G
Vaſa tenuia cur in magna oſſa inſeruntur.13°.de vſu par. 1ª.202.B
Vaſorum diuiſiones implent glandulæ.8°.de vſu par. 1ª.165.B
Vaſa quæ debeant eſſe ſpiſſa.de ana.viu. Sp.45.A
Vaſa magna cur non ſint in ſuperficie poſita.16°.de vſu par. 1ª.219.F
in Vaſis radix qua.5°.meth.med. 7ª.30.G
Vaſa quæ a deriuatis deriuantur,habent eandem originem cum deriuatis.6°.de decr.Hip. 1ª.265.C
Vaſa quæ deferũt ad oculos fluxiones qñq; incidẽda.13°.m.m. 7ª.85.E
Vaſa quæ ferunt ad oculos fluxiones quæ incidi non poſſunt.13°.met. medendi. 7ª.86.E
Vaſa locutionis quæ.de ana.viu. Sp.49.B
Vaſa vociferationis in brutis quæ.de ana.viu. Sp.49.B
Vaſa ad aſperã arteriã ĩ collo capillorũ ſpẽm referũt.1°.de lo.af. 4ª.2.d
Vaſa ad mãmas & teſtes hũt cõem vſum.16°.de vſu par. 1ª.221.A
Vaſorum tria genera cor connectunt cerebro.2°.de decretis Hippocr. & Platonis. 1ª.239.B
Vaſorum a corde proficiſcentium orificia quales habeãt membranas, & earum vſus.6°.de vſu par. 1ª.152.B
Vaſorum ora non poſſunt ita claudi in corde, vt nihil retro recurrat. 3°.de nat.fac. 1ª.307.E
Vas proprium pituitæ eſt pulmo.de ana viu. Sp.52.G
Vas exiguum in pulmone.15°.de vſu par. 1ª.212.F
Vas ruptum in pulmone ex clamore, pondere, curſu, & ex ſaltu.5°. meth.med. 7ª.30.C
Vas in pulmone ruptũ letale nocumẽtũ.de ven.ſect.aduer.Era. 6ª.9.E
Vas in pulmone ruptum qñ curauit Galenus.5°.meth.med. 7ª.36.B
Vas in thorace ſi rumpi debeat,noli exercere corpus.de venæ ſectione aduer.Eraſiſtr. 6ª.8.F
Vas proprium melancholiæ eſt ſplen.de anat.viu. Sp.51.A
Vas ſecundæ digeſtionis eſt veſica.de anat.viu. Sp.51.D
Vaſorum excrementa per vrinas.de conſt.ar.med. Iſa.42.B
Vaſorum excrementa continentium muſculi ſunt cibi inſtrumenta.6°. de anat.adm. 1ª.90.C
Vaſis eiſdem natura non vtitur ad materias ſemicoctas, & perfecte coctas.6°.de decr.Hipp.& Plat. 1ª.273.D
ex Vaſis vrina aſſa,& cruda.de tot.morb.temp. 3ª.88.G
Vaſorũ vrinæ dilatatio qũo cognoſcaĩ.de ren.aff.dig.& me. 7ª.192.G
Vaſorum vrinæ imbecillitas quomodo cognoſcatur.de ren.affe.dign. & medela. 7ª.192.G
Vaſorum reuolutio vbi efficiatur.1°.de ſem. 1ª.333.E
Vaſorum reuolutio eſt in vaſis ſeminis.1°.de ſem. 1ª.335.G
Vaſa pauciſſima ſunt reflexa,& cur.16°.de vſu par. 1ª.214.G
Vas quod ſpermaticũ nũcupaĩ,licet vere nõ ſit.14°.de vſu p. 1ª.208.c
Vaſa ſeminaria q̃ in antecedentia,& cõſequẽtia.de ana.viu. Sp.51.G
Vaſa ſeminaria qualia in viris,& in mulierib9,& cur.de ana. S.51.G
Vas ſpermaticum in viro quale.14°.de vſu par. 1ª.207.H
Vaſa ſpermatica virorum ſunt duriora vaſis ſpermaticis mulierũ.14°. de vſu par. 1ª.209.H
Vaſorũ ſpermaticorum ſitus in maribus qui.14°.de vſu p. 1ª.209.A
Vas ſpermaticum in muliere quale.14°.de vſu par. 1ª.207.H
Vas ſpermaticum in fœminis cur non in teſtes.14°.de vſu p. 1ª.209.G
Vaſorum ſeminalium couiunctio in muliere ignorata a ſummis viris. de diſſect.vuluæ. 1ª.109.C
Vaſorum ſpermaticorum ſubſtantia qualis.14°.de vſu par. 1ª.209.G
Vas ſpermaticum cur varicoſum.14°.de vſu par. 1ª.208.A
de Vaſorum ſpermaticorum magnitudine,& de ſuo inceſſu,cur ita lõge eant.14°.de vſu par. 1ª.208.H
Vaſa ſpermatica in mare qũo maiora q̃ fœmina.14°.de vſu p. 1ª.208.F
Vas ſpermaticum fœminis paruum.14°.de vſu par. 1ª.209.H
Vaſa ſpermatica in mare magna ex piſcibus, & auibus cognoſcũtur. 14°.de vſu par. 1ª.208.G
Vaſa ſpermatica in piſcibus,& auibus cur iuncta diaphragmati.14°. de vſu par. 1ª.208.G
Vaſa ſpermatica in piſcibus,& auibus longa.14°.de vſu p. 1ª.208.G
Vaſa ſpermaticá breuiora ſunt in homine, q̃ in quocunq; alio animali. 14°.de vſu par. 1ª.208.G
Vaſorũ ſpermatis orificia alarũ formã habent.de cõp.memb. Sp.59.C
Vaſa per quæ alter fit mas,alter fœmina.14°.de vſu par. 1ª.207.D
Vaſa quatuor habent teſticuli.de ſper. Sp.36.F
Vaſa nutrientia teſticulos vnde.14°.de vſu par. 1ª.208.H
Vaſa nutrientia partes pudendas in mulieribus,& viris.14°.de vſu partium. 1ª.209.B
a Vaſis vteri pendent ſecundæ.com.5°.aph.45°. Ex.41.G
Vaſa vteri quibus obſtruantur.com.5°.aph.57°. Ex.43.A
Vaſa quæ in conceptu aperiuntur.de diſſ.vul. 1ª.109.E
Vaſa quæ ferunt ad crura,cur interne ferant.16°.de vſu par. 1ª.219.F
Vaſa omnia non ſunt neceſſaria.ad Thraſ. 2ª.104.D
in VASORVM *finibus quot de cauſis obſtructio fiat.11°.methodi medendi.* 7ª.68.H
Vaſorum exiguitas non facile deprehenditur.6°.de vſu par. 1ª.220.D
Vaſorum anguſtia quo modo fiat.1°.de ſan.tu. 2ª.68.C
Vaſorum imbecillitas vnde proueniat in purgationibus.3°.de ſimpl. med.fac. 5ª.23.H
Vaſa totius corporis,& viſcera non ſunt intemperanter replenda.de cucurb.ſcar. 6ª.3.A
Vaſorum repletio quæ habeat ſymptomata.9°.meth.med. 7ª.57.C
ad Vaſa & ad robur plenitudinis duæ differentiæ.de mul. 3ª.77.A
Vas põt grauari,& homo nõ ægrotabit.de cur.rat.per ſang. 6ª.16.E
Vaſorum inanitio pro purgatione apud Hippocratem.commentar.4°. aphor.2°. Ex.27.C
Vaſorũ inanitiões fortes fieri nõ debẽt.de vi.ra.ĩmo.ac.c.2°. 7ª.120.G
in Vaſis ſolis quandoq; humores putreſcunt,quãdoq; in toto corpore. com.4°.aph.37°. Ex.32.B
in Vaſis humorum putredo qualis.1°.de diff.feb. 3ª.33.B
Vaſa totius corporis plena pituita alba inducunt aquam intercutem, dictam a Græcis leucophlegmatiam.com.7°.aph.70°. Ex.60.G
Vas effundens põt cauſare ſpumoſa excremẽta.c.7°.ap.30°.Ex.56.A
Vaſorum recluſio quibus fiat cauſis.3°.de ſymp.cau. 3ª.27.A
Vas quot modis poſſit rumpi.3°.de ſymp.cauſis. 3ª.26.H
in Vaſe continui ſolutio Rhegma dicitur.4°.meth.med. 7ª.23.B
Vaſorum oris apertio Anaſtomoſis appellatur.4°.meth.med. 7ª.23.B
Vaſorum ora reſerat ficus arbor.8°.de ſimp.med.fa. 5ª.61.F
Vaſorũ apertio vñ pueniat in purgationibus.3°.de ſimp.m.f. 5ª.23.H
Vaſe quocũq; diſrupto ſanguinis emanãtis ꝓhibitio.8°.de an. 1ª.101.g
Vaſorum ſanguinis deligatio.5°.meth.med. 7ª.30.F
in Vaſis abſciſis quando vincula debent decidere, caro habetur pro operculo.13°.meth.med. 7ª.86.F
VASA *ex quibus fieri non debent.de ſubſ.emp.* Iſ.32.C

Vas duplex quid sit,& a quo in eis fiat coctura.7°.de compo.medic. secun.loc. 5ª.180.A

Vas duplex qũo sit,& qũo intelligat.3°.de cõp.med.per g. 5ª.233.E

Vase duplici quid significet,& quæ incoqui debeãt.7°.de comp.medi. sec.loc. 5ª.180.B

in Vase duplici qũo debeat cera liquefieri.8°.de cõp.m.s.l. 5ª.187.E

in Vase duplici debet liquari chalbanũ.3°.de cõp.me.per ge. 5ª.233.E

in Vase duplici mellis coctura,quo ad manus non inquinet.7°.de cõp. med.sec.loc. 5ª.178.H

in Vase duplici miscent vnguenta oĩa.3°.de cõp.med.per g. 5ª.234.F

in Vase duplici calescant vnguenta.8°.meth.med. 7ª.53.C

*Vase duplici vtuntur vnguentarij.7°.de comp.me.se.lo.*180.B/181.F/ *7°.de comp.med.per gen.*269.H/ 5ª.271.A/E

in Vase duplici coquebant medicamenta.4°.de san.tuen. 2ª.87.A

in Vase duplici qũo coquebant medicamenta.4°.de san.tu. 2ª.87.A

*Vase duplici vtitur.7°.de comp.me.s.l.*178.H/179.D/E/180.A/7°. *de comp.med.per gen.*273.A/5ª.274.D/10°.*met.med.*7ª.65.A

Vas, in quo Viperæ coqui debent,quale esse debeat.de ther. 5ª.95.F

Vasa in quibus reponi Theriaca debet,& quomodo aperiẽda, & quo modo claudenda.de ther.ad Pis. 5ª.95.G

Vas quomodo præparetur operculis & centonibus.7°.de comp.med. per genera. 5ª.273.A

*in Vase Aeneo in quo ponit punica.3°.de comp.med.sec.loc.*5ª.147.G

*Vas æneum.6°.de comp.med sec.loc.*5ª.170.A/*de vict.rat.in morbis acutis,com.4°.*152.G/*de ocul.* 7ª.191.F

Vas Aereum elegit pro coctura.de rem.par.fac. 7ª.155.G

in Vas æreum semper ponit malum punicum.3°.de comp.med.secun. locos. 5ª.48.D

*Vas æreum.3°.de comp.me.se.lo.*145.H/4°.152.H/153.A/6°.170. C/9°.209.B/2°.*de comp.med.per ge.*225.F/4°.243.F/ 5ª.246.F

*Vas æris Cyprij.5°.de comp.me.se.lo.*161.F/ 5°.*de comp.medic.per genera.* 5ª.254.D

*Vas æris rubri.3°.de cõp.me.se.lo.*148.A/2°.*de cõp.m.p g.*5ª.226.C

Vasa ex nõ puro Argẽto rubiginẽ cito cõtrahunt.5°.de anti. 5ª.104.D

Vas argenteum crassum.7°.de comp.med.per gen. 5ª.274.G

*Vas argenteum.7°.de comp.med.sec.loc.*181.G/H/7°.*de comp.med. per gen.*5ª.274.G/*de incant.adiur.* 7ª.182.B

Vas Birennum secret. Sp.98.D

Vas Buxeum.7°.de comp.med.per gen. 5ª.273.F

Vas Corneum.8°.de comp.med.sec. 5ª.189.C

Vasa fictilia Alexandrina purpurea appellata.2°.de comp.med.se cun.loc. 5ª.128.B

*Vas fictile nõ piccatũ ergo erat picata.*10°.*de cõp.m.s.l.* 5ª.209.A

*Vas fictile.5°.de comp.med.sec.loc.*162.A/263.B/164.A/3°.*de cõ- po.med.per gen.* 5ª.235.C

Vasa figulina,in quibus debẽt alia coqui,cur debeant esse bene cocta. 4°.de san.tuen. 2ª.85.A

*Vas figulinum.3°.de comp.med.secundum loc.*144.H/148.C/4°.152. G/10°. 5ª.209.A

Vas Iliceum.4°.de comp.med.sec.loc. 5ª.152.H

vasis genus Meliterium dictum.de puer.epil. 7ª.181.A

Vas Nouum.8°.de comp.med.sec.loc. 5ª.196.B

*Vas Plumbeum quod non perspiret.7°.de comp.med.per g.*5ª.271.C

Vas plumbeum.3°.de comp.med.sec.loc. 5ª.148.C

Vas Stamneũ p seruãdo medicamẽto.6°.de cõp.me.se.loc. 5ª.171.A

*in Vase stãneo mali punici succũ seruãt.3°.de cõp.med.se.l.*5ª.148.E

*Vas Stamneum.3°.de cõp.med.sec.loc.*143.E/F/148.E/ 7°.*de comp. med.per ge.*269.G/272.F/5ª.273.F/*de ocul.* 7ª.191.F

Vasa testacea sunt prima aqua saturanda.de rem.par.fac. 7ª.154.A

Vasa testacea.7°.de comp.med.per gen. 5ª.273.A

Vasa vinaria obturanda sunt ne vinum acescat.de vinis. Sp.77.A

Vasa vinaria aperta cito faciunt vinum acetum.in 6ᵐ.de morb.vulg. commen.4°. 3ª.182.H

Vasa minus plena citius faciunt acetum.in 6ᵐ.de morbis vulgar.com men.4°. 3ª.183.A

Vas Vitreum crassum.7°.de comp.med.per ge. 5ª.274.G

*Vas vitreum.2°.de cõp.med.se.lo.*139.C/3°.143.D/144.A/5°.160.F/ 7°.179.E/180.E/181.G/H/182.A/185.E/F/9°.203.A/4°.*de cõ po.med.per gen.*243.H/244.A/7°.269.G/273.A/ 5ª.274.F/*de med.fac.par.*169.D/ 7ª.174.D

*Vas vnguentarium exiguũ stãneum.7°.de comp.me.per ge.*5ª.272.H

Vas vnguentarium.7°.de comp.med.sec.loc. 5ª.181.G

pro Vase pellicula,5°.de comp.med.sec.loc. 5ª.162.C

Vasa attrita fiunt ficciora.in 6ᵐ.de mor.vul.com.3°. 3ª.170.B

Vasa proijciebat quidam delirans,tamen illa cognoscebat, & nomina bat.de symp.diff. 3ª.12.H

Vas se esse cur qspiã arbitrabat.de mel.ex Gal.Ru.& Pos. Sp.109.D

VASCVLORVM *immunditia quid significet.in 6ᵐ.de mor.vul.commen tario 3°.* 3ª.162.H

Vasculo testaceo vel æneo posita aqua fomentum est calidum.de vict. ra.in morb.acu.com.2°. 7ª.116.D

Vasculum pro mensura.7°.de comp.med.per gen. 5ª.272.F/H

*VATES tanquã præsentia dicit præterita.in progn.c.1°.*4ª.189.H

Vates existimatus Galenus.in progn.com.3°. 4ª.211.G

VATICINATIONI *similis est ars medica.de vic.ratio.in morb.acut. commen.1°.* 7ª.109.H

VATICINATORIAE *scientiæ quæ.de præcog.ad Posth.* 4ª.215.B

VATICINIA *obscura.1°.de dieb.decr.* 4ª.150.G

Vaticinium Galeni.de præcog.ad Posth. 4ª.217.B

VBERA *sunt partes in boue ex illis,q̃ sunt laxiores,& humidiores.9°.de simp.med.fac.* 5ª.65.H

Vbera vocantur mammarum glandulæ,si lac continent.de bon.& vi tio succorum. 2ª.35.H

Vberũ caro albior est glandis carne,& testiculorũ.de ana.vi.Sp.55.H

Vbera quibusdam supra modum increuerunt.de diff.mor. 3ª.5.C

ad Vberum tumorem.de pass.mul. Sp.96.D

*Vberum durities antiquas iuuat Erysimum.6°.de simp.me.f.*5ª.47.E

ad Vberum duritiem,& inflationem,& vlcera,& crassitiem,& om nem passionem.de pas.mul. Sp.96.D

Vberum phlegmonas sanare ostraciten dr.9°.de simp.me.fa. 5ª.67.D

Vberum phlegmonibus solæ sordes se exercentium impositæ efficacio ri sunt remedio.10°.de simp.med.fac. 5ª.75.C

*Vbera inflãmata refrigerari moderate amãt.7°.de sim.me.fa.*5ª.53.E

Vberum aptum cataplasma.7°.de simp.med.fac. 5ª.53.E

Vbera inflammata ex lacte concreto quomodo curantur.7°.de simpli. med.facult. 5ª.53.E

ad Vbera vlcerata.de pass.mul. Sp.96.D

Vbera generant bonum chymum,& crassum.de diss.cont. Sp.74.A

Vbera est cibus crassus,& cur.de diss.cont. Sp.72.G

VBI quid significet.de ijs,quæ in med.fi.com.1°. 7ª.200.E

Vbi genere est superius,& inferius.2°.de diff.pul. 4ª.56.F

VECTIO *inter facienda numeratur.1°.de sani.tuen- da.* 2ª.68.H

VECTES *pars organorum.de machin.* 7ª.309.E

Vectes aerei vel ferrei comparantur.de machin. 7ª.309.D

VEHEMENTER Σφόδρα. *in 1ᵐ.prorrh.com.2°.* 4ª.174.F

VEHEMENTIA *quæ dicantur.4°.de dign.pul.* 4ª.83.D

Vehementis proprium.4°.de dign.pul. 4ª.83.F

Vehemens dolor notus.2°.de loc.aff. 4ª.12.G

VEHEMENTIAE *nomen vulgo cui applicatum.3°.de differentijs pul- suum.* 4ª.61.H

Vehementia,& magnitudo idem in morbis.com.1°.aph.12°. Ex.5.F

VEHEMENTIVS *pro maius dicitur a medicis.commentar.6°.apho- rismo 5°.* Ex.47.A

VEHI *naui est passio.1°.meth.med.* 7ª.6.C

Vegetatiua anima in iecore est.1°.meth.med. 7ª.58.H

VEGETABILIS anima dicta ab Aristotele, concupiscibilis a Platone a & stoicis natura dicitur.de fœt.for. 1ª.326.B

Vegetatiua anima quæ in iecore est potest vocari appetitrix, natura- lis,& altrix.9°.meth.med. 7ª.58.H

VELLA quid.de simp.med. Sp.92.A

Vella calefactoria est,submordens viribus relaxans ad tussim veterẽ & ad regium morbum cum melle optime facit.de simp. Sp.92.A

pro VELLE, *posse.de artic.com.3°.* 7ª.281.H

VELLICATIO *in ægris quid significet.in 1ᵐ.de morbis vulgaribus, cõ ment.2°.* 3ª.118.A

VELLICANT *gulam acria,& salsa.5°.de loc.aff.* 4ª.32.D

VELLVS *nemo portat ad fullonem,prouerbiũ.2°.de dif.pul.* 4ª.58.B

VELOCITAS *timidis conuenit.1°.de vsu par.* 1ª.113.C

Velocitas responsionis sequitur ad dominium bilis.de anat.vi.Sp.45.F

Velocitas,& spissitudinis in pulsu differentia.comp.pul. Sp.65.H

VELOCITER *nutrire.com.2°.aph.18°.* Ex.13.F

VELOCEM *linguam ferè semper habent melancholici,sed balbe,& exi li voce loquuntur.de mel.ex Gal.Ruf.& Poss.* Sp.109.D

Velox pulsus est qui in paruo tempore longitudinem explet. compendium pulsuum. Sp.65.H
Veloces nutritiones deprehenduntur ex pulsibus qui sunt fortes & magni, & ex motibus qui sunt voluntarij, quia habent robur. com.2°. aphor.18°. Ex.13.G
Velocioris coctionis sunt quæ appetuntur & sapiunt. de diff. Sp.73.B
Velocius digeritur quod leuiter, & facile masticatur, quam quod difficulter. de diff.cont. Sp.73.D
Velocis digestionis de se sunt cibaria subtilia, & media. de dif. Sp.73.C
Velocius digeruntur raram habentia substantiam, quam habentia spissam. de diff.cont. Sp.73.C
Velocius digeruntur cibi crassi in aliquo corpore. de dif.con. Sp.73.C
Velocis digestionis cibariorum qui modi. de diff.cont. Sp.73.B
Velocius digerunt carnes auiũ quã quadrupedũ. de diff.cont. Sp.73.C
Velocius digeruntur axillæ omnium auium pinguium, & iuuenũ, quã axillæ macrarum, & antiquarum. de diff.cont. Sp.73.C
Velocius digeritur ex animalibus siccis quod est paruum, q̃ magnum. de diff.cont. Sp.73.C
Velocis digestionis sunt caro gallinæ, duragi, & starnæ, & hepata pullorum anserum, & eorum axillæ. de diff.cont. Sp.73.C
Velocius digeritur caro vituli, quam caro bouis. de diff.con. Sp.73.C
Velocius digeruntur oua non dura, quam dura. de diff.con. Sp.73.D
Velocius digeruntur nuces, quam auellanæ. de diff.cont. Sp.73.C
VELI *linteum. de artic.com.3°.* 7ª.270.H
VENAE quid significent. de ijs, quæ in ne.fi.com.2°. 7ª.212.E
Vena quæ sit apud antiquos. 8°. de decr.Hipp & Pla. 1ª.266.E
Vena pro arteria accipit. 6°. de decr.Hipp. 266.E/ *in Tim.Plat.* 287.G/ *q. ani. mor.* 320.C/ *de fœt.for.* 1ª.323.G/ *de cau.mor.* 7.E/ *in 6m. de morb.vul.com.6°.* 3ª.195.C/ *in 1m.pror.cõ.3°.* 4ª.180.D/ *7°. de comp.med.sec.loc.* 5ª.177.B/ *de cur.rat.per sang.mis.* 6ª.21.D/ *de vict.rat.in mor.acu.com.4°.* 7ª.138.A
Venæ, & arteriæ differentia. 6°. de vsu partium. 151.A/ 1ª.152.G/ *4°. de differen.puls.* 4ª.65.D
Vena tenuior est ac imbecillior arteria. 5°. de loc.aff. 4ª.30.F
q̃ vena siccior est arteria. 5°. meth.med. 7ª.32.D
Vena sexcuplo minus crassa arteria. 1°. de sem. 1ª.333.A
Vena cur tenuis in omni animali. 16°. de vsu par. 1ª.148.B
Venæ vas non albicat sicut vas arteriæ. 6°. de ana.adm. 1ª.93.B
Venarũ, neruorũ, & arteriarũ facultas diuersa est. de mult. 3ª.77.A
Venas tantum appellant recentes quæ non pulsant. de cau.mor. 3ª.7.E
Vena pulsatilis, & vena quieta sunt cõiunctæ. de anat.viu. Sp.56.E
Vena pulsatilis in interioribus membris superposita est quietæ, in exterioribus supposita quieta, & è contra. de ana.viu. Sp.56.E
VENA *quid, & vnde oriatur. de anat.viu.* Sp.55.E
Vena quid sit. 7°. de ana.adm. 1ª.95.A/ *de ana.viu.* Sp.44.B
Venæ sunt membra cõplexa, q̃ tñ vocant simplicia. de ana.vi. Sp.44.G
Venæ si demantur ab instrumẽtis sunt simplicia. 1°. de nat.fa. 1ª.291.G
Vena, arteria, & neruus sunt elementa hominis. 2°. meth.me. 7ª.11.H
Venæ sunt ligamenta carnium. de ana.viu. Sp.44.B
ex Vena, neruo, & arteria particulæ omnes animalis contextæ sunt. 7°. de vsu par. 1ª.158.H
Venis indigent partes compositæ. ars med. Isa.63.B
Venis, & arterijs cur indigeant naturalia membra. 1°. de lo.aff. 4ª.8.B
ex Venis, neruis, arterijs, ossibus, & carne compositum incorruptibile esse non potest. 14°. de vsu par. 1ª.204.D
Venæ inter partes similares numerantur. de diff.mor. 3ª.2.F
Vena inter prima instrumenta numeratur. de diff.mor. 3ª.3.B
Venæ numerantur inter primas partes quæ formantur. 2°. de temper. 16.A/ 1°. de nat.fac. 1ª.291.F
Venæ, & nerui quando formentur. de sper. Sp.36.C
Vena ex quibus fiat. 3°. de simp.med.fac. 5ª.17.D
Vena exanguis est, tamen ex sanguine facta. 2°. de nat.fac. 1ª.297.E
Vena est exanguis. 1°. de sem. 1ª.330.C
Venæ sunt minus siccæ chartilaginæ. 1°. de temp. 1ª.15.C
Venæ sunt exanguæ & frigidæ natura. 1°. de temp. 1ª.15.C
Venæ fiunt calidæ ex tactu sanguinis, & veniunt ad medium temperamentum. 1°. de temp. 1ª.15.C
Venam difficillimum est fieri ex sanguine. 1°. de sem. 1ª.332.E
Vena non fit e sanguine sed è semine. 1°. de sem. 330.C/ 1ª.331.H
Venæ primæ ex seminis substantia generantur. de fœt.for. 1ª.324.A
Venarum corpus cum prorsus exangue sit, verisimile est primam è semine generationem habere. de fœt.for. 1ª.322.G

ad Venarum generationem quæ necessaria sunt, in seminis substantia inueniuntur. 1°. de sem. 1ª.330.E
Venæ potius a neruo quàm a carne nascuntur. de ana.viu. Sp.50.F
Venæ quibus componantur. de anat.viu. Sp.44.G
Venæ & arteriæ ex fibris membranisq; fiunt. de inæq.intemp. 3ª.43.D
Venæ oẽs hñt vnã tunicã, & varias fibras. 6°. de anat.admi. 1ª.93.C
Vena ex vna constat tunica. 6°. de ana.adm. 1ª.95.A
Vena habet solum vnam tunicam. 3°. de nat.fac. 1ª.305.E
Venæ non indigent multiplicitate tunicarum. de anat.viu. Sp.45.A
Venarum tunica cur dura. 7°. de vsu par. 1ª.159.D
in Venæ tunica sunt fibræ multæ. 10°. meth.med. 7ª.67.D
Venæ quas habeant fibras. 2°. de temp. 1ª.18.A
Venæ quam habeant carnem. 2°. de temp. 1ª.18.A
Venæ quam habeant caliditatem. 2°. de temp. 1ª.18.A
in Venis, & sanguine caliditatem habet animal omne veluti fontem ignis. in Tim.Plat. 1ª.289.H
Venæ caliditate, & siccitate citius fistulantur. 2°. de sem. 1ª.339.B
Venæ fiunt latæ ob spiritum calidum. 2°. de sem. 1ª.339.B
VENARVM *vtilitas quæ. 1°. de vsu par.* 1ª.117.B/ *de ana.* Sp.44.B
Venæ cur inditæ membris. 6°. de decr.Hipp. 1ª.266.A
Venæ necessariæ oĩ aĩanti. 6°. de ana.adm. 90.D/ *6°. de vsu p.* 1ª.155.B
Venæ commune corporis instrumentum. 16°. de vsu par. 1ª.214.D
Vena commune instrumentum, quo omnia membra gubernantur. 1°. de semi. 1ª.330.C
Venæ duæ veniũt ad omne mẽbrũ instrumẽtale. de ana.viu. Sp.44.B
Venis & arterijs cur indigeat aĩalia instrumẽta. 1°. de loc.aff. 4ª.8.B
Vena communis est toti animanti. 2°. meth.med. 7ª.12.G
Venæ habent functionem similem in omni parte. 6°. de decr. 1ª.266.B
Venis carens corpus quod nam dicatur. de artic.com.3°. 7ª.277.F
pp Venam & arteriam musculus est instrumẽtum naturale. 1°. de motu musculorum. 1ª.309.B
Venis, & arterijs cur indigeant musculi. 1°. de loc.aff. 4ª.8.B
sine Vena, & arteria nullus est musculus. 16°. de vsu par. 1ª.220.A
Venæ pertinent ad musculos. 9°. de decr.Hipp. 1ª.284.H
Venæ sequuntur musculos in figura. 1°. de anat.adm. 1ª.43.E
ex Vena, & arteria motus præcedentes sunt naturales, & voluntatis expertes. 1°. de motu mus. 1ª.309.B
Venarum motus actiones dicuntur. 1°. de natu.fac. 1ª.291.B
in Venis tertium genus motus. de trem.palp. 3ª.51.G
Venarum exercitatio per accidens fit a motibus voluntarijs. 2°. de sanit.tuenda. 2ª.75.A
Vena, neruus, arteria cõtinuant vnicuiq; lacerto. de mo.ma. Sp.66.E
Vena, & arteria simul sunt in toto corpore præterquam in iecore, & splene. de vtil.resp. Sp.64.G
Venæ sunt robustiores adenibus. 13°. meth.med. 7ª.80.H
Venæ in quas glandulas inserantur. 2°. de sem. 1ª.340.D
ad Venas transeuntes ab vno in aliud recipiendas quandoq; glandulæ factæ sunt. de ana.viu. Sp.44.D
Venæ quid contineant. 6°. de vsu par. 1ª.154.H
Vena, pellis, & neruus sunt receptacula sanguinis, & spiritus. de vtilitate respir. Sp.63.C
in Venis adsunt spiritus. fin.med. Isa.44.C
Venæ in conatu omnes inflantur. de vtil.resp. Sp.63.G
Vena sanguinis receptaculum est. de ven.sect.aduers.Eras. 6ª.5.G
in Venis cur solus sanguis appareat. 8°. de decr.Hip. & Pl. 1ª.275.A
ex Venis qualiscunque sit vocatur sanguis. de atra bi. 1ª.34.D
in Vena multus est sanguis, & spissus. de vtil.resp. Sp.64.E
Venæ sanguine liquidior est sanguis arteriæ. de vtil.resp. Sp.64.E
in Venis sanguis exquisitus nunquam. de mult. 3ª.80.H
Venarum sanguine calidior sanguis arteriarum. de fœt.for. 1ª.323.E
Venæ quæ sanguinẽ regũt p ossa, & p viscera currunt. de dyn. Sp.19.D
Venæ singulæ pertingunt ad ossa singula. 9°. de decr.Hipp. 1ª.284.G
Venæ exiguæ in ossibus. 16°. de vsu par. 1ª.220.G
per Venas confluit calor. de vsu pul. 1ª.228.D
ad Venas a corde fluit calor continue ita vt flamma est in continuo motu. de vtil.resp. Sp.62.F
Venarum calor minor est illo arteriarum. de vsu pul. 1ª.228.D
Venæ non sunt vt arteriæ in meatibus. de vsu pul. 1ª.228.G
Venæ, & arteriæ habent ora communia. de vsu pul. 1ª.228.G
a Vena ad arteriam meatus aliquis est. de vtil.resp. Sp.64.F
in Venas transeunt arteriæ. de venæ sect.aduers.Eras. 6ª.5.F
Venarum meatus manifesti sunt. de diff.morb. 3ª.4.C

Vena vbi nusquam relinquitur ab arteria. 16°. de vsu par. 1ª. 220. H
cum Venis cur vbiq; natura ponit arterias, nisi quid maius obstet. 5°. de vsu par. 1ª. 142. C
Venæ profundæ habent arteriam. de ven. art. diss. 1ª. 59. C
Vena est vbi vas arteriosum est. 16°. de vsu par. 1ª. 220. H
sine Vena sua non inuenitur arteria. 16°. de vsu par. 1ª. 220. E
Vena sine arteria. de ven. art. diss. 59. D/E/16°. de vsu par. 1ª. 220. E
sine Venis arteriæ quæ. de ven. art. diss. 59. G/16°. de vsu p. 1ª. 220. H
Venæ, & arteriæ in quib⁹ partibus se cõtingũt. 9°. de vsu p. 1ª. 172. H
Venæ & arteriæ in cõceptibus nõ perfectis quales. de ven. ar. 1ª. 59. E
Venæ & arteriæ cum inseruntur in arteriam partem, semper propagines mittunt, sed differenter. 16°. de vsu par. 1ª. 220. D
Venas nunquàm misceri arterijs, & è contrario est mirabile, & nõ temere factum. 15°. de vsu par. 1ª. 211. C
Venas, & arterias cõparat nassularum funibus. in tim. Pl. 1ª. 288. G
Venæ, & arteriæ minimo interuallo ducuntur ad membra. 16°. de vsu partium. 1ª. 220. A
Venas & arterias ducit natura ad omnes partes breuissimo interuallo. 16°. de vsu par. 1ª. 219. A/C
Venæ non habent sensum. 16°. de vsu par. 1ª. 220. D
præter Venas, & arterias, & pelliculas, & neruos nihil de corpore sensibile est. de vtil. resp. Sp. 62. G
Vena vt vẽtricul⁹, arteria et neru⁹, diuerso mõ sẽtiũt. de mul. 3ª. 77. F
Venæ sensibiles. 14°. meth. med. 7ª. 92. C
Vena sentit solũ, & nõ habet motũ volũtariũ. 16°. de vsu p. 1ª. 214. H
VENARVM *aut arteriarum aut neruorum anatomia post ossa musculos tertio loco sine ordine spectanda est. 1°. de ana. admi. 1ª. 64. B*
Venarum anatome cur a iecore incipienda. 6°. de dec. Hipp. 1ª. 264. A
Venæ non videntur in simia ablata membrana ob tenuitatem. 3°. de anat. admin. 1ª. 74. D
Vena in simijs quomodo sit. de ven. art. diss. 1ª. 56. C
Venæ videntur in equis, asinis, mulis, & bobus ablata membrana ob crassitiem. 3°. de ana. admin. 1ª. 74. D
Venæ quibus alligentur. 6°. de vsu par. 1ª. 148. F
in Venis quæ Hippocrates docuerit. de ven. sect. aduer. Eras. 6ª. 7. D
Venas, de quibus Hippocrates cõsiderationem facit, cõsidera. de ven. sect. aduers. Eras. 6ª. 12. D
Venarum distinctio secundum Hippocratem. 6°. de decr. 1ª. 266. G
de Venarum dissectione liber neq; est Hippocratis neq; Polybi. 6°. de decr. Hipp. 1ª. 262. E
Venarum origo vnde sit. de vtil. resp. Sp. 63. G
Venarum, & nutritionis origo quæ. de marc. 3ª. 46. G
Venarum principium, & finis idem secundum aliquos. 6°. de decretis Hippocratis. 1ª. 265. F
Venæ dependent ab hepate. ars med. Isa. 63. B/1°. de vsu p. 117. B/4°. 138. F/6°. 152. D/15°. 212. E/16°. 1ª. 214. D
Venarum principium multo magis est iecur, q̃ cor arteriarum. 6°. de decre. Hip. & Pla. 1ª. 265. C
Venarum principium, & finis est Iecur. 6°. de decr. Hip. 1ª. 265. F
Venarum radicatio Iecur. 6°. de decr. Hip. 1ª. 266. G
Venarũ principiũ esse iecur demõstratio prima. 8°. de decr. 1ª. 273. G
Venarũ principiũ esse iecur demõstratio secũda. 8°. de decr. 1ª. 273. H
Venarũ principiũ esse iecur demõstratio tertia. 8°. de decre. 1ª. 273. H
Venas oriri a Iecore demonstratio quarta. 8°. de decr. Hip. 1ª. 274. A
Venarum principium est Iecoris caro. 4°. de vsu par. 1ª. 138. H
ex Venis componitur hepar. de ana. viu. Sp. 50. F
Venis solis tenuissimis atq; rarissimis nutrit hepar. 6°. d vsu p. 1ª. 155. C
Venis virtutem largitur Iecur. ars med. Isa. 71. A
Venarum facultatis iecur veluti fons est. de mul. 3ª. 77. A
Venæ accipiunt ab hepate virtutem naturalem. 1°. de vsu par. 1ª. 117. B
Venæ vis quomodo cognoscatur. in progn. com. 2°. 4ª. 200. C
Venarum corpus non videtur a iecore, vel a corde germinasse. de fœt. formatione. 1ª. 324. G
Venarum principium nõ esse hepar, suadetur. de anat. viu. Sp. 56. F
ad Venarũ nam iecoris substãtia ne ppè q̃dẽ accedit. d fœ. for. 1ª. 324. E
Venæ quod nascant a corde nõ ab hepate, phibitio. de ana. vi. S. 46. A
Venas a corde oriri aliqui dicunt. 6°. de dec. Hipp. 1ª. 261. H
Venarum fons est cor apud Platonem. 3°. de decr. Hip. 1ª. 241. F
Venarum & arteriarum principium esse cor tribus rationibus probatur secundum Aristotelem. de anat. viu. Sp. 56. E
Venæ, & arteriæ prorrigunt a cono cordis p totũ. de ana. viu. Sp. 56. G
Venæ principiũ quod nõ sit cor probatur. 6°. de decr. Hipp. 1ª. 262. H/de anat. viuorum. Sp. 56. E
Venarum principium non esse cor optimum argumentum præter alia. 6°. de decr. Hipp. 1ª. 263. G
Venæ cordis & iecoris sunt tanquam radices. 1°. de sem. 1ª. 331. C
Venæ totius corporis fœtus sunt tanquam trunci. 1°. de semi. 1ª. 331. C
Venæ duæ in fœtu. 15°. de vsu par. 1ª. 211. C
ex Venis attrahit sanguinem fœtus dum augẽtur. 1°. de sem. 1ª. 330. H
Venis tutius erat per interna iter facere. 16°. de vsu par. 1ª. 217. H
Venæ cur sint minus profundæ, q̃ arteriæ. 16°. de vsu par. 1ª. 219. F
Venæ cur superiores arterijs. 16°. de usu par. 1ª. 219. E
Venæ infernæ sursum feruntur. 8°. de vsu par. 1ª. 165. A
Venæ extrinsecæ vt præseferunt magnam differentiam, ita interne. 5°. de san. tuen. 2ª. 91. F
Venæ maiores ex minoribus fiũt vsq; ad portas. 4°. de vsu p. 1ª. 141. G
Venę omnes in quam concurrant venam. 6°. de decr. Hipp. 1ª. 265. B
Venæ omnes a qua vena oriantur. 16°. de vsu par. 1ª. 220. E
VENARVM *anatome ad cor a cerebro. 2°. de decr. 1ª. 235. A*
Venæ cerebri spirituales. de nat. & ord. cuiusl. corp. Sp. 41. H
Venę cur tot in cerebro. 7°. de decr. Hip. & Plat. 1ª. 269. D
ex Venis etiam fit plexus retiformis. 16°. de vsu par. 1ª. 220. C
sine Vena rete mirabile. de ven. art. diss. 1ª. 59. H
Venę cum venis commisse in toto capite. 16°. de vsu par. 1ª. 220. D
Venę et arterię ĩ cerebro cur veniãt a diuerso loco. 9°. de vsu. 1ª. 172. b
Venæ veniũt ab externa pte ĩ cerebrũ p craniũ. 9°. de vsu p. 1ª. 173. A
Venę, arterię, nerui simul commiscentur. 16°. de vsu par. 1ª. 220. D
Venę æquales numero neruis. 13°. de vsu par. 1ª. 202. A
Vena frontis inter duo supercilia exilit. de ana. uiu. Sp. 55. A
Venæ duę temporum flexuose incedunt. de ana. uiu. Sp. 55. A
Venarum quatuor paria a capite descendere, uanum est dicere. de natura hum. com. 2°. 7ª. 183. D
Venarum quatuor paria in corpore. de nat. hum. com. 2°. 7ª. 183. B
Venę quæ descendunt ad oculum. 4°. de loc. aff. 4ª. 22. F
Vena non est in oculorum humoribus. 10°. de usu par. 1ª. 177. G
Venę duę quę sunt in angulis oculorum lachrymalibus non apparent multum. de anat. uiu. Sp. 55. A
Venę oculorum q̃q; uidentur, quãdoq; nõ, & cur. de mul. 3ª. 80. G
p Venas auriũ qd itelligere oporteat. in 6ᵐ. de mor. uul. c. 5°. 3ª. 192. F
Venę circa faciem, & aures quę. de uen. art. diss. 1ª. 57. H
Venas multas, & arterias propter quid habeat uuea. de ocul. 7ª. 183. c
Venę in lingua communes cum alijs carnibus. 3°. de alim. fac. 2ª. 26. G
Venę duę in lingua cur. de uoce & anhel. Sp. 61. G
Venæ in lingua maiores & plures sunt, q̃ linguæ corpus exigat. 3°. de alim. fac. 2ª. 26. G
Venæ linguæ. de uen. art. diss. 1ª. 58. A
Venis qb⁹ nutriant corpora linguæ circũiecta. de uen. art. diss. 1ª. 58. A
Venæ gutturis angustæ. de uic. rat. in morb. acu. com. 4°. 7ª. 138. F
Venæ gutturis strictiores quàm faucium. de uict. rat. in morbis acutis, comm. 4°. 7ª. 138. G
Venæ quomodo in collum ferantur. 16°. de usu par. 1ª. 218. G
a Venis quibus nutriantur scapulæ, & collum. de uic. rat. in mor. acu. commen. 2°. 7ª. 117. E
a Venis quibus nutriantur caput, & collum. de uict. rat. in mor. acut. commen. 2°. 7ª. 117. E
Venæ carotides unde sint dictæ. de util. resp. Sp. 63. F
Venæ obscurę cur ad œsophagum. 4°. de usu par. 1ª. 137. C
Venæ manuum interiores appellantur. com. 6°. aph. 36°. Ex. 50. D
Venarum manus sectio. 3°. de anat. adm. 1ª. 76. B
de Venarum manus anatomia. de ana. uiu. Sp. 54. G
Venæ manus sunt duæ. com. 6°. aph. 36°. Ex. 50. D
Venarũ & arteriarũ manus cõmunis ratio. 16°. de usu par. 1ª. 221. A
Venarum brachij positus non est semper idem, sed tres habẽt differentias. de uen. art. diss. 1ª. 56. G
Venæ duæ in totam manum propagantur. de anat. adm. 1ª. 76. B
Vena humeraria quæ. de uen. art. diss. 57. E/3°. de ana. adm. 1ª. 76. B
cur Vena humeralis dicitur crassa. de arti. com. 1°. 7ª. 259. A
Vena humeraria unde. de uen. art. diss. 56. G/1ª. 57. E/F/ de uict. rat. in mor. acu. com. 2°. 7ª. 117. D
Vena humeraria in cubiti articulo diuiditur in tres ramos. 3°. de ana. administ. 1ª. 76. C
Venæ plures in interno cubiti articulo. de uictus ratione in morb. acu. commen. 2°. 7ª. 117. B
Venæ quę per axillas tẽdũt ad manus, quomodo incedant. de uict. ratione in

tione in mor.acu.com.2°. 7ª.117.E
Vena axillaris humeruli multo maior est.3°.de ana.adm. 1ª.76.D
Venæ axillari vna arteria vicina in brachio.3°.de ana.adm. 1ª.77.F
Vena media quarum communis.3°.de loc.aff. 4ª.18.G
Vena communis quæ.3°.de anat.adm. 1ª.77.D
Venæ ramus similis y literæ in radio.3°.de ana.adm. 1ª.76.F
Venæ in quibus egregius videantur.3°.de anat.adm. 1ª.76.D
Vena quomodo euidentius videatur.3°.de ana.adm. 1ª.76.D
Venæ in quibus non compareant.de aere,aq.& loc. 2ª.2.G
Venæ quæ nõ apparẽt,quomodo possint videri.de ven.art. 1ª.56.F
Venarum in brachio quæ vñr consideratio.de ven.art.diss. 1ª.56.G
Venarũ occultarũ in brachio,& manu cõsideratio.de ve.ar. 1ª.57.A
Venarum profundarum brachij anatomia.3°.de ana.adm. 1ª.77.E
Venæ internæ brachij vñ oriant.de vic.rat.in mor.acu.cõ.2°.7ª.117.E
Venæ duæ per totum brachium.3°.de ana.adm. 1ª.77.E
Vena basilica qui nam ramus sit.de ana.viu. Sp.54.E
Vena cephalica qui nam ramus sit.de ana.viu. Sp.54.E
Vena quæ gaudet cholera.de ana.viu. Sp.54.F
Venæ critrinæ.secr. Sp.97.G
Vena purpurea cuius sit ramus.de ana.viu. Sp.54.F
Vena funis brachij quæ.de ana.viu. Sp.54.F
Vena vna superat brachium & crus.16°.de vsu par. 1ª.221.A
Vena saluatella cuius venæ sit ramus.de anat.viu. Sp.54.F
Venæ quæ brachium nutriunt vnde oriantur.de ijs,quæ in med.fiunt, commen.3°. 7ª.220.E
sub Venis certis vngues connascuntur.in Tim.Plat. 1ª.286.H
Vena & vnguis digitorum partes.de inæq.intemp. 3ª.43.D
Venæ quæ feruntur ad anteriorem thoracis partem quo modo se habeant.de ven.art.diss. 1ª.57.B
Venas mammarum,& testiculorum natura ducit a longinquis partibus.16°.de vsu par. 1ª.219.C
Venæ quæ sunt sub mammis,sunt illæ quæ veniunt ad vterum.commẽ. 5°.aph.50°. Ex.42.A
Venas cões ponit Galenus mãmis,& vtero.cõ.5°.aph.52°. Ex.42.B
Venæ iugulares sunt maximæ.de nat.hum.com.2°. 7ª.184.B
Venæ iugulares vnde oriantur.de ven.art.1ª.57.D/de natu.humana. commen.2°. 7ª.183.B
Venæ iugulares vnde a caua vena oriantur.de vict.rat.in morb.acut. commen.2°. 7ª.117.D
Vena caua recte ad iugulum tendit.6°.de decr.Hip. 1ª.263.D
Venæ iugulariæ superficiales vnde.de ven.art.diss. 1ª.57.G
Venæ iugulariæ altius conditæ,quæ.de vena.art.diss. 1ª.57.F
Venæ iugulariæ externæ sine arterijs sunt.de ven.art.diss. 1ª.59.B
Venæ iugulares per quem locum transeant.de na.hu.cõ.2°. 7ª.184.B
Vena iugularis in collo sine coniuge.16°.de vsu par. 1ª.221.A
Venæ iugulares iungunt cor cerebro.2°.de decr.Hip. 1ª.239.B
Venæ iugulares quas partes nutriant. de vict.rat.in morbis acutis. commen.2°. 7ª.117.E
Vena ad iugulum alit costas quatuor superiores.5°.de lo.aff. 4ª.30.H
Venæ quæ nutriunt superiores costas.de ven.ar.diss. 1ª.56.D
Vena vna ex vtraq; parte ad costas fertur.de art.com.3°.7ª.269.A
Venæ quæ sunt in dextera parte sunt ẽt ĩ sinistra. 9°.de decr.1ª.284.H
in Venis distribuendis naturę æquitas.16°.de vsu par. 1ª.220.F
a Venis ortis a caua,antequã in iugulare soluatur,costæ quatuor inferiores nutriũtur.de vic.rat.in mor.acu.com.2°. 7ª.117.D
Vena sine pari a dextra cordis auricula orta,octo costas inferiores alit.5°.de loc.aff. 4ª.30.H
Vena sine pari vbi sit,& quomodo per thoracem extendatur.de vic. rat.in mor.acu.com.2°. 7ª.117.D
Vena quæ alit thoracem.de ven.art.diss. 1ª.59.E
Vena sine pari quę octo costas nutrit.16°.de vsu par. 1ª.220 H
Vena alens inferiores partes Thoracis,sub corde emergit.de vict.rat. in mor.acu.com.2°. 7ª.117.G
Vena nutriens octo costas inferiores thoracis qualis, & eius arteria. 16°.de vsu par. 1ª.219.A
Vena octo inferiores costas alens quorsum tẽdat 5°.de lo.aff.4ª.30.G
Vena cordis in qua parte.7°.de ana.admin. 1ª.95.A
Vena magna ex parte dextera cordis.de ana.viu. Sp.46.F
Vena, & arteria amplectuntur totum cordis corpus.6°.de vsu partium. 1ª.155.F
Vena magna ex corde nascitur, & quorsum tendat, & quę ab illa nascantur.5°.de loc.affect. 4ª.30.F
Vena magna,& arteria procedunt a ventriculis cordis ad supremum spondylum colli.de vtil.resp. Sp.62.G
Venæ cordis quot.de nat.& ord.cuiusl. Sp.42.A
per Venas,neruos, pelliculas colligantiam habent ad cor omnes corporis partes.de vtil.resp. Sp.62.G
Venæ aortæ officiũ & ex quibus composita sit.de anat.viu. Sp.52.H
Venæ quæ correspondeant arterijs in corde.16°.de vsu par. 1ª.220.E
Vena ventrem habens ad cor vnde transmittat ad cor nutrimentum. de anat.viu. Sp.54.E
Vena a corde ad pulmonem minor est,quàm illa, quæ cordi inseritur. 6°.de vsu par. 1ª.155.C
Vena quæ infigitur cordi maior est,quàm illa,quæ ab eo exoritur. 6°. de vsu par. 1ª.155.C
Venæ quæ correspondent a corde in pulmones.16°.de vsu p. 1ª.220.E
Venarum,arteriarum cordis,thoracis,renum, & vtriusq; vesicæ est opus commune.7°.meth.med. 7ª.49.B
a Vena magna nulla vena it in pulmonem.5°.de loc.aff. 4ª.20.G
Vena magna in pulmone.16°.de vsu par. 1ª.220.G
per Venam magnam sanguis ex corde subministratur pulmoni. de natu.hum.com.2°. 7ª.184.A
Vena est crassa in pulmone.6°.de vsu par. 1ª.151.B
Vena arteriosa in pulmone.6°.de vsu par. 1ª.151.A
Venæ pulmonis ex arteriosis cordis partibus.6°.de vsu par. 1ª.153.A
Vena arterialis quæ,vbi,& ob quem finem.de ana.viu. Sp.47.F
in Vena arteriosa membranæ σιγμοειδεῖς.6°.de vsu par. 1ª.153.F
Venam,quæ pulmonem nutrit,cur natura ducit a corde, & non a iecore.6°.de decr.Hipp. 1ª.263.G
Venæ quæ fertur ad pulmonem vas magnam arteriam nectens semper minuitur.15°.de vsu par. 1ª.212.H
Venæ in pulmone cur non dilatantur nec comprimuntur.7°.de vsu partium. 1ª.159.D
Vena,& arteria,quæ veniunt a corde, faciunt circa pulmonem pelles duas plenas venis,& arterijs.de vtil.resp. Sp.64.C
Vena caua propter quid dicta.de ven.art.diss. 1ª.56.C
Vena caua vnde dicatur.de fœt.for. 1ª.323.E
Vena caua ita dicitur ob magnitudinem.8°.de decr.Hip. 1ª.273.H
Vena magna ob quid dicatur caua.16°.de vsu par. 1ª.214.F
Vena magna quæ dicitur caua quorsum pcedat.de vtil.resp. Sp.62.G
Vena maxima quo modo intelligatur apud Anatomicos. 3°.de anato. administr. 1ª.75.C
Venam maximam poetæ cognoscunt.de nat.hum.com.2°. 7ª.183.G
Venarum maxima vnde habeat ortum.de fœt.for. 1ª.323.E
Venæ maximæ ortus ex Hepate.16°.de vsu par. 1ª.220.H
Vena magna ex quibus fiat.de anat.par. Sp.43.B
in Venæ magnæ anatomia sanguis quando multus quando paucus.7°. de ana.admin. 1ª.95.C
Vena caua q̃ vas etiam vocetur.16°.de vsu par. 1ª.218.G
Vena iecoraria dĩ ab Hippocrate vena caua.de nat.hu.c.2°.7ª.183.E
Venam cauam iecorariam vocat Hippocrates.de fœt.for. 1ª.323.E
Vena caua cur ab Hippocrate dicat iecoraria.8°.de dec.Hip.1ª.273.b
cum Vena iecoraria simul cor generatur.de fœt.for. 1ª.323.A
Vena iecoraria quorsum eat.6°.de dec.Hip. 1ª.266.G
Vena caua superius in iecore oritur.5°.de vsu par. 1ª.142.B
Vena caua an oriat a Iecore,vel a corde,ambiguũ.de fœt.f. 1ª.324.E
Vena portæ inferius in iecore oritur.5°.de vsu par. 1ª.142.B
Venæ portæ propter quid ita dictæ ab antiquis.de ven.arter. 1ª.56.B
Vena portæ cur sic appellata.de nat.hum.com.2°. 7ª.184.C
Venæ ad portas iecoris facile inueniuntur.6°.de ana.adm. 1ª.92.B
Venas multas vniuit natura ad portas, propter quid iterum diuisit. 4°.de vsu par. 1ª.138.H
Vena ad portonarium breuis.de ven.art.diss. 1ª.55.G
Venæ concauæ anatomia.de anat.viu. Sp.54.D
Vena caua vbi fiat.de anat.par. Sp.43.B
Venæ cauæ locus in hominibus,& in quadrupedibus omnibus, & in alijs.4°.de vsu par. 1ª.136.D
Vena concaua vnde.de ana.par. Sp.42.H
Venæ cauæ ortus.vnde.de anat.viu. Sp.50.H
Vena caua qualis sit.de vict.rat.in mor.acu.com.4°. 7ª.138.B
Vena caua vice trunci est.6°.de decr.Hipp. 1ª.262.H
Vena iecoraria trunco comparatur.de ven.art.diss. 1ª.55.G
Venæ quo modo similes arboribus.6°.de decr.Hipp. 1ª.262.G
Venæ stelechiæ quæ.6°.de loc.aff. 4ª.39.C

Venarum maxima germina quorsum.6°.de vsu par. 1ª.149.C
Venæ cauæ orificio tres membranæ.6°.de decr.Hipp. 1ª.264.C
Vena magna in dorso.de ana.par. Sp.43.B
Vena caua cur non iuncta spinæ.16°.de vsu par. 1ª.218.G
Venæ cauæ propinquius est pectus q̃ spina.16°.de vsu par. 1ª.218.G
Venæ cauæ situs,& incessus.6°.de vsu par. 1ª.148.F
Vena magna in quo loco magis erat locanda.4°.de vsu par. 1ª.141.H
Vena caua latissima est inferius.6°.de decr.Hipp. 1ª.262.H
Vena latissima quæ.6°.de decr.Hipp. 1ª.263.G
*Venæ cauæ incessus.16°.de vsu par.218.G/8°.de decr.Hipp.*1ª.274.A/*de nat.hum.com.2°.* 7ª.183.E
Venæ cauæ incessus,& diuisio in partes.de fœt.for. 1ª.332.E
Venæ cauæ quem incessum notauit semper Galenº.de ven.art. 1ª.57.F
*Vena caua in oĩ aĩali dissecto a Galeno semper visa.6°.& decr.*1ª.263.F
Vena caua quibus innitatur ne patiatur.6°.de vsu par. 1ª.148.G
Vena caua diuisa velut in duos neruos.16°.de vsu par. 1ª.214.F
Vena caua sursum,& deorsum per propagationes mittit sanguinem per totum corpus,& quo modo.de ven.art.diss. 1ª.56.C
*Vena caua quomodo ascendat.de vic.rat.in mor.acu.com.2°.*7ª.117.D
Venæ quæ nascuntur a caua ascendendo.de ven.art.diss. 1ª.56.C
Vena caua quando non adest dexter ventriculus cordis vbi scindatur.6°.de decr.Hipp. 1ª.263.F
Vena caua vbi scindatur in volucribus,reptilibus,& aliquibus gressibilibus.6°.de decr.Hip.& Plat. 1ª.263.F
Venæ cauæ pars,quæ tendit in cor amplior illa,quæ tendit in pulmones.3°.de nat.fac. 1ª.307.H
*a Vena caua q̃ nutriant̃ antequã pueniant ad cor.6°.de decr.*1ª.263.B
a Venæ cauæ sanguine nutritur cor.6°.de vsu par. 1ª.155.D
Vena arteriosa quæ.7°.de anat.adm. 1ª.94.H
Vena arterialis habet duas tunicas.de ana.viu. Sp.46.F
Venæ arterialis officium quod.de ana.viu. Sp.52.G
*Venarum a caua deriuatio ad partes internas.de ven.art.diss.*1ª.53.B
*Vena caua qũo tẽdat ad partes iferiores.de re.aff.dig.& m.*7ª.192.A
Venarum inferiorum ortus.de ven.art.diss. 1ª.55.G
*Vena caua in arteriam venosam cur pertusa.15°.de vsu par.*1ª.212.F
*Venæ cauæ sanguis comparatur fluuio.de nat.hum.com.2°.*7ª.184.B
Vena vna sanguinem in totum corpus riuat,ex qua multæ. de nat.hu. commen.2°. 7ª.184.B
ex Vena caua sanguis qui fluit in membra comparatur canali.de nat. hum.com.2°. 7ª.184.B
in Vena caua sanguis purus.2°.de decr.Hip. 1ª.240.F
*a Vena caua omnia mẽbra & cor nutriunt.2°.de decr.Hip.*1ª.240.F
Venæ iecinoris tunicam habent tenuiorem quàm in toto animante.6°. de anat.admin. 1ª.92.D
Venæ in iecore sunt omnium tenuissimæ.4°.de vsu par. 1ª.139.B
Venæ multæ,& amplæ sunt in hepate.ars med. Isa.70.H
Venarum iecoris terminus.ars med. Isa.70.H
Venæ ad iecur feruntur in fœtu.15°.de vsu par. 1ª.211.D
*Vena fœtus cur in sima hepatis,& nõ in gibba.15°.de vsu p.*1ª.211.E
Venæ iunguntur in sima iecoris parte.15°.de vsu par. 1ª.211.D
Venæ simæ partis iecoris quales.5°.de loc.aff. 4ª.33.G
Venæ,& arteriæ inueniuntur in curuatura hepatis,& splenis.de vtil. respirationis. Sp.64.G
Venæ quæ sunt in simo iecoris ferunt sursum alimentum ex periculis, quæ ad ventriculum attinent.4°.de vsu par. 1ª.138.F
Vena in concaua parte iecoris.6°.de ana.adm. 1ª.91.D
Venæ in gibba iecoris parte vnde incipiant.5°.de loc.aff. 4ª.33.G
Venæ solæ inueniuntur in gibbo hepatis.de vtil.resp. Sp.64.G
ante Venas gibbi hepatis cur sit meatus bilem trahens.4°.de vsu partium. 1ª.139.C
*Venæ quæ sunt in gibbo iecoris sumũt alimentũ.4°.de vsu p.*1ª.138.H
per Venas,per quas currit nutrimentum ad hepar, an sanguis perfectius recurrat.4°.de vsu par. 1ª.141.F
per Venas easdem nutrimentum transit a iecore in ventrem,& è cõtrario.3°.de nat.fac. 1ª.306.E
Venæ non solum ducunt nutrimentum ad hepar,sed etiam præparãt. 4°.de vsu par. 1ª.135.H
ad Venam hepatis non omnino transmitti succum cibi,immo etiã partem ad arteriam.de vtil.resp. Sp.64.G
Venæ è iecinore in ventriculum secunda principia alimenti.2°.de decre.Hipp. 1ª.240.F
Vena cæua quartum principium alimenti.2°.de decr.Hipp. 1ª.240.F
Venæ instrumenta concoquendi.3°.de temp. 1ª.22.C
in Venas plurimum rapitur nutrimentum ab intestinis.3°.de natur. facultatibus. 1ª.307.B
Venæ habent actionem propriam naturalem.2°.de san.tu. 2ª.75.A
Vena habet quatuor virtutes naturales.3°.de nat fac. 1ª.305.C
Venæ vis attractoria ex vicinis partibus trahit. de vict.rat.in morb. acu.com.3°. 7ª.134.D
Venæ non trahũt sanguinẽ prauũ & huius cõtrariũ habes in principio quarti de victu acutorum & in 6ᵐ.de mor.vul.com.4°. 3ª.186.H
*Venæ trahũt vt pueri,et bruta.4°.de vic.ra.in mor.acu.c.3°.*7ª.134.D
per Venas cito lac distribuitur.com.5°.aph.64°. Ex.44.G
in Venas velociter tendit mellis aqua.de diss.cont. Sp.75.A
in Venis coctio.in progno.com.2°. 4ª.197.F
in Venis fit secunda coctio.4°.de san.tuen. 2ª.88.B
Venas concurrere cum hepate in secunda digestione,potest colligi.cõ. 1°.aph.15°. Ex.8.F
in Venis quæ agitur concoctio est alteratio.3°.de symp.cau. 3ª.26.C
in Venis omnibus sanguis etiam coquitur.4°.de vsu par. 1ª.140.E
*in Venis,& iecore sanguis coquitur.iu 6ᵐ.de mor.vul.c.5°.*3ª.188.B
Venæ cibos in sanguinem vertunt.de ther.ad Pis. 5ª.96.H
*in Venis alimentũ dũ ab innato calore alteratur, sanguis ex mediocri calore fit,reliqui succi ex calore immodico.2°.de nat.fa.*1ª.300.C
in Venis est facultas sanguifica.1°.de nat.fac. 1ª.291.D
in Venis sanguis generatur.1°.de vsu par. 1ª.117.B
in Venis primum gignitur sanguis.2°.de decr.Hip. 1ª.240.F
Venarum tunicas sanguinem generare dicentes errant.6°.de decretis Hippocratis. 1ª.265.G
Vena serosi humoris substantiam gignit secundum Aristotelem.1°.de temperamentis. 1ª.332.A/G
Venæ faciunt semen paucum,& tarde.1°.de sem. 1ª.335.A
Venæ alendæ semen accommodatum est.1°.de sem. 1ª.332.G
in Venis confectus sanguis datur arteriis.de vsu par. 1ª.155.C
ex Venis aliquid trahunt arteriæ.6°.de vsu par. 1ª.156.F
ex Venis in arterias sanguis defertur.3°.de nat.fac. 1ª.307.G
a Venis propinquis arteriæ trahunt sanguinem tenuissimum.3°.de natur.facul. 1ª.307.E
a Venis trahunt arteriæ cum dilatantur.de vsu pul. 1ª.228.G
ad Venas mittunt arteriæ cum constringuntur.de vsu pul. 1ª.228.G
per Venas nutrimẽti trãsitus ἀναδοσις dr.2°.de nat.fac. 1ª.299.C
Venæ tanquã canales.2°.de nat.fac. 1ª.308.B
in Venis sanguinis differentia.2°.de nat.fac. 1ª.299.F
Venarum opus quomodo variatur 2°.de san.tu. 2ª.75.B
*ex Venis crassius q̃ ex arteriis alimẽtũ attrahit.4°.de vsu p.*1ª.140.B
a Venis capiũt mẽbra succũ sibi accõmodatum.1°.de sem. 1ª.335.A
ex Venis ad carnes alimentum.3°.de symp.cau. 3ª.25.A
in Venas ex ventre,ex venis ad carnes alimentum pertransit.3°.de sympto.causis. 3ª.25.A
Venarũ & arteriarũ ora pueniunt ad cutem.1°.de simp.me.f. 5ª.4.D
a Venis ad cutem quandoq; natura humores transmittit per viã crisis.com.6°.aph.42°. Ex.51.B
per Venas in ventrem quandoq; natura excrementa expellit.3°.de nat.fac. 1ª.306.B
*ex Venis humoribus attractis ad mẽbra solida pueniũt.2°.de el.*1ª.9.H
Vena caua per vrinæ meatum expurgatur.11°.meth.med. 7ª.73.F
*in Venis tenuia & aquosa p vrinã expurganĩ.de cõst.ar.me.Isa*42.E
Venæ aggregant pituitosam substantiam,quæ per renes expurgatur. com.4°.aph.6°. Ex.36.D
Venarũ succi in quibus coniecturis noscantur.4°.de san.tu. 2ª.83.B
*in Venis contentæ sunt vrinæ.in 1ᵐ.de morb.vul.com.2°.*3ª.112.A
a Venis omnibus,& arteriis corporis mittur vrina,& sudor.de vtilitate resp. Sp.64.G
in Venis contentorum humorum vrina est serum.in 3ᵐ.de mor.vul. commen.1°. 3ª.131.D
*in Venis excremẽtũ est sicut serũ in lacte cõcreto.1°.de sa.tu.*2ª.67.G
*ex Venis supfluitas serosa facit acritudinẽ vrinæ.c.5°.ap.58°.*Ex.43.B
in Venis ex altera excrementorum secretio.1°.de nat.fac. 1ª.292.E
in Venis adsunt viæ,per quas excrementa ducuntur ad exitum,ne succis bonis obsint.1°.de decr.Hip. 1ª.292.E
Venarum excrementa in locum quendam colliguntur, vt cum in copia sint collecta excernantur.1°.de decr.Hip. 1ª.292.E
*in Venarum cõcoctione triplex excremẽtũ.3°.de symp.cau.*3ª.26.A
in Venarum cõcoctione amara bilis,atra,et serositas sunt excremẽta. 3°.de sympto-

3°.de symp.causis. 3ª.26.A
Venarum coctio quæ non sit bona.de vrin. 4ª.125.B
in Venis quæ sunt male concocta,quomodo se habeant ad concoctionem quæ fit carne.4°.de san.tu. 2ª.88.B
Venarū primarū supfluitates p quos meatus euacuentī.ars me. Is.71.E
in Venis cruditatem significant vrinæ tenues. in 3ᵐ.de morb.vulgari. commen.2°. 3ª.139.A
in Venis primis cruditas quomodo curanda.4°.de san.tuen. 2ª.87.C
in Venis extremis cruditas qūo curanda.4°.de san.tu. 2ª.87.C
in Venis primis cruditati datur dia trion pipereon,& quale.4°.de sanit.tuenda. 2ª.87.D
in Venis primis crudos humores habentes quomodo nutriendi.4°.de san.tuen. 2ª.84.H
in Venis primis cruditatum copiam habentes quibus debeant nutriri. 4°.de san.tu. 2ª.85.G
in Venis primis crudos humores & multos hūtes cibandi sunt oxime lite,ptissana,& mulsæ exiguo.4°.de san.tu. 2ª.84.H
in Venis primis humorum crudorum copiam habentes nec lauandi, nec mouendi,nec exercendi.4°.de san.tu. 2ª.84.G
in Venis qñ serosam humiditatē non hūt senes pp abundantiā aquosorum excrementorum quæ vina conueniant.5°.de sa.tu. 2ª.91.B
i Venis primis excremēta deiectorijs expurgāda.ḋ cōst.ar.m.Is.42.E
in Venis bilios a per purgationem.de const.art.med. Isa.42.E
in Venis tenuia deiectorijs expurganda.de const.art.med. Isa.42.E
in Venis pituita non debet euacuari.2°.de nat.sa. 1ª.302.B
Venas mundificat ab humore crasso vinū tenue.de diss.con. Sp.74.H
Venas aperiens medicina.de med.exper. Sp.104.A
Venæ septem ad ventrem pertinentes, oriuntur ex cana parte iecoris, quæ porta vocatur.5°.de ven.art.diss. 1ª.55.G
Venæ in Ventrē & intestina radicibus cōparantī.de ven.ar.dis.1ª.55.G
Venæ ptinētes in ventriculū è iecore.2°. de decr.Hip.& Pl. 1ª.240.F
Venæ paucæ cur in ventriculo.4°.de vsu par. 1ª.137.C
Vena q̄ fertur ad vētriculū,& splenē vñ nascaī.4°.de vsu p. 1ª.141.G
Venæ paucæ cur in ore ventriculi.4°.de vsu par. 1ª.137.C
Venæ ventriculi habent vim mutandi succum in sanguinem,antequam veniant ab hepar.4°.de vsu par. 1ª.138.F
Venæ a ventre in iecur trahunt.2°.de nat.fac. 1ª.306.B
Venæ ventriculi,& intestinorum ferunt vtile ad nutriendum iecur. 4°.de vsu par. 1ª.135.H
Vena a ventriculi gibbo ad lienis concauum.6°.de ana.adm.1ª.91.D
nec Vena,nec arteria est in gibbo splenis.de vtil.resp. Sp.64.G
Vena protenditur a corde ad splenem, quemadmodum ad hepar, per quam cor attrahit sibi succum cibi a splene.de vtil.resp. Sp.64.G
Venæ inter iecur,et vētrē hñt duplex ministeriū.3°.de nat.fa.1ª.306.c
Vena ad lactes,& intestina,quæ.in 6ᵐ.de mor.vul.com.4°. 3ª.180.E
Venæ a portis ortus in intestina,splenem,& ventrem adit. de ven.arte.dissect. 1ª.55.H
Venarum omnis distributio ī intestinum fit simul cum arterijs.16°.de vsu par. 1ª.220.H
Vena vna in omni reuolutione intestinorum.5°.de vsu par. 1ª.145.F
Vena quæ inflexus intestinorum it.6°.de vsu par. 1ª.219.A
Venæ multæ cur ad singula intestina.4°.de vsu par. 1ª.137.B
Venæ quæ per intestina,ventriculum,lienem,& omentum,ad hepatis portas veniunt in omni animali.6°.de ana.adm. 1ª.91.F
Venæ intestinorum habent vim mutādi succum in sanguinem antequā veniant ad hepar.4°.de vsu par. 1ª.138.F
Venæ ad intestina multum cibi sumunt.4°.de vsu par. 1ª.141.A
Venæ propriæ quæ nutriunt intestina in mesenterio, quæ non trahunt ad hepar.4°.de vsu par. 1ª.141.F
Venæ in epiploo nutriunt intestina, & partes propinquas.4°.de vsu partium. 1ª.141.F
Venæ mesenteriæ innumeræ conueniunt in venam portæ.de nat.hum. commen.2°. 7ª.184.C
Venæ mesaraicæ vnde ortæ.13°.meth.med. 7ª.83.F
Venæ mesaraicæ quæ orificia quandoque aperiant, & claudant. de anat.viu. Sp.56.E
Venis mesaraicis vti manibus iecur vtitur.5°.de loc.affect. 4ª.35.C
per Venas capillares, & in modum filorum araneæ quid intelligendum sit.de ven art.diss. 1ª.58.C
Venæ subtilissimæ sunt pori,p quas estuit calor.de vtil.resp. Sp.62.F
Vena cur ad deorsum arteriæ in parte anteriore.7°.de vsu p. 1ª.159.C
Venæ arteria non est subiecta in vltimis lumborū vertebris, sed è contrario.de ven.art.diss. 1ª.58.D
Vena super vertebras fertur.de ven.art.diss. 1ª.59.D
Venæ ad vmbilicum quæ.de diss.vul. 1ª.109.G
Venæ ab vmbilico in fœtu vnde.6°.de decr.Hipp. 1ª.265.B
Vena cur per vmbilicum solum ingreditur.15°.de vsu par. 1ª.211.D
Venæ duæ cur vna fiant in vmbilico fœtus.15°.de vsu par. 1ª.211.F
Venæ sub duplici peritonæo.6°.de ana.adm. 1ª.91.D
Vena ad omētū,vētriculū,& lienē vñ oriaī.16°.de vsu p. 1ª.220.H
Venæ omento intertextæ vnde.de ven.art.diss. 1ª.51.A
Vena cauaq̄ a sublimis ad spinam flectitur habet dextrū renem.14°. de vsu par. 1ª.206.E
Vena cana a læua habet sinistrum renem.14°.de vsu par. 1ª.206.E
Venæ renum,& testium vnde.de vena.arte.diss. 1ª.58.C
Venæ concauæ rami descendunt ad renes.6°.de loc.aff. 4ª.39.C
Venæ renum amplissimæ a cana.de ven.art.diss. 1ª.58.C
Venæ renum cur latæ.16°.de vsu par. 1ª.220.H
Venæ renum tanquam stomachi sunt.16°.de vsu par. 2ª.220.H
Venæ renum,& testium quæ.de ven.art.diss. 1ª.58.C
Venæ canæ in renes dilatatio quid agat.6°.de loc.aff. 4ª.37.F
a Vena hepatis & etiam ab arteria sunt meatus quidam ad renes. de vtil.resp. Sp.64.G
Venas non habent renes inferius.de ana.viu. Sp.51.C
Venæ non mittunt sanguinem ad renes.1°.de nat.fac. 1ª.295.D
Venæ vesicæ non sunt nudæ aut instabiles, vt venæ renum. comm.4°. aph.78°. Ex.36.G
Venæ vesicam nutrientes vnde.de ven.art.diss. 1ª.58.E
Venæ circa vrinaculū sunt in supiorib⁹ partib⁹.15°.de vsu p. 1ª.211.G
Venæ per quas vrina venit ad renes.de anat.par. Sp.43.B
Vena,& arteria in matrice vbi,& ad quid.15°.de vsu par. 1ª.211.B
Venas plurimas,& maximas habet vterus.in 6ᵐ.de morb.vulgarib. commen.1°. 3ª.153.D
Venarum multa ora aa vterum pertingunt.6°.de loc.aff. 4ª.40.F
Venæ vteri vnde.de ven.art.diss. 1ª.58.E
Venarum ora,& arteriarum quæ feruntur ad vterum,dicuntur aceta bula.com.5°.aph.45°. Ex.41.G
Venæ communes vtero,& mammis.5°.de simp.med.sa. 5ª.37.H
Venæ communes cur soli matrici ac mammis.14°.de vsu p.1ª.207.A
Venæ ad vterum quibus maxime communicat cum mammis.de vena. arter.dissect. 1ª.58.F
Venæ,& arteriæ organa spermatis.de sper. Sp.36.E
Venæ spermatis diuersæ sunt a venis vrinæ.de sper. Sp.36.B
Venæ ducētes sperma quales.de nat.& ord.cuiusl.corp. Sp.42.B
Venæ quæ prodeunt a cerebro vsq; ad testiculos appellantur vasa seminaria antecedentia.de ana.viu. Sp.51.H
Venas proprias & neruos habet sperma quæ trahunt a toto corpore ad testiculos.de sper. Sp.36.B
Vena una seminis propria,quæ ab alijs quatuor recipit semen. de sper mate. Sp.36.G
Venæ quatuor seminis vbi sint.de sper. Sp.36.G
Venæ cur maximæ,& duplices in pudendis, & quorsum eant. 14°de usu par. 1ª.209.B
Venæ breui ueniunt ad genitalia,& unde.14°.de usu par. 1ª.209.C
Venæ testium incessus.1°.de sem. 1ª.333.C
Vena & arteria cur descendant ad utrunque testem,& non recte. 1°. de semine. 1ª.332.F
Venæ,& arteriæ plicantur in testiculis,& retiformi plexu.6°.de usu partium. 1ª.219.C
Venæ multipliciter inuoluuntur ante testiculos,quæ retardent semen. 4°.de usu par. 1ª.139.B
Vena testium operitur membrana abdominis.1°.de sem. 1ª.333.E
in Venis testium albescit paulatim sanguis.1°.de sem. 1ª.332.F
Venæ ad os latum quales.16°.de usu par. 1ª.219.E
Venæ ad ilia a uertebris.de uen.art.diss. 1ª.58.D
Venæ per foramen ossis pubis.de uen.art.diss. 1ª.58.F
Vena ischiadica cuius sit ramus.de ana.uiu. Sp.54.G
Venæ sub genu trifariam diuiduntur.com.6°.aph.36°. Ex.50.D
Venarum crurum sectio.3°.de ana.adm. 1ª.78.H
Venæ crurum unde oriantur.de uen.art.diss. 1ª.58.E
Venæ magnæ diuisio ad crura qūo deriuetur.de uen.art.diss. 1ª.58.F
Venæ magnæ diuisio ad crura unde fiat.de uena.art.diss. 1ª.58.G
Vena intrinseca cruris in tres partes diuiditur.de uen.art.diss.1ª.58.F
Venæ qua uia tendant ad crura.16°.de usu par. 1ª.218.D

Venæ in cruribus,& brachijs proprie mittuntur a natura per superficiem sine arterijs.16°.de vsu par. 1ª.221.A
Venæ q̃ crura nutriũt vnde oriant̃.de ijs q̃ in med.fr.com.3°.7ª.220.E
Venæ quatuor descendunt ad pedes.de ven art.diss. 1ª.58.G
Venæ in tarsum excurrentes ad pedis extremum porriguntur.3°.de anato.admi. 1ª.79.C
Vena saphena cuius venæ sit ramus.de ana.viu. Sp.54.G
Vena supra calcaneum est saphenæ ramus.de ana.viu. Sp.54.H
Venarum Cappar fit mentio.secr. Sp.99.E
in VENIS *Actio deficiens est cum succi sunt semicocti.3°.de symptom. causis.* 3ª.25.A
in Venis actiõis priuatio ẽ cũ succi oĩno sunt crudi.3°.de sym.3ª.25.A
in Venis actio praua est cũ succi vitiosi sunt.3°.de sym.cau.3ª.25.A
Venæ quibus Angustæ,& quibus amplæ.com.2°.aph.44°.Ex.18.F
Venarũ angustia,et laxitas qũo cõsiderãda ex fame.2°.de tẽp.1ª.18.C
Venarum angustiam in aliquibus vidit Galenus.ars med. Isa.66.H
Venæ apertio quo modo cognoscatur.de ren.aff.dig.& med.7ª.192.g
Venarum Ariditates quomodo cognoscantur.de ptis. 2ª.48.A
Venæ Constipatæ non suscipiunt cibos comestos.de sal.diæ. 2ª.42.F
Vena Corrosa quibus renutriatur.7°.de comp.med.sec.loc. 5ª.183.E
in Venis Corruptio signũ humectati,et ĩfrigidati corpis.sec. Sp.98.G
Venæ Crassæ,latæ,plenæ,& citrinæ sunt concepto in horis bilis.de dynamidijs. Sp.37.C
Vena aut diuisa aut aperta non est naturalis affectus.de symp.3ª.13.G
Venæ,& arteriæ vario Dolore afficiuntur.de inæq.intemp. 3ª.43.E
Venarum Dolores qui.2°.de loc.aff. 4ª.11.E
Venæ Exiccant tempore æstiuo acutos, & bilioſos trahunt humores, quibus fiunt ardentes febres.com.4°.aph.58°. Ex.33.G
Venæ exiccatæ trahunt a partibus propinquis.de vic.rat.in mor.acu. comment.3°. 7ª.134.C
Venæ quibus Exinanitæ præter consuetudinem quo modo reficiendi. de vic.rat.in mor.acu.com.2°. 7ª.120.B
Venas extantes habent macri.in 6ᵐ.de mor.vul.com.3°. 3ª.177.E
per Venas flatuum oblationes quibus eueniant.præs.exper. Sp.78.E
in Venas flatus aliquis vtilis tendit.4°.de vsu par. 1ª.137.H
Venæ,& arteriæ a Fluxione incalescunt.de inæq.intemp. 3ª.43.E
in Venis quid sit Gangrena.de frac.com.2°. 7ª.235.D
Venæ insensibiles apparent in Inflãmatione.de tum.præt.nat.3ª.83.C
Venæ & arteriæ intenduntur in inflammatione.2°.de loc.aff.4ª.10.G
Venæ quando inflentur.de vtil.resp. Sp.63.D
Venarum Interceptiones quæ.de vic.rat.in mor.acu.cõ.4°.7ª.137.F
Venarum interceptiones habentibus medicamentum non est exhibendum.de vic.ra.in mor.acu.com.4°. 7ª.150.F
Venas Latas habentes macri,nigri,& hirsuti aptissimi sunt,vt in ipsis humores melancholici cumulentur.3°.de loc.aff. 4ª.18.E
Venas latas et angustas aliquẽ hẽre qũo cognoscat.5°.de sa.t.2ª.91.F
Venas Magnas habent mulieres graciles,& nigræ.de cur.ra.per sanguinis missionem. 6ª.18.G
in Venis Multitudo plethora ab Erasistrato.de caus.proc. 3ª.99.C
Venæ plenæ sanguinis quibus videãtur.1°.de diss.feb. 3ª.36.A
in Venis quid sit nauseatio.de frac.com.2°. 7ª.235.D
ad Venas Orificiorum arteriarum apertiones non sine ratione parauit natura.6°.de vsu par. 1ª.155.B
Venarum oscillorum,& arteriarum apertio in toto corpore mutua est anastomosis.6°.de vsu par. 1ª.151.H
Venarum orificia quid aperiat.de cura lap. Sp.112.H
Venarum ora adaperta.6°.de comp.med.per gen. 5ª.255.F
Venarum osculorũ relaxatio in quibus partibus fiat.de mul.3ª.78.G
Venæ os dilatatum,aut ruptum quibus obturetur.7°.de compo.med. sec.loc. 5ª.183.E
Venæ os quomodo claudatur.5°.meth.med. 7ª.30.D
Venæ disruptæ & venarum ora aperta,quomodo differant in mittẽdo sanguinem.com.4°.aph.78°. Ex.36.G
Venas paruas habent mulieres candidæ & carnosæ.de curã.6ª.18.G
Venas Pati quid sit.com.4°.aph.76°. Ex.36.D
in Venis Perturbatio a qua vrina significetur.in 1ᵐ.pr.c.1°.4ª.167.G
Venæ totius corporis hyeme Refrigeratæ non probe concoquunt.de natu.huma.com.1°. 1ª.32.F
Venæ Sanguifluæ quæ intelligendæ.de frac.com.2°. 7ª.235.D
ex Vena sanguis immodicus quomodo curetur.3°.meth.me.7ª.21.H
extra Venas sanguis concrescit.1°.de sem. 1ª.329.G
in Venis Satietas quæ dicatur.de mult. 3ª.77.F
Venæ Scabiæ laborant,& quomodo in vrina distinguantur. com.4°. aphor.77°. Ex.36.F
Venarum,& arteriarũ morbi Sicci cognoscunt̃ linguæ siccitate,et corporis ariditate.de vict.rat.in mor.acu.com.1°. 7ª.112.F
Venæ Tenues si fuerint,nõ se hũt ſm naturã.c.4°.aph.77°. Ex.36.E
ad Venam crassam Tubercula fieri significant arenæ subsidentes aut tophi in vrinis.de nat hum.com.2°. 7ª.180.F
VENÆ *inflatæ videntur in cranio fracto.de vtil.resp.* Sp.63.G
Venas rumpi facile est in capite.in 1ᵐ.de mor.vul.com.1°.3ª.104.G
Venæ plenæ oculorum,& oculi squalidi ostendunt si doleant vino debere sanari.com.6°.aph.31°. Ex.49.F
Venæ ruptæ in prima tunica faciunt vt res rubræ appareãt.1°.de symptoma.causis. 3ª.15.C
Venæ temporum graues sunt ac plenæ hominis conceptis a muliere in tribus horis sanguinis.de sper. Sp.37.B
Venæ temporum cur pulsent in capitis dolore.i 1ᵐ.prr.cõ.3°.4ª.180.E
Venæ temporum pulsantes sunt iudicationis signum.1°.de arte cur.ad Glauconem. 7ª.100.D
Venæ quæ prius suscipiant materias descendentes a capite ad intestina,& quo ordine.com.7°.aph.30°. Ex.56.B
ex Vena in gula aperta non sentitur dolor.5°.de loc.aff. 4ª.32.H
Venæ colli si ligentur quid sequatur.2°.de decr.Hip. 1ª.239.B
Venis quibusdam colli compressis fit homo insensibilis,& similis dormienti.de vtil.resp. Sp.63.F/G
Venæ colli abscisæ causæ mortis.de caus.procat. 3ª.98.D
Venis iugularibus vinctis animal per diem viuit.de vsu pul.1ª.227.H
de Venis iugularibus ligatis exemplum.de vsu pul. 1ª.227.H
Venæ iugulares pulsant quandoq;.in 1ᵐ.prorr.com.3°. 4ª.180.E
Vena quibus in cubito pulsat sunt furiosi,& p̃cipites.q; aĩmo.1ª.320.c
Vena quibus in cubito non pulsat sunt stupidi.q; ani.mor. 1ª.320.C
in Venis vnus morbus esse potest,& in thorace alter.in 3ᵐ.de morbis vul.com.1°. 3ª.127.H
Venæ ruptionis in pulmone causæ præcedentes quæ sint.4°.de locis affectis. 4ª.27.H
Vena quot modis possit rumpi.3°.de symp.cau. 3ª.26.H
Venæ ruptionis causæ.4°.de loc.aff. 4ª.28.A
Venæ erosio quo modo fiat in pulmone.4°.de loc.aff. 4ª.28.B
Venæ ora quo modo aperiantur in pulmone.4°.de loc.aff. 4ª.28.A
Venas quo modo frangit aqua frigida.4°.de loc.aff. 4ª.28.A
Venarum disruptio ob frigidi vim.in 6ᵐ.de mor.vul.cõ.3°.3ª.172.H
Venæ clamantibus rumpuntur.3°.de symp.cau. 3ª.26.H
Venam rumpi facit vox vehemens.4°.de loc.aff. 4ª.27.H
Venæ rũpunt̃ ob solã sanguinis plenitudinẽ q̃q;.5°.de lo.af.4ª.32.E
Venarum ruptiones facit plenitudo quò ad vasa. de cur.rat.per sang. missionem. 6ª.17.B
Venæ rumpuntur ob spiritus.in 1ᵐ.de mor.vul.com.1°. 3ª.104.G
Venæ ruptio in pulmone quomodo cognoscatur.4°.de loc.aff.4ª.27.H
ex Venæ fractura,& ex Venæ erosione,vel apertione sanguinem expuentes,habent similia symptomata,sed curatione longe distant. de optima secta. Isa.24.A
ex Venæ fractura apertione erosione sanguinem reiectantes,& si omnes habent tussim,& sanguinis copiam, tamen curatio est diuersa. de optima secta. Isa.24.B
Venæ tunica quandoq; expuitur.4°.de loc.aff. 4ª.25.G
Venæ fractæ facilius sanantur,quam arteriæ.fin.med. Isa.50.A
in Vena rupta lauacra demittenda sunt.de ven.sect.aduer.Era.6ª.8.F
ad Venam ruptam restringendam remedium.de dyn. Sp.27.B
ob Venam ruptam sanguinem fundentibus remedium.de dy. Sp.27.C
a Venis si aqua intercutem subito defluxerit in vẽtrem, soluitur morbus.com.6°.aph.14°. Ex.47.F
è Venis ad neruos possunt fieri transmutationes humorum noxiorum. com.6°.aph.26°. Ex.48.G
Venarum iecoris intemperies quẽmorbũ faciant.2°.met.me.7ª.12.H
Venæ in cauo Iecoris obstructæ quem morbum faciant.2°.methodi medendi. 7ª.12.H
Venæ tunica in hepatis gibbis patiente,quot ibi erunt ægritudines. de differ.morb. 3ª.4.C
in Venis iecoris,& ventris ardens febris.in 1ᵐ.de mor.vulg.commentario.2°. 3ª.109.H
Venas meseraicas afficit phlegmone ĩ iecoris cauo.13°.m.m.7ª.83.F
Venæ meseraicæ quibus afficiantur.5°.de loc.aff. 4ª.33.F
Venarum meseraicarum causa Iecur imbecillitaẽ.5°.de lo.af.4ª.33.F

in Vena renũ resistẽda frigida nõ danda.de ren.af.dig.& m.7ª.192.h
Vena rumpi potest in renibus ex influentis sanguinis abundantia.com men.4°.aph.78°. Ex.36.G
propè Venam magnam,aut arteriam vlcus bubones excitat.13°,methodi med. 7ª.81.A
Vena per totum membrum videtur rubra extenta, & dolens tactu. 13°.meth.med. 7ª.81.A
Venæ veteri faciunt fluxũ menstruorũ,si corpus aggrauetur sanguine propter malum aliquem habitum.com.5°.aph.57°. Ex.43.A
Venæ quædam quæ sunt in dextra parte colli matricis franguntur in defloratione virginis,& exit sanguis.de ana.viu. Sp.51.E
Venarum sedis per ora euacuationes.sunt euacuationes totius corporis,com.4°.aph.2°. Ex.27.D
Vena qua puocent hæmorrhoide.de cur.rat.per san.miss. 6ª.20.H
Venarum hæmorrhoidum ora aperiuntur ex acritudine humorum euacuatorum.com.6°.aph.47°. Ex.52.C
Venæ sedis fluor in mulieribus deriuandus ad venas veteri.de cucurb. scarificatione. 6ª.4.F
Venæ magnæ in coxas quibus læsis vix aĩal viuit.3°.de vsu p.1ª.131.B
Vena magna vulnerata statim sequitur mors.4°.de vsu p. 1ª.139.G
in Vena magna Vlixes vulnerauit Cyclopem.4°.de vsu p. 1ª.139.G
ex Venis vulneratis sanguis,qui.de atrab. 1ª.34.D
Vena magna vulnerata quibus curetur.5°.meth.med. 7ª.30.A
supra Venam vlcus curetur vt in carne.5°.meth.med. 7ª.32.A
Venæ vulnus non suendum.5°.meth.med. 7ª.30.D
Venis ligatis,aut sectis quid sequatur.de fœt.for. 1ª.324.D
Vena incisa nullam habet propriam appellationem.6°.me.m.7ª.36.G
Venis quibus incisis animal periret.2°.de decr.Hip. 1ª.239.B
Vena animalis incisa,si sanguinem effluere in aquam modice calidam sinas,iecoris similẽ coagulationẽ adipiscetur.de fœ.for.1ª.322.F
Vena quo modo intorquenda pro vulneris sanguine sistendo. 5°.meth. medendi. 7ª.30.G
in Venis ligatio quo modo fieri debet.5°.meth.med. 7ª.31.C
ad Venarũ capita sãguinẽ fundẽtia vinciẽda,laque°.de laq.7ª.307.G
Venas vnit vinculum capitis.in Tim.Plat. 1ª.288.A
Venæ non indigent tam imputrescibili materia deligari sicut arteriæ. 13.meth.med. 7ª.86.F
Venæ quando auferuntur.de dif.morb. 3ª.5.A
Vena ablata cur non crescat.1°.de sem. 1ª.332.D
Venam renasci raro visum.1°.de sem. 1ª.333.A
Venæ aliquæ nouæ sensibiliter visæ sunt progigni.14°.me.m.7ª.93.H
Venæ visæ renasci in magnis vulneribus.1°.de sem. 1ª.332.H
Vena quando iterum poterit gigni.1°.de sem. 1ª.333.A
Venæ circa cãcros sunt plenæ humore melico.c.6°.aph.38°. Ex.50.F
Venę detegebantur in carbunculorum lue in Asia.de ven.ar. 1ª.57.G
Venæ cur post mortem in se decidant.de vsu pul. 1ª.229.B
ex VENIS detractio sanguinis.præsa.exper.conf. Sp.77.H
Venæ sectio omnibus manifesta.de ven.sect.aduer.Eras. 6ª.11.G
Venas soluere inter primas actiones numeratur.ad Thras. 2ª.108.F
Venæ sectionis euacuatio qualis sit.com.4°.aph.2°. Ex.27.D
de Venæ sectione quæ considerandæ.de ven.sec.aduer.Erasi.6ª.15.D
de Venæ sectione ambiguitas & problemata. de ven.sectione aduer. Erasistratæos. 6ª.11.G
Venæ sectio præstantissimũ est remediũ.de ven.sec.adu.Eras. 6ª.5.C
Venę sectio cur securior medicamento.de vict.rat.in morbis acutis,cõmenta.2°. 7ª.118.C
Venæ sectio magna fuit in æxistimatione Hippocratis.in 3ᵐ.de morbis vul.com.2°. 3ª.127.E
Venæ sectionẽ qui rõnales exercuere.de ven.sect.aduer.Era. 6ª.6.G
de Venæ sectione a qualibet vena sentẽtiæ.de ve.sec.adu.Era.6ª.12.D
Vena quælibet euacuat a toto.de ven.sec.aduer.Eras. 6ª.12.D
Vena omnis a toto corpore euacuat sed non celerrime. de victus rat. in mor.acu.com.2°. 7ª.117.F
Venæ sectio quibus fuerit exosa.de ven.sec.adu.Erasi. 6ª.5.F
Venæ sectionẽ abhorrentes medici.de venæ sec.aduer.Erasi. 6ª.9.D
Venæ sectionẽ Chrysippus auferebat.de cur.rat.per sang.mis.6ª.15.H
pro Venæ sectione quid agebant Erasistratæi. de venæ sectio.aduers. Erasistratæos. 6ª.9.D
Vena quòd non sit incidenda argumenta.de ven.sect.adu.Era. 6ª.5.F
Venæ sectionem aliqui in omni morbo faciebant.de atra bile. 1ª.36.C
Venæ sectio cur fiat.9°.meth.med. 7ª.59.C
Venæ sectio succos è vasis emittit.4°.de san.tuen. 2ª.87.H
Venæ sectionis conditiones.de cur.rat.per sang.miss.17.C/ 6ª.18.B
Venæ secandæ inditia.1°.de art.cur.ad Gla. 7ª.97.H
Venæ sectionem expetit morbus,qui sit futurus grauis.de cura.ratio. per sang.miß. 6ª.18.B
in Vena secanda habitus corporis considerandus, de vict.ratione in mor.acu.com.4°. 7ª.137.G
in Venæ sectione imbecilles vires penitus obseruandæ sunt.præsagium exper.confir. Sp.78.D
Venã cũ secas,manũ pone ad arteriam.de cur.rat.per san.mis.6ª.21.C
in Venę sectione consideranda est facilitas ferendi ægrotantis.1°.de arte cur.ad Gla. 7ª.98.C
ad Venæ sectionem aliqui magis propensi sunt.de pur.med.fu.5ª.86.D
Venam secare assueti quid agere debent.de consuetud. 2ª.61.H
Venæ sectionem quæ impediant.de cur.rat.per sang.mis.6ª.15.G/14°. method.med. 7ª.85.E
Venæ sectio quibus non est facienda.2°.de comp.me.se.lo. 5ª.136.D
Vena non est secanda crassis aut macilentis.1°.de ar,cu.ad Gl.7ª.98.D
Vena non secanda pueris,& senibus.1°.de ar.cur.ad Gla. 7ª.98.D
Venam quando secat Galenus senibus,& septuagenarijs.de cu.ra.per sang.missio. 6ª.19.C
Vene sectio quo tempore prohibenda.præsa.exper.conf. Sp.78.D
Vena non est secãda anni tempore multum calido,& multum frigido, etiam in febre acuta.de sectis. Isa.16.E
Vena non est incidenda in regione valde frigida,vel valde calida. de sectis. Isa.16.E
Venæ sectio non debet fieri in aere calido,& sicco.1°.de arte cura.ad Glauconem. 7ª.98.C
Vena secta in diebus canicularibus causa mortis fuit.1°.de ar.cur.ad Glauconem. 7ª.98.C
Venæ sectionem prohibet cruditas.de cur.rat.per san.miss. 6ª.17.D
Vena non est secanda nisi cibi sint cocti.de cu.rat.p san.miss. 6ª.19.A
Venæ sectionem vt prohibere possit,nunquàm est tanta crudorum humorum plenitudo.de cur.rat.per sang.missio. 6ª.19.D
a Venæ sectiõe an excusẽt mẽses,& hæmorrhoides.9°.me.m.7ª.57.H
Venam secare debemus quibus a venis sanguinem mittere oportet. com.7°.aph.54°. Ex.58.G
Vena secanda in quibus.2°.de comp.med.sec.loc. 5ª.137.A
Venæ sectio quibus conueniat.de cur.rat.per sang.missi. 6ª.17.G
Venas atras habentibus,& mediocriter tenues minus parcẽdũ in sanguinis tractione.præsag.exper.confir. Sp.77.H
Vena quando secanda est secundum aliquos.de mult. 3ª.76.D
Venæ sectio quando fieri debeat.secret. Sp.97.D
Venæ sectio quando potius adhibenda q̃ medicamentum,& è conuerso.2°.de comp.med.sec.loc. 5ª.136.H
Venam secandam esse notamus in altero,si in vertiginosus cadẽs, & ex casu sanguinem effundens liberetur.de optima secta. Isa.23.F
p Venas alij humores vacuant,& nõ sanguis.3°.de nat.fa.1ª.306.E
Venæ sectio in principio.com.2°.aph.29°. Ex.16.G
Venę sectio in initio vsq; ad tertiũ diẽ a recẽtibus statuit.intr. Is.55.E
Venæ sectio post tertium diem a veteribus statuitur.intro. Isa.55.E
Venam secuit octauo die Galenus.in 1ᵐ.de mor.vul.cõ.3°.3ª.150.B
in Vena secanda dierum numerus non considerandus,sed vires.9°.methodi med. 7ª.57.D
Vena secanda in remissione.de opt.sec. Isa.28.B
Vena secãda in declinatione particulari.de cur.ra.p sang.miss. 6ª.21.B
Vena secanda quacunque hora diei cum morbus inclinat. de cur.rat. per sang.mis. 6ª.21.B
Venæ sectio quouis tempore fiat.præs.exper.conf. Sp.78.D
Venæ sectio iteranda eadem die.de cur.rat.per san.miss. 6ª.20.A
Venæ sectio bis teriẽ.5°.meth.med. 7ª.32.H
Venas eodem anno sæpius secare nõ est idoneum.de cucur.sca. 6ª.3.H
in Venæ sectione quantum sanguinis trahendum secundum aliquos.de venæ sec.aduer.Eras. 6ª.12.C
Venæ sectio vsq; ad animi defectus quib° cõueniat.14°.m.m.7ª.90.B
in Venæ sectione vsque ad animi deliquium duos mortuos vidit Galen. 9°.meth.med. 7ª.59.A
Venæ sectio quomodo facta,& in quanta quantitate Galeni tempore. in 6ᵐ.de mor.vul.com.3°. 3ª.175.B
Venæ sectio quando facienda.10°.de comp.med.sec.loc. 5ª.207.A
Venam secare aliquis est idoneus,alius arteriam.ad Thras.2ª.105.E
ad Vena secanda orationi cur annexuit Galenus sermonem de secanda arteria.de cur.rat.per sang.miss. 6ª.21.D

Venam ſoluere & arteriam ſecare inter ſe diſtãt.ad Thraſ.2ª.105.A
Venam ſcindẽtes miniſtri medicorũ.in 6ᵐ.de mor.vul.cõ.5°.3ª.188.C
Venas incidebant medici.5°.meth.med. 7ª.32.C
a Venæ inciſore factæ inflãmationis remediũ.de med.par.ſa.7ª.174.D
Venæ in quibus non eſt profundanda nouacula.de anat.viu. Sp.55.A
è Vena ſanguis detrahendus eſt poſt aliqua conſueta exercitia. præſa. exper.confir. Sp.77.H
inter Venæ ſectionem,& cibum tempus interponendum,collige, licet obſcure.9°.meth.med. 7ª.56.H
Venæ ſectio fieri non debet exiſtente cibo crudo in ventriculo.9°.methodi med. 7ª.57.H
Vena non ſecanda in his,qui fuere ferè ſine cibo per quatuor dies. 5°. methodi med. 7ª.35.C
poſt Venæ ſectionem quando cibus illico dandus.de opt.ſec. Iſa.28.B
Vena ſecta non eſt inedia imponenda.de ven.ſec.adu.Eraſi. 6ª.11.A
a Venæ ſectione fames ſoluit vires.de ve.ſec.aduer.Eraſi. 6ª.5.D
Venæ ſectio præcedit purgationem.10°.de comp.me.ſe.lo. 5ª.207.A
Venæ ſectio & purgatio vtraq; agẽda.10°.de cõp.me.ſ.l. 5ª.207.A
Venam ſecamus & purgamus ſi opus ſit,& clyſtere vtimur in principio.de tot morb.temp. 3ª.88.E
Vena non ſecanda & purgandum.de re.affe.dig.& med. 7ª.193.E
ante Venæ ſectionem clyſterem ponit.3°.de comp.med.ſe.lo.142.D/ 6°.5ª.174.A/præſ.exper.conf. Sp.78.D
pro Venæ ſectione clyſtere vtitur.2°.de cõp.med.ſec.loc. 5ª.133.H
Venæ ſectione,medicamento,vel vtroq; primo corpora præparanda docet.4°.de comp.med.per gen. 5ª.236.C
Venæ ſectione indigentibus non eſt dãda ptiſſana.de ptiſſana.2ª.47.H
Venæ ſectione cum ager indiget,et dolor ex repletione naſcitur,ſi ptiſſana offeratur interficit hominem.de ptiſ. 2ª.48.C
Vena quibus debet ſecari,prius eſt ſecanda,q̃ detur ptiſſanæ cremor. de victꝰ.rat.in mor.acu.com.1°. 7ª.112.B
VENARVM *capitis quæ phlebotomantur,aliæ quietæ ſunt,aliæ pulſatiles.de ana.viu. Sp.55.A*
Vena ſuper cornu capitis quando ſecatur.de ana.viu. Sp.55.A
Venæ frontis ſectio.6°.de comp med.ſec.loc. 5ª.174.A
Venæ frontis ſectio cui conueniat.de anat.viu. Sp.55.A
Venæ in angulis oculorum ſectio.6°.de comp.med.ſec.loc. 5ª.174.A
Venæ magnorum angulorum oculi parum mittunt ſanguinis. de curã. ratio.per ſan.miſſ. 6ª.19.G
Venæ auris inciſio.de oculis. 7ª.191.A
Venæ aurium q̃n ſecandæ.in 6ᵐ.de mor.vul.com.5°. 3ª.192.F
Venæ poſt aures quando ſecandæ.de anat.viu. Sp.55.A
Vena ſecta in naſo & fronte.2°.de comp.med.ſec.loc. 5ª.137.H
Venæ ſub lingua ſectio.6°.de comp.med.ſec.loc. 5ª.174.A
Venæ ſub lingua quando ſecatur.de anat.viu. Sp.55.B
Venæ linguæ obliquæ diſſecandæ ſunt.præſag.exper.conſi. Sp.78.D
Venæ labiorum quando ſecandæ.de anat.viu. Sp.55.A
Vena inter mentum,& labium quando ſecatur.de ana.viu. Sp.55.B
Venæ iugulares quando ſecandæ.de ana.viu. Sp.55.A
Venas iugulares ligandi modus.de ana.viu. Sp.55.A
Venæ iugulares quando ſectæ,quid agendum.5°.meth.med. 7ª.31.B
ad Venas iugulares ſectas medicamentum.5°.meth.med. 7ª.31.B
Vena qua euacuantur clauiculæ loca ſublimiora.de vic.rat.in morb. acu.com.2°. 7ª.117.F
Vena quæ ſecãda ſi morbus ſit infra clauiculã.3°.de ana.adm.1ª.77.D
Venæ quo ordĩe ſecãdæ ſi morbꝰ ſit ſupra clauiculã.3°.d̃ an.ad.1ª.77.D
Vena in parte inflata in brachio nõ incidenda,quia arteria propinqua eſt.3°.de ana.adm. 1ª.77.C
Venæ quæ incidendæ in brachio.3°.de ana.adm. 1ª.77.C
Venæ quinq; in brachio quę ſecanť ſunt nigræ,ſiue purpureæ,baſilica, ſunis brachij,& axillaris,et ſceilẽ,et cephalica.de an.vi.Sp.54.G
Venæ in brachio ſecandæ tres.præſa.exper.conf. Sp.78.B
ſi Vena ſit occulta quid agendum.de ana.viu. Sp.54.H
Venæ ſi non apparent in brachio,illam accipe quæ apparet.13°.met. medendi. 7ª.82.H
Venam vnã p alia accipere non curat Galenus.3°.de ana.ad.1ª.77.D
Vena ſecta cubiti quas partes iuuat.de cur.rat.per ſan.miſſ. 6ª.20.E
Venæ cubiti ſectionem petunt membra ſupra iccur.in 6ᵐ.de mor.vul. commen.1°. 3ª.156.A
Venæ ex manibus ſecandæ ſunt,ſi ſupra hepar ſit morbus.cominẽ.6°. aph.36°. Ex.50.D
Vena cubiti in q̃bus affectibꝰ incidẽda.de cur.ra.p ſang.miſſ.6ª.20.A
Vena cubiti ſecanda,vel vomitus prouocandus ſi fluxio ſit in pedes vel crura.in 6ᵐ.de mor.vul.com.2°. 3ª.162.C
Venæ in cubito ſectio quæcunq; dolent a rupta ex dorſo ad cubitũ deſcendunt,ſoluit.com.6°.aph.22°. Ex.48.D
Vena cephalica in quibus affectibus ſecatur.de ana.viu. Sp.54.G
Vena baſilica in quibus affectibus ſecatur.de ana.viu. Sp.54.G
Venam baſilicam ſecare cur ſit periculoſum.de ana.viu.viu.Sp.54.G
Vena baſilica,axillaris,& cephalica debent ſecari ſuper iunctura. de anat.viu. Sp.54.G
Venã baſilicã cum ſecas tẽde verſus brachium.de ana.viu. Sp.54.H
ex Vena ĩteriori brachij dexteri sãguis detrahẽdꝰ.p̃ſ.exp.cõf.Sp.78.e
pro Vena interna cubiti media ſecanda 13°.meth.med. 7ª.82.H
Vena interna quando ſecanda.4°.de ſan.tu. 2ª.87.F
Venæ interiores cur ſecandæ.1°.de ar.cur.ad Glau. 7ª.182.G
Vena media quando ſecanda.4°.de ſan.tu. 2ª.87.F
Vena humeralis quando ſecanda.4°.de ſan.tu. 2ª.87.F
Vena humeralis quando ſecanda.de cur.rat.per ſang.miſſ. 6ª.20.A
Venæ humerales ſecandæ vbi ſuperiores pectore partis laborant. de cur.ratio.per ſang.miſſ. 6ª.20.D
Vena axillaris quas ptes magis euacuet.d̃ vi.ra.ĩ mo.a.c.2°.7ª.117.E
Vena nigra in quibus affectibus ſecatur.de ana.viu. Sp.54.H
Vena ſunis brachij in quibus affectibus ſecatur.de ana.viu. Sp.54.H
Vena ſaluatella in quibus affectibus ſecatur.de ana.viu. Sp.54.H
Vena furculæ quando ſecatur.de anat.viu. Sp.55.B
Venæ duæ ſupra ventrem etiam ſecantur, vna ſupra iecur,alia ſupra lienem.de ana.viu. Sp.55.B
Venæ duæ ſupra ventrem quando ſecantur.de ana.viu. Sp.55.B
Vena poplitis quas partes iuuat.de cur.rat.per ſang.miſſ. 6ª.20.E
Venas inferiores ſecare debemus.i.quæ ſunt ſub genu,ſi ſub hepate ſit morbus.com.6°.aph.36°. Ex.50.D
Venæ crurum ſectionem petũt membra infra iecur.in 6ᵐ.de mor.vul. comm.1°. 3ª.136.A
Vena malleolorum quas partes iuuet.de cur.rat.per ſan.miſ.6ª.20.E
Vena ſaphena quando ſecanda eſt.de anat.viu. Sp.54.H
Vena ad ſanguinẽ mittẽdũ cõmodiſſima in pede.de ven.ar.diſſ.1ª.58.G
Venæ pedũ in quibus affectibus ſint ſecandæ.præſ.exper.cõf.Sp.78.D
Venarum pedum ſectio quomodo fieri debet.de ana.viu. Sp.54.H
Venæ pedis ſectio magis debilitat q̃ venæ brachij.de ana.viu.Sp.54.H
de Vena tali ſecãda quid indicet.13°.meth.med. 7ª.82.H
Venæ ſectio a cõibus cũ mẽbro affecto ſumẽda.de trem.& pal.3ª.53.B
Venæ ſectio nõ prodeſt facta a venis cum affecto membro minime communibus.de tremore & palp. 3ª.53.B
Vena quæ non ſecanda ſine cauſa.de med.fac.par. 7ª.176.A
Venæ ſecandæ quæ vtiles quibus partibus.de cu.ra.p ſan.m.6ª.20.A
VENAE *quæ ſecandæ ſm varias ægritudines.ſecret. Sp.97.D*
Venæ quæ incidẽdæ ſunt,nõ oẽs ſciũt.de ven.ſec.aduer.Eraſ. 6ª.8.D
Vena incidenda in quatuor humorum Abundantia. de renum affectiũ dignot.& medela. 7ª.193.E
Vena ſecanda in morbo Acuto.de bon.& vit.ſuc. 2ª.34.C
Vena brachij dextri interna quibus ſecanda in acutis. de vic.ratio.in mor.acu.com.4°. 7ª.137.G
ex Vena ſanguinẽ detrahit p morbos acutos.præſ.exp.conf. Sp.78.D
Vena ſecanda potius in acutis morbis, q̃ medicamentum dandum.de victꝰ.rat.in mor.acu.com.2°. 7ª.118.C
Venam cur Hippocrates non ſecuit quandoq; in acutiſſimis.in 1ᵐ.de mor.vulg.com.3°. 3ª.124.H
Vena quæ incidenda in Angina.13°.meth.med. 7ª.83.B
Venæ ſub lingua in anginæ morbo ſecãdæ,& q̃o.p̃ſ.exp.cõſi.Sp.78.D
Vena quæ ſecanda in angina guturis,& arteriæ.de cur.rat.per ſangu. miſſionem. 6ª.20.G
Venæ ſub lingua ſecãtur in angina.de cur.rat.per ſan.miſſ. 6ª.20.G
Vena ſub lingua cur ſecãda in ſynanche.2°.de arte cu.ad Gl.7ª.102.G
Vena quia nõ ſecta ſynãchici mortui.de ven.ſec.adu.Eraſ. 6ª.9.F
Venæ ſectio in initio Apoſthematis in ſanguine.de ocul. 7ª.189.F
Venæ ſectione præſeruatarum mulierum caſus quæ potauerãt Aquã frigidiſſimam ex niue.de ven.ſec.aduer.Eraſ. 6ª.11.A
Vena ſecanda in Atra bile,quæ.de mel.ex Gal.Ru.& Poſſ. Sp.109.H
Vena quæ ſecanda in Capitis morbis.de med.fac.par. 7ª.26.A
Vena quænam ſecanda in capite & collo affecto.de cõſt.ar.me.Iſ.41.E
Vena ex naribus incidenda in capitis dolore.2°.de comp.med.ſecundum locos. 5ª.137.D
Vena frõtis quos dolores capitis leuat.de cur.ra.per ſan.miſ.6ª.20.G

Vena recta incisa in fronte dolenti capitis partem posteriorem ꝑdest. com. 5°. aph. 68°. Ex. 45. D

Vena secanda petiente parte capitis posteriore. 13°. met. me. 7ª. 83. B

Venam sibi secuit quidam medicus quinquagenarius in dolore capitis. 12°. meth. med. 7ª. 74. H

Vena primo secanda est percussis capite, si alia consentiant. 2°. de compo. med. sec. loc. 5ª. 133. H

Venam ad cubitū secat in Cōtusione costarū. de frac. com. 2°. 7ª. 273. D

Vena secta dolor soluitur. de vic. rat. in mor. acu. com. 1°. 7ª. 114. A

Venæ quæ in dorsi doloribus, & Coxarum secantur. de nat. hum. commentario. 2°. 1ª. 183. B

Venam non secabimus in Erysipelate, sed medicamentum cholagogū dabimus. 14°. meth. med. 7ª. 87. D

Vena non est secanda in erysipelate, sed dandum cholagogum. 2°. de arte cur. ad Glauc. 7ª. 102. A

Venæ sub lingua euacuant phlegmonem in Faucibus sine medicamento. de vic. rat. in mor. acu. com. 4°. 7ª. 138. G

Venæ sectio in quauis Febre. de ven. sec. aduer. Eras. 6ª. 10. B

Venā incidere saluberrimum est in febribus non continentibus modo, verū etiam alijs omnibus, quas putrescens humor cōcitat, vbi præsertim nec ætas nec vires prohibent. 11°. meth. med. 7ª. 72. D

Venæ sectio non conuenit in omni febre in principio. de ven. sect. aduersus Erasistr. 6ª. 12. H

Vena vnde secanda in vere illis, qui febre æstate corripiuntur. de cur. rat. per sang. miss. 6ª. 20. H

Vena secanda in febre ex obstructione etiam si non adsint signa plenitudinis. 8°. meth. med. 7ª. 52. E

Vena incidenda antequam putredo incipiat. 9°. meth. med. 7ª. 56. G

Venæ sectio maximum remedium cōtinuæ febris. 9°. met. me. 7ª. 56. G

cur Vena secanda in continua. 1°. de ar. cur. ad Gla. 7ª. 97. H

Vena quæ secanda in quartana. 1°. de arte cur. ad Gla. 7ª. 97. F

Venæ sectio, & potio aquæ frigidæ sunt duo maxima præsidia febrium synocharum. 9°. meth med. 7ª. 57. H

Venam secuit vsq; ad animi defectum in synocho. 9°. me. me. 7ª. 56. H

Venæ sectio quocunq; tempore fit in synocho. 9°. meth. me. 7ª. 57. H

Venæ sectio si prætereatur in synocho, quid sequi pōt. 8°. m. m. 7ª. 57. C

Venæ sectio in tertiana non exquisita. 1°. de ar. cur. ad Gla. 7ª. 97. E

Vena brachij secta in fluxum ad genu. 2°. de ar. cur. ad Gla. 7ª. 101. F

Venam sub lingua secat in Ictericia. 9°. de comp. med. sec. lo. 5ª. 198. B

Vena quæ incidenda in affectibus Iecoris, pectoris, pulmonis, & cordis. 13°. meth. med. 7ª. 83. B

Vena interna cubiti secanda in iecoris phlegmone. 13°. me. m. 7ª. 82. H

Venam interiorem dextri brachij seca iecore inflammato. 2°. de arte cur. ad Gla. 7ª. 102. G

ꝑ Venę sectionē nō ꝑ inediā curat Inflāmatio. de ve. se. adu. Era. 6ª. 6. B

vena quęnam secanda in ischiade. de const. art. med. Isa. 41. E

Venæ circa poplitem, aut talos secantur in Ischiade. 10°. de comp. medic. sec. loc. 5ª. 207. A

Vena potius poplitis incidenda, q̄ maleoli in Ischiade. de curan. ratio. per sang. miss. 6ª. 20. F

Venæ sectio qūo faciēda in Ischiade. 10°. de cōp. med. se. lo. 5ª. 207. A

Venam incide si vires constent in lassitudine tensiua, et phlegmonode. de cur. ra. per san. mis. 6ª. 17. D

ꝑ Vena secāda in lassitudine & dolore oculorū nō est spectanda febris declinatio, sed doloris magnitudo. de cur. ra. per san. mis. 6ª. 21. C

Vena secāda stati ab initio i Lethargo, et i phrenitide. 13°. m. m. 7ª. 85. E

Vena quæ secatur in lienis affectibus fm aliquos sinētes exire sanguinem quantum potest. 3°. de anat. adm. 1ª. 76. G

Vena iteriorē sinistrę manº seca splene iflāmato. 2°. ꝺ a. c. ad G. 7ª. 102. g

a Vena parui digiti curatur lien. de cur. rat. per sang. miss. 6ª. 19. G

ex Venæ saluatellæ sectione lien inuatur. præs. exper. conf. Sp. 78. B

Vena q̄ secāda in doloribº Lūborū & testiū. de nat. hu. cō. 2°. 7ª. 183. B

Vena q̄ secāda, vbi Mēbra extrema patiunt. 2°. ꝺ ar. c. ad G. 7ª. 102. g

Vena secanda in Melancholicis. de mel. ex Gal. Ru. & Poss. Sp. 109. G

Venā primo secādā esse, postea euacuādū iubet Posidonius, si qs edu ctione sāguinis i melācholia idigeat. de mel. ex G. R. et P. Sp. 109. b

Venæ sectio i melia vsq; ad aī deliqū. de mel. ex G. R. & P. Sp. 110. F

Vena sectio principiū auxiliorū i Mēsib. retētis. ꝺ ve. se. ad. Er. 6ª. 10. g

Venā statim seca in menstruis suppressis. de cu. ra. ꝑ san. miss. 6ª. 18. F

Venam seca Mulieribus nigris. de cur. rat. per san. miss. 6ª. 18. G

Vena secanda in mulieribus atrabilarijs, quibus menses defecerint. de mel. ex Cal. Ruf. & Poss. Sp. 109. H

Vena pro menstruis quæ secanda. de ven. sec. adue. Era. 11. A/ de cur. rat. per sang. miss. 6ª. 20. H

Venæ malleolorū et poplitis maxie ꝓuocāt mēses. ꝺ c. r. ꝑ sā. m. 6ª. 18. f

Venæ sectio fieri debet tpe, quo expectant mēses. ꝺ ve. s. ad. Er. 6ª. 11. a

Vena secanda tribus quatuorue diebus ante purgationes, quibus menses non defluunt. de cur. rat. per sang. miss. 6ª. 20. E

Vena vna vno die secanda, alia altero pro menstruis ciendis. de curan. rat. per san. miss. 6ª. 20. E

Venę brachiorū nō sūt secāde i suppressis mēsib. ꝺ cu. ra. ꝑ s. mi. 6ª. 18. G

Venæ cubiti sectione mēstrua cohibētur. de cu. ra. ꝑ san. miss. 6ª. 20. E

ꝑ Venæ sectionē dēt fieri mīoratio nō ꝑ medicamētū. 11°. m. m. 7. 72. D

Venæ sectio sana ocłorū dolores, et quos, et qūo. c. 7°. ap. 46°. Ex. 57. G

Vena secanda in oculorum doloribus, quæ. præs. exper. conf. Sp. 78. B

Venæ sectio ad distillationem in oculos. de remed. par. fac. 7ª. 156. C

Vena eiusdem lateris humeralis secanda in oculorum doloribus. de cur. rat. per sang. missio. 6ª. 20. A

Venæ sectio in oculorum fluxionibus. 4°. de comp. med. sec. lo. 5ª. 157. C

Vena anguli oculorum secanda in inflammatione indurata oculorum. de cur. rat. per san. miss. 6ª. 20. G

Vena extrinseca è directo secanda in ophthalmia, synanche, & capitis affectibus. 2°. de art. cur. ad Glau. 7ª. 102. G

Venam humeralem incide in Oris affectibus. 13°. meth. med. 7ª. 83. B

Vena humeraria qñ secanda, quæ accipienda. 7°. de ana. adm. 1ª. 77. C

Vena humeraria quas partes magis euacuat. de vic. rat. in morb. acu. commen. 2°. 7ª. 117. E

Vena secanda in osse fracto. 6°. meth. med. 7ª. 41. E

Venæ sectio in Parotidibus qñ exercēda. 3°. de cōp. me. s. l. 5ª. 146. E

Vena secta ad duas libras Pestilentiam minuit. præs. exp. cōf. Sp. 78. c

Vena secta in pestilenti tempore agre ad cicatricem deducitur. de bo. & vit. suc. 2ª. 33. H

Venæ in talis sunt secandæ in Phrenitide. præsa. exper. conf. Sp. 78. C

Venæ sectio est commune auxilium earum quæ ex Plenitudine fiunt dispositionum. com. 6°. aph. 47°. Ex. 52. B

Venæ sectione plenitudo euacuatur. de ven. sect. aduer. Eras. 6ª. 15. A

per Venam sanguis mittitur in Plethora. 13°. meth. med. 81. B/ de remed. par. fac. 7ª. 160. D

Venæ sectione statim vtimur, quando corpus fuerit plethoricorū, vel cacochimum. 6°. de comp. med. se. loc. 5ª. 166. H

Vena quæ secanda pro plenitudine sola demenda in vere. de cur. ratio. per sang. miss. 6ª. 20. H

Venā secat Hippo. absq; plethora in costarū ictu. de art. c. 3°. 7ª. 275. G

Vena secanda est qñq; etsi non adsit plethora. de art. c. 3°. 7ª. 275. G

Vena an secanda plethorico. de subf. emp. Isa. 32. F

ante Venæ sectionem cur purgatio non facienda in plenitudine. de rēū affec. dign. & med. 7ª. 193. E

Vena prius secanda q̄ purgandum. de ren. aff. dig. & med. 7ª. 193. E

Vena secanda in Pleuritide viribus, anni tempore, & ætate non prohibentibus. in 6ᵐ. de mor. vul. com. 4°. 4ª. 179. A

Vena secanda in pleuritide qñ. de vic. rat. in mor. ac. c. 2°. 7ª. 117. C

Vena brachij interna in pleuritide quando secanda. de vic. rat. in mor. acu. com. 4°. 7ª. 143. G

Vena ab eodem latere secanda in pleuritide. de vic. rat. in morb. acut. commen. 4°. 7ª. 143. G

Venæ sectio in pleuritide ab eodem latere fiat. in pror. cō. 3°. 4ª. 187. F/ de cur. rat. per san. mis. 18. G/ 19. H/ 6°. 20. B/ 1°. de arte cura. ad Gla. 7ª. 102. G/ præs. exper. conf. Sp. 78. B

Vena ꝺ directo semper secanda. 13°. meth. med. 7ª. 83. B

Venam incidit a parte opposita. de dyn. Sp. 25. E

in Venæ sectione in pleuritide sanguis debet mutari. de vic. ra. in mor. acutis, com. 4°. 7ª. 143. G

Vena quando non secanda in laterali morbo. in 6ᵐ. de morb. vul. commentario 4°. 3ª. 179. B

Vena non est secanda pleuritico puero. de subf. emp. Isa. 32. F

Vena vnde secanda Podagricis, comitialibus, & vertiginosis. de cur. rat. per san. miss. 6ª. 20. H

Venæ sectio in Præseruatione fiat vere. præs. exper. conf. Sp. 78. D

quæ Vena secanda in vere his, qui volunt ab aliquibus morbis præcaueri. de cur. rat. per sang. mis. 6ª. 20. H

Vena quibus secanda vere. de cur. rat. per sang. miss. 6ª. 17. E

Venæ sectione vel medicamento qui in vere sint euacuandi. de curan. rat. per sau. miss. 6ª. 17. F

Vena incidenda primo in pustulis. 14°. meth. med. 7ª. 90. E

Vena quæ pro Renibus secanda.de cur.rat.per san.miss. 6ª.20.E
*Venam quam secare cogat nephritis.de cur.rat.per san.miss.*6ª.20.E
Venæ quæ secãdæ in renum affectu.de ren.aff.dign.& med. 7ª.193.F
Vena quæ incidẽda in affectibus renum,vesicæ,pudendi,& vteri.13°. meth.med. 7ª.83.H
Vena qñ secanda in lapide renum.in 6m.de mor.vul.cõ.1°. 3ª.156.A
in Venæ sectione quibus curari possit repletio.de venæ sect. 6ª.14.C
*Venæ sectio in reuellendo præstantior.de ven.sect.aduer.Eras.*6ª.8.D
*Venæ sectio reuulsiua nõ est euacuatiua.in 1m.prorr.com.3°.4ª.*187.F
Venæ sectio reuellit a capite.2°.de comp.med.sec.loc. 5ª.137.D
Venæ sectio nõ contemnenda vt sit præsidium reuulsorium.de cur.rat. per sang.miss. 6ª.18.G
ꝑ Venæ sectionem reuulsio statim cõfert.præs.exper.cõf. Sp.78.A
Venæ sectio fieri debet si sãguis peccet, antequã alicuⁱ partis dolor sanetur.com.6°.aph.31°. Ex.49.G
Venam seca vbi feruet sanguis.de cur.rat.per sang.mis. 6ª.19.A
a Venæ sectione debet incipere curatio,si sanguis melancholicus sit in vniuerso corpore.3°.de loc.aff. 4ª.18.E
Venam cubiti mediam secato sanguine melancholico abundante.3°. de loc.aff. 4ª.18.G
Venæ sectio prodest immodicæ profusioni sanguinis.in 6m.de mor.vul gar.com.3°. 3ª.175.B
Vena secãda in sanguinis eruptione.in 1m.prorr.c.3°.185.H/4ª.187.E
Venam frõtis secat in sanguinis profluuio.de rem.par.fac. 7ª.163.F
Vena quando secanda in profluuio sanguinis narium, & quod ab eodẽ latere.5°.meth.med. 7ª.30.E
Venæ sectione sanatum sanguinis profluuium. de cur.rat.per sangui. missionem. 6ª.18.G
Vena secta sanguinis profluuium irrestinguibile sanatum.de venæ sectio.aduer.Erasi. 5ª.8.D
Venam secuit in sputo sanguinis.5°.meth.med. 7ª.35.E
Venæ sectionem quãdo impediant sputa cruenta, & propter quas causas.in 6m.de mor.vul.com.3°. 3ª.179.A
per Venam euacuabimus sanguinem,imitantes naturam bene operãtem,quando mulier vomit sanguinem.com.5°.aph.32°.Ex.40.D
Venæ post aures incisæ faciũt somnum.de aere aq.& lo. 2ª.5.H
Venæ post aures secta Sterilitatem pariunt.de aer.aq.& lo. 2ª.5.H
*Venæ sectio in Stomachi distẽtiones.8°.de comp.med.se.lo.*5ª.192.D
Vena nõ est secãda Syncopam facile patienti.de subf.emp. Isa.32.F
Venæ sectio,& clysteres cõueniunt mire suffocatis.6°.de comp.medi. secun.loc. 5ª.174.C
Vena quæ nãsecãda ĩ Thorace et pulmone affecto.de cõ.ar.m.Is.41.E
Vena incidẽda si ĩ thorace sãguinis copia.de ven.se.adu.Era. 6ª.8.D
Venam secuit Hippocrates tremorem hñti.de vc.sect.adu.Era.6ª.6.F
Vena q̃ secari debet in morbis Vesicæ,vuluæ,renũ.ꝑs.ex p.c. Sp.78.C
Venæ sectio soluit difficultatem vrinæ.com.6°.aph.36°. Ex.50.D
Vena nisi incidatur quæ pericula immineant in retẽtione vrinæ.de ve. sect.aduer.Eras. 6ª.9.E
Venæ sectio soluit vrinæ stillicidium.com.7°.aph.48°. Ex.57.H
Venæ sectio qñ in Vlcere facienda.4°.de comp.me.per ge. 5ª.237.B
Venæ super vlcus scarificatio.4°.de comp.med.per ge. 5ª.237.B
Vena quæ nam secãda in Vteri affectione.de consi.ar.med. Isa.41.E
Venæ sectio a poplite in vtero.de trem.palp.conuul. 3ª.53.A
Venæ sectio a pede,qñ vterus est male affectus.de trem.palp.3ª.53.A
Vena qua secta vteri inflãmatio iuuetur.de cur.rat.per sang. 6ª.20.E
Venarum in cruribus sectarum adiumento non parum lauãtur in Vul uis inflammationes.præs.exper.conf. Sp.78.C
*ex Vena secta sãguis h3 tenuẽ humiditatẽ,q̃ supnatat.ꝺ atrab.*1ª.34.D
*Vena secta sãguis extractus hẽt paucã aquositatẽ.5°.de vsu.*1ª.144.F
Venæ sectio corpus refrigerat.de venæ sect.aduer.Eras. 6ª.6.F
Venæ sectio facit abortum.de sper. Sp.36.D
*Vena secta mẽbrũ facit stupidum,& pp quid.3°.de ana.adm.*1ª.78.A
VENALIS *arteria quæ,& qualis.de ana.viu.* Sp.47.E
Venalis arteria est ab omnibus alijs diuersa.de ana.viu. Sp.46.F
Venalis arteria cur vnam habet tunicam & mollẽ.de ana.vi.Sp.52.b
Venalis arteriæ officium,quod.de ana.viu. Sp.52.G
ad Venalem arteriam comparatio iunci.de ana.viu. Sp.52.H
in Venali arteria sanguis delatus qualis.de ana.viu. Sp.47.E
VENATIONIS *inuentores sapientes.de par.pil.exerc.* 2ª.48.G
Venatio indiget multo apparatu.de par.pil.exerc. 2ª.48.H
Venatio est exercitatio & opus.2°.de san.tu. 2ª.73.G
Venationes vita ratio.3°.de symp.caus. 3ª.25.E
Venationibus incumbere non possunt ciuilibus negocijs implicati, & artifices.de par.pil.exer. 2ª.48.H
ad Venationes diuersas quo modo se habet ãia.1°.de san.tu. 2ª.65.G
ob Venationẽ fit capitis dolor.de vic.rat.in mor.acu.cõ.4°. 7ª.150.E
VENATORES *duri & aridi.6°.de comp.med.sec.loc.* 5ª.176.F
*Venatores quibus fascijs vtant ad crura defendẽda.de fasc.*7ª.293.G
VENATORIA *ars inter acquisitiuas.ad Thras.* 2ª.106.D
ad VENEFICIA. *de med.fac.par.* 7ª.177.F
VENENATI *sunt neutri.de part.art.med.* Sp.17.D
Venenato ferro,aut serpentibus vulneratorum communis curatio.2°. de antidotis. 5ª.120.B
*ad Venenatæ ferę morsus Antidotus Apollodori.2°.de ant.*5ª.117.H
ad Venenatarum bestiarum morsus assumitur calamintha arefacta. 7°.de simp.med.fac. 5ª.49.D
ad Venenata conueniunt cauteria, & medicamenta calida & acria. 7°.de simp.med.fac. 5ª.49.D
ad Venenatorũ ãaliũ multa resistit sulphur.9°.de sim.m.f. 5ª.69.C
Venenatorum emplastrum.5°.de comp.med.per ge. 5ª.248.H
Venenata q̃bus p cibũ obrepserĩt lauri lixiuio liberanť.de simp.S.85.b
Venenatorum morsus quo modo curandus.intro. Isa.60.H
*ad Venenatorũ oĩum morsus valet ãtidotº Diamatõ.2°.ꝺ an.*5ª.115.B
ad Venenatorũ oĩum materiam mortem inferentẽ facit antidotus Mithridatis Eupatoris Diascinci nominata.2°.de antid. 5ª.115.C
ad Venenatorũ morsus antidotus Mithridatis.2°.de anti. 5ª.115.D
ad Venenatorum omnium morsus valet antidotus Mithridatis athanasia.2°.de antid. 5ª.114.H
*ad Venenatos percussus,& morsus.5°.de comp.med.per ge.*5ª.250.F
ad Venenatorum morsus.2°.de ant.116.A/D/ 5ª.118.G
ad Venenata.5°.de comp.med.per ge. 5ª.249.A
VENENARI *qui timent sani vtãtur theriaca.de ther.ad Pis.* 5ª.90.B
ob VENENOSI *animalis ictum colligantis & incidẽtis digitum casus. 5°.de loc.affe.* 4ª.19.H
Venenosum valde est aconitum.de simp.med. Sp.80.F
Venenosæ cantharides.de simp.med. Sp.82.D
Venenosa cerusa.de simp.med. Sp.81.F
Venenosa herba est dorycnium,& aliacacabũ.de simp.med. Sp.83.B
Venenosus est hyoscyamus.de simp.med. Sp.92.D
Venenosus est sanguis tauri.de vtil.resp. Sp.64.E
Venenosum est veratrum.de simp.me. Sp.91.H
*Venenosæ materiæ ex ĩprobo victu.in 6m.de mor.vul.c.6°.*3ª.196.G
*Venenosũ medicamẽtũ,& nutrimẽtũ quo dr̃ant.3°.de nat.f.*1ª.304.A
Venenosa medicamenta non sunt accipienda ad oris curationem.6°.de comp.med.sec.loc. 5ª.167.B
a Venenosis morsæ partes languidæ sunt.3°.de lo.aff. 4ª.19.G
ad Venenosos morsus quomodo incidẽdum.de vir.cent. Sp.93.H
ad Venenosorum omnium ictus valet Philippi Macedonis Ambrosia. 2°.de antid. 5ª.115.A
ad Venenosas feras valet succus centaureæ.de virt.cẽt. Sp.93.H
*Venenosas facultates corrigit Cinnamomũ.8°.de cõp.m.f.l.*5ª.194.E
Venenosis aduersatur Gentiana.de simp.med. Sp.84.G
Venenosa polium extinguit.de simp.med. Sp.89.A
Venenosis bestijs aduersa est saliua.10°.de simp.med.fac. 5ª.75.G
cõtra Venenosorum ictus prædicabatur scordium, centaurium exile, & Marrubium.9°.de simp.med.fac. 5ª.65.E
Venenosa animalia fugantia suffumigia.de med.fac.par. 7ª.169.F
a Venenosis feris morsus nullus periꝛt,qui statim Theriacam biberit. de ther.ad Pis. 5ª.90.A
*Venenosis morsib⁹ q̃to tpe theriaca vti possumus.de the.adP.*5ª.95.g
ad Venenosorũ serpẽtum morsus facit trifoliũ.de simp.med. Sp.91.G
ad Venenosorum ãalium morsum.de med.fac.par.169.F/ 7ª.170.G
ad Venenosi medicamẽti potum.de reme.fac.par. 7ª.179.C
*ad Venenosam oĩm materiã,ac corruptoriã.7°.de cõp.m.f.l.*5ª.186.B
Venenosa res quãdo adest scarificatio fiat.de Hirud.reuulf.cucurb.& scarificat. 6ª.2.F
VENENVM *inter vitæ mala difficilius.de ther.ad Piso.* 5ª.91.C
*Venenum est medicamẽtum sanguinẽ educẽs.de purg.med.fa.*5ª.87.D
inter Venena sunt purgãtia medicamẽta. in 6m.de morb.vulgaribus. commen.6°. 3ª.196.H
*Venena sũt ĩ aliqb. locis medicinæ ĩ alijs sũt bonæ.de m.ex.Sp.*108.H
Venenum hominibus est apocynum.6°.de simp.med.fac. 5ª.43.H
Venerũ esse dicitur elaterium si plus mõ sumať.de simp.med.Sp.85.G
*Venenum est morsus canum rabidorum.11°.de simp.me.fa.*5ª.82.A

Venenum ictu animalia quædam infundere obseruatione compertum est.de opt.sect. *Isa.22.E*
Venena quædam enumerantur.in 6m.de mor,vul.com.6°. 3a.197.A
Venena reticenda sunt.de pur.med.fac. 5a.87.D
Venena scribere est prauum & reprehendendum.2°.de ant. 5a.114.F
Venenorũ cõpositiones docere improbi hois est.2°.de ant. 5a.114.E
Venenorum cõpositiones scripsere Orpheus,Theologus,Horus,Mendesius,Heliodorus Atheniensis,& Aratus.2°.de antid. 5a.114.F
Venenum medicus dedit,& de eo legis casus.de caus.procat. 3a.99.F
Venena sunt aduersissima corporibus.5°.de simp.med.fac. 5a.36.H
Venenũ necat genere,non copia.in 3m.de mor.vul.cõ.3°. 3a.149.D
Venenum deleterium in pauca quantitate breui totum corpus immutat.1°.de sem. 1a.335.A
Venena quæ obsunt genere,non quantitate.5°.de simp.me.fa. 5a.37.C
Venena non sine quantitate nocent.com.2°.aph.17°. Ex.13.B
Venenum letale altero vel tertio die interficit.in 3m.de mor.vulgari.commen.3°. 3a.149.D
in Venenum mutantur medicamenta,quæ non purgãt.quos purg.opo. quibus med.& quo temp. 5a.89.B
Venena pharmacorũ alterãt humores et trãsmutãt,ars me. Isa.71.E
Venenum redditur sanguis si bibatur a fera.de theri.ad Pis. 5a.93.G
Venena ferarum alterant,& transmutant humores.ars me. Isa.71.E
Venena calida frigida ferarum.& animi mor. 1a.318.B
Venena calida sunt toto genere letalia.3°.de simp.med.fa. 5a.22.D/H
Venena calida erodunt.3°.de simp.med.fac. 5a.22.H
Venena calida putrefaciunt.3°.de simp.med fac. 5a.22.H
Venena erodentia,& putrefacientia indigent tempore.3°.de simp.medi.fac. 5a.22.B
Venena calida quo modo tempore necent.3°.de simp.me.fa. 5a.22.G
Venena calida propter quid quandoq; non interficiant.3°.de simp.medic.fac. 5a.23.A
Venena crassa,& terrena essentia lõgo tempore interimunt.3°.de simpli.med.fac. 5a.22.H
Venena frigida non sunt genere letalia,sed sola quantitate.3°.de simpli.med.fac. 5a.22.D
Venena frigida non possunt necare,nisi prius cor refrigerent.3°.de simpli.med.fac. 5a.21.D
Venena frigida sunt crassarum partium.3°.de simp.me.fa. 5a.21.D
Venena frigida nisi cito necẽt,vires amittũt.3°.de sim.me.fa. 5a.22.B
Venena frigida comparat lignis viridibus.3°.de simp.med.f. 5a.22.B
Venenum aspidum frigidum est vt cicuta.& animi mor. 1a.318.B
Venenum scorpionis frigidum est.4°.meth.med. 7a.24.B
Venenum est helenium cuspidibus impositum.de ther.ad Pis. 5a.93.H
Venena spiculorũ nõ necãt nisi sãguinẽ attigerint.de the.ad Pi. 5a.93.H
Veneno tinctis spiculis trucidantur cerui,tamen ipsorum caro non est venerata.de ther.ad Pis. 5a.93.H
Veneno cum frigefactum est corpus arteriarum,neruorum,& musculorum motus cessant.8°.de decr.Hip. 1a.277.E
Venenum turturis marinæ quomodo afficiat.3°.de loc.aff. 4a.19.F
veluti Venenũ nõ fieri põt corruptio ĩ aialibus.6°.de lo.aff. 4a.40.B
vt Veneno epoto si citra venenum corrumpuntur humores.5°.de loc. affectis. 4a.34.B
Veneni instar qui fructus in stomacho corrũpant.de dis.con. Sp.74.H
Venenis pernitiosarum ferarum comparari potest humor in parte corporis epilepsiam faciens.3°.de loc.af. 4a.19.F
vt Venenum idem agit sperma retentum.de sper. Sp.36.F
VENENI *an sit propria signa propter quid medici quærant.5°.de loc. affectis.* 4a.34.B
Venenum an habeat proprias notas.6°.de loc.aff. 4a.40.B
Venenum sumpsisse aliquem qũo deprehendat.6°.de loc.aff. 4a.40.B
a Veneno morientes & ab aliqua corporis affectione cognoscuntur. de bon.& vi.suc. 2a.34.B
a Venenis dolores maligni.in 6m.de mor.vul.com.6°. 3a.196.G
a Venenis præseruantia medicamenta Antidota.2°.de anti. 5a.114.G
VENENA *quomodo curantur.in 6m.de mor.vul.com.6°.* 3a.196.H
per Venenorum remedia curatio quo modo fiat.1°.de sem. 1a.335.B
Venenum compositum ignotum quomodo quis curare poterit. 2°.de antidotis. 5a.114.G
Venena alteranda & euacuanda.de const.ar.med. Isa.42.E
Venenis quæ aduersentur.in 6m.de mor.vul.com.6°. 3a.196.G
contra Venena medicamenta qualia.5°.de simp.med.fac. 5a.36.G
cõtra Venena medicamenta lædunt corpus largius sumpta.5°.de simpli.med.fac. 5a.36.H
Venenum omne a foris impositis medicamentis euacuatur.5°.de simpli.med.fac. 5a.36.H
Venena serpentum medicamenta aliqua educunt eodem modo, quo magnes ferrum.1°.de nat.fac. 1a.295.A
Venena telis illita medicamenta aliqua educunt eo modo,quo magnes ferrum.1°.de nat.fac. 1a.295.A
Venenum trahunt Acria,& calida.de sect. Isa.16.G
ad Venena omnia valentia medicamenta omnia in vnum miscuit Mithridates.1°.de ant. 5a.99.G
Veneno interire non potuit Mithridates.de ther.ad Pis. 5a.97.A
Venenis aduersantia medicamenta in condemnatis morti Mithridates,& Attalus experti sunt.1°.de antid. 5a.99.F
ad Venena valet Philippi Macedonis Ambrosia.2°.de anti. 5a.115.A
ad Venena ebibita,morsuq; illata valet Antidotus Aelij Galli.2°.de antidotis. 5a.110.H
ad Venena Antidotus Apellis.2°.de antid. 5a.114.H
ad Venena ãtidot9 Clodij tusci, qua Crater9 vtebat.2°.de ant. 5a.114.H
ad Venena valet Antidotus Diematon.2°.de ant. 5a.115.B
ad Venena cæteris melior ẽ antidotus ex sanguinib9.2°.de ant. 5a.115.D
ad Venena facit Antidotus Mithridatis Eupatoris Diascinci nomina ta.2°.de antid. 5a.115.C
ad Venena valet Antidot9 Athanasia Mithridatis.2°.de ant. 5a.114.H
ad Venena pernitiosa valet Antidot9 Mithridatis.2°.de ant. 5a.115.D
ad Venena omnia facit Mithridatica antidotus.2°.de ant. 5a.110.C
ad Venena plura valet Mithridatica antidotus,q̃ theriaca,sed minus viperæ ictus sanat.2°.de antid. 5a.110.C
ad Venena valet Antidotus Zopyria.2°.de anti.115.A/ 5a.120.E
ad Venena Antidotus in omni tempore.2°.de ant. 5a.120.F
ad Venena valens antidotus.2°.de ant.115.C/116.E/ 5a.119.D
Venenis alijs nedum viperarum morsibus intrinsecus aduersatur Aristolochia.de simp.med. Sp.86.F
cõtra Venena caricę,ruta,& nuces valẽt.de bon.& vit.suc.2a.37.F
contra Venena Electarium bonum.de med.exper.107.D/ Sp.108.D
ad Venena valet medicamentum ex fructu Iuniperi,& terra lemnia. 9°.de simpl.med.fac. 5a.65.E
ad Venena,quæ erosione interimũt,Lac valet.10°.de sim.me.f. 5.73.H
contra Venena potui datur semen Napi.de simpl.med. Sp.89.F
ad Venena omnia potui datur Peristereon.de simp.med. Sp.89.C
Venenis reptilium aduersatur Scordium.1°.de anti. 5a.105.F
Venenis resistentibus in antidota Syrũ mittitur.de simp.me. Sp.90.H
Venena contra quæ valet Theriaca.de vsu theriacæ ad Pamph.98.E/1°.de anti. 5a.102.D
Venena nihil faciunt his,qui Theriaca vtunt.de ther.ad.Pi. 5a.97.A
ante Venenum & post,& theriacæ portio.1°.de anti. 5a.99.G
Venenum pastinacæ marinæ venena alia educunt.1°.de nat.f. 1a.295.B
Venenum viperæ alia venena educunt.1°.de nat.fac. 1a.295.B
Venena miscentur alexipharmacis.3°.de simp.med.fac. 5a.23.A
ad Venenum iaculantium bestiarum plagas.7°.de composi.medicam. sec.loc. 5a.186.A
ad Venena letalia.6°.de comp.med.sec.loc.182.G/ 5a.186.H
ad Venena omnina.2°.de antid. 5a.116.D
ad Venenum mirabile.7°.de comp.med.sec.loc. 5a.182.G
ad Venena.2°.de anti.113.E/G/116.A/ 5a.120.D
VENETICI *oculi dicebant ab antiqs q hñt cataractas.de oc.* 7a.187.D
VENOSI *qui dicantur.in 6m.de mor.vul.com.4°.* 3a.186.F
Venosa sunt,& arteriosa anteriora.com.5°.aph.65°. Ex.45.A
Venosa vasa coniunguntur cum vasis quæ deorsum e mammis ferunt.16°.de vsu par. 1a.219.E
Venosæ arteriæ mẽbranis null9 anatomic9 dedit nomẽ.6°.& vsu. 1a.153.G
Venosa arteria cur dicta.7°.de ana.adm. 1a.94.H
Venosa arteria quæ.7°.de anat.adm.94.H/6°.de decr.Hip. 1a.264.C
Venosam tunicam habens arteria vbi,& quorsum tendat,& qualis. 1°.de decr.Hip. 1a.233.C
de Venosa arteria vana dicta ab antiquis.7°.de ana.adm. 1a.98.A
Venoso corpore cõstãs arteria in corde.2°.de decr.Hip. 1a.236.A
Venosæ arteriæ orificiũ cur habet duas mẽbranas.6°.de vsu. 1a.154.D
ex Venosæ arteriæ ore retro plus reddit,q̃ ex alijs.3°.de na.f. 1a.307.E
Venosarũ,et arteriosarũ ptiũ pulsus maiores.4°.de ppf.expul. 4a.121.E
in Venoso gñe sunt q̃ faciũt febrẽ ardentẽ.cõ.6°.aph.26°. Ex.48.F
Venosi generis,& arteriarum passiones sunt febres, ideo vrinæ in febribus attendendæ sunt.1°.de crisibus. 4a.128.D

supra Venosum

ſupra Venoſum genus ſignificat vrina.1°.de criſi. 4ª.127.H
*Venoſæ materiæ paſſionem ſignificat vrina aquoſa.1°.de cri.*4ª.130.H
Venoſi generis omnia compatientia in longa leuitate inteſtinorũ aquã intercutem faciunt.com.6°.aph.43°. Ex.51.C
Venoſæ partes inflammatæ non indigent multa exiccatione.1°.de arte cura.ad Glau. 7ª.102.E
VENEREIS *in congrua menſura vtendum.de conſuet.* 2ª.61.G
*ob Venerea ſit capitis dolor.de vict.rat.in mor.acu.com.*4°.7ª.150.F
VENTER *quid ſignificet.4°.meth.med.* 7ª.28.B
Venter quid aliquando ſignificet.com.7°.aph.55°. Ex.58.H
Ventrem ſine articulo Græci appellant omnem cauitatem.commenta.6°.aph.20°. Ex.28.C
Venter ſuperior qui ab Hippocrate dicatur ſecundum Galenum. com.7°.aph.38°. Ex.57.A
*Vẽter ſupior qñq; dictus ẽ thorax.de vic.ra.in mor.ac.c.*4°.7ª.149.C
Venter quo modo gignatur.de fœt.for. 1ª.322.H
Ventris fibræ quales.3°.de nat.fac. 1ª.304.F
in Ventre fibrarum genus diuerſum.1°.de ſem. 1ª.332.C
Ventris fundi exitus medium,& ieiuni quo modo a græcis dicatur.2°.de temperamen. 1ª.20.D
Venter inter inſtrumentales partes.de diff.mor. 3ª.2.E
Venter inſtrumentum eſt.de nat.hum.com.1°. 1ª.26.C
Ventres duos ad quid natura fabricauerit.de ana.viu. Sp.47.C
Venter ſuperior eſt cordis domus.de anat.viu. Sp.47.C
Venter inferior eſt pro nutrimento.de ana.viu. Sp.47.C
Ventrem cur prima die ſecaret Galenus.4°.de anat.adm. 1ª.87.A
Vẽtres multos nõ hẽt aĩal hñs dẽtes ſupiores.6°.de ana.adm. 1ª.90.E
Ventres multos habet Camelus.6°.de ana.adm. 1ª.90.E
Ventres Cameli cur aſperi.6°.de ana.adm. 1ª.90.E
Ventres cornigerorum cur aſperi.6°.de anat.adm. 1ª.90.E
Ventrẽ circũdari a thorace cur nõ fuit cõueniẽs.7°.de vſu p. 1ª.164.B
Venter ſi circundaretur a thorace ſemel non poſſemus multum comedere.7°.de vſu par. 1ª.164.B
Venter,& Hepar non premunt diaphragma.2°.de diff.reſp. 3ª.67.F
in Vẽtre cur aĩalia hñt mãmas,et nõ in pectore.7°.de vſu p. 1ª.164.D
Ventrem anguſtiſſimum omnium animalium habet homo a poſteriore in anteriorem partem.de artic.com.3°. 7ª.273.D
Venter meatus amplos habet.5°.de ſimp.med.fac. 5ª.35.B
*Venter cur amplus a natura factus.de ren.aff.dign.& me.*7ª.195.C
in Ventre quot cauitates.8°.de comp.med.ſec.loc. 5ª.193.D
in Ventre non eſt ſanguis.1°.de ſem. 1ª.333.B
ad Ventrem,renes,viſcera,iecur,lienem perueniunt nerui a cerebro a prima,tertia,& ſexta coniugatione.de neru.diſſ. 1ª.54.D
*Ventris,& thoracis muſculi ſunt carnoſi.4°.de præſa.exper.*4ª.121.D
*Ventris muſculi connexi ſunt,et qbus aſſimilanť.2°.de mo.m.*1ª.316.E
ſupra Ventrem venæ duæ quando ſecantur.de ana.viu. Sp.55.B
in Ventre animal habet pulſus.de fœt.for. 1ª.323.F
*Venter mouet ad reſpiratoriorũ organorũ motũ.de trem.palp.*3ª.59.H
Ventri commune quid,& muſculis,& inteſtinis, veſicæ, & vuluæ.7°.de ana.adm. 1ª.95.G
Ventri proprium quid.7°.de ana.adm. 1ª.95.G
in Ventre quatuor virtutes.3°.de nat.fac. 1ª.305.C
Ventrem primum principium alimenti.2°.de decr.Hipp. 1ª.240.F
ex Ventre appetentia ciborum.in 3m.de morb.vul.com.3°. 3ª.145.E
Venter quid faciat in vehementi appetentia.3°.de nat.fa. 1ª.305.A
Venter quibus animalibus in os rapitur.3°.de nat.fa. 1ª.305.A
Venter trahit a cibis alimentũ ſibi accõmodatũ.6°.de decr. 1ª.265.H
Venter per gulam trahit veluti manus.3°.de nat.fac. 1ª.305.A
in Ventrem ex iocinore in inedia venæ trahũt.3°.de nat.fac. 1ª.106.B
Venter ſui ipſius cauſa nutrimentum ſuſcipit.4°.de ſan.tu. 2ª.88.B
Venter non immutat cibum propter iecur.6°.de decr.Hip. 1ª.265.H
Venter habet nutrimentum craſſum & graue.3°.de nat.fa. 1ª.307.F
Venter πυλωρὸν aperit cum eſt ſatur,& ſuperfluum tranſmittit.4°.de ſan.tu. 2ª.88.B
a Ventre parum aut nihil trahunt arteriæ.3°.de nat.fac. 1ª.308.D
Venter habet retentricem facultatem.3°.de nat.fac. 1ª.302.G
*Ventri ſtudentes ferculorum multitudine gaudent.de cog.cur.*2ª.53.D
in Ventre qũo fiat miſſio.de vic.rat.in mor.acu.com.4°. 7ª.149.B
in Ventre quæ agitur concoctio eſt alteratio.3°.de ſymp.cau. 3ª.26.E
ad Ventris concoctionem catharri cõparatio.3°.de ſymp.ca. 3ª.29.F
in Vẽtre cuiuſ̃ũis animalis oĩs cibus non coquitur.4°.de ſa. 2ª.82.H
*ex Vẽtre ĩ venas,ex venis ad carnes alimẽtũ trahiť.3°.d̃ſym.*3ª.25.A
ex Ventre,& extrinſecus quomodo trahunt carnes.in 6m.de morbis vul.com.6°. 3ª.195.A
ex Vẽtre aliquid in arteria,ſed exiguũ deferť.3°.de nat.fa. 1ª.307.F
Venter dulci delectatur.de vic.rat.in mor.acu.com.3°. 7ª.127.G
*Vẽtri diſplicẽt aſperãtia,et amara.de vic.ra.in mor.ac.c.3°.*7ª.127.G
Venter qũo exerceatur in paruæ pilæ ludo.de par.pil.ex. 2ª.49.A
ad Ventrẽ facile deſcẽdunt medicamẽta.7°.de cõp.me.ſe.lo. 5ª.184.B
in Ventre ſupernè cur defertur excremẽtũ.3°.de ſymp.cau. 3ª.27.H
de VENTRIS *affectibus,& quales ſint.de med.fac.par.* 7ª.175.A
Ventris vitia.introd. Iſa.57.D
Ventris affectionum ſunt octo differentiæ.1°.de ſan.tu. 2ª.68.A
Ventris moles non notat de cibi copia.de tre.palp. 3ª.60.E
*Ventris plenitudinis ſenſus non eſt idem apud omnes.de mul.*3ª.76.F
*in Ventre repleto muſculi epigaſtrij qũo ſe hñt.2°.de motu.*1ª.316.F
Venter extẽſus pp cibũ ſi cõcoquat,nõ ſit laſio aliqua,quod ſi ẽt nõ ſit bene plenus & nõ concoquat,ſit laſio.cõ.2°.aph.17°. Ex.13.A
Ventris & vteri differentia in dilatatione,& conſtrictione.de vict.ratione in mor.acu.com.3°. 7ª.131.A
Venter diſtentus ob nimium cibum facit dolorem.de mul. 3ª.76.F
Ventris maximam intemperiem non faciunt cibi mediocres conſueti.3°.de ſymp.cauſ. 3ª.25.C
Ventris intemperies vnde accipiatur.1°.de ſan.tu. 2ª.68.B
circa Ventrem inæqualis intemperatura non põt in longum extendi,ſi omnia circa ægrum opportunè fiant.com.7°.aph.22°. Ex.55.E
Ventris vis quo modo cognoſcatur.in progn.com.2°. 4ª.200.C
Venter ſuperior p quæ robuſtus cognoſcatur.de conſt.ar.me. Iſa.42.B
Ventris inſtrumentorum imbecillitas vnde.3°.de ſymp.cau. 3ª.27.D
Ventri imbecillo quid contingat.3°.de ſymp.cau. 3ª.27.H
Ventris imbecillitas facit ventum.com.5°.aph.72°. Ex.45.F
Venter debilitatus vomit,qñ debilitatæ ſunt partes inferiores.3°.de ſimp.med.fac. 5ª.23.E
Venter minus valens quàm iecur.3°.de nat.fac. 1ª.306.C
Venter male concoquit,ſi partes corporis ſint tenues,è contra ſi craſſæ.com.2°.aph.35°. Ex.17.E
Ventris robur conciliat medicamentum ex malorum cotoneorum ſucco.6°.de ſan.tu. 2ª.101.B
*Vẽtris tractrix facultas tria habet ſymptomatũ gña.3°.de ſym.*5ª.25.g
Ventris ſymptoma vt nutritur quod.de ſymp.diff. 3ª.12.G
Ventrẽ qũo turbent cibi ex cõtrarijs ſubſtantijs.1°.de alim.fa. 2ª.7.G
Ventres æſtate perturbant aquæ paludoſæ.de bonit.aquæ. Sp.75.D
ſecundum Ventrem permanet multo tempore aqua dura, & frigida.de bonit.aquæ. Sp.75.G
Venter læditur a ſtagnãtibus & olentibus aquis.de aere aq. 2ª.6.D
Venter laborat ob flatus.8°.de decr.Hip. 1ª.274.E
Ventrem inflantes cibi,qui.de diff.cont. Sp.74.F
Ventrem flatibus implent fabæ.2°.de alim.fac. 2ª.17.E
Ventrem turbat ex naturæ proprietate mel.de vict.rat.in morb.acut.commen.3°. 7ª.129.B
Ventrem flatibus implet muſtum.2°.de alim.fac. 2ª.17.H
Ventrem inflatum habentibus ructus mouendi.in 6m.de mor.vulgar.commen.2°. 3ª.166.D
Ventrem flatu diſtentum ita vt tormina,& ſingultus fiant,adiuuat ca ſtoreum.11°.de ſimp.med.fac. 5ª.80.D
ad Ventris flatum valet acetum ſcillinum.de med.fac.par. 7ª.178.C
ad Ventris inflationes Antidotus zopyria.2°.de antid. 5ª.120.E
in Ventre quomodo lac non cogetur.5°.de ſan.tu. 2ª.91.H
Ventris actio læditur ab immodico calore.2°.de nat.fac. 1ª.300.E
Venter ſupcalefactus refrigerãdus,perfrigeratus calefaciẽdus,exiccatus humectandus,humidus exiccandus eſt.2°.de nat.fa. 1ª.301.B
in Vẽtre actio praua,et errãs ĩ quo cõſiſtit.3°.de ſymp.cau. 3ª.25.A
in Vẽtre cur fiãt prauæ coctiones.de cur.rat.per ſang.miſſ. 6ª.16.G
*in Vẽtre q̃ male ſunt cõfecta,eadẽ rõne ſe hñt ad ſecũdã concoctionẽ, qua male p̃parati cibi ad cõcoctionẽ,q̃ fit in vẽtre.4°.de ſa.*2ª.88.B
in Ventre actio deficiens quæ ſit.3°.de ſymp.cau. 3ª.25.A
in Ventre actionis priuatio quæ ſit.3°.de ſymp.cau. 3ª.25.A
in Ventre longo tempore durant animi,ſeſeli,& libyſticum ſi ſint cruda.4°.de ſan.tu. 2ª.85.B
*in Vẽtre eorũ quę coquunť cruditatẽ,aut cõcoctionẽ per aluuũ deiectã excremẽta indicãt ex ſua forma.in 1m.de mor.vul.cõ.2°.*3ª.112.A
in Ventre ſi cibus nõ ſit crudus mittendus ſanguis.in 3m.de mor.vul.commen.1°. 3ª.127.E
Venter ſub frigidioribꝰ morbis acidas,ſub calidioribꝰ vero nidoroſas facit

facit mutationes. 3°. de symp. caus. 3ª. 24. H
in Ventre quibus ciborum corruptio accidit, quid agendum. 6°. de sanita. tuen. 2ª. 97. H
in Ventre corrupta quomodo statim expellẽda. 4°. de sa. tu. 2ª. 83. A
Venter vacuus calefit. de anat. viu. Sp. 47. G
Venter excrementis impleť, si absit alimẽtũ. 3°. de nat. fac. 1ª/306. D
in Ventre cur faciant rememorari excrementa cibus & potus. 1°. de san. tuen. 2ª. 68. A
in Ventre cur remorantur cibus, acerba, austera, & sicca natura. 1°. de san. tu. 2ª. 68. A
ĩ Vẽtre vt retineãť excremẽta cur ciborũ ordo cã ẽ. 1°. de sa. t. 2ª. 68. A
Venter quando retinetur ægrotamus multitudine. 2°. de clem. 1ª. 9. C
Venter quomodo retinebit & coquet. de sal. diæ. 2ª. 42. C
in Ventre cibum retinet ciborum modus 1°. de san. tuen. 2ª. 68. A
Vẽter vbi retinet, et os nauseat, qũo curãdi sint ægri. 6°. d sa. 2ª. 99. D
Ventrem retinentem habentes post cibum assumptũ quid adstringens excernere facit. 6°. de san. tu. 2ª. 99. E
Ventris vitium sequẽs excremẽti mora cur accidat. 1°. de sa. 2ª. 68. A
in ventris tunicis cum sunt humores, affectio fit pessima. 2°. de comp. med. sec. loc. 5ª. 135. D
in Ventre potest esse lassitudo. de cur. rat. per san. miss. 6ª. 16. F
Ventris palpitatio & conuulsio clare sentitur. de symp. diff. 3ª. 12. E
Ventris conuulsio dicitur singultus. de symp. diff. 3ª. 12. E
in Ventre sonus fieri sine potione nequit. 3°. de symp. cau. 3ª. 25. E
Ventris tremor non clare sentitur. de symp. diff. 3ª. 12. E
Ventris principium stomachus. introductio. Isa. 57. C
Ventri stomachus cõiũctus est. de nat. & ord. cuiusl. corp. Sp. 42. A
Ventris os stomachus. 2°. de alim. fac. 20. E/6°. 2ª. 99. D/2°. de compo. med. sec. loc. 5ª. 135. C
Ventris os quando stomachus dicitur. de ven. sect. adu. Eras. 6ª. 14. G
Ventris os stomachus vocatur non modo a medicis, sed ab alijs hominibus. 6°. de san. tu. 2ª. 100. E
Vẽtris os a veteribus græce καρδία dicebatur. 6°. de sa. tu. 2ª. 100. E
Ventris os cor vulgo dicitur. 1°. de symp. cau. 3ª. 17. G
Ventris os manifeste sentit. de vict. rat. in mor. acu. cõ. 3°. 7ª. 127. H
Ventris duo ora. 3°. de symp. cau. 3ª. 25. F
Ventris duo orificia ad quid. de nat. & ord. cuiusl. corp. Sp. 42. A
per Ventris duo ora expelluntur choleræ. 3°. de symp. cau. 3ª. 25. F
Ventris oris symptomata pertinent ad tactum. 1°. de sym. ca. 3ª. 17. G
Ventris os & ventrem ledunt medicamenta omnia purgantia. de vic. rat. in morb. acu. com. 2°. 7ª. 118. B
Ventri frigidum mordax. 4°. de simp. med. fac. 5ª. 24. C
Ventris os quibus refrigeretur. 1°. de symp. cau. 3ª. 18. C
in Ventre contenta coitus frigefacit. ĩ 6ᵐ. de mor. vul. c. 5°. 3ª. 193. F
Vẽtrẽ frigidũ, & caput calidũ hũtes qũo regẽdi. 6°. de san. tu. 2ª. 99. B
Venter aliquibus calidus est, & caput frigidum, & è contra. 6°. de sani. tuen. 2ª. 95. D
in Ventrem si eat fluxio quid agat. 6°. de san. tu. 2ª. 98. F
in Ventre frigida fluxio quid faciat. 6°. de san. tu. 2ª. 98. F
in Vẽtre frigus hũtibus quod medicamentũ dãdũ. 4°. de sa. tu. 2ª. 85. B
Ventre temperie frigidus quale medicamentum ex malorum succis ac cipere debet. 6°. de san. tu. 2ª. 101. C
Ventres frigidos habentibus datur euphorbium. de dyn. Sp. 22. B
Ventres cholericos turbat euphorbium. de simp. med. Sp. 83. F
Ventris complexio calidissima, & caput frigidum faciunt grauem cõplexionem nec facile tractabilem. 6°. de san. tu. 2ª. 99. D
Vẽtrẽ calidũ hũtes, & caput frigidũ qũo curãdi. 6°. de sa. tu. 2ª. 99. D
Ventris os offenditur ab his q̃ calorẽ accendũt. 6°. de san. tu. 2ª. 99. D
in Ventrem calidum cum succi pituitosi decidunt, curatio est difficilis. 6°. de san. tu. 2ª. 99. B
ad Ventrem calidum cum caput saniem transmittit quid agẽdum. 6°. de san. tu. 2ª. 99. A
in Ventrem quomodo nõ veniet biliosus humor. 6°. de san. tu. 2ª. 98. H
Venter si imbecillus, & totius corporis temperamẽtum biliosius quo modo curandus. 6°. de san. tu. 2ª. 98. H
Ventrem biliosum habentes primum semper debent comedere, & bibere aliquam deiecti. 6°. de san. tu. 2ª. 97. F
Venter quando acrius excrementis est plenus, quod lac dandum. 3°. de alim. fac. 2ª. 27. G
Vẽter quorũ excremẽtis abũdat, ptissana nõ est dãda. de ptis. 2ª. 47. H
Ventris morbi sicci qui vocentur. de ptis. 2ª. 48. A/de vic. ra. in mor. acut. com. 1°. 7ª. 112. F
in Vẽtre qb° biliosus humor colligit, qb° purgãdi. 6°. de san. 2ª. 99. A
Ventres biliosi quo modo debent purgari. 6°. de san. tu. 2ª. 97. H
Ventris os quibus amara bile abũdat, aut imbecillũ est, aut supra modum sensibile, ijs sanguis non est detrahendus. 9°. meth. m. 7ª. 58. A
Ventre languente quæ vena sit secanda. præs. exper. conf. Sp. 78. B
Ventri intemperie calido, & biliosо quo modo valebit malorum medicamentum. 6°. de san. tuen. 2ª. 101. B
Ventrem biliosum habentes vitent vina austera. 6°. de sa. tu. 2ª. 97. F
Ventres medio temperamento habentes piper, & gingiber sumant ex malorum medicamento. 6°. de san. tu. 2ª. 101. C
in Ventre roborando allia excedit piper album. 4°. de san. tu. 2ª. 85. H
Ventris ibecillitatib° cõuenit resina lẽtiscina. 8°. de sim. me. fa. 5ª. 59. F
Ventris os stomachumúe afficiunt fungi, bupreستes, ceruſa, gypsum, & lac coagulatum. 1°. de symp. caus. 3ª. 18. G
in Vẽtre ardorẽ, & morsum facit cedrides. 7°. de simp. med. f. 5ª. 50. F
ad Ventris morsus non indigemus collyrijs. in 6ᵐ. de morb. vulg. commentario 6°. 3ª. 196. D
Vẽtris mordicationẽ hũtes alicã colatã accipiant. 1°. de ali. fa. 2ª. 11. A
Ventris os quibus resoluitur. 6°. de san. tuen. 2ª. 100. E
Ventris os quando resoluitur, quæ sequantur. 6°. de san. tu. 2ª. 100. E
Venter resolutus, & languidus roborari potest pomis austeris, & acidis. 7°. de simp. med. fac. 5ª. 55. H
ad Ventris firmitatem ac robur vtimur malis, piris, mespilis, & punicis vt medicamentis. de bon. & vit. suc. 2ª. 37. F
in Ventris ore ex bile animi defectio. de ven. sect. aduer. Eras. 6ª. 12. C
in Vẽtris ore ex pituita animi defectio. de ven. sect. adu. Eras. 6ª. 12. C
circa Ventrem fasciarũ strictio quo modo fiat. 3°. de san. tu. 2ª. 77. D
Vẽter nõ fricãdus, & si fricẽť quid mali cõtingat. 3°. de san. tu. 2ª. 82. B
Ventri musculi vicini quando vngendi. 3°. de san. tu. 2ª. 82. B
in Ventris inflãmationibus respiratio qualis. de vtil. resp. 1ª. 225. G
Ventris inflãmationibus cõpetit mastiche. 7°. de simp. me. fa. 5ª. 55. C
Ventris phlegmonis prodest schini flos. 8°. de simp. med. fac. 5ª. 61. H
Ventris os trahit secum ad sympathia principalia mẽbra, & quæ symptomata faciat. de vic. ra. in mor. acu. com. 2°. 7ª. 123. H
Vẽtris oris affectiones magnę qũo curenť. 8°. de cõp. me. se. lo. 5ª. 192. E
circa Ventris os si sit dolor fit densus, et paruus spiritus. de trem. palp. 59. H/3°. de diff. resp. 3ª. 71. C
Venter, & splen minime dolorosa membra. 2°. de diff. resp. 3ª. 67. F
Ventris maiores affectus qui cum dolore fiunt, & tumore densum ac paruum efficiunt spiritum. 3°. de diff. resp. 3ª. 71. D
Ventris dolores sublimes fortiores, non sublimes leuiores. commẽ. 6°. aph. 7°. Ex. 47. B
a Ventris dolore diuturno suppuratio. com. 7°. aph. 22°. Ex. 55. E
in Ventris superioris dolore oleum simplex datur bibendum vel aqua temperatum. in 6ᵐ. de mor. vul. com. 6°. 3ª. 196. D
a Ventre capitis dolor qũo curetur. 2°. de comp. med. se. lo. 5ª. 136. H
Ventris partes cur sensibiliter exasperantur. in 6ᵐ. de morb. vul. commentario 2°. 3ª. 160. H
Ventris asperitatibus medetur ouum. 11°. de simp. med. fa. 5ª. 81. G
in Vẽtre si diu maneãt pituitosi humores corrũpunť. 6°. de sa. 2ª. 99. B
a Vẽtre pituitosi humores corrupti q̃d mali agãt. 6°. de san. tu. 2ª. 99. B
Venter q̃bus phlegmate abũdat phlegmagoga damus. de dyn. Sp. 21. C
in Ventrem defluens pituita eget dia trion pipereon, & dia calaminthes. 6°. de san. tu. 2ª. 99. D
in Ventre infarctos humores detergit ptissanæ cremor, et aqua mulsa. de vic. rat. in mor. acu. com. 1°. 7ª. 111. E
Ventris tunicis quæ inhærent quomodo euacuanda. de ijs, quæ in medicatr. fiunt, com. 3°. 7ª. 221. C
in Ventre contentorum præsidia communia sunt clyster, & vomitus. de vict. rat. in mor. acu. com. 4°. 7ª. 148. E
in Ventrem superiorem distillationes suppurantur intra viginti dies. com. 7°. aph. 38°. Ex. 57. A
in Ventrem si sanguis præter naturam effunditur, necesse est suppurari. com. 6°. aph. 20°. Ex. 48. C
Venter cum ex capite ægrotat, qũo curandus. 6°. de san. tu. 2ª. 100. A
Venter aliquibus magis medicamentis obediens, aliquibus minus. 5°. de san. tu. 2ª. 92. G
Venter & stomachus iuuantur aloe. 8°. de comp. med. sec. lo. 5ª. 188. F
Ventri frigido pituita pleno aloe nõ conducit. 6°. de san. tuen. 2ª. 99. C
Ventrem temperat epithymum. de simp. med. Sp. 84. A
Ventrẽ temperant lupini si cocti manducentur. de simp. med. Sp. 86. C
Ventris os adiuuat adhæsa Iaspis viridis. 9°. de simp. med. fa. 5ª. 67. D

Ventrem supe-

Ventrem ſuperiorem purgantia, quæ. de cathar. Sp.95.C
Vẽtrẽ ſupiorẽ purgat ſeſamoides. de vic.ra. in mor. acu. c. 4°. 7ª. 152. F
ad Ventris reiectiones ſanguinis. 2°. *de antid.* 5ª. 113. C
ad Ventrẽ aſcendit p anũ calor, aut frigus. com. 5°. *aph.* 22°. Ex.39.F
Ventri ſuperiori danda ſunt cathartica. de cathar. Sp.94.G
ad Ventrem ſuperiorem, & ad inferiorem inclinationes per vrinas ac ſudores reuellendæ ſunt. de cucur. ſcar. 6ª. 4. F
ad Ventrem a Iecore quando trahendi humores. ars med. Iſa.71.A
VENTER *tarde digeritur. de diſſ. cont.* Sp.73.D
Ventres omnium auium tarde digeruntur. de diſſ. con. Sp.73.D
Ventres craſſus cibus, & cur. de diſſ. con. Sp.72.H
Ventres generant phlegma, & cur. de diſſ. cont. Sp.74.A
Venter parum nutrit, & cur. de diſſ. cont. Sp.73.F
Venter inter carnes cõuenit ſtomachicis. 8°. *de cõp. med. ſ. lo.* 5ª. 192. C
Ventres caprarum pingues, & ſanguine pleni qui cibi ſint. de vic. ra. in mor. acut. com. 4°. 7ª. 147. C
Ventris gallinæ tunica pro ſtomachicis. 11°. *de ſimp. me. fac.* 5ª. 80. A
in Vẽtre Gallinarũ pelliculæ p vrina puocanda. de med. f. p. 7ª. 168. D
Ventres leporum. 1°. *de compo. med. ſec. loc.* 5ª. 126. E
Venter mergi ad quæ valeat. 11°. *de ſimp. med. fac.* 5ª. 80. A
Venter ſuillo licet veſci qui ſe exercet. de atten. vic. 2ª. 45. D
VENTRES *tres habet cor intrinſecus. de ana. viu.* Sp.56.A/C
Venter cordis dexter eſt inferior, & magis verſus hepar diſpoſitus, attrahens ab hepate. de ana. viu. Sp.56.C
Venter cordis ſiniſter eſt minor, & ſuperior verſus pulmonem poſit⁹, attrahens ab eo. de ana. viu. Sp.56.C
Ventris ſiniſtri cordis calor a quo nutriatur. de vtil. reſp. Sp.63.B
ad Ventrem ſiniſtrum cordis per quæ foramina fiat inſpiratio. de vtilitate reſp. Sp.64.C
Ventres cordis ob quid. de ana. viu. Sp.46.E
Ventrem tibiæ gaſtrocnomiam quid appellant. de muſc. diſſ. 1ª. 51. F
VENTER *inferior quid ſignificet. in progn. com.* 2°. 4ª. 199. B
Venter inferior qui intelligatur. 1°. *de criſ.* 4ª. 129. A
Vẽter inferior qui, & q ſupior. de vic. ra. in mor. acu. cõ. 4°. 7ª. 149. B
Venter inferior colon. de vic. rat. in mor. acu. com. 4°. 7ª. 149. C
Venter ſignificat ẽt inteſtinorũ ſubſtantiã. 1°. *de alim. fac.* 2ª. 8. D
Vẽtris iferioris anatomia qũo incipiẽda, & pficiẽda. 5°. *de ana.* 1ª. 87. E
in Ventris inferioris ſectione linea candida oſtendit ſectionem recte factam. 5°. *de ana. admi.* 1ª. 87. H
Venter pragnantis quomodo incidi debeat, eſt antiquum inuentum. 6°. *de decr. Hip.* 1ª. 265. B
ad Ventrem adſtrictos teſtes habent ſues. 1°. *de ſem.* 1ª. 334. F
in Ventre fœtus animans quando eſt. 15°. *de vſu par.* 1ª. 212. D
Vẽter magnus qũo habeat viſcera. de vic. rat. in mor. ac. c. 2°. 7ª. 120. C
Vẽter puus quo mõ hẽat viſcera. de vic. ra. in mor. acu. c. 2°. 7ª. 120. G
Venter mollis, & corpatus in omni morbo ſit. in pgn. cõ. 2°. 4ª. 199. F
Ventrem lenem habere ſupra omnia conducit calculo renum. de renũ aff. dign. & med. 7ª. 195. E
Venter craſſus mentem ſubtilem non parit. ad Thraſ. 2ª. 107. H
Vẽtris ſeu abdominis ſuturæ vocantꝰ gaſtrorraphiæ. de muſ. diſ. 1ª. 50. C
Venter inferior durus fit in aqlonijs tpibus. cõ. 3°. *aph.* 5°. Ex.20.D
in Ventre quæ ſunt cur duriora fiunt aere frigido exiſtente. in 6ᵐ. *de mor. vul. com.* 5°. 3ª. 193. D
Venter cur frigeſcit in aliquibus hyeme. de nat. hum. com. 1ᶜ. 1ª. 32. E
Venter frigidus, & ſiccus qũo pice illinendus. 7°. *meth. med.* 7ª. 47. B
Ventris denſitas ob cutis raritatẽ. in 6ᵐ. *de mor. vul. cõ.* 3°. 3ª. 169. G
Venter recte habens & male habens per quæ trahat, & ad quę demittat. 3°. *de ſymp. cauſis.* 3ª. 25. G
a Ventre quæ excernuntur ipſa circa hæc particulæ ſe contrahunt. 2°. *de ſymp. cauſ.* 3ª. 21. E
Venter quo modo excernat exprimendo eo modo quo manus exprimit aliquid. 2°. *de ſymp. cauſ.* 3ª. 21. E
Ventris excrementa non excludentur ſi muſculi abdominis ocientur. 3°. *de ſan. tu.* 2ª. 77. B
Ventris excrementa facilius exeunt, quàm excrementa thoracis, & pulmonis. 3°. *de ſan. tu.* 2ª. 77. B
Ventris excrementa quomodo excernantur. 3°. *de ſan. tu.* 2ª. 77. B
Venter excernẽdo euacuat cãm, q̃ moleſtat. de nat. hu. c. 2°. 7ª. 182. H
de Ventris paſſionibus. de dyn. Sp.27.A
Ventris paſſiones, dolores, & dyſenteria, tranſuerſio ventris, lienteria naſcuntur conceptus in bilis horis ex rheumate ſicco per corpus delato. de ſper. Sp.37.C
Ventre, veſica, capite, & thorace origo infirmitatis vel ſanitatis oſtẽditur. de dyn. Sp.19.G
Ventris conſtrictionẽ malam cũ animi turbatione, & anguſtia oſtendit vrina crocea ſi guttatim ſtillando fuerit egeſta. de dyn. Sp.34.B
Ventris crepitus ſymptoma. 2°. *de ſympt. cau.* 3ª. 21. E
Venter his aqua repletur, & moriuntur, quibus hepar aqua plenum in omentum eruperit. com. 7°. *aph.* 55°. Ex.58.H
Ventris expultricis facultatis ſymptomata quæ. de ſymp. diff. 3ª. 12. G
Ventri inferior ad vrinam, & ſudorem reuocatur. de hirud. reuulſ. cucurb. & ſcarif. 6ª. 2. D
in Ventrem quæ fluxerunt trahuntur ad mammas. de hiru. reuulſione cucurb. & ſcar. 6ª. 2. D
in Vẽtris et iecoris venis ardẽs febris. i 1ᵐ. *de mor. vul. c.* 2°. 3ª. 109. H
in Ventre, & iecore ob materiam fit febris ardens. in 3ᵐ. *de mor. vul. com.* 3°. 131. G/ 3ª. 143. F
in Ventris paſſionibus conſidera ſola excrementa ſi ſine febre, ſi cum febre, vrinas. 1°. *de criſi.* 4ª. 128. D
Ventris paſſionum curatio. de dyn. Sp.27.A
in Ventris dolore forti partium extremarum frigiditas, malum. com. 7°. *aph.* 26°. Ex.55.G
Vẽtris imi dolor qd ſigñat. c. 4°. *ap.* 8°. 36. H/c. 7°. *ap.* 39°. Ex.37. A/8
Venter imus proprie ſignificat partem ventris quæ vmbilicum, et pudenda interiacet. com. 2°. *aph.* 35°. Ex.17.E
ad Ventris dolores ob frigidas humores valet chamæmelũ pulueriz⁹atum, & malaxatum cum melle. de med. exper. Sp.106.D
ad Ventris & coxæ dolorem in mulieribus. de paſſ. mul. Sp.95.H
ad Ventris dolorem. de med. fac. par. 7ª. 167. D/F/*de dyn.* 27. A/G/*de paſſ. mul.* Sp.95.H
in Ventre dolor Galeni vbi fuerit. 2°. *de loc. aff.* 4ª. 9. D
in Ventre durities. ſecr. Sp.100.H
ad Ventris lumbricos. de med. fac. par. 7ª. 175. D/*ſecre.* Sp.97.B
Ventris murmur ſymptoma. 2°. *de ſymp. cau.* 3ª. 21. E
ad Ventris ſciſſuras. de med. fac. par. 7ª. 169. B
ad Ventris ſudores a partu. de me. fac. par. 7ª. 169. B
ad Ventris tormina. de med. fac. par. 167. D/ 7ª. 170. A
ad Ventris tortiones. de med. fac. par. 7ª. 167. F
ad Ventris tormina, & inflationes. de med. fac. par. 7ª. 173. A
Venter quibus neglectis tumeſcat. de dyn. Sp.20.A
Ventris tumoribus profundis conuenit peplium. de dyn. Sp.21.A
Ventris tumorem ſedat vrtica. de ſimp. med. Sp.92.A
ad Ventris tumorem. 2°. *de ant.* 5ª. 119. A
Ventrẽ perturbantes rugitus iuuans antidotus. 2°. *de anti.* 5ª. 111. H
in Vẽtre et inteſtinis ſanguis inflationẽ facit. 3°. *de cõ. m. ſ. l.* 5ª. 149. A
Ventris inflationes & ſtrepitus ſentiuntur quando morbus in veſica naſcitur. de dyn. Sp.19.H
Venter inflatus quid ſignificet. in 1ᵐ. *prorr. com.* 3°. 4ª. 179. C
Venter quomodo vento impleatur. 2°. *de comp. med. ſec. loc.* 5ª. 135. G
in Vẽtre vẽtoſitatẽ multã gigni qd ꝓhibeat. de mel. ex Gal. R. Sp.110.B
ad Ventris ventoſitatem & dolorem, remedium. de dyn. Sp.26.H
ad Ventris ventoſitatem. ſecre. Sp.99.C
ad Ventris morbos. 2°. *de ant.* 5ª. 116. D
in Ventrem cubare quo modo malum. in prog. com. 1°. 4ª. 193. H
in Vẽtre iferiori ſi ſit dolor iacẽdũ. de vic. ra. i mor. acu. c. 4°. 7ª. 151. D
Ventrem replet orobum. de ſim. med. Sp.88.F
Ventrem deſiccat milium. 7°. *de ſimp. med. fac.* 5ª. 50. D
Ventrem exiccat refrigeratio extrinſeca. in 6ᵐ. *de morb. vulgaribus, com.* 5°. 3ª. 193. D
Ventrem humectat & lenit refrigeratio intrinſeca. in 6ᵐ. *de mor. vul. commen.* 5°. 3ª. 193. D
ex Ventre inferiori quæ ſoluuntur, per quas vias ſoluantur. de victus rat. in mor. acu. com. 4°. 7ª. 151. D
Vẽtrẽ nõ facile ſolubilẽ hñs, habet peſſimũ ſtatũ. 6°. *de ſa. tu.* 2ª. 99. B
Ventris inferiores partes debilitatę faciunt leuitatem inteſtrinorum. 3°. *de ſimp. med. fac.* 5ª. 23. F
p Ventrẽ excretio nõ eſt toto gñe præter naturã. de ſymp. diff. 3ª. 13. H
Venter & veſica, & renes, vrinæ diuerſæ totum corpus expurgant. in 1ᵐ. *de mor. vul. com.* 2°. 3ª. 111. F
per Ventrem quæ promptius euacuentur. ars med. Iſa.71.E
per Ventrem educẽdi ſunt humores ex ſimo hepatis. de cath. Sp.94.G
Ventris onus non deijciunt animo vacillantes. de palp. 3ª. 60. A
Venter deijcitur ſtomachum imbecillum habentibus, cum poſtremo adſtringentis quippiam ſumunt. 2°. *de alim. fac.* 2ª. 20. B

Ventri qui cruda egerit non est medicamentum exhibendum. de vict. rat. in mor. acu. com. 4°. 7ª.150.F
in Ventre adstricto clysterem mollem adhibe. de vict. rat. in mor. acu. commen. 4°. 7ª.151.C
Ventrē mollificantibus, & descēdere faciētib⁹ indigem⁹ qū supfluitas cibi est difficilis descensus de stomacho, et intestinis. de dis. Sp.71.G
Vētris subductio cōuenit in causo. de vic. ra. in mor. acu. c. 4°. 7ª.135.B
Ventrem mollitur subducentia exhibenda in tertiana notha & sape. 1°. de arte cur. ad Glau. 7ª.97.E
cum Ventris profluuio febris non indiget euacuatione, aliter obest. 1°. de art. cur. ad Gla. 7ª.98.B
Vēter qū subducēdus in pleuritide. de vic. ra. ī mor. ac. c. 2°. 7ª.117.H
Ventris purgatio rheumatismos stringit. de dyn. Sp.20.F
Venter ante cucurbitulas emolliatur. de cucurb. scarif. 6ª.3.C
VENTREM *lenientia quæ sint. de diss. cont.* Sp.75.A
ad Ventrem leniendum quæ excitent. de diss. cont. Sp.75.B
Ventrem quæ soluant hyeme. 5°. de san. tuen. 2ª.92.E
Ventris cenotica. ars med. Isa. 70. D/de cath. Sp.95.D
Ventrem tenuat, & expellit inflationem Acetum mistum cum melle. de diss. con. Sp.74.G
Ventrem purgat Agaricum. de simp. med. Sp.80.E
Ventrem subducit Aloe. 6°. de simp. med. fac. 5ª.42.C
Ventrem ad excretionem irritant Caricæ. 2°. de alim. fac. 2ª.17.F
Ventrem purgat Centaurea. de simp. med. Sp.82.A
Ventrem purgat Chamælea. de simp. med. Sp.85.F
Ventres solubiles facit cholera rubra. de dyn. Sp.19.E
de Ventre liquido cum bilis excretione. de victus ratione in mor. acu. commen. 4°. 7ª.148.F
Ventrem mollientes Cibi. de puero epilep. 7ª.180.C
Ventrem incitat Cicer. 1°. de alim. fac. 2ª.14.B
Ventrem totum purgat Cnicum. de simp. med. Sp.83.B
Ventrem purgat Colocynthis. de simp. med. Sp.89.C
Venter subducitur Cyclamine abdomine illito. 7°. de simp. m. f. 5ª.53.E
Ventris fluxus Augetur Densantibus & refrigerantibus. 1°. de arte cura. ad Glau. 7ª.99.B
Ventris sunt purgativa Ebuli folia. de simp. med. Sp.84.B
Ventrem subducunt marini Echini. de atten. vic. 2ª.45.B
Ventrem, & viscera purgat Elaterium. de simp. med. Sp.83.G
Ventrem vtiliter laxant herba albiora. de simp. med. Sp.85.B
Venter quo mō subducaī Eruiala, & phaselis. 1°. de ali fac. 2ª.14.F
Ventrem cito permeat Faba. 1°. de alim. fac. 2ª.13.H
Ventrem prompte permeant Ficus. 2°. de alim. fac. 2ª.17.E
Ventrem deponunt ficus nimium comestæ. de simp. med. Sp.84.C
Ventrem mollientes vires habet Filix. de simp. med. Sp.84.D
Venter soluitur Lacte asinæ pro sanguine supprimendo. de vict. rat. in mor. acu. com. 4°. 7ª.152.F
Ventrem magis subducit lac asinæ omnibus alijs. de vict. rat. in morb. acut. com. 4°. 7ª.148.F
Ventrem lenit aquositas lactis. de diss. con. Sp.75.B
Ventrem subducunt Lapathi folia. de ther. ad Pis. 5ª.90.H
Ventrem viscide purgat Lathyris. de simp. med. Sp.86.E
Ventrem prouocat decoctum Lentis. 8°. de simp. med. fa. 5ª.63.B
Ventrem soluit insculum ex lente. 2°. de alim. fac. 2ª.13.D
Ventrem lenit Mel non coctum. de diss. con. Sp.75.A
Ventrem non lenit mel si coquatur. de diss. con. Sp.75.B
Ventrem purgat Mercurialis. 7°. de simp. med. fac. 5ª.55.G
Ventrem laxant Mora. de simp. med. Sp.87.H
Ventrem subducit morum maturum. 7°. de simp. med. fa. 5ª.56.C
Ventri leniciam reddit Oleum. de simp. med. Sp.88.D
Ventrem soluit oleum ex grano cnidio. 6°. de simp. med. fac. 5ª.47.A
Ventrem subducit oleum cicinum. 6°. de simp. med. fa. 5ª.47.A
Ventrem detrahit Origanum. de simp. med. Sp.88.E
pro Ventre expurgando Panax debet misceri mulsæ aquosæ multæ. de vic. rat. in mor. acu. com. 4°. 7ª.144.C
Ventrem mouet Polium. de simp med. Sp.89.A
Ventrem soluit Polypodium. de simp. med. Sp.89.C
Ventrē leniunt Poma, & granata acetosa, si inueniunt in stomacho humorē malū, & crassum, quē incidunt, & expellunt. de diss. Sp.75.C
Ventrem subducit Prunus. 7°. de simp. med. fac. 5ª.51.H
Ventrem relaxat Raphanus. de simp. med. Sp.89.F
Venter excitatur a Salsis, & acribus. 2°. de alim. fac. 2ª.22.F
Ventrem viscide purgat Scammonium. de simp. med. Sp.90.D
Ventrem subducit Serū. 10°. de sim. m. f. 73. G/de the. ad Pis. 5°. 90.H
Ventrem soluit acrimonia sua Spondylium. de simp. med. Sp.91.B
Ventrem soluit decoctio Squinanti. de med. exper. Sp.107.B
Ventrem leniunt Vinum dulce, & mustum. de diss. cont. Sp.75.B
Ventrem procurat vinum recens. de simp. med. Sp.92.C
Ventrem procurat vinum rosatum. de simp. med. Sp.92.C
Ventrem procurat vinum sambucatum. de simp. med. Sp.92.C
Vētrē infundit & procurat botrus vuæ immaturæ. de simp. med. Sp.92.B
Ventrem laxat zingiber. de simp. med. Sp.90.D
ad Ventrem soluendum catapotia Galeni. de dyn. Sp.27.F
Ventrem laxans electarium probatum. de med. exper. Sp.106.G
ad Ventrem soluendum panus. de dyn. Sp.27.F
ad Ventris solutionem aliud remedium. de dyn. Sp.27.F
ad Ventrem laxandum remedium. de dyn. Sp.27.F
Ventres humidi natura minus ægrotant. com. 6°. aph. 32°. Ex.49.H
Vēter suscipit humidas supfluitates cerebri. c. 6°. aph. 32°. Ex.49.H
Ventris solutio superflua signum humectati, & infrigiditati corporis. secretorum. Sp.98.G
ex VENTRIS *pfluuio defectus animi. 1°. de ar. cu. ad Gla.* 7ª.98.E
Ventris sanguis, qualis. com. 2°. aph. 43°. Ex.18.D
Ventrem inferiorem calidum hūtes cum acribus deiectionibus ob colliquationem id patiuntur. de vic. ra. in mor. acu. com. 4°. 7ª.149.B
Ventrem inferiorem habentes cum calidis deiectionibus quo potu debent vti. de vic. ra. in mor. acu. com. 4°. 7ª.149.B
Ventris fluxiones quæ. in 1ᵐ. de mor. vul. com. 2°. 3ª.111.C
Ventris profluuia fiunt a materia descendente ad ventriculum a cerebro. com. 6°. aph. 2°. Ex.46.E
Vētris profluuia cur fiant æstate, & qūo. com. 3°. aph. 21°. Ex.24.D
Ventris fluxus longi potius consistentibus, q̄ iuuenibus. com. 3°. aphorismo 30°. Ex.26.E
Ventris difficultates quare ex atra bile potius iuuenibus q̄ consistentibus. com. 3°. aph. 30°. Ex.26.E
Ventris fluxus fortis si superuenerit laborat, qui alba pituita detinetur. com. 7°. aph. 29°. Ex.55.H
Vētris prærubra proluuies cur mala. ī 3ᵐ. de mor. vul. c. 2°. 3ª.139.H
Ventris proluuies quid sit. in 1ᵐ. prorrh. com. 1°. 4ª.162.H
Venter quæ emittit si sint liuida, sanguinea, biliosa, fœda, mala, cū vero bene excernuntur, bonum est. com. 7°. aph. 65°. Ex.60.E
ex Ventris profluuio, & vomitibus diuturnis euacuationes diuturnæ siccitatem faciunt. 1°. de diff. feb. 3ª.34.D
Vētris leuitate multa, & vitalis roboris exolutione tremor fit. de tremore & palpit. 3ª.52.H
Ventris profluuiorum validorum pulsis. de pulsad Tyr. 4ª.44.H
Vētris pfluuiorū diuersæ causæ variāt curationē. de med. ex. Sp.103.H
Ventrem stringentia cum styptícitate, & ponticitate. de dis. Sp.75.B
Ventrem stringentia cum siccitate, quæ. de diss. con. Sp.75.B
Ventrem stringentia ob crassitiem. de diss. cont. Sp.75.B
Venter tanto magis adstringiī, quanto fuerit euacuatus. 5°. de sanita. tuenda. 2ª.92.G
Venter quibus hyeme stringitur. 5°. de san. tu. 2ª.92.G
VENTREM *claudentes, quæ. de diss. cont.* Sp.75.B
Ventrem sistunt Acida, si purum inuenerint. 2°. de alim. fac. 2ª.19.G
Ventris profluuium sistit Adiantum. 6°. de simp. med. fac. 5ª.41.E
ad Ventris profluuium immoderatum vsus adstringentium conuenit. de vict. ra. in mor. acu. com. 1°. 7ª.111.G
Ventrem constipat qualitas adstringens. 2°. de alim. fac. 2ª.19.A
Ventris profluuio prodest Amylum. de simp. med. Sp.80.A
Ventrem sistit succus Austerus. 2°. de alim. fac. 2ª.20.G
Ventrem laxum firmant omnia austera. de bon. & vit. suc. 2ª.38.D
Venter sistitur ab austeris, & acerbis. 2°. de alim. fac. 2ª.22.F
ad Ventris & vteri profluuia omnes medici vsi sunt Balaustio. 6°. de simp. med. fac. 5ª.44.F
in Ventris fluxionibus Balnea aptissima. 1°. de ar. cu. ad Gla. 7ª.99.A
Ventris profluuia iuuat Bromus. 6°. de simp. med. fac. 5ª.45.D
ad Vētris fluxū sanguis Caprarū tostus. 10°. de sim. me. fa. 5ª.73.B
Ventrem stringunt Caricæ. de simp. med. Sp.84.C
Ventris fluxui obnoxijs passionibus prodest Caudæ equinæ succus. 6°. de simp. med. fac. 5ª.48.G
Ventris humoris, & sanguinis profluuio Chalcitis vtilissima est. de simpli. med. Sp.81.G
Ventris imbecillitates fluxusq; ac humiditates sanant Cisthi flores. 7°. de simp. med. fac. 5ª.51.D

Ventrem restringit

Ventrem reſtringit Valenter Cornus.7°.de ſimp.med.fac. 5ª.52.G
Ventris fluxus reſiccat Gramen.6°.de ſimp.med.fac. 5ª.41.C
Ventrem ſtringit ſuccus Hordei immaturi.de ſimp.med. Sp.90.A
Ventrem ſiſtit Hippomarathrum.7°.de ſimp.med.fac. 5ª.55.B
Ventrem ſtringit Hypericon.de ſimp.med. Sp.92.E
Ventris profluuium reprimit Hypociſthis.de ſimp.med. Sp.92.E
Ventris fluxus deſiccat Iuncus leuis.8°.de ſimp.me.fac. 5ª.61.A
Ventrem ſiſtunt Lentes,& deſiccant.8°.de ſimp.med.fa. 5ª.63.B
Ventrem ſtringit Lenticula.de ſimp.med. Sp.86.B
Ventris fluxui vtilis Lentiſcus.de ſimp.med. Sp.86.B
Ventrem ſtringit a Macere cur credimus.de ſubfig.emp. Iſa.33.C
Ventrem ſtringunt Meſpila.7°.de ſimp.med.fac. 5ª.52.G
Ventrẽ cohercet mire meſpilum,qm̃ acerbũ.7°.de ſimp.me.fa. 5ª.55.F
Ventrem ſtringit ſuccus Mororum ſylueſtrium.de ſimp.me. Sp.87.H
Ventris fluxum Myrta emendat.de ſimp.med. Sp.87.E
Ventrem cohibet placenta ex Oleo craſſi ſucci.1°.de alim.fa. 2ª.10.E
Ventrem ſiſtit Orchis ſerapias.8°.de ſimp.me.fac. 5ª.57.F
Ventrem mediocriter ſiſtit Oriza.8°.de ſimp.med.fac. 5ª.57.F
Ventris fluxiones deſiccat Ouũ cocti cũ aceto.11°.de ſim.m.f. 5ª.81.E
Vẽtris ꝓueniẽtes fluxiones ſiſtit Peoniæ radix.6°.de ſimp.m.f. 5ª.45.G
Ventrem ſiſtit Piceæ cortex.8°.de ſimp.med.fac. 5ª.58.F
Ventrem ſtringit Pomum granatum.de ſimp.med. Sp.87.C
Ventrem ſtringunt poma,& granata acetoſa ſi inueniunt ſtomachum mundum a malis,& craſſis humoribus.de diff.cont. Sp.75.C
Ventris fluxui conueniunt Pontica,& auſtera.de atten.vic. 2ª.45.H
ad Vẽtris fluxus commoda eſt membrana,quæ eſt ſub cortice Roboris & ſub glande eius.6°.de ſimpl.med.fac. 5ª.46.E
ad Ventris profluuium idonea remedia ſunt Rubi fructus, & flos.6°. de ſimp.med.fac. 5ª.44.G
Ventrem deijciunt ſub Salſa & ſub amara.7°.de ſim.me.fa. 5ª.52.H
Ventri fluenti cibus vtiliſſimus Sorba,& meſpila.2°.de ali.f. 2ª.20.F
in Ventre conſiſtentes fluxiones deſiccat Spica nardi.8°.de ſimp.med. facult. 5ª.56.G
ad Ventris ꝓfluuia cõpetit Terra armenica.9°.de ſim.me.fa. 5ª.66.G
Ventrem ſtringit Tritici ſiligo.de ſimp.med. Sp.90.A
Ventris fluxibus confert Vinũ cyrrhum auſterum.de vinis. Sp.76.F
Ventrem ſtringit botrus Vuæ immaturæ.de ſimp.med. Sp.92.B
Ventris omnibus affectibus cum profluuio iunctis impendio cõferunt acinorum vuæ nuclei.6°.de ſimp.med.fac. 5ª.45.E
ad Ventris nimiam ſolutionem clyſtere vtile.de dyn. Sp.27.G
ad Ventris ſolutionem omnem pillulæ.de dyn. Sp.27.G
ad Ventris nimiam ſolutionem remedium.de dyn. Sp.27.B
ad Ventris fluxum immoderatum.ſecre. Sp.101.A
ad Ventris acres fluxiones.10.°de ſimp.med.fac. 5ª.73.G
ad Ventris profluuium.de med.fac.par. 7ª.167.G
ad Ventris fluxum valens medicamentum.de med.exper. Sp.104.G
ad Ventris fluxum.ſecret. Sp.99.F
ad Ventris ſolutionem.ſecret.98.D/ Sp.99.A/B
ad Ventris ſolutionem & punctũram.ſecre. Sp.99.G
ad Ventrem ſtringendum ex quancunq; cauſa.de dyn. Sp.27.G
VENTILATIONE *adunatur per commotionem granum ſeorſum a palea.de vtil.reſp.* Sp.64.A
Ventilationis pulſuum,& reſpirationis vtilitas.11°.met.me. 7ª.68.G
per VENTOSAE *poros exit ignis.de vtil.reſp.* Sp.64.D
Ventoſa in mammis ſiringit ſanguinem ex vtero.de cath. Sp.94.G
Ventoſam ad vmbilicum ponit.de med.fac.par. 7ª.166.D
Ventoſas neq; laudat neq; vituperat in ictero.de cura icter. Sp.110.H
per Ventoſam hepar poteſt euacuari.de cura icteri. Sp.110.H
per Ventoſam ſplen non poteſt euacuari.de cura icter. Sp.111.A
VENTOSITATEM *fieri a caliditate diminuta, collige.commentario 4°.aph.11°.* Ex.28.D
Ventoſitatem omnem deponit lens bene cocta.de pue.epil. 7ª.180.H
Ventoſitas quæ non eſt ſubtilis tumorem non generat.de ocu 7ª.189.E
Ventoſitatis aurium remedium.de dyn. Sp.25.A
Ventoſitatem in ſtomacho generat lac, & mel quando non coquitur. de diff.cont. Sp.74.F
Vẽtoſitatẽ ſtomachi ſignificat ſpumoſa vrina ſuperius.de dyn. Sp.35.E
Ventoſitati ſtomachi conferens oleum.de dyn. Sp.27.C
ad Ventoſitatem ſtomachi remedium.de dyn. Sp.26.H
ad Vẽtoſitates vẽtriculi in melãcholicis.de mel.ex Gal.Ru. Sp.110.B
ad Ventoſitatem ventris.ſecr. Sp.99.C
Ventoſitatem multam in ventre gigni quid prohibeat, de melan. ex Gal.Ruſo & Poſſido. Sp.110.B
Ventoſitatis matricis ſigna,& curatio.de paſſ.mul. Sp.96.A
ad Ventoſitatem in teſticulis ſecre. Sp.100.B
ex Ventoſitate craſſa dolor quomodo curetur.de ocul. 7ª.189.H
ex Ventoſitate cõlicæ quid ſuccurrat.de med.exper. Sp.107.E
ex Ventoſitate natis paſſionibus conuenit epithimum.de dyn. Sp.21.B
ex Ventoſitate factis paſſionibus conuenit peplium.de dyn. Sp.21.A
Ventoſitates quando ſunt multæ,quid fieri oporteat.de med. Sp.106.A
Ventoſitatem craſſam quid fuget.ſecret. Sp.101.F
Ventoſitatibus craſſis rheumatizantibus prodeſt omphacomeli.de dynamidijs. Sp.22.C
Ventoſitatem diſſoluentes ſpecies.de diff.cont. Sp.74.G
Ventoſitates craſſas diſſoluens medicina.de med.exper. Sp.105.A
Ventoſitates craſſas laxans,& diſſoluens medicina.de med. Sp.105.F
Ventoſitates diſſoluens decoctio.de me.exper. Sp.105.D
Ventoſitatem expellens medicina.de med. Sp.104.E
Vẽtoſitates diſſoluẽs medicina.de med.105.A/G/106.A/B/ Sp.108.D
Vẽtoſitates diſſoluẽs electariũ.de me.exper.105.F/107.A/Sp.108.D
Ventoſitatibus craſſis valens electarium.de me.exp.105.B/Sp.108.D
ad Ventoſitates electarium.de med.exper.106.G/ Sp.108.D
ad Ventoſitatem & capitis dolorem theriaca.de me.exper.Sp.106.H
ad Ventoſitatem ſortem.de med.exper. Sp.107.E
Ventoſitati conferens compoſitio.ſecr. Sp.101.H
ad Ventoſitatem.ſecr.102.F/H/de cura lap. Sp.112.C
VENTOSI *proprie qui ſint,& vnde.com.5°.aph.72°.* Ex.45.F
Ventoſi non ſunt qui regio morbo laborant.com.5°.aph.72°.Ex.45.F
Vẽtoſa sũt oĩa legumina potiſſimũ faba,et cicera.de pue.ep.7ª.180.H
Ventoſa eſt ptiſſana non diligenter cocta.de pue.epil. 7ª.180.H
Ventoſa ſunt vina dulcia.de vinis. Sp.76.E
Vẽtoſi fructus euitãdi ſunt ab ictericis,& q edendi.de cura. Sp.111.D
ad VENTICVLOSOS. *de med.fac.par.167.F/170.A/* 7ª.176.D
VENTRICVLVS, *nec ventriculi os eſt muſculus.3°.de ſymptomatum cauſis.* 3ª.25.E
Ventriculus.ſin.med. Iſa.44.A
Vẽtricul° eſt capitas ampliſſima iter ptes aĩalis.3°.de na.fa. 1ª.302.F
de Ventriculo librum fecit Eraſiſtratus,quem vituperat Galenus. cõ. 6°.aph.1°. Ex.46.B
Ventriculi ſectio.6°.de ana.adm. 1ª.92.D
Ventriculus poteſt videri extra animal.3°.de ana.adm. 1ª.81.H
Ventriculos cum format natura quid agat.2°.de ſem. 1ª.339.F
Ventriculi totius natura conſideranda eſt inteſtinis exemptis.6°.de ana.adm. 1ª.92.B
Ventriculus in medio animalis eſt.4°.de vſu par. 1ª.135.G
Ventriculus vi in medio eſt iuuatur ſuperiorum, & inferiorum exercitatione.5°.de ſan.tu. 2ª.90.B
Ventriculus medius inter abdomen & ſeptum.3°.de ſan.tu. 2ª.77.B
in Ventriculi os ne qd aſcẽderet nã poſuit ſeptũ.5°.de vſu p. 1ª.147.C
Vẽtricul° talẽ hẽt ſtructurã a natura,qualẽ neruus.2°.de ana. 1ª.73.D
Ventriculus in duas partes ſecatur.6°.de loc.affe. 4ª.36.D
Ventriculi os diſtinguitur a ſpacio ipſius.1°.de lo.aff. 4ª.6.C
Ventriculi os muſculus eſt.1°.de motu muſc. 1ª.309.F
pro Ventriculi ore ſtomachus.3°.de loc.aff.20.A/6°. 4ª.41.D
Ventriculi os tpe Galeni ſtomachus vocabatur.5°.de loc.aff. 4ª.33.F
Ventriculi os etiam ſtomachus dicitur.com.6°.aph.39°. Ex.50.H
Ventriculi os ſtomachum vulgus vocauit.4°.de differ.pul. 4ª.103.C/ *12°.meth.med.* 7ª.80.A
Ventriculi os vſitato nomine ſtomachus dicitur.de præcog. 4ª.217.E
Ventriculi os dicitur ſtomachus per abuſum.de cur.rat.per ſan.miſſ. 6ª.15.G/8°.*meth.med.*7ª.53.C/*com.*7°.*aph.*56°. Ex.59.A
Ventriculi os ſtomachus eſt.de pulſ.ad Tir. 4ª.46.C/*de vic.ra.in morbis acu.com.*4°. 7ª.140.G
Ventriculus cur non ſtatim poſitus poſt os.4°.de vſu par. 1ª.136.F
Ventriculi os quo modo ſituetur.4°.de vſu par. 1ª.139.A
Ventriculus cur magis eſt in dextera parte.4°.de vſu par. 1ª.136.G
Ventriculum cur ambit iecur.4°.de vſu par. 1ª.137.C
Ventriculus cõplectit lobis a iecore quaſi digitis.7°.de vſu p. 1ª.159.H
Vẽtriculus retro hẽt ſpinã,et muſculos ſpinales.4°.de vſu p. 1ª.137.C
Ventriculi propugnaculum eſt ſpina.4°.de vſu par. 1ª.137.C
Ventriculi forma cur rotunda & oblonga.4°.de vſu par. 1ª.136.G
Ventriculi fundus in hoĩbus eſt latior orificio.4°.de vſu p. 1ª.136.H
Ventriculus in brutis tendit verſus anteriora ad hypochondrion, propterea quod illis eſt deorſum.4°.de vſu par. 1ª.136.H

Ventriculi figuræ exemplum.4°.de vſu par. 1ª.136.H
ex Ventriculi figura diſponitur iecur.4°.de vſu par. 1ª.137.C
Ventriculi terminus inferior pyloron dicitur,& ſitum habet prope iecur ad dexteram.de ven.art.diſſ. 1ª.55.H
Ventriculi ſiniſtræ partes calefiunt liene.4°.de vſu par. 1ª.137.C
Ventriculus caleſit muſculis ſpinalibus.4°.de vſu par. 1ª.137.C
Ventriculi os cur latum.4°.de vſu par. 1ª.136.H
Vẽtriculi pars q̃ ingredit inteſtina cur ſtricta.4°.de vſu par. 1ª.136.H
Ventriculorum quorundam diſpoſitiones.4°.de vſu par. 1ª.136.H
Vẽtriculi ps οἰσόφαγος ẽ illa ps ab cr̃ ad vẽtriculũ.4°.d̃ vſ.p. 1ª.137.A
ad Ventriculum via eſt in thorace.1°.de loc.aff. 4ª.6.C
ad Vẽtriculũ via nutrimẽti maxª cõis et publica ẽ os.4°.d̃ vſ. 1ª.135.g
in Ventriculi fundo exortus qui,& qualis.5°.de vſu par. 1ª.142.F
Vẽtriculi fundo inteſtinũ inherẽs nõ ẽ ps vẽtriculi.4°.de vſu. 1ª.137.A
Vẽtriculo primũ inteſtinũ cõiunctũ,quod,& vbi.5°.de vſu p. 1ª.142.E
Ventriculo,& inteſtinis quæ communia.6°.de loc.aff. 4ª.36.A
a Vẽtriculo inteſtinorũ ſuba nõ multũ diuerſa eſt.4°.de vſu p. 1ª.140.F
Ventriculus quod non inhæreſcat ano.4°.de vſu par. 1ª.140.F
Ventriculi fundus poteſt peruenire ad anum.4°.de uſu par. 1ª.140.F
Ventriculus in nullo animali eſt contiguus inſtrumentis,quibus ſuperflua deijciuntur.4°.de vſu par. 1ª.140.F
Ventriculi compoſitio.6°.de anat.adm. 1ª.92.D
Ventriculi duæ tunicæ.6°.de ana.adm. 1ª.92.C
in Ventriculo cur duæ tunicæ.5°.de vſu par.146.B/14°. 1ª.209.E
Vẽtriculi duæ ſunt tunicæ factæ ob aliquã finẽ.3°.de nat.fa 1ª.304.E
Ventriculi tunicæ quales.5°.de vſu par. 1ª.145.G
Ventriculi tunicæ pueniunt vſq; ad os,& quæ ſint.3°.de nat. 1ª.304.E
Ventriculi tunicæ cur habent contrarias inter ſe fibrarum diſpoſitiones.3°.de nat.fac. 1ª.304.E
Ventriculus cur habeat omne genus fibrarum.5°.de vſu p. 1ª.146.A
Ventriculus quas habeat fibras.2°.de tẽp.18.A/6°.de an.ad. 1ª.92.D
Ventriculi tegmen craſſiſſimum omnium.4°.de vſu par. 1ª.140.E
Ventriculus cur non indigeat operimento.6°.de vſu par. 1ª.149.F
Ventriculi tunica cur craſſa.5°.de vſu par. 1ª.146.B
Vẽtricul° hẽt tunicas carnoſas et quodãmõ calidas.5°.de vſ. 1ª.146.B
in Vẽtriculo tunica interna membranoſior habet villos rectos ſemper ſurſum tendentes.4°.de vſu par. 1ª.137.A
Vẽtriculi tunicæ externæ cur hũt villos trãſuerſos.5°.de vſu. 1ª.146.A
Ventriculi tunicæ interna cur hũt villos rectos.5°.de vſu p. 1ª.146.A
Ventriculi interna tunica facit guttur.de vic.ra.ĩ m.ac.c.4°.7°. 7ª.127.H
in Ventriculo tunica externa carnoſior habet villos tranſuerſos.4°.de vſu par. 1ª.137.A
Ventriculi tertiæ tunicæ generatio vnde.4°.de vſu par. 1ª.138.A
Ventriculi tertia tunica eſt peritonæum.6°.de anat.adm. 1ª.92.D
Ventriculi cur tunica vna continua.4°.de vſu par. 1ª.137.B
Vẽtriculus,eius os,& ſtomach⁹ vna tunica iũgunt.7°.d̃ vſu. 1ª.157.D
Ventriculo,gulæ,linguæ,& toti ori tunica communis eſt. in prognoſti. commen.3°. 4ª.210.G
Ventriculus habet vnam tunicam communem ad linguam. comm.6°. aphor.32°. Ex.50.A
Ventriculo gratis ſuccis gaudet lingua.1°.de ſymp.cau. 3ª.17.D
Ventriculi,& linguæ ſocietas quæ.1°.de ſymp.cauſ. 3ª.17.D
Ventriculi partes internæ cur duriores,& denſiores partibus inteſtinorum.4°.de vſu par. 1ª.137.B
Ventriculũ aſperũ,& magnũ aĩalia habentia.6°.de ana.adm. 1ª.90.D
Ventriculus vnde fiat aſper.de cauſ.mor. 3ª.9.C
Ventriculos plures habet animal non habens dentes ſuperiores.6°.de anat.adm. 1ª.90.D
Ventriculum duplicem habent hædi.6°.de loc.aff. 4ª.42.B
Vẽtricul° ſecũd⁹ dari nõ debet primo cõiũctus.4°.de vſu p. 1ª.140.G
Ventriculus quam habeat carnem.2°.de temp. 1ª.18.A
Ventriculi ſunt durioris ſubſtantiæ quàm caro,& quales.de bonit.& vitio ſucc. 2ª.37.B
Ventriculus cur craſſus.5°.de vſu par. 1ª.146.C
Ventriculi corpus gracile habentes deterius concoquunt, quàm qui craſſum,& carnoſum.5°.de vſu par. 1ª.146.B
Ventriculi corpus qua temperie cſſectũm.3°.de ſymp.cau. 3ª.25.A
Ventriculus quam habeat caliditatem.2°.de temp. 1ª.18.A
in Ventriculo cur venæ paucæ.4°.de vſu par. 1ª.137.C
in Ventriculi ore cur venæ paucæ.4°.de vſu par. 1ª.137.C
in Ventriculum vena vnde oriatur.16°.de vſu par. 1ª.220.H
in Vẽtriculũ venarum diſtributio fit ſimul cum arterijs.16°.de vſu partium. 1ª.220.H
in Ventriculo venæ,& arteriæ ſe contingunt.9°.de vſu par. 1ª.172.H
quod Ventriculus eſt venis,id venæ ſunt arterijs.6°.de vſu p. 1ª.155.C
Vẽtriculus habet venas,et arterias vt viuat.2°.de ana.adm. 1ª.73.B
Ventriculus vnde accipiat arteriam.16°.de vſu par. 1ª.219.A
Ventriculus cur hẽat vincula fortia,& opimẽta.4°.de vſu p. 1ª.138.B
Ventriculi muſculi qui.5°.de vſu par. 1ª.145.H
VENTRICVLI *officium.intro.Iſa.54.D/in progn.com.2°.* 4ª.197.F
Ventriculi vſus qualis.11°.meth.med. 7ª.72.E
Ventriculi opus quale.2°.de arte cur.ad Gla. 7ª.103.B
Ventriculi officium quale ad vitam.7°.meth.med. 7ª.49.C
Ventriculus pars propria ad vitam.ſin.med. Iſa.45.E
Ventriculus neceſſarius omni animanti.6°.de anat.adm. 1ª.90.D
Ventriculus eſt quaſi promptuarium commune omnium particularũ corporis.4°.de vſu par. 1ª.135.G
Ventriculus eſt vas nutrimenti.intro. Iſa.54.B
Ventriculus deſervit nutritioni.4°.de præſ.ex pul. 4ª.119.F
Ventriculus primum cibi inſtrumentum.6°.de ano.adm. 1ª.90.C
Ventriculus habet vim attractricem,retentricem,excretricem,alteratricem.4°.de vſu par. 1ª.136.E
Ventriculus trahit,retinet,& depellit vt cor, vnde habet multas fibras.6°.de vſu par. 1ª.150.D
Ventriculi ſolũ tres vires enumerat alteratricẽ,expultricẽ,& retẽtricẽ,attractrice caret,quia fit a gulæ muſculis.1°.de cri. 4ª.129.C
Ventriculi tractus ſecundum Eraſiſtratum.1°.de na'.fa. 1ª.295.G
in Ventriculo vis retentrix.3°.de nat.fac. 1ª.303.B
Ventriculus ſolus & eius os habent ſenſum indigentiæ, quam non hũt aliæ partes.4°.de vſu par. 1ª.136.E
Ventriculi os inſtrumentum appetentiæ.5°.de loc.aff. 4ª.32.H
Ventriculus eſt inſtrumentum appetendi cibum,et potum,potiſſimum eius os.de inſtr.odor. 1ª.111.E
Ventriculi cupiditas qua cibum potumq; appetit,animale officiũ eſt, quod citra ſenſum noſtrum non fit.6°.de loc.aff. 4ª.37.H
Ventriculi os appetit non cõcoquit.de vic.rat.in mor.ac. c.1°.7ª.111.F
Ventriculus habet neruum quo ſentit cibi, & potus defectum.9°.de vſu par. 1ª.174.G
Ventriculi orificio maximi nerui tributi 5°.de vſu par. 1ª.145.C
Vẽtriculi orificiũ habet ſenſum alimẽti deficientis.5°.de vſu p. 1ª.145.C
in Ventriculo potus ſeruari poteſt longo tempore.6°.de lo.af. 4ª.38.B
Ventriculi propriũ corpus eſt elementum ſenſibile.1°.de nat. 1ª.291.G
Ventriculus ſentit ſolum,& non habet motum voluntarium.16°.de vſu partium. 1ª.214.H
Ventricul⁹ mouet motu naturali nõ volũtario.10°.de vſu p. 1ª.160.H
Vẽtriculus,vena,arteria,et neru⁹ diuerſo mõ sẽtiũt.de mul. 3ª.77.F
Ventriculi os valde ſenſibile eſt.5°.de vſu par. 1ª.143.E
Ventriculi os vehementiſſime ſentit.9°.de vſu par. 1ª.174.G
Ventriculi os exactiſſimum habet ſenſum.1°.de ſymp.cau. 3ª.17.G
Ventriculi os cur debuit habere magnum ſenſum.de inſtr.odor. 1ª.111.E
Ventriculi os cor dicitur.3°.de criſi.144.E/in progn.com.3°.4°. 4ª.210. F/com.4°.aph.17°.29.A/com.4°.aph.65°. Ex.34.D
Ventriculi os cur ab antiquis cor dictum.5°.de loc.affe. 4ª.32.E
Ventriculi os cur excellenter ſentit.1°.de ſymp.cau. 3ª.17.G
Ventriculi os propter quid habet ſenſum potiorem omnibus partibus corporis.3°.de loc.aff. 4ª.18.C
Ventriculus valde ſenſibilis eſt eò q̃ habet multos neruos,& magnos a cerebro.com.4°.aph.17°. Ex.29.A
Ventriculo mittunt nerui a ſexta coniugatione.16°.de vſu p. 1ª.215.H
ad Vẽtriculi os neceſſario venit neruus a cerebro.16°.de vſu. 1ª.215.E
Ventriculi cauſa nerui ſunt tranſmiſſi deorſum.9°.de vſu p. 1ª.174.G
in Ventriculi os inſeritur plurima portio neruorum a capite orientiũ. de ner.diſſ.54.E/16°.de vſu par. 1ª.216.E
Ventriculi os neruos habet magnos a cerebro.1°.de ſym.ca. 3ª.17.H
ad Ventriculi os a cerebro neruorũ magnitudo.3°.de lo.aff. 4ª.18.C
Ventriculi oris neruus minor eſt q̃ille oculi.de inſtr.odor. 1ª.111.G
Vẽtriculi nerui quales orianẽ a principio.4°.de p̃ſ.ex pul. 4ª.120.D
Ventriculus habet alterũ genus neruorũ molle.16°.de vſu p. 1ª.215.A
Ventriculi nerui quãta ſecuritate deſcẽdunt.9°.de vſu par. 1ª.174.G
ad Ventriculũ qua via,& quo incedãt nerui.9°.de vſu par. 1ª.175.B
ad Vẽtriculũ a cerebro nerui obliqua via ĩcedũt.6°.de vſu p. 1ª.149.G
Ventriculi bonus ſenſus quid agat.3°.de ſymp.cau. 3ª.30.D
Ventriculus hebetioris ſenſus quid agat.3°.de ſymp.cau. 3ª.30.D
in Ventriculo ineſt quandoq; affectus,qualis hebetudo in oculo.5°.de ſimplicium

ſimplicium med.fac. 5ª.38.D
Ventriculi os aliquibus inſenſibile ſit. 3°.*de loc.aff.* 4ª.20.C
Ventriculus attollitur in ſpiritus retentione. 3°.*de ſan.tu.* 2ª.77.B
Ventriculo præparat alimentum os.de bon.& vit.ſuc. 2ª.37.A
Ventriculus trahit cibos per gulam. 3°.*de nat.fac.* 1ª.304.G
Ventriculus trahit cibum & potum villis rectis. 4°.*de vſu p.* 1ª.137.A
Ventriculus trahit conueniens nutrimentum.de ſymp.diff. 3ª.12.C
Ventriculus cum cibo indiget quid agat. 1°.*de ſem.* 1ª.329.H
Ventriculus ſine cibo vnde accipiat nutrimentũ. 3°.*de nat.fa.* 1ª.307.C
Ventriculus trahit, & emittit per eandem viã. 3°.*de na.fa.* 1ª.307.D
Ventriculus eſuriens trahit ad ſe cibos antequam ſint in ore bene leui gati. 3°.*de nat.fac.* 1ª.305.E
Ventriculus quibus impleatur in inedia. 3°.*de nat.fa.* 1ª.306.D
Vẽtriculus a quo accipiat nutrimẽtũ i inedia. 3°.*de nat.fa.* 1ª.306.D
Ventriculus in longis inedijs trahit humorem non per vnam ſolam ve nam.de atra bile. 1ª.36.G
ad Ventriculum nutriendum in ieiunijs longis venit optimus ſanguis. de atra bile. 1ª.36.G
ad Ventriculum aliquid perucnit a cute. 3°.*de nat.fac.* 1ª.306.F
in Vẽtriculũ ſtomachꝰ naturaliꝛ deducit alimẽtũ. 15°.*de vſ.p.* 1ª.213.B
ad Vẽtriculũ it ſpũs nobis tranſglutientibus. 6°.*de vſu par.* 1ª.154.H
Ventriculus recipit cibum.an omnes particulæ animalis. 1ª.326.E
Ventriculus os ſuum inferius claudit poſt cibum ſumptum. 2°.*de ſym ptoma.cauſis.* 3ª.21.C
Ventriculus quomodo ſe habet ad cibos. 3°.*de nat.fac.* 1ª.303.E
Ventriculi proprium eſt cibos amplecti.com. 6°.*aph.* 1°. *Ex.*45.H
Ventriculus cibos cõplectitur, vt vterus fœtum. 3°.*de nat.fa.* 1ª.303.E
Ventriculus contrahitur. 1°.*de nat.fac.* 1ª.295.G
Ventriculus inſtrumentum concoquendi. 2°.*de temp.* 1ª.22.E/*de ſymp ptoma.differ.* 3ª.12.C
Vẽtriculi ppria actio eſt concoctio. 15°.*de vſu p.* 143.E/17°.1ª.222.F
in Ventriculo concoctio actio naturæ.intro. *Iſa.*55.B
Ventriculi actio alteratrix eſt coctio.de ſymp.diff. 3ª.12.D
in Ventriculo quæ fit coctio & alteratio eſt minor, q̃ illa quæ fit in ieco re, & venis. 3°.*de nat.fac.* 1ª.304.A
in Ventriculi fundo fit coctio. 5°.*de loc.aff.* 4ª.33.A
Ventriculo attribuitur prima concoctio.introductio. *Iſa.*57.D/4°.*de vſu partium.* 1ª.135.G
in Ventriculo ciborum concoctio quæ. 3°.*de nat.fac.* 1ª.303.D
in Ventriculo & iecore a qua vi fiat coctio.in progn.com. 1°. 4ª.197.B
in Ventriculo quæ ſunt per quietem concoquuntur.in 6ᵐ.*de mor.vulg. commen.* 5°. 3ª.194.A
in Vẽtriculo ſit purgatio, & ſeparatio inutilis ab vtile. 4°.*de vſu par tium.* 1ª.135.G
in Vẽtriculo, & iecore quę mutationes fiant.in prog.cõ. 1°. 4ª.197.B
in Ventriculo mutationis ciborum cauſa. 3°.*de ſymp.cau.* 3ª.25.A
Ventriculus diſtribuit quod vtile eſt venis quæ ſunt in ipſo ventricu lo. 4°.*de vſu par.* 1ª.135.G
Ventriculus ſatiatus in ſuas tunicas vtiliſſimum reponit, reliquũ abij cit tanquam onus. 3°.*de nat.fac.* 1ª.305.G
Ventriculus nutritur in ipſa concoctione, & etiam trahit ab Hepate. 4°.*de vſu par.* 1ª.141.F
Vẽtriculus elaborat cibũ, & mittit hepati.an oẽs aĩalis par. 1ª.326.E
in Ventriculo cibus præparatur iecori. 6°.*de anat.admi.*90.C/*de fœt. for.* 1ª.324.H/*de bon.& vit.ſuc.* 2ª.37.A
a Ventriculo ad iecur quo modo eat cibus.de conſt.ar. *Iſa.*41.D
a Ventriculo in iecur, & ab hoc in totum corpus cibi deductio. 3°.*de ſympt.cau.* 3ª.26.A
a Ventriculo trahit iecur. 6°.*de decr.Hipp.* 1ª.265.H
in Vẽtriculũ aliquid tendit a iecore, & liene. 3°.*de nat.fa.* 1ª.307.D
a Vẽtriculo oẽs partes cõſequenter exurgunt. 4°.*de vſu p.* 1ª.136.E
ex Ventriculo reliquiæ in inteſtina deſcendunt. 2°.*de ſem.* 1ª.340.C
a Ventriculo non trahunt inteſtina. 6°.*de loc.aff.* 4ª.37.G
Ventriculus excernit alienum.de ſymp.diff. 3ª.12.C
in Vẽtriculo quæ cõtinenẽ expultrix vis expellit. 2°.*de ſymp.* 3ª.22.G
Ventriculus quandoq; tolerat ſua excrementa, quãdoq; nõ. 3°.*de ſym ptoma.cau.* 3ª.28.G
Vẽtriculus expellit cibũ, & potũ villis tranſuerſis. 4°.*de vſu.* 1ª.137.B
a Ventriculo in ieiunum cibi tranſmiſſio eſt opus naturæ. 6°.*de locis af fectis.* 4ª.38.E
a Vẽtriculo deſcẽdit ius ſpatio duarũ horarũ.de cura lap. *Sp.*112.G
Vẽtriculos duos habet meatus, p quos expurgaẽ. 2°.*de lo.aff.* 4ª.13.B
è Ventriculo cibus non emittitur antequam ſit perfecte coctus. 4°.*de vſu partium.* 1ª.140.F
Ventriculus & iecur nõ patiuntur apud ſe aliqua cocta morari. 3°.*de ſympt.cau.* 3ª.28.A
Ventriculi os inferius aperitur cibo concocto. 3°.*de nat.fa.* 1ª.303.D
in Ventriculo quæ ſint concocta.de conſuet. 2ª.60.H
Vẽtriculi os inferius qñ aperiaẽ nõ cocto cibo. 2°.*de ſymp.ca.* 3ª.21.C
in Ventriculi & hepatis partibus reſidet quodcunq; corruptum eſt, ac paulatim per tempus coquitur, atq; optimum fit in his, qui ſunt boni habitus. 1°.*de diff.feb.* 3ª.31.H
Vẽtriculus qñq; excernit ante coctiones. 3°.*de dieb.decr.* 4ª.158.E
Ventriculus naturaliẽr quando excernat. 3°.*de dieb.decr.* 4ª.158.E
Vẽtriculus per quas partes expurgatur. 2°.*de ar.cu.ad Gl.* 7ª.102.H
Ventriculus per rectum inteſtinum expurgatur. 11°.*me.me.* 7ª.73.F
in Ventriculo veloces exitus cur fiant.com. 6°.*aph.* 1°. *Ex.*45.H
Ventriculi imus terminus pyloron. 6°.*de ana.adm.* 1ª.91.F
in Ventriculo factus eſt pylorus qui retardet deſcenſum chyli. 4°.*de vſu partium.* 1ª.139.B
Ventriculo quid faciat pyloron. 8°.*de vſu par.* 1ª.170.D
Ventriculi meatus anguſtia nõ eſt cauſa cur exeãt, vel nõ exeãt traſglutita. 3°.*de nat.fac.* 1ª.303.C
Ventriculum non exeunt liquida, quia liquida. 3°.*de na.fa.* 1ª.303.C
ad Ventriculum mittitur melancholichum excrementum a liene. 5°. *de vſu par.* 1ª.143.G
in Ventriculum mittitur atra bilis. 1°.*de ſan.tu.* 2ª.67.F
Vẽtriculũ nõ offendit atra bilis, ſed illi prodeſt. 5°.*de vſu p.* 1ª.143.G
Vẽtriculo nullam noxã afferũt acerba, & acida. 5°.*de vſu p.* 1ª.143.H
Ventriculum iuuant pruna pontica.de atten.vic. 2ª.46.A
Ventriculum non lędunt contrahentia, & conſtringẽtia. 5°.*de vſu par tium.* 1ª.143.H
in VENTRICVLO *affectus multi.* 7°.*meth.med.* 7ª.48.G
Ventriculi octo affectus. 2°.*meth.med.* 7ª.11.E
Ventriculus quando dici põt ægrotare vel affici. 1°.*de loc.aff.* 4ª.5.A
Ventriculi ſymptomata octo qũo numerẽtur. 3°.*de ſymp.diff.* 3ª.12.B
in Ventriculi alteratrice facultate ſymptomata.de ſymp.diff. 3ª.12.C
Ventriculi retentricis facultatis ſymptoma.de ſymp.diff. 12.D/3°.*de ſymp.cauſ.* 3ª.25.D
Ventriculi ſymptoma fruſtratio in alterando. 3°.*de ſymp.ca.* 3ª.24.F
Ventriculus non poteſt acinos tranſmutare. 1°.*de lo.aff.* 4ª.5.C
Ventriculo nocentes cibi, quales. 1°.*de loc.aff.* 4ª.5.B
Ventriculum lædentes cibi viribus inſignibus. *de vic.ra.in mor.acut. commen.* 2°. 7ª.120.H
Ventriculum inualidum reddit aqua.de bon.& vit.ſuc. 2ª.38.H
in Ventriculo nõ facile corrumpuntur melopepones vt pepones. 2°.*de alim.fac.* 2ª.17.B
in Ventriculo bilioſum humorem, vel aliud excrementum habentes, concoctu facilia corrumpunt. 2°.*de alim.fac.* 2ª.17.C
Ventriculum aggrauantes panes vt lutum. 1°.*de alim.fac.* 2ª.12.G
in Ventriculo pondus facit triticum elixum, ac ſi eſſet lutum. 1°.*de alim.fac.* 2ª.11.B
in Vẽtriculo põdus frigidũ facit cucurbita cruda. 2°.*de ali.fa.* 2ª.16.F
a Ventriculis quibuſuis non concoquũtur carnes bubulæ.de vic.rat.in morb.acu.com. 4°. 7ª.146.H
in Vẽtriculo ex cõcreto lacte ſuffocationis remedia. *de remedijs para tu facilibus.* 7ª.160.H
*Ventriculi patientis ſigna.ars med.Iſa.*67.B/1°.*de loc.aff.* 4ª.6.C
Ventriculi affecti pulſus. 4°.*de præſ.ex pul.* 4ª.120.D
de Ventriculi oris affectibus.de rem.par.fac. 7ª.158.F
Ventriculi oris affectus qualis.de cur.ra.per ſang.miſſ. 6ª.16.F
Ventriculi oris affectus vnde. 5°.*de lo.aff.* 4ª.29.C
ex Ventriculi ore ſymptomata. 5°.*de loc.aff.* 4ª.32.G
Ventriculi oris ſymptomata lõge maiora, q̃ fundi. 5°.*de lo.af.* 4ª.33.A
Vẽtriculi ſymptomata quãdo vehementiora. 3°.*de ſymp.cau.* 3ª.18.F
ad Ventriculi oris affectus qui morbi ſequãtur. 5°.*de loc.af.* 4ª.32.E
Ventriculi os, non fundus, appetentia prohibet. 5°.*de loc.af.* 4ª.32.E
in Ventriculi ore canina appetentia qũo. 6°.*de loc.af.* 4ª.37.H
Ventriculi fundus cibos non corrumpit. 5°.*de loc.af.* 4ª.32.E
Ventriculi os cibos corrumpit natantes. 5°.*de loc.af.* 4ª.32.E
Ventriculi oris affectus ſunt nauſea, cordis dolores, & ſingultus. 5°. *de loc.af.* 4ª.32.H
Ventriculi os læſum cauſat faſtidium in prægnantibus, & piccam.cõ. 5°.*aph.*61°. *Ex.*43.E

Ventriculi os

Ventriculi os læsum significat appetentia canum, & ciborum malorum. 5°.de loc.aff. 4ª.32.H
Vētriculi fastidia quando bona,& quando non bona, considerandum. 1°.de crisibus. 4ª.128.B
Ventriculus reijcit cibos,quos fastidit. 3°.de nat.fa. 1ª.305.E
Ventriculū subuertūt maluæ cū oleo,& garo. 2°.de alim.fac.2ª.20.B
Vētriculi os supinat,& humectat chondri sorbitio. de vict.ra.in mor. acu.com. 1°. 7ª.111.F
ad Ventriculum subuersum quæ dāda.de rem.par.fa.158.H/7ª.159.A
Ventriculum lædunt & potissimum os eius medicamenta purgantia, & cur.quos purg.opor.quib.med. 5ª.89.C
Ventriculi os quo modo non lædat medicamentum. de vic.rat.in mor. acu.com.2°. 7ª.118.D
Vētriculi os acria medicamēta nō fert.2°.de ar.cu.ad Gl. 7ª.103.D
Ventriculus non euertatur quæ miscenda medicamentis. 3°.de simpl. med.fac. 5ª.20.E
Ventriculi os quando prius roborandum q̄ medicamentum exhibeatur. 1°.de arte cur.ad Gla. 7ª.98.B
Ventriculi os ad amaritudinem alteratum, choleram significat. com. 3°.aph.22°. Ex.24.F
Ventriculi morsus quibus fiat. 3°.de nat.fac. 1ª.305.H
Ventriculi os ab humoribus mordacibus molestatur. commentar.4°. aph.17°. Ex.29.A
Ventriculū mordicāt acria si plus iusto sumpta sint.de at.vic.2ª.43.G
Ventriculi oris morsus cur dolor cordis dicat.in ſgn.cō.3°. 4ª.210.F
in Ventriculi ore morsus refertur ad cor.2°.de decr.Hip. 1ª.240.A
Vētriculi oris morsus vbi fiant.2°.de decr.Hip. 1ª.240.B
Ventriculi oris mordicationes præcedit vomitus biliosus. 5°.de vsu partium. 1ª.143.D
ad Ventriculi morsus sine bilis vomitu.de rem.fac.par. 7ª.166.C
Ventriculi morsus a flaua bile ebulliente in ipsius tunicis generatur. com.4°.aph.65°. Ex.34.E
Ventriculi morsus notat choleram peccare.com.3°.aph.22°.Ex.24.F
in Ventriculi ore bilis quid faciat. 5°.de vsu par. 1ª.143.E
in Ventriculo rosio, dolor,aut calor auget febrē.8°.met.med. 7ª.53.B
in Ventriculo cur cardialgia.1°.de symp.cau. 3ª.18.E
Vētriculi morsus facit excernere oīa q̄ in eo sunt. 5°.de vsu p. 1ª.143.D
in Ventriculi morsu,& passione opera animæ detrimentum patiūtur. com 4°.aph.17°. Ex.29.A
ex Ventriculi ore a prauis humoribus mordicato dissolutio quomodo curanda.1°.de ar.cur.ad Glau. 7ª.99.C
Vētriculi os cū quib⁹ cōueniat membris.de mel.ex Gal.Ruf.Sp.109.B
Vētricul⁹ q̄n per cōpassionem afficitur,& quibus.2°.de temp. 1ª.20.c
Vētriculi os ī patiēdo habet societatē cū neruis.c.5°.aph.1°.Ex.37.C
Ventriculi os afficit vtrunq; principium.1°.de symp.cau. 3ª.17.G
Ventriculi oris & cerebri quantus sit consensus 5.°.de loc.aff. 4ª.32. H/*de mel.ex Gal.Ru.& Poss.* Sp.109.B
Ventriculus cerebro,& cerebrum ventriculo suas affectiones transmittunt.3°.de loc.aff. 4ª.18.C
Ventriculi ostiolum quiduis patiens facile in similem affectum cerebrum ducit.de mel.ex Gal.Ru.& Poss. Sp.109.B
Ventriculi oris,& cordis quantus consensus. 5°.de lo.af. 4ª.32.G
Vētriculi os in cōsensum ducit animū.in 6ᵐ.de mor.vul.c.4°.3ª.186.F
Ventriculi os syncopas,& symptomata nō parua incurrit ob sensum exquisitum.12°.meth.med. 7ª.77.F
Ventriculi os quibus laborat,solet animæ defectus superuenire. de arti.com.2°. 7ª.264.H
Ventriculi os plenum humoribus facit animi defectum. commentario 1°.aph.23°. Ex.10.D
ex Ventriculi inflāmatione fit aī defectus.1°.de ar.cu.ad Gl.7ª.98.F
Ventriculi os quibus male affectum,illis fit animi defectus.1°.de arte cur.ad Gla. 7ª.98.F
ad Ventriculum cum tendit materia ex abscessu erumpens fit animi defectus.1°.de art.cur.ad Gla. 7ª.98.F
Ventriculi os vitio humorū mordicātiū aut crassis, et lentis humorib⁹ aggrauatū facit defectū aī.1°.de ar.cu.ad Gla.98.F/2°.7ª.103.C
ad Ventriculi os cum tendit materia ex abscessu erumpens fit animi defectus.1°.de arte cur.ad Gla. 7ª.98.F
Ventriculi ore vexato syncope detinentur ægri.11°.met.me.7ª.74.D
Ventriculi os vel propter nimium sensum, vel propter debilitatem facit exolutionem.com.2°.aph.41°. Ex.18.A
in Ventriculis affectione est syncopi cum sudore.7°.met.med.7ª.48.G
circa Ventriculi os syncope ex flaua bile quomodo curanda.12.metho di medendi. 7ª.76.C
ex Vētriculi ore defect⁹ animi qūo curet.1°.de ar.cu.ad Gl.7ª.99.B
circa Ventriculi os in syncope ex bile quæ vina cōueniant.12°.metho di medendi. 7ª.77.B
a Ventriculi vaporibus vel humoribus ascendentibus cogitatio lædi-tur.1°.de loc.af. 4ª.6.E
ex Ventriculi ore amentia. 5°.de loc.af. 4ª.32.H
Ventriculi causa iecur imbecillitatur.5°.de lo.aff. 4ª.33.F
Ventriculus,& iecur quandoq; valentiora,quādoq; imbecilliora sūt inuicem comparata.3°.de nat.fac. 1ª.306.C
Ventriculi os ratione societatis facit dispnœas,apnęas,morsus,epilepsias deliria,& melancholias.1°.de symp.cau. 3ª.17.H
a Ventriculo flauā bilē cōtinēte fit dolor capitis.3°.de lo.af. 4ª.19.B
in Vētriculo humores contenti faciūt quandoq; dolorem capitis. com. 4°.aph.70°. Ex.35.B
a Ventriculi materia biliosa capitis dolor,non est affectio capitis. 1°. de locis af. 4ª.3.F
ex Ventriculi cruditate capitis dolor.de rem.par.fa. 7ª.153.F
cum Ventriculi oris offensione febris ex cruditate qualis.12°.methodi medendi. 7ª.76.E
in Ventriculi ore si sint excrementa fiunt symptomata suffusioni similia.1°.de lo.aff.3.F/H/3°.18.C/ 4ª.19.B
ob Ventriculi affectum oculi affecti in suffusiones incidunt. de medic. const.ar. Isa.41.B
ob Ventriculū aliqui videnᵗ suffusi,cū nō sint.1°.de sym.cau. 3ª.15.B
a Ventriculo suffusiones imaginariæ.3°.de comp.me.se.lo. 5ª.144.D
Ventriculo affecto aliter eueniunt suffusionis accidentia. 3°.de loc.affectis. 4ª.14.F
in Vētriculo euaporās humor quid faciat in oculo.1°.de lo.af. 4ª.4.B
in Ventriculo contentorum humorum oculi participant, si videndo debet animal errare.1°.de lo.aff. 4ª.3.A
a Ventriculi ore qūo cognoscatur fieri vertigo.3°.de lo.aff. 4ª.20.D
Ventriculi ore patiente,cur singultus fiat.com.5°.aph.1°. Ex.37.D
in Ventriculo adest palpitatio.2°.de symp.cau. 3ª.20.F
ex Ventriculi ore somni tumultuosi.5°.de loc.aff. 4ª.32.H
Ventriculi os in somnis facit conuulsionem,labores,timores quādoq;. com.4°.aph.67°. Ex.34.F
Ventriculi os helleboro conuulsionem facit.com.5°.aph.1°. Ex.37.D
a Vētriculo etiam fit morbus comitialis.3°.de lo.aff. 4ª.19.B/E
ex Vētriculo comitialis morbus p quot causas fiat.5°.de lo.af.4ª.32.G
a Ventriculo dependentis comitialis morbi exemplum habet melancholiæ tertium genus.3°.de lo.aff. 4ª.18.G
pro Ventriculi oris morbo comitiali vinum album modice adstringēs. 5°.de loc.affe. 4ª.32.F
ex Ventriculi ore in comitiali morbo datur medicamentum ex aloe amarum.5°.de lo.affect. 4ª.32.G
Ventriculo mortificationem quandam aduenisse ex compatiendi ratione quo casu significetur.com.6°.aph.3°. Ex.46.F
Ventriculi os vt plurimum in quotidiana intermittente patitur.1°.de art.cur.ad Glau. 7ª.95.H
Ventriculi spatium internum quibus afficiatur.5°.de lo.aff. 4ª.33.A
Ventriculi tres vires qūo valida esse deprehēdanī.1°.de cris.4ª.129.C
Ventriculi vis ad cibos concoquendos quid agat.in 6ᵐ.de morb. vulg. commen.5°. 3ª.188.B
Ventriculi os per seipsum habet inappetentiam diminutam, & vitiosam appetentiam.1°.de symp.cau. 3ª.17.H
Ventriculi fundus est causa cruditatis.5°.de lo.aff. 4ª.33.B
in Ventriculo quo modo fiat cruditas.1°.de lo.aff. 4ª.5.B
ad Ventriculi cruditatem,& inflationes.de med.fa.par. 7ª.172.E
Vētriculi imbecillitas.de diff.morb. 3ª.3.G
Ventriculus imbecillus non pōt probè cōcoquere.de nat.fa.1ª.303.C
Ventriculi est accidens concoctio vitiata.1°.de lo.aff. 4ª.5.H
Ventriculi imbecillitas in concoquendo est causa corporis affectuum. in 6ᵐ.de morb.vulg.com.3°. 3ª.169 H
Ventriculi concoctionem vt labefactent non satis sunt vlcus,& bubo. 2°.de nat.fac. 1ª.300.D
Ventriculi actionem ladit immodica vis caloris febrilis.2°.de natur. facultatibus. 1ª.300.D
Vētriculi cōcoctionē difficilē ībecillēq; reficit theriaca.de the.5ª.96.B
Ventriculum male coquere significat deiectio nondum in chylum mutata.de tot morb.temp. 3ª.88.G

in Ventriculo male cocti cibi, in iecore non coquuntur. in 6m.de mor. vul.com.4°. 3a.186.D
ad Ventriculum in quo cibus aceſcit.de rem.par.fac. 7a.158.G
Ventriculo non bene coquenti quid agendum.de mel.ex Ga. Sp.110.D
Ventriculum ad concoquendum non idoneum habenti, huic frequenter balneis vti prodeſt.de mel.ex Gal.Ru.& Poſ. Sp.110.D
Ventriculus male concoquens qũo corrigendus.2°.meth.me.7a.10.H
Ventriculi ori apponendum lanæ manipulum nardino pigmento inunctum, quando non eſt facta coctio.de præcog.ad Poſth. 4a.219.A
in Ventriculo cibo exiſtente crudo venæ ſectio fieri non debet.9°.methodi med. 7a.57.H
Ventriculi ori torquem ex Iaſpide applicuit Galenus & profuit. 9°. de ſimpl.med.fac. 5a.67.D
Ventriculo non coquente viuimus.6°.de decr.Hip. 1a.264.F
in Ventriculo corrupti cibi quid agant.2°.de ſymp.cau. 3a.21.C
Ventriculus imbecillis facit leuitatem inteſtinorum, & quomodo cognoſcatur.com.6°.aph.1°. Ex.45.H
Ventriculus imbecillis qũo ab antiquis curaretur.7°.met.m. 7a.43.H
ad Vẽtriculi oris imbecillitatem chia maſtiche in nardino vnguẽto valet.8°.meth.med. 7a.53.C
Ventriculi os cum eſt imbecillum, curatio.in progn.Hip. 4a.191.G
Ventriculi imbecilli octo curationes.7°.meth.met. 7a.44.B
Ventriculi imbecillitati commune remedium.7°.met.med. 7a.44.A
ad Ventriculi exoluti robur quid vtile.2°.de ali.fac. 2a.20.D
Ventriculum roborantia, quæ.de atten.vic. 2a.44.D
Ventriculum roborant adſtringentia.2°.de alim.fa. 2a.20.B
Ventriculi os roborant adſtringentia, & plus iuſto exiccant.de vic.ratio.in mor.acu.com.1°. 7a.111.F
Ventriculum imbecillum habentibus, adſtringentia vltimo ſumpta, ſunt deiectionis cauſa.2°.de alim.fac. 2a.20.A
Ventriculum roborat ſuccus punici.2°.de ali.fac. 2a.20.E
Ventriculi imbecillitas ex aqua frigida ſanata.7°.meth.med.7a.44.B
Ventriculum diſſolutum roborat vua ſeruata.2°.de alim.fa.2a.18.A
Vẽtriculũ corroborãdi vim habet vua paſſa.de rem.par.fa.7a.153.H
Vẽtriculo imbecillo cõueniũt pontica, & auſtera.de att.vic. 2a.45.H
Vẽtriculũ roborãt vina auſtera.12°.met.me.7a.76.H/de vi.Sp.76.G
Ventriculum robuſtum efficiens vinum, & caput non tentans, quale. 5°.de loc.aff. 4a.32.F
Ventriculi ore male affecto da vinum calidum, & extrema fricato.1°. de ar.cur.ad Gla. 7a.99.C
pro Ventriculi imbecillitate vſus aquarum calidarum § id eſt thermarum.§7°.meth.med. 7a.44.A
pro Ventriculo roborando alica flaccida calida, & probè cocta. 2°.de comp.med.ſec.loc. 5d.133.D
ad Vẽtriculi os valet acetum ſcillinum.de med.fac.par. 7a.178.C
Vẽtriculo imbecillo q̃ applicabant extra ab antiqs.7°.me.m.7a.43.H
pro Ventriculi ore imbecillo ceratum.8°.meth.med. 7a.53.D
Vẽtriculo imbecillo reſtituit vires cucurbitula. de Hirud.reuul.cucu. & ſcarif. 6a.287.E
Ventriculi os quo modo dicatur corroborare eructatio. in 6m.de mor. vul.com.2°. 3a.166.D
Ventriculũ roborãdi vim hñs emplaſtrũ.1°.de ar.cur.ad Gl. 7a.99.C
Ventriculum non roborant pinguia.1°.de alim.fac. 2a.15.D
Ventriculi relaxatio quæ.3°.de ſymp.cau. 3a.25.G
in Ventriculo fit relaxatio.de mult. 3a.78.G
VENTRICVLI temperies quomodo cognoſcatur.2°.de temp. 1a.20.B
Ventriculi cauitas in multis temperata & os intemperatum.1°.de ſanitate tuen. 2a.64.H
de Ventriculi calidi intemperie.de rem.par.fac. 7a.158.G
Ventriculi calidi qui dicantur.in 6m.de mor.vul.com.4°. 3a.186.F
Ventriculi calidi ſigna.ars med. Iſa.66.C
Ventriculorum calidorum & frigidorum inditium. in 6m.de mor.vul. commen.4°. 3a.186.D
Ventriculi calida intẽperies qũo cognoſcat.de rem.par.fac.7a.158.G
Ventriculi caloris intemperies adeo vehemens vt perueniat ad cor facit febrem.7°.meth.med. 7a.47.F
in Ventriculo igneum calorem ſignificat ructus fumoſus, ſi nihil nidoroſi comederit.1°.de loc.affec. 4a.5.D
Ventriculus vbi habet igneum calorem panis, & chondrus nõ coquuntur.1°.de loc.affe. 4a.5.E
ad Ventriculi affectus, & cauſas referenda eſt conuerſio ciborum ad fumoſum, & acidum ructum.1°.de loc.aff. 4a.5.H
ad Ventriculum acidum cibum facientem valet Antidotus Athanaſia Mithridatis.2°.de antid. 5a.114.H
Ventriculi vitio acidum ructantes iuuat Antidotus Zopyria.2°.de antidotis. 5a.115.A
ad Ventriculi acorem.de med.fac.par. 7a.172.E
Ventriculum calidum & cerebrum frigidum habentes ſunt morbis obnoxij.3°.de alim.fac. 2a.28.F
Ventriculi os ſupercalefactum quibus refrigerantibus curetur. 1°.de arte cur.ad Gla. 7a.99.E
pro Ventriculo calido fructus quando comeduntur debent refrigerari. 1°.de alim.fac. 2a.16.F
Ventriculi calidiores aliquo commodo fruuntur oxiga lacte.3°.de alim ent.facult. 2a.28.C
Ventriculi calidiores ferunt oxigala niue refrigeratum.3°.de alimen. facult. 2a.28.D
Vẽtriculus calidus fert aquã niue refrigeratã.3°.de alim.fac.2a.28.D
de Vẽtriculo calido concoquente lactucam a qua refrigeratur, & calefit.3°.de temp. 1a.24.D
Ventriculis bile infeſtatis conuenit lactuca.2°.de alim.fac. 2a.22.E
ad Venrticulum refrigerandum & firmandum quæ conueniant. 8°.methodi med. 7a.53.D
Ventriculo calido mel deſpumatũ eſt aduerſiſſimũ.7°.met.m.7a.47.A
Ventriculi ori æſtuanti imponuntur violæ. 6°.de ſimpli.medicament. facultatibus. 5a.48.F
ad Ventriculum æſtuantem, nec cibi tenacem.de me.fa.par.7a.172.E
ad Ventriculum qui intus vratur ceratum melinum eſt vtilius.8°.methodi meden. 7a.53.D
Ventriculi inflammationes vehementiſſimæ.5°.de loc.aff. 4a.33.E
Vẽtriculi phlegmone eſt cum periculo mortis.10°.meth.me.7a.63.H
Ventriculi phlegmone laborantibus robur virium eſt vna ſalus. 10°. meth.med. 7a.63.H
in Ventriculo videtur inflammatio in flatu hypochondriaco.3°.de locis affectis. 4a.19.B
Ventriculi oris inflammatio quid faciat.de pul.ad Tiro. 4a.45.B
Ventriculi inflammatio quid faciat.de pulſ.ad Tir. 4a.45.B
Vẽtriculi & Iecoris inflãmationẽ hectica ſequũtur.1°.de dif.3a.35.F
Ventriculi inflammati pulſus qualis.de pulſ.ad Tiro. 4a.45.A
Ventriculo, Iecore, & pulmone inflammatis ſiunt febres ardentes. 5°. de loc.aff. 4a.33.D
circa Vẽtriculum ardens febris fit.in 1m.de mor.vul.cõ.1°. 3a.104.F
circa Ventriculi os præcipue fit ardens febris.in 1m.de mor.vul.cõ.1°. 3a.104.F/de vict.rat.in mor.acu.com.3°. 7a.134.D
circa Ventriculum in febribus fortis æſtus, & cordis morſus, vel dolor, malum, & cur.com.4°.aph.65°. Ex.34.E
ad Ventriculum æſtuantem.de rem.par.fac. 7a.159.B
ex Ventriculi phlegmone exit aliquid.13°.meth.med. 7a.84.H
Ventriculus ſi phlegmone laboret quid agendum.2°.met.me.7a.11.H
in Ventriculi phlegmone artus vinciuntur.13°.meth.med. 7a.83.B
in Ventriculi phlegmone victus.13°.meth.med. 7a.83.D
Ventriculi inflammatio non exigit cibos.10°.meth.med. 7a.63.H
Ventriculi oris inflammatio æget adſtringentibus non ſolis relaxantibus.de rem.par.fac. 7a.158.F
Vẽtriculi ori q̃ adſtringentia ſint cõueniẽtia.de rem.par.fac.7a.158.F
pro Vẽtriculi ore inflammato ceratum.8°.de cõp.me.ſe.lo. 5a.187.D
Ventriculi inflammationi mulſa acer nõ eſt vtilis.11°.me.m.7a.73.F
in Ventriculi phlegmone non purgandum.13°.meth.med. 7a.83.A
ad Vẽtriculi inflammationes abſinthiũ põticũ.11°.met.med. 7a.72.F
de Ventriculi frigida intemperie.de rem.par.fac. 7a.158.G
Vẽtriculi frigidi ſigna.ars med. Iſa.66.D
ad Ventriculi refrigerationem.de rem.par.fac. 7a.159.A
Ventriculus quandoq; frigidior, & caput plus iuſto calidius eſt, & è contra.de bon.& vit.ſuc. 2a.38.B
Ventriculi frigidæ affectionis ſignum optimum. 8°.de compoſi.medic. ſecun.loc. 5a.189.D
Ventriculi mordacitatem, & refrigerationem quid ſequatur.1°.de different.febr. 3a.33.G
in Ventriculo frigiditatem ſentiunt, quibus omentum excidit, & vulneratum ſit, & abſciſſum.4°.de vſu par. 1a.137.E
Ventriculus redditus eſt frigidus pinguedine ſupra ventriculum ablata.de vtil.reſp. Sp.63.A
Ventriculi oris affectionem facit viduarum perfrigeratio in vtero, & ijs quæ non purgantur.1°.de ſymp.cauſ. 3a.18.G

quibus Ventriculus

quibus Ventriculus perfrigeratus est,ijs quodnam symptoma incidat. 3°.de symp.cau. 3ª.25.F
Ventriculus frigidior non bene conficit oxigala.3°.de ali.fac.2ª.28.C
Ventriculus frigidus etiam sine materia facit quandoq; leuitatem intestinorum.com.6°.aph.1°. Ex.45.H
Ventriculi intemperaturæ faciunt leuitatem intestinorum. comm.4°. aphor.12°. Ex.28.E
in Ventriculo qui frigiditatem sentiunt quomodo sunt curandi. 1°.de arte cur.ad Glau. 7ª.99.C
Vētriculo frigido mel despumatū est cibus optimus.7°.m.m.7ª.47.A
Ventriculo frigido aut temperato aptum est diospoliticon medicamentum.6°.de san.tu. 2ª.99.D
ad Ventriculum frigidiorem.de rem.par.fac. 7ª.159.G
Ventriculi humidi quibus sint. de aere,aq.& loc. 2ª.5.E
Ventriculi humidi signa.ars med. Isa.66.C
Vētricul⁹ est humidus si lingua est humida.cō.6°.aph.32°. Ex.50.A
Ventriculi ex humiditate imbecillis propria passio est profluuium diu turnum.com.6°.aph.32°. Ex.50.A
Vētriculi humida intēperies facile curaī,& qūo.7°.met.me. 7ª.48.G
Ventriculi sicci signa.ars med. Isa.66.C
Ventriculū senis quis habeat anteq̄ cōsenuerit.7°.met.me. 7ª.46.D
Vētriculi sicca intēperies in solida parte nunquām perfectè sanabitur. 7°.meth.med. 7ª.46.D
Ventriculi tabes.de decub.progn.ex math.scientia. Sp.13.C
Ventriculus qñ æstuat squalore idē patitur iecur.2°.de ali.fa.2ª.18.H
Ventriculus quando squalore æstuat,vtendum peponibus et moris.2°. de alim.fac. 2ª.18.H
in Ventriculo siccitatis curatio.7°.meth.med. 7ª.44.D
Ventriculum,& totum corpus siccum habentis curatio,quoniam male a medicis curatus.7°.meth.med. 7ª.44.E
Ventriculus temperatus quamuis ægre aliquantum tamen cōficit oxigala.3°.de alim.fac. 2ª.28.C
Vētriculi calida,& humida intēperies qūo curaī.7°.met.me. 7ª.47.H
Ventriculus calidus,& siccus sitim facit.com.4°.aph.19°.Ex.29.C
Ventriculi calor siccus,& igneus in bilem conuertit nutrimētum.2°. de tempera. 1ª.20.E
Vētricul⁹ calid⁹,& siccus nō dēt temere refrigerari.7°.m.m.7ª.48.F
Ventriculi calidi,& sicci casus.7°.met.med. 7ª.47.D/E
Vētricul⁹ frigid⁹,humidus facit hoiem nō sitire.cō.4°.a.19.Ex.29.C
Vētriculi humida & frigida intēperies qūo curaī.7°.met.m.7ª.47.H
Ventriculus quando siccus,et frigidus nardino inungendus.7°.metho di medendi. 7ª.46.G
Ventriculus facit appetentes calidum & frigidum.intro. Isa.66.D
Ventricul⁹ qūo faciat sitibundos aut minime sitiētes.ars med.Is.66.D
in Ventriculo bilis facit sitim continuam.2°.de nat.fac. 1ª.301.C
Vētricul⁹ nō lædit a pauco aere,sed a multo.c.2°.aph.17°.Ex.13.A
Ventriculi intemperies ex materia.7°.meth.med. 7ª.47.H
Ventriculus qñ spiritu halituoso impletur.3°.de symp.cau. 3ª.25.C
Ventriculi inflatio quo modo curetur.14°.met.med. 7ª.88.E
ad Ventriculi inflationes.de ther.ad Pis. 91.F/de vsu ther. ad Pāph. 98.F/2°.de antid.5ª.116.D/de rem.par.fac.159.C/ 7ª.172.F
ad Vētriculi vētositates in melācholicis.de mel.ex Gal.Ru. Sp.110.B
in Ventriculo humores tribus modis degunt.fin.med. Isa.44.C
in Ventriculo succi tripliciter esse possunt.7°.meth.med. 7ª.48.E
Ventriculus humores recipit bilioſos si quis sanus ieiunet.commen.1°. aphor.50°. Ex.52.F
in Ventriculū quibus causis bilis venit.2°.de decr.Hip. 1ª.240.C
ad Ventriculum vnde vas bilem ferens.5°.de vsu par. 1ª.142.G
ad Ventriculū bilis trāsiēs cur per illam viā.5°.de vsu par. 1ª.143.A
in Ventriculum cur regurgitat bilis ex iecore in intestina. 1°.de alim. facultatibus. 2ª.7.G
in Ventriculo bilis ob malam qualitatem.1°.de alim.fac. 2ª.7.F
in Ventriculum cur non eat bilis.5°.de vsu par. 1ª.143.B
Ventriculi officiū qūo euertatur a flaua bile.5°.de vsu par. 1ª.143.D
Ventriculus impletur superfluitatibus in magnis mœroribus,atq; doloribus.com.6°.aph.50°. Ex.52.G
in Ventriculi ore bilis magis colligitur.2°.de comp.me.s.l. 5ª.135.D
in Ventriculi fundo pituita magis colligiī.2°.de cōp.m.se.l. 5ª.135.D
in Ventriculo pituitæ proprietates.de anat.viu. Sp.45.F
in Ventriculo gñatur pituitosum excrementū.5°.de vsu pa. 1ª.143.E
in Ventriculo qūo creaī pituita.in 6ᵐ.de mor.vul.com.1°. 3ª.115.E
in Ventriculo pituita,qualis.2°.de nat.fac. 1ª.302.B
in Ventriculo vbi pituita multa frigida coaceruata fuerit, quid agendum.1°.de arte cur.ad Glau. 7ª.99.D
ad Ventriculi nimiam saliuam.de remed.par.fac. 7ª.159.B
in Ventriculi intemperie cum materia quo modo curatio procedat.7°. meth.med. 7ª.48.H
Ventriculi morbi ob alias partes.7°.meth.med. 7ª.48.A
ad Ventriculū qñq; conuertuntur destillationes.7°.met.med. 7ª.48.B
ad Vētriculū a capite cur materia trāsmittaī.2°.de dif.feb. 3ª.40.H
in Ventriculū,et i asperā arteriā fluxio capitis.3°.de symp. 3ª.29.F
Ventriculus offunditur a materia descendente a cerebro.commen.6°. aphor.2°. Ex.46.E
ad Ventriculum spirituosus humor ex capite defluens,spumosa excrementa aliquando facit.com.9°.aph.30°. Ex.56.A
in Ventriculum humoris frigidi a cerebro defluentis casus.7°.methodi medendi. 7ª.48.F
Ventriculus quando fluxione tentatur ex totius corporis redundātia. 7°.meth.med. 7ª.48.B
in Ventriculi cauitates sanies quædam ex toto corpore defluit,vt fieri solet his,qui premuntur inedia quando aqua illum inualidum fecerit.de bon.& vit.suc. 2ª.38.H
in Ventriculum ex splene vitiosa sanies ex flatu hypochondriaco.5°.de loc.affectis. 4ª.32.H
in Ventriculo quo modo fluxio curanda,quæ fit ab alio membro.7°.methodi med. 7ª.48.A
ad Vētriculum a cerebro fluxus curatio a cerebro incipiat,si nihil impediat.7°.meth.med. 7ª.48.H
in Vētriculū fluxiōes quod vinū reqrēt.1°.de ar.cu.ad Glau. 7ª.99.A
in Vētriculi tunicis succus cōtētus qūo curādus.7°.met.me. 7ª.48.C
in Ventriculi tunicis cum succi sunt ex aloe medicamenta et aloe ipsa conuenit.7°.met.med. 7ª.48.C
Ventriculo pleno quæ spiratio fiat.6°.de lo.asse. 4ª.40.E
in Ventriculi tunicis quando adest calidus humor sequitur nausea.1°. de loc.aff. 4ª.5.E
in Vētriculi tunicis cōtēt⁹ humor facit nauseā ianē.1°.de lo.af. 4ª.5.F
in Ventriculi tunicis plenis balnea.7°.meth.med. 7ª.48.D
in Ventriculi tunicis contentus humor excutitur medicamēto dia triū piperum,absinthio,& hiera picra.1°.de loc.aff. 4ª.5.F
Vētriculus plenus pituita quæ symptomata faciat.5°.d vsu p.1ª.143.B
Ventriculus pituita plenus quibus abstergatur.in 6ᵐ.de morb.vulga. com.2°. 3ª.160.H
in Ventriculo quando pituita tenuis fuerit absinthium in mulsam collum conuenit.7°.meth.med. 7ª.48.D
de Ventriculi ore quidam conquerebatur ob acernatam pituitam, & leuatus est sinapi,beta,& porro.1°.de alim.fac. 2ª.8.G
Ventriculo pituitoso dat agnum.de med.fac.par. 7ª.175.H
in Vētriculi ore humor vitiatus imbibitus quid faciat. 2°.de arte cur. ad Glauconem. 7ª.103.C
inter Ventriculū & septum pituita reposita per venas ad vesicā vertitur,& quomodo,& per quam viam.com.7°.aph.54°.Ex 58.F
Ventriculus aquam præbet omento.com.7°.aph.55°. Ex.58.H
in Ventriculi venis existens bilis,quo modo extrahatur.8°.de compo. med.sec.loc. 5ª.191.H
Ventriculus aquam præbet omento.com.7°.aph.55°. Ex.58.H
Ventriculi abscessus qui bonus.de inæq.intemp. 3ª.43.F
Ventriculi abscessus malus.de inæq.intemp. 3ª.44.F
in Vētriculi maximo dolore fomētū cū milio.de med.fa.par.7ª.166.D
Ventriculo dolēte vena cubiti incidēda.de cur.ra.p san.mis. 6ª.20.A
in Ventriculi dolore semper odoratum aliquid,et adstringens superponimus.in 6ᵐ.de mor.vul.com.6°. 3ª.196.D
in Ventriculi dolore adstringētia.in 6ᵐ.de mor.vul.cō.6°. 3ª.196.D
ad Ventriculi dolorem.de remed.par.fac.159.B/ 7ª.172.E
de Vētriculi prauis motibus vbi dictum.3°.de symp.cauſ. 3ª.25.E
Ventriculus quibus inditijs cognoscatur constringi cum tremore. de sympto.diff. 3ª.12.F
*Ventriculi mot⁹ vibrās clare sentitur in febribus.de symp.dif.*3ª.12.F
Ventriculi os habens materias aliquas molestas facit anxietatem. cōmen.7°.aph.56°. Ex.59.A
Ventriculus totus plenus humoribus,& ventriculi os plenum humoribus causant singultum.com.7°.aph.3°. Ex.54.E
Ventriculus cupiens expellere quæ sunt in ore stomachi,singultum facit.com.6°.aph.39°. Ex.50.H
Ventriculus quomodo singultum faciat.com.6°.aph.17°. Ex.55.C

Ventriculus patitur

Ventriculus patitur in vomitu bilis.com.7°.aph.50°. Ex.52.F
Ventriculus ſuppuratus cum rumpitur ſuppuratio,ſit vomitus. com. 7°.aph.8°. Ex.54.D
Ventriculus habet magnam inflammationem quando vomitus eſt a ſingultu.com.7°.aph.3°. Ex.54.B
in Vẽtriculi regionibus ſanguis concreſcit.de atra bile. 1ª.39.D
in Vẽtriculũ ſanguis effuſus vomere cogit.3°.de ſymp.cau. 3ª.27.B
a Ventriculo ſanguis vomitione deijcitur.4°.de loc.aff. 4ª.25.F
ex Ventriculo ſanguinis vomitus qualis. 5°.de lo.aff. 4ª.33.B
ex Ventriculo & gula rameta vomitu eiciunt.4°.de lo.af. 4ª.25.H
Ventriculus quod fluitat per vomitum deijcit, quod ſubſidet per deiectionem.3°.de nat.fac. 1ª.306.F
Ventriculus ita in vomitu mouetur vt in partu vterus. 2°.de ſympto. cauſis. 3ª.21.D
in Vẽtriculi vlcere vomitus nõ ſine periculo.5°.met.med. 7ª.34.E
Vẽtriculi exulceratio facit lꝛuitatẽ inteſtinorũ.c.3°.ap.22°.Ex.24.F
in Vẽtriculo vulnº eẽ ſignãt cibº exiẽs è vulnere.1°.de lo.af. 4ª.2.E
Ventriculi,& gulæ vlcerationem oſtẽdit ephelcis per vomitũ exiẽs. 1°.de loc.aff. 4ª.2.F
Ventriculi oris vlcera quomodo ſint inſanabilia.6°.me.me. 7ª.39.G
Ventriculi oris vlcera ob nimiũ ſenſum nõ ſanant.6°.me.me.7ª.39.G
Ventriculus diſciſſus letale eſt.com.6°.aph.18°. Ex.47.H
Ventriculi vulnera qua parte ſanentur.6°.meth.med. 7ª.39.G
Ventriculus vlceratus quomodo curandus.4°.meth.med. 7ª.28.G
Vẽtriculi vlcera p ea q̃ comeduñt,et bibunt ſanant. 5°.m.m.7ª.34.D
Ventriculus vulneratus per potiones ſanatur quandoque.commenta. 6°.aph.18°. Ex.48.B
Vẽtriculus affectus per comeſta & bibita iuuatur.10°.m.m.7ª.64.F
Ventriculus per os ſumptis purgatur.13°.meth.med. 7ª.84.G
in Ventriculo curando indicationes octo.7°.meth.med. 7ª.44.C
in Ventriculo affectu prima indicatio a temperie loci laborantis. 7°. meth.med. 7ª.48.H
in Ventriculo affecto indicatio ſecunda ex actione cõi.7°.me. 7ª.48.H
in Ventriculo affecto tertia indicatio ex figura.7°.met.me. 7ª.48.H
in Ventriculo affecto quarta indicatio ex poſitura.7°.m.m. 7ª.49.A
Ventriculus vomitu,& deiectione inanitur.7°.meth.med. 7ª.49.C
Ventriculus quando euacuandus, timidum.7°.meth.med. 7ª.49.B
Ventriculum non licet euacuare plene.7°.met.med. 7ª.49.B
in Ventriculo ſanguiſuca.4°.de loc.aff. 4ª.26.A
Ventriculo propinquæ partes ſanantur cibis.1°.de loc.aff. 4ª.5.H
a Ventriculo remotæ partes ſanantur medicamento,& clyſteri. 1°.de loc.affect. 4ª.5.H
ad Ventriculũ vſq; clyſteria nõnunq̃ pueniũt.3°.de ſymp.ca. 3ª.25.G
Ventriculus & iecur cur adſtringentia præ cæteris expetunt.11°.me thodi med. 7ª.72.E
Ventriculo ſemper adenda adſtringentia.11°.meth.med. 7ª.73.D
Ventriculus cum laborabit abſinthium ex oleo adhibebimus.11°.me tho.meden. 7ª.72.F
Vẽtriculo prodeſt abſinthij decoctũ.de mel.ex Gal.Ruf. Sp.110.A
Ventriculus fomentetur abſinthio ex oleo.8°.meth.med. 7ª.53.B
Ventriculo conueniunt amara adſtringentia, non ſimpliciter amara. 11°.met.med. 7ª.72.G
Ventriculi os non debet curari ſolis laxatorijs,ſed etiam adſtringentibus.7°.de comp.med.ſec.loc. 5ª.187.C
in Ventriculo ſolui robur eſt periculoſum.11°.meth.me. 7ª.73.B
Ventriculo quæ adhibentur ſint calida abunde.8°.met.me. 7ª.53.C
Ventriculus iuuatur a calore pueri,& catuli.7°.meth.me. 7ª.47.B
Ventriculi vires diſſoluuntur tepidis.8°.met.med. 7ª.53.C
Ventriculo applicata refrigerantia obſunt in ſanguinis profluio.5°.me thodi med. 7ª.31.H
Ventriculi vitio laborantes ſanans antidotus.2°.de ant. 5ª.116.C
in Ventriculi affectu valet hiera.4°.de loc.aff. 4ª.22.C
Ventriculum commodum medicamentum.de med.fac.par.7ª.173.D
ad Ventriculi os valẽt vnguẽta foliata,& ſpicata.8°.me.me. 7ª.53.D
Ventriculo admouit vnguentum nardinum Galenus in defectu animi, de præcogn.ad Poſth. 4ª.217.F
ad Ventriculum valet maſtichinum vnguentum.8°.met.me.7ª.53.D
Ventriculo auxiliantur zingiber,piper,vinum,& acetum. 3°.de ali. facult. 2ª.29.G
ad Ventriculũ in melancholicis cataplaſma.de me.ex G.R. Sp.110.C
VENTRICVLVS *ex pedeſtrium,& volatilũ genere maxime differt. de bon.& vit.ſuc. 2ª.37.B*
Ventriculũ edat rediens ex balneis.de bon.& vit.ſuc. 2ª.39.C
Vẽtriculus ſi coquat qualem ſuccum generat.3°.de alim.fa. 2ª.27.E
Ventriculi aliquorum volatilium manduntur.3°.de alim.fa. 2ª.29.E
Ventriculus ex volatilibus craſſus, & durus, & coctu difficilis. de bon.& vit.ſuc. 2ª.37.B
Ventriculus auiũ ſi coquat vberrime nutrit.de bo.& vit.ſuc. 2ª.37.B
Ventriculi auium omnium digerentem illos, nutriunt nutrimento mul to craſſo.de diſſ.cont. Sp.73.E
Ventriculi gallinarum altilium iucundi ſunt,ſed non vt anſerum.3°.de alim.fac. 2ª.29.F
Ventriculus ſtruthocameli ad quid vtilis.de med.fac.par.7ª.167.G
Ventriculus lege Venter,Stomachus.
VENTRICVLORVM *trium capitis harmonia.de ſper. Sp.37.G*
Ventriculorum Cerebri ſectio.9°.de ana.adm. 1ª.104.H
Ventriculi quatuor in cerebro,& qui ſint.de ocul. 7ª.183.H
Vẽtriculi cerebri anteriores cur duo,& nõ vnº.8°.de vſu p. 1ª.169.D
Ventriculorum anteriorum cerebri figura.de ner.diſſ. 1ª.53.C
Ventriculi anteriores cur coeant.8°.de vſu part. 1ª.169.F
Ventriculi cerebri anteriores quid faciant.8°.de vſu par. 1ª.169.D
Ventriculorũ anteriorũ cerebri ſeptum vbi.3°.de loc.aff. 4ª.20.F
Vẽtriculº poſterior cerebri cur nõ potuit eẽ duplex.8°.de vſ.1ª.169.F
Ventriculus poſterior cur magnus.8°.de vſu par. 1ª.169.E
Vẽtriculº cerebri poſterior cur minor anterioribº.8°.de vſ. 1ª.170.A
Vẽtriculus poſterior accipit a prioribº ſpũm aialẽ.8°.de vſu. 1ª.169.E
Ventriculus medius cerebri nõ contemnendus.3°.de loc affe. 4ª.17.H
in Ventriculo tertio cerebri meatus maximi.9°.de an.adm. 1ª.105.D
Ventriculus medius cerebri ſi ſit attritus oſſe terebra perforato ſopor fit.4°.de loc.aff. 4ª.23.A
Ventriculus mediº cerebri maxime ſoporẽ facit.4°.de lo.af. 4ª.23.A
Vẽtriculus quartus cerebri qui a nõnullis dicat.8°.de vſu p. 1ª.169.G
Vent iculis cerebri propter quid.16°.de vſu par. 1ª.125.D
Ventriculi cerebri odoratus ſenſorium.1°.de ſymp.cau. 3ª.15.G
Ventriculi cerebri cur comprimantur.9°.de vſu par. 1ª.173.E
Ventriculo cerebri compreſſo ſenſus amittitur,& motus. 1°.de decr. Hippocratis. 1ª.232.A
VENTRICVLI *cordis ſunt duo tantum.de vtil.reſp. Sp.64.D*
Vẽtriculº vnº ſolus cordis videt ĩ paruis aialibus.de vtil. Sp.64.D
Ventriculi cordis tam in magnis,q̃ in paruis animalibus,quales.6°.de vſu par. 1ª.150.G
in Ventriculo ſiniſtro cordis duo orificia.6°.de vſu pur. 1ª.150.B
ĩ Vẽtriculis cordis sãguis generatur ſm Ariſtotelẽ.de vtil. Sp.62.F
Vẽtriculũ ſiniſtrũ cordis ſanguine plenũ eſſe ꝓbat.1°.de decr.1ª.231.G
in Ventriculo ſanguinem habent boues vulnerati in exortu dorſi medullæ.1°.de decr.Hip. 1ª.231.G
in Ventriculo ſiniſtri ſinus cordis q̃ ſanguis calidus exiſtat.de inæquali intemperie. 3ª.44.A
Ventriculus ſiniſter cordis arteriarum origo.de ven.art.diſſ.1ª.58.H
in Ventriculo ſiniſtro cordis eſt magna arteria,a qua oẽs arteriæ oriũtur.1°.de decr.Hip. 1ª.233.C
a Ventriculis duobus cordis incedunt magna vena & arteria ad ſupremum ſpondylum colli.de vtil.reſp. Sp.62.G
Ventriculum tertium cordis vbi putauit eſſe Ariſtoteles.de venarum arter.diſſect. 1ª.58.H
Ventriculus medius cordis qualis ſit.de anat.viu. Sp.56.C
Ventriculi cordis an pulſent.4°.de diſſ.pul. 4ª.64.G
Ventriculi cordis quomodo recipiant materias a capite deſcendẽtes, com.7°.aph.30°. Ex.56.A
Ventriculi cordis cur nunq̃ comprimuntur.9°.de vſu par. 1ª.173.E
VENTI *qui ſint.de hiſt.phil. Sp.8.B*
Ventum quidam cognouit ex capitis conſenſu cum eſſet in lecto.de theriaca ad Piſ. 5ª.94.D
Venti ab ortu ſpirantes quales.5°.meth.med. 7ª.34.H
Venti calidi ſunt qui inter brumalem ſolis exortum,itidemq; brumalem occaſum perflant.de aere,aq.& loc. 2ª.2.E
Venti in vere quomodo,& a quo generentur.3°.de ſymp.ca. 3ª.27.F
Vẽti cũ nõ ſpirãt æſtate,et æſtº magnus.in 3ᵐ.de mor.vul.c.3°.3ª.141.d
Venti hyeme ſecundum naturam magni debent eſſe.in 1ᵐ.de mor.vul. commen.1°. 3ª.103.H
Venti frigidi arcturo oriente ſpirãt.1°.de mor.vul.com.1°. 3ª.103.B
Venti condenſati a niuibus,glacie,& imbribus.de aere,aq.et l. 2ª.5.E
ad Ventos calidos ſita ciuitas.de aere,aq.& loc. 2ª.2.E
Venti proprij aliquarum regionum.de aere,aq.& lo. 2ª.2.E

a Ventis septentrionalibus ciuitas tuta.de aere aquis,& lo. 2ª.2.E
Venti frigidi ab vrsis perpetuo in Scythia.de aer.aq.& lo. 2ª.5.E
Venti calidi non sunt in Scythia.de aer.aq.& lo. 2ª.5.E
Venti nunquam discedunt a montibus.de aer.aq.& lo. 2ª.5.E
Venti multas,& oĩmodas faciũt trãsmutationes.de ae.aq. 2ª.6.B
Venti variatio corpora variat.de ther.ad Pis. 5ª.94.D
Venti plurimum valent ad animi mores.q; ani.mor. 1ª.320.E
Ventorum magnæ mutationes morbos pariunt.c.3°.aph.1°.Ex.19.H
Ventus Auster calidus est & humidus.com.3°.aph.5°. Ex.20.D
Ventus auster frequens est phasianis.de aer.aq.& lo. 2ª.5.A
Vẽtus auster quas ægritudines,& q̃ bona faciat.c.3°.ap.17°.Ex.23.F
Ventus auster auditum hebetat,caliginem facit,caput grauat,pigros facit,corpora dissoluit.com.3°.aph.5°. Ex.20.C
Vento quomodo impleatur caput.2°.de comp.med.sec.lo. 5ª.135.G
Vento nullo flante,& vento austro flante fiũt genitalium putredines. com.3°.aph.21°. Ex.24.D
sine Ventis annus pluuius austrinus describitur.in 3ᵐ.de mor.vulga. com.3°. 3ª.140.F
Vẽtus austrinus quid egit,qualisq; sit.in 1ᵐ.de mo.vul.c.1°.3ª.102.H
Venti aquilonij quales.in 1ᵐ.de mor.vul.com.1°. 3ª.103.F
Venti aquilonij frigidi sunt.in 1ᵐ.de mor.vul.com.1°. 3ª.103.F
Ventus aquila frigidus est,& siccus.com.3°.aph.17°. Ex.23.E
Ventus aquilo oẽs supfluitates consumit,facit robur,densat corpora, facit bene mobilia,coloratiora,melius audientia,aluos duros,oculos mordet,& pectoris dolores auget.com.3°.aph.17°. Ex.23.F
Ventis frigidis,& aquilonis spirantibus caput apertum plurimũ lędi tur.in 1ᵐ.de mor.vul.com.2°. 3ª.113.F
Vẽtus aquilo tusses facit,fauces,aluos duras,difficultates vrinę, horrores,costarum dolores,& pectoris.com.3°.aph.5°. Ex.20.D
Venti ab arcto spirantes refrigerant loca maritima æstate in regionibus calidis.com.3°.aph.14°. Ex.22.F
Venti aquilonij,& ventus austrinus,quid egerint.in 1ᵐ.de mor.vul. comm.1°. 3ª.102.H
Venti qui aerem contaminant vnde.in 1ᵐ.de mor.vul.c.1°.3°.101.D
ex Vento quomodo fiat paraplegia.in 1ᵐ.de mor.vul.c.2°. 3ª.113.F
Venti cauendi.de ijs,quæ in me.fi.com.1°. 7ª.202.A
Vẽti cauẽdi vbi timemus aliqd neruis.de ijs,q̃ i m.fi.c.1°. 7ª.202.A
Ventus validus qui.3°.de diff.pul. 4ª.63.D
Ventus imbecillus qui.3°.de diff.pulſ. 4ª.63.D
Ventus durus qui.3°.de diff.pul. 4ª.63.F
Ventos,& tempestates concitat taurus terra,mariq;. de decub.prog. ex math.scientia. Sp.13.C
Venti ex mari paludibus & stagnis quales.1°.de sem. 1ª.329.F
Venti pelagij & terreni quales.1°.de sem. 1ª.329.F
ex Ventis aquarum differentiæ.de bon.aquæ. Sp.75.G
Ventus in mari quomodo faciat spumam.com.2°.aph.43°. Ex.18.D
Venti vehementia in mari spumam facit.com.7°.aph.30°. Ex.56.A
Venti piscium bonitatem augent.3°.de alim.fac. 2ª.30.C
Ventus debet esse flammæ proportionatus,si debet illã augere.de cau. morborum. 3ª.7.D
VENTVS *fit a caliditate diminuta.com.5°.aph.72°. Ex.45.F*
Ventus flatuosus non põt in longũ extendi.cõ.7°.aph.22°. Ex.55.E
Ventus facit tormina.com.4°.aph.11°. Ex.28.D
ad Ventum manus,& pedes lædentem.de med.fac.par. 7ª.176.B
VENVLAS *spiritum tantum capientes habet neruus, & ideo findi potest in longum.de vtil.resp. Sp.63.C*
Venulas meningum non potest sanguis subintrare,nisi fuerit plurimũ digestus.de vtil.resp. Sp.63.A
Venulæ a rembus fractio significatur quibus sanguis sponte mingentibus exit.de vrin.sign.ex Hip. Sp.78.H
VENVS *ex spuma orta.1°.de semine.* 1ª.330.F
Venus frigida est & humida.de comp.membr. Sp.59.G
Veneri subiacet terra humida in primo gradu, frigida in secundo,habens aliquid temperamenti calidi.de sper. Sp.40.C
VENERIS *vmbilicus refrigerat.14°.meth.med.* 7ª.87.D
VENERIS *ratio habenda.6°.de san.tuen.* 2ª.101.A
Venus vitæ ratio.3°.de symp.cau. 3ª.25.B
Venus ad quod genus causæ dicenda.1°.de san.tu. 2ª.68.H
Venus sub quarta parte medicinæ continetur.ad Thras. 2ª.108.D
Veneris vsus damnabatur ab Epicuro.ars med. Isa.68.E
Veneris vsum nunquam prodesse dicebat Epicurus.in 3ᵐ.de mor.vulga.com.1°. 3ª.130.D
in Venerem proniores euadunt pleriq; melancholici.de melã.ex Gal. Rufo & Possido. Sp.109.C
ad Venerem excitant,quæ humiditatem semicoctam,& flatuosam cõtinent.6°.de simp.med.fac.48.B/8°.57.F/ 5ª.60.B
Venerem excitat Bonis talus.de ther.ad Pis. 5ª.93.E
Veneris desiderium auget Cicer.de bon.& vit.suc. 2ª.37.D
Venerem excitat Costus.7°.de simp.med.fac. 5ª.52.G
Venerem procreat Daucus.6°.de simp.med.fac. 5ª.46.B
Venerem cur stimulet Eruca.6°.de simp.med.fac. 5ª.41.A
Venerem percitat Gladiolum.de simp.med. Sp.84.H
ad Venerem Humor qui excitat,qualis sit.14°.de vsu par. 1ª.208.B
Venerem excitat in mulieribus humor acris,& mordax.14°.de vsu partium. 1ª.207.E
ad Venerem excitat Menta.6°.de simp.med.fac. 5ª.48.A
Venus excitatur ab vna Radice,ab alia cohibetur.8°.de simp.medic. facultatibus. 5ª.57.F
Venerem excitat Rapum,& generat spiritum flatuosum.6°.de simpl. med.fac. 5ª.46.A
Venerem prouocat Satyri radix potata.de simp.med. Sp.91.B
Venerem excitat Sincus.de simp.med. Sp.90.H
in Venerem incitat Semen genitale calidum.6°.de sa.tu. 2ª.100.E
ad Venerem valet Theriaca.de ther.ad Pis. 5ª.91.G
Venerem extimulat Vrtica flatuosa.6°.de simp.med.fac. 5ª.41.H
Veneris immodica,& intempestiua concupiscentia ostendit futuram ægritudinem.ars med. Isa.67.F
Veneris desiderium aliquando significat vrina spumosa superius. de dynamid. Sp.35.E
de Venere somnium quid significet.de dign.ex insom. 4ª.213.D
Veneris nocturnæ imagines quæ.6°.de san.tu. 2ª.100.F
Venerem cohibent calida & sicca.8°.de simp.med.fac. 5ª.57.F
Venerem somniantibus prodest plumbum.9°.de simp.me.fa. 5ª.70.F
Venerem fluentem cohibent Paliuri folia.8°.de simp.med.fa. 5ª.57.G
contra Venerem ruta agrestis.8°.de simp.med.fac. 5ª.58.D
Venerem cohibent viticis semen,& folia.6°.de simp.me.fa. 5ª.40.H
cõtra Venerem viticis folia substrata valẽt.6°.de sim.me.fa. 5ª.41.A
ad Venerem impediendam.de med.fac.par. 7ª.174.H
in VENERE *qui minus errent.ars med. Isa.68.F*
Venus innocua calidis,& humidis.6°.de san.tu. 2ª.96.H
a Venere nõ debent abstinere temperati vt sicci.6°.de san.tu. 2ª.97.F
Venus tantum pertinet ad florentes ætate.2°.de san.tu. 2ª.69.A
Veneris vsu aliqui citra noxã ad senium sufficiunt.6°.de san.t. 2ª.101.A
Veneris copia nonnulli exultarunt.de cog.cur ani.mor. 2ª.53.D
Venus quomodo conferat.ars med. Isa.68.E
Veneris tempus opportunum.ars med. Isa.68.F
Venus sit mediocris.2°.de san.tu. 2ª.69.D
Veneris mediocritas conuenit habentibus prauos succos. 6°.de sanita. tuenda. 2ª.97.F
Venus valet ad morbos pituitosos,& quando.in 6ᵐ.de mor.vulgar. commen.5°. 3ª.192.F
post Venerem laxitas quomodo corrigenda.3°.de san.tu. 2ª.82.A
post Venerem exercitatio præparatoria sequat.3°.de san.tu. 2ª.81.F
a VENERE *nonnulli immodice læduntur.6°.de san.tu.* 2ª.101.A
Venus quæ mala faciat.3°.de san.tu. 2ª.81.E
Veneris vsus intempestiuus quid facit fœtui.11°.de vsu p. 1ª.188.B
Veneris vsus causat podagram.com.6°.aph.28°. Ex.49.B
Veneris vsum priusquam pertingat puer podagra. non laborat. com. 6°.aph.30°. Ex.49.C
Venerem non experti pueri vrina.de med.fac.par. 7ª.170.B/D
Venus siccis temperamentis inimicissima.6°.de san.tu. 2ª.96.E/H
Venus aduersissima frigidis & siccis.6°.de san.tu. 2ª.96.H
Venere cum vtuntur declinantes ætate,& flatu hypochondriaco vexati,ijs flatus excitatur.in 6ᵐ.de mor.vul.com.3°. 3ª.171.G
Veneris intemperantia quid faciat.q; ani.mor. 1ª.319.B
Venus lædit nernos,& cerebrum debilitat.in 3ᵐ.de morbis vulgari. commen.3°. 3ª.151.G
Venus immoderata facit tremorem.in 3ᵐ.de mor.vul.c.1°.3ª.127.D
Venus stomachum deijcit.in 3ᵐ.de mor.vul.com.1°. 3ª.130.C
Venus facit ventris oris resolutionem.6°.de san.tu. 2ª.100.E
Veneri immodice operam dare comitialem morbum ex ventriculo facit.5°.de loc.aff. 4ª.32.G
Venus exsiccat omne corpus.in 6ᵐ.de mor.vul.com.5°. 3ª.193.F
Venus exsiccat,& calefacit.8°.meth.med. 7ª.54.D

Veneris vſus quæ quibuſdam agat.in 6m.de mor.vul.com.3°.3ª.171.G
Venere quando abſtinendum.de dyn. Sp.20.C
Venere quando abſtinendum,& qñ non.de dyn. Sp.20.C
Venerem non appetunt teſtes amittentes.1°.de ſem. 1ª.334.B
Venere qui non vtuntur pudenda habent exilia ac rugoſa, vt ſenes. 6°.de loc.aff. 4ª.42.G
Venere non vtuntur cantores,& Athletæ.6°.de loc.aff. 4ª.42.G
Veneri deditum non licet induſtriũ eſſe quẽquã.ſiquis opt.m. Iſa.6.F
a Venere omnino abſtineat nutrix.1°.de ſan.tu. 2ª.66.B
a Venere abſtinentibus quid accidat.1°.de ſem. 1ª.335.C
a Venere abſtinentes quid patiantur.6°.de ſan.tu. 2ª.100.E
Venus lege Coitus.
VENVS *appellatum emplaſtrũ.6°.de comp.med.per gen. 5ª.256.H*
VER quando ſit.in 1m.de mor.vul.com.1°. 3ª.103.B
Veris principium qñ ſit.in 6m.de mor.vul.com.1°. 3ª.101.H
Veris initium æquinoctium.in 1m.de mor.vul.com.2°. 3ª.108.C
Veris principium æquinoctium poſt hyemẽ.c.3°.aph.14°. Ex.22.E
Veris initium reſpondet fini autumni.de pulſ.ad Tiro. 4ª.44.B
Ver non habet duos ſolidos menſes.in 1m.de mor.vul.cõ.1°. 3ª.102.B
Veris conuerſio quando ſit,& quis humor creſcat,& quibus vti debe mus.de dyn. Sp.20.B
Ver contrarium eſt autumno.de nat.hum.com.1°. 1ª.32.C
Ver calidum & humidum eſt.1°.de temp.11.C/de nat.hum.c.1°.32. A/bre.denot.dogm.Hip.231.B/8°.de decr.Hip.1ª.276.E/cõ.3°. aph.6°.Ex.20.E/de ſper. Sp.40.E
Ver vnde calidum,& humidum.de ſper. Sp.39.B
Ver quomodo ſit calidum,& humidum,cum dictum ſit eſſe tẽperatũ. de nat.hum.com.1°. 1ª.32.D
Ver calidũ,et humidũ cur dr a philoſophis,et medicis.1°.de tẽ.1ª.12.C
Ver cur dictum ſit calidum & humidum.de nat.hum.com.1°.1ª.32.B
Ver non eſt calidum & humidum.1°.de temp. 1ª.12.B
Ver ſi eſſet calidum & humidum non eſſet ſalubre.1°.de tẽp. 1ª.12.B
Ver debet per ſe æſtimari.1°.de temp. 1ª.11.F
Ver non debet comparari hyemi & æſtati.1°.de temp. 1ª.11.F
Ver potius dicẽdũ tẽperatũ,q̃ calidũ,et humidũ.de na.hu.c.1°.1ª.32.b
Ver tẽperatũ.1°.de tẽp.1ª.11.C/1°.de alim.fac.13.G/2°. 2ª.73.C
Ver eſt in medio temperamento inter extrema.de ſal.diæ. 2ª.40.C
Veris tempus medium temperatiſſimum.2°.de temp. 1ª.18.H
Ver quomodo intelligatur temperatum.1°.de temp.1ª.12.C/in 1m.de mor.vul.com.1°. 3ª.103.A
Veris medium dandum homini temperato,quando debet exerceri.2°. de ſan.tu. 2ª.73.C
Ver moderatum eſt.de ſal.diæ. 2ª.40.A
Ver temperatiſſimum eſt.in 1m.de mor.vul.com.1°. 3ª.101.C
Ver comparatur cuti corporis temperati.2°.de temp. 1ª.18.H
Veris ad exercitia comparatio.com.3°.aph.20°. Ex.24.C
Ver matutino tempori ſimile.in 6m.de mor.vul.com.1°. 3ª.157.G
Ver non eſt bene temperatum.1°.de temp. 1ª.11.D
Ver prope æſtatem ſiccius eſt.2°.de temp. 1ª.18.H
Vere qui humor abundet.de nat.hum.com.1°. 1ª.32.A
Vere humorum temperatiſſimus in bene temperata conſtitutione abũ dat.in 1m.de mor.vul.com.1°. 3ª.100.H
Veris tpe abũdat ſanguis ſm Hippocr.bre.den.dogm.Hip. 1ª.231.B
Vere ſanguis abundat.8°.de decr.Hip.& Pla. 1ª.276.D
in Vere cur ſanguis fiat.in 1m.de mor.vul.com.1°. 3ª.101.C
Ver ſi inueniat bonos humores,etiam bonos conſeruat.commenta.3°. aphor.20°. Ex.24.C
Vere corpora laxantur,& fiunt rara.com.1°.aph.18°. Ex.9.F
Vere humores qui ſunt in profundo corporis ad circunferentia emittuntur.com.3°.aph.20°. Ex.24.C
Vere quæ naturæ melius ſe habeant.com.3°.aph.18°. Ex.23.H
Veris opera aſſimilantur operibus naturæ.com.3°.aph.20°.Ex.24.C
Ver eſt medium omnibus naturis§ id eſt nec optimum,nec peſſimum § demptis adoleſcentibus.com.3°.aph.18°. Ex.23.H
Vere optime degunt adoleſcentes.com.3°.aph.18°. Ex.23.G
in Vere venti qũo,& a quo generentur.3°.de ſymp.cau. 3ª.27.F
Vere ineunte qñ frigidus Auſter.in 1m.de mor.vul.com.1°.3ª.103.D
Ver pluuioſum,& auſtrinum ſi hyems fuerit ſicca, & aquilonia quæ ægritudines ſequantur.com.3°.aph.11°. Ex.21.A
Ver ſi auſtrinum,& pluuioſum,hyems ſicca & pluuioſa, quæ contin gant æſtate.de aer.aq.& loc. 2ª.4.A
Ver quando eſt male ſanum præſertim mulieribus & infantibus.com men.3°.aph.12°. Ex.21.F
Vere frigido,& humido oculi laborant.in 1m.de mor.vulg.commentario 2°. 3ª.108.G
Ver tempus ſaluberrimum.com.3°.aph.20°. Ex.24.A
Ver ſequit hyemem ẽt in regendis hominibus.c.1°.aph.18°. Ex.9.E
VERE *qũo edendum,& bibendum,& quid agendum.de ſal.2ª.40.C*
Veris cibi,& potus.de ren.aff.dign.& med. 7ª.195.B
Vere qũo debeãt ægri cibari,& ẽt ſani tractari.c.1°.aph.17°.Ex.9.C
Vere vtendum cibis temperatis.1°.de ali.fac. 2ª.13.G
Vere paucis oleribus vtendum.de ſal.diæ. 2ª.40.C
Vere aſſa elixis commutanda.de ſal.diæ. 2ª.40.C
Vere ſuffocatur qui hyeme multum edit.de ven.ſect.adu.Eraſ.6ª.9.F
Vere propter multitudinem,& propter extraneam qualitatem aggra uant materiæ.com.6°.aph.55°. Ex.53.D
VERE *mouentur ægritudines,quæ reuerti ſolent.de puc.ep.7ª.179.H*
Vere quæ ægritudines apparent.5°.de ſan.tu. 2ª.94.D
Veris propriæ ægritudines.com.3°.aph.20°. Ex.24.A
Vere homines calidiſſimi rubri.8°.de decr.Hip. 1ª.276.E
Vere hoĩes patiunt defluuia ſanguinis ex narrib9.8°.de dec.1ª.276.E
Vere cur ſanguinis profluuium.de nat.hu.com.1°. 1ª.32.A
Vere cur dyſenteriæ.de nat.hu.com.1°. 1ª.32.A
Vere homines capiuntur inteſtinorũ difficultate.8°.de decr.1ª.276.E
Vere augentur articulares morbi.com.6°.aph.55°. Ex.53.D
Vere podagrici dolores magna ex parte fiũt.c.6°.aph.55°. Ex.53.D
Vere quomodo præter hyemem excitantur lõgæ ægritudines.com.6°. aph.55°. Ex.53.D
VERE *omnes morbi periculo vacant.com.3°.aph.20°. Ex.24.B*
Veris morbi in Autumno finiuntur.de nat.hum.com.1°. 1ª.33.D
in Vere terminantur morbi Autumni.de nat.hum.com.1°. 1ª.33.D
Vere in epilepſia quid agendum.de pue.epil. 7ª.179.H
in VERE *qui ſint euacuandi.de cur.rat.per ſan.miſſ. 6ª.17.E*
in Vere qui ſint euacuandi venæ ſectione,vel medicamento.de curan. rat.per ſang.miſſio. 6ª.17.F
Vere melancholiæ factæ & futuræ a ſanguine hæmorrhoidali ſolaũ tur.com.4°.aph.21°. Ex.29.D
Veris tempore vſus emittendi ſanguinem.5°.meth.med. 7ª.32.C
Vere venam ſeccare debemus quibus a venis ſanguinem mittere opor tet.com.7°.aph.54°. Ex.53.C
Vere quibus ſecanda vena.de cur.rat per ſan.miſſi. 6ª.17.E
in Vere quæ vena ſecanda his,qui volunt ab aliquibus morbis præca ueri.de cur.ra.per ſan.miſ.6ª.20.H/præſ.exper.conſ. Sp.78.D
Vere quæ vena ſecanda pro plenitudine ſola demenda. de cur.rat.per ſang.miſs. 6ª.20.H
Vere quomodo ſanguis trahendus.5°.de ſan.tu. 2ª.94.D
Vere propter metum ægritudinis futuræ, qua hora vena ſecanda. de cur.ra.per ſang.miſſ. 6ª.21.C
Vere vnde ſecanda vena illis,qui febre æſtate corripiuntur. de cur.ra. per ſan.miſſi. 6ª.20.H
Vere debent phlebotomari illi,qui ſanguinem a pectore reiecerunt.de cur.rat.per ſan.miſſ. 6ª.17.E
Ver & autumnus purgandi tempus.de dyn. Sp.20.G
Vere poſſunt fieri purgationes per ſuperius & inferius ſecundũ natu ras.com.4°.aph.7°. Ex.28.B
in Veris principio qui humores debeant purgari, & qui in fine. com. 6°.aph.47°. Ex.52.C
Vere aliquibus ſatis eſt vna purgatio.6°.de ſan.tu. 2ª.100.E
Vere purgandi qui ægrotaturi ſunt.quos purg.opor. 5ª.88.B
Vere medicamentum compoſitum exhibendum.5°.de ſan.tu.2ª.94.D
Vere ineunte euacuans multos ſeruauit Galenus a podagra, atra bile comitiali morbo attonito,& a melancholia. quos purg.opor. 5ª. 88.B/com.6°.aph.47°. Ex.57.B
Vere niſi purgaretur quidam,melancholiam ſingulis annis patiebat. quos purg.opor. 5ª.88.C
in Veris principio debent purgari morbi a craſſitie humorum, vt po dagrici,arthritides,& melancholici.quos purg.opor. 5ª.88.D
VERRIS *vrina.de rem.par.fac. 7ª.162.B*
VERATRVM *quid.de ſimp.med. Sp.91.G*
Veratrum molle quid.de fract.com.3°. 7ª.248.B
Veratris ſeſamoides miſcet. de vict.rat.in mor.acu.com.4°.7ª.192.F
Veratrum album calidum quamuis album.1°.de ſimp.me.fac.5ª.2.E
Veratrum quo loco reponatur inter calida,quæ valent alopecijs. 1°. de comp.med.ſec.loc. 5ª.122.D

Veratrũ guſtu excalfacit, vomitum prouocat, viſcidiſſimũ eſt medicamẽtũ fortiſſimũ purgatoriũ venenoſum eſſe dicit. de ſimp. Sp.91.H
Veratrum purgare obſeruatione compertum eſt. de opt. ſect. Iſa.22.E
Veratrum eſt valentiſſimum purgatorium medicamẽtũ. in 6m. de mor. vul. com. 5°. 3a.193.E
Veratrum homini medicamentum. 3°. de temp. 1a.24.E
Veratrum purgat hominem. 1°. de ſimp. med. fac. 5a.2.D
Veratrum non purgat coturnices. 1°. de ſimp. med. fac. 5a.2.E
Veratro veſcuntur coturnices. in 6m. de mor. vul. com. 5°, 3a.194.B/ 3°. de ſimp. med. fac. 5a.23.D
Veratrum homines male corrumpit, cibus tamen eſt coturnicum, de ther. ad Piſ. 5a.91.A
Veratrum quibus animãtibus nutrimentum ſit, 6°, de ſan. tu. 2a.96.D
Veratrum purgare inter primas actiones numerat. ad Thra. 2a.108.F
cur Veratri datores medici. ad Thraſ. 2a.105.B
Veratri, & ſcammonij comparatio cum pane, & carnibus. 2°. de dif. pulſum. 4a.53.C
Veratri potio et eſus ciborũ nulla ſocietate ꝓticipãt. ad Thr. 2a.105.A
Veratri albi ſurculi in raphano. de art. com. 2°. 7a.267.H
Veratro albo vtitur pro vomitu. de vic. rat. in mor. acu. c. 4°. 7a.138.E
Veratro qui purgandi, & in quo caſu. in 6m. de mor. vul. c. 1°. 3a.156.A
Veratro albo melancholia curatur. de atra bile. 1a.36.D
ex Veratro nigro Hiera atrã bilẽ purgat. 1°. de cõp. me. ſe. lo. 5a.121.E
Veratrum præbet ſi febris abſit, ſi adſit non. de art. com. 3°. 7a.292.F
Veratrum album, & nigrum miſcentur in articularia medicamenta. 3°. de comp. med. ſec. loc. 5a.141.B
Veratrũ nigrũ dat in pleuritide. de victu. ra. in mor. acu. c. 2°. 7a.117.H
Veratro vtitur in diſlocationibus. de artic. com. 3°. 7a.285.A
Veratrum dat in calcis deriuatione. de fract. com. 2°. 7a.235.F
ad Veratrũ præparantur homines. in 6m. de mor. vul. com. 1°. 3a.156.B
Veratrum qui ſumpſerunt quem pulſum habeant. de pul. ad Tyr. 46. D/4°. de pulſ. diffe. 4a.103.G
Veratro ſumpto quando lauandum. in 6m. de mor. vul. cõ. 5°. 3a.193.G
Veratrum non audet dare Galenus. de fract. com. 2°. 7a.235.H
Veratrum facit muſculorum diſtentiones. in 6m. de morb. vulgaribus, commen. 5°. 3a.194.B
Veratrum album quandoq; ſtrangulat. de fract. com. 2°. 7a.235.F
Veratri nigri cortex. 13°. meth. med. 7a.84.A
VERAX *vir Hippocrates. 1°. de dieb. decr. 4a.145.H*
Verax Galenus veritatis amatoribus ſcribit. 3°. de loc. aff. 4a.15.A
VERBASCVM. *8°. de ſimp. med. fac. 5a.63.C*
Verbaſcus fœmina. 2°. de antid. 5a.118.D
VERBENA *quid, & eius vires. de ſimp. med. Sp.89.C*
VERBENACA *recta viridis maxime diſcutit. 2°. de comp. med. ſecundum loc. 5a.137.D*
Verbenaca dicitur ſacra herba. de rem. par. fac. 7a.154.A
Verbenaca liberat a capitis dolore coronæ modo impoſita. 2°. de cõp. med. ſec. loc. 5a.138.D
VERBERATOS *ſanat pellis ouina recens detracta. 11°. de ſimp. medi. facul. 5a.80.E*
VERBA *ipſa ſunt etiam nomina. de ſoph. Iſa.7.G*
Verborum, & nominum copia plerunq; non eſt indecora. 5°. de ſimpli. med. fac. 5a.32.F
Verba non deſcendere quid ſignificet. 3°. de decr. Hip. 1a.244.D
Verba vetera reſilire, intrudi, reprimi, et cõfugere. de tre. pal. 3a.54.H
Verbis facilius eſt rerum omnium ortum explicare, quam rem confice re. 15°. de vſu par. 1a.210.E
Verbis qui loquuntur expoſitores multa dicere poſſunt, quæ in libro dicere non licet. in 6m. de mor. vul. com. 3°. 3a.171.G
ꝙ Verba etiam ſint perpendẽda. com. 4°. aph. 46°. Ex.32.G
Verba non adeo ſunt conſideranda, vt ſententiæ. de vtil. reſp. 1a.223.C
in Verbis diſtinguendum eſſe ſi in præterito vel præſenti dicantur. cõ. 4°. aph. 75°. Ex.36.B
VERE *ſcribentes, & vera qui. de opt. ſect. Iſa.23.C*
VERECVNDIAE *& timoris differentia. 2°. de ſymp. cauſ. 3a.23.D*
Verecundiæ motus qui. 2°. de ſymp. cau. 3a.23.D
Verecũdiæ motus cõparat lauationi ex frigida. 2°. de ſymp. ca. 3a.23.F
vt in Verecundia & lauatione frigida non vt in timore rigoris motus. 2°. de ſymp. cauſ. 3a.23.F
VERECVNDI *quomodo incaleſiant. 2°. de ſan. tu. 2a.74.B*
VERENDORVM *aliqua particula aufertur. de diff. mor. 3a.4.G*
vt VERETRVM *maſculo ita eſt matrix mulieri columna. de natura, & ord. cuiusl. corp. Sp.42.B*
Veretrum cui nectatur. de nat. & ord. cuiusl. corp. Sp.42.B
Veretrum aliqñ non põt tenere vrinã vel non põt emittere, & in omnibus neruis vſq; ad pedẽ patit ob ſupfluũ bilis. de ſper. Sp.36.H
in Veretro dolor generatur ex ſuperfluo bilis. de ſper. Sp.36.H
Veretri vitia emendat lenticula. de ſimp. med. Sp.86.B
VERGILIARVM *duplex ſignificatio. in 1m. de morb. vulgaribus, commenta. 1°. 3a.101.H*
inter Vergilias & arcturum quod ſpacium interſit. in 1m. de mor. vul. commen. 1°. 3a.102.B
ad Vergilias ab arcturo duo menſes. in 1m. de mor. vul. c. 2°. 3a.107.G
Vergiliæ qñ occidant. in 1m. de mor. vulg. cõ. 1°. 101.H/ 3a.102.D
Vergiliarum occaſus autumni finis. in 1m. de mor. vulgaribus commẽ. 1°. 103.H/com. 2°. 3a.107.G
Vergiliarũ occaſus principiũ hyemis. in 1m. de mor. vul. c. 1°. 3a.103.B
vbi VERGIT *materia illuc ducenda. in 1m. de morb. vulgaribus, commentario 2°. 3a.112.B*
VERISIMILIA *argumenta remotiora ſunt. 2°. de decr. 1a.235.C*
VERISIMILLIMA *ad examen redacta fuere falſa. in 6m. de mor. vulg. commen. 3°. 3a.175.F*
VERITAS *quid. de hiſt. phil. Sp.3.D*
Veritas ſenſuum, & imaginationum. de hiſt. phil. Sp.9.A
Veritatem omnium rerum omnes homines cognoſcere debent. de cuiuſq; animi pec. not. atq; med. 2a.58.H
ad Veritatem debet eſſe natus homo. de cuiuſq; animi pec. 2a.56.G
Veritas ob quem finem ſequenda. in 6m. de mor. vul. com. 2°. 3a.164.H
Veritas ſolum eſt in eruditis. de hiſt philo. Sp.3.E
Veritatis ſtudio incumbunt philoſophi. 3°. de decr. Hip. 1a.241.D
Veritatis verus oſtenſor ſolus fuit Ariſtoteles. de vtil. reſp. Sp.64.H
Veritatis amatorẽ vnũ multis alijs ꝓponit Galenus. 2°. de dig. 4a.78.B
Veritatis amicum alloquitur Galenus. 2°. de criſi. 4a.134.B
Veritatis amatoribus ſcribit Galenus verax. 3°. de lo. aff. 4a.15.A
Veritatis ſtudioſus quid agere debet. de ſym. diff. 10.E/2°. de ſympto. cau. 3a.21 B/2°. de cauſ. pul. 4a.94.E
Veritatis ſyncerus amator quid agere debeat. an ſan. in ar. na. 1a.61.F
Veritatis cultoribus manifeſta non occultanda. 2°. de dif. 3a.64.E
Veritatem occultare iniquiſſimum. 1°. de dieb. decre. 4a.145.H
Veritatis fallacia hominis inimica. 2°. de decr. Hipp. 1a.238.A
Veritatis curam non hñt ſophiſtæ, ſed gloriæ. 10°. de vſu par. 1a.181.B
Veritatis inquiſitioni nemo deditus tempore Galeni. 1°. met. m. 7a.2.C
Veritatẽ qui poſſit explorare. de cuiuſq;. ani. pec. not. atq; me. 2a.57.C
Veritas rerum quæſitarum qũo poſſit inueniri. 9°. de decr. 1a.279.C
Veritas celerrime inuenitur. 2°. de ſimp. me. fac. 5a.17.B
Veritatis via nõ eſt lõga multũ. de cuiuſq; ani. pec. not. atq; m. 2a.58.H
Veritas eſt breui. 7°. de decr. Hip. 1a.268.D
Veritas per diſſectiones exploratur. in 6m. de mor. vul. c. 2°. 3a.169.F
Veritatis ſignum manifeſtum concordia. de ſubf. emp. Iſa.33.E
de VERMICVLANTE *pulſu. 1°. de dif. pul. 4a.51.H*
Vermiculans pulſus qui, & vnde. de pulſibus ad Tyrones. 4a.44.G/ comp. pulſ. Sp.66.B
Vermiculans pulſus cæteris tardior. 2°. de dign. pulſ. 4a.76.A
Vermiculantes pulſus vnde. 2°. de præſag. ex pulſ. 4a.112.H
Vermiculans pulſus quomodo fiat. de pulſ. ad Tyr. 4a.46.D
Vermiculans pulſus ad quẽ affectũ ſequatur. 4°. de diff. pul. 4a.103.D
Vermiculantes pulſus quæ ſequantur. 3°. de diff. pulſ. 4a.99.D
Vermiculans pulſus quid ſignificet. 2°. de præſ. ex pulſ. 4a.113.G
VERMICVLARIS *excreſcentia in cerebro quæ. 9°. de anat. 1a.105.F*
VERMICVLARIS *ærugo. 5°. de comp. med. per gen. 5a.249.C*
VERMICVLA *medicamenta. de fract. com. 3°. 7a.242.D*
VERMICVLI *vbi generantur in aure, quid agendum. 3°. de comp. med. ſec. loc. 5a.143.B*
ad Vermiculos in auribus. 3°. de compo. med. ſec. locos. 5a.145.H/de remed. par. fac. 7a.162.F
VERMIFORMIS *epiphyſis qualis, & eius vſus. 8°. de vſu. 1a.170.F*
VERMIS *vbi ſit in cerebro. de ocul. 7a.183.G*
Vermes non ſunt ab eodem opifice a quo homo. de fœt. for. 1a.326.B
Vermes nunquam diſſecuit Galenus, neque vnquam diſſecare voluit. 6°. de decr. Hip. 1a.263.E
Vermibus quibuſdam nulli prorſus oculi. 2°. de ſem. 1a.339.G
Vermis humidus vt animal. 1°. de temp. 1a.12.G
Vermes in humidis naſcunt corporibus. 4°. de ſimp. med. fac. 5a.30.C
Vermes fiũt i materia quaſi in vtero. an ani. ſit qs inter eſt. 1a.328.A

Vermes qũo in plantis. an animal sit id quod in vtero est. 1ª.328.B
Vermes qui in vitibus sunt scnipæ dicuntur. 9°.*de simp.m.f.* 5ª.66.E
Vermes qui obsunt vitibus. 9°. *de simp.med.fac.* 5ª.66.E
Vermis mouetur motu vndarum. 1°.*de diff.pul.* 4ª.51.H
Vermes terræ in oleo coctos auriũ dolores mitigare scripsit Apollonius. 11°.*de simp. med.fac.* 5ª.82.H
Vermes rubri. 3°.*de comp.med.sec.loc.* 5ª.145.A
Vermes quidam minuti sunt ex toto genere præter naturam.de differ. mor. 3ª.4.F
Vermes necat amaritudo. 7°.*de simp.med.fac.* 5ª.49.H
Vermes aurium amaritate sua occidit capparis fructus. 7°.*de simpli. med.fac.* 5ª.49.H
Vermes aurium necat succus calaminthæ. 7°.*de simp.me.fa.* 5ª.49.D
Vermes in auribus nepita occidit. de simp.med. Sp.87.H
ad Vermes auriũ. 3°.*de cõp.me.se.l.* 5ª.144.D/*de rem.pa.f.* 7ª.155.D
Vermes quomodo è corpore expellantur. 14°.*meth.* 7ª.93.H
Vermes necant amara. 14°.*meth.med.* 7ª.93.H
Vermes teretes absinthiũ perimere põt. 14°.*meth.med.* 7ª.93.H
Vermes in corporibus natos interfecit cedrea. 7°.*de simp.m.f.* 5ª.50.E
Vermium latorum indicia sunt cucurbitæ feminibus similia excrementa. 1°.*de loc.aff.* 4ª.6.C
Vermes lati vehementiora medicamenta desiderant absinthio. 14°. *meth.med.* 7ª.93.H
ad Vermes occidendos remedium.de dyn. Sp.31.B
ad Vermes.de med.fac.par. 7ª.175.F
ad VERMES *in ventre.secr.* Sp.97.B
Vermes ex apostemate renum.de sper. Sp.36.H
ad Vermes vlcerum. 4°.*de comp.med.per gen.* 5ª.242.G
VERNACVLI *morbi qui.fin.med.* Isa.45.H
VERNALES *aquæ optimæ sunt.de bon.aquæ.* Sp.75.F
VERVCARVM *genera sunt toto genere præter naturam. de differen. morb.* 3ª.4.F
Verrucæ myrmeciæ dictæ.in 6ᵐ.*de mor.vul.com.* 2°. 3ª.161.A
Verrucarum genus est acrocordona.com. 3°.*aph.* 26°. Ex.25.D
Verrucæ quibus curentur.de dyn. Sp.19.A
Verrucis difficilius curatur myrmecia. 10°.*de simp.me.fa.* 5ª.73.E
Verrucæ indicant sui ablationem. 3°.*meth.med.* 7ª.16.C
Verrucæ quomodo eximantur. 14°.*meth.med.* 7ª.93.A
Verrucas eijcit ficus arbor. 8°.*de simp.med.fac.* 5ª.61.F
Verrucas fertur decidere facere sanguis murium domesticorum. 10°. *de simp.med.fac.* 5ª.73.D
Verrucas auferunt tithymalli. 8°.*de simp.med.fac.* 5ª.62.D
ad Verrucas.de med.fac.par. 7ª.170.G
VERSANTES *baculi pars organorum.de mach.* 7ª.309.E
VERSIBVS *qui res illustrant sunt commendandi.* 2°.*de anti.* 5ª.114.F
Versibus scripsit oĩa medicamenta Damocrates. 1°.*de anti.* 5ª.102.C
Versibus scribere medicamenta probat Galenus. 1°.*de ant.* 5ª.102.C
Versibus scripta medicamenta quid melius habeant alijs. 1°.*de cõpo. med.per gen.* 217.F/5°. 5ª.251.F
Versibus conscripta antidota habent & vera pondera, & facile memoriæ mandantur. 2°.*de antid.* 111.A/ 5ª.118.G
Versibus scripta medicamenta non possunt adulterare dosim. 1°.*de antidotis.* 5ª.108.A
VERTEBRÆ *spinæ qũo intelligantur.de artic.com.* 3°. 7ª.268.E
Vertebræ quæ sunt in spina, id est, quibus hoc inest vt sint in spina. cõ. 4°.*apho.* 48°. Ex.33.B
Vertebræ protractæ sunt quæ spinam incuruant, & quare, & quomodo.com. 6°.*aph.* 46°. Ex.51.H
Vertebræ spinæ habent armoniam, & quos casus patiantur.comm. 7°. *aphor.* 58°. Ex.59.C
Vertebræ quare iungantur.de ossi. 1ª.41.H
Vertebræ quot in spina.de ossi. 1ª.41.G
Vertebræ viginti quatuor.intro.Isa. 54.G/12°.*de vsu par.* 1ª.194.H
Vertebræ in collo septem.de ossi. 1ª.41.G
Vertebris septem constat collum in animantibus, quæ non multum diuersam ab hominibus naturam habent.de ven.diss. 1ª.54.G
Vertebra in ceruice est pars spinæ.in progn.com. 1°. 4ª.193.E
Vertebræ in ceruice quomodo se habeant. 4°.*de loc.aff.* 4ª.24.B
Vertebræ processus pyrenoides dictus qui.de oss. 1ª.41.H
Vertebra summa latissima, & tenuissima.de ossi. 1ª.41.H
Vertebra inferior angustior validiorq;.de ossi. 1ª.41.H
Vertebrarum inferiorum foramina cur minuantur.de oss. 1ª.42.A
Vertebrarum quæ habeant foramina.de oss. 1ª.42.A
Vertebræ anterior pars oblonga est prima excepta.de ossi. 1ª.42.A
Vertebra prima tenuissima. 3°.*de ana.adm.* 1ª.83.A
Vertebra prima articulatur cũ osse capitis. 12°.*de vsu par.* 1ª.194.E
Vertebra prima habet suos motus distinctos. 12°.*de vsu par.* 1ª.194.G
Vertebrã primã mouere caput ad latera collige. 12°.*& vsu p.* 1ª.194.G
a Vertebra prima musculis qualis nam sit, & eius processus ac insertio.de muscul.diss. 1ª.45.B
Vertebræ primæ dearticulationem ad latera annuendo mouentes musculi qui.de mus.diss. 1ª.46.A
Vertebra secunda articulatur cum prima. 12°.*de vsu par.* 1ª.194.E
a Vertebra secunda ceruicis incipiunt musculi spinales, & quot sint. de musc.diss. 1ª.49.F
Vertebræ secundæ productionis nomina. 12°.*de vsu par.* 1ª.194.E
Vertebram totam secundam dentem nominauit. de ossi. 1ª.41.H/ 4°. *de loc.affect.* 4ª.23.E
Vertebra quæ dens dicitur, cur dicatur.in prorr.com. 2°. 4ª.176.D
Vertebræ secundæ dentem egit natura, ne spinalis medulla contundere tur. 12°.*de vsu par.* 1ª.194.F
Vertebra secũda habet suos motus distinctos. 12°.*de vsu pa.* 1ª.194.F
Vertebra secunda attollit & deprimit caput. 12°.*de vsu pa.* 1ª.192.F
Vertebras paruas habentia animalia, vt simiæ, paruam habent primam colli neruorum coniugationem.de ner.diss. 1ª.54.E
Vertebras magnas habentia animalia vt cornigera, & quæ ferratos habent dentes, magnam habent neruorum colli primam coniugationem.de neru.diss. 1ª.54.E
ex Vertebris primis spinæ ad caput ascendunt nerui quatuor. 4°.*de locis affectis.* 4ª.25.D
a Vertebris quo ordine incedant neruorum coniugationes. 8°.*de anatomicis admin.* 1ª.102.F
Vertebris primis remedia adhibenda neruis conuulsis, et dimidia parte resolutis. 3°.*de loc.aff.* 4ª.17.C
Vertebrarũ magnitudo tãta ẽ, q̃ta ẽ spinalis medulla.ars me.Isa. 64.F
Vertebra magna quæ sit.de art.com. 3°. 7ª.269.E
Vertebræ ad costas duodecim.de oss. 1ª.41.G
Vertebræ dorsi vel Thoracis quot.de ossi. 1ª.42.B
Vertebræ dorsi vel Thoracis cuius figuræ.de oss. 1ª.42.B
ex Vertebris thoracis prodeuntium neruorum coniugationes.de ner. diss. 1ª.54.H
Vertebræ in dorso qũo dicantur.in 6ᵐ.*de mor.vul.com.* 3°.3ª.171.E
Vertebræ lumborum quot.de ossi. 1ª.42.C
Vertebræ ad lumbos quinq;.de ossi. 1ª.41.G
Vertebras quinq; in lumbis habet homo.de art.com. 3°. 7ª.273.B
Vertebræ lumborum quales.de oss. 1ª.42.C
ex Vertebris lumborum prodeuntium neruorum coniugationes. de ner.diss. 1ª.55.B
ex Vertebris omnibus musculus natus.de musc.diss. 1ª.46.G
Vertebræ quomodo trahantur, & spina incuruetur, & extendatur. de mus.dis. 1ª.49.F
Vertebræ trahuntur per neruos, & ligamenta, vel intra, vel ad latus.com. 4°.*aph.* 35°. Ex.31.F
Vertebræ trahuntur ad latus, si vna propago neruorum tendatur, si vero ambæ tendantur ad intra.com. 4°.*aph.* 35°. Ex.31.F
VERTEBRARVM *dolores incidũt equitãtes.de ae.aq.& lo.* 2ª.6.A
Vertebra prima percussa cur motus amittatur. 7°.*de de.Hi.* 1ª.269.F
in Vertebra quinta vitiata spina perdere facit sensum, & motum brachiorum. 1°.*de symp.cau.* 3ª.16.D
in Vertebra sexta læsa spina quid sequatur. 1°.*de symp.cau.* 3ª.16.D
in Vertebra septima vitiata spina quid sequat. 1°.*de sym.ca.* 3ª.16.D
a Vertebra septima nerui primi inflammati auferunt sensum digitis. 1°.*de loc.aff.* 4ª.7.C
Vertebrarum inflammationem quando sequatur conuulsio. 4°.*de loc. affectis.* 4ª.24.C
in Vertebra octaua vitiata spina quid sequat. 1°.*de symp.cau.* 3ª.16.D
ad Vertebræ cõpressionem qñ sequit paralysis. 4°.*de lo.aff.* 4ª.24.C
Vertebræ primæ medulla dorsi læsa reddit immobile animal. 2°.*de de cre.Hip.& Plat.* 1ª.237.A
in Vertebra spinali medulla affecta inferiores partes resoluuntur. 2°. *de loc.aff.* 4ª.7.F
Vertebra qua læsa animal amittat spirationem, & totum corpus immobile. 8°.*de ana.adm.* 1ª.103.A
in Vertebris quid sit quassatio.de art.com. 3°. 7ª.268.H

Vertebræ quomodo luxentur.4°.de loc.aff. 4ª.24.D
Vertebræ luxatio vocem lædit.4°.de loc.aff. 4ª.26.D
Vertebrarum expulsio ceruicis affectio.intro. Isa.59.C
Vertebrarum ossa habent quandam societatem per neruos,& ligamẽta ad partes gulæ.com.4°.aph.35°. Ex.31.F
ad Vertebrarũ in ceruice luxationẽ sequit angina.3°.de lo.af. 4ª.32.B
Vertebrę inuersio neque introrsum,neque extrorsum.in 6ᵐ.de morbis vul.com.3°. 3ª.173.G
Vertebræ luxationes ad interiora quales sint.c.3°.aph.26°. Ex.25.D
Vertebræ luxationem non patiuntur pueri,quia prius moriuntur.commen.3°.aph.26°. Ex.25.E
Vertebræ colli intro vergebant, & extra apparebant collum habere cauitatem,& hoc tactum dolebat in angina ab Hippocrate in Epidemijs descripta.com.4°.aph.35°. Ex.31.F
Vertebra quando est reponenda.9°.de decr.Hip. 1ª.281.E
Vertebrarũ dislocatiões cur Hip.erubuerit curare.d ar.c.3°. 7ª.270.C
pro Vertebris aptandis instrumentum.de art.com.3°. 7ª.273.E
ad Vertebras aptandas scalis vtitur.de arti.com.3°. 7ª.270.D
VERTEBRAE *pars organorum.de mach.* 7ª.309.E
Vertebræ æreæ vel ferreæ comparentur.de mach. 7ª.309.D
Vertebræ ad quid in organis.de mach. 7ª.309.G
Vertebræ cum organa mouentur vsui sunt.de mach. 7ª.310.F
Vertebræ in organis mouẽtur eodem loco manẽtes.de mach. 7ª.310.F
VERTEBRAE *pisces habent carnem duram.3°.de ali.fac.* 2ª.32.B
VERTENS *se crebro quid faciat.3°.de loc.aff.* 4ª.20.C
Vertens tibiam extrorsum musculus.de musc.diss. 1ª.51.E
VERTEX *qui.intro.* Isa.52.H
Verticis duo ossa.intr. Isa.54.F
a Vertice ad frontem sutura.9°.de vsu par. 1ª.173.E/H
ex Vertice tussis.in 6ᵐ.de mor.vul.com.6°. 3ª.197.C
Verticis humeri fractura,humeri affectus.intro. Isa.59.C
in Vertice quæ deligatio fieri dẽat.de ijs,q̃ in med.fi.c.2°. 7ª.206.D
inter Verticem proximas partes,& frontem deuinciens vinculum.de fasciis.295.H/ 7ª.296.A
VERTEX *dicta membrana peritonæi.5°.de anat.adm.* 1ª.88.E
VERTICELLI *marini tarde, & paulatim nutriunt. commentario.2°. aphor.18°.* Ex.13.F
VERTIGINOSI *qui.fin.med.* Isa.47.D
Vertiginosum spiritum parit cerebri inæqualis intemperies.3°.de loc. affectis. 4ª.20.D
Vertiginosi quomodo regendi.6°.de san.tu. 2ª.100.A
Vertiginosus in terram cadens,& ex casu sanguinẽ effundens,si libetur,hunc notamus,& in altero venã secamus.de op.sect. Is.23.F
Vertiginosis sanguinem mittendum persuasit Galenus.de cur.rat.per san.missionem. 6ª.18.E
Vertiginosis vena vnde secanda.de cur.rat.per sang.missi. 6ª.20.H
in Vertiginosis arteriæ secantur.3°.de loc.aff. 4ª.20.D
in Vertiginosis arteriæ post aures secantur.3°.de loc.aff. 4ª.20.D
Vertiginosi purgandi non sunt.in 1ᵐ.pror.com.2°. 4ª.174.D
Vertiginosi vere sunt inaniendi.de cur.rat.per sang.mis. 6ª.17.F
pro Vertiginosis medicamentum.2°.de comp.med.sec.loc. 5ª.144.E
VERTIGO *scotoma græce dicitur.6°.de san.tu.* 2ª.100.A
Vertigo quid sit,& vnde proueniat.com.4°.aph.17°. Ex.29.A
Vertigo quæ sit,& quomodo fiat.3°.de loc.aff. 4ª.20.C
Vertigo magnus morbus.6°.de san.tu. 2ª.100.A
Vertigines sunt magnum malum ad omne opus animæ ad vitam.com.3°.aph.17°. Ex.23.F
Vertigines proximæ sunt morbis comitialibus,et apoplexijs.com.3°. aphor.17°. Ex.23.F
Vertigo cognata est comitiali morbo.intro. Isa.56.C
Vertigo morbus longus intrinsecus.intro. Isa.56.B
Vertigo in qua parte cerebri fiat,& quomodo.3°.de loc.af. 4ª.20.D
Vertiginis causa.intro. Isa.56.C
Vertigo qũo cognoscatur fieri ab ore ventriculi.3°.de lo.aff. 4ª.20.D
Vertigines hyeme cur fiant,& qũo.com.3°.aph.23°. Ex.24.H
Vertigines vnde accidant,& cur senibus.com.3°.aph.31°. Ex.26.G
Vertigines,& tormina fiunt,si quis sanus purgetur.commen.3°.aphorismo 31°. Ex.26.G
Vertiginem capitis infert vinum nigrum dulce.de simp.me. Sp.92.B
Vertigines, capitis pulsus, & vrina tenuis cum adsunt in febribus a principio expecta febrem vsque ad iudicationem.de vic.ra.in morbis acu.com.4°. 7ª.139.H
Vertigine affectus Galenus.3°.de loc.aff. 4ª.15.F
in VERTIGINES *propter arteriarum temperamentum capita incidentia quibus curentur.6°.de san.tu.* 2ª.98.H
Vertigines quos male habent quæ exercitatio sit illis vitanda.4°.de san.tuen. 2ª.90.A
Vertiginem habens debet per superiora purgari.commẽtario 4°.aphorismo 17°. Ex.29.A
Vertigine affectis venę sectio cõuenit.de cur.ra.per san.mis. 6ª.17.G
Vertigini valens electarium.de med.exper. Sp.107.C
per Vertigines secantur arteriæ post aures.de cur.ratio.per sanguinis missionem. 6ª.21.D
contra Vertiginem electarium.de med.exper. Sp.108.C
Vertigines sanare potest Theriaca.de ther.ad Pis. 5ª.95.H
Vertiginis capitis præsidium.de dyn. Sp.23.H
ad Vertiginem secreto. Sp.101.D
VERTITVR *in lacteum succum cibus in stomacho. de compa.membr. siue de nat.hum.* Sp.58.H
VERVM *quid.de hist.phil.* Sp.3.D
Verum a Veritate differt.de hist.phil. Sp.3.D
Verum dicunt etiam ignari.de hist.phil. Sp.3.D
Vera ratio est inuentu difficilis,præsertim in medicina.commentar.1°. aphor.1°. Ex.2.D
Verum ex falsis non contingit inueniri.3°.de crisi. 4ª.142.C
Verum cognoscentes & eo non vtentes,sunt magis reprehendendi.2°. de decr.Hipp. 1ª.238.H
Vera putabat Democritus atomos & vacuũ.adu.emp.med. Isa.35.C
Vera inter sese omnia conueniunt,& consentanea sunt.4°.de simp.medic.fac. 5ª.27.E
Vera quibus dicenda in morbis.in 6ᵐ.de mor.vul.com.2°. 3ª.168.F
VESANVM fuisse dementem intelligit Hippocrates. in 3ᵐ.de mor.vul.com.1°. 3ª.127.C
VESCI *nunquam a quoquam discimus.1°.de san.tu.* 2ª.61.D
VESICAE *tres generantur in spermate.de ana.viu.* Sp.51.H
Vesicæ duæ cur.de ana.viu. Sp.50.H
Vesicæ fellis,& splenis anatomia.de ana.viu. Sp.50.H
Vesicæ fellis situs.de nat.& ord.cuiusl.corp. Sp.42.A
Vesica fellis vbi sita,& cur.de ana.viu. Sp.50.H
Vesica maxima inter renes.de nat.& ord.cuiusl.corp. Sp.42.B
Vesica bilis habet proportionem cum vretera.5°.de vsu pa. 1ª.146.C
Vesica fellis quomodo se habeat.3°.de nat.fac. 1ª.303.F
Vesica fellis quibus componatur.de anat.viu. Sp.51.A
Vesica fellis cur ex tunica.14°.de vsu par. 1ª.209.E
Vesica fellis cur vna.5°.de vsu par. 1ª.144.D
Vesica fellis tres habet meatus,& qui.de ana.viu. Sp.50.H
ex Vesica bilis meatus ad pyloron.6°.de anat.adm. 1ª.93.B
Vesicæ bilis meatus qũo intestina ingrediantur.5°.de vsu p. 1ª.146.C
Vesica fellis bilem ad se trahit.5°.de loc.aff. 4ª.35.F
Vesica fellis trahit bilem durissimam.5°.de vsu par. 1ª.144.G
Vesica fellis in iecore sita recipit leue,& flauũ.4°.de vsu p. 1ª.136.B
Vesica fellis trahit purum excrementum.5°.de vsu par. 1ª.144.H
Vesica fellis cur trahat bilem.5°.de vsu par. 1ª.144.E
Vesica fellis expurgat sanguinem.6°.de decr.Hip. 1ª.263.C
Vesicæ fellis excrementum non putrescit.3°.de nat.fac. 1ª.306.A
Vesica quæ iocinori subest,biliosum purgat excrementum.3°.de symptomatum cau. 3ª.26.A
Vesica fellis per eandẽ viã euacuat,& implet.3°.de na.fa. 1ª.306.A
Vesica fellis vñ habeat neruos,venas,et arterias.5°.de vsu p. 1ª.145.A
Vesicæ fellis neruus vbi.5°.de vsu par. 1ª.145.C
Vesicæ fellis neruus quantus.5°.de vsu par. 1ª.145.C
Vesica fellis nutritur ab alijs vasibus.5°.de vsu par. 1ª.44.H
Vesica fellis q̃ nihil patiatur a bile.5°.de vsu par. 1ª.145.G
Vesicæ fellis symptomata.5°.de loc.aff. 4ª.35.F
Vesica fellis,lien,& renes quomodo male purgent.3°.de symptomatũ causis. 3ª.26.A
ex Vesica fellis sanguis cur ĩpurus fiat nõnunq̃.5°.de lo.aff. 4ª.35.E
Vesica fellis quo iudicio cognoscat eẽ valde plena.5°.de lo.af. 4ª.35.H
VESICA *quid.fin.med.* Isa.44.A
Vesica,renes,& testiculi sunt membrana minus principalia.de anatomia viuo. Sp.56.A
Vesicæ anatomia.de ana.viu. Sp.51.D
Vesica potest videri extra animal.3°.de anat.adm. 1ª.81.H
Vesicæ natura considerãda est intestinis exẽptis.6°.de anatomicis administrationibus

ministrationibus. 1ª.92.B
Vesicam cur prima die secaret Galenus. 5°.de anat.adm. 1ª.87.B
Vesicæ situs. 14°.de vsu par. 1ª.209.A
Vesica cur sit ante rectum intestinum. 14°.de vsu par. 1ª.209.E
in Vesica virorum,& fœminarum differentia. 5°.de vsu par. 1ª.145.B
Vesica est pars nervosa. com. 5°.aph. 22°. Ex.39.E
Vesica est exanguis. com. 3°.aph. 5°. Ex.20.E
Vesica nervosa est, tenuis,& exanguis. com. 6°.aph. 18°. Ex.47.H
Vesica quomodo dicatur nervosa. in 6m.de mor.vulgaribus. commentario 1°. 3ª.153.B
Vesicarũ corpora dura & vix patibilia nam. 14°.de vsu p. 1ª.209.e
Vesicæ partes quales. 6°.de loc.aff. 4ª.39.B
Vesicæ collum musculosum. 4°.de vsu par. 1ª.141.E
Vesicæ colli duæ partes. de compag.mem. Sp.59.B
Vesicæ collum admodum obliquum. 15°.de vsu par. 1ª.212.D
Vesicæ collum cur totum perinæum occupauit. 15°.de vsu p. 1ª.211.A
Vesicæ collum mulierum apophysi caret quàm habẽt viri. 15°.de vsu partium. 1ª.211.A
Vesicæ collum mulierum quale. 15°.de vsu par. 1ª.211.A
Vesicæ colli glandulę sunt de natura testium. 3°.de ali.fac. 2ª.27.A
Vesicæ collum irrigant glandulæ. 2°.de sem. 1ª.340.E
circa Vesicam glandosa corpora quid agant. 14°.de vsu p. 1ª.207.F
in Vesicæ vrinæ collo sex vasa,& quæ. 5°.de vsu par. 1ª.145.A
in Vesicæ collo vrinarius meatus mulieris habet vnam flexionem, viri autem dũas. 5°.de vsu par. 1ª.47.G
Vesicæ ceruix lata in pueris. in 6m.de mor.vul.com. 3°. 3ª.173.C
Vesicæ os quibus constet. de ana.viu. Sp.51.D
Vesicæ os intrat collum matricis. de ana.viu. Sp.51.H
Vesica qualem structuram habeat a natura. 2°.de ana.adm. 1ª.73.B
in Vesicis cur membranæ. 5°.de vsu par. 1ª.145.B
Vesicæ habent solum vnam tunicam. 3°.de nat.fac. 1ª.305.E/de anatomi. Sp.56.A
Vesica cur ex tunica. 14°.de vsu par. 1ª.209.E
Vesica non eget multiplicitate tunicarum. de ana.viu. Sp.45.A
Vesicæ habent tunicas membranosas duras exangues frigidas. 5°.de vsu partium. 1ª.146.B/C
Vesicæ tunicæ quomodo habeant villos. 5°.de vsu par. 1ª.145.H
in Vesicis fibrarum genus diuersum. 1°.de sem. 1ª.332.C
Vesicæ exterior tunica habet eandem naturam cum peritonæo. 1°.de nat.fac. 1ª.293.D
Vesicæ exterior tunica oritur a peritonæo. 1°.de nat.fac. 1ª.293.D
Vesicæ tunica exterior ex quibus constet. de ana.viu. Sp.51.D
Vesicæ tunica interna est propria vesicæ. 1°.de nat.fac. 1ª.293.D
Vesica tunica interna ĩ duplo peritonęũ excedit. 1°.de nat.fa. 1ª.293.D
Vesicæ interior tunica quibus texatur. de ana.viu. Sp.51.D
Vesicæ interior tunica propter quid duplicata. de ana.viu. Sp.51.D
Vesicæ cur exigua vasa. 16°.de vsu par. 1ª.219.E
Vesicam quomodo vreteres ingrediantur. de ana.viu. Sp.51.D
in Vesica venæ & arteriæ se contingent. 9°.de vsu par. 1ª.172.H
Vesica habet venas,& arterias vt viuat. 2°.de ana.adm. 1ª.73.B
in Vesicis cur venæ magnæ. 5°.de vsu par. 1ª.144.H
Vesicæ vtriusq;, venarum, arteriarum, cordis, Thoracis, et renũ opus commune est. 7°.meth.med. 4ª.49.B
Vesica vrinæ nutritur ab alijs vasibus. 5°.de vsu par. 1ª.144.H
Vesicæ indigent vase quo nutriantur. 5°.de vsu par. 1ª.145.B
Vesicæ nutrimenti instrumenta apud medicos. 5°.de vsu p. 1ª.146.D
Vesicæ datur tantus sanguis, quantus ipsi sufficiens est. com. 4°.aphorismo 78°. Ex.36.G
Vesica vrinæ vñ hẽat nervos venas,& arterias. 5°.de vsu. 1ª.145.A
Vesica vnde accipiat nervos. 16°.de vsu par. 1ª.218.D
Vesicæ nervi sphincteri dicti. de ana.viu. Sp.54.C
Vesicæ musculi quomodo se habeant. 2°.de motu musc. 1ª.315.G
ad Vesicæ os musculus qualis. 1°.de san.tuen. 2ª.67.G
Vesicæ musculi rotundioris officium quale. 6°.de loc.af. 4ª.38.E
in Vesica obliqui musculi officium,& incessus. 5°.de vsu p. 1ª.147.F
in Vesica vnus musculus circularis, q ipsã claudit. 6°.de ana. 1ª.93.H
ad Vesicam musculi parui vnde. 16°.de vsu par. 1ª.218.D
Vesicæ colli musculi munus quale sit. de mus.diss. 1ª.50.D
in Vesicæ ceruice musculus. 1°.de motu musc. 1ª.309.F
Vesicæ ceruicis musculus nihil agit cum vesica. 1°.de loc.aff. 4ª.2.H
Vesicæ musculi quemodo moueantur. 1°.de mo.musc. 1ª.309.F
in Vesica qũo se habeat media constitutio. 2°.de mot.mus. 1ª.315.G

Vesica maior est matrice in ãialib° quæ augent. 14°.de vsu p. 1ª.205.C
Vesica minor est matrice in ãialibus iã auctis. 14°.de vsu p. 1ª.205.C
Vesicam paruam vidit Galenus. ars med. Isa.66.G
Vesica augetur ad portionem ætatum. 14°.de vsu par. 1ª.205.C
Vesicæ suum quomodo a pueris extendant. 1°.de nat.fac. 1ª.292.A
Vesicis ludunt pueri in Ionia. 1°.de nat.fac. 1ª.292.A
Vesicã fricãtes pueri in Ionia canunt versus numeroso cantu,& rhythmo hortantur vesicã ad incrementum. 1°.de nat.fa. 1ª.292.A
Vesica quantum augetur, tãtum eius corpus in tenuius est redactum. 1°.de nat.fac. 1ª.292.A
Vesica ad nares pueri apposita quid ostenderit. de vti.resp. 1ª.226.A
Vesica trahit, retinet,& depellit vt cor, vnde habet multas fibras. 6°.de vsu par. 1ª.150.D
ĩ Vesicę tunica exteriora magis viget attractiua vis. de an.vi. Sp.51.D
Vesica habet vim retentricem,& alteratricem. 1°.de cris. 4ª.130.H
Vesicæ quomodo attrahant,& expellent. 3°.de nat.fac. 1ª.305.G
in Vesica vis est contentrix. 6°.de loc.aff. 4ª.41.H
Vesica non trahit a renibus. 6°.de loc.aff. 4ª.37.G
Vesica vrinæ trahit purum excrementum. 5°.de vsu par. 1ª.144.H
Vesicæ officium quod. 6°.de loc.aff. 4ª.38.E
Vesica vtraq; deseruit nutritioni. 4°.de præsag.ex pul. 4ª.119.F
Vesica est vas secundæ digestionis. de ana.uiu. Sp.51.D
Vesica,& crassũ intestinũ colligũt excremẽta. 4°.de usu p. 1ª.141.D
Vesica excipit quod aquosum est,& serosum. 6°.de ana.adm. 1ª.90.C
Vesica est pars per quam hepar euacuatur. com. 1°.ap. 29°. Ex.10.A
vt Vesica ad Hepar, ita se habet monoculum intestinum ad stomachũ. de ana.uiuo. Sp.50.E
Vesica numeratur inter loca conferentia ad euacuationem. comm. 1°. aph. 21°. Ex 10.A
per Vesicam,& renes,& uentrem expurgatur nõ raro totum corpus. in 1m.de mor.uul.com. 2°. 109.B/ 3ª.111.E
Vesica excernendo euacuat causam, quæ molestat. de natura humana. commen. 2°. 7ª.182.H
per Vesicam, & Vesicam fellis purgantur bilios humores serosi. de atra bi. 1ª.37.A
Vesica agit naturaliter,& non uoluntarie. 1°.de loc.aff. 4ª.2.H
Vesica,& intestina lædere posśunt actiones naturales, ut musculi affecti actiones a uoluntate. 1°.de loc.aff. 4ª.8.A
Vesica naturali utitur facultate. 6°.de loc.aff. 4ª.38.F
Vesicæ officium non est a uoluntate. 6°.de loc.aff. 4ª.38.E
Vesica sentit solũ,& nõ habet motũ uolũtariũ. 16°.de usu p. 1ª.214.H
in Vesica urinę cur paruus sensus. 5°.de usu par. 1ª.145.F
Vesicæ obtusus sensus quomodo fiat. 6°.de loc.aff. 4ª.38.F
Vesicæ opus est indesinens. com. 6°.aph. 6°. Ex.47.B
Vesicæ proprium. 7°.de ana.adm. 1ª.95.G
Vesicæ uis quomodo cognoscatur. in prog.com. 2°. 4ª.200.C
Vesica quomodo superflua retineat,& expellat. 5°.de usu p. 1ª.147.E
Vesica quandoque tolerat sua excrementa, quandoq; non. 3°.de sympto.causis. 3ª.28.G
Vesica unde expurgetur. 2°.de lo.af. 4ª.13.C
Vesica si multos habet succos prauos per secessum euacuantur, si paucos per urinam. 7°.meth.med. 7ª.49.D
Vesicę superfluitates expurgantur per urinam. ars med. Isa. 71.E/ 11°. meth.med. 7ª.73.F
in Vesica contenta per urinas exeunt. de const.ar.med. Isa.42.B
in Vesica q̃ cõtinent expultrix uis expellit. 2°.de symp.cau. 3ª.22.G
ad Vesicã cur urina affatim,& celeriter feratur. 6°.4 lo.af. 4ª.37.F
Vesicæ functo destinatur urina. de comp.memb. Sp.59.B
Vesica urinæ quomodo se habeat. 3°.de nat.fac. 1ª.303.F
in Vesica quomodo fiat expulsio. 3°.de nat.fac. 1ª.306.A
per Vesicam excretio non est toto genere præter naturam. de sympto. differen. 3ª.13.H
Vesica quomodo excernat exprimendo ut manus exprimit aliquid. 2°.de symp.cau. 3ª.21.E
a Vesica quæ excernuntur ipsæ particulæ circa hęc se contrahunt. 2°. de symp.cau. 3ª.21.E
pVesicę collũ cur fœt° post partũ emittit lotiũ. 15°.de usu p. 1ª.212.C
Vesicę comprimendi motus qũ fuisset frustra. 1°.de loc.aff. 4ª.3.E
Vesicę motus quomodo symptoma. 2°.de symp.cau. 3ª.21.D
Vesicę excrementa ξid est urinęξ debent inspici: si sint similes sanis, bonum, si non, malum. com. 7°.aph. 64°. Ex.60.B
Vesica quale excrementũ excernat,& quibus adiuuetur. 1°.de sanita

re tuenda. 2ª.67.G
Vesicæ excrementa quid portendant.6°.de loc.aff. 4ª.41.E
Vesica quæ emittit si sint liuida,sanguinea,biliosa,fœtida, mala, cum vero bene excernuntur bonum est.com.7°.aph.65°. Ex.60.E
Vesicæ qualia fuerint excrementa,si multũ,multus est morbus, si parũ,paucus,si valde multum,letale est.com.7°.aph.75°. Ex.60.H
a Vesica tarde pertranseunt æstate paludosæ aquę.& bon.aq. Sp.75.D
Vesicam purgantia quæ.de cathar. Sp.95.D
Vesicæ prosunt caricæ.de simp.med. Sp.84.C
ad Vesicam valet solanum halicacabum,& vrinæ ciendæ est idoneũ. 8°.de simp.med.fac. 5ª.62.G
ad Vesicam venit spiritus & humor.com.4°.aph.73°. Ex.35.G
Vesicam lædit sylphij radix.de simp.med. Sp.90.C
Vesicam petit syrum.de simp.med. Sp.90.H
ad Vesicam fluere faciens materiam antidotus.2°.de antid. 5ª.118.E
Vesicæ Actio quando lædatur.6°.de loc.aff. 4ª.38.D
circa Vesicã Aegritudinem esse significat,si sanguinem mingat,et grumos,strãguriaq; affligatur,dolorq; ad perinæum ac epigastrium incidat.de vrin.sign.ex Hip. Sp.78.H
Vesica ægra existente non fit iudicium per vrinam nisi secundũ ipsam vesicam.de vrin.sign.ex Hipp. Sp.78.G
Vesicæ ægritudinibus quid conferat.secre. Sp.101.F
Vesicæ Affectus qui.de mult. 3ª.76.F
Vesica affecta quomodo differat a cole affecto.6°.de lo.aff. 4ª.41.F
Vesicæ cum alijs communes affectus,6°.de loc.aff. 4ª.38.C
Vesica quo tempore ætatis afficiatur.in progn.com.2°. 4ª.206.C
Vesicam affectam habentibus cicadæ assæ edendæ dantur. 11°.de simpli.med.fac. 5ª.82.B
ad Vesicam circa existentes affectiones.7°,de comp.med.sec.lo. 181.F/185.H/186.A/191.D/ 5ª.193.C
Vesicæ affectionibus medetur antidotus Zopyria.2°.de anti.5ª.115.B
ad Vesicæ affectiones.7°.de cõp.me.se.loc.182.C/8°,191.F/9°.202.F/10°.5ª.206.A/B/C/F/de rem.par.fac. 7ª.160.B
ad Vesicę affectus,& vlcerationes.10°.de cõp.me.sec.lo. 5ª.206.A
in Vesicæ affectibus quæ vena secanda.13°.metho.medendi. 7ª.83.B/ præsag.exper.conf. Sp.78.C
Vesica iuuat vena poplitis & malleolorũ.de cur.ra.per sang.6ª.20.E
Vesicæ Asperitatibus medetur ouum.11°.de simp.med.fa. 5ª.81.G
in Vesica scabras asperitates linire potest glycyriza.6°.de simp.med. facultatib. 5ª.45.G
Vesicæ Collum quot de causis claudatur.3°.de symp.cau. 3ª.28.D
Vesicæ colli obstructio quomodo.3°.de symp.cau. 3ª.28.D
Vesicæ Conniuentia vnde sit.3°.de symp.cau. 3ª.28.D
circa Vesicam ita est Diabete,vt circa aluum leuitas intestinorum.1°. de crisibus. 4ª.130.H
in Vesicæ,stomachi,& renum Difficultatibus tabis hectica sequitur. 1°.de diff.febr. 3ª.35.F
in Vesica difficultatem vrinæ sedat theriaca.de ther.ad Pis. 5ª.96.A
Vesica dolet mire.in progn.com.2°. 4ª.206.A
Vesicæ dolor quibus neglectis fiat.de dyn. Sp.20.A
Vesicæ colli dolores intẽsissimi ob lapides.de re.aff.dig.& m.7ª.193.B
Vesicæ doloris meminit.secr. Sp.100.H
inter Vesicam & renes dolor acutus,cum calculus in vesicam tendit. 1°.de nat.fac. 1ª.293.C
Vesicæ,& renum dolorem,& capitis aliquantum significat vrina alba pinguedinosa vel iumentina.de dyn. Sp.35.E
Vesicæ dolore qui moriantur.in progn.com.2°. 4ª.206.B
ad Vesicæ dolorem cura.de dyn. Sp.29.B
Vesicæ dolorem mitigant radices glycyrhizæ.de simp.med. Sp.84.G
ad Vesicæ dolores potari vtiliter creduntur phalaridis folia. 8°.de simp.med.fac. 5ª.63.B
ad Vesicæ dolores valet theriaca.de ther.ad Pis. 5ª.91.G
ad Vesicæ dolores.10°.de comp.med.sec.loc. 5ª.206.A
ad Vesicæ dolorem,& lapidem.secret. Sp.99.H
circa Vesicam dolentis casus.6°.de loc.aff. 4ª.39.A
Vesica magis læditur a Frigidis,q̃ alia membra,& cur. comment.3°. aphor.5°. Ex.20.E
Vesicæ nocet frigus.com.3°.aph.22°. Ex.24.F
Vesicæ calidũ amicũ,frigidum inimicum.com.5°.aph.22°. Ex.39.D
p Vesicã frigus & calor asc̃dũt in ventrẽ.com.5°.aph.22°.Ex.39.F
Vesicæ refrigeratio quomodo fiat.in 1ᵐ.prorrh.com.2°. 4ª.171.C
Vesicæ infrigidationẽ hñt qui vrinam sæpius mingunt.de dyn.Sp.35.E
ex Vesica frigiditate retenta vrina mala.in 1ᵐ.prorr.c.2°. 4ª.171.C
Vesica & sede infrigidatis in quodam excrementa retineri non poterant.4°.de loc.aff. 4ª.25.C
in Vesica meatu Grumi symptomata.6°.de loc.aff. 4ª.39.A
in Vesica vel intestinis grumi quid faciant.6°.de loc.affe. 4ª.38.H
Vesicæ Imbecillitas fit propter intemperaturam, vel aliquem humorem præter naturam.com.5°.aph.58°. Ex.43.B
Vesicæ magnam imbecillitatem inferre non possunt nerui orti a spina, & spinæ affectus.6°.de loc.aff. 4ª.38.D
Vesicæ retentiua potentia imbecillis facit vrinæ stillicidium. com.5°. 58°.43.B/com.7°.aph.39°.& 48°. Ex.57.B/H
a Vesica, ventre, capite, & thorace origo Infirmitatis vel sanitatis ostenditur.de dyn. Sp.19.G
Vesicæ Inflammationis signa.introd. Isa.57.B
Vesicæ inflammatæ pulsus qualis.de puls.ad Tyro. 4ª.45.A
Vesica inflammata facit ilium secundum antiquos, quos Galenus reprehendit.com.6°.aph.44°. Ex.51.D
Vesicæ inflammatio quomodo cognoscatur,& quod pessimum.in progno.com.2°. 4ª.206.A
Vesica læsa ob Intemperiem quid agat.6°.de loc.aff. 4ª.38.D
in Vesicæ phlegmone non semper danda quæ vrinam prouocant. 13°. meth.med. 7ª.82.A
in Vesica vbi est phlegmone quæ vrinam cient medicamenta non sunt exhibenda.13°.meth.med. 7ª.83.A
ob Vesicæ colli inflãmationẽ vrina supprimit.de arti.cõ.3°.7ª.282.B
in Vesica Lapis est toto genere præter naturam.de diff.mor. 3ª.4.F
Vesicæ lapis puerorum malum.de ren.aff.dig.& med. 7ª.192.F
Vesicæ lapis in pueritia.in 6ᵐ.de mor.vul.com.1°. 3ª.155.C
in Vesica lapis cur pueris.in 6ᵐ.de mor.vul.com.3°. 3ª.173.B
Vesicæ lapides cur pueris.de ren.aff.dig.& med. 7ª.192.E
in Vesica,vel renibus esse lapidem cognoscitur.1°.de loc.aff. 4ª.2.F
in Vesica lapidis signa.intro.Isa.57.B/1°.de lo.aff.3.A/ 4ª.6.C
Vesicæ calculum,& renum significant vrinæ habentes arenosam subsidentiam.com.4°.aph.79°. Ex.36.H
Vesica ijs calculescit quibus in vrina arenosa subest materies. de vrinæ sign.ex Hipp. Sp.78.H
in Vesica lapidem maiorem habentis signa.de dyna. Sp.29.B
Vesica calculo obnoxia quibus aquis lædatur.in 6ᵐ.de mor.vulgari. comm.4°. 3ª.182.D
in Vesica lapidem habentium situs vt mingant.2°.de lo.aff. 4ª.3.A
in Vesica a lapide obstructo quomodo curetur.ars med. Isa.70.A
Vesicæ calculus quid primo indicet.3°.meth.med. 7ª.16.C
Vesicæ calculi quid expetant.5°.de simp.med.fac. 5ª.38.B
Vesicæ calculus indicat penitus de sui remotione.14°.me.m. 7ª.90.F
Vesicæ calculus non ætatis lapsu,sed manuum opera duntaxat curari potest.in 6ᵐ.de mor.vul.com.5°. 3ª.193.B
in Vesica lapidem habentibus vtile est Adrianum balsamatum,& philantropon.de dyn. Sp.28.B
Vesica lepidem qui Lapis frangat.de ren.aff.dig.& med. 7ª.196.D
Vesicæ lapis non comminuit lapidem.10°.de simp.med.fac. 5ª.75.G
in Vesicæ lapide nihil facit lapis iudaicus.secr. Sp.102.D
Vesicæ lapides conterit Ophites.9°.de simp.med.fac. 5ª.67.D
Vesicæ calculos comminuit murium stercus.de ther.ad Pis. 5ª.93.F
Vesicæ calculos comminuit Paliuri fructus.8°.de simp.me.fa.5ª.57.G
Vesicæ calculos conterit Scorpius.de ther.ad Pis. 5ª.93.F
Vesicæ calculis prodest Theriaca.de theria.ad Pamp. 5ª.98.H
Vesicæ lapidi frangendo quid valeat.de cura lap. Sp.112.D
Vesicæ,& renum lapidem quæ educant.de cathar. Sp.95.D
Vesicæ lapis emittitur post mictum.in 6ᵐ.de mor.vul.cõ.3°.3ª.173.C
ad Vesicæ calculos medicamenta.intro. Isa.57.H
ad Vesicæ,& renum lapidem valens medicamen. de medicinis experti.105.G/ Sp.106.B
ad Vesicæ petrã remediũ.de dy.29.B/de med.exp.107.D/ Sp.108.F
Vesicæ duodecim Morbi.de vic.rat.in mor.acu.com.1°. 7ª.108.H
Vesicæ morbos facit giber supra septum.de arti.com.3°. 7ª.269.G
Vesicæ morbos sanat antidot° Athanasia Mithrida.2°.de an.5ª.114.H
ad Vesicæ morbos.5°.de comp.med.per gen. 5ª.250.B
Vesica Mordetur acritudine vrinæ.com.5°.aph.58°. Ex.43.B
Vesica stimulatur acribus humoribus.com.3°.aph.22°. Ex.24.F
in Vesica adest Palpitatio.2°.de symp.cau. 3ª.20.F
Vesicã Pati,et circa vesicam passio differũt.cõ.4°.aph.80°.Ex.36.H
Vesicam pati quibus indicijs cognoscatur.com.7°.aph.39°. Ex.57.B

Vesicæ aut renum passionem significat vrina mediocris, si aliqua in ipsa exeant.com.4°.aph.77°. Ex.36.E
Vesicæ, & matricis passiones si prolixæ fuerint vtimur catharticis. de dynam. Sp.20.E
Vesicæ, & renibus per lõgum patientibus vtiliter datur colocynthis. de dynam. Sp.21.D
ad Vesicam per venas inter vẽtriculũ, & septũ Pituita reposita vertitur, & quo modo, & per quàm viam.com.7°.aph.54°. Ex.58.F
Vesica quando est Plena secundum totam suam circumscriptionem apparet plena.com.6°.aph.44°. Ex.51.D
Vesicæ plenæ non sunt duræ.5°.de simp.med.fac. 5ª.52.G
Vesica vrinæ cur ob multitudinem non possit vrinam emittere. 5°.de *loc.affect.* 4ª.35.H
ob Vesicæ plenitudinẽ vrina q̃nq; supprimitur.6°.de loc.aff. 4ª.38.H
ad Vesicæ Præclusionem antidotum.de dyn. Sp.29.A
ex Vesica Pus, & sanies sponte exeunt.5°.meth.med. 7ª.33.A
Vesicæ Rigorem remollit meu.de simp.med. Sp.87.F
in Vesica nor potest Rumpi vena, sicut in renibus ex sanguine superabundante.com.4°.aph.77°.& 78°. Ex.36.F/G
in Vesica si vas magnum præruptũ sit, vtaris adstringentibus, et quibus.5°.meth.med. 7ª.31.G
in Vesica si vas paruum sit præruptum, quibus adstringentibus vtẽdum.5°.meth.med. 7ª.31.G
Vesica cum male habet non sunt admouenda adstringentia. 11°.*met. medendi.* 7ª.73.B
ad Vesicæ Sanguinis profluuia.9°.de comp.med.sec.lo. 5ª.206.A
in Vesica sanguis concrescit.de atrab. 1ª.34.D
in Vesica congelatum sanguinem quid dissoluat.de cura lap. S.112.H
in Vesica coagulato sanguini quid opem ferat.de cura lap. Sp.112.F
Vesica ijs scabie laborat quibus in vrina crassa, furfurea simul exeũt. com.4°.aph.77°. Ex.36.F
Vesicæ scabiosæ signa.de na.hu.com.2°. 7ª.180.H
Vesicæ scabiei vrina.de dyn. Sp.35.C
Vesicæ scabies qua vrina significetur.de vrin.sign.ex Hip. Sp.78.H
Vesica scabie laborãt quibus furfura quædam simul exeunt in vrina crassa.com.4°.aph.77°. Ex.36.E
Vesicæ siccitas ex causarum numero est eam conniuere facientibus. 3°.de symp.cau. 3ª.28.D
in Vesica fit vrinæ Stillicidium.com.6°.aph.1°. Ex.45.H
Vesicæ accidẽs q̃n est stillicidiũ, et quot fiat modis.6°.& lo.af. 4ª.38.C
ad Vesicæ stillicidium.10°.de comp.med.sec.loc. 5ª.206.E
Vesica in strãguria q̃uo det vrinã.in 3ᵐ.de mor.vul.com.1°. 3ª.128.D
Vesica quo modo Supprimatur.in progn.com.2°. 4ª.206.A
in Vesica Suppuratio q̃n esse cognoscatur.6°.de loc.aff. 4ª.39.H
ad Vesicæ symptomata.10°.de comp.med.sec.loc. 5ª.206.B
Vesicæ Tedia sustinentibus myrta vtilis.de simp.med. Sp.87.E
ad Vesicæ Tofos dissoluendos.10°.de comp.med.sec.loc. 5ª.206.E
Vesica Tumida solũ põt intestinũ rectũ pmere.cõ.6°.aph.44°. Ex.51.d
circa Vesicæ tumorem vrinæ suppressio a quo fiat.1°.de lo.af. 4ª.3.F
Vesicæ Vitia sunt morbi longi.com.6°.aph.6°. Ex.47.B
Vesicæ vitia in senioribus difficulter sanant.cõ.6°.aph.6°. Ex.47.B
Vesicæ vitia quomodo finiant.3°.de crisi. 4ª.139.F
in Vesicæ vitijs quæ sint miscenda medicamenta.4°.me.m. 7ª.29.A
Vesicam solam Vlcerant cantharides.3°.de simp.med.fac. 23.A/1°. *de comp.med.per gen.* 5ª.209.H
Vesicam lædit cantharis.de theria. 5ª.91.A
Vesicam quomodo lædat, & iuuet cantharis.de ther.ad Pis. 5ª.96.F
Vesicam vlcerant vrinæ acres.6°.de loc.aff. 4ª.37.E
Vesica vrinæ ab vrina patitur.5°.de vsu par. 1ª.145.G
Vesicæ vlcerationes quomodo cognoscantur, & quibus distinguãtur. 9°.de comp.med.sec.loc. 5ª.205.C
Vesicæ, & renũ vlceratio q̃ vrinã faciat.de vri.sign.ex Hip.Sp.78.H
Vesicæ aut renum vlceratio significat, si sanguinem aut pus minxerit. com.4°.aph.75°. Ex.36.A
Vesicæ vlcerationes quibus curentur.9°.de cõp.med.se.lo. 5ª.205.D
ad Vesicæ vlcerationem.de rem.par.fac. 7ª.160.B
inter Vesicam, & renes fiunt ẽt vlcera.com.4°.aph.75°. Ex.36.B
a Vesicæ vlceribus q̃uo distinguant quæ in renibus.1°.de lo.af. 4ª.2.D
Vesicæ vlcerationib⁹ præsidium est theriaca.de ther.ad Pis. 5ª.96.B
Vesicæ & renum vlceris differentiæ quæ.com.4°.aph.75°. Ex.36.B
Vesicæ vlcus quo modo cognoscatur.com.4°.aph.75°.36.A/aph.80°. 36.H/aph.81°. Ex.37.A

Vesicæ vlcerationẽ ostendit ephelcis cũ vrina exiẽs.1°.& lo.af. 4ª.2.F
Vesica exesa aut resoluta emittit particulas similes folijs, aut squammis.com.4°.aph.76°. Ex.36.C
ex Vesica, & renibus cũ vrina eijciunt ramẽta.4°.de loc.aff. 4ª.25.H
a Vesica folijs similia in vrinis veniũt.in 6ᵐ.de mo.vul.c.5°. 3ª.192.A
in Vesica vlcerata exit sanguis.com.4°.aph.78°. Ex.36.G
Vesicæ vlcera odore graui percipiuntur.com.5°.aph.11°. Ex.38.D
Vesicæ aut renum vlcus ita vt eorum substantia dissolueretur, lædit valde ab extenuãtibus, atque incidentibus medicinis, & victu humido.com.4°.aph.76°. Ex.36.D
Vesicæ ceruix q̃uo cognoscat ab vlcere obstructa.1°.de lo.aff. 4ª.3.B
ad Vesicam exulceratam.2°.de antid.116.C/1°.de comp.med.secun. locos. 5ª.206.A/F
ad Vesicæ vlcera, & inflammationes.9°.de cõp.med.se.lo. 5ª.206.B
Vesica Vlcerata quomodo deprehensa.1°.de loc.aff. 4ª.2.E
Vesica discissa letale est.com.6°.aph.18°. Ex.47.H
Vesicæ vulnera sanauit cauda equinæ.6°.de simp.med.fac. 5ª.48.F
ad Vesicæ vlcera medicamenta.intro. Isa.57.H
in Vesica Vrina nimia collecta facit dolorem.de mul. 3ª.76.F
pp Vesicam & renes quandoq; vrina aspera, fœtida, & bilioſa.in prognost.com.2°. 4ª.201.E
Vesica cum ab vrinæ qualitate mordetur excretio fit assidua.de multitudine. 3ª.76.G
ad Vesicam.7°.de comp.med.sec.loc.181.A/8°. 5ª.188.H
in VESICIS *exemplum.in 6ᵐ.de mor.vul.com.3°.* 3ª.176.E
in Vesica quomodo aliquid immittimus.5°.met.med. 7ª.31.F
in Vesicam quomodo injiciantur medicamenta.5°.met.med. 7ª.32.D
in Vesicã aliquid infundit per rectos syphones.5°.met.med. 7ª.34.D
in Vesicam quomodo res injiciantur ex pene.4°.meth.med. 7ª.29.B
in Vesica posita aqua calida fomentum est calidum.de vic.rat.in mor. acu.com.2°. 7ª.116.D
Vesica cui sit fistula iuncta ponit in rectum intestinum medicamenta. 5°.meth.med. 7ª.32.E
de Vesica fuilla cuius sit vsus in curatione sinus.2°.de arte curat.ad Glauconem. 7ª.105.H
Vesica pro conseruando medicamento.5°.de cõp.med.se.lo. 5ª.161.B
Vesica lupina.de dyn. Sp.28.F
ex VESICARIIS *pastillus.5°.de comp.med.per ge.* 5ª.252.A
VESPAE *obeunt oleo.2°.de simp.med.fac.* 5ª.14.E
Vesparum morsus iuuat stercus bubulũ.10°.de simp.me.fa. 5ª.76.H
ad Vesparum punctiuras medicina.2°.de antid. 5ª.118.G
vti Vespa incidenti dolori matricis quid opem ferat. de passio. mul. Sp.95.G
VESPERI *pro posterius.de vict.rat.in mor.acu.com.4°.* 7ª.140.D
Vesperi non videntium oculorum remedium.de ocul. 7ª.191.A
VESPERTILIONVM *vitam agunt cubantes interdiu, nocte vigilantes. in 1ᵐ.de mor.vul.com.2°.* 3ª.119.G
Vespertilionis sanguine vtitur.4°.de comp.med.sec.loc. 5ª.158.B
Vespertilionis cerebrum ad quid vtile.de med.fac.par. 7ª.161.E
de VESPERTINA *frictione.3°.de san.tu.* 2ª.81.H
VESTIGIVM *pedis qui musculus solidum, tensum, durum pilis nudũ, & facile sentiens.de mus.diss.* 1ª.52.A
VESTIMENTVM *chirurgi quale esse debeat.de ijs quæ in medi.fiunt, commen.1°.* 7ª.202.F
Vestimenta omnia non sunt necessaria.ad Thras. 2ª.104.D
Vestimẽta ex auro cõtexta nõ recte appetunt.de cog.cu.aï m.2ª.54.H
Vestimenta quomodo calefaciant.2°.de simp.med.fac. 5ª.15.F
VESTES *texere quid. ad Thras.* 2ª.105.E
Vestes texere, & suere idem.ad Thras. 2ª.105.E
Vestẽ facit alter artifex, alter dilacerãta reficit.ad Thras. 2ª.102.B
Vestes resarciẽti similes sunt agricola, & medicus.ad Thra.2ª.104.b
Vestes reponere ne surripiantur an sint ars.ad Thras. 2ª.104.B
Vestis diuersa ab alijs philosophum non facit, sed animus. de historia philosophica. Sp.2.D
Veste muliebri induunt se homines, qui putant se esse euiratos. de aere, aquis, & loc. 2ª.5.H
Vestem duplicem habere satis est.de cogn.cur.ani.mor. 2ª.54.H
Vestes cur noctu plures.in 6ᵐ.de mor.vul.com.4°. 3ª.183.D
Vestes cur calefiant.de vtil.resp. Sp.62.F
Vestes attritu fiunt sicciores.in 6ᵐ.de mor.vul.com.3°. 3ª.170.B
Vestes hyeme mundæ sunt induendæ.de Jal.diæ. 2ª.41.A
Vestes mundæ quæ refrigerant.de sal.diæ. 2ª.41.A

Vestes debent esse oleo infectæ æstate. de sal. diæ. 2ª.41.A
Vestes oleo infectæ tempore plus calefaciunt, sed primo impetu refrigerant de sal. diæ. 2ª.41.A
Vestes oleo infectæ sordidæ. de sal. diæ. 2ª.41.A
Vestes sordidæ vrina expurgantur. 10°. *de simp. med. fac.* 5ª.75.D
Vestes putrefacit immobilitas. in 3ᵐ. *de morb. vul. com.* 3°. 3ª.141.A
Vestes quia non diffluantur putrescere solent. 2°. *de dif. feb.* 3ª.40.B
Vestes quatiuntur ne putrescant cum tempus est calidum & humidū. in 3ᵐ. *de mor. vul. com.* 3°. 3ª.141.A
Vestium a pectore reiectiones quid significent. de victus rat. in morbis acut. com. 2°. 7ª.122.F
VESVVIVS *mons vbi.* 5°. *meth. med.* 7ª.34.H
VETERASCVNT *oīa præter vinum fm aliquos.* 1°. *de antid.* 5ª.101.C
ad VETERATA *omnia.* 7°. *de comp. med. per gen.* 5ª.274.A
VETERNOSI *loco splendido detinendi. de opt. sec.* Isa.25.A
VETERNVM *facit vltima adstrictio. de cau. mor.* 3ª.7.D
Veternum phrenitis sanat. in 6ᵐ. *de mor. vul. com.* 6°. 3ª.197.E
in Veternū verti phrenitim malum. in 6ᵐ. *de mor. vul. c.* 6°. 3ª.197.E
VETAT *conceptum menta. de simp. med.* Sp.87.D
VETONICA *quid, & eius vires. de simp. med.* Sp.92.A
Vetonica vires habet leniter acres, & diureticas. de sim. m. Sp.92.A
in VETVLIS *substantia mammarum qualis. in* 6ᵐ. *de morb. vulgarib. commen.* 3°. 3ª.177.E
Vetulæ capillos denigrant. 1°. *de comp. med. se. lo.* 5ª.126.F
Vetulæ cantilena, prouerbium. 1°. *de crisi.* 4ª.131.H
VETVLA *quid sit in vrina. in progn. com.* 2°. 4ª.201.C
VETERVM *testimonia qñ citari cōuenit.* 5°. *de decr. Hip.* 1ª.260.C
Veterū dicta amice interpretāda, nō maleuole. 2°. *de symp. cau.* 3ª.23.A
Veteres dictiones mutare temerariū. 3°. *de diff. resp.* 3ª.69.F
Veteres scripturas semper elegit Galenus, licet difficilius explicentī. in 6ᵐ. *de mor. vul. com.* 3°. 3ª.177.H
Veterum libros non facile est intelligere, si desint qui curiose exponūt. 2°. *de san. tu.* 2ª.72.B
Veteribus qñ opus non habeamus collige. 7°. *de cōp. me. se. l.* 5ª.178.B
Veteribus meliores & eruditiores possumus effici. 9°. *de decr. Hippo. & Platonis.* 1ª.279.F
Veteribus visus ēnotior mor⁹ respirationis. de m. ma. & ob. Sp.66.H
ad Veterem cephalcam electarium. de me. exper. Sp.108.C
Veteri tussi prodest asphodelus. de simp. med. Sp.81.B
ad Vetera & callosa. 4°. *de comp. med. per gen.* 5ª.242.B
VETVSTATÆ *omnia fiunt calidiora § nescio an verum. §* 11°. *de simpli. med. fac.* 5ª.79.C
Vetustas facit oleū & adipē tenuiū partiū. 1°. *de cōp. me. p g.* 5ª.211.A
Vetustiores capitis dolores, & faucium inflammationes dissoluimus scarificationum sectionibus. præf. exper. conf. Sp.78.C
Vetusta omnia & obsoleta marcida appellant. de frac. c. 3°. 7ª.247.H
Vetusta via medicamēta fugiēda, & cur. 2°. *de cōp. me. se. lo.* 5ª.122.C
cum Vexationibus magnis laser excalfacit. de simp. me. Sp.85.G
VIAS *Italiæ refecit Traianus Impator.* 8°. *met. me.* 7ª.58.F
Viam a rubis, & spinis emundantium, & bene scribē vium comparatio. de cau. procatar. 3ª.95.H
a Via, neq; a solis æstu dandū est phalernum, neq; moletes, neq; ariusium, neq; lesbium. de vinis. Sp.76.G
Viam aperuere Galeno antiqui errantes. 4°. *de dign. pul.* 4ª.85.E
Via breuis in re medica. 14°. *meth. med.* 7ª.88.G
Via regia probandi medicamentorum qualitates. 1°. *de sim. m. f.* 5ª.6.F
Viæ per quas excernunt superflua. de cōpa. mēb. siue de na. h. Sp.59.B
Via breuis quandoq; conuenies in his, quæ in corpore fiūt. 15°. *de vsu partium.* 1ª.211.E
Via longa quandoque est conueniens in his, quæ in corpore fiunt. 15°. *de vsu par.* 1ª.211.E
Via ex pulmone in renes. 6°. *de lo. aff.* 4ª.39.C
Via pulmonis ad renes. 6°. *de loc. aff.* 4ª.39.C
Via a pulmone ad aluum, quæ. 6°. *de loc. af.* 4ª.39.C
Viarum angustia vnde. 3°. *de symp. cau.* 3ª.26.B
Vias arctant morbi instrumentales. 3°. *de symp. cau.* 3ª.26.B
in Vijs tumoris cāusa. 3°. *de symp. cau.* 3ª.26.A
in Vijs obstructionis causa. 3°. *de symp. cau.* 3ª.26.A
VIATORES *quibus vesci debent. de ren. aff. dig. atq; me.* 7ª.195.B
de VIBRATO pulsu. 1°. *de diff. pul.* 4ª.52.C
Vibratus pulsus cur violenter feriat. 4°. *de dign. pul.* 4ª.83.C
Vibratus quidam pulsus est dicrotus. 2°. *de præsag. ex pul.* 4ª.112.D

VICEÆ color qualis, & cur. de ocul. 7ª.183.C
Vicia non rotunda, sed lata vt lens. 1°. *de alim. fac.* 2ª.15.G
Viciæ substantia, natura, & vsus. 1°. *de alim. fac.* 2ª.15.G
per VICINA *trahendum aut euacuandum fluxione consistente.* 4°. *methodi med.* 7ª.28.C
VICTIMAE *sæpius offeruntur a diuitibus, q̄ a pauperibus. de aere aq. & locis.* 2ª.6.A
Victima aufugit corde erepto. 2°. *de decr. Hip. & Pla.* 1ª.236.H
Victimarum nouellarum testes quales circa generationem humorum. de bonitate, & vit. suc. 2ª.35.H
a VICTORIBVS *quid ageretur.* 1°. *meth. med.* 7ª.3.B
ad VICTORIAM *ex irascibili trahimur.* 5°. *de decr. Hip.* 1ª.256.H
Victoria est finis artis auferendi. de cau. resp. 1ª.227.B
Victoria non debetur celeriter fugientibus. de par. pil. exer. 2ª.49.E
Victoria cadmea prouerbium. 1°. *de dieb. decr.* 4ª.147.G
VICTI *quomodo se habeant erga victores.* 2°. *de nat. fa.* 1ª.297.B
VICTVS *ratio quid significet. in* 3ᵐ. *de mor. vul. com.* 3°. 3ª.141.F
Victus ratio quid sit. de vic. rat. in mor. acu. com. 1°. 7ª.108.G
Victus institutrix medicinæ pars, quæ. fin. med. Isa.48.A
Victus ordinandi ratio est maxima pars artis. 11°. *met. med.* 7ª.71.H
Victus rationem instituere inter actiones vniuersales numeratur. ad Thrasybulum. 2ª.108.F
Victus ratio exacta est primus & præcipuus curandi scopus in omni ægritudine. de rem. par. fac. 7ª.156.E
de Victus ratione Basilij. de med. par. fac. 7ª.175.G
Victus hominum qualis perquirendus. de aer. aq. & lo. 2ª.2.C
Victus rationem qui valde negligant. in 6ᵐ. *de mor. vul. cō.* 1°. 3ª.153.C
Victus sui nulla cura est aliquibus. 6°. *de san. tu.* 2ª.100.D
Victum pauci medici recte præscribunt. 1°. *de dieb. decr.* 4ª.151.E
Victus ratione qui vti non possunt. de sal. diæ. 2ª.39.H
Victus ratio facit differentiam in viris & mulieribus. breuis denotatio dogma. Hip. 1ª.231.C
Victus ratio recta facit bonos mores. 1°. *de san. tu.* 2ª.64.H
Victus potest aeris statum euitare. in 1ᵐ. *de mor. vul. com.* 2°. 3ª.108.F/*in* 3ᵐ. *com.* 3°. 3ª.143.E
Victus ratio quando ægritudo ex aere. de nat. hu. com. 2°. 7ª.182.D
ob victū prauū tēperati facti intemperati. 2°. *de san. tu.* 2ª.73.F/G
ex Victu impio obeno venenosæ materiæ. in 6ᵐ. *de mor. vul. c.* 6°. 3ª.196.g
Victus errata faciunt morbos. com. 3°. *aph.* 19°. Ex.24.A
ex Victu aliquando fiunt morbi. de nat. hu. com. 2°. 7ª.182.B
ob victum & naturam morbi fiunt a temperamento aeris. in 3ᵐ. *de mor. vul. com.* 3°. 3ª.141.F
ex victu morbi fiunt diuersi. in 1ᵐ. *de mor. vul. com.* 1°. 3ª.101.A
Victus ratio variat febrem. 2°. *de diff. feb.* 3ª.42.G
ob Victum partes laborantes, & non ob imbecillitatem, quomodo cognoscantur. 6°. *de san. tuen.* 2ª.100.C
ex victus rōne præsagia sumunt. in 1ᵐ. *de mor. vul. com.* 2°. 3ª.117.F
Victus ratio præcedens multum facit ad cognoscendos humores. 14°. *meth. med.* 7ª.93.C/*com.* 4°. *aph.* 2°. Ex.27.F
Victus antecedens confert euacuationibus dignoscendis. comment. 4°. *aphor.* 2°. Ex.27.F
Victus ratio conducit ad cognoscendam obstructionem meatus vrinæ. 1°. *de loc. aff.* 4ª.3.B
ad Victus vniuersalem formam pertinet vrinarum consideratio. de vict. rat. in mor. acu. com. 4°. 7ª.144.B
fm Victum sedimentum. in prog. com. 2°. 4ª.200.C
VICTVS *ratio quibus integretur. ad Thrasybulum.* 2ª.106.C/11°. *meth. med.* 7ª.71.H
Victus ordinandi vera ratio. 11°. *meth. med.* 7ª.71.H
Victus vna ratio non conuenit omnibus. 5°. *de san. tu.* 2ª.93.D
Victus instituendi ratio duo respicit. com. 1°. *aph.* 12°. Ex.5.B
Victus ex tribus intentionibus regulatur com. 1°. *aph.* 12°. 5.B/*aphoris.* 19°. Ex.9.F
Victus ratio debet sequi plures indicationes. 8°. *meth. med.* 7ª.55.C
Victus ratio quomodo ordinanda in consentientibus indicationibus, & dissentientibus. 8°. *meth. med.* 7ª.55.A
Victus quomodo offerri debeat. com. 1°. *aph.* 17°. Ex.7.B
de victu īstituēdo vigor morbi et vires docēt. de to. mor. tēp. 3ª.90.A
Victus ratio ex vigore. in 1ᵐ. *de mor. vul. cō.* 2°. 3ª.120.C/1°. *de cris.* 4ª.126.D/*com.* 1°. *aph.* 7°. Ex.4.E/F
Victus ratio non potest haberi in morbis inordinatis. comm. 1°. *aphorismo* 19°. Ex.9.F

Victus ratio

Victus ratio ex viribus ægroti.com.1°.aph.9°. Ex.4.H
ad Victum pertinentia debere probari per sanos,collige.comment.2°. aphor.18°. Ex.13.F
Victus ratio sumitur a natura temperata.1°.de temp. 1ª.11.A
Victus ratio diuersorum habituum corporis.de ren.aff.dig. 7ª.195.E
Victus ratio diuersa esse debet secundum exercitiorum diuersitatem. 1°.de san.tu. 2ª.67.C
Victus sumitur ex consuetudine.7°.meth.med. 7ª.46.C
Victus rationem ostendunt regio,& tempus.7°.meth.med. 7ª.46.D
a Victus ratione,& vitæ instituto colligitur ex tempore proportio. in 1ᵐ.de mor.vul.com.1°. 3ª.103.E
Victus ratio instituí nõ põt sine tẽporũ cognitione.de to.mor. 3ª.90.A
Victus ratio per tempora anni.com.1°.aph.15°. Ex.8.A
Victus idem est æstate,& hyeme Scythis.de acre aq.& lo. 2ª.5.E
Victus particularium temporum commodus.com.1°.aph.19°.Ex.9.F
Victus ratio quo modo ad Tempus ægritudinis componenda sit.1°.de ar.cur.ad Glau. 7ª.96.E
Victus ratio in principio diuersorum morborum est inuenienda. 1°.de crisibus. 4ª.131.F
Victus ratio non potest institui,nec sine crisis præsagio,nec sine cognitione status.1°.de dieb.decr. 4ª.150.C
ad Victº rõnẽ istituẽdã vtile ẽ scire tps iudicij.3°.de die.dec. 4ª.160.C
Victus ratio per duos dies seruanda post indicationem.de vic.ratio.in mor.acu.com.1°. 7ª.113.A
Victus offerendi qualitas.com.1°.aph.16°. Ex.8.H
Victus ratio sit diligens.1°.de dieb.decr. 4ª.145.C
Victus species quomodo augenda.6°.de san.tu. 2ª.96.F
Victus rationem medicus immutare qui non verebitur qualis esse debet.9°.de decr.Hip. 1ª.283.B
Victus rõnis differẽtiæ vñ sumanẽ.de vic.ra.in mor.ac.c.1°.7ª.115.A
de Victus rõne i acutis liber quo iscriberet.9°.de decr.Hip.1ª.282.G
de Victus ratione in acutis liber inscriptus de ptissana,& contra Cnidias sententias.de vict.rat.in mor.acu.com.1°. 7ª.111.A
de Victus ratione in morbis acutis quæ tractat Hippocrates. de vict. rat.in mor.acu.com.4°. 7ª.134.B
de Victus ratione in acutis qui Hippocrates scripsit.de vi.rat.in morbis acu.com.1°. 7ª.111.C
de Victu morborũ acutorũ liber ẽ Hippocratis.3°.de dif.resp.3ª.69.F
de Victº rõne libri tres existimati sunt Hipp.3°.de dif.resp. 3ª.71.E
de Victus ratione in morbis acutis liber quartus an sit Hippocrate dignus.de vic.ra.in mor.acu.com.3°. 7ª.128.D
de Victus ratione in acutis Liber quartus non est Hippocratis.de vi. rat.in mor.acu.com.4°. 7ª.149.C
de Victus ratione in acutis libri quæ pars non sit Hippocratis.de vic. rat.in mor.acu.com.2°. 7ª.122.B
de Victus ratione librum cur inordinatus iudicat. de vic.rat.in morb. acu.com.2°. 7ª.125.B
de Victus rõne liber hẽt duas partes.in 3ᵐ.de mor.vul.c.2°. 3ª.134.F
de Victus rõne in acutis librum alio commentario commentatũ fuisse Galenum constat.de vic.rat.in mor.acu.com.4°. 7ª.152.H
de Victus ratione librum prius exposuit Galenus in prognosticorũ,de humoribus,& aphorismis.de vic.rat.in mor.acu.cõ.2°.7ª.123.E
de Victu acutorum frustra legit qui de naturalibus facultatibus nõ legit.de vict.rat.in mor.acu.com.1°. 7ª.111.H
Victus ratio in Ægris qualis.2°.de dieb.decr. 4ª.155.D
Victus rõ debet assignari qñ ignoramus ægritudinẽ.1°.de cris.4ª.133.E
Victus Alexandrinorum qui.com.2°.aph.20°. Ex.14.D
Victus ratio Attenuans.de atten.vict. 2ª.43.G
Victus ratio attenuatorio quæ.3°.de comp.med.se.lo. 5ª.145.B
Victus qua ratione regendi sunt Calidi & humidi. in 1ᵐ.de mor.vul. commen.2°. 3ª.108.G
Victus Conualescentium qualis esse debeat.7°.meth.med. 7ª.46.C
Victus cubiti fracturæ.de frac.com.1°. 7ª.230.E
Victus ratio Crassanti.de atten.vic. 2ª.43.G
Victus ratio in non Delitiosis.1°.de ar.cur.ad Gla. 7ª.97.D
Victus ratio Diatritoriorum.10°.meth.med. 7ª.64.A
Victus ratio Epileptici.de puero epilep. 7ª.179.H
Victus Exactior qui.de arti.com.3°. 7ª.275.F
Victus Exiccãs in morbo comitiali dari debet.cõ.5°.aph.7°.Ex.38.A
Victu exiccante passus digitos cœpit non posse mouere,& non sentire. 6°.de san.tu. 2ª.99.F
Victu eò Exquisitiore, & diuturniore vtendum, quò grauiora sunt vulnera.de frac.com.3°. 7ª.243.F
Victus Extenuans qui.1°.de san.tu. 2ª.68.E
Victus q̃ non dandus statim ante febrem,neq; in febre,sed in declinatione.com.1°.aph.11°. Ex.5.A
Victus non est exhibendus nisi in declinatione,si vires constent. de to. mor.temp. 3ª.90.A
Victus febrium continuarum.1°.de ar.cur.ad Gla. 7ª.98.A
Victu quo vtantur frigidi,& humidi.8°.meth.med. 7ª.54.F
Victus rationem frigidam & humidam febris exigit.8°.met. 7ª.54.G
Victus vniuersus frigidº,& siccus quartanã efficit.2°.de dif.3ª.36.E
ad Victum Humectantem recurrendum si in senibus pp pituitam aliquid incidens,& dissecans opus est petere.5°.de san.tu. 2ª.92.D
Victus ratio humida excrementa, & succorum abundantiam parit. 6°.de san.tu. 2ª.96.G
Victus rationem humidam qui expetent.6°.de san.tu. 2ª.96.E
Victus quo modo exhibendus secundum Humores corruptos, & debilitatem virtutis,& è contra.com.1°.aph.17°. Ex.9.B
Victus Inflãmatorũ circa asperã arteriã.7°.de cõp.me.se.lo. 5ª.177.H
in Victu antiquorũ diuersitas in Laterali morbo.9°.de decr.1ª.283.B
Victus ratio Liquida.2°.de comp.med.sec.loc. 5ª.136.H
Victus rõnes Mõstruosæ quæ.de vic.rat.in mor.acu.cõ.1°. 7ª.109.G
Victus ratio in Mulieribus qualis esse debeat.de sal.diæ. 2ª.42.D
Victus Mutationes insignes in quibus tẽporibus fieri non debent.de victus rat.in mor.acu.com.2°. 7ª.122.G
Victus ratio non est subito mutanda.de nat.hu.com.2°. 7ª.182.D
Victus Parcus facit aborsum.com.5°.aph.45°. Ex.41.G
Victus ratio non põt seruari in Prægnantibus.cõ.5°.aph.55°.Ex.42.G
Victus ratio Quete vitam agentium.de bon.& vit.suc. 2ª.34.E
Victus ratio Refectoria quæ.7°.meth.med. 7ª.45.H
Victus rõne refectoria qñ in siccis vti debemus.7°.met.med. 7ª.45.H
Victus ratio Renutritoria qñ in siccis est facienda.7°.meth. 7ª.45.H
de Victu Salubri liber non est Hippocratis,& cuius sit.de vict.rat.in mor.acu.com.1°. 7ª.111.C
Victus salubris ratio quæ.de sect. Isa.15.H
Victus salubris caput quod sit.in 6ᵐ.de mor.vul.com.4°. 3ª.185.G
in Victu salubri duo præcipue obseruanda,ne sit mali succi cibus, & non faciat obstructiones.de bon.& vit.suc. 2ª.37.D
Victus sanis similis ægris contrarius.com.1°.aph.16°. Ex.8.H
Victus ratio Sicci & parum frigidi quæ.7°.meth.med. 7ª.46.G
Victum Similem postulat ætas,& consuetudo.8°.meth.me. 7ª.54.H
Victus genera similia faciunt morbos,dissimilia naturis dissoluunt præter quam in naturis temperatis,quæ a similibus iuuantur. com.2°. aph.20°.& com.3°.aph.3°.14.F/ Ex.20.B
Victus ratio in Stomacho pituitæ pleno.de med.fac.par. 7ª.175.H
Victum Tenuantem lõga experientia nouit Gal.de attẽ.vic. 2ª.43.G
Victus ratio tenuatoria quibus apta.1°.de sa.tu. 2ª.68.F
Victus tenuatoribus ad quid conducat.6°.de san.tu. 2ª.97.H
Victus tenuis in extremo tenuis & plenus,q.c.1°.aph.4°. Ex.4.A
Victus ratio tenuis quæ.de venæ sect.aduer.Eras. 6ª.8.G
Victum tenuem maxime sustinent habentes multos humores crassos in primis venis.4°.de san.tu. 2ª.84.H
Victus tenuis periculosus est.com.1°.aph.5°. Ex.4.C
a Victus ratione tenui vigiliæ fiunt.2°.de loc.af. 4ª.14.A
Victus tenuis facit melancholiam.3°.de loc.aff. 4ª.18.E
ob Victum tenuem,& laborem in colendis vitibus agricola memoriã rationemq; vitiatam habuit.3°.de loc.aff. 4ª.17.A
Victus Tenuissimus qui.de fracturis,commentario 2°.7ª.236.A/commen.1°.aph.7°. Ex.4.E
Victu tenuissimo vtaris in statu.1°.de ar.cur.ad Glau.79.H/ de vict. ratione in morbis acutis,commenta.2°.7ª.122.E/commentario 1°. aph.7°. Ex.4.E
Victus tenuissimus cur in vigore exhibendus.com.1°.aph.8°. Ex.4.G
Victus Validus qui.in 6ᵐ.de mor.vul.com.5°. 3ª.192.G
Victus Vulgaris quid significet.de artic.com.3°. 7ª.275.B
Victus vulgaris qui.de frac.com.3°. 7ª.248.C
Victus ratio omnes non curat.de vict.ratione in mor.acutis, commentario 1°. 7ª.110.E
VICVS *sutorius Romæ.de præcog.ad Posth. 4ª.215.E*
VIDENDI sensorium quale.4°.de loc.aff. 4ª.22.G
Videdi pcipuũ principiũ est Cristallinus humor.de instr.odor. 1ª.111.G
Videndi instrumentum cur lucidum.de instr.odor. 1ª.111.E
Videndi modus quomodo fiat.de hist.phil. Sp.9.D

Videndi sensus quibus de causis amittatur. 4°. de lo. af. 4ª.21.G
Videndi praua consuetudine mores animi corrumpuntur. 1°. de sanit. tuenda. 2ª.65.F
VIDENTIBVS *obscure non est medicamentum exhibendum. de victus rat. in mor. acu. com. 4°.* 7ª.150.F
Videns homo egerentem, mingentem, pandiculatione agentem, prouocatur ad hoc. de mot. man. & obsc. Sp.69.D
Videns homo serpentem subito pallet. de mot. man. & obs. Sp.69.D
VIDERE *oculi officium est. 1°. meth. med.* 7ª.5.H
Videre se negant quidã, ignorãtes quo videãt. aduer. emp. me. Is.35.C
Videant quare in vltimo serui constituti. 1°. de symp. cau. 3ª.15.D
Vident qui non a longe cur. 1°. de symp. cau. 3ª.14.B
cur Videbit praue animal. 1°. meth. med. 7ª.6.E
Videntur largius quæ sunt prope. de comp. memb. Sp.58.C
Videntur tenuius quæ sunt procul. de comp. memb. Sp.58.C
Videntur quo modo res duplices. de ocul. 7ª.186.B
Videantur quando omnia perforata. de ocul. 7ª.186.D
Videatur quo modo vulua. de anat. viu. Sp.49.E
VIDERI *potius, quã esse plures volũt. de præc. ad Posthu.* 4ª.213.G
Videri potius quam esse volunt. 2°. meth. med. 7ª.12.D
VIDVIS *minoribus symptomatibus capiuntur virgines. 6°. de loc. affectis.* 4ª.40.D
Viduarum perfrigeratio in vtero & ijs, quæ non purgantur, facit affectionem oris ventriculi. 1°. de symp. cau. 3ª.18.G
Viduis cõtigit sæpe dolor matricis ob abstinẽtiã viri. de pas. m. S.95.G
Viduæ potissimum præfocãtur. 6°. de loc. af. 4ª.39.F
Viduæ cur præfocentur. 6°. de loc. aff. 4ª.39.F
VIETVS penis. de hist. phil. Sp.10.H
VIGENTIVM *natura quæ. fin. med.* Is.44.G
Vigentis calor mordax est. com. 1°. aph. 14°. Ex.7.D
Vigentium calor siccior est q̃ puerorum. 3°. de symp. cau. 3ª.29.C
Vigente ætate abundat bilis flaua secundum Hippocratem. bre. denotat. dogmat. Hipp. 1ª.231.B
Vigentes retentricem & expultricem vim fortiorem habent ea puerorum. 3°. de symp. ca. 3ª.29.B
Vigentibus trahendi vim imbecilliorem habẽt pueri, sed ad vsum suũ sufficientem. 3°. de symp. cau. 3ª.29.B
Vigentium alteratrice facultate fortior est ea puerorum. 3°. de sympto. causis. 3ª.29.B
vt Vigentium in duris melior est coctio, ita puerorum in humidis, & mollibus rebus. 3°. de symp. cau. 3ª.29.C
Vigentibus quæ edulia competant. 3°. de symp. cau. 3ª.29.C
Vigente ætate fieri vt plurimum acutos morbos inquit Hippocrates. breu. den. dogm. Hipp. 1ª.231.D
VIGENTE *morbo nutrimus, & quare. com. 1°. aph. 9°.* Ex.4.H
VIGENTEM *pulsum & sordidum sine intermissione habet acmasticus. de dyna.* Sp.34.C
VIGESIMVS, *vigesimus septimus sunt dies boni iudicatorij. commen. 4°. aphor. 36°.* Ex.31.G
Vigesimus dies cur sit iudicatorius primus Galenus rationem reddidit. in progno. com. 3°. 4ª.207.C
Vigesimus dies cur decernat. 3°. de dieb. decr. 4ª.159.D
Vigesimus an acutus vel diuturnus nihil facit ad rẽ. 2°. de die. 4ª.155.b
Vigesimus dies tertij septenarij finis. in progn. com. 3°. 4ª.206.F
Vigesimo die nõ põt morbus finire, si septimo die cruditas adhuc adest. 1°. de dieb. decr. 4ª.151.C
Vigesimo die iudicatus est, qui in decimo quarto habet signum vrinæ rubræ. com. 4°. aph. 71°. Ex.35.E
Vigesimus dies ambiguitatem facit. 2°. de dieb. decr. 4ª.157.F
post Vigesimum vndecimum, & nonum inest quintus, & decimus tertius. 1°. de dieb. decr. 4ª.147.B
post Vigesimum dies non decernentes. 1°. de dieb. decr. 4ª.149.D
Vigesimum primum indicat decimus octauus. 2°. de die. dec. 4ª.152.F
Vigesimum primum aliqui præponebant vigesimo, sed non ipse Galenus neq; Hippocrates. 1°. de dieb. decr. 4ª.149.C
Vigesimus dies, non vigesimus primus est apud Hippocratem iudicatorius. com. 7°. aph. 38°. Ex.57.A
Vigesimus primus dies cur decernat. 3°. de dieb. decr. 4ª.159.D
Vigesimus septimus quo modo decernat. 1°. de dieb. decr. 4ª.149.C
Vigesimus septimus raro iudicat per sudores. c. 4°. aph. 36°. Ex.32.B
Vigesimi septimani sudores boni. præs. exper. conf. Sp.77.G
Vigesimus octauus dies non decretorius. in 1m. de morbis vulgaribus, comment. 2°. 3ª.120.C
Vigesimus octauus quo modo decernat. 1°. de dieb. decr. 4ª.149.C
VIGIL *multum cogitabundus, loquax, sobrius, si torpens, & tardus appareat mentem læsam significat. in 6m. de morbis vulgaribus. commentario 2°.* 3ª.168.H
VIGILANDVM *in principijs accessionum. com. 2°. aph. 1°.* Ex.11.A
VIGILANTI *exteriora magis calent. in 6m. de mor. vul. cõ. 5°.* 3ª.193.H *com. 2°. aph. 1°.* Ex.11.B
Vigilantis partes extrinsecæ calidiores, intrinsecæ frigidiores. in 6m. de mor. vul. com. 4°. 3ª.183.D
in Vigilante, & dormiente pulsus diuersitas. de ana. viu. Sp.45.H
a Vigilãtiũ pulsu quo differat pulsus dormiẽtiũ. 3°. d dif. pul. 4ª.98.H
Vigilantes quo modo febrem incidunt. 1°. de dif. feb. 3ª.31.G
Vigilantibus remedia capiti applicantur. 3°. de loc. aff. 4ª.17.H
VIGILANS *genus catochi. fin. med.* Isa.47.B
Vigilans sopor, & catochus quo modo differant. in 3m. de morb. vulg. com. 2°. 3ª.140.A
Vigilans sopor fit cum pituitosus, & biliosus humor abundauerit. 3°. de loc. affe. 4ª.16.H
Vigilans sopor vocem lædit. 4°. de loc. aff. 4ª.26.D
VIGILANTIA *quibus a natura insit. de aere, aq. & lo.* 2ª.6.E
Vigilantiæ quo modo sit iunctum coma. in 1m. prorr. com. 3°. 4ª.178.D
VIGILIA *quid. fin. med.* Isa.45.C
Vigiliæ coma opponitur. de com. 3ª.49.E
Vigiliæ sunt casus. com. 2°. aph. 30°. Ex.16.H
Vigilia necessario nostro corpori occurrit. ad Thras. 2ª.104.D
Vigilia vnum ex sex rebus non naturalibus. ars med. Isa.68.C
Vigilia ad quod genus causæ reducenda est. 1°. de san. tu. 2ª.68.H
Vigilia sub quarta parte medicinæ continetur. ad Thras. 2ª.108.D
Vigilia vnde sit. 1°. de symp. cau. 3ª.19.C *in 1m. pror. c. 2°.* 4ª.173.E
Vigiliæ, & somnus vnde. com. 2°. aph. 1°. Ex.11.B
Vigiliæ quibus fiant. de vic. rat. in mor. acu. com. 2°. 7ª.123.A
Vigilias causa potestate calida efficit. 2°. de loc. aff. 4ª.14.A
Vigilias, & motum excitat causa calida. 2°. de loc. aff. 4ª.14.B
Vigilias inducit ardor. 3°. de loc. aff. 4ª.16.F
Vigiliæ, & deliria sequuntur calidos humores, & mordaces. in 3m. de mor. vul. com. 1°. 3ª.124.E
Vigiliæ accedunt cum biliosa attrahuntur a capite, & thorace. de vi. rat. in mor. acu. com. 2°. 7ª.122.E
ex Vigilijs redundantis succi indicia quandoq; sumuntur. 4°. de sanit. tuenda. 2ª.84.E
Vigilias inducunt biliosi, & calidi morbi. 3°. de loc. aff. 4ª.16.F
Vigilias, & motus inducunt medicamenta calida. 2°. de lo. af. 4ª.14.A
Vigiliæ a siccitate fiunt. de vict. rat. in mor. acu. com. 4°. 7ª.134.G
Vigiliæ proprium siccitatis cerebri. 4°. de præs. ex pul. 4ª.120.G
Vigilias efficit ariditas sola. 3°. de loc. aff. 4ª.16.F
Vigiliæ causa est siccitas, & representationis somniorum. in 1m. prorr. commen. 1°. 4ª.163.G
Vigilia παραλῶδις id est turbulenta proprium phreniticorum. in 1m. prorrh. com. 1°. 4ª.163.H
Vigiliarum causa fluxiones. 7°. de comp. med. sec. loc. 5ª.180.D
Vigiliæ quo lunæ aspectu fiant. de decub. prog. ex math. scien. Sp.12.G
Vigiliæ propter quid pueris insit. com. 3°. aph. 24°. Ex.25.A
Vigilijs infestantur qui ætate declinant. 2°. de alim. fac. 2ª.22.E
Vigiliæ plus nocent cõsistẽtibus q̃ iuuenibus. cõ. 3°. aph. 30°. Ex.26.D
Vigilias faciunt curæ. com. 3°. aph. 31°. Ex.26.H
Vigilia quo modo sequatur morbi cruditatem. de vic. rat. in mor. acu. commen. 2°. 7ª.123.A
Vigilia nõ necessaria sequiti male cõcoquẽtẽ. 3°. de symp. cau. 3ª.30.H
Vigiliæ a vino meraciori, & a tenui rõne victus. 2°. de lo. aff. 4ª.14.A
Vigiliæ continuo insunt canibus vt sit ipsis proprium, commenta. 3°. aphorismo 31°. Ex.26.H
ĩ Vigilia calor extra ẽ, ĩ somno int°. in 6m. de mor. vul. c. 5°. 3ª.190.H
in Vigilia totum corpus alitur. in 6m. de mor. vul. com. 5°. 3ª.194.A
Vigilia, & cogitatio non rudis magis q̃ somnus intellectum perspicacẽ reddunt. ad Thras. 2ª.107.H
post Vigilias exercitatio quæ dicitur apotherapia sequatur. 3°. de sanita. tuen. 2ª.81.F
de Vigilia, & somno, & qñ fieri debeant. in progn. cõ. 2°. 4ª.198.H
VIGILIIS *in congrua mensura vtendum. de consuet.* 2ª.61.G
Vigilia secundum alios antiquos nunquam est moderata. commen. 2°. aphor. 3°. Ex.11.E

Vigiliæ quan-

Vigiliæ qñ bonæ,& qñ nõ bonæ, considerandum. 1°.*de crisib.* 4ª.128.*B*
Vigiliæ numerantur inter causas extrisecas lęsionum nostri corporis. de opt.nostri corp.const. 1ª.38.*C*
Vigiliæ sunt causæ recentes morborum.de nat.hum.com. 2°. 7ª.180.*E*
Vigiliæ pariunt morbos.de nat.hum.com. 2°. 7ª.182.*B*
Vigilia quo modo aleret corpus ars med. *Isa.*68.*C*
*Vigilia modum excedens ab aliquibus antiquis malum signum existimatur & causa,non tamen somnus.com.*2°.*aph.*3°. *Ex.*11.*E*
*Vigiliæ,& somnus vtraq; modum excedentia,morbus.com.*7°.*aphorisimo* 67°. *Ex.*60.*F*
*Vigiliæ vnde sint excedentes.com.*2°.*aph.*3°. *Ex.*11.*E*
*Vigilias ferre nõ põt a morbo liber anteq̃ sit affect*ª.*ad Thr.*2ª. 102.*D*
*per Vigilias,et inedias minus humorũ colligit.*2°.*de præs.* 4ª.109.*F*
*Vigilia fortis potus cibosq; crudos reddit & incoctos. de vict.rat.in mor.acu.com.*2°. 7ª.125.*A*
Vigiliæ generant bilem.in 6ᵐ.*de mor.vul.com.*1°. 3ª.157.*A*
*in Vigilijs redditur sanguis biliosior.com.*7°.*aph.*18°. *Ex.*55.*C*
Vigiliæ plures ostendunt futuram ægritudinem.ars med. *Isa.*67.*E*
ob Vigilias immodicas fit pulsus durus ī ephemeris. 1°.*de dif.*3ª.34.*C*
*Vigiliæ consuetæ magis tolerantur inconsuetis.c.*2°.*aph.*50°.*Ex.*19.*B*
Vigilia edax.in 6ᵐ.*de mor.vul.com.*4°. 3ª.185.*B*
Vigilia cur pariat appetentiam.in 6ᵐ.*de mor.vul.com.*4°. 3ª.185.*B*
a Vigilia & a somno quando sedatur sitis aut non. in 6ᵐ.*de mor.vulg. commen.*4°. 3ª.185.*H*
Vigiliæ a cibis duplex finis.in 6ᵐ.*de mor.vul.com.*4°. 3ª.185.*C*
Vigilia cur refrigeret.in 6ᵐ.*de mor.vul.com.*4°. 3ª.183.*H*
Vigiliæ augent halitum suliginosum. 10°.*meth.med.* 7ª.62.*H*
*Vigilia per halitum digerit,& siccat,& nõ coquit quæ in imo.de vic. rat.in mor.acu.com.*2°. 7ª.125.*B*
Vigiliæ digerunt. 12°.*meth.med.* 7ª.75.*G*
*Vigilia extenuat sufficienter.com.*2°.*aph.*28°. *Ex.*16.*D*
*Vigiliæ corpus exiccant.ars med.Isa.*68.*G/de cau.mor.* 3ª.7.*H*
Vigilia semper exiccat non tamen excalefacit vel refrigerat.in 6ᵐ.*de mor.vulg.com.*4°. 3ª.183.*H*
*Vigilia siccat totum corpus.*7°.*meth.med.* 7ª.46.*D*
*a Vigilijs corpus fit gracile,& aridum.*3°.*de san.tu.* 2ª.81.*F*
*Vigiliæ vitandæ sunt siccis temperamentis.*6°.*de san.tu.* 2ª.96.*E*
vt Vigilia exiccat concubitus,& quomodo. in 6ᵐ.*de mor.vulg.com. menta.* 5°. 3ª.192.*F*
Vigiliæ lædunt vires. 12°.*meth.med.* 7ª.73.*G*
Vigiliæ vires resoluunt. 12°.*meth.med.* 7ª.77.*D*
*ob Vigilias & laborem in studijs læditur memoria,& ratio.*3°.*de locis affectis.* 4ª.17.*A*
Vigiliæ q̃ vomitum non excitent.de ren.aff.dign.& med. 7ª.193.*A*
Vigiliæ multæ accendunt febres. 1°.*de san.tu.* 2ª.65.*F*
ex Vigilijs ephemera qualis. 1°.*de art.cur.ad Glau.* 7ª.95.*C*
ex Vigilijs quidam febricitant. 1°.*de diff.feb.* 3ª.31.*B*
*pp Vigilias nimias ephemera qũo cognoscat.*2°.*de cri.* 4ª.138.*G*
*ex Vigilijs ephemeræ pulsus hñt minores.*1°.*de ar.cu.ad Gla.*7ª.95.*C*
*Vigilijs vita assueta faciliter tertianas incurrit.*2°.*de dif.* 3ª.36.*D*
*ob Vigilias causus qñq; factus.de vict.rat.in mor.acu.cõ.*4°.7ª.134.*F*
*in Vigilia conuulsio,& desipientia.com.*7°.*aph.*18°. *Ex.*55.*C*
*Vigiliæ quo modo faciant conuulsionem,& desipientiam, & propter quid.com.*7°.*aph.*18°. *Ex.*55.*C*
*a Vigilijs fit conuulsio ex siccitate.*3°.*de lo.aff.* 4ª.17.*F*
Vigilia vt in sentiendi functione,ita conuulsio in epilepsijs. 1°.*de sym ptom.causis.* 3ª.19.*C*
*Vigiliæ faciunt melancholiam.*3°.*de loc.aff.* 4ª.18.*E*
Vigiliæ cum comate fiunt.in 1ᵐ.*prorr.com.*1°. 4ª.161.*B*
*cum Vigilijs & delirijs coniunctus sopor vnde.*4°.*de præs.*4ª.120.*H*
Vigilia cur sequatur soporem quandoque in acutis.in 3ᵐ.*de mor.vul. commen.*3°. 3ª.143.*F*
Vigilijs vacans sopor a qua materia fiat. in 3ᵐ.*de morb.vulgaribus, commen.*3°. 3ª.142.*A*
Vigiliæ sopore non confusæ a qua materia.in 3ᵐ.*de morbis vulgarib. commen.*3°. 3ª.142.*A*
ex Vigilijs tristitia,cogitationibus laborantes vrinam habent croceã igneam, & extra consuetudinem cholericam cum morsu veretri exeuntem.de dyn. *Sp.*34.*A*
Vigiliæ signa indicatiua crisis. 1°.*de crisi.* 4ª.128.*E*
Vigiliæ propter morbũ nõ offendũt iudiciũ. 1°.*de dieb.decr.* 4ª.150.*A*
Vigiliæ & angor in ardentibus semper exitiosum symptoma.in 1ᵐ.*de morb.vulg.com.*2°. 3ª.115.*A*
Vigliæ non indigent frictionibus,& lauationibus multis. 7°.*methodi medendi.* 7ª.51.*E*
Vigiliæ medicamentis admotis capiti sanantur. 1°.*de sym.cau.*3ª.19.*B*
in Vigilijs,& delirio perfusio ex papauerum capitibus. 13°.*methodi medendi.* 7ª.85.*E*
Vigilias compescit mandragora.de simp.med. *Sp.*87.*C*
*in Vigilijs dat stupefacientia.*12°.*meth.med.* 7ª.75.*B*
contra Vigilias αλεξίφαρμακον. 2°.*de alim.fac.* 2ª.22.*E*
*ad Vigilias valet antidotus Archiuij.*2°.*de antid.* 5ª.115.*H*
*ad Vigilias infestantes.*8°.*de comp.med.sec.lo.* 5ª.192.*H*
*ad Vigilias.*7°.*de comp.med.sec.loc.*180.*D/*5°.*de comp.med.per ge.* 5ª.245.*H/de med.fac.par.* 7ª.170.*E*
VIGILANT *cur non nulli.*2°.*de alim.fac.* 2ª.22.*E*
Vigilant magna ex parte ægri,quando iudicatio est propinqua. com. 4°.*aph.*71°. *Ex.*35.*C*
*Vigilant,& delirant in ardentium vigore, inclinante iam febre dormiunt,& sapiunt.*2°.*de loc.aff.* 4ª.14.*B*
*Vigilare præter voluntatem,graue.*2°.*de alim.fac.* 2ª.22.*E*
Vigilare qui non possint. 1°.*de alim.fac.* 2ª.10.*B*
*Vigilauerit cũ homo p horã sanguis detrahẽd*ª.*præs.exp.cõf.Sp.*77.*H*
VIGINTI *annis finiunt aliqui morbi.* 1°.*de dieb.decr.* 4ª.149.*D*
VIGOREM *habet ætas.de mor.temp.* 3ª.86.*D*
*Vigoris finem quidã siccũ,& frigidum arbitrantur.de marc.*3ª.46.*D*
VIGOR *in morbo quid.fin.med.Isa.*44.*G/*1°.*de crisi.* 4ª.125.*G*
Vigor morbi quid sit,& quando in peracutis.com. 1°.*aph.*7°. *Ex.*4.*E*
Vigor est quando maxima fit concoctio.de tot.mor.temp. 3ª.88.*F*
*Vigoris terminus est puris gñatio in inflãmatione.de tot.mor.*3ª.89.*G*
*in Vigore phlegmonis cur repercutientibus non vtamur.*13°.*metho. medendi.* 7ª.84.*E*
*Vigorẽ,& declinationẽ habet morbus oĩs q̃ soluit.de tot.mo.*3ª.89.*E*
Vigorem semper habentia mala,deterrima sunt.de vrin. 4ª.123.*H*
Vigoris signa quæ. 1°.*de crisi.* 4ª.126.*C*
*Vigor maior p̃m breuiorem febrem.*2°.*de diff.feb.* 3ª.36.*H*
*in Vigore sũmo nunq̃ ẽ febris acuta ī primo i*ſ*ultu.*1°.*de cri.* 4ª.132.*B*
ad Vigorẽ tarde accedũt frigidæ affectiões. in 1ᵐ.*prorr.c.*1°.4ª.164.*E*
ad Vigorẽ cito veniũt calidæ affectiones.in 1ᵐ.*prorr.com.*1°.4ª.164.*E*
in Vigore quædam ægritudines occidunt, quædam in tempore accessionis. 1°.*de crisi.* 4ª.125.*G*
Vigor morbi,& vires docent de victu instituẽdo.de to.mor. 3ª.90.*A*
ex Vigore ratio victus. in 1ᵐ.*de mor.vul.com.*2°. 3ª.120.*C*
*in Vigore morbi nihil dandum.com.*1°.*aph.*19°. *Ex.*9.*F/G*
*in Vigore morbi tenuissimo victu vtendum. de vict.rat.in morb.acut. commen.*2°. 7ª.122.*E*
*in Vigore cibus non est dandus.de vict.ra.in mor.acu.c.*2°.7ª.120.*G*
*post Vigorem conuenit cibum mutare,non ante. de victus rat.in mor. acu.com.*2°. 7ª.122.*G*
*in Vigore summo quidam cibandi.*10°.*meth.med.* 7ª.63.*C*
*ante Vigorem error est grauior, quam in principio.de vic.ra.in mo. acu.com.*2°. 7ª.122.*C*
Vigorem cessantem accessionis in febricitantibus aduertere oportet vbi sanguinem detrahis.præs.exper.conf. *Sp.*77.*H*
in Vigore prohibetur venæ sectio.præs.exper.conf. *Sp.*78.*D*
*per Vigores febrium deliria quomodo fiant.*3°.*de lo.aff.* 4ª.18.*B*
Vigor Lege Status,& Consistentia.
per VILLOS carnis diuisio.de ana.viu. *Sp.*55.*H*
Villi cordis quot.de anat.viu. *Sp.*46.*D*
penes Villos membrorum diuersitas.de ana.viu. *Sp.*55.*H*
per Villos fit motus omnis.de ana.viu. *Sp.*44.*G*
per Villos fit motus voluntarius in musculis.de ana.viu. *Sp.*44.*G*
Villorum fortium diuersitates plurimæ.de ana.viu. *Sp.*46.*D*
Villi attrahentes qui.de ana.viu. *Sp.*44.*H*
Villi retinentes qui.de ana.viu. *Sp.*44.*H*
Villi expellentes.de ana.viu. *Sp.*44.*H*
*in Villis rectis facultates attractrices.*4°.*de vsu par.* 1ª.141.*B*
Villi longitudinales attrahunt.de ana.viu. *Sp.*55.*H*
Villi transuersales retinent.de ana.viu. *Sp.*55.*H*
Villi latitudinales expellunt.de ana.viu. *Sp.*55.*H*
*in Villis transuersis facultates expultrices.*4° *de vsu par.* 1ª.141.*H*
*Villi qui attrahunt vesicis cur adsint.*11°.*de vsu par.* 1ª.145.*H*
*Villi qui retinent vesicis cur adsint.*5°.*de vsu par.* 1ª.145.*H*
*Villi qui excernunt vesicis cur adsint.*5°.*de vsu par.* 1ª.145.*H*

Villis quibus componatur gula.de ana.viu. Sp.49.F
Villos longitudinales,& latitudinales plures quàm alterius generis habet gula.de anat.viu. Sp.55.H
Villos transuersos,& latitudinales plures quàm alios habet stomachus.de ana.viu. Sp.55.H
Villos latitudinales magis quã alios hñt inteſtina.de ana.vi. Sp.56.A
Villi recti in aliquibus inteſtinis.4°.de vſu par. 1ª.141.B
Villi recti cur in inteſtino recto.4°.de vſu par. 1ª.141.B
Villos longitudinales habet longaon.de ana.viu. Sp.50.E
Villos latitudinales cur nam habet longaon propter compreſſionem. de ana.viu. Sp.50.E
Villi retentiui ſunt in monoculo.de ana.viu. Sp.44.H
Villi mẽbrorũ in qbus debet aliquid ĩmorari,quales.de ana. Sp.44.H
Villos ſtragulæ ſcalpens,& vellens.in 3ᵐ.de mor.vul.cõ.3°. 3ª.151.D
VINACEA quæ ſint.2°.de alim.fac. 2ª.18.C
Vinaceorum dilutum quo modo vocetur.2°.de alim.fac. 2ª.18.C
in Vinaceis uuæ conduntur,& quales.de att.vict. 2ª.46.A
in Vinaceis qui paſtilli ſeruentur.9°.de comp.med.ſec.loc. 5ª.203.H
VINARIA *vaſa aperta cito faciunt acetum. in 6ᵐ.de mor.vul.commentario 4°.* 3ª.182.H
Vinaria vaſa obturanda ſunt ne vinum aceſcat.de vinis. Sp.77.A
VINCIENDÆ *parti, & affectui debet vinculum conuenire. de faſcijs.* 7ª.294.A
Vinciendæ quomodo ſint partes diuerſæ.de faſcijs. 7ª.294.A
Vinciendi rationis diuerſitas.de faſcijs. 7ª.293.H
Vinciendæ quomodo ſint faſciæ quæ curant.de faſcijs. 7ª.294.B
Vinciendum quo modo ſit faſcijs.de faſcijs. 7ª.294.B
Vinciendi ratio qua caput innolutum ſine nodis defendit a tedio quod nodi comprimendo faciunt. de faſ. 7ª.294.G
ad Viciẽda venarũ capita sãguinẽ fundẽtia,laque⁹.de laq. 7ª.307.G
VINCIENTES *faſcijs abundent.de faſc.* 7ª.293.G
VINCIVNTVR *membra fracta faſcijs glomeratis.de faſc.* 7ª.293.F
VINCTVM *firmius tenent faſciæ factæ in longitudinem lintei. de faſcijs.* 7ª.293.H
VINCERE *qui debeãt ſciũt aliq luctatores.in prog.com.3°.* 4ª.207.E
VINCI *eſt alterari.3°.de nat.fac.* 1ª.304.A
Vicit ſe ligatore & iudice Theſſalus.1°.meth.med. 7ª.3.B
VINCVLORVM *diuerſitas,& diuerſa nomina.de faſc.* 7ª.295.A
Vincula vnde nomen accipiant.de faſc. 7ª.293.H
Vinculorum nomen ab animalibus.de faſcijs. 7ª.293.H
Vinculorum nomen ab euentis.de faſ. 7ª.293.H
Vinculum a ſuperiori parte iunctum.de faſc. 7ª.297.A
Vinculorum quædam ſunt vincula tantum,quædã vincula,& laquei. de faſcijs. 7ª.293.H
Vinculum aliud ab altero faſciarum capite incipit,aliud ab vtroque. de faſcijs. 7ª.293.H
Vinculorum diuerſitates multæ.de faſcijs. 7ª.293.H
Vinculũ cõuenire debet parti vinciendæ & affectui.de faſ. 7ª.294.A
Vinculum quo modo ſit iniiciendum.de faſc. 7ª.294.B
Vinculorum vſus qualis.de faſc. 7ª.294.B
Vinculum partes quadãtenus alterat.3°.de ſimp.me.fa. 5ª.17.D
Vincula qñ debent decidere in vaſis Abſciſsis caro habeť pro operculo.13°.meth.med. 7ª.86.F
Vinculo quando excipienda Arteria.13°.meth.med. 7ª.86.E
Vincula pro arterijs qualia eſſe debent.13°.meth.med. 7ª.86.F
Vinculum vocatum Auriga ad latera deliganda.de faſc. 7ª.303.A
Vinculum quo vinciuntur quæ iuxta Aurem ſunt,& maxillæ proceſſum.de faſcijs. 7ª.296.F
Vinculum Barbaricum.2°.de loc.af. 4ª.10.C
Vincula Brachiorum,& crurum reuellunt.de cucur.ſcar. 6ª.4.F
Vinculum vocatum Calceus.de faſcijs. 7ª.306.C
Vinculum ad Calculoſos educto calculo ſm aliquos Galeno authore non probatur & quo ipſe vteretur vinculo.de faſc. 7ª.304.E
Vinculum ad Caluariam eſt ſcapha vel tholus.de faſci. 7ª.295.C
Vinculum ad Calcem alligandum de faſc. 7ª.306.A
Vinculum Cancer appellatum.de faſc. 7ª.294.G
Vinculum cancrum pro inguine.de faſc. 7ª.304.B
Vinculum Capitis vnit venas.in tim.Plat. 1ª.288.A
Vinculum ad ſummum caput vinciendum,& id quod inter ipſum & frontem eſt.de faſc. 7ª.295.C
Vinculum quod a fulmine κεραύνιος appellatur.de faſc. 7ª.302.C
Vinculum ſimplex ad Ceruicem.de faſc. 7ª.302.C
Vinculum duplex ad ceruicem.de faſc. 7ª.302.D
Vinculum in ſpeciem literæ x,ad alam,& pectus.de faſc. 7ª.301.G
Vinculum Cæcum nominatum ægre ſoluiť.8°.de ana.adm. 1ª.100.G
Vinculum vbi Coniungere diducta neceſſe eſt.de faſc. 7ª.295.F
Vinculũ ad Cõtinẽdũ mẽbrũ,qđ in ſuũ locũ reſtituit.de faſ. 7ª.304.H
Vinculum ad Digitum magnum alligandum ſm antiquos,quos author reprehendit.de faſc. 7ª.306.C
Vinculum vocatum Diſcrimen.de faſc. 7ª.295.F
Vinculum ad Dorſum deuinciendum.de faſc. 7ª.302.B
Viculũ ad Fracturas quib⁹ carnis quoq; vuln⁹ acceſſit.đ fa. 7ª.305.D
Vinculum quibus quod inter Frõtem,& verticẽ eſt ac proximas partes conuenit deuincere.de faſc. 7ª.295.H
Vinculum inter frontem,& verticem ac proximas partes deuinciens. de faſcijs. 7ª.296.A
Vinculum ad frontẽ & ad id quod inter ipſum & verticem eſt.de faſc. 7ª.296.G/*idem in vtranq; partem ductum a ſuperiori parte deorſum.H/idem ab inferiori parte ſurſum.ibidem.*
Vinculum γενειὰς ſub mento circum agitur.de faſc. 7ª.295.A
Vinculum his quibus Genu in alteram partem lapſum reconditũ eſt. de faſcijs. 7ª.305.H
Vinculum Geranium eſt varium.de faſc. 7ª.293.E
Vinculum Geranium Hippocratis.de faſc. 7ª.301.A
Vinculum quod a gruis ſimilitudine γερανίδα dicitur ad fractum iugulum admouet Hippocrates.de faſc. 7ª.293.E
Vinculum Glaucis cui magis fidendum eſt quam vinculo ad caluariã. de faſcijs. 7ª.295.H
Vinculum Glaucij valde iunctum de faſc. 7ª.297.A
Vinculum ad partium quas vulnus diduxit Glutinationem atq; ad emittendum humorem.de faſcijs. 7ª.295.B
Vinculũ ad corporũ quæ abſceſſerunt glutinationem.de faſ. 7ª.304.b
Vinculum Hippocratis adducens.de faſc. 7ª.299.E
Vinculum vbi Humerus excidit.de faſc. 7ª.300.G
Vinculum ad Inguen vinciendum.de faſc. 7ª.304.B
Vinculum vbi Iugulum fractum eſt.de faſc. 7ª.300.G
Vinculũ ad deligandũ iuxta iugulum latũ os ſcapularum,pectus, dorſum aut latera.de faſc. 7ª.301.E/*idem in vtranq; partẽ ductũ.F*
Vinculi genus idem ſunt Lepus ſine auribus,ſemirhombus,nauicula. de faſc. 7ª.296.G
Vinculum ad Maxillam vulneratam,ſeu prolapſam,ſeu ob diſtentionem oris.de faſcijs. 7ª.296.B
Vinculum ad maxillam vtrinq; ſuo loco motam.de faſc. 7ª.296.C
Vinculum Menecrati ad partes extremas.de faſc. 7ª.305.A
Vinculum μετωπιαῖος frontem ambit.de faſc. 7ª.295.A
Vinculum ad Naſum qui accipiter dicitur.de faſc. 7ª.298.G
Vinculum ad Occipitium.de faſc. 7ª.294.F
Vinculum tenue Ocularium,vel ſimplex oculus. de faſc. 7ª.297.D/*idem ab inferiori parte ſurſum.ibidem.*
Vinculum oppoſitum.de faſcijs. 7ª.305.D
Vinculum vt in Palæſtra ductum.de faſc. 7ª.305.D
Vinculum ad alligãdã Palmã,vel primã palmæ partẽ.de faſ. 7ª.305.B
Vinculũ παρειὰς a malis p quas ducit nomẽ habet.de faſ. 7ª.295.A
Vinculũ ad Patelã quæ qñocũq; a ſua ſede pruperit.de faſ. 7ª.306.A
Vinculum ad vinciendum medium pectus,vel dorſum,aut latera,aut thoracem.de faſc. 7ª.301.G
Vinculum ad Pollicem vinciendum.de faſc. 7ª.305.C
Vinculum Regium quale.de faſc. 7ª.296.A
Vinculũ Rhõbus duplex eſt ſimplex & Hippocratis.de faſc. 7ª.295.c
Vinculum ſanguinem obturat.5°.meth.med. 7ª.30.F
Vinculum ſciſſum ad ſcrotum.de faſc. 7ª.304.F
Vinculi genus eſt Semirhõbus lepus ſine aurib⁹ tholus.de fa. 7ª.295.c
Vinculi ſpecies ſimplex debet eſſe orbicularijs.de faſc. 7ª.293.E
Vinculum Soſtrati rectum ad alam,& pectus.de faſc. 7ª.301.F
Vinculum ſpecioſum.de faſc. 7ª.295.H
Vinculi genus dictum σφενδονῆτος, & quod.de faſc. 7ª.295.A
Vinculo Stricta reuocant ad contrarium.5°.meth.med. 7ª.30.F
Vinculum vbi inter ſupercilia vel medium naſum deligare opus ſit. de faſcijs. 7ª.299.B
Vinculum Suſpendens ſex habens capita.de faſc. 7ª.303.E
Vinculum ſuſpendens ad colem.de faſc.303.H/ 7ª.304.A
Vinculũ ſuſpẽdẽs ad colẽ ex faſcia ſciſſa,& zona.de faſc. 7ª.304.A
Vinculum ad ſuturas vbi debiſcunt.de faſc. 7ª.295.B
Vinculum ad Talos vinciendos.de faſc. 7ª.306.B

Vinculi iun-

Vinculi iungentis testes & vasa substantia. 14°.*de vsu p.* 1ª.209.*H*
Vinculum testudo dictum.de fasc. 7ª.305.*H*
Vinculum dictum Thais Perigenis.vel Molphi.de fasc. 7ª.295.*D*
Vinculum alterum Thais quale.de fas. 7ª.295.*E/H*
Vincula varia quidam negligunt.de fasc. 7ª.293.*D*
Viculo vario caput cuidã ligatũ fuit,cui oculi pcidere.d fa. 7ª.293.*d*
Vincula varia non damnauit Hippocrates.de fas. 7ª.293.*D*
Vinculũ variũ solũ aptaĩ femori,humero,& cubito.de fas. 7ª.293.*E*
Vinculum ad eos quibus propter Varices qui inguen implent manus curatio admouetur.de fas. 7ª.304.*D*
Vincula Violenta corrumpunt, & refrigerant aliquando particulam animalis.de cau.mor. 3ª.7.*H*
VINDEMIAE *tempus,quale.* 1°.*de anti.* 5ª.110.*A*
VINDICTAE *appetentia quid sit in ira.* 2°.*de san.tu.* 2ª.74.*B*
Vindictæ cupiditas quales faciat pulsus. 2°.*de cau.pul.* 4ª.91.*D*
VINOSAE *vuæ quæ.* 2°.*de alim.fac.* 2ª.18.*B*
Vinosi non iuuantur euacuationibus.de cur.rat.per sang.miss. 6ª.17.*F*
VINVM *quid.de simp.med.* *Sp.92.B*
Vinum ex quo fiat. 2°.*de alim.fac.* 2ª.17.*H*
Vinũ totũ in vimineũ sub torculari conijcitur. 1°.*de nat.fac.* 1ª.295.*D*
Vinum quot habeat partes. 4°.*de simp.med.fac.* 5ª.24.*H*
Vinorum diuersitas.in 3ᵐ.*de mor.vul.com.* 2°.3ª.138.*D/* 1°.*de cõp. med sec.loc.* 129.*F/* 3°.5ª.147.*A/* 12°.*meth.med.* 76.*E/de vi.ra. in mor.acu.com.* 3°.125.*D/de ren.aff.dign.& me.* 7ª.195.*G*
Vina maxima differunt specie.de bon.& vit.suc. 2ª.38.*H*
Vinorum differentiæ qui obsunt. 4°.*de san.tu.* 2ª.8.*B*
Vina dissimilia cur fiant.de hist.phil. *Sp.12.A*
Vinũ diuersum facit vitis ad alia loca mutata. 3°.*de sym.ca.* 3ª.26.*E*
Vinorum propria natura qñ cognoscatur. 4°.*de simp.med.fa.* 5ª.27.*C*
Vina quæ apud omnes ferè nationes inuenit Galenus.de bon.& vitio succorum. 2ª.38.*G*
Vinum,mel,oleum,diutius seruantur,quàm alij succi. 3°.*de simplic. med fac.* 5ª.20.*F*
Vino põderosius mel quarta parte,et decima.de pon.& men. 5ª.275.*F*
ad Vinum & mel in pondere olei differẽtia.de põd.& men. 5ª.275.*F*
Vinum,& oleum eliquata parum relinquunt excrementi, sed tendit in aerem & vapores. 2°.*de diff.feb.* 3ª.41.*E*
Vinum absinthites ad quid valeat.de simp.me. *Sp.92.C*
Vino ex absinthio confecto curata est stomachi dissolutio quæ fecit atrophiam.de ther.ad Piso. 5ª.90.*D*
Vinum post absinthij comã qñ exhibẽdũ. 1°.*de ar.cur.ad Gla.* 7ª.99.*D*
Vinum quomodo intelligatur. 3°.*de diff.pul.* 4ª.63.*G*
Vinum acerbum quomodo mutetur perdulce, & amarum tempore. 4°.*de simp.med.fac.* 5ª.27.*D*
Vina acerba frigida sunt. 3°.*de comp.med.sec.loc.* 5ª.147.*A*
Vina acerba non calefaciunt.com. 2°.*aph.* 21°. *Ex.14.F*
Vina acerba omnibus vitijs thoracis magis noxia sunt,q̃ acerba. de at ten.vict. 2ª.46.*E*
Vino acerbo madefacta lana munda pro fluxione. 2°.*de art.curat.ad Glauconem.* 7ª.101.*H*
Vinum nullum secundum naturam Acidum.aduers.Ly. *Ex.63.H*
Vina facile acida fiunt in tepido loco. 1°.*de ant.* 5ª.101.*A*
Vina acescunt soli exposita. 4°.*de simp.med.fac.* 5ª.27.*H*
Vinum acetum cito faciunt vinaria vasa aperta. in 6ᵐ.*de mor.vulg. commen.* 4°. 3ª.182.*H*
Vinum quod acidum non fiet. 1°.*de ant.* 5ª.101.*A*
Vinum acescere non sinit calor ꝛconsideraꝛ. 1°.*de ant.* 5ª.101.*B*
Vino immittitur resina ne acescat. 2°.*de ali.fac.* 2ª.18.*E*
Vinum acre secundum gustandi qualitatem nominatur. de vic.rati.in mor.acu.com. 3°. 7ª.125.*G*
Vinum tempore fit acre. 3°.*de comp.med.per gen.* 5ª.233.*H*
Vina acria deponũt tpe dulcedinẽ,et fiũt amara. 4°.*de sim.m.f.* 5ª.27.*C*
Vinum acre & vetustum bibat,qui frigidos humores habet.de bon.et vitio succorum. 2ª.38.*D*
Vinum neque acre,neque vetustum bibat,qui calidos habet humores. de bon.& vit.suc. 2ª.38.*D*
Vinum Actum & acre.de ther.ad Pis. 5ª.95.*D*
Vinum Adrianum quale. 2°.*de ar.cur.ad Gla.* 7ª.102.*C*
Vinum adrianum aquosum. 12°.*meth.med.* 7ª.76.*F*
Vinum adrianum austerum. 7°.*meth.med.* 7ª.45.*F*
Vinum adrianum. 2°.*de anti.* 5ª.116.*F/* 7°.*meth.med.* 7ª.47.*A*
Vinorum qualitas Adstringens separata ab acida, vt bonitas a vitio est aduersus Lycum. *Ex.63.H*
Vina adstringentia generosa sunt.aduer.Lyc. *Ex.63.H*
Vina adstrictionem tempore abijciunt. 4°.*de simp.med.fac.* 5ª.27.*E*
Vinum adstrictionis particeps. 3°.*de simp.med.fac.* 5ª.21.*E*
Vinum Aegeates crassum vt sapa. 12°.*meth.med.* 7ª.76.*F*
Vinũ Aeginũ nigrũ & austerũ.de vic.rat.in mor.acu.cõ. 3°. 7ª.126.*H*
Vinum Aegyptium.de remed.par.fac. 7ª.163.*G*
Vinũ Albanum,sabinũ,& marsum aquosa sunt. 1°.*de anti.* 5ª.100.*H*
Vinum album aquosum. 12°.*meth.med.* 7ª.76.*F*
Vinum albanum austerum. 7°.*meth.med.* 7ª.45.*F*
Vinum Albates crassum vt sapa. 12°.*meth.med.* 7ª.76.*F*
Vinũ albates austerũ & dulce.de vic.rat.in mor.acu.c. 3°. 7ª.126.*H*
Vinum Album tempore fit fuluius,& flauum. de vic.rat.in mor.acu. commen. 3°. 7ª.126.*E*
Vinorum alborum differentiæ.de bon.& vit.suc. 2ª.38.*C*
Vina alba non sunt dulcia.de bon.& vit.suc. 2ª.38.*C*
Vinum album non potest valenter calefacere.de vict.rat.in mor.acu. commen. 3°. 7ª.126.*G*
Vina alba nulla callida. 12°.*meth.med.* 7ª.76.*F*
in Vino albus color non calidissimus. 5°.*de san.tu.* 2ª.91.*A*
Vinum album nullum est dulce.de atte.vic. 2ª.46.*C/de vic.ra.in mor bis acu.com.* 3°.7ª.125.*G/de vinis.* *Sp.76.F*
Vinum album austerum quale.de vinis. *Sp.76.F*
Vinũ album ponticum est minus calidũ vino albo.de dis.cõt. *Sp.74.D*
Vinum album austerum recens crassum sensibiliter refrigerat.de bon. & vit.suc. 2ª.38.*H*
Vina alba adstringentia inueterata. 4°.*de comp.med.per g.* 5ª.236.*D*
Vinum album minime calidum est.de vict.ratione in morbis acutis, commentario 3°. 7ª.126.*E*
Vinum quanto albidius,tanto minus calidum. 4°.*de simp.medicamẽ. facult.* 5ª.31.*D*
Vinum album minus calidum dulci.de vinis. *Sp.76.F*
Vinũ albũ,& austerũ,& iuuenile infrigidat sensibilr.de vin. *Sp.76.F*
Vina valde alba ab initio inueterata primo pallidula,mox planè pallida fiunt. 5°.*de san.tu.* 2ª.91.*A*
Vina alba non possunt omnino fieri flaua. 5°.*de san.tu.* 2ª.91.*B*
Vina alba crassa,& acerba minus nutriunt nigris rubris & crassis. 3°.*de alim.fac.* 2ª.33.*B/com.* 2°.*aph.* 18°. *Ex.13.G*
Vina crassa magis nutriunt,q̃ tenuia. 3°.*de alim.fac.* 2ª.33.*B*
Vinũ album purũ cur põpte in corpus digerit. 3°.*de nat.fa.* 1ª.308.*D*
Vinum album vinosum ad quæ valeat.de vic.rat.in morbis acutis.cõ mentario 3°. 7ª.126.*G*
Vinum album a balneo quando bibere debet senex. 5°.*de san.t.* 2ª.91.*c*
Vina alba flaua qualem sanguinem gignant.de att.vict. 2ª.46.*C*
Vinum album diureticum est.de simp.med. *Sp.92.B*
Vina alba per vrinas secedunt.de atten.vic. 2ª.46.*D*
Vinum album non facit dolere caput.de diff.cont. *Sp.74.F*
Vinum album modice adstringens pro morbo comitiali ex ore ventriculi. 5°.*de loc.affe.* 4ª.32.*F*
Vinorum alba,& substyptica,& subtilia,& non valde antiqua optima icteric is.de cura icter. *Sp.111.D*
Vino albo tenui paucifero quomodo mulsa fit fortior, & imbecillior. de vic.rat.in mor.acu.com. 3°. 7ª.128.*E*
Vina alba tenuia humores crassos incidunt, & sanguinem per renes purgant.de atten.vict. 2ª.46.*D*
Vinum colore album,& substantia tenue, exiguum & dilutum quibus dandum. 5°.*de san.tu.* 2ª.94.*G*
Vinum album & tenue quibus idoneum. 6°.*de san.tu.* 2ª.96.*A*
Vina alba tenuia similia aquis hydromeliti faciendo cõmoda minimũ nutriunt. 3°.*de alim.fac.* 2ª.33.*B*
Vinum album tenue in lassitudine phlegmonodes. 4°.*de sa.tu.* 2ª.87.*G*
Vina alba & tenuia qñ vlceribus conueniant. 6°.*meth.me.* 7ª.38.*E*
Vina alba tenuia sunt.de fract.com. 3°. 7ª.244.*H*
Vinum album tenue dulce. 1°.*de comp.med.sec.loc.* 5ª.128.*E*
Vinum album mutatum quid faciat.de vic.ratione in morbis acutis, comment. 2°. 7ª.121.*B*
Vina amara siccant immodice. 7°.*meth.med.* 7ª.47.*B*
Vina amara in syncope non sumenda. 12°.*met.med.* 7ª.76.*D*
Vinũ Aminaũ neapolitanũ differt a siculo,et bithynio. 1°.*d a.* 5ª.100.*H*
Vinum aminæum in Sicilia. 4°.*de comp.me.per gen.* 5ª.236.*D*
Vinũ aminaũ in magnis fictilibus siculi reponũt. 12°.*me.me.* 7ª.76.*G*
Vinum vitis aminææ acerbum tantum. 4°.*de simp.med.fac.* 5ª.26.*F*

Vinum Aminæum adſtringit euidenter. 1°.*de ſimp.me.fac.* 5ª.8.C
Vinum aminæum aquoſum. 12°.*meth.me,* 7ª.76.F
Vinum aminæum. 2°.*de ant.* 116.F/118.F/1°.*de cõp.me.ſec.lo.* 124. H/3°.148.C/4°.153.E/6°.171.E/7°.185.G/8°.188.G/189.F/196.C/9°.200.G/202.A/205.C/10°.206.B/2°.*de cõp.me.p ge.* 5ª.224.C/*de med.fac.par.* 166.G/170.H/ 7ª.179.D
Vina quæ tarde Antiquantur.de vinis. Sp.77.A
Vinum nullum antiquum album manet.de vict.ratio.in morb.acutis, commen. 3°. 7ª.126.D
Vinum antiquum calidum. 2°.*de loc.aff.* 4ª.14.A
Vinum antiquum calefacit.de præcog.ad Poſth. 4ª.214.E
Vinum antiquum eligendum in frigidis,& ſiccis. 7°.*met.me.* 7ª.47.A
Vinum antiquum quibus inimicum. 6°.*de ſan.tu.* 2ª.96.A
Vinum Aparachyton quale. 4°.*de comp.med.per gen.* 5ª.241.F
Vinum Aphrod ſeum in Aſia. 4°.*de comp.med.per gen.* 5ª.236.D
Vinum aphrodiſienſe in Aſia. 12°.*meth.med.* 7ª.76.G
Vinum aquoſum,& oligophorum quale ſit. 7°.*meth.med.* 7ª.45.E
Vinum aquoſum quid nam ſit.de vinis. Sp.76.C
Vinum aquoſum quod vocetur,& quale ſit. de vict.rat.in mor.acut. commen. 3°. 7ª.125.G
Vina aquoſa in Italia,& Aſia. 2°.*de comp.med.ſec.loc.* 5ª.133.D
Vinum aquoſum quale.de vic.ra.in mor.acu.com. 3°. 7ª.125.E
Vina aquoſa ſunt vina alba tenuia.com. 2°.*aph.* 11°. Ex.12.D
Vinum aquoſum nouum quale ſit. 7°.*meth.med.* 7ª.45.E
Vinum aquoſum antiquum quale ſit. 7°.*meth.med.* 7ª.45.E
Vinũ aquoſum flauũ & inodorũ.de vic.rat.in mor.acu.c. 3°7.ª.131.E
Vinum aquoſum habuit in ligno vitis pauciſſimam tranſmutationem, & leuiſſimam elementi terrei permiſtionem.de vict.rat.in morbis acu.com. 3°. 7ª.128.H
Vina aquoſa quæ. 1°.*de anti.* 5ª.100.G/12°.*meth.med.* 7ª.76.F
Vina aquoſa quando perueniant ad vetuſtatem. 1°.*de anti.* 5ª.100.H
Vina aquoſa cito veteraſcunt.de vinis. Sp.76.H
Vina aquoſa primo acida,poſtea amara fiunt.de vinis. Sp.77.A
Vina aquoſa quibus locis conſeruanda.de vinis. Sp.76.H
Vina aquoſa non adiuuant coctionem. 1°.*de anti.* 5ª.100.G
Vina aquoſa tenuia ſunt,& pauciſſimi alimẽti.de bo.et vi.ſu. 2ª.38.C
Vina aquoſa caput non feriunt. 12°.*metho.med.* 7ª.77.A/*de diſſolnti. continua.* Sp.74.F
Vino quomodo aqua miſcenda.de vic.rat.in mor.acu.com. 3°. 7ª.131.C
Vinum dum aqua miſcetur partes cuiusque ad minima confringũtur. 1°.*de elem.* 1ª.8.E
Vino miſta aqua quem colorẽ faciat,& habeat. 5°.*de ſan.tu.* 2ª.91.A
Vino ſi permiſceueris modicum bonæ aquæ ad digeſtionem, & vrinarũ ſeceſſionem erit benigna.de bon.aquæ. Sp.75.F
Vinum plurimum oportet inferre aquis autumnalibus, & æſtiuis vt earum vincantur malitiæ.de bon.aquæ. Sp.75.F
Vinum aqua miſtum quid agat.com. 7°.*aph.* 56°. Ex.59.B
Vina aquoſa parum in ſanguinem mutantur. 12°.*meth.med.* 7ª.77.A
Vina aquoſa,ideſt alba,& tenuia exiguum præbent corpori alimentum.com. 2°.*aph.* 18°. Ex.13.G
Vinum aquoſum non degenerat ab adſtringente.de vict.rat.in morbis acu.com 3°. 7ª.125.G
Vinum aquoſum languide,& exolute adſtringit. de vict.rat.in morb. acu.com. 3°. 7ª.125.G
Vinum aqua temperatum curat diſſolutiones ex magnis euacuationibus. 1°.*de ar.cur.ad Glau.* 7ª.98.H
Vinum aquoſum omnes vacuationes promouet. 11°.*met.me.* 7ª.69.H
Vinum aquoſum poſt dulce ſputa educit. de vict.ratio. in morb.acut. com. 3°. 7ª.126.F
Vina aquoſa ſuper omnia mouent vrinas. 12°.*met.med.* 7ª.77.A
Vina aquoſa celerrime par vrinam tranſeunt.cõ. 2°.*aph.* 18°.*Ex.*13.G
Vina aquoſa,cum ad vrina cieant pauciſſimum nutrimentum præbẽt corpori.de vinis. Sp.76.D
Vini aquei potus vrinæ quales.in 6ᵐ.*de mor.vulg.com.* 5°.3ª.192.A
Vinum cur citius ſurſum aſſumatur aqua. 3°.*de nat fac.* 1ª.308.D
Vino aquoſum auſterum conuenit imbecillas vires habentibus. 7°.*me thodi med.* 7ª.45.E
Vinum aquoſum exhibuit Galenus ſeni ægrotanti.de vict.rat.in morb. acu.com. 3°. 7ª.131.C
Vinum redolens inſtar Aromatis & vnguenti. de vict.ratio.in morb. acu.com. 3°. 7ª.125.E
Vinum Ariuſium in Aſia celebratum. 1°.*de antid.* 5ª.101.H
Vinum ariuſium quale. 12°.*meth.med.* 7ª.76.E
Vinum ariuſium odoratum dulce,& tenue. 1°.*de anti.* 5ª.102.A
Vinum ariuſium pro antidotis.de vinis. Sp.76.H
Vinũ ariuſiũ aptiſſimũ ad deductionẽ in corpᵍ. 12°.*met.med.* 7ª.76.G
Vini ariuſij meminit. 3°.*de ſimp.med.fac.* 5ª.22.F
Vinum Arſinium quale. 1°.*de antido.* 5ª.100.H/2°.*de arte curati.ad Glauconem.* 7ª.102.C
Vinum arſinium auſteram. 7°.*meth.med.* 7ª.45.F
Vinum arſinium aquoſum. 12°.*meth.med.* 7ª.76.F
Vinum Arſinium pro ſiccis in Aſia,& quale. 7°.*meth.med.* 7ª.45.E
Vinũ Aruiſium in Chio quale. 1°.*de cõp.me.per g.* 213.D/2°.5ª.223.B
Vinum aruiſium giluum in Chio. 4°.*de comp.med.per ge.* 5ª.236.D
Vinum aruiſium. 2°.*de anti.* 118.E/2°.*de comp.med.per ge.* 5ª.223.B
Vina in Aſia. 12°.*meth.med.* 7ª.76.G
Vina celebrata in Aſia. 1°.*de ant.* 5ª.104.E
Vina qũo in Aſia tractenẽ,vt fiant mitiora. 4°.*de ſimp.me.f.* 5ª.28.A
Vina tria in Aſia ad medicamenta. 2°.*de comp.med.per ge.* 5ª.223.B
Vinum Atrum adſtringit. 8°.*de ſimp.med.fac.* 5ª.61.C
Vinum Auſterum ſecundum guſtandi qualitatem nominatur.de vict. rat.in mor.acu.com. 3°. 7ª.125.G
Vinum auſterum calidum. 6°.*meth.med.* 7ª.39.D
Vina auſtera nobilia vocat,& qualia ſint. 7°.*meth.med.* 7ª.45.F
Vina auſtera alba ætate fiunt fulua. 12°.*meth.med.* 7ª.76.F
Vinum auſterum frigidum ex terreſtri ſubſtantia ortum. de fract.com menta. 3°. 7ª.245.A
Vina auſtera ſenſim auſteritatem deponunt. 4°.*de ſimp.me.f.* 5ª.27.C
Vina auſtera tempore acquirunt dulcedinem, & acrimoniam. 4°.*de ſimpl.med.fac.* 5ª.27.C
Vina auſtera craſſarum partium niſi vetera ſint. 4°.*de comp.med.per genera.* 5ª.239.F
Vinum auſterum quanto tempore eſt in ætate media. 4°.*de comp.me. per gen.* 5ª.239.F
Vina auſtera frigida. 3°.*de comp.med.ſec.loc.* 5ª.147.A
Vinum auſterum calidius. 3°.*de ſimp.med.fac.* 5ª.22.F
Vina auſtera & dulcia. 4°.*de ſimp.med.fac.* 5ª.26.F
Vina auſtera caput minime tetant. 12°.*meth.med.* 7ª.76.H
Vinum auſterum nõ vetus adſtringit. 5°.*de comp.med.per g.* 5ª.250.D
Vinum auſterum adſtringit.com. 2°.*aph.* 20ᵉ. Ex.14.D
Vina auſtera ventriculum roborant. 12°.*methodi meden.* 7ª.76.H/*de vinis.* Sp.76.G
Vino auſtero curabantur ventriculo imbecilles. 7°.*meth.me.* 7ª.43.H
Vina auſtera oĩbus vitijs thoracis opponunt.de atten.vic. 2ª.46.E
Vinis auſteris vtimur ad alui fluxiones ſiſtendas, & non ad aliud.de bon.& vit.ſuc. 2ª.38.D
Vinum auſterum magis calefacit quam aqua,& roborat in inteſtina. 6°.*meth.med.* 7ª.39.D
Vina auſtera dyſentericis dantur. 6°.*de ſimp.med.fa.* 5ª.46.A
Vina auſtera fugienda in ſyncope. 12°.*meth.med.* 7ª.76.H
Vinum auſterum. 8°.*de ſimp.med.fac.* 5ª.63.F
Vina cur non ita facile excerni noſcant,quæ cito ab expreſſione Biban tur.de bon.& vit.ſuc. 2ª.38.G
Vina quomodo cognoſcantur,an poſſint cito bibi a Vindemia. de boni. & vit.ſuc. 2ª.38.G
Vinum Bithynum ſplendens & album.de vinis. Sp.76.H
Vinum Bycium quale.de bon.& vit.ſuc. 2ª.38.D
Vinum habet Calidam naturam.com. 5°.*aph.* 5°. Ex.37.G
Vinum cur poteſtate calidum dicatur. 3°.*de temp.* 1ª.23.E
Vinum calidum deſcribitur. 3°.*de ſimp.med.fac.* 5ª.22.F
Vinum ex ſecundo ordine eſt calefaciẽtiũ,ſed quod admodũ vetus eſt ex tertio,ſicut muſtum quod vocant ex primo:caliditati eius proportione reſpondet ſiccitas. 8°.*de ſimp.me fac.* 5ª.57.B
Vina calidiora quæ. 3°.*de ſimp.med.fac.* 5ª.22.E
Vina valde calefacientia quæ. 7°.*met.med.* 7ª.44.B
Vinũ calidum eſt quod aquam ducit.in 1ᵐ.*de mor.vul.cõ.* 2°,3ª.108.F
Vinorum calidorum color qui. 5°.*de ſan.tu.* 2ª.91.A
Vina calidiora in Græcia quæ. 5°.*de ſan.tu.* 2ª.90.H
Vina calidiora in Italia quæ. 5°.*de ſan.tu.* 2ª.90.H
Vina minus calida in Italia quæ. 5°.*de ſan.tu.* 2ª.90.H
Vinum calidum ſumme eſt flauũ.de vic.rat.in mor.ac.c. 3°. 7ª.126.G
Vinũ calidum quibus dãdum. 5°.*de ſan.tu.* 2ª.94.G/*de vin.* Sp.76.G
Vina calidiora,et vrinas mouẽtia cõueniũt ſeni. 5°.*de ſa.tu.* 2ª.92.A
Vina calida antiqua cõueniũt habẽtibus in venis humorem frigidum; de vinis.

de vinis. Sp.76.G
Vinum calidum incidit phlegma,& mundificat ſtomachum. de diſſolutione cont. Sp.74.D
Vinũ calidũ dao re vẽtriculi male affecto.1°.de ar.cur.ad Gl. 7ª.99.C
Vina vehementer calida capitis grauedinem faciunt, & prudentiæ nocumentum.de vinis. Sp.76.E
Vinum Calidiſſimum frigidiſſimis dandum.5°.de ſan.tu. 2ª.94.G
Vina calidiſſima ſunt flaua.12°.meth.med. 7ª.76.F
Vinis Candidis pellucere peculiare eſt.2°.de cõp.me.per g. 5ª.223.A
Vinum Caryinum dulce morſu carens.6°.meth.med. 7ª.38.E
Vinum caryinum dulce.7°.de comp.med.ſec.loc.5ª.177.H/de victus rat.in mor.acu.com.3°. 7ª.125.G
Vinum caryinum.de atten.vic.rat. 2ª.46.E
Vinum Cæcubum calefacit.de bon.& vit.ſuc. 2ª.38.H
Vinum cæcubum.12°.meth.med.7ª.76.F/de vinis. Sp.76.H
Vina Celebratiſſima quæ.de atten.vict.rat. 2ª.46.D
ad Vinorũ alterationẽ multũ faciũt Cellæ vinariæ.1°.de ant. 5ª.100.H
Vinis in fideliꝰ translatis quæ cella melior.1°.de anti. 5ª.101.B
Vinum Chium in Aſia celebratum.1°.de ant. 5ª.101.H
Vinum odorum chium.7°.de comp.med.per gen. 5ª.272.B
Vinũ chiũ.2°.de ant.118.C/3°.de comp.med.ſec.loc.147.G/4°.152.G/H/155.H/156.A/C/5°.164.A/6°.169.H/7°.183.B/8°.5ª.194.b
Vinum Coum.5°.de cõp.me.ſe.lo.5ª.164.A/de med.fa.p. 7ª.168.A
Vinum Ciliciũ auſterum,& dulce ſimul.de bon.& vit.ſu. 2ª.38.C
Vinum Cirrhum calidum.de vinis. Sp.76.F
Vinum cirrhum auſterum qualc.de vinis. Sp.76.F
Vinum Citrinum antiquum facit dolere caput.de diſſ.cont. Sp.74.F
Vinum citrinum clarum,ſubtile,antiquum, calidum eſt cibus acutus incidens,& aperiens.de diſſ.cont. Sp.72.E
Vina Clara pellucida,pallida flaua nõ ſunt dulcia.de att.vic.2ª.46.C
Vinum Cnidium.6°.de comp.med.ſec.loc. 5ª.176.C
Vina Cotia dulciora tempore euadunt.4°.de ſimp.med.fa. 5ª.27.D
Vinorũ differentiæ in Colore.de vict.rat.in mor.ac.com.3°. 7ª.125.D
Vinum calor per ſe nec prodeſt nec obeſt. de vict.ratione in mor.acutis, commen.3°. 7ª.125.H
Vinum coloris granati eſt boni nutrimenti de diſſ.cont. Sp.73.B
Vinorũ differẽtia in cõſiſtẽtia.de vic.ra.in mor.acu.com.3°. 7ª.125.D
Vinũ ex mali Cotonei ſucco pro vẽtriculo ibecillo.7°.me.m. 7ª.43.H
Vina craſſa vt ſapa,quæ.12°.met.med. 7ª.76.F
Vina craſſa fecem faciunt.com.4°.aph.21°. Ex.29.D
Vina craſſa odora,& fortia in calidis regionibus reperiuntur.de vic.rat.in mor.acu.com.3°. 7ª.127.B
Vina nulla craſſa,& dulcia,quæ nigra non ſint.de bon.& vi. 2ª.38.C
Vina craſſa dulcia,nec acerba,nec auſtera,nec adſtringentia.de atten. dicta. 2ª.46.D
Vina craſſa,& dulcia habent humiditatem craſſam perdurantem. de atten.vict. 2ª.46.D
Vina craſſa,& colore rubra maxime nutriũt.c.2°.aph.11°.Ex.12.D
Vina craſſa,& fuſca magis alunt.com.2°.aph.18°. Ex.13.G
Vina nigra magis,adhuc magis alunt,ſed fuſca vniuerſim,& velociter alunt.com.2°.aph.18°. Ex.13.G
Vina craſſa valde nutriunt.de bonitate,& vit.ſuc.2°.38.C/14°.methodi meden. 7ª.91.F
Vina craſſa tenuioribus in alendo præſtantiora.3°.de alim.fa. 2ª.33.B
Vinis dat vim nutriendi craſſities.de bo.& vit.ſuc. 2ª.38.D
Vinum vuæ quod eſt coctum ex vua craſſa in natura ſua craſſus cibus,& cur.de diſſ.con. Sp.72.G
Vina admodum craſſa ſi conficiantur dant copioſius alimentum.3°.de alim.fac. 2ª.33.B
Vina craſſa,& dulcia iuuant affectus thoracis,& pulmonis,ſi cũ tenuantibus medicamentis adhibeantur.de atten.vic. 2ª.46.D
Vina craſſa dulcia melli conueniunt in multis.de atten.vic. 2ª.46.E
Vina craſſa celerrime nutriunt.com.2°.aph.11°. Ex.12.D
Vina craſſa dulcia aluum deijciunt.de bon.& vit.ſuc. 2ª.38.E
Vina craſſa nigra.de frac.com.3°. 7ª.244.G
Vina craſſa nigra dulcia fugienda.de ſan.tu. 2ª.91.C
Vina craſſa nigra dulcia craſſo sãguine venas replet.de att. 2ª.46.C
Vina craſſa nigra ſanguinẽ melancholicum gignũt.3°.de lo.af.4ª.18.F
Vina craſſa vitanda,& mali odoris,guſtu non grata,& auſtera.de bo nit.& vit.ſuc. 2ª.38.D
Vinis craſſis lien læditur.de vict.rat.in mor.acu.com.3°.7ª.126.A
Vinis craſſis nõ lçdit pulmo.de vic.ra.in mor.ac.com.3°.7ª.126.A
Vinum Creticum vinoſum dat in conuulſione. de vic.ra.in mor.acut. commen.4°. 7ª.144.E
Vinum creticum dulce.1°.de dign.pul.4ª.70.H/8°.de comp.me.ſe.lo.5ª.195.F/de rem.par.fac. 7ª.171.D
Vinum creticum.3°.de comp.med.ſec.loc.143.C/10°. 5ª.209.A
Vini Decoctio facit magis adſtringere.7°.de ſimp.med.fac. 5ª.51.B
Vinum Dilutum ὑδατῶδες vocant.5°.de ſan.tu. 2ª.94.F
Vinum dilutum qũo intelligendum.1°.de comp.med.ſec.loc.5ª.129.F
Vinũ dilutũ exoluit robur corpis.de vi.ra.in mor.ac.com.2°. 7ª.120.C
Vinum dilutum quibus dandum,& quantum.5°.de ſan.tu. 2ª.93.G
Vinum dilutum cur infantibus exhibendum.de ſal.diæ. 2ª.42.D
Vinum dilutum quid agat.de vic.rat.in mor.acu.com.2°. 7ª.121.B
Vinum aqua dilutũ nutrit cuſtodire ſanitatem.de ſimp.med.Sp.92.B
Vinum dilutum perfrigeratum quale.de bon.& vit.ſuc. 2ª.39.C
Vinum dilutum perfrigeratũ debet dari æſtuoſis.de bon.& vi.2ª.39.C
Vinum modice dilutum ſomnum conciliat.2°.de lo.aff. 4ª.14.A
Vinum diluti,& frigidiſſimũ bibãt ſiti moleſtati.de ſal.diæ. 2ª.43.B
Vino diluto os abluendum lacte ſumpto.3°.de alim.fa. 2ª.28.C
Vinum dulce ſecundum guſtandi qualitatem nominatur. de vi.rat.in mor.acu.com.3°. 7ª.125.G
Vinum dulce neq; ſubtile,neq; lucidum eſt.de vinis. Sp.76.D
Vina dulcia ſunt nigra craſſa.de atten. 2ª.46.B
Vina dulcia morſu carentia,quæ.6°.meth.med. 7ª.38.E
Vinum dulce vinoſum album,& nigrum. de vict.rat.in mor.acu.com menta.2°. 7ª.125.D
Vinũ dulce ſtatim & nigrũ exiſtit.de vic.ra.in mor.ac.c.3°.7ª.126.H
Vina ſolum dulcia.4°.de ſimp.med.fac. 5ª.26.F
Vina dulcia,& nigra quæ ſint.de vic.ra.in mor.acu.cõ.3°. 7ª.125.G
Vinum dulce quale ſit,& quæ bona quæq; mala faciat. de vic.rat.in mor.acu.com.3°. 7ª.125.G
Vinum dulce,& calidum eſt cibus calidus.de diſſ.cont. Sp.74.C
Vinum dulce,antiquum citrinum eſt cibus calidus.de diſ.cõ.Sp.74.C
Vinum dulce minus calidum rubro.de vinis. Sp.76.F
Vina dulcia ſunt calidiora auſteris.3°.de alim.fac. 2ª.33.B
Vinum dulce,& auſterum quale in Cilicia.de vinis. Sp.76.F
Vina dulcia,& craſſa,lenta,& humida.1°.de alim.fa. 2ª.6.G
Vinum dulce quid agat.9°.de decr.Hip.1ª.283.E/de diſ.cõ.Sp.74.G
Vinum dulce cur minus inebriet.de vic.ra.in mor.acu.c.3°. 7ª.126.B
Vinum dulce calefacit.de vinis. Sp.76.E
Vinum dulce calefacit mediocriter & ſitim facit. de vic.rat.in morb. acut.com.3°. 7ª.125.G
Vina dulcia in quãtũ deficiũt a vehementi caliditate,in tãtũ minus capitis grauedinẽ faciũt,& nocumẽtũ prudentiæ.de vinis. Sp.76.E
Vinũ dulce quẽ calorẽ febrilẽ faciat.de vi.ra.in mor.ac.c.3°.7ª.126.F
Vinũ dulce ſiticuloſum eſt.de vic.rat.in mor.acu.com.3°. 7ª.127.E
Vina dulcia cur ſitim faciant.de vict.ratione in mor.acutis.com.3°.7ª.126.C/de vinis. Sp.76.E
Vina dulcia ſunt ventoſa.de vinis. Sp.76.E
Vina dulcia cur flatuoſa.de vic.rat.in mor.acu.com.3°. 7ª.126.C
Vini dulcis flatus difficile reſoluitur.de victus ratione in mor.acutis, commen.3°. 7ª.125.G
Vinũ dulce,& ponticũ,& vua qñ non inflant.de diſ.cont. Sp.74.F
Vina dulcia facilius quam auſtera conficiuntur in ventriculo ac diſtribuuntur.3°.de alim.fac. 2ª.33.B
Vinum dulce eſt aſpero digeſtibilius.de diſſ.cont. Sp.73.D
Vina dulcia bibenda his qui debent nutriri,niſi viſcus aliquod aut renes impediant.de vinis. Sp.76.F
Vina dulcia ſanguinem craſſum gignunt.de atten.vic. 2ª.46.B
Vinum dulce lenit,3°.de comp.med.ſec.loc. 5ª.145.G
Vina dulcia aſperitudines leuigant.7°.de comp.med.ſec.lo.5ª.182.E
Vinis dulcibus dolorẽ magis ſedat ſapa.3°.de cõp.me.ſe.loc.5ª.140.C
Vinũ dulce cur in acutis cõueniat.de vic.ra.in mor.acu.c.3°.7ª.126.A
Vinũ dulce in affectionibꝰ acutis ad expuitionẽ bonũ.de vin.Sp.76.E
Vinum dulce facit expuere,& quando dandum in pleuritide, & peripneumonia.de vic.ra.in mor.ac.com.3°. 7ª.126.A
Vinum dulce cæteris aptius ſpuma mouet.de vic.rat.in morb.acutis, commen.3°. 7ª.126.E
Vinum dulce & ſputa educit.de vic.rat.in mor.acu.com.3°.7ª.126.E
Vina dulcia poſſunt mollire ventrem.6°.de ſan.tu. 2ª.97.F
Vinũ dulce aut comedaĩ,aut bibaĩ lenit ventrẽ.de diſſ.cõt. Sp.75.A
Vinum dulce lenit ventrem.de diſſ.con.75.B/de vin. Sp.76.E
Vinum dulce deiectionis cauſa prohibatur.2°.de alim.fac. 2ª.20.A

Vino aliquo dulci debent miſceri medicamẽta Thoracis & pulmonis. 5ª.35.C
5°.de ſimp.med.fac.
Vinũ dulce,põticũ craſſum,nouũ tarde deſcẽdit.de diff.con. Sp.74.H
Vina dulcia,& craſſa cur facile deſcendant & ſubducant ventrem.1°. 2ª.8.C
de alim.fac.
Vinum dulce poſt pruna deijcere facit.2°.de alim.fa. 2ª.21.D
Vinum dulce quantum participat craſſitie,tantum eſt tardi tranſitus. Sp.76.D
de vinis.
Vina dulcia inferioribus inteſtinis haud ſunt nocua : quamuis flatus Sp.76.F
ab ipſis genitus tarde meet, moreturq; in hypochondrys quouſq;
perfecte concoctus,ac tenuatus fuerit.de vinis.
Vinũ dulce bilioſos humores nec ſecũ educit nec euacuat.ꝺ vi.S.76.E
Vina omnia dulcia materia ſunt flauæ bilis.de vinis. Sp.76.E
Vinum dulce picrocolis non dandum.de vict.rat.in mor.acut.com.3°. Sp.76.E
7ª.125.G/*de vinis.*
Vinum dulce iecori affecto maxime nocuũ eſt.præcipueq; qñ phlegmo Sp.76.E
ne aliqua vel ſcirrhus in ipſo ſit.de vinis.
Vina dulcia ad vrinas non cito tranſeunt.de vinis. Sp.76.E
Vinum dulce optimum ſeni,quod.5°.de ſan.tu. 2ª.91.C
Vina dulcia pallida ſenibus conueniunt.5°.de ſan.tu. 2ª.91.C
Vina exigue dulcia non aſpernenda.de atten.vic. 2ª.46.E
Vinum dulce potens conuenit his,qui refici indigent, ſi iecur lien, & 2ª.38.D
renes vitio careant.de bon.& vit.ſuc.
Vinum dulce purgatis tuto exhibetur.præſ.exper.conf. Sp.78.D
Vinum dulce cur antidotis imponitur.1°.de ant. 5ª.102.A
Vina dulcia febrientibꝰ nõ cõpetũt,eo quod ſunt craſſa.de vi.Sp.76.E
Vino dulci nuper expreſſo comparat humores.2°.de nat.fa. 1ª.301.G
Vinũ dulce obſtructiones auget.de vic.rat.in mor.ac.cõ.3°. 7ª.125.H
Vinũ dulce craſſum obſtruit & obſtructionẽ perficit.de vin. Sp.76.E
Vinũ dulce quando hepati obeſt.de vic.rat.in mor.ac.cõ.3°. 7ª.125.H
Vinum dulce hepaticis affectionibus proprie obeſt.de victꝰ.ra.in mor. 7ª.125.H
acu.com.3°.
Vinum dulce facit oppilationem in iecore,& lapidem in renibus . de Sp.74.H
diff.cont.
Vinum dulce dilutum quibus concedendum.6°.de ſan.tu. 2ª.96.A
Vinũ dulce aquoſum ꝓ hydrope.de vic.rat.in mor.acu.c.4°. 7ª.152.G
Vina dulcia.7°.de comp.me.ſe.lo.177.H/8°. 5ª.195.F
ex Vino dulci roſaceo,& cera dolorem mitigans.2°.de arte curati.ad 7ª.101.G
Glauconem.
Vinum dulce ad vlcera neruorum.6°.met.med. 7ª.38.E
Vinum quomodo dicatur Durum.3°.de præſ.expul. 4ª.117.F
Vinum duꝛũ quomodo per metaphorã dicatur.3°.de dif.pul. 4ª.63.H
Vinum Epheſium.9°.de comp.med ſec.loc. 5ª.200.G
Vinum in Ereſſo flauum.12°.meth.med. 7ª.76.E
Vinũ exiguũ & dilutũ quale,& quibus dandũ.5°.de ſan.tu. 2ª.94.F
Vinorum differentia in Facultate.de vic.rat.i mor.ac.c.3°. 7ª.125.D
Vini facultas qũo cognoſcatur.de vic.rat.in mor.acu.c.3°. 7ª.129.B
Vinum Falernũ giluũ in Italia.4°.de comp.med.per gen. 5ª.236.D
Vinum falernum quale.de bon.& vit.ſuc.2ª.38.C/ 2°.de arte curati. 7ª.102.C
ad Glauc.
Vinum falernum quod a cauponibus vendiꝛ quale.1°.de ant. 5ª.101.F
Vinum falernum calidius.3°.de ſimp.med.fac. 5ª.22.F
Vinum falernum ex ſignis dulce cognouit Galenus cum primum Romę 4ª.70.H
oblatum ei eſſet.1°.de dign.pul.
Vinorum falernorum differentiæ.12°.meth.med. 7ª.76.E
Vinũ falernũ duplex.de ther.ad Piſ.95.G/1°.de ant.101.C/ 5ª.102.A
Vini falerni dulcis ſpecies eſt vinũ Hippodomãtiũ.12°.m.m. 7ª.76.H
Vinum falernum dulce,& flauum.6°.met.med. 7ª.38.E
Vinum falernum valde calefacit.7°.meth.med. 7ª.44.D
Vinum falernũ temperat omnia alia vina.12°.met.med. 7ª.76.E
ex Vino falerno quando ſumendum ſar ſeni.5°.de ſan.tu. 2ª.92.D
Vinũ falernũ quale in ſyncope ex crudis humoribꝰ.12°.met. 7ª.76.E
Vinum falernum omnia eccedit in Antidotis.1°.de ant. 5ª.101.C
Vino falerno conficitur Theriaca.de ther.ad Piſ. 5ª.95.G
Vinum falernum vnum ex ſimplicibus Theriacam ingredientibus, 5ª.104.B
quæ videntur Galeno difficulter haberi.1°.de anti.
Vinum falernum quale optimum ad theriacam.1°.de anti. 5ª.101.G
Vinum falernum quod eligendum.1°.de ant. 5ª.101.C
Vina falerna adulterantur.1°.de anti. 5ª.106.H
Vinum falernum viginti annorum.1°.de anti. 5ª.101.G
Vinum falernum deſcriptum ſm ætates in fidelijs.1°.de anti. 5ª.101.G
Vinum falernũ vetus nõ debet ingredi Theriacam.1°.de ant. 5ª.101.C

Vinum falernum caput tentat.12°.meth.med. 7ª.76.H
Vinum falernum per ſaccum non excolatum.9°.de comp.med ſecun- 5ª.202.F
dum loc.
Vinum falernum auſterum.2°.de comp.med.ſec.loc. 5ª.140.A
Vinum falernum faluum eſſe colligit.4°.de comp.med.ſe.lo. 5ª.152.B
Vinum falernum nigrum.7°.de comp.med.per gen. 5ª.274.B
Vinum falernum vetus.3°.de comp.med.ſec.loc. 5ª.148.G
Vini falerni fit mentio.2°.de anti.111.H/112.C/219.C/120.F/2°.de Sp.76.D
comp.med.ſec.loc.140.C/4°.155.E/H/156.B/157.B/7°.179.F/
180.A/182.A/F/184.D/185.E/8°.193.D/197.A/9°.198.H/
200.D/202.E/203.B/204.F/1°.de com.m.per g.213.C/2°.222.
D/223.A/224.F/5°.251.C/252.A/7°.271.G/ 5ª.272.G
pro Vino falerno quid ſuſcipiendum.1°.de compo.medicam.per gene- 5ª.223.B
ra.213.D/2°.
Vino falerno ſimile Tmolite,& quale.1°.de comp.med.per g. 5ª.213.D
Vinum Fauſtinum quale.de bon.& vit.ſuc. 2ª.38.C
Vinum fauſtianum,& ſabinum pauciferum.de vinis. Sp.76.D
Vinum fauſtianum.de ther.ad Piſ. 5ª.95.G
Vinum fauſtianum.1°.de anti. 5ª.101.C
Vinum Feruefactum venenis aduerſatur.in 6ᵐ.de mor.vul.commen- 3ª.196.G
tario.6°.
Vini Fex quæ.2°.de nat.fac. 1ª.301.G
Vini craſſum eſt fex.1°.de ſimp.med.fac. 5ª.5.D
Vini Fex vſta vnum ex fortiſſimis medicamentis ad achoras.1°.de cõ 5ª.129.D
poſi.med.ſec.loc.
Vini fex vſta.9°.de comp.med.ſec.loc.203.G/10°. 5ª.207.D
Vinorũ feci humorẽ melãcholicũ aſſimilat.c.6°.aph.11°. Ex.47.D
Vini feci recte aſſimilatur niger ſa[illegible]uis.14°.meth.med. 7ª.89.F
Vini fecibus humor ſimilis,& quando.6°.de loc.aff. 4ª.36.E
Vini feci ſimilis humor in apoſtematibus quandoq; inuentus eſt.14°. 7ª.90.E
meth.med.
Vina fiunt flaua tempore.de vinis. Sp.76.H
Vina flaua quæ.12°.meth.med. 7ª.76.F
Vinum flauum duplex vt nigrum.de vinis. Sp.76.F
in Vino color flauus calidiſſimus eſt.5°.de ſa.tu. 2ª.91.A
Vinum flauum calidum eſt.de vinis. Sp.76.F
Vinum flauum nullum eſt multum dulce.de atten.victꝰ.ra. 2ª.46.C
Vina flaua rutila ſunt mediocriter dulcia.de bon.& vit.ſuc. 2ª.38.C
Vina flaua tenuia vetera,qualia.12°.met.med. 7ª.76.D
Vina flaua tenuia.de fract.com.3°. 7ª.244.H
Vina flaua dulcia ſplendida,qualia.de atten.vic.rat. 2ª.46.D
Vinum flauum tangit caput quia calidius nigro.de vinis. Sp.76.F
Vinorum flauorum vrinæ quales.in 6ᵐ.de mor.vul.cõ.5°. 3ª.192.A
Vini Flos quid.2°.de nat.fac.1ª.301.G/4°.de ſimp.me.fa. 5ª.24.H
in Vino flos eſt id quod ſupernatat.4°.de vſu par. 1ª.136.A
Vinum quanto Fortius eſt,tanto terreſtrius.de vtil.reſp. Sp.64.E
Vinum quanto fortius eſt,tanto ponderoſius.de vtil.reſp. Sp.64.F
Vina multa fortia epota præſertim ante cibum cauſant podagram.cõ. Ex.49.A
6°.aph.28°.
Vina quæ fuerũt i Frigido loco vbi poſtea ponẽda.1°.de ant. 5ª.101.A
Vina quæ non exigunt frigus,neq; a principio.1°.de anti. 5ª.101.A
Vinum frigidum cur a calore extrinſeco arguatur.4°.de ſimp.medic. 5ª.27.H
facult.
Vinis frigidis aquoſioribus quid cõtingat.4°.de ſimp.me.fa. 5ª.27.H
ex Vino frigido,& mulſo alica nihil mali ſucci in ſe habet.de boni.& 2ª.39.C
vit.ſuc.
Vinum frigidum conuenit in animi defectu ex ſudore.1°.de ar.cur.ad 7ª.99.B
Glauconem.
Vinum fuluum duplex eſt,dulce,& auſterum.de victꝰ.rat.in mor.acu 7ª.126.H
tis,com.3°.
Vina fulua,& odorata.4°.de comp.med.ſec.loc. 5ª.152.B
Vinum fuluum eſt calidum prope flauum.de vic.rat.in morb.acutis, 7ª.126.G
commen.3°.
Vina fulua,vel alba ſubſtantia tenuia,quæ ſint in Italia.4°.de ſanita. 2ª.85.G
tuenda.
Vina fulua,vel alba ſubſtantia tenuia,quæ ſint in Aſia.4°.de ſanitate 2ª.85.G
tuenda.
Vina fulua,vel alba ſubſtãtia tenuia,quibꝰ dãda.4°.de ſa.tu. 2ª.85.G
Vina fulua tenuia pro ſyncope.12°.meth.med. 7ª.77.A
Vina fulua craſſa tardius in corpus deducuntur, & qualia ſint. 12°. 7ª.77.A
meth.med.
Vina fulua poteſtate calida ſunt.de bon.& vit.ſuc. 2ª.38.G

Vina fulua in totum calidiora. 3°. de comp.med.sec.loc. 5ª.147.A
Vina fulua protinus caput replent. de bon.& vit.suc. 2ª.38.G
Vina fulua caput feriunt. 12°. met.med. 7ª.77.A
Vina fulua magis coctioni conducunt. 12°. meth.med. 7ª.76.H
Vino fuluo quando vtendum. de vic.rat.in mor.acu.com. 3°. 7ª.126.b
Vinum fuluum antiquum da in Hydrope. de vict.rati.in morbis acut. commen. 4°. 7ª.149.B
Vinũ fuluum contra febrẽ est. de vic.rat.in mor.acu.com. 3°. 7ª.126.F
Vino Galla incocta ad quid valeat. 7°. de simp.med.fac. 5ª.51.B
Vinum Gaurianum aquosum. 12°. meth.med. 7ª.76.F
Vinorũ Græcorum & Italorum comparatio. 5°. de san.tu. 2ª.90.B
Vinum græcum. 2°. de compo.med.per gen. 5ª.225.B
Vinorũ differentia ex gustu. de victus rat.in mor.acu.cõ. 3°. 7ª.125.D
Vinum humidum. 1°. de temp. 1ª.12.G
Vinũ Hippodamãtiũ est ex specie falerni dulcis. 12°. met me. 7ª.76.H
Vinum hyppodamantium quale. de bon.& vit.suc. 2ª.38.C
Vina igni admota non acescunt. 4°. de simp.med.fac. 5ª.27.D
Vinum Ibecille quale. de vict.rat.in mor.acu.com. 3°. 7ª.125.E
Vinum quod magis Inebriat. de diff.cont.. Sp.74.F
Vinum Italicum nigrum. 9°. de comp.med.sec.loc. 5ª.200.G
Vinũ, Italicum odoratũ. 1°. de comp.med.sec.lo. 125.A/8°. 5ª.193.B/C
Vinũ Italicũ optimũ inter austera. 3°. de comp.med.per ge. 5ª.230.A
Vinum Italicum. 4°. de comp.med.sec.loc. 152.E/154.C/155.B/156. A/H/7°. 184.G/185.F/8°. 193.C/9°. 200.C/204.C/H/ 10°. 207. H/2°. de comp.med.per gen. 224.B/C/ 5ª.225.H
Vini Italici fex. 7°. de comp.med.per gen. 5ª.270.G/H
cum Vino debet misceri Ladanum, non cum oleo. 4°. de comp.medica. per gen. 5ª.241.A
Vinum Lentiscinum. de med.fac.par. 7ª.167.B
Vinum Lesbium vbi nascatur,& quod odorum. 1°. de composi.medic. per gen. 5ª.213.D
Vinum lesbium in Asia. de vinis. Sp.76.G
Vinum lesbium in Asia celebratum. 1°. de antid. 5ª.101.H
Vinum lesbium quale. 1°. de art.cur.ad Glau. 7ª.99.A
Vinum lesbium odoratum giluum. 4°. de comp.med.per g. 5ª.236.D
Vinum lesbium odoratum dulce,& tenue. 1°. de anti. 5ª.102.A
Vinum lesbium flauum. 12°. met.med. 7ª.76.E
Vina lesbia optima quæ. 1°. de antid. 5ª.102.A
Vinum lesbium calidius. 3°. de simp.med.fac. 5ª.22.F
Vinũ lesbiũ aptissimũ est ad deductionẽ in corpus. 12°. m.m. 7ª.76.G
Vinum lesbium caput tentat. 12°. met.med. 7ª.76.H
Vinũ lesbiũ ad medicamenta vtile. 2°. de comp.med.per ge. 5ª.223.B
Vinum mixtum cum Licio,& nitro est confortatiuum, constrictiuum, & solidatiuum. de ocul. 7ª.189.F
Vina quæ sunt in Mæonia dulcia sunt. de vict.ratione in morbis acut. comment. 3°. 7ª.125.G
Vinum habens aquam marinam si quis siticulosus biberit, corpus incẽditur. de vic.rat.in mor.acu.com. 3°. 7ª.134.C
Vina cum aqua marina ad quæ. 2°. de ar.cur.ad Gla. 7ª.101.H
Vinũ mari mistũ bibat splenicus. 9°. de comp.me.se.lo. 5ª.199.B/F
Vinum maris expers. 1°. de comp.med.sec.loc. 5ª.126.A
Vinum Marsum in Italia. 4°. de comp.med.per gen. 5ª.236.D
Vinum marsum quale. 1°. de antid. 5ª.100.H
Vinum marsum adstringit vehementer. 1°. de simp.med.fac. 5ª.8.C
Vinum marsum. 12°. meth.med. 7ª.76.D
Vinum Massilioticum quale. 2°. de ar.cur.ad Gla. 7ª.102.C
Vina vt Medicamenta sunt consideranda. 5°. de san.tu. 2ª.94.G
de Vino Hippocrates egit vt medicamentum, non vt alimentum in libro de ratione victus. 3°. de alim.fac. 2ª.33.A
Vinum pro medicamento assumitur assumpto cibo. in 6m. de mor.vul. commen. 6°. 3ª.196.F
Vina quæ non recipienda in medicamentis. 1°. de anti. 5ª.101.B
ex Vino medicamentum facit in inflãmationibus arteriæ, tñ in ipsis a vino est abstinendum. 7°. de comp.med.sec.loc. 5ª.177.H
Vinum Medicatum pro articularibus. 5°. de sa.tu. 2ª.91.C
Vinum medicatum pro calculosis. 5°. de san.tu. 2ª.91.C
Vinum Mediocre mediocribus dandum. 5°. de san.tu. 2ª.94.F
Vinis Melle conditis quando bibere debent senes. 5°. de san.tu. 2ª.91.C
Vinum aptum compositioni mellis. 5°. de san.tu. 2ª.91.C
Vini mellis & mulsæ meracitas quo differat in nutriendo. de vic.ra. in mor.acu.com. 3°. 7ª.129.A
Vino mel miscẽdum ad colluẽdos dẽtes posi lac. 3°. de ali.fac. 2ª.28.C

Vinum Mendesium. 2°. de comp.med.sec.loc. 138.B/4°. 5ª.154.D/de *med.fac.par.* 7ª.173.F
Vinum Meracius intestinis magis conuenit. de vict.rat.in mor.acutis, commen. 3°. 7ª.127.A
Vinum Meracius quid agat. de vict.rat.in morb.acu.com. 1°. 7ª.121. *B/com. 7°. aph. 56°.* Ex.59.B
Vinum meracius ebulit & sitim facit. in 6m. de morb.vulga. commentario 4°. 3ª.185.H
Vinum meracissimum calfacit,& exiccat, si cum maza, & oleribus conferatur. de salubri diæ. 2ª.40.A
Vinum Merum exiccat. 3°. de præsag.ex puls. 4ª.119.C
Vino meraco qui se implent tremunt. 2°. de symp.cau. 3ª.20.E
Vinum meracius plurimum epotum comitialem morbum ex ventriculo facit. 5°. de loc.aff. 4ª.32.G
ob Vini meri potationem dolori capitis confert succus centaureæ. de vir.cent. Sp.93.B
Vino meraciori quandoq; sanatur hemicrania. in 6m. de morbis vulg. commen. 6°. 3ª.196.E
Vinum meracius cur bibendum lotis calida. de sal.diæ. 2ª.41.H
Vino trita Metalla qualia. 4°. de comp.med.per gen. 5ª.241.D
Vinum Metymne flauum. 12°. met.med. 7ª.76.E
Vina Mollia, quæ. 7°. de comp.med.sec.loc. 5ª.177.F
Vinum Mulsum seruabatur vt inueteraſceret. 3°. de comp.med.secundum loc. 5ª.143.F
Vinum mulsum ad conglutinandum melius est melicrato. 2°. de ar.cu. ad Glauco. 7ª.106.C
Vinum mulsum. 3°. de comp.med.sec.loc. 5ª.143.C
Vinum multiferum quale. de vic.rat.in mor.acu.com. 3°. 7ª.128.H
Vinum Musteum crassi succi. de atten.vic. 2ª.46.C
de Vino musto exemplum ad coctionẽ Iecoris. 4°. de vsu pa. 1ª.136.A
Vinum Myrteum. 8°. de comp.med.sec.loc. 189.E/ 5ª.192.G
Vinum myrtibite. 3°. de comp.med.sec.loc. 143.H/8°. 5ª.191.E
Vinum Mysinum vbi. 12°. meth.med. 7ª.76.F
Vinum mysium in Asia. 4°. de compo.med.per gen. 5ª.236.D
Vinum Mytilenum flauum. 12°. meth.med. 7ª.76.E
Vinum Nardinum. 9°. de comp.med.sec.loc. 5ª.200.G
Vina nigra vbi nascantur. 5°. de san.tu. 2ª.91.B
Vina nigra vetustate in rubrum, fuluum,& flauum transeunt. de bon. & vit.suc. 2ª.38.F
Vinum fit nigrius vetustate. 1°. de antid. 5ª.101.D
Vinum nigrum commotum spumam albam facit. de natura & ordine cuiuslibet corpo. Sp.42.C
Vinum nigrius non ita calidũ est vt rutilũ. de bon.& vi.suc. 2ª.38.E
Vinũ nigrũ necessario nõ est dulce. de vic.ra.in mor.ac.c. 3°. 7ª.126.H
Vinum nigrum duplex est, dulce,& austerum. de vict.rat.in mor.acu. commen. 3°. 7ª.126.H
Vina nigra austera quæ,& vbi. de vic.ra.in mor.acu.cõ. 3°. 7ª.126.H
Vinum nigrum austerum habet hebetem odorem nec effumat ad caput. de fract.com. 3°. 7ª.245.A
Vino nigro austero qñ vtendum. de vict.ra.in mor.acu.c. 3°. 7ª.126.H
Vini nigri austeri exemplum petit ex eo quod Cilicia fert, quod vocãt Aegeatem. de atten.vict.rat. 2ª.46.E
Vina nigra dulcia quæ,& vbi. de vic.ra.in mor.acu.c. 3°. 7ª.126.H
Vinum nigrum dulce, austerum, quale. de vinis. Sp.76.F
Vinum nigrum austerum quale. 9°. de dec.Hip. 1ª.283.F
Vinum nigrum austerum adstringens. 5°. meth.med. 7ª.31.G
Vino nigro austero vtitur in fracturis. de frac.com. 3°. 7ª.244.E
Vinum nigrum austerum ad fasciandũ aptum. de frac.c. 3°. 7ª.244.G
Vinum magnum & dulce sanguinem nutrit, oculis contrarium est, capitis vertiginem, id est scotosim, corpori grauedinem stomacho turbationem, somnos graues infert. de simp.med. Sp.92.B
Vina nigra ante cibum. 5°. de san.tu. 2ª.91.B
Vina nigra inutilia senibus. 4°. de san.tu. 2ª.91.B
Vina nigra crassa senes bibentes aquam intercutem, & calculum incidunt. 5°. de san.tu. 2ª.91.B
Vina nigra crassa quæ. 5°. de san.tu. 2ª.91.B
Vina nigra crassa adstringentia, quæ. 5°. de san.tu. 2ª.91.B
Vina nigra crassa non adstringentia, quæ. 5°. de san.tu. 2ª.91.B
Vina nigra crassa parum adstringunt. 3°. de alim.fac. 2ª.33.A
Vinum nigrum austerum repellit. 14°. meth.me. 7ª.88.G
Vinum nigrum turbidum cur hæret per viam,& retardat. 3°. de natural.facult. 1ª.308.D

Vinum nigrum sanguinem plurimum gignit, sed superfluum & melãcholicum. de vic.ra. in mor.acu.com.4°. 7ª.149.A
Vinum nigrum crassum & austerum generat sanguinem crassum & nigrum. de atra bile. 1ª.35.A
Vina nigra crassa dulcia generant sanguinem post rubra. 3°. de alimentorum fac. 2ª.33.A
Vini nigri crassi potus vrinæ quales. in 6ᵐ. de mor.vul.c. 5°. 3ª.192.A
Vina nigra non mouent vrinam, sed ventrem. 5°. de san.tu. 2ª.91.B
Vinum nigrum expetunt maxima vulnera. de frac.com. 3°. 7ª.244.H
Vinum nigrum non febrientibus dandum. de victus ratio. in mor.acu. commen. 4°. 7ª.149.B
Vinum nigrũ mutatũ quid faciat. de vic.rat. in mor.acu.c. 2°. 7ª.121.B
Vina nobilia vocat austera, & qualia sint. 7°. meth.med. 7ª.45.F
cum Vino mistum Nitrum purgat aures. de cathar. Sp.95.B
Vina Noua feruescentia cur perturbata. 1°. de crisi. 4ª.130.G
Vinum nullum nouum est fuluũ. de vic.ra. in mor.ac.cõ. 4°. 7ª.149.B
Vina noua non calefaciunt. 7°. meth.med. 7ª.47.G
Vinum nouum crassum nigrum ponticũ velociter acescit in stomacho, & incensionem facit. de diss.cont. Sp.74.E
Vinũ nouũ crassum pp supfluitatẽ tarde digeritur. de diss.cõt. Sp.73.E
Vinum nouum generat facile pituitam. de nat.hu.com. 1°. 1ª.32.F
Vinorum differentiæ in Nutritione. de diss.cont. Sp.73.F
Vinorum differentia in Odore. de vic.ra. in mor.acu.com. 3°. 7ª.125.D
Vinum olere non debet medicus. in 6ᵐ. de mor.vul.com. 4°. 3ª.180.H
in Vino odoris carentes significant imbecillitatem. de vic.rat. in mor. acu.com. 3°. 7ª.128.H
in Vino odor significat robur. de vic.ra. in mor.acu.com. 3°. 7ª.128.H
Vina odorata sunt alijs calidiora, & caput tẽtãt. de att.vic. 2ª.46.D
Vinum odorum quid gignat. de bon. & vit.suc. 2ª.38.D
Vinum odoriferum melius est ad euchymiam, nisi percutiat caput. de vinis. Sp.76.G
Vinum boni odoris persicum, vel citrinum est boni chymi, & subtilis. de diss.cont. Sp.73.H
Vinum boni odoris dulce generat bonum chymum & crassum. de dis. continua. Sp.74.A
Vinum boni odoris leue, in quo est dulcedo pauca, bonum generat humorem inter tenuem & crassum. de diss.cont. Sp.73.H
Vina odora iuuant affectus longos thoracis, & pulmonis sine febre. de atten. victu. 2ª.46.D
Vina odorata in quibus morbis vitanda. de atten.vic. 2ª.46.D
Vina odorata, & fulua caput tentãt, & quæ sint. 12°. me.m. 7ª.76.H
cur Vinum odoratius, dulcius, & tenuius ad componendas antidotos aptius est. 1°. de antid. 5ª.102.A
Vinum Olbinum. de med.fac par. 7ª.166.D
Vinum Oligophorum quale. de vic.rat. in mor. acu.com. 3°. 7ª.128.H
Vinũ Omphaciũ plus adstringit, q̃ oportet. 1°. de cõp.me.p ge. 5ª.219.D
Vinum omphaciũ p capite refrigerãdo. 2°. de comp.me.se.lo. 5ª.132.G
Vinum Originale quid. 4°. de comp.med.per ge. 5ª.241.F
Vina Pallida aut flaua si sint pinguis substãtiæ sanguinẽ augẽt, et corpus nutriunt. 5°. de san.tu. 2ª.91.B
Vinum Pamphiliæ quale. de atten.vic. 2ª.46.E
Vinum Passum creticum. 1°. de comp.med.se.lo. 126.D/9°. 5ª.203.A
Vinum Pauciferum quid. de vinis. Sp.76.C
Vina paucifera cur dicta. de bon.& vit.suc. 2ª.38.G
Vinum pauciferum quale. de vict.rat. in mor.acu.com. 3°. 7ª.128.H
Vinum pauciferum virtute simile est aquæ. de vinis. Sp.76.C
Vinum pauciferum stipticum. de vinis. Sp.76.C
Vinum pauciferum ad quæ valeat. de vinis. Sp.76.D
Vina paucifera non noxia capiti. de bon.& vit.suc. 2ª.38.G
Vina paucifera tollunt capitis dolorem, qui fit ab humoribus in ventriculo collectis. de bon.& vit.suc. 2ª.38.G
Vinũ Perperinũ nigrũ & austerũ. de vic.ra. in mor.ac.c. 3°. 7ª.126.H
Vinum perperinum crassum vt sapa. 12°. meth.med. 7ª.76.F
Vini Perspicui, & coccini confectio. de med.fac.par. 7ª.175.G
Vinum Picatum quale. 7°. de comp.med.per gen. 5ª.265.G
Vinum piccatum. 7°. de comp.med.per gen. 5ª.265.H
Vinum Pipere inspersum dandum his qui non concoxere. de præcog. ad Posth. 4ª.219.A
Vinum cum pipere vrinam deducit, & stomachum corroborat. de simplic.med. Sp.92.C
ex Vino & Pipere Galenus singultiebat. 8°. de compo.medicamento. sec.loc. 5ª.190.E
Vinum Plenum quomodo dicatur & vacuũ. 3°. de diff.pul. 4ª.62.C
Vina plena & vacua quæ. 4°. de digno.pul. 4ª.85.B
Vina Pluuia assidua aliena humiditate impleta prompte acescunt. 4°. de simp.med.fac. 5ª.27.D
cum Vino Polenta. 8°. de comp.med.sec.loc. 5ª.192.A
Vinum Polyphorum quale. de vict.rat. in mor.acu.com. 3°. 7ª.128.H
Vinum Ponticum solemne, & quale. de atten.vic. 2ª.46.E
Vinum ponticum nimis est abominabile. de diss.cont. Sp.73.B
Vinum ponticum euidenter nutrit. de atten.vic. 2ª.46.F
Vinum ponticum mundificat stomachum. de diss.cont. Sp.74.E
Vinũ ponticũ rectificat mollẽ et debilẽ stomachũ. de diss.cõt. Sp.74.D
Vinum ponticum stringit ventrem cum stipticitate, & ponticitate. de diss.cont. Sp.75.B
Vinum Potens quale. de vict.rat. in mor.acu.com. 3°. 7ª.125.E
Vinum Prannium. 7°. de comp.mec.se.loc. 5ª.181.H
Vinum Protropum dulce. 8°. de comp.med.sec.loc. 5ª.195.F
Vinum protropum. de atten.vic. 2ª.46.E/6°. de comp.me.se.l. 176.C/ 7°. 178.D/184.E/8°. 191.E/9°. 5ª.202.E
Vini Qualitas plenitudo dicitur ibidem. 3°. de diff.pul. 4ª.62.G
Vina Recentia quæ incommoda habeant. de bon.& vit.suc. 2ª.38.F
Vina recentia remanent suspensa in ventre, vt aqua. de boni.& vitio succorum. 2ª.38.F
Vina recentia quæ tuto bibantur. de bon.& vit.suc. 2ª.38.F
Vina recentia quomodo pro vetustis vendant caupones. de bon.& vitio succo. 2ª.38.F
Vinum recens ventrem procurat. de simp.med. Sp.92.B
Vinum penitus refrigeratum acescit. 4°. de simp.med.fac. 5ª.27.D
Vinum odorum Rhodium. 7°. de comp.med.per gen. 5ª.272.B
Vinum Rhodiacum. 7°. de comp.med.per gen. 5ª.271.H
Vini Rhodij sex. 1°. de comp.med.sec.loc. 5ª.128.F
Vinum ex Rosis ad quid valeat. de simp.med. Sp.92.C
Vinum rosatum infrigidat, vrinam & ventrem procurat. de simplici. medicaminibus. Sp.92.C
Vinum roseaceum album. 2°. de antid. 5ª.116.F
Vinum roseaceum. 2°. de antid. 5ª.120.F
Vinum rosatum. 3°. de comp.med.sec.loc. 5ª.148.C
Vinum declinans ad Rubedinem et dulcedinem magis nutritiuum est, & minus nutritiuum album subtile. de diss.cont. Sp.73.F
Vinum Rubrum calidum post fuluum. de vic.rat. in mor.acu.commentario 3°. 7ª.126.G
Vinum rubrum minus calidum cirrho. de vinis. Sp.76.F
Vina rubra sunt crassiora flauis. de vinis. Sp.76.F
Vinum rubrum crassum dulce est nutribilius, & post hoc nigrum crassum dulce, & post hoc album crassum dulce, & post hoc crassum rubrum asperum, postea nigrum crassum asperum, & post hoc vinũ subtile. de diss.cont. Sp.73.F
Vina rubra crassa cur sanguinem generant. 3°. de alim.fa. 2ª.33.A
Vinum Russum austerum quale. 9°. de decr.Hip. 1ª.283.F
Vina Rutila non sunt dulcissima. de bon.& vit.suc. 2ª.38.E
Vina rutila dulciora sunt nigriora. de bon.& vit.suc. 2ª.38.E
Vinum rutilum dulce quibus accommodatum. de bon.& vi.s. 2ª.38.E
Vinum rutilum dulce quibus non dandum. de bon.& vi.suc. 2ª.38.E
Vinum rutilum dulce non facit vitiosos humores, & cur aliquibus nõ detur. de bon.& vit.suc. 2ª.38.E
Vinum Sabinum quale. 1°. de antid. 5ª.100.H/*2°. de arte curatiua ad Glauconem.* 7ª.102.C
Vinum sabinum nobile quale sit. 7°. met.med. 7ª.45.F
Vinum sabinum aquosum. 12°. meth.med. 7ª.76.F
Vinum sabinum, & Marsum aquosa sunt. 1°. de antid. 5ª.100.H
Vinum sabinum in Italia datur febrientibus. de vict.ratione in mor. acut.com. 3° 7ª.127.B
Vinum sabinum pro siccis in Italia, & quale. 7°. met.med. 7ª.45.E
Vinum sabinum. de præcognitione ad Posthumium. 4ª.219.A/ 12°. meth.med. 7ª.76.D
Vinum Salsum. 2°. de antid. 5ª.118.E
Vinum Sambucatum ventrem procurat, & choleram rubram temperat. de simp.medic. Sp.92.C
Vinum & liquores habent varios Sapores ex terra admixta. de vtili. respirationis. Sp.64.F
Vinum Scybelites crassum. de bon.& vit.suc. 2ª.38.C
Vinũ scybelites nõ valde crassum est & valde dulce. de vin. Sp.76.G
Vinum scybelites crassum vt sapa. 12°. meth.med. 7ª.76.F

Vinum

Vinum ſcybellite adſtringit mire. 1°.*de digno.pul.* 4ª.70.*H*
Vinum ſcybellites pro vlceribus. 14°.*meth.med.* 7ª.90.*B*
Vinum ſcybellites dulce morſu carens. 6°.*met.med.* 7ª.38.*E*
Vinum ſcybellite dulce. 7°.*de comp.med.ſec.loc.* 5ª.177.*H*/*de vic.ratio.in mor.acu.com.* 3°. 7ª.125.*G*
Vinum ſcybellites molle. 7°.*de comp.med.ſec.loc.* 5ª.177.*F*
Vinum ſcybellites. 7°.*de cõp.med.ſec.loc.* 5ª.180.*A*/181.*G*/*H*/184.*E*/*C*/185.*F*/8°.191.*E*/195.*F*/9°. 5ª.202.*E*
Vini Scillini compoſitio.de remed.fac.par. 7ª.178.*D*
Vina quæ in magnis & quæ in paruis Seruantur vaſis ſunt diuerſa. 12°.*meth.med.* 7ª.76.*G*
pro Vinis ſeruandis ſtœbe. 1°.*de antid.* 5ª.101.*B*
Vinum ſeruandi modus in Italia. 1°.*de antid.* 5ª.101.*B*
Vina quæ calido ſeruantur petunt caput facile. 1°.*de antid.* 5ª.101.*B*
Vinum Seſaminum dulce in Lydia. 1°.*de digneſt.pul.* 4ª.70.*H*
Vinum Sicytes. 6°.*de comp.med.ſec.loc.* 5ª.173.*G*
Vinum Signinum in Italia. 4°.*de comp.med.per gen.* 5ª.236.*D*
Vinum ſigninum quale. 1°.*de antid.* 5ª.100.*H*
Vinum ſigninum. 12°.*meth.med.* 7ª.76.*D*
Vinum Spicatum. 9°.*de comp.med.ſec.loc.* 5ª.200.*G*
Vinum Suaue. 2°.*de antid.* 5ª.119.*E*
Vina Subflaua calidiora ſunt. 4°.*de ſimp.med.fac.* 5ª.31.*D*
Vina Subrubea vel rubea abſq; acri ſapore calefaciunt & valent cõtra famem caninam.com. 2°.*aph.* 21°. *Ex.*14.*H*
Vinum Subtile aquoſum adiuuat ad ſpuendum humiditatem ex pulmone.de diſſ.con. *Sp.*74.*G*
*Vina ſubtilia vtilia ſunt hũtib° craſſũ humorẽ in venis.de vi.Sp.*76.*g*
Vinum Surrentinum quale. 1°.*de antid.* 5ª.100.*H*
Vinum ſurrẽtinum calidius. 3°.*de ſimp.me.fa.* 5ª.22.*F*
Vinum ſurrentinum valde calefacit. 7°.*meth.met.* 7ª.44.*B*
Vini ſurrentini ætas. 1°.*de ant.* 5ª.100.*H*
Vinum ſurrentinum contendit cum falerno. 1°.*de antid.* 5ª.100.*H*
Vinum ſurrentinum. 12°.*meth.med.* 7ª.76.*D*
Vinum Suſpenſum ad ignem in vtribus euaporante aqua indureſcit in modum ſalis in quadam regione.de vtil.reſp. *Sp.*64.*F*
Vinum Syncerum quale.in progn.com. 2°. 4ª.201.*F*
Vina ſyncera diutius ſeruant dolia picata & gypſata.in 6ᵐ.*de morb.vulg.com.* 4°. 3ª.183.*A*
Vinorũ differentia ex Tempore.de vict.rat.in mor.ac.c. 3°.7ª.125.*E*
Vina habere ſua tempora,collige.com. 4°.*aph.* 21°. *Ex.*29.*D*
Vina Tenuia in quibus regionibus reperit Galenus. de vic.ra.in mor.acu.com. 3°. 7ª.127.*B*
Vina tenuia in Aegypto reperta,quod eſt mirum.de vic.rat.in morb.acu.com. 3°. 7ª.127.*B*
Vina tenuia gigni in Italia Bithinia & Aſia,non eſt mirum. de vic.ra.in mor.acu.com.com. 3°. 7ª.127.*B*
Vina tenuia ſubalba,flaua,& vermicula.de frac.com. 3°. 7ª.244.*H*
Vinũ nullũ tenue exqſite eſt dulce.de vic.ra.in mor.ac.c. 3°.7ª.125.*G*
Vinum tenue quod in altum corporis penetrat,quale ſit. 1°.*de cõp.me.per gen.* 5ª.211.*D*
Vinorũ tenuiũ qualis ſit flatus.de vic.ra.in mor.ac.com. 3°.7ª.126.*D*
Vinum tenuium partium in capitis dolore a frigiditate . 2°.*de compo.med.ſec.loc.* 5ª.133.*A*
Vinum tenue,& album detergit. 4°.*de ſan.tu.* 2ª.84.*F*
Vinum tenuis ſubſtantiæ bibat,qui craſſos humores per venas habet. de bon.& vit.ſuc. 2ª.38.*D*
Vinum tenue confert ei,in cuius corpore eſt humor craſſus , & frigidus.de diſſ.cont. *Sp.*74.*G*
Vinum tenue mũdificat venas ab humore craſſo.de diſſ.con. *Sp.*74.*G*
Vinum tenue penetrabile facit mingere. 1°.*de nat.fac.* 1ª.296.*D*
Vinum tenue ſubſtantia flaua vrinas mouet. 5°.*de ſan.tu.* 2ª.91.*A*
Vinum tenue vetus meracius quid agat. de vict.rat.in morb.acutis , commen. 4°. 7ª.148.*F*
Vinũ ſumptũ è paruis teſtis et magnis differt.de bon.& vit. 2ª.38.*D*
ob Vini Tethalaſſomeni potum cauſus quandoq; factus.de vic.rat.in mor.acu.com. 4°. 7ª.134.*F*
Vinum Theræum craſſum.de bon.& vit.ſuc. 2ª.38.*C*
Vinum theræum craſſum vt ſapa. 12°.*meth.med.* 7ª.76.*F*
Vinũ theræum nõ eſt valde craſſum,nec valde dulce.de vin. *Sp.*76.*G*
Vinum theræum eſt dulce,non acerbum. 3°.*de diſſ.pul.* 4ª.63.*H*
Vinum theræum dulce. 7°.*de comp.med.ſe.lo.*177.*H*/8°.195.*F*/*de victus rat.in mor.acu.com.* 3°. 7ª.125.*G*
Vinum theræum pro vlceribus. 14°.*met.med.* 7ª.90.*B*
Vinum theræum creticum. 7°.*de comp.med.ſec.loc.*179.*B*/5ª.181.*A*
Vinum theræum dulce morſu carens. 6°.*meth.med.* 7ª.38.*E*
Vinum Theræum molle. 7°.*de comp.med.ſec.loc.* 5ª.177.*F*
Vinum theræum.de atten.vict.ra. 2ª.46.*E*/7°.*de compo.med.ſec.loc.* 177.*E*/181.*H*/184.*E*/8°. 5ª.191.*E*
Vinũ, quod theriacã ingreditur, quale eſſe debeat. 1°.*de anti.* 5ª.100.*G*
Vinum quod theriacam ingrediatur.de ther.ad Piſ. 5ª.95.*G*
Vinũ ad theriacã, ſi falerno careas, quale eẽ debet. 1°.*de anti.* 5ª.101.*H*
Vinum Therinum dulce. 7°.*de comp.me.ſec.loc.* 5ª.177.*H*/*de vic.ra.in mor.acu.com.* 3°. 7ª.125.*G*
Vinum Thuſcum aquoſum. 12°.*meth.med.* 7ª.76.*F*
Vinum Thyrinum.de atten.vic. 2ª.46.*E*
Vinum Tibenum dictum a regione Tiba quale. 1°.*de anti.* 5ª.100.*H*
Vinum Tibecinum aquoſum . 12°.*meth.med.* 7ª.76.*F*
Vinum Tibicenum in Aſia datur febrientibus.de vict.rat.in mor.acutis,com. 3°. 7ª.127.*B*
Vinum Tiburtinum in Italia. 4°.*de comp.med.per gen.* 5ª.236.*D*
Vinum tiburtinum quale. 1°.*de antid.* 5ª.100.*H*
Vinum tiburtinum duplex. 12°.*met.med.* 7ª.76.*D*
Vina vetera tiburtina,& ſegnina calidiora. 5°.*de ſan.tu.* 2ª.90.*H*
Vinum tiburnum. 7°.*meth.med.*47.*A*/12°. 7ª.76.*D*
Vinum Titacazenum auſterum. 7°.*meth.med.* 7ª.45.*F*
Vinum titacazenum in Aſia imbecillum datur febricitantibus.de vi.rat.in mor.acu.com. 3°. 7ª.127.*B*
Vinum titacazenum,& tibinum in Aſia imbecille.de vinis. *Sp.*76.*D*
Vinum titacazenum quale. 1°.*de antid.* 5ª.100.*H*
Vinum titacazenum aquoſum. 12°.*meth.med.* 7ª.76.*F*
Vinum Tmolite in Aſia celebratum. 1°.*de antid.* 5ª.102.*A*/12°.*methodi med.* 7ª.76.*G*
Vinum tmolite giluum in Aſia. 4°.*de comp.med.per gen.* 5ª.236.*D*
Vinum tmolite duo habet vini genera. 1°.*de ant.* 5ª.102.*A*
Vini tmolitis differentia. 12°.*met med.* 7ª.76.*H*
Vinum tmolite ſimile falerno,& quale . 1°.*de compoſit.medicam.per genera .* 5ª.213.*D*
Vinum tmolite quale.de atten.vict.rat. 2ª.46.*E*
Vinum tmolite calidius. 3°.*de ſimp.med.fac.* 5ª.22.*F*
Vinum tmolite dulce. 7°.*de comp.med.ſec.loc.* 5ª.177.*H*
Vinum tmolite caput tentat. 12°.*met.med.* 7ª.76.*H*
Vinum tmolite ad medicamenta. 2°.*de comp.med.per gen.* 5ª.223.*B*
Vinum tmolite. 7°.*de comp.med.per gen.* 5ª.269.*H*
Vina Vermicula tenuia.de frac.com. 3°. 7ª.244.*H*
Vina quæ celeriter Vetera fiũt. 1°.*de ant.* 5ª.100.*G*/*de vinis.Sp.*76.*H*
Vinum quomodo fiat quàm celerrime vetus. 1°.*de ant.* 5ª.101.*A*
Vinum quomodo cognoſcatur veteraſcere. 1°.*de ant.* 5ª.100.*G*
præter Vinum veteraſcunt omnia. 1°.*de antid.* 5ª.101.*C*
Vinum vetus calidius. 3°.*de ſimp.med.fac.* 5ª.22.*F*
Vina valde vetuſta calida. 4°.*de ſimp.med.fac.* 5ª.26.*E*/1°.*de ar.cu.ad Glauconem.* 7ª.97.*D*
Vina vetuſtate fiunt calidiora. 4°.*de ſimp.med.fac.* 5ª.27.*C*
Vinum vetuſtate fit calidius,& tenuius. 11°.*de ſimplicium medicam. facult.* 5ª.79.*C*
Vina quæ inueterantur ſemper acredinem quandam , & dulcedinem aſciſcunt. 4°.*de ſimpl.med.fac.* 5ª.27.*C*
Vina omnia quæ nec craſſa valde , nec dulcia nimium ſunt , vetuſtatẽ fiunt flaua corruſcantia inſtar ignis.de bon.& vit.ſuc. 2ª.38.*F*
Vinum vetus valde calefacit. 7°.*meth.med.* 7ª.44.*B*
Vinum vetuſtiſſimum calefacit exactiſſime.de bon.& vit.ſuc. 2ª.38.*H*
Vinum vetuſtiſſimum acre.in 6ᵐ.*de mor.vul.com.* 5°. 3ª.192.*G*
Vinum quod vetuſtate amareſcit.de bon.& vit.ſuc. 2ª.38.*F*
Vina valde vetuſta amara ſunt. 4°.*de ſimp.med.fac.* 5ª.26.*E*
Vina vetera eligenda,ſed quæ non ſint amara. 7°.*meth.me.* 7ª.47.*A*
Vina nimis vetuſta,& nimis recentia cur vitanda. de bonit.& vitio ſuccorum . 2ª.38.*F*
ex Vini veteris meracioris potu Galeno ſitiis eſt acuta.de victus rat. in mor.acu.com. 3°. 7ª.134.*C*
Vini vetuſti ſaporem habet hydromeli.de dyn. *Sp.*22.*D*
Vinum vetus ad ebrietatem bibitũ facit ſitim. 1°.*de ſymp.ca.* 3ª.18.*E*
a Vinis vetuſtis abſtinendum eſt in tertiana . 1°.*de arte cur.ad Glauconem .* 7ª.97.*D*
ex Vini veteris,& acris potu febris.de cau.mor. 3ª.6.*G*
Vinum Vinoſum οἰνώδες quale. 7°.*meth.med.* 7ª.45.*E*

Vinum vinosum quale.de vic.rat.in mor.acu.com.3°. 7ª.125.E
Vinum vinosum cur calidum,& odoratum.de vict.rat.in mor.acutis, commen.3°. 7ª.129.A
Vinũ vinosum vitãdũ ad hũtibus vires imbecillas.7°.me.me.7ª.45.C
Vinum vinosum album quale.9°.de decr.Hip. 1ª.283.E
Vinum vinosum quid agat.9°.de decr.Hip. 1ª.283.E
Vinum vinosum dulce quid agat repente potum.de vic.ra.in mor.acutis.com.2°. 7ª.121.C
Vinum vinosum album vrinas mouet,& quale sit. de vic.rat.in mor.acu.com.3°. 7ª.126.D
Vinum Violaceum.de simp.med. Sp.92.C
Vinum violaceum vrinam prouocat,stomachum corroborat,& lumbricos excludit.de simp.med. Sp.92.C
ex Vino, in quo mortua est Vipera,sanatus est habens elephantiasim. de subs.emp. Sp.33.H
VINVM *quidam non gustant.de consue.* 2ª.61.A
Vinum vidit non bibit æger cur dixerit quidam Galeno.de vict.rat.in mor.acu.com.3°. 7ª.131.C
Vinum pro voluptate,& pro vtilitate. de vict.rat.in morbis acutis, commen.3°. 7ª.131.C
Vini potio thorexis appellat ab Hippocrate.com.2°.aph.21°.Ex.14.G
Vinũ vnũ bibere itereſt, vt vẽter et retineat,et coquat.de sal.2ª.42.E
Vini vis qualis.de frac.com.3°. 7ª.241.D
Vina aquæ contraria viribus.7°.met.med. 7ª.45.F
Vinum quibus aquæ prævaleat.in 6ᵐ.de mor.vul.com.4°. 3ª.185.C
Vinum propinatum quid facere possit.in 6ᵐ.de morb.vulgaribus,cõment.5°. 3ª.188.A
Vinum quid boni agat.quòd ani.mor. 1ª.318.B
Vinum quæ bona faciat.8°.de comp.med.sec.loc. 5ª.194.G
Vinorum bona qualia sint.7°.meth.med. 7ª.45.F
Vini dotes,& laudes,& quomodo malum.quod animi mor. 1ª.318.A
Vinum quid fãciat mali.quòd ani.mor. 1ª.321.A
Vinum quid in aliquibus agat.4°.de san.tu. 2ª.85.E
Vini potio quid faciat quandoq;.in progn.com.1°. 4ª.193.A
Vini potatio præter consuetudinem quid agat.de vict.rat.in mor.acutis,com.2°. 7ª.121.B
Vinum prodest in potu quod vnusquisq; libenter bibit.8°.de comp.medic.sec.loc. 5ª.192.D
Vinum alit corpus.3°.de alim.fac. 2ª.33.A
Vini proprium cito mutari in nutrimentum.3°.de temp. 1ª.22.F
Vinum celerrime nutrit.com.2°.aph.18°. Ex.13.G
Vinum est cibus si quicquid alit cibus est.3°.de alim.fac. 2ª.33.A
Vinum alit vniuersim.com.2°.aph.18°. Ex.13.G
Vinum multum nutrit.de diss.cont. Sp.73.F
Vinum habet maiorem familiaritatem nobiscum q̃ oleum, & mel.de ren.asse.& dign.& med. 7ª.195.G
Vini duplum minus alit,q̃ mellis simplum. de vict.rat.in mor.acutis, commen.3°. 7ª.129.B
Vino excepto alij liquores non nutriunt. de renum affect.dignotio.& medela. 7ª.195.G
Vino quando vti debemus.11°.meth.med. 7ª.70.A
Vinũ quibus dãdũ in Acutis,& quibus nõ.9°.de decr.Hip. 1ª.282.G
Vinum Adstringit.2°.de comp.med.sec.loc. 5ª.134.E
Vinum ab Adustis modice sumendum.1°.de san.tu. 2ª.66.H
Vinum cur præbeatur Aegrotantibus.de bon.aquæ. Sp.75.G
Vinum obest plurimis ægrotis.in 6ᵐ.de morbis vulgaribus, commentario 4°. 3ª.185.C
Vinum quos Affectus sanet.3°.de simp.med.fac. 5ª.22.F
Vini potio affectum adimit non symptoma.12°.met.me. 7ª.75.D
Vinum concitat validam Alterationem.1°.de caus.pul. 4ª.87.H
Vinũ partẽ Animæ rõnalẽ hebetẽ turbidãq; reddit.1°.de san. 2ª.66.H
Vinum quando in animi defectu dandum, & quod, & in qua ætate. 12°.met.med. 7ª.77.G
Vinum est Aperitivum propter motum.com.6°.aph.31°. Ex.49.G
ex Vino collyrium Asperitudinibus accommodatum.4°.de comp.medic.sec.loc. 5ª.150.D
Vinum purgat Aures.de cathar. Sp.95.B
Vinum a Balneo non convenit.de ren.aff.dign.& med. 7ª.196.B
Vina quæ cõveniãt Calculosis,& q̃ nõ.de re.aff.dign.& me.7ª.194.E
Vinũ bibitũ cur Calefacit,applicatũ cuti nõ calefaciat.3°.d tẽp.1ª.22.e
Vinum magis patit a nostro corpore,q̃ agat in illud.3°.de tẽp.1ª.23.H
Vinum semper non calefacit.3°.de temp. 1ª.22.G
Vinum modice hausum,vt quod proprium alimentum sit,natiuum calorem adauget.de caus.mor. 3ª.7.D
Vinũ calefacit,resumit,et reficit oĩa mẽbra,q̃ ex frigore,& dolore cõ stricta tenent,et ijs q̃ i hũeris dolore tenent,pdest.de simp.Sp.92.B
Vinum calefacit totum corpus.com.7°.aph.56°. Ex.59.B
Vinum calefacit neruos,& quandoq; iuuat.com.5°.aph.5°.Ex.37.G
Vino quo vti debeant Calidi.de vinis. Sp.76.D
Vinum an calidis õmnibus idoneum.5°.de san.tuen. 2ª.94.E
Vinum Caput tentat,si vel mox a balneo præ omnibus alijs cibis, & potibus bibitur.de sal.diæ. 2ª.41.C
Vinum cur caput tentet & mẽtẽ.de vic.ra.in mor.acu.c.3°.7ª.131.E
Vinum caput replet.1°.de san.tu. 2ª.66.G
Vinum caput replet,& inflammat.de puero epil. 7ª.180.E
ne Vinum caput tentet,post illud aquam bibe. de vic.rat.in mor.acut. commen.3°. 7ª.131.E
Vinum non tentans caput,& ventriculum robustum efficiens, quale. 5°.de loc.asse. 4ª.32.F
Vinum quod exhibendum capiti imbecillo, quod facile vinis calidis impletur.12°.meth.med. 7ª.76.G
Vini potio larga officit capiti affecto.in 3ᵐ.de mor.vul.c.2°. 3ª.135.D
a Vino abstinendum in capitis grauitate,& in mentis læsione.de vict. ratio.in mor.acu.com.3°. 7ª.131.E
Vino vtitur in Capitis fracturis.2°.de comp.med.per gen. 5ª.225.F
Vinum in Castris non gustandum,sed aqua.quòd ani.mor. 1ª.320.H
Vinum sine cibo lædit.in 6ᵐ.de mor.vul.com.6°. 3ª.196.F
Vinum non habet tẽpus Coctionis præfinitũ,sicut nec cibus,sed sm naturã vini,et potatoris tardius,et citius digeritc.5°.ap.5°.Ex.37.b
Vinum concoquit semicrudos humores quantum aliud quid vis.4°.de sanit.tuen. 2ª.83.E
Vinũ ætatẽ hns mediocrẽ cãualescẽtibus optimũ.ars med. Isa.71.F
Vinum si quis potauerit ante cibos qui sit euacuatus, vel per fluxum aut alui,aut sanguinis,aut altero modo,incidit statim conuulsionẽ, aut delirium.com.2°.aph.21°. Ex.14.H
Vinum facit conuulsionem,sanat,& quomodo.cõ.5°.aph.5°.Ex.37.G
Vino,& a carne abstinendũ in Cubiti fractura.de fra.cõ.1°. 7ª.230.G
Vina aptissima ad Deductionem in corpus.12°.meth.med. 7ª.76.G
Vina quæ facile in omne corpus deducantur.12°.meth.med.7ª.76.H
Vinum quod facile descendit.de ren.aff.dign.& med. 7ª.195.G
Vinum facit descendere cibum.de diss.cont. Sp.72.A
ex Vini potione Desipientiæ.in 1ᵐ.prorr.com.1°. 4ª.164.B
ex Vino vel aqua accipitur Dia trion pipereon.1°.de lo.aff. 4ª.5.F
Vina quæ conueniant ad Digestionẽ in corpore.12°.met.med.7ª.76.E
Vina non idonea ad digestionem in corpus.12°.met.med. 7ª.76.G
ex Vino Dolet caput.3°.de loc.aff. 4ª.20.G
Vinum vitandum in capitis dolore ab ardore.2°.de compo.med.secundum loc. 5ª.132.B
Vinum euitandum in capitis dolore,& temporum pulsibus.1°.de arte cur.ad Glau. 7ª.95.F
Vinum etiam prohibet in dolore capitis frigido. 2°.de comp.medi.sec. locos. 5ª.132.C
ex Vini potu dolente capite corona.de med.fac.par. 7ª.170.H
ex Vini potu dolores capitis remedia.de med.fac.par. 7ª.153.G
Vinum,& alicam dat in capitis dolore per consensum. 2°.de compo. med.sec.loc. 5ª.136.H
Vini potione quando oculorum dolor sanatur.de ocul.7ª.190.B/ com. 6°.aph.31°. Ex.49.F
Vini potio sanat oculorum dolores,& quos,& quomodo. commẽ.7°. aphor.46°. Ex.57.G
Vini potione oculorũ dolores grauissimos sanauit Gal.3°.met. 7ª.17.D
ex Vino Emplastrum Publij.2°.de comp.me.per ge. 5ª.225.B
Vinum Euacuat per sudores,& per vrinas.1°.de san.tu. 2ª.66.H
Vinum Exsiccare,elice.8°.de comp.me.se.lo. 5ª.194.G
Vino meliº ẽ melicratũ ad expurgãdũ.2°.de ar.cur.ad Gla. 7ª.106.C
Vinum est remedium Extentionum post totius corporis euacuationẽ, apud Asclepiadem.com.7°.aph.46°. Ex.57.G
Vinum quibus dari non debet.8°.de comp.med.sec.loc. 5ª.194.F
Vinum an febrientibus dari debet.9°.de decr.Hip. 1ª.282.E
Vinũ phibet febris magnitudo,qualis ẽ in cõtinuis.11°.me.m. 7ª.69.H
Vinũ febrientibus non exhibeẽ.7°.de simp.me.fa.50.F/9°.66.H/7°. de comp.me.sec.lo.184.G/8°.195.E/G/9°.197.G/H/198.A/B/ 199.G/202.H/203.D/204.E/D/10°.5ª.206.A/B/8°.met.m.52. G/de rem.par.fac.159.E/F/de med.fac.par.167.G/ 7ª.169.F

Vinum non

Vinum non dat febrientibus, sed aquam. 8°. de compo. medi. secundum locos. 5ª.196.B
Vinum non dandum in febre tertiana nisi post coctionem, & q̃ postea dandum. 1°. de arte cur. ad Glau. 7ª.97.C
Vinum in febre melius q̃ aqua, & cur. 8°. meth. med. 7ª.51.G
Vinum concedit febricitantibus, & quale. 8°. met. med. 7ª.51.G
de Vino dando in Hippocrate conditio. 8°. met. med. 7ª.51.G
Vinum prohibet in febribus, tamen dat in moderatis. 9°. de comp. me. sec. loc. 5ª.197.G
Vinum dat in febre mediocri. 11°. meth. med. 7ª.70.B
Vinum dandum in ephemera ex ira, mœstitia, & cogitatione. 1°. de arte cur. ad Glau. 7ª.95.F
Vinum in quartana quale. 1°. de art. cur. ad Glau. 7ª.97.F
Vina febribus idonea quæ. de vict. rat. in mor. acu. com. 3°. 7ª.127.A
Vinum, & carnem febrientibus dabat Petronas. de vict. rat. in morbis acut. com. 1°. 7ª.109.F
Vini datores cur medici. ad Thras. 2ª.105.B
Vini potus quando ante accessionem. de caus. procat. 3ª.95.G
Vinũ in fluxionibus ad vẽtriculũ quale. 1°. de ar. cur. ad Gla. 7ª.99.A
Vinum plus bibitum Frigefacit. 3°. de temp. 1ª.22.G
Vinum etsi calidum quomodo morbos frigidos generet. de caus. 3ª.7.D
Vinum frigidum corpus roborat. de sal. diæ. 2ª.41.C
Vinum modicum calidum dandum frigidis & humidis. in 1m. de mor. vul. com. 2°. 3ª.108.F
Vinum cur conueniat frigidis, & siccis. 5°. de san. tu. 2ª.94.E
Vinum Furiosis non est exhibendũ, & q̃. 1°. de ar. cu. ad Gla. 7ª.95.F
Vinum quale ad Glutinandum. 2°. de arte cur. ad Gla. 7ª.106.C
Vinum æquale æquali potum soluit Halicem, id est anxietudinẽ, oscitationem, horrorem. com. 7°. aph. 56°. Ex.59.A
Vini potio Humectat. 5°. de san. tuen. 2ª.92.D
Vinum humectat nimium, & calefacit. 1°. de san. tu. 2ª.66.G
Vinum magis humectat q̃ ptissana. de vict. ra. in mor. ac. c. 1°. 7ª.112.F
post Vini potũ humiditas quomodo corrigenda. 3°. de sa. tu. 2ª.82.A
a Vini potione humiditates quomodo seruentur. 3°. de san. tu. 2ª.81.G
Vinum omnes humores optimos reddit. com. 7°. aph. 56°. Ex.59.B
Vinum valet contra Hyosciamum. de opt. sect. Isa.21.F
ex Vini vno cyatho quomodo quis ebrius fiet. de me. sa. par. 7ª.174.E
Vino quando indulgendum. de dyn. Sp.20.C
Vinum quale ab Infantibus bibendum. de sal. diæ. 2ª.42.D
Vinum prohibetur in inflãmationibus, in dolore capitis, in deliris, & febre incendente. 1°. de ar. cur. ad Gla. 7ª.99.A
Vinum dari non debet inflammatis. 1°. de ar. cu. ad Gla. 7ª.95.E
a Vino abstinendum in inflammationibus arteriæ, tamen medicamentum facit ex vino. 7°. de comp. med. sec. loc. 5ª.177.H
Vinum q̃ optimum in Intemperie. 8°. de comp. med. sec. loc. 5ª.194.F
Vinum interdiu non bibendum. q̃ ani. mor. 1ª.320.H
Vinum ad Iram, & libidinem præcipites facit. 1°. de san. tu. 2ª.66.H
Vino an aqua vti debeat Iuuenis qui exercitatur. 5°. de san. t. 2ª.94.E
Vinum dat in morbo Laterali, & dat ante cibum. de vict. ra. in morb. acu. com. 1°. 7ª.112.E
ex Vino qui Lauabantur. de ven. sect. aduer. Eras. 6ª.11.G
Vinum a quibus Liberet. de bon. & vit. suc. 2ª.38.H
Vino epoto cur fiat Lætitia nescivit Galenus. q̃ animi mor. 1ª.318.A
Vino in quo Marasmo vtimur, & in quo non. de mar. 3ª.48.E
Vinũ cur ponebant in coquendis Medicamentis. 4°. de sa. tu. 2ª.87.A
Vinum vtilius ad medicamenta podagricorum, et articulariorum. 4°. de san. tu. 2ª.87.A
Vinum habet valentes vires pro Mitigando. 14°. met. med. 7ª.88.G
Vinum cito mouentur ad omnes partes. com. 7°. aph. 56°. Ex.59.B
Vino, aqua, & aceto terra Madescit. 2°. de simp. med. fac. 5ª.14.G
Vinum non bibant Magistratus, gubernatores, iudices in suo officio. q̃ animi mor. 1ª.320.H
Vinũ Melancholicorum quale esse debeat. de mel. ex Gal. Sp.110.D
Vina imodica oĩa tẽtãt Mẽtẽ, & neruos. i 3m. d mor. vul. c. 2°. 3ª.138.D
Vinum mitigat ac frãgit acrimoniã bilis amaræ. 1°. de sa. tu. 2ª.66.H
Vinũ non bibendũ volentibus Mulieres implere. q̃ ani. mor. 1ª.320.H
Vinum Neruos, & mentẽ ferit. de vict. ra. in mor. acu. c. 1°. 7ª.113.F
Vinum neruis non adhibendum, quare nec acetum vinosum. 3°. de compo. med. per gen. 5ª.229.G
Vinum lædit principium neruorum. 3°. de præs. ex pul. 4ª.118.E
Vini epoti Noxa a Græcis dicitur κραιπάλη & vnde deriuatur. commen. 5°. aph. 5°. Ex.37.G
a Vino noxa quem faciat pulsum. 1°. de præsag. ex puls. 4ª.107.G
ad Vini noxam. de med. fac. par. 7ª.176.B
ex Vinis obstructio qualis. 5°. de san. tuen. 2ª.91.D
Vinum vt Odio sit. de med. fac. par. 7ª.174.E
Vinum quod in potu a Palæstritis sumebatur non aliter quàm suilla caro in cibo. de atte. vict. rat. 2ª.46.E
Vinũ q̃q; dare cogimur ad periculũ depellendũ. 12°. me. me. 7ª.75.D
Vina pro Tinguibus qualia esse debeant. 14°. meth. med. 7ª.91.F
Vino madescunt Plagulæ. de fract. com. 3°. 7ª.241.D
Vinũ nõ toleratur a Plethorica dispositione. c. 7°. aph. 46°. Ex.57.G
Vinum dat in Pleuritide. de vict. ra. in mor. acu. cõ. 4°. 7ª.139.D
Vinum acceptum ante euacuationem in pleuritide obest. de vict. ra. in mor. acut. com. 1°. 7ª.114.B
Vino potato qui Pulsus sequantur. 1°. de caus. puls. 4ª.87.H
Vini intempestiuus potus quos faciat pulsus. 1°. de dign. puls. 4ª.77.C
ex Vino pulsuum mutatio qualis. 3°. de diff. pul. 4ª.99.C
ex Vino pulsuũ mutatio est diuturna. 1°. de præs. ex pul. 4ª.104.H
Vinum ne gustent Pueruli temperati. 1°. de san. tu. 2ª.66.G
Vinũ nõ gustẽt pueri nisi post decimũ octauũ annũ. q̃ ani. mo. 1ª.320.G
Vino moderate vtendum a decimo octauo anno ad trigesimum. quòd animi mores. 1ª.320.G
Vinum pueris alienissimum. 5°. de san. tuen. 2ª.90.H
ob Vinum pueri qui vigilias incidit, casus. 2°. de lo. affe. 4ª.14.A
Vinum dari debet omnibus qui Refici debent, modo non febricitent. 7°. meth. med. 7ª.45.E
Vinum reficiens quale esse debeat. ars med. Isa.71.G
Vinum quod cõuenit in Renũ affectibus. de ren. af. dig. & me. 7ª.195.g
Vini potio Sanguinem, sui motus vehementia diffundit, obstructiones aperit. com. 6°. aph. 31°. Ex.49.F
Vinum in sanguinis fluxionibus quale. 1°. de ar. cur. ad Gla. 7ª.99.A
Vinum Senibus aptissimum. 5°. de san. tu. 2ª.90.H
Vinum quæ bona faciat senibus. 5°. de san. tu. 2ª.91.A
Vinum medicina est contra senij austeritatẽ. quòd ani. mor. 1ª.320.G
Vinum senibus bibendum vt iuueneſcant. q̃ ani. mor. 1ª.320.G
cum Vino aliquo panis senum conficitur. 5°. de san. tuen. 2ª.92.D
Vina quæ bibere possint senes, si caput sit valẽtius. 5°. de sa. t. 2ª.90.H
Vinum pro senibus quomodo eligendum. 5°. de san. tu. 2ª.91.A
Vini potio non prodest senibus, si humectationis non indigent. 5°. de sanitate tuenda. 2ª.92.D
Vinum nunquàm bibant Serui. quòd ani. mor. 1ª.320.H
Vina pro Siccis. 7°. meth. med. 7ª.45.E
Vinum ad quam siccitatem vtile. 1°. de san. tu. 2ª.66.H
Vina quæ maxime siccent. 4°. de comp. med. per gen. 5ª.236.D
Vini quo plurimum ponitur siccum est. de diff. cont. Sp.74.C
Vinum si quis biberit dilutũ aqua calida, & prius aliqua comederit, Singultum incidit. com. 6°. aph. 39°. Ex.50.H
Vinum in cibo ad sedandam solã sitim sumendũ. de diß. cont. Sp.72.A
Vinum sitim crescere facit. 1°. de simp. med. fac. 5ª.7.E
Vinum sitim facit, & quomodo. com. 5°. aph. 27°. Ex.40.A
Vinum quando debet dari sitientibus, & quando non, sed aqua. com. 5°. aph. 27°. Ex.40.A
a Vino sit Sopor. in 3m. de mor. vul. com. 1°. 3ª.131.H
Vinum somnum conciliat. 4°. de san. tu. 2ª.83.E
Vinum liberalius sumptum somnum cõciliat. 1°. de symp. ca. 3ª.19.A
Vini moderata potio soporifera est. 3°. de loc. aff. 4ª.17.G
Vinum prõpte Submittit oĩa, nisi sit crassum. cõ. 5°. aph. 5°. Ex.37.G
Vino cur macerentur succi. 1°. de antid. 5ª.107.E
Vinum Sudorem, & vrinam prouocat. 4°. de san. tu. 2ª.83.E
Vinum cum oleo irino prouocat sudorem. de cathar. Sp.95.D
Vinum in Syncope datur. 11°. meth. med. 7ª.70.F
ex Vino panis in syncope. 12°. meth. med. 7ª.76.C
Vinum cur conueniat in omni syncope. 12°. meth. med. 7ª.76.C
Vina in syncope qualia esse debeant. 12°. meth. med. 7ª.76.D
Vina conuenientia in syncope ex bile circa os ventriculi. 12°. metho. medendi. 7ª.76.D
Vino in syncope ex humoribus crassis qualia esse debeant. 12°. metho. medendi. 7ª.76.F
Vina fugienda in syncope quæ. 12°. met. med. 7ª.76.H
Vino & oleo intinctis lanis succidis tumores ex deligatione facti curantur. de fract. com. 3°. 7ª.241.C

Vinũ quomodo Venis aduersetur, in 6m. de mor. vul. cõ. 6°. 3ª.196.H
Vina quæ morantur in Ventre, quæ. 5°. de san. tu. 2ª.91.B
Vina quæ in ventre morarī non sunt apta seni. 5°. de san. tuē. 2ª.91.B
Vinum auxiliatur ventriculo, 3°. de alim. fac. 2ª.29.G
Vinũ ad vesicã valde penetrãs. de vic. rat. in mor. acu. cõ. 3°. 7ª.126.G
Vinũ qñ dandũ, & qñ nõ dãdũ in Vlceribus. 4°. met. med. 7ª.28.H
Vinum optimum medicamentũ omnibus vlceribus. 3°. me. m. 7ª.19.D
Vinum quid faciat in vlceribus, de frac. com. 3°. 7ª.242.E
Vino vtendum ad vlcus abluendum. 2°. de ar. cur. ad Glau. 7ª.101.H
Vino lauandum vlcus humidum. 4°. meth. med. 7ª.23.E
Vino aut aqua frigidis madidam spongiam vlceri applicat. 4°. de cõp. med. per gen. 5ª.236.H
Vinũ, et oleũ lana cõcepta supra vlcera. 4°. de cõp. me. p g. 5ª.244.E
a Vino, & cibis crassis abstineant Vulnerati in capite. 2°. de comp. me dic. sec. loc. 5ª.134.A
Vinũ vulnerũ grandiũ glutinatoriũ qũo fiat. 6°. de simp. m. f. 5ª.43.A
Vinis mouendæ Vrinæ in senibus. 5°. de san. tu. 2ª.92.E
cum Vino eandem facultatem habet mel, & quomodo differat. 8°. de comp. med. sec. loc. 5ª.194.G
ex Vino, & melle prodest panax per vrinas expelli desiderantibus. de vic. rat. in mor. acut. com. 4°. 7ª.144.C
Vinum facultatem habet onagron. 8°. de simp. med. fac. 5ª.59.C
Vinum redolet onagron. 8°. de simp. med. fac. 5ª.57.C
Vina quorum loco sapa ponenda. 14°. meth. med. 7ª.90.B
VIOLAE species, & earum vires. de simp. med. Sp.91.H
Violæ frigidæ humidæ. 6°. de simp. med. fa. 5ª.48.F
Violæ omnes viscide relaxant, vrinam prouocant. de sim. me. Sp.91.H
Violæ mundificant. de ocul. 7ª.188.E
Violarum semen partũ expellit, lũbricos occidit. de sim. me. Sp.91.H
Violæ albæ sanguinem purgant. de dyn. Sp.22.C
ex Violis albis medicamentum. 4°. de comp. me. se. lo. 5ª.155.E
Violæ albæ. 4°. de comp. med. sec. loc. 153. D/6°. 5ª.175.E
Viola minor de angelica. de dyn. Sp.31.E
Viola pro dolore. de dyn. Sp.35.E
VIOLACEVM *vinum vrinam prouocat, stomachum corroborat, lumbricos excludit. de simp. med.* Sp.92.C
ne VIOLATA *mulier cognoscatur. de pass. mul.* Sp.96.D
VIOLENTER, *& robuste dicere nihil refert. 2°. de san. tu.* 2ª.74.C
VIOLENTVS *dolor motus. 2°. de loc. aff.* 4ª.12.G
VIPERAE nõ fiũt ab eodẽ opifice a quo homo. de fæt. for. 1ª.326.B
Viperæ descriptio. de ther. ad Pis. 5ª.95.D
Vipera fœmina quomodo differat a mare. de ther. ad Pis. 5ª.95.E
Viperæ spẽs Dipsas ξnota dipsadẽ eẽ viperæ speciẽ. ξ 1°. d sym. 3ª.18.E
Viperæ cur dipsadæ dictæ. 11°. de simp. med. fac. 5ª.78.B
Vipera per os accipit semen. de ther. ad Pis. 5ª.93.C
Vipera caput maris truncat in coitu. de ther. ad Pis. 5ª.93.C
Viperam interimunt filij. de ther. ad Pis. 5ª.93.D
Viperæ deponunt senium, & quale. de ther. ad Pis. 5ª.95.D
Viperæ sunt frigidæ. 2°. de loc. affe. 4ª.14.B
Viperæ quibus vescantur. de ther. ad Pis. 5ª.95.D
Viperæ sub cane furiunt. 2°. de lo. aff. 4ª.14.B
Viperæ detentæ sunt magis venenosæ. de vsu ther. ad Pamph. 5ª.92.B
Viperarum acr non inspirandus. de ther. ad Pis. 5ª.97.F
Viperas venantur Romæ marsi. 11°. de simp. med. fac. 5ª.78.B
Viperas vivas capere Quart9 arte instituit. 11°. de simp. m. f. 5ª.78.A
Viperæ quando venandæ. 1°. de ant. 5ª.104.A
Viperæ quando capiendæ. de ther. ad Pis. 5ª.95.D
Viperæ quo tempore eligendæ. 1°. de antid. 5ª.110.A
Viperæ quo tempore præhendendæ, & quales sumendę. de vsu theria cæ ad Pamphil. 5ª.99.B
Viperæ quo tempore capiendæ, & quod non nutriendæ cibis insolitis. de ther. ad Pis. 5ª.94.G
Vipera quomodo & quando capienda. de ther. ad Pis. 5ª.92.A
Viperas cur necamus. q ani. mor. 1ª.321.C
Viperæ quando pro Bacco lacerantur. 1°. de ant. 5ª.104.A
Viperæ in Aegypto comeduntur. 3°. de alim. fa. 2ª.26.D
Viperæ cũ exeũt terrã sunt minus venenosæ. de ther. ad Pis. 5ª.95.D
Viperæ prægnantes reijciendę sunt. 1°. de ant. 5ª.104.B
Vipę ī maritimis ĩuętæ aut ī lacuna salsa omittẽdę. 1°. de ant. 5ª.104.B
Viperæ non debent diu detineri captæ. de vsu ther. ad Pamp. 5ª.99.B
Vipera non mansuescit. de cog. cur. animi mor. 2ª.54.C

Viperæ quomodo edendæ. de subsi. emp. Isa.34.E
Viperæ quomodo parandæ pro cibo. 2°. de ar. cur. ad Glau. 7ª.107.E
Viperæ partes quæ abijciendę. de theria. ad Pison. 95.E/ de vsu theriacæ ad Pamph. 5ª.99.E
Viperæ quæ partes incidendæ, & cur. de ther. ad Pis. 5ª.92.B
Viperę partes abijciendæ quæ, & quantæ. 1°. de ant. 5ª.104.B
Viperæ partes ad quãtã lõgitudinẽ amputãdę. de ther. ad Pis. 5ª.95.E
Viperarum caput, & cauda cur abijciantur. de ther. ad Pis. 5ª.93.C
Vipera caput habet pernitiosius, alijs feris. de ther. ad Pis. 5ª.93.C
Viperis cur caudæ amputantur. de ther. ad Pis. 5ª.93.D
Vipera debet habere motum etiam secta, si sit futura vtilis ad Theriacam. de theria. ad Pis. 5ª.95.E
Vipera cur sola ingrediatur Theriacam. de ther. ad Pis. 5ª.92.H
Vipera minus tabifica est alijs feris. de ther. ad Pis. 5ª.92.H
Viperæ quot in compositione sumendæ. de ther. ad Pis. 5ª.95.D
Viperæ qũo in theriaca cõdãtur. 2°. de arte cur. ad Glau. 7ª.107.G
Viperæ quomodo coquendæ. 1°. de ant. 5ª.104.B
Viperæ in quo vase coqui debeant. de ther. ad Pis. 5ª.95.F
Vipera qũo coquẽda, et q̃ in coctura miscẽda. de ther. ad Pis. 5ª.92.C
in Viperę coctione sal, & anethũ miscẽda sunt. de ther. ad Pis. 5ª.95.F
Viperę venenum sal, & anhetũ auferunt. de ther. ad Pis. 5ª.94.A
in Viperarũ coctione sal qñ ponendũ, & qñ non. 1°. de ant. 5ª.104.B
Viparũ carnes quãtũ excoquendæ. 2°. de arte cu. ad Gla. 7ª.107.G
Vipera quando cocta. de ther. ad Pis. 5ª.92.C
Vipera quomodo cognoscatur an sit cocta. de ther. ad Pis. 5ª.95.F
Viperarum caro qualis. 11°. de simp. med. fac. 5ª.78.D
Viperarum caro quo tempore bona. 11°. de simp. med. fac. 5ª.78.D
Viperæ caro habet natiuã virtutẽ ad salutem. de ther. ad Pis. 5ª.93.E
Viperarũ carnes quales in iure albo coctæ. 11°. de simp. me. fa. 5ª.81.B
Viperarũ caro euacuat totũ corp9 p cutẽ. 11°. de simp. me. fa. 5ª.77.G
Viperarũ caro qũo humores eijciat. 11°. de simp. me. fa. 5ª.78.D
in Viperarũ esu curatio elephãtiasis. 2°. de arte cur. ad Gla. 7ª.107.G
ex Viperis sanatus elephantus. 11°. de simp. me fa. 77.H/ 5ª.78.A
Vipera mortua in vino sanat elephantiasim. de subsi. emp. Isa.33.H
Viperarũ caro adeo siccat vt sitim inducat. 11°. de simp. me. f. 5ª.78.B
Viperam comedens siti vehementi incitatus fuit. 1°. de symp. 3ª.18.D
Viperę pastilli quomodo fiant. de ther. ad Pis. 5ª.95.F
ex Viperis pastillorum compositio. 1°. de ant. 5ª.104.A
ex Vipera pastilli quanti esse debeant. 1°. de anti. 5ª.104.C
Viperarum iure macerari non debet panis. 1°. de ant. 5ª.104.C
Viperæ panis est miscendus. de ther. ad Pis. 5ª.95.F
Viperarum sal quomodo fiat. 11°. de simp. me. fa. 5ª.78.D
ex Viperis sal potenter extenuat. 14°. meth. med. 7ª.91.D
Viperæ ex vstione prauam vim deponunt. de ther. ad Pis. 5ª.97.E
vt VIPERA *non mordeat. de med. fac. par.* 7ª.169.G
Viperarum dentium foramina macis obstruuntur. de theria. 5ª.94.G
Viperæ tractatę hyeme non mordent. 2°. de loc. aff. 4ª.14.B
Vipera sæpe mordens amittit virus. de ther. ad Pis. 5ª.94.G
a Viperis morsi quomodo sitiant. 11°. de simp. med. fac. 5ª.78.B
Viperæ saliua necat hominem. de inæq. intemp. 3ª.44.C
Viperam necat saliua hominis. de inæq. intemp. 3ª.44.C
Viperæ magis venenosi sunt hoĩes ieiuni. de vsu ther. ad Pãp. 5ª.99.B
Viperę ictus quomodo curandi. 3°. de loc. aff. 4ª.19.G
a Viperis morsi sanat Anchusa Alcibiadia. 6°. de simp. me. f. 5ª.41.D
contra Viperas Antidotus Apollodori. 2°. de ant. 5ª.118.A
contra Viperam antidotus Cesari a Gallo data. 2°. de anti. 5ª.118.F
ad Viperæ morsus Antidotus Rustici medici. 2°. de anti. 5ª.118.B
ad Viperarum morsus facit Aristolochia. de simp. med. Sp.80.F
ad Viperarũ morsus Caprinũ stercus. 10. de simp. med. fac. 5ª.76.F
Viperas, & serpentes fugant Conizæ folia. de simp. med. Sp.83.A
Viperas, & serpentes fugat Cornu ceruinum. de simp. med. Sp.83.C
Viperas, & serpentes occidit Dictamũ odore suo. de simp. me. Sp.83.D
contra Viperas Dorothei remedia. 2°. de anti. 5ª.118.A
contra Viperę morsus Enneapharmacos Heraclidis Antidotis. 2°. de antidotis. 5ª.118.D
Viperę morsis opitulatur Erbum. de simp. med. Sp.85.B
ad Viperæ morsus Inunctio. de med. fac. par. 7ª.169.F
Viperæ morsus sanauit Ophites Lapis suspensus. 9°. de simpl. medica. facult. 5ª.67.E
Viperas fugat Opoponax. de simp. med. Sp.88.B
Viperas fugat Peucedanum. de simp. med. Sp.89.B

Viperam omnem

Viperam omnem Polium fugat.de simp.med. Sp.89.A
contra Viperarum morsus prodest Raphanus.de simp.med. Sp.89.F
ad Viperas facit Scordium.de simp.med. Sp.91.A
a Vipera morsos Scorpio sanat.11°.de simp.med.fac. 5ª.82.G
a Viperæ morsus valet Terra lemnia.9°.de simp.me.fac. 5ª.65.D
Viperæ morsus sanatur Theriaca.5°.de loc.aff. 4ª.34.B/ *de theri.ad Pis.91.E/de vsu ther.ad Pamph.* 5ª.98.E
Viperas habentis Tyriacæ meminit §quasi fiat aliqua theriaca sine viperis.§ de mel.ex Gal.Ru.& Poss. Sp.110.F
Viperæ ictꝰ magis sanat theriaca,q̃ mithridatica antidotus, tñ mithridatica antidotus ad plura veneno valet.2°.de ant. 5ª.110.C
*cõtra Vipæ morsus theriaca Antiochi Philomitoris.2°.ḋ ant.*5ª.118.B
*Viperæ morsibus medetur Trifolium.de ther.ad Pis.*5ª.90.H/ *de simpli.med.* Sp.91.G
a Vipera morsi sanantur ab ipsa Vipera.de ther.ad Pis. 5ª.94.A
*contra Viperarum ictũ medicamẽtũ ex viperis.3°.de lo.aff.*4ª.19.H
si Vipera hominem perimit,quomodo potest illum iuuare a suo morsu. de ther.ad Pis. 5ª.93.G
Viperam vipera morsu non necat.de inæq.intemp. 3ª.44.C
a Vipera morsorum epithema.de med.par.fac. 7ª.169.G
contra Viperam remedia.2°.de anti. 5ª.118.A
Viperarum ictus imponendum medicamentum.2°.de anti. 5ª.118.F
ad Viperarum ictum medicamentum.2°.de ant. 5ª.118.G
*ad Viperarum morsus medicina.2°.de ant.*118.G/*7°.de comp.me.se. loc.*5ª.182.G/*de med.fac.par.* 7ª.169.G
a Viperæ morsu liberans.de med.fac.par. 7ª.179.C
a Vipera morsi exemplum.de sect. Ija.16.G
*a Vipera commorsi casus.3°.de loc.aff.*19.H/*5°.* 4ª.34.A
Viperæ venenum trahens.5°.de comp.med.per gen. 5ª.246.E
contra Viperas.2°.de antid. 5ª.119.A
ad Viperas,& alias feras.2°.de anti. 5ª.119.C
Viperarũ adipem non sinere pilos sub alis euulsos crescere falsum est, & etiam suffusionum initia sanare.11°.de simp.med.fa. 5ª.79.D
Viperæ pellicula in puluerem redacta impositaq; alopecys mirifice pilos regenerat.de ther.ad Pis. 5ª.93.F
Vipera suspensa cõtra suffocationem.de incãt.adiur.& susp. 7ª.182.B
*Vipera suspẽsa ad fauciũ apostemata.de incant.adiu.& susp.*7ª.182.B
VIRI, et mulieres hñt diuersam naturã.de puls.ad Tyr. 4ª.44.A
Virorum differentia ex habitu corporis.3°.de diff.pul. 4ª.95.G
*Viri sunt mulierꝰ plerũq; nigriores.i 6ᵐ.de mor.vul.c.2°.*3ª.169.A
Viri cute alba molles sunt.4°.de comp.med.per gen. 5ª.236.F
Viri sunt fortiores, & calidiores fœminis.com.5°.aph.9°. Ex.45.D
*Viri emittunt p os,& nares spũs fortiores q̃ fœminæ.de sper.*Sp.36.D
Vir muliere calidior est.3°.de cau.pul. 4ª.95.D
Viri sunt siccio res mulieribus.de sal.diæ. 2ª.42.E
Vir ætate florens siccior est puero.3°.de alim.fac. 2ª.25.H
Virorum respectu mulierum pulsus qui.de pul.ad Tyr. 4ª.44.A
Virorum pulsus qualis.3°.de caus.pul. 4ª.95.D
*Vir o qũo maiorẽ pulsum habere poterit mulier.3°.de dif.pul.*4ª.95.E
Viro,puero,seni,mulieri,ætate,hyeme,in loco calido, in loco frigido, non æque conueniunt capilli.11°.de vsu par. 1ª.189.F
Viri qui comuntur an corpore quidpiam habeant præstantius ignorant.11°.de vsu par. 1ª.189.E
Viri habent quinque futuras i capite.de na.et or.cuiusl.cor. Sp.41.G
*in Viris,& mulieribus quot dẽtes.de nat.& ord.cuiusl.cor.*Sp.41.H
Viri & mulieres habent viscerum interiorum compagincm,& linca-tionem vnam.de nat.& ord.cuiusl.corp. Sp.42.B
*Virorum,& fœminarum differentia in vesica.5°.de vsu par.*1ª.145.B
Vir quomodo fœmina fiat.14°.de vsu par. 1ª.205.F
Viri pudendum in loco est commodissimo,& non potest per minimum etiam transponi.15°.de vsu par. 1ª.210.B
Viris cur factum pudendum.14°.de vsu par. 1ª.207.H
Viris quibusdam solet adiici in generatione illud muliebre quo luxuriantur.de compag.memb. Sp.59.H
Virorũ,& mulierũ testiculorum differentia.de nat.& ord. Sp.42.B
Viri testes sunt molliores,& humidiores testibus fœminarum. 14°.*de vsu partium.* 1ª.209.H
ad Virium ita se habet mulieris instrumẽtum generationis,vt cera ad sigillum.de anat.viu. Sp.51.E
in Viris qualia sint vasa seminaria,& cur talia.de ana.viu. Sp.51.H
Vir coiens multa considerare debet pro filijs conformandis. 14°.*de vsu partium.* 1ª.206.H
Viri qui sint steriles.com.5°.aph.62°. Ex.43.F
Viri,qui semper generarunt,& qui non.com.5°.aph.62°. Ex.43.F
Viri qui arboribus immodice fructiferis a Platone comparãtur.6°.de loc.affe. 4ª.39.G
Viros ingeneratiuos facit scybaris fluuius.de bon.aquæ. Sp.76.A
Viri contrariæ temperaturæ quando mulieribus contrarijs iungi debent.com.5°.aph.62°. Ex.43.F
Viri ne culpa,an mulieris non concipiat mulier,quomodo cognoscat. de pass.mul. Sp.96.C
ex Viri,& mulieris calefactione semen emittitur.de sper. Sp.36.B
*in Viris quædam humiditas exiens delectat.14°.de vsu par.*1ª.208.C
Viri semen sanguis est.de nat.& ord.cuiusl.corp. Sp.42.C
Viri semen perfectum est.14°.de vsu par. 1ª.207.H
Viri sperma calidius est,& fortius muliebri.de sper. Sp.36.B
Viri sperma comparatur coagulo.de ana.viu. Sp.55.H
Viri sperma associatur spermati mulieris.de sper. Sp.36.B
Viris spermatis nutrimentum est sperma fœminæ.de sper. Sp.37.A
Viri sperma sicut potestatem habet in toto corpore,ita natura potestatem habet in matrice.de sper. Sp.37.A
Viri semen vasorum omnium principium est.14°.de vsu p. 1ª.208.B
Viri etiam læduntur ex semine retento.6°.de loc.aff. 4ª.39.H
*Viri si diutiꝰ absũt,mulieres icidũt sæpe i dolorẽ mricis.ḋ pas.*Sp.95.g
ob Viri abstinentiã dolori matricis quid prosit.de pas.mul. Sp.95.G
Viri cur menstrua non patiantur.de sper. Sp.36.D
ex Viri consuetudine menses prouocantur.1°.de san.tu. 2ª.66.B
*Viri q̃ sua spõte vesci põt cibis crassi,et lẽti succi.de bo.& vi.*2ª.34.B
*in Viros bonos vt euadamꝰ turpe est nõ laborare.de cogn.cur.*2ª.52.C
Viris minꝰ nocet acetũ q̃ mulierib.de vi.ra.i mor.ac.c.3°. 7ª.130.H
Virũ robustũ quibus morbis turpæ sit ægrotare.5°.de san.tu. 2ª.88.H
*Viris,et mulieribꝰ ex exsessu,et defectu morbi fiũt.c.5°.a.57°.Ex.*42.b
Viri qua parte habeant rigores.com.5°.aph.69°. Ex.45.D
Virorũ hypostasis maior est ea,quæ est mulierũ.de vrin.sig. Sp.79.A
in Viris quæ vrina optima sit.de vrinis. 4ª.125.A
in Viris,& mulieribus vrinæ pessimæ,quæ.1°.de crisi. 4ª.130.F
*in Viro,& muliere pessima est vrina atra.de vrin.*78.G/*q̃s.* Sp.113.F
Viri,Lege Mares.
VIRAGINES *appellantur mulieres quæ habent maiores testes. de nat. & ord.cuiusl.corp.* Sp.42.B
VIRGAE *mediocriter tẽsæ ad interiora reflectunt.c.6°.a.46°.Ex.*51.H
Virgarum tenellarum comparatio ad pulsus.2°.de cau.pul. 4ª.93.D
Virgæ corneæ meminit.de frac.com.3°. 7ª.245.F
de VIRGIS *& gemino Sole.de hist.phil.* Sp.8.B
VIRGAE *genitalis anatomia.de ana.viu.* Sp.52.E
Virgæ virilis maxima pars est chartilago procedens ab osse pubis. de vtil.resp. Sp.62.H
Virga cur habeat plures neruos.14°.de vsu par. 1ª.209.D
de Virgæ motu.de mot.man.& obs. Sp.67.C
Virga vide Membrum virile Priapus Pudendum Veretrum.
VIRGINALIS *tithymali succus antidotũ in cephalea.de dyn.*Sp.23.C
VIRGINIBVS *puellis mãnẽ increscũt.in 6ᵐ.de mor.vul.* 3ª.186.H
Virginibus antiquis græcis nutrices studebãt augere coxas,& illia vt superarent thoracem,& quomodo ligarent.de cau.mor. 3ª.8.G
in Virginis defloratione dilatatur collum matricis, & quæ venæ frangantur.de ana.viu. Sp.51.E
Virgines minorib.symptomatib.capiunt,q̃ viduæ.6°.de lo. 4ª.40.D
*Virginibus cõtingit dolor matricis ob abstinẽtiã viri.de pas.m.*Sp.95.g
Virgo vt appareat mulier quæ sit corrupta,præsidiũ. de med.fa.par. 168.F/7ª.169.D/*de dy.* Sp.29.C
Virginis abderitanæ casus.in 3ᵐ.de morb.vul.com.3°. 3ª.149.H
Virginis lariſſæ casus.in 3ᵐ.de mor.vul.com.3°. 3ª.150.H
VIRGINIS *porci axungia vtitur.de pass.mul.* Sp.95.G
Virginis nuncis cortex.de dyn. Sp.28.H
VIRGO, *Taurus, Capricornus sunt planetæ terrei frigidi,& sicci mediocriter.de sper.* Sp.38.H
Virgo frigida est in secundo gradu,sicca in tertio.de sper. Sp.38.H
VIRGVLTA *qualia esse debeant.1°.de antid.* 5ª.107.D
vt Virgulta sunt nerui ipsi.de ana.viu. Sp.43.G
VIRIDIA *quo vocent a quibusdã.2°.de comp.med.per gen.* 5ª.222.B
Viride quid significet.in progn.com.3°. 4ª.211.D
Viride quid.in progn.com.1°. 4ª.191.D

Viridis color

Viridis color duo significat.in 6m.de mor.vul.com.3°. 3a.175.A
Viride pro pallido.in 6m.de mor.vul.com.2°. 3a.163.C
Viride χλωρὸν dicunt Asiatici.de vic.rat.in mor.acu.c.2°. 7a.119.D
Viridis color quo modo fiat.de vict.rat.in mor.acu.cō.2°. 7a.119.E
Viride est veluti principium nigri.1°.de crisi. 4a.130.E
Viridia quæ.in 6m.de mor.vul.com.2°. 3a.163.B
Viridis color confert lippientibus.de subfig.emp. Isa.32.B
Viridis color aliquando est concepto in bilis horis. de sper. Sp.37.C
Viride corpus quo modo fiat.in 6m.de mor.vul.com.3°. 3a.178.A
Viridis color cur in acutis.in prog.com.1°. 4a.191.D
Viridis color totius vultus malus.in progn.com.2°. 4a.191.B
Virides,& nigri habent sanguinem melancholicum.in 6m.de mor.vulgar.com.3°. 3a.175.A
Viride mare spumam albam facit.de nat.& ord.cuiusl.corp. Sp.42.C
Viride excrementum quid significet.1°.de crisi. 4a.129.E
Viridis subsidentia quid significet.1°.de crisi. 4a.130.D
Viridis vrina idest pallida.de vic.rat.in mor.acu.cō.2°. 7a.119.H
Viridis vrina critico die immutata mortem ostendit.de dyn. Sp.34.B
Viridis vrina si se mutauerit in album aut aquosum colorem typicā ægritudinem venturam significat.de dyn. Sp.34.B
VIRIDIA *quædam habent vnam temperiem,sicca vero aliam.8°.de simp.med.fac.60.G/* 5a.61.C
Viridia oīa,et tenera ptcipāt substātiæ aqueæ.6°.de simp.m. 5a.45.A
Viride omne est minus valens sicco.de atten.vic. 2a.43.H
Viridia,& sicca & qualitatem mutent.8°.de simp.me.fac. 5a.62.A
Viridia quæ mandunt exiccata sunt medicinæ.de atten.vic. 2a.43.H
Virides fabæ sunt multarum superfluitatum.de diff.cont. Sp.73.E
Viridia ligna sunt causæ vt domus ruat.de cau.procat. 3a.96.E
Viridis,& aridæ mētæ nō facit driam.2°.de comp.me.se.lo. 5a.138.G
Viride oleū datur cōtra spasmū ex siccitate.de med.exper. Sp.106.F
Viridis,& arida ruta multū differūt.2°.de comp.med.sec.lo. 5a.136.D
Viride,& aridum serpyllum multum differunt.2°.de comp.medi.sec. locos. 5a.136.E
Viride sisymbrium calidum, & siccum est in secundo ordine, siccum vero in tertio 8°.de simp.med.fac. 5a.60.G
VIRIDIA *quomodo fiant.2°.de comp.med.per gen.* 5a.221.E
Viride Acopon.7°.de comp.med.per gen. 5a.273.G
Viridia sunt vt plurimū Carnē gnantia.2°.de cōp.me.per g. 5a.225.B
Viride Cephalicum.2°.de comp.med.per gen. 5a.226.G
Viride Collyrium ad oculorū affectiones.4°.de cōp.me.se.lo. 5a.155.B
Viridia Emplastra sanant capitis mala intr. Isa.58.B
Viridia emplastra sanant canum morsus.intr. Isa.58.B
Viride Epicuri multa promittens.9°.de comp.med.per ge. 5a.249.D
Viride Euangei.5°.de comp.med.per ge. 5a.249.C
Viride Galli.2°.de comp.med.per gen. 5a.219.C
Viride Medicamentū.5°.meth.me.33.E/de frac.com.3°. 7a.242.D
Viridia medicamenta sunt acriora.2°.de ar.cur.ad Glau. 7a.105.H
Viridia quo modo fiant Melina per coctura, & postea gilua. 2°.*de comp.med.per gen.* 5a.223.E
VIRIDITAS, *& siccitas simplicium mutant temperiem.8°.de simplic. med.fac.* 5a.59.C
VIRILIS *vis in corde.3°.de loc.aff.* 4a.16.E
Viriles non possunt degere sub legibus.de aere,aq.& loc. 2a.5.B
VIRILE *Membrum ex quibus componatur.de anat.viu.* Sp.52.E
Virile membrum sentitur trahi ab vtero.1°.de sem. 1a.329.C
ex Virili,& Muliebri spermate fit fœtus.de ana.par. Sp.43.C
VIRILITAS *debet fieri consuetudine.de aere aq.& loc.* 2a.6.D
Virilitas crescit ab exercitio,& laboribus.de aere,aq.& lo. 2a.6.C
VIROSE *excalfacit sylphij radix.de simp.med.* Sp.90.C
VIRTVS, *perfectio,& cuiusq; rei bonum,idem.ad Thras.* 2a.103.E
Virtus in anima rationali scientia est.7°.de decr.Hipp. 1a.268.B
Virtutes quatuor in anima quomodo sint.7°.de decr.Hip. 1a.268.C
Virtus vna sola scientia secūdum Galenum.7°.de decr.Hip. 1a.268.E
Virtus est scientia.7°.de decr.Hip. 1a.268.D
de Virtutibus scientia dependet ex facultatibus aiæ.4°.de dec. 1a.249.E
ad Virtutem quomodo formetur homo.5°.de decr.Hip. 1a.256.H
Virtutum moralium basis & radix est cor.de ana.viu. Sp.46.B
Virtus inuicta,& insuperabilis quæ.3°.de vsu par. 1a.133.D
Virtutis via qualis.de cog.cur.ani.mor. 2a.53.E
Virtutis via breuis,& plana est,non vt Hesiodus cecinit. de cuiusq; animi pec.not.atq; med. 2a.58.H
Virtutem parit educatio.& animi mores. 1a.321.B
Virtutem pariunt studia,& disciplinæ.& ani.mor. 1a.321.B
Virtuti sequendæ oēs hoīes idonei sunt sm Stoicos.& ani.mor. 1a.321.D
Virtutem vnam qui habet,reliquas virtutes habere necesse est.si quis opt.med. Isa.6.G
de Virtutibus decretum est annexum dogmati de affectibus. 4°.*de decre.Hipp.* 1a.249.E
Virtute,statione,pondere,& gustu differunt aquæ.de aere aq. 2a.9.C
VIRTVS *in singulari,& plurali dici pōt.com.2°.aph.16°.* Ex.12.H
Virtus est vna genere plura speciebus.com.2°.aph.16°. Ex.12.H
Virtus vna actu,potentia vero plures est anima.de ana.viu. Sp.45.G
de Virtutū differentia discrepant Plato,Aristoteles, & Chrysippus, sed conueniunt in conclusione.5°.de decr.Hip. 1a.258.F
Virtus vna sola secundum Aristonem.7°.de decr.Hip. 1a.267.H
Virtutes quomodo diuersæ secūdum Chrysippum.7°.de dec. 1a.267.H
Virtus diuiditur in originalem naturam et affectum acquisititium.11°. meth.med. 7a.68.C
Virtutes quales,& quot,in qua sunt corporis parte dictum est in primo libro de decr.Hip.& Pla.2°.de decr.Hip. 1a.234.D
Virtutes nostrum corpus dispensantes ex tribus proueniunt partibus. de vir.nostrum corpus dispen. Sp.60.B
Virtus calida dominatur in superiori parte.de dyn. Sp.19.F
VIRTVS *animalis transit per neruos non habentes meatus tanquam Solis radij per aquam,& aerem.1°.de symp.cau.* 3a.16.C
per Virtutes animales quinque corpus fruitur nouem voluptatibus. de compag.memb. Sp.59.B
Virtutis sensibilis debilitas est causa,non videndi,non audiendi.com.4°.aph.49°. Ex.33.C
Virtutē audiendi præstat auribus spiritus aīalis.de cōp.mēb. Sp.58.C
Virtutis diffusio quid sit.7°.de decr.Hip. 1a.270.C
VIRTVS *vitalis vocatur vis animosa.8°.meth.med.* 7a.58.H
Virtutes vitales,& operationes naturales reducendæ ad vnum principium.de ana.viu. Sp.45.G
Virtus vitalis vñ sit & qūo cognoscatur.1°.de ar.cur.ad Gl. 7a.99.G
Virtus vitalis influit a corde ad cætera membra.de ana.viu. Sp.50.F
Virtus motiua est principium motus cordis.de ana.viu. Sp.56.D
Virtutis motiuæ cordis causa est anima.de ana.viu. Sp.56.D
Virtutes omnes a corde incipiunt.de ana.viu. Sp.46.C
Virtus attollit,& substinet membra.2°.de symp.cau. 3a.20.A
de VIRTVTE *rectrice dicitur natura.secr.* Sp.96.F
de Virtutibus naturalibus liber præcedit librum de symptomatū causis.2°.de symp.cau. 3a.21.A
Virtus naturalis stomachi,& intestinorū.de mot.ma.& obs. Sp.69.C
Virtutis defectus exigit adiectionem.com.1°.aph.17°. Ex.9.C
pp Virtutem cibi dantur,non propter febrem.11°.meth.med.7.71.G
Virtuti digestiuæ debet cibus adæquari.de diff.cont. Sp.71.C
Virtutis alteratricis in quaq; particula noxa atrophiam necessario inducit.3°.de symp.cau. 3a.30.D
Virtutes naturales,digestiuam præcipue,quod medicamentum excitet.secret. Sp.101.G
Virtutis digestiuæ debilitati confert puluis gariophilorum.de medicinis exper. Sp.106.F
Virtutem retentiuam confortans medicamē.de med.exper. Sp.106.D
Virtutem roborat vinum pauciferum.de vinis. Sp.76.D
Virtus quædam expulsiua inest in arterijs,quæ facit fluxus criticos, & sudores & alias deiectiones.com.7°.aph.21°. Ex.55.D
Virtus expulsiua stomachi naturalis est,non voluntaria.de moti.man. & obscuris. Sp.68.G
Virtus sollicitas de fœtu nouē mēsibus qd agat.2°.de symp.ca. 3a.21.C
Virtutes tres spiritus spermatici.de sper. Sp.37.F
ad Virtutem non debet referri ætas,sed ad habitum corporis.de vict. rat.in mor.acu.com.4°. 7a.137.G
VIRTVS *eadem in eodem animali,in vno membro debilissima, & in altero robustissima.de nat.hu.com.2°.* 1a.182.F
Virtutis inualidæ functio est tremor.de trem.palp. 3a.53.C
Virtutis ad pondus collatio.in progn.com.2°. 4a.198.E
Virtutem morbo superante,quid sequatur.2°.de symp.cau. 3a.19.H
Virtute morbum superante,quid sequatur.2°.de symp.cau. 3a.19.H
Virtus,& morbus quando æque pugnant,quid sequatur.2°.de symptomatum causis. 3a.19.H
Virtus quomodo lædatur.3°.de symp.caus. 3a.26.H

Virtutes læsæ

Virtutes læse sunt læso corpore. 3°. de symp. cau. 3ª.28.G
Virtutis læsio duplex. 3°. de symp. cau. 3ª.24.F
Virtutem deijciunt omnes magnæ intemperies. 3°. de symp. ca. 3ª.25.C
Virtutem faciunt imbecillem intemperies. 3°. de symp. cau. 3ª.26.A
Virtutes soluit dolor etiam imbecillus. de cura lap. Sp.111.G
Virtutes dissoluunt super excellentiæ. de consuet. 2ª.61.G
Virtutem deijcit timor. 2°. de symp. cau. 20. D/de trem. palp. 3ª.51.E
Virtutẽ mẽbri soluũt laxãtia ĩmoderate. 2°. de ar. cur. ad Gl. 7ª.103.C
Virtutis debilitas quo sedimento indicetur. de vrinis. 4ª.125.G
Virtute languentibus affectiones magnæ vehemẽtes & pernitiosæ sunt. in 1ᵐ. prorr. com. 3°. 4ª.179.B
Virtus indicationem præbet. 11°. meth. med. 7ª.68.B
Virtus coindicat. 13°. meth. med. 7ª.84.D
a Virtute prima indicatio sumitur. 11°. meth. med. 7ª.68.E
a Virtute indicatio non est ex numero curatricũ. 9°. met. me. 7ª.59.G
a Virtute indicatio quæ nam sit. 2°. de arte cur. ad Gla. 7ª.103.D
Virtutis scopus est præcipuus. de vic. ra. in mor. acu. com. 1°. 7ª.115.F
Virtutibus quæ notẽt inueniẽdarũ causarum principium est modi quo per sanitatem operabantur cognitio. 3°. de symp. cau. 3ª.24.F
Virtus docet sui custodiam. 11°. meth. med. 7ª.68.E
Virtus omnium prima custodienda est. 9°. meth. med. 7ª.59.F
Virtute robustis trahenda cathartica. de dyn. Sp.20.G
Virtute forti clyster imponendus. de vict. ra. in mor. acu. c. 1°. 7ª.115.E
Virtute imbecilla balanus imponendus. de vict. rat. in mor. acu. commentario 1°. 7ª.115.E
Virtute defessa non lauandum. 8°. meth. med. 7ª.53.C
Virtutes variæ medicinarum. de ocul. 7ª.188.D
Virtutes secundæ medicinarum quæ. de ocul. 7ª.188.D
Virtutes tertiæ medicinarum. de ocul. 7ª.188.F
Virtutem medicinæ innuit sapor. de ocul. 7ª.187.G
VIRTVS *appellatum medicamen. 2°. de compositione medicamento. per genera.* 5ª.224.H
Virtus appellatus pastillus. 5°. de comp. med. per ge. 5ª.251.H
VIRVLENTIA *hirudinum nuper captarum respirabit si per dies seruantur, & sanguis pro nutrimento detur. de cucur. scar.* 6ª.4.C
VIRVLENTA *facultas vbi extrinsecus inciderit, scarificatione vtimur. de cucur. scar.* 6ª.3.F
ad Virulentos ictus. 5°. de comp. me. per ge. 5ª.249.B
Virulentorum vomitus. in 1ᵐ. de mor. vul. com. 3°. 3ª.123.A
Virulentus vomitus ex quo fiat. in 1ᵐ. de mor. vul. com. 2°. 3ª.112.H
VIRVS *canis rabidi difficulter cognoscitur. de const. ar.* Isa.42.C
Virus caninum. in 1ᵐ. prorr. com. 2°. 4ª.171.E
Virus ãialium alterandũ, & euacuandũ est. de const. ar. med. Isa.42.E
Virus quomodo abijciat hirudines. de cucurb. scar. 6ª.4.C
Virus vt extrahatur a loco vbi hirudo fuerit, cucurbitula apponenda est vel spongijs locus fouendus. de cucur. scar. 6ª.4.C
Virus genitale quid. in progn. com. 1°. 4ª.197.B
Virus exugunt quidam ore. 13°. meth. med. 7ª.82.D
VIRES *& natura idem sunt. 3°. de crisi.* 4ª.141.C
de Virium essentia. 1°. de præsag. ex pul. 4ª.107.D
Virium essentia in quibus consistat. 12°. met. med. 7ª.77.A
Virium omnium essentia in quo consistat. 5°. de loc. aff. 4ª.34.D
Virium substantia est natiuus calor secundum plures, & summos medicos, vel saltem primum, & necessarium virium instrumentum. 2°. de ar. cur. ad Gla. 7ª.103.C
Vis triplex. de ocul. 7ª.185.E/H
Vires tres animal gubernantes. 8°. met. med. 7ª.58.H
Vires nostri corporis tres esse, naturalem, vitalem, & animalem colligi potest. com. 2°. aph. 29°. Ex.16.G
Vires tres vbi habeant sedem. in progn. com. 2°. 4ª.198.D
Vires duplices animalis, & naturalis. de cur. ra. p san. miss. 6ª.10.C
Vis animalis quibus nominibus dicatur. 9°. met. med. 7ª.58.H
Vis vitalis quæ. de ocul. 7ª.185.E
Vires naturæ quomodo in nobis, & in rebus. de ther. ad Pis. 5ª.90.H
Vis naturalis vbi sit, & qũo cognoscat. 1°. de ar. cur. ad Gla. 7ª.99.G
ex Viribus viuimus. 9°. meth. med. 7ª.59.E
Vires animalis in testibus. 1°. de sem. 1ª.334.C
Vim vitalem non habẽt ostreæ & stirpes. 4°. de præs. ex pul. 4ª.122.C
Vis vitalis est in sanguinem habentibus. 4°. de præs. ex pul. 4ª.122.C
Vis neruorum habet principium cerebrum. de victus ratione in mor. acu. com. 2°. 7ª.123.H
Vis arteriarum habet principium cor. de victus rati. in morbis acut. commenta. 2°. 7ª.123.H
a Vi vitali fit pulsus. 4°. de præs. ex pul. 4ª.122.C
Vis vitalis quid excernat per pulsus. 4°. de præs. ex pul. 4ª.122.C
Vis in venis hẽt principiũ Iecur. de vic. rat. in mor. ac. c. 2°. 7ª.123.H
Vis animi præcipua in qua parte resideat. 3°. de loc. aff. 4ª.16.D
Vis venæ quo modo cognoscatur. in progn. com. 2°. 4ª.200.C
Vis rationalis in cerebro. 3°. de loc. aff. 4ª.16.E
Vis voluntaria in cerebro. in progn. com. 2°. 4ª.200.B
Vires nostri corporis quatuor sunt, & qui sint. de curandi ratione per sang. miss. 6ª.17.H
Vis virilis in corde. 3°. de loc. aff. 4ª.16.E
Vires quatuor in omni membro. in 6ᵐ. de mor. vulgaribus. com. 5°. 3ª.188.B/*5°. de locis affectis.* 4ª.35.B/*9°. de composi. medicamento. sec. loc.* 5ª.198.D
Vires naturales quatuor sunt, quibus stirpes, & animalia gignuntur. 2°. de diff. febr. 3ª.40.F
de Viribus naturalibus liber ante librum de differentijs febrium. 2°. de diff. febr. 3ª.41.F
Vis naturalis quomodo per oĩa membra. 4°. de præs. ex pul. 4ª.122.D
Vires naturales quæ sint. de sub. fac. nat. 1ª.230.C
Vis nutritiua quadruplex. de ocul. 7ª.185.E
Vis naturalis trahit, retinet, cõcoqt, et excernit. 4°. de præsa. 4ª.122.C
Vires quatuor sunt inter quas alteratrix perfectior est. de vict. rat. in mor. acu. com. 4°. 7ª.140.D
Vires tres solũ vẽtriculi enumerat, alteratricẽ, retentricẽ, & expultricẽ, attractrice caret quia fit a gulæ musculis. 1°. de crisi. 4ª.129.C
Vires tres ventriculi qũo validæ esse deprehẽdant. 1°. de cris. 4ª.129.C
Vis ventris quomodo cognoscatur. in progn. com. 2°. 4ª.200.C
Virium robur est vna salus ventriculi phlegmone laborantibus. 10°. meth. med. 7ª.63.H
Vis vesicæ quo modo cognoscat. in progn. com. 2°. 4ª.200.C
Vis naturalis operat in somno, ãialis vero qescit. 1°. de symp. 3ª.18.H
Vires robustas nõ habet pinguedo. de cur. rat. per sang. miss. 6ª.17.H
Vires sunt in omni parte animantis, quæ habent vim alterandi, & mutandi in alimentum. com. 5°. aph. 39°. Ex.41.B
Vires quæ sunt in omni parte animalis quodammodo habet intellectũ. com. 5°. aph. 39°. Ex.41.B
Vis alteratrix genere. 5°. de loc. aff. 4ª.34.D
Vis alterans, & concoquens qũo cognoscat. in prog. com. 2°. 4ª.200.C
Vis altrix propter quid. in 6ᵐ. de mor. vul. com. 5°. 3ª.188.E
Vis attractrix trahit familiare. de cur. rat. per sang. miss. 6ª.17.G
Vim attractiuã habet pulmo cũ sit calidº et spõgiosus. de vti. Sp.64.D
Vim retentricem in intestinis esse colligitur. 6°. de loc. aff. 4ª.37.A
Vis retentrix & expultrix qũo se habeant. 5°. de loc. aff. 4ª.35.E
Vis concoctrix propter quid. in 6ᵐ. de mor. vul. com. 5°. 3ª.188.E
Vis sanguifica in specie. 5°. de loc. aff. 4ª.34.D
Vis sanguifica propter quid. in 6ᵐ. de mor. vul. com. 5°. 3ª.188.E
Vis separatrix errans quid faciat. 3°. de symp. cau. 3ª.30.D
Vi expultrice non vtuntur membra, nisi cum excrementis vrgentur. 1°. de loc. aff. 4ª.2.H
Vis expultrix in omni parte. 3°. de dieb. decre. 4ª.158.E
Vis excretoria quomodo excitetur. 2°. de diff. feb. 3ª.41.F
Vis expultrix expellit alienum. de cur. rat. per san. miss. 6ª.17.G
Vis excretoria quomodo excitetur, retentrice laborante. 3°. de sympto matum causis. 3ª.26.G
Vis quæ faciat vomitum. de mot. man. & obs. Sp.68.G
Vis nutriendi quibus consistat, & quomodo cognoscatur, an bona, an mala. de cur. rat. per sang. miss. 6ª.17.D
Virium omnium corporis origo est diaphragma. de vtil. resp. Sp.63.F
Vires corporis sunt ex tensione neruorum. de vtil. resp. Sp.63.D
Vis motiuæ diuisio. de anat. viu. Sp.44.F
Vis visibilis est in primo humore oculi, qui est aqua lucidissima. de cõ pag. membr. Sp.58.C
Vis concupiscibilis in iecore. 3°. de loc. aff. 4ª.16.E
Vis vna qua sobolem diligimus, ac formamus. 1°. de na. fa. 1ª.293.A
Vis per quam, quæ sunt eiusdem generis, complectimur. 1°. de natura. facultatibus. 1ª.293.A
Virium munijs homo statim ortus scit vti. 15°. de vsu par. 1ª.213.B
a Viribus, & ab instrumentis operationes fiunt, & impediũtur. de tre more palp. conuuls. 3ª.53.C
Viribus robustas actionibus firmior est. de mul. 3ª.79.A
Virium roboris proprium est firmitudo actionum. de mult. 3ª.79.A

Vires vbi impendet neceſſitas maiore vi ſuas functiones obeunt. 4°. de diff.pul. 4ª.99.G
Vires valentes omnia tolerant, è contra ibecilles. 10°.me.m.7ª.63.A
Vis vnde cognoſcatur.4°.de præſ.ex pul. 4ª.121.G/H
Virium modus ex quantitate & qualitate vnde. 11°.me.me.7ª.69.A
Virium quantitas conſideranda eſt. 1°.de ar.cur.ad Gla. 7ª.95.H
a Viribus vnde ſumantur indicia.in progn.com.3°. 4ª.109.G
Vires robuſtæ vnde cognoſcantur.de cur.rat.per ſan.miſ. 6ª.17.D
Vis vitalis quo modo cognoſcatur.4°.de præſ.ex pul. 4ª.121.H
Vires robuſtas qui pulſus ſignificet.de cur.rat.per ſan.miſ. 6ª.19.D
Virium validarum propriꝰ pulſus magni ſunt. 3°.de diff.pul.4ª.95.G
Vires oſtendũt ciborũ rationes, ſomnos, & exercitia.de ſal. 2ª.40.A
Vires integras qui habet, ſenex nõ eſt. 11°.met.med. 7ª.70.A
Viribus Valentibus non poteſt eſſe corpus calidum, & ſiccum febrici tans. 11°.meth.med. 7ª.63.H
VIRIVM *maxima dignitas.9°.meth.med.* 7ª.59.E
Vires non conſiderantes medici temerariꝰ ſunt, & inconſiderati.9°.me tho.med. 7ª.59.B
Vires propter quid conſiderentur. 11°.meth.med. 7ª.70.A
Vis maxime neceſſaria ad curationem.9°.met.med. 7ª.58.D
Vis non neceſſaria ad curationem.9°.met.med. 7ª.58.E
Vires ægri qua coniectura poſſint cognoſci.com.1°.aph.12°. Ex.5.B
de Viribus ægrotantis.9°.met.med. 7ª.58.C
a Viribus indicatio qualis. 11°.meth.med. 7ª.69.A
a Viribus ducta intentio maxima eſt.in progn.com.2°. 4ª.203.G
a Viribus indicatio adhibenda in omnibus. 8°.met.med. 7ª.55.E
Vires quid ſemper indicent.9°.met.med. 7ª.59.E
Vires in diarijs non conſiderandæ.9°.met.med. 7ª.58.G
Vires in diarijs parum faciunt. 10°.meth.med. 7ª.62.B
Vires imbecilles raro in primo ſecundoúe die cernuntur, & cur accidant. 10°.meth.med. 7ª.62.B
Vires, & vigor morbi docent de victu inſtituendo. de tot.morb.temp. 3ª.90.A/*com.1°.aph.17°.* Ex.9.B
pro Viribus, conſiderandi cibi. 12°.meth.med. 7ª.77.E
Vires ſi cõſtẽt victꝰ nõ exhibẽdus, niſi in declinatione.de tot. 3ª.90.A
pro Viribus ſolida corpora qũo ſeruanda. 12°.met.med. 7ª.77.E
a viribus indicationẽ ſequit indicatio ab effectu.9°.met.me. 7ª.59.F
a Viribus ſumitur vacuandi modus. 11°.met.med. 7ª.69.A
Vis, & morbi magnitudo ſanguinis mittendi primi ſcopi. de cur.rat. per ſang.miſ. 6ª.18.B
Vires cõſiderãdæ in vena ſecãda, nõ dierũ numerus.9°.meth. 7ª.57.D
Vires pro ſanguine detrahendo conſiderandæ.9°.met.med. 7ª.59.D
Vires ægri, et ætas conſiderãtur ab Hippocrate in ſanguinis miſſione, cum magnus ſit morbus.in 3ᵐ.de mor.vul.com.1°. 3ª.127.F
Viribus conſtantibus ſanguis in putrida febre mittendus eſt. 11°.met. medendi. 7ª.71.F
Vires vbi cõſtãt vacuãdum audacter. 11°.meth.med. 7ª.69.A
Vires validas hũtes, ſi purgent, ſanãtur æſtate.c.2°.ap.25°. Ex.16.A
Vis cum fortis ſit humor eſt qñq; vitiatus. 1°.de dif.feb. 3ª.33.C
Vires validæ exigunt frictionẽ rarã, & multã. 5°.de ſan.tu. 2ª.90.E
Vires qũo intelligant non naturaliter ſe habere. 10°.met.me. 7ª.62.B
a viribus alienum duplex eſt, alterum quantitate, alterum qualitate.de cur.ra.per ſan.miſſ. 6ª.17.G
Vires lædunter in febribus acutis colliquationis. 12°.me.me.7ª.77.C
Vires quæ lædunt. 12°.met.med. 7ª.73.G
Vires imbecilles faciẽtia quæ.de vic.rat.in mor.acu.cõ.2°. 7ª.124.G
Vires quot modis imbecilles.in 3ᵐ.de mor.vul.com.1°. 3ª.127.D
Vires deijciunt calefacientia valẽter.de cu.rat.per ſang.miſ. 6ª.17.E
Virium robur exoluit emollitio, & laxatio immoderata.de renum affe.dign.& med. 7ª.193.H
Vires ſoluit aqua calida frequens.de ren.aff.dig.& med. 7ª.194.B
Vires diſſoluit calidæ lotio.de ren.aff.dig.& med. 7ª.196.C
Vires imbecillitantur imbecillibus concũbentibus.3°.de ſa.tu.2ª.81.D
Vires ad ſe contrahi facit dolor.in progn.com.2°. 4ª.198.H
Vires exoluit dolor.in prognoſt.com.1°.4ª.196.E/de victꝰ.ra.in mor. acu.com.3°. 7ª.130.E
Vires cuſtodire debet dolores mitigans. 12°.met.med. 7ª.75.A
Virium imbecillitas ob inanitionẽ.de vic.ra.in mor.ac.cõ.2°. 7ª.123.F
Vires quæ euacuatio imbecillitet.de vic.rat.in mor.acu.c.2°. 7ª.123.G
Vires lædunt vacuantia omnia.9°.meth.med. 7ª.59.C
Vires proſternit euacuatio, niſi paulatim fiat.in 6ᵐ.de mor.vulgarib. comuen.3°. 3ª.179.G

Vires ſunt imbecilles ex medicamento epoto, & euacuatione.com.6°. aphor.52°. Ex.53.A
Vires adeo debilitantur in multa & ſubita euacuatione puris, vt non ſit facile remedium.com.6°.aph.27°. Ex.48.H
Vires debiles, & imbecilles habentes, ſi euacuentur, vna diſſoluuntur æſtate.com.2°.aph.25°. Ex.16.A
Vis imbecillis non poteſt ferre rigores, quos euacuatio ſequitur.com. 4°.aph.46°. Ex.32.G
Vires labefactat non nutrire.4°.de ſan.tu. 2ª.84.E
Virium lapſus quomodo fiat in longiſſimis morbis ex atropia. 12°.me thodi med. 7ª.77.C
Viribus tantum, vel amplius officiunt inediæ quantum proſunt ad cõcoctionem. 1°.de art.cur.ad Gla. 7ª.97.D
Virium imbecillitatem ex inedia qui non cognoſcunt medici ridendi ſunt.de vic.rat.in mor.acu.com.2°. 7ª.124.A
Vires frãgit inteſtinorũ abraſio.de vict.ra.in mor.acu.cõ.3°. 7ª.130.C
Vires ſunt imbecilles pp motũ vehementẽ.com.4°.aph.32°. Ex.30.H
Virium imbecillitatem cauſam habet continẽtem tremor.in 3ᵐ.de mor bis vul.com.1°. 3ª.127.D
Virium imbecillitas in conualeſcentibus bene comedentibus caſus plethoricos facit, ideſt tubercula, & labores in articulis.com.4°.apho riſmo 45°. Ex.32.G
Vires imbecilles ducunt ad locum affectum ſuperfluitates.commẽ.4°. aphor.32°. Ex.30.H
Viriũ imbecillitas eſt cauſa pauci ſudoris.com.4°.aph.41°. Ex.32.E
ob Virium imbecillitatem fit ſopor.in 3ᵐ.de mor.vul.c.1°. 3ª.131.D
Vires ex morbi debilitate quandoq; balbutiem cauſant.comment.6°. aph.32°. Ex.49.H
Vires quibus reſoluantur. 10°.met.med.62.B/12°. 7ª.77.D
Vires quæ euertant.de vict.rat.in mor.acu.cõ.3°. 7ª.128.E
Vires diſſoluere pñt qualitates extraneæ.2°.de ar.cu.ad Gl. 7ª.103.C
Vis vitalis quibus affectibus ſuffocetur.4°.de præſ.ex pul. 4ª.121.G
Vis vitalis a quibus proſternitur.4°.de præſ.ex pul. 4ª.121.G
Vires deficiunt ſi cor ſit valde intemperatum. 5°.de loc.aff. 4ª.32.H
Vis animalis quibus deijcitur, & proſternitur.4°.de præſa.4ª.121.H
Vis vitalis quo indicio cognoſcatur maximo incendio laborare. com. 4°.aph.37°. Ex.32.B
Vis naturalis quomodo cognoſcatur deficere. in 3ᵐ.de mor.vulgarib. commen.3°. 3ª.148.A
Vires debiles vnde cognoſcantur.de cur.rat.per ſang.miſſ. 6ª.17.C
Vis grauata quem pulſum faciat.4°.de diff.pul. 4ª.103.D
Vires non robuſtas ſignificat actionum infirmitas.de mul. 3ª.80.E
Vires imbecillas habentium oculi.in 6ᵐ.de mor.vul.cõ.4°. 3ª.187.A
ob Virium imbecillitatem ſpiratio quomodo differat a magna.4°.de locis affect. 4ª.27.B
ob Viriũ ibecillitatẽ oẽs thoracis partes dilatant.4°.de l.af. 4ª.25.A
Vires imbecilles penitus obſeruandæ ſunt in vene ſectione.præſag.exper.confir. Sp.78.D
Viribus imbecillis, & affectu forti an euacuandũ.9°.met.me. 7ª.59.C
Viribus deficientibus potius deiectio adhibenda, q̃ ſanguis mittendus. 4°.de ſan.tu. 2ª.83.E
ex Virium propria imbecillitate animi defectus quo modo curandus. 1°.de ar.cur.ad Glau. 7ª.99.G
in Virium imbecillitate non curemus affectum.9°.meth.med.7ª.59.F
Vires ꝓſternenti attẽdẽdũ in affectibus cõplicatis.7°.meth. 7ª.48.G
Vires diſſolutas habentibus Hippocrates conſuluit ſubitam animi concitationem fieri, vt incitationis robore ſolutionis imbecillitati medeatur, poſtea dat cibum, & cur.de ther.ad Piſ. 5ª.94.D
Vires concitatiores cur faciat metus. 1°.de cau.pul. 4ª.88.B
Vi vna amiſſa omnes amittuntur.9°.met.med. 7ª.58.H
Vires quæ poſſint reficere.8°.de comp.med.ſec.loc. 5ª.192.E
Vires ex vſu ſimilium roborantur.de ren.aff.dig.atq; med.7ª.196.F
Vires ex cibis, potibus, & balneis conuenientibus roborantur. de renum affect.dign.& med. 7ª.196.F
Vires & virtus cito recuperantur humido citiſſime odore.commẽ.2°. aphor.11°. Ex.12.C
Vires imbecillas habentibus conuenit vinum aquoſum auſterum. 7°. meth.med. 7ª.45.E
Vires imbecillas habentibus vinũ vinoſum vitãdũ.7°.me.m.7ª.45.E
Virium robur quæ lotio faciat.de vic.rat.in mor.acu.cõ.3°.7ª.132.D
Vires quibus languent non ſunt lauandi.de victus ratione in mor.acu. commen.3°. 7ª.133.A

Vires quo-

Vires quomodo recreet aqua.de vic.ra.in mor.acu.com.3°.7ª.128.F
Vires imbecilles exigunt frictionem crebram,& exiguam.5°.de ſanit. tuenda. 2ª.90.E
Vires quomodo alicui membro dari poſſint.de ijs, quæ in medi.fiunt, comment.3°. 7ª.220.B
ad Vires recreandas ſedere facit.8°.meth.med. 7ª.50.B
VIRES *multas habent omnes res.2°.de ſimp.med.fac.* 5ª.12.E
Vires vniuerſales non dicere error.1°.de comp.med.per gen. 5ª.215.F
Vires contrariæ vnde iudicentur.5°.de ſimp.me.fac. 5ª.38.H
Vires quæ ſola experientia inueniuntur.6°.de ſimp.med.fac. 5ª.40.E
Vis inuenta per experiẽtiã nõ methodo.6°.de ſimp.me.fac. 5ª.42.C
Vis maior in medicamentis quæ intelligenda.14°.met.med. 7ª.88.G
Vires medicinæ maxime ſaporibus offenduntur.de ocul. 7ª.187.G
Vis iuris caulium,& lentium quæ.de diſſ.cont. Sp.75.A
Vis ſucci centaureæ, quæ.de virt.cent. Sp.93.A
VISCEROSI *qui.3°.de decr.Hip.* 1ª.244.A
VISCIDVM *ſignificatur ab holcimo.2°.de loc.aff.* 4ª.12.B
Viſcidum quid ſit.2°.de loc.aff. 4ª.12.B
Viſcide ſtringit Acacia.de ſimp.med. Sp.79.G
Viſcide ſtringit Chalcanthum optimum.de ſimp.med. Sp.81.H
Viſcidiſſime ſtringere poteſt Diphriges.de ſimp.med. Sp.83.D
Viſcide ſtringentes vires habet Huſtolex.de ſimp.med. Sp.85.D
Viſcide Iris excalfacit.de ſimp.med. Sp.85.D
Viſcide relaxat Lapis aſius.de ſimp.med. Sp.86.F
Viſcide ſtringit lapis hæmatites.de ſimp.med. Sp.86.E
Viſcidas vires habet lapis quadratus.de ſimp.med. Sp.86.G
Viſcidum eſt odore Laſer.de ſimp.med. Sp.85.G
Viſcide ventrem purgat Lathyris.de ſimp.med. Sp.86.E
Viſcide Lapis ſtringit.de ſimp.med. Sp.81.G
Viſcide tedia ſuſtinentibus Myrta vtilis.de ſimp.med. Sp.87.E
Viſcide excalefacit Naſcaphtum.de ſimp.med. Sp.88.A
Viſcide excalfacit Opobalſamum.de ſimp.med. Sp.88.C
Viſcide laxat Opoponax.de ſimp.med. Sp.88.B
Viſcide ſiſtit Orobum.de ſimp.med. Sp.88.F
Viſcide ſtringit acrimonia Pelecinus.de ſimp.med. Sp.89.B
Viſcide expurgat Peucedanum.de ſimp.med. Sp.89.B
Viſcide ſtringit Portulaca.de ſimp.med. Sp.81.A
Viſcide laxat Sagapenum cum acrimonia.de ſimp.med. Sp.90.B
Viſcide excalfactorium eſt Sium.de ſimp.med. Sp.91.D
Viſcide ſtringit Smiris.de ſimp.med. Sp.87.A
Viſcidiſſime relaxat Staphyſagria.de ſimp.med. Sp.90.C
Viſcide relaxat Sulphur.de ſimp.med. Sp.90.C
Viſcide ſtringit,& glutinat Symphytum.de ſimp.med. Sp.90.F
Viſcidiſſimum medicamentum eſt Veratrum.de ſimp.med. Sp.91.G
Viſcide relaxant Violæ.de ſimp.med. Sp.91.H
VISCOSITAS *ſi dominatur piſcibus duris generant phlegma. de diſſolutione cont.* Sp.74.A
nõ Viſcoſitatis multæ piſces nec durę carnis sũt tẽpati.de bo. Sp.75.H
Viſcoſitatis non multæ piſces,nec cũ duritie bonum gignunt humorem inter tenuem,& craſſum.de diſſ.cont. Sp.73.H
Viſcoſitatem piſcium remouet furfur hordei.de diſſ.cont. Sp.73.H
Viſcoſitatem piſcium ſal remouet.de diſſ.cont. Sp.73.H
Viſcoſitas continua quæ.de vic.rat.in mor.acu.com.1°. 7ª.111.D
ex Viſcoſitate craßitudineq; humorũ pueniẽtibus in pulmone thoraceq; morbis conuenire credit Peucedanũ.8°.de ſimp.m.f. 5ª.58.D
Viſcoſitas morbus palpebræ ſuperioris.de ocul. 7ª.186.H
VISCOSVM *quo modo fiat.2°.de ſimp.med.fac.* 5ª.14.D
Viſcoſa quæ nõ ſunt tenuium partium.1°.de ſimp.med.fac. 5ª.4.A
Viſcoſos craſſos,& frigidos humores gũantes cibi.de pu.ep. 7ª.180.D
Viſcoſum nimis eſt triticum.de diſſ.cont. Sp.73.B
Viſcoſus,& humidus cibus eſt caro hædi,anniculi caput,& caro pecudum.de diſſ.cont. Sp.73.A
Viſcoſi piſces,& duri ſunt craſſi.de diſſ.cont. Sp.72.H
Viſcoſæ & craſſæ carnis piſces nutriunt eum,qui digerit illos nutrimẽto multo craſſo.de diſſ.cont. Sp.73.E
Viſcoſis cibis cur Athletæ vtantur.1°.de alim.fac. 2ª.10.B
Viſcoſa tarde digeruntur.de diſſ.cont. Sp.73.D
Viſcoſi,& craſſi cibi ſi coquantur multum nutriunt, aliter faciunt oppilationem.de diſſ.cont. Sp.72.G
a Viſcoſo,& craſſo humore fit obſtructio meatuum ſubita.3°.de locis affectis. 4ª.17.G
*Viſcoſus humor in quib⁹ partib⁹ ſit circũfuſus.13°.de vſu p.*1ª.201.h
Viſcoſus humor pituitoſus cur i epiglottide gñet.d vo.& an. Sp.61.C
Viſcoſi humores quibus tollantur.7°.de comp.med.ſe.lo. 5ª.186.D
Viſcoſi humores quibus indigeant vt educantur.de victus rat.in mor. acu.com.3°. 7ª.126.A
Viſcoſorum è pectore pulmoneq; excretionibus confert adiantum.6°. de ſimp.med.fac. 5ª.41.E
Viſcoſos humores oxymeli facit expuere.de victus rat.in morb.acu. comment.3°. 7ª.126.A
ad Viſcoſum,ac glutinoſum reiectãtes.7°.de comp.me.ſe.lo. 5ª.185.E
Viſcoſus humor,& vnctuoſus requirit multum tempus ad reſolutionem.7°.de vſu par. 1ª.161.C
Viſcoſorum craſſorũq; humorũ in extremis vaſis ĩpactorũ obſtructiones in iecore ſanant amygdalæ amaræ.6°.de ſimp.me.fa. 5ª.42.G
Viſcoſos,& craſſos humores ſoluit ſuccus centaureæ cum melicrato. de virt.cent. Sp.93.G
Viſcoſa omnia,& pinguia educit lapis armenus.de dy. Sp.21.C
Viſcoſos humores laxans electarium.de med.exper. Sp.108.B
Viſcoſum phlegma ſcindens electarium.de med.exper. Sp.107.C
Viſcoſum phlegma liquefaciens electarium.de med.exper. Sp.108.D
Viſcoſos humores laxans experimentum.de med.exper. Sp.104.F
*Viſcoſum humorẽ laxãs medicamẽ.de med.exp.*105.G/Sp.106.A/G
ad Viſcoſum humorem educendum.de med.exper. Sp.105.E
ex Viſcoſo phlegmate quo deſtruitur motus dolori iunctarum cõferens medicamen.de med.exper. Sp.108.E
Viſcoſum excrementum quid ſignificet.1°.de criſi. 4ª.129.E
Viſcoſa ſcreatio quid ſignificet.in progn.com.2°. 4ª.202.A
Viſcoſa,& craſſa quomodo curentur.5°.de vſu par. 1ª.143.B
Viſcoſa craſſa,& profunda humiditas quibus extrahatur.8°.de cõp. med.ſec.loc. 5ª.196.E
Viſcoſa,& humida medicamenta quæ.de ocul. 7ª.189.B
Viſcoſus & tenax eſt ſamius aſter.9°.de ſimp.med.fa. 5ª.66.A
Viſcoſa quæ palpebris aduerſantur,& cur.11°.de ſimp.m.fa. 5ª.81.F
VISCVS *quid,& eius vires.de ſimp.med.* Sp.91.H
Viſcum emittere dicunt folia chamæleontis.de ſimp.med. Sp.82.F
Viſcus quercubus agnaſcitur.11°.de ſimp.med.fac. 5ª.81.C
Viſcus quercinus quo modo coquatur.9°.de comp.med.ſe.l. 5ª.199.D
Viſcus qualis ſit.9°.de ſimp.med.fac. 5ª.66.B
Viſcus calidus,& viſcoſus eſt.2°.de ſimp.med.fac. 5ª.14.D
Viſcum habet aeream,et aqueam ſubſtantiam multam,terrenam paucam.6°.de ſimp.med.fac. 5ª.48.F
Viſcũ valenter trahit humores,& digerit.6°.de ſimp.me.fa. 5ª.48.F
Viſcum vires habet acres,& quæ durities remollire poſſunt. de ſimp. medicamin. Sp.91.H
Viſcum ad caleſaciendũ tempus requirit.6°.de ſimp.me.fa. 5ª.48.F
Viſcum ſubſtantiam.10°.de compo.med.ſec.loc. 5ª.207.G
Viſcum probe ſubactum.10°.de comp.med.ſec.loc. 5ª.207.H
Viſcum elaboratum.2°.de comp.med.per gen. 5ª.222.E
VISCERA *quæ vocentur.3°.de alim.fac.* 2ª.29.E
Viſcera quæ.6°.de decr.Hipp. 1ª.261.H
Viſceris nomine quid intelligatur.3°.de alim.fac. 2ª.27.D
Viſceris nomine cor intelligitur.com.4°.aph.65°. Ex.34.E
Viſcera dicuntur cor & iecur.de mar. 3ª.46.G
Viſcus pulſans dicitur cor.7°.de ana.admin. 1ª.94.F
Viſceris caput dicitur baſis cordis.7°.de ana.adm. 1ª.94.E
Viſcus non eſſe cor videtur,cum Galenus dicat in viſceribus,& corde.de inæq.intemp. 3ª.44.A
Viſcus calidius habet ſanguinẽ flauiorem.6°.de decr.Hip. 1ª.266.C
Viſceris nomine intelligit Galenus cor,pulmonem,cum dicat,& viſcera quæ ſunt in thorace.com.6°.aph.27°. Ex.48.H
Viſceris nomine intelligantur etiam cor,& pulmo collige quia dicit ſanguinem trahi intus.com.7°.aph.1°. E9.54.B
Viſcera frigido continentur vnde ſpiramus.de dyn. Sp.19.D
Viſceris aliquid effertur,& tunc eſt ſpumoſum ſputum. comment.7°. aphor.30°. Ex.56.B
Viſcera aſperæ arteriæ.com.7°.aph.30°. Ex.56.B
Viſceris nomine intelligit Galenus ventriculum,ſplen,& hepar.com. 6°.aph.27°. Ex.48.H
Viſcera quæ adiacent ventriculo, tanquam ignis magno lebeti.3°.de nat.fac. 1ª.304.B
Viſcera quomodo habeat vẽter magnus,& qũo paruus. de vic.rat.in mor.acu.com.2°. 7ª.120.G
Viſceris nomine hepar intelligit Galenus.com.4°.aph.64°. Ex.34.D

Viscera omnia intranea vocantur,& ẽt inteſtina.1°.de ſem. 1ª.333.E
Viſcera videntur intelligi omnia,quæ teguntur ab abdominis mẽbrana.1°.de ſem. 1ª.333.E
a Viſceribus inteſtina videntur diſtingui.1°.de diff.feb. 3ª.34.G
a Viſceribus extrema procul abſunt.de trem.palp. 3ª.55.F
Viſcera ſunt primæ partes quæ formantur.2°.de temp. 1ª.16.A
Viſcera ſcrutati ſunt antiqui, vt ſcirent vnde, & quo modo homines morerentur.de nat.& ord.cuiusl.corp. Sp.41.G
in Viſcerum latentium functionibus debet eſſe optime exercitatus medicus.1°.de anat.adm. 1ª.69.H
Viſcerum anatomia quarto loco ſpectanda eſt.1°.de anat.ad. 1ª.64.B
Viſcerum interiorum mulierum, & virorum compago, & lineatio vna.de nat.& ord.cuiusl.corp. Sp.42.B
Viſcera in auibus hñt ꝓportionem ad carnẽ.3°.de alim.fa. 2ª.29.E
Viſcera ex carne plurima conſtant.11°.de ſimp.med.ſa. 5ª.77.F
Viſcerũ caro parenchyma cur vocet.11°.de ſimp.me.f.5ª.77.F/14°. met.med.7ª.87.B/de par.art.med. Sp.17.A
Viſcerum carnes nutriunt ſanguine parũ alterato.3°.de nat.f.1ª.308.B
Viſcera alia a corde habent inter vaſcula concreti ſanguinis ſubſtantiam.de bo.& vi.ſuc. 2ª.135.F
ad Viſcera,ventrem,renes,iecur,lienem,& perueniunt nerui a cerebro prima,tertia,& ſexta coniugatione.de ner.diſſ. 1ª.54.D
Viſcera quæ habent neruos a cerebro.16°.de vſu par. 1ª.215.E
Viſceribus ſuggeruntur a nerui a cerebro.16°.de vſu par. 1ª.215.E
in Viſcera oĩa diſpẽſant nerui ſimili diſtributione.1°.de ſem. 1ª.332.C
Viſcera omnia ſentiunt ſolum,& non habent motum voluntariũ.16°. de vſu par. 1ª.214.H
Viſcus nullum habet motum voluntarium,ſed bene aliquem ſenſum. 9°.de vſu par. 1ª.174.G
Viſcera meatus amplos habent.5°.de ſimp.med.fac. 5ª.35.B
Viſcera & vaſa totius corporis non ſunt intemperanter replenda, & quare.de cucur.ſcar. 6ª.3.H
Viſcera non deprauata habentes a craſſis,& glutinoſis ſuccis non læduntur.de bon.& vit.ſuc. 2ª.36.B
Viſcera dulci delectantur,& id attendunt. de vict.rat.in mor.acutis, comment.3°. 7ª.127.G
Viſceribus diſplicent aſperantia,& amara.de vict.rat.in mor.acutis, comment.4°. 7ª.127.G
Viſcera frigida generant paucam bilem.com.2°.aph.20°. Ex.14.F
Viſceris cænoſa excrementa lien expurgat.de fæt.for. 1ª.324.H
Viſceri debilitas accreſcet,vbi neq; ſplen bene expurgauerit, & ille qui in hepate continetur ſanguis multum limoſæ ſuperfluitatis habuerit.com.4°.aph.21°. Ex.29.D
Viſcera præcipue agitantur equitantibus,& ſalientibus. 2°.de ſanit. tuenda. 2ª.75.C
Viſcera ſub ſepto quibus concutiantur.2°.de ſan.tu. 2ª.75.C
in Viſceribus quid faciat ſomnus.in 6ᵐ.de mor.vul.cõ.5°.3ª.190.H
Viſcera in ſomnis exercitantur.in 6ᵐ.de mor.vul.com.5°. 3ª.190.H
ad Viſcera trahitur materia in ſomnis,ideo habetur ex ſomno nocumẽtum,ſed habetur inde maius iuuamentum, quia materia concoquitur.com.4°.aph.67°. Ex.34.F
Viſcus vnum quidam habent intemperatum alij autem plura, & ita de aliis partibus.1°.de ſan.tu. 2ª.64.H
Viſcera ſuſpenſa quibus.de vic.ra.in mor.acu.com.2°. 7ª.120.G
ad Viſcerũ ſuſpenſionẽ valet acetũ ſcillinũ.de med.fac.par. 7ª.178.C
Viſcerum inflatio quo modo curetur.14°.met.med. 7ª.88.E
ad Viſcera ptingere frigiditatẽ nõ eſt ſalubre.10°.met.med. 7ª.66.C
Viſcera obſtruunt vina craſſa dulcia nigra.5°.de ſan.tu. 2ª.91.C
Viſcerum obſtructiones faciunt pauci motus.1°.de ſan.tu. 2ª.65.F
Viſcera obſtruũt exercitationes a cibo vehemẽtes.de ſal.diẽ.2ª.41.B
Viſcera obſtructa ob comeſtionẽ anhelando factã.de ſal.diæ. 2ª.41.H
Viſcerum dolores potiſſimum in Iecinore incidunt a cibo exercitati, & balneati.de ſal.diæ. 2ª.43.C
Viſcera ſentiunt dolorem in febribus acutis vehemẽtibus propter ſiccitatem,& eſt ſignum malum.com.4°.aph.66°. Ex.34.E
Viſcerum dolores,aut propter inflammationem,aut propter heryſipelas,aut propter fortem obſtructionem,aut propter aliquem abſceſſum.com.4°.aph.66°. Ex.34.E
Viſcera quibus dolent quid agendum.de ſal.diæ. 2ª.43.C
in Viſcerũ dolore nihil aptius eſt phlebotomia.de cur.icte.Sp.110.G
ad Viſcerum dolores.8°.de compoſit.medicamento.ſecundum locos. 193.B/9°. 5ª.201.A
in Viſceribus phlegmonem inchoantem augent cibi dulces.de bon.& vitio ſuc. 2ª.36.E
in Viſcerum inflammationibus magnis accidit frigus partium extremarum.com.7°.aph.1°.54.A/aph.26°. Ex.55.G
Viſcera peruruntur a calore inflammationum trahente ſanguinem ex toto corpore ad ſe.com.7°.aph.1°. Ex.54.A
Viſcus totum occupans inflammatio facit carentiam anhelitus. com. 4°.aph.34°. Ex.31.B
Viſcerum inflammationes faciunt tumores inguinum periculoſos.cõ. 4°.aph.55°. Ex.33.E
Viſcerum inflammatio,vel durus tumor in putridis febribus pulſum durum faciunt.1°.de diff.feb. 3ª.34.C
Viſcera hecticas,& maraſmos faciunt.10°.met.med. 7ª.64.F
ex Viſcerum omnium phlegmone exit aliquid.13°.met.me.7ª.84.H
ad Viſceris inflammatione præcordia indurata.6°.de comp.medic.per genera. 5ª.263.B
ad Viſcerum ſcirrhoſos affectus.7°.de comp.med.per ge. 5ª.271.G
ad Viſcerum induratas affectiones.10°.de comp.me.ſe.lo. 5ª.207.G
Viſcerũ abſceſſus ĩdigẽt medicamẽtis ex aromatis.14°.m.m.7ª.90.E
ad Viſcerum abſceſſum medicamenta.14°.met.med. 7ª.90.F
ad Viſcera, & caput vergentes ſuccos reuellunt acria medicamenta brachijs,& manibus ĩpoſita.de hiru.reuul.2.E.de cuc.ſca. 6ª.4.G
Viſceris cuiuſpiam fibra quando ob vehementiores caſus aut afflictationes exciderit,hæc ægritudo ad ſitus,& figuræ variationem pertinebit.de cau.mor. 3ª.9.E
Viſceris fibra aut aliquod alterum quod exierit introducitur propter omentum.com.6°.aph.58°. Ex.53.F
Viſcerum ægritudinibus quid conferat.ſecre. Sp.100.F
Viſcera ſub ſepto quo modo expurgentur.3°.de ſan.tu. 2ª.77.C
VISCERVM *infarctus expurgandi vim habet Agaricum.6°.de ſimpli.med.fac. 5ª.41.E*
Viſcerum obſtructiones extergit Carpeſium.7°.de ſimp.medicamen. facult. 5ª.50.C
Viſcerum obſtructiones purgat Chamedrys.8°.de ſimp.m.fa.5ª.63.E
Viſcera expurgat abſtergitq; Chamæpitys.8°.de ſimp.m.fa. 5ª.63.F
Viſcera omnia expurgat Dracũculi radix.6°.de ſimp.me.fa. 5ª.46.C
Viſcera,& ventrem purgat Elaterium.de ſimp.med. Sp.83.G
Viſceribus vtiliſſimus eſt Elleborus niger.de dyn. Sp.21.A
Viſceribus ſub Hypochondrijs gratum Lini ſemen.3°.de ſimp.medic. facul. 5ª.18.H
Viſcerũ obſtructiones expurgat Pelecinus.6°.de ſimp.m.fa. 5ª.48.B
Viſcera omnia obſtructione liberat Poliũ.8°.de ſimp.me.fa.5ª.59.A
Viſcera obſtructione liberat Scandix.8°.de ſimp.me.fa. 5ª.60.G
Viſcera expurgat,& calfacit Scordion.8°.de ſimp.med.fa. 5ª.60.H
Viſcerum obſtructiones diſſicit Siſon.8°.de ſimp.me.fac. 5ª.60.F
Viſcera,& totum corpus roborat Stœchas.8°.de ſimp.m.fa.5ª.61.C
Viſceribus omnibus valet Terebinthina.5°.de ſan.tu. 2ª.92.F
Viſcera expurgat thymum epotum.6°.de ſimp.med.fac. 5ª.48.E
Viſcera vngenda,& emplaſtranda in quartanis.1°.de arte curati.ad Glauconem. 7ª.97.G
Viſceribus omnibus cur abſtinendum.de atten.vic. 2ª.45.E
VISIBILIVM *qualitatum habemus nomina.2°.de loc.aff. 4ª.12.E*
Viſibilis qualitas calida,& ſicca eſt,& cur.de comp.mẽb. Sp.58.C
Viſibilis qualitas vnde adueniat oculis.de comp.memb. Sp.58.C
Viſibilis vis eſt in primo humore oculi,qui eſt aqua lucidiſſima. de cõ pag.memb. Sp.58.C
Viſibilẽ ſpũm ſeruãs neruus cur ꝓpinquior cerebro.de ocul.7ª.185.A
Viſibile nihil igne priuatum eſt.7°.de decr.Hip. 1ª.271.H
VISIO *quid ſit.1°.meth.med. 7ª.6.C*
Viſio sũt illę lineę tenuiſſimę a re viſa ad pupillã.10°.de vſu. 1ª.182.D
Viſio apud ſtoicos quæ.9°.de decr.Hip. 1ª.286.B
Viſio cuius ſit opus.7°.meth.med. 7ª.43.D
Viſio quomodo fiat.10°.de vſu par.1ª.182.B/de oculis.7ª.184.D/de hiſt.philo. Sp.7.H
Viſio quomodo fiat ſecundum Chryſippum.de hiſt.phil. Sp.9.E
Viſio in ſpeculis quomodo fiat.7°.de decr.Hip. 1ª.272.C
in Viſione Ariſtotelẽ reprehẽdit Galenus.7°.de decr.Hip. 1ª.272.C
Viſio per rectas lineas.10°.de vſu par. 1ª.182.D
Viſio a longo differt a propinqua.de cuiuſque animi peccatorum notitia atque medela. 2ª.59.D
Viſionis primum inſtrumentum eſt chryſtalinus humor.1°.methodi medendi. 7ª.6.D

ad Visionem quid faciat cornea ante pupillam secundum suam dispositionem. 1°. de symp. cau. 3ª. 15. C
Visio quæ percipiat. 7°. de decr. Hip. 1ª. 272. E
Visionis diuersitatis causa. de hist. phil. Sp. 7. H
Visionem esse certam probant fila imposita per tenuissimas acus, & pili. 10°. de vsu par. 1ª. 183. C
Visio mala vnde proueniat. 1°. de symp. cau. 3ª. 14. C
VISITATIONE *prima omnia febrium genera cognouit Galenus. 2°. de crisi.* 4ª. 133. G
VISIVVS *spiritus vnde nascatur. de ocul.* 7ª. 184. E
Visiui spiritus iunguntur oculo. de ocul. 7ª. 184. G
Visiuus spiritus per quas partes tendat. de ana. ocul. Sp. 57. D
Visiuus spiritus gaudet colore cyaneo. de ana. ocu. Sp. 57. E
Visiuorum neruorum origo. 7°. de decr. Hip. 1ª. 269. H
Visiui nerui imbecillitas duplex. de ocul. 7ª. 186. B
Visiui spiritus accidentia. de ocul. 7ª. 186. D
VISORIA *vis læditur a valde stupefacientibus. commenta. 6°. aphorismo 31°.* Ex. 49. E
Visorij spiritus qui. in progn. com. 1°. 4ª. 194. E
Visorij nerui proprietates. 7°. de decr. Hip. 1ª. 270. G
Visorius neruus omnium maximus. 7°. de decr. Hip. 1ª. 270. G
VISVALIS *conus quantus. 7°. de decr. Hip.* 1ª. 270. B
VISA *eminus quomodo sint. 3°. de dign. pul.* 4ª. 80. B
Visa similia Suffusioni quo modo fiant. in progn. com. 1°. 4ª. 194. F
Visa insuffusis, & visa ex vaporibus ad caput sunt diuersa. 1°. de locis affectis. 4ª. 6. G
Visa tenebricosa vt in suffusionibus. in progn. com. 3°. 4ª. 210. F
Visa cur in phreniticis varia. 4°. de loc. aff. 4ª. 22. F
quæ Visa robur suum ostendunt. de ther. ad Pis. 5ª. 93. G
præter Visa quidam nihil intelligunt. de frac. com. 3°. 7ª. 247. A
VISVS *quid. fin. med. Isa. 45. B, de hist. phil.* Sp. 9. H
Visus oculorum actio est. 1°. meth. med. 7ª. 6. B
Visus est primus sensus, & qualis sit. de ocul. 7ª. 183. G
Visus quinto gradu additur cum natura incedit a plantis ad animal. 2°. de sem. 1ª. 339. G
Visus tractatio exigit mathematicã speculationẽ. 10°. de vsu. 1ª. 182. A
de Visu demonstrationes. 7°. de decr. Hip. 1ª. 271. B
Visus quomodo fiat. in progn. com. 1°. 4ª. 194. E
Visus qualiter oculis adueniat. de compag. memb. Sp. 58. C
Visus quomodo fiat secundum Platonem. 7°. de decr. Hip. 1ª. 271. D
Visus instrumentum quale apud Platonem. 7°. de decr. Hip. 1ª. 271. C
Visus quomodo fiat an recipiendo, vel emittendo. 7°. de decre. Hippocrat. & Plat. 1ª. 270. D
Visus fit extra mittendo. 7°. de decr. Hip. 1ª. 267. E
Visus ministri qui sint. de ocul. 7ª. 186. B
Vjus instrumentum quod sit. de ocul. 7ª. 186. B
Visus instrumentum oculus. de instr. odor. 1ª. 111. E
Visui deseruiunt particulæ oculi. 1°. de symp. cau. 3ª. 14. C
Visus instrumentum est chrystallinus humor. 2°. meth. med. 7ª. 12. G
Visus principalissimum instrumẽtum humor Chrystallinus. 8°. de vsu partium. 1ª. 167. A
Visus fit in chrystallino humore. de ocul. 7ª. 182. F
Vjus q̃ fit in chrystallino humore probatur. de ocu. 7ª. 182. G
Visus fit in pelliculis oculi non in chrystallino. de vtil. resp. Sp. 63. D
Visui deseruientes humiditates, quales. de ana. viu. Sp. 44. F
Visus fit per pupillam. 7°. de decr. Hip. 1ª. 270. D
ad Visum quo modo se habeat aer vt instrumentum sicut neruus ad alios sensus. 7°. de decr. Hip. 1ª. 272. D
Visus non fit per circunfusum aerem, quasi per baculum vt Stoici dicebant. 7°. de decr. Hip. 1ª. 272. E
Visus vtitur aere non tanquam baculo. 7°. de decr. Hip. 1ª. 271. B
Visus respectu aer est, vt neruus in corpore. 7°. de decr. 1ª. 270. D
Visus præcipua pars in neruis sensificis. 10°. de vsu par. 1ª. 179. A
Visus neruis qualis. 7°. de decr. Hip. & Plat. 1ª. 270. F
Visus vis descendit per neruos concauos. de ocul. 7ª. 186. B
Visus spiritus. 3°. de decr. Hip. 1ª. 255. G
Visum quẽ faciat spũs mult° humidus in oculo. 1°. de symp. ca. 3ª. 15. C
Visus sensoria quæ. 1°. de simp. med. fac. 5ª. 8. F
Visus sensorium quale esse debet, et quomodo a cerebro ad ipsum trãsmittitur. 8°. de vsu par. 1ª. 167. E
Visus quomodo ingrediatur cerebrum. 8°. de vsu par. 1ª. 167. F
Visu quæ cognoscantur. 16°. de vsu par. 1ª. 215. C
Visus quid primo sentiat, & quid secundo. de ocul. 7ª. 185. A
Visus accedit ad rem videndam. de ocul. 7ª. 185. A
Visus cur sentiat solus formam corporis, & quantitatem, & motum. de oculis. 7ª. 185. A
Visus magnitudinem, & formam percipit. 7°. de decr. Hip. 1ª. 271. A
Visus situm, & distantiam discernit, quod alij sensus non faciunt. 7°. de decr. Hip. 1ª. 271. A
a Visu qualitates dijudicatæ. 2°. de loc. aff. 4ª. 10. A
Visus qualitates q̃ depẽdẽt a primis qualitatib°. de na. hu. c. 1°. 7ª. 28. H
Visus pathema, & passiones quæ. de symp. diff. 3ª. 10. C
Visus proprium sensibile color. 7°. de decr. Hip. & Pla. 1ª. 271. A
Visus post colorem cognoscit coloratum. 7°. de decr. Hip. 1ª. 271. A
Visus, et tact° pbãt de calce, et de rosa qualitates. de th. ad P. 5ª. 90. E
Visus rem humidam iudicat. 2°. de temp. 1ª. 18. B
Visus sensus splendioris. 1°. de symp. cau. 3ª. 17. C
Visus instrumentum habet spiritum splendidum a cerebro affluentem. 16°. de vsu par. 1ª. 215. D
Visus instrumentum lucidum. 7°. de decr. Hip. 1ª. 271. B
Visus instrumentum cur lucidum. 7°. de decr. Hip. 1ª. 272. A
Visus instrumentum splendidum. 1°. de symp. cau. 3ª. 17. A
Visus instrumentum non potest in offense splendidam lucem tolerare. 1°. de symp. cau. 3ª. 14. F
Visus corrumpitur magno splendore. 1°. de symp. cau. 3ª. 16. H
Visus cur igneus dicatur. de ocul. 7ª. 185. B
Visum qui colores consolentur. 1°. de symp. cau. 3ª. 14. F
Visui iucundus est cæruleus color. 1°. de symp. cau. 3ª. 17. A/B
Visum cur delectat fuscum. 1°. de symp. cau. 3ª. 17. A
Visui cur inimicum sit album, & splendens. 1°. de symp. cau. 3ª. 17. A
Visum contristat album & cur. 1°. de symp. cau. 3ª. 17. A
Visus pictoribus offenditur, quando in albis pingunt, ideo cæruleum & fuscum habet ante. 9°. de vsu par. 1ª. 178. H
Visui non est iucundum nigrum, & cur. 1°. de symp. cau. 3ª. 17. A
Visui minus obest nigerrimum quã splẽdidissimũ. 1°. de symp. 3ª. 17. A
Visui inimicus Sol. 1°. de symp. cau. 3ª. 17. A
Visum cur sol offendat. 1°. de symp. cau. 3ª. 17. B
vt Visui tenebræ ita silentium auditui simile. 1°. de simp. cau. 3ª. 17. C
in Visu quomodo voluptas, & an intensa. 1°. de symp. cau. 3ª. 17. C
in Visu dolor quomodo sit, & an intensus. 1°. de symp. cau. 3ª. 17. C
Visus est sensus certissimus, & quid habeat pprij. 16°. de vsu. 1ª. 215. C
Visus, & tactus magis exprimunt rem, quam aliqua oratio. 12°. de vsu partium. 1ª. 195. B
Visu solum aut tactu quæ cognoscuntur, verbis accurrate doceri non possunt. 7°. de ana. adm. 1ª. 95. G
a Visu tactus deductus non faliitur. 10°. de vsu par. 1ª. 183. C
Visus mouet imaginationẽ, rõcinationẽ, et memoriã. 8°. d vsu. 1ª. 167. E
Visu, & phantasia immutantur res. de ther. ad Pis. 5ª. 94. E
Visus cæteris sensibus est acutior, & subtilior. de ocul. 7ª. 185. A
Visuum diuersitates ob materias descẽdẽtes in vuea. de ocu. 7ª. 186. D
Visus acutissimus quibus. 1°. de symp. cau. 3ª. 14. D
Visum perfectissimum habent aliqui qui videntur suffusi. 1°. de symp. causis 3ª. 15. C
Visus synceriſſimus videt exigua quæ a ventriculo ascendunt. 1°. de loc. aff. 4ª. 8. B
Visus excellẽtia perspicit exẽplo granorũ milij. 16°. de vsu. 1ª. 215. C
Visus debilitate oculi piscium non discernunt inter colores medios. de anat. viuo. Sp. 49. B
de Visum effugientibus morbis agit Galenus libro de locis affectis. 6°. de loc. aff. 4ª. 37. B
VISVS *qui crebro mouetur significat insaniam. in prognost. commentario 1°.* 4ª. 195. H
Visus laborat in equitante. 2°. de san. tu. 2ª. 75. C
Visus quibus causis obtenebretur. 1°. de symp. cau. 3ª. 15. D
Visus offuscationis curatio. 4°. de comp. me. se. loc. 5ª. 158. C
Visui quo modo humiditas nocet. de ocul. 7ª. 186. E
Visui quomodo siccitas obsit. de ocul. 7ª. 186. E
Visui cõferentiũ partiũ morbi & symptomata. 1°. de symp. 3ª. 14. C
Visum quem faciat cornea spissior, & crassior. 1°. de symp. cau. 3ª. 15. C
Visum quem faciat cornea humidior. 1°. de symp. cau. 3ª. 15. C
Visum impediunt corneæ morbi magni. 1°. de symp. cau. 3ª. 15. D
Visum quomodo impedire potest cornea tunica. 1°. de sym. cau. 3ª. 14. D
Visui quomodo obsit cornea perforata. de ocul. 7ª. 186. E
Visum tollit cornea rugata. 1°. de symp. cau. 3ª. 15. D

Visui cur duplicia qñque omnia videntur. 1°.de symp.cau. 3ª.14.C
Visus non impeditus rhagoide procidente. 1°.de symp.cau. 3ª.14.D
Visus læditur læso humore albugineo.de ana.viu. Sp.48.E
Visus prauitas. 1°.de symp.cau. 3ª.16.B
Visus amissus cur. 4°.de loc.aff. 4ª.21.H
Visus quomodo repente destruitur in vertigine,& cur. comment.4°. aphor.17°. Ex.29.A
Visui qui non sunt perspicaces ob quid. 1°.de symp.cau. 3ª.14.H
Visus caliginosus cur fiat ab austro.com.3°.aph.5°. Ex.20.C
Visus obscurior quo modo fiat.4°.de loc.aff. 4ª.21.H
Visus cur hebes in senibus.com.3°.aph.31°. Ex.26.H
Visus hebetudo ex quibus. 1°.de symp.cau. 3ª.15.C
Visum integrum,& inculpatum hebetat lens. 1°.de alim.fa. 2ª.13.E
Visus hebetior ostendit futuram ægritudinem.ars med. Isa.67.G
ex Visu signa futuræ ægritudinis.ars med. Isa.67.G
Visus quare futurus acutior.10°.de vsu par. 1ª.184.A
Visum acutissimum reddit aspidis exuuium.de ther.ad Pis. 5ª.93.F
Visus hebetudini ab humorũ crassitudine medetur cedrea. 7°.de simpli.med.fac. 5ª.50.E
Visus hebetudinem a crassitie natam adiuuat chamesyce. 8°. de simpli.med.fac. 5ª.63.G
ad Visum acuendũ cõmodũ est chelidoniũ.8°.de simp.me.fa. 5ª.63.G
Visum non acuit sanguis crocodili terrestris,vt fertur.10°.de simpl. med.fac. 5ª.73.D
ad Visum acuendum cinis hirundinum.11°,de simp.me.fac. 5ª.82.B
Visum acuit fel hyenæ.de ther.ad Pis. 5ª.93.F
Visum exacuens collyrium.4°.de comp.med.sec.loc. 5ª.156.D
Visum exacuens compositio.4°.de comp.me.sec.loc.152.H/5ª.153.A
ad Visum mire exacuendum.de med.fac.par. 7ª.170.C
ad Visum acuendum.4°.de compo.medi.sec.loc.152.H/5ª.156.D/de med.fac.par. 7ª.170.E
ad Visus hebetudinẽ collyrium.4°.de comp.me.se.l.156.F/5ª.157.A
ad Visum hebetem.4°.de comp.med.sec.loc.157.B/5ª.161.H/de medi.fac.par. 7ª.170.E
Visus obtusus. 1°.de symp.cau. 3ª.16.B
ad Visum obtusum hieracium.4°.de comp.med.sec.loc. 5ª.156.F
ad Visus omnem obtusionẽ collyriũ.4°.de cõp.med.sec.loc.5ª.157.A
ad Visum obtusum. 4°.de comp.med.sec.loc.152.G/ 5ª.161.H
ad Visus obscuritatem.de rem.par.fac. 7ª.156.H
Visus clarificandi præsidia.de dyn. Sp.24.H
Visum quid abstergat.secr. Sp.101.F
VITA actio animæ.de vtil.resp. 1ª.223.C
Vita nihil prius in animali.9°.meth.med. 7ª.59.F
Vita in calido,& humido consistit.de anat.viu. Sp.50.F
Vitam stabilem ac firmam habent animæ.de sper. Sp.38.A
ad Vitam partes propriæ quæ.fin.med. Isa.45.E
ad Vitam partes commodæ.fin.med. Isa.45.E
Vita nostra tribus regitur facultatibus.5°.de decr.Hip. 1ª.258.E
ad Vitam partes conferentes sunt principes.6°.de vsu par. 1ª.150.B
ad Vitam cerebri officium quale.7°.meth.med. 7ª.49.C
Vitæ totius principium cor.13°.de vsu par. 1ª.202.E
in Vitam spiritualem mutatur spiritus a corde.de sper. Sp.37.F
Vita cordis quæ.de ana.viu. Sp.53.A
ad Vitam arteria principalior est stomacho.16°.de vsu p.1ª.218.H
Vitam hepati,& renibus defert materia quæ a corde ad ipsa dirigit, de anat.viu. Sp.51.C
ad Vitam refertur respiratio.de vtil.resp. 1ª.223.B
a Vita spiratio separari nõ põt,nec vita a spiratione.6°.& lo.af.4ª.39.E
Vitæ maxima causa est ignis.com.1°.aph.14°. Ex.7.D/E
ad Vitam necessaria est appetentia.com.6°.aph.3°. Ex.46.F
VITÆ genus considerandum.in 1ᵐ.de mor.vulgaribus, commentario 2°. 3ª.108.E
Vitæ studia debent sciri secundum empiricos.de sect. Isa.16.D
Vitæ genus optimum deligendum est.de cogn.cur.animi mor. 2ª.53.E
Vitæ ratio quid sit.3°.de symp.cau. 3ª.25.B
Vitæ institutæ quæ.in 1ᵐ.de mor.vul.com.2°. 3ª.17.F
Vita in actionibus volũtarijs consistit.de mot.man.& obs. Sp.67.F
in Vitæ gñibus quod sit simplex,& inculpatũ.2°.de san.tu. 2ª.69.C
ſm Vitæ conditionem habet medium sibi temperatum vnus homo. 3°. de alim.fac. 2ª.33.D
Vita optima quæ.in 6ᵐ.de mor.vul.com.5°. 3ª.188.D
Vita optima est secundum virtutem viuere.de hist.phil. Sp.2.H
in Vita quid magis spectandum in oratione suas. Isa.3.E
ad Vitæ actiões exẽpla dedere Hippocr.& Plat.9°.de dec.1ª.280.D
ad Vitã pficiẽdã natura i pueris plurimũ põt.de cog.cur.aĩ m.2ª.53.b
ad Vitam beatam cynica philosophia est iter secundum aliquos. de cui us.ani.pec.atq; med. 2ª.57.D
Vitæ humanæ parũ cõfert disputatio de natura rerũ.de hist.ph.S.2.C
Vitæ humanæ conferunt moralia.de hist.phil. Sp.2.C
Vita Pyrrhonis sceptici.de subs.emp. Isa.34.D
Vita Empirici.de subs.emp. Isa.34.C
de Vitæ fine opinio falsa multorum peccatorum est causa. de cuiusq; ani.pec.not.atq; med. 2ª.57.H
Vitæ finis qui.de cuiusq; animi pec.not.atq; med. 2ª.56.E
Vitæ temperantia intemperati facti temperati.2°.de san.tu. 2ª.73.G
Vita praua quæ.in 6ᵐ.de mor.vul.com.5°. 3ª.188.E
Vita quibus sit magis sana,& quibus non.com.6°.aph.2°. Ex.46.E
Vitæ rationis errores.3°.de symp.cau. 3ª.25.B
Vita mollior causa præcedens pulsus mollis. 1°.de ps.ex pul.4ª.109.D
Vita otiosa,& omni labore vacans causa est humidarum ægritudinũ. de caus.mor. 3ª.8.A
in Vita otiosa quam crapulæ comitantur fiunt quotidianæ febres. 2°. de diff.febr. 3ª.36.D
Vitam otiosam & inertem agentes,vitent cibos crassi, & lenti succi. de bo.& vi.suc. 2ª.35.A
Vita diuitum quæ.in progn.com.2°. 4ª.198.H
Vitam viuere quam περισατικὸν vocant idest afflictum, & calamitosum vitæ genus.de sal.diæ. 2ª.39.H
Vita dura.3°.de diff.pul. 4ª.63.F
a Vitæ instituto,& a victus ratione colligitur ex tempore proportio. in 1ᵐ.de mor.vul.com.1°. 3ª.103.E
Vitæ studia indicant.de sectis. Isa.16.E
Vitæ instituta dant præsagia.in 1ᵐ.de mor.vul.com.2°. 3ª.117.F
Vita tota humana reqrit ad pulsuũ cognitionẽ.1°.de dig.pul.4ª.70.E
Vitæ sortes alterant pulsus.de vsu pul. 1ª.229.E
Vitæ instituta conferunt euacuationibus dignoscendis. commenta.4°. aphor.2°. Ex.27.E
Vita hominis quomodo sit breuis.com.1°.aph.1°. Ex.2.C
Vita vniº hoīs rẽ vnã nõ inuenit.de cuius.aĩ pec.not.atq; me.2ª.58.F
pro Vita omnia fiunt.9°.meth.med. 7ª.59.G
Vitam seruare quid sit.9°.met.med. 7ª.58.H
Vitæ custodia communis finis.9°.meth.med. 7ª.59.A
Vitam tuetur quod sit pro sanitate tuenda.9°.meth.med. 7ª.59.A
Vitam quæ artes per accidens seruant.ad Thras. 2ª.104.C
Vitam non custodiunt ægritudines discutientia.9°.met.med. 7ª.59.A
Vita longa quo modo procuranda.de med.fac.par. 7ª.178.B
Vitam longam promittit Theriaca.de vsu Ther.ad Pamp. 5ª.98.C
Vita Britannorum est annorum centum viginti.de hist.phil. Sp.12.B
Vita Aethiopum est annorum sexaginta.de hist.phil. Sp.12.B
Vita proganda est vbi sanitas introduci nõ põt.5°.met.med. 7ª.35.F
Vita despiciẽda sui & liberorũ pro salute patriæ.4°.de dec.1ª.249.b
de Vita,& morte qualiter iudicandum.com.2°.aph.33°. Ex.17.B
Vitæ discrimen ægro quando affert Saturnus.de decub.prog. Sp.12.F
ad Vitam & omne opus animæ dissolutio est maximum malum. com. 3°.aph.17°. Ex.23.F
ad Vitæ functiones censetur inutilis qui corporis partes mouere non potest.3°.de loc.aff. 4ª.21.B
Vita aufertur ablata sanguinis gñatione.6°.de decr.Hip. 1ª.264.G
ad Vitam custodiendam a beluis.de med.fac.par. 7ª.175.B
VITALIS virtus, siue facultas vocatur vis animalis.9°.methodi medendi. 7ª.58.H
Vitalis vis quæ.de ocul. 7ª.185.C
Vitalis facultas libera est.de trem.palp. 3ª.61.D
Vitalis vis est in sanguinem habẽtibus.4°.de præs.ex pul. 4ª.122.C
Vitalis sanguinis,et nutrimẽtalis q̃ differẽtia sit.de ana.vi. Sp.53.A
Vitalẽ vim nõ habent ostreæ,& stirpes.4°.de præs.ex puls. 4ª.122.C
Vitalis vis vnde sit,& qũo cognoscaĩ.1°.de ar.cur.ad Gla. 7ª.99.G
Vitalis vis quomodo cognoscatur.4°.de præs.ex pul. 4ª.121.H
Vitalis virtus influit a corde ad cætera membra.de ana.viu. Sp.50.F
Vitales virtutes,& operationes naturales reducendæ sunt ad vnum principium.de ana.viu. Sp.45.G
a Vitali vi fit pulsus.4°.de præs.ex pul. 4ª.122.C
Vitalis vis quid excernat per pulsus.4°.de præs.ex pul. 4ª.122.C
Vitalis facultas quid indicet.de vict.rat.in mor.acu.cõ.1°. 7ª.115.C

Vitalis potentia ex corde qñ robusta. in 6^m. de mor. v. cõ. 1°. 3^a. 154. G
Vitali & voluntaria facultate potior est ad febres vis concoctrix. 11°. meth. med. 7^a.70.A
Vitalis facultatis emorientis signa. in 3^m. de mor. vul. cõ. 1°. 3^a 132. G
Vitalis roboris exolutionc et ventris leuitate multa tremor fit. de tre more & palp. 3^a.52.H
Vitale robur excitat frictio. 5°. de san. tu. 2^a.89.F
VITALIS *calor incipit à corde. de ana. viu.* Sp.47.A
Vitalis calor qui est in corde nutritur à sanguine pingui, & vnctuoso. de vtilitate respiratio. Sp.62.C
Vitalis calor indiget nutrimento, nõ respiratione. de vti. resp. Sp.64.B
Vitalis calor quomodo dupliciter extinguitur. de vti. resp. Sp.62.D
Vitalis caloris flos in quibus sit extinctus. 1°. de diff. feb. 3^a.34.F
ex VITALIBVS *organis prin ipallissimis sunt arteriæ. de vtilitate respirationis.* 5^a.225.H
Vitalis principij angustia facit anhelitus carentiam. commentar. 4°. aphorismo 34°. Ex.31.B
VITALIS *spiritus dicitur spiritus cordis. de vir. nost. cor.* Sp.60.B
Vitalis spiritus vbi oriatur. 2°. de decr. Hip. 1^a.240.F
Vitalis spiritus vbi sit. de ana. viu. Sp.56.C
Vitalis spiritus in arterijs. 7°. de decr. Hip. 1^a.269.E
Vitalis spiritus in arterijs, & corde gignitur. 7°. de dec. Hip. 1^a.269.E
Vitalis spiritus intendit generationem cordis. de ana. vi. Sp.51.H
Vitalis spiritus quando fiat, & ad quem finem. de ana. vi. Sp.51.H
Vitalis spiritus ex qua materia fiat. 7°. de decr. Hip. 1^a.269.E
Vitalis spiritus in arterijs, & corde generatur, & habet materiam, in spirationem, & vaporem humorum. de vir. nost. cor. disp. Sp.60.C
ex Vitali spiritu elaborato fit spiritus animalis. de vir. nost. Sp.60.C
Vitalis spiritus propria materia spũs aĩalis. 8°. de vsu par. 1^a.172.E
Vitali spiritu plenum esse sinum spiritus asserit Erasistratus. 1°. de de cre. Hippocra. 1^a.232.A
Vitali spiritu semen plenum. 1°. de semine. 1^a.330.E
Vitali spiritu oẽs aĩalis partes nimio coitu priuãtur. 1°. de sem. 1^a.335.d
Vitalis spiritus excretio facit exolutionem, & animi defectum. commen. 7°. apho. 8°. Ex.54.E
VITALIS *actio qua arteriæ, & cor pulsant. de na. hu. c. 2°.* 1^a.182.F
Vitales motus. de trem. palp. 3^a.51.D
Vitales motus sunt ab arterijs & corde, de trem. & palp. 3^a.51.D
in Vitalibus non potest voluntas. de trem. palp. 3^a.58.F
VITELLINA *bilis vnde efficiatur. 2°. de na. fa.* 1^a.301.G
Vitellina bilis quomodo transeat in atram. 2°. de na. fa. 1^a.295.C
VITELLVS *oui extrinsecus illinitus paregoricus, vel stypticus inuenitur. de simp. med.* Sp.88.E
Vitella ouorum facilius coquuntur quàm albumina. 1°. de arte curatiua ad Glauconem. 7^a.97.D
Vitella ouorũ danda in tertiana pro cibo. 1°. de ar. cu. ad Gla. 7^a.97.d
Vitellorum ouorum assorum, & elixorum differentia. 11°. de simpli. med. facul. 5^a.81.E
Vitellis ouorum assatorum vtitur. 5°. de comp. med. per ge. 5^a.251.G
Vitella ouorũ emplastris de meliloto miscent. 11°. de sim. me. f. 5^a.81.E
Vitellus ouorum miscetur cataplasmatis phlegmonem extinguentibus. 11°. de simp. me. fa. 5^a.81.E
VITAE *ligna cremat. de reme. par. fa.* 7^a.164.H
VITEX *calidus est & siccus in tertio ordine. 6°. de simplicium medicamen. facul.* 5^a.40.H
Vitex est multum tenuis substantię. 6°. de simp. me. fa. 5^a.40.H
Vitex gustu acris est & adstringens. 6°. de simp. me. fa. 5^a.40.H
Vitex menses cit. 6°. de simp. me. fa. 5^a.41.B
Vitex indaratas partes digerit. 6°. de simp. me. fa. 5^a.41.B
Vitex flatus ventris discutit. 6°. de simp. med. fa. 5^a.41.A
Vitex flatus discutit super omnia. 6°. de simp. me. fa. 5^a.41.A
Viticis germina omnium præstantissima. 2°. de ali. fa. 2^a.24.C
Viticis asparagi stomacho accommodati. de attenuante vict. 2^a.44.D
Viticis asparagi austeri sunt, & adstringentes. de atten. vict. 2^a.44.D
Viticis turiones seruantur in aceto vel muria pro appetentia. 2°. de alimen. fa. 2^a.22.C
Viticis folia moderate frigida. 2°. de comp. me sec. lo. 5^a.136.F
Viticis folia cohibent venerem. 6°. de simp. me. fa. 40.H 5^a.41.A
Viticẽ cur mulieres in sacris Cereris sternãt. 6°. de sim. me. fa. 5^a.41.a
Viticis semen est frigidũ & siccũ, & eius vsus. 1°. de ali. fa. 2^a.15.F
Viticis semẽ creditur appetitus venereos inhibere. 1°. de ali. fa. 2^a.15.F
Viticis semen mansum capitis dolorẽ facit. 6°. de sim. me. fa. 5^a.40.H
Viticis semen vitandum in capitis dolore à stomacho. 2°. de composi. med. sec. loc. 5^a.137.A
Viticis semen est acopum. 6°. de simp. med. fa. 5^a.41.B
Viticis semine quomodo lassitudo sanetur. 6°. de simp. me. fa. 5^a.41.B
Viticis semen lecur, & lienem induratam, & obstructam sanat. 6°. de simp. me. fa. 5^a.41.B
Viticis semen frictũ editur cum tragematis. 6°. de sim. me. fa. 5^a.40.H
Vitici simile est cannabis semen. 1°. de ali. fa. 2^a.15.F
inter Viticem, & laurum sunt populi folia. 2°. de composi. medicam. secun. loc. 5^a.136.E
VITILIGINOSI *sunt non natura. si. med.* Isa.45.E
VITILIGINES *inter morbos euidentes numerant. de dif. mor.* 3^a.3.D
Vitiligines quid sint, & quomodo fiant, & cur vere. commentario 3°. aphorismo 20°. Ex.24.B
Vitiligo qui morbus sit, & quomodo differat ab ophiasi, alopecia, ptiliosi, myrmecia, leuce, sphacelo, clephante, scabie, & lepra, & quomodo curandus. 14°. met. me. 7^a.92.C
Vitiliginum generatio vnde. 3°. de symp. cau. 3^a.26.D
Vitiligines sunt toto genere præter naturam. de diff. mor. 3^a.4.F
Vitiligo quomodo fiat. 1°. de nat. fa. 1^a.292.F
Vitiligines fiunt ex commistis humoribus. de cau. morb. 3^a.8.B
in Viuiligine mutantur color. de symp. diff. 3^a.13.B
Vitiligo alba quæ. intro. Isa.57.G
Vitiligo alba qualis. 1°. de comp. me. se. lo. 5^a.121.D
Vitiligo nigra quæ intro. Isa.57.G
Vitiligo docet differre assimilationẽ & adherẽtiã. 1°. de na. f. 1^a.292.F
Vitiligine an sit affectus lassitudine laborans per contandum est. 4°. de sanitate tuenda. 2^a.83.B
Vitiligines, & ephelin expurgat Alisson. 6°. de simp. me. fa. 5^a.42.D
Vitiligines detergunt radix, & semẽ Althęę. 6°. de sim. me. f. 5^a.46.F
Vitiligines sanat radix Anchusæ onochleæ cum aceto. 6°. de simp. med. faculta. 5^a.41.D
Vitiligines detrahit capparis radicis cortex. 7°. de sim. me. fa. 5^a.49.H
ad Vitiligines adhibetur Chamæleon. 8°. de simp. me. fa. 5^a.63.F
Vitiliginem cum aceto expurgat Dracunculi radix. 6°. de simplicium medica. fac. 5^a.46.D
Vitiligines exterguntur radice Liliorum cum melle. 7°. de simp. medicamen. facul. 5^a.53.B
Vitiligines iuuat Lupinus. 6°. de simp. me. fa. 5^a.48.D
Vitiligines albas iuuat Rubiæ radix. 6°. de simp me. fa. 5^a.47.F
ad Vitiligines sepiarum testæ. 11°. de sim. me. fa. 5^a.81.A
Vitiliginem tollit Stercus crocodilorum terrestrium. 10°. de simp. medicam. fa. 5^a.77.H
ad Vitiligines stercus ouillum. 10°. de sim. me. fa. 5^a.76.H
Vitiliginem viranque sanat Telephium. 8°. de simp. me. fa. 5^a.62.D
ad Vitiligines oculorum. de reme. par. fa. 7^a.156.G
VITIOSVM *quid sit. de symp. diff.* 3^a.12.C
Vitiosa sunt plurima. 6°. de san. tuen. 2^a.95.D
Vitiosi cibi cupiditas quibus accidat. 6°. de san. tuen. 2^a.98.F
Vitiosum accumulant aliqui ex vitioso victu diebus festis. 6°. de sanitate tuenda. 2^a.98.A
Vitiosa corpora sunt in duplici differentia. 6°. de sa. tu. 2^a.95.C
Vitiosum corpus à quibus causis cito offendatur. de op. nostri. 1^a.38.D
Vitiosos humores habentes quomodo curandi. 6°. de san. tu. 2^a.97.D
Vitiosorum humorum medicamenta sunt alteratio, & euacuatio. 4°. de san. tuen. 2^a.83.A
Vitiosi succi non æque educuntur ex vna parte vt ex alia. 4°. de sanitate tuenda. 2^a.83.A
ad Vitiosos humores. 8°. de comp. med. sec. loc. 5^a.195.B
VITIS *quid, & eius vires. de simp. me.* Sp.92.B
Vitis quam terram desideret. 9°. de simp. me. fa. 5^a.64.F
Vitis ad alia loca mutata diuersum facit vinũ. 3°. de sym. ca. 3^a.26.E
Vitis neglecta, aut nullum, aut malum fructum gignit. de cognoscendis curan. animi mor. 2^a.54.B
Vitis culta est imbecillior agresti. 6°. de simp. med. fa. 5^a.42.F
Vites qui putat exercetur, & operatur. 2°. de san. tu. 2^a.73.G
Vitis finis, & bonum idem. ad Thras. 2^a.103.E
Vitis bonitas in quo consistat. 1°. de temp. 1^a.13.D
in Vitis ligno leuissimam transmutationem habuit vinum aquosum, & leuissimam elementi terrei permistionem. de victus ratio. in morbis acutis, comm. 3°. 7^a.128.H
in Vite valde coctum est vinum vinosum. de victus ratio. in mor. acutis, commen-

tis,commen.3°. 7ª.129.A
Vitium vermes scnipæ dicuntur.9°.de simp.med.fa. 5ª.66.E
Vitium anulis consternebant pauimenta cum herbis frigidis indigebant.1°.de ar.cur.ad Glau. 7ª.99.B
Vitiũ capreoli sternẽdi in cubiculo febricitãtiũ.1°.me.me. 7ª.64.E
Vitium capreoli adhibendi in Herpete exedente.2°.de arte curatiua ad Glauconem. 7ª.102.B
Vitis fructus acinus.2°.de alim.fa. 2ª.16.C
Vitis semen γλγαρτον.2°.de alim.fa. 2ª.16.C
Vitis germina omnium præstantissima.2°.de alim.fa. 2ª.24.C
Vitis folia adstringunt & reprimunt.de reme.par.fa. 7ª.156.D
Vitis folia sternenda ad refrigerandum.de remed.par.fa. 7ª.153.E
Vitis folia oculis ex rheumate dolentib° ꝓsunt.de simp.me.Sp.92.A
Vitis botrus infundit,& procurat ventrem.de simp.med. Sp.92.A
Vitis frigida pro capite.2°.de comp.med.sec.loc. 5ª.132.H
Vitis frigida.in 6m.de morb.vulg.com.4°. 3ª.182.C
Vitis decoctum adstringit.4°.met.me. 7ª.28.H
Vitis Aminæa fructus acerbus tantum.4°.de simp.med.fa. 5ª.26.F
Vitis aminææ vinum acerbum tantum.4°.de simp.med.fa. 5ª.26.F
Vites aminææ.6°.de comp.me.se.loc. 5ª.171.E
VITIS *sylvestris à quo Oenanthe vocata.13°.met.me.* 7ª.83.H
ex Vitium œnanthe aqua.de vic.ratio.in mor.acu.cõ.4°. 7ª.149.B
Vitis agrestis quę.2°.de alim.fac. 2ª.21.H
Vitis agrestis racemi extergunt.6°.de simp.me.fa. 3ª.42.F
Vitis agrestis germina adstringunt.6°.de simp.me.fa. 5ª.42.F
Vitis agrestis germina sale condiri solent.6°.de simp.me.fa. 5ª.42.F
Vitis agrestis extergit epheleis,& nęuos.6°.de simp.me.fa. 5ª.42.F
VITIS *alba dicitur per relationem.an quali.in corp.sint.* Isa.10.B
Vitis albæ asparagi stomachum iuuant.de atten.vic. 2ª.44.D
Vitis albæ germina stomacho grata sunt ob adstrictionem.6°.de simp. med.faculta. 5ª.52.F
Vitis albæ germina subamara,subacriaq;.6°.de simp.med.fa. 5ª.42.F
Vitis alba vrinam modice cit.6°.de simp.me.fa. 5ª.42.F
Vitis albæ radix adstringentem,& desiccantem vim habet,& moderate calidam.6°.de simp.me.fa. 5ª.42.F
Vitis albę radix lienes induratos sanat,& psoram atque lepram.6°. de simp.med fa. 5ª.42.F
Vitis albæ radix potest sumi pro rosmarino.4°.de san.tu. 2ª.87.B
Vitis albæ fructus pro corijs densandis.6°.de simp.me.fa. 5ª.42.F
Vitis albæ fit mentio.5°.de comp.med.sec.lo. 5ª.159.G
VITIS *nasca.de dynam.* Sp.24.B
VITIA *quę.14°.meth.med.* 7ª.93.B
Vitis non sunt naturalia animæ sm Andronicum.de sper. Sp.40.D
Vitiorũ genera eadem sunt his quæ virtutẽ perficiũt.ars me.Isa.62.H
de Vitijs,& moribus senex consulendus est.de cog.cu.aĩ mor.2ª.53.G
de Vitijs cur amicos non reprehendimus.de cog.cur.ani.mo. 2ª.51.B
Vitijs affectus non debet terreri,quin fieri possit probus.de cognoscendis cur.animi morbis. 2ª.51.E
Vitium vnum solum ignorantia sm Galenum.7°.de decr. 1ª.268.E
Vitia abolent studia & disciplinæ,ꝙ animi mor. 1ª.321.B
Vitia abolet educatio.ꝙ animi mor. 1ª.321.B
Vitia functionum sunt symptomata communi nomine.2°.met. 7ª.9.H
Vitia circa aures,& ceruicẽ interdũ ob pituitã oriũtur,de d.Sp.19.H
Vitia aquæ remouentur per ebulitionem.de bo.aquę. Sp.75.D
Vitia renum quibus vrinis significentur.de vri.sig.ex Hip. Sp.78.H
ad Vitia antiqua quibus vtendum.de remed.par.fa. 7ª.154.H
ad Vitia recentia quibus vtendum.de reme.par.fa. 7ª.154.H
de VITREO,*& cristallino humore.10°.de vsu par.* 1ª.178.B
Vitreus humor oculi.de ocu. 7ª.182.G
Vitreus humor.7°.de decr.Hippocr. 1ª.270.G
Vitreus humor est pars similaris.1°.met.me. 7ª.6.D
Vitreus oculi humor vbi.de ana.par. Sp.43.D
Vitreus humor vbi in oculo.de ocu. 7ª.183.A
Vitreus humor est post crystallinũ,& vnde,& quare.de an.Sp.48.d
Vitreus humor qualis.10°.de vsu par.1ª.177.F/3°.de lo.aff.4ª.18.A
Vitreus humor qualis,& è quo sit sanguine.de ocul. 7ª.182.B
Vitreus humor à quo accipitur.10°.de vsu par. 1ª.177.F
Vitreus humor à quo nutriatur.10°.de vsu par. 1ª.177.G
Vitreus humor cui,& per quæ vnitus.10°.de vsu par. 1ª.178.C
Vitreum humorem qui nerui circuunt.de ner.diss. 1ª.53.D
Vitreum humorẽ tunicæ continentis natura.10°.de vsu par. 1ª.179.B
Vitrei humoris officium.7°.de decretis Hip. 1ª.270.H
Vitreus humor in quo deseruiat chrystallino.de ocu. 7ª.182.H
Vitreus humor se habet ad chrystallinum in comparatione stomachi ad hepar.de ana.viu. Sp.48.D
VITREVS *succus qui vocetur à Praxagora.4°.de s.n.tu.* 2ª.84.B
Vitreus humor qui à Praxagora.2°.de diff.feb.37.E/de inæq.intem pe.44.F/in 6m.de mor.vul.com.2°.3ª.167.C/2°.de lo.aff.9.D/1°. de præsag.ex pulsi. 4ª.107.F
Vitreus succus qui secundum Praxagoram,& Philotimum.1°.de symptomatum causis. 3ª.18.F
Vitreus humor qui secundum Philotimum.1°.de alim.fa. 2ª.12.A
Vitreus humor frigidissimus omniũ humorũ.in 1m.prr.cõ.1°.4ª.168.F
Vitreus humor frigidissimus cur ita dictus.2°.de lo.aff. 4ª.9.D
Vitreus humor dolores facit.1°.de loc.aff. 4ª.4.B
Vitreus humor qui,& quos faciat dolores.in 1m.pro.cõ.1°.4ª.168.F
Vitreus humor dolorem vehementem parit.12°.met.me. 7ª.80.A
ex Vitreo humore rigor.de inæq.intemp. 3ª.44.F
Vitreæ sint cucurbitulę in quibus sanguinis vacuationem considerare est opus.de cucur.scarif. 6ª.3.D
Vitrea Prixis.7°.de cõp.me.se.lo.186.A/7°.de cõp.m.ꝑg.5ª.274.F
Vitreum vas crassum.7°.de comp.me.per gene. 5ª.274.G
Vitreum vas.2°.de comp.me.se.lo.139.C/3°.143.D/144.A/5°.160. F/7°.179.E/180.E/181.G/H/182.A/185.E/F/9°.203.A/4°. de comp.med.per ge.243.H/244.A/7°.269.G/273.A/5°.274. F/de med.fa.par.169.D/ 7ª.174.D
Vitreum vinum.7°.de comp.med.per ge. 5ª.274.C
VITRIOLVM *quomodo fiat,quid sit,& eius vires.de simp.* Sp.79.G
Vitriolum.de med.fa.par. 7ª.163.D
VITRVM *in terra reperitur.9°.de simp.med.fa.* 5ª.66.D
Vitrum in arena inuenitur.9°.de simp.med.fa. 5ª.66.D
Vitrum congelatur.1°.de simp.med.fa. 5ª.5.B
Vitro nihil fraudolenter admisceri potest.1°.de anti. 5ª.104.D
Vitrum quale.9°.de sim.me.fa. 5ª.67.D
vt Vitrum est tenuis humor oculi.de compa.memb. Sp.58.C
Vitrum secando alterat.3°.de simp.me.fa. 5ª.17.D
Vitrum vstum incidens est minus calidum.5°.de simp.me.fa. 5ª.35.E
Vitrum vstum bene vrinam prouocat.5°.de simp.me.fa. 5ª.35.E
Vitrum combustum lapidem patenter frangit.de ren.aff.dig.7ª.196.D
Vitrũ vstũ pro vlceribus exsiccãdis.4°.de comp.me.per ge. 5ª.236.G
VITVLINA *caro est in magno vsu.2°.de alim.fa.* 2ª.16.B
Vitulina caro tertio loco probus cibus.de bo.& vit.suc. 2ª.37.C
VITVLINVS *adeps taurino minus calidus.11°. de simplicium medicamentorum facul.* 5ª.79.E
Vitulinus adeps vlcerũ ora ĩdurata emollit.4°.de cõ.m.ꝑg.3ª.240.A
Vitulinus adeps mouet pus.5°.de simp.me.fa. 5ª.34.B
pro Vitulino adipe suillus antiquus.4°.de comp.me.per ge. 5ª.239.E
VITVLINA *medulla qualis.5°.de simp.med.fa.* 5ª.34.E
Vitulina medulla post ceruinam optima.11°.de simp.me.fa. 5ª.79.E
Vitulina medulla minus efficax ceruina,efficacior caprina. de simplicib.medicamin. Sp.87.D
Vitulina medulla mollificat.2°.de ar.curat.ad Glau. 7ª.104.A
Vitulina medulla emollit modice.5°.de simp.me.fa. 5ª.34.E
Vitulina medulla mollitiua est,& in quo gradu.de ocu. 7ª.188.D
Vitulina medulla molliendo digerit.14°.met.med. 7ª.87.H
ex Vitulina medulla pessi vterũ mollientes.11°.de sim.me.fa. 5ª.79.E
Vitulina medulla vlceris caua indurata emollit.2°.de composi.medi. per genera. 5ª.220.B
Vitulina medulla quomodo miscenda medicamentis.4°.de comp.medicamento.per gen. 5ª.237.H
Vitulina medulla.3°.de comp.me.per ge. 5ª.234.A
VITVLINVM *seuum,& caprinum indifferenter accipit.5°. de compo. med.per gene.* 5ª.249.E
Vitulinum seuum mollit,& concoquit.2°.de compositione medicamentorum per genera. 5ª.221.D
Vitulinum seuum curatum.4°.de comp.med.per ge. 5ª.243.H
Vitulinum seuum.2°.de comp.med.per ge. 5ª.225.G
VITVLVS *cornu petit priusquam cornua produxerit. de fœtuum formatione.* 1ª.325.E
Vituli sunt natura sicciores.de bo.& vit.suc. 2ª.35.H
Vituli habent carnes præstantiores bobus ad conficiendum.3°.de alimentorum facultatibus. 2ª.52.H
Vituli caro velocius digeritur quàm caro bouis.de diff.cont.Sp.73.C
Vituli caro bonum generat chymũ,& crassum.de diff.con. Sp.73.H

VITVLVS *marinus habet multum sanguinem, & respirat in aere mi-ro modo.6°.de vsu par.* 1ª.150.H
Vituli marini carnes salsæ faciunt humorem melancholicum. 3°.de lo cis affectis. 4ª.18.F
Vituli marini pingue.7°.de comp.med.per ge. 5ª.270.H
pro Vituli marini pingui,medulla cerui vetustissima vti posumus.7°. de comp.med.per gen. 5ª.270.H
Vituperabat apparentia Democritus.aduer.emp.med. Isa.25.C
VIVENDI principium cor.1°.de semine. 1ª.334.C
bene Viuendi principium testes.1°.de sem. 1ª.334.C
Viuendi ratio significat aliquando solum cibum,& potum.de nat.hu-mana.commen.2°. 7ª.182.B
Viuendi omnis ratio delicatior est causa humidarum ægritudinum. de causis morborum. 3ª.7.H
Viuendi rationem idoneam,qñque expetit æger.de fascijs. 7ª.293.C
Viuendi ratio inducit colicam.ars med. Isa.61.C
à Viuendi ratione contraria conseruatur sanitas.in 1ᵐ.de morbis vul-garibus,commen.1°. 3ª.101.A
ad Viuendum partes necessariæ quę.14°.de vsu par. 1ª.204.C
ad Viuendum commodius partes quę.14°.de vsu par. 1ª.204.C
VIVENTEM *non spirare,& spiramem non viuere, est impossibile.6°. de locis affectis.* 3ª.39.E
Viuens quandiu fuerit victima respirat,vocem emittit, & currit.2°. de decr.Hippocratis. 1ª.237.A
Viuente animali difflatio, expiratio, & inspiratio fit semper.in Tim.Pla. 1ª.289.C
Viuentia solum augentur.2°.de na.fa. 1ª.297.H
Viuente animali capitis anatome.7°.de decr.Hip. 1ª.269.B
Viuentia marasmum pati possunt.de marc. 3ª.45.C
Viuentibus cur durę partes.de marc. 3ª.46.C
Viuentes suo iure sunt bellicosiores.de aere,aq.& loc. 2ª.6.C
Viuentibus laus multorum prodest,mortuis nihil prodest.7°.metho-di medendi. 7ª.43.B
VIVERE *tantum tria dicuntur, animalia, plantæ, & semina. de marc.* 3ª.45.C
Viuunt fructus propter semina.de mar. 3ª.45.C
Viuant cur septimestres partus.de hist.phil.11.C/de cõp.mẽ.Sp.59.G
Viuere cur non possit infans octauo mense editus.de cõp.mẽb.Sp.59.g
Viuere potest per multos dies bibens minus.de trem.palp. 3ª.60.B
Viuere non potest nec per minimam partem diei respirans minus. de tremore & palpitatione. 4ª.60.B
Viuant cur aĩalia quædã sine pulmone,& corde.de vti.resp. Sp.63.B
Viuit animal læso cerebro,& iecore,corde non affecto. 5°.*de loc. af-fectis.* 4ª.28.H
Viuit dum animal cor in vtrisque sinibus sanguine repletum est.6°.de decre.Hip.& Plat. 1ª.231.F
Viuimus ex viribus.9°.met.me. 7ª.59.E
Viuere qui recte volunt, temperiem cerebri debent seruare. de virt. nostrum corp.dispens. Sp.60.C
Viuat vt diu,qui optima sit natura fieri potest.1°.de san.tu. 2ª.67.E
Viuũt diutius qui spissum corpus hñt,q̃ qui rarũ.de hist.phil.Sp.12.B
*Viuere nesciũt quidam sine medicamẽtis.1°.de præs.ex pul.*4ª.105.B
ex VIVI *radice solet aliquid pullulare.de cogn.cur.aĩ mor.* 2ª.53.H
Viui anatomiam precedit anatomia mortui.9°.de ana.adm. 1ª.103.H
Viui animantis sectio.7°.de anat.adm.97.D/ 1ª.98.B
in Viuo animali tres modi secandi.7°.de ana.adm. 1ª.97.G
in Viui anatomia quid videatur.9°.de ana.adm. 7ª.103.H
*Viuum corpus nunquã habet ἀσφυξίαν 1°.de præsa.ex pul.*4ª.106.A
Viuorum more iacere non posse,pessimum.de trem. & palp. 3ª.51.H
VIVVM *simp liciter significat calce.4°.de cõp.me. perge.* 5ª.239.G
VIX curabiles non sunt purgandi.de dy. Sp.20.F

VLCERATIONEM *afferunt exa sperãtes cau sæ.de causis morborum.* 3ª.9.C
Vlceratio in oculo quid.fin.med. Isa.48.D
Vlcerationes oculorum affectus.fin.med. Isa.48.D
Vlcerationem in oculis differentię.fi.med. Isa.48.D
Vlcerationi oris confert succus centaureę.de vir.cen. Sp.93.C
Vlcerationis intrinsecę oris remedium.de dy. Sp.25.C
ad Vlcerationes narium confert succus centaureę.de vir.cen.Sp.93.c
Vlceratio non fit in bronchio quin animal prius moriatur.1°. de locis affectis. 4ª.2.C
*Vlceratio cur fiat in pulmone sine animalis morte.1°.de lo.aff.*4ª.2.C
Vlceratio facit vrinæ difficultatem.com.7°.aph.48°. Ex.57.H
Vlcerationes ani mitigat succus centaureę.de vir.cen. Sp.93.E
ad Vlcerationem tibiarum remedium.de dy. Sp.30.A
ad Vlcerationes valet Lycium.7°.de simp.me.fa. 5ª.54.G
ad Vlcerationes,& suppurationes in profundo.7°.de composit.medi-camen secun.loc. 5ª.182.A
Vlcerationẽ habẽtes cãcri an debeãt curari.com.6°.aph.38°.Ex.50.E
VLCERATA,*& inflammata membra quomodo patiantur quatuor æ-gritudines.de diff.morb.* 3ª.5.F
Vlcerata cutis est rarior.com.5°.aph.20°. Ex.39.B
Vlceratæ partes quibus cognoscantur.4°.met.me. 7ª.20.B
*Vlcerata pars plures requirit facultates.4°.de cõp.me.p g.*5ª.239.b
Vlcerata quibus indigeant.9°.de cõp.medica.sec.loc. 5ª.205.H
*Vlceratum corpus sanatur similibus.2°.de comp.me.per g.*5ª.220.A
Vlcerata,frigore præsertim, sanantur calido.cõ.5°.aph.22°.Ex.39.E
Vlcerata caro fit mollis,& fluuida si aqua calida perfundatur.1°. de simp.med.fac. 5ª.3.F
Vlceratæ particulę ex caustico medicamento horrent,rigent, & febri citant.2°.de symp.cau. 2ª.22.E
Vlceratus balneo abstineat.4°.de comp.med.per ge. 5ª.237.D
Vlceratorum tuberculorum medicamenta quæ.in 6ᵐ.de morb.vulga ribus,commen.2°. 3ª.160.H
Vlceratæ arteriæ curatio.5°.met.me. 7ª.32.C
Vlcerata arteria quòd non possit coalescere.5°.met.me. 7ª.32.B
*in Vlcerato capite porci adeps,& rosaceũ.de rem.par.fa.*7ª.154.H
*in Vlcera aure processus curationis ſm Galenũ.5°.met.me.*7ª.34.A
Vlcerata nare quid agendum.5°.met.me. 7ª.34.B
Vlceratis gingiuis prodest succus centaureæ.de vir.cen. Sp.93.C
Vlcerata gula quomodo curanda.4°.met.me. 7ª.28.G
ad Vlcerata vbera.de pass.mul. Sp.96.D
Vlceratus ventriculus quomodo curandus.4°.met.me. 7ª.28.G
ad Vlceratas perniones.1°.de comp.med.per gen. 5ª.211.E
Vlcerati cancri,& non vlcerati quomodo curari debeant.commenta. 6°.aphorismo 38°. Ex.50.E
Supra Vlceratũ locum varices primo sanandę.4°.meth.me. 7ª.23.H
ad Vlceratas affectiones.10°.de comp.me.se.lo. 5ª.206.E
in Vlceratis per exesum crescit caro.com.6°.aph.19°. Ex.48.B
VLCERATVM *sensum quomodo precedat,& quomodo sequatur pru-riginosus sensus.2°.de lo.aff.* 4ª.11.G
VLCERAT *ficus arbor.8°.de sim.me.fac.* 5ª.61.F
VLCEROSA *lassitudo quæ.in 1ᵐ.prorr.com.2°.* 4ª.169.B
Vlcerosę lassitudinis affectus qui,& vnde oriat.4°.de san.tu. 2ª.82.F
Vlcerosus sensus qui.de mul. 3ª.79.F
Vlcerosus affectus lassitudinis oritur à copia excrementorum tenuiũ, & acrium.3°.de san.tuen. 2ª.78.G
cum Vlcerosa lassitudine crudorum humorum copia quomodo fiat, & quomodo curetur.4°.de san.tuen. 2ª.86.B
Vlcerosus affectus vnde proueniat.3°.de san.tuen. 2ª.78.G
Vlcerosæ lassitudinis causa quæ.4°.de sanitate tuenda. 2ª.82.G
Vlcerosorum affectuum succus qualis.2°.de symp.cau. 3ª.23.H
Vlcerosam lassitudinem pariunt excrementa mordacia.4°.de sanitate tuenda. 1ª.82.H
*Vlcerosã lassitudinẽ excitãt celeres ac multi motº.3°.de sa.*2ª.79.A
Alcerosa lassitudo in causo.de vic.rat.in mor.acu.com.3°. 7ª.134.F
Vlcerosa lassitudo quid faciat.4°.de san.tuen. 2ª.82.F
*in Vlcerosa lassitudine alij fatentur inter mouendum dolore vlceris ri tu,alij cutim tantũ,alij etiam subiectã carnẽ.3°.de sa.tu.*2ª.79.A
*in Vlcerosa lassitudine oriuntur horror et rigor.3°.de sa.tu.*2ª.178.G
Vlcerosa dispositio causa leuitatis intestinorũ.cõ.3°.ap.30°.Ex.26.F
Vlcerosa lassitudo quomodo sanetur.4°.de san.tuen. 2ª.83.B
Vlcerosę lassitudinis cum copia crudorum humorum in toto corpore, curatio.4°.de san.tuen. 2ª.87.C
Vlcerosę lassitudinis victus ratio.3°.de san.tuen. 2ª.79.F
*in Vlcerosa lassitudine cibi glutinosi prohibendi.3°.de sa.tu.*2ª.79.G
Vlcerosi dolores qui.2°.de loc.aff. 4ª.11.D
Vlcerosi dolores ex nimijs exercitationibus.2°.de loc.aff. 4ª.11.D
Vlcerosus dolor quo humore fiat.2°.de lo.aff. 4ª.11.H
Vlcerosus dolor ad intima etiam extenditur.2°.de lo.aff. 4ª.11.G
Vlcerosa exte git balanus.6°.de simp.medica.facul. 5ª.44.D
VLCVS *nec locum affectum,nec causam represẽtat.2°.methodi me-dendi.* 7ª.9.E

Vlcus quid.de const.ar.Isa.37.D/de inæq.intemp. 3ª.44.C
Vlcus quorum communis morbus.3°.met.me. 7ª.18.F
Vlcus dicitur solutio continuitatis in carne.de differ.mor. 3ª.5.D/3°. *meth.med.16.C/4°.* 7ª.23.B
Vlcus in carne.de cau.mor. 3ª.9.F/*de arti.com.2°.* 7ª.267.F
in Vlceris ratione comprehenditur caro.de fract.com.2°. 7ª.230.H
Vlcus,& ruptio est in musculis.6°.meth.me. 7ª.36.G
Vlcera ab aliquibus symptomata dicuntur.12°.met.me. 7ª.74.F
Vlcus quomodo fiat.5°.de lo.aff. 4ª.32.E
Vlcera curfiant vere,& quomodo.com.3°.aph.20°. Ex.24.B
Vlcera nonnunquàm comitantur erysipelati.de diff.mor. 3ª.5.F
Vlcera habent magnam differentiã.4°.de cõp.med.per ge. 5ª.240.G
Vlcerum differentiæ secundum antiquos.3°.meth.me. 7ª.19.E
Vlceris quomodo fm Galenum differant.com.6°.aph.45°. Ex.51.F
Vlcerum omnium differentiæ,& nomina.com.6°.aph.45°. Ex.51.F
Vlceris differentiæ variæ.2°.met.me. 7ª.9.F
Vlceris plures differentiæ.3°.meth.me. 7ª.22.B
ad Vlcera duci possunt omnes morbi.de frac.com.3°. 7ª.246.E
Vlcus quid significet in Acuto.in prognost.Hipp.com.1°. 4ª.194.D
Vlcus Aequale.2°.meth.me. 7ª.9.F
Vlcus æquale,& inæquale vnde sumatur.3°.met.me. 7ª.22.B
ad Vlcus,quamuis Agreste,mitius efficiendum.5°.de compositio.medicamen.per genera. 5ª.245.H
Vlcera Specie Ambigua quę.14°.met.me. 7ª.90.G
Vlcera igni Ambusta iuuat atramentum sutorium.9°.de simplicium medica.fac. 5ª.70.B
Vlcera ambusta curat coriorũ veterũ cinis.11°.de sim.me.fa. 5ª.80.F
ad Vlcera ambusta adhibentur Pilulæ platani.8°.de simplic.medicamentorum facul. 5ª.58.G
ad Vlcera ambusta stercus ouillum.10°.de simp.me.fa. 5ª.76.H
Vlcera quæcunq; Annua sunt, aut etiã diuturniora, os abscedere est necessariũ,& cicatrices cauas fieri.com.6°.aph.45°. Ex.51.E
ad Vlcera Antiqua valet succus centaureæ.de vir.cen. Sp.93.F
Vlcera Ani sanat aloe.6°. de sim.me.fa. 5ª.42.C
Vlcus Aperistaton.2°.de comp.med.per genera. 5ª.218.E
ad Vlcus Apertum quæ cõueniant.2°.de comp.me.per ge. 5ª.220.C
Vlcus Arrosum.3°.met.me. 7ª.22.E
Vlcus prope magnam Arteriam,aut venam buboes excitat.13°.me thodi med. 7ª.81.A
Vlcus in aspera arteria quomodo deprehẽdatur.4°.de lo.aff. 4ª.28.B
Vlcera asperæ arteriæ cum pauco dolore.4°.de loc.aff. 4ª.28.B
Vlcus in aspera arteria quomodo curandum.4°.met.me. 7ª.29.A
Vlcera asperæ arteriæ quando curanda.5°.met.me. 7ª.34.E
Vlcera maligna Articulorum animi defectum inducunt.1°.de arte curatiua ad Glauconem. 7ª.98.G
Vlcus ab Atra bile incurabile est.de atra bile. 1ª.35.F
ad Vlcera Auriũ quidã vtuntur suũ bile.10°.de simp.me.fa. 5ª.74.H
Vlcera quæ sunt in auribus sanat succus cẽtaureæ.de vir.cen.Sp.93.C
Vlceribus aurium prodest Polygonon.8°.de simp.med.fa. 5ª.58.H
ad Vlcera auriũ diuturniora valet spõdylon.8°.de simp.me.f. 5ª.61.G
ad Vlcera aurium,& sedis.6°.de comp.med.se.lo. 5ª.170.C
ad Vlcera aurium,& naturaliũ.5°.de comp.med.per ge. 5ª.248.D
ad Vlcera in auribus,ac pudendo.7°.de comp.me.se.lo. 5ª.180.A
Vlcera Balneatorum sunt humida,ac mollia.1°.de simp.me.fa. 5ª.3.D
ob Vlcus fit Bubo qui aliquando,vlcere curato,diutius infestat.2°.de locis affectis. 4ª.14.C
Vlcus Cacochymon quod.3°.meth.me. 7ª.22.E
Vlcera κακοήθη quæ.4°.met.me. 7ª.26.H
Vlcus cacoethe omne est cauum.4°.met.me. 7ª.25.C
Vlcus cacoethes ex pruritu factum.4°.met.me. 7ª.25.F
ex Vlceribus quæ cacoethe,dicunt dysenteriæ.3°.de symp.ca. 3ª.27.E
Vlcera cacoethe pratumida.1°.de comp.med.per gen. 5ª.217.D
Vlcera quę cacoethe vocant cum melle sanat, cicerũ genus orobiæum appellatum.6°.de simp.med.fa. 5ª.47.E
ad Vlcera cacoethe,& phagedęnica adhibetur Petasites.8°.de simp. medicam.fac. 5ª.58.C
Vlcera cacoethe, & nomode siue depascentia sanat solanum manicũ. 8°.de simp.me.fa. 5ª.62.H
ad Vlcera cacoethe & putrida valet terra lemnia.9°. de simp.medicamen.fac. 5ª.65.E
ad Vlcera cacoethe.2°.de antid.119.G/1°.de comp.med.per ge.216. D/217.B/4°.240.D/6°. 5ª.259.A
Vlcera Calida,& sicca aqua potabili sanantur.1°.de simplicium medicamento.faculta. 5ª.3.D
Vlcus Callosum affectus totius corporis.intro. Isa.59.D
ad Vlcera callosa.4°.de comp.med.per genera. 5ª.241.B
de Vlceribus callosis.4°.de comp.med.per ge. 5ª.242.H
ad Vlcerum Callos.5°.de comp.me.per gen. 5ª.250.F
ad Vlcera quibus callus obduci non potest, & vetera.4°. de compo. medica.per gene. 5ª.242.D
Vlcera Canceros a.com.5°.aph.22°. Ex.39.D
Vlcera ad cicatricem perduci non possunt in cancris.commentario 6°. aphorismo 38°. Ex.50.F
Vlceribus cancrosis lac valet.10°.de simp.me.fa. 5ª.73.H
ad Vlcera cancrosa idonea est pompholix.9°.de sim.me.fa. 5ª.70.H
ad Vlcera cancrosa.4°.de comp.med.per gen. 5ª.242.G
Vlcus à Cane rabido illatum qũo tractandum.de vir.cen. Sp.93.H
Vlcus canis rabidi quãtũ debeat pmanere apertũ.2°.de anti. 5ª.117.B
Vlceribus à mordente cane inflictis competit mutulorũ caro.11°.de simp.med.fac. 5ª.78.F
Vlcera in Capite nascuntur ob pituitam.de dy. Sp.19.G
de Vlceribus manantibus capitis,& quid sint.de rem.pa.f. 7ª.154.C
Vlcera Capitis manantia quæ.1°.de comp.me.se.lo. 5ª.128.G
ad Vlcera capitis manantia,quę achores à græcis appellantur.2°. de comp.medica.per gen. 5ª.224.E
Vlceribus capitis maxime prodest calor.com.5°.aph.22°. Ex.39.E
Vlceribus capitis cõfert sectio venæ sup cornu capitis.de an. Sp.55.A
ad Vlcera capitis.5°.de comp.med.per gen. 5ª.251.F
Super Vlcus Carbunculi medicamenta valida.14°.met.me. 7ª.90.B
Vlcera Carne implenda quo indigeant.2°.de cõp.me.per ge. 5ª.218.G
Vlceri carnem apta sunt inducere,quæ leuiter abstergunt.9°.de sim. medi.fac. 5ª.66.A
Vlceribus carne explendis cõmodior est aristolochia longa quam rotunda.6°.de simp.me.fa. 5ª.43.E
Vlceris caro qualis esse debeat.4°.meth.med. 7ª.23.C
in Vlceribus,in quibus caro redundat, fiunt augmenta. de differẽtijs morborum. 3ª.5.B
Vlceris caro quando vlcerata,quid agendum.2°.de compositione medicamentorum per gene. 5ª.220.A
Vlcerum carnes humidas,& molles eliquat lana vsta, & in medicamen desiccatorium inditur.11°.de simp.me.fa. 5ª.81.B
Vlcerum carnes supercrescentes adstringit,& exsiccat aloe,& aris squamma.de ther.ad Pis. 5ª.90.H
Vlcus cum causa quando dicatur.3°.met.me. 7ª.22.F
Vlcera in quibus deest causa.5°.met.me. 7ª.30.C
in Vlceribus quãdo manet causa qũo curandum.5°.met.me. 7ª.30.C
in Vlcere quid habet rationẽ causę sine qua non.3°.me.me. 7ª.21.H
Vlcus Cauum.2°.meth.me. 7ª.9.F
Vlcus cauum quomodo ab vlcere simpliciter differat.3°.me. 7ª.19.A
in Vlcere cauo duo considerandа.3°.met.med. 7ª.17.G
Vlceri cauo quid agendum.de const.ar. Isa.39.C
Vlcera caua cũ phlegmone quomodo curanda.11°.met.me. 7ª.70.G
in Vlcere cauo citra phlegmonem quid agendum.2°.de compo. medicamento.per gene. 5ª.22.D
Vlcus cauum sordidum quomodo curetur,& vnde debeat incipere curatio.3°.meth.med. 7ª.21.G
Vlceri cauo quæ conueniant.2°.de comp.med.per gen. 5ª.218.G
Vlcus cum cauitate quo indigeat.3°.meth.me. 7ª.16.F
Vlcus cauum quomodo fm Hippocratem sanetur.3°.met.me. 7ª.17.F
Vlcus cauũ apertũ quomodo curetur.2°.de com.me.per ge. 5ª.218.F
Vlceris cauiaperti casus.2°.de comp.me.per ge. 5ª.220.E
in Vlcere cauo sordido,quid habeat causæ rationẽ.3°.me.me. 7ª.21.H
Vlceribus cauis quid vtendum.intro. Isa.58.B
Vlcera caua quibus medicamentis curentur.in 6m.de morbis vulgaribus,commen.2°. 3ª.160.H
Vlcera caua in summum indigent medicamento crasso.2°.de composi. med.per gen. 5ª.221.H
Vlcus cauum exsiccante,& expurgante medicamento indiget.3°.me thodi meden. 7ª.17.H
in Vlcera caua imponebantur medicamenta cornu cui applicata erat porcina vesica,clysteris modo.2°.de comp.med.per gen. 5ª.221.G
in Vlceribus cauis quæ carnẽ inducant.2°.de cõp.me.p ge. 5ª.221.H
Vlcus cauum implet natura,non medicus.de const.ar.med. Isa.39.E
Vlcera quibus explentur.4°.de comp.med.se.lo. 5ª.150.D

in Vlceribus cauis gñatur caro q̃ vr̃ germinare.c.6°.ap.19°.Ex.48.b
ad Vlcera caua,& carnis indigna.7°.de comp.med.per ge.. 5ª.269.D
Vlceri cauo aduersissimum est oleum.3°.met.me.. 7ª.17.A
in Vlcere cauo quando timor putredinis.3°.met.me.. 7ª.17.A
Vlcera caua indurata,quæ emolliant.2°.de comp.me.per ge.5ª.220.b
Vlcera Chironia vnde habeant nomen.com.6°.aph.45°. Ex.51.E
Vlcera chironia quæ sint.4°.de comp.med.per ge.237.G/ 5ª.239.D
in Vlceribus chironijs arida debent esse bene leuigata.4°.de composi. medicamen.per genera. 5ª.244.H
ad Vlcera chironia.4°.de comp.med.per gen.237.G/239.D/242.G/ 243.C/244.B/245.E/5°. 5ª.245.G
Vlcerum Cicatrices ab atra bile nigræ.2°.de nat.fa. 1ª.301.E
Vlcus ducere ad cicatricem quid sit.3°.met.me.. 7ª.19.G
Vlcera quę debẽt ad cicatricẽ duci quæ postulẽt.5°.met.me. 7ª.29.G
Vlcera q̃o ad cicatricẽ perducantur.2°.de ar.cu.ad Gla. 7ª.106.F
Vlcus cum phlegmone q̃ ad cicatricem ducitur.3°.met.me.7ª. 21.B
Vlceribus si illinatur balaustium celerrime illa cicatricem contrahũt. 6°.de simp.me.fa. 5ª.44.F
Vlcera ad cicatricem ducit spina ægyptia.6°.de sim.me.fa. 5ª.42.A
Vlcera ad cicatricem perducentia.6°.de comp.me.sc.lo. 175.D/10°. 207.G/2°.de comp.me.per gen. 5ª.223.D
ad Vlcera,quæ ad cicatricẽ veniunt. 1°.de comp.me.per ge.5ª.212.b
Vlcera cur cicatricem non inducunt.4°.de cõp.me.per ge. 5ª.242.H
Vlcera difficulter cicatricem inducentia quibus indigeant.4°.de composi.medic.per genera. 5ª.241.C
Vlcera,quę egre ad cicatricem duci possunt,sanat aloe.6°. de simplimedica.fac. 5ª.42.C
Vlceribus,quę præ nimia humiditate cicatricem non admittunt,mirifice prosunt cyperi radices.7°.de sim.me.fac. 5ª.53.H
Vlcera egre ad cicatricem prouementia curat leucoïj decoctum cum cerato.7°.de simp.med.fac. 5ª.54.D
ad Vlcera ægre recipientia cicatricẽ.4°.de compo.med. sec.loc.152. G/1°.de cõp.me.p ge.211.C/215.F/2°.223.B/4°.242.G/243.A/ 244.B/D/5°.249.E/6°. 5ª.259.A
ad Vlcera in quocunque corporis loco, quę cicatricẽ ægre ducunt. 4°. de comp.med.per gen. 5ª.242.E
ad Vlcera claudenda,quę cicatricẽ ægre ducunt,præsertim vbi callosa & dura labra vlcus amplectant.6°.de cõp.me.per ge. 5ª.259.B
Vlcera tm̃ relinquũt cicatrices cauas,q̃ta ipsa sũt.c.6°.ap.45°.Ex.51.G
Vlcerum cicatrices quare q̃q; solũtur.com.6°.aph.45°. Ex.51.F
ad Vlcera Circularia.4°.met.med. 7ª.27.F
Vlcus quomodo Claudatur. 5°.met.me. 7ª.30.D
ad Vlcera quæ nequaquã Coeunt.4°.de comp.me.per ge. 5ª.243.G
ad Vlcera Colli,mãmillarũ,& dorsi.5°.de comp.med.p ge. 5ª.250.G
Vlceribus Contumacibus aptissimum est medicamen Chrysocolla.9°. de simp.med.fac. 5ª.71.F
Vlcerum cõtumacium,quę καχοηθῆ nuncupant optimum remedium est Dracunculus.6°.de simp.med.fa. 5ª.46.D
ad Vlcera contumacia valet lycium.7°.de simp.me.fa. 5ª.55.G
Vlceribus contumacibus remedium est Peucedani radix.8°.de simp. medica.fac. 5ª.58.D
ad Vlcera contumacia est vsus Polyidię,& terrę lemnię.9°. de simp. med.fac. 5ª.65.F
ad Vlcera contumacia vsus est Prasionis,Andronis,& Betini pastillorum.9°.de simp.med.fac. 5ª.65.F
ad Vlcera contumacia valent squammæ ferri, & stomomatis. 9°.de simp.med.fac. 5ª.69.H
ad Vlcera contumacia. 1°.de comp.med.per gen. 5ª.216.D
Vlcera Contusa non debent exiccari.4°.met.med. 7ª.27.D
Vlcerũ Conuulsiones vnde,& q̃o sanãtur.com.5°.aph.21°.Ex.39.C
Vlcus Cruentum ab externis symptomatis.2°.met.me. 7ª.9.G
Vlcera cruenta frigidis,& siccis sanantur.6°.de simp.me.fa.5ª. 41.C
Vlcera cruenta sanat grauaminis radix.6°.de simp.me.fa. 5ª.41.B
ad Vlcera cruenta non adeo magna glutinanda.2°.de composi. medic. per gene a. 5ª.220.F
Vlcerum cruentorum medicamentũ.2°.de comp.me.per ge.5ª.219.B
ad Vlcera cruenta.1°.de comp.me.per gen.211.C/213.H/4°.243.A/ 244.B/5°.245 G/ 5ª.248.H
Vlcera in crure habentes non debent stare.de trem.& palpe.5ª.51.H
Vlceribus crurium,colli,& posteriorum capitis partium confert sectio venarum post aures.de ana.viu. Sp.55.A
Vlcus cum crusta quomodo fiat.2°.de arte cur.ad Gla. 7ª.101.C
Vlcerum crustę cum sanguine quandoq;.3°.de symp.cau. 3ª.28.B
Vlcus crustosum affectus totius corporis.introd. Isa.59.C
Vlcus crustosum.14°.met.med. 7ª.90.A
Vlceribus curatu difficilibus cicatricẽ ẽducẽs.4°.de cõ.m.p g.5ª.241.b
ad Vlcera curatu difficillima concoquẽda.2°.de cõ.m.p ge. 5ª.223.G
ad Vlcera curatu difficilia.2°.de comp.med.per gen.221.D/4°.237. G/243.B/D/E/244.B/5°. 5ª.251.F
Vlcus Cuti nostrę molliuntur acria.4°.de simp.med.fa. 5ª.29.E
Vlcus ex materia defluẽte ad cutim q̃o sanet.4°.met.med. 7ª.24.D
Vlcera cutis à phlegmone tuet araneitela.11°.de sim.me f. 5ª.80.F
ad Vlcera summæ cutis valent exiccantia sine morsu, & in actiuis temperata.9°.de simp.med.fa. 5ª.66.A
ad Vlcera Debiscentia.5°.de compo.medi per gen. 5ª.246.E
ad Vlcera vbi Deliria faciunt.4°.meth.me. 7ª.28.B
Vlcera Depascentia aĩ defectũ inducũt.1°.de arte cur.ad Gla.7ª.98.g
Vlcera depascentia sola purgatione sanata.de purg.me.fa. 5ª.87.G
ad Vlcera pascentia.1°.de comp.med.per ge.216.D/2°. 5ª.222.E
Vlceris Desperata quid significet.4°.de comp.me.per gen. 5ª.339.D
ad Vlcera desperata.4°.de comp.med.per gen. 5ª.239.D
Vlcere Difficilia sanat chrysocolla ex vri.10°.de simp.me.fa.5ª.75.E
ad Vlcera difficilia.1°.de cõp.me.per ge.213.H/216.G/4°.5ª.243.b
Vlceribus difficillimis,callosis,& inueteratis cicatricem maxime inducens.2°.de compo.med.per gen. 5ª.223.D
Vlcus Diuturnum multam saniem pusque continens sicciorem bilem prefert.10°.de simp.me.fa. 5ª.74.H
ad Vlcera diutina,& callo pressa.6°.de comp.me.per ge. 5ª.260.B
ad Vlcera diuturna.1°.de compo. medicamentor.per gen. 216.G/2°. 224.E/4°. 5ª.243.A/B/H
in Vlcerum genere qui poni possunt dolores.de fra.com.3°. 7ª.246.E
Vlcus facit dolorem.4°.de lo.aff. 4ª.27.H
in Vlceribus dolores vbi sint.2°.de comp.med.sec.lo. 5ª.133.H
Vlcera vbi doloro sa.4°.met.me. 7ª.28.B
Vlcera in Dorso quid agant.com.5°.aph.65°. Ex.45.A
ad Vlcera Dulcia.4°.de compo.med.per gen. 5ª.242.H
Vlcera amplianda cum Dura,& callosa sunt.4°.met.me. 7ª.25.A
in Vlcere vbi fit durities quo oleo vtẽdũ.4°.de cõp.me.p g.5ª.237.A
ad Vlcera Dysepulota.2°.de comp.med.per ge.224.E/4°. 5ª.245.C
Vlcus Erodit à siccis hũorib9,& q̃o cognoscat.c.6°.aph.4°.Ex.46.g
Vlcera Excedentia sunt cacoethe.4°.met.me. 7ª.28.C
in Vlcere exedente alumẽ cõbustũ.in 6m.de mor.vul.c.4°. 3ª.180.D
Vlcerum differentiæ Extrinsecę.3°.met.med. 7ª.22.C
pro Vlceribus extrinsecis quæ sumenda.4°.met.me. 7ª.28.H
Vlcera quomodo Fasciarent nonnulli.9°.de decr.Hippo. 1ª.283.C
in Vlcere ligatura q& debeat esse cõueniẽs.4°.de cõp.m.p g.5ª.236.d
in Vlcere quomodo deligatio incipienda.de fract.com.3°. 7ª.243.H
super Vlcus fieri non debet nodus.de ijs,q̃ in med.fi.cõ.2°. 7ª.207.F
Vlcerum differentię ex Ferro vulnerante.3°.met.me. 7ª.22.B
Vlcus Fistulosum affectus totius corporis.intro. Isa.59.D
Vlcus Fluens affectus totius corporis.intro. Isa.59.D
Vlcus fluxione vexatum.3°.met.me. 7ª.22.E
ad Vlcus si succi fluunt quomodo diuertendi.4°.meth.me. 7ª.23.F
ad Vlcera fluxio quibus compescenda.4°.met.me. 7ª.23.F
in Vlceribus succi vitiosi signum.4°.met.me. 7ª.27.A
ad Vlcerum fluxiones.2°.de comp.me.per gen. 5ª.224.E
ad Vlcera fluentia,vetera,& vix sanabilia.6°.de cõ.me.p g.5ª.262.a
ad Vlcera fluentia.3°.de compositio.medica. per genera.235. B/4°. 243.A/B/C/D/5°. 5ª.246.H
Vlcus cur bullæ p̃cedãt in Gãgrena & carbũculo.de tu.p̃t.na.3ª.83.H
Vlcera gãgrenosa defectũ animi inducũt.1°.de ar.cur.ad Gla.7ª.98.G
Vlcerum differentię à Generationis ratione.3°.met.me. 7ª.22.C
Vlceribus Ginginarũ cõferet Sectio venarũ labiorũ.de an.vi.Sp.55.b
Vlcera Glutinat Brassica.7°.de simp.me.fa. 5ª.52.H
Vlcera glutinat Centaurium.7°.de simp.med.fa. 5ª.50.F
Vlcera magna in duris corporibus glutinant cupressi folia, germina, pilulę recentes,& molles.7°.de simp.me.fa. 5ª.53.G
ad Vlcera glutinanda,cicatrice claudenda, & carne implenda adhibentur Lapides.9°.de simp.med.fa. 5ª.67.G
Vlcerũ glutinatoria sũt folia Piceę,& tedæ.8°.de sim.me.fa.5ª.58.F
Vlcera glutinat Polycnemon.8°.de simp.me.fa. 5ª.59.A
Vlcera glutinare valet Sarcocolla.8°.de simp.me.fa. 5ª.60.B
Vlcera glutinare potest Stratiotes.8°.de simp.me.fa. 5ª.61.D
ad Vlcera glutinanda.1°.de comp.med.per gen. 5ª.210.H

Vlcus an ſit in Gula exprimẽtũ ex aceto,& ſinapi.5°.me.me.7ª.34.F
Vlcera gulæ quomodo inſanabilia. 6°.met.me. 7ª.39.G
Vlcus qñ eſt in gula, quæ admiſcenda medicamẽtis.4°.met. 7ª.29.A
Vlcera quæ tantum ſummas partes occupant cutis, Herpetas, ideſt repentes nominat Galenus.com.6°.aph.45°. Ex.51.F
Vlceribus Humẽtibus quæ conueniãt.9°.de comp.me.ſe.lo.5ª.205.D
in Vlcere humido ſordido quid agendum.2°.de cõp.me.pge.5ª.220.d
Vlcus humidum quibus lauandum.4°.met.medendi. 7ª.23.E
Vlcus ſi humidũ ſit,& particula ſit ſicca,quid agẽdũ.3°.met.7ª.21.F
Vlcus humidum indiget ſicco.3°.meth.me. 7ª.18.B
Vlcera magnopere humida, aut putreſcentia in corporibus impendio mollibus adiuuat cadmia.9°.de ſimp.me.fa. 5ª.69.F
ad Vlcera quæ ob humiditatem vix cicatricem recipiunt. 1°.de compoſitio.medimentorum per gene.213.D/ 5ª.214.C
ad Vlceris humiditatem,& ſordes,quę conueniant.2°.de compo.medicamen.per gen. 5ª.220.C
ad Vlcera humida,& ſordida.2°.de comp.me.per gen. 5ª.219.H
Vlcerib⁹ nimis humidis mollibuſq; deſt anethũ.6°.de ſi.m.f. 5ª.43.H
Vlcera humida implet caries lignorũ.8°.de ſimp.me.fa. 5ª.60.A
ad Vlcera tum multa humiditate tũ ſordibus & impuritate ſcaturientia valet humana vrina.10°.de ſimp.medicamen.fa. 5ª.75.D
Vlcera in humidioribus minus ſiccanda ſunt.3°.meth.me. 7ª.18.B
Vlcera in Hidropicis difficulter ſanantur.com.6°.aph.8°. Ex.47.C
Vlcus Inflammatum non eſt vlceris ſpecies.2°.de lo.aff. 4ª.8.E
in Vlceribus inflammatis quare pulſus fiat,& quid ſignificet.commentario.6°.aphoriſmo 27°. Ex.55.D
Vlcera ſine inflammatione curantur acerbus.cõ.7°.aph.37°.Ex.57.a
Vlcera cum inflammatione & febre quomodo curentur. commentario 7°.aphoriſmo 37°. Ex.57.A
in Vlcere vbi apparet inflãmatio qd agẽdũ.4°.de cõ.m.p g. 5ª.237.a
ob Vlcera quando,& quomodo Inſaniæ,& diſtentiones fiãt. commentario 5°.aph.65°. Ex.45.A
Vlcus Inſigne,& vlcus magnũ idẽ.de vic.ra.in mor.ac.2°.7ª.124.E
Vlcus inſigne vnde dicatur.de vic.rat.in mor.acu.com.2°.7ª.124.E
Vlcus cum intemperie quomodo curetur.3°.met.me. 7ª.21.B
Vlceris Inteſtinorum notę.1°.de lo.aff. 4ª.6.C
Vlcus quomodo deprehendatur eſſe in inteſtinis craſſis, & quomodo in ſuperioribus & inferioribus.6°.de lo.aff. 4ª.36.E
Vlcera in tenuibus ĩteſtinis qũo curãda et p quas ptes.4°.me.7ª.28.g
Vlcera in craſſis inteſtinis quomodo curãda.4°.met.me. 7ª.28.G
Vlcera in ſuperficie faciũt leuitatẽ ĩteſtinorũ.com.6°.ap.1°.Ex.45.b
circa Vlcera putredo aliqua eſt, ſi febris vna cum appetentia fiat in difficultatibus longis inteſtinorum.com.6°.aph.3°. Ex.46.F
Vlcera inteſtinorũ qũo per os,& per anũ curẽtur.5°.me.me.7ª.34.D
ad Vlcera inteſtinorum valet theriaca.de ther.ad Piſ. 5ª.96.B
Vlceribus intrinſecis quæ opitulentur.4°.met.me. 7ª.28.H
Vlceribus intrinſecis familiaria ſunt ſumenda.4°.met.me. 7ª.28.G
Vlceribus intrinſecis quæ ſumi non debeant.4°.met.me. 7ª.28.H
Vlcera Inueterata ad cicatricem perducit thapſia. 6°.de ſimp. medicamentorum faculta. 5ª.48.C
ad Vlcera inueterata, & quæ difficilem curationem accipiunt. 5°. de comp.medic.per genera. 5ª.251.B
ad Vlcus omne inueteratum & recens.2°.de cõp.me.per g.5ª.223.A
ad Vlcera inueterata.4°.de comp.med.per gen. 5ª.245.C
in Vlcere quæ Labia ochthodeſi dicant.4°.de cõp.me.p ge. 5ª.239.B
Vlcera,quæ poſtulant labra cõiungi,quid expetãt.5°.me.me.7ª.29.g
Vlceris labia fibulis conſtringuntur.2°.de cõp.me.ſec.loc. 5ª.133.G
Vlceris labra quomodo iungantur.5°.met.me. 7ª.30.D
Vlceris labia quę incidenda.4°.met.me. 7ª.25.B
Vlcera hũtia labra decolorata,& dura qũo incidẽda.4°.me.7ª.23.F
Vlceris labiorum inciſio quanta ſit faciẽda.4°.met.me. 7ª.23.F
Vlcus Lachrymoſum quid ſit.de fra.com.3°. 7ª.243.A
Vlcus eſt cauſa Laſſitudinis.com.2°.aph.5°. Ex.11.G
Vlceris laſſitudo quibus corporibus,& quibus de cauſis fiat.3°.de ſanitate tuenda. 2ª.79.A
Vlceris laſſitudinis euratio.3°.de ſan.tu. 2ª.79.A
cum Vlcere Laxatio incurabilis eſt.17°.de vſu par. 1ª.222.F
Vlcus ſi ex Liene laboret debet primo pars illa curari.4°.m.7ª.23.b
Vlcera Longo tempore manent,vel quia cicatrix nullo modo fit, vel ſi fiat rurſus ſoluitur.com.6°.aph.45°. Ex.51.E
Vlcera ex mala curatione medici quandoque in longum tempus protrahuntur.com.6°.aph.45°. Ex.51.E
Vlceribus protractis in longum tempus quæ conueniant.2°.de arte curatiua ad Glauconem. 7ª.102.C
cum Vlcere quando eſt Luxatio quid agendum.3°.met.me. 7ª.21.H
Vlcerum differentiæ à Magnitudine.3°.met.me. 7ª.22.B
Vlcus magnum vnde dicatur.de vict.rati.in mor.ac.cõ.2°.7ª.124.F
Vlcera magna appellauit Hippocrates, aut qđ multũ occuparẽt loci; aut qđ adiũctã malignitatẽ haberẽt.in3ᵐ.de m.vul.c.3°.3ª.145.a
Vlcera magna faciunt acria.de atten.vict. 2ª.43.G
Vlcera magna quomodo curanda.3°.met.me. 7ª.22.G
Vlcera magna ſuuntur,aut ligantur.4°.met.me. 7ª.28.G
Vlcera magna cẽtaurij minoris illitu glutinanť.7°.de ſi.m.f. 5ª.50.G
Vlcera grandia conglutinant folia Hedere in vino decocta.7°.de ſimpli.medicamento.facultatibus. 5ª.51.F
Vlcera maxima glutinat narciſſi radix.8°.de ſimp.me.fa. 5ª.56.H
Vlcera Malefica coquit Thus.1°.de comp.me.per gen. 5ª.217.D
Vlcera Maligna quæ.de tum.præt.naturam. 3ª.84.E
Vlcera maligna quomodo tractanda.4°.de comp.me.per ge.5ª.245.B
ad Vlcera maligna medicamẽtũ quale.4°.de cõp.me.per ge.5ª.237.E
Vlceribus malignis qualitas auſtera neceſſaria.5°. de comp. medicamen.per genera. 5ª.246.B
Vlcera maligna ſanat Braſſica.7°.de ſim.me.fa. 5ª.52.H
Vlceribus malignis cataplaſmatis modo impoſitus Capparis radicis cortex non malum eſt remedium.7°.de ſimp.me.fa. 5ª.49.H
Vlceribus malignis, quæ cacoæthe dicuntur,facit Chamæleon. de ſimplicibus medicaminibus. Sp.82.F
Vlcera maligna iuuare poſſunt Centaurium, & chamæleon. 5°. de compo.med.per genera. 5ª.246.A
Vlcera maligna ſanat cẽtaurij minoris radix.7°.de ſim.m.f. 5ª.50.G
Vlcera maligna mirifice adiuuat Chryſocolla.4°. de compoſitio.medicamen.per genera. 5ª.242.A
Vlceribus malignis competunt exſiccantia citra morſum.11°.de ſimpli.med.fa.80.G/4°.de comp.me.per ge. 5ª.237.D
ad Vlcera maligna medicamenta in Emplaſtri modum.4°.de compoſi. medic.per genera. 5ª.237.D
ad Vlcera maligna emplaſtrum Andromachi.4°.de compoſi.medicamentorum per genera. 5ª.238.C
Vlcera maligna ad ſanitatem reducunt Hedere folia in vino decocta. 7°.de ſimp.med.fac. 5ª,51.F
Vlcera maligna quibus Herbis curari debeant. 5°.de comp. medicamentorum per genera. 5ª.246.A
ad Vlcera maligna omnia reſiſtit Iſatis.6°.de ſim.me.fac. 5ª.48.G
Vlcera maligna iuuat Lupinus.6°.de ſimp.me fa. 5ª.48.D
ad Vlcera maligna medicamentũ.4°.de comp.me.per ge. 5ª.238.B
ad Vlcera maligna,& contumacia valet cortex radicis Panacis heraclij.8°.de ſimp.med.fa. 5ª.57.B
ad Vlcera oĩa maligna idonea eſt Põpholyx.9°.de ſim.m.f. 5ª.70.H
ad Vlcera maligna valet Reſina laricina,& terebinthina.1°.de compoſi.med.per gen. 5ª.217.D
in Vlceribus molignis Stercus caninũ qũo.10°.de ſim.m.fa.5ª.76.A
ad Vlcera maligna Terebinthina minus idonea laricina.4°.de compoſitio.med.per gen. 5ª.241.H
Vlcera maligna fœlicius ſanans.5°.de comp.me.per ge. 5ª.247.A
ad Vlcera maligna.4°.de comp.medicamen.per ge.236.F/ 5ª.243.B
ad Vlcera nondum maligna.4°.de comp.me.per ge. 5ª.238.H
Vlceribus iam ad malignitatem declinantibus cicatricem obducens. 6°.de comp.med.per gen. 5ª.258.D
ad Vlcera non maligna quomodo vſus medicamentorum accommodatur.4°.de comp.med.per gen. 5ª.245.B
ad Vlcus Malum extorum valet Cyphi antidotus.2°.de anti. 5ª.111.E
ad Vlcera mala.6°.de comp.med.per gen. 5ª.260.B
propter Vlcus Manus,aut pedis cur intumeſcant glandulæ inguinum, & alarum.13°.met.me. 7ª.80.H
Vlcera Matricis iuuat ſuccus centaureæ.de vir.cen. Sp.94.A
ad Vlcera depaſcẽtia matricẽ cõfert ſucc⁹ cẽtaureæ.de vir. Sp.94.A
ad Vlcus matricis ex partu.de paſſ.mul. Sp.96.B
ad Vlcera matricis.de paſſ.mul. Sp.96.A
Vlcera Mollia nimis humidaque, & putredinoſa ſanat Hypericum. 8°.de ſimplicium medicamento.fac. 5ª.63.A
Vlceribus Multis ſpontaneis & vix cicatrizantibus & rheumatizantibus cũ quis affligitur chatarticis vtimur.de dy. Sp.20.F
Vlcera Munda à natura explentur.4°.de comp.me.ſe.lo. 5ª.151.A
Vlcera in Naris meatibus quibus à Galeno curata,3°.de comp.medicamentorum

camentorum secun.loc. 5ª.148.F
*ad Vlcera in naso.3°.de comp.med.se.lo.*147.G/148.A/5°.248.D/5ª.251.E/F/*de med.fac.par.* 7ª.163.B
Vlcera Nephelia quæ sint.de med.fac. 7ª.163.A
Vlcera Neruorum sapa detergenda.6°.met.me. 7ª.38.D
ad Vlcera neruorum vinum dulce.6°.met.med. 7ª.38.E
*Vlcus Nigrum qui habent quo curandi sint.de frac.com.3°.*7ª.243.G
ad Vlcera nigrantia.4°.de comp.me.per ge. 5ª.242.F
Vlceris Noui & veteris vna indicatio, & quæ.3°.me.me. 7ª.22.F
de Vlceribus Oculorum.de med. fa.par. 7ª.163.A
Vlcus in oculo totum oculum exercet. intro. Isa.58.D
Vlcus affectus albi oculorum. intro. Isa.58.D
Vlcus affectus iridis oculi. intro. Isa.58.D
Vlcus pertinet ad solam corneam.de diff.mor. 3ª.5.H
Vlcus maiusculum quid faciat in oculo. 1°.de symp.cau. 3ª.15.C
Vlcera caua in palpebra quo explētur.4°.de comp.me.se.l. 5ª.150.E
Vlcus oculorū mundū seruari debet.4°.de comp.me.se.lo. 5ª.151.A
*Vlcera erodētia tunicas oculorū quas curāda.4°.de cō.m.s.l.*5ª.151.a
Vlcera inflammata oculorum quid petant,quando sunt recētia. 4°.de comp.me.se.lo. 5ª.151.B
Vlcera oculorum cum acri fluxione, quæ possunt curare. 4°.de comp. med.sec.lo. 5ª.150.C
*Vlcera vetusta oculorum quid petant.4°.de comp.me.se.lo.*5ª.151.B
ad Vlcera carnis impletionem poscentia,& in oculis vtilis est cadmia. 9°.de simp.me.fa. 5ª.69.F
ad Vlcera multa oculorum accommoda sunt remedia ocularia,quibus mixtus est Ebenus.6°.de sim.me.fa. 5ª.46.F
ad Vlcera oculorum lapidem hæmatitē expertus est Gale.9°.de simp. medi.fac. 5ª.68.C
Vlcera oculorum solus per se cicatrice includit lapis bæmatites.9°.de simpl.med.fa. 5ª.68.D
Vlcera oculorum expurgant Myrrha,styrax, & thuris ramus. 7°.de simp.med.fac. 5ª.54.E
ad Vlcera oculorum collyria.4°.de comp.med.se.lo. 5ª.154.F
ad Vlcera serpētia,& sordida oculorū.4°.de cōp.me.se.lo. 5ª.154.D
*ad Vlcera sordida oculorum.4°.de comp.me.se.lo.*151.A/ 5ª.154.E
*ad Vlcera oculorum.4°.de compo.med. sec.loc.*154.F/ 5ª.155.A
Vlceris Ora quot modis iungantur. 3°.me.me. 7ª.19.B
Vlcerum ora indurata adeps vitulinus emollit.4°.de composi.medic. per gene. 5ª.240.A
*in Vlceribus vbi ora dura valet æsypus.4°.de com.me.p ge.*5ª.237.H
Vlcerum crassas oras sanans.2°.de comp.me.per ge. 5ª.221.A
ad Vlcera prætumidas oras & duras habentia. 4°.de compo. medic. per gene. 5ª.251.E
Vlcera Oris in summa parte apthe dicuntur.c.3°.aph.24°. Ex.25.A
Vlcera maligna in ore atramento sutorio sanantur. 6°.de comp.med. secun.lo. 5ª.169.B
Vlceri oris conueniunt cyperi radices.7°.de simp.me.fa. 5ª.53.H
Vlceribus in ore aphthodesi,& ipsis aphtis conueniunt cypri folia cō mansa.7°.de simp.me.fa. 5ª.53.H
ad Vlcera oris putrescentia valet diphriges posti cadmiam repertus. 9°.de simp.med.fa. 5ª.69.A
Vlcera oris sanant folia & germina rubi recens nata. 6°.de simp. medic.facul. 5ª.44.F
ad Vlcera serpentia oris.4°.de comp.med. se.lo. 5ª.152.G
*ad Vlcera oris.6°.de comp.me.se.lo.*5ª.170.C/H/5°.*met.me.* 34.B/ *de med.fa.par.* 104.C/ 7ª.174.H
Vlceribus oris confert sectio venarum labiorum.de ana.viu. Sp.55.B
Vlcus cum periculo corrumpendi Os. 4°.me.me. 7ª.28.B
Vlcera difficilia habet os sacrum. de frac.c.3°. 7ª.245.D
Vlcera Parua quomodo curanda. 3°.me.me. 7ª.22.G
*ad Vlcera parua. 1°.de comp.med.per ge.*211.G/ 5ª.212.H
Vlcera in Pene sanguinem,& pus faciunt.c.4°.aph.75°. Ex.36.B
*Vlcera penis,& sedis nullū cataplasma desiderāt.5°.me.me.*7ª.36.D
Vlcera in pedum digitis quo fiant. 1°.de comp.med. se.lo. 5ª.123.A
ad Vlcera in medio digitorum pedum.1°.de comp.me.se.l. 5ª.123.A
Vlceribus qui scatebant sanabantur in magna quadam Pestilētia.5°. meth.med. 7ª.34.F
Vlcera Phagedenica quæ. in 6m.de mor.vul.c.3°. 3ª.178.D
Vlcera maiora atq; deteriora phagedenas antiqui appellarunt.commen.6°.aph.45°. Ex.51.E
Vlcera quæ subiectam carnem corrumpunt,phagedenas appellat Galenus.com.6°.aph.45°. Ex.51.F
Vlcera phagedenica sanat illita chamæleon.8°.de simp.me.f. 5ª.63.f
Vlcera phagedenica anthracode, & gangrenode iuuant Tithymalli. 8°.de simp. med.fa. 5ª.62.E
ad Vlcera phagedenica.4°.de comp.me.per ge. 5ª.242.D
Vlceris differentia non est in Phlegmone, & cur.3°.me.me. 7ª.22.D
in Vlceribus phlegmonem excitat cædrea.7°.de simp.me.fa. 5ª.50.E
ex Vlceris phlegmone in initio febris somnus intempestiuus.in 6m.de mor.vul.com.4°. 3ª.184.B
in Vlcere cum phlegmone valet aqua in nonnullis. 1°.de comp. medi. per gene. 5ª.217.A
Vlceribus phlegmone affectis adhibetur oleum cum aqua moderate calida perfusum. 2°.de simp.med.fa. 5ª.12.A
ad Vlcerū phlegmonas vtilis est plūbi succus.9°.de sim.m.f. 5ª.70.F
*Vlcera Piscatorum sicca,ac si forent salita.1°.de simp.med.fa.*5ª.3.D
Vlcera plana ad cicatricem perducit aloe. ꝙ animi mor. 1ª.317.D
ad Vlcera Podicis. 1°.de comp.me.per ge. 5ª.211.E
in Vlceribus Pruis terræ lemniæ vsus. 9°.de simp.me.fa. 5ª.65.E
ad Vlcera Prætumida cum duritie & caua.4°.de compo. medicamē. per genera. 5ª.240.E
Vlcerum differentiæ ex Profunditate vnde sint. 14°.me.me. 7ª.92.D
Vlcera omnia profunda si ad cutem vertantur,bonum, si intra, malū. com.6°.aph.25°. Ex.48.F
Vlcera profunda quomodo sananda. 3°.me.me. 7ª.22.H
Vlcera profunda longa quo sananda. 3°.me.me. 7ª.22.H
*Vlceribus profundis quæ conueniant.9°.de comp.med.se.lo.*5ª.205.D
in Vlceribus quomodo fiat Pruritus.de fract.c.1°. 7ª.230.B
Vlcera Pudendarum partium quo indigeant. 5°.me.me. 7ª.36.D
Vlcera pudendorum sanat aloe. de simp.me.fac. 5ª.42.C
Vlceribus,quæ pudendorum præputijs accidunt, conuenit cucurbita sicca vsta, & anethi radix.6°.de simp.me.fa. 5ª.40.H
Vlceribus omnibus pudendorum atq; ani valet Dyphriges post cadmiā repertus.9°.de simp.me.fa. 5ª.69.B
ad Vlcera pudendorum lac valet. 10°.de simp.med.fa. 5ª.73.H
ad Vlcera pudendorum ac sedis optimum medicamentum est Pōpholyx. 9°.de simp.me.fa. 5ª.70.H
ad Vlcera pudendi. 1°.de compo.me.per ge. 5ª.211.E
Vlcus Pulmonis quomodo differat ab illis asperæ arteriæ. 4°.de locis affectis. 4ª.28.B
Vlcera pulmonis sine dolore. 4°.de lo.affe. 4ª.28.B
*Vlcera in pulmone an sanentur. 4°.de loc.affect.*4ª.25.H/ 5°.*metho. medendi.* 7ª.32.E
Vlcera pulmonis cur difficilia. 5°.me.me. 7ª.34.E
Vlcus in pulmone quod insanabile. 5°.me.me. 7ª.35.G
Vlcus pulmonis cur non possit sanari. 5°.me.me. 7ª.33.A
Vlcera pulmonis quando insanabilia.5°.me.me. 7ª.34.E
Vlcus pulmonis cum habet phlegmonem difficulter sanatur.5°.meth. medendi. 7ª.33.A
ad Vlcera pulmonis. 7°.de comp.med.se.lo. 5ª.179.B
Vlcus Purum ab externis symptomatis dictum. 2°.me.me. 7ª.9.G
Vlcus purum affectus totius corporis. intro. If.59.C
Vlcus purum seruat medicamentum morsu expers.2°.de comp. med. per gene. 5ª.227.A
Vlcus purum quid requirat.6°.de comp.me.per ge. 5ª.255.D
Vlcera pura reddentia medicamenta quæ.de fract.c.3°. 7ª.241.D
Vlceri Pus generāti nil mali potest aduenire.c.5°.aph.22°. Ex.39.D
Vlcus ex Pustula & pruritu factum. 4°.me.me. 7ª.25.F
Vlcera Putrida,& depascentia quæ proprie sint.commentar.6°.apho rismo 45°. Ex.51.F
*Vlcera putrida,& simpliciter omnia quæ fluxiones habent, adeo non suppurat calidū, vt his ēt plurimum noceat.c.5°.aph.22°.*Ex.39.d
Vlcera putrida habent liquores sanios nihil dispositioni conferentes com.4°.aph.47°. Ex.33.A
*Vlcera putrida mordicantibus indigent.2°.de ar.cur.ad Gla.*7ª.102.d
Vlcera putredinosa iuuant Cisthi flores.7°.de simp.med.fa. 5ª.51.D
ad Vlcera putrescentia valet garum.11°.de simp.med.fa. 5ª.83.G
ad Vlcera putrida valet phrigius lapis combustus.1°.de simpl.medi. facult. 5ª.67.G
Vlcera putrescentia,& contumacia sanitati restituit orchis serapias. 8°.de simp.med. fa. 5ª.57.F
ad Vlcera putrescentia vtuntur palmæ velut decocto.8°.de simp.medic.fac. 5ª.63.D

Vlcera putrescentia in dysenteria colluit atq; desiccat salsugo piscium salsorum. 11°.*de simp.me.fa.* 5ª.83.H

ad Vlcera putrida accommodatur salsugo silurorũ,& mænidum. 11°. *de simp.med.fac.* 5ª.83.H

Vlcera putrescentia desiccans smegma. 11°.*de simp.med.fa.* 5ª.81.A

ad Vlcera putrida conuenit Telephium. 8°.*de simp.me.fa.* 5ª.62.D

ad Vlcera putrida cum ambientes partes depascunt. 5°.*de compo. me dicam.per ge.* 5ª.254.A

ad Vlcera putrescentia. 11°.*de simp.me.fa.* 5ª.80.G

ad Vlcera putrida. 3°.*de comp.me.se.lo.* 5ª.148.A

ad Vlcera Rebellia omnia conueniunt medicamẽta, quę cum ijs quæ refrigerant vna adstringunt. 6°.*de simp.med.fa.* 5ª.43.E

Vlcerum rebellium optimum medicamen est Dyphriges. 9°.*de simpl. medic.fac.* 5ª.69.A

ad Vlcera rebellia miscetur vitellus ouorũ. 11°.*de simp.me.f.* 5ª.81.e

ad Vlcera rebellia optimũ est remediũ plũbũ. 9°.*de sim.me.f.* 5ª.70.G

Vlceribus rebellibus vtilis est Plumbi succus. 9°.*de sim.m.f.* 5ª.70.f

Vlcera rebellia sanat Polium. 8°.*de simp.me.fa.* 5ª.59.A

Vlcera recentia simul & vetera sanant medicamenta, quæ cum ijs, ij refrigerant, vna adstringunt. 6°.*de simp.me.fa.* 5ª.43.E

Vlceribus recentibus,& siccis aloes lota bona est. 9°.*de composi.me. secun.loc.* 5ª.205.D

Vlceribus & vulneribus recenter inflictis accommoda sunt dracunculi folia. 6°.*de simp.me.fac.* 5ª.46.D

Vlcera recentia glutinat papyrus. 8°.*de sim.me.fa.* 5ª.57.G

ad Vlcera recentia cruenta. 5°.*de comp.med. per ge.* 5ª.246.H

ad Vlcera recentia. 1°.*de comp.me.per ge.* 217.H/5°. 5ª.247.D

ad Vlcera Rheumatica diutuina,& vix sanabilia. 6°.*de compo. med. per gene.* 5ª.261.H

Vlcerum Sanatio vnde sumatur. 4°.*met.me.* 7ª.24.E

in Vlcere sanando quæ consideranda. 3°.*me.me.* 7ª.21.C

Vlcus quomodo sanetur a Thessalũs. 4°.*me.me.* 7ª.25.G

Vlcera difficulter aliquibus sanãtur, aliquib° facile, aliquibus mediocriter.de vict.rati. in mor.acu.cõ. 2°. 7ª.124.D

Vlceris sanationem quid morctur. 4°.*me.me.* 7ª.23.D

Vlcerum ægre sanabilium tres modi. 4°.*me.me.* 7ª.23.D

Vlcera vix sanabilia quibus curentur. 2°.*de cõp.me.per g.* 5ª.220.B

Vlcera vix sanabilia chrysocolla mirabilis. 4°.*de compositione med. per gene.* 5ª.244.C

Vlcera vix sanabilia curantur ladano,& chamæleonte. 4°.*de compo. med. per ge.* 5ª.241.F

Vlcera quæ ægre sanabilia.in 6ᵐ.*de mor.vul.c.* 1°. 3ª.158.B

ad Vlcera vix sanabilia. 2°.*de cõ.me.p g.* 219.G/4°.243.H/5ª.244.B

Vlcera non sanantur, vel propter influxũ vitiosorũ humorũ, vel pp di spositionem in membris contractam ex influẽtibus humoribus, vel propter aliquam dispositionem in osse.com. 6°.*aph.* 45°. *Ex.*51.E

ad Vlcera quæ Sanie acri infestantur optimum est serum. 10°.*de simp. med.fac.* 5ª.73.G

ab Vlcere exit Sanguis. 8°.*de decr.Hipp.* 1ª.276.C

in Vlceribus sanguis quomodo comprimitur.de tum.præt.na. 3ª.83.a

Vlcera in Scroto a sudoribus. 9°.*de composi.med.sec.lo.* 5ª.205.D

Vlcera Sedis & pudendorum requirunt suauissima medicamẽta. 11°. *de simp.med.facu.* 5ª.81.D

Vlcera sedis mitigantur lacte. 10°.*de simp.me.fa.* 5ª.73.H

Vlcera sedis phlegmonas, perpetientia lacte mitigantur. 10°.*de sim. medic.fac.* 5ª.73.H

ad Vlcera dolentia sedis. 1°.*de comp. med.se.lo.* 5ª.130.C

Vlcus in Senibus difficulter sanatur.c. 3°.*aph.*31°. *Ex.*26.H

ad Vlcera senum. 1°.*de comp.me.per ge.* 214.A/C/6°. 5ª.256.H

Vlceris Sensus non est affectus, sed symptoma. 3°.*de san.tu.* 2ª.78.G

Vlceris sensus,& lassitudinis vis.de puero epil. 7ª.180.A

ad Vlceris sensum oleum dulcissimum optimum. 3°.*de san.tu.* 2ª.79.B

Vlcera Serpentia ex vitiosis succis nascuntur, 3°.*de sym.cau.* 3ª.25.b

Vlcera serpentia comitantur amaram bilem, cum vnam quamq; parti culam corporis obtinet. 3°.*de symp.cau.* 3ª.26.B

Vlcus serpens quomodo curetur. 14°.*me.me.* 7ª.92.C

ad Vlcera serpentia. 3°.*de comp.me.se.lo.*148. A/5°. 5ª.251.E

Vlcus Siccum affectus totius corporis. intro. *Isa.*59.D

Vlcus siccum cur.in prog.com. 1°. 4ª.194.D

Vlcera in sicciora magis siccanda. 3°.*me.me.* 7ª.18.B

Vlcera corporum temperatura sicciorum curat amurca. 6°.*de simpl. med.facul.* 5ª.42.D

in Vlcere nihil Simplicius q; prima carne oritur. 3°.*me.me.* 7ª.16.F

Vlcus habens Sinum etiam desiderat adstringẽtia. 5°.*me.me.*7ª.29.G

Vlcerum sinus iungens medicamentũ. 2°.*de cõp.med.per ge.* 5ª.221.A

ad Vlcerum sinuosorum glutinationem vtuntur melle. 7°.*de simp.medic.fac.* 5ª.55.D

Vlcerum Solidatio quomodo fiat, & quando. in 6ᵐ.*de mor.vulgarib. commen.* 2°. 3ª.161.A

Vlcus Sordidum ab externis symptomatibus dictum. 2°.*me.m.*7ª.9.g

Vlcus sordidum affectus totius corporis. intro. *Isa.*59.C

Vlcus quibus sordidam fieri possit, & quomodo cognoscatur. 4°.*de cõposi.med.per ge.* 5ª.237.C

Vlcus sordidum facit cera. 2°.*de comp.me. per ge.* 5ª.218.G

Vlcus sordidum quid requirat. 6°.*de comp.me.per ge.* 5ª.255.E

Vlcus cum sorde quibus indigeat. 5°.*me.me.* 7ª.29.G

Vlcera sordida quibus curentur. 6°.*de comp.me.se.lo.* 5ª.171.H

in Vlceribus sordidis quibus vtendum.intro. *Isa.*58.B

Vlcerum sordes quibus auferantur. 2°.*de comp.me.per ge.* 5ª.218.F

Vlcus quare abluendum,& quare non. 2°.*de ar.cu.ad Gla.*7ª.101.H

Vlcus eluere, ac purgare,& medicamentum liquidum imponere, differunt.ad Thrasybulum. 2ª.105.A

Vlcera sordida expurgant anemonæ. 6°.*de simp.me.fa.* 5ª.43.B

Vlcera sordida repurgat Aristolochia rotũda. 6°.*de sim.m.f.* 5ª.43.E

Vlcera admodum sordida,& quæ maximas habent crustas cum melle purgare potest chamælea. 8°.*de simpl.med. fa.* 5ª.63.F

Vlcera emundantes cibi. 4°.*me.me.* 7ª.28.H

ad Vlcera sordida valet erinaceus cõbustus. 11°.*de sim.m.f.* 5ª.81.G

Vlcera sordida expurgat orchis serapias. 8°.*de simp.me.fa.* 5ª.57.F

Vlcera sordida admodum,& contumacia iuuant folia,& flores papaueris cornuti. 7°.*de simp.me.fa.* 5ª.55.G

Vlceris sordes quando expurgare volumus, quid addendum medicamento. 4°.*de comp.me.per ge.* 5ª.237.F

Vlcus quando non expurgatur, quid agendum. 3°.*me.me.* 7ª.22.F

Vlcera sordida purgans. 2°.*de comp.me.per ge.* 5ª.221.A

ad Vlcera sordida. 3°.*de comp.med.sec.loc.* 5ª.148.A

Vlcera vbi spasmosa. 4°.*met.me.* 7ª.28.B

Vlcus subpascens affectus totius corporis.intro. *Isa.*59.D

Vlcus supercrescens carne affectus totius corporis.intro. *Isa.*59.C

Vlcera quibus deueniant ad Suppurationem.c. 5°.*aph.*20°. *Ex.*39.B

Vlcera quæ superabilia non sint.com. 5°.*aph.*22°. *Ex.*39.D

Vlcera quæ conuulsionem afferunt, non suppurantur. commentar. 5°. *aphoris.*22°. *Ex.*39.D

Vlcera quæ calido non suppurantur.c. 5°.*aph.*22°. *Ex.*39.E

Vlceribus,& abscessibus suppurantibus rigor fit.in 6ᵐ.*de mor.vulg. commen.* 3°. 3ª.174.D

Vlcera quæ non indigent Suturis per longitudinem musculorum facta. 3°.*met.me.* 7ª.22.G

Vlcera in quibus vtendum futuris,& fibulis. 3°.*me.me.* 7ª.22.G

in Vlcerum suitione filum quale esse debeat. 6°.*me.me.* 7ª.39.F

Vlcera appellata a Symptomatis extrinsecis quæ. 2°.*me.me.* 7ª.9.G

Vlcera Telephia,& herpes chironia vocare est superuacuum.de tumo.præter naturam. 3ª.84.E

Vlceris differentiæ a Tempore. 3°.*me.me.* 7ª.22.C

Vlcerum tempora quæ.de tot.morb. temp. 3ª.88.G

ad Vlcera Tenerorum. 1°.*de comp.me.per ge.* 5ª.214.A

ad Vlceribus nimis grauiter conflictantes,& teneros. 4°.*de composi. med.per ge.* 5ª.245.D

Vlcus Thoracis imposita aqua mulsa exit psputa. 5°.*de l.aff.*4ª.29.b

Vlcera in thorace sanantur. 4°.*de loc.aff.* 4ª.25.H

ad Vlcera thoracis,& pulmonis medicamẽta qualia. 5°.*me.* 7ª.34.D

Vlceribus thoracis,& pulmonis medicamentis mel misceri debet. 4°. *met.me.* 7ª.29.A

Vlcus ĩ partibus Thorace ad imos pedes vrina sanatur. 10°.*de simp. medi.fac.* 5ª.75.E

*Vlcus ĩ Thibia mediocre si ĩ quiete curetur, non debet repente moueri. de vic.ra.in mor.acu.com.*2°. 7ª.124.D

*Vlcus habens qui læditur ambulans,& qui nõ.de vict. ratio.ĩ morbis acutis, com.*2°. 7ª.124.E

Vlcus in tibia cuidam quomodo sanatum. de atra bile. 1ª.35.D

ad Vlcera tibiarum remedium.de dy. *Sp.*30.A

Vlceris differentiæ a toto. 3°.*me.me.* 7ª.22.C

Vlcera Transuersa qua indigeant curatione. 3°.*me.me.* 7ª.22.G

in Vlcere cum Tumore primo tumor curandus. 4°.*me.me.* 7ª.23.F

in Vlceribus

in Vlceribus tumores apparentes, & euanescentes quid faciant. cō. 5°. apho. 65°. Ex.44.H
Vlcerū relictas tuniculas exedēs med^m. 5°. de com.me.per g. 5^a.253.E
ad Vlcera Vberum. de pass. mul. Sp.96.D
Vlcus supra venam curatur in carne. 5°. me.me. 7^a.32.A
Vlcus Ventriculum infestans iudicatur causa cur cibi non coquantur. de differ. morb. 3^a.3.G
in Vlcere ventriculi vomitus non sine periculo. 5°. me.me. 7^a.34.E
Vlcera oris ventriculi insanabilia quomodo. 6°. met.me. 7^a.39.G
Vlcera oris ventriculi ob nimiū sensum nō sanātur. 6°. me m. 7^a.39.G
Vlcera ventriculi, pulmonis, & pectoris per ea, quæ bibuntur & comeduntur, sanantur. 5°. me.me. 7^a.34.D
ad Vlcerum Vermes. 4°. de composit. med. per ge. 5^a.242.G
Vlcus Vesicæ aut renum quomodo fiat, & ex quo. commen. 4°. aphorismo 75°. Ex.36.A
Vlceris vesicæ signa quæ sint. com. 4°. apho. 78°. Ex.36.G
Vlcus qñ fuerit quō cognoscatur ex syringa. 1°. de lo. aff. 4^a.3.B
Vlcera vesicæ odore graui percipiuntur. com. 5°. aph. 11°. Ex.38.D
Vlcus potest esse in aliquo vrinæ meatu, & pus, & sanguis per vrinā exibit. com. 4°. aph. 75°. Ex.36.A
Vlcus potest esse causa stillicidij. com. 3°. aph. 16°. Ex.23.D
Vlcera Vetera glutinat astragalos. 6°. de simp. med. fac. 5^a.44.A
Vlcera vetusta centaurij minoris illitu glutinantur. 7°. de simp. medic. facul. 5^a.50.G
Vlceribus veteribus mederi possunt folia lappæ tertiæ spetiei. 6°. de simpl. med. fa. 5^a.43.F
ad Vlcera vetera, & solida adhibetur Platani cortex combustus. 8°. de simp. med. fa. 5^a.58.G
ad Vlcera vetusta cicatricem ægre ducentia, & fluentia. 5°. de comp. med. per ge. 5^a.248.H
ad Vlcera vetera, & vix sanabilia. 1°. de comp.me.per g. 217.A/2°. 224.D/5°. 5^a.229.D
ad Vlcera vetera, & vix ad cicatricem viuentia. 4°. de compo. med. per gene. 5^a.244.E
ad Vlcera vetera. 4°. de cōp. me. per g. 241.C/D/242.G/5°. 5^a.246.b
Vlcus Vile vnde dicitur. de vic. ra. in mor. acu. com. 2°. 7^a.124.F
Vlcus prope Vnguem quid faciat neglectum. 2°. de diff. feb. 3^a.41.B
Vlceris notæ cum per Vomitum apparent, quomodo cognoscenda determinata pars. 1°. de loc. aff. 4^a.6.B
cū Vlcere qñq; est vomitus sanguinis. c. 7°. aph. 37°. Ex.57.A
ad Vlcera Vteri. 5°. de comp. med. per ge. 5^a.247.D
Vlcus ὑπέρσαρκον, idest cuius supercrescit caro. 2°. me.me. 7^a.9.F
Vlceris indicium est ramentum. 6°. de lo. aff. 4^a.39.B
Vlcera mala signa. 9°. de decr. Hip. 1^a.283.D
VLCERIS *curatio qualis esse debeat. 4°. de com.me.per g.* 5^a.236.A
Vlcus quomodo curari debeat. 3°. me.me. 7^a.18.G
in Vlceribus quæ consideranda. 4°. de comp.me.per ge. 5^a.238.F
Vlceris intentiones. 6°. me.me. 7^a.36.G
Vlceris curatiōis īdicatio a quibus differētijs sumat. 3°. me. 7^a.22.F
in Vlcere quando facilis, & qū difficilis curatio. 13°. meth. 7^a.81.A
Vlceris solius curatio. 3°. me.me. 7^a.18.H
in Vlcerum complexionibus adest duplex finis. 3°. me.me. 7^a.21.G
in Vlcere quando multa sunt complicata a quo exordiēda curatio. 3°. met. med. 7^a.21.H
Vlcus curandum prius linito dolore. 4°. de com.me.per ge. 5^a.244.C
in Vlceribus cur in principio exhibeātur repellentia. 1°. de comp. medic. per ge. 5^a.214.A
in Vlceribus repellentia. 2°. de comp.me.per ge. 5^a.220.H
Vlcus prius quam cures, corpus totum euacuandum. 4°. de composi. med. per ge. 5^a.237.B
Vlcus sanatur contrarijs. 2°. de comp. med. per ge. 5^a.220.A
Vlcus omne quid exigat. 3°. me.me. 7^a.19.E
Vlcera omnia indigent vt cute tegantur. de frac. c. 3°. 7^a.247.E
Vlcus deligatum balneandum, sed aqua frigida. 4°. de composi. medi. per ge. 5^a.237.D
Vlcus madefaciendum aqua frigida. 4°. de comp.me.per ge. 5^a.238.F
Vlceri applicat spongiam madidam vino aut aqua frigidis. 4°. de cōp. med. per ge. 5^a.236.H
Vlcera aqua abluenda. 4°. de comp. med. per ge. 5^a.244.E
Vlcus in qua parte aperiendum. 3°. met. me. 7^a.22.G
de Vlcus maius reddentibus & curatione. 4°. me.me. 7^a.23.C
in Vlcere omni sanguis mittendus, & cur. 4°. met. me. 7^a.28.C
in Vlcere quando facienda venæ sectio, & quando danda medicamenta. 4°. de comp. med. per ge. 5^a.237.B
Vlcera in quibus purganda. 4°. me.me. 7^a.28.C
Vlcera quæ purgationem desiderant. 4°. met. me. 7^a.28.C
super Vlcus venæ scarificatio. 4°. de comp. med. per ge. 5^a.237.B
in Vlcere quando fienda scarificatio, & sanguinis missio. 4°. metho. me dendi. 7^a.27.F
in Vlcere qñq; satis scarificatio. 4°. de comp. med. per ge. 5^a.236.C
Vlcera quæ expurganda, & quæ implenda. 5°. me.me. 7^a.33.D
Vlcera an sæpe medicanda. 4°. de comp. med. per ge. 5^a.238.A
in Vlceribus quibus vtendum. intro. Isa.58.B
in Vlceribus medicamentum vnum pro omnibus parari nō potest. 4°. de comp. me. per ge. 5^a.237.C
in Vlceribus quæ conueniunt pueris, Eunuchus, mulieribus, & mollibus. 4°. de comp. me. per ge. 5^a.236.B
ad Vlcera mollem cuticulam habentium. 1°. de composi. medicament. per gene. 5^a.214.C
supra Vlcus quæ apponenda. de fract. com. 3°. 7^a.244.A
supra Vlcera qūo ponātur medicamēta. 4°. de cō. me. per ge. 5^a.238.E
Vlceribus quæ sola nō admouētur. 4°. de comp. med. per ge. 5^a.236.G
Vlceribus, & cuti mordax Aceti. 5°. de compo. med. se. lo. 5^a.159.A
in Vlceribus Acre pharmacum quid agat. de trem. & palp. 3^a.55.B
Vlceribus quæ acria non conueniunt. 4°. de comp. me. per ge. 5^a.236.b
Vlceri suppositum pharmacum acre facit rigere. in 6^m. de morb. vul. commen. 3°. 3^a.174.D
Vlcera curantibus medicamentis miscetur Adeps caprinus. 11°. de simp. medic. fa. 5^a.78.H
in Vlceribus Aeris temperies consideranda. 3°. me.me. 7^a.21.C
ad Vlcera qūo præparanda Aerugo. 2°. de comp. me. per ge. 5^a.219.G
Vlceri quid faciat ærugo. 3°. me.me. 7^a.17.A
ad Vlcera qualis squamma æris. 4°. de comp. med. per ge. 5^a.236.F
ad Vlcera quid faciat squamma æris. 3°. de simp. me. fa. 5^a.20.B
Vlceribus quibus conueniat Aloe. 5°. me.me. 7^a.36.E
Vlcera desiccāt Aquæ cætere præter potabilē. 1°. de simp. m. f. 5^a.3.E
Vlceribus valent aquæ aluminosæ, & aquæ fontis albulæ. 1°. de simpl. medic. fac. 5^a.3.D
Vlcera quæ aquæ exasperent. 1°. de simp. me. fa. 5^a.3.E
p Vlceribus exiccandis Buccinarum, purpurarum, & ostrearum testæ tostæ. 4°. de comp. med. per ge. 5^a.236.F
in Vlceribus Calida nimis fugienda. 3°. me.me. 7^a.21.C
in Vlceribus calor, & frigus supra modū vitāda. 3°. me.me. 7^a.21.C
in Vlceribus Cera quæ deligenda. 4°. de comp. med. per ge. 5^a.237.D
ad Vlcera qualia Chrysocolla, & terra Eretras. 6°. de compo. medic. per gene. 5^a.255.C
Vlceribus medetur Dracunculi radix. 5°. de compositione medicam. per gene. 5^a.246.G
Vlcus omne desiderat Exiccari. 5°. me. med. 7^a.29.F
Vlcus omne exiccari desiderat medicamento non mordente. 2°. de arte cur. ad Glau. 7^a.102.D
Vlcera exiccanda. 4°. met. me. 7^a.27.E
ī Vlcere siccitas ppria partis inducēda. 4°. de cōp. me. per g. 5^a.236.B
Vlcera sanantur a medicamentis, quæ siccant ad plenum. 4°. de comp. med. per ge. 5^a.240.G
Vlcera quomodo sanētur siccitate, & quanta debeat esse siccitas, & ordo. com. 6°. aph. 45°. Ex.51.G
Vlcera prius exiccantur, quam ad cicatricem perducantur. comm. 6°. aphoris. 8°. Ex.47.C
Vlcera mundificant exiccantia & detergentia. 4°. de comp. medicam. per genera. 5^a.237.B
Vlcera exiccantia. 4°. de comp. me. per gen. 5^a.263.F/G
Vlcera exiccantium ordo. 5°. met. med. 7^a.36.E
Vlcera quæ non sint exiccanda. 4°. meth. me. 7^a.27.D
Vlceribus imposita vim habet valenter desiccandi Filix. 8°. de simpl. med. facu. 5^a.59.C
in Vlceribus Frigida nimis fugienda. 3°. met. med. 7^a.21.C
Vlceribus frigus inimicum. com. 5°. aph. 20°. Ex.39.B
Vlceribus mordacia frigida. 1°. de simp. me. fa. 5^a.6.D/*commenta. 5°. aphoris. 23°.* Ex.39.F
Vlceribus non conueniunt frigida humida, sed bene frigida sicca & terrestria, et ad īfluētes humores reprimēdos. de arti. c. 3°. 7^a.285.D
Vlceribus nullum Humectans conuenit. 1°. de comp. me. p ge. 5^a.213.A
Vlceribus omnibus competit hæmatites lapis. 9°. de simp. m. f. 5^a.68.c

Vlceribus Ma-

Vlceribus Malactica non conueniunt,& quæ.4°.de compo.medicam. per gene. 5ª.236.H
ad Vlcera Medicamentum minime mordax. 4°.de compo. medicamẽ. per gene. 5ª.239.A
Vlceribus mordax Mel eſt non cuti. 5°.de comp.med.ſe.lo. 5ª.159.A
Vlceribus diuerſis quomodo valeat medicamentum ex Meliloto. 8°. de comp.me.ſe.lo. 5ª.187.F
ad Vlcera medicamentis propter quid miſcentur Myrteum, & lenti ſimum.4°.de comp.med.per ge. 5ª.237.H
Vlcera lenit Oleum.1°.de ſimp. med.fac. 5ª.11.A
in Vlceribus oleoſa vitanda, & quæ.4°.de comp.me.per g. 5ª.236.H
Vlcera ſanant oleum,& adeps quadraginta annorum.4°.de compoſi. med.per ge. 5ª.240.B
ad Vlcera valent Panacis aſclepij flores.8°.de ſimp.me.fa. 5ª.57.H
pro Vlcere Piloſella.de dyn. Sp.35.E
Vlcerum bonum eſt remedium Polygonon.8°.de ſimp.me.f. 5ª.58.H
ad Vlcerum impletionem, & ad eadem cicatrice obducenda optimũ medicamentũ eſt Plumbum lotum. 9°.de ſimp.me fa. 5ª.70.G
ſupra Vlcus ponit medicamentũ purgans. de fract. c.3°. 7ª.244.A
Vlcera curantibus medicamentis omnibus admiſcenda Reſina. 2°.de cõp.med.per ge. 5ª.219.F
ad Vlcera medicamentis propter quid reſina miſcetur. 4°.de compo. med.per ge. 5ª.237.H
ad Vlcera qualia Sal ammoniacus & auripigmentum. 6°.de compo. med.per ge. 5ª.255.C
Vlcera deſiccat ſæpiarum teſta. 11°.de ſimp.med.fa. 5ª.81.A
ad Vlcera ſeuum quando ponendum.4°.de comp.me.per ge. 5ª.241.a
Vlceribus accommoda eſt terra vſta.9°.de ſim.me.fa. 5ª.66.F
ſupra Vlcera vinũ & oleũ lana cõcepta. 4°.de cõp.per ge. 5ª.244.E
Vlceribus omnibus optimũ medicamentũ eſt vinũ.3°.me.me. 7ª.19.D
in Vlceribus quando dandum,& quando non dandum Vinum.4°.methodi med. 7ª.28.H
Vlceribus quando conueniant vina alba tenuia.6°.meth.me. 7ª.38.E
in Vlceribus quid faciat vinum. de fract.c.3°. 7ª.242.E
ad Vlcus omne.1°.de comp.me.per g. 5ª.216.D/217.G/5°.247.F/6°. 5ª.258.B/*de paſſ.mul.* Sp.96.D
Vlceris caſus. 3°.de compo. med.per ge. 5ª.234.C
Vlcus vlcerari, lege Exulceratio Exulcerari.
ad VLCVSCVLA *eminentia in partibus corporis. 5°.de compoſi.med. ſec.loc.* 5ª.162.D
ad Vlcuſcula,quę fiunt in capite ſpiſſa & parua & rubicunda, valet ſuccus centaureæ.de vir. cent. Sp.93.B
VLMI folijs recentibus Galenus vulnus glutinauit, 8°.de ſimplic. med.fac. 5ª.59.C
Vlmi virentia folia conciſa ad fracturam quæ glutinari non poſſit. de remed. par.fac. 7ª.154.A
Vlmi cortex lepram ſanat vulneribus vinculi vice circunligatum ea glutinare poteſt.8°.de ſimp.med.fac. 5ª.59.C
Vlmi cortex ad fracturã quæ glutinari nõ poſſit.de rem.pa.f. 7ª.154.a
Vlmi radices decoctæ fracturas fundunt,quæ tolpho ſiue callo ĩductæ opus habent. 8°.de ſimp.me.fa. 5ª.59.C
Vlmi caries adſtringit, & abſtergit. 8°.de ſimp.me.fac. 5ª.60.A
Vlmi lachryma. 5°.de comp.med. ſe.lo. 5ª.160.H
Vlmus in ſacchis ex corio recondita.2°.de comp.me.per ge. 5ª.222.F
VLNA pars manus,& inter magnas partes.2°.de mo.mu. 1ª.313.f
Vlna ſumitur pro ſpatio a cubito ad articulationem manus, in qua sũt duo oſſa.2°.de vſu par. 1ª.121.B
Vlna proprie eſt os maius cubiti.2°.de vſu par. 1ª.121.B
Vlna minor brachio.2°.de vſu par. 1ª.126.E
Vlnæ conformatio.2°.de vſu par. 1ª.125.A
Vlnæ poſitio. 2°.de vſu par. 1ª.125.A
Vlna habet duo oſſa. 2°.de motu mu. 1ª.313.F
in Vlna cur duo oſſa.2°.de vſu par. 1ª.126.G
Vlnæ cur incumbit radius. 2°.de vſu par. 1ª.125.B
Vlnæ os paruum radius.2°.de motu muſ. 1ª.313.F
Vlnæ radius vbi inarticulatur.2°.de motu muſ. 1ª.313.F
in Vlnæ medio partes cur tenuiores.2°.de vſu par. 1ª.125.B
Vlnæ finis in cubito craſſior.2°.de vſu par. 1ª.125.C
Vlnæ cauitas cui figuræ ſimilis.2°.de motu mu. 1ª.313.G
Vlnæ corona cur ita vocata.2°.de vſu par. 1ª.125.C
in Vlna corona quæ ſit. 2°.de vſu par. 1ª.125.C
Vlnæ coronę vtilitas.2°.de vſu par. 1ª.125.D
Vlnæ coronæ quid faciant.2°.de motu.muſ. 1ª.313.G
Vlnę vertex quid ſit.de frac.com.2°. 7ª.240.C
iter Vlnã,et digitorũ ſciſſionẽ ordines tres medij.2°.de vſ.p. 1ª.124.D
in Vlnam vaſa tenuia cur inſeruntur. 13°.de vſu par. 1ª.202.B
Vlna habet duos motus.2°.de vſu par. 1ª.125.D
Vlna habet quatuor motus.2°.de vſu par. 1ª.122.D
Vlnę motus qui.2°.de vſu par. 1ª.122.B
Vlnæ motus a quibus fiant. 2°.de vſu par. 1ª.122.B
Vlnæ motus quomodo fiant.2°.de vſu par. 1ª.122.B
Vlnæ muſculi quot. 2°.de vſu par. 1ª.122.C
Vlnæ muſculi vnde.16°.de vſu par. 1ª.218.A
Vlnam duo muſculi extendunt. 2°.de vſu par. 1ª.126.D
Vlnam duo muſculi flectunt.2°.de vſu par. 1ª.122.G
in Vlnæ muſculo anatomicorũ error añ Gale.2°.de vſu par. 1ª.121.D
Vlnæ neruus externus vnde. 16°.de vſu par. 1ª.218.A
Vlnis vel tibijs inflammatis conuulſio fit.4°.de præſ.ex pul. 4ª.121.a
Vlna Vide Cubitus.
VLPIANVS. 6°.de comp.med.per ge. 5ª.263.A
VLYSSES fuit paruus.11°.de ſimp.med.fa. 5ª.80.H
Vlyſſes ſapiens græcus. 3°.de decr.Hipp. 1ª.245.H
Vlyſſes dominabatur iracundiæ.3°.de decr.Hip.& Pla. 1ª.242.F
Vlyſſes vicit iram. 3°.de decr.Hip. 1ª.242.H

VMBILICVS *quid. introductio. Iſag.53.D/de diſſol. vul.* 1ª.109.G
Vmbilicus eſt in medio.2°.de dec.Hip. 1ª.236.B
ĩter Vmbilicũ,& præcordia pars qualis cẽſenda.6°.de dec. 1ª.261.D
Vmbilicus fętus vmbilico matris continuatur. de ſper. Sp.36.E
in Vmbilico fœtus ligatur, & per eundem nutritur. de ſper. Sp.36.E
ad Vmbilicum vaſorum coniugium. de ven.arter.diſſ. 1ª.59.E
in Vmbilico fœtus quatuor vaſa, duæ venæ, duæ arteriæ.15°. de vſu partium. 1ª.211.E
Vmbilici vena quomodo ſcindatur.de fœt.form. 1ª.323.D
per Vmbilicum vena ad Iecur cui aſſimiletur.de fœt. for. 1ª.324.E
ad Vmbilicum arteriæ ramuli. de ven.art.diſſ. 1ª.59.D
circa Vmbilicum arterias ſi laqueo cõſtringas,vel digitis comprimas quid ſequatur.6°.de decr.Hip. & Pla. 1ª.265.A
Vmbilico infantis neruus inſertus.intro. Iſa.54.E
in Vmbilico nullus neruus.6°.de decr.Hippoc. 1ª.265.A
p Vmbilicum fœtus reddit lotiũ,nõ p pudendũ.15°.de vſu.p. 2ª.211.G
VMBILICI *affectus.fin.med.* Iſa.49.B
ad Vmbilicum palpitatio.in 3m.de mor.vul.commen.1°. 3ª.134.D
Vmbilici dolor perſeuerãs inducit ſiccam hydropem, ideſt tympaniã. com.4°.apho.11°. Ex.28.D
Vmbilici inflammatio vnde fiat.de ana.par. Sp.43.C
Vmbilici inflammationes propter quid puerulis veniant.commen.3°. aphor.24°. Ex.25.A
ſub Vmbilico œdema raro in pus vertitur.in prog.c.1°. 4ª.196.F
in Vmbilici inferioribus partibus abſceſſus ſalubriores.in 6m.de mo. vulg.com.1°. 3ª.157.H
infra Vmbilicum nõ fit ſuppuratio.in 6m.de mor. vul.c.2°. 3ª.168.A
ad Vmbilicum ventoſam ponit.de med.fa. par. 7ª.166.D
ad Vmbilicos procidentes.de med.fac.par. 7ª.167.D
ad Vmbilicos prominentes.de med.fac.par. 7ª.169.B
Vmbilicus vt e partu magnus ac elegans fiat.de med.fa.p. 7ª.169.B
VMBILICVS *Veneris cuius ſit facultatis. 7°.de ſim.me.fa.* 5ª.52.F
Vmbilici Veneris ſuccus frigidus eſt. 6°.de ſan. tu. 2ª.100.G
Vmbilicus veneris refrigerat.14°.me.me. 7ª.87.D
VMBRAE *piſces inter illos numerantur, qui cæteris facilius conficiuntur.3°.de alim.fa.* 2ª.31.A
Vmbræ piſces ſunt molles carne. 3°.de ali.fac. 2ª.31.A
Vmbræ piſces non habent carnem mollem veluti ſaxatiles. 3°.de ali. facul ta. 2ª.31.C
de VMBRA *aſini prouerbium. 3°.de diff.pul.* 4ª.59.D
in Vmbra exiccat medicamentum.3°.de comp.medicamento. ſec. loc. 149.A/4°.153.E/154.B/8°.192.G/9°.198.H/4°.*de compo.med. per genera.* 5ª.243.H
VMBRATILI *diutina conſuetudine contractus candor nõ eſt morbus. 1°.de ſan.tu.* 2ª.64.A
VMBROSVM *quid ſignificet.in 3m.de morbis vulgaribus,commentario 3°.* 3ª.141.C

VNAPIA *vel zinziphæ. de medicinis facile parandis.* 7ª.176.G

VNCIA nomen Romanum. 1°. *de comp.med.per ge.* 5ª.215.D
Vncias vel libras dicunt Romani. 3°. *de comp.me.per ge.* 5ª.232.F
Vnciæ mensurales quomodo differant à ponderalibus. 6°. *de composi. med.per genera.* 5ª.257.G
Vnciæ ponderales quales. 1°. *de comp.me.per ge.* 5ª.214.D
Vnciæ mensurales quales. 1°. *de comp.me.per ge.* 5ª.214.D
Vncias ponderales in cornibus faciebant Romani. 5°. *de comp. med. per genera.* 5ª.250.A
pro Vncijs mensurandis cornibus signatis vtebantur. 1°. *de composit. med.per genera.* 5ª.216.A
Vnciarum differentia.de pond.& mens. 5ª.276.C
Vnciæ Italicę quantæ. 5°. *de comp.me.per ge.* 5ª.250.A
Vncia vocatur Italicus quatrussis. 1°. *de comp.me.per ge.* 5ª.276.C
Vncia apud Romanos quæ. 3°. *de comp.me.per ge.* 5ª.232.F
Vncia Romana mensuralis quæ. 8°. *de comp.me.se.loc.* 5ª.187.D
Vnciæ quales. 6°. *de comp.me.per ge.* 5ª.267.F
Vnciam vnam efficiunt drachmæ octo. 6°. *de com.me.sec.lo.* 170.B/1°. *de comp.me.per ge.* 217.E/2°. 5ª.225.G
Vnciam faciũt Drachmæ argenteæ octo. 8°. *de comp.me.se.lo.* 5ª.191.A
Vnciam faciunt drachmæ septem, & dimidia. 8°. *de compo.medicamentorum secun.loc.* 5ª.191.A
Vncia quot capiat denarios. 5°. *de comp.med.per ge.* 5ª.247.H
Vnciam faciunt Denarii octo. 2°. *de comp.me.per ge.* 5ª.221.A
Vnciæ dimidium est Denarium pondo quatuor. 2°. *de compos.medica. per genera.* 5ª.221.A
Vncia quomodo figuretur.de pond.& mens. 5ª.275.D
Vncia ponderalis valet octo denarios. 6°. *de cõp.me.per ge.* 5ª.259.C
Vncias duas pendet sextans. 4°. *de comp.me.per ge.* 5ª.244.H
Vnciæ duæ sunt denarij sexdecim. 4°. *de cõp.me.per ge.* 5ª.244.G
Vnciæ tres sunt denarij sex. 1°. *de comp.me.per ge.* 5ª.217.F
Vnciæ tres sunt denarij vigiti quatuor. 4°. *de cõp.m.per g.* 5ª.244.G
Vncias tres pendet sextarium. 6°. *de comp.me.per ge.* 5ª.262.B
Vncias tres valet quadrans. 3°. *de comp.me.per ge.* 5ª.233.H
Vncias quatuor valet triens. 4°. *de comp.me.per ge.* 5ª.244.H
Vnciæ sex est selibra. 1°. *de comp.me.per ge.* 211.C/ 5ª.217.B
Vncias octo habet sextarius. 9°. *de comp.me.se.lo.* 5ª.198.H
Vncias nouem valet Hemina Romana. 1°. *de composi.medicamẽ.per genera.* 216.F/6°. 5ª.257.G
Vnciæ nouẽ metallicorũ hemina. 5°. *de comp.me.per gen.* 5ª.248.A
Vnciarũ duodecim hemina. 5°. *de cõp.medica.per ge.* 5ª.248.A
Vnciarum sexdecim mina. 2°. *de comp.me.per ge.* 220.G/ 5ª.226.D
Vnciarũ sexdecim hemina. 1°. *de cõp.me.per ge.* 215.D/6°. 5ª.257.G
Vncia.de pond.& mens. 5ª.276.C/F/G/H
VNCINVM. 3°. *de comp.med.sec.loc.* 5ª.145.H
Vncini quid sint.de ijs, quæ in med.fi.com. 3°. 7ª.218.D
VNCTIO *quam vim haberet Quintus interrogatus, respondit vestis summouendæ.* 3°. *de san.tuen.* 2ª.81.H
Vnctiones extrinsecus quid faciant ventriculo. 6°. *de san.tu.* 2ª.99.A
Vnctiones valent contra febrem. de victus ratione in morb. acutis, commentario. 4°. 7ª.140.E
Vnctio præcordiorum in febre synocha.de dy. Sp.33.C
Vnctiones rare facientes prohibet magnitudo febris, qualis est in continuis. 11°. *met.med.* 7ª.69.H
Vnctionibus digerentibus plenitudo exhauritur.de curan.ra.per sanguinis missionem. 6ª.18.E
Vnctio fieri debet quando ingenti frigori occurrendum est. 3°. *de sanitate tuenda.* 2ª.81.H
Vnctio calfaciens humores foras fert. 4°. *de san.tuen.* 2ª.86.A
Vnctiones frigidæ pro lumbis, quę. 6°. *de san.tuen.* 2ª.100.F
Vnctiones crassioris substantiæ componebat Galenus, ne facile fluerẽt à corpore. 6°. *de san.tuen.* 2ª.100.F
Vnctiones frigidæ ex papauere, & mãdragora à quibus virandæ. 6°. *de sanitate tuenda.* 2ª.100.F
Vnctionis prohibitione pereunt sanitatem in carcere tuentes. 5°. *de sanitate tuenda.* 2ª.94.A
VNCTVOSITATES *differentiam faciunt in partibus dissimilaribus.* 3°. *de simp.me.fa.* 5ª.20.F
Vnctuositatem multã habentia tarde digerũtur. de diss.cont. Sp.73.D
VNCTVOSVS, *& pinguis sapor à Theophrasto additus.* 1°. *de simp. medicamen.fac.* 5ª.9.B
Vnctuosus sapor qualis sit, & vnde oriatur.de ocul. 7ª.188.A
Vnctuosa quæ sint.de ocul. 7ª.187.H
Vnctuosi quomodo fiant fructus pontici.de ocul. 7ª.188.B
Vnctuosum multum est sisamum.de diss.cont. Sp.73.B
Vnctuosi operationes.de ocu. 7ª.189.B
Vnctuoso, & pingui sanguine nutritur calor vitalis, qui est in corde. de vtilitate respirationis. Sp.62.D
VNCTI *in balneo sudant.* 2°. *de simp.me.fa.* 5ª.14.F
VNCI *pars organum.de machin.* 7ª.309.E
Vnci ærei vel ferrei comparentur.de machin. 7ª.309.D
Vnci ad quid in organis.de machin. 7ª.309.G
Vnci cum organa mouentur vsui sunt.de machin. 7ª.310.F
Vnci in organis mouentur in eodẽ loco manẽtes.de machin. 7ª.310.F
VNDECIMANI sudores boni.præs.exper.conf. Sp.77.G
VNDECIMVS *dies qualis.* 2°. *de dieb.decre.* 4ª.154.F
Vndecimus dies est dies iudicatorius bonus.cõ. 4°. *aph.* 36°. Ex.31.G
Vndecimus dies indicium præbuit quandoque decimi septimi, quandoque vigesimi.com. 4°. *aph.* 71°. Ex.35.E
Vndecimus viribus est prope septimum, & quartumdecimum. 1°. *de diebus decretorijs.* 4ª.147.B
VNDARVM *motu vermis mouetur.* 1°. *de diss.pu.* 4ª.51.H
de VNDOSO *pulsu.* 1°. *de diss.pul.* 4ª.51.H
Vndosi pulsus vnde. 2°. *de præsa.ex pul.* 4ª.112.H
Vndosus pulsus quid significet. 2°. *de præs.ex pul.* 4ª.113.G
VNEDON dicitur ab Italię rusticis fructus epimelidis. 6°. *de simp. medicamen.fac.* 5ª.47.D
Vnedo est acerbus cum exigua dulcedine. 2°. *de ali.fac.* 2ª.21.H
Vnedo nocet stomacho, & dolorem capitis facit. 2°. *de ali.fa.* 2ª.21.b
VNGENDI locus erat in vrbe. 2°. *de san.tuen.* 2ª.69.E
Vngendus non est qui bene se habet. 3°. *de san.tu.* 2ª.81.H
Vngendũ corpus nõ valde siccũ.de vic.ra.in mor.acu.c. 3°. 7ª.132.E
Vngendum quando in balneo.de vic.ra.in morb.acu.c. 3°. 7ª.132.E
cur Vngendum post lotionem oleo. 7°. *met.me.* 7ª.45.C
VNGEBANTVR *& lauabantur post febrem ciues, non agrestes.* 10°. *methodi medendi.* 7ª.61.H
VNGVENTARII *ministri medicorum. in* 6ᵐ. *de morbis vulgaribus, commentario* 5°. 3ª.188.C
Vnguentarij siccas herbas, non virides cognoscũt. 1°. *de ant.* 5ª.102.B
Vnguentarij Romę cognoscunt succorũ fraudes. 1°. *de ant.* 5ª.100.D
Vnguentarij vasę duplici vtuntur. 7°. *de comp.med.se.lo.* 5ª.180.B
Vnguentarium vas. 7°. *de comp.me.sec.lo.* 5ª.181.G
Vnguentarium vas duplex. 7°. *de comp.med.se.lo.* 5ª.181.F
VNGVENTVM *quid sit.* 6°. *de simp.med.fa.* 5ª.47.A
Vnguenta quæ sint, collige. 7°. *de comp.med.per ge.* 5ª.269.E
Vnguenta sunt olea ex herbis. 6°. *de simp.me.sa.* 5ª.47.A
Vnguenta sunt ex nobis foris incidentibus. 1°. *de sa.tu.* 2ª.68.H
de Vnguentis & suffumigijs documenta sunt extra medicinam. 2°. *de comp.med.sec.loc.* 5ª.127.E
ad Vnguenta vtuntur vnguentarij aristolochia de matite. 6°. *de simpl. med.facul.* 5ª.43.E
in Vnguentis ceræ dosis. 4°. *de san.tuen.* 2ª.87.B
in Vnguentis resinæ dosis. 4°. *de san.tuen.* 2ª.87.B
Vnguenti crassitudo. 3°. *de comp.med.sec.loc.* 5ª.148.D
Vnguenta calescunt in vasę duplici. 8°. *met.me.* 7ª.53.C
Vnguenta oĩa in duplici vasę miscẽtur. 3°. *de cõ.me.per ge.* 5ª.234.F
Vnguentum excipit purpura. 7°. *met.me.* 7ª.47.A
Vnguenta Acopa quæ. 3°. *de comp.me.per ge.* 5ª.233.B
Vnguentum Aegyptiacum. 10°. *de comp.me.se.lo.* 5ª.208.A
Vnguentum Aegyptium dicitur Mendesium & Megaleum. 2°. *de cõpositio.medicamen.sec.loc.* 5ª.137.H
Vnguentum Aegyptium quale sit. 2°. *de comp.me.sec.loc.* 5ª.137.H
Vnguenti albi confectio.de dyna. Sp.32.A
Vnguentum Amaracinum quale. 1°. *de antid.* 5ª.104.A
Vnguentum amaracinum aperit. 5°. *de simp.me.fa.* 5ª.35.F
Vnguentũ amaracinũ rarefacit, & discutit. 9°. *de c.m.se.lo.* 5ª.197.F
Vnguentum Arabicum. 3°. *de comp.me.se.lo.* 5ª.144.G
Vnguentum ad Aures. 3°. *de comp.me.sec.lo.* 5ª.145.A
Vnguentum postrigilem auribus infunditur. 3°. *de comp.med.secundum locos.* 5ª.142.D
Vnguentum Babylonium. 7°. *de com.me.per ge.* 5ª.252.A
Vnguenta quibus vti oportet post Balneum. 8°. *met.me.* 7ª.51.F
Vnguenta Comptoria calida. 2°. *de comp.me.se.loc.* 5ª.132.H
Vnguentum Crocinum quale. 1°. *de comp.me.se.lo.* 5ª.129.G
Vnguẽtũ crocinũ rarefacit, & discutit. 9°. *de cõp.me.se.lo.* 5ª.197.F

Vnguentum Cypri-

Vnguentum Cyprinum,& oleum cyprinum quo differant. 4°.*de com po.med.per gen.* 5ª.239.H
*Vnguenta Delicatarum mulierum.*8°.*met.me.* 7ª.53.D
Vnguentum ad omnes Dolores matricis post partũ. de dy. Sp.29.H
Vnguentum ad qualemcunque dolorem.de dy. Sp.30.B
Vnguenta pro Epilepsia.de dy. Sp.24.C
*Vnguentum Foliatum quod Romæ.*3°.*de cõp.me.per gen.* 5ª.234.F
*Vnguenta foliata præciosa,& spicata.*4°.*de lo.aff.* 4ª.28.D
Vnguentum fœminarum diuitũ foliatũ. 1°.*de cõp.med.se.lo.* 5ª.125.G
Vnguenta mulierum præciosa foliata & spicata. 3°.*de comp.medicamentorum sec.loc.* 5ª.141.A
*Vnguentum foliatum & spicatum quas habeant vires,& quod solum diuites possunt ipsis vti.*6°.*de san.tu.* 2ª.99.A
*Vnguentum foliatum nardino præstantius.*6°.*de san.tu.* 2ª.99.A
*Vnguentum foliatum calidum.*2°.*de comp.med.se.lo.* 5ª.133.A
*Vnguenta foliata valent ad ventriculi os.*8°.*met.me.* 7ª.53.H
*Vnguentum foliatum valet in defluuio capillorum.*1°.*de comp.medi. sec.loc.* 5ª.125.G
*Vnguentum foliatum.*7°.*de comp.me.sec.loc.* 5ª.187.D
*Vnguentum pro frigidis multum,& siccis.*7°.*met.me.* 7ª.47.A
Vnguentum supra frontem imponendum.de ocul. 7ª.190.C
Vnguenti Fusci compositio qualis.de dy. Sp.31.D
*Vnguentũ Gleucinũ rarefacit,& discutit.*8°.*de cõ.m.se.lo.* 5ª.197.F
Vnguentum ad Guttam.de dy. Sp.31.D/E
Vnguentum ad Hæmorrhoidas.de dy. Sp.28.G
Vnguentum ad Impetignem.de dy. Sp.25.E
Vnguentum ad impetiginem,& pruritum.secr. Sp.97.G
*Vnguentum Irinum aperit.*5°.*de sim.me.fa.* 5ª.35.F
*Vnguentũ irinũ rarefacit,& discutit.*9°.*de comp.me.se.lo.* 5ª.197.F
*Vnguento irino vtendum post balneum.*8°.*met.me.* 7ª.51.F
*Vnguenti irini fæx repurgans est & extergens.*1°.*de compo.medica. secun.loc.* 5ª.129.H
*Vnguentum Laurinum calfacit sufficienter.*1°.*de compo.medicamen. secun.loc.* 5ª.122.B
Vnguentum Laxatiuum quod caput alleuiat,stomachum purgat,appetitum confortat,oculos clarificat.de dy. Sp.23.D
*Vnguentum Malabathrinum primæ confectionis.*7°.*de compos. medicamen.per gen.* 5ª.271.G
*Vnguenti malabathrini fæx.*7°.*de comp.med.sec.lo.* 5ª.178.D
*Vnguentum Mastichinum quale.*7°.*de simp.med.fa.* 5ª.55.C
*Vnguentũ mastichinum valet ad ventriculum.*8°.*met.me.* 7ª.53.D
Vnguentum mastichinum ventriculo imbecillo applicabant antiqui. 7°.*meth.med.* 7ª.43.H
*Vnguento Melino pectus æstate vngendum.*5°.*met.me.* 7ª.32.H
Vnguentum melinum applicabant ventriculo imbecillo antiqui. 7°. *methodi medendi.* 7ª.43.H
*Vnguentum melinum dum fluit aluus.*8°.*met.me.* 7ª.53.C
*Vnguentum melinum.*3°.*de comp.med.per ge.* 5ª.270.E
*Vnguentum melinum pro vnguento nardino.*8°.*de comp.medicamen. secun.locos.* 5ª.187.D
*Vnguentum Mendesium quale.*2°.*de comp.me.se.lo.* 5ª.134.D/E
Vnguentum ad Morpheam.de dy. Sp.25.F
Vnguentum pro Mentula album.de dy. Sp.29.C
*Vnguentum ex Nardo quod optimũ,& vbi fiat.*11°.*met.me.*7ª.72.H
*Vnguentum nardinum vbi optimum.*8°.*de comp.med.se.lo.* 5ª.187.d
*Vnguentum nardinum Asianum.*8°.*de comp.med.se.lo.* 5ª.193.D
*Vnguentum nardinum curiose factum.*8°.*met.me.* 7ª.53.C
*Vnguentum nardinum calefacit valentius.*11°.*met.me.* 7ª.72.H
*Vnguentum nardinum melinum mastichinum quem ordinem habeãt inter se,& quo anni tempore exhibenda.*6°.*de san.tu.* 2ª.99.A
*Vnguento nardino pectus hyeme vngendum.*5°.*met.me.* 7ª.32.H
Vnguentum nardinum optimum adhibet pro fomento in dolore auris. 3°.*de comp.med.sec.loc.* 5ª.141.A
*Vnguento nardino præcordia ppricauit Galenus.de præcog.*4ª.219.A
*Vnguento nardino vtendum post balneum.*8°.*met.me.* 7ª.51.F
*Vnguentũ nardinum ori ventriculi cõuenit.de reme.par.fa.*7ª.158.F
*in Vnguento nardino chia mastiche valet ad oris ventriculi imbecillitatem.*8°.*meth.me.* 7ª.53.C
Vnguentum nardinum applicabant ventriculo imbecillo antiqui. 7°. *meth.med.* 7ª.43.H
*Vnguento nardino imbuta lana pro stomachi ore.*7°.*de compo.medi. secundum locos.* 5ª.187.D
Vnguentum nardinum ventriculo admouit Galenus in defectu animi. de præcog.ad Posth. 4ª.217.F
*Vnguentum nardinum valet in defluuio capillorum.*1°.*de comp.med. secun.loc.* 5ª.125.F
*Vnguenti Nardini fit mentio.*7°.*de comp.me.per ge.* 5ª.271.G
*pro Vnguento nardino melinum.*7°.*de comp.med.sec.loc.* 5ª.187.D
Vnguentum ad Nascentia mala.de dy. Sp.30.D
*Vnguentum Odoratum hedysma.*1°.*de comp.med.sec.loc.* 5ª.126.D
Vnguentum de Oleo frumenti probatum est ad morpheam nigram.de dynamidys. Sp.30.D
Vnguentum ad Oris vitium vel vulnus.de dyna. Sp.25.D
Vnguentum ad Paralysim.de dy. Sp.31.C
Vnguentum ad Plagas.de dyn. Sp.31.F
Vnguentum bonum in Pleuritide.de med.fa.par. 7ª.166.A
*Vnguenta Prætiosa calida.*2°.*de comp.med.sec.loc.* 5ª.133.A
*Vnguentum præciosissimum.*2°.*de comp.me.se.loc.* 5ª.134.D
Vnguentum ad Quartanam.de dy. Sp.33.B
*Vnguenta quæ Rarefaciunt,& discutiunt.*8°.*de composi.medicamen. secun.loc.* 5ª.197.F
*Vnguentum Rosaceum,& oleum rosaceum quo differant.*4°.*de comp. med.per gen.* 5ª.239.H
Vnguentum rosaceum quomodo conficiendum. 2°. *de simpli. medicamentorum facul.* 5ª.16.E
*Vnguento rosaceo pectus æstate vngendum.*5°.*met.me.* 7ª.32.H
*Vnguentum rosaceum.*3°.*de comp.me.sec.loc.*144.G/ 5ª.145.C
Vnguentum ad Serpiginem et ad carnem mortuam manducandam.de dynamidijs. Sp.39.G
*Vnguentum Spicatum quod Romæ.*3°.*de comp.me.per ge.* 5ª.234.F
*Vnguentum spicatum nardino præstantius est.*6°.*de sa.tu.* 2ª.99.A
*Vnguentum spicatum calidum.*2°.*de comp.med.se.loc.* 5ª.133.A
*Vnguenta spicata valent ad ventriculi os.*8°.*met.me.* 7ª.53.D
*Vnguentum spicatum valet in defluuio capillorum.*1°.*de comp.medi camen.secun.loc.* 5ª.125.G
*Vnguentum spicatum.*7°.*de comp.med.sec.loc.* 5ª.187.D
Vnguentum ad Subducenda stercora etiam durissima pro vngendo ano.de dynamidijs. Sp.27.F
*Vnguentum Susinum.*3°.*de comp.med.sec.lo.*142.B/5°. 5ª.164.G
*Vnguentum Syriacum.*2°.*de comp.med.sec.loc.* 5ª.135.F
*Vnguentum Telinum.*7°.*de comp.med.per ge.* 5ª.267.A
Vnguentum ad Tibias fractas de phlegmate salso.de dy. Sp.30.B
*ex Vnguentis fomenta.*3°.*de comp.me.sec.lo.* 5ª.141.A
VNGVINOSA *in vrinis ab adipe veniunt. in* 9ᵐ. *de morbis vulgaribus.commen.*5°. 3ª.192.A
VNGVES.*fin.med.*44.D/ Isa.49.D
*Vngues vltimæ partes,quæ perficiuntur.*2°.*de temp.* 1ª.16.A
*de Vnguibus vniuersaliter manuũ,& pedũ.*2°.*de ana.adm.*1ª.73.A
*Vngues quomodo se habeant in corpore.*2°.*de ana.adm.* 1ª.73.A
*Vnguium nullum est regimen,sed tantum generatio.ars med.*Isa.63.B
Vngues pili,cutis cur in extremis partibus sint genita.in ti. 1ª.168.G
*Vngues cur siti in suis locis.*2°.*de ana.adm.* 1ª.73.C
Vngues sub certis venis connascuntur.in tim.Plat. 1ª.286.H
Vngues ex quibus genti.in tim.Plat. 1ª.286.H
Vngues ex quibus constent.de hist.phil. Sp.11.F
Vnguis cõmune habet cũ chartilagine sensu carere.fi.med. Isa.49.D
*Vnguis dura per excessum.*5°.*de simp.med.fac.* 5ª.32.E
*Vngues cur ita duri.*1°.*de vsu par.* 1ª.115.F
*Vnguis siccus.*1°.*de temp.* 1ª.12.G
*Vngues siccissimi.*2°.*de temp.* 1ª.18.A
*Vngues cur non ossei.*1°.*de vsu par.* 1ª.115.F
*Vngues similes,& dissimiles ab vnguibus animalium non fortium habent animalia fortia.*11°.*de vsu par.* 1ª.187.D
*Vngues in animalibus mansuetis,aut timidis sunt lati, molles,& obtusi.*11°.*de vsu par.* 1ª.187.G
*Vngues in animalibus agrestibus aut fortibus acuti,magni,fortes,ac rotundi.*11°.*de vsu par.* 1ª.187.G
*Vngues curui cur insunt animalibus carniuoris.*2°.*de vs.p.*1ª.128.B
*Vnguis hominũ cur mollior aliorum animalium.*1°.*de vsu par.*1ª.115.b
*Vngues bisulcas habentia animalia quæ.de arti.com.*1°. 7ª.256.H
*Vngues cur rotundi.*1°.*de vsu par.* 1ª.115.H
*Vngues propter quid facti.*1°.*de vsu par.* 1ª.115.F
*Vnguibus cur indiguit manus.*1°.*de vsu par.* 1ª.114.E
*in Vnguiũ vtilitate mire errãt Plato & Arist.*1°.*de vsu par.*1ª.114.F

ex Vngue &

ex Vngue, & carne digitorum summitas. 1°. *de vsu par.* 1ª.114.D
Vnguis, & vena digitorum partes. de inæq. intemp. 3ª.43.D
Vnguis in digito cur extrinsecus. 1°. *de vsu par.* 1ª.114.D
Vngues lõgi nõ possunt rẽ paruã apprehẽdere. 1°. *de vsu par.* 1ª.114.D
Vngues parui faciunt carnem inualidam ad apprehendendum. 1°. *de vsu partium.* 1ª.114.D
Vngues debent esse æquales carni. 1°. *de vsu par.* 1ª.114.E
Vngues sunt nutrimẽtũ ſm Platonẽ, & Aristotelẽ. 1°. *de vſ.p.* 1ª.114.F
Vngues semper crescunt. 2°. *de anat. adm.* 1ª.73.B
Vngues augentur in longum. 1°. *de vsu par.* 1ª.115.H
Vngues cur crescant. 1°. *de vsu par.* 1ª.115.H
Vngues pedũ ꝓportione rẽdet vnguibꝰ manũ. 3°. *de vsu. par.* 1ª.133.A
Vngues quales eẽ debeãt in chirurgo. de ijs, quæ in me. cõ. 1°.7ª.204.B
VNGVES *asinorum comitiales sanant.* 11°. *de sim. me. fa.* 5ª.80.E
Vngues asinarum coercadas sanant. 11°. *de simp. me. fa.* 5ª.80.E
Vngues caprarum alopecias sanant. 11°. *de simp. me. fa.* 5ª.80.E
Vnguis testudinis. de reme. par. fa. 7ª.164.E
VNGVES *diuellunt Batrachij caulis & folia virentia.* 6°. *de simpliciũ medicamentorum facul.* 5ª.44.G
in Vngue ægritudinum causæ. de diff. mor. 3ª.4.F
ad Vnguium Ascessus. 8°. *de comp. me. se. lo.* 5ª.188.G
Vngues Aduncí Tabidorum iudicium. 1°. *de lo. aff.* 4ª.6.D
Vngues cur Curuentur in purulentis. in pgn. Hip. com. 2°. 4ª.204.E
Vnguibus curuis, & nigris prædicitur mors. de vsu pul. 1ª.227.E
circa Vnguium radices Dolor. de inæq. intempe. 3ª.44.E
Vngues Leprosos eximunt pices. 8°. *de simp. me. fa.* 5ª.58.E
Vngues ad digiti Liuidi significãt mortem. in progn. com. 2°. 4ª.198.F
Vngues pſorodas sanant cantharides. 11°. *de simp. med. fa.* 5ª.82.E
ad Vngues putridos. 4°. *de comp. med. per ge.* 5ª.244.F
ad Vngues Quassatos, & apostematos valet succus centaureæ. de virtute centaureæ. Sp.93.B
ad Vnguium Scabiem. de med. fa par. 7ª.177.G
Vngues Scabros ejcit chelidonium minus. 8°. *de simp. me. fa.* 5ª.63.G
ad Vngues scabros diuinum auxilium. de med. fa. par. 7ª.174.A
ad Vngues offendicula vacillãtes vel confirmãdas, vel extrudendas, 5°. *de comp. med. per gen.* 5ª.248.C
prope Vnguem vlcus quid faciat neglectum. 2°. *de diff. feb.* 3ª.41.B
VNGVIBVS *& vrinæ similia in abscessibus inueniuntur. de tumoribus præter nat.* 3ª.83.G
Vnguium similia corpora inuenta quandoque in abscessibus. 14°. *methodi medendi.* 7ª.90.E
VNGVES *pisces habent carnem duram.* 3°. *de alim. fa.* 2ª.32.B
VNGVES *rosis resecat.* 4°. *de comp. me. se. lo.* 5ª.155.D
VNGVIS *in oculo quid. fin. med.* 48.E/*introd.* Isa.58.G
Vnguis in oculo. de diff. mor. 5.H/6.B/*de tum. præt. nat.* 3ª.84.H
Vnguis affectus iridis oculi. intro. Isa.58.D
Vnguis vlceratio oculorum. fin. med. Isa.48.D
Vnguis in oculo est ex genere naturali. de dif. mor. 3ª.4.F
Vnguis est ægritudo. de diff. mor. 3ª.4.F
Vnguis pupillam obtenebrat. de diff. mor. 3ª.4.F
Vnguis oculorum morbus manu indiget. intro. Isa.59.G
Vngues in oculo præciduntur. intro. Isa.59.G
Vngues lino vel hamulo attrahuntur. intro. Isa.59.G
Vngues oculorũ quibus attenuentur. 4°. *de comp. me. se. lo.* 5ª.151.A
Vngues oculorum eliquat sepiarum testa sali fossili mista. 11°. *de simpli. med. fa.* 5ª.81.A
Vngues oculorum auferunt tithymalli. 8°. *de simp. me. fa.* 5ª.62.D
ad Vnguem oculi. de remed. par. fa. 7ª.156.H
VNGVLA *ex qua substantia.* 1°. *de vsu par.* 1ª.115.G
Vngulæ solidæ sunt duræ, & insensibiles. 3°. *de vsu par.* 1ª.134.A
Vngulæ bisulcæ sunt duræ & insensibiles. 3°. *de vsu par.* 1ª.134.A
Vngulas solidas aut bifidas animalia habentia habent collum lõgius. 11°. *de vsu par.* 1ª.187.D
Vngula sicca. 1°. *de temp.* 1ª.12.G
Vngulæ siccissimæ sunt. 2°. *de temp.* 1ª.18.A
Vngula cur non indiguit homo. 1°. *de vsu par.* 1ª.113.D
per Vngulas expelluntur superflua. de compag. memb. Sp.59.B
Vngula Vrsina. de dyna. Sp.24.B
de VNGVLA, *& quid sit. de med. fa. par.* 7ª.162.D
Vngula quid sit. de ocu. 7ª.186.F
Vngula in oculo. de ocu. 7ª.186.E
Vngula est morbus coniunctiuæ. de ocu. 7ª.186.E
Vngulæ oculorum præsidium. de dy. Sp.24.H
ad Vngulas quæ faciant. de ocu. 7ª.189.C
Vngulę vetustiæ putrefactiua valent. de ocu. 7ª.189.C
VNIONES *non recte tãto studio appetũtur. de cog. cu. aĩ mor.* 2ª.54.H
VNIO *est intentio solutionis continuitatis. ars med.* Isa.69.G
Vnio impossibilis in instrumentis. ars med. Isa.69.G
ad Vnionem vtilia. ars med. Isa.69.G
VNITAS *Deus. de hist. phil.* Sp.4.F
Vnitas est causa cur pars sit vna. de diff. mor. 3ª.3.C
in Vnitate morbi qui. de ocu. 7ª.181.C
VNITATIS *solutio nomen inuentum à Galeno. de cau. mor.* 3ª.9.F
Vnitatis solutio, & continuitatis solutio idem sunt, & in quibus sint partibus. 5°. *meth. me.* 7ª.29.H
Vnitatis solutio ægritudo communis omnibus. de causis morborum. 9. F/1°. *de symp. cau.* 3ª.14.C
Vnitatis solutio communis similaribus, & instrumẽtis. 2°. *me.* 7ª.13.d
Vnitatis solutio in carne quid sit. 5°. *met. me.* 7ª.16.E
Vnitatis solutio in osse quid sit. 3°. *meth. me.* 7ª.16.D
Vnitas quomodo soluatur, quoque modis. de inæq. intemp. 3ª.43.F
Vnitatem soluunt calor, & frigus. de ineq. intemp. 3ª.44.C
Vnitatis diuisio in rhagoide. 1°. *de symp. ca.* 3ª.14.H
Vnitatis solutio vnitionem postulat. 3°. *met. me.* 7ª.16.D
VNIVERSALES *differentiæ in singulares distinguntur. in* 6ᵐ. *de morbis vulgaribus, com.* 3°. 3ª.175.G
Vniuersalia quòd primo addiscenda sunt, & post particularia. in 1ᵐ. *prorr. commentario* 3°. 4ª.184.H
ab Vniuersali, & generalissimo ad singulare inuentores Plato, & Hippocrates. 9°. *de decretis Hippoc.* 1ª.283.H
in Vniuersalibus particularia continentur. de vic. ratio. in mor. acutis, commentario 2°. 7ª.124.F
Vniuersalia ex singularibus fiunt. in 6ᵐ. *de morbis vulgaribus, commentario.* 3°. 3ª.174.G
ad Vniuersalium cognitionem conducunt singularia. in 1°. *de morb. vulgaribus, commen.* 2°. 3ª.120.H
in Vniuersalibus consistit methodus. 9°. *met. me.* 7ª.58.C
Vniuersalis doctrina ex particularibus fit. de vic. rat. in mor. acutis, commentario. 1°. 7ª.111.A
ex Vniuersalibus doctrina fit. de vict. rat. in mor. acu. cõ. 4°.7ª.142.A
ex Vniuersalibus iudicantur artes. ad Thras. 2ª.106.A
Vniuersalium quædam perpetuo sunt, quædam vt plurimum. de vic. rat. in mor. acu. com. 4°. 7ª.142.H
Vniuersali facultate cognita in particulares vsus facile deuenimus. 11°. *de simp. med. fa.* 5ª.81.D
de Vniuersali iudicium fit ex vno vel altero experimento. 11°. *de simp. med. fa.* 5ª.81.D
Vniuersali inuenta facultate non indigemus experientia ad particulares actiones, sed ad confirmationem. 10°. *de simplic. medicamentor. facul.* 5ª.72.A
Vniuersalia non sat est nouisse, nisi in particularibus exercitetur. 13°. *meth. meden.* 7ª.82.G
pro Vniuersalibus Hippocrates vtitur particularibus. de vict. ratio. in mor. acut. com. 1°. 7ª.111.A
Vniuersale intelligere & de particulari loqui mos est Hippocratis. de articulis, commen. 3°. 7ª.277.D
Vniuersalia ex duobus exemplis facit Hippocrates. in 3ᵐ. *de morb. vulg. commenta.* 1°. 3ª.128.G
Vniuersales morbi qui. in 1ᵐ. *de mor. vul. com.* 1°. 3ª.101.D
Vniuersale principium ad omnia membra est cor. de ana. viu. Sp.56.H
Vniuersale, & primum instrumentum omnium sensuum est cor. de vtilitate respirationis. Sp.62.F
Vniuersalẽ causam in rebus ponit Hippocrates. c. 7°. *ap.* 26°. *Ex.* 55.g
VNIVERSALITER *quando dicere possumus medicinam iuuare. commen.* 3°. *aphor.* 9°. Ex.20.H
VNIVERSIM *nutrire quid. com.* 2°. *aph.* 18°. Ex.13.F
VNIVERSI *corpus ex igne & terra.* 7°. *de decre. Hippoc.* 1ª.271.H
Vniuersum & totum differunt. de hist. phil. Sp.5.F
VNIVOCA *quæ sint. de ijs, quæ in med. fi. com.* 3°. 7ª.218.D
VNVM quid vere, & simpliciter dicatur. 1°. *de vsu par.* 1ª.113.B
Vnum multa, & multa vnum ſm Platonem. 2°. *meth. med.* 7ª.14.F
Vnum, & idem potest dici gñe, specie, & numero. 2°. *met. me.* 7ª.15.A
Vnum propter quid dicatur animal. 1°. *de vsu par.* 1ª.113.B
Vnũ propter quid dicatur animalis particula. 1°. *de vsu par.* 1ª.113.B

Vnum vni tantum aduersari natura institutũ est.de opt.sect. Isa.29.B
Vnũ est si quod optimũ est in vnaquaq; re.7°.de decr.Hip.1ª.268.B
Vnum esse impatibile probatur.1°.de elem. 1ª.3.C
Vnum pati non potest,quia nihil ipsum afficit.1°.de elem. 1ª.3.G
Vnum quod non est dolet.1°.de const.ar.med. Isa.38.B
Vnũ dicitur quod est subiectum quæstionis.9°.de decre.Hip.1ª.286.C
Vno dicto,aut duobus ab authoribus, quod alia subintelligi debeant, collige.com.1°.aph.16°. Ex.9.A
ex Vno alia possint intelligi.com.5°.aph.7°. Ex.37.H
Vnum discere quod sit ornatissimum melius quàm sexcenta deprauata.2°.de diffe.pul. 4ª.55.A
Vnum veritatis amatorem multis alijs præponit Galenus. 2°.de dignoscendis pulsibus. 4ª.78.B
Vnum hallucinatum secuti sunt omnes.2°.de dig.pul. 4ª.78.H
VNICVIQVE *credendum in sua arte.in oratio.suas. Isa.4.C*

VOCABVLORVM *significationes ex longo vsu*

deprehenduntur.2°.de loc.aff. 4ª.12.B
Vocabulorũ vsitatorũ significationes seruãdæ.2°.de ali.fa. 2ª.17.A
Vocabulis quomodo vti debemus.9°.de decr.Hip. 1ª.279.D
Vocabulis qui volunt recte vti reprehenduntur.1°.de lo.aff. 4ª.5.A
Vocabula noua effingere quis docuit.Hip.ling.explan. Ex.71.E
Vocabulis sæpius abutimur, in medicina præsertim.comm.1°.aphorismo 14°. Ex.7.C
Vocabula latina.3°.de diff.pul. 4ª.63.H
VOCALIVM *græcarum differentia.1°.met.me. 7ª.4.D*
Vocalium instrumentorum officium quo modo læditur.3°.de locis affectis. 4ª.14.F
in Vocalibus instrumentis nullo existente vitio aliter vox offensa est ei qui ab alto decidit.3°.de lo.aff. 4ª.14.F
Vocales nerui,quos Galenus ita vocauit,qui.1°.de loc.af. 4ª.6.H
ad Vocalis arteriæ asperitatem.de remed.par.fa. 7ª.158.C
femi Vocale quomodo redditur animal.8°.de anatomicis administrationibus.100.D/ 1ª.101.H
in Vocale fit animal incisa aspera arteria.2°.de decr.Hip. 1ª.236.C
VOCALISSIMI *sunt qui calidum plurimum habent in corde.in 6ᵐ.de morbis vulgarib.com.4°. 3ª.185.H*
VOCATVM *& vocari quando vtitur Hippocrates.de vict. ratione in morb.acu.com.3°. 7ª.129.E*
VOCIFERATIONIS *vasa in brutis quæ.de ana.viu. Sp.99.B*
in Vociferatiõe aperiũ cooperculũ epiglotidis.de vo.& anh. Sp.61.G
in Vociferationib.necessaria est vocis lõgę emissio.de an.vi. Sp.48.B
Vociferationes aborsum faciunt.com.5°.aph.53°. Ex.42.D
VOLA thenar græce dicitur.2°.de vsu par. 1ª.121.B
Vola quæ.introd. Isa.53.C
vt Volæ manuum debent esse membra bonæ comprehensionis. de anatomia viuorum. Sp.50.G
Vola manus maxime omnium sentit tactum.de comp.memb.Sp.58.E
VOLATILIVM *colla similia caudis.de bo.& vit.suc. 2ª.37.B*
Volatilia & quadrupedia dum ambulant habent eãdem figurã,quam habent homines sedentes.3°.de vsu par. 1ª.128.D
Volatilia quadrupedia nunquam stant recta.3°.de vsu par.1ª.128.d
Volatilia optima quæ.8°.met.me. 7ª.51.B
Volatilia carne mollia danda in tertiana pro cibo.1°.de arte curatiua ad Glauconem. 7ª.97.B
Volatilium alæ quales circa concoctionem.de bo.& vit.suc. 2ª.35.H
Volatilium aliquorum ventriculi manduntur.3°.de ali.fa. 2ª.29.E
VOLARE *ad terram,& cadere ad terram in auibus diuersa.de tremore & palpit. 3ª.52.A*
Volare non potest auis super locum quendam, qui est in Sauromatibus.de bonitate aquæ. Sp.76.A
Volare se somniare quid significet.de dig.ex insom.sum. 4ª.213.D
VOLSELLA *naribus illapsa corpuscula extrahuntur.3°.de compo.medicamen.se.lo. 5ª.148.E*
Volsella.3°.de comp.med.se.lo.145.H/ 5ª.148.D
VOLVCRVM *maius incidit,& excalfacit vehementer.8°.de simp.me dicamen.fa. 5ª.58.B*
Volucri maioris fructus,& folia vrinam sanguinolentam efficiunt,& lienosos difficulter spirantes iuuant.8°.de simp.me.fa. 5ª.58.B
Volucri maioris semen sterilitatem bibentibus affert.8°.de simp. me dica.faculta. 5ª.58.B
VOLVCRIA *animalia ὄρνιθας antiqui nominabant. 3°. de alimentorum facultatibus. 2ª.29.C*
Volucres volare conantur antequam idoneæ sint.de fœt.for.1ª.325.E
Volucres sunt sicciores gressibilibus.14°.de vsu par. 1ª.206.D
Volucria habent exiguum cerebrum.3°.de alim.fa. 2ª.29.F
Volucribus vena caua vbi scindatur.6°.de decr.Hip. 1ª.263.F
Volucres quæ laudantur.de ren.af.dig.& med. 7ª.195.F
Volucres omnes clausæ excrementosæ.8°.met.me. 7ª.51.B
VOLVNTARIA *vis in cerebro.in progn.com.2°. 4ª.200.B*
Voluntaria facultate vtuntur musculi.6°.de lo.af. 4ª.38.F
Voluntaria non est virtus expulsiua stomachi sed voluntaria.de motib.manifestis,& obscuris. Sp.68.G
Voluntariæ facultates nõ semper operantur.de trem.& pal.3ª.60.A
Voluntaria & vitali facultate potior est ad febres vis concoctrix. 11°.meth.med. 7ª.70.A
Voluntariæ potentiæ læsiones quæ.2°.de symp.cau. 3ª.19.G
VOLVNTARIVS *motus distinguitur à naturalibus, & voluntatis expertibus.de bo.& vitio suc. 2ª.35.G*
Voluntarius motus proprius animalium,& opus animæ.1°.de naturalibus facultatibus. 1ª.290.G
ad Voluntarium motus tribus animæ partibus incitamur.4°.de decr. Hipp.& Plat. 1ª.256.H
ad Voluntariũ motũ musculi sunt constricti.16°.de vsu pa. 1ª.214.H
Voluntarij motus ex musculis.2°.de decr.Hip.236.D/7°.272.F/1°. de motu mu.308.F/1ª.309.B/de bonit.& vitio succorũ. 2ª.35.G/ de tremo.palp.3ª.56.B/6°.met.me.7ª.38.D/commen.2°.aph.18°. Ex.13.G/de voce & anhel. Sp.60.F
Voluntarie q̃ moueatur membrum nullum caret musculo qui accipit neruum a cerebro.1°.de decr.Hip. 1ª.234.B
Voluntario motu quæ mouẽtur partes, habent ad minus duos musculos.10°.de vsu par. 1ª.180.G
Voluntarius motus fit per villos in musculis.de ana. viu. Sp.44.G
Voluntarius motus non est tantum musculorum.de mot.man. S.68.E
Voluntarij motus instrumẽta hñt magnos neruos.5°.de vsu p.1ª.145.d
Voluntarium motum partes habentes,habẽt neruos duros.8°.de vsu partium. 1ª.166.H
Voluntarij nerui qui sint, & vnde oriantur. de ossi. 1ª.40.D
Voluntarij motus principium cerebrum.2°.de decr. 1ª.240.D
Voluntarij motus fons cerebrum.2°.de dec.Hipp. 1ª.237.A
Volũtario motu mẽbra primo mouet cerebrũ.de mo.m.& ob. S.66.G
Voluntarius motus, & sensus a cerebro mittuntur ad alia membra. de voce & anhel. Sp.61.G
Voluntarius motus est neruorum motus.1°.de loc.af. 4ª.6.H
Voluntarij motus principiũ cor.2°.de decr.Hip.& Pla. 1ª.240.D
à Volũtario motu motus pulsus cordis diuersus.2°.de decr.1ª.240.d
Voluntarij motus causa quæ.de mot.man.& obs. Sp.69.E
de Voluntario motu motis membris.de mot.man.& obs. Sp.68.H
Voluntarium motum habent palpebræ.10°.de vsu par. 1ª.179.G
Voluntario motu mouentur palpebræ superiores. 10°. de vsu partium. 1ª.181.A
Voluntarius, & naturalis esse motus palpebrarum. de mot.mani. & ob. Sp.69.G
Voluntarium motum habet aspera arteria.7°.de vsu par. 1ª.160.C
an Volũtarius sit vel naturalis motus pectoris.de mo.ma. Sp.69.G
an Voluntarius sit motus diaphragmatis.de vti.resp. Sp.63.G
Volũtariũ motũ esse anhelitũ probatur.de mo.man.& obs. Sp.66.H
na Volũtarius sit motus vel naturalis sternutatio.de mo.ma.Sp.69.b
in Voluntario motu cõsumitur spiritus animalis.de vsu par.1ª.227.H
an Voluntarius vel naturalis motus sit risus.de mo.man. Sp.69.H
Voluntaria instrumenta, & naturæ concurrunt ad excernendum.2°. de motu muscu. 1ª.316.A
circa Voluntaria membra tremor fit.de trem.palp. 3ª.53.D
VOLVNTARIA *functione non vtitur fœtus.de fœt.for. 1ª.323.G*
Voluntaria actio quæ.de nat.hum.com.2°. 7ª.182.E
Voluntaria actio fit ex nobilissimo motu animæ scilicet ex motu cogitationis,& deliberationis.de voce,& anhe. Sp.61.G
Voluntariorum operum quędam libera sunt,qnædam affectibus corporis seruiunt.2°.de motu mus. 1ª.315.D
Volũtarię actiones intẽtione secunda quæ.de mo.m.& ob. Sp.69.A
Voluntariæ per intentionem primam sunt actiones pedum.de mo.ma. & obscuris. Sp.69.A
Volũtarię sunt actiões manuũ,vox,loquela.de mo.ma.& ob.Sp.69.a
in Voluntarijs actionibus consistit vita.de mo.man.& obs. Sp.67.F

Voluntaria actio nobilissima est vox. de voc. & anhel. Sp.61.G
Voluntaria est actio anhelitus secundū quosdā. de vo. & anh. Sp.62.B
inter Voluntatem & naturam media est actio anhelitus secundum quosdam. de voce & anhel. Sp.62.B
Voluntaria ex erectio priapi. de mot.ma. & obs. Sp.67.H
Voluntarium quando non est egerere, & mingere sed naturale. de mo. mani. & obs. Sp.69.C
ad Voluntariam actionem adolescentes aptissimi. 1°. *de sanitate tuenda.* 2ª.64.D
ad Voluntariā actionē inepti senes & infantes. 1°. *de sa.tu.* 2ª.64.D
Voluntarias actiones faciunt dormientes. 2°. *de motu mus.* 1ª.314.G
Voluntaria esse opera quomodo iudicari debeant. 2°. *de motu musculorum.* 1ª.34.H
Voluntarias plures actiones cur mente non assequimur. 2°. *de motu musculorum.* 1ª.315.A
Voluntarias actiones qui habeāt infirmus. 4°. *de præs.exp.* 4ª.120.H
Voluntariæ actiones quando vitiantur. in 6ᵐ. *de morbis vulgaribus, commen.* 3°. 3ª.174.H
an Volūtaria sit vel naturalis laxatio actiōis lacerti. de moti. S.68.H
VOLVNTAS *desiderium, & appetitus idem. in progno. commentario.* 2°. 4ª.198.E
ſm Voluntatem nostram plurimæ ex animalibus actionibus perficiuntur. de voc.inst.diss. 1ª.106.C
Voluntatis conseruatio, imaginatio, rerum cogitatio, sunt tria actionum genera. de voce. & anhel. Sp.61.G
Voluntas in sanis iuxta neruorum originem ordinata, motus principium primo dat neruis, postea musculis. 3°. *de lo.aff.* 4ª.17.E
Voluntas quando consilij inops. de trem.palp. 3ª.61.F
à Voluntate tantum non fit actio generationis instrumentorum. de mo. man. & obs. Sp.68.F
Volūtati obediūt œsophagus, & stomachus. de mo.ma. & ob. Sp.68.E
Voluntas quid agat in respiratione. de cau.resp. 1ª.226.H
Voluntas similis est equiti in respiratione. de cau.resp. 1ª.127.B
Voluntatis opus est digitorum extensio flexioq;. 6°. *de loc.aff.* 4ª.38.F
à Voluntate & natura vomituum differentia. de mot.ma. Sp.68.G
à Voluntate facta excretio, & vrina. de mo.man. & obs. Sp.68.G
à Voluntate pendet non vesicæ sed meiendi officiū. 6°. *de lo.af.* 4ª.38.E
à Voluntate est deijciendi munus non intestinorū. 6°. *de lo.aff.* 4ª.38.E
Voluntas emittit stercus per sedem. 2°. *de decr.Hip.* 1ª.233.F
Voluntas coeundi vnde generetur. de sper. Sp.36.F
Voluntas non potest in vitalibus. de trem. & palp. 3ª.58.F
Voluntatis instrumenta sunt musculi. 4°. *de vsu par.* 1ª.141.E
Voluntatis nostræ imperiū imitatur musculi actio. 1°. *de lo.aff.* 4ª.2.H
Voluntas agit in tremoribus. 2°. *de symp.cau.* 3ª.20.C
Voluntate non caret tremor. de trem.palp. 3ª.53.E
à Voluntate actiones lædere vt possint musculi affecti, ita vesica & intestina naturales. 1°. *de locis affectis.* 4ª.8.A
sine Volntate est rigor. de trem. & palp. 3ª.53.E
VOLVPTAS *quid.* 2°. *de lo.aff.* 4ª.8.D
Voluptas timori opposita quæ. 12°. *meth.me.* 7ª.77.D
Voluptatem nominat passionem Plato. de symp.diff. 3ª.10.D
Voluptas philosophiæ finis est ſm Aristippum. de hist.phil. Sp.2.H
Voluptas quæ sit secundum Aristippum. de hist.phil. Sp.2.H
Voluptas quid ſm Zenonem, & Epicurum. 4°. *de decr.Hip.* 1ª.248.F
Voluptas animantibus quæ. 4°. *de simp.med.fa.* 5ª.24.E
ad Voluptatē vis irrationalis ducit omnes. 5°. *de decr.Hip.* 1ª.258.H
ad Voluptatem ex concupiscibili trahimur. 5°. *de decr.Hip.* 1ª.256.H
ad Voluptatis creationem quid exigitur. 7°. *de decr.Hip.* 1ª.271.H
Voluptatis fons, & radix est sensus. 1°. *de elem.* 1ª.3.H
Voluptatibus nouem fruitur corpus per quinque virtutes animales. de compagine membrorum. Sp.59.B
Voluptates nouem à cerebro præbentur. de comp.memb. Sp.59.B
Voluptas quomodo in visu, & an intensa. 1°. *de symp.cau.* 3ª.17.C
Voluptas quomodo in auditu. 1°. *de symp.cau.* 3ª.17.C
Voluptas quomodo in odoratu. 1°. *de symp.cau.* 3ª.17.C
Voluptas, & cupiditas cur in coitu, & quō fiat. 14°. *de v.p.* 1ª.207.D
ob Voluptatem non indulgendum coitui. 6°. *de lo.aff.* 4ª.39.H
Voluptatem sentiunt lassatæ particulæ, redeuntes ad proprium statum. 1°. *de symp.cau.* 3ª.17.E
Voluptas ex reditu ad naturam eius, quod diuelli periclitabatur. 1°. *de sympto.cau.* 3ª.17.A
Voluptates quærebant tempore Galeni. 1°. *meth.me.* 7ª.2.C
Voluptates quæ sequendæ, & quæ fugiendæ. 9°. *de decr.* 1ª.283.E
Voluptates qui sequitur, qualis sit. de consue. 2ª.61.F
Voluptates animi longe maiores sunt quam corporis. de cuiusque animi pec.not. atque med. 2ª.58.G
Voluptates sunt causæ præcedentes pulsus mollis. 1°. *de pres.* 4ª.109.D
Voluptas dissoluit vires vitales. 1°. *de sem.* 1ª.335.D
in Voluptate maxima quomodo mors contingat. 5°. *de lo.aff.* 4ª.29.B
Voluptate nimia affecti non nulli interierunt. 1°. *de sem.* 1ª.335.D
VOLVVLOSI *qui vomitus dicantur.* 8°. *de compositio. medicamentorum secun. loc.* 5ª.190.A
Voluuloſæ ſubuersiones quę. 8°. *de comp.med.sec.lo.* 5ª.190.A
ad Voluuloſas ſtomachi ſubuersiones. 8°. *de comp.me.se.lo.* 5ª.190.D
ad Voluuloſas affectiones. 9°. *de comp.med.sec.lo.* 5ª.202.F
ad Voluuloſas ſtomachi affectiones. 8°. *de cōp.me.se.loc.* 5ª.190.H
ad Voluuloſos. 7°. *de composi.med.sec.loc.* 182.G/9°. 5ª.202.B
VOLVVLVS *quid. fin.med.* 47.C/*intro.Isa.* 56.A/*in* 3ᵐ. *de morb.vulgar.com.* 2°. 3ª.138.H
Voluuli, qui dicuntur ilei, quid sint, & quomodo fiant, præsertim autumno. com. 3°. *aph.* 22°. Ex.24.G
in Voluulo reuoluitur stercus. 8°. *de comp.me.se.lo.* 5ª.190.A
in Voluulo lætali stercus euomitur. in 1ᵐ. *prorrh.com.* 3°. 4ª.187.F
Voluulus graue olens qui. in 1ᵐ. *prorr.com.* 3°. 4ª.187.E
Voluulus & si habeat bonas vrinas est parua spes. in 3ᵐ. *de mor.vulga.commen.* 2°. 3ª.138.H
Voluuli curatio. intr. Isa.56.A
ad Voluulos. 8°. *de comp.me.se.lo.* 5ª.191.E/*de med.fa.p.* 7ª.166.D
de VOMENDI *motu. de mot.man. & obs.* Sp.68.G
*Vomēdi volūtas aliqñ adest cōceptis in hora phlegmatis. de sp.S.*37.C
ad Vomendum quæ sint apta, & quæ non. com. 4°. *aph.* 12°. Ex.28.A
Vomendi ordo bis in mense. de sal.diæ. 2ª.42.B
Vomendum à cœna quando calculosis. de ren.af.dig. & med. 7ª.194.F
Vomendum quando in capitis dolore. 1°. *de ar.cur. ad Gla.* 7ª.99.H
VOMENTES *qua de causa lacerantur. com.* 3°. *aph.* 1°. Ex.37.C
Vomentes facile graciles sursum purgare conuenit vitantes hyemem. de catharticis. Sp.94.C
Vomentes difficulter, & mediocriter crassi deorsum purgare conuenit æstatem vitantes. de cathar. Sp.94.C
Vomentes facile quomodo tractandi. de sal.diē. 2ª.42.C
Vomentes difficulter quomodo tractandi. de sal.diæ. 2ª.42.C
Vomentes cito pro qualibet occasione nō sunt purgādi. de dy. Sp.20.E
Vomentibus difficulter scamonium dandum. de dy. Sp.20.H
Vomentes post aliquod tempus cur. 5°. *de nat.fa.* 1ª.303.D
Vomentes quibus cibis vti debeant. 5°. *de vsu par.* 1ª.143.E
Vomentibus prodest faba. 7°. *de simp.me.fa.* 5ª.53.D
ad Vomentes crebro. de med.fa.par. 7ª.166.E
ad Vomentes cibum. 1°. *de comp.me.se.lo.* 189.E/ 5ª.190.D
ad Vomentes bilem. 8°. *de comp.med.sec.loc.* 5ª.193.C
Vomentes sanguinem si sine febre salutare, si cum febre malum. com. 7°. *aphorismo* 37°. Ex.56.H
Vomentibus sanguinem vtile scliroſmon. de dy. Sp.28.C
ad Vomentes sanguinem. de med.fa.par. 7ª.173.F
ad Vomentes stercus. de med.fa.par. 7ª.166.D
VOMICA *sub septo transuerso qualis. intro.* Isa.56.F
VOMITIO *quid sit.* 1°. *de nat.fac.* 1ª.303.G
Vomitiones quando fiunt. 3°. *de nat.fac.* 1ª.303.G
in Vomitiones est vis expultrix in ventre. 3°. *de na.fac.* 1ª.305.C
Vomitionem incurrere possunt siti infestati. 6°. *de loc.aff.* 4ª.38.B
Vomitionē quo faciat iecur, & per quā viā. 3°. *de symp.c.* 3ª.27.H
Vomitiones, & vrinæ difficultates ex defluxionibus ad partes imbecillas. in 1ᵐ. *de mor.vul.com.* 2°. 3ª.109.A
Vomitio quomodo paranda. 1°. *de arte cur. ad Glau.* 7ª.99.C
Vomitio caput replet. de ven.sect.aduer.Eras. 6ª.14.H
Vomitio à tuberculi intus ruptione fit. com. 7°. *aph.* 8°. Ex.54.D
Vomitio bilioſa quando expectanda. in prog.com. 3°. 4ª.210.E
Vomitio cū mera est semper praua. in 1ᵐ. *de mor.vul.com.* 3°. 3ª.121.C
Vomitione sanguis ē gula & ventriculo eijcitur. 4°. *de lo.af.* 4ª.25.F
Vomitio vtilissima, & pessima quę. in prog.com. 2°. 4ª.201.F
VOMITIVVM. *de sal.diæ.* 2ª.41.F
VOMITORIA *medicamenta sumpturus, quomodo tentandum an sit facilis vomitus, & quomodo præparandus sit ad vomitum per gradus. com.* 4°. *aph.* 13°. Ex.28.F
per Vomitoria medicamenta fit vacuatio. 14°. *me.me.* 7ª.89.A

Vomitorijs vtaris in priapiſmo.14°.meth.med. 7ª.89.C
Vomitorium medicamentum nunquam dandum ei, cui inhæret pituita inteſtinis.com.4°.aph.12°. Ex.28.F
Vomitorium ſine anguſtia.de dy. Sp.27.A
Vomitorium ſine periculo.de dy. Sp.27.A
Vomitoria.2°.de antid.5ª.114.B/de med.fac.par. 7ª.173.E
Vomitorium medicamentum.de dy. Sp.27.F
VOMITVRI *quomodo bibere debeant.de ſal.dię.* 2ª.41.G
Vomituri quæ ſymptomata ſint.1°.de ſymp.cau. 3ª.15.B
Vomituris cur labia tremant.in 1ᵐ.prorr.com.1°. 4ª.167.E
Vomituris ſputo os plenum.in 1ᵐ.prorr.com.1°. 4ª.167.E
de VOMITVS *& deuorationis motu.de mo.ma.& ob.* Sp.68.D
Vomitus,& nauſea qui motus ſint.3°.de ſymp.cau. 3ª.25.F
Vomitus Præcedunt nauſeæ.2°.de ſymp.cau. 3ª.21.G
Vomitus ſymptoma.2°.de ſymp.cau. 3ª.21.E
Vomitum quæ vis faciat.de mot.man.& ob. Sp.68.G
Vomitus ſymptoma facultatis naturalis.2°.de ſymp.cau. 3ª.21.G
Vomitus ex toto genere prćter naturam.de ſymp.diff. 3ª.13.G
Vomitus ſi tempeſtiue fiat,non eſt prćter naturā,de ſymp.diff.3ª.13.G
Vomitus opponitur alimento,quod dicitur ſecundum tertium ſignificatum.1°.de ſan.tu. 2ª.69.A
Vomitus eſt ex genere reſupinitatum.8°.de comp.me.ſe.lo. 5ª.189.H
in Vomitus genere eſt ſingultus.com.6°.aph.39°. Ex.50.G
in Vomitibus & ſingultibus qūo nō idē affect°.3°.de ſymp.c. 3ª.25.F
Vomitus eſt motus minus intenſus q̄ ſingultus.c.6°.ap.39°.Ex.50.G
Vomitus trahit quę ſunt in ſtomacho,ſingultus quæ in ore,ſed altius. commen.6°.aph.39°. Ex.50.G
in Vomitu,& ſingultu quæ deiiciantur.3°.de ſymp.cau. 3ª.25.F
Vomitus quando potius iuuat quàm euacuare per inferna viſcera. de remediis paratu facil. 7ª.160.D
Vomitus euacuat.com.4°.aph.2°. Ex.27.D
Vomitus ſunt euacuationes communes.ars med. Iſa.71.E
Vomitus fit è gula,& ventriculo.com.7°.aph.37°. Ex.56.H
per Vomitum vacuātur ſucci praui,qui à toto corpore defluunt in ſuperiorem ventriculi partem.2°.de ali.fa. 2ª.19.E
Vomitu,& deiectione inanitur ventriculus.7°.met.me. 7ª.49.C
Vomitu ex ventriculo & gula ramenta eiiciūtur.4°.de lo.aff.4ª.25.H
per Vomitum ſupernatantia vacuantur.2°.de ali.fa. 2ª.19.E
Vomitus nihil euacuat eorū,q̄ ſunt in inteſtinis.c.4°.aph.12°.Ex.28.F
per Vomitum humores exeūtes qui.in 6ᵐ.de morbis vulgaribus.com mentario 4°. 3ª.187.E
per Vomitum nec per ſeceſſum ſunt euacuandi humores per cutem cuacuandi.in 6ᵐ.de morb vulgaribus,com.2°. 3ª.165.G
in Vomitu ita ventriculus mouetur,vt in partu vterus.2°.de ſymptomatum cauſis, 3ª.21.D
ad Vomitum valens pellicula.de mot.man.& ob. Sp.70.H
in Vomitu quomodo ſe habeant partes gulę.3°.de nat.fa. 1ª.304.H
Vomitus à differētia à natura & à volūtate.de mo.m.& ob.S. 68.G
Vomitus ſpontaneus ſoluit longū pfluuiū alui.c.6.°aph.15°.Ex.47.F
Vomitus bilioſi ſoluunt febrem tertianam.com.4°.aph.59°.Ex.33.H
per Vomitum & ſudorem cur tertianæ finiuntur.2°.de cri. 4ª.134.E
Vomitus in quibus tertianis adſit.in prog.com.3°. 4ª.211.A
Vomitus bilis Tertianarum febrium proprium eſt ſignum.1°.de ar. cur.ad Glauconem. 7ª.96.B
Vomitus quandoque fit in principijs.quos purg.opor. 5ª.88.F
Vomitus quando apparent in principio nunquam per criſim decernunt.1°.de criſi. 4ª.129.E
per Vomitum,& ſeceſſum iudicata.in 1ᵐ.de morbis vulgaribus,com mentario.3°. 3ª.122.G
Vomitus ſigna quę.3°.de criſ. 4ª.144.E
Vomitum futurum ſignificat pulſus.3°.de criſ. 4ª.144.E
ante Vomitum cur labra commouentur.in prog.com.3°. 4ª.210.F
Vomitus futuri ſignum eſt cardiagmos ideſt ſtomachi morſus. in 1ᵐ. prorrhe.com.1°. 4ª.167.E
Vomitus bilioſus procedit καρδιαλγίαν.5°.de vſu par. 1ª.143.D
Vomitus inditium inſeparabile eſt capitis color.1°.de arte curatiua ad Glauconem. 7ª.100.B
Vomitum decretorium, vel ſanguinis fluxum quando ſignificat dolor capitis quomodo curandus.1°.de ar.cur.ad Gla. 7ª.100.B
Vomitus vbi futurus eſt,& ſanguinis profluuium ſymptomata appa rent ſuffuſioni ſimilia.1°.de lo.aff. 4ª.3.H
Vomitus quid ſignificet.3°.de preſa.ex pul. 4ª.118.A
ad Vomitum ineptiſſimi ſunt,qui pectus habent anguſtum,& compreſſum.quos purg.opor. 5ª.88.E
Vomitus periculoſus in habentibus partes corporis tenues. commen. 2°.aphoriſmo 35°. Ex.17.F
ad Vomitum procliues ſi bilioſi ſint per ſuperiora purgandi,cauentes hyemem.com.4°.aphor.6°. Ex.28.A
Vomitus tempore hyemis fieri non debet ab his, qui habent leuitatem inteſtinorum.com.4°.aph.12°. Ex.28.A
ad Vomitum cogere qui non poteſt eſt abſurdum.1°.de loc.aff.4ª.5.E
ad Vomitum quos non debemus compellere.com.4°.ap.7°. Ex.28.B
Vomitus propter quid difficilis.de ana.viu. Sp.49.F
Vomitus facilis quomodo paretur.de ſal.diæ. 2ª.41.F
Vomitus cōtinuus facit aſſuefacere corpus.cō.4°.aph.13°. Ex.28.F
Vomitus vt ſit facilis.de med.fa.par.166.D/ 7ª.173.F
in Vomitibus aſſueti quomodo tractandi.de conſuet. 2ª.61.H
Vomitus quo anni tempore fieri debet.de ſal.diæ. 2ª.41.E
Vomitus vnde fiat,& cur fiat æſtate.com.3°.aph.21°. Ex.24.D
Vomitus quibus fiat cauſis.3°.de ſymp.cau. 3ª.27.B
Vomitus ꝓpter qd paruulis nuper natis inſit.com.3°.ap.24°.Ex.25.A
Vomitū impediētes philoſophos ſpernit Galenus.6°.de ſa.tu.2ª.95.H
ad Vomitū quādo robuſtus debeat ꝓuocari.cō.7°.aph.61°. Ex.59.F
Vomitus nullus debet prouocari cum inedia.com.6°.aph.16°.Ex.12.h
Vomitus oſtendit ventriculum ieiunij pati.com.5°.aph.50°.Ex.52.G
Vomitus quomodo fiat aliquando poſt cibum.8°.de compoſitio.medicamen.ſec.loc. 5ª.189.C
Vomitum a cibo ſemel,aut bis in menſe cur laudat Galenus.5°.de vſu partium, 1ª.143.E
Vomitu qui indigeant.com.4°.aph.17°. Ex.29.B
Vomitus quibus conferat.de ſal.dię. 2ª.42.C
ꝑ Vomitū educēda Bilis,ſi ſurſum repat.1°.de ar.cur.ad Gla.7ª.97.B
Vomitū prouocat in capitis dolore.2°.de comp.med.ſe.lo. 5ª.135.B
Vomitus a raphano in capitis dolore ex craſſus & glutinoſis humoribus in ſtomacho.2°.de comp.me.ſe.lo. 5ª.137.A
Vomitus conuenit in Cauſo.de vict.ra.in morb.acu.c.4°. 7ª.135.B
Vomitus quibus Ictericis conueniat.de cura icter. Sp.110.H
per Vomitū & aluum expurgari poteſt Iecur.7°.met.me. 7ª.49.D
Vomitus Iſchiadicis,potius quam deiectiones prouocandæ.10°.de compo.med.ſec.loc. 5ª.207.B
Vomitus Melancholicis conuenit,& quando,& ex quibus.de melan. ex Gal.Rufo & Poſſido. Sp.110.E
Vomitus ſortes obſunt melancholicis.de mel.ex Gal.Ruf. Sp.110.E
Vomitus aliquibus exacuunt melācholiā.de mel.ex Gal.Ru.Sp.110.E
Vomitibus expurganda Pituita ſi hyeme in ventre generatur.de ſalubri diæta. 2ª.41.E
Vomitus in Priapiſmo fieri debet non excretio.9°.de compoſi.medicamen.ſecund.loc. 5ª.205.F
Vomitus conuenit in Pudendorum phlegmone.13°.met.me.7ª.83.A
Vomitus poſt cibū in Quartana cōuenit.1°.de arte cu.ad Gla.7ª.97.G
Vomitus poſt cibū in Quotidiana.1°.de arte cur.ad Glau. 7ª.97.H
Vomitꝰ qū ꝓuocādus eſt in renū affectu.de ren.af.dig.& me.7ª.193.D
Vomitus ad partes inferiores Reuellitur.de hirud.reuul.cucur. & ſcarifi.2.D/de cucur. 6ª.4.F
Vomitus prouocādus vel vena cubiti ſecāda,ſi fluxio ſit in pedes vel in crura.in 6ᵐ.de mor.vul.com.2°. 3ª.162.C
Vomitu auertitur fluxio ex clyſteri acri.de hirud.reuul.cuc. 6ª.2.D
Vomitu Singultus ceſſat.de remed.par.facil.7ª.159.A/ commen.7°. aphoriſmo 3°. Ex.54.B
Vomitus cui ſingultui remedio eſt.de med.fa.par. 7ª.177.H
Vomitus poſt cibum in Tertiana notha vtiliſſimus eſt.1°.de arte curati.ad Glauconem. 7ª.97.E
Vomitu ſanantur Thoracis morbi.de dyn. Sp.19.G
Vomitus prćſidium commune eorum,quę in ventre continentur.de victus ra.in mor.acu.c.4°. 7ª.148.E
in Vomitibus quod cernitur,id in ventre manifeſtius eſt.2°.de ſymptomatum cauſis. 3ª.21.H
Vomitus euitandus ſtomacho affecto.13°.meth.me. 7ª.83.B
Vomitus frequens ſtomachum corrumpit.de dy. Sp.19.H
à Vomitu abſtinendum decimo quoque die ſtomacho laborantibus. de dynamidijs. Sp.19.H
Vomitus non ſine periculo eſt in vlcere vētriculi.5°.met.me.7ª.34.E
Vomitus ad quæ ſequitur.8°.de comp.med.ſec.lo. 5ª.189.H
Vomitum ſibi parit canis.de ven.ſect.aduer.Eraſ. 6ª.7.C

Vomitus quomodo fieri debeat. de med. fac. par. 7ª.176.B
Vomitus quomodo prouocetur. 2°. de comp. med. sec. loc. 5ª.135.B
Vomitus quibus prouocetur. de rem. par. fac. 7ª.160.D
Vomitum quæ faciunt sunt contraria his, quæ sistunt. commentario 4°. aphor. 15° Ex.28.H
Vomitum facit Cedri cortex cum oxymelite sinapis cum mulsa, ellebo rus albus, ireos puluis cum mulsa. de cathar. Sp.95.C
Vomitum cit Cerebrum. 3°. de alim. fac. 2ª.27.B
Vomitum & profluuium facit Cibus supra modum sumptus. 2°. de differ. febr. 3ª.40.G
Vomitum facientes cibi. 3°. de symp. cau. 3ª.27.B
Vomitum facile cientes cibi, qui. de sal. diæ. 2ª.41.H
Vomitum suscitat Elaterium. de simp. med. Sp.83.G
Vomitum facit Epithymum. de simp. med. Sp 84.A
Vomitum faciunt, & alui profluuium Excrementa tenuia, quæ in ven tre defluunt in animi defectu. de art. com. 2°. 7ª.264.H
pro Vomitu hydreleon. de rem. par. fac. 7ª.160.H
Vomitum cient Insuauia. 2°. de alim. fac. 2ª.19.E
per Vomitum purgantia Medicamenta, quæ. de cathar. Sp.94.F
ad Vomitum inducendum Melopepones non ita apti, vt pepones. 2°. de alim fac. 2ª.17.B
Vomitum facit solus Motus. com. 4°. aph. 14°. Ex.28.H
Vomitum facit Nauigatio. com. 4°. aph. 14°. Ex.28.H
Vomitus ex Oxymelite & radicula. 5°. meth. med. 34. E/7°. 7ª.48.D
Vomitum inducit Pepon. 2°. de alim. fac. 2ª.16.H
Vomitum præparant Pituita acida, salsa & dulcia. 3°. de sym. 3ª.27.B
Vomitus a Ptissanæ cremore. 7°. meth. med. 7ª.48.D
ad Vomitū non minus valet ptissana, q̄ mulsa. 8°. meth. med. 7ª.51.A
Vomitum mouet Raphanus. de simp. med. Sp.89.F
Vomitum bilis facit Rigor. in progn. Hipp. com. 3°. 4ª.210.G
Vomitus bilioſi sequuntur rigores. com. 4°. aph. 58°. Ex.33.G
Vomitum quibusdam mouet Sori. de simp. med. Sp.90.F
pro Vomitu vtitur Veratro albo. de victus rat. in morbis acutis, com mentario 4°. 7ª.138.E
Vomitum prouocat veratrum. de simp. med. Sp.91.G
Vomitum q̄ non excitent Vigiliæ. de ren. aff. dig. & med. 7ª.193.A
Vomitum prouocat Vinorum diuersorū miscella. de sal. diæ. 2ª.41.G
Vomitū prouocat Vinum nigrū dulce austerū bibitū. de vin. Sp.76.F
ad Vomitū post balneū vinū dulce bibebāt antiqui. 4°. de s.t. 2ª.83.C
Vomitus bilioſis ventre fiat ex vino dulci. 6°. de san. tu. 2ª.97.H
ad Vomitum pituitæ citandum. de med. fac. par. 7ª.173.F
ad Vomitum prouocandum electarium. de dyn. Sp.27.B
ad Vomitum prouocandum remedium. de dyn. Sp.26.H
Vomitus quando reiterandus. 2°. de antid. 5ª.118.B
Vomitus si fiat sine digestione, quæ accidentia sequantur. commen. 2°. aphor. 9°. Ex.12.B
a Vomitu singultus, & rubor oculorū, malū. cō. 7°. aph. 3°. Ex.54.B
in Vomitu odor sulphuris fœtidus malus. in progn. com. 2°. 4ª.201.H
Vomitus & ructus fœtentes non sentiunt aliqui ructantes, & vomen tes. 3°. de loc. aff. 4ª.20.G
a Vomitu fluporem dentium portulaca nō sanat. de opt. sect. If.22.H
ad Vomitum cibum reijcientes. de rem. par. fac. 7ª.158.H
Vomitus sanguinis ex ventriculo, qualis. 5°. de loc. aff. 4ª.33.B
Vomitus non fit per ruptionem pectoris aut pulmonis, sed tussis. com. 7°. aph. 8°. Ex.54.E
per Vomitum cum apparent vlceris notæ, quomodo cognoscenda de terminata pars. 1°. de loc. affe. 4ª.6.B
per Vomitum exiens ephelcis ostendit vlcerationem gulæ, & ventri culi. 2°. de loc. aff. 4ª.2.F
Vomitus facit bilioſum, nauseam, & stomachi morsum fracturæ capi tis. 3°. de loc. aff. 4ª.18.C
Vomitus bilis his necessario fit, quibus præciditur cerebrum, & cor. com. 5°. aph. 50°. Ex.52.F
Vomitus bilis fit vulnerata dura membrana cerebri. commenta. 5°. aph. 50°. Ex.52.G
Vomitus cur fiat cerebro affecto. in 1ᵐ. prorr. com. 1°. 4ª.164.E
Vomitus bilis solæ non fit, sed cum mixtione superfluitatis aquoſæ. cō men. 5°. aph. 50°. Ex.52.G
in Vomitu bilis ventriculus patitur. com. 5°. aph. 50°. Ex.52.F
in Vomitu bilioſo nocet lac. com. 5°. aph. 64°. Ex.44.F
Vomitus exigui, & bilioſi mali. in 1ᵐ. pror. com. 2°. 4ª.175.C
cum Vomitu bilioſo conuulſi ex febre. 5°. de loc. aff. 4ª.32.G
ad Vomitum bilis, qui febris accessionem præuenire solet, bona est the riaca. de vsu ther. ad Pamphil. 5ª.98.F
ad Vomitum bilioſum. de med. fac. par. 7ª.177.H
Vomitus porraceus, liuidus, aut niger quid significet. in progn. Hipp. comment. 2°. 4ª.201.G
Vomitus porracei sanarunt quoſdam. 5°. de loc. aff. 4ª.32.G
ad Vomitum atræ bilis. de rem. par. fac. 7ª.159.B
ad Vomitum atrabilarem. de med. fac. par. 7ª.177.H
per Vomitum nigra. in 3ᵐ. de mor. vul. com. 2°. 3ª.140.C
Vomitus nigri quandoq; boni. in progn. com. 3°. 4ª.211.F
Vomitus fusci sanarunt quoſdam. 5°. de loc. aff. 4ª.32.G
Vomitus nigrorū q̄n in phreniticis. in 1ᵐ. prorr. com. 1°. 4ª.167.E
Vomitum fastidioſum habent phrenitici. in 1ᵐ. prorr. c. 1°. 4ª.166.A
Vomitus fastidioſus vnde. in 1ᵐ. prorr. com. 1°. 4ª.166.A
neq; in Vomitibus, neq; in spūtis, neq; in sudoribus signa phrenitica. in 1ᵐ. prorrh. com. 1°. 4ª.162.E
Vomitus aliene qualis. 6°. de loc. aff. 4ª.36.B
Vomitus sanguinis vnde. com. 7°. aph. 37°. Ex.57.A
Vomitus sanguinis factus ob clausas euacuationes hæmorroidarum. de ven. sect. aduer. Eras. 6ª.7.E
a Vomitu sanguinis tabes, & puris purgatio supra. commentario 7°. aphor. 74°. Ex.60.H
Vomitus sanguinis sanatur in mulieribus erumpentibus menstruis. cō. 5°. aph. 32°. Ex.40.D
ad Vomitum sanguinis. 9°. de comp. med. sec. loc. 5ª.201.A
Vomitus cū varietate mali. in 1ᵐ. prorr. com. 2°. 4ª.173.B
Vomitus omnium colorum exitialis. in prog. com. 2°. 4ª.201.H
Vomitus synceri atq; implacidi mali. in 1ᵐ. pror. com. 2°. 4ª.173.D
Vomitus æruginoſi. in 6ᵐ. de morb. vulg. commen. 1°. 3ª.155.C/in 1ᵐ. prorr. com. 1°. 4ª.164.H
Vomitus æruginoſus differt ab ærugine euomita. c. 5°. aph. 1°. Ex.37.C
Vomitus æruginoſus quibus contingat, & cur. in 6ᵐ. de mor. vul. com mentario 1°. 3ª.155.E
Vomitus virulentus consequitur ardentes febres. in 3ᵐ. de mor. vulg. commen. 3°. 3ª.149.D
Vomitus virulentus ex quo. in 1ᵐ. de mor. vul. com. 2°. 3ª.112.H
Vomitus virulentorum. in 1ᵐ. de mor. vul. com. 3°. 3ª.123.A
Vomitus qui voluuloſi dicantur. 8°. de comp. med. se. loc. 5ª.190.A
Vomitus ab ileo malum. com. 7°. aph. 10°. Ex.54.F
Vomitus non semper adest in ileo, sed quando exitiales sunt. commen. 7°. aph. 10°. Ex.54.F
ex Vomitibus diuturnis, & ventris profluuio euacuationes diuturnæ siccitatem faciunt. 1°. de diff. feb. 3ª.34.D
Vomitus superfluus extenuat corpus. com. 2°. aph. 28°. Ex.16.E
Vomitus superfluus noxius est. in 6ᵐ. de mor. vul. cō. 2°. 3ª.166.F
Vomitus multus signū corpis infrigidati, & humectati. secr. Sp.98.G
Vomitus quid faciat q̄nq;. in progn. Hip. com. 1°. 4ª.193.A
in Vomitibꝰ vehemētibꝰ fiūt pulsus vermiculātes. 2°. de ps. 4ª.113.A
Vomitus quibus curentur. 8°. de comp. med. sec. loc. 5ª.189.H
Vomitus vomitu qūo curetur. in 6ᵐ. de mor. vul. com. 2°. 3ª.161.H
Vomitu laborantes iuuant poma cum pane. 2°. de alim. fac. 2ª.19.H
Vomitus quomodo sistatur. 1°. de ar. cur. ad Gla. 7ª.98.H
Vomitum reprimentia. de med. fac. par. 7ª.173.E
Vomitus nimios reprimit menta. de simp. med. Sp.87.D
per Vomitum quod exit reuellunt acres clysteres. de cucur. sca. 6ª. 4. f
ad Vomitum, & dolorem, & concussionem stomachi cum ventris do lore, remedium. de dyn. Sp.27.A
ad Vomitum nimium, & ventris solutionē, remediū. de dyn. Sp.27.B
ad Vomitum immoderatum. secr. Sp.101.A
ad Vomitum comprimendum. de med. fac. par. 7ª. 166. D/E/ de dyna. 27. A/ Sp.35.F
ad Vomitum chronicum. de med. exper. Sp.107.F
Vomitum auferens medicamen. de med. exper. Sp.105.G
ad Vomitum. de me. f. p. 7ª. 174. H/de dyn. 27. A/sec. 98. D/ Sp.99.G
ad Vomitum, & choleram. de rem. fac. par. 7ª.166.D
VOMERE *& deglutire sunt contraria, & quomodo. 3°. de naturalib. facultatib.* 1ª.304.H
Vomere nullum animal docetur. 2°. de symp. cau. 3ª.21.D
Vomere cur difficilius q̄ deglutire. 3°. de nat. fac. 1ª.304.H
non Vomunt aliqui nauseantes. 2°. de symp. cau. 3ª.21.G
Vomunt, & deijciunt pueri sæpius quàm ætate florentes. 3°. de symp. causis. 3ª.29.B

Vomere qui ex facili non poteſt, habet peſſimum ſtatum. 6°.de ſanit. tuenda. 2ª.99.B
Vomere cogit ſanguis in Ventriculũ effuſus.3°.de ſymp.cau. 3ª.27.B
Vomitu venter quando debilitatæ ſunt partes ſuperiores.3°.de ſimp. med.fac. 5ª.23.F
Vomere non debent in primis venis crudorum humorum copiam habentes.4°.de ſan.tu. 2ª.85.H
Vomant cur aliqui.3°.de nat.fac. 1ª.303.G
Vomant quæ qui.2°.de ſymp.cauſ. 3ª.21.C
non Vomunt bilem quotidiana, & quartana laborantes. 2°.de differentijs. 3ª.36.D
Vomere bilem ieiunum melius eſt. de dyn. Sp.19.H
Vomant quæ phrenitici.in 1m.de mor.vul.com.2°. 3ª.112.H
Vomunt monſtruoſa,& abominabilia melancholici. de melancholia ex Gal.Ru.& Poſſ. Sp.109.C
Vomuere quidam in peſtilentia,quidam habuere alui profluuium. 5°. meth.med. 7ª.35.B
Vomautur quæ.2°.de ſymp.cau. 3ª.21.C
VORACIORES pueri.1°.de criſi. 4ª.130.C
Voraces habent in vrinis pus.de nat.hum.com.2°. 7ª.180.C
VOTVM extremus eſt reſpirationis vtilitas.de cauſ.reſp. 1ª.227.B
VOX, & ſermo,& res differunt.4°.de loc.aff. 4ª.26.B
de Voce,& anhelitu.de voc.& anh. Sp.60.F
Vox quid.fin.med.Iſ.45.E/4°.de loc.aff. 4ª.26.B
Vox quid,& quomodo fiat.de hiſt.phil. Sp.9.G
Vocis diffinitio quæ.de voce,& anhelitu. Sp.61.G
Vox aer percuſſus,ſiue aeris quædam percuſſio.8°.de vſu p. 1ª.167.G
Vox hominum eſt proprie locutio.de hiſt.phil. Sp.9.G
Vox an ſit corpus.de hiſt.phil. Sp.9.G
Vocis an ſilentium contrarium vel priuatio.1°.de ſymp.cau. 3ª.17.C
Vox ſecundum naturam cur vſurpata.14°.met.me. 7ª.91.B
Vox quomodo efficiatur.2°.de vſu par.157.E/160.H/2°.de mo.muſculo.316.E/2°.de decretis Hippocratis. 1ª.238.A/ *de voce & anhel.60.G/* Sp.61.B
Vox ſi debeat fieri quid requiratur.de vo.& anhe. Sp.61.D
Vox quando fiat.de vo.& anhel. Sp.60.H
Vocis generationis initium vbi.de vo.& anhe. Sp.61.D
Vocis origo vnde.2°.de decr.Hip.& Pla. 1ª.236.C/H
Vocis, mentis,& orationis eadẽ eſt origo.2°.de decr.Hipp. 1ª.237.C
Vox a corde creatur ſecundum aliquos.2°.de decr.Hip. 1ª.236.B/D
Vocem a corde oriri dicentium error.2°.de decr.Hip. 1ª.236.D
Vox non eſt a corde.2°.de decr.Hip.& Pla. 1ª.237.A
Voces ex thorace non ex corde.3°.de decr.Hip. 1ª.246.F
Vocis origo eſt diaphragma.de vtil.reſp. Sp.63.F
Vocis artifex facultas quæ.de hiſt.phil. Sp.9.H
Vox eſt voluntaria.de mot.man.& obſc. Sp.69.A
Vox eſt nobiliſſima actio voluntaria.de voce,& anh. Sp.61.G
Vox principaliſſima omnium animæ actionum.16°.de vſu p. 1ª.215.E
Vox nuncia eſt cogitationum mentis.16°.de vſu par. 1ª.215.E
Vocum prolationis quæ cauſa ſit.de vtil.reſp. Sp.63.F
de Voce pronunciatum Diogenis babilonij.2°.de decr. 1ª.237.B
Vocis propria materia quæ.4°.de loc.aff. 4ª.26.D
Vocis materia eſt ſuperflua res quædam.6°.de vſu par. 1ª.148.C
Vocis propria materia efflatio.7°.de vſu par.157.H/ 8°. 1ª.165.A/ *1°.de loc.aff.* 4ª.6.B/D/E
Vox fit ex anhelitu,qui eſt ei vti materia.de voc.& anhel. Sp.60.F
Vocis aer quo indigeat.de voce,& anhelitu. Sp.61.F
Voci materiam præparant præcones.8°.de ana.adm. 1ª.101.F
Vocis partes quæ ſunt,& quot ſ ideſt organorum vocis. ſ *1°.de locis affectis.* 4ª.6.F
Vox per quas partes fiat.7°.de vſu par. 1ª.157.H
Vocem quæ adiuuent.4°.de loc.aff. 4ª.26.E
Vocis inſtrumentum quod.7°.de vſu par. 1ª.158.B
Vox a quibus fiat inſtrumentis.2°.de decr.Hipp. 1ª.236.F/*7°.de compoſi.med.ſec.loc.* 5ª.177.D
Vocis organa quæ,& quot.in 1m.de morb.vulg.com.2°. 3ª.115.F
Voci & orationi tria deſtinata membra, & quæ. de voce, & anhelitu. Sp.61.G
Vocis inſtrumenta quomodo a Deo ordinata ſint. de voce & anhelitu. Sp.60.H
pro Vocis inſtrumentis hœdos, & porcos diſſecuit Galenus. de præcogn.ad Poſth. 4ª.216.B
Vocis proprium inſtrumentum.7°.de vſu par. 1ª.157.A
Vocis principiũ ac propriũ inſtrm guttur.2°.de decr. 1ª.236.C/F
Vox quomodo per guttur procedit.2°.de decr.Hip. 1ª.237.D
Vocis primum inſtrumentum & principaliſſimum corpus ſimile linguę fiſtulæ.7°.de vſu par. 1ª.160.G
Vocis primum, & principaliſſimam inſtrumentum larinx.7°.de vſu par.157.G/16°.de vſu par. 1ª.215.F
Vocis principaliſſimũ inſtrm larynx.8°.de vſu.165.A/B/13°. 1ª.201.D
Vocis inſtrumentum larynx eſt.6°.de ſan.tu. 2ª.98.E
Vocem laringi arteria concinnat.7°.de vſu par. 1ª.157.H
pro Voce muſculi in larynge qui.16°.de vſu par. 1ª.215.H
Vocis inſtrumentum fauces.in 1m.de mor.vul.com.2°. 3ª.115.F
ad Vocem muſculi requiſiti.2°.de decr.Hipp.& Pla. 1ª.236.C
Vocem qui muſculi faciant.4°.de loc.aff. 4ª.26.E
ad Vocẽ neceſſarij ſunt ſex muſculi ex octo.de voc.& anhe. Sp.61.A
ad Vocem ſitus muſculorum.de voc.& anh. Sp.61.B
Vox dum editur muſculus qui mouetur vbi ſit.de muſc.diſ. 1ª.46.G
ad Vocem præcipui muſculi claudentes, & aperientes.4°.de locis affectis. 4ª.26.B
Vox anhelitus non fiunt niſi extendantur muſculi pectoris.de voce,et anhelitu. Sp.60.H
Vocis prima cana eſt epiglottis.de ana.viuo. Sp.49.E
Vocis maxime proprium inſtrumentum epiglottis. 1°.de locis affectis. 4ª.6.F
Vocis ſecunda canna eſt vuula.de ana.viu. Sp.49.E
Vocis principium eſt vuula.de vtil.reſp. Sp.63.F
in Voce canna quam habeat actionem.de voce,& anhel. Sp.61.G
Vox fit quando epiglottis inchordatur ita quod conſtringatur, & quando conſtringitur inchordantur muſculi, ex quibus pendet. de voce. Sp.60.G
Vox dum eſt in epiglottide a quibus muſculis fiat.de voce, & anhelitu. Sp.60.G
Vocis gratia muſculi magni in epigaſtrio.4°.de vſu par. 1ª.137.F
ad Vocem nerui qui mittuntur,vnde.16°.de vſu par. 1ª.215.H
ad Vocem præcipui nerui recurrentes.4°.de loc.aff. 4ª.26.C
pro Voce edenda neruus a cerebro.16°.de vſu par. 1ª.216.H
Voces non oſtendunt locum vnde veniant.7°.de decr.Hip. 1ª.272.B
Vocis diſtinctio quomodo.de voc.& anhel. Sp.60.G
Vocum fictio a quo fiat.de mot.man.& obſc. Sp.69.D
ad Vocem formandam quid requiratur.de vo.& anh. Sp.60.G
Vocis formationis primum inſtrumentum eſt canna pulmonis. de anatom.viuo. Sp.53.D
Vocis inſtrumentum pulmo.6°.de vſu par. 1ª.148.A
Vocis inſtrumentum an lingua.2°.de decr.Hip.& Plat. 1ª.236.F
in Vocibus exprimendis lingua quibus inhereat.de fœt.for. 1ª.325.H
in Vocis formatione peccant lingua acuta, & obtuſa. de anatom. viuorum. Sp.49.C
Vox non poteſt reddi niſi vehementer ſpiritus egrediatur. 1°.de locis affectis. 4ª.6.F
Vox fieri non poteſt niſi tranſitus anguſtetur.6°.de vſu p. 1ª.160.H
Vox quando non auditur.7°.de decr.Hip. 1ª.271.G
Vocem ad quantum ſentiat muſicus.2°.de loc.aff. 4ª.57.G
ex Voce fit ſermo.de voce,& anhel. Sp.61.A
Vocis elementa quot ſint.1°.meth.med. 7ª.4.B
Vocis elementorum differentiæ.1°.meth.med. 7ª.4.D
Vocis elementa diſtinguuntur.8°.de decr.Hip. 1ª.274.C
Vocis elementa quomodo ſe habeant.8°.de decr.Hip. 1ª.274.H
Vocũ differentiæ.9°.de decr.Hip. 1ª.282.C/*4°.de loc.af.* 4ª.26.B/F
Vocis termini qui ſint.de voc.& anhel. Sp.61.H
Vox ex ore quomodo ſit vna,& infinita.9°.de decr.Hip. 1ª.228.C
ex Voce deſtructura animantis iudicatur.6°.de ana.adm. 1ª.89.H
ex Voce coniectura aliqua habetur de morbo. in 6m.de morb.vulga. commen.2°. 3ª.168.G
Vox Abrupta quomodo fiat.de vic.rat.in mor.acu.cõ.4°. 7ª.139.B
Vox Acuta cur fiat.de voc.& anhel. Sp.61.D
Vox acuta quomodo fiat.ars med.Iſa.66.F/in 1m.pror.cõ.1°. 4ª.162.D/*de voc.& anhel.* Sp.61.G
Vocis acutæ ſonora eſt epiglottis cum ſit chartilaginoſa ſicca. de voce,& anhel. Sp.61.F
Vocem acutam cur habeant ſpadones,mulieres,& pueri. in 1m.pror. commen.2°. 4ª.170.E
Vox acuta fit grauior in pubertate.in 6m.de mor.vul.c.4°. 3ª.186.H

Vox quibus

Vox quibus acuitur, hypochondria trahuntur intus. in 1^m. pror. comment. 2°. 4^a.170.D
Vox alba quomodo dicatur. 3°. de diff. pul. 4^a.63.G
Vox alba, & nigra ſicuti dr, ita etiam pulſus. 3°. de diff. pul. 4^a.63.H
Vocis Amiſſionem qm vocet Hippocrates. com. 7°. aph. 58°. Ex.59.C
Vox quomodo amittitur nullo affectu exiſtente in vocis inſtrumentis. 1°. de loc. aff. 4^a.6.E
Vocis priuatio vnde fiat. de vict. rat. in mor. acu. com. 4°. 7^a.137.G
Vox quomodo aboletur. 8°. de anam. adm. 1^a.100.D
Vox quomodo pereat ex perforatione Thoracis. 1°. de loc. af. 4^a.6.H
Vox quomodo ex laqueo amittatur. 1°. de loc. aff. 4^a.7.A
Vox quibus neruis exciſis penitus amittatur. 1°. de loc. aff. 4^a.6.H
Vox quibus neruis abſciſſis amitat. 1°. de præcog. ad Poſth. 4^a.216.C
Vox perit neruis exiguis in dorſo laqueo interceptis. 8°. de anatomicis adm. 1^a.100.F
Vox, & anhelitus deſtruetur læſis neruis inter coſtas prope ſpondylos. de voce, & anhel. Sp.60.F
Vocis tanta pars perit, quanta muſculorum intercoſtalium portio reſoluitur. 8°. de ana. adm. 1^a.102.C
neq; Vox neq; anhelitus amittitur fracta ſpinali medulla in coſtis. de voce, & anhel. Sp.60.F
Vox animalis ex medulla ſpinali impedita. de mo. man. & obſ. S.67.B
Vocem aufert ſpina in collo vitiata. 1°. de ſympt. cau. 3^a.16.D
Vox animalis perit vna cum pulmone. 6°. de vſu par. 1^a.150.F
Vox non ineſt piſcibus quia pulmone carent. 6°. de vſu par. 1^a.148.A
Vocis cur nulla vtilitas piſcibus. 6°. de vſu par. 1^a.150.G
Voce non priuaretur homo corde detecto, & manu apprehenſo. 2°. de decr. Hip. 1^a.236.H
Vocis amiſſæ a caſu ab alto curatio. 1°. de loc. aff. 4^a.6.F
Vocē amiſſam ob frigus quomodo reuocauit Galenus. 1°. de lo. 4^a.6.H
Vocem perditam ex calore perfecte reparat diapenidion magnum. de dynamidijs. Sp.26.D
ad Vocem amiſſam. de med. fac. par. 171.A/D/H/ 7^a.179.D
Vocis amiſſionis caſus ob ſtrumas. 1°. de loc. aff. 4^a.7.A
Voce ablata guttur ſpiritum adhuc habet. 1°. de loc. aff. 4^a.6.G
Vocis materia tota amiſſa quomodo. 1°. de loc. affe. 4^a.6.G
Vocem Ampliſſimam habens animal, aptum eſt ad Thoracis ſectionē. 8°. de ana. adm. 1^a.100.B
Vox cur ampla. in 6^m. de mor. vul. com. 4°. 3^a.186.A
Vocis inſtrumēta ampliſſima vocem deſtruūt. de vo. & anh. Sp.62.A
Vocem quam faciat Angina. in 1^m. pror. com. 2°. 4^a.170.E
Vocem quomodo tollat angina. 1°. de loc. affe. 4^a.7.A
Vox Articulata. 2°. de decr. Hip. & Plat. 1^a.237.C
Vox Aſpera vnde. ars med. 66.F/*in 1^m. de mor. vul. com. 2°.* 3^a.115.F
ad Vocis aſperitudinem qui cibi conueniant. 7°. de compoſi. medicam. ſec. locos. 5^a.177.E
Voce qua contriſtetur Auditus. 1°. de ſymp. cauſ. 3^a.16.H
Vox αὐδὴ quæ in 1^m. pror. com. 2°. 4^a.177.A
Vox vt Canora reddatur. de med. fac. par. 7^a.179.D
Vox Clangoſa mala in 1^m. pror. com. 2°. 4^a.170.G
Voces cur fiunt clangoſæ in febribus ardentibus. 7°. de vſu p. 1^a.158.F
Vox clangoſa vnde fiat. in 1^m. prorrhet. com. 1°. 162.D/166.A/B/*cō mentario 2°.* 4^a.170.G
Vox Clara ante potū, & cibū, poſt minus clara. de vo. et anh. Sp.61.F
Vocis clarioris ſunt ſicca quam humida. de voce, & anhel. Sp.61.G
Vocem claram prohibet humiditas. 7°. de comp. med. ſec. lo. 5^a.178.A
ad Vocem clariſicandam electarium. de dyn. Sp.26.B
Vocem quid clarificet. ſecr. Sp.101.F
ad Vocis claritatem. de med. fac. par. 7^a.171.H
Vox quando efficiatur Craſſa. de ana. viu. Sp.53.F
Vox craſſa ex quo fiat, & quomodo. de voce, & anhel. Sp.61.D
Vox quomodo Creſcat. de voce, & anhelitu. Sp.60.H
Vocis defectus ſignificat extinctionem naturæ. in 3^m. de morb. vulg. commen. 3°. 3^a.149.A
Vox quando Depreſſior. 8°. de ana. adm. 1^a.100.C
Vocis Diminutio vnde fiat. de voce, & anhel. Sp.61.A
Vox dura quomodo dicatur. 3°. de diff. pul. 4^a.63.F
Vox quando Elatior. 8°. de ana. adm. 1^a.100.C
Vox Exilis exectis teſtibus. 1°. de ſem. 1^a.334.D
Voce exili loquunt melācholici. de mel. ex Gal. Ruf. & Po. Sp.109.E
Vox Gracilis, & vox tenuis vnde fiant, & quomodo differant. in 1^m. de mor. vul. com. 2°. 3^a.115.F
Vox Gracilis vnde fiat. de anat. viuo. Sp.53.E
Vocem gracilem habentibus quid contingat. in 3^m. de morb. vulgarib. commen. 3°. 3^a.143.C
Vox Grauis, et craſſa eſt cōcepto in hora phlegmatis. de ſper. Sp.37.C
Vox grauis, & rauca debilis eſt homini concepto in tribus horis ſanguinis. de ſper. Sp.37.B
Vox grauiſſima cur ſit Phāſim incolentibus. de acr. aq. & lo. 2^a.5.A
Vox grauis cur fiat. de voce, & anhel. Sp.61.D
Vox grauiſſime vitiata ab humiditate. 4°. de loc. aff. 4^a.26.C
Voces Imperfectæ, & confuſæ cur fiant. de ana. viu. Sp.49.A
Vox quæ infeſtiſſima auditui. 1°. de ſymp. cau. 3^a.17.C
Vox Intercepta hoc eſt non poſſe loqui fit ob varias cauſas. 7°. de cōpo. med. ſec. loc. 5^a.177.C
Vox a quibus intercipiatur. 2°. de decr. Hip. 1^a.236.H
Vox intercepta decimō quarto die febricitanti quid ſignificet. de vic. rat. in mor. acut. com. 4°. 7^a.142.F
ad Vocē interceptā Antonij muſæ. 7°. de comp. med. ſe. lo. 5^a.181.B
ad Vocis interceptiones ex diſtēſione. 7°. de cōp. med. ſec. lo. 5^a.181.C
ad Vocē interceptā ob cōtentionem. 7°. de comp. me. ſe. loc. 5^a.179.H
ad Vocē īterceptā. 7°. de cōp. me. ſe. lo. 179.F/181.C/D/E/G/5^a.182.A
ad Vocem interruptam ſubmiſſamq;. de rem. par. fac. 7^a.165.C
Vox quæ Iucundiſſima in auditu. 1°. de ſymp. cau. 3^a.17.C
Vox, loquela, expirationes, exufflationes citra ſtrepitum, & exufflationes cum ſtrepitu quomodo ſe habeant ad Læſionem. 4°. de locis affectis. 4^a.26.D
Vox quomodo lædatur a motu voluntario. 4°. de loc. aff. 4^a.26.D
Vox læſa ob vehementem clamorem. 7°. de comp. med. ſec. lo. 5^a.177.D
Vocem lædit polypus obſtruens nares. 4°. de loc. aff. 4^a.26.F
Vocem lædunt dentes amiſſi. 4°. de loc. aff. 4^a.26.F
Vox læditur non ſola in mutis. com. 6°. aph. 51°. Ex.52.G
Vox, & exufflatio quando omnino lædentur læſu ſpinali medulla. de voce, & anhel. Sp.62.A
Vocem lædit vertebræ luxatio. 4°. de loc. aff. 4^a.26.D
Vocem lædunt tumores. 4°. de loc. affe. 4^a.26.C
Vox Lenis vnde. ars med. Iſ.66.F
Vocis longæ emiſſio neceſſaria eſt ſermonibus vociferationibus, & cātibus. de ana. viu. Sp.48.B
Vox Magna vnde. ars med. Iſa.66.E
Vocis magnæ cauſæ. in 6^m. de mor. vul. com. 4°. 3^a.186.B
Voce magna animalia prædita qualia. 16°. de vſu par. 1^a.216.H
Vocem magnam animalia habentia quot muſculos habeant in aſpera arteria. 7°. de vſu par. 1^a.160.D
Voces magnæ caput magis plenū, et graue reddūt. de inſtr. od. 1^a.112.D
Vocem magnam edentibus dilatatur collum, intumeſcit facies, & caput validiſſime impletur. 3°. de ſan. tu. 2^a.77.C
Voces magnæ quid mali fecerint. de par. pil. exer. 2^a.49.G
Voces Nigræ vnde. in 1^m. pror. com. 1°. 4^a.162.D
Voci quando accidat maximum nocumentū. de voc. & anhel. Sp.61.E
Vocem offendit thorax vitioſæ figuræ. 5°. de ſan. tu. 2^a.89.H
Vocem quomodo impediāt Thoracis vulnera. 4°. de loc. aff. 4^a.26.D
Voci obeſt arteria ſecta, ſed nō priuat reſpirationē. 1°. de lo. af. 4^a.7.A
Vox aliter offenſa eſt ei, qui ab alto decidit nullo exiſtente vitio in vocalibus inſtrumentis. 3°. de loc. aff. 4^a.14.F
Vox a deſtillationibus offenditur. in 3^m. de mor. vul. com. 3°. 3^a.141.F
ad Vocem quid agat acris fluxio. 6°. de ſa. tu. 2^a.98.E
Vox parua vnde. ars med. Iſa.66.E
Vox parua quomodo efficiatur. 4°. de loc. aff. 4^a.26.B
Vox Ploroſa vnde. in 1^m. prorr. com. 2°. 4^a.170.G
Vox quomodo Prohibeatur. de voce, & anh. Sp.61.B
Vox cur poſſit Protrahi abſq; interpollatione. de vtil. reſp. Sp.64.B
Vox ſine Raucedine quomodo fiat. de voce, & anhe. Sp.61.G
Voces raucæ quorum ſymptomata. de ſymp. diff. 3^a.13.H
Voces raucæ vnde. in 1^m. pror. cō. 1°. 162.D/4^a.166.B/*7°. de cōp. me. ſec. loc.* 5^a.177.G/*de voce, & anhel.* Sp.61.F
Vox rauca ab humiditate fit. in 3^m. de mor. vul. com. 3°. 3^a.143.F
Vox rauca ob potum fit. de voce, & anhel. Sp.61.G
Vocem raucam faciunt diſtillationes. 4°. de loc. aff. 4^a.26.C
Voces cur raucæ in catharis, & grauedinibus. 7°. de vſu par. 1^a.158.F
Vocem raucam facit larynx madefactus poſtea parnam deinde totā admit. 6°. de ſan. tu. 2^a.98.E
Vocis raucedini confert ſectio iugularium. de ana. viu. Sp.55.B
ad Vocem raucoſam. 7°. de comp. med. ſec. loc. 5^a.181.C

Vox qũo Reſtituatur.8°.de ana.admi. 1ª.100.D
Voces quæ ſignificant quæ non.2°.met.med. 7ª.15.B
Vox ſignificans.2°.de decr.Hip. 1ª.237.C
Voces aliquæ ſignificant,& nihil ipſis ſubijcitur.2°.me.me. 7ª.14.A
Voces non ſignificatiuæ.2°.met.med. 7ª.15.A
Vox Sonora,& acuta a ſiccitate fit.in 3ᵐ.de uor.vul.c.3°. 3ª.143.F
Vocem habentes ſonoram,gracilem & aſperam,quando peribant. in 1ᵐ.de mor.vul.com.2°. 3ª.115.D
ad Vocis Sonum fractum.7°.de comp.med.ſec.loc. 5ª.181.C/D
Vox ſubtilis non alta eſt cõceptis in horis melãcholię.de ſper. Sp.37.C
Vocum ſymptomata a quo morbo pendeant.de ſymp.diff. 3ª.13.D
Vox Tenuis,& vox aſpera vnde.in 1ᵐ.de mor.vul.com.2°. 3ª.115.F
Vox Vhemens facit venam rumpi.4°.de loc.aff. 4ª.27.H
Vox a vehementi exclamatione læditur.4°.de loc.aff. 4ª.26.C
Vox Vitiata a vitio epiglottidis.1°.de loc.aff. 4ª.2.D
Vox vitiatur ob fauces.4°.de loc.aff. 4ª.26.C
Vocem quomodo vitiet gula.4°.de loc.aff. 4ª.26.D
Vocis vitiũ non eſt balbutire,ſed linguæ.cõ.6°.aph.32°. Ex.49.G
a Voce Viua diſcere et a libro nõ eſt idẽ.6°.de cõp.me.ſe.lo. 5ª.166.G
ad Vocem meliorem reddendam præſidium.de dyn. Sp.26.F
ad Vocem valet acetum ſcillinum.de med.fac.par. 7ª.178.C
Voci congrua balnea.7°.de comp.med.ſec.loc. 5ª.177.E
Voces non conſiderant res conſiderantes.de ijs,quæ in medicat. fiunt, commen.1°. 7ª.200.E
Voce ſolæciſmus cõmittitur a Chryſippo.2°.de decr.Hip. 1ª.238.C

VRANISCVS *quid finitiones medicę.* Iſ.44.D

VRBIS conditor quid agat.4°.de vſu par. 1ª.204.D
Vrbis conditori comparatur natura.14°.de vſu par. 1ª.204.D
Vrbes ad ſeptentrionem ſitæ,& ad Auſtrum, & ad orientem, & ad occidentem differunt.de ae.aq.& loc. 2ª.2.E
Vrbes meridionales quales.in 1ᵐ.de mor.vul.com.1°. 3ª.103.F
Vrbs Cranon in loco concauo & meridionali ſita eſt.in 1ᵐ.de mor.vul gar.com.1°. 3ª.103.F
in Vrbe manens,lauansq; ſe quos humores coaceruet.in 1ᵐ.de morbis vul.com.2°. 3ª.117.F
Vrbem incognitam qui peruenit,quid agendũ.de aere,aquis. 2ª.2.C
in Vrbem aqua vnde debeat deriuare.6°.de decr.Hip. 1ª.264.A
Vrbes quæ carbunculis,& morbis putridis obnoxiæ ſint.ĩ 1ᵐ.de morbis vul.com.1°. 3ª.103.F
VRCEI coperculum cartaceum.de med.fac.par. 7ª.169.B
VRENTIA *medicamenta quæ.5°.de ſimp.med.fac.37.E/2°.de cõpo. med.ſec.loc.* 5ª.127.F
Vrentia medicamenta vt ignis.2°.de art.cur.ad Gla. 7ª.102.A
ab Vrentibus qũo differant erodentia.2°.de cõp.me.ſe.lo. 5ª.127.F
Vrentibus locis prodeſt myrta.de ſymp.med. Sp.87.E
VRETERES *vbi ſint.de ana.parua.* Sp.43.B
Vreter vnam habet tunicam.6°.de ana.adm. 1ª.93.D
Vretera quomodo veſicam ingrediatur.5°.de vſu part. 1ª.146.C/*de anat.viu.* Cp.51.D
VRETHRA *quot modis conſtipari contingat.1°.de loc.aff.* 4ª.2.H
VRGENTIA magis quæ ſint.com.5°.aph.19°. Ex.39.A
ad Vrgens vergi debet medicus.7°.met.med. 7ª.48.F
Vrgentia magis prius curanda ſunt.com.5°.aph.19°. Ex.39.A
VRINAS noſſe ad pictorem pertinere dicebat.Quintus.3°.de ſan. tuenda. 2ª.81.H
Vrina quid.finitiones medicæ. Iſa.44.A
de Vrinis.1°.de criſibus. 4ª.130.F
Vrina eſt vna ſuperfluitas ſanguinis.de ana.viu. Sp.50.F
Vrina eſt ſerum humorum in venis contentorum.in 3ᵐ.de mor.vulga. commen.1°. 3ª.131.D
Vrina eſt ex aquoſa,& ſeroſa humiditate.de atrab. 1ª.34.F
Vrinam excrementum nutrimenti renum eſſe dicentes errant.5°.de vſu par. 1ª.144.C
Vrina euacuat ſeroſam partem corporis.com.4°.aph.2°. Ex.27.D
per Vrinas expelluntur ſuperflua.de comp.memb. Sp.59.B
p Vrinas naturã expurgare totius corporis ſuperfluitates collige.in 1ᵐ.de mor.vul.com.2°.3ª.111.F/com.4°.aph.69°. Ex.34.H
Vrinæ,ſtercoris,& genituræ euacuatio naturalis eſt.in 6ᵐ.de morbis vul.com.3°. 3ª.174.H
Vrinæ,& ſudor qñq; ſunt vt ſuperfluitates humorum,& non vt euacantia.in 3ᵐ.de morb.vul.com.3°. 3ª.144.D
per Vrinas euacuatio totius fit.ars med. Iſa.69.E
Vrina eſt euacuatio quæ exigit plures dies.c.4°.aph.74°. Ex.36.A
Vrina vbi fiat,& quomodo mittatur.de comp.memb. Sp.59.A
Vrina mittit ab omnibus venis,& arterijs corpis.de vtil. Sp.64.G
Vrinæ quomodo ex venis in renes,deinde in veſicam tranſmittãtur. com.4°.aph.77°. Ex.36.E
Vrina per quas venas veniat ad renes.de ana.parua. Sp.43.B
Vrina trahitur a renibus.4°.de vſu par.139.A/1°.de ſem. 1ª.335.B
Vrinam quomodo trahant renes.6°.de loc.aff. 4ª.37.G
Vrinam trahendi qualitatem habent renes.1°.de nat.fa. 1ª.295.D
de Vrinæ tractu Eraſiſtrati errores.1°.de nat.fac. 1ª.295.G
cũ Vrina ſanguis attractꝰ eſt alimentum renũ.5°.de vſu p. 1ª.144.G
Vrinæ coctionis inſtrumenta non ſunt renes.de vrinis. 4ª.124.E
Vrinam a ſanguine renes ſecernunt.1°.de nat.fac. 1ª.293.B
Vrina ea ratione per Renes ad veſicam fertur, qua ſanguis in omnes alias partes.2°.de nat.fac. 1ª.296.G
Vrina veſicæ fundo deſtinatur.de comp.memb. Sp.59.B
Vrina cur affatim,& celeriter ad veſicam ferat.6°.de lo.af. 4ª.37.F
Vrina quomodo exeat per vaſa.2°.de decr.Hip. 1ª.237.F
per Vrinam quæ frequẽtius euacuẽtur.in progn.com.3°. 4ª.209.G
cũ Vrinæ vaſis pudẽda hñt eandẽ indicationẽ.13°.met.med. 7ª.83.A
Vrina quomodo excernatur.2°.de decr.Hip. 1ª.237.G
Vrinæ ſecretio quomodo fiat,& per quæ inſtrumenta. in 6ᵐ.de mor. vul.com.5°. 3ª.189.D
Vrina qũo excernatur & qui muſculi concurrãt.1°.de loc.af. 4ª.3.E
Vrinã deducens muſculus a veſica ad pudẽdũ.5°.de vſu p. 1ª.147.G
Vrina exit per viam, per quam intrat ſperma.de ana.viu. Sp.51.H
Vrinæ cauſa efficiens quæ ſit.med. Iſa.44.B
Vrina a qua vi emittatur.2°.de decr.Hip. 1ª.237.F
Vrina per inſtrumenta quæ emittitur.5°.de vſu par. 1ª.143.H
Vrina a voluntate per penem emittitur.2°.de decr.Hip. 1ª.237.F
Vrinæ ſeruientia inſtrumenta quæ,& quibus ſignis indicentur male affecta.com.4°.aph.80°. Ex.36.H
Vrina retinetur a muſculo,ne effluat veſicam.5°.de vſu p. 1ª.143.H
Vrinam exire faciens muſculus qui.5°.de vſu par. 1ª.147.F
Vrinam expellunt muſculi abdominis.3°.de nat.fac. 1ª.303.B
Vrinæ venæ,& nerui diuerſi ſunt a venis & neruis ſpermatis.de ſpermate. Sp.36.B
Vrinæ pori videntur etiam in motu ſuo,licet author libri de vtilitate reſpirationis hoc inficietur.de vtil.reſp. Sp.64.C
Vrina in concepto animali vbi colligatur.1°.de ſem. 1ª.331.H
Vrina vbi colligatur in fœtu.de ana.viu. Sp.52.C
Vrina excernitur a fœtu.1°.de ſem. 1ª.331.H
Vrinam per quam partem exeat compreſſa veſica,cum diſſecandi ratio in fœtu exercetur.15°.de vſu par. 1ª.212.D
Vrina quomodo expellatur comprimendo,ſi aderit tumor præter naturam.1°.de loc.aff. 4ª.2.H
per Vrinæ meatus quæ prõptius euacuentur.ars med. Iſa.71.E
Vrina aquea,& alba cur.2°.de ſan.tu. 2ª.69.H
per Vrinam euacuãtur renes, veſica,& iocinoris gibba, ſi paucos habent pranos ſuccos.7°.met.med. 7ª.49.D
per Vrinam quæ partes expurgentur.6°.de loc.aff. 4ª.39.C
per Vrinam purgatur Iocinoris gibba.13°.met.med. 7ª.83.H
per Vrinam euacuanda Iecoris gibba.2°.de arte cur.ad Glau. 7ª.102.H/*de cathar.* Sp.94.G
Vrina expurgat ſuperfluitates veſicæ.ars med. Iſa.71.E
p Vrinã exeunt cõtenta in renibus,& veſica.de conſt.ar. Iſa.42.B
ad Vrinam a Iecore qñ promouendi humores.ars med. Iſa.71.A
Vrina expurgat ſuperfluitates renum.ars med. Iſa.71.E
per Vrinam vt exeat aqua intercutem.de med.fac.par. 7ª.167.D
p Vrinas aquoſus humor hydropũ moueẽt.c.7°.aph.55°. Ex.58.H
Vrina emittit etiam ſæpe ſpiritũ flatuoſum.com.4°.aph.73°. Ex.35.G
per Vrinã qñq; excernũtur abſceſſus.in progn.com.2°. 4ª.201.E
Vrina quo tempore contemplanda.1°.de criſi. 4ª.130.B
Vrinæ ſupra quæ ſignificent.in 1ᵐ.prorr.com.1°.162.G/ 4ª.168.H
Vrinæ formis humorum correſpondent.in 6ᵐ.de morbis vulgaribus, commen.5°. 3ª.192.A
Vrina excerniꝫ ſm proportionẽ excrementorũ.3°.de ſympto. 3ª.28.C
Vrina eſt nota ſuccorum,qui in vaſis continentur.4°.de ſanit.tuenda. 83.B/G/ 2ª.84.A
Vrina ſignificat ſupra genus venoſum.1°.de criſib. 4ª.127.H
Vrina oſtẽdit ſupra venas,renes,& veſicã.c.4°.aph.77°. Ex.36.F

Vrinæ in venis contentæ indicant.in 1^m.de mor.vul.com.2°.3ª.112.A
Vrina à qua significetᵉ in venis perturbatio.in 1^m.pror.c.1°.4ª.167.g
Vrina significat supra morbos febriculosos,supra alios non.in progno. commentario 2°. 4ª.200.D
ex Vrina,pulsu,& calore cognoscit putredo in succis.10°.m.7ª.63.d
Vrina oſtẽdit qualis sit sanguis,q in vasis cõtineᵗ.4°.de san.tu.2ª.83.b
Vrina qualis eße debeat,dum coquitur sanguis.1°.de criſ.4ª.130.A
in Vrina apparet sanguis concoctus.4°.de san.tu. 2ª.83.H
Vrina qualis esse debeat cocto sanguine.1°.de criſi. 4ª.130.A
Vrina est iudex indigestionis.de dyna. Sp.34.B
ex Vrinis,sputis,& deiectionib.noscunt cõcoctiões.de to.mo.3ª.88.g
ex Vrina morbus qũo cognoscaᵗ incoctᵒ.in 1^m.pror. cõ.3°. 4ª.188.C
ex Vrina morbus qũo cognoscaᵗ coctus.in 1^m.pror.com. 3°.4ª.188.C
Vrinæ potissimũ significant morbos.de vri.sig.ex Hip. Sp.79.A
ex Vrinis quomodo cognoscatur coctio perfecta.1°.de criſi. 4ª.132.B
Vrinæ ostendunt super instrumenta nutritionis.in 3^m. de morbis vulgaribus,com.2°. 3ª.139.A
Vrinæ quando sunt inspiciendæ idest in quibus membris læsis.in 3^m. de morbis vulgaribus.com.2°. 3ª.139.A
ab Vrinis qñ absceſſus prædicentur.de vri.sig.ex Hip. Sp.78.H
Vrinæ non solũ ostendũt iudicationẽ,sed & alia.cõ.4°.ap.71.Ex.35.C
per Vrinam non fit iudicium ægra existente vesica, nisi secundum ipsam vesicam.de vri.sig.ex Hip. Sp.78.G
Vrinæ iudicant de vitæ exitu,quando adsunt vehementia symptomata.in 1^m.de mor.vulg.com.3°. 3ª.122.F
Vrina non semper ostendit verum.3°.de præsag.ex pul. 4ª.116.F
Vrinam prognosticantia quæ.de disso.cont. Sp.75.B
ad Vrinam vergente natura medicamentum nihil efficit. quos purg. opor.quibus med.& quo temp. 5ª.89.B
VRINARVM *diuersitas.in 1^m. de morbꝺ vulgaribus, commentario 1°.3ª.106.D/1°.de criſi. 4ª.127.H*
Vrina, & excretio diuiduntur in facta à natura, & à voluntate.de motibus manifestis,& obscuris. Sp.68.G
Vrina diuersa genere,& tempore quæ.in 3^m. de morbis vulgaribus, commentario.2°. 3ª.138.D
Vrinarum differentiæ duæ præcipue.de vri. 4ª.122.F
Vrina quomodo incedat per ordinem.2°.de loc.affe. 4ª.2.G
Vrinarum Acritudines vnde fiant.commẽtario.3°.aph.16°.23.C/D/ com.5°.aph.58°. Ex.43.B
Vrinæ acritudo aperit ora arteriarum,quæ sunt in renibus,& ita aliquis spiritus exit,qui est in renibus.com.7°.aph.34°. Ex.56.E
Vrinæ cum acritudine,& graueolentia vesicam vlcerabant his, qui malos cibos ob annonæ caritatẽ ederãt.de boni.& vi.suc.2ª.33.b
Vrinæ acres vesicam vlcerant.6°.de loc.aff. 4ª.37.E
Vrinæ acritudo facit vrinæ stillicidiũ.com.5°.aph.58°.43.B/ commẽtario.7°.aph.49°. Ex.57.H
Vrinæ Acuties ex causa stillicidij.com.3°.aph.16°. Ex.23.C/D
Vrina,quæ morbũ Acutũ indicat,qualis sit.cõ.7°.aph.32°. Ex.56.D
Vrina Aeruginosa stranguriam significat.de dy. Sp.34.B
Vrina æruginosum habens colorẽ spasmum significat.de dy. Sp.34.B
Vrinæ si color sit Albicãs,& hypostasis rufa,mitte sanguinẽ,sin imbecillis sit,medicamẽ adhibe,aut accõmodatũ cibũ.de v.si.S.79.d
Vrina Alba est aquosa.de vri.sign.ex Hip. Sp.79.A
Vrina alba sine febribus in masculis siue fœminis dolorem laterum, & aliquando renum significat, & prægnantem fœminam significat aliquantulum.de dy. Sp.35.D
Vrinæ albæ,& perspicuę,malæ,præsertim si in deliramentis fiant.commentario.4°.aph.72°. Ex.35.E
Vrinæ albæ & perspicuæ in delirijs ostendunt necessariam mortem. cõmentario.4°.aphorismo.72°. Ex.35.E
Vrinę albę perspicuæ extremam cruditatem significãt, & morbũ longum.com.4°.aph.72°. Ex.35.F
Vrina alba tenuis,& turbulenta quid significet.1°.de criſ. 4ª.130.E
Vrina alba tenuis quid significet.de vri. 4ª.132.B
Vrina alba,& aquosa,& nebulam bonam habens phrenitim purgat. de dynamidijs. Sp.34.D
Vrina alba,& aquosa in augmẽto egritudinis,aut in statu veniẽs labore corporis cũ frigore,& maciẽ nũciat futurã.de dy.Sp.34.A/B
Vrina alba,& nuda in omnibus debilitatẽ,& frigiditatem corporis significat.de dy. Sp.35.D
Vrina colore alba,& constitutione tenuis in acmastico, homotono & paracmastico cum nebulis non bonis renum,& dolorem, & indignationem significat.de dynamidijs. Sp.34.C
Vrina alba,& turbulenta dolorem cũ periculo nũciat.de dy.Sp.34.F
Vrina alba,& pinguedinosa,vel iumentina dolorẽ renũ significat,& vesicę,& capitis aliquantulum.de dy. Sp.35.E
Vrina alba si se mutauerit in synocha apostema celerius venturum scias.de dynamidijs. Sp.34.C
Vrina alba in quibus significet mortem.de dy. Sp.35.D
Vrina alba & subluuida mortem demonstrat.de dy. Sp.34.H
Vrina alba,aut subluuida mortem significat in phrenitide, pleuritide, synocha,causo,& tertiana.de dy. Sp.35.D
Vrina alba si se subito in malum colorem mutauerit, proximam nunciat mortem.de dy. Sp.34.G
Vrinæ albę crassę cum leuibus subsidentijs fit mentio. de vic. ratione in morbis acutis,com.4°. 7ª.135.D
Vrina alba crassa cum tali sedimento quid significet.de ur.4ª.124.G
Vrina si fuerit alba,& nigra,& crassa epilepsia erit de melancholia. de dynamidijs. Sp.24.A
Vrina si fuerit alba,& crassa epilepsia erit à phlegmate.d d.Sp.24.a
Vrina alba crassa quid significet.de vri. 4ª.123.E
Vrina alba,spumosa,& nebulosa nõ bonũ signat.de dy. Sp.34.D
Vrina alba spumosa,& nebulosa si in die critico,aut post criticum diẽ superuenerit,solutionem egritudinis ostendit.de dy. Sp.34.D
Vrina alba si lõgo tẽpore perseuerauerit frigora soluit.de dy.Sp.34.f
Vrinę Amentiã significantes quales.de vri.sig.ex Hip. Sp.78.H
per Vrinam aquam secedere bonum.de bo.aquę. Sp.76.A
Vrina potus Aquæ aut vini aquei qualis.in 6^m. de morbis vulgaribus,commentario.5°. 3ª.192.A
Vrinę aquosę quæ.in 3^m.de mor.vul.com.3°. 3ª.148.E
Vrinæ aquosæ quid significent.in 1^m.pror.com.3°. 4ª.188.C
Vrinę aquosæ crudum adhuc in venis esse indicant succum eum,qui a ventre submittitur.2°.de san.tu. 2ª.69.G
Vrina aquosa cruda est,& diuturna.com.7°.aph.32°. Ex.56.D
Vrina aquosa tenuis quid significet.in prog.com.2°. 4ª.201.A
Vrina aquosa significat venosę materiæ passionẽ.1°.de criſi.4ª.130.b
Vrinæ aquosę sunt istæ albę perspicuæ ostendunt flauam bilem ad caput tendere.com.4°.aph.72°. Ex.35.F
Vrina ad summũ icocta ẽ aquosa exqsite.1°.de cri.130.G/H/4ª.132.a
Vrina aquea in primis diebus in febre.miti.1°.de cri. 4ª.131.H
Vrina aquosa in pueris deterrima est.in progn.cõ.2°.4ª.201.B/de vr. sig.ex Hip.78.G/quæs.in Hip. Sp.113.F
vt in Vrinis aquosum,ita est in pleuritide extreme crudum.1°.de crisibus. 4ª.132.D
in Vrinis quibus arenosa subest materies,ijs vesica calculescit.de vrinæ sig.ex Hip. Sp.78.H
Vrina Aspera est propter renes,& vesicam quandoque in prog.commentario.2°. 4ª.201.E
Vrina aspera si post crisim fuerit,in eandem febrem reintegrari demõstrat egrotum.de dyna. Sp.34.G
Vrina Assa,& cruda ex vasis.de tot.morb.temp. 3ª.88.G
Vrina Asterica quæ,& quid significet.de dy. Sp.35.D
Vrina Asterica,idest habens quasi stellas vbi fœmina est dolorem stomachi grauitatemue capitis,musculis scapularum dolorem significat.de dynamidijs. Sp.35.D
Vrina Atra aut raro,aut nunquam est tenuis.quæs.in Hip.Sp.113.E
Vrinę atræ quid significent.quæs.in Hip. Sp.113.E
Vrina atra in viro,& muliere pessima est.de vrin.sign. ex Hip.78.G/ quæsita in Hip. Sp.113.F
Vrina atra in acutis egritudinibus pernitiosa vt plurimum est. quæsita in Hippocratem. Sp.113.E
Vrinę atrę in lienosis sunt minus pernitiosę.quæs.in Hip. Sp.113.E
Vrinę Biliosę sunt in calidis,& siccis.8°.met.me. 7ª.50.F
Vrina blliosa est propter renes & vesicam quandoque. in prognost. commentario.2°. 4ª.201.E
Vrinę color si biliosus fuerit,hypostasis autem alba,erit bilis cum pituita.de vrin.sign.ex Hip. Sp.79.D
Vrina magis biliosa notat esse euacuandum per vinam,vel per secessum.de vri.sig.ex Hip. Sp.79.D
Vrinas biliosas non habent quotidiana, & quartana febre laborantes.2°.de differentijs febrium. 3ª.36.D
Vrinę Bonę quales & earum odor.1°.de criſi. 4ª.130.E
Vrina mortem significat si ex bono colore in malum die critica conuersa fuerit.de dy. Sp.34.C

in Vrinis Bullæ insidentes morbum renalem, & longum significant.cõmen.7°.aph.34°.Ex.56.E/de vrin.sig. Sp.78.H
Vrinæ Calculo laborantium quales.de ren.aff.dig.& med. 7ª.193.B
in Vrina cur Candidum sit sedimentum.in prog.c.1°. 4ª.197.D
Vrina candida debet esse vbi cruditas non est. de dy. Sp.19.G
Vrina habens veluti Capillos,qui morbus dicitur capillitium,vnde sit com.4°.aph.76°. Ex.36.C
in Vrina cuiusdam tam longi aderant capilli,vt æquarent longitudinẽ dimidij cubiti.com.4°.aph.76°. Ex.36.C
Vrina Cardiacorum alba,& aquosa cum nebulis albis eorum ægritudinis solutionem ostendit.de dy. Sp.34.H
Vrina in cardiacis spissa qñ fuerit,si spissitudo velut scissa apparet paralysim significat. de dy. Sp.34.H
Vrina Cholerico colore nebulam albam habens, & furfures supernatantes in homotono,acmastico & peracmastico aut longã ægritudinẽ aut mortem significat.de dy. Sp.34.C
Vrina eius,qui a cibo se abstinuit, qualis.14°.me.me. 7ª.87.A
Vrina si fuerit Citrina,& parum nigredinis habuerit,epilepsia erit de cholera rubra. de dy. Sp.24.A
Vrina si Claritatem superius habuerit,& inferius nebulosa & subtilis fuerit,dolorem renum significat,& coxæ,& genu,& superi⁹ stomachi.de dy. Sp.35.D
Vrina quæ signum est Coctionis.1°.de crisi. 4ª.131.C
Vrina optime cocta qualis in sanis. 1°.de crisi. 4ª.130.F
Vrinæ coctæ quæ sint.de vic.ra.in mor.acu.c.4°. 7ª.144.B
Vrina minus cocta quę.de vrin.sign.ex Hipp. Sp.79.B
Vrina cocta postea cessans mala.in 1ᵐ. pror.c.3°. 4ª.189.B
Vrinæ Colicam patientium quæ. 6°.de lo.aff. 4ª.36.G
Vrina indicans Colliquationem qualis.in 6ᵐ.de mor.vul.c.5°.3ª.192.A/de vrin.sign.ex Hipp. Sp.78.G
Vrina in principio colliquefactionis qualis, in augmento, in statu, & declinatione.quæs.in Hipp. Sp.113.C
Vrinæ Color considerandus est.4°.de sa.tu. 2ª.83.H
Vrinarum colores quales. de vrin. 4ª.123.A
in Vrinis quando color cineritius & cur. in 6ᵐ.de morb. vulgaribus commen.1°. 3ª.155.F
ex Vrina colores qui tinctiones cognoscant.de caus. procat. 3ª.98.C
Vrinarum bonus color significat maximam in laborantibus humorum affluentiam. in 3ᵐ.de mor.vul.c.3°. 3ª.150.B
Vrinæ bonus color salutem promittit.in 1ᵐ.de mo.vul.c.3°. 3ª.125.a
Vrinam duntaxat bene coloratam esse quandoq; sufficit ad morbi solutionem. de vrin.sign.ex Hipp. Sp.79.C
Vrina non bonum colorem habens,si non fuerit digesta,vel constitutionem vrinæ animalis similem habuerit, & missa in calice cito resederit,& amens patiens fuerit,& insaniam senserit, spasmum, aut mortem significat.de dyna. Sp.34.E
Vrina si mane mutauerit colorem,ostẽdit subesse vitiũ.de dy. S.19.G
Vrinæ coloris est sudor in balneis.13°.me.me. 7ª.87.A
Vrinæ consistentia consideranda est.4°.de san.tu. 2ª.83.H
in Vrina Contentorum situm euariat flatus.de vri. 4ª.124.A
Vrina si careat contentis, morbus est concoctus.de vrin.sig. Sp.79.C
Vrina quæ significat futurã Cõtractionẽ corporis. de dy. Sp.34.A
Vrinæ Copia nisi proueniat,aut flatus erumpãt,humectãtur alui, quibus hypochondria sublata,murmurantia sunt ilium dolore accedẽte.de vrin.sign.ex Hip. Sp.78.G
ĩ Vrinis copiosis fiũt pulsus vermiculãtes.2°.d̃ ps̃a.ex pul. 4ª.113.A
ĩ Vrinis Crassarum substantiarum tres dr̃iæ.quæs.in Hip. Sp.113.E
Vrina crassa,& russa non est.de vrin. 4ª.123.F
Vrina crassa flaua non est. de vrin. 4ª.123.F
Vrina crassa nigra quid significet. de vri. 4ª.123.F
Vrina multa,crassa,& alba soluit absessum futurum post aurem,& articulorum.c.4°.aph.74°. Ex.35.H
Vrina crassa ab Hippocrate ſm Galenum dicitur quæ est mediocris respectu tenuis,c.4°.aph.76°. Ex.36.E
Vrinæ crassiæ sũt paucæ,q̃re vix renes ptr̃aseũt.c.4°.a.69°. Ex.35.A
Vrina crassior naturalis quid significet. in prog.c.2°. 4ª.201.A
Vrina crassior coctionem imperfectam significat. 1°.de crisi.4ª.130.F
Vrinæ crassę,& tenues quomodo significent humorem crudum. in 3ᵐ. de mor.vul.com.1°. 3ª.131.E
Vrina crassa permanens crassa quid significet.quęs.in Hip. Sp.113.B
Vrina crassa quæ micta crassa efficitur quid significet.de vri.4ª.122.b
Vrinæ crassę a pueris fiunt.in 6ᵐ.de mor.vul.com.3°. 3ª.173.B
Vrinæ crassitudo est causa prima creandorum calculorum. in 6ᵐ.de mor.vul.com.3°. 3ª.173.B
Vrinæ fiunt crassæ in declinatione. c.4°.aph.69°. Ex.34.H
Vrina crassa quid significet. in prog.com.2°. 4ª.201.A
Vrina crassa alba in quartanis.in 6ᵐ.de mor.vul.c.4°. 3ª.179.F
Vrinę crassiores,pallidiores meliores.de vi.ra.ĩ m.ac.c.4°.7ª.141.A
Vrina crassa nigra cum tali sedimento quid significet.de vri.4ª.124.b
Vrina crassa rubea quid significet.de vri. 4ª.123.E
in Vrina crassa, quibus veluti furfura quædam exeunt simul, vesica scabiæ laborant.com.4°.aph.77°. Ex.36.E
cum Vrina crassa caruncula in speciem pilorum significant vitium in renibus,aut morbum articularem.de nat.hu.com.2°. 7ª.180.G
Vrina crassa existẽs,si carũculas paruas habeat,aut veluti capilli vna exeãt,à renib⁹ sunt.cõ.4°.aph.76°.Ex.36.C/de vri.sig.Sp.78.b
Vrina crassa est,si debeãt exire veluti capilli.cõ.4°.ap.76°.Ex.36.D
Vrina in qua velociter separãtur crassa à liquidis,& habet sedimẽtũ album,leue,& æquale quid significet.4°.de san.tu. 2ª.83.H
Vrinæ crassæ quæ non subsidẽt quales,& quid significẽt.in 3ᵐ. de morbis vulga.commen.1°. 3ª.131.E
Vrinæ crassæ quæ capitis dolorem pariunt,& prędicunt,& cur.in 3ᵐ. de morb.vulg.com.1°. 3ª.131.E
Vrinam crassam subsecuta tenuis, & copiosa bonum.in 3ᵐ. de mor.vul.com.1°.3ª.131.E/com.4°.aph.69°. Ex.34.H/de vrinæ significatione ex Hippocrate. Sp.78.G
Vrina crocea,& turbulenta cum nebulis non bonis,aut longam ægritudinem,aut mortem prædicit.de dyna. Sp.34.B
Vrina crocea si guttatim stillando fuerit egesta,ventris constrictionem malã cum animi turbatione,& angustia ostendit.de dyn. Sp.34.B
Vrina crocea,& spissa,laborem,dolorem, & grauedinem in synocha siue mortem ostendit.de dyna. Sp.34.E
Vrinæ Crudescentes quales.de vict.rat.in morb.acu.cõ. 2°.7ª.122.F
Vrina crudã quæ.de tot.morb.temp. 3ª.89.F
Vrinæ crudæ quæ dicantur.de vict.rat.in morb.ecu.cõ. 2°.7ª.123.A
Vrina quæ est semper signum cruditatis.1°.de crisi. 4ª.131.C
Vrina cruditatem significans qualis.in prog.com.2°. 4ª.201.A
cũ Vrina cruda morbus diutinus.in prog.com.2°. 4ª.200.H
in Vrinis crudus succus videtur pus,sed distinguitur,& quomodo.1°. de alimentorum facultatibus. 2ª.10.C
cũ Vrina excretus humor crudus,& albus euenit,vt subsidat,præbe atque videndum vtilem hypostasim.de vri.sign. Sp.79.C
Vrina solũ Cruẽta significat venas laborare.de na.hu.c.2°.7ª.180.F
Vrina quando cruenta est in renum affectibus.in 6ᵐ.de morbis vulgaribus,commentario.1°. 3ª.155.G
Vrinæ Deficientes in ægrotantibus quę.de vrin. 4ª.125.C
Vrinæ Densatæ quę.in 1ᵐ.pror.com.3°. 4ª.178.H
Vrina densa,pallida,melior.de vri.sig.ex Hipp. Sp.79.A
Vrina Deterior in ægrotante quæ.de vri.sig. Sp.79.B
Vrina Ebriorum qualis.10°.de simp.me.fac. 5ª.74.G
Vrina Eleuationem habens albam,& leuem,& æqualem quę.de vrinæ significatione ex Hipp. Sp.79.B
in Vrinis Epantismata æruginosa.in 1ᵐ.pror.com.2°. 4ª.172.H
Vrina ostendit humorem facientem Epilepsiam.de dy. sp.24.A
in Vrinis speciem Erui,aut hordei referentia vnde. in 6ᵐ. de morbis vulgaribus.com.5°. 3ª.192.A
Vrina exitiosa qualis.in progn.Hipp.com.2°. 4ª.201.A
Vrinę quare in Febribus attendendæ.1°.de crisi. 4ª.128.C
Vrinæ maxime spectandæ in febribus.3°.de cri. 4ª.139.D
Vrina significat de febre,sed non de musculorum morbis.de vict.rat. in morb.acu.com.4°. 7ª.144.F
Vrinæ in principijs febrium tenues,vnde paulatim fiunt crassiores.cõmen.4°.aph.69°. Ex.34.H
ex Vrina proprium signum ephemeræ.1°.de diffe.feb. 3ª.33.D
Vrinæ ephemerarum quales.1°.de diff.feb.3ª.34.A/1°.de arte curatiua ad Glau.7ª.94.H/de dyna. Sp.33.H
Vrina ephemeræ ex tristitia,& cupiditate quæ.de dyna. Sp.33.H
Vrinas quas habẽt febricitãtes inedia,& labore.1°.de crisi.4ª.130.C
Vrina in febre ex inguinum dolore qualis.de dyna. Sp.34.A
Vrina febrium putridarum qualis.1°.de diff.feb. 3ª.34.A
in Vrina quot formæ apparent,tot sunt febrium putridarum differentię.1°.de diff.feb. 3ª.33.C
in Vrinis,& in pulsu quando non est putredinis sensus in febre ex obstructione.8°.met.me. 7ª.52.E

Vrinæ tertianæ

Vrinæ tertianæ febris quales.de typ.3ª.90.G/1°.de art. cur. ad Glauco.7ª.96.D/de dyn. Sp.34.F
Vrinæ quartanæ febris quales.de vrin.123.B/2°.de cri.135.D/1°.de ar.cur.ad Glauc.7ª.96.D/de dy.34.F/queſt.in Hip. Sp.113.C
Vrina quartanarum declinantium qualis.de vrin. 4ª.123.F
Vrinæ febrium errantium quales.in 1m.de mor.vul.com.3°. 3ª.123.B
Vrinæ febriũ quotidianarum quales.in 1m.de arte cu.ad Gl.7ª.96.D/de dynamidijs. Sp.34.F
Vrina febriũ cõtinuarũ vi ſanguinis excitatarũ q̃lis.q̃ſ.i Hi. Sp.113.B
Vrinæ ſynocharum febrium quales.de vri. 4ª.124.H
Vrina qua ſignificatur phrenitis in cauſonide.de vri. 4ª.123.C
Vrinæ ſolæ in ardentibus febribus tanta vis ineſt,vt illi ſoli credendũ ſit.in 6m.de mor.vul.com.1°. 3ª.156.H
Vrinæ quæ fiant in cauſo,& phrenitide.in 1m.prorr.com.1°. 4ª.162.E
Vrinæ Fermentatę quę.in 1m.prorrh.com.2°. 4ª.174.C
in Vrina Flatus quoque cogneſcuntur.de vri.ſig ex Hip. Sp.79.B
Vrina Flaua non poteſt eſſe tenuis.de vrin. 4ª.124.G
Vrina flaua tenuis quid ſignificet.quæſ.in Hip. Sp.113.B
Vrinæ abunde flauæ,& mordentes ſunt in ſiccis.8°.meth.me.7ª.50.C
Vrina Fœminarum qualis.de vri.ſig.ex Hip. Sp.79.A
Vrina mulierũ habẽt maiorẽ hypoſtaſim q̃ virorũ.de vri.ſig. Sp.79.A
Vrinæ Fœtent in calidis & humidis.8°.meth.med. 5ª.54.B
Vrina fœtida eſt ppter renes & veſicã q̃que.in pg.cõ.2°. 4ª.201.E
Vrina fœtida qualis.in prog.Hip.com.2°. 4ª.201.A
Vrinæ fœtidæ quid ſignificent.de vri.124.F/1°.de criſi. 4ª.130.E
in Vrinis hypoſtaſes Folioſæ quibus ſint peiores.de vri.ſig. Sp.78.G
per Vrinas cito exit Fructuum nutrimentum.2°.de ali.ſac. 2ª.17.D
Vrinæ cur Furfureæ,& quot modis habeant ſurſura. commẽtario 4°. aphoriſmo 77°. Ex.36.F
in Vrina furfures quid ſignificent.de nat.hum.com.2°. 1ª.180.H
Vrina Groſſa,& q̃manet groſſa vnde,& quid ſigñet.de vri. 4ª.124.A
Vrina groſſa quæ fit tenuis vnde,& quid ſigñet.de vri. 4ª.123.A
Vrina groſſa rubea cum tali ſedimento quid ſigñet.de vri. 4ª.124.H
Vrina Hepaticorum.de dynam. Sp.35.A
in Vrina quid ſit Humor.de vri. 4ª.122.H
Vrina bilioſorũ,& crudorũ humorũ qualis.in prog.cõ.2°. 4ª.200.D
Vrinæ humorum crudorum quales.de vri.ſig.ex Hip. Sp.79.D
Vrinæ bonæ proceſſus in humoribus crudis.de vri. 4ª.125.C
Vrina humoris non cocti eſt tenuis & alba.de vri. 4ª.124.G
Vrina Hydropicorum qualis.de dy. Sp.35.B
Vrinæ Hypoſtaſis tres partes.de vri.ſig.ex Hip. Sp.79.B
Vrinæ habẽtes hypoſtaſim poſtea nõ habentes quid ſignificent. de vri. ſign.ex Hippoc. Sp.79.C
in Vrinis Hypoſtaſes quales vbi coctę ſunt.de victus ratione in morb. acu.commen.4°. 7ª.144.B
Vrinæ hypoſtaſis quæ fallat homines.de vri.ſig. Sp.79.C
Vrinarum hypoſtaſes craſſioris farinę ſpecie quid ſignificent. de vri. ſig.ex Hippoc. Sp.78.F
Vrina Ictericorum qualis. de dyna. Sp.35.B
Vrina in ictericis ruſſa & ſpiſſa plurimum egeſta ſanitatem, & ſolutionem ventris promittit.de dyn. Sp.35.B
Vrina quæ ſignificat Iecoris obſtructionem qualis.de vri. 4ª.123.B
Vrina quaſi Ignea ſignificat tertianam. de dy. Sp.35.E
Vrina Inculpata quæ.in 1m.prorrh.com.2°. 4ª.168.H
Vrina Infantium habet craſſam hypoſtaſim.de vri.ſig. Sp.79.A
in Vrina quid ſit inhærentia.de vri. 4ª.122.H
Vrina Iumentorum qualis.in prog.com.2°. 4ª.200.C
Vrina ſimilis iumentorũ vrinæ quæ.in 1m.de mor.vul.c.3°. 3ª.122.C
Vrinæ iumentorum lotio ſimiles eliquationem non indicant. in 6m. de mor.vulg.com.5°. 3ª.192.A
Vrina turbida qualis iumẽtorũ qd ſignificet.4°.de ſan.tuen. 2ª.83.H
Vrinæ perturbatæ quales iumẽtorum,dolorem capitis,vel adeſſe, vel futurum ſignificant.com.4°.apho.70°. Ex.35.B
Vrinę perturbatæ veluti iumentorum quibus ſunt,ijs cephalalgiæ aut adſunt, aut aderunt.de vri.ſig. Sp.78.G
Vrinæ non ſunt neceſſario perturbatæ,ſi alicui caput doleat, vel dolere debeat.com.4°.apho.70°. Ex.35.B
Vrinæ iumentorum ab extrinſeca caliditate in ſpiritum ſoluuntur, vt bitumen,pix,atque reſina,com.4°.apho.70°. Sp.35.B
ad Vrinæ iumentorum difficultatem.de med.fac.par. 7ª.174.C
Vrina qũo ex labore,fame,& ſiti muteſ.10°.de ſimp.me.fa.5ª.74.G
vrina Lactea in ſynocha,ſi in initio ægritudinis iuuenib⁹ euenerit, non bonum ſignificat.de dy. Sp.34.D
Vrina Letalis quæ.de tot.mor.temp. 3ª.89.G
Vrinæ Lapides habentium quales. 2°.de loc. aff. 4ª.9.F
Vrinæ leuem hypoſtaſim inquit Galenus vocare Hippo. continuã & indiuulſam.de vri.ſig.ex Hipp. Sp.79.B
Vrinæ Lienoſorum quales.quæſ.in Hipp. Sp.113.E
Vrina Liuida quid ſignificet. 1°.de criſ. 4ª.130.E
Vrina colore liuida,& tenuis conſtitutione phrenitim futuram denũtiat in homotono acmaſtico & paracſmaſtico. de dy. Sp.34.C
Vrina liuida caput dolentibus ſignificat augumentum.de dy. S.34.G
per Vrinas citius meat Lora dulcis. 2°.de ali.ſa. 2ª.18.D
Vrinam difficilius cit lora acerba,& acida.2°.de ali.ſa. 2ª.18.D
Vrina lucida nimis in hepaticis bonum ſignum ſigñat.de dy.Sp.35.A
Vrina valde lucida in ſynocha phrenitim vẽturã oſtẽdit.de dy.S.44.f
per Vrinam Lutum expellens.10°.de compo.med. ſe.lo. 5ª.206.F
Vrina Mediocris non poteſt eſſe alba.de vri. 4ª.124.H
Vrina mediocris,ſi aliqua in ipſa exeant,veſicæ,aut renum paſſio ſignificatur.com.4°.aph.77°. Ex.36.E
Vrina mediocris, quæ neq; laudanda ſit, neq; vituperanda, & ſymptomata peſsima ſignificant hominem longiori tempore ſuperſtitẽ tandẽ moriturum. in 6m.de mor.vul.c.6°. 3ª.197.B
Vrinæ Mediæ inter coctum, & crudum.1°.de criſi. 4ª.130.E
Vrinæ in melancholia, & amentia quales.quæſ. in Hip. Sp.113.E
Vrinæ ſunt meliores, quæ ſecundum naturam morbi ſunt,vel humoris peccantis.com.4°.aph.72°. Ex.35.F
Vrinæ quæ Mentis aberrationem portendant.in 1m.prorrhet.commẽtario 1°. 4ª.167.F
Vrina quando ſignificet Morbum diuturnum,& non tutum. de vrinæ ſignificatione ex Hip. Sp.78.F
Vrina Multa ſignificat paucas deiectiones.com.4°.ap.83°. Ex.37.B/*de vrin.ſign.ex Hip.* Sp.78.H
Vrinæ multæ incipientes in diebus iudicatorijs bonæ, & qui ſint dies iudicatorij.com.4°.aph.36°. Ex.31.G
Vrinæ multitudo impedit ne ilia ſuſpenſa murmurantia lumborũ dolore ſuperueniente alui humectentur.com.4°.aph.73°. Ex.35.F
Vrina Naturalis qualis. in prog.com.2°. 4ª.200.H
Vrinæ ſecundum naturam non ſunt ſimpliciter tenues, nec craſſæ, ſed mediocres.com.4°.aph. 69°. Ex.35.A
Vrina naturalis modice pallida eſt. 10°.de ſimp.med.fa. 5ª.75.B
in Vrina naturali quæ conſideranda.de vrin. 4ª.125.B
in Vrina Nebula,& ſubnebula quomodo fiant.de vrin.ſig. S.79.B/D
Vrinæ in quibus ſunt nebulæ ſurſum ne an deorſum meent,quoſue colores habeant,conſiderandæ.de vri.ſigni. Sp.78.G
in Vrinis nebularum ſuſpenſarum ſignificatio. de vri.ſig. Sp.78.F
in Vrinis nebulæ deorſum labentes cum quibus coloribus ſint malæ. de vrin.ſign. ex Hip. Sp.79.C
Vrina cum nebulis ſciſſis macronoxiam ſignificat. de dy. Sp.34.G
Vrina nebulas cholericus habens,in ægritudinem acutam trãſire morbum ſignificat.de dy. Sp.34.G
Vrina ſine nebula turbulẽta i ſynocha nõ bonũ ſigñat.de dy. Sp.34.E
Vrinæ nebuloſæ quæ.de vic.rat.in mor.acu.com.4°. 7ª.140.C
Vrinę ſi ſint nebuloſę & craſſæ purgãdũ de vi.r.in m.ac.c.4°.7ª.140.B
Vrinas nebuloſas,vel craſſas à principio habentes purgandi ſunt. de vri.ſign.ex Hipp. Sp.79.A
Vrinæ Nephriticæ quales.6°.de loc.af.36.G/4ª.37.C/de dy.Sp.35.C
Vrina in nephriticis ſpiſſa,cuius color ſit velut ſperma hominis mortẽ ſignificat.de dyna. Sp.35.C
Vrina in nephriticis vinoſa augumentũ doloris ſigñat.de dy.Sp.35.c
Vrinæ Nigræ vnde generentur.in 1m.prorrh.com.1°. 4ª.163.E
Vrinæ nigræ vndc.in 1m.de mor.vul.com.2°.3ª.115.B/in 1m. prorrhe. commentario.3°. 4ª.178.H
Vrinæ nigræ in triplici ſunt differentia.de vri. 4ª.123.E
Vrinæ nigræ differentiæ,& quid ſignificent. in prognoſtica. commentario 2°. 4ª.201.A
Vrinæ nigræ colliquati lienis notæ ſunt. in 6m. de morbis vulgaribus, commentario 5°. 3ª.192.A
Vrina nigra quartanam nunciat.de dy. Sp.34.G
Vrina nigra in principio malum ſignificat. de ijs, quæ in medicatrina fiunt.commentario 1°. 7ª.198.C
Vrina nigra in mulieribus, & viris deterrima. in prognoſtica. commentario 2°. 4ª.201.B
Vrina nigra peſſima eſt,& omnes necat. 1°.de criſi. 4ª.129.E

Vrina nigra letalis ẽ.1°.de cri.4ª.127.D/H/in 1ᵐ.pror.cõ.2°.4ª.169.D
Vrinarum nigrarum deteriores quæ.in 1ᵐ.pror.com.1°. 4ª.162.E
Vrina nigra,aut liuida in synocha nõ sine periculo erit.de dy.Sp.34.E
Vrina nigra cum sudore in synocha non bona signa imminere ostendit. de dynamidys. Sp.34.D
Vrina nigra in synocha per varios colores frequẽter mutata cũ nebulis nõ bonis,& velut cõcisis,& separatis,& frequenter in nigrum colorẽ conuersa phrenitim cum morte significat.de dy. Sp.34.E
Vrina nigra,& lucida cũ sudore,& dolore hypochondriorum in synocha mortem nunciant.de dy. Sp.34.E
Vrina nigra,& tenuis cum nebulis phrenitim ostẽdit.de dy.Sp.34.B
Vrina nigra,& tenuis cum aurium obtusione sanguinis fluxum immi nere ostendit.de dyna. Sp.34.B
Vrina nigra,& tenuis,& æstuosa,si æstuatio fuerit cũ fastidio, & si turbatũ sensum patiẽs habuerit,& nõ recte intelligat,& loqnatur aut malefactum non defuerit,mortem ostendit.de dy. Sp.34.F
Vrina nigra,et spissa nõ boni coloris mortem significat in synocha.de dynamidys. Sp.34.F
Vrina nigra turbulenta,& veluti capillosa,& aliquid rasuræ habẽs mortem significat in hepaticis.de dy. Sp.35.A
Vrinæ nigræ oleosæ tenues.in 3ᵐ.de mor.vul.c.3°. 3ª.131.D
Vrina nigra.in 1ᵐ.de mor.vul.com.3°.121.A/124.F/ 3ª.151.B
Vrinam nigram habentis casus.in 1ᵐ.prorr.com.2°. 4ª.171.F
Vrinæ Nubecula quid significet.in prog.com.2°. 4ª.201.D
in Vrina qualis nubecula appet si sanguis sit coctᵍ.3°.de sa.t.2ª.83.H
Vrina habens nubeculam rubram quarto die, ostendit in septimo iudi cationem futuram.com.4°.aph.71°. Ex.35.C
ad Vrinas Nubis nomen q priᵒ dixit.in 3ᵐ.de mor.vul.c.1°.3ª.128.c
in Vrinis nubes rubræ raro apparent,albæ frequenter,& sunt signum coctionis manifestæ.com.4°.aph.71°. Ex.35.D
in Vrinis rubra nubes bona,sed alba melior,meliusque sublimamentũ album,æquale,atque consistens.com.4°.aph.71°. Ex.35.C
in Vrinis Nubilosæ suspensiones quæ.in 3ᵐ.de mor.vul.c.1°. 3ª.128.B
Vrina male Olens,& aquosa,& atra,& crassa letalis est.de vrinæ si gnifi.ex Hippocrate. Sp.78.G
Vrina si male olens fuerit,& hypostasis atra in acuta ægritudine non mori ægrum impossibile.quæs.in Hip. Sp.113.E
Vrina grauiter olens est puris particeps.de vri.sig.ex Hip. Sp.79.C
Vrina grauiter olens quid significet.quæsita in Hip. Sp.113.D
Vrinæ Oleagineæ vnde gignantur.quæs.in Hipp. Sp.113.C
Vrinæ oleagineæ quid significent.de vrin. 4ª.124.D
Vrina oleosa secundũ Sabinum.in 3ᵐ.de mor.vul.com.3°. 3ª.148.B
Vrina oleosa quæ.in 3ᵐ.de morbis vul.com.3°. 3ª.147.F
Vrina oleosa non est vnius coloris vt nec oleum.in 3ᵐ.de morb.vulg. com.3°. 3ª.147.H
Vrinæ oleosæ meminit.in 1ᵐ.de mo.vul.cõ.3°.125.C/147.E/3ª.151.g
Vrinæ paucæ oleosæ.in 1ᵐ.de mor.vul.com.3°. 3ª.125.C
Vrina veluti oleum quid significet.1°.de cris. 4ª.130.E
Vrina Optima in viris,quæ.de vri. 4ª.125.A
Vrina optima in mulieribus,quę.de vri. 4ª.125.B
Vrina optima puerorum qualis.de vri. 4ª.125.B
Vrina optima in ægrotantibus quę.de vri.4ª.125.B/ de vrinæ significatione ex Hippocrate. Sp.79.B
Vrina optima quoad colorem.in prog.com.2°. 4ª.202.B
Vrina optima quæ.1°.de diff.feb.33.C/de tot.mor.temp.3ª.89.F/3°. de præsa.ex pul.116.G/1°.de cri.4ª.130.A/F/de vict.ra.in mor. acu.com.4°.7ª.135.D/de vri.sig.ex Hip. Sp.78.F
Vrina optima quæ sit ẽm Hippocra.de vic.ra.in m.a.c.4ª. 7ª.144.C
Vrina optima quæ,& quæ non.in prog.com.2°. 4ª.200.B
Vrina optima quæ,& quod signum.com.1°.apho.12°. Ex.6.E
Vrina optima,& symptomata pessima significãt hominem euasurum, sed acutæ ægrotaturum.in 6ᵐ.de mor.vul.com.6°. 3ª.197.B
Vrina quæ Pallet peractæ secũdę actionis signũ est.1°.de sa.t.2ª.69.g
Vrina pallida non potest esse tenuis.de vri. 4ª.124.G
Vrina pallida quid significet.1°.de crisi. 4ª.130.A
Vrinæ Paucæ vnde.in 1ᵐ.de mor.vul.com.2°. 3ª.115.B
Vrinæ paucæ quãdoq; iecur purgãt,& sunt bonæ.5°.de lo.af.4ª.35.e
Vrinæ Pendentia considerandа.4°.de san.tuen. 2ª.83.H
Vrina in peripneumonicis indigesta in initio, & ante crisim significat mortem futuram.de dy. Sp.35.A
Vrina in peripneumonicis sanguinea cum nebulis varijs vitæ periculum nunciat.de dy. Sp.35.A
Vrina in Peripneumonicis nigra cum varijs nebulis mortem futuram ostendit.de dynamidijs. Sp.35.A
Vrinæ quæ Pernitiem significant.1°.de crisi. 4ª.130.E
quibus Vrinæ Perspicuę albæ sunt,improbæ, pręcipue in phreniticis apparentes.de vri.sig.ex Hip. Sp.78.G
Vrinę possunt esse perspicuæ,& non albę, sed habentes colorem bilis. com.4°.aph.72°. Ex.35.F
Vrinę pessimę in viris & mulieribus quæ.1°.de crisi. 4ª.130.F
Vrina pessima quæ.1°.de diff.feb. 3ª.33.C
Vrina omnium pessima,quę.1°.de crisi. 4ª.130.H
Vrinæ vestilentium quales.3°.de præsag.ex pul. 4ª.116.G
Vrina phlegmatica si apparuerit sicut sol in limpidis coloribus indignationem renum denunciat.de dy. Sp.34.G
neque in Vrinis,neque in sputis,neque in sudoribus, neque in vomitibus signa phrenitica.in 1ᵐ.prorr.com.1°. 4ª.162.E
Vrinæ quæ phrenesim significant,quales.in 1ᵐ.pro.com.1°.4ª.162.E
in Vrinis pilis similia & longa.6°.de loc.aff. 4ª.37.H
per Vrinas pili qui exeunt in venis oriuntur.6°.de loc.af. 4ª.37.H
in Vrina quomodo pili nascantur,& quomodo curetur illa affectio.6°. de locis affectis. 4ª.37.E
Vrinę pingues quæ.in 3ᵐ.de mor.vul.com.3°. 3ª.147.G
Vrina pinguis quid significet,& qũo fiat. com.7°.aph.35°.Ex.56.F
supra Vrinã pingue signat consumptionem.in prog.com.2°.4ª.201.C
Vrina pinguis sine febre senibus eueniens apoplexiam facit,quę cum soluta fuerit caliginem oculorum cito transeuntem,& cibi delectationem ostendit.de dyna. Sp.34.B
Vrina pinguis in causo mortem significat.de dy. Sp.34.B
Vrina pinguis,& ruffa in pleuriticis mortem futuram ostendit.de dy namidijs. Sp.34.H
Vrinæ etiam in Pleuritide considerandę,quia est cum febre.1°. de crisibus. 4ª.128.D
Vrina pleuritidis qualis.de dyna. Sp.35.E
per Vrinas & per sudorem, & per insensibilem transpirationem aliquid meat,quod ex Potu cũ sanguine tendit.de atra bile.1ª.34.D
Vrina potui quandoq; similis.in 6ᵐ.de mor.vul.com.5°. 3ª.192.A
Vrinæ potum excedentes.in 3ᵐ.de mor.vul.com.3°. 3ª.145.E
Vrinæ Prauæ quæ.de vrin.125.A/1°.de crisi. 4ª.130.F/G
Vrina praua,& symptomata pessima significant hominem breui moriturum.in 6ᵐ.de mor.vul.com.6°. 3ª.197.B
Vrinæ excretiones praue si bene exeant,ad bonum terminantur.commentario 4°.apho.47°. Ex.32.H
Vrina quæ significet finem Principij.1°.de cris. 4ª.132.D
in Vrinis Puerorum otiosorum,& plethoricorum multa est subsidentia.1°.de cris. 4ª.130.C
Vrinæ puerorum crassæ.de ren.aff.diz.& med. 7ª.192.F
Vrinæ puerorum cur crassę.in 6ᵐ.de mor.vul.com.3°. 3ª.173.D
Vrinæ pessimæ in pueris quę.1°.de cris. 4ª.130.F
Vrinæ puerperorum quales.in 3ᵐ.de mor.vul.com.3°. 3ª.141.F
Vrina Pulmonis pinguedinosa,& alba peripneumoniam significat.de dynamidijs. Sp.35.E
per Vrinam cur sæpe non it pus pulmonis.6°.de loc.aff. 4ª.39.E
Vrina Puluerulenta,& maxime si frigus,& lippitudo oculorum fuerit,& caligo,& superiores partes in sudorem veniant, ventrem spasmum denunciat.de dy. Sp.34.D
cũ Vrina quãdoque Pus excernitur iecore aut renibus languẽtibus, & subsidendo fallit minus acutũ artificẽ.de vri.sig.ex. Sp.79.C
Vrinis fit pus quandoque ex absceßu longi temporis.commentario 4°. aphorismo 75°. Ex.36.B
in Vrina pus quid significet.6°.de loc.aff. 4ª.37.E
absque Vrinis quando pus & sanguis fiat,& quando non.commentario 4°.aphorismo 75°. Ex.36.B
Vrina pure mista,quæ postea turbeẽ,quid signẽt.4°.de sa.tu.2ª.83.H
Vrina purulenta quæ bona.in prog.com.2°. 4ª.206.B
cum Vrinę miscella puris consideratio.6°.de loc.aff. 4ª.39.A
Vrina Pura quæ longo tempore turbetur quid significet.4°.de sanitate tuenda. 2ª.83.H
in Vrina etiam Ramenta expelluntur.6°.de lo.aff. 4ª.37.D
cũ Vrina ex vesica & renib.eijciũtur ramẽta.4°.de lo.aff. 4ª.25.H
Vrina quæ velut Rasuram habuerit, & arenam, & in renibus quasi sanguinẽ,syntexin renũ colliquationẽ ostendit.de dy. Sp.34.G
Vrinã quã faciat exulceratio renũ,& vesicæ.de vri.sig. Sp.78.H
Vrinæ quibus vitia renum significantur.de vri.sig.ex Hip. Sp.78.H

Vrinæ quæ significent renum dolorem.de dyn. Sp.35.D
Vrina q̃ distinguat scabiẽ renũ a scabie vesicæ.c.4°.aph.77°. Ex.36.F
Vrina renum vlceratarum.de dyn. Sp.35.C
Vrinæ non Residentes,si æger sit fortis,longus est morbus,si debilis, mortem ostendunt.com.4°.aph.70°. Ex.35.B
Vrinæ in quibus nihil residet male.de vrin. 4ª.125.A
Vrina in febribus Rosea et obscura phrenitim significat.de dy. Sp.35.E
Vrinas Rubras tingit sanguinis serosa superfluitas.1°.de cris. 4ª.130.F
Vrina rubra significat abundare sanguinem crudiorem,& serosiorem. in 3ᵐ.de mor.vul.com.1°. 3ª.131.C
Vrina rubra est candida his,qui minima fatigatione fuerint lassi. de dynam. Sp.34.B
Vrinæ rubræ longũ significant morbũ.in 3ᵐ.de mor.vul.c.1°. 3ª.131.C
Vrina rubra significat longum morbum,licet salubrem.in 1ᵐ.de mor. vul.com.3°. 3ª.123.B
Vrinæ rubræ cur salubres,licet morbi longitudinem significent. 1°.de crisibus. 4ª.130.F
Vrina rubra cur significet lõgũ morbũ,sed salubrẽ.de vrin. 4ª.124.B
Vrinæ rubræ raro præter quartũ,& quibus diebus iudicationes secũ dum ipsas ostendantur.com.4°.aph.71°. Ex.35.E
Vrina rubra mala,quæ.in 1ᵐ.prorrh.com.2°. 4ª.172.H
Vrinã rubrã & obscurã habet qui patiẽ vitiũ hepatis.de dy. Sp.35.E
Vrina rubra mortẽ significat in phtisi,hydrope,apoplexia, epilepsia, paralysi,peripneumonia,cholica,& dysenteria.de dyn. Sp.35.D
Vrina rubra & spissa in sinocharum febrium augumento mortem cito futuram significat.de dyn. Sp.34.D
Vrina rubra,& spissa si fuerit egesta frequentius in synocha futuram phrenitim denuntiat.de dyn. Sp.34.D
Vrinarũ Russarũ tenuiũ præsagia.in 3ᵐ.de mor.vul.com.1°. 3ª.128.a
Vrina magis fit russa quando sine cibo manemus.1°.de cris. 4ª.130.A
Vrinæ russæ sunt ephemeris.1°.de arte cur.ad Glau. 7ª.95.B
Vrina russa in acmasticis inuenitur.de dyn. Sp.34.C
Vrina russa non potest esse tenuis.de vrin. 4ª.124.G
Vrina russa cur.2°.de san.tu. 2ª.69.H
Vrina russa quid significet.quæs.in Hipp. Sp.113.B
Vrina russa & atra significat abundare bilem flauam.in 3ᵐ.de morb. vul.com.1°. 3ª.131.D
Vrina russa si caput dolentibus sanguis de naribus fluxerit, huius doloris fiet solutio.de dyn. Sp.34.G
Vrina russa, & crassa cum hypostasi russa quid significet. quæsita in Hippocratis. Sp.113.B
Vrina russa & biliosa iandudum coctum esse succũ indicat, qui a vẽtriculo summittitur.2°.de san.tuen. 2ª.69.G
Vrina Sanguinea cur sit.de anat.viu. Sp.51.C
Vrina sanguinolenta quid significet.de ren.aff.dig.& med. 7ª.192.G
Vrina sanguinea synochon causon significat.de dyn. Sp.35.E
Vrina sanguinea,& obscura causon significat.de dyn. Sp.35.E
Vrina sanguinea in hepaticis mortifera est.de dyn. Sp.35.A
Vrina sanguinea cum dolore capitis & hypochondrij dextræ partis statim subitaneam mortem significat.de dyn. Sp.34.B
Vrina suadẽs sãguinẽ mittẽdũ ĩ quotidiano acuta ĩ æstate.de d.S.32.E
Vrinæ Sanioſæ in febre quales.de cauſ.procatar. 3ª.98.C
Vrinæ ſanioſæ in ſolutione phlegmonis.de cauſ.procatar. 3ª.98.C
Vrina ſani hominis qualis.de dyn. Sp.19.G
Vrinæ debent inſpici,ſi ſint ſimiles ſanis,bonum,ſi non,malum. cõmen ta.7°.aph.63°. Ex.59.H
Vrina ſignificans ſanitatem alba,& ſpiſſa.de dyn. Sp.34.A
Vrina optimæ ſanorum qualis.de vrin.ſig.ex Hip. Sp.79.A
in Vrinis ſanorum ſunt etiam crudi ſucci.1°.de alim.fac. 2ª.10.C
Vrinæ reſidentia conſideranda eſt.4°.de ſan.tu. 2ª.83.H
Vrinæ Sedimentum quid.3°.de præſag.ex pulſ. 4ª.119.A
Vrinæ,quæ ſedimen cito craſſum habent, ſignificant morbum cito debere terminari.com.4°.aph.70°. Ex.35.B
Vrinæ quæ in principijs morborum habent ſedimen,non ſunt bonæ.cõ men.4°.aph.69°. Ex.35.A
Vrinam cuius ſedimen biliоſum eſſet,pars vero ſuperfluitas aquoſa, nunquam vidit Galenus.com.7°.aph.32°. Ex.56.D
in Vrinis ſedimen vt plus fabacea.de mult. 3ª.81.F
Vrinæ habentes ſedimen veluti craſſa farina quid ſignificent.commẽt. 7°.aph.31°. Ex.56.C
in Vrinis ſi ſedimenta fiant veluti farina craſſa febricitantibus longa eſt ægritudo.com.7°.aph.31°. Ex.56.C
Vrina ſpiſſa,& cholerica ſi fuerit in augumento febris ſynochæ mortẽ ſignificat.de dyn. Sp.34.E
Vrina Spleniticorum qualis.de dyn. Sp.35.B
Vrina ſi Spumoſa ſuperius fuerit ſignificat ſtomachi ventoſitatẽ, & aliqñ deſiderium veneris,et tuſſim,et frigiditatẽ.de dyn. Sp.35.E
Vrinæ quales in Statu,de quo Hippocrates. in 1ᵐ.de mor.vulg.comment.2°. 3ª.111.G
Vrinæ non habent aliquid ſimile Strigmentis, ſed bene alui excrementa.com.7°.aph.64°. Ex.60.B
Vrina Subalbida,& ſpumoſa,aut ruſſa in ſynocha mortem ſignificat. de dyn. Sp.34.D
in Vrina Sublatio quomodo fiat.de vrin.ſig.ex Hipp. Sp.79.D
in Vrina Sublimitas quomodo fiat.de vrin.ſign.ex Hip. Sp.79.D
in Vrinis ſublime occultato dolore coxæ ſignificat delirium.in 1ᵐ.pr. commen.2°. 4ª.168.G
Vrinæ Subnigræ qd ſignificẽt.in 1ᵐ.de mor.vul.c.3°.122.H/3ª.123.C
Vrina ſi ſuperius fuerit ſubnigra, & plena, & inferius claritatẽ habuerit inferius dolorem renũ,& ſuperius grauitatem capitis obturationem aurium,& narium ſignificat.de dyn. Sp.35.D
Vrina Subpallida quid ſignificet.1°.de criſi. 4ª.130.A
Vrina ſubrubra & ſedimentum ſubrubrum longitudinem ſalubrem ſignificat.in prog.com.2°.4ª.200.E/com.4°.aph.71°. Ex.35.D
Vrina ſi fuerit ſubrubra,& hypoſtaſis ſubrubra & leuis, quid ſignifi cet.de vri.ſig.ex Hip. Sp.78.F
Vrina ſubrubra cur.in prog.com.2°. 4ª.200.E
Vrina Subruſſa quid ſignificet.1°.de criſi. 4ª.130.A
in Vrina Subſidentiam ὑπόστασιν vocant.4°.de ſan.tuen. 2ª.85.H
Vrinæ ſubſidentia quid ſit.in prog.com.1°. 4ª.197.D
in Vrinis ſubſidens proportionatur puri.1°.de diff.feb. 3ª.33.B
Vrinarum ſubſidentium,& non ſubſidentium ſignificatio, quæ.4°.de ſan.tuen. 2ª.83.H
Vrinarum ſubſidentiarum colores varij,& cur.in 6ᵐ.de mor.vulga. commen.1°. 3ª.155.G
Vrinæ non ſubſidentes malæ.in 1ᵐ.de mor.vul.com.3°. 3ª.125.C
Vrinæ habentes arenoſam ſubſidentiam ſignificant calculum veſicę,et etiam renum.com.7°.aph.79°. Ex.36.H
Vrinæ ſubſidentijs comparantur ſputa in pleuritide,& pulmonis paſſionibus.1°.de criſi. 4ª.132.D
in Vrinis ſubſiſtẽtia pus dẽ ab Eraſiſtrato.de nat.hum.c.2°. 7ª.180.C
in Vrinis prompta eſt & expedita ſubſiſtentium cognitio, quod ita nõ eſt in alui excrementis.com.7°.aph.64°. Ex.60.B
Vrinæ oſtendũt p vas facilẽ ex vitro ſubſiſtẽtiam, & ſi in altero ponat vaſe ſola ſubſiſtẽtia relinquere poſſum⁹ abiectis his quæ ſupnatãt, quod fieri non põt in alui excremẽtis.c.7°.aph.64°. Ex.60.B
Vrinæ Subſtantiam quam vocet author libri de vrinæ ſignificatione ex Hippocrate.de vri.ſign.ex Hipp. Sp.78.F
in Vrinæ ſubſtantia quid,& qualis.de vrin. 4ª.122.H
in Vrinis ſubſtantiæ defectus eſt alijs deterior.de vrin. 4ª.123.H
Vrina cũ Sudore ſi in ſynocharũ febrium augumento fuerit, & abundantia vrinæ fuerit,mortẽ cito venturam nuntiat.de dyn. Sp.34.d
Vrinarũ Suſpẽſiones deliriũ ſignificãt.in 3ᵐ.de mor.vul.c.3°. 3ª.151.B
in Vrina diſperſæ ſuſpenſiones.in 1ᵐ.de mor.vul.com.3°. 3ª.124.H
Vrina cum ſuſpenſione vt farina.in 3ᵐ.de mor.vul.cõ.1°. 3ª.133.H
in Vrinis ſuſpenſio genituræ ſimilis.in 3ᵐ.de mor.vul.c.2°. 3ª.135.C
Vrina tenuis qualis intelligatur a Galeno.com.7°.aph.32°. Ex.56.D
Vrina tenues.i.dilutæ.in 1ᵐ.de mor.vul.cõ.2°. 3ª.114.E
Vrina integre tenuis eſt aquoſa.de vri.ſig.ex Hip. Sp.79.A
Vrina tenuis ſi fuerit,nõ ſe hẽt ſm naturã.c.4°.aph.77°. Ex.36.E
in Vrina quid ſignificet tenue,& fuluum.quæſ.in Hip. Sp.113.B
Vrina tenuis q̃ ita mingitur,& manet quid ſignificet.de vri. 4ª.122.H
Vrina tenuis ita permanens vnde fiat.quæſita in Hip. Sp.113.B
Vrinæ tenues ita manentes quid ſignificent.1°.de criſi. 4ª.130.F
Vrina tenuis permanens tenuis quid ſignificet.quæſ.Hip. Sp.113.B
Vrinæ tenues quæ fiunt craſſæ quid ſignificent.1°.de criſi. 4ª.130.F
Vrina tenuis in quibus affectibus mingatur.quæſ.in Hip. Sp.113.C
Vrina tenuis quid ſignificet.de vic.rat.in mor.acu.c.4°. 7ª.140.B
Vrina tenuis ac craſſa quid ſignificet.in prog.Hip.com.2°. 4ª.200.H
Vrina tenuior coctionem imperfectam ſignificat.1°.de criſi. 4ª.130.F
in Vrinis tenuitas quid ſignificet.de vri. 4ª.124.G
Vrinæ tenues cruditatem ſignificant in venis. in 3ᵐ.de morb.vulgar. commen.2°. 3ª.139.A
Vrina tenuis notat omnes venas pati.com.4°.aph.76°. Ex.36.E

Vrina apparet tenuis,& aquosa sine hypostasi si sanguis sit crudus. 4°.de san.tu. 2ª.83.H

Vrinarum tenuitas significat cruditatem. de victus rat.in mor.acu. commen.4°. 7ª.141.A

Vrina admodũ tenuis cruditatẽ pnitiosã signat.quæs.in Hip.Sp.113.A

Vrina tenuis,& rutilia ægritudinẽ significat crudam,& diuturnam, & sine periculo esse non potest.de vrin.sign.ex Hip. Sp.78.G

Vrinæ quibus tenues,& crudæ mingunt diuturnæ,si alia signa tanquã euasuris adfuerint,hos abscessum ad septi transuersi regiones iſer nas expectare oportet.de vrin.sig.ex Hip. Sp.78.G

Vrina tenuis significat morbum crudum.in 3ᵐ.de morb.vulgaribus, com.1°. 3ª.132.F

Vrina tenuis ostendit febrem longam. de victus ratione in morb.acut. commen.4°. 7ª.140.F

Vrinæ tenues indigent longo tempore pro coctione.in 1ᵐ.de mor.vul. com.3°.123.C/ 3ª.125.A

Vrinæ tenues morbos producunt.in 1ᵐ.de mor.vul.com.3°. 3ª.122.H

Vrina tenuis cruda significat futurum abscessum in cõualituris.in pro gnost.com.2°. 4ª.201.C

Vrina tenuis,& alba ob quid mingatur.quæs.in Hip. Sp.113.C

Vrina tenuis,& alba quid significet.de urin. 4ª.124.G

in Vrinis hypostases tenues,& albæ admodum malæ.de vrin.sign.ex Hippocr. Sp.78.G

Vrina tenuis & nigra,non possunt simul stare.de vrin. 4ª.123.E

Vrinæ tenues nigræ.in 3ᵐ.de mor.vul.com.3°. 3ª.151.B

Vrinæ tenues nigræ dilutæ.in 3ᵐ.de mor.vul.com.3°. 3ª.141.E

Vrina tenuior nigra deterior est.de vri.sign.ex Hip. Sp.79.A

Vrinæ tenuiores nigriores pernitiosæ.de victus rat.in morbis acutis, commen.2°. 7ª.141.A

Vrina tenuis & pallida quid significet.de vrinis.4ª.123.C/quæsita in Hippocratem. Sp.113.A

cũ Vrina tenui nõ põt esse pallidũ ruffum & flauũ.de vri. 4ª.124.G

Vrina non potest esse tenuis,& rubra.de vrin. 4ª.123.D

Vrina tenuis,& foris turbulenta quid significet.quæs.in Hip.Sp.113.B

Vrinæ tenues,& decolores non significant mortem.sed desideratur tẽpus ad coctionem.in 1ᵐ.de mor.vul.com.3°. 3ª.122.E

Vrina tenuis cũ nebulis nõ bonis in homotono,acmastico,& paracma stico phrenitim sine mortem aut spasmũ signat.de dyn. Sp.34.C

Vrina tenuis, maxime si dolor capitis,& scapularũ,& tsõnia fuerit in synocha phrenitim,& paracopẽ,& demẽtiã,siue cardiacã signi ficat in alijs,in mulieribus mortem.de dyn. Sp.34.E

Vrina tenuis si mediocriter crassa efficiatur,& si alba ruffa fiat, iudi cationem significat.com.4°.aph.71°. Ex.35.D

quibus Vrina tenuis,pulsatus capitis,febrium vertigines a principio sunt eis,expectanda est ad crises febris acumine augeri. de vri.si gnifi.ex Hip. Sp.78.H

Vrina tenuis in critico die si aspera facta fuerit in synocha statim su dorem futurum demonstrat.de dyn. Sp.34.E

Vrina tenuis si se mutauerit post crisim,eius febris fiet repetitio. de dynam. Sp.34.E

Vrina tenuis si post crisim venerit, & longo tempore perseuerauerit repetitio cuiuslibet ægritudinis fiet.de dyn. Sp.34.G

Vrina tenuis si in malũ colorẽ se post crisim mutauerit,& ij q patiunt prima ætate fuerint,contractionẽ corporis signat.de dyn.Sp.34.G

Vrina tenuis,& bonis coloris frequẽs & multa egesta macronoxiã et solutionẽ ægritudinis ostendit,sed apostema futurũ.de dy.Sp.34.E

Vrina tenuis,& sanios a si in initio ægritudinis venerit, & per multos dies manserit qñ ad phrenitim futuram nunciat.de dyn. Sp.34.H

Vrina tenuis habens veluti limum liuidum indigestionem aut mortem nunciat.de dyn. Sp.34.H

Vrina tenuis vertigines,& capitis pulsus cũ adsunt in febribus a prin cipio expecta febrem vsq; ad iudicationem. de vict.rat.in morbis acut.com.4°. 7ª.139.H

Vrina si tenuis a principio non purgandum.de vict.rat.in mor.acutis, commen.4°. 7ª.140.B

Vrinæ cum sunt tenues a principio medicamentum ne præbeto.de vri. sign.ex Hip. Sp.79.A

Vrina Turbata quæ & quomodo.in 3ᵐ.de mor.vulgaribus,commentario 3°. 3ª.142.A

Vrinæ turbatæ vel obuersæ quales sint.com.4°.aph.70°. Ex.35.B

Vrinæ turbatæfiunt a materia crassa ac densa a calore agitata. com. 4°.aph.70°. Ex.35.B

Vrinarum quæ turbantur generalis nota.4°.de sa.tu. 2ª.83.H

Vrinæ turbatæ non subsidẽtes significãt flatuosam turbationẽ, & crassitiem crudorum humorum.in 3ᵐ.de mor.vul.com.1°. 3ª.131.F

Vrinæ turbatæ significant aliquam coctionem si statim subsistãt. in 3ᵐ. de mor.vul.com.1°. 3ª.131.E

Vrinæ aliquæ diu perturbatæ manent,& quid significant.commẽ.4°. aphor.70°. Ex.35.B

Vrinarum Turbidarum tres differentiæ,& quid significãt,& portendunt.1°.de crisi. 4ª.130.G

Vrina turbida quæ.in 1ᵐ.prorrh.com.2°. 4ª.169.D

Vrinam Turbulentam facientibus vtile est Adrianum balsamatum, & Philantropon.de dyn. Sp.28.B

Vrina turbulenta,& non varia crisim cum dolore aliquo venturum ostendit.de dy. Sp.34.C

Vrina turbulẽta,& tardius residẽs in synocha:si sanitas intrancorum fuerit,& per multos dies perseueraverit et nõ se mutauerit,acuta febris in tertianam cõuertetur.de dy. Sp.34.C

Vrinæ Variæ quid significent.in prog.com.2°. 4ª.200.C

Vrinæ variæ significant longitudinem morbi.de vict.rat.in morb.acu. comment.4°. 7ª.141.A

Vrinæ considerandæ in ventris passionibus si cum febre sint. 1°.de cri sibus. 4ª.128.D

Vrina Vesicæ scabiei.de dy. Sp.35.C

Vrina qua significatur vesicæ scabies.de vri.sig.ex Hip. Sp.78.H

Vrina i scabie vesicæ sanios a & plurimum egesta,& velut coagulata aut aliquam eruptionem in renibus aut initium calculi in proximo venturum ostendit.de dy. Sp.35.C

cũ Vrina exiẽs ephelcis vesicæ vlcerationẽ oñdit.1°.de loc.af.4ª.2.F

per Vrinas minº secedit vinaceorum dilutum si quis eo hyeme vtaĩ. 2°.de alim.fac. 2ª.18.D

Vrinæ flauorum vinorum quales.in 6ᵐ.de mor.vul.com.5°.3ª.192.A

Vrina quæ habet formam vini tenuis atq; albi,quomodo fiat,& quid significet.1°.de crisi. 4ª.130.H

Vrinæ potus vini crassi nigri quales.in 6ᵐ.de mor.vulgaribus, commenta.5°. 3ª.292.A

Vrina quæ veluti florem vini supernatantem habuerit phrenitim aut paracopem venturam ostendit.de dy. Sp.34.F

Vrina Viridis idest pallida.de vic.rat.in mor.acu.com.2°. 7ª.119.H

Vrina viridis quid significet.1°.de crisi. 4ª.130.D

Vrina viridis critico die immutata mortem ostẽdit.de dy. Sp.34.B

Vrina viridis si se mutauerit in album aut aquosum colorem typicam ægritudinem venturam significat.de dy. Sp.34.B

Vrinas bonas licet habeat Voluulus,esi tamen parua spes. in 3ᵐ.de mor.vul.com.2°. 3ª.138.H

Vrinarum Vtilium partes quæ.de uri.sig.ex Hip. Sp.79.C

per VRINAM *& sudorem expellant mali succi corrupti qui cõcoquĩ non possunt.4°.de sa.tu.* 2ª.83.E

per Vrinas si quis sanguinem purgare uoluerit quid agendum.de atte. uictus ratio. 2ª.44.E

p Vrinas uel p uterũ trãsmittẽda q̃ p aluũ fluũt.5°.meth.me.7ª.30.E

per Vrinas ac sudores reuellendæ sunt inclinationes ad superiorem uẽ trem & ad inferiorem.de cucur.scar. 6ª.4.F

Vrinæ fluxus ad sudorem reuocatur,& deiectionem alui. de Hirudi. reuulf.cucurb.& scarif. 6ª.2.D

ad Vrinam,& sudorem reuocantur uenter superior,& inferior.de Hi rud.reuulf.cucurb.& scarif. 6ª.2.D

per Vrinas, uel aluum educẽda per uterum erumpentia.5°.methodi medendi. 7ª.30.E

Vrinæ quotidie mouendæ in senibus,& quibus.5°.de san.tu. 2ª.92.E

Vrinam cientibus in quibus uti non debemus.13°.meth.med. 7ª.83.A

Vrinam prouocantia non semper danda in phlegmone,in uesica,in co le,& in renibus.13°.meth.med. 7ª.82.A

Vrinam mouere in icteritia bonum.de cura icteri. Sp.110.H

per Vrinã,& sudorẽ bilis diuertenda.1°.de arte cur.ad Glau.7ª.97.B

Vrina qũo debeat prouocari in hãtibus lapidẽ.6°.de loc.af. 4ª.38.H

Vrinã cientia in tertiana notha exhibẽda.1°.de arte cu.ad Gl.7ª.97.E

Vrina quibus prouocetur in tertiana.1°.de art.ad Glau. 7ª.97.B

VRINAS *mouentia habent quandam affinitatem cum humore tracto. 5°.de simp.med.fac.* 5ª.37.F

per Vrinam quæ educant.ars med.Isa.70.D/7°.de comp.med.sec.loc. 5ª.182.E/14°.*meth.med.91.D/1°.de arte cur.ad Glau.7ª.99.F/ de mel.ex Gal.Ruf.& Poss.* Sp.110.A

Vrinam quæ bene prouocent. 5°.de simp.med.fac. 5ª.35.D
Vrinam quæ prouocent,& attenuent.9°.de comp.me.fe.l. 5ª.201.H
per Vrinas euacuat Absynthium.6°.de simp.med.fa. 5ª.44.C
Vrinam mouet Acorum.6°.de simp.med.fac. 5ª.42.A
Vrinam mouendi vim habent Acria tenuis essentiæ. 4°.de simp.med. facul. 5ª.29.H
Vrinas ciet Allium.de vic.rat.in mor.acu.com.4°. 7ª.145.C
Vrinam mouet Ami.6°.de simp.med.fa. 5ª.42.D
Vrinam,& menstrua prouocat Ami.de simp.med. Sp.80.G
Vrinas prouocat Ampeloprassum.6°.de simp.med.fa. 5ª.42.E
Vrinam prouocare potest,tum Androsaces ipsa,tum fructus eius.6°. de simp.med.fac. 5ª.43.A
Vrinam cit Anisum.6°.de simp.med.fac. 5ª.43.C
Vrinas cient Apiũ,equapiũ,sion,& smyrnium.2°.de ali.fa. 2ª.23.E
Vrinas ciet apium.8°.de simp.med.fac. 5ª.60.B
Vrinas modice mouet apium.13°.meth.med. 7ª.83.H
Vrinã puocãt intertianis apiũ,& anethũ.1°.de ar.cu.ad Gl. 7ª.97.B
Vrinam quomodo ex Aqua calida infusa oleo reddere fecit Galenus. 1°.de loc.aff. 4ª.3.C
Vrinam,& menstrua prouocat Artemisia.de simp.med. Sp.80.F
Vrinam prouocat Asparagi semen,& radix.de simp.med. Sp.80.G
Vrinam,& menstrua prouocat Asphodelus.de simp.med. Sp.81.B
Vrinam prouocat fortiter decoctio Asari de med.exper. Sp.104.D
Vrinas ciet Balneum.de vict.rat.in mor.acu.com.3°. 7ª.132.H
Vrinæ vias aperit balneũ,tamen nõ calefacit.11°.met.med. 7ª.70.E
Vrinas ciere apparet Bdellium arabicum in potu sumptum. 6°.de simpli.med.fac. 5ª.44.H
Vrinam educit plus bibere,minus comedere,& è contra.commen.4°. aphor.83°. Ex.37.B
Vrinam mouet Bunium.6°.de simp.med.fa. 5ª.45.B
Vrinam mouet Calamus odoratus.7°.de simp.med.fa. 5ª.49.E
Vrinam cientia Calida,& acria.5°.de simp.med.fac. 5ª.35.D
Vrinã acribus,& calefaciẽtib⁹ prouocatur.5°.de sim.me.fa. 5ª.35.D
Vrinã mouẽtia sunt calida,sicca,et acria.de ren.aff.dig.et m. 7ª.196.e
Vrinã puocãtia calida lapidẽ indurãt.de ren.aff.dign.& m. 7ª.194.C
Vrinas mouentibus,menses mouentibus, & lac cientibus commune est calefacere.5°.de simp.med.fac. 5ª.38.A
ad Vrinas efficaciora medicamenta Cantharides recipiunt.4°.de simpli.med.fac. 5ª.30.C
Vrinam cientibus cantharides miscentur.3°.de simp.me.fac. 5ª.23.B
Vrinam mouentia medicamenta accipiunt parum cantharidum. 11°. de simp.med.fac. 5ª.82.E
Vrinam prouocat medicamentum ex cantharidibus citra incommodũ.de vict.rat.in mor.acu.com.4°. 7ª.152.E
Vrinam,& menstrua prouocat Cardamomum.de simp.med. Sp.82.G
Vrinas ciet Caron.7°.de simp.med.fac. 5ª.50.B
Vrinæ viæ obstructiones apit Cardui decoctio.de ren.aff.dig. 7ª.194.F
Vrinam mouet Carpesium.7°.de simp.med.fac. 5ª.50.C
Vrinam ciet Caucalis.7°.de simp.med.fac. 5ª.50.C
Vrinã fortiter puocat decoctio Carui,& seminis apij.de me. Sp.104.D
Vrinas prouocat Chamædrys.8°.de simp.med.fac. 5ª.63.E
Vrinam,& menstrua prouocat Chamædrys.de simp.med. Sp.82.G
Vrinam mouet Chamæleon.de simp.med. Sp.82.F
Vrinam prouocat Chamemelum puluerizata, & malaxata cum melle.de med.exper. Sp.106.D
Vrinæ mouendæ medicamen est Chamæpitys.8°.de sim.me.f. 5ª.63.F
Vrinam prouocat Cicer.6°.de simp.med.fac. 5ª.47.E
Vrinam cit Crocodilij semen.7°.de simp.med.fac. 5ª.53.C
Vrinas prouocat Costus.7°.de simp.med.fac. 5ª.52.F
Vrinam mouet Cotyledon.7°.de simp.med.fac. 5ª.52.F
Vrinam mouent Cucumis,& pepon.8°.de simp.med.fac. 5ª.60.E
Vrinam mouent cucumeres.2°.de alim.fac. 2ª.17.B
Vrinam mouet Cyminum.7°.de simp.med.fac. 5ª.53.F
Vrinam prouocant Cyperi radices.7°.de simp.med.fa. 5ª.53.H
Vrinam prouocant Dactyli vsq; ad sanguinẽ.de cura icteri. Sp.111.D
Vrinas prolicit Daphne herba.6°.de simp.med.fac. 5ª.46.B
Vrinam,& menstrua prouocat Daucum.de simp.med. Sp.83.E
Vrinæ mouendæ efficax est dauci semen.6°.de sim.med.fac. 5ª.46.B
Vrinam & menstrua prouocat Dictamun.de simp.med. Sp.83.D
Vrinam prouocat Eleliſphacos.de simp.med. Sp.84.A
Vrinam mouet Erbum.de simp.med. Sp.95.B/E
ꝑ Vrinas euocat sãguinẽ Eruũ.8°.de sim.m.f. 5ª.57.9/*de sim.* Sp.85.B
Vrinam cièn! Eryngium & mel.8°.de comp.med.sec.loc. 5ª.196.B
Vrinas ciet Fœniculum.7°.de simp.med.fac. 5ª.55.B
Vrinã biliosam,& multã puocat Fumus terræ.7°.de sim.m.f. 5ª.49.F
Vrinam prouocat Galbanum.de med.exper. Sp.106.F
ꝑ Vrina puocãda pelliculæ in vẽtre Gallinarũ.de me.fa.pa. 7ª.168.D
Vrinam & menstrua prouocat Git.de simp.med. Sp.84.F
Vrinã & mẽstrua prouocant radices Glycyrrhizæ.de sim. Sp.84.G
Vrinam cit Gramen.6°.de simp.med.fa. 5ª.41.C/*de simp.me.* Sp.81.C
Vrinam,& menstrua prouocat Helenium.de simp.med. Sp.83.H
Vrinas prouocat hypericũ.8°.d sim.m.f. 5ª.63.A/*de sim.m.* Sp.92.E
Vrinas mouet Hippomarathri radix & semen.7°.de sim.me.f. 5ª.55.B
Vrinam prouocant Incidentia,& calefacientia vehementer.6°.de simpli.med.fac. 5ª.48.E
Vrinas mediocriter vacuat Iuniperi fructus.2°.de alim.fac. 2ª.19.C
Vrinam mouet Lini semen.1°.de alim.fac. 2ª.15.E
Vrinam cit Lonchitis.7°.de simp.med.fac. 5ª.55.G
Vrinæ mouendæ idoneum medicamen sunt Lumbrici cum mulso epoti.11°.de simp.med.fac. 5ª.82.E
Vrinam mouet radix lupinorum.de simp.med. Sp.86.C
Vrinas cient Libyslici radix,& semen.7°.de simp.med.fa. 5ª.55.F
in Vrinam statim mittunt suam qualitatem Medicus & cyrenaicus succus.1°.de sem. 1ª.335.A
per Vrinam humiditatem educit Mel.8°.de comp.med.se.loc. 5ª.195.C
Vrinã minus mouent Melopepones,q̃ pepones.2°.de ali.fa. 2ª.17.A
Vrinam cit Meum.7°.de simp.med fac. 5ª.56.B
Vrinam cit meon,& Asaron.9°.de comp.med.sec.lo. 5ª.202.A
Vrinam,& menstrua pronocat meu.de simp.med. Sp.87.F
Vrinam mouet Moly.7°.de simp.med.fac. 5ª.56.F
Vrinam cit Mulsa.de vict.rat.in mor.acut.com.4°. 7ª.127.G
Vrinam mouet Myrta.de simp.med. Sp.87.E
Vrinam prouocat Nardus gallica.8°.de simp.med.fac. 5ª.56.H
Vrinam prouocantes vires Ocymum habet.de simp.med. Sp.88.E
Vrinam mouentia Olera suauissima.de cura icteri. Sp.111.D
Vrinas prouocat Ononis.8°.de simp.med.fac. 5ª.57.D
Vrinam & menstrua prouocat Origanum.de simp.med. Sp.88.E
Vrina sanguinem prouocat Orobum.de simp.med. Sp.88.F
Vrinas mouet Oxymeli parũ acre.de vic.ra.in mor.ac.c.3°. 7ª.130.B
per Vrinas expelli desiderantibus prodest Panax ex vino, & melle. de vic.rat.in mor.acu.com.4°. 7ª.144.C
pro Vrina prouocanda Parietaria.de med.fac.par. 7ª.168.C
Vrinas prouocat Pastinaca.8°.de simp.med.fac. 5ª.61.C
Vrinam cient Pepones.2°.de alim.fac. 2ª.16.H
Vrinas affatim prouocat Petroselinon.8°.de simp.med.fac. 5ª.58.C
Vrinas mouet Phu,plus q̃ indica,aut sirica nardus.8°.de simp.medi. facult. Sp.62.D
Vrinam ciet Polium.8°.de simp.med.fac. 5ª.59.A
ad Vrinam ciendam Potio qualis.5°.de san.tu. 2ª.91.C
Vrinam mouet Raphanus.de simp.med. Sp.89.F
Vrinam mouet Rosmarinus.de simp.med. Sp.89.D
Vrinas crassas,multasq̃,& nonnunq̃ etiam sanguinolentas mouet Rubiæ radix.6°.de simp.med.fac. 5ª.47.F
Vrinam prouocat Ruta & menstrua.de simp.med. Sp.89.D
Vrinas mouet ruta agrestis.8°.de simp.med.fac. 5ª.58.D
per Vrinas sanguinem mouet Sabina.6°.de simp.med.fac. 5ª.45.C
Vrinam valenter ciet Scandix.8°.de simp.med.fac. 5ª.60.G
Vrinam mouet Schini flos.8°.de simp.med.fac. 5ª.61.H
Vrinam graueolentem elicit Scolimos.8°.de simp.med.fac. 5ª.60.H
Vrinam prouocat Scordion.8°.de simp.med fac. 5ª.60.H
Vrinam cientia Semina.9°.de comp.med.sec.loc. 5ª.200.H
Vrinam prouocat Serycium.de simp.med. Sp.90.C
Vrinas mouet Serpillum.6°.de simp.med.fac. 5ª.47.E
Vrinam & menstrua prouocat serpillum.de simp.med. Sp.84.B
Vrina mouet Seseli.8°.de simp.med.fac. 5ª.60.C
Vrinam mouet Sion.8°.de simp.med.fac. 5ª.60.F
Vrinæ ciendæ est idoneum Solanum baliacacabum.8°.de simp.medic. facult. 5ª.62.G
Vrinæ ciendæ potestatem habet solanum hypnoticum.8°.de simp.medic.fac. 5ª.62.G
Vrinas mouet Smyrnium.8°.de simp.med.fac. 5ª.61.B
Vrinam ciet Spica nardi.8°.de simp.med.fac. 5ª.56.G
Vrinam prouocat decoctio Squinanti.de med.exper. Sp.107.A
Vrinam,& menses cit Staphilinus.6°.de simp.med.fac. 5ª.46.B

Vrinam pro-

Vrinam prouocat Syrum.de simp.med. Sp.90.H
Vrinam prouocat terebinthus.8°.de simp.med.fac. 5ª.61.A
Vrinam cientes Theriacæ.9°.de comp.med.sec.loc. 5ª.200.G
Vrinam prouocat Thymum.6°.de simp.med.fac. 5ª.48.E
Vrinam prouocat Triphyllum.8°.de simp.med.fac. 5ª.62.G
Vrinam promouet Vinum.4°.de san.tu. 2ª.83.E
Vrinas mouent super omnia vinosa aquosa.12°.met.med. 7ª.77.A
Vrinam mouent vina aquosa tenuia.de bon.& vit.suc. 2ª.38.C
Vrinam mouent aquosa, & subtilia vina pauciſſimum nutrimentum præbentia corporis.de vinis. Sp.76.D
Vrina maxime prouocatur a vinis aquosis.com.2°.aph.11°. Ex.12.D
Vrinam prouocat vinum rosatum.de simp.med. Sp.92.C
Vrinam prouocat vinum violaceum.de simp.med. Sp.92.C
Vrinam mouet vinum tenue.de bon.& vit.suc. 2ª.38.D
ad Vrinarum secessionem prodest si vino modicum bonæ aquæ miscueris.de bon.aquæ. Sp.75.F
ad Vrinam ciendam vina crassa deteriora.3°.de alim.fac. 2ª.33.B
Vrina non mouent vina nigra.5°.de san.tuen. 2ª.91.B
ad Vrinas non cito veniunt vina dulcia.de vinis. Sp.76.E
Vrinam deducit vinum cum pipere.de simp.med. Sp.92.C
Vrinas mouentibus vinis indigent senes propter abundantiam aquosorum excrementorum.5°.de san.tu. 2ª.91.B
Vrinam prouocant Violæ.de simp.med. Sp.91.H
Vrinam modice cit Vitis alba.6°.de simp.med.fac. 5ª.42.F
Vrinam ciet Xiris.8°.de simp.med.fac. 5ª.57.B
VRINAM *ciens confectio a Macedone profecta.10°.de comp.med.secun.loc.* 5ª.206.B
Vrinam multam ducens confectio.8°.de comp.med.sec.loc. 5ª.195.G
Vrinam prouocans Compositio.secr. Sp.101.H
Vrinam prouocat Electarium iridis.de med. exper. Sp.105.E
Vrinam prouocans electarium. de medicinis expert. 105.B/106.H/107.F/G/ Sp.108.B
Vrinam fortiter prouocans electarium.de med.exper. Sp.105.F
Vrinam,& menstrua prouocans electarium.de med.exper. Sp.107.D
Vrinam proritans Epithema.de med.fac.par. 7ª.168.C
ad Vrinam prouocandam Fomentum.de dyn. Sp.28.D
Vrinam ciens medicamẽtũ Hicerati.9°.de cõp.med.sec.loc. 5ª.197.H
Vrinam mouens medicina.9°.de comp.med.sec.loc. 5ª.199.A/*de medic.exper.* 104.A/E/F/H/105.E/106.F/107.G/ Sp.108.F
Vrinam fortiter prouocans medicina.de med.exper. Sp.105.A
Vrinam,& menstrua prouocans medicamen.de med.exper. Sp.106.B
Vrinam ciens Taſtillus.10°.de comp.med.sec.loc. 5ª.206.E
Vrinæ excretionem valde promouens.6°.de comp.me.p g. 5ª.263.A
ad Vrinam ciendam.7°.de comp.med.sec.lo.186.A/8°.190.H/195.G/9°.198.H/5ª.199.D/de rem.fac.par. 7ª.178.E
Vrinam purgans electarium.de med.exper. Sp.105.B
Vrinam purgans medicamentum.9°.de comp.med.sec.loc. 5ª.200.G
Vrinam crassam plurimum educens antidotus.2°.de antid. 5ª.116.D
Vrinam crassam quæ educant.de ren.aff.dign.& med. 7ª.196.D
per Vrinam feces expellens medicamen.de med.exper. Sp.105.G
Vrinas frequentes quæ ducant.de ren.affe.dig.& med. 7ª.196.E
VRINÆ *affectus in vesica,qui.de dyn.* Sp.19.H
VRINAE *stillicidium quid.fin.med.47.G/intr.* Isa.57.A
Vrinæ stillicidiũ quid significet,& vnde fiat.cõ.7°.aph.49°. Ex.57.H
Vrinæ stillicidium quomodo fiat & vnde sit,& quid sit.comment.5°. aphor.58°. Ex.43.B
Vrinæ stillicidium quando ægritudo,& quando accidens.commen.3°. aphor.16°. Ex.23.A/B
Vrinæ stillicidium fit in vesica.com.6°.aph.1°. Ex.45.H
Vrinæ stillicidium significat vesicam pati.com.7°.aph.39°. Ex.57.B
Vrinæ stillicidij causa.introd. Isa.57.A
Vrina quibus causis distillet.6°.de loc.aff. 4ª.37.B
Vrinæ stillicidia quomodo fiant,& tres addit conditiones. comm.3°. aphor.16°. Ex.23.A/B
Vrinæ stillicidia cur fiant autumno.com.3°.aph.22°. Ex.24.F
Vrinæ stillicidium fit ob acritudinem vrinæ,ob imbecillitatem potentiæ retentiuæ in vesica,ob intemperaturam,præsertim frigidam.cõmen.7°.aph.49°. Ex.57.H
Vrinæ stillicidium quibus fiat.in 1ᵐ.de mor.vul.com.2°. 3ª.111.F
ex Vrinæ stillicidio quibꝰ ileos superuenerit, in septem diebꝰ pereunt nisi febre superueniẽte satis vrina fluxerit.c.6°.aph.44°. Ex.51.C
Vrinæ stillicidij curatio.intro. Isa.57.A
Vrinæ stillicidiũ vini potio et venę sectio soluit.c.7°.ap.49°. Ex.57.H
ad Vrinæ stillicidia.de rem.fac.par. 7ª.178.F
ad Vrinam excitandam cũ natura est pigra quæ conueniat. de ren.aff. dign.& med. 7ª.196.E
ad Vrinæ exitum lentum.de cura lap. Sp.112.F
ad Vrinam reddentes ægre,aut nequaquã.de rem.fac.par. 7ª.178.E
VRINAE *difficultas quid.intro.* Isa.57.A
Vrinæ difficultas quid,& vnde.com.7°.aph.49°. Ex.57.H
Vrinæ difficultatis causa.intro. Isa.57.A
Vrinæ difficultates cur fiant in aquilonijs constitutionibus.commenta. 3°.aph.5°. Ex.20.E
Vrinæ difficultates,& vomitiones ex defluxionibus ad partes imbecillas.in 1ᵐ.de mor.vul.com.2°. 3ª.109.A
Vrinæ difficultatẽ faciunt inflãmatio,abscessus, vlceratio inæqualis, intemperatura,& spiritus flatuosus.com.7°.aph.49°. Ex.57.H
Vrinæ difficultatis curatio.intro. Isa.57.A
Vrinæ difficultatẽ in vesica sedat Theriaca.de ther.ad Pis. 5ª.96.A
ad Vrinæ difficultatẽ.9°.de cõp.me.se.loc.201.A/10°.5ª.206.A/de rem.par.fac.160.B/168.C/E/177.E/178.F/ 7ª.179.B
Vrinæ difficultatem,& stillicidium.de rem.fac.par. 7ª.179.A
Vrinæ difficultatem venæ sectio soluit.com.6°.aph.36°. Ex.50.D
Vrinam cum tormento redlentibus potio ꝓbatissima.de dyn. Sp.28.D
VRINAE *suppressio quid.fin.med.47.G/intro.* Isa.57.A
Vrina quibus causis retineatur.3°.de symp.cau. 3ª.28.C
Vrinæ suppressionis causa.intro. Isa.57.A
Vrinæ suppressio quot modis fiant.fin.med. Is.44.B
Vrina quot modis supprimatur,& curetur.de opt.sect. Isa.25.B
Vrina inhibetur octo modis.fin.med. Isa.47.G
Vrinã si quis tribus diebus nõ emiserit,quomodo cognoscatur in qua corporis parte sit affectus.1°.de loc.aff. 4ª.2.G
Vrinã nullus potuit etiã p dies paucos retinere.2°.de mo.mu. 1ª.315.E
Vrina qũo vrgeat nos operari ſm ipsam.2°.de motu mus. 1ª.315.E
ad Vrinæ impedimentũ gratia humoris frigidi.de cura lap. Sp.112.F
Vrina retenta ex frigiditate vesicæ mala.in 1ᵐ.pror.com.2°.4ª.171.C
Vrinæ retentio cũ rigore quid significet.in 1ᵐ.pror.com.3°. 4ª.181.H
Vrinæ retentio propter vesicæ inflammationẽ.introd. Isa.57.B
Vrina supprimitur ob colli vesicæ inflãmationẽ.de art.c.3°.7ª.282.B
Vrinam non põt veretrum emittere ex supfluo bilis.de sper. Sp.36.H
Vrina supprimitur qñq; ob plenitudinem vesicæ.6°.de lo.af. 4ª.38.H
Vrinã emittere cur ñ possit vesica vrinę ob mꝉtitudinẽ.5°.de lo. 4ª.35.b
i Vrinæ suppſsiõe,si ab vrinæ copia sit,fistulã demittim°.de se.Is.21.D
Vrinæ collectio cur.3°.de symp.cau. 3ª.28.D
Vrina nimia in vesica collecta facit dolorem.de mult. 3ª.76.F
Vrina supprimitur aluo egerente.in 6ᵐ.de mor.vul.c.1°. 3ª.156.H
Vrina si nõ emittat̃,& in pube sit tumor qd signet.1°.de lo.af. 4ª.2.G
Vrina suppressa citra vesicæ tumorem a quo fiat.1°.de lo.aff. 4ª.3.F
Vrinam cur reddere non poterat percussus in peritonæo,& quomodo cognoscatur.1°.de loc.aff. 4ª.3.C
Vrina retenta quid fecerit.3°.de symp.cau. 3ª.28.D
Vrinam supprimere possunt grumi sanguinis.6°.de lo.aff. 4ª.38.H
Vrinam supprimere grumos qũo cognoscatur.2°.de loc.aff. 4ª.3.B
Vrinæ suppressio ex pure.6°.de loc.aff. 4ª.38.H
Vrinæ meatum obstruxisse pus vel crassum humorem quomodo cognoscatur.1°.de loc.aff. 4ª.3.B
Vrina retinetur a lapide.6°.de loc.aff. 4ª.38.H
Vrina qñq; retinet a tuberculo in priapo.com.4°.aph.82°. Ex.37.A
in Vrinę suppressiõe si a calculo,calculosum incidim°.de sec. Isa.21.D
in Vrinę suppſsiõe,si a phlegmõe sit cataplasma addim°.de sec.Is.21.D
Vrinæ retentæ crassæ,& plurimæ consueuerunt repente simul crudis humoribus concoctis euacuari.com.6°.aph.44°. Ex.51.E
Vrinæ suppressionis curatio.intro. Isa.57.A
ad Vrinæ impedimentum valet theriaca.de ther.ad Pis. 5ª.91.G
ad Vrinam suppressam.7°.de comp.med.sec.lo. 5ª.182.G
ꝓ Vrinã nõ facta purgatiõe mẽstrua nigra iũgunt aliqñ.d̃ atr. 1ª.37.A
ad Vrinæ retentionem.secre. Sp.98.D
VRINA *quandoque multo amplior,q̃ pro naturæ modo valentibus incidit.de symp.diff.* 3ª.13.G
Vrinam qui sæpius mingit,habet vesicæ infrigidationẽ.de dy. Sp.35.E
Vrinæ celeris excretionis causa est loci calor.de na.hu.c.2°.7ª.180.D
ab Vrinæ qualitate cur mordetur vesica,excretio fit assidua. de multitudine. 3ª.76.G
Vrinæ fluorem currere possunt siti infestati.6°.de loc.aff. 4ª.38.E

Vrinæ profluuium quæ affectio.6°.de loc.affe. 4ª.37.F
Vrinæ excretio immoderata, quæ.6°.de locis affectis. 4ª.38.C
Vrinarum immoderatæ excretiones fiunt patiente hepate.de virtuti. noſtrum corpus diſpenſa. Sp.60.B
Vrinę diarrhœæ ſymptomata.2°.de ſymp.cau. 3ª.21.E
Vrinę ꝓfluuiũ raro fit, et illud tñ bis vidit Galenus.6°.de lo.af 4ª.37.F
Vrinę quatuor heminę ab adoleſcẽte ſemel excretę.1°.de lo.af. 4ª.2.E
Vrinæ fluor ſubito fieri non poteſt.6°.de lo.aff. 4ª.37.H
Vrinę profluuium cur peſſimum.1°.de criſi. 4ª.130.H
Vrina ſuperflua extenuat corpus.com.2°.aph.28°. Ex.16.E
Vrinæ fluentis curatio.introd. Iſa.60.A
Vrinas ad ſudores, & ad alui deiectiones reuelles.de cuc.ſca. 6ª.4.F
ꝓ Vrinas q̃ fluũt, vel ꝓ vterũ, vel ꝓ ſedẽ trãſferẽda.5°.me.me. 7ª.30.E
ad Vrinam totius exuberantiam ſiſtendam.de me.fa.pa. 7ª.168.D
VRINAM *tenere nõ põt veretrum ex ſuperfluo bilis.de ſper.* Sp.36.H
Vrinas non continentibus non eſt medicamentum exhibendum.de uic. rat.in mor.acu.c.4°. 7ª.150.F
ad Vrinæ incontinentiam.de cur.lap. Sp.112.F
ad Vrinam inuoluntarie reddentes.de med.fac.par. 7ª.168.D
ad Vrinæ exitum inuoluntarium.de reme.par.fac. 7ª.178.F
Vrinæ exitus inuitus cur.6°.de lo.aff. 4ª.41.H
Vrinæ mictio cur præter voluntatem.6°.de lo.aff. 4ª.38.F
Vrina quomodo præter voluntatem excernatur.6°.de lo.aff. 4ª.38.F
Vrina cur inuolũtarie emittatur.in 6ᵐ.de mor.vul.com.3°. 3ª.174.H
Vrinę præter volũtatẽ emiſſæ caſus multi, & cur.1°.de lo.af. 4ª.7.H
Vrinę vaſorũ imbecillitas qũo cognoſcaẽ.de re.af.dig.et med. 7ª.192.g
Vrinę vaſorũ dilatatio qũo cognoſcatur.de ren.af.di.et me. 7ª.192.G
Vrinæ excretio ſine recordatione mala.in 1ᵐ.prorrh.com.1°. 4ª.167.C
de Vrina plus ſcripſerũt medici, q̃ cõueniat.10°.de ſimp.me.f. 5ª.75.C
cum Vrina eandem materiã habet ſudor.10°.de ſim.me.fa. 5ª.75.A
VRINA *habet aliquid bilioſi miſti.10°.de ſimp.med.fa.* 5ª.75.A
Vrinarum differentię.10°.de ſimp.med.fac. 5ª.75.B
Vrinæ ita ſunt diuerſæ vt biles in animalibus.10°.de ſim.me.f. 5ª.75.D
Vrinam aliqui putarunt craſſiorem bile.2°.de na.fac. 1ª.297.B
Vrina tenuior bili.2°.de nat.fac. 1ª.297.B
Vrinæ odore cognoſcunt an acres & quales.10°.de ſim.m.f. 5ª.75.D
Vrinæ vſus an debeat eſſe.1°.de comp.me.ſec.loc. 5ª.129.H
Vrina Aprorum valida & acerrima odore.10°.de ſim.me.f. 5ª.75.D
Vrina Aſini quod non bibenda.6°.de comp.me.ſec.lo. 5ª.174.E
Vrina Cameli qualis.1°.de comp.me.ſe.lo. 5ª.129.H
Vrina Canis.1°.de comp.me.ſec.lo. 5ª.127.A
Vrinam Capræ dat potui.9°.de com.me.ſec.loc. 5ª.200.G
Vrina humana omnium eſt imbecilliſſima præter illam ſuum domeſtico rum caſtratorum.10°.de ſimp.med.facul. 5ª.75.D
Vrina humana in Achoribus.1°.de comp.me.ſec.lo. 5ª.131.D
Vrina humana pſoras & lepras detergit, ad vlcera tum multa humiditate, tum ſordibus, & impuritate ſcatentia, ad pudenda putredine affecta, & aures pure fluentes valet, achoras, et furfures curat,10°.de ſimpl.med.fac. 5ª.75.D
Vrina humana vlcera digitorum pedis ſanat.10°.de ſim.m.f. 5ª.75.E
Vrina oculis conuenit.de ocul. 7ª.188.G
Vrina pueri pro orthopnœa.10°.de ſimp.me.fac. 5ª.75.F
Vrina pueri veneris expertis.9°.de compo.med.ſec.lo.200.F/4°.de comp.med.per ge.5ª.242.H/de med.fac.par. 7ª.170.B/D
Vrinam pueri deguſtare viſum eſt cuidam abominabile.10°.de ſimpl. medicam.facul. 5ª.75.D
ex Vrina vlcera difficilia Chryſocolla ſanat.10°.de ſim.me.f. 5ª.75.E
Vrina vetus vnius viri.5°.de comp.med.per ge. 5ª.252.H
Vrina Suis ſylueſtris.3°.de comp.me.ſecun.loc. 5ª.143.E
Vrina verris.de rem.fa.par. 7ª.162.B
Vrina Tauri qualis.1°.de comp.med.ſec.lo. 5ª.129.H
ex Vrinæ potu q̃ peſtis ſanabaẽ in Syria.11°.de ſim.me.fa. 5ª.75.D
Vrina omittẽda cũ alia adſint medicamina.10°.de ſim.me.f. 5ª.75.D
in Vrina ſubſidẽs craſſum ſanat eryſipelata.10°.de ſim.m.f. 5ª.75.F
Vrina expurgantur veſtes ſordidæ.10°.de ſimp.med.fac. 5ª.75.D
Vrinæ & vnguibus ſiẽia in abſceſſibus inueniunt.de tu.præ.na. 3ª.83.G
VRINACVLVM *quid.de diſſec.vuluæ.* 1ª.109.G
Vrinaculum admodum rectum.15°.de vſu par. 1ª.212.D
Vrinaculi latitudo quanta.15°.de vſu par. 1ª.212.D
circa Vrinaculũ arteriæ ſunt ĩ inferiorib⁹ ptib.15°.de vſ.p. 1ª.211.G
Vrinaculũ non habet muſculum extrinſecum, vt habet collum veſicæ. 15°.de vſu part. 1ª.212.D
Vrinaculi os a quatuor uaſis ſeparatum paulatim laxatur, et membranam facit inteſtino ſimilem dictam inteſtinale.de fet.for. 1ª.322.F
in VRINARIA *fiſtula exiſtens tuberculum ſuppuratione ſanatur. comm.4°.aph.82°.* Ex.37.A
Vrinaria fiſtula eſt meatus in pene.com.4°.aph.82°. Ex.37.A
in Vrinario meatu quibus tubercula fiunt, his ſuppuratione facta, & eruptione ſanantur.com.5°.aph.57°. Ex.59.B
Vrinarius meatus quid.6°.de anat.adm. 1ª.93.D
de Vrinario meatu Aſclepiadis opinio.1°.de natu.fac. 1ª.293.H
Vrinarij meatus quales.de ren.aff.dig.& med. 7ª.192.A
Vrinarij meatus ubi ſiti.5°.de uſu par.143.H/1°.de natu.fac. 1ª.293.e
Vrinarius meatus ueſicæ ubi ſit.2°.de ſem. 1ª.340.C
Vrinariorum meatuum ſectio in uiuo animali quomodo fieri debeat.1°. de natur.fac. 1ª.293.F
Vrinarios meatus Galenus diſſecuit in uiuo animali urinam proſtillante.1°.de natur.fac. 1ª.293.F
Vrinariorum meatuum ſectio.6°.de anat.adm. 1ª.93.D
Vrinarius meatus non debet incidi.de ren.aff.dig. & med. 7ª.193.C
Vrinariorum meatuum uſus.5°.de uſu par. 1ª.143.H
Vrinario meatui ineſt humor uiſcoſus, & propter quid.13°.de uſu par tium. 1ª.201.H
Vrinarij meatus excipiunt quod aquoſum eſt, & ſeroſum.6°.de anato. admi. 1ª.90.C
ad Vrinarium meatum ſiccum habentem quid ſequatur.14°.de uſu par tium. 1ª.208.D
per Vrinarium meatum quæ expurgentur.11°.meth.me. 7ª.73.F
in Vrinarijs meatibus cur dolor ſeuiſſimus. de renum affect. dignotione & medela. 7ª.193.B
ad Vrinariæ viæ dolorem.de remed.fac par. 7ª.178.F
Vrinarius meatus quomodo in tumorem attollatur.1°.de lo. aff. 4ª.3.A
Vrinarius meatus quot modis conſtipari contingat.1°.de l. aff. 4ª.2.b
Vrinarij meatus obſtructio a quibus fiat.1°.de lo.aff. 4ª.3.A
Vrinarij meatus obſtructio quomodo oriatur.2°.de lo.aff. 4ª.3.A
ad Vrinarii meatus obſtructionem cognoſcendam uictus ratio conducit.1°.de loc.aff. 4ª.3.B
in Vrinario meatu quomodo oriatur caro.2°.de loc.af. 4ª.3.A
Vrinarij meatus a lapide acuto & aſpero ulcerantur. commentar.4°. aph.75°. Ex.36.A
Vrinarias uias dilatantia.de ren.aff.dig.& med. 7ª.193.H
VRNA. de pond.& menſ. 5ª.277.B/E
VRANTVR quomodo res in olla foramine dimiſſo, & uaſe lutato.5°.de com.me.ſec.lo. 5ª.165.H
Vrere acris ſaporis terminus eſt.4°.de ſimp.me fac. 5ª.29.F
Vrere quæ poſſint.5°.de ſimp.me.fac. 5ª.38.F
Vrunt quæ in quarto ordine calida.3°.de comp.me.per ge. 5ª.230.H
Vrit altercus calefacta.1°.de ſimp med.fac. 5ª.3.C
Vrit calx, tamen adſtringendi uim non habet.5°.meth.me. 7ª.31.D
Vrit tithymallum quaſi cauſticum.de ſimpl.med. Sp.91.E
Vrit vua agreſtis.6°.de ſimp.me.fa. 5ª.44.B
Vritur quando æger in frigido ambiente, de illo deſperandum.11°.methodi med. 7ª.70.B
Vrantur ſi partes interiores, & exteriores frigeſcant in continua febre cum ſiti, lætale.com.4°.aph.48°.33.A./com.7°.aph.68°. Ex.60.F
Vri debent quibus brachium iugiter excidit. commentar.6°.aphoriſmo 60°. Ex.53.G
Vri debent qui habent mucores in coxendicum articulis.commen.6°. aph.6°. Ex.53.G
Vrimus propter difficultatem anhelitus, & propter anguſtiam loci. com.6°.aph.27°. Ex.48.G
Vruntur quorum hepar ſuppuratur, ex his aliqui euadunt, aliqui non. com.7°.aph.45°. Ex.57.F
Vruntur qui ſuppurati euadunt, & qui non.com.7°.a.44°. Ex.57.F
Vruntur quicunque ſuppurati, aut aquã intercutem patiuntur, ſi pus aut aqua vniuerſum efluxerit, moriuntur.cõ.6°.a.27°. Ex.48.G
VRSAE opus in effingendus filijs.de ther.ad Piſ. 5ª.94.F
Vrſæ filij caro quædam ex in formis.de ther.ad Piſ. 5ª.94.F
VRSA *ſepti ſtella.3°.de dieb.dec.* 4ª.159.H
ab Vrſis ſpirat Boreas.de aere, aq.& lo. 2ª.5.D
VRSVS *habet tertium locũ inter animalia pro diſſectione.6°.de ana. adminiſt.* 1ª.98.D
Vrſus manſuefactus non eſt ſemper talis. de cognoſcendis curãdiſq; animi morbis. 2ª.54.C

inter Vrſum,& ſuem animal medium in Lucania.3°.de ali.f. 2ª.26.C
Vrſi frigidi ſunt.2°.de ſimp.me.fa. 5ª.14.E
Vrſi pingues.2°.de ſimp.med.fac. 5ª.14.E
Vrſorum ſanguis abſceſſus concoquit.10°.de ſim.me.fa. 5ª.73.D
Vrſi adeps tenuium partium.3°.de comp.med.per g.232.H/5ª.233.H
Vrſi adeps mollificat.2°.de art.cu.ad Gla. 7ª.104.A
Vrſi adipem ſequitur pardi adeps.2°.de ar.cu.ad Gla. 7ª.104.A
Vrſorum adipem alopecias curare vere eſt proditum. 11°. de ſimpl. medi.fa. 5ª.79.E
Vrſi adeps quo loco reponatur inter calida, quæ valent alopecijs. 1°. de compo.med.ſe.lo. 5ª.122.D
Vrſo caro qualis.3°.de alim.fac. 2ª.26.A
Vrſorum lien non eſt eſculentium.de atra bil. 1ª.36.E
Vrſorum eſus feris hominibus relinquendus.de atten.vic.ra.2ª.45.E
Vrſorum nerui ad profundam laryngem euidentißime apparẽt.16°.de vſu partium. 1ª.216.E
Vrſorum fel ſupra ouillum.10°.de ſimp.me.fa. 5ª.74.H
VRSI *vua quæ ſit,& vbi naſcatur.7°.de comp.me.ſe.lo. 5ª.184.D*
Vrſi vuæ meminit.7°.de comp.me.ſe.lo. 5ª.184.D
ex VRSINO *felle antidotus.8°.de comp.me.ſe.lo. 5ª.195.G*
Vrſinum fel ad viſus obſcuritatem.de reme.par.fa. 7ª.156.H
Vrſina vngula.de dynam. Sp.24.B
VRTICA herba agreſtis.2°.de alim.fac. 2ª.23.E
Vrtica eſculenta prius quam exiccetur.de atten.vic.rat. 2ª.44.B
Vrticam nemo comedit niſi coactus.2°.de alim.fa. 2ª.23.E
Vrticæ pranus cibus.1°.de differen.feb. 3ª.31.C
Vrtica obſonium eſt.2°.de alim.fa. 2ª.23.G
ex Vrtica minutal confert lapidem habenti.de cur.lap. Sp.112.A
Vrtica pruritum facit.2°.de ſympt.cau. 3ª.23.H
Vrtica cur faciat prurire partes,quas tangit.6°.de ſim.me.f. 5ª.41.H
Vrticæ morſus oleum ſanat.1°.de ſim.me.fa.11.A/ 5ª.12.E
Vrtica flatuoſa venerem ſtimulat.6°.de ſim.me.fa. 5ª.41.H
Vrtica eſt multum tenuium partium.6°.de ſimp.me.fa. 5ª.41.H
Vrtica eſt tenuium partium & ſicca,non tantum calida vt mordicet. 6°.de ſimp.med.fa. 5ª.41.H
Vrticæ vires.6°.de ſimp.me.fa. 5ª.41.H
Vrtica contra frigus facit,morbum regium emendat,antidotis, quę co licis ſunt propria,admiſcetur,tumorem vẽtris vel frigus, ex tumo ribus conceptum ſedat:omnẽ humorem diſſoluit.de ſim. Sp.92.A
Vrtica multum digerit.6°.de ſim.me.fa. 5ª.41.G
Vrtica adſtringens eſt,& repercutiens.4°.de com.med.ſe.l. 5ª.157.D
Vrtica in phlegmone intrinſeca.13°.meth.med. 7ª.85.C
Vrtica pro phlegmone cauæ partis iecoris.13°.meth.med. 7ª.84.A
Vrtica quomodo ventrem ſubducat.6°.de ſim.me.fa. 5ª.41.H
Vrtica medicamentum eſt,quod aluum deiicit.2°.de ali.fa. 2ª.23.G
Vrtica ſanat phymata, parotidas, gangrenoſa, cancroſa,& e pectore pulmoneq; educit.6°.de ſimp.me.fa. 5ª.41.H
Vrticæ ſemen meatus p urgat.5°.de ſim.me.fa. 5ª.35.C
Vrticæ ſemen pus valenter educit e thorace.13°.meth.med.7ª.84.H
Vrrticæ ſemen toſtum.7°.de compo.medi.ſec.lo. 5ª.182.A
VRTICÆ *marinæ valent ad depilationẽ.11°.de ſimp.me.fa.5ª.82.G*
VSTIO *duplex.in 6m.de morbis vulgaribus, commentario.5°. 3ª.196.A*
Vſtio quando fiat.in 6m.de mor.vul.com.6°. 3ª.196.A
Vſtio debet refri erari.8°.methodi med. 7ª.51.E
ex Vſtione febricitantes lauandi.8°.meth.med. 7ª.51.E
ad Vſtionem oculorum collyrium.de ocul. 7ª.191.D
Vſtiones accipit lupinus cum aceto,in modum cataplaſmatis impoſitus.de ſimp.med. Sp.86.C
Vſtio ac veluti flamma in thorace quo lunæ aſpectu fiat.de decu. progno.ex mathem.ſcien. Sp.12.G
Vſtio in quibus fiat.introd. Iſa.59.F
Vſtio vtilis eſt in oſſibus.introductio. Iſ.59.F
Vſtio corporis habitum conſtipat.11°.meth.med. 7ª.61.G
Vſtio ſoluit humiditatem ab humeris.de ae.aq.& loc. 2ª.5.F
Vſtione indigent qui plurimum habent pus,quod non poteſt expuitione expurgari.com.6°.aph.27°. Ex.48.G
Vſtione qui cancri indigeant.com.7°.aph.36°. Ex.50.E
Vſtio quid requirat introd. Iſa.59.F
Vſtio vbi fit,debẽt muniri ptes propinquæ.6°.de com.me.ſe.l.5ª.172.E
Vſtionem curatio qualis.de arti.com.2°. 7ª.259.C
VSTVS *aqua feruenti ambuſtus dicitur, & quomodo curetur. 1°. de compoſi.medi.per genera. 5ª.211.F*
Vſta omnia lota fiunt moderatiora,& minus mordacia. 9°.de ſim.me dicamen.fa. 5ª.71.E
Vſta debent tegi.de arti.commen.2°. 7ª.259.C
cum VSVRA inueniuntur quæſita, & paulatim quomodo. 1°.de dignotio.pulſuum. 4ª.70.G
VSVS *quid ſignificet.9°.de ſim.me.fa. 5ª.64.E*
Vſus roborat.de conſuet. 2ª.61.G
Vſum hominum conſiderare debet medicus.de ſpermat. Sp.39.F
in Vſu perpetuo nihil eſſe debet.5°.de ſan.tu. 2ª.92.F
Vſui alieno a ratione non inſuescendum.11°.meth.med. 7ª.72.A
Vſus inſignis mutatio facit magnos,& celeres pulſus.1°.de cau.pulſuum. 4ª.90.G
Vſu maxima,facillima quantum ad noſtram cognitionem ſpectat dicũ tur ſenſibilia,& intelligibilia.9°.de dec.Hip. 1ª.279.E
Vſus medicorum in hydrope curanda.com.6°.aph.27°. Ex.48.G
VSVS *quid ſit.1°.de loc.affect. 4ª.3.E*
Vſus conſiderandus non artium inuentio.3°.de lo.aff. 4ª.14.H
Vſus,inſtrumentum,& facultas conſideranda ad pulſus mutãtes cauſas inueniendas.3°.de præſag.ex pul. 4ª.118.A
Vſus partis qũo differat ab actione,& quid ſit.17°.de vſu pa.1ª.221.C
Vſus inuentionem præcedit actionum cognitio.16°.de uſu p.1ª.220.E
Vſibus & actionibus membrum vnumquodq; non forma corporis iudicatur.1°.de decr.Hipp. 1ª.233.E
ex Vſibus inſtrumẽta iudicãtur eadẽ vel diuerſa.2°.de dec.1ª.240.E
Vſum medicinę non habens,quamuis ipſam habeat,idem tamen eſt ac ſi liram habeat,& eius vſu careat.de the.ad Piſ. 5ª.98.C
VTENDI *& componendi methodus in pharmacis eadem.4°.de comp.med.ſec.lo. 5ª.149.C*
VTRES *pleni non ſunt duri.5°.de ſimp.me.fac. 5ª.32.G*
Vtres & dolia rumpuntur in muſtis ob ſpiritus.in 1m.de morb. vulg. commentario 1°. 3ª.104.G
in Vtre poſita aqua calida fomentum eſt calidum. de vict.rat.in mor. acu.commen.1°. 7ª.116.D
in Vtribus ſuſpenſum vinum ad ignem,euaporante aqua, indureſcit ĩ modum ſalis in quam regione.de vtil.reſp. Sp.64.F
in Vtre experimentum Hippocratis.de articulis.com.3°. 7ª.274.D
in Vtribus exemplum.in 6m.de mor.vulg.com.3°. 7ª.176.E
VTERARIAE *mulieres quæ.in 6m.de morb.vulg.c.1°. 3ª.153.C*
VTERINA *ſtrangulatio quæ.com.5°.aph.35°. Ex.40.F*
Vterinis ſtrãgulationibus ſuperueniente ſternutatione patiens aliquantulum leuatur.com.5°.apho.35°. Ex.40.F
Vterina ſymptomata pertinent ad vterum,tanquam ad radicem. 6°. de locis affectis. 4ª.40.C
Vterini clyſteres.5°.meth.me.32.D/ 7ª.34.C
VTERVS *græce dicitur ὑστερῶν cum accentu circunflexo. comment. 5°.aphoriſmo.49. Ex.42.A*
Vterus,& vulua idem,& quid ſint.6°.de loc.aff. 4ª.39.D
Vteri quando dicantur ſecundæ.com.5°.aph.35°. Ex.40.F
Vterus dicitur conceptaculum,nõ tamẽ ab Hippocrate.in 6m.de morbis vulg.com.5°. 3ª.192.D
Vterus quas habeat fibras.2°.de temperam. 1ª.18.A
Vterus habet ſolum vnam tunicam.3°.de natu.facul. 1ª.305.E
Vteri ſunt durioris ſubſtantiæ quam caro,& quales.de bonita. & vi. ſuccorum. 2ª.37.B
Vterus quam habeat carnem.2°.de tempe. 1ª.18.A
Vterus quam habeat caliditatem.2°.de temper. 1ª.18.A
Vterus eſt pars neruoſa.com.5°.aph.22°. Ex.39.E
Vterus neruoſa particula.in 6m.de mor.vul.com.1°. 3ª.153.A
Vterus neruoſus eſt.de vic.ra.in mor.acu.com.3°. 7ª.130.H
Vterus quomodo dicatur neruoſus.in 6m.de mor.vul.c.°. 3ª.153.B
Vterus habet neruos ſed puſillos.in 6m.de mor.vul.com.1°.3ª.153.C
Vteri corpus eſt elementum ſenſibile.1°.de nat.fac. 1ª.291.G
Vterus quibus locis ſituetur.de diſſ.vul. 1ª.108.D
Vteri qualis ſitus ſecundum magnitudinem.de diſſ.vul. 1ª.108.F
Vteri magnitudo quanta.de diſſ.vul. 1ª.108.D
Vterus multis partibus alligatur.de diſſ.vul. 1ª.108.F
Vteri cornuum figura cur talis.14°.de vſu par. 1ª.208.E
Vteri os quod ſit,& collũ,& ſuæ partes.com.5°.ap.46°. Ex.41.G/H
Vteri pars anterior cunnus dicitur.1°.de ſemine. 1ª.329.H
Vterus vtitur collo & gule tanquam manu.1°.de ſem. 1ª.329.H
in Vtero cornuum generatio quare.14°.de vſu par. 1ª.208.D

in Vtero muſculoſæ partes vnde.14°.de vſu p ar. 1ª.208.E
ad Vterum multa venarum ora pertingunt.6°.de loc.aff. 4ª.40.F
Vterus habet plurimas,& maximas venas.in 6m. de morbis vulgar. commen.1°. 3ª.153.D
in Vtero venæ maiores,quam arteriæ.de diſſ.vul. 1ª.108.G
in Vtero venæ,& arteriæ ſe contingunt.9°.de vſu par. 1ª.172.H
Vtero,& mammis communes venæ quæ.5°.de ſim.me.fac. 5ª.37.H
Vterus & mammæ habent quaſdam communes venas. commentario 5°.aphoriſmo.37°. Ex.40.H
Vterus mammæ ſocietate coniungitur.in 6m.de morbis vulgaribus,cõmentario.5°. 3ª.192.D
Vterum languere ſignificat mammæ affectus. in 6m.de morbis vulga. commentar.5°. 3ª.192.D
Vteris ſimile corpus totum habent mulieres. commentario. 5°. aphoriſmo 62°. Ex.43.F
Vteri ſanguinis temperaturam ſequuntur animæ facultates ſecundum Ariſtotelem.quod animi mor. 1ª.319.C
Vterus cur a natura conditus.3°.de nat.fac. 1ª.302.G
Vterus inſtrumentum eſt.de nat.hu.com.1°. 1ª.26.C
in Vtero humoris vtilitas.15°.de vſu par. 1ª.211.H
Vterus cum tendit ad ſemen,quo eat.1°.de ſemi. 1ª.329.H
Vteri trahunt ſemẽ,cõplectũtur,& continent.1°.de ſemi. 1ª.129.B
Vteri quomodo attrahant & expellant.3°.de nat.fa. 1ª.305.G
Vteri os præ pinguedine cõcluditur,vt ſemen ſuſcipere nequeas.de aere aquis,& loc. 2ª.5.G
Vteris os comprimitur omento in pinguibus,hinc non poſſunt concipere niſi extenuentur.com.5°.aph.46°. Ex.41.G
in Vterum quando ſperma animatum veniat.de ſper. Sp.38.A
Vterus recipit ſemen,& expellit fœtum per eandem viam.3°.de natu. facultatibus. 1ª.306.B
Vteri retentricis virtutis opus quod.3°.de nat.fac. 1ª.302.H
Vterus habet retentricem facultatem.3°.de nat.fa. 1ª.302.G
in Vtero clarius videtur vis retentrix,quam in ventriculo.2°.de na. facultatibus. 1ª.302.G
Vterum in ſeipſum concurrere ſentiunt prægnantes in principio conceptus.3°.de nat.fac. 1ª.302.H
Vterus cum acceperit ſemen,ſtatim claudit os.c.5°.aph.51°. Ex.42.B
Vteri os dum eſt prægnans non ingreditur ſpecilli acumen ſecundũ Herophilum.3°.de nat.fac. 1ª.302.H
Vteri os in prægnante nec ſtyli mucro ingrederetur.2°.de ſym.3ª.21.B
Vteri ſteriles qui ſint.com.5°.aph.59°. Ex.43.C/F
Vteri fœcundi & ſterilis cognitio.com 5°.aph.62°. Ex.43.H
Vteri pars dextera cur ſit calidior,& ſiniſtra frigidior. commentar. 5°.aphoriſmo.48°. Ex.41.H
Vteri pars ſiniſtra frigida,& cur.com.5°.aph.48°. Ex.41.H
Vteros frigidos denſitas comitatur.com.5°.aph.62°. Ex.43.F
Vterus mulieris frigidus facit fœminas.com.5°.aph.42. Ex.41.E
ab Vteris frigidis ſemen viri refrigeratur,niſi ſit calidiſſimum.cõmẽ. 5°.apho.62°. Ex.43.H
Vterus mulieris grauidæ habet tumorem,tamen non facit ileon, quanto magis veſica plena.com.6°.aph.44°. Ex.51.D
Vterus mulieris prægnantis propter tumorem poteſt quandoq; premere inteſtina gracilia.com.6°.aph.44°. Ex.51.D
Vteri os quomodo cognoſcatur,quando eſt cõpreſſum ob tumorẽ præter naturam,& conceptum.com.5°.apho.54°. Ex.42.F
Vteri os quibus durum eſt,his vteri os comprimi eſt neceſſarium.com menta.5°.apho.54°. Ex.42.F
Vterus cur nõ multum intumeſcit,ſi genitura in ſpiritum diffl atur.1°. de ſemine. 1ª.329.F
in Vteri cauitate vt plurimum ſemen extenditur, vel non concipiũt. com.5°.apho.62°. Ex.43.G
in Vtero quomodo diſponatur ſperma.de compa.mem. Sp.59.D/E
Vterus habens ſinus,& clauſtra.an animal ſit. 1ª.326.D
Vterus duos ſinus habet.in 6m.de morb.vul.c.2°. 3ª.169.C
Vterus quomodo habeat duos ſinus.com.5°.apho.48°. Ex.41.H
Vteri os quomodo nouem menſibus claudatur.6°.de loc.aff. 4ª.42.D
Vterus quid patiatur ſpatio nouem menſium.2°.de ſymp.cau. 3ª.21.B
in Vtero quomodo formetur fœtus.1°.de ſan.tu. 2ª.62.F
in Vtero quid prius conformetur.fin.med. Iſa.49.H
in Vtero formãdi infantiũ modus.de nat.& ord.cuiusl.cor. Sp.42.C
in Vtero quot pelliculis infans circũdetur.15°.de vſu pa.1ª.211.C
in Vtero inuoluitur fœtus tribus pelliculis.de ana.viuo. Sp.52.C
Vterum attingens pars ſeminis fit membrana.1°.de ſemin. 1ª.330.G
Vteri membranæ duriores efficiuntur,quanto magis in vtero gerit mulier.de diſſec.vul. 1ª.108.H
ab Vtero ad ſecundas nullus nervus peruenit.6°.de de.Hip.1ª.265.A
in Vtero quod geſtatur non eſt pars gerentis vterũ.fin.me. Iſa.49.F
in Vtero maris,& fœminæ notæ.de med.fac.par. 7ª.168.F
in Vtero mas apparet calidior,& fœmina ſiccior.2°.de ſe.1ª.339.A
in Vtero mas breuius,fœmina longius fingitur.2°.de ſem. 1ª.339.A
in Vtero quod eſt an ſit aĩal Deus primo nouit.an aĩal ſit. 1ª.326.H
in Vtero exiſtente infante quid a natura fiat.15°de vſu pa. 1ª.211.B
in Vtero quod eſt animal.an animal ſit. 1ª.327.C
in Vtero exiſtens eſt potentia animal ſit. 1ª.327.D
in Vtero ſpirat animal.an an animal ſit. 1ª.327.E
Vterus ab aliquibus putatur animal.6°.de loc.aff. 4ª.40.D
in Vtero fœtus nutritur,& augetur.1°.de nat.fa. 1ª.291.H
in Vtero exiſtens fœtus quibus veſcatur.com.5°.aph.37°. Ex.41.A
in Vtero vnde nutriatur fœtus.de anat.parua. Sp.43.C
ex Vteri ſanguine nutritur conceptus.de ven.ſect.aduer.Era.6ª.6.H
in Vtero ſanguine nutrimur.1°.de ſan.tu. 2ª.65.C
in Vtero in muliere ſanguis & ſpiritus per quæ coquãtur,et vbi ſint. 14°.de vſu par. 1ª.207.G
in Vtero vis formatrix trahit optimum ſanguinem.de atr.bi.1ª.36.H
in Vtero vaſa trahũt sãguinẽ ad viſcerũ generationẽ.de fœ.1ª.324.f
in Vtero quæ ſunt Cotylidonæ trahunt.an animal ſit. 1ª.327.E
Vtero non gerentibus lac non adeſt.de ven.ſect.aduer.Eraſ. 6ª.7.A
in Vtero poſitio infantis.de nat.& ord cuiusl.corp. Sp.42.C
in Vtero fœtus cur emittat lotium ad vmbilicũ.15°.de vſ.p.1ª.212.C
in Vtero quando infans moueatur.de ſper. Sp.36.D
ab Vtero non eſt motus fœtus,ſed a ſeipſo.in 6m. de morbis vulgarib. commentario.1°. 3ª.154.G
in Vtero fœtus non vtitur motu voluntario.15°.de vſu par.1ª.212.C
in Vtero geſtis pulmo cur ruber poſtea ſubalb.15°.de vſ.p. 1ª.212.F
in Vtero cur non mouetur pulmo.15°.de vſu par. 1ª.212.F
Vtero gerentium mulierum errores.11°.de vſu par. 1ª.188.B
Vterus ad fœtum edendum vtitur actione facultatis expultricis.2°.de ſymptom.cauſ. 2ª.21.B
in Vtero q̃ cõtinentur expultrix vis expellit. 2°.de ſym.ca. 3ª.23.G
Vteri collũ quantũ aperiatur in fœtu edendo.2°.de ſymp.cau. 3ª.21.B
Vteri os quando aperiatur a natura.com.5°.aph.53°. Ex.42.D
Vteri os conniuet in conceptibus,& phlegmone.3°.de na.fa.1ª.303.A
Vteri os conniuet viuente fœtu.3°.de na.fa. 1ª.303.A
Vteri os aperitur fœtu mortuo.3°.de nat.fac. 1ª.303.A
in Vtero mortui fœtus remedia.de med.fac.par. 7ª.177.F
Vteri tunicæ extentæ prius quomodo fœtum eiiciant. 2°.de ſymptom. cauſis. 3ª.21.B
Vterus quomodo dilatatur,& conſtringatur.de ana.viu. Sp.56.E
Vteri & ventris differentia in dilatatione & conſtrictione.de vic. ra. in morb.acutis,com.3°. 7ª.131.A
vt Vterus in partu,ita ventriculus in vomitu.2°.de ſym.cau.3ª.21.D
Vteri molæ indicant penitus de ſui remotione.14°.meth.me. 7ª.90.F
ab Vtero aliquid ducunt vitia.3°.de ſymp.cauſ. 3ª.27.A
p Vterũ excretio nõ eſt toto genere præter naturã.3°.de ſym. 3ª.13.H
Vterus excernendo euacuat cauſam,quæ moleſtat.de natura humana; commentario 2°. 7ª.182.H
Vterus quomodo excernat exprimendo,vt manus exprimit aliquid. 2°.de ſymp.cau. 3ª.21.E
ab Vtero quæ excernuntur ipſæ particulæ circa hæc ſe contrahunt 2°. de ſymp.cau. 3ª.21.E
Vteri euacuationes ſunt euacuationes totius corporis.commentar.4°. aphoriſmo 2°. Ex.27.D
per Vterum vniverſum corpus q̃q; euacuatur.6°.de loc.aff.4ª.41.D
ad Vteros ex toto corpore fertur ſanguis.com.5°.aph.60°.Ex.43.B
per Vterum,vel per vrinas tranſmittenda ſunt,quæ per aluũ fluunt. 5°.meth.med. 7ª.30.E
ad Vteri venas fluor venæ ſedis in mulieribus deriuandus eſt.de cuc. ſcarificationibus. 6ª.4.F
per Vterum purgantur mulieres laxarum carnium, & pituitoſarũ. 6°.de locis affect. 4ª.41.D
ad Vteros eſt motio ſanguinis natura experente, hinc mammæ graciles ſiunt.com.5°.apho.52°. Ex.42.B
ad Vterum peruenit ſanguis,ſed non poteſt ingredi interna,et cur.6°. de locis affect. 4ª.40.G

ad Vteri corpus nunquam natura materiam mittit inutilem, nec facit inflammationem. com. 5°. apho. 53°. Ex. 42. E
Vterus habet ora uenar..., quæ si aperiantur menses fiunt. comment. 5°. apho. 36°. Ex. 40. G
Vteri vasorum ora cur sint causa multorum menstruorum. commenta. 5°. aphorismo 57°. Ex. 43. A
Vteri laxantur in mensibus. 3°. de nat. fac. 1ª. 303. A
Vtero non affecto seminis profluuium. 6°. de loc. aff. 4ª. 41. D
Vteri rheumata cur. 3° de symp. caus. 3ª. 29. G
in Vteri profluuijs sanguinis fiunt pulsus vermiculantes. 2°. de præsa. ex pulsibus. 4ª. 113. A
ꝑ Vteri erũpẽtia vel ꝑ vrinas vel ꝑ aluũ trãsmittẽda. 5°. me. 7ª. 30. E
ab VTERO quo fiat retractio 1°. de art. cu. ad Glau. 7ª. 102. F/G
ad Vteri profluuia sanguinis val ent after sam. mius, & terra lemnia. 6°. de simp. med. fac. 5ª. 65. H
ad Vteri, & ventris profluuia omnes medici vsi sunt balaustio. 6°. de simp. me. fac. 5ª. 44. F
ab Vtero fit reuulsio cucurbitę sub mămis. 5°. metho. med. 30. E/13°. 7ª. 85. H/de cathar. Sp. 94. G
per Vterum immodicas sanguinis irruptiones reuellunt cucurbitulæ, quæ affiguntur hypocondrijs. de cucurb. scar. 6ª. 4. G
ad Vteri eruptiones sanguinis valet lentiscus. 8°. de sim. m. f. 5ª. 61. H
ex Vtero morbi contingũt, si nõ fiũt mẽstrua. cõ. 5°. aph. 57°. Ex. 42. H
Vterus quas passiones incidat, si eius vasa sint oppressa. commentar. 5°. aphorismo. 57°. Ex. 43. A
Vteri os quæ aperiant. 5°. de simp. me. fa. 5ª. 35. G
Vteri, et sedis suppressas excretiões apit theriaca. de th. ad Pi. 5ª. 96. B
ad Vterum pertinentia vasa obstructa, obserata, vel densata etiam secundum totam substantiam vteri. com. 5°. aph. 28°. Ex. 40. B
Vteri affectuum differentiæ, quæ. 6°. de loc. aff. 4ª. 39. D
Vteri proprij morbi quid agant. 3°. de sym. eau. 3ª. 30. G
Vterus affectus quæ membra secum trahat in compassionem, & quę faciat symptomata. de vic. ra. in morb. acũt. com. 2°. 7ª. 123. H
Vteri affectionibus medetur antidotus Zopyria. 2°. de anti. 5ª. 115. B
in Vteri affectibus quæ vena secanda. 13°. met. me. 7ª. 83. B
Vterus gñ ẽ male affect° sectio venæ a pede faciẽda. de tr. et p. 3ª. 53. A
in Vtero a poplite sectio venę. de trem. & palp. 3ª. 53. A
Vterus iuuat vena poplitis, et malleolorũ. de cu. ra. ꝑ san. m. 6ª. 20. E
circa Vterũ existentium affectionũ remediũ. 8°. de cõ. m. s. l. 5ª. 191. D
Vtero affecto oxymeli nõ cõuenit. de vic. ra. in mor. acu. c. 1°. 7ª. 113. C
ad Vterũ circa existẽtes affectiões. 7°. de cõ. m. s. l. 181. F/8°. 5ª. 193. C
ad Vteri affectiones. 7°. de comp. me. se. lo. 182. C/8°. 190. H/5°. de cõ positio. me. per genera. 5ª. 251. B
ad Vterum tanquam ad radicem pertinent hysterica symptomata. 6°. de locis affectis. 4ª. 40. C
Vteri dolores cur fiant. in 1ᵐ. de mor. vul. com. 2°. 3ª. 113. D
in Vtero dolores aliquibus. 3°. de nat. fac. 1ª. 303. A
Vtero acetum dolorem infert. de vic. ra. in mor. acu. com. 3°. 7ª. 130. H
ad Vteri dolorem remedium sanctorum argumentum nõ possidentiũ. de med. fac. par. 7ª. 174. B
Vteri doloribus in pesso prodest clematis daphnoides. 7°. de simpliciũ medica. facultatibus. 5ª. 51. F
ad Vteri dolorẽ. 5°. de cõp. me. per ge. 5ª. 246. H/de me. f. p. 7ª. 169. B
ad Vteri tormĩa a partu corruptiões et stragulatus. de m. f. p. 7ª. 169. B
Vterus distorquetur. 2°. de caus. puls. 4ª. 93. G
Vteri peruersiones vnde fiant. 6°. de loc. affe. 4ª. 41. A
Vteri contorsio prohibet euacuationẽ. de ve. sec. aduer. Era. 6ª. 6. G
Eteri motus quomodo symptoma sit. 2°. de symp. caus. 3ª. 21. D
Vterus cur sursum, & ad latus feratur. 6°. de loc. aff. 4ª. 40. G
Vteri ceruix cum vtero mouetur. 6°. de loc. affe. 4ª. 40. G
in Vtero adest palpitatio. 2°. de symp. cau. 3ª. 20. F
Vterina suffocatio quid. si. med. Isa. 48. A/6°. de lo. affe. 4ª. 39. D/9°. de comp. med. sec. lo. 5ª. 205. F
Vteri suffocationis differentiæ. 9°. de comp. me. se. loc. 5ª. 205. F
Vteri suffocationis symptomata, quæ. 6°. de lo. aff. 4ª. 39. D
ob Vterum spirationis oblatio. 6°. de loc. affe. 4ª. 39. D
Vteri suffocati pulsus, quales. 4°. de diff. pul. 4ª. 103. B
Vteri præfocationis curatio. de pass mul. Sp. 95. F
Vteri suffocatione periclitantes iuuant purpurarum opercula suffitu. 11°. de simp. me. fa. 5ª. 81. B
pro Vteri suffocatione sternutatio. de pass. mul. Sp. 95. G
Vteri passionibus quibus sternutatio prosit, & quibus obsit. comment. 5°. aphorismo. 35°. Ex. 40. F
pro Vteri suffocatione pessarium. de pass. mul. Sp. 95. G
ad Vteri suffocationes. 7°. de cõ. m. s. l. 186. A/8°. 191. F/9°. 5ª. 205. F
Vteri strangulatus quæ excitent olphatu. 9°. de cõp. me. se. l. 5ª. 205. G
ad Vteri strãgulationes Antidotus Apollodori. 2°. de anti. 5ª. 117. H
ad Vteri strangulationem. 7°. de comp. me. se. lo. 5ª. 182. G/de medicinis faci. para 169. B/ 7ª. 175. B
in Vtero perfrigeratio viduarum, et ijs, quæ non purgantur affectionẽ facit oris ventriculi. 1°. de symp. cau. 3ª. 18. G
ex Vtero q̃ dissoluũtur mulieres; quo curãdæ. 4°. de ar. c. ad G. 7ª. 99. B
ex Vtero quot modis fiat aĩ defectus. 1°. de ar. cu. ad Gla. 7ª. 98. E
Vtero odorata adhibẽda ĩ defectu aĩ ex utero. 1°. de a. c. ad G. 7ª. 99. B
Vteri intemperies vnde. 3°. de sym. cau. 3ª. 29. G
in Vtero inflammatio quando fiat. fin. med. Is. 48. A
Vteri oris inflammatio: & durities vteri quomodo distinguantur. commentario. 5°. aph. 51°. Ex. 42. B
Vteri inflãmatio euersio supprimũt mẽstrua. cõ. 5°. aph. 28°. Ex. 40. B
Vterus an possit esse inflammatus viuente fœtu, est magna quæstio. oommen. 5°. aph. 43°. Ex. 41. E
Vteri inflammatio cur nõ corrumpit fœtus. com. 5°. aph. 53°. Ex. 42. E
Vteri inflammatus facit vrinæ stillicidium. com. 5°. aph. 58°. Ex. 43. B
in Vteri phlegmone mẽses nõ sunt puocãdi. 13°. m. m. 82. A/ 7ª. 83. A
Vteri magnas inflãmatiões febres sequuntur. in 1ᵐ prior. c. 3°. 4ª. 183. F
Vtero phlegmone correpto calidissimæ fiunt febres. in 6ᵐ. de mor. vul. commentario. 5°. 3ª. 191. H
ex Vtero quandoq; fit hectica. 10°. met. me. 7ª. 64. F
ex Vtero cur fiat quandoq; in mulierib° distentio & cõuulsio. in 6ᵐ. de morbis vulgaribus, com. 1°. 3ª. 153. C
Vterus habet eandem indicationem cũ ventriculo & intestinis ĩ phlegmone. 13°. met. me. 7ª. 83. A
ad Vteri phlegmonas valet calamus odoratus. 9°. de sim. m. f. 5ª. 49. E
Vteri phlegmonas sanat decoctũ Leuconij. 7°. de sim. me. fa. 5ª. 54. D
Vteri inflãmatio a qua vena secta iuuatur. de cu. ra. ꝑ san. mis. 6ª. 20. E
ad Vteri inflãmationes diutinas, et recẽtes. 7°. de cõ m. p. g. 5ª. 268. H
ad Vteri inflammationes. 7°. de comp. me. per gen. 265. F/ 5ª. 273. F
Vterus pragnantis si erysipelate laboret lætale est. comment. 5°. aphorismo. 43°. Ex. 41. E
Vteri Erysipelas aborsum facit. com. 5°. aph. 53°. Ex. 42. D
Vteri duritiebus est aptissimum oleum liliorũ. 7°. de sim. me. f. 5ª. 53. B
Vterum mollientes pessi ex medulla vitulina & ceruina. 11°. de simp. medica. facultatibus. 5ª. 79. E
Vteri abscessus causa. fin. med. Isa. 50. A
in Vtero abscessus. quando fin. med. Isa. 48. A
Vteri erosio vt plurimum in ceruice. 6°. de loc. aff. 4ª. 41. D
Vteri erosio quomodo deprehendatur. 6°. de lo. aff. 4ª. 41. D
Vteri sectio difficulter conglutinatur. 6°. de loc. affe. 4ª. 41. C
Vteri vlcerationes quibus curantur. 9°. de comp. me. se. lo. 5ª. 205. D
Vtero lacerato lac infunditur. 10°. de simp. me. fac. 5ª. 73. H
in Vterum quomodo injciantur medicamenta. 5°. me. me. 7ª. 32. D
ad Vteri vlcera. 5°. de comp. med. per ge. 5ª. 247. D
in Vtero carcinoma quid. fin. med. Isa. 48. B
ex Vtero pus, & sanies sponte exeunt. 5°. me. me. 7ª. 33. A
Vterus quomodo excidat. 3°. de nat. fac. 1ª. 303. A
Vterus vergens in coxam si suppuratur, necesse est linamentum fieri. commen. 5°. aph. 47°. Ex. 41. H
Vtero calidum amicũ est, frigidũ inimicũ. com. 5°. aph. 22°. Ex. 39. D
ꝑ Vterũ frigus & calor ascẽdũt in ventrẽ. cõ. 5°. apho. 22°. Ex. 39. E
ꝑ Vterum poterat corpus in dispositionibus frigidis continuo suffiri, nisi aromata nocerent capiti. com. 5°. aph. 28°. Ex. 40. B
ad Vteri vitia quæ adstringentia conueniant. 7°. met. me. 5ª. 51. D
Vterus cum male habet non sunt admonenda adstringentia. 11°. meth. medendi. 7ª. 73. B
in Vtero si vas magnum præruptum vtaris adstringentibus, & quibus. 5°. methodi medendi. 7ª. 31. G
in Vtero si vas paruum sit præruptum quibus adstringentibus vtendum. 5°. methodi med. 7ª. 31. G
Vteri morbos sanat Antidot° Athanasia Mitridatis. 2°. de an. 5ª. 114. H
ad Vteri omnem laborem. 7°. de comp. me. se. loc. 5ª. 185. C
ad Vterum. 5°. de comp. me. per gen. 5ª. 245. H/de medicinis faci. parandis. 175. D/ 7ª. 177. F
Vteri mala vacuatio quæ. 3°. de sympt. caus. 3ª. 39. G
Vterus si coquatur qualem succum generet. 3°. de ali. fac. 2ª. 27. F

Vterus, Lege Matrix, & Vulua.
VTILE, & noxium ad aliquid dicitur. 1°. de compositione medica. per gene. 5ª.216.F
Vtile, conueniens, conferens, conducens, & secundum naturam idem sunt. 14°. methodi meden. 7ª.91.A
Vtile quod est vnicuiq; explet natura. 6°. de lo. aff. 4ª.42.E
Vtilia bis, & ter repetenda, & cur. 4°. de com. me. per ge. 5ª.237.D
Vtilia si bis reuocent in memoriam authores in varia libri parte, non est inconueniens. com. 1°. aph. 25°. Ex.10.H
Vtilium vrinarum quæ paries. de vrin. sign. ex Hipp. Sp.79.C
Vtilem hypostasim videndam præbet quandoq; crudus humor, & albus cum vrina excretus subsidens. de vrin. sign. ex Hip. Sp.79.C
per Vtiles hypostases crudus humor distinguitur ab inæquali substãtia eius, quod subsidet. de vrin sign. ex Hipp. Sp.79.C
VTILISSIMA *sæpe repetuntur. in progn. com. 3°.* 4ª.211.D
VTILITAS *inter causas. de sym. cau.* 3ª.10.F
Vtilitati, elegantiæ, & mundiciei studeat medicus. de fasc. 7ª.293.C
Vtilitas gñatiõe posterior est, actiõe dignitate prior. 11°. de v. 1ª.189.C
Vtilitas est scopus cõstructionis oĩum partium. 11°. de vs.p. 1ª.189.C
Vtilitatem partium scire oportet. de sect. Isa.18.F
Vtilitas, & actio singularum partium necessario sciri debent. de constitutione art. medi. Isa 40.G
Vtilitates exponendæ cognita actione. 7°. de vsu partium. 163.F/8°. 166.B/ 1ª.172.E
Vtilitates subsequuntur actiones. 6°. de vsu par. 1ª.155.C
Vtilitas prima animalibus ab actionibꝰ accedit. 17°. de vs.p. 1ª.221.C
Vtilitates contrarias ex contrarijs qualitatibus natura tẽperauit. 14°. de vsu partium. 1ª.204.G
in Vtilitatibꝰ ita res se habet sicuti in actionibꝰ. 17°. de vs.p. 1ª.222.F
Vtilitatem & actionem augere non idem. 2°. de sim. me. fa. 5ª.16.C
Vtilitatum cognitio confert ad affectam partem cognoscẽdam. 17°. de vsu partium. 1ª.222.F
per VTRICVLOS fomẽta. de vic. rat. in mor. ac. c. 4°. 7ª.144.E
VVAM *nunquam feret rubus. de cognoscendis curãdisq; animi morbis.* 2ª.54.B
Vuæ frigidæ. 4°. de simp. me. fa. 5ª.26.D/ de dis. cont. Sp.74.C
Vuæ sunt humidæ. de disso. cont. Sp.74.D
Vuarum partes solidæ quomodo vocentur. 2°. de ali. fac. 2ª.18.C
Vuæ crassum quomodo vocetur. 2°. de alim. fac. 2ª.18.C
Vuarum tegmentum propter quid. 2°. de ali. fa. 2ª.17.H
Vuarum caro non firma nec densa, sed laxa & humida. 2°. de alimen. facultatibus. 2ª.17.G
Vuarum acini terreni sunt. 9°. de sim. medic. facultatib. 5ª.64.H
Vuæ nuclei acerbi. 6°. de simp. med fa. 5ª.45.E
Vuæ nuclei frigidi in primo, sicci in secundo. 6°. de sim. me. fa. 5ª.45.E
Vuæ semina sunt sicca, & adstringentia. 2°. de ali. fa. 2ª.17.H
Vuæ semen coquitur, vt ficuum semen. 2°. de alim. fac. 2ª.17.H
in Vuis semina, & tegmenta expuenda. 2°. de ali. fa. 2ª.17.H
Vuæ nuclei conferunt omnibus ventris affectibus cum profluuio iunctis. 6°. de simp. me fac. 5ª.45.F
Vuarum acini pro dysenteria adstringenda. 11°. de sim. me. fa. 5ª.81.E
vua seruatur vsq; ad alium annum. 2°. de alim. fac. 2ª.18.B
Vuas seruandi modi. 2°. de alim. fac. 2ª.18.A
Vuæ seruatæ vtilitates & noxæ. 2°. de alim. fac. 2ª.18.A
Vuæ sunt præstantiores horeis fructibus in opera. de bonitate & vit. succorum. 2ª.37.E
Vuæ, & ficus obtinent principatum inter fructus autũnales. 2°. de ali. facultatibus. 2ª.17.G
Vuæ inter fructus horeos minus noxij, tamen cum moderatione sumẽdæ. de bon. & vitio. succ. 2ª.34.D
Vuis affluenter vescendum. 2°. de alim. fac. 2ª.20.F
ab Vuis nunquam abstinuit Galenus. de bon. & vit. suc. 2ª.34.D
Vuæ sunt cibaria media. de dis. cont. Sp.74.B
Vua concoctu facilia. 2°. de alim. fac. 2ª.18.H
Vuæ tarde digeruntur. de disso. cont. Sp.73.E
Vuæ velociter subsident. 2°. de ali. fac. 2ª.17.G
Vuæ quales sumantur deijciendi gratia. 2°. de ali. fac. 2ª.18.C
Vua habent minimum praui succi 2°. de alim. fac. 2ª.17.G
Vuæ non facile in probum sanguinem transeunt. 2°. de ali. fac. 2ª.17.G
Vuas nutrire argumentum. 2°. de alim. fa. 2ª.17.G
Vuæ magis nutriunt omnibus fructibus fugacibus. 2°. de alimentorum facultati. 2ª.17.G
Vuæ minus alunt quam ficus. 2°. de alim. fa. 2ª.17.G
Vuæ quæ magis nutriũt, minus deijciũt, & è cõuerso. 2°. de ali. 2ª.17.H
Vuæ boni nutrimenti, quæ. de diss. cont. Sp.73.A
Vuæ obsoniũ in capitis dolore ex stomacho. 2°. de cõp. me. s. l. 5ª.135.B
Vuæ grauiter lædunt, si quando heserint. 1°. de alim fa. 2ª.17.G
Vua non gustanda in febribus acutis. in 3ᵐ. de mor. vul. c. 2°. 3ª.135.F
Vua quando non inflet. de diss. cont. Sp.74.F
VVARVM *differentiæ. 2°. de alim fac.* 2ª.18.B
Vuarum diuersa natura. 2°. de alim. fac. 2ª.17.H
Vua Agrestis acris est. 6°. de simp. me fac. 5ª.44.B
Vuæ agrestis succus contra asperitatem palpebrarũ. de ocu. 7ª.189.C
Vua agrestis vrendi vim habet. 6°. de simp. me. fac. 5ª.44.B
Vua culta quas habeat dotes. 6°. de sim me. fa. 5ª.44.B
Vuæ quales debeant esse in vsu. 2°. de alim. fac. 2ª.18.B
Vuæ Acerbæ & siccæ sunt nup enatæ, vbi maturuerint dulces, & progressu temporis humidiores reddũtur. 4°. de sim. me. fa. 5ª.25.F
Vua prima est pontica, deinde dulcescit. de ocul. 7ª.188.B
Vuæ acerbæ etiam si diutius suspensæ fuerint, non assequuntur dulcedinem. 2°. de alim. fac. 2ª.18.B
Vuarum acerbarum vsus vitandus. 2°. de alim. fac. 2ª.18.B
Vua acerba refrigerãs, & adstringẽs est 1°. de ar. cu. ad Gla. 7ª.99.C
Vuæ acerbæ succus tẽpore durescit. 6°. de com. med. sec. loc. 5ª.172.H
Vuæ acerbæ succus p ore ventriculi supcalefacto. 1°. de ar. cu. 7ª.99.C
Vuæ acerbę succus p dolore capitis calido. de rem. pa. fa. 7ª.153.E
Vuæ acerbæ amarę succus amarus. de vic. ra. in mor. ac. c. 4°. 7ª.152.F
Vuarum acidarum vsus vitandus. 2°. de alim. fac. 2ª.18.B
Vuarum acidarum mustum ad omnia pessimum. 2°. de ali. fa. 2ª.18.C
Vuæ acidæ quid agant. 2°. de alim. fac. 2ª.18.B
Vuæ acidæ sunt noxię coctioni in ventriculo, distributioni, & nutritioni. 2°. de alimen. facul. 2ª.18.B
Vuę acinus acidus tantum frigidus. 4°. de simp. med. fac. 5ª.25.B
Vuæ Aminææ austerq. 6°. de comp. me. sec. loc. 5ª.169.B
Vua arefacta boni est succi. 1°. de comp. me. sec. lo. 5ª.128.B
Vuarum Austerarum mustum ad oĩa pessimum. 2°. de alim. f. 2ª.18.C
Vuę austeræ quid agant. 2°. de alim. fac. 2ª.18.B
Vuæ austeræ noxię coctioni in ventriculo, distributioni, & nutritioni. 2°. de alim. facul. 2ª.18.B
ex Vua Crassa in natura sua vinum quod est coctum cibus est crassus, & cur. de disso. cont. Sp.72.G
Vuæ Dulces, acidæ, & austeræ. 2°. de alim. fac. 2ª.18.B
Vuę dulces quales. de atten. vict. 2ª.46.C
Vuæ dulces habent succum calidum. 2°. de ali. fa. 2ª.18.B
Vuæ dulces sunt cibi calidi. de diss. cont. Sp.74.C
Vuæ dulces sitibundæ, & cur. 3°. de alim. fa. 2ª.18.B
Vuæ dulces subducunt alvum, & maxime si sint humidę. 2°. de alimẽ. facultati. 2ª.18.B
Vua expressa ad oculorum dolores. de vic. ra. in mo. ac. c. 4°. 7ª.152.G
Vuæ Generosę quæ. 2°. de alim. fac. 2ª.18.A
Vuæ botrus Immaturus vẽtrẽ stringit, dysentericis facit. de sim. S. 92.B
Vuæ immaturæ succi qui sint. 6°. de san. tu. 2ª.100.G
Vuæ immaturæ succus reprimit. de rem. par. fac. 7ª.137.G
ex Vuis immaturis cremor portulacis admixtus contusus & expressus ad quid sit vtilis. de marc. 3ª.48.B
Vuarum immaturarum succus oleo rosaceo adhibendus. 2°. de compo. medicam. sec. loc. 5ª.132.F
Vua immatura. 10°. meth. med. 7ª.65.A
Vua Maronea. 7°. de composi. med. per gen. 5ª.272.F
Vuæ Maturæ sunt minus inflatiuę. de diss. cont. Sp.74.G
Vuæ maturæ epileptico concedi possunt. de puero epile. 7ª.180.C
Vua Omphax acida est. 4°. de simp. me. fac. 5ª.27.D
Vuarum omphaciarum differentia. 4°. de sim. me. fa. 2ª.27.F
Vuę passæ sunt probatæ a gustu. 2°. de alim. fac. 2ª.18.E
Vuæ passæ proportionem habent recentibus. 2°. de ali. fac. 2ª.18.D
Vuæ non possunt maturari in frigidis regionibus. 2°. de ali. fa. 2ª.18.E
Vua passa qualis. 5°. de comp. me. sec. loc. 159. A/7°. 5ª.179.A
Vuæ passæ præstantiores quæ pingues, & corticem habent tenuem. 2°. de alimen. facul. 1ª.18.E
Vuæ passæ pingues mature. de med. fac. par. 7ª.175.C
Vuarum passarum colores. 2°. de alim fa. 2ª.18.E
Vuæ passæ albæ. 5°. de comp. me. sec. loc. 5ª.164.B
Vuæ passæ plurimum mixtę sunt ex qualitate dulci, & austera. 2°. de alimen. facul. 2ª.18.D

Vuæ passæ acerbæ sunt paucæ.2°.de ali.fa. 2ª.18.D
Vuæ passæ acerbæ multo magis cõstipãt austeris.2°.de ali.f. 2ª.18.D
Vua passa qualis adstringat.8°.de comp.me.sec.lo. 5ª.194.F
Vuæ passæ austeræ frigidiores.2°.de alim.fac. 2ª.18.D
Vuæ passæ austeræ non nihil dulcedinis habent.2°.de ali.fa. 2ª.18.D
Vuæ passæ austeræ parcius alimentum distribuunt.2°.de ali.f. 2ª.18.F
Vuæ passæ austeræ austerum in corpus alimentum distribuũt.1°.de alimentorum facultat. 2ª.18.F
Vuæ passæ austeræ stomachorum roborant,& ventrem constipant.2°. de alimen.facul. 2ª.18.D
Vuæ passæ pontice parum nutriunt,& cur.de diff.cont. Sp.73.F
Vuæ passæ multæ fiunt dulces.2°.de alim.fa. 2ª.18.D
Vuæ passæ dulces obtinent mediam constitutionem inter austeras & acerbas.2°.de alim fac. 2ª.18.D
Vuæ passæ dulces non nihil austeritatis habẽt.2°.de alim.fa. 2ª.18.D
Vuæ passæ dulces calidiores.2°.de alim.fac. 2ª.18.D
Vuæ passæ dulces dulce alimẽtũ i corpus distribuũt.2°.de al.f. 2ª.18.F
Vuæ passæ dulces & pingues copiosius alimentum distribuunt.2°.de alimento facul. 2ª.18.F
Vuæ passæ dulces quid agant.2°.de alim.fac. 2ª.18.D
Vuæ passæ dulce mordicationes oris ventriculi obtundunt.2°.de alim. facultatib. 2ª.18.E
Vuæ passæ maximæ.2°.de alim.fac. 2ª.18.E
Vua passa rhodia.7°.de compo.me sec.lo. 5ª.186.E
Vuæ passæ scybelitides quales.2°.de alim.fa. 2ª.18.E
Vuæ passæ non habentes semen vbi sint.2°.de alim.fac. 2ª.18.E
Vuis passis quibus eximantur semina.2°.de ali.fac. 2ª.18.E
ab Vuis passis grandibus qũo semen eximatur.2°.de ali.fac. 2ª.18.E
Vua passa exacinata.8°.de cõp.me.sec.lo.159.A/5°.164.B/6°.175. F/H/7°.179.A/G/8°.5ª.195.B/de rem.par.fac. 7ª.158.C/D
Vua passa munda.7°.de comp.med.sec.lo. 5ª.183.B
Vua passa non exacinata.9°.de comp.med.se.lo. 5ª.204.A
Vua passa pinguis circa acinos.7°.de comp.med.sec.loc. 5ª.182.B
Vua exacinata passa pinguis.7°.de comp.me.sec.loc. 5ª.186.E
Vuarum passarum alimentum quale.2°.de alim.fac. 2ª.18.F
Vuarum passarum alimentum a quantitate.2°.de alim.fac. 2ª.18.F
Vuæ passæ sunt inter ea,quę minus nutriunt,& plurimum nutriunt.de diffol.continua. Sp.73.G
Vuæ passæ plenæ dulces multum nutriunt.de diff.cont. Sp.73.F
Vuæ passæ valentius nutriunt vuis.2°.de alim.fac. 2ª.18.F
Vua passa ardorem facit,& ventrem procurat.de sim.me. Sp.92.B
Vuæ passæ minus quam caricæ subducunt,& abstergunt.2°.de alimen. facultat bus 2ª.18.E
Vuæ passæ magis quam caricæ stomachũ iuuant.2°.de ali.fa. 2ª.18.F
Vuæ passæ stomachum roborant.2°.de cõp.me.se.lo. 5ª.133.D
Vua passa habet vim corroborandi ventriculũ.de rem.pa.fa. 7ª.153.H
Vua passa familiaris Iecori.8°.de comp.med.sec.lo. 5ª.194.F
Vua passa habet passi facultatem.7°.de comp.me.sec.lo. 5ª.179.A
Vuæ passæ quibus conferant,& quibus non.de atte.vict. 2ª.46.A
Vua passa torretur.7°.de compo.med sec.loc. 5ª.179.H
Vuæ Pensiles quales.de atten.vict.rat. 2ª.46.A
Vua pensiles quid agat.2°.de alim.fac. 2ª.18.A
Vuæ appensæ nihil habent vitiũ.de bon.& vit.succ. 2ª.27.E
Vuæ suspensæ quid agant.2°.de alim.fac. 2ª.18.B
Vuæ maturantur suspensæ.2°.de alim.fa. 2ª.18.B
Vuæ Sepultæ in Vinatijs vuarum rectificãt stomachum mollem,& de bilem.de diff.cont. Sp.74.D
Vua q̃ sepulta ẽ in vinatijs vuarũ facit dolere caput.de di.cõ.S.74.E
Vua Taminea medicamẽtũ apothlegmaticũ.de rem.par.fa. 7ª.154.F
Vuæ in Vino conduntur,& quales sint.de atten.vict. 2ª.46.A
Vuæ Vinosæ.2°.de alim.fac. 2ª.18.B
Vuæ vinosæ medium locum obtinent inter calidum,& frigidum.2°.de alimento.facul. 2ª.18.B
Vua exprimẽda quæ nihil habet roris.7°.de comp.me.per g. 5ª.272.H
VVA *amomi.7°.de comp.med per ge.* 5ª.272.H
VVA *lupina quid,& eius vires.de sim.med.* Sp.82.C
VVA *vrsi quæ sit,& vbi nascatur.7°.de comp.med.sec.lo.* 5ª.184.D
Vuæ vrsi sit mentio.7°.de comp.me.se.loc. 5ª.184.D
VVA *quid sit.6°.de comp.me.sec.lo.* 5ª.182.F
Vua proprie quæ sit.de tuen.præt.nat. 3ª.84.C
Vua ab aliquibus dicitur particula.6°.de comp.me.se.lo. 5ª.173.E
Vua cuius spatij particula.de diff.morb. 3ª.4.H

Vua columna.11°.de vsu par. 1ª.188.F
Vuæ vtilitas.11°.de vsu par. 1ª.188.F
Vua est propugnaculum pharingi.15°.de vsu par. 1ª.211.A
Vua organum locutionis.de anat.viuo. Sp.49.B
in Vua caro subnigra,vel nigra est.de ana.viu. Sp.44.D
Vuæ paristhmia,et tõsillę quid,et quo fiant loco.de tum.præt. 3ª.84.H
Vua oris affectus.introd. Isa.59.C
de Vuæ vitijs curandis.de med.fac.par. 7ª.169.H
Vua dicitur columellæ inflammatio.6°.de comp.med.sec.lo. 5ª.173.E
Vua inflãmata nõ laxatur,sicut inflãmata manus & cr⁹.de sec.Is.18.C
Vuæ inflammatæ adhibetur fructus spinę aegyptiæ,& alumen scissile. de sectis. Isa.18.C
ad Vuę inflammationes.6°.de comp.me.sec.lo. 5ª.171.E
Vua consequitur saniem a capite decidentem.6°.de sa.tu. 2ª.98.F
ad Vuæ fluxiones.7°.de compo.medi.sec.loc. 5ª.183.E
Vua demissa morbus paruus.de vsu ther.ad Pamph. 5ª.99.A
Vuæ demissę curatio.introd. Isa.59.H
ad Vuã contingẽdam cochleario vtitur.6°.de com.me.se.l. 5ª.174.F
ad Vuas laxatas.5°.de comp.me.per ge. 5ª.251.C
ad Vuę radicis vitia.de med.fac.par. 7ª.181.E
Vua non temere excidenda,sed relinquẽda pars.11°.de vs.p. 1ª.188.D
in Vua aliquem partium numerũ auferre cõtinget.de dif.mo. 3ª.5.A
Vua ausertur.de diff.mor. 3ª.4.G
Vua radicitus dempta quid faciat.de dif.mor. 3ª.4.H
Vuę abolitio palato egritudinem affert.de diff.mor. 3ª.4.H
ad Vuas.6°.de compo.med.sec.loc. 5ª.169.G
VVA *vlceratio oculorum est.fin.med.* Isa.48.D
ad Vuas oculorum.4°.de comp.me.sec.lo. 5ª.158.C
VVEA panniculus oculi.de ocu. 7ª.182.H
Vuea tunica vnde sit dicta.de anat.oculo. Sp.57.E
Vuea post corneã ordine sita est.de dif.mor.3ª.5.H/de anat.p.S.34.D
Vuea propter quid,& cur ita dicta.10°.de vsu par. 1ª.179.B
Vuea quę tunica sit,vnde nascatur;& eius color.de anat.vi.Sp.48.E
Vuea vnde procedit.de ocul. 7ª.183.B
Vuea qualis sit tunica.de anat.viuo. Sp.48.E
Vueę necessitas qualis.de ocul. 7ª.183.C
Vuea propter quid habeat multas venas,et arterias.de ocu. 7ª.183.C
Vuę foramen sit maius ex materia,vel spiritu.10°.de vs.p. 1ª.179.E
Vuea semper debet madere vt sit mollis.1°.de vsu par. 1ª.179.G
in Vuea materierum descensu visuum diuersitates.de ocul. 7ª.186.D
Vuea tunica vt plurimum relaxatur cum corneam nimium erodi contingit.de caus.morb. 3ª.9.E
Vueę dilatatio quot modis fiat.de ocul. 7ª.187.C
Vuea si dilatatur quid sequatur.7°.de decr.Hipp. 1ª.270.A
in Vuea separatio iunctura quid faciat.de ocul. 7ª.186.D
Vuę constrictio quot modis fiat.de ocul. 7ª.187.C
Vuę egressio quot modis fiat.de ocul. 7ª.187.C
ad Vuę exitum collyrium.de ocul. 7ª.191.D
VVLCANVS in lemnum cecidisse cur ab Homero dicatur.9° de simp.medicamen.facul. 5ª.65.D
Vulcano,et suis instrumentis comparat partes hominis Galenus.4°.de vsu partium. 1ª.135.H
ex Vulcani tẽpli adytis ĩ Aegypto medicᵐ.5°.de cõ.m.pg. 5ª.246.B
ex Vulcani templo in Memphi emplastrum sacrum appellatum.5°.de comp.med.per ge. 5ª.246.G
VVLGARES ĩsaniũt,et dissidẽt a se,et ab alijs.3°.de de. 1ª.244.C
Vulgares non adducunt testes contra se.3°.de dec.Hip. 1ª.244.C
Vulgarium argumenta propinqua sunt captiosis.2°.de decr. 1ª.235.H
Vulgaria lẽmata nõ assumũtur in demõstrationib⁹.2°.de de. 1ª.234.D
Vulgaribus probabat argumenta Chrysippus.2°.de decr. 1ª.134.E
Vulgares non possunt probare.2°.de decr,Hip.& Pla. 1ª.234.E
Vulgares quid parum probant.2°.de decr.Hip. 1ª.234.F
Vulgares non solum iu similitudinibus aberrant,sed & medici eruditi quandoque decipiuntur.com.4°.aph.2°. Ex.27.E
VVLGARIS *morbus qui græce ἐπιδήμιος dicitur. in 1ᵐ.de mor.vul. commenta.1°.* 3ª.101.F
Vulgares morbi qui fin.med.Isa.45.H/ in 3ᵐ.de morbis vulgaribus, commenta.3°. 3ª.142.B
Vulgares morbi vnde.in 1ᵐ.de morb.vul com.1°. 3ª.103.C
Vulgariũ morborũ causa cœlum.in 3ᵐ.de mor.vul.c.1°.3ª.101.A/C/F
de Vulgaribus morbis librum ante quę discenda sint.in 1ᵐ.de morbis vulgaribus,commen.1°. 3ª.101.B

VVLGVS admiratur rara non admirabilia. 6°.de loc.aff. 4ª.42.B
Vulgus deſpicit demonſtrationes.de nat.hu.com.1°. 1ª.29.A
Vulgo,& indoctis quid contingat.2°.de loc.aff. 4ª.56.A
Vulgi gratia ineunt medici.de præcogn.ad Poſth. 4ª.213.G
Vulgi famam contempſit Galenus.7°.meth.me. 7ª.43.B
apud Vulgus non ſunt infamanda remedia.11°.me.med. 7ª.70.B
VVLNERANTIA ſunt omnibus nota.1°.de ſan.tuen. 2ª.63.B
Vulnerantia qualia ſint.5°.meth.med. 7ª.30.B
Vulnerans ferrum ſuam formam relinquit in loco.3°.me.me.7ª.22.b
VVLNERARIA ſpeculatio quæ.3°.de comp.me.per gen. 5ª.232.A
Vulneraria emplaſtra.2°.de comp.me.per ge. 5ª.226.H
VVLNERATIO quid ſit.7°.de anat.adm. 1ª.97.H
Vulneratio eſt morbus ſimilarium partium.de ſymp.diff. 3ª.13.E
in VVLNERATIS partes conſiderandæ ſunt.1°.de ana.ad. 1ª.64.A
Vulneratum membrum ſi functionem amittat, & medicus non prædixerit,hoc medico imponitur.1°.de ana.adm. 1ª.64.D
Vulnerata pars altiorem locum occupat.6°.meth.me. 7ª.39.D
Vulneratæ partes quæ neceſſario afferant mortem, & quæ non. comment.6°.aph.18ª. Ex.47.H
Vulnerati in Abdomine ſitus qualis.6°.meth.med. 7ª.39.D
in Vulnerato abdomine clyſteres ex puro oleo.6°.meth.med.7ª.39.G
Vulneratus ab Acu afficitur,ut ab acri humore.2°.de loc.aff. 4ª 9.D
Vulnerata Arteria,& vena magna quomodo curãda.5°.me. 7ª.30.A
Vulneratas arterias quibus neceſſe fuit ligare.de vſu pul. 1ª.228.D
in Vulneribus magnis arteria,& neruus nunquam uel raro viſa renaſci.1°.de ſemine. 1ª.332.H
Vulneratæ Auris remedium.de dyna. Sp.25.A
Vulnerati Capite à vino & cibis craſſis abſtineant.2°.de comp.med. ſec.loc. 5ª.134.A
in Vulnerato capite oleum roſaceum,& acetum.2°.de compoſi.med. ſec.loc. 5ª.134.A
Vulneratũ vbi eſt caput pluribus vulneribus galea vtilis. de faſcijs. 7ª.297.B/galea aliter ab eoſdem ibidem.
Vulnerata cerebri ſubſtantia raro ſanatur.de ſubfig.emp. Iſa.32.E
Vulnerato corde mors ſequitur.de ſubfig.emp. Iſa.32.D
Vulnerati boues in Dorſi medullæ exortu habent ſanguinem in aliquo uentriculo.1°.de decr.Hip.& Pla. 1ª.231.D
Vulnerati Iuuenis caſus.6°.meth.me. 7ª.38.D
Vulnerato Ligamentum cur non creſcat.de conſt.ar.med. Iſa.37.E
Vulneratorum ligamentorum curatio.6°.met.me. 7ª.38.G
Vulnerati ligamenti curatio.6°.met.med. 7ª.38.H
Vulnerata foris ſi fuerit Matrix qd fieri debeat.de paſſ.mul. Sp.96.a
Vulnerata Membrana coſtas ſuccingẽs quo cognoſcaĩ.1°.de loc. 4ª.2.E
ad Vulneratos Muſculos.7°.de com.me.per ge. 5ª.268.G
Vulnerati Nerui quo ab antiquis curarentur.3°.de cõ.me.per g. 5ª.231.c
Vulnerato neruo qui in muſculum uenit, muſculus ſenſu & motu priuatur.de conſt.artis medicæ. Iſa.36.H
Vulnerati nerui debent ſæpe curari.3°.de com.med.per gen. 5ª.232.d
Vulnerato neruo aqua inimica eſt.6°.meth.med. 7ª.38.E
Vulneratis neruis aqua calida eſt inimiciſſima.6°.meth.me. 7ª.37.D
ad Vulneratos neruos medicamẽta ex metallis.3°.de cõ.m.p.5ª.232.b
in Vulnerato neruo ualet ſulphur.6°.meth.med. 7ª.37.E
ad Vulneratos neruos quod medicamentum præſtantius.3°.de comp. med.per ge. 5ª.232.C
Vulneratos neruos qui ſemper ſanabit.3°.de cõ.m.per g. 5ª.232.A
Vulneratus in neruo nullus moritur ẽ Galeno.3°.de cõ.m.pg. 5ª.231.c
Vulnerato neruus cur non creſcat.de conſt.ar.med. Iſa.37.E
Vulnerati in Pectore hiſtoria.7°.de ana.adm. 1ª.97.E
Vulnerato Peritonæo omentum excidit.6°.meth.med. 7ª.39.H
Vulneratorum a ſerpentibus aut ferro uenenato communis curatio.2°. de antid. 5ª.120.B
Vulnerati Thorace expuunt aquã mulſam iniectã.5°.de l.af. 4ª.31.A
VVLNERARI eſt cauſa fluxus ſanguinis in iuuenibus. commenta.3°. aph.20°. Ex.26.C
VVLNEROSOS promouet & curat rapa.de ſimp.med. Sp.89.E
VVLNERA vocant Iones omnes læſiones.de arti.com.2°. 7ª.264.D
Vulnus qd ſignẽt apud Hippocr.de ijs, quæ in me.ſi.c.3°.7ª.219.D/H
Vulnus quid ſit.3°.meth.med. 7ª.16.E
de Vulneribus librum fecit Eraſiſtratus.de uen.ſect.adu.Eraſ. 6ª.8.B
de Vulneribus exitialis liber antiquus, quẽ nõ nouit Galenus, an Hippocrates an alterius.com.6°.aph.18°. Ex.48.A
Vulnera quæ prohibeant.de ocul. 7ª.189.C
Vulnus cauſat dolorem.com.2°.aph.6°. Ex.11.G
Vulnera niſi cito conſuantur fiunt dolores intenſi.de ijs, quæ in medicat.fiunt.comment.1°. 7ª.201.A
ex Vulneribus animi defectus fit.1°.de arte curat.ad Gl. 7ª.98.E
in Vulneribus ai defectus quo curãdus.1°.de ar.cur. ad Gl. 7ª.99.G
in Vulneribus quando ligatura ſatis ſit.3°.de cõ.me.per ge. 5ª.231.D
Vulnera quibus faſcijs plerunq; obligemus.de faſcus. 7ª.293.G
in Vulneribus qñ ſutura fieri debeat.3°.de comp.me.per g. 5ª.231.D
Vulneribus illatis cãuenit ſic̃ cõſtitutionũ.d dec.pg.ex ma.ſ.Sp.16.b
Vulnus in Abdomine in quo habeat minus periculi.6°.me.m.7ª.39.b
in Vulnere abdominis quid agendum.6°.meth.me. 7ª.39.B
Vulnus abdominis parium quomodo curandum quãdo inteſtinũ exierit.6°.meth.med. 7ª.39.D
in Vulneribus abdñis deligatio extrinſeca neceſſaria.6°.met.7ª.39.G
in Vulnerato abdomine quæ pars ungenda.6°.meth.med. 7ª.40.A
Vulnera ex Acu quid exigant in curatione.6°.meth.me. 7ª.37.A
Vulnera Alta,& cana,& limpida anapleroticis & lenibus rebus curantur.de dyn. Sp.19.A
ad Vulnera Ampla.6°.de comp.me.per gen. 5ª.259.G
ad Vulnera Antiquata precedanum facit.de ſimp.med. Sp.89.B
Vulnera Articulorum qualia.4°.met.me. 7ª.28.B
Vulnus ſi ſit in Auribus quid præſidij ſit.de dyna. Sp.25.B
ad Vulnera aurium.de ocul. 7ª.191.D
Vulnera Calloſa difficilia ad ſanandum longo tempore ſordida ad ſanitatem perducit lixiuium.de ſimp.med. Sp.86.A
Vulneribus cancroſis faciunt ederæ folia.de ſimp.med. Sp.84.A
Vulnera cãcroſa auſert lixiuia ex cinere nuclei oliuæ.de ſim. Sp.86.A
ad Vulnera cancroſa quæ depaſcuntur in circuitu probatum remediũ. de dyn. Sp.30.H
Vulneribus cãcroſis ſi aqua frigida ſola adhibeatur pernitiem affert. de ſimplic. Sp.92.B
Vulnus ampliandum in morſu à Cane rabido.de ther.ad Piſ. 5ª.96.F
Vulnera Capitis quæ medico indigent legittimo, & quæ non.2°.de cõ. med.ſec.lo. 5ª.138.E
in Vulneribus capitis radit capillos.2°.de com.me.ſe.lo. 5ª.138.E
ad Vulnera capitis faſciæ.de faſcijs. 7ª.293.F
Vulnera capitum glutinare poteſt myrrha.8°.de ſim.me.fa. 5ª.61.A
ad Vulnera capitũ cum oſſium præciſione.5°.de cõ.me.pge. 5ª.246.E
ad Vulnera capitis.2°.de com.me.ſec.lo. 5ª.138.E
Vulnus ad calvariã vſq; quo curandum.2°.de cõ.me.ſe.lo. 5ª.133.H
Vulnus mẽbranæ cerebri quo curetur.2°.de com.me.ſe.loc. 5ª.133.H
Vulnera uentriculi poſterioris ſunt peiora.7°.de dec.Hipp. 1ª.269.C
Vulnus cerebri uidit Galenus ſæpe ſanari com.6°.aph.18°.Ex.48.A
Vulnus in Carne.de cauſ.morb. 3ª.9.F
Vulnere caro ablata cur creſcat.de conſt.ar.med. Iſa.37.E
in Vulneribus cur caro creſcat.1°.de ſem. 1ª.332.D
Vulnera Caua comprendit ariſtolochia.de ſimp.med. Sp.80.F
Vulnera caua iris replet.de ſimp.med. Sp.85.D
Vulnera quæ ægre ad cicatricem perducuntur, exiccari abſq; morſu poſtulant.7°.de ſimp.med.fac. 5ª.53.C
Vulnera quæ non Coaleſcant,& in quibus partibus interioribus. com. 6°.aph.18°. Ex.47.H
Vulnera quæ coaleſcebant antequam uena ſecaretur.de uenæ ſectione aduerſus Eraſiſtrateos. 6ª.13.B
ad Vulnera Colli medicamentum.5°.meth.med. 7ª.31.B
Vulnus cordis quomodo necet,et quãto tẽpore.5°.de loc.aff. 4ª.29.D
Vulnera Cruenta glutinat aloe.q animi mor. 1ª.317.B
ad Vulnerum cruentorum glutinationes ualet bitumẽ in mari mortuo. 11°.de ſim.med.fac. 5ª.83.F
Vulnerum cruentorum glutinatorium eſt Polygonon.8°.de ſimp.me. facult. 5ª.58.H
ad Vulneris cruenti glutinationẽ ſalicis folijs uti poſſumus. 6°.de ſim. med.fac. 5ª.48.H
Vulnera cruenta glutinans medicamẽtum.9°.de ſim.me.fa. 5ª.68.A
ad Vulnera cruenta glutinanda.2°.de com.me.per ge. 5ª.219.G
ad Vulnera cruẽta facile glutinãda.2°.de com.me.per gen. 5ª.223.G
Vulnerum cruentorum glutinantius.2°.de com.me.per ge. 5ª.223.F
ad Vulnera cruenta.1°.de com.me.per gene.213.D/2°.227.D/E/3°. 234.H/4°.243.A/6°. 5ª.258.B/F
Vulneris Crurum,& brachiorum differentia.de frac.c.2°.7ª.238.D
cum Vulnere crus luxatum quare non reparetur.de ſubf.emp.Iſ.32.g
ad Vulnus Cuſpide illatum.2°.de antid. 5ª.120.A

Vulnera Dif-

Vulnera Difficilia, & cicatrices craſſæ catuloticis & colleticis rebus curantur.de dyn. Sp.19.A
Vulnera diuturna exiccari abſq; morſu poſtulant.7°. de ſimpl.medica. facult. 5ª.53.C
ad Vulnera diuturna, quæ uix cicatricem recipiunt. 2°.de comp.med. per gen. 5ª.224.D
Vulnerũ durities, et rheumatiſmũ emẽdãt caricæ.de ſim. me. Sp.84.C
Vulnus omne in corpore dulce eſſe videtur.de ſimp.med. Sp.92.C
ad Vulnus dulce.de med.fac.par. 7ª.175.E
Vulnera durorum corporum magis ab alijs ſanant, q̃ ſanentur vulnera molliorum corporum.7°.de ſimp.me.fac. 5ª.52.G
Vulnera corporum duorũ glutinat ſatis.6°.de ſim. me.fac. 5ª.48.G
Vulneribus Extrinſecis non æque poſſunt medicamenta applicari, ſicut extrinſecis, ĩo per potiones ſanantur.cõ.6°.aph.18°. Ex.48.B
ad Vulnera Faucium alba uel nigra remedium.de dyn. Sp.26.B
Vulneris in Femore caſus.3°.de comp.me.per ge. 5ª.231.C
ad Vulnera Ferro facta in bello.5°.de com.me.per ge. 5ª.248.C
Vulnera ſi mittant Fluxionem, quibus ſanentur à medicis. comm. 5°. aph.66°. Ex.45.B
ĩ Vulneribꝰ egrediũt duo ſuꝑflua, unũ tenue, aliud craſſũ.d̃ oc.7ª.190.f
Vulnera quæ ſint, à quibus materia exit ad partes principaliores. cõ. 5°.aph.66°. Ex.45.B
in Vulneribus fortibus & prauis ſi tumor non apparuerit ingens malum.com.5°.aph 66°. Ex.45.B
Vulnera circum Glabra praua ſunt.com.6°.aph.4°. Ex.46.G
Vulnera quo Grauiora eo exquiſitiore, & diuturniore uictu utendum. de fract.com.3°. 7ª.243.F
ad Vulnera ex Ictu.2°.de com.me.per ge. 5ª.225.D
ad Vulnera Incurabilia.de med.fac.par. 7ª.176.C
ad Vulnus incurabile in quauis parte.de med.fac.par. 7ª.174.F
ꝑ Vulnꝰ ſtercus exiẽs ſigñat Inteſtinũ eẽ ulceratũ.1°.de lo.af. 4ª.2.E
ad Vulnera q̃ intrinſecꝰ ſũt maturãda facie diapẽidiõ minꝰ.d̃ dy. Sp.26.d
Vulnera habẽtia Labra diſtãtia nõ coaleſcũt.cõ.6°.aph.19°. Ex.48.C
Vulneris Linguæ præſidium.de dyna. Sp.25.D
Vulnera quæ Luxui iantur ſori exiccat.de ſimp.med. Sp.90.F
Vulnera Magna ab Hipp.deſciſiones dicuntur.c.6°.a.18°. Ex.48.A
in Vulneribus magnis quid cognoſcendũ.1°.de ana.adm. 1ª.64.D
Vulnera magna quid exigant in curatione.6°.meth.med. 7ª.37.A
Vulnera omnia ingentia debent exiccari abſque morſu.7°. de ſim.me. facult. 5ª.53.B
Vulnus magnũ abſq; inflãmatione coaluit.de uen.ſec.adu.Era.6ª.13.c
Vulnus magnũ curauit Caſius oxygalactinus.10°.de ſim.m.f. 5ª.74.C
Vulnera uel maxima cõglutinat cauda equina.6°.de ſim.me.f. 5ª.48.F
ad Vulnera ingentia congruit Coccus.7°.de ſim. me.fac. 5ª.51.H
Vulnera maiora glutinant pira ſylueſtria.6°.de ſim.me.fa. 5ª.43.D
Vulnera magna glutinat pollium.8°.de ſimp.med.fa. 5ª.59.A
Vulnera magna conglutinat ſcordion viride.8°.de ſimp.m.f. 5ª.60.H
Vulnera magna conglutinat Stœbe.8°.de ſim.me.fac. 5ª.61.C
Vulnerũ grandiũ glutinatoriũ uinũ q̃o fiat.6°.de ſimp.m.fa. 5ª.43.A
ad Vulnera magna glutinanda.1°.de comp.me.per ge.211.E/2°.221.A/4°.245.D/6°. 5ª.258.D
ad Vulnera magna.2°.de com.me.per ge.223.H/6°. 5ª.259.B
ad Vulnera Maiora glutinanda.2°.de com.me.per ge. 5ª.219.G
Vulnera maxima expetunt uinum nigrum.de fract.com.3°. 7ª.244.H
Vulnera maxima glutinata ſine phlegmone.5°.meth.me. 7ª.36.B
ad Vulnera maxima barbarũ Galeni.2°.de com.me.per ge. 5ª.227.H
ad Vulnera Minora barbarũ Galeni.2°.de com.me.per gen. 5ª.227.H
ad Vulnera Membranarum.7°.de com.me.per ge. 5ª.269.B
Vulnera Mollia exiccari abſq; morſu poſtulant.7°.de ſim.m.f. 5ª.53.C
Vulnera in Muſculorum capitibus exiccari abſque morſu poſtulant. 7°.de ſimp.me.fac. 5ª.53.C
ad Vulnera magna muſculorum quid ſequatur.6°.de loc. aff. 4ª.38.H
ad Vulnera muſculorum.7°.de comp.me.per ge. 5ª.269.B
Vulneribus partium Neruoſarum quomodo ſuccurrant medici. commen.5°.aph.66°. Ex.45.C
Vulnera Neruorum qui curat, partium corporis naturas ſciat.3°.de comp.me.per ge. 5ª.231.B
ob Vulnera, & ſpicula infixa cognoſcere oportet neruum omnium muſculorum.3°.de anat.adm. 1ª.77.H
in Vulnere nerui tranſuerſo maior timor cõuulſionis.6°.m.m. 7ª.38.F
Vulneris nerui per tranſuerſum curatio.6°.meth.med. 7ª.38.F
Vulneris nerui curationem inuenit Galenus.6°.meth.me. 7ª.37.C
ad Vulnera neruorũ Galenus inuenit medicamẽta.6°.met.m. 7ª.37.E
Vulneris nerui curatio qualis.6°.meth.me. 7ª.37.H
Vulneribus neruorũ q̃ cõtuciãt ĩ gñe.3°.de cõ.me.per ge. 5ª.230.F/G
Vulneribus anguſtis neruorũ q̃ aptiora 3°.de cõ.me.per g. 5ª.232.C/D
ĩ Vulneribus neruorũ aqua nõ utiẽ.3°.de cõ.m.per g.229.E/ 5ª.231.C
ĩ Vulneribus neruorũ calida ſp applicãda.3°.de com.m.pge. 5ª.229.H
in Vulneribus neruorum Calx lota.6°.meth.me. 7ª.37.E
in Vlnus cum nerui uulneratione, & contuſione factum carnes limacium ſolæ imponuntur.11°.de ſimp.med.fac. 5ª.78.F
pro Vulneribus neruorum Emplaſtrum Galeni ex cuphorbio, cera, re ſina fricta, & pice.6°.meth.me. 7ª.37.F
ad Vulnera neruorũ emplaſtri Galeni compoſitio.6°.met.me. 7ª.37.G
in Vulneribus neruorum quibus Farinis uſus eſt Galenus.3°.de com. me.per ge. 5ª.229.H
in Vulnere nerui farina hordeacea cum lixiuio leuat a putrefactione. 6°.meth.med. 7ª.37.F
in Vulnere nerui leuat a putrefactione farina erui in lixiuio cocta. 6°. meth.med. 7ª.37.F
Vulnus cur non contingendum Frigidis in neruis & in alijs partibus. 6°.meth.med. 7ª.38.D
contra Vulnus neruorum Lana quomodo manebit calida.3°. de com. me.per gen. 5ª.229.F
in Vulnere nerui ad putredinem factum Medicamentum extemplo.6°. meth.med. 7ª.37.F
in Vulneribus neruorum Metalla adſtringentia uitanda.3°.de compo. med per ge. 7ª.232.B
Vulnus neruorum a principio niſi adeſt ſanguis Oleo eluendum.3°.de comp.me.per ge. 5ª.229.F
ĩ Vulneribus neruorũ q̃n oleũ dẽt eẽ uetus.3°.de c.m.per g. 5ª.229.H
ꝑ Vulnere neruorũ Oxeleon.3°.de compo.me.per ge. 5ª.229.H
ꝑ Vulnere neruorũ Pix liquida cũ fermẽto.3°.de cõ.m.pge. 5ª.229.H
ſuꝑ Vulnus neruorũ Tropolis, et fermẽtũ.3°.de cõ.me.pge. 5ª.229.G
in Vulneribus neruorum Sapa ualet.3°.de com.me.per ge. 5ª.232.C
in Vulneribus neruorum Stacte.3°.de com.me.per g. 5ª.229.H
ad Vulnera neruorum ualet Sulphur.3°.de com.me per ge. 5ª.230.F
ꝑ Vulnere neruorũ Tithimali ſuccus.3°.de cõp.med.ꝑ gen. 5ª.229.H
ad Vulnera neruorum.5°.de comp.med.per ge. 5ª.248.D
a Vulnere nerui cuiuſdam qui nimis cito domum exiuit, caſus.3°.de comp.me.per ge. 5ª.229.F
Vulneris in neruo caſus.6°.meth.med. 7ª.37.H
Vulnera Nigra liuida quibus iuuentur.2°.de anti. 5ª.119.G
de Vulnerum oculorum diſtinctione & curatione.de ocul. 7ª.191.E
Vulnus & ſanguinem oculorum quid tollat.de dy. Sp.24.G
ad Vulnera ſimplicia oculorum.de ocul. 7ª.190.G
ad Vulnera oculorum cum tumore, & dolore.de ocul. 7ª.190.G
ad Vulnera oculorum cum putredine.de ocul. 7ª.190.G
in Vulneribus oculorum initio collyrium.de ocul. 7ª.191.D
ad Vulnera oculorum collyrium.de ocu. 7ª.191.D
ad Vulneris oculorum putredinem mundificandam. de ocul. 7ª.191.C
ad Vulnera ſaniosa oculorum.de ocul. 7ª.191.D
ad Vulnera oculorum quæ ualeant.de ocu. 7ª.189.C
Vulnus corneæ propria paſſio.de ocu. 7ª.187.A
Vulnus in cornea prætenſa pupillæ facit cæcũ.1°.de ſymp.ca. 3ª.15.D
Vulneri Oris unguentum bonum.de dy. Sp.25.D
Vulnera ouium ſanat pix humida.7°.de ſimp.me.fa. 5ª.50.F
Vulnera ouium a forfice facta cedrea ſanat.7°.de ſim.me.fa. 5ª.50.F
Vulnus intra Peritonæum quale.4°.meth.me. 7ª.28.B
Vulnera intra peritonæum cur difficilia curatu.5°.meth.me. 7ª.33.B
Vulnera peſſima q̃o Galenus curauit.de frac.com.3°. 7ª.244.H
in Vulnere cũ Phlegmone ſymptomata.7°.de com.me.pge. 5ª.268.B
Vulnerũ cũ inflãmatione curatio ſm Eraſiſtratũ.de uen.ſec.ad. 6ª.6.A
ad Vulnera a phlegmõe ſecura recte glutinãda.7°.d̃ c.m.pg. 5ª.268.b
ad Vulnera Polyæma faciunt ebeni ſcobes.de ſim.me. Sp.83.F
Vulnera Praua quæ ſint.com.5°.aph.66°. Ex.45.B
Vulnus Profundum quomodo curandum.3°.meth.med. 7ª.19.G
Vulnera profunda ſuuntur, uel infibulantur.de opt.ſect. Iſa.22.D
Vulnus quomodo cognoſcatur eſſe in Pulmone.5°.meth.med. 7ª.32.G
per Vulnera magna pulmonis fibra procidit.5°.de loc.aff. 4ª.31.C
Vulnera Recentia ſanguinem mittunt.de tum.præt.nat. 3ª.83.A
Vulnera recẽtia citra phlegmonẽ ſeruãs.7°.de cõp.me.pge. 5ª.268.G
in Vulnerum recentium profundum poſitus cinis ſanguinem ſtatuit a curſu.de ſimpl.med. Sp.86.A

Vulnera recentia glutinat cytinus.de ſimp.med. Sp.87.C
Vulneribus & vlceribus recens inflictis accommoda ſunt Dracunculi folia.6°.de ſimp.me.fa. 5ª.46.D
ad Vulnera recentia oĩa facit emplaſtrum barbarum.de dyn. Sp.35.F
ad Vulnera recentia à gladio aut ligno illata.de rem.par.ſa. 7ª.179.C
ad Vulnus omne recens Iceſii.5°.de comp.me.per ge. 5ª.247.F
ad Vulnera recentia.2°.de comp.me.per ge.223.D/225.E/227.G/2°.235.C/4°.241.D/5°.248.D/250.E/ 5ª.251.B
in Vulneribus Repletio duplex.in 6ᵐ.de mor.vul.com.5°. 3ª.191.B
Vulnerum rheumatiſmum ſanat myrta.de ſimp.med. Sp.87.E
Vulnera Rubra mala.7°.de com.me.per ge. 5ª.268.C
Vulnera Sanguine manantia qũo curẽtur 2°.de ar.cu. ad Gl. 7ª.106.F
in Vulnere ſanguinis fluxus remediat.de remed.par.fac. 7ª.160.G
ad Vulnera ſanguinolenta medicamentum Galeni cirrhum dictum.2°.de arte curat.ad Glau. 7ª.106.E
Vulnerum Sanies ex Sanguine.de dy. Sp.19.D
in Vulneribus qñ retinetur ſanies & exit.de tum præt.nat. 3ª.83.B
Vulnerum Septi tranſuerſi quæ curari non poſſint.5°.me.me. 7ª.33.B
Vulnera ſordida expurgat cadmia,et ad cicatricẽ pducit.d ſi. Sp.81.f
Vulnera ſordida lauanda ſunt acriore lixiuia.de ſim.me. Sp.85.H
Vulnerum ſorditiem mel adhibitum comedit.de ſim.med. Sp.87.A
Vulnera ſordida purgat, & contumacia ad cicatricem perducit ſcordion aridum.8°.de ſim.med.fa. 5ª.60.H
Vulnera Superficialia non ſuuntur.de opt.ſect. Iſa.22.D
ad Vulnera Telorum toxico maleficiorum.2°.de antid. 5ª.119.G
ĩ Vulneribus qñ ãputãdi Tẽdines vt ſimus tuti.3°.de c.m.p g. 5ª.231.c
Vulnus Tendonum qũo nominandũ.3°.de comp.me.per ge. 5ª.228.C
Vulnus intra Thoracem quale.4°.meth.med. 7ª.28.B
Vulnº magnũ ĩ thoracis pte admit nocẽ,et reſpiratiõẽ.6°.d v. 1ª.148.E
Vulnus magnũ in thoracis parte ſeminocẽ demit.6°.de v.p. 1ª.148.E
Vulnera thoracis quomodo uocem impediant.4°.de loc.aff. 4ª.26.D
per Vulnus ſpiritus exit ſi thorax ſit vulneratus.1°.de loc.aff. 4ª.2.E
Vulnº ĩ cauitate thoracis tribus diebus cõglutinatũ.de ven.ſe. 6ª.13.c
Vulnus Venæ & arteriæ non ſuendum.5°.meth.med. 7ª.30.D
è Vulnere ſi exeat cibus, vulnus ſignat eũ in Vẽtriculo.1°.de l. 4ª.2.e
Vulnera uentriculi qua parte ſanentur.6°.meth.me. 7ª.39.G
ad Vulnera Vetera,& cicatrici inducendæ contumacia uelet terra lẽnia.9°.de ſimp.med.fac. 5ª.65.D
ad Vulnera vetera depaſcentia.5°.de comp.me.per ge. 5ª.250.B
ad Vulnus ueius.5°.de comp.me.per ge.247.E/ 5ª.251.B
in VVLNERE *q̃ intẽtio pro curatiõe.2°.de comp.me.ſec.lo.* 5ª.134.G
Vulneribus quæ adhibeantur.de opt.ſect. Iſa.22.D
in Vulneribus medicinæ debent eſſe ſiccæ.de ocul. 7ª.190.F
Vulnera glutinantia multum ſicca.7°.de ſim me.fa. 5ª.56.D
Vulneribus non conueniunt ſicciora.6°.de ſim.me.fac. 5ª.46.D
Vulnera glutinat Aloe.6°.de ſimp.me.fac. 5ª.42.B
Vulnerum glutinatoria eſt Prettonica.6°.de ſimp me.fa. 5ª.45.C
Vulnera et tumores delicate mũdat Caninus ſimus.de ſim.m. Sp.84.E
Vulnera ſanat Caſeus recens,& quomodo.10°.de ſim.me.fa. 5ª.74.C
in Vulneribus ceratum liquidum.de frac.com.3°. 7ª.245.A
Vulnera glutinare pñt ſolia et germina Corni.7°.de ſim.me.f. 5ª.52.g
Vulnera purgat & implet Erbum.de ſim.me. Sp.85.B
Vulneribus ſuperponi poſſunt Lapathi folia.10°.de ſim.m.fa. 5ª.74.b
in Vulneribus multis cauſis neceſſariũ ẽ lauri lixiuiũ.de ſim. Sp.85.b
Vulneribus multum præſtat Lauri lixiuium.de ſimp.med. Sp.85.H
Vulnera purgat & glutinat Lenticula.de ſim.me. Sp.86.B
Vulneribus ad obductam uſque ad cicatricem imponuntur folia Liliorum.7°.de ſim.me.fa. 5ª.53.B
ad Vulnera glutinãda valẽt folia Lõchitis viridia.7°.de ſi.m.f. 5ª.55.g
Vulnera glutinari pũt Malis auſteris et acidis.3°.de ſim.m.f. 5ª.58.H
Vulneribus minus moleſta Medicamẽta liqda.3°.de c.m.p g. 5ª.230.b
Vulnera curat ſuccus Mororum.de ſimp.me. Sp.87.H
Vulnera glutinat Myriophyllon.7°.de ſim.me.fac. 5ª.56.D
Vulnera glutinat,& ſine tumore cuſtodit millefoliũ.de ſimp. Sp.87.G
Vulnera ſanat Myrta.de ſimp.med. Sp.87.E
Vulnera curat myrta,ſi frequenter inde lauentur.de ſim.me. Sp.87.e
Vulneri nihil Oleoſum apponendum.2°.de arte cu.ad Glau. 7ª.101.H
Vulnera purgat Orobum.de ſimp.me. Sp.88.F
Vulnera cõglutinat Periſterõ.8°.de ſim.m.f. 5ª.58.C/*de ſi.* Sp.89.C
Vulnus glutinauit Galenus Piris.6°.de ſimp.med.fac. 5ª.43.D
Vulneribus glutinãdis congruit Pix arida.8°.de ſim.me.fac. 5ª.58.e
Vulneribus illinitur Polygonatum.8°.de ſimp.me.fa. 5ª.58.H
Vulnus glutinauit Gal.foliis Quercus,& qũo.6°.de ſim.me.f. 5ª.46.e
Vulnera glutinat Rhu.de ſim.me. Sp.89.E
Vulnera glutinant folia,& germina Rubi recens nata.6°.de ſimp.me.facult. 5ª.44.F
Vulnera deſiccat Spongia cum aqua,oxycrato,aut vino.11°.de ſimpl.med fac. 5ª.83.G
Vulnus glutinauit Galenus Vlmi foliis recẽtibus.8°.de ſi.m.f. 5ª.59.c
Vulneribus vinculi uice circumligatum ulmi cortex ea glutinare poteſt.8°.de ſimp.med.fac. 5ª.59.C
ad Vulneris diductarũ partiũ glutinationẽ uinculũ.de faſc. 7ª.295.B
ad Vulnera glutinanda.de med.fac.par. 7ª.172.D
Vulnera conglutinans.1°.de com.me.per ge. 5ª.215.F
ad Vulnera tanquam glutinatorium.4°.de com.me.per ge. 5ª.241.H
ad Vulnus omne.4°.de com.me.per ge.244.E/5°.246.E/248.C.249 H/6°. 5ª.256.H
ad Vulnera excellens.2°.de comp.me.per ge. 5ª.235.F
ad Vulnera.8°.de c.m.ſ.l.188.G/2°.de c.m.p ge.222.H/3°.235.C/5°.245.G/247.A/6°. 5ª.261.G/*de med.fac.par.* 7ª.175.D/Sp.35.F
VVLPINA *caro facit humorem melancholicum.3°.de lo.aff.* 4ª.18.F
Vulpinus pulmo ſi bibatur reſiccatus aſthmaticos iuuat.11°.de ſim.med.fac. 5ª.79.H
Vulpinus adeps ad aurium affectiones.3°.de com.me.ſe.lo. 5ª.144.D
Vulpina cauda.de dy. Sp.28.C
VVLPES *recipit ſperma canis.2°.de vſu par.* 1ª.127.F
ex Vulpibus,et canibus gñatur mixtũ aĩal.de nat.hum.c.1°. 1ª.29.D
Vulpes ſunt ſiccæ temperamento.de atten.uic. 2ª.45.F
Vulpium caro qualis.de atten.uic. 2ª.45.F
Vulpinum carnes cur autumno comedantur.3°.de alim.fac. 2ª.26.B
Vulpes habent autumno probatiſſimam carnem ob uuas. de uict.rat. in morb.acu.com.4°. 7ª.147.B
Vulpis hepar proſplenicis.9°.de com.me.ſe.lo. 5ª.199.H
Vulpes quomodo arthriticos curent.11°.de ſim.me.fa. 5ª.82.H
Vulpes in oleo cocta quale ipſum efficiat.11°.de ſim.me.fac. 5ª.82.H
Vulpis pingue quale.7°.de comp med.per ge. 5ª.269.F
Vulpiũ adipẽ auriũ dolores ſanare ñ ẽ attẽdẽdũ.11°.de ſi.m.f. 5ª.79.e
Vulpis adeps.3°.de comp.med.ſec.lo. 5ª.146.E
Vulpis calybitidis.de dy. Sp.23.F
VVLSIO *in qua fiat parte.de ijs,quæ in med.fi.com.3°.* 7ª.218.G
ad Vulſiones confert ſuccus centaureæ.de virt.cent. Sp.94.A
VVLTVRES *bene hũt in ſiccitatibus.in 6ᵐ.de m.v.cõ.4°.* 3ª.186.H
Vulturis fel ad uiſus obſcuritatem.de remed.par.fac. 7ª.156.H
VVLTVM *nigrum & partim album habet conceptus in horis melancholiæ.de ſpermate.* Sp.37.D
Vultus triſtitiã diſcutit ſtyrax pauº potatus.2°.de c.m.ſ.l. 5ª.137.B
Vultus inditia mala.in prog.com.1°. 4ª.191.B
Vultus totius color viridis,aut niger malus.in prog.cõ.1°. 4ª.191.B
Vultus ſimilis ſibi ſano in acutis bonus,diſſimilis nero malus. in prog. comm.1°. 4ª.190.G
VVLVA *& uterus idem,& quid ſint.6°.de loc.aff.* 4ª.39.G
Vulua poteſt uideri extra animal.3°.de ana.admi. 1ª.81.H
Vuluæ natura conſideranda inteſtinis exemptis.6°.de ana.ad. 1ª.92.b
Vuluam cur prima die ſecaret Galenus.5°.de ana.adm. 1ª.87.B
Vuluæ figura.de diſſec.vul. 1ª.108.D
Vulua ſcroti conuerſi ſimilitudinem habet.introd. Iſa.54.E
Vuluarum differentia in ſuibus.de diſſ.uul. 1ª.108.E
Vulua porcina qualis.de diſſec.vul. 1ª.108.E
Vuluam ut mulier habent capra,& uacca.de diſſ.uul. 1ª.108.E
Vuluæ ſitus.de diſſec.vul.1ª.108.C/de anat.par. Sp.43.C
Vuluæ cur iecur uicinius.de ſęt.form. 1ª.323.G
Vulua habet talem ſtructurã qualẽ neruus.2°.de anat.admi. 1ª.73.B
Vulua mulierum biformis.2°.de ſem. 1ª.339.C
Vulua habet proceſſus quaſi cornua.1°.de ſem. 1ª.330.H
in Vulua cornua quæ.de diſſ.vul. 1ª.108.D
in Vulua cornua habent magnam functionem.de diſſ.vul. 1ª.108.E
in Vuluæ cornibus ſunt uaſa ſeminaria.1°.de ſem. 1ª.331.A
in Vulua cirri qui.de diſſ.vul. 1ª.108.D
in Vulua ſinus qui.de diſſ.vul. 1ª.108.D
in Vuluis fibrarum genus ſit diuerſum.1°.de ſem. 1ª.332.C
Vuluæ duæ tunicæ.de diſſ.uul. 1ª.108.H
Vuluæ tunicæ quales.de diſſ.uul. 1ª.108.H
Vuluæ tunicæ quomodo ſint ſecundum ætates.de diſſ.vul. 1ª.109.A
Vuluæ tunicæ qũo ſint ſecundum occaſiones.de diſſec.uul. 1ª.109.B

Vulua quo sit instante purgatione menstruorum.de diss.vul. 1ª.109.B
Vulua quomodo sit ante purgationē menstruorū.de diss.vul. 1ª.109.B
Vuluæ quomodo sint in his, quæ uterum gesserūt.de diss.vul. 1ª.109.B
Vuluæ quomodo sint in enixis.de diss.vul. 1ª.109.B
Vuluarum cervix intus collocata.2°.de semi. 1ª.339.D
Vulua cervix neque prominet, neque nuda est, sed intus collocata.2°. de semine. 1ª.340.E
Vuluæ cervix qualis.de diss.vul. 1ª.109.A
Vuluæ cervix summæ parti gutturis cōparatur.de diss.vul. 1ª.109.A
in Vuluam quæ instrumenta ponantur.2°.de semi. 1ª.335.H
Vuluis quo modo sint annexi testes.2°.de semi. 1ª.335.G
Vulua habet uenas, & arterias ut uiuat.2°.de anat.admin. 1ª.73.B
ad Vuluam quæ uenæ ueniant.de diss.uul. 1ª.108.G
in Vulua uenarum initia cui assimilentur.dē sęt.sor. 1ª.324.E
Vuluæ uenarum officia.introd. Isa.54.E
Vuluam quæ arteriæ nutriant.de diss.vul. 1ª.108.H
Vulua attrahit, retinet, et expellit, ut faciūt alia mēbra.1°.d̄ s. 1ª.330.g
Vulua n̄ dīget alio p̄ sua fūctiōe, cū pfecte absoluta ē.d̄ sęt.s. 1ª.324.g
Vuluæ proprium.7°.de anat.admin. 1ª.95.G
Vuluæ uincula laxa sunt, ideo potest moueri.de diss.uul. 1ª.108.F
Vuluæ multæ partes inseruiunt.de diss.vul. 1ª.108.F
Vuluæ partium adiacentium diuisio.de diss.uul. 1ª.108.E
Vulua indiget semine animalis.1°.de semi. 1ª.331.G
Vulua trahit semen, complectitur, & continet.1°.de sem. 1ª.329.B
Vuluæ partes mirifice appetunt semen complecti.1°.de se. 1ª.331.A
Vulua quomodo arripiat semen.1°.de semi. 1ª.331.A
Vuluam totam cur non possit semen aspergere.1°.de semi. 1ª.330.H
Vulų os n̄ ingrederet acumē specilli, qm̄ mulier ē pgnās.d̄ di.u. 1ª.109.a
in Vulua quæ oriantur.de diss.uul. 1ª.109.D
in Vulua chorion oritur.de diss vul. 1ª.109.D
in Vulua oriuntur membranæ inuoluētes fœtum.de diss.uul. 1ª.109.D
Vuluæ quomodo inhæreat chorion.de diss.vul. 1ª.109.D
ad Vuluæ Affectus longos.8°.de com.me.sec.lo. 5ª.196.H
ad Vuluæ affectus.7°.de com.me.per ge. 5ª.272.G
Vuluam Apertam sanat myles radix.7°.de simp.me.fac. 5ª.56.D
Vuluæ Destillatio ob pituitam.de dy. Sp.19.H
ad Vuluam destillantem remedium.de dy. Sp.25.E
Vuluæ & matricis Dolorem & febrem ofcendit urina uti iumentorum in muliere.de dy. Sp.35.E
Vuluæ doloris cura.de dy. Sp.35.F
Vuluæ doloribº et tumoribus butyrū pprie utile est. de sim. Sp.81.D
Vluæ Duritiei.1°.de comp.me. per ge. 5ª.214.H
ad Vuluæ Exesum.5°.de comp.me.per gen. 5ª.254.A
Vuluæ Grauitas ob pituitam.de dy. Sp.19.H
in Vuluis inflammationes non parum leuantur adiumento uenarum sectarum in cruribus.præsag.exper.conf. Sp.78.C
Vuluæ Labores.9°.de comp.med.sec.loc. 5ª.202.B
Vuluæ Morbi qui.introd. Isa.59.D
in Vuluæ morbis quæ uena secanda.præsag.exper.conf. Sp.79.C
Vuluæ q̄ pciderit collocatio spēs ē cōpositiōis chirurgiæ.intr. Isa.59.E
ad Vuluæ Procidentias idoneus est lentiscus.8°.de sim.m.fac. 5ª.61.b
è Vulua Sanguis quandoq; periculosus.5°.meth.me. 7ª.31.F
Vuluæ sanguinem sistit plantaginis succo Galenus.5°.me.me. 7ª.31.G
Vuluæ Strāgulatio qūo cognoscaī.de uic.ra.in mor.ac.c.4°. 7ª.152.G
ad Vuluæ strangulatus.9°.de comp.me.se.lo. 5ª.202.F
ad Vuluam Stringendam puluis.de dyn. Sp.29.C
ad Vuluam stringendam confectio.de dy. Sp.29.C
ad Vuluam stringendam quasi uirgo sit.de dy. Sp.29.C
in Vuluam fumus ingrediens.de dy. Sp.29.H
Vuluæ longinqua Vitia remediant conyzæ folia.de simp.me. Sp.83.A
ad Vuluam medicamenta.introd. Isa.57.H
Vulua.lege Uterus, Matrix.
VVVLA quid.de anat.uiuo. Sp.49.E
Vuulæ anatomia.de ana.uiuo. Sp.49.E
Vuula est secunda canna uocis.de ana.uiuo. Sp.49.E
Vuulæ qualitas, & organorum respirationis.de comp.memb. Sp.58.F
Vuula cur sit principium uocis.de util.resp. Sp.63.F
Vuula cur palato suspensa sit.de compa.memb. Sp.58.F
Vuula quomodo uideatur.de ana.uiuo. Sp.49.E
Vuulæ subiectæ pelliculæ duæ dictæ galsamach.de ana.uiuo. Sp.49.E
in Vuula glandulæ unde ortæ.de nat. & ord.cuiusl.corp. Sp.41.H
Vuulam cadentem subleuat diamoron de rubis.de dyn. Sp.26.B
ad Vuulæ destillationem suffumugium.de dyn. Sp.35.G
Vuulam dislocatam, vel relaxatam uel phlegmone affectā curat succus centaureæ.de uir.cent. Sp.93.D
Vuulam humorosam desiccat diamoron de rubis.de dy. Sp.26.B
Vuula incisa, aut ablata facit raucedinem.de ana.viuo. Sp.49.E
ad Vuulæ inflammationes.de remed.par.fac. 157.B/ 7ª.165.A
ad Vuulæ morbos.de remed.par.fac. 7ª.164.H
ad Vuulā euidenter faciūt folia, flos, & mora rubi.de sim.m. Sp.89.E

XANITAE *compositio cnius usus.* 9°.*de compo.me. secun. loc.* 5ª.204.H
XANTHIVM *digerit.8°.de simp.med.fac.* 5ª.57.B
XENOCRATES *curiosus.6° de simp.me.facul.* 5ª.39.G
Xenocrates à Galeno reprehēditur in his, quæ scripsit de illis, quæ fiūt in homine.10°.de sim.med.fac. 5ª.72.B
Xenocrates librum fecit de percipienda ab animalibus utilitate.10°. de sim.med.fac. 5ª.73.C
Xenocratis emplastrum.6°.de comp.me.per ge. 5ª.261.F
Xenocratis compositio Theriacæ quo modo differat ab Andromachi compositione.de ther.ad Pis. 5ª.95.B
Xenocrates.5°.de comp.me.per ge. 5ª.253.E
XENOPHANES *Eleæ floruit.de hist.phil.* Sp.2.C
Xenophanes hominem terram dixit, sed hoc negat Galenus. de natura humana, comm.1°. 1ª.27.G
XENOPHON *longe fuit ante Galenum.9°.de dec.Hip.* 1ª.284.D
Xenophōtis milites oculis lasi qa p niuē ambulauīt.10°.de v. 1ª.178.b
XEROPHTALMIA quid.introd. Isa.58.E
Xerophtalmia totum oculum exercet.introd. Isa.58.D
XEROTRIBIA *frictio dicitur sicca.8°.met.me.* 7ª.51.D
XESTE quomodo figuretur.de pond.& mens. 5ª.275.D
Xeste quantum capiat.de pond.& mens. 5ª.275.D
Xestes.de pond.& mens. 5ª.276.A
XINZYPHA *habent exiguum alimentum.2°. de alim.fac.* 2ª.22.B
Xinzypha sunt praui succi.2°.de alim.fac. 2ª.22.B
XIPHOES *tota pectoralis ossis figura.de ossi.* 1ª.42.F
Xiphoeis sola chartilago.de ossi. 1ª.42.F
Xiphoeis chartilago cur in tali parte sit sita.de ossi. 1ª.164.A
XYRIS *digerit, siccat, & attrahit.8°.de simp.me.fac.* 5ª.57.B
Xyris urinā ciet, lienes induratōs sanare potest.8°.de si.m.f. 5ª.57.B
Χυραλειφεῖν quid significet.2°.de simp.med.fac. 5ª.16.B
XYLOBALSAMVM *quid, & eius vires. de simp.med.* Sp.92.C
Xylobalsamū inter aromata numeratur.7°.meth.med. 7ª.44.A
Xylobalsamum calefacit, & relaxat.de sim.med. Sp 92.C
XYLOCINAMOMVM *quid, & eius vires.de sim.me.* Sp.92.C
Xylocinamomum.de ther.ad Pis.94.G/8°.de com.me.se.lo. 5ª.193.C
XIPHION. 8°.de simp.me.fac. 5ª.57.B
XYSTER quid.introductio. Isa.52.H
XYSTICVS *idest iaculator.7°.de comp.me.per ge.* 5ª.271.B

Signum sanitatis describit, & quare. in 3ᵐ.de mor. vulg.com.1°.130.G/133.D/ 3ª.156.E
YARI *succus contra maculam oculorū. de medic.exper.* Sp.106.D
Υ῾βωμα *quid.de artic.com.3°.* 7ª.274.H
Υ῾γιεινὸς *qui.2°.de san.tuen.* 2ª.73.H
Υ῾γίειαν *qui profitetur ὑγιεινὸς appellandus.2°.de sa.tu.* 2ª.73.H
Υ῾γροφανῆ *pulsum quem vocent.3°.de puls.diff.* 4ª.62.D
Υ῾δατοειδῆ *quem humorem vocent.introductio.* Isa.53.G
Υ῾δατόχολα *excrementa quæ.in 3ᵐ.de mor.vul.com.3°.* 3ª.148.F
Υ῾δατῶδες *vinum dilutum uocant.5°.de san.tuen.* 2ª.94.G
Υ῾λαιοειδῆ *quem humorem vocent.introd.* Isa.53.H
Υ῾οειδες *os quod.introductio.* Isa.54.F
Υ῾οειδὲς *os quale, & eius usus.7°.de vsu par.* 1ª.163.D
Υ῾πάρχον *quid latine significat.2°.meth.med.* 7ª.16.A
Υ῾πεζωκότα *quid vocent.introduct.* Isa.53.H
Υ῾πεζωκὸς *membrana quæ.1°.de motu mus.* 1ª.316.F
Υ῾περκαθάρσις *purgatiōes nimiæ à græcis dīr.3°.de si.m.fa.* 5ª.23.F
Υ῾περκένωσις *quid significet.in 1ᵐ.prorrh.com.3°.* 4ª.186.E

Υπερκρίσις *quid significet.in 1m.prorrh.com.3°.* 4a.186.F
Υπνέμια *oua ideſt ſubuentanea à gallinis concipiuntur abſq; coitu cum mare.14°.de vſu par.* 1a.206.D
Υπνη *quid.introductio.* Iſa.53.B
Υπὸ *quid ſignificet.2°.de decr.Hipp.* 1a.237.E
Υποχονδρια φλεγμαίνοντα *id eſt flagrantia Hypocondria.de vict.rat. in morb.acu.com.4°.* 7a.137.B
Υποδεσμίδαι *quid ſignificet.de ijs, quæ in medic.ſi.com.3°.214.G/de fract.com.1°.* 7a.228.D
Υποθέσαρ *quid.introductio.* Iſa.53.C
Υποφαίνεσαι *quid.in progn.com.1°.* 4a.193.B
Υπόφασις *quid.in progn.com.1°.* 4a.193.B
Υπόσπαδιᾶιοι *cur non generent, & quomodo curari poſſunt adeo ut generent.15°.de vſu par.* 1a.210.H
Υπόσασιν *vocant ſubſidentiam in vrina.4°.de ſa.tuen.* 2a.85.H
Υποσυμμιγῆ *quid vocent Græci.2°.de ſan.tuen.* 2a.74.A
Υπόξηρα *quæ vocentur.de ijs, quæ in med.ſi.com.3°.214.D/de fract. comm.1°.* 7a.228.F
Υφεσὸς *quid latine ſignificet.2°.meth.me.* 7a.16.A

Vide Hy.

YSION *pituitam purgat.de dyn.* Sp.21.F
Yſionis doſis.de dyn. Sp.21.F
Yſion ſi debeat educere, anus non eſt aqua lauandus, ſed panno lineo abſtergendus.de dyn. Sp.21.F

ZACHARAE *fit mentio in compoſitione quæ inſcribitur.Triaſandali expertum.de dyna.* Sp.26.E
ZACHARONIS *electarium.de me.exper.* Sp.106.H
ZACINTHIVM. *4°.de comp.me.per ge.* 5a.243.F
ZANERB *id eſt roſmarini.ſecretorum.* Sp.102.A
ZARVR parum nutrit, & cur.de diſſ.cont. Sp.73.F
ZEAE *nomen quale apud antiquos.de attenuãte victus ratione.* 2a.45.A
Zea eſt olira, & typha.de atten.vict. 2a.44.H
Zeia & typha tritico ſimillima.1°.de alim.fac. 2a.12.E
Zea flaua vt triticum, non alba ut hordeum. de atten.uic. 2a.45.A
Zea munda tenuior hordeo, tritico, & olyra.de atten. vict. 2a.45.A
Zea cortice emundanda.de atten.vict. 2a.45.A
Zeia media inter triticum & hordeum.6°.de ſimp.me.fa. 5a.47.G
Zeæ ſapor dulcis eſt.4°.de ſimp.me.fac. 5a.25.C
Zea Herodotum adſtringebat.1°.de ſimp.me.fa. 5a.7.H
Zea minus humectat quàm panicum.5°.de ſan.tuen. 2a.92.C
ex Zea fit panis.de vict.ra.in mor.acu.com.4°. 7a.146.F
Zeiæ, & typhæ panũ dŕiæ ſm Mneſitheum.1°.de alim.fac. 2a.12.E
Zeia frigoribus reſiſtit uehementer.1°.de alim.fac. 2a.12.D
ex Zeia fit tragus.de vic.ra.in mor.ac.com.1°. 7a.111.B
ex Zeia, & tritico crimnon.1°.de alim.fac. 2a.12.E
ex Zea crimnon quale.7°.de ſimp.med.fa. 5a.53.A
Zea non continuatur.de uic.ra.in mor.acu.com.1°. 7a.111.D
Zea.9°.de com.m.ſ.lo. 5a.200.A/*de uic.ra.in mor.ac.c.1°.* 7a.111.A
ZEMMA. *de med.fac.par.* 7a.170.C
ZENO *Cutieus ſtoicæ ſectæ author.de hiſt.philoſ.* Sp.2.E
Zeno ſtoicorum pater.1°.de decr.Hipp. 1a.233.D
Zeno potius ſophiſta, quam philoſophus.1°.de decr.Hipp. 1a.233.H
ZENO *Herophilius fuit.4°.de diff.pul.* 4a.67.E
Zenonis pulſus diffinitio.4°.de diſ.pul. 4a.67.E
Zenonis antidotus ad rabidos canes ẽ bona theriaca.2°.de ant. 5a.116.b
Zenonis medicina.de med.exper. Sp.107.F
Zenonis laodicei Theriaca.2°.de antid. 5a.116.B
Zeno.6°.de comp.me.per ge. 5a.258.H
ZEOPYRVM in bithynia.1°.de alim.fac.12.E/ 2a.13.A

HYRIA *oua ſubuentanea quæ.1°.de ſemi.* 1a.330.F
PISTANIA. de med.fac.par. 7a.177.G
ιλουσία *aquæ feruentis lauatio.3°.de ſa.tuen.* 2a.80.B
YXIS, & Heraclides omnia Hippocratis opera commentati ſint.de ijs, quæ in medic.fiunt, com.1°. 7a.197.F
Zis empiriticus interpretatus ẽ aphoriſmos.c.7°.a.64°. Ex.60.D

ZINGIBER *caſia uocatur ab indigenis. de theria ca ad Piſ.* 5a.94.H
Ziber quid, & eius uires.de ſimp.me. Sp.90.D
Ziberis, piperis albi, & piperis nigri dŕiæ.6°.de ſim.m.f. 5a.47.H
Ziber.1°.de antid. 5a.107.A
Ziber cur facile perforetur.6°.de ſim.me.fac. 5a.47.H
a zibere expimẽtũ ſumẽdũ.de acredine.4°.de ſim.med.fac. 5a.26.B
Ziber non adeo tenuium partium.6°.de ſimp.me.fa. 5a.47.H
Ziber ingreditur Theriacam.de ther.ad Piſ. 5a.92.F
Ziber ventriculo auxiliatur.3°.de ali.fa. 2a.29.G
Ziber proprie digeſtionem facit, ſtomachum confirmat, & corrobo ventrem laxat.de ſimp.med. Sp.90.E
cum zingibere ficus ante cibum quando.2°.de alim.fac. 2a.17.F
ex zibere, aceto, melle, ſucco cidoniorum, & pipere albo medicamẽ ad appetentiam deiectam.2°.de alim.fac. 2a.20.D
Zingeris drachmæ tres dantur ad infirmitates frigidas, & calefacit. medic.exper. Sp.106.E
Zinger vlceribus non conuenit.4°.de com.me.per ge. 5a.236.H
ZINR *Vide Gingiber.ſecr.* Sp.97.G
ZINVA. *de diſſol.cont.* Sp.73.H
ZIRVS. de ana.viu. Sp.44.E
ZIRGEM. *de med.exper.107.G/* Sp.108.F

ZOCHIVM. *de med.fac.par.* 7a.177.F
ZOIACI obliqtatẽ primꝰ ſenit Pythagoras.de hiſt.ph. Sp.6.C
ZOILVS *apud maledicos eſt in admiratione. 1°.meth. meden.* 7a.3.G
Zoilus Homeri ſtatuam flagellauit.1°.meth.med. 7a.3.G
Zoili cidotus pro ſcorpionis punctura.2°.de antid. 5a.117.E
ZON' ab aliquibus dicitur paralellus.com.3°.aph.14°. Ex.22.F
Zonam ſe lineam imaginariam, collige.com.3°.aph.14°. Ex.22.F
Zonæ c; de hiſt.philoſ. Sp.6.C
Zonarũ diſtinctio.com.3°.aph.14°. Ex.22.F
Zona mia orbis terrarũ eſt, q̃ eſt tẽpatiſſima.cõ.3°.aph.14°. Ex.22.F
Zona tẽtiſſima eſt, quæ trãſit p Gnidũ et Co.com.3°.a.14°. Ex.22.F
ZONÆ *men quæ faſciam inuenit.de faſcijs.* 7a.304.D
ex Zonar faſciam ſciſſa vinculum ad colem.de faſc. 7a.304.A
ZOPYIA antidotus.2°.de ant.110.H/115.A 5a.120.D
ZOPYRI *piſtola ad Mithridatem.2°.de antid.* 5a.115.A

ZVLAPION. *de med.fac.par.* 7a.177.H
Zupha.de ed.fac.par. 7a.177.G

ZIGOMA *ideſt iugale unde ortum habeat.de muſcul.diſſ.* 1a.44.H
Zigoma ode oſſibus. 1a.46.F
ZYMAE 6°.de ſimp.me.fac. 5a.48.A
Zythum exordeo.de vict.rat.in mor.acu.com.4°. 7a.143.F
Zythus flauus, acris, calidus, frigidus, aqueus, acidus. 6°.de ſimpl. med.fac. 5a.48.A
Zithum eſt æritiuum, & facit deiicere.com.2°.aph.20°. Ex.14.D
Zythus eſt tani ſucci.6°.de ſimp.me.fa. 5a.48.A

Indicis in omnes qui extãt Galeni libros, Antonio Muſa Braſauolo Medico Ferrarien Authore finis: In quo nihil deſiderare candidus lector poterit præter exphationem linguarum Hippocratis, quam in hoc indice conſulto prætermimus, cum per literarum ſeriem in eo Galeni volumine qui extra ordinem inſcribitur redacta ſit.

REGISTRVM.

* *ABCDEFGHIKLMNOPQRSTVXYZ. Aa Bb Cc Dd EeFf Gg Hh Ii Kk Ll Mm Nn Oo Pp Qq Rr Sſ Tt Vu Xx Yy Zz. Aaa Bbb Ccc Ddd Eee Fff Ggg Hhh Iii Kkk Lll Mmm Nnn Ooo Ppp Qqq Rrr Sſſ Ttt Vuu Xxx.*

*Omnes ſunt quaterniones, præter * duernionem, & Vuu & Xxx ternionem.*


A

LIBRARY